METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAR26	MAR26	MAR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27
COO OPT	03/31			04/30	05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26
ECG10 OP		03/30	03/31											
ECG11 OP		03/30	03/31											
ECG13 OP		03/30	03/31											
ECG15 OP		03/30	03/31											
ECG16 OP		03/30	03/31											
ECGC OOF		03/30	03/31											
ECHG OOF		03/30	03/31											
ECSI OOF		03/30	03/31											
EHO OPT				04/30	05/29	06/30	07/31	08/28	09/30					
FMG OPT				04/17										
FSO OPT				04/30	05/29	06/30								
GMW MON	03/30			04/20	05/04									
GWR THU				04/16										
GWT TUE	03/31			04/21										
GWW WED				04/22										
HMW MON	03/30			04/13										
HRO OPT				04/28	05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29		
HWR THU				04/23										
HWT TUE	03/31			04/14										
HWW WED				04/15	05/06	06/03	07/01							
HX CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
HX PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
HXE CALL				04/24										
HXE PUT				04/17										
LHO OPT	03/31			04/30	05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26
MMG MON	03/30													
OG CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
OG1 CALL					05/01									
OG1 PUT					05/01									
OG2 CALL				04/10										
OG2 PUT				04/10										
OG3 CALL				04/17										
OG3 PUT				04/17										
OG4 CALL				04/24										
OG4 PUT				04/24										
OMG OPT					04/27	05/26	06/25							
PAO CALL					04/15	05/20			08/19			11/18		
PAO PUT					04/15	05/20			08/19					
PAW OOF				04/17										
PLW OOF				04/24										
PO CALL					04/15	05/20	06/17			09/16			12/16	
PO PUT					04/15	05/20	06/17			09/16			12/16	
RWS THU				04/23										
SMW MON	03/30			04/13										
SO CALL					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26
SO PUT					04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	
SO1 CALL					05/01									
SO2 CALL				04/10										
SO2 PUT				04/10										
SO3 CALL				04/17										
SO3 PUT				04/17										
SO4 CALL				04/24										
SO4 PUT				04/24										
SWW WED				04/15										
TWS TUE	03/31			04/14										
WMG WED				04/01										

GOLD OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED	MICRO GOLD WEEKLY WED OPTION WEEK1										
APR26											
4235 ----	----	----	----	----	0.30 - 4.10	.0001	----	----	----	----	0 UNCH
4540 ----	----	----	----	----	145.70 + 77.60	.9516	----	----	----	----	1 UNCH
4600 ----	----	----	----	----	93.70 + 55.00	.8474	----	----	----	----	4 UNCH
4750 6.00	6.00	#6.00/6.00	#6.00/6.00	----	14.90 NEW	.1654	----	----	1	----	1 + 1
TOTAL									1		6+ 1

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT	MICRO GOLD OPTIONS										
MAY26											
3600 ----	----	----	----	----	6.30 - 6.50	----	----	----	----	----	2 UNCH
3700 ----	----	----	----	----	8.20 - 8.80	----	----	----	----	----	1 UNCH
3850 ----	----	----	----	----	12.70 - 13.60	----	----	----	----	----	2 UNCH
3900 ----	----	----	----	----	14.80 - 15.60	----	----	----	----	----	3 UNCH
4000 24.00	24.00	24.00/24.00	24.00/24.00	----	20.20 - 20.40	----	----	----	1	----	7 - 1
4200 ----	----	----	----	----	38.10 - 32.90	----	----	----	----	----	2 UNCH
4250 ----	----	----	----	----	472.50 + 84.20	----	----	----	----	----	1 UNCH
4400 ----	----	----	----	----	350.50 + 70.60	----	----	----	----	----	1 UNCH
4450 ----	----	----	----	----	313.10 + 65.50	----	----	----	----	----	1 UNCH
4450 ----	----	----	----	----	85.00 - 55.40	----	----	----	----	----	1 UNCH
4500 ----	----	----	----	----	277.60 + 59.90	----	----	----	----	----	1 UNCH
4500 ----	----	----	----	----	99.40 - 60.90	----	----	----	----	----	1 UNCH
4600 ----	----	----	----	----	134.90 - 72.70	----	----	----	----	----	2 UNCH
4725 ----	----	----	----	----	193.30 - 87.70	----	----	----	----	----	1 UNCH
4800 ----	----	----	----	----	236.30 - 96.10	----	----	----	----	----	1 UNCH
4900 ----	----	----	----	----	302.60 - 05.50	----	----	----	----	----	1 UNCH
4900 75.00	75.00	#75.00/75.00	#75.00/75.00	----	81.70 + 15.30	----	----	----	1	----	1 UNCH
4920 ----	----	----	----	----	317.00 - 07.00	----	----	----	----	----	2 UNCH
4950 ----	----	----	----	----	68.50 + 11.60	----	----	----	----	----	2 UNCH
5000 ----	----	----	----	----	57.30 + 8.40	----	----	----	----	----	2 UNCH
5050 ----	----	----	----	----	418.60 - 14.90	----	----	----	----	----	3 UNCH
5200 ----	----	----	----	----	28.70 + 1.20	----	----	----	----	----	1 UNCH
5875 ----	----	----	----	----	4.90 - 1.80	----	----	----	----	----	1 UNCH
TOTAL									2		40 - 1
JUN26											
2500 ----	----	----	----	----	1.90 - 0.40	----	----	----	----	----	2 UNCH
4000 ----	----	----	----	----	45.30 - 28.40	----	----	----	----	----	0 UNCH
4050 71.00	71.00	#71.00/*71.00	#71.00/*71.00	----	51.50 NEW	----	----	----	1	----	1 + 1
4260 ----	----	----	----	----	87.20 - 45.10	----	----	----	----	----	1 UNCH
4500 ----	----	----	----	----	155.70 - 65.30	----	----	----	----	----	3 UNCH
4700 ----	----	----	----	----	221.90 + 36.70	----	----	----	----	----	1 UNCH
4900 ----	----	----	----	----	141.20 + 20.40	----	----	----	----	----	2 UNCH
5200 ----	----	----	----	----	69.70 + 5.50	----	----	----	----	----	1 UNCH
5400 ----	----	----	----	----	44.60 + 1.10	----	----	----	----	----	2 UNCH
5875 ----	----	----	----	----	18.40 - 1.90	----	----	----	----	----	1 UNCH
TOTAL									1		14 + 1
JUL26											
3400 ----	----	----	----	----	1324.10 + 12.70	----	----	----	----	----	1 UNCH
3460 ----	----	----	----	----	1266.60 + 11.30	----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
APR26												
4100	25.00	25.00	52.10B/*25.00	52.10B/*25.00	----	26.40 NEW	.0991	----	----	1	----	1 + 1
4175	----	----	65.50B/*35.20A	65.50B/*35.20A	----	33.50 - 29.30	.1247	----	----	----	----	2 UNCH
4300	----	----	95.10B/*50.90A	95.10B/*50.90A	----	50.30 - 40.70	.1820	----	----	----	----	2 UNCH
4350	66.00	66.00	109.90B/*59.60A	109.90B/*59.60A	----	59.10 NEW	.2105	----	----	14	----	0 UNCH
4400	60.00	60.00	126.70B/*60.00	126.70B/*60.00	----	69.50 NEW	.2428	----	----	6	----	6 + 6
4450	----	----	145.90B/*80.30A	145.90B/*80.30A	----	81.60 - 56.30	.2786	----	----	----	----	1 UNCH
4500	----	----	#167.40B/*94.30	167.40B/*94.30A	----	95.70 - 61.90	.3181	----	----	----	----	1 UNCH
4700	194.30	194.30	#277.40B/*168.6	277.40B/*168.60A	----	176.30 NEW	.5034	----	----	50	----	50 + 50
TOTAL										71		63 + 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
APR26												
4550	----	----	#253.80B/173.60	#253.80B/173.60A	----	240.40 + 53.00	.6384	----	----	----	----	4 UNCH
4600	----	----	#221.70B/*150.1	#221.70B/150.10A	----	209.30 + 46.80	.5927	----	----	----	----	4 UNCH
4900	74.00	74.00	#86.90B/*60.90A	#86.90B/60.90A	----	78.20 + 14.00	.3081	----	----	4	----	20 + 4
4925	67.00	67.00	#79.30B/56.60A	#79.30B/56.60A	----	71.40 NEW	.2874	----	----	2	----	0 UNCH
TOTAL										6		28 + 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
3350	----	----	----/*2.30A	2.70B/*2.30A	----	1.60 - 1.70	.0059	----	----	----	----	2 UNCH
3500	----	----	----/*3.10A	3.00B/*3.10A	----	2.70 - 2.80	.0102	----	----	----	----	4 UNCH
3550	----	----	----/*3.40A	3.80B/*3.40A	----	3.10 - 3.30	.0119	----	----	----	----	3 UNCH
3600	4.40	4.40	4.40/*3.80A	5.20B/*3.80A	----	3.60 - 3.90	.0140	----	----	4	----	6 + 4
3700	----	----	----/*4.90A	8.20B/*4.90A	----	4.90 - 5.50	.0196	----	----	----	----	1 UNCH
3750	5.00	5.00	5.00/*5.00	9.90B/*5.00	----	5.70 - 6.40	.0231	----	----	1	----	4 + 1
3800	----	----	----/*6.70A	13.40B/*6.70A	----	6.60 - 7.60	.0271	----	----	----	----	2 UNCH
3850	6.00	6.00	6.00/*6.00	15.90B/*6.00	----	7.80 - 8.90	.0322	----	----	3	----	7 + 3
3900	----	----	----/*8.70A	18.70B/*8.70A	----	9.10 - 10.50	.0380	----	----	----	----	6 UNCH
3950	----	----	----/*10.10A	22.30B/*10.10A	----	10.70 - 12.30	.0451	----	----	----	----	5 UNCH
4000	14.00	14.00	14.00/*12.00A	27.10B/*12.00A	----	12.50 - 14.60	.0533	----	----	5	----	153 UNCH
4050	30.30	30.30	32.20B/*14.10A	32.20B/14.10A	----	14.80 - 17.10	.0634	----	----	13	----	55 + 12
4100	24.30	24.30	38.40B/*16.70A	38.40B/16.70A	----	17.50 - 20.10	.0753	----	----	14	----	29 + 10
4200	----	----	54.50B/*23.80A	54.50B/23.80A	----	24.90 - 27.20	.1072	----	----	----	----	19 UNCH
4225	----	----	60.10B/*26.00A	60.10B/*26.00A	----	27.30 - 29.20	.1172	----	----	----	----	2 UNCH
4250	----	----	64.60B/*28.80A	64.60B/28.80A	----	29.90 - 31.30	.1279	----	----	1	----	145 + 1
4300	51.00	51.00	76.80B/*33.60A	76.80B/33.60A	----	36.00 - 35.80	.1526	----	----	14	----	19 + 7
4350	53.20	53.20	90.30B/*39.90A	90.30B/39.90A	----	43.50 - 40.70	.1817	----	----	2	----	6 + 1
4375	58.00	58.00	98.00B/43.80A	98.00B/43.80A	----	47.80 - 43.30	.1979	----	----	20	----	24 + 20
4400	----	----	105.70B/*47.90A	105.70B/47.90A	----	52.60 - 46.00	.2155	----	----	----	----	19 UNCH
4425	----	----	115.10B/*52.70A	115.10B/52.70A	----	57.80 NEW	.2342	----	----	1	----	1 + 1
4440	----	----	120.00B/*55.90A	120.00B/55.90A	----	61.10 - 50.60	.2459	----	----	1	----	1 UNCH
4450	81.60	81.60	124.20B/*57.30A	124.20B/57.30A	----	63.40 - 51.80	.2539	----	----	3	----	166 + 1
4480	105.50	105.50	135.70B/*63.50A	135.70B/63.50A	----	71.00 NEW	.2795	----	----	10	----	10 + 10
4500	100.00	100.00	145.40B/*68.50A	145.40B/68.50A	----	76.40 - 57.90	.2973	----	----	103	----	102 + 101
4540	----	----	163.50B/*79.40A	163.50B/79.40A	----	88.40 NEW	.3353	----	----	1	----	1 + 1
4550	89.30	89.30	167.40B/82.20A	167.40B/82.20A	----	91.70 - 64.30	.3453	----	----	1	----	171 + 1
4600	----	----	194.20B/98.20A	194.20B/98.20A	----	109.50 - 71.10	.3972	----	----	----	----	4 UNCH
4625	----	----	208.70B/108.10A	208.70B/108.10A	----	119.40 - 74.60	.4244	----	----	----	----	3 UNCH
4640	----	----	217.80B/*115.30	217.80B/115.30A	----	125.60 - 76.80	.4411	----	----	----	----	1 UNCH
4650	----	----	226.70B/117.50A	226.70B/117.50A	----	130.00 - 78.10	.4523	----	----	----	----	94 UNCH
4675	----	----	239.90B/128.40A	239.90B/128.40A	----	141.30 - 81.60	.4808	----	----	----	----	12 UNCH
4680	----	----	243.20B/*131.90	243.20B/131.90A	----	143.70 NEW	.4865	----	----	15	----	15 + 15
4700	----	----	256.60B/139.60A	256.60B/139.60A	----	153.40 - 85.10	.5096	----	----	----	----	9 UNCH
4725	----	----	273.90B/152.90A	273.90B/152.90A	----	166.30 - 88.50	.5385	----	----	----	----	1 UNCH
4750	----	----	291.90B/165.90A	291.90B/165.90A	----	180.00 - 91.80	.5674	----	----	1	----	1 - 1
4800	252.00	252.00	329.60B/194.10A	329.60B/194.10A	----	209.80 - 98.00	.6240	----	----	2	----	1 - 1
4825	----	----	349.40B/210.60A	349.40B/210.60A	----	226.00 - 00.80	.6513	----	----	----	----	1 UNCH
4850	----	----	369.60B/225.40A	369.60B/225.40A	----	242.90 - 03.40	.6777	----	----	----	----	1 UNCH
4975	----	----	476.90B/328.30A	476.90B/328.30A	----	337.50 - 13.20	.7910	----	----	----	----	1 UNCH
5000	----	----	499.40B/348.30A	499.40B/348.30A	----	358.10 - 14.60	.8096	----	----	----	----	1 UNCH
5050	----	----	545.10B/384.00A	545.10B/384.00A	----	400.60 - 16.90	.8426	----	----	----	----	1 UNCH
5150	----	----	619.50B/477.10A	619.50B/477.10A	----	490.30 - 19.80	.8923	----	----	----	----	1 UNCH
5180	----	----	----/504.30A	625.60B/504.30A	----	518.00 - 20.40	.9037	----	----	----	----	1 UNCH
TOTAL										215		1111 + 187

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
APR26												
4300	----	----	#435.00B/311.30	435.00B/311.30A	----	414.10 NEW	.8469	----	----	1	----	1 + 1
4375	----	----	#371.60B/254.90	371.60B/254.90A	----	351.00 + 77.60	.8016	----	----	----	----	74 UNCH
4415	----	----	#338.80B/229.50	#338.80B/229.50A	----	318.90 + 73.30	.7731	----	----	----	----	6 UNCH
4435	----	----	#322.80B/218.20	#322.80B/218.20A	----	303.20 + 70.90	.7576	----	----	----	----	10 UNCH
4450	----	----	#310.50B/208.60	310.50B/208.60A	----	291.70 NEW	.7456	----	----	1	----	1 + 1
4500	----	----	#272.50B/179.10	272.50B/179.10A	----	254.70 + 63.00	.7022	----	----	----	----	1 UNCH
4550	----	----	242.20B/148.50A	242.20B/148.50A	----	220.10 + 56.60	.6542	----	----	----	----	1 UNCH
4575	----	----	225.30B/136.70A	225.30B/136.70A	----	203.70 + 53.20	.6287	----	----	----	----	3 UNCH
4600	----	----	211.50B/125.70A	211.50B/125.70A	----	187.90 + 49.70	.6023	----	----	1	----	26 UNCH
4610	----	----	#202.10B/121.70	202.10B/121.70A	----	181.80 + 48.40	.5915	----	----	----	----	1 UNCH
4625	----	----	193.40B/115.10A	193.40B/115.10A	----	172.90 + 46.30	.5751	----	----	----	----	3 UNCH
4650	----	----	179.10B/105.30A	179.10B/105.30A	----	158.50 + 42.80	.5472	----	----	----	----	7 UNCH
4675	----	----	165.50B/96.40A	165.50B/96.40A	----	144.90 + 39.30	.5187	----	----	----	----	5 UNCH
4680	----	----	#160.70B/96.30A	160.70B/96.30A	----	142.30 NEW	.5130	----	----	15	----	15 + 15
4690	----	----	#156.20B/91.60A	156.20B/91.60A	----	137.10 NEW	.5015	----	----	1	----	1 + 1
4700	100.00	100.00	151.50B/87.60A	151.50B/87.60A	----	132.00 + 35.80	.4899	----	----	2	----	17 UNCH
4710	----	----	#144.90B/84.80A	144.90B/84.80A	----	127.10 NEW	.4783	----	----	1	----	1 + 1
4725	----	----	137.60B/79.60A	137.60B/79.60A	----	120.00 + 32.40	.4610	----	----	1	----	1 UNCH
4750	83.90	83.90	126.20B/73.20A	126.20B/73.20A	----	108.70 + 29.10	.4321	----	----	14	----	35 + 10
4755	----	----	122.40B/71.70A	122.40B/71.70A	----	106.50 + 28.40	.4263	----	----	1	----	2 + 1
4765	----	----	119.30B/68.50A	119.30B/68.50A	----	102.30 + 27.10	.4149	----	----	----	----	74 UNCH
4785	----	----	109.20B/63.70A	109.20B/63.70A	----	94.30 + 24.70	.3922	----	----	----	----	2 UNCH
4800	71.40	71.40	104.30B/59.60A	104.30B/59.60A	----	88.60 + 22.90	.3754	----	----	3	----	8 + 3
4810	----	----	99.40B/58.00A	99.40B/58.00A	----	85.00 + 21.80	.3645	----	----	1	----	2 + 1
4825	67.00	67.00	94.30B/53.60A	94.30B/53.60A	----	79.80 + 20.10	.3482	----	----	44	----	44 + 43
4850	50.00	50.00	85.40B/48.20A	85.40B/48.20A	----	71.70 + 17.50	.3218	----	----	5	----	7 UNCH
4890	----	----	71.10B/41.60A	71.10B/41.60A	----	60.40 + 13.80	.2821	----	----	24	----	25 + 24
4900	62.10	62.10	70.20/39.20A	70.20/39.20A	----	57.80 + 13.00	.2726	----	----	25	----	31 + 25
4905	----	----	67.60B/39.10A	67.60B/39.10A	----	56.50 + 12.50	.2679	----	----	----	----	1 UNCH
4925	----	----	62.10B/35.10A	62.10B/35.10A	----	51.80 NEW	.2499	----	----	4	----	4 + 4
4950	40.00	40.00	56.40B/32.30A	56.40B/32.30A	----	46.40 + 9.20	.2286	----	----	3	----	3 + 3
4955	----	----	54.70B/31.60A	54.70B/31.60A	----	45.30 + 8.80	.2243	----	----	----	----	1 UNCH
4975	----	----	50.00B/29.10A	50.00B/29.10A	----	41.50 + 7.70	.2086	----	----	----	----	1 UNCH
5000	34.00	34.00	45.30B/27.40A	45.30B/27.40A	----	37.10 + 6.30	.1899	----	----	26	----	48 + 24
5005	----	----	44.10B/26.40A	44.10B/26.40A	----	36.30 + 6.00	.1864	----	----	----	----	1 UNCH
5020	----	----	41.10B/24.30A	41.10B/24.30A	----	34.00 + 5.30	.1762	----	----	----	----	1 UNCH
5025	----	----	40.00B/24.00A	40.00B/24.00A	----	33.20 + 5.00	.1728	----	----	1	----	1 UNCH
5050	----	----	36.10B/21.60A	36.10B/21.60A	----	29.70 + 4.00	.1569	----	----	----	----	2 UNCH
5080	27.70	27.70	31.90B/19.20A	31.90B/19.20A	----	26.10 + 2.90	.1400	----	----	1	----	3 + 1
5085	----	----	31.20B/18.80A	31.20B/18.80A	----	25.60 + 2.80	.1375	----	----	----	----	1 UNCH
5100	----	----	29.10B/17.90A	29.10B/17.90A	----	24.00 + 2.30	.1298	----	----	----	----	100 UNCH
5105	----	----	28.50B/17.60A	28.50B/17.60A	----	23.50 + 2.20	.1273	----	----	----	----	1 UNCH
5150	----	----	23.80B/15.10A	23.80B/15.10A	----	19.50 + 1.10	.1073	----	----	----	----	2 UNCH
5160	----	----	22.60B/15.40A	22.60B/15.40A	----	18.70 + 0.90	.1032	----	----	----	----	3 UNCH
5175	----	----	21.30B/13.80A	21.30B/13.80A	----	17.70 + 0.70	.0979	----	----	----	----	1 UNCH
5200	19.60	19.60	19.60/13.70A	19.60/13.70A	----	16.00 + 0.30	.0891	----	----	1	----	11 UNCH
5245	----	----	15.70B/11.80A	15.70B/11.80A	----	13.40 - 0.30	.0752	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5250	----	----	15.40B/11.60A	15.40B/11.60A	----	13.10 - 0.40	.0737	----	----	----	----	200 UNCH
5265	----	----	14.50B/11.00A	14.50B/11.00A	----	12.40 - 0.40	.0698	----	----	----	----	3 UNCH
5300	12.30	12.30	12.40B/9.80A	12.40B/9.80A	----	10.80 - 0.60	.0612	----	----	4	----	9 UNCH
5325	----	----	11.20B/*9.10A	11.20B/*9.10A	----	9.80 - 0.70	.0557	----	----	----	----	1 UNCH
5350	----	----	10.10B/*8.40A	10.10B/*8.40A	----	8.90 - 0.80	.0507	----	----	----	----	10 UNCH
5375	----	----	----/*7.80A	8.20B/*7.80A	----	8.10 - 0.80	.0462	----	----	----	----	2 UNCH
5400	----	----	----/*7.30A	7.20B/*7.30A	----	7.30 - 0.90	.0418	----	----	----	----	7 UNCH
5425	----	----	----/*6.80A	6.70B/*6.80A	----	6.70 - 0.90	.0384	----	----	----	----	2 UNCH
5500	7.50	7.50	7.50/*5.50A	7.50/*5.50A	----	5.10 - 1.00	.0292	----	----	1	----	9 UNCH
5550	----	----	----/*4.90A	4.30B/*4.90A	----	4.30 - 1.00	.0246	----	----	----	----	1 UNCH
TOTAL										181		839 + 158

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2800	----	----	----	----/1.00A	----	0.20 - 0.30	.0005	----	----	----	----	18 UNCH
3200	----	----	----/*0.40A	0.30B/*0.40A	----	0.50 NEW	.0016	----	----	1	----	1 + 1
3250	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.70	.0020	----	----	----	----	15 UNCH
3300	----	----	----/*1.00A	0.80B/*1.00A	----	0.60 - 0.80	.0021	----	----	----	----	1 UNCH
3350	----	----	----/1.10A	1.20B/1.10A	----	0.70 - 0.90	.0025	----	----	----	----	17 UNCH
3400	0.60	0.60	0.60/*0.60	1.40B/*0.60	----	0.80 NEW	.0029	----	----	8	----	8 + 8
3500	----	----	----/*1.40A	2.20B/*1.40A	----	1.20 - 1.30	.0045	----	----	----	----	30 UNCH
3550	----	----	----/*1.60A	2.70B/*1.60A	----	1.30 - 1.70	.0051	----	----	----	----	1 UNCH
3600	1.50	1.50	1.50/*1.50	3.30B/*1.50	----	1.50 - 2.10	.0061	----	----	2	----	4 UNCH
3700	2.60	2.60	2.60/*1.50	4.80B/*1.50	----	2.10 - 3.00	.0089	----	----	5	----	5 UNCH
3750	2.20	2.20	2.20/*2.20	5.90B/*2.20	----	2.40 - 3.70	.0105	----	----	1	----	51 + 1
3800	----	----	----/*2.80A	7.10B/*2.80A	----	2.80 - 4.60	.0126	----	----	1	----	16 UNCH
3850	3.50	3.50	3.50/*3.30A	8.40B/*3.30A	----	3.30 - 5.60	.0152	----	----	1	----	20 UNCH
3900	6.00	6.00	6.00/*3.90A	10.60B/*3.90A	----	4.00 - 6.70	.0188	----	----	19	----	106 - 9
3950	----	----	13.00B/*4.70A	13.00B/4.70A	----	4.80 - 8.10	.0230	----	----	6	----	42 - 2
4000	7.80	7.80	16.20B/*5.30	16.20B/5.30	----	5.80 - 9.80	.0284	----	----	17	----	177 + 10
4050	----	----	20.00B/*6.70A	20.00B/6.70A	----	7.10 - 11.80	.0354	----	----	----	----	10 UNCH
4075	----	----	22.10B/*7.40A	22.10B/*7.40A	----	7.90 - 12.80	.0396	----	----	----	----	26 UNCH
4100	10.90	10.90	24.40B/*8.10A	24.40B/8.10A	----	8.70 - 14.10	.0440	----	----	11	----	244 + 9
4150	16.60	16.60	29.90B/*9.70A	29.90B/*9.70A	----	10.80 - 16.90	.0553	----	----	21	----	44 + 12
4175	14.90	14.90	33.20B/*10.80A	33.20B/*10.80A	----	12.00 - 18.50	.0617	----	----	1	----	50 + 1
4200	16.30	16.30	36.60B/*11.80	36.60B/11.80	----	13.40 - 20.10	.0692	----	----	12	----	16 + 12
4210	----	----	38.30B/*12.40A	38.30B/*12.40A	----	14.00 - 20.90	.0724	----	----	----	----	8 UNCH
4220	----	----	39.90B/*12.90A	39.90B/*12.90A	----	14.60 - 21.60	.0756	----	----	----	----	3 UNCH
4225	----	----	40.70B/*13.20A	40.70B/*13.20A	----	14.90 - 22.00	.0773	----	----	----	----	100 UNCH
4240	----	----	43.20B/*14.10A	43.20B/*14.10A	----	16.00 - 23.10	.0830	----	----	----	----	2 UNCH
4250	22.50	22.50	45.20B/*14.70A	45.20B/*14.70A	----	16.70 - 24.00	.0867	----	----	4	----	228 - 1
4260	----	----	47.00B/*15.30A	47.00B/*15.30A	----	17.40 - 24.90	.0905	----	----	----	----	14 UNCH
4265	----	----	47.80B/*15.60A	47.80B/*15.60A	----	17.80 - 25.30	.0926	----	----	----	----	2 UNCH
4275	----	----	49.90B/*16.30A	49.90B/*16.30A	----	18.60 - 26.20	.0969	----	----	----	----	7 UNCH
4280	18.30	18.30	50.90B/*16.70A	50.90B/*16.70A	----	19.10 NEW	.0993	----	----	2	----	2 + 2
4295	----	----	54.10B/*17.70A	54.10B/*17.70A	----	20.40 - 27.90	.1062	----	----	----	----	5 UNCH
4300	35.50	35.50	55.10B/*18.20A	55.10B/18.20A	----	20.90 - 28.30	.1087	----	----	12	----	362 - 2
4310	----	----	57.40B/*19.10A	57.40B/*19.10A	----	21.80 - 29.30	.1135	----	----	----	----	9 UNCH
4315	----	----	58.50B/*19.50A	58.50B/*19.50A	----	22.30 - 29.80	.1161	----	----	1	----	1 UNCH
4330	34.50	34.50	62.20B/*20.80A	62.20B/*20.80A	----	23.90 NEW	.1242	----	----	10	----	10 + 10
4350	38.20	38.20	67.30B/*22.70A	67.30B/22.70A	----	26.20 - 33.30	.1359	----	----	116	----	122 + 110
4355	----	----	68.50B/*23.20A	68.50B/*23.20A	----	26.80 - 33.80	.1389	----	----	----	----	50 UNCH
4375	----	----	74.10B/*25.40A	74.10B/25.40A	----	29.30 - 36.00	.1516	----	----	----	----	1 UNCH
4400	56.50	56.50	81.40B/*28.40A	81.40B/28.40A	----	32.90 - 38.70	.1692	----	----	30	50	68 - 29
4405	----	----	83.10B/*29.10A	83.10B/*29.10A	----	33.70 - 39.30	.1731	----	----	----	----	21 UNCH
4410	55.70	55.70	84.70B/*29.70A	84.70B/*29.70A	----	34.40 - 40.00	.1766	----	----	9	----	10 + 9
4415	----	----	86.60B/*30.40A	86.60B/*30.40A	----	35.20 - 40.50	.1805	----	----	----	----	4 UNCH
4420	----	----	88.00B/*31.10A	88.00B/*31.10A	----	36.00 - 41.20	.1844	----	----	----	----	1 UNCH
4425	----	----	89.60B/*31.80A	89.60B/31.80A	----	36.90 - 41.70	.1886	----	----	4	----	4 + 2
4435	----	----	93.30B/*33.30A	93.30B/*33.30A	----	38.60 - 43.00	.1967	----	----	----	----	2 UNCH
4445	----	----	96.60B/*34.80A	96.60B/*34.80A	----	40.40 NEW	.2052	----	----	1	----	1 + 1
4450	65.30	65.30	98.60B/*35.60A	98.60B/*35.60A	----	41.40 - 44.80	.2098	----	----	40	----	31 + 28
4460	----	----	102.30B/*37.30A	102.30B/*37.30A	----	43.30 - 46.20	.2187	----	----	----	----	1 UNCH
4465	----	----	104.30B/*38.10A	104.30B/*38.10A	----	44.30 - 46.90	.2233	----	----	----	----	1 UNCH
4470	----	----	106.30B/*39.00A	106.30B/*39.00A	----	45.30 - 47.60	.2279	----	----	----	----	26 UNCH
4475	----	----	108.50B/*39.90A	108.50B/39.90A	----	46.40 - 48.20	.2328	----	----	3	----	17 + 3
4480	60.00	60.00	110.40B/*40.80A	110.40B/*40.80A	----	47.40 - 49.00	.2375	----	----	1	----	56 UNCH
4500	85.50	85.50	119.20B/*44.70A	119.20B/44.70A	----	52.00 - 51.80	.2579	----	----	58	----	231 - 37
4515	57.20	57.20	125.90B/*47.90A	125.90B/*47.90A	----	55.60 NEW	.2738	----	----	4	----	4 + 4
4520	66.50	66.50	127.70B/*49.00A	127.70B/*49.00A	----	56.90 NEW	.2793	----	----	1	----	1 + 1
4525	90.50	90.50	130.40B/*50.10A	130.40B/50.10A	----	58.20 NEW	.2848	----	----	3	----	2 + 2
4535	----	----	135.10B/*52.40A	135.10B/52.40A	----	60.90 - 57.30	.2962	----	----	----	----	1 UNCH
4540	----	----	137.50B/*53.60A	137.50B/53.60A	----	62.30 - 58.10	.3020	----	----	2	----	8 UNCH
4545	----	----	140.10B/*54.90A	140.10B/54.90A	----	63.70 - 58.90	.3079	----	----	----	----	7 UNCH
4550	101.00	101.00	142.70B/56.00A	142.70B/56.00A	----	65.20 - 59.70	.3139	----	----	12	----	18 + 12
4555	----	----	145.30B/*57.40A	145.30B/57.40A	----	66.60 - 60.60	.3198	----	----	----	----	10 UNCH
4560	----	----	148.00B/*58.70A	148.00B/58.70A	----	68.10 - 61.50	.3259	----	----	1	----	1 UNCH
4570	----	----	153.40B/*61.30A	153.40B/61.30A	----	71.30 - 63.10	.3384	----	----	3	----	4 + 3
4575	----	----	156.50B/62.70A	156.50B/62.70A	----	72.90 - 63.90	.3447	----	----	----	----	11 UNCH
4590	----	----	164.50B/*67.20A	164.50B/67.20A	----	77.90 - 66.50	.3641	----	----	----	----	3 UNCH
4595	----	----	167.40B/*68.60A	167.40B/68.60A	----	79.60 - 67.40	.3706	----	----	1	----	2 + 1
4600	134.00	134.00	169.30B/70.30A	169.30B/70.30A	----	81.40 - 68.30	.3773	----	----	13	----	17 + 5
4620	95.80	95.80	181.50B/*76.90A	181.50B/76.90A	----	88.80 NEW	.4044	----	----	12	----	12 + 12
4625	----	----	184.70B/78.50A	184.70B/78.50A	----	90.80 - 72.70	.4114	----	----	----	----	12 UNCH
4645	104.60	104.60	197.40B/*85.80A	197.40B/85.80A	----	98.90 NEW	.4395	----	----	2	----	2 + 2
4650	----	----	201.10B/87.70A	201.10B/87.70A	----	101.10 - 77.10	.4467	----	----	1	----	122 + 1
4675	----	----	217.80B/97.70A	217.80B/97.70A	----	112.30 - 81.50	.4829	----	----	----	----	4 UNCH
4700	----	----	235.70B/108.70A	235.70B/108.70A	----	124.60 - 85.70	.5197	----	----	----	----	8 UNCH
4720	----	----	250.60B/*118.20	250.60B/118.20A	----	135.10 - 89.00	.5492	----	----	----	----	4 UNCH
4725	----	----	254.40B/120.40A	254.40B/120.40A	----	137.90 - 89.70	.5566	----	----	----	----	1 UNCH
4750	----	----	274.00B/133.30A	274.00B/133.30A	----	152.10 - 93.70	.5930	----	----	2	----	4 + 2
4785	----	----	302.00B/153.10A	302.00B/153.10A	----	173.80 NEW	.6427	----	----	9	----	9 + 9
4800	----	----	314.60B/162.20A	314.60B/162.20A	----	183.60 - 00.60	.6633	----	----	9	----	13 + 9
4825	----	----	335.70B/178.10A	335.70B/178.10A	----	200.80 - 03.60	.6961	----	----	----	----	6 UNCH
4840	----	----	348.60B/188.00A	348.60B/188.00A	----	211.50 - 05.30	.7149	----	----	----	----	1 UNCH
4850	----	----	357.50B/194.80A	357.50B/194.80A	----	218.90 - 06.30	.7271	----	----	1	----	1 + 1
4875	----	----	379.50B/212.40A	379.50B/212.40A	----	237.70 - 08.80	.7559	----	----	----	----	4 UNCH
4900	----	----	401.90B/230.80A	401.90B/230.80A	----	257.40 - 10.90	.7827	----	----	----	----	15 UNCH
4925	----	----	424.60B/250.00A	424.60B/250.00A	----	277.70 - 12.70	.8068	----	----	----	----	3 UNCH
4935	----	----	433.90B/257.50A	433.90B/257.50A	----	285.90 - 13.50	.8159	----	----	1	----	1 UNCH
4945	----	----	443.10B/265.50A	443.10B/265.50A	----	294.30 - 14.10	.8246	----	----	----	----	4 UNCH
4950	----	----	447.90B/269.80A	447.90B/269.80A	----	298.60 - 14.30	.8289	----	----	1	----	2 UNCH
4955	----	----	452.40B/273.90A	452.40B/273.90A	----	302.80 - 14.60	.8329	----	----	----	----	3 UNCH
4975	----	----	471.10B/289.90A	471.10B/289.90A	----	320.00 - 15.70	.8486	----	----	----	----	1 UNCH
4995	----	----	490.00B/307.10A	490.00B/307.10A	----	337.50 - 16.60	.8630	----	----	----	----	1 UNCH
5000	----	----	494.90B/310.90A	494.90B/310.90A	----	342.00 - 16.70	.8665	----	----	----	----	103 UNCH
5015	----	----	509.00B/323.80A	509.00B/323.80A	----	355.30 - 17.40	.8760	----	----	----	----	2 UNCH
5020	----	----	513.80B/328.60A	513.80B/328.60A	----	359.80 - 17.50	.8791	----	----	----	----	8 UNCH
5025	----	----	518.70B/332.50A	518.70B/332.50A	----	364.30 - 17.70	.8821	----	----	----	----	2 UNCH
5050	----	----	542.60B/354.50A	542.60B/354.50A	----	387.00 - 18.50	.8961	----	----	----	----	4 UNCH
5065	----	----	556.90B/367.90A	556.90B/367.90A	----	400.80 - 18.80	.9036	----	----	----	----	20 UNCH
5070	----	----	561.70B/372.40A	561.70B/372.40A	----	405.40 - 19.00	.9060	----	----	----	----	4 UNCH
5075	----	----	566.50B/377.10A	566.50B/377.10A	----	410.00 - 19.10	.9081	----	----	----	----	1 UNCH
5100	----	----	590.80B/400.10A	590.80B/400.10A	----	433.30 - 19.60	.9189	----	----	----	----	12 UNCH
5120	----	----	610.20B/418.30A	610.20B/418.30A	----	452.10 - 20.00	.9266	----	----	----	----	3 UNCH
5125	----	----	615.10B/422.80A	615.10B/422.80A	----	456.80 - 20.10	.9285	----	----	----	----	3 UNCH
5130	----	----	620.00B/427.60A	620.00B/427.60A	----	461.60 - 20.10	.9304	----	----	1	----	4 UNCH
5200	----	----	680.30B/493.50A	680.30B/493.50A	----	528.40 - 21.00	.9508	----	----	----	----	20 UNCH
5230	----	----	709.90B/522.10A	709.90B/522.10A	----	557.40 - 21.30	.9575	----	----	----	----	2 UNCH
5235	----	----	714.80B/526.90A	714.80B/526.90A	----	562.20 - 21.40	.9588	----	----	----	----	2 UNCH
5260	----	----	739.50B/551.30A	739.50B/551.30A	----	586.50 - 21.60	.9635	----	----	----	----	31 UNCH
5360	----	----	----/652.80A	756.40B/652.80A	----	684.50 - 21.80	.9766	----	----	----	----	1 UNCH
5400	----	----	----/692.10A	778.90B/692.10A	----	723.90 - 21.90	.9807	----	----	----	----	1 UNCH
TOTAL										476	50	2847 + 203

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	#719.60B/534.00	#719.60B/534.00A	----	683.90 + 11.30	.9714	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4150	----	----	#573.70B/398.70	#573.70B/398.70A	----	539.00 + 04.20	.9445	----	----	----	----	1 UNCH
4200	----	----	#525.70B/355.80	525.70B/355.80A	----	491.60 + 00.90	.9305	----	----	1	----	3 + 1
4350	----	----	#386.60B/237.10	386.60B/237.10A	----	354.50 + 87.70	.8638	----	----	----	----	2 UNCH
4375	----	----	#363.90B/219.20	363.90B/219.20A	----	332.70 + 85.10	.8481	----	----	----	----	3 UNCH
4400	278.30	278.30	342.30B/201.90A	342.30B/201.90A	----	311.30 + 82.30	.8304	----	----	3	----	6 + 3
4415	----	----	#329.30B/191.70	#329.30B/191.70A	----	298.60 + 80.50	.8192	----	----	----	----	5 UNCH
4450	----	----	#299.40B/168.40	299.40B/168.40A	----	269.80 + 76.20	.7899	----	----	----	----	2 UNCH
4475	----	----	#278.80B/153.10	278.80B/153.10A	----	249.80 + 72.80	.7668	----	----	----	----	20 UNCH
4480	----	----	#274.70B/150.20	274.70B/150.20A	----	245.90 + 72.10	.7621	----	----	----	----	16 UNCH
4500	----	----	258.80B/138.90A	258.80B/138.90A	----	230.40 + 69.10	.7418	----	----	45	----	188 + 36
4505	----	----	#254.60B/136.20	254.60B/136.20A	----	226.60 + 68.40	.7365	----	----	----	----	1 UNCH
4515	----	----	#246.80B/130.80	246.80B/130.80A	----	219.10 + 66.90	.7259	----	----	----	----	0 UNCH
4525	----	----	#239.10B/125.50	239.10B/125.50A	----	211.70 + 65.30	.7148	----	----	----	----	1 UNCH
4530	----	----	#235.40B/122.60	235.40B/122.60A	----	208.00 + 64.50	.7092	----	----	----	----	100 UNCH
4535	----	----	#231.40B/120.40	231.40B/120.40A	----	204.40 + 63.70	.7034	----	----	----	----	1 UNCH
4540	----	----	#227.70B/117.90	227.70B/117.90A	----	200.80 + 62.90	.6976	----	----	----	----	2 UNCH
4545	----	----	#223.90B/115.60	223.90B/115.60A	----	197.20 + 62.10	.6918	----	----	----	----	6 UNCH
4550	162.00	162.00	220.50B/113.20A	220.50B/113.20A	----	193.60 + 61.20	.6858	----	----	1	----	106 UNCH
4555	----	----	#216.50B/110.80	216.50B/110.80A	----	190.10 + 60.40	.6798	----	----	----	----	10 UNCH
4560	----	----	#212.80B/108.20	212.80B/108.20A	----	186.60 + 59.50	.6737	----	----	1	----	9 + 1
4570	----	----	#205.60B/103.60	205.60B/103.60A	----	179.80 + 57.90	.6612	----	----	----	----	4 UNCH
4580	124.50	124.50	#198.30B/98.90A	198.30B/98.90A	----	173.00 + 56.20	.6486	----	----	30	----	80 + 30
4600	99.20	99.20	185.20B/90.10A	185.20B/90.10A	----	159.90 + 52.70	.6224	----	----	10	----	391 + 5
4610	158.40	158.40	#177.80B/86.10A	177.80B/86.10A	----	153.60 + 51.00	.6089	----	----	1	----	3 + 1
4625	----	----	167.80B/80.40A	167.80B/80.40A	----	144.30 + 48.30	.5883	----	----	----	----	5 UNCH
4635	----	----	#161.40B/76.70A	161.40B/76.70A	----	138.30 NEW	.5743	----	----	12	----	9 + 9
4640	115.10	115.10	#158.50B/74.80A	158.50B/74.80A	----	135.40 + 45.60	.5672	----	----	3	----	32 + 2
4650	106.00	106.00	152.20B/71.00A	152.20B/71.00A	----	129.70 + 43.90	.5530	----	----	6	----	125 + 1
4655	99.90	99.90	#148.90B/69.30A	148.90B/69.30A	----	126.80 NEW	.5458	----	----	6	----	6 + 6
4660	----	----	#146.30B/67.80A	146.30B/67.80A	----	124.10 + 42.20	.5386	----	----	4	----	4 + 3
4665	110.00	110.00	#143.60B/66.20A	143.60B/66.20A	----	121.30 + 41.20	.5313	----	----	3	----	15 - 1
4670	108.10	108.10	#140.50B/64.50A	140.50B/64.50A	----	118.60 NEW	.5240	----	----	1	----	1 + 1
4675	----	----	137.60B/63.10A	137.60B/63.10A	----	115.90 NEW	.5167	----	----	2	----	2 + 2
4680	85.10	85.10	#134.70B/61.40A	134.70B/61.40A	----	113.30 NEW	.5094	----	----	11	----	11 + 11
4685	93.20	93.20	#132.00B/60.20A	132.00B/60.20A	----	110.70 NEW	.5020	----	----	1	----	1 + 1
4695	105.50	105.50	#126.30B/57.40A	126.30B/57.40A	----	105.70 NEW	.4873	----	----	2	----	2 + 2
4700	68.60	68.60	123.60B/56.00A	123.60B/56.00A	----	103.20 + 35.20	.4799	----	----	164	----	298 + 147
4710	77.00	77.00	#118.40B/53.30A	118.40B/53.30A	----	98.40 + 33.60	.4652	----	----	1	----	10 + 1
4715	----	----	#115.80B/51.70A	115.80B/51.70A	----	96.10 + 32.80	.4578	----	----	2	----	3 + 2
4725	----	----	110.60B/49.20A	110.60B/49.20A	----	91.50 + 31.20	.4431	----	----	4	----	5 UNCH
4735	86.30	86.30	105.70B/46.90A	105.70B/46.90A	----	87.10 + 29.60	.4284	----	----	2	----	3 + 1
4740	----	----	103.30B/45.70A	103.30B/45.70A	----	85.00 + 28.90	.4212	----	----	----	----	1 UNCH
4745	----	----	101.00B/44.90A	101.00B/44.90A	----	82.90 + 28.10	.4139	----	----	----	----	5 UNCH
4750	65.10	65.10	98.50B/43.40A	98.50B/43.40A	----	80.80 + 27.40	.4066	----	----	7	----	13 + 1
4760	----	----	94.20B/41.50A	94.20B/41.50A	----	76.80 + 25.90	.3922	----	----	1	----	16 + 1
4775	39.30	39.30	87.60B/38.60A	87.60B/38.60A	----	71.10 NEW	.3709	----	----	4	----	4 + 4
4780	----	----	85.50B/37.50A	85.50B/37.50A	----	69.30 + 23.10	.3640	----	----	4	----	5 + 4
4800	49.00	49.00	77.50B/34.00A	77.50B/34.00A	----	62.30 + 20.40	.3364	----	----	177	50	212 + 151
4805	----	----	75.60B/33.00A	75.60B/33.00A	----	60.70 + 19.80	.3297	----	----	----	----	1 UNCH
4810	59.50	59.50	73.70B/32.30A	73.70B/32.30A	----	59.10 NEW	.3231	----	----	2	----	2 + 2
4830	----	----	66.40B/28.90A	66.40B/28.90A	----	53.10 NEW	.2973	----	----	1	----	1 + 1
4835	51.50	51.50	64.70B/28.10A	64.70B/28.10A	----	51.70 + 16.30	.2910	----	----	2	----	4 + 2
4840	----	----	63.30B/27.30A	63.30B/27.30A	----	50.30 + 15.70	.2848	----	----	1	----	1 UNCH
4850	33.10	33.10	60.10B/25.70A	60.10B/25.70A	----	47.60 + 14.60	.2726	----	----	8	----	69 + 2
4860	----	----	56.90B/24.40A	56.90B/24.40A	----	45.10 + 13.70	.2609	----	----	1	----	1 UNCH
4875	----	----	52.50B/22.40A	52.50B/22.40A	----	41.50 + 12.20	.2437	----	----	1	----	20 UNCH
4890	----	----	48.50B/20.80A	48.50B/20.80A	----	38.20 + 10.90	.2275	----	----	----	----	3 UNCH
4900	40.00	40.00	45.90B/*19.60A	45.90B/*19.60A	----	36.10 + 10.00	.2170	----	----	6	----	116 + 3
4910	34.60	34.60	43.50B/*18.60A	43.50B/*18.60A	----	34.20 NEW	.2071	----	----	3	----	3 + 3
4915	----	----	42.40B/*18.10A	42.40B/*18.10A	----	33.30 + 9.00	.2024	----	----	----	----	1 UNCH
4925	----	----	40.10B/*17.10A	40.10B/*17.10A	----	31.50 NEW	.1929	----	----	3	----	3 + 3
4930	----	----	39.00B/*16.60A	39.00B/*16.60A	----	30.60 + 7.90	.1882	----	----	----	----	10 UNCH
4935	----	----	38.00B/*16.30A	38.00B/*16.30A	----	29.80 + 7.60	.1838	----	----	----	----	1 UNCH
4945	----	----	35.90B/*15.40A	35.90B/*15.40A	----	28.20 + 7.00	.1751	----	----	----	----	16 UNCH
4950	19.80	19.80	35.00B/*15.00A	35.00B/*15.00A	----	27.40 + 6.60	.1708	----	----	38	----	73 + 25
4955	----	----	34.00B/*14.50A	34.00B/*14.50A	----	26.70 + 6.40	.1668	----	----	----	----	1 UNCH
4970	23.90	23.90	31.30B/*13.60A	31.30B/*13.60A	----	24.50 NEW	.1546	----	----	2	----	2 + 2
4975	----	----	30.50B/*13.20A	30.50B/*13.20A	----	23.90 + 5.30	.1511	----	----	1	----	2 + 1
4985	----	----	28.70B/*12.60A	28.70B/*12.60A	----	22.60 + 4.80	.1437	----	----	----	----	1 UNCH
4990	13.30	13.30	27.90B/*12.30A	27.90B/*12.30A	----	22.00 NEW	.1402	----	----	1	----	1 + 1
4995	20.80	20.80	27.20B/*11.90A	27.20B/*11.90A	----	21.40 NEW	.1367	----	----	2	----	2 + 2
5000	15.80	15.80	27.30/*11.70A	27.30/*11.70A	----	20.80 + 4.20	.1332	----	----	62	----	211 + 39
5005	21.00	21.00	25.70B/*11.40A	25.70B/*11.40A	----	20.30 NEW	.1301	----	----	1	----	1 + 1
5015	17.60	17.60	24.30B/*10.80A	24.30B/*10.80A	----	19.20 + 3.60	.1237	----	----	1	----	25 - 1
5020	----	----	23.50B/*10.60A	23.50B/*10.60A	----	18.70 NEW	.1206	----	----	1	----	1 + 1
5025	----	----	22.90B/*10.20A	22.90B/*10.20A	----	18.20 + 3.30	.1176	----	----	----	----	2 UNCH
5030	----	----	22.30B/*10.00A	22.30B/*10.00A	----	17.70 + 3.10	.1146	----	----	----	----	16 UNCH
5040	----	----	21.10B/*9.60A	21.10B/*9.60A	----	16.80 + 2.80	.1091	----	----	1	----	2 + 1
5045	----	----	20.50B/*9.40A	20.50B/*9.40A	----	16.40 + 2.70	.1066	----	----	----	----	1 UNCH
5050	----	----	19.90B/*9.20A	19.90B/*9.20A	----	15.90 + 2.50	.1036	----	----	1	----	77 UNCH
5055	----	----	19.40B/*8.90A	19.40B/*8.90A	----	15.50 + 2.40	.1011	----	----	----	----	1 UNCH
5060	15.00	15.00	18.80B/*8.70A	18.80B/*8.70A	----	15.10 + 2.30	.0986	----	----	2	----	4 + 2
5070	----	----	17.80B/*8.30A	17.80B/*8.30A	----	14.30 + 2.00	.0937	----	----	----	----	0 UNCH
5090	10.70	10.70	15.90B/*7.50A	15.90B/*7.50A	----	12.90 NEW	.0848	----	----	10	----	10 + 10
5100	10.60	10.60	15.10B/*7.10A	15.10B/*7.10A	----	12.30 + 1.40	.0809	----	----	3	----	39 + 1
5120	10.90	10.90	13.50B/*6.50A	13.50B/*6.50A	----	11.10 + 1.10	.0731	----	----	2	----	3 + 2
5135	9.80	9.80	12.40B/*6.10A	12.40B/*6.10A	----	10.30 NEW	.0679	----	----	2	----	2 + 2
5150	----	----	11.40B/*5.70A	11.40B/*5.70A	----	9.50 + 0.60	.0628	----	----	1	----	17 + 1
5170	6.80	6.80	10.20B/*5.30A	10.20B/*5.30A	----	8.60 + 0.30	.0569	----	----	5	----	5 + 4
5185	----	----	9.40B/*5.10A	9.40B/*5.10A	----	8.00 + 0.10	.0529	----	----	----	----	1 UNCH
5200	6.20	6.20	8.60B/*4.70A	8.60B/*4.70A	----	7.40 - 0.10	.0489	----	----	15	----	63 - 5
5205	----	----	8.40B/*4.70A	8.40B/*4.70A	----	7.20 - 0.10	.0476	----	----	----	----	11 UNCH
5210	----	----	8.20B/*4.40A	8.20B/*4.40A	----	7.10 - 0.10	.0468	----	----	----	----	3 UNCH
5220	8.00	8.00	8.00/*4.30A	8.00/*4.30A	----	6.70 - 0.30	.0443	----	----	11	----	13 + 11
5230	7.60	7.60	7.60/*4.10A	7.60/*4.10A	----	6.40 NEW	.0422	----	----	11	----	11 + 11
5250	----	----	6.60B/*3.80A	6.60B/*3.80A	----	5.80 - 0.60	.0382	----	----	----	----	35 UNCH
5265	5.20	5.20	6.10B/*3.40A	6.10B/*3.40A	----	5.40 NEW	.0355	----	----	2	----	2 + 2
5270	----	----	----/*3.40A	6.00B/*3.40A	----	5.30 - 0.70	.0348	----	----	----	----	1 UNCH
5280	----	----	----/*3.20A	5.70B/*3.20A	----	5.00 - 0.80	.0329	----	----	----	----	2 UNCH
5290	4.90	4.90	5.40B/*3.00A	5.40B/*3.00A	----	4.80 NEW	.0315	----	----	2	----	2 + 2
5300	3.70	3.70	5.10B/*2.90A	5.10B/*2.90A	----	4.60 - 0.80	.0301	----	----	4	----	17 + 4
5305	----	----	----/*2.80A	5.00B/*2.80A	----	4.50 - 0.80	.0294	----	----	----	----	1 UNCH
5330	----	----	----/*2.40A	4.40B/*2.40A	----	4.10 - 0.70	.0266	----	----	----	----	1 UNCH
5340	----	----	----/*2.30A	4.20B/*2.30A	----	3.90 - 0.80	.0253	----	----	----	----	2 UNCH
5350	----	----	----/*2.20A	4.00B/*2.20A	----	3.80 - 0.70	.0245	----	----	----	----	8 UNCH
5395	----	----	----/*1.70A	3.20B/*1.70A	----	3.10 - 0.90	.0198	----	----	----	----	9 UNCH
5400	----	----	----/*1.60A	3.20B/*1.60A	----	3.00 - 0.90	.0192	----	----	----	----	150 UNCH
5410	----	----	----/*1.60A	3.00B/*1.60A	----	2.90 - 0.90	.0185	----	----	----	----	1 UNCH
5420	----	----	----/*1.50A	2.90B/*1.50A	----	2.80 - 0.90	.0178	----	----	----	----	1 UNCH
5450	----	----	----/*1.30A	2.60B/*1.30A	----	2.50 - 0.90	.0157	----	----	----	----	3 UNCH
5475	----	----	----/*1.20A	2.30B/*1.20A	----	2.30 - 0.80	.0143	----	----	----	----	1 UNCH
5500	2.40	2.40	2.40/*1.00A	2.40/*1.00A	----	2.10 - 0.80	.0130	----	----	3	----	47 + 2
5575	----	----	----/*0.70A	1.50B/*0.70A	----	1.50 - 0.70	.0091	----	----	----	----	1 UNCH
5600	----	----	----/*0.60A	1.30B/*0.60A	----	1.30 - 0.70	.0079	----	----	----	----	9 UNCH
5750	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 NEW	.0041	----	----	9	----	9 + 9
5800	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 NEW	.0034	----	----	9	----	9 + 9
6300	----	----	----	----/1.00A	----	0.10 - 0.10	.0002	----	----	1	----	6 + 1
6500	----	----	----	----/1.10A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
TOTAL										741	50	2931 + 582

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4150	42.10	42.10	#42.10/*42.10	73.80B/*42.10	----	40.70 NEW	.1354	----	----	2	----	2 + 2
4300	----	----	----/*65.10A	111.90B/*65.10A	----	63.40 NEW	.2029	----	----	1	----	1 + 1
4500	101.80	101.80	#188.60B/*101.8	#188.60B/*101.80	----	113.80 NEW	.3325	----	----	1	----	1 + 1
4535	----	----	#198.80B/*124.3	198.80B/*124.30A	----	125.90 - 71.00	.3597	----	----	----	----	1 UNCH
4610	164.10	164.10	#164.10/*151.70	221.80B/*151.70A	----	155.40 NEW	.4212	----	----	10	----	10 + 10
TOTAL										14		15 + 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26													
4625	180.00	180.00	#217.60B/*161.3	#217.60B/*161.30A	----	215.40	NEW	.5653	----	----	1	----	1 + 1
4715	----	----	#181.70B/*128.7	#181.70B/*128.70A	----	169.20	NEW	.4877	----	----	1	----	1 + 1
4800	----	----	#143.60B/*102.4	#143.60B/*102.40A	----	132.40	NEW	.4147	----	----	1	----	1 + 1
4950	77.00	77.00	#90.70B/*75.00	#90.70B/*72.00A	----	82.10	NEW	.2947	----	----	27	----	27 + 27
TOTAL											30		30+ 30

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26													
1000	0.10	0.10	0.20/0.10	0.20/0.10	----	0.10	UNCH	----	----	----	867	----	2046 + 867
1500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	.0000	----	----	28	----	761 + 10
1600	0.10	0.10	0.20B/*0.10	0.20B/0.10	----	0.10	UNCH	.0000	----	----	65	----	40 + 40
1700	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	2 UNCH
1800	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0001	----	----	----	----	2 UNCH
1900	----	----	----	0.10B/0.40A	----	0.10	UNCH	.0002	----	----	----	----	1 UNCH
2000	0.20	0.20	0.30/*0.20	0.30/0.20	----	0.20	UNCH	.0004	----	----	51	----	149 UNCH
2175	----	----	----	0.30B/0.60A	----	0.40	+ 0.10	.0009	----	----	----	----	25 UNCH
2200	0.30	0.30	0.30/0.30	0.40B/0.30	----	0.40	UNCH	.0009	----	----	43	----	129 + 34
2225	0.40	0.40	0.50B/0.40	0.50B/0.40	----	0.40	UNCH	.0009	----	----	2	----	271 + 2
2250	----	----	0.50B/----	0.50B/0.60A	----	0.50	+ 0.10	.0011	----	----	----	----	8 UNCH
2275	----	----	----	0.40B/0.60A	----	0.50	+ 0.10	.0011	----	----	----	----	1 UNCH
2300	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50	UNCH	.0012	----	----	2	----	155 UNCH
2325	----	----	----	0.40B/0.70A	----	0.50	UNCH	.0012	----	----	----	----	7 UNCH
2350	----	----	----	0.50B/0.70A	----	0.60	UNCH	.0014	----	----	----	----	122 UNCH
2400	----	----	0.70B/----	0.70B/0.70A	----	0.60	UNCH	.0014	----	----	----	----	3 UNCH
2420	----	----	----	0.70B/0.70A	----	0.70	UNCH	.0017	----	----	----	----	16 UNCH
2450	----	----	----	0.70B/0.80A	----	0.70	UNCH	.0017	----	----	----	----	15 UNCH
2485	----	----	----	0.80B/0.80A	----	0.80	UNCH	.0020	----	----	----	----	20 UNCH
2495	0.50	0.50	0.50/0.50	0.70B/0.50	----	0.80	UNCH	.0020	----	----	2	----	75 UNCH
2500	----	----	----	0.70B/0.80A	----	0.80	UNCH	.0020	----	----	----	----	53 UNCH
2505	----	----	----	0.70B/0.90A	----	0.80	- 0.10	.0020	----	----	----	----	5 UNCH
2520	----	----	----	0.70B/0.90A	----	0.80	- 0.10	.0020	----	----	----	----	2 UNCH
2525	----	----	----	0.70B/0.90A	----	0.80	- 0.10	.0020	----	----	----	----	102 UNCH
2540	----	----	----	0.70B/0.90A	----	0.80	- 0.10	.0020	----	----	----	----	5 UNCH
2550	----	----	----/0.90A	0.70B/0.90A	----	0.90	- 0.10	.0022	----	----	----	----	1 UNCH
2560	----	----	----/0.90A	0.80B/0.90A	----	0.90	- 0.10	.0023	----	----	----	----	6 UNCH
2580	----	----	----/0.90A	0.80B/0.90A	----	0.90	- 0.10	.0023	----	----	----	----	35 UNCH
2590	----	----	----/1.00A	0.80B/1.00A	----	0.90	- 0.20	.0023	----	----	----	----	1 UNCH
2600	0.60	0.60	0.60/0.60	0.80B/0.60	----	0.90	- 0.20	.0023	----	----	2	----	32 UNCH
2615	----	----	----/1.00A	0.80B/1.00A	----	1.00	- 0.10	.0026	----	----	----	----	1 UNCH
2620	----	----	----/1.00A	0.80B/1.00A	----	1.00	- 0.10	.0026	----	----	----	----	1 UNCH
2650	----	----	----/1.10A	0.90B/1.10A	----	1.00	- 0.20	.0026	----	----	----	----	1 UNCH
2660	----	----	----/1.10A	0.90B/1.10A	----	1.00	- 0.30	.0026	----	----	----	----	1 UNCH
2685	1.10	1.10	1.10/1.10	1.10/1.10	----	1.10	NEW	.0029	----	----	1	----	1 + 1
2700	----	----	----/1.00A	1.00B/1.00A	----	1.10	- 0.30	.0029	----	----	----	----	31 UNCH
2705	----	----	----/1.20A	1.00B/1.20A	----	1.10	- 0.30	.0029	----	----	----	----	1 UNCH
2715	----	----	----/1.20A	1.00B/1.20A	----	1.10	- 0.30	.0030	----	----	----	----	2 UNCH
2730	----	----	----/1.30A	1.00B/1.30A	----	1.20	- 0.30	.0032	----	----	----	----	2 UNCH
2750	----	----	----/1.30A	1.10B/1.30A	----	1.20	- 0.40	.0033	----	----	----	----	1 UNCH
2755	----	----	----/1.30A	1.10B/1.30A	----	1.20	- 0.40	.0033	----	----	----	----	6 UNCH
2770	----	----	----/1.40A	1.10B/1.40A	----	1.20	- 0.40	.0033	----	----	----	----	4 UNCH
2785	----	----	----/1.40A	1.20B/1.40A	----	1.30	- 0.40	.0036	----	----	----	----	20 UNCH
2790	----	----	----/1.40A	1.20B/1.40A	----	1.30	- 0.40	.0036	----	----	----	----	5 UNCH
2800	1.20	1.20	1.20/0.90	1.30B/0.90	----	1.30	- 0.40	.0036	----	----	4	----	81 + 3
2815	----	----	----/1.40A	1.30B/1.40A	----	1.30	- 0.50	.0036	----	----	----	----	35 UNCH
2820	----	----	----/1.40A	1.30B/1.40A	----	1.30	- 0.50	.0036	----	----	----	----	73 UNCH
2845	----	----	----/1.50A	1.40B/1.50A	----	1.40	- 0.50	.0039	----	----	----	----	5 UNCH
2870	----	----	----/1.50A	1.50B/1.50A	----	1.50	- 0.50	.0042	----	----	----	----	20 UNCH
2895	----	----	----/1.50A	1.60B/1.50A	----	1.50	- 0.70	.0043	----	----	----	----	39 UNCH
2900	1.20	1.20	1.20/1.20	1.60B/1.20	----	1.50	- 0.70	.0043	----	----	2	----	345 + 2
2905	----	----	----/1.60A	1.60B/1.60A	----	1.50	- 0.70	.0043	----	----	----	----	4 UNCH
2910	----	----	----/1.50A	1.60B/1.50A	----	1.50	- 0.70	.0044	----	----	----	----	20 UNCH
2930	----	----	----/1.60A	1.70B/1.60A	----	1.60	- 0.70	.0047	----	----	----	----	28 UNCH
2940	----	----	----/1.60A	1.70B/1.60A	----	1.60	- 0.80	.0047	----	----	----	----	8 UNCH
2950	----	----	----/1.60A	1.80B/1.60A	----	1.60	- 0.80	.0047	----	----	----	----	299 UNCH
2980	----	----	----/1.70A	1.90B/1.70A	----	1.70	- 0.90	.0051	----	----	----	----	1 UNCH
2995	----	----	----/1.70A	2.00B/1.70A	----	1.80	- 0.90	.0054	----	----	----	----	4 UNCH
3000	2.10	2.10	2.10/1.70A	2.10/1.70A	----	1.80	- 0.90	.0054	----	----	5	----	141 UNCH
3005	----	----	----/1.80A	2.10B/1.80A	----	1.80	- 1.00	.0054	----	----	----	----	1 UNCH
3010	----	----	----/1.80A	2.10B/1.80A	----	1.80	- 1.00	.0054	----	----	----	----	1 UNCH
3020	----	----	----/1.80A	2.20B/1.80A	----	1.80	- 1.10	.0055	----	----	----	----	1 UNCH
3040	----	----	----/1.90A	2.30B/1.90A	----	1.90	- 1.10	.0058	----	----	----	----	52 UNCH
3045	----	----	----/1.90A	2.30B/1.90A	----	1.90	- 1.10	.0058	----	----	----	----	2 UNCH
3050	----	----	----/1.90A	2.40B/1.90A	----	1.90	- 1.20	.0058	----	----	----	----	18 UNCH
3055	----	----	----/1.90A	2.40B/1.90A	----	1.90	- 1.20	.0058	----	----	----	----	5 UNCH
3065	----	----	----/2.00A	2.50B/2.00A	----	2.00	- 1.20	.0061	----	----	----	----	5 UNCH
3070	----	----	----/2.00A	2.50B/2.00A	----	2.00	- 1.20	.0062	----	----	----	----	1 UNCH
3075	----	----	----/2.00A	2.60B/2.00A	----	2.00	- 1.20	.0062	----	----	----	----	66 UNCH
3080	----	----	----/2.00A	2.60B/2.00A	----	2.00	- 1.30	.0062	----	----	----	----	1 UNCH
3090	----	----	----/2.00A	2.70B/2.00A	----	2.00	- 1.40	.0062	----	----	----	----	5 UNCH
3095	----	----	----/2.10A	2.70B/2.10A	----	2.10	- 1.30	.0065	----	----	----	----	3 UNCH
3100	----	----	----/2.10A	2.80B/2.10A	----	2.10	- 1.30	.0065	----	----	----	----	306 UNCH
3105	----	----	----/2.10A	2.80B/2.10A	----	2.10	- 1.40	.0066	----	----	----	----	5 UNCH
3115	----	----	----/2.10A	2.90B/2.10A	----	2.10	- 1.50	.0066	----	----	----	----	5 UNCH
3120	----	----	----/2.20A	2.90B/2.20A	----	2.10	- 1.50	.0066	----	----	----	----	41 UNCH
3125	----	----	----/2.20A	3.00B/2.20A	----	2.20	- 1.40	.0069	----	----	----	----	1 UNCH
3130	----	----	----/2.20A	3.00B/2.20A	----	2.20	- 1.50	.0069	----	----	----	----	1 UNCH
3135	----	----	----/2.20A	3.10B/2.20A	----	2.20	- 1.50	.0070	----	----	----	----	2 UNCH
3140	----	----	----/2.20A	3.10B/2.20A	----	2.20	- 1.60	.0070	----	----	----	----	3 UNCH
3150	----	----	----/2.30A	3.20B/2.30A	----	2.30	- 1.60	.0073	----	----	----	----	10 UNCH
3155	----	----	----/2.30A	3.30B/2.30A	----	2.30	- 1.60	.0073	----	----	----	----	74 UNCH
3160	----	----	----/2.30A	3.40B/2.30A	----	2.30	- 1.70	.0073	----	----	----	----	15 UNCH
3170	----	----	----/2.40A	3.50B/2.40A	----	2.40	- 1.70	.0077	----	----	----	----	5 UNCH
3175	----	----	----/2.40A	3.50B/2.40A	----	2.40	- 1.70	.0077	----	----	----	----	10 UNCH
3185	2.70	2.70	2.70/2.40A	3.60B/2.40A	----	2.40	- 1.80	.0077	----	----	2	----	18 + 2
3200	3.30	3.30	3.30/2.50A	3.80B/2.50A	----	2.50	- 1.90	.0081	----	----	2	----	229 UNCH
3205	----	----	----/2.50A	3.90B/2.50A	----	2.50	- 1.90	.0081	----	----	----	----	10 UNCH
3210	----	----	----/2.60A	4.00B/2.60A	----	2.50	- 2.00	.0081	----	----	----	----	10 UNCH
3220	----	----	----/2.60A	4.10B/2.60A	----	2.60	- 2.00	.0085	----	----	----	----	8 UNCH
3225	----	----	----/2.60A	4.10B/2.60A	----	2.60	- 2.10	.0085	----	----	----	----	6 UNCH
3235	----	----	----/2.70A	4.30B/2.70A	----	2.70	- 2.10	.0088	----	----	----	----	5 UNCH
3245	----	----	----/2.80A	4.40B/2.80A	----	2.70	- 2.20	.0089	----	----	----	----	5 UNCH
3250	2.90	2.90	2.90/2.80A	4.50B/2.80A	----	2.70	- 2.30	.0089	----	----	1	----	81 UNCH
3255	----	----	----/2.80A	4.60B/2.80A	----	2.80	- 2.20	.0092	----	----	----	----	8 UNCH
3260	----	----	----/2.80A	4.70B/2.80A	----	2.80	- 2.30	.0092	----	----	----	----	8 UNCH
3265	----	----	----/2.90A	4.70B/2.90A	----	2.80	- 2.40	.0093	----	----	----	----	16 UNCH
3270	----	----	----/2.90A	4.80B/2.90A	----	2.90	- 2.30	.0096	----	----	----	----	2 UNCH
3275	4.20	4.20	4.20/2.60A	4.90B/2.60A	----	2.90	- 2.40	.0096	----	----	1	----	22 + 1
3280	----	----	----/3.00A	5.00B/3.00A	----	2.90	- 2.50	.0096	----	----	----	----	1 UNCH
3295	----	----	----/2.70A	5.20B/2.70A	----	3.00	- 2.60	.0100	----	----	----	----	1 UNCH
3300	3.80	3.80	3.80/2.50	5.20B/2.50	----	3.00	- 2.60	.0101	----	----	104	----	606 + 57
3305	----	----	----/3.10A	5.40B/3.10A	----	3.10	- 2.60	.0104	----	----	----	----	60 UNCH
3310	----	----	----/3.10A	5.50B/3.10A	----	3.10	- 2.70	.0104	----	----	----	----	1 UNCH
3315	----	----	----/3.20A	5.50B/3.20A	----	3.10	- 2.80	.0104	----	----	----	----	3 UNCH
3320	----	----	----/3.20A	5.60B/3.20A	----	3.20	- 2.70	.0108	----	----	----	----	1 UNCH
3325	----	----	----/3.20A	5.70B/3.20A	----	3.20	- 2.80	.0108	----	----	----	----	10 UNCH
3330	----	----	----/3.30A	5.80B/3.30A	----	3.30	- 2.80	.0111	----	----	----	----	2 UNCH
3335	3.30	3.30	3.30/3.30	5.90B/3.30	----	3.30	- 2.90	.0111	----	----	1	----	20 - 1
3340	----	----	----/3.30A	5.90B/3.30A	----	3.30	- 3.00	.0112	----	----	----	----	1 UNCH
3345	----	----	----/3.40A	6.00B/3.40A	----	3.40	- 2.90	.0115	----	----	----	----	1 UNCH
3350	4.70	4.70	4.70/3.30	6.10B/3.30	----	3.40	- 3.00	.0115	----	----	8	----	54 UNCH
3360	----	----	----/3.50A	6.30B/3.50A	----	3.50	- 3.10	.0119	----	----	----	----	4 UNCH
3370	----	----	----/3.60A	6.50B/3.60A	----	3.60	- 3.20	.0123	----	----	----	----	13 UNCH
3375	----	----	----/3.60A	6.70B/3.60A	----	3.60	- 3.30	.0123	----	----	----	----	54 UNCH
3380	5.20	5.20	5.20/3.60A	6.80B/3.60A	----	3.60	- 3.40	.0124	----	----	1	----	5 + 1
3385	----	----	----/3.70A	6.80B/3.70A	----	3.70	- 3.30	.0127	----	----	----	----	5 UNCH
3390	----	----	----/3.70A	7.00B/3.70A	----	3.70	- 3.40	.0127	----	----	----	----	5 UNCH
3395	5.80	5.80	5.80/3.80A	7.10B/3.80A	----	3.80	- 3.40	.0130	----	----	7	----	35 + 6
3400	5.70	5.70	5.70/3.80A	7.20B/3.80A	----	3.80	- 3.50	.0131	----	----	3	----	202 + 2
3405	----	----	7.60B/3.80A	7.60B/3.80A	----	3.90	- 3.50	.0134	----	----	----	----	5 UNCH
3415	----	----	7.90B/3.90A	7.90B/3.90A	----	3.90	- 3.70	.0135	----	----	----	----	119 UNCH
3420	----	----	8.10B/3.90A	8.10B/3.90A	----	4.00	- 3.70	.0138	----	----	----	----	1 UNCH
3425	----	----	8.20B/4.00A	8.20B/4.00A	----	4.00	- 3.80	.0139	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3430	6.30	6.30	8.30B/4.00A	8.30B/4.00A	----	4.10 - 3.90	.0142	----	----	7	----	18 + 7
3435	----	----	8.60B/4.10A	8.60B/4.10A	----	4.10 - 4.00	.0143	----	----	----	----	101 UNCH
3440	----	----	8.70B/4.10A	8.70B/4.10A	----	4.20 - 4.00	.0146	----	----	----	----	1 UNCH
3445	----	----	8.90B/4.20A	8.90B/4.20A	----	4.20 - 4.10	.0147	----	----	----	----	33 UNCH
3450	----	----	9.00B/4.20A	9.00B/4.20A	----	4.30 - 4.10	.0150	----	----	----	----	59 UNCH
3455	----	----	9.10B/4.30A	9.10B/4.30A	----	4.30 - 4.20	.0150	----	----	----	----	44 UNCH
3460	4.30	4.30	9.30B/4.20	9.30B/4.20	----	4.40 - 4.20	.0154	----	----	13	----	148 + 5
3465	----	----	9.40B/4.40A	9.40B/4.40A	----	4.40 - 4.40	.0154	----	----	----	----	17 UNCH
3470	----	----	9.60B/4.40A	9.60B/4.40A	----	4.50 - 4.40	.0158	----	----	----	----	76 UNCH
3475	----	----	9.70B/4.50A	9.70B/4.50A	----	4.60 - 4.40	.0161	----	----	----	----	94 UNCH
3480	----	----	9.80B/4.50A	9.80B/4.50A	----	4.60 - 4.50	.0162	----	----	----	----	84 UNCH
3485	----	----	10.00B/4.60A	10.00B/4.60A	----	4.70 - 4.50	.0165	----	----	----	----	61 UNCH
3490	----	----	10.10B/4.60A	10.10B/4.60A	----	4.70 - 4.70	.0166	----	----	----	----	52 UNCH
3495	----	----	10.30B/4.70A	10.30B/4.70A	----	4.80 - 4.70	.0169	----	----	----	----	54 UNCH
3500	8.30	8.30	10.50B/4.70A	10.50B/4.70A	----	4.80 - 4.80	.0170	----	----	199	----	1429 + 57
3505	5.60	5.60	10.70B/4.80A	10.70B/4.80A	----	4.90 - 4.90	.0173	----	----	2	----	14 - 1
3510	----	----	10.80B/4.80A	10.80B/4.80A	----	5.00 - 4.90	.0177	----	----	----	----	34 UNCH
3515	----	----	11.00B/4.90A	11.00B/4.90A	----	5.00 - 5.00	.0177	----	----	----	----	82 UNCH
3520	----	----	11.10B/4.90A	11.10B/4.90A	----	5.10 - 5.10	.0181	----	----	----	----	8 UNCH
3525	----	----	11.20B/5.00A	11.20B/5.00A	----	5.20 - 5.10	.0184	----	----	----	----	119 UNCH
3530	----	----	11.40B/5.00A	11.40B/5.00A	----	5.20 - 5.30	.0185	----	----	----	----	102 UNCH
3535	----	----	11.60B/5.10A	11.60B/5.10A	----	5.30 - 5.30	.0189	----	----	----	----	160 UNCH
3540	----	----	11.70B/5.20A	11.70B/5.20A	----	5.40 - 5.40	.0192	----	----	----	----	10 UNCH
3545	8.80	8.80	11.90B/5.20A	11.90B/5.20A	----	5.40 - 5.50	.0193	----	----	9	----	66 + 9
3550	----	----	11.80B/5.30A	11.80B/5.30A	----	5.50 - 5.60	.0196	----	----	9	----	341 - 1
3555	----	----	12.20B/5.30A	12.20B/5.30A	----	5.60 - 5.60	.0200	----	----	----	----	45 UNCH
3560	----	----	12.40B/5.40A	12.40B/5.40A	----	5.60 - 5.80	.0201	----	----	----	----	8 UNCH
3565	----	----	12.60B/5.50A	12.60B/5.50A	----	5.70 - 5.80	.0204	----	----	----	----	7 UNCH
3570	----	----	12.80B/5.50A	12.80B/5.50A	----	5.80 - 5.90	.0208	----	----	----	----	11 UNCH
3575	----	----	12.90B/5.60A	12.90B/5.60A	----	5.90 - 6.00	.0212	----	----	----	----	95 UNCH
3580	7.00	7.00	13.10B/5.70A	13.10B/5.70A	----	5.90 - 6.10	.0212	----	----	1	----	12 - 1
3585	11.70	11.70	13.20B/5.80A	13.20B/5.80A	----	6.00 - 6.20	.0216	----	----	2	----	9 - 1
3590	----	----	13.50B/5.80A	13.50B/5.80A	----	6.10 - 6.30	.0220	----	----	----	----	33 UNCH
3595	----	----	13.70B/5.90A	13.70B/5.90A	----	6.20 - 6.40	.0223	----	----	----	----	39 UNCH
3600	11.40	11.40	13.80B/5.90	13.80B/5.90	----	6.30 - 6.50	.0227	----	----	78	----	978 + 13
3605	----	----	13.90B/6.10A	13.90B/6.10A	----	6.40 - 6.50	.0231	----	----	----	----	56 UNCH
3610	----	----	14.10B/6.10A	14.10B/6.10A	----	6.40 - 6.70	.0232	----	----	----	----	23 UNCH
3615	----	----	14.30B/6.20A	14.30B/6.20A	----	6.50 - 6.80	.0235	----	----	----	----	119 UNCH
3620	11.40	11.40	14.70B/6.30A	14.70B/6.30A	----	6.60 - 6.90	.0239	----	----	3	----	128 UNCH
3625	----	----	14.80B/6.40A	14.80B/6.40A	----	6.70 - 7.00	.0243	----	----	----	----	45 UNCH
3630	----	----	14.90B/6.50A	14.90B/6.50A	----	6.80 - 7.10	.0247	----	----	----	----	13 UNCH
3635	----	----	15.20B/6.50A	15.20B/6.50A	----	6.90 - 7.20	.0250	----	----	----	----	26 UNCH
3640	----	----	15.40B/6.60A	15.40B/6.60A	----	7.00 - 7.30	.0254	----	----	----	----	42 UNCH
3645	----	----	15.60B/6.70A	15.60B/6.70A	----	7.10 - 7.40	.0258	----	----	----	----	15 UNCH
3650	14.00	14.00	15.90B/6.80A	15.90B/6.80A	----	7.20 - 7.50	.0262	----	----	9	----	419 - 2
3655	6.90	6.90	16.10B/6.90	16.10B/6.90	----	7.30 - 7.60	.0266	----	----	11	----	24 UNCH
3660	----	----	16.30B/7.00A	16.30B/7.00A	----	7.40 - 7.70	.0270	----	----	----	----	47 UNCH
3665	----	----	16.60B/7.10A	16.60B/7.10A	----	7.50 - 7.90	.0273	----	----	----	----	35 UNCH
3670	----	----	16.70B/7.20A	16.70B/7.20A	----	7.60 - 8.00	.0277	----	----	----	----	35 UNCH
3675	----	----	17.10B/7.30A	17.10B/7.30A	----	7.70 - 8.10	.0281	----	----	----	----	68 UNCH
3680	7.50	7.50	17.20B/7.40A	17.20B/7.40A	----	7.80 - 8.20	.0285	----	----	4	----	77 UNCH
3685	----	----	17.60B/7.50A	17.60B/7.50A	----	7.90 - 8.40	.0289	----	----	----	----	25 UNCH
3690	----	----	17.80B/7.60A	17.80B/7.60A	----	8.00 - 8.50	.0293	----	----	----	----	25 UNCH
3695	----	----	18.10B/7.70A	18.10B/7.70A	----	8.10 - 8.60	.0297	----	----	----	----	73 UNCH
3700	13.60	13.60	18.50B/7.80A	18.50B/7.80A	----	8.20 - 8.80	.0301	----	----	211	----	734 + 200
3705	----	----	18.60B/7.90A	18.60B/7.90A	----	8.40 - 8.80	.0308	----	----	----	----	39 UNCH
3710	----	----	18.90B/8.00A	18.90B/8.00A	----	8.50 - 9.00	.0312	----	----	----	----	20 UNCH
3715	----	----	18.90B/8.10A	18.90B/8.10A	----	8.60 - 9.10	.0316	----	----	----	----	33 UNCH
3720	----	----	19.50B/8.20A	19.50B/8.20A	----	8.70 - 9.30	.0320	----	----	1	----	22 + 1
3725	----	----	19.90B/8.30A	19.90B/8.30A	----	8.80 - 9.50	.0324	----	----	----	----	39 UNCH
3730	----	----	20.00B/8.40A	20.00B/8.40A	----	9.00 - 9.50	.0331	----	----	----	----	66 UNCH
3735	----	----	20.30B/8.50A	20.30B/8.50A	----	9.10 - 9.70	.0335	----	----	----	----	21 UNCH
3740	14.00	14.00	20.70B/8.70A	20.70B/8.70A	----	9.20 - 9.90	.0339	----	----	1	----	13 UNCH
3745	----	----	21.00B/8.80A	21.00B/8.80A	----	9.40 - 10.00	.0346	----	----	----	----	39 UNCH
3750	16.70	16.70	21.20B/8.90	21.20B/8.90	----	9.50 - 10.10	.0351	----	----	119	----	305 + 19
3755	----	----	21.70B/9.00A	21.70B/9.00A	----	9.60 - 10.30	.0355	----	----	----	----	10 UNCH
3760	----	----	22.00B/9.20A	22.00B/9.20A	----	9.80 - 10.40	.0362	----	----	----	----	49 UNCH
3765	11.70	11.70	22.20B/9.30A	22.20B/9.30A	----	9.90 - 10.60	.0366	----	----	1	----	105 UNCH
3770	----	----	22.40B/9.40A	22.40B/9.40A	----	10.10 - 10.70	.0373	----	----	1	----	25 UNCH
3775	----	----	22.80B/9.50A	22.80B/9.50A	----	10.20 - 10.90	.0378	----	----	----	----	279 UNCH
3780	----	----	23.00B/9.70A	23.00B/9.70A	----	10.30 - 11.10	.0382	----	----	----	----	33 UNCH
3785	----	----	23.40B/9.80A	23.40B/9.80A	----	10.50 - 11.20	.0389	----	----	----	----	27 UNCH
3790	----	----	23.80B/10.00A	23.80B/10.00A	----	10.70 - 11.40	.0396	----	----	----	----	28 UNCH
3795	13.00	13.00	24.10B/10.10A	24.10B/10.10A	----	10.80 - 11.60	.0401	----	----	7	----	25 + 7
3800	23.80	23.80	24.50B/9.60	24.50B/9.60	----	11.00 - 11.70	.0408	----	----	237	----	1311 + 176
3805	----	----	24.90B/10.40A	24.90B/10.40A	----	11.10 - 11.90	.0412	----	----	----	----	75 UNCH
3810	----	----	25.20B/10.50A	25.20B/10.50A	----	11.30 - 12.10	.0420	----	----	----	----	20 UNCH
3815	----	----	25.60B/10.60A	25.60B/10.60A	----	11.50 - 12.20	.0427	----	----	----	----	40 UNCH
3820	----	----	26.00B/10.80A	26.00B/10.80A	----	11.60 - 12.50	.0432	----	----	----	----	788 UNCH
3825	12.70	12.70	26.30B/10.90A	26.30B/10.90A	----	11.80 - 12.60	.0439	----	----	7	----	104 + 7
3830	----	----	26.80B/11.10A	26.80B/11.10A	----	12.00 - 12.80	.0446	----	----	----	----	18 UNCH
3835	----	----	27.10B/11.20A	27.10B/11.20A	----	12.20 - 13.00	.0454	----	----	----	----	32 UNCH
3840	12.80	12.80	27.50B/11.40A	27.50B/11.40A	----	12.30 - 13.20	.0458	----	----	8	----	48 + 8
3845	----	----	28.00B/11.50A	28.00B/11.50A	----	12.50 - 13.40	.0466	----	----	----	----	30 UNCH
3850	19.80	19.80	28.40B/11.70A	28.40B/11.70A	----	12.70 - 13.60	.0473	----	----	14	----	735 + 7
3855	19.20	19.20	28.90B/11.90A	28.90B/11.90A	----	12.90 - 13.80	.0481	----	----	1	----	35 + 1
3860	14.90	14.90	29.20B/12.10A	29.20B/12.10A	----	13.10 - 14.00	.0488	----	----	11	----	42 + 4
3865	13.00	13.00	29.70B/12.20A	29.70B/12.20A	----	13.30 - 14.20	.0496	----	----	5	----	21 + 5
3870	13.10	13.10	30.40B/12.50A	30.40B/12.50A	----	13.50 - 14.40	.0503	----	----	5	----	42 UNCH
3875	13.30	13.30	30.70B/12.60A	30.70B/12.60A	----	13.70 - 14.60	.0511	----	----	5	----	35 UNCH
3880	15.80	15.80	31.00B/12.80A	31.00B/12.80A	----	13.90 - 14.80	.0519	----	----	9	----	41 + 2
3885	16.90	16.90	31.60B/13.00A	31.60B/13.00A	----	14.10 - 15.00	.0526	----	----	11	----	79 + 1
3890	14.00	14.00	32.00B/13.20A	32.00B/13.20A	----	14.40 - 15.10	.0537	----	----	7	----	12 + 7
3895	14.20	14.20	32.50B/13.30A	32.50B/13.30A	----	14.60 - 15.40	.0545	----	----	5	----	75 + 2
3900	14.40	14.40	33.10B/13.50A	33.10B/13.50A	----	14.80 - 15.60	.0552	----	----	243	----	1858 + 178
3905	15.50	15.50	33.50B/13.70A	33.50B/13.70A	----	15.00 - 15.90	.0560	----	----	3	----	27 + 2
3910	18.20	18.20	34.00B/14.00A	34.00B/14.00A	----	15.30 - 16.00	.0571	----	----	4	----	137 + 2
3915	15.10	15.10	34.50B/14.20A	34.50B/14.20A	----	15.50 - 16.30	.0579	----	----	4	----	38 + 4
3920	----	----	35.20B/14.40A	35.20B/14.40A	----	15.70 - 16.50	.0587	----	----	----	----	10 UNCH
3925	16.50	16.50	35.80B/14.60A	35.80B/14.60A	----	16.00 - 16.70	.0597	----	----	4	----	63 + 4
3930	----	----	36.30B/14.80A	36.30B/14.80A	----	16.20 - 17.00	.0605	----	----	----	----	57 UNCH
3935	----	----	36.90B/15.10A	36.90B/15.10A	----	16.50 - 17.20	.0616	----	----	----	----	16 UNCH
3940	----	----	37.50B/15.30A	37.50B/15.30A	----	16.70 - 17.50	.0624	----	----	----	----	21 UNCH
3945	----	----	38.00B/15.50A	38.00B/15.50A	----	17.00 - 17.70	.0635	----	----	----	----	22 UNCH
3950	26.30	26.30	38.60B/15.70A	38.60B/15.70A	----	17.30 - 17.90	.0645	----	----	9	----	136 - 5
3955	18.10	18.10	39.20B/16.00A	39.20B/16.00A	----	17.50 - 18.20	.0654	----	----	1	----	60 + 1
3960	----	----	39.70B/16.20A	39.70B/16.20A	----	17.80 - 18.40	.0665	----	----	----	----	9 UNCH
3965	----	----	40.10B/16.50A	40.10B/16.50A	----	18.10 - 18.60	.0675	----	----	82	----	85 + 77
3970	----	----	40.90B/16.70A	40.90B/16.70A	----	18.40 - 18.80	.0686	----	----	----	----	38 UNCH
3975	18.50	18.50	41.40B/17.00A	41.40B/17.00A	----	18.70 - 19.10	.0697	----	----	6	----	40 - 2
3980	19.50	19.50	42.10B/17.20A	42.10B/17.20A	----	19.00 - 19.30	.0708	----	----	1	----	118 UNCH
3985	19.40	19.40	42.60B/17.50A	42.60B/17.50A	----	19.30 - 19.60	.0719	----	----	1	----	41 - 1
3990	19.90	19.90	43.20B/17.80A	43.20B/17.80A	----	19.60 - 19.80	.0730	----	----	3	----	10 + 2
3995	----	----	43.90B/18.10A	43.90B/18.10A	----	19.90 - 20.10	.0742	----	----	3	----	23 - 3
4000	38.00	38.00	44.50B/18.00A	44.50B/18.00A	----	20.20 - 20.40	.0753	----	----	69	----	3554 - 8
4005	29.50	29.50	45.30B/18.30A	45.30B/18.30A	----	20.50 - 20.70	.0764	----	----	2	----	206 - 1
4010	----	----	45.80B/18.60A	45.80B/18.60A	----	20.80 - 20.90	.0775	----	----	6	----	25 - 3
4015	----	----	46.40B/18.90A	46.40B/18.90A	----	21.20 - 21.10	.0789	----	----	----	----	35 UNCH
4020	----	----	47.30B/19.20A	47.30B/19.20A	----	21.50 - 21.50	.0800	----	----	----	----	69 UNCH
4025	22.20	22.20	47.90B/19.50A	47.90B/19.50A	----	21.80 - 21.80	.0812	----	----	7	----	64 + 7
4030	----	----	48.40B/19.80A	48.40B/19.80A	----	22.20 - 22.00	.0826	----	----	1	----	30 - 1
4035	----	----	49.10B/20.10A	49.10B/20.10A	----	22.50 - 22.30	.0837	----	----	1	----	6 UNCH
4040	----	----	49.90B/20.40A	49.90B/20.40A	----	22.90 - 22.60	.0851	----	----	10	----	48 + 10
4045	----	----	50.80B/20.70A	50.80B/20.70A	----	23.20 - 22.90	.0863	----	----	----	----	171 UNCH
4050	35.20	35.20	51.40B/21.00A	51.40B/21.00A	----	23.60 - 23.20	.0877	----	----	37	----	1544 + 7
4055	----	----	52.30B/21.40A	52.30B/21.40A	----	24.00 - 23.40	.0891	----	----	----	----	136 UNCH
4060	38.40	38.40	52.80B/21.70A	52.80B/21.70A	----	24.40 - 23.70	.0906	----	----	3	----	36 - 1
4065	----	----	53.70B/22.10A	53.70B/22.10A	----	24.80 - 24.00	.0920	----	----	----	----	15 UNCH
4070	----	----	54.10B/22.40A	54.10B/22.40A	----	25.20 - 24.30	.0934	----	----	20	----	129 + 15
4075	----	----	55.10B/22.80A	55.10B/22.80A	----	25.60 - 24.60	.0949	----	----	1	----	126 - 1
4080	----	----	55.70B/23.10A	55.70B/23.10A	----	26.00 - 24.90	.0963	----	----	1	----	90 UNCH
4085	25.60	25.60	56.50B/23.50A	56.50B/23.50A	----	26.40 - 25.20	.0978	----	----	20	----	677 + 13
4090	31.30	31.30	57.50B/23.90A	57.50B/23.90A	----	26.80 - 25.50	.0992	----	----	9	----	109 + 5
4095	----	----	58.30B/24.30A	58.30B/24.30A	----	27.20 - 25.80	.1007	----	----	----	----	159 UNCH
4100	45.10	45.10	59.10B/24.70A	59.10B/24.70A	----	27.70 - 26.10	.1024	----	----	326	----	1072 + 97
4105	----	----	59.80B/25.10A	59.80B/25.10A	----	28.10 - 26.40	.1039	----	----	2	----	210 + 2
4110	----	----	60.60B/25.50A	60.60B/25.50A	----	28.60 - 26.70	.1056	----	----	----	----	56 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4115	----	----	61.50B/25.90A	61.50B/25.90A	----	29.00 - 27.10	.1071	----	----	1	----	55 UNCH
4120	27.40	27.40	62.40B/26.30A	62.40B/26.30A	----	29.50 - 27.40	.1088	----	----	2	----	129 - 2
4125	42.00	42.00	63.30B/26.70A	63.30B/26.70A	----	30.00 - 27.70	.1105	----	----	168	----	218 + 139
4130	----	----	64.40B/27.20A	64.40B/27.20A	----	30.50 - 28.00	.1123	----	----	----	----	831 UNCH
4135	----	----	65.10B/27.60A	65.10B/27.60A	----	31.00 - 28.30	.1140	----	----	59	----	94 + 48
4140	52.10	52.10	66.10B/28.00A	66.10B/28.00A	----	31.50 - 28.60	.1157	----	----	4	----	27 - 3
4145	32.10	32.10	67.00B/28.50A	67.00B/28.50A	----	32.00 - 29.00	.1175	----	----	9	----	126 - 7
4150	48.00	48.00	68.00B/29.00A	68.00B/29.00A	----	32.50 - 29.30	.1193	----	----	53	----	599 + 1
4155	----	----	68.90B/29.40A	68.90B/29.40A	----	33.00 - 29.70	.1210	----	----	2	----	42 + 1
4160	----	----	69.90B/29.90A	69.90B/29.90A	----	33.50 - 30.00	.1228	----	----	----	----	24 UNCH
4165	----	----	71.10B/30.40A	71.10B/30.40A	----	34.10 - 30.30	.1248	----	----	----	----	68 UNCH
4170	34.70	34.70	72.00B/30.90A	72.00B/30.90A	----	34.60 - 30.70	.1266	----	----	7	----	72 + 3
4175	40.30	40.30	73.00B/31.40A	73.00B/31.40A	----	35.20 - 31.00	.1286	----	----	5	----	194 - 3
4180	----	----	74.00B/31.90A	74.00B/31.90A	----	35.80 - 31.40	.1306	----	----	1	----	289 - 1
4185	47.40	47.40	75.10B/32.40A	75.10B/32.40A	----	36.30 - 31.80	.1325	----	----	1	----	355 UNCH
4190	----	----	76.20B/33.00A	76.20B/33.00A	----	36.90 - 32.10	.1345	----	----	----	----	85 UNCH
4195	----	----	77.30B/33.50A	77.30B/33.50A	----	37.50 - 32.50	.1365	----	----	----	----	110 UNCH
4200	76.70	76.70	78.50B/34.10A	78.50B/34.10A	----	38.10 - 32.90	.1386	----	----	555	----	1827 + 80
4205	----	----	79.50B/34.60A	79.50B/34.60A	----	38.80 - 33.20	.1408	----	----	----	----	208 UNCH
4210	----	----	80.60B/35.20A	80.60B/35.20A	----	39.40 - 33.60	.1429	----	----	----	----	77 UNCH
4215	----	----	81.80B/35.80A	81.80B/35.80A	----	40.00 - 34.00	.1450	----	----	6	----	207 - 1
4220	----	----	82.90B/36.40A	82.90B/36.40A	----	40.70 - 34.30	.1473	----	----	----	----	20 UNCH
4225	----	----	84.10B/37.00A	84.10B/37.00A	----	41.30 - 34.70	.1494	----	----	12	----	239 + 3
4230	84.00	84.00	85.40B/37.60A	85.40B/37.60A	----	42.00 - 35.10	.1517	----	----	2	----	144 UNCH
4235	----	----	86.50B/38.20A	86.50B/38.20A	----	42.70 - 35.50	.1540	----	----	----	----	53 UNCH
4240	49.50	49.50	87.80B/38.80A	87.80B/38.80A	----	43.40 - 35.90	.1563	----	----	142	----	156 + 118
4245	----	----	89.00B/39.50A	89.00B/39.50A	----	44.10 - 36.30	.1586	----	----	1	----	47 - 1
4250	66.00	66.00	90.30B/40.10A	90.30B/40.10A	----	44.80 - 36.70	.1610	----	----	81	----	1467 + 10
4255	----	----	91.50B/40.80A	91.50B/40.80A	----	45.50 - 37.10	.1633	----	----	1	----	41 UNCH
4260	60.00	60.00	92.80B/41.40A	92.80B/41.40A	----	46.30 - 37.40	.1658	----	----	6	----	108 + 1
4265	----	----	94.10B/42.10A	94.10B/42.10A	----	47.00 - 37.90	.1682	----	----	----	----	84 UNCH
4270	56.00	56.00	95.40B/42.80A	95.40B/42.80A	----	47.80 - 38.30	.1707	----	----	1	----	109 UNCH
4275	----	----	96.80B/43.50A	96.80B/43.50A	----	48.60 - 38.70	.1733	----	----	1	----	142 - 1
4280	46.00	46.00	98.20B/44.20A	98.20B/44.20A	----	49.40 - 39.10	.1759	----	----	2	----	145 UNCH
4285	----	----	99.40B/45.00A	99.40B/45.00A	----	50.20 - 39.50	.1785	----	----	----	----	30 UNCH
4290	----	----	100.90B/45.70A	100.90B/45.70A	----	51.00 - 39.90	.1811	----	----	10	----	116 - 10
4295	----	----	102.40B/46.50A	102.40B/46.50A	----	51.80 - 40.40	.1837	----	----	----	----	28 UNCH
4300	80.20	80.20	103.80B/47.20A	103.80B/47.20A	----	52.70 - 40.80	.1864	----	----	303	104	2029 - 52
4305	67.80	67.80	105.30B/48.00A	105.30B/48.00A	----	53.50 - 41.20	.1891	----	----	4	----	52 + 3
4310	106.70	106.70	106.80B/48.80A	106.80B/48.80A	----	54.40 - 41.70	.1919	----	----	5	----	53 - 1
4315	----	----	108.20B/49.60A	108.20B/49.60A	----	55.30 - 42.10	.1947	----	----	1	----	19 UNCH
4320	----	----	109.80B/50.40A	109.80B/50.40A	----	56.20 - 42.50	.1975	----	----	11	----	68 - 3
4325	75.00	75.00	111.30B/51.20A	111.30B/51.20A	----	57.10 - 43.00	.2003	----	----	8	----	162 + 5
4330	----	----	112.80B/52.00A	112.80B/52.00A	----	58.00 - 43.50	.2032	----	----	1	----	275 UNCH
4335	----	----	114.40B/52.90A	114.40B/52.90A	----	58.90 - 43.90	.2060	----	----	----	----	40 UNCH
4340	81.80	81.80	116.00B/53.70A	116.00B/53.70A	----	59.90 - 44.40	.2090	----	----	3	----	142 UNCH
4345	----	----	117.60B/54.60A	117.60B/54.60A	----	60.90 - 44.80	.2121	----	----	1	----	336 + 1
4350	92.10	92.10	119.10B/55.00	119.10B/55.00	----	61.80 - 45.30	.2150	----	----	175	----	973 + 136
4355	----	----	120.90B/56.40A	120.90B/56.40A	----	62.80 - 45.80	.2180	----	----	----	----	91 UNCH
4360	74.00	74.00	122.60B/57.30A	122.60B/57.30A	----	63.90 - 46.20	.2212	----	----	14	----	375 + 7
4365	----	----	124.20B/58.20A	124.20B/58.20A	----	64.90 - 46.70	.2243	----	----	3	----	39 - 1
4370	----	----	125.90B/59.20A	125.90B/59.20A	----	65.90 - 47.20	.2274	----	----	----	----	202 UNCH
4375	----	----	127.60B/60.10A	127.60B/60.10A	----	67.00 - 47.70	.2306	----	----	----	----	114 UNCH
4380	78.90	78.90	129.40B/61.10A	129.40B/61.10A	----	68.10 - 48.20	.2339	----	----	1	----	80 UNCH
4385	105.50	105.50	131.10B/62.10A	131.10B/62.10A	----	69.20 - 48.60	.2372	----	----	16	----	401 + 10
4390	107.00	107.00	132.90B/63.10A	132.90B/63.10A	----	70.30 - 49.10	.2404	----	----	1	----	58 UNCH
4395	90.10	90.10	134.80B/64.20A	134.80B/64.20A	----	71.40 - 49.70	.2437	----	----	11	----	24 + 1
4400	112.60	112.60	136.70B/65.20A	136.70B/65.20A	----	72.60 - 50.10	.2472	----	----	324	----	2447 - 5
4405	----	----	138.50B/66.30A	138.50B/66.30A	----	73.70 - 50.70	.2505	----	----	----	----	24 UNCH
4410	----	----	140.50B/67.40A	140.50B/67.40A	----	74.90 - 51.20	.2539	----	----	21	----	116 + 19
4415	----	----	142.40B/68.50A	142.40B/68.50A	----	76.10 - 51.70	.2574	----	----	----	----	168 UNCH
4420	103.20	103.20	144.30B/68.80	144.30B/68.80	----	77.30 - 52.20	.2609	----	----	27	----	112 + 16
4425	----	----	146.30B/70.70A	146.30B/70.70A	----	78.60 - 52.70	.2645	----	----	3	----	555 - 1
4430	108.00	108.00	148.30B/71.90A	148.30B/71.90A	----	79.80 - 53.30	.2680	----	----	30	----	99 - 1
4435	----	----	150.20B/73.00A	150.20B/73.00A	----	81.10 - 53.80	.2716	----	----	----	----	101 UNCH
4440	97.00	97.00	152.20B/74.20A	152.20B/74.20A	----	82.40 - 54.30	.2753	----	----	1	----	296 UNCH
4445	101.50	101.50	154.30B/75.40A	154.30B/75.40A	----	83.70 - 54.80	.2789	----	----	2	----	121 + 1
4450	115.20	115.20	156.30B/76.60A	156.30B/76.60A	----	85.00 - 55.40	.2826	----	----	732	----	677 - 335
4455	----	----	158.50B/77.80A	158.50B/77.80A	----	86.40 - 55.90	.2864	----	----	----	----	260 UNCH
4460	----	----	160.70B/79.10A	160.70B/79.10A	----	87.80 - 56.40	.2902	----	----	----	----	55 UNCH
4465	----	----	162.70B/80.30A	162.70B/80.30A	----	89.10 - 57.00	.2939	----	----	----	----	37 UNCH
4470	89.40	89.40	164.90B/81.60A	164.90B/81.60A	----	90.50 - 57.60	.2978	----	----	11	----	69 - 4
4475	133.90	133.90	167.10B/82.90A	167.10B/82.90A	----	92.00 - 58.10	.3017	----	----	3	----	936 UNCH
4480	117.00	117.00	169.30B/84.30A	169.30B/84.30A	----	93.40 - 58.70	.3056	----	----	2	----	174 UNCH
4485	----	----	171.60B/85.60A	171.60B/85.60A	----	94.90 - 59.20	.3095	----	----	----	----	35 UNCH
4490	----	----	173.80B/87.00A	173.80B/87.00A	----	96.40 - 59.80	.3135	----	----	2	----	245 UNCH
4495	----	----	176.10B/88.40A	176.10B/88.40A	----	97.90 - 60.30	.3175	----	----	----	----	25 UNCH
4500	143.50	143.50	178.50B/89.80A	178.50B/89.80A	----	99.40 - 60.90	.3215	----	----	1008	----	2315 - 161
4505	----	----	180.80B/91.20A	180.80B/91.20A	----	101.00 - 61.50	.3256	----	----	----	----	32 UNCH
4510	----	----	183.20B/92.60A	183.20B/92.60A	----	102.60 - 62.00	.3297	----	----	----	----	97 UNCH
4515	----	----	185.60B/94.10A	185.60B/94.10A	----	104.20 - 62.60	.3338	----	----	----	----	57 UNCH
4520	----	----	188.00B/95.60A	188.00B/95.60A	----	105.80 - 63.20	.3380	----	----	17	----	166 + 6
4525	----	----	190.40B/97.10A	190.40B/97.10A	----	107.40 - 63.80	.3421	----	----	2	----	82 - 2
4530	----	----	192.90B/98.60A	192.90B/98.60A	----	109.10 - 64.40	.3463	----	----	----	----	46 UNCH
4535	----	----	195.40B/100.20A	195.40B/100.20A	----	110.80 - 64.90	.3506	----	----	----	----	218 UNCH
4540	105.20	105.20	197.90B/101.70A	197.90B/101.70A	----	112.50 - 65.50	.3548	----	----	3	----	43 + 2
4545	107.00	107.00	200.50B/103.30A	200.50B/103.30A	----	114.20 - 66.20	.3591	----	----	1	----	87 - 1
4550	159.70	159.70	203.10B/104.90A	203.10B/104.90A	----	116.00 - 66.70	.3635	----	----	25	----	655 + 9
4555	----	----	205.60B/106.60A	205.60B/106.60A	----	117.80 - 67.30	.3678	----	----	----	----	12 UNCH
4560	----	----	208.30B/108.20A	208.30B/108.20A	----	119.60 - 67.90	.3722	----	----	----	----	93 UNCH
4565	113.90	113.90	210.90B/109.90A	210.90B/109.90A	----	121.40 - 68.50	.3766	----	----	3	----	134 - 1
4570	177.00	177.00	213.60B/111.60A	213.60B/111.60A	----	123.30 - 69.10	.3810	----	----	1	----	179 UNCH
4575	174.00	174.00	216.30B/113.30A	216.30B/113.30A	----	125.10 - 69.70	.3854	----	----	66	----	60 + 22
4580	159.50	159.50	219.00B/115.10A	219.00B/115.10A	----	127.00 - 70.30	.3899	----	----	4	----	121 UNCH
4585	----	----	221.80B/116.90A	221.80B/116.90A	----	129.00 - 70.90	.3944	----	----	----	----	18 UNCH
4590	159.00	159.00	224.60B/118.70A	224.60B/118.70A	----	130.90 - 71.50	.3989	----	----	5	----	100 + 4
4595	----	----	227.40B/120.50A	227.40B/120.50A	----	132.90 - 72.10	.4035	----	----	----	----	62 UNCH
4600	180.50	180.50	230.20B/122.30A	230.20B/122.30A	----	134.90 - 72.70	.4080	----	----	774	----	2294 + 320
4605	173.40	173.40	233.00B/124.20A	233.00B/124.20A	----	136.90 - 73.30	.4126	----	----	42	----	67 + 29
4610	140.70	140.70	235.90B/126.10A	235.90B/126.10A	----	139.00 - 73.90	.4172	----	----	16	----	158 + 5
4615	159.20	159.20	238.80B/128.00A	238.80B/128.00A	----	141.00 - 74.60	.4218	----	----	20	----	102 - 2
4620	138.40	138.40	241.70B/129.90A	241.70B/129.90A	----	143.10 - 75.20	.4265	----	----	3	----	115 + 3
4625	140.50	140.50	244.70B/131.90A	244.70B/131.90A	----	145.30 - 75.70	.4311	----	----	10	----	275 - 10
4630	----	----	247.60B/133.90A	247.60B/133.90A	----	147.40 - 76.40	.4358	----	----	6	----	36 + 5
4635	----	----	250.70B/135.90A	250.70B/135.90A	----	149.60 - 76.90	.4405	----	----	----	----	501 UNCH
4640	148.00	148.00	253.10B/137.90A	253.10B/137.90A	----	151.80 - 77.60	.4452	----	----	10	----	140 + 2
4645	----	----	256.10B/140.00A	256.10B/140.00A	----	154.00 - 78.20	.4499	----	----	1	----	60 + 1
4650	178.50	178.50	259.20B/142.10A	259.20B/142.10A	----	156.30 - 78.80	.4546	----	----	627	----	1071 + 461
4655	181.10	181.10	262.30B/144.20A	262.30B/144.20A	----	158.50 - 79.40	.4593	----	----	3	----	32 UNCH
4660	153.90	153.90	265.40B/146.30A	265.40B/146.30A	----	160.90 - 80.00	.4641	----	----	1	----	205 UNCH
4665	----	----	268.60B/148.50A	268.60B/148.50A	----	163.20 - 80.60	.4688	----	----	----	----	46 UNCH
4670	----	----	271.70B/150.70A	271.70B/150.70A	----	165.60 - 81.20	.4736	----	----	----	----	122 UNCH
4675	167.40	167.40	274.90B/152.90A	274.90B/152.90A	----	167.90 - 81.90	.4784	----	----	50	----	346 + 24
4680	173.90	173.90	278.20B/155.10A	278.20B/155.10A	----	170.40 - 82.40	.4832	----	----	12	----	207 - 1
4685	----	----	281.40B/157.40A	281.40B/157.40A	----	172.80 - 83.00	.4880	----	----	13	----	161 - 1
4690	----	----	284.70B/159.70A	284.70B/159.70A	----	175.30 - 83.60	.4927	----	----	----	----	220 UNCH
4695	----	----	287.80B/162.00A	287.80B/162.00A	----	177.80 - 84.20	.4975	----	----	3	----	81 - 1
4700	173.40	173.40	291.30B/164.30A	291.30B/164.30A	----	180.30 - 84.80	.5024	----	----	84	----	1844 + 44
4705	----	----	294.60B/166.70A	294.60B/166.70A	----	182.80 - 85.40	.5071	----	----	1	----	39 UNCH
4710	----	----	297.90B/169.10A	297.90B/169.10A	----	185.40 - 86.00	.5119	----	----	1	----	206 UNCH
4715	----	----	301.30B/171.50A	301.30B/171.50A	----	188.00 - 86.60	.5167	----	----	----	----	75 UNCH
4720	194.30	194.30	304.70B/174.00A	304.70B/174.00A	----	190.60 - 87.20	.5216	----	----	20	----	541 + 13
4725	211.20	211.20	308.20B/176.50A	308.20B/176.50A	----	193.30 - 87.70	.5263	----	----	11	----	69 + 4
4730	----	----	311.60B/179.00A	311.60B/179.00A	----	196.00 - 88.30	.5311	----	----	----	----	102 UNCH
4735	----	----	315.10B/181.50A	315.10B/181.50A	----	198.70 - 88.90	.5359	----	----	----	----	22 UNCH
4740	----	----	318.60B/184.00A	318.60B/184.00A	----	201.40 - 89.50	.5408	----	----	----	----	54 UNCH
4745	----	----	322.10B/186.60A	322.10B/186.60A	----	204.20 - 90.00	.5455	----	----	----	----	38 UNCH
4750	247.70	247.70	325.60B/190.10A	325.60B/190.10A	----	207.00 - 90.60	.5503	----	----	12	----	430 - 7
4755	----	----	329.20B/192.70A	329.20B/192.70A	----	209.80 - 91.20	.5551	----	----	----	----	144 UNCH
4760	----	----	332.70B/195.40A	332.70B/195.40A	----	212.60 - 91.80	.5598	----	----	----	----	93 UNCH
4765	----	----	336.30B/197.80A	336.30B/197.80A	----	215.50 - 92.30	.5646	----	----	----	----	63 UNCH
4770	----	----	340.00B/200.80A	340.00B/200.80A	----	218.40 - 92.90	.5693	----	----	----	----	70 UNCH
4775	----	----	343.60B/203.40A	343.60B/203.40A	----	221.30 - 93.40	.5740	----	----	----	----	253 UNCH
4780	----	----	347.20B/206.30A	347.20B/206.30A	----	224.20 - 94.00	.5787	----	----	1	----	107 UNCH
4785	----	----	350.80B/209.10A	350.80B/209.10A	----	227.20 - 94.50	.5834	----	----	----	----	89 UNCH
4790	----	----	354.50B/211.80A	354.50B/211.80A	----	230.20 - 95.10	.5881	----	----	----	----	329 UNCH
4795	----	----	358.20B/214.80A	358.20B/214.80A	----	233.20 - 95.60	.5928	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
4800	299.30	299.30	362.00B/217.40A	362.00B/217.40A	----	236.30 - 96.10	.5974	----	----	14	----	1415 - 5
4805	----	----	365.70B/220.60A	365.70B/220.60A	----	239.40 - 96.60	.6021	----	----	----	----	51 UNCH
4810	----	----	369.50B/223.40A	369.50B/223.40A	----	242.50 - 97.10	.6067	----	----	----	----	262 UNCH
4815	----	----	373.30B/226.20A	373.30B/226.20A	----	245.60 - 97.70	.6113	----	----	----	----	22 UNCH
4820	----	----	377.10B/229.30A	377.10B/229.30A	----	248.70 - 98.20	.6159	----	----	----	----	259 UNCH
4825	----	----	380.90B/232.40A	380.90B/232.40A	----	251.90 - 98.70	.6204	----	----	----	----	196 UNCH
4830	----	----	384.80B/235.30A	384.80B/235.30A	----	255.10 - 99.20	.6250	----	----	----	----	69 UNCH
4835	----	----	388.60B/238.30A	388.60B/238.30A	----	258.40 - 99.60	.6295	----	----	----	----	135 UNCH
4840	----	----	392.60B/241.80A	392.60B/241.80A	----	261.60 - 00.20	.6340	----	----	1	----	56 - 1
4845	----	----	396.30B/244.90A	396.30B/244.90A	----	264.90 - 00.60	.6385	----	----	----	----	39 UNCH
4850	329.70	329.70	400.40B/247.50A	400.40B/247.50A	----	268.20 - 01.10	.6429	----	----	21	----	1066 - 1
4855	----	----	404.30B/251.20A	404.30B/251.20A	----	271.50 - 01.60	.6474	----	----	----	----	35 UNCH
4860	257.10	257.10	408.20B/254.40A	408.20B/254.40A	----	274.90 - 02.00	.6517	----	----	1	----	38 UNCH
4865	260.30	260.30	412.10B/257.60A	412.10B/257.60A	----	278.30 - 02.40	.6561	----	----	11	----	25 + 5
4870	----	----	416.20B/260.80A	416.20B/260.80A	----	281.70 - 02.90	.6604	----	----	----	----	234 UNCH
4875	----	----	420.20B/264.00A	420.20B/264.00A	----	285.10 - 03.40	.6648	----	----	----	----	150 UNCH
4880	311.30	311.30	424.20B/267.30A	424.20B/267.30A	----	288.60 - 03.70	.6690	----	----	10	----	90 - 9
4885	----	----	428.20B/271.10A	428.20B/271.10A	----	292.00 - 04.20	.6733	----	----	----	----	21 UNCH
4890	----	----	432.20B/273.90A	432.20B/273.90A	----	295.50 - 04.70	.6775	----	----	----	----	66 UNCH
4895	----	----	436.30B/277.70A	436.30B/277.70A	----	299.00 - 05.10	.6817	----	----	----	----	98 UNCH
4900	----	----	440.30B/280.00A	440.30B/280.00A	----	302.60 - 05.50	.6858	----	----	9	----	1075 - 1
4905	----	----	444.40B/284.00A	444.40B/284.00A	----	306.20 - 05.80	.6899	----	----	----	----	54 UNCH
4910	----	----	448.50B/287.40A	448.50B/287.40A	----	309.70 - 06.30	.6940	----	----	----	----	90 UNCH
4915	----	----	452.60B/291.40A	452.60B/291.40A	----	313.40 - 06.60	.6981	----	----	----	----	27 UNCH
4920	----	----	456.80B/294.30A	456.80B/294.30A	----	317.00 - 07.00	.7022	----	----	----	----	140 UNCH
4925	----	----	460.90B/297.80A	460.90B/297.80A	----	320.60 - 07.50	.7061	----	----	----	----	47 UNCH
4930	----	----	465.10B/301.30A	465.10B/301.30A	----	324.30 - 07.80	.7101	----	----	----	----	52 UNCH
4935	----	----	469.30B/304.90A	469.30B/304.90A	----	328.00 - 08.20	.7140	----	----	----	----	54 UNCH
4940	----	----	473.50B/308.50A	473.50B/308.50A	----	331.80 - 08.50	.7180	----	----	1	----	15 - 1
4945	----	----	477.70B/312.50A	477.70B/312.50A	----	335.50 - 08.90	.7217	----	----	----	----	48 UNCH
4950	----	----	481.90B/314.90A	481.90B/314.90A	----	339.30 - 09.20	.7255	----	----	----	----	754 UNCH
4955	----	----	486.10B/319.50A	486.10B/319.50A	----	343.00 - 09.60	.7293	----	----	----	----	86 UNCH
4960	----	----	490.30B/323.30A	490.30B/323.30A	----	346.90 - 09.90	.7330	----	----	----	----	132 UNCH
4965	----	----	494.60B/326.80A	494.60B/326.80A	----	350.70 - 10.20	.7368	----	----	----	----	25 UNCH
4970	----	----	498.90B/333.80A	498.90B/333.80A	----	354.50 - 10.60	.7404	----	----	----	----	4 UNCH
4975	----	----	503.20B/334.50A	503.20B/334.50A	----	358.40 - 10.90	.7440	----	----	----	----	89 UNCH
4980	----	----	507.50B/338.20A	507.50B/338.20A	----	362.30 - 11.20	.7477	----	----	----	----	56 UNCH
4985	----	----	511.80B/341.80A	511.80B/341.80A	----	366.20 - 11.50	.7511	----	----	----	----	124 UNCH
4990	----	----	516.10B/345.70A	516.10B/345.70A	----	370.10 - 11.80	.7547	----	----	----	----	36 UNCH
4995	----	----	520.40B/349.50A	520.40B/349.50A	----	374.10 - 12.00	.7581	----	----	----	----	222 UNCH
5000	----	----	525.00B/355.90A	525.00B/355.90A	----	378.00 - 12.40	.7617	----	----	1	----	1108 - 1
5005	----	----	529.10B/360.40A	529.10B/360.40A	----	382.00 - 12.60	.7650	----	----	----	----	43 UNCH
5010	----	----	533.70B/364.00A	533.70B/364.00A	----	386.00 - 12.90	.7684	----	----	----	----	14 UNCH
5015	----	----	537.80B/367.90A	537.80B/367.90A	----	390.00 - 13.20	.7716	----	----	----	----	23 UNCH
5020	----	----	542.20B/371.80A	542.20B/371.80A	----	394.00 - 13.50	.7749	----	----	----	----	23 UNCH
5025	----	----	546.60B/376.20A	546.60B/376.20A	----	398.10 - 13.70	.7781	----	----	----	----	154 UNCH
5030	----	----	551.00B/379.60A	551.00B/379.60A	----	402.20 - 13.90	.7815	----	----	----	----	24 UNCH
5035	----	----	555.70B/384.10A	555.70B/384.10A	----	406.30 - 14.10	.7846	----	----	----	----	13 UNCH
5040	----	----	559.80B/387.50A	559.80B/387.50A	----	410.40 - 14.40	.7876	----	----	----	----	135 UNCH
5045	----	----	564.50B/392.00A	564.50B/392.00A	----	414.50 - 14.60	.7907	----	----	----	----	28 UNCH
5050	----	----	568.70B/395.70A	568.70B/395.70A	----	418.60 - 14.90	.7938	----	----	5	----	440 UNCH
5055	----	----	573.20B/399.50A	573.20B/399.50A	----	422.80 - 15.10	.7967	----	----	----	----	107 UNCH
5060	----	----	577.60B/403.90A	577.60B/403.90A	----	426.90 - 15.30	.7997	----	----	----	----	84 UNCH
5065	----	----	582.30B/407.70A	582.30B/407.70A	----	431.10 - 15.50	.8026	----	----	----	----	54 UNCH
5070	----	----	586.50B/411.70A	586.50B/411.70A	----	435.30 - 15.70	.8055	----	----	----	----	175 UNCH
5075	----	----	591.00B/415.80A	591.00B/415.80A	----	439.50 - 16.00	.8084	----	----	----	----	47 UNCH
5080	----	----	595.50B/419.90A	595.50B/419.90A	----	443.80 - 16.10	.8113	----	----	----	----	85 UNCH
5085	----	----	600.00B/424.20A	600.00B/424.20A	----	448.00 - 16.30	.8139	----	----	----	----	116 UNCH
5090	----	----	604.50B/428.20A	604.50B/428.20A	----	452.30 - 16.50	.8168	----	----	----	----	23 UNCH
5095	----	----	609.30B/432.80A	609.30B/432.80A	----	456.50 - 16.70	.8195	----	----	----	----	17 UNCH
5100	----	----	613.90B/436.90A	613.90B/436.90A	----	460.80 - 16.90	.8221	----	----	----	----	393 UNCH
5105	----	----	618.20B/441.10A	618.20B/441.10A	----	465.10 - 17.00	.8247	----	----	----	----	58 UNCH
5110	----	----	622.70B/445.30A	622.70B/445.30A	----	469.40 - 17.20	.8274	----	----	----	----	286 UNCH
5115	----	----	627.30B/449.20A	627.30B/449.20A	----	473.70 - 17.40	.8298	----	----	----	----	24 UNCH
5120	----	----	631.80B/453.40A	631.80B/453.40A	----	478.10 - 17.50	.8324	----	----	----	----	18 UNCH
5125	----	----	636.40B/458.10A	636.40B/458.10A	----	482.40 - 17.70	.8348	----	----	----	----	89 UNCH
5130	----	----	641.20B/462.10A	641.20B/462.10A	----	486.80 - 17.80	.8374	----	----	----	----	120 UNCH
5135	----	----	645.50B/466.20A	645.50B/466.20A	----	491.20 - 18.00	.8397	----	----	----	----	95 UNCH
5140	----	----	650.20B/470.80A	650.20B/470.80A	----	495.50 - 18.20	.8421	----	----	----	----	23 UNCH
5145	----	----	654.80B/475.20A	654.80B/475.20A	----	499.90 - 18.30	.8444	----	----	----	----	44 UNCH
5150	----	----	659.30B/479.20A	659.30B/479.20A	----	504.30 - 18.50	.8468	----	----	----	----	374 UNCH
5155	----	----	664.00B/483.70A	664.00B/483.70A	----	508.80 - 18.50	.8489	----	----	----	----	9 UNCH
5160	----	----	668.60B/487.90A	668.60B/487.90A	----	513.20 - 18.70	.8512	----	----	----	----	31 UNCH
5165	----	----	673.30B/492.40A	673.30B/492.40A	----	517.60 - 18.90	.8533	----	----	3	----	47 - 2
5170	----	----	677.90B/496.60A	677.90B/496.60A	----	522.10 - 18.90	.8556	----	----	----	----	155 UNCH
5175	----	----	682.70B/501.10A	682.70B/501.10A	----	526.50 - 19.10	.8576	----	----	3	----	30 - 1
5180	----	----	687.20B/505.40A	687.20B/505.40A	----	531.00 - 19.20	.8597	----	----	----	----	76 UNCH
5185	----	----	691.90B/509.90A	691.90B/509.90A	----	535.50 - 19.30	.8617	----	----	----	----	2 UNCH
5190	----	----	696.50B/514.20A	696.50B/514.20A	----	540.00 - 19.40	.8638	----	----	----	----	10 UNCH
5195	----	----	701.40B/518.10A	701.40B/518.10A	----	544.50 - 19.50	.8658	----	----	----	----	25 UNCH
5200	558.00	558.00	706.10B/522.40A	706.10B/522.40A	----	549.00 - 19.70	.8678	----	----	186	----	426 + 156
5205	----	----	710.70B/527.50A	710.70B/527.50A	----	553.50 - 19.80	.8699	----	----	----	----	19 UNCH
5210	----	----	715.20B/531.90A	715.20B/531.90A	----	558.00 - 19.90	.8719	----	----	----	----	9 UNCH
5215	----	----	719.90B/536.40A	719.90B/536.40A	----	562.60 - 20.00	.8736	----	----	----	----	6 UNCH
5220	----	----	724.60B/540.70A	724.60B/540.70A	----	567.10 - 20.10	.8756	----	----	----	----	9 UNCH
5225	----	----	729.30B/545.30A	729.30B/545.30A	----	571.70 - 20.20	.8774	----	----	----	----	59 UNCH
5230	----	----	734.30B/549.80A	734.30B/549.80A	----	576.20 - 20.30	.8791	----	----	----	----	10 UNCH
5235	----	----	739.00B/553.20A	739.00B/553.20A	----	580.80 - 20.40	.8808	----	----	----	----	71 UNCH
5240	----	----	743.70B/559.00A	743.70B/559.00A	----	585.40 - 20.40	.8828	----	----	----	----	43 UNCH
5245	----	----	748.40B/563.20A	748.40B/563.20A	----	590.00 - 20.50	.8845	----	----	----	----	15 UNCH
5250	----	----	753.10B/567.10A	753.10B/567.10A	----	594.60 - 20.60	.8862	----	----	5	----	433 UNCH
5255	----	----	757.90B/572.20A	757.90B/572.20A	----	599.20 - 20.70	.8879	----	----	----	----	4 UNCH
5260	----	----	762.60B/576.70A	762.60B/576.70A	----	603.80 - 20.80	.8893	----	----	----	----	11 UNCH
5265	----	----	767.10B/581.20A	767.10B/581.20A	----	608.40 - 20.90	.8910	----	----	----	----	7 UNCH
5270	----	----	771.90B/585.90A	771.90B/585.90A	----	613.00 - 21.00	.8927	----	----	----	----	30 UNCH
5275	----	----	776.80B/590.60A	776.80B/590.60A	----	617.60 - 21.10	.8941	----	----	----	----	206 UNCH
5280	----	----	781.40B/595.00A	781.40B/595.00A	----	622.30 - 21.10	.8957	----	----	----	----	33 UNCH
5290	----	----	791.10B/604.30A	791.10B/604.30A	----	631.60 - 21.20	.8988	----	----	----	----	2 UNCH
5295	----	----	795.60B/608.70A	795.60B/608.70A	----	636.20 - 21.30	.9001	----	----	----	----	5 UNCH
5300	----	----	800.40B/613.40A	800.40B/613.40A	----	640.90 - 21.30	.9018	----	----	----	----	109 UNCH
5305	----	----	805.40B/618.00A	805.40B/618.00A	----	645.60 - 21.40	.9031	----	----	----	----	40 UNCH
5310	----	----	810.30B/622.70A	810.30B/622.70A	----	650.20 - 21.50	.9045	----	----	----	----	32 UNCH
5315	----	----	815.00B/627.30A	815.00B/627.30A	----	654.90 - 21.60	.9058	----	----	----	----	1 UNCH
5320	----	----	819.80B/630.90A	819.80B/630.90A	----	659.60 - 21.60	.9072	----	----	----	----	26 UNCH
5325	----	----	824.50B/636.50A	824.50B/636.50A	----	664.30 - 21.70	.9085	----	----	----	----	51 UNCH
5330	----	----	829.30B/641.20A	829.30B/641.20A	----	669.00 - 21.70	.9098	----	----	----	----	27 UNCH
5335	----	----	834.20B/646.10A	834.20B/646.10A	----	673.70 - 21.80	.9112	----	----	----	----	1 UNCH
5340	----	----	838.70B/649.60A	838.70B/649.60A	----	678.40 - 21.80	.9125	----	----	----	----	14 UNCH
5350	----	----	848.50B/660.00A	848.50B/660.00A	----	687.80 - 22.00	.9148	----	----	----	----	43 UNCH
5360	----	----	857.90B/668.30A	857.90B/668.30A	----	697.30 - 22.00	.9174	----	----	----	----	11 UNCH
5365	----	----	863.00B/674.00A	863.00B/674.00A	----	702.00 - 22.10	.9184	----	----	----	----	11 UNCH
5370	----	----	867.90B/678.50A	867.90B/678.50A	----	706.80 - 22.10	.9197	----	----	----	----	32 UNCH
5375	----	----	872.60B/683.40A	872.60B/683.40A	----	711.50 - 22.10	.9207	----	----	----	----	32 UNCH
5380	----	----	877.30B/688.10A	877.30B/688.10A	----	716.30 - 22.10	.9220	----	----	----	----	4 UNCH
5385	----	----	882.10B/692.80A	882.10B/692.80A	----	721.00 - 22.20	.9230	----	----	----	----	15 UNCH
5390	----	----	886.90B/697.60A	886.90B/697.60A	----	725.80 - 22.20	.9239	----	----	----	----	1 UNCH
5400	----	----	896.70B/705.70A	896.70B/705.70A	----	735.30 - 22.30	.9262	----	----	----	----	96 UNCH
5410	----	----	906.40B/715.20A	906.40B/715.20A	----	744.80 - 22.40	.9281	----	----	----	----	55 UNCH
5420	----	----	916.10B/724.70A	916.10B/724.70A	----	754.40 - 22.50	.9303	----	----	----	----	7 UNCH
5425	----	----	921.00B/729.40A	921.00B/729.40A	----	759.20 - 22.50	.9312	----	----	----	----	32 UNCH
5435	----	----	930.70B/740.40A	930.70B/740.40A	----	768.80 - 22.50	.9331	----	----	----	----	2 UNCH
5445	----	----	940.20B/749.90A	940.20B/749.90A	----	778.40 - 22.60	.9350	----	----	----	----	1 UNCH
5450	----	----	945.30B/753.20A	945.30B/753.20A	----	783.20 - 22.60	.9355	----	----	----	----	20 UNCH
5475	----	----	969.60B/778.50A	969.60B/778.50A	----	807.30 - 22.70	.9398	----	----	----	----	1 UNCH
5490	----	----	984.20B/793.00A	984.20B/793.00A	----	821.70 - 22.80	.9422	----	----	----	----	3 UNCH
5500	----	----	993.80B/802.50A	993.80B/802.50A	----	831.40 - 22.80	.9440	----	----	----	----	34 UNCH
5515	----	----	1,008.60B/816.8	1008.60B/816.80A	----	845.90 - 22.90	.9460	----	----	----	----	10 UNCH
5520	----	----	1,013.50B/822.1	1013.50B/822.10A	----	850.80 - 22.90	.9468	----	----	----	----	1 UNCH
5530	----	----	1,023.10B/831.6	1023.10B/831.60A	----	860.50 - 22.90	.9479	----	----	----	----	10 UNCH
5535	----	----	1,028.20B/836.7	1028.20B/836.70A	----	865.40 - 22.90	.9488	----	----	----	----	10 UNCH
5540	----	----	1,033.10B/841.3	1033.10B/841.30A	----	870.20 - 22.90	.9493	----	----	----	----	5 UNCH
5550	----	----	1,036.70B/850.9	1036.70B/850.90A	----	879.90 - 23.00	.9508	----	----	----	----	5 UNCH
5565	----	----	1,051.40B/865.3	1051.40B/865.30A	----	894.50 - 23.00	.9527	----	----	----	----	10 UNCH
5575	----	----	1,061.10B/875.0	1061.10B/875.00A	----	904.30 - 22.90	.9537	----	----	----	----	12 UNCH
5590	----	----	1,076.00B/889.6	1076.00B/889.60A	----	918.90 - 23.00	.9556	----	----	----	----	25 UNCH
5600	----	----	1,085.70B/899.4	1085.70B/899.40A	----	928.70 - 23.00	.9566	----	----	----	----	11 UNCH
5625	----	----	1,110.40B/923.9	1110.40B/923.90A	----	953.10 - 23.00	.9591	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5640	----	----	1,125.10B/939.0	1125.10B/939.00A	----	967.80 - 23.00	.9606	----	----	----	----	1 UNCH
5890	----	----	----/1,246.40A	1321.80B/1246.40A	----	1214.30 - 22.60	.9777	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1234.10 - 22.60	.9787	----	----	----	----	1 UNCH
5960	----	----	----	----	----	1283.70 - 22.50	.9804	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1303.60 - 22.40	.9813	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1323.50 - 22.30	.9819	----	----	----	----	2 UNCH
6025	----	----	----/1,380.40A	1456.00B/1380.40A	----	1348.30 - 22.30	.9829	----	----	----	----	3 UNCH
6100	----	----	----/1,455.00A	1530.60B/1455.00A	----	1422.90 - 22.20	.9850	----	----	----	----	7 UNCH
TOTAL										9071	104	80542 + 3036
JUN26												
1325	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
1375	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1400	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1425	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
1475	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
1500	----	----	0.20B/----	0.20B/0.40A	----	0.10 UNCH	.0001	----	----	----	----	3 UNCH
1525	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	8 UNCH
1575	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1580	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1590	----	----	----	----/0.60A	----	0.10 UNCH	.0002	----	----	----	----	175 UNCH
1600	----	----	----	----/0.60A	----	0.10 UNCH	.0002	----	----	----	----	18 UNCH
1610	----	----	----	----/0.60A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1615	----	----	----	----/0.60A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1620	----	----	----	----/0.60A	----	0.20 + 0.10	.0004	----	----	----	----	31 UNCH
1625	----	----	----	----/0.60A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1650	----	----	----	----/0.60A	----	0.20 UNCH	.0004	----	----	----	----	2 UNCH
1670	----	----	----	0.10B/0.60A	----	0.20 UNCH	.0004	----	----	----	----	10 UNCH
1675	----	----	----	0.10B/0.60A	----	0.20 UNCH	.0004	----	----	----	----	10 UNCH
1685	----	----	----	0.10B/0.60A	----	0.30 + 0.10	.0006	----	----	----	----	5 UNCH
1690	----	----	----	0.10B/0.60A	----	0.30 + 0.10	.0006	----	----	----	----	1 UNCH
1695	----	----	----	0.10B/0.60A	----	0.30 + 0.10	.0006	----	----	----	----	1 UNCH
1700	----	----	----	0.10B/0.60A	----	0.30 + 0.10	.0006	----	----	----	----	2 UNCH
1725	----	----	----	0.20B/0.60A	----	0.30 UNCH	.0006	----	----	----	----	1 UNCH
1735	----	----	----	0.20B/0.60A	----	0.40 + 0.10	.0007	----	----	----	----	1 UNCH
1740	----	----	----	0.20B/0.60A	----	0.40 + 0.10	.0007	----	----	----	----	1 UNCH
1745	----	----	----	0.20B/0.60A	----	0.40 + 0.10	.0007	----	----	----	----	1 UNCH
1750	----	----	----	0.20B/0.70A	----	0.40 + 0.10	.0007	----	----	----	----	4 UNCH
1755	----	----	----	0.20B/0.70A	----	0.40 + 0.10	.0007	----	----	----	----	1 UNCH
1775	----	----	----	0.20B/0.70A	----	0.50 + 0.10	.0009	----	----	----	----	1 UNCH
1780	----	----	----	0.20B/0.70A	----	0.50 + 0.10	.0009	----	----	----	----	2 UNCH
1785	----	----	----	0.20B/0.70A	----	0.50 + 0.10	.0009	----	----	----	----	2 UNCH
1795	----	----	----	0.30B/0.70A	----	0.50 + 0.10	.0009	----	----	----	----	11 UNCH
1800	----	----	----	0.20B/0.70A	----	0.50 + 0.10	.0009	----	----	----	----	6 UNCH
1815	----	----	----	0.30B/0.70A	----	0.50 UNCH	.0009	----	----	----	----	1 UNCH
1820	----	----	----	0.30B/0.70A	----	0.50 UNCH	.0010	----	----	----	----	2 UNCH
1855	----	----	----	0.30B/0.80A	----	0.60 UNCH	.0011	----	----	----	----	1 UNCH
1875	----	----	----	0.40B/0.80A	----	0.60 UNCH	.0012	----	----	----	----	3 UNCH
1900	----	----	----	0.40B/0.80A	----	0.60 - 0.10	.0012	----	----	----	----	3 UNCH
1905	----	----	----	0.40B/0.80A	----	0.60 - 0.10	.0012	----	----	----	----	7 UNCH
1915	----	----	----	0.40B/0.80A	----	0.60 - 0.10	.0012	----	----	----	----	10 UNCH
1920	----	----	----	0.40B/0.80A	----	0.60 - 0.10	.0012	----	----	----	----	2 UNCH
1950	----	----	----	0.50B/0.90A	----	0.70 - 0.10	.0014	----	----	----	----	1 UNCH
1955	----	----	----	0.50B/0.90A	----	0.70 - 0.10	.0014	----	----	----	----	2 UNCH
1965	----	----	----	0.50B/0.90A	----	0.70 - 0.10	.0014	----	----	----	----	10 UNCH
2000	----	----	----	0.80B/1.00A	----	0.80 - 0.10	.0016	----	----	6	----	603 UNCH
2005	----	----	----	0.50B/0.90A	----	0.80 - 0.10	.0016	----	----	----	----	1 UNCH
2010	----	----	----	0.50B/1.00A	----	0.80 - 0.10	.0016	----	----	----	----	1 UNCH
2015	----	----	----	0.60B/1.00A	----	0.80 - 0.10	.0016	----	----	----	----	7 UNCH
2020	----	----	----	0.60B/1.00A	----	0.80 - 0.20	.0016	----	----	----	----	1 UNCH
2025	----	----	----	0.60B/1.00A	----	0.80 - 0.20	.0016	----	----	----	----	10 UNCH
2030	----	----	----	0.60B/1.00A	----	0.80 - 0.20	.0016	----	----	----	----	13 UNCH
2050	----	----	----	0.60B/1.00A	----	0.90 - 0.10	.0018	----	----	----	----	20 UNCH
2085	----	----	----	0.70B/1.10A	----	0.90 - 0.20	.0018	----	----	----	----	15 UNCH
2100	----	----	----	0.70B/1.10A	----	0.90 - 0.20	.0019	----	----	----	----	90 UNCH
2105	----	----	----	0.70B/1.10A	----	0.90 - 0.20	.0019	----	----	----	----	1 UNCH
2170	----	----	----	0.80B/1.30A	----	1.10 - 0.20	.0023	----	----	----	----	5 UNCH
2180	----	----	----	0.90B/1.30A	----	1.10 - 0.20	.0023	----	----	----	----	6 UNCH
2195	----	----	----/1.30A	0.90B/1.30A	----	1.10 - 0.30	.0023	----	----	----	----	5 UNCH
2200	----	----	----/1.30A	0.90B/1.30A	----	1.10 - 0.30	.0023	----	----	----	----	9 UNCH
2205	----	----	----/1.30A	0.90B/1.30A	----	1.10 - 0.30	.0023	----	----	----	----	7 UNCH
2220	----	----	----	1.00B/1.40A	----	1.20 - 0.20	.0025	----	----	----	----	1 UNCH
2230	----	----	----	1.00B/1.40A	----	1.20 - 0.20	.0026	----	----	----	----	25 UNCH
2235	----	----	----/1.40A	1.00B/1.40A	----	1.20 - 0.30	.0026	----	----	----	----	21 UNCH
2240	----	----	----/1.40A	1.00B/1.40A	----	1.20 - 0.30	.0026	----	----	----	----	6 UNCH
2250	----	----	----/1.40A	1.30B/1.40A	----	1.20 - 0.30	.0026	----	----	----	----	5 UNCH
2300	1.20	1.20	1.20/1.20	1.20/1.20	----	1.40 - 0.20	.0030	----	----	2	----	11 + 2
2315	----	----	----/1.60A	1.30B/1.60A	----	1.40 - 0.30	.0031	----	----	----	----	40 UNCH
2330	----	----	----	1.30B/1.70A	----	1.40 - 0.30	.0031	----	----	----	----	1 UNCH
2350	----	----	----/1.70A	1.40B/1.70A	----	1.50 - 0.30	.0033	----	----	----	----	1 UNCH
2380	----	----	----/1.80A	1.50B/1.80A	----	1.50 - 0.40	.0034	----	----	----	----	1 UNCH
2385	----	----	----/1.80A	1.50B/1.80A	----	1.60 - 0.30	.0036	----	----	----	----	1 UNCH
2390	----	----	----/1.80A	1.50B/1.80A	----	1.60 - 0.30	.0036	----	----	----	----	1 UNCH
2395	----	----	----/1.80A	1.50B/1.80A	----	1.60 - 0.30	.0036	----	----	----	----	1 UNCH
2400	----	----	----/1.80A	1.70B/1.80A	----	1.60 - 0.30	.0036	----	----	----	----	72 UNCH
2405	----	----	----	1.60B/1.90A	----	1.60 - 0.30	.0036	----	----	----	----	1 UNCH
2410	----	----	----/1.90A	1.60B/1.90A	----	1.60 - 0.40	.0036	----	----	----	----	6 UNCH
2415	----	----	----/1.90A	1.60B/1.90A	----	1.60 - 0.40	.0036	----	----	----	----	1 UNCH
2420	----	----	----/1.90A	1.60B/1.90A	----	1.60 - 0.40	.0036	----	----	----	----	5 UNCH
2425	----	----	----/1.90A	1.60B/1.90A	----	1.70 - 0.30	.0038	----	----	----	----	2 UNCH
2430	----	----	----/1.90A	1.70B/1.90A	----	1.70 - 0.30	.0038	----	----	----	----	1 UNCH
2445	----	----	----/2.00A	1.70B/2.00A	----	1.70 - 0.40	.0039	----	----	----	----	5 UNCH
2450	----	----	----/2.00A	1.70B/2.00A	----	1.70 - 0.40	.0039	----	----	----	----	2 UNCH
2460	----	----	----/2.00A	1.80B/2.00A	----	1.70 - 0.50	.0039	----	----	----	----	1 UNCH
2465	----	----	----/2.10A	1.80B/2.10A	----	1.80 - 0.40	.0041	----	----	----	----	7 UNCH
2475	----	----	----/2.10A	1.80B/2.10A	----	1.80 - 0.40	.0041	----	----	----	----	1 UNCH
2495	----	----	----/2.10A	1.90B/2.10A	----	1.80 - 0.50	.0042	----	----	----	----	1 UNCH
2500	3.00	3.00	3.00/1.70	3.00/1.70	----	1.90 - 0.40	.0044	----	----	2	----	1819 + 1
2535	----	----	----/2.20A	2.10B/2.20A	----	2.00 - 0.50	.0047	----	----	----	----	5 UNCH
2540	----	----	----/2.20A	2.10B/2.20A	----	2.00 - 0.50	.0047	----	----	----	----	5 UNCH
2550	----	----	----/2.30A	2.20B/2.30A	----	2.00 - 0.60	.0047	----	----	----	----	50 UNCH
2565	----	----	----/2.30A	2.30B/2.30A	----	2.10 - 0.50	.0049	----	----	----	----	5 UNCH
2580	----	----	----/2.40A	2.40B/2.40A	----	2.10 - 0.60	.0050	----	----	----	----	5 UNCH
2590	----	----	----/2.40A	2.40B/2.40A	----	2.20 - 0.60	.0052	----	----	----	----	8 UNCH
2600	----	----	----/2.50A	2.50B/2.50A	----	2.20 - 0.60	.0052	----	----	----	----	157 UNCH
2650	----	----	----/2.70A	2.80B/2.70A	----	2.50 - 0.70	.0060	----	----	----	----	1 UNCH
2695	2.70	2.70	2.70/2.70	3.10B/2.70	----	2.70 - 0.80	.0065	----	----	1	----	0 - 1
2700	----	----	----/2.90A	3.10B/2.90A	----	2.70 - 0.80	.0066	----	----	----	----	433 UNCH
2730	----	----	----/3.00A	3.30B/3.00A	----	2.90 - 0.90	.0071	----	----	----	----	5 UNCH
2750	----	----	----/3.10A	3.50B/3.10A	----	3.00 - 0.90	.0074	----	----	----	----	1 UNCH
2800	3.70	3.70	3.70/3.30	3.90B/3.30	----	3.30 - 1.10	.0082	----	----	200	----	724 + 200
2805	----	----	----/3.40A	4.00B/3.40A	----	3.30 - 1.10	.0082	----	----	----	----	223 UNCH
2810	----	----	----/3.40A	4.00B/3.40A	----	3.40 - 1.10	.0084	----	----	----	----	39 UNCH
2825	----	----	----/3.50A	4.10B/3.50A	----	3.50 - 1.10	.0087	----	----	----	----	48 UNCH
2830	----	----	----/3.50A	4.20B/3.50A	----	3.50 - 1.20	.0087	----	----	----	----	25 UNCH
2850	----	----	----/3.60A	4.40B/3.60A	----	3.60 - 1.30	.0090	----	----	----	----	22 UNCH
2875	----	----	----/3.80A	4.80B/3.80A	----	3.80 - 1.40	.0096	----	----	----	----	7 UNCH
2900	----	----	----/3.90A	5.10B/3.90A	----	4.00 - 1.50	.0101	----	----	----	----	154 UNCH
2905	----	----	----/4.00A	5.20B/4.00A	----	4.00 - 1.50	.0102	----	----	----	----	5 UNCH
2915	----	----	----/4.00A	5.30B/4.00A	----	4.10 - 1.60	.0104	----	----	----	----	1 UNCH
2930	----	----	----/4.10A	5.60B/4.10A	----	4.20 NEW	.0107	----	----	1	----	1 + 1
2935	----	----	----/4.20A	5.60B/4.20A	----	4.20 - 1.70	.0108	----	----	----	----	3 UNCH
2950	----	----	----/4.20A	5.90B/4.20A	----	4.30 - 1.80	.0111	----	----	----	----	24 UNCH
2975	----	----	----/4.40A	6.20B/4.40A	----	4.50 - 2.00	.0116	----	----	----	----	9 UNCH
2990	----	----	----/4.60A	6.50B/4.60A	----	4.60 - 2.10	.0119	----	----	----	----	5 UNCH
2995	----	----	----/4.60A	6.60B/4.60A	----	4.70 - 2.10	.0122	----	----	----	----	6 UNCH
3000	6.50	6.50	6.50/4.60A	6.70B/4.60A	----	4.70 - 2.20	.0122	----	----	2	----	1525 + 1
3005	----	----	----/4.70A	6.80B/4.70A	----	4.80 - 2.20	.0125	----	----	----	----	10 UNCH
3010	----	----	----/4.70A	6.90B/4.70A	----	4.80 - 2.30	.0125	----	----	----	----	8 UNCH
3015	----	----	----/4.80A	7.00B/4.80A	----	4.80 - 2.30	.0125	----	----	----	----	215 UNCH
3020	----	----	----/4.80A	7.10B/4.80A	----	4.90 - 2.30	.0128	----	----	----	----	35 UNCH
3035	----	----	----/4.90A	7.40B/4.90A	----	5.00 - 2.50	.0131	----	----	----	----	1 UNCH
3050	----	----	----/5.00A	7.60B/5.00A	----	5.20 - 2.50	.0136	----	----	----	----	389 UNCH
3065	----	----	----/5.20A	8.00B/5.20A	----	5.30 - 2.70	.0140	----	----	----	----	7 UNCH
3070	----	----	----/5.20A	8.10B/5.20A	----	5.40 - 2.70	.0142	----	----	----	----	6 UNCH
3075	----	----	----/5.20A	8.20B/5.20A	----	5.40 - 2.80	.0143	----	----	----	----	10 UNCH
3080	----	----	----/5.30A	8.30B/5.30A	----	5.50 - 2.80	.0145	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3095	----	----	----/5.40A	8.60B/5.40A	----	5.60 - 3.00	.0149	----	----	----	----	41 UNCH
3100	----	----	----/5.50A	8.70B/5.50A	----	5.70 - 3.00	.0151	----	----	----	----	365 UNCH
3105	----	----	8.90B/5.50A	8.90B/5.50A	----	5.70 - 3.10	.0152	----	----	----	----	11 UNCH
3110	----	----	9.00B/5.60A	9.00B/5.60A	----	5.80 - 3.10	.0154	----	----	----	----	10 UNCH
3120	----	----	9.20B/5.70A	9.20B/5.70A	----	5.90 - 3.20	.0157	----	----	----	----	6 UNCH
3125	----	----	9.30B/5.80A	9.30B/5.80A	----	5.90 - 3.30	.0158	----	----	----	----	10 UNCH
3130	----	----	9.50B/5.80A	9.50B/5.80A	----	6.00 - 3.30	.0160	----	----	----	----	26 UNCH
3140	----	----	9.70B/5.90A	9.70B/5.90A	----	6.10 - 3.50	.0164	----	----	----	----	5 UNCH
3150	----	----	9.90B/6.00A	9.90B/6.00A	----	6.20 - 3.60	.0167	----	----	----	----	142 UNCH
3155	----	----	10.10B/6.10A	10.10B/6.10A	----	6.30 - 3.60	.0169	----	----	----	----	16 UNCH
3160	----	----	10.20B/6.10A	10.20B/6.10A	----	6.40 - 3.60	.0172	----	----	----	----	5 UNCH
3170	----	----	10.50B/6.20A	10.50B/6.20A	----	6.50 - 3.80	.0175	----	----	----	----	6 UNCH
3175	----	----	10.60B/6.30A	10.60B/6.30A	----	6.50 - 3.90	.0176	----	----	----	----	12 UNCH
3180	----	----	10.80B/6.30A	10.80B/6.30A	----	6.60 - 3.90	.0178	----	----	2	----	5 UNCH
3185	----	----	10.90B/6.40A	10.90B/6.40A	----	6.70 - 3.90	.0181	----	----	----	----	6 UNCH
3190	----	----	11.10B/6.50A	11.10B/6.50A	----	6.70 - 4.10	.0181	----	----	----	----	18 UNCH
3200	6.60	6.60	12.10B/6.60	12.10B/6.60	----	6.90 - 4.10	.0187	----	----	1	----	289 + 1
3205	----	----	12.30B/6.60A	12.30B/6.60A	----	6.90 - 4.20	.0187	----	----	----	----	42 UNCH
3210	----	----	12.40B/6.70A	12.40B/6.70A	----	7.00 - 4.30	.0190	----	----	----	----	15 UNCH
3215	----	----	12.60B/6.80A	12.60B/6.80A	----	7.10 - 4.30	.0193	----	----	----	----	22 UNCH
3220	----	----	12.60B/6.80A	12.60B/6.80A	----	7.20 - 4.40	.0195	----	----	----	----	7 UNCH
3225	----	----	12.90B/6.90A	12.90B/6.90A	----	7.20 - 4.50	.0196	----	----	----	----	41 UNCH
3235	----	----	13.20B/7.00A	13.20B/7.00A	----	7.40 - 4.60	.0202	----	----	----	----	24 UNCH
3250	----	----	13.70B/7.20A	13.70B/7.20A	----	7.60 - 4.80	.0208	----	----	----	----	148 UNCH
3255	----	----	13.90B/7.30A	13.90B/7.30A	----	7.70 - 4.90	.0210	----	----	----	----	110 UNCH
3260	----	----	14.00B/7.40A	14.00B/7.40A	----	7.80 - 4.90	.0213	----	----	----	----	1 UNCH
3265	----	----	14.20B/7.50A	14.20B/7.50A	----	7.80 - 5.10	.0214	----	----	----	----	20 UNCH
3270	----	----	14.40B/7.50A	14.40B/7.50A	----	7.90 - 5.10	.0217	----	----	----	----	7 UNCH
3280	----	----	14.70B/7.70A	14.70B/7.70A	----	8.10 - 5.20	.0222	----	----	----	----	13 UNCH
3290	----	----	15.10B/7.80A	15.10B/7.80A	----	8.30 - 5.30	.0228	----	----	----	----	37 UNCH
3300	10.60	10.60	15.20B/8.00A	15.20B/8.00A	----	8.40 - 5.60	.0232	----	----	5	----	373 UNCH
3305	----	----	15.50B/8.10A	15.50B/8.10A	----	8.50 - 5.60	.0234	----	----	----	----	1 UNCH
3310	12.20	12.20	15.70B/8.10A	15.70B/8.10A	----	8.60 - 5.70	.0237	----	----	2	----	7 + 2
3320	12.50	12.50	16.10B/8.30A	16.10B/8.30A	----	8.80 - 5.90	.0243	----	----	1	----	4 + 1
3325	----	----	16.30B/8.40A	16.30B/8.40A	----	8.90 - 5.90	.0246	----	----	----	----	46 UNCH
3335	----	----	16.60B/8.60A	16.60B/8.60A	----	9.10 - 6.10	.0252	----	----	----	----	46 UNCH
3340	----	----	16.80B/8.70A	16.80B/8.70A	----	9.20 - 6.20	.0255	----	----	----	----	22 UNCH
3345	----	----	17.00B/8.80A	17.00B/8.80A	----	9.30 - 6.30	.0258	----	----	----	----	12 UNCH
3350	10.70	10.70	17.20B/8.90A	17.20B/8.90A	----	9.40 - 6.40	.0260	----	----	2	----	371 UNCH
3355	----	----	17.50B/9.00A	17.50B/9.00A	----	9.50 - 6.40	.0263	----	----	----	----	1 UNCH
3360	----	----	17.70B/9.10A	17.70B/9.10A	----	9.60 - 6.50	.0266	----	----	----	----	8 UNCH
3365	----	----	17.90B/9.20A	17.90B/9.20A	----	9.70 - 6.60	.0269	----	----	----	----	29 UNCH
3370	----	----	18.10B/9.30A	18.10B/9.30A	----	9.80 - 6.70	.0272	----	----	----	----	25 UNCH
3375	----	----	18.30B/9.30A	18.30B/9.30A	----	9.90 - 6.80	.0275	----	----	----	----	98 UNCH
3380	11.50	11.50	18.50B/9.40A	18.50B/9.40A	----	10.00 - 6.90	.0278	----	----	2	----	46 - 2
3385	14.60	14.60	18.70B/9.60A	18.70B/9.60A	----	10.10 - 7.00	.0281	----	----	1	----	6 + 1
3390	----	----	19.00B/9.70A	19.00B/9.70A	----	10.20 - 7.10	.0284	----	----	----	----	40 UNCH
3395	----	----	19.20B/9.80A	19.20B/9.80A	----	10.30 - 7.30	.0287	----	----	----	----	1 UNCH
3400	12.10	12.10	19.40B/9.80A	19.40B/9.80A	----	10.50 - 7.30	.0292	----	----	3	----	732 UNCH
3405	----	----	19.70B/10.00A	19.70B/10.00A	----	10.60 - 7.40	.0296	----	----	1	----	66 UNCH
3410	----	----	19.80B/10.10A	19.80B/10.10A	----	10.70 - 7.50	.0299	----	----	----	----	7 UNCH
3415	----	----	20.10B/10.20A	20.10B/10.20A	----	10.80 - 7.60	.0302	----	----	----	----	1 UNCH
3420	----	----	20.30B/10.30A	20.30B/10.30A	----	10.90 - 7.70	.0305	----	----	----	----	18 UNCH
3425	----	----	20.60B/10.40A	20.60B/10.40A	----	11.10 - 7.80	.0310	----	----	----	----	25 UNCH
3430	----	----	20.70B/10.60A	20.70B/10.60A	----	11.20 - 7.90	.0313	----	----	----	----	4 UNCH
3435	----	----	21.00B/10.70A	21.00B/10.70A	----	11.30 - 8.00	.0316	----	----	----	----	20 UNCH
3450	----	----	21.80B/11.00A	21.80B/11.00A	----	11.70 - 8.30	.0328	----	----	----	----	429 UNCH
3455	----	----	22.00B/11.20A	22.00B/11.20A	----	11.80 - 8.50	.0331	----	----	----	----	51 UNCH
3460	----	----	22.20B/11.30A	22.20B/11.30A	----	12.00 - 8.50	.0336	----	----	----	----	50 UNCH
3465	----	----	22.40B/11.40A	22.40B/11.40A	----	12.10 - 8.70	.0339	----	----	----	----	89 UNCH
3470	----	----	22.80B/11.50A	22.80B/11.50A	----	12.20 - 8.80	.0343	----	----	----	----	28 UNCH
3475	----	----	23.10B/11.70A	23.10B/11.70A	----	12.40 - 8.90	.0348	----	----	----	----	241 UNCH
3480	----	----	23.30B/11.80A	23.30B/11.80A	----	12.50 - 9.00	.0351	----	----	----	----	171 UNCH
3485	----	----	23.50B/12.00A	23.50B/12.00A	----	12.70 - 9.10	.0356	----	----	----	----	2 UNCH
3490	----	----	23.80B/12.10A	23.80B/12.10A	----	12.80 - 9.30	.0360	----	----	----	----	21 UNCH
3500	15.20	15.20	24.50B/12.30	24.50B/12.30	----	13.10 - 9.50	.0368	----	----	14	----	1597 - 3
3505	----	----	24.80B/12.50A	24.80B/12.50A	----	13.30 - 9.60	.0374	----	----	----	----	65 UNCH
3510	----	----	25.10B/12.70A	25.10B/12.70A	----	13.40 - 9.70	.0377	----	----	----	----	61 UNCH
3515	----	----	25.40B/12.80A	25.40B/12.80A	----	13.60 - 9.80	.0383	----	----	----	----	16 UNCH
3520	----	----	25.70B/12.90A	25.70B/12.90A	----	13.70 - 10.00	.0386	----	----	----	----	248 UNCH
3525	----	----	26.00B/13.10A	26.00B/13.10A	----	13.90 - 10.10	.0391	----	----	----	----	301 UNCH
3530	----	----	26.40B/13.20A	26.40B/13.20A	----	14.10 - 10.20	.0397	----	----	----	----	5 UNCH
3535	----	----	26.50B/13.40A	26.50B/13.40A	----	14.20 - 10.40	.0400	----	----	----	----	100 UNCH
3540	----	----	27.00B/13.60A	27.00B/13.60A	----	14.40 - 10.50	.0406	----	----	----	----	5 UNCH
3545	----	----	27.30B/13.70A	27.30B/13.70A	----	14.60 - 10.60	.0411	----	----	1	----	20 UNCH
3550	13.50	13.50	27.70B/13.50	27.70B/13.50	----	14.70 - 10.80	.0415	----	----	3	----	413 - 1
3555	----	----	28.00B/14.00A	28.00B/14.00A	----	14.90 - 10.90	.0420	----	----	----	----	2 UNCH
3560	----	----	28.40B/14.20A	28.40B/14.20A	----	15.10 - 11.00	.0426	----	----	----	----	86 UNCH
3565	----	----	28.80B/14.40A	28.80B/14.40A	----	15.30 - 11.10	.0431	----	----	----	----	41 UNCH
3570	----	----	29.20B/14.50A	29.20B/14.50A	----	15.50 - 11.20	.0437	----	----	----	----	60 UNCH
3575	----	----	29.50B/14.70A	29.50B/14.70A	----	15.70 - 11.40	.0442	----	----	3	----	41 + 2
3580	----	----	29.90B/14.90A	29.90B/14.90A	----	15.80 - 11.60	.0446	----	----	----	----	77 UNCH
3585	----	----	30.20B/15.00A	30.20B/15.00A	----	16.00 - 11.70	.0452	----	----	1	----	2 + 1
3590	----	----	30.60B/15.20A	30.60B/15.20A	----	16.20 - 11.80	.0457	----	----	----	----	1 UNCH
3595	----	----	31.00B/15.40A	31.00B/15.40A	----	16.40 - 12.00	.0463	----	----	----	----	23 UNCH
3600	20.00	20.00	31.40B/15.50A	31.40B/15.50A	----	16.60 - 12.10	.0468	----	----	34	----	1654 - 5
3610	----	----	32.20B/15.90A	32.20B/15.90A	----	17.00 - 12.40	.0480	----	----	3	----	5 + 3
3615	----	----	32.60B/16.10A	32.60B/16.10A	----	17.20 - 12.60	.0486	----	----	----	----	37 UNCH
3620	----	----	32.90B/16.30A	32.90B/16.30A	----	17.40 - 12.70	.0491	----	----	1	----	12 UNCH
3625	27.80	27.80	33.30B/16.50A	33.30B/16.50A	----	17.70 - 12.80	.0499	----	----	31	----	66 + 30
3630	----	----	33.80B/16.60A	33.80B/16.60A	----	17.90 - 13.00	.0505	----	----	----	----	86 UNCH
3635	----	----	34.20B/16.90A	34.20B/16.90A	----	18.10 - 13.10	.0511	----	----	----	----	105 UNCH
3640	----	----	34.70B/17.10A	34.70B/17.10A	----	18.30 - 13.30	.0516	----	----	----	----	26 UNCH
3645	----	----	35.00B/17.30A	35.00B/17.30A	----	18.50 - 13.50	.0522	----	----	----	----	8 UNCH
3650	24.90	24.90	35.50B/17.50A	35.50B/17.50A	----	18.80 - 13.60	.0530	----	----	22	----	504 - 7
3660	----	----	36.40B/17.90A	36.40B/17.90A	----	19.20 - 14.00	.0542	----	----	----	----	1 UNCH
3665	----	----	36.70B/18.10A	36.70B/18.10A	----	19.50 - 14.10	.0550	----	----	----	----	14 UNCH
3670	----	----	37.30B/18.40A	37.30B/18.40A	----	19.70 - 14.30	.0556	----	----	----	----	31 UNCH
3675	----	----	37.60B/18.50A	37.60B/18.50A	----	20.00 - 14.40	.0563	----	----	----	----	55 UNCH
3680	----	----	38.20B/18.80A	38.20B/18.80A	----	20.20 - 14.60	.0569	----	----	----	----	17 UNCH
3685	----	----	38.70B/19.00A	38.70B/19.00A	----	20.50 - 14.70	.0577	----	----	----	----	51 UNCH
3690	----	----	39.00B/19.30A	39.00B/19.30A	----	20.70 - 14.90	.0583	----	----	----	----	5 UNCH
3695	----	----	39.50B/19.50A	39.50B/19.50A	----	21.00 - 15.10	.0591	----	----	----	----	19 UNCH
3700	27.50	27.50	40.00B/19.70A	40.00B/19.70A	----	21.20 - 15.30	.0598	----	----	118	----	787 + 34
3705	----	----	40.40B/19.90A	40.40B/19.90A	----	21.50 - 15.40	.0606	----	----	----	----	119 UNCH
3710	----	----	41.00B/20.20A	41.00B/20.20A	----	21.80 - 15.60	.0614	----	----	1	----	79 - 1
3715	----	----	41.50B/20.40A	41.50B/20.40A	----	22.00 - 15.80	.0620	----	----	----	----	46 UNCH
3720	30.80	30.80	42.00B/20.70A	42.00B/20.70A	----	22.30 NEW	.0628	----	----	1	----	1 + 1
3725	----	----	42.50B/21.00A	42.50B/21.00A	----	22.60 - 16.20	.0636	----	----	----	----	86 UNCH
3730	----	----	43.00B/21.20A	43.00B/21.20A	----	22.90 - 16.30	.0644	----	----	----	----	19 UNCH
3740	32.50	32.50	44.10B/21.70A	44.10B/21.70A	----	23.50 - 16.70	.0660	----	----	1	----	67 + 1
3745	----	----	44.60B/22.00A	44.60B/22.00A	----	23.80 - 16.80	.0668	----	----	----	----	18 UNCH
3750	----	----	45.20B/22.20A	45.20B/22.20A	----	24.10 - 17.00	.0677	----	----	2	----	1305 + 1
3755	----	----	45.70B/22.60A	45.70B/22.60A	----	24.40 - 17.20	.0685	----	----	----	----	2 UNCH
3760	----	----	46.30B/22.80A	46.30B/22.80A	----	24.70 - 17.40	.0693	----	----	6	----	15 + 2
3765	----	----	46.90B/23.10A	46.90B/23.10A	----	25.00 - 17.60	.0701	----	----	----	----	46 UNCH
3770	----	----	47.40B/23.40A	47.40B/23.40A	----	25.30 - 17.80	.0710	----	----	----	----	11 UNCH
3775	----	----	48.00B/23.70A	48.00B/23.70A	----	25.60 - 18.00	.0718	----	----	----	----	39 UNCH
3780	----	----	48.50B/24.00A	48.50B/24.00A	----	26.00 - 18.20	.0728	----	----	----	----	12 UNCH
3785	----	----	49.20B/24.30A	49.20B/24.30A	----	26.30 - 18.40	.0737	----	----	----	----	6 UNCH
3790	----	----	49.70B/24.50A	49.70B/24.50A	----	26.60 - 18.60	.0745	----	----	1	----	254 - 1
3795	----	----	50.20B/24.90A	50.20B/24.90A	----	27.00 - 18.80	.0755	----	----	----	----	55 UNCH
3800	27.30	27.30	50.80B/25.20A	50.80B/25.20A	----	27.30 - 19.00	.0764	----	----	76	----	1346 - 23
3805	----	----	51.40B/25.50A	51.40B/25.50A	----	27.60 - 19.20	.0772	----	----	----	----	67 UNCH
3810	----	----	52.00B/25.80A	52.00B/25.80A	----	28.00 - 19.40	.0783	----	----	5	----	16 + 4
3815	----	----	52.60B/26.20A	52.60B/26.20A	----	28.40 - 19.60	.0793	----	----	----	----	38 UNCH
3820	----	----	53.20B/26.50A	53.20B/26.50A	----	28.70 - 19.80	.0802	----	----	----	----	12 UNCH
3825	----	----	53.80B/26.80A	53.80B/26.80A	----	29.10 - 20.00	.0812	----	----	1	----	41 UNCH
3830	----	----	54.50B/27.20A	54.50B/27.20A	----	29.40 - 20.30	.0821	----	----	----	----	184 UNCH
3835	----	----	55.10B/27.50A	55.10B/27.50A	----	29.80 - 20.50	.0831	----	----	----	----	55 UNCH
3840	----	----	55.80B/27.80A	55.80B/27.80A	----	30.20 - 20.70	.0842	----	----	----	----	2 UNCH
3850	----	----	57.20B/28.50A	57.20B/28.50A	----	31.00 - 21.10	.0863	----	----	----	----	690 UNCH
3855	----	----	57.80B/28.90A	57.80B/28.90A	----	31.40 - 21.30	.0873	----	----	----	----	71 UNCH
3860	42.20	42.20	58.50B/29.30A	58.50B/29.30A	----	31.80 - 21.50	.0884	----	----	4	----	22 + 4
3865	----	----	59.20B/29.70A	59.20B/29.70A	----	32.20 - 21.70	.0895	----	----	----	----	12 UNCH
3870	----	----	59.90B/29.90A	59.90B/29.90A	----	32.60 - 22.00	.0905	----	----	----	----	17 UNCH
3875	----	----	60.60B/30.40A	60.60B/30.40A	----	33.00 - 22.20	.0916	----	----	2	----	163 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT — COMEX GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3880	----	----	61.30B/30.90A	61.30B/30.90A	----	33.40 - 22.50	.0927	----	----	----	----	14 UNCH
3885	----	----	62.00B/31.30A	62.00B/31.30A	----	33.90 - 22.60	.0939	----	----	----	----	12 UNCH
3890	----	----	62.80B/31.70A	62.80B/31.70A	----	34.30 - 22.90	.0950	----	----	----	----	43 UNCH
3895	----	----	63.50B/32.10A	63.50B/32.10A	----	34.70 - 23.10	.0961	----	----	----	----	15 UNCH
3900	46.00	46.00	64.30B/32.40A	64.30B/32.40A	----	35.20 - 23.30	.0973	----	----	6	----	580 + 3
3905	----	----	65.00B/32.80A	65.00B/32.80A	----	35.60 - 23.60	.0984	----	----	----	----	38 UNCH
3910	----	----	65.80B/33.20A	65.80B/33.20A	----	36.10 - 23.80	.0997	----	----	----	----	9 UNCH
3915	----	----	66.60B/33.70A	66.60B/33.70A	----	36.50 - 24.10	.1008	----	----	----	----	7 UNCH
3920	----	----	67.40B/34.10A	67.40B/34.10A	----	37.00 - 24.30	.1021	----	----	----	----	38 UNCH
3925	----	----	68.20B/34.60A	68.20B/34.60A	----	37.50 - 24.50	.1033	----	----	----	----	48 UNCH
3930	----	----	68.90B/35.00A	68.90B/35.00A	----	38.00 - 24.70	.1046	----	----	1	----	24 + 1
3935	----	----	69.80B/35.50A	69.80B/35.50A	----	38.40 - 25.10	.1057	----	----	----	----	19 UNCH
3940	52.60	52.60	70.60B/35.90A	70.60B/35.90A	----	38.90 - 25.30	.1070	----	----	1	----	104 UNCH
3945	----	----	71.40B/36.40A	71.40B/36.40A	----	39.40 - 25.50	.1083	----	----	----	----	5 UNCH
3950	62.00	62.00	72.20B/36.90A	72.20B/36.90A	----	39.90 - 25.80	.1096	----	----	5	----	237 + 1
3955	----	----	73.10B/37.40A	73.10B/37.40A	----	40.40 - 26.10	.1109	----	----	1	----	6 UNCH
3960	----	----	73.90B/37.80A	73.90B/37.80A	----	41.00 - 26.20	.1123	----	----	----	----	29 UNCH
3965	----	----	74.80B/38.30A	74.80B/38.30A	----	41.50 - 26.50	.1137	----	----	----	----	14 UNCH
3970	----	----	75.70B/38.80A	75.70B/38.80A	----	42.00 - 26.80	.1150	----	----	----	----	64 UNCH
3975	----	----	76.60B/39.30A	76.60B/39.30A	----	42.60 - 27.00	.1164	----	----	1	----	337 UNCH
3980	----	----	77.50B/39.80A	77.50B/39.80A	----	43.10 - 27.30	.1177	----	----	----	----	31 UNCH
3985	----	----	78.40B/40.30A	78.40B/40.30A	----	43.60 - 27.60	.1191	----	----	----	----	27 UNCH
3990	----	----	79.30B/40.80A	79.30B/40.80A	----	44.20 - 27.80	.1205	----	----	----	----	17 UNCH
3995	----	----	80.30B/41.40A	80.30B/41.40A	----	44.80 - 28.10	.1220	----	----	1	----	150 + 1
4000	60.00	60.00	81.20B/41.60	81.20B/41.60	----	45.30 - 28.40	.1234	----	----	289	50	3649 - 38
4005	----	----	82.10B/42.40A	82.10B/42.40A	----	45.90 - 28.60	.1248	----	----	3	----	19 + 2
4010	----	----	83.10B/43.00A	83.10B/43.00A	----	46.50 - 28.90	.1263	----	----	----	----	44 UNCH
4015	----	----	84.10B/43.60A	84.10B/43.60A	----	47.10 - 29.20	.1278	----	----	3	----	5 + 3
4020	69.50	69.50	85.00B/44.10A	85.00B/44.10A	----	47.70 - 29.40	.1293	----	----	29	----	91 + 27
4025	45.70	45.70	86.00B/44.60A	86.00B/44.60A	----	48.30 - 29.70	.1308	----	----	17	----	205 + 17
4030	----	----	87.00B/45.30A	87.00B/45.30A	----	48.90 - 30.00	.1323	----	----	----	----	8 UNCH
4035	----	----	88.00B/45.80A	88.00B/45.80A	----	49.50 - 30.30	.1339	----	----	----	----	46 UNCH
4040	----	----	88.90B/46.40A	88.90B/46.40A	----	50.20 - 30.50	.1355	----	----	1	----	73 + 1
4045	----	----	90.00B/47.00A	90.00B/47.00A	----	50.80 - 30.90	.1371	----	----	----	----	1 UNCH
4050	----	----	91.00B/47.60A	91.00B/47.60A	----	51.50 - 31.10	.1387	----	----	1	----	1268 - 1
4055	----	----	92.20B/48.20A	92.20B/48.20A	----	52.10 - 31.40	.1403	----	----	----	----	9 UNCH
4060	----	----	93.20B/48.90A	93.20B/48.90A	----	52.80 - 31.70	.1419	----	----	----	----	88 UNCH
4065	----	----	94.20B/49.50A	94.20B/49.50A	----	53.50 - 32.00	.1436	----	----	----	----	119 UNCH
4070	----	----	95.40B/50.10A	95.40B/50.10A	----	54.10 - 32.30	.1452	----	----	----	----	61 UNCH
4075	----	----	96.40B/50.80A	96.40B/50.80A	----	54.80 - 32.60	.1469	----	----	----	----	249 UNCH
4080	51.90	51.90	97.60B/51.40A	97.60B/51.40A	----	55.50 - 32.90	.1486	----	----	2	----	97 + 2
4085	----	----	98.80B/52.00A	98.80B/52.00A	----	56.20 - 33.20	.1503	----	----	----	----	22 UNCH
4090	----	----	99.80B/52.60A	99.80B/52.60A	----	56.90 - 33.60	.1520	----	----	----	----	112 UNCH
4095	----	----	101.10B/53.30A	101.10B/53.30A	----	57.70 - 33.80	.1538	----	----	----	----	46 UNCH
4100	82.50	82.50	102.10B/54.00A	102.10B/54.00A	----	58.40 - 34.10	.1556	----	----	46	----	1313 + 8
4105	----	----	103.30B/54.80A	103.30B/54.80A	----	59.10 - 34.50	.1573	----	----	30	----	98 - 14
4110	----	----	104.50B/55.50A	104.50B/55.50A	----	59.90 - 34.70	.1591	----	----	----	----	142 UNCH
4115	----	----	105.70B/56.20A	105.70B/56.20A	----	60.70 - 35.00	.1610	----	----	1	----	456 + 1
4120	----	----	106.90B/56.90A	106.90B/56.90A	----	61.40 - 35.40	.1628	----	----	2	----	29 UNCH
4125	----	----	108.20B/57.60A	108.20B/57.60A	----	62.20 - 35.70	.1646	----	----	2	----	364 + 1
4130	----	----	109.40B/58.30A	109.40B/58.30A	----	63.00 - 36.00	.1665	----	----	----	----	19 UNCH
4135	----	----	110.60B/59.10A	110.60B/59.10A	----	63.80 - 36.30	.1684	----	----	----	----	23 UNCH
4140	----	----	111.80B/59.90A	111.80B/59.90A	----	64.60 - 36.70	.1703	----	----	----	----	14 UNCH
4145	----	----	113.10B/60.60A	113.10B/60.60A	----	65.40 - 37.00	.1722	----	----	----	----	212 UNCH
4150	97.20	97.20	114.40B/61.40A	114.40B/61.40A	----	66.20 - 37.40	.1741	----	----	63	----	476 - 22
4155	----	----	115.80B/62.20A	115.80B/62.20A	----	67.10 - 37.60	.1761	----	----	----	----	19 UNCH
4160	----	----	117.10B/63.00A	117.10B/63.00A	----	67.90 - 38.00	.1780	----	----	2	----	61 + 2
4165	----	----	118.20B/63.90A	118.20B/63.90A	----	68.80 - 38.30	.1801	----	----	----	----	27 UNCH
4170	----	----	119.60B/64.60A	119.60B/64.60A	----	69.70 - 38.60	.1821	----	----	2	----	45 + 1
4175	----	----	121.00B/65.50A	121.00B/65.50A	----	70.50 - 39.00	.1841	----	----	----	----	901 UNCH
4180	----	----	122.40B/66.30A	122.40B/66.30A	----	71.40 - 39.30	.1861	----	----	2	----	114 - 1
4185	----	----	123.70B/67.20A	123.70B/67.20A	----	72.30 - 39.70	.1882	----	----	----	----	14 UNCH
4190	----	----	125.20B/68.00A	125.20B/68.00A	----	73.20 - 40.00	.1903	----	----	----	----	20 UNCH
4195	----	----	126.60B/68.90A	126.60B/68.90A	----	74.20 - 40.30	.1925	----	----	----	----	33 UNCH
4200	104.00	104.00	128.10B/68.60	128.10B/68.60	----	75.10 - 40.70	.1945	----	----	29	----	2777 UNCH
4205	----	----	129.50B/70.70A	129.50B/70.70A	----	76.00 - 41.10	.1966	----	----	----	----	58 UNCH
4210	----	----	130.90B/71.40A	130.90B/71.40A	----	77.00 - 41.40	.1988	----	----	----	50	385 UNCH
4215	----	----	132.30B/72.50A	132.30B/72.50A	----	78.00 - 41.70	.2011	----	----	5	----	9 - 4
4220	80.10	80.10	133.80B/73.40A	133.80B/73.40A	----	78.90 - 42.20	.2032	----	----	15	----	192 UNCH
4225	----	----	135.30B/74.30A	135.30B/74.30A	----	79.90 - 42.50	.2054	----	----	5	----	112 - 4
4230	----	----	136.80B/75.30A	136.80B/75.30A	----	80.90 - 42.90	.2076	----	----	----	----	57 UNCH
4235	----	----	138.50B/76.20A	138.50B/76.20A	----	82.00 - 43.20	.2100	----	----	----	----	45 UNCH
4240	----	----	139.90B/77.20A	139.90B/77.20A	----	83.00 - 43.60	.2122	----	----	----	----	53 UNCH
4245	----	----	141.60B/78.20A	141.60B/78.20A	----	84.00 - 44.00	.2145	----	----	----	----	37 UNCH
4250	82.00	82.00	143.00B/79.00A	143.00B/79.00A	----	85.10 - 44.30	.2168	----	----	23	----	674 + 2
4255	----	----	144.60B/80.00A	144.60B/80.00A	----	86.10 - 44.70	.2191	----	----	----	----	10 UNCH
4260	----	----	146.00B/81.20A	146.00B/81.20A	----	87.20 - 45.10	.2214	----	----	----	----	20 UNCH
4265	----	----	147.60B/82.20A	147.60B/82.20A	----	88.30 - 45.40	.2238	----	----	----	----	35 UNCH
4270	----	----	149.20B/83.20A	149.20B/83.20A	----	89.40 - 45.80	.2262	----	----	2	----	49 + 2
4275	----	----	151.20B/84.30A	151.20B/84.30A	----	90.50 - 46.20	.2286	----	----	21	----	109 + 20
4280	----	----	152.50B/85.30A	152.50B/85.30A	----	91.60 - 46.60	.2310	----	----	2	----	79 - 1
4285	----	----	154.40B/86.40A	154.40B/86.40A	----	92.80 - 46.90	.2335	----	----	1	----	13 - 1
4290	----	----	156.00B/87.50A	156.00B/87.50A	----	93.90 - 47.40	.2359	----	----	----	----	70 UNCH
4295	----	----	157.60B/88.60A	157.60B/88.60A	----	95.10 - 47.70	.2384	----	----	2	----	22 + 2
4300	90.10	90.10	159.60B/89.70A	159.60B/89.70A	----	96.30 - 48.10	.2409	----	----	22	150	2456 + 157
4305	----	----	161.10B/90.70A	161.10B/90.70A	----	97.50 - 48.50	.2434	----	----	----	----	72 UNCH
4310	----	----	162.90B/91.90A	162.90B/91.90A	----	98.70 - 48.90	.2460	----	----	----	----	53 UNCH
4315	----	----	164.60B/93.00A	164.60B/93.00A	----	99.90 - 49.30	.2485	----	----	----	----	43 UNCH
4320	----	----	166.50B/94.20A	166.50B/94.20A	----	101.10 - 49.80	.2510	----	----	----	----	81 UNCH
4325	----	----	168.30B/95.50A	168.30B/95.50A	----	102.40 - 50.10	.2537	----	----	----	----	58 UNCH
4330	----	----	170.00B/96.70A	170.00B/96.70A	----	103.60 - 50.60	.2562	----	----	1	----	198 - 1
4335	----	----	171.80B/97.90A	171.80B/97.90A	----	104.90 - 50.90	.2589	----	----	----	----	38 UNCH
4340	----	----	173.60B/99.10A	173.60B/99.10A	----	106.20 - 51.30	.2615	----	----	1	----	68 UNCH
4345	----	----	175.50B/100.10A	175.50B/100.10A	----	107.50 - 51.80	.2642	----	----	1	----	46 + 1
4350	120.70	120.70	177.40B/101.30A	177.40B/101.30A	----	108.80 - 52.20	.2668	----	----	104	----	535 + 36
4355	----	----	179.50B/102.80A	179.50B/102.80A	----	110.20 - 52.50	.2696	----	----	----	----	79 UNCH
4360	----	----	181.30B/104.10A	181.30B/104.10A	----	111.50 - 53.00	.2723	----	----	----	----	83 UNCH
4365	----	----	183.30B/105.20A	183.30B/105.20A	----	112.90 - 53.40	.2750	----	----	----	----	66 UNCH
4370	119.40	119.40	185.10B/106.60A	185.10B/106.60A	----	114.30 - 53.80	.2778	----	----	2	----	8 + 2
4375	----	----	187.20B/108.00A	187.20B/108.00A	----	115.70 - 54.20	.2806	----	----	----	----	452 UNCH
4380	----	----	189.20B/109.20A	189.20B/109.20A	----	117.10 - 54.60	.2833	----	----	187	----	437 + 186
4385	----	----	191.10B/110.50A	191.10B/110.50A	----	118.50 - 55.10	.2861	----	----	----	----	22 UNCH
4390	----	----	193.20B/111.80A	193.20B/111.80A	----	119.90 - 55.50	.2889	----	----	----	----	56 UNCH
4395	----	----	195.10B/113.20A	195.10B/113.20A	----	121.40 - 55.90	.2918	----	----	----	----	70 UNCH
4400	168.50	168.50	197.40B/114.70A	197.40B/114.70A	----	122.90 - 56.30	.2947	----	----	65	----	3977 + 10
4405	----	----	199.30B/116.00A	199.30B/116.00A	----	124.30 - 56.80	.2975	----	----	----	----	130 UNCH
4410	----	----	201.40B/117.50A	201.40B/117.50A	----	125.80 - 57.30	.3004	----	----	----	----	55 UNCH
4415	----	----	203.50B/118.90A	203.50B/118.90A	----	127.40 - 57.60	.3033	----	----	----	----	85 UNCH
4420	----	----	205.80B/120.40A	205.80B/120.40A	----	128.90 - 58.10	.3062	----	----	----	----	16 UNCH
4425	156.60	156.60	207.80B/121.90A	207.80B/121.90A	----	130.40 - 58.60	.3091	----	----	4	----	64 UNCH
4430	----	----	210.00B/123.30A	210.00B/123.30A	----	132.00 - 59.00	.3121	----	----	----	----	97 UNCH
4435	----	----	212.10B/124.80A	212.10B/124.80A	----	133.60 - 59.40	.3151	----	----	3	----	71 + 1
4440	141.30	141.30	214.40B/126.30A	214.40B/126.30A	----	135.20 - 59.80	.3181	----	----	15	----	33 - 3
4445	131.90	131.90	216.60B/127.80A	216.60B/127.80A	----	136.80 - 60.30	.3211	----	----	11	----	49 + 4
4450	132.40	132.40	218.80B/129.40A	218.80B/129.40A	----	138.40 - 60.80	.3241	----	----	9	----	879 + 1
4455	----	----	221.20B/131.00A	221.20B/131.00A	----	140.10 - 61.20	.3271	----	----	----	25	65 + 25
4460	----	----	223.50B/132.50A	223.50B/132.50A	----	141.80 - 61.60	.3302	----	----	----	----	34 UNCH
4465	----	----	225.70B/134.10A	225.70B/134.10A	----	143.40 - 62.10	.3332	----	----	----	----	26 UNCH
4470	----	----	228.00B/135.80A	228.00B/135.80A	----	145.10 - 62.60	.3363	----	----	----	----	29 UNCH
4475	----	----	230.30B/137.40A	230.30B/137.40A	----	146.90 - 62.90	.3395	----	----	2	----	156 + 1
4480	----	----	232.80B/139.10A	232.80B/139.10A	----	148.60 - 63.40	.3425	----	----	----	----	84 UNCH
4485	145.10	145.10	235.10B/140.80A	235.10B/140.80A	----	150.40 - 63.80	.3457	----	----	3	----	27 + 3
4490	----	----	237.50B/142.40A	237.50B/142.40A	----	152.10 - 64.40	.3488	----	----	----	----	81 UNCH
4495	----	----	240.00B/144.10A	240.00B/144.10A	----	153.90 - 64.80	.3520	----	----	----	----	80 UNCH
4500	196.50	196.50	242.40B/145.80A	242.40B/145.80A	----	155.70 - 65.30	.3551	----	----	239	----	2420 - 54
4505	----	----	244.80B/147.60A	244.80B/147.60A	----	157.50 - 65.70	.3583	----	----	----	----	28 UNCH
4510	----	----	247.20B/149.40A	247.20B/149.40A	----	159.40 - 66.10	.3615	----	----	----	----	17 UNCH
4515	----	----	249.80B/151.10A	249.80B/151.10A	----	161.20 - 66.70	.3647	----	----	----	----	244 UNCH
4520	----	----	252.30B/152.90A	252.30B/152.90A	----	163.10 - 67.10	.3679	----	----	1	----	159 + 1
4525	189.10	189.10	254.80B/154.60A	254.80B/154.60A	----	165.00 - 67.60	.3711	----	----	10	----	132 + 10
4530	172.70	172.70	257.40B/156.50A	257.40B/156.50A	----	166.90 - 68.00	.3744	----	----	4	----	11 + 3
4535	----	----	259.90B/158.30A	259.90B/158.30A	----	168.90 - 68.40	.3776	----	----	1	----	25 + 1
4540	----	----	262.50B/160.20A	262.50B/160.20A	----	170.80 - 68.90	.3809	----	----	2	----	157 + 2
4545	----	----	265.10B/162.10A	265.10B/162.10A	----	172.80 - 69.40	.3842	----	----	1	----	84 UNCH
4550	203.00	203.00	267.70B/163.90A	267.70B/163.90A	----	174.80 - 69.80	.3875	----	----	70	----	627 + 1
4555	----	----	270.30B/165.90A	270.30B/165.90A	----	176.80 - 70.30	.3908	----	----	13	----	59 - 5
4560	----	----	272.90B/167.80A	272.90B/167.80A	----	178.80 - 70.80	.3941	----	----	----	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4565	----	----	275.60B/169.70A	275.60B/169.70A	----	180.80 - 71.30	.3974	----	----	4	----	199 - 3
4570	204.80	204.80	278.30B/171.70A	278.30B/171.70A	----	182.90 - 71.70	.4007	----	----	21	----	77 - 4
4575	225.70	225.70	281.00B/173.70A	281.00B/173.70A	----	185.00 - 72.20	.4040	----	----	101	----	168 + 78
4580	209.40	209.40	283.70B/175.70A	283.70B/175.70A	----	187.10 - 72.60	.4074	----	----	189	----	209 + 181
4585	----	----	286.50B/177.70A	286.50B/177.70A	----	189.20 - 73.10	.4107	----	----	----	----	18 UNCH
4590	215.40	215.40	289.20B/179.50A	289.20B/179.50A	----	191.30 - 73.60	.4141	----	----	1	----	79 + 1
4595	----	----	292.00B/181.80A	292.00B/181.80A	----	193.50 - 74.10	.4175	----	----	----	----	19 UNCH
4600	245.00	245.00	294.80B/183.60A	294.80B/183.60A	----	195.70 - 74.50	.4208	----	----	59	----	1618 + 6
4605	249.60	249.60	297.60B/185.70A	297.60B/185.70A	----	197.90 - 75.00	.4242	----	----	1	----	12 + 1
4610	259.60	259.60	300.50B/187.80A	300.50B/187.80A	----	200.10 - 75.40	.4276	----	----	8	----	10 + 7
4615	265.40	265.40	303.30B/190.00A	303.30B/190.00A	----	202.30 - 76.00	.4310	----	----	1	----	51 - 1
4620	----	----	306.20B/192.40A	306.20B/192.40A	----	204.60 - 76.40	.4344	----	----	----	----	184 UNCH
4625	----	----	309.10B/194.30A	309.10B/194.30A	----	206.80 - 76.90	.4378	----	----	----	----	177 UNCH
4630	----	----	312.00B/196.50A	312.00B/196.50A	----	209.10 - 77.40	.4413	----	----	----	----	119 UNCH
4635	202.70	202.70	314.90B/198.70A	314.90B/198.70A	----	211.40 - 77.90	.4447	----	----	11	----	16 + 10
4640	264.00	264.00	317.90B/200.90A	317.90B/200.90A	----	213.80 - 78.30	.4481	----	----	8	----	35 + 3
4645	----	----	320.90B/203.20A	320.90B/203.20A	----	216.10 - 78.80	.4515	----	----	----	----	32 UNCH
4650	259.60	259.60	323.80B/205.60A	323.80B/205.60A	----	218.50 - 79.20	.4550	----	----	26	----	1163 + 7
4655	272.00	272.00	326.80B/207.70A	326.80B/207.70A	----	220.90 - 79.70	.4584	----	----	5	----	49 UNCH
4660	----	----	329.90B/210.00A	329.90B/210.00A	----	223.30 - 80.10	.4619	----	----	----	----	107 UNCH
4665	265.50	265.50	332.90B/212.30A	332.90B/212.30A	----	225.70 - 80.60	.4653	----	----	2	----	13 + 2
4670	----	----	336.00B/214.70A	336.00B/214.70A	----	228.10 - 81.10	.4688	----	----	----	----	153 UNCH
4675	----	----	339.00B/217.10A	339.00B/217.10A	----	230.60 - 81.60	.4722	----	----	1	----	299 + 1
4680	----	----	342.10B/219.50A	342.10B/219.50A	----	233.10 - 82.00	.4757	----	----	1	----	54 + 1
4685	281.90	281.90	345.20B/221.90A	345.20B/221.90A	----	235.60 - 82.50	.4791	----	----	4	----	10 + 1
4690	----	----	348.30B/224.30A	348.30B/224.30A	----	238.10 - 83.00	.4826	----	----	----	----	11 UNCH
4695	----	----	351.50B/226.60A	351.50B/226.60A	----	240.70 - 83.40	.4860	----	----	----	----	31 UNCH
4700	243.00	243.00	354.70B/229.10A	354.70B/229.10A	----	243.20 - 83.90	.4895	----	----	7	----	1335 + 2
4705	244.40	244.40	357.10B/231.60A	357.10B/231.60A	----	245.80 - 84.30	.4929	----	----	80	----	93 + 54
4710	----	----	360.30B/234.20A	360.30B/234.20A	----	248.40 - 84.80	.4964	----	----	----	----	14 UNCH
4715	----	----	363.30B/236.60A	363.30B/236.60A	----	251.00 - 85.30	.4999	----	----	----	----	34 UNCH
4720	----	----	366.60B/239.20A	366.60B/239.20A	----	253.70 - 85.60	.5033	----	----	----	----	102 UNCH
4725	----	----	369.80B/241.70A	369.80B/241.70A	----	256.30 - 86.20	.5067	----	----	----	----	17 UNCH
4730	----	----	373.20B/244.10A	373.20B/244.10A	----	259.00 - 86.60	.5102	----	----	----	----	51 UNCH
4735	----	----	376.50B/246.90A	376.50B/246.90A	----	261.70 - 87.00	.5136	----	----	----	----	51 UNCH
4740	----	----	379.80B/249.50A	379.80B/249.50A	----	264.40 - 87.50	.5171	----	----	----	----	85 UNCH
4745	----	----	383.10B/252.00A	383.10B/252.00A	----	267.20 - 87.90	.5205	----	----	----	----	1 UNCH
4750	----	----	386.50B/254.60A	386.50B/254.60A	----	269.90 - 88.40	.5240	----	----	1	----	795 UNCH
4755	----	----	389.80B/257.30A	389.80B/257.30A	----	272.70 - 88.80	.5274	----	----	----	----	18 UNCH
4760	----	----	393.20B/260.20A	393.20B/260.20A	----	275.50 - 89.20	.5308	----	----	----	----	54 UNCH
4765	----	----	396.50B/262.70A	396.50B/262.70A	----	278.30 - 89.70	.5343	----	----	----	----	40 UNCH
4770	----	----	399.90B/265.60A	399.90B/265.60A	----	281.20 - 90.00	.5377	----	----	----	----	47 UNCH
4775	----	----	403.40B/268.20A	403.40B/268.20A	----	284.00 - 90.50	.5411	----	----	----	----	110 UNCH
4780	----	----	406.80B/270.80A	406.80B/270.80A	----	286.90 - 90.90	.5445	----	----	----	----	10 UNCH
4785	285.50	285.50	410.20B/273.70A	410.20B/273.70A	----	289.80 - 91.30	.5479	----	----	3	----	47 UNCH
4790	----	----	413.70B/276.50A	413.70B/276.50A	----	292.70 - 91.80	.5513	----	----	----	----	44 UNCH
4795	----	----	417.20B/279.30A	417.20B/279.30A	----	295.70 - 92.10	.5546	----	----	----	----	13 UNCH
4800	----	----	420.60B/282.20A	420.60B/282.20A	----	298.60 - 92.60	.5580	----	----	22	----	2154 + 17
4805	----	----	424.20B/285.00A	424.20B/285.00A	----	301.60 - 93.00	.5614	----	----	----	----	84 UNCH
4810	----	----	427.70B/287.90A	427.70B/287.90A	----	304.60 - 93.30	.5647	----	----	----	----	16 UNCH
4815	----	----	431.20B/290.80A	431.20B/290.80A	----	307.60 - 93.80	.5681	----	----	----	----	35 UNCH
4820	----	----	434.80B/293.70A	434.80B/293.70A	----	310.60 - 94.20	.5714	----	----	----	----	19 UNCH
4825	----	----	438.30B/296.60A	438.30B/296.60A	----	313.70 - 94.50	.5748	----	----	----	----	164 UNCH
4830	----	----	441.90B/299.60A	441.90B/299.60A	----	316.70 - 95.00	.5781	----	----	----	----	136 UNCH
4835	----	----	445.50B/302.50A	445.50B/302.50A	----	319.80 - 95.40	.5814	----	----	----	----	29 UNCH
4840	336.50	336.50	449.10B/305.50A	449.10B/305.50A	----	322.90 - 95.80	.5847	----	----	11	----	18 + 2
4845	339.60	339.60	452.70B/308.50A	452.70B/308.50A	----	326.10 - 96.10	.5880	----	----	10	----	10 + 10
4850	387.90	387.90	456.40B/311.50A	456.40B/311.50A	----	329.20 - 96.50	.5913	----	----	5	----	536 + 2
4855	----	----	460.00B/314.50A	460.00B/314.50A	----	332.40 - 96.80	.5946	----	----	----	----	359 UNCH
4860	----	----	463.70B/317.70A	463.70B/317.70A	----	335.50 - 97.30	.5978	----	----	----	----	44 UNCH
4865	----	----	467.30B/320.70A	467.30B/320.70A	----	338.70 - 97.60	.6011	----	----	----	----	17 UNCH
4870	----	----	471.00B/323.70A	471.00B/323.70A	----	342.00 - 97.90	.6043	----	----	----	----	42 UNCH
4875	----	----	474.70B/326.90A	474.70B/326.90A	----	345.20 - 98.30	.6075	----	----	2	----	74 UNCH
4880	----	----	478.50B/330.00A	478.50B/330.00A	----	348.40 - 98.70	.6107	----	----	----	----	3 UNCH
4885	----	----	482.20B/333.10A	482.20B/333.10A	----	351.70 - 99.10	.6140	----	----	----	----	6 UNCH
4890	----	----	485.90B/336.40A	485.90B/336.40A	----	355.00 - 99.40	.6171	----	----	----	----	46 UNCH
4895	----	----	489.70B/339.50A	489.70B/339.50A	----	358.30 - 99.80	.6203	----	----	----	----	211 UNCH
4900	----	----	493.50B/342.70A	493.50B/342.70A	----	361.60 - 00.10	.6235	----	----	----	----	1803 UNCH
4905	----	----	497.30B/345.90A	497.30B/345.90A	----	365.00 - 00.40	.6266	----	----	----	----	10 UNCH
4910	----	----	501.10B/349.40A	501.10B/349.40A	----	368.30 - 00.80	.6298	----	----	----	----	57 UNCH
4915	----	----	504.90B/352.60A	504.90B/352.60A	----	371.70 - 01.10	.6329	----	----	----	----	37 UNCH
4920	----	----	508.70B/355.90A	508.70B/355.90A	----	375.10 - 01.40	.6360	----	----	----	----	91 UNCH
4925	----	----	512.50B/359.20A	512.50B/359.20A	----	378.50 - 01.80	.6391	----	----	----	----	73 UNCH
4930	----	----	516.40B/362.50A	516.40B/362.50A	----	381.90 - 02.10	.6421	----	----	----	----	199 UNCH
4940	----	----	524.10B/369.10A	524.10B/369.10A	----	388.80 - 02.80	.6483	----	----	----	----	64 UNCH
4945	----	----	528.00B/372.50A	528.00B/372.50A	----	392.30 - 03.10	.6513	----	----	----	----	2 UNCH
4950	----	----	531.90B/375.60A	531.90B/375.60A	----	395.80 - 03.40	.6543	----	----	----	----	287 UNCH
4955	----	----	535.80B/379.10A	535.80B/379.10A	----	399.30 - 03.70	.6573	----	----	----	----	31 UNCH
4960	----	----	539.80B/382.50A	539.80B/382.50A	----	402.80 - 04.00	.6603	----	----	----	----	23 UNCH
4965	----	----	543.70B/385.90A	543.70B/385.90A	----	406.40 - 04.30	.6632	----	----	----	----	24 UNCH
4970	----	----	547.60B/389.40A	547.60B/389.40A	----	409.90 - 04.60	.6662	----	----	----	----	44 UNCH
4975	----	----	551.60B/392.80A	551.60B/392.80A	----	413.50 - 04.90	.6691	----	----	----	----	153 UNCH
4980	----	----	555.60B/396.30A	555.60B/396.30A	----	417.10 - 05.20	.6720	----	----	----	----	28 UNCH
4985	----	----	559.60B/399.70A	559.60B/399.70A	----	420.70 - 05.50	.6749	----	----	----	----	9 UNCH
4990	----	----	563.60B/403.10A	563.60B/403.10A	----	424.30 - 05.80	.6779	----	----	4	----	292 + 2
4995	----	----	567.60B/406.70A	567.60B/406.70A	----	428.00 - 06.00	.6807	----	----	----	----	11 UNCH
5000	518.80	518.80	571.60B/410.30A	571.60B/410.30A	----	431.60 - 06.30	.6835	----	----	117	----	1901 - 6
5005	----	----	575.60B/413.50A	575.60B/413.50A	----	435.30 - 06.60	.6863	----	----	----	----	304 UNCH
5010	----	----	579.60B/417.40A	579.60B/417.40A	----	439.00 - 06.80	.6891	----	----	----	----	11 UNCH
5015	----	----	583.70B/420.70A	583.70B/420.70A	----	442.70 - 07.10	.6920	----	----	----	----	49 UNCH
5020	----	----	587.80B/424.50A	587.80B/424.50A	----	446.40 - 07.40	.6948	----	----	----	----	31 UNCH
5025	----	----	591.80B/427.90A	591.80B/427.90A	----	450.10 - 07.70	.6975	----	----	----	----	55 UNCH
5030	----	----	595.90B/431.70A	595.90B/431.70A	----	453.90 - 07.90	.7003	----	----	----	----	68 UNCH
5035	----	----	600.00B/435.30A	600.00B/435.30A	----	457.60 - 08.20	.7030	----	----	----	----	13 UNCH
5040	----	----	604.10B/439.00A	604.10B/439.00A	----	461.40 - 08.40	.7057	----	----	----	----	18 UNCH
5045	----	----	608.20B/442.70A	608.20B/442.70A	----	465.20 - 08.70	.7084	----	----	----	----	6 UNCH
5050	----	----	612.30B/446.40A	612.30B/446.40A	----	469.00 - 08.90	.7111	----	----	----	----	804 UNCH
5055	----	----	616.50B/450.00A	616.50B/450.00A	----	472.80 - 09.20	.7136	----	----	----	----	63 UNCH
5060	----	----	620.60B/453.70A	620.60B/453.70A	----	476.60 - 09.40	.7163	----	----	----	----	64 UNCH
5065	----	----	624.80B/457.40A	624.80B/457.40A	----	480.40 - 09.70	.7189	----	----	----	----	9 UNCH
5070	----	----	628.90B/461.10A	628.90B/461.10A	----	484.30 - 09.90	.7216	----	----	----	----	52 UNCH
5075	----	----	633.10B/464.80A	633.10B/464.80A	----	488.20 - 10.10	.7241	----	----	----	----	27 UNCH
5080	----	----	637.30B/468.60A	637.30B/468.60A	----	492.00 - 10.40	.7267	----	----	----	----	29 UNCH
5085	----	----	641.50B/472.40A	641.50B/472.40A	----	495.90 - 10.60	.7292	----	----	----	----	123 UNCH
5090	----	----	645.70B/476.20A	645.70B/476.20A	----	499.80 - 10.90	.7317	----	----	----	----	109 UNCH
5095	----	----	649.90B/480.00A	649.90B/480.00A	----	503.80 - 11.00	.7342	----	----	----	----	111 UNCH
5100	----	----	654.10B/483.80A	654.10B/483.80A	----	507.70 - 11.30	.7368	----	----	----	----	457 UNCH
5105	----	----	658.30B/487.70A	658.30B/487.70A	----	511.60 - 11.50	.7392	----	----	----	----	38 UNCH
5110	----	----	662.60B/491.60A	662.60B/491.60A	----	515.60 - 11.70	.7416	----	----	----	----	74 UNCH
5115	----	----	666.80B/495.40A	666.80B/495.40A	----	519.60 - 11.90	.7440	----	----	----	----	14 UNCH
5120	----	----	671.10B/499.30A	671.10B/499.30A	----	523.50 - 12.20	.7464	----	----	6	----	25 + 3
5125	----	----	675.40B/503.10A	675.40B/503.10A	----	527.50 - 12.40	.7488	----	----	----	----	192 UNCH
5130	----	----	679.60B/507.00A	679.60B/507.00A	----	531.50 - 12.60	.7512	----	----	----	----	26 UNCH
5135	----	----	683.90B/510.90A	683.90B/510.90A	----	535.60 - 12.70	.7535	----	----	1	----	37 UNCH
5140	----	----	688.10B/514.90A	688.10B/514.90A	----	539.60 - 12.90	.7559	----	----	----	----	14 UNCH
5145	----	----	692.50B/518.90A	692.50B/518.90A	----	543.60 - 13.20	.7582	----	----	----	----	39 UNCH
5150	----	----	696.80B/522.80A	696.80B/522.80A	----	547.70 - 13.30	.7604	----	----	----	----	390 UNCH
5155	----	----	701.10B/526.60A	701.10B/526.60A	----	551.80 - 13.50	.7628	----	----	----	----	38 UNCH
5160	----	----	705.40B/530.70A	705.40B/530.70A	----	555.80 - 13.70	.7651	----	----	----	----	71 UNCH
5165	----	----	709.70B/534.70A	709.70B/534.70A	----	559.90 - 13.90	.7673	----	----	----	----	47 UNCH
5170	----	----	714.10B/538.70A	714.10B/538.70A	----	564.00 - 14.10	.7694	----	----	----	----	504 UNCH
5175	----	----	718.40B/542.70A	718.40B/542.70A	----	568.10 - 14.30	.7717	----	----	----	----	15 UNCH
5180	----	----	722.80B/546.70A	722.80B/546.70A	----	572.30 - 14.40	.7739	----	----	----	----	20 UNCH
5185	----	----	727.10B/550.80A	727.10B/550.80A	----	576.40 - 14.60	.7760	----	----	----	----	22 UNCH
5190	----	----	731.50B/554.80A	731.50B/554.80A	----	580.60 - 14.70	.7781	----	----	----	----	5 UNCH
5195	----	----	735.80B/558.90A	735.80B/558.90A	----	584.70 - 14.90	.7803	----	----	----	----	8 UNCH
5200	----	----	740.20B/562.90A	740.20B/562.90A	----	588.90 - 15.00	.7824	----	----	1	----	612 + 1
5205	----	----	744.50B/567.00A	744.50B/567.00A	----	593.10 - 15.20	.7845	----	----	----	----	36 UNCH
5210	----	----	748.90B/571.10A	748.90B/571.10A	----	597.30 - 15.30	.7865	----	----	----	----	69 UNCH
5215	----	----	753.40B/575.20A	753.40B/575.20A	----	601.50 - 15.50	.7885	----	----	----	----	42 UNCH
5220	----	----	757.80B/579.30A	757.80B/579.30A	----	605.70 - 15.60	.7905	----	----	----	----	188 UNCH
5225	----	----	762.20B/583.40A	762.20B/583.40A	----	609.90 - 15.80	.7926	----	----	----	----	200 UNCH
5230	----	----	766.60B/587.40A	766.60B/587.40A	----	614.10 - 15.90	.7945	----	----	----	----	7 UNCH
5235	----	----	771.00B/591.70A	771.00B/591.70A	----	618.40 - 16.00	.7964	----	----	----	----	160 UNCH
5245	----	----	779.90B/600.00A	779.90B/600.00A	----	626.90 - 16.30	.8004	----	----	----	----	9 UNCH
5250	----	----	784.30B/604.20A	784.30B/604.20A	----	631.10 - 16.50	.8022	----	----	----	----	331 UNCH
5255	----	----	788.80B/608.00A	788.80B/608.00A	----	635.40 - 16.60	.8041	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5260	----	----	793.30B/612.40A	793.30B/612.40A	----	639.70 - 16.70	.8060	----	----	----	----	11 UNCH
5265	----	----	797.70B/616.40A	797.70B/616.40A	----	644.00 - 16.80	.8079	----	----	----	----	5 UNCH
5270	----	----	802.20B/620.60A	802.20B/620.60A	----	648.30 - 17.00	.8098	----	----	4	----	24 + 4
5275	----	----	806.70B/625.20A	806.70B/625.20A	----	652.60 - 17.10	.8115	----	----	----	----	170 UNCH
5280	----	----	811.10B/629.40A	811.10B/629.40A	----	657.00 - 17.10	.8134	----	----	----	----	67 UNCH
5285	----	----	815.70B/633.30A	815.70B/633.30A	----	661.30 - 17.30	.8151	----	----	----	----	27 UNCH
5290	----	----	820.40B/638.00A	820.40B/638.00A	----	665.60 - 17.40	.8169	----	----	----	----	2 UNCH
5300	----	----	829.20B/646.30A	829.20B/646.30A	----	674.40 - 17.60	.8203	----	----	----	----	161 UNCH
5305	----	----	833.70B/650.70A	833.70B/650.70A	----	678.70 - 17.70	.8220	----	----	----	----	104 UNCH
5320	----	----	847.30B/663.30A	847.30B/663.30A	----	691.90 - 18.00	.8271	----	----	----	----	108 UNCH
5325	----	----	851.80B/668.00A	851.80B/668.00A	----	696.30 - 18.10	.8287	----	----	----	----	1 UNCH
5335	----	----	860.90B/676.40A	860.90B/676.40A	----	705.10 - 18.30	.8321	----	----	----	----	5 UNCH
5340	----	----	865.50B/680.70A	865.50B/680.70A	----	709.50 - 18.40	.8336	----	----	----	----	52 UNCH
5345	781.60	781.60	870.10B/685.20A	870.10B/685.20A	----	713.90 NEW	.8352	----	----	1	----	1 + 1
5350	----	----	874.60B/689.40A	874.60B/689.40A	----	718.40 - 18.60	.8367	----	----	----	----	108 UNCH
5365	----	----	888.40B/702.50A	888.40B/702.50A	----	731.70 - 18.90	.8413	----	----	----	----	4 UNCH
5370	----	----	893.00B/707.00A	893.00B/707.00A	----	736.20 - 18.90	.8430	----	----	----	----	37 UNCH
5375	----	----	897.60B/711.40A	897.60B/711.40A	----	740.60 - 19.10	.8444	----	----	----	----	1 UNCH
5380	----	----	902.20B/715.90A	902.20B/715.90A	----	745.10 - 19.20	.8459	----	----	----	----	2 UNCH
5385	----	----	906.80B/720.20A	906.80B/720.20A	----	749.60 - 19.20	.8474	----	----	----	----	10 UNCH
5390	----	----	911.30B/724.60A	911.30B/724.60A	----	754.10 - 19.30	.8488	----	----	----	----	2 UNCH
5395	----	----	915.90B/729.00A	915.90B/729.00A	----	758.60 - 19.40	.8503	----	----	----	----	156 UNCH
5400	----	----	920.50B/733.40A	920.50B/733.40A	----	763.10 - 19.50	.8517	----	----	----	----	442 UNCH
5420	----	----	939.10B/751.20A	939.10B/751.20A	----	781.10 - 19.80	.8573	----	----	----	----	10 UNCH
5425	----	----	943.70B/755.80A	943.70B/755.80A	----	785.60 - 19.90	.8586	----	----	----	----	1 UNCH
5430	----	----	948.30B/760.10A	948.30B/760.10A	----	790.20 - 20.00	.8600	----	----	----	----	30 UNCH
5435	----	----	953.00B/764.60A	953.00B/764.60A	----	794.70 - 20.10	.8612	----	----	----	----	10 UNCH
5440	----	----	957.70B/769.20A	957.70B/769.20A	----	799.30 - 20.10	.8625	----	----	----	----	20 UNCH
5470	----	----	985.70B/796.00A	985.70B/796.00A	----	826.70 - 20.50	.8702	----	----	----	----	1 UNCH
5490	----	----	1,004.40B/814.3	1004.40B/814.30A	----	845.00 - 20.80	.8749	----	----	----	----	166 UNCH
5500	----	----	1,013.70B/823.4	1013.70B/823.40A	----	854.30 - 20.80	.8773	----	----	----	----	51 UNCH
5525	----	----	1,037.30B/846.4	1037.30B/846.40A	----	877.40 - 21.10	.8827	----	----	----	----	2 UNCH
5575	----	----	1,084.80B/892.2	1084.80B/892.20A	----	924.10 - 21.50	.8928	----	----	----	----	2 UNCH
5590	----	----	1,098.90B/906.1	1098.90B/906.10A	----	938.10 - 21.60	.8957	----	----	----	----	77 UNCH
5595	----	----	1,103.70B/911.0	1103.70B/911.00A	----	942.80 - 21.70	.8967	----	----	----	----	1 UNCH
5600	----	----	1,108.40B/915.4	1108.40B/915.40A	----	947.50 - 21.70	.8976	----	----	----	----	8 UNCH
5640	----	----	1,146.60B/953.0	1146.60B/953.00A	----	985.30 - 21.90	.9045	----	----	----	----	9 UNCH
5700	1120.50	1120.50	1,204.40B/1,010	1204.40B/1010.10A	----	1042.30 - 22.10	.9138	----	----	3	----	0 - 3
5800	----	----	1,301.00B/1,104	1301.00B/1104.90A	----	1138.20 - 22.40	.9272	----	----	----	----	6 UNCH
6000	----	----	1,496.00B/1,298	1496.00B/1298.80A	----	1332.20 - 22.60	.9468	----	----	----	----	4 UNCH
6675	----	----	----	----	----	1998.50 - 22.00	.9778	----	----	----	----	2 UNCH
TOTAL										2673	275	80277 + 1022
JUL26												
2275	----	----	----	1.60B/2.40A	----	1.80 - 0.40	.0037	----	----	----	----	35 UNCH
2300	----	----	----	1.70B/2.50A	----	2.10 - 0.30	.0043	----	----	6	----	96 UNCH
2400	----	----	----/2.90A	2.10B/2.90A	----	2.60 - 0.40	.0054	----	----	----	----	2 UNCH
2500	----	----	----/3.30A	2.60B/3.30A	----	3.00 - 0.70	.0064	----	----	3	----	192 UNCH
2575	----	----	----/3.60A	3.00B/3.60A	----	3.40 - 0.80	.0073	----	----	----	----	1 UNCH
2600	----	----	----/3.80A	3.20B/3.80A	----	3.50 - 0.90	.0076	----	----	----	----	12 UNCH
2620	----	----	----/3.90A	3.40B/3.90A	----	3.60 - 1.00	.0079	----	----	----	----	1 UNCH
2650	----	----	----/4.00A	3.60B/4.00A	----	3.80 - 1.10	.0083	----	----	----	----	52 UNCH
2670	----	----	----/4.10A	3.70B/4.10A	----	3.90 - 1.20	.0086	----	----	----	----	10 UNCH
2675	----	----	----/4.20A	3.80B/4.20A	----	4.00 - 1.10	.0088	----	----	----	----	10 UNCH
2680	3.50	3.50	3.50/3.50	3.80B/3.50	----	4.00 NEW	.0088	----	----	10	----	10 + 10
2700	----	----	----/4.30A	4.00B/4.30A	----	4.10 - 1.30	.0091	----	----	----	----	3 UNCH
2730	----	----	----/4.60A	4.30B/4.60A	----	4.40 - 1.40	.0098	----	----	----	----	1 UNCH
2750	----	----	----/4.80A	4.50B/4.80A	----	4.50 - 1.50	.0101	----	----	----	----	19 UNCH
2785	----	----	----/5.00A	5.00B/5.00A	----	4.80 - 1.70	.0108	----	----	----	----	2 UNCH
2800	----	----	----/5.10A	5.10B/5.10A	----	4.90 - 1.80	.0111	----	----	----	----	5 UNCH
2850	----	----	----/5.60A	5.80B/5.60A	----	5.40 - 2.10	.0123	----	----	----	----	1 UNCH
2860	----	----	----/5.70A	5.80B/5.70A	----	5.50 - 2.10	.0126	----	----	1	----	4 + 1
2890	----	----	----/6.00A	6.30B/6.00A	----	5.80 - 2.30	.0133	----	----	----	----	60 UNCH
2895	----	----	----/6.00A	6.40B/6.00A	----	5.90 - 2.30	.0136	----	----	----	----	18 UNCH
2900	----	----	----/6.10A	6.60B/6.10A	----	5.90 - 2.40	.0136	----	----	----	----	6 UNCH
2905	----	----	----/6.10A	6.70B/6.10A	----	6.00 - 2.40	.0138	----	----	----	----	19 UNCH
2950	----	----	----/6.70A	7.70B/6.70A	----	6.50 - 2.80	.0151	----	----	----	----	32 UNCH
2995	----	----	----/7.30A	8.50B/7.30A	----	7.10 - 3.20	.0166	----	----	----	----	16 UNCH
3000	7.50	7.50	7.50/7.30A	8.60B/7.30A	----	7.20 - 3.20	.0168	----	----	1	----	57 UNCH
3015	----	----	----/7.60A	8.90B/7.60A	----	7.40 - 3.40	.0173	----	----	----	----	5 UNCH
3025	7.00	7.00	7.00/7.00	9.30B/7.00	----	7.50 NEW	.0176	----	----	1	----	1 + 1
3035	----	----	----/7.80A	9.40B/7.80A	----	7.70 - 3.60	.0181	----	----	----	----	5 UNCH
3100	----	----	----/8.70A	11.40B/8.70A	----	8.80 - 4.40	.0208	----	----	----	----	43 UNCH
3105	----	----	----/8.80A	11.40B/8.80A	----	8.90 - 4.40	.0210	----	----	----	----	1 UNCH
3125	----	----	----/9.10A	12.20B/9.10A	----	9.20 - 4.70	.0218	----	----	4	----	44 + 2
3140	----	----	----/9.50A	12.70B/9.50A	----	9.50 - 4.90	.0225	----	----	----	----	1 UNCH
3150	----	----	----/9.60A	13.10B/9.60A	----	9.70 - 5.10	.0230	----	----	----	----	12 UNCH
3155	----	----	----/9.70A	13.30B/9.70A	----	9.80 - 5.10	.0233	----	----	----	----	1 UNCH
3200	----	----	17.10B/10.50A	17.10B/10.50A	----	10.80 - 5.80	.0257	----	----	----	----	111 UNCH
3210	----	----	17.50B/10.70A	17.50B/10.70A	----	11.00 - 5.90	.0262	----	----	----	----	1 UNCH
3220	----	----	18.00B/11.20A	18.00B/11.20A	----	11.30 - 6.00	.0269	----	----	----	----	1 UNCH
3225	10.10	10.10	18.10B/10.10	18.10B/10.10	----	11.40 - 6.10	.0271	----	----	1	----	70 UNCH
3250	----	----	19.30B/11.90A	19.30B/11.90A	----	12.00 - 6.60	.0286	----	----	2	----	65 UNCH
3275	----	----	20.50B/12.30A	20.50B/12.30A	----	12.70 - 7.00	.0303	----	----	----	----	10 UNCH
3290	----	----	21.10B/12.80A	21.10B/12.80A	----	13.10 - 7.30	.0313	----	----	----	----	10 UNCH
3300	----	----	21.60B/12.90A	21.60B/12.90A	----	13.40 - 7.40	.0320	----	----	----	----	55 UNCH
3320	----	----	22.70B/13.80A	22.70B/13.80A	----	14.00 - 7.80	.0334	----	----	----	----	1 UNCH
3325	----	----	23.00B/13.80A	23.00B/13.80A	----	14.20 - 7.80	.0339	----	----	----	----	147 UNCH
3335	----	----	23.50B/14.20A	23.50B/14.20A	----	14.50 - 8.00	.0346	----	----	----	----	86 UNCH
3340	----	----	23.80B/14.20A	23.80B/14.20A	----	14.70 - 8.10	.0351	----	----	----	----	1 UNCH
3350	----	----	24.50B/14.60A	24.50B/14.60A	----	15.00 - 8.30	.0358	----	----	----	----	20 UNCH
3355	----	----	24.70B/14.90A	24.70B/14.90A	----	15.10 - 8.50	.0361	----	----	----	----	69 UNCH
3360	----	----	25.00B/15.00A	25.00B/15.00A	----	15.30 - 8.50	.0366	----	----	----	----	5 UNCH
3370	----	----	26.00B/15.30A	26.00B/15.30A	----	15.70 - 8.70	.0375	----	----	----	----	9 UNCH
3380	----	----	26.70B/15.50A	26.70B/15.50A	----	16.00 - 8.90	.0382	----	----	----	----	2 UNCH
3385	----	----	27.00B/15.80A	27.00B/15.80A	----	16.20 - 9.00	.0387	----	----	----	----	4 UNCH
3390	----	----	27.40B/15.90A	27.40B/15.90A	----	16.40 - 9.10	.0391	----	----	----	----	1 UNCH
3395	----	----	27.70B/16.20A	27.70B/16.20A	----	16.60 - 9.20	.0396	----	----	2	----	31 + 1
3400	20.80	20.80	28.10B/16.20A	28.10B/16.20A	----	16.70 - 9.40	.0399	----	----	1	----	48 UNCH
3410	----	----	28.70B/16.70A	28.70B/16.70A	----	17.10 - 9.60	.0408	----	----	----	----	5 UNCH
3425	----	----	29.70B/17.20A	29.70B/17.20A	----	17.70 - 9.90	.0422	----	----	----	----	56 UNCH
3435	----	----	30.40B/17.60A	30.40B/17.60A	----	18.10 - 10.10	.0432	----	----	----	----	5 UNCH
3445	----	----	31.10B/18.00A	31.10B/18.00A	----	18.50 - 10.30	.0441	----	----	----	----	1 UNCH
3450	----	----	31.50B/18.20A	31.50B/18.20A	----	18.70 - 10.40	.0446	----	----	6	----	140 + 3
3455	----	----	31.90B/18.40A	31.90B/18.40A	----	18.90 - 10.50	.0451	----	----	----	----	10 UNCH
3460	----	----	32.20B/18.60A	32.20B/18.60A	----	19.10 - 10.70	.0456	----	----	----	----	10 UNCH
3465	----	----	32.60B/18.80A	32.60B/18.80A	----	19.40 - 10.70	.0462	----	----	----	----	142 UNCH
3475	----	----	33.40B/19.10A	33.40B/19.10A	----	19.80 - 11.00	.0472	----	----	----	----	132 UNCH
3480	25.70	25.70	33.80B/19.30A	33.80B/19.30A	----	20.00 - 11.10	.0477	----	----	6	----	36 + 6
3495	----	----	34.90B/20.10A	34.90B/20.10A	----	20.70 - 11.40	.0493	----	----	----	----	5 UNCH
3500	28.10	28.10	35.40B/19.90A	35.40B/19.90A	----	21.00 - 11.50	.0500	----	----	6	----	573 + 6
3505	----	----	35.70B/20.00A	35.70B/20.00A	----	21.20 - 11.60	.0505	----	----	----	----	6 UNCH
3510	----	----	36.10B/20.30A	36.10B/20.30A	----	21.40 - 11.80	.0510	----	----	----	----	5 UNCH
3515	----	----	36.60B/20.50A	36.60B/20.50A	----	21.70 - 11.90	.0516	----	----	----	----	6 UNCH
3525	----	----	37.40B/21.10A	37.40B/21.10A	----	22.20 - 12.10	.0528	----	----	----	----	3 UNCH
3530	----	----	38.00B/21.00A	38.00B/21.00A	----	22.40 - 12.30	.0533	----	----	----	----	168 UNCH
3535	----	----	38.40B/21.70A	38.40B/21.70A	----	22.70 - 12.40	.0539	----	----	----	----	31 UNCH
3545	----	----	39.30B/22.30A	39.30B/22.30A	----	23.20 - 12.60	.0551	----	----	----	----	264 UNCH
3550	----	----	39.80B/22.70A	39.80B/22.70A	----	23.50 - 12.70	.0558	----	----	2	----	149 UNCH
3580	----	----	42.50B/24.30A	42.50B/24.30A	----	25.10 - 13.60	.0595	----	----	----	----	5 UNCH
3590	36.10	36.10	43.50B/24.70A	43.50B/24.70A	----	25.70 NEW	.0608	----	----	16	----	16 + 16
3600	29.60	29.60	44.50B/25.30A	44.50B/25.30A	----	26.30 - 14.10	.0622	----	----	10	----	55 + 10
3605	----	----	44.90B/25.70A	44.90B/25.70A	----	26.60 - 14.20	.0629	----	----	----	----	5 UNCH
3620	----	----	46.40B/26.40A	46.40B/26.40A	----	27.50 - 14.60	.0650	----	----	----	----	12 UNCH
3625	----	----	47.10B/26.80A	47.10B/26.80A	----	27.80 - 14.80	.0656	----	----	----	----	11 UNCH
3630	----	----	47.50B/27.10A	47.50B/27.10A	----	28.10 - 15.00	.0663	----	----	----	----	3 UNCH
3635	----	----	48.00B/27.40A	48.00B/27.40A	----	28.40 - 15.10	.0670	----	----	----	----	3 UNCH
3640	----	----	48.60B/27.60A	48.60B/27.60A	----	28.80 - 15.20	.0679	----	----	----	----	5 UNCH
3645	----	----	49.10B/27.90A	49.10B/27.90A	----	29.10 - 15.40	.0686	----	----	----	----	1 UNCH
3650	----	----	49.70B/28.20A	49.70B/28.20A	----	29.40 - 15.50	.0693	----	----	----	----	99 UNCH
3655	----	----	50.20B/28.50A	50.20B/28.50A	----	29.80 - 15.60	.0701	----	----	----	----	6 UNCH
3660	----	----	50.80B/28.80A	50.80B/28.80A	----	30.10 - 15.80	.0708	----	----	----	----	22 UNCH
3665	----	----	51.40B/29.10A	51.40B/29.10A	----	30.40 - 16.00	.0716	----	----	----	----	2 UNCH
3670	----	----	51.90B/29.60A	51.90B/29.60A	----	30.80 - 16.10	.0724	----	----	----	----	110 UNCH
3675	----	----	52.40B/29.70A	52.40B/29.70A	----	31.10 - 16.30	.0731	----	----	2	----	3 + 1
3680	----	----	53.00B/30.10A	53.00B/30.10A	----	31.50 - 16.40	.0740	----	----	----	----	5 UNCH
3685	----	----	53.70B/30.50A	53.70B/30.50A	----	31.80 - 16.60	.0747	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3690	----	----	54.30B/30.80A	54.30B/30.80A	----	32.20 - 16.80	.0756	----	----	----	----	50 UNCH
3695	----	----	54.90B/31.10A	54.90B/31.10A	----	32.60 - 16.90	.0764	----	----	1	----	141 + 1
3700	----	----	55.50B/31.40A	55.50B/31.40A	----	32.90 - 17.10	.0772	----	----	1	----	415 UNCH
3705	----	----	56.00B/31.70A	56.00B/31.70A	----	33.30 - 17.30	.0780	----	----	----	----	20 UNCH
3715	----	----	57.30B/32.40A	57.30B/32.40A	----	34.10 - 17.60	.0798	----	----	----	----	30 UNCH
3720	----	----	57.70B/32.80A	57.70B/32.80A	----	34.50 - 17.70	.0807	----	----	----	----	18 UNCH
3725	----	----	58.40B/33.10A	58.40B/33.10A	----	34.80 - 18.00	.0814	----	----	----	----	5 UNCH
3730	----	----	59.00B/33.60A	59.00B/33.60A	----	35.20 - 18.10	.0823	----	----	----	----	3 UNCH
3735	----	----	59.80B/33.80A	59.80B/33.80A	----	35.60 - 18.30	.0832	----	----	----	----	30 UNCH
3740	----	----	60.40B/34.40A	60.40B/34.40A	----	36.00 - 18.50	.0841	----	----	----	----	20 UNCH
3750	----	----	61.50B/35.00A	61.50B/35.00A	----	36.90 - 18.80	.0860	----	----	----	----	549 UNCH
3760	----	----	62.80B/35.80A	62.80B/35.80A	----	37.70 - 19.20	.0878	----	----	----	----	2 UNCH
3765	----	----	63.50B/36.20A	63.50B/36.20A	----	38.10 - 19.40	.0887	----	----	----	----	32 UNCH
3770	----	----	64.30B/36.60A	64.30B/36.60A	----	38.60 - 19.50	.0897	----	----	----	----	120 UNCH
3775	----	----	64.80B/37.00A	64.80B/37.00A	----	39.00 - 19.70	.0906	----	----	----	----	61 UNCH
3780	----	----	65.60B/37.60A	65.60B/37.60A	----	39.40 - 20.00	.0915	----	----	----	----	1 UNCH
3785	----	----	66.20B/38.00A	66.20B/38.00A	----	39.90 - 20.10	.0926	----	----	----	----	5 UNCH
3790	----	----	66.90B/38.30A	66.90B/38.30A	----	40.30 - 20.30	.0935	----	----	----	----	40 UNCH
3795	----	----	67.60B/38.90A	67.60B/38.90A	----	40.80 - 20.50	.0945	----	----	----	----	36 UNCH
3800	----	----	68.40B/39.20A	68.40B/39.20A	----	41.20 - 20.70	.0955	----	----	1	----	691 UNCH
3810	----	----	69.70B/40.40A	69.70B/40.40A	----	42.20 - 21.10	.0976	----	----	----	----	16 UNCH
3815	----	----	70.60B/40.90A	70.60B/40.90A	----	42.60 - 21.30	.0985	----	----	----	----	14 UNCH
3820	----	----	71.20B/41.20A	71.20B/41.20A	----	43.10 - 21.50	.0996	----	----	----	----	4 UNCH
3825	----	----	72.10B/41.90A	72.10B/41.90A	----	43.60 - 21.70	.1006	----	----	----	----	9 UNCH
3830	----	----	72.60B/42.20A	72.60B/42.20A	----	44.10 - 21.90	.1017	----	----	----	----	24 UNCH
3835	----	----	73.60B/42.50A	73.60B/42.50A	----	44.60 - 22.10	.1028	----	----	----	----	1 UNCH
3840	----	----	74.50B/43.20A	74.50B/43.20A	----	45.10 - 22.30	.1039	----	----	----	----	33 UNCH
3845	----	----	75.30B/43.60A	75.30B/43.60A	----	45.60 - 22.50	.1049	----	----	----	----	13 UNCH
3850	----	----	76.10B/44.20A	76.10B/44.20A	----	46.10 - 22.80	.1060	----	----	1	----	203 UNCH
3860	----	----	77.70B/45.30A	77.70B/45.30A	----	47.20 - 23.10	.1083	----	----	----	----	27 UNCH
3875	----	----	80.30B/46.90A	80.30B/46.90A	----	48.80 - 23.80	.1117	----	----	----	----	108 UNCH
3880	----	----	81.10B/47.40A	81.10B/47.40A	----	49.30 - 24.10	.1128	----	----	----	----	13 UNCH
3885	----	----	82.10B/47.80A	82.10B/47.80A	----	49.90 - 24.20	.1141	----	----	----	----	5 UNCH
3890	58.60	58.60	82.90B/48.20A	82.90B/48.20A	----	50.50 - 24.40	.1153	----	----	1	----	4 UNCH
3895	----	----	83.80B/49.00A	83.80B/49.00A	----	51.00 - 24.70	.1164	----	----	----	----	1 UNCH
3900	----	----	84.70B/49.60A	84.70B/49.60A	----	51.60 - 24.90	.1176	----	----	3	----	318 - 2
3905	----	----	85.60B/50.10A	85.60B/50.10A	----	52.20 - 25.10	.1189	----	----	----	----	10 UNCH
3910	67.10	67.10	86.30B/50.60A	86.30B/50.60A	----	52.80 - 25.30	.1201	----	----	4	----	54 + 4
3920	----	----	88.20B/52.00A	88.20B/52.00A	----	54.00 - 25.80	.1226	----	----	----	----	1 UNCH
3925	----	----	89.10B/52.10A	89.10B/52.10A	----	54.60 - 26.00	.1239	----	----	----	----	48 UNCH
3930	70.50	70.50	90.10B/53.00A	90.10B/53.00A	----	55.20 - 26.30	.1251	----	----	5	----	34 + 5
3935	----	----	91.00B/53.60A	91.00B/53.60A	----	55.80 - 26.50	.1264	----	----	----	----	7 UNCH
3940	----	----	92.00B/54.20A	92.00B/54.20A	----	56.40 - 26.80	.1276	----	----	----	----	20 UNCH
3945	65.90	65.90	92.40B/54.20A	92.40B/54.20A	----	57.10 - 27.00	.1290	----	----	2	----	20 UNCH
3950	60.50	60.50	93.50B/55.10A	93.50B/55.10A	----	57.70 - 27.30	.1303	----	----	42	----	603 UNCH
3955	----	----	94.90B/56.10A	94.90B/56.10A	----	58.40 - 27.50	.1317	----	----	----	----	25 UNCH
3960	----	----	95.80B/56.60A	95.80B/56.60A	----	59.00 - 27.80	.1330	----	----	----	----	16 UNCH
3965	----	----	96.70B/57.00A	96.70B/57.00A	----	59.70 - 28.00	.1344	----	----	----	----	5 UNCH
3970	----	----	97.80B/58.00A	97.80B/58.00A	----	60.40 - 28.20	.1358	----	----	----	----	1 UNCH
3975	----	----	98.60B/58.20A	98.60B/58.20A	----	61.10 - 28.40	.1372	----	----	----	----	21 UNCH
3980	----	----	99.80B/59.20A	99.80B/59.20A	----	61.70 - 28.70	.1384	----	----	----	----	3 UNCH
3985	----	----	100.70B/59.30A	100.70B/59.30A	----	62.40 - 29.00	.1399	----	----	----	----	136 UNCH
3990	----	----	101.80B/60.30A	101.80B/60.30A	----	63.10 - 29.20	.1413	----	----	----	----	40 UNCH
3995	68.90	68.90	102.80B/60.80A	102.80B/60.80A	----	63.90 - 29.40	.1428	----	----	12	----	13 + 9
4000	81.50	81.50	103.80B/61.50A	103.80B/61.50A	----	64.60 - 29.70	.1442	----	----	39	----	673 - 29
4005	64.30	64.30	104.60B/62.10A	104.60B/62.10A	----	65.30 - 29.90	.1456	----	----	15	----	68 + 15
4010	----	----	106.00B/62.70A	106.00B/62.70A	----	66.00 - 30.20	.1471	----	----	----	----	3 UNCH
4015	----	----	107.00B/63.40A	107.00B/63.40A	----	66.80 - 30.40	.1486	----	----	----	----	34 UNCH
4020	----	----	108.20B/64.10A	108.20B/64.10A	----	67.50 - 30.70	.1500	----	----	70	----	90 + 70
4025	----	----	109.30B/64.80A	109.30B/64.80A	----	68.30 - 30.90	.1516	----	----	----	----	17 UNCH
4030	78.30	78.30	110.40B/65.70A	110.40B/65.70A	----	69.10 - 31.20	.1531	----	----	10	----	32 UNCH
4035	----	----	111.50B/66.50A	111.50B/66.50A	----	69.80 - 31.50	.1546	----	----	----	----	2 UNCH
4040	----	----	112.60B/66.50A	112.60B/66.50A	----	70.60 - 31.70	.1561	----	----	----	----	1 UNCH
4045	----	----	113.80B/67.30A	113.80B/67.30A	----	71.40 - 32.00	.1577	----	----	----	----	20 UNCH
4050	----	----	114.80B/68.20A	114.80B/68.20A	----	72.20 - 32.30	.1593	----	----	1	----	46 UNCH
4055	----	----	116.10B/69.30A	116.10B/69.30A	----	73.00 - 32.50	.1608	----	----	----	----	31 UNCH
4065	----	----	118.30B/70.90A	118.30B/70.90A	----	74.70 - 33.00	.1641	----	----	----	----	3 UNCH
4070	----	----	119.70B/71.60A	119.70B/71.60A	----	75.50 - 33.30	.1657	----	----	----	----	12 UNCH
4075	----	----	121.00B/72.10A	121.00B/72.10A	----	76.40 - 33.50	.1673	----	----	----	----	8 UNCH
4080	----	----	122.20B/73.20A	122.20B/73.20A	----	77.20 - 33.80	.1689	----	----	----	----	5 UNCH
4095	----	----	125.80B/76.00A	125.80B/76.00A	----	79.80 - 34.70	.1739	----	----	----	----	1 UNCH
4100	78.00	78.00	127.10B/76.50A	127.10B/76.50A	----	80.70 - 34.90	.1756	----	----	203	----	317 + 176
4105	----	----	128.40B/77.30A	128.40B/77.30A	----	81.60 - 35.20	.1773	----	----	----	----	9 UNCH
4110	94.60	94.60	129.50B/78.20A	129.50B/78.20A	----	82.50 - 35.50	.1790	----	----	10	----	11 + 10
4115	----	----	131.00B/79.10A	131.00B/79.10A	----	83.40 - 35.80	.1807	----	----	----	----	6 UNCH
4120	----	----	132.30B/79.90A	132.30B/79.90A	----	84.40 - 36.00	.1826	----	----	----	----	6 UNCH
4125	----	----	133.70B/80.80A	133.70B/80.80A	----	85.30 - 36.30	.1843	----	----	----	----	72 UNCH
4130	----	----	135.10B/81.70A	135.10B/81.70A	----	86.20 - 36.60	.1860	----	----	----	----	65 UNCH
4140	----	----	137.90B/83.50A	137.90B/83.50A	----	88.20 - 37.10	.1897	----	----	----	----	4 UNCH
4145	----	----	139.10B/84.30A	139.10B/84.30A	----	89.10 - 37.50	.1914	----	----	----	----	258 UNCH
4150	----	----	140.30B/85.30A	140.30B/85.30A	----	90.10 - 37.80	.1932	----	----	----	----	132 UNCH
4155	----	----	141.90B/86.20A	141.90B/86.20A	----	91.10 - 38.00	.1951	----	----	----	----	4 UNCH
4160	----	----	143.30B/87.20A	143.30B/87.20A	----	92.10 - 38.30	.1969	----	----	1	----	4 + 1
4165	----	----	144.60B/88.10A	144.60B/88.10A	----	93.10 - 38.60	.1987	----	----	----	----	51 UNCH
4170	----	----	146.10B/89.40A	146.10B/89.40A	----	94.10 - 39.00	.2006	----	----	----	----	1 UNCH
4175	----	----	147.60B/90.00A	147.60B/90.00A	----	95.20 - 39.20	.2025	----	----	----	----	40 UNCH
4190	----	----	152.10B/93.00A	152.10B/93.00A	----	98.30 - 40.10	.2082	----	----	----	----	129 UNCH
4195	----	----	153.40B/94.00A	153.40B/94.00A	----	99.40 - 40.40	.2102	----	----	----	----	65 UNCH
4200	127.80	127.80	155.00B/95.00A	155.00B/95.00A	----	100.40 - 40.80	.2120	----	----	166	----	323 - 10
4205	----	----	156.60B/96.10A	156.60B/96.10A	----	101.50 - 41.10	.2140	----	----	----	----	4 UNCH
4215	----	----	159.80B/98.10A	159.80B/98.10A	----	103.70 - 41.80	.2179	----	----	----	----	33 UNCH
4220	----	----	161.20B/99.20A	161.20B/99.20A	----	104.80 - 42.10	.2199	----	----	----	----	75 UNCH
4225	----	----	162.70B/100.40A	162.70B/100.40A	----	106.00 - 42.30	.2220	----	----	----	----	33 UNCH
4230	----	----	164.40B/101.50A	164.40B/101.50A	----	107.10 - 42.70	.2240	----	----	----	----	8 UNCH
4235	----	----	166.00B/102.50A	166.00B/102.50A	----	108.20 - 43.10	.2260	----	----	----	----	42 UNCH
4240	----	----	167.50B/103.60A	167.50B/103.60A	----	109.40 - 43.40	.2280	----	----	----	----	33 UNCH
4245	----	----	169.30B/105.00A	169.30B/105.00A	----	110.50 - 43.80	.2300	----	----	----	----	1 UNCH
4250	----	----	170.90B/106.10A	170.90B/106.10A	----	111.70 - 44.10	.2321	----	----	----	----	809 UNCH
4255	----	----	172.50B/107.20A	172.50B/107.20A	----	112.90 - 44.40	.2342	----	----	----	----	2 UNCH
4260	----	----	173.90B/108.10A	173.90B/108.10A	----	114.10 - 44.70	.2363	----	----	----	----	4 UNCH
4265	----	----	175.90B/109.40A	175.90B/109.40A	----	115.30 - 45.10	.2384	----	----	----	----	12 UNCH
4270	----	----	177.20B/110.70A	177.20B/110.70A	----	116.50 - 45.50	.2405	----	----	----	----	1 UNCH
4275	----	----	178.90B/111.70A	178.90B/111.70A	----	117.70 - 45.80	.2426	----	----	----	----	74 UNCH
4280	----	----	180.90B/112.90A	180.90B/112.90A	----	118.90 - 46.20	.2447	----	----	----	----	38 UNCH
4285	----	----	182.40B/114.10A	182.40B/114.10A	----	120.20 - 46.50	.2469	----	----	----	----	101 UNCH
4290	----	----	184.20B/115.20A	184.20B/115.20A	----	121.40 - 47.00	.2490	----	----	----	----	33 UNCH
4295	----	----	185.90B/116.40A	185.90B/116.40A	----	122.70 - 47.30	.2512	----	----	----	----	20 UNCH
4300	----	----	187.60B/117.40A	187.60B/117.40A	----	124.00 - 47.60	.2534	----	----	----	----	2193 UNCH
4305	----	----	189.40B/119.10A	189.40B/119.10A	----	125.30 - 48.00	.2556	----	----	----	----	2 UNCH
4310	----	----	191.20B/120.20A	191.20B/120.20A	----	126.50 - 48.50	.2577	----	----	----	----	4 UNCH
4315	----	----	193.10B/121.50A	193.10B/121.50A	----	127.90 - 48.80	.2600	----	----	1	----	24 + 1
4320	----	----	194.90B/123.10A	194.90B/123.10A	----	129.20 - 49.20	.2622	----	----	----	----	2 UNCH
4325	147.00	147.00	196.80B/124.00A	196.80B/124.00A	----	130.50 - 49.60	.2645	----	----	2	----	69 + 2
4330	----	----	198.60B/125.80A	198.60B/125.80A	----	131.90 - 49.90	.2667	----	----	----	----	1 UNCH
4335	----	----	200.50B/126.70A	200.50B/126.70A	----	133.20 - 50.30	.2690	----	----	----	----	111 UNCH
4340	----	----	202.40B/128.00A	202.40B/128.00A	----	134.60 - 50.70	.2713	----	----	----	----	114 UNCH
4345	----	----	204.30B/129.60A	204.30B/129.60A	----	136.00 - 51.10	.2736	----	----	----	----	2 UNCH
4350	----	----	206.20B/130.50A	206.20B/130.50A	----	137.40 - 51.50	.2759	----	----	1	----	304 + 1
4355	----	----	208.00B/132.10A	208.00B/132.10A	----	138.80 - 51.90	.2782	----	----	----	----	123 UNCH
4360	----	----	210.00B/133.50A	210.00B/133.50A	----	140.30 - 52.20	.2806	----	----	----	----	104 UNCH
4365	----	----	211.90B/135.00A	211.90B/135.00A	----	141.70 - 52.60	.2829	----	----	----	----	1 UNCH
4370	----	----	213.80B/136.20A	213.80B/136.20A	----	143.20 - 53.00	.2853	----	----	----	----	140 UNCH
4375	----	----	215.90B/137.70A	215.90B/137.70A	----	144.70 - 53.30	.2877	----	----	----	----	26 UNCH
4380	----	----	217.80B/139.20A	217.80B/139.20A	----	146.20 - 53.70	.2901	----	----	----	----	2 UNCH
4385	----	----	220.00B/140.60A	220.00B/140.60A	----	147.70 - 54.10	.2924	----	----	----	----	52 UNCH
4390	----	----	222.00B/142.10A	222.00B/142.10A	----	149.20 - 54.50	.2948	----	----	----	----	2 UNCH
4395	----	----	224.00B/143.50A	224.00B/143.50A	----	150.80 - 54.80	.2973	----	----	4	----	13 + 2
4400	176.50	176.50	226.20B/144.40A	226.20B/144.40A	----	152.30 - 55.20	.2997	----	----	159	----	2414 + 152
4405	----	----	228.10B/146.70A	228.10B/146.70A	----	153.90 - 55.60	.3022	----	----	----	----	1 UNCH
4410	----	----	230.10B/147.90A	230.10B/147.90A	----	155.50 - 55.90	.3047	----	----	----	----	14 UNCH
4415	----	----	232.20B/149.50A	232.20B/149.50A	----	157.10 - 56.30	.3071	----	----	----	----	4 UNCH
4420	----	----	234.50B/151.10A	234.50B/151.10A	----	158.80 - 56.60	.3096	----	----	----	----	15 UNCH
4425	----	----	236.60B/152.50A	236.60B/152.50A	----	160.40 - 57.00	.3121	----	----	----	----	36 UNCH
4430	----	----	238.60B/154.20A	238.60B/154.20A	----	162.10 - 57.30	.3147	----	----	----	----	156 UNCH
4435	----	----	240.60B/156.00A	240.60B/156.00A	----	163.80 - 57.70	.3172	----	----	----	----	1 UNCH
4440	----	----	242.90B/157.30A	242.90B/157.30A	----	165.50 - 58.00	.3197	----	----	----	----	3 UNCH
4445	----	----	245.30B/158.90A	245.30B/158.90A	----	167.20 - 58.40	.3223	----	----	----	----	152 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4450	204.10	204.10	247.40B/160.20A	247.40B/160.20A	----	168.90 - 58.80	.3248	----	----	1	----	575 UNCH
4455	----	----	249.60B/162.20A	249.60B/162.20A	----	170.70 - 59.10	.3274	----	----	----	----	18 UNCH
4460	----	----	251.80B/163.80A	251.80B/163.80A	----	172.40 - 59.50	.3300	----	----	----	----	93 UNCH
4465	----	----	254.10B/165.40A	254.10B/165.40A	----	174.20 - 59.80	.3326	----	----	----	----	14 UNCH
4475	----	----	258.70B/168.70A	258.70B/168.70A	----	177.80 - 60.50	.3378	----	----	----	----	27 UNCH
4480	----	----	261.10B/170.50A	261.10B/170.50A	----	179.60 - 60.90	.3404	----	----	----	----	136 UNCH
4485	----	----	263.30B/172.20A	263.30B/172.20A	----	181.40 - 61.30	.3430	----	----	----	----	50 UNCH
4490	----	----	265.70B/174.00A	265.70B/174.00A	----	183.20 - 61.70	.3456	----	----	----	----	16 UNCH
4495	----	----	267.90B/176.30A	267.90B/176.30A	----	185.10 - 62.10	.3482	----	----	----	----	2 UNCH
4500	181.60	181.60	270.50B/176.60	270.50B/176.60	----	186.90 - 62.50	.3509	----	----	24	----	387 - 3
4505	216.60	216.60	271.50B/179.70A	271.50B/179.70A	----	188.80 - 62.90	.3535	----	----	1	----	2 + 1
4510	----	----	275.20B/181.00A	275.20B/181.00A	----	190.70 - 63.20	.3562	----	----	----	----	7 UNCH
4515	----	----	277.60B/182.80A	277.60B/182.80A	----	192.60 - 63.60	.3588	----	----	----	----	3 UNCH
4520	----	----	279.80B/184.70A	279.80B/184.70A	----	194.50 - 64.00	.3615	----	----	----	----	4 UNCH
4525	----	----	282.40B/186.50A	282.40B/186.50A	----	196.40 - 64.40	.3642	----	----	----	----	74 UNCH
4535	----	----	287.20B/190.90A	287.20B/190.90A	----	200.30 - 65.20	.3696	----	----	----	----	1 UNCH
4540	----	----	289.60B/192.00A	289.60B/192.00A	----	202.20 - 65.70	.3723	----	----	----	----	89 UNCH
4545	206.30	206.30	292.40B/194.00A	292.40B/194.00A	----	204.20 - 66.10	.3750	----	----	20	----	20 UNCH
4550	----	----	294.80B/195.90A	294.80B/195.90A	----	206.20 - 66.50	.3777	----	----	1	----	73 UNCH
4555	214.70	214.70	297.30B/197.70A	297.30B/197.70A	----	208.20 - 66.90	.3804	----	----	3	----	7 + 1
4560	----	----	299.80B/199.80A	299.80B/199.80A	----	210.20 - 67.30	.3831	----	----	----	----	17 UNCH
4565	----	----	302.30B/201.70A	302.30B/201.70A	----	212.20 - 67.80	.3859	----	----	----	----	104 UNCH
4570	----	----	304.80B/203.60A	304.80B/203.60A	----	214.30 - 68.10	.3886	----	----	----	----	8 UNCH
4575	----	----	307.40B/205.50A	307.40B/205.50A	----	216.40 - 68.50	.3914	----	----	----	----	11 UNCH
4580	----	----	310.00B/208.20A	310.00B/208.20A	----	218.40 - 69.00	.3941	----	----	2	----	2 + 1
4585	----	----	311.70B/209.70A	311.70B/209.70A	----	220.50 - 69.40	.3969	----	----	----	----	4 UNCH
4590	----	----	314.40B/211.60A	314.40B/211.60A	----	222.60 - 69.90	.3997	----	----	----	----	5 UNCH
4595	----	----	317.00B/213.80A	317.00B/213.80A	----	224.80 - 70.20	.4024	----	----	----	----	28 UNCH
4600	----	----	320.70B/215.20A	320.70B/215.20A	----	226.90 - 70.70	.4052	----	----	2	----	1075 UNCH
4605	----	----	323.40B/218.60A	323.40B/218.60A	----	229.10 - 71.00	.4080	----	----	----	----	1 UNCH
4610	----	----	326.10B/220.10A	326.10B/220.10A	----	231.30 - 71.40	.4108	----	----	----	----	143 UNCH
4615	----	----	328.80B/222.80A	328.80B/222.80A	----	233.50 - 71.80	.4136	----	----	1	----	1 UNCH
4620	----	----	329.90B/224.30A	329.90B/224.30A	----	235.70 - 72.30	.4164	----	----	----	----	42 UNCH
4625	----	----	332.60B/226.20A	332.60B/226.20A	----	237.90 - 72.70	.4192	----	----	----	----	25 UNCH
4635	----	----	337.50B/230.60A	337.50B/230.60A	----	242.50 - 73.40	.4248	----	----	----	----	127 UNCH
4640	----	----	340.80B/232.90A	340.80B/232.90A	----	244.80 - 73.80	.4276	----	----	----	----	51 UNCH
4645	----	----	343.70B/235.20A	343.70B/235.20A	----	247.10 - 74.20	.4305	----	----	----	----	10 UNCH
4650	----	----	342.30B/237.40A	342.30B/237.40A	----	249.40 - 74.60	.4333	----	----	----	----	112 UNCH
4655	----	----	343.10B/240.50A	343.10B/240.50A	----	251.80 - 75.00	.4361	----	----	----	----	2 UNCH
4660	----	----	346.00B/242.00A	346.00B/242.00A	----	254.10 - 75.40	.4389	----	----	----	----	58 UNCH
4665	----	----	348.80B/244.00A	348.80B/244.00A	----	256.50 - 75.80	.4418	----	----	----	----	20 UNCH
4670	284.00	284.00	351.60B/246.50A	351.60B/246.50A	----	258.90 - 76.20	.4446	----	----	1	----	100 UNCH
4675	----	----	356.80B/248.70A	356.80B/248.70A	----	261.30 - 76.60	.4475	----	----	----	----	69 UNCH
4680	----	----	357.50B/251.10A	357.50B/251.10A	----	263.80 - 76.90	.4503	----	----	----	----	8 UNCH
4695	----	----	366.30B/258.20A	366.30B/258.20A	----	271.20 - 78.00	.4588	----	----	----	----	162 UNCH
4700	311.70	311.70	371.50B/260.00A	371.50B/260.00A	----	273.70 - 78.40	.4617	----	----	101	----	432 - 27
4705	----	----	372.20B/263.00A	372.20B/263.00A	----	276.20 - 78.80	.4645	----	----	----	----	6 UNCH
4710	----	----	375.20B/265.40A	375.20B/265.40A	----	278.70 - 79.20	.4674	----	----	----	----	120 UNCH
4715	----	----	378.30B/268.50A	378.30B/268.50A	----	281.30 - 79.50	.4702	----	----	----	----	1 UNCH
4720	----	----	381.20B/270.20A	381.20B/270.20A	----	283.80 - 79.90	.4731	----	----	----	----	8 UNCH
4725	----	----	386.60B/272.70A	386.60B/272.70A	----	286.40 - 80.30	.4759	----	----	----	----	205 UNCH
4730	----	----	387.30B/274.90A	387.30B/274.90A	----	289.00 - 80.60	.4787	----	----	1	----	289 + 1
4735	----	----	390.40B/277.60A	390.40B/277.60A	----	291.60 - 81.00	.4816	----	----	----	----	11 UNCH
4740	316.90	316.90	393.60B/280.50A	393.60B/280.50A	----	294.30 - 81.30	.4844	----	----	5	----	196 UNCH
4745	----	----	396.60B/282.90A	396.60B/282.90A	----	296.90 - 81.70	.4873	----	----	----	----	115 UNCH
4750	----	----	399.80B/285.00A	399.80B/285.00A	----	299.60 - 82.10	.4901	----	----	16	----	382 - 16
4755	----	----	402.90B/287.70A	402.90B/287.70A	----	302.30 - 82.40	.4929	----	----	----	----	6 UNCH
4760	----	----	406.10B/290.30A	406.10B/290.30A	----	305.00 - 82.80	.4958	----	----	1	----	28 - 1
4765	----	----	409.20B/292.90A	409.20B/292.90A	----	307.70 - 83.10	.4986	----	----	----	----	30 UNCH
4770	----	----	412.30B/296.60A	412.30B/296.60A	----	310.40 - 83.50	.5014	----	----	----	----	1 UNCH
4775	----	----	415.40B/298.10A	415.40B/298.10A	----	313.20 - 83.80	.5042	----	----	----	----	40 UNCH
4780	----	----	418.70B/300.80A	418.70B/300.80A	----	315.90 - 84.20	.5070	----	----	----	----	30 UNCH
4785	----	----	421.80B/303.50A	421.80B/303.50A	----	318.70 - 84.60	.5099	----	----	----	----	15 UNCH
4790	----	----	425.40B/307.30A	425.40B/307.30A	----	321.50 - 84.90	.5127	----	----	----	----	1 UNCH
4795	----	----	428.20B/308.70A	428.20B/308.70A	----	324.30 - 85.30	.5155	----	----	----	----	6 UNCH
4800	----	----	431.90B/311.30A	431.90B/311.30A	----	327.10 - 85.60	.5183	----	----	2	----	1277 UNCH
4810	----	----	438.10B/316.90A	438.10B/316.90A	----	332.80 - 86.30	.5239	----	----	----	----	6 UNCH
4815	----	----	441.40B/320.70A	441.40B/320.70A	----	335.70 - 86.60	.5267	----	----	----	----	1 UNCH
4820	----	----	443.70B/322.60A	443.70B/322.60A	----	338.60 - 87.00	.5295	----	----	----	----	101 UNCH
4825	----	----	446.30B/326.40A	446.30B/326.40A	----	341.50 - 87.30	.5322	----	----	----	----	1 UNCH
4840	----	----	458.10B/333.80A	458.10B/333.80A	----	350.30 - 88.30	.5406	----	----	----	----	8 UNCH
4845	----	----	461.40B/336.70A	461.40B/336.70A	----	353.30 - 88.60	.5433	----	----	----	----	69 UNCH
4850	----	----	463.10B/339.40A	463.10B/339.40A	----	356.30 - 89.00	.5461	----	----	----	----	211 UNCH
4860	----	----	458.70B/346.90A	458.70B/346.90A	----	362.30 - 89.60	.5516	----	----	----	----	1 UNCH
4870	----	----	460.60B/351.80A	460.60B/351.80A	----	368.30 - 90.40	.5571	----	----	----	----	318 UNCH
4875	----	----	----/354.90A	461.30B/354.90A	----	371.40 - 90.60	.5598	----	----	----	----	70 UNCH
4880	----	----	----/358.10A	463.20B/358.10A	----	374.50 - 90.90	.5625	----	----	----	----	11 UNCH
4890	----	----	----/364.00A	462.60B/364.00A	----	380.70 - 91.60	.5679	----	----	----	----	3 UNCH
4895	----	----	----/366.90A	463.00B/366.90A	----	383.80 - 91.90	.5706	----	----	----	----	61 UNCH
4900	----	----	----/369.80A	466.50B/369.80A	----	386.90 - 92.30	.5733	----	----	----	----	261 UNCH
4905	----	----	----/373.30A	468.30B/373.30A	----	390.10 - 92.50	.5760	----	----	----	----	5 UNCH
4910	----	----	----/378.40A	470.30B/378.40A	----	393.20 - 92.90	.5787	----	----	----	----	2 UNCH
4915	----	----	----/379.40A	475.20B/379.40A	----	396.40 - 93.20	.5813	----	----	----	----	6 UNCH
4920	----	----	----/382.20A	478.50B/382.20A	----	399.60 - 93.50	.5840	----	----	----	----	22 UNCH
4925	----	----	----/385.70A	482.40B/385.70A	----	402.80 - 93.80	.5867	----	----	----	----	11 UNCH
4930	----	----	----/388.20A	487.80B/388.20A	----	406.00 - 94.10	.5893	----	----	----	----	272 UNCH
4935	----	----	----/391.70A	489.40B/391.70A	----	409.20 - 94.50	.5920	----	----	----	----	4 UNCH
4940	----	----	----/394.80A	492.90B/394.80A	----	412.50 - 94.70	.5946	----	----	----	----	11 UNCH
4950	----	----	----/401.10A	499.90B/401.10A	----	419.00 - 95.40	.5998	----	----	----	----	106 UNCH
4975	----	----	----/419.00A	494.60B/419.00A	----	435.60 - 96.80	.6127	----	----	----	----	2 UNCH
4980	----	----	----/422.00A	521.70B/422.00A	----	439.00 - 97.10	.6153	----	----	----	----	6 UNCH
4985	----	----	----/425.30A	525.40B/425.30A	----	442.40 - 97.30	.6178	----	----	----	----	104 UNCH
4990	----	----	----/429.10A	505.30B/429.10A	----	445.80 - 97.60	.6204	----	----	----	----	2 UNCH
4995	----	----	----/431.90A	532.40B/431.90A	----	449.20 - 97.90	.6229	----	----	----	----	8 UNCH
5000	502.00	502.00	502.00/432.20	539.90B/432.20	----	452.60 - 98.20	.6254	----	----	3	----	553 UNCH
5005	----	----	----/438.50A	539.80B/438.50A	----	456.00 - 98.50	.6279	----	----	----	----	12 UNCH
5010	----	----	----/441.80A	543.50B/441.80A	----	459.50 - 98.70	.6305	----	----	----	----	9 UNCH
5015	----	----	----/445.10A	547.10B/445.10A	----	462.90 - 99.00	.6329	----	----	----	----	20 UNCH
5020	----	----	----/448.70A	551.00B/448.70A	----	466.40 - 99.30	.6354	----	----	----	----	5 UNCH
5025	----	----	----/452.10A	554.60B/452.10A	----	469.90 - 99.50	.6378	----	----	----	----	150 UNCH
5030	----	----	----/455.50A	558.50B/455.50A	----	473.40 - 99.80	.6403	----	----	----	----	8 UNCH
5035	----	----	----/458.70A	562.20B/458.70A	----	476.90 - 00.10	.6428	----	----	----	----	37 UNCH
5045	----	----	----/465.70A	570.00B/465.70A	----	483.90 - 00.70	.6476	----	----	----	----	5 UNCH
5050	----	----	----/469.10A	573.40B/469.10A	----	487.50 - 00.90	.6500	----	----	----	----	79 UNCH
5055	----	----	----/472.40A	577.20B/472.40A	----	491.00 - 01.20	.6524	----	----	----	----	3 UNCH
5065	----	----	----/480.20A	585.10B/480.20A	----	498.20 - 01.70	.6572	----	----	----	----	10 UNCH
5075	----	----	----/487.20A	592.40B/487.20A	----	505.40 - 02.20	.6619	----	----	----	----	6 UNCH
5080	----	----	----/491.10A	571.60B/491.10A	----	509.00 - 02.40	.6642	----	----	----	----	2 UNCH
5085	----	----	----/494.20A	600.40B/494.20A	----	512.70 - 02.60	.6666	----	----	----	----	21 UNCH
5090	----	----	----/498.10A	604.00B/498.10A	----	516.30 - 02.90	.6689	----	----	----	----	6 UNCH
5095	----	----	----/501.50A	608.00B/501.50A	----	520.00 - 03.10	.6712	----	----	----	----	42 UNCH
5100	----	----	----/505.20A	611.50B/505.20A	----	523.60 - 03.40	.6735	----	----	----	----	106 UNCH
5105	----	----	----/508.50A	615.90B/508.50A	----	527.30 - 03.60	.6758	----	----	----	----	22 UNCH
5110	----	----	----/512.10A	619.50B/512.10A	----	531.00 - 03.90	.6781	----	----	----	----	16 UNCH
5115	----	----	----/516.00A	623.50B/516.00A	----	534.70 - 04.10	.6804	----	----	----	----	37 UNCH
5120	----	----	----/519.60A	627.70B/519.60A	----	538.40 - 04.40	.6827	----	----	----	----	14 UNCH
5125	----	----	----/522.90A	631.40B/522.90A	----	542.20 - 04.50	.6849	----	----	----	----	37 UNCH
5130	----	----	----/526.90A	635.30B/526.90A	----	545.90 - 04.80	.6871	----	----	----	----	23 UNCH
5135	557.70	557.70	557.70/530.20A	639.30B/530.20A	----	549.70 - 05.00	.6893	----	----	6	----	9 - 2
5140	----	----	----/534.20A	643.20B/534.20A	----	553.40 - 05.20	.6916	----	----	----	----	19 UNCH
5145	----	----	----/537.70A	596.30B/537.70A	----	557.20 - 05.40	.6937	----	----	----	----	2 UNCH
5150	----	----	----/541.20A	651.20B/541.20A	----	561.00 - 05.60	.6959	----	----	----	----	233 UNCH
5155	598.30	598.30	601.80/545.20A	655.10B/545.20A	----	564.80 - 05.90	.6981	----	----	6	----	42 - 1
5160	----	----	----/548.60A	658.90B/548.60A	----	568.60 - 06.10	.7003	----	----	----	----	42 UNCH
5170	----	----	----/556.40A	667.40B/556.40A	----	576.20 - 06.60	.7045	----	----	----	----	51 UNCH
5175	----	----	----/559.90A	671.20B/559.90A	----	580.10 - 06.70	.7067	----	----	----	----	61 UNCH
5180	----	----	----/563.60A	675.20B/563.60A	----	583.90 - 07.00	.7088	----	----	----	----	10 UNCH
5185	----	----	----/567.70A	679.40B/567.70A	----	587.80 - 07.10	.7108	----	----	----	----	103 UNCH
5190	----	----	----/571.40A	683.30B/571.40A	----	591.70 - 07.30	.7129	----	----	----	----	19 UNCH
5200	653.20	653.20	653.40/579.00A	691.70B/579.00A	----	599.40 - 07.80	.7171	----	----	3	----	64 - 1
5225	----	----	----/602.60A	711.90B/602.60A	----	619.10 - 08.70	.7272	----	----	----	----	42 UNCH
5230	----	----	----	476.20B/789.60A	----	623.00 - 08.90	.7292	----	----	----	----	2 UNCH
5235	----	----	----/610.20A	720.10B/610.20A	----	627.00 - 09.10	.7311	----	----	----	----	23 UNCH
5245	----	----	----	489.30B/801.20A	----	635.00 - 09.40	.7351	----	----	----	----	2 UNCH
5250	----	----	----/622.00A	732.60B/622.00A	----	638.90 - 09.70	.7370	----	----	----	----	14 UNCH
5255	----	----	----/625.90A	737.00B/625.90A	----	642.90 - 09.90	.7389	----	----	----	----	14 UNCH
5285	----	----	----	524.90B/832.40A	----	667.20 - 10.80	.7502	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5290	----	----	----/653.60A	766.30B/653.60A	----	671.20 - 11.00	.7520	----	----	----	----	4 UNCH
5295	----	----	----	533.90B/840.30A	----	675.30 - 11.20	.7539	----	----	----	----	2 UNCH
5300	----	----	----/661.70A	774.40B/661.70A	----	679.40 - 11.30	.7557	----	----	----	----	67 UNCH
5315	----	----	----/673.70A	787.20B/673.70A	----	691.70 - 11.80	.7611	----	----	----	----	10 UNCH
5325	----	----	----	560.90B/864.10A	----	700.00 - 12.10	.7646	----	----	----	----	1 UNCH
5350	----	----	----/702.20A	817.20B/702.20A	----	720.70 - 12.90	.7732	----	----	----	----	8 UNCH
5375	----	----	----/722.80A	839.00B/722.80A	----	741.70 - 13.50	.7815	----	----	----	----	7 UNCH
5390	----	----	----/735.30A	852.00B/735.30A	----	754.40 - 13.90	.7863	----	----	----	----	5 UNCH
5400	----	----	----/739.80A	864.40B/739.80A	----	762.90 - 14.10	.7895	----	----	----	----	602 UNCH
5410	----	----	----	639.00B/932.90A	----	771.40 - 14.40	.7926	----	----	----	----	1 UNCH
5440	----	----	----	667.00B/957.60A	----	797.10 - 15.20	.8017	----	----	----	----	1 UNCH
5475	----	----	----/807.10A	926.50B/807.10A	----	827.40 - 16.00	.8118	----	----	----	----	6 UNCH
5500	----	----	----/828.70A	948.80B/828.70A	----	849.30 - 16.40	.8187	----	----	----	----	3 UNCH
5505	----	----	----	728.20B/1012.00A	----	853.70 - 16.50	.8201	----	----	----	----	1 UNCH
5510	----	----	----	732.90B/1016.20A	----	858.10 - 16.60	.8214	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1406.70 - 21.90	.9209	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1430.80 - 21.90	.9232	----	----	----	----	2 UNCH
TOTAL										1035		29079 + 418
AUG26												
2300	3.10	3.10	3.10/3.10	3.10/3.10	----	2.70 - 0.90	.0053	----	----	1	----	30 UNCH
2325	----	----	----/3.60A	2.40B/3.60A	----	3.10 - 1.10	.0060	----	----	----	----	1 UNCH
2350	----	----	----/3.60A	2.50B/3.60A	----	3.20 - 1.00	.0062	----	----	----	----	2 UNCH
2375	----	----	----/3.70A	2.80B/3.70A	----	3.20 - 1.10	.0063	----	----	----	----	7 UNCH
2400	----	----	----/3.80A	2.90B/3.80A	----	3.40 - 1.10	.0067	----	----	----	----	5 UNCH
2425	----	----	----/4.00A	2.90B/4.00A	----	3.50 - 1.10	.0069	----	----	----	----	1 UNCH
2475	----	----	----/4.40A	3.20B/4.40A	----	3.90 - 1.20	.0078	----	----	----	----	5 UNCH
2500	----	----	----/4.40A	3.50B/4.40A	----	3.90 - 1.30	.0079	----	----	----	----	2 UNCH
2570	----	----	----/5.00A	4.10B/5.00A	----	4.50 - 1.50	.0092	----	----	----	----	9 UNCH
2580	----	----	----/5.00A	4.40B/5.00A	----	4.50 - 1.60	.0092	----	----	----	----	1 UNCH
2590	----	----	----/5.00A	4.20B/5.00A	----	4.60 - 1.50	.0094	----	----	----	----	2 UNCH
2600	----	----	----/5.20A	4.50B/5.20A	----	4.60 - 1.60	.0095	----	----	----	----	2 UNCH
2615	----	----	----/5.30A	4.40B/5.30A	----	4.80 - 1.60	.0099	----	----	----	----	1 UNCH
2625	----	----	----/5.40A	4.50B/5.40A	----	4.80 - 1.60	.0099	----	----	----	----	2 UNCH
2640	----	----	----/5.50A	4.70B/5.50A	----	5.00 - 1.70	.0104	----	----	----	----	1 UNCH
2685	----	----	----/6.00A	5.30B/6.00A	----	5.30 - 1.80	.0111	----	----	----	----	1 UNCH
2690	----	----	----/6.00A	5.30B/6.00A	----	5.30 - 1.80	.0111	----	----	----	----	1 UNCH
2730	----	----	----/6.40A	5.80B/6.40A	----	5.70 - 2.00	.0121	----	----	----	----	1 UNCH
2745	----	----	----/6.50A	6.10B/6.50A	----	5.90 - 2.00	.0125	----	----	----	----	1 UNCH
2750	----	----	----/6.60A	6.10B/6.60A	----	5.90 - 2.10	.0125	----	----	----	----	4 UNCH
2800	----	----	----/7.30A	6.90B/7.30A	----	6.60 - 2.40	.0140	----	----	----	----	30 UNCH
2860	----	----	----/8.20A	7.90B/8.20A	----	7.40 - 2.80	.0158	----	----	----	----	1 UNCH
2950	----	----	----/9.50A	9.80B/9.50A	----	8.90 - 3.60	.0192	----	----	----	----	8 UNCH
3000	----	----	----/10.40A	11.10B/10.40A	----	10.00 - 3.90	.0215	----	----	----	----	262 UNCH
3010	----	----	----/10.60A	11.30B/10.60A	----	10.20 - 4.00	.0220	----	----	----	----	1 UNCH
3015	----	----	----/10.80A	11.50B/10.80A	----	10.30 - 4.10	.0222	----	----	----	----	1 UNCH
3025	----	----	----/11.00A	11.70B/11.00A	----	10.50 - 4.20	.0226	----	----	----	----	5 UNCH
3065	----	----	----/11.80A	12.90B/11.80A	----	11.50 - 4.50	.0248	----	----	----	----	1 UNCH
3090	----	----	----/12.70A	13.70B/12.70A	----	12.10 - 4.80	.0261	----	----	----	----	1 UNCH
3095	----	----	----/12.50A	14.30B/12.50A	----	12.30 - 4.80	.0265	----	----	----	----	1 UNCH
3100	----	----	----/12.80A	14.00B/12.80A	----	12.40 - 4.90	.0267	----	----	----	----	137 UNCH
3110	----	----	----/13.10A	14.40B/13.10A	----	12.70 - 5.00	.0274	----	----	----	----	15 UNCH
3120	----	----	----/13.10A	15.00B/13.10A	----	13.00 - 5.10	.0280	----	----	----	----	30 UNCH
3130	----	----	----/13.30A	15.20B/13.30A	----	13.20 - 5.30	.0285	----	----	----	----	5 UNCH
3150	----	----	----/14.10A	16.90B/14.10A	----	13.80 - 5.50	.0298	----	----	----	----	10 UNCH
3155	----	----	----/14.10A	17.30B/14.10A	----	14.00 - 5.50	.0301	----	----	----	----	3 UNCH
3160	----	----	----/14.30A	17.60B/14.30A	----	14.10 - 5.70	.0304	----	----	----	----	1 UNCH
3170	----	----	----/14.60A	18.30B/14.60A	----	14.50 - 5.70	.0312	----	----	----	----	1 UNCH
3180	----	----	----/14.90A	19.00B/14.90A	----	14.80 - 5.90	.0318	----	----	----	----	25 UNCH
3185	----	----	----/15.00A	19.20B/15.00A	----	14.90 - 6.00	.0321	----	----	----	----	1 UNCH
3190	----	----	----/15.20A	19.50B/15.20A	----	15.10 - 6.00	.0325	----	----	----	----	20 UNCH
3195	----	----	22.40B/15.10A	22.40B/15.10A	----	15.30 - 6.10	.0329	----	----	----	----	1 UNCH
3200	----	----	22.60B/15.50A	22.60B/15.50A	----	15.40 - 6.20	.0332	----	----	----	----	406 UNCH
3250	----	----	25.40B/17.10A	25.40B/17.10A	----	17.20 - 7.00	.0370	----	----	----	----	405 UNCH
3260	----	----	25.90B/17.50A	25.90B/17.50A	----	17.60 - 7.10	.0378	----	----	----	----	30 UNCH
3300	----	----	29.80B/19.00A	29.80B/19.00A	----	19.20 - 7.80	.0412	----	----	----	----	157 UNCH
3350	----	----	33.40B/21.00A	33.40B/21.00A	----	21.30 - 8.90	.0456	----	----	----	----	334 UNCH
3370	----	----	35.00B/21.90A	35.00B/21.90A	----	22.20 - 9.40	.0475	----	----	----	----	1 UNCH
3375	----	----	35.40B/22.20A	35.40B/22.20A	----	22.50 - 9.50	.0481	----	----	----	----	15 UNCH
3380	----	----	35.80B/22.40A	35.80B/22.40A	----	22.70 - 9.60	.0485	----	----	----	----	1 UNCH
3390	----	----	36.60B/22.40A	36.60B/22.40A	----	23.20 - 9.90	.0496	----	----	----	----	1 UNCH
3400	----	----	37.50B/22.90A	37.50B/22.90A	----	23.70 - 10.10	.0506	----	----	----	----	23 UNCH
3405	----	----	37.90B/23.20A	37.90B/23.20A	----	24.00 - 10.20	.0512	----	----	----	----	4 UNCH
3450	----	----	41.90B/25.90A	41.90B/25.90A	----	26.40 - 11.40	.0562	----	----	----	----	1 UNCH
3465	----	----	43.30B/26.80A	43.30B/26.80A	----	27.20 - 11.90	.0578	----	----	----	----	6 UNCH
3470	----	----	43.80B/27.00A	43.80B/27.00A	----	27.50 - 12.00	.0585	----	----	----	----	1 UNCH
3495	----	----	46.20B/28.50A	46.20B/28.50A	----	29.00 - 12.70	.0615	----	----	----	----	1 UNCH
3500	----	----	46.70B/28.80A	46.70B/28.80A	----	29.30 - 12.90	.0621	----	----	----	----	524 UNCH
3510	----	----	47.70B/29.40A	47.70B/29.40A	----	30.00 - 13.10	.0635	----	----	----	----	50 UNCH
3520	----	----	48.80B/30.10A	48.80B/30.10A	----	30.60 - 13.50	.0648	----	----	----	----	210 UNCH
3525	----	----	49.30B/30.40A	49.30B/30.40A	----	31.00 - 13.60	.0655	----	----	----	----	60 UNCH
3545	----	----	51.30B/31.70A	51.30B/31.70A	----	32.30 - 14.20	.0682	----	----	----	----	9 UNCH
3550	----	----	51.90B/32.10A	51.90B/32.10A	----	32.60 - 14.40	.0688	----	----	----	25	115 + 25
3570	----	----	54.20B/33.50A	54.20B/33.50A	----	34.10 - 15.00	.0718	----	----	----	----	32 UNCH
3575	----	----	54.80B/33.70A	54.80B/33.70A	----	34.40 - 15.20	.0724	----	----	----	----	20 UNCH
3585	----	----	56.00B/34.50A	56.00B/34.50A	----	35.20 - 15.50	.0740	----	----	----	----	50 UNCH
3600	----	----	57.80B/35.70A	57.80B/35.70A	----	36.30 - 16.10	.0762	----	----	----	----	687 UNCH
3610	----	----	59.00B/36.40A	59.00B/36.40A	----	37.10 - 16.40	.0777	----	----	----	----	1 UNCH
3630	----	----	61.60B/38.00A	61.60B/38.00A	----	38.70 - 17.10	.0809	----	----	----	----	8 UNCH
3645	----	----	63.50B/39.30A	63.50B/39.30A	----	40.00 - 17.60	.0834	----	----	----	----	22 UNCH
3650	----	----	64.30B/39.70A	64.30B/39.70A	----	40.40 - 17.80	.0842	----	----	----	----	27 UNCH
3655	----	----	65.00B/40.10A	65.00B/40.10A	----	40.80 - 18.00	.0850	----	----	----	----	26 UNCH
3660	----	----	65.60B/40.60A	65.60B/40.60A	----	41.30 - 18.20	.0860	----	----	----	----	9 UNCH
3665	----	----	66.30B/40.90A	66.30B/40.90A	----	41.70 - 18.40	.0868	----	----	----	----	1 UNCH
3675	----	----	67.70B/41.80A	67.70B/41.80A	----	42.60 - 18.80	.0885	----	----	----	----	24 UNCH
3690	----	----	69.80B/43.20A	69.80B/43.20A	----	44.00 - 19.30	.0912	----	----	----	----	10 UNCH
3700	----	----	71.30B/44.20A	71.30B/44.20A	----	44.90 - 19.70	.0930	----	----	----	----	221 UNCH
3705	----	----	72.00B/45.50A	72.00B/45.50A	----	45.40 - 19.90	.0939	----	----	----	----	20 UNCH
3715	----	----	73.50B/45.90A	73.50B/45.90A	----	46.40 - 20.20	.0958	----	----	----	----	30 UNCH
3725	----	----	75.10B/46.90A	75.10B/46.90A	----	47.40 - 20.60	.0977	----	----	----	----	4 UNCH
3730	----	----	75.80B/47.30A	75.80B/47.30A	----	47.90 - 20.80	.0987	----	----	----	----	10 UNCH
3750	----	----	78.60B/49.80A	78.60B/49.80A	----	50.00 - 21.60	.1026	----	----	----	----	68 UNCH
3765	----	----	81.20B/51.20A	81.20B/51.20A	----	51.60 - 22.20	.1056	----	----	----	----	100 UNCH
3770	----	----	82.20B/51.70A	82.20B/51.70A	----	52.20 - 22.40	.1067	----	----	----	----	4 UNCH
3775	----	----	82.70B/52.20A	82.70B/52.20A	----	52.70 - 22.60	.1077	----	----	----	----	12 UNCH
3795	----	----	86.20B/54.40A	86.20B/54.40A	----	55.00 - 23.40	.1120	----	----	----	----	80 UNCH
3800	69.00	69.00	86.90B/54.70A	86.90B/54.70A	----	55.60 - 23.60	.1131	----	----	10	----	317 UNCH
3805	----	----	87.60B/55.20A	87.60B/55.20A	----	56.20 - 23.80	.1142	----	----	----	----	4 UNCH
3810	----	----	88.70B/56.40A	88.70B/56.40A	----	56.80 - 24.00	.1153	----	----	----	----	50 UNCH
3815	----	----	89.50B/56.70A	89.50B/56.70A	----	57.40 - 24.20	.1164	----	----	----	----	150 UNCH
3820	----	----	90.50B/57.00A	90.50B/57.00A	----	58.00 - 24.40	.1175	----	----	----	----	52 UNCH
3825	----	----	91.30B/57.80A	91.30B/57.80A	----	58.60 - 24.60	.1186	----	----	----	----	51 UNCH
3835	----	----	93.20B/58.70A	93.20B/58.70A	----	59.90 - 25.00	.1210	----	----	----	----	10 UNCH
3850	----	----	96.20B/60.60A	96.20B/60.60A	----	61.80 - 25.70	.1244	----	----	75	----	80 + 75
3855	----	----	96.90B/61.50A	96.90B/61.50A	----	62.50 - 25.80	.1257	----	----	----	----	3 UNCH
3875	----	----	101.10B/64.10A	101.10B/64.10A	----	65.20 - 26.70	.1305	----	----	----	----	10 UNCH
3880	----	----	101.90B/64.60A	101.90B/64.60A	----	65.90 - 26.90	.1318	----	----	2	----	299 + 2
3890	----	----	104.00B/65.80A	104.00B/65.80A	----	67.30 - 27.30	.1343	----	----	----	----	73 UNCH
3900	----	----	106.10B/67.20A	106.10B/67.20A	----	68.70 - 27.80	.1368	----	----	----	----	91 UNCH
3910	----	----	107.80B/68.30A	107.80B/68.30A	----	70.20 - 28.20	.1394	----	----	----	----	1 UNCH
3925	----	----	111.00B/70.70A	111.00B/70.70A	----	72.40 - 28.90	.1433	----	----	----	----	10 UNCH
3930	----	----	112.30B/71.10A	112.30B/71.10A	----	73.20 - 29.10	.1446	----	----	----	----	38 UNCH
3950	----	----	116.50B/74.30A	116.50B/74.30A	----	76.30 - 30.00	.1501	----	----	----	----	246 UNCH
3965	----	----	120.10B/76.10A	120.10B/76.10A	----	78.80 - 30.60	.1543	----	----	----	----	14 UNCH
3975	----	----	122.10B/78.10A	122.10B/78.10A	----	80.40 - 31.10	.1571	----	----	----	----	267 UNCH
3980	----	----	123.40B/79.00A	123.40B/79.00A	----	81.30 - 31.30	.1586	----	----	----	----	83 UNCH
3985	----	----	124.70B/79.60A	124.70B/79.60A	----	82.10 - 31.60	.1600	----	----	----	----	1 UNCH
3990	----	----	125.80B/80.50A	125.80B/80.50A	----	83.00 - 31.70	.1615	----	----	----	----	44 UNCH
3995	----	----	127.00B/81.30A	127.00B/81.30A	----	83.90 - 31.90	.1630	----	----	----	----	4 UNCH
4000	----	----	128.30B/82.10A	128.30B/82.10A	----	84.70 - 32.20	.1644	----	----	75	----	1443 + 75
4005	----	----	129.40B/82.90A	129.40B/82.90A	----	85.60 - 32.50	.1659	----	----	----	----	3 UNCH
4010	----	----	130.70B/83.90A	130.70B/83.90A	----	86.50 - 32.70	.1674	----	----	----	----	78 UNCH
4025	----	----	134.20B/86.70A	134.20B/86.70A	----	89.20 - 33.40	.1719	----	----	----	----	90 UNCH
4030	----	----	135.50B/87.20A	135.50B/87.20A	----	90.20 - 33.60	.1735	----	----	----	----	50 UNCH
4040	----	----	138.20B/89.00A	138.20B/89.00A	----	92.10 - 34.00	.1766	----	----	----	----	15 UNCH
4045	----	----	139.40B/90.00A	139.40B/90.00A	----	93.00 - 34.30	.1781	----	----	----	----	30 UNCH
4050	----	----	140.80B/91.10A	140.80B/91.10A	----	94.00 - 34.50	.1797	----	----	----	----	168 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4075	----	----	147.30B/95.60A	147.30B/95.60A	----	98.90 - 35.80	.1877	----	----	----	----	5 UNCH
4095	----	----	153.00B/99.50A	153.00B/99.50A	----	103.00 - 36.80	.1944	----	----	----	----	4 UNCH
4100	----	----	154.40B/100.60A	154.40B/100.60A	----	104.10 - 37.00	.1961	----	----	----	----	79 UNCH
4110	----	----	157.10B/102.50A	157.10B/102.50A	----	106.20 - 37.60	.1994	----	----	----	----	1 UNCH
4120	----	----	160.10B/104.70A	160.10B/104.70A	----	108.40 - 38.00	.2029	----	----	----	----	1 UNCH
4130	----	----	162.90B/106.80A	162.90B/106.80A	----	110.60 - 38.60	.2063	----	----	----	----	5 UNCH
4135	----	----	164.30B/107.80A	164.30B/107.80A	----	111.80 - 38.70	.2081	----	----	----	----	20 UNCH
4140	----	----	165.90B/108.90A	165.90B/108.90A	----	112.90 - 39.00	.2099	----	----	----	----	1 UNCH
4145	----	----	167.40B/109.80A	167.40B/109.80A	----	114.00 - 39.30	.2116	----	----	----	----	20 UNCH
4150	----	----	168.90B/110.90A	168.90B/110.90A	----	115.20 - 39.50	.2134	----	----	----	----	328 UNCH
4160	----	----	172.10B/113.00A	172.10B/113.00A	----	117.50 - 40.10	.2170	----	----	----	----	46 UNCH
4165	----	----	173.50B/114.10A	173.50B/114.10A	----	118.70 - 40.40	.2188	----	----	----	----	100 UNCH
4170	----	----	175.10B/115.30A	175.10B/115.30A	----	119.90 - 40.60	.2207	----	----	----	----	77 UNCH
4175	----	----	176.60B/116.80A	176.60B/116.80A	----	121.10 - 40.90	.2225	----	----	----	25	25 UNCH
4180	----	----	178.30B/117.90A	178.30B/117.90A	----	122.30 - 41.20	.2243	----	----	----	----	91 UNCH
4185	----	----	179.80B/119.10A	179.80B/119.10A	----	123.60 - 41.40	.2262	----	----	----	----	40 UNCH
4190	----	----	181.50B/120.20A	181.50B/120.20A	----	124.80 - 41.70	.2281	----	----	----	----	140 UNCH
4195	----	----	183.20B/121.10A	183.20B/121.10A	----	126.00 - 42.00	.2299	----	----	----	----	143 UNCH
4200	----	----	184.70B/122.30A	184.70B/122.30A	----	127.30 - 42.20	.2318	----	----	----	----	173 UNCH
4205	----	----	186.30B/123.70A	186.30B/123.70A	----	128.60 - 42.40	.2337	----	----	----	----	13 UNCH
4215	----	----	189.70B/126.00A	189.70B/126.00A	----	131.10 - 43.10	.2375	----	----	----	----	1 UNCH
4220	----	----	191.30B/127.10A	191.30B/127.10A	----	132.40 - 43.30	.2394	----	----	----	----	9 UNCH
4225	----	----	192.60B/128.50A	192.60B/128.50A	----	133.80 - 43.50	.2414	----	----	----	----	1 UNCH
4230	----	----	194.70B/130.00A	194.70B/130.00A	----	135.10 - 43.80	.2433	----	----	----	----	10 UNCH
4245	----	----	199.80B/133.50A	199.80B/133.50A	----	139.10 - 44.70	.2492	----	----	----	----	32 UNCH
4250	----	----	201.60B/135.30A	201.60B/135.30A	----	140.50 - 44.90	.2512	----	----	----	----	156 UNCH
4255	----	----	203.40B/136.00A	203.40B/136.00A	----	141.90 - 45.20	.2532	----	----	----	----	2 UNCH
4260	----	----	204.80B/137.20A	204.80B/137.20A	----	143.20 - 45.60	.2551	----	----	----	----	8 UNCH
4285	----	----	214.30B/144.10A	214.30B/144.10A	----	150.40 - 46.90	.2653	----	----	----	----	170 UNCH
4290	----	----	216.10B/145.50A	216.10B/145.50A	----	151.80 - 47.30	.2673	----	----	----	----	2 UNCH
4295	----	----	218.00B/146.90A	218.00B/146.90A	----	153.30 - 47.60	.2694	----	----	----	----	2 UNCH
4300	193.30	193.30	219.90B/148.30A	219.90B/148.30A	----	154.80 - 47.80	.2715	----	----	21	----	426 + 21
4305	----	----	221.80B/150.20A	221.80B/150.20A	----	156.30 - 48.10	.2735	----	----	----	----	100 UNCH
4310	----	----	223.10B/151.20A	223.10B/151.20A	----	157.80 - 48.40	.2756	----	----	----	----	1 UNCH
4320	----	----	227.20B/154.00A	227.20B/154.00A	----	160.80 - 49.10	.2798	----	----	----	----	5 UNCH
4325	----	----	229.60B/155.30A	229.60B/155.30A	----	162.40 - 49.30	.2819	----	----	----	----	275 UNCH
4330	177.50	177.50	231.40B/156.80A	231.40B/156.80A	----	163.90 - 49.70	.2840	----	----	1	----	101 - 1
4350	----	----	239.50B/163.40A	239.50B/163.40A	----	170.30 - 50.80	.2926	----	----	----	----	630 UNCH
4355	----	----	241.60B/164.40A	241.60B/164.40A	----	171.90 - 51.20	.2948	----	----	----	----	2 UNCH
4360	----	----	243.00B/165.90A	243.00B/165.90A	----	173.50 - 51.50	.2969	----	----	----	----	50 UNCH
4365	----	----	245.70B/168.00A	245.70B/168.00A	----	175.10 - 51.80	.2991	----	----	----	----	100 UNCH
4380	----	----	251.30B/172.20A	251.30B/172.20A	----	180.10 - 52.80	.3057	----	----	----	----	1 UNCH
4390	----	----	256.10B/175.50A	256.10B/175.50A	----	183.50 - 53.40	.3101	----	----	----	----	6 UNCH
4395	----	----	257.60B/177.10A	257.60B/177.10A	----	185.20 - 53.70	.3123	----	----	----	----	1 UNCH
4400	178.00	178.00	259.90B/178.00	259.90B/178.00	----	186.90 - 54.10	.3146	----	----	45	----	814 + 2
4410	----	----	264.60B/182.00A	264.60B/182.00A	----	190.40 - 54.70	.3190	----	----	----	----	1 UNCH
4420	----	----	268.30B/185.90A	268.30B/185.90A	----	193.90 - 55.40	.3235	----	----	----	----	2 UNCH
4425	----	----	270.90B/187.10A	270.90B/187.10A	----	195.70 - 55.70	.3258	----	----	----	----	3 UNCH
4440	204.10	204.10	277.60B/192.20A	277.60B/192.20A	----	201.10 - 56.70	.3326	----	----	19	----	37 + 15
4450	----	----	282.20B/195.80A	282.20B/195.80A	----	204.80 - 57.40	.3372	----	----	----	----	320 UNCH
4455	----	----	284.40B/197.60A	284.40B/197.60A	----	206.60 - 57.80	.3395	----	----	----	----	1 UNCH
4460	----	----	286.70B/199.90A	286.70B/199.90A	----	208.50 - 58.10	.3418	----	----	----	----	4 UNCH
4465	----	----	289.20B/201.10A	289.20B/201.10A	----	210.40 - 58.40	.3442	----	----	----	----	10 UNCH
4470	----	----	291.40B/203.70A	291.40B/203.70A	----	212.20 - 58.80	.3465	----	----	----	----	12 UNCH
4475	----	----	293.70B/204.70A	293.70B/204.70A	----	214.10 - 59.20	.3488	----	----	----	----	15 UNCH
4480	----	----	295.70B/207.30A	295.70B/207.30A	----	216.10 - 59.40	.3511	----	----	----	----	4 UNCH
4485	----	----	298.40B/208.40A	298.40B/208.40A	----	218.00 - 59.80	.3535	----	----	----	----	9 UNCH
4490	----	----	300.70B/210.60A	300.70B/210.60A	----	219.90 - 60.20	.3558	----	----	----	----	3 UNCH
4500	----	----	305.60B/214.10A	305.60B/214.10A	----	223.80 - 60.90	.3605	----	----	100	----	828 + 100
4505	----	----	307.80B/216.60A	307.80B/216.60A	----	225.80 - 61.30	.3629	----	----	----	----	3 UNCH
4535	----	----	322.90B/227.70A	322.90B/227.70A	----	237.90 - 63.50	.3771	----	----	----	----	10 UNCH
4545	----	----	327.90B/232.50A	327.90B/232.50A	----	242.10 - 64.20	.3819	----	----	----	----	20 UNCH
4550	----	----	330.20B/234.20A	330.20B/234.20A	----	244.20 - 64.50	.3843	----	----	----	----	2 UNCH
4560	----	----	335.70B/238.80A	335.70B/238.80A	----	248.40 - 65.30	.3892	----	----	----	----	3 UNCH
4570	----	----	341.00B/242.00A	341.00B/242.00A	----	252.70 - 66.00	.3940	----	----	----	----	2 UNCH
4575	----	----	343.50B/244.00A	343.50B/244.00A	----	254.80 - 66.40	.3964	----	----	----	----	1 UNCH
4580	276.80	276.80	345.40B/247.00A	345.40B/247.00A	----	257.00 - 66.80	.3989	----	----	1	----	150 + 1
4585	----	----	345.50B/249.30A	345.50B/249.30A	----	259.20 - 67.10	.4013	----	----	----	----	2 UNCH
4590	----	----	346.90B/250.50A	346.90B/250.50A	----	261.40 - 67.50	.4037	----	----	5	----	6 + 5
4600	307.70	307.70	351.10B/255.10A	351.10B/255.10A	----	265.80 - 68.30	.4086	----	----	20	----	350 - 3
4620	----	----	362.00B/263.90A	362.00B/263.90A	----	274.90 - 69.80	.4184	----	----	----	----	3 UNCH
4625	----	----	365.60B/266.20A	365.60B/266.20A	----	277.20 - 70.10	.4209	----	----	----	----	100 UNCH
4640	----	----	370.00B/273.00A	370.00B/273.00A	----	284.20 - 71.20	.4283	----	----	----	----	101 UNCH
4645	----	----	372.80B/274.80A	372.80B/274.80A	----	286.50 - 71.70	.4308	----	----	----	----	127 UNCH
4650	----	----	374.20B/276.90A	374.20B/276.90A	----	288.90 - 72.00	.4333	----	----	15	----	297 + 15
4665	----	----	384.20B/284.30A	384.20B/284.30A	----	296.10 - 73.10	.4407	----	----	----	----	1 UNCH
4700	----	----	403.10B/301.10A	403.10B/301.10A	----	313.50 - 75.60	.4581	----	----	20	----	447 + 20
4705	----	----	407.60B/304.10A	407.60B/304.10A	----	316.00 - 76.00	.4606	----	----	----	----	50 UNCH
4715	----	----	412.10B/308.30A	412.10B/308.30A	----	321.10 - 76.70	.4655	----	----	----	----	1 UNCH
4725	----	----	418.00B/313.50A	418.00B/313.50A	----	326.30 - 77.40	.4705	----	----	----	----	10 UNCH
4730	----	----	422.60B/315.90A	422.60B/315.90A	----	328.90 - 77.80	.4730	----	----	----	----	1 UNCH
4740	----	----	428.70B/320.70A	428.70B/320.70A	----	334.20 - 78.50	.4779	----	----	----	----	15 UNCH
4750	----	----	434.80B/326.30A	434.80B/326.30A	----	339.60 - 79.10	.4829	----	----	----	----	25 UNCH
4760	----	----	441.00B/331.30A	441.00B/331.30A	----	345.00 - 79.80	.4878	----	----	----	----	1 UNCH
4775	----	----	448.90B/339.50A	448.90B/339.50A	----	353.20 - 80.80	.4952	----	----	----	----	56 UNCH
4800	----	----	466.30B/354.60A	466.30B/354.60A	----	367.30 - 82.40	.5074	----	----	----	----	617 UNCH
4805	----	----	469.50B/358.70A	469.50B/358.70A	----	370.10 - 82.80	.5098	----	----	----	----	1 UNCH
4875	----	----	514.40B/398.80A	514.40B/398.80A	----	411.70 - 86.90	.5435	----	----	----	----	11 UNCH
4900	----	----	533.00B/413.70A	533.00B/413.70A	----	427.20 - 88.20	.5552	----	----	----	----	348 UNCH
4905	----	----	534.60B/416.70A	534.60B/416.70A	----	430.30 - 88.50	.5576	----	----	----	----	17 UNCH
4925	----	----	535.00B/428.80A	535.00B/428.80A	----	442.90 - 89.70	.5669	----	----	----	----	50 UNCH
4950	----	----	----/444.50A	537.30B/444.50A	----	459.00 - 91.00	.5784	----	----	----	----	31 UNCH
4955	----	----	----/447.60A	538.30B/447.60A	----	462.30 - 91.20	.5806	----	----	----	----	1 UNCH
4980	----	----	----/463.40A	542.60B/463.40A	----	478.70 - 92.50	.5920	----	----	----	----	1 UNCH
5000	----	----	----/476.50A	548.30B/476.50A	----	492.00 - 93.60	.6009	----	----	----	----	318 UNCH
5010	----	----	----/482.90A	555.40B/482.90A	----	498.70 - 94.10	.6053	----	----	----	----	1 UNCH
5025	----	----	----/491.60A	566.00B/491.60A	----	508.90 - 94.90	.6119	----	----	----	----	25 UNCH
5030	----	----	----/496.20A	569.60B/496.20A	----	512.30 - 95.10	.6141	----	----	----	----	1 UNCH
5045	----	----	----/506.20A	580.40B/506.20A	----	522.60 - 95.90	.6206	----	----	----	----	31 UNCH
5050	----	----	----/509.60A	584.00B/509.60A	----	526.10 - 96.10	.6227	----	----	----	----	351 UNCH
5070	----	----	----/523.20A	598.60B/523.20A	----	540.10 - 97.00	.6312	----	----	----	----	17 UNCH
5080	----	----	----/530.20A	605.90B/530.20A	----	547.10 - 97.50	.6354	----	----	----	----	3 UNCH
5100	----	----	----/544.00A	620.80B/544.00A	----	561.30 - 98.40	.6438	----	----	----	----	81 UNCH
5120	----	----	----/558.00A	635.70B/558.00A	----	575.70 - 99.20	.6520	----	----	----	----	2 UNCH
5180	----	----	----/601.10A	681.50B/601.10A	----	619.80 - 01.80	.6757	----	----	----	----	1 UNCH
5195	----	----	----/612.10A	693.10B/612.10A	----	631.10 - 02.30	.6814	----	----	----	----	2 UNCH
5200	----	----	----/615.80A	696.60B/615.80A	----	634.80 - 02.60	.6833	----	----	----	----	112 UNCH
5265	----	----	----/664.50A	693.50B/664.50A	----	684.60 - 05.10	.7073	----	----	----	----	1 UNCH
5300	----	----	----/691.40A	685.90B/691.40A	----	712.00 - 06.40	.7196	----	----	----	----	3 UNCH
5355	----	----	----	606.30B/923.30A	----	755.90 - 08.30	.7380	----	----	----	----	1 UNCH
5400	----	----	----	646.10B/959.10A	----	792.40 - 09.80	.7523	----	----	----	----	76 UNCH
5425	----	----	----	668.40B/979.20A	----	813.00 - 10.60	.7600	----	----	----	----	1 UNCH
5460	----	----	----	700.00B/1007.50A	----	842.10 - 11.70	.7703	----	----	----	----	1 UNCH
5500	----	----	----	736.40B/1040.30A	----	875.90 - 12.60	.7815	----	----	----	----	3 UNCH
5530	----	----	----	763.90B/1065.10A	----	901.50 - 13.40	.7896	----	----	----	----	1 UNCH
5575	----	----	----	805.50B/1102.70A	----	940.40 - 14.20	.8009	----	----	----	----	2 UNCH
TOTAL										410	50	17595 + 352
SEP26												
2350	----	----	----/4.50A	1.10B/4.50A	----	3.50 - 1.40	.0066	----	----	----	----	52 UNCH
2375	----	----	----	1.20B/6.10A	----	3.70 - 1.50	.0070	----	----	----	----	1 UNCH
2400	----	----	----	1.30B/6.30A	----	3.90 - 1.50	.0074	----	----	----	----	1 UNCH
2500	----	----	----	2.10B/7.20A	----	4.80 - 1.90	.0092	----	----	----	----	4 UNCH
2600	----	----	----	3.10B/8.40A	----	5.90 - 2.30	.0113	----	----	----	----	2 UNCH
3000	----	----	----/16.10A	11.00B/16.10A	----	12.50 - 5.00	.0249	----	----	----	----	2 UNCH
3145	----	----	----/20.80A	16.30B/20.80A	----	16.70 - 7.30	.0333	----	----	----	----	15 UNCH
3150	----	----	----/21.00A	16.60B/21.00A	----	16.90 - 7.40	.0337	----	----	----	----	2 UNCH
3200	----	----	----/22.90A	19.10B/22.90A	----	18.60 - 8.40	.0371	----	----	----	----	1 UNCH
3270	----	----	----/26.10A	27.50B/26.10A	----	21.40 - 9.90	.0426	----	----	----	----	15 UNCH
3300	----	----	----/27.50A	29.60B/27.50A	----	22.70 - 10.60	.0452	----	----	----	----	1 UNCH
3475	----	----	----/36.30A	44.90B/36.30A	----	32.60 - 14.90	.0640	----	----	----	----	2 UNCH
3480	----	----	----/36.20A	45.40B/36.20A	----	33.00 - 14.90	.0647	----	----	----	----	780 UNCH
3500	----	----	----/38.60A	47.50B/38.60A	----	34.40 - 15.50	.0673	----	----	----	----	19 UNCH
3525	----	----	----/39.90A	50.10B/39.90A	----	36.30 - 16.10	.0708	----	----	----	----	2 UNCH
3565	----	----	----/43.90A	54.80B/43.90A	----	39.60 NEW	.0767	----	----	1	----	1 + 1
3610	----	----	----/48.00A	60.50B/48.00A	----	43.70 - 18.30	.0839	----	----	----	----	1 UNCH
3625	----	----	----/49.30A	62.60B/49.30A	----	45.20 - 18.70	.0865	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
3650	----	----	----/51.70A	66.20B/51.70A	----	47.80 - 19.30	.0909	----	----	----	----	66 UNCH
3700	----	----	----/56.60A	73.60B/56.60A	----	53.40 - 20.60	.1003	----	----	----	----	2 UNCH
3720	----	----	----/58.70A	76.50B/58.70A	----	55.80 - 21.10	.1043	----	----	----	----	50 UNCH
3755	----	----	82.50B/62.50A	82.50B/62.50A	----	60.30 - 22.00	.1116	----	----	----	----	90 UNCH
3800	----	----	90.10B/67.80A	90.10B/67.80A	----	66.50 - 23.20	.1215	----	----	----	----	1 UNCH
3850	----	----	99.60B/74.20A	99.60B/74.20A	----	74.00 - 24.60	.1332	----	----	----	----	20 UNCH
3880	----	----	106.00B/78.30A	106.00B/78.30A	----	78.70 - 25.60	.1406	----	----	----	----	26 UNCH
3900	----	----	110.30B/81.10A	110.30B/81.10A	----	82.00 - 26.30	.1456	----	----	----	----	211 UNCH
3910	----	----	112.00B/82.60A	112.00B/82.60A	----	83.60 - 26.70	.1481	----	----	----	----	2 UNCH
3930	----	----	116.80B/85.60A	116.80B/85.60A	----	87.00 - 27.50	.1533	----	----	----	----	2 UNCH
3945	----	----	119.80B/87.70A	119.80B/87.70A	----	89.60 - 28.10	.1572	----	----	----	----	230 UNCH
3950	----	----	121.00B/89.20A	121.00B/89.20A	----	90.50 - 28.30	.1586	----	----	----	----	324 UNCH
4000	107.80	107.80	133.00B/98.10A	133.00B/98.10A	----	99.50 - 30.70	.1722	----	----	2	----	715 - 1
4005	----	----	134.20B/98.90A	134.20B/98.90A	----	100.40 - 31.00	.1736	----	----	----	----	1 UNCH
4030	----	----	141.10B/103.70A	141.10B/103.70A	----	105.20 - 32.30	.1807	----	----	----	----	1 UNCH
4050	----	----	146.00B/107.60A	146.00B/107.60A	----	109.20 - 33.30	.1866	----	----	----	----	32 UNCH
4080	----	----	154.60B/113.80A	154.60B/113.80A	----	115.30 - 35.10	.1956	----	----	----	----	4 UNCH
4085	----	----	156.00B/114.90A	156.00B/114.90A	----	116.40 - 35.30	.1971	----	----	----	----	76 UNCH
4100	----	----	160.10B/118.10A	160.10B/118.10A	----	119.60 - 36.20	.2018	----	----	----	----	20 UNCH
4130	----	----	169.20B/124.80A	169.20B/124.80A	----	126.30 - 38.00	.2113	----	----	----	----	20 UNCH
4135	----	----	170.70B/126.10A	170.70B/126.10A	----	127.50 - 38.20	.2129	----	----	----	----	3 UNCH
4150	----	----	175.30B/129.40A	175.30B/129.40A	----	131.00 - 39.10	.2178	----	----	----	----	3 UNCH
4185	----	----	186.40B/137.90A	186.40B/137.90A	----	139.60 - 41.10	.2296	----	----	----	----	76 UNCH
4200	----	----	190.60B/141.70A	190.60B/141.70A	----	143.40 - 42.00	.2348	----	----	----	----	106 UNCH
4220	----	----	198.00B/146.90A	198.00B/146.90A	----	148.70 - 43.10	.2419	----	----	----	----	113 UNCH
4225	----	----	199.70B/148.20A	199.70B/148.20A	----	150.00 - 43.50	.2436	----	----	----	----	3 UNCH
4230	----	----	201.40B/149.50A	201.40B/149.50A	----	151.40 - 43.70	.2454	----	----	----	----	1 UNCH
4240	----	----	204.90B/152.20A	204.90B/152.20A	----	154.10 - 44.30	.2490	----	----	----	----	56 UNCH
4250	----	----	208.20B/154.90A	208.20B/154.90A	----	156.90 - 44.90	.2526	----	----	----	----	62 UNCH
4300	----	----	226.60B/169.10A	226.60B/169.10A	----	171.50 - 47.80	.2713	----	----	----	54	84 UNCH
4320	----	----	234.30B/175.10A	234.30B/175.10A	----	177.60 - 49.10	.2789	----	----	----	----	152 UNCH
4350	----	----	246.10B/184.40A	246.10B/184.40A	----	187.20 - 50.80	.2906	----	----	----	----	20 UNCH
4365	----	----	252.10B/189.20A	252.10B/189.20A	----	192.10 - 51.70	.2965	----	----	----	----	5 UNCH
4390	----	----	262.50B/197.30A	262.50B/197.30A	----	200.60 - 53.20	.3066	----	----	----	----	15 UNCH
4400	----	----	266.70B/200.80A	266.70B/200.80A	----	204.10 - 53.80	.3106	----	----	----	----	36 UNCH
4410	----	----	270.70B/204.20A	270.70B/204.20A	----	207.60 - 54.40	.3147	----	----	----	----	7 UNCH
4420	----	----	275.00B/207.50A	275.00B/207.50A	----	211.20 - 55.00	.3188	----	----	----	----	1 UNCH
4430	----	----	279.70B/211.00A	279.70B/211.00A	----	214.80 - 55.60	.3229	----	----	----	----	2 UNCH
4440	----	----	284.10B/214.60A	284.10B/214.60A	----	218.50 - 56.10	.3271	----	----	----	----	7 UNCH
4450	----	----	288.60B/218.20A	288.60B/218.20A	----	222.20 - 56.70	.3313	----	----	----	----	430 UNCH
4475	----	----	300.00B/227.40A	300.00B/227.40A	----	231.70 - 58.20	.3418	----	----	----	----	3 UNCH
4500	257.80	257.80	311.70B/236.80A	311.70B/236.80A	----	241.60 - 59.70	.3524	----	----	10	50	457 - 40
4550	----	----	336.10B/256.60A	336.10B/256.60A	----	262.10 - 62.70	.3740	----	----	----	----	350 UNCH
4560	----	----	341.10B/260.80A	341.10B/260.80A	----	266.40 - 63.30	.3784	----	----	----	----	7 UNCH
4580	----	----	350.30B/269.10A	350.30B/269.10A	----	275.10 - 64.50	.3871	----	----	----	----	1 UNCH
4600	----	----	361.40B/277.70A	361.40B/277.70A	----	284.00 - 65.70	.3960	----	----	----	----	2 UNCH
4620	----	----	372.30B/286.40A	372.30B/286.40A	----	293.00 - 66.90	.4048	----	----	----	----	500 UNCH
4650	----	----	388.60B/299.70A	388.60B/299.70A	----	307.00 - 68.70	.4181	----	----	1	----	3 - 1
4700	----	----	415.30B/323.30A	415.30B/323.30A	----	331.40 - 71.70	.4404	----	----	----	----	8 UNCH
4725	----	----	429.80B/335.60A	429.80B/335.60A	----	344.00 - 73.20	.4516	----	----	----	----	1 UNCH
4730	----	----	432.90B/338.00A	432.90B/338.00A	----	346.50 - 73.60	.4539	----	----	----	----	5 UNCH
4750	----	----	444.90B/348.00A	444.90B/348.00A	----	356.90 - 74.80	.4628	----	----	----	----	150 UNCH
4760	----	----	452.00B/353.20A	452.00B/353.20A	----	362.10 - 75.40	.4673	----	----	----	----	100 UNCH
4775	----	----	459.90B/361.00A	459.90B/361.00A	----	370.10 - 76.30	.4740	----	----	----	----	18 UNCH
4800	----	----	476.50B/374.10A	476.50B/374.10A	----	383.60 - 77.90	.4851	----	----	----	----	27 UNCH
4825	----	----	492.20B/387.70A	492.20B/387.70A	----	397.50 - 79.40	.4962	----	----	----	----	2 UNCH
4835	----	----	498.60B/393.20A	498.60B/393.20A	----	403.10 - 80.00	.5006	----	----	----	----	30 UNCH
4900	----	----	540.90B/430.10A	540.90B/430.10A	----	440.70 - 84.10	.5290	----	----	----	----	3 UNCH
4930	----	----	561.10B/447.80A	561.10B/447.80A	----	458.80 - 85.80	.5419	----	----	----	----	20 UNCH
4950	----	----	573.40B/459.80A	573.40B/459.80A	----	471.00 - 87.10	.5504	----	----	----	----	1 UNCH
4975	----	----	590.70B/475.10A	590.70B/475.10A	----	486.70 - 88.40	.5610	----	----	----	----	210 UNCH
5000	----	----	594.30B/490.70A	594.30B/490.70A	----	502.60 - 89.90	.5714	----	----	----	----	10 UNCH
5005	----	----	----/493.80A	594.70B/493.80A	----	505.80 - 90.20	.5734	----	----	----	----	3 UNCH
5020	----	----	----/503.40A	597.10B/503.40A	----	515.60 - 90.90	.5796	----	----	----	----	3 UNCH
5100	----	----	----/555.90A	627.80B/555.90A	----	569.40 - 94.80	.6116	----	----	----	----	28 UNCH
5105	----	----	----/559.10A	631.40B/559.10A	----	572.80 - 95.00	.6135	----	----	----	----	2 UNCH
5200	----	----	----/625.00A	701.30B/625.00A	----	640.70 - 98.70	.6488	----	----	----	----	47 UNCH
5230	----	----	----/646.50A	724.00B/646.50A	----	663.00 - 99.60	.6595	----	----	----	----	400 UNCH
5300	----	----	----/697.90A	778.20B/697.90A	----	716.20 - 01.50	.6830	----	----	----	----	300 UNCH
5400	----	----	----/774.20A	772.20B/774.20A	----	794.50 - 04.40	.7144	----	----	----	----	100 UNCH
5420	----	----	----/789.50A	774.10B/789.50A	----	810.40 - 05.00	.7205	----	----	----	----	80 UNCH
5450	----	----	----	671.30B/1008.10A	----	834.40 - 06.00	.7294	----	----	----	----	1 UNCH
5500	----	----	----	715.10B/1048.00A	----	874.60 - 07.90	.7440	----	----	----	----	3 UNCH
6000	----	----	----	1175.20B/1473.20A	----	1310.10 - 17.70	.8510	----	----	----	----	2 UNCH
TOTAL										14	104	6854 - 41
OCT26												
2700	----	----	----	4.40B/13.10A	----	8.60 - 3.10	.0159	----	----	----	----	1 UNCH
2800	----	----	----	6.30B/15.40A	----	10.30 - 3.70	.0193	----	----	----	----	3 UNCH
3100	----	----	----/25.10A	16.50B/25.10A	----	19.10 - 6.70	.0356	----	----	----	----	1 UNCH
3200	----	----	----/29.80A	27.20B/29.80A	----	23.60 - 8.20	.0436	----	----	----	----	414 UNCH
3240	----	----	----/31.90A	30.10B/31.90A	----	25.70 - 8.80	.0472	----	----	----	----	5 UNCH
3300	----	----	----/35.20A	34.80B/35.20A	----	29.30 - 9.70	.0534	----	----	----	----	415 UNCH
3340	----	----	----/37.80A	38.30B/37.80A	----	31.90 - 10.40	.0578	----	----	----	----	9 UNCH
3360	----	----	----/39.00A	40.20B/39.00A	----	33.30 - 10.80	.0602	----	----	----	----	1 UNCH
3380	----	----	----/38.70A	42.10B/38.70A	----	34.60 - 11.30	.0624	----	----	----	----	1 UNCH
3390	----	----	----/39.10A	43.10B/39.10A	----	35.20 - 11.60	.0635	----	----	----	----	4 UNCH
3400	----	----	----/40.00A	44.10B/40.00A	----	35.90 - 11.90	.0647	----	----	----	----	150 UNCH
3480	----	----	----/45.70A	52.70B/45.70A	----	41.00 - 14.80	.0739	----	----	----	----	12 UNCH
3500	----	----	----/47.80A	55.20B/47.80A	----	42.30 - 15.70	.0763	----	----	----	----	10 UNCH
3520	----	----	----/49.30A	57.70B/49.30A	----	43.70 - 16.60	.0789	----	----	----	----	12 UNCH
3550	----	----	----/51.90A	61.70B/51.90A	----	46.00 - 17.90	.0830	----	----	----	----	25 UNCH
3600	----	----	----/58.30A	68.60B/58.30A	----	50.50 - 19.90	.0906	----	----	----	----	177 UNCH
3615	----	----	----/59.90A	70.80B/59.90A	----	52.10 - 20.30	.0932	----	----	----	----	1 UNCH
3700	----	----	----/69.30A	84.10B/69.30A	----	62.60 - 22.80	.1094	----	----	----	----	140 UNCH
3750	----	----	----/75.40A	93.20B/75.40A	----	69.90 - 24.10	.1202	----	----	----	----	19 UNCH
3785	----	----	----/79.90A	99.60B/79.90A	----	75.30 - 25.20	.1281	----	----	----	----	1 UNCH
3800	----	----	----/81.90A	102.60B/81.90A	----	77.70 - 25.60	.1316	----	----	----	----	19 UNCH
3805	----	----	----/82.50A	103.90B/82.50A	----	78.50 - 25.80	.1327	----	----	----	----	1 UNCH
3865	----	----	116.60B/91.00A	116.60B/91.00A	----	88.60 - 27.80	.1471	----	----	----	----	2 UNCH
3875	----	----	----/92.50A	118.50B/92.50A	----	90.40 - 28.10	.1496	----	----	----	----	12 UNCH
3885	----	----	120.90B/94.20A	120.90B/94.20A	----	92.20 - 28.50	.1522	----	----	----	----	5 UNCH
3890	----	----	122.10B/94.90A	122.10B/94.90A	----	93.10 - 28.70	.1534	----	----	----	----	2 UNCH
3895	----	----	123.10B/95.80A	123.10B/95.80A	----	94.00 - 28.90	.1547	----	----	----	----	2 UNCH
3900	----	----	124.50B/96.40A	124.50B/96.40A	----	94.90 - 29.10	.1560	----	----	----	----	22 UNCH
3920	----	----	129.10B/100.60A	129.10B/100.60A	----	98.50 - 29.90	.1611	----	----	----	----	28 UNCH
3940	----	----	134.10B/104.30A	134.10B/104.30A	----	102.30 - 30.80	.1663	----	----	----	----	65 UNCH
3950	----	----	136.10B/106.30A	136.10B/106.30A	----	104.30 - 31.10	.1690	----	----	----	----	2 UNCH
3975	----	----	142.40B/111.20A	142.40B/111.20A	----	109.20 - 32.20	.1758	----	----	----	----	5 UNCH
4000	----	----	149.50B/116.20A	149.50B/116.20A	----	114.30 - 33.40	.1827	----	----	----	50	405 + 50
4050	----	----	163.40B/126.90A	163.40B/126.90A	----	125.20 - 35.60	.1972	----	----	----	----	5 UNCH
4070	----	----	169.20B/131.40A	169.20B/131.40A	----	129.80 - 36.50	.2032	----	----	----	----	24 UNCH
4075	----	----	170.60B/132.60A	170.60B/132.60A	----	130.90 - 36.80	.2047	----	----	----	----	1 UNCH
4100	----	----	178.20B/137.00A	178.20B/137.00A	----	136.90 - 37.90	.2124	----	----	----	----	314 UNCH
4130	----	----	186.90B/144.20A	186.90B/144.20A	----	144.40 - 39.30	.2218	----	----	----	----	1 UNCH
4150	----	----	194.00B/150.60A	194.00B/150.60A	----	149.50 - 40.30	.2283	----	----	----	----	5 UNCH
4200	----	----	210.40B/164.00A	210.40B/164.00A	----	163.00 - 42.80	.2448	----	----	----	----	119 UNCH
4220	----	----	217.70B/169.60A	217.70B/169.60A	----	168.70 - 43.80	.2517	----	----	----	----	5 UNCH
4235	----	----	223.00B/173.60A	223.00B/173.60A	----	173.10 - 44.50	.2568	----	----	----	----	1 UNCH
4250	----	----	228.80B/178.00A	228.80B/178.00A	----	177.60 - 45.20	.2621	----	----	----	----	57 UNCH
4265	----	----	233.70B/182.50A	233.70B/182.50A	----	182.10 - 46.10	.2674	----	----	----	----	200 UNCH
4270	----	----	236.20B/184.00A	236.20B/184.00A	----	183.70 - 46.30	.2692	----	----	----	----	226 UNCH
4300	----	----	247.70B/193.20A	247.70B/193.20A	----	193.10 - 47.90	.2800	----	----	----	----	476 UNCH
4355	----	----	269.90B/211.10A	269.90B/211.10A	----	211.40 - 51.00	.3003	----	----	----	----	11 UNCH
4375	----	----	277.90B/218.00A	277.90B/218.00A	----	218.40 - 52.10	.3078	----	----	----	----	10 UNCH
4400	----	----	289.10B/226.90A	289.10B/226.90A	----	227.40 - 53.50	.3174	----	----	----	----	301 UNCH
4430	----	----	301.50B/237.40A	301.50B/237.40A	----	238.50 - 55.30	.3290	----	----	----	----	3 UNCH
4450	----	----	311.50B/244.80A	311.50B/244.80A	----	246.20 - 56.50	.3369	----	----	----	----	26 UNCH
4500	----	----	335.10B/264.20A	335.10B/264.20A	----	266.10 - 59.50	.3567	----	----	----	----	56 UNCH
4600	----	----	385.70B/306.40A	385.70B/306.40A	----	309.50 - 65.60	.3974	----	----	----	----	350 UNCH
4610	----	----	391.00B/311.00A	391.00B/311.00A	----	314.10 - 66.30	.4015	----	----	----	----	5 UNCH
4675	----	----	426.70B/341.10A	426.70B/341.10A	----	345.10 - 70.30	.4285	----	----	----	----	1 UNCH
4700	----	----	440.90B/353.30A	440.90B/353.30A	----	357.60 - 71.80	.4388	----	----	----	----	64 UNCH
4750	----	----	470.20B/378.40A	470.20B/378.40A	----	383.40 - 74.90	.4596	----	----	----	----	174 UNCH
4800	----	----	500.60B/404.70A	500.60B/404.70A	----	410.50 - 77.80	.4802	----	----	----	----	126 UNCH
4845	----	----	528.90B/429.40A	528.90B/429.40A	----	435.80 - 80.50	.4986	----	----	----	----	17 UNCH
4850	----	----	530.80B/432.10A	530.80B/432.10A	----	438.70 - 80.80	.5007	----	----	50	----	52 + 50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4875	----	----	546.60B/446.00A	546.60B/446.00A	----	453.20 - 82.20	.5108	----	----	----	----	1 UNCH
4900	----	----	563.00B/460.40A	563.00B/460.40A	----	468.00 - 83.60	.5208	----	----	----	----	110 UNCH
4910	----	----	571.20B/466.60A	571.20B/466.60A	----	474.00 - 84.20	.5248	----	----	----	----	1 UNCH
4920	----	----	576.20B/472.30A	576.20B/472.30A	----	480.10 - 84.60	.5288	----	----	----	----	1 UNCH
4925	----	----	580.30B/475.20A	580.30B/475.20A	----	483.10 - 84.90	.5307	----	----	----	----	25 UNCH
4980	----	----	618.40B/508.30A	618.40B/508.30A	----	517.30 - 87.60	.5523	----	----	----	----	1 UNCH
5000	----	----	631.10B/520.80A	631.10B/520.80A	----	530.00 - 88.50	.5600	----	----	----	----	47 UNCH
5010	----	----	639.40B/527.30A	639.40B/527.30A	----	536.40 - 89.00	.5639	----	----	----	----	1 UNCH
5050	----	----	----/552.70A	650.40B/552.70A	----	562.40 - 90.70	.5790	----	----	----	----	25 UNCH
5200	----	----	----/653.70A	724.80B/653.70A	----	666.00 - 95.90	.6327	----	----	----	----	100 UNCH
5230	----	----	----/674.80A	747.10B/674.80A	----	687.80 - 96.80	.6428	----	----	----	----	2 UNCH
5250	----	----	----/688.90A	762.20B/688.90A	----	702.60 - 97.40	.6493	----	----	----	----	75 UNCH
5300	----	----	----/725.60A	800.40B/725.60A	----	740.10 - 98.90	.6652	----	----	----	----	6 UNCH
5425	----	----	----/819.90A	#870.70B/819.90A	----	836.80 - 02.80	.7026	----	----	----	----	1 UNCH
5455	----	----	----/842.90A	862.40B/842.90A	----	860.40 - 03.90	.7111	----	----	----	----	40 UNCH
5600	----	----	----	797.00B/1168.40A	----	977.10 - 09.10	.7500	----	----	----	----	1 UNCH
5700	----	----	----	886.60B/1250.40A	----	1060.80 - 11.60	.7737	----	----	----	----	1 UNCH
TOTAL										50	50	5039 + 100
NOV26												
2750	----	----	----	4.10B/19.00A	----	12.60 - 1.70	.0213	----	----	----	----	1 UNCH
2800	----	----	----	5.30B/20.40A	----	13.90 - 1.90	.0235	----	----	----	----	8 UNCH
2900	----	----	----/14.50A	8.20B/14.50A	----	16.70 - 3.00	.0283	----	----	----	----	1 UNCH
3000	----	----	----	11.90B/27.70A	----	20.00 - 4.40	.0340	----	----	----	----	95 UNCH
3120	----	----	----	17.70B/33.20A	----	24.80 - 6.40	.0421	----	----	----	----	10 UNCH
3180	----	----	----	32.30B/36.50A	----	27.60 - 7.50	.0468	----	----	----	----	10 UNCH
3200	----	----	----	33.90B/37.60A	----	28.60 - 8.00	.0485	----	----	----	----	93 UNCH
3215	----	----	----	35.10B/38.50A	----	29.40 - 8.30	.0498	----	----	----	----	1 UNCH
3220	----	----	----	35.50B/38.90A	----	29.70 - 8.30	.0503	----	----	----	----	1 UNCH
3225	----	----	----	35.80B/39.10A	----	29.90 - 8.50	.0507	----	----	----	----	1 UNCH
3235	----	----	----	36.70B/39.70A	----	30.50 - 8.70	.0516	----	----	----	----	2 UNCH
3250	----	----	----	38.00B/40.60A	----	31.30 - 9.00	.0530	----	----	----	----	18 UNCH
3255	----	----	----	38.40B/41.00A	----	31.60 - 9.10	.0535	----	----	----	----	18 UNCH
3300	----	----	----/42.30A	42.50B/42.30A	----	34.30 - 10.20	.0579	----	----	----	----	18 UNCH
3310	----	----	----/42.20A	43.40B/42.20A	----	35.00 - 10.30	.0590	----	----	----	----	1 UNCH
3320	----	----	----/42.60A	44.40B/42.60A	----	35.60 - 10.60	.0600	----	----	----	----	16 UNCH
3350	----	----	----/43.50A	47.40B/43.50A	----	37.70 - 11.30	.0633	----	----	----	----	180 UNCH
3455	----	----	----/52.70A	59.10B/52.70A	----	46.00 - 13.80	.0763	----	----	----	----	1 UNCH
3475	----	----	----/54.70A	61.70B/54.70A	----	47.70 - 14.40	.0790	----	----	----	----	1 UNCH
3535	----	----	69.70B/60.50A	69.70B/60.50A	----	53.60 - 15.90	.0878	----	----	----	----	1 UNCH
3690	----	----	94.40B/79.30A	94.40B/79.30A	----	72.20 - 20.20	.1146	----	----	----	----	1 UNCH
3725	----	----	100.80B/84.10A	100.80B/84.10A	----	77.20 - 21.20	.1215	----	----	----	----	1 UNCH
3740	----	----	103.70B/86.30A	103.70B/86.30A	----	79.50 - 21.60	.1246	----	----	----	----	20 UNCH
3750	----	----	105.60B/87.60A	105.60B/87.60A	----	81.00 - 21.90	.1267	----	----	----	----	150 UNCH
3780	----	----	111.80B/91.60A	111.80B/91.60A	----	85.70 - 22.80	.1330	----	----	----	----	1 UNCH
3795	----	----	114.90B/93.70A	114.90B/93.70A	----	88.20 - 23.20	.1363	----	----	1	----	0 - 1
3800	----	----	116.10B/94.40A	116.10B/94.40A	----	89.00 - 23.40	.1374	----	----	----	----	25 UNCH
3820	----	----	120.40B/97.40A	120.40B/97.40A	----	92.40 - 24.00	.1419	----	----	----	----	20 UNCH
3875	----	----	132.90B/103.10A	132.90B/103.10A	----	102.30 - 25.80	.1547	----	----	----	----	24 UNCH
4000	----	----	164.80B/127.40A	164.80B/127.40A	----	128.20 - 30.20	.1868	----	----	----	----	1 UNCH
4100	----	----	194.40B/150.30A	194.40B/150.30A	----	152.50 - 34.10	.2152	----	----	----	----	1 UNCH
4160	----	----	213.90B/165.60A	213.90B/165.60A	----	168.60 - 36.80	.2333	----	----	----	----	1 UNCH
4170	----	----	217.10B/168.30A	217.10B/168.30A	----	171.50 - 37.20	.2364	----	----	----	----	1 UNCH
4200	----	----	227.70B/176.50A	227.70B/176.50A	----	180.10 - 38.60	.2458	----	----	----	----	4 UNCH
4205	----	----	229.50B/177.90A	229.50B/177.90A	----	181.60 - 38.90	.2474	----	----	----	----	1 UNCH
4215	----	----	232.90B/180.80A	232.90B/180.80A	----	184.50 - 39.40	.2506	----	----	----	----	5 UNCH
4275	----	----	255.30B/198.50A	255.30B/198.50A	----	203.10 - 42.40	.2701	----	----	----	----	3 UNCH
4320	----	----	273.00B/212.80A	273.00B/212.80A	----	217.90 - 44.70	.2852	----	----	----	----	43 UNCH
4350	----	----	285.30B/222.70A	285.30B/222.70A	----	228.20 - 46.30	.2955	----	----	----	----	3 UNCH
4400	----	----	306.50B/240.10A	306.50B/240.10A	----	246.20 - 49.00	.3130	----	----	----	----	3 UNCH
4425	----	----	317.60B/249.10A	317.60B/249.10A	----	255.60 - 50.40	.3219	----	----	----	----	72 UNCH
4500	----	----	351.70B/277.80A	351.70B/277.80A	----	285.10 - 54.70	.3490	----	----	----	----	40 UNCH
4580	----	----	391.90B/311.80A	391.90B/311.80A	----	319.20 - 59.30	.3786	----	----	----	----	10 UNCH
4640	----	----	423.50B/342.50A	423.50B/342.50A	----	346.60 - 62.60	.4011	----	----	----	----	90 UNCH
4725	----	----	470.70B/383.00A	470.70B/383.00A	----	387.90 - 67.40	.4334	----	----	----	----	2 UNCH
4840	----	----	537.80B/442.60A	537.80B/442.60A	----	448.80 - 73.50	.4769	----	----	----	----	2 UNCH
4900	----	----	576.60B/476.00A	576.60B/476.00A	----	482.70 - 76.60	.4993	----	----	----	----	2 UNCH
4915	----	----	585.50B/484.50A	585.50B/484.50A	----	491.40 - 77.30	.5048	----	----	----	----	3 UNCH
4950	----	----	608.40B/505.00A	608.40B/505.00A	----	512.20 - 78.90	.5177	----	----	----	----	11 UNCH
4960	----	----	616.30B/510.90A	616.30B/510.90A	----	518.20 - 79.40	.5213	----	----	----	----	2 UNCH
5000	----	----	642.40B/534.70A	642.40B/534.70A	----	542.70 - 81.10	.5357	----	----	----	----	253 UNCH
5055	----	----	680.30B/568.50A	680.30B/568.50A	----	577.40 - 83.40	.5552	----	----	----	----	8 UNCH
5200	----	----	----/663.70A	730.00B/663.70A	----	674.60 - 88.80	.6041	----	----	----	----	81 UNCH
5395	----	----	----/802.40A	871.80B/802.40A	----	817.00 - 94.90	.6631	----	----	----	----	6 UNCH
5400	----	----	----/806.10A	875.70B/806.10A	----	820.80 - 95.00	.6645	----	----	----	----	6 UNCH
5760	----	----	----	897.00B/1318.20A	----	1108.40 - 06.50	.7543	----	----	----	----	1 UNCH
5975	----	----	----	1092.30B/1499.00A	----	1291.70 - 12.30	.7970	----	----	----	----	1 UNCH
6000	----	----	----	1115.40B/1520.50A	----	1313.60 - 12.70	.8014	----	----	----	----	1 UNCH
TOTAL										1		1376 - 1
DEC26												
1350	----	----	----	----/1.20A	----	0.20 - 0.20	.0003	----	----	----	----	16 UNCH
1500	----	----	----	0.10B/2.50A	----	0.70 - 0.40	.0011	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/3.40A	----	1.00 - 0.50	.0016	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.40A	----	1.40 - 0.70	.0022	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/29.90A	----	2.00 - 1.00	.0032	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/30.60A	----	2.20 - 1.20	.0035	----	----	----	----	4 UNCH
2000	----	----	----	0.20B/9.80A	----	2.70 - 1.40	.0044	----	----	----	----	2 UNCH
2400	----	----	----	0.60B/14.60A	----	4.60 - 2.60	.0083	----	----	----	----	1 UNCH
2490	----	----	----	0.50B/16.50A	----	5.10 - 2.90	.0094	----	----	----	----	1 UNCH
2750	----	----	----	3.70B/23.10A	----	8.70 - 4.70	.0163	----	----	----	----	1 UNCH
2800	----	----	----	5.30B/19.70A	----	9.70 - 5.20	.0182	----	----	----	----	8 UNCH
2900	----	----	----	8.50B/28.20A	----	12.10 - 6.30	.0226	----	----	----	----	19 UNCH
2925	----	----	----	9.80B/29.20A	----	12.80 - 6.60	.0239	----	----	----	----	300 UNCH
2975	----	----	----	11.90B/31.40A	----	14.30 NEW	.0266	----	----	----	400	400 + 400
3000	----	----	----	13.10B/24.00A	----	15.10 - 7.60	.0280	----	----	----	----	1363 UNCH
3160	----	----	35.40B/----	35.40B/41.50A	----	23.80 - 10.00	.0420	----	----	----	----	2 UNCH
3175	----	----	36.60B/----	36.60B/42.50A	----	24.80 - 10.20	.0436	----	----	----	----	1 UNCH
3190	----	----	37.80B/----	37.80B/43.50A	----	25.80 - 10.40	.0451	----	----	----	----	5 UNCH
3250	----	----	43.30B/----	43.30B/45.70A	----	30.10 - 11.50	.0517	----	----	----	----	15 UNCH
3300	----	----	48.40B/45.80A	48.40B/45.80A	----	34.20 - 12.40	.0578	----	----	----	----	6 UNCH
3400	----	----	59.70B/54.90A	59.70B/54.90A	----	43.50 - 14.30	.0713	----	----	----	100	953 UNCH
3425	----	----	62.70B/57.40A	62.70B/57.40A	----	46.10 - 14.80	.0750	----	----	----	200	350 + 200
3450	----	----	66.20B/60.00A	66.20B/60.00A	----	48.90 - 15.30	.0788	----	----	----	----	201 UNCH
3460	----	----	67.40B/61.10A	67.40B/61.10A	----	50.00 - 15.50	.0804	----	----	----	----	20 UNCH
3475	----	----	69.40B/62.80A	69.40B/62.80A	----	51.70 - 15.80	.0827	----	----	----	----	152 UNCH
3500	56.00	56.00	72.90B/56.00	72.90B/56.00	----	54.70 - 16.40	.0868	----	----	1	----	1456 + 1
3550	----	----	80.70B/71.60A	80.70B/71.60A	----	61.00 - 17.50	.0954	----	----	----	----	18 UNCH
3565	----	----	83.10B/73.50A	83.10B/73.50A	----	63.00 - 17.80	.0980	----	----	----	----	2 UNCH
3590	----	----	87.20B/76.80A	87.20B/76.80A	----	66.40 - 18.40	.1025	----	----	----	----	1 UNCH
3600	----	----	88.60B/78.10A	88.60B/78.10A	----	67.80 - 18.70	.1044	----	----	----	----	353 UNCH
3610	----	----	90.30B/79.50A	90.30B/79.50A	----	69.20 - 19.00	.1062	----	----	----	----	3 UNCH
3650	----	----	97.70B/85.20A	97.70B/85.20A	----	75.20 - 19.90	.1139	----	----	----	----	201 UNCH
3660	----	----	99.50B/86.70A	99.50B/86.70A	----	76.70 - 20.20	.1159	----	----	----	----	5 UNCH
3670	----	----	101.20B/88.10A	101.20B/88.10A	----	78.30 - 20.40	.1179	----	----	----	----	1 UNCH
3690	----	----	105.20B/91.20A	105.20B/91.20A	----	81.50 - 21.00	.1220	----	----	----	----	1 UNCH
3700	----	----	107.20B/92.80A	107.20B/92.80A	----	83.10 - 21.30	.1240	----	----	----	----	29 UNCH
3710	----	----	109.10B/93.80A	109.10B/93.80A	----	84.80 - 21.50	.1261	----	----	----	----	37 UNCH
3720	----	----	111.20B/95.80A	111.20B/95.80A	----	86.50 - 21.80	.1282	----	----	----	----	1 UNCH
3725	----	----	112.20B/96.10A	112.20B/96.10A	----	87.30 - 22.00	.1292	----	----	----	----	6 UNCH
3750	----	----	117.00B/99.70A	117.00B/99.70A	----	91.60 - 22.70	.1346	----	----	8	----	166 UNCH
3760	----	----	119.40B/101.70A	119.40B/101.70A	----	93.40 - 23.00	.1368	----	----	----	----	184 UNCH
3780	----	----	123.80B/104.30A	123.80B/104.30A	----	97.00 - 23.60	.1412	----	----	----	----	1 UNCH
3800	95.00	95.00	128.20B/95.00	128.20B/95.00	----	100.80 - 24.10	.1457	----	----	16	----	77 - 1
3810	----	----	130.20B/108.90A	130.20B/108.90A	----	102.70 - 24.40	.1480	----	----	----	----	56 UNCH
3850	----	----	140.00B/115.90A	140.00B/115.90A	----	110.50 - 25.70	.1573	----	----	----	----	18 UNCH
3880	----	----	146.90B/122.00A	146.90B/122.00A	----	116.70 - 26.70	.1646	----	----	----	----	1 UNCH
3900	----	----	152.40B/125.70A	152.40B/125.70A	----	120.90 - 27.40	.1695	----	----	----	----	805 UNCH
3925	----	----	159.00B/130.90A	159.00B/130.90A	----	126.40 - 28.20	.1758	----	----	----	----	209 UNCH
3930	----	----	159.90B/132.10A	159.90B/132.10A	----	127.50 - 28.40	.1771	----	----	----	----	2 UNCH
3950	126.00	126.00	165.30B/126.00	165.30B/126.00	----	132.00 - 29.10	.1822	----	----	10	----	27 + 2
3980	148.00	148.00	174.00B/132.90	174.00B/132.90	----	139.00 - 30.20	.1900	----	----	14	----	129 + 14
4000	----	----	179.90B/147.50A	179.90B/147.50A	----	143.70 - 31.10	.1953	----	----	----	100	1718 + 89
4025	----	----	186.80B/153.50A	186.80B/153.50A	----	149.90 - 32.00	.2021	----	----	----	----	220 UNCH
4070	----	----	201.00B/164.70A	201.00B/164.70A	----	161.40 - 33.80	.2146	----	----	----	----	5 UNCH
4090	----	----	207.60B/169.80A	207.60B/169.80A	----	166.70 - 34.70	.2202	----	----	----	----	1 UNCH
4100	----	----	210.60B/172.40A	210.60B/172.40A	----	169.40 - 35.10	.2231	----	----	----	----	381 UNCH
4130	----	----	220.60B/180.50A	220.60B/180.50A	----	177.70 - 36.40	.2318	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4160	----	----	230.60B/189.00A	230.60B/189.00A	----	186.30 - 37.80	.2407	----	----	----	----	252 UNCH
4170	----	----	234.50B/191.90A	234.50B/191.90A	----	189.20 - 38.20	.2437	----	----	----	----	2 UNCH
4175	----	----	236.00B/193.30A	236.00B/193.30A	----	190.70 - 38.40	.2452	----	----	----	----	60 UNCH
4200	207.00	207.00	245.50B/200.70A	245.50B/200.70A	----	198.20 - 39.60	.2528	----	----	2	----	684 + 2
4215	233.60	233.60	251.00B/205.20A	251.00B/205.20A	----	202.80 NEW	.2574	----	----	14	----	14 + 14
4250	----	----	263.90B/216.20A	263.90B/216.20A	----	213.90 - 41.90	.2683	----	----	----	----	202 UNCH
4300	----	----	283.80B/232.40A	283.80B/232.40A	----	230.40 - 44.40	.2843	----	----	----	125	1406 + 55
4320	----	----	292.10B/239.20A	292.10B/239.20A	----	237.30 - 45.30	.2908	----	----	----	----	100 UNCH
4325	----	----	294.10B/240.90A	294.10B/240.90A	----	239.00 - 45.60	.2924	----	----	----	----	300 UNCH
4340	257.80	257.80	300.50B/234.50	300.50B/234.50	----	244.30 NEW	.2973	----	----	79	----	79 + 79
4350	----	----	304.50B/249.20A	304.50B/249.20A	----	247.80 - 46.90	.3006	----	----	----	----	101 UNCH
4375	----	----	315.50B/258.10A	315.50B/258.10A	----	256.90 - 48.10	.3089	----	----	----	----	2 UNCH
4385	----	----	319.90B/261.70A	319.90B/261.70A	----	260.60 - 48.60	.3123	----	----	----	----	75 UNCH
4390	292.20	292.20	322.00B/263.60A	322.00B/263.60A	----	262.50 NEW	.3139	----	----	14	----	14 + 14
4400	----	----	326.40B/267.20A	326.40B/267.20A	----	266.20 - 49.40	.3173	----	----	----	----	86 UNCH
4425	----	----	337.70B/276.70A	337.70B/276.70A	----	275.80 - 50.60	.3258	----	----	5	----	9 + 5
4435	295.30	295.30	342.30B/280.40A	342.30B/280.40A	----	279.70 NEW	.3292	----	----	14	----	14 + 14
4450	----	----	348.90B/286.30A	348.90B/286.30A	----	285.60 - 51.90	.3343	----	----	----	----	60 UNCH
4475	----	----	361.00B/296.20A	361.00B/296.20A	----	295.70 - 53.20	.3430	----	----	----	----	8 UNCH
4500	----	----	373.00B/306.50A	373.00B/306.50A	----	306.00 - 54.50	.3517	----	----	6	----	516 + 4
4510	----	----	377.50B/310.60A	377.50B/310.60A	----	310.20 - 55.00	.3552	----	----	----	----	2 UNCH
4515	----	----	380.30B/312.50A	380.30B/312.50A	----	312.30 - 55.20	.3569	----	----	----	----	242 UNCH
4520	----	----	382.70B/314.80A	382.70B/314.80A	----	314.40 - 55.50	.3587	----	----	----	----	25 UNCH
4530	----	----	387.70B/318.80A	387.70B/318.80A	----	318.70 - 56.00	.3622	----	----	----	----	20 UNCH
4535	----	----	389.90B/321.00A	389.90B/321.00A	----	320.90 - 56.20	.3639	----	----	----	----	102 UNCH
4540	----	----	392.70B/323.10A	392.70B/323.10A	----	323.10 - 56.40	.3657	----	----	----	----	1 UNCH
4550	----	----	397.70B/327.40A	397.70B/327.40A	----	327.40 - 57.00	.3692	----	----	----	----	5 UNCH
4580	----	----	413.00B/340.40A	413.00B/340.40A	----	340.80 - 58.50	.3799	----	----	----	----	50 UNCH
4585	----	----	415.70B/342.60A	415.70B/342.60A	----	343.00 - 58.80	.3816	----	----	----	----	325 UNCH
4600	367.00	367.00	423.50B/341.40A	423.50B/341.40A	----	349.90 - 59.50	.3870	----	----	7	----	418 UNCH
4620	----	----	434.00B/358.40A	434.00B/358.40A	----	359.20 - 60.50	.3941	----	----	----	----	50 UNCH
4625	----	----	436.70B/360.70A	436.70B/360.70A	----	361.50 - 60.80	.3959	----	----	5	----	22 UNCH
4640	----	----	444.80B/367.90A	444.80B/367.90A	----	368.60 - 61.50	.4013	----	----	----	----	100 UNCH
4650	----	----	449.90B/372.00A	449.90B/372.00A	----	373.40 - 62.00	.4049	----	----	----	----	106 UNCH
4680	----	----	466.70B/386.70A	466.70B/386.70A	----	388.10 - 63.40	.4156	----	----	----	----	60 UNCH
4700	440.00	440.00	477.90B/396.00A	477.90B/396.00A	----	398.00 - 64.40	.4228	----	----	4	----	522 + 2
4750	423.00	423.00	506.60B/415.00	506.60B/415.00	----	423.60 NEW	.4408	----	----	3	----	3 + 3
4790	----	----	530.10B/441.80A	530.10B/441.80A	----	444.90 - 68.80	.4552	----	----	----	----	60 UNCH
4800	437.00	437.00	536.30B/437.00	536.30B/437.00	----	450.30 - 69.30	.4588	----	----	2	----	152 UNCH
4810	----	----	542.20B/452.20A	542.20B/452.20A	----	455.70 - 69.80	.4623	----	----	----	----	56 UNCH
4815	----	----	543.90B/455.00A	543.90B/455.00A	----	458.50 - 70.00	.4641	----	----	----	----	10 UNCH
4820	----	----	548.40B/457.70A	548.40B/457.70A	----	461.20 - 70.30	.4659	----	----	----	----	20 UNCH
4825	----	----	551.50B/460.40A	551.50B/460.40A	----	464.00 - 70.50	.4676	----	----	----	----	100 UNCH
4850	----	----	566.80B/474.20A	566.80B/474.20A	----	477.90 - 71.80	.4765	----	----	----	----	6 UNCH
4900	----	----	598.30B/501.60A	598.30B/501.60A	----	506.50 - 74.20	.4940	----	----	----	----	11 UNCH
4925	----	----	612.90B/516.20A	612.90B/516.20A	----	521.20 - 75.40	.5027	----	----	----	----	1 UNCH
4950	----	----	629.30B/530.70A	629.30B/530.70A	----	536.10 - 76.70	.5114	----	----	----	----	1 UNCH
4975	----	----	647.20B/545.70A	647.20B/545.70A	----	551.20 - 78.00	.5199	----	----	----	----	43 UNCH
4980	----	----	650.50B/548.50A	650.50B/548.50A	----	554.30 - 78.20	.5216	----	----	----	----	12 UNCH
4995	----	----	660.10B/557.50A	660.10B/557.50A	----	563.50 - 78.90	.5267	----	----	----	----	32 UNCH
5000	----	----	662.50B/560.70A	662.50B/560.70A	----	566.60 - 79.20	.5284	----	----	----	----	392 UNCH
5020	----	----	677.40B/572.90A	677.40B/572.90A	----	579.10 - 80.10	.5351	----	----	----	----	8 UNCH
5025	----	----	679.50B/575.90A	679.50B/575.90A	----	582.20 - 80.40	.5368	----	----	----	----	15 UNCH
5035	----	----	687.60B/582.10A	687.60B/582.10A	----	588.50 - 80.90	.5402	----	----	----	----	8 UNCH
5050	----	----	696.30B/591.40A	696.30B/591.40A	----	598.00 - 81.70	.5451	----	----	----	----	201 UNCH
5070	----	----	710.10B/604.00A	710.10B/604.00A	----	610.80 - 82.70	.5518	----	----	----	----	1 UNCH
5075	----	----	715.00B/607.10A	715.00B/607.10A	----	614.10 - 82.90	.5534	----	----	----	----	100 UNCH
5095	----	----	727.40B/619.60A	727.40B/619.60A	----	627.00 - 84.00	.5599	----	----	----	----	6 UNCH
5100	----	----	731.00B/623.10A	731.00B/623.10A	----	630.30 - 84.20	.5616	----	----	----	----	6 UNCH
5195	----	----	----/685.50A	766.00B/685.50A	----	693.90 - 88.70	.5917	----	----	----	----	5 UNCH
5200	----	----	----/688.90A	770.50B/688.90A	----	697.40 - 88.80	.5933	----	----	----	----	38 UNCH
5250	----	----	----/723.00A	783.40B/723.00A	----	732.10 - 90.90	.6086	----	----	----	----	126 UNCH
5290	----	----	----/750.50A	809.90B/750.50A	----	760.30 - 92.50	.6205	----	----	----	----	1 UNCH
5295	----	----	----/754.00A	813.60B/754.00A	----	763.90 - 92.70	.6220	----	----	----	----	1 UNCH
5360	----	----	----/800.70A	862.70B/800.70A	----	811.00 - 94.70	.6408	----	----	----	----	100 UNCH
5370	----	----	----/805.50A	870.00B/805.50A	----	818.30 - 95.00	.6436	----	----	----	----	20 UNCH
5375	----	----	----/811.20A	874.10B/811.20A	----	822.00 - 95.20	.6450	----	----	----	----	34 UNCH
5400	----	----	----/829.60A	892.90B/829.60A	----	840.50 - 95.80	.6520	----	----	----	----	102 UNCH
5460	----	----	----/874.00A	939.40B/874.00A	----	885.50 - 97.40	.6683	----	----	----	----	200 UNCH
5465	----	----	----/877.80A	943.30B/877.80A	----	889.30 - 97.50	.6696	----	----	----	----	50 UNCH
5480	----	----	----/889.10A	955.40B/889.10A	----	900.70 - 97.90	.6736	----	----	----	----	50 UNCH
5500	----	----	----/904.30A	971.10B/904.30A	----	916.00 - 98.30	.6789	----	----	----	----	31 UNCH
5525	----	----	----/923.60A	991.10B/923.60A	----	935.30 - 98.90	.6853	----	----	----	----	80 UNCH
5600	----	----	----/981.40A	1025.80B/981.40A	----	993.80 - 01.10	.7041	----	----	----	----	252 UNCH
5900	----	----	----	1010.80B/1470.10A	----	1239.60 - 11.90	.7698	----	----	----	----	125 UNCH
6000	----	----	----	1101.70B/1554.60A	----	1325.80 - 13.00	.7878	----	----	----	----	40 UNCH
6500	----	----	----	1567.00B/1996.40A	----	1778.60 - 17.30	.8542	----	----	----	----	4 UNCH
TOTAL										204	925	18900 + 897
JAN27												
2800	----	----	----	5.70B/27.90A	----	10.00 - 4.90	.0183	----	----	----	----	10 UNCH
3000	----	----	----	14.10B/37.80A	----	19.90 - 8.10	.0333	----	----	----	----	3 UNCH
3520	----	----	----/72.80A	76.80B/72.80A	----	62.80 - 22.50	.0931	----	----	----	----	1 UNCH
3800	----	----	----/115.70A	130.30B/115.70A	----	104.30 - 31.10	.1448	----	----	----	----	1 UNCH
3825	----	----	----/119.70A	136.10B/119.70A	----	109.20 - 31.80	.1504	----	----	----	----	1 UNCH
3900	----	----	----/135.00A	154.80B/135.00A	----	124.70 - 34.10	.1678	----	----	----	----	1 UNCH
3980	----	----	----/152.60A	176.70B/152.60A	----	143.10 - 36.60	.1877	----	----	----	----	1 UNCH
4000	----	----	----/157.20A	182.50B/157.20A	----	148.00 - 37.30	.1929	----	----	----	----	1 UNCH
4350	----	----	306.90B/260.10A	306.90B/260.10A	----	253.00 - 52.60	.2939	----	----	----	----	1 UNCH
4400	----	----	328.40B/278.20A	328.40B/278.20A	----	271.40 - 55.00	.3098	----	----	----	----	1 UNCH
4585	----	----	416.00B/352.60A	416.00B/352.60A	----	347.70 - 64.30	.3710	----	----	----	----	1 UNCH
4600	----	----	423.60B/359.20A	423.60B/359.20A	----	354.50 - 65.00	.3761	----	----	----	----	3 UNCH
4630	----	----	446.40B/372.80A	446.40B/372.80A	----	368.20 - 66.60	.3863	----	----	----	----	1 UNCH
4660	----	----	455.10B/386.80A	455.10B/386.80A	----	382.40 - 68.10	.3965	----	----	----	----	4 UNCH
4665	----	----	457.80B/389.00A	457.80B/389.00A	----	384.80 - 68.30	.3982	----	----	----	----	4 UNCH
4760	----	----	509.10B/435.30A	509.10B/435.30A	----	432.00 - 73.00	.4307	----	----	----	----	100 UNCH
4800	----	----	533.80B/455.10A	533.80B/455.10A	----	452.90 - 75.00	.4444	----	----	----	----	6 UNCH
4820	----	----	545.50B/465.60A	545.50B/465.60A	----	463.60 - 75.90	.4513	----	----	----	----	6 UNCH
4860	----	----	569.50B/487.20A	569.50B/487.20A	----	485.40 - 77.90	.4648	----	----	----	----	1 UNCH
4990	----	----	651.30B/561.10A	651.30B/561.10A	----	560.50 - 83.90	.5081	----	----	----	----	1 UNCH
4995	----	----	652.90B/563.60A	652.90B/563.60A	----	563.50 NEW	.5097	----	----	1	----	1 + 1
5000	----	----	657.80B/567.00A	657.80B/567.00A	----	566.50 - 84.30	.5114	----	----	2	----	3 - 2
5050	----	----	690.90B/596.80A	690.90B/596.80A	----	597.20 - 86.50	.5275	----	----	----	----	100 UNCH
5085	----	----	714.50B/618.10A	714.50B/618.10A	----	619.10 NEW	.5387	----	----	4	----	2 + 2
5150	----	----	759.30B/659.40A	759.30B/659.40A	----	661.00 NEW	.5590	----	----	2	----	2 + 2
TOTAL										9		256 + 3
FEB27												
4000	----	----	----	69.00B/316.80A	----	126.70 - 24.30	.1812	----	----	----	----	1 UNCH
4600	----	----	----	187.50B/621.10A	----	322.60 - 48.40	.3736	----	----	----	----	17 UNCH
4650	----	----	----	200.00B/679.10A	----	345.20 - 50.60	.3919	----	----	----	----	1 UNCH
4655	----	----	----	202.50B/682.50A	----	347.50 - 50.90	.3937	----	----	----	----	1 UNCH
4660	----	----	----	196.00B/685.60A	----	349.90 - 51.00	.3955	----	----	----	----	435 UNCH
4665	----	----	----	205.20B/666.70A	----	352.20 - 51.30	.3974	----	----	----	----	3 UNCH
5000	----	----	----	323.40B/955.50A	----	533.50 - 65.80	.5191	----	----	----	----	10 UNCH
5005	----	----	----	326.20B/959.60A	----	536.60 - 66.00	.5208	----	----	----	----	2 UNCH
5100	----	----	----	365.80B/1025.50A	----	597.50 - 69.80	.5529	----	----	----	----	2 UNCH
5150	----	----	----	387.20B/1058.40A	----	631.30 - 71.70	.5690	----	----	----	----	1 UNCH
5175	----	----	----	399.30B/1074.80A	----	648.70 - 72.60	.5768	----	----	----	----	125 UNCH
5200	----	----	----	304.10B/1091.70A	----	666.40 - 73.50	.5845	----	----	----	----	1 UNCH
5355	----	----	----	407.40B/1198.40A	----	784.00 - 78.60	.6270	----	----	----	----	1 UNCH
5520	----	----	----	524.80B/1318.70A	----	921.40 - 82.80	.6632	----	----	----	----	300 UNCH
5530	----	----	----	532.10B/1326.20A	----	929.90 - 83.10	.6652	----	----	----	----	100 UNCH
5550	----	----	----	#547.00B/1341.20A	----	947.20 - 83.50	.6690	----	----	----	----	65 UNCH
5565	----	----	----	558.30B/1352.40A	----	960.10 - 83.90	.6718	----	----	----	----	50 UNCH
TOTAL												1115 0
DEC27												
3700	----	----	----	----	----	37.70 - 9.60	.0699	----	----	----	----	100 UNCH
3715	----	----	----	----	----	39.30 - 10.00	.0724	----	----	----	----	150 UNCH
3820	----	----	----	----	----	52.90 - 12.60	.0922	----	----	----	----	50 UNCH
4130	----	----	----	----	----	122.30 - 22.90	.1734	----	----	----	----	168 UNCH
4500	----	----	----	----	----	274.60 - 37.60	.2937	----	----	----	----	270 UNCH
4630	----	----	----	----	----	342.10 - 42.50	.3348	----	----	----	----	284 UNCH
4860	----	----	----	----	----	476.80 - 50.50	.4035	----	----	----	----	100 UNCH
5000	----	----	----	----	----	568.00 - 55.00	.4420	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1037.10 - 71.50	.5838	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1208.80 - 76.80	.6264	----	----	----	----	200 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	544.30 - 53.80	.4332	----	----	----	----	1 UNCH
5100	----	----	----	----	----	588.40 - 57.30	.4624	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
3400	----	----	1,309.70B/1,127	1309.70B/1127.60A	----	1280.60 + 17.70	.9868	----	----	----	----	1 UNCH
3500	----	----	1,210.80B/1,024	1210.80B/1024.20A	----	1181.70 + 16.50	.9828	----	----	----	----	1 UNCH
3600	----	----	1,112.20B/928.1	1112.20B/928.10A	----	1083.10 + 14.70	.9770	----	----	----	----	10 UNCH
3675	----	----	1,038.70B/856.4	1038.70B/856.40A	----	1009.60 + 13.00	.9715	----	----	----	----	8 UNCH
3685	----	----	1,029.20B/846.9	1029.20B/846.90A	----	999.80 + 12.80	.9707	----	----	----	----	8 UNCH
3700	----	----	1,014.40B/832.8	1014.40B/832.80A	----	985.20 + 12.40	.9695	----	----	----	----	31 UNCH
3720	----	----	994.70B/814.10A	994.70B/814.10A	----	965.60 + 11.80	.9676	----	----	----	----	6 UNCH
3725	----	----	989.90B/809.40A	989.90B/809.40A	----	960.80 + 11.70	.9672	----	----	----	----	8 UNCH
3735	----	----	980.10B/799.90A	980.10B/799.90A	----	951.00 + 11.40	.9661	----	----	----	----	15 UNCH
3750	----	----	965.60B/785.80A	965.60B/785.80A	----	936.40 + 10.90	.9645	----	----	----	----	56 UNCH
3800	----	----	917.10B/739.50A	917.10B/739.50A	----	888.00 + 09.40	.9588	----	----	----	----	44 UNCH
3820	----	----	897.50B/720.90A	897.50B/720.90A	----	868.60 + 08.60	.9564	----	----	----	----	4 UNCH
3840	----	----	878.50B/702.70A	878.50B/702.70A	----	849.40 + 07.90	.9537	----	----	----	----	20 UNCH
3855	----	----	863.50B/689.00A	863.50B/689.00A	----	835.00 + 07.30	.9514	----	----	----	----	2 UNCH
3875	----	----	844.80B/670.60A	844.80B/670.60A	----	815.80 + 06.50	.9484	----	----	----	----	41 UNCH
3890	----	----	829.80B/657.30A	829.80B/657.30A	----	801.40 + 05.80	.9458	----	----	----	----	1 UNCH
3895	----	----	825.60B/652.80A	825.60B/652.80A	----	796.70 + 05.60	.9450	----	----	----	----	9 UNCH
3900	----	----	820.90B/648.30A	820.90B/648.30A	----	791.90 + 05.40	.9443	----	----	----	----	112 UNCH
3950	----	----	772.90B/603.60A	772.90B/603.60A	----	744.40 + 03.10	.9349	----	----	----	----	223 UNCH
3960	----	----	763.70B/594.80A	763.70B/594.80A	----	735.00 + 02.60	.9330	----	----	----	----	16 UNCH
3975	----	----	749.20B/581.40A	749.20B/581.40A	----	720.90 + 01.90	.9297	----	----	----	----	13 UNCH
3980	----	----	744.50B/577.20A	744.50B/577.20A	----	716.20 + 01.60	.9286	----	----	----	----	97 UNCH
3995	----	----	730.40B/564.20A	730.40B/564.20A	----	702.10 + 00.80	.9253	----	----	----	----	62 UNCH
4000	----	----	725.70B/559.80A	725.70B/559.80A	----	697.40 + 00.60	.9242	----	----	----	----	143 UNCH
4005	----	----	721.00B/555.50A	721.00B/555.50A	----	692.70 + 00.30	.9230	----	----	----	----	30 UNCH
4015	----	----	711.60B/546.60A	711.60B/546.60A	----	683.40 + 99.80	.9205	----	----	----	----	5 UNCH
4020	----	----	706.90B/542.50A	706.90B/542.50A	----	678.80 + 99.50	.9194	----	----	----	----	15 UNCH
4025	----	----	702.20B/538.20A	702.20B/538.20A	----	674.10 + 99.20	.9182	----	----	----	----	1 UNCH
4050	----	----	679.00B/516.90A	679.00B/516.90A	----	650.90 + 97.80	.9117	----	----	----	----	176 UNCH
4070	----	----	660.50B/500.00A	660.50B/500.00A	----	632.50 + 96.60	.9060	----	----	----	----	25 UNCH
4075	----	----	655.80B/495.80A	655.80B/495.80A	----	627.90 + 96.30	.9045	----	----	----	----	22 UNCH
4090	----	----	641.80B/483.30A	641.80B/483.30A	----	614.20 + 95.50	.9002	----	----	----	----	1 UNCH
4100	----	----	632.90B/475.00A	632.90B/475.00A	----	605.10 + 94.90	.8970	----	----	----	----	48 UNCH
4105	----	----	628.20B/470.90A	628.20B/470.90A	----	600.50 + 94.50	.8955	----	----	----	----	10 UNCH
4115	----	----	619.00B/462.70A	619.00B/462.70A	----	591.50 + 93.90	.8923	----	----	----	----	4 UNCH
4120	----	----	614.50B/458.60A	614.50B/458.60A	----	586.90 + 93.50	.8906	----	----	----	----	372 UNCH
4125	----	----	609.80B/454.50A	609.80B/454.50A	----	582.40 + 93.20	.8889	----	----	----	----	1 UNCH
4130	----	----	605.50B/450.40A	605.50B/450.40A	----	577.90 + 92.90	.8871	----	----	----	----	11 UNCH
4135	----	----	600.90B/446.40A	600.90B/446.40A	----	573.40 + 92.60	.8854	----	----	----	----	3 UNCH
4145	----	----	591.80B/438.30A	591.80B/438.30A	----	564.40 + 91.90	.8819	----	----	----	----	1 UNCH
4150	----	----	587.40B/434.30A	587.40B/434.30A	----	560.00 + 91.60	.8801	----	----	----	----	255 UNCH
4155	----	----	582.70B/430.30A	582.70B/430.30A	----	555.50 + 91.20	.8783	----	----	----	----	1 UNCH
4165	----	----	573.90B/422.30A	573.90B/422.30A	----	546.60 + 90.60	.8745	----	----	----	----	3 UNCH
4170	----	----	569.50B/418.30A	569.50B/418.30A	----	542.20 + 90.30	.8727	----	----	----	----	24 UNCH
4175	----	----	565.00B/414.40A	565.00B/414.40A	----	537.70 + 89.80	.8707	----	----	----	----	3 UNCH
4180	----	----	560.50B/410.50A	560.50B/410.50A	----	533.30 + 89.50	.8687	----	----	----	----	123 UNCH
4185	----	----	556.00B/406.50A	556.00B/406.50A	----	528.90 + 89.20	.8669	----	----	----	----	3 UNCH
4190	----	----	551.50B/402.60A	551.50B/402.60A	----	524.50 + 88.80	.8648	----	----	----	----	18 UNCH
4200	----	----	543.50B/394.90A	543.50B/394.90A	----	515.70 + 88.00	.8607	----	----	185	----	822 + 178
4205	----	----	538.40B/391.00A	538.40B/391.00A	----	511.30 + 87.60	.8585	----	----	----	----	4 UNCH
4210	----	----	533.90B/387.20A	533.90B/387.20A	----	507.00 + 87.30	.8564	----	----	----	----	23 UNCH
4220	----	----	525.20B/379.50A	525.20B/379.50A	----	498.30 + 86.60	.8521	----	----	----	----	7 UNCH
4240	----	----	507.70B/364.40A	507.70B/364.40A	----	481.00 + 85.00	.8430	----	----	----	----	21 UNCH
4245	----	----	503.20B/360.70A	503.20B/360.70A	----	476.80 + 84.70	.8407	----	----	----	----	2 UNCH
4250	----	----	499.50B/357.00A	499.50B/357.00A	----	472.50 + 84.20	.8384	----	----	----	----	277 UNCH
4255	----	----	494.50B/353.30A	494.50B/353.30A	----	468.20 + 83.80	.8360	----	----	----	----	103 UNCH
4260	----	----	490.40B/349.60A	490.40B/349.60A	----	464.00 + 83.50	.8335	----	----	----	----	8 UNCH
4265	----	----	486.30B/345.90A	486.30B/345.90A	----	459.70 + 83.00	.8311	----	----	----	----	13 UNCH
4270	----	----	481.80B/342.30A	481.80B/342.30A	----	455.50 + 82.60	.8286	----	----	----	----	29 UNCH
4275	----	----	477.50B/338.60A	477.50B/338.60A	----	451.30 + 82.20	.8260	----	----	----	----	14 UNCH
4280	----	----	473.00B/335.00A	473.00B/335.00A	----	447.10 + 81.80	.8234	----	----	----	----	1 UNCH
4285	----	----	468.70B/331.40A	468.70B/331.40A	----	442.90 + 81.30	.8208	----	----	----	----	4 UNCH
4290	----	----	465.10B/327.80A	465.10B/327.80A	----	438.70 + 80.90	.8183	----	----	----	----	44 UNCH
4295	----	----	460.40B/324.30A	460.40B/324.30A	----	434.60 + 80.50	.8156	----	----	----	----	2 UNCH
4300	----	----	457.00B/320.70A	457.00B/320.70A	----	430.40 + 80.00	.8129	----	----	100	----	1174 + 100
4305	----	----	452.00B/317.20A	452.00B/317.20A	----	426.30 + 79.60	.8102	----	----	----	----	2 UNCH
4315	----	----	443.60B/310.20A	443.60B/310.20A	----	418.10 + 78.80	.8046	----	----	----	----	3 UNCH
4325	----	----	436.10B/303.30A	436.10B/303.30A	----	409.90 + 77.90	.7990	----	----	----	----	560 UNCH
4330	----	----	431.40B/299.90A	431.40B/299.90A	----	405.80 + 77.40	.7961	----	----	----	----	26 UNCH
4335	----	----	427.10B/296.50A	427.10B/296.50A	----	401.80 + 77.00	.7933	----	----	----	----	2 UNCH
4340	----	----	423.20B/293.10A	423.20B/293.10A	----	397.70 + 76.50	.7902	----	----	----	----	4 UNCH
4345	----	----	419.00B/289.70A	419.00B/289.70A	----	393.70 + 76.00	.7872	----	----	----	----	2 UNCH
4350	----	----	414.90B/286.40A	414.90B/286.40A	----	389.70 + 75.50	.7843	----	----	----	----	251 UNCH
4355	----	----	410.90B/283.10A	410.90B/283.10A	----	385.70 + 75.10	.7813	----	----	----	----	40 UNCH
4360	----	----	406.50B/279.80A	406.50B/279.80A	----	381.70 + 74.60	.7781	----	----	----	----	349 UNCH
4365	----	----	403.30B/276.50A	403.30B/276.50A	----	377.80 + 74.10	.7750	----	----	----	----	5 UNCH
4370	----	----	398.80B/273.20A	398.80B/273.20A	----	373.80 + 73.60	.7719	----	----	----	----	75 UNCH
4375	----	----	394.70B/270.10A	394.70B/270.10A	----	369.90 + 73.10	.7686	----	----	1	----	34 UNCH
4380	----	----	390.60B/266.80A	390.60B/266.80A	----	366.00 + 72.70	.7654	----	----	----	----	12 UNCH
4385	----	----	386.50B/263.60A	386.50B/263.60A	----	362.10 + 72.20	.7621	----	----	----	----	4 UNCH
4390	----	----	382.70B/260.40A	382.70B/260.40A	----	358.20 + 71.60	.7588	----	----	----	----	10 UNCH
4395	----	----	378.90B/257.20A	378.90B/257.20A	----	354.40 + 71.20	.7555	----	----	----	----	5 UNCH
4400	327.00	327.00	375.40B/254.10A	375.40B/254.10A	----	350.50 + 70.60	.7521	----	----	6	----	1640 UNCH
4405	----	----	372.00B/251.00A	372.00B/251.00A	----	346.70 + 70.20	.7488	----	----	----	----	16 UNCH
4410	----	----	367.30B/247.90A	367.30B/247.90A	----	342.90 + 69.70	.7453	----	----	----	----	44 - 1
4415	----	----	363.30B/244.80A	363.30B/244.80A	----	339.10 + 69.10	.7419	----	----	----	----	35 UNCH
4420	----	----	359.50B/241.80A	359.50B/241.80A	----	335.40 + 68.70	.7384	----	----	----	----	50 UNCH
4425	----	----	355.70B/238.10A	355.70B/238.10A	----	331.60 + 68.10	.7348	----	----	1	----	67 - 1
4430	----	----	351.60B/235.10A	351.60B/235.10A	----	327.90 + 67.60	.7313	----	----	----	----	16 UNCH
4435	----	----	348.00B/232.10A	348.00B/232.10A	----	324.10 + 67.00	.7276	----	----	1	----	6 UNCH
4440	----	----	348.10B/229.20A	348.10B/229.20A	----	320.50 + 66.60	.7240	----	----	----	----	62 UNCH
4445	----	----	341.50B/226.20A	341.50B/226.20A	----	316.80 + 66.00	.7203	----	----	----	----	7 UNCH
4450	291.10	291.10	340.70B/223.30A	340.70B/223.30A	----	313.10 + 65.50	.7166	----	----	2	----	221 - 1
4455	----	----	336.60B/220.40A	336.60B/220.40A	----	309.50 + 65.00	.7129	----	----	----	----	43 UNCH
4460	----	----	332.80B/217.60A	332.80B/217.60A	----	305.90 + 64.40	.7091	----	----	----	----	27 UNCH
4465	----	----	329.30B/214.80A	329.30B/214.80A	----	302.30 + 63.90	.7053	----	----	----	----	20 UNCH
4470	----	----	325.70B/211.90A	325.70B/211.90A	----	298.70 + 63.30	.7015	----	----	----	----	53 UNCH
4475	----	----	321.90B/209.20A	321.90B/209.20A	----	295.10 + 62.70	.6976	----	----	1	----	38 - 1
4480	----	----	318.30B/206.40A	318.30B/206.40A	----	291.60 + 62.20	.6937	----	----	----	----	119 UNCH
4485	----	----	314.80B/203.70A	314.80B/203.70A	----	288.10 + 61.70	.6897	----	----	----	----	23 UNCH
4490	----	----	311.10B/200.90A	311.10B/200.90A	----	284.60 + 61.10	.6858	----	----	----	----	19 UNCH
4495	----	----	307.30B/198.20A	307.30B/198.20A	----	281.10 + 60.50	.6818	----	----	----	----	16 UNCH
4500	262.90	262.90	304.70B/195.60A	304.70B/195.60A	----	277.60 + 59.90	.6778	----	----	78	----	1279 - 63
4505	----	----	300.60B/192.90A	300.60B/192.90A	----	274.20 + 59.40	.6737	----	----	----	----	29 UNCH
4510	----	----	296.90B/190.30A	296.90B/190.30A	----	270.80 + 58.80	.6696	----	----	----	----	46 UNCH
4515	----	----	293.50B/187.70A	293.50B/187.70A	----	267.40 + 58.20	.6654	----	----	----	----	18 UNCH
4520	----	----	290.00B/185.20A	290.00B/185.20A	----	264.00 + 57.60	.6613	----	----	----	----	20 UNCH
4525	----	----	286.70B/182.60A	286.70B/182.60A	----	260.70 + 57.10	.6572	----	----	1	----	27 - 1
4530	----	----	283.20B/180.10A	283.20B/180.10A	----	257.40 + 56.50	.6529	----	----	----	----	47 UNCH
4535	----	----	279.80B/177.60A	279.80B/177.60A	----	254.10 + 55.90	.6487	----	----	----	----	30 UNCH
4540	----	----	276.20B/175.10A	276.20B/175.10A	----	250.80 + 55.30	.6444	----	----	----	----	13 UNCH
4545	----	----	272.80B/172.70A	272.80B/172.70A	----	247.50 + 54.70	.6401	----	----	----	----	4 UNCH
4550	180.00	180.00	270.00B/170.30A	270.00B/170.30A	----	244.30 + 54.10	.6358	----	----	34	----	299 + 19
4555	198.60	198.60	266.50B/167.90A	266.50B/167.90A	----	241.10 + 53.50	.6314	----	----	3	----	31 + 3
4560	195.80	195.80	263.10B/165.50A	263.10B/165.50A	----	237.90 + 52.90	.6271	----	----	5	----	34 + 3
4565	193.00	193.00	259.80B/163.20A	259.80B/163.20A	----	234.70 + 52.30	.6227	----	----	3	----	47 UNCH
4570	190.30	190.30	256.40B/160.90A	256.40B/160.90A	----	231.60 + 51.70	.6182	----	----	4	----	202 + 3
4575	187.60	187.60	253.30B/158.60A	253.30B/158.60A	----	228.50 + 51.10	.6138	----	----	5	----	70 UNCH
4580	184.90	184.90	249.70B/156.30A	249.70B/156.30A	----	225.40 + 50.50	.6093	----	----	4	----	6 + 2
4585	182.20	182.20	247.00B/154.10A	247.00B/154.10A	----	222.30 + 49.90	.6048	----	----	17	----	101 + 15
4590	181.00	181.00	243.60B/151.80A	243.60B/151.80A	----	219.30 + 49.30	.6003	----	----	4	----	135 + 3
4595	199.80	199.80	240.50B/149.60A	240.50B/149.60A	----	216.30 + 48.70	.5958	----	----	11	----	31 + 10
4600	145.90	145.90	239.00/145.90	239.00/145.90	----	213.30 + 48.10	.5912	----	----	163	----	2955 - 8
4605	----	----	234.70B/145.20A	234.70B/145.20A	----	210.30 + 47.50	.5866	----	----	----	----	302 UNCH
4610	174.00	174.00	231.20B/143.20A	231.20B/143.20A	----	207.40 + 46.90	.5820	----	----	13	----	83 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4615	168.00	168.00	228.10B/141.10A	228.10B/141.10A	----	204.50 + 46.30	.5774	----	----	5	----	19 + 1
4620	162.10	162.10	225.20B/139.10A	225.20B/139.10A	----	201.60 + 45.70	.5728	----	----	4	----	21 + 1
4625	----	----	222.20B/136.90A	222.20B/136.90A	----	198.70 + 45.00	.5681	----	----	1	----	29 + 1
4630	175.80	175.80	219.20B/135.00A	219.20B/135.00A	----	195.90 + 44.50	.5635	----	----	4	----	40 UNCH
4635	----	----	216.90B/132.90A	216.90B/132.90A	----	193.10 + 43.90	.5588	----	----	----	----	230 UNCH
4640	161.20	161.20	213.90B/130.90A	213.90B/130.90A	----	190.30 + 43.20	.5541	----	----	48	----	46 + 17
4645	----	----	210.90B/128.80A	210.90B/128.80A	----	187.50 + 42.60	.5494	----	----	----	----	6 UNCH
4650	150.80	150.80	208.00B/126.90A	208.00B/126.90A	----	184.80 + 42.00	.5446	----	----	141	200	554 + 71
4655	----	----	205.20B/125.10A	205.20B/125.10A	----	182.10 + 41.40	.5399	----	----	1	----	30 - 1
4660	----	----	202.40B/123.30A	202.40B/123.30A	----	179.40 + 40.80	.5352	----	----	1	----	123 + 1
4665	162.20	162.20	199.50B/121.50A	199.50B/121.50A	----	176.80 + 40.20	.5304	----	----	13	----	26 + 5
4670	160.10	160.10	196.80B/119.70A	196.80B/119.70A	----	174.10 + 39.60	.5256	----	----	32	----	29 - 10
4675	157.70	157.70	194.00B/117.70A	194.00B/117.70A	----	171.50 + 39.00	.5209	----	----	42	----	79 - 11
4680	----	----	191.30B/115.70A	191.30B/115.70A	----	169.00 + 38.40	.5161	----	----	----	----	162 UNCH
4685	151.30	151.30	188.60B/114.10A	188.60B/114.10A	----	166.40 + 37.80	.5113	----	----	29	----	166 + 15
4690	----	----	185.90B/112.40A	185.90B/112.40A	----	163.90 + 37.20	.5065	----	----	----	----	43 UNCH
4695	149.70	149.70	183.20B/110.80A	183.20B/110.80A	----	161.40 + 36.60	.5017	----	----	1	----	51 UNCH
4700	112.00	112.00	180.60B/109.20A	180.60B/109.20A	----	158.90 + 36.00	.4969	----	----	324	130	2409 - 76
4705	----	----	178.00B/107.30A	178.00B/107.30A	----	156.50 + 35.40	.4921	----	----	----	----	300 UNCH
4710	140.40	140.40	175.40B/105.70A	175.40B/105.70A	----	154.10 + 34.80	.4873	----	----	12	----	218 UNCH
4715	----	----	172.90B/104.20A	172.90B/104.20A	----	151.70 + 34.20	.4825	----	----	----	----	60 UNCH
4720	----	----	170.30B/102.70A	170.30B/102.70A	----	149.30 + 33.60	.4777	----	----	----	----	101 UNCH
4725	----	----	167.80B/101.00A	167.80B/101.00A	----	147.00 + 33.10	.4729	----	----	1	----	140 UNCH
4730	----	----	165.40B/99.40A	165.40B/99.40A	----	144.70 + 32.50	.4681	----	----	----	----	43 UNCH
4735	----	----	162.90B/97.90A	162.90B/97.90A	----	142.40 + 31.90	.4633	----	----	1	----	31 UNCH
4740	----	----	160.50B/96.20A	160.50B/96.20A	----	140.10 + 31.30	.4585	----	----	1	----	136 UNCH
4745	----	----	158.10B/94.80A	158.10B/94.80A	----	137.90 + 30.70	.4537	----	----	----	----	4 UNCH
4750	115.00	115.00	155.70B/93.30A	155.70B/93.30A	----	135.70 + 30.10	.4490	----	----	35	----	1410 - 5
4755	----	----	153.40B/91.80A	153.40B/91.80A	----	133.50 + 29.60	.4442	----	----	1	----	29 + 1
4760	----	----	151.10B/90.30A	151.10B/90.30A	----	131.40 + 29.00	.4394	----	----	----	----	74 UNCH
4765	----	----	148.80B/88.90A	148.80B/88.90A	----	129.30 + 28.50	.4347	----	----	9	----	56 + 4
4770	----	----	146.50B/87.70A	146.50B/87.70A	----	127.20 + 27.90	.4300	----	----	----	----	73 UNCH
4775	126.00	126.00	144.30B/86.20A	144.30B/86.20A	----	125.10 + 27.40	.4252	----	----	2	----	186 - 1
4780	----	----	142.10B/84.80A	142.10B/84.80A	----	123.10 + 26.90	.4205	----	----	----	----	34 - 1
4785	----	----	139.90B/83.60A	139.90B/83.60A	----	121.10 + 26.30	.4158	----	----	----	----	9 UNCH
4790	----	----	137.70B/82.20A	137.70B/82.20A	----	119.10 + 25.80	.4111	----	----	----	----	28 UNCH
4795	----	----	135.60B/80.90A	135.60B/80.90A	----	117.10 + 25.20	.4064	----	----	----	----	13 UNCH
4800	95.00	95.00	133.50B/79.60A	133.50B/79.60A	----	115.20 + 24.70	.4018	----	----	787	----	1872 - 88
4805	----	----	131.30B/78.50A	131.30B/78.50A	----	113.30 + 24.20	.3972	----	----	----	----	18 UNCH
4810	98.00	98.00	129.30B/77.20A	129.30B/77.20A	----	111.40 + 23.70	.3926	----	----	5	----	586 + 5
4815	----	----	127.20B/75.90A	127.20B/75.90A	----	109.50 + 23.10	.3879	----	----	----	----	17 UNCH
4820	82.20	82.20	125.20B/74.60	125.20B/74.60	----	107.70 + 22.70	.3834	----	----	16	----	198 + 3
4825	84.90	84.90	123.30B/73.60A	123.30B/73.60A	----	105.90 + 22.20	.3788	----	----	14	----	142 - 6
4830	----	----	121.30B/72.30A	121.30B/72.30A	----	104.10 + 21.70	.3743	----	----	----	----	41 UNCH
4835	100.50	100.50	119.40B/71.30A	119.40B/71.30A	----	102.30 + 21.10	.3697	----	----	5	----	8 + 3
4840	----	----	117.40B/70.30A	117.40B/70.30A	----	100.60 + 20.70	.3653	----	----	----	----	22 UNCH
4845	----	----	115.50B/69.20A	115.50B/69.20A	----	98.90 + 20.20	.3608	----	----	----	----	18 UNCH
4850	81.00	81.00	113.70B/68.00A	113.70B/68.00A	----	97.20 + 19.70	.3563	----	----	189	----	666 + 76
4855	76.70	76.70	111.80B/67.00A	111.80B/67.00A	----	95.50 + 19.20	.3519	----	----	3	----	15 UNCH
4860	----	----	110.00B/65.90A	110.00B/65.90A	----	93.90 + 18.80	.3475	----	----	----	----	19 UNCH
4865	81.30	81.30	108.20B/64.80A	108.20B/64.80A	----	92.30 + 18.40	.3432	----	----	2	----	62 + 1
4870	----	----	106.50B/63.70A	106.50B/63.70A	----	90.70 + 17.90	.3388	----	----	2	----	27 UNCH
4875	----	----	104.70B/62.70A	104.70B/62.70A	----	89.10 + 17.40	.3345	----	----	28	----	181 + 9
4880	----	----	103.00B/61.90A	103.00B/61.90A	----	87.60 + 17.00	.3302	----	----	1	----	49 UNCH
4885	----	----	101.40B/60.80A	101.40B/60.80A	----	86.10 + 16.60	.3260	----	----	----	----	59 UNCH
4890	----	----	99.60B/59.90A	99.60B/59.90A	----	84.60 + 16.20	.3218	----	----	1	----	17 UNCH
4895	----	----	98.10B/59.20A	98.10B/59.20A	----	83.10 + 15.70	.3175	----	----	----	----	72 UNCH
4900	79.80	79.80	96.50/58.10A	96.50/58.10A	----	81.70 + 15.30	.3134	----	----	470	----	1613 - 9
4905	----	----	94.90B/57.20A	94.90B/57.20A	----	80.30 + 15.00	.3094	----	----	----	----	37 UNCH
4910	80.00	80.00	93.30B/56.20A	93.30B/56.20A	----	78.90 + 14.60	.3053	----	----	2	----	112 - 1
4915	----	----	91.80B/55.50A	91.80B/55.50A	----	77.50 + 14.20	.3012	----	----	----	----	73 UNCH
4920	----	----	90.20B/54.50A	90.20B/54.50A	----	76.10 + 13.70	.2971	----	----	----	----	137 UNCH
4925	----	----	88.70B/53.60A	88.70B/53.60A	----	74.80 + 13.40	.2931	----	----	----	----	359 UNCH
4930	----	----	87.20B/52.60A	87.20B/52.60A	----	73.50 + 13.00	.2892	----	----	----	----	197 UNCH
4935	----	----	85.80B/51.70A	85.80B/51.70A	----	72.20 + 12.60	.2853	----	----	----	----	49 UNCH
4940	----	----	84.30B/50.90A	84.30B/50.90A	----	70.90 + 12.20	.2813	----	----	1	----	27 + 1
4945	----	----	82.90B/50.10A	82.90B/50.10A	----	69.70 + 11.90	.2776	----	----	1	----	33 UNCH
4950	63.00	63.00	82.00/49.00A	82.00/49.00A	----	68.50 + 11.60	.2738	----	----	105	----	781 - 6
4955	----	----	80.20B/48.40A	80.20B/48.40A	----	67.30 + 11.30	.2700	----	----	----	----	8 UNCH
4960	58.50	58.50	78.70B/47.50A	78.70B/47.50A	----	66.10 + 10.90	.2662	----	----	5	----	33 + 3
4965	----	----	77.40B/46.70A	77.40B/46.70A	----	64.90 + 10.60	.2625	----	----	----	----	38 UNCH
4970	----	----	76.20B/46.00A	76.20B/46.00A	----	63.80 + 10.30	.2589	----	----	1	----	4 UNCH
4975	----	----	74.90B/45.10A	74.90B/45.10A	----	62.70 + 10.00	.2553	----	----	20	----	211 - 1
4980	----	----	73.50B/44.40A	73.50B/44.40A	----	61.50 + 9.60	.2516	----	----	5	----	218 - 1
4985	----	----	72.30B/43.70A	72.30B/43.70A	----	60.50 + 9.40	.2482	----	----	----	----	150 UNCH
4990	52.70	52.70	71.10B/42.90A	71.10B/42.90A	----	59.40 + 9.00	.2446	----	----	1	----	42 UNCH
4995	57.90	57.90	69.80B/42.20A	69.80B/42.20A	----	58.40 + 8.80	.2412	----	----	6	----	19 + 3
5000	45.80	45.80	69.00/41.00A	69.00/41.00A	----	57.30 + 8.40	.2376	----	----	1423	----	5731 + 193
5005	----	----	67.50B/40.80A	67.50B/40.80A	----	56.30 + 8.20	.2343	----	----	----	----	18 UNCH
5010	49.30	49.30	66.30B/40.10A	66.30B/40.10A	----	55.30 + 7.90	.2309	----	----	7	----	106 + 3
5015	----	----	65.20B/39.40A	65.20B/39.40A	----	54.40 + 7.70	.2277	----	----	1	----	43 + 1
5020	----	----	64.10B/38.70A	64.10B/38.70A	----	53.40 + 7.40	.2244	----	----	2	----	38 UNCH
5025	----	----	63.00B/38.10A	63.00B/38.10A	----	52.50 + 7.20	.2212	----	----	47	----	199 - 11
5030	----	----	61.90B/37.40A	61.90B/37.40A	----	51.50 + 6.80	.2178	----	----	----	----	150 UNCH
5035	----	----	60.80B/36.80A	60.80B/36.80A	----	50.60 + 6.60	.2147	----	----	----	----	16 UNCH
5040	----	----	59.70B/36.20A	59.70B/36.20A	----	49.80 + 6.50	.2118	----	----	----	----	140 UNCH
5045	49.90	49.90	58.70B/35.60A	58.70B/35.60A	----	48.90 + 6.20	.2086	----	----	5	----	24 + 3
5050	49.00	49.00	57.70B/35.00A	57.70B/35.00A	----	48.00 + 5.90	.2055	----	----	85	----	960 + 2
5055	----	----	56.70B/34.40A	56.70B/34.40A	----	47.20 + 5.70	.2026	----	----	----	----	107 UNCH
5060	----	----	55.70B/33.80A	55.70B/33.80A	----	46.40 + 5.50	.1997	----	----	2	----	89 - 2
5065	----	----	54.80B/33.30A	54.80B/33.30A	----	45.60 + 5.30	.1967	----	----	----	----	18 UNCH
5070	----	----	53.80B/32.70A	53.80B/32.70A	----	44.80 + 5.10	.1938	----	----	----	----	45 UNCH
5075	----	----	52.90B/32.20A	52.90B/32.20A	----	44.00 + 4.90	.1910	----	----	2	----	51 UNCH
5080	42.80	42.80	51.80B/31.70A	51.80B/31.70A	----	43.20 + 4.70	.1881	----	----	1	----	144 UNCH
5085	----	----	50.90B/31.10A	50.90B/31.10A	----	42.50 + 4.50	.1854	----	----	----	----	300 UNCH
5090	----	----	50.20B/30.60A	50.20B/30.60A	----	41.70 + 4.30	.1825	----	----	----	----	210 UNCH
5095	----	----	49.30B/30.10A	49.30B/30.10A	----	41.00 + 4.10	.1799	----	----	----	----	17 UNCH
5100	40.80	40.80	48.50B/29.60A	48.50B/29.60A	----	40.30 + 3.90	.1772	----	----	262	----	1927 + 99
5105	----	----	47.60B/29.30A	47.60B/29.30A	----	39.60 + 3.80	.1746	----	----	----	----	9 UNCH
5110	----	----	46.80B/28.70A	46.80B/28.70A	----	38.90 + 3.60	.1720	----	----	1	----	414 UNCH
5115	----	----	46.00B/28.30A	46.00B/28.30A	----	38.30 + 3.50	.1696	----	----	1	----	20 + 1
5120	----	----	45.20B/27.90A	45.20B/27.90A	----	37.60 + 3.30	.1670	----	----	----	----	19 UNCH
5125	----	----	44.40B/27.30A	44.40B/27.30A	----	37.00 + 3.10	.1646	----	----	----	----	368 UNCH
5130	----	----	43.50B/27.00A	43.50B/27.00A	----	36.30 + 2.90	.1620	----	----	----	----	88 UNCH
5135	32.00	32.00	42.90B/26.40A	42.90B/26.40A	----	35.70 + 2.80	.1596	----	----	161	----	190 + 90
5140	32.00	32.00	42.20B/26.00A	42.20B/26.00A	----	35.10 + 2.60	.1573	----	----	3	----	116 + 3
5145	31.50	31.50	41.30B/25.60A	41.30B/25.60A	----	34.50 + 2.50	.1549	----	----	6	----	43 + 4
5150	32.10	32.10	40.70B/25.20A	40.70B/25.20A	----	33.90 + 2.30	.1526	----	----	105	----	752 + 25
5155	----	----	39.90B/24.90A	39.90B/24.90A	----	33.40 + 2.30	.1505	----	----	----	----	70 UNCH
5160	----	----	39.20B/24.40A	39.20B/24.40A	----	32.80 + 2.10	.1482	----	----	143	----	238 + 135
5165	----	----	38.50B/24.00A	38.50B/24.00A	----	32.30 + 2.00	.1461	----	----	----	----	47 UNCH
5170	28.40	28.40	38.00B/23.60A	38.00B/23.60A	----	31.70 + 1.80	.1438	----	----	2	----	178 + 1
5175	----	----	37.20B/23.30A	37.20B/23.30A	----	31.20 + 1.70	.1417	----	----	2	----	246 + 2
5180	----	----	36.70B/23.00A	36.70B/23.00A	----	30.70 + 1.60	.1397	----	----	1	----	26 + 1
5185	----	----	36.10B/22.60A	36.10B/22.60A	----	30.20 + 1.50	.1376	----	----	----	----	23 UNCH
5190	----	----	35.40B/22.20A	35.40B/22.20A	----	29.70 + 1.40	.1356	----	----	1	----	345 - 1
5195	26.10	26.10	34.80B/21.90A	34.80B/21.90A	----	29.20 + 1.30	.1336	----	----	5	----	20 + 1
5200	32.50	32.50	34.20B/21.60A	34.20B/21.60A	----	28.70 + 1.20	.1315	----	----	855	----	3361 + 191
5205	----	----	33.60B/21.20A	33.60B/21.20A	----	28.20 + 1.00	.1295	----	----	1	----	19 - 1
5210	----	----	33.10B/20.90A	33.10B/20.90A	----	27.70 + 0.90	.1275	----	----	----	----	35 UNCH
5215	----	----	32.50B/20.60A	32.50B/20.60A	----	27.30 + 0.80	.1258	----	----	----	----	42 UNCH
5220	----	----	32.00B/20.20A	32.00B/20.20A	----	26.80 + 0.70	.1237	----	----	3	----	260 + 3
5225	26.90	26.90	31.40B/20.00A	31.40B/20.00A	----	26.40 + 0.60	.1220	----	----	5	----	171 + 5
5230	----	----	30.90B/19.70A	30.90B/19.70A	----	26.00 + 0.60	.1203	----	----	1	----	32 UNCH
5235	----	----	30.40B/19.40A	30.40B/19.40A	----	25.60 + 0.50	.1186	----	----	----	----	67 UNCH
5240	23.00	23.00	29.90B/19.20A	29.90B/19.20A	----	25.10 + 0.30	.1166	----	----	14	----	94 + 9
5245	----	----	29.40B/19.00A	29.40B/19.00A	----	24.70 + 0.20	.1149	----	----	----	----	51 UNCH
5250	20.50	20.50	28.90B/18.70A	28.90B/18.70A	----	24.30 + 0.20	.1132	----	----	178	----	2021 - 122
5255	22.00	22.00	28.40B/18.30A	28.40B/18.30A	----	23.90 + 0.10	.1115	----	----	16	----	7 - 10
5260	19.80	19.80	28.00B/18.00A	28.00B/18.00A	----	23.60 + 0.10	.1101	----	----	12	----	24 + 1
5265	23.40	23.40	27.50B/17.90A	27.50B/17.90A	----	23.20 UNCH	.1084	----	----	2	----	55 + 1
5270	20.40	20.40	27.00B/17.60A	27.00B/17.60A	----	22.80 - 0.10	.1067	----	----	2	----	92 + 1
5275	18.90	18.90	26.50B/17.20A	26.50B/17.20A	----	22.50 - 0.20	.1054	----	----	10	----	198 + 10
5280	----	----	26.10B/17.10A	26.10B/17.10A	----	22.10 - 0.30	.1037	----	----	4	----	272 UNCH
5285	----	----	25.70B/16.70A	25.70B/16.70A	----	21.80 - 0.30	.1023	----	----	----	----	27 UNCH
5290	----	----	25.30B/16.60A	25.30B/16.60A	----	21.40 - 0.40	.1007	----	----	----	----	64 UNCH
5295	19.30	19.30	24.80B/16.30A	24.80B/16.30A	----	21.10 - 0.40	.0993	----	----	23	----	74 + 16

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5300	19.40	19.40	24.40B/16.10A	24.40B/16.10A	----	20.70 - 0.60	.0976	----	----	680	----	2883 - 8
5305	----	----	24.00B/15.90A	24.00B/15.90A	----	20.40 - 0.60	.0963	----	----	----	----	43 UNCH
5310	----	----	23.60B/15.60A	23.60B/15.60A	----	20.10 - 0.70	.0950	----	----	----	----	33 UNCH
5315	----	----	23.30B/15.40A	23.30B/15.40A	----	19.80 - 0.70	.0936	----	----	----	----	28 UNCH
5320	----	----	22.90B/15.20A	22.90B/15.20A	----	19.50 - 0.80	.0923	----	----	82	----	527 + 82
5325	----	----	22.50B/15.00A	22.50B/15.00A	----	19.20 - 0.80	.0909	----	----	30	----	116 UNCH
5330	----	----	22.20B/14.80A	22.20B/14.80A	----	18.90 - 0.90	.0896	----	----	----	----	44 UNCH
5335	15.50	15.50	21.80B/14.60A	21.80B/14.60A	----	18.60 - 0.90	.0883	----	----	239	----	457 + 221
5340	----	----	21.50B/14.40A	21.50B/14.40A	----	18.30 - 1.00	.0870	----	----	----	----	131 UNCH
5345	----	----	21.10B/14.20A	21.10B/14.20A	----	18.00 - 1.10	.0857	----	----	----	----	39 UNCH
5350	16.00	16.00	20.80B/14.00A	20.80B/14.00A	----	17.80 - 1.10	.0847	----	----	83	----	776 + 23
5355	----	----	20.40B/13.80A	20.40B/13.80A	----	17.50 - 1.10	.0834	----	----	----	----	25 UNCH
5360	16.90	16.90	20.10B/13.60A	20.10B/13.60A	----	17.20 - 1.20	.0821	----	----	61	----	105 - 25
5365	----	----	19.80B/13.40A	19.80B/13.40A	----	17.00 - 1.20	.0811	----	----	----	----	20 UNCH
5370	----	----	19.50B/13.10A	19.50B/13.10A	----	16.70 - 1.30	.0798	----	----	----	----	117 UNCH
5375	----	----	19.20B/13.00A	19.20B/13.00A	----	16.50 - 1.30	.0788	----	----	90	----	366 - 70
5380	----	----	18.90B/12.90A	18.90B/12.90A	----	16.20 - 1.40	.0775	----	----	----	----	56 UNCH
5385	18.30	18.30	18.60B/12.70A	18.60B/12.70A	----	16.00 - 1.40	.0765	----	----	1	----	99 UNCH
5390	13.90	13.90	18.30B/12.50A	18.30B/12.50A	----	15.80 - 1.40	.0756	----	----	2	----	87 + 2
5395	13.80	13.80	18.00B/12.30A	18.00B/12.30A	----	15.50 - 1.50	.0743	----	----	3	----	34 + 3
5400	15.80	15.80	17.80B/12.20A	17.80B/12.20A	----	15.30 - 1.50	.0733	----	----	143	----	1877 + 11
5405	----	----	17.50B/12.00A	17.50B/12.00A	----	15.10 - 1.50	.0724	----	----	----	----	30 UNCH
5410	----	----	17.20B/11.80A	17.20B/11.80A	----	14.90 - 1.50	.0714	----	----	----	----	135 UNCH
5415	16.70	16.70	17.00B/11.70A	17.00B/11.70A	----	14.60 - 1.70	.0702	----	----	1	----	34 + 1
5420	----	----	16.70B/11.50A	16.70B/11.50A	----	14.40 - 1.70	.0692	----	----	----	----	131 UNCH
5425	----	----	16.40B/11.40A	16.40B/11.40A	----	14.20 - 1.70	.0683	----	----	----	----	108 UNCH
5430	----	----	16.20B/11.30A	16.20B/11.30A	----	14.00 - 1.70	.0674	----	----	----	----	14 UNCH
5435	----	----	15.90B/11.00A	15.90B/11.00A	----	13.80 - 1.70	.0664	----	----	----	----	4 UNCH
5440	----	----	15.70B/11.00A	15.70B/11.00A	----	13.60 - 1.80	.0655	----	----	----	----	56 UNCH
5445	----	----	15.50B/10.80A	15.50B/10.80A	----	13.40 - 1.80	.0646	----	----	----	----	113 UNCH
5450	10.80	10.80	15.20B/10.40	15.20B/10.40	----	13.30 - 1.70	.0640	----	----	31	----	426 - 10
5455	----	----	15.00B/10.50A	15.00B/10.50A	----	13.10 - 1.80	.0631	----	----	----	----	153 UNCH
5460	10.00	10.00	14.80B/10.00	14.80B/10.00	----	12.90 - 1.80	.0622	----	----	3	----	34 - 3
5465	----	----	----/10.30A	14.60B/10.30A	----	12.70 - 1.90	.0612	----	----	----	----	40 UNCH
5470	----	----	----/10.10A	14.40B/10.10A	----	12.50 - 1.90	.0603	----	----	143	----	204 + 133
5475	----	----	----/10.00A	14.20B/10.00A	----	12.40 - 1.90	.0598	----	----	30	----	33 - 4
5480	----	----	----/9.90A	13.90B/9.90A	----	12.20 - 1.90	.0589	----	----	2	----	25 + 2
5485	----	----	----/9.80A	13.70B/9.80A	----	12.00 - 2.00	.0580	----	----	----	----	40 UNCH
5490	11.20	11.20	13.50B/9.70A	13.50B/9.70A	----	11.90 - 1.90	.0574	----	----	1	----	35 + 1
5495	----	----	----/9.50A	13.30B/9.50A	----	11.70 - 2.00	.0565	----	----	----	----	52 UNCH
5500	12.00	12.00	13.10B/9.00	13.10B/9.00	----	11.50 - 2.00	.0556	----	----	1027	----	4562 - 472
5505	10.70	10.70	13.00B/9.30A	13.00B/9.30A	----	11.40 - 2.00	.0551	----	----	23	----	91 + 18
5510	----	----	----/9.20A	12.80B/9.20A	----	11.20 - 2.10	.0542	----	----	----	----	45 UNCH
5515	10.50	10.50	12.60B/9.10A	12.60B/9.10A	----	11.10 - 2.00	.0536	----	----	1	----	13 + 1
5520	----	----	----/9.00A	12.40B/9.00A	----	10.90 - 2.10	.0527	----	----	----	----	234 UNCH
5525	10.70	10.70	12.20B/8.90A	12.20B/8.90A	----	10.80 - 2.10	.0522	----	----	29	----	73 + 16
5530	10.10	10.10	12.10B/8.70A	12.10B/8.70A	----	10.70 - 2.00	.0517	----	----	15	----	70 + 15
5535	----	----	----/8.60A	11.90B/8.60A	----	10.50 - 2.10	.0508	----	----	----	----	14 UNCH
5540	10.50	10.50	11.70B/8.50A	11.70B/8.50A	----	10.40 - 2.10	.0503	----	----	3	----	29 + 1
5545	9.80	9.80	11.60B/8.40A	11.60B/8.40A	----	10.20 - 2.20	.0494	----	----	5	----	6 + 4
5550	9.80	9.80	11.40B/8.30A	11.40B/8.30A	----	10.10 - 2.10	.0489	----	----	10	----	839 + 8
5555	9.60	9.60	11.30B/8.20A	11.30B/8.20A	----	10.00 - 2.10	.0483	----	----	10	----	18 + 10
5560	9.50	9.50	11.10B/8.10A	11.10B/8.10A	----	9.90 - 2.10	.0478	----	----	9	----	30 + 2
5565	9.10	9.10	10.90B/8.00A	10.90B/8.00A	----	9.70 - 2.20	.0470	----	----	14	----	46 + 12
5570	----	----	----/7.90A	10.80B/7.90A	----	9.60 - 2.20	.0464	----	----	----	----	558 UNCH
5575	9.70	9.70	9.70/7.80A	10.60B/7.80A	----	9.50 - 2.10	.0459	----	----	296	----	238 - 131
5580	10.00	10.00	10.50B/7.70A	10.50B/7.70A	----	9.40 - 2.10	.0454	----	----	13	----	126 + 5
5585	----	----	----/7.60A	10.40B/7.60A	----	9.30 - 2.10	.0449	----	----	----	----	20 UNCH
5590	----	----	----/7.50A	10.20B/7.50A	----	9.10 - 2.20	.0440	----	----	----	----	96 UNCH
5595	8.50	8.50	10.10B/7.40A	10.10B/7.40A	----	9.00 - 2.20	.0435	----	----	1	----	12 UNCH
5600	9.30	9.30	10.00/7.30A	10.00/7.30A	----	8.90 - 2.20	.0430	----	----	283	----	2741 - 87
5610	8.60	8.60	9.70B/7.20A	9.70B/7.20A	----	8.70 - 2.20	.0420	----	----	4	----	107 + 2
5620	----	----	----/7.00A	9.40B/7.00A	----	8.50 - 2.20	.0410	----	----	----	----	138 UNCH
5625	7.70	7.70	9.30B/6.90A	9.30B/6.90A	----	8.40 - 2.20	.0406	----	----	13	----	269 + 13
5630	----	----	----/6.80A	9.20B/6.80A	----	8.30 - 2.20	.0401	----	----	----	----	120 UNCH
5640	8.40	8.40	8.90B/6.70A	8.90B/6.70A	----	8.10 - 2.20	.0391	----	----	2	----	553 UNCH
5650	9.40	9.40	9.40/6.50A	9.40/6.50A	----	7.90 - 2.20	.0381	----	----	79	----	719 - 28
5660	----	----	----/6.40A	8.50B/6.40A	----	7.70 - 2.20	.0372	----	----	----	----	262 UNCH
5670	----	----	----/6.20A	8.30B/6.20A	----	7.50 - 2.20	.0362	----	----	----	----	41 UNCH
5675	----	----	----/6.10A	8.20B/6.10A	----	7.50 - 2.10	.0361	----	----	----	----	5 UNCH
5680	----	----	----/6.10A	8.10B/6.10A	----	7.40 - 2.10	.0356	----	----	----	----	94 UNCH
5690	----	----	----/5.90A	7.90B/5.90A	----	7.20 - 2.10	.0347	----	----	----	----	180 UNCH
5700	5.90	5.90	7.70B/5.80A	7.70B/5.80A	----	7.00 - 2.20	.0337	----	----	103	----	1901 - 7
5710	----	----	----/5.60A	7.50B/5.60A	----	6.90 - 2.10	.0331	----	----	----	----	49 UNCH
5720	8.30	8.30	8.30/5.50A	8.30/5.50A	----	6.70 - 2.10	.0322	----	----	1	----	35 UNCH
5725	----	----	----/5.50A	7.20B/5.50A	----	6.70 - 2.10	.0321	----	----	----	----	432 UNCH
5730	----	----	----/5.40A	7.20B/5.40A	----	6.60 - 2.10	.0317	----	----	----	----	113 UNCH
5740	----	----	----/5.30A	7.00B/5.30A	----	6.40 - 2.10	.0307	----	----	----	----	56 UNCH
5750	5.40	5.40	6.80B/5.20A	6.80B/5.20A	----	6.30 - 2.10	.0302	----	----	23	----	326 - 10
5760	5.90	5.90	6.60B/5.10A	6.60B/5.10A	----	6.20 - 2.00	.0296	----	----	3	----	61 - 1
5770	----	----	----/5.00A	6.50B/5.00A	----	6.00 - 2.10	.0287	----	----	----	----	16 UNCH
5775	----	----	----/4.90A	6.40B/4.90A	----	6.00 - 2.00	.0287	----	----	3	----	69 UNCH
5780	----	----	----/4.90A	6.30B/4.90A	----	5.90 - 2.00	.0282	----	----	----	----	22 UNCH
5790	----	----	----/4.80A	6.20B/4.80A	----	5.80 - 2.00	.0277	----	----	----	----	41 UNCH
5800	5.40	5.40	6.00/4.70A	6.00/4.70A	----	5.70 - 2.00	.0272	----	----	448	----	1127 + 299
5810	----	----	----/4.60A	5.90B/4.60A	----	5.50 - 2.00	.0263	----	----	----	----	36 UNCH
5820	----	----	----/4.50A	5.80B/4.50A	----	5.40 - 2.00	.0257	----	----	----	----	47 UNCH
5825	----	----	----/*4.40A	5.70B/*4.40A	----	5.40 - 1.90	.0257	----	----	3	----	113 UNCH
5830	5.40	5.40	5.60/*4.40A	5.60/*4.40A	----	5.30 - 2.00	.0252	----	----	101	----	139 + 87
5840	----	----	----/*4.30A	5.50B/*4.30A	----	5.20 - 1.90	.0247	----	----	----	----	86 UNCH
5850	5.30	5.30	5.40B/4.20A	5.40B/4.20A	----	5.10 - 1.90	.0242	----	----	4	----	333 + 4
5860	----	----	----/*4.10A	5.30B/*4.10A	----	5.00 - 1.90	.0237	----	----	----	----	68 UNCH
5870	----	----	----/*4.00A	5.10B/*4.00A	----	4.90 - 1.90	.0232	----	----	----	----	17 UNCH
5875	5.10	5.10	5.10/*4.00A	5.10/*4.00A	----	4.90 - 1.80	.0232	----	----	2	----	29 - 2
5880	----	----	----/3.90A	5.00B/3.90A	----	4.80 - 1.90	.0227	----	----	----	----	25 UNCH
5890	----	----	----/*3.90A	4.90B/*3.90A	----	4.70 - 1.90	.0222	----	----	----	----	23 UNCH
5900	4.30	4.30	4.80B/*3.80A	4.80B/*3.80A	----	4.60 - 1.90	.0217	----	----	6	----	855 - 1
5910	----	----	----/*3.70A	4.70B/*3.70A	----	4.50 - 1.80	.0213	----	----	----	----	61 UNCH
5920	4.70	4.70	4.70/*3.70A	4.70/*3.70A	----	4.50 - 1.70	.0211	----	----	6	----	64 UNCH
5930	----	----	----/*3.60A	4.60B/*3.60A	----	4.40 - 1.70	.0207	----	----	----	----	133 UNCH
5940	----	----	----/*3.50A	4.50B/*3.50A	----	4.30 - 1.80	.0202	----	----	----	----	50 UNCH
5950	----	----	----/*3.50A	4.40B/*3.50A	----	4.20 - 1.80	.0197	----	----	1	----	431 UNCH
5960	----	----	----/*3.40A	4.30B/*3.40A	----	4.20 - 1.70	.0196	----	----	----	----	45 UNCH
5970	----	----	----/*3.30A	4.30B/*3.30A	----	4.10 - 1.70	.0191	----	----	----	----	35 UNCH
5980	----	----	----/*3.30A	4.20B/*3.30A	----	4.00 - 1.70	.0187	----	----	----	----	118 UNCH
5990	----	----	----/*3.20A	4.10B/*3.20A	----	3.90 - 1.70	.0182	----	----	----	----	59 UNCH
6000	4.00	4.00	4.00/3.30A	4.00/3.30A	----	3.90 - 1.60	.0181	----	----	19	----	2995 - 1
6025	----	----	----/*3.00A	3.90B/*3.00A	----	3.70 - 1.60	.0172	----	----	----	----	94 UNCH
6050	----	----	----/*2.90A	3.70B/*2.90A	----	3.60 - 1.50	.0166	----	----	----	----	106 UNCH
6075	----	----	----/*2.80A	3.60B/*2.80A	----	3.50 - 1.50	.0160	----	----	----	----	23 UNCH
6100	3.10	3.10	3.40B/2.70A	3.40B/2.70A	----	3.30 - 1.50	.0151	----	----	5	----	606 + 5
6125	----	----	----/*2.60A	3.30B/*2.60A	----	3.20 - 1.40	.0146	----	----	----	----	48 UNCH
6150	----	----	----/*2.50A	3.20B/*2.50A	----	3.10 - 1.40	.0140	----	----	----	----	134 UNCH
6175	----	----	----/*2.50A	3.10B/*2.50A	----	3.00 - 1.30	.0135	----	----	----	----	131 UNCH
6200	----	----	----/*2.40A	3.00B/*2.40A	----	2.90 - 1.30	.0130	----	----	----	----	374 UNCH
6225	2.90	2.90	2.90/*2.40A	2.90/*2.40A	----	2.80 - 1.30	.0125	----	----	1	----	138 UNCH
6250	----	----	----/2.40A	2.80B/2.40A	----	2.70 - 1.20	.0120	----	----	----	----	261 UNCH
6275	----	----	----/2.30A	2.60B/2.30A	----	2.60 - 1.20	.0115	----	----	----	----	32 UNCH
6300	----	----	----/*2.20A	2.60B/*2.20A	----	2.50 - 1.20	.0110	----	----	----	----	253 UNCH
6325	----	----	----/2.20A	2.40B/2.20A	----	2.40 - 1.20	.0106	----	----	----	----	148 UNCH
6350	----	----	----/2.00A	2.40B/2.00A	----	2.30 - 1.10	.0101	----	----	----	----	205 UNCH
6375	----	----	----/2.00A	2.30B/2.00A	----	2.20 - 1.10	.0096	----	----	----	----	9 UNCH
6400	----	----	----/2.00A	2.30B/2.00A	----	2.20 - 1.00	.0096	----	----	----	----	347 UNCH
6425	----	----	----/*1.90A	2.20B/*1.90A	----	2.10 - 1.00	.0091	----	----	----	----	42 UNCH
6450	----	----	----/1.90A	2.10B/1.90A	----	2.00 - 1.00	.0087	----	----	----	----	76 UNCH
6475	----	----	----/*1.70A	2.00B/*1.70A	----	2.00 - 0.90	.0086	----	----	----	----	69 UNCH
6500	1.90	1.90	2.00B/1.80A	2.00B/1.80A	----	1.90 - 0.90	.0081	----	----	3	----	1038 UNCH
6525	----	----	----/*1.60A	1.90B/*1.60A	----	1.80 - 0.90	.0077	----	----	----	----	20 UNCH
6550	----	----	----/*1.70A	1.90B/*1.70A	----	1.80 - 0.90	.0076	----	----	----	----	75 UNCH
6575	----	----	----/*1.70A	1.80B/*1.70A	----	1.70 - 0.90	.0072	----	----	----	----	10 UNCH
6600	2.00	2.00	2.00/1.60A	2.00/1.60A	----	1.70 - 0.80	.0072	----	----	4	----	72 - 2
6625	----	----	----/*1.50A	1.70B/*1.50A	----	1.60 - 0.80	.0067	----	----	----	----	38 UNCH
6650	----	----	----/*1.60A	1.70B/*1.60A	----	1.60 - 0.80	.0067	----	----	----	----	57 UNCH
6675	----	----	----/*1.50A	1.60B/*1.50A	----	1.60 - 0.70	.0066	----	----	----	----	21 UNCH
6700	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 0.70	.0062	----	----	----	----	375 UNCH
6725	1.60	1.60	1.60/1.60	1.60/1.60	----	1.50 - 0.70	.0062	----	----	1	----	101 UNCH
6750	----	----	----/1.40A	1.50B/1.40A	----	1.40 - 0.70	.0058	----	----	----	----	64 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
6775	----	----	----/*1.30A	1.50B/*1.30A	----	1.40 - 0.60	.0057	----	----	----	----	8 UNCH
6800	----	----	----/1.50A	1.50B/1.50A	----	1.40 - 0.60	.0057	----	----	----	----	614 UNCH
6825	----	----	----/1.50A	1.40B/1.50A	----	1.30 - 0.60	.0053	----	----	----	----	8 UNCH
6850	----	----	----/1.50A	1.40B/1.50A	----	1.30 - 0.60	.0053	----	----	----	----	32 UNCH
6875	----	----	----/1.50A	1.30B/1.50A	----	1.30 - 0.50	.0052	----	----	----	----	13 UNCH
6900	----	----	----/1.40A	1.30B/1.40A	----	1.30 - 0.50	.0052	----	----	----	----	553 UNCH
6925	----	----	----/*1.40A	1.20B/1.40A	----	1.20 - 0.50	.0048	----	----	----	----	1 UNCH
6950	----	----	----/1.40A	1.20B/1.40A	----	1.20 - 0.50	.0048	----	----	----	----	33 UNCH
6975	----	----	----/*1.40A	1.20B/1.40A	----	1.20 - 0.40	.0047	----	----	----	----	7 UNCH
7000	1.10	1.10	1.10/1.10	1.10/1.10	----	1.20 - 0.40	.0047	----	----	5	----	821 + 5
7025	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.40	.0043	----	----	----	----	402 UNCH
7050	----	----	----/*1.20A	1.00B/*1.20A	----	1.10 - 0.40	.0043	----	----	----	----	33 UNCH
7075	----	----	----/*1.10A	1.00B/*1.10A	----	1.10 - 0.30	.0043	----	----	----	----	86 UNCH
7100	1.10	1.10	1.10/*1.10	1.10/*1.10	----	1.10 - 0.30	.0042	----	----	2	----	102 + 2
7125	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.40	.0039	----	----	----	----	14 UNCH
7150	----	----	----/*1.00A	0.90B/*1.00A	----	1.00 - 0.30	.0039	----	----	----	----	24 UNCH
7175	----	----	----/*1.10A	0.90B/*1.10A	----	1.00 - 0.30	.0038	----	----	----	----	37 UNCH
7200	----	----	----/1.10A	0.90B/1.10A	----	1.00 - 0.30	.0038	----	----	----	----	97 UNCH
7225	----	----	----/*1.00A	0.80B/*1.00A	----	1.00 - 0.20	.0038	----	----	----	----	6 UNCH
7250	----	----	----/1.00A	0.80B/1.00A	----	1.00 - 0.20	.0038	----	----	----	----	41 UNCH
7275	----	----	----/*1.10A	0.80B/1.10A	----	0.90 - 0.30	.0034	----	----	----	----	15 UNCH
7300	1.10	1.10	1.10/*0.90A	1.10/*0.90A	----	0.90 - 0.30	.0034	----	----	2	----	10 UNCH
7325	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.20	.0034	----	----	----	----	1 UNCH
7350	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.20	.0033	----	----	----	----	1 UNCH
7375	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.20	.0033	----	----	----	----	10 UNCH
7400	----	----	----/*0.90A	0.70B/*0.90A	----	0.90 - 0.10	.0033	----	----	----	----	16 UNCH
7450	----	----	----/*0.80A	0.80B/*0.80A	----	0.80 - 0.20	.0029	----	----	----	----	20 UNCH
7475	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.20	.0029	----	----	----	----	11 UNCH
7500	0.80	0.80	0.80/0.70A	0.80/0.70A	----	0.80 - 0.20	.0029	----	----	2	----	352 + 2
7525	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.10	.0029	----	----	----	----	42 UNCH
7575	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.10	.0029	----	----	----	----	6 UNCH
7600	0.70	0.70	0.70/*0.50	0.70/*0.50	----	0.80 - 0.10	.0028	----	----	3	----	89 UNCH
7625	----	----	----/*0.80A	0.50B/*0.80A	----	0.80 - 0.10	.0028	----	----	----	----	2 UNCH
7650	----	----	----	0.50B/*0.80A	----	0.70 - 0.10	.0025	----	----	----	----	2 UNCH
7675	----	----	----	0.50B/*0.80A	----	0.70 - 0.10	.0025	----	----	----	----	36 UNCH
7700	----	----	----	0.50B/*0.80A	----	0.70 - 0.10	.0025	----	----	----	----	77 UNCH
7725	----	----	----	0.50B/0.80A	----	0.70 - 0.10	.0025	----	----	----	----	1 UNCH
7750	----	----	----/*0.70A	0.50B/*0.70A	----	0.70 - 0.10	.0024	----	----	----	----	20 UNCH
7775	----	----	----	0.40B/0.80A	----	0.70 - 0.10	.0024	----	----	----	----	5 UNCH
7800	----	----	----	0.40B/0.80A	----	0.70 UNCH	.0024	----	----	----	----	23 UNCH
7825	----	----	----	0.40B/0.80A	----	0.70 UNCH	.0024	----	----	----	----	6 UNCH
7850	----	----	----	0.40B/*0.70A	----	0.70 UNCH	.0024	----	----	----	----	6 UNCH
7875	----	----	----	0.30B/*0.70A	----	0.70 UNCH	.0024	----	----	----	----	5 UNCH
7900	----	----	----	0.30B/0.70A	----	0.60 - 0.10	.0021	----	----	----	----	5 UNCH
7950	----	----	----	0.30B/0.70A	----	0.60 - 0.10	.0020	----	----	----	----	39 UNCH
7975	----	----	----	0.30B/0.70A	----	0.60 UNCH	.0020	----	----	----	----	5 UNCH
8000	----	----	----	0.30B/0.70A	----	0.60 UNCH	.0020	----	----	----	----	997 UNCH
8100	----	----	----	0.30B/0.70A	----	0.60 UNCH	.0020	----	----	----	----	54 UNCH
8200	----	----	----	0.30B/0.70A	----	0.50 UNCH	.0017	----	----	----	----	980 UNCH
8300	----	----	----	0.30B/0.60A	----	0.50 UNCH	.0016	----	----	----	----	27 UNCH
8400	----	----	----	0.30B/0.60A	----	0.50 UNCH	.0016	----	----	----	----	1 UNCH
8500	----	----	----	0.30B/0.60A	----	0.50 + 0.10	.0016	----	----	----	----	59 UNCH
8600	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0013	----	----	----	----	1 UNCH
8700	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0012	----	----	----	----	13 UNCH
8800	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0012	----	----	----	----	1 UNCH
8900	----	----	----	0.20B/0.50A	----	0.40 + 0.10	.0012	----	----	----	----	14 UNCH
9000	----	----	----	0.20B/0.50A	----	0.40 + 0.10	.0012	----	----	----	----	311 UNCH
9100	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	2 UNCH
9300	0.50	0.50	0.50/*0.40	0.50/0.40	----	0.30 UNCH	.0009	----	----	2	----	2 - 1
9400	----	----	----	0.20B/0.50A	----	0.30 + 0.10	.0009	----	----	----	----	1 UNCH
9500	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	53 UNCH
9600	----	----	----	0.10B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	7 UNCH
9800	----	----	----	0.10B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	5 UNCH
9900	----	----	----	0.10B/0.40A	----	0.30 + 0.10	.0008	----	----	----	----	31 UNCH
10000	0.20	0.20	0.30/0.20	0.30/0.20	----	0.20 UNCH	.0005	----	----	12	----	663 + 1
15000	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	128 UNCH
TOTAL										10641	330	94041 + 1049
JUN26												
1995	----	----	----	----	----	2683.60 + 21.10	1.0000	----	----	50	----	0 UNCH
2000	----	----	2,704.60B/----	2704.60B/2570.40A	----	2678.60 + 21.10	1.0000	----	----	606	----	412 UNCH
2005	----	----	----	----	----	2673.60 + 21.10	1.0000	----	----	50	----	0 UNCH
2200	----	----	----	----	----	2478.60 NEW	.9994	----	----	48	----	0 UNCH
2300	----	----	----	----	----	2378.60 NEW	.9984	----	----	25	----	0 UNCH
2400	----	----	----	----	----	2278.60 NEW	.9977	----	----	25	----	0 UNCH
2500	----	----	----	----	----	2178.60 + 21.10	.9967	----	----	70	----	0 UNCH
2600	----	----	----	----	----	2078.60 NEW	.9956	----	----	50	----	0 UNCH
2700	----	----	----	----	----	1978.60 + 20.80	.9941	----	----	25	----	0 UNCH
2800	----	----	1,909.50B/----	1909.50B/1767.40A	----	1878.80 + 20.50	.9923	----	----	243	----	500 - 91
3000	----	----	1,710.30B/1,525	1710.30B/1525.40A	----	1679.70 + 19.40	.9879	----	----	----	----	538 UNCH
3100	----	----	1,607.40B/1,427	1607.40B/1427.50A	----	1580.50 + 18.50	.9848	----	----	----	----	8 UNCH
3200	----	----	1,508.40B/1,323	1508.40B/1323.90A	----	1481.60 + 17.30	.9811	----	----	----	----	17 UNCH
3300	----	----	1,416.00B/1,227	1416.00B/1227.60A	----	1383.10 + 15.80	.9765	----	----	----	----	4 UNCH
3310	1331.10	1331.10	1,406.10B/1,218	1406.10B/1218.00A	----	1373.30 NEW	.9759	----	----	1	----	1 + 1
3400	1244.30	1244.30	1,318.00B/1,131	1318.00B/1131.70A	----	1285.10 + 13.90	.9703	----	----	1	----	893 + 1
3500	----	----	1,220.70B/1,037	1220.70B/1037.70A	----	1187.80 + 11.60	.9625	----	----	----	----	58 UNCH
3525	----	----	1,196.30B/1,014	1196.30B/1014.30A	----	1163.70 + 11.10	.9602	----	----	----	----	1 UNCH
3550	----	----	1,172.20B/991.1	1172.20B/991.10A	----	1139.50 + 10.40	.9578	----	----	----	----	1 UNCH
3580	----	----	1,143.40B/963.1	1143.40B/963.10A	----	1110.60 + 09.50	.9547	----	----	----	----	18 UNCH
3585	----	----	1,139.10B/958.5	1139.10B/958.50A	----	1105.80 + 09.30	.9541	----	----	----	----	100 UNCH
3600	----	----	1,124.70B/944.9	1124.70B/944.90A	----	1091.50 + 09.00	.9524	----	----	----	----	214 UNCH
3635	----	----	1,091.20B/912.6	1091.20B/912.60A	----	1058.00 + 07.90	.9481	----	----	----	----	60 UNCH
3650	----	----	1,076.20B/899.1	1076.20B/899.10A	----	1043.70 + 07.40	.9462	----	----	----	----	143 UNCH
3665	----	----	1,062.50B/885.3	1062.50B/885.30A	----	1029.40 + 06.90	.9442	----	----	----	----	3 UNCH
3700	----	----	1,029.10B/853.9	1029.10B/853.90A	----	996.20 + 05.70	.9394	----	----	----	----	395 UNCH
3715	----	----	1,014.90B/840.4	1014.90B/840.40A	----	982.10 + 05.20	.9371	----	----	----	----	25 UNCH
3725	----	----	1,005.60B/831.5	1005.60B/831.50A	----	972.70 + 04.80	.9355	----	----	----	----	212 UNCH
3750	----	----	981.80B/809.20A	981.80B/809.20A	----	949.20 + 03.90	.9314	----	----	----	----	1112 UNCH
3755	----	----	977.10B/804.80A	977.10B/804.80A	----	944.50 + 03.70	.9306	----	----	----	----	15 UNCH
3785	----	----	949.20B/778.30A	949.20B/778.30A	----	916.50 + 02.50	.9254	----	----	----	----	170 UNCH
3790	----	----	944.20B/774.00A	944.20B/774.00A	----	911.80 + 02.30	.9245	----	----	----	----	1 UNCH
3800	----	----	935.20B/765.20A	935.20B/765.20A	----	902.50 + 01.90	.9226	----	----	----	----	545 UNCH
3835	----	----	902.40B/734.80A	902.40B/734.80A	----	870.10 + 00.40	.9159	----	----	----	----	1 UNCH
3840	----	----	898.00B/730.50A	898.00B/730.50A	----	865.50 + 00.20	.9148	----	----	----	----	21 UNCH
3850	----	----	888.80B/721.90A	888.80B/721.90A	----	856.30 + 99.70	.9127	----	----	----	----	322 UNCH
3875	----	----	865.80B/700.40A	865.80B/700.40A	----	833.40 + 98.60	.9073	----	----	----	----	60 UNCH
3895	----	----	847.10B/683.50A	847.10B/683.50A	----	815.20 + 97.70	.9028	----	----	----	----	1 UNCH
3900	----	----	842.70B/679.30A	842.70B/679.30A	----	810.70 + 97.50	.9016	----	----	----	----	364 UNCH
3925	----	----	820.10B/658.30A	820.10B/658.30A	----	788.00 + 96.20	.8955	----	----	----	----	4 UNCH
3950	----	----	797.30B/637.50A	797.30B/637.50A	----	765.60 + 95.00	.8893	----	----	----	----	14 UNCH
3975	----	----	774.80B/617.00A	774.80B/617.00A	----	743.30 + 93.80	.8824	----	----	----	----	106 UNCH
3990	----	----	761.30B/604.80A	761.30B/604.80A	----	730.00 + 93.00	.8783	----	----	----	----	1 UNCH
3995	----	----	756.80B/600.70A	756.80B/600.70A	----	725.50 + 92.60	.8768	----	----	----	----	5 UNCH
4000	----	----	752.50B/596.70A	752.50B/596.70A	----	721.10 + 92.40	.8755	----	----	106	----	861 + 31
4005	----	----	747.90B/592.70A	747.90B/592.70A	----	716.70 + 92.10	.8740	----	----	----	----	10 UNCH
4010	----	----	743.40B/588.70A	743.40B/588.70A	----	712.30 + 91.80	.8725	----	----	----	----	1 UNCH
4020	----	----	735.00B/580.70A	735.00B/580.70A	----	703.60 + 91.30	.8695	----	----	----	----	2 UNCH
4025	----	----	730.40B/576.70A	730.40B/576.70A	----	699.20 + 91.00	.8680	----	----	----	----	51 UNCH
4040	----	----	716.90B/564.80A	716.90B/564.80A	----	686.10 + 90.10	.8633	----	----	----	----	1 UNCH
4050	----	----	708.30B/556.90A	708.30B/556.90A	----	677.40 + 89.60	.8601	----	----	----	----	185 UNCH
4060	----	----	699.70B/549.10A	699.70B/549.10A	----	668.80 + 89.00	.8568	----	----	----	----	25 UNCH
4070	----	----	690.90B/541.30A	690.90B/541.30A	----	660.20 + 88.40	.8536	----	----	----	----	10 UNCH
4075	----	----	686.70B/537.40A	686.70B/537.40A	----	655.90 + 88.10	.8519	----	----	----	----	64 UNCH
4090	----	----	673.60B/525.90A	673.60B/525.90A	----	643.00 + 87.10	.8468	----	----	----	----	34 UNCH
4100	----	----	665.10B/518.20A	665.10B/518.20A	----	634.50 + 86.50	.8432	----	----	----	----	682 UNCH
4105	----	----	660.90B/514.40A	660.90B/514.40A	----	630.30 + 86.30	.8415	----	----	----	----	50 UNCH
4110	----	----	656.50B/510.60A	656.50B/510.60A	----	626.10 + 86.00	.8396	----	----	----	----	2 UNCH
4115	----	----	652.40B/506.90A	652.40B/506.90A	----	621.80 + 85.60	.8377	----	----	----	----	5 UNCH
4125	----	----	643.90B/499.30A	643.90B/499.30A	----	613.40 + 85.00	.8341	----	----	----	----	95 UNCH
4135	----	----	635.40B/491.90A	635.40B/491.90A	----	605.10 + 84.40	.8303	----	----	----	----	16 UNCH
4150	----	----	622.70B/480.80A	622.70B/480.80A	----	592.60 + 83.40	.8246	----	----	----	----	263 UNCH
4170	----	----	606.00B/466.10A	606.00B/466.10A	----	576.10 + 82.10	.8166	----	----	----	----	51 UNCH
4175	----	----	602.10B/462.50A	602.10B/462.50A	----	572.00 + 81.70	.8146	----	----	----	----	61 UNCH
4195	----	----	585.60B/448.20A	585.60B/448.20A	----	555.70 + 80.30	.8062	----	----	----	----	1 UNCH
4200	----	----	581.30B/444.60A	581.30B/444.60A	----	551.60 + 79.90	.8042	----	----	----	----	2079 UNCH
4210	----	----	573.20B/437.60A	573.20B/437.60A	----	543.60 + 79.30	.7999	----	----	----	50	1582 UNCH
4220	----	----	564.90B/430.60A	564.90B/430.60A	----	535.50 + 78.50	.7955	----	----	----	----	84 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4225	----	----	561.10B/427.10A	561.10B/427.10A	----	531.50 + 78.10	.7933	----	----	----	----	15 UNCH
4235	----	----	552.90B/420.20A	552.90B/420.20A	----	523.60 + 77.40	.7887	----	----	----	----	6 UNCH
4240	----	----	548.90B/416.70A	548.90B/416.70A	----	519.70 + 77.10	.7865	----	----	----	----	53 UNCH
4245	----	----	544.80B/413.30A	544.80B/413.30A	----	515.70 + 76.70	.7842	----	----	----	----	263 UNCH
4250	----	----	540.80B/409.90A	540.80B/409.90A	----	511.80 + 76.30	.7819	----	----	----	----	922 UNCH
4255	----	----	537.10B/406.50A	537.10B/406.50A	----	507.90 + 76.00	.7796	----	----	----	----	6 UNCH
4260	----	----	533.00B/403.10A	533.00B/403.10A	----	504.00 + 75.60	.7772	----	----	----	----	1 UNCH
4265	----	----	529.00B/399.80A	529.00B/399.80A	----	500.10 + 75.20	.7748	----	----	----	----	87 UNCH
4270	----	----	525.20B/396.40A	525.20B/396.40A	----	496.20 + 74.80	.7725	----	----	----	----	11 UNCH
4280	----	----	517.40B/389.80A	517.40B/389.80A	----	488.50 + 74.10	.7677	----	----	----	----	1 UNCH
4285	----	----	513.50B/386.50A	513.50B/386.50A	----	484.60 + 73.60	.7652	----	----	----	----	1 UNCH
4300	----	----	501.90B/376.70A	501.90B/376.70A	----	473.20 + 72.50	.7577	----	----	----	----	2116 UNCH
4305	----	----	498.00B/373.50A	498.00B/373.50A	----	469.40 + 72.10	.7552	----	----	----	----	1 UNCH
4310	----	----	494.20B/370.20A	494.20B/370.20A	----	465.60 + 71.60	.7527	----	----	----	----	23 UNCH
4315	----	----	490.30B/367.00A	490.30B/367.00A	----	461.90 + 71.30	.7502	----	----	----	----	1 UNCH
4320	----	----	486.60B/363.90A	486.60B/363.90A	----	458.10 + 70.80	.7476	----	----	----	----	62 UNCH
4325	----	----	482.80B/360.70A	482.80B/360.70A	----	454.40 + 70.50	.7450	----	----	----	----	72 UNCH
4335	437.10	437.10	475.00B/354.40A	475.00B/354.40A	----	447.00 + 69.70	.7398	----	----	3	----	13 UNCH
4340	----	----	471.50B/351.30A	471.50B/351.30A	----	443.30 + 69.30	.7371	----	----	----	----	17 UNCH
4345	----	----	467.50B/348.20A	467.50B/348.20A	----	439.60 + 68.80	.7345	----	----	----	----	2 UNCH
4350	----	----	463.80B/345.10A	463.80B/345.10A	----	436.00 + 68.50	.7318	----	----	----	----	1451 UNCH
4355	----	----	460.10B/342.00A	460.10B/342.00A	----	432.30 + 68.00	.7290	----	----	----	----	129 UNCH
4360	----	----	456.60B/339.00A	456.60B/339.00A	----	428.70 + 67.60	.7264	----	----	----	----	42 UNCH
4365	----	----	453.00B/336.00A	453.00B/336.00A	----	425.10 + 67.20	.7236	----	----	1	----	4 + 1
4370	----	----	449.10B/332.90A	449.10B/332.90A	----	421.50 + 66.80	.7208	----	----	----	----	3 UNCH
4375	----	----	445.60B/329.90A	445.60B/329.90A	----	417.90 + 66.40	.7181	----	----	----	----	102 UNCH
4380	----	----	442.10B/327.00A	442.10B/327.00A	----	414.30 + 65.90	.7153	----	----	----	----	341 UNCH
4385	----	----	438.20B/324.00A	438.20B/324.00A	----	410.80 + 65.50	.7125	----	----	----	----	3 UNCH
4390	----	----	434.60B/321.00A	434.60B/321.00A	----	407.20 + 65.00	.7097	----	----	----	----	16 UNCH
4395	----	----	431.00B/318.10A	431.00B/318.10A	----	403.70 + 64.60	.7068	----	----	----	----	10 UNCH
4400	----	----	427.70B/315.20A	427.70B/315.20A	----	400.20 + 64.20	.7039	----	----	----	----	1461 UNCH
4410	----	----	420.50B/308.70A	420.50B/308.70A	----	393.20 + 63.30	.6982	----	----	----	----	39 UNCH
4415	----	----	417.00B/305.70A	417.00B/305.70A	----	389.80 + 62.90	.6953	----	----	----	----	176 UNCH
4420	----	----	413.50B/303.00A	413.50B/303.00A	----	386.30 + 62.50	.6924	----	----	----	----	3 UNCH
4425	----	----	410.10B/300.20A	410.10B/300.20A	----	382.90 + 62.00	.6895	----	----	----	----	274 UNCH
4430	----	----	406.50B/297.40A	406.50B/297.40A	----	379.50 + 61.60	.6865	----	----	----	----	19 UNCH
4435	----	----	403.00B/294.60A	403.00B/294.60A	----	376.10 + 61.20	.6835	----	----	----	----	20 UNCH
4440	----	----	399.60B/291.80A	399.60B/291.80A	----	372.70 + 60.70	.6805	----	----	----	----	19 UNCH
4445	----	----	396.20B/289.10A	396.20B/289.10A	----	369.40 + 60.30	.6775	----	----	----	----	5 UNCH
4450	363.00	363.00	392.90B/286.30A	392.90B/286.30A	----	366.00 + 59.80	.6745	----	----	15	----	498 - 15
4455	----	----	389.40B/283.60A	389.40B/283.60A	----	362.70 + 59.40	.6714	----	----	----	----	6 UNCH
4460	----	----	386.00B/280.90A	386.00B/280.90A	----	359.40 + 59.00	.6684	----	----	----	----	20 UNCH
4465	----	----	382.30B/278.30A	382.30B/278.30A	----	356.10 + 58.50	.6654	----	----	----	----	19 UNCH
4470	----	----	379.30B/275.60A	379.30B/275.60A	----	352.80 + 58.00	.6623	----	----	----	----	24 UNCH
4475	----	----	375.90B/273.10A	375.90B/273.10A	----	349.50 + 57.50	.6591	----	----	----	----	22 UNCH
4480	----	----	372.50B/270.50A	372.50B/270.50A	----	346.30 + 57.10	.6560	----	----	----	----	59 UNCH
4485	----	----	369.10B/267.70A	369.10B/267.70A	----	343.10 + 56.70	.6529	----	----	----	----	6 UNCH
4490	----	----	365.80B/265.20A	365.80B/265.20A	----	339.90 + 56.30	.6498	----	----	----	----	51 UNCH
4495	----	----	362.80B/262.60A	362.80B/262.60A	----	336.70 + 55.80	.6466	----	----	----	----	6 UNCH
4500	333.00	333.00	359.30B/260.10A	359.30B/260.10A	----	333.50 + 55.30	.6435	----	----	22	----	4529 UNCH
4505	----	----	356.20B/257.50A	356.20B/257.50A	----	330.30 + 54.80	.6403	----	----	----	----	49 UNCH
4510	----	----	353.10B/255.00A	353.10B/255.00A	----	327.20 + 54.40	.6371	----	----	----	----	1475 UNCH
4515	----	----	349.80B/252.50A	349.80B/252.50A	----	324.10 + 53.90	.6339	----	----	----	----	93 UNCH
4520	----	----	346.80B/250.00A	346.80B/250.00A	----	321.00 + 53.50	.6307	----	----	----	----	51 UNCH
4525	----	----	343.50B/247.60A	343.50B/247.60A	----	317.90 + 53.00	.6274	----	----	----	----	232 UNCH
4530	----	----	340.40B/245.20A	340.40B/245.20A	----	314.80 + 52.50	.6242	----	----	----	----	13 UNCH
4535	----	----	337.20B/242.70A	337.20B/242.70A	----	311.80 + 52.10	.6209	----	----	----	----	12 UNCH
4540	----	----	334.20B/240.30A	334.20B/240.30A	----	308.80 + 51.60	.6177	----	----	----	----	78 UNCH
4545	----	----	330.80B/238.00A	330.80B/238.00A	----	305.80 + 51.20	.6144	----	----	----	----	32 UNCH
4550	----	----	328.00B/235.60A	328.00B/235.60A	----	302.80 + 50.70	.6111	----	----	59	----	239 - 1
4555	277.80	277.80	324.80B/233.30A	324.80B/233.30A	----	299.80 + 50.20	.6078	----	----	5	----	10 + 4
4560	----	----	321.90B/230.90A	321.90B/230.90A	----	296.80 + 49.70	.6045	----	----	----	----	160 UNCH
4565	----	----	318.60B/228.60A	318.60B/228.60A	----	293.90 + 49.30	.6012	----	----	4	----	104 - 3
4570	269.20	269.20	315.60B/226.30A	315.60B/226.30A	----	291.00 + 48.80	.5979	----	----	2	----	35 UNCH
4575	----	----	312.60B/224.10A	312.60B/224.10A	----	288.10 + 48.30	.5945	----	----	----	----	82 UNCH
4580	----	----	309.80B/221.80A	309.80B/221.80A	----	285.20 + 47.90	.5912	----	----	3	----	5 UNCH
4585	----	----	306.70B/219.60A	306.70B/219.60A	----	282.40 + 47.40	.5878	----	----	----	----	15 UNCH
4590	----	----	303.80B/217.40A	303.80B/217.40A	----	279.50 + 46.90	.5845	----	----	----	----	79 UNCH
4595	278.60	278.60	300.80B/215.10A	300.80B/215.10A	----	276.70 + 46.50	.5811	----	----	2	----	13 UNCH
4600	257.50	257.50	298.40B/213.00A	298.40B/213.00A	----	273.90 + 46.00	.5777	----	----	65	----	5237 - 9
4605	245.00	245.00	295.30B/210.80A	295.30B/210.80A	----	271.10 + 45.50	.5743	----	----	4	----	155 + 2
4610	----	----	292.20B/208.70A	292.20B/208.70A	----	268.40 + 45.10	.5709	----	----	----	----	2 UNCH
4615	----	----	289.50B/206.60A	289.50B/206.60A	----	265.60 + 44.60	.5676	----	----	----	----	3 UNCH
4620	239.00	239.00	287.10B/204.50A	287.10B/204.50A	----	262.90 + 44.10	.5641	----	----	6	----	15 + 6
4625	245.80	245.80	284.30B/202.40A	284.30B/202.40A	----	260.20 + 43.70	.5607	----	----	30	----	192 + 1
4630	239.00	239.00	281.50B/200.20A	281.50B/200.20A	----	257.50 + 43.20	.5573	----	----	4	----	69 + 1
4635	234.60	234.60	278.80B/198.30A	278.80B/198.30A	----	254.80 + 42.70	.5539	----	----	1	----	6 + 1
4640	235.00	235.00	276.00B/196.20A	276.00B/196.20A	----	252.20 + 42.30	.5505	----	----	9	----	20 + 4
4645	----	----	273.20B/194.10A	273.20B/194.10A	----	249.50 + 41.70	.5470	----	----	2	----	9 + 1
4650	220.70	220.70	270.50B/192.20A	270.50B/192.20A	----	246.90 + 41.30	.5436	----	----	16	----	1048 - 1
4655	225.00	225.00	267.80B/190.20A	267.80B/190.20A	----	244.30 + 40.80	.5402	----	----	5	----	28 UNCH
4660	233.00	233.00	265.20B/188.30A	265.20B/188.30A	----	241.80 + 40.40	.5367	----	----	3	----	7 + 2
4665	----	----	262.50B/186.30A	262.50B/186.30A	----	239.20 + 39.90	.5333	----	----	----	----	1 UNCH
4670	----	----	259.90B/183.40A	259.90B/183.40A	----	236.70 + 39.40	.5298	----	----	----	----	151 UNCH
4675	205.20	205.20	257.30B/181.20A	257.30B/181.20A	----	234.20 + 39.00	.5264	----	----	1	----	476 + 1
4680	214.10	214.10	254.70B/180.60A	254.70B/180.60A	----	231.70 + 38.50	.5229	----	----	1	----	224 + 1
4685	237.30	237.30	252.10B/178.70A	252.10B/178.70A	----	229.20 + 38.00	.5194	----	----	2	----	32 + 2
4690	----	----	249.50B/176.90A	249.50B/176.90A	----	226.80 + 37.60	.5160	----	----	----	----	19 UNCH
4695	239.90	239.90	247.00B/175.00A	247.00B/175.00A	----	224.30 + 37.10	.5125	----	----	2	----	20 + 2
4700	230.30	230.30	244.50B/173.20A	244.50B/173.20A	----	221.90 + 36.70	.5091	----	----	113	----	3336 + 54
4705	237.40	237.40	242.30/171.30A	242.30/171.30A	----	219.50 + 36.20	.5056	----	----	4	----	3 + 2
4710	----	----	239.50B/169.50A	239.50B/169.50A	----	217.20 + 35.80	.5022	----	----	----	----	11 UNCH
4715	----	----	237.10B/167.60A	237.10B/167.60A	----	214.80 + 35.30	.4987	----	----	----	----	8 UNCH
4720	----	----	234.60B/166.10A	234.60B/166.10A	----	212.50 + 34.90	.4953	----	----	----	----	220 UNCH
4725	----	----	232.20B/164.30A	232.20B/164.30A	----	210.20 + 34.50	.4918	----	----	----	----	292 UNCH
4730	----	----	229.80B/162.60A	229.80B/162.60A	----	207.90 + 34.00	.4884	----	----	----	----	5 UNCH
4735	----	----	227.40B/160.90A	227.40B/160.90A	----	205.60 + 33.50	.4849	----	----	----	----	86 UNCH
4740	----	----	225.00B/159.20A	225.00B/159.20A	----	203.30 + 33.10	.4815	----	----	----	----	9 UNCH
4745	----	----	222.70B/157.60A	222.70B/157.60A	----	201.10 + 32.70	.4780	----	----	----	----	12 UNCH
4750	174.40	174.40	220.30B/155.80A	220.30B/155.80A	----	198.90 + 32.20	.4746	----	----	92	----	1489 + 33
4755	----	----	218.00B/154.20A	218.00B/154.20A	----	196.70 + 31.80	.4712	----	----	----	----	101 UNCH
4760	195.50	195.50	215.70B/152.50A	215.70B/152.50A	----	194.50 + 31.30	.4678	----	----	3	----	53 + 3
4765	----	----	213.50B/150.90A	213.50B/150.90A	----	192.30 + 30.90	.4643	----	----	1	----	36 + 1
4770	----	----	211.20B/149.10A	211.20B/149.10A	----	190.20 + 30.50	.4609	----	----	----	----	36 UNCH
4775	168.20	168.20	209.00B/147.40A	209.00B/147.40A	----	188.10 + 30.10	.4575	----	----	2	----	177 - 1
4780	----	----	206.80B/145.90A	206.80B/145.90A	----	186.00 + 29.70	.4541	----	----	----	----	95 UNCH
4785	----	----	204.60B/144.70A	204.60B/144.70A	----	183.90 + 29.20	.4507	----	----	----	----	24 UNCH
4790	183.80	183.80	202.40B/143.20A	202.40B/143.20A	----	181.80 + 28.80	.4473	----	----	16	----	24 + 16
4795	----	----	200.20B/141.70A	200.20B/141.70A	----	179.80 + 28.40	.4439	----	----	----	----	34 UNCH
4800	146.50	146.50	198.90/140.10A	198.90/140.10A	----	177.80 + 28.00	.4406	----	----	198	----	2652 + 44
4805	----	----	196.00B/138.60A	196.00B/138.60A	----	175.80 + 27.60	.4372	----	----	----	----	6 UNCH
4810	179.30	179.30	193.70B/137.30A	193.70B/137.30A	----	173.80 + 27.20	.4338	----	----	1	----	21 + 1
4815	----	----	191.80B/134.40A	191.80B/134.40A	----	171.80 + 26.80	.4305	----	----	----	----	5 UNCH
4820	----	----	189.70B/134.40A	189.70B/134.40A	----	169.90 + 26.40	.4272	----	----	1	----	29 + 1
4825	----	----	187.50B/132.90A	187.50B/132.90A	----	167.90 + 25.90	.4238	----	----	4	----	90 + 4
4830	----	----	185.60B/130.30A	185.60B/130.30A	----	166.00 + 25.60	.4205	----	----	----	----	101 UNCH
4835	----	----	183.60B/130.10A	183.60B/130.10A	----	164.10 + 25.20	.4171	----	----	----	----	2 UNCH
4840	----	----	181.60B/128.70A	181.60B/128.70A	----	162.30 + 24.80	.4139	----	----	----	----	36 UNCH
4845	143.90	143.90	179.60B/127.40A	179.60B/127.40A	----	160.40 + 24.40	.4106	----	----	1	----	6 - 1
4850	----	----	177.60B/126.00A	177.60B/126.00A	----	158.60 + 24.10	.4073	----	----	4	----	413 UNCH
4855	----	----	175.70B/124.70A	175.70B/124.70A	----	156.80 + 23.70	.4040	----	----	----	----	136 UNCH
4860	----	----	173.80B/123.40A	173.80B/123.40A	----	155.00 + 23.30	.4008	----	----	----	----	48 UNCH
4865	----	----	171.90B/122.00A	171.90B/122.00A	----	153.20 + 22.90	.3975	----	----	----	----	22 UNCH
4870	158.80	158.80	170.00B/120.70A	170.00B/120.70A	----	151.40 + 22.50	.3942	----	----	1	----	10 UNCH
4875	----	----	167.90B/119.40A	167.90B/119.40A	----	149.70 + 22.20	.3910	----	----	----	----	120 UNCH
4880	----	----	166.30B/117.00A	166.30B/117.00A	----	148.00 + 21.90	.3879	----	----	----	----	32 UNCH
4885	----	----	164.30B/116.40A	164.30B/116.40A	----	146.20 + 21.40	.3846	----	----	217	----	246 + 208
4890	----	----	162.60B/114.50A	162.60B/114.50A	----	144.60 + 21.20	.3815	----	----	----	----	60 UNCH
4895	----	----	160.80B/113.20A	160.80B/113.20A	----	142.90 + 20.80	.3783	----	----	----	----	195 UNCH
4900	129.70	129.70	158.90B/112.50A	158.90B/112.50A	----	141.20 + 20.40	.3751	----	----	234	----	2921 + 96
4905	----	----	157.30B/110.80A	157.30B/110.80A	----	139.60 + 20.10	.3720	----	----	----	----	6 UNCH
4910	123.70	123.70	155.50B/110.90A	155.50B/110.90A	----	138.00 + 19.80	.3688	----	----	10	----	25 + 3
4915	----	----	153.80B/108.60A	153.80B/108.60A	----	136.40 + 19.50	.3657	----	----	----	----	40 UNCH
4920	121.00	121.00	152.10B/107.50A	152.10B/107.50A	----	134.80 + 19.10	.3626	----	----	50	----	80 + 29
4925	----	----	150.40B/107.40A	150.40B/107.40A	----	133.20 + 18.70	.3595	----	----	----	----	37 UNCH
4930	135.40	135.40	148.60B/106.20A	148.60B/106.20A	----	131.70 + 18.50	.3565	----	----	29	----	183 + 6
4935	----	----	147.00B/104.00A	147.00B/104.00A	----	130.10 + 18.10	.3534	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4940	132.40	132.40	145.40B/104.00A	145.40B/104.00A	----	128.60 + 17.80	.3503	----	----	71	----	102 + 71
4945	113.60	113.60	143.70B/102.30A	143.70B/102.30A	----	127.10 + 17.50	.3473	----	----	189	----	193 + 188
4950	118.00	118.00	142.70/100.70A	142.70/100.70A	----	125.60 + 17.10	.3443	----	----	126	----	761 - 4
4955	----	----	140.50B/99.70A	140.50B/99.70A	----	124.20 + 16.90	.3413	----	----	----	----	33 UNCH
4960	132.00	132.00	139.00B/98.80A	139.00B/98.80A	----	122.70 + 16.50	.3383	----	----	1	----	188 UNCH
4965	----	----	137.40B/97.30A	137.40B/97.30A	----	121.30 + 16.30	.3354	----	----	----	----	37 UNCH
4970	----	----	135.90B/96.40A	135.90B/96.40A	----	119.90 + 16.00	.3325	----	----	----	----	43 UNCH
4975	121.40	121.40	134.20B/95.40A	134.20B/95.40A	----	118.50 + 15.70	.3295	----	----	15	----	171 + 15
4980	120.10	120.10	132.80B/94.40A	132.80B/94.40A	----	117.10 + 15.40	.3266	----	----	72	----	74 + 72
4985	118.80	118.80	131.10B/93.30A	131.10B/93.30A	----	115.70 + 15.10	.3237	----	----	1	----	114 + 1
4990	117.30	117.30	129.70B/92.40A	129.70B/92.40A	----	114.30 + 14.80	.3208	----	----	523	----	1448 + 504
4995	116.10	116.10	128.40B/91.40A	128.40B/91.40A	----	113.00 + 14.50	.3179	----	----	27	----	41 + 26
5000	94.20	94.20	128.40/90.40A	128.40/90.40A	----	111.70 + 14.30	.3151	----	----	1545	----	7364 - 42
5005	----	----	125.50B/89.90A	125.50B/89.90A	----	110.40 + 14.00	.3123	----	----	----	----	303 UNCH
5010	----	----	124.00B/88.50A	124.00B/88.50A	----	109.10 + 13.70	.3095	----	----	----	----	88 UNCH
5015	----	----	122.50B/87.80A	122.50B/87.80A	----	107.80 + 13.40	.3067	----	----	----	----	67 UNCH
5020	----	----	121.00B/87.00A	121.00B/87.00A	----	106.50 + 13.10	.3039	----	----	----	----	458 UNCH
5025	97.80	97.80	119.80B/85.60A	119.80B/85.60A	----	105.30 + 12.90	.3012	----	----	2	----	44 - 1
5030	----	----	118.30B/85.00A	118.30B/85.00A	----	104.00 + 12.60	.2984	----	----	----	----	111 UNCH
5035	----	----	116.90B/84.10A	116.90B/84.10A	----	102.80 + 12.40	.2957	----	----	----	----	22 UNCH
5040	----	----	115.60B/83.20A	115.60B/83.20A	----	101.60 + 12.10	.2930	----	----	----	----	50 UNCH
5045	----	----	114.30B/82.10A	114.30B/82.10A	----	100.40 + 11.90	.2903	----	----	----	----	17 UNCH
5050	107.50	107.50	113.20B/81.30A	113.20B/81.30A	----	99.20 + 11.60	.2876	----	----	53	----	959 + 34
5055	----	----	111.70B/80.80A	111.70B/80.80A	----	98.10 + 11.40	.2850	----	----	----	----	2 UNCH
5060	----	----	110.60B/79.80A	110.60B/79.80A	----	96.90 + 11.10	.2823	----	----	----	----	84 UNCH
5065	91.80	91.80	109.10B/79.20A	109.10B/79.20A	----	95.80 + 10.90	.2798	----	----	1	----	8 UNCH
5070	90.70	90.70	107.90B/78.30A	107.90B/78.30A	----	94.60 + 10.60	.2771	----	----	1	----	75 UNCH
5075	89.60	89.60	106.70B/77.00A	106.70B/77.00A	----	93.50 + 10.40	.2745	----	----	3	----	709 + 2
5080	88.60	88.60	105.40B/76.60A	105.40B/76.60A	----	92.40 + 10.20	.2720	----	----	1	----	154 UNCH
5085	87.60	87.60	104.20B/75.80A	104.20B/75.80A	----	91.30 + 9.90	.2694	----	----	1	----	129 + 1
5090	86.20	86.20	103.00B/75.10A	103.00B/75.10A	----	90.30 + 9.80	.2670	----	----	10	----	46 + 10
5095	85.60	85.60	101.90B/73.80A	101.90B/73.80A	----	89.20 + 9.50	.2644	----	----	1	----	57 + 1
5100	89.00	89.00	100.70B/72.90A	100.70B/72.90A	----	88.10 + 9.20	.2619	----	----	67	200	4560 + 90
5105	83.70	83.70	99.50B/72.80A	99.50B/72.80A	----	87.10 + 9.00	.2595	----	----	1	----	41 + 1
5110	82.70	82.70	98.50B/71.80A	98.50B/71.80A	----	86.10 + 8.90	.2571	----	----	1	----	103 + 1
5115	81.80	81.80	97.40B/70.80A	97.40B/70.80A	----	85.10 + 8.70	.2547	----	----	1	----	65 + 1
5120	----	----	96.10B/70.30A	96.10B/70.30A	----	84.10 + 8.40	.2522	----	----	6	----	53 + 6
5125	----	----	95.00B/69.80A	95.00B/69.80A	----	83.10 + 8.20	.2498	----	----	----	----	211 UNCH
5130	78.90	78.90	94.00B/68.60A	94.00B/68.60A	----	82.10 + 8.00	.2474	----	----	11	----	42 + 11
5135	----	----	92.90B/67.90A	92.90B/67.90A	----	81.20 + 7.90	.2452	----	----	----	----	45 UNCH
5140	----	----	91.80B/67.30A	91.80B/67.30A	----	80.20 + 7.60	.2428	----	----	----	----	31 UNCH
5145	----	----	90.80B/66.50A	90.80B/66.50A	----	79.30 + 7.50	.2405	----	----	----	----	9 UNCH
5150	81.30	81.30	89.70B/65.90A	89.70B/65.90A	----	78.40 + 7.30	.2383	----	----	20	----	1205 + 3
5155	----	----	88.70B/65.20A	88.70B/65.20A	----	77.40 + 7.00	.2359	----	----	----	----	21 UNCH
5160	78.50	78.50	87.60B/64.80A	87.60B/64.80A	----	76.50 + 6.80	.2336	----	----	4	----	89 + 4
5165	----	----	86.60B/64.00A	86.60B/64.00A	----	75.60 + 6.60	.2314	----	----	----	----	110 UNCH
5170	----	----	85.60B/63.20A	85.60B/63.20A	----	74.80 + 6.50	.2293	----	----	1	----	45 UNCH
5175	----	----	84.80B/62.70A	84.80B/62.70A	----	73.90 + 6.30	.2270	----	----	31	----	44 - 12
5180	----	----	83.70B/62.30A	83.70B/62.30A	----	73.00 + 6.10	.2248	----	----	----	----	53 UNCH
5185	----	----	82.80B/61.30A	82.80B/61.30A	----	72.20 + 6.00	.2227	----	----	----	----	69 UNCH
5190	----	----	81.80B/60.90A	81.80B/60.90A	----	71.40 + 5.90	.2206	----	----	1	----	25 - 1
5195	----	----	81.00B/60.10A	81.00B/60.10A	----	70.50 + 5.60	.2184	----	----	----	----	16 UNCH
5200	78.00	78.00	80.00/59.50A	80.00/59.50A	----	69.70 + 5.50	.2163	----	----	466	----	6734 + 267
5205	----	----	79.10B/59.10A	79.10B/59.10A	----	68.90 + 5.30	.2143	----	----	1	----	15 UNCH
5210	77.40	77.40	78.20B/58.30A	78.20B/58.30A	----	68.10 + 5.20	.2122	----	----	1	----	3045 UNCH
5215	----	----	77.30B/58.00A	77.30B/58.00A	----	67.40 + 5.10	.2103	----	----	1	----	49 + 1
5220	----	----	76.40B/57.10A	76.40B/57.10A	----	66.60 + 4.90	.2082	----	----	----	----	149 UNCH
5225	67.20	67.20	75.50B/56.60A	75.50B/56.60A	----	65.80 + 4.80	.2061	----	----	23	----	281 + 22
5230	----	----	74.70B/56.00A	74.70B/56.00A	----	65.10 + 4.70	.2042	----	----	----	----	105 UNCH
5235	----	----	73.90B/55.40A	73.90B/55.40A	----	64.40 + 4.60	.2024	----	----	----	----	139 UNCH
5240	----	----	73.00B/54.90A	73.00B/54.90A	----	63.60 + 4.40	.2003	----	----	----	----	58 UNCH
5245	----	----	72.20B/54.40A	72.20B/54.40A	----	62.90 + 4.30	.1984	----	----	----	----	16 UNCH
5250	59.00	59.00	71.30B/53.80A	71.30B/53.80A	----	62.20 + 4.10	.1965	----	----	34	----	3495 + 1
5255	62.20	62.20	70.60B/53.40A	70.60B/53.40A	----	61.50 + 4.00	.1946	----	----	4	----	66 + 4
5260	----	----	69.80B/53.10A	69.80B/53.10A	----	60.80 + 3.90	.1928	----	----	----	----	366 UNCH
5265	----	----	68.90B/52.30A	68.90B/52.30A	----	60.10 + 3.70	.1909	----	----	----	----	28 UNCH
5270	----	----	68.10B/51.90A	68.10B/51.90A	----	59.40 + 3.60	.1890	----	----	4	----	46 UNCH
5275	57.80	57.80	67.50B/51.30A	67.50B/51.30A	----	58.80 + 3.60	.1873	----	----	12	----	29 - 11
5280	----	----	66.60B/50.80A	66.60B/50.80A	----	58.10 + 3.40	.1854	----	----	----	----	71 UNCH
5285	58.50	58.50	66.00B/50.30A	66.00B/50.30A	----	57.50 + 3.30	.1837	----	----	13	----	168 UNCH
5290	----	----	65.10B/49.90A	65.10B/49.90A	----	56.80 + 3.20	.1819	----	----	----	----	35 UNCH
5295	----	----	64.40B/49.30A	64.40B/49.30A	----	56.20 + 3.10	.1802	----	----	----	----	83 UNCH
5300	58.70	58.70	63.80B/48.80A	63.80B/48.80A	----	55.60 + 3.00	.1785	----	----	573	----	4533 + 233
5305	----	----	63.00B/48.50A	63.00B/48.50A	----	55.00 + 2.90	.1768	----	----	----	----	162 UNCH
5310	----	----	62.30B/48.00A	62.30B/48.00A	----	54.40 + 2.80	.1751	----	----	----	----	103 UNCH
5315	54.70	54.70	61.60B/47.50A	61.60B/47.50A	----	53.80 + 2.70	.1734	----	----	2	----	64 + 2
5320	----	----	60.90B/47.00A	60.90B/47.00A	----	53.20 + 2.60	.1718	----	----	----	----	126 UNCH
5325	----	----	60.40B/46.50A	60.40B/46.50A	----	52.60 + 2.50	.1701	----	----	----	----	61 UNCH
5330	----	----	59.60B/46.00A	59.60B/46.00A	----	52.00 + 2.40	.1684	----	----	----	----	25 UNCH
5335	----	----	58.90B/45.60A	58.90B/45.60A	----	51.40 + 2.20	.1667	----	----	----	----	3 UNCH
5340	----	----	58.20B/45.10A	58.20B/45.10A	----	50.90 + 2.20	.1653	----	----	----	----	64 UNCH
5345	----	----	57.60B/44.70A	57.60B/44.70A	----	50.30 + 2.10	.1636	----	----	----	----	12 UNCH
5350	49.90	49.90	57.00B/44.30A	57.00B/44.30A	----	49.80 + 2.00	.1621	----	----	74	----	1228 + 4
5355	----	----	56.20B/43.80A	56.20B/43.80A	----	49.20 + 1.90	.1605	----	----	----	----	12 UNCH
5360	----	----	55.60B/43.30A	55.60B/43.30A	----	48.70 + 1.80	.1590	----	----	----	----	48 UNCH
5365	----	----	55.10B/42.90A	55.10B/42.90A	----	48.20 + 1.70	.1575	----	----	----	----	6 UNCH
5370	----	----	54.60B/42.60A	54.60B/42.60A	----	47.60 + 1.60	.1559	----	----	----	----	65 UNCH
5375	----	----	54.00B/42.10A	54.00B/42.10A	----	47.10 + 1.50	.1544	----	----	2	----	48 UNCH
5380	----	----	53.40B/41.70A	53.40B/41.70A	----	46.60 + 1.40	.1530	----	----	1	----	93 + 1
5385	----	----	52.80B/41.20A	52.80B/41.20A	----	46.10 + 1.30	.1515	----	----	----	----	4 UNCH
5390	----	----	52.30B/40.80A	52.30B/40.80A	----	45.60 + 1.30	.1500	----	----	----	----	57 UNCH
5395	----	----	51.80B/40.40A	51.80B/40.40A	----	45.10 + 1.20	.1486	----	----	----	----	24 UNCH
5400	49.30	49.30	51.30B/40.00A	51.30B/40.00A	----	44.60 + 1.10	.1472	----	----	158	150	5124 + 145
5405	42.10	42.10	50.80B/39.60A	50.80B/39.60A	----	44.10 + 1.00	.1457	----	----	7	----	73 + 6
5410	----	----	50.20B/39.20A	50.20B/39.20A	----	43.70 + 1.00	.1445	----	----	1	----	15 + 1
5415	----	----	49.80B/38.80A	49.80B/38.80A	----	43.20 + 0.80	.1430	----	----	----	----	13 UNCH
5420	47.80	47.80	49.30B/38.50A	49.30B/38.50A	----	42.70 + 0.70	.1416	----	----	9	----	37 + 3
5425	----	----	48.80B/38.10A	48.80B/38.10A	----	42.30 + 0.70	.1403	----	----	----	----	124 UNCH
5430	----	----	48.30B/37.70A	48.30B/37.70A	----	41.80 + 0.60	.1389	----	----	----	----	76 UNCH
5435	----	----	47.80B/37.40A	47.80B/37.40A	----	41.40 + 0.60	.1377	----	----	----	----	12 UNCH
5440	----	----	47.40B/37.00A	47.40B/37.00A	----	41.00 + 0.50	.1364	----	----	----	----	86 UNCH
5445	----	----	46.90B/36.70A	46.90B/36.70A	----	40.50 + 0.40	.1350	----	----	----	----	27 UNCH
5450	----	----	46.40B/36.30A	46.40B/36.30A	----	40.10 + 0.30	.1338	----	----	3	----	1396 + 2
5455	----	----	46.00B/36.00A	46.00B/36.00A	----	39.70 + 0.30	.1326	----	----	----	----	1 UNCH
5460	----	----	45.60B/35.60A	45.60B/35.60A	----	39.30 + 0.20	.1313	----	----	----	----	91 UNCH
5465	----	----	45.10B/35.30A	45.10B/35.30A	----	38.90 + 0.20	.1301	----	----	----	----	30 UNCH
5470	----	----	44.60B/34.90A	44.60B/34.90A	----	38.40 UNCH	.1287	----	----	----	----	28 UNCH
5475	----	----	44.30B/34.60A	44.30B/34.60A	----	38.10 + 0.10	.1277	----	----	----	----	57 UNCH
5480	----	----	43.80B/34.30A	43.80B/34.30A	----	37.70 UNCH	.1265	----	----	----	----	37 UNCH
5485	38.70	38.70	43.40B/33.90A	43.40B/33.90A	----	37.30 - 0.10	.1253	----	----	4	----	9 + 4
5490	----	----	43.00B/33.60A	43.00B/33.60A	----	36.90 - 0.20	.1241	----	----	----	----	172 UNCH
5495	----	----	42.50B/33.30A	42.50B/33.30A	----	36.50 - 0.20	.1229	----	----	----	----	53 UNCH
5500	40.10	40.10	42.10B/33.00A	42.10B/33.00A	----	36.10 - 0.30	.1217	----	----	353	----	5999 + 212
5505	----	----	41.70B/32.70A	41.70B/32.70A	----	35.80 - 0.30	.1207	----	----	----	----	11 UNCH
5510	----	----	41.30B/32.40A	41.30B/32.40A	----	35.40 - 0.40	.1195	----	----	----	----	185 UNCH
5515	----	----	40.90B/32.10A	40.90B/32.10A	----	35.10 - 0.40	.1185	----	----	----	----	24 UNCH
5520	----	----	40.60B/31.80A	40.60B/31.80A	----	34.70 - 0.50	.1173	----	----	2	----	22 + 1
5525	----	----	40.20B/31.50A	40.20B/31.50A	----	34.40 - 0.50	.1163	----	----	1	----	161 + 1
5530	36.20	36.20	39.80B/31.20A	39.80B/31.20A	----	34.00 - 0.60	.1151	----	----	1	----	39 + 1
5535	----	----	39.50B/30.90A	39.50B/30.90A	----	33.70 - 0.60	.1141	----	----	----	----	3 UNCH
5540	----	----	39.10B/30.60A	39.10B/30.60A	----	33.30 - 0.70	.1130	----	----	----	----	260 UNCH
5545	----	----	38.70B/30.30A	38.70B/30.30A	----	33.00 - 0.70	.1120	----	----	----	----	16 UNCH
5550	----	----	38.40B/30.00A	38.40B/30.00A	----	32.70 - 0.70	.1110	----	----	----	----	770 UNCH
5555	----	----	37.90B/29.80A	37.90B/29.80A	----	32.40 - 0.80	.1100	----	----	----	----	1 UNCH
5560	34.10	34.10	37.50B/29.50A	37.50B/29.50A	----	32.10 - 0.80	.1091	----	----	1	----	32 + 1
5570	----	----	36.90B/29.00A	36.90B/29.00A	----	31.50 - 0.80	.1072	----	----	----	----	17 UNCH
5575	----	----	36.50B/28.70A	36.50B/28.70A	----	31.20 - 0.90	.1062	----	----	----	----	19 UNCH
5580	----	----	36.20B/28.40A	36.20B/28.40A	----	30.90 - 0.90	.1052	----	----	----	----	11 UNCH
5585	32.00	32.00	35.80B/28.20A	35.80B/28.20A	----	30.60 - 0.90	.1043	----	----	6	----	11 + 6
5590	----	----	35.60B/27.90A	35.60B/27.90A	----	30.30 - 1.00	.1033	----	----	----	----	94 UNCH
5595	----	----	35.00B/27.90A	35.00B/27.90A	----	30.00 - 1.00	.1024	----	----	----	----	30 UNCH
5600	33.90	33.90	34.90B/27.60A	34.90B/27.60A	----	29.70 - 1.10	.1014	----	----	68	----	2672 + 35
5610	----	----	34.20B/27.10A	34.20B/27.10A	----	29.20 - 1.10	.0998	----	----	----	----	69 UNCH
5620	----	----	33.60B/26.70A	33.60B/26.70A	----	28.60 - 1.20	.0979	----	----	1	----	49 UNCH
5625	----	----	33.30B/26.30A	33.30B/26.30A	----	28.40 - 1.10	.0972	----	----	----	----	402 UNCH
5630	----	----	33.10B/26.10A	33.10B/26.10A	----	28.10 - 1.20	.0963	----	----	----	----	203 UNCH
5640	----	----	32.50B/25.80A	32.50B/25.80A	----	27.60 - 1.20	.0946	----	----	----	----	70 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5650	----	----	31.80B/25.20A	31.80B/25.20A	----	27.10 - 1.30	.0930	----	----	1	----	712 UNCH
5660	----	----	31.30B/24.90A	31.30B/24.90A	----	26.60 - 1.30	.0913	----	----	----	----	41 UNCH
5665	26.60	26.60	30.90B/24.70A	30.90B/24.70A	----	26.40 NEW	.0907	----	----	8	----	3 + 3
5670	----	----	30.70B/24.40A	30.70B/24.40A	----	26.10 - 1.40	.0897	----	----	----	----	121 UNCH
5675	----	----	30.50B/24.30A	30.50B/24.30A	----	25.90 - 1.40	.0890	----	----	----	----	21 UNCH
5680	----	----	30.10B/24.10A	30.10B/24.10A	----	25.70 - 1.40	.0883	----	----	----	----	56 UNCH
5690	----	----	29.50B/23.60A	29.50B/23.60A	----	25.20 - 1.40	.0867	----	----	----	----	147 UNCH
5700	28.90	28.90	29.10B/23.30A	29.10B/23.30A	----	24.80 - 1.40	.0854	----	----	45	----	1705 - 13
5710	----	----	28.60B/22.90A	28.60B/22.90A	----	24.30 - 1.50	.0838	----	----	----	----	40 UNCH
5720	----	----	28.10B/22.50A	28.10B/22.50A	----	23.90 - 1.50	.0824	----	----	----	----	17 UNCH
5725	----	----	27.90B/22.20A	27.90B/22.20A	----	23.70 - 1.50	.0818	----	----	----	----	2 UNCH
5730	----	----	27.50B/22.10A	27.50B/22.10A	----	23.50 - 1.60	.0811	----	----	----	----	59 UNCH
5740	----	----	27.00B/21.80A	27.00B/21.80A	----	23.10 - 1.60	.0797	----	----	----	----	51 UNCH
5750	----	----	26.80B/21.40A	26.80B/21.40A	----	22.70 - 1.60	.0784	----	----	----	----	1587 UNCH
5760	----	----	26.10B/21.00A	26.10B/21.00A	----	22.30 - 1.60	.0771	----	----	----	----	12 UNCH
5770	----	----	25.60B/20.70A	25.60B/20.70A	----	21.90 - 1.70	.0758	----	----	----	----	29 UNCH
5775	----	----	25.70B/20.60A	25.70B/20.60A	----	21.70 - 1.70	.0751	----	----	83	----	145 + 68
5780	----	----	25.10B/20.40A	25.10B/20.40A	----	21.50 - 1.70	.0744	----	----	----	----	219 UNCH
5790	----	----	25.00B/20.10A	25.00B/20.10A	----	21.20 - 1.70	.0734	----	----	----	----	11 UNCH
5800	----	----	24.60B/19.80A	24.60B/19.80A	----	20.80 - 1.80	.0721	----	----	----	----	3019 UNCH
5810	----	----	23.90B/19.50A	23.90B/19.50A	----	20.50 - 1.80	.0710	----	----	----	----	254 UNCH
5820	----	----	23.40B/19.20A	23.40B/19.20A	----	20.20 - 1.70	.0699	----	----	----	----	18 UNCH
5825	----	----	23.30B/19.00A	23.30B/19.00A	----	20.00 - 1.80	.0693	----	----	3	----	17 + 3
5830	----	----	22.90B/18.90A	22.90B/18.90A	----	19.80 - 1.80	.0686	----	----	----	----	14 UNCH
5840	----	----	22.70B/18.60A	22.70B/18.60A	----	19.50 - 1.80	.0676	----	----	----	----	21 UNCH
5850	----	----	22.30B/18.30A	22.30B/18.30A	----	19.20 - 1.80	.0666	----	----	----	----	431 UNCH
5860	----	----	22.00B/18.00A	22.00B/18.00A	----	18.90 - 1.80	.0655	----	----	----	----	20 UNCH
5870	----	----	21.60B/17.70A	21.60B/17.70A	----	18.60 - 1.80	.0645	----	----	----	----	30 UNCH
5875	----	----	21.40B/17.60A	21.40B/17.60A	----	18.40 - 1.90	.0639	----	----	----	----	191 UNCH
5880	----	----	21.10B/17.50A	21.10B/17.50A	----	18.30 - 1.90	.0635	----	----	----	----	17 UNCH
5890	----	----	20.80B/17.10A	20.80B/17.10A	----	18.00 - 1.90	.0625	----	----	----	----	127 UNCH
5900	20.50	20.50	21.50/17.00A	21.50/17.00A	----	17.70 - 1.90	.0614	----	----	2	----	1604 - 1
5910	----	----	20.10B/16.60A	20.10B/16.60A	----	17.40 - 1.90	.0604	----	----	----	----	10 UNCH
5920	----	----	19.80B/16.50A	19.80B/16.50A	----	17.20 - 1.90	.0597	----	----	----	----	40 UNCH
5930	----	----	19.60B/16.20A	19.60B/16.20A	----	16.90 - 1.90	.0587	----	----	----	----	58 UNCH
5940	----	----	19.30B/16.00A	19.30B/16.00A	----	16.60 - 2.00	.0577	----	----	----	----	3 UNCH
5950	----	----	19.00B/15.70A	19.00B/15.70A	----	16.40 - 1.90	.0569	----	----	37	----	165 - 13
5960	----	----	18.70B/15.50A	18.70B/15.50A	----	16.10 - 2.00	.0559	----	----	----	----	23 UNCH
5970	----	----	18.30B/15.30A	18.30B/15.30A	----	15.90 - 2.00	.0552	----	----	----	----	34 UNCH
5980	----	----	18.00B/15.00A	18.00B/15.00A	----	15.70 - 1.90	.0545	----	----	----	----	6 UNCH
5990	----	----	17.80B/14.80A	17.80B/14.80A	----	15.40 - 2.00	.0535	----	----	----	----	4 UNCH
6000	17.80	17.80	17.90/14.10	17.90/14.10	----	15.20 - 2.00	.0528	----	----	44	----	7270 + 8
6010	----	----	17.30B/14.40A	17.30B/14.40A	----	15.00 - 2.00	.0520	----	----	----	----	9 UNCH
6020	----	----	17.00B/14.20A	17.00B/14.20A	----	14.80 - 1.90	.0513	----	----	----	----	23 UNCH
6030	----	----	16.80B/14.00A	16.80B/14.00A	----	14.60 - 1.90	.0506	----	----	----	----	26 UNCH
6040	----	----	16.50B/13.80A	16.50B/13.80A	----	14.40 - 1.90	.0499	----	----	----	----	26 UNCH
6050	----	----	16.30B/13.60A	16.30B/13.60A	----	14.20 - 1.90	.0492	----	----	----	----	276 UNCH
6060	----	----	16.00B/13.40A	16.00B/13.40A	----	14.00 - 1.90	.0485	----	----	----	----	31 UNCH
6070	----	----	----/13.20A	15.70B/13.20A	----	13.80 - 1.90	.0478	----	----	----	----	34 UNCH
6080	----	----	----/13.10A	15.50B/13.10A	----	13.60 - 1.90	.0471	----	----	----	----	9 UNCH
6090	----	----	----/12.90A	15.20B/12.90A	----	13.40 - 2.00	.0464	----	----	----	----	17 UNCH
6100	----	----	----/12.70A	15.10B/12.70A	----	13.20 - 2.00	.0457	----	----	1	----	2403 + 1
6110	----	----	----/12.50A	14.90B/12.50A	----	13.00 - 2.00	.0450	----	----	----	----	65 UNCH
6120	----	----	----/12.40A	14.60B/12.40A	----	12.80 - 2.00	.0443	----	----	----	----	10 UNCH
6125	----	----	----/12.30A	14.60B/12.30A	----	12.80 - 1.90	.0442	----	----	----	----	9 UNCH
6130	----	----	----/12.20A	14.40B/12.20A	----	12.70 - 1.90	.0439	----	----	----	----	10 UNCH
6140	----	----	----/12.00A	14.20B/12.00A	----	12.50 - 2.00	.0432	----	----	----	----	8 UNCH
6150	14.00	14.00	14.00/11.80A	14.10B/11.80A	----	12.30 - 2.00	.0425	----	----	3	----	507 + 1
6160	----	----	----/11.70A	13.90B/11.70A	----	12.20 - 1.90	.0421	----	----	----	----	130 UNCH
6170	----	----	----/11.60A	13.70B/11.60A	----	12.00 - 2.00	.0414	----	----	----	----	17 UNCH
6180	----	----	----/11.40A	13.50B/11.40A	----	11.90 - 1.90	.0410	----	----	----	----	75 UNCH
6190	----	----	----/11.20A	13.30B/11.20A	----	11.70 - 1.90	.0404	----	----	----	----	2 UNCH
6200	----	----	----/11.10A	13.10B/11.10A	----	11.50 - 2.00	.0397	----	----	1	----	4058 UNCH
6210	----	----	----/11.30A	12.80B/11.30A	----	11.40 - 1.90	.0393	----	----	----	----	53 UNCH
6220	----	----	----/11.10A	12.60B/11.10A	----	11.30 - 1.90	.0389	----	----	----	----	7 UNCH
6230	----	----	----/11.00A	12.50B/11.00A	----	11.10 - 1.90	.0382	----	----	----	----	62 UNCH
6240	----	----	----/10.80A	12.30B/10.80A	----	11.00 - 1.90	.0378	----	----	----	----	20 UNCH
6250	----	----	----/10.70A	12.10B/10.70A	----	10.80 - 1.90	.0372	----	----	1	----	1304 + 1
6260	----	----	----/10.60A	11.90B/10.60A	----	10.70 - 1.90	.0368	----	----	----	----	8 UNCH
6270	----	----	----/10.50A	11.90B/10.50A	----	10.60 - 1.80	.0364	----	----	----	----	146 UNCH
6280	----	----	----/10.00A	11.60B/10.00A	----	10.40 - 1.90	.0358	----	----	----	----	12 UNCH
6290	----	----	----/9.90A	11.50B/9.90A	----	10.30 - 1.90	.0354	----	----	----	----	19 UNCH
6300	10.50	10.50	11.00/9.80A	11.30B/9.80A	----	10.20 - 1.80	.0350	----	----	12	----	2540 + 11
6310	----	----	----/9.70A	11.20B/9.70A	----	10.10 - 1.80	.0346	----	----	----	----	2 UNCH
6320	----	----	----/9.60A	11.00B/9.60A	----	9.90 - 1.90	.0340	----	----	----	----	24 UNCH
6330	----	----	----/9.80A	11.00B/9.80A	----	9.80 - 1.90	.0336	----	----	----	----	27 UNCH
6340	----	----	----/9.70A	10.70B/9.70A	----	9.70 - 1.80	.0332	----	----	----	----	31 UNCH
6350	----	----	----/9.50A	10.60B/9.50A	----	9.60 - 1.80	.0328	----	----	----	----	17 UNCH
6360	----	----	----/9.40A	10.40B/9.40A	----	9.50 - 1.80	.0325	----	----	----	----	2 UNCH
6370	----	----	----/9.30A	10.30B/9.30A	----	9.40 - 1.80	.0321	----	----	----	----	4 UNCH
6380	----	----	----/9.20A	10.20B/9.20A	----	9.30 - 1.80	.0317	----	----	----	----	9 UNCH
6390	----	----	----/9.10A	10.00B/9.10A	----	9.20 - 1.70	.0314	----	----	----	----	1 UNCH
6400	----	----	----/9.00A	10.00B/9.00A	----	9.10 - 1.70	.0310	----	----	----	----	414 UNCH
6410	----	----	----/8.70A	9.80B/8.70A	----	9.00 - 1.70	.0306	----	----	----	----	8 UNCH
6420	----	----	----/8.60A	9.70B/8.60A	----	8.90 - 1.70	.0303	----	----	----	----	3 UNCH
6430	----	----	----/8.50A	9.50B/8.50A	----	8.80 - 1.70	.0299	----	----	----	----	30 UNCH
6440	----	----	----/8.60A	9.40B/8.60A	----	8.70 - 1.70	.0296	----	----	----	----	2 UNCH
6450	----	----	----/8.50A	9.30B/8.50A	----	8.60 - 1.70	.0292	----	----	----	----	58 UNCH
6460	----	----	----/8.40A	9.20B/8.40A	----	8.50 - 1.70	.0288	----	----	----	----	19 UNCH
6470	----	----	----/8.30A	9.10B/8.30A	----	8.40 - 1.70	.0285	----	----	----	----	9 UNCH
6480	----	----	----/8.30A	9.00B/8.30A	----	8.30 - 1.70	.0281	----	----	----	----	17 UNCH
6490	----	----	----/8.20A	8.90B/8.20A	----	8.20 - 1.70	.0278	----	----	----	----	21 UNCH
6500	----	----	----/8.10A	8.70B/8.10A	----	8.10 - 1.70	.0274	----	----	----	25	1043 UNCH
6525	----	----	----/7.90A	8.50B/7.90A	----	7.90 - 1.70	.0267	----	----	----	----	14 UNCH
6550	----	----	----/7.40A	8.20B/7.40A	----	7.70 - 1.70	.0260	----	----	----	----	209 UNCH
6575	----	----	----/7.50A	8.00B/7.50A	----	7.50 - 1.60	.0253	----	----	----	----	7 UNCH
6600	7.40	7.40	7.80B/7.30A	7.80B/7.30A	----	7.30 - 1.60	.0245	----	----	4	----	847 - 2
6625	----	----	----/6.90A	7.60B/6.90A	----	7.10 - 1.60	.0238	----	----	----	----	110 UNCH
6650	----	----	----/6.90A	7.40B/6.90A	----	7.00 - 1.50	.0234	----	----	----	----	38 UNCH
6675	----	----	----/6.80A	7.20B/6.80A	----	6.80 - 1.60	.0227	----	----	----	----	29 UNCH
6700	8.00	8.00	8.00/6.60A	8.00/6.60A	----	6.60 - 1.60	.0220	----	----	9	----	1207 UNCH
6725	----	----	----/6.40A	6.90B/6.40A	----	6.50 - 1.50	.0216	----	----	----	----	111 UNCH
6750	----	----	----/6.30A	6.70B/6.30A	----	6.30 - 1.50	.0209	----	----	----	----	134 UNCH
6775	6.80	6.80	6.80/6.20A	7.00B/6.20A	----	6.20 - 1.50	.0205	----	----	1	----	3 + 1
6800	----	----	----/5.90A	6.40B/5.90A	----	6.00 - 1.50	.0199	----	----	1	----	242 - 1
6825	----	----	----/5.90A	6.20B/5.90A	----	5.90 - 1.50	.0195	----	----	----	----	10 UNCH
6850	----	----	----/5.80A	6.10B/5.80A	----	5.80 - 1.40	.0191	----	----	1	----	26 + 1
6875	----	----	----/5.60A	6.00B/5.60A	----	5.60 - 1.50	.0184	----	----	----	----	1 UNCH
6900	----	----	----/5.50A	5.80B/5.50A	----	5.50 - 1.40	.0180	----	----	----	----	157 UNCH
6925	----	----	----/5.40A	5.70B/5.40A	----	5.40 - 1.40	.0177	----	----	----	----	51 UNCH
6950	----	----	----/5.30A	5.60B/5.30A	----	5.30 - 1.30	.0173	----	----	----	----	27 UNCH
6975	----	----	----/5.20A	5.50B/5.20A	----	5.20 - 1.30	.0169	----	----	----	----	17 UNCH
7000	----	----	----/5.10A	5.40B/5.10A	----	5.10 - 1.30	.0166	----	----	1	----	1783 - 1
7025	----	----	----/4.90A	5.20B/4.90A	----	5.00 - 1.30	.0162	----	----	----	----	31 UNCH
7050	----	----	----/4.90A	5.10B/4.90A	----	4.90 - 1.20	.0158	----	----	----	----	5 UNCH
7075	----	----	----/4.80A	5.00B/4.80A	----	4.80 - 1.20	.0155	----	----	----	----	8 UNCH
7100	----	----	----/4.70A	4.90B/4.70A	----	4.70 - 1.20	.0151	----	----	----	----	147 UNCH
7125	----	----	----/4.60A	4.80B/4.60A	----	4.60 - 1.20	.0148	----	----	----	----	52 UNCH
7150	----	----	----/4.50A	4.70B/4.50A	----	4.50 - 1.20	.0144	----	----	----	----	59 UNCH
7200	----	----	----/4.30A	4.50B/4.30A	----	4.30 - 1.20	.0138	----	----	----	----	129 UNCH
7250	----	----	----/4.20A	4.40B/4.20A	----	4.20 - 1.10	.0133	----	----	----	----	91 UNCH
7275	----	----	----/4.10A	4.30B/4.10A	----	4.10 - 1.10	.0130	----	----	----	----	1 UNCH
7300	----	----	----/4.00A	4.20B/4.00A	----	4.00 - 1.10	.0127	----	----	----	----	150 UNCH
7325	----	----	----/4.00A	4.10B/4.00A	----	4.00 - 1.00	.0126	----	----	----	----	14 UNCH
7350	----	----	----/3.90A	4.10B/3.90A	----	3.90 - 1.00	.0123	----	----	----	----	3 UNCH
7375	----	----	----/3.80A	4.00B/3.80A	----	3.80 - 1.00	.0120	----	----	----	----	11 UNCH
7400	----	----	----/3.80A	3.90B/3.80A	----	3.80 - 0.90	.0119	----	----	----	----	46 UNCH
7425	----	----	----/3.70A	3.90B/3.70A	----	3.70 - 0.90	.0116	----	----	----	----	20 UNCH
7450	----	----	----/3.70A	3.80B/3.70A	----	3.60 - 1.00	.0113	----	----	----	----	5 UNCH
7475	----	----	----/3.60A	3.70B/3.60A	----	3.60 - 0.90	.0112	----	----	----	----	8 UNCH
7500	4.20	4.20	4.20/3.50A	4.20/3.50A	----	3.50 - 0.90	.0109	----	----	26	----	1349 + 5
7525	----	----	----/3.50A	3.60B/3.50A	----	3.40 - 0.90	.0106	----	----	----	----	20 UNCH
7575	----	----	----/3.40A	3.50B/3.40A	----	3.30 - 0.90	.0102	----	----	----	----	8 UNCH
7600	----	----	----/3.30A	3.40B/3.30A	----	3.30 - 0.80	.0102	----	----	----	----	46 UNCH
7700	----	----	----/3.20A	3.20B/3.20A	----	3.00 - 0.90	.0092	----	----	----	----	45 UNCH
7750	----	----	----/3.10A	3.20B/3.10A	----	2.90 - 0.90	.0089	----	----	----	----	12 UNCH
7800	----	----	----/3.00A	3.10B/3.00A	----	2.80 - 0.90	.0085	----	----	----	----	39 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
7875	----	----	----/2.90A	2.90B/2.90A	----	2.70 - 0.80	.0082	----	----	----	----	31 UNCH
7900	----	----	----/2.80A	2.90B/2.80A	----	2.70 - 0.80	.0081	----	----	----	----	2 UNCH
7950	----	----	----/2.80A	2.90B/2.80A	----	2.60 - 0.80	.0078	----	----	----	----	2 UNCH
8000	2.90	2.90	2.90/2.40A	2.90/2.40A	----	2.50 - 0.80	.0075	----	----	1	----	972 UNCH
8100	----	----	----/2.60A	2.70B/2.60A	----	2.40 - 0.70	.0071	----	----	----	----	3 UNCH
8200	----	----	----/2.50A	2.50B/2.50A	----	2.20 - 0.80	.0065	----	----	----	----	89 UNCH
8300	----	----	----/2.40A	2.40B/2.40A	----	2.10 - 0.70	.0062	----	----	----	----	64 UNCH
8500	2.70	2.70	2.70/2.50A	2.70/2.50A	----	2.00 - 0.60	.0057	----	----	29	----	140 + 29
8600	----	----	----	2.20B/2.50A	----	1.90 - 0.60	.0054	----	----	----	----	50 UNCH
8800	2.20	2.20	2.20/2.20	2.20/2.20	----	1.80 - 0.40	.0050	----	----	1	----	32 + 1
8900	----	----	----	1.90B/2.20A	----	1.80 - 0.30	.0050	----	----	----	----	15 UNCH
9000	1.70	1.70	1.70/1.70	1.90B/1.70	----	1.70 - 0.30	.0047	----	----	3	----	229 UNCH
9100	----	----	----	1.80B/2.10A	----	1.70 - 0.20	.0046	----	----	----	----	1 UNCH
9200	----	----	----	1.70B/2.00A	----	1.70 - 0.10	.0045	----	----	----	----	51 UNCH
9300	----	----	----	1.70B/1.90A	----	1.60 - 0.10	.0043	----	----	----	----	3 UNCH
9400	----	----	----	1.60B/1.90A	----	1.60 - 0.10	.0042	----	----	----	----	25 UNCH
9500	----	----	----	1.50B/1.80A	----	1.60 UNCH	.0042	----	----	----	----	25 UNCH
9600	----	----	----	1.50B/1.70A	----	1.50 UNCH	.0039	----	----	----	----	26 UNCH
9700	----	----	1.50B/----	1.50B/1.70A	----	1.50 + 0.10	.0039	----	----	----	----	20 UNCH
9800	----	----	----	1.40B/1.60A	----	1.40 UNCH	.0036	----	----	----	----	17 UNCH
9900	----	----	----	1.30B/1.60A	----	1.40 + 0.10	.0036	----	----	----	----	24 UNCH
10000	1.80	1.80	1.80/1.20	1.80/1.20	----	1.40 + 0.20	.0035	----	----	32	----	262 + 27
10100	----	----	1.30B/----	1.30B/1.50A	----	1.30 + 0.10	.0033	----	----	----	----	2 UNCH
10300	----	----	1.20B/----	1.20B/1.40A	----	1.20 + 0.10	.0030	----	----	----	----	3 UNCH
10400	----	----	1.10B/----	1.10B/1.40A	----	1.10 + 0.10	.0027	----	----	----	----	2 UNCH
10500	----	----	1.10B/----	1.10B/1.30A	----	1.10 + 0.10	.0027	----	----	----	----	1 UNCH
10700	----	----	1.00B/----	1.00B/1.30A	----	1.00 + 0.10	.0025	----	----	----	----	4 UNCH
11000	----	----	1.00B/----	1.00B/1.10A	----	0.90 + 0.10	.0022	----	----	----	----	71 UNCH
11300	----	----	----	0.80B/1.00A	----	0.80 UNCH	.0019	----	----	----	----	11 UNCH
11500	----	----	0.90B/----	0.90B/1.00A	----	0.80 + 0.10	.0019	----	----	----	----	1 UNCH
11600	----	----	----	0.70B/0.90A	----	0.70 UNCH	.0017	----	----	----	----	5 UNCH
11700	----	----	0.70B/----	0.70B/0.90A	----	0.70 + 0.10	.0017	----	----	----	----	15 UNCH
11900	----	----	0.60B/----	0.60B/0.90A	----	0.50 UNCH	.0012	----	----	----	----	1 UNCH
12000	0.90	0.90	1.30/0.80	1.30/0.50A	----	0.40 UNCH	.0010	----	----	134	----	350 + 81
TOTAL										7645	425	152677 + 2575
JUL26												
3500	----	----	----	----	----	1228.40 + 10.30	.9490	----	----	----	----	1 UNCH
3600	----	----	1,100.80B/----	1100.80B/1039.40A	----	1133.90 + 07.60	.9366	----	----	----	----	24 UNCH
3650	----	----	1,054.70B/----	1054.70B/994.10A	----	1087.20 + 06.10	.9294	----	----	----	----	10 UNCH
3670	----	----	1,036.40B/----	1036.40B/976.10A	----	1068.60 + 05.50	.9263	----	----	----	----	3 UNCH
3700	----	----	1,009.00B/----	1009.00B/949.30A	----	1040.90 + 04.50	.9215	----	----	----	----	111 UNCH
3735	----	----	----	824.40B/1147.30A	----	1008.70 + 03.30	.9154	----	----	----	----	1 UNCH
3775	----	----	995.20B/----	995.20B/883.10A	----	972.20 + 01.80	.9079	----	----	----	----	4 UNCH
3800	----	----	976.50B/----	976.50B/857.20A	----	949.50 + 00.80	.9030	----	----	----	----	2045 UNCH
3825	----	----	949.90B/----	949.90B/839.70A	----	927.00 + 99.80	.8978	----	----	----	----	5 UNCH
3850	----	----	927.40B/----	927.40B/818.30A	----	904.60 + 98.70	.8924	----	----	----	----	66 UNCH
3860	----	----	----	746.70B/1045.50A	----	895.70 + 98.30	.8901	----	----	----	----	1 UNCH
3865	----	----	914.00B/----	914.00B/805.70A	----	891.30 + 98.10	.8890	----	----	----	----	7 UNCH
3875	----	----	905.10B/----	905.10B/797.10A	----	882.40 + 97.60	.8867	----	----	----	----	25 UNCH
3900	----	----	882.90B/----	882.90B/776.10A	----	860.30 + 96.50	.8807	----	----	----	----	18 UNCH
3925	----	----	860.90B/----	860.90B/755.20A	----	838.40 + 95.30	.8745	----	----	----	----	35 UNCH
3950	----	----	842.80B/----	842.80B/730.50A	----	816.70 + 94.20	.8680	----	----	----	----	820 UNCH
3960	----	----	----	658.20B/969.20A	----	808.00 + 93.60	.8653	----	----	----	----	1 UNCH
4000	----	----	795.60B/----	795.60B/693.50A	----	773.70 + 91.60	.8540	----	----	----	----	17 UNCH
4020	----	----	----	606.40B/920.70A	----	756.80 + 90.60	.8482	----	----	----	----	1 UNCH
4030	----	----	----	597.90B/912.80A	----	748.40 + 90.10	.8451	----	----	----	----	2 UNCH
4040	----	----	----	589.40B/904.80A	----	740.00 + 89.60	.8421	----	----	----	----	1 UNCH
4075	----	----	732.30B/----	732.30B/634.10A	----	710.90 + 87.70	.8308	----	----	----	----	6 UNCH
4095	----	----	715.70B/----	715.70B/618.90A	----	694.50 + 86.60	.8242	----	----	----	----	4 UNCH
4100	----	----	711.60B/----	711.60B/614.80A	----	690.40 + 86.30	.8225	----	----	----	----	194 UNCH
4105	----	----	----	532.90B/854.10A	----	686.30 + 86.00	.8208	----	----	----	----	1 UNCH
4110	----	----	703.30B/----	703.30B/607.70A	----	682.30 + 85.80	.8191	----	----	----	----	3 UNCH
4145	----	----	674.90B/----	674.90B/580.70A	----	654.10 + 83.80	.8067	----	----	----	----	28 UNCH
4150	----	----	670.80B/----	670.80B/577.30A	----	650.10 + 83.50	.8049	----	----	----	----	37 UNCH
4155	----	----	----	490.40B/815.90A	----	646.10 + 83.20	.8030	----	----	----	----	1 UNCH
4160	----	----	----	486.20B/812.20A	----	642.10 + 82.90	.8012	----	----	----	----	1 UNCH
4190	----	----	----	461.30B/789.70A	----	618.50 + 81.10	.7899	----	----	----	----	1 UNCH
4200	----	----	630.90B/----	630.90B/540.40A	----	610.70 + 80.40	.7860	----	----	----	----	8 UNCH
4215	----	----	619.00B/----	619.00B/529.90A	----	599.10 + 79.50	.7801	----	----	----	----	25 UNCH
4220	----	----	----	436.80B/767.60A	----	595.20 + 79.10	.7781	----	----	----	----	1 UNCH
4225	----	----	----	432.80B/764.00A	----	591.40 + 78.80	.7761	----	----	----	----	2 UNCH
4235	----	----	----	424.80B/756.70A	----	583.70 + 78.10	.7721	----	----	----	----	1 UNCH
4240	----	----	599.60B/----	599.60B/512.00A	----	579.90 + 77.80	.7700	----	----	----	----	39 UNCH
4245	----	----	----	416.80B/749.40A	----	576.10 + 77.50	.7680	----	----	----	----	1 UNCH
4250	----	----	593.80B/----	593.80B/503.20A	----	572.30 + 77.10	.7659	----	----	----	----	316 UNCH
4255	----	----	----	408.90B/742.20A	----	568.50 + 76.80	.7638	----	----	----	----	1 UNCH
4265	----	----	----	401.00B/735.10A	----	560.90 + 76.00	.7596	----	----	----	----	2 UNCH
4270	----	----	576.60B/----	576.60B/491.40A	----	557.20 + 75.70	.7575	----	----	----	----	38 UNCH
4275	----	----	572.70B/----	572.70B/488.20A	----	553.40 + 75.30	.7554	----	----	----	----	76 UNCH
4280	----	----	569.10B/----	569.10B/484.40A	----	549.70 + 75.00	.7533	----	----	----	----	3 UNCH
4300	----	----	554.00B/----	554.00B/471.20A	----	534.80 + 73.50	.7446	----	----	----	----	63 UNCH
4315	----	----	542.90B/----	542.90B/461.10A	----	523.80 + 72.30	.7380	----	----	----	----	21 UNCH
4325	----	----	535.50B/----	535.50B/454.30A	----	516.50 + 71.50	.7335	----	----	----	----	22 UNCH
4335	----	----	#483.00B/----	483.00B/465.30A	----	509.30 + 70.80	.7290	----	----	----	----	1 UNCH
4350	----	----	517.40B/414.40A	517.40B/414.40A	----	498.60 + 69.70	.7221	----	----	----	----	10 UNCH
4360	----	----	510.30B/407.50A	510.30B/407.50A	----	491.50 + 68.90	.7174	----	----	----	----	53 UNCH
4365	----	----	506.70B/404.50A	506.70B/404.50A	----	488.00 + 68.50	.7151	----	----	----	----	45 UNCH
4370	----	----	503.10B/399.80A	503.10B/399.80A	----	484.50 + 68.20	.7127	----	----	----	----	20 UNCH
4375	----	----	499.50B/396.80A	499.50B/396.80A	----	481.00 + 67.80	.7103	----	----	----	----	5 UNCH
4400	----	----	485.60B/382.90A	485.60B/382.90A	----	463.80 + 65.90	.6982	----	----	----	----	2267 UNCH
4410	----	----	475.10B/377.40A	475.10B/377.40A	----	457.10 + 65.20	.6933	----	----	----	----	4 UNCH
4415	----	----	474.70B/373.40A	474.70B/373.40A	----	453.70 + 64.80	.6908	----	----	----	----	39 UNCH
4420	----	----	473.70B/370.60A	473.70B/370.60A	----	450.40 + 64.50	.6883	----	----	----	----	5 UNCH
4425	----	----	470.20B/367.90A	470.20B/367.90A	----	447.10 + 64.10	.6858	----	----	----	----	16 UNCH
4430	----	----	466.80B/365.00A	466.80B/365.00A	----	443.80 + 63.80	.6833	----	----	----	----	1 UNCH
4445	----	----	456.80B/356.70A	456.80B/356.70A	----	434.00 + 62.70	.6757	----	----	----	----	30 UNCH
4450	----	----	453.50B/353.20A	453.50B/353.20A	----	430.70 + 62.30	.6731	----	----	----	----	255 UNCH
4455	----	----	#450.10B/349.80	450.10B/349.80A	----	427.50 + 62.00	.6705	----	----	----	----	2 UNCH
4460	----	----	#446.70B/347.10	446.70B/347.10A	----	424.30 + 61.60	.6680	----	----	----	----	2 UNCH
4475	----	----	#437.00B/339.10	437.00B/339.10A	----	414.80 + 60.60	.6602	----	----	----	----	2 UNCH
4480	----	----	433.80B/337.30A	433.80B/337.30A	----	411.60 + 60.10	.6576	----	----	----	----	25 UNCH
4490	----	----	427.40B/331.30A	427.40B/331.30A	----	405.30 + 59.40	.6523	----	----	----	----	9 UNCH
4500	----	----	420.90B/325.70A	420.90B/325.70A	----	399.10 + 58.60	.6471	----	----	1	----	968 UNCH
4505	----	----	417.70B/323.30A	417.70B/323.30A	----	396.00 + 58.20	.6444	----	----	----	----	2 UNCH
4510	----	----	414.60B/320.60A	414.60B/320.60A	----	392.90 + 57.80	.6417	----	----	1	----	45 - 1
4515	----	----	411.50B/319.10A	411.50B/319.10A	----	389.80 + 57.40	.6391	----	----	----	----	200 UNCH
4520	----	----	408.40B/316.00A	408.40B/316.00A	----	386.80 + 57.10	.6364	----	----	----	----	188 UNCH
4525	----	----	405.30B/313.10A	405.30B/313.10A	----	383.70 + 56.60	.6337	----	----	----	----	129 UNCH
4530	----	----	401.90B/311.80A	401.90B/311.80A	----	380.70 + 56.20	.6310	----	----	----	----	5 UNCH
4535	----	----	#399.00B/309.00	399.00B/309.00A	----	377.70 + 55.90	.6283	----	----	----	----	14 UNCH
4540	----	----	395.80B/305.60A	395.80B/305.60A	----	374.70 + 55.50	.6257	----	----	----	----	53 UNCH
4550	----	----	389.90B/300.30A	389.90B/300.30A	----	368.70 + 54.60	.6202	----	----	----	----	10 UNCH
4560	----	----	383.70B/295.60A	383.70B/295.60A	----	362.80 + 53.80	.6148	----	----	----	----	2 UNCH
4565	----	----	380.70B/293.20A	380.70B/293.20A	----	359.80 + 53.30	.6120	----	----	----	----	1 UNCH
4570	----	----	377.90B/290.90A	377.90B/290.90A	----	356.90 + 52.90	.6093	----	----	----	----	2 UNCH
4575	----	----	375.30B/288.40A	375.30B/288.40A	----	354.00 + 52.50	.6065	----	----	----	----	128 UNCH
4600	346.40	346.40	361.30B/276.80A	361.30B/276.80A	----	339.80 + 50.50	.5927	----	----	34	----	351 - 3
4605	----	----	358.20B/274.70A	358.20B/274.70A	----	337.00 + 50.10	.5899	----	----	----	----	10 UNCH
4610	----	----	355.10B/272.80A	355.10B/272.80A	----	334.20 + 49.60	.5871	----	----	----	----	6 UNCH
4635	----	----	343.10B/260.50A	343.10B/260.50A	----	320.50 + 47.60	.5731	----	----	----	----	86 UNCH
4640	286.60	286.60	340.50B/258.20A	340.50B/258.20A	----	317.90 + 47.30	.5703	----	----	10	----	242 UNCH
4645	----	----	336.90B/256.40A	336.90B/256.40A	----	315.20 + 46.80	.5674	----	----	----	----	14 UNCH
4650	----	----	335.40B/253.90A	335.40B/253.90A	----	312.60 + 46.50	.5646	----	----	----	----	259 UNCH
4655	281.00	281.00	332.00B/251.80A	332.00B/251.80A	----	310.00 + 46.10	.5618	----	----	4	----	18 UNCH
4660	----	----	329.30B/250.20A	329.30B/250.20A	----	307.40 + 45.70	.5589	----	----	----	----	10 UNCH
4665	----	----	326.90B/247.50A	326.90B/247.50A	----	304.80 + 45.30	.5561	----	----	1	----	268 UNCH
4670	----	----	324.10B/246.20A	324.10B/246.20A	----	302.20 + 44.90	.5533	----	----	----	----	62 UNCH
4675	----	----	321.10B/244.00A	321.10B/244.00A	----	299.70 + 44.60	.5504	----	----	----	----	129 UNCH
4680	----	----	317.90B/241.90A	317.90B/241.90A	----	297.10 + 44.10	.5476	----	----	10	----	10 + 10
4685	----	----	315.80B/239.50A	315.80B/239.50A	----	294.60 + 43.80	.5448	----	----	----	----	10 UNCH
4695	----	----	310.70B/235.80A	310.70B/235.80A	----	289.60 + 43.00	.5391	----	----	----	----	22 UNCH
4700	285.00	285.00	308.40B/233.80A	308.40B/233.80A	----	287.20 + 42.70	.5362	----	----	5	----	551 + 2
4710	----	----	302.90B/230.30A	302.90B/230.30A	----	282.30 + 41.90	.5305	----	----	----	----	100 UNCH
4725	----	----	295.50B/224.10A	295.50B/224.10A	----	275.10 + 40.80	.5220	----	----	50	----	51 + 49
4730	----	----	291.90B/222.50A	291.90B/222.50A	----	272.70 + 40.40	.5191	----	----	----	----	1 UNCH
4745	----	----	286.00B/216.80A	286.00B/216.80A	----	265.70 + 39.30	.5106	----	----	----	----	177 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4750	----	----	283.80B/212.60A	283.80B/212.60A	----	263.40 + 39.00	.5078	----	----	----	----	1066 UNCH
4755	----	----	280.90B/211.00A	280.90B/211.00A	----	261.20 + 38.70	.5050	----	----	----	----	12 UNCH
4760	----	----	278.70B/209.10A	278.70B/209.10A	----	258.90 + 38.30	.5021	----	----	----	----	47 UNCH
4770	----	----	274.10B/205.50A	274.10B/205.50A	----	254.40 + 37.60	.4965	----	----	----	----	68 UNCH
4775	----	----	271.70B/203.70A	271.70B/203.70A	----	252.20 + 37.20	.4937	----	----	----	----	150 UNCH
4780	----	----	269.50B/201.90A	269.50B/201.90A	----	250.00 + 36.90	.4908	----	----	----	----	30 UNCH
4785	----	----	267.10B/200.20A	267.10B/200.20A	----	247.80 + 36.50	.4880	----	----	----	----	11 UNCH
4790	----	----	264.00B/198.50A	264.00B/198.50A	----	245.60 + 36.10	.4852	----	----	----	----	1 UNCH
4800	----	----	260.70B/195.20A	260.70B/195.20A	----	241.30 + 35.40	.4796	----	----	155	----	2097 + 90
4810	----	----	255.80B/191.80A	255.80B/191.80A	----	237.10 + 34.80	.4740	----	----	----	----	2 UNCH
4825	----	----	249.40B/186.90A	249.40B/186.90A	----	230.90 + 33.80	.4657	----	----	----	----	41 UNCH
4830	----	----	247.20B/185.30A	247.20B/185.30A	----	228.80 + 33.40	.4629	----	----	----	----	3 UNCH
4835	----	----	245.20B/183.80A	245.20B/183.80A	----	226.80 + 33.10	.4601	----	----	----	----	6 UNCH
4840	----	----	242.90B/183.10A	242.90B/183.10A	----	224.80 + 32.80	.4573	----	----	----	----	1 UNCH
4845	----	----	241.00B/182.00A	241.00B/182.00A	----	222.80 + 32.40	.4546	----	----	----	----	59 UNCH
4850	221.50	221.50	239.10B/179.10A	239.10B/179.10A	----	220.80 + 32.10	.4518	----	----	4	----	329 - 4
4855	----	----	236.60B/177.50A	236.60B/177.50A	----	218.80 + 31.70	.4490	----	----	----	----	1 UNCH
4860	----	----	234.40B/176.00A	234.40B/176.00A	----	216.90 + 31.40	.4463	----	----	----	----	1 UNCH
4870	----	----	230.60B/173.00A	230.60B/173.00A	----	213.00 + 30.70	.4408	----	----	----	----	60 UNCH
4875	----	----	228.60B/172.40A	228.60B/172.40A	----	211.10 + 30.40	.4381	----	----	----	----	12 UNCH
4880	----	----	226.60B/171.20A	226.60B/171.20A	----	209.20 + 30.10	.4354	----	----	----	----	12 UNCH
4885	----	----	224.40B/168.80A	224.40B/168.80A	----	207.30 + 29.80	.4327	----	----	----	----	2 UNCH
4890	----	----	222.50B/167.40A	222.50B/167.40A	----	205.50 + 29.50	.4300	----	----	----	----	2 UNCH
4900	----	----	219.10B/164.60A	219.10B/164.60A	----	201.80 + 28.80	.4246	----	----	9	----	525 UNCH
4905	----	----	216.60B/163.10A	216.60B/163.10A	----	200.00 + 28.50	.4219	----	----	----	----	2 UNCH
4910	----	----	214.70B/162.60A	214.70B/162.60A	----	198.10 + 28.10	.4192	----	----	----	----	2 UNCH
4915	----	----	213.00B/160.40A	213.00B/160.40A	----	196.40 + 27.90	.4166	----	----	----	----	3 UNCH
4920	----	----	211.20B/158.90A	211.20B/158.90A	----	194.60 + 27.60	.4139	----	----	----	----	6 UNCH
4925	----	----	209.40B/157.60A	209.40B/157.60A	----	192.80 + 27.20	.4112	----	----	----	----	4 UNCH
4930	----	----	207.50B/156.30A	207.50B/156.30A	----	191.10 + 27.00	.4086	----	----	----	----	3 UNCH
4940	----	----	203.80B/153.50A	203.80B/153.50A	----	187.60 + 26.30	.4033	----	----	----	----	163 UNCH
4950	----	----	200.20B/151.00A	200.20B/151.00A	----	184.20 + 25.70	.3981	----	----	----	----	111 UNCH
4955	167.60	167.60	198.40B/150.00A	198.40B/150.00A	----	182.60 + 25.50	.3955	----	----	10	----	72 + 10
4960	----	----	196.40B/148.40A	196.40B/148.40A	----	180.90 + 25.20	.3929	----	----	----	----	1 UNCH
4965	----	----	195.00B/147.00A	195.00B/147.00A	----	179.30 + 24.90	.3904	----	----	----	----	150 UNCH
4970	----	----	193.30B/145.80A	193.30B/145.80A	----	177.60 + 24.60	.3878	----	----	----	----	13 UNCH
4975	----	----	191.50B/146.00A	191.50B/146.00A	----	176.00 + 24.30	.3852	----	----	----	----	42 UNCH
4980	----	----	189.80B/143.40A	189.80B/143.40A	----	174.40 + 24.00	.3826	----	----	----	----	3 UNCH
4985	----	----	188.10B/142.20A	188.10B/142.20A	----	172.80 + 23.70	.3801	----	----	----	----	27 UNCH
4990	----	----	186.40B/140.90A	186.40B/140.90A	----	171.20 + 23.40	.3775	----	----	----	----	13 UNCH
4995	----	----	184.80B/140.10A	184.80B/140.10A	----	169.70 + 23.20	.3751	----	----	----	----	20 UNCH
5000	145.00	145.00	183.30B/138.60A	183.30B/138.60A	----	168.10 + 22.90	.3725	----	----	185	----	1702 + 29
5005	----	----	181.60B/138.60A	181.60B/138.60A	----	166.60 + 22.60	.3700	----	----	1	----	12 UNCH
5010	----	----	180.00B/136.20A	180.00B/136.20A	----	165.00 + 22.30	.3675	----	----	----	----	12 UNCH
5015	----	----	177.80B/135.00A	177.80B/135.00A	----	163.50 NEW	.3650	----	----	1	----	1 + 1
5020	----	----	176.70B/134.70A	176.70B/134.70A	----	162.00 + 21.70	.3625	----	----	----	----	7 UNCH
5025	----	----	175.10B/132.70A	175.10B/132.70A	----	160.60 + 21.50	.3601	----	----	----	----	5 UNCH
5030	----	----	173.60B/131.50A	173.60B/131.50A	----	159.10 + 21.30	.3577	----	----	----	----	31 UNCH
5035	----	----	171.80B/130.40A	171.80B/130.40A	----	157.60 + 20.90	.3552	----	----	----	----	54 UNCH
5040	----	----	170.00B/129.30A	170.00B/129.30A	----	156.20 + 20.70	.3528	----	----	----	----	2 UNCH
5045	----	----	167.90B/128.40A	167.90B/128.40A	----	154.70 + 20.40	.3503	----	----	----	----	2 UNCH
5050	----	----	167.50B/127.10A	167.50B/127.10A	----	153.30 + 20.20	.3479	----	----	1	----	18 + 1
5055	----	----	165.90B/127.20A	165.90B/127.20A	----	151.90 + 19.90	.3455	----	----	----	----	8 UNCH
5060	----	----	164.40B/124.90A	164.40B/124.90A	----	150.50 + 19.70	.3431	----	----	----	----	4 UNCH
5065	----	----	162.90B/123.90A	162.90B/123.90A	----	149.10 + 19.40	.3407	----	----	----	----	25 UNCH
5070	----	----	161.00B/122.80A	161.00B/122.80A	----	147.80 + 19.20	.3384	----	----	----	----	1 UNCH
5075	----	----	159.90B/123.00A	159.90B/123.00A	----	146.40 + 18.90	.3360	----	----	----	----	14 UNCH
5080	----	----	158.40B/120.80A	158.40B/120.80A	----	145.10 + 18.70	.3337	----	----	----	----	65 UNCH
5085	----	----	156.60B/119.80A	156.60B/119.80A	----	143.70 + 18.40	.3314	----	----	----	----	2 UNCH
5090	----	----	155.20B/118.80A	155.20B/118.80A	----	142.40 + 18.20	.3290	----	----	----	----	1 UNCH
5095	----	----	154.30B/117.80A	154.30B/117.80A	----	141.10 + 17.90	.3267	----	----	----	----	45 UNCH
5100	134.90	134.90	153.00B/116.70A	153.00B/116.70A	----	139.80 + 17.70	.3244	----	----	128	----	512 - 39
5105	----	----	151.50B/116.70A	151.50B/116.70A	----	138.50 + 17.50	.3221	----	----	----	----	61 UNCH
5110	----	----	150.20B/114.80A	150.20B/114.80A	----	137.20 + 17.20	.3198	----	----	----	----	3 UNCH
5115	----	----	148.70B/113.80A	148.70B/113.80A	----	136.00 + 17.00	.3176	----	----	----	----	35 UNCH
5120	136.20	136.20	147.40B/112.90A	147.40B/112.90A	----	134.70 + 16.70	.3153	----	----	6	----	6 - 1
5125	----	----	146.20B/112.00A	146.20B/112.00A	----	133.50 + 16.60	.3131	----	----	200	----	214 + 199
5130	----	----	144.70B/111.00A	144.70B/111.00A	----	132.30 + 16.40	.3109	----	----	----	----	12 UNCH
5135	129.60	129.60	143.50B/110.10A	143.50B/110.10A	----	131.10 + 16.10	.3087	----	----	6	----	161 - 2
5140	----	----	142.30B/109.10A	142.30B/109.10A	----	129.80 + 15.80	.3064	----	----	----	----	43 UNCH
5145	----	----	140.90B/108.20A	140.90B/108.20A	----	128.70 + 15.70	.3043	----	----	----	----	16 UNCH
5150	----	----	139.70B/107.50A	139.70B/107.50A	----	127.50 + 15.50	.3021	----	----	17	----	701 UNCH
5155	----	----	137.90B/106.40A	137.90B/106.40A	----	126.30 + 15.20	.2999	----	----	----	----	1 UNCH
5160	----	----	137.00B/105.50A	137.00B/105.50A	----	125.10 + 15.00	.2978	----	----	----	----	9 UNCH
5165	----	----	135.30B/104.60A	135.30B/104.60A	----	124.00 + 14.80	.2957	----	----	----	----	2 UNCH
5170	----	----	134.60B/103.80A	134.60B/103.80A	----	122.90 + 14.60	.2936	----	----	----	----	7 UNCH
5175	----	----	133.30B/104.00A	133.30B/104.00A	----	121.70 + 14.40	.2914	----	----	----	----	50 UNCH
5180	----	----	132.30B/102.80A	132.30B/102.80A	----	120.60 + 14.20	.2893	----	----	----	----	12 UNCH
5185	----	----	130.90B/102.00A	130.90B/102.00A	----	119.50 + 14.00	.2872	----	----	----	----	32 UNCH
5190	----	----	129.40B/101.80A	129.40B/101.80A	----	118.40 + 13.80	.2851	----	----	----	----	2 UNCH
5195	----	----	128.60B/100.60A	128.60B/100.60A	----	117.30 + 13.60	.2830	----	----	----	----	7 UNCH
5200	109.00	109.00	127.70B/99.70A	127.70B/99.70A	----	116.20 + 13.30	.2809	----	----	418	----	1169 + 306
5205	----	----	126.30B/97.50A	126.30B/97.50A	----	115.20 + 13.20	.2790	----	----	----	----	4 UNCH
5210	----	----	125.10B/97.00A	125.10B/97.00A	----	114.10 + 13.00	.2769	----	----	----	----	12 UNCH
5215	----	----	124.00B/96.10A	124.00B/96.10A	----	113.10 + 12.80	.2749	----	----	----	----	9 UNCH
5220	----	----	122.90B/95.00A	122.90B/95.00A	----	112.00 + 12.60	.2728	----	----	----	----	18 UNCH
5225	----	----	121.20B/94.10A	121.20B/94.10A	----	111.00 + 12.40	.2709	----	----	----	----	2 UNCH
5230	----	----	120.70B/93.40A	120.70B/93.40A	----	110.00 + 12.20	.2689	----	----	----	----	9 UNCH
5240	----	----	118.10B/91.90A	118.10B/91.90A	----	108.00 + 11.90	.2650	----	----	----	----	1 UNCH
5245	----	----	117.40B/91.50A	117.40B/91.50A	----	107.00 + 11.70	.2630	----	----	----	----	61 UNCH
5250	----	----	116.60B/90.40A	116.60B/90.40A	----	106.00 + 11.50	.2610	----	----	----	----	366 UNCH
5255	----	----	115.20B/89.60A	115.20B/89.60A	----	105.10 + 11.30	.2592	----	----	----	----	13 UNCH
5260	----	----	114.20B/88.80A	114.20B/88.80A	----	104.10 + 11.10	.2572	----	----	----	----	150 UNCH
5265	----	----	113.30B/88.20A	113.30B/88.20A	----	103.20 + 11.00	.2554	----	----	----	----	3 UNCH
5270	----	----	112.10B/87.40A	112.10B/87.40A	----	102.20 + 10.80	.2534	----	----	----	----	10 UNCH
5275	----	----	111.20B/86.60A	111.20B/86.60A	----	101.30 + 10.60	.2516	----	----	----	----	16 UNCH
5280	----	----	110.10B/85.90A	110.10B/85.90A	----	100.40 + 10.50	.2498	----	----	----	----	4 UNCH
5285	----	----	109.20B/85.70A	109.20B/85.70A	----	99.50 + 10.30	.2479	----	----	----	----	13 UNCH
5290	----	----	108.20B/84.90A	108.20B/84.90A	----	98.60 + 10.20	.2461	----	----	----	----	33 UNCH
5295	----	----	106.80B/83.80A	106.80B/83.80A	----	97.70 + 10.00	.2443	----	----	----	----	1 UNCH
5300	105.00	105.00	106.50B/83.30A	106.50B/83.30A	----	96.80 + 9.80	.2424	----	----	248	----	646 + 110
5305	----	----	105.20B/82.60A	105.20B/82.60A	----	95.90 + 9.70	.2406	----	----	----	----	29 UNCH
5310	----	----	104.30B/81.80A	104.30B/81.80A	----	95.00 + 9.50	.2388	----	----	----	----	3 UNCH
5315	----	----	103.40B/81.50A	103.40B/81.50A	----	94.20 + 9.40	.2371	----	----	----	----	13 UNCH
5320	----	----	102.40B/81.00A	102.40B/81.00A	----	93.30 + 9.20	.2352	----	----	----	----	7 UNCH
5325	----	----	101.40B/80.30A	101.40B/80.30A	----	92.50 + 9.10	.2335	----	----	----	----	156 UNCH
5330	----	----	100.50B/79.80A	100.50B/79.80A	----	91.60 + 8.80	.2317	----	----	----	----	4 UNCH
5345	----	----	97.90B/77.80A	97.90B/77.80A	----	89.20 + 8.50	.2266	----	----	----	----	8 UNCH
5350	----	----	97.10B/76.80A	97.10B/76.80A	----	88.40 + 8.30	.2249	----	----	100	----	516 + 95
5355	----	----	96.00B/76.60A	96.00B/76.60A	----	87.60 + 8.20	.2233	----	----	----	----	4 UNCH
5360	----	----	95.50B/75.90A	95.50B/75.90A	----	86.80 + 8.00	.2216	----	----	----	----	333 UNCH
5365	----	----	94.40B/75.10A	94.40B/75.10A	----	86.00 + 7.90	.2199	----	----	----	----	13 UNCH
5370	----	----	93.60B/74.40A	93.60B/74.40A	----	85.30 + 7.80	.2183	----	----	----	----	10 UNCH
5375	----	----	92.60B/73.90A	92.60B/73.90A	----	84.50 + 7.60	.2167	----	----	----	----	3 UNCH
5380	----	----	91.80B/73.30A	91.80B/73.30A	----	83.80 + 7.50	.2151	----	----	----	----	5 UNCH
5385	----	----	91.00B/72.80A	91.00B/72.80A	----	83.00 + 7.40	.2134	----	----	----	----	16 UNCH
5390	----	----	90.20B/72.10A	90.20B/72.10A	----	82.30 + 7.30	.2119	----	----	----	----	11 UNCH
5395	----	----	89.40B/71.50A	89.40B/71.50A	----	81.50 + 7.10	.2102	----	----	----	----	18 UNCH
5400	89.00	89.00	89.00/70.90A	89.00/70.90A	----	80.80 + 7.00	.2087	----	----	2	----	4296 UNCH
5405	----	----	87.70B/70.40A	87.70B/70.40A	----	80.10 + 6.90	.2071	----	----	----	----	7 UNCH
5410	----	----	87.00B/69.80A	87.00B/69.80A	----	79.40 + 6.70	.2056	----	----	----	----	26 UNCH
5415	----	----	86.30B/69.30A	86.30B/69.30A	----	78.70 + 6.60	.2040	----	----	----	----	17 UNCH
5420	----	----	85.50B/68.70A	85.50B/68.70A	----	78.00 + 6.50	.2025	----	----	----	----	10 UNCH
5425	79.10	79.10	84.90B/68.30A	84.90B/68.30A	----	77.30 + 6.40	.2010	----	----	4	----	7 + 4
5430	----	----	84.10B/68.00A	84.10B/68.00A	----	76.60 + 6.20	.1995	----	----	----	----	5 UNCH
5435	----	----	83.40B/67.20A	83.40B/67.20A	----	75.90 + 6.10	.1979	----	----	----	----	2 UNCH
5440	----	----	82.80B/66.90A	82.80B/66.90A	----	75.30 + 6.10	.1965	----	----	----	----	2 UNCH
5445	----	----	81.90B/66.00A	81.90B/66.00A	----	74.60 + 5.90	.1950	----	----	----	----	8 UNCH
5450	----	----	81.40B/65.50A	81.40B/65.50A	----	74.00 + 5.80	.1936	----	----	1	----	1186 UNCH
5455	----	----	80.60B/65.50A	80.60B/65.50A	----	73.30 + 5.70	.1921	----	----	----	----	11 UNCH
5460	----	----	80.00B/64.50A	80.00B/64.50A	----	72.70 + 5.60	.1907	----	----	1	----	13 + 1
5465	----	----	79.40B/64.00A	79.40B/64.00A	----	72.00 + 5.40	.1892	----	----	----	----	16 UNCH
5470	----	----	78.60B/63.80A	78.60B/63.80A	----	71.40 + 5.40	.1878	----	----	----	----	17 UNCH
5475	----	----	78.10B/63.10A	78.10B/63.10A	----	70.80 + 5.30	.1865	----	----	----	----	206 UNCH
5480	----	----	77.20B/62.90A	77.20B/62.90A	----	70.20 + 5.20	.1851	----	----	----	----	5 UNCH
5485	----	----	76.90B/62.10A	76.90B/62.10A	----	69.60 + 5.10	.1837	----	----	----	----	3 UNCH
5490	----	----	76.10B/61.70A	76.10B/61.70A	----	68.90 + 4.90	.1822	----	----	----	----	17 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5495	----	----	75.60B/61.20A	75.60B/61.20A	----	68.40 + 4.90	.1810	----	----	----	----	1 UNCH
5500	65.90	65.90	74.90B/60.80A	74.90B/60.80A	----	67.80 + 4.80	.1796	----	----	62	----	3108 + 41
5505	----	----	74.30B/60.40A	74.30B/60.40A	----	67.20 + 4.70	.1782	----	----	----	----	3 UNCH
5510	----	----	73.70B/59.90A	73.70B/59.90A	----	66.60 + 4.60	.1769	----	----	----	----	2 UNCH
5515	----	----	73.20B/59.30A	73.20B/59.30A	----	66.00 + 4.40	.1755	----	----	----	----	9 UNCH
5520	----	----	72.60B/59.00A	72.60B/59.00A	----	65.50 + 4.40	.1743	----	----	----	----	11 UNCH
5530	----	----	71.40B/58.00A	71.40B/58.00A	----	64.30 + 4.10	.1716	----	----	----	----	24 UNCH
5535	----	----	70.90B/57.80A	70.90B/57.80A	----	63.80 + 4.10	.1704	----	----	----	----	1 UNCH
5540	----	----	70.30B/57.10A	70.30B/57.10A	----	63.20 + 4.00	.1690	----	----	----	----	16 UNCH
5545	----	----	69.80B/56.70A	69.80B/56.70A	----	62.70 + 3.90	.1678	----	----	----	----	8 UNCH
5550	----	----	69.10B/56.50A	69.10B/56.50A	----	62.20 + 3.90	.1667	----	----	100	----	204 + 42
5555	----	----	68.70B/56.10A	68.70B/56.10A	----	61.60 + 3.70	.1653	----	----	----	----	23 UNCH
5560	----	----	68.10B/55.50A	68.10B/55.50A	----	61.10 + 3.60	.1641	----	----	----	----	21 UNCH
5565	----	----	67.50B/55.10A	67.50B/55.10A	----	60.60 + 3.60	.1629	----	----	----	----	1 UNCH
5570	----	----	67.00B/54.80A	67.00B/54.80A	----	60.10 + 3.50	.1617	----	----	----	----	2 UNCH
5575	----	----	66.40B/54.20A	66.40B/54.20A	----	59.60 + 3.40	.1605	----	----	----	----	14 UNCH
5580	----	----	65.90B/54.10A	65.90B/54.10A	----	59.10 + 3.40	.1593	----	----	----	----	2 UNCH
5585	64.10	64.10	65.50B/53.70A	65.50B/53.70A	----	58.60 + 3.30	.1582	----	----	12	----	19 + 10
5590	----	----	65.00B/53.50A	65.00B/53.50A	----	58.10 + 3.20	.1570	----	----	----	----	1 UNCH
5595	58.10	58.10	64.40B/53.10A	64.40B/53.10A	----	57.60 + 3.10	.1558	----	----	3	----	19 + 3
5600	----	----	63.90B/52.70A	63.90B/52.70A	----	57.10 + 3.00	.1546	----	----	355	----	2538 - 112
5605	----	----	63.50B/52.30A	63.50B/52.30A	----	56.70 + 3.00	.1536	----	----	----	----	26 UNCH
5610	----	----	62.90B/51.90A	62.90B/51.90A	----	56.20 + 2.90	.1524	----	----	----	----	1 UNCH
5615	----	----	62.40B/51.60A	62.40B/51.60A	----	55.70 + 2.80	.1512	----	----	----	----	1 UNCH
5625	----	----	61.50B/50.80A	61.50B/50.80A	----	54.80 + 2.70	.1491	----	----	----	----	10 UNCH
5630	----	----	61.00B/50.40A	61.00B/50.40A	----	54.40 + 2.60	.1480	----	----	----	----	5 UNCH
5635	----	----	60.50B/50.10A	60.50B/50.10A	----	53.90 + 2.50	.1469	----	----	----	----	8 UNCH
5640	----	----	60.00B/49.70A	60.00B/49.70A	----	53.50 + 2.50	.1459	----	----	----	----	4 UNCH
5650	----	----	59.20B/49.00A	59.20B/49.00A	----	52.60 + 2.30	.1437	----	----	2	----	303 UNCH
5660	----	----	58.10B/48.30A	58.10B/48.30A	----	51.70 + 2.20	.1415	----	----	----	----	1 UNCH
5670	----	----	57.40B/47.60A	57.40B/47.60A	----	50.90 + 2.10	.1395	----	----	----	----	11 UNCH
5675	----	----	56.90B/47.30A	56.90B/47.30A	----	50.50 + 2.00	.1385	----	----	----	----	6 UNCH
5680	----	----	56.50B/47.00A	56.50B/47.00A	----	50.10 + 2.00	.1375	----	----	----	----	3 UNCH
5690	----	----	55.60B/46.30A	55.60B/46.30A	----	49.30 + 1.90	.1356	----	----	----	----	2 UNCH
5700	----	----	54.70B/45.70A	54.70B/45.70A	----	48.50 + 1.70	.1336	----	----	1	----	899 + 1
5710	----	----	53.90B/45.00A	53.90B/45.00A	----	47.70 + 1.60	.1316	----	----	----	----	2 UNCH
5720	----	----	53.10B/44.40A	53.10B/44.40A	----	47.00 + 1.50	.1298	----	----	----	----	280 UNCH
5725	----	----	52.70B/44.10A	52.70B/44.10A	----	46.60 + 1.40	.1288	----	----	----	----	51 UNCH
5730	----	----	52.40B/43.80A	52.40B/43.80A	----	46.20 + 1.40	.1279	----	----	----	----	7 UNCH
5740	----	----	51.50B/43.20A	51.50B/43.20A	----	45.50 + 1.30	.1261	----	----	----	----	3 UNCH
5750	46.00	46.00	50.80B/42.60A	50.80B/42.60A	----	44.80 + 1.20	.1243	----	----	1	----	1715 UNCH
5760	----	----	50.00B/42.10A	50.00B/42.10A	----	44.10 + 1.10	.1225	----	----	----	----	168 UNCH
5770	----	----	49.20B/41.50A	49.20B/41.50A	----	43.40 + 1.00	.1207	----	----	----	----	4 UNCH
5775	----	----	49.00B/41.20A	49.00B/41.20A	----	43.10 + 1.00	.1200	----	----	----	----	214 UNCH
5780	----	----	48.60B/40.90A	48.60B/40.90A	----	42.80 + 1.00	.1192	----	----	----	----	2 UNCH
5790	----	----	47.70B/40.40A	47.70B/40.40A	----	42.10 + 0.80	.1174	----	----	----	----	10 UNCH
5800	----	----	47.00B/39.80A	47.00B/39.80A	----	41.50 + 0.80	.1158	----	----	2	----	910 + 1
5810	----	----	46.40B/39.30A	46.40B/39.30A	----	40.80 + 0.60	.1141	----	----	----	----	6 UNCH
5820	----	----	45.50B/38.80A	45.50B/38.80A	----	40.20 + 0.60	.1125	----	----	----	----	376 UNCH
5825	----	----	45.30B/38.50A	45.30B/38.50A	----	39.90 + 0.50	.1117	----	----	----	----	15 UNCH
5830	----	----	44.90B/38.30A	44.90B/38.30A	----	39.60 + 0.50	.1110	----	----	----	----	1 UNCH
5840	----	----	44.30B/37.80A	44.30B/37.80A	----	39.00 + 0.40	.1094	----	----	----	----	102 UNCH
5850	----	----	43.70B/37.30A	43.70B/37.30A	----	38.50 + 0.40	.1080	----	----	1	----	110 + 1
5860	----	----	43.00B/36.80A	43.00B/36.80A	----	37.90 + 0.30	.1065	----	----	----	----	68 UNCH
5870	----	----	42.40B/36.30A	42.40B/36.30A	----	37.40 + 0.30	.1051	----	----	----	----	10 UNCH
5875	----	----	42.10B/36.10A	42.10B/36.10A	----	37.10 + 0.20	.1044	----	----	----	----	22 UNCH
5880	----	----	41.80B/35.90A	41.80B/35.90A	----	36.80 + 0.10	.1036	----	----	----	----	9 UNCH
5890	----	----	41.20B/35.40A	41.20B/35.40A	----	36.30 + 0.10	.1023	----	----	----	----	6 UNCH
5900	----	----	40.60B/34.90A	40.60B/34.90A	----	35.80 + 0.10	.1009	----	----	82	----	537 + 69
5910	----	----	40.00B/34.50A	40.00B/34.50A	----	35.30 UNCH	.0996	----	----	----	----	6 UNCH
5920	----	----	39.50B/34.00A	39.50B/34.00A	----	34.80 UNCH	.0982	----	----	----	----	23 UNCH
5925	----	----	39.20B/33.80A	39.20B/33.80A	----	34.50 - 0.10	.0975	----	----	----	----	6 UNCH
5940	----	----	38.40B/33.20A	38.40B/33.20A	----	33.80 - 0.20	.0956	----	----	----	----	2 UNCH
5950	----	----	37.90B/32.80A	37.90B/32.80A	----	33.40 - 0.10	.0945	----	----	----	----	3 UNCH
5960	35.00	35.00	37.40B/32.40A	37.40B/32.40A	----	32.90 - 0.20	.0931	----	----	1	----	15 + 1
5970	----	----	36.90B/32.00A	36.90B/32.00A	----	32.50 - 0.20	.0920	----	----	----	----	54 UNCH
5980	----	----	36.40B/31.60A	36.40B/31.60A	----	32.00 - 0.30	.0907	----	----	----	----	3 UNCH
5990	----	----	35.90B/31.40A	35.90B/31.40A	----	31.60 - 0.30	.0896	----	----	----	----	70 UNCH
6000	31.60	31.60	35.40B/31.00A	35.40B/31.00A	----	31.20 - 0.40	.0885	----	----	144	----	2287 + 36
6025	----	----	34.20B/30.10A	34.20B/30.10A	----	30.20 - 0.40	.0857	----	----	----	----	14 UNCH
6050	----	----	33.00B/29.30A	33.00B/29.30A	----	29.20 - 0.50	.0830	----	----	----	----	43 UNCH
6075	----	----	31.90B/28.30A	31.90B/28.30A	----	28.30 - 0.60	.0805	----	----	----	----	63 UNCH
6100	27.40	27.40	30.90B/27.10	30.90B/27.10	----	27.50 - 0.50	.0782	----	----	23	----	251 + 11
6125	----	----	29.90B/26.70A	29.90B/26.70A	----	26.70 - 0.60	.0759	----	----	----	----	48 UNCH
6150	----	----	28.90B/25.90A	28.90B/25.90A	----	25.90 - 0.60	.0737	----	----	----	----	854 UNCH
6175	----	----	27.50B/25.10A	27.50B/25.10A	----	25.10 - 0.70	.0715	----	----	----	----	38 UNCH
6200	----	----	26.70B/24.40A	26.70B/24.40A	----	24.40 - 0.70	.0695	----	----	----	----	529 UNCH
6225	----	----	----/23.90A	24.40B/23.90A	----	23.70 - 0.70	.0675	----	----	1	----	19 + 1
6250	----	----	----/23.20A	23.70B/23.20A	----	23.00 - 0.80	.0655	----	----	----	----	2014 UNCH
6275	----	----	----/22.60A	23.00B/22.60A	----	22.30 - 0.80	.0636	----	----	----	----	2 UNCH
6300	21.90	21.90	21.90/21.90	22.30B/21.90	----	21.70 - 0.80	.0618	----	----	1	----	325 UNCH
6325	----	----	----/21.40A	21.70B/21.40A	----	21.10 - 0.90	.0601	----	----	----	----	29 UNCH
6350	----	----	----/20.80A	21.10B/20.80A	----	20.50 - 0.90	.0584	----	----	----	----	32 UNCH
6375	----	----	----/20.30A	20.50B/20.30A	----	20.00 - 0.90	.0569	----	----	----	----	37 UNCH
6400	----	----	----/19.80A	20.40B/19.80A	----	19.40 - 1.00	.0553	----	----	----	----	178 UNCH
6425	----	----	----/19.30A	19.40B/19.30A	----	18.90 - 1.00	.0538	----	----	----	----	12 UNCH
6450	18.40	18.40	18.40/18.40	19.30B/18.40	----	18.40 - 1.00	.0524	----	----	22	----	49 + 16
6475	----	----	----/18.40A	18.30B/18.40A	----	17.90 - 1.00	.0509	----	----	----	----	14 UNCH
6500	19.70	19.70	19.70/18.00A	19.70/18.00A	----	17.40 - 1.10	.0495	----	----	57	----	1647 + 21
6525	----	----	----/17.50A	17.40B/17.50A	----	17.00 - 1.10	.0483	----	----	----	----	132 UNCH
6575	----	----	----/16.70A	16.50B/16.70A	----	16.10 - 1.20	.0458	----	----	----	----	4 UNCH
6600	----	----	----/16.30A	16.10B/16.30A	----	15.70 - 1.20	.0446	----	----	----	----	29 UNCH
6650	----	----	----/15.50A	15.40B/15.50A	----	15.00 - 1.10	.0425	----	----	----	----	16 UNCH
6675	----	----	----/15.20A	15.20B/15.20A	----	14.60 - 1.20	.0414	----	----	----	----	1 UNCH
6700	----	----	----/14.80A	14.60B/14.80A	----	14.30 - 1.20	.0405	----	----	----	----	87 UNCH
6800	----	----	----/13.60A	13.30B/13.60A	----	13.00 - 1.20	.0367	----	----	----	----	199 UNCH
6825	12.80	12.80	12.80/12.80	13.00B/12.80	----	12.70 NEW	.0358	----	----	19	----	19 + 19
6850	----	----	----/13.00A	12.80B/13.00A	----	12.50 - 1.20	.0352	----	----	----	----	201 UNCH
6875	----	----	----/12.80A	12.40B/12.80A	----	12.20 - 1.20	.0343	----	----	----	----	22 UNCH
6900	----	----	----/12.50A	12.20B/12.50A	----	11.90 - 1.20	.0335	----	----	----	----	19 UNCH
6925	----	----	----/12.20A	11.90B/12.20A	----	11.70 - 1.20	.0328	----	----	----	----	1 UNCH
6950	----	----	----/12.10A	11.70B/12.10A	----	11.40 - 1.20	.0320	----	----	----	----	22 UNCH
6975	----	----	----/11.80A	11.60B/11.80A	----	11.20 - 1.20	.0314	----	----	----	----	1 UNCH
7000	----	----	----/11.60A	11.20B/11.60A	----	11.00 - 1.20	.0308	----	----	1	----	790 + 1
7050	----	----	----/11.20A	10.80B/11.20A	----	10.50 - 1.20	.0293	----	----	----	----	17 UNCH
7075	----	----	----/11.00A	10.50B/11.00A	----	10.30 - 1.20	.0287	----	----	----	----	13 UNCH
7100	----	----	----/10.80A	10.30B/10.80A	----	10.10 - 1.20	.0282	----	----	----	----	21 UNCH
7125	----	----	----/10.60A	10.10B/10.60A	----	9.90 - 1.20	.0276	----	----	----	----	1 UNCH
7150	----	----	----/10.40A	9.90B/10.40A	----	9.70 - 1.20	.0270	----	----	----	----	18 UNCH
7175	----	----	----/10.20A	9.70B/10.20A	----	9.60 - 1.10	.0266	----	----	----	----	1 UNCH
7200	----	----	----/10.00A	9.60B/10.00A	----	9.40 - 1.10	.0260	----	----	----	----	3 UNCH
7225	----	----	----/9.80A	9.60B/9.80A	----	9.20 - 1.10	.0255	----	----	----	----	17 UNCH
7250	11.00	11.00	11.00/9.70A	11.00/9.70A	----	9.00 - 1.20	.0249	----	----	2	----	2 UNCH
7275	----	----	----/9.50A	9.00B/9.50A	----	8.90 - 1.10	.0246	----	----	----	----	14 UNCH
7300	----	----	----/9.30A	8.90B/9.30A	----	8.70 - 1.10	.0240	----	----	----	----	7 UNCH
7350	----	----	----/9.00A	8.60B/9.00A	----	8.40 - 1.10	.0231	----	----	----	----	6 UNCH
7400	----	----	----/8.70A	8.20B/8.70A	----	8.10 - 1.10	.0222	----	----	----	----	1 UNCH
7425	----	----	----/8.60A	8.10B/8.60A	----	8.00 - 1.10	.0219	----	----	----	----	19 UNCH
7450	----	----	----/8.50A	8.00B/8.50A	----	7.90 - 1.00	.0216	----	----	----	----	16 UNCH
7475	----	----	----/8.30A	7.80B/8.30A	----	7.70 - 1.10	.0210	----	----	----	----	9 UNCH
7500	7.30	7.30	7.30/7.30	7.70B/7.30	----	7.60 - 1.00	.0207	----	----	2	----	290 - 1
7525	----	----	----/8.10A	7.50B/8.10A	----	7.50 - 1.00	.0204	----	----	----	----	33 UNCH
7550	----	----	----/7.90A	7.40B/7.90A	----	7.30 - 1.10	.0199	----	----	----	----	50 UNCH
7575	----	----	----/7.90A	7.30B/7.90A	----	7.20 - 1.10	.0196	----	----	----	----	1 UNCH
7600	----	----	----/7.70A	7.20B/7.70A	----	7.10 - 1.00	.0193	----	----	----	----	10 UNCH
7625	----	----	----/7.60A	7.00B/7.60A	----	7.00 - 1.00	.0190	----	----	----	----	12 UNCH
7700	----	----	----/7.30A	6.70B/7.30A	----	6.70 - 1.00	.0181	----	----	----	----	11 UNCH
7725	----	----	----/7.20A	6.60B/7.20A	----	6.60 - 0.90	.0178	----	----	----	----	11 UNCH
7750	----	----	----/7.10A	6.50B/7.10A	----	6.50 - 0.90	.0175	----	----	----	----	2 UNCH
7775	----	----	----/7.00A	6.40B/7.00A	----	6.40 - 0.90	.0172	----	----	----	----	5 UNCH
7800	----	----	----/6.90A	6.30B/6.90A	----	6.30 - 0.90	.0169	----	----	----	----	5 UNCH
7825	----	----	----/6.80A	6.20B/6.80A	----	6.20 - 0.90	.0166	----	----	----	----	10 UNCH
7875	----	----	----/6.60A	6.00B/6.60A	----	6.00 - 0.90	.0160	----	----	----	----	140 UNCH
7900	----	----	----/6.50A	5.90B/6.50A	----	5.90 NEW	.0157	----	----	1	----	1 + 1
8000	----	----	----/6.20A	5.60B/6.20A	----	5.60 - 0.90	.0148	----	----	----	----	591 UNCH
8300	----	----	----	4.70B/5.50A	----	4.80 - 0.70	.0125	----	----	----	----	4 UNCH
8500	----	----	----	4.30B/5.00A	----	4.30 - 0.70	.0111	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
8600	----	----	----	4.00B/4.80A	----	4.10 - 0.70	.0105	----	----	----	----	1 UNCH
8800	----	----	----	3.70B/4.40A	----	3.70 - 0.70	.0094	----	----	----	----	7 UNCH
9000	4.20	4.20	4.20/4.20	4.20/4.10A	----	3.40 - 0.60	.0086	----	----	1	----	223 - 1
9200	----	----	----	3.00B/3.80A	----	3.20 - 0.50	.0079	----	----	----	----	11 UNCH
9300	----	----	----	2.90B/3.70A	----	3.00 - 0.50	.0074	----	----	----	----	4 UNCH
9400	----	----	----	2.80B/3.60A	----	2.90 - 0.50	.0072	----	----	----	----	141 UNCH
9500	----	----	----	2.70B/3.50A	----	2.80 - 0.40	.0069	----	----	----	----	66 UNCH
9900	----	----	----	2.30B/3.10A	----	2.40 - 0.40	.0058	----	----	----	----	5 UNCH
10000	----	----	----	2.20B/3.00A	----	2.30 - 0.40	.0055	----	----	----	----	174 UNCH
10100	----	----	----	2.10B/2.90A	----	2.30 - 0.30	.0055	----	----	----	----	12 UNCH
11000	----	----	----	1.50B/2.30A	----	1.60 - 0.40	.0037	----	----	----	----	86 UNCH
11200	----	----	----	1.40B/2.20A	----	1.40 - 0.40	.0033	----	----	----	----	13 UNCH
11500	----	----	----	1.30B/2.10A	----	1.20 - 0.30	.0028	----	----	----	----	47 UNCH
11600	----	----	----	1.30B/1.90A	----	1.20 - 0.20	.0028	----	----	----	----	50 UNCH
12000	----	----	----	1.10B/1.60A	----	1.00 - 0.30	.0023	----	----	----	----	216 UNCH
TOTAL										2509		54169 + 1018
AUG26												
3400	----	----	----	----	----	1328.70 + 11.80	.9481	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1234.50 + 08.90	.9363	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1229.90 + 08.80	.9356	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1215.90 + 08.30	.9337	----	----	----	----	65 UNCH
3550	----	----	----	846.40B/1322.60A	----	1188.00 + 07.30	.9296	----	----	----	----	310 UNCH
3600	----	----	----	857.40B/1279.30A	----	1141.80 + 05.50	.9221	----	----	----	----	1045 UNCH
3610	----	----	----	848.30B/1270.70A	----	1132.60 + 05.20	.9205	----	----	----	----	6 UNCH
3650	----	----	----	913.50B/1236.50A	----	1096.00 + 03.60	.9139	----	----	----	----	4 UNCH
3660	----	----	----	907.60B/1228.00A	----	1087.00 + 03.30	.9122	----	----	----	----	2 UNCH
3685	----	----	----	889.80B/1206.80A	----	1064.30 + 02.30	.9078	----	----	----	----	1 UNCH
3700	----	----	----	889.40B/1194.20A	----	1050.80 + 01.80	.9051	----	----	----	----	40 UNCH
3715	----	----	----	886.40B/1181.70A	----	1037.30 + 01.10	.9022	----	----	----	----	30 UNCH
3720	----	----	----	881.90B/1177.50A	----	1032.80 + 00.90	.9013	----	----	----	----	1 UNCH
3735	----	----	----	868.40B/1165.00A	----	1019.40 + 00.30	.8984	----	----	----	----	1 UNCH
3750	----	----	----	854.90B/1153.00A	----	1006.10 + 99.80	.8953	----	----	----	----	8 UNCH
3775	----	----	----	832.70B/1133.70A	----	983.90 + 98.70	.8902	----	----	----	----	4 UNCH
3780	----	----	----	828.30B/1129.90A	----	979.50 + 98.50	.8891	----	----	----	----	10 UNCH
3790	----	----	----	819.40B/1122.20A	----	970.70 + 98.10	.8870	----	----	----	----	67 UNCH
3800	----	----	----	810.60B/1114.60A	----	962.00 + 97.80	.8848	----	----	----	----	303 UNCH
3820	----	----	----	793.00B/1099.40A	----	944.50 + 96.90	.8803	----	----	----	----	3 UNCH
3840	----	----	----	775.50B/1084.30A	----	927.10 + 96.00	.8757	----	----	----	----	1 UNCH
3850	----	----	----	766.80B/1076.80A	----	918.50 + 95.70	.8734	----	----	----	----	12 UNCH
3885	----	----	----	736.50B/1050.80A	----	888.40 + 94.10	.8647	----	----	----	----	2 UNCH
3890	----	----	----	732.20B/1047.10A	----	884.20 + 93.90	.8635	----	----	----	----	2 UNCH
3900	----	----	----	723.60B/1039.70A	----	875.70 + 93.50	.8610	----	----	----	----	146 UNCH
3920	----	----	----	706.60B/1023.80A	----	858.70 + 92.50	.8557	----	----	----	----	1 UNCH
3925	----	----	----	702.30B/1019.90A	----	854.50 + 92.30	.8544	----	----	----	----	10 UNCH
3950	----	----	----	681.20B/1000.00A	----	833.60 + 91.20	.8476	----	----	----	----	106 UNCH
3955	----	----	----	677.00B/996.10A	----	829.40 + 90.90	.8462	----	----	----	----	7 UNCH
3975	----	----	----	660.10B/980.40A	----	812.80 + 90.00	.8405	----	----	----	----	200 UNCH
3995	----	----	----	642.80B/964.80A	----	796.40 + 89.10	.8346	----	----	----	----	30 UNCH
4000	----	----	----	638.50B/960.90A	----	792.30 + 88.90	.8332	----	----	----	----	714 UNCH
4005	----	----	----	634.20B/957.00A	----	788.20 + 88.60	.8317	----	----	----	----	1 UNCH
4015	----	----	----	625.70B/949.30A	----	780.10 + 88.20	.8287	----	----	----	----	12 UNCH
4025	----	----	----	617.20B/941.60A	----	772.00 + 87.70	.8257	----	----	----	----	174 UNCH
4045	----	----	----	600.30B/926.40A	----	755.90 + 86.70	.8194	----	----	----	----	30 UNCH
4050	----	----	----	596.10B/922.50A	----	751.90 + 86.50	.8178	----	----	----	----	100 UNCH
4055	----	----	----	591.90B/918.70A	----	747.90 + 86.20	.8163	----	----	----	----	100 UNCH
4075	----	----	----	575.20B/903.60A	----	732.00 + 85.20	.8098	----	----	----	----	3 UNCH
4080	----	----	----	571.00B/899.90A	----	728.10 + 85.00	.8081	----	----	----	----	1 UNCH
4100	----	----	----	554.50B/884.90A	----	712.40 + 84.00	.8014	----	----	----	----	73 UNCH
4110	----	----	----	546.30B/877.50A	----	704.60 + 83.50	.7980	----	----	----	----	19 UNCH
4135	----	----	----	526.10B/859.10A	----	685.30 + 82.20	.7893	----	----	----	----	20 UNCH
4140	----	----	----	522.00B/855.50A	----	681.50 + 81.90	.7875	----	----	----	----	1 UNCH
4150	----	----	----	514.00B/848.20A	----	673.90 + 81.40	.7840	----	----	----	----	40 UNCH
4165	----	----	----	502.10B/837.30A	----	662.50 + 80.60	.7786	----	----	----	----	1 UNCH
4195	----	----	----	478.50B/815.80A	----	640.10 + 79.00	.7675	----	----	----	----	3 UNCH
4200	----	----	----	474.60B/812.20A	----	636.40 + 78.80	.7656	----	----	----	----	75 UNCH
4215	----	----	----	463.10B/801.60A	----	625.30 + 77.90	.7599	----	----	----	----	1 UNCH
4220	----	----	----	459.20B/798.10A	----	621.70 + 77.60	.7579	----	----	----	----	16 UNCH
4225	----	----	----	455.40B/794.60A	----	618.00 + 77.30	.7560	----	----	----	----	102 UNCH
4235	----	----	----	447.80B/787.60A	----	610.80 + 76.80	.7521	----	----	----	----	1 UNCH
4250	----	----	----	436.50B/777.20A	----	600.00 + 76.00	.7462	----	----	----	----	71 UNCH
4265	----	----	536.70B/----	536.70B/544.20A	----	589.30 + 75.10	.7402	----	----	----	----	77 UNCH
4285	----	----	538.00B/----	538.00B/530.80A	----	575.10 + 73.90	.7320	----	----	----	----	8 UNCH
4300	----	----	539.10B/----	539.10B/521.00A	----	564.70 + 73.00	.7258	----	----	----	----	42 UNCH
4320	----	----	537.70B/463.70A	537.70B/463.70A	----	550.90 + 71.80	.7175	----	----	----	----	2 UNCH
4325	----	----	536.60B/463.00A	536.60B/463.00A	----	547.50 + 71.50	.7154	----	----	----	----	6 UNCH
4330	----	----	537.50B/460.90A	537.50B/460.90A	----	544.10 + 71.20	.7133	----	----	----	----	201 UNCH
4350	----	----	533.10B/446.80A	533.10B/446.80A	----	530.60 + 70.00	.7046	----	----	----	----	774 UNCH
4360	----	----	528.10B/441.00A	528.10B/441.00A	----	523.90 + 69.30	.7003	----	----	----	----	1 UNCH
4375	----	----	531.80B/432.60A	531.80B/432.60A	----	514.00 + 68.40	.6938	----	----	----	----	3 UNCH
4385	----	----	528.30B/426.60A	528.30B/426.60A	----	507.40 + 67.70	.6894	----	----	----	----	100 UNCH
4390	----	----	524.90B/424.70A	524.90B/424.70A	----	504.20 + 67.50	.6871	----	----	----	----	1 UNCH
4400	----	----	518.30B/418.10A	518.30B/418.10A	----	497.70 + 66.80	.6827	----	----	----	----	325 UNCH
4420	----	----	505.10B/407.10A	505.10B/407.10A	----	484.80 + 65.40	.6737	----	----	----	----	50 UNCH
4425	----	----	501.80B/404.40A	501.80B/404.40A	----	481.70 + 65.10	.6714	----	----	----	----	5 UNCH
4440	----	----	492.20B/396.20A	492.20B/396.20A	----	472.20 + 64.10	.6646	----	----	----	----	1 UNCH
4450	----	----	485.70B/392.50A	485.70B/392.50A	----	466.00 + 63.40	.6600	----	----	----	----	6 UNCH
4455	----	----	482.70B/388.80A	482.70B/388.80A	----	462.90 + 63.10	.6577	----	----	----	----	2 UNCH
4460	----	----	479.40B/387.10A	479.40B/387.10A	----	459.80 + 62.70	.6554	----	----	----	----	5 UNCH
4465	----	----	476.30B/383.00A	476.30B/383.00A	----	456.70 + 62.40	.6531	----	----	----	----	9 UNCH
4470	----	----	473.30B/381.90A	473.30B/381.90A	----	453.60 + 62.00	.6508	----	----	----	----	7 UNCH
4475	----	----	470.10B/377.70A	470.10B/377.70A	----	450.60 + 61.70	.6484	----	----	----	----	29 UNCH
4485	----	----	463.90B/372.60A	463.90B/372.60A	----	444.50 + 61.00	.6437	----	----	----	----	5 UNCH
4490	----	----	460.80B/371.30A	460.80B/371.30A	----	441.50 + 60.60	.6414	----	----	----	----	1 UNCH
4500	----	----	454.70B/364.90A	454.70B/364.90A	----	435.50 + 59.90	.6367	----	----	----	----	845 UNCH
4535	----	----	433.50B/347.70A	433.50B/347.70A	----	414.90 + 57.30	.6201	----	----	----	----	10 UNCH
4540	----	----	#430.60B/345.30	430.60B/345.30A	----	412.00 + 57.00	.6177	----	----	----	----	5 UNCH
4545	----	----	427.70B/342.80A	427.70B/342.80A	----	409.10 + 56.60	.6152	----	----	----	----	1 UNCH
4550	----	----	424.90B/341.30A	424.90B/341.30A	----	406.30 + 56.30	.6128	----	----	----	----	22 UNCH
4555	----	----	422.00B/338.10A	422.00B/338.10A	----	403.40 + 55.80	.6104	----	----	----	----	1 UNCH
4560	----	----	419.10B/334.20A	419.10B/334.20A	----	400.60 + 55.50	.6080	----	----	----	----	5 UNCH
4565	----	----	416.00B/331.80A	416.00B/331.80A	----	397.80 + 55.20	.6056	----	----	----	----	1 UNCH
4575	----	----	410.50B/330.10A	410.50B/330.10A	----	392.20 + 54.40	.6007	----	----	----	----	41 UNCH
4580	----	----	407.50B/326.30A	407.50B/326.30A	----	389.40 + 54.00	.5983	----	----	----	----	200 UNCH
4585	----	----	404.60B/325.50A	404.60B/325.50A	----	386.60 + 53.60	.5959	----	----	----	----	2 UNCH
4590	----	----	402.00B/322.00A	402.00B/322.00A	----	383.90 + 53.30	.5934	----	----	5	----	16 + 5
4595	----	----	399.20B/321.10A	399.20B/321.10A	----	381.10 + 52.90	.5910	----	----	----	----	2 UNCH
4600	----	----	396.30B/318.70A	396.30B/318.70A	----	378.40 + 52.50	.5885	----	----	----	----	101 UNCH
4605	----	----	393.70B/316.40A	393.70B/316.40A	----	375.70 + 52.20	.5861	----	----	----	----	1 UNCH
4620	----	----	385.30B/308.70A	385.30B/308.70A	----	367.60 + 51.00	.5787	----	----	----	----	4 UNCH
4640	----	----	374.60B/295.90A	374.60B/295.90A	----	357.10 + 49.50	.5689	----	----	----	----	1 UNCH
4650	323.00	323.00	369.30B/292.10A	369.30B/292.10A	----	351.90 + 48.80	.5639	----	----	1	----	145 + 1
4660	348.00	348.00	364.00B/288.20A	364.00B/288.20A	----	346.80 NEW	.5590	----	----	2	----	2 + 2
4670	----	----	358.90B/283.60A	358.90B/283.60A	----	341.70 + 47.30	.5540	----	----	----	----	3 UNCH
4675	----	----	356.20B/281.50A	356.20B/281.50A	----	339.20 + 46.90	.5515	----	----	----	----	36 UNCH
4700	----	----	345.50B/271.70A	345.50B/271.70A	----	326.90 + 45.10	.5391	----	----	2	----	1618 + 2
4705	----	----	341.80B/270.00A	341.80B/270.00A	----	324.50 + 44.70	.5366	----	----	----	----	20 UNCH
4710	----	----	339.60B/267.60A	339.60B/267.60A	----	322.10 + 44.40	.5341	----	----	----	----	14 UNCH
4720	----	----	335.30B/263.50A	335.30B/263.50A	----	317.40 + 43.70	.5292	----	----	----	----	23 UNCH
4730	----	----	330.70B/259.90A	330.70B/259.90A	----	312.70 + 43.00	.5242	----	----	----	----	3 UNCH
4750	----	----	321.40B/253.00A	321.40B/253.00A	----	303.50 + 41.60	.5143	----	----	----	----	12 UNCH
4760	----	----	316.40B/249.80A	316.40B/249.80A	----	299.00 + 40.90	.5094	----	----	----	----	10 UNCH
4770	----	----	312.00B/245.70A	312.00B/245.70A	----	294.60 + 40.30	.5045	----	----	----	----	14 UNCH
4775	----	----	309.80B/243.90A	309.80B/243.90A	----	292.40 + 40.00	.5020	----	----	1	----	6 - 1
4780	----	----	307.70B/241.90A	307.70B/241.90A	----	290.20 + 39.60	.4995	----	----	----	----	2 UNCH
4800	283.30	283.30	298.60B/233.10A	298.60B/233.10A	----	281.70 + 38.40	.4898	----	----	15	----	1634 - 15
4810	250.00	250.00	294.20B/229.60A	294.20B/229.60A	----	277.50 + 37.80	.4849	----	----	1	----	1 UNCH
4815	----	----	292.10B/227.90A	292.10B/227.90A	----	275.40 + 37.40	.4825	----	----	----	----	1 UNCH
4825	----	----	287.90B/224.30A	287.90B/224.30A	----	271.40 + 36.90	.4776	----	----	----	----	1 UNCH
4830	----	----	285.40B/222.80A	285.40B/222.80A	----	269.30 + 36.50	.4752	----	----	1	----	4 + 1
4850	----	----	277.50B/217.10A	277.50B/217.10A	----	261.40 + 35.40	.4656	----	----	----	----	4 UNCH
4860	----	----	273.60B/213.90A	273.60B/213.90A	----	257.50 + 34.80	.4608	----	----	----	----	22 UNCH
4875	----	----	267.20B/208.40A	267.20B/208.40A	----	251.80 + 33.90	.4537	----	----	----	----	4 UNCH
4880	----	----	265.30B/207.70A	265.30B/207.70A	----	249.90 + 33.60	.4513	----	----	----	----	1 UNCH
4900	----	----	257.30B/201.00A	257.30B/201.00A	----	242.50 + 32.50	.4419	----	----	----	155	479 + 70
4905	----	----	255.20B/200.60A	255.20B/200.60A	----	240.70 + 32.30	.4396	----	----	----	----	3 UNCH
4925	----	----	247.50B/194.60A	247.50B/194.60A	----	233.50 + 31.20	.4303	----	----	----	----	123 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4940	----	----	241.90B/190.50A	241.90B/190.50A	----	228.20 + 30.30	.4234	----	----	----	----	1 UNCH
4950	----	----	238.50B/187.70A	238.50B/187.70A	----	224.80 + 29.80	.4188	----	----	----	----	50 UNCH
4955	----	----	236.40B/185.90A	236.40B/185.90A	----	223.10 + 29.60	.4166	----	----	----	----	1 UNCH
4975	----	----	229.60B/180.90A	229.60B/180.90A	----	216.30 + 28.50	.4075	----	----	----	----	2 UNCH
4995	----	----	222.40B/174.70A	222.40B/174.70A	----	209.80 + 27.50	.3986	----	----	----	----	3 UNCH
5000	200.00	200.00	220.80B/174.30A	220.80B/174.30A	----	208.20 + 27.20	.3963	----	----	298	----	1343 + 269
5005	----	----	219.00B/172.90A	219.00B/172.90A	----	206.60 + 27.00	.3941	----	----	----	----	4 UNCH
5015	----	----	215.80B/170.10A	215.80B/170.10A	----	203.40 + 26.40	.3897	----	----	----	----	3 UNCH
5030	----	----	211.00B/165.90A	211.00B/165.90A	----	198.80 + 25.70	.3832	----	----	----	----	2 UNCH
5045	----	----	207.20B/162.40A	207.20B/162.40A	----	194.20 + 24.90	.3767	----	----	----	----	1 UNCH
5050	188.90	188.90	205.60B/161.10A	205.60B/161.10A	----	192.70 + 24.70	.3745	----	----	6	----	8 + 6
5075	----	----	198.00B/156.20A	198.00B/156.20A	----	185.40 + 23.50	.3639	----	----	----	----	200 UNCH
5100	168.30	168.30	190.60B/150.60A	190.60B/150.60A	----	178.40 + 22.50	.3535	----	----	11	----	1612 UNCH
5105	----	----	189.10B/148.80A	189.10B/148.80A	----	177.00 + 22.20	.3515	----	----	----	----	2 UNCH
5110	----	----	187.70B/148.40A	187.70B/148.40A	----	175.60 + 22.00	.3494	----	----	----	----	4 UNCH
5130	----	----	182.00B/143.50A	182.00B/143.50A	----	170.30 + 21.20	.3413	----	----	----	----	1 UNCH
5145	----	----	177.90B/140.30A	177.90B/140.30A	----	166.40 + 20.50	.3353	----	----	----	----	2 UNCH
5150	----	----	176.60B/140.00A	176.60B/140.00A	----	165.10 + 20.30	.3333	----	----	2	----	19 + 2
5160	----	----	173.90B/138.00A	173.90B/138.00A	----	162.50 + 19.80	.3293	----	----	----	----	5 UNCH
5200	144.00	144.00	163.60B/129.60A	163.60B/129.60A	----	152.80 + 18.30	.3140	----	----	271	----	3319 + 37
5205	----	----	162.30B/129.40A	162.30B/129.40A	----	151.60 + 18.10	.3121	----	----	----	----	1 UNCH
5215	144.40	144.40	159.90B/126.80A	159.90B/126.80A	----	149.30 NEW	.3084	----	----	7	----	7 + 7
5230	----	----	156.20B/124.30A	156.20B/124.30A	----	145.80 + 17.10	.3028	----	----	----	----	2 UNCH
5250	----	----	151.50B/120.80A	151.50B/120.80A	----	141.40 + 16.40	.2955	----	----	1	----	399 - 1
5255	----	----	150.40B/119.80A	150.40B/119.80A	----	140.30 + 16.20	.2937	----	----	----	----	3 UNCH
5265	----	----	148.10B/118.20A	148.10B/118.20A	----	138.10 + 15.80	.2901	----	----	----	----	1 UNCH
5275	----	----	145.90B/116.50A	145.90B/116.50A	----	136.00 + 15.50	.2866	----	----	----	----	1 UNCH
5285	----	----	143.70B/115.50A	143.70B/115.50A	----	133.90 NEW	.2831	----	----	2	----	2 + 2
5300	----	----	140.40B/113.00A	140.40B/113.00A	----	130.80 + 14.60	.2779	----	----	----	----	536 UNCH
5320	----	----	136.20B/109.50A	136.20B/109.50A	----	126.80 + 13.90	.2711	----	----	----	----	4 UNCH
5325	----	----	135.20B/108.70A	135.20B/108.70A	----	125.80 + 13.70	.2694	----	----	----	----	8 UNCH
5330	----	----	134.20B/107.90A	134.20B/107.90A	----	124.80 + 13.50	.2677	----	----	----	----	6 UNCH
5350	----	----	130.10B/104.90A	130.10B/104.90A	----	121.00 + 12.80	.2611	----	----	----	----	1 UNCH
5355	----	----	129.20B/104.20A	129.20B/104.20A	----	120.10 + 12.70	.2595	----	----	----	----	1 UNCH
5370	----	----	126.20B/102.00A	126.20B/102.00A	----	117.30 + 12.10	.2546	----	----	----	----	2 UNCH
5375	----	----	125.30B/101.20A	125.30B/101.20A	----	116.40 + 12.00	.2530	----	----	----	----	4 UNCH
5400	----	----	120.70B/97.90A	120.70B/97.90A	----	112.00 + 11.20	.2452	----	----	50	----	3756 - 38
5410	----	----	118.90B/96.50A	118.90B/96.50A	----	110.20 + 10.80	.2420	----	----	----	----	2 UNCH
5420	----	----	117.10B/95.20A	117.10B/95.20A	----	108.50 + 10.40	.2390	----	----	----	----	5 UNCH
5445	----	----	112.80B/91.90A	112.80B/91.90A	----	104.50 + 9.80	.2317	----	----	----	----	3 UNCH
5450	----	----	111.90B/91.40A	111.90B/91.40A	----	103.70 + 9.60	.2302	----	----	1	----	2 UNCH
5460	101.50	101.50	110.30B/90.30A	110.30B/90.30A	----	102.10 NEW	.2273	----	----	2	----	2 + 2
5470	----	----	108.70B/89.20A	108.70B/89.20A	----	100.60 + 9.10	.2245	----	----	----	----	1 UNCH
5480	----	----	107.00B/87.90A	107.00B/87.90A	----	99.00 + 8.70	.2216	----	----	----	----	10 UNCH
5485	----	----	106.30B/87.30A	106.30B/87.30A	----	98.30 + 8.60	.2202	----	----	----	----	1 UNCH
5490	----	----	105.50B/86.70A	105.50B/86.70A	----	97.60 + 8.50	.2189	----	----	----	----	2 UNCH
5495	----	----	104.70B/86.20A	104.70B/86.20A	----	96.80 + 8.30	.2174	----	----	----	----	2 UNCH
5500	100.00	100.00	103.90B/85.50A	103.90B/85.50A	----	96.10 + 8.20	.2161	----	----	10	----	641 + 5
5515	----	----	101.60B/83.90A	101.60B/83.90A	----	94.00 + 7.90	.2121	----	----	----	----	2 UNCH
5525	----	----	100.20B/82.70A	100.20B/82.70A	----	92.60 + 7.70	.2094	----	----	----	----	1 UNCH
5535	99.00	99.00	99.00/81.80A	99.00/81.80A	----	91.30 NEW	.2069	----	----	3	----	3 + 3
5545	----	----	97.30B/80.60A	97.30B/80.60A	----	89.90 + 7.20	.2042	----	----	----	----	2 UNCH
5550	----	----	96.60B/80.00A	96.60B/80.00A	----	89.30 + 7.20	.2030	----	----	----	----	2 UNCH
5565	----	----	94.50B/78.50A	94.50B/78.50A	----	87.40 + 6.90	.1993	----	----	----	----	2 UNCH
5575	----	----	93.30B/77.60A	93.30B/77.60A	----	86.10 + 6.70	.1968	----	----	----	----	3 UNCH
5580	----	----	92.60B/77.10A	92.60B/77.10A	----	85.50 + 6.60	.1956	----	----	----	----	17 UNCH
5595	----	----	90.50B/75.50A	90.50B/75.50A	----	83.70 + 6.30	.1920	----	----	----	----	2 UNCH
5600	----	----	90.00B/75.20A	90.00B/75.20A	----	83.10 + 6.20	.1908	----	----	2	----	1767 UNCH
5615	----	----	88.20B/73.60A	88.20B/73.60A	----	81.40 + 6.00	.1874	----	----	----	----	1 UNCH
5640	----	----	85.20B/71.50A	85.20B/71.50A	----	78.60 + 5.60	.1818	----	----	----	----	3 UNCH
5650	----	----	84.00B/70.40A	84.00B/70.40A	----	77.50 + 5.50	.1795	----	----	----	----	88 UNCH
5660	----	----	82.90B/69.60A	82.90B/69.60A	----	76.50 + 5.40	.1775	----	----	----	----	10 UNCH
5675	----	----	81.20B/68.20A	81.20B/68.20A	----	74.90 + 5.20	.1742	----	----	----	----	3 UNCH
5700	70.50	70.50	78.60B/66.30A	78.60B/66.30A	----	72.40 + 4.80	.1690	----	----	2	----	2138 + 1
5720	----	----	76.40B/64.70A	76.40B/64.70A	----	70.50 + 4.60	.1651	----	----	----	----	10 UNCH
5725	----	----	75.90B/64.40A	75.90B/64.40A	----	70.00 NEW	.1640	----	----	1	----	1 + 1
5730	75.70	75.70	75.70/63.80A	75.70/63.80A	----	69.60 + 4.50	.1632	----	----	12	----	12 + 10
5750	----	----	73.40B/62.50A	73.40B/62.50A	----	67.70 + 4.20	.1592	----	----	----	----	5 UNCH
5800	----	----	68.80B/58.80A	68.80B/58.80A	----	63.40 + 3.70	.1501	----	----	----	----	890 UNCH
5825	----	----	66.50B/57.00A	66.50B/57.00A	----	61.30 + 3.40	.1456	----	----	----	----	14 UNCH
5850	----	----	64.30B/55.40A	64.30B/55.40A	----	59.20 + 3.00	.1412	----	----	----	----	15 UNCH
5875	----	----	62.20B/53.70A	62.20B/53.70A	----	57.30 + 2.70	.1371	----	----	----	----	7 UNCH
5900	----	----	60.50B/52.20A	60.50B/52.20A	----	55.40 + 2.30	.1330	----	----	----	----	1821 UNCH
5950	----	----	56.60B/49.30A	56.60B/49.30A	----	51.80 + 1.70	.1252	----	----	----	----	1 UNCH
6000	52.30	52.30	53.40B/46.60A	53.40B/46.60A	----	48.50 + 1.10	.1179	----	----	10	----	1108 UNCH
6100	----	----	47.40B/41.90A	47.40B/41.90A	----	42.60 UNCH	.1047	----	----	----	25	329 UNCH
6200	----	----	42.20B/37.80A	42.20B/37.80A	----	37.80 - 0.50	.0936	----	----	----	----	1325 UNCH
6300	----	----	35.70B/----	35.70B/35.00A	----	33.80 - 0.70	.0841	----	----	----	----	64 UNCH
6400	----	----	31.80B/----	31.80B/31.80A	----	30.60 - 0.50	.0763	----	----	----	----	25 UNCH
6500	29.50	29.50	29.50/28.90A	29.50/28.90A	----	27.90 - 0.30	.0695	----	----	2	----	705 UNCH
6600	----	----	----	25.40B/26.50A	----	25.50 - 0.20	.0635	----	----	----	----	129 UNCH
6700	----	----	----	22.90B/24.30A	----	23.40 - 0.20	.0581	----	----	----	----	254 UNCH
6800	----	----	----	21.10B/22.40A	----	21.60 - 0.10	.0535	----	----	----	----	49 UNCH
6900	----	----	----	19.30B/20.60A	----	20.00 - 0.20	.0494	----	----	----	----	1 UNCH
7000	19.50	19.50	19.50/19.10A	19.50/19.10A	----	18.50 - 0.30	.0456	----	----	12	----	490 + 3
7500	----	----	----/13.70A	12.30B/13.70A	----	13.20 - 0.60	.0319	----	----	----	----	737 UNCH
8000	10.60	10.60	10.60/10.60	10.60/10.60	----	9.70 - 1.00	.0231	----	----	1	----	121 + 1
8500	----	----	----	7.00B/8.70A	----	7.50 - 1.00	.0175	----	----	----	----	73 UNCH
9000	----	----	----	5.70B/7.30A	----	6.10 - 0.80	.0139	----	----	----	----	8 UNCH
9500	----	----	----	4.60B/6.10A	----	5.30 - 0.30	.0118	----	----	----	----	68 UNCH
10000	----	----	----	4.30B/5.30A	----	4.80 UNCH	.0103	----	----	----	----	98 UNCH
TOTAL										734	180	35520 + 375
SEP26												
3875	----	----	----	780.20B/1110.90A	----	940.50 + 96.20	.8579	----	----	----	----	1 UNCH
3995	----	----	----	679.20B/1017.40A	----	842.00 + 91.00	.8263	----	----	----	----	10 UNCH
4085	----	----	----	604.90B/949.90A	----	770.70 + 86.10	.7998	----	----	----	----	37 UNCH
4130	----	----	----	568.90B/917.10A	----	736.00 + 83.40	.7856	----	----	----	----	10 UNCH
4185	----	----	----	526.10B/877.80A	----	694.80 + 80.20	.7672	----	----	----	----	37 UNCH
4200	----	----	----	514.70B/867.30A	----	683.80 + 79.40	.7620	----	----	----	----	1 UNCH
4220	----	----	----	499.60B/853.40A	----	669.20 + 78.10	.7549	----	----	----	----	162 UNCH
4290	----	----	585.90B/----	585.90B/577.10A	----	619.70 + 74.00	.7292	----	----	----	----	6 UNCH
4295	----	----	586.10B/----	586.10B/573.80A	----	616.20 + 73.60	.7274	----	----	----	----	50 UNCH
4300	----	----	#587.20B/----	587.20B/570.60A	----	612.80 + 73.40	.7255	----	----	----	----	13 UNCH
4320	----	----	585.80B/----	585.80B/557.80A	----	599.20 + 72.20	.7178	----	----	----	----	162 UNCH
4375	----	----	#580.90B/481.90	580.90B/481.90A	----	562.60 + 68.90	.6961	----	----	----	----	1 UNCH
4390	----	----	574.00B/474.70A	574.00B/474.70A	----	552.90 + 68.00	.6901	----	----	----	----	200 UNCH
4425	----	----	#551.30B/453.60	551.30B/453.60A	----	530.70 + 66.00	.6757	----	----	----	----	1 UNCH
4495	----	----	507.50B/417.10A	507.50B/417.10A	----	488.00 + 61.80	.6463	----	----	----	----	18 UNCH
4500	----	----	504.30B/414.40A	504.30B/414.40A	----	485.00 + 61.40	.6441	----	----	----	----	5 UNCH
4505	----	----	501.50B/411.80A	501.50B/411.80A	----	482.10 + 61.20	.6420	----	----	----	----	2 UNCH
4510	----	----	498.30B/410.80A	498.30B/410.80A	----	479.10 + 60.80	.6399	----	----	----	----	2 UNCH
4515	----	----	#495.40B/406.80	495.40B/406.80A	----	476.20 + 60.50	.6377	----	----	----	----	2 UNCH
4545	446.60	446.60	477.70B/392.30A	477.70B/392.30A	----	459.00 + 58.80	.6247	----	----	1	----	16 + 1
4550	----	----	474.80B/389.90A	474.80B/389.90A	----	456.20 + 58.50	.6226	----	----	----	----	222 UNCH
4560	----	----	#469.00B/384.70	469.00B/384.70A	----	450.50 + 57.80	.6182	----	----	----	----	2 UNCH
4565	----	----	#466.20B/382.30	466.20B/382.30A	----	447.70 + 57.50	.6160	----	----	----	----	2 UNCH
4570	----	----	463.10B/380.10A	463.10B/380.10A	----	445.00 + 57.30	.6138	----	----	----	----	2 UNCH
4575	----	----	460.30B/377.60A	460.30B/377.60A	----	442.20 + 57.00	.6116	----	----	----	----	2 UNCH
4580	----	----	457.40B/375.20A	457.40B/375.20A	----	439.40 + 56.60	.6094	----	----	----	----	2 UNCH
4585	----	----	454.60B/374.30A	454.60B/374.30A	----	436.70 + 56.40	.6072	----	----	----	----	2 UNCH
4590	----	----	451.80B/370.60A	451.80B/370.60A	----	434.00 + 56.10	.6050	----	----	----	----	2 UNCH
4600	----	----	446.20B/366.10A	446.20B/366.10A	----	428.50 + 55.40	.6006	----	----	2	----	55 + 2
4650	----	----	419.30B/343.80A	419.30B/343.80A	----	402.20 + 52.50	.5784	----	----	----	----	1 UNCH
4675	----	----	406.10B/332.90A	406.10B/332.90A	----	389.40 + 50.90	.5673	----	----	----	----	1 UNCH
4680	----	----	403.30B/330.80A	403.30B/330.80A	----	386.90 + 50.60	.5650	----	----	----	----	1 UNCH
4700	----	----	393.10B/322.50A	393.10B/322.50A	----	377.00 + 49.40	.5561	----	----	----	----	117 UNCH
4705	----	----	390.80B/320.40A	390.80B/320.40A	----	374.60 + 49.10	.5539	----	----	----	----	10 UNCH
4720	----	----	383.30B/314.30A	383.30B/314.30A	----	367.30 + 48.10	.5471	----	----	----	----	45 UNCH
4725	----	----	380.80B/312.30A	380.80B/312.30A	----	364.90 + 47.80	.5449	----	----	----	----	2 UNCH
4730	----	----	378.20B/310.40A	378.20B/310.40A	----	362.60 + 47.60	.5427	----	----	----	----	5 UNCH
4750	----	----	368.60B/302.50A	368.60B/302.50A	----	353.10 + 46.30	.5337	----	----	----	----	60 UNCH
4775	----	----	356.60B/293.00A	356.60B/293.00A	----	341.60 + 44.80	.5226	----	----	----	----	9 UNCH
4780	----	----	354.30B/291.10A	354.30B/291.10A	----	339.40 + 44.50	.5203	----	----	----	----	7 UNCH
4800	----	----	345.30B/283.70A	345.30B/283.70A	----	330.40 + 43.20	.5114	----	----	50	----	682 + 50
4840	----	----	327.30B/269.50A	327.30B/269.50A	----	313.10 + 40.70	.4938	----	----	----	----	2 UNCH
4850	----	----	323.20B/266.10A	323.20B/266.10A	----	308.90 + 40.10	.4894	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4875	----	----	312.90B/257.90A	312.90B/257.90A	----	298.60 + 38.60	.4784	----	----	----	----	30 UNCH
4900	315.40	315.40	315.40/249.50A	315.40/249.50A	----	288.60 + 37.10	.4676	----	----	1	----	260 UNCH
4925	----	----	292.50B/241.60A	292.50B/241.60A	----	278.90 + 35.60	.4568	----	----	----	----	1 UNCH
4975	----	----	273.60B/226.60A	273.60B/226.60A	----	260.40 + 32.70	.4356	----	----	----	----	234 UNCH
5000	235.50	235.50	264.40B/220.00A	264.40B/220.00A	----	251.60 + 31.30	.4252	----	----	25	100	631 - 21
5005	----	----	262.50B/218.00A	262.50B/218.00A	----	249.90 + 31.00	.4232	----	----	----	----	1 UNCH
5050	----	----	246.90B/205.90A	246.90B/205.90A	----	234.90 + 28.70	.4048	----	----	2	----	1 - 1
5075	----	----	238.70B/199.40A	238.70B/199.40A	----	227.00 + 27.40	.3949	----	----	----	----	1 UNCH
5100	----	----	230.60B/----	230.60B/193.20A	----	219.40 + 26.30	.3851	----	----	----	----	241 UNCH
5150	----	----	215.30B/----	215.30B/181.40A	----	205.10 + 24.30	.3661	----	----	----	----	3 UNCH
5200	----	----	201.00B/----	201.00B/170.30A	----	191.90 + 22.50	.3479	----	----	----	----	373 UNCH
5230	----	----	192.90B/----	192.90B/164.10A	----	184.40 + 21.50	.3373	----	----	----	----	400 UNCH
5235	----	----	191.60B/----	191.60B/163.10A	----	183.20 + 21.40	.3355	----	----	----	----	1 UNCH
5250	----	----	187.70B/----	187.70B/160.30A	----	179.60 + 20.90	.3304	----	----	----	----	10 UNCH
5300	----	----	175.40B/----	175.40B/150.50A	----	168.30 + 19.60	.3137	----	----	50	150	765 - 120
5335	----	----	167.20B/----	167.20B/144.30A	----	160.80 + 18.70	.3025	----	----	----	----	1 UNCH
5350	----	----	163.80B/----	163.80B/141.60A	----	157.70 + 18.30	.2978	----	----	----	----	1 UNCH
5375	----	----	158.30B/----	158.30B/137.40A	----	152.60 + 17.60	.2900	----	----	----	----	2 UNCH
5400	----	----	153.00B/----	153.00B/133.40A	----	147.70 + 16.90	.2825	----	----	2	----	430 UNCH
5420	----	----	148.90B/----	148.90B/130.20A	----	143.80 + 16.30	.2764	----	----	----	----	80 UNCH
5450	----	----	142.90B/----	142.90B/125.70A	----	138.00 + 15.30	.2675	----	----	----	----	3 UNCH
5460	----	----	141.00B/----	141.00B/124.20A	----	136.10 + 14.90	.2646	----	----	----	----	1 UNCH
5475	----	----	138.20B/----	138.20B/122.20A	----	133.30 + 14.40	.2602	----	----	----	----	2 UNCH
5500	----	----	133.70B/----	133.70B/118.50A	----	128.70 + 13.50	.2530	----	----	----	----	1251 UNCH
5505	----	----	132.70B/----	132.70B/117.90A	----	127.80 + 13.30	.2516	----	----	----	----	3 UNCH
5520	----	----	130.10B/----	130.10B/115.80A	----	125.10 + 12.70	.2473	----	----	----	----	1 UNCH
5525	----	----	129.30B/----	129.30B/115.30A	----	124.30 + 12.60	.2460	----	----	----	----	2 UNCH
5600	----	----	116.90B/----	116.90B/105.70A	----	112.00 + 10.10	.2260	----	----	----	----	558 UNCH
5625	----	----	113.10B/----	113.10B/102.80A	----	108.40 + 9.60	.2199	----	----	----	----	2 UNCH
5650	----	----	109.40B/----	109.40B/99.90A	----	105.00 + 9.10	.2140	----	----	----	----	559 UNCH
5700	96.40	96.40	102.20B/96.40	102.20B/94.70A	----	98.80 + 8.50	.2030	----	----	1	----	1049 UNCH
5750	----	----	95.80B/----	95.80B/89.60A	----	93.20 + 8.10	.1928	----	----	----	----	237 UNCH
5800	----	----	89.90B/----	89.90B/85.10A	----	87.80 + 7.40	.1829	----	----	----	----	826 UNCH
5850	----	----	84.30B/----	84.30B/80.60A	----	82.50 + 6.60	.1733	----	----	----	----	582 UNCH
5900	----	----	79.30B/----	79.30B/76.60A	----	77.20 + 5.50	.1638	----	----	----	----	503 UNCH
5950	----	----	74.50B/----	74.50B/72.80A	----	72.40 + 4.50	.1549	----	----	----	----	49 UNCH
6000	----	----	70.20B/----	70.20B/69.30A	----	68.10 + 3.80	.1468	----	----	----	----	1046 UNCH
6100	----	----	62.10B/----	62.10B/63.00A	----	60.60 + 2.80	.1322	----	----	----	----	363 UNCH
6200	----	----	54.90B/----	54.90B/57.30A	----	53.90 + 1.40	.1189	----	----	----	----	226 UNCH
6300	----	----	48.50B/----	48.50B/52.10A	----	47.90 UNCH	.1069	----	----	----	----	105 UNCH
6400	----	----	45.40B/----	45.40B/46.30A	----	42.80 - 1.00	.0964	----	----	----	----	220 UNCH
6500	----	----	41.30B/----	41.30B/42.40A	----	38.40 - 1.50	.0872	----	----	----	----	344 UNCH
6600	----	----	37.30B/----	37.30B/38.80A	----	34.70 - 1.70	.0793	----	----	----	----	45 UNCH
6650	----	----	35.60B/----	35.60B/37.40A	----	33.00 - 1.70	.0756	----	----	----	----	5 UNCH
6750	35.00	35.00	35.00/35.00	35.00/35.00	----	29.70 - 1.80	.0685	----	----	1	----	11 + 1
6800	----	----	----	28.30B/35.80A	----	28.10 - 1.80	.0651	----	----	----	----	127 UNCH
TOTAL										135	250	13575 - 88
OCT26												
3600	----	----	----	#1006.60B/1355.40A	----	1184.60 + 02.10	.9068	----	----	----	----	12 UNCH
4300	----	----	#621.80B/----	621.80B/595.00A	----	633.60 + 73.10	.7162	----	----	----	----	102 UNCH
4400	----	----	#589.10B/492.80	589.10B/492.80A	----	569.10 + 67.40	.6786	----	----	----	----	8 UNCH
4405	----	----	#585.70B/490.10	585.70B/490.10A	----	566.00 + 67.20	.6767	----	----	----	----	2 UNCH
4480	----	----	#539.80B/450.80	539.80B/450.80A	----	520.70 + 62.60	.6472	----	----	----	----	1 UNCH
4500	----	----	#527.90B/442.20	527.90B/442.20A	----	509.10 + 61.40	.6392	----	----	3	----	4 - 1
4515	----	----	#518.90B/433.30	518.90B/433.30A	----	500.50 + 60.50	.6332	----	----	----	----	1 UNCH
4550	----	----	498.80B/416.30A	498.80B/416.30A	----	480.90 + 58.40	.6190	----	----	----	----	1 UNCH
4580	----	----	#482.00B/402.30	482.00B/402.30A	----	464.50 + 56.50	.6068	----	----	----	----	70 UNCH
4600	----	----	471.20B/393.20A	471.20B/393.20A	----	453.80 + 55.30	.5985	----	----	----	----	134 UNCH
4610	----	----	#465.60B/390.00	465.60B/390.00A	----	448.50 + 54.60	.5944	----	----	----	----	5 UNCH
4620	----	----	#460.20B/384.20	460.20B/384.20A	----	443.30 + 54.00	.5903	----	----	----	----	1 UNCH
4630	----	----	454.90B/379.80A	454.90B/379.80A	----	438.10 + 53.40	.5861	----	----	----	----	3 UNCH
4650	----	----	444.40B/372.30A	444.40B/372.30A	----	427.90 + 52.10	.5779	----	----	----	----	1 UNCH
4670	----	----	434.10B/363.90A	434.10B/363.90A	----	417.90 + 50.90	.5696	----	----	----	----	1 UNCH
4675	----	----	431.50B/360.50A	431.50B/360.50A	----	415.40 + 50.60	.5675	----	----	----	----	1 UNCH
4690	----	----	424.00B/354.40A	424.00B/354.40A	----	408.00 + 49.60	.5612	----	----	----	----	1 UNCH
4700	----	----	419.30B/350.10A	419.30B/350.10A	----	403.20 + 49.10	.5571	----	----	----	----	5 UNCH
4710	----	----	414.10B/347.40A	414.10B/347.40A	----	398.40 + 48.40	.5529	----	----	----	----	1 UNCH
4715	----	----	411.60B/344.40A	411.60B/344.40A	----	396.00 + 48.10	.5508	----	----	----	----	2 UNCH
4750	----	----	394.70B/330.30A	394.70B/330.30A	----	379.70 + 46.00	.5363	----	----	----	----	1 UNCH
4800	----	----	371.70B/311.50A	371.70B/311.50A	----	357.40 + 43.00	.5157	----	----	----	----	14 UNCH
4845	350.00	350.00	351.90B/295.50A	351.90B/295.50A	----	338.30 NEW	.4973	----	----	1	----	1 + 1
4850	345.00	345.00	349.80B/293.70A	349.80B/293.70A	----	336.20 NEW	.4953	----	----	52	----	52 + 52
4865	----	----	343.60B/288.60A	343.60B/288.60A	----	330.10 + 39.20	.4892	----	----	----	----	2 UNCH
4880	----	----	337.60B/283.50A	337.60B/283.50A	----	324.10 + 38.40	.4831	----	----	----	----	1 UNCH
4900	----	----	329.30B/277.00A	329.30B/277.00A	----	316.30 + 37.40	.4752	----	----	----	----	958 UNCH
4910	----	----	325.30B/273.80A	325.30B/273.80A	----	312.40 + 36.80	.4712	----	----	----	----	1 UNCH
4925	----	----	319.50B/269.00A	319.50B/269.00A	----	306.70 + 36.00	.4652	----	----	----	----	18 UNCH
4950	----	----	309.80B/261.20A	309.80B/261.20A	----	297.40 + 34.80	.4554	----	----	----	----	7 UNCH
5000	----	----	291.20B/246.40A	291.20B/246.40A	----	279.50 + 32.40	.4360	----	----	3	----	1427 - 1
5025	----	----	282.30B/239.30A	282.30B/239.30A	----	270.90 + 31.20	.4264	----	----	----	----	2 UNCH
5050	----	----	273.80B/----	273.80B/232.40A	----	262.60 + 30.30	.4170	----	----	----	----	57 UNCH
5075	----	----	265.20B/----	265.20B/225.80A	----	254.50 + 29.30	.4077	----	----	----	----	1 UNCH
5080	----	----	263.70B/----	263.70B/224.70A	----	252.90 + 29.10	.4058	----	----	----	----	3 UNCH
5085	----	----	262.10B/----	262.10B/223.20A	----	251.30 + 28.90	.4040	----	----	----	----	3 UNCH
5100	----	----	257.10B/----	257.10B/219.30A	----	246.60 + 28.30	.3985	----	----	----	----	415 UNCH
5125	----	----	249.30B/----	249.30B/213.10A	----	239.10 + 27.50	.3895	----	----	----	----	1 UNCH
5160	230.00	230.00	238.60B/230.00	238.60B/204.70A	----	228.90 NEW	.3771	----	----	1	----	1 + 1
5200	----	----	227.00B/----	227.00B/195.50A	----	218.00 + 25.10	.3634	----	----	20	----	447 + 20
5250	----	----	213.40B/----	213.40B/184.70A	----	205.20 + 23.50	.3468	----	----	----	----	522 UNCH
5255	----	----	212.00B/----	212.00B/183.90A	----	204.00 + 23.40	.3452	----	----	----	----	2 UNCH
5300	----	----	200.50B/----	200.50B/174.60A	----	193.30 + 22.10	.3309	----	----	20	----	252 + 20
5325	----	----	194.40B/----	194.40B/169.80A	----	187.70 + 21.40	.3233	----	----	----	----	1 UNCH
5400	----	----	176.70B/----	176.70B/156.30A	----	171.60 + 19.10	.3010	----	----	----	----	168 UNCH
5435	----	----	169.20B/----	169.20B/150.40A	----	164.40 + 17.80	.2909	----	----	----	----	226 UNCH
5450	----	----	166.10B/----	166.10B/148.00A	----	161.40 + 17.30	.2867	----	----	----	----	66 UNCH
5455	----	----	165.40B/----	165.40B/147.20A	----	160.40 + 17.10	.2853	----	----	----	----	175 UNCH
5475	----	----	161.20B/----	161.20B/144.10A	----	156.50 + 16.50	.2797	----	----	----	----	1 UNCH
5500	----	----	156.20B/----	156.20B/140.20A	----	151.60 + 15.50	.2727	----	----	----	----	423 UNCH
5545	----	----	147.80B/----	147.80B/133.70A	----	143.20 + 13.80	.2606	----	----	----	----	5 UNCH
5550	----	----	147.00B/----	147.00B/133.00A	----	142.30 + 13.70	.2593	----	----	----	----	100 UNCH
5590	----	----	140.10B/----	140.10B/127.50A	----	135.30 + 12.30	.2490	----	----	----	----	4 UNCH
5600	----	----	140.00B/----	140.00B/126.20A	----	133.70 + 12.10	.2465	----	----	----	----	110 UNCH
5610	----	----	136.70B/----	136.70B/124.90A	----	132.00 + 11.70	.2440	----	----	----	----	1 UNCH
5615	----	----	135.90B/----	135.90B/124.20A	----	131.20 + 11.60	.2428	----	----	----	----	5 UNCH
5650	----	----	130.30B/----	130.30B/119.80A	----	125.70 + 10.70	.2344	----	----	----	----	200 UNCH
5655	----	----	129.50B/----	129.50B/119.20A	----	124.90 + 10.50	.2332	----	----	----	----	2 UNCH
5660	----	----	128.70B/----	128.70B/118.60A	----	124.20 + 10.40	.2321	----	----	----	----	1 UNCH
5700	----	----	122.70B/----	122.70B/114.00A	----	118.40 + 9.60	.2230	----	----	----	----	20 UNCH
5710	----	----	121.20B/----	121.20B/112.70A	----	117.10 + 9.50	.2209	----	----	----	----	5 UNCH
5720	----	----	119.80B/----	119.80B/111.60A	----	115.70 + 9.20	.2187	----	----	----	----	75 UNCH
5750	----	----	115.30B/----	115.30B/108.30A	----	111.80 + 8.80	.2124	----	----	1	----	2 + 1
5775	----	----	111.90B/----	111.90B/105.70A	----	108.60 + 8.30	.2072	----	----	----	----	50 UNCH
5800	105.60	105.60	108.80B/105.60	108.80B/103.20A	----	105.60 + 8.00	.2022	----	----	3	----	414 UNCH
5850	----	----	102.60B/----	102.60B/98.30A	----	99.80 + 7.20	.1926	----	----	1	----	0 - 1
5875	----	----	99.60B/----	99.60B/95.90A	----	97.00 + 6.80	.1879	----	----	----	----	1 UNCH
5900	----	----	96.70B/----	96.70B/93.60A	----	94.30 + 6.40	.1834	----	----	----	----	34 UNCH
6000	88.00	88.00	88.00/88.00	88.00/85.30A	----	84.30 + 4.80	.1663	----	----	1	----	3067 UNCH
6100	----	----	77.40B/----	77.40B/78.00A	----	75.40 + 3.30	.1508	----	----	----	----	66 UNCH
6200	----	----	69.40B/----	69.40B/71.50A	----	67.70 + 2.00	.1370	----	----	----	----	38 UNCH
6300	----	----	62.30B/----	62.30B/65.60A	----	60.80 + 0.80	.1244	----	----	----	----	632 UNCH
6400	----	----	55.60B/----	55.60B/60.30A	----	54.80 - 0.20	.1133	----	----	----	----	1911 UNCH
6500	----	----	50.90B/----	50.90B/54.70A	----	49.60 - 0.90	.1033	----	----	----	----	6938 UNCH
6800	----	----	40.40B/----	40.40B/43.40A	----	37.30 - 2.50	.0793	----	----	----	----	1385 UNCH
6900	----	----	37.20B/----	37.20B/40.40A	----	34.50 - 2.60	.0734	----	----	----	----	1 UNCH
7000	----	----	----	30.40B/41.80A	----	32.10 - 2.50	.0683	----	----	----	----	2263 UNCH
8000	----	----	----	14.20B/26.00A	----	17.80 - 2.30	.0371	----	----	----	----	211 UNCH
8500	----	----	----	10.60B/21.90A	----	14.40 - 2.10	.0294	----	----	----	----	200 UNCH
9000	----	----	----	8.00B/19.00A	----	12.30 - 1.90	.0245	----	----	----	----	69 UNCH
9500	----	----	----	6.40B/16.90A	----	10.40 - 1.70	.0204	----	----	----	----	10 UNCH
TOTAL										106		23424 + 92
NOV26												
4000	----	----	----	695.20B/1109.90A	----	897.40 + 91.20	.8091	----	----	----	----	1 UNCH
4100	----	----	----	616.40B/1038.50A	----	822.90 + 87.20	.7805	----	----	----	----	1 UNCH
4275	----	----	#663.60B/----	663.60B/659.70A	----	700.80 + 78.70	.7254	----	----	----	----	38 UNCH
4300	----	----	#664.50B/----	664.50B/644.10A	----	684.30 + 77.40	.7170	----	----	----	----	1 UNCH
4375	----	----	#649.80B/562.30	649.80B/562.30A	----	636.20 + 73.40	.6912	----	----	----	----	38 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4400	----	----	#633.70B/546.60	633.70B/546.60A	----	620.70 + 72.00	.6824	----	----	----	----	20 UNCH
4440	----	----	#608.80B/525.10	608.80B/525.10A	----	596.40 + 69.80	.6681	----	----	----	----	1 UNCH
4500	----	----	#572.70B/494.20	572.70B/494.20A	----	561.10 + 66.40	.6464	----	----	----	----	25 UNCH
4600	----	----	516.20B/----	516.20B/446.00A	----	505.60 + 60.50	.6092	----	----	----	----	1 UNCH
4750	----	----	439.30B/----	439.30B/382.60A	----	430.40 + 52.10	.5524	----	----	----	----	1 UNCH
4775	----	----	427.30B/----	427.30B/371.60A	----	418.80 + 50.80	.5428	----	----	----	----	30 UNCH
4800	----	----	415.80B/----	415.80B/362.30A	----	407.50 + 49.50	.5334	----	----	----	----	2 UNCH
4850	----	----	393.40B/----	393.40B/343.40A	----	385.60 + 46.80	.5146	----	----	----	----	25 UNCH
4900	----	----	371.80B/----	371.80B/325.90A	----	364.70 + 44.30	.4960	----	----	----	----	1 UNCH
4915	----	----	365.80B/----	365.80B/321.20A	----	358.70 + 43.60	.4904	----	----	----	----	1 UNCH
4925	----	----	361.90B/----	361.90B/317.40A	----	354.70 + 43.10	.4867	----	----	----	----	1 UNCH
4950	----	----	351.80B/----	351.80B/309.50A	----	345.00 + 42.00	.4776	----	----	----	----	150 UNCH
5000	----	----	332.30B/----	332.30B/293.40A	----	326.20 + 39.80	.4595	----	----	1	----	29 UNCH
5080	----	----	303.60B/----	303.60B/269.90A	----	298.30 + 36.50	.4314	----	----	----	----	4 UNCH
5085	----	----	302.00B/----	302.00B/268.50A	----	296.60 + 36.20	.4297	----	----	----	----	4 UNCH
5175	----	----	272.70B/----	272.70B/244.70A	----	268.40 + 33.00	.3994	----	----	----	----	2 UNCH
5200	----	----	265.20B/----	265.20B/238.70A	----	261.10 + 32.10	.3913	----	----	----	----	26 UNCH
5250	----	----	250.50B/----	250.50B/226.60A	----	247.20 + 30.60	.3755	----	----	----	----	9 UNCH
5300	----	----	236.70B/----	236.70B/215.40A	----	234.10 + 29.00	.3602	----	----	----	----	27 UNCH
5370	----	----	218.00B/----	218.00B/200.90A	----	217.00 + 26.90	.3396	----	----	----	----	5 UNCH
5400	----	----	210.80B/----	210.80B/195.00A	----	210.20 + 26.10	.3311	----	----	----	----	17 UNCH
5450	----	----	199.30B/----	199.30B/185.80A	----	199.20 + 24.60	.3173	----	----	----	----	925 UNCH
5500	----	----	188.30B/----	188.30B/176.80A	----	188.70 + 23.00	.3040	----	----	----	----	79 UNCH
5550	----	----	178.00B/----	178.00B/168.60A	----	178.80 + 21.50	.2911	----	----	----	----	1 UNCH
5600	----	----	168.50B/----	168.50B/160.80A	----	169.40 + 19.90	.2787	----	----	----	----	43 UNCH
5700	----	----	150.80B/----	150.80B/146.50A	----	151.90 + 16.60	.2551	----	----	----	----	35 UNCH
5710	----	----	149.10B/----	149.10B/145.20A	----	150.20 + 16.20	.2528	----	----	----	----	1 UNCH
5800	----	----	134.70B/----	134.70B/133.90A	----	136.20 + 13.50	.2333	----	----	----	----	25 UNCH
5825	----	----	131.20B/----	131.20B/131.00A	----	132.60 + 12.80	.2281	----	----	----	----	2 UNCH
5900	----	----	121.00B/----	121.00B/122.80A	----	122.30 + 10.80	.2132	----	----	----	----	1 UNCH
5925	----	----	117.80B/----	117.80B/120.10A	----	119.10 + 10.20	.2085	----	----	----	----	4 UNCH
6000	----	----	108.80B/----	108.80B/112.60A	----	110.10 + 8.60	.1951	----	----	----	----	217 UNCH
6100	----	----	98.10B/----	98.10B/103.20A	----	99.40 + 7.10	.1786	----	----	----	----	1 UNCH
6200	----	----	88.70B/----	88.70B/94.80A	----	90.00 + 5.90	.1638	----	----	----	----	3 UNCH
6400	----	----	74.00B/----	74.00B/80.60A	----	74.70 + 4.60	.1386	----	----	----	----	13 UNCH
6500	----	----	67.70B/----	67.70B/74.70A	----	68.50 + 4.30	.1280	----	----	----	----	511 UNCH
8000	----	----	----	18.60B/36.40A	----	25.90 - 0.30	.0492	----	----	----	----	11 UNCH
9000	----	----	----	10.30B/27.20A	----	16.70 - 1.20	.0311	----	----	----	----	3 UNCH
20000	----	----	----/*1.90A	0.10B/*1.90A	----	0.60 - 1.70	.0011	----	----	----	----	137 UNCH
TOTAL										1		2472 0
DEC26												
3550	----	----	----	#1065.20B/1489.00A	----	1274.40 + 04.60	.9013	----	----	----	----	2 UNCH
3570	----	----	----	#1047.70B/1472.70A	----	1257.20 + 04.10	.8977	----	----	----	----	1 UNCH
3600	----	----	----	#1021.70B/1448.30A	----	1231.60 + 03.30	.8921	----	----	----	----	1 UNCH
3800	----	----	----	854.00B/1287.50A	----	1066.20 + 97.40	.8501	----	----	----	----	4 UNCH
3900	----	----	----	771.50B/1212.40A	----	987.50 + 94.00	.8261	----	----	----	----	2 UNCH
4060	----	----	----	644.00B/1097.60A	----	867.40 + 87.70	.7835	----	----	----	----	100 UNCH
4100	----	----	----	613.60B/1070.00A	----	838.60 + 86.00	.7721	----	----	----	----	48 UNCH
4160	----	----	----	569.00B/1029.40A	----	796.40 + 83.30	.7544	----	----	----	----	100 UNCH
4175	----	----	----	558.10B/1019.50A	----	786.00 + 82.60	.7499	----	----	----	----	37 UNCH
4200	----	----	----	540.10B/1003.00A	----	768.90 + 81.40	.7422	----	----	----	----	150 UNCH
4250	----	----	#691.90B/----	691.90B/695.60A	----	735.30 + 79.00	.7266	----	----	----	----	293 UNCH
4255	----	----	#692.00B/----	692.00B/692.80A	----	732.00 + 78.80	.7251	----	----	----	----	50 UNCH
4300	----	----	#690.10B/----	690.10B/665.10A	----	702.60 + 76.50	.7107	----	----	----	----	436 UNCH
4315	----	----	#682.50B/----	682.50B/655.80A	----	693.00 + 75.80	.7058	----	----	----	----	1 UNCH
4320	----	----	#687.40B/----	687.40B/652.80A	----	689.80 + 75.50	.7041	----	----	----	----	100 UNCH
4350	----	----	#682.00B/----	682.00B/635.00A	----	670.80 + 73.90	.6943	----	----	----	----	206 UNCH
4375	----	----	#666.20B/582.30	666.20B/582.30A	----	655.30 + 72.70	.6859	----	----	----	----	61 UNCH
4400	----	----	650.70B/568.50A	650.70B/568.50A	----	640.10 + 71.50	.6775	----	----	----	----	2 UNCH
4425	----	----	#635.30B/----	635.30B/556.70A	----	625.00 + 70.10	.6690	----	----	----	----	8 UNCH
4450	----	----	620.30B/----	620.30B/542.30A	----	610.20 + 68.80	.6604	----	----	----	----	87 UNCH
4465	----	----	#611.10B/----	611.10B/534.60A	----	601.50 + 68.10	.6553	----	----	----	----	93 UNCH
4490	599.00	599.00	#599.00/595.00	599.00/522.00A	----	587.10 NEW	.6466	----	----	7	----	7 + 7
4500	----	----	590.90B/----	590.90B/517.10A	----	581.50 + 66.40	.6431	----	----	----	----	757 UNCH
4525	----	----	576.50B/----	576.50B/504.90A	----	567.50 + 65.10	.6343	----	----	----	----	5 UNCH
4540	507.90	507.90	#568.10B/507.00	568.10B/498.50A	----	559.20 NEW	.6290	----	----	9	----	9 + 9
4550	----	----	562.70B/----	562.70B/494.30A	----	553.70 + 63.70	.6255	----	----	----	----	1 UNCH
4565	----	----	#554.20B/----	554.20B/485.80A	----	545.60 + 63.00	.6202	----	----	----	----	93 UNCH
4580	----	----	#546.10B/----	546.10B/478.80A	----	537.60 + 62.30	.6148	----	----	----	----	150 UNCH
4585	----	----	#543.40B/----	543.40B/476.50A	----	534.90 + 62.00	.6131	----	----	----	----	325 UNCH
4590	----	----	#540.70B/----	540.70B/475.40A	----	532.30 + 61.80	.6113	----	----	----	----	14 UNCH
4600	----	----	535.30B/----	535.30B/471.10A	----	527.00 + 61.20	.6077	----	----	----	----	105 UNCH
4615	----	----	#527.30B/----	527.30B/464.30A	----	519.20 + 60.40	.6023	----	----	----	----	41 UNCH
4625	----	----	522.10B/----	522.10B/459.60A	----	514.10 + 60.00	.5988	----	----	5	----	72 + 5
4640	----	----	514.00B/----	514.00B/451.80A	----	506.50 + 59.30	.5934	----	----	----	----	100 UNCH
4650	----	----	508.70B/----	508.70B/447.40A	----	501.40 + 58.70	.5898	----	----	5	----	238 + 5
4700	440.00	440.00	483.50B/440.00	483.50B/427.50A	----	476.80 + 56.20	.5718	----	----	3	----	97 UNCH
4750	----	----	459.20B/----	459.20B/405.70A	----	453.30 + 53.80	.5538	----	----	----	----	147 UNCH
4780	----	----	445.20B/----	445.20B/394.00A	----	439.70 + 52.40	.5430	----	----	----	----	2 UNCH
4800	415.00	415.00	436.00B/415.00	436.00B/386.70A	----	430.80 + 51.40	.5359	----	----	61	----	145 + 45
4810	----	----	431.60B/----	431.60B/382.60A	----	426.40 + 50.80	.5323	----	----	----	----	56 UNCH
4820	404.20	404.20	427.10B/404.20	427.10B/379.00A	----	422.10 + 50.40	.5288	----	----	1	----	49 UNCH
4825	----	----	424.80B/----	424.80B/377.00A	----	419.90 + 50.10	.5270	----	----	----	----	100 UNCH
4850	398.00	398.00	414.00B/398.00	414.00B/369.00A	----	409.30 + 48.90	.5182	----	----	1	----	289 UNCH
4875	----	----	403.30B/----	403.30B/359.20A	----	398.90 + 47.70	.5094	----	----	----	----	1 UNCH
4880	----	----	401.20B/----	401.20B/357.20A	----	396.90 + 47.50	.5076	----	----	----	----	1 UNCH
4900	----	----	392.80B/----	392.80B/350.50A	----	388.80 + 46.50	.5006	----	----	8	----	48 UNCH
4925	----	----	382.80B/----	382.80B/341.70A	----	378.90 + 45.30	.4920	----	----	----	----	1 UNCH
4975	344.20	344.20	363.40B/344.20	363.40B/318.90A	----	359.80 + 42.80	.4748	----	----	1	----	50 UNCH
5000	----	----	353.90B/----	353.90B/317.50A	----	350.50 + 41.50	.4663	----	----	20	200	2121 + 20
5025	----	----	344.60B/----	344.60B/309.90A	----	341.60 + 40.30	.4579	----	----	----	----	32 UNCH
5050	----	----	335.00B/----	335.00B/302.50A	----	332.80 + 39.00	.4496	----	----	----	----	100 UNCH
5070	----	----	328.50B/----	328.50B/296.60A	----	325.90 + 38.00	.4430	----	----	----	----	13 UNCH
5075	----	----	326.20B/----	326.20B/295.10A	----	324.20 + 37.70	.4413	----	----	----	----	30 UNCH
5090	----	----	321.00B/----	321.00B/291.10A	----	319.20 + 37.00	.4364	----	----	----	----	13 UNCH
5100	----	----	317.70B/----	317.70B/288.10A	----	315.90 + 36.50	.4332	----	----	----	----	67 UNCH
5150	----	----	301.30B/----	301.30B/274.40A	----	299.90 + 34.20	.4172	----	----	----	----	1 UNCH
5175	----	----	293.40B/----	293.40B/268.00A	----	292.10 + 32.90	.4093	----	----	----	----	100 UNCH
5195	----	----	287.20B/----	287.20B/262.80A	----	286.10 + 32.10	.4031	----	----	----	----	5 UNCH
5200	----	----	285.60B/----	285.60B/261.70A	----	284.60 + 31.90	.4015	----	----	----	----	787 UNCH
5250	----	----	270.80B/----	270.80B/249.50A	----	270.10 + 29.80	.3863	----	----	----	----	158 UNCH
5275	----	----	263.70B/----	263.70B/243.70A	----	263.10 + 28.80	.3788	----	----	----	----	20 UNCH
5300	----	----	256.70B/----	256.70B/237.80A	----	256.40 + 28.00	.3715	----	----	----	----	339 UNCH
5350	----	----	243.50B/----	243.50B/227.00A	----	243.30 + 26.30	.3570	----	----	----	----	457 UNCH
5360	----	----	240.90B/----	240.90B/224.90A	----	240.80 + 26.10	.3542	----	----	----	----	100 UNCH
5370	----	----	238.40B/----	238.40B/222.70A	----	238.30 + 25.80	.3514	----	----	----	----	20 UNCH
5400	230.00	230.00	231.50/230.00	231.50/216.60A	----	230.90 + 25.00	.3430	----	----	244	512	715 + 365
5460	----	----	216.70B/----	216.70B/204.90A	----	216.80 + 23.50	.3268	----	----	----	----	200 UNCH
5465	----	----	215.60B/----	215.60B/204.00A	----	215.70 + 23.40	.3255	----	----	----	----	50 UNCH
5480	----	----	212.20B/----	212.20B/201.40A	----	212.30 + 23.00	.3215	----	----	----	----	50 UNCH
5500	200.70	200.70	219.00/200.70	219.00/197.70A	----	207.90 + 22.50	.3163	----	----	4	200	1474 + 103
5525	----	----	201.90B/----	201.90B/193.30A	----	202.50 + 21.80	.3098	----	----	----	----	80 UNCH
5550	----	----	196.60B/----	196.60B/188.90A	----	197.30 + 21.20	.3035	----	----	----	----	1 UNCH
5600	----	----	186.60B/----	186.60B/180.60A	----	187.20 + 19.80	.2912	----	----	312	337	1306 + 85
5650	----	----	177.10B/----	177.10B/172.90A	----	177.60 + 18.20	.2793	----	----	----	----	5 UNCH
5660	----	----	175.30B/----	175.30B/171.40A	----	175.70 + 17.80	.2769	----	----	----	----	1 UNCH
5675	----	----	172.50B/----	172.50B/169.20A	----	173.00 + 17.30	.2735	----	----	----	----	8 UNCH
5680	----	----	171.60B/----	171.60B/168.40A	----	172.10 + 17.10	.2724	----	----	----	----	1 UNCH
5685	----	----	170.70B/----	170.70B/167.70A	----	171.20 + 16.90	.2712	----	----	----	----	18 UNCH
5690	----	----	169.80B/----	169.80B/167.00A	----	170.30 + 16.70	.2701	----	----	----	----	7 UNCH
5700	----	----	168.10B/----	168.10B/165.50A	----	168.50 + 16.30	.2678	----	----	100	----	285 + 83
5705	----	----	167.20B/----	167.20B/164.80A	----	167.60 + 16.10	.2666	----	----	----	----	5 UNCH
5710	----	----	166.40B/----	166.40B/164.10A	----	166.70 + 15.80	.2655	----	----	----	----	5 UNCH
5750	----	----	159.60B/----	159.60B/158.60A	----	159.80 + 14.20	.2566	----	----	----	----	576 UNCH
5770	----	----	156.30B/----	156.30B/156.10A	----	156.50 + 13.40	.2523	----	----	----	----	5 UNCH
5775	----	----	155.60B/----	155.60B/155.40A	----	155.70 + 13.20	.2513	----	----	----	----	2 UNCH
5800	----	----	151.60B/----	151.60B/152.00A	----	151.70 + 12.20	.2460	----	----	----	----	220 UNCH
5810	----	----	150.10B/----	150.10B/150.80A	----	150.10 + 11.80	.2439	----	----	----	----	56 UNCH
5825	----	----	147.80B/----	147.80B/148.90A	----	147.80 + 11.30	.2408	----	----	----	----	4 UNCH
5875	----	----	140.50B/----	140.50B/142.90A	----	140.40 + 9.70	.2308	----	----	----	----	9 UNCH
5900	138.00	138.00	138.00/138.00	138.00/136.40A	----	136.90 + 9.10	.2260	----	----	4	----	1035 + 4
5950	----	----	130.50B/----	130.50B/134.50A	----	130.40 + 8.50	.2169	----	----	----	----	25 UNCH
6000	125.00	125.00	132.00/123.80A	132.00/123.80A	----	124.30 + 8.10	.2082	----	----	237	----	5398 + 7
6100	----	----	113.10B/----	113.10B/119.10A	----	113.60 + 7.50	.1924	----	----	----	----	40 UNCH
6150	----	----	107.90B/----	107.90B/114.30A	----	108.80 + 7.10	.1851	----	----	----	----	1 UNCH
6200	----	----	103.00B/----	103.00B/109.80A	----	104.30 + 6.70	.1782	----	----	----	----	3345 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
6300	----	----	94.70B/----	94.70B/101.60A	----	96.10 + 6.00	.1654	----	----	210	----	1046 UNCH
6400	----	----	86.60B/----	86.60B/94.20A	----	88.80 + 5.10	.1538	----	----	----	----	449 UNCH
6500	----	----	79.80B/----	79.80B/87.60A	----	82.00 + 4.10	.1429	----	----	----	100	4190 + 100
6750	----	----	65.60B/----	65.60B/73.40A	----	67.30 + 1.90	.1192	----	----	----	----	100 UNCH
6775	----	----	64.40B/----	64.40B/72.10A	----	66.00 + 1.70	.1171	----	----	----	----	163 UNCH
6800	----	----	63.30B/----	63.30B/70.90A	----	64.70 + 1.50	.1150	----	----	----	----	1664 UNCH
6900	----	----	----	58.90B/65.50A	----	59.90 + 0.70	.1070	----	----	----	----	2 UNCH
7000	57.40	57.40	58.00/55.00	58.00/55.00	----	55.50 + 0.10	.0997	----	----	155	----	4074 - 134
7250	----	----	----	47.00B/53.40A	----	46.70 - 0.70	.0846	----	----	----	----	107 UNCH
7500	----	----	----	40.70B/46.70A	----	40.20 - 0.80	.0730	----	----	50	----	106 + 50
8000	35.00	35.00	35.00/35.00	35.00/35.00	----	31.40 - 0.50	.0566	----	----	1	----	411 UNCH
8125	----	----	----	21.70B/42.00A	----	29.80 - 0.40	.0536	----	----	----	----	801 UNCH
8500	----	----	----	17.60B/37.60A	----	26.00 - 0.50	.0461	----	----	----	----	170 UNCH
9000	----	----	----	13.50B/29.90A	----	22.40 - 0.90	.0389	----	----	----	----	102 UNCH
9500	19.50	19.50	20.00/19.50	20.00/19.50	----	19.80 - 1.50	.0337	----	----	3	----	280 - 3
9900	----	----	----	8.40B/28.50A	----	18.20 - 2.00	.0305	----	----	----	----	4 UNCH
10000	18.00	18.00	18.00/16.00	18.00/16.00	----	17.90 - 2.00	.0298	----	----	1755	----	7183 + 1104
11000	----	----	----	4.50B/18.00A	----	14.90 - 2.60	.0239	----	----	----	----	379 UNCH
13000	----	----	----	9.50B/18.80A	----	10.50 - 2.70	.0161	----	----	----	----	365 UNCH
15000	8.00	8.00	9.00/*6.50	9.00/*6.50	----	7.10 - 1.80	.0107	----	----	888	----	17995 + 686
17000	----	----	----	0.60B/12.90A	----	4.60 - 0.60	.0069	----	----	----	----	20 UNCH
19000	----	----	----	2.00B/11.00A	----	2.80 + 0.10	.0043	----	----	----	----	7 UNCH
20000	2.10	2.10	2.10/*1.90	2.10/*1.90	----	2.20 + 0.20	.0034	----	----	542	----	18371 + 518
24000	----	----	----	0.10B/2.00A	----	1.50 + 0.20	.0022	----	----	----	----	6 UNCH
TOTAL										4626	1,349	81970+ 3059
JAN27												
4190	----	----	----	537.00B/1140.40A	----	813.40 + 75.70	.7492	----	----	----	----	1 UNCH
4290	----	----	#727.40B/----	#727.40B/713.80A	----	747.10 + 70.90	.7191	----	----	----	----	1 UNCH
4300	----	----	724.40B/----	724.40B/707.70A	----	740.70 + 70.50	.7160	----	----	----	----	1 UNCH
4335	----	----	#723.90B/----	#723.90B/687.10A	----	718.40 + 68.70	.7051	----	----	----	----	0 UNCH
4400	----	----	#693.60B/607.10	#693.60B/607.10A	----	678.40 + 65.50	.6844	----	----	----	----	1 UNCH
4650	----	----	#551.20B/484.60	551.20B/484.60A	----	539.30 + 52.80	.6009	----	----	----	----	1 UNCH
4750	509.30	509.30	#509.30/441.20A	509.30/441.20A	----	490.40 + 47.80	.5667	----	----	1	----	6 + 1
4760	----	----	#496.50B/437.20	496.50B/437.20A	----	485.70 + 47.30	.5632	----	----	----	----	100 UNCH
4800	----	----	#477.70B/421.30	477.70B/421.30A	----	467.40 + 45.30	.5495	----	----	1	----	1 + 1
4850	----	----	455.10B/402.30A	455.10B/402.30A	----	445.40 + 42.90	.5325	----	----	----	----	1 UNCH
4875	----	----	444.20B/----	444.20B/394.40A	----	434.70 + 41.70	.5241	----	----	----	----	4 UNCH
4900	----	----	433.50B/----	433.50B/384.10A	----	424.30 + 40.60	.5157	----	----	----	----	9 UNCH
5000	----	----	392.90B/----	392.90B/350.10A	----	384.80 + 35.90	.4826	----	----	1	----	27 + 1
5050	----	----	374.00B/----	374.00B/335.40A	----	366.50 + 33.90	.4665	----	----	----	----	100 UNCH
5100	----	----	356.00B/----	356.00B/319.20A	----	348.90 + 31.70	.4506	----	----	----	----	1 UNCH
5250	----	----	306.90B/----	306.90B/278.20A	----	301.00 + 25.70	.4050	----	----	----	----	7 UNCH
5300	----	----	292.20B/----	292.20B/265.90A	----	286.50 + 23.90	.3905	----	----	----	----	1 UNCH
5400	----	----	264.80B/----	264.80B/243.00A	----	259.70 + 20.60	.3626	----	----	----	----	2 UNCH
5500	----	----	239.40B/----	239.40B/222.50A	----	235.40 + 17.40	.3363	----	----	1	----	24 + 1
5550	----	----	228.00B/----	228.00B/213.00A	----	224.10 + 15.90	.3237	----	----	----	----	1 UNCH
5820	----	----	175.60B/----	175.60B/169.70A	----	172.90 + 9.30	.2629	----	----	----	----	6 UNCH
5850	----	----	170.70B/----	170.70B/165.60A	----	168.10 + 8.70	.2569	----	----	----	----	3 UNCH
5900	----	----	162.80B/----	162.80B/159.10A	----	160.40 + 7.70	.2471	----	----	----	----	5 UNCH
6000	----	----	148.30B/----	148.30B/147.00A	----	146.20 + 6.00	.2287	----	----	2	----	203 + 1
6025	----	----	144.90B/----	144.90B/144.20A	----	142.80 + 5.50	.2243	----	----	----	----	1 UNCH
6300	----	----	112.50B/----	112.50B/117.70A	----	111.10 + 1.70	.1812	----	----	----	----	2 UNCH
20000	4.30	4.30	4.30/4.30	4.30/4.30	----	4.00 - 0.30	.0057	----	----	20	----	41 + 20
TOTAL										26		550+ 25
FEB27												
5000	----	----	----	130.80B/770.90A	----	352.20 + 54.30	.4743	----	----	----	----	1 UNCH
5100	----	----	----	116.30B/661.50A	----	318.20 + 50.30	.4406	----	----	----	----	1 UNCH
5175	----	----	----	106.30B/666.30A	----	295.90 + 47.50	.4167	----	----	----	----	125 UNCH
5300	----	----	----	84.70B/599.70A	----	265.50 + 43.30	.3808	----	----	----	----	50 UNCH
5375	----	----	----	77.00B/563.20A	----	251.30 + 41.10	.3619	----	----	----	----	1 UNCH
5520	----	----	----	64.10B/500.70A	----	230.30 + 37.50	.3307	----	----	----	----	300 UNCH
5530	----	----	----	63.50B/495.90A	----	229.10 + 37.30	.3288	----	----	----	----	100 UNCH
5550	----	----	----	61.40B/488.20A	----	226.60 + 36.80	.3250	----	----	----	----	65 UNCH
5600	----	----	----	57.60B/469.30A	----	220.90 + 35.80	.3158	----	----	----	----	1 UNCH
6000	----	----	----	32.60B/344.60A	----	168.50 + 27.70	.2457	----	----	----	----	5 UNCH
6025	----	----	----	31.60B/338.50A	----	164.10 + 27.10	.2407	----	----	----	----	4 UNCH
6300	----	----	----	19.70B/256.80A	----	127.10 + 21.90	.1953	----	----	----	----	1 UNCH
6500	----	----	----	0.10B/244.80A	----	109.50 + 19.10	.1709	----	----	----	----	110 UNCH
6900	----	----	----	0.10B/192.80A	----	78.70 + 14.20	.1282	----	----	----	----	800 UNCH
7000	----	----	----	0.10B/80.00A	----	70.30 + 12.90	.1170	----	----	----	----	833 UNCH
7100	----	----	----	0.10B/173.00A	----	65.00 + 12.00	.1090	----	----	----	----	8 UNCH
7900	----	----	----	0.10B/120.80A	----	36.60 + 7.00	.0644	----	----	----	----	500 UNCH
8000	----	----	----	0.10B/116.40A	----	34.30 + 6.70	.0606	----	----	----	----	500 UNCH
TOTAL												3405 0
APR27												
5600	----	----	----	----	----	240.20 + 37.60	.3300	----	----	----	----	300 UNCH
TOTAL												300 0
JUN27												
9500	----	----	----	----	----	45.90 + 7.10	.0632	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	598.80 + 68.30	.5842	----	----	----	----	100 UNCH
5000	----	----	----	----	----	555.20 + 63.80	.5456	----	----	----	----	50 UNCH
5650	----	----	----	----	----	397.80 + 47.20	.4045	----	----	----	----	200 UNCH
5700	----	----	----	----	----	385.90 + 46.10	.3949	----	----	----	----	150 UNCH
5800	----	----	----	----	----	363.50 + 43.90	.3763	----	----	----	----	200 UNCH
5880	----	----	----	----	----	347.30 + 42.30	.3624	----	----	----	----	50 UNCH
6300	----	----	----	----	----	285.10 + 35.30	.3027	----	----	----	----	18 UNCH
7500	----	----	----	----	----	224.90 + 25.80	.2211	----	----	----	----	270 UNCH
7800	----	----	----	----	----	219.70 + 24.60	.2106	----	----	----	----	284 UNCH
10000	----	----	----	15.00B/----	----	160.50 + 16.80	.1444	----	----	----	----	109 UNCH
10500	----	----	----	----	----	143.80 + 15.10	.1302	----	----	----	----	10 UNCH
TOTAL												1441 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
MAR26												
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK1										
APR26												
3500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	33	----	53 + 7
3500	----	----	----	0.50B/*1.70A	----	0.40 - 1.30	.0015	----	----	----	----	7 UNCH
3550	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	2 + 1
3700	----	----	----/*2.30A	1.00B/*2.30A	----	1.00 - 2.50	.0043	----	----	----	----	2 UNCH
3700	----	----	----/*5.80A	5.90B/*5.80A	----	4.00 - 4.50	.0164	----	----	----	----	1 UNCH
3700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3750	----	----	----/*6.40A	7.40B/*6.40A	----	4.60 - 5.40	.0192	----	----	----	----	2 UNCH
3750	----	----	----/*2.50A	1.40B/*2.50A	----	1.20 - 3.00	.0054	----	----	----	----	2 UNCH
3800	----	----	----/*6.00A	9.40B/*6.00A	----	5.30 - 6.50	.0226	----	----	----	----	3 UNCH
3800	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 UNCH	----	----	----	1	----	14 + 1
3800	----	----	----/*2.40A	2.20B/*2.40A	----	1.50 - 3.50	.0069	----	----	----	----	1 UNCH
3850	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 - 0.10	----	----	----	2	----	4 + 2
3850	----	----	----/*2.70A	3.40B/*2.70A	----	1.80 - 4.30	.0086	----	----	----	----	2 UNCH
3900	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	12 UNCH
3900	----	----	----/*3.10A	4.50B/*3.10A	----	2.20 - 5.10	.0108	----	----	----	----	3 UNCH
3950	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.40	----	----	----	----	----	31 UNCH
4000	0.50	0.50	0.60/*0.10	0.60/*0.10	----	0.10 - 0.70	----	----	----	7	----	20 + 2
4000	----	----	----/*4.20A	9.10B/*4.20A	----	3.50 - 7.40	.0181	----	----	----	----	102 UNCH
4000	----	----	----/*11.20A	21.70B/*11.20A	----	9.90 - 12.90	.0447	----	----	----	----	4 UNCH
4025	----	----	----/*4.50A	11.00B/*4.50A	----	3.90 - 8.10	.0204	----	----	----	----	2 UNCH
4025	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.90	----	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK1										
4050	0.30	0.30	0.30/*0.20A	0.50B/*0.20A	----	0.10 - 1.20	----	----	----	1	----	7 + 1
4050	----	----	----/*5.00A	11.40B/*5.00A	----	4.30 - 9.00	.0229	----	----	----	----	2 UNCH
4050	----	----	----/*13.20A	26.50B/*13.20A	----	11.70 NEW	.0535	----	----	10	----	10 + 10
4075	----	----	----/*0.30A	1.00B/*0.30A	----	0.10 - 1.40	----	----	----	----	----	7 UNCH
4075	----	----	----/*5.40A	13.90B/*5.40A	----	4.90 - 9.80	.0263	----	----	----	----	1 UNCH
4100	7.30	7.30	7.30/*5.90A	14.30B/*5.90A	----	5.50 - 10.80	.0299	----	----	1	----	3 UNCH
4100	----	----	----/*15.60A	31.90B/*15.60A	----	14.00 - 17.90	.0644	----	----	10	----	11 + 10
4100	0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.10 - 1.70	----	----	----	11	----	81 + 8
4125	----	----	34.90B/*16.80A	34.90B/*16.80A	----	15.40 - 19.40	.0709	----	----	----	----	2 UNCH
4125	----	----	----/*0.20A	1.60B/*0.20A	----	0.10 - 2.00	.0000	----	----	----	----	11 UNCH
4150	----	----	38.40B/*16.60A	38.40B/*16.60A	----	16.90 - 20.90	.0780	----	----	----	----	1 UNCH
4150	----	----	----/*0.20A	1.90B/*0.20A	----	0.10 - 2.30	.0000	----	----	2	----	89 UNCH
4175	0.20	0.20	0.20/*0.20	2.40B/*0.20	----	0.20 - 2.70	.0000	----	----	1	----	2 + 1
4175	----	----	----/*7.80A	21.50B/*7.80A	----	7.90 - 14.30	.0442	----	----	16	----	18 UNCH
4200	----	----	63.20B/*30.50A	63.20B/*30.50A	----	30.90 NEW	.1228	----	----	1	----	1 + 1
4200	----	----	----/*8.60A	24.20B/*8.60A	----	8.90 - 15.80	.0502	----	----	16	----	19 UNCH
4200	----	----	#515.90B/382.20	515.90B/382.20A	----	498.50 + 96.60	.9053	----	----	----	----	1 UNCH
4200	0.30	0.30	0.30/*0.30	2.60B/*0.30	----	0.20 - 3.20	.0000	----	----	3	----	90 - 3
4210	----	----	----/*0.50A	2.90B/*0.50A	----	0.30 - 3.40	.0001	----	----	----	----	1 UNCH
4220	----	----	----/*9.40A	26.70B/*9.40A	----	9.80 - 17.10	.0557	----	----	----	----	2 UNCH
4225	0.80	0.80	0.80/*0.50A	3.40B/*0.50A	----	0.30 - 3.80	.0001	----	----	1	----	21 + 1
4240	----	----	----/*0.70A	3.90B/*0.70A	----	0.30 - 4.20	.0001	----	----	----	----	31 UNCH
4245	----	----	----/*0.70A	4.10B/*0.70A	----	0.40 - 4.30	.0002	----	----	----	----	1 UNCH
4245	----	----	54.50B/*24.60A	54.50B/*24.60A	----	24.40 - 28.00	.1123	----	----	----	----	2 UNCH
4250	----	----	73.80B/*36.20A	73.80B/*36.20A	----	36.60 NEW	.1443	----	----	1	----	1 + 1
4250	2.10	2.10	2.10/*0.50A	4.30B/*0.50A	----	0.40 - 4.40	.0002	----	----	6	----	71 - 1
4250	14.20	14.20	31.00B/*10.70A	31.00B/*10.70A	----	11.30 - 19.20	.0649	----	----	2	----	7 + 2
4260	----	----	----/*0.80A	4.70B/*0.80A	----	0.40 - 4.80	.0002	----	----	----	----	1 UNCH
4275	----	----	35.20B/*12.00A	35.20B/*12.00A	----	12.80 - 21.20	.0739	----	----	----	----	2 UNCH
4275	0.20	0.20	0.20/*0.20	5.40B/*0.20	----	0.50 - 5.30	.0003	----	----	2	----	64 + 2
4280	----	----	36.10B/*12.20A	36.10B/*12.20A	----	13.10 NEW	.0758	----	----	1	----	1 + 1
4280	1.10	1.10	1.10/*0.60A	5.60B/*0.60A	----	0.50 - 5.50	.0003	----	----	1	----	0 - 1
4300	----	----	66.80B/*29.60A	66.80B/29.60A	----	30.30 - 33.00	.1384	----	----	----	----	1 UNCH
4300	1.00	1.00	1.00/*0.50	6.80B/*0.50	----	0.60 - 6.40	.0005	----	----	17	----	168 + 4
4300	----	----	39.50B/*12.60A	39.50B/*12.60A	----	14.50 - 23.40	.0842	----	----	1	----	2 + 1
4315	2.10	2.10	2.10/*0.90A	7.90B/*0.90A	----	0.70 NEW	.0007	----	----	1	----	1 + 1
4320	1.20	1.20	1.20/*0.60	8.00B/*0.60	----	0.80 - 7.40	.0009	----	----	2	----	1 UNCH
4325	----	----	----/*0.90A	8.50B/*0.90A	----	0.80 - 7.70	.0009	----	----	1	----	1 UNCH
4330	1.20	1.20	1.20/*1.00A	8.80B/*1.00A	----	0.80 - 8.00	.0009	----	----	1	----	2 + 1
4335	1.60	1.60	9.30B/*1.00A	9.30B/*1.00A	----	0.90 - 8.30	.0011	----	----	6	----	106 + 1
4340	----	----	76.80B/*34.00A	76.80B/*34.00A	----	35.50 - 37.00	.1608	----	----	----	----	1 UNCH
4345	1.20	1.20	10.50B/*1.10A	10.50B/*1.10A	----	0.90 - 9.00	.0011	----	----	1	----	2 + 1
4350	----	----	#365.80B/180.20	365.80B/180.20A	----	329.50 + 11.70	.9986	----	----	----	----	11 UNCH
4350	5.00	5.00	11.00B/*0.60	11.00B/*0.60	----	1.00 - 9.30	.0014	----	----	17	----	16 + 2
4350	----	----	79.90B/*36.10A	79.90B/36.10A	----	36.90 - 38.20	.1668	----	----	----	----	2 UNCH
4350	----	----	50.10B/*16.20A	50.10B/*16.20A	----	18.60 - 28.40	.1088	----	----	1	----	2 + 1
4355	----	----	11.40B/*1.20A	11.40B/*1.20A	----	1.00 - 9.80	.0014	----	----	----	----	4 UNCH
4360	14.00	14.00	14.00/*0.90	14.00/*0.90	----	1.10 - 10.10	.0016	----	----	5	----	12 + 2
4365	----	----	12.80B/*1.20A	12.80B/*1.20A	----	1.10 - 10.60	.0017	----	----	----	----	11 UNCH
4365	245.70	245.70	#351.20B/167.20	#351.20B/167.20A	----	314.70 + 10.50	.9982	----	----	6	----	6 UNCH
4370	3.00	3.00	13.50B/*1.30A	13.50B/*1.30A	----	1.20 - 10.90	.0019	----	----	2	----	14 UNCH
4375	23.90	23.90	56.20B/*19.00A	56.20B/*19.00A	----	21.10 - 31.30	.1236	----	----	1	----	2 + 1
4375	1.10	1.10	13.90B/*1.00	13.90B/*1.00	----	1.20 NEW	.0020	----	----	4	----	2 + 2
4380	5.70	5.70	14.90B/*1.30	14.90B/*1.30	----	1.30 - 11.90	.0023	----	----	2	----	3 + 2
4385	----	----	15.40B/*1.40A	15.40B/*1.40A	----	1.30 - 12.40	.0023	----	----	13	----	14 + 13
4390	----	----	16.50B/*1.50A	16.50B/*1.50A	----	1.40 - 12.90	.0027	----	----	----	----	5 UNCH
4390	28.40	28.40	60.50B/*20.10A	60.50B/*20.10A	----	22.80 NEW	.1336	----	----	1	----	1 + 1
4395	1.50	1.50	17.10B/*1.30	17.10B/*1.30	----	1.50 - 13.40	.0030	----	----	3	----	4 + 3
4400	29.80	29.80	63.20B/*21.10A	63.20B/*21.10A	----	24.00 NEW	.1405	----	----	1	----	1 + 1
4400	----	----	#316.50B/138.00	316.50B/138.00A	----	280.10 + 07.10	.9968	----	----	5	----	4 UNCH
4400	20.00	20.00	20.20/*1.00	20.20/*1.00	----	1.50 - 14.00	.0031	----	----	14	----	72 UNCH
4400	----	----	95.30B/*43.70A	95.30B/43.70A	----	45.00 - 44.00	.2004	----	----	----	----	1 UNCH
4405	8.50	8.50	18.80B/*1.60A	18.80B/*1.60A	----	1.60 - 14.60	.0035	----	----	2	----	2 + 1
4410	----	----	65.90B/*22.30A	65.90B/*22.30A	----	25.20 - 35.80	.1476	----	----	----	----	5 UNCH
4410	----	----	#306.30B/130.10	#306.30B/130.10A	----	270.30 + 05.90	.9960	----	----	----	----	4 UNCH
4410	----	----	19.90B/*1.50A	19.90B/*1.50A	----	1.70 - 15.20	.0039	----	----	----	----	13 UNCH
4415	----	----	68.00B/*22.70A	68.00B/*22.70A	----	25.90 - 36.40	.1516	----	----	----	----	4 UNCH
4415	----	----	#318.70B/182.30	#318.70B/182.30A	----	289.30 + 84.60	.8482	----	----	----	----	9 UNCH
4415	----	----	#301.60B/126.60	#301.60B/126.60A	----	265.40 + 05.30	.9956	----	----	----	----	14 UNCH
4415	----	----	20.70B/*1.70A	20.70B/*1.70A	----	1.80 - 15.80	.0043	----	----	4	----	7 - 4
4420	----	----	#314.20B/179.00	#314.20B/179.00A	----	285.00 + 83.90	.8442	----	----	----	----	5 UNCH
4420	----	----	#296.40B/122.60	#296.40B/122.60A	----	260.40 + 04.60	.9952	----	----	----	----	10 UNCH
4420	----	----	21.80B/*1.80A	21.80B/*1.80A	----	1.90 - 16.40	.0047	----	----	----	----	11 UNCH
4425	----	----	70.90B/*23.80A	70.90B/*23.80A	----	27.30 - 37.80	.1595	----	----	----	----	1 UNCH
4425	----	----	22.80B/*1.80A	22.80B/*1.80A	----	2.00 - 17.10	.0052	----	----	6	----	22 - 1
4430	10.00	10.00	24.00B/*1.90A	24.00B/*1.90A	----	2.10 - 17.80	.0057	----	----	2	----	7 + 1
4435	86.00	86.00	107.00B/*50.00A	107.00B/*50.00A	----	51.80 - 48.30	.2274	----	----	1	----	2 + 1
4435	----	----	25.20B/*2.00A	25.20B/*2.00A	----	2.20 - 18.60	.0062	----	----	4	----	17 + 4
4435	----	----	#281.80B/111.40	#281.80B/111.40A	----	245.80 + 02.50	.9937	----	----	----	----	1 UNCH
4440	----	----	108.80B/*50.90A	108.80B/50.90A	----	52.80 - 49.00	.2314	----	----	----	----	1 UNCH
4440	5.50	5.50	26.40B/*2.00A	26.40B/*2.00A	----	2.30 - 19.40	.0068	----	----	3	----	6 + 2
4440	----	----	#276.90B/107.70	276.90B/107.70A	----	240.90 + 01.70	.9931	----	----	----	----	1 UNCH
4450	33.90	33.90	79.70B/*27.20A	79.70B/*27.20A	----	31.00 NEW	.1805	----	----	3	----	3 + 3
4450	----	----	#267.00B/100.60	267.00B/100.60A	----	231.10 + 00.00	.9919	----	----	4	----	7 + 2
4450	13.40	13.40	29.10B/*2.00	29.10B/*2.00	----	2.50 - 21.10	.0080	----	----	50	----	76 + 9
4455	2.00	2.00	30.70B/*2.00	30.70B/*2.00	----	2.70 - 22.00	.0091	----	----	3	----	3 + 2
4455	----	----	#262.10B/96.90A	262.10B/96.90A	----	226.30 + 99.10	.9908	----	----	----	----	1 UNCH
4455	31.30	31.30	81.40B/*27.80A	81.40B/*27.80A	----	31.80 NEW	.1850	----	----	1	----	1 + 1
4460	14.60	14.60	32.20B/*2.20A	32.20B/*2.20A	----	2.80 NEW	.0098	----	----	3	----	2 + 2
4465	----	----	#310.30B/209.10	#310.30B/209.10A	----	290.50 + 63.30	.7188	----	----	----	----	5 UNCH
4465	----	----	33.70B/*2.30A	33.70B/*2.30A	----	3.00 NEW	.0110	----	----	4	----	3 + 3
4470	----	----	#247.30B/86.60A	247.30B/86.60A	----	211.70 + 96.20	.9881	----	----	----	----	1 UNCH
4470	4.70	4.70	35.40B/*1.90	35.40B/*1.90	----	3.10 - 24.90	.0118	----	----	3	----	6 UNCH
4475	----	----	#242.40B/83.40A	242.40B/83.40A	----	206.90 NEW	.9868	----	----	4	----	2 + 2
4475	17.40	17.40	37.10B/*2.50A	37.10B/*2.50A	----	3.30 - 25.90	.0131	----	----	27	----	73 + 22
4475	----	----	89.20B/*30.80A	89.20B/*30.80A	----	35.30 - 45.50	.2042	----	----	----	----	2 UNCH
4480	----	----	#237.20B/79.10A	237.20B/79.10A	----	202.10 + 94.10	.9853	----	----	1	----	3 UNCH
4480	5.40	5.40	38.80B/*2.60A	38.80B/*2.60A	----	3.50 - 27.00	.0146	----	----	2	----	3 + 2
4485	10.10	10.10	40.70B/*2.70A	40.70B/*2.70A	----	3.70 - 28.20	.0161	----	----	51	----	80 + 50
4490	----	----	#227.40B/73.10A	227.40B/73.10A	----	192.50 + 91.80	.9822	----	----	1	----	10 UNCH
4490	6.50	6.50	42.60B/*2.90A	42.60B/*2.90A	----	3.90 - 29.30	.0177	----	----	3	----	20 + 1
4495	----	----	44.60B/*3.00A	44.60B/*3.00A	----	4.20 - 30.50	.0199	----	----	5	----	21 + 5
4495	----	----	#222.60B/70.10A	222.60B/70.10A	----	187.70 + 90.50	.9800	----	----	----	----	7 UNCH
4500	----	----	#245.70B/128.00	245.70B/128.00A	----	218.70 + 71.40	.7692	----	----	----	----	2 UNCH
4500	135.50	135.50	#217.70B/67.20A	217.70B/67.20A	----	183.00 + 89.30	.9782	----	----	4	----	91 + 1
4500	----	----	133.80B/*64.00A	133.80B/64.00A	----	67.00 - 57.10	.2847	----	----	----	----	1 UNCH
4500	222.10	222.10	#260.10B/169.40	260.10B/169.40A	----	245.40 + 63.90	.7148	----	----	3	----	2 + 1
4500	20.50	20.50	46.80B/*3.10A	46.80B/*3.10A	----	4.40 - 31.80	.0217	----	----	210	----	133 + 84
4505	----	----	#212.80B/64.40A	212.80B/64.40A	----	178.20 + 87.90	.9757	----	----	----	----	6 UNCH
4505	----	----	48.80B/*3.30A	48.80B/*3.30A	----	4.70 - 33.10	.0242	----	----	5	----	25 + 5
4510	----	----	51.10B/*3.40A	51.10B/*3.40A	----	4.90 - 34.50	.0262	----	----	51	----	50 + 48
4515	11.20	11.20	53.40B/*3.60A	53.40B/*3.60A	----	5.20 NEW	.0290	----	----	1	----	1 + 1
4520	----	----	#198.20B/*56.40	198.20B/*56.40A	----	164.10 + 83.70	.9673	----	----	----	----	2 UNCH
4520	4.50	4.50	55.80B/*3.70A	55.80B/*3.70A	----	5.60 NEW	.0326	----	----	1	----	1 + 1
4525	----	----	#225.50B/113.70	225.50B/113.70A	----	199.30 + 66.90	.7402	----	----	----	----	50 UNCH
4525	30.00	30.00	58.40B/*3.90A	58.40B/*3.90A	----	5.90 - 38.80	.0357	----	----	66	----	46 + 32
4525	68.20	68.20	111.20B/*39.50A	111.20B/*39.50A	----	45.80 - 54.10	.2595	----	----	80	----	106 + 30
4525	----	----	#193.40B/*53.90	193.40B/*53.90A	----	159.50 + 82.30	.9642	----	----	----	----	14 UNCH
4530	----	----	#221.50B/111.70	221.50B/111.70A	----	195.50 + 66.00	.7341	----	----	----	----	2 UNCH
4530	11.50	11.50	61.00B/*4.10A	61.00B/*4.10A	----	6.30 - 40.30	.0397	----	----	5	----	3 + 2
4530	----	----	#239.10B/149.10	239.10B/149.10A	----	223.80 + 59.50	.6851	----	----	----	----	1 UNCH
4535	20.30	20.30	63.60B/*4.30A	63.60B/*4.30A	----	6.70 NEW	.0438	----	----	160	----	76 + 76
4540	10.00	10.00	66.30B/*4.60A	66.30B/*4.60A	----	7.10 NEW	.0483	----	----	9	----	8 + 8
4540	----	----	#179.30B/*46.70	179.30B/*46.70A	----	145.70 + 77.60	.9516	----	----	----	----	1 UNCH
4540	----	----	118.60B/*42.70A	118.60B/*42.70A	----	49.60 - 56.80	.2784	----	----	----	----	10 UNCH
4545	20.00	20.00	68.00B/*4.80A	68.00B/*4.80A	----	7.50 - 45.30	.0530	----	----	2	----	5 + 2
4545	----	----	#174.20B/*44.50	174.20B/*44.50A	----	141.10 + 75.80	.9469	----	----	----	----	1 UNCH
4550	79.70	79.70	123.80B/*45.00A	123.80B/45.00A	----	52.20 - 58.70	.2913	----	----	50	200	296 + 206
4550	24.50	24.50	71.10B/*5.00A	71.10B/*5.00A	----	8.00 - 47.00	.0586	----	----	201	----	220 + 85
4550	112.00	112.00	169.30B/*42.40A	169.30B/*42.40A	----	136.60 + 74.10	.9412	----	----	11	----	126 + 4
4550	126.30	126.30	205.90B/101.60A	205.90B/101.60A	----	180.70 + 62.30	.7084	----	----	50	----	150 + 50
4550	----	----	#249.60B/162.50	#249.60B/162.50A	----	231.70 + 54.30	.6443	----	----	----	----	1 UNCH
4550	----	----	156.40B/77.30A	156.40B/77.30A	----	81.50 - 64.30	.3354	----	----	----	----	1 UNCH
4555	----	----	#164.70B/*40.30	164.70B/*40.30A	----	132.10 + 72.40	.9353	----	----	1	----	1 + 1
4555	7.00	7.00	74.00B/*5.30A	74.00B/*5.30A	----	8.50 - 48.70	.0646	----	----	6	----	17 + 6
4560	31.00	31.00	77.20B/*5.60A	77.20B/*5.60A	----	9.10 - 50.50	.0717	----	----	9	----	25 + 8
4560	----	----	#160.00B/*38.30	160.00B/*38.30A	----	127.70 + 70.60	.9282	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4565	----	----	164.30B/*81.70A	164.30B/81.70A	----	86.40 - 66.50	.3516	----	----	----	----	1 UNCH
4565	----	----	131.90B/*48.60A	131.90B/*48.60A	----	56.40 - 61.50	.3116	----	----	----	----	6 UNCH
4570	----	----	#150.60B/*34.50	150.60B/*34.50A	----	118.90 NEW	.9130	----	----	1	----	1 + 1
4570	----	----	#190.90B/92.70A	190.90B/92.70A	----	166.40 + 58.50	.6812	----	----	----	----	2 UNCH
4570	12.50	12.50	83.60B/*6.20A	83.60B/*6.20A	----	10.30 - 54.20	.0869	----	----	24	----	16 + 13
4575	34.70	34.70	86.90B/*6.50A	86.90B/*6.50A	----	11.00 NEW	.0958	----	----	11	----	7 + 7
4575	55.00	55.00	146.00B/*32.60A	146.00B/*32.60A	----	114.60 + 65.00	.9040	----	----	6	----	4 + 3
4580	22.00	22.00	90.30B/*6.90A	90.30B/*6.90A	----	11.70 NEW	.1053	----	----	19	----	17 + 17
4580	----	----	#183.50B/88.10A	183.50B/88.10A	----	159.50 + 56.70	.6669	----	----	----	----	2 UNCH
4580	----	----	141.50B/*31.20A	141.50B/*31.20A	----	110.30 + 63.00	.8946	----	----	----	----	11 UNCH
4585	42.30	42.30	93.90B/*7.30A	93.90B/*7.30A	----	12.50 NEW	.1159	----	----	5	----	5 + 5
4590	23.70	23.70	97.80B/*7.70A	97.80B/*7.70A	----	13.30 - 62.00	.1270	----	----	6	----	10 + 4
4590	----	----	132.20B/*27.80A	132.20B/*27.80A	----	101.90 + 59.10	.8728	----	----	----	----	5 UNCH
4595	----	----	101.10B/*8.20A	101.10B/*8.20A	----	14.20 - 64.00	.1395	----	----	4	----	10 + 1
4595	37.10	37.10	127.80B/*26.50A	127.80B/*26.50A	----	97.70 NEW	.8604	----	----	4	----	2 + 2
4600	47.00	47.00	105.00B/*8.00	105.00B/*8.00	----	15.10 - 66.10	.1524	----	----	121	----	95 + 94
4600	42.00	42.00	123.30B/*25.10A	123.30B/*25.10A	----	93.70 + 55.00	.8474	----	----	48	----	152 - 32
4600	----	----	199.30B/116.40A	199.30B/116.40A	----	177.40 NEW	.6084	----	----	1	----	1 + 1
4600	----	----	169.20B/79.40A	169.20B/79.40A	----	146.20 + 52.90	.6373	----	----	----	----	1 UNCH
4605	----	----	#196.00B/113.70	196.00B/113.70A	----	174.30 NEW	.6026	----	----	1	----	1 + 1
4605	45.00	45.00	108.70B/*8.50	108.70B/*8.50	----	16.10 - 68.20	.1667	----	----	51	----	45 + 44
4605	----	----	118.70B/*23.90A	118.70B/*23.90A	----	89.70 NEW	.8332	----	----	5	----	5 + 5
4610	25.10	25.10	114.50B/*22.80A	114.50B/*22.80A	----	85.80 NEW	.8176	----	----	69	----	22 + 22
4610	43.50	43.50	112.60B/*9.80A	112.60B/*9.80A	----	17.20 - 70.20	.1823	----	----	35	----	28 + 27
4615	42.00	42.00	116.50B/*10.40A	116.50B/*10.40A	----	18.30 NEW	.1985	----	----	7	----	6 + 6
4615	58.90	58.90	110.20B/*21.70A	110.20B/*21.70A	----	81.90 + 48.80	.8014	----	----	46	----	3 - 37
4620	40.00	40.00	105.80B/*20.60A	105.80B/*20.60A	----	78.10 + 46.70	.7838	----	----	4	----	4 UNCH
4620	53.60	53.60	120.50B/*11.00A	120.50B/*11.00A	----	19.50 - 74.40	.2161	----	----	23	----	23 + 22
4625	32.20	32.20	124.70B/*11.70A	124.70B/*11.70A	----	20.80 NEW	.2348	----	----	104	----	80 + 80
4625	----	----	152.30B/70.20A	152.30B/70.20A	----	130.40 + 48.10	.5983	----	----	----	----	1 UNCH
4625	25.10	25.10	101.60B/*19.40A	101.60B/*19.40A	----	74.40 + 44.70	.7650	----	----	147	----	108 - 37
4630	41.00	41.00	128.70B/*12.40A	128.70B/*12.40A	----	22.20 NEW	.2549	----	----	5	----	2 + 2
4630	----	----	97.50B/*18.60A	97.50B/*18.60A	----	70.80 NEW	.7450	----	----	17	----	8 + 8
4630	113.50	113.50	169.40B/*67.60A	169.40B/*67.60A	----	78.80 NEW	.4094	----	----	90	----	80 + 80
4635	42.00	42.00	93.50B/*17.60A	93.50B/*17.60A	----	67.30 NEW	.7238	----	----	20	----	9 + 9
4635	31.10	31.10	132.80B/*13.20A	132.80B/*13.20A	----	23.70 NEW	.2761	----	----	2	----	2 + 2
4635	----	----	#145.50B/67.00A	145.50B/67.00A	----	124.30 + 46.10	.5823	----	----	----	----	5 UNCH
4640	45.10	45.10	137.10B/*14.30A	137.10B/*14.30A	----	25.20 - 82.50	.2979	----	----	39	----	29 + 28
4640	----	----	#142.30B/65.40A	142.30B/65.40A	----	121.40 NEW	.5742	----	----	2	----	2 + 2
4640	26.50	26.50	89.40B/*16.70A	89.40B/*16.70A	----	63.80 + 38.60	.7020	----	----	39	----	21 + 21
4645	40.00	40.00	85.50B/*15.80A	85.50B/*15.80A	----	60.50 NEW	.6786	----	----	10	----	5 + 5
4645	45.10	45.10	141.30B/*15.30A	141.30B/*15.30A	----	26.90 NEW	.3212	----	----	58	----	56 + 56
4650	44.00	44.00	145.70B/*16.30A	145.70B/16.30A	----	28.60 - 86.40	.3452	----	----	110	----	58 + 46
4650	95.00	95.00	136.00B/61.60A	136.00B/61.60A	----	115.60 + 43.30	.5578	----	----	17	----	16 UNCH
4650	23.50	23.50	81.70B/*14.90A	81.70B/*14.90A	----	57.20 + 34.70	.6547	----	----	95	----	74 + 35
4650	----	----	167.90B/95.70A	167.90B/95.70A	----	147.90 + 42.00	.5488	----	----	----	----	1 UNCH
4655	31.00	31.00	77.90B/*14.10A	77.90B/*14.10A	----	54.10 NEW	.6295	----	----	38	----	33 + 33
4655	26.40	26.40	150.00B/*17.50A	150.00B/*17.50A	----	30.50 NEW	.3704	----	----	6	----	3 + 3
4660	43.50	43.50	154.40B/*18.80A	154.40B/*18.80A	----	32.50 NEW	.3962	----	----	35	----	31 + 31
4660	24.70	24.70	74.20B/*13.30A	74.20B/*13.30A	----	51.00 NEW	.6036	----	----	7	----	6 + 6
4665	20.70	20.70	71.50/*12.40A	71.50/*12.40A	----	48.10 + 29.10	.5773	----	----	18	----	7 + 6
4665	51.60	51.60	158.80B/*20.10A	158.80B/*20.10A	----	34.50 NEW	.4226	----	----	43	----	43 + 43
4665	92.30	92.30	193.20B/*80.50A	193.20B/*80.50A	----	93.70 NEW	.4669	----	----	6	----	6 + 6
4670	22.10	22.10	67.10B/*11.50A	67.10B/*11.50A	----	45.30 + 27.30	.5503	----	----	4	----	5 + 4
4670	46.80	46.80	163.30B/*21.60A	163.30B/*21.60A	----	36.70 NEW	.4496	----	----	10	----	10 + 10
4670	----	----	226.60B/*118.90	226.60B/118.90A	----	128.40 NEW	.4754	----	----	1	----	1 + 1
4670	97.00	97.00	197.00B/*82.60A	197.00B/*82.60A	----	96.00 NEW	.4753	----	----	10	----	10 + 10
4675	----	----	200.90B/84.50A	200.90B/84.50A	----	98.30 - 82.40	.4837	----	----	----	----	1 UNCH
4675	25.10	25.10	63.60B/*10.80A	63.60B/*10.80A	----	42.60 + 25.60	.5229	----	----	128	----	65 - 19
4675	42.60	42.60	167.80B/*23.40A	167.80B/23.40A	----	39.00 - 95.50	.4770	----	----	60	----	44 + 42
4675	----	----	121.60B/53.80A	121.60B/53.80A	----	101.90 + 38.60	.5160	----	----	16	----	16 UNCH
4680	23.70	23.70	60.40B/*10.10A	60.40B/*10.10A	----	39.90 + 23.90	.4952	----	----	108	----	55 - 46
4685	41.60	41.60	176.90B/*26.90A	176.90B/*26.90A	----	43.80 NEW	.5324	----	----	42	----	42 + 42
4685	48.20	48.20	57.00B/*9.40A	57.00B/*9.40A	----	37.40 + 22.30	.4675	----	----	5	----	7 + 2
4690	43.70	43.70	181.50B/*28.80A	181.50B/*28.80A	----	46.50 NEW	.5599	----	----	4	----	4 + 4
4690	19.30	19.30	53.90B/*8.80A	53.90B/*8.80A	----	35.10 + 20.80	.4399	----	----	5	----	4 + 3
4695	----	----	243.30B/*130.10	243.30B/130.10A	----	140.60 NEW	.5065	----	----	1	----	1 + 1
4695	15.00	15.00	51.20B/*8.30A	51.20B/*8.30A	----	32.80 + 19.30	.4125	----	----	12	----	13 + 12
4700	7.50	7.50	48.40B/*7.50	48.40B/*7.50	----	30.60 + 17.80	.3854	----	----	391	----	254 - 51
4700	----	----	107.40B/48.20A	107.40B/48.20A	----	89.40 + 34.10	.4737	----	----	4	----	3 - 1
4700	----	----	219.20B/95.40A	219.20B/95.40A	----	110.70 - 87.00	.5260	----	----	----	----	2 UNCH
4700	66.80	66.80	190.90B/31.50	190.90B/31.50	----	52.00 - 03.30	.6145	----	----	48	----	27 + 15
4700	----	----	139.40B/79.00A	139.40B/79.00A	----	121.80 + 35.00	.4868	----	----	4	----	2 + 2
4705	----	----	#136.90B/78.50A	136.90B/78.50A	----	119.30 NEW	.4806	----	----	1	----	1 + 1
4705	41.00	41.00	195.50B/*35.00A	195.50B/*35.00A	----	55.00 NEW	.6408	----	----	6	----	5 + 5
4705	11.90	11.90	45.50B/*6.40	45.50B/*6.40	----	28.60 + 16.60	.3591	----	----	51	----	42 + 41
4710	50.60	50.60	200.20B/*37.30A	200.20B/*37.30A	----	58.10 - 05.80	.6663	----	----	43	----	42 + 42
4710	11.00	11.00	42.90B/*6.80A	42.90B/*6.80A	----	26.70 + 15.30	.3335	----	----	9	----	6 + 4
4715	7.90	7.90	40.20B/*6.40A	40.20B/*6.40A	----	24.80 + 14.00	.3083	----	----	87	----	153 + 53
4715	----	----	#99.50B/44.10A	99.50B/44.10A	----	82.40 + 31.40	.4483	----	----	----	----	50 UNCH
4720	----	----	209.70B/*42.00A	209.70B/*42.00A	----	64.50 - 08.20	.7154	----	----	----	----	1 UNCH
4720	10.20	10.20	37.80B/*5.80	37.80B/*5.80	----	23.10 + 12.90	.2845	----	----	13	----	8 + 5
4725	9.20	9.20	35.40B/*5.80A	35.40B/*5.80A	----	21.50 + 11.90	.2617	----	----	410	----	290 + 284
4725	----	----	214.40B/44.70A	214.40B/44.70A	----	67.90 - 09.20	.7382	----	----	----	----	5 UNCH
4725	----	----	126.50B/71.90A	126.50B/71.90A	----	110.00 NEW	.4556	----	----	1	----	1 + 1
4730	----	----	#91.90B/40.90A	91.90B/40.90A	----	75.70 + 28.80	.4229	----	----	----	----	4 UNCH
4730	10.20	10.20	33.10B/*5.50A	33.10B/*5.50A	----	20.00 + 10.90	.2400	----	----	10	----	4 + 3
4735	----	----	89.50B/39.80A	89.50B/39.80A	----	73.60 + 28.00	.4146	----	----	----	----	4 UNCH
4735	214.10	214.10	290.00B/*179.30	290.00B/*179.30A	----	186.10 NEW	.5420	----	----	1	----	1 + 1
4735	13.00	13.00	31.00B/*5.20A	31.00B/*5.20A	----	18.60 + 10.00	.2196	----	----	8	----	7 + 3
4740	7.40	7.40	28.90B/*4.90A	28.90B/*4.90A	----	17.20 + 9.00	.1997	----	----	7	----	8 + 7
4745	6.00	6.00	27.00B/*4.70A	27.00B/*4.70A	----	16.00 + 8.30	.1819	----	----	6	----	10 + 4
4750	9.70	9.70	25.10B/*4.40A	25.10B/*4.40A	----	14.90 + 7.60	.1654	----	----	194	----	126 + 106
4750	88.50	88.50	238.40B/60.10A	238.40B/60.10A	----	86.20 - 13.60	.8345	----	----	9	----	6 + 5
4750	----	----	114.50B/65.40A	114.50B/65.40A	----	99.10 + 28.50	.4247	----	----	----	----	1 UNCH
4750	----	----	259.60B/120.20A	259.60B/120.20A	----	138.90 - 95.40	.6099	----	----	----	----	2 UNCH
4750	----	----	82.50B/36.40A	82.50B/36.40A	----	67.60 + 25.60	.3898	----	----	4	----	6 + 4
4755	----	----	243.20B/*63.40A	243.20B/63.40A	----	90.20 NEW	.8503	----	----	4	----	2 + 2
4755	14.80	14.80	23.80/*4.20A	23.80/*4.20A	----	13.80 + 6.80	.1496	----	----	6	----	7 + 5
4760	5.10	5.10	21.80B/*3.90A	21.80B/*3.90A	----	12.80 NEW	.1351	----	----	12	----	9 + 9
4760	----	----	109.90B/63.80A	109.90B/63.80A	----	94.90 NEW	.4124	----	----	32	----	32 + 32
4765	102.30	102.30	#132.20B/*81.30	#132.20B/81.30A	----	116.70 NEW	.4263	----	----	3	----	3 + 3
4765	----	----	20.30B/*3.80A	20.30B/*3.80A	----	11.80 + 5.50	.1212	----	----	4	----	5 + 4
4770	----	----	105.50B/61.40A	105.50B/61.40A	----	91.00 + 26.10	.4003	----	----	----	----	3 UNCH
4770	----	----	276.30B/131.40A	276.30B/131.40A	----	151.40 NEW	.6423	----	----	2	----	2 + 2
4770	6.20	6.20	18.90B/*3.60A	18.90B/*3.60A	----	11.00 + 5.00	.1095	----	----	6	----	72 + 2
4775	----	----	280.50B/134.40A	280.50B/134.40A	----	154.70 - 99.10	.6503	----	----	----	----	1 UNCH
4775	5.10	5.10	17.40B/*3.40A	17.40B/*3.40A	----	10.20 + 4.50	.0984	----	----	146	----	143 + 139
4775	----	----	71.80B/31.00A	71.80B/31.00A	----	58.30 + 21.80	.3494	----	----	----	----	1 UNCH
4775	----	----	262.50B/77.70A	262.50B/77.70A	----	106.60 - 16.60	.9015	----	----	----	----	3 UNCH
4780	----	----	267.40B/*81.40A	267.40B/81.40A	----	110.80 - 17.10	.9121	----	----	----	----	2 UNCH
4780	4.10	4.10	16.30B/*3.20A	16.30B/*3.20A	----	9.40 + 4.00	.0878	----	----	13	----	13 + 12
4785	----	----	67.70B/29.80A	67.70B/29.80A	----	54.90 + 20.40	.3338	----	----	----	----	5 UNCH
4790	96.60	96.60	277.10B/*89.30A	277.10B/89.30A	----	119.50 NEW	.9295	----	----	2	----	1 + 1
4795	9.00	9.00	12.90B/*2.80A	12.90B/*2.80A	----	7.50 + 2.80	.0627	----	----	3	----	7 + 2
4800	171.00	171.00	287.00B/97.30A	287.00B/97.30A	----	128.40 - 18.60	.9436	----	----	7	----	3 + 2
4800	4.10	4.10	12.10/*2.70A	12.10/*2.70A	----	7.00 + 2.50	.0563	----	----	157	----	202 + 64
4800	----	----	62.10B/26.70A	62.10B/26.70A	----	50.20 + 18.50	.3111	----	----	1	----	5 + 1
4800	----	----	92.90B/53.90A	92.90B/53.90A	----	79.80 + 22.70	.3645	----	----	2	----	5 + 1
4805	118.00	118.00	291.80B/*101.00	291.80B/101.00A	----	132.90 NEW	.9497	----	----	2	----	1 + 1
4805	3.70	3.70	10.90B/*2.50A	10.90B/*2.50A	----	6.50 + 2.20	.0502	----	----	16	----	17 + 16
4810	52.00	52.00	58.50B/25.40A	58.50B/25.40A	----	47.20 NEW	.2964	----	----	1	----	1 + 1
4810	4.70	4.70	10.20B/*2.40A	10.20B/*2.40A	----	6.00 + 1.90	.0445	----	----	55	----	75 + 55
4815	----	----	56.80B/24.60A	56.80B/24.60A	----	45.80 + 16.70	.2892	----	----	----	----	5 UNCH
4815	4.00	4.00	9.50/*2.30A	9.50/*2.30A	----	5.60 + 1.70	.0398	----	----	91	----	76 + 66
4820	----	----	8.70B/*2.20A	8.70B/*2.20A	----	5.20 + 1.50	.0354	----	----	----	----	1 UNCH
4820	----	----	55.10B/23.80A	55.10B/23.80A	----	44.40 + 16.10	.2821	----	----	----	----	5 UNCH
4825	----	----	8.00B/*2.10A	8.00B/*2.10A	----	4.90 + 1.30	.0319	----	----	23	----	32 + 20
4825	----	----	311.50B/118.30A	311.50B/118.30A	----	151.20 NEW	.9679	----	----	1	----	1 + 1
4825	----	----	324.50B/166.40A	324.50B/166.40A	----	189.30 - 05.50	.7247	----	----	----	----	1 UNCH
4830	2.00	2.00	7.40B/*2.00	7.40B/*2.00	----	4.50 NEW	.0280	----	----	53	----	52 + 52
4835	3.90	3.90	6.80B/*2.00A	6.80B/*2.00A	----	4.20 NEW	.0250	----	----	100	----	100 + 100
4840	----	----	326.30B/131.40A	326.30B/131.40A	----	165.30 - 20.40	.9777	----	----	----	----	11 UNCH
4840	4.80	4.80	6.40B/*1.90A	6.40B/*1.90A	----	3.90 NEW	.0221	----	----	5	----	5 + 5
4845	----	----	5.90B/*1.80A	5.90B/*1.80A	----	3.70 + 0.70	.0201	----	----	1	----	2 + 1
4845	----	----	76.10B/46.40A	76.10B/46.40A	----	65.10 + 17.80	.3134	----	----	----	----	4 UNCH
4850	25.90	25.90	45.90B/*19.50A	45.90B/19.50A	----	36.80 + 12.80	.2417	----	----	100	----	188 - 37

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4850	----	----	346.80B/183.90A	346.80B/183.90A	----	208.10 - 08.10	.7580	----	----	----	----	1 UNCH
4850	2.20	2.20	5.80/*1.80A	5.80/*1.80A	----	3.40 + 0.50	.0176	----	----	86	----	99 + 66
4855	----	----	366.30B/218.80A	366.30B/218.80A	----	238.30 - 04.10	.6970	----	----	----	----	1 UNCH
4860	1.30	1.30	4.60B/*1.30	4.60B/*1.30	----	3.00 + 0.30	.0141	----	----	4	----	6 + 3
4860	----	----	43.20B/*17.80A	43.20B/*17.80A	----	34.60 + 11.90	.2294	----	----	1	----	0 - 1
4865	1.10	1.10	4.30B/*1.10	4.30B/*1.10	----	2.80 NEW	.0126	----	----	3	----	3 + 3
4870	----	----	4.00B/*1.50A	4.00B/*1.50A	----	2.60 + 0.10	.0111	----	----	----	----	4 UNCH
4875	----	----	3.60B/*1.40A	3.60B/*1.40A	----	2.50 + 0.10	.0102	----	----	----	----	1 UNCH
4875	30.60	30.60	40.40/*16.80A	40.40/*16.80A	----	31.50 NEW	.2116	----	----	2	----	1 + 1
4875	----	----	66.40B/40.70A	66.40B/40.70A	----	56.60 + 14.90	.2814	----	----	----	----	1 UNCH
4880	----	----	38.10B/*16.10A	38.10B/*16.10A	----	30.50 + 10.20	.2058	----	----	----	----	1 UNCH
4880	3.00	3.00	3.30B/*1.40A	3.30B/*1.40A	----	2.30 UNCH	.0089	----	----	1	----	6 + 1
4880	----	----	333.80B/*168.60	333.80B/168.60A	----	203.70 NEW	.9910	----	----	1	----	1 + 1
4885	----	----	36.90B/*15.70A	36.90B/*15.70A	----	29.60 + 9.80	.2004	----	----	----	----	10 UNCH
4885	----	----	3.10B/*1.30A	3.10B/*1.30A	----	2.20 - 0.10	.0082	----	----	----	----	2 UNCH
4890	----	----	2.80B/*1.20A	2.80B/*1.20A	----	2.00 - 0.20	.0070	----	----	4	----	4 + 4
4900	0.70	0.70	2.80/*0.70	2.80/*0.70	----	1.80 - 0.30	.0057	----	----	13	----	17 + 5
4900	----	----	354.20B/187.90A	354.20B/187.90A	----	223.20 - 21.40	.9942	----	----	----	----	3 UNCH
4900	302.10	302.10	393.00B/220.50A	393.00B/220.50A	----	248.20 - 12.30	.8155	----	----	2	----	2 + 1
4900	----	----	33.50B/*14.30A	33.50B/*14.30A	----	26.90 + 8.70	.1843	----	----	3	----	27 + 2
4900	----	----	59.20B/37.10A	59.20B/37.10A	----	50.30 + 12.60	.2564	----	----	----	----	5 UNCH
4905	2.80	2.80	2.80/*1.10A	2.80/*1.10A	----	1.70 - 0.30	.0052	----	----	1	----	2 + 1
4910	----	----	2.00B/*1.00A	2.00B/*1.00A	----	1.60 - 0.30	.0046	----	----	----	----	2 UNCH
4910	----	----	363.50B/197.40A	363.50B/197.40A	----	233.00 - 21.40	.9953	----	----	----	----	22 UNCH
4915	0.80	0.80	1.90B/*0.80	1.90B/*0.80	----	1.50 - 0.40	.0041	----	----	2	----	3 + 2
4920	2.00	2.00	2.00/*0.90A	2.00/*0.90A	----	1.40 - 0.40	.0036	----	----	2	----	3 + 2
4925	1.10	1.10	1.60B/*0.90A	1.60B/*0.90A	----	1.30 - 0.50	.0032	----	----	4	----	7 + 4
4925	----	----	28.30B/*11.90A	28.30B/*11.90A	----	23.00 + 7.00	.1601	----	----	----	----	51 UNCH
4925	----	----	52.80B/33.90A	52.80B/33.90A	----	44.70 NEW	.2330	----	----	2	----	1 + 1
4925	----	----	416.50B/240.30A	416.50B/240.30A	----	269.30 - 13.90	.8397	----	----	----	----	1 UNCH
4930	----	----	27.40B/*11.90A	27.40B/*11.90A	----	22.30 NEW	.1556	----	----	1	----	1 + 1
4930	1.80	1.80	1.80/*0.90A	1.80/*0.90A	----	1.20 - 0.50	.0028	----	----	1	----	7 + 1
4935	----	----	----/*0.90A	1.40B/*0.90A	----	1.20 - 0.50	.0027	----	----	----	----	6 UNCH
4950	1.00	1.00	1.30/*0.80A	1.30/*0.80A	----	1.00 - 0.50	.0019	----	----	7	----	11 + 6
4950	----	----	403.80B/236.30A	403.80B/236.30A	----	272.40 - 21.60	.9980	----	----	----	----	1 UNCH
4955	----	----	23.30B/*10.50A	23.30B/*10.50A	----	19.10 + 5.40	.1348	----	----	----	----	1 UNCH
4955	----	----	445.00B/265.30A	445.00B/265.30A	----	295.30 - 15.60	.8649	----	----	----	----	1 UNCH
4965	13.70	13.70	21.90B/*9.80A	21.90B/*9.80A	----	18.00 NEW	.1274	----	----	1	----	1 + 1
4975	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.70	.0010	----	----	----	----	1 UNCH
4980	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.60	.0010	----	----	----	----	7 UNCH
4990	----	----	18.60B/*9.60A	18.60B/*9.60A	----	15.40 + 3.90	.1100	----	----	----	----	1 UNCH
4990	----	----	478.40B/295.40A	478.40B/295.40A	----	326.60 - 17.10	.8898	----	----	----	----	1 UNCH
5000	----	----	453.60B/285.40A	453.60B/285.40A	----	321.90 - 21.70	.9994	----	----	----	----	50 UNCH
5000	17.50	17.50	17.50/*9.30A	17.50/*9.30A	----	14.50 + 3.50	.1038	----	----	100	----	102 + 100
5000	0.30	0.30	1.00/*0.30	1.00/*0.30	----	0.50 - 0.60	.0005	----	----	4	----	108 + 2
5000	----	----	488.10B/304.30A	488.10B/304.30A	----	335.70 - 17.40	.8960	----	----	----	----	1 UNCH
5000	----	----	36.50B/24.10A	36.50B/24.10A	----	31.20 + 5.50	.1724	----	----	2	----	3 + 1
5010	----	----	497.80B/313.20A	497.80B/313.20A	----	344.90 - 17.70	.9016	----	----	----	----	1 UNCH
5015	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.50	.0005	----	----	----	----	1 UNCH
5025	----	----	477.90B/310.20A	477.90B/310.20A	----	346.80 - 21.60	.9996	----	----	----	----	1 UNCH
5025	----	----	----/*0.60A	0.20B/*0.60A	----	0.40 - 0.50	.0003	----	----	----	----	5 UNCH
5025	----	----	32.40B/21.70A	32.40B/21.70A	----	27.70 NEW	.1554	----	----	4	----	2 + 2
5030	----	----	482.90B/315.20A	482.90B/315.20A	----	351.80 - 21.50	.9996	----	----	----	----	2 UNCH
5030	----	----	----/*0.60A	0.20B/*0.60A	----	0.40 - 0.40	.0003	----	----	----	----	2 UNCH
5040	----	----	----/*0.50A	0.20B/*0.50A	----	0.30 - 0.50	.0002	----	----	----	----	2 UNCH
5040	22.00	22.00	30.00B/20.70A	30.00B/20.70A	----	25.80 NEW	.1460	----	----	19	----	19 + 19
5045	----	----	497.90B/330.10A	497.90B/330.10A	----	366.70 - 21.50	.9998	----	----	----	----	4 UNCH
5050	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.40	.0002	----	----	----	----	4 UNCH
5050	----	----	503.40B/335.10A	503.40B/335.10A	----	371.70 - 21.50	.9998	----	----	----	----	4 UNCH
5050	----	----	12.70B/*7.40A	12.70B/*7.40A	----	10.80 + 2.10	.0777	----	----	----	----	1 UNCH
5050	----	----	28.60B/19.90A	28.60B/19.90A	----	24.60 + 3.30	.1399	----	----	----	----	1 UNCH
5055	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.40	.0002	----	----	----	----	5 UNCH
5065	----	----	517.80B/350.30A	517.80B/350.30A	----	386.60 - 21.50	.9999	----	----	----	----	1 UNCH
5070	----	----	522.80B/355.00A	522.80B/355.00A	----	391.60 - 21.50	.9999	----	----	----	----	13 UNCH
5075	----	----	10.90B/*6.70A	10.90B/*6.70A	----	9.30 + 1.50	.0670	----	----	----	----	20 UNCH
5075	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.40	.0001	----	----	4	----	8 + 2
5080	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.20 NEW	.0001	----	----	2	----	2 + 2
5100	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.30	.0000	----	----	1	----	8 + 1
5100	----	----	572.90B/396.10A	572.90B/396.10A	----	429.20 - 19.90	.9416	----	----	----	----	30 UNCH
5100	----	----	23.00B/15.40A	23.00B/15.40A	----	19.80 NEW	.1145	----	----	4	----	2 + 2
5120	----	----	572.70B/404.90A	572.70B/404.90A	----	441.50 - 21.40	1.0000	----	----	----	----	1 UNCH
5125	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.20	.0000	----	----	4	----	7 + 4
5135	----	----	----	----/*0.30A	----	0.10 - 0.20	.0000	----	----	----	----	120 UNCH
5150	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
5165	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5170	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
5175	----	----	627.60B/459.80A	627.60B/459.80A	----	496.50 - 21.20	1.0000	----	----	----	----	1 UNCH
5175	----	----	15.30B/12.50A	15.30B/12.50A	----	14.40 NEW	.0847	----	----	1	----	1 + 1
5185	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.10	----	----	----	----	----	4 UNCH
5190	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
5200	----	----	5.00B/*4.20A	5.00B/*4.20A	----	4.70 UNCH	.0331	----	----	----	----	2 UNCH
5210	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5215	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5225	----	----	677.50B/510.10A	677.50B/510.10A	----	546.50 - 21.10	1.0000	----	----	----	----	1 UNCH
5225	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
5230	----	----	----/3.80A	4.20B/3.80A	----	4.10 - 0.10	.0285	----	----	----	----	1 UNCH
5240	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5245	----	----	----/*3.60A	3.70B/*3.60A	----	3.80 - 0.20	.0263	----	----	----	----	20 UNCH
5250	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5250	----	----	----/*3.60A	3.60B/*3.60A	----	3.70 - 0.20	.0256	----	----	----	----	1 UNCH
5260	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5275	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5290	----	----	----/*3.40A	2.80B/*3.40A	----	3.10 - 0.40	.0210	----	----	----	----	1 UNCH
5290	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5300	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5300	----	----	----	2.70B/3.30A	----	3.00 - 0.30	.0202	----	----	2	----	2 UNCH
5305	----	----	----	2.60B/3.30A	----	2.90 - 0.40	.0196	----	----	----	----	1 UNCH
5325	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5350	----	----	----	1.60B/3.00A	----	2.40 - 0.40	.0158	----	----	----	----	1 UNCH
5360	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5375	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5380	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
5400	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5435	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
5500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5500	----	----	----	0.50B/*2.00A	----	1.20 - 0.60	.0074	----	----	----	----	2 UNCH
5550	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5650	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
5675	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										5596	200	7867 + 2916

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 169
3850	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3900	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
3950	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 4
4000	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.10	----	----	----	5	----	0 - 65
4050	----	----	----	0.10B/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4075	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	3	----	0 - 1
4100	0.10	0.10	0.70/*0.10	0.70/*0.10	----	0.00 - 0.20	----	----	----	2	----	0 - 41
4125	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4150	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 31
4175	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 5
4200	0.90	0.90	1.20/*0.10	1.20/*0.10	----	0.00 - 0.60	----	----	----	5	----	0 - 63
4220	0.50	0.50	0.50/*0.20A	0.80B/*0.20A	----	0.00 - 0.80	----	----	----	1	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE GOLD WEEKLY TUESDAY OPTION Week5
MAR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4225	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 210
4235	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 2
4245	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 2
4250	0.20	0.20	0.20/*0.10	0.40B/*0.10	----	0.00 - 1.20	----	----	----	9	----	0 - 24
4255	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 1
4260	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.40	----	----	----	----	----	0 - 21
4275	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.00 - 1.60	----	----	----	1	----	0 - 72
4280	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 1
4290	----	----	#393.30B/228.80	#393.30B/228.80A	----	388.60 + 19.10	----	----	----	----	----	0 - 5
4300	0.10	0.10	0.10/*0.10	1.10B/*0.10	----	0.00 - 2.20	----	----	----	9	----	0 - 55
4300	260.00	260.00	#383.20B/219.20	383.20B/219.20A	----	378.60 + 18.90	----	----	----	10	----	0 - 10
4305	----	----	----/*0.20A	1.50B/*0.20A	----	0.00 - 2.30	----	----	----	1	----	0 - 3
4310	----	----	----/*0.20A	1.60B/*0.20A	----	0.00 - 2.50	----	----	----	----	----	0 - 1
4315	----	----	----/*0.20A	1.70B/*0.20A	----	0.00 NEW	----	----	----	6	----	0 UNCH
4325	0.60	0.60	0.60/*0.10	2.10B/*0.10	----	0.00 - 2.90	----	----	----	3	----	0 - 55
4330	----	----	----/*0.20A	2.10B/*0.20A	----	0.00 - 3.10	----	----	----	----	----	0 - 4
4335	0.80	0.80	0.80/*0.20A	2.30B/*0.20A	----	0.00 - 3.30	----	----	----	1	----	0 - 3
4350	3.00	3.00	3.00/*0.10	3.00/*0.10	----	0.00 - 3.90	----	----	----	4	----	0 - 295
4355	----	----	----/*0.20A	3.30B/*0.20A	----	0.00 - 4.10	----	----	----	----	----	0 - 76
4360	1.80	1.80	1.80/*0.20A	3.60B/*0.20A	----	0.00 - 4.30	----	----	----	5	----	0 - 5
4365	----	----	----/*0.20A	3.90B/*0.20A	----	0.00 - 4.50	----	----	----	----	----	0 - 1
4370	----	----	----/*0.20A	4.30B/*0.20A	----	0.00 - 4.80	----	----	----	2	----	0 - 4
4375	0.80	0.80	0.80/*0.10	4.40B/*0.10	----	0.00 - 5.10	----	----	----	3	----	0 - 258
4380	1.20	1.20	1.20/*0.10	5.10B/*0.10	----	0.00 - 5.40	----	----	----	3	----	0 - 131
4385	0.30	0.30	0.30/*0.20A	5.40B/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4390	----	----	----/*0.20A	5.80B/*0.20A	----	0.00 - 6.00	----	----	----	----	----	0 - 4
4400	7.60	7.60	7.60/*0.10	7.60/*0.10	----	0.00 - 6.70	----	----	----	26	----	0 - 168
4400	227.00	227.00	#283.40B/126.70	283.40B/126.70A	----	278.60 + 14.40	----	----	----	1	----	0 - 6
4405	----	----	#278.30B/122.20	#278.30B/122.20A	----	273.60 + 14.10	----	----	----	----	----	0 - 1
4410	----	----	#273.30B/117.90	#273.30B/117.90A	----	268.60 + 13.70	----	----	----	----	----	0 - 5
4410	----	----	7.90B/*0.20A	7.90B/*0.20A	----	0.00 - 7.40	----	----	----	----	----	0 - 17
4415	----	----	8.40B/*0.20A	8.40B/*0.20A	----	0.00 - 7.90	----	----	----	----	----	0 - 3
4420	----	----	9.20B/*0.20A	9.20B/*0.20A	----	0.00 - 8.30	----	----	----	2	----	0 - 3
4420	178.60	178.60	#263.30B/109.50	#263.30B/109.50A	----	258.60 + 12.80	----	----	----	1	----	0 - 1
4425	10.50	10.50	10.50/*0.20A	10.50/*0.20A	----	0.00 - 8.80	----	----	----	53	----	0 - 52
4425	----	----	#258.30B/105.30	258.30B/105.30A	----	253.60 + 12.30	----	----	----	----	----	0 - 4
4430	----	----	#253.30B/101.20	#253.30B/101.20A	----	248.60 + 11.80	----	----	----	----	----	0 - 1
4430	2.80	2.80	10.70B/*0.20A	10.70B/*0.20A	----	0.00 - 9.30	----	----	----	22	----	0 - 4
4435	----	----	#248.30B/97.20A	#248.30B/97.20A	----	243.60 + 11.30	----	----	----	----	----	0 - 5
4435	----	----	11.40B/*0.20A	11.40B/*0.20A	----	0.00 - 9.80	----	----	----	3	----	0 - 10
4440	----	----	12.00B/*0.20A	12.00B/*0.20A	----	0.00 - 10.40	----	----	----	----	----	0 - 4
4440	----	----	#243.30B/93.70A	243.30B/93.70A	----	238.60 + 10.70	----	----	----	----	----	0 - 3
4445	----	----	#238.30B/89.80A	238.30B/89.80A	----	233.60 + 10.10	----	----	----	----	----	0 - 7
4445	13.50	13.50	13.50/*0.20A	13.50/*0.20A	----	0.00 - 11.00	----	----	----	3	----	0 - 5
4450	15.00	15.00	15.00/*0.10	15.00/*0.10	----	0.00 - 11.70	----	----	----	40	----	0 - 66
4450	169.00	169.00	#233.20B/85.50A	233.20B/85.50A	----	228.60 + 09.40	----	----	----	2	----	0 - 20
4455	----	----	#228.30B/82.10A	228.30B/82.10A	----	223.60 + 08.80	----	----	----	----	----	0 - 14
4455	----	----	15.30B/*0.20A	15.30B/*0.20A	----	0.00 - 12.30	----	----	----	----	----	0 - 24
4460	17.00	17.00	17.00/*0.10	17.00/*0.10	----	0.00 - 13.10	----	----	----	4	----	0 - 11
4460	----	----	#223.30B/78.30A	223.30B/78.30A	----	218.60 + 08.00	----	----	----	----	----	0 - 9
4465	0.50	0.50	17.30B/*0.20A	17.30B/*0.20A	----	0.00 - 13.90	----	----	----	1	----	0 - 7
4465	----	----	#218.30B/74.70A	218.30B/74.70A	----	213.60 + 07.20	----	----	----	----	----	0 - 4
4470	17.00	17.00	18.70B/*0.20A	18.70B/*0.20A	----	0.00 - 14.70	----	----	----	23	----	0 - 6
4470	----	----	#213.30B/71.20A	213.30B/71.20A	----	208.60 + 06.40	----	----	----	----	----	0 - 2
4475	5.50	5.50	20.50B/*0.10	20.50B/*0.10	----	0.00 - 15.60	----	----	----	5	----	0 - 93
4480	10.90	10.90	21.70B/*0.20A	21.70B/*0.20A	----	0.00 - 16.50	----	----	----	15	----	0 - 18
4480	----	----	#203.30B/64.50A	203.30B/64.50A	----	198.60 + 04.60	----	----	----	5	----	0 - 6
4485	5.00	5.00	23.40B/*0.20A	23.40B/*0.20A	----	0.00 - 17.50	----	----	----	8	----	0 - 4
4485	----	----	#198.30B/59.90A	198.30B/59.90A	----	193.60 + 03.60	----	----	----	1	----	0 - 1
4490	4.20	4.20	25.10B/*0.20A	25.10B/*0.20A	----	0.00 - 18.60	----	----	----	9	----	0 - 11
4490	----	----	#193.30B/56.70A	193.30B/56.70A	----	188.60 + 02.50	----	----	----	----	----	0 - 7
4495	----	----	27.00B/*0.20A	27.00B/*0.20A	----	0.00 - 19.70	----	----	----	----	----	0 - 18
4495	----	----	#188.30B/*53.60	188.30B/*53.60A	----	183.60 + 01.40	----	----	----	----	----	0 - 10
4500	28.90	28.90	29.00B/*0.10	29.00B/*0.10	----	0.00 - 20.90	----	----	----	89	----	0 - 184
4500	99.80	99.80	183.20B/*50.80A	183.20B/*50.80A	----	178.60 + 00.20	----	----	----	1	----	0 - 144
4505	5.30	5.30	31.20B/*0.20A	31.20B/*0.20A	----	0.00 - 22.20	----	----	----	1	----	0 - 7
4505	----	----	#178.30B/*48.00	178.30B/*48.00A	----	173.60 + 98.90	----	----	----	----	----	0 - 10
4510	----	----	#173.30B/*45.10	173.30B/*45.10A	----	168.60 + 97.50	----	----	----	----	----	0 - 1
4510	5.50	5.50	33.40B/*0.20A	33.40B/*0.20A	----	0.00 - 23.60	----	----	----	14	----	0 - 13
4515	----	----	35.70B/*0.20A	35.70B/*0.20A	----	0.00 - 25.00	----	----	----	----	----	0 - 6
4520	0.50	0.50	38.20B/*0.20A	38.20B/*0.20A	----	0.00 - 26.50	----	----	----	40	----	0 - 9
4525	30.50	30.50	40.80B/*0.20A	40.80B/*0.20A	----	0.00 - 28.10	----	----	----	46	----	0 - 77
4525	40.40	40.40	158.30B/*32.10	158.30B/*32.10	----	153.60 + 93.00	----	----	----	4	----	0 - 79
4530	9.00	9.00	42.50B/*0.10	42.50B/*0.10	----	0.00 - 29.90	----	----	----	6	----	0 - 32
4535	61.00	61.00	148.30B/*33.20A	148.30B/*33.20A	----	143.60 + 89.40	----	----	----	1	----	0 - 19
4535	38.00	38.00	45.30B/*0.20A	45.30B/*0.20A	----	0.00 - 31.70	----	----	----	45	----	0 - 27
4540	----	----	143.30B/*29.00A	143.30B/*29.00A	----	138.60 + 87.50	----	----	----	----	----	0 - 1
4540	12.40	12.40	48.20B/*0.10	48.20B/*0.10	----	0.00 - 33.60	----	----	----	11	----	0 - 9
4545	----	----	138.30B/*27.20A	138.30B/*27.20A	----	133.60 + 85.50	----	----	----	----	----	0 - 9
4550	35.00	35.00	133.20B/*24.40	133.20B/*24.40	----	128.60 + 83.40	----	----	----	46	----	0 - 49
4550	26.00	26.00	54.90B/*0.10	54.90B/*0.10	----	0.00 - 37.70	----	----	----	100	----	0 - 73
4555	----	----	57.90B/*0.20A	57.90B/*0.20A	----	0.00 - 40.00	----	----	----	3	----	0 - 9
4555	128.70	128.70	128.70/*25.20A	128.70/*25.20A	----	123.60 + 81.10	----	----	----	3	----	0 - 3
4560	30.10	30.10	123.30B/*23.10A	123.30B/*23.10A	----	118.60 + 78.80	----	----	----	8	----	0 - 10
4560	45.90	45.90	61.70B/*0.20A	61.70B/*0.20A	----	0.00 - 42.30	----	----	----	67	----	0 - 63
4565	77.10	77.10	118.30B/*21.50A	118.30B/*21.50A	----	113.60 + 76.30	----	----	----	18	----	0 - 22
4565	20.00	20.00	65.30B/*0.20A	65.30B/*0.20A	----	0.00 - 44.80	----	----	----	31	----	0 - 25
4570	11.20	11.20	68.70B/*0.20A	68.70B/*0.20A	----	0.00 - 47.30	----	----	----	7	----	0 - 23
4570	77.70	77.70	113.30B/*19.90A	113.30B/*19.90A	----	108.60 + 73.80	----	----	----	21	----	0 - 29
4575	21.20	21.20	72.60B/*0.20A	72.60B/*0.20A	----	0.00 - 50.00	----	----	----	19	----	0 - 11
4575	73.00	73.00	108.30B/*18.50A	108.30B/*18.50A	----	103.60 + 71.10	----	----	----	18	----	0 - 110
4580	20.00	20.00	103.30B/*17.30A	103.30B/*17.30A	----	98.60 NEW	----	----	----	2	----	0 UNCH
4580	----	----	76.70B/*0.20A	76.70B/*0.20A	----	0.00 - 52.80	----	----	----	----	----	0 - 20
4585	20.00	20.00	98.90B/*16.20A	98.90B/*16.20A	----	93.60 + 65.30	----	----	----	5	----	0 - 15
4585	11.00	11.00	80.70B/*0.20A	80.70B/*0.20A	----	0.00 - 55.80	----	----	----	14	----	0 - 4
4590	15.00	15.00	93.90B/*14.80A	93.90B/*14.80A	----	88.60 + 62.30	----	----	----	5	----	0 - 5
4590	58.00	58.00	84.80B/*0.20A	84.80B/*0.20A	----	0.00 - 58.80	----	----	----	55	----	0 - 37
4595	16.60	16.60	88.70B/*0.10A	88.70B/*0.10A	----	0.00 - 61.90	----	----	----	8	----	0 - 1
4595	32.50	32.50	88.90B/*14.00A	88.90B/*14.00A	----	83.60 + 59.20	----	----	----	8	----	0 - 1
4600	17.00	17.00	84.10B/*11.00	84.10B/*11.00	----	78.60 + 55.90	----	----	----	121	----	0 - 109
4600	34.20	34.20	93.20B/*0.10	93.20B/*0.10	----	0.00 - 65.20	----	----	----	129	----	0 - 56
4605	34.20	34.20	97.50B/*0.20A	97.50B/*0.20A	----	0.00 - 68.50	----	----	----	100	----	0 - 6
4605	20.00	20.00	78.90B/*11.60A	78.90B/*11.60A	----	73.60 + 52.60	----	----	----	17	----	0 - 36
4610	32.00	32.00	73.90B/*10.40A	73.90B/*10.40A	----	68.60 + 49.10	----	----	----	6	----	0 - 1
4610	23.00	23.00	101.60B/*0.30A	101.60B/*0.30A	----	0.00 NEW	----	----	----	22	----	0 UNCH
4615	23.40	23.40	68.90B/*9.30A	68.90B/*9.30A	----	63.60 + 45.50	----	----	----	26	----	0 - 20
4615	23.10	23.10	106.10B/*0.30A	106.10B/*0.30A	----	0.00 NEW	----	----	----	18	----	0 UNCH
4620	16.00	16.00	63.90B/*7.50A	63.90B/*7.50A	----	58.60 + 41.90	----	----	----	19	----	0 - 8
4620	29.50	29.50	110.60B/*0.10	110.60B/*0.10	----	0.00 - 79.20	----	----	----	16	----	0 - 2
4625	9.20	9.20	58.90B/*6.60A	58.90B/*6.60A	----	53.60 + 38.10	----	----	----	77	----	0 - 110
4625	27.00	27.00	115.10B/*0.40A	115.10B/*0.40A	----	0.00 NEW	----	----	----	32	----	0 UNCH
4630	32.50	32.50	119.80B/*0.30A	119.80B/*0.30A	----	0.00 NEW	----	----	----	73	----	0 UNCH
4630	12.00	12.00	53.90B/*6.20	53.90B/*6.20	----	48.60 + 34.30	----	----	----	23	----	0 - 107
4635	30.60	30.60	124.20B/*0.40A	124.20B/*0.40A	----	0.00 NEW	----	----	----	13	----	0 UNCH
4635	22.00	22.00	48.90B/*5.60	48.90B/*5.60	----	43.60 + 30.40	----	----	----	47	----	0 - 1
4640	8.20	8.20	44.00B/*5.00A	44.00B/*5.00A	----	38.60 + 26.40	----	----	----	59	----	0 - 10
4640	18.00	18.00	128.80B/*0.40A	128.80B/*0.40A	----	0.00 NEW	----	----	----	60	----	0 UNCH
4645	18.50	18.50	133.50B/*0.40A	133.50B/*0.40A	----	0.00 NEW	----	----	----	34	----	0 UNCH
4645	10.70	10.70	39.70B/*4.80	39.70B/*4.80	----	33.60 + 22.30	----	----	----	32	----	0 - 5
4650	6.70	6.70	34.70B/*3.50	34.70B/*3.50	----	28.60 + 18.10	----	----	----	215	----	0 - 108
4650	35.70	35.70	138.20B/*0.10	138.20B/*0.10	----	0.00 - 03.00	----	----	----	161	----	0 - 3
4655	6.00	6.00	29.60B/*3.00A	29.60B/*3.00A	----	23.60 + 13.90	----	----	----	32	----	0 - 13
4655	10.90	10.90	142.90B/*0.50A	142.90B/*0.50A	----	0.00 NEW	----	----	----	8	----	0 UNCH
4660	3.30	3.30	147.60B/*0.50A	147.60B/*0.50A	----	0.00 NEW	----	----	----	24	----	0 UNCH
4660	4.70	4.70	25.00B/*2.00	25.00B/*2.00	----	18.60 + 9.60	----	----	----	119	----	0 - 9
4665	6.00	6.00	152.40B/*0.10A	152.40B/*0.10A	----	0.00 NEW	----	----	----	4	----	0 UNCH
4665	3.30	3.30	20.30B/*1.50A	20.30B/*1.50A	----	13.60 + 5.30	----	----	----	23	----	0 - 7
4670	8.00	8.00	157.20B/*0.90A	157.20B/*0.90A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4670	6.50	6.50	16.60B/*1.10A	16.60B/*1.10A	----	8.60 + 0.90	----	----	----	41	----	0 - 1
4675	8.00	8.00	15.40B/*0.80A	15.40B/*0.80A	----	3.60 - 3.50	----	----	----	74	----	0 - 44
4675	7.40	7.40	162.00B/*1.30A	162.00B/*1.30A	----	0.00 - 24.60	----	----	----	5	----	0 - 1
4680	66.50	66.50	166.70B/*2.20A	166.70B/*2.20A	----	1.40 NEW	----	----	----	6	----	0 UNCH
4680	4.40	4.40	13.60B/*0.30	13.60B/*0.30	----	0.00 - 6.60	----	----	----	61	----	0 - 53
4685	2.80	2.80	12.00B/*0.10A	12.00B/*0.10A	----	0.00 - 6.20	----	----	----	24	----	0 - 101
4690	0.80	0.80	10.70B/*0.10A	10.70B/*0.10A	----	0.00 - 5.70	----	----	----	16	----	0 - 13
4695	2.80	2.80	9.60B/*0.10A	9.60B/*0.10A	----	0.00 - 5.30	----	----	----	9	----	0 - 4
4700	67.20	67.20	186.30B/16.50A	186.30B/16.50A	----	21.40 - 26.10	----	----	----	18	----	0 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week5										
MAR26												
4700	7.00	7.00	13.00/*0.10	13.00/*0.10	----	0.00 - 5.00	----	----	----	131	----	0 - 104
4705	0.20	0.20	7.60B/*0.20	7.60B/*0.20	----	0.00 - 4.60	----	----	----	17	----	0 - 3
4710	2.00	2.00	6.60B/*0.10A	6.60B/*0.10A	----	0.00 - 4.30	----	----	----	8	----	0 - 3
4715	5.20	5.20	5.60B/*0.30A	5.60B/*0.30A	----	0.00 - 4.10	----	----	----	3	----	0 - 1
4720	1.20	1.20	5.00B/*0.20A	5.00B/*0.20A	----	0.00 - 3.80	----	----	----	5	----	0 - 23
4725	----	----	210.60B/40.60A	210.60B/40.60A	----	46.40 - 24.70	----	----	----	1	----	0 - 12
4725	8.30	8.30	8.30/*0.10	8.30/*0.10	----	0.00 - 3.60	----	----	----	27	----	0 - 15
4730	----	----	3.90B/*0.20A	3.90B/*0.20A	----	0.00 - 3.30	----	----	----	----	----	0 - 3
4735	----	----	3.30B/*0.20A	3.30B/*0.20A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4740	0.50	0.50	0.50/*0.10	2.90B/*0.10	----	0.00 - 2.90	----	----	----	9	----	0 - 7
4745	----	----	----/*0.20A	2.10B/*0.20A	----	0.00 - 2.80	----	----	----	7	----	0 - 5
4750	----	----	235.40B/65.40A	235.40B/65.40A	----	71.40 - 23.70	----	----	----	1	----	0 - 328
4750	5.10	5.10	5.10/*0.10	5.10/*0.10	----	0.00 - 2.60	----	----	----	283	----	0 - 54
4755	----	----	----/*0.20A	1.60B/*0.20A	----	0.00 - 2.50	----	----	----	----	----	0 - 1
4765	----	----	----/*0.20A	1.40B/*0.20A	----	0.00 - 2.20	----	----	----	2	----	0 - 3
4770	0.50	0.50	0.50/*0.20A	0.80B/*0.20A	----	0.00 - 2.10	----	----	----	1	----	0 - 2
4775	----	----	260.20B/91.70A	260.20B/91.70A	----	96.40 - 23.10	----	----	----	----	----	0 - 3
4775	0.50	0.50	0.70/*0.20A	0.80B/*0.20A	----	0.00 - 2.00	----	----	----	14	----	0 - 9
4780	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.90	----	----	----	----	----	0 - 2
4785	----	----	270.10B/*101.70	270.10B/101.70A	----	106.40 - 22.90	----	----	----	----	----	0 - 2
4785	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.80	----	----	----	----	----	0 - 2
4790	0.90	0.90	0.90/*0.20A	0.90/*0.20A	----	0.00 - 1.70	----	----	----	3	----	0 - 1
4795	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 1
4800	0.30	0.30	0.30/*0.10	1.00B/*0.10	----	0.00 - 1.50	----	----	----	4	----	0 - 46
4800	----	----	285.40B/116.80A	285.40B/116.80A	----	121.40 - 22.60	----	----	----	----	----	0 - 14
4805	----	----	290.30B/*121.70	290.30B/121.70A	----	126.40 - 22.50	----	----	----	----	----	0 - 2
4810	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 1.30	----	----	----	----	----	0 - 4
4820	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4825	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 1.00	----	----	----	2	----	0 - 2
4825	----	----	310.00B/141.70A	310.00B/141.70A	----	146.40 - 22.10	----	----	----	----	----	0 - 1
4830	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4845	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.70	----	----	----	1	----	0 - 1
4850	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.60	----	----	----	1	----	0 - 67
4850	----	----	335.30B/166.80A	335.30B/166.80A	----	171.40 - 21.70	----	----	----	----	----	0 - 7
4865	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4870	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 - 0.40	----	----	----	2	----	0 - 4
4875	----	----	359.90B/191.70A	359.90B/191.70A	----	196.40 - 21.50	----	----	----	----	----	0 - 2
4880	----	----	364.90B/196.70A	364.90B/196.70A	----	201.40 - 21.50	----	----	----	1	----	0 - 1
4890	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4895	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.30	----	----	----	3	----	0 - 17
4900	----	----	385.10B/216.80A	385.10B/216.80A	----	221.40 - 21.40	----	----	----	----	----	0 - 12
4905	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.00 - 0.30	----	----	----	2	----	0 - 1
4910	----	----	395.10B/226.70A	395.10B/226.70A	----	231.40 - 21.30	----	----	----	----	----	0 - 15
4940	----	----	424.80B/256.90A	424.80B/256.90A	----	261.40 - 21.30	----	----	----	----	----	0 - 3
4945	----	----	429.80B/261.90A	429.80B/261.90A	----	266.40 - 21.30	----	----	----	----	----	0 - 10
4950	----	----	----	0.10B/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 8
4950	----	----	434.80B/266.80A	434.80B/266.80A	----	271.40 - 21.30	----	----	----	----	----	0 - 2
4955	----	----	439.80B/271.90A	439.80B/271.90A	----	276.40 - 21.20	----	----	----	----	----	0 - 10
4960	----	----	444.80B/276.90A	444.80B/276.90A	----	281.40 - 21.20	----	----	----	----	----	0 - 4
4965	----	----	449.80B/281.90A	449.80B/281.90A	----	286.40 - 21.20	----	----	----	----	----	0 - 1
4965	----	----	----	----/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4970	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4970	----	----	454.80B/286.70A	454.80B/286.70A	----	291.40 - 21.20	----	----	----	----	----	0 - 1
4975	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4990	----	----	474.80B/306.70A	474.80B/306.70A	----	311.40 - 21.20	----	----	----	----	----	0 - 8
5000	----	----	484.80B/316.60A	484.80B/316.60A	----	321.40 - 21.20	----	----	----	----	----	0 - 158
5000	----	----	----	0.10B/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5010	----	----	494.80B/326.70A	494.80B/326.70A	----	331.40 - 21.20	----	----	----	----	----	0 - 25
5015	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5015	----	----	499.80B/331.70A	499.80B/331.70A	----	336.40 - 21.20	----	----	----	----	----	0 - 1
5020	----	----	504.80B/336.70A	504.80B/336.70A	----	341.40 - 21.20	----	----	----	1	----	0 - 1
5020	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5025	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5030	----	----	514.80B/346.70A	514.80B/346.70A	----	351.40 - 21.20	----	----	----	----	----	0 - 1
5040	----	----	524.80B/356.70A	524.80B/356.70A	----	361.40 - 21.20	----	----	----	----	----	0 - 1
5045	----	----	529.80B/361.70A	529.80B/361.70A	----	366.40 - 21.20	----	----	----	----	----	0 - 1
5050	----	----	534.80B/366.60A	534.80B/366.60A	----	371.40 - 21.20	----	----	----	----	----	0 - 5
5075	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5090	----	----	574.80B/406.70A	574.80B/406.70A	----	411.40 - 21.20	----	----	----	----	----	0 - 5
5095	----	----	579.80B/411.70A	579.80B/411.70A	----	416.40 - 21.20	----	----	----	----	----	0 - 5
5100	----	----	584.80B/416.60A	584.80B/416.60A	----	421.40 - 21.20	----	----	----	----	----	0 - 11
5100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5110	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 176
5115	----	----	599.80B/431.70A	599.80B/431.70A	----	436.40 - 21.20	----	----	----	----	----	0 - 1
5125	----	----	609.80B/441.70A	609.80B/441.70A	----	446.40 - 21.20	----	----	----	----	----	0 - 1
5145	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5160	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5165	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5175	----	----	660.00B/491.70A	660.00B/491.70A	----	496.40 - 21.20	----	----	----	----	----	0 - 1
5175	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5190	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
5200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
5205	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5210	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5215	----	----	700.10B/531.70A	700.10B/531.70A	----	536.40 - 21.20	----	----	----	----	----	0 - 1
5225	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5230	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5235	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5240	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5260	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5285	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5290	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 260
5310	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
5350	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5380	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5400	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5420	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5425	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5575	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5600	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 1
5625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
5675	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										3294		0 - 6035
APR26												
3300	----	----	----	----/2.70A	----	0.10 - 0.40	.0001	----	----	----	----	10 UNCH
3500	----	----	----	0.90B/*3.70A	----	2.10 - 1.30	.0080	----	----	----	----	1 UNCH
3800	1.30	1.30	1.30/*1.30	1.50B/*1.30	----	1.00 - 2.90	.0046	----	----	1	----	2 + 1
3850	----	----	----/*2.00A	2.40B/*2.00A	----	1.20 NEW	.0057	----	----	2	----	2 + 2
3900	----	----	----/*2.20A	3.50B/*2.20A	----	1.50 - 4.20	.0074	----	----	----	----	48 UNCH
3950	----	----	----/*2.50A	5.20B/*2.50A	----	1.90 - 5.10	.0097	----	----	----	----	2 UNCH
4000	----	----	----/*3.10A	7.30B/*3.10A	----	2.40 - 6.20	.0127	----	----	----	----	1 UNCH
4000	----	----	----/*10.00A	18.90B/*10.00A	----	8.60 - 12.40	.0401	----	----	----	----	1 UNCH
4075	----	----	----/*4.10A	11.10B/*4.10A	----	3.50 - 8.30	.0194	----	----	----	----	1 UNCH
4100	3.80	3.80	3.80/*3.60	12.50B/*3.60	----	4.00 - 9.10	.0224	----	----	2	----	17 UNCH
4125	6.00	6.00	6.00/*4.90A	14.10B/*4.90A	----	4.50 - 10.10	.0256	----	----	2	----	2 UNCH
4175	----	----	----/*6.00A	17.50B/*6.00A	----	5.80 - 12.50	.0340	----	----	3	----	4 + 1
4200	----	----	----/*6.60A	20.00B/6.60A	----	6.60 - 13.80	.0392	----	----	----	----	2 UNCH
4200	----	----	42.40B/*18.90A	42.40B/18.90A	----	19.10 - 22.80	.0900	----	----	----	----	1 UNCH
4225	----	----	----/*7.40A	22.70B/*7.40A	----	7.60 - 15.30	.0455	----	----	----	----	5 UNCH
4240	----	----	----/*7.90A	24.40B/*7.90A	----	8.20 - 16.30	.0495	----	----	----	----	23 UNCH
4250	----	----	51.50B/*22.70A	51.50B/22.70A	----	23.30 - 26.50	.1096	----	----	----	----	61 UNCH
4250	33.00	33.00	70.80B/*33.00	70.80B/*33.00	----	36.60 NEW	.1440	----	----	25	----	25 + 25
4250	----	----	25.80B/*8.20A	25.80B/*8.20A	----	8.70 - 17.00	.0526	----	----	----	----	40 UNCH
4280	18.40	18.40	30.30B/*9.30A	30.30B/*9.30A	----	10.20 NEW	.0624	----	----	50	----	50 + 50
4300	----	----	62.00B/*27.00A	62.00B/27.00A	----	28.30 NEW	.1328	----	----	76	50	126 + 126
4300	----	----	33.60B/*10.20A	33.60B/10.20A	----	11.40 - 20.90	.0701	----	----	----	----	2 UNCH
4305	----	----	62.10B/*27.50A	62.10B/*27.50A	----	28.80 - 31.50	.1352	----	----	----	----	5 UNCH
4310	----	----	35.40B/*10.70A	35.40B/*10.70A	----	12.00 - 21.80	.0741	----	----	4	----	54 + 4
4325	----	----	38.30B/*11.60A	38.30B/*11.60A	----	13.10 - 23.10	.0811	----	----	1	----	27 + 1
4325	----	----	#400.20B/273.00	400.20B/273.00A	----	384.40 + 87.50	.8536	----	----	1	----	0 - 1
4350	----	----	43.80B/*12.90A	43.80B/*12.90A	----	15.00 NEW	.0934	----	----	9	----	6 + 6
4360	----	----	100.40B/*50.20A	100.40B/*50.20A	----	54.30 NEW	.2055	----	----	2	----	2 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4360	----	----	46.00B/*13.70A	46.00B/*13.70A	----	15.80 - 26.80	.0987	----	----	1	----	6 + 1
4365	----	----	47.20B/*14.00A	47.20B/*14.00A	----	16.20 - 27.40	.1014	----	----	----	----	5 UNCH
4380	15.50	15.50	51.10B/*15.10A	51.10B/*15.10A	----	17.60 - 29.20	.1103	----	----	1	----	1 UNCH
4390	----	----	53.80B/*15.90A	53.80B/*15.90A	----	18.60 NEW	.1167	----	----	2	----	2 + 2
4400	38.00	38.00	56.60B/*16.70A	56.60B/16.70A	----	19.70 - 31.60	.1237	----	----	51	----	89 + 51
4400	65.00	65.00	90.00B/*40.20A	90.00B/40.20A	----	42.00 - 42.00	.1937	----	----	60	----	48 + 32
4400	----	----	#335.70B/219.70	335.70B/219.70A	----	320.30 + 79.00	.8059	----	----	----	----	1 UNCH
4400	----	----	326.60B/182.80A	326.60B/182.80A	----	298.10 + 89.40	.8761	----	----	----	----	3 UNCH
4405	----	----	58.00B/*17.20A	58.00B/*17.20A	----	20.20 - 32.40	.1270	----	----	----	----	20 UNCH
4410	----	----	#317.20B/175.90	#317.20B/175.90A	----	289.20 + 88.00	.8691	----	----	----	----	9 UNCH
4410	25.60	25.60	59.50B/*17.70A	59.50B/*17.70A	----	20.80 - 33.00	.1307	----	----	1	----	5 + 1
4415	----	----	#312.90B/172.40	#312.90B/172.40A	----	284.80 + 87.30	.8653	----	----	----	----	14 UNCH
4420	----	----	62.60B/*18.60A	62.60B/*18.60A	----	22.00 - 34.40	.1382	----	----	----	----	19 UNCH
4440	----	----	69.20B/*20.70A	69.20B/*20.70A	----	24.50 - 37.30	.1541	----	----	----	----	8 UNCH
4450	59.50	59.50	107.90B/*49.00A	107.90B/49.00A	----	51.40 NEW	.2330	----	----	8	----	8 + 8
4450	50.00	50.00	72.80B/*21.80A	72.80B/*21.80A	----	26.00 - 38.80	.1631	----	----	9	----	10 + 7
4470	42.60	42.60	80.40B/*24.30A	80.40B/*24.30A	----	29.00 - 42.10	.1817	----	----	1	----	5 - 1
4475	----	----	#260.10B/132.40	260.10B/132.40A	----	233.30 + 78.10	.8128	----	----	----	----	4 UNCH
4475	----	----	82.30B/*25.00A	82.30B/*25.00A	----	29.90 - 42.80	.1869	----	----	1	----	1 UNCH
4475	----	----	#295.60B/197.60	#295.60B/197.60A	----	283.60 + 65.10	.7103	----	----	----	----	5 UNCH
4480	----	----	84.40B/*25.60A	84.40B/*25.60A	----	30.70 NEW	.1919	----	----	1	----	1 + 1
4485	66.10	66.10	120.80B/*56.30A	120.80B/56.30A	----	59.10 NEW	.2640	----	----	10	----	10 + 10
4485	----	----	86.40B/*26.40A	86.40B/*26.40A	----	31.60 NEW	.1972	----	----	1	----	1 + 1
4495	----	----	#242.30B/120.80	242.30B/120.80A	----	216.90 + 74.70	.7918	----	----	----	----	14 UNCH
4495	----	----	90.80B/*27.90A	90.80B/*27.90A	----	33.40 NEW	.2079	----	----	3	----	3 + 3
4500	39.00	39.00	92.90B/*28.60A	92.90B/28.60A	----	34.40 - 47.20	.2137	----	----	5	----	6 + 4
4500	----	----	#255.50B/157.90	255.50B/157.90A	----	241.20 + 65.40	.7213	----	----	----	----	1 UNCH
4500	----	----	238.00B/118.00A	238.00B/118.00A	----	212.80 + 73.80	.7861	----	----	1	----	19 UNCH
4500	----	----	128.90B/*59.70A	128.90B/59.70A	----	62.80 - 55.60	.2783	----	----	1	----	1 UNCH
4515	----	----	#225.50B/109.90	225.50B/109.90A	----	200.90 + 71.10	.7686	----	----	----	----	11 UNCH
4520	----	----	102.10B/*32.00A	102.10B/*32.00A	----	38.50 NEW	.2373	----	----	1	----	1 + 1
4525	----	----	104.50B/*32.90A	104.50B/*32.90A	----	39.60 NEW	.2436	----	----	6	----	6 + 6
4530	----	----	#213.30B/102.10	213.30B/102.10A	----	189.20 + 68.30	.7499	----	----	----	----	6 UNCH
4535	----	----	109.50B/*34.80A	109.50B/*34.80A	----	41.90 - 53.70	.2564	----	----	----	----	5 UNCH
4540	----	----	169.50B/*92.30A	169.50B/*92.30A	----	99.30 - 64.10	.3451	----	----	----	----	1 UNCH
4540	----	----	112.10B/*35.60A	112.10B/*35.60A	----	43.10 - 54.70	.2631	----	----	----	----	11 UNCH
4540	66.80	66.80	141.50B/*66.80	141.50B/66.80	----	73.80 NEW	.3193	----	----	5	----	5 + 5
4545	----	----	#200.60B/94.70A	200.60B/94.70A	----	177.80 + 65.30	.7300	----	----	----	----	1 UNCH
4545	68.10	68.10	145.70B/*68.10	145.70B/68.10	----	75.30 NEW	.3247	----	----	1	----	1 + 1
4550	----	----	148.40B/72.60A	148.40B/72.60A	----	76.80 NEW	.3301	----	----	2	----	2 + 2
4550	----	----	229.00B/132.00A	229.00B/132.00A	----	205.30 + 57.90	.6694	----	----	----	----	2 UNCH
4550	42.60	42.60	117.40B/*37.80A	117.40B/37.80A	----	45.50 NEW	.2765	----	----	10	----	10 + 10
4550	133.50	133.50	174.60B/*93.50A	174.60B/*93.50A	----	102.50 - 65.50	.3543	----	----	2	----	3 + 2
4550	----	----	197.90B/92.30A	197.90B/92.30A	----	174.10 + 64.40	.7232	----	----	1	----	2 UNCH
4555	----	----	#194.00B/90.10A	194.00B/90.10A	----	170.40 + 63.40	.7162	----	----	----	----	5 UNCH
4565	92.30	92.30	156.30B/*76.90A	156.30B/76.90A	----	81.60 - 65.40	.3469	----	----	1	----	1 UNCH
4570	----	----	#181.50B/83.30A	181.50B/83.30A	----	159.50 + 60.30	.6943	----	----	----	----	15 UNCH
4575	----	----	131.30B/*43.50A	131.30B/43.50A	----	52.40 - 61.70	.3129	----	----	----	----	1 UNCH
4575	----	----	178.70B/81.10A	178.70B/81.10A	----	155.90 + 59.20	.6868	----	----	----	----	1 UNCH
4585	----	----	135.50B/*45.80A	135.50B/*45.80A	----	55.40 - 63.80	.3283	----	----	----	----	2 UNCH
4590	----	----	#201.10B/113.00	201.10B/113.00A	----	178.70 NEW	.6237	----	----	2	----	1 + 1
4595	----	----	141.60B/*48.50A	141.60B/*48.50A	----	58.60 - 65.90	.3442	----	----	----	----	2 UNCH
4600	89.00	89.00	144.70B/*50.00A	144.70B/50.00A	----	60.20 NEW	.3522	----	----	31	----	18 + 18
4600	----	----	162.10B/71.00A	162.10B/71.00A	----	138.80 + 54.10	.6476	----	----	----	----	54 UNCH
4600	----	----	194.40B/108.60A	194.40B/108.60A	----	172.30 + 50.20	.6118	----	----	----	----	1 UNCH
4600	----	----	173.20B/87.90A	173.20B/87.90A	----	93.80 - 70.80	.3878	----	----	----	----	1 UNCH
4605	129.50	129.50	#190.90B/106.50	190.90B/106.50A	----	169.20 NEW	.6058	----	----	8	----	8 + 8
4605	----	----	204.00B/*111.90	204.00B/*111.90A	----	121.70 NEW	.4072	----	----	1	----	1 + 1
4610	----	----	#203.10B/129.70	#203.10B/129.70A	----	192.10 NEW	.5871	----	----	1	----	1 + 1
4610	97.60	97.60	#155.00B/67.10A	155.00B/67.10A	----	132.20 NEW	.6310	----	----	2	----	1 + 1
4620	127.70	127.70	#181.30B/101.20	181.30B/101.20A	----	160.00 NEW	.5874	----	----	9	----	9 + 9
4625	----	----	144.50B/61.90A	144.50B/61.90A	----	122.70 + 48.90	.6055	----	----	----	----	5 UNCH
4635	116.80	116.80	#171.90B/94.50A	171.90B/94.50A	----	151.20 NEW	.5687	----	----	12	----	12 + 12
4640	----	----	#134.50B/56.80A	134.50B/56.80A	----	113.60 + 45.70	.5793	----	----	----	----	11 UNCH
4645	154.70	154.70	#183.30B/*115.3	#183.30B/115.30A	----	170.90 NEW	.5512	----	----	1	----	1 + 1
4650	----	----	128.00B/54.10A	128.00B/54.10A	----	107.80 + 43.70	.5613	----	----	8	----	58 + 8
4650	----	----	177.90B/65.60A	177.90B/65.60A	----	79.20 - 77.30	.4384	----	----	----	----	3 UNCH
4660	----	----	#121.80B/51.00A	121.80B/51.00A	----	102.10 + 41.60	.5432	----	----	----	----	54 UNCH
4665	115.10	115.10	#153.80B/83.70A	153.80B/83.70A	----	134.40 NEW	.5305	----	----	27	----	27 + 27
4665	58.80	58.80	#119.90B/49.50A	119.90B/49.50A	----	99.40 NEW	.5341	----	----	20	----	20 + 20
4670	----	----	#117.40B/48.20A	117.40B/48.20A	----	96.70 + 39.60	.5249	----	----	4	----	1 - 4
4675	70.40	70.40	114.40B/46.50A	114.40B/46.50A	----	94.00 + 38.50	.5157	----	----	32	----	50 - 2
4675	107.90	107.90	148.00B/80.30A	148.00B/80.30A	----	129.10 NEW	.5176	----	----	17	----	17 + 17
4680	101.40	101.40	#145.20B/78.70A	145.20B/78.70A	----	126.40 NEW	.5111	----	----	9	----	9 + 9
4680	56.10	56.10	#111.20B/45.40A	111.20B/45.40A	----	91.40 + 37.50	.5065	----	----	29	----	51 + 24
4690	----	----	#105.40B/42.40A	105.40B/42.40A	----	86.40 NEW	.4880	----	----	2	----	0 UNCH
4690	109.50	109.50	#163.30B/*99.10	#163.30B/99.10A	----	145.70 NEW	.5032	----	----	3	----	3 + 3
4695	94.80	94.80	#136.90B/74.20A	136.90B/74.20A	----	118.80 NEW	.4916	----	----	6	----	6 + 6
4700	----	----	215.90B/85.90A	215.90B/85.90A	----	102.90 - 87.30	.5303	----	----	----	----	20 UNCH
4700	----	----	100.00B/40.50A	100.00B/40.50A	----	81.50 + 33.70	.4694	----	----	40	----	53 + 40
4700	130.30	130.30	134.10B/72.60A	134.10B/72.60A	----	116.40 + 35.10	.4851	----	----	13	----	16 + 12
4700	130.50	130.50	236.50B/127.10A	236.50B/127.10A	----	137.80 - 85.80	.5145	----	----	1	----	1 UNCH
4705	----	----	#97.30B/39.10A	97.30B/39.10A	----	79.10 + 32.70	.4601	----	----	----	----	1 UNCH
4715	----	----	247.10B/*132.70	247.10B/132.70A	----	145.60 - 87.90	.5341	----	----	----	----	12 UNCH
4725	----	----	87.00B/34.70A	87.00B/34.70A	----	70.20 + 29.00	.4232	----	----	5	----	21 UNCH
4730	76.90	76.90	#118.70B/63.90A	118.70B/63.90A	----	102.30 NEW	.4459	----	----	24	----	24 + 24
4740	----	----	79.80B/31.60A	79.80B/31.60A	----	64.10 NEW	.3961	----	----	6	----	4 + 4
4750	45.00	45.00	75.30B/29.50A	75.30B/29.50A	----	60.20 + 24.80	.3782	----	----	2	----	4 UNCH
4750	79.10	79.10	109.10B/58.80A	109.10B/58.80A	----	93.70 + 28.10	.4201	----	----	6	----	3 + 1
4755	----	----	73.10B/28.60A	73.10B/28.60A	----	58.30 + 24.00	.3693	----	----	----	----	5 UNCH
4760	----	----	70.90B/27.60A	70.90B/27.60A	----	56.50 + 23.20	.3606	----	----	1	----	1 UNCH
4775	----	----	64.80B/25.00A	64.80B/25.00A	----	51.30 + 20.90	.3348	----	----	----	----	1 UNCH
4780	57.20	57.20	62.80B/24.20A	62.80B/24.20A	----	49.70 + 20.20	.3265	----	----	10	----	10 UNCH
4785	----	----	286.70B/134.30A	286.70B/134.30A	----	154.50 - 01.50	.6815	----	----	2	----	0 - 2
4790	28.40	28.40	58.90B/*22.60A	58.90B/*22.60A	----	46.60 + 18.80	.3102	----	----	5	----	2 - 3
4800	41.00	41.00	55.40B/*21.00A	55.40B/*21.00A	----	43.60 + 17.40	.2941	----	----	5	----	11 + 5
4800	----	----	299.90B/144.10A	299.90B/144.10A	----	164.90 - 03.60	.7056	----	----	----	----	2 UNCH
4800	79.70	79.70	89.00/48.10A	89.00/48.10A	----	74.50 NEW	.3572	----	----	12	----	11 + 11
4815	----	----	50.40B/*19.20A	50.40B/*19.20A	----	39.50 + 15.60	.2712	----	----	----	----	5 UNCH
4815	----	----	81.90B/44.80A	81.90B/44.80A	----	69.40 + 19.90	.3390	----	----	----	----	13 UNCH
4825	----	----	322.40B/160.40A	322.40B/160.40A	----	183.30 - 06.60	.7431	----	----	----	----	356 UNCH
4825	28.80	28.80	47.20B/*17.90A	47.20B/*17.90A	----	37.00 NEW	.2566	----	----	13	----	11 + 11
4825	90.60	90.60	#103.30B/62.30A	#103.30B/62.30A	----	86.00 NEW	.3569	----	----	6	----	3 + 3
4830	27.10	27.10	45.70B/*17.00A	45.70B/*17.00A	----	35.70 NEW	.2492	----	----	102	----	102 + 102
4835	----	----	44.10B/*16.40A	44.10B/*16.40A	----	34.60 + 13.30	.2425	----	----	----	----	15 UNCH
4840	----	----	42.60B/*16.00A	42.60B/*16.00A	----	33.40 + 12.70	.2354	----	----	1	----	4 UNCH
4850	35.10	35.10	39.90B/*14.70A	39.90B/*14.70A	----	31.30 NEW	.2224	----	----	26	----	26 + 26
4850	----	----	#94.20B/*57.40A	#94.20B/57.40A	----	77.90 NEW	.3318	----	----	2	----	2 + 2
4850	----	----	345.60B/178.40A	345.60B/178.40A	----	202.60 - 09.20	.7773	----	----	----	----	1 UNCH
4860	----	----	37.20B/*14.10A	37.20B/*14.10A	----	29.20 + 10.80	.2095	----	----	----	----	1 UNCH
4860	41.50	41.50	66.30B/37.10A	66.30B/37.10A	----	55.90 NEW	.2875	----	----	4	----	4 + 4
4875	----	----	33.60B/*13.00A	33.60B/*13.00A	----	26.40 + 9.50	.1916	----	----	1	----	0 - 1
4880	----	----	32.40B/*12.70A	32.40B/*12.70A	----	25.60 + 9.20	.1861	----	----	3	----	3 + 2
4890	----	----	30.30B/*12.00A	30.30B/*12.00A	----	23.90 NEW	.1750	----	----	3	----	3 + 3
4895	----	----	29.30B/*11.60A	29.30B/*11.60A	----	23.10 NEW	.1697	----	----	3	----	3 + 3
4900	12.00	12.00	28.30B/*11.20A	28.30B/*11.20A	----	22.40 + 7.70	.1648	----	----	5	----	266 + 3
4915	----	----	50.90B/29.50A	50.90B/29.50A	----	42.70 + 10.50	.2316	----	----	----	----	20 UNCH
4925	12.80	12.80	23.80B/*9.60A	23.80B/*9.60A	----	19.00 + 6.10	.1413	----	----	101	----	125 + 99
4925	----	----	434.50B/*293.20	434.50B/*293.20A	----	303.90 - 08.90	.7360	----	----	----	----	1 UNCH
4935	----	----	22.20B/*9.80A	22.20B/*9.80A	----	17.70 + 5.50	.1324	----	----	----	----	1 UNCH
4935	----	----	46.00B/27.00A	46.00B/27.00A	----	38.70 + 9.00	.2134	----	----	----	----	1 UNCH
4950	----	----	439.90B/259.00A	439.90B/259.00A	----	287.30 - 16.20	.8790	----	----	----	----	1 UNCH
4950	----	----	42.60B/25.30A	42.60B/25.30A	----	36.00 + 8.10	.2007	----	----	----	----	1 UNCH
4960	9.50	9.50	18.60B/*8.60A	18.60B/*8.60A	----	15.10 + 4.40	.1135	----	----	1	----	100 UNCH
4965	----	----	18.00B/*8.40A	18.00B/*8.40A	----	14.60 + 4.10	.1099	----	----	----	----	20 UNCH
4970	----	----	38.50B/23.20A	38.50B/23.20A	----	32.70 + 7.00	.1848	----	----	----	----	20 UNCH
4980	----	----	36.40B/22.50A	36.40B/22.50A	----	31.10 + 6.40	.1770	----	----	----	----	20 UNCH
4985	----	----	15.70B/*7.60A	15.70B/*7.60A	----	12.90 + 3.40	.0972	----	----	----	----	1 UNCH
4985	----	----	35.50B/21.80A	35.50B/21.80A	----	30.40 + 6.20	.1734	----	----	----	----	305 UNCH
4995	----	----	33.70B/21.00A	33.70B/21.00A	----	29.00 + 5.80	.1664	----	----	----	----	1 UNCH
5000	9.50	9.50	14.00B/*7.10A	14.00B/*7.10A	----	11.70 + 2.90	.0883	----	----	380	----	69 - 313
5000	----	----	488.40B/303.30A	488.40B/303.30A	----	332.90 - 18.10	.9115	----	----	----	----	7 UNCH
5000	----	----	32.90B/20.60A	32.90B/20.60A	----	28.30 + 5.50	.1628	----	----	25	----	27 + 23
5005	----	----	13.50B/*6.90A	13.50B/*6.90A	----	11.40 NEW	.0859	----	----	3	----	3 + 3
5025	----	----	11.80B/*6.30A	11.80B/*6.30A	----	10.10 + 2.30	.0759	----	----	----	----	1 UNCH
5050	----	----	10.00B/*5.60A	10.00B/*5.60A	----	8.70 NEW	.0651	----	----	8	----	8 + 8
5065	----	----	546.30B/363.50A	546.30B/363.50A	----	394.20 - 19.40	.9401	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5080	----	----	8.20B/*4.80A	8.20B/*4.80A	----	7.30 + 1.30	.0543	----	----	----	----	1 UNCH
5085	----	----	#566.30B/382.30	#566.30B/382.30A	----	413.30 - 19.80	.9471	----	----	----	----	1 UNCH
5090	----	----	571.30B/387.20A	571.30B/387.20A	----	418.10 - 19.80	.9486	----	----	----	----	21 UNCH
5100	6.50	6.50	7.20B/*4.40A	7.20B/*4.40A	----	6.60 NEW	.0486	----	----	2	----	2 + 2
5120	----	----	600.90B/415.80A	600.90B/415.80A	----	447.00 - 20.20	.9566	----	----	----	----	35 UNCH
5120	----	----	6.30B/*4.10A	6.30B/*4.10A	----	5.90 NEW	.0432	----	----	2	----	2 + 2
5140	----	----	#620.80B/435.20	#620.80B/435.20A	----	466.40 - 20.40	.9613	----	----	----	----	1 UNCH
5150	----	----	5.20B/*3.70A	5.20B/*3.70A	----	5.00 NEW	.0362	----	----	1	----	1 + 1
5160	3.40	3.40	4.90B/*3.40	4.90B/*3.40	----	4.80 + 0.50	.0345	----	----	21	----	121 + 21
5185	----	----	4.20B/*3.20A	4.20B/*3.20A	----	4.20 + 0.30	.0299	----	----	----	----	40 UNCH
5190	----	----	4.10B/*3.20A	4.10B/*3.20A	----	4.10 + 0.20	.0291	----	----	----	----	1 UNCH
5210	----	----	----/*2.90A	3.60B/*2.90A	----	3.70 + 0.10	.0260	----	----	----	----	1 UNCH
5250	3.00	3.00	3.00/*2.70A	3.00/*2.70A	----	3.10 UNCH	.0213	----	----	7	----	7 + 7
5260	----	----	----/*2.60A	2.70B/*2.60A	----	3.00 UNCH	.0205	----	----	----	----	20 UNCH
5285	----	----	----/*2.40A	2.40B/*2.40A	----	2.70 NEW	.0181	----	----	2	----	2 + 2
5300	----	----	----/*2.30A	2.20B/*2.30A	----	2.50 - 0.20	.0167	----	----	2	----	2 UNCH
5300	----	----	----	6.20B/8.20A	----	7.60 NEW	.0465	----	----	12	----	12 + 12
5305	----	----	----/*2.20A	2.10B/*2.20A	----	2.50 - 0.10	.0166	----	----	----	----	1 UNCH
5335	----	----	----/*2.30A	1.60B/*2.30A	----	2.20 - 0.20	.0143	----	----	----	----	1 UNCH
5350	----	----	----/*2.20A	1.40B/*2.20A	----	2.10 - 0.20	.0135	----	----	----	----	4 UNCH
5400	----	----	----	1.10B/*1.90A	----	1.70 - 0.20	.0106	----	----	----	----	2 UNCH
TOTAL										1456	50	3387 + 641

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.10 UNCH	----	----	----	4	----	34 - 2
3500	1.00	1.00	1.00/*1.00	1.40B/*1.00	----	2.20 - 0.10	.0074	----	----	1	----	1 UNCH
3600	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
3650	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	32 UNCH
3700	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	9 UNCH
3700	----	----	----/*2.40A	1.50B/*2.40A	----	2.70 - 1.50	.0107	----	----	----	----	1 UNCH
3750	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0000	----	----	----	----	5 UNCH
3800	----	----	----/*0.40A	0.10B/*0.40A	----	0.20 - 0.30	.0002	----	----	----	----	7 UNCH
3850	0.30	0.30	0.30/*0.20	0.30/*0.20	----	0.30 - 0.40	.0003	----	----	5	----	27 + 3
3900	0.20	0.20	0.20/*0.20	0.40B/*0.20	----	0.40 - 0.50	.0005	----	----	1	----	33 + 1
3950	----	----	----/*4.40A	9.90B/*4.40A	----	4.30 - 6.20	.0206	----	----	----	----	1 UNCH
3950	0.40	0.40	0.40/*0.40	1.00B/*0.40	----	0.40 - 0.90	.0006	----	----	1	----	35 UNCH
4000	----	----	----/*5.10A	12.30B/*5.10A	----	4.90 - 7.90	.0244	----	----	----	----	3 UNCH
4000	----	----	#712.60B/518.20	#712.60B/518.20A	----	679.00 + 19.70	.9991	----	----	----	----	1 UNCH
4000	0.70	0.70	1.00/*0.30	1.60B/*0.30	----	0.50 - 1.40	.0009	----	----	16	----	377 + 10
4025	----	----	----/*0.70A	1.90B/*0.70A	----	0.50 - 1.70	.0009	----	----	----	----	21 UNCH
4050	----	----	----/*14.60A	28.60B/14.60A	----	13.70 - 15.10	.0599	----	----	----	----	2 UNCH
4050	1.10	1.10	1.10/*0.50	2.30B/*0.50	----	0.60 - 2.00	.0012	----	----	4	----	16 UNCH
4075	----	----	----/*0.90A	2.70B/*0.90A	----	0.60 - 2.50	.0013	----	----	----	----	7 UNCH
4100	----	----	34.50B/*17.10A	34.50B/17.10A	----	16.40 - 17.50	.0719	----	----	----	----	1 UNCH
4100	9.00	9.00	9.00/*7.20A	18.30B/*7.20A	----	7.00 - 12.10	.0368	----	----	1	----	1 UNCH
4100	----	----	----/*1.00A	3.20B/*1.00A	----	0.70 - 2.90	.0016	----	----	3	----	52 - 2
4125	----	----	----/*1.10A	3.60B/*1.10A	----	0.80 - 3.50	.0020	----	----	----	----	5 UNCH
4150	----	----	----/*1.10A	4.50B/*1.10A	----	0.90 - 4.10	.0024	----	----	1	----	81 UNCH
4150	----	----	----/*8.80A	23.00B/*8.80A	----	8.60 - 14.80	.0462	----	----	----	----	1 UNCH
4175	3.50	3.50	3.50/*1.30A	5.40B/*1.30A	----	1.00 - 4.90	.0029	----	----	1	----	5 + 1
4200	----	----	28.90B/*10.80A	28.90B/*10.80A	----	10.70 - 18.00	.0584	----	----	----	----	101 UNCH
4200	7.50	7.50	7.50/*1.40A	7.50/*1.40A	----	1.20 - 5.70	.0038	----	----	65	50	248 + 53
4215	3.40	3.40	3.40/*1.50A	7.20B/*1.50A	----	1.30 NEW	.0043	----	----	1	----	1 + 1
4220	----	----	----/*1.60A	7.50B/*1.60A	----	1.30 - 6.50	.0043	----	----	----	----	2 UNCH
4225	2.00	2.00	2.00/*1.60A	7.50B/*1.60A	----	1.40 - 6.70	.0047	----	----	1	----	3 - 1
4225	----	----	32.20B/*11.40A	32.20B/*11.40A	----	12.00 - 19.80	.0659	----	----	----	----	5 UNCH
4235	4.00	4.00	5.00/*1.70A	8.30B/*1.70A	----	1.50 - 7.10	.0052	----	----	3	----	4 + 1
4235	----	----	55.80B/*23.90A	55.80B/*23.90A	----	26.90 - 26.30	.1175	----	----	----	----	1 UNCH
4240	2.40	2.40	2.40/*1.70A	8.60B/*1.70A	----	1.50 - 7.40	.0053	----	----	6	----	4 - 2
4245	----	----	----/*1.80A	8.90B/*1.80A	----	1.60 - 7.60	.0058	----	----	----	----	17 UNCH
4250	3.60	3.60	4.40/*1.50	9.20B/*1.50	----	1.60 - 7.90	.0059	----	----	15	----	215 + 5
4250	455.00	455.00	#463.80B/278.30	#463.80B/278.30A	----	430.20 + 13.30	.9940	----	----	1	----	1 UNCH
4250	----	----	59.30B/*27.20A	59.30B/27.20A	----	28.50 - 27.50	.1242	----	----	----	----	1 UNCH
4250	----	----	36.40B/*13.10A	36.40B/*13.10A	----	13.50 - 21.80	.0745	----	----	----	----	1 UNCH
4255	----	----	----/*1.80A	9.30B/*1.80A	----	1.70 - 8.10	.0063	----	----	----	----	2 UNCH
4260	----	----	----/*1.90A	9.70B/*1.90A	----	1.70 - 8.40	.0064	----	----	----	----	2 UNCH
4265	2.10	2.10	2.10/*2.00A	10.10B/*2.00A	----	1.80 - 8.70	.0069	----	----	8	----	9 + 6
4270	----	----	----/*2.00A	10.50B/*2.00A	----	1.90 - 8.90	.0074	----	----	----	----	1 UNCH
4270	----	----	39.60B/*13.50A	39.60B/*13.50A	----	14.90 - 23.50	.0823	----	----	----	----	11 UNCH
4275	----	----	----/*2.10A	11.00B/*2.10A	----	1.90 - 9.20	.0075	----	----	1	----	19 + 1
4280	2.30	2.30	2.30/*2.10A	11.40B/*2.10A	----	2.00 - 9.50	.0081	----	----	5	----	6 + 5
4280	----	----	#433.60B/250.90	#433.60B/250.90A	----	400.50 + 11.60	.9918	----	----	----	----	1 UNCH
4285	----	----	66.00B/*30.50A	66.00B/*30.50A	----	32.50 - 30.50	.1408	----	----	----	----	1 UNCH
4285	5.00	5.00	5.00/*2.20A	11.80B/*2.20A	----	2.10 - 9.80	.0086	----	----	6	----	13 + 5
4290	----	----	----/*2.20A	12.30B/*2.20A	----	2.10 - 10.20	.0088	----	----	----	----	2 UNCH
4295	2.40	2.40	12.80B/*2.30A	12.80B/*2.30A	----	2.20 - 10.50	.0093	----	----	4	----	26 + 4
4300	----	----	45.20B/*15.60A	45.20B/*15.60A	----	17.20 - 26.20	.0953	----	----	----	----	14 UNCH
4300	----	----	71.10B/*32.10A	71.10B/32.10A	----	34.40 - 31.80	.1486	----	----	----	----	1 UNCH
4300	10.00	10.00	13.40B/*2.40A	13.40B/*2.40A	----	2.30 - 10.80	.0099	----	----	25	----	99 + 3
4305	4.10	4.10	13.80B/*2.40	13.80B/*2.40	----	2.40 - 11.10	.0105	----	----	11	----	20 + 9
4310	----	----	14.30B/*2.50A	14.30B/*2.50A	----	2.50 - 11.50	.0111	----	----	----	----	10 UNCH
4315	2.60	2.60	15.10B/*2.60	15.10B/*2.60	----	2.60 NEW	.0118	----	----	4	----	4 + 4
4320	10.00	10.00	15.60B/*2.70A	15.60B/*2.70A	----	2.60 - 12.30	.0119	----	----	11	----	11 + 9
4325	2.90	2.90	16.10B/*2.40	16.10B/*2.40	----	2.70 - 12.70	.0126	----	----	93	----	77 + 67
4325	----	----	77.30B/*35.00A	77.30B/35.00A	----	37.70 NEW	.1622	----	----	----	150	150 + 150
4330	----	----	52.10B/*17.90A	52.10B/*17.90A	----	19.90 - 29.30	.1104	----	----	----	----	10 UNCH
4330	----	----	#385.50B/206.90	#385.50B/206.90A	----	351.40 + 08.10	.9866	----	----	----	----	1 UNCH
4330	2.90	2.90	16.80B/*2.70	16.80B/*2.70	----	2.80 - 13.10	.0133	----	----	18	----	9 + 4
4335	3.00	3.00	17.60B/*2.80	17.60B/*2.80	----	2.90 - 13.50	.0140	----	----	25	----	25 + 20
4335	----	----	53.30B/*18.40A	53.30B/*18.40A	----	20.40 - 29.80	.1131	----	----	----	----	5 UNCH
4340	3.10	3.10	18.30B/*3.10	18.30B/*3.10	----	3.10 - 13.90	.0152	----	----	4	----	7 + 4
4345	3.10	3.10	18.90B/*2.90	18.90B/*2.90	----	3.20 - 14.30	.0159	----	----	24	----	18 + 17
4350	35.00	35.00	56.70B/*20.50A	56.70B/*20.50A	----	22.00 - 31.40	.1218	----	----	52	----	26 - 39
4350	10.50	10.50	20.10B/*2.90	20.10B/*2.90	----	3.30 - 14.80	.0167	----	----	32	----	26 - 1
4350	48.00	48.00	84.30B/*39.10A	84.30B/39.10A	----	41.50 NEW	.1773	----	----	1	----	1 + 1
4350	----	----	#364.70B/190.00	364.70B/190.00A	----	331.80 + 06.20	.9832	----	----	----	----	4 UNCH
4355	3.20	3.20	20.90B/*3.20	20.90B/*3.20	----	3.40 - 15.30	.0174	----	----	4	----	5 + 4
4360	29.40	29.40	59.20B/*21.10A	59.20B/*21.10A	----	23.10 NEW	.1278	----	----	1	----	1 + 1
4360	3.40	3.40	21.20B/*3.10	21.20B/*3.10	----	3.50 - 15.90	.0182	----	----	20	----	16 + 15
4365	----	----	22.30B/*3.60A	22.30B/*3.60A	----	3.70 - 16.30	.0196	----	----	----	----	2 UNCH
4370	3.30	3.30	23.20B/*3.30	23.20B/*3.30	----	3.80 NEW	.0204	----	----	8	----	8 + 8
4375	----	----	24.10B/*3.90A	24.10B/*3.90A	----	4.00 - 17.40	.0218	----	----	1	----	4 + 1
4380	3.90	3.90	25.00B/*3.70	25.00B/*3.70	----	4.10 - 18.00	.0227	----	----	14	----	15 + 13
4385	9.40	9.40	26.00B/*4.20A	26.00B/*4.20A	----	4.30 - 18.50	.0242	----	----	2	----	20 UNCH
4390	----	----	26.60B/*4.30A	26.60B/*4.30A	----	4.40 - 19.20	.0252	----	----	----	----	1 UNCH
4395	----	----	27.90B/*4.50A	27.90B/*4.50A	----	4.60 - 19.80	.0267	----	----	----	----	1 UNCH
4400	61.00	61.00	100.00B/*47.10A	100.00B/47.10A	----	50.10 - 42.50	.2107	----	----	1	----	2 + 1
4400	16.00	16.00	29.30B/*4.50	29.30B/*4.50	----	4.80 - 20.40	.0283	----	----	83	50	145 + 60
4400	----	----	70.20B/*25.30A	70.20B/*25.30A	----	28.10 - 37.40	.1547	----	----	1	----	2 + 1
4400	253.90	253.90	315.70B/149.80A	315.70B/149.80A	----	283.30 + 00.60	.9716	----	----	2	----	8 + 1
4405	----	----	30.10B/*4.80A	30.10B/*4.80A	----	5.00 - 21.10	.0299	----	----	----	----	1 UNCH
4410	----	----	#306.40B/142.20	#306.40B/142.20A	----	273.70 + 99.30	.9683	----	----	----	----	4 UNCH
4410	----	----	73.30B/*26.90A	73.30B/*26.90A	----	29.50 - 38.70	.1622	----	----	----	----	4 UNCH
4410	----	----	31.70B/*4.90A	31.70B/*4.90A	----	5.20 - 21.70	.0316	----	----	----	----	1 UNCH
4410	----	----	102.40B/*48.90A	102.40B/*48.90A	----	52.00 - 43.70	.2179	----	----	----	----	4 UNCH
4415	----	----	#308.80B/195.00	#308.80B/195.00A	----	293.70 + 81.80	.8335	----	----	----	----	8 UNCH
4415	----	----	#334.70B/221.00	#334.70B/221.00A	----	316.20 + 76.60	.7779	----	----	----	----	5 UNCH
4415	----	----	#301.60B/138.40	#301.60B/138.40A	----	268.90 + 98.60	.9665	----	----	----	----	10 UNCH
4415	----	----	75.00B/*27.30A	75.00B/*27.30A	----	30.30 - 39.20	.1662	----	----	----	----	9 UNCH
4415	8.10	8.10	32.90B/*5.10A	32.90B/*5.10A	----	5.40 - 22.50	.0333	----	----	14	----	18 + 12
4420	----	----	33.50B/*5.20A	33.50B/*5.20A	----	5.60 - 23.20	.0351	----	----	----	----	12 UNCH
4420	----	----	#330.70B/217.40	#330.70B/217.40A	----	312.20 + 76.00	.7741	----	----	----	----	5 UNCH
4420	----	----	#304.50B/191.60	#304.50B/191.60A	----	289.40 + 81.10	.8297	----	----	----	----	5 UNCH
4420	----	----	#296.10B/134.80	#296.10B/134.80A	----	264.10 + 97.80	.9648	----	----	----	----	4 UNCH
4425	----	----	#291.30B/131.10	291.30B/131.10A	----	259.40 + 97.10	.9630	----	----	----	----	1 UNCH
4425	----	----	34.80B/*5.40A	34.80B/*5.40A	----	5.80 - 24.00	.0369	----	----	1	----	7 + 1
4430	9.80	9.80	36.10B/*5.50A	36.10B/*5.50A	----	6.10 - 24.70	.0394	----	----	1	----	6 + 1
4435	----	----	#281.70B/123.80	#281.70B/123.80A	----	249.90 + 95.60	.9586	----	----	----	----	1 UNCH
4440	----	----	#287.50B/180.10	287.50B/180.10A	----	272.70 + 78.50	.8131	----	----	----	----	1 UNCH
4440	----	----	38.90B/*5.90A	38.90B/*5.90A	----	6.60 - 26.30	.0439	----	----	----	----	18 UNCH
4450	----	----	87.00B/*32.60A	87.00B/*32.60A	----	36.00 - 43.90	.1956	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
APR26												
4450	----	----	#267.50B/113.40	267.50B/113.40A	----	235.70 + 93.00	.9513	----	----	45	----	78 UNCH
4450	22.00	22.00	42.00B/*5.70	42.00B/*5.70	----	7.10 - 28.10	.0486	----	----	28	----	40 + 9
4460	----	----	#258.70B/106.60	258.70B/106.60A	----	226.30 + 91.10	.9450	----	----	5	----	17 - 3
4460	----	----	121.20B/*58.80A	121.20B/58.80A	----	62.70 - 50.10	.2573	----	----	----	----	4 UNCH
4460	----	----	45.10B/*6.60A	45.10B/*6.60A	----	7.80 - 29.90	.0548	----	----	----	----	25 UNCH
4465	6.30	6.30	46.80B/*6.30	46.80B/*6.30	----	8.10 - 30.90	.0578	----	----	13	----	21 + 13
4465	----	----	92.40B/*34.70A	92.40B/*34.70A	----	38.70 - 46.10	.2094	----	----	----	----	1 UNCH
4465	----	----	123.20B/*59.90A	123.20B/59.90A	----	63.90 - 50.80	.2616	----	----	----	----	3 UNCH
4465	----	----	#253.50B/103.60	253.50B/103.60A	----	221.70 + 90.30	.9421	----	----	----	----	5 UNCH
4470	----	----	#262.50B/158.90	262.50B/158.90A	----	248.10 + 74.20	.7854	----	----	----	----	5 UNCH
4470	10.30	10.30	48.60B/*7.10A	48.60B/*7.10A	----	8.40 - 31.90	.0608	----	----	1	----	13 + 1
4470	----	----	#248.30B/100.30	248.30B/100.30A	----	217.00 + 89.20	.9391	----	----	----	----	47 UNCH
4475	162.50	162.50	#243.60B/96.00A	243.60B/96.00A	----	212.40 + 88.20	.9354	----	----	3	----	18 UNCH
4475	----	----	128.60B/*62.10A	128.60B/62.10A	----	66.40 - 52.10	.2703	----	----	----	----	1 UNCH
4475	23.50	23.50	50.30B/*7.30A	50.30B/*7.30A	----	8.80 - 32.90	.0645	----	----	8	----	38 + 3
4480	----	----	#238.90B/92.90A	238.90B/92.90A	----	207.80 + 87.20	.9316	----	----	5	----	9 UNCH
4480	----	----	129.40B/*63.30A	129.40B/63.30A	----	67.60 - 52.80	.2746	----	----	----	----	1 UNCH
4480	----	----	52.00B/*7.60A	52.00B/*7.60A	----	9.20 - 33.90	.0683	----	----	8	----	30 + 4
4485	----	----	54.20B/*7.90A	54.20B/*7.90A	----	9.60 - 35.00	.0722	----	----	----	----	40 UNCH
4485	----	----	#234.20B/89.90A	234.20B/89.90A	----	203.20 + 86.10	.9277	----	----	----	----	1 UNCH
4490	----	----	56.20B/*8.10A	56.20B/*8.10A	----	10.00 - 36.10	.0762	----	----	4	----	8 + 4
4490	----	----	#229.50B/86.80A	229.50B/86.80A	----	198.60 + 85.00	.9237	----	----	----	----	13 UNCH
4495	----	----	#224.80B/83.80A	224.80B/83.80A	----	194.10 + 83.90	.9189	----	----	----	----	19 UNCH
4495	----	----	58.20B/*8.40A	58.20B/*8.40A	----	10.50 - 37.20	.0809	----	----	----	----	1 UNCH
4500	----	----	107.30B/*41.00A	107.30B/*41.00A	----	46.00 - 51.20	.2450	----	----	----	----	0 UNCH
4500	249.00	249.00	#249.00/141.10A	249.00/141.10A	----	224.40 + 69.70	.7547	----	----	3	----	8 + 3
4500	112.50	112.50	220.50B/80.90A	220.50B/80.90A	----	189.50 + 82.70	.9141	----	----	5	----	21 - 1
4500	24.00	24.00	60.20B/*8.00	60.20B/*8.00	----	11.00 - 38.30	.0858	----	----	124	----	230 + 57
4510	----	----	#211.00B/75.50A	211.00B/75.50A	----	180.60 + 80.40	.9040	----	----	----	----	1 UNCH
4510	23.00	23.00	64.70B/*9.40A	64.70B/*9.40A	----	12.00 NEW	.0958	----	----	1	----	1 + 1
4515	27.50	27.50	67.00B/*9.80A	67.00B/*9.80A	----	12.50 - 42.00	.1010	----	----	5	----	40 + 2
4515	----	----	#207.40B/72.80A	207.40B/72.80A	----	176.10 + 79.10	.8988	----	----	----	----	2 UNCH
4520	32.00	32.00	69.50B/*10.10A	69.50B/*10.10A	----	13.10 - 43.20	.1070	----	----	10	----	76 + 10
4520	----	----	#202.70B/70.20A	202.70B/70.20A	----	171.70 + 77.90	.8929	----	----	----	----	5 UNCH
4525	----	----	#198.20B/67.70A	198.20B/67.70A	----	167.30 + 76.60	.8868	----	----	----	----	81 UNCH
4525	20.70	20.70	71.90B/*10.50A	71.90B/*10.50A	----	13.70 - 44.50	.1131	----	----	13	----	130 + 6
4530	----	----	#193.60B/65.20A	193.60B/65.20A	----	162.90 + 75.20	.8799	----	----	----	----	4 UNCH
4530	----	----	74.40B/*11.00A	74.40B/*11.00A	----	14.40 - 45.80	.1199	----	----	----	----	7 UNCH
4535	----	----	77.00B/*11.40A	77.00B/*11.40A	----	15.00 NEW	.1264	----	----	1	----	1 + 1
4535	----	----	#189.00B/62.70A	189.00B/62.70A	----	158.60 + 73.90	.8735	----	----	----	----	2 UNCH
4540	----	----	#184.50B/60.40A	184.50B/60.40A	----	154.30 + 72.50	.8664	----	----	1	----	25 UNCH
4540	23.20	23.20	79.70B/*11.90A	79.70B/*11.90A	----	15.70 - 48.60	.1335	----	----	5	----	6 + 2
4540	----	----	#207.30B/114.60	207.30B/114.60A	----	194.20 + 63.20	.7090	----	----	1	----	1 UNCH
4545	----	----	82.40B/*12.40A	82.40B/*12.40A	----	16.50 - 49.90	.1414	----	----	----	----	1 UNCH
4550	----	----	129.70B/*52.10A	129.70B/52.10A	----	58.50 - 59.50	.3031	----	----	----	----	7 UNCH
4550	----	----	#238.00B/142.80	#238.00B/142.80A	----	216.00 + 58.10	.6580	----	----	----	----	1 UNCH
4550	35.00	35.00	85.10B/*12.90A	85.10B/*12.90A	----	17.30 - 51.30	.1495	----	----	34	----	46 + 20
4550	209.00	209.00	209.00/109.20A	209.00/109.20A	----	187.00 + 61.50	.6965	----	----	1	----	2 + 1
4550	114.30	114.30	175.70B/55.70A	175.70B/55.70A	----	145.90 + 69.80	.8504	----	----	7	----	42 - 1
4555	47.00	47.00	86.90B/*13.50A	86.90B/*13.50A	----	18.10 NEW	.1577	----	----	1	----	1 + 1
4555	----	----	#171.10B/*53.50	171.10B/*53.50A	----	141.70 + 68.30	.8422	----	----	2	----	52 + 2
4560	----	----	89.90B/*14.00A	89.90B/*14.00A	----	19.00 - 54.20	.1667	----	----	----	----	2 UNCH
4560	----	----	#166.70B/*51.40	166.70B/*51.40A	----	137.50 + 66.80	.8332	----	----	----	----	8 UNCH
4565	----	----	93.00B/*14.60A	93.00B/*14.60A	----	19.90 - 55.70	.1758	----	----	----	----	2 UNCH
4565	----	----	#162.30B/*49.30	162.30B/*49.30A	----	133.40 + 65.30	.8241	----	----	4	----	7 UNCH
4570	----	----	96.10B/*15.20A	96.10B/*15.20A	----	20.80 - 57.30	.1852	----	----	1	----	3 + 1
4575	47.50	47.50	99.20B/*15.80A	99.20B/*15.80A	----	21.80 - 58.80	.1952	----	----	4	----	23 + 2
4575	----	----	153.60B/*45.50A	153.60B/*45.50A	----	125.40 + 62.30	.8046	----	----	2	----	50 UNCH
4580	----	----	149.30B/*43.70A	149.30B/*43.70A	----	121.40 + 60.70	.7939	----	----	3	----	6 UNCH
4580	----	----	145.70B/*59.60A	145.70B/*59.60A	----	67.40 - 64.90	.3422	----	----	----	----	1 UNCH
4580	27.50	27.50	102.30B/*16.50A	102.30B/*16.50A	----	22.90 - 60.20	.2060	----	----	1	----	1 UNCH
4585	----	----	105.50B/*17.30A	105.50B/*17.30A	----	24.00 - 61.80	.2169	----	----	----	----	5 UNCH
4590	60.00	60.00	108.90B/*18.10A	108.90B/*18.10A	----	25.10 - 63.40	.2281	----	----	1	150	151 + 143
4590	----	----	140.80B/*39.90A	140.80B/*39.90A	----	113.70 + 57.70	.7718	----	----	----	----	2 UNCH
4595	----	----	136.60B/*38.30A	136.60B/*38.30A	----	109.90 + 56.10	.7600	----	----	1	----	4 + 1
4595	52.10	52.10	112.30B/*18.80A	112.30B/*18.80A	----	26.30 - 65.00	.2399	----	----	2	----	7 + 2
4595	----	----	154.30B/*64.20A	154.30B/64.20A	----	72.30 - 67.80	.3629	----	----	----	----	2 UNCH
4600	----	----	184.50B/97.80A	184.50B/97.80A	----	104.90 - 70.50	.3947	----	----	----	----	1 UNCH
4600	103.90	103.90	115.80B/*19.60	115.80B/*19.60	----	27.60 - 66.50	.2523	----	----	121	----	139 + 79
4600	59.00	59.00	132.60B/*36.80A	132.60B/*36.80A	----	106.20 + 54.60	.7475	----	----	123	----	493 - 21
4600	----	----	175.40B/86.80A	175.40B/86.80A	----	152.50 + 52.20	.6297	----	----	----	----	16 UNCH
4605	50.00	50.00	128.40B/*35.20A	128.40B/*35.20A	----	102.50 + 53.00	.7349	----	----	32	----	31 + 30
4610	----	----	122.90B/*21.50A	122.90B/*21.50A	----	30.30 NEW	.2783	----	----	50	----	50 + 50
4610	51.60	51.60	124.30B/*33.60A	124.30B/*33.60A	----	98.90 + 51.40	.7216	----	----	8	----	7 + 5
4615	61.70	61.70	120.30B/*32.20A	120.30B/*32.20A	----	95.30 + 49.80	.7081	----	----	15	----	11 + 7
4615	----	----	126.60B/*22.50A	126.60B/*22.50A	----	31.70 NEW	.2917	----	----	2	----	2 + 2
4620	----	----	#161.80B/79.40A	161.80B/79.40A	----	139.70 NEW	.6008	----	----	3	----	3 + 3
4620	63.40	63.40	116.30B/*30.80A	116.30B/*30.80A	----	91.80 + 48.20	.6941	----	----	9	----	11 + 3
4625	31.60	31.60	134.10B/*24.80A	134.10B/*24.80A	----	34.80 NEW	.3203	----	----	19	----	13 + 13
4625	57.50	57.50	112.40B/*29.40A	112.40B/*29.40A	----	88.40 + 46.60	.6796	----	----	7	----	43 + 7
4625	----	----	158.50B/77.00A	158.50B/77.00A	----	136.60 + 47.30	.5934	----	----	----	----	1 UNCH
4630	----	----	137.90B/*26.00A	137.90B/*26.00A	----	36.40 - 76.10	.3350	----	----	1	----	6 + 1
4635	127.40	127.40	142.00B/*27.10A	142.00B/*27.10A	----	38.10 - 77.70	.3502	----	----	52	----	51 + 49
4635	----	----	#152.10B/74.20A	152.10B/74.20A	----	130.50 + 45.40	.5784	----	----	----	----	15 UNCH
4640	54.40	54.40	145.90B/*28.20A	145.90B/*28.20A	----	39.90 NEW	.3659	----	----	1	300	301 + 301
4640	61.10	61.10	100.90B/*26.30A	100.90B/*26.30A	----	78.50 + 41.80	.6340	----	----	4	----	44 + 4
4645	----	----	97.20B/*25.10A	97.20B/*25.10A	----	75.40 + 40.30	.6180	----	----	----	----	1 UNCH
4650	76.60	76.60	153.90B/*31.20A	153.90B/31.20A	----	43.70 - 82.30	.3980	----	----	10	----	102 + 1
4650	50.00	50.00	93.80B/*24.10A	93.80B/*24.10A	----	72.30 + 38.70	.6018	----	----	48	----	165 + 2
4650	----	----	187.90B/83.00A	187.90B/83.00A	----	93.10 - 78.50	.4442	----	----	----	----	41 UNCH
4650	----	----	142.60B/68.50A	142.60B/68.50A	----	121.70 + 42.50	.5554	----	----	----	----	1 UNCH
4655	40.10	40.10	90.30B/*23.10A	90.30B/*23.10A	----	69.30 NEW	.5853	----	----	11	----	11 + 11
4655	56.40	56.40	157.80B/*32.60A	157.80B/*32.60A	----	45.70 NEW	.4145	----	----	1	----	1 + 1
4660	42.50	42.50	88.30B/*22.20A	88.30B/*22.20A	----	66.40 + 35.70	.5686	----	----	16	----	15 + 9
4660	----	----	162.00B/*34.00A	162.00B/*34.00A	----	47.80 NEW	.4313	----	----	1	----	1 + 1
4665	----	----	84.90B/*21.20A	84.90B/*21.20A	----	63.60 + 34.30	.5516	----	----	----	----	3 UNCH
4665	----	----	#133.80B/64.10A	133.80B/64.10A	----	113.20 + 39.60	.5321	----	----	----	----	5 UNCH
4670	51.60	51.60	170.30B/*37.30A	170.30B/*37.30A	----	52.20 NEW	.4653	----	----	1	----	1 + 1
4670	----	----	81.60B/*20.40A	81.60B/*20.40A	----	60.80 + 32.80	.5345	----	----	----	----	4 UNCH
4675	----	----	174.60B/*39.10A	174.60B/39.10A	----	54.50 - 89.80	.4826	----	----	1	----	27 + 1
4675	----	----	204.90B/92.30A	204.90B/92.30A	----	104.20 - 83.20	.4834	----	----	----	----	101 UNCH
4675	25.10	25.10	78.30B/*19.70A	78.30B/*19.70A	----	58.10 + 31.30	.5173	----	----	42	----	42 - 3
4680	51.70	51.70	75.60B/*18.70A	75.60B/*18.70A	----	55.50 + 29.90	.5000	----	----	8	----	18 + 6
4680	----	----	179.00B/*40.80A	179.00B/*40.80A	----	56.90 NEW	.4999	----	----	1	----	1 + 1
4685	----	----	73.30B/*18.00A	73.30B/*18.00A	----	53.00 + 28.50	.4826	----	----	----	----	4 UNCH
4690	----	----	#119.50B/57.40A	119.50B/57.40A	----	100.00 + 35.10	.4924	----	----	----	----	3 UNCH
4690	----	----	70.30B/*17.10A	70.30B/*17.10A	----	50.60 + 27.20	.4653	----	----	3	----	4 UNCH
4700	----	----	246.70B/137.80A	246.70B/137.80A	----	148.50 - 85.70	.5110	----	----	----	----	1 UNCH
4700	65.20	65.20	196.50B/49.00A	196.50B/49.00A	----	67.40 - 96.40	.5691	----	----	19	----	95 + 6
4700	----	----	114.20B/53.50A	114.20B/53.50A	----	95.00 + 33.30	.4764	----	----	1	----	1 UNCH
4700	107.50	107.50	144.60B/82.90A	144.60B/82.90A	----	127.10 + 35.20	.4885	----	----	1	----	6 UNCH
4700	19.70	19.70	64.40B/*15.50A	64.40B/*15.50A	----	46.00 + 24.60	.4307	----	----	166	----	208 + 5
4700	----	----	222.90B/104.80A	222.90B/104.80A	----	116.30 - 87.80	.5232	----	----	----	----	4 UNCH
4705	----	----	61.60B/*14.80A	61.60B/*14.80A	----	43.80 + 23.40	.4136	----	----	1	----	5 + 1
4710	57.00	57.00	205.30B/*53.60A	205.30B/*53.60A	----	73.10 NEW	.6032	----	----	7	----	5 + 5
4710	----	----	58.90B/*14.00A	58.90B/*14.00A	----	41.70 + 22.20	.3967	----	----	8	----	5 + 4
4715	----	----	#106.40B/51.00A	106.40B/51.00A	----	87.80 + 30.60	.4524	----	----	----	----	5 UNCH
4720	40.00	40.00	53.80B/*12.70A	53.80B/*12.70A	----	37.70 + 19.80	.3634	----	----	2	----	4 + 2
4725	----	----	218.90B/60.60A	218.90B/60.60A	----	82.20 - 02.30	.6527	----	----	10	----	17 + 10
4725	----	----	101.20B/47.20A	101.20B/47.20A	----	83.30 + 28.90	.4365	----	----	1	----	1 UNCH
4725	20.20	20.20	51.30B/*12.10A	51.30B/*12.10A	----	35.80 + 18.70	.3471	----	----	16	----	24 + 12
4730	20.40	20.40	49.00B/*11.50A	49.00B/*11.50A	----	34.00 + 17.70	.3312	----	----	7	----	21 + 6
4735	----	----	96.30B/46.10A	96.30B/46.10A	----	78.90 + 27.30	.4206	----	----	----	----	11 UNCH
4735	16.50	16.50	46.60B/*10.90A	46.60B/*10.90A	----	32.30 NEW	.3157	----	----	2	----	2 + 2
4740	39.00	39.00	44.40B/*10.40A	44.40B/*10.40A	----	30.70 NEW	.3007	----	----	5	----	2 + 2
4745	----	----	42.10B/*9.90A	42.10B/*9.90A	----	29.10 + 14.80	.2858	----	----	2	----	11 UNCH
4750	8.80	8.80	40.10B/*8.80	40.10B/*8.80	----	27.60 + 13.90	.2715	----	----	170	----	178 + 64
4750	----	----	261.10B/129.60A	261.10B/129.60A	----	144.00 - 96.10	.6027	----	----	----	----	1 UNCH
4750	----	----	242.10B/75.40A	242.10B/75.40A	----	99.00 - 07.20	.7284	----	----	----	----	23 UNCH
4750	----	----	119.60B/67.90A	119.60B/67.90A	----	103.90 + 28.20	.4285	----	----	----	----	1 UNCH
4750	----	----	89.30B/41.80A	89.30B/41.80A	----	72.70 + 24.90	.3970	----	----	----	----	8 UNCH
4755	----	----	38.20B/*9.10A	38.20B/*9.10A	----	26.20 + 13.10	.2577	----	----	2	----	7 UNCH
4760	8.30	8.30	36.10B/*8.30	36.10B/*8.30	----	24.80 + 12.20	.2441	----	----	3	----	34 + 1
4765	----	----	273.20B/137.70A	273.20B/137.70A	----	153.20 - 98.30	.6259	----	----	----	----	1 UNCH
4765	----	----	34.40B/*8.30A	34.40B/*8.30A	----	23.50 + 11.40	.2311	----	----	1	----	2 UNCH
4770	10.20	10.20	32.40B/*7.90A	32.40B/*7.90A	----	22.30 + 10.70	.2188	----	----	4	----	2 + 1
4775	----	----	265.60B/93.40A	265.60B/93.40A	----	117.50 - 11.00	.7932	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
APR26												
4775	12.80	12.80	30.70B/*7.50A	30.70B/*7.50A	----	21.10 + 10.00	.2067	----	----	27	----	25 + 19
4775	----	----	108.20B/61.70A	108.20B/61.70A	----	93.50 + 24.90	.3989	----	----	----	----	6 UNCH
4775	----	----	281.40B/143.80A	281.40B/143.80A	----	159.60 - 99.70	.6410	----	----	----	----	2 UNCH
4780	----	----	270.30B/*96.90A	270.30B/96.90A	----	121.30 - 11.80	.8046	----	----	----	----	15 UNCH
4780	----	----	29.10B/*7.40A	29.10B/*7.40A	----	20.00 + 9.40	.1953	----	----	1	----	3 UNCH
4785	----	----	27.60B/*6.90A	27.60B/*6.90A	----	18.90 + 8.70	.1840	----	----	----	----	1 UNCH
4790	10.10	10.10	26.30B/*6.60A	26.30B/*6.60A	----	17.90 + 8.10	.1735	----	----	14	----	32 + 10
4795	10.10	10.10	24.70B/*6.30A	24.70B/*6.30A	----	17.00 NEW	.1638	----	----	27	----	26 + 26
4800	11.00	11.00	24.00/*6.00A	24.00/*6.00A	----	16.10 + 7.10	.1542	----	----	53	----	249 + 18
4800	----	----	289.40B/110.80A	289.40B/110.80A	----	137.40 - 14.10	.8457	----	----	----	----	19 UNCH
4800	----	----	97.90B/56.00A	97.90B/56.00A	----	84.00 + 21.90	.3699	----	----	----	----	1 UNCH
4800	----	----	302.10B/158.60A	302.10B/158.60A	----	176.20 - 03.00	.6777	----	----	----	----	12 UNCH
4805	----	----	22.10B/*5.80A	22.10B/*5.80A	----	15.20 + 6.50	.1448	----	----	----	----	6 UNCH
4810	----	----	20.90B/*5.60A	20.90B/*5.60A	----	14.40 + 6.10	.1362	----	----	----	----	25 UNCH
4815	----	----	19.80B/*5.30A	19.80B/*5.30A	----	13.60 + 5.60	.1278	----	----	----	----	18 UNCH
4820	10.10	10.10	18.60B/*5.10A	18.60B/*5.10A	----	12.90 + 5.20	.1202	----	----	25	----	54 + 22
4825	----	----	313.40B/130.00A	313.40B/130.00A	----	158.60 - 16.20	.8872	----	----	----	----	315 UNCH
4825	7.50	7.50	17.60B/*4.80A	17.60B/*4.80A	----	12.20 + 4.80	.1127	----	----	21	----	45 + 14
4830	----	----	16.60B/*4.70A	16.60B/*4.70A	----	11.60 + 4.50	.1061	----	----	1	----	2 + 1
4835	----	----	323.10B/*137.90	323.10B/137.90A	----	167.40 - 16.90	.9003	----	----	----	----	2 UNCH
4835	12.70	12.70	15.70B/*4.50A	15.70B/*4.50A	----	11.00 + 4.10	.0996	----	----	2	----	2 - 1
4845	----	----	14.00B/*4.10A	14.00B/*4.10A	----	9.90 + 3.50	.0877	----	----	----	----	1 UNCH
4850	6.00	6.00	13.20B/*3.90A	13.20B/*3.90A	----	9.40 + 3.30	.0824	----	----	553	----	583 + 550
4850	----	----	337.80B/150.10A	337.80B/150.10A	----	180.70 - 17.80	.9175	----	----	----	----	5 UNCH
4850	----	----	345.10B/191.70A	345.10B/191.70A	----	212.50 - 08.30	.7442	----	----	----	----	1 UNCH
4850	----	----	79.30B/46.30A	79.30B/46.30A	----	67.40 + 16.50	.3147	----	----	----	----	1 UNCH
4855	----	----	12.40B/*3.90A	12.40B/*3.90A	----	8.90 NEW	.0771	----	----	1	----	1 + 1
4860	----	----	11.80B/*3.80A	11.80B/*3.80A	----	8.40 + 2.70	.0720	----	----	1	----	6 UNCH
4860	32.40	32.40	49.00B/23.70A	49.00B/23.70A	----	38.90 NEW	.2435	----	----	1	----	1 + 1
4865	----	----	11.20B/*3.50A	11.20B/*3.50A	----	8.00 + 2.50	.0677	----	----	----	----	2 UNCH
4870	----	----	10.60B/*3.40A	10.60B/*3.40A	----	7.60 + 2.30	.0635	----	----	2	----	3 + 2
4875	7.80	7.80	10.00B/*3.20A	10.00B/*3.20A	----	7.20 + 2.10	.0594	----	----	51	----	75 + 44
4875	----	----	367.70B/218.20A	367.70B/218.20A	----	231.90 NEW	.7734	----	----	1	----	1 + 1
4880	4.00	4.00	9.40B/*3.20A	9.40B/*3.20A	----	6.90 + 2.00	.0561	----	----	3	----	2 UNCH
4885	----	----	9.00B/*3.10A	9.00B/*3.10A	----	6.50 + 1.80	.0522	----	----	----	----	3 UNCH
4890	----	----	381.30B/235.30A	381.30B/235.30A	----	244.00 - 11.60	.7898	----	----	----	----	10 UNCH
4890	----	----	8.50B/*3.00A	8.50B/*3.00A	----	6.20 + 1.60	.0490	----	----	----	----	1 UNCH
4895	----	----	8.00B/*2.90A	8.00B/*2.90A	----	5.90 + 1.50	.0460	----	----	----	----	1 UNCH
4900	3.40	3.40	7.60B/*2.70A	7.60B/*2.70A	----	5.60 + 1.30	.0430	----	----	125	----	210 + 71
4900	----	----	386.80B/194.90A	386.80B/194.90A	----	227.00 - 19.70	.9568	----	----	1	----	1 - 1
4900	----	----	63.70B/38.10A	63.70B/38.10A	----	53.90 + 12.10	.2645	----	----	----	----	1 UNCH
4900	----	----	402.40B/255.80A	402.40B/255.80A	----	275.00 - 08.80	.7351	----	----	1	----	1 UNCH
4900	----	----	38.70B/18.60A	38.70B/18.60A	----	30.90 + 8.70	.1997	----	----	3	----	5 + 3
4905	----	----	62.30B/37.30A	62.30B/37.30A	----	52.70 NEW	.2598	----	----	1	----	1 + 1
4905	----	----	391.70B/199.70A	391.70B/199.70A	----	231.70 - 19.90	.9597	----	----	----	----	5 UNCH
4910	----	----	61.00B/36.50A	61.00B/36.50A	----	51.50 NEW	.2551	----	----	1	----	1 + 1
4910	6.60	6.60	6.80B/*2.60A	6.80B/*2.60A	----	5.10 + 1.10	.0380	----	----	3	----	5 + 3
4910	246.80	246.80	396.60B/204.30A	396.60B/204.30A	----	236.40 NEW	.9618	----	----	1	----	1 + 1
4915	----	----	401.50B/208.90A	401.50B/208.90A	----	241.20 - 20.10	.9646	----	----	----	----	1 UNCH
4915	3.00	3.00	6.70/*2.60A	6.70/*2.60A	----	4.80 + 0.90	.0353	----	----	4	----	3 UNCH
4920	256.40	256.40	406.50B/213.60A	406.50B/213.60A	----	246.00 - 20.20	.9666	----	----	1	----	5 + 1
4925	----	----	411.40B/218.30A	411.40B/218.30A	----	250.80 - 20.20	.9685	----	----	----	----	1 UNCH
4925	5.10	5.10	5.80B/*2.40A	5.80B/*2.40A	----	4.40 NEW	.0313	----	----	1	----	1 + 1
4930	4.80	4.80	5.50B/*2.30A	5.50B/*2.30A	----	4.20 NEW	.0295	----	----	1	----	1 + 1
4935	3.80	3.80	5.20B/*2.10A	5.20B/*2.10A	----	4.00 NEW	.0276	----	----	1	----	1 + 1
4940	----	----	426.30B/232.50A	426.30B/232.50A	----	265.20 - 20.50	.9741	----	----	----	----	2 UNCH
4940	20.20	20.20	30.40B/*14.00A	30.40B/*14.00A	----	24.60 NEW	.1627	----	----	31	----	31 + 31
4940	4.30	4.30	4.90B/*2.10A	4.90B/*2.10A	----	3.80 NEW	.0258	----	----	1	----	1 + 1
4950	3.00	3.00	4.40B/*2.10A	4.40B/*2.10A	----	3.50 + 0.40	.0230	----	----	13	----	32 - 1
4950	----	----	432.00B/241.70A	432.00B/241.70A	----	274.80 - 20.70	.9769	----	----	1	----	2 UNCH
4955	----	----	4.20B/*2.00A	4.20B/*2.00A	----	3.30 + 0.30	.0214	----	----	----	----	6 UNCH
4955	----	----	437.00B/246.80A	437.00B/246.80A	----	279.70 - 20.70	.9785	----	----	----	----	32 UNCH
4960	----	----	4.00B/*2.00A	4.00B/*2.00A	----	3.20 + 0.30	.0204	----	----	----	----	9 UNCH
4965	----	----	3.70B/*2.10A	3.70B/*2.10A	----	3.00 + 0.20	.0188	----	----	----	----	0 UNCH
4965	12.60	12.60	26.20B/*12.30A	26.20B/*12.30A	----	21.40 NEW	.1431	----	----	1	----	1 + 1
4965	----	----	450.80B/290.20A	450.80B/290.20A	----	307.60 - 15.70	.8567	----	----	----	----	1 UNCH
4975	----	----	3.30B/*2.00A	3.30B/*2.00A	----	2.80 + 0.10	.0170	----	----	----	----	4 UNCH
4985	----	----	437.80B/275.50A	437.80B/275.50A	----	308.90 - 21.00	.9847	----	----	----	----	1 UNCH
4990	----	----	442.70B/280.70A	442.70B/280.70A	----	313.80 - 21.10	.9861	----	----	----	----	5 UNCH
4990	----	----	22.60B/*11.10A	22.60B/*11.10A	----	18.70 + 4.40	.1259	----	----	----	----	2 UNCH
4990	----	----	457.20B/311.60A	457.20B/311.60A	----	329.80 - 16.70	.8738	----	----	----	----	1 UNCH
4995	----	----	2.70B/*1.80A	2.70B/*1.80A	----	2.30 - 0.10	.0130	----	----	----	----	1 UNCH
5000	2.50	2.50	3.00/*1.80A	3.00/*1.80A	----	2.20 - 0.10	.0122	----	----	12	----	28 + 9
5000	----	----	453.30B/290.20A	453.30B/290.20A	----	323.60 - 21.10	.9877	----	----	----	----	277 UNCH
5000	----	----	491.10B/339.30A	491.10B/339.30A	----	355.20 - 15.00	.8180	----	----	1	----	1 UNCH
5000	----	----	21.20B/*10.50A	21.20B/*10.50A	----	17.70 + 4.00	.1195	----	----	----	----	1 UNCH
5005	2.00	2.00	2.40B/*1.70A	2.40B/*1.70A	----	2.20 - 0.10	.0120	----	----	2	----	4 + 2
5010	1.60	1.60	2.30B/*1.60	2.30B/*1.60	----	2.10 NEW	.0113	----	----	2	----	2 + 2
5010	----	----	38.30B/24.70A	38.30B/24.70A	----	32.70 + 5.40	.1747	----	----	----	----	1 UNCH
5020	----	----	----/*1.60A	2.00B/*1.60A	----	1.90 - 0.20	.0099	----	----	----	----	5 UNCH
5020	----	----	472.40B/310.00A	472.40B/310.00A	----	343.20 - 21.30	.9900	----	----	1	----	1 - 1
5025	----	----	----/*1.60A	1.90B/*1.60A	----	1.80 - 0.30	.0092	----	----	----	----	60 UNCH
5030	----	----	----/*1.50A	1.80B/*1.50A	----	1.70 - 0.30	.0085	----	----	----	----	2 UNCH
5030	----	----	482.30B/319.30A	482.30B/319.30A	----	353.10 - 21.30	.9914	----	----	----	----	6 UNCH
5035	----	----	----/*1.50A	1.70B/*1.50A	----	1.70 - 0.30	.0084	----	----	----	----	1 UNCH
5040	2.00	2.00	2.20/*1.40A	2.20/*1.40A	----	1.60 - 0.30	.0078	----	----	5	----	11 + 4
5045	----	----	497.20B/334.20A	497.20B/334.20A	----	367.90 - 21.40	.9922	----	----	----	----	2 UNCH
5050	----	----	502.80B/339.40A	502.80B/339.40A	----	372.80 - 21.40	.9929	----	----	----	----	1 UNCH
5050	1.30	1.30	1.80/*1.10A	1.80/*1.10A	----	1.50 - 0.30	.0070	----	----	2	----	1 UNCH
5060	1.50	1.50	1.50/*1.30A	1.50/*1.30A	----	1.40 - 0.30	.0064	----	----	10	----	10 + 10
5065	----	----	29.70B/20.10A	29.70B/20.10A	----	25.60 + 3.50	.1408	----	----	----	----	1 UNCH
5065	----	----	14.40B/*9.70A	14.40B/9.70A	----	12.50 + 2.30	.0852	----	----	1	----	1 UNCH
5070	----	----	----/*1.30A	1.10B/*1.30A	----	1.30 - 0.40	.0057	----	----	----	----	17 UNCH
5080	----	----	----/*1.20A	1.00B/*1.20A	----	1.20 - 0.30	.0051	----	----	----	----	1 UNCH
5080	----	----	532.00B/369.30A	532.00B/369.30A	----	402.50 - 21.40	.9948	----	----	----	----	2 UNCH
5085	----	----	12.80B/*9.00A	12.80B/9.00A	----	11.30 + 1.90	.0770	----	----	----	----	1 UNCH
5095	----	----	12.10B/*8.70A	12.10B/8.70A	----	10.70 + 1.60	.0730	----	----	----	----	1 UNCH
5100	----	----	552.50B/388.90A	552.50B/388.90A	----	422.30 - 21.40	.9964	----	----	----	----	21 UNCH
5100	----	----	----/*1.10A	0.80B/*1.10A	----	0.90 - 0.40	.0035	----	----	----	----	13 UNCH
5100	----	----	25.10B/17.40A	25.10B/17.40A	----	21.90 + 2.50	.1223	----	----	----	----	1 UNCH
5105	----	----	556.80B/394.10A	556.80B/394.10A	----	427.20 - 21.50	.9965	----	----	----	----	4 UNCH
5110	----	----	----/*1.10A	0.70B/*1.10A	----	0.90 - 0.40	.0034	----	----	----	----	5 UNCH
5110	----	----	561.80B/399.10A	561.80B/399.10A	----	432.20 - 21.40	.9965	----	----	----	----	1 UNCH
5115	----	----	10.80B/*7.90A	10.80B/7.90A	----	9.70 + 1.30	.0660	----	----	----	----	1 UNCH
5120	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.40	.0029	----	----	----	----	13 UNCH
5130	----	----	----/*1.00A	0.60B/*1.00A	----	0.70 - 0.40	.0024	----	----	----	----	15 UNCH
5150	----	----	----/0.90A	0.50B/0.90A	----	0.60 - 0.40	.0019	----	----	----	----	0 UNCH
5150	----	----	20.10B/14.70A	20.10B/14.70A	----	17.70 + 1.70	.1005	----	----	----	----	1 UNCH
5155	----	----	----	0.50B/*0.90A	----	0.60 - 0.30	.0019	----	----	----	----	6 UNCH
5155	----	----	8.50B/*6.80A	8.50B/6.80A	----	8.10 + 0.70	.0547	----	----	----	----	4 UNCH
5160	----	----	----	0.40B/*0.90A	----	0.50 - 0.40	.0015	----	----	----	----	2 UNCH
5160	----	----	611.60B/448.80A	611.60B/448.80A	----	481.90 - 21.40	.9984	----	----	----	----	2 UNCH
5165	----	----	----	0.40B/*0.90A	----	0.50 - 0.40	.0015	----	----	----	----	3 UNCH
5190	0.40	0.40	0.50/*0.40	0.50/*0.40	----	0.40 - 0.40	.0011	----	----	3	----	4 + 2
5190	----	----	641.50B/478.70A	641.50B/478.70A	----	511.70 - 21.40	.9989	----	----	----	----	2 UNCH
5200	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.40 - 0.30	.0011	----	----	2	----	14 UNCH
5200	----	----	6.60B/*5.70A	6.60B/5.70A	----	6.60 + 0.20	.0441	----	----	----	----	10 UNCH
5200	----	----	15.90B/13.00A	15.90B/13.00A	----	14.40 + 1.20	.0827	----	----	----	----	1 UNCH
5210	----	----	----	0.20B/*0.90A	----	0.30 - 0.40	.0007	----	----	----	----	1 UNCH
5210	498.00	498.00	661.40B/498.00	661.40B/498.00	----	531.70 NEW	.9993	----	----	2	----	2 + 2
5215	----	----	----	0.20B/*0.90A	----	0.30 - 0.40	.0007	----	----	----	----	2 UNCH
5215	4.00	4.00	6.10B/*4.00	6.10B/*4.00	----	6.20 NEW	.0412	----	----	1	----	1 + 1
5220	----	----	----	0.20B/*0.80A	----	0.30 - 0.30	.0007	----	----	----	----	13 UNCH
5235	----	----	----	0.20B/*0.80A	----	0.30 - 0.30	.0007	----	----	----	----	4 UNCH
5270	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.30	.0004	----	----	1	----	1 + 1
5300	585.10	585.10	751.80B/585.10	751.80B/585.10	----	621.50 - 21.30	.9997	----	----	2	----	0 - 2
5300	----	----	----	0.10B/*0.60A	----	0.20 - 0.20	.0004	----	----	----	----	3 UNCH
5305	----	----	10.50B/----	10.50B/10.20A	----	9.70 + 0.90	.0561	----	----	----	----	2 UNCH
5320	----	----	9.90B/----	9.90B/9.80A	----	9.10 + 0.80	.0527	----	----	----	----	1 UNCH
5330	----	----	----	0.10B/*0.40A	----	0.10 - 0.30	.0001	----	----	----	----	3 UNCH
5340	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	3 UNCH
5350	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	3 UNCH
5360	----	----	----	----/*0.40A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
5400	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	7 UNCH
5400	----	----	----	1.00B/4.10A	----	3.30 - 0.10	.0202	----	----	----	----	250 UNCH
5410	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	4 UNCH
5425	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5430	----	----	881.00B/718.30A	881.00B/718.30A	----	751.40 - 21.20	1.0000	----	----	----	----	3 UNCH
5435	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5440	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5450	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	10 UNCH
5500	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5540	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5650	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5750	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
TOTAL										3000	700	9161+ 2278

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK5

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR26												
3650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3800	----	----	----	----	----	757.50 UNCH	----	----	----	----	----	0 UNCH
3850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4025	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4235	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	312.50 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4255	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4285	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	257.50 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	232.50 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	207.50 UNCH	----	----	----	----	----	0 UNCH
4355	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	197.50 UNCH	----	----	----	----	----	10 UNCH
4360	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	182.50 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4380	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4385	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	157.50 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	152.50 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	147.50 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	142.50 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	137.50 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	132.50 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	127.50 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	122.50 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	112.50 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	107.50 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	102.50 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	97.50 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	92.50 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	87.50 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	82.50 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	77.50 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	72.50 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	67.50 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	62.50 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	57.50 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	52.50 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	47.50 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	42.50 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	37.50 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	32.50 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	27.50 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	22.50 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	17.50 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	12.50 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	7.50 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	2.50 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	2.50 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	7.50 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	12.50 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	17.50 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	22.50 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	27.50 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	32.50 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	37.50 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	42.50 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 46

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK5												
MAR26														
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	47.50	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	52.50	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	57.50	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	62.50	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	92.50	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	107.50	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	112.50	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	117.50	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	142.50	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	192.50	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	242.50	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	267.50	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	287.50	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	292.50	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	312.50	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	322.50	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	342.50	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	367.50	UNCH	----	----	----	----	----	0	UNCH
4930	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4940	----	----	----	----	----	382.50	UNCH	----	----	----	----	----	0	UNCH
4940	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4945	----	----	----	----	----	387.50	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	392.50	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	442.50	UNCH	----	----	----	----	----	0	UNCH
5025	----	----	----	----	----	467.50	UNCH	----	----	----	----	----	0	UNCH
5035	----	----	----	----	----	477.50	UNCH	----	----	----	----	----	0	UNCH
5040	----	----	----	----	----	482.50	UNCH	----	----	----	----	----	0	UNCH
5060	----	----	----	----	----	502.50	UNCH	----	----	----	----	----	0	UNCH
5095	----	----	----	----	----	537.50	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	542.50	UNCH	----	----	----	----	----	0	UNCH
5180	----	----	----	----	----	622.50	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
APR26														
3500	----	----	----/*0.50A	----/*0.50A	----	0.40	- 0.90	.0013	----	----	----	----	9	UNCH
3500	1.50	1.50	1.50/*1.50	1.50/*1.50	----	2.30	NEW	.0085	----	----	2	----	2	+ 2
3600	----	----	----/*0.80A	0.20B/*0.80A	----	0.50	- 1.10	.0018	----	----	----	----	1	UNCH
3700	----	----	----/1.10A	1.00B/1.10A	----	0.60	- 1.40	.0023	----	----	----	----	2	UNCH
3750	----	----	----/*5.20A	5.10B/*5.20A	----	3.20	- 4.40	.0141	----	----	----	----	1	UNCH
3800	----	----	----/*1.30A	1.80B/*1.30A	----	0.80	- 1.80	.0034	----	----	1	----	54	UNCH
3850	----	----	----/*1.40A	2.40B/*1.40A	----	1.00	- 2.10	.0045	----	----	----	----	1	UNCH
3900	1.90	1.90	1.90/*1.60A	3.30B/*1.60A	----	1.30	- 2.50	.0061	----	----	1	----	11	UNCH
3900	----	----	----/*7.00A	10.30B/*7.00A	----	4.90	- 8.00	.0232	----	----	----	----	1	UNCH
3950	10.00	10.00	10.00/*7.70A	12.90B/*7.70A	----	5.80	- 9.70	.0279	----	----	3	----	3	- 1
3950	2.00	2.00	2.00/*1.90A	4.30B/*1.90A	----	1.70	- 3.00	.0083	----	----	3	----	30	+ 1
4000	----	----	----/*2.20A	5.40B/*2.20A	----	2.10	- 3.70	.0107	----	----	2	----	279	+ 1
4000	----	----	----/*8.60A	16.10B/*8.60A	----	7.10	- 11.50	.0345	----	----	1	----	21	UNCH
4050	19.60	19.60	19.60/*18.00A	33.80B/*18.00A	----	16.00	- 19.20	.0675	----	----	1	----	12	- 1
4050	----	----	----/*10.20A	20.60B/*10.20A	----	8.70	- 13.60	.0427	----	----	----	----	1	UNCH
4050	----	----	----/*2.50A	7.10B/*2.50A	----	2.50	- 4.90	.0133	----	----	----	----	37	UNCH
4100	----	----	----/*21.00A	40.20B/*21.00A	----	19.10	- 22.00	.0805	----	----	----	----	10	UNCH
4100	23.00	23.00	23.00/*12.10A	25.50B/*12.10A	----	10.80	- 16.00	.0532	----	----	1	----	2	- 1
4100	6.50	6.50	9.50B/*3.00A	9.50B/*3.00A	----	2.90	- 6.50	.0164	----	----	53	----	57	+ 52
4125	----	----	10.70B/*3.30A	10.70B/*3.30A	----	3.20	- 7.40	.0185	----	----	----	----	35	UNCH
4150	5.50	5.50	12.20B/*3.50A	12.20B/*3.50A	----	3.50	- 8.50	.0208	----	----	31	----	28	+ 18
4175	----	----	----/*15.60A	34.60B/*15.60A	----	14.70	- 20.40	.0729	----	----	----	----	1	UNCH
4200	----	----	#518.80B/336.40	#518.80B/336.40A	----	482.90	+ 10.10	.9720	----	----	----	----	1	UNCH
4200	19.10	19.10	19.10/*16.00A	38.30B/16.00A	----	16.30	- 22.00	.0809	----	----	2	----	4	UNCH
4200	9.00	9.00	16.30B/*4.30A	16.30B/*4.30A	----	4.50	- 11.00	.0279	----	----	102	----	330	- 54
4210	----	----	16.80B/*4.50A	16.80B/*4.50A	----	4.70	- 11.60	.0294	----	----	----	----	1	UNCH
4220	----	----	17.50B/*4.70A	17.50B/*4.70A	----	5.00	- 12.10	.0314	----	----	----	----	1	UNCH
4225	----	----	18.10B/*4.80A	18.10B/*4.80A	----	5.10	- 12.50	.0322	----	----	1	----	22	UNCH
4230	----	----	43.30B/*16.40A	43.30B/*16.40A	----	18.50	NEW	.0918	----	----	1	----	1	+ 1
4240	----	----	19.30B/*5.10A	19.30B/*5.10A	----	5.60	- 13.40	.0357	----	----	----	----	3	UNCH
4250	8.50	8.50	21.30B/*5.40A	21.30B/*5.40A	----	5.90	- 14.00	.0379	----	----	1	----	11	UNCH
4250	----	----	#469.20B/327.50	469.20B/327.50A	----	448.20	+ 95.30	.8999	----	----	----	----	1	UNCH
4250	----	----	46.90B/*19.60A	46.90B/19.60A	----	20.10	- 25.70	.0998	----	----	----	----	100	UNCH
4250	----	----	#469.60B/292.40	#469.60B/292.40A	----	434.30	+ 07.00	.9619	----	----	----	----	50	UNCH
4265	----	----	22.70B/*5.80A	22.70B/*5.80A	----	6.40	- 15.10	.0416	----	----	----	----	2	UNCH
4275	----	----	24.10B/*6.10A	24.10B/*6.10A	----	6.80	- 15.90	.0444	----	----	----	----	10	UNCH
4285	325.00	325.00	#435.80B/262.60	#435.80B/262.60A	----	400.60	NEW	.9525	----	----	2	----	2	+ 2
4290	----	----	26.20B/*6.50A	26.20B/*6.50A	----	7.40	NEW	.0488	----	----	4	----	0	UNCH
4300	----	----	27.40B/*6.90A	27.40B/*6.90A	----	7.90	- 17.80	.0523	----	----	106	----	150	- 62
4305	----	----	28.60B/*7.10A	28.60B/*7.10A	----	8.10	NEW	.0539	----	----	2	----	0	UNCH
4310	9.90	9.90	29.50B/*7.20A	29.50B/*7.20A	----	8.40	- 18.70	.0559	----	----	1	----	11	UNCH
4310	----	----	58.50B/*25.30A	58.50B/*25.30A	----	25.80	- 30.90	.1276	----	----	----	----	10	UNCH
4315	----	----	59.70B/*25.70A	59.70B/*25.70A	----	26.30	- 31.40	.1301	----	----	----	----	5	UNCH
4320	----	----	31.50B/*7.60A	31.50B/*7.60A	----	8.90	- 19.60	.0596	----	----	----	----	1	UNCH
4330	----	----	33.30B/*8.00A	33.30B/*8.00A	----	9.40	- 20.60	.0633	----	----	----	----	2	UNCH
4335	----	----	33.90B/*8.30A	33.90B/*8.30A	----	9.70	- 21.10	.0655	----	----	----	----	10	UNCH
4350	----	----	93.30B/*47.90A	93.30B/*47.90A	----	46.60	NEW	.1886	----	----	2	----	2	+ 2
4350	17.10	17.10	37.10B/*8.50	37.10B/*8.50	----	10.60	- 22.70	.0721	----	----	8	----	15	+ 4
4350	----	----	#373.10B/209.90	373.10B/209.90A	----	339.00	+ 98.40	.9277	----	----	----	----	1	UNCH
4360	----	----	39.20B/*9.40A	39.20B/*9.40A	----	11.20	- 23.80	.0766	----	----	1	----	0	- 1
4370	----	----	41.00B/*9.90A	41.00B/*9.90A	----	11.90	- 25.00	.0818	----	----	----	----	1	UNCH
4375	----	----	42.50B/*10.20A	42.50B/*10.20A	----	12.30	- 25.50	.0846	----	----	----	----	1	UNCH
4380	----	----	43.70B/*10.40A	43.70B/*10.40A	----	12.70	- 26.10	.0875	----	----	----	----	5	UNCH
4385	----	----	45.40B/*10.70A	45.40B/*10.70A	----	13.10	- 26.70	.0904	----	----	1	----	4	+ 1
4390	----	----	46.10B/*11.00A	46.10B/*11.00A	----	13.50	NEW	.0933	----	----	2	----	2	+ 2
4390	----	----	105.00B/*55.70A	105.00B/*55.70A	----	53.70	NEW	.2146	----	----	2	----	2	+ 2
4400	----	----	#325.80B/172.80	325.80B/172.80A	----	292.80	+ 92.40	.9005	----	----	----	----	52	UNCH
4400	62.00	62.00	84.50B/*36.60A	84.50B/36.60A	----	37.60	- 40.80	.1833	----	----	1	----	21	+ 1
4400	----	----	109.60B/*56.90A	109.60B/*56.90A	----	55.70	- 47.50	.2216	----	----	----	----	150	UNCH
4400	30.00	30.00	48.60B/*11.60A	48.60B/*11.60A	----	14.30	- 28.70	.0993	----	----	29	----	43	+ 26
4410	----	----	51.40B/*12.30A	51.40B/*12.30A	----	15.20	- 30.10	.1058	----	----	1	----	4	- 1
4410	----	----	#316.50B/165.70	#316.50B/165.70A	----	283.70	+ 91.00	.8939	----	----	----	----	4	UNCH
4415	----	----	#323.30B/205.20	#323.30B/205.20A	----	303.40	+ 78.30	.8051	----	----	----	----	10	UNCH
4415	----	----	53.30B/*12.70A	53.30B/*12.70A	----	15.70	- 30.80	.1094	----	----	1	----	5	+ 1
4420	----	----	54.80B/*13.00A	54.80B/*13.00A	----	16.20	- 31.50	.1130	----	----	2	----	5	+ 2
4420	----	----	#307.00B/158.80	#307.00B/158.80A	----	274.70	+ 89.60	.8868	----	----	----	----	4	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
APR26												
4425	34.00	34.00	55.90B/*13.40A	55.90B/*13.40A	----	16.70 - 32.20	.1166	----	----	4	----	1 - 4
4440	----	----	#302.50B/188.00	302.50B/188.00A	----	283.00 + 75.10	.7848	----	----	----	----	1 UNCH
4440	----	----	98.40B/*43.10A	98.40B/43.10A	----	44.70 - 45.90	.2148	----	----	----	----	1 UNCH
4440	----	----	#288.80B/145.30	288.80B/145.30A	----	256.80 + 86.50	.8715	----	----	----	----	10 UNCH
4440	23.90	23.90	60.90B/*14.70A	60.90B/*14.70A	----	18.30 - 34.60	.1283	----	----	1	----	33 + 1
4445	----	----	62.60B/*15.10A	62.60B/*15.10A	----	18.90 - 35.30	.1325	----	----	----	----	25 UNCH
4450	42.40	42.40	64.40B/*15.00	64.40B/*15.00	----	19.50 - 36.10	.1368	----	----	12	----	16 + 7
4450	----	----	#279.70B/138.70	279.70B/138.70A	----	248.00 + 84.90	.8630	----	----	----	----	1 UNCH
4455	----	----	66.10B/*16.00A	66.10B/*16.00A	----	20.10 - 37.00	.1411	----	----	----	----	4 UNCH
4460	----	----	#270.60B/131.00	270.60B/131.00A	----	239.30 + 83.30	.8539	----	----	5	----	2 - 3
4460	----	----	67.70B/*16.60A	67.70B/*16.60A	----	20.80 NEW	.1459	----	----	2	----	2 + 2
4465	----	----	69.50B/*17.00A	69.50B/*17.00A	----	21.40 - 38.70	.1503	----	----	----	----	10 UNCH
4470	----	----	108.90B/*48.70A	108.90B/48.70A	----	50.80 NEW	.2411	----	----	2	----	2 + 2
4475	----	----	73.40B/*18.10A	73.40B/*18.10A	----	22.80 - 40.40	.1601	----	----	----	----	4 UNCH
4480	----	----	75.60B/*18.70A	75.60B/*18.70A	----	23.50 - 41.40	.1651	----	----	----	----	5 UNCH
4485	----	----	77.70B/*19.20A	77.70B/*19.20A	----	24.30 - 42.20	.1705	----	----	----	----	10 UNCH
4490	----	----	117.20B/*52.90A	117.20B/52.90A	----	55.40 NEW	.2601	----	----	16	----	16 + 16
4495	----	----	146.20B/*78.80A	146.20B/*78.80A	----	78.20 - 58.90	.2972	----	----	----	----	1 UNCH
4495	----	----	81.60B/*20.40A	81.60B/*20.40A	----	25.90 NEW	.1815	----	----	3	----	2 + 2
4500	----	----	#254.70B/153.10	254.70B/153.10A	----	236.20 + 66.50	.7296	----	----	----	----	300 UNCH
4500	----	----	122.10B/*55.10A	122.10B/55.10A	----	57.80 - 54.50	.2700	----	----	16	----	17 + 15
4500	----	----	149.70B/*79.20A	149.70B/*79.20A	----	79.60 - 59.50	.3016	----	----	----	----	1 UNCH
4500	46.00	46.00	83.90B/*21.00A	83.90B/*21.00A	----	26.70 - 45.10	.1871	----	----	17	----	70 + 15
4500	186.00	186.00	#235.00B/107.40	235.00B/107.40A	----	205.20 + 75.90	.8127	----	----	1	----	6 + 1
4505	----	----	86.00B/*21.70A	86.00B/*21.70A	----	27.60 - 46.00	.1931	----	----	----	----	9 UNCH
4515	----	----	90.70B/*23.10A	90.70B/*23.10A	----	29.40 NEW	.2053	----	----	1	----	1 + 1
4515	----	----	129.00B/*58.60A	129.00B/58.60A	----	61.60 NEW	.2853	----	----	16	----	16 + 16
4520	38.40	38.40	93.00B/*23.80A	93.00B/*23.80A	----	30.30 - 49.10	.2114	----	----	1	----	2 UNCH
4525	----	----	95.40B/*24.60A	95.40B/*24.60A	----	31.30 NEW	.2180	----	----	1	----	1 + 1
4530	----	----	97.90B/*25.40A	97.90B/*25.40A	----	32.30 - 51.20	.2246	----	----	----	----	1 UNCH
4535	----	----	#228.30B/133.30	228.30B/133.30A	----	210.60 + 61.10	.6927	----	----	----	----	4 UNCH
4535	----	----	100.40B/*26.10A	100.40B/*26.10A	----	33.40 - 52.20	.2316	----	----	----	----	4 UNCH
4540	----	----	103.00B/*27.00A	103.00B/*27.00A	----	34.50 NEW	.2387	----	----	22	----	22 + 22
4545	----	----	105.70B/*27.90A	105.70B/*27.90A	----	35.60 - 54.30	.2458	----	----	----	----	1 UNCH
4550	63.50	63.50	108.30B/*28.80A	108.30B/28.80A	----	36.70 - 55.50	.2530	----	----	18	----	30 + 6
4550	----	----	193.00B/81.60A	193.00B/81.60A	----	165.30 + 65.60	.7467	----	----	----	----	49 UNCH
4550	----	----	222.20B/125.70A	222.20B/125.70A	----	200.00 + 58.70	.6758	----	----	----	----	1 UNCH
4555	----	----	111.00B/*29.70A	111.00B/*29.70A	----	37.90 - 56.50	.2606	----	----	----	----	14 UNCH
4555	----	----	#188.90B/79.40A	188.90B/79.40A	----	161.50 + 64.60	.7392	----	----	----	----	11 UNCH
4560	----	----	113.80B/*30.60A	113.80B/*30.60A	----	39.10 - 57.70	.2682	----	----	1	----	20 UNCH
4565	----	----	116.60B/*31.90A	116.60B/*31.90A	----	40.40 NEW	.2761	----	----	22	----	22 + 22
4570	----	----	#228.10B/144.20	#228.10B/144.20A	----	210.20 + 52.30	.6311	----	----	----	----	1 UNCH
4570	75.30	75.30	119.50B/*32.90A	119.50B/*32.90A	----	41.70 NEW	.2841	----	----	1	----	1 + 1
4575	----	----	206.30B/113.90A	206.30B/113.90A	----	183.10 + 54.70	.6465	----	----	----	----	5 UNCH
4580	108.00	108.00	#169.30B/68.20A	169.30B/68.20A	----	143.00 + 58.90	.6992	----	----	5	----	5 UNCH
4580	76.00	76.00	124.00B/*35.10A	124.00B/*35.10A	----	44.40 - 62.20	.3005	----	----	4	----	3 + 1
4585	----	----	158.70B/*77.60A	158.70B/77.60A	----	83.00 NEW	.3652	----	----	4	----	4 + 4
4585	----	----	#165.40B/65.80A	165.40B/65.80A	----	139.40 + 57.70	.6906	----	----	----	----	2 UNCH
4590	----	----	130.10B/*37.40A	130.10B/*37.40A	----	47.30 - 64.50	.3177	----	----	----	----	28 UNCH
4590	----	----	#161.60B/64.10A	161.60B/64.10A	----	135.90 + 56.60	.6821	----	----	----	----	39 UNCH
4595	----	----	133.20B/*38.60A	133.20B/*38.60A	----	48.90 - 65.60	.3266	----	----	----	----	71 UNCH
4595	----	----	#157.60B/61.60A	157.60B/61.60A	----	132.40 + 55.40	.6731	----	----	----	----	38 UNCH
4600	----	----	#208.50B/130.30	#208.50B/130.30A	----	191.40 + 48.30	.6003	----	----	----	----	10 UNCH
4600	84.00	84.00	136.40B/*39.80A	136.40B/39.80A	----	50.40 - 66.80	.3355	----	----	15	----	56 + 2
4600	104.40	104.40	154.20B/60.30A	154.20B/60.30A	----	129.00 + 54.30	.6643	----	----	52	----	140 - 18
4605	----	----	139.60B/*41.10A	139.60B/*41.10A	----	52.00 - 68.00	.3446	----	----	----	----	67 UNCH
4605	----	----	#150.40B/58.00A	150.40B/58.00A	----	125.60 + 53.10	.6552	----	----	----	----	6 UNCH
4610	----	----	173.00B/*85.70A	173.00B/85.70A	----	92.10 - 72.00	.3964	----	----	----	----	14 UNCH
4610	68.30	68.30	142.90B/*42.50A	142.90B/*42.50A	----	53.70 - 69.10	.3539	----	----	22	----	60 + 21
4610	----	----	#146.90B/56.70A	146.90B/56.70A	----	122.20 + 51.90	.6459	----	----	----	----	50 UNCH
4615	77.50	77.50	#143.20B/54.60A	143.20B/54.60A	----	118.90 + 50.70	.6365	----	----	25	----	34 + 21
4620	----	----	#139.70B/52.80A	139.70B/52.80A	----	115.70 + 49.60	.6271	----	----	----	----	5 UNCH
4625	55.30	55.30	153.00B/*46.80A	153.00B/46.80A	----	58.90 NEW	.3823	----	----	2	----	2 + 2
4625	----	----	136.20B/50.40A	136.20B/50.40A	----	112.50 + 48.40	.6174	----	----	1	----	41 UNCH
4635	----	----	#166.40B/88.80A	166.40B/88.80A	----	145.60 NEW	.5708	----	----	12	----	9 + 9
4635	----	----	#129.30B/47.70A	129.30B/47.70A	----	106.20 + 46.00	.5977	----	----	----	----	5 UNCH
4640	----	----	#125.90B/46.30A	125.90B/46.30A	----	103.20 + 44.90	.5878	----	----	1	----	21 + 1
4645	----	----	#122.50B/44.80A	122.50B/44.80A	----	100.20 + 43.70	.5777	----	----	1	----	6 + 1
4650	61.90	61.90	119.30B/44.00A	119.30B/44.00A	----	97.30 + 42.60	.5675	----	----	14	----	56 + 2
4650	64.90	64.90	170.90B/*54.90A	170.90B/54.90A	----	68.70 NEW	.4323	----	----	2	----	2 + 2
4650	----	----	157.10B/83.60A	157.10B/83.60A	----	137.00 NEW	.5509	----	----	1	----	1 + 1
4650	----	----	197.40B/100.10A	197.40B/100.10A	----	108.50 - 78.40	.4487	----	----	----	----	70 UNCH
4655	----	----	#116.00B/41.60A	116.00B/41.60A	----	94.40 NEW	.5572	----	----	1	----	1 + 1
4660	----	----	#151.10B/79.90A	151.10B/79.90A	----	131.50 NEW	.5375	----	----	2	----	2 + 2
4660	----	----	#112.90B/40.80A	112.90B/40.80A	----	91.50 + 40.20	.5469	----	----	1	----	4 + 1
4675	----	----	189.80B/64.10A	189.80B/64.10A	----	79.80 - 84.10	.4842	----	----	1	----	2 + 1
4685	82.70	82.70	197.40B/*68.20A	197.40B/*68.20A	----	84.60 NEW	.5054	----	----	4	----	4 + 4
4690	----	----	95.50B/33.80A	95.50B/33.80A	----	75.70 + 33.60	.4838	----	----	----	----	5 UNCH
4695	----	----	92.70B/*32.60A	92.70B/*32.60A	----	73.20 + 32.50	.4732	----	----	----	----	15 UNCH
4700	----	----	128.50B/67.20A	128.50B/67.20A	----	110.80 + 34.70	.4831	----	----	1	----	1 UNCH
4700	45.00	45.00	90.00B/*31.60A	90.00B/*31.60A	----	70.80 + 31.40	.4626	----	----	1	----	84 + 1
4700	100.30	100.30	#153.40B/92.30A	#153.40B/92.30A	----	136.10 + 35.20	.4912	----	----	1	----	51 + 1
4705	----	----	87.20B/*30.30A	87.20B/*30.30A	----	68.50 + 30.40	.4520	----	----	----	----	15 UNCH
4715	----	----	82.00B/*28.50A	82.00B/*28.50A	----	64.00 + 28.40	.4309	----	----	1	----	4 + 1
4725	----	----	76.70B/*26.30A	76.70B/*26.30A	----	59.70 + 26.40	.4099	----	----	8	----	6 UNCH
4730	----	----	74.30B/*25.40A	74.30B/*25.40A	----	57.70 + 25.50	.3996	----	----	----	----	5 UNCH
4730	----	----	252.70B/*134.30	252.70B/134.30A	----	148.20 - 90.70	.5574	----	----	----	----	2 UNCH
4735	----	----	71.90B/*24.70A	71.90B/*24.70A	----	55.70 + 24.60	.3893	----	----	----	----	1 UNCH
4740	----	----	69.60B/*23.10A	69.60B/*23.10A	----	53.70 + 23.60	.3790	----	----	----	----	20 UNCH
4750	----	----	251.50B/99.50A	251.50B/99.50A	----	121.30 - 99.20	.6409	----	----	----	----	1 UNCH
4750	----	----	#128.30B/77.30A	#128.30B/77.30A	----	112.90 + 29.10	.4353	----	----	----	----	10 UNCH
4750	44.00	44.00	64.80B/*21.80A	64.80B/*21.80A	----	50.00 + 21.90	.3589	----	----	32	----	75 + 18
4770	34.50	34.50	56.50B/*19.10A	56.50B/*19.10A	----	43.20 + 18.60	.3200	----	----	142	----	215 - 32
4775	----	----	54.60B/*18.50A	54.60B/*18.50A	----	41.60 + 17.90	.3105	----	----	----	----	10 UNCH
4780	42.20	42.20	52.80B/*17.80A	52.80B/*17.80A	----	40.10 NEW	.3013	----	----	4	----	4 + 4
4785	51.00	51.00	88.20B/46.40A	88.20B/46.40A	----	74.70 NEW	.3687	----	----	1	----	1 + 1
4785	----	----	50.90B/*17.20A	50.90B/*17.20A	----	38.60 + 16.40	.2922	----	----	----	----	5 UNCH
4790	47.90	47.90	49.10B/*16.70A	49.10B/*16.70A	----	37.20 + 15.70	.2833	----	----	1	----	6 + 1
4795	----	----	47.30B/*16.10A	47.30B/*16.10A	----	35.80 + 15.00	.2745	----	----	----	----	5 UNCH
4795	----	----	303.10B/171.50A	303.10B/171.50A	----	187.50 - 99.30	.6436	----	----	----	----	4 UNCH
4795	----	----	84.20B/44.40A	84.20B/44.40A	----	71.20 + 21.60	.3559	----	----	----	----	10 UNCH
4800	----	----	307.20B/174.50A	307.20B/174.50A	----	190.70 - 00.00	.6500	----	----	----	----	1 UNCH
4800	----	----	82.10B/43.50A	82.10B/43.50A	----	69.50 + 21.00	.3496	----	----	1	----	2 UNCH
4800	18.00	18.00	45.60B/*15.50A	45.60B/*15.50A	----	34.50 + 14.40	.2660	----	----	20	----	57 + 18
4800	----	----	296.10B/130.60A	296.10B/130.60A	----	155.80 - 06.70	.7337	----	----	----	----	1 UNCH
4810	----	----	315.30B/180.60A	315.30B/180.60A	----	197.40 - 01.10	.6626	----	----	----	----	4 UNCH
4815	----	----	40.90B/*14.00A	40.90B/*14.00A	----	30.70 + 12.50	.2411	----	----	----	----	15 UNCH
4820	----	----	74.60B/39.90A	74.60B/39.90A	----	62.90 + 18.70	.3246	----	----	3	----	4 - 2
4825	17.20	17.20	37.90B/*13.10A	37.90B/*13.10A	----	28.50 + 11.40	.2258	----	----	6	----	34 + 4
4830	----	----	36.50B/*12.70A	36.50B/*12.70A	----	27.40 + 10.90	.2182	----	----	2	----	29 UNCH
4835	----	----	35.20B/*12.00A	35.20B/*12.00A	----	26.40 + 10.40	.2110	----	----	22	----	27 + 22
4840	----	----	340.30B/199.70A	340.30B/199.70A	----	218.10 - 04.50	.6990	----	----	----	----	1 UNCH
4840	----	----	33.80B/*11.60A	33.80B/*11.60A	----	25.40 + 9.90	.2039	----	----	----	----	11 UNCH
4840	----	----	67.70B/36.60A	67.70B/36.60A	----	56.90 + 16.50	.3006	----	----	----	----	4 UNCH
4850	----	----	348.80B/205.50A	348.80B/205.50A	----	225.30 - 05.40	.7106	----	----	----	----	4 UNCH
4850	----	----	31.40B/*10.90A	31.40B/*10.90A	----	23.50 + 8.90	.1902	----	----	----	----	15 UNCH
4850	----	----	342.40B/166.50A	342.40B/166.50A	----	194.80 - 12.10	.8096	----	----	----	----	24 UNCH
4850	----	----	64.40B/34.90A	64.40B/34.90A	----	54.10 NEW	.2890	----	----	1	----	1 + 1
4855	----	----	353.10B/209.70A	353.10B/209.70A	----	228.90 - 06.00	.7164	----	----	----	----	1 UNCH
4860	----	----	29.10B/*10.40A	29.10B/*10.40A	----	21.80 NEW	.1775	----	----	22	----	22 + 22
4865	----	----	28.00B/*9.70A	28.00B/*9.70A	----	21.00 + 7.70	.1714	----	----	----	----	1 UNCH
4875	----	----	25.80B/*9.30A	25.80B/*9.30A	----	19.40 + 6.90	.1594	----	----	----	----	5 UNCH
4880	----	----	55.20B/30.50A	55.20B/30.50A	----	46.40 + 12.70	.2559	----	----	----	----	2 UNCH
4880	23.50	23.50	24.90B/*8.90A	24.90B/*8.90A	----	18.70 + 6.60	.1539	----	----	127	----	213 - 30
4885	----	----	379.20B/230.50A	379.20B/230.50A	----	251.40 - 08.70	.7490	----	----	----	----	1 UNCH
4885	----	----	23.90B/*8.50A	23.90B/*8.50A	----	18.00 + 6.30	.1485	----	----	----	----	1 UNCH
4885	----	----	53.90B/29.80A	53.90B/29.80A	----	45.20 + 12.30	.2506	----	----	16	----	18 + 16
4895	----	----	22.00B/*8.20A	22.00B/*8.20A	----	16.70 + 5.60	.1382	----	----	----	----	1 UNCH
4900	----	----	392.50B/254.50A	392.50B/254.50A	----	263.00 - 09.90	.7645	----	----	----	----	1 UNCH
4900	35.10	35.10	49.90B/27.90A	49.90B/27.90A	----	41.80 + 11.00	.2351	----	----	3	----	5 + 3
4900	----	----	390.00B/206.30A	390.00B/206.30A	----	237.40 - 15.60	.8664	----	----	----	----	14 UNCH
4900	16.00	16.00	21.20B/*8.00A	21.20B/*8.00A	----	16.10 + 5.40	.1334	----	----	9	----	62 + 7
4905	----	----	394.90B/210.10A	394.90B/210.10A	----	241.80 - 15.90	.8712	----	----	----	----	14 UNCH
4905	----	----	397.00B/252.70A	397.00B/252.70A	----	266.90 - 10.30	.7692	----	----	----	----	1 UNCH
4910	----	----	47.40B/26.70A	47.40B/26.70A	----	39.70 NEW	.2253	----	----	16	----	16 + 16
4920	----	----	18.00B/*7.30A	18.00B/*7.30A	----	13.80 NEW	.1150	----	----	3	----	3 + 3
4920	----	----	45.00B/25.50A	45.00B/25.50A	----	37.70 + 9.50	.2158	----	----	2	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK1										
APR26											
4940 ----	----	15.40B/*6.50A	15.40B/*6.50A	----	11.90 + 3.40	.0993	----	----	----	----	6 UNCH
4950 ----	----	438.40B/249.10A	438.40B/249.10A	----	282.30 - 18.10	.9073	----	----	----	----	3 UNCH
4950 ----	----	14.10B/*6.30A	14.10B/*6.30A	----	11.10 + 3.00	.0925	----	----	----	----	76 UNCH
4950 ----	----	38.20B/22.20A	38.20B/22.20A	----	32.20 + 7.40	.1890	----	----	----	----	2 UNCH
4965 ----	----	12.50B/*5.70A	12.50B/*5.70A	----	9.90 + 2.50	.0825	----	----	----	----	10 UNCH
4970 6.90	6.90	12.00B/*5.50A	12.00B/*5.50A	----	9.60 + 2.40	.0799	----	----	1	----	2 UNCH
4975 ----	----	#53.80B/32.90A	#53.80B/32.90A	----	44.40 + 10.60	.2166	----	----	----	----	3 UNCH
4975 ----	----	11.60B/*5.40A	11.60B/*5.40A	----	9.20 + 2.10	.0766	----	----	1	----	1 UNCH
4980 ----	----	11.10B/*5.20A	11.10B/*5.20A	----	8.90 + 2.00	.0740	----	----	----	----	4 UNCH
4990 ----	----	477.30B/285.40A	477.30B/285.40A	----	319.50 - 19.30	.9310	----	----	----	----	1 UNCH
5000 ----	----	487.30B/294.60A	487.30B/294.60A	----	329.00 - 19.40	.9360	----	----	----	----	277 UNCH
5000 27.00	27.00	29.20B/18.10A	29.20B/18.10A	----	24.80 + 4.70	.1505	----	----	3	----	4 UNCH
5000 6.00	6.00	9.50B/*4.70A	9.50B/*4.70A	----	7.70 + 1.50	.0638	----	----	14	----	45 + 12
5010 ----	----	8.70B/*4.50A	8.70B/*4.50A	----	7.20 + 1.30	.0594	----	----	----	----	2 UNCH
5015 ----	----	496.90B/308.40A	496.90B/308.40A	----	343.20 NEW	.9422	----	----	2	----	2 + 2
5025 ----	----	7.80B/*4.10A	7.80B/*4.10A	----	6.50 + 1.10	.0533	----	----	1	----	1 UNCH
5030 395.00	395.00	511.60B/322.70A	511.60B/322.70A	----	357.50 - 20.10	.9483	----	----	4	----	9 - 1
5040 ----	----	521.50B/332.30A	521.50B/332.30A	----	367.10 - 20.20	.9518	----	----	----	----	1 UNCH
5045 ----	----	526.40B/336.70A	526.40B/336.70A	----	371.90 - 20.30	.9535	----	----	----	----	1 UNCH
5050 6.80	6.80	6.80/*3.60A	6.80/*3.60A	----	5.50 NEW	.0446	----	----	3	----	3 + 3
5055 ----	----	21.90B/14.30A	21.90B/14.30A	----	18.80 + 2.70	.1170	----	----	----	----	1 UNCH
5060 ----	----	541.30B/351.20A	541.30B/351.20A	----	386.40 - 20.40	.9579	----	----	----	----	48 UNCH
5075 17.70	17.70	19.90B/13.00A	19.90B/13.00A	----	17.00 NEW	.1066	----	----	1	----	1 + 1
5095 ----	----	576.00B/384.60A	576.00B/384.60A	----	420.40 - 20.70	.9673	----	----	----	----	85 UNCH
5100 ----	----	----/389.40A	534.30B/389.40A	----	425.20 - 20.80	.9683	----	----	----	----	2 UNCH
5100 ----	----	4.60B/*2.60A	4.60B/*2.60A	----	4.00 + 0.20	.0316	----	----	----	----	3 UNCH
5125 ----	----	15.00B/11.50A	15.00B/11.50A	----	13.30 + 1.00	.0846	----	----	----	----	0 UNCH
5140 ----	----	3.50B/*2.10A	3.50B/*2.10A	----	3.20 + 0.10	.0245	----	----	----	----	1 UNCH
5150 3.00	3.00	3.30B/*2.00A	3.30B/*2.00A	----	3.00 UNCH	.0229	----	----	1	----	1 + 1
5155 ----	----	3.10B/*2.00A	3.10B/*2.00A	----	2.90 UNCH	.0220	----	----	----	----	38 UNCH
5180 ----	----	----/467.80A	503.00B/467.80A	----	503.80 - 21.00	.9806	----	----	----	----	1 UNCH
5205 ----	----	----/*1.90A	2.20B/*1.90A	----	2.30 UNCH	.0167	----	----	----	----	1 UNCH
5220 ----	----	9.80B/----	9.80B/9.20A	----	8.70 UNCH	.0557	----	----	----	----	1 UNCH
5250 ----	----	----/*1.80A	1.70B/*1.80A	----	1.80 - 0.10	.0127	----	----	----	----	1 UNCH
5250 ----	----	8.30B/----	8.30B/8.20A	----	7.70 - 0.20	.0492	----	----	----	----	12 UNCH
5275 ----	----	----	507.30B/736.40A	----	597.70 - 21.10	.9889	----	----	----	----	2 UNCH
5285 ----	----	----	1.20B/*1.70A	----	1.50 - 0.10	.0103	----	----	----	----	2 UNCH
5295 ----	----	----	1.20B/*1.60A	----	1.40 - 0.10	.0095	----	----	----	----	100 UNCH
5300 ----	----	----	1.20B/*1.60A	----	1.30 - 0.20	.0089	----	----	----	----	1 UNCH
5300 7.00	7.00	7.00/7.00	7.00/6.90A	----	6.30 - 0.40	.0401	----	----	2	----	0 - 2
5305 ----	----	----	1.10B/*1.60A	----	1.30 - 0.10	.0088	----	----	----	----	1 UNCH
5345 ----	----	----	0.80B/*1.40A	----	1.00 - 0.20	.0066	----	----	----	----	20 UNCH
5350 1.20	1.20	1.20/*1.20	1.20/*1.20	----	1.00 - 0.20	.0066	----	----	1	----	2 + 1
5350 ----	----	----	3.50B/6.20A	----	5.30 - 0.40	.0333	----	----	----	----	2 UNCH
5370 ----	----	----	0.70B/*1.40A	----	0.90 - 0.20	.0058	----	----	----	----	10 UNCH
5380 ----	----	----	0.70B/*1.30A	----	0.90 - 0.10	.0057	----	----	----	----	1 UNCH
5395 1.30	1.30	1.30/*1.10	1.30/*1.10	----	0.80 NEW	.0051	----	----	10	----	10 + 10
5400 ----	----	----	2.60B/5.40A	----	4.20 - 0.50	.0265	----	----	----	----	1 UNCH
5400 0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.80 NEW	.0050	----	----	1	----	1 + 1
5600 ----	----	----	841.70B/1049.30A	----	921.50 - 21.10	.9986	----	----	----	----	1 UNCH
5600 ----	----	----	----/*1.00A	----	0.30 - 0.10	.0016	----	----	----	----	1 UNCH
5675 ----	----	----	----/*0.70A	----	0.20 - 0.10	.0010	----	----	----	----	1 UNCH
TOTAL									1193		5245 + 279
MAY26											
4720 190.00	190.00	#190.00/*190.00	#190.00/*148.50A	----	175.40 NEW	.4859	----	----	1	----	1 + 1
4950 79.00	79.00	#88.00B/*79.00	#88.00B/*75.60A	----	89.70 NEW	.3050	----	----	1	----	1 + 1
TOTAL									2		2 + 2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT	MICRO GOLD WEEKLY FRI OPTION WEEK3										
APR26											
4250 ----	----	----	----	----	29.90 - 31.30	.1279	----	----	----	----	1 UNCH
TOTAL											1 0

SILVER OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU	SILVER WEEKLY THURSDAY OPTION Week3										
APR26											
5000 0.176	0.176	0.176/*0.176	0.176/*0.176	----	0.103 NEW	.0152	----	----	1	----	1 + 1
5300 ----	----	----	----/0.155A	----	0.002 - 0.047	.0000	----	----	----	----	3 UNCH
5600 0.187	0.187	0.187/*0.187	0.187/*0.187	----	0.198 NEW	.0300	----	----	1	----	1 + 1
5700 ----	----	----	0.001B/*0.132A	----	0.005 - 0.085	.0002	----	----	----	----	3 UNCH
5800 0.250	0.250	0.250/*0.250	0.250/*0.250	----	0.264 - 0.162	.0412	----	----	1	----	0 - 1
6000 ----	----	----/*0.354A	0.352B/*0.354A	----	0.352 - 0.249	.0564	----	----	----	----	1 UNCH
6000 0.043	0.043	0.043/*0.043	0.043/*0.043	----	0.011 - 0.149	.0008	----	----	1	----	3 + 1
6000 ----	----	----/*0.700A	0.858B/*0.700A	----	0.553 - 0.687	.0804	----	----	----	----	1 UNCH
6200 0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.018 - 0.225	.0018	----	----	1	----	3 + 1
6300 ----	----	----/*0.186A	0.085B/*0.186A	----	0.025 - 0.279	.0030	----	----	----	----	2 UNCH
6500 ----	----	----/*1.301A	2.046B/*1.301A	----	1.107 - 1.384	.1578	----	----	----	----	1 UNCH
6500 0.120	0.120	0.120/*0.120	0.301B/*0.120	----	0.048 - 0.446	.0075	----	----	1	----	6 - 1
6600 ----	----	----/*0.236A	0.461B/*0.236A	----	0.070 - 0.569	.0126	----	----	----	----	4 UNCH
6645 ----	----	----/*0.232A	0.548B/*0.232A	----	0.084 - 0.635	.0160	----	----	----	----	1 UNCH
6650 ----	----	----/*0.231A	0.559B/*0.231A	----	0.085 - 0.643	.0163	----	----	----	----	1 UNCH
6675 ----	----	----/*0.239A	0.608B/*0.239A	----	0.094 - 0.684	.0186	----	----	----	----	1 UNCH
6700 0.288	0.288	0.288/*0.254A	0.726B/*0.254A	----	0.104 - 0.727	.0212	----	----	1	----	4 + 1
6800 0.400	0.400	0.400/*0.264A	1.016B/*0.264A	----	0.157 NEW	.0357	----	----	1	----	1 + 1
6800 ----	----	----	2.194B/5.789A	----	8.084 + 3.242	.8056	----	----	----	----	50 UNCH
6850 ----	----	----/*0.363A	1.188B/*0.363A	----	0.193 - 1.046	.0461	----	----	----	----	2 UNCH
6900 ----	----	----	0.769B/4.334A	----	6.156 + 3.175	.9406	----	----	5	----	1 - 4
6955 ----	----	1.635B/*0.480A	1.635B/*0.480A	----	0.299 - 1.330	.0775	----	----	----	----	35 UNCH
6985 ----	----	----/*0.500A	1.655B/*0.500A	----	0.331 - 1.427	.0878	----	----	----	----	5 UNCH
6995 ----	----	----/*0.526A	1.638B/*0.526A	----	0.343 - 1.460	.0917	----	----	----	----	2 UNCH
7000 4.000	4.000	4.003/2.074A	4.003/2.074A	----	5.267 + 2.873	.9063	----	----	4	----	2 - 3
7000 ----	----	----/5.209A	4.584B/5.209A	----	7.809 + 2.399	.6867	----	----	----	----	1 UNCH
7000 ----	----	----/*1.544A	3.079B/*1.544A	----	1.593 - 1.492	.2593	----	----	----	----	1 UNCH
7000 0.850	0.850	0.850/*0.300	1.699B/*0.300	----	0.349 - 1.477	.0936	----	----	9	----	28 + 6
7010 ----	----	----/2.045A	1.403B/2.045A	----	5.179 + 2.838	.9024	----	----	1	----	5 + 1
7020 ----	----	----/1.998A	1.478B/1.998A	----	5.091 + 2.803	.8984	----	----	1	----	1 UNCH
7025 ----	----	----/*1.638A	3.027B/*1.638A	----	1.656 - 1.544	.2686	----	----	----	----	1 UNCH
7030 ----	----	----/1.977A	1.483B/1.977A	----	5.004 + 2.768	.8942	----	----	----	----	4 UNCH
7045 ----	----	----/1.887A	1.469B/1.887A	----	4.875 + 2.716	.8876	----	----	----	----	4 UNCH
7100 5.000	5.000	#5.000/1.625A	#5.000/1.625A	----	4.407 + 2.511	.8602	----	----	1	----	2 UNCH
7100 1.170	1.170	1.170/*0.649A	1.688B/*0.649A	----	0.489 - 1.838	.1397	----	----	3	----	2 + 1
7100 ----	----	4.672B/2.896A	4.672B/2.896A	----	5.773 + 2.637	.7023	----	----	----	----	0 UNCH
7120 ----	----	2.418B/1.595A	2.418B/1.595A	----	4.241 + 2.434	.8489	----	----	1	----	1 UNCH
7175 ----	----	2.374B/*1.439A	2.374B/1.439A	----	3.796 + 2.219	.8142	----	----	----	----	1 UNCH
7200 ----	----	2.357B/*1.295A	2.357B/1.295A	----	3.601 + 2.120	.7965	----	----	2	----	2 - 2
7200 0.700	0.700	0.700/*0.600	1.633B/*0.600	----	0.682 NEW	.2034	----	----	5	----	5 + 5
7250 1.200	1.200	1.340/*0.750	1.598B/*0.750	----	0.804 NEW	.2426	----	----	22	----	21 + 21
7250 1.650	1.650	2.342B/*1.195A	2.342B/*1.195A	----	3.222 NEW	.7573	----	----	2	----	1 + 1
7260 ----	----	2.438B/*1.146A	2.438B/*1.146A	----	3.149 + 1.881	.7490	----	----	----	----	1 UNCH
7300 2.000	2.000	2.384B/1.018A	2.384B/1.018A	----	2.864 + 1.724	.7133	----	----	2	----	4 UNCH
7300 1.200	1.200	1.200/*0.900	1.540B/*0.900	----	0.945 NEW	.2866	----	----	2	----	2 + 2
7350 ----	----	2.194B/*0.958A	2.194B/*0.958A	----	2.527 + 1.534	.6647	----	----	----	----	1 UNCH
7400 1.355	1.355	1.355/*1.355	1.566B/*1.355	----	1.296 NEW	.3877	----	----	1	----	1 + 1
7400 1.100	1.100	1.854B/*0.816A	1.854B/*0.816A	----	2.215 + 1.354	.6122	----	----	2	----	5 + 2
7400 ----	----	3.262B/1.826A	3.262B/1.826A	----	3.828 + 1.926	.5670	----	----	----	----	2 UNCH
7475 ----	----	1.394B/----	1.394B/*0.737A	----	1.795 + 1.107	.5285	----	----	----	----	1 UNCH
7500 ----	----	----/1.650A	2.230B/1.650A	----	1.750 - 3.317	.4999	----	----	1	----	1 + 1
7500 1.900	1.900	1.900/1.900	1.900/0.661A	----	1.669 + 1.031	.5000	----	----	2	----	11 UNCH
7550 0.850	0.850	1.375B/0.850	1.375B/*0.652A	----	1.436 NEW	.4432	----	----	2	----	0 UNCH
7600 ----	----	3.629B/2.253A	3.629B/2.253A	----	3.715 + 1.111	.4853	----	----	----	----	2 UNCH
7600 ----	----	1.172B/----	1.172B/*0.536A	----	1.231 + 0.764	.3881	----	----	----	----	1 UNCH
7675 0.988	0.988	0.988/0.988	0.988/*0.514A	----	0.971 NEW	.3113	----	----	10	----	10 + 10
7700 ----	----	#6.857B/3.311A	6.857B/3.311A	----	2.978 - 3.797	.7121	----	----	----	----	1 UNCH
7700 ----	----	0.783B/----	0.783B/*0.459A	----	0.897 + 0.551	.2878	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week1										
APR26												
7775	----	----	0.539B/----	0.539B/*0.423A	----	0.708 +	0.426 .2251	----	----	----	----	1 UNCH
7800	----	----	1.729B/----	1.729B/1.035A	----	1.951 +	1.026 .3646	----	----	----	----	3 UNCH
7800	0.550	0.550	0.700/0.550	0.700/0.378A	----	0.655 +	0.391 .2068	----	----	3	----	4 + 3
7975	0.342	0.342	0.342/0.342	0.342/0.272A	----	0.387	NEW .1120	----	----	7	----	7 + 7
8000	0.380	0.380	0.380/0.380	0.380/0.200A	----	0.360 +	0.187 .1024	----	----	8	----	10 + 6
8000	----	----	1.115B/----	1.115B/0.788A	----	1.329 +	0.676 .2724	----	----	----	----	4 UNCH
8000	----	----	----/8.136A	6.981B/8.136A	----	5.440 -	4.162 .8975	----	----	----	----	5 UNCH
8200	0.070	0.070	0.202/*0.070	0.202/*0.070	----	0.178	NEW .0440	----	----	2	----	0 UNCH
8250	----	----	----	----/46.118A	----	9.197 -	3.832 .7376	----	----	----	----	4 UNCH
8275	----	----	----	----/46.678A	----	9.393 -	3.847 .7446	----	----	----	----	4 UNCH
8500	----	----	----	0.002B/*0.101A	----	0.056 +	0.015 .0102	----	----	----	----	1 UNCH
8600	----	----	----	0.233B/0.408A	----	0.407 +	0.106 .0965	----	----	----	----	1 UNCH
8625	0.080	0.080	0.080/*0.070	0.080/*0.070	----	0.035	NEW .0054	----	----	6	----	6 + 6
8700	----	----	----	0.001B/*0.154A	----	0.027 +	0.003 .0038	----	----	----	----	1 UNCH
8750	----	----	----	----	----	12.602 -	4.347 .9969	----	----	----	----	20 UNCH
8775	----	----	----	----	----	12.850 -	4.348 .9972	----	----	----	----	10 UNCH
8800	0.031	0.031	0.031/*0.031	0.031/*0.031	----	0.019	UNCH .0023	----	----	1	----	1 + 1
TOTAL										113	0	342 + 69
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK5										
MAR26												
6300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6575	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6650	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6760	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	2.569	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6805	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6830	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6875	----	----	----	----	----	1.819	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	1.569	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6935	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.569	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7040	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7045	----	----	----	----	----	0.119	UNCH ----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	0.069	UNCH ----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7070	----	----	----	----	----	0.131	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.431	UNCH ----	----	----	----	----	0 UNCH
7125	----	----	----	----	----	0.681	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7380	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
TOTAL											0	0 0
APR26												
4400	----	----	----	----/0.168A	----	0.013 -	0.028 .0014	----	----	----	----	1 UNCH
5500	----	----	----	0.002B/*0.162A	----	0.050 -	0.107 .0081	----	----	----	----	5 UNCH
5800	----	----	----/*0.189A	0.032B/*0.189A	----	0.076 -	0.163 .0139	----	----	----	----	1 UNCH
6000	----	----	----/*0.214A	0.169B/*0.214A	----	0.104 -	0.224 .0204	----	----	----	----	8 UNCH
6100	----	----	----/*0.232A	0.239B/*0.232A	----	0.124	NEW .0252	----	----	1	----	1 + 1
6550	----	----	----/*0.350A	0.796B/*0.350A	----	0.280 -	0.644 .0654	----	----	----	----	3 UNCH
6600	0.325	0.325	0.325/*0.325	0.925B/*0.325	----	0.310	NEW .0733	----	----	1	----	1 + 1
6700	----	----	----/*0.394A	1.205B/*0.394A	----	0.383 -	0.874 .0923	----	----	----	----	1 UNCH
6725	----	----	----/*0.420A	1.254B/*0.420A	----	0.405 -	0.918 .0979	----	----	----	----	4 UNCH
6795	----	----	----/*0.496A	1.478B/*0.496A	----	0.474 -	1.052 .1155	----	----	----	----	3 UNCH
6815	----	----	----/*0.513A	1.534B/*0.513A	----	0.497 -	1.092 .1212	----	----	----	----	4 UNCH
6825	----	----	----/*0.533A	1.570B/*0.533A	----	0.508 -	1.114 .1240	----	----	----	----	8 UNCH
6845	----	----	----/*0.551A	1.662B/*0.551A	----	0.533 -	1.156 .1301	----	----	----	----	4 UNCH
6860	0.898	0.898	0.898/*0.564A	1.708B/*0.564A	----	0.552	NEW .1348	----	----	3	----	3 + 3
6870	----	----	1.786B/*0.580A	1.786B/*0.580A	----	0.565 -	1.211 .1380	----	----	----	----	4 UNCH
6900	----	----	----	2.539B/3.723A	----	6.523 +	3.070 .8517	----	----	1	----	1 UNCH
6900	----	----	1.964B/*0.616A	1.964B/*0.616A	----	0.607 -	1.278 .1482	----	----	----	----	4 UNCH
6910	----	----	1.932B/*0.627A	1.932B/*0.627A	----	0.622 -	1.301 .1518	----	----	----	----	4 UNCH
6915	----	----	1.984B/*0.635A	1.984B/*0.635A	----	0.630 -	1.312 .1537	----	----	----	----	4 UNCH
6920	----	----	2.007B/*0.642A	2.007B/*0.642A	----	0.637 -	1.325 .1554	----	----	----	----	4 UNCH
6925	----	----	2.030B/*0.649A	2.030B/*0.649A	----	0.645 -	1.336 .1573	----	----	----	----	4 UNCH
6935	----	----	2.077B/*0.659A	2.077B/*0.659A	----	0.661 -	1.360 .1611	----	----	----	----	4 UNCH
6950	----	----	2.148B/*0.683A	2.148B/*0.683A	----	0.685 -	1.396 .1668	----	----	----	----	20 UNCH
6960	----	----	2.196B/*0.701A	2.196B/*0.701A	----	0.702 -	1.420 .1707	----	----	----	----	4 UNCH
6990	----	----	2.259B/*0.748A	2.259B/*0.748A	----	0.755 -	1.495 .1831	----	----	----	----	11 UNCH
6995	----	----	----/*0.755A	2.227B/*0.755A	----	0.764 -	1.508 .1852	----	----	----	----	4 UNCH
7000	----	----	----/*0.765A	2.276B/*0.765A	----	0.773	NEW .1873	----	----	1	----	1 + 1
7000	----	----	3.370B/2.542A	3.370B/2.542A	----	5.690 +	2.827 .8126	----	----	----	----	8 UNCH
7050	----	----	----/3.656A	3.213B/3.656A	----	6.278 +	2.172 .7125	----	----	----	----	1 UNCH
7080	----	----	----/*0.919A	2.287B/*0.919A	----	0.938 -	1.732 .2243	----	----	----	----	2 UNCH
7100	----	----	----/*0.958A	2.276B/*0.958A	----	0.984 -	1.787 .2343	----	----	----	----	1 UNCH
7100	----	----	3.350B/2.123A	3.350B/2.123A	----	4.901 +	2.560 .7656	----	----	----	----	1 UNCH
7150	2.300	2.300	#4.500/1.947A	#4.500/1.947A	----	4.525 +	2.419 .7391	----	----	3	----	1 UNCH
7200	----	----	3.424B/1.720A	3.424B/1.720A	----	4.163 +	2.274 .7107	----	----	2	----	4 - 2
7200	----	----	3.504B/2.965A	3.504B/2.965A	----	5.269 +	1.872 .6526	----	----	----	----	0 UNCH
7230	1.706	1.706	#1.706/*1.285A	2.236B/*1.285A	----	1.334	NEW .3070	----	----	4	----	4 + 4
7240	----	----	#3.423B/*1.629A	#3.423B/1.629A	----	3.882 +	2.154 .6867	----	----	----	----	4 UNCH
7300	2.600	2.600	3.102B/1.431A	3.102B/1.431A	----	3.480 +	1.972 .6487	----	----	2	----	2 + 1
7400	----	----	2.451B/*1.124A	2.451B/*1.124A	----	2.860 +	1.668 .5807	----	----	----	----	1 UNCH
7400	----	----	3.640B/2.265A	3.640B/2.265A	----	4.092	NEW .5650	----	----	1	----	1 + 1
7415	1.874	1.874	#1.876/*1.848	2.711B/*1.848	----	2.004	NEW .4298	----	----	12	----	12 + 12
7500	1.450	1.450	2.293B/*0.896A	2.293B/*0.896A	----	2.309	NEW .5085	----	----	6	----	4 + 4
7500	----	----	3.112B/1.988A	3.112B/1.988A	----	3.578 +	1.320 .5195	----	----	----	----	0 UNCH
7525	1.643	1.643	2.140B/*0.822A	2.140B/*0.822A	----	2.183	NEW .4901	----	----	4	----	4 + 4
7550	----	----	2.035B/*0.773A	2.035B/*0.773A	----	2.061 +	1.232 .4717	----	----	----	----	3 UNCH
7600	----	----	1.830B/0.688A	1.830B/0.688A	----	1.832 +	1.098 .4349	----	----	----	----	1 UNCH
7625	1.147	1.147	1.691B/*0.647A	1.691B/*0.647A	----	1.724	NEW .4166	----	----	3	----	3 + 3
7700	----	----	1.628B/*0.532A	1.628B/*0.532A	----	1.429 +	0.853 .3629	----	----	----	----	1 UNCH
7750	----	----	1.198B/*0.493A	1.198B/*0.493A	----	1.256 +	0.744 .3286	----	----	----	----	3 UNCH
7800	----	----	1.059B/*0.433A	1.059B/*0.433A	----	1.100 +	0.645 .2959	----	----	----	----	0 UNCH
7825	----	----	1.069B/----	1.069B/*0.434A	----	1.028 +	0.598 .2801	----	----	----	----	1 UNCH
7900	----	----	0.778B/----	0.778B/0.482A	----	0.837 +	0.474 .2360	----	----	----	----	1 UNCH
8000	----	----	0.599B/----	0.599B/*0.401A	----	0.635 +	0.341 .1853	----	----	----	----	1 UNCH
8075	----	----	----	8.566B/11.497A	----	6.344 -	4.086 .8466	----	----	----	----	3 UNCH
8325	----	----	0.285B/----	0.285B/0.271A	----	0.270 +	0.100 .0813	----	----	----	----	10 UNCH
8700	----	----	----	0.025B/*0.224A	----	0.129 +	0.014 .0361	----	----	----	----	2 UNCH
8975	----	----	----	0.003B/0.193A	----	0.093 -	0.005 .0238	----	----	----	----	1 UNCH
9000	----	----	----	0.003B/0.190A	----	0.091 -	0.006 .0230	----	----	----	----	136 UNCH
TOTAL										44	0	332 + 33
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	37.607B/----	37.607B/35.234A	----	37.447 +	4.323 .9922	----	----	----	----	1 UNCH
3875	----	----	36.544B/----	36.544B/33.632A	----	36.209 +	4.316 .9907	----	----	----	----	50 UNCH
3900	----	----	36.115B/----	36.115B/33.756A	----	35.962 +	4.315 .9904	----	----	----	----	1 UNCH
4000	----	----	35.313B/----	35.313B/32.404A	----	34.974 +	4.308 .9889	----	----	----	----	53 UNCH
4100	----	----	34.317B/----	34.317B/31.425A	----	33.984 +	4.300 .9877	----	----	----	----	50 UNCH
4200	----	----	33.331B/----	33.331B/30.451A	----	32.994 +	4.290 .9864	----	----	----	----	116 UNCH
4400	----	----	31.358B/----	31.358B/28.546A	----	31.017 +	4.265 .9833	----	----	----	----	43 UNCH
4450	----	----	30.656B/----	30.656B/28.300A	----	30.524 +	4.259 .9825	----	----	----	----	2 UNCH
4500	----	----	30.374B/----	30.374B/27.545A	----	30.030 +	4.250 .9815	----	----	----	----	120 UNCH
4550	----	----	29.667B/----	29.667B/27.317A	----	29.538 +	4.243 .9806	----	----	----	----	1 UNCH
4600	----	----	29.394B/----	29.394B/26.600A	----	29.045 +	4.233 .9796	----	----	----	----	43 UNCH
4650	----	----	28.903B/----	28.903B/26.096A	----	28.554 +	4.225 .9785	----	----	----	----	77 UNCH
4675	----	----	28.658B/----	28.658B/25.867A	----	28.308 +	4.219 .9780	----	----	----	----	15 UNCH
4700	----	----	28.196B/----	28.196B/25.947A	----	28.062 +	4.214 .9774	----	----	----	----	2 UNCH
4725	----	----	27.947B/----	27.947B/25.708A	----	27.817 +	4.209 .9767	----	----	----	----	2 UNCH
4750	----	----	27.924B/----	27.924B/25.143A	----	27.571 +	4.203 .9762	----	----	----	----	7 UNCH
4800	----	----	27.436B/----	27.436B/24.662A	----	27.081 +	4.191 .9748	----	----	----	----	7 UNCH
4825	----	----	27.190B/----	27.190B/24.420A	----	26.836 +	4.185 .9741	----	----	----	----	22 UNCH
4850	----	----	26.948B/----	26.948B/24.183A	----	26.592 +	4.179 .9734	----	----	----	----	10 UNCH
4900	----	----	26.463B/----	26.463B/23.742A	----	26.103 +	4.165 .9719	----	----	----	----	14 UNCH
4925	----	----	26.220B/----	26.220B/23.495A	----	25.859 +	4.158 .9711	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
MAY26													
4950	----	----	25.746B/----	25.746B/23.508A	----	25.615	+ 4.150	.9703	----	----	----	----	4 UNCH
5000	----	----	25.490B/----	25.490B/22.727A	----	25.128	+ 4.135	.9686	----	----	----	----	99 UNCH
5025	----	----	25.015B/----	25.015B/22.857A	----	24.885	+ 4.126	.9677	----	----	----	----	3 UNCH
5050	----	----	25.005B/----	25.005B/22.248A	----	24.642	+ 4.118	.9668	----	----	----	----	6 UNCH
5075	----	----	24.764B/----	24.764B/22.005A	----	24.400	+ 4.109	.9658	----	----	----	----	6 UNCH
5100	----	----	24.522B/----	24.522B/21.048A	----	24.158	+ 4.100	.9647	----	----	----	----	9 UNCH
5125	----	----	24.043B/----	24.043B/21.040A	----	23.916	+ 4.090	.9637	----	----	----	----	1 UNCH
5150	----	----	24.038B/----	24.038B/21.063A	----	23.674	+ 4.080	.9626	----	----	----	----	15 UNCH
5200	----	----	23.560B/----	23.560B/20.822A	----	23.192	+ 4.059	.9603	----	----	----	----	11 UNCH
5225	----	----	23.077B/----	23.077B/20.971A	----	22.951	+ 4.048	.9591	----	----	----	----	1 UNCH
5250	----	----	23.079B/----	23.079B/20.351A	----	22.711	+ 4.036	.9578	----	----	----	----	21 UNCH
5275	----	----	22.840B/----	22.840B/20.117A	----	22.471	+ 4.024	.9565	----	----	----	----	6 UNCH
5300	----	----	22.602B/----	22.602B/19.883A	----	22.232	+ 4.013	.9552	----	----	----	----	126 UNCH
5325	----	----	22.363B/----	22.363B/19.650A	----	21.993	+ 4.000	.9538	----	----	----	----	29 UNCH
5350	----	----	22.125B/----	22.125B/19.460A	----	21.754	+ 3.987	.9524	----	----	----	----	25 UNCH
5400	----	----	21.650B/----	21.650B/18.954A	----	21.278	+ 3.960	.9494	----	----	----	----	146 UNCH
5425	----	----	21.414B/----	21.414B/18.725A	----	21.041	+ 3.946	.9477	----	----	----	----	12 UNCH
5450	----	----	21.178B/----	21.178B/18.493A	----	20.804	+ 3.931	.9460	----	----	----	----	50 UNCH
5475	----	----	20.691B/----	20.691B/18.662A	----	20.568	+ 3.916	.9444	----	----	----	----	2 UNCH
5500	----	----	20.703B/----	20.703B/18.035A	----	20.332	+ 3.901	.9426	----	----	----	----	185 UNCH
5525	----	----	20.468B/----	20.468B/17.806A	----	20.097	+ 3.885	.9407	----	----	----	----	35 UNCH
5550	----	----	20.234B/----	20.234B/17.621A	----	19.862	+ 3.868	.9388	----	----	----	----	8 UNCH
5600	----	----	19.777B/----	19.777B/17.130A	----	19.395	+ 3.835	.9349	----	----	----	----	110 UNCH
5625	----	----	19.538B/----	19.538B/16.900A	----	19.162	+ 3.818	.9328	----	----	----	----	8 UNCH
5650	----	----	19.304B/----	19.304B/16.677A	----	18.930	+ 3.800	.9306	----	----	----	----	31 UNCH
5675	----	----	19.074B/----	19.074B/16.454A	----	18.698	+ 3.781	.9284	----	----	----	----	6 UNCH
5700	----	----	18.842B/----	18.842B/16.228A	----	18.467	+ 3.763	.9261	----	----	----	----	9 UNCH
5750	----	----	18.385B/----	18.385B/15.786A	----	18.007	+ 3.724	.9213	----	----	----	----	16 UNCH
5775	----	----	17.898B/----	17.898B/16.050A	----	17.779	+ 3.705	.9187	----	----	----	----	1 UNCH
5800	----	----	17.669B/----	17.669B/15.835A	----	17.551	+ 3.684	.9162	----	----	----	----	1 UNCH
5825	----	----	17.703B/----	17.703B/15.131A	----	17.324	+ 3.664	.9134	----	----	----	----	11 UNCH
5850	----	----	17.213B/----	17.213B/15.402A	----	17.097	+ 3.642	.9107	----	----	----	----	2 UNCH
5900	----	----	17.027B/----	17.027B/14.480A	----	16.647	+ 3.600	.9049	----	----	----	----	124 UNCH
5925	----	----	16.533B/----	16.533B/14.746A	----	16.423	+ 3.577	.9019	----	----	----	----	1 UNCH
5950	----	----	16.583B/----	16.583B/14.055A	----	16.200	+ 3.555	.8988	----	----	----	----	16 UNCH
6000	16.000	16.000	16.142B/16.000	16.142B/13.631A	----	15.757	+ 3.509	.8923	----	----	1	----	253 - 1
6050	----	----	15.418B/----	15.418B/13.693A	----	15.318	+ 3.462	.8855	----	----	----	----	2 UNCH
6075	----	----	15.485B/----	15.485B/13.006A	----	15.100	+ 3.438	.8819	----	----	----	----	122 UNCH
6100	----	----	15.269B/----	15.269B/12.801A	----	14.883	+ 3.413	.8783	----	----	----	----	9 UNCH
6125	----	----	14.763B/----	14.763B/13.082A	----	14.667	+ 3.388	.8745	----	----	----	----	1 UNCH
6150	----	----	14.548B/----	14.548B/12.908A	----	14.453	+ 3.364	.8707	----	----	----	----	3 UNCH
6175	----	----	14.331B/----	14.331B/12.681A	----	14.239	+ 3.338	.8667	----	----	----	----	1 UNCH
6200	----	----	14.411B/----	14.411B/11.995A	----	14.026	+ 3.311	.8627	----	----	----	----	59 UNCH
6225	----	----	14.199B/----	14.199B/11.792A	----	13.815	+ 3.285	.8585	----	----	----	----	69 UNCH
6250	----	----	13.685B/----	13.685B/12.086A	----	13.605	+ 3.259	.8543	----	----	----	----	3 UNCH
6275	----	----	13.475B/----	13.475B/11.895A	----	13.396	+ 3.231	.8500	----	----	----	----	4 UNCH
6300	----	----	13.572B/----	13.572B/11.208A	----	13.189	+ 3.205	.8455	----	----	----	----	24 UNCH
6325	----	----	13.062B/----	13.062B/11.500A	----	12.983	+ 3.177	.8410	----	----	----	----	3 UNCH
6350	----	----	13.164B/----	13.164B/10.825A	----	12.778	+ 3.149	.8363	----	----	4	----	7 UNCH
6375	----	----	12.957B/----	12.957B/10.636A	----	12.574	+ 3.120	.8316	----	----	----	----	48 UNCH
6400	12.856	12.856	12.870/12.856	12.870/10.448A	----	12.372	+ 3.092	.8268	----	----	2	----	63 - 2
6425	----	----	12.553B/----	12.553B/10.262A	----	12.171	+ 3.063	.8218	----	----	----	----	6 UNCH
6450	----	----	12.054B/----	12.054B/10.580A	----	11.972	+ 3.034	.8168	----	----	----	----	4 UNCH
6475	----	----	12.153B/----	12.153B/9.895A	----	11.774	+ 3.004	.8116	----	----	----	----	6 UNCH
6500	9.603	9.603	12.001B/9.603	12.001B/9.601A	----	11.578	+ 2.975	.8064	----	----	16	----	176 - 1
6525	----	----	11.760B/----	11.760B/9.536A	----	11.383	+ 2.944	.8011	----	----	----	----	28 UNCH
6550	----	----	11.565B/----	11.565B/9.359A	----	11.189	+ 2.913	.7956	----	----	----	----	8 UNCH
6575	----	----	11.071B/----	11.071B/9.684A	----	10.998	+ 2.883	.7901	----	----	----	----	3 UNCH
6600	----	----	11.181B/----	11.181B/9.014A	----	10.807	+ 2.852	.7844	----	----	1	----	10 UNCH
6625	----	----	10.991B/----	10.991B/8.841A	----	10.619	+ 2.821	.7787	----	----	----	----	7 UNCH
6650	----	----	10.803B/----	10.803B/8.670A	----	10.432	+ 2.789	.7728	----	----	----	----	6 UNCH
6675	----	----	10.314B/7.222A	10.314B/7.222A	----	10.246	+ 2.757	.7669	----	----	----	----	1 UNCH
6700	10.500	10.500	10.500/7.137A	10.500/7.137A	----	10.062	+ 2.724	.7609	----	----	2	----	173 - 2
6750	----	----	10.066B/6.549A	10.066B/6.549A	----	9.700	+ 2.659	.7486	----	----	3	----	13 UNCH
6800	----	----	9.707B/6.347A	9.707B/6.347A	----	9.345	+ 2.593	.7359	----	----	----	----	56 UNCH
6825	----	----	9.530B/6.290A	9.530B/6.290A	----	9.170	+ 2.560	.7294	----	----	----	----	107 UNCH
6850	----	----	9.015B/5.992A	9.015B/5.992A	----	8.996	+ 2.525	.7229	----	----	----	----	1 UNCH
6875	----	----	8.844B/5.989A	8.844B/5.989A	----	8.825	+ 2.492	.7163	----	----	----	----	1 UNCH
6900	----	----	9.012B/5.763A	9.012B/5.763A	----	8.655	+ 2.457	.7095	----	----	----	----	195 UNCH
6925	----	----	8.843B/5.689A	8.843B/5.689A	----	8.488	+ 2.423	.7027	----	----	----	----	12 UNCH
6950	5.798	5.798	8.327B/5.565A	8.327B/5.565A	----	8.322	+ 2.389	.6959	----	----	2	----	5 + 1
7000	5.533	5.533	8.550/5.367A	8.550/5.367A	----	7.996	+ 2.319	.6819	----	----	7	----	469 UNCH
7025	----	----	8.191B/5.243A	8.191B/5.243A	----	7.837	+ 2.285	.6749	----	----	----	----	11 UNCH
7050	----	----	8.028B/5.130A	8.028B/5.130A	----	7.679	+ 2.250	.6677	----	----	----	----	27 UNCH
7075	----	----	7.864B/5.080A	7.864B/5.080A	----	7.523	+ 2.215	.6605	----	----	----	----	7 UNCH
7100	----	----	7.719B/4.920A	7.719B/4.920A	----	7.369	+ 2.180	.6532	----	----	8	----	64 - 8
7125	----	----	7.561B/4.774A	7.561B/4.774A	----	7.217	+ 2.144	.6459	----	----	----	----	4 UNCH
7150	----	----	7.408B/4.679A	7.408B/4.679A	----	7.068	+ 2.110	.6385	----	----	----	----	2 UNCH
7175	----	----	7.259B/4.607A	7.259B/4.607A	----	6.920	+ 2.075	.6311	----	----	----	----	4 UNCH
7200	5.370	5.370	7.114B/4.448A	7.114B/4.448A	----	6.775	+ 2.040	.6236	----	----	1	----	34 UNCH
7225	6.130	6.130	6.964B/4.371A	6.964B/4.371A	----	6.632	+ 2.005	.6161	----	----	1	----	3 + 1
7250	----	----	6.830B/4.287A	6.830B/4.287A	----	6.491	+ 1.971	.6085	----	----	3	----	51 - 3
7275	----	----	6.714B/4.191A	6.714B/4.191A	----	6.352	+ 1.936	.6009	----	----	----	----	2 UNCH
7300	5.200	5.200	6.575B/4.055A	6.575B/4.055A	----	6.215	+ 1.901	.5933	----	----	5	----	125 + 5
7325	----	----	6.437B/4.044A	6.437B/4.044A	----	6.080	+ 1.866	.5857	----	----	----	----	1 UNCH
7350	5.020	5.020	6.302B/3.931A	6.302B/3.931A	----	5.948	+ 1.832	.5780	----	----	5	----	37 + 5
7375	4.902	4.902	6.168B/3.837A	6.168B/3.837A	----	5.818	+ 1.799	.5703	----	----	5	----	86 + 5
7400	5.208	5.208	6.037B/3.709A	6.037B/3.709A	----	5.690	+ 1.765	.5626	----	----	22	----	23 - 9
7425	4.674	4.674	5.908B/3.670A	5.908B/3.670A	----	5.564	+ 1.731	.5549	----	----	5	----	6 + 5
7450	4.563	4.563	5.781B/3.575A	5.781B/3.575A	----	5.440	+ 1.697	.5472	----	----	5	----	12 + 1
7475	4.453	4.453	5.656/3.489A	5.656/3.489A	----	5.319	+ 1.664	.5395	----	----	6	----	7 + 5
7500	3.388	3.388	5.538B/3.388	5.538B/3.388	----	5.200	+ 1.631	.5318	----	----	30	----	421 + 2
7525	4.744	4.744	5.411B/3.334A	5.411B/3.334A	----	5.083	+ 1.598	.5240	----	----	12	----	11 + 10
7530	4.221	4.221	5.387B/3.320A	5.387B/3.320A	----	5.059	+ 1.591	.5225	----	----	5	----	5 + 4
7535	----	----	5.364B/3.307A	5.364B/3.307A	----	5.036	+ 1.584	.5210	----	----	----	----	2 UNCH
7540	----	----	5.340B/3.291A	5.340B/3.291A	----	5.013	+ 1.578	.5194	----	----	----	----	1 UNCH
7545	----	----	5.316B/3.266A	5.316B/3.266A	----	4.991	+ 1.572	.5179	----	----	----	----	2 UNCH
7550	3.332	3.332	5.292B/3.255A	5.292B/3.255A	----	4.968	+ 1.566	.5164	----	----	2	----	11 + 1
7555	5.269	5.269	5.273/3.244A	5.273/3.244A	----	4.945	+ 1.559	.5148	----	----	2	----	2 + 1
7560	4.522	4.522	5.245B/3.218A	5.245B/3.218A	----	4.922	+ 1.552	.5133	----	----	1	----	0 - 1
7570	----	----	5.198B/3.191A	5.198B/3.191A	----	4.877	+ 1.539	.5102	----	----	----	----	1 UNCH
7575	4.565	4.565	5.175B/3.172A	5.175B/3.172A	----	4.855	+ 1.533	.5087	----	----	1	----	6 + 1
7585	3.223	3.223	5.128B/3.151A	5.128B/3.151A	----	4.811	+ 1.521	.5056	----	----	1	----	2 + 1
7590	4.396	4.396	5.105B/3.123A	5.105B/3.123A	----	4.788	+ 1.514	.5041	----	----	1	----	0 - 1
7595	----	----	5.082B/3.118A	5.082B/3.118A	----	4.766	+ 1.507	.5025	----	----	----	----	2 UNCH
7600	4.248	4.248	5.060B/3.107A	5.060B/3.107A	----	4.744	+ 1.501	.5010	----	----	3	----	83 - 1
7605	4.334	4.334	5.037B/3.043A	5.037B/3.043A	----	4.723	NEW	.4995	----	----	1	----	1 + 1
7610	4.385	4.385	5.014B/3.027A	5.014B/3.027A	----	4.701	NEW	.4980	----	----	1	----	1 + 1
7615	----	----	4.991B/2.989A	4.991B/2.989A	----	4.679	+ 1.482	.4964	----	----	1	----	1 UNCH
7620	4.350	4.350	4.969B/2.981A	4.969B/2.981A	----	4.658	NEW	.4949	----	----	2	----	2 + 2
7625	----	----	4.946B/2.956A	4.946B/2.956A	----	4.636	+ 1.470	.4934	----	----	----	----	7 UNCH
7630	----	----	4.924B/2.958A	4.924B/2.958A	----	4.615	+ 1.464	.4919	----	----	----	----	1 UNCH
7635	4.920	4.920	4.920/2.940A	4.920/2.940A	----	4.593	+ 1.457	.4903	----	----	1	----	2 UNCH
7640	----	----	4.879B/2.903A	4.879B/2.903A	----	4.572	+ 1.451	.4888	----	----	----	----	3 UNCH
7645	----	----	4.857B/2.880A	4.857B/2.880A	----	4.551	+ 1.445	.4873	----	----	----	----	10 UNCH
7650	----	----	4.851B/2.876A	4.851B/2.876A	----	4.530	+ 1.439	.4858	----	----	----	----	21 UNCH
7655	----	----	4.844B/2.859A	4.844B/2.859A	----	4.509	+ 1.433	.4843	----	----	----	----	2 UNCH
7660	----	----	4.821B/2.846A	4.821B/2.846A	----	4.488	+ 1.426	.4828	----	----	----	----	1 UNCH
7665	----	----	4.796B/2.838A	4.796B/2.838A	----	4.467	+ 1.420	.4812	----	----	----	----	10 UNCH
7675	----	----	4.756B/2.808A	4.756B/2.808A	----	4.425	+ 1.407	.4782	----	----	----	----	1 UNCH
7680	----	----	4.734B/2.779A	4.734B/2.779A	----	4.405	NEW	.4767	----	----	1	----	1 + 1
7685	----	----	4.712B/2.769A	4.712B/2.769A	----	4.384	+ 1.395	.4752	----	----	----	----	1 UNCH
7690	----	----	4.690B/2.750A	4.690B/2.750A	----	4.364	NEW	.4737	----	----	1	----	1 + 1
7700	4.000	4.000	4.647B/2.694A	4.647B/2.694A	----	4.323	+ 1.377	.4707	----	----	15	----	200 + 15
7710	3.800	3.800	4.605B/2.666A	4.605B/2.666A	----	4.283	NEW	.4677	----	----	2	----	1 + 1
7725	----	----	4.541B/2.628A	4.541B/2.628A	----	4.223	+ 1.347	.4632	----	----	----	----	1 UNCH
7750	----	----	4.431B/2.613A	4.431B/2.613A	----	4.125	+ 1.317	.4557	----	----	----	----	6 UNCH
7760	----	----	4.393B/2.591A	4.393B/2.591A	----	4.087	+ 1.306	.4528	----	----	----	----	1 UNCH
7775	----	----	4.334B/2.539A	4.334B/2.539A	----	4.029	+ 1.288	.4483	----	----	----	----	1 UNCH
7785	----	----	4.295B/2.478A	4.295B/2.478A	----	3.991	+ 1.276	.4454	----	----	----	----	1 UNCH
7800	3.300	3.300	4.247B/2.435A	4.247B/2.435A	----	3.935	+ 1.259	.4410	----	----	11	----	71 + 5
7805	----	----	4.214B/2.418A	4.214B/2.418A	----	3.917	+ 1.254	.4395	----	----	----	----	1 UNCH
7810	----	----	4.194B/2.406A	4.194B/2.406A	----	3.898	+ 1.247	.4380	----	----	----	----	1 UNCH
7815	----	----	4.174B/2.406A	4.174B/2.406A	----	3.880	+ 1.242	.4366	----	----	----	----	2 UNCH
7825	----	----	4.136B/2.377A	4.136B/2.377A	----	3.843	+ 1.230	.4337	----	----	----	----	1 UNCH
7845	----	----	4.056B/2.330A	4.056B/2.330A	----	3.771	+ 1.208	.4279	----	----	----	----	1 UNCH
7850	----	----	4.031B/2.356A	4.031B/2.356A	----	3.753	+ 1.202	.4264	----	----	----	----	15 UNCH
7855	----	----	4.020B/2.308A	4.020B/2.308A	----	3.735	+ 1.196	.4250	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 51

FINAL

SO CALL — COMEX SILVER OPTIONS

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
7875	----	----	3.954B/2.329A	3.954B/2.329A	----	3.665 + 1.174	.4192	----	----	----	----	43 UNCH
7900	----	----	3.842B/2.208A	3.842B/2.208A	----	3.579 + 1.147	.4121	----	----	23	----	33 + 11
7925	----	----	3.769B/2.164A	3.769B/2.164A	----	3.494 + 1.120	.4050	----	----	----	----	5 UNCH
7940	----	----	3.710B/2.134A	3.710B/2.134A	----	3.445 + 1.104	.4008	----	----	----	----	2 UNCH
7945	----	----	3.698B/2.149A	3.698B/2.149A	----	3.428 + 1.099	.3994	----	----	----	----	1 UNCH
7950	----	----	3.674B/2.107A	3.674B/2.107A	----	3.412 + 1.094	.3980	----	----	----	----	5 UNCH
7980	3.158	3.158	3.570B/2.046A	3.570B/2.046A	----	3.315 + 1.062	.3897	----	----	1	----	3 + 1
7985	----	----	3.553B/2.040A	3.553B/2.040A	----	3.299 + 1.057	.3883	----	----	----	----	4 UNCH
7990	----	----	3.536B/2.025A	3.536B/2.025A	----	3.284 + 1.052	.3870	----	----	----	----	4 UNCH
7995	----	----	3.521B/2.019A	3.521B/2.019A	----	3.268 + 1.047	.3856	----	----	----	----	19 UNCH
8000	2.300	2.300	3.587/2.007A	3.587/2.007A	----	3.252 + 1.041	.3842	----	----	117	----	1442 - 3
8005	----	----	3.486B/2.011A	3.486B/2.011A	----	3.237 + 1.037	.3828	----	----	----	----	23 UNCH
8010	2.980	2.980	3.469B/1.997A	3.469B/1.997A	----	3.221 + 1.031	.3815	----	----	2	----	32 + 2
8015	----	----	3.454B/1.985A	3.454B/1.985A	----	3.206 + 1.027	.3801	----	----	----	----	22 UNCH
8020	----	----	3.435B/1.984A	3.435B/1.984A	----	3.191 + 1.022	.3788	----	----	----	----	13 UNCH
8025	----	----	3.417B/1.973A	3.417B/1.973A	----	3.175 + 1.016	.3774	----	----	----	----	13 UNCH
8030	----	----	3.405B/1.958A	3.405B/1.958A	----	3.160 + 1.012	.3761	----	----	----	----	3 UNCH
8035	----	----	3.388B/1.948A	3.388B/1.948A	----	3.145 + 1.007	.3747	----	----	----	----	1 UNCH
8040	----	----	3.378B/1.939A	3.378B/1.939A	----	3.130 + 1.002	.3734	----	----	----	----	1 UNCH
8050	----	----	3.333B/1.911A	3.333B/1.911A	----	3.100 + 0.992	.3707	----	----	----	----	9 UNCH
8065	----	----	3.287B/1.904A	3.287B/1.904A	----	3.056 + 0.978	.3667	----	----	----	----	5 UNCH
8070	----	----	3.273B/1.895A	3.273B/1.895A	----	3.041 + 0.972	.3654	----	----	----	----	1 UNCH
8075	----	----	3.255B/1.896A	3.255B/1.896A	----	3.026 + 0.967	.3640	----	----	----	----	5 UNCH
8080	----	----	3.245B/1.865A	3.245B/1.865A	----	3.012 + 0.963	.3627	----	----	----	----	1 UNCH
8090	----	----	3.217B/1.843A	3.217B/1.843A	----	2.983 + 0.953	.3601	----	----	----	----	20 UNCH
8095	----	----	3.202B/1.830A	3.202B/1.830A	----	2.969 + 0.949	.3588	----	----	----	----	15 UNCH
8100	2.719	2.719	3.176B/1.823A	3.176B/1.823A	----	2.954 + 0.943	.3575	----	----	6	----	238 + 2
8105	2.710	2.710	3.172B/1.817A	3.172B/1.817A	----	2.940 + 0.939	.3562	----	----	1	----	6 - 1
8110	----	----	3.160B/1.805A	3.160B/1.805A	----	2.926 + 0.934	.3549	----	----	----	----	2 UNCH
8115	----	----	3.144B/1.799A	3.144B/1.799A	----	2.912 + 0.929	.3536	----	----	----	----	2 UNCH
8125	----	----	3.115B/1.785A	3.115B/1.785A	----	2.884 + 0.920	.3510	----	----	----	----	3 UNCH
8150	----	----	3.022B/1.755A	3.022B/1.755A	----	2.816 + 0.898	.3446	----	----	----	----	12 UNCH
8175	----	----	2.953B/1.696A	2.953B/1.696A	----	2.749 + 0.875	.3383	----	----	----	----	15 UNCH
8200	2.859	2.859	2.880B/1.662A	2.880B/1.662A	----	2.683 + 0.852	.3320	----	----	1	----	75 UNCH
8210	----	----	2.873B/1.643A	2.873B/1.643A	----	2.657 + 0.843	.3295	----	----	----	----	4 UNCH
8225	----	----	2.819B/1.644A	2.819B/1.644A	----	2.619 + 0.830	.3258	----	----	----	----	4 UNCH
8230	----	----	2.802B/1.612A	2.802B/1.612A	----	2.607 + 0.827	.3246	----	----	----	----	1 UNCH
8235	----	----	2.784B/1.630A	2.784B/1.630A	----	2.594 + 0.822	.3234	----	----	----	----	1 UNCH
8240	----	----	2.771B/1.624A	2.771B/1.624A	----	2.582 + 0.818	.3222	----	----	----	----	1 UNCH
8250	----	----	2.742B/1.608A	2.742B/1.608A	----	2.557 + 0.809	.3198	----	----	11	----	94 + 3
8255	----	----	2.733B/1.597A	2.733B/1.597A	----	2.545 + 0.805	.3186	----	----	----	----	3 UNCH
8265	----	----	2.717B/1.561A	2.717B/1.561A	----	2.520 + 0.797	.3161	----	----	----	----	1 UNCH
8270	----	----	2.694B/1.579A	2.694B/1.579A	----	2.508 + 0.792	.3150	----	----	----	----	6 UNCH
8275	----	----	2.678B/1.548A	2.678B/1.548A	----	2.496 + 0.788	.3138	----	----	----	----	5 UNCH
8280	----	----	2.664B/1.544A	2.664B/1.544A	----	2.484 + 0.784	.3126	----	----	1	----	2 - 1
8290	----	----	2.649B/1.538A	2.649B/1.538A	----	2.460 + 0.776	.3102	----	----	----	----	10 UNCH
8300	2.165	2.165	2.612B/1.512A	2.612B/1.512A	----	2.437 + 0.768	.3079	----	----	16	----	127 - 1
8310	----	----	2.593B/1.500A	2.593B/1.500A	----	2.413 + 0.760	.3055	----	----	----	----	2 UNCH
8325	----	----	2.555B/1.479A	2.555B/1.479A	----	2.379 + 0.748	.3021	----	----	----	----	4 UNCH
8340	----	----	2.515B/1.458A	2.515B/1.458A	----	2.344 + 0.736	.2986	----	----	1	----	29 - 1
8345	----	----	2.507B/1.452A	2.507B/1.452A	----	2.333 + 0.732	.2974	----	----	----	----	16 UNCH
8350	----	----	2.489B/1.448A	2.489B/1.448A	----	2.322 + 0.728	.2963	----	----	----	----	26 UNCH
8360	----	----	2.469B/1.449A	2.469B/1.449A	----	2.300 + 0.721	.2940	----	----	----	----	1 UNCH
8370	----	----	2.445B/1.418A	2.445B/1.418A	----	2.278 + 0.713	.2918	----	----	----	----	1 UNCH
8375	----	----	2.434B/1.420A	2.434B/1.420A	----	2.267 + 0.709	.2907	----	----	----	----	4 UNCH
8400	2.309	2.309	2.372B/1.383A	2.372B/1.383A	----	2.213 + 0.690	.2851	----	----	1	----	30 - 1
8420	----	----	2.335B/1.355A	2.335B/1.355A	----	2.171 + 0.676	.2807	----	----	----	----	3 UNCH
8425	----	----	2.320B/1.368A	2.320B/1.368A	----	2.160 + 0.672	.2796	----	----	----	----	6 UNCH
8435	----	----	2.294B/1.352A	2.294B/1.352A	----	2.140 + 0.665	.2775	----	----	----	----	1 UNCH
8440	----	----	2.290B/1.332A	2.290B/1.332A	----	2.130 + 0.662	.2764	----	----	----	----	1 UNCH
8450	----	----	2.271B/1.323A	2.271B/1.323A	----	2.109 + 0.654	.2742	----	----	1	----	140 + 1
8460	----	----	2.239B/1.310A	2.239B/1.310A	----	2.089 + 0.647	.2721	----	----	----	----	1 UNCH
8465	----	----	2.245B/1.303A	2.245B/1.303A	----	2.079 + 0.643	.2710	----	----	----	----	1 UNCH
8490	----	----	2.174B/1.274A	2.174B/1.274A	----	2.030 + 0.626	.2658	----	----	----	----	2 UNCH
8500	1.550	1.550	2.200/1.265A	2.200/1.265A	----	2.010 + 0.619	.2637	----	----	83	----	691 + 21
8505	----	----	2.143B/1.258A	2.143B/1.258A	----	2.001 + 0.616	.2627	----	----	----	----	4 UNCH
8510	----	----	2.145B/1.253A	2.145B/1.253A	----	1.991 + 0.612	.2616	----	----	----	----	2 UNCH
8515	----	----	2.125B/1.265A	2.125B/1.265A	----	1.982 + 0.609	.2606	----	----	----	----	1 UNCH
8525	----	----	2.100B/1.241A	2.100B/1.241A	----	1.963 + 0.603	.2586	----	----	1	----	23 + 1
8535	----	----	2.091B/1.224A	2.091B/1.224A	----	1.944 + 0.596	.2565	----	----	----	----	1 UNCH
8540	----	----	2.075B/1.223A	2.075B/1.223A	----	1.935 + 0.593	.2556	----	----	----	----	6 UNCH
8545	----	----	2.071B/1.214A	2.071B/1.214A	----	1.926 + 0.590	.2546	----	----	----	----	2 UNCH
8550	1.682	1.682	2.059B/1.212A	2.059B/1.212A	----	1.916 + 0.585	.2535	----	----	2	----	8 + 2
8565	----	----	2.022B/1.194A	2.022B/1.194A	----	1.889 + 0.576	.2505	----	----	----	----	10 UNCH
8570	----	----	2.013B/1.192A	2.013B/1.192A	----	1.880 + 0.573	.2496	----	----	----	----	4 UNCH
8575	----	----	2.011B/1.190A	2.011B/1.190A	----	1.871 + 0.570	.2486	----	----	----	----	34 UNCH
8590	----	----	1.984B/1.170A	1.984B/1.170A	----	1.845 + 0.561	.2457	----	----	----	----	1 UNCH
8600	----	----	1.963B/1.161A	1.963B/1.161A	----	1.827 + 0.554	.2437	----	----	2	----	251 - 2
8605	----	----	1.953B/1.153A	1.953B/1.153A	----	1.818 + 0.551	.2427	----	----	2	----	3 UNCH
8615	----	----	1.935B/1.145A	1.935B/1.145A	----	1.801 + 0.545	.2408	----	----	----	----	1 UNCH
8620	1.573	1.573	1.930B/1.140A	1.930B/1.140A	----	1.793 NEW	.2399	----	----	2	----	2 + 2
8640	----	----	1.896B/1.128A	1.896B/1.128A	----	1.759 + 0.530	.2361	----	----	----	----	1 UNCH
8650	----	----	1.872B/1.112A	1.872B/1.112A	----	1.742 + 0.524	.2342	----	----	3	----	11 + 3
8660	----	----	1.859B/1.102A	1.859B/1.102A	----	1.726 + 0.518	.2324	----	----	----	----	2 UNCH
8670	----	----	1.838B/1.093A	1.838B/1.093A	----	1.709 + 0.512	.2305	----	----	----	----	1 UNCH
8675	----	----	1.829B/1.089A	1.829B/1.089A	----	1.701 + 0.509	.2296	----	----	----	----	1 UNCH
8695	----	----	1.799B/1.073A	1.799B/1.073A	----	1.669 + 0.498	.2259	----	----	----	----	2 UNCH
8700	----	----	1.773B/1.067A	1.773B/1.067A	----	1.661 + 0.495	.2250	----	----	3	----	75 + 3
8705	----	----	1.784B/1.083A	1.784B/1.083A	----	1.653 + 0.492	.2241	----	----	----	----	16 UNCH
8750	----	----	1.705B/1.026A	1.705B/1.026A	----	1.584 + 0.467	.2162	----	----	1	----	31 UNCH
8775	----	----	1.669B/1.014A	1.669B/1.014A	----	1.547 + 0.454	.2119	----	----	----	----	26 UNCH
8800	1.230	1.230	1.627B/0.994A	1.627B/0.994A	----	1.511 + 0.441	.2077	----	----	6	----	626 UNCH
8850	----	----	1.551B/0.954A	1.551B/0.954A	----	1.442 + 0.416	.1995	----	----	----	----	3 UNCH
8875	----	----	1.519B/0.938A	1.519B/0.938A	----	1.409 + 0.405	.1956	----	----	----	----	3 UNCH
8900	1.500	1.500	1.500/0.921A	1.500/0.921A	----	1.376 + 0.392	.1916	----	----	2	----	116 UNCH
8925	----	----	1.448B/0.903A	1.448B/0.903A	----	1.345 + 0.382	.1879	----	----	----	----	4 UNCH
8950	1.033	1.033	1.411B/0.887A	1.411B/0.887A	----	1.314 + 0.370	.1841	----	----	16	----	48 + 3
8975	----	----	1.379B/0.868A	1.379B/0.868A	----	1.284 + 0.360	.1804	----	----	----	----	24 UNCH
9000	0.810	0.810	1.412/0.801	1.412/0.801	----	1.255 + 0.349	.1769	----	----	61	----	1217 + 12
9025	----	----	1.322B/0.839A	1.322B/0.839A	----	1.227 + 0.340	.1734	----	----	----	----	6 UNCH
9050	----	----	1.292B/0.821A	1.292B/0.821A	----	1.199 + 0.329	.1699	----	----	----	----	17 UNCH
9075	----	----	1.262B/0.802A	1.262B/0.802A	----	1.172 + 0.320	.1665	----	----	----	----	6 UNCH
9100	----	----	1.230B/0.787A	1.230B/0.787A	----	1.146 + 0.311	.1632	----	----	----	----	83 UNCH
9125	----	----	1.205B/0.783A	1.205B/0.783A	----	1.120 + 0.301	.1600	----	----	----	----	5 UNCH
9150	0.870	0.870	1.181B/0.767A	1.181B/0.767A	----	1.096 + 0.293	.1569	----	----	1	----	24 + 1
9175	----	----	1.152B/0.759A	1.152B/0.759A	----	1.072 + 0.285	.1538	----	----	1	----	8 UNCH
9200	----	----	1.128B/0.761A	1.128B/0.761A	----	1.048 + 0.276	.1507	----	----	2	----	156 - 1
9225	----	----	1.106B/0.724A	1.106B/0.724A	----	1.025 + 0.268	.1478	----	----	----	----	15 UNCH
9250	0.937	0.937	1.080B/0.708A	1.080B/0.708A	----	1.003 + 0.260	.1449	----	----	20	----	68 - 14
9275	1.053	1.053	1.056B/0.694A	1.056B/0.694A	----	0.982 + 0.253	.1421	----	----	1	----	29 + 1
9300	----	----	1.035B/0.687A	1.035B/0.687A	----	0.961 + 0.246	.1393	----	----	1	----	196 UNCH
9325	----	----	1.008B/0.677A	1.008B/0.677A	----	0.940 + 0.238	.1366	----	----	----	----	5 UNCH
9350	----	----	0.988B/----	0.988B/0.690A	----	0.921 + 0.232	.1340	----	----	----	----	30 UNCH
9375	----	----	0.966B/----	0.966B/0.680A	----	0.901 + 0.225	.1314	----	----	----	----	12 UNCH
9400	----	----	0.937B/----	0.937B/0.664A	----	0.883 + 0.219	.1289	----	----	----	----	40 UNCH
9425	----	----	0.919B/----	0.919B/0.656A	----	0.864 + 0.212	.1264	----	----	----	----	8 UNCH
9450	----	----	0.904B/----	0.904B/0.644A	----	0.847 + 0.207	.1241	----	----	----	----	16 UNCH
9475	----	----	0.884B/----	0.884B/0.635A	----	0.830 + 0.201	.1218	----	----	----	----	3 UNCH
9500	0.687	0.687	0.875/0.637	0.875/0.629A	----	0.813 + 0.195	.1195	----	----	24	----	849 - 19
9525	----	----	0.846B/----	0.846B/0.615A	----	0.797 + 0.190	.1172	----	----	----	----	23 UNCH
9550	----	----	0.826B/----	0.826B/0.606A	----	0.781 + 0.184	.1150	----	----	----	----	32 UNCH
9575	----	----	0.812B/----	0.812B/0.598A	----	0.766 + 0.180	.1130	----	----	----	----	4 UNCH
9600	----	----	0.795B/----	0.795B/0.587A	----	0.751 + 0.175	.1109	----	----	1	----	125 - 1
9625	----	----	0.776B/----	0.776B/0.592A	----	0.736 + 0.170	.1088	----	----	----	----	6 UNCH
9650	----	----	0.762B/----	0.762B/0.574A	----	0.722 + 0.165	.1068	----	----	----	----	14 UNCH
9675	----	----	0.744B/----	0.744B/0.573A	----	0.708 + 0.161	.1049	----	----	----	----	13 UNCH
9700	----	----	0.729B/----	0.729B/0.560A	----	0.695 + 0.157	.1030	----	----	1	----	17 - 1
9725	----	----	0.714B/----	0.714B/0.552A	----	0.682 + 0.153	.1012	----	----	----	----	9 UNCH
9750	0.600	0.600	0.700B/0.540	0.700B/0.540	----	0.669 + 0.149	.0993	----	----	25	----	78 + 25
9775	----	----	0.685B/----	0.685B/0.532A	----	0.656 + 0.144	.0975	----	----	----	----	2 UNCH
9800	----	----	0.672B/----	0.672B/0.522A	----	0.644 + 0.141	.0958	----	----	1	----	101 UNCH
9825	0.540	0.540	0.659B/0.513A	0.659B/0.513A	----	0.632 + 0.137	.0941	----	----	1	----	5 + 1
9850	----	----	0.647B/----	0.647B/0.517A	----	0.621 + 0.135	.0925	----	----	----	----	20 UNCH
9875	----	----	0.634B/----	0.634B/0.510A	----	0.609 + 0.131	.0908	----	----	----	----	11 UNCH
9900	----	----	0.622B/----	0.622B/0.499A	----	0.598 + 0.127	.0892	----	----	2	----	246 + 2
9925	----	----	0.610B/----	0.610B/0.496A	----	0.587 + 0.124	.0876	----	----	----	----	2 UNCH
9950	----	----	0.599B/----	0.599B/0.488A	----	0.577 + 0.122	.0862	----	----	----	----	26 UNCH
9975	----	----	0.588B/----	0.588B/0.481A	----	0.567 + 0.119	.0847	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
MAY26													
10000	0.430	0.430	0.579B/0.430	0.579B/0.430	----	0.557 +	0.116	.0833	----	----	8	----	1050 - 1
10025	----	----	0.568B/----	0.568B/0.466A	----	0.547 +	0.113	.0818	----	----	----	----	2 UNCH
10050	----	----	0.559B/----	0.559B/0.460A	----	0.537 +	0.110	.0804	----	----	----	----	22 UNCH
10075	----	----	0.549B/----	0.549B/0.453A	----	0.528 +	0.108	.0790	----	----	----	----	4 UNCH
10100	----	----	0.540B/----	0.540B/0.445A	----	0.519 +	0.106	.0777	----	----	1	----	78 + 1
10125	----	----	0.530B/----	0.530B/0.440A	----	0.510 +	0.103	.0764	----	----	----	----	1 UNCH
10150	----	----	0.521B/----	0.521B/0.432A	----	0.502 +	0.102	.0752	----	----	----	----	1 UNCH
10175	----	----	0.512B/----	0.512B/0.426A	----	0.493 +	0.099	.0739	----	----	----	----	1 UNCH
10200	----	----	0.504B/----	0.504B/0.420A	----	0.485 +	0.097	.0727	----	----	3	----	34 UNCH
10225	----	----	0.496B/----	0.496B/0.414A	----	0.477 +	0.095	.0715	----	----	----	----	1 UNCH
10250	----	----	0.487B/----	0.487B/0.407A	----	0.469 +	0.093	.0703	----	----	----	----	5 UNCH
10275	----	----	0.479B/----	0.479B/0.403A	----	0.462 +	0.092	.0692	----	----	----	----	4 UNCH
10300	----	----	0.471B/----	0.471B/0.407A	----	0.454 +	0.090	.0681	----	----	1	----	209 + 1
10305	----	----	0.471B/----	0.471B/0.406A	----	0.453 +	0.090	.0679	----	----	----	----	2 UNCH
10325	----	----	0.464B/----	0.464B/0.407A	----	0.447 +	0.088	.0670	----	----	----	----	1 UNCH
10350	----	----	0.456B/----	0.456B/0.403A	----	0.440 +	0.087	.0660	----	----	----	----	3 UNCH
10375	----	----	0.449B/----	0.449B/0.397A	----	0.433 +	0.085	.0649	----	----	----	----	1 UNCH
10400	----	----	0.442B/----	0.442B/0.393A	----	0.427 +	0.084	.0640	----	----	----	----	27 UNCH
10425	----	----	0.434B/----	0.434B/0.389A	----	0.420 +	0.082	.0629	----	----	----	----	19 UNCH
10450	----	----	0.426B/----	0.426B/0.381A	----	0.414 +	0.081	.0620	----	----	----	----	4 UNCH
10480	----	----	0.418B/----	0.418B/0.378A	----	0.406 +	0.079	.0608	----	----	----	----	2 UNCH
10485	----	----	0.416B/----	0.416B/0.377A	----	0.405 +	0.079	.0607	----	----	----	----	2 UNCH
10490	----	----	0.416B/----	0.416B/0.376A	----	0.404 +	0.079	.0605	----	----	----	----	1 UNCH
10500	----	----	0.412B/----	0.412B/0.373A	----	0.402 +	0.079	.0602	----	----	----	200	322 - 114
10515	----	----	0.409B/----	0.409B/*0.368A	----	0.398 +	0.078	.0596	----	----	----	----	7 UNCH
10520	----	----	0.407B/----	0.407B/0.370A	----	0.397 +	0.077	.0594	----	----	----	----	2 UNCH
10550	----	----	0.399B/----	0.399B/0.363A	----	0.390 +	0.076	.0584	----	----	----	----	2 UNCH
10555	----	----	0.399B/----	0.399B/0.363A	----	0.389 +	0.076	.0582	----	----	----	----	1 UNCH
10560	----	----	0.398B/----	0.398B/0.362A	----	0.388 +	0.076	.0580	----	----	----	----	10 UNCH
10570	----	----	0.394B/----	0.394B/*0.360A	----	0.385 +	0.075	.0576	----	----	----	----	1 UNCH
10575	----	----	0.393B/----	0.393B/0.359A	----	0.384 +	0.074	.0575	----	----	----	----	1 UNCH
10580	0.325	0.325	0.392B/0.325	0.392B/0.325	----	0.383 +	0.074	.0573	----	----	1	----	1 UNCH
10595	----	----	0.388B/----	0.388B/*0.356A	----	0.380 +	0.074	.0568	----	----	----	----	2 UNCH
10600	----	----	0.388B/----	0.388B/0.354A	----	0.379 +	0.074	.0567	----	----	----	----	23 UNCH
10605	----	----	0.386B/----	0.386B/0.354A	----	0.378 +	0.074	.0565	----	----	----	----	5 UNCH
10610	----	----	0.385B/----	0.385B/0.353A	----	0.377 +	0.074	.0564	----	----	----	----	1 UNCH
10615	----	----	0.384B/----	0.384B/*0.352A	----	0.376 +	0.073	.0562	----	----	----	----	1 UNCH
10625	----	----	0.382B/----	0.382B/*0.350A	----	0.373 +	0.072	.0558	----	----	----	----	1 UNCH
10630	----	----	0.380B/----	0.380B/*0.349A	----	0.372 +	0.072	.0556	----	----	----	----	1 UNCH
10650	----	----	0.375B/----	0.375B/*0.346A	----	0.368 +	0.071	.0550	----	----	----	----	1 UNCH
10655	----	----	0.374B/----	0.374B/*0.345A	----	0.367 +	0.071	.0548	----	----	----	----	1 UNCH
10670	----	----	0.371B/----	0.371B/*0.344A	----	0.364 +	0.071	.0544	----	----	----	----	1 UNCH
10675	----	----	0.370B/----	0.370B/*0.343A	----	0.363 +	0.070	.0542	----	----	----	----	3 UNCH
10680	----	----	0.369B/----	0.369B/*0.343A	----	0.362 +	0.070	.0541	----	----	----	----	7 UNCH
10685	----	----	0.367B/----	0.367B/*0.342A	----	0.361 +	0.070	.0539	----	----	----	----	1 UNCH
10690	----	----	0.366B/----	0.366B/*0.341A	----	0.360 +	0.070	.0538	----	----	----	----	1 UNCH
10700	----	----	0.363B/----	0.363B/0.342A	----	0.358 +	0.069	.0535	----	----	----	----	119 UNCH
10720	----	----	0.359B/----	0.359B/0.336A	----	0.354 +	0.069	.0528	----	----	----	----	1 UNCH
10725	----	----	0.358B/----	0.358B/*0.339A	----	0.353 +	0.068	.0527	----	----	----	----	3 UNCH
10750	----	----	0.354B/----	0.354B/*0.344A	----	0.348 +	0.067	.0519	----	----	----	----	1 UNCH
10755	----	----	0.352B/----	0.352B/*0.339A	----	0.348 +	0.068	.0519	----	----	----	----	1 UNCH
10760	----	----	0.351B/----	0.351B/0.344A	----	0.347 +	0.068	.0517	----	----	----	----	10 UNCH
10765	----	----	0.350B/----	0.350B/0.344A	----	0.346 +	0.067	.0516	----	----	----	----	10 UNCH
10770	----	----	0.349B/----	0.349B/*0.339A	----	0.345 +	0.067	.0514	----	----	----	----	1 UNCH
10800	----	----	0.343B/----	0.343B/0.327A	----	0.339 +	0.066	.0505	----	----	----	----	21 UNCH
10825	----	----	0.337B/----	0.337B/0.342A	----	0.335 +	0.065	.0499	----	----	----	----	1 UNCH
10835	----	----	0.336B/----	0.336B/0.342A	----	0.333 +	0.065	.0496	----	----	----	----	1 UNCH
10850	----	----	0.332B/----	0.332B/0.349A	----	0.330 +	0.064	.0491	----	----	----	----	12 UNCH
10855	----	----	0.329B/----	0.329B/0.354A	----	0.330 +	0.064	.0491	----	----	----	----	3 UNCH
10875	----	----	0.323B/----	0.323B/0.344A	----	0.326 +	0.063	.0485	----	----	----	----	2 UNCH
10900	----	----	0.320B/----	0.320B/0.340A	----	0.322 +	0.062	.0479	----	----	----	----	40 UNCH
10925	----	----	0.315B/----	0.315B/0.342A	----	0.318 +	0.062	.0472	----	----	----	----	5 UNCH
10950	----	----	0.310B/----	0.310B/0.338A	----	0.314 +	0.061	.0466	----	----	----	----	2 UNCH
10975	----	----	0.306B/----	0.306B/0.334A	----	0.310 +	0.060	.0460	----	----	----	----	9 UNCH
11000	0.290	0.290	0.301B/0.290	0.301B/0.290	----	0.306 +	0.059	.0454	----	----	6	----	696 - 2
11025	----	----	0.296B/----	0.296B/0.321A	----	0.303 +	0.059	.0449	----	----	----	----	5 UNCH
11050	----	----	0.291B/----	0.291B/0.316A	----	0.299 +	0.058	.0442	----	----	----	----	2 UNCH
11075	----	----	0.279B/----	0.279B/0.312A	----	0.295 +	0.057	.0436	----	----	----	----	1 UNCH
11100	0.324	0.324	0.324/0.324	0.324/0.310A	----	0.292 +	0.057	.0431	----	----	2	----	59 UNCH
11125	----	----	0.261B/----	0.261B/*0.301A	----	0.289 +	0.056	.0426	----	----	----	----	3 UNCH
11150	----	----	0.256B/----	0.256B/0.303A	----	0.285 +	0.055	.0420	----	----	----	----	2 UNCH
11200	----	----	0.251B/----	0.251B/0.296A	----	0.279 +	0.054	.0411	----	----	----	----	262 UNCH
11225	0.260	0.260	0.263/*0.257	0.263/*0.257	----	0.276 +	0.054	.0406	----	----	37	----	40 + 16
11240	----	----	0.238B/----	0.238B/*0.290A	----	0.274 +	0.053	.0403	----	----	----	----	2 UNCH
11245	----	----	0.237B/----	0.237B/*0.289A	----	0.273 +	0.053	.0401	----	----	----	----	2 UNCH
11250	----	----	0.238B/----	0.238B/*0.290A	----	0.273 +	0.053	.0401	----	----	----	----	22 UNCH
11255	----	----	0.236B/----	0.236B/*0.289A	----	0.272 +	0.053	.0400	----	----	----	----	1 UNCH
11260	----	----	0.235B/----	0.235B/*0.286A	----	0.271 +	0.052	.0398	----	----	----	----	1 UNCH
11265	----	----	0.237B/----	0.237B/*0.287A	----	0.271 +	0.053	.0398	----	----	----	----	1 UNCH
11275	----	----	0.239B/----	0.239B/0.284A	----	0.269 +	0.052	.0395	----	----	----	----	1 UNCH
11290	----	----	0.236B/----	0.236B/0.284A	----	0.268 +	0.052	.0393	----	----	----	----	1 UNCH
11300	----	----	0.238B/----	0.238B/0.283A	----	0.267 +	0.052	.0392	----	----	----	----	93 UNCH
11305	----	----	0.235B/----	0.235B/0.284A	----	0.266 +	0.051	.0390	----	----	----	----	1 UNCH
11315	----	----	0.228B/----	0.228B/0.281A	----	0.265 +	0.051	.0389	----	----	----	----	1 UNCH
11325	----	----	0.232B/----	0.232B/0.278A	----	0.264 +	0.051	.0387	----	----	----	----	8 UNCH
11335	----	----	0.232B/----	0.232B/0.280A	----	0.262 +	0.050	.0384	----	----	----	----	2 UNCH
11345	----	----	0.224B/----	0.224B/0.279A	----	0.261 +	0.050	.0382	----	----	----	----	1 UNCH
11350	----	----	0.230B/----	0.230B/0.277A	----	0.261 +	0.050	.0382	----	----	----	----	4 UNCH
11365	----	----	0.228B/----	0.228B/0.275A	----	0.259 +	0.050	.0379	----	----	----	----	1 UNCH
11370	0.250	0.250	0.250/*0.250	0.250/*0.249A	----	0.259 +	0.050	.0379	----	----	1	----	2 + 1
11380	----	----	0.226B/----	0.226B/0.274A	----	0.257 +	0.049	.0376	----	----	----	----	3 UNCH
11385	----	----	0.219B/----	0.219B/0.273A	----	0.257 +	0.049	.0376	----	----	----	----	1 UNCH
11400	----	----	0.222B/----	0.222B/0.269A	----	0.255 +	0.049	.0373	----	----	----	----	10 UNCH
11450	----	----	0.216B/----	0.216B/*0.266A	----	0.250 +	0.048	.0365	----	----	----	----	41 UNCH
11455	----	----	0.215B/----	0.215B/*0.265A	----	0.249 +	0.047	.0363	----	----	----	----	1 UNCH
11465	----	----	0.214B/----	0.214B/0.272A	----	0.248 +	0.047	.0362	----	----	----	----	1 UNCH
11475	----	----	0.214B/----	0.214B/*0.270A	----	0.247 +	0.047	.0360	----	----	----	----	1 UNCH
11480	----	----	0.212B/----	0.212B/*0.271A	----	0.247 +	0.047	.0360	----	----	----	----	1 UNCH
11485	----	----	0.211B/----	0.211B/*0.270A	----	0.246 +	0.046	.0359	----	----	----	----	2 UNCH
11500	----	----	0.210B/----	0.210B/0.268A	----	0.245 +	0.046	.0357	----	----	1	----	251 UNCH
11505	----	----	0.209B/----	0.209B/0.265A	----	0.244 +	0.046	.0355	----	----	----	----	2 UNCH
11515	----	----	0.208B/----	0.208B/0.277A	----	0.243 +	0.046	.0354	----	----	----	----	2 UNCH
11525	----	----	0.207B/----	0.207B/0.275A	----	0.242 +	0.045	.0352	----	----	----	----	7 UNCH
11530	----	----	0.206B/----	0.206B/0.275A	----	0.242 +	0.046	.0352	----	----	----	----	10 UNCH
11540	----	----	0.206B/----	0.206B/0.275A	----	0.241 +	0.045	.0350	----	----	----	----	10 UNCH
11550	----	----	0.203B/----	0.203B/0.273A	----	0.240 +	0.045	.0349	----	----	----	----	22 UNCH
11570	----	----	0.201B/----	0.201B/0.271A	----	0.238 +	0.045	.0346	----	----	----	----	1 UNCH
11575	----	----	0.201B/----	0.201B/0.269A	----	0.238 +	0.045	.0345	----	----	----	----	1 UNCH
11595	----	----	0.197B/----	0.197B/0.270A	----	0.236 +	0.044	.0342	----	----	----	----	1 UNCH
11600	----	----	0.199B/----	0.199B/0.269A	----	0.235 +	0.044	.0341	----	----	1	----	43 UNCH
11615	----	----	0.194B/----	0.194B/0.267A	----	0.234 +	0.044	.0339	----	----	----	----	1 UNCH
11625	----	----	0.196B/----	0.196B/0.264A	----	0.233 +	0.043	.0338	----	----	----	----	2 UNCH
11630	----	----	0.193B/----	0.193B/*0.259A	----	0.232 +	0.043	.0336	----	----	----	----	1 UNCH
11640	----	----	0.193B/----	0.193B/*0.258A	----	0.232 +	0.043	.0336	----	----	----	----	1 UNCH
11650	----	----	0.191B/----	0.191B/0.258A	----	0.231 +	0.043	.0334	----	----	----	----	2 UNCH
11665	----	----	0.189B/----	0.189B/*0.254A	----	0.229 +	0.042	.0331	----	----	----	----	1 UNCH
11685	----	----	0.187B/----	0.187B/*0.252A	----	0.228 +	0.042	.0329	----	----	----	----	1 UNCH
11690	----	----	----	0.186B/*0.239A	----	0.227 +	0.041	.0328	----	----	----	----	1 UNCH
11700	----	----	0.188B/----	0.188B/*0.240A	----	0.226 +	0.041	.0326	----	----	----	----	85 UNCH
11705	----	----	0.187B/----	0.187B/*0.242A	----	0.226 +	0.041	.0326	----	----	----	----	1 UNCH
11725	----	----	0.186B/----	0.186B/*0.253A	----	0.224 +	0.041	.0323	----	----	----	----	6 UNCH
11730	----	----	----	0.183B/*0.250A	----	0.224 +	0.041	.0323	----	----	----	----	1 UNCH
11750	----	----	----	0.181B/*0.247A	----	0.222 +	0.040	.0320	----	----	----	----	5 UNCH
11775	----	----	----	0.179B/*0.238A	----	0.220 +	0.040	.0317	----	----	----	----	2 UNCH
11800	----	----	----	0.175B/0.237A	----	0.218 +	0.039	.0313	----	----	----	----	64 UNCH
11825	----	----	----	0.173B/0.240A	----	0.216 +	0.038	.0310	----	----	----	----	2 UNCH
11850	----	----	----	0.171B/*0.225A	----	0.214 +	0.038	.0307	----	----	----	----	3 UNCH
11900	----	----	----	0.167B/0.238A	----	0.210 +	0.036	.0301	----	----	----	----	86 UNCH
11925	----	----	----	0.164B/*0.224A	----	0.208 +	0.036	.0298	----	----	----	----	2 UNCH
11950	----	----	----	0.163B/*0.219A	----	0.207 +	0.036	.0296	----	----	----	----	5 UNCH
11975	----	----	----	0.159B/*0.214A	----	0.205 +	0.035	.0292	----	----	----	----	4 UNCH
12000	0.179	0.179	0.179/0.171	0.179/0.171	----	0.203 +	0.034	.0289	----	----	3	----	843 UNCH
12025	----	----	----	0.155B/*0.198A	----	0.201 +	0.034	.0286	----	----	----	----	1 UNCH
12050	----	----	----	0.153B/*0.198A	----	0.200 +	0.034	.0284	----	----	----	----	1 UNCH
12075	----	----	----	0.150B/*0.204A	----	0.198 +	0.033	.0281	----	----	----	----	1 UNCH
12100	----	----	----	0.148B/*0.205A	----	0.196 +	0.032	.0278	----	----	----	----	17 UNCH
12125	----	----	----	0.147B/*0.220A	----	0.195 +	0.032	.0276	----	----	----	----	1 UNCH
12150	----	----	----	0.145B/0.198A	----	0.193 +	0.031	.0273	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
MAY26														
12175	----	----	----	0.143B/*0.195A	----	0.192	+ 0.031	.0271	----	----	----	----	1	UNCH
12200	----	----	----	0.141B/*0.216A	----	0.190	+ 0.030	.0268	----	----	----	----	4	UNCH
12225	----	----	----	0.138B/*0.214A	----	0.189	+ 0.030	.0266	----	----	----	----	2	UNCH
12250	----	----	----	0.137B/*0.211A	----	0.187	+ 0.029	.0263	----	----	----	----	3	UNCH
12300	----	----	----	0.134B/*0.208A	----	0.184	+ 0.028	.0259	----	----	----	----	140	UNCH
12350	----	----	----	0.130B/*0.210A	----	0.182	+ 0.028	.0255	----	----	----	----	2	UNCH
12375	----	----	----	0.129B/*0.211A	----	0.180	+ 0.027	.0252	----	----	----	----	1	UNCH
12400	----	----	----	0.126B/*0.207A	----	0.179	+ 0.027	.0250	----	----	----	----	12	UNCH
12450	----	----	----	0.124B/*0.198A	----	0.176	+ 0.026	.0246	----	----	----	----	5	UNCH
12500	0.144	0.144	0.144/*0.144	0.144/*0.144	----	0.174	+ 0.026	.0242	----	----	1	----	329	UNCH
12525	----	----	----	0.118B/0.196A	----	0.173	+ 0.026	.0240	----	----	----	----	2	UNCH
12550	----	----	----	0.050B/0.250A	----	0.171	+ 0.025	.0237	----	----	----	----	3	UNCH
12600	----	----	----	0.059B/0.197A	----	0.169	+ 0.024	.0234	----	----	----	----	29	UNCH
12650	----	----	----	0.106B/0.245A	----	0.167	+ 0.024	.0231	----	----	----	----	3	UNCH
12675	----	----	----	0.100B/0.243A	----	0.166	+ 0.024	.0229	----	----	----	----	3	UNCH
12700	----	----	----	0.043B/0.242A	----	0.165	+ 0.023	.0227	----	----	----	----	5	UNCH
12725	----	----	----	0.041B/0.241A	----	0.164	+ 0.023	.0225	----	----	----	----	1	UNCH
12775	----	----	----	0.039B/0.239A	----	0.162	+ 0.023	.0222	----	----	----	----	2	UNCH
12800	----	----	----	0.099B/0.237A	----	0.161	+ 0.023	.0220	----	----	----	----	30	UNCH
12900	----	----	----	0.094B/0.234A	----	0.157	+ 0.022	.0214	----	----	----	----	73	UNCH
13000	0.130	0.130	0.141/0.130	0.141/0.130	----	0.153	+ 0.021	.0207	----	----	28	----	259 -	22
13100	----	----	----	0.026B/0.226A	----	0.150	+ 0.021	.0202	----	----	----	----	3	UNCH
13200	----	----	----	0.024B/0.189A	----	0.147	+ 0.020	.0197	----	----	----	----	44	UNCH
13300	----	----	----	0.019B/0.216A	----	0.144	+ 0.020	.0192	----	----	----	----	3	UNCH
13400	----	----	----	0.007B/0.214A	----	0.141	+ 0.020	.0187	----	----	----	----	3	UNCH
13500	----	----	----	0.005B/0.208A	----	0.139	+ 0.021	.0183	----	----	----	----	64	UNCH
13600	----	----	----	0.005B/0.138A	----	0.136	+ 0.020	.0179	----	----	----	----	19	UNCH
13700	----	----	----	0.005B/0.201A	----	0.134	+ 0.021	.0175	----	----	----	----	76	UNCH
13800	----	----	----	0.005B/0.198A	----	0.132	+ 0.021	.0171	----	----	----	----	39	UNCH
13900	----	----	----	0.005B/0.126A	----	0.130	+ 0.022	.0168	----	----	----	----	4	UNCH
14000	----	----	----	0.005B/0.191A	----	0.128	+ 0.022	.0164	----	----	----	----	400	UNCH
14100	----	----	----	0.005B/*0.117A	----	0.126	+ 0.022	.0161	----	----	----	----	27	UNCH
14200	----	----	----	0.005B/0.182A	----	0.125	+ 0.024	.0159	----	----	----	----	41	UNCH
14300	----	----	----	0.005B/0.180A	----	0.123	+ 0.024	.0155	----	----	----	----	6	UNCH
14400	----	----	----	0.005B/0.176A	----	0.122	+ 0.025	.0153	----	----	----	----	13	UNCH
14500	----	----	----	0.005B/0.171A	----	0.120	+ 0.025	.0150	----	----	----	----	117	UNCH
14600	----	----	----	0.006B/0.172A	----	0.119	+ 0.026	.0148	----	----	----	----	55	UNCH
14700	----	----	----	0.006B/0.169A	----	0.118	+ 0.027	.0146	----	----	----	----	9	UNCH
14800	----	----	----	0.006B/0.164A	----	0.117	+ 0.028	.0144	----	----	----	----	61	UNCH
14900	----	----	----	0.006B/0.162A	----	0.116	+ 0.029	.0142	----	----	----	----	3	UNCH
15000	----	----	----	0.003B/0.100A	----	0.114	+ 0.029	.0139	----	----	----	----	449	UNCH
15100	----	----	----	0.005B/0.157A	----	0.113	+ 0.030	.0137	----	----	----	----	9	UNCH
15200	----	----	----	0.016B/0.154A	----	0.113	+ 0.032	.0136	----	----	----	----	54	UNCH
15300	----	----	----	0.001B/0.152A	----	0.112	+ 0.033	.0134	----	----	----	----	11	UNCH
15500	----	----	----	0.001B/*0.110A	----	0.110	+ 0.034	.0130	----	----	----	----	115	UNCH
15600	----	----	----	0.001B/*0.146A	----	0.109	+ 0.035	.0128	----	----	----	----	1	UNCH
15700	----	----	----	0.001B/*0.144A	----	0.108	+ 0.035	.0127	----	----	----	----	19	UNCH
15800	----	----	----	0.016B/*0.143A	----	0.108	+ 0.037	.0126	----	----	----	----	14	UNCH
15900	----	----	----	0.001B/*0.141A	----	0.107	+ 0.038	.0124	----	----	----	----	14	UNCH
16000	----	----	----	0.001B/0.140A	----	0.106	+ 0.038	.0122	----	----	----	----	721	UNCH
16100	----	----	----	0.001B/*0.139A	----	0.105	+ 0.039	.0121	----	----	----	----	6	UNCH
16200	----	----	----	0.001B/*0.138A	----	0.105	+ 0.040	.0120	----	----	----	----	1	UNCH
16300	----	----	----	0.001B/*0.137A	----	0.104	+ 0.040	.0118	----	----	----	----	1	UNCH
16400	----	----	----	0.001B/*0.136A	----	0.103	+ 0.041	.0117	----	----	----	----	2	UNCH
16500	----	----	----	0.001B/*0.135A	----	0.103	+ 0.042	.0116	----	----	----	----	56	UNCH
16600	----	----	----	0.001B/*0.134A	----	0.102	+ 0.043	.0115	----	----	----	----	3	UNCH
16700	----	----	----	0.001B/*0.133A	----	0.102	+ 0.044	.0114	----	----	----	----	5	UNCH
16800	----	----	----	0.001B/*0.132A	----	0.101	+ 0.044	.0112	----	----	----	----	6	UNCH
16900	----	----	----	0.001B/*0.131A	----	0.100	+ 0.044	.0111	----	----	----	----	67	UNCH
17000	----	----	----	0.001B/*0.131A	----	0.100	+ 0.046	.0110	----	----	----	----	67	UNCH
17100	----	----	----	0.001B/*0.130A	----	0.099	+ 0.046	.0109	----	----	----	----	8	UNCH
17200	----	----	----	0.001B/*0.129A	----	0.099	+ 0.047	.0108	----	----	----	----	6	UNCH
17300	----	----	----	0.010B/*0.129A	----	0.098	+ 0.047	.0107	----	----	----	----	5	UNCH
17400	----	----	----	0.001B/*0.128A	----	0.097	+ 0.047	.0105	----	----	----	----	6	UNCH
17500	----	----	----	0.001B/0.128A	----	0.097	+ 0.048	.0105	----	----	----	----	96	UNCH
17600	----	----	----	0.001B/*0.127A	----	0.096	+ 0.048	.0104	----	----	----	----	7	UNCH
17700	----	----	----	0.001B/*0.127A	----	0.095	+ 0.049	.0102	----	----	----	----	9	UNCH
17800	----	----	----	0.001B/*0.127A	----	0.095	+ 0.050	.0102	----	----	----	----	8	UNCH
17900	----	----	----	0.001B/*0.126A	----	0.094	+ 0.050	.0100	----	----	----	----	3	UNCH
18000	----	----	----	0.001B/0.126A	----	0.093	+ 0.049	.0099	----	----	----	----	54	UNCH
18100	----	----	----	0.001B/*0.125A	----	0.092	+ 0.049	.0098	----	----	----	----	1	UNCH
18200	----	----	----	0.001B/*0.125A	----	0.092	+ 0.050	.0097	----	----	----	----	11	UNCH
18300	----	----	----	0.001B/*0.124A	----	0.091	+ 0.050	.0096	----	----	----	----	5	UNCH
18400	----	----	----	0.001B/*0.124A	----	0.090	+ 0.050	.0095	----	----	----	----	2	UNCH
18500	----	----	----	0.001B/0.124A	----	0.089	+ 0.050	.0093	----	----	----	----	11	UNCH
18700	----	----	----	0.001B/*0.123A	----	0.088	+ 0.051	.0092	----	----	----	----	8	UNCH
18800	----	----	----	0.001B/*0.122A	----	0.087	+ 0.050	.0090	----	----	----	----	6	UNCH
18900	----	----	----	0.001B/*0.121A	----	0.086	+ 0.050	.0089	----	----	----	----	3	UNCH
19000	----	----	0.040B/----	0.040B/*0.120A	----	0.085	+ 0.050	.0088	----	----	----	----	51	UNCH
19100	----	----	----	----/*0.120A	----	0.084	+ 0.050	.0087	----	----	----	----	74	UNCH
19200	----	----	----	----/*0.119A	----	0.083	+ 0.049	.0085	----	----	----	----	130	UNCH
19300	----	----	----	----/*0.118A	----	0.082	+ 0.049	.0084	----	----	----	----	6	UNCH
19400	----	----	----	----/*0.117A	----	0.081	+ 0.049	.0083	----	----	----	----	66	UNCH
19500	----	----	----	----/*0.117A	----	0.080	+ 0.048	.0082	----	----	----	----	96	UNCH
19700	----	----	----	----/*0.115A	----	0.078	+ 0.047	.0079	----	----	----	----	2	UNCH
19800	----	----	----	----/*0.115A	----	0.077	+ 0.047	.0078	----	----	----	----	10	UNCH
19900	----	----	----	----/*0.114A	----	0.076	+ 0.047	.0077	----	----	----	----	11	UNCH
20000	----	----	----	0.025B/0.050A	----	0.075	+ 0.046	.0076	----	----	----	----	392	UNCH
21000	----	----	----	----/0.100A	----	0.063	+ 0.039	.0063	----	----	----	----	15	UNCH
22000	----	----	----	----/*0.120A	----	0.050	+ 0.029	.0050	----	----	----	----	10	UNCH
23000	----	----	----	----/0.133A	----	0.039	+ 0.021	.0039	----	----	----	----	6	UNCH
24000	----	----	----	0.004B/0.135A	----	0.029	+ 0.013	.0029	----	----	----	----	4	UNCH
25000	0.006	0.006	0.008B/0.006	0.008B/0.006	----	0.022	+ 0.007	.0022	----	----	1	----	91 +	1
TOTAL											740	200	22962 -	22
JUN26														
4300	----	----	33.021B/----	33.021B/30.108A	----	32.697	+ 4.235	.9709	----	----	----	----	20	UNCH
4850	----	----	27.773B/----	27.773B/25.097A	----	27.473	+ 4.113	.9470	----	----	----	----	7	UNCH
4900	----	----	27.308B/----	27.308B/24.627A	----	27.010	+ 4.098	.9440	----	----	----	----	9	UNCH
5000	----	----	26.386B/----	26.386B/23.529A	----	26.088	+ 4.061	.9376	----	----	----	----	350	UNCH
5025	----	----	26.144B/----	26.144B/23.496A	----	25.857	+ 4.049	.9360	----	----	----	----	6	UNCH
5050	----	----	25.743B/----	25.743B/23.501A	----	25.627	+ 4.037	.9344	----	----	----	----	1	UNCH
5200	----	----	24.547B/----	24.547B/21.782A	----	24.252	+ 3.953	.9240	----	----	----	----	77	UNCH
5225	----	----	24.134B/----	24.134B/21.970A	----	24.025	+ 3.938	.9222	----	----	----	----	4	UNCH
5275	----	----	23.865B/----	23.865B/21.256A	----	23.572	+ 3.908	.9183	----	----	----	----	7	UNCH
5300	----	----	23.471B/----	23.471B/21.369A	----	23.346	+ 3.892	.9164	----	----	----	----	3	UNCH
5325	----	----	23.220B/----	23.220B/21.159A	----	23.121	+ 3.876	.9144	----	----	----	----	5	UNCH
5350	----	----	23.191B/----	23.191B/20.606A	----	22.896	+ 3.859	.9123	----	----	----	----	7	UNCH
5400	----	----	22.573B/----	22.573B/20.498A	----	22.449	+ 3.826	.9081	----	----	----	----	2	UNCH
5425	----	----	22.522B/----	22.522B/19.962A	----	22.226	+ 3.808	.9059	----	----	----	----	9	UNCH
5500	----	----	21.855B/----	21.855B/19.267A	----	21.562	+ 3.755	.8990	----	----	----	----	341	UNCH
5525	----	----	21.444B/----	21.444B/19.468A	----	21.342	+ 3.737	.8966	----	----	----	----	2	UNCH
5600	----	----	20.985B/----	20.985B/18.493A	----	20.688	+ 3.682	.8892	----	----	----	----	7	UNCH
5625	----	----	20.769B/----	20.769B/18.286A	----	20.471	+ 3.662	.8866	----	----	----	----	11	UNCH
5675	----	----	20.126B/----	20.126B/18.273A	----	20.041	+ 3.624	.8813	----	----	----	----	1	UNCH
5700	----	----	20.128B/----	20.128B/17.674A	----	19.827	+ 3.604	.8785	----	----	----	----	56	UNCH
5725	----	----	19.912B/----	19.912B/17.474A	----	19.614	+ 3.585	.8758	----	----	----	----	10	UNCH
5750	----	----	19.701B/----	19.701B/17.271A	----	19.402	+ 3.565	.8729	----	----	----	----	13	UNCH
5775	----	----	19.275B/----	19.275B/17.457A	----	19.191	+ 3.544	.8700	----	----	----	----	1	UNCH
5800	----	----	19.067B/----	19.067B/17.252A	----	18.981	+ 3.524	.8670	----	----	----	----	2	UNCH
5825	----	----	18.856B/----	18.856B/17.058A	----	18.772	+ 3.504	.8640	----	----	----	----	1	UNCH
5850	----	----	18.862B/----	18.862B/16.482A	----	18.564	+ 3.483	.8609	----	----	----	----	9	UNCH
5900	17.330	17.330	18.186B/17.330	18.186B/16.477A	----	18.150	+ 3.440	.8546	----	----	1	----	4	UNCH
5925	----	----	18.241B/----	18.241B/15.902A	----	17.946	+ 3.420	.8514	----	----	----	----	17	UNCH
6000	----	----	17.632B/----	17.632B/15.333A	----	17.337	+ 3.354	.8413	----	----	----	----	401	UNCH
6025	----	----	17.431B/----	17.431B/15.148A	----	17.137	+ 3.332	.8379	----	----	----	----	7	UNCH
6050	----	----	16.963B/----	16.963B/15.349A	----	16.937	+ 3.309	.8344	----	----	----	----	4	UNCH
6075	----	----	17.031B/----	17.031B/14.775A	----	16.739	+ 3.287	.8308	----	----	----	----	30	UNCH
6100	----	----	16.837B/----	16.837B/14.610A	----	16.542	+ 3.264	.8271	----	----	----	----	16	UNCH
6200	----	----	16.062B/----	16.062B/13.862A	----	15.766	+ 3.171	.8121	----	----	----	----	101	UNCH
6225	----	----	15.577B/----	15.577B/14.094A	----	15.575	+ 3.147	.8082	----	----	----	----	1	UNCH
6250	----	----	15.384B/----	15.384B/13.910A	----	15.386	+ 3.124	.8042	----	----	----	----	4	UNCH
6300	----	----	15.002B/----	15.002B/13.497A	----	15.010	+ 3.075	.7962	----	----	----	----	4	UNCH
6400	----	----	14.569B/----	14.569B/12.504A	----	14.275	+ 2.975	.7794	----	----	----	----	110	UNCH
6425	----	----	14.388B/----	14.388B/12.341A	----	14.095	+ 2.950	.7751	----	----	----	----	25	UNCH
6450	----	----	14.210B/----	14.210B/12.178A	----	13.916	+ 2.924	.7708	----	----	----	----	6	UNCH
6475	----	----	13.704B/----	13.704B/12.488A	----	13.739	+ 2.899	.7664	----	----	----	----	5	UNCH
6500	----	----	13.848B/10.325A	13.848B/10.325A	----	13.563	+ 2.873	.7619	----	----	----	----	11	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
6625	----	----	12.993B/9.629A	12.993B/9.629A	----	12.704 + 2.741	.7390	----	----	----	----	10 UNCH
6650	----	----	10.720B/9.494A	10.720B/9.494A	----	12.537 NEW	.7343	----	----	1	----	1 + 1
6700	----	----	12.138B/9.124A	12.138B/9.124A	----	12.206 + 2.660	.7247	----	----	----	----	1 UNCH
6725	----	----	11.973B/8.993A	11.973B/8.993A	----	12.044 + 2.634	.7199	----	----	----	----	1 UNCH
6750	----	----	11.823B/8.864A	11.823B/8.864A	----	11.882 + 2.606	.7151	----	----	----	----	3 UNCH
6800	----	----	11.848B/8.612A	11.848B/8.612A	----	11.564 + 2.552	.7052	----	----	----	----	6 UNCH
6850	----	----	11.160B/8.366A	11.160B/8.366A	----	11.253 + 2.498	.6953	----	----	----	----	5 UNCH
6900	----	----	11.228B/8.126A	11.228B/8.126A	----	10.947 + 2.443	.6852	----	----	----	----	16 UNCH
6925	----	----	11.074B/8.008A	11.074B/8.008A	----	10.797 + 2.416	.6802	----	----	----	----	9 UNCH
6975	----	----	10.772B/7.777A	10.772B/7.777A	----	10.501 + 2.361	.6699	----	----	----	----	7 UNCH
7000	7.488	7.488	10.635B/7.488	10.635B/7.488	----	10.355 + 2.334	.6648	----	----	16	----	124 - 5
7025	----	----	10.096B/7.553A	10.096B/7.553A	----	10.211 + 2.307	.6596	----	----	----	----	1 UNCH
7050	----	----	9.951B/7.444A	9.951B/7.444A	----	10.068 + 2.279	.6544	----	----	----	----	1 UNCH
7100	----	----	10.064B/7.230A	10.064B/7.230A	----	9.788 + 2.225	.6440	----	----	----	----	54 UNCH
7250	----	----	9.254B/6.621A	9.254B/6.621A	----	8.986 + 2.064	.6125	----	----	----	----	32 UNCH
7275	----	----	8.715B/6.525A	8.715B/6.525A	----	8.858 + 2.037	.6072	----	----	----	----	1 UNCH
7300	----	----	8.649B/6.431A	8.649B/6.431A	----	8.731 + 2.010	.6019	----	----	----	----	3 UNCH
7375	----	----	8.509B/6.161A	8.509B/6.161A	----	8.361 + 1.932	.5860	----	----	----	----	3 UNCH
7400	----	----	8.384B/6.072A	8.384B/6.072A	----	8.241 + 1.907	.5807	----	----	----	----	3 UNCH
7425	----	----	8.350B/5.984A	8.350B/5.984A	----	8.122 + 1.880	.5754	----	----	----	----	11 UNCH
7450	----	----	8.211B/5.897A	8.211B/5.897A	----	8.005 + 1.855	.5701	----	----	1	----	2 + 1
7475	----	----	8.050B/5.810A	8.050B/5.810A	----	7.889 + 1.829	.5649	----	----	----	----	1 UNCH
7500	6.774	6.774	8.040B/5.725A	8.040B/5.725A	----	7.775 + 1.804	.5596	----	----	1	----	133 UNCH
7525	----	----	7.789B/5.640A	7.789B/5.640A	----	7.663 + 1.780	.5543	----	----	----	----	4 UNCH
7550	----	----	7.763B/5.553A	7.763B/5.553A	----	7.552 + 1.755	.5491	----	----	----	----	22 UNCH
7575	----	----	7.593B/5.472A	7.593B/5.472A	----	7.442 + 1.729	.5439	----	----	----	----	1 UNCH
7600	6.359	6.359	7.541B/5.394A	7.541B/5.394A	----	7.335 + 1.706	.5386	----	----	3	----	16 UNCH
7675	----	----	7.231B/5.166A	7.231B/5.166A	----	7.020 + 1.634	.5231	----	----	----	----	2 UNCH
7700	----	----	7.167B/5.090A	7.167B/5.090A	----	6.918 + 1.610	.5179	----	----	----	30	63 + 10
7725	----	----	7.025B/5.017A	7.025B/5.017A	----	6.817 + 1.586	.5128	----	----	----	----	4 UNCH
7750	----	----	6.923B/4.946A	6.923B/4.946A	----	6.718 + 1.563	.5077	----	----	3	----	11 + 2
7775	----	----	6.822B/4.875A	6.822B/4.875A	----	6.621 + 1.541	.5026	----	----	----	----	1 UNCH
7800	----	----	6.733B/4.805A	6.733B/4.805A	----	6.524 + 1.517	.4976	----	----	----	----	14 UNCH
7825	----	----	6.713B/4.736A	6.713B/4.736A	----	6.430 + 1.495	.4925	----	----	----	----	1 UNCH
7850	----	----	6.636B/4.669A	6.636B/4.669A	----	6.336 + 1.472	.4875	----	----	----	----	1 UNCH
7900	----	----	6.444B/4.536A	6.444B/4.536A	----	6.154 + 1.429	.4776	----	----	----	----	66 UNCH
7925	----	----	6.348B/4.472A	6.348B/4.472A	----	6.065 + 1.408	.4727	----	----	----	----	1 UNCH
7950	----	----	6.263B/4.409A	6.263B/4.409A	----	5.977 + 1.386	.4678	----	----	----	----	1 UNCH
7975	----	----	6.174B/4.346A	6.174B/4.346A	----	5.890 + 1.365	.4629	----	----	----	----	2 UNCH
8000	----	----	6.084B/4.284A	6.084B/4.284A	----	5.805 + 1.344	.4581	----	----	3	----	184 UNCH
8025	----	----	5.994B/4.222A	5.994B/4.222A	----	5.721 + 1.323	.4533	----	----	----	----	3 UNCH
8050	----	----	5.912B/4.163A	5.912B/4.163A	----	5.639 + 1.304	.4485	----	----	----	----	57 UNCH
8075	----	----	5.827B/4.104A	5.827B/4.104A	----	5.557 + 1.283	.4438	----	----	----	----	2 UNCH
8100	----	----	5.743B/4.047A	5.743B/4.047A	----	5.477 + 1.263	.4391	----	----	----	----	9 UNCH
8125	----	----	5.657B/3.990A	5.657B/3.990A	----	5.399 + 1.244	.4345	----	----	----	----	2 UNCH
8150	----	----	5.580B/3.934A	5.580B/3.934A	----	5.321 + 1.224	.4298	----	----	----	----	10 UNCH
8200	4.650	4.650	5.423B/3.827A	5.423B/3.827A	----	5.170 + 1.187	.4207	----	----	1	----	4 + 1
8225	----	----	5.345B/3.774A	5.345B/3.774A	----	5.096 + 1.168	.4162	----	----	----	----	2 UNCH
8250	----	----	5.267B/3.722A	5.267B/3.722A	----	5.023 + 1.150	.4117	----	----	----	----	15 UNCH
8275	----	----	5.194B/3.671A	5.194B/3.671A	----	4.952 + 1.132	.4072	----	----	----	----	19 UNCH
8300	----	----	5.115B/3.620A	5.115B/3.620A	----	4.881 + 1.114	.4028	----	----	----	----	85 UNCH
8350	----	----	4.977B/3.519A	4.977B/3.519A	----	4.744 + 1.079	.3941	----	----	----	----	8 UNCH
8375	----	----	4.906B/3.471A	4.906B/3.471A	----	4.677 + 1.062	.3898	----	----	----	----	4 UNCH
8400	----	----	4.837B/3.423A	4.837B/3.423A	----	4.611 + 1.046	.3856	----	----	----	----	7 UNCH
8425	4.700	4.700	4.770B/3.377A	4.770B/3.377A	----	4.546 + 1.029	.3814	----	----	1	----	51 + 1
8450	----	----	4.702B/3.331A	4.702B/3.331A	----	4.483 + 1.013	.3772	----	----	----	----	18 UNCH
8475	----	----	4.636B/3.286A	4.636B/3.286A	----	4.420 + 0.997	.3731	----	----	----	----	6 UNCH
8500	----	----	4.571B/3.200A	4.571B/3.200A	----	4.358 + 0.981	.3690	----	----	11	----	228 + 10
8550	----	----	4.439B/3.155A	4.439B/3.155A	----	4.238 + 0.951	.3610	----	----	1	----	4 UNCH
8575	----	----	4.379B/3.113A	4.379B/3.113A	----	4.179 + 0.935	.3570	----	----	----	----	4 UNCH
8600	3.700	3.700	4.322B/3.071A	4.322B/3.071A	----	4.122 + 0.921	.3531	----	----	5	----	9 + 4
8625	----	----	4.261B/3.030A	4.261B/3.030A	----	4.065 + 0.906	.3492	----	----	----	----	4 UNCH
8650	----	----	4.203B/2.990A	4.203B/2.990A	----	4.009 + 0.892	.3453	----	----	----	----	1 UNCH
8675	----	----	4.139B/2.951A	4.139B/2.951A	----	3.954 + 0.878	.3415	----	----	----	----	5 UNCH
8700	----	----	4.087B/2.913A	4.087B/2.913A	----	3.900 + 0.864	.3378	----	----	----	----	28 UNCH
8725	----	----	4.024B/2.875A	4.024B/2.875A	----	3.847 + 0.850	.3341	----	----	----	----	2 UNCH
8750	----	----	3.977B/2.838A	3.977B/2.838A	----	3.795 + 0.837	.3304	----	----	----	----	13 UNCH
8775	----	----	3.923B/2.801A	3.923B/2.801A	----	3.744 + 0.824	.3267	----	----	----	----	1 UNCH
8800	----	----	3.869B/2.765A	3.869B/2.765A	----	3.693 + 0.811	.3231	----	----	----	----	24 UNCH
8825	----	----	3.812B/2.729A	3.812B/2.729A	----	3.643 + 0.798	.3196	----	----	----	----	2 UNCH
8850	----	----	3.763B/2.694A	3.763B/2.694A	----	3.595 + 0.786	.3161	----	----	----	----	11 UNCH
8875	----	----	3.715B/2.659A	3.715B/2.659A	----	3.547 + 0.774	.3126	----	----	----	----	1 UNCH
8900	----	----	3.662B/2.626A	3.662B/2.626A	----	3.499 + 0.761	.3091	----	----	----	----	12 UNCH
8950	----	----	3.566B/2.558A	3.566B/2.558A	----	3.407 + 0.737	.3024	----	----	----	----	2 UNCH
8975	----	----	3.517B/2.525A	3.517B/2.525A	----	3.362 + 0.726	.2990	----	----	----	----	4 UNCH
9000	3.486	3.486	3.486/2.492A	3.486/2.492A	----	3.318 + 0.715	.2958	----	----	2	----	507 + 1
9025	----	----	3.425B/2.461A	3.425B/2.461A	----	3.275 + 0.704	.2925	----	----	----	----	2 UNCH
9050	----	----	3.381B/2.430A	3.381B/2.430A	----	3.232 + 0.693	.2893	----	----	----	----	12 UNCH
9100	----	----	3.291B/2.369A	3.291B/2.369A	----	3.149 + 0.672	.2830	----	----	1	----	326 UNCH
9125	----	----	3.249B/2.339A	3.249B/2.339A	----	3.108 + 0.662	.2799	----	----	----	----	2 UNCH
9150	----	----	3.205B/2.309A	3.205B/2.309A	----	3.068 + 0.652	.2769	----	----	----	----	100 UNCH
9175	----	----	3.164B/----	3.164B/2.445A	----	3.029 + 0.642	.2738	----	----	----	----	1 UNCH
9200	----	----	3.123B/2.348A	3.123B/2.348A	----	2.990 + 0.632	.2708	----	----	1	----	97 UNCH
9225	2.765	2.765	3.081B/2.268A	3.081B/2.268A	----	2.952 + 0.622	.2679	----	----	3	----	5 + 3
9250	----	----	3.041B/2.243A	3.041B/2.243A	----	2.915 + 0.614	.2650	----	----	1	----	5 + 1
9275	----	----	3.003B/2.207A	3.003B/2.207A	----	2.878 + 0.604	.2621	----	----	----	----	7 UNCH
9300	----	----	2.964B/2.175A	2.964B/2.175A	----	2.842 + 0.595	.2593	----	----	2	----	31 UNCH
9350	2.490	2.490	2.888B/2.149A	2.888B/2.149A	----	2.771 + 0.578	.2537	----	----	5	----	17 + 1
9375	----	----	2.851B/2.126A	2.851B/2.126A	----	2.736 + 0.569	.2509	----	----	----	----	17 UNCH
9400	2.504	2.504	2.816B/2.073A	2.816B/2.073A	----	2.702 + 0.560	.2482	----	----	1	----	21 UNCH
9425	----	----	2.778B/2.085A	2.778B/2.085A	----	2.669 + 0.552	.2456	----	----	----	----	22 UNCH
9450	----	----	2.743B/2.029A	2.743B/2.029A	----	2.636 + 0.544	.2429	----	----	----	----	4 UNCH
9475	----	----	2.710B/2.026A	2.710B/2.026A	----	2.604 + 0.537	.2404	----	----	----	----	17 UNCH
9500	2.405	2.405	2.674B/1.986A	2.674B/1.986A	----	2.572 + 0.529	.2378	----	----	3	----	227 + 1
9525	2.375	2.375	2.641B/1.955A	2.641B/1.955A	----	2.540 NEW	.2352	----	----	1	----	1 + 1
9550	2.346	2.346	2.608B/1.926A	2.608B/1.926A	----	2.509 NEW	.2327	----	----	1	----	1 + 1
9600	2.288	2.288	2.543B/1.904A	2.543B/1.904A	----	2.449 + 0.499	.2278	----	----	1	----	16 - 1
9625	----	----	2.511B/1.864A	2.511B/1.864A	----	2.420 + 0.493	.2254	----	----	----	----	4 UNCH
9650	----	----	2.480B/1.863A	2.480B/1.863A	----	2.391 + 0.486	.2230	----	----	----	----	1 UNCH
9675	----	----	2.450B/1.830A	2.450B/1.830A	----	2.362 + 0.479	.2206	----	----	----	----	2 UNCH
9700	----	----	2.420B/1.817A	2.420B/1.817A	----	2.334 + 0.472	.2183	----	----	----	----	36 UNCH
9750	----	----	2.362B/1.787A	2.362B/1.787A	----	2.279 + 0.459	.2137	----	----	----	----	28 UNCH
9800	2.000	2.000	2.305B/1.738A	2.305B/1.738A	----	2.225 + 0.447	.2092	----	----	1	----	3 - 1
9850	----	----	2.249B/1.715A	2.249B/1.715A	----	2.174 + 0.436	.2049	----	----	----	----	2 UNCH
9875	----	----	2.222B/----	2.222B/1.732A	----	2.148 + 0.429	.2027	----	----	----	----	10 UNCH
9900	----	----	2.197B/----	2.197B/1.708A	----	2.123 + 0.424	.2006	----	----	----	----	12 UNCH
9925	----	----	2.171B/1.664A	2.171B/1.664A	----	2.099 + 0.419	.1985	----	----	----	----	1 UNCH
9950	----	----	2.144B/1.645A	2.144B/1.645A	----	2.074 + 0.413	.1964	----	----	----	----	2 UNCH
9975	----	----	2.120B/----	2.120B/1.654A	----	2.050 + 0.407	.1944	----	----	----	----	4 UNCH
10000	1.940	1.940	2.095B/1.614A	2.095B/1.614A	----	2.027 + 0.403	.1924	----	----	10	----	666 + 3
10025	----	----	2.070B/----	2.070B/1.621A	----	2.004 + 0.398	.1904	----	----	1	----	5 + 1
10050	----	----	2.046B/1.580A	2.046B/1.580A	----	1.981 + 0.393	.1885	----	----	----	----	3 UNCH
10075	1.790	1.790	2.021B/1.561A	2.021B/1.561A	----	1.958 + 0.388	.1865	----	----	5	----	9 + 5
10100	2.000	2.000	2.000/1.541A	2.000/1.541A	----	1.936 + 0.383	.1846	----	----	5	----	18 + 5
10125	1.751	1.751	1.969B/1.528A	1.969B/1.528A	----	1.914 NEW	.1827	----	----	1	----	1 + 1
10175	----	----	1.931B/----	1.931B/1.507A	----	1.870 + 0.369	.1789	----	----	----	----	1 UNCH
10200	----	----	1.909B/1.479A	1.909B/1.479A	----	1.849 + 0.364	.1771	----	----	----	----	9 UNCH
10225	----	----	1.878B/----	1.878B/1.473A	----	1.828 + 0.360	.1753	----	----	----	----	1 UNCH
10300	1.671	1.671	1.817B/1.671	1.817B/1.420A	----	1.767 + 0.347	.1699	----	----	6	----	7 UNCH
10375	----	----	1.752B/----	1.752B/1.379A	----	1.709 + 0.336	.1648	----	----	1	----	2 + 1
10400	----	----	1.732B/----	1.732B/1.372A	----	1.690 + 0.332	.1632	----	----	----	----	4 UNCH
10425	----	----	1.712B/----	1.712B/1.348A	----	1.671 + 0.328	.1615	----	----	----	----	1 UNCH
10450	----	----	1.690B/----	1.690B/1.335A	----	1.653 + 0.325	.1599	----	----	----	----	3 UNCH
10475	----	----	1.671B/----	1.671B/1.338A	----	1.634 + 0.321	.1582	----	----	----	----	2 UNCH
10500	----	----	1.652B/----	1.652B/1.313A	----	1.616 + 0.317	.1566	----	----	2	----	329 - 1
10525	----	----	1.634B/----	1.634B/1.297A	----	1.598 + 0.313	.1550	----	----	----	----	12 UNCH
10550	----	----	1.614B/----	1.614B/1.289A	----	1.581 + 0.310	.1535	----	----	----	----	1 UNCH
10600	----	----	1.580B/----	1.580B/1.257A	----	1.546 + 0.303	.1504	----	----	1	----	38 + 1
10625	----	----	1.563B/----	1.563B/1.251A	----	1.529 + 0.300	.1489	----	----	----	----	1 UNCH
10650	----	----	1.546B/----	1.546B/1.236A	----	1.513 + 0.297	.1474	----	----	----	----	3 UNCH
10675	----	----	1.527B/----	1.527B/1.241A	----	1.496 + 0.293	.1459	----	----	----	----	3 UNCH
10700	----	----	1.512B/----	1.512B/1.217A	----	1.480 + 0.290	.1445	----	----	----	----	9 UNCH
10750	----	----	1.478B/----	1.478B/1.190A	----	1.448 + 0.284	.1416	----	----	----	----	4 UNCH
10800	----	----	1.444B/----	1.444B/1.171A	----	1.418 + 0.279	.1389	----	----	----	----	2 UNCH
10850	----	----	1.415B/----	1.415B/1.144A	----	1.388 + 0.274	.1362	----	----	----	----	12 UNCH
10875	----	----	1.400B/----	1.400B/1.130A	----	1.373 + 0.271	.1348	----	----	----	----	6 UNCH
10900	----	----	1.385B/----	1.385B/1.109A	----	1.358 + 0.267	.1335	----	----	----	----	20 UNCH
10925	----	----	1.371B/----	1.371B/1.100A	----	1.344 + 0.265	.1322	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
JUN26													
10950	----	----	1.356B/----	1.356B/1.092A	----	1.330	+ 0.263	.1309	----	----	----	----	1 UNCH
11000	----	----	1.327B/----	1.327B/1.070A	----	1.303	+ 0.258	.1284	----	----	4	----	493 UNCH
11025	----	----	1.313B/----	1.313B/1.068A	----	1.289	+ 0.255	.1271	----	----	----	----	1 UNCH
11050	----	----	1.299B/----	1.299B/1.051A	----	1.276	+ 0.253	.1259	----	----	----	----	4 UNCH
11075	----	----	1.287B/----	1.287B/1.040A	----	1.263	+ 0.251	.1247	----	----	----	----	5 UNCH
11100	----	----	1.273B/----	1.273B/1.033A	----	1.250	+ 0.249	.1235	----	----	----	----	1 UNCH
11125	----	----	1.259B/----	1.259B/1.028A	----	1.237	+ 0.246	.1223	----	----	----	----	5 UNCH
11175	----	----	1.232B/----	1.232B/1.021A	----	1.212	+ 0.242	.1200	----	----	----	----	2 UNCH
11200	----	----	1.215B/----	1.215B/0.995A	----	1.200	+ 0.240	.1189	----	----	----	----	2 UNCH
11225	----	----	1.206B/----	1.206B/1.004A	----	1.188	+ 0.238	.1178	----	----	----	----	3 UNCH
11300	----	----	1.167B/----	1.167B/1.005A	----	1.152	+ 0.231	.1144	----	----	----	----	2 UNCH
11325	----	----	1.157B/----	1.157B/0.967A	----	1.141	+ 0.229	.1134	----	----	----	----	6 UNCH
11350	----	----	1.145B/----	1.145B/0.959A	----	1.130	+ 0.227	.1123	----	----	----	----	3 UNCH
11375	----	----	1.123B/----	1.123B/0.956A	----	1.119	+ 0.226	.1113	----	----	----	----	1 UNCH
11400	----	----	1.121B/----	1.121B/0.971A	----	1.108	+ 0.224	.1103	----	----	----	----	164 UNCH
11425	----	----	1.111B/----	1.111B/0.933A	----	1.097	+ 0.221	.1092	----	----	----	----	12 UNCH
11450	----	----	1.094B/----	1.094B/0.930A	----	1.086	+ 0.219	.1082	----	----	----	----	13 UNCH
11475	----	----	1.088B/----	1.088B/0.951A	----	1.076	+ 0.218	.1072	----	----	----	----	2 UNCH
11500	----	----	1.077B/----	1.077B/0.933A	----	1.065	+ 0.215	.1062	----	----	----	60	172 + 20
11525	----	----	1.066B/----	1.066B/0.925A	----	1.055	+ 0.214	.1053	----	----	----	----	4 UNCH
11550	----	----	1.054B/----	1.054B/0.916A	----	1.045	+ 0.212	.1043	----	----	----	----	1 UNCH
11625	----	----	1.025B/----	1.025B/0.891A	----	1.015	+ 0.206	.1015	----	----	----	----	1 UNCH
11675	----	----	1.005B/----	1.005B/0.861A	----	0.996	+ 0.203	.0997	----	----	----	----	2 UNCH
11700	----	----	0.995B/----	0.995B/0.849A	----	0.987	+ 0.201	.0988	----	----	1	----	3 UNCH
11725	----	----	0.983B/----	0.983B/0.844A	----	0.978	+ 0.200	.0979	----	----	----	----	2 UNCH
11750	----	----	0.975B/----	0.975B/0.844A	----	0.969	+ 0.198	.0971	----	----	----	----	21 UNCH
11775	----	----	0.966B/----	0.966B/0.841A	----	0.960	+ 0.197	.0962	----	----	----	----	2 UNCH
11800	----	----	0.955B/----	0.955B/0.832A	----	0.951	+ 0.195	.0953	----	----	----	----	4 UNCH
11850	----	----	0.937B/----	0.937B/0.820A	----	0.934	+ 0.192	.0937	----	----	----	----	5 UNCH
11900	----	----	0.919B/----	0.919B/0.796A	----	0.917	+ 0.188	.0921	----	----	1	----	2 + 1
11925	----	----	0.912B/----	0.912B/0.803A	----	0.909	+ 0.187	.0913	----	----	----	----	8 UNCH
11950	0.855	0.855	0.902B/0.855	0.902B/0.784A	----	0.901	+ 0.185	.0905	----	----	1	----	3 + 1
12000	0.830	0.830	0.885B/0.830	0.885B/0.770A	----	0.885	+ 0.182	.0889	----	----	1	----	463 UNCH
12025	----	----	0.878B/----	0.878B/0.765A	----	0.877	+ 0.180	.0882	----	----	----	----	11 UNCH
12125	----	----	0.847B/----	0.847B/0.746A	----	0.847	+ 0.174	.0852	----	----	----	----	1 UNCH
12200	----	----	0.822B/----	0.822B/0.727A	----	0.826	+ 0.170	.0832	----	----	----	----	13 UNCH
12225	----	----	0.815B/----	0.815B/0.723A	----	0.819	+ 0.169	.0825	----	----	----	----	7 UNCH
12275	----	----	0.801B/----	0.801B/0.710A	----	0.805	+ 0.166	.0811	----	----	----	----	1 UNCH
12325	----	----	0.786B/----	0.786B/0.701A	----	0.792	+ 0.163	.0798	----	----	----	----	3 UNCH
12350	----	----	0.779B/----	0.779B/0.696A	----	0.785	+ 0.161	.0791	----	----	----	----	5 UNCH
12400	----	----	0.765B/----	0.765B/0.681A	----	0.772	+ 0.158	.0778	----	----	----	----	23 UNCH
12425	----	----	0.759B/----	0.759B/0.678A	----	0.766	+ 0.157	.0772	----	----	----	----	1 UNCH
12450	----	----	0.752B/----	0.752B/0.680A	----	0.760	+ 0.156	.0766	----	----	----	----	9 UNCH
12475	----	----	0.745B/----	0.745B/0.678A	----	0.754	+ 0.154	.0760	----	----	----	----	1 UNCH
12500	----	----	0.738B/----	0.738B/0.661A	----	0.748	+ 0.153	.0754	----	----	----	----	99 UNCH
12525	----	----	0.733B/----	0.733B/0.657A	----	0.742	+ 0.151	.0748	----	----	----	----	37 UNCH
12550	----	----	0.710B/----	0.710B/0.727A	----	0.736	+ 0.150	.0742	----	----	----	----	6 UNCH
12575	----	----	0.720B/----	0.720B/0.708A	----	0.730	+ 0.148	.0737	----	----	----	----	2 UNCH
12600	----	----	0.700B/----	0.700B/0.711A	----	0.724	+ 0.147	.0731	----	----	----	----	5 UNCH
12650	----	----	0.689B/----	0.689B/0.705A	----	0.713	+ 0.144	.0720	----	----	----	----	2 UNCH
12675	----	----	0.695B/----	0.695B/0.688A	----	0.708	+ 0.143	.0714	----	----	----	----	2 UNCH
12700	----	----	0.668B/----	0.668B/0.693A	----	0.702	+ 0.141	.0709	----	----	----	----	11 UNCH
12725	----	----	0.683B/----	0.683B/0.679A	----	0.697	+ 0.140	.0703	----	----	----	----	2 UNCH
12750	----	----	0.677B/----	0.677B/0.683A	----	0.692	+ 0.139	.0698	----	----	----	----	2 UNCH
12775	----	----	0.670B/----	0.670B/0.668A	----	0.686	+ 0.137	.0692	----	----	----	----	7 UNCH
12800	----	----	0.659B/----	0.659B/0.680A	----	0.681	+ 0.136	.0687	----	----	----	----	34 UNCH
12900	----	----	0.644B/----	0.644B/0.653A	----	0.661	+ 0.131	.0667	----	----	----	----	6 UNCH
13000	----	----	0.611B/----	0.611B/0.643A	----	0.642	+ 0.126	.0648	----	----	----	----	273 UNCH
13100	----	----	0.591B/----	0.591B/0.646A	----	0.624	+ 0.121	.0629	----	----	----	----	4 UNCH
13200	----	----	0.569B/----	0.569B/0.631A	----	0.607	+ 0.116	.0612	----	----	----	----	3 UNCH
13300	----	----	0.557B/----	0.557B/0.624A	----	0.591	+ 0.112	.0596	----	----	----	----	3 UNCH
13400	----	----	0.538B/----	0.538B/0.607A	----	0.575	+ 0.107	.0579	----	----	----	----	5 UNCH
13500	----	----	0.512B/----	0.512B/0.595A	----	0.561	+ 0.103	.0564	----	----	----	----	23 UNCH
13600	----	----	0.492B/----	0.492B/0.582A	----	0.546	+ 0.098	.0549	----	----	----	----	7 UNCH
13700	----	----	0.447B/----	0.447B/0.617A	----	0.533	+ 0.095	.0536	----	----	----	----	5 UNCH
13800	----	----	----	0.406B/0.606A	----	0.520	+ 0.090	.0522	----	----	----	----	1 UNCH
13900	----	----	----	0.388B/0.593A	----	0.508	+ 0.087	.0509	----	----	----	----	3 UNCH
14000	----	----	----	0.375B/0.525A	----	0.496	+ 0.082	.0497	----	----	----	----	292 UNCH
14200	----	----	----	0.350B/0.558A	----	0.475	+ 0.076	.0474	----	----	----	----	60 UNCH
14300	----	----	----	0.338B/0.548A	----	0.464	+ 0.072	.0463	----	----	----	----	1 UNCH
14400	----	----	----	0.326B/0.537A	----	0.455	+ 0.069	.0453	----	----	----	----	65 UNCH
14500	----	----	----	0.315B/0.526A	----	0.445	+ 0.065	.0443	----	----	----	----	31 UNCH
14600	----	----	----	0.305B/0.516A	----	0.436	+ 0.062	.0433	----	----	----	----	6 UNCH
14700	----	----	----	0.295B/0.506A	----	0.428	+ 0.059	.0425	----	----	----	----	11 UNCH
14800	----	----	----	0.285B/0.497A	----	0.420	+ 0.056	.0416	----	----	----	----	10 UNCH
14900	----	----	----	0.275B/0.487A	----	0.412	+ 0.053	.0407	----	----	----	----	6 UNCH
15000	0.360	0.360	0.400/0.360	0.400/0.360	----	0.405	+ 0.051	.0400	----	----	11	----	184 + 1
15300	----	----	----	0.234B/0.453A	----	0.376	+ 0.045	.0371	----	----	----	----	2 UNCH
15400	----	----	----	0.226B/0.444A	----	0.367	+ 0.044	.0362	----	----	----	----	1 UNCH
15500	----	----	----	0.219B/0.436A	----	0.359	+ 0.043	.0354	----	----	----	----	7 UNCH
15600	----	----	----	0.212B/0.429A	----	0.351	+ 0.041	.0346	----	----	----	----	1 UNCH
15700	----	----	----	0.205B/0.424A	----	0.343	+ 0.040	.0338	----	----	----	----	1 UNCH
15800	----	----	----	0.198B/0.417A	----	0.335	+ 0.038	.0330	----	----	----	----	6 UNCH
15900	----	----	----	0.192B/0.409A	----	0.327	+ 0.037	.0322	----	----	----	----	8 UNCH
16000	----	----	----	0.185B/0.407A	----	0.320	+ 0.036	.0315	----	----	----	----	202 UNCH
16200	----	----	----	0.173B/0.395A	----	0.306	+ 0.033	.0301	----	----	----	----	36 UNCH
16400	----	----	----	0.163B/0.384A	----	0.293	+ 0.031	.0288	----	----	----	----	1 UNCH
16500	----	----	----	0.157B/0.379A	----	0.287	+ 0.030	.0282	----	----	----	----	30 UNCH
16600	----	----	----	0.149B/0.374A	----	0.281	+ 0.030	.0276	----	----	----	----	2 UNCH
16700	----	----	----	0.147B/0.369A	----	0.275	+ 0.029	.0270	----	----	----	----	6 UNCH
16800	----	----	----	0.143B/0.365A	----	0.269	+ 0.027	.0264	----	----	----	----	3 UNCH
17000	----	----	----	0.134B/0.355A	----	0.258	+ 0.026	.0253	----	----	----	----	21 UNCH
17100	----	----	----	0.126B/0.350A	----	0.253	+ 0.025	.0248	----	----	----	----	5 UNCH
17200	----	----	----	0.124B/0.346A	----	0.248	+ 0.024	.0243	----	----	----	----	5 UNCH
17300	0.225	0.225	0.225/*0.225	0.225/*0.225	----	0.243	+ 0.023	.0238	----	----	2	----	11 UNCH
17400	----	----	----	0.115B/0.338A	----	0.238	+ 0.023	.0233	----	----	----	----	3 UNCH
17500	----	----	----	0.111B/0.334A	----	0.233	+ 0.022	.0228	----	----	----	----	63 UNCH
17700	----	----	----	0.103B/0.328A	----	0.224	+ 0.020	.0219	----	----	----	----	3 UNCH
17800	----	----	----	0.099B/0.324A	----	0.220	+ 0.020	.0215	----	----	----	----	3 UNCH
18000	----	----	----	0.091B/0.317A	----	0.212	+ 0.019	.0207	----	----	----	----	44 UNCH
18100	----	----	----	0.088B/0.314A	----	0.208	+ 0.018	.0203	----	----	----	----	2 UNCH
18300	----	----	----	0.081B/0.308A	----	0.200	+ 0.017	.0195	----	----	----	----	1 UNCH
18900	----	----	----	0.064B/0.290A	----	0.179	+ 0.014	.0174	----	----	----	----	1 UNCH
19000	----	----	----	0.061B/0.289A	----	0.176	+ 0.013	.0171	----	----	----	----	229 UNCH
19500	----	----	----	0.042B/0.276A	----	0.161	+ 0.011	.0156	----	----	----	----	126 UNCH
19600	----	----	----	0.042B/0.274A	----	0.159	+ 0.012	.0154	----	----	----	----	2 UNCH
19900	0.160	0.160	0.160/*0.160	0.160/*0.160	----	0.151	+ 0.010	.0146	----	----	2	----	28 + 2
20000	0.165	0.165	0.165/0.160A	0.165/0.160A	----	0.148	+ 0.010	.0143	----	----	2	----	236 UNCH
21000	----	----	----	0.012B/*0.150A	----	0.127	+ 0.008	.0122	----	----	----	----	20 UNCH
23000	----	----	----	0.001B/0.288A	----	0.096	+ 0.004	.0091	----	----	----	----	15 UNCH
25000	----	----	----	0.055B/0.214A	----	0.076	+ 0.002	.0071	----	----	----	----	298 UNCH
27000	----	----	----	0.001B/0.253A	----	0.054	+ 0.001	.0051	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/0.239A	----	0.034	UNCH	.0032	----	----	----	----	29 UNCH
32000	----	----	----	0.001B/*0.085A	----	0.026	UNCH	.0025	----	----	----	----	1 UNCH
35000	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.019	- 0.001	.0018	----	----	1	----	9 + 1
TOTAL											129	90	10062 + 74
JUL26													
2700	----	----	46.017B/----	46.017B/45.643A	----	48.479	+ 4.378	.9932	----	----	----	----	1 UNCH
3900	----	----	33.957B/----	33.957B/34.224A	----	36.666	+ 4.261	.9731	----	----	----	----	1 UNCH
4000	----	----	32.990B/----	32.990B/33.284A	----	35.703	+ 4.239	.9701	----	----	----	----	1 UNCH
4200	----	----	31.043B/----	31.043B/31.304A	----	33.790	+ 4.183	.9633	----	----	----	----	2 UNCH
4500	----	----	28.346B/----	28.346B/28.675A	----	30.965	+ 4.069	.9503	----	----	----	----	28 UNCH
4600	----	----	27.520B/----	27.520B/27.545A	----	30.037	+ 4.023	.9451	----	----	----	----	114 UNCH
4700	----	----	26.293B/----	26.293B/26.963A	----	29.117	+ 3.975	.9395	----	----	----	----	1 UNCH
4750	----	----	25.873B/----	25.873B/26.537A	----	28.660	+ 3.949	.9364	----	----	----	----	1 UNCH
4825	----	----	25.226B/----	25.226B/25.881A	----	27.979	+ 3.910	.9317	----	----	----	----	3 UNCH
4900	----	----	24.545B/----	24.545B/25.247A	----	27.304	+ 3.871	.9266	----	----	----	----	1 UNCH
4925	----	----	24.329B/----	24.329B/25.040A	----	27.080	+ 3.858	.9248	----	----	----	----	16 UNCH
5000	----	----	24.108B/----	24.108B/24.293A	----	26.412	+ 3.818	.9194	----	----	1	----	307 UNCH
5025	----	----	23.472B/----	23.472B/24.188A	----	26.191	+ 3.805	.9175	----	----	----	----	4 UNCH
5050	----	----	23.265B/----	23.265B/23.966A	----	25.970	+ 3.792	.9155	----	----	----	----	2 UNCH
5100	----	----	23.073B/----	23.073B/23.431A	----	25.531	+ 3.766	.9115	----	----	----	----	130 UNCH
5150	----	----	22.407B/----	22.407B/23.309A	----	25.095	+ 3.740	.9074	----	----	----	----	6 UNCH
5200	----	----	22.109B/----	22.109B/22.651A	----	24.663	+ 3.716	.9031	----	----	----	----	40 UNCH
5225	----	----	21.774B/----	21.774B/22.707A	----	24.447	+ 3.703	.9009	----	----	----	----	9 UNCH
5250	----	----	21.563B/----	21.563B/22.506A	----	24.233	+ 3.691	.8987	----	----	----	----	2 UNCH
5275	----	----	21.353B/----	21.353B/22.300A	----	24.019	+ 3.678	.8963	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26		COMEX SILVER OPTIONS											
5300	----	----	21.144B/----	21.144B/22.102A	----	23.807	+ 3.667	.8940	----	----	----	----	7 UNCH
5350	----	----	20.986B/----	20.986B/21.388A	----	23.384	+ 3.643	.8893	----	----	----	----	155 UNCH
5375	----	----	20.518B/----	20.518B/21.505A	----	23.174	+ 3.631	.8868	----	----	----	----	1 UNCH
5400	----	----	20.318B/----	20.318B/21.322A	----	22.964	+ 3.619	.8844	----	----	----	----	21 UNCH
5425	----	----	20.239B/----	20.239B/20.859A	----	22.756	+ 3.607	.8818	----	----	----	----	42 UNCH
5450	----	----	19.905B/----	19.905B/20.916A	----	22.549	+ 3.596	.8793	----	----	----	----	1 UNCH
5500	----	----	19.918B/----	19.918B/20.284A	----	22.137	+ 3.573	.8740	----	----	----	----	492 UNCH
5550	----	----	19.114B/----	19.114B/20.079A	----	21.729	+ 3.550	.8686	----	----	----	----	3 UNCH
5600	----	----	18.974B/----	18.974B/19.381A	----	21.325	+ 3.527	.8630	----	----	----	----	102 UNCH
5650	----	----	18.453B/----	18.453B/19.233A	----	20.925	+ 3.504	.8573	----	----	----	----	43 UNCH
5675	----	----	18.276B/----	18.276B/19.041A	----	20.726	+ 3.492	.8544	----	----	----	----	25 UNCH
5700	----	----	18.068B/----	18.068B/18.846A	----	20.529	+ 3.481	.8514	----	----	----	----	26 UNCH
5750	----	----	18.020B/----	18.020B/18.204A	----	20.138	+ 3.459	.8453	----	----	----	----	158 UNCH
5775	----	----	17.362B/----	17.362B/18.319A	----	19.944	+ 3.448	.8422	----	----	----	----	1 UNCH
5800	----	----	17.172B/----	17.172B/18.124A	----	19.751	+ 3.436	.8391	----	----	----	----	16 UNCH
5900	----	----	16.423B/----	16.423B/17.394A	----	18.991	+ 3.389	.8262	----	----	----	----	10 UNCH
5925	----	----	16.239B/----	16.239B/17.215A	----	18.804	+ 3.377	.8229	----	----	----	----	10 UNCH
5950	----	----	16.073B/----	16.073B/17.045A	----	18.618	+ 3.365	.8196	----	----	----	----	6 UNCH
5975	----	----	15.873B/----	15.873B/17.064A	----	18.433	+ 3.352	.8162	----	----	----	----	20 UNCH
6000	----	----	15.968B/----	15.968B/16.505A	----	18.250	+ 3.340	.8127	----	----	----	----	550 UNCH
6050	----	----	15.611B/----	15.611B/16.154A	----	17.886	+ 3.314	.8058	----	----	----	----	58 UNCH
6075	----	----	15.158B/----	15.158B/16.401A	----	17.707	+ 3.301	.8022	----	----	----	----	1 UNCH
6100	----	----	14.996B/----	14.996B/15.978A	----	17.528	+ 3.288	.7987	----	----	----	----	10 UNCH
6200	----	----	14.572B/----	14.572B/15.137A	----	16.828	+ 3.232	.7841	----	----	----	----	99 UNCH
6250	----	----	13.958B/----	13.958B/14.993A	----	16.485	+ 3.202	.7766	----	----	----	----	1 UNCH
6300	----	----	13.630B/----	13.630B/14.672A	----	16.148	+ 3.170	.7690	----	----	----	----	3 UNCH
6350	----	----	13.308B/----	13.308B/14.364A	----	15.816	+ 3.137	.7613	----	----	----	----	2 UNCH
6450	----	----	12.678B/----	12.678B/13.896A	----	15.169	+ 3.064	.7456	----	----	----	----	1 UNCH
6500	----	----	12.667B/----	12.667B/13.251A	----	14.854	+ 3.025	.7376	----	----	----	----	195 UNCH
6600	----	----	12.237B/----	12.237B/12.758A	----	14.241	+ 2.939	.7214	----	----	----	----	51 UNCH
6650	----	----	12.328B/----	12.328B/12.486A	----	13.943	+ 2.893	.7132	----	----	----	----	100 UNCH
6750	----	----	12.407B/----	12.407B/10.746A	----	13.364	+ 2.795	.6965	----	----	----	----	24 UNCH
6800	----	----	12.178B/----	12.178B/10.905A	----	13.084	+ 2.746	.6882	----	----	----	----	250 UNCH
6825	----	----	12.032B/----	12.032B/11.834A	----	12.945	+ 2.720	.6840	----	----	----	----	6 UNCH
6850	----	----	11.888B/----	11.888B/10.983A	----	12.808	+ 2.694	.6798	----	----	----	----	1 UNCH
6875	----	----	11.745B/----	11.745B/11.080A	----	12.673	+ 2.669	.6755	----	----	----	----	16 UNCH
6900	----	----	11.609B/----	11.609B/10.468A	----	12.539	+ 2.644	.6713	----	----	----	----	97 UNCH
6950	----	----	11.327B/----	11.327B/11.069A	----	12.275	+ 2.594	.6629	----	----	----	----	1 UNCH
7000	----	----	11.055B/----	11.055B/10.053A	----	12.016	+ 2.543	.6544	----	----	----	----	161 UNCH
7025	----	----	10.921B/----	10.921B/10.086A	----	11.889	+ 2.519	.6501	----	----	----	----	125 UNCH
7050	----	----	10.788B/----	10.788B/10.810A	----	11.763	+ 2.495	.6459	----	----	----	----	1 UNCH
7100	----	----	10.527B/----	10.527B/10.547A	----	11.515	+ 2.448	.6374	----	----	----	----	5 UNCH
7200	----	----	10.021B/----	10.021B/10.258A	----	11.036	+ 2.360	.6205	----	----	----	----	11 UNCH
7225	----	----	9.898B/----	9.898B/10.148A	----	10.920	+ 2.340	.6163	----	----	----	----	1 UNCH
7250	----	----	10.113B/----	10.113B/9.225A	----	10.804	+ 2.319	.6121	----	----	----	----	160 UNCH
7300	9.700	9.700	9.800/9.700	9.800/9.700	----	10.578	+ 2.281	.6037	----	----	2	----	5 + 2
7350	----	----	9.303B/----	9.303B/9.634A	----	10.356	+ 2.244	.5953	----	----	----	----	1 UNCH
7400	----	----	9.075B/----	9.075B/9.440A	----	10.140	+ 2.209	.5870	----	----	----	----	22 UNCH
7450	----	----	8.874B/----	8.874B/9.245A	----	9.928	+ 2.175	.5787	----	----	----	----	12 UNCH
7500	9.000	9.000	9.143B/9.000	9.143B/8.096A	----	9.722	+ 2.144	.5704	----	----	13	----	319 + 4
7600	----	----	8.264B/----	8.264B/8.703A	----	9.322	+ 2.083	.5541	----	----	----	----	19 UNCH
7700	----	----	7.885B/----	7.885B/8.350A	----	8.941	+ 2.028	.5381	----	----	----	----	19 UNCH
7800	----	----	7.521B/----	7.521B/8.007A	----	8.577	+ 1.976	.5224	----	----	----	----	15 UNCH
7900	----	----	7.186B/----	7.186B/7.681A	----	8.229	+ 1.926	.5070	----	----	----	----	7 UNCH
8000	----	----	7.205B/----	7.205B/6.388A	----	7.897	+ 1.877	.4920	----	----	25	----	510 - 25
8025	----	----	6.769B/----	6.769B/7.293A	----	7.816	+ 1.865	.4883	----	----	----	----	8 UNCH
8100	----	----	6.560B/----	6.560B/7.072A	----	7.580	+ 1.829	.4772	----	----	----	----	21 UNCH
8200	----	----	6.272B/----	6.272B/6.872A	----	7.276	+ 1.781	.4629	----	----	----	----	2 UNCH
8250	----	----	6.133B/----	6.133B/6.527A	----	7.130	+ 1.757	.4558	----	----	----	----	45 UNCH
8300	----	----	6.256B/----	6.256B/6.089A	----	6.987	+ 1.734	.4488	----	----	----	----	215 UNCH
8350	----	----	5.865B/----	5.865B/6.419A	----	6.847	+ 1.710	.4420	----	----	----	----	2 UNCH
8375	----	----	5.773B/----	5.773B/6.356A	----	6.778	+ 1.698	.4385	----	----	----	----	1 UNCH
8400	----	----	5.739B/----	5.739B/6.293A	----	6.710	+ 1.686	.4352	----	----	----	----	3 UNCH
8500	----	----	5.694B/----	5.694B/5.370A	----	6.446	+ 1.639	.4219	----	----	5	----	684 UNCH
8550	----	----	5.487B/----	5.487B/5.385A	----	6.319	+ 1.616	.4154	----	----	----	----	329 UNCH
8600	----	----	5.217B/----	5.217B/5.910A	----	6.194	+ 1.592	.4089	----	----	4	----	8 - 2
8650	----	----	5.110B/----	5.110B/5.795A	----	6.073	+ 1.570	.4026	----	----	----	----	1 UNCH
8700	----	----	5.002B/----	5.002B/5.384A	----	5.954	+ 1.547	.3964	----	----	----	----	63 UNCH
8750	----	----	4.894B/----	4.894B/5.592A	----	5.838	+ 1.524	.3903	----	----	----	----	8 UNCH
8800	----	----	4.802B/----	4.802B/5.495A	----	5.724	+ 1.501	.3842	----	----	----	----	12 UNCH
8900	4.900	4.900	4.900/4.900	4.900/4.900	----	5.505	+ 1.456	.3724	----	----	4	----	103 UNCH
9000	----	----	4.560B/----	4.560B/4.832A	----	5.296	+ 1.412	.3609	----	----	1	----	215 + 1
9100	----	----	4.241B/----	4.241B/4.965A	----	5.097	+ 1.369	.3499	----	----	----	----	9 UNCH
9200	----	----	4.081B/----	4.081B/4.504A	----	4.907	+ 1.326	.3391	----	----	----	----	75 UNCH
9250	----	----	3.968B/----	3.968B/4.727A	----	4.815	+ 1.305	.3339	----	----	----	----	7 UNCH
9300	----	----	3.996B/----	3.996B/4.349A	----	4.725	+ 1.284	.3288	----	----	----	----	255 UNCH
9350	----	----	3.838B/----	3.838B/4.575A	----	4.638	+ 1.264	.3237	----	----	----	----	7 UNCH
9400	----	----	3.728B/----	3.728B/4.350A	----	4.552	+ 1.243	.3187	----	----	----	----	25 UNCH
9450	----	----	3.683B/----	3.683B/4.278A	----	4.468	+ 1.222	.3138	----	----	----	----	33 UNCH
9500	4.064	4.064	4.065B/4.064	4.065B/3.890A	----	4.387	+ 1.203	.3090	----	----	75	----	597 + 21
9600	----	----	3.450B/----	3.450B/3.868A	----	4.229	+ 1.163	.2997	----	----	----	----	51 UNCH
9700	----	----	3.316B/----	3.316B/4.088A	----	4.078	+ 1.124	.2906	----	----	----	----	4 UNCH
9725	----	----	3.286B/----	3.286B/4.057A	----	4.041	+ 1.114	.2884	----	----	----	----	1 UNCH
9775	----	----	3.220B/----	3.220B/4.018A	----	3.970	NEW	.2840	----	----	50	----	50 + 50
9800	----	----	3.190B/----	3.190B/3.666A	----	3.934	+ 1.086	.2818	----	----	----	----	109 UNCH
9900	----	----	3.070B/----	3.070B/3.549A	----	3.797	+ 1.049	.2734	----	----	----	----	70 UNCH
10000	3.280	3.280	3.488/3.240A	3.488/3.240A	----	3.666	+ 1.014	.2653	----	----	33	52	1469 + 20
10100	----	----	2.829B/----	2.829B/3.620A	----	3.540	+ 0.978	.2574	----	----	----	----	1 UNCH
10125	----	----	2.807B/----	2.807B/3.594A	----	3.510	+ 0.970	.2555	----	----	----	----	1 UNCH
10200	----	----	2.742B/----	2.742B/3.227A	----	3.420	+ 0.943	.2498	----	----	----	----	81 UNCH
10250	----	----	2.690B/----	2.690B/3.465A	----	3.362	+ 0.927	.2461	----	----	----	----	20 UNCH
10375	----	----	2.561B/----	2.561B/3.346A	----	3.223	+ 0.886	.2372	----	----	----	----	18 UNCH
10400	----	----	2.537B/----	2.537B/3.320A	----	3.196	+ 0.878	.2355	----	----	----	----	1 UNCH
10475	----	----	2.467B/----	2.467B/3.117A	----	3.117	+ 0.854	.2303	----	----	----	----	25 UNCH
10500	----	----	2.445B/----	2.445B/2.948A	----	3.091	+ 0.846	.2286	----	----	25	----	599 - 25
10600	----	----	2.350B/----	2.350B/3.129A	----	2.991	+ 0.816	.2221	----	----	----	----	1 UNCH
10800	----	----	2.184B/----	2.184B/2.859A	----	2.803	+ 0.757	.2096	----	----	----	----	28 UNCH
11000	2.000	2.000	2.380/2.000	2.380/2.000	----	2.631	+ 0.703	.1981	----	----	2	----	1047 + 1
11200	----	----	1.882B/----	1.882B/2.649A	----	2.472	+ 0.651	.1873	----	----	----	----	8 UNCH
11225	----	----	1.865B/----	1.865B/2.631A	----	2.454	+ 0.646	.1860	----	----	----	----	3 UNCH
11300	----	----	1.815B/----	1.815B/2.579A	----	2.398	+ 0.627	.1822	----	----	----	----	62 UNCH
11400	----	----	1.749B/----	1.749B/2.513A	----	2.327	+ 0.604	.1772	----	----	----	----	19 UNCH
11500	----	----	1.688B/----	1.688B/2.428A	----	2.258	+ 0.581	.1725	----	----	1	----	129 UNCH
11600	----	----	----	1.629B/2.388A	----	2.192	+ 0.559	.1679	----	----	----	----	1 UNCH
11625	----	----	----	1.613B/2.373A	----	2.176	+ 0.554	.1667	----	----	----	----	2 UNCH
11650	----	----	----	1.599B/2.358A	----	2.160	+ 0.549	.1656	----	----	----	----	24 UNCH
11675	----	----	----	1.586B/2.344A	----	2.144	+ 0.543	.1645	----	----	----	----	22 UNCH
11700	----	----	----	1.570B/2.330A	----	2.129	+ 0.538	.1634	----	----	----	----	22 UNCH
11725	----	----	----	1.536B/2.315A	----	2.113	+ 0.533	.1623	----	----	----	----	22 UNCH
11750	----	----	----	1.521B/2.300A	----	2.098	+ 0.528	.1612	----	----	----	----	22 UNCH
11775	----	----	----	1.507B/2.286A	----	2.083	+ 0.523	.1602	----	----	----	----	22 UNCH
11800	----	----	----	1.495B/2.272A	----	2.068	+ 0.518	.1591	----	----	----	----	1 UNCH
11900	----	----	----	1.441B/2.219A	----	2.009	+ 0.498	.1550	----	----	----	----	1 UNCH
11950	----	----	----	1.415B/2.193A	----	1.981	+ 0.489	.1529	----	----	----	----	1 UNCH
12000	----	----	----	1.388B/1.984A	----	1.953	+ 0.480	.1510	----	----	1	----	549 + 1
12200	----	----	----	1.295B/1.699A	----	1.846	+ 0.445	.1433	----	----	----	----	1 UNCH
12300	----	----	----	1.252B/2.023A	----	1.796	+ 0.429	.1397	----	----	----	----	8 UNCH
12375	----	----	----	1.217B/1.682A	----	1.759	+ 0.417	.1370	----	----	----	----	1 UNCH
12425	----	----	----	1.196B/1.855A	----	1.735	+ 0.409	.1353	----	----	----	----	1 UNCH
12450	----	----	----	1.162B/1.852A	----	1.723	+ 0.405	.1344	----	----	----	----	1 UNCH
12475	----	----	----	1.150B/1.850A	----	1.712	+ 0.402	.1336	----	----	----	----	3 UNCH
12500	1.600	1.600	1.600/1.600	1.600/1.556A	----	1.700	+ 0.398	.1327	----	----	1	----	142 + 1
12600	----	----	----	1.104B/1.519A	----	1.655	+ 0.384	.1295	----	----	----	----	1 UNCH
12800	----	----	----	1.013B/1.502A	----	1.568	+ 0.357	.1231	----	----	----	----	1 UNCH
13000	----	----	----	0.945B/1.498A	----	1.488	+ 0.333	.1172	----	----	----	----	699 UNCH
14000	----	----	0.978B/----	0.978B/1.149A	----	1.155	+ 0.243	.0924	----	----	----	----	793 UNCH
14700	----	----	0.805B/----	0.805B/1.006A	----	0.978	+ 0.204	.0789	----	----	----	----	1 UNCH
15000	----	----	0.745B/----	0.745B/0.955A	----	0.912	+ 0.189	.0738	----	----	----	----	669 UNCH
16000	----	----	0.579B/----	0.579B/0.808A	----	0.732	+ 0.157	.0598	----	----	----	----	765 UNCH
17000	----	----	----	0.455B/0.697A	----	0.598	+ 0.138	.0492	----	----	----	----	23 UNCH
18000	----	----	----	0.365B/0.608A	----	0.497	+ 0.124	.0411	----	----	----	----	253 UNCH
19000	----	----	----	0.297B/0.536A	----	0.422	+ 0.115	.0349	----	----	----	----	77 UNCH
20000	----	----	0.300B/----	0.300B/0.390A	----	0.367	+ 0.108	.0303	----	----	----	----	1210 UNCH
21000	----	----	----	0.200B/0.437A	----	0.327	+ 0.101	.0268	----	----	----	----	427 UNCH
24000	----	----	----	0.110B/0.346A	----	0.262	+ 0.086	.0208	----	----	----	----	125 UNCH
25000	0.200	0.200	0.200/0.200	0.200/0.200	----	0.251	+ 0.083	.0197	----	----	1	----	355 UNCH
27000	----	----	----	0.053B/0.290A	----	0.196	+ 0.066	.0155	----	----	----	----	4 UNCH
30000	----	----	----	0.094B/0.248A	----	0.144	+ 0.048	.0114	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JUL26														
32000	----	----	----	0.001B/0.712A	----	0.122	+ 0.041	.0096	----	----	----	----	4	UNCH
35000	----	----	----	0.063B/0.123A	----	0.100	+ 0.033	.0078	----	----	----	----	73	UNCH
TOTAL											244	52	17542 +	49
AUG26														
5000	----	----	----	6.525B/42.087A	----	27.287	+ 3.880	.9063	----	----	----	----	2	UNCH
5400	----	----	----	3.415B/40.636A	----	24.022	+ 3.670	.8690	----	----	----	----	2	UNCH
5500	----	----	----	8.173B/41.284A	----	23.239	+ 3.612	.8585	----	----	----	----	1	UNCH
6300	----	----	----	3.105B/24.975A	----	17.526	+ 3.075	.7604	----	----	----	----	5	UNCH
6450	----	----	----	4.140B/24.120A	----	16.577	+ 2.963	.7395	----	----	----	----	1	UNCH
6500	----	----	----	13.299B/15.953A	----	16.270	+ 2.925	.7324	----	----	----	----	2	UNCH
6600	----	----	13.639B/----	13.639B/15.417A	----	15.671	+ 2.850	.7181	----	----	----	----	4	UNCH
6800	----	----	13.382B/----	13.382B/14.348A	----	14.531	+ 2.696	.6889	----	----	----	----	7	UNCH
6875	----	----	13.042B/----	13.042B/11.930A	----	14.124	+ 2.638	.6778	----	----	----	----	5	UNCH
7000	----	----	12.355B/----	12.355B/13.379A	----	13.471	+ 2.540	.6592	----	----	----	----	3	UNCH
7025	----	----	12.276B/----	12.276B/13.251A	----	13.344	+ 2.520	.6555	----	----	----	----	5	UNCH
7050	----	----	12.152B/----	12.152B/12.426A	----	13.219	+ 2.501	.6517	----	----	----	----	2	UNCH
7100	----	----	11.909B/----	11.909B/12.917A	----	12.972	+ 2.462	.6443	----	----	----	----	2	UNCH
7350	----	----	10.768B/----	10.768B/11.840A	----	11.816	+ 2.270	.6072	----	----	----	----	4	UNCH
7400	----	----	11.126B/----	11.126B/11.632A	----	11.600	+ 2.232	.5998	----	----	----	----	8	UNCH
7425	----	----	11.150B/----	11.150B/11.529A	----	11.494	+ 2.214	.5962	----	----	----	----	14	UNCH
7475	----	----	10.242B/----	10.242B/11.330A	----	11.286	+ 2.177	.5889	----	----	----	----	6	UNCH
7500	----	----	10.098B/----	10.098B/11.230A	----	11.183	+ 2.158	.5852	----	----	1	----	2 +	1
7550	----	----	9.887B/----	9.887B/11.036A	----	10.982	+ 2.121	.5780	----	----	----	----	4	UNCH
7625	----	----	9.652B/----	9.652B/10.746A	----	10.688	+ 2.066	.5672	----	----	----	----	15	UNCH
7700	----	----	9.368B/----	9.368B/10.473A	----	10.404	+ 2.012	.5566	----	----	----	----	1	UNCH
7800	----	----	9.008B/----	9.008B/10.117A	----	10.040	+ 1.942	.5427	----	----	----	----	1	UNCH
7900	----	----	8.614B/----	8.614B/9.765A	----	9.692	+ 1.873	.5291	----	----	----	----	1	UNCH
8000	----	----	8.336B/----	8.336B/9.444A	----	9.359	+ 1.806	.5157	----	----	1	----	12 +	1
8300	----	----	7.441B/----	7.441B/8.540A	----	8.439	+ 1.616	.4773	----	----	----	----	1	UNCH
8450	----	----	7.018B/----	7.018B/8.127A	----	8.019	+ 1.528	.4591	----	----	----	----	1	UNCH
8500	----	----	6.911B/----	6.911B/7.998A	----	7.885	+ 1.500	.4532	----	----	----	----	12	UNCH
8900	----	----	5.970B/----	5.970B/7.052A	----	6.901	+ 1.290	.4082	----	----	----	----	7	UNCH
9000	----	----	5.797B/----	5.797B/6.840A	----	6.679	+ 1.242	.3977	----	----	----	----	20	UNCH
9100	----	----	5.569B/----	5.569B/6.634A	----	6.465	+ 1.195	.3875	----	----	----	----	84	UNCH
9400	----	----	5.039B/----	5.039B/5.936A	----	5.874	+ 1.067	.3584	----	----	----	----	102	UNCH
10000	----	----	4.152B/----	4.152B/4.991A	----	4.883	+ 0.852	.3073	----	----	----	----	33	UNCH
10200	----	----	3.899B/----	3.899B/4.726A	----	4.601	+ 0.791	.2922	----	----	----	----	3	UNCH
10400	----	----	3.668B/----	3.668B/4.482A	----	4.341	+ 0.736	.2780	----	----	----	----	2	UNCH
10500	----	----	3.557B/----	3.557B/4.367A	----	4.217	+ 0.708	.2712	----	----	----	----	7	UNCH
11100	----	----	----	2.982B/3.762A	----	3.570	+ 0.573	.2345	----	----	----	----	1	UNCH
11200	----	----	----	2.894B/3.672A	----	3.475	+ 0.553	.2290	----	----	----	----	1	UNCH
11300	----	----	----	2.816B/3.587A	----	3.384	+ 0.534	.2237	----	----	----	----	10	UNCH
11500	----	----	----	2.644B/3.427A	----	3.211	+ 0.498	.2135	----	----	----	----	9	UNCH
11850	----	----	----	2.422B/3.173A	----	2.937	+ 0.443	.1970	----	----	----	----	1	UNCH
12000	----	----	----	2.320B/3.065A	----	2.830	+ 0.423	.1905	----	----	----	----	2	UNCH
12500	----	----	----	1.996B/2.760A	----	2.509	+ 0.360	.1708	----	----	----	----	1	UNCH
13000	----	----	----	1.717B/2.496A	----	2.238	+ 0.310	.1537	----	----	----	----	53	UNCH
14000	2.000	2.000	2.000/1.994A	2.000/1.994A	----	1.810	+ 0.234	.1261	----	----	1	----	6	UNCH
15000	----	----	----	1.253B/1.510A	----	1.491	+ 0.181	.1049	----	----	----	----	36	UNCH
16000	----	----	1.128B/----	1.128B/1.235A	----	1.247	+ 0.141	.0885	----	----	----	----	1	UNCH
17000	----	----	----	0.929B/1.053A	----	1.056	+ 0.110	.0754	----	----	----	----	2	UNCH
18000	----	----	----	0.782B/0.909A	----	0.904	+ 0.085	.0648	----	----	----	----	1	UNCH
19000	----	----	----	0.666B/0.793A	----	0.781	+ 0.066	.0562	----	----	----	----	2	UNCH
20000	----	----	----	0.576B/0.698A	----	0.680	+ 0.050	.0491	----	----	----	200	217 +	196
25000	----	----	----	0.244B/0.522A	----	0.383	+ 0.011	.0278	----	----	----	----	2	UNCH
30000	----	----	----	0.119B/0.393A	----	0.259	+ 0.006	.0186	----	----	----	----	13	UNCH
35000	----	----	----	0.046B/0.321A	----	0.176	UNCH	.0127	----	----	----	----	2	UNCH
TOTAL											3	200	741 +	198
SEP26														
5100	----	----	----	0.234B/48.088A	----	26.711	+ 3.792	.8884	----	----	----	----	1	UNCH
5900	----	----	----	----/62.165A	----	20.642	+ 3.199	.8048	----	----	----	----	2	UNCH
6000	----	----	----	----/60.958A	----	19.954	+ 3.119	.7926	----	----	----	----	7	UNCH
6700	----	----	14.636B/----	14.636B/15.848A	----	15.631	+ 2.541	.7001	----	----	----	----	1	UNCH
7000	----	----	13.179B/----	13.179B/14.379A	----	14.060	+ 2.298	.6581	----	----	----	----	118	UNCH
7125	----	----	12.594B/----	12.594B/13.059A	----	13.456	+ 2.198	.6406	----	----	----	----	75	UNCH
7500	----	----	11.007B/----	11.007B/12.264A	----	11.825	+ 1.908	.5886	----	----	1	----	1	UNCH
7700	----	----	10.198B/----	10.198B/11.519A	----	11.060	+ 1.762	.5618	----	----	----	----	1	UNCH
8000	----	----	9.249B/----	9.249B/10.510A	----	10.031	+ 1.557	.5234	----	----	----	----	105	UNCH
8200	----	----	8.621B/----	8.621B/9.904A	----	9.414	+ 1.432	.4992	----	----	----	----	20	UNCH
8500	----	----	7.837B/----	7.837B/9.083A	----	8.577	+ 1.264	.4648	----	----	----	----	100	UNCH
8675	----	----	7.362B/----	7.362B/8.645A	----	8.132	+ 1.175	.4458	----	----	----	----	5	UNCH
8700	----	----	7.352B/----	7.352B/8.590A	----	8.071	+ 1.163	.4432	----	----	----	----	100	UNCH
9000	----	----	6.697B/----	6.697B/7.916A	----	7.384	+ 1.030	.4128	----	----	----	----	65	UNCH
9500	----	----	5.739B/----	5.739B/6.992A	----	6.405	+ 0.848	.3673	----	----	----	----	2	UNCH
9750	----	----	5.349B/----	5.349B/6.572A	----	5.983	+ 0.774	.3469	----	----	----	----	23	UNCH
9800	----	----	5.290B/----	5.290B/6.491A	----	5.903	+ 0.760	.3430	----	----	----	----	7	UNCH
10000	4.500	4.500	6.000/4.500	6.000/4.500	----	5.599	+ 0.709	.3279	----	----	2	----	130 +	2
10500	----	----	4.354B/----	4.354B/5.505A	----	4.932	+ 0.602	.2938	----	----	----	----	50	UNCH
10800	----	----	----	4.026B/5.147A	----	4.587	+ 0.550	.2756	----	----	----	----	2	UNCH
11000	----	----	----	3.836B/4.927A	----	4.376	+ 0.520	.2643	----	----	----	----	59	UNCH
12000	----	----	----	2.980B/4.027A	----	3.513	+ 0.404	.2167	----	----	----	----	47	UNCH
12500	----	----	----	2.633B/3.676A	----	3.174	+ 0.360	.1973	----	----	----	----	92	UNCH
13000	----	----	----	2.344B/3.369A	----	2.882	+ 0.323	.1804	----	----	----	----	2	UNCH
14000	----	----	----	1.817B/2.889A	----	2.406	+ 0.261	.1522	----	----	----	----	41	UNCH
15000	----	----	----	1.416B/2.505A	----	2.038	+ 0.213	.1300	----	----	----	----	131	UNCH
16000	----	----	----	1.057B/2.074A	----	1.749	+ 0.174	.1123	----	----	----	----	18	UNCH
17000	----	----	----	1.307B/1.558A	----	1.516	+ 0.142	.0978	----	----	----	----	27	UNCH
18000	1.135	1.135	1.135/1.135	1.135/1.135	----	1.325	+ 0.114	.0859	----	----	2	----	2	UNCH
19000	----	----	----	0.925B/1.235A	----	1.167	+ 0.091	.0759	----	----	----	----	14	UNCH
20000	----	----	----	0.792B/1.114A	----	1.034	+ 0.070	.0675	----	----	4	----	308 +	3
21000	----	----	----	0.684B/1.011A	----	0.921	+ 0.052	.0603	----	----	----	----	1	UNCH
23000	----	----	----	0.518B/0.846A	----	0.741	+ 0.022	.0488	----	----	----	----	31	UNCH
25000	----	----	----	0.397B/0.733A	----	0.605	- 0.003	.0401	----	----	4	----	14 +	4
30000	----	----	----	0.242B/0.539A	----	0.392	- 0.042	.0262	----	----	----	----	19	UNCH
35000	----	----	----	0.122B/0.435A	----	0.237	- 0.034	.0163	----	----	----	----	27	UNCH
TOTAL											13	0	1648 +	9
OCT26														
3800	----	----	----	----	----	39.073	+ 4.203	.9641	----	----	----	----	1	UNCH
7000	----	----	14.240B/----	14.240B/15.638A	----	15.570	+ 2.319	.6666	----	----	----	----	2	UNCH
7100	----	----	13.775B/----	13.775B/13.932A	----	15.075	+ 2.250	.6539	----	----	----	----	1	UNCH
7500	----	----	12.068B/----	12.068B/13.536A	----	13.244	+ 1.983	.6034	----	----	----	----	1	UNCH
7650	----	----	11.561B/----	11.561B/12.967A	----	12.619	+ 1.887	.5847	----	----	----	----	1	UNCH
7875	----	----	10.716B/----	10.716B/12.165A	----	11.743	+ 1.750	.5572	----	----	----	----	2	UNCH
7975	----	----	10.435B/----	10.435B/11.841A	----	11.377	+ 1.692	.5453	----	----	----	----	1	UNCH
8000	----	----	10.321B/----	10.321B/11.763A	----	11.288	+ 1.678	.5423	----	----	----	----	4	UNCH
8075	----	----	10.117B/----	10.117B/11.524A	----	11.025	+ 1.635	.5335	----	----	----	----	1	UNCH
8500	----	----	8.904B/----	8.904B/10.295A	----	9.680	+ 1.412	.4859	----	----	----	----	1	UNCH
8700	----	----	8.390B/----	8.390B/9.787A	----	9.127	+ 1.319	.4649	----	----	----	----	4	UNCH
9000	----	----	7.663B/----	7.663B/9.137A	----	8.381	+ 1.190	.4353	----	----	----	----	1	UNCH
9100	----	----	7.453B/----	7.453B/8.921A	----	8.154	+ 1.151	.4259	----	----	----	----	73	UNCH
10000	----	----	5.898B/----	5.898B/7.274A	----	6.497	+ 0.860	.3528	----	----	----	----	96	UNCH
11000	----	----	4.610B/----	4.610B/5.913A	----	5.249	+ 0.644	.2918	----	----	----	----	3	UNCH
12000	4.500	4.500	4.500/4.500	4.500/4.500	----	4.348	+ 0.496	.2454	----	----	10	----	65 -	1
13000	----	----	----	2.966B/4.159A	----	3.627	+ 0.386	.2079	----	----	----	----	145	UNCH
14000	----	----	----	2.394B/3.605A	----	3.037	+ 0.302	.1769	----	----	----	----	2	UNCH
15000	----	----	----	1.947B/3.148A	----	2.556	+ 0.237	.1512	----	----	----	----	178	UNCH
16000	----	----	----	1.594B/2.779A	----	2.170	+ 0.187	.1302	----	----	----	----	1	UNCH
18000	----	----	----	1.284B/1.839A	----	1.618	+ 0.120	.0991	----	----	----	----	290	UNCH
20000	----	----	----	1.124B/1.460A	----	1.264	+ 0.080	.0783	----	----	----	----	225	UNCH
TOTAL											10	0	1098 -	1
NOV26														
6500	----	----	----	16.037B/18.865A	----	18.785	+ 2.732	.7260	----	----	----	----	1	UNCH
7000	----	----	14.877B/----	14.877B/16.441A	----	16.166	+ 2.354	.6664	----	----	----	----	14	UNCH
7100	----	----	14.424B/----	14.424B/16.000A	----	15.688	+ 2.282	.6543	----	----	----	----	14	UNCH
7500	----	----	12.748B/----	12.748B/14.362A	----	13.924	NEW	.6066	----	----	1	----	1 +	1
7900	----	----	11.347B/----	11.347B/12.948A	----	12.394	+ 1.754	.5606	----	----	----	----	10	UNCH
8000	----	----	11.025B/----	11.025B/12.627A	----	12.047	+ 1.696	.5495	----	----	----	----	10	UNCH
10000	----	----	6.569B/----	6.569B/8.160A	----	7.457	+ 0.975	.3748	----	----	----	----	26	UNCH
12000	----	----	----	4.265B/5.716A	----	5.075	+ 0.610	.2674	----	----	----	----	24	UNCH
12500	----	----	----	3.857B/5.288A	----	4.645	+ 0.542	.2471	----	----	----	----	10	UNCH
14000	----	----	----	2.880B/4.323A	----	3.617	+ 0.382	.1973	----	----	----	----	1	UNCH
15000	----	----	----	2.389B/3.803A	----	3.097	+ 0.302	.1713	----	----	----	----	5	UNCH
16000	----	----	----	1.998B/3.390A	----	2.679	+ 0.244	.1500	----	----	----	----	2	UNCH
17000	----	----	----	1.663B/3.052A	----	2.342	+ 0.201	.1324	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
20000	----	----	----	1.430B/1.831A	----	1.648 + 0.128	.0950	----	----	----	----	31 UNCH
TOTAL										1	0	150 + 1
DEC26												
3875	----	----	----	----/129.740A	----	38.384 + 4.233	.9572	----	----	----	----	1 UNCH
5250	----	----	----	----/104.532A	----	26.933 + 3.532	.8600	----	----	----	----	50 UNCH
5500	----	----	----	----/101.523A	----	25.125 + 3.362	.8358	----	----	----	----	1 UNCH
6500	----	----	16.668B/----	16.668B/19.463A	----	18.891 + 2.635	.7254	----	----	----	----	564 UNCH
6900	----	----	15.793B/----	15.793B/17.515A	----	16.870 + 2.314	.6782	----	----	----	----	1 UNCH
6950	----	----	15.483B/----	15.483B/17.289A	----	16.636 + 2.277	.6723	----	----	----	----	200 UNCH
7000	----	----	15.334B/----	15.334B/17.067A	----	16.406 + 2.240	.6664	----	----	----	----	120 UNCH
7025	----	----	15.143B/----	15.143B/16.957A	----	16.292 + 2.221	.6634	----	----	----	----	1 UNCH
7075	----	----	15.000B/----	15.000B/16.733A	----	16.068 + 2.186	.6576	----	----	----	----	5 UNCH
7100	----	----	14.813B/----	14.813B/16.632A	----	15.957 + 2.168	.6546	----	----	----	----	15 UNCH
7375	----	----	13.674B/----	13.674B/15.502A	----	14.803 + 1.983	.6228	----	----	----	----	4 UNCH
7500	----	----	13.268B/----	13.268B/15.030A	----	14.315 + 1.905	.6085	----	----	----	----	18 UNCH
7575	----	----	12.990B/----	12.990B/14.755A	----	14.033 + 1.860	.6001	----	----	----	----	1 UNCH
7750	13.000	13.000	13.000/13.000	13.000/13.000	----	13.404 NEW	.5808	----	----	2	----	2 + 2
7800	----	----	12.200B/----	12.200B/13.971A	----	13.232 + 1.734	.5754	----	----	----	----	1 UNCH
7925	----	----	11.790B/----	11.790B/13.560A	----	12.815 + 1.668	.5621	----	----	----	----	2 UNCH
8000	----	----	11.552B/----	11.552B/13.326A	----	12.574 + 1.630	.5543	----	----	----	----	127 UNCH
8100	----	----	11.186B/----	11.186B/13.022A	----	12.264 + 1.583	.5441	----	----	----	----	1 UNCH
8200	----	----	10.905B/----	10.905B/12.728A	----	11.965 + 1.537	.5341	----	----	----	----	26 UNCH
8400	----	----	10.325B/----	10.325B/12.232A	----	11.399 + 1.452	.5146	----	----	----	25	50 + 25
8500	----	----	10.062B/----	10.062B/11.966A	----	11.132 + 1.413	.5052	----	----	----	----	150 UNCH
8550	----	----	9.934B/----	9.934B/11.838A	----	11.002 + 1.393	.5006	----	----	----	----	1 UNCH
8800	----	----	9.398B/----	9.398B/11.224A	----	10.388 + 1.305	.4783	----	----	----	----	5 UNCH
8900	----	----	9.103B/----	9.103B/10.993A	----	10.157 + 1.272	.4697	----	----	----	----	2 UNCH
8950	----	----	8.993B/----	8.993B/10.880A	----	10.045 + 1.257	.4655	----	----	----	----	1 UNCH
9000	----	----	8.884B/----	8.884B/10.769A	----	9.935 + 1.242	.4613	----	----	----	----	183 UNCH
9050	----	----	8.779B/----	8.779B/10.660A	----	9.827 + 1.227	.4572	----	----	----	----	100 UNCH
9300	----	----	8.287B/----	8.287B/10.138A	----	9.313 + 1.157	.4374	----	----	----	----	1 UNCH
9500	----	----	7.928B/----	7.928B/9.750A	----	8.933 + 1.107	.4225	----	----	----	----	3 UNCH
9700	----	----	7.588B/----	7.588B/9.385A	----	8.576 + 1.059	.4082	----	----	----	----	1 UNCH
9800	----	----	7.422B/----	7.422B/9.210A	----	8.406 + 1.037	.4013	----	----	----	----	17 UNCH
9900	----	----	7.278B/----	7.278B/9.036A	----	8.241 + 1.016	.3946	----	----	1	----	3 + 1
10000	----	----	7.120B/----	7.120B/8.876A	----	8.080 + 0.994	.3880	----	----	1	----	773 + 1
10025	----	----	----	7.021B/8.835A	----	8.041 + 0.989	.3864	----	----	----	----	3 UNCH
10500	----	----	----	6.401B/8.116A	----	7.340 + 0.895	.3572	----	----	----	----	2 UNCH
10600	----	----	----	6.269B/7.978A	----	7.204 + 0.877	.3515	----	----	----	----	1 UNCH
11000	----	----	----	5.750B/7.458A	----	6.693 + 0.807	.3297	----	----	----	----	91 UNCH
11350	----	----	----	5.370B/7.041A	----	6.287 + 0.750	.3121	----	----	----	----	5 UNCH
11800	----	----	----	4.930B/6.572A	----	5.814 + 0.683	.2913	----	----	----	----	25 UNCH
12000	----	----	----	4.760B/6.379A	----	5.619 + 0.654	.2826	----	----	2	----	438 UNCH
12200	----	----	----	4.586B/6.196A	----	5.434 + 0.628	.2743	----	----	----	----	1 UNCH
12500	----	----	----	4.307B/5.936A	----	5.173 + 0.591	.2626	----	----	----	----	43 UNCH
13000	----	----	----	3.927B/5.586A	----	4.775 + 0.534	.2444	----	----	----	----	338 UNCH
14000	----	----	----	3.314B/4.910A	----	4.102 + 0.439	.2131	----	----	----	----	56 UNCH
14200	----	----	----	3.164B/4.802A	----	3.984 + 0.422	.2075	----	----	----	----	1 UNCH
15000	----	----	----	2.779B/4.366A	----	3.559 + 0.365	.1872	----	----	----	----	1821 UNCH
16000	----	----	----	2.323B/3.916A	----	3.113 + 0.306	.1656	----	----	----	----	1608 UNCH
17000	----	----	----	1.963B/3.567A	----	2.743 + 0.259	.1473	----	----	----	----	50 UNCH
18000	----	----	----	1.620B/3.235A	----	2.434 + 0.222	.1318	----	----	2	----	7 + 2
19000	----	----	----	1.367B/2.959A	----	2.173 + 0.191	.1186	----	----	----	----	1 UNCH
20000	----	----	----	1.102B/2.771A	----	1.953 + 0.168	.1073	----	----	----	----	262 UNCH
21000	1.825	1.825	1.870/1.825	1.870/1.825	----	1.766 NEW	.0976	----	----	4	----	4 + 4
23000	----	----	----	1.245B/1.695A	----	1.469 + 0.119	.0818	----	----	----	----	4 UNCH
25000	----	----	----	1.003B/1.474A	----	1.247 + 0.097	.0699	----	----	----	----	231 UNCH
30000	----	----	----	0.618B/0.839A	----	0.896 + 0.057	.0505	----	----	----	----	105 UNCH
40000	0.600	0.600	0.600/0.576	0.600/0.576	----	0.586 - 0.015	.0326	----	----	3	----	23 UNCH
TOTAL										15	25	7550 + 35
JAN27												
7550	----	----	----	9.517B/15.309A	----	15.267 + 2.589	.6146	----	----	----	----	1 UNCH
7650	----	----	----	10.362B/15.417A	----	14.916 + 2.544	.6042	----	----	----	----	6 UNCH
10000	----	----	----	0.055B/20.400A	----	9.006 + 1.692	.4077	----	----	----	----	1 UNCH
11000	----	----	----	0.054B/18.450A	----	7.495 + 1.443	.3491	----	----	----	----	1 UNCH
13000	----	----	----	0.001B/15.526A	----	5.979 + 1.143	.2778	----	----	----	----	1 UNCH
14000	----	----	----	1.750B/14.437A	----	5.525 + 1.045	.2543	----	----	----	----	1 UNCH
14500	----	----	----	0.001B/13.958A	----	5.351 + 1.006	.2448	----	----	----	----	400 UNCH
15000	----	----	----	0.001B/13.512A	----	5.204 + 0.971	.2365	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	0.061B/24.339A	----	11.440 + 2.654	.4860	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/9.191A	----	1.596 - 1.803	.0782	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
9200	----	----	----	#0.066B/*25.254A	----	13.217 + 0.218	.5011	----	----	----	----	25 UNCH
TOTAL											0	25 0
JUL27												
2000	----	----	----	----	----	58.603 + 4.556	.9935	----	----	----	----	1 UNCH
10000	----	----	----	----	----	15.195 - 0.065	.5026	----	----	----	----	1 UNCH
10300	----	----	----	----	----	14.748 - 0.120	.4894	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.192 + 2.841	.9047	----	----	----	----	1 UNCH
20000	----	----	----	----	----	10.946 - 0.836	.3295	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.021A	----	0.003 - 0.002	.0002	----	----	1	----	31 + 1
2100	----	----	----	----/0.075A	----	0.003 - 0.002	.0002	----	----	----	----	1 UNCH
2150	----	----	----	----/0.076A	----	0.004 - 0.001	.0003	----	----	----	----	1 UNCH
2175	----	----	----	----/0.076A	----	0.004 - 0.002	.0003	----	----	----	----	1 UNCH
2650	----	----	----	----/0.092A	----	0.012 - 0.004	.0011	----	----	----	----	2 UNCH
2700	----	----	----	----/0.094A	----	0.013 - 0.005	.0012	----	----	----	----	50 UNCH
2800	----	----	----	----/0.098A	----	0.015 - 0.006	.0015	----	----	----	----	12 UNCH
2850	----	----	----	----/0.101A	----	0.016 - 0.007	.0016	----	----	----	----	3 UNCH
2875	----	----	----	----/0.102A	----	0.017 - 0.007	.0017	----	----	----	----	1 UNCH
2950	----	----	----	----/0.107A	----	0.019 - 0.008	.0019	----	----	----	----	1 UNCH
3000	----	----	----	----/0.054A	----	0.021 - 0.008	.0021	----	----	----	----	19 UNCH
3075	----	----	----	----/0.117A	----	0.024 - 0.010	.0024	----	----	----	----	16 UNCH
3100	----	----	----	0.001B/0.119A	----	0.025 - 0.010	.0025	----	----	----	----	5 UNCH
3125	----	----	----	0.001B/0.121A	----	0.026 - 0.011	.0026	----	----	----	----	14 UNCH
3175	----	----	----	0.001B/0.127A	----	0.029 - 0.011	.0029	----	----	----	----	14 UNCH
3200	----	----	----	0.001B/0.129A	----	0.030 - 0.012	.0030	----	----	----	----	13 UNCH
3225	----	----	----	0.001B/0.132A	----	0.032 - 0.012	.0032	----	----	----	----	10 UNCH
3275	----	----	----	0.001B/0.139A	----	0.034 - 0.014	.0035	----	----	----	----	54 UNCH
3300	----	----	----	0.001B/0.142A	----	0.036 - 0.014	.0037	----	----	----	----	79 UNCH
3325	----	----	----	0.001B/0.146A	----	0.037 - 0.015	.0038	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.149A	----	0.039 - 0.016	.0040	----	----	----	----	14 UNCH
3375	----	----	----	0.001B/0.153A	----	0.041 - 0.016	.0042	----	----	----	----	12 UNCH
3400	----	----	----	0.001B/0.157A	----	0.042 - 0.017	.0043	----	----	----	----	39 UNCH
3450	----	----	----	0.001B/0.160A	----	0.046 - 0.018	.0047	----	----	----	----	5 UNCH
3475	----	----	----	0.001B/0.161A	----	0.048 - 0.019	.0049	----	----	----	----	13 UNCH
3500	----	----	----/0.068A	0.038B/0.068A	----	0.050 - 0.020	.0052	----	----	2	----	58 + 2
3550	----	----	----	0.001B/0.165A	----	0.054 - 0.021	.0056	----	----	----	----	1 UNCH
3575	----	----	----	0.001B/0.166A	----	0.056 - 0.022	.0058	----	----	----	----	28 UNCH
3600	----	----	----	0.001B/0.167A	----	0.058 - 0.023	.0060	----	----	----	----	6 UNCH
3625	----	----	----	0.001B/0.169A	----	0.060 - 0.025	.0062	----	----	----	----	12 UNCH
3675	----	----	----	0.001B/0.174A	----	0.065 - 0.026	.0068	----	----	----	----	105 UNCH
3700	----	----	----	0.001B/0.176A	----	0.067 - 0.028	.0070	----	----	----	----	264 UNCH
3750	----	----	----	0.001B/0.180A	----	0.073 - 0.029	.0076	----	----	----	----	10 UNCH
3775	----	----	----	0.004B/0.183A	----	0.075 - 0.031	.0079	----	----	----	----	10 UNCH
3800	----	----	----	0.005B/0.170A	----	0.078 - 0.032	.0082	----	----	1	----	356 + 1
3850	----	----	----	0.005B/0.190A	----	0.084 - 0.034	.0088	----	----	----	----	1 UNCH
3900	----	----	----	0.004B/0.195A	----	0.090 - 0.037	.0095	----	----	----	----	52 UNCH
3925	----	----	----	0.011B/0.195A	----	0.093 - 0.038	.0098	----	----	----	----	9 UNCH
3950	----	----	----	0.011B/0.198A	----	0.096 - 0.040	.0102	----	----	----	----	11 UNCH
3975	----	----	----	0.008B/0.200A	----	0.100 - 0.041	.0106	----	----	----	----	5 UNCH
4000	0.100	0.100	0.120/0.100	0.120/0.100	----	0.103 - 0.043	.0109	----	----	42	----	293 + 16
4025	----	----	----	0.017B/0.191A	----	0.105 - 0.045	.0112	----	----	----	----	3 UNCH
4050	----	----	----	0.013B/0.198A	----	0.108 - 0.046	.0116	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
4075	----	----	----	0.011B/0.206A	----	0.110 - 0.049	.0118	----	----	----	----	15 UNCH
4100	----	----	----	0.013B/0.208A	----	0.113 - 0.051	.0122	----	----	----	----	190 UNCH
4125	----	----	----/*0.150A	0.079B/*0.150A	----	0.115 - 0.053	.0125	----	----	----	----	10 UNCH
4150	----	----	----/*0.149A	0.084B/*0.149A	----	0.118 - 0.055	.0128	----	----	----	----	9 UNCH
4175	----	----	----/*0.158A	0.085B/*0.158A	----	0.120 - 0.058	.0131	----	----	----	----	1 UNCH
4200	----	----	----/0.163A	0.089B/0.163A	----	0.123 - 0.060	.0135	----	----	----	----	101 UNCH
4225	----	----	----/*0.167A	0.093B/*0.167A	----	0.126 - 0.063	.0139	----	----	----	----	20 UNCH
4250	----	----	----/0.170A	0.097B/0.170A	----	0.128 - 0.066	.0142	----	----	----	----	10 UNCH
4275	----	----	----/*0.175A	0.100B/*0.175A	----	0.131 - 0.069	.0146	----	----	----	----	7 UNCH
4300	0.150	0.150	0.150/0.150	0.160B/0.150	----	0.134 - 0.071	.0149	----	----	6	----	267 - 3
4325	----	----	----/*0.178A	0.108B/*0.178A	----	0.137 - 0.074	.0153	----	----	----	----	1 UNCH
4350	----	----	----/0.181A	0.115B/0.181A	----	0.140 - 0.077	.0157	----	----	----	----	27 UNCH
4375	----	----	----/*0.185A	0.116B/*0.185A	----	0.143 - 0.081	.0161	----	----	----	----	12 UNCH
4400	----	----	----/0.189A	0.124B/0.189A	----	0.146 - 0.084	.0166	----	----	----	----	314 UNCH
4425	----	----	----/*0.192A	0.129B/*0.192A	----	0.149 - 0.088	.0170	----	----	----	----	14 UNCH
4450	----	----	----/*0.197A	0.134B/*0.197A	----	0.152 - 0.091	.0174	----	----	----	----	7 UNCH
4475	----	----	----/0.201A	0.136B/0.201A	----	0.155 - 0.095	.0178	----	----	----	----	81 UNCH
4500	0.190	0.190	0.190/0.189A	0.200B/0.189A	----	0.159 - 0.099	.0183	----	----	1	----	787 UNCH
4525	----	----	----/*0.188A	0.146B/*0.188A	----	0.162 - 0.103	.0188	----	----	----	----	19 UNCH
4550	----	----	----/*0.213A	0.153B/*0.213A	----	0.166 - 0.107	.0193	----	----	----	----	4 UNCH
4575	----	----	----/*0.216A	0.161B/*0.216A	----	0.169 - 0.111	.0197	----	----	----	----	11 UNCH
4600	0.216	0.216	0.216/*0.215A	0.216/*0.215A	----	0.173 - 0.116	.0203	----	----	1	----	15 + 1
4625	----	----	----/*0.227A	0.171B/*0.227A	----	0.177 - 0.120	.0208	----	----	----	----	66 UNCH
4650	----	----	----/*0.232A	0.177B/*0.232A	----	0.181 - 0.125	.0214	----	----	----	----	10 UNCH
4675	----	----	----/*0.236A	0.184B/*0.236A	----	0.185 - 0.130	.0219	----	----	----	----	17 UNCH
4700	----	----	----/*0.241A	0.197B/*0.241A	----	0.189 - 0.135	.0225	----	----	----	----	116 UNCH
4725	----	----	----/*0.246A	0.198B/0.246A	----	0.194 - 0.140	.0231	----	----	5	----	11 + 4
4750	----	----	----/0.252A	0.205B/0.252A	----	0.198 - 0.146	.0237	----	----	----	----	18 UNCH
4775	----	----	----/*0.258A	0.209B/0.258A	----	0.203 - 0.151	.0244	----	----	----	----	4 UNCH
4800	0.376	0.376	0.376/0.262A	0.376/0.262A	----	0.208 - 0.157	.0251	----	----	4	----	316 - 2
4825	----	----	----/*0.269A	0.232B/0.269A	----	0.213 - 0.163	.0257	----	----	----	----	3 UNCH
4850	----	----	----/*0.275A	0.292B/0.275A	----	0.218 - 0.169	.0264	----	----	----	----	78 UNCH
4875	----	----	----/*0.280A	0.306B/0.280A	----	0.223 - 0.176	.0271	----	----	----	----	1 UNCH
4900	----	----	----/0.287A	0.318B/0.287A	----	0.229 - 0.182	.0279	----	----	----	----	163 UNCH
4925	----	----	----/*0.294A	0.331B/0.294A	----	0.235 - 0.189	.0287	----	----	----	----	9 UNCH
4950	----	----	----/0.301A	0.343B/0.301A	----	0.241 - 0.197	.0296	----	----	----	----	12 UNCH
4975	----	----	----/0.308A	0.401B/0.308A	----	0.247 - 0.204	.0304	----	----	----	----	52 UNCH
5000	0.480	0.480	0.480/0.280	0.480/0.280	----	0.253 - 0.213	.0312	----	----	74	----	895 + 10
5025	----	----	----/*0.320A	0.457B/0.320A	----	0.260 - 0.221	.0322	----	----	----	----	1 UNCH
5050	----	----	----/*0.324A	0.475B/0.324A	----	0.267 - 0.229	.0331	----	----	----	----	24 UNCH
5075	----	----	----/*0.346A	0.492B/0.346A	----	0.274 - 0.238	.0341	----	----	----	----	7 UNCH
5100	----	----	----/0.345A	0.510B/0.345A	----	0.282 - 0.247	.0351	----	----	----	----	164 UNCH
5125	----	----	----/*0.355A	0.536B/0.355A	----	0.290 - 0.256	.0362	----	----	----	----	50 UNCH
5150	----	----	----/*0.386A	0.562B/0.386A	----	0.298 - 0.267	.0372	----	----	----	----	50 UNCH
5175	----	----	0.596B/*0.375A	0.596B/0.375A	----	0.306 - 0.277	.0383	----	----	----	----	2 UNCH
5200	0.363	0.363	0.621B/0.363	0.621B/0.363	----	0.315 - 0.288	.0395	----	----	2	----	172 - 1
5225	----	----	0.644B/*0.393A	0.644B/0.393A	----	0.324 - 0.299	.0407	----	----	----	----	5 UNCH
5250	----	----	0.664B/0.403A	0.664B/0.403A	----	0.334 - 0.310	.0420	----	----	1	----	33 UNCH
5275	----	----	0.691B/*0.414A	0.691B/0.414A	----	0.344 - 0.321	.0433	----	----	----	----	8 UNCH
5300	----	----	0.717B/0.426A	0.717B/0.426A	----	0.354 - 0.333	.0446	----	----	----	----	171 UNCH
5325	----	----	0.741B/*0.425A	0.741B/0.425A	----	0.365 - 0.346	.0461	----	----	----	----	23 UNCH
5350	----	----	0.769B/0.435A	0.769B/0.435A	----	0.376 - 0.359	.0475	----	----	----	----	28 UNCH
5375	----	----	0.797B/0.448A	0.797B/0.448A	----	0.387 - 0.372	.0489	----	----	----	----	14 UNCH
5400	----	----	0.822B/0.454A	0.822B/0.454A	----	0.399 - 0.386	.0505	----	----	----	----	99 UNCH
5425	----	----	0.855B/0.469A	0.855B/0.469A	----	0.412 - 0.399	.0521	----	----	----	----	13 UNCH
5450	----	----	0.884B/0.483A	0.884B/0.483A	----	0.425 - 0.414	.0538	----	----	----	----	9 UNCH
5475	----	----	0.916B/0.502A	0.916B/0.502A	----	0.438 - 0.429	.0555	----	----	----	----	13 UNCH
5500	1.000	1.000	1.000/0.475	1.000/0.475	----	0.452 - 0.444	.0573	----	----	11	----	563 UNCH
5525	----	----	0.972B/0.531A	0.972B/0.531A	----	0.467 - 0.459	.0591	----	----	----	----	37 UNCH
5550	----	----	1.015B/0.516A	1.015B/0.516A	----	0.482 - 0.476	.0610	----	----	----	----	32 UNCH
5575	----	----	1.050B/0.562A	1.050B/0.562A	----	0.497 - 0.493	.0629	----	----	----	----	4 UNCH
5600	----	----	1.085B/0.580A	1.085B/0.580A	----	0.513 - 0.510	.0649	----	----	----	----	70 UNCH
5625	0.616	0.616	1.120B/0.598A	1.120B/0.598A	----	0.530 - 0.527	.0671	----	----	3	----	6 - 1
5650	----	----	1.162B/0.608A	1.162B/0.608A	----	0.548 - 0.544	.0693	----	----	----	----	40 UNCH
5675	----	----	1.198B/0.624A	1.198B/0.624A	----	0.566 - 0.562	.0715	----	----	----	----	48 UNCH
5700	----	----	1.238B/0.649A	1.238B/0.649A	----	0.584 - 0.582	.0737	----	----	----	----	125 UNCH
5725	----	----	1.281B/0.673A	1.281B/0.673A	----	0.604 - 0.600	.0761	----	----	----	----	22 UNCH
5750	0.790	0.790	1.325B/0.685A	1.325B/0.685A	----	0.624 - 0.620	.0786	----	----	1	----	111 UNCH
5775	----	----	1.365B/0.699A	1.365B/0.699A	----	0.645 - 0.639	.0811	----	----	----	----	15 UNCH
5800	----	----	1.411B/0.720A	1.411B/0.720A	----	0.666 - 0.660	.0837	----	----	2	----	378 + 1
5825	0.948	0.948	1.450B/0.743A	1.450B/0.743A	----	0.689 - 0.680	.0864	----	----	5	----	55 + 5
5850	0.751	0.751	1.509B/0.751	1.509B/0.751	----	0.712 - 0.701	.0892	----	----	1	----	6 UNCH
5875	----	----	1.556B/0.787A	1.556B/0.787A	----	0.736 - 0.722	.0920	----	----	----	----	4 UNCH
5900	0.801	0.801	1.608B/0.801	1.608B/0.801	----	0.761 - 0.744	.0949	----	----	1	----	110 + 1
5925	----	----	1.656B/0.839A	1.656B/0.839A	----	0.787 - 0.765	.0980	----	----	----	----	12 UNCH
5950	----	----	1.710B/0.867A	1.710B/0.867A	----	0.813 - 0.788	.1010	----	----	1	----	9 + 1
5975	----	----	1.768B/0.891A	1.768B/0.891A	----	0.841 - 0.811	.1042	----	----	----	----	19 UNCH
6000	1.382	1.382	1.813B/0.922A	1.813B/0.922A	----	0.870 - 0.833	.1076	----	----	78	----	1015 + 27
6025	----	----	1.880B/0.951A	1.880B/0.951A	----	0.899 - 0.857	.1109	----	----	----	----	24 UNCH
6050	----	----	1.936B/0.978A	1.936B/0.978A	----	0.930 - 0.880	.1144	----	----	9	----	320 - 8
6075	----	----	1.999B/1.007A	1.999B/1.007A	----	0.961 - 0.905	.1179	----	----	----	----	165 UNCH
6100	----	----	2.055B/1.041A	2.055B/1.041A	----	0.994 - 0.929	.1216	----	----	9	----	144 - 8
6125	----	----	2.122B/1.075A	2.122B/1.075A	----	1.028 - 0.954	.1254	----	----	----	----	7 UNCH
6150	----	----	2.184B/1.108A	2.184B/1.108A	----	1.062 - 0.979	.1292	----	----	----	----	33 UNCH
6175	----	----	2.255B/1.143A	2.255B/1.143A	----	1.098 - 1.005	.1331	----	----	----	----	13 UNCH
6200	1.550	1.550	2.324B/1.179A	2.324B/1.179A	----	1.135 - 1.031	.1371	----	----	8	----	59 + 1
6225	----	----	2.394B/1.205A	2.394B/1.205A	----	1.174 - 1.056	.1413	----	----	----	----	32 UNCH
6250	----	----	2.462B/1.249A	2.462B/1.249A	----	1.213 - 1.083	.1455	----	----	----	----	92 UNCH
6275	----	----	2.534B/1.290A	2.534B/1.290A	----	1.254 - 1.110	.1499	----	----	----	----	13 UNCH
6300	----	----	2.613B/1.328A	2.613B/1.328A	----	1.296 - 1.137	.1543	----	----	2	----	180 - 1
6325	----	----	2.687B/1.368A	2.687B/1.368A	----	1.339 - 1.165	.1588	----	----	----	----	126 UNCH
6350	----	----	2.766B/1.413A	2.766B/1.413A	----	1.384 - 1.192	.1635	----	----	5	----	80 + 5
6375	1.687	1.687	2.846B/1.458A	2.846B/1.458A	----	1.430 - 1.221	.1682	----	----	19	----	31 + 14
6400	2.065	2.065	2.929B/1.433	2.929B/1.433	----	1.477 - 1.249	.1731	----	----	45	----	75 - 3
6425	----	----	3.013B/1.548A	3.013B/1.548A	----	1.526 - 1.278	.1780	----	----	----	----	10 UNCH
6450	----	----	3.099B/1.593A	3.099B/1.593A	----	1.576 - 1.307	.1831	----	----	5	----	41 + 5
6475	----	----	3.187B/1.643A	3.187B/1.643A	----	1.628 - 1.336	.1882	----	----	----	----	8 UNCH
6500	3.007	3.007	3.250B/1.688A	3.250B/1.688A	----	1.681 - 1.366	.1935	----	----	28	----	775 - 7
6525	----	----	3.357B/1.741A	3.357B/1.741A	----	1.735 - 1.397	.1988	----	----	----	----	18 UNCH
6550	----	----	3.420B/1.804A	3.420B/1.804A	----	1.791 - 1.428	.2042	----	----	----	----	170 UNCH
6575	2.600	2.600	3.447B/1.852A	3.447B/1.852A	----	1.849 - 1.458	.2098	----	----	26	----	70 + 26
6600	2.100	2.100	3.516B/1.891	3.516B/1.891	----	1.908 - 1.489	.2154	----	----	4	----	426 - 2
6625	----	----	3.507B/1.975A	3.507B/1.975A	----	1.969 - 1.520	.2212	----	----	----	----	7 UNCH
6650	2.689	2.689	2.700/2.030	3.579B/2.030	----	2.032 - 1.551	.2270	----	----	24	----	92 + 13
6675	2.690	2.690	3.682B/2.099A	3.682B/2.099A	----	2.096 - 1.583	.2329	----	----	2	----	66 + 2
6700	2.757	2.757	3.832B/2.158A	3.832B/2.158A	----	2.161 - 1.616	.2389	----	----	12	----	426 + 1
6725	----	----	3.885B/2.225A	3.885B/2.225A	----	2.229 - 1.648	.2451	----	----	----	----	7 UNCH
6750	----	----	4.007B/2.290A	4.007B/2.290A	----	2.298 - 1.681	.2513	----	----	----	----	60 UNCH
6775	----	----	4.109B/2.359A	4.109B/2.359A	----	2.369 - 1.714	.2576	----	----	----	----	14 UNCH
6800	4.700	4.700	4.700/2.420	4.700/2.420	----	2.441 - 1.748	.2639	----	----	47	----	71 + 10
6825	----	----	4.366B/2.501A	4.366B/2.501A	----	2.516 - 1.781	.2704	----	----	1	----	13 - 1
6850	----	----	4.473B/2.574A	4.473B/2.574A	----	2.592 - 1.815	.2770	----	----	1	----	10 UNCH
6875	3.256	3.256	4.592B/2.648A	4.592B/2.648A	----	2.670 - 1.849	.2836	----	----	2	----	7 + 1
6900	3.073	3.073	4.758B/2.726A	4.758B/2.726A	----	2.750 - 1.883	.2903	----	----	11	----	394 + 2
6925	2.758	2.758	4.842B/2.758	4.842B/2.758	----	2.832 - 1.917	.2971	----	----	2	----	164 - 1
6950	----	----	4.970B/2.884A	4.970B/2.884A	----	2.915 - 1.952	.3039	----	----	----	----	7 UNCH
6975	----	----	5.101B/2.965A	5.101B/2.965A	----	3.001 - 1.986	.3109	----	----	----	----	14 UNCH
7000	4.300	4.300	5.270B/3.048A	5.270B/3.048A	----	3.089 - 2.020	.3179	----	----	66	----	861 - 14
7025	----	----	5.374B/3.135A	5.374B/3.135A	----	3.178 - 2.056	.3250	----	----	----	----	10 UNCH
7050	----	----	5.507B/3.223A	5.507B/3.223A	----	3.270 - 2.090	.3321	----	----	10	----	35 + 10
7075	----	----	5.641B/3.313A	5.641B/3.313A	----	3.363 - 2.126	.3393	----	----	----	----	10 UNCH
7100	----	----	5.825B/3.405A	5.825B/3.405A	----	3.459 - 2.160	.3466	----	----	1	----	60 UNCH
7125	----	----	5.921B/3.497A	5.921B/3.497A	----	3.557 - 2.195	.3539	----	----	----	----	11 UNCH
7150	----	----	6.067B/3.594A	6.067B/3.594A	----	3.657 - 2.230	.3613	----	----	1	----	27 UNCH
7175	----	----	6.163B/3.691A	6.163B/3.691A	----	3.759 - 2.265	.3688	----	----	----	----	13 UNCH
7200	----	----	6.295B/3.792A	6.295B/3.792A	----	3.863 - 2.300	.3762	----	----	10	----	295 + 5
7225	----	----	6.392B/3.892A	6.392B/3.892A	----	3.969 - 2.335	.3837	----	----	----	----	18 UNCH
7250	5.335	5.335	6.538B/3.993A	6.538B/3.993A	----	4.077 - 2.370	.3913	----	----	41	----	56 - 24
7275	----	----	6.686B/4.099A	6.686B/4.099A	----	4.188 - 2.404	.3989	----	----	----	----	6 UNCH
7300	5.594	5.594	6.944B/4.208A	6.944B/4.208A	----	4.300 - 2.439	.4065	----	----	1	----	40 - 1
7325	----	----	7.106B/4.317A	7.106B/4.317A	----	4.415 - 2.473	.4142	----	----	----	----	14 UNCH
7350	5.420	5.420	7.267B/4.432A	7.267B/4.432A	----	4.532 - 2.508	.4218	----	----	4	----	30 UNCH
7375	5.552	5.552	7.480B/4.545A	7.480B/4.545A	----	4.651 - 2.542	.4295	----	----	5	----	8 + 4
7400	5.686	5.686	7.457B/4.660A	7.457B/4.660A	----	4.773 - 2.575	.4372	----	----	29	----	32 - 3
7425	5.837	5.837	7.618B/4.778A	7.618B/4.778A	----	4.896 - 2.610	.4449	----	----	9	----	14 + 8
7450	5.960	5.960	7.780B/4.901A	7.780B/4.901A	----	5.022 - 2.643	.4527	----	----	5	----	7 + 1
7475	6.100	6.100	7.945B/5.028A	7.945B/5.028A	----	5.150 - 2.676	.4604	----	----	5	----	8 + 5
7500	6.243	6.243	8.110B/5.147A	8.110B/5.147A	----	5.280 - 2.709	.4681	----	----	25	----	406 - 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7525	6.387	6.387	8.277B/5.274A	8.277B/5.274A	----	5.413 -	2.742 .4758	----	----	6	----	33 + 5
7530	6.417	6.417	8.311B/5.299A	8.311B/5.299A	----	5.440 -	2.748 .4773	----	----	5	----	7 + 5
7535	6.450	6.450	8.345B/5.326A	8.345B/5.326A	----	5.466 -	2.755 .4789	----	----	6	----	6 - 3
7540	6.477	6.477	8.379B/5.350A	8.379B/5.350A	----	5.493 -	2.762 .4804	----	----	6	----	6 + 5
7545	----	----	8.412B/5.377A	8.412B/5.377A	----	5.520 -	2.768 .4819	----	----	----	----	2 UNCH
7550	----	----	8.446B/5.403A	8.446B/5.403A	----	5.547 -	2.775 .4835	----	----	1	----	17 - 1
7555	----	----	8.480B/5.428A	8.480B/5.428A	----	5.575 -	2.780 .4850	----	----	----	----	1 UNCH
7560	----	----	----/5.455A	7.949B/5.455A	----	5.602 -	2.787 .4866	----	----	----	----	2 UNCH
7565	----	----	----/5.480A	7.987B/5.480A	----	5.629 -	2.794 .4881	----	----	----	----	1 UNCH
7570	----	----	----/5.509A	8.024B/5.509A	----	5.657 -	2.800 .4896	----	----	----	----	1 UNCH
7575	----	----	----/5.533A	8.060B/5.533A	----	5.684 -	2.807 .4912	----	----	----	----	1 UNCH
7580	----	----	----/5.560A	7.806B/5.560A	----	5.712 -	2.813 .4927	----	----	----	----	25 UNCH
7585	----	----	----/5.585A	7.022B/5.585A	----	5.739 -	2.820 .4942	----	----	----	----	6 UNCH
7590	----	----	----/5.613A	6.965B/5.613A	----	5.767 -	2.826 .4958	----	----	----	----	1 UNCH
7595	----	----	----/5.642A	6.987B/5.642A	----	5.795 -	2.832 .4973	----	----	----	----	1 UNCH
7600	----	----	----/5.670A	7.143B/5.670A	----	5.823 -	2.838 .4988	----	----	1	----	42 UNCH
7605	----	----	----/5.690A	7.123B/5.690A	----	5.851 -	2.845 .5003	----	----	----	----	2 UNCH
7610	----	----	----/5.717A	7.160B/5.717A	----	5.879 -	2.851 .5019	----	----	----	----	1 UNCH
7620	----	----	----/5.774A	7.557B/5.774A	----	5.936 -	2.863 .5049	----	----	----	----	31 UNCH
7625	----	----	----/5.801A	7.553B/5.801A	----	5.964 -	2.870 .5065	----	----	----	----	3 UNCH
7630	----	----	----/5.831A	7.535B/5.831A	----	5.992 -	2.877 .5080	----	----	----	----	1 UNCH
7635	----	----	----/5.858A	7.625B/5.858A	----	6.021 -	2.882 .5095	----	----	----	----	36 UNCH
7645	----	----	----/5.920A	7.529B/5.920A	----	6.078 -	2.895 .5125	----	----	----	----	2 UNCH
7650	----	----	----/5.942A	7.744B/5.942A	----	6.107 -	2.901 .5141	----	----	----	----	7 UNCH
7655	----	----	----/5.984A	7.594B/5.984A	----	6.136 -	2.907 .5156	----	----	----	----	1 UNCH
7660	----	----	----/5.995A	7.614B/5.995A	----	6.165 -	2.913 .5171	----	----	----	----	1 UNCH
7665	----	----	----/6.048A	7.643B/6.048A	----	6.194 -	2.920 .5186	----	----	----	----	3 UNCH
7670	----	----	----/6.124A	7.678B/6.124A	----	6.223 -	2.926 .5201	----	----	----	----	1 UNCH
7675	6.355	6.355	6.355/6.144A	7.734B/6.144A	----	6.252 -	2.932 .5216	----	----	1	----	3 + 1
7685	----	----	----/6.201A	8.020B/6.201A	----	6.311 -	2.944 .5247	----	----	----	----	10 UNCH
7700	----	----	----/6.262A	8.127B/6.262A	----	6.400 -	2.962 .5292	----	----	----	----	272 UNCH
7710	----	----	----/6.337A	7.785B/6.337A	----	6.459 -	2.975 .5322	----	----	----	----	2 UNCH
7715	----	----	----/6.369A	7.778B/6.369A	----	6.489 -	2.980 .5337	----	----	----	----	1 UNCH
7720	----	----	----/6.393A	7.830B/6.393A	----	6.519 -	2.986 .5352	----	----	----	----	2 UNCH
7725	----	----	----/6.425A	7.855B/6.425A	----	6.549 -	2.992 .5367	----	----	----	----	2 UNCH
7730	----	----	----/6.452A	7.673B/6.452A	----	6.579 -	2.999 .5382	----	----	----	----	1 UNCH
7735	----	----	----/6.481A	7.878B/6.481A	----	6.609 -	3.005 .5396	----	----	----	----	1 UNCH
7745	----	----	----/6.537A	7.905B/6.537A	----	6.670 -	3.016 .5426	----	----	----	----	3 UNCH
7750	----	----	----/6.548A	8.465B/6.548A	----	6.700 -	3.023 .5441	----	----	1	----	61 UNCH
7755	----	----	----/6.606A	7.828B/6.606A	----	6.731 -	3.028 .5456	----	----	----	----	4 UNCH
7760	----	----	----/6.630A	7.866B/6.630A	----	6.761 -	3.035 .5471	----	----	----	----	4 UNCH
7770	----	----	----/6.699A	8.033B/6.699A	----	6.823 -	3.046 .5500	----	----	----	----	1 UNCH
7775	----	----	----/6.722A	7.966B/6.722A	----	6.854 -	3.051 .5515	----	----	----	----	2 UNCH
7780	----	----	----/6.752A	8.001B/6.752A	----	6.885 -	3.057 .5530	----	----	----	----	1 UNCH
7785	----	----	----/6.774A	8.035B/6.774A	----	6.916 -	3.063 .5545	----	----	----	----	1 UNCH
7790	----	----	----/6.810A	8.069B/6.810A	----	6.947 -	3.069 .5559	----	----	----	----	2 UNCH
7800	----	----	----/6.863A	8.813B/6.863A	----	7.009 -	3.081 .5589	----	----	----	----	24 UNCH
7805	----	----	----/6.895A	8.166B/6.895A	----	7.040 -	3.087 .5603	----	----	----	----	1 UNCH
7815	----	----	----/6.975A	8.236B/6.975A	----	7.103 -	3.098 .5633	----	----	----	----	1 UNCH
7825	----	----	----/7.041A	8.300B/7.041A	----	7.166 -	3.110 .5662	----	----	----	----	1 UNCH
7830	----	----	----/7.072A	8.966B/7.072A	----	7.198 -	3.115 .5676	----	----	----	----	11 UNCH
7840	----	----	----/7.134A	8.409B/7.134A	----	7.262 -	3.126 .5705	----	----	----	----	2 UNCH
7850	----	----	----/7.195A	9.170B/7.195A	----	7.326 -	3.137 .5734	----	----	----	----	44 UNCH
7865	----	----	----/7.291A	8.577B/7.291A	----	7.422 -	3.155 .5778	----	----	----	----	1 UNCH
7875	----	----	----/7.355A	9.348B/7.355A	----	7.487 -	3.166 .5806	----	----	----	----	7 UNCH
7880	----	----	----/7.388A	8.684B/7.388A	----	7.520 -	3.170 .5820	----	----	----	----	1 UNCH
7885	----	----	----/7.420A	8.719B/7.420A	----	7.552 -	3.177 .5835	----	----	----	----	1 UNCH
7890	----	----	----/7.451A	8.755B/7.451A	----	7.585 -	3.182 .5849	----	----	----	----	1 UNCH
7895	----	----	----/7.483A	8.791B/7.483A	----	7.618 -	3.187 .5863	----	----	----	----	1 UNCH
7900	----	----	----/7.514A	9.529B/7.514A	----	7.650 -	3.193 .5878	----	----	----	----	33 UNCH
7910	----	----	----/7.579A	8.898B/7.579A	----	7.716 -	3.204 .5906	----	----	----	----	3 UNCH
7915	----	----	----/7.611A	8.935B/7.611A	----	7.749 -	3.209 .5920	----	----	----	----	1 UNCH
7925	----	----	----/7.676A	9.006B/7.676A	----	7.815 -	3.220 .5948	----	----	----	----	1 UNCH
7930	----	----	----/7.708A	9.042B/7.708A	----	7.849 -	3.225 .5962	----	----	----	----	1 UNCH
7935	----	----	----/7.740A	9.077B/7.740A	----	7.882 -	3.230 .5976	----	----	----	----	2 UNCH
7940	----	----	----/7.773A	9.113B/7.773A	----	7.915 -	3.236 .5990	----	----	----	----	3 UNCH
7950	----	----	----/7.838A	9.892B/7.838A	----	7.982 -	3.247 .6018	----	----	----	----	24 UNCH
7955	----	----	----/7.871A	9.222B/7.871A	----	8.016 -	3.251 .6032	----	----	----	----	1 UNCH
7965	----	----	----/7.936A	10.004B/7.936A	----	8.083 -	3.262 .6060	----	----	----	----	6 UNCH
7970	----	----	----/7.969A	9.332B/7.969A	----	8.117 -	3.267 .6074	----	----	----	----	3 UNCH
7975	----	----	----/8.002A	9.372B/8.002A	----	8.151 -	3.272 .6088	----	----	----	----	1 UNCH
7980	----	----	----/8.035A	9.406B/8.035A	----	8.185 -	3.278 .6102	----	----	----	----	1 UNCH
7985	----	----	----/8.068A	9.443B/8.068A	----	8.219 -	3.283 .6115	----	----	----	----	1 UNCH
7990	----	----	----/8.102A	9.480B/8.102A	----	8.253 -	3.288 .6129	----	----	----	----	2 UNCH
8000	9.400	9.400	9.400/7.900	10.265B/7.900	----	8.322 -	3.298 .6157	----	----	3	----	480 - 1
8005	----	----	----/8.201A	9.591B/8.201A	----	8.356 -	3.303 .6170	----	----	----	----	2 UNCH
8010	----	----	----/8.235A	9.629B/8.235A	----	8.390 -	3.309 .6184	----	----	----	----	2 UNCH
8025	----	----	----/8.335A	10.399B/8.335A	----	8.494 -	3.323 .6224	----	----	----	----	7 UNCH
8030	----	----	----/8.369A	9.784B/8.369A	----	8.529 -	3.328 .6238	----	----	----	----	1 UNCH
8035	----	----	----/8.390A	9.822B/8.390A	----	8.564 -	3.333 .6251	----	----	----	----	1 UNCH
8040	----	----	----/8.436A	9.859B/8.436A	----	8.598 -	3.338 .6265	----	----	----	----	1 UNCH
8050	----	----	----/8.504A	9.937B/8.504A	----	8.668 -	3.348 .6292	----	----	----	----	4 UNCH
8065	----	----	----/8.609A	10.048B/8.609A	----	8.773 -	3.363 .6331	----	----	----	----	1 UNCH
8070	----	----	----/8.755A	10.086B/8.755A	----	8.809 -	3.367 .6345	----	----	----	----	2 UNCH
8075	----	----	----/8.732A	10.126B/8.732A	----	8.844 -	3.372 .6358	----	----	----	----	4 UNCH
8080	----	----	----/9.041A	10.162B/9.041A	----	8.879 -	3.378 .6371	----	----	----	----	3 UNCH
8085	----	----	----/8.774A	10.914B/8.774A	----	8.915 -	3.382 .6384	----	----	----	----	7 UNCH
8090	----	----	----/8.787A	10.954B/8.787A	----	8.950 -	3.387 .6397	----	----	----	----	20 UNCH
8095	----	----	----/9.143A	10.276B/9.143A	----	8.986 -	3.391 .6410	----	----	----	----	2 UNCH
8100	8.862	8.862	8.862/8.819A	11.033B/8.819A	----	9.022 -	3.396 .6424	----	----	1	----	33 - 1
8105	----	----	----/9.213A	10.353B/9.213A	----	9.057 -	3.401 .6437	----	----	----	----	1 UNCH
8110	----	----	----/9.247A	10.391B/9.247A	----	9.093 -	3.406 .6450	----	----	----	----	1 UNCH
8125	----	----	----/9.355A	10.507B/9.355A	----	9.201 -	3.420 .6489	----	----	----	----	1 UNCH
8150	----	----	----/9.529A	10.703B/9.529A	----	9.382 -	3.442 .6552	----	----	----	----	4 UNCH
8175	----	----	----/9.707A	10.898B/9.707A	----	9.564 -	3.465 .6616	----	----	----	----	2 UNCH
8195	----	----	----/9.849A	11.057B/9.849A	----	9.711 -	3.483 .6666	----	----	----	----	2 UNCH
8200	----	----	----/9.524A	11.817B/9.524A	----	9.748 -	3.488 .6678	----	----	----	----	37 UNCH
8205	----	----	----/9.921A	11.140B/9.921A	----	9.785 -	3.492 .6691	----	----	----	----	1 UNCH
8210	----	----	----/9.958A	11.185B/9.958A	----	9.822 -	3.496 .6703	----	----	----	----	1 UNCH
8215	----	----	----/9.994A	11.219B/9.994A	----	9.859 -	3.501 .6715	----	----	----	----	1 UNCH
8225	----	----	----/10.069A	11.296B/10.069A	----	9.934 -	3.509 .6740	----	----	----	----	5 UNCH
8230	----	----	----/10.103A	11.345B/10.103A	----	9.971 -	3.514 .6752	----	----	----	----	1 UNCH
8240	----	----	----/10.176A	11.416B/10.176A	----	10.046 -	3.522 .6776	----	----	----	----	2 UNCH
8250	----	----	----/9.889A	12.219B/9.889A	----	10.121 -	3.530 .6801	----	----	----	----	73 UNCH
8255	----	----	----/10.286A	11.540B/10.286A	----	10.158 -	3.535 .6813	----	----	----	----	3 UNCH
8265	----	----	----/10.360A	11.621B/10.360A	----	10.234 -	3.543 .6837	----	----	----	----	1 UNCH
8270	----	----	----/10.397A	11.661B/10.397A	----	10.271 -	3.548 .6849	----	----	----	----	1 UNCH
8275	----	----	----/10.435A	11.702B/10.435A	----	10.309 -	3.552 .6861	----	----	----	----	1 UNCH
8280	----	----	----/10.471A	11.742B/10.471A	----	10.347 -	3.556 .6873	----	----	----	----	3 UNCH
8285	----	----	----/10.508A	11.783B/10.508A	----	10.385 -	3.560 .6884	----	----	----	----	1 UNCH
8290	----	----	----/10.545A	11.823B/10.545A	----	10.423 -	3.564 .6896	----	----	----	----	2 UNCH
8295	----	----	----/10.583A	11.864B/10.583A	----	10.461 -	3.568 .6908	----	----	----	----	1 UNCH
8300	----	----	----/10.261A	12.629B/10.261A	----	10.499 -	3.572 .6920	----	----	----	----	64 UNCH
8305	----	----	----/10.657A	11.946B/10.657A	----	10.538 -	3.576 .6931	----	----	----	----	1 UNCH
8315	----	----	----/10.729A	12.027B/10.729A	----	10.614 -	3.584 .6955	----	----	----	----	1 UNCH
8320	----	----	----/10.767A	12.068B/10.767A	----	10.652 -	3.589 .6966	----	----	----	----	2 UNCH
8325	----	----	----/10.808A	12.109B/10.808A	----	10.691 -	3.592 .6978	----	----	----	----	1 UNCH
8330	----	----	----/10.842A	12.150B/10.842A	----	10.729 -	3.596 .6990	----	----	----	----	1 UNCH
8335	----	----	----/10.883A	12.191B/10.883A	----	10.768 -	3.600 .7001	----	----	----	----	1 UNCH
8340	----	----	----/10.583A	12.956B/10.583A	----	10.806 -	3.604 .7013	----	----	----	----	19 UNCH
8350	----	----	----/10.658A	12.962B/10.658A	----	10.884 -	3.611 .7035	----	----	----	----	19 UNCH
8355	----	----	----/11.031A	12.356B/11.031A	----	10.922 -	3.616 .7047	----	----	----	----	3 UNCH
8360	----	----	----/11.072A	12.397B/11.072A	----	10.961 -	3.620 .7058	----	----	----	----	4 UNCH
8375	----	----	----/10.847A	13.244B/10.847A	----	11.078 -	3.631 .7092	----	----	----	----	8 UNCH
8385	----	----	----/11.263A	12.604B/11.263A	----	11.156 -	3.639 .7114	----	----	----	----	1 UNCH
8395	----	----	----/11.340A	12.688B/11.340A	----	11.234 -	3.646 .7136	----	----	----	----	2 UNCH
8400	----	----	----/11.021A	13.452B/11.021A	----	11.274 -	3.649 .7147	----	----	----	----	32 UNCH
8405	----	----	----/11.417A	12.771B/11.417A	----	11.313 -	3.653 .7159	----	----	----	----	2 UNCH
8410	----	----	----/11.455A	12.813B/11.455A	----	11.352 -	3.657 .7169	----	----	----	----	3 UNCH
8415	----	----	----/11.494A	12.854B/11.494A	----	11.392 -	3.660 .7181	----	----	----	----	3 UNCH
8420	----	----	----/11.532A	12.896B/11.532A	----	11.431 -	3.665 .7191	----	----	----	----	2 UNCH
8425	----	----	----/11.571A	12.938B/11.571A	----	11.471 -	3.668 .7202	----	----	----	----	5 UNCH
8430	----	----	----/11.609A	12.980B/11.609A	----	11.510 -	3.672 .7213	----	----	----	----	1 UNCH
8450	----	----	----/11.409A	13.871B/11.409A	----	11.669 -	3.686 .7256	----	----	----	----	30 UNCH
8460	----	----	----/11.842A	13.232B/11.842A	----	11.748 -	3.694 .7277	----	----	----	----	1 UNCH
8475	----	----	----/11.959A	13.359B/11.959A	----	11.868 -	3.704 .7309	----	----	----	----	5 UNCH
8480	----	----	----/11.999A	13.401B/11.999A	----	11.908 -	3.707 .7320	----	----	----	----	1 UNCH
8490	----	----	----/12.077A	13.486B/12.077A	----	11.988 -	3.715 .7340	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8495	----	----	----/12.116A	13.528B/12.116A	----	12.029 - 3.717	.7351	----	----	----	----	1 UNCH
8500	13.777	13.777	13.777/11.803A	14.296B/11.803A	----	12.069 - 3.721	.7362	----	----	3	----	373 - 1
8515	----	----	----/12.274A	13.698B/12.274A	----	12.190 - 3.731	.7392	----	----	----	----	1 UNCH
8535	----	----	----/12.433A	13.869B/12.433A	----	12.352 - 3.744	.7433	----	----	----	----	2 UNCH
8545	----	----	----/12.513A	13.955B/12.513A	----	12.433 - 3.751	.7453	----	----	----	----	1 UNCH
8550	----	----	----/12.553A	13.997B/12.553A	----	12.474 - 3.754	.7463	----	----	----	----	3 UNCH
8555	----	----	----/12.593A	14.040B/12.593A	----	12.515 - 3.757	.7473	----	----	----	----	1 UNCH
8560	----	----	----/12.633A	14.083B/12.633A	----	12.555 - 3.761	.7483	----	----	----	----	1 UNCH
8565	----	----	----/12.673A	14.126B/12.673A	----	12.596 - 3.764	.7493	----	----	----	----	1 UNCH
8570	----	----	----/12.713A	14.169B/12.713A	----	12.637 - 3.767	.7503	----	----	----	----	1 UNCH
8575	----	----	----/12.753A	14.212B/12.753A	----	12.678 - 3.770	.7513	----	----	----	----	3 UNCH
8580	----	----	----/12.793A	14.255B/12.793A	----	12.719 - 3.774	.7523	----	----	----	----	1 UNCH
8585	----	----	----/12.834A	14.298B/12.834A	----	12.760 - 3.777	.7532	----	----	----	----	1 UNCH
8590	----	----	----/12.874A	14.341B/12.874A	----	12.801 - 3.780	.7542	----	----	----	----	4 UNCH
8600	----	----	----/12.609A	15.157B/12.609A	----	12.883 - 3.787	.7561	----	----	----	----	85 UNCH
8605	----	----	----/12.995A	14.471B/12.995A	----	12.925 - 3.789	.7571	----	----	----	----	3 UNCH
8620	----	----	----/13.117A	14.599B/13.117A	----	13.049 - 3.798	.7599	----	----	----	----	1 UNCH
8630	----	----	----/13.199A	14.688B/13.199A	----	13.131 - 3.805	.7618	----	----	----	----	1 UNCH
8640	----	----	----/13.280A	14.772B/13.280A	----	13.214 - 3.811	.7637	----	----	----	----	2 UNCH
8645	----	----	----/13.321A	14.817B/13.321A	----	13.256 - 3.813	.7647	----	----	----	----	1 UNCH
8650	----	----	----/13.362A	14.861B/13.362A	----	13.297 - 3.817	.7656	----	----	----	----	5 UNCH
8655	----	----	----/13.403A	14.903B/13.403A	----	13.339 - 3.819	.7665	----	----	----	----	3 UNCH
8665	----	----	----/13.485A	14.992B/13.485A	----	13.422 - 3.826	.7684	----	----	----	----	1 UNCH
8670	----	----	----/13.526A	15.034B/13.526A	----	13.464 - 3.828	.7693	----	----	----	----	1 UNCH
8675	----	----	----/13.228A	15.813B/13.228A	----	13.506 - 3.831	.7703	----	----	----	----	9 UNCH
8685	----	----	----/13.650A	15.166B/13.650A	----	13.590 - 3.837	.7721	----	----	----	----	1 UNCH
8695	----	----	----/13.733A	15.254B/13.733A	----	13.674 - 3.842	.7739	----	----	----	----	1 UNCH
8700	----	----	----/13.434A	16.032B/13.434A	----	13.716 - 3.845	.7748	----	----	----	----	32 UNCH
8705	----	----	----/13.476A	16.073B/13.476A	----	13.758 - 3.848	.7757	----	----	----	----	10 UNCH
8725	----	----	----/13.982A	15.517B/13.982A	----	13.926 - 3.860	.7793	----	----	----	----	2 UNCH
8750	----	----	----/14.190A	15.737B/14.190A	----	14.138 - 3.873	.7836	----	----	----	----	1 UNCH
8775	----	----	----/14.064A	16.696B/14.064A	----	14.350 - 3.887	.7879	----	----	----	----	9 UNCH
8800	----	----	----/14.275A	16.916B/14.275A	----	14.564 - 3.899	.7922	----	----	----	----	220 UNCH
8825	----	----	----/14.823A	16.695B/14.823A	----	14.778 - 3.912	.7963	----	----	----	----	3 UNCH
8850	----	----	----/14.702A	17.366B/14.702A	----	14.994 - 3.924	.8003	----	----	----	----	13 UNCH
8875	----	----	----/14.917A	17.589B/14.917A	----	15.210 - 3.936	.8043	----	----	----	----	8 UNCH
8900	----	----	----/15.133A	17.818B/15.133A	----	15.427 - 3.948	.8082	----	----	----	----	8 UNCH
8925	----	----	----/15.351A	18.037B/15.351A	----	15.645 - 3.959	.8120	----	----	----	----	6 UNCH
8950	----	----	----/15.897A	17.801B/15.897A	----	15.864 - 3.970	.8157	----	----	----	----	3 UNCH
8975	----	----	----/15.786A	18.495B/15.786A	----	16.083 - 3.981	.8194	----	----	----	----	9 UNCH
9000	----	----	----/16.007A	18.668B/16.007A	----	16.304 - 3.991	.8230	----	----	----	----	168 UNCH
9025	----	----	----/16.226A	18.955B/16.226A	----	16.525 - 4.001	.8265	----	----	----	----	11 UNCH
9050	----	----	----/16.772A	18.699B/16.772A	----	16.747 - 4.011	.8299	----	----	----	----	2 UNCH
9075	----	----	----/16.992A	18.936B/16.992A	----	16.969 - 4.021	.8333	----	----	----	----	4 UNCH
9100	----	----	----/17.214A	19.130B/17.214A	----	17.193 - 4.030	.8366	----	----	----	----	4 UNCH
9150	----	----	----/17.352A	20.106B/17.352A	----	17.641 - 4.049	.8430	----	----	----	----	7 UNCH
9175	----	----	----/17.578A	20.335B/17.578A	----	17.867 - 4.057	.8461	----	----	----	----	19 UNCH
9200	----	----	----/17.796A	20.565B/17.796A	----	18.093 - 4.065	.8491	----	----	----	----	7 UNCH
9225	----	----	----/18.022A	20.797B/18.022A	----	18.320 - 4.073	.8521	----	----	----	----	7 UNCH
9250	----	----	----/18.557A	20.524B/18.557A	----	18.547 - 4.081	.8550	----	----	----	----	2 UNCH
9275	----	----	----/18.784A	20.759B/18.784A	----	18.775 - 4.089	.8577	----	----	----	----	1 UNCH
9300	----	----	----/18.705A	21.501B/18.705A	----	19.004 - 4.096	.8605	----	----	----	----	6 UNCH
9375	----	----	----/19.401A	22.197B/19.401A	----	19.693 - 4.116	.8685	----	----	----	----	10 UNCH
9400	----	----	----/19.634A	22.437B/19.634A	----	19.924 - 4.123	.8709	----	----	----	----	6 UNCH
9450	----	----	----/20.377A	22.350B/20.377A	----	20.387 - 4.135	.8758	----	----	----	----	3 UNCH
9475	----	----	----/20.607A	22.600B/20.607A	----	20.620 - 4.141	.8781	----	----	----	----	4 UNCH
9500	----	----	----/20.550A	23.379B/20.550A	----	20.853 - 4.146	.8804	----	----	----	----	110 UNCH
9525	----	----	----/21.067A	23.059B/21.067A	----	21.086 - 4.152	.8826	----	----	----	----	1 UNCH
9550	----	----	----/21.297A	23.276B/21.297A	----	21.320 - 4.157	.8848	----	----	----	----	3 UNCH
9575	----	----	----/21.529A	23.514B/21.529A	----	21.554 - 4.162	.8869	----	----	----	----	1 UNCH
9600	----	----	----/21.484A	24.326B/21.484A	----	21.789 - 4.167	.8890	----	----	----	----	26 UNCH
9650	----	----	----/21.953A	24.798B/21.953A	----	22.259 - 4.177	.8930	----	----	----	----	11 UNCH
9675	----	----	27.170B/22.460A	27.170B/22.460A	----	22.495 - 4.181	.8950	----	----	----	----	2 UNCH
9700	----	----	27.233B/22.424A	27.233B/22.424A	----	22.731 - 4.185	.8968	----	----	----	----	182 UNCH
9725	----	----	27.286B/22.927A	27.286B/22.927A	----	22.968 - 4.189	.8987	----	----	----	----	1 UNCH
9750	----	----	----/23.161A	27.384B/23.161A	----	23.205 - 4.193	.9005	----	----	----	----	3 UNCH
9775	----	----	----/23.393A	27.596B/23.393A	----	23.442 - 4.197	.9023	----	----	----	----	3 UNCH
9800	----	----	----/23.370A	27.670B/23.370A	----	23.679 - 4.201	.9040	----	----	----	----	7 UNCH
9825	----	----	----/23.867A	27.848B/23.867A	----	23.917 - 4.204	.9058	----	----	----	----	2 UNCH
9850	----	----	----/23.845A	27.968B/23.845A	----	24.155 - 4.208	.9074	----	----	----	----	179 UNCH
9900	----	----	----/24.321A	28.139B/24.321A	----	24.632 - 4.214	.9106	----	----	----	----	8 UNCH
10000	----	----	----/25.277A	28.775B/25.277A	----	25.589 - 4.226	.9166	----	----	----	----	134 UNCH
10050	----	----	----/26.002A	28.933B/26.002A	----	26.069 - 4.231	.9195	----	----	----	----	2 UNCH
10100	----	----	----/26.480A	29.212B/26.480A	----	26.550 - 4.236	.9221	----	----	----	----	2 UNCH
10225	----	----	----/27.679A	29.791B/27.679A	----	27.756 - 4.247	.9284	----	----	----	----	2 UNCH
10250	----	----	----/27.919A	30.049B/27.919A	----	27.998 - 4.249	.9295	----	----	----	----	4 UNCH
10300	----	----	----/28.401A	30.532B/28.401A	----	28.482 - 4.253	.9318	----	----	----	----	4 UNCH
10325	----	----	----/28.642A	30.966B/28.642A	----	28.725 - 4.254	.9328	----	----	----	----	1 UNCH
10350	----	----	----/28.884A	31.211B/28.884A	----	28.968 - 4.256	.9339	----	----	----	----	1 UNCH
10400	----	----	----/29.364A	31.504B/29.364A	----	29.453 - 4.260	.9359	----	----	----	----	2 UNCH
10450	----	----	----/29.852A	31.991B/29.852A	----	29.940 - 4.262	.9378	----	----	----	----	2 UNCH
10475	----	----	----/30.090A	32.252B/30.090A	----	30.184 - 4.263	.9388	----	----	----	----	1 UNCH
10500	----	----	----/30.121A	33.033B/30.121A	----	30.427 - 4.265	.9397	----	----	----	----	10 UNCH
10505	----	----	----/30.385A	32.533B/30.385A	----	30.476 - 4.265	.9399	----	----	----	----	1 UNCH
10510	----	----	----/30.430A	32.760B/30.430A	----	30.525 - 4.265	.9401	----	----	----	----	1 UNCH
10545	----	----	----/30.774A	33.120B/30.774A	----	30.866 - 4.267	.9413	----	----	----	----	1 UNCH
10550	----	----	----/30.608A	33.523B/30.608A	----	30.915 - 4.267	.9415	----	----	----	----	22 UNCH
10585	----	----	----/31.162A	33.316B/31.162A	----	31.257 - 4.269	.9427	----	----	----	----	1 UNCH
10590	----	----	----/31.208A	33.366B/31.208A	----	31.306 - 4.269	.9429	----	----	----	----	1 UNCH
10595	----	----	----/31.260A	33.415B/31.260A	----	31.354 - 4.270	.9430	----	----	----	----	3 UNCH
10600	----	----	----/31.308A	33.645B/31.308A	----	31.403 - 4.270	.9432	----	----	----	----	5 UNCH
10670	----	----	----/31.990A	34.155B/31.990A	----	32.088 - 4.273	.9455	----	----	----	----	3 UNCH
10675	----	----	----/32.036A	34.385B/32.036A	----	32.137 - 4.273	.9456	----	----	----	----	1 UNCH
10700	----	----	----/32.073A	34.997B/32.073A	----	32.381 - 4.275	.9464	----	----	----	----	9 UNCH
10800	----	----	----/33.259A	35.439B/33.259A	----	33.362 - 4.278	.9493	----	----	----	----	1 UNCH
10820	----	----	----/33.451A	35.836B/33.451A	----	33.558 - 4.279	.9498	----	----	----	----	1 UNCH
10825	----	----	----/33.501A	35.685B/33.501A	----	33.607 - 4.279	.9500	----	----	----	----	1 UNCH
10835	----	----	----/33.598A	35.792B/33.598A	----	33.705 - 4.279	.9503	----	----	----	----	2 UNCH
10845	----	----	----/33.699A	35.890B/33.699A	----	33.803 - 4.280	.9506	----	----	----	----	1 UNCH
10875	----	----	----/33.989A	36.345B/33.989A	----	34.098 - 4.281	.9514	----	----	----	----	2 UNCH
10900	----	----	----/34.238A	36.427B/34.238A	----	34.343 - 4.282	.9520	----	----	----	----	1 UNCH
10950	----	----	----/34.724A	36.921B/34.724A	----	34.835 - 4.283	.9533	----	----	----	----	1 UNCH
10975	----	----	----/34.973A	37.168B/34.973A	----	35.081 - 4.284	.9539	----	----	----	----	3 UNCH
11000	----	----	----/35.015A	37.953B/35.015A	----	35.327 - 4.285	.9545	----	----	----	----	60 UNCH
11025	----	----	----/35.463A	37.663B/35.463A	----	35.573 - 4.285	.9550	----	----	----	----	1 UNCH
11075	----	----	----/35.952A	38.158B/35.952A	----	36.065 - 4.287	.9562	----	----	----	----	1 UNCH
11100	----	----	----/36.197A	38.580B/36.197A	----	36.311 - 4.288	.9567	----	----	----	----	1 UNCH
11125	----	----	----/36.440A	38.741B/36.440A	----	36.558 - 4.288	.9572	----	----	----	----	1 UNCH
11175	----	----	----/36.933A	39.167B/36.933A	----	37.051 - 4.290	.9583	----	----	----	----	1 UNCH
11200	----	----	----/37.176A	39.410B/37.176A	----	37.297 - 4.291	.9588	----	----	----	----	4 UNCH
11225	----	----	----/37.424A	39.662B/37.424A	----	37.544 - 4.291	.9593	----	----	----	----	3 UNCH
11250	----	----	----/37.670A	39.910B/37.670A	----	37.790 - 4.293	.9598	----	----	----	----	1 UNCH
11500	----	----	----/39.947A	42.903B/39.947A	----	40.261 - 4.299	.9642	----	----	----	----	78 UNCH
11550	----	----	----/40.622A	42.884B/40.622A	----	40.755 - 4.301	.9650	----	----	----	----	1 UNCH
11650	----	----	----/41.608A	43.875B/41.608A	----	41.745 - 4.304	.9665	----	----	----	----	1 UNCH
11800	----	----	----/43.086A	45.365B/43.086A	----	43.231 - 4.308	.9685	----	----	----	----	1 UNCH
11875	----	----	----/43.827A	46.101B/43.827A	----	43.975 - 4.309	.9695	----	----	----	----	1 UNCH
12250	----	----	----/47.542A	49.990B/47.542A	----	47.698 - 4.317	.9735	----	----	----	----	3 UNCH
12300	----	----	----/48.034A	50.489B/48.034A	----	48.195 - 4.318	.9740	----	----	----	----	1 UNCH
12500	----	----	----/49.893A	52.783B/49.893A	----	50.183 - 4.321	.9757	----	----	----	----	20 UNCH
12700	----	----	----/52.000A	54.455B/52.000A	----	52.173 - 4.324	.9772	----	----	----	----	1 UNCH
13000	----	----	----/54.981A	57.279B/54.981A	----	55.160 - 4.327	.9791	----	----	----	----	1 UNCH
TOTAL										751	0	18902 + 106
JUN26												
2100	----	----	----	----/0.028A	----	0.006 - 0.003	.0005	----	----	----	----	1 UNCH
2500	----	----	----	0.001B/0.141A	----	0.023 - 0.011	.0020	----	----	----	----	141 UNCH
3000	----	----	----/0.100A	0.050B/0.100A	----	0.080 - 0.034	.0066	----	----	----	----	245 UNCH
3075	----	----	----	0.001B/0.236A	----	0.088 - 0.037	.0073	----	----	----	----	4 UNCH
3100	----	----	----	0.001B/0.240A	----	0.091 - 0.038	.0075	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.248A	----	0.096 - 0.041	.0080	----	----	----	----	8 UNCH
3200	----	----	----	0.006B/0.238A	----	0.102 - 0.043	.0085	----	----	----	----	4 UNCH
3325	----	----	----	0.014B/0.231A	----	0.117 - 0.051	.0099	----	----	----	----	2 UNCH
3350	----	----	----	0.016B/0.227A	----	0.120 - 0.052	.0101	----	----	----	----	1 UNCH
3400	----	----	----	0.012B/0.237A	----	0.127 - 0.055	.0108	----	----	----	----	12 UNCH
3500	----	----	----	0.023B/0.250A	----	0.141 - 0.062	.0121	----	----	----	----	100 UNCH
3550	----	----	----	0.031B/0.257A	----	0.149 - 0.065	.0128	----	----	----	----	5 UNCH
3575	----	----	----	0.035B/0.261A	----	0.153 - 0.067	.0131	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 62

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
3600	----	----	----	0.040B/0.265A	----	0.157 - 0.069	.0135	----	----	----	----	4 UNCH
3650	----	----	----	0.049B/0.273A	----	0.165 - 0.073	.0143	----	----	----	----	22 UNCH
3675	----	----	----	0.054B/0.277A	----	0.170 - 0.074	.0147	----	----	----	----	2 UNCH
3700	----	----	----	0.059B/0.282A	----	0.174 - 0.076	.0151	----	----	----	----	6 UNCH
3800	----	----	----	0.078B/0.300A	----	0.193 - 0.085	.0169	----	----	----	----	14 UNCH
3850	----	----	----	0.090B/0.310A	----	0.203 - 0.089	.0178	----	----	----	----	2 UNCH
3900	----	----	----	0.102B/0.321A	----	0.213 - 0.095	.0187	----	----	----	----	5 UNCH
3925	----	----	----	0.108B/0.326A	----	0.219 - 0.097	.0193	----	----	----	----	3 UNCH
4000	0.250	0.250	0.250/0.250	0.250/0.250	----	0.236 - 0.105	.0209	----	----	2	----	52 + 2
4075	----	----	----/0.362A	0.152B/0.362A	----	0.255 - 0.114	.0227	----	----	----	----	1 UNCH
4100	----	----	----/0.368A	0.162B/0.368A	----	0.261 - 0.117	.0232	----	----	----	----	2 UNCH
4125	----	----	----/0.329A	0.239B/0.329A	----	0.268 - 0.120	.0239	----	----	----	----	5 UNCH
4150	----	----	----/0.340A	0.247B/0.340A	----	0.275 - 0.124	.0245	----	----	----	----	4 UNCH
4200	----	----	----/0.357A	0.264B/0.357A	----	0.290 - 0.130	.0259	----	----	----	----	26 UNCH
4225	----	----	----/0.367A	0.273B/0.367A	----	0.298 - 0.133	.0267	----	----	----	----	7 UNCH
4250	----	----	----/0.376A	0.282B/0.376A	----	0.305 - 0.138	.0273	----	----	----	----	5 UNCH
4275	----	----	----/0.370A	0.291B/0.370A	----	0.314 - 0.140	.0281	----	----	----	----	13 UNCH
4300	----	----	----/0.386A	0.303B/0.386A	----	0.322 - 0.145	.0289	----	----	----	----	5 UNCH
4350	----	----	----/0.403A	0.322B/0.403A	----	0.339 - 0.153	.0305	----	----	----	----	2 UNCH
4375	----	----	----/0.415A	0.330B/0.415A	----	0.349 - 0.156	.0313	----	----	----	----	1 UNCH
4400	----	----	----/0.424A	0.343B/0.424A	----	0.358 - 0.161	.0322	----	----	----	----	8 UNCH
4425	----	----	----/0.431A	0.353B/0.431A	----	0.368 - 0.165	.0331	----	----	----	----	1 UNCH
4500	----	----	----/0.471A	0.383B/0.471A	----	0.399 - 0.179	.0359	----	----	----	----	166 UNCH
4550	----	----	----/0.495A	0.397B/0.495A	----	0.422 - 0.188	.0379	----	----	----	----	2 UNCH
4600	----	----	----/0.523A	0.390B/0.523A	----	0.446 - 0.199	.0401	----	----	----	----	7 UNCH
4625	----	----	----/0.535A	0.403B/0.535A	----	0.458 - 0.205	.0411	----	----	----	----	12 UNCH
4650	----	----	----/0.545A	0.414B/0.545A	----	0.471 - 0.211	.0423	----	----	----	----	1 UNCH
4725	----	----	----/*0.545A	0.454B/0.545A	----	0.513 - 0.228	.0460	----	----	----	----	10 UNCH
4750	----	----	----/0.560A	0.604B/0.560A	----	0.528 - 0.234	.0472	----	----	----	----	2 UNCH
4800	----	----	----/0.585A	0.773B/0.585A	----	0.559 - 0.248	.0499	----	----	1	----	23 + 1
4850	----	----	----/0.609A	0.806B/0.609A	----	0.593 - 0.261	.0528	----	----	----	----	3 UNCH
4875	----	----	----/0.656A	0.847B/0.656A	----	0.611 - 0.268	.0543	----	----	----	----	15 UNCH
4900	----	----	----/0.647A	0.815B/0.647A	----	0.629 - 0.276	.0558	----	----	----	----	176 UNCH
5000	1.050	1.050	1.050/0.670	1.050/0.670	----	0.706 - 0.311	.0622	----	----	107	100	1000 + 163
5025	----	----	----/0.775A	0.975B/0.775A	----	0.724 - 0.323	.0638	----	----	----	----	8 UNCH
5075	----	----	----/0.815A	1.091B/0.815A	----	0.762 - 0.349	.0670	----	----	----	----	1 UNCH
5100	----	----	----/0.834A	1.128B/0.834A	----	0.782 - 0.362	.0687	----	----	1	----	29 + 1
5125	----	----	1.185B/0.851A	1.185B/0.851A	----	0.802 - 0.376	.0704	----	----	----	----	1 UNCH
5150	----	----	----/0.875A	1.192B/0.875A	----	0.823 - 0.389	.0722	----	----	----	----	16 UNCH
5175	----	----	1.269B/0.893A	1.269B/0.893A	----	0.844 - 0.403	.0740	----	----	----	----	12 UNCH
5250	----	----	1.382B/0.960A	1.382B/0.960A	----	0.910 - 0.448	.0795	----	----	----	----	13 UNCH
5275	----	----	1.423B/0.983A	1.423B/0.983A	----	0.933 - 0.463	.0815	----	----	----	----	23 UNCH
5300	1.055	1.055	1.467B/1.003A	1.467B/1.003A	----	0.956 - 0.479	.0834	----	----	6	----	14 UNCH
5325	----	----	1.510B/1.033A	1.510B/1.033A	----	0.980 - 0.495	.0854	----	----	----	----	10 UNCH
5350	----	----	1.550B/1.058A	1.550B/1.058A	----	1.005 - 0.511	.0875	----	----	----	----	7 UNCH
5375	----	----	1.598B/1.070A	1.598B/1.070A	----	1.030 - 0.528	.0896	----	----	1	----	10 UNCH
5400	1.030	1.030	1.648B/1.030	1.648B/1.030	----	1.056 - 0.545	.0917	----	----	1	----	12 UNCH
5425	----	----	1.686B/1.103A	1.686B/1.103A	----	1.083 - 0.561	.0939	----	----	----	----	4 UNCH
5450	----	----	1.727B/1.155A	1.727B/1.155A	----	1.110 - 0.579	.0962	----	----	----	----	2 UNCH
5475	----	----	1.775B/1.150A	1.775B/1.150A	----	1.138 - 0.596	.0984	----	----	----	----	14 UNCH
5500	1.859	1.859	1.859/1.200A	1.859/1.200A	----	1.167 - 0.614	.1008	----	----	1	100	279 + 51
5525	----	----	1.885B/1.210A	1.885B/1.210A	----	1.196 - 0.632	.1031	----	----	----	----	16 UNCH
5550	----	----	1.926B/1.237A	1.926B/1.237A	----	1.226 - 0.651	.1056	----	----	----	----	10 UNCH
5600	----	----	2.039B/1.271A	2.039B/1.271A	----	1.289 - 0.688	.1106	----	----	----	----	17 UNCH
5625	----	----	2.087B/1.304A	2.087B/1.304A	----	1.322 - 0.706	.1132	----	----	----	----	2 UNCH
5650	----	----	2.142B/1.338A	2.142B/1.338A	----	1.355 - 0.726	.1158	----	----	----	----	51 UNCH
5675	----	----	2.208B/1.373A	2.208B/1.373A	----	1.390 - 0.744	.1185	----	----	----	----	21 UNCH
5700	----	----	2.272B/1.406A	2.272B/1.406A	----	1.425 - 0.764	.1212	----	----	----	----	221 UNCH
5750	----	----	2.392B/1.482A	2.392B/1.482A	----	1.498 - 0.804	.1269	----	----	----	----	226 UNCH
5775	----	----	2.443B/1.520A	2.443B/1.520A	----	1.536 - 0.824	.1298	----	----	----	----	5 UNCH
5800	----	----	2.519B/1.560A	2.519B/1.560A	----	1.575 - 0.844	.1327	----	----	----	----	73 UNCH
5825	----	----	2.586B/1.599A	2.586B/1.599A	----	1.615 - 0.864	.1357	----	----	----	----	9 UNCH
5850	----	----	2.632B/1.641A	2.632B/1.641A	----	1.657 - 0.884	.1389	----	----	----	----	5 UNCH
5875	----	----	2.703B/1.683A	2.703B/1.683A	----	1.699 - 0.905	.1420	----	----	----	----	12 UNCH
5900	----	----	2.784B/1.725A	2.784B/1.725A	----	1.742 - 0.926	.1452	----	----	----	----	34 UNCH
5925	----	----	2.839B/1.769A	2.839B/1.769A	----	1.786 - 0.947	.1484	----	----	----	----	11 UNCH
5950	----	----	2.926B/1.814A	2.926B/1.814A	----	1.831 - 0.969	.1517	----	----	----	----	4 UNCH
5975	----	----	2.982B/1.860A	2.982B/1.860A	----	1.877 - 0.991	.1550	----	----	----	----	2 UNCH
6000	1.900	1.900	3.079B/1.870	3.079B/1.870	----	1.925 - 1.012	.1585	----	----	203	200	727 + 277
6025	----	----	3.150B/1.954A	3.150B/1.954A	----	1.973 - 1.035	.1619	----	----	----	----	31 UNCH
6050	----	----	3.228B/2.002A	3.228B/2.002A	----	2.023 - 1.057	.1654	----	----	----	----	146 UNCH
6075	----	----	3.306B/2.053A	3.306B/2.053A	----	2.074 - 1.079	.1690	----	----	----	----	31 UNCH
6100	----	----	3.389B/2.103A	3.389B/2.103A	----	2.126 - 1.101	.1726	----	----	----	----	70 UNCH
6125	----	----	3.449B/2.156A	3.449B/2.156A	----	2.179 - 1.124	.1763	----	----	----	----	2 UNCH
6150	----	----	3.529B/2.209A	3.529B/2.209A	----	2.234 - 1.147	.1801	----	----	----	----	5 UNCH
6175	----	----	3.637B/2.263A	3.637B/2.263A	----	2.289 - 1.171	.1838	----	----	----	----	24 UNCH
6200	----	----	3.702B/2.314A	3.702B/2.314A	----	2.346 - 1.194	.1877	----	----	7	----	153 UNCH
6225	----	----	3.782B/2.369A	3.782B/2.369A	----	2.404 - 1.218	.1916	----	----	----	----	2 UNCH
6250	----	----	3.782B/2.432A	3.782B/2.432A	----	2.464 - 1.241	.1956	----	----	----	----	89 UNCH
6275	----	----	3.898B/2.490A	3.898B/2.490A	----	2.524 - 1.266	.1995	----	----	----	----	2 UNCH
6300	3.629	3.629	4.020B/2.550A	4.020B/2.550A	----	2.586 - 1.290	.2036	----	----	2	----	116 - 2
6325	----	----	4.027B/2.616A	4.027B/2.616A	----	2.649 - 1.315	.2077	----	----	----	----	6 UNCH
6350	2.666	2.666	4.131B/2.666	4.131B/2.666	----	2.714 - 1.339	.2119	----	----	4	----	27 UNCH
6375	----	----	4.227B/2.739A	4.227B/2.739A	----	2.780 - 1.364	.2161	----	----	----	----	101 UNCH
6400	----	----	4.438B/2.808A	4.438B/2.808A	----	2.847 - 1.390	.2203	----	----	9	----	76 - 7
6425	----	----	4.437B/2.877A	4.437B/2.877A	----	2.916 - 1.415	.2247	----	----	----	----	45 UNCH
6450	----	----	4.531B/2.946A	4.531B/2.946A	----	2.986 - 1.440	.2290	----	----	----	----	9 UNCH
6475	----	----	4.641B/3.013A	4.641B/3.013A	----	3.057 - 1.466	.2334	----	----	----	----	2 UNCH
6500	3.390	3.390	4.745B/3.086A	4.745B/3.086A	----	3.130 - 1.492	.2379	----	----	3	34	193 + 35
6525	----	----	4.939B/3.157A	4.939B/3.157A	----	3.205 - 1.517	.2424	----	----	----	----	35 UNCH
6550	----	----	4.952B/3.234A	4.952B/3.234A	----	3.280 - 1.544	.2469	----	----	----	----	6 UNCH
6575	----	----	5.056B/3.308A	5.056B/3.308A	----	3.358 - 1.570	.2515	----	----	----	----	2 UNCH
6600	----	----	5.043B/3.386A	5.043B/3.386A	----	3.436 - 1.597	.2561	----	----	1	----	145 UNCH
6625	----	----	----/3.465A	4.943B/3.465A	----	3.516 - 1.623	.2608	----	----	----	----	9 UNCH
6675	----	----	----/3.623A	5.153B/3.623A	----	3.681 - 1.677	.2702	----	----	----	----	1 UNCH
6700	4.766	4.766	4.829/3.706A	5.350B/3.706A	----	3.766 - 1.703	.2750	----	----	10	----	52 + 10
6725	----	----	----/3.791A	5.385B/3.791A	----	3.852 - 1.730	.2799	----	----	----	----	26 UNCH
6750	----	----	----/3.876A	5.560B/3.876A	----	3.939 - 1.758	.2847	----	----	----	----	20 UNCH
6775	----	----	----/3.960A	5.635B/3.960A	----	4.028 - 1.785	.2896	----	----	----	----	2 UNCH
6800	5.058	5.058	5.058/4.052A	5.891B/4.052A	----	4.119 - 1.812	.2945	----	----	1	----	20 + 1
6825	----	----	----/4.142A	5.858B/4.142A	----	4.211 - 1.839	.2995	----	----	----	----	2 UNCH
6850	----	----	----/4.230A	6.128B/4.230A	----	4.305 - 1.866	.3045	----	----	1	----	17 + 1
6875	----	----	----/4.326A	6.127B/4.326A	----	4.400 NEW	.3095	----	----	1	----	1 + 1
6900	----	----	----/4.422A	6.389B/4.422A	----	4.497 - 1.921	.3145	----	----	----	----	87 UNCH
6925	----	----	----/4.520A	6.443B/4.520A	----	4.596 - 1.948	.3196	----	----	----	----	9 UNCH
6950	----	----	----/4.614A	6.616B/4.614A	----	4.696 - 1.975	.3247	----	----	----	----	5 UNCH
6975	----	----	----/4.712A	6.652B/4.712A	----	4.798 - 2.002	.3298	----	----	----	----	6 UNCH
7000	5.000	5.000	5.000/4.813A	6.918B/4.813A	----	4.901 - 2.029	.3350	----	----	102	200	495 + 202
7025	----	----	----/4.915A	6.966B/4.915A	----	5.006 - 2.056	.3401	----	----	----	----	4 UNCH
7050	----	----	----/5.019A	7.093B/5.019A	----	5.112 - 2.084	.3453	----	----	----	----	20 UNCH
7075	----	----	----/5.124A	7.249B/5.124A	----	5.220 - 2.111	.3505	----	----	----	----	41 UNCH
7100	5.330	5.330	5.330/5.231A	7.447B/5.231A	----	5.330 - 2.138	.3557	----	----	1	----	18 UNCH
7125	----	----	----/5.338A	7.549B/5.338A	----	5.441 - 2.165	.3610	----	----	----	----	3 UNCH
7150	----	----	----/5.448A	7.629B/5.448A	----	5.554 - 2.192	.3662	----	----	----	----	2 UNCH
7175	7.960	7.960	8.130/5.559A	8.130/5.559A	----	5.668 - 2.219	.3715	----	----	24	----	35 - 9
7200	5.899	5.899	8.072B/5.674A	8.072B/5.674A	----	5.784 - 2.246	.3767	----	----	2	----	229 - 2
7225	----	----	----/5.786A	8.072B/5.786A	----	5.901 - 2.273	.3820	----	----	----	----	6 UNCH
7250	----	----	----/5.903A	8.287B/5.903A	----	6.021 - 2.299	.3873	----	----	----	----	11 UNCH
7275	----	----	----/6.020A	8.426B/6.020A	----	6.141 - 2.326	.3926	----	----	----	----	3 UNCH
7300	----	----	----/6.140A	8.590B/6.140A	----	6.264 - 2.352	.3979	----	----	----	----	64 UNCH
7325	----	----	----/6.261A	8.730B/6.261A	----	6.387 - 2.379	.4032	----	----	----	----	1 UNCH
7350	----	----	----/6.382A	8.833B/6.382A	----	6.513 - 2.405	.4085	----	----	----	----	2 UNCH
7375	----	----	----/6.506A	8.899B/6.506A	----	6.640 - 2.431	.4138	----	----	----	----	2 UNCH
7400	7.112	7.112	7.112/6.634A	9.039B/6.634A	----	6.769 - 2.456	.4190	----	----	1	----	48 + 1
7425	----	----	----/6.760A	8.966B/6.760A	----	6.899 - 2.482	.4243	----	----	----	----	2 UNCH
7450	----	----	----/6.888A	9.035B/6.888A	----	7.030 - 2.508	.4296	----	----	----	----	2 UNCH
7475	----	----	----/7.019A	9.083B/7.019A	----	7.164 - 2.533	.4349	----	----	----	----	4 UNCH
7500	8.637	8.637	8.637/7.151A	9.527B/7.151A	----	7.299 - 2.558	.4402	----	----	1	----	334 UNCH
7550	----	----	----/7.417A	9.447B/7.417A	----	7.573 - 2.608	.4507	----	----	----	----	3 UNCH
7575	----	----	----/7.552A	9.562B/7.552A	----	7.712 - 2.633	.4559	----	----	----	----	9 UNCH
7600	----	----	----/7.689A	10.234B/7.689A	----	7.853 - 2.657	.4611	----	----	----	----	78 UNCH
7625	----	----	----/7.828A	10.404B/7.828A	----	7.996 - 2.681	.4663	----	----	----	----	3 UNCH
7650	----	----	----/7.973A	10.589B/7.973A	----	8.139 - 2.706	.4715	----	----	----	----	3 UNCH
7675	----	----	----/8.109A	10.772B/8.109A	----	8.285 - 2.729	.4767	----	----	----	----	1 UNCH
7700	----	----	----/8.258A	10.977B/8.258A	----	8.432 - 2.753	.4818	----	----	----	----	19 UNCH
7725	----	----	----/8.399A	11.147B/8.399A	----	8.580 - 2.777	.4870	----	----	----	----	1 UNCH
7750	9.233	9.233	9.233/8.547A	11.336B/8.547A	----	8.730 - 2.800	.4921	----	----	1	----	2 + 1
7775	----	----	----/8.696A	11.689B/8.696A	----	8.881 - 2.823	.4971	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7800	----	----	11.887B/8.846A	11.887B/8.846A	----	9.034 - 2.845	.5022	----	----	----	----	4 UNCH
7850	----	----	12.251B/9.211A	12.251B/9.211A	----	9.343 - 2.891	.5122	----	----	----	----	8 UNCH
7875	----	----	12.481B/9.367A	12.481B/9.367A	----	9.500 - 2.913	.5172	----	----	----	----	19 UNCH
7900	----	----	12.671B/9.499A	12.671B/9.499A	----	9.659 - 2.934	.5222	----	----	----	----	107 UNCH
7925	----	----	12.874B/9.681A	12.874B/9.681A	----	9.818 - 2.956	.5271	----	----	----	----	10 UNCH
7950	----	----	13.074B/9.840A	13.074B/9.840A	----	9.979 - 2.977	.5320	----	----	----	----	21 UNCH
8000	----	----	----/10.128A	13.278B/10.128A	----	10.305 - 3.019	.5417	----	----	----	----	145 UNCH
8025	----	----	----/10.323A	13.462B/10.323A	----	10.470 - 3.040	.5465	----	----	----	----	1 UNCH
8050	----	----	13.902B/10.492A	13.902B/10.492A	----	10.637 - 3.059	.5512	----	----	----	----	1 UNCH
8075	----	----	----/10.740A	13.879B/10.740A	----	10.804 - 3.080	.5560	----	----	----	----	1 UNCH
8100	----	----	14.154B/10.865A	14.154B/10.865A	----	10.973 - 3.100	.5607	----	----	----	----	2 UNCH
8125	----	----	14.339B/11.044A	14.339B/11.044A	----	11.143 - 3.119	.5653	----	----	----	----	2 UNCH
8150	----	----	14.474B/11.181A	14.474B/11.181A	----	11.315 - 3.138	.5699	----	----	----	----	4 UNCH
8175	----	----	----/11.316A	14.575B/11.316A	----	11.487 - 3.158	.5745	----	----	----	----	42 UNCH
8200	----	----	----/11.564A	13.598B/11.564A	----	11.661 - 3.176	.5791	----	----	----	----	14 UNCH
8225	----	----	----/11.793A	14.811B/11.793A	----	11.836 - 3.195	.5836	----	----	----	----	6 UNCH
8250	----	----	----/11.925A	13.977B/11.925A	----	12.012 - 3.213	.5881	----	----	----	----	15 UNCH
8275	----	----	----/12.084A	15.066B/12.084A	----	12.190 - 3.231	.5925	----	----	----	----	23 UNCH
8300	----	----	----/12.265A	14.832B/12.265A	----	12.368 - 3.249	.5969	----	----	----	----	5 UNCH
8350	----	----	----/12.633A	14.741B/12.633A	----	12.729 - 3.283	.6056	----	----	----	----	17 UNCH
8400	----	----	----/13.030A	14.360B/13.030A	----	13.094 - 3.317	.6142	----	----	----	----	3 UNCH
8425	13.653	13.653	13.653/13.156A	15.321B/13.156A	----	13.278 - 3.334	.6184	----	----	1	----	63 + 1
8450	14.335	14.335	14.335/13.369A	15.516B/13.369A	----	13.463 - 3.350	.6225	----	----	3	----	18 - 3
8475	----	----	----/13.551A	14.946B/13.551A	----	13.649 - 3.366	.6267	----	----	----	----	2 UNCH
8500	----	----	----/13.706A	15.911B/13.706A	----	13.836 - 3.382	.6308	----	----	----	----	60 UNCH
8525	----	----	----/13.913A	15.338B/13.913A	----	14.025 - 3.397	.6348	----	----	----	----	1 UNCH
8550	----	----	----/14.098A	15.537B/14.098A	----	14.214 - 3.413	.6388	----	----	----	----	1 UNCH
8625	----	----	----/14.589A	16.911B/14.589A	----	14.788 - 3.457	.6506	----	----	----	----	11 UNCH
8675	----	----	----/15.345A	16.539B/15.345A	----	15.175 - 3.486	.6582	----	----	----	----	1 UNCH
8700	----	----	----/15.164A	17.522B/15.164A	----	15.370 - 3.499	.6620	----	----	----	----	14 UNCH
8750	----	----	----/15.514A	17.921B/15.514A	----	15.762 - 3.527	.6694	----	----	----	----	26 UNCH
8775	----	----	----/16.117A	17.648B/16.117A	----	15.960 - 3.540	.6730	----	----	----	----	1 UNCH
8800	----	----	----/15.942A	18.335B/15.942A	----	16.158 - 3.553	.6766	----	----	----	----	14 UNCH
8825	----	----	----/16.138A	18.541B/16.138A	----	16.358 - 3.565	.6802	----	----	----	----	15 UNCH
8850	----	----	----/16.332A	18.740B/16.332A	----	16.558 - 3.578	.6837	----	----	----	----	6 UNCH
8925	----	----	----/17.300A	18.812B/17.300A	----	17.163 - 3.615	.6940	----	----	----	----	4 UNCH
8975	----	----	----/17.708A	19.247B/17.708A	----	17.570 - 3.638	.7007	----	----	----	----	2 UNCH
9000	----	----	----/17.493A	19.976B/17.493A	----	17.775 - 3.649	.7040	----	----	----	----	93 UNCH
9050	----	----	----/18.316A	19.948B/18.316A	----	18.187 - 3.671	.7105	----	----	----	----	3 UNCH
9075	----	----	----/18.517A	20.096B/18.517A	----	18.394 - 3.682	.7136	----	----	----	----	2 UNCH
9100	----	----	----/18.349A	20.829B/18.349A	----	18.602 - 3.692	.7168	----	----	----	----	6 UNCH
9125	----	----	----/18.926A	20.603B/18.926A	----	18.810 - 3.702	.7199	----	----	----	----	1 UNCH
9150	----	----	----/19.131A	20.744B/19.131A	----	19.019 - 3.713	.7229	----	----	----	----	1 UNCH
9175	----	----	----/19.337A	21.038B/19.337A	----	19.229 - 3.722	.7259	----	----	----	----	1 UNCH
9200	----	----	----/19.139A	21.692B/19.139A	----	19.439 - 3.732	.7289	----	----	----	----	80 UNCH
9325	----	----	----/20.588A	22.342B/20.588A	----	20.500 - 3.778	.7433	----	----	----	----	1 UNCH
9450	----	----	----/21.276A	23.889B/21.276A	----	21.575 - 3.820	.7568	----	----	----	----	6 UNCH
9500	----	----	----/21.691A	24.272B/21.691A	----	22.009 - 3.836	.7620	----	----	----	----	138 UNCH
9525	----	----	----/22.292A	24.019B/22.292A	----	22.226 - 3.844	.7646	----	----	----	----	1 UNCH
9550	----	----	----/22.506A	24.348B/22.506A	----	22.444 - 3.852	.7671	----	----	----	----	1 UNCH
9575	----	----	----/22.723A	24.573B/22.723A	----	22.663 - 3.859	.7696	----	----	----	----	1 UNCH
9725	----	----	----/24.022A	25.917B/24.022A	----	23.984 - 3.900	.7838	----	----	----	----	1 UNCH
9825	----	----	----/24.905A	26.841B/24.905A	----	24.874 - 3.925	.7928	----	----	----	----	1 UNCH
9850	----	----	----/25.127A	27.042B/25.127A	----	25.097 - 3.931	.7949	----	----	----	----	1 UNCH
9900	----	----	----/25.211A	27.953B/25.211A	----	25.545 - 3.942	.7992	----	----	----	----	17 UNCH
9925	----	----	----/25.793A	27.648B/25.793A	----	25.769 - 3.948	.8012	----	----	----	----	1 UNCH
9950	----	----	----/26.013A	27.990B/26.013A	----	25.994 - 3.954	.8033	----	----	----	----	1 UNCH
10000	----	----	----/26.108A	28.870B/26.108A	----	26.445 - 3.964	.8074	----	----	----	----	97 UNCH
10025	----	----	----/26.685A	28.645B/26.685A	----	26.671 - 3.969	.8093	----	----	----	----	2 UNCH
10075	----	----	----/27.136A	29.143B/27.136A	----	27.123 - 3.979	.8133	----	----	----	----	1 UNCH
10100	26.759	26.759	26.759/26.759	29.378B/26.759	----	27.350 - 3.984	.8152	----	----	5	----	6 + 5
10125	----	----	----/27.585A	29.496B/27.585A	----	27.577 - 3.989	.8171	----	----	----	----	1 UNCH
10150	----	----	----/27.495A	30.254B/27.495A	----	27.805 - 3.993	.8190	----	----	----	----	8 UNCH
10175	----	----	----/28.037A	30.036B/28.037A	----	28.032 - 3.998	.8209	----	----	----	----	2 UNCH
10200	----	----	----/27.931A	30.685B/27.931A	----	28.260 - 4.003	.8227	----	----	----	----	117 UNCH
10225	----	----	----/28.493A	30.454B/28.493A	----	28.489 - 4.006	.8245	----	----	----	----	1 UNCH
10325	----	----	----/29.404A	31.360B/29.404A	----	29.405 - 4.023	.8315	----	----	----	----	1 UNCH
10350	----	----	----/29.634A	31.593B/29.634A	----	29.634 - 4.028	.8333	----	----	----	----	1 UNCH
10375	----	----	----/29.863A	31.817B/29.863A	----	29.864 - 4.032	.8350	----	----	----	----	1 UNCH
10400	----	----	----/30.092A	32.051B/30.092A	----	30.094 - 4.036	.8366	----	----	----	----	1 UNCH
10500	----	----	----/30.709A	33.448B/30.709A	----	31.017 - 4.051	.8432	----	----	----	----	9 UNCH
10600	----	----	----/31.936A	33.930B/31.936A	----	31.944 - 4.065	.8494	----	----	----	----	5 UNCH
10825	----	----	----/33.740A	36.512B/33.740A	----	34.043 - 4.093	.8623	----	----	----	----	6 UNCH
10850	----	----	----/34.257A	36.362B/34.257A	----	34.278 - 4.096	.8636	----	----	----	----	4 UNCH
10875	----	----	----/34.493A	36.605B/34.493A	----	34.512 - 4.099	.8650	----	----	----	----	2 UNCH
10950	----	----	----/35.189A	37.321B/35.189A	----	35.217 - 4.107	.8689	----	----	----	----	3 UNCH
11000	----	----	----/35.660A	37.798B/35.660A	----	35.688 - 4.112	.8714	----	----	----	----	2 UNCH
11325	----	----	----/38.716A	40.907B/38.716A	----	38.768 - 4.141	.8864	----	----	----	----	1 UNCH
11500	----	----	----/40.138A	42.929B/40.138A	----	40.437 - 4.156	.8936	----	----	----	----	10 UNCH
11525	----	----	----/40.611A	42.839B/40.611A	----	40.676 - 4.158	.8945	----	----	----	----	1 UNCH
11675	----	----	46.730B/42.039A	46.730B/42.039A	----	42.114 - 4.169	.9001	----	----	----	----	1 UNCH
11700	----	----	46.785B/42.279A	46.785B/42.279A	----	42.354 - 4.171	.9010	----	----	----	----	1 UNCH
12000	----	----	----/44.921A	48.820B/44.921A	----	45.245 - 4.191	.9109	----	----	----	----	50 UNCH
12025	----	----	----/45.397A	48.956B/45.397A	----	45.487 - 4.193	.9116	----	----	----	----	1 UNCH
13000	----	----	----/54.836A	57.340B/54.836A	----	54.983 - 4.251	.9350	----	----	----	----	5 UNCH
TOTAL										503	634	8487 + 730
JUL26												
2000	----	----	----	0.014B/0.041A	----	0.030 - 0.008	.0021	----	----	----	----	6 UNCH
2400	----	----	----	0.001B/0.368A	----	0.060 - 0.014	.0043	----	----	----	----	10 UNCH
2650	----	----	----	0.001B/0.400A	----	0.085 - 0.021	.0062	----	----	----	----	6 UNCH
3000	----	----	----	0.015B/0.208A	----	0.132 - 0.032	.0098	----	----	----	----	4 UNCH
3350	----	----	----	0.078B/0.303A	----	0.195 - 0.052	.0148	----	----	----	----	1 UNCH
3400	----	----	----	0.089B/0.313A	----	0.206 - 0.055	.0156	----	----	----	----	55 UNCH
3475	----	----	----	0.107B/0.329A	----	0.223 - 0.062	.0170	----	----	----	----	5 UNCH
3500	----	----	----	0.116B/0.335A	----	0.229 - 0.064	.0174	----	----	----	----	3 UNCH
3600	----	----	----	0.141B/0.360A	----	0.254 - 0.075	.0194	----	----	----	----	12 UNCH
3700	----	----	----	0.172B/0.390A	----	0.282 - 0.087	.0216	----	----	----	----	92 UNCH
3800	----	----	----	0.205B/0.422A	----	0.312 - 0.102	.0240	----	----	----	----	25 UNCH
3825	----	----	----	0.211B/0.431A	----	0.320 - 0.107	.0247	----	----	----	----	8 UNCH
3850	----	----	----	0.220B/0.440A	----	0.329 - 0.110	.0254	----	----	----	----	3 UNCH
3900	----	----	----/0.458A	0.237B/0.458A	----	0.346 - 0.120	.0267	----	----	----	----	11 UNCH
3950	----	----	----/0.478A	0.257B/0.478A	----	0.365 - 0.129	.0282	----	----	----	----	1 UNCH
4000	----	----	----/0.419A	0.350B/0.419A	----	0.384 - 0.140	.0297	----	----	----	----	67 UNCH
4075	----	----	----/0.530A	0.306B/0.530A	----	0.415 - 0.158	.0321	----	----	----	----	16 UNCH
4100	----	----	----/0.541A	0.324B/0.541A	----	0.426 - 0.165	.0329	----	----	----	----	6 UNCH
4175	----	----	----/0.577A	0.356B/0.577A	----	0.460 - 0.186	.0356	----	----	----	----	9 UNCH
4200	----	----	----/0.589A	0.369B/0.589A	----	0.472 - 0.194	.0365	----	----	----	----	27 UNCH
4225	----	----	----/0.601A	0.382B/0.601A	----	0.484 - 0.202	.0374	----	----	----	----	1 UNCH
4250	----	----	----/0.614A	0.401B/0.614A	----	0.497 - 0.210	.0384	----	----	----	----	21 UNCH
4300	----	----	----/0.640A	0.427B/0.640A	----	0.523 - 0.227	.0404	----	----	----	----	96 UNCH
4325	----	----	----/0.655A	0.441B/0.655A	----	0.537 - 0.236	.0414	----	----	----	----	17 UNCH
4375	----	----	----/0.683A	0.470B/0.683A	----	0.566 - 0.254	.0436	----	----	----	----	32 UNCH
4400	----	----	----/0.698A	0.486B/0.698A	----	0.581 - 0.263	.0447	----	----	----	----	28 UNCH
4450	----	----	----/0.729A	0.520B/0.729A	----	0.612 - 0.283	.0471	----	----	----	----	4 UNCH
4475	----	----	----/0.745A	0.537B/0.745A	----	0.628 - 0.293	.0482	----	----	----	----	16 UNCH
4500	----	----	----/0.761A	0.561B/0.761A	----	0.644 - 0.304	.0494	----	----	----	----	301 UNCH
4575	----	----	----/0.812A	0.618B/0.812A	----	0.696 - 0.338	.0533	----	----	----	----	75 UNCH
4600	----	----	----/0.830A	0.638B/0.830A	----	0.715 - 0.348	.0547	----	----	----	----	101 UNCH
4650	----	----	----/0.864A	0.680B/0.864A	----	0.753 - 0.372	.0574	----	----	----	----	40 UNCH
4675	----	----	----/0.883A	0.697B/0.883A	----	0.772 - 0.384	.0588	----	----	----	----	12 UNCH
4700	----	----	----/0.902A	0.719B/0.902A	----	0.792 - 0.397	.0603	----	----	----	----	152 UNCH
4725	----	----	----/0.923A	0.741B/0.923A	----	0.813 - 0.409	.0618	----	----	----	----	3 UNCH
4750	----	----	----/0.944A	0.772B/0.944A	----	0.835 - 0.421	.0633	----	----	----	----	54 UNCH
4775	----	----	----/0.965A	0.795B/0.965A	----	0.856 - 0.434	.0648	----	----	----	----	8 UNCH
4800	----	----	----/0.987A	0.820B/0.987A	----	0.879 - 0.446	.0664	----	----	----	----	15 UNCH
4825	----	----	----/1.006A	0.846B/1.006A	----	0.902 - 0.459	.0681	----	----	----	----	26 UNCH
4850	----	----	----/1.031A	0.872B/1.031A	----	0.925 - 0.472	.0697	----	----	----	----	2 UNCH
4875	----	----	----/1.054A	0.899B/1.054A	----	0.949 - 0.485	.0714	----	----	----	----	23 UNCH
4900	----	----	----/1.078A	0.926B/1.078A	----	0.974 - 0.498	.0731	----	----	----	----	172 UNCH
5000	1.250	1.250	1.250/1.170A	1.450B/1.170A	----	1.079 - 0.549	.0803	----	----	23	----	833 + 4
5025	----	----	----/1.198A	1.076B/1.198A	----	1.107 - 0.562	.0823	----	----	----	----	1 UNCH
5050	----	----	----/1.225A	1.088B/1.225A	----	1.136 - 0.574	.0842	----	----	----	----	16 UNCH
5075	----	----	----/1.254A	1.099B/1.254A	----	1.165 - 0.587	.0862	----	----	----	----	11 UNCH
5100	----	----	----/1.281A	1.097B/1.281A	----	1.195 - 0.600	.0882	----	----	----	----	175 UNCH
5150	----	----	----/1.342A	1.098B/1.342A	----	1.258 - 0.624	.0924	----	----	----	----	5 UNCH
5175	----	----	----/1.372A	1.081B/1.372A	----	1.290 - 0.636	.0945	----	----	----	----	5 UNCH
5200	----	----	----/1.398A	1.095B/1.398A	----	1.323 - 0.649	.0966	----	----	----	34	86 + 34

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
5225	----	----	----/1.803A	1.132B/1.803A	----	1.357 - 0.660	.0988	----	----	----	----	9 UNCH
5250	----	----	----/1.826A	1.187B/1.826A	----	1.391 - 0.673	.1011	----	----	----	----	250 UNCH
5275	----	----	----/1.857A	1.209B/1.857A	----	1.427 - 0.684	.1034	----	----	----	----	2 UNCH
5300	----	----	----/1.885A	1.332B/1.885A	----	1.463 - 0.696	.1057	----	----	----	----	125 UNCH
5325	----	----	----/1.932A	1.287B/1.932A	----	1.500 - 0.708	.1080	----	----	----	----	11 UNCH
5350	----	----	----/1.965A	1.327B/1.965A	----	1.538 - 0.720	.1105	----	----	----	----	26 UNCH
5375	1.728	1.728	1.728/1.728	1.728/1.728	----	1.577 - 0.731	.1129	----	----	1	----	17 + 1
5400	----	----	----/2.019A	1.408B/2.019A	----	1.616 - 0.743	.1154	----	----	----	----	75 UNCH
5425	1.775	1.775	1.775/1.775	1.775/1.775	----	1.657 - 0.754	.1179	----	----	1	----	49 UNCH
5450	1.843	1.843	1.843/1.843	1.843/1.843	----	1.698 - 0.766	.1204	----	----	1	----	38 UNCH
5475	1.884	1.884	1.884/1.884	1.884/1.884	----	1.741 - 0.777	.1231	----	----	1	----	53 + 1
5500	----	----	----/2.169A	1.990B/2.169A	----	1.784 - 0.789	.1257	----	----	22	----	887 UNCH
5525	1.963	1.963	1.963/1.963	1.963/1.963	----	1.828 - 0.800	.1284	----	----	1	----	72 + 1
5550	----	----	----/2.246A	1.710B/2.246A	----	1.874 - 0.811	.1311	----	----	----	----	13 UNCH
5575	----	----	----/2.196A	1.730B/2.196A	----	1.920 - 0.822	.1339	----	----	----	----	3 UNCH
5600	----	----	----/2.197A	1.828B/2.197A	----	1.967 - 0.834	.1367	----	----	----	----	13 UNCH
5625	----	----	----/2.212A	1.872B/2.212A	----	2.016 - 0.844	.1396	----	----	----	----	3 UNCH
5650	----	----	----/2.250A	2.044B/2.250A	----	2.065 - 0.855	.1424	----	----	----	----	29 UNCH
5675	----	----	----/2.453A	2.091B/2.453A	----	2.115 - 0.867	.1454	----	----	----	----	45 UNCH
5700	----	----	----/2.389A	2.280B/2.389A	----	2.167 - 0.878	.1483	----	----	----	----	297 UNCH
5725	----	----	----/2.389A	2.075B/2.389A	----	2.219 - 0.889	.1513	----	----	----	----	3 UNCH
5750	----	----	----/2.293A	2.393B/2.293A	----	2.273 - 0.900	.1544	----	----	----	----	52 UNCH
5775	----	----	----/2.464A	2.189B/2.464A	----	2.327 - 0.912	.1575	----	----	----	----	2 UNCH
5800	----	----	----/2.710A	2.268B/2.710A	----	2.383 - 0.923	.1606	----	----	----	----	20 UNCH
5825	----	----	----/2.775A	2.328B/2.775A	----	2.440 - 0.934	.1638	----	----	----	----	2 UNCH
5850	----	----	----/2.836A	2.635B/2.836A	----	2.498 - 0.946	.1670	----	----	----	----	114 UNCH
5875	----	----	----/2.898A	2.431B/2.898A	----	2.557 - 0.958	.1702	----	----	----	----	3 UNCH
5900	----	----	----/2.957A	2.494B/2.957A	----	2.617 - 0.970	.1735	----	----	----	----	6 UNCH
5950	----	----	----/3.058A	2.649B/3.058A	----	2.742 - 0.993	.1801	----	----	----	----	2 UNCH
5975	----	----	----/3.140A	2.717B/3.140A	----	2.806 - 1.005	.1835	----	----	----	----	1 UNCH
6000	----	----	----/3.206A	3.408B/3.206A	----	2.871 - 1.017	.1870	----	----	----	----	564 UNCH
6100	----	----	----/3.444A	3.506B/3.444A	----	3.144 - 1.068	.2010	----	----	----	----	285 UNCH
6200	----	----	----/3.763A	3.335B/3.763A	----	3.437 - 1.124	.2156	----	----	----	----	9 UNCH
6250	----	----	----/3.913A	3.494B/3.913A	----	3.591 - 1.155	.2231	----	----	----	----	13 UNCH
6275	----	----	----/3.986A	3.576B/3.986A	----	3.671 - 1.169	.2269	----	----	----	----	1 UNCH
6300	----	----	----/4.053A	3.844B/4.053A	----	3.751 - 1.186	.2307	----	----	----	----	31 UNCH
6325	4.532	4.532	4.612B/4.154A	4.612B/4.154A	----	3.833 NEW	.2345	----	----	20	----	20 + 20
6375	----	----	----/4.301A	3.920B/4.301A	----	4.001 - 1.236	.2423	----	----	----	----	1 UNCH
6400	----	----	----/4.387A	4.298B/4.387A	----	4.087 - 1.254	.2462	----	----	----	----	55 UNCH
6500	4.200	4.200	4.225/4.200	5.428B/4.200	----	4.445 - 1.330	.2621	----	----	4	----	685 + 4
6550	----	----	----/4.959A	4.352B/4.959A	----	4.633 NEW	.2702	----	----	50	----	50 + 50
6650	----	----	----/5.240A	5.703B/5.240A	----	5.025 - 1.461	.2865	----	----	----	----	100 UNCH
6700	----	----	----/5.517A	5.501B/5.517A	----	5.229 - 1.509	.2948	----	----	----	----	81 UNCH
6750	----	----	----/5.745A	5.420B/5.745A	----	5.439 - 1.558	.3031	----	----	----	----	24 UNCH
6800	----	----	----/5.934A	6.592B/5.934A	----	5.655 - 1.608	.3115	----	----	----	----	257 UNCH
6900	----	----	----/6.380A	6.096B/6.380A	----	6.103 - 1.710	.3284	----	----	----	----	8 UNCH
7000	----	----	----/6.848A	7.996B/6.848A	----	6.574 - 1.810	.3453	----	----	----	----	507 UNCH
7025	----	----	----/6.987A	7.688B/6.987A	----	6.695 - 1.835	.3496	----	----	----	----	125 UNCH
7125	7.832	7.832	7.832/6.828A	7.832/6.828A	----	7.193 NEW	.3665	----	----	8	----	8 + 8
7150	----	----	----/6.931A	7.354B/6.931A	----	7.321 - 1.950	.3707	----	----	----	----	1 UNCH
7200	----	----	----/7.181A	7.780B/7.181A	----	7.581 - 1.992	.3792	----	----	----	----	39 UNCH
7250	----	----	----/8.146A	9.030B/8.146A	----	7.846 - 2.033	.3876	----	----	----	----	169 UNCH
7300	----	----	----/7.685A	8.330B/7.685A	----	8.116 - 2.072	.3960	----	----	----	----	25 UNCH
7325	----	----	----/7.809A	8.319B/7.809A	----	8.253 - 2.090	.4002	----	----	----	----	1 UNCH
7375	----	----	----/8.814A	9.823B/8.814A	----	8.530 - 2.127	.4086	----	----	----	----	148 UNCH
7400	----	----	----/8.236A	8.934B/8.236A	----	8.671 - 2.144	.4127	----	----	----	----	25 UNCH
7450	----	----	----/8.509A	9.051B/8.509A	----	8.956 - 2.177	.4210	----	----	----	----	1 UNCH
7500	----	----	----/8.755A	9.524B/8.755A	----	9.246 - 2.209	.4293	----	----	----	----	38 UNCH
7525	----	----	----/8.901A	9.694B/8.901A	----	9.393 - 2.224	.4334	----	----	1	----	2 + 1
7550	----	----	----/9.049A	9.647B/9.049A	----	9.540 - 2.240	.4374	----	----	----	----	1 UNCH
7600	----	----	----/9.331A	9.954B/9.331A	----	9.840 - 2.269	.4455	----	----	1	----	2 + 1
7625	----	----	----/9.487A	9.693B/9.487A	----	9.991 NEW	.4496	----	----	1	----	1 + 1
7700	----	----	----/9.919A	10.587B/9.919A	----	10.451 - 2.326	.4615	----	----	----	----	1 UNCH
7800	----	----	----/10.599A	10.863B/10.599A	----	11.081 NEW	.4773	----	----	1	----	1 + 1
7850	----	----	----/10.855A	11.835B/10.855A	----	11.401 - 2.403	.4850	----	----	----	----	1 UNCH
7900	----	----	----/11.421A	12.166B/11.421A	----	11.726 - 2.427	.4927	----	----	----	----	8 UNCH
8000	----	----	----/12.499A	13.304B/12.499A	----	12.387 - 2.476	.5077	----	----	----	----	291 UNCH
8100	----	----	----/12.726A	13.654B/12.726A	----	13.063 - 2.524	.5224	----	----	----	----	25 UNCH
8125	----	----	----/13.094A	13.731B/13.094A	----	13.234 - 2.537	.5261	----	----	----	----	4 UNCH
8250	----	----	----/13.972A	14.875B/13.972A	----	14.103 - 2.597	.5439	----	----	----	----	46 UNCH
8300	----	----	----/14.381A	15.424B/14.381A	----	14.457 - 2.620	.5509	----	----	----	----	120 UNCH
8375	----	----	----/15.007A	16.765B/15.007A	----	14.993 - 2.656	.5611	----	----	----	----	1 UNCH
8400	----	----	----/15.336A	15.768B/15.336A	----	15.174 - 2.667	.5645	----	----	----	----	7 UNCH
8500	----	----	----/16.075A	17.292B/16.075A	----	15.903 - 2.715	.5778	----	----	----	----	53 UNCH
8600	----	----	----/16.975A	17.819B/16.975A	----	16.645 - 2.761	.5907	----	----	----	----	56 UNCH
8700	----	----	----/17.759A	18.101B/17.759A	----	17.398 - 2.807	.6033	----	----	----	----	4 UNCH
9000	----	----	----/19.845A	21.017B/19.845A	----	19.721 - 2.943	.6387	----	----	----	----	308 UNCH
9200	----	----	----/21.688A	22.172B/21.688A	----	21.319 - 3.030	.6606	----	----	----	----	11 UNCH
9400	----	----	----/23.330A	23.878B/23.330A	----	22.952 - 3.113	.6810	----	----	----	----	1 UNCH
9450	----	----	----/23.745A	24.307B/23.745A	----	23.365 - 3.134	.6859	----	----	----	----	12 UNCH
9500	----	----	----/24.161A	25.237B/24.161A	----	23.780 - 3.155	.6907	----	----	----	----	218 UNCH
9600	----	----	----/25.005A	26.023B/25.005A	----	24.616 - 3.195	.7000	----	----	----	----	50 UNCH
9900	----	----	----/29.589A	28.463B/29.589A	----	27.167 - 3.309	.7263	----	----	----	----	6 UNCH
9950	----	----	----/30.030A	28.897B/30.030A	----	27.598 - 3.327	.7304	----	----	----	----	5 UNCH
10000	----	----	----/30.063A	29.474B/30.063A	----	28.030 - 3.345	.7344	----	----	----	----	205 UNCH
10275	----	----	----/32.926A	31.810B/32.926A	----	30.433 - 3.441	.7554	----	----	----	----	7 UNCH
10500	----	----	----/34.957A	33.854B/34.957A	----	32.428 - 3.514	.7711	----	----	----	----	3 UNCH
10600	----	----	----/35.865A	34.770B/35.865A	----	33.322 - 3.546	.7776	----	----	----	----	9 UNCH
11000	----	----	----/39.175A	38.651B/39.175A	----	36.942 - 3.660	.8017	----	----	----	----	217 UNCH
11300	----	----	----/42.356A	41.267B/42.356A	----	39.694 - 3.738	.8176	----	----	----	----	10 UNCH
11500	----	----	----/44.272A	43.148B/44.272A	----	41.545 - 3.784	.8273	----	----	----	----	1 UNCH
12000	----	----	----/48.980A	47.933B/48.980A	----	46.217 - 3.889	.8488	----	----	----	----	15 UNCH
13000	----	----	----/58.339A	57.517B/58.339A	----	55.714 - 4.040	.8825	----	----	----	----	2 UNCH
TOTAL										136	34	9895 + 127
AUG26												
3300	----	----	----	0.127B/0.383A	----	0.134 - 0.068	.0109	----	----	----	----	2 UNCH
3900	----	----	----	0.348B/0.612A	----	0.364 - 0.160	.0274	----	----	----	----	2 UNCH
4175	----	----	----	0.515B/0.767A	----	0.538 - 0.223	.0390	----	----	----	----	1 UNCH
4300	----	----	----/0.851A	0.601B/0.851A	----	0.635 - 0.258	.0452	----	----	----	----	1 UNCH
4350	----	----	----/0.887A	0.640B/0.887A	----	0.678 NEW	.0479	----	----	1	----	1 + 1
4375	----	----	----/0.906A	0.661B/0.906A	----	0.700 - 0.279	.0493	----	----	----	----	160 UNCH
4500	----	----	----/1.006A	0.779B/1.006A	----	0.819 - 0.319	.0567	----	----	----	----	2 UNCH
4600	----	----	----/1.094A	0.879B/1.094A	----	0.925 - 0.352	.0630	----	----	----	----	2 UNCH
4700	----	----	----/1.188A	0.983B/1.188A	----	1.041 - 0.388	.0699	----	----	----	----	1 UNCH
4800	----	----	----/1.293A	1.111B/1.293A	----	1.168 - 0.427	.0772	----	----	----	----	15 UNCH
5000	----	----	----/1.530A	1.218B/1.530A	----	1.458 - 0.509	.0933	----	----	----	----	14 UNCH
5275	----	----	----/2.332A	1.459B/2.332A	----	1.927 - 0.646	.1182	----	----	----	----	1 UNCH
5300	----	----	----/2.373A	1.505B/2.373A	----	1.974 - 0.660	.1206	----	----	----	----	1 UNCH
5500	----	----	----/2.607A	1.924B/2.607A	----	2.382 - 0.771	.1411	----	----	4	----	26 + 4
5675	----	----	----/2.998A	2.322B/2.998A	----	2.783 - 0.878	.1604	----	----	----	----	9 UNCH
5800	----	----	----/3.354A	2.652B/3.354A	----	3.098 - 0.956	.1750	----	----	----	----	4 UNCH
5850	----	----	----/3.485A	2.783B/3.485A	----	3.231 - 0.989	.1810	----	----	----	----	2 UNCH
5875	----	----	----/3.567A	2.841B/3.567A	----	3.298 - 1.006	.1840	----	----	----	----	12 UNCH
5900	----	----	----/3.635A	2.923B/3.635A	----	3.367 - 1.022	.1871	----	----	----	----	16 UNCH
5950	----	----	----/3.759A	3.066B/3.759A	----	3.508 - 1.055	.1933	----	----	----	----	20 UNCH
6000	----	----	----/3.902A	3.212B/3.902A	----	3.652 - 1.090	.1996	----	----	----	----	139 UNCH
6050	----	----	----/4.063A	3.364B/4.063A	----	3.801 - 1.124	.2060	----	----	----	----	8 UNCH
6100	----	----	----/4.221A	3.521B/4.221A	----	3.954 - 1.159	.2125	----	----	----	----	9 UNCH
6300	----	----	----/4.878A	4.189B/4.878A	----	4.609 - 1.302	.2393	----	----	----	----	1 UNCH
6500	----	----	----/5.633A	4.962B/5.633A	----	5.336 - 1.450	.2672	----	----	4	----	129 + 2
6600	----	----	----/6.039A	5.360B/6.039A	----	5.728 - 1.526	.2815	----	----	----	----	13 UNCH
6725	----	----	----/6.573A	5.880B/6.573A	----	6.245 - 1.622	.2997	----	----	----	----	7 UNCH
6825	----	----	----/7.032A	6.329B/7.032A	----	6.681 - 1.699	.3144	----	----	----	----	7 UNCH
7000	----	----	----/7.857A	7.154B/7.857A	----	7.493 - 1.834	.3404	----	----	----	----	1 UNCH
7050	----	----	----/8.148A	7.406B/8.148A	----	7.736 - 1.873	.3479	----	----	----	----	1 UNCH
7100	----	----	----/8.375A	7.647B/8.375A	----	7.985 - 1.912	.3553	----	----	----	----	2 UNCH
7350	----	----	----/9.709A	8.981B/9.709A	----	9.307 - 2.102	.3924	----	----	----	----	6 UNCH
7500	----	----	----/10.594A	9.840B/10.594A	----	10.160 - 2.215	.4144	----	----	----	----	1 UNCH
7550	----	----	----/10.878A	10.137B/10.878A	----	10.454 - 2.252	.4216	----	----	----	----	5 UNCH
7700	----	----	----/11.785A	11.052B/11.785A	----	11.362 - 2.361	.4430	----	----	----	----	25 UNCH
8000	----	----	----/13.729A	12.999B/13.729A	----	13.290 - 2.567	.4839	----	----	----	----	20 UNCH
8150	----	----	----/14.754A	14.013B/14.754A	----	14.302 - 2.665	.5034	----	----	----	----	10 UNCH
8200	----	----	----/15.103A	14.411B/15.103A	----	14.646 - 2.696	.5098	----	----	----	----	10 UNCH
8250	----	----	----/15.454A	14.717B/15.454A	----	14.993 - 2.727	.5161	----	----	----	----	5 UNCH
8500	----	----	----/17.258A	16.685B/17.258A	----	16.771 - 2.874	.5465	----	----	----	----	20 UNCH
9000	----	----	----/20.998A	21.170B/20.998A	----	20.521 - 3.133	.6019	----	----	----	----	29 UNCH
9300	----	----	----/23.388A	22.865B/23.388A	----	22.880 - 3.267	.6318	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
9500	----	----	----/24.801A	24.783B/24.801A	----	24.492 - 3.349	.6503	----	----	----	----	30 UNCH
10000	----	----	----/29.323A	28.268B/29.323A	----	28.642 - 3.527	.6923	----	----	----	----	6 UNCH
10175	----	----	----/30.883A	#28.845B/30.883A	----	30.131 - 3.581	.7056	----	----	----	----	15 UNCH
TOTAL										9	0	792 + 7
SEP26												
2500	----	----	----	0.001B/4.418A	----	0.067 - 0.008	.0049	----	----	----	----	60 UNCH
3000	----	----	----	0.087B/0.387A	----	0.154 - 0.022	.0110	----	----	----	----	22 UNCH
3500	----	----	----	0.255B/0.553A	----	0.312 - 0.048	.0216	----	----	----	----	74 UNCH
4000	----	----	----	0.521B/0.825A	----	0.583 - 0.096	.0388	----	----	4	----	46 + 4
4500	----	----	----/1.241A	0.984B/1.241A	----	1.052 - 0.253	.0658	----	----	4	----	12 + 4
4650	----	----	----/1.401A	1.174B/1.401A	----	1.234 - 0.324	.0757	----	----	1	----	0 - 1
5000	----	----	----	1.861B/2.326A	----	1.749 - 0.526	.1025	----	----	----	----	232 UNCH
5100	----	----	----/2.509A	1.451B/2.509A	----	1.922 - 0.590	.1112	----	----	----	----	1 UNCH
5500	----	----	----/3.202A	2.333B/3.202A	----	2.740 - 0.866	.1498	----	----	----	----	228 UNCH
5600	----	----	----/3.443A	2.583B/3.443A	----	2.980 - 0.940	.1605	----	----	----	----	1 UNCH
5700	----	----	----/3.711A	2.852B/3.711A	----	3.234 - 1.016	.1716	----	----	----	----	2 UNCH
5800	----	----	----/3.973A	3.138B/3.973A	----	3.504 - 1.093	.1830	----	----	----	----	7 UNCH
6000	----	----	----/4.590A	3.756B/4.590A	----	4.092 - 1.252	.2070	----	----	----	----	128 UNCH
6050	----	----	----/4.757A	3.924B/4.757A	----	4.249 - 1.292	.2132	----	----	----	----	15 UNCH
6300	----	----	----/5.681A	4.821B/5.681A	----	5.100 - 1.496	.2452	----	----	----	----	3 UNCH
6400	----	----	----/6.039A	5.207B/6.039A	----	5.472 - 1.578	.2585	----	----	----	----	1 UNCH
6425	----	----	----/6.178A	5.306B/6.178A	----	5.568 - 1.599	.2619	----	----	----	----	1 UNCH
6500	----	----	----/6.470A	5.611B/6.470A	----	5.862 - 1.660	.2720	----	----	----	----	55 UNCH
6900	----	----	----/8.304A	7.462B/8.304A	----	7.609 - 1.987	.3274	----	----	----	----	1 UNCH
7000	----	----	----/8.795A	7.960B/8.795A	----	8.093 - 2.068	.3414	----	----	----	----	15 UNCH
7025	----	----	----/8.938A	8.091B/8.938A	----	8.218 - 2.088	.3449	----	----	----	----	1 UNCH
7100	----	----	----/9.321A	8.479B/9.321A	----	8.597 - 2.148	.3555	----	----	----	----	16 UNCH
7125	----	----	----/9.499A	8.611B/9.499A	----	8.726 - 2.168	.3590	----	----	----	----	25 UNCH
7175	----	----	----/9.734A	8.886B/9.734A	----	8.988 - 2.206	.3660	----	----	----	----	20 UNCH
7200	----	----	----/9.862A	9.015B/9.862A	----	9.120 - 2.227	.3695	----	----	----	----	50 UNCH
7500	----	----	----/11.588A	10.729B/11.588A	----	10.804 - 2.456	.4110	----	----	3	----	3 UNCH
7550	----	----	----/11.890A	11.039B/11.890A	----	11.101 - 2.493	.4177	----	----	----	----	2 UNCH
7700	----	----	----/12.829A	11.965B/12.829A	----	12.016 - 2.603	.4378	----	----	----	----	1 UNCH
7800	----	----	----/13.460A	12.603B/13.460A	----	12.647 - 2.673	.4508	----	----	----	----	4 UNCH
7900	----	----	----/14.114A	13.257B/14.114A	----	13.293 - 2.742	.4636	----	----	----	----	1 UNCH
8000	----	----	----/14.783A	13.920B/14.783A	----	13.954 - 2.808	.4761	----	----	----	----	40 UNCH
8100	----	----	----/15.468A	14.597B/15.468A	----	14.628 - 2.872	.4884	----	----	----	----	1 UNCH
8200	----	----	----/16.162A	15.281B/16.162A	----	15.315 - 2.933	.5004	----	----	----	----	1 UNCH
8500	----	----	----/18.372A	17.431B/18.372A	----	17.445 - 3.102	.5348	----	----	----	----	225 UNCH
8700	----	----	----/19.815A	18.914B/19.815A	----	18.918 - 3.202	.5564	----	----	----	----	100 UNCH
9000	----	----	----/22.111A	21.219B/22.111A	----	21.199 - 3.336	.5867	----	----	----	----	74 UNCH
9300	----	----	----/24.491A	24.070B/24.491A	----	23.558 - 3.452	.6148	----	----	----	----	1 UNCH
9400	----	----	----/25.362A	24.587B/25.362A	----	24.359 - 3.487	.6236	----	----	----	----	1 UNCH
10150	----	----	----/31.554A	30.706B/31.554A	----	30.585 - 3.697	.6824	----	----	----	----	1 UNCH
10300	----	----	----/32.878A	31.969B/32.878A	----	31.869 - 3.730	.6927	----	----	----	----	1 UNCH
TOTAL										12	0	1472 + 7
OCT26												
2675	----	----	----	0.027B/0.370A	----	0.146 - 0.075	.0093	----	----	----	----	8 UNCH
3250	----	----	----	0.198B/0.531A	----	0.302 - 0.145	.0191	----	----	----	----	1 UNCH
4000	----	----	----/0.955A	0.610B/0.955A	----	0.725 - 0.309	.0437	----	----	----	----	3 UNCH
4500	----	----	----/1.421A	1.252B/1.421A	----	1.269 - 0.483	.0717	----	----	----	----	4 UNCH
5000	----	----	----/2.651A	1.430B/2.651A	----	2.116 - 0.737	.1101	----	----	----	----	6 UNCH
5050	----	----	----/2.702A	1.533B/2.702A	----	2.217 - 0.765	.1144	----	----	----	----	1 UNCH
5150	----	----	----/2.871A	1.741B/2.871A	----	2.428 - 0.823	.1233	----	----	----	----	5 UNCH
6500	----	----	----/6.937A	5.971B/6.937A	----	6.616 - 1.724	.2703	----	----	----	----	6 UNCH
7000	----	----	----/9.313A	8.347B/9.313A	----	8.847 - 2.076	.3329	----	----	----	----	85 UNCH
7225	----	----	----/10.547A	9.540B/10.547A	----	9.974 - 2.231	.3614	----	----	----	----	87 UNCH
7500	----	----	----/12.101A	11.112B/12.101A	----	11.456 - 2.412	.3961	----	----	----	----	1 UNCH
7950	----	----	----/14.978A	13.939B/14.978A	----	14.120 - 2.688	.4512	----	----	----	----	10 UNCH
8200	----	----	----/16.677A	15.620B/16.677A	----	15.725 - 2.828	.4804	----	----	----	----	6 UNCH
8375	----	----	----/17.848A	16.852B/17.848A	----	16.899 - 2.920	.5000	----	----	----	----	1 UNCH
9100	----	----	----/23.258A	22.248B/23.258A	----	22.160 - 3.246	.5736	----	----	----	----	1 UNCH
10000	----	----	----/30.534A	29.508B/30.534A	----	29.396 - 3.540	.6467	----	----	----	----	40 UNCH
TOTAL											0	265 0
NOV26												
4500	----	----	----/1.658A	1.315B/1.658A	----	1.475 - 0.365	.0778	----	----	----	----	2 UNCH
4550	----	----	----/1.723A	1.390B/1.723A	----	1.555 - 0.386	.0813	----	----	----	----	1 UNCH
4800	----	----	----	1.247B/2.674A	----	1.995 - 0.506	.1002	----	----	----	----	1 UNCH
5200	----	----	----/3.355A	2.625B/3.355A	----	2.856 - 0.732	.1345	----	----	----	----	1 UNCH
5950	----	----	----/5.463A	4.309B/5.463A	----	5.039 - 1.243	.2105	----	----	----	----	1 UNCH
6700	----	----	----/8.618A	7.410B/8.618A	----	8.027 - 1.809	.2971	----	----	----	----	50 UNCH
7000	----	----	----/10.085A	8.901B/10.085A	----	9.457 - 2.032	.3330	----	----	----	----	40 UNCH
7025	----	----	----/10.218A	9.032B/10.218A	----	9.582 - 2.050	.3360	----	----	----	----	6 UNCH
7500	----	----	----/12.970A	11.718B/12.970A	----	12.139 - 2.382	.3928	----	----	3	----	3 + 3
7700	----	----	----/14.174A	12.940B/14.174A	----	13.315 - 2.511	.4162	----	----	----	----	50 UNCH
8500	----	----	----/19.616A	18.433B/19.616A	----	18.582 - 2.939	.5021	----	----	----	----	60 UNCH
9000	----	----	----/23.416A	22.155B/23.416A	----	22.280 - 3.135	.5484	----	----	----	----	5 UNCH
9050	----	----	----/23.734A	22.542B/23.734A	----	22.664 - 3.152	.5528	----	----	----	----	3 UNCH
10000	----	----	----/31.384A	32.320B/31.384A	----	30.307 - 3.416	.6246	----	----	----	----	1 UNCH
11000	----	----	----/39.867A	38.639B/39.867A	----	38.830 - 3.625	.6843	----	----	----	----	1 UNCH
TOTAL										3	0	225 + 3
DEC26												
1500	----	----	----	0.001B/0.150A	----	0.020 - 0.007	.0012	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.500A	----	0.063 - 0.020	.0038	----	----	----	----	10 UNCH
2500	----	----	----	0.003B/0.456A	----	0.114 - 0.038	.0073	----	----	----	----	32 UNCH
3000	----	----	----	0.157B/0.608A	----	0.202 - 0.069	.0132	----	----	----	----	93 UNCH
3100	----	----	----	0.200B/0.648A	----	0.226 - 0.077	.0148	----	----	----	----	1 UNCH
3150	----	----	----	0.223B/0.670A	----	0.247 - 0.083	.0161	----	----	----	----	1 UNCH
3500	----	----	----	0.422B/0.868A	----	0.436 - 0.136	.0267	----	----	----	----	45 UNCH
3850	----	----	----	0.678B/1.135A	----	0.710 - 0.210	.0411	----	----	----	----	1 UNCH
3900	----	----	----	0.733B/1.179A	----	0.757 - 0.222	.0435	----	----	----	----	1 UNCH
3925	----	----	----	0.747B/1.202A	----	0.781 - 0.229	.0447	----	----	----	----	1 UNCH
4000	----	----	----	0.821B/1.273A	----	0.857 - 0.249	.0485	----	----	----	----	74 UNCH
4500	----	----	----/1.864A	1.451B/1.864A	----	1.500 - 0.434	.0785	----	----	----	----	32 UNCH
4600	----	----	----/2.004A	1.443B/2.004A	----	1.659 - 0.485	.0856	----	----	----	----	4 UNCH
4800	----	----	----	1.410B/2.977A	----	2.013 - 0.593	.1007	----	----	----	----	241 UNCH
5000	----	----	----	2.162B/3.321A	----	2.415 - 0.711	.1171	----	----	----	----	357 UNCH
5250	----	----	----/3.857A	2.418B/3.857A	----	2.991 - 0.868	.1394	----	----	----	----	50 UNCH
5300	----	----	----/3.982A	2.549B/3.982A	----	3.117 - 0.900	.1441	----	----	----	----	250 UNCH
5400	----	----	----/4.233A	2.818B/4.233A	----	3.378 - 0.966	.1537	----	----	----	----	100 UNCH
5500	----	----	----/4.556A	3.106B/4.556A	----	3.654 - 1.033	.1635	----	----	----	----	86 UNCH
5600	----	----	----/4.817A	3.410B/4.817A	----	3.944 - 1.101	.1737	----	----	----	----	4 UNCH
5800	----	----	----/5.486A	4.061B/5.486A	----	4.571 - 1.237	.1947	----	----	----	----	1 UNCH
5950	----	----	----/5.976A	4.593B/5.976A	----	5.083 - 1.339	.2110	----	----	----	----	5 UNCH
6000	----	----	----/6.158A	4.779B/6.158A	----	5.261 - 1.373	.2166	----	----	----	----	147 UNCH
6200	----	----	----/6.960A	5.615B/6.960A	----	6.016 - 1.507	.2391	----	----	----	----	13 UNCH
6300	----	----	----/7.378A	6.029B/7.378A	----	6.419 - 1.573	.2507	----	----	----	----	25 UNCH
6500	----	----	----/8.223A	6.917B/8.223A	----	7.276 - 1.746	.2740	----	----	----	----	626 UNCH
6650	----	----	----/8.953A	7.618B/8.953A	----	7.962 - 1.871	.2916	----	----	----	----	5 UNCH
6725	----	----	----/9.303A	7.980B/9.303A	----	8.320 - 1.930	.3005	----	----	----	----	4 UNCH
6750	----	----	----/9.427A	8.101B/9.427A	----	8.441 - 1.950	.3035	----	----	----	----	6 UNCH
6800	----	----	----/9.691A	8.350B/9.691A	----	8.686 - 1.989	.3094	----	----	----	----	52 UNCH
6850	----	----	----/9.947A	8.603B/9.947A	----	8.936 - 2.027	.3153	----	----	----	----	65 UNCH
6900	----	----	----/10.196A	8.859B/10.196A	----	9.189 - 2.066	.3212	----	----	----	----	1 UNCH
6950	----	----	----/10.460A	9.117B/10.460A	----	9.447 - 2.102	.3271	----	----	----	----	101 UNCH
7000	----	----	----/10.748A	9.383B/10.748A	----	9.708 - 2.139	.3330	----	----	----	----	179 UNCH
7050	----	----	----/10.999A	9.652B/10.999A	----	9.974 - 2.175	.3388	----	----	----	----	1 UNCH
7075	----	----	----/11.193A	9.787B/11.193A	----	10.108 - 2.193	.3418	----	----	----	----	20 UNCH
7100	----	----	----/11.038A	9.924B/11.038A	----	10.243 - 2.210	.3447	----	----	----	----	2 UNCH
7200	12.000	12.000	12.000/11.503A	12.000/11.503A	----	10.794 - 2.279	.3564	----	----	5	----	14 + 4
7500	----	----	----/13.607A	12.225B/13.607A	----	12.534 - 2.472	.3908	----	----	----	----	16 UNCH
7550	----	----	----/13.914A	12.530B/13.914A	----	12.836 - 2.502	.3964	----	----	----	----	1 UNCH
7800	----	----	----/15.507A	14.104B/15.507A	----	14.400 - 2.643	.4239	----	----	----	----	20 UNCH
7850	----	----	----/15.833A	14.423B/15.833A	----	14.722 - 2.670	.4293	----	----	----	----	10 UNCH
7875	----	----	----/16.056A	14.596B/16.056A	----	14.884 - 2.684	.4319	----	----	----	----	4 UNCH
7900	----	----	----/16.161A	14.750B/16.161A	----	15.048 - 2.696	.4346	----	----	----	----	19 UNCH
8000	----	----	----/16.825A	15.414B/16.825A	----	15.708 - 2.747	.4450	----	----	----	----	50 UNCH
8100	----	----	----/17.505A	16.099B/17.505A	----	16.381 - 2.794	.4552	----	----	----	----	1 UNCH
8200	----	----	----/17.944A	16.785B/17.944A	----	17.065 - 2.840	.4653	----	----	----	----	35 UNCH
8350	----	----	----/19.246A	17.835B/19.246A	----	18.112 - 2.904	.4799	----	----	----	----	9 UNCH
8400	----	----	----/19.645A	18.180B/19.645A	----	18.466 - 2.925	.4847	----	----	----	25	50 + 25
8500	----	----	----/20.324A	18.897B/20.324A	----	19.182 - 2.965	.4941	----	----	----	----	150 UNCH
8600	----	----	----/21.050A	19.687B/21.050A	----	19.908 - 3.003	.5033	----	----	----	----	2 UNCH
8800	----	----	----/22.533A	21.168B/22.533A	----	21.388 - 3.073	.5211	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
8900	----	----	----/22.858A	21.919B/22.858A	----	22.141 -	3.106 .5296	----	----	----	----	30 UNCH
9000	----	----	----/24.069A	22.682B/24.069A	----	22.903 -	3.137 .5380	----	----	----	----	3 UNCH
9050	----	----	----/24.441A	23.063B/24.441A	----	23.287 -	3.152 .5421	----	----	----	----	100 UNCH
9500	----	----	----/27.962A	26.533B/27.962A	----	26.821 -	3.274 .5769	----	----	----	----	2 UNCH
9850	----	----	----/30.867A	29.408B/30.867A	----	29.656 -	3.356 .6014	----	----	----	----	8 UNCH
9950	----	----	----/31.613A	30.181B/31.613A	----	30.478 -	3.378 .6081	----	----	----	----	1 UNCH
10025	----	----	----/32.256A	30.797B/32.256A	----	31.097 -	3.394 .6130	----	----	----	----	3 UNCH
10125	----	----	----/33.061A	31.689B/33.061A	----	31.927 -	3.415 .6194	----	----	----	----	1 UNCH
10700	----	----	----/37.911A	36.913B/37.911A	----	36.778 -	3.528 .6535	----	----	----	----	5 UNCH
10800	----	----	----/38.767A	38.237B/38.767A	----	37.634 -	3.547 .6590	----	----	----	----	2 UNCH
11000	----	----	----/40.491A	39.823B/40.491A	----	39.357 -	3.582 .6697	----	----	----	----	2 UNCH
11500	----	----	----/44.854A	43.481B/44.854A	----	43.719 -	3.665 .6945	----	----	----	----	1 UNCH
12000	----	----	----	----/124.733A	----	48.150 -	3.740 .7168	----	----	----	----	1 UNCH
12100	----	----	----	----/126.225A	----	49.044 -	3.754 .7209	----	----	----	----	1 UNCH
12300	----	----	----	----/128.832A	----	50.838 -	3.781 .7291	----	----	----	----	1 UNCH
15000	----	----	----	24.053B/109.549A	----	75.770 -	4.051 .8123	----	----	----	----	1 UNCH
19000	----	----	----	64.633B/144.860A	----	114.151 -	4.259 .8810	----	----	----	----	1 UNCH
TOTAL										5	25	3370 + 29
JAN27												
3800	----	----	----	0.001B/7.798A	----	0.629 -	0.196 .0368	----	----	----	----	1 UNCH
7125	----	----	----	0.300B/21.497A	----	10.697 -	1.614 .3388	----	----	----	----	1 UNCH
8600	----	----	----	8.427B/31.853A	----	20.322 -	2.253 .4851	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
7175	----	----	----	----	----	17.715 -	3.737 .3047	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7300	4.722	4.722	#5.960B/*4.722	#5.960B/*4.722	----	7.201	NEW .6057	----	----	1	----	1 + 1
TOTAL										1	0	1 + 1
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	#11.274B/----	#11.274B/14.033A	----	13.305 +	3.800 .9301	----	----	----	----	1 UNCH
6800	----	----	----	3.944B/5.718A	----	8.015 +	3.041 .8098	----	----	----	----	2 UNCH
7000	----	----	#4.956B/3.606A	4.956B/3.606A	----	6.433 +	2.640 .7441	----	----	----	----	1 UNCH
7010	----	----	#4.951B/*3.601A	#4.951B/*3.601A	----	6.358	NEW .7403	----	----	1	----	1 + 1
7050	----	----	4.895B/3.420A	4.895B/3.420A	----	6.061 +	2.532 .7250	----	----	----	----	2 UNCH
7110	----	----	#5.139B/3.135A	#5.139B/3.135A	----	5.629 +	2.399 .7009	----	----	----	----	1 UNCH
7150	----	----	#5.100B/2.979A	#5.100B/2.979A	----	5.350 +	2.310 .6840	----	----	----	----	2 UNCH
7200	----	----	4.737B/2.768A	4.737B/2.768A	----	5.012 +	2.197 .6621	----	----	----	----	2 UNCH
7300	----	----	4.087B/2.395A	4.087B/2.395A	----	4.374 +	1.970 .6159	----	----	----	----	1 UNCH
7400	----	----	3.487B/----	3.487B/2.051A	----	3.789 +	1.746 .5671	----	----	1	----	102 + 1
7450	----	----	3.278B/----	3.278B/1.917A	----	3.517 +	1.636 .5421	----	----	----	----	1 UNCH
7475	----	----	3.377B/----	3.377B/1.841A	----	3.386 +	1.581 .5295	----	----	----	----	1 UNCH
7500	2.400	2.400	3.155B/2.300	3.155B/1.781A	----	3.259 +	1.528 .5168	----	----	3	----	7 UNCH
7550	----	----	2.865B/----	2.865B/1.733A	----	3.015 +	1.422 .4915	----	----	----	----	2 UNCH
7600	----	----	2.841B/----	2.841B/1.553A	----	2.785 +	1.320 .4661	----	----	----	----	1 UNCH
7675	1.996	1.996	2.462B/1.996	2.462B/1.449A	----	2.466	NEW .4285	----	----	1	----	1 + 1
7700	----	----	2.390B/----	2.390B/1.341A	----	2.366 +	1.126 .4162	----	----	----	----	3 UNCH
7775	----	----	2.086B/----	2.086B/1.276A	----	2.087 +	0.992 .3799	----	----	----	----	1 UNCH
7800	1.102	1.102	2.080/1.102	2.080/1.102	----	2.001 +	0.949 .3681	----	----	3	----	18 + 1
7900	1.145	1.145	1.740B/1.145	1.740B/1.019A	----	1.687	NEW .3229	----	----	1	----	1 + 1
8000	0.750	0.750	1.349B/*0.750	1.349B/*0.750	----	1.419 +	0.649 .2812	----	----	33	----	24 + 9
8100	0.998	0.998	1.098B/0.998	1.098B/0.789A	----	1.193 +	0.526 .2435	----	----	1	----	21 + 1
8150	----	----	0.960B/----	0.960B/0.800A	----	1.095 +	0.471 .2263	----	----	----	----	1 UNCH
8250	----	----	0.766B/----	0.766B/0.703A	----	0.923 +	0.373 .1949	----	----	----	----	7 UNCH
8400	----	----	0.568B/----	0.568B/0.563A	----	0.717 +	0.253 .1552	----	----	----	----	5 UNCH
8500	----	----	0.461B/----	0.461B/0.513A	----	0.608 +	0.188 .1332	----	----	----	----	1 UNCH
8800	----	----	0.302B/----	0.302B/0.394A	----	0.363 +	0.062 .0821	----	----	----	----	6 UNCH
9000	----	----	----	0.164B/0.322A	----	0.237 +	0.028 .0554	----	----	----	----	11 UNCH
9125	0.250	0.250	0.250/*0.250	0.250/*0.250	----	0.179	NEW .0427	----	----	2	----	2 + 2
9500	----	----	----	0.042B/0.262A	----	0.075 -	0.005 .0186	----	----	----	----	2 UNCH
9700	----	----	----	0.023B/0.241A	----	0.046 -	0.008 .0115	----	----	----	----	3 UNCH
TOTAL										46	0	234 + 17
SO2 PUT		SILVER OPTIONS										
APR26												
5500	----	----	----/*0.269A	0.120B/*0.269A	----	0.161 -	0.147 .0249	----	----	----	----	10 UNCH
5800	0.280	0.280	0.280/*0.280	0.284B/*0.280	----	0.220 -	0.278 .0367	----	----	2	----	2 - 2
6000	0.450	0.450	0.450/*0.408A	0.479B/*0.408A	----	0.288 -	0.397 .0498	----	----	1	----	12 UNCH
6100	0.995	0.995	0.995/*0.469A	0.995/*0.469A	----	0.336 -	0.468 .0587	----	----	1	----	10 UNCH
6200	----	----	----/*0.539A	0.760B/*0.539A	----	0.397 -	0.547 .0698	----	----	----	----	1 UNCH
6250	----	----	----/*0.598A	0.806B/*0.598A	----	0.433 -	0.589 .0763	----	----	----	----	2 UNCH
6400	----	----	----/*0.682A	1.174B/*0.682A	----	0.563 -	0.734 .0991	----	----	----	----	10 UNCH
6450	----	----	----/*0.770A	1.254B/*0.770A	----	0.615 -	0.789 .1080	----	----	----	----	2 UNCH
6500	----	----	----/*0.698A	1.434B/*0.698A	----	0.671 -	0.847 .1176	----	----	----	----	2 UNCH
6600	1.095	1.095	1.095/*0.817A	1.735B/*0.817A	----	0.796	NEW .1389	----	----	20	----	20 + 20
6650	----	----	----/*0.946A	1.852B/*0.946A	----	0.865 -	1.052 .1505	----	----	----	----	3 UNCH
6800	----	----	2.463B/*1.274A	2.463B/*1.274A	----	1.102 -	1.306 .1901	----	----	1	----	2 + 1
7025	----	----	3.365B/*1.607A	3.365B/*1.607A	----	1.581 -	1.760 .2652	----	----	----	----	1 UNCH
7050	----	----	----/*1.878A	3.365B/*1.878A	----	1.646 -	1.814 .2748	----	----	----	----	1 UNCH
7325	2.493	2.493	2.493/*2.493	3.402B/2.493	----	2.555	NEW .3960	----	----	1	----	1 + 1
7400	----	----	----/3.076A	3.417B/3.076A	----	2.871	NEW .4327	----	----	1	----	1 + 1
7600	----	----	----/4.040A	4.404B/4.040A	----	3.865	NEW .5338	----	----	1	----	1 + 1
TOTAL										28	0	81 + 22
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	6.561B/4.568A	6.561B/4.568A	----	7.232 +	2.383 .7045	----	----	7	----	7 + 1
7100	----	----	6.275B/4.111A	6.275B/4.111A	----	6.559 +	2.206 .6713	----	----	----	----	1 UNCH
7500	----	----	4.321B/2.659A	4.321B/2.659A	----	4.266	NEW .5248	----	----	14	----	14 + 14
7600	----	----	3.829B/2.389A	3.829B/2.389A	----	3.798 +	1.359 .4868	----	----	----	----	3 UNCH
7975	----	----	2.304B/----	2.304B/1.674A	----	2.403 +	0.862 .3517	----	----	----	----	2 UNCH
8000	----	----	2.263B/----	2.263B/1.591A	----	2.329 +	0.834 .3434	----	----	----	----	1 UNCH
8500	----	----	1.093B/----	1.093B/0.993A	----	1.244 +	0.431 .2062	----	----	----	----	5 UNCH
TOTAL										21	0	33 + 15
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	0.001B/*0.191A	----	0.017 -	0.008 .0023	----	----	----	----	20 UNCH
5500	----	----	----/*0.427A	0.356B/*0.427A	----	0.337 -	0.280 .0456	----	----	----	----	1 UNCH
6000	----	----	----/*0.752A	0.964B/*0.752A	----	0.621 -	0.603 .0866	----	----	----	----	3 UNCH
6400	1.450	1.450	1.450/*1.220A	1.889B/*1.220A	----	1.042 -	1.028 .1445	----	----	1	----	5 - 1
6500	----	----	----/*1.381A	2.199B/*1.381A	----	1.190 -	1.161 .1638	----	----	----	----	2 UNCH
6825	----	----	----/*2.118A	3.400B/*2.118A	----	1.838 -	1.660 .2426	----	----	----	----	20 UNCH
7000	3.000	3.000	3.000/*2.391	4.281B/*2.391	----	2.321 -	1.960 .2954	----	----	11	----	8 + 2
7300	----	----	----/*3.662A	5.740B/3.662A	----	3.413 -	2.491 .3998	----	----	----	----	10 UNCH
7500	4.320	4.320	4.320/4.320	5.813B/4.320	----	4.347	NEW .4751	----	----	1	----	1 + 1
7625	6.110	6.110	6.110/5.248A	6.110/5.248A	----	5.017	NEW .5225	----	----	1	----	1 + 1
TOTAL										14	0	71 + 3
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	#3.732B/2.628A	#3.732B/2.628A	----	4.044 +	1.281 .4433	----	----	----	----	8 UNCH
8000	2.180	2.180	#3.010B/2.180	#3.010B/2.180	----	3.556	NEW .3941	----	----	4	----	0 UNCH
TOTAL										4	0	8 0
SO4 PUT		SILVER OPTIONS										
APR26												
6050	1.830	1.830	#1.830/*1.145A	1.830/*1.145A	----	0.940 -	0.868 .1146	----	----	8	----	6 + 4
6400	----	----	----/*1.668A	2.449B/*1.668A	----	1.443 -	1.263 .1708	----	----	----	----	1 UNCH
7300	3.947	3.947	3.947/*3.947	5.376B/*3.947	----	4.222	NEW .4061	----	----	1	----	1 + 1
TOTAL										9	0	8 + 5
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
5700	----	----	----	0.001B/0.160A	----	0.001 -	0.026 ----	----	----	----	----	25 UNCH
6000	----	----	----	----	----	14.920 +	4.298 .0000	----	----	----	----	1 UNCH
6000	----	----	----	0.001B/*0.136A	----	0.002 -	0.053 .0000	----	----	----	----	3 UNCH
6200	----	----	----	0.001B/*0.125A	----	0.006 -	0.095 .0000	----	----	----	----	40 UNCH
6400	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.015	NEW .0004	----	----	10	----	10 + 10
6500	0.062	0.062	0.062/*0.062	0.104B/*0.062	----	0.025 -	0.263 .0010	----	----	1	----	11 + 1
6575	----	----	----/*0.156A	0.158B/*0.156A	----	0.036 -	0.335 .0019	----	----	----	----	1 UNCH
6700	----	----	----/*0.170A	0.425B/*0.170A	----	0.066 -	0.496 .0054	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 67

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK											
APR26													
6800	0.064	0.064	0.066/*0.064	0.711B/*0.064	----	0.106	NEW	.0119	----	----	2	----	2 + 2
6900	----	----	1.093B/*0.201A	1.093B/*0.201A	----	0.128	- 0.930	.0182	----	----	----	----	1 UNCH
6950	----	----	1.265B/*0.227A	1.265B/*0.227A	----	0.139	- 1.091	.0222	----	----	----	----	2 UNCH
7000	----	----	----/1.643A	1.239B/1.643A	----	5.071	+ 3.076	.9723	----	----	----	----	2 UNCH
7000	----	----	----/*0.243A	1.284B/*0.243A	----	0.152	- 1.274	.0276	----	----	----	----	4 UNCH
7025	----	----	----/1.597A	1.172B/1.597A	----	4.829	+ 2.977	.9687	----	----	----	----	1 UNCH
7030	----	----	----/1.583A	1.174B/1.583A	----	4.781	+ 2.957	.9681	----	----	----	----	4 UNCH
7050	0.144	0.144	0.144/*0.144	1.245B/*0.144	----	0.171	NEW	.0354	----	----	1	----	1 + 1
7095	0.548	0.548	0.548/*0.282A	1.164B/*0.282A	----	0.193	NEW	.0451	----	----	1	----	1 + 1
7100	----	----	----/*1.200A	1.107B/*1.200A	----	4.115	+ 2.652	.9535	----	----	----	----	3 UNCH
7150	----	----	1.697B/*1.109A	1.697B/*1.109A	----	3.650	+ 2.412	.9369	----	----	----	----	2 UNCH
7150	0.470	0.470	0.470/*0.407A	1.143B/*0.407A	----	0.232	NEW	.0630	----	----	1	----	1 + 1
7200	----	----	1.543B/*0.939A	1.543B/*0.939A	----	3.201	+ 2.160	.9126	----	----	----	----	3 UNCH
7200	0.550	0.550	0.750/*0.252	1.170B/*0.252	----	0.282	NEW	.0873	----	----	4	----	4 + 4
7300	1.000	1.000	1.900/*0.717A	1.900/*0.717A	----	2.369	NEW	.8265	----	----	4	----	2 + 2
7300	1.400	1.400	1.400/*0.400	1.400/*0.400	----	0.451	NEW	.1734	----	----	6	----	6 + 6
7320	0.750	0.750	#0.750/*0.583A	1.055B/*0.583A	----	0.499	NEW	.1980	----	----	10	----	10 + 10
7325	0.850	0.850	0.850/*0.636A	1.030B/*0.636A	----	0.512	NEW	.2046	----	----	1	----	1 + 1
7350	0.550	0.550	0.550/*0.550	1.043B/*0.550	----	0.582	- 2.953	.2399	----	----	1	----	2 + 1
7350	1.000	1.000	2.116/1.000	2.116/*0.679A	----	2.001	+ 1.396	.7600	----	----	3	----	3 + 2
7370	0.500	0.500	#0.500/*0.500	1.037B/*0.500	----	0.644	NEW	.2707	----	----	1	----	1 + 1
7400	0.815	0.815	0.815/*0.788A	1.112B/*0.788A	----	0.750	NEW	.3213	----	----	1	----	1 + 1
7400	1.000	1.000	1.450/1.000	1.450/*0.563A	----	1.669	NEW	.6786	----	----	3	----	1 + 1
7405	0.748	0.748	#0.748/*0.748	1.146B/*0.748	----	0.769	NEW	.3301	----	----	1	----	1 + 1
7450	1.450	1.450	1.450/1.450	1.450/*0.546A	----	1.378	NEW	.5863	----	----	3	----	3 + 3
7500	0.207	0.207	1.188B/*0.207	1.188B/*0.207	----	1.128	+ 0.773	.4899	----	----	12	----	16 + 5
7525	1.154	1.154	1.154/*1.154	1.684B/*1.154	----	1.348	NEW	.5576	----	----	4	----	4 + 4
7525	1.235	1.235	1.235/1.235	1.235/*0.467A	----	1.017	NEW	.4423	----	----	1	----	1 + 1
7550	1.300	1.300	1.300/*1.300	1.568B/*1.300	----	1.497	NEW	.6036	----	----	1	----	1 + 1
7600	0.250	0.250	1.000/*0.250	1.000/*0.250	----	0.739	NEW	.3110	----	----	9	----	8 + 8
7850	----	----	----	0.121B/0.239A	----	0.239	+ 0.100	.0658	----	----	----	----	2 UNCH
7900	2.000	2.000	2.253B/1.900	2.253B/1.482A	----	2.311	NEW	.3617	----	----	2	----	0 UNCH
7925	----	----	----	0.081B/0.226A	----	0.170	+ 0.050	.0386	----	----	----	----	1 UNCH
8000	0.132	0.132	0.150/*0.130A	0.150/*0.130A	----	0.122	+ 0.016	.0224	----	----	3	----	4 + 1
8100	0.051	0.051	0.051/*0.051	0.051/*0.051	----	0.068	- 0.005	.0089	----	----	1	----	2 + 1
8125	----	----	----	0.001B/*0.163A	----	0.059	- 0.008	.0070	----	----	----	----	1 UNCH
8200	----	----	----	0.001B/*0.143A	----	0.037	- 0.014	.0032	----	----	----	----	1 UNCH
8225	0.107	0.107	0.107/*0.107	0.107/*0.107	----	0.032	NEW	.0025	----	----	1	----	1 + 1
8400	----	----	----	----/0.124A	----	0.011	- 0.015	.0004	----	----	----	----	1 UNCH
8725	----	----	----	0.094B/0.303A	----	0.234	+ 0.022	.0601	----	----	----	----	1 UNCH
8800	----	----	----	----	----	13.081	- 4.355	.0000	----	----	----	----	1 UNCH
TOTAL											88	0	204 + 71
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week5											
MAR26													
4000	----	----	----	----/0.120A	----	0.000	- 0.001	----	----	----	----	----	0 - 1
6200	----	----	----	0.001B/0.121A	----	0.000	- 0.063	----	----	----	----	----	0 - 10
6300	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000	- 0.080	----	----	----	2	----	0 - 3
6400	----	----	----	0.001B/0.133A	----	0.000	- 0.103	----	----	----	----	----	0 - 10
6475	----	----	----	0.001B/*0.132A	----	0.000	- 0.124	----	----	----	----	----	0 - 1
6500	----	----	----/*0.130A	0.001B/*0.130A	----	0.000	- 0.133	----	----	----	5	----	0 - 5
6575	----	----	----/*0.131A	0.001B/*0.131A	----	0.000	- 0.161	----	----	----	----	----	0 - 1
6600	----	----	----/*0.130A	0.001B/*0.130A	----	0.000	- 0.172	----	----	----	----	----	0 - 2
6700	0.010	0.010	0.010/*0.010	0.094B/*0.010	----	0.000	- 0.232	----	----	----	1	----	0 - 10
6725	----	----	----/*0.132A	0.083B/*0.132A	----	0.000	- 0.253	----	----	----	----	----	0 - 5
6750	----	----	----/*0.134A	0.137B/*0.134A	----	0.000	- 0.279	----	----	----	1	----	0 - 16
6770	----	----	----/*0.144A	0.180B/*0.144A	----	0.000	- 0.305	----	----	----	----	----	0 - 1
6800	----	----	----	----	----	6.919	+ 3.997	----	----	----	----	----	0 - 1
6800	----	----	----/*0.092A	0.263B/*0.092A	----	0.000	- 0.354	----	----	----	----	----	0 - 1
6820	----	----	----/*0.153A	0.309B/*0.153A	----	0.000	NEW	----	----	----	4	----	0 UNCH
6825	----	----	----	----	----	6.669	+ 3.946	----	----	----	----	----	0 - 22
6845	----	----	----/2.068A	1.072B/2.068A	----	6.469	+ 3.898	----	----	----	----	----	0 - 22
6850	----	----	----/*0.156A	0.365B/*0.156A	----	0.000	- 0.465	----	----	----	----	----	0 - 30
6885	----	----	----/*0.152A	0.533B/*0.152A	----	0.000	- 0.564	----	----	----	----	----	0 - 1
6900	0.923	0.923	0.923/*0.148A	0.923/*0.148A	----	0.000	- 0.611	----	----	----	2	----	0 - 2
6900	----	----	----/1.726A	1.091B/1.726A	----	5.919	+ 3.739	----	----	----	4	----	0 - 5
6950	0.005	0.005	0.803B/*0.005	0.803B/*0.005	----	0.000	- 0.779	----	----	----	5	----	0 - 1
6975	----	----	----/*1.315A	1.110B/*1.315A	----	5.169	+ 3.481	----	----	----	----	----	0 - 4
6985	----	----	0.965B/*0.154A	0.965B/*0.154A	----	0.000	- 0.907	----	----	----	----	----	0 - 1
6990	0.235	0.235	0.990B/*0.006	0.990B/*0.006	----	0.000	NEW	----	----	----	2	----	0 UNCH
6995	----	----	1.008B/*0.155A	1.008B/*0.155A	----	0.000	- 0.945	----	----	----	----	----	0 - 8
7000	0.270	0.270	1.033B/*0.040	1.033B/*0.040	----	0.000	- 0.965	----	----	----	3	----	0 - 1
7060	----	----	----/*0.987A	0.960B/*0.987A	----	4.319	+ 3.131	----	----	----	----	----	0 - 1
7100	0.950	0.950	2.700/*0.808A	2.700/*0.808A	----	3.919	+ 2.938	----	----	----	17	----	0 - 32
7100	----	----	----/*0.150A	1.048B/*0.150A	----	0.000	- 1.412	----	----	----	----	----	0 - 1
7120	----	----	1.307B/*0.830A	1.307B/*0.830A	----	3.719	+ 2.832	----	----	----	1	----	0 - 1
7125	----	----	1.178B/0.820A	1.178B/0.820A	----	3.669	+ 2.805	----	----	----	----	----	0 - 10
7125	----	----	----/*0.152A	0.858B/*0.152A	----	0.000	- 1.545	----	----	----	2	----	0 - 1
7135	----	----	----/*0.154A	0.924B/*0.154A	----	0.000	NEW	----	----	----	4	----	0 UNCH
7150	----	----	0.974B/----	0.974B/0.769A	----	3.419	+ 2.662	----	----	----	12	----	0 - 11
7150	0.545	0.545	0.545/*0.151A	0.858B/*0.151A	----	0.000	NEW	----	----	----	1	----	0 UNCH
7175	0.360	0.360	0.889B/*0.360	0.889B/*0.360	----	3.169	+ 2.507	----	----	----	1	----	0 - 1
7200	0.420	0.420	1.000/*0.050	1.000/*0.050	----	0.000	NEW	----	----	----	7	----	0 UNCH
7200	0.700	0.700	1.560/0.700	1.560/0.600A	----	2.919	+ 2.342	----	----	----	16	----	0 - 4
7225	0.250	0.250	0.250/*0.159A	0.775B/*0.159A	----	0.000	- 2.185	----	----	----	3	----	0 - 4
7225	----	----	1.021B/----	1.021B/0.632A	----	2.669	+ 2.165	----	----	----	12	----	0 - 1
7230	----	----	0.955B/----	0.955B/*0.624A	----	2.619	NEW	----	----	----	4	----	0 UNCH
7230	----	----	----/*0.160A	0.797B/*0.160A	----	0.000	NEW	----	----	----	4	----	0 UNCH
7250	----	----	----/*0.167A	0.828B/*0.167A	----	0.000	- 2.371	----	----	----	----	----	0 - 1
7250	0.890	0.890	0.999B/0.890	0.999B/0.596A	----	2.419	+ 1.979	----	----	----	14	----	0 - 16
7300	0.869	0.869	1.950/0.700	1.950/*0.464A	----	1.919	+ 1.580	----	----	----	24	----	0 - 1
7325	----	----	----/*0.301A	0.617B/*0.301A	----	0.000	- 2.979	----	----	----	----	----	0 - 1
7325	----	----	0.519B/----	0.519B/*0.466A	----	1.669	NEW	----	----	----	4	----	0 UNCH
7350	0.875	0.875	0.875/*0.395	0.875/*0.395	----	1.419	+ 1.155	----	----	----	10	----	0 - 1
7360	1.300	1.300	#1.300/1.300	#1.300/0.400A	----	1.319	+ 1.067	----	----	----	3	----	0 - 3
7375	0.360	0.360	0.360/*0.360	0.665B/*0.360	----	0.000	NEW	----	----	----	2	----	0 UNCH
7375	----	----	0.310B/----	0.310B/*0.381A	----	1.169	+ 0.934	----	----	----	----	----	0 - 3
7400	0.650	0.650	0.650/*0.210	0.650/*0.210	----	0.919	+ 0.709	----	----	----	7	----	0 - 1
7400	0.400	0.400	0.400/*0.100	0.548B/*0.100	----	0.000	NEW	----	----	----	4	----	0 UNCH
7425	0.430	0.430	0.550B/0.430	0.550B/*0.290A	----	0.669	+ 0.480	----	----	----	10	----	0 - 50
7450	0.200	0.200	0.320B/*0.160	0.320B/*0.160	----	0.419	NEW	----	----	----	4	----	0 UNCH
7475	----	----	----/*0.500A	1.039B/*0.500A	----	0.000	- 4.336	----	----	----	----	----	0 - 1
7475	0.204	0.204	0.320B/*0.204	0.320B/*0.204	----	0.169	NEW	----	----	----	1	----	0 UNCH
7500	0.220	0.220	0.225/0.150	0.225/0.150	----	0.000	NEW	----	----	----	18	----	0 UNCH
7600	----	----	----/*0.100A	0.001B/*0.100A	----	0.000	- 0.104	----	----	----	5	----	0 - 7
7800	----	----	----	----/0.154A	----	0.000	- 0.066	----	----	----	----	----	0 - 1
7825	----	----	----	----/0.152A	----	0.000	- 0.062	----	----	----	----	----	0 - 2
7900	----	----	----	----/0.151A	----	0.000	- 0.054	----	----	----	----	----	0 - 1
8000	----	----	----	----	----	5.081	- 4.394	----	----	----	----	----	0 - 1
8000	----	----	----	----/0.143A	----	0.000	- 0.045	----	----	----	----	----	0 - 5
8200	----	----	----	----	----	7.081	- 4.382	----	----	----	----	----	0 - 1
8600	----	----	----	----/*0.121A	----	0.000	- 0.008	----	----	----	----	----	0 - 6
TOTAL											219	0	0 - 333
APR26													
4200	----	----	----	----/0.176A	----	0.014	- 0.035	.0015	----	----	----	----	1 UNCH
7100	----	----	3.789B/2.419A	3.789B/2.419A	----	5.068	NEW	.7485	----	----	2	----	1 + 1
7200	5.000	5.000	#5.000/3.187A	#5.000/3.187A	----	5.470	NEW	.6469	----	----	2	----	0 UNCH
7215	----	----	#3.921B/2.014A	#3.921B/2.014A	----	4.238	+ 2.122	.6884	----	----	----	----	2 UNCH
7250	1.548	1.548	1.548/*1.548	2.562B/*1.548	----	1.583	NEW	.3314	----	----	5	----	5 + 5
7320	----	----	#3.258B/*1.692A	#3.258B/1.692A	----	3.548	+ 1.837	.6266	----	----	----	----	2 UNCH
7400	----	----	----/*3.577A	3.920B/*3.577A	----	3.381	- 3.015	.4358	----	----	----	----	2 UNCH
7475	----	----	3.370B/2.318A	3.370B/2.318A	----	3.909	+ 1.210	.5319	----	----	----	----	2 UNCH
7500	0.946	0.946	2.185B/*0.946	2.185B/*0.946	----	2.531	NEW	.5106	----	----	1	----	1 + 1
7600	----	----	3.290B/1.933A	3.290B/1.933A	----	3.317	+ 1.028	.4781	----	----	----	----	7 UNCH
7700	1.200	1.200	1.645B/1.000	1.645B/0.876A	----	1.663	NEW	.3800	----	----	12	----	12 + 12
7800	2.100	2.100	2.418B/1.530A	2.418B/1.530A	----	2.520	NEW	.3945	----	----	1	----	1 + 1
7800	----	----	1.277B/----	1.277B/0.744A	----	1.329	NEW	.3195	----	----	----	40	40 + 40
7900	0.850	0.850	1.200/0.850	1.200/0.638A	----	1.056	NEW	.2647	----	----	2	----	1 + 1
8000	----	----	1.739B/1.222A	1.739B/1.222A	----	1.892	+ 0.595	.3178	----	----	----	----	4 UNCH
8000	----	----	0.732B/----	0.732B/0.559A	----	0.836	+ 0.428	.2167	----	----	----	----	2 UNCH
8050	0.500	0.500	0.597B/*0.500	0.597B/*0.500	----	0.744	NEW	.1955	----	----	1	----	1 + 1
8400	----	----	----	0.192B/0.343A	----	0.337	+ 0.118	.0924	----	----	----	----	1 UNCH
9500	----	----	----	0.003B/*0.173A	----	0.021	- 0.009	.0054	----	----	----	----	1 UNCH
TOTAL											26	40	86 + 62

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK5										
MAR26												
530	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
538	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
540	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
546	----	----	----	----	----	0.0420 UNCH	----	----	----	----	----	0 UNCH
547	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
548	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
549	----	----	----	----	----	0.0120 UNCH	----	----	----	----	----	0 UNCH
549	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
550	----	----	----	----	----	0.0020 UNCH	----	----	----	----	----	0 UNCH
551	----	----	----	----	----	0.0080 UNCH	----	----	----	----	----	0 UNCH
552	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
553	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
554	----	----	----	----	----	0.0380 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.0480 UNCH	----	----	----	----	----	0 UNCH
557	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.0980 UNCH	----	----	----	----	----	0 UNCH
563	----	----	----	----	----	0.1280 UNCH	----	----	----	----	----	0 UNCH
568	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.1980 UNCH	----	----	----	----	----	0 UNCH
574	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
592	----	----	----	----	----	0.4180 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
APR26												
525	----	----	----/*0.0145A	0.0145B/*0.0145	----	0.0105 - 0.0125	.0669	----	----	----	----	10 UNCH
525	0.0300	0.0300	0.0300/*0.0300	0.0425B/*0.0300	----	0.0270 - 0.0240	.1334	----	----	1	----	0 - 1
530	0.3435	0.3435	#0.3435/0.2520A	0.3435/0.2520A	----	0.3460 + 0.0845	.8387	----	----	9	----	9 UNCH
535	0.0285	0.0285	0.0285/*0.0200A	0.0295B/*0.0200	----	0.0165 NEW	.1135	----	----	1	----	1 + 1
537	0.0170	0.0170	0.0170/*0.0170	0.0345B/*0.0170	----	0.0180 NEW	.1260	----	----	1	----	1 + 1
540	0.0180	0.0180	0.0185/*0.0180	0.0425B/*0.0180	----	0.0210 - 0.0270	.1495	----	----	10	----	12 + 10
542	0.0200	0.0200	0.0200/*0.0200	0.0495B/*0.0200	----	0.0230 NEW	.1664	----	----	10	----	10 + 10
545	----	----	0.2020B/0.1125A	0.2020B/0.1125A	----	0.1915 + 0.0755	.8002	----	----	----	----	4 UNCH
550	0.0390	0.0390	0.0450/*0.0350A	0.0850B/*0.0350	----	0.0365 NEW	.2666	----	----	3	----	3 + 3
555	----	----	----/*0.0470A	0.1080B/*0.0470	----	0.0500 - 0.0615	.3554	----	----	----	----	4 UNCH
555	----	----	0.1000B/----	0.1000B/0.0650A	----	0.1135 + 0.0500	.6443	----	----	----	----	1 UNCH
560	0.0840	0.0840	0.0880/*0.0635A	0.1060B/*0.0635	----	0.0685 NEW	.4618	----	----	6	----	6 + 6
560	----	----	0.0820B/----	0.0820B/0.0490A	----	0.0825 + 0.0375	.5380	----	----	----	----	1 UNCH
565	----	----	0.0610B/----	0.0610B/0.0375A	----	0.0570 + 0.0255	.4224	----	----	----	----	3 UNCH
575	0.0125	0.0125	0.0220B/*0.0125	0.0220B/*0.0125	----	0.0245 NEW	.2162	----	----	10	----	10 + 10
580	0.0085	0.0085	0.0110B/*0.0085	0.0110B/*0.0085	----	0.0170 + 0.0050	.1514	----	----	10	----	11 + 10
587	0.2500	0.2500	0.2500/0.2500	0.2795B/0.2500	----	0.2665 NEW	.9078	----	----	4	----	4 + 4
606	0.0165	0.0165	0.0165/0.0165	0.0165/0.0165	----	0.0145 NEW	.0888	----	----	1	----	1 + 1
645	----	----	----	----/*0.0080A	----	0.0005 UNCH	.0001	----	----	----	----	2 UNCH
TOTAL										66		93 + 55
HWR THU		COPPER WEEKLY THURSDAY OPT Week1										
APR26												
485	----	----	----	----/0.0140A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
500	----	----	0.0030B/----	0.0030B/0.0135A	----	0.0005 - 0.0010	.0000	----	----	----	----	2 UNCH
508	----	----	----/*0.0450A	0.0415B/*0.0450	----	0.0350 - 0.0200	.1248	----	----	----	----	20 UNCH
510	----	----	----/*0.0470A	0.0445B/*0.0470	----	0.0370 - 0.0205	.1318	----	----	----	----	10 UNCH
510	----	----	----	----/*0.0115A	----	0.0005 - 0.0035	.0002	----	----	----	----	1 UNCH
520	----	----	----/*0.0580A	0.0615B/*0.0580	----	0.0475 - 0.0270	.1705	----	----	----	----	70 UNCH
520	----	----	----	0.0010B/*0.0125	----	0.0010 - 0.0080	.0037	----	----	----	----	1 UNCH
525	----	----	----/*0.0125A	0.0020B/*0.0125	----	0.0020 - 0.0115	.0090	----	----	----	----	46 UNCH
526	----	----	----/*0.0120A	0.0020B/*0.0120	----	0.0020 - 0.0125	.0093	----	----	----	----	10 UNCH
528	----	----	----/*0.0125A	0.0020B/*0.0125	----	0.0025 - 0.0145	.0125	----	----	----	----	10 UNCH
529	----	----	----/*0.0130A	0.0030B/*0.0130	----	0.0025 - 0.0155	.0129	----	----	----	----	1 UNCH
530	----	----	----/*0.0480A	0.0705B/*0.0480	----	0.0445 - 0.0335	.1897	----	----	----	----	2 UNCH
530	----	----	----/*0.0130A	0.0040B/*0.0130	----	0.0030 - 0.0165	.0160	----	----	----	----	10 UNCH
535	----	----	----/*0.0145A	0.0105B/*0.0145	----	0.0050 - 0.0215	.0312	----	----	1	----	61 UNCH
537	----	----	#0.2705B/----	#0.2705B/0.2480	----	0.2500 + 0.0880	.9602	----	----	----	----	2 UNCH
539	----	----	#0.2510B/----	#0.2510B/0.2305	----	0.2310 + 0.0845	.9507	----	----	----	----	1 UNCH
542	----	----	----/*0.0170A	0.0280B/*0.0170	----	0.0090 - 0.0325	.0687	----	----	----	----	30 UNCH
548	----	----	----/*0.0180A	0.0530B/*0.0180	----	0.0165 - 0.0455	.1416	----	----	----	----	1 UNCH
548	----	----	#0.1660B/0.0820	0.1660B/0.0820A	----	0.1505 + 0.0665	.8582	----	----	----	----	1 UNCH
549	0.0300	0.0300	0.0300/*0.0220A	0.0580B/*0.0220	----	0.0185 NEW	.1601	----	----	2	----	2 + 2
550	0.0205	0.0205	0.0205/*0.0205	0.0635B/*0.0205	----	0.0200 NEW	.1765	----	----	2	----	2 + 2
550	----	----	0.1475B/0.0720A	0.1475B/0.0720A	----	0.1340 + 0.0615	.8233	----	----	----	----	1 UNCH
552	----	----	0.1240B/*0.0635	0.1240B/*0.0635	----	0.0660 - 0.0555	.3467	----	----	----	----	4 UNCH
553	----	----	0.1205B/----	0.1205B/0.0585A	----	0.1105 + 0.0530	.7590	----	----	----	----	1 UNCH
554	----	----	----/*0.0290A	0.0835B/*0.0290	----	0.0290 - 0.0620	.2655	----	----	----	----	1 UNCH
556	----	----	#0.1705B/0.1165	0.1705B/0.1165A	----	0.1710 NEW	.5739	----	----	1	----	1 + 1
556	0.0360	0.0360	0.0360/*0.0330A	0.0790B/*0.0330	----	0.0345 NEW	.3194	----	----	1	----	1 + 1
560	0.1305	0.1305	0.1325B/*0.0445	0.1325B/*0.0445	----	0.0490 - 0.0815	.4471	----	----	1	----	0 - 1
560	0.0450	0.0450	0.0650B/0.0450	0.0650B/0.0365A	----	0.0630 + 0.0305	.5528	----	----	3	----	22 + 1
565	----	----	0.0395B/----	0.0395B/0.0275A	----	0.0385 + 0.0175	.3774	----	----	1	----	3 + 1
566	----	----	0.0345B/----	0.0345B/0.0255A	----	0.0345 + 0.0155	.3434	----	----	----	----	2 UNCH
568	----	----	0.0260B/----	0.0260B/0.0210A	----	0.0275 + 0.0115	.2793	----	----	----	----	10 UNCH
570	----	----	0.0190B/----	0.0190B/0.0185A	----	0.0215 + 0.0080	.2208	----	----	----	----	11 UNCH
571	----	----	0.1045B/----	0.1045B/0.0680A	----	0.0995 NEW	.4024	----	----	1	----	1 + 1
575	0.0070	0.0070	0.0070/*0.0060A	0.0070/*0.0060A	----	0.0125 + 0.0040	.1203	----	----	1	----	13 + 1
584	----	----	----	----/*0.0095A	----	0.0045 + 0.0005	.0345	----	----	----	----	1 UNCH
585	----	----	----	----/*0.0100A	----	0.0040 + 0.0005	.0297	----	----	----	----	1 UNCH
590	----	----	0.0430B/----	0.0430B/0.0350A	----	0.0455 + 0.0155	.2193	----	----	----	----	2 UNCH
590	----	----	0.4170B/0.2690A	0.4170B/0.2690A	----	0.2880 - 0.1120	.9875	----	----	----	----	15 UNCH
591	----	----	----	----/*0.0095A	----	0.0020 UNCH	.0120	----	----	----	----	1 UNCH
600	----	----	----	0.0055B/0.0155A	----	0.0120 + 0.0040	.0822	----	----	----	----	1 UNCH
620	----	----	----	0.0070B/0.0165A	----	0.0135 + 0.0050	.0728	----	----	----	----	4 UNCH
650	----	----	----	----/0.0110A	----	0.0035 + 0.0015	.0202	----	----	----	----	2 UNCH
TOTAL										14		382 + 9
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week5										
MAR26												
508	----	----	----	----/0.0120A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
520	----	----	----	----/0.0120A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 12
525	----	----	----	----/0.0120A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 21
530	----	----	----	----/*0.0120A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 10
532	----	----	----	----/*0.0120A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 5
535	----	----	----	----/*0.0120A	----	0.0000 - 0.0050	----	----	----	----	----	0 - 4
538	----	----	----	0.0005B/0.0090A	----	0.0000 - 0.0080	----	----	----	----	----	0 - 12
540	----	----	----	0.0010B/*0.0120	----	0.0000 - 0.0105	----	----	----	----	----	0 - 10
540	----	----	0.2035B/0.1010A	0.2035B/0.1010A	----	0.2140 + 0.1015	----	----	----	----	----	0 - 4
542	0.0065	0.0065	0.0065/*0.0060	0.0065/*0.0060	----	0.0000 NEW	----	----	----	2	----	0 UNCH
545	0.0175	0.0175	0.0175/*0.0035A	0.0175/*0.0035A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
547	0.0035	0.0035	0.0035/*0.0035	0.0165B/*0.0035	----	0.0000 NEW	----	----	----	2	----	0 UNCH
548	0.0020	0.0020	0.0020/*0.0020	0.0215B/*0.0020	----	0.0000 - 0.0315	----	----	----	2	----	0 - 17
549	0.0280	0.0280	0.0280/*0.0125A	0.0280/*0.0125A	----	0.0000 - 0.0355	----	----	----	1	----	0 - 2
549	----	----	0.1135B/0.0445A	0.1135B/0.0445A	----	0.1240 + 0.0765	----	----	----	----	----	0 - 1
550	----	----	----/*0.0125A	0.0325B/*0.0125	----	0.0000 - 0.0400	----	----	----	----	----	0 - 1
551	----	----	0.0935B/*0.0360	0.0935B/*0.0360	----	0.1040 + 0.0675	----	----	----	----	----	0 - 6
552	----	----	----/*0.0080A	0.0465B/*0.0080	----	0.0000 - 0.0500	----	----	----	----	----	0 - 17
552	0.0295	0.0295	0.0835B/*0.0295	0.0835B/*0.0295	----	0.0940 NEW	----	----	----	6	----	0 UNCH
554	0.0085	0.0085	0.0635B/*0.0085	0.0635B/*0.0085	----	0.0740 NEW	----	----	----	1	----	0 UNCH
555	0.0360	0.0360	0.0720B/*0.0020	0.0720B/*0.0020	----	0.0000 NEW	----	----	----	9	----	0 UNCH
555	0.0280	0.0280	0.0545/0.0280	0.0545/0.0225A	----	0.0640 + 0.0430	----	----	----	3	----	0 - 11
559	0.0020	0.0020	0.0130B/*0.0020	0.0130B/*0.0020	----	0.0240 NEW	----	----	----	1	----	0 UNCH
560	----	----	0.1180B/*0.0135	0.1180B/*0.0135	----	0.0000 - 0.1070	----	----	----	----	----	0 - 1
560	0.0020	0.0020	0.0025B/*0.0020	0.0025B/*0.0020	----	0.0140 + 0.0050	----	----	----	1	----	0 - 19
562	----	----	----	----/*0.0095A	----	0.0000 - 0.0065	----	----	----	----	----	0 - 10
563	----	----	----	----/0.0125A	----	0.0000 - 0.0055	----	----	----	----	----	0 - 18
565	----	----	----	----/0.0100A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 7
570	----	----	----	----/0.0120A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 10
580	----	----	----	----/0.0120A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
TOTAL										30		0 - 218
APR26												
527	----	----	----/*0.0195A	0.0225B/*0.0195	----	0.0140 - 0.0165	.0872	----	----	----	----	1 UNCH
555	0.1185	0.1185	0.1185/0.1185	0.1185/0.0755A	----	0.1230 NEW	.6295	----	----	1	----	1 + 1
565	0.0880	0.0880	#0.1190B/0.0880	0.1190B/0.0735A	----	0.1110 NEW	.4646	----	----	1	----	1 + 1
TOTAL										2		3 + 2
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
440	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
495	0.0035	0.0035	0.0035/*0.0035	0.0035/0.0035	----	0.0005 UNCH	----	----	----	1	----	12 + 1
500	----	----	----	----/0.0100A	----	0.0005 UNCH	----	----	----	----	----	200 UNCH
510	----	----	----	----/*0.0090A	----	0.0005 - 0.0010	----	----	----	----	----	6 UNCH
520	----	----	----	----/*0.0105A	----	0.0005 - 0.0040	----	----	----	----	----	20 UNCH
520	----	----	----/*0.0190A	0.0200B/*0.0190	----	0.0135 - 0.0140	.0760	----	----	----	----	2 UNCH
525	----	----	----	0.0005B/*0.0115	----	0.0005 - 0.0070	.0000	----	----	----	----	30 UNCH
530	----	----	----/*0.0105A	0.0010B/*0.0105	----	0.0005 - 0.0115	.0001	----	----	----	----	10 UNCH
531	----	----	----/*0.0110A	0.0010B/*0.0110	----	0.0005 - 0.0125	.0001	----	----	----	----	3 UNCH
532	----	----	----/*0.0115A	0.0010B/*0.0115	----	0.0005 - 0.0135	.0002	----	----	----	----	15 UNCH
533	----	----	----/*0.0115A	0.0010B/*0.0115	----	0.0005 - 0.0150	.0004	----	----	----	----	38 UNCH
534	----	----	----/*0.0115A	0.0015B/*0.0115	----	0.0005 - 0.0160	.0006	----	----	----	----	8 UNCH
535	----	----	----/*0.0115A	0.0020B/*0.0115	----	0.0010 - 0.0175	.0019	----	----	----	----	15 UNCH
535	----	----	----/*0.0280A	0.0460B/*0.0280	----	0.0240 - 0.0270	.1463	----	----	----	----	1 UNCH
540	----	----	----/*0.0140A	0.0100B/*0.0140	----	0.0020 - 0.0250	.0066	----	----	----	----	10 UNCH
543	0.0045	0.0045	0.0045/*0.0045	0.0190B/*0.0045	----	0.0030 NEW	.0133	----	----	2	----	2 + 2
545	0.0160	0.0160	0.0160/*0.0135A	0.0260B/*0.0135	----	0.0040 NEW	.0216	----	----	1	----	1 + 1
546	----	----	0.1820B/0.1265A	0.1820B/0.1265A	----	0.1950 + 0.0670	.7488	----	----	----	----	0 UNCH
548	----	----	----/*0.0100A	0.0390B/*0.0100	----	0.0060 - 0.0440	.0422	----	----	----	----	3 UNCH
549	0.0050	0.0050	0.0050/*0.0050	0.0440B/*0.0050	----	0.0070 - 0.0470	.0535	----	----	1	----	5 + 1
550	----	----	0.1405B/0.0570A	0.1405B/0.0570A	----	0.1225 + 0.0620	.9299	----	----	8	----	15 - 3
550	0.0120	0.0120	0.0120/*0.0090	0.0495B/*0.0090	----	0.0085 - 0.0500	.0700	----	----	13	----	11 + 10
550	----	----	0.1050B/*0.0515	0.1050B/*0.0515	----	0.0515 - 0.0520	.3041	----	----	----	----	7 UNCH
552	0.0125	0.0125	0.0125/*0.0125	0.0615B/*0.0125	----	0.0115 - 0.0565	.1083	----	----	10	----	10 + 10
553	0.0240	0.0240	0.0270/*0.0135	0.0680B/*0.0135	----	0.0135 NEW	.1342	----	----	6	----	3 + 3
554	0.0435	0.0435	0.1025B/0.0405A	0.1025B/0.0405A	----	0.0895 NEW	.8376	----	----	1	----	1 + 1
555	----	----	0.0930B/----	0.0930B/0.0375A	----	0.0815 + 0.0445	.8070	----	----	----	----	5 UNCH
555	0.0210	0.0210	0.0210/*0.0120	0.0825B/*0.0120	----	0.0175 - 0.0675	.1929	----	----	4	----	3 + 2
558	----	----	0.0660B/----	0.0660B/0.0300A	----	0.0590 + 0.0320	.6877	----	----	----	----	10 UNCH
558	0.0280	0.0280	0.1070B/*0.0250	0.1070B/*0.0250	----	0.0250 NEW	.3122	----	----	2	----	2 + 2
559	0.0220	0.0220	0.1160B/*0.0220	0.1160B/*0.0220	----	0.0280 NEW	.3613	----	----	2	----	2 + 2
560	0.0320	0.0320	0.1245B/*0.0300	0.1245B/*0.0300	----	0.0320 - 0.0870	.4165	----	----	1	----	1 + 1
561	0.0345	0.0345	0.1335B/*0.0330	0.1335B/*0.0330	----	0.0355 NEW	.4736	----	----	1	----	1 + 1
563	0.0285	0.0285	0.0290B/0.0285	0.0290B/0.0215A	----	0.0290 + 0.0145	.4044	----	----	5	----	7 + 5
563	0.0310	0.0310	0.1515B/*0.0310	0.1515B/*0.0310	----	0.0450 NEW	.5955	----	----	19	----	19 + 19
565	----	----	0.0180B/----	0.0180B/0.0190A	----	0.0205 + 0.0090	.2863	----	----	----	----	25 UNCH
569	----	----	----	0.0035B/0.0130A	----	0.0110 + 0.0045	.1264	----	----	----	----	8 UNCH
570	0.0130	0.0130	0.0130/*0.0110	0.0130/*0.0110	----	0.0095 + 0.0035	.1017	----	----	3	----	39 + 1
570	----	----	0.2185B/0.0830A	0.2185B/0.0830A	----	0.0955 - 0.1085	.8982	----	----	----	----	1 UNCH
575	----	----	----	----/*0.0100A	----	0.0050 + 0.0015	.0352	----	----	8	----	15 - 3
575	----	----	0.2670B/0.1225A	0.2670B/0.1225A	----	0.1410 - 0.1105	.9646	----	----	----	----	1 UNCH
576	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0045 NEW	.0291	----	----	1	----	1 + 1
576	----	----	0.2770B/0.1315A	0.2770B/0.1315A	----	0.1505 - 0.1110	.9708	----	----	----	----	1 UNCH
580	----	----	----	----/*0.0040A	----	0.0025 UNCH	.0109	----	----	----	----	10 UNCH
585	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0041	----	----	----	----	5 UNCH
585	----	----	0.3665B/0.2170A	0.3665B/0.2170A	----	0.2375 - 0.1125	.9958	----	----	----	----	1 UNCH
586	----	----	0.3765B/0.2270A	0.3765B/0.2270A	----	0.2470 - 0.1125	.9977	----	----	----	----	24 UNCH
588	----	----	0.0425B/----	0.0425B/0.0335A	----	0.0450 + 0.0150	.2246	----	----	----	----	1 UNCH
595	----	----	----	----/*0.0080A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
596	----	----	----	----/0.0090A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
597	----	----	0.4865B/0.3360A	0.4865B/0.3360A	----	0.3565 - 0.1120	.0000	----	----	----	----	16 UNCH
600	----	----	----	----/*0.0080A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
600	----	----	0.0215B/----	0.0215B/0.0235A	----	0.0270 + 0.0090	.1434	----	----	----	----	1 UNCH
604	----	----	#0.5565B/0.4055	0.5565B/0.4055A	----	0.4265 - 0.1120	.0000	----	----	----	----	1 UNCH
625	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
641	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	18 UNCH
645	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	17 UNCH
650	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	3 UNCH
655	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
685	----	----	----	----/0.0120A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
700	----	----	----	----/0.0120A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										89		693 + 57
MAY26												
465	----	----	----	0.0180B/*0.0335	----	0.0125 - 0.0075	.0412	----	----	----	----	2 UNCH
475	----	----	----	0.0260B/*0.0380	----	0.0185 - 0.0095	.0585	----	----	----	----	2 UNCH
485	----	----	----	0.0355B/0.0445A	----	0.0260 - 0.0130	.0795	----	----	----	----	1 UNCH
500	----	----	----/0.0575A	0.0535B/0.0575A	----	0.0430 - 0.0185	.1231	----	----	----	----	1 UNCH
510	----	----	----/0.0690A	0.0690B/0.0690A	----	0.0585 - 0.0235	.1599	----	----	----	----	4 UNCH
520	----	----	----/0.0835A	0.0895B/0.0835A	----	0.0730 - 0.0290	.1974	----	----	----	----	1 UNCH
540	----	----	----/0.1255A	0.1505B/0.1255A	----	0.1165 - 0.0435	.2985	----	----	----	----	10 UNCH
550	----	----	0.3210B/----	0.3210B/0.2545A	----	0.3140 + 0.0595	.6365	----	----	----	----	3 UNCH
550	----	----	----/0.1565A	0.1925B/0.1565A	----	0.1490 - 0.0510	.3626	----	----	----	----	28 UNCH
555	----	----	----/0.1745A	0.2170B/0.1745A	----	0.1680 - 0.0550	.3970	----	----	----	----	16 UNCH
556	----	----	----/0.1785A	0.2220B/0.1785A	----	0.1720 - 0.0560	.4040	----	----	----	----	1 UNCH
560	----	----	----/0.1945A	0.2435B/0.1945A	----	0.1895 - 0.0590	.4327	----	----	----	----	1 UNCH
561	----	----	----/0.1990A	0.2490B/0.1990A	----	0.1940 - 0.0600	.4399	----	----	----	----	1 UNCH
562	----	----	----/0.2035A	0.2550B/0.2035A	----	0.1985 - 0.0605	.4472	----	----	----	----	20 UNCH
565	----	----	----/0.2170A	0.2725B/0.2170A	----	0.2125 - 0.0635	.4690	----	----	----	----	1 UNCH
568	----	----	0.2150B/----	0.2150B/0.1720A	----	0.2130 + 0.0450	.5080	----	----	----	----	1 UNCH
575	----	----	----/0.2665A	0.3355B/0.2665A	----	0.2655 - 0.0705	.5421	----	----	----	----	1 UNCH
579	----	----	0.1630B/----	0.1630B/0.1340A	----	0.1645 + 0.0370	.4282	----	----	----	----	1 UNCH
584	----	----	----/0.3180A	0.3035B/0.3180A	----	0.3195 - 0.0770	.6059	----	----	----	----	24 UNCH
585	----	----	0.4060B/0.3240A	0.4060B/0.3240A	----	0.3260 - 0.0775	.6128	----	----	----	----	1 UNCH
590	----	----	0.4440B/0.3550A	0.4440B/0.3550A	----	0.3590 - 0.0805	.6466	----	----	----	----	17 UNCH
600	----	----	0.0895B/----	0.0895B/0.0825A	----	0.0960 + 0.0235	.2895	----	----	----	----	1 UNCH
600	----	----	----/0.4230A	0.4845B/0.4230A	----	0.4295 - 0.0875	.7096	----	----	----	----	1 UNCH
607	----	----	0.0715B/----	0.0715B/0.0705A	----	0.0795 + 0.0195	.2499	----	----	----	----	1 UNCH
617	----	----	0.0510B/----	0.0510B/0.0570A	----	0.0610 + 0.0150	.2013	----	----	----	----	1 UNCH
624	----	----	0.0400B/----	0.0400B/0.0500A	----	0.0505 + 0.0125	.1718	----	----	----	----	16 UNCH
645	----	----	----	----	----	0.8115 - 0.1040	.8935	----	----	----	----	6 UNCH
660	----	----	----	0.0070B/0.0290A	----	0.0200 + 0.0040	.0752	----	----	----	----	1 UNCH
675	----	----	----	0.0010B/0.0245A	----	0.0130 + 0.0025	.0510	----	----	----	----	2 UNCH
695	----	----	----	0.0010B/0.0215A	----	0.0075 + 0.0015	.0306	----	----	----	----	20 UNCH
710	----	----	----	----/0.0315A	----	0.0050 + 0.0010	.0209	----	----	----	----	2 UNCH
TOTAL												188
JUN26												
579	----	----	----/0.3685A	0.4225B/0.3685A	----	0.3665 - 0.0680	.5394	----	----	----	----	1 UNCH
610	----	----	0.1320B/----	0.1320B/0.1220A	----	0.1385 + 0.0260	.3076	----	----	----	----	7 UNCH
630	----	----	0.0860B/----	0.0860B/0.0875A	----	0.0955 + 0.0190	.2295	----	----	----	----	8 UNCH
650	----	----	0.0545B/----	0.0545B/0.0645A	----	0.0655 + 0.0130	.1680	----	----	----	----	6 UNCH
660	----	----	----	0.0430B/0.0565A	----	0.0540 + 0.0110	.1427	----	----	----	----	7 UNCH
TOTAL												29
JUL26												
600	----	----	0.2325B/----	0.2325B/0.2050A	----	0.2360 + 0.0385	.4056	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	0.7330B/----	0.7330B/0.6710A	----	0.7410 + 0.0975	.9082	----	----	----	----	1 UNCH
500	----	----	0.6400B/----	0.6400B/0.5825A	----	0.6480 + 0.0940	.8842	----	----	----	----	3 UNCH
505	----	----	0.5945B/----	0.5945B/0.5390A	----	0.6020 + 0.0915	.8702	----	----	----	----	3 UNCH
525	----	----	0.4230B/0.3405A	0.4230B/0.3405A	----	0.4285 + 0.0785	.7883	----	----	----	----	14 UNCH
530	----	----	0.4035B/0.3055A	0.4035B/0.3055A	----	0.3880 + 0.0740	.7596	----	----	----	----	276 UNCH
531	----	----	#0.3745B/----	#0.3745B/0.3370	----	0.3805 + 0.0735	.7537	----	----	----	----	1 UNCH
532	----	----	#0.3665B/----	#0.3665B/0.3165	----	0.3725 + 0.0725	.7472	----	----	----	----	1 UNCH
533	----	----	#0.3590B/----	#0.3590B/0.3085	----	0.3650 + 0.0715	.7412	----	----	----	----	3 UNCH
534	----	----	#0.3515B/----	#0.3515B/0.3015	----	0.3575 + 0.0710	.7346	----	----	----	----	4 UNCH
535	----	----	0.3600B/0.2725A	0.3600B/0.2725A	----	0.3500 + 0.0700	.7279	----	----	----	----	1 UNCH
536	----	----	#0.3365B/----	#0.3365B/0.2890	----	0.3425 + 0.0690	.7212	----	----	----	----	2 UNCH
537	----	----	#0.3290B/0.2600	#0.3290B/0.2600	----	0.3350 + 0.0680	.7145	----	----	----	----	1 UNCH
539	----	----	#0.3145B/0.2415	#0.3145B/0.2415	----	0.3205 + 0.0665	.7003	----	----	----	----	3 UNCH
540	----	----	0.3270B/0.2355A	0.3270B/0.2355A	----	0.3135 + 0.0655	.6929	----	----	----	----	44 UNCH
541	----	----	#0.3010B/0.2295	#0.3010B/0.2295	----	0.3065 + 0.0650	.6855	----	----	----	----	10 UNCH
542	----	----	#0.2940B/0.2210	#0.2940B/0.2210	----	0.2995 + 0.0640	.6781	----	----	----	----	15 UNCH
543	----	----	#0.2860B/0.2155	#0.2860B/0.2155	----	0.2925 + 0.0630	.6706	----	----	----	----	1 UNCH
544	----	----	#0.2795B/0.2100	#0.2795B/0.2100	----	0.2860 + 0.0625	.6627	----	----	----	----	3 UNCH
545	----	----	0.2910B/0.2045A	0.2910B/0.2045A	----	0.2795 + 0.0620	.6551	----	----	----	----	19 UNCH
546	----	----	#0.2770B/0.1990	#0.2770B/0.1990	----	0.2725 + 0.0605	.6471	----	----	----	----	7 UNCH
547	----	----	#0.2720B/0.1940	#0.2720B/0.1940	----	0.2660 + 0.0600	.6391	----	----	----	----	1 UNCH
548	----	----	#0.2685B/0.1890	#0.2685B/0.1890	----	0.2595 + 0.0590	.6310	----	----	----	----	34 UNCH
549	----	----	#0.2620B/0.1840	#0.2620B/0.1840	----	0.2535 + 0.0585	.6229	----	----	----	----	6 UNCH
550	0.2100	0.2100	0.2650B/0.1790A	0.2650B/0.1790A	----	0.2470 + 0.0575	.6145	----	----	5	----	529 + 2
551	----	----	0.2520B/0.1745A	0.2520B/0.1745A	----	0.2410 + 0.0565	.6063	----	----	----	----	18 UNCH
552	0.1915	0.1915	0.2455B/0.1695A	0.2455B/0.1695A	----	0.2350 + 0.0555	.5978	----	----	2	----	21 UNCH
553	----	----	0.2370B/0.1660A	0.2370B/0.1660A	----	0.2290 + 0.0550	.5894	----	----	----	----	21 UNCH
554	0.1690	0.1690	0.2355B/0.1605A	0.2355B/0.1605A	----	0.2230 + 0.0535	.5808	----	----	1	----	7 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

FINAL

HX CALL COMEX COPPER OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
555	----	----	0.2320B/0.1560A	0.2320B/0.1560A	----	0.2175 + 0.0530	.5721	----	----	----	----	87 UNCH
556	0.1595	0.1595	0.2275B/0.1520A	0.2275B/0.1520A	----	0.2115 + 0.0515	.5635	----	----	1	----	26 + 1
557	0.1780	0.1780	0.2215B/0.1480A	0.2215B/0.1480A	----	0.2060 + 0.0505	.5548	----	----	3	----	17 + 3
558	0.1515	0.1515	0.2150B/0.1435A	0.2150B/0.1435A	----	0.2005 + 0.0495	.5460	----	----	1	----	10 + 1
559	----	----	0.2105B/0.1400A	0.2105B/0.1400A	----	0.1950 + 0.0485	.5372	----	----	----	----	7 UNCH
560	0.1670	0.1670	0.2100/0.1360A	0.2100/0.1360A	----	0.1900 + 0.0475	.5283	----	----	38	----	888 + 27
561	----	----	0.1985B/0.1325A	0.1985B/0.1325A	----	0.1845 + 0.0465	.5194	----	----	----	----	13 UNCH
562	0.1630	0.1630	0.1915B/0.1285A	0.1915B/0.1285A	----	0.1795 NEW	.5105	----	----	3	----	3 + 3
563	----	----	0.1890B/0.1250A	0.1890B/0.1250A	----	0.1745 + 0.0440	.5016	----	----	----	----	8 UNCH
564	----	----	0.1840B/0.1215A	0.1840B/0.1215A	----	0.1695 + 0.0430	.4927	----	----	----	----	4 UNCH
565	0.1515	0.1515	0.1795B/0.1175A	0.1795B/0.1175A	----	0.1650 + 0.0420	.4839	----	----	8	----	159 - 4
567	----	----	0.1695B/0.1110A	0.1695B/0.1110A	----	0.1555 + 0.0400	.4660	----	----	2	----	2 + 1
568	----	----	0.1650B/0.1075A	0.1650B/0.1075A	----	0.1510 + 0.0385	.4571	----	----	----	----	2 UNCH
569	0.1310	0.1310	0.1605B/0.1045A	0.1605B/0.1045A	----	0.1470 + 0.0380	.4484	----	----	1	----	125 + 1
570	0.1145	0.1145	0.1585B/0.1015A	0.1585B/0.1015A	----	0.1425 + 0.0370	.4395	----	----	10	----	1048 - 1
571	0.1230	0.1230	0.1525B/0.0985A	0.1525B/0.0985A	----	0.1385 + 0.0360	.4309	----	----	1	----	7 + 1
572	0.1195	0.1195	0.1480B/0.0955A	0.1480B/0.0955A	----	0.1345 + 0.0350	.4222	----	----	1	----	14 + 1
573	0.1155	0.1155	0.1430B/0.0930A	0.1430B/0.0930A	----	0.1305 + 0.0340	.4135	----	----	1	----	36 + 1
574	0.0930	0.0930	0.1385B/0.0900A	0.1385B/0.0900A	----	0.1265 + 0.0330	.4049	----	----	2	----	12 + 1
575	0.0950	0.0950	0.1370B/0.0875A	0.1370B/0.0875A	----	0.1225 + 0.0320	.3961	----	----	3	----	604 + 1
576	----	----	0.1305B/0.0850A	0.1305B/0.0850A	----	0.1190 + 0.0310	.3878	----	----	----	----	11 UNCH
577	----	----	0.1265B/0.0820A	0.1265B/0.0820A	----	0.1155 + 0.0305	.3795	----	----	----	----	2 UNCH
578	----	----	0.1230B/0.0800A	0.1230B/0.0800A	----	0.1120 + 0.0295	.3712	----	----	----	----	8 UNCH
579	0.1025	0.1025	0.1190B/0.0775A	0.1190B/0.0775A	----	0.1085 + 0.0285	.3629	----	----	5	----	8 - 4
580	0.0880	0.0880	0.1175B/0.0750A	0.1175B/0.0750A	----	0.1055 + 0.0280	.3550	----	----	26	150	554 - 7
581	0.0880	0.0880	0.1115B/0.0730A	0.1115B/0.0730A	----	0.1020 + 0.0270	.3467	----	----	3	----	4 UNCH
582	----	----	0.1080B/0.0705A	0.1080B/0.0705A	----	0.0990 + 0.0265	.3389	----	----	----	----	5 UNCH
583	----	----	0.1050B/0.0685A	0.1050B/0.0685A	----	0.0960 + 0.0255	.3311	----	----	----	----	28 UNCH
584	----	----	0.1015B/0.0665A	0.1015B/0.0665A	----	0.0930 + 0.0250	.3233	----	----	----	----	45 UNCH
585	0.0885	0.0885	0.1000B/0.0645A	0.1000B/0.0645A	----	0.0905 + 0.0245	.3162	----	----	4	----	407 UNCH
586	0.0855	0.0855	0.0950B/0.0625A	0.0950B/0.0625A	----	0.0875 + 0.0240	.3084	----	----	2	----	8 + 1
587	----	----	0.0925B/0.0610A	0.0925B/0.0610A	----	0.0845 + 0.0230	.3007	----	----	----	----	4 UNCH
588	0.0800	0.0800	0.0895B/0.0590A	0.0895B/0.0590A	----	0.0820 + 0.0225	.2935	----	----	1	----	3 - 1
589	----	----	0.0865B/0.0570A	0.0865B/0.0570A	----	0.0795 + 0.0220	.2865	----	----	----	----	12 UNCH
590	0.0640	0.0640	0.0850B/0.0640	0.0850B/0.0555A	----	0.0770 + 0.0215	.2794	----	----	82	150	1576 + 6
591	----	----	0.0810B/----	0.0810B/0.0540A	----	0.0745 + 0.0210	.2723	----	----	----	----	115 UNCH
592	----	----	0.0790B/----	0.0790B/0.0525A	----	0.0720 + 0.0200	.2653	----	----	----	----	2 UNCH
593	----	----	0.0755B/----	0.0755B/0.0510A	----	0.0700 + 0.0200	.2590	----	----	----	----	16 UNCH
594	----	----	0.0725B/----	0.0725B/0.0495A	----	0.0675 + 0.0190	.2520	----	----	----	----	4 UNCH
595	----	----	0.0705B/----	0.0705B/0.0480A	----	0.0655 + 0.0190	.2457	----	----	----	----	130 UNCH
598	----	----	0.0640B/----	0.0640B/0.0435A	----	0.0590 + 0.0170	.2263	----	----	----	----	2 UNCH
599	----	----	0.0610B/----	0.0610B/0.0425A	----	0.0570 + 0.0165	.2201	----	----	----	----	3 UNCH
600	0.0385	0.0385	0.0600B/0.0385	0.0600B/0.0385	----	0.0550 + 0.0155	.2140	----	----	25	----	1466 - 18
601	----	----	0.0575B/----	0.0575B/0.0405A	----	0.0530 + 0.0150	.2078	----	----	----	----	2 UNCH
602	----	----	0.0560B/----	0.0560B/0.0390A	----	0.0515 + 0.0145	.2026	----	----	----	----	4 UNCH
603	----	----	0.0540B/----	0.0540B/0.0380A	----	0.0495 + 0.0140	.1965	----	----	----	----	3 UNCH
604	0.0475	0.0475	0.0515B/0.0475	0.0515B/0.0365A	----	0.0480 + 0.0135	.1913	----	----	32	----	36 + 29
605	----	----	0.0495B/----	0.0495B/0.0350A	----	0.0465 + 0.0130	.1862	----	----	----	----	181 UNCH
606	----	----	0.0475B/----	0.0475B/0.0340A	----	0.0445 + 0.0125	.1800	----	----	----	----	4 UNCH
607	----	----	0.0460B/----	0.0460B/0.0335A	----	0.0430 + 0.0120	.1749	----	----	----	----	5 UNCH
608	----	----	0.0440B/----	0.0440B/0.0315A	----	0.0415 + 0.0115	.1698	----	----	----	----	2 UNCH
609	----	----	0.0430B/----	0.0430B/0.0300A	----	0.0400 + 0.0110	.1647	----	----	----	----	2 UNCH
610	----	----	0.0415B/----	0.0415B/0.0290A	----	0.0390 + 0.0105	.1608	----	----	19	----	1460 + 12
611	----	----	0.0400B/----	0.0400B/0.0280A	----	0.0375 + 0.0100	.1557	----	----	----	----	5 UNCH
612	----	----	0.0385B/----	0.0385B/0.0275A	----	0.0360 + 0.0095	.1507	----	----	----	----	11 UNCH
613	----	----	0.0370B/----	0.0370B/0.0260A	----	0.0350 + 0.0090	.1468	----	----	----	----	17 UNCH
614	----	----	0.0360B/----	0.0360B/0.0260A	----	0.0335 + 0.0085	.1417	----	----	----	----	15 UNCH
615	----	----	0.0345B/----	0.0345B/0.0250A	----	0.0325 + 0.0085	.1379	----	----	20	----	450 + 12
616	0.0280	0.0280	0.0330B/0.0280	0.0330B/0.0240A	----	0.0315 + 0.0080	.1341	----	----	2	----	24 + 1
617	0.0270	0.0270	0.0320B/0.0270	0.0320B/0.0230A	----	0.0305 + 0.0075	.1303	----	----	3	----	37 + 1
618	0.0260	0.0260	0.0315B/0.0260	0.0315B/0.0225A	----	0.0295 + 0.0075	.1265	----	----	6	----	20 + 5
619	0.0255	0.0255	0.0300B/0.0255	0.0300B/0.0215A	----	0.0285 + 0.0070	.1228	----	----	7	----	36 + 7
620	0.0245	0.0245	0.0290B/0.0245	0.0290B/0.0210A	----	0.0275 + 0.0065	.1190	----	----	20	----	1045 + 5
621	0.0240	0.0240	0.0280B/0.0240	0.0280B/0.0205A	----	0.0265 + 0.0060	.1153	----	----	5	----	13 + 3
622	0.0230	0.0230	0.0275B/0.0230	0.0275B/0.0195A	----	0.0255 + 0.0060	.1115	----	----	5	----	30 + 4
623	0.0195	0.0195	0.0260B/0.0195	0.0260B/0.0190A	----	0.0250 + 0.0060	.1092	----	----	28	----	53 + 28
624	0.0215	0.0215	0.0255B/0.0215	0.0255B/0.0185A	----	0.0240 + 0.0055	.1055	----	----	3	----	16 + 2
625	0.0210	0.0210	0.0245B/0.0210	0.0245B/0.0180A	----	0.0230 + 0.0050	.1018	----	----	23	----	1221 + 21
626	0.0205	0.0205	0.0235B/0.0205	0.0235B/0.0175A	----	0.0225 + 0.0050	.0995	----	----	3	----	19 + 2
627	0.0205	0.0205	0.0225B/0.0195	0.0225B/0.0170A	----	0.0220 + 0.0050	.0972	----	----	13	----	27 + 12
628	0.0205	0.0205	0.0215B/0.0195	0.0215B/0.0165A	----	0.0210 + 0.0045	.0935	----	----	12	----	15 + 12
629	0.0205	0.0205	0.0210B/0.0185	0.0210B/0.0160A	----	0.0205 + 0.0045	.0913	----	----	8	----	98 + 7
630	----	----	0.0205B/----	0.0205B/0.0155A	----	0.0200 + 0.0045	.0891	----	----	----	----	519 UNCH
631	0.0165	0.0165	0.0195B/0.0165	0.0195B/0.0150A	----	0.0190 + 0.0040	.0854	----	----	1	----	6 + 1
633	----	----	0.0185B/0.0140A	0.0185B/0.0140A	----	0.0180 + 0.0035	.0810	----	----	----	----	7 UNCH
634	----	----	0.0175B/0.0135A	0.0175B/0.0135A	----	0.0175 + 0.0035	.0789	----	----	----	----	3 UNCH
635	----	----	0.0170B/----	0.0170B/0.0135A	----	0.0170 + 0.0035	.0767	----	----	1	----	207 + 1
636	----	----	0.0165B/0.0130A	0.0165B/0.0130A	----	0.0165 + 0.0030	.0746	----	----	----	----	7 UNCH
637	----	----	0.0160B/0.0125A	0.0160B/0.0125A	----	0.0160 + 0.0030	.0725	----	----	1	----	3 UNCH
639	----	----	0.0150B/0.0120A	0.0150B/0.0120A	----	0.0150 + 0.0025	.0683	----	----	----	----	1 UNCH
640	----	----	0.0145B/0.0115A	0.0145B/0.0115A	----	0.0145 + 0.0025	.0662	----	----	1	----	1194 + 1
641	----	----	0.0140B/----	0.0140B/0.0115A	----	0.0145 + 0.0030	.0657	----	----	----	----	3 UNCH
642	----	----	0.0135B/0.0110A	0.0135B/0.0110A	----	0.0140 + 0.0025	.0636	----	----	----	----	3 UNCH
643	----	----	0.0130B/0.0105A	0.0130B/0.0105A	----	0.0135 + 0.0025	.0615	----	----	----	----	9 UNCH
644	----	----	0.0130B/0.0105A	0.0130B/0.0105A	----	0.0130 + 0.0020	.0595	----	----	----	----	1 UNCH
645	----	----	0.0125B/0.0100A	0.0125B/0.0100A	----	0.0125 + 0.0020	.0575	----	----	----	----	85 UNCH
646	----	----	0.0120B/0.0095A	0.0120B/0.0095A	----	0.0125 + 0.0025	.0570	----	----	----	----	1 UNCH
650	----	----	0.0110B/*0.0085	0.0110B/*0.0085	----	0.0110 + 0.0015	.0506	----	----	5	----	3293 UNCH
655	----	----	0.0095B/0.0080A	0.0095B/0.0080A	----	0.0095 + 0.0010	.0439	----	----	----	----	70 UNCH
660	----	----	0.0080B/----	0.0080B/0.0075A	----	0.0085 + 0.0010	.0392	----	----	----	----	148 UNCH
665	----	----	0.0070B/----	0.0070B/0.0065A	----	0.0075 + 0.0010	.0346	----	----	----	----	13 UNCH
670	----	----	0.0065B/----	0.0065B/*0.0060	----	0.0065 + 0.0005	.0301	----	----	----	----	525 UNCH
675	----	----	0.0060B/*0.0050	0.0060B/*0.0050	----	0.0060 + 0.0005	.0275	----	----	----	----	126 UNCH
680	0.0050	0.0050	0.0050/*0.0045A	0.0050/*0.0045A	----	0.0055 + 0.0005	.0250	----	----	3	----	1081 - 3
685	----	----	----	----/*0.0045A	----	0.0050 + 0.0005	.0226	----	----	----	----	12 UNCH
690	----	----	----/*0.0040A	----/*0.0040A	----	0.0045 UNCH	.0202	----	----	2	----	178 UNCH
695	----	----	----	----/0.0040A	----	0.0045 + 0.0005	.0197	----	----	----	----	25 UNCH
700	0.0035	0.0035	0.0035/0.0035	0.0035/0.0035	----	0.0040 UNCH	.0175	----	----	9	----	540 UNCH
705	----	----	----	----/*0.0035A	----	0.0040 + 0.0005	.0171	----	----	----	----	2 UNCH
710	----	----	----/*0.0030A	----/*0.0030A	----	0.0035 UNCH	.0150	----	----	----	----	59 UNCH
715	----	----	----/0.0030A	----/0.0030A	----	0.0035 UNCH	.0147	----	----	----	----	16 UNCH
720	----	----	----	----/0.0070A	----	0.0035 + 0.0005	.0144	----	----	----	----	13 UNCH
725	----	----	----	----/0.0070A	----	0.0030 UNCH	.0124	----	----	----	----	93 UNCH
730	----	----	----	----/0.0065A	----	0.0030 UNCH	.0122	----	----	----	----	15 UNCH
735	----	----	----	----/*0.0065A	----	0.0030 UNCH	.0119	----	----	----	----	5 UNCH
740	----	----	----	----/*0.0065A	----	0.0030 UNCH	.0117	----	----	----	----	93 UNCH
745	----	----	----	----/*0.0065A	----	0.0030 UNCH	.0115	----	----	----	----	34 UNCH
750	----	----	----	0.0020B/0.0050A	----	0.0030 UNCH	.0113	----	----	1	----	489 UNCH
755	----	----	----	----/0.0030A	----	0.0030 UNCH	.0111	----	----	----	----	2 UNCH
760	----	----	----/*0.0020A	0.0010B/*0.0020	----	0.0030 UNCH	.0109	----	----	----	----	78 UNCH
765	----	----	----	----/*0.0060A	----	0.0030 UNCH	.0107	----	----	----	----	2 UNCH
770	----	----	----	----/*0.0060A	----	0.0030 UNCH	.0106	----	----	----	----	3 UNCH
775	----	----	----	----/*0.0060A	----	0.0030 UNCH	.0104	----	----	----	----	47 UNCH
780	----	----	----	----/0.0060A	----	0.0030 UNCH	.0102	----	----	----	----	8 UNCH
785	----	----	----	----/*0.0055A	----	0.0030 UNCH	.0101	----	----	----	----	3 UNCH
790	----	----	----	----/*0.0055A	----	0.0030 UNCH	.0099	----	----	----	----	3 UNCH
795	----	----	----	----/*0.0055A	----	0.0030 UNCH	.0098	----	----	----	----	5 UNCH
800	----	----	----	----/0.0055A	----	0.0030 UNCH	.0097	----	----	----	----	4120 UNCH
810	----	----	----	----/0.0055A	----	0.0030 UNCH	.0094	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0050A	----	0.0025 - 0.0005	.0079	----	----	----	----	28 UNCH
825	----	----	----	----/0.0050A	----	0.0025 UNCH	.0078	----	----	----	----	91 UNCH
835	----	----	----	----/0.0050A	----	0.0025 UNCH	.0076	----	----	----	----	1 UNCH
840	----	----	----	----/0.0045A	----	0.0025 UNCH	.0075	----	----	----	----	4 UNCH
850	----	----	----	----/0.0040A	----	0.0020 - 0.0005	.0061	----	----	----	----	62 UNCH
855	----	----	----	----/0.0045A	----	0.0020 UNCH	.0060	----	----	----	----	30 UNCH
860	----	----	----	----/0.0040A	----	0.0020 UNCH	.0059	----	----	----	----	4 UNCH
865	----	----	----	----/0.0040A	----	0.0020 UNCH	.0059	----	----	----	----	3 UNCH
870	----	----	----	----/0.0040A	----	0.0020 UNCH	.0058	----	----	----	----	4 UNCH
875	----	----	----	----/*0.0025A	----	0.0020 UNCH	.0058	----	----	----	----	1 UNCH
880	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0045	----	----	----	----	12 UNCH
890	----	----	----	----/0.0035A	----	0.0015 - 0.0005	.0044	----	----	----	----	1 UNCH
900	----	----	----	----/0.0035A	----	0.0015 UNCH	.0043	----	----	----	----	73 UNCH
915	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0029	----	----	----	----	1 UNCH
920	----	----	----	----/0.0030A	----	0.0010 UNCH	.0029	----	----	----	----	4 UNCH
925	----	----	----	----/0.0030A	----	0.0010 UNCH	.0029	----	----	----	----	10 UNCH
930	----	----	----	----/0.0030A	----	0.0010 UNCH	.0029	----	----	----	----	1 UNCH
935	----	----	----	----/0.0030A	----	0.0010 UNCH	.0028	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
940	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0015	----	----	----	----	4 UNCH
945	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0014	----	----	----	----	10 UNCH
950	----	----	----	----/0.0030A	----	0.0005 UNCH	.0012	----	----	----	----	40 UNCH
TOTAL									300	464		30960 + 180
JUN26												
500	----	----	0.7285B/----	0.7285B/0.6895A	----	0.7405 + 0.0905	.8315	----	----	----	----	4 UNCH
525	----	----	0.5515B/0.4595A	0.5515B/0.4595A	----	0.5430 + 0.0775	.7388	----	----	----	----	1 UNCH
535	----	----	0.4770B/0.3955A	0.4770B/0.3955A	----	0.4710 + 0.0720	.6935	----	----	----	----	2 UNCH
540	----	----	0.4510B/0.3590A	0.4510B/0.3590A	----	0.4365 + 0.0690	.6691	----	----	----	----	22 UNCH
545	----	----	0.4085B/0.3300A	0.4085B/0.3300A	----	0.4035 + 0.0660	.6438	----	----	----	----	2 UNCH
549	----	----	#0.3785B/0.3070	#0.3785B/0.3070	----	0.3780 + 0.0630	.6226	----	----	----	----	1 UNCH
550	----	----	0.3815B/0.3010A	0.3815B/0.3010A	----	0.3720 + 0.0625	.6172	----	----	----	----	3 UNCH
555	----	----	0.3520B/0.2765A	0.3520B/0.2765A	----	0.3420 + 0.0590	.5899	----	----	----	----	1 UNCH
557	----	----	#0.3450B/0.2670	#0.3450B/0.2670	----	0.3305 + 0.0575	.5787	----	----	----	----	62 UNCH
559	----	----	#0.3340B/0.2570	#0.3340B/0.2570	----	0.3195 + 0.0565	.5675	----	----	----	----	4 UNCH
560	----	----	0.3300B/0.2525A	0.3300B/0.2525A	----	0.3140 + 0.0555	.5618	----	----	----	----	108 UNCH
565	----	----	0.3020B/0.2305A	0.3020B/0.2305A	----	0.2875 + 0.0515	.5332	----	----	----	----	2 UNCH
569	----	----	0.2820B/0.2145A	0.2820B/0.2145A	----	0.2675 + 0.0485	.5102	----	----	----	----	2 UNCH
570	----	----	0.2770B/0.2105A	0.2770B/0.2105A	----	0.2630 + 0.0480	.5045	----	----	----	----	16 UNCH
574	----	----	0.2585B/0.1955A	0.2585B/0.1955A	----	0.2445 + 0.0450	.4816	----	----	----	----	3 UNCH
575	----	----	0.2550B/0.1920A	0.2550B/0.1920A	----	0.2400 + 0.0440	.4759	----	----	----	150	149 + 13
579	----	----	0.2360B/0.1780A	0.2360B/0.1780A	----	0.2235 + 0.0420	.4534	----	----	----	----	2 UNCH
580	----	----	0.2320B/0.1745A	0.2320B/0.1745A	----	0.2195 + 0.0415	.4478	----	----	----	----	39 UNCH
585	----	----	0.2115B/0.1585A	0.2115B/0.1585A	----	0.2005 + 0.0390	.4203	----	----	----	----	26 UNCH
587	----	----	0.2025B/0.1525A	0.2025B/0.1525A	----	0.1935 + 0.0385	.4096	----	----	----	----	2 UNCH
588	----	----	0.1995B/0.1495A	0.1995B/0.1495A	----	0.1900 + 0.0380	.4043	----	----	----	----	2 UNCH
590	----	----	0.1915B/0.1440A	0.1915B/0.1440A	----	0.1830 + 0.0375	.3936	----	----	----	----	19 UNCH
591	0.1810	0.1810	0.1875B/0.1410A	0.1875B/0.1410A	----	0.1800 NEW	.3886	----	----	10	----	10 + 10
595	----	----	0.1735B/0.1300A	0.1735B/0.1300A	----	0.1670 + 0.0360	.3679	----	----	----	----	4 UNCH
600	0.1525	0.1525	0.1590B/0.1505	0.1590B/0.1185A	----	0.1520 + 0.0350	.3430	----	----	6	----	293 + 4
604	----	----	0.1450B/----	0.1450B/0.1095A	----	0.1405 + 0.0335	.3235	----	----	----	----	2 UNCH
605	----	----	0.1430B/----	0.1430B/0.1070A	----	0.1380 + 0.0330	.3190	----	----	----	----	3 UNCH
607	----	----	0.1375B/----	0.1375B/0.1035A	----	0.1325 + 0.0320	.3095	----	----	----	----	20 UNCH
610	0.1235	0.1235	0.1295B/0.1220	0.1295B/0.0970A	----	0.1250 + 0.0310	.2959	----	----	2	----	528 UNCH
613	----	----	0.1215B/----	0.1215B/0.0915A	----	0.1175 + 0.0295	.2823	----	----	----	----	2 UNCH
615	----	----	0.1160B/----	0.1160B/0.0880A	----	0.1125 + 0.0280	.2732	----	----	1	----	15 - 1
616	----	----	0.1140B/----	0.1140B/0.0860A	----	0.1105 + 0.0275	.2692	----	----	----	----	3 UNCH
617	----	----	0.1120B/----	0.1120B/0.0845A	----	0.1080 NEW	.2647	----	----	1	----	1 + 1
620	----	----	0.1050B/----	0.1050B/0.0795A	----	0.1015 + 0.0250	.2522	----	----	2	----	22 + 2
622	----	----	0.1005B/----	0.1005B/0.0765A	----	0.0975 + 0.0240	.2442	----	----	----	----	3 UNCH
625	0.0920	0.0920	0.0945B/0.0920	0.0945B/0.0730A	----	0.0910 + 0.0220	.2317	----	----	2	----	151 UNCH
627	----	----	0.0905B/----	0.0905B/0.0695A	----	0.0875 + 0.0210	.2244	----	----	----	----	3 UNCH
629	0.0825	0.0825	0.0865B/0.0825	0.0865B/0.0670A	----	0.0835 NEW	.2164	----	----	2	----	2 + 2
630	0.0835	0.0835	0.0850B/0.0835	0.0850B/0.0655A	----	0.0820 + 0.0195	.2131	----	----	101	----	525 + 101
635	----	----	0.0760B/----	0.0760B/0.0605A	----	0.0735 + 0.0170	.1952	----	----	----	----	13 UNCH
640	----	----	0.0685B/----	0.0685B/0.0550A	----	0.0660 + 0.0150	.1787	----	----	1	----	62 + 1
645	----	----	0.0615B/----	0.0615B/0.0485A	----	0.0590 + 0.0130	.1631	----	----	----	----	10 UNCH
650	0.0350	0.0350	0.0545B/*0.0350	0.0545B/*0.0350	----	0.0530 + 0.0115	.1490	----	----	3	----	465 UNCH
655	----	----	0.0495B/----	0.0495B/0.0400A	----	0.0480 + 0.0105	.1367	----	----	----	----	7 UNCH
660	----	----	0.0445B/----	0.0445B/0.0365A	----	0.0430 + 0.0090	.1245	----	----	----	----	267 UNCH
665	----	----	0.0410B/----	0.0410B/0.0335A	----	0.0390 + 0.0080	.1141	----	----	----	----	18 UNCH
670	----	----	0.0370B/----	0.0370B/0.0310A	----	0.0355 + 0.0075	.1048	----	----	----	----	6 UNCH
675	----	----	0.0330B/----	0.0330B/0.0285A	----	0.0320 + 0.0065	.0957	----	----	----	----	33 UNCH
680	----	----	0.0300B/----	0.0300B/0.0265A	----	0.0290 + 0.0060	.0876	----	----	100	----	301 + 100
690	----	----	0.0250B/----	0.0250B/0.0220A	----	0.0240 + 0.0050	.0736	----	----	----	----	21 UNCH
695	----	----	0.0230B/----	0.0230B/0.0200A	----	0.0220 + 0.0045	.0679	----	----	----	----	1 UNCH
700	0.0210	0.0210	0.0210/0.0205	0.0210/0.0180A	----	0.0200 + 0.0040	.0622	----	----	4	----	313 - 2
705	----	----	0.0190B/----	0.0190B/0.0170A	----	0.0185 + 0.0040	.0576	----	----	----	----	1 UNCH
715	----	----	0.0160B/----	0.0160B/0.0145A	----	0.0155 + 0.0035	.0488	----	----	----	----	6 UNCH
720	----	----	0.0140B/----	0.0140B/0.0135A	----	0.0140 + 0.0030	.0444	----	----	----	----	5 UNCH
725	----	----	0.0130B/----	0.0130B/0.0125A	----	0.0130 + 0.0030	.0413	----	----	----	----	71 UNCH
740	----	----	0.0105B/----	0.0105B/0.0100A	----	0.0105 + 0.0025	.0334	----	----	----	----	1 UNCH
745	0.0100	0.0100	0.0100/0.0100	0.0100/0.0095A	----	0.0100 + 0.0020	.0317	----	----	1	----	1501 + 1
750	0.0095	0.0095	0.0095/0.0095	0.0095/0.0090A	----	0.0095 + 0.0020	.0299	----	----	1	----	158 + 1
755	----	----	0.0080B/----	0.0080B/0.0085A	----	0.0090 + 0.0015	.0283	----	----	----	----	1 UNCH
765	----	----	0.0070B/----	0.0070B/0.0085A	----	0.0075 + 0.0015	.0238	----	----	----	----	1503 UNCH
770	----	----	0.0065B/----	0.0065B/0.0085A	----	0.0070 + 0.0015	.0222	----	----	----	----	3 UNCH
780	----	----	----	0.0050B/*0.0070	----	0.0060 + 0.0010	.0192	----	----	----	----	1 UNCH
795	----	----	----	----/0.0125A	----	0.0050 + 0.0010	.0159	----	----	----	----	33 UNCH
800	----	----	----	0.0040B/0.0120A	----	0.0045 + 0.0005	.0144	----	----	----	----	8 UNCH
825	----	----	----	----/0.0105A	----	0.0035 + 0.0005	.0111	----	----	----	----	1 UNCH
840	----	----	----	----/0.0095A	----	0.0030 + 0.0005	.0094	----	----	----	----	6 UNCH
850	----	----	----	----/0.0095A	----	0.0025 + 0.0005	.0079	----	----	----	----	5 UNCH
880	----	----	----	----/0.0085A	----	0.0020 + 0.0005	.0062	----	----	----	----	2 UNCH
900	----	----	----	----/0.0080A	----	0.0015 + 0.0005	.0047	----	----	----	----	9 UNCH
910	----	----	----	----/0.0080A	----	0.0015 + 0.0005	.0046	----	----	----	----	11 UNCH
950	----	----	----	----/0.0065A	----	0.0005 UNCH	.0016	----	----	----	----	1 UNCH
975	----	----	----	----/*0.0045A	----	0.0005 UNCH	.0010	----	----	----	----	1 UNCH
TOTAL									150	237		6904 + 233
JUL26												
500	----	----	----/0.6855A	0.6610B/0.6855A	----	0.7725 + 0.0800	.8019	----	----	----	----	2 UNCH
520	----	----	0.6340B/0.5440A	0.6340B/0.5440A	----	0.6210 + 0.0700	.7333	----	----	----	----	1 UNCH
525	----	----	0.5975B/0.5120A	0.5975B/0.5120A	----	0.5855 + 0.0675	.7141	----	----	----	----	1 UNCH
530	----	----	0.5695B/0.4810A	0.5695B/0.4810A	----	0.5510 + 0.0645	.6942	----	----	----	----	6 UNCH
540	----	----	0.5030B/0.4235A	0.5030B/0.4235A	----	0.4855 + 0.0590	.6520	----	----	----	----	16 UNCH
545	----	----	0.4680B/0.3875A	0.4680B/0.3875A	----	0.4545 + 0.0560	.6298	----	----	----	----	1 UNCH
550	----	----	0.4400B/0.3615A	0.4400B/0.3615A	----	0.4250 + 0.0535	.6071	----	----	----	----	2 UNCH
555	----	----	0.4145B/0.3395A	0.4145B/0.3395A	----	0.3970 + 0.0510	.5839	----	----	----	----	146 UNCH
560	----	----	0.3875B/0.3165A	0.3875B/0.3165A	----	0.3700 + 0.0480	.5605	----	----	----	----	1 UNCH
570	----	----	0.3380B/0.2725A	0.3380B/0.2725A	----	0.3210 + 0.0435	.5131	----	----	----	----	157 UNCH
575	----	----	0.3130B/0.2530A	0.3130B/0.2530A	----	0.2985 + 0.0415	.4896	----	----	----	----	17 UNCH
580	----	----	0.2965B/0.2350A	0.2965B/0.2350A	----	0.2770 + 0.0395	.4661	----	----	25	----	176 UNCH
585	----	----	0.2765B/0.2175A	0.2765B/0.2175A	----	0.2570 + 0.0370	.4431	----	----	----	----	299 UNCH
590	----	----	0.2505B/0.2010A	0.2505B/0.2010A	----	0.2380 + 0.0350	.4204	----	----	31	----	32 + 24
595	----	----	0.2320B/0.1860A	0.2320B/0.1860A	----	0.2200 + 0.0325	.3981	----	----	----	----	2 UNCH
600	----	----	0.2185B/0.1720A	0.2185B/0.1720A	----	0.2035 + 0.0305	.3764	----	----	----	----	187 UNCH
605	----	----	0.1975B/0.1590A	0.1975B/0.1590A	----	0.1880 + 0.0285	.3554	----	----	----	----	2 UNCH
610	----	----	0.1820B/----	0.1820B/0.1475A	----	0.1735 + 0.0265	.3350	----	----	----	----	5 UNCH
615	----	----	0.1685B/----	0.1685B/0.1365A	----	0.1600 + 0.0240	.3153	----	----	----	----	101 UNCH
620	----	----	0.1560B/----	0.1560B/0.1265A	----	0.1470 + 0.0215	.2960	----	----	25	----	31 + 13
625	----	----	0.1465B/----	0.1465B/0.1170A	----	0.1355 + 0.0195	.2779	----	----	----	----	182 UNCH
630	----	----	0.1325B/----	0.1325B/0.1085A	----	0.1245 + 0.0175	.2603	----	----	----	----	5 UNCH
635	----	----	0.1220B/----	0.1220B/0.1010A	----	0.1150 + 0.0160	.2442	----	----	----	----	11 UNCH
640	----	----	0.1155B/----	0.1155B/0.0930A	----	0.1055 + 0.0135	.2282	----	----	----	----	754 UNCH
645	----	----	0.1065B/----	0.1065B/0.0870A	----	0.0970 + 0.0120	.2132	----	----	----	----	309 UNCH
650	----	----	0.0975B/----	0.0975B/0.0810A	----	0.0895 + 0.0110	.1995	----	----	----	----	287 UNCH
660	0.0755	0.0755	0.0840/0.0750	0.0840/0.0705A	----	0.0760 + 0.0085	.1741	----	----	46	----	250 - 8
665	----	----	0.0750B/----	0.0750B/0.0655A	----	0.0700 + 0.0075	.1624	----	----	----	----	1 UNCH
670	----	----	0.0690B/----	0.0690B/0.0615A	----	0.0645 + 0.0065	.1515	----	----	----	----	22 UNCH
675	----	----	0.0635B/----	0.0635B/0.0575A	----	0.0600 + 0.0065	.1421	----	----	----	----	437 UNCH
680	----	----	0.0590B/----	0.0590B/0.0540A	----	0.0555 + 0.0055	.1327	----	----	----	----	4 UNCH
685	----	----	0.0545B/----	0.0545B/0.0505A	----	0.0510 + 0.0050	.1235	----	----	----	----	2 UNCH
690	----	----	0.0495B/----	0.0495B/0.0475A	----	0.0475 + 0.0045	.1158	----	----	----	----	245 UNCH
695	----	----	0.0465B/----	0.0465B/0.0445A	----	0.0440 + 0.0045	.1081	----	----	----	----	40 UNCH
700	----	----	0.0430B/----	0.0430B/0.0415A	----	0.0410 + 0.0040	.1014	----	----	6	----	139 UNCH
725	----	----	----	0.0265B/0.0305A	----	0.0285 + 0.0020	.0728	----	----	----	----	1523 UNCH
730	----	----	----	0.0250B/0.0295A	----	0.0265 + 0.0015	.0681	----	----	----	----	3 UNCH
750	----	----	----	0.0195B/0.0230A	----	0.0210 + 0.0010	.0543	----	----	----	----	183 UNCH
775	----	----	----	0.0120B/0.0175A	----	0.0160 + 0.0005	.0415	----	----	----	----	24 UNCH
800	----	----	----	0.0095B/0.0150A	----	0.0125 + 0.0005	.0324	----	----	6	----	58 UNCH
850	----	----	----	----/*0.0100A	----	0.0075 UNCH	.0196	----	----	----	----	3 UNCH
875	----	----	----	----/*0.0090A	----	0.0060 UNCH	.0156	----	----	----	----	2 UNCH
900	----	----	----	----/0.0075A	----	0.0055 UNCH	.0139	----	----	----	----	271 UNCH
950	----	----	----	----/*0.0055A	----	0.0035 UNCH	.0089	----	----	----	----	56 UNCH
975	----	----	----	----/*0.0045A	----	0.0025 - 0.0005	.0065	----	----	----	----	2 UNCH
1000	----	----	----	----/*0.0035A	----	0.0020 - 0.0005	.0052	----	----	----	----	4 UNCH
TOTAL										139		6002 + 29
AUG26												
500	----	----	----/0.7670A	0.7510B/0.7670A	----	0.8575 + 0.0870	.7891	----	----	----	----	2 UNCH
550	----	----	0.5215B/0.4495A	0.5215B/0.4495A	----	0.5185 + 0.0680	.6211	----	----	----	----	3 UNCH
575	----	----	0.3960B/0.3325A	0.3960B/0.3325A	----	0.3895 + 0.0565	.5231	----	----	----	----	1 UNCH
580	----	----	0.3725B/0.3125A	0.3725B/0.3125A	----	0.3670 + 0.0540	.5035	----	----	----	----	252 UNCH
585	----	----	0.3495B/0.2935A	0.3495B/0.2935A	----	0.3450 + 0.0510	.4838	----	----	----	----	11 UNCH
590	----	----	0.3280B/0.2755A	0.3280B/0.2755A	----	0.3245 + 0.0485	.4645	----	----	----	----	16 UNCH
600	----	----	0.2885B/0.2420A	0.2885B/0.2420A	----	0.2865 + 0.0440	.4266	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 72

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
620	----	----	0.2205B/----	0.2205B/0.1860A	----	0.2210 + 0.0350	.3548	----	----	----	----	6 UNCH
625	----	----	0.2055B/----	0.2055B/0.1750A	----	0.2065 + 0.0325	.3378	----	----	----	----	86 UNCH
640	----	----	0.1670B/----	0.1670B/0.1440A	----	0.1695 + 0.0270	.2907	----	----	----	----	165 UNCH
650	----	----	0.1450B/----	0.1450B/0.1275A	----	0.1485 + 0.0235	.2622	----	----	----	----	4 UNCH
675	----	----	0.1035B/----	0.1035B/0.0945A	----	0.1075 + 0.0165	.2015	----	----	----	----	168 UNCH
680	----	----	0.0965B/----	0.0965B/0.0895A	----	0.1010 + 0.0150	.1912	----	----	----	----	1 UNCH
690	----	----	0.0775B/----	0.0775B/0.0885A	----	0.0890 + 0.0130	.1718	----	----	----	----	3 UNCH
700	----	----	----	0.0670B/0.0805A	----	0.0785 + 0.0110	.1543	----	----	----	----	4 UNCH
725	----	----	----	0.0455B/0.0640A	----	0.0580 + 0.0065	.1183	----	----	----	----	86 UNCH
730	----	----	0.0495B/----	0.0495B/0.0530A	----	0.0550 + 0.0065	.1126	----	----	----	----	1 UNCH
750	----	----	----	0.0370B/0.0440A	----	0.0435 + 0.0035	.0913	----	----	----	----	66 UNCH
800	0.0200	0.0200	0.0235/*0.0200	0.0235/*0.0200	----	0.0230 + 0.0005	.0516	----	----	5	----	6 + 5
850	----	----	----	0.0085B/0.0230A	----	0.0125 UNCH	.0295	----	----	----	----	1 UNCH
900	----	----	----	0.0030B/0.0175A	----	0.0090 UNCH	.0209	----	----	----	----	57 UNCH
950	----	----	----	----/0.0155A	----	0.0060 UNCH	.0140	----	----	----	----	2 UNCH
975	----	----	----	----/0.0190A	----	0.0045 - 0.0005	.0107	----	----	----	----	4 UNCH
TOTAL										5		949 + 5
SEP26												
495	----	----	----	0.7900B/0.8525A	----	0.9205 + 0.0895	.7881	----	----	----	----	2 UNCH
500	----	----	0.8105B/----	0.8105B/0.8170A	----	0.8835 + 0.0880	.7749	----	----	----	----	5 UNCH
535	----	----	0.6330B/----	0.6330B/0.5965A	----	0.6450 + 0.0755	.6682	----	----	----	----	1 UNCH
565	----	----	0.4855B/----	0.4855B/0.4225A	----	0.4780 + 0.0625	.5635	----	----	----	----	1 UNCH
575	----	----	0.4360B/----	0.4360B/0.3785A	----	0.4295 + 0.0570	.5276	----	----	----	----	100 UNCH
595	----	----	0.3465B/----	0.3465B/0.3015A	----	0.3440 + 0.0460	.4568	----	----	----	----	2 UNCH
600	0.2950	0.2950	0.3265B/0.2950	0.3265B/0.2850A	----	0.3250 + 0.0440	.4395	----	----	74	----	287 + 74
610	----	----	0.2895B/----	0.2895B/0.2540A	----	0.2895 + 0.0390	.4058	----	----	----	----	31 UNCH
615	----	----	0.2725B/----	0.2725B/0.2400A	----	0.2730 + 0.0370	.3893	----	----	----	----	9 UNCH
620	----	----	0.2560B/----	0.2560B/0.2265A	----	0.2570 + 0.0345	.3731	----	----	----	----	35 UNCH
625	----	----	0.2405B/----	0.2405B/0.2140A	----	0.2425 + 0.0330	.3575	----	----	----	----	142 UNCH
630	----	----	0.2260B/----	0.2260B/0.2020A	----	0.2285 + 0.0310	.3422	----	----	----	----	2 UNCH
650	----	----	0.1760B/----	0.1760B/0.1615A	----	0.1800 + 0.0240	.2856	----	----	----	----	181 UNCH
655	----	----	0.1645B/----	0.1645B/0.1530A	----	0.1695 + 0.0225	.2726	----	----	----	----	4 UNCH
670	----	----	0.1370B/----	0.1370B/0.1310A	----	0.1415 + 0.0175	.2363	----	----	----	----	1 UNCH
690	----	----	0.1065B/----	0.1065B/0.1070A	----	0.1120 + 0.0125	.1951	----	----	----	----	11 UNCH
700	----	----	0.0940B/----	0.0940B/0.0975A	----	0.0995 + 0.0105	.1768	----	----	----	----	55 UNCH
750	----	----	----	0.0515B/0.0635A	----	0.0580 + 0.0050	.1102	----	----	----	----	10 UNCH
800	----	----	----	0.0290B/0.0455A	----	0.0365 + 0.0035	.0717	----	----	----	----	12 UNCH
875	----	----	----	0.0120B/*0.0285	----	0.0190 + 0.0015	.0387	----	----	----	----	1 UNCH
975	----	----	----	0.0020B/*0.0220	----	0.0090 + 0.0005	.0187	----	----	----	----	1 UNCH
TOTAL										74		893 + 74
OCT26												
650	----	----	0.2365B/----	0.2365B/0.2240A	----	0.2415 + 0.0325	.3317	----	----	----	----	100 UNCH
700	----	----	0.1280B/----	0.1280B/0.1490A	----	0.1435 + 0.0170	.2204	----	----	----	----	145 UNCH
775	----	----	----	0.0540B/0.0855A	----	0.0690 + 0.0055	.1177	----	----	----	----	71 UNCH
800	----	----	----	0.0440B/0.0700A	----	0.0555 + 0.0035	.0967	----	----	----	----	1 UNCH
850	----	----	----	0.0245B/0.0510A	----	0.0370 + 0.0005	.0664	----	----	----	----	30 UNCH
875	----	----	----	0.0185B/0.0445A	----	0.0315 UNCH	.0567	----	----	----	----	2 UNCH
975	----	----	----	0.0010B/0.0355A	----	0.0145 - 0.0005	.0274	----	----	----	----	4 UNCH
TOTAL												353
NOV26												
535	----	----	0.7670B/----	0.7670B/0.7165A	----	0.7725 + 0.0795	.6765	----	----	----	----	1 UNCH
545	----	----	0.7080B/----	0.7080B/0.6625A	----	0.7140 + 0.0765	.6481	----	----	----	----	1 UNCH
580	----	----	0.5275B/----	0.5275B/0.4965A	----	0.5330 + 0.0650	.5451	----	----	----	----	2 UNCH
585	----	----	0.5050B/----	0.5050B/0.4765A	----	0.5105 + 0.0635	.5303	----	----	----	----	1 UNCH
595	----	----	0.4620B/----	0.4620B/0.4365A	----	0.4675 + 0.0595	.5010	----	----	----	----	2 UNCH
600	----	----	0.4415B/----	0.4415B/0.4180A	----	0.4475 + 0.0580	.4865	----	----	----	----	2 UNCH
610	----	----	0.4025B/----	0.4025B/0.3840A	----	0.4090 + 0.0540	.4579	----	----	----	----	14 UNCH
640	----	----	0.3015B/----	0.3015B/0.2960A	----	0.3115 + 0.0430	.3774	----	----	----	----	1 UNCH
670	----	----	0.2230B/----	0.2230B/0.2290A	----	0.2350 + 0.0325	.3058	----	----	----	----	14 UNCH
675	----	----	0.2120B/----	0.2120B/0.2195A	----	0.2240 + 0.0310	.2948	----	----	----	----	1 UNCH
750	----	----	0.0995B/----	0.0995B/0.1260A	----	0.1150 + 0.0175	.1704	----	----	----	----	1 UNCH
850	----	----	----	0.0345B/*0.0685	----	0.0510 + 0.0085	.0830	----	----	----	----	1 UNCH
900	----	----	----	0.0180B/0.0565A	----	0.0345 + 0.0060	.0582	----	----	----	----	1 UNCH
975	----	----	----	0.0050B/0.0455A	----	0.0195 + 0.0035	.0345	----	----	----	----	1 UNCH
TOTAL												43
DEC26												
520	----	----	0.8840B/----	0.8840B/0.8345A	----	0.8885 + 0.0820	.7120	----	----	----	----	1 UNCH
525	----	----	0.8525B/----	0.8525B/0.8055A	----	0.8570 + 0.0805	.6991	----	----	----	----	123 UNCH
535	----	----	0.7915B/----	0.7915B/0.7495A	----	0.7965 + 0.0780	.6727	----	----	----	----	1 UNCH
550	----	----	0.7060B/----	0.7060B/0.6715A	----	0.7115 + 0.0730	.6318	----	----	----	----	2 UNCH
555	----	----	0.6795B/----	0.6795B/0.6460A	----	0.6850 + 0.0715	.6179	----	----	----	----	1 UNCH
565	----	----	0.6280B/----	0.6280B/0.5985A	----	0.6340 + 0.0680	.5899	----	----	----	----	45 UNCH
575	----	----	0.5800B/----	0.5800B/0.5540A	----	0.5860 + 0.0645	.5618	----	----	----	----	123 UNCH
585	----	----	0.5345B/----	0.5345B/0.5115A	----	0.5410 + 0.0610	.5338	----	----	----	----	1 UNCH
590	----	----	0.5130B/----	0.5130B/0.4915A	----	0.5200 + 0.0600	.5200	----	----	----	----	1 UNCH
595	----	----	0.4920B/----	0.4920B/0.4725A	----	0.4990 + 0.0580	.5062	----	----	----	----	163 UNCH
600	----	----	0.4720B/----	0.4720B/0.4540A	----	0.4795 + 0.0570	.4926	----	----	----	----	551 UNCH
610	----	----	0.4330B/----	0.4330B/0.4195A	----	0.4415 + 0.0540	.4658	----	----	----	----	156 UNCH
620	----	----	0.3970B/----	0.3970B/0.3875A	----	0.4065 + 0.0515	.4397	----	----	----	----	408 UNCH
625	0.3770	0.3770	0.3800B/0.3770	0.3800B/0.3725A	----	0.3895 + 0.0495	.4268	----	----	10	----	13 + 10
630	----	----	0.3630B/----	0.3630B/0.3575A	----	0.3735 + 0.0480	.4142	----	----	----	----	456 UNCH
640	----	----	0.3320B/----	0.3320B/0.3295A	----	0.3430 + 0.0445	.3896	----	----	----	----	29 UNCH
650	----	----	0.3030B/----	0.3030B/0.3045A	----	0.3145 + 0.0405	.3657	----	----	----	----	371 UNCH
660	----	----	0.2760B/----	0.2760B/0.2810A	----	0.2880 + 0.0365	.3427	----	----	----	----	300 UNCH
670	----	----	0.2515B/----	0.2515B/0.2605A	----	0.2635 + 0.0320	.3207	----	----	----	----	4 UNCH
675	----	----	0.2400B/----	0.2400B/0.2505A	----	0.2520 + 0.0300	.3101	----	----	----	----	17 UNCH
700	----	----	0.1905B/----	0.1905B/0.2085A	----	0.2025 + 0.0215	.2615	----	----	----	----	843 UNCH
705	----	----	0.1815B/----	0.1815B/0.2005A	----	0.1940 + 0.0205	.2527	----	----	----	----	2 UNCH
725	----	----	0.1515B/----	0.1515B/0.1750A	----	0.1640 + 0.0160	.2203	----	----	----	----	5 UNCH
730	----	----	0.1445B/----	0.1445B/0.1700A	----	0.1575 + 0.0150	.2130	----	----	----	----	2 UNCH
750	----	----	----	0.1210B/0.1495A	----	0.1350 + 0.0125	.1867	----	----	----	----	24 UNCH
800	----	----	----	0.0775B/0.1135A	----	0.0935 + 0.0080	.1352	----	----	----	----	104 UNCH
850	----	----	----	0.0480B/0.0850A	----	0.0675 + 0.0060	.1002	----	----	----	----	4 UNCH
900	----	----	----	0.0285B/*0.0675	----	0.0500 + 0.0040	.0757	----	----	----	----	200 UNCH
925	----	----	----	0.0210B/*0.0625	----	0.0450 + 0.0035	.0679	----	----	----	----	6 UNCH
950	----	----	----	0.0300B/0.0580A	----	0.0405 + 0.0030	.0610	----	----	----	----	78 UNCH
975	----	----	----	0.0100B/0.0545A	----	0.0375 + 0.0030	.0560	----	----	----	----	13 UNCH
TOTAL										10		4047 + 10
JAN27												
500	----	----	----	----	----	1.0945 + 0.0860	.7704	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.0940 + 0.0215	.1166	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.4225 + 0.0375	.3816	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2125 + 0.0180	.1841	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0100A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0003	----	----	----	----	22 UNCH
330	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0024	----	----	----	----	1 UNCH
340	----	----	----	----/0.0040A	----	0.0010 - 0.0010	.0025	----	----	----	----	6 UNCH
350	----	----	----	0.0010B/0.0045A	----	0.0015 - 0.0010	.0038	----	----	1	----	6 + 1
360	----	----	----	----/0.0035A	----	0.0025 - 0.0010	.0061	----	----	----	----	35 UNCH
370	----	----	----	----/0.0065A	----	0.0030 - 0.0020	.0074	----	----	----	----	1 UNCH
375	----	----	----	----/0.0070A	----	0.0035 - 0.0020	.0087	----	----	----	----	1 UNCH
390	----	----	----	----/0.0085A	----	0.0050 - 0.0025	.0126	----	----	----	----	2 UNCH
395	----	----	----	----/0.0095A	----	0.0060 - 0.0025	.0149	----	----	----	----	6 UNCH
400	----	----	----/0.0080A	0.0040B/0.0080A	----	0.0065 - 0.0030	.0164	----	----	----	----	124 UNCH
405	----	----	----/*0.0060A	0.0070B/*0.0060	----	0.0065 - 0.0035	.0169	----	----	----	----	125 UNCH
410	----	----	----/*0.0065A	0.0080B/*0.0065	----	0.0065 - 0.0035	.0175	----	----	----	----	23 UNCH
415	----	----	----/*0.0065A	0.0085B/*0.0065	----	0.0070 - 0.0035	.0191	----	----	----	----	5 UNCH
420	----	----	----/0.0080A	0.0090B/0.0080A	----	0.0075 - 0.0040	.0208	----	----	----	----	60 UNCH
425	----	----	----/*0.0080A	0.0100B/0.0080A	----	0.0085 - 0.0040	.0236	----	----	----	----	56 UNCH
430	----	----	----/*0.0085A	0.0110B/*0.0085	----	0.0090 - 0.0045	.0255	----	----	----	----	21 UNCH
435	----	----	----/*0.0095A	0.0125B/*0.0095	----	0.0100 - 0.0050	.0285	----	----	----	----	13 UNCH
440	----	----	----/0.0100A	0.0140B/0.0100A	----	0.0110 - 0.0055	.0317	----	----	1	----	135 - 1
445	----	----	----/0.0110A	0.0155B/0.0110A	----	0.0120 - 0.0060	.0350	----	----	----	----	12 UNCH
450	0.0155	0.0155	0.0155/0.0120A	0.0170B/0.0120A	----	0.0135 - 0.0065	.0396	----	----	1	----	827 + 1
455	0.0140	0.0140	0.0140/0.0130A	0.0195B/0.0130A	----	0.0145 - 0.0075	.0432	----	----	3	----	24 + 3
460	----	----	----/0.0145A	0.0215B/0.0145A	----	0.0160 - 0.0080	.0482	----	----	----	----	593 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
465	----	----	----/0.0160A	0.0240B/0.0160A	----	0.0175 - 0.0090	.0534	----	----	1	----	35 UNCH
470	----	----	----/0.0175A	0.0275B/0.0175A	----	0.0195 - 0.0095	.0599	----	----	15	----	60 + 3
475	----	----	----/0.0190A	0.0305B/0.0190A	----	0.0210 - 0.0110	.0657	----	----	18	----	329 + 18
480	----	----	----/0.0205A	0.0335B/0.0205A	----	0.0235 - 0.0115	.0739	----	----	15	----	1125 - 145
485	----	----	----/0.0230A	0.0375B/0.0230A	----	0.0255 - 0.0130	.0815	----	----	1	----	90 + 1
490	0.0320	0.0320	0.0320/0.0255A	0.0420B/0.0255A	----	0.0285 - 0.0140	.0916	----	----	41	----	287 - 16
495	0.0300	0.0300	0.0300/0.0285	0.0465B/0.0285	----	0.0315 - 0.0160	.1023	----	----	5	----	94 + 4
500	0.0480	0.0480	0.0480/0.0320A	0.0520B/0.0320A	----	0.0355 - 0.0175	.1156	----	----	131	536	2382 + 401
505	0.0385	0.0385	0.0385/0.0355A	0.0585B/0.0355A	----	0.0395 - 0.0200	.1296	----	----	2	----	187 + 1
510	0.0550	0.0550	0.0550/0.0400A	0.0665B/0.0400A	----	0.0445 - 0.0225	.1463	----	----	44	----	372 + 23
514	0.0505	0.0505	0.0505/*0.0445A	0.0720B/*0.0445	----	0.0490 - 0.0250	.1612	----	----	2	----	19 + 2
515	0.0620	0.0620	0.0620/0.0460A	0.0745B/0.0460A	----	0.0500 - 0.0260	.1648	----	----	7	----	129 + 6
516	0.0575	0.0575	0.0575/*0.0470A	0.0780B/*0.0470	----	0.0515 - 0.0265	.1693	----	----	9	----	47 + 6
517	0.0590	0.0590	0.0590/*0.0485A	0.0795B/*0.0485	----	0.0525 - 0.0275	.1730	----	----	5	----	73 + 5
518	0.0690	0.0690	0.0690/*0.0500A	0.0820B/*0.0500	----	0.0540 - 0.0280	.1776	----	----	20	----	80 + 15
519	0.0625	0.0625	0.0625/*0.0515A	0.0825B/*0.0515	----	0.0555 - 0.0285	.1822	----	----	9	----	58 + 9
520	0.0635	0.0635	0.0635/0.0515A	0.0845B/0.0515A	----	0.0570 - 0.0295	.1868	----	----	21	325	1123 + 344
521	0.0650	0.0650	0.0890B/*0.0545	0.0890B/*0.0545	----	0.0585 - 0.0300	.1915	----	----	7	----	29 + 7
522	0.0675	0.0675	0.0675/*0.0555A	0.0895B/*0.0555	----	0.0600 - 0.0310	.1963	----	----	5	----	39 + 5
523	0.0695	0.0695	0.0695/*0.0575A	0.0920B/*0.0575	----	0.0615 - 0.0320	.2011	----	----	3	----	21 + 3
524	0.0720	0.0720	0.0720/*0.0590A	0.0945B/*0.0590	----	0.0635 - 0.0325	.2066	----	----	1	----	19 UNCH
525	0.0740	0.0740	0.0740/0.0595A	0.0970B/0.0595A	----	0.0650 - 0.0335	.2115	----	----	24	----	534 - 22
526	----	----	0.1015B/*0.0620	0.1015B/*0.0620	----	0.0670 - 0.0340	.2172	----	----	----	----	15 UNCH
527	----	----	0.1045B/*0.0635	0.1045B/*0.0635	----	0.0690 - 0.0350	.2229	----	----	----	----	12 UNCH
528	----	----	----/*0.0655A	0.1065B/*0.0655	----	0.0710 - 0.0355	.2286	----	----	----	----	11 UNCH
530	----	----	0.1140B/0.0685A	0.1140B/0.0685A	----	0.0750 - 0.0375	.2402	----	----	2	----	575 - 2
531	----	----	0.1160B/*0.0715	0.1160B/*0.0715	----	0.0770 - 0.0385	.2461	----	----	----	----	3 UNCH
532	----	----	----/*0.0735A	0.1170B/*0.0735	----	0.0795 - 0.0390	.2526	----	----	----	----	6 UNCH
533	----	----	----/*0.0760A	0.1215B/*0.0760	----	0.0815 - 0.0400	.2586	----	----	----	----	1 UNCH
535	----	----	0.1305B/0.0805A	0.1305B/0.0805A	----	0.0865 - 0.0420	.2719	----	----	1	----	203 UNCH
536	----	----	0.1340B/*0.0835	0.1340B/*0.0835	----	0.0890 - 0.0425	.2786	----	----	----	----	1 UNCH
537	----	----	0.1375B/*0.0855	0.1375B/*0.0855	----	0.0915 - 0.0435	.2854	----	----	----	----	3 UNCH
539	----	----	0.1450B/*0.0910	0.1450B/*0.0910	----	0.0970 - 0.0455	.2995	----	----	----	----	4 UNCH
540	0.0980	0.0980	0.1490B/0.0925A	0.1490B/0.0925A	----	0.1000 - 0.0460	.3069	----	----	4	----	363 UNCH
541	----	----	0.1530B/*0.0960	0.1530B/*0.0960	----	0.1030 - 0.0470	.3143	----	----	----	----	10 UNCH
542	----	----	0.1575B/*0.0990	0.1575B/*0.0990	----	0.1060 - 0.0475	.3218	----	----	----	----	7 UNCH
544	----	----	0.1650B/*0.1050	0.1650B/*0.1050	----	0.1125 - 0.0490	.3372	----	----	----	----	1 UNCH
545	----	----	0.1680B/0.1080A	0.1680B/0.1080A	----	0.1155 - 0.0500	.3448	----	----	----	----	170 UNCH
546	----	----	0.1740B/*0.1105	0.1740B/*0.1105	----	0.1190 - 0.0510	.3527	----	----	----	----	11 UNCH
547	----	----	0.1775B/*0.1135	0.1775B/*0.1135	----	0.1225 - 0.0515	.3608	----	----	----	----	4 UNCH
548	0.1140	0.1140	0.1835B/*0.1140	0.1835B/*0.1140	----	0.1260 - 0.0525	.3688	----	----	1	----	116 UNCH
549	0.1750	0.1750	0.1870B/*0.1205	0.1870B/*0.1205	----	0.1295 - 0.0535	.3769	----	----	1	----	13 + 1
550	0.1375	0.1375	0.1925B/0.1230A	0.1925B/0.1230A	----	0.1335 - 0.0540	.3853	----	----	2	536	1809 + 407
551	0.1770	0.1770	0.1970B/0.1275A	0.1970B/0.1275A	----	0.1370 - 0.0555	.3935	----	----	1	----	37 + 1
552	----	----	0.2035B/0.1315A	0.2035B/0.1315A	----	0.1410 - 0.0560	.4020	----	----	----	----	19 UNCH
553	----	----	0.2085B/0.1350A	0.2085B/0.1350A	----	0.1450 - 0.0570	.4105	----	----	----	----	21 UNCH
554	----	----	0.2150B/0.1390A	0.2150B/0.1390A	----	0.1490 - 0.0585	.4190	----	----	----	----	20 UNCH
555	0.1490	0.1490	0.2190B/0.1425A	0.2190B/0.1425A	----	0.1535 - 0.0590	.4277	----	----	2	----	123 UNCH
556	----	----	0.2255B/0.1460A	0.2255B/0.1460A	----	0.1575 - 0.0605	.4363	----	----	----	----	14 UNCH
557	----	----	0.2305B/0.1500A	0.2305B/0.1500A	----	0.1620 - 0.0610	.4451	----	----	----	----	13 UNCH
558	0.1975	0.1975	0.2355B/0.1550A	0.2355B/0.1550A	----	0.1665 - 0.0620	.4539	----	----	3	----	77 + 3
559	----	----	0.2390B/0.1585A	0.2390B/0.1585A	----	0.1710 - 0.0635	.4627	----	----	----	----	12 UNCH
560	0.2035	0.2035	0.2475B/0.1620A	0.2475B/0.1620A	----	0.1760 - 0.0640	.4715	----	----	9	----	509 - 1
561	----	----	----/0.1675A	0.2450B/0.1675A	----	0.1805 - 0.0655	.4804	----	----	----	----	5 UNCH
562	0.1885	0.1885	0.1925/0.1725A	0.2480B/0.1725A	----	0.1855 - 0.0665	.4893	----	----	3	----	14 + 3
563	----	----	----/0.1770A	0.2480B/0.1770A	----	0.1905 - 0.0675	.4982	----	----	----	----	4 UNCH
564	----	----	----/0.1815A	0.2515B/0.1815A	----	0.1955 - 0.0685	.5071	----	----	----	----	4 UNCH
565	----	----	0.2710B/0.1860A	0.2710B/0.1860A	----	0.2010 - 0.0695	.5160	----	----	----	----	199 UNCH
567	----	----	----/0.1975A	0.2665B/0.1975A	----	0.2115 - 0.0720	.5338	----	----	----	----	1 UNCH
568	----	----	----/0.2020A	0.2735B/0.2020A	----	0.2170 - 0.0730	.5427	----	----	----	----	6 UNCH
569	----	----	----/0.2075A	0.2800B/0.2075A	----	0.2225 - 0.0740	.5514	----	----	----	----	7 UNCH
570	0.2245	0.2245	0.3050B/0.2120A	0.3050B/0.2120A	----	0.2285 - 0.0750	.5603	----	----	6	----	577 - 3
571	----	----	----/0.2180A	0.2940B/0.2180A	----	0.2340 - 0.0760	.5690	----	----	----	----	5 UNCH
572	----	----	----/0.2255A	0.3010B/0.2255A	----	0.2400 - 0.0770	.5776	----	----	----	----	5 UNCH
573	----	----	----/0.2325A	0.3080B/0.2325A	----	0.2460 - 0.0780	.5863	----	----	----	----	4 UNCH
575	----	----	0.3415B/0.2415A	0.3415B/0.2415A	----	0.2585 - 0.0795	.6037	----	----	4	----	290 - 4
576	----	----	----/0.2500A	0.3300B/0.2500A	----	0.2645 - 0.0810	.6120	----	----	----	----	3 UNCH
577	----	----	----/0.2550A	0.3375B/0.2550A	----	0.2710 - 0.0815	.6203	----	----	----	----	3 UNCH
578	----	----	----/0.2650A	0.3450B/0.2650A	----	0.2775 - 0.0825	.6287	----	----	----	----	25 UNCH
579	0.2890	0.2890	0.2985/0.2775A	0.3525B/0.2775A	----	0.2845 - 0.0830	.6370	----	----	5	----	5 - 3
580	0.3270	0.3270	0.3795B/0.2770A	0.3795B/0.2770A	----	0.2910 - 0.0840	.6448	----	----	11	----	283 - 1
581	----	----	----/0.2905A	0.3680B/0.2905A	----	0.2980 - 0.0845	.6531	----	----	----	----	20 UNCH
582	0.3470	0.3470	0.3470/0.2970A	0.3755B/0.2970A	----	0.3045 - 0.0855	.6609	----	----	3	----	7 - 1
583	----	----	----/0.3005A	0.3840B/0.3005A	----	0.3115 - 0.0860	.6687	----	----	----	----	1 UNCH
584	0.3550	0.3550	0.3550/0.3205A	0.3920B/0.3205A	----	0.3185 - 0.0865	.6765	----	----	1	----	5 + 1
585	----	----	----/0.3115A	0.4000B/0.3115A	----	0.3255 - 0.0875	.6837	----	----	----	----	188 UNCH
586	----	----	----/0.3345A	0.4080B/0.3345A	----	0.3330 - 0.0880	.6914	----	----	----	----	3 UNCH
587	----	----	----/0.3415A	0.4160B/0.3415A	----	0.3400 - 0.0885	.6992	----	----	----	----	3 UNCH
588	----	----	----/0.3490A	0.4240B/0.3490A	----	0.3475 - 0.0890	.7063	----	----	----	----	2 UNCH
589	----	----	----/0.3560A	0.4325B/0.3560A	----	0.3550 - 0.0895	.7134	----	----	----	----	2 UNCH
590	----	----	----/0.3445A	0.4405B/0.3445A	----	0.3625 - 0.0900	.7205	----	----	----	----	144 UNCH
591	----	----	----/0.3705A	0.4495B/0.3705A	----	0.3700 - 0.0905	.7275	----	----	----	----	1 UNCH
592	----	----	----/0.3765A	0.4575B/0.3765A	----	0.3775 - 0.0915	.7346	----	----	----	----	50 UNCH
594	----	----	----/0.3930A	0.4745B/0.3930A	----	0.3930 - 0.0925	.7479	----	----	----	----	1 UNCH
595	----	----	----/0.3800A	0.4830B/0.3800A	----	0.4005 - 0.0930	.7541	----	----	----	----	32 UNCH
597	----	----	----/0.4165A	0.5000B/0.4165A	----	0.4160 - 0.0945	.7673	----	----	----	----	1 UNCH
598	----	----	----/0.4240A	0.5090B/0.4240A	----	0.4240 - 0.0950	.7735	----	----	----	----	1 UNCH
600	----	----	----/0.4220A	0.5270B/0.4220A	----	0.4400 - 0.0960	.7859	----	----	----	----	505 UNCH
602	----	----	----/0.4565A	0.5445B/0.4565A	----	0.4565 - 0.0970	.7972	----	----	----	----	1 UNCH
603	----	----	----/0.4645A	0.5530B/0.4645A	----	0.4645 - 0.0980	.8034	----	----	----	----	1 UNCH
604	----	----	----/0.4730A	0.5620B/0.4730A	----	0.4730 - 0.0980	.8085	----	----	----	----	2 UNCH
605	----	----	----/0.4795A	0.5710B/0.4795A	----	0.4815 - 0.0985	.8137	----	----	----	----	37 UNCH
610	----	----	----/0.5220A	0.6165B/0.5220A	----	0.5240 - 0.1010	.8391	----	----	----	----	42 UNCH
615	----	----	----/0.5670A	0.6625B/0.5670A	----	0.5675 - 0.1035	.8619	----	----	----	----	1 UNCH
619	----	----	----/0.6030A	0.7000B/0.6030A	----	0.6030 - 0.1050	.8771	----	----	----	----	1 UNCH
620	----	----	----/0.6120A	0.7095B/0.6120A	----	0.6120 - 0.1055	.8808	----	----	----	----	3 UNCH
645	----	----	----	----	----	0.8470 - 0.1095	.9424	----	----	----	----	1 UNCH
TOTAL									1397	451		15918 + 1075
JUN26												
355	----	----	----	0.0005B/0.0120A	----	0.0065 - 0.0015	.0130	----	----	----	----	10 UNCH
370	----	----	----	0.0025B/0.0145A	----	0.0085 - 0.0020	.0172	----	----	----	----	1 UNCH
400	----	----	----/0.0135A	0.0135B/0.0135A	----	0.0135 - 0.0030	.0285	----	----	----	----	2 UNCH
410	----	----	----/*0.0150A	0.0170B/0.0150A	----	0.0155 - 0.0035	.0333	----	----	----	----	1 UNCH
420	----	----	----/0.0175A	0.0200B/0.0175A	----	0.0175 - 0.0045	.0386	----	----	----	----	3 UNCH
430	----	----	----/0.0205A	0.0240B/0.0205A	----	0.0205 - 0.0050	.0457	----	----	----	----	3 UNCH
435	----	----	----/0.0225A	0.0265B/0.0225A	----	0.0225 - 0.0055	.0503	----	----	----	----	2 UNCH
440	----	----	----/0.0245A	0.0295B/0.0245A	----	0.0245 - 0.0060	.0550	----	----	1	----	7 UNCH
445	0.0315	0.0315	0.0315/0.0265A	0.0325B/0.0265A	----	0.0270 - 0.0065	.0605	----	----	3	----	12 + 3
450	----	----	----/0.0290A	0.0360B/0.0290A	----	0.0295 - 0.0075	.0663	----	----	15	----	433 UNCH
455	----	----	----/0.0315A	0.0395B/0.0315A	----	0.0325 - 0.0080	.0729	----	----	18	----	73 + 18
460	----	----	----/0.0345A	0.0440B/0.0345A	----	0.0355 - 0.0090	.0798	----	----	25	----	90 + 14
465	0.0480	0.0480	0.0480/0.0375A	0.0480/0.0375A	----	0.0395 - 0.0090	.0883	----	----	827	----	921 + 816
470	----	----	----/0.0410A	0.0535B/0.0410A	----	0.0435 - 0.0100	.0969	----	----	6	----	670 UNCH
475	----	----	----/0.0455A	0.0590B/0.0455A	----	0.0475 - 0.0115	.1059	----	----	----	----	164 UNCH
480	0.0515	0.0515	0.0515/0.0500A	0.0650B/0.0500A	----	0.0525 - 0.0125	.1164	----	----	40	----	1236 + 9
485	----	----	0.0725B/0.0550A	0.0725B/0.0550A	----	0.0580 - 0.0140	.1279	----	----	2	----	6 + 1
490	0.0740	0.0740	0.0800B/0.0610A	0.0800B/0.0610A	----	0.0640 - 0.0155	.1403	----	----	15	----	62 + 10
495	----	----	0.0890B/0.0675A	0.0890B/0.0675A	----	0.0705 - 0.0175	.1535	----	----	----	----	7 UNCH
500	----	----	0.0990B/0.0745A	0.0990B/0.0745A	----	0.0780 - 0.0200	.1683	----	----	15	----	569 + 9
505	----	----	0.1095B/0.0820A	0.1095B/0.0820A	----	0.0865 - 0.0225	.1844	----	----	1	----	514 + 1
510	0.1100	0.1100	0.1100/0.0905A	0.1205B/0.0905A	----	0.0955 - 0.0250	.2015	----	----	65	----	141 + 58
515	----	----	0.1345B/0.1000A	0.1345B/0.1000A	----	0.1060 - 0.0275	.2202	----	----	2	----	27 + 1
520	----	----	----/0.1105A	0.1465B/0.1105A	----	0.1170 - 0.0305	.2398	----	----	5	----	146 + 2
523	----	----	----/*0.1170A	0.1555B/*0.1170	----	0.1240 - 0.0320	.2521	----	----	----	----	3 UNCH
525	----	----	----/0.1215A	0.1615B/0.1215A	----	0.1295 - 0.0325	.2610	----	----	1	----	2303 + 1
530	0.1675	0.1675	0.1795B/0.1350A	0.1795B/0.1350A	----	0.1425 - 0.0355	.2830	----	----	2	----	129 + 1
535	----	----	0.1975B/0.1490A	0.1975B/0.1490A	----	0.1570 - 0.0385	.3063	----	----	----	----	21 UNCH
540	----	----	0.2175B/0.1635A	0.2175B/0.1635A	----	0.1725 - 0.0415	.3307	----	----	2	----	45 + 1
542	----	----	0.2250B/*0.1700	0.2250B/*0.1700	----	0.1790 - 0.0425	.3407	----	----	----	----	1 UNCH
543	----	----	0.2290B/*0.1730	0.2290B/*0.1730	----	0.1820 - 0.0435	.3457	----	----	----	----	10 UNCH
545	----	----	0.2380B/0.1800A	0.2380B/0.1800A	----	0.1890 - 0.0445	.3560	----	----	----	----	34 UNCH
550	0.2115	0.2115	0.2610B/0.1980A	0.2610B/0.1980A	----	0.2075 - 0.0475	.3826	----	----	7	----	132 - 5
551	----	----	0.2660B/*0.2025	0.2660B/*0.2025	----	0.2110 - 0.0485	.3879	----	----	----	----	90 UNCH
555	----	----	0.2855B/0.2180A	0.2855B/0.2180A	----	0.2270 - 0.0515	.4099	----	----	1	----	11 + 1
557	----	----	0.2955B/*0.2265	0.2955B/*0.2265	----	0.2355 - 0.0530	.4210	----	----	2	----	50 UNCH
560	----	----	0.3115B/0.2385A	0.3115B/0.2385A	----	0.2485 - 0.0550	.4380	----	----	3	----	3 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 74

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
565	----	----	0.3395B/0.2615A	0.3395B/0.2615A	----	0.2720 - 0.0590	.4665	----	----	1	----	141 + 1
570	----	----	0.3670B/0.2855A	0.3670B/0.2855A	----	0.2970 - 0.0630	.4952	----	----	1	----	6 + 1
575	----	----	----/0.3110A	0.3905B/0.3110A	----	0.3245 - 0.0660	.5239	----	----	1	----	61 + 1
580	----	----	----/0.3385A	0.4225B/0.3385A	----	0.3535 - 0.0690	.5520	----	----	----	----	15 UNCH
585	----	----	0.4570B/0.3695A	0.4570B/0.3695A	----	0.3845 - 0.0710	.5795	----	----	----	----	1 UNCH
590	----	----	0.4925B/0.4025A	0.4925B/0.4025A	----	0.4165 - 0.0730	.6062	----	----	----	----	2 UNCH
600	----	----	0.5670B/0.4680A	0.5670B/0.4680A	----	0.4850 - 0.0755	.6568	----	----	----	----	15 UNCH
605	----	----	0.6060B/0.5025A	0.6060B/0.5025A	----	0.5210 - 0.0770	.6808	----	----	----	----	48 UNCH
610	----	----	----/0.5380A	0.6285B/0.5380A	----	0.5575 - 0.0795	.7039	----	----	----	----	20 UNCH
615	----	----	----/0.5750A	0.6615B/0.5750A	----	0.5950 - 0.0825	.7265	----	----	----	----	31 UNCH
620	----	----	----/0.6130A	0.7030B/0.6130A	----	0.6335 - 0.0855	.7476	----	----	----	----	9 UNCH
630	----	----	----/0.7070A	0.7885B/0.7070A	----	0.7135 - 0.0915	.7867	----	----	----	----	9 UNCH
645	----	----	----/0.8425A	0.9220B/0.8425A	----	0.8405 - 0.0975	.8367	----	----	----	----	1 UNCH
650	0.8725	0.8725	0.8725/0.8725	0.9680B/0.8725	----	0.8840 - 0.0995	.8508	----	----	1	----	3 UNCH
655	----	----	----/0.9310A	1.0140B/0.9310A	----	0.9290 - 0.1005	.8631	----	----	----	----	1 UNCH
700	----	----	----	----	----	1.3500 - 0.1065	.9377	----	----	----	----	1 UNCH
TOTAL										1062		8296 + 947
JUL26												
350	----	----	----	0.0035B/0.0145A	----	0.0095 - 0.0005	.0171	----	----	----	----	5 UNCH
380	----	----	----	0.0150B/0.0195A	----	0.0150 - 0.0005	.0278	----	----	----	----	2 UNCH
390	----	----	----	0.0170B/0.0220A	----	0.0175 - 0.0005	.0327	----	----	----	----	6 UNCH
400	----	----	0.0220B/----	0.0220B/0.0245A	----	0.0205 - 0.0005	.0386	----	----	103	----	509 + 103
415	0.0285	0.0285	0.0295B/0.0285	0.0295B/0.0285	----	0.0260 - 0.0020	.0493	----	----	5	----	52 + 5
420	0.0310	0.0310	0.0320B/0.0310	0.0320B/0.0310	----	0.0280 - 0.0030	.0533	----	----	3	----	4 + 2
425	----	----	0.0355B/0.0330A	0.0355B/0.0330A	----	0.0300 - 0.0045	.0575	----	----	----	----	50 UNCH
430	0.0365	0.0365	0.0385B/0.0355A	0.0385B/0.0355A	----	0.0330 - 0.0050	.0630	----	----	3	----	8 + 3
435	0.0395	0.0395	0.0425B/0.0390A	0.0425B/0.0390A	----	0.0360 - 0.0060	.0686	----	----	2	----	4 + 2
440	----	----	----/0.0425A	0.0465B/0.0425A	----	0.0390 - 0.0075	.0744	----	----	----	----	1 UNCH
445	----	----	----/0.0460A	0.0505B/0.0460A	----	0.0430 - 0.0085	.0815	----	----	----	----	1 UNCH
450	----	----	----/0.0490A	0.0550B/0.0490A	----	0.0470 - 0.0095	.0887	----	----	103	----	1923 + 98
455	----	----	----/0.0540A	0.0600B/0.0540A	----	0.0515 - 0.0110	.0967	----	----	----	----	6 UNCH
460	----	----	----/0.0585A	0.0670B/0.0585A	----	0.0565 - 0.0120	.1054	----	----	----	----	1 UNCH
470	----	----	----/0.0690A	0.0800B/0.0690A	----	0.0670 - 0.0160	.1239	----	----	----	----	2 UNCH
475	----	----	----/0.0750A	0.0880B/0.0750A	----	0.0730 - 0.0180	.1343	----	----	----	----	177 UNCH
480	----	----	----/0.0820A	0.0970B/0.0820A	----	0.0790 - 0.0205	.1449	----	----	----	----	68 UNCH
490	0.1090	0.1090	0.1090/0.0940A	0.1155B/0.0940A	----	0.0935 - 0.0255	.1693	----	----	4	----	518 + 1
495	----	----	----/0.1050A	0.1260B/0.1050A	----	0.1020 - 0.0280	.1830	----	----	----	----	96 UNCH
500	----	----	----/0.1125A	0.1380B/0.1125A	----	0.1115 - 0.0305	.1978	----	----	----	300	2883 + 300
505	----	----	----/0.1250A	0.1500B/0.1250A	----	0.1215 - 0.0330	.2133	----	----	----	----	2 UNCH
510	----	----	----/0.1360A	0.1630B/0.1360A	----	0.1330 - 0.0355	.2301	----	----	----	----	31 UNCH
520	----	----	----/0.1570A	0.1935B/0.1570A	----	0.1590 - 0.0395	.2664	----	----	----	----	620 UNCH
525	0.1810	0.1810	0.1810/0.1705A	0.2110B/0.1705A	----	0.1730 - 0.0425	.2856	----	----	1	----	504 UNCH
530	0.2115	0.2115	0.2115/0.1850A	0.2290B/0.1850A	----	0.1880 - 0.0455	.3055	----	----	12	----	3211 + 2
535	----	----	----/0.2060A	0.2495B/0.2060A	----	0.2045 - 0.0480	.3263	----	----	----	----	1 UNCH
540	----	----	----/0.2185A	0.2705B/0.2185A	----	0.2215 - 0.0515	.3477	----	----	----	----	448 UNCH
545	----	----	----/0.2420A	0.2930B/0.2420A	----	0.2405 - 0.0540	.3699	----	----	----	----	0 UNCH
550	----	----	----/0.2575A	0.3175B/0.2575A	----	0.2605 - 0.0570	.3926	----	----	31	----	167 + 11
555	0.2815	0.2815	0.3425B/0.2815	0.3425B/0.2815	----	0.2820 NEW	.4158	----	----	1	----	1 + 1
560	----	----	0.3690B/0.3050A	0.3690B/0.3050A	----	0.3050 - 0.0620	.4392	----	----	----	----	10 UNCH
565	----	----	0.3960B/0.3275A	0.3960B/0.3275A	----	0.3295 - 0.0645	.4629	----	----	----	----	7 UNCH
570	----	----	0.4260B/0.3540A	0.4260B/0.3540A	----	0.3555 - 0.0665	.4866	----	----	----	----	30 UNCH
580	----	----	0.4825B/0.4065A	0.4825B/0.4065A	----	0.4105 - 0.0710	.5335	----	----	----	----	1735 UNCH
585	----	----	----/0.4370A	0.5110B/0.4370A	----	0.4400 - 0.0735	.5566	----	----	----	----	21 UNCH
590	0.5100	0.5100	0.5105/0.4655A	0.5445B/0.4655A	----	0.4710 - 0.0750	.5793	----	----	21	----	21 UNCH
595	----	----	----/0.4970A	0.5795B/0.4970A	----	0.5030 - 0.0770	.6016	----	----	----	----	1 UNCH
600	----	----	----/0.5285A	0.6155B/0.5285A	----	0.5355 - 0.0800	.6233	----	----	----	----	10 UNCH
610	----	----	0.6910B/0.5965A	0.6910B/0.5965A	----	0.6050 - 0.0840	.6647	----	----	----	----	47 UNCH
615	----	----	0.7305B/0.6325A	0.7305B/0.6325A	----	0.6410 - 0.0865	.6844	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.3680 - 0.1065	.8984	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.4150 - 0.1065	.9050	----	----	----	----	1 UNCH
TOTAL									300	289		13195 + 528
AUG26												
405	----	----	----	0.0240B/0.0375A	----	0.0295 - 0.0030	.0495	----	----	----	----	3 UNCH
420	----	----	----	0.0350B/0.0460A	----	0.0385 - 0.0045	.0637	----	----	----	----	1 UNCH
440	----	----	----/0.0600A	0.0555B/0.0600A	----	0.0545 - 0.0075	.0882	----	----	----	----	7 UNCH
450	----	----	----/0.0695A	0.0685B/0.0695A	----	0.0645 - 0.0090	.1031	----	----	----	----	4 UNCH
480	----	----	----/0.1100A	0.1185B/0.1100A	----	0.1050 - 0.0160	.1603	----	----	----	----	4 UNCH
500	----	----	----/0.1470A	0.1635B/0.1470A	----	0.1435 - 0.0225	.2105	----	----	----	----	3 UNCH
510	----	----	----/0.1700A	0.1900B/0.1700A	----	0.1675 - 0.0260	.2396	----	----	----	----	1 UNCH
520	----	----	----/0.1960A	0.2225B/0.1960A	----	0.1945 - 0.0300	.2710	----	----	----	----	300 UNCH
530	----	----	----/0.2260A	0.2580B/0.2260A	----	0.2260 - 0.0330	.3050	----	----	----	----	1 UNCH
580	----	----	0.5045B/0.4415A	0.5045B/0.4415A	----	0.4460 - 0.0550	.4962	----	----	----	----	250 UNCH
585	----	----	0.5360B/0.4685A	0.5360B/0.4685A	----	0.4740 - 0.0575	.5158	----	----	----	----	5 UNCH
590	----	----	----/0.4965A	0.5590B/0.4965A	----	0.5030 - 0.0600	.5351	----	----	----	----	14 UNCH
TOTAL												593
SEP26												
400	----	----	----	0.0280B/0.0465A	----	0.0320 - 0.0035	.0509	----	----	----	----	1 UNCH
450	----	----	----	0.0845B/0.0905A	----	0.0780 - 0.0085	.1145	----	----	----	----	578 UNCH
470	----	----	----/0.1185A	0.1200B/0.1185A	----	0.1085 - 0.0120	.1527	----	----	----	----	3 UNCH
475	----	----	----/0.1275A	0.1310B/0.1275A	----	0.1170 - 0.0140	.1632	----	----	----	----	70 UNCH
480	----	----	----/0.1375A	0.1415B/0.1375A	----	0.1265 - 0.0150	.1744	----	----	----	----	7 UNCH
490	----	----	----/0.1640A	0.1550B/0.1640A	----	0.1475 - 0.0180	.1986	----	----	----	----	9 UNCH
500	----	----	----/0.1870A	0.1810B/0.1870A	----	0.1710 - 0.0210	.2247	----	----	----	----	504 UNCH
520	----	----	----/0.2420A	0.2445B/0.2420A	----	0.2275 - 0.0280	.2829	----	----	----	----	8 UNCH
540	----	----	0.3350B/0.3030A	0.3350B/0.3030A	----	0.2980 - 0.0355	.3481	----	----	----	----	1 UNCH
550	----	----	0.3815B/0.3435A	0.3815B/0.3435A	----	0.3395 - 0.0395	.3827	----	----	----	----	20 UNCH
575	----	----	0.5140B/0.4615A	0.5140B/0.4615A	----	0.4595 - 0.0515	.4719	----	----	----	----	102 UNCH
590	----	----	0.6030B/0.5425A	0.6030B/0.5425A	----	0.5425 - 0.0595	.5251	----	----	----	----	2 UNCH
600	----	----	----/0.6020A	0.6605B/0.6020A	----	0.6020 - 0.0650	.5600	----	----	----	----	9 UNCH
610	----	----	----/0.6640A	0.7290B/0.6640A	----	0.6650 - 0.0700	.5938	----	----	----	----	6 UNCH
615	----	----	----/0.7045A	0.7645B/0.7045A	----	0.6980 - 0.0720	.6102	----	----	----	----	1 UNCH
625	----	----	----/0.7715A	0.8380B/0.7715A	----	0.7665 - 0.0760	.6420	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.3235 - 0.0975	.8139	----	----	----	----	2 UNCH
TOTAL												1470
OCT26												
375	----	----	----	0.0190B/0.0455A	----	0.0240 - 0.0040	.0357	----	----	----	----	2 UNCH
400	----	----	----	0.0325B/0.0570A	----	0.0365 - 0.0060	.0534	----	----	----	----	1 UNCH
450	----	----	----	0.0885B/0.1080A	----	0.0850 - 0.0140	.1148	----	----	----	----	1 UNCH
470	----	----	----	0.1220B/0.1355A	----	0.1165 - 0.0170	.1509	----	----	----	----	1 UNCH
500	----	----	----	0.1915B/0.2075A	----	0.1825 - 0.0190	.2187	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----	0.0405B/0.0705A	----	0.0470 - 0.0025	.0626	----	----	----	----	10 UNCH
475	----	----	----	0.1525B/0.1725A	----	0.1530 - 0.0120	.1753	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.6615 - 0.0875	.8096	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0350B/0.0710A	----	0.0420 - 0.0035	.0542	----	----	----	----	1 UNCH
400	----	----	----	0.0475B/0.0830A	----	0.0545 - 0.0045	.0685	----	----	----	----	16 UNCH
420	----	----	----	0.0690B/0.1040A	----	0.0755 - 0.0060	.0916	----	----	----	----	2 UNCH
455	----	----	----	0.1250B/0.1555A	----	0.1285 - 0.0105	.1450	----	----	----	----	1 UNCH
475	----	----	----	0.1700B/0.1925A	----	0.1700 - 0.0140	.1831	----	----	----	----	77 UNCH
490	----	----	----	0.2100B/0.2300A	----	0.2075 - 0.0175	.2152	----	----	----	----	5 UNCH
500	0.2360	0.2360	0.2360/0.2360	0.2405B/0.2360	----	0.2355 - 0.0200	.2381	----	----	10	----	62 + 9
550	----	----	----/0.4355A	0.4405B/0.4355A	----	0.4180 - 0.0330	.3675	----	----	----	----	2 UNCH
560	----	----	----/0.4835A	0.4900B/0.4835A	----	0.4640 - 0.0365	.3954	----	----	----	----	300 UNCH
570	----	----	----/0.5330A	0.5425B/0.5330A	----	0.5125 - 0.0400	.4235	----	----	----	----	1 UNCH
580	----	----	----/0.5850A	0.5980B/0.5850A	----	0.5645 - 0.0435	.4516	----	----	----	----	2 UNCH
600	----	----	----/0.6920A	0.7175B/0.6920A	----	0.6775 - 0.0490	.5067	----	----	----	----	26 UNCH
630	----	----	----/0.8770A	0.9160B/0.8770A	----	0.8665 - 0.0580	.5852	----	----	----	----	18 UNCH
TOTAL										10		513 + 9
JAN27												
400	----	----	----	----	----	0.0525 - 0.0025	.0649	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0600 - 0.0080	.0703	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0170 - 0.0020	.0174	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 75

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HX PUT	COMEX COPPER OPTIONS											
TOTAL											1	
HXE CALL	COPPER OPTIONS											
APR26												
555 ----	----	0.1525B/----	0.1525B/0.0985A	----	0.1485 + 0.0515	.6020	----	----	----	----	1	UNCH
560 ----	----	0.1230B/----	0.1230B/0.0790A	----	0.1205 + 0.0440	.5300	----	----	----	----	3	UNCH
567 0.0990	0.0990	0.0990/0.0990	0.0990/0.0575A	----	0.0870 + 0.0330	.4269	----	----	1	----	6 +	1
574 ----	----	0.0980B/----	0.0980B/0.0650A	----	0.0945 + 0.0305	.3762	----	----	----	----	1	UNCH
575 ----	----	0.0580B/----	0.0580B/0.0410A	----	0.0580 + 0.0225	.3160	----	----	----	----	4	UNCH
580 ----	----	0.0755B/----	0.0755B/0.0530A	----	0.0750 + 0.0255	.3165	----	----	----	----	5	UNCH
580 0.0900	0.0900	#0.1030B/0.0900	#0.1030B/*0.073	----	0.1005 NEW	.3494	----	----	2	----	2 +	2
589 ----	----	0.0230B/----	0.0230B/0.0240A	----	0.0275 + 0.0105	.1685	----	----	----	----	2	UNCH
590 0.0500	0.0500	0.0500/0.0500	0.0500/0.0375A	----	0.0500 NEW	.2296	----	----	5	----	5 +	5
630 ----	----	----	----/0.0105A	----	0.0030 + 0.0010	.0197	----	----	----	----	2	UNCH
640 ----	----	----	0.0020B/0.0130A	----	0.0080 + 0.0025	.0417	----	----	----	----	3	UNCH
670 ----	----	----	----/0.0100A	----	0.0025 + 0.0005	.0134	----	----	----	----	3	UNCH
TOTAL									8		37 +	8
HXE PUT	COPPER OPTIONS											
APR26												
470 ----	----	----	0.0015B/*0.0125	----	0.0015 - 0.0020	.0073	----	----	----	----	2	UNCH
490 ----	----	----/0.0210A	0.0200B/0.0210A	----	0.0130 - 0.0095	.0535	----	----	----	----	2	UNCH
510 ----	----	----/*0.0310A	0.0380B/0.0310A	----	0.0265 - 0.0175	.1075	----	----	----	----	25	UNCH
520 0.0300	0.0300	0.0300/*0.0190	0.0300/*0.0190	----	0.0200 - 0.0175	.1007	----	----	30	----	31 +	30
526 ----	----	----/*0.0280A	0.0385B/*0.0280	----	0.0240 - 0.0215	.1245	----	----	----	----	1	UNCH
535 ----	----	----/*0.0365A	0.0605B/*0.0365	----	0.0340 - 0.0300	.1787	----	----	----	----	7	UNCH
550 0.0750	0.0750	0.1215B/0.0650A	0.1215B/0.0650A	----	0.0670 - 0.0525	.3302	----	----	1	----	4 +	1
551 ----	----	0.1265B/0.0680A	0.1265B/0.0680A	----	0.0700 - 0.0540	.3428	----	----	----	----	1	UNCH
555 ----	----	0.1455B/0.0805A	0.1455B/0.0805A	----	0.0850 - 0.0600	.3977	----	----	----	----	1	UNCH
570 ----	----	----/0.1485A	0.2360B/0.1485A	----	0.1610 - 0.0830	.6158	----	----	----	----	1	UNCH
TOTAL									31		75 +	31

ALUMINIUM OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	

PLATINUM OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAO CALL	NYMEX PALLADIUM OPTIONS											
MAY26												
1575 ----	----	29.50B/----	29.50B/29.50A	----	39.10 + 13.70	.3365	----	----	----	----	5	UNCH
1585 ----	----	27.10B/----	27.10B/28.10A	----	36.50 + 12.90	.3182	----	----	----	----	1	UNCH
1600 ----	----	23.70B/----	23.70B/26.30A	----	32.90 + 11.70	.2922	----	----	15	----	31	UNCH
1800 ----	----	----	2.20B/*14.70A	----	8.90 + 3.50	.0888	----	----	----	----	4	UNCH
1900 ----	----	----	----/*12.60A	----	4.90 + 2.00	.0495	----	----	----	----	20	UNCH
1925 ----	----	----	----/*12.20A	----	4.30 + 1.80	.0433	----	----	----	----	10	UNCH
1950 ----	----	----	----/*11.80A	----	3.70 + 1.60	.0374	----	----	30	----	40	UNCH
2475 ----	----	----	----/8.70A	----	0.40 + 0.10	.0036	----	----	----	----	100	UNCH
TOTAL									45		211	0
JUN26												
1400 ----	----	157.10B/----	157.10B/130.30A	----	163.90 + 33.60	.6570	----	----	----	----	75	UNCH
1440 ----	----	132.90B/----	132.90B/113.70A	----	142.90 + 30.40	.6033	----	----	----	----	1	UNCH
1460 ----	----	126.20B/----	126.20B/106.10A	----	133.30 + 28.90	.5765	----	----	----	----	25	UNCH
1500 ----	----	108.40B/----	108.40B/92.30A	----	115.70 + 25.80	.5239	----	----	----	----	60	UNCH
1525 ----	----	98.30B/----	98.30B/84.50A	----	105.80 + 24.00	.4919	----	----	----	----	5	UNCH
1550 ----	----	88.80B/----	88.80B/77.40A	----	96.70 + 22.20	.4610	----	----	----	----	10	UNCH
1575 ----	----	80.10B/----	80.10B/71.00A	----	88.40 + 20.60	.4313	----	----	----	----	15	UNCH
1600 70.00	70.00	72.00B/70.00	72.00B/65.20A	----	80.70 NEW	.4028	----	----	3	----	3 +	3
1655 ----	----	56.80B/----	56.80B/54.70A	----	66.20 + 16.00	.3450	----	----	----	----	1	UNCH
1750 ----	----	37.70B/----	37.70B/42.00A	----	47.30 + 11.90	.2619	----	----	----	----	10	UNCH
1800 ----	----	30.70B/----	30.70B/37.20A	----	39.70 + 10.00	.2258	----	----	----	----	110	UNCH
1850 ----	----	----	25.10B/33.40A	----	33.40 + 8.30	.1946	----	----	----	----	2	UNCH
1900 ----	----	----	20.80B/30.40A	----	28.10 + 6.70	.1674	----	----	----	----	64	UNCH
1925 ----	----	----	18.90B/29.10A	----	25.90 + 6.10	.1556	----	----	----	----	40	UNCH
1950 ----	----	----	17.20B/28.00A	----	23.90 + 5.60	.1448	----	----	----	----	10	UNCH
2000 ----	----	----	14.30B/25.90A	----	20.40 + 4.50	.1254	----	----	----	----	106	UNCH
2100 ----	----	----	9.60B/22.70A	----	15.20 + 2.90	.0953	----	----	----	----	52	UNCH
2200 ----	----	----	6.30B/20.40A	----	11.80 + 2.00	.0745	----	----	----	----	7	UNCH
2300 ----	----	----	3.80B/18.60A	----	9.40 + 1.40	.0595	----	----	----	----	30	UNCH
2400 ----	----	----	1.90B/17.20A	----	7.70 + 1.10	.0485	----	----	----	----	7	UNCH
2500 ----	----	----	0.40B/16.00A	----	5.90 + 0.70	.0378	----	----	----	----	25	UNCH
2700 ----	----	----	----/14.20A	----	3.70 + 0.40	.0240	----	----	----	----	50	UNCH
3000 ----	----	----	----/12.50A	----	2.00 + 0.20	.0131	----	----	----	----	30	UNCH
3500 ----	----	----	----/10.90A	----	0.70 UNCH	.0047	----	----	----	----	25	UNCH
TOTAL									3		763 +	3
SEP26												
1400 ----	----	#224.80B/----	#224.80B/204.00	----	233.30 + 33.10	.6554	----	----	----	----	75	UNCH
1575 ----	----	#152.40B/----	#152.40B/144.10	----	161.10 + 26.90	.5078	----	----	----	----	25	UNCH
1700 ----	----	#115.10B/----	#115.10B/113.60	----	125.40 + 23.90	.4185	----	----	----	----	5	UNCH
2100 ----	----	#50.40B/----	#50.40B/62.50A	----	60.40 + 15.60	.2265	----	----	----	----	25	UNCH
2400 43.00	43.00	#43.00/42.50A	43.00/42.50A	----	40.60 + 11.30	.1554	----	----	5	----	20 +	5
2550 ----	----	----	#24.40B/41.00A	----	34.50 + 9.10	.1322	----	----	----	----	50	UNCH
TOTAL									5		200 +	5
DEC26												
2000 ----	----	----	----	----	159.30 + 19.60	.3849	----	----	----	----	1	UNCH
3000 ----	----	----	----	----	100.40 + 11.60	.2316	----	----	----	----	1	UNCH
TOTAL											2	0
PAO PUT	NYMEX PALLADIUM OPTIONS											
MAY26												
1250 ----	----	----	1.70B/13.70A	----	5.10 - 4.30	.0579	----	----	----	----	40	UNCH
1300 ----	----	----	9.70B/17.60A	----	9.80 - 7.80	.1047	----	----	----	----	1	UNCH
1400 ----	----	----/37.00A	47.30B/37.00A	----	31.20 - 20.30	.2735	----	----	----	----	22	UNCH
1450 ----	----	----/56.50A	77.70B/56.50A	----	50.90 - 27.30	.3884	----	----	----	----	2	UNCH
1500 ----	----	113.80B/82.80A	113.80B/82.80A	----	77.00 - 33.60	.5061	----	----	----	----	2	UNCH
1550 ----	----	154.60B/114.60A	154.60B/114.60A	----	108.80 - 38.80	.6146	----	----	----	----	100	UNCH
1675 ----	----	267.90B/212.60A	267.90B/212.60A	----	207.00 - 47.50	.8120	----	----	----	----	100	UNCH
1820 ----	----	----	----	----	340.00 - 51.70	.9208	----	----	----	----	25	UNCH
TOTAL											292	0
JUN26												
1200 ----	----	----	19.50B/27.60A	----	19.30 - 6.70	.1184	----	----	----	----	15	UNCH
1250 33.00	33.00	33.00/*33.00	33.00/33.00	----	28.40 NEW	.1629	----	----	1	----	1 +	1
1300 ----	----	----/49.10A	50.40B/49.10A	----	40.70 - 13.10	.2164	----	----	----	10	75 +	10
1335 ----	----	----/60.40A	65.40B/60.40A	----	51.50 - 15.90	.2583	----	----	----	----	1	UNCH
1400 ----	----	98.30B/86.50A	98.30B/86.50A	----	76.80 - 21.10	.3428	----	----	----	----	185	UNCH
1440 ----	----	121.50B/105.60A	121.50B/105.60A	----	95.60 - 24.20	.3965	----	----	----	----	4	UNCH
1450 ----	----	127.70B/110.80A	127.70B/110.80A	----	100.60 - 25.10	.4099	----	----	----	----	76	UNCH
1460 ----	----	133.90B/116.00A	133.90B/116.00A	----	105.90 - 25.80	.4232	----	----	----	----	25	UNCH
1750 ----	----	361.70B/314.90A	361.70B/314.90A	----	308.80 - 42.80	.7379	----	----	----	----	1	UNCH
1900 ----	----	500.80B/445.90A	500.80B/445.90A	----	439.10 - 47.90	.8324	----	----	----	----	50	UNCH
TOTAL								10	1		433 +	11
SEP26												
1465 ----	----	----/*176.10A	181.80B/*176.10	----	159.10 - 24.40	.4010	----	----	----	----	150	UNCH
1575 ----	----	255.70B/*243.10	255.70B/*243.10	----	226.00 - 28.10	.4918	----	----	----	----	25	UNCH
1650 ----	----	310.90B/*293.70	310.90B/*293.70	----	277.50 - 30.00	.5473	----	----	----	----	50	UNCH
1925 ----	----	539.40B/*506.20	539.40B/*506.20	----	493.30 - 35.80	.7048	----	----	----	----	75	UNCH
TOTAL											300	0
PAW OOF	PALLADIUM WEEKLY FRIDAY OPTION Week											
APR26												
1500 ----	----	46.20B/----	46.20B/37.90A	----	54.90 + 19.50	.4852	----	----	----	----	2	UNCH
1600 ----	----	28.20B/----	28.20B/30.10A	----	37.30 + 12.00	.3078	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 76

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week											
TOTAL												3	0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4											
APR26													
1755	----	----	48.70B/*35.80A	48.70B/*35.80A	----	31.10 - 16.70	.1843	----	----	----	----	27	UNCH
1765	----	----	38.90B/*27.60A	38.90B/*27.60A	----	22.90 - 15.40	.1623	----	----	----	----	27	UNCH
1790	----	----	47.20B/*32.60A	47.20B/*32.60A	----	27.80 - 17.90	.1914	----	----	----	----	27	UNCH
1840	----	----	67.10B/*45.10A	67.10B/*45.10A	----	40.30 - 23.10	.2593	----	----	----	----	27	UNCH
1940	----	----	----/61.40A	87.60B/61.40A	----	57.40 - 35.30	.4127	----	----	----	----	35	UNCH
1955	----	----	72.70B/48.00A	72.70B/48.00A	----	79.50 + 27.10	.5526	----	----	----	----	10	UNCH
1975	----	----	63.20B/42.10A	63.20B/42.10A	----	69.50 + 24.30	.5062	----	----	----	----	4	UNCH
2050	----	----	33.30B/----	33.30B/26.40A	----	39.10 + 13.30	.3371	----	----	----	----	20	UNCH
2090	----	----	----	----	----	148.10 - 55.40	.7392	----	----	----	----	18	UNCH
2100	----	----	20.70B/----	20.70B/20.20A	----	26.30 + 8.30	.2441	----	----	----	----	12	UNCH
2120	----	----	48.50B/----	48.50B/39.80A	----	54.10 + 14.60	.3198	----	----	----	----	27	UNCH
2150	----	----	286.70B/215.20A	286.70B/215.20A	----	211.80 - 55.40	.7599	----	----	----	----	12	UNCH
2155	----	----	----	----	----	215.80 - 55.70	.7656	----	----	----	----	12	UNCH
2160	----	----	----	----	----	219.90 - 56.00	.7714	----	----	----	----	12	UNCH
2160	----	----	24.90B/----	24.90B/24.10A	----	30.40 + 8.50	.2285	----	----	----	----	12	UNCH
2345	----	----	----	0.30B/8.90A	----	4.90 + 0.90	.0481	----	----	----	----	1	UNCH
TOTAL												283	0
PO CALL		PLATINUM OPTIONS											
MAY26													
1750	----	----	232.60B/166.30A	232.60B/166.30A	----	234.40 + 53.10	.8788	----	----	----	----	19	UNCH
1800	----	----	190.60B/132.60A	190.60B/132.60A	----	193.20 + 48.20	.8190	----	----	----	----	18	UNCH
1850	----	----	151.90B/103.60A	151.90B/103.60A	----	155.70 + 42.40	.7438	----	----	----	----	2	UNCH
1875	----	----	134.20B/90.80A	134.20B/90.80A	----	138.60 + 39.30	.7009	----	----	----	----	1	UNCH
1950	----	----	88.40B/59.70A	88.40B/59.70A	----	94.50 + 29.70	.5600	----	----	----	----	3	UNCH
2000	----	----	64.30B/44.70A	64.30B/44.70A	----	71.40 + 23.50	.4636	----	----	----	----	284	UNCH
2025	----	----	54.10B/38.80A	54.10B/38.80A	----	61.60 + 20.60	.4171	----	----	----	----	50	UNCH
2040	----	----	48.50B/35.70A	48.50B/35.70A	----	56.30 + 19.00	.3902	----	----	----	----	50	UNCH
2045	----	----	46.80B/34.70A	46.80B/34.70A	----	54.60 + 18.40	.3813	----	----	----	----	50	UNCH
2050	50.00	50.00	50.00/33.80A	50.00/33.80A	----	53.00 + 18.00	.3727	----	----	4	50	111 +	54
2055	----	----	43.50B/32.90A	43.50B/32.90A	----	51.40 + 17.50	.3642	----	----	----	----	57	UNCH
2060	----	----	41.90B/32.00A	41.90B/32.00A	----	49.80 + 16.90	.3556	----	----	----	----	7	UNCH
2065	----	----	40.40B/31.20A	40.40B/31.20A	----	48.30 + 16.40	.3473	----	----	----	----	14	UNCH
2070	----	----	38.90B/30.30A	38.90B/30.30A	----	46.80 + 15.90	.3390	----	----	----	----	14	UNCH
2075	----	----	37.40B/29.60A	37.40B/29.60A	----	45.40 + 15.50	.3309	----	----	----	----	21	UNCH
2080	----	----	36.00B/28.80A	36.00B/28.80A	----	44.00 + 15.00	.3229	----	----	----	----	20	UNCH
2090	----	----	33.30B/----	33.30B/27.40A	----	41.30 + 14.10	.3072	----	----	----	----	7	UNCH
2095	----	----	32.10B/----	32.10B/26.70A	----	40.00 + 13.70	.2995	----	----	----	----	7	UNCH
2100	----	----	30.80B/----	30.80B/26.00A	----	38.70 + 13.20	.2918	----	----	----	50	227 +	50
2105	----	----	29.70B/----	29.70B/25.40A	----	37.50 + 12.80	.2844	----	----	----	----	7	UNCH
2110	----	----	28.50B/----	28.50B/24.80A	----	36.30 + 12.40	.2771	----	----	----	----	37	UNCH
2115	----	----	27.40B/----	27.40B/24.20A	----	35.10 + 12.00	.2698	----	----	----	----	22	UNCH
2120	----	----	26.30B/----	26.30B/23.60A	----	34.00 + 11.60	.2628	----	----	----	----	14	UNCH
2125	----	----	25.40B/----	25.40B/23.10A	----	32.90 + 11.30	.2559	----	----	----	----	14	UNCH
2130	----	----	24.30B/----	24.30B/22.50A	----	31.80 + 10.80	.2489	----	----	----	----	107	UNCH
2135	----	----	23.40B/----	23.40B/22.00A	----	30.80 + 10.50	.2424	----	----	----	----	7	UNCH
2140	----	----	22.50B/----	22.50B/21.60A	----	29.80 + 10.20	.2358	----	----	----	----	7	UNCH
2145	----	----	21.60B/----	21.60B/21.10A	----	28.80 + 9.80	.2293	----	----	----	----	7	UNCH
2150	----	----	20.70B/----	20.70B/20.70A	----	27.90 + 9.50	.2232	----	----	----	----	119	UNCH
2155	----	----	19.90B/----	19.90B/20.30A	----	27.00 + 9.20	.2171	----	----	----	----	7	UNCH
2160	----	----	19.10B/----	19.10B/19.80A	----	26.10 + 8.90	.2110	----	----	----	----	13	UNCH
2170	----	----	17.70B/----	17.70B/19.10A	----	24.40 + 8.30	.1994	----	----	----	----	75	UNCH
2175	----	----	17.00B/----	17.00B/18.70A	----	23.60 + 8.10	.1938	----	----	----	----	10	UNCH
2200	15.00	15.00	15.00/*15.00	15.00/15.00	----	19.90 + 6.80	.1674	----	----	5	----	25 +	5
2215	----	----	12.30B/----	12.30B/16.20A	----	18.00 + 6.20	.1533	----	----	----	----	20	UNCH
2220	----	----	11.80B/----	11.80B/15.90A	----	17.40 + 6.00	.1487	----	----	----	----	21	UNCH
2245	----	----	----	9.50B/14.70A	----	14.60 + 5.00	.1275	----	----	----	----	10	UNCH
2250	----	----	----	9.10B/14.40A	----	14.10 + 4.80	.1236	----	----	----	----	29	UNCH
2260	----	----	----	8.30B/14.00A	----	13.20 + 4.60	.1164	----	----	----	----	10	UNCH
2265	----	----	----	7.90B/13.70A	----	12.70 + 4.40	.1125	----	----	----	----	10	UNCH
2270	----	----	----	7.60B/13.50A	----	12.30 + 4.20	.1092	----	----	----	----	183	UNCH
2275	----	----	----	7.20B/13.30A	----	11.90 + 4.10	.1060	----	----	----	----	10	UNCH
2280	----	----	----	6.90B/13.10A	----	11.40 + 3.90	.1022	----	----	----	----	10	UNCH
2285	----	----	----	6.60B/12.90A	----	11.00 + 3.80	.0989	----	----	----	----	10	UNCH
2300	----	----	----	5.70B/12.40A	----	9.90 + 3.40	.0899	----	----	----	----	14	UNCH
2315	----	----	----	4.90B/11.90A	----	8.90 + 3.10	.0815	----	----	----	----	10	UNCH
2320	----	----	----	4.70B/11.70A	----	8.60 + 3.00	.0790	----	----	----	----	4	UNCH
2330	----	----	----	4.20B/11.40A	----	8.00 + 2.80	.0739	----	----	----	----	10	UNCH
2350	----	----	----	3.30B/10.80A	----	7.10 + 2.40	.0658	----	----	----	----	1	UNCH
2360	----	----	----	3.00B/10.60A	----	6.60 + 2.20	.0615	----	----	----	----	10	UNCH
2390	----	----	----	2.00B/9.90A	----	5.30 + 1.80	.0501	----	----	----	----	21	UNCH
2400	----	----	----	2.00B/9.70A	----	5.00 + 1.70	.0473	----	----	----	----	5	UNCH
2450	----	----	----	0.40B/8.90A	----	3.50 + 1.20	.0337	----	----	----	----	160	UNCH
2500	----	----	----	----/8.20A	----	2.50 + 0.80	.0243	----	----	----	----	170	UNCH
2700	----	----	----	----/6.60A	----	0.80 + 0.20	.0076	----	----	----	----	110	UNCH
2730	----	----	----	----/6.50A	----	0.70 + 0.20	.0066	----	----	----	----	1	UNCH
2750	----	----	----	----/6.40A	----	0.60 + 0.20	.0057	----	----	----	----	2	UNCH
2800	----	----	----	----/*6.10A	----	0.40 + 0.10	.0038	----	----	----	----	1	UNCH
2880	----	----	----	----/5.90A	----	0.30 + 0.10	.0028	----	----	----	----	1	UNCH
3000	----	----	----	----/5.60A	----	0.10 UNCH	.0008	----	----	----	----	2	UNCH
3050	----	----	----	----/5.50A	----	0.10 UNCH	.0005	----	----	----	----	2	UNCH
3150	----	----	----	----/5.30A	----	0.10 UNCH	.0002	----	----	----	----	121	UNCH
TOTAL									100	9		2391 +	109
JUN26													
1900	----	----	183.90B/145.10A	183.90B/145.10A	----	186.90 + 37.20	.6120	----	----	----	----	1	UNCH
2000	----	----	134.80B/107.30A	134.80B/107.30A	----	139.40 + 29.60	.5072	----	----	----	----	20	UNCH
2100	----	----	97.00B/79.20A	97.00B/79.20A	----	102.50 + 22.60	.4085	----	----	----	----	1	UNCH
2200	----	----	69.00B/----	69.00B/58.80A	----	74.50 + 16.80	.3213	----	----	----	----	200	UNCH
2300	----	----	48.70B/----	48.70B/44.10A	----	53.80 + 11.90	.2482	----	----	----	----	260	UNCH
2500	----	----	24.00B/----	24.00B/26.70A	----	27.90 + 5.30	.1431	----	----	----	----	100	UNCH
2650	----	----	----	14.00B/20.00A	----	17.20 + 2.70	.0935	----	----	----	----	17	UNCH
TOTAL												599	0
JUL26													
1500	----	----	487.90B/415.80A	487.90B/415.80A	----	491.30 + 58.00	.9023	----	----	----	----	50	UNCH
1680	----	----	----	----	----	349.70 + 49.70	.7901	----	----	----	----	50	UNCH
1700	----	----	332.30B/278.40A	332.30B/278.40A	----	335.60 + 48.50	.7751	----	----	----	----	1	UNCH
1800	----	----	268.40B/221.90A	268.40B/221.90A	----	270.80 + 41.70	.6940	----	----	----	----	113	UNCH
1850	----	----	239.20B/196.70A	239.20B/196.70A	----	242.00 + 38.10	.6510	----	----	----	----	2	UNCH
1950	----	----	186.60B/153.40A	186.60B/153.40A	----	190.70 NEW	.5633	----	----	1	----	1 +	1
2000	149.00	149.00	163.70B/135.50A	163.70B/135.50A	----	168.40 + 29.00	.5197	----	----	13	----	110	UNCH
2100	110.00	110.00	125.30B/106.00A	125.30B/106.00A	----	130.60 + 23.00	.4362	----	----	28	----	348 +	28
2150	----	----	109.50B/93.90A	109.50B/93.90A	----	115.00 + 20.30	.3974	----	----	----	----	12	UNCH
2200	----	----	95.70B/----	95.70B/83.40A	----	101.20 + 17.90	.3610	----	----	1	----	402 -	1
2300	----	----	73.10B/----	73.10B/66.20A	----	78.50 + 14.30	.2960	----	----	----	----	163	UNCH
2375	----	----	59.70B/----	59.70B/56.00A	----	64.80 + 12.00	.2537	----	----	----	----	50	UNCH
2400	----	----	55.80B/----	55.80B/53.10A	----	60.80 + 11.40	.2408	----	----	----	----	766	UNCH
2500	----	----	42.70B/----	42.70B/43.10A	----	47.00 + 9.00	.1945	----	----	----	----	321	UNCH
2600	----	----	32.80B/----	32.80B/35.70A	----	36.30 + 6.90	.1564	----	----	----	----	411	UNCH
2700	----	----	25.30B/----	25.30B/30.10A	----	28.10 + 5.30	.1254	----	----	----	----	13	UNCH
2755	----	----	21.80B/----	21.80B/27.60A	----	24.50 + 4.70	.1112	----	----	----	----	1	UNCH
2800	----	----	19.40B/----	19.40B/25.80A	----	21.90 + 4.10	.1007	----	----	----	----	149	UNCH
2850	----	----	17.00B/----	17.00B/24.10A	----	19.30 + 3.60	.0900	----	----	----	----	158	UNCH
2900	----	----	14.90B/----	14.90B/22.60A	----	17.10 + 3.20	.0808	----	----	----	----	133	UNCH
3000	----	----	11.40B/----	11.40B/20.10A	----	13.40 + 2.40	.0649	----	----	----	----	683	UNCH
3100	----	----	----	8.80B/17.90A	----	10.60 + 1.70	.0524	----	----	----	----	101	UNCH
3200	----	----	----	2.50B/20.40A	----	8.70 + 1.40	.0434	----	----	----	----	14	UNCH
3300	----	----	----	0.80B/19.00A	----	7.20 + 1.10	.0362	----	----	----	----	31	UNCH
3400	----	----	----	----/17.90A	----	6.10 + 0.90	.0308	----	----	----	----	32	UNCH
3500	----	----	----	----/17.10A	----	5.20 + 0.80	.0263	----	----	----	----	274	UNCH
3600	----	----	----	----/16.30A	----	4.50 + 0.60	.0227	----	----	----	----	300	UNCH
3800	----	----	----	0.40B/11.10A	----	3.60 + 0.50	.0180	----	----	----	----	12	UNCH
3900	----	----	----	----/10.70A	----	3.20 + 0.40	.0159	----	----	----	----	8	UNCH
4000	----	----	----	----/10.30A	----	3.00 + 0.40	.0147	----	----	----	----	221	UNCH
TOTAL										43		4930 +	28
OCT26													
1720	----	----	----	----	----	391.10 + 46.70	.7289	----	----	----	----	1	UNCH
1800	----	----	340.30B/297.90A	340.30B/297.90A	----	345.50 + 42.50	.6801	----	----	----	----	1	UNCH
2200	----	----	176.90B/----	176.90B/160.00A	----	184.60 + 25.40	.4451	----	----	----	----	130	UNCH
2400	----	----	129.70B/----	129.70B/121.50A	----	136.50 + 19.20	.3522	----	----	----	----	100	UNCH
2500	----	----	111.80B/----	111.80B/106.80A	----	118.30 + 16.80	.3134	----	----	----	----	175	UNCH
2600	----	----	96.90B/----	96.90B/94.40A	----	103.30 + 15.10	.2796	----	----	----	----	10	UNCH
2700	----	----	84.20B/----	84.20B/84.00A	----	90.80 + 13.90	.2502	----	----	----	----	100	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO CALL		PLATINUM OPTIONS											
OCT26													
2800	----	----	73.50B/----	73.50B/75.10A	----	80.40 + 13.10	.2247	----	----	----	----	30	UNCH
2900	----	----	64.40B/----	64.40B/67.50A	----	71.60 + 12.40	.2025	----	----	----	----	10	UNCH
3000	----	----	56.70B/----	56.70B/61.00A	----	64.10 + 11.70	.1831	----	----	----	----	21	UNCH
3200	----	----	44.40B/----	44.40B/50.90A	----	52.00 + 10.30	.1510	----	----	----	----	10	UNCH
3500	----	----	----	31.20B/40.30A	----	38.90 + 7.70	.1152	----	----	----	----	10	UNCH
TOTAL												598	0
JAN27													
2360	----	----	----	----	----	193.00 + 24.00	.4130	----	----	----	----	100	UNCH
TOTAL												100	0
PO PUT		PLATINUM OPTIONS											
MAY26													
1700	----	----	16.50B/14.50A	16.50B/14.50A	----	8.80 - 7.60	.0775	----	----	----	----	1	UNCH
1725	----	----	21.60B/17.00A	21.60B/17.00A	----	11.30 - 9.40	.0972	----	----	----	----	13	UNCH
1745	----	----	26.40B/*19.40A	26.40B/*19.40A	----	13.80 - 11.00	.1160	----	----	----	----	15	UNCH
1750	----	----	27.70B/20.10A	27.70B/20.10A	----	14.50 - 11.40	.1211	----	----	----	----	76	UNCH
1780	----	----	36.40B/*24.70A	36.40B/*24.70A	----	19.30 - 14.30	.1550	----	----	----	----	1	UNCH
1785	----	----	38.00B/*25.60A	38.00B/*25.60A	----	20.20 - 14.80	.1611	----	----	----	----	1	UNCH
1800	----	----	43.20B/28.40A	43.20B/28.40A	----	23.20 - 16.40	.1809	----	----	----	----	108	UNCH
1820	----	----	50.80B/*32.80A	50.80B/*32.80A	----	27.70 - 18.60	.2093	----	----	----	----	100	UNCH
1825	----	----	52.80B/34.00A	52.80B/34.00A	----	28.90 - 19.20	.2167	----	----	----	----	14	UNCH
1850	----	----	63.70B/40.50A	63.70B/40.50A	----	35.60 - 22.20	.2561	----	----	----	----	63	UNCH
1855	----	----	66.00B/*41.90A	66.00B/*41.90A	----	37.10 - 22.80	.2644	----	----	----	----	15	UNCH
1860	----	----	68.40B/*43.40A	68.40B/*43.40A	----	38.60 - 23.40	.2728	----	----	----	----	100	UNCH
1875	----	----	75.80B/48.10A	75.80B/48.10A	----	43.50 - 25.20	.2989	----	----	----	----	121	UNCH
1890	----	----	83.70B/53.10A	83.70B/53.10A	----	48.70 - 27.20	.3258	----	----	----	----	22	UNCH
1895	----	----	86.50B/54.90A	86.50B/54.90A	----	50.60 - 27.80	.3350	----	----	----	----	29	UNCH
1900	----	----	89.30B/56.70A	89.30B/56.70A	----	52.50 - 28.50	.3443	----	----	----	----	131	UNCH
1905	----	----	92.10B/58.60A	92.10B/58.60A	----	54.50 - 29.00	.3537	----	----	----	----	46	UNCH
1910	----	----	95.00B/60.60A	95.00B/60.60A	----	56.50 - 29.70	.3630	----	----	----	----	46	UNCH
1915	----	----	97.90B/62.60A	97.90B/62.60A	----	58.50 - 30.40	.3724	----	----	----	----	67	UNCH
1920	----	----	99.30B/64.60A	99.30B/64.60A	----	60.60 - 31.00	.3820	----	----	----	----	49	UNCH
1925	----	----	103.90B/66.70A	103.90B/66.70A	----	62.80 - 31.60	.3916	----	----	----	----	20	UNCH
1930	----	----	98.70B/68.70A	98.70B/68.70A	----	65.00 - 32.30	.4012	----	----	----	----	20	UNCH
1935	----	----	----/71.00A	99.30B/71.00A	----	67.20 - 33.00	.4108	----	----	----	----	20	UNCH
1945	----	----	----/75.40A	101.80B/75.40A	----	71.90 - 34.20	.4302	----	----	----	----	30	UNCH
1950	70.00	70.00	119.90B/70.00	119.90B/70.00	----	74.30 - 34.90	.4399	----	----	2	----	80 +	2
1970	----	----	----/87.50A	100.60B/87.50A	----	84.40 - 37.40	.4788	----	----	----	----	9	UNCH
1990	----	----	----/98.00A	101.90B/98.00A	----	95.40 - 39.80	.5173	----	----	----	----	10	UNCH
2000	----	----	155.30B/103.60A	155.30B/103.60A	----	101.10 - 41.10	.5363	----	----	----	----	335	UNCH
2030	----	----	----	----	----	119.50 - 44.50	.5918	----	----	----	----	75	UNCH
2050	----	----	194.90B/134.10A	194.90B/134.10A	----	132.70 - 46.50	.6271	----	----	----	----	200	UNCH
2100	----	----	237.80B/169.40A	237.80B/169.40A	----	168.30 - 51.30	.7081	----	----	----	----	70	UNCH
2155	----	----	----	----	----	211.60 - 55.20	.7828	----	----	----	----	13	UNCH
2160	----	----	----	----	----	215.70 - 55.50	.7888	----	----	----	----	38	UNCH
2175	----	----	305.90B/229.60A	305.90B/229.60A	----	228.10 - 56.50	.8061	----	----	----	----	10	UNCH
2195	----	----	----	----	----	245.10 - 57.50	.8274	----	----	----	----	23	UNCH
2200	----	----	329.30B/251.10A	329.30B/251.10A	----	249.40 - 57.70	.8325	----	----	----	----	10	UNCH
2215	----	----	----	----	----	262.50 - 58.30	.8466	----	----	----	----	60	UNCH
2450	----	----	572.00B/486.80A	572.00B/486.80A	----	482.80 - 63.40	.9662	----	----	----	----	50	UNCH
2500	----	----	621.40B/535.80A	621.40B/535.80A	----	531.80 - 63.70	.9756	----	----	----	----	100	UNCH
TOTAL										2		2191 +	2
JUN26													
1825	----	----	115.50B/92.90A	115.50B/92.90A	----	85.20 - 21.50	.3103	----	----	----	----	25	UNCH
1850	----	----	127.70B/102.70A	127.70B/102.70A	----	95.00 - 23.40	.3357	----	----	----	----	1	UNCH
1900	----	----	154.20B/124.10A	154.20B/124.10A	----	117.00 - 27.10	.3877	----	----	----	----	200	UNCH
2100	----	----	288.10B/236.40A	288.10B/236.40A	----	231.80 - 41.70	.5913	----	----	----	----	100	UNCH
TOTAL												326	0
JUL26													
1400	----	----	----	13.00B/19.10A	----	12.10 - 3.80	.0555	----	----	----	----	150	UNCH
1500	----	----	----/29.10A	28.50B/29.10A	----	23.60 - 6.40	.0975	----	----	----	----	153	UNCH
1550	----	----	----/36.70A	39.70B/36.70A	----	31.70 - 8.10	.1242	----	----	----	----	200	UNCH
1600	----	----	53.50B/46.50A	53.50B/46.50A	----	41.50 - 10.30	.1544	----	----	----	----	361	UNCH
1650	----	----	69.70B/59.00A	69.70B/59.00A	----	53.20 - 12.80	.1880	----	----	----	----	1	UNCH
1680	----	----	80.50B/67.80A	80.50B/67.80A	----	61.20 - 14.60	.2096	----	----	----	----	50	UNCH
1700	----	----	88.10B/74.00A	88.10B/74.00A	----	67.00 - 15.80	.2247	----	----	----	----	261	UNCH
1710	----	----	92.00B/77.30A	92.00B/77.30A	----	70.00 - 16.50	.2323	----	----	----	----	1	UNCH
1750	----	----	108.30B/91.20A	108.30B/91.20A	----	83.10 - 19.00	.2641	----	----	----	----	50	UNCH
1800	----	----	130.40B/110.40A	130.40B/110.40A	----	101.70 - 22.50	.3058	----	----	----	----	218	UNCH
1900	----	----	181.30B/153.60A	181.30B/153.60A	----	145.60 - 29.30	.3924	----	----	----	----	1	UNCH
2100	----	----	312.60B/265.90A	312.60B/265.90A	----	259.60 - 41.10	.5635	----	----	----	----	225	UNCH
2165	----	----	----	----	----	304.20 - 44.70	.6135	----	----	----	----	20	UNCH
2350	----	----	515.90B/452.20A	515.90B/452.20A	----	446.70 - 51.40	.7325	----	----	----	----	5	UNCH
2400	----	----	559.90B/493.70A	559.90B/493.70A	----	488.10 - 52.80	.7589	----	----	----	----	300	UNCH
4000	----	----	2,118.20B/2,033	2,118.20B/2,033	----	2029.80 - 64.60	.9852	----	----	----	----	10	UNCH
TOTAL												2006	0
OCT26													
1500	----	----	----/64.80A	63.70B/64.80A	----	58.50 - 8.20	.1502	----	----	----	----	80	UNCH
1600	----	----	----/92.50A	96.90B/92.50A	----	85.40 - 12.10	.2016	----	----	----	----	17	UNCH
1720	----	----	146.70B/136.20A	146.70B/136.20A	----	126.90 - 17.80	.2706	----	----	----	----	2	UNCH
1800	----	----	185.20B/170.80A	185.20B/170.80A	----	160.30 - 22.00	.3194	----	----	----	----	20	UNCH
2000	----	----	300.70B/274.30A	300.70B/274.30A	----	264.50 - 31.50	.4428	----	----	----	----	1	UNCH
2100	----	----	368.50B/335.60A	368.50B/335.60A	----	326.70 - 35.50	.5007	----	----	----	----	100	UNCH
2400	----	----	601.90B/552.90A	601.90B/552.90A	----	544.00 - 45.40	.6473	----	----	----	----	200	UNCH
2500	----	----	686.70B/633.70A	686.70B/633.70A	----	624.70 - 47.80	.6861	----	----	----	----	1	UNCH
TOTAL												421	0
JAN27													
1500	----	----	----	----	----	73.30 - 11.30	.1631	----	----	----	----	40	UNCH
1800	----	----	----	----	----	187.30 - 24.50	.3202	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 78

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS			
MAY26	CALL			
OG		4650	0	200
OG		4700	0	130
TOTALS			0	330
JUN26	CALL			
OG		4210	0	50
OG		5100	0	200
OG		5400	0	150
OG		6500	0	25
TOTALS			0	425
AUG26	CALL			
OG		4900	0	155
OG		6100	0	25
TOTALS			0	180
SEP26	CALL			
OG		5000	0	100
OG		5300	0	150
TOTALS			0	250
DEC26	CALL			
OG		5000	0	200
OG		5400	0	512
OG		5500	0	200
OG		5600	0	337
OG		6500	0	100
TOTALS			0	1349
OG PUT	COMEX GOLD OPTIONS			
MAY26	PUT			
OG		4300	0	104
TOTALS			0	104
JUN26	PUT			
OG		4000	0	50
OG		4210	0	50
OG		4300	0	150
OG		4455	0	25
TOTALS			0	275
AUG26	PUT			
OG		3550	0	25
OG		4175	0	25
TOTALS			0	50
SEP26	PUT			
OG		4300	0	54
OG		4500	0	50
TOTALS			0	104
OCT26	PUT			
OG		4000	0	50
TOTALS			0	50
DEC26	PUT			
OG		2975	0	400
OG		3400	0	100
OG		3425	0	200
OG		4000	0	100
OG		4300	0	125
TOTALS			0	925
SO CALL	COMEX SILVER OPTIONS			
MAY26	CALL			
SO		10500	0	200
TOTALS			0	200
JUN26	CALL			
SO		7700	0	30
SO		11500	0	60
TOTALS			0	90
JUL26	CALL			
SO		10000	0	52
TOTALS			0	52
AUG26	CALL			
SO		20000	0	200
TOTALS			0	200
DEC26	CALL			
SO		8400	0	25
TOTALS			0	25
SO PUT	COMEX SILVER OPTIONS			
JUN26	PUT			
SO		5000	0	100
SO		5500	0	100
SO		6000	0	200
SO		6500	0	34
SO		7000	0	200
TOTALS			0	634
JUL26	PUT			
SO		5200	0	34
TOTALS			0	34
DEC26	PUT			
SO		8400	0	25
TOTALS			0	25
HX CALL	COMEX COPPER OPTIONS			
MAY26	CALL			
HX		580	0	150
HX		590	0	150
TOTALS			0	300
JUN26	CALL			
HX		575	0	150
TOTALS			0	150
HX PUT	COMEX COPPER OPTIONS			
MAY26	PUT			
HX		500	0	536
HX		520	0	325
HX		550	0	536
TOTALS			0	1397
JUL26	PUT			
HX		500	0	300
TOTALS			0	300
PO CALL	PLATINUM OPTIONS			
MAY26	CALL			
PO		2050	0	50
PO		2100	0	50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

TOTALS			0	100
PAO PUT	NYMEX PALLADIUM OPTIONS			
JUN26	PUT			
PAO		1300	0	10
TOTALS			0	10
OG2 PUT	GOLD OPTIONS			
APR26	PUT			
OG2		4400	0	50
TOTALS			0	50
OG2 CALL	GOLD OPTIONS			
APR26	CALL			
OG2		4800	0	50
TOTALS			0	50
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2			
APR26	PUT			
G2W		4550	0	200
TOTALS			0	200
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week1			
APR26	CALL			
S1T		7800	0	40
TOTALS			0	40
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week2			
APR26	PUT			
G2T		4300	0	50
TOTALS			0	50
GWR THU	GOLD WEEKLY THURSDAY OPTION Week1			
APR26	PUT			
G1R		4200	0	50
G1R		4400	0	50
G1R		4590	0	150
G1R		4640	0	300
TOTALS			0	550
GWR THU	GOLD WEEKLY THURSDAY OPTION Week3			
APR26	PUT			
G3R		4325	0	150
TOTALS			0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.