

PG64

BULLETIN # 93@

METALS OPTION PRODUCTS

Fri, May 15, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29													
ECG10 OP		05/14	05/15											
ECG11 OP		05/14	05/15											
ECG13 OP		05/14	05/15											
ECG15 OP		05/14	05/15											
ECG16 OP		05/14	05/15											
ECGC OOF		05/14	05/15											
ECHG OOF		05/14	05/15											
ECSI OOF		05/14	05/15											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/15													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/15										
GWR THU	05/28			06/11										
GWT TUE	05/19			06/16										
GWV WED	05/27			06/10										
HMW MON	05/18			06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/16										
HWV WED	05/27			06/10	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/05										
HXE PUT	05/29			06/05										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON	05/18			06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17	07/15	08/19			11/18				
PLW OOF	05/22			06/05										
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17	07/15		09/16			12/16			
RWS THU	05/28			06/11										
SMW MON	05/18			06/15										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/03										
TWS TUE	05/19			06/09										
WMG WED	05/20													

GOLD OPTIONS ON FUTURES													
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED	MICRO GOLD WEEKLY WED OPTION WEEK3												
MAY26	4850	----	----	----	----	----	0.70 - 5.70	.0089	----	----	----	----	3 UNCH
TOTAL													3 0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT	MICRO GOLD OPTIONS												
JUN26	2500	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	----	2.00 + 1.20	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	----	5.10 + 3.30	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	----	7.20 + 4.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	----	9.40 + 6.40	----	----	----	----	----	4 UNCH
4500	----	----	----	----	----	----	42.60 + 28.50	----	----	----	----	----	6 UNCH
4600	50.00	50.00	#50.00/*50.00	50.00/*50.00	----	----	49.70 NEW	----	----	----	1	----	1 + 1
4600	----	----	----	----	----	----	87.80 + 53.10	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	----	103.20 + 60.30	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	----	116.60 + 66.20	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	----	20.00 - 41.90	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	----	174.50 + 86.50	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	----	7.70 - 20.60	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	----	3.40 - 8.90	----	----	----	----	----	1 UNCH
5100	----	----	----	----	----	----	0.90 - 1.60	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL											1	----	31+ 1
JUL26	3400	----	----	----	----	----	1196.20 - 23.90	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	----	1136.50 - 23.70	----	----	----	----	----	1 UNCH
4150	----	----	----	----	----	----	22.80 + 9.90	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	----	28.00 + 12.20	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	----	42.90 + 18.80	----	----	----	----	----	1 UNCH
4500	111.00	111.00	#111.00/111.00	#111.00/111.00	----	----	98.70 + 39.80	----	----	----	1	----	3 - 1
4600	----	----	----	----	----	----	143.50 + 53.30	----	----	----	----	----	2 UNCH
4700	----	----	----	----	----	----	95.70 - 57.20	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	----	28.10 - 23.80	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	----	23.00 - 20.00	----	----	----	----	----	1 UNCH
5200	15.80	15.80	15.80/*15.80	15.80/*15.80	----	----	13.00 - 11.60	----	----	----	1	----	0 - 1
5300	----	----	----	----	----	----	9.40 - 7.90	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	----	5.30 - 3.90	----	----	----	----	----	2 UNCH
TOTAL											2	----	19- 2
AUG26	4400	----	----	----	----	----	105.70 + 33.30	----	----	----	----	----	5 UNCH
TOTAL													5 0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT	GOLD OPTIONS												
MAY26													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

	BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG5 PUT	GOLD OPTIONS															
MAY26																
3700	----	----		#1.30B/----	1.30B/1.40A	----	1.30 + 0.40	.0070	----	----	----	----	4	UNCH		
3800	2.00	2.00		#2.00/2.00	2.00/1.60A	----	1.70 + 0.70	.0099	----	----	1	----	8 +	1		
3900	----	----		#2.50B/----	2.50B/1.90A	----	2.20 + 1.00	.0138	----	----	2	----	7	UNCH		
4000	3.90	3.90		3.90/3.00	3.90/2.30A	----	3.10 + 1.60	.0207	----	----	38	----	42 +	29		
4100	5.20	5.20		6.10/4.60	6.10/3.00A	----	4.40 + 2.40	.0317	----	----	9	----	10 +	6		
4150	----	----		#7.80B/----	7.80B/3.40A	----	5.50 + 3.10	.0407	----	----	----	----	49	UNCH		
4175	----	----		#8.90B/----	8.90B/3.70A	----	6.10 NEW	.0459	----	----	1	----	1 +	1		
4200	8.00	8.00		#10.30B/8.00	10.30B/4.00A	----	6.90 + 3.90	.0525	----	----	6	----	15 +	1		
4250	----	----		13.80B/----	13.80B/4.90A	----	8.90 + 5.30	.0691	----	----	1	----	6 +	1		
4275	7.40	7.40		16.20B/7.20	16.20B/5.50A	----	10.20 + 6.10	.0798	----	----	2	----	7	UNCH		
4300	9.40	9.40		#18.90B/8.50	18.90B/6.20A	----	11.80 + 7.20	.0927	----	----	33	----	16 -	21		
4325	10.00	10.00		#22.20B/10.00	22.20B/7.10A	----	13.70 + 8.50	.1077	----	----	4	----	1 -	3		
4350	19.30	19.30		#26.10B/19.30	26.10B/8.00A	----	16.10 + 10.00	.1260	----	----	11	----	17 +	9		
4375	29.50	29.50		#30.70B/21.50	30.70B/9.20A	----	18.90 + 11.80	.1470	----	----	11	----	13 +	11		
4400	27.00	27.00		#36.00B/24.90	36.00B/10.80A	----	22.30 + 13.90	.1716	----	----	21	----	135 +	20		
4425	32.60	32.60		#42.10B/29.50	42.10B/12.70A	----	26.50 + 16.50	.2005	----	----	11	----	22 +	11		
4450	23.50	23.50		49.10B/23.50	49.10B/15.00A	----	31.50 + 19.50	.2332	----	----	68	----	65 +	37		
4475	38.60	38.60		#56.90B/38.60	56.90B/17.80A	----	37.40 + 23.00	.2699	----	----	38	----	103 +	36		
4500	42.50	42.50		#67.00/42.50	67.00/21.40A	----	44.20 + 26.90	.3101	----	----	23	----	190 +	14		
4525	50.50	50.50		#76.10B/50.50	76.10B/25.60A	----	52.20 + 31.40	.3541	----	----	18	----	15 +	13		
4550	64.70	64.70		#87.50B/64.70	87.50B/30.60A	----	61.40 + 36.30	.4009	----	----	4	----	13 +	2		
4575	----	----		#100.30B/----	100.30B/36.50A	----	71.80 + 41.60	.4500	----	----	2	----	12 +	2		
4600	61.00	61.00		#115.00/60.00	115.00/43.50A	----	83.50 + 47.20	.5004	----	----	69	----	64 +	45		
4625	----	----		#129.80B/----	129.80B/51.60A	----	96.60 + 53.00	.5511	----	----	----	----	17	UNCH		
4650	----	----		#146.10B/----	146.10B/60.90A	----	111.00 + 59.00	.6011	----	----	4	----	10	UNCH		
4675	104.00	104.00		#163.60B/104.00	163.60B/71.50A	----	126.80 + 65.00	.6492	----	----	1	----	34	UNCH		
4700	----	----		#182.20B/----	182.20B/83.50A	----	143.80 + 70.90	.6948	----	----	----	----	4	UNCH		
4725	----	----		#201.70B/----	201.70B/96.90A	----	162.00 NEW	.7370	----	----	1	----	1 +	1		
4750	----	----		#222.20B/----	222.20B/111.40A	----	181.20 + 81.80	.7750	----	----	----	----	3	UNCH		
4775	----	----		#243.30B/----	243.30B/127.70A	----	201.50 + 87.10	.8087	----	----	----	----	14	UNCH		
4800	----	----		#265.20B/----	265.20B/144.80A	----	222.50 NEW	.8381	----	----	1	----	1 +	1		
4950	----	----		#404.80B/----	404.80B/266.50A	----	360.30 + 12.20	.9413	----	----	----	----	1	UNCH		
TOTAL											380		900 +	217		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG5 CALL	GOLD OPTIONS															
MAY26																
4550	----	----		----/*89.60A	179.20B/*89.60A	----	106.90 NEW	.5986	----	----	2	----	2 +	2		
4600	78.30	78.30		78.30/*66.30A	141.70B/*66.30A	----	79.00 - 77.10	.4992	----	----	38	----	27 +	24		
4625	60.00	60.00		60.00/*56.50A	125.30B/*56.50A	----	67.10 - 71.20	.4484	----	----	3	----	4 +	3		
4650	----	----		----/*47.90A	108.50B/*47.90A	----	56.60 - 65.20	.3985	----	----	4	----	2 +	2		
4700	39.50	39.50		39.50/*34.00A	82.30B/*34.00A	----	39.40 - 53.40	.3047	----	----	131	----	126 +	126		
4725	29.20	29.20		29.20/*28.60A	70.80B/*28.60A	----	32.60 - 47.80	.2626	----	----	20	----	23 +	20		
4750	28.50	28.50		28.50/*23.80A	60.50B/*23.80A	----	26.90 - 42.40	.2245	----	----	4	----	39 +	4		
4775	22.90	22.90		25.50/*19.90A	51.00B/*19.90A	----	22.20 - 37.20	.1909	----	----	8	----	21 +	7		
4800	24.70	24.70		24.70/*16.50	43.00B/*16.50	----	18.30 - 32.20	.1615	----	----	14	----	13 +	12		
4825	15.10	15.10		15.10/*13.50	36.00B/*13.50	----	15.00 - 27.80	.1356	----	----	18	----	19 +	16		
4850	12.20	12.20		12.20/*11.40A	30.30B/*11.40A	----	12.40 - 23.80	.1140	----	----	13	----	15 +	10		
4875	9.80	9.80		10.60/*9.60A	25.30B/*9.60A	----	10.30 - 20.20	.0959	----	----	7	----	8 +	7		
4900	9.70	9.70		9.70/*8.10	21.20B/*8.10	----	8.60 - 17.10	.0807	----	----	13	----	333 +	2		
4925	8.50	8.50		8.50/*6.80	17.70B/*6.80	----	7.30 - 14.40	.0687	----	----	14	----	173 +	12		
4950	6.10	6.10		7.20/*5.50A	14.80B/*5.50A	----	6.20 - 12.10	.0584	----	----	29	----	30 +	28		
4975	5.10	5.10		5.10/*4.30A	12.30B/*4.30A	----	5.30 - 10.10	.0498	----	----	4	----	12	UNCH		
5000	3.80	3.80		5.10/*3.40A	10.40B/*3.40A	----	4.60 - 8.30	.0430	----	----	410	----	359 -	328		
5025	----	----		----/*2.70A	8.70B/*2.70A	----	4.00 - 6.90	.0372	----	----	----	----	11	UNCH		
5050	----	----		----/*2.30A	7.30B/*2.30A	----	3.50 - 5.70	.0323	----	----	----	----	14	UNCH		
5075	1.30	1.30		1.30/*1.30	6.20B/*1.30	----	3.00 - 4.80	.0276	----	----	4	----	6 +	4		
5100	1.50	1.50		2.40/*1.50	5.20B/*1.50	----	2.70 - 4.00	.0245	----	----	21	----	338	UNCH		
5125	2.20	2.20		2.20/*1.50A	4.40B/*1.50A	----	2.40 - 3.40	.0215	----	----	4	----	6 +	4		
5200	----	----		----/*1.30A	2.70B/*1.30A	----	1.70 - 2.10	.0148	----	----	----	----	8	UNCH		
5225	----	----		----/*1.20A	2.50B/*1.20A	----	1.50 - 1.80	.0129	----	----	----	----	1	UNCH		
5250	----	----		----/*1.10A	2.00B/*1.10A	----	1.40 - 1.60	.0119	----	----	----	----	3	UNCH		
5300	1.00	1.00		1.00/*1.00	1.60B/*1.00	----	1.10 - 1.30	.0092	----	----	1	----	11 +	1		
5400	----	----		----/*1.00A	0.90B/*1.00A	----	0.80 - 0.80	.0063	----	----	----	----	36	UNCH		
5500	----	----		----/*1.10A	0.50B/*1.10A	----	0.60 - 0.60	.0045	----	----	----	----	1	UNCH		
5600	----	----		----	0.30B/*0.90A	----	0.50 - 0.40	.0035	----	----	----	----	1	UNCH		
5750	----	----		----	0.20B/1.20A	----	0.40 - 0.30	.0026	----	----	----	----	3	UNCH		
TOTAL											762		1645 -	44		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG4 PUT	GOLD OPTIONS															
MAY26																
3500	----	----		----	----/*0.40A	----	0.10 UNCH	.0004	----	----	----	----	17	UNCH		
3700	----	----		#0.40B/----	0.40B/*0.40A	----	0.40 NEW	.0020								

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG4 CALL		GOLD OPTIONS																						
MAY26																								
4725	10.50	10.50			10.50/*8.20A	34.80B/*8.20A	----			9.60 - 32.70	.1184	----	----	21	----		32 +	9						
4750	22.10	22.10			22.10/*6.10A	27.20B/*6.10A	----			7.10 - 26.50	.0889	----	----	58	----		43 +	16						
4775	7.80	7.80			7.80/*4.60A	21.10B/*4.60A	----			5.40 - 21.10	.0676	----	----	14	----		54 -	5						
4800	13.50	13.50			13.50/*3.50A	16.10B/*3.50A	----			4.10 - 16.60	.0511	----	----	76	----		208 +	40						
4825	----	----			----/*2.30A	12.40B/*2.30A	----			3.20 - 13.00	.0393	----	----	6	----		502 +	1						
4850	10.50	10.50			10.50/*1.50A	10.50/*1.50A	----			2.50 - 10.10	.0302	----	----	24	----		57 +	12						
4875	2.10	2.10			2.20/*1.10A	7.20B/*1.10A	----			2.00 - 7.80	.0237	----	----	14	----		36 +	11						
4900	6.00	6.00			6.00/*0.90A	6.00/*0.90A	----			1.70 - 5.90	.0195	----	----	23	----		136 +	18						
4925	----	----			----/*0.80A	4.10B/*0.80A	----			1.40 - 4.50	.0156	----	----	3	----		16 +	1						
4950	2.20	2.20			2.20/*0.70A	3.20B/*0.70A	----			1.10 - 3.50	.0120	----	----	35	----		225 -	15						
4975	----	----			----/*0.70A	2.50B/*0.70A	----			0.90 - 2.70	.0096	----	----	----	----		64	UNCH						
5000	1.30	1.30			1.30/*0.60	1.90B/*0.60	----			0.80 - 2.00	.0082	----	----	17	----		55 -	15						
5025	----	----			----/*0.70A	1.50B/*0.70A	----			0.70 - 1.50	.0070	----	----	----	----		506	UNCH						
5050	0.70	0.70			0.70/*0.70	1.10B/*0.70	----			0.60 - 1.20	.0058	----	----	6	----		23 -	1						
5075	----	----			----/*0.60A	0.80B/*0.60A	----			0.50 - 1.00	.0047	----	----	----	----		4	UNCH						
5100	----	----			----/*0.60A	0.60B/*0.60A	----			0.40 - 0.80	.0037	----	----	----	----		17	UNCH						
5125	----	----			----/*0.60A	0.50B/*0.60A	----			0.40 - 0.60	.0036	----	----	----	----		3	UNCH						
5150	----	----			----/*0.60A	0.50B/*0.60A	----			0.30 - 0.60	.0026	----	----	4	----		9 +	4						
5175	----	----			----/*0.70A	0.30B/*0.70A	----			0.30 - 0.50	.0025	----	----	----	----		2	UNCH						
5200	0.60	0.60			0.60/*0.60	0.60/*0.60	----			0.30 - 0.40	.0024	----	----	3	----		26	UNCH						
5225	----	----			----/*0.60A	0.30B/*0.60A	----			0.20 - 0.50	.0016	----	----	----	----		2	UNCH						
5300	0.50	0.50			0.50/*0.50	0.50/*0.50	----			0.20 - 0.30	.0015	----	----	1	----		2 -	1						
5400	----	----			----	----/0.70A	----			0.10 - 0.20	.0006	----	----	----	----		2	UNCH						
5500	----	----			----	----/0.70A	----			0.10 - 0.10	.0001	----	----	1	----		16 +	1						
5600	----	----			----	----/1.90A	----			0.10 - 0.10	.0000	----	----	----	----		15	UNCH						
6000	----	----			----	----/4.00A	----			0.10	UNCH	----	----	----	----		1	UNCH						
TOTAL															770	15	2581+	407						
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG3 PUT		GOLD OPTIONS																						
MAY26																								
3250	----	----			----	----/0.10A	----			0.00 - NEW	----	----	----	300	----		0	UNCH						
3500	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	300	----		0 -	10						
3700	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	2						
3750	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	6						
3800	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	56						
3900	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	69						
4000	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	66						
4100	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	22						
4125	0.10	0.10			0.10/*0.10	0.10/0.10	----			0.00 - 0.10	----	----	----	2	----		0 -	7						
4150	0.10	0.10			0.10/0.10	0.10/0.10	----			0.00 - 0.10	----	----	----	2	----		0 -	7						
4175	----	----			----	----/0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	5						
4200	0.20	0.20			0.20/0.10A	0.20/0.10A	----			0.00 - 0.10	----	----	----	3	----		0 -	154						
4225	0.20	0.20			0.20/*0.10A	0.20/*0.10A	----			0.00 - 0.10	----	----	----	1	----		0 -	4						
4250	0.30	0.30			0.40/0.10	0.40/0.10	----			0.00 - 0.10	----	----	----	22	----		0 -	53						
4260	0.20	0.20			0.20/*0.20	0.20/0.20	----			0.00 - 0.10	----	----	----	1	----		0 -	1						
4270	----	----			0.20B/----	0.20B/0.30A	----			0.00 - 0.10	----	----	----	----	----		0 -	2						
4275	0.60	0.60			0.60/*0.10	0.60/*0.10	----			0.00 - 0.10	----	----	----	3	----		0 -	49						
4295	----	----			0.40B/----	0.40B/0.30A	----			0.00 - 0.10	----	----	----	----	----		0 -	1						
4300	0.40	0.40			0.60/*0.10A	0.60/*0.10A	----			0.00 - 0.10	----	----	----	7	----		0 -	387						
4305	----	----			0.50B/----	0.50B/*0.20A	----			0.00 - 0.10	----	----	----	----	----		0 -	1						
4315	----	----			0.60B/----	0.60B/*0.10A	----			0.00 - 0.10	----	----	----	----	----		0 -	6						
4320	----	----			0.60B/----	0.60B/*0.20A	----			0.00 - 0.20	----	----	----	----	----		0 -	2						
4325	0.60	0.60			1.00/*0.10A	1.00/*0.10A	----			0.00 - 0.20	----	----	----	9	----		0 -	42						
4330	0.30	0.30			0.80B/*0.10A	0.80B/*0.10A	----			0.00 - 0.20	----	----	----	1	----		0 -	3						
4335	----	----			0.90B/----	0.90B/0.20A	----			0.00 - 0.20	----	----	----	2	----		0 -	6						
4340	0.80	0.80			1.00B/0.20A	1.00B/0.20A	----			0.00 - 0.20	----	----	----	2	----		0 -	9						
4345	0.30	0.30			1.00B/0.20A	1.00B/0.20A	----			0.00 - NEW	----	----	----	1	----		0 -	UNCH						
4350	0.80	0.80			1.10B/*0.10	1.10B/*0.10	----			0.00 - 0.30	----	----	----	2	----		0 -	55						
4360	0.80	0.80			1.30B/*0.20A	1.30B/*0.20A	----			0.00 - 0.30	----	----	----	4	----		0 -	3						
4365	----	----			1.40B/----	1.40B/0.30A	----			0.00 - 0.30	----	----	----	3	----		0 -	8						
4370	1.00	1.00			1.60B/0.30A	1.60B/0.30A	----			0.00 - 0.40	----	----	----	2	----		0 -	2						
4375	1.20	1.20			1.70B/0.30A	1.70B/0.30A	----			0.00 - 0.40	----	----	----	3	----		0 -	57						
4395	2.20	2.20			2.30B/0.20A	2.30B/0.20A	----			0.00 - 0.50	----	----	----	2	----		0 -	1						
4400	1.10	1.10			2.80/0.20A	2.80/0.20A	----			0.00 - 0.50	----	----	----	29	----		0 -	93						
4405	0.90	0.90			2.70B/0.20A	2.70B/0.20A	----			0.00 - NEW	----	----	----	5	----		0 -	UNCH						
4410	1.90	1.90			2.80B/0.20A	2.80B/0.20A	----			0.00 - 0.50	----	----	----	5	----		0 -	6						
4415	0.90	0.90			2.90B/0.20A	2.90B/0.20A	----			0.00 - 0.50	----	----	----	4	----		0 -	119						
4420	2.30	2.30			3.10B/0.20A	3.10B/0.20A	----			0.00 - 0.50	----	----	----	17	----		0 -	2						
4425	1.70	1.70			3.40/0.30A	3.40/0.30A	----			0.00 - 0.50	----	----	----	179	----		0 -	465						
4430	1.70	1.70			3.80B/*0.20A	3.80B/*0.20A	----			0.00 - NEW	----	----	----	1	----		0 -	UNCH						
4435	----	----			3.90B/*0.10A	3.90B/*0.10A	----			0.00 - 0.50	----	----	----	----	----		0 -	2						
4440	1.50	1.50			#4.50B/*0.30A	4.50B/*0.30A	----			0.00 - 0.60	----	----	----	13	----		0 -	3						
4445	----	----			4.90B/*0.20A	4.90B/*0.20A	----			0.00 - 0.60	----	----	----	----	----		0 -	3						
4450	1.70	1.70			5.30/*0.10	5.30/*0.10	----			0.00 - 0.60	----	----	----	192	----		0 -	201						
4455	2.00	2.00			#5.50B/*0.20A	5.50B/*0.20A	----			0.00 - NEW	----	----	----	37	----		0 -	UNCH						
4460	3.60	3.60			#5.90B/*0.20A	5.90B/*0.20A	----			0.00 - 0.60	----	----	----	23	----		0 -	8						
4465	6.80	6.80			#6.80/*0.20A	6.80/*0.20A	----			0.00 - 0.60	----	----	----	139	----		0 -	3						
4470	5.20	5.20			#7.00B/*0.20A	7.00B/*0.20A	----			0.00 - NEW	----	----	----	8	----		0 -	UNCH						
4475	2.00	2.00			8.20B/*0.20A	8.20B/*0.20A	----			0.00 - 0.70	----	----	----	166	----		0 -	73						
4480	5.00	5.00			#8.40B/0.30A	8.40B/0.30A	----			0.00 - 0.70	----	----	----	16	----		0 -	3						
4485	3.50	3.50			#9.20B/*0.10	9.20B/*0.10	----			0.00 - 0.70	----	----	----	32	----		0 -	1						
4490	3.00	3.00			#10.00B/*0.20	10.00B/*0.20	----			0.00 - 0.70	----	----	----	55	----		0 -	2						
4495	----	----			#11.00B/*0.20A	11.00B/*0.20A	----			0.00 - NEW	----	----	----	8	----		0 -	UNCH						
4500	2.50	2.50			12.10B/*0.30	12.10B/*0.30	----			0.00 - 0.80	----	----	----	423	----		0 -	247						
4505	12.00	12.00			#13.20B/*0.30A	#13.20B/*0.30A	----			0.00 - 0.80	----	----	----	59	----		0 -	2						
4510	4.50	4.50			#15.20B/*0.30A	#15.20B/*0.30A	----			0.00 - 0.90	----	----	----	17	----</									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG3 PUT		GOLD OPTIONS															
MAY26																	
4745	----	----	----	#227.90B/----	#227.90B/82.00A	----	----	----	183.10 + 18.60	----	8	----	----	----	0 -	8	
4750	----	----	----	232.90B/----	232.90B/86.40A	----	----	----	188.10 + 19.30	----	20	----	----	----	0 -	20	
4755	----	----	----	#237.90B/----	#237.90B/91.30A	----	----	----	193.10 + 19.80	----	----	----	2	----	0 -	2	
4760	----	----	----	#242.90B/----	#242.90B/96.00A	----	----	----	198.10 + 20.30	----	3	----	3	----	0 -	3	
4765	----	----	----	#247.90B/----	#247.90B/100.80A	----	----	----	203.10 + 20.70	----	8	----	----	----	0 -	8	
4770	----	----	----	#252.90B/----	#252.90B/105.20A	----	----	----	208.10 + 21.10	----	1	----	1	----	0 -	1	
4775	189.80	----	189.80	257.90B/189.80	257.90B/110.00A	----	----	----	213.10 + 21.40	----	5	----	4	----	0 -	6	
4795	----	----	----	#277.90B/----	#277.90B/130.00A	----	----	----	233.10 + 22.30	----	1	----	----	----	0 -	1	
4800	----	----	----	282.90B/----	282.90B/134.40A	----	----	----	238.10 + 22.40	15	----	----	1	----	0 -	15	
4815	----	----	----	#297.90B/----	#297.90B/149.20A	----	----	----	253.10 + 22.80	5	----	----	----	----	0 -	5	
4850	----	----	----	332.90B/----	332.90B/184.00A	----	----	----	288.10 + 23.20	1	----	----	----	----	0 -	1	
4855	----	----	----	#337.90B/----	#337.90B/189.00A	----	----	----	293.10 + 23.20	1	----	----	----	----	0 -	1	
4875	----	----	----	357.90B/----	357.90B/208.90A	----	----	----	313.10 + 23.30	1	----	----	----	----	0 -	1	
4890	----	----	----	#372.90B/----	#372.90B/223.90A	----	----	----	328.10 + 23.30	1	----	----	----	----	0 -	1	
4900	----	----	----	382.90B/----	382.90B/234.30A	----	----	----	338.10 + 23.30	2	----	----	----	----	0 -	2	
4905	----	----	----	#387.90B/----	#387.90B/239.00A	----	----	----	343.10 + 23.30	----	----	----	----	----	0	UNCH	
5025	----	----	----	#507.90B/----	#507.90B/358.80A	----	----	----	463.10 + 23.30	----	----	----	2	----	0	UNCH	
5200	----	----	----	#682.90B/----	#682.90B/533.80A	----	----	----	638.10 NEW	----	2	----	----	----	0	UNCH	
6250	----	----	----	#1,732.00B/----	#1732.00B/1584.10A	----	----	----	1688.10 NEW	----	----	----	300	----	0	UNCH	
6500	----	----	----	#1,981.70B/----	#1981.70B/1833.90A	----	----	----	1938.10 NEW	----	----	----	300	----	0	UNCH	
TOTAL												5037				4758	
OG3 CALL		GOLD OPTIONS															
MAY26																	
3250	----	----	----	----/*1,267.50A	1416.30B/*1267.50A	----	----	----	1311.90 NEW	----	----	----	300	----	0	UNCH	
3500	----	----	----	----/*1,017.10A	1166.30B/*1017.10A	----	----	----	1061.90 NEW	----	----	----	300	----	0	UNCH	
4200	400.00	400.00	400.00	400.00/*317.20A	466.00B/*317.20A	----	----	----	361.90 - 23.50	----	1	----	1	----	0	UNCH	
4250	----	----	----	----/*267.30A	416.50B/*267.30A	----	----	----	311.90 - 23.50	----	2	----	----	----	0 -	2	
4400	----	----	----	----/*118.20A	266.80B/*118.20A	----	----	----	161.90 - 23.90	----	3	----	----	----	0 -	3	
4450	----	----	----	----/*70.30A	217.00B/*70.30A	----	----	----	111.90 - 24.00	----	3	----	----	----	0 -	3	
4500	60.40	60.40	60.40	60.40/*28.50A	167.30B/*28.50A	----	----	----	61.90 - 24.20	----	2	----	6	----	0 -	1	
4505	52.90	52.90	52.90	52.90/*25.20A	161.90B/*25.20A	----	----	----	56.90 NEW	----	1	----	1	----	0	UNCH	
4520	42.10	42.10	42.10	42.90/*16.40	147.20B/*16.40	----	----	----	41.90 NEW	----	7	----	15	----	0	UNCH	
4530	16.50	16.50	16.50	16.50/*9.50A	137.70B/*9.50A	----	----	----	31.90 NEW	----	8	----	8	----	0	UNCH	
4535	15.80	15.80	15.80	18.00/*6.20	132.80B/*6.20	----	----	----	26.90 NEW	----	15	----	20	----	0	UNCH	
4540	14.00	14.00	14.00	20.00/*4.40A	127.90B/*4.40A	----	----	----	21.90 NEW	----	13	----	29	----	0	UNCH	
4545	25.30	25.30	25.30	37.00/*2.40	122.60B/*2.40	----	----	----	16.90 NEW	----	68	----	104	----	0	UNCH	
4550	28.30	28.30	28.30	29.20/*1.20	117.80B/*1.20	----	----	----	11.90 - 24.70	105	----	199	----	0 -	38		
4555	23.50	23.50	23.50	23.50/*1.00A	113.30B/*1.00A	----	----	----	6.90 NEW	----	81	----	91	----	0	UNCH	
4560	40.50	40.50	40.50	40.50/*0.40	108.10B/*0.40	----	----	----	1.90 NEW	----	85	----	180	----	0	UNCH	
4565	24.70	24.70	24.70	26.00/*0.20	103.20B/*0.20	----	----	----	0.00 NEW	----	----	----	168	----	0	UNCH	
4570	14.00	14.00	14.00	23.10/*0.10	98.40B/*0.10	----	----	----	0.00 NEW	----	----	----	84	----	0	UNCH	
4575	21.10	21.10	21.10	22.00/*0.10	94.50B/*0.10	----	----	0.00 - 12.20	0.00 NEW	----	----	----	130	----	0 -	7	
4580	22.80	22.80	22.80	24.00/*0.20	89.40B/*0.20	----	----	0.00 NEW	0.00 NEW	----	----	----	133	150	0	UNCH	
4585	21.00	21.00	21.00	21.00/*0.20A	84.70B/*0.20A	----	----	0.00 NEW	0.00 NEW	----	----	----	140	----	0	UNCH	
4590	43.70	43.70	43.70	47.00/*0.20	79.50B/*0.20	----	----	0.00 - 97.80	0.00 NEW	----	----	----	81	----	0 -	1	
4595	21.00	21.00	21.00	21.00/*0.40A	75.40B/*0.40A	----	----	0.00 NEW	0.00 NEW	----	----	----	113	----	0	UNCH	
4600	37.10	37.10	37.10	37.10/*0.20	70.40B/*0.20	----	----	0.00 - 88.40	0.00 NEW	----	----	----	256	----	0 -	128	
4605	16.50	16.50	16.50	16.50/*0.30A	65.90B/*0.30A	----	----	0.00 NEW	0.00 NEW	----	----	----	37	----	0	UNCH	
4610	12.40	12.40	12.40	12.40/*0.20A	61.90B/*0.20A	----	----	0.00 NEW	0.00 NEW	----	----	----	67	----	0	UNCH	
4615	23.30	23.30	23.30	23.30/*0.20A	57.60B/*0.20A	----	----	0.00 NEW	0.00 NEW	----	----	----	21	----	0	UNCH	
4620	28.00	28.00	28.00	28.00/*0.20A	52.90B/*0.20A	----	----	0.00 NEW	0.00 NEW	----	----	----	40	----	0	UNCH	
4625	21.00	21.00	21.00	23.50/*0.20A	49.00B/*0.20A	----	----	0.00 - 65.70	0.00 NEW	----	----	----	141	----	0 -	3	
4630	21.80	21.80	21.80	25.00/*0.30	45.50B/*0.30	----	----	0.00 - 61.40	0.00 NEW	----	----	----	42	----	0 -	1	
4635	20.80	20.80	20.80	22.00/*0.30A	41.80B/*0.30A	----	----	0.00 NEW	0.00 NEW	----	----	----	21	----	0	UNCH	
4640	4.10	4.10	4.10	4.20/*0.20A	37.30B/*0.20A	----	----	0.00 - 53.00	0.00 NEW	----	----	----	27	----	0 -	1	
4645	15.50	15.50	15.50	17.00/*0.30A	34.20B/*0.30A	----	----	0.00 NEW	0.00 NEW	----	----	----	16	----	0	UNCH	
4650	17.50	17.50	17.50	17.50/*0.10	30.50B/*0.10	----	----	0.00 - 45.20	0.00 NEW	----	----	----	62	----	0 -	161	
4655	2.60	2.60	2.60	2.60/*0.20	27.80B/*0.20	----	----	0.00 - 41.50	0.00 NEW	----	----	----	2	----	0 -	2	
4660	24.50	24.50	24.50	25.40B/*0.20	25.40B/*0.20	----	----	0.00 - 37.90	0.00 NEW	----	----	----	44	----	0	128	
4665	21.20	21.20	21.20	22.60B/*0.20	22.60B/*0.20	----	----	0.00 - 34.50	0.00 NEW	----	----	----	10	----	0	5	
4670	10.00	10.00	10.00	10.00/*0.10	20.30B/*0.10	----	----	0.00 - 31.30	0.00 NEW	----	----	----	37	----	0	6	
4675	14.10	14.10	14.10	17.80B/*0.20A	17.80B/*0.20A	----	----	0.00 - 28.30	0.00 NEW	----	----	----	73	----	0	18	
4680	16.00	16.00	16.00	16.00/*0.10A	16.00/*0.10A	----	----	0.00 - 25.40	0.00 NEW	----	----	----	16	----	0	12	
4685	13.90	13.90	13.90	15.00/*0.20A	15.00/*0.20A	----	----	0.00 - 22.80	0.00 NEW	----	----	----	13	----	0	21	
4690	13.00	13.00	13.00	13.00/*0.10	13.00/*0.10	----	----	0.00 - 20.30	0.00 NEW	----	----	----	17	----	0	6	
4695	10.50	10.50	10.50	11.00/*0.20A	11.00/*0.20A	----	----	0.00 - 18.10	0.00 NEW	----	----	----	112	----	0	465	
4700	8.70	8.70	8.70	10.00/*0.10	10.00/*0.10	----	----	0.00 - 16.00	0.00 NEW	----	----	----	58	----	0	57	
4705	7.80	7.80	7.80	8.60/*0.10	8.60/*0.10	----	----	0.00 - 14.10	0.00 NEW	----	----	----	37	----	0	37	
4710	6.00	6.00	6.00	6.50/*0.20A	6.50/*0.20A	----	----	0.00 - 12.50	0.00 NEW	----	----	----	13	----	0	10	
4715	1.90	1.90	1.90	1.90/*0.20A	4.50B/*0.20A	----	----	0.00 - 10.90	0.00 NEW	----	----	----	9	----	0	85	
4720	1.90	1.90	1.90	2.00/*0.10A	4.50B/*0.10A	----	----	0.00 - 9.60	0.00 NEW	----	----	----	15	----	0	231	
4725	1.20	1.20	1.20	1.20/*0.10	3.70B/*0.10	----	----	0.00 - 8.40	0.00 NEW	----	----	----	19	----	0	38	
4730	1.50	1.50	1.50	1.50/*0.10	3.10B/*0.10	----	----	0.00 - 7.30	0.00 NEW	----	----	----	15	----	0	3	
4735	----	----	----	----/*0.20A	2.60B/*0.20A	----	----	0.00 - 6.30	0.00 NEW	----	----	----	70	----	0	103	
4740	2.50	2.50	2.50	2.90/*0.10A	2.90/*0.10A	----	----	0.00 - 5.50	0.00 NEW	----	----	----	55	----	0	55	
4745	----	----	----	----/*0.20A	1.70B/*0.20A	----	----	0.00 - 4.80	0.00 NEW	----	----	----	2	----	0	231	
4750	1.80	1.80	1.80	2.20/*0.10	2.20/*0.10	----	----	0.00 - 4.10	0.00 NEW	----	----	----	4	----	0	11	
4755	0.30	0.30	0.30	0.30/*0.20A	1.30B/*0.20A	----	----	0.00 - 3.60	0.00 NEW	----	----	----	5	----	0	15	
4760	1.90	1.90	1.90	1.90/*0.20A	1.90/*0.20A	----	----	0.00 - 3.10	0.00 NEW	----	----	----	1	----	0	2	
4765	----	----	----	----/*0.10A	0.80B/*0.10A	----	----	0.00 - 2.70	0.00 NEW	----	----	----	2	----	0	12	
4770	0.40	0.40	0.40	0.40/*0.10A	1.20B/*0.10A	----	----	0.00 - 2.30	0.00 NEW	----	----	----	1	----	0	8	
4775	1.10	1.10	1.10	1.10/*0.10	1.10/*0.10	----	----	0.00 - 2.00	0.00 NEW	----	----	----	43	----	0	128	
4780	----	----	----	----/*0.20A	0.70B/*0.20A	----	----	0.00 - 1.70	0.00 NEW	----	----	----	2	----	0	7	
4785	----	----	----	----/*0.20A	0.40B/*0.20A	----	----	0.00 - 1.50	0.00 NEW	----	----	----	1	----	0	8	
4790	0.40	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	----	0.00 - 1.30	0.00 NEW	----	----	----	2	----	0	16	
4795	----	----	----	----/*0.10A	0.30B/*0.10A	----	----	0.00 - 1.10	0.00 NEW	----	----	----	2	----	0	2	
4800	0.60	0.60	0.60	0.60/*0.10	0.60/*0.10	----	----	0.00 - 1.00	0.00 NEW	----	----	----	38	----	0	493	
4805	----	----	----	----/*0.10A	----/*0.10A	----	----	0.00 - 0.90	0.00 NEW	----	----	----	----	----			

PG64	BULLETIN # 93@				METALS OPTION PRODUCTS						Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG3 CALL															
MAY26															
5125	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	18
5150	----	----		----	----/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	66
5175	----	----		----	----/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	4
5200	----	----		----	----/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	11
5225	----	----		----	----/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	4
5300	----	----		----	----/*0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	10
5325	----	----		----	----/0.10A	----		0.00 - 0.10	----	----	----	----	----	0 -	3
5400	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	20
5500	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	12
5600	----	----		----	----/0.20A	----		0.00 - 0.10	----	----	----	----	----	0 -	1
6250	----	----		----	----/0.40A	----		0.00 NEW	----	----	----	300	----	0	UNCH
6500	----	----		----	----/0.40A	----		0.00 NEW	----	----	----	300	----	0	UNCH
TOTAL												4168	150	0-	5095
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG1 PUT															
JUN26															
3500	1.10	1.10		#1.50/1.10	#1.50/1.00A	----		1.40 NEW	.0066	----	----	23	----	23 +	23
3750	2.00	2.00		#3.00B/*2.00	#3.00B/2.00	----		2.50 + 1.20	.0136	----	----	9	----	9 +	8
3800	3.40	3.40		#3.40/*3.40	#3.40/3.00A	----		2.80 NEW	.0157	----	----	2	----	2 +	2
4000	----	----		#6.40B/----	#6.40B/5.30A	----		5.10 + 2.70	.0318	----	----	----	----	1	UNCH
4100	8.20	8.20		#10.20B/8.20	#10.20B/7.80A	----		7.50 NEW	.0486	----	----	2	----	2 +	2
4200	14.40	14.40		#16.90B/14.40	#16.90B/10.50A	----		11.90 + 6.50	.0782	----	----	1	----	2 +	1
4250	18.60	18.60		#22.20B/18.60	#22.20B/11.70A	----		15.30 + 8.40	.1004	----	----	1	----	8 +	1
4275	20.80	20.80		#25.20B/20.80	#25.20B/10.60A	----		17.50 + 9.70	.1142	----	----	2	----	14	UNCH
4300	20.00	20.00		#29.00B/19.00	#29.00B/11.40A	----		20.00 + 11.10	.1297	----	----	12	----	10 +	8
4325	24.70	24.70		#33.20B/24.70	#33.20B/13.10A	----		23.00 + 12.70	.1476	----	----	3	----	15 +	1
4350	21.00	21.00		#38.10B/21.00	#38.10B/14.90A	----		26.40 NEW	.1676	----	----	3	----	3 +	3
4400	38.00	38.00		#50.10B/36.90	#50.10B/19.20A	----		35.20 NEW	.2156	----	----	42	----	38 +	38
4425	42.50	42.50		#57.10B/42.50	#57.10B/22.70A	----		40.60 + 22.20	.2434	----	----	1	----	15 +	1
4450	50.80	50.80		#65.20B/50.80	#65.20B/26.60A	----		46.80 NEW	.2738	----	----	1	----	1 +	1
4475	56.20	56.20		#74.00B/56.20	#74.00B/29.70A	----		53.90 + 28.90	.3066	----	----	1	----	2 -	1
4500	----	----		#83.80B/----	#83.80B/35.00A	----		61.90 + 32.70	.3416	----	----	----	----	2	UNCH
4525	----	----		#94.50B/----	#94.50B/39.80A	----		70.80 + 36.80	.3784	----	----	1	----	1	UNCH
4575	----	----		#118.90B/----	#118.90B/53.20A	----		91.70 NEW	.4561	----	----	11	----	11 +	11
4600	----	----		#132.60B/----	#132.60B/62.60A	----		103.70 + 50.20	.4961	----	----	----	----	3	UNCH
4650	----	----		#163.20B/----	#163.20B/80.60A	----		130.90 + 59.80	.5760	----	----	----	----	1	UNCH
4700	----	----		#197.70B/----	#197.70B/104.30A	----		162.30 + 69.30	.6521	----	----	----	----	22	UNCH
4750	----	----		#228.30B/----	#228.30B/133.10A	----		197.50 + 78.40	.7214	----	----	----	----	28	UNCH
4775	----	----		#247.40B/----	#247.40B/148.70A	----		216.50 + 82.70	.7525	----	----	2	----	11 +	2
TOTAL												117		224+	101
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG1 CALL															
JUN26															
4575	----	----		----/*97.60A	171.40B/*97.60A	----		112.10 NEW	.5433	----	----	12	----	12 +	12
4625	----	----		----/*76.00A	139.00B/*76.00A	----		87.30 NEW	.4631	----	----	2	----	2 +	2
4675	----	----		----/*58.90A	110.30B/*58.90A	----		66.70 - 59.70	.3846	----	----	----	----	2	UNCH
4700	63.00	63.00		63.00/*51.50A	97.80B/*51.50A	----		58.00 - 54.90	.3473	----	----	16	----	18 +	16
4725	47.60	47.60		47.60/*44.90A	89.70B/*44.90A	----		50.20 - 50.30	.3116	----	----	2	----	1	UNCH
4750	----	----		----/*39.10A	78.60B/*39.10A	----		43.30 - 45.80	.2780	----	----	8	----	20 +	7
4775	----	----		----/*34.00A	66.60B/*34.00A	----		37.30 - 41.50	.2470	----	----	3	----	20 +	3
4825	----	----		----/*25.20A	50.80B/*25.20A	----		27.50 NEW	.1922	----	----	3	----	3 +	3
4850	24.00	24.00		24.00/*21.60A	44.40B/*21.60A	----		23.60 NEW	.1688	----	----	391	----	391 +	391
4875	----	----		----/*18.60A	38.50B/*18.60A	----		20.30 NEW	.1480	----	----	1	----	1 +	1
4900	18.00	18.00		18.30/*16.10A	33.00B/*16.10A	----		17.40 - 23.40	.1293	----	----	9	----	7 +	3
4950	----	----		----/*12.10A	25.10B/*12.10A	----		13.00 - 18.10	.0991	----	----	1	----	3 +	1
5000	9.60	9.60		9.60/*9.30A	19.70B/*9.30A	----		9.80 NEW	.0761	----	----	1	----	1 +	1
5200	4.50	4.50		4.50/*4.00A	4.70B/*4.00A	----		3.90 NEW	.0301	----	----	1	----	1 +	1
5225	----	----		----/*3.70A	3.80B/*3.70A	----		3.50 - 3.90	.0270	----	----	----	----	1	UNCH
5250	----	----		----/*3.40A	3.60B/*3.40A	----		3.20 - 3.40	.0245	----	----	----	----	1	UNCH
5300	----	----		----/*3.00A	2.70B/*3.00A	----		2.70 - 2.60	.0204	----	----	----	----	3	UNCH
5400	2.20	2.20		2.20/*2.20	2.20/*2.20	----		2.00 - 1.50	.0146	----	----	1	----	1	UNCH
5600	----	----		----/*1.70A	1.30B/*1.70A	----		1.10 - 0.70	.0076	----	----	----	----	1	UNCH
TOTAL												451		489+	441
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT															
JUN26															
1325	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	15	UNCH
1375	----	----		----	----/0.40A	----		0.10 UNCH	----	----	----	----	----	1	UNCH
1400	----	----		----	----/0.40A	----		0.10 UNCH	----	----	----	----	----	1	UNCH
1425	----	----		----	----/0.40A	----		0.10 UNCH	----	----	----	----	----	1	UNCH
1475	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	11	UNCH
1500	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	3	UNCH
1525	----	----		----	----/0.10A	----		0.10 UNCH	----	----	----	----	----	8	UNCH
1575	----	----		----	----/0.40A	----		0.10 UNCH	----	----	----	----			

BULLETIN # 93@				METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JUN26																
2130	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2170	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	5	UNCH
2180	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	6	UNCH
2195	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	5	UNCH
2200	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	9	UNCH
2205	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	7	UNCH
2220	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2230	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	25	UNCH
2235	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	21	UNCH
2240	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	6	UNCH
2250	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	5	UNCH
2300	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	13	UNCH
2315	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	40	UNCH
2330	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	9	UNCH
2350	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	1	UNCH
2380	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	14	UNCH
2385	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2390	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2395	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2400	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	72	UNCH
2405	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2410	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	6	UNCH
2415	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2420	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	5	UNCH
2425	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	23	UNCH
2430	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2445	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	5	UNCH
2450	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	51	UNCH
2460	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2465	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	7	UNCH
2475	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	3	UNCH
2495	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH
2500	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	1928	UNCH
2510	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	2	UNCH
2525	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	25	UNCH
2535	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	5	UNCH
2540	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	5	UNCH
2550	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	50	UNCH
2565	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	5	UNCH
2580	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	5	UNCH
2590	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	13	UNCH
2600	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	189	UNCH
2645	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	10	UNCH
2650	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	1	UNCH
2685	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	26	UNCH
2695	----	----	----	----	----	---/0.40A	----		0.10	UNCH	----	----	----	----	2	UNCH
2700	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	427	UNCH
2730	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	35	UNCH
2750	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	6	UNCH
2800	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	768	UNCH
2805	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	223	UNCH
2810	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	18	UNCH
2825	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	56	UNCH
2830	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	25	UNCH
2850	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	32	UNCH
2865	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	2	UNCH
2875	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	7	UNCH
2900	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	157	UNCH
2905	----	----	----	----	----	---/0.10A	----		0.10	UNCH	----	----	----	----	5	UNCH
2915	----	----	----	----	----	---/0.50A	----		0.10	UNCH	----	----	----	----	1	UNCH
2930	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	1	UNCH
2935	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	5	UNCH
2950	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	24	UNCH
2955	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	8	UNCH
2970	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	2	UNCH
2975	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	10	UNCH
2990	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	5	UNCH
2995	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	6	UNCH
3000	0.10	0.10		0.10/0.10		0.10/0.10			0.10	UNCH	.0000	----	2	----	1894	UNCH
3005	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	30	UNCH
3010	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	8	UNCH
3015	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	216	UNCH
3020	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	35	UNCH
3035	----	----	----	----	----	---/0.50A	----		0.10	UNCH	.0000	----	----	----	1	UNCH
3045	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	56	UNCH
3050	0.10	0.10		0.10/0.10		0.10/0.10			0.10	UNCH	.0000	----	15	----	407 +	15
3065	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	7	UNCH
3070	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	7	UNCH
3075	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	30	UNCH
3080	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	8	UNCH
3085	----	----	----	----	----	---/0.50A	----		0.10	UNCH	.0000	----	----	----	1	UNCH
3095	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	42	UNCH
3100	0.10	0.10		0.10/0.10		0.10/0.10			0.10	UNCH	.0000	----	10	----	512 +	10
3105	----	----	----	----	----	---/0.10A	----		0.10	UNCH	.0000	----	----	----	13	UNCH
3110	----	----	----	----	----	---/0.10A	----		0.10	UNCH						

BULLETIN # 93@				METALS OPTION PRODUCTS										Fri, May 15, 2026				PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																	
JUN26																		
3405	----	----	----	0.30B/----	0.30B/0.30A	----	0.20	UNCH	.0009	----	----	----	----	----	66	UNCH		
3410	----	----	----	0.30B/----	0.30B/0.30A	----	0.20	UNCH	.0009	----	----	----	----	----	7	UNCH		
3415	----	----	----	0.30B/----	0.30B/0.30A	----	0.30	+	0.10	.0014	----	----	----	----	3	UNCH		
3420	----	----	----	0.30B/----	0.30B/0.30A	----	0.30	+	0.10	.0014	----	----	----	----	18	UNCH		
3425	----	----	----	0.30B/----	0.30B/0.30A	----	0.30	+	0.10	.0014	----	----	----	----	25	UNCH		
3430	----	----	----	0.30B/----	0.30B/0.30A	----	0.30	+	0.10	.0014	----	----	1	----	39	-		
3435	----	----	----	0.30B/----	0.30B/0.30A	----	0.30	+	0.10	.0014	----	----	----	----	20	UNCH		
3450	----	----	----	0.30B/----	0.30B/0.30A	----	0.30	+	0.10	.0014	----	----	----	----	385	UNCH		
3455	----	----	----	0.30B/----	0.30B/0.30A	----	0.30	+	0.10	.0014	----	----	----	----	51	UNCH		
3460	----	----	----	0.40B/----	0.40B/0.30A	----	0.30	+	0.10	.0014	----	----	----	----	227	UNCH		
3465	----	----	----	0.40B/----	0.40B/0.30A	----	0.30	+	0.10	.0015	----	----	----	----	89	UNCH		
3470	----	----	----	0.40B/----	0.40B/0.40A	----	0.30	+	0.10	.0015	----	----	----	----	28	UNCH		
3475	----	----	----	0.40B/----	0.40B/0.40A	----	0.30	+	0.10	.0015	----	----	----	----	106	UNCH		
3480	----	----	----	0.40B/----	0.40B/0.40A	----	0.40	+	0.20	.0019	----	----	----	----	171	UNCH		
3485	----	----	----	0.50B/----	0.50B/0.40A	----	0.40	+	0.20	.0019	----	----	----	----	3	UNCH		
3490	----	----	----	0.40B/----	0.40B/0.40A	----	0.40	+	0.20	.0019	----	----	----	----	21	UNCH		
3500	0.30	0.30	----	0.60/0.30	0.60/0.30	----	0.40	+	0.20	.0020	----	----	6	----	1807	-		
3505	----	----	----	0.40B/----	0.40B/0.50A	----	0.40	+	0.20	.0020	----	----	----	----	65	UNCH		
3510	----	----	----	0.40B/----	0.40B/0.50A	----	0.40	+	0.20	.0020	----	----	----	----	86	UNCH		
3515	----	----	----	0.50B/----	0.50B/0.50A	----	0.40	+	0.20	.0020	----	----	----	----	16	UNCH		
3520	----	----	----	0.50B/----	0.50B/0.50A	----	0.50	+	0.30	.0024	----	----	----	----	138	UNCH		
3525	----	----	----	0.50B/----	0.50B/0.50A	----	0.50	+	0.30	.0025	----	----	----	----	301	UNCH		
3530	----	----	----	0.50B/----	0.50B/0.50A	----	0.50	+	0.20	.0025	----	----	----	----	7	UNCH		
3535	----	----	----	0.50B/----	0.50B/0.50A	----	0.50	+	0.20	.0025	----	----	----	----	100	UNCH		
3540	----	----	----	0.50B/----	0.50B/0.50A	----	0.50	+	0.20	.0025	----	----	----	----	5	UNCH		
3545	----	----	----	0.50B/----	0.50B/0.50A	----	0.50	+	0.20	.0025	----	----	----	----	22	UNCH		
3550	----	----	----	0.50B/----	0.50B/0.50A	----	0.50	+	0.20	.0025	----	----	----	----	417	UNCH		
3555	----	----	----	0.60B/----	0.60B/0.50A	----	0.50	+	0.20	.0025	----	----	----	----	2	UNCH		
3560	----	----	----	0.60B/----	0.60B/0.50A	----	0.60	+	0.30	.0030	----	----	----	----	89	UNCH		
3565	----	----	----	0.60B/----	0.60B/0.50A	----	0.60	+	0.30	.0030	----	----	----	----	41	UNCH		
3570	----	----	----	0.70B/----	0.70B/0.50A	----	0.60	+	0.30	.0030	----	----	----	----	60	UNCH		
3575	----	----	----	0.60B/----	0.60B/0.60A	----	0.60	+	0.30	.0031	----	----	----	----	41	UNCH		
3580	----	----	----	0.60B/----	0.60B/0.60A	----	0.60	+	0.30	.0031	----	----	----	----	76	UNCH		
3585	----	----	----	0.60B/----	0.60B/0.60A	----	0.60	+	0.30	.0031	----	----	----	----	4	UNCH		
3590	----	----	----	0.60B/----	0.60B/0.60A	----	0.60	+	0.30	.0031	----	----	----	----	3	UNCH		
3595	----	----	----	0.70B/----	0.70B/0.60A	----	0.70	+	0.40	.0036	----	----	----	----	23	UNCH		
3600	0.50	0.50	----	0.70B/0.50	0.70B/0.50	----	0.70	+	0.40	.0036	----	----	61	----	1799	-		
3610	----	----	----	0.70B/----	0.70B/0.60A	----	0.70	+	0.40	.0036	----	----	----	----	4	UNCH		
3615	----	----	----	0.70B/----	0.70B/0.60A	----	0.70	+	0.40	.0037	----	----	----	----	37	UNCH		
3620	----	----	----	0.70B/----	0.70B/0.60A	----	0.70	+	0.40	.0037	----	----	----	----	17	UNCH		
3625	----	----	----	0.70B/----	0.70B/0.60A	----	0.70	+	0.40	.0037	----	----	----	----	67	UNCH		
3630	----	----	----	0.80B/----	0.80B/0.70A	----	0.70	+	0.40	.0037	----	----	----	----	87	UNCH		
3635	----	----	----	0.80B/----	0.80B/0.70A	----	0.70	+	0.40	.0037	----	----	----	----	108	UNCH		
3640	----	----	----	0.80B/----	0.80B/0.70A	----	0.80	+	0.50	.0042	----	----	----	----	24	UNCH		
3645	----	----	----	0.80B/----	0.80B/0.70A	----	0.80	+	0.50	.0042	----	----	----	----	14	UNCH		
3650	0.60	0.60	----	0.80/0.60	0.80/0.60	----	0.80	+	0.50	.0043	----	----	15	----	700	-		
3655	----	----	----	0.80B/----	0.80B/0.70A	----	0.80	+	0.40	.0043	----	----	----	----	9	UNCH		
3660	----	----	----	0.90B/----	0.90B/0.70A	----	0.80	+	0.40	.0043	----	----	----	----	1	UNCH		
3665	1.00	1.00	----	1.00/1.00	1.00/0.70A	----	0.80	+	0.40	.0043	----	----	2	----	39	UNCH		
3670	----	----	----	0.90B/----	0.90B/0.70A	----	0.80	+	0.40	.0044	----	----	----	----	31	UNCH		
3675	----	----	----	0.90B/----	0.90B/0.80A	----	0.80	+	0.40	.0044	----	----	----	----	46	UNCH		
3680	----	----	----	0.90B/----	0.90B/0.80A	----	0.90	+	0.50	.0049	----	----	----	----	18	UNCH		
3685	0.90	0.90	----	0.90/0.90	0.90/0.80A	----	0.90	+	0.50	.0049	----	----	18	----	49	+		
3690	----	----	----	1.00B/----	1.00B/0.80A	----	0.90	+	0.50	.0049	----	----	----	----	15	UNCH		
3695	0.90	0.90	----	1.00B/0.90	1.00B/0.80A	----	0.90	+	0.50	.0050	----	----	1	----	19	UNCH		
3700	0.70	0.70	----	1.00B/0.70	1.00B/0.70	----	0.90	+	0.50	.0050	----	----	76	----	714	-		
3705	----	----	----	1.00B/----	1.00B/0.80A	----	0.90	+	0.50	.0050	----	----	----	----	164	UNCH		
3710	----	----	----	1.00B/----	1.00B/0.80A	----	0.90	+	0.50	.0051	----	----	----	----	80	UNCH		
3715	----	----	----	1.00B/----	1.00B/0.90A	----	0.90	+	0.50	.0051	----	----	----	----	50	UNCH		
3720	1.00	1.00	----	1.10B/1.00	1.10B/0.90A	----	1.00	+	0.60	.0056	----	2	----	4	UNCH			
3725	----	----	----	1.10B/----	1.10B/0.90A	----	1.00	+	0.60	.0056	----	----	----	----	121	UNCH		
3730	----	----	----	1.10B/----	1.10B/0.90A	----	1.00	+	0.60	.0057	----	----	----	----	20	UNCH		
3735	0.50	0.50	----	1.10B/0.50	1.10B/0.50	----	1.00	NEW	.0057	----	1	----	1	+	1	+		
3740	----	----	----	1.20B/----	1.20B/0.90A	----	1.00	+	0.60	.0057	----	----	----	----	70	UNCH		
3745	----	----	----	1.20B/----	1.20B/0.90A	----	1.00	+	0.50	.0058	----	----	----	----	20	UNCH		
3750	0.80	0.80	----	1.20B/0.80	1.20B/0.80	----	1.00	+	0.50	.0058	----	4	----	1329	-			
3755	----	----	----	1.20B/----	1.20B/1.00A	----	1.10	+	0.60	.0064	----	----	----	----	14	UNCH		
3760	1.10	1.10	----	1.20B/1.10	1.20B/1.00A	----	1.10	+	0.60	.0064	----	10	----	33	+			
3765	----	----	----	1.30B/----	1.30B/1.00A	----	1.10	+	0.60	.0064	----	----	----	----	48	UNCH		
3770	----	----	----	1.30B/----	1.30B/1.10A	----	1.10	+	0.60	.0065	----	----	----	----	17	UNCH		
3775	----	----	----	1.30B/----	1.30B/1.10A	----	1.10	+	0.60	.0065	----	----	----	----	71	UNCH		
3780	----	----	----	1.30B/----	1.30B/1.10A	----	1.20	+	0.70	.0071	----	----	----	----	15	UNCH		
3785	----	----	----	1.30B/----	1.30B/1.10A	----	1.20	+	0.70	.0071	----	----	----	----	7	UNCH		
3790	----	----	----	1.40B/----	1.40B/1.10A	----	1.20	+	0.70	.0071	----	----	----	----	259	UNCH		
3795	----	----	----	1.40B/----	1.40B/1.10A	----	1.20	+	0.60	.0072	----	----	----	----	83	UNCH		
3800	1.30	1.30	----	1.40/1.30	1.40/1.00A	----	1.20	+	0.60	.0072	----	56	----	2809	+			
3805	----	----	----	1.40B/----	1.40B/1.20A	----	1.30	+	0.70	.0078	----	----	----	----	71	UNCH		
3810	----	----	----	1.50B/----	1.50B/1.20A	----	1.30	+	0.70	.0078	----	----	----	----	45	UNCH		
3815	----	----	----	1.50B/----	1.50B/1.20A	----	1.30	+	0.70	.0079	----	----	----	----	40	UNCH		
3820	----	----	----	1.50B/----	1.50B/1.20A	----	1.30	+	0.70	.0079	----	----	----	----	18	UNCH		
3825	1.50	1.50	----	1.50/1.50	1.50/1.20A	----	1.40	+	0.80	.0085	----	1	----	40	UNCH			
3830	1.60	1.60	----	1.60/1.50	1.60/1.20A	----	1.40	+	0.80									



BULLETIN # 93@			METALS OPTION PRODUCTS										Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS															
JUN26																
4110	3.50	3.50	4.90B/3.50	4.90B/1.90A	----	3.30 + 2.00	.0264	----	----	12	----	154 -	2			
4115	4.20	4.20	5.10B/3.30	5.10B/1.90A	----	3.40 + 2.10	.0273	----	----	10	----	506 -	6			
4120	4.40	4.40	5.20B/4.40	5.20B/1.90A	----	3.50 + 2.20	.0282	----	----	1	----	85 +	1			
4125	4.00	4.00	5.40B/3.80	5.40B/1.90A	----	3.50 + 2.10	.0285	----	----	30	----	392 +	5			
4130	4.10	4.10	5.50B/4.10	5.50B/2.00A	----	3.60 + 2.20	.0294	----	----	2	----	53 +	1			
4135	4.40	4.40	5.70B/4.40	5.70B/2.00A	----	3.70 + 2.30	.0303	----	----	8	----	49 +	3			
4140	3.20	3.20	6.20/3.20	6.20/2.00A	----	3.80 + 2.40	.0312	----	----	19	----	50 +	9			
4145	4.20	4.20	6.10B/4.20	6.10B/2.10A	----	3.90 + 2.40	.0321	----	----	6	----	162 -	4			
4150	5.50	5.50	6.30B/4.00	6.30B/2.10A	----	4.00 + 2.50	.0331	----	----	1030	----	1363 +	820			
4155	4.40	4.40	6.40B/4.40	6.40B/2.10A	----	4.10 + 2.60	.0340	----	----	15	----	57 +	14			
4160	5.40	5.40	6.60B/5.40	6.60B/2.10A	----	4.20 + 2.60	.0350	----	----	11	----	229 +	6			
4165	5.60	5.60	6.90B/5.60	6.90B/2.10A	----	4.30 + 2.70	.0360	----	----	9	----	39 +	5			
4170	5.00	5.00	7.10B/5.00	7.10B/2.20A	----	4.40 + 2.80	.0370	----	----	14	----	65 +	9			
4175	5.80	5.80	7.30B/5.80	7.30B/2.20A	----	4.50 + 2.80	.0380	----	----	18	----	940 +	10			
4180	5.50	5.50	7.50B/5.20	7.50B/2.30A	----	4.60 + 2.90	.0390	----	----	22	----	126 +	1			
4185	5.50	5.50	7.80B/5.50	7.80B/2.30A	----	4.80 + 3.10	.0407	----	----	9	----	27 +	5			
4190	5.80	5.80	8.00B/5.60	8.00B/2.40A	----	4.90 + 3.10	.0418	----	----	54	----	48 +	5			
4195	6.00	6.00	8.30B/6.00	8.30B/2.40A	----	5.00 + 3.20	.0428	----	----	5	----	46 +	5			
4200	2.40	2.40	8.60B/2.40	8.60B/2.40	----	5.10 + 3.30	.0439	----	----	1520	----	3459 -	164			
4205	6.30	6.30	8.80B/5.90	8.80B/2.50A	----	5.30 + 3.40	.0457	----	----	35	----	61 -	9			
4210	6.50	6.50	9.10B/6.50	9.10B/2.50A	----	5.40 + 3.50	.0468	----	----	12	----	470 +	5			
4215	7.00	7.00	9.40B/7.00	9.40B/2.60A	----	5.50 + 3.50	.0480	----	----	20	----	55 +	18			
4220	6.90	6.90	9.80B/6.30	9.80B/2.60A	----	5.70 + 3.70	.0498	----	----	17	----	190 -	13			
4225	6.80	6.80	10.10B/6.00	10.10B/2.70A	----	5.90 + 3.80	.0516	----	----	21	----	316 -	5			
4230	5.40	5.40	10.40B/5.40	10.40B/2.80A	----	6.00 + 3.90	.0528	----	----	16	----	110 +	7			
4235	7.40	7.40	10.80B/7.40	10.80B/2.80A	----	6.20 + 4.00	.0547	----	----	6	----	71 +	3			
4240	7.70	7.70	11.20B/7.70	11.20B/2.90A	----	6.40 + 4.20	.0566	----	----	56	----	104 +	30			
4245	7.90	7.90	11.50B/7.90	11.50B/3.00A	----	6.60 + 4.30	.0585	----	----	9	----	93 +	3			
4250	4.00	4.00	11.90B/4.00	11.90B/3.10A	----	6.80 + 4.50	.0604	----	----	791	----	1351 +	107			
4255	7.20	7.20	12.40B/7.20	12.40B/3.20A	----	7.00 + 4.60	.0624	----	----	9	----	271 -	3			
4260	5.30	5.30	12.80B/5.30	12.80B/3.20A	----	7.20 + 4.80	.0644	----	----	1	----	118	UNCH			
4265	8.80	8.80	13.20B/8.80	13.20B/3.30A	----	7.40 + 4.90	.0664	----	----	34	----	101 +	13			
4270	9.00	9.00	13.70B/8.50	13.70B/3.40A	----	7.70 + 5.10	.0691	----	----	70	----	89 +	43			
4275	9.30	9.30	14.20B/9.30	14.20B/3.50A	----	7.90 + 5.30	.0712	----	----	21	----	155 +	10			
4280	11.50	11.50	14.70B/8.50	14.70B/3.60A	----	8.20 + 5.50	.0739	----	----	11	----	83	UNCH			
4285	6.20	6.20	15.20B/6.20	15.20B/3.70A	----	8.50 + 5.70	.0767	----	----	18	----	60 +	6			
4290	13.20	13.20	15.70B/13.10	15.70B/3.80A	----	8.80 + 5.90	.0795	----	----	4	----	129 -	1			
4295	13.60	13.60	16.30B/10.90	16.30B/4.00A	----	9.10 + 6.20	.0823	----	----	9	----	111 -	2			
4300	6.50	6.50	16.90B/6.50	16.90B/4.10A	----	9.40 + 6.40	.0852	----	----	1943	----	3748 +	170			
4305	13.40	13.40	17.50B/11.90	17.50B/4.20A	----	9.70 + 6.60	.0881	----	----	25	----	108 -	6			
4310	7.20	7.20	18.10B/7.20	18.10B/4.30A	----	10.00 + 6.80	.0910	----	----	62	----	95 +	16			
4315	7.50	7.50	18.80B/7.50	18.80B/4.50A	----	10.40 + 7.10	.0946	----	----	10	----	59 +	3			
4320	7.80	7.80	19.50B/7.80	19.50B/4.80A	----	10.80 + 7.40	.0982	----	----	16	----	112 -	1			
4325	8.60	8.60	20.20B/8.60	20.20B/4.80A	----	11.10 + 7.60	.1013	----	----	16	----	158	UNCH			
4330	9.10	9.10	20.90B/9.10	20.90B/5.00A	----	11.50 + 7.80	.1050	----	----	35	----	403 -	4			
4335	9.30	9.30	21.70B/8.70	21.70B/5.20A	----	11.90 + 8.10	.1088	----	----	36	----	86 -	6			
4340	9.00	9.00	22.50B/9.00	22.50B/5.40A	----	12.40 + 8.50	.1131	----	----	42	----	135 +	23			
4345	9.30	9.30	23.30B/9.30	23.30B/5.50A	----	12.80 + 8.70	.1170	----	----	17	----	74 -	3			
4350	9.70	9.70	24.10B/9.70	24.10B/5.70A	----	13.30 + 9.10	.1215	----	----	317	----	999 +	27			
4355	10.10	10.10	25.00B/10.10	25.00B/5.90A	----	13.80 + 9.50	.1260	----	----	71	----	124 +	30			
4360	11.10	11.10	25.90B/10.50	25.90B/6.10A	----	14.30 + 9.80	.1305	----	----	103	----	128 -	7			
4365	10.20	10.20	26.90B/10.20	26.90B/6.30A	----	14.80 + 10.10	.1352	----	----	52	----	111 +	38			
4370	12.00	12.00	27.80B/12.00	27.80B/6.60A	----	15.40 + 10.60	.1404	----	----	18	----	51 +	2			
4375	11.50	11.50	28.90B/11.50	28.90B/6.80A	----	15.90 + 10.90	.1452	----	----	44	----	512 -	14			
4380	12.40	12.40	29.90B/12.40	29.90B/7.00A	----	16.60 + 11.40	.1510	----	----	39	----	518 +	7			
4385	19.80	19.80	31.00B/16.60	31.00B/7.30A	----	17.20 + 11.80	.1564	----	----	16	----	96 -	2			
4390	26.00	26.00	32.10B/19.10	32.10B/7.60A	----	17.90 + 12.30	.1624	----	----	21	----	106 -	3			
4395	14.30	14.30	33.20B/13.90	33.20B/7.80A	----	18.60 + 12.80	.1684	----	----	17	----	101 +	2			
4400	12.40	12.40	34.50B/12.40	34.50B/8.10A	----	19.30 + 13.30	.1745	----	----	537	----	2139 +	109			
4405	14.90	14.90	35.70B/14.90	35.70B/8.40A	----	20.10 + 13.80	.1811	----	----	2	----	136 -	1			
4410	15.70	15.70	37.00B/15.10	37.00B/8.80A	----	20.90 + 14.40	.1878	----	----	27	----	427 -	6			
4415	13.00	13.00	38.40B/13.00	38.40B/9.10A	----	21.80 + 15.00	.1950	----	----	21	----	131 +	1			
4420	24.80	24.80	39.70B/24.80	39.70B/9.40A	----	22.60 + 15.60	.2018	----	----	8	----	117 -	1			
4425	17.40	17.40	41.10B/17.40	41.10B/9.80A	----	23.60 + 16.30	.2096	----	----	114	----	367 +	52			
4430	30.20	30.20	42.40B/26.00	42.40B/10.20A	----	24.50 + 16.90	.2170	----	----	4	----	100 +	2			
4435	30.00	30.00	44.10B/30.00	44.10B/10.60A	----	25.50 + 17.50	.2249	----	----	3	----	101 +	1			
4440	39.40	39.40	45.60B/29.70	45.60B/11.00A	----	26.50 + 18.20	.2328	----	----	19	----	91 +	1			
4445	32.90	32.90	47.30B/32.50	47.30B/11.40A	----	27.60 + 18.90	.2413	----	----	5	----	74 -	4			
4450	22.00	22.00	49.50/20.20	49.50/11.90A	----	28.70 + 19.70	.2497	----	----	622	----	2849 +	61			
4455	19.40	19.40	50.60B/19.40	50.60B/12.40A	----	29.90 + 20.50	.2587	----	----	112	----	195 +	84			
4460	25.70	25.70	52.40B/25.70	52.40B/12.80A	----	31										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
OG PUT JUN26																
4795	195.00	195.00		285.50B/----	285.50B/154.30A	----			241.00 + 01.90	.9100	----	----	----	----	50	UNCH
4800				290.10B/195.00	290.10B/158.50A	----			245.60 + 02.70	.9141	----	----	10	----	2808	-
4805				294.80B/----	294.80B/162.00A	----			250.30 + 03.60	.9175	----	----	----	----	82	UNCH
4810				299.50B/----	299.50B/166.50A	----			254.90 + 04.30	.9208	----	----	----	----	48	UNCH
4815				304.30B/----	304.30B/170.60A	----			259.60 + 05.00	.9248	----	----	----	----	119	UNCH
4820				309.00B/----	309.00B/174.40A	----			264.30 + 05.80	.9273	----	----	----	----	44	UNCH
4825				313.70B/----	313.70B/178.80A	----			269.10 + 06.50	.9305	----	----	2	----	202	UNCH
4830	241.20	241.20		318.50B/241.20	318.50B/183.00A	----			273.80 + 07.20	.9337	----	----	1	----	122	-
4835				323.30B/----	323.30B/187.30A	----			278.60 + 07.90	.9361	----	----	----	----	30	UNCH
4840				328.00B/----	328.00B/190.80A	----			283.30 + 08.50	.9384	----	----	----	----	46	UNCH
4845				332.80B/----	332.80B/195.80A	----			288.10 + 09.10	.9407	----	----	----	----	23	UNCH
4850				337.60B/----	337.60B/199.80A	----			292.90 + 09.70	.9430	----	----	----	----	574	UNCH
4855				342.40B/----	342.40B/203.70A	----			297.70 + 10.30	.9453	----	----	----	----	315	UNCH
4860				347.20B/----	347.20B/208.10A	----			302.50 + 10.80	.9475	----	----	----	----	90	UNCH
4865				352.10B/----	352.10B/213.10A	----			307.40 + 11.40	.9497	----	----	----	----	50	UNCH
4870				356.90B/----	356.90B/217.50A	----			312.20 + 11.90	.9519	----	----	----	----	44	UNCH
4875				361.70B/----	361.70B/222.00A	----			317.00 + 12.30	.9533	----	----	----	----	71	UNCH
4880				366.60B/----	366.60B/226.60A	----			321.90 + 12.90	.9554	----	----	----	----	9	UNCH
4885				371.40B/----	371.40B/231.10A	----			326.70 + 13.30	.9567	----	----	----	----	7	UNCH
4890				376.30B/----	376.30B/235.40A	----			331.50 + 13.70	.9588	----	----	----	----	47	UNCH
4895				381.10B/----	381.10B/239.60A	----			336.40 + 14.10	.9609	----	----	----	----	228	UNCH
4900	290.00	290.00		386.00B/290.00	386.00B/244.50A	----			341.20 + 14.50	.9622	----	----	1	1684	UNCH	
4905				390.90B/----	390.90B/248.90A	----			346.10 + 14.90	.9634	----	----	----	----	11	UNCH
4910				395.80B/----	395.80B/253.70A	----			351.00 + 15.30	.9655	----	----	----	----	59	UNCH
4915				400.70B/----	400.70B/258.30A	----			355.80 + 15.50	.9667	----	----	----	----	36	UNCH
4920				405.50B/----	405.50B/262.40A	----			360.70 + 15.90	.9679	----	----	----	----	92	UNCH
4925				410.40B/----	410.40B/267.00A	----			365.60 + 16.20	.9690	----	----	----	----	74	UNCH
4930				415.30B/----	415.30B/271.80A	----			370.50 + 16.50	.9702	----	----	----	----	198	UNCH
4940				413.90B/----	413.90B/281.20A	----			380.30 + 17.10	.9725	----	----	----	----	64	UNCH
4945				418.80B/----	418.80B/286.50A	----			385.30 + 17.50	.9727	----	----	----	----	13	UNCH
4950				427.40B/----	427.40B/291.10A	----			390.20 + 17.70	.9739	----	----	----	----	291	UNCH
4955				428.60B/----	428.60B/295.80A	----			395.10 + 18.00	.9750	----	----	----	----	32	UNCH
4960				433.50B/----	433.50B/300.00A	----			400.10 + 18.30	.9752	----	----	----	----	23	UNCH
4965				438.50B/----	438.50B/305.30A	----			405.00 + 18.50	.9763	----	----	----	----	29	UNCH
4970				443.40B/----	443.40B/309.50A	----			409.90 + 18.70	.9773	----	----	----	----	44	UNCH
4975				449.90B/----	449.90B/314.40A	----			414.90 + 19.00	.9776	----	----	----	----	156	UNCH
4980				453.20B/----	453.20B/319.60A	----			419.80 + 19.10	.9786	----	----	----	----	29	UNCH
4985				458.20B/----	458.20B/323.70A	----			424.80 + 19.40	.9788	----	----	----	----	10	UNCH
4990				466.80B/----	466.80B/328.80A	----			429.70 + 19.60	.9798	----	----	----	----	293	UNCH
4995				468.00B/----	468.00B/334.10A	----			434.60 + 19.70	.9800	----	----	----	----	12	UNCH
5000				476.70B/----	476.70B/338.00A	----			439.60 + 19.90	.9810	----	----	----	----	1845	UNCH
5005				481.60B/----	481.60B/343.20A	----			444.50 + 20.00	.9812	----	----	----	----	300	UNCH
5010				482.80B/----	482.80B/348.60A	----			449.50 + 20.20	.9822	----	----	----	----	13	UNCH
5015				487.80B/----	487.80B/353.30A	----			454.40 + 20.30	.9832	----	----	----	----	49	UNCH
5020				492.70B/----	492.70B/357.80A	----			459.40 + 20.50	.9833	----	----	2	----	33	+
5025				497.70B/----	497.70B/363.10A	----			464.30 + 20.60	.9843	----	----	----	----	53	UNCH
5030				502.60B/----	502.60B/367.60A	----			469.30 + 20.80	.9845	----	----	----	----	66	UNCH
5035				507.60B/----	507.60B/372.40A	----			474.20 + 20.80	.9854	----	----	----	----	13	UNCH
5040				512.50B/----	512.50B/377.70A	----			479.20 + 21.00	.9856	----	----	----	----	18	UNCH
5045				517.50B/----	517.50B/382.20A	----			484.10 + 21.00	.9865	----	----	----	----	5	UNCH
5050				526.20B/----	526.20B/387.00A	----			489.10 + 21.20	.9866	----	----	----	----	803	UNCH
5055				527.40B/----	527.40B/391.90A	----			494.00 + 21.20	.9876	----	----	----	----	63	UNCH
5060				532.30B/----	532.30B/396.80A	----			499.00 + 21.40	.9877	----	----	----	----	64	UNCH
5065				537.30B/----	537.30B/401.20A	----			503.90 + 21.40	.9887	----	----	----	----	17	UNCH
5070				542.30B/----	542.30B/406.60A	----			508.90 + 21.50	.9888	----	----	----	----	52	UNCH
5075				547.20B/----	547.20B/512.80A	----			513.80 + 21.50	.9888	----	----	1	----	30	+
5080				552.20B/----	552.20B/517.70A	----			518.80 + 21.60	.9898	----	----	1	----	32	+
5085				558.80B/----	558.80B/521.90A	----			523.80 + 21.70	.9899	----	----	----	----	123	UNCH
5090				563.70B/----	563.70B/526.90A	----			528.70 + 21.70	.9900	----	----	----	----	110	UNCH
5095				568.70B/----	568.70B/531.90A	----			533.70 + 21.80	.9909	----	----	----	----	107	UNCH
5100				575.80B/----	575.80B/535.40A	----			538.70 + 21.90	.9910	----	----	5	----	461	+
5105				577.00B/----	577.00B/542.60A	----			543.70 + 22.00	.9910	----	----	----	----	37	UNCH
5110				582.00B/----	582.00B/547.60A	----			548.60 + 21.90	.9911	----	----	----	----	74	UNCH
5115				587.00B/----	587.00B/552.60A	----			553.60 + 22.00	.9920	----	----	----	----	14	UNCH
5120				592.00B/----	592.00B/557.50A	----			558.60 + 22.10	.9921	----	----	----	----	25	UNCH
5125				598.50B/----	598.50B/561.70A	----			563.60 + 22.10	.9921	----	----	----	----	192	UNCH
5130				601.90B/----	601.90B/567.50A	----			568.50 + 22.10	.9922	----	----	----	----	25	UNCH
5135				606.90B/----	606.90B/572.50A	----			573.50 + 22.20	.9923	----	----	----	----	37	UNCH
5140				611.90B/----	611.90B/577.50A	----			578.50 + 22.20	.9932	----	----	----	----	14	UNCH
5145				616.80B/----	616.80B/582.40A	----			583.50 + 22.30	.9932	----	----	----	----	39	UNCH
5150				625.50B/----	625.50B/585.70A	----			588.50 + 22.30	.9933	----	----	1	----	389	UNCH
5155				626.80B/----	626.80B/592.40A	----			593.50 + 22.40	.9933	----	----	----	----	37	UNCH
5160				631.80B/----	631.80B/597.40A	----			598.50 + 22.40	.9934	----	----	----	----	70	UNCH
5165				636.80B/----	636.80B/602.40A	----			603.40 + 22.40	.9934	----	----	----	----	47	UNCH
5170				645.50B/----	645.50B/605.00A	----			608.40 + 22.40	.9935	----	----	----	----	507	UNCH
5175				646.70B/----	646.70B/612.30A	----			613.40 + 22.50	.9944	----	----	----	----	15	UNCH
5180				651.70B/----	651.70B/617.30A	----			618.40 + 22.50	.9944	----	----	----	----	17	UNCH
5185				656.70B/----	656.70B/622.30A	----			623.40 + 22.50	.9944	----	----	----	----	22	UNCH
5190				661.70B/----	661.70B/627.30A	----			628.40 + 22.60	.9945	----	----	2	----	5	-
5195				666.70B/----	666.70B/632.30A	----			633.40 + 22.60	.9945	----	----	----	----	8	UNCH
5200				675.40B/----	675.40B/635.00A	----			638.40 + 22.60	.9945	----	----	3	----	581	+
5205				676.70B/----	676.70B/642.30A	----			643.40 + 22.70	.9946	----	----	----	----	36	UNCH
5210				681.60B/----	681.60B/647.30A	----			648.40 + 22.70	.9946	----	----	----	----	68	UNCH
5215				686.60B/----	686.60B/652.30A	----			653.30 + 22.60	.9947	----	----	----	----	42	UNCH
5220				693.20B/----	693.20B/656.50A	----			658.30 + 22.70	.9947	----	----	----	----	188	UNCH
5225				698.20B/----	698.20B/661.40A	----			663.30 + 22.70	.9956	----	----	----	----	200	UNCH
5230				701.60B/----	701.60B/667.20A	----			668.30 + 22.70	.9956	----	----	----	----	7	UNCH
5235				708.20B/----	708.20B/671.40A	----			673.30 + 22.70	.9956	----	----	----	----	160	UNCH
5245				716.60B/----	716.60B/682.20A	----			683.30 + 22.80	.9957	----	----	----	----	9	UNCH
5250				725.30B/----	725.30B/685.40A	----			688.30 + 22.80	.9957	----	----	----	----	375	UNCH
5255				726.60B/----	726.60B/692.20A	----			693.30 + 22.80	.9957	----	----	----	----	9	UNCH
5260				731.50B/----	731.50B/697.20A	----			698.30 + 22.90	.9958	----	----	----	----	11	UNCH
5265				73												

BULLETIN # 93@				METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64	
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
COMEX GOLD OPTIONS																	
OG PUT																	
JUL26																	
2500	----	----	----	0.20B/0.50A	----	----	0.30 + 0.10	.0009	----	----	----	----	192 UNCH				
2550	----	----	----	0.20B/0.70A	----	----	0.30 + 0.10	.0009	----	----	----	----	1 UNCH				
2575	----	----	----	0.20B/0.60A	----	----	0.30 UNCH	.0010	----	----	----	----	1 UNCH				
2600	----	----	----	0.20B/0.60A	----	----	0.40 + 0.10	.0013	----	----	----	----	13 UNCH				
2620	----	----	----	0.30B/0.60A	----	----	0.40 + 0.10	.0013	----	----	----	----	1 UNCH				
2650	0.30	0.30	0.40/0.30	0.40/0.30	----	----	0.40 + 0.10	.0013	----	----	31	----	125 + 19				
2670	----	----	0.30B/0.70A	0.30B/0.70A	----	----	0.50 + 0.10	.0016	----	----	----	----	10 UNCH				
2675	0.20	0.20	0.40B/*0.20	0.40B/*0.20	----	----	0.50 + 0.10	.0016	----	----	21	----	66 + 21				
2680	----	----	0.30B/0.70A	0.30B/0.70A	----	----	0.50 + 0.10	.0016	----	----	----	----	10 UNCH				
2700	----	----	0.40B/0.80A	0.40B/0.80A	----	----	0.50 + 0.10	.0016	----	----	----	----	7 UNCH				
2705	----	----	0.40B/0.80A	0.40B/0.80A	----	----	0.50 + 0.10	.0016	----	----	----	----	1 UNCH				
2710	----	----	0.40B/0.80A	0.40B/0.80A	----	----	0.50 + 0.10	.0017	----	----	----	----	7 UNCH				
2730	----	----	0.50B/----	0.50B/0.90A	----	----	0.60 + 0.20	.0020	----	----	----	----	1 UNCH				
2750	----	----	0.50B/0.80A	0.50B/0.80A	----	----	0.60 + 0.10	.0020	----	----	----	----	21 UNCH				
2775	----	----	0.50B/0.90A	0.50B/0.90A	----	----	0.70 + 0.20	.0023	----	----	----	----	1 UNCH				
2785	0.60B/----	----	0.60B/0.90A	0.60B/0.90A	----	----	0.70 + 0.20	.0023	----	----	----	----	2 UNCH				
2800	0.60B/----	----	0.60B/0.90A	0.60B/0.90A	----	----	0.70 + 0.20	.0023	----	----	----	----	9 UNCH				
2850	0.70B/----	----	0.70B/1.00A	0.70B/1.00A	----	----	0.80 + 0.20	.0027	----	----	1	----	4 + 1				
2860	0.70B/----	----	0.70B/1.00A	0.70B/1.00A	----	----	0.80 + 0.20	.0027	----	----	----	----	6 UNCH				
2885	0.80B/----	----	0.80B/1.10A	0.80B/1.10A	----	----	0.90 + 0.20	.0031	----	----	----	----	14 UNCH				
2890	0.80B/----	----	0.80B/1.10A	0.80B/1.10A	----	----	0.90 + 0.20	.0031	----	----	----	----	60 UNCH				
2895	0.80B/----	----	0.80B/1.10A	0.80B/1.10A	----	----	0.90 + 0.20	.0031	----	----	----	----	18 UNCH				
2900	0.80B/----	----	0.80B/1.10A	0.80B/1.10A	----	----	0.90 + 0.20	.0031	----	----	----	----	19 UNCH				
2905	0.80B/----	----	0.80B/1.10A	0.80B/1.10A	----	----	1.00 + 0.30	.0034	----	----	----	----	19 UNCH				
2920	0.90B/----	----	0.90B/1.20A	0.90B/1.20A	----	----	1.00 + 0.30	.0034	----	----	----	----	3 UNCH				
2950	1.00B/----	----	1.00B/1.20A	1.00B/1.20A	----	----	1.10 + 0.30	.0038	----	----	----	----	35 UNCH				
2985	1.10B/----	----	1.10B/1.30A	1.10B/1.30A	----	----	1.20 + 0.30	.0042	----	----	----	----	21 UNCH				
2995	1.10B/----	----	1.10B/1.40A	1.10B/1.40A	----	----	1.20 + 0.30	.0042	----	----	----	----	16 UNCH				
3000	1.30	1.30	1.40/1.30	1.40/1.30	----	----	1.20 + 0.30	.0042	----	----	2	----	66 UNCH				
3010	----	----	1.20B/----	1.20B/1.40A	----	----	1.30 + 0.40	.0045	----	----	----	----	1 UNCH				
3015	----	----	1.20B/----	1.20B/1.40A	----	----	1.30 + 0.40	.0046	----	----	----	----	5 UNCH				
3025	----	----	1.20B/----	1.20B/1.40A	----	----	1.30 + 0.40	.0046	----	----	----	----	1 UNCH				
3035	----	----	1.30B/----	1.30B/1.50A	----	----	1.30 + 0.30	.0046	----	----	----	----	5 UNCH				
3050	----	----	1.30B/----	1.30B/1.50A	----	----	1.40 + 0.40	.0050	----	----	----	----	2 UNCH				
3100	1.20	1.20	1.40B/1.20	1.40B/1.20	----	----	1.50 + 0.40	.0055	----	----	1	----	44 + 1				
3105	----	----	1.50B/----	1.50B/1.70A	----	----	1.60 + 0.50	.0058	----	----	----	----	1 UNCH				
3125	----	----	1.50B/----	1.50B/1.70A	----	----	1.60 + 0.50	.0059	----	----	----	----	42 UNCH				
3140	----	----	1.60B/----	1.60B/1.70A	----	----	1.70 + 0.50	.0062	----	----	----	----	1 UNCH				
3150	----	----	1.60B/----	1.60B/1.80A	----	----	1.70 + 0.50	.0063	----	----	----	----	12 UNCH				
3155	----	----	1.60B/----	1.60B/1.80A	----	----	1.70 + 0.50	.0063	----	----	----	----	1 UNCH				
3165	----	----	1.70B/----	1.70B/1.80A	----	----	1.70 + 0.50	.0063	----	----	----	----	1 UNCH				
3180	----	----	1.70B/----	1.70B/1.80A	----	----	1.80 + 0.50	.0067	----	----	2	----	2 + 2				
3185	----	----	1.70B/----	1.70B/1.90A	----	----	1.80 + 0.50	.0067	----	----	----	----	20 UNCH				
3200	1.50	1.50	1.80B/1.50	1.80B/1.50	----	----	1.80 + 0.50	.0068	----	----	4	----	220 UNCH				
3210	----	----	1.80B/----	1.80B/1.90A	----	----	1.90 + 0.60	.0072	----	----	----	----	1 UNCH				
3220	----	----	1.90B/----	1.90B/1.90A	----	----	1.90 + 0.50	.0072	----	----	----	----	1 UNCH				
3225	----	----	1.90B/----	1.90B/2.00A	----	----	1.90 + 0.50	.0073	----	----	----	----	71 UNCH				
3250	----	----	2.00B/----	2.00B/2.00A	----	----	2.00 + 0.60	.0077	----	----	----	----	61 UNCH				
3275	----	----	2.10B/----	2.10B/2.10A	----	----	2.10 + 0.60	.0082	----	----	----	----	10 UNCH				
3280	----	----	2.10B/----	2.10B/2.10A	----	----	2.10 + 0.60	.0082	----	----	----	----	24 UNCH				
3285	----	----	2.10B/----	2.10B/2.10A	----	----	2.10 + 0.50	.0082	----	----	----	----	12 UNCH				
3290	----	----	2.20B/----	2.20B/2.10A	----	----	2.20 + 0.60	.0086	----	----	----	----	1 UNCH				
3300	2.20	2.20	2.50/2.20	2.50/2.20	----	----	2.20 + 0.60	.0086	----	----	2	----	83 + 1				
3320	2.20	2.20	2.30B/2.20	2.30B/2.20	----	----	2.30 + 0.60	.0091	----	----	1	----	28 + 1				
3325	----	----	2.30B/----	2.30B/2.30A	----	----	2.30 + 0.60	.0091	----	----	----	----	147 UNCH				
3335	----	----	2.30B/----	2.30B/2.30A	----	----	2.40 + 0.70	.0095	----	----	----	----	87 UNCH				
3340	----	----	2.40B/----	2.40B/2.30A	----	----	2.40 + 0.70	.0096	----	----	----	----	1 UNCH				
3350	----	----	2.50B/----	2.50B/2.30A	----	----	2.40 + 0.60	.0096	----	----	----	----	25 UNCH				
3355	----	----	2.50B/----	2.50B/2.40A	----	----	2.50 + 0.70	.0100	----	----	----	----	69 UNCH				
3360	----	----	2.50B/----	2.50B/2.40A	----	----	2.50 + 0.70	.0100	----	----	----	----	5 UNCH				
3370	----	----	2.60B/----	2.60B/2.40A	----	----	2.50 + 0.60	.0101	----	----	----	----	9 UNCH				
3380	2.60	2.60	2.70/2.60	2.70/2.40A	----	----	2.60 + 0.70	.0105	----	----	2	----	4 + 2				
3385	2.60	2.60	2.70/2.60	2.70/2.30A	----	----	2.60 + 0.70	.0106	----	----	2	----	6 + 2				
3390	----	----	2.60B/----	2.60B/2.50A	----	----	2.70 + 0.80	.0109	----	----	----	----	1 UNCH				
3395	----	----	2.70B/----	2.70B/2.40A	----	----	2.70 + 0.80	.0110	----	----	----	----	32 UNCH				
3400	2.80	2.80	2.80/2.80	2.80/2.50A	----	----	2.70 + 0.70	.0110	----	----	2	----	57 + 2				
3405	----	----	2.70B/----	2.70B/2.50A	----	----	2.70 + 0.70	.0111	----	----	----	----	1 UNCH				
3410	----	----	2.80B/----	2.80B/2.60A	----	----	2.80 + 0.80	.0114	----	----	----	----	5 UNCH				
3415	----	----	2.80B/----	2.80B/2.60A	----	----	2.80 + 0.80	.0115	----	----	----	----	1 UNCH				
3425	----	----	2.90B/----	2.90B/2.60A	----	----	2.80 + 0.80	.0116	----	----	----	----	57 UNCH				
3435	----	----	2.90B/----	2.90B/2.70A	----	----	2.90 + 0.80	.0120	----	----	----	----	5 UNCH				
3440	----	----	3.00B/----	3.00B/2.70A	----	----	2.90 + 0.80	.0121	----	----	----	----	1 UNCH				
3445	----	----	3.00B/----	3.00B/2.70A	----	----	3.00 + 0.90	.0124	----	----	----	----	2 UNCH				
3450	----	----	3.10B/----	3.10B/2.70A	----	----	3.00 + 0.90	.0125	----	----	----	----	132 UNCH				
3455	----	----	3.10B/----	3.10B/2.70A	----	----	3.00 + 0.90	.0125	----	----	----	----	10 UNCH				
3460	----	----	3.10B/----	3.10B/2.80A	----	----	3.00 + 0.80	.0126	----	----	----	----	10 UNCH				
3465	----	----	3.20B/----	3.20B/2.80A	----	----	3.10 + 0.90	.0130	----	----	----	----	142 UNCH				
3475	----	----	3.20B/----	3.20B/2.80A	----	----	3.10 + 0.90	.0131	----	----	12	----	128 - 12				

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
JUL26																
3825	----	----	----	8.70B/----	8.70B/5.40A	----	----	----	7.20 + 2.60	.0344	----	----	----	----	11	UNCH
3830	----	----	----	8.80B/----	8.80B/5.60A	----	----	----	7.30 + 2.70	.0349	----	----	----	----	24	UNCH
3835	----	----	----	9.00B/----	9.00B/5.70A	----	----	----	7.40 + 2.70	.0355	----	----	----	----	1	UNCH
3840	----	----	----	9.20B/----	9.20B/5.60A	----	----	----	7.50 + 2.70	.0360	----	----	----	----	33	UNCH
3845	----	----	----	9.30B/----	9.30B/5.80A	----	----	----	7.70 + 2.90	.0369	----	----	----	----	12	UNCH
3850	8.00	8.00	8.00	9.50B/8.00	9.50B/5.90A	----	----	----	7.80 + 2.90	.0374	----	----	3	----	221	+
3860	----	----	----	9.80B/----	9.80B/6.00A	----	----	----	8.00 + 3.00	.0385	----	----	----	----	42	UNCH
3865	----	----	----	10.00B/----	10.00B/6.10A	----	----	----	8.10 + 3.00	.0391	----	----	----	----	78	UNCH
3870	----	----	----	10.20B/----	10.20B/6.20A	----	----	----	8.30 + 3.20	.0400	----	----	----	----	4	UNCH
3875	9.00	9.00	9.00	10.30B/9.00	10.30B/6.30A	----	----	----	8.40 + 3.20	.0406	----	1	----	----	114	+
3880	----	----	----	10.50B/----	10.50B/6.30A	----	----	----	8.50 + 3.20	.0411	----	----	----	----	14	UNCH
3885	----	----	----	10.70B/----	10.70B/6.40A	----	----	----	8.70 + 3.40	.0420	----	2	----	----	39	+
3890	----	----	----	10.90B/----	10.90B/6.50A	----	----	----	8.80 + 3.40	.0426	----	----	----	----	4	UNCH
3895	----	----	----	11.10B/----	11.10B/6.60A	----	----	----	8.90 + 3.40	.0432	----	----	----	----	3	UNCH
3900	8.70	8.70	8.70	11.30B/8.70	11.30B/6.70A	----	----	----	9.10 + 3.50	.0441	----	22	----	----	314	+
3905	9.30	9.30	9.30	11.50B/9.20	11.50B/6.70A	----	----	----	9.20 + 3.60	.0447	----	16	----	----	28	+
3910	----	----	----	11.70B/----	11.70B/6.70A	----	----	----	9.40 + 3.70	.0457	----	----	----	----	54	UNCH
3920	----	----	----	12.10B/----	12.10B/7.00A	----	----	----	9.70 + 3.80	.0472	----	----	----	----	12	UNCH
3925	----	----	----	12.40B/----	12.40B/7.00A	----	----	----	9.90 + 3.90	.0482	----	----	----	----	57	UNCH
3930	9.80	9.80	9.80	12.60B/9.80	12.60B/7.20A	----	----	----	10.00 + 3.90	.0488	----	1	----	----	26	+
3935	----	----	----	12.80B/----	12.80B/7.20A	----	----	----	10.20 + 4.10	.0497	----	----	----	----	18	UNCH
3940	----	----	----	13.10B/----	13.10B/7.40A	----	----	----	10.40 + 4.20	.0507	----	----	----	----	27	UNCH
3945	----	----	----	13.30B/----	13.30B/7.40A	----	----	----	10.50 + 4.20	.0513	----	----	----	----	22	UNCH
3950	----	----	----	13.60B/----	13.60B/7.50A	----	----	----	10.70 + 4.30	.0523	----	2	----	----	613	UNCH
3955	----	----	----	13.80B/----	13.80B/7.70A	----	----	----	10.90 + 4.40	.0533	----	9	----	----	65	+
3960	----	----	----	14.10B/----	14.10B/7.80A	----	----	----	11.10 + 4.50	.0543	----	12	----	----	35	+
3965	----	----	----	14.40B/----	14.40B/8.00A	----	----	----	11.30 + 4.60	.0553	----	----	----	----	94	UNCH
3970	----	----	----	14.60B/----	14.60B/8.10A	----	----	----	11.50 + 4.70	.0563	----	----	----	----	15	UNCH
3975	12.40	12.40	12.40	14.90B/12.40	14.90B/8.20A	----	----	----	11.70 + 4.80	.0573	----	1	----	----	25	UNCH
3980	----	----	----	15.20B/----	15.20B/8.30A	----	----	----	11.90 + 4.90	.0583	----	1	----	----	236	UNCH
3985	----	----	----	15.50B/----	15.50B/8.40A	----	----	----	12.10 + 4.90	.0593	----	----	----	----	136	UNCH
3990	----	----	----	15.80B/----	15.80B/8.30A	----	----	----	12.30 + 5.00	.0603	----	----	----	----	40	UNCH
3995	----	----	----	16.10B/----	16.10B/8.60A	----	----	----	12.50 + 5.10	.0614	----	----	----	----	21	UNCH
4000	10.80	10.80	10.80	16.40B/10.80	16.40B/8.70A	----	----	----	12.80 + 5.30	.0627	----	454	----	----	1523	+
4005	11.50	11.50	11.50	16.70B/11.50	16.70B/8.80A	----	----	----	13.00 + 5.40	.0638	----	11	----	----	154	UNCH
4010	----	----	----	17.10B/----	17.10B/9.00A	----	----	----	13.20 + 5.40	.0648	----	2	----	----	6	+
4015	----	----	----	17.40B/----	17.40B/9.10A	----	----	----	13.50 + 5.60	.0662	----	----	----	----	63	UNCH
4020	----	----	----	17.80B/----	17.80B/9.30A	----	----	----	13.70 + 5.70	.0673	----	----	----	----	120	UNCH
4025	----	----	----	18.10B/----	18.10B/9.40A	----	----	----	14.00 + 5.80	.0686	----	3	----	----	22	UNCH
4030	----	----	----	18.50B/----	18.50B/9.60A	----	----	----	14.20 + 5.90	.0697	----	----	----	----	52	UNCH
4035	----	----	----	18.80B/----	18.80B/9.80A	----	----	----	14.50 + 6.10	.0711	----	----	----	----	3	UNCH
4040	----	----	----	19.20B/----	19.20B/9.90A	----	----	----	14.80 + 6.20	.0725	----	3	----	----	9	+
4045	----	----	----	19.60B/----	19.60B/10.10A	----	----	----	15.10 + 6.40	.0740	----	----	----	----	22	UNCH
4050	13.60	13.60	13.60	20.00B/13.60	20.00B/10.20A	----	----	----	15.30 + 6.40	.0751	----	254	----	----	434	+
4055	----	----	----	20.40B/----	20.40B/10.50A	----	----	----	15.60 + 6.50	.0765	----	----	----	----	32	UNCH
4060	----	----	----	20.80B/----	20.80B/10.70A	----	----	----	15.90 + 6.70	.0780	----	----	----	----	2	UNCH
4065	----	----	----	21.20B/----	21.20B/10.80A	----	----	----	16.20 + 6.80	.0794	----	----	----	----	131	UNCH
4070	20.00	20.00	20.00	21.70B/20.00	21.70B/11.00A	----	----	----	16.60 + 7.00	.0812	----	1	----	----	12	UNCH
4075	----	----	----	22.10B/----	22.10B/11.10A	----	----	----	16.90 + 7.20	.0827	----	4	----	----	24	+
4080	----	----	----	22.60B/----	22.60B/11.40A	----	----	----	17.20 + 7.30	.0841	----	1	----	----	9	-
4085	----	----	----	23.00B/----	23.00B/11.60A	----	----	----	17.60 + 7.50	.0859	----	----	----	----	14	UNCH
4090	----	----	----	23.50B/----	23.50B/11.80A	----	----	----	17.90 + 7.60	.0874	----	----	----	----	5	UNCH
4095	----	----	----	24.00B/----	24.00B/12.00A	----	----	----	18.30 + 7.80	.0892	----	----	----	----	16	UNCH
4100	13.00	13.00	13.00	24.60/13.00	24.60/12.30A	----	----	----	18.60 + 7.90	.0908	----	398	160	----	1274	+
4105	----	----	----	25.00B/----	25.00B/12.50A	----	----	----	19.00 + 8.10	.0926	----	----	----	----	13	UNCH
4110	----	----	----	25.50B/----	25.50B/12.70A	----	----	----	19.40 + 8.30	.0944	----	----	----	----	17	UNCH
4115	----	----	----	26.00B/----	26.00B/12.90A	----	----	----	19.80 + 8.50	.0963	----	1	----	----	7	+
4120	----	----	----	26.60B/----	26.60B/13.20A	----	----	----	20.20 + 8.70	.0981	----	----	----	----	82	UNCH
4125	22.10	22.10	22.10	27.10B/22.10	27.10B/13.40A	----	----	----	20.60 + 8.90	.1000	----	8	----	----	90	+
4130	----	----	----	27.70B/----	27.70B/13.70A	----	----	----	21.00 + 9.10	.1019	----	----	----	----	91	UNCH
4135	22.70	22.70	22.70	28.20B/22.70	28.20B/13.90A	----	----	----	21.40 + 9.20	.1037	----	19	----	----	29	-
4140	23.60	23.60	23.60	28.90B/23.60	28.90B/14.20A	----	----	----	21.90 + 9.50	.1059	----	1	----	----	36	UNCH
4145	18.70	18.70	18.70	29.50B/18.70	29.50B/14.40A	----	----	----	22.30 + 9.60	.1078	----	5	----	----	239	+
4150	22.00	22.00	22.00	30.10B/22.00	30.10B/14.70A	----	----	----	22.80 + 9.90	.1100	----	12	----	----	137	-
4155	----	----	----	30.70B/----	30.70B/14.90A	----	----	----	23.20 + 10.00	.1120	----	5	----	----	12	+
4160	25.60	25.60	25.60	31.30B/25.60	31.30B/15.20A	----	----	----	23.70 + 10.30	.1142	----	3	----	----	9	+
4165	26.40	26.40	26.40	32.00B/26.10	32.00B/15.50A	----	----	----	24.20 + 10.50	.1164	----	7	----	----	95	+
4170	----	----	----	32.70B/----	32.70B/15.80A	----	----	----	24.70 + 10.70	.1187	----	----	----	----	61	UNCH
4175	----	----	----	33.30B/----	33.30B/16.20A	----	----	----	25.20 + 11.00	.1209	----	----	----	----	47	UNCH
4180	22.90	22.90	22.90	34.00B/22.90	34.00B/16.50A	----	----	----	25.80 + 11.30	.1234	----	13	----	----	32	+
4185	----	----	----	34.80B/----	34.80B/16.90A	----	----	----	26.30 + 11.50	.1257	----	----	----	----	16	UNCH
4190	----	----	----	35.60B/----	35.60B/17.20A	----	----	----	26.90 + 11.80	.1283	----	5	----	----	135	+
4195	----	----	----	36.20B/----	36.20B/17.50A	----	----	----	27.40 + 12.00	.1306	----	2	----	----	70	+
4200	22.50	22.50	22.50	37.00B/22.50	37.00B/17.90A	----	----	----	28.00 + 12.20	.1332	----	628	----	----	916	+
4205	----	----	----	37.80B/----	37.80B/18.30A	----	----	----	28.60 + 12.50	.1357	----	1	----	----	64	+
4210	31.60	31.60	31.60	38.60B/31.60	38.60B/18.60A	----	----	----	29.20 + 12.80	.1383	----	1	----	----	94	+
4215	30.70	30.70	30.70	39.50B/30.70	39.50B/19.00A	----	----	----	29.80 + 13.00	.1410	----	11	----	----	45	+
4220	31.40	31.40	31.40	40.20B/31.40	40.20B/19.40A	----	----	----	30.50 + 13.40	.1438	----	10	----	----	198	+
4225	32.70	32.70	32.70	41.10B/32.60	41.10B/19.80A	----	----	----	31.10 + 13.60	.1465	----	14	----	----	133	+
4230	34.40	34.40	34.40	41.90B/34.40	41.90B/20.20A	----	----	----	31.80 + 14.00	.1494	----	1	----	----	25	UNCH
4235	37.80	37.80	37.80	42.90B/35.10	42.90B/20.60A	----	----	----	32.50 + 14.30	.1523	----	2	----	----	52	+
4240	----	----	----	43.80B/----	43.80B/21.10A	----	----	----	33.20 + 14.60	.1552	----	1	----	----	101	+
4245	36.60	36.60	36.60	44.60B/36.60	44.60B/21.50A	----	----	----	33.90 + 14.90	.1581	----	4	----	----	8	+
4250	27.90	27.90	27.90	46.20/27.90	46.20/22.00A	----	----	----	34.60 + 15.20	.1611	----	475	100	----	1636	+
4255	25.60	25.60	25.60	46.60B/25.60	46.60B/22.40A	----	----	----	35.40 + 15.60	.1643	----	6	----	----	11	UNCH
4260	----	----	----	47.60B/----	47.60B/22.90A	----	----	----	36.10 + 15.80	.1672	----	18	----	----	41	+
4265	----	----	----	48.60B/----	48.60B/23.40A	----	----	----	36.90 + 16.20	.1705	----	----	----	----	209	UNCH
4270	----	----	----	49.50B/----	49.50B/23.90A	----	----	----	37.70 + 16.50	.1737	----	----	----	----	94	UNCH
4275	41.60	41.60	41.60	50.60B/41.60	50.60B/24.40A	----										

PG64 BULLETIN # 93@			METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS														
JUL26															
4520	73.80	73.80	131.40B/73.80	131.40B/70.70A	----	106.70 + 42.40	.3992	----	----	2	----	13	UNCH		
4525	119.30	119.30	133.90B/119.30	133.90B/72.20A	----	108.80 + 43.10	.4048	----	----	43	----	542 +	25		
4530	----	----	136.00B/----	136.00B/73.80A	----	110.90 + 43.80	.4103	----	----	1	----	31 +	1		
4535	130.80	130.80	138.40B/130.80	138.40B/75.20A	----	113.00 + 44.40	.4159	----	----	1	----	10	UNCH		
4540	----	----	140.90B/----	140.90B/76.90A	----	115.20 + 45.10	.4216	----	----	1	----	92 +	1		
4545	----	----	143.30B/----	143.30B/78.50A	----	117.40 + 45.80	.4271	----	----	1	----	21 +	1		
4550	99.80	99.80	146.00B/99.80	146.00B/80.20A	----	119.60 + 46.40	.4327	----	----	80	----	463 +	19		
4555	----	----	148.50B/----	148.50B/81.90A	----	121.90 + 47.10	.4383	----	----	----	----	24	UNCH		
4560	131.30	131.30	150.90B/131.30	150.90B/83.70A	----	124.10 + 47.70	.4439	----	----	17	----	78 +	8		
4565	125.50	125.50	153.40B/125.50	153.40B/85.30A	----	126.50 + 48.50	.4496	----	----	11	----	116 +	3		
4570	132.30	132.30	156.00B/132.30	156.00B/87.00A	----	128.80 + 49.10	.4553	----	----	4	----	27 +	2		
4575	114.20	114.20	158.90B/114.20	158.90B/88.70A	----	131.20 + 49.90	.4610	----	----	23	----	34 +	9		
4580	154.90	154.90	161.50B/154.90	161.50B/90.50A	----	133.60 + 50.50	.4666	----	----	1	----	20 +	1		
4585	----	----	164.00B/----	164.00B/92.60A	----	136.00 + 51.20	.4723	----	----	1	----	18 +	1		
4590	----	----	167.00B/----	167.00B/94.40A	----	138.50 + 51.90	.4780	----	----	1	----	21	UNCH		
4595	----	----	169.50B/----	169.50B/96.30A	----	141.00 + 52.60	.4837	----	----	17	----	63 +	13		
4600	114.90	114.90	172.50B/114.90	172.50B/98.20A	----	143.50 + 53.30	.4894	----	----	413	----	1588 +	201		
4605	----	----	175.30B/----	175.30B/100.20A	----	146.00 + 53.90	.4951	----	----	10	----	17 +	9		
4610	153.00	153.00	178.20B/153.00	178.20B/102.20A	----	148.60 + 54.60	.5008	----	----	1	----	136	UNCH		
4615	----	----	181.10B/----	181.10B/104.10A	----	151.20 + 55.30	.5065	----	----	----	----	23	UNCH		
4620	----	----	184.00B/----	184.00B/106.30A	----	153.80 + 56.00	.5122	----	----	2	----	49 -	1		
4625	----	----	186.90B/----	186.90B/108.30A	----	156.50 + 56.70	.5179	----	----	17	----	189 +	11		
4630	----	----	189.90B/----	189.90B/110.50A	----	159.10 + 57.30	.5236	----	----	1	----	17 +	1		
4635	----	----	192.90B/----	192.90B/112.60A	----	161.90 + 58.10	.5293	----	----	115	----	169 +	41		
4640	----	----	195.80B/----	195.80B/114.80A	----	164.60 + 58.70	.5349	----	----	----	----	156	UNCH		
4645	----	----	198.90B/----	198.90B/117.00A	----	167.40 + 59.40	.5406	----	----	----	----	24	UNCH		
4650	148.10	148.10	202.00B/148.10	202.00B/119.20A	----	170.20 + 60.10	.5462	----	----	73	----	424 +	11		
4655	----	----	205.10B/----	205.10B/121.50A	----	173.00 + 60.70	.5519	----	----	----	----	12	UNCH		
4660	----	----	208.20B/----	208.20B/123.70A	----	175.90 + 61.40	.5575	----	----	74	----	126 +	56		
4665	----	----	211.40B/----	211.40B/126.10A	----	178.80 + 62.10	.5631	----	----	----	----	24	UNCH		
4670	----	----	214.50B/----	214.50B/128.50A	----	181.70 + 62.80	.5687	----	----	2	----	101	UNCH		
4675	----	----	217.70B/----	217.70B/130.90A	----	184.60 + 63.40	.5743	----	----	2	----	156 -	1		
4680	----	----	221.00B/----	221.00B/133.30A	----	187.60 + 64.10	.5798	----	----	----	----	132	UNCH		
4685	----	----	224.20B/----	224.20B/135.80A	----	190.60 + 64.80	.5854	----	----	----	----	8	UNCH		
4690	202.30	202.30	227.50B/202.30	227.50B/138.20A	----	193.70 + 65.50	.5908	----	----	15	----	60 +	14		
4695	205.40	205.40	230.80B/205.40	230.80B/140.80A	----	196.80 + 66.20	.5963	----	----	12	----	201 +	12		
4700	198.30	198.30	234.20B/198.30	234.20B/143.30A	----	199.90 + 66.80	.6018	----	----	25	----	734 -	19		
4705	----	----	237.50B/----	237.50B/145.90A	----	203.00 + 67.50	.6071	----	----	----	----	32	UNCH		
4710	----	----	241.00B/----	241.00B/148.40A	----	206.20 + 68.10	.6125	----	----	----	----	128	UNCH		
4715	----	----	244.40B/----	244.40B/151.20A	----	209.40 + 68.80	.6179	----	----	----	----	123	UNCH		
4720	----	----	247.90B/----	247.90B/153.90A	----	212.60 + 69.40	.6233	----	----	----	----	61	UNCH		
4725	----	----	251.30B/----	251.30B/156.50A	----	215.90 + 70.10	.6285	----	----	----	----	227	UNCH		
4730	----	----	254.80B/----	254.80B/159.20A	----	219.10 + 70.70	.6338	----	----	4	----	72	UNCH		
4735	----	----	258.40B/----	258.40B/162.00A	----	222.50 + 71.40	.6390	----	----	----	----	40	UNCH		
4740	----	----	261.90B/----	261.90B/164.80A	----	225.80 + 72.10	.6442	----	----	4	----	122	UNCH		
4745	----	----	265.50B/----	265.50B/167.60A	----	229.20 + 72.70	.6493	----	----	----	----	138	UNCH		
4750	234.40	234.40	269.10B/234.40	269.10B/170.50A	----	232.60 + 73.40	.6544	----	----	1	----	780	UNCH		
4755	244.20	244.20	272.60B/244.20	272.60B/173.30A	----	236.00 + 74.00	.6595	----	----	4	----	14	UNCH		
4760	----	----	276.30B/----	276.30B/176.40A	----	239.50 + 74.70	.6645	----	----	----	----	81	UNCH		
4765	----	----	280.00B/----	280.00B/179.20A	----	242.90 + 75.20	.6695	----	----	----	----	306	UNCH		
4770	----	----	283.60B/----	283.60B/182.30A	----	246.50 + 75.90	.6745	----	----	----	----	12	UNCH		
4775	----	----	287.40B/----	287.40B/185.10A	----	250.00 + 76.50	.6793	----	----	7	----	55	UNCH		
4780	----	----	291.10B/----	291.10B/188.20A	----	253.50 + 77.10	.6841	----	----	----	----	39	UNCH		
4785	----	----	294.90B/----	294.90B/191.20A	----	257.10 + 77.80	.6889	----	----	----	----	119	UNCH		
4790	----	----	298.60B/----	298.60B/194.40A	----	260.70 + 78.40	.6938	----	----	1	----	3	UNCH		
4795	----	----	302.40B/----	302.40B/197.40A	----	264.40 + 79.00	.6986	----	----	----	----	80	UNCH		
4800	292.70	292.70	306.30B/292.70	306.30B/201.20A	----	268.00 + 79.60	.7032	----	----	7	----	1219 -	4		
4805	----	----	310.10B/----	310.10B/204.70A	----	271.70 + 80.20	.7078	----	----	2	----	22	UNCH		
4810	----	----	313.90B/----	313.90B/208.00A	----	275.40 + 80.80	.7125	----	----	----	----	11	UNCH		
4815	----	----	317.80B/----	317.80B/211.20A	----	279.20 + 81.50	.7169	----	----	----	----	28	UNCH		
4820	----	----	321.70B/----	321.70B/214.20A	----	282.90 + 82.10	.7213	----	----	----	----	207	UNCH		
4825	----	----	325.70B/----	325.70B/217.70A	----	286.70 + 82.70	.7257	----	----	----	----	33	UNCH		
4830	----	----	329.60B/----	329.60B/221.10A	----	290.50 + 83.30	.7302	----	----	----	----	5	UNCH		
4835	----	----	333.60B/----	333.60B/224.30A	----	294.30 + 83.80	.7346	----	----	----	----	24	UNCH		
4840	----	----	337.50B/----	337.50B/227.80A	----	298.20 + 84.50	.7388	----	----	----	----	10	UNCH		
4845	----	----	341.50B/----	341.50B/230.70A	----	302.10 + 85.10	.7430	----	----	----	----	63	UNCH		
4850	----	----	345.60B/----	345.60B/234.10A	----	305.90 + 85.60	.7472	----	----	----	----	298	UNCH		
4855	----	----	349.60B/----	349.60B/237.70A	----	309.90 + 86.20	.7514	----	----	----	----	11	UNCH		
4860	----	----	353.60B/----	353.60B/241.20A	----	313.80 + 86.80	.7554	----	----	----	----	8	UNCH		
4865	----	----	357.70B/----	357											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
COMEX GOLD OPTIONS																	
OG PUT																	
AUG26																	
3815	----	----	----	18.90B/----	18.90B/13.00A	----	----	----	15.90 + 4.80	.0596	----	----	----	----	150	UNCH	
3820	----	----	----	19.10B/----	19.10B/13.30A	----	----	----	16.10 + 4.80	.0604	----	----	----	----	52	UNCH	
3825	----	----	----	19.50B/----	19.50B/13.50A	----	----	----	16.40 + 5.00	.0614	----	----	1	----	53 +	1	
3830	----	----	----	19.80B/----	19.80B/13.50A	----	----	----	16.60 + 5.00	.0622	----	----	----	----	1	UNCH	
3835	----	----	----	20.10B/----	20.10B/13.40A	----	----	----	16.90 + 5.20	.0632	----	----	----	----	10	UNCH	
3845	----	----	----	20.80B/----	20.80B/13.90A	----	----	----	17.40 + 5.30	.0651	----	----	----	----	1	UNCH	
3850	19.40	19.40	----	21.10B/19.40	21.10B/14.10A	----	----	----	17.70 + 5.50	.0662	----	3	----	122	UNCH		
3855	----	----	----	21.40B/----	21.40B/14.60A	----	----	----	17.90 + 5.50	.0670	----	1	----	7	+	1	
3870	----	----	----	22.40B/----	22.40B/15.20A	----	----	----	18.80 + 5.80	.0702	----	16	----	17	+	16	
3875	----	----	----	22.80B/----	22.80B/15.40A	----	----	----	19.10 + 5.90	.0713	----	----	----	10	UNCH		
3880	----	----	----	23.20B/----	23.20B/15.50A	----	----	----	19.40 + 6.10	.0724	----	----	----	340	UNCH		
3885	----	----	----	23.60B/----	23.60B/15.50A	----	----	----	19.70 + 6.20	.0734	----	----	----	89	UNCH		
3890	----	----	----	23.90B/----	23.90B/15.70A	----	----	----	20.00 + 6.30	.0745	----	----	----	73	UNCH		
3895	----	----	----	24.30B/----	24.30B/16.10A	----	----	----	20.30 + 6.40	.0756	----	----	----	1	UNCH		
3900	20.00	20.00	----	24.70B/20.00	24.70B/16.50A	----	----	----	20.60 + 6.50	.0767	----	24	----	672 +	11	UNCH	
3910	----	----	----	25.50B/----	25.50B/16.80A	----	----	----	21.20 + 6.60	.0790	----	----	----	37	UNCH		
3915	----	----	----	25.90B/----	25.90B/16.80A	----	----	----	21.60 + 6.80	.0803	----	----	----	35	UNCH		
3920	----	----	----	26.40B/----	26.40B/17.00A	----	----	----	21.90 + 6.90	.0814	----	----	----	49	UNCH		
3925	----	----	----	26.80B/----	26.80B/17.30A	----	----	----	22.30 + 7.10	.0828	----	----	----	11	UNCH		
3930	----	----	----	27.20B/----	27.20B/17.60A	----	----	----	22.60 + 7.10	.0839	----	----	----	49	UNCH		
3935	----	----	----	27.70B/----	27.70B/17.90A	----	----	----	23.00 + 7.30	.0853	----	----	----	11	UNCH		
3940	----	----	----	28.10B/----	28.10B/18.20A	----	----	----	23.30 + 7.40	.0864	----	----	----	17	UNCH		
3950	----	----	----	29.10B/----	29.10B/18.60A	----	----	----	24.10 + 7.70	.0892	----	----	----	253	UNCH		
3955	----	----	----	29.50B/----	29.50B/19.00A	----	----	----	24.50 + 7.80	.0906	----	1	----	12	+	1	
3960	----	----	----	30.00B/----	30.00B/19.20A	----	----	----	24.90 + 8.00	.0919	----	----	----	3	UNCH		
3965	----	----	----	30.50B/----	30.50B/19.50A	----	----	----	25.30 + 8.10	.0933	----	1	----	29	+	1	
3970	----	----	----	31.00B/----	31.00B/19.70A	----	----	----	25.70 + 8.20	.0947	----	----	----	11	UNCH		
3975	----	----	----	31.60B/----	31.60B/19.80A	----	----	----	26.10 + 8.40	.0961	----	----	----	267	UNCH		
3980	----	----	----	32.10B/----	32.10B/20.00A	----	----	----	26.50 + 8.50	.0976	----	1	----	2251 +	1	UNCH	
3985	----	----	----	32.60B/----	32.60B/20.30A	----	----	----	26.90 + 8.60	.0990	----	----	----	2	UNCH		
3990	----	----	----	33.30B/----	33.30B/20.60A	----	----	----	27.40 + 8.80	.1006	----	----	----	45	UNCH		
3995	----	----	----	33.80B/----	33.80B/20.90A	----	----	----	27.80 + 8.90	.1021	----	----	----	5	UNCH		
4000	24.00	24.00	----	34.40B/24.00	34.40B/21.20A	----	----	----	28.30 + 9.10	.1037	----	165	----	1378 -	14	UNCH	
4005	----	----	----	34.90B/----	34.90B/21.50A	----	----	----	28.70 + 9.20	.1051	----	----	----	6	UNCH		
4010	----	----	----	35.50B/----	35.50B/21.90A	----	----	----	29.20 + 9.40	.1068	----	----	----	82	UNCH		
4015	----	----	----	36.10B/----	36.10B/22.20A	----	----	----	29.70 + 9.60	.1085	----	----	----	2	UNCH		
4020	----	----	----	36.70B/----	36.70B/22.50A	----	----	----	30.10 + 9.70	.1099	----	----	----	3	UNCH		
4025	----	----	----	37.30B/----	37.30B/22.90A	----	----	----	30.60 + 9.80	.1116	----	----	----	101	UNCH		
4030	----	----	----	37.90B/----	37.90B/23.20A	----	----	----	31.10 + 10.00	.1133	----	----	----	52	UNCH		
4035	----	----	----	38.60B/----	38.60B/23.60A	----	----	----	31.60 + 10.20	.1150	----	----	----	19	UNCH		
4040	----	----	----	39.20B/----	39.20B/24.00A	----	----	----	32.20 + 10.40	.1169	----	----	----	25	UNCH		
4045	----	----	----	39.90B/----	39.90B/24.40A	----	----	----	32.70 + 10.60	.1186	----	----	----	30	UNCH		
4050	33.50	33.50	----	40.50B/33.50	40.50B/24.70A	----	----	----	33.20 + 10.70	.1203	----	1	----	315 +	1	UNCH	
4055	----	----	----	41.20B/----	41.20B/25.10A	----	----	----	33.80 + 11.00	.1222	----	----	2	----	16	+	1
4065	35.20	35.20	----	42.60B/35.20	42.60B/25.90A	----	----	----	34.90 + 11.30	.1259	----	2	----	5	+	1	
4070	----	----	----	43.30B/----	43.30B/26.30A	----	----	----	35.50 + 11.50	.1278	----	4	----	5	+	3	
4075	43.00	43.00	----	44.00B/43.00	44.00B/26.80A	----	----	----	36.10 + 11.70	.1298	----	1	----	12	+	1	
4080	----	----	----	44.80B/----	44.80B/27.20A	----	----	----	36.70 + 11.90	.1317	----	----	----	10	UNCH		
4085	----	----	----	45.50B/----	45.50B/27.60A	----	----	----	37.30 + 12.10	.1337	----	----	----	42	UNCH		
4090	----	----	----	46.30B/----	46.30B/28.10A	----	----	----	37.90 + 12.30	.1357	----	3	----	204	+	3	
4095	----	----	----	47.10B/----	47.10B/28.50A	----	----	----	38.60 + 12.60	.1378	----	----	----	83	UNCH		
4100	33.50	33.50	----	47.80B/33.50	47.80B/29.00A	----	----	----	39.20 + 12.80	.1398	----	42	----	417	+	13	
4105	----	----	----	48.60B/----	48.60B/29.50A	----	----	----	39.90 + 13.00	.1420	----	----	----	15	UNCH		
4110	----	----	----	49.50B/----	49.50B/30.00A	----	----	----	40.50 + 13.20	.1440	----	----	----	4	UNCH		
4115	----	----	----	50.30B/----	50.30B/30.40A	----	----	----	41.20 + 13.40	.1462	----	3	----	17	+	1	
4120	41.40	41.40	----	51.10B/41.40	51.10B/30.90A	----	----	----	41.90 + 13.70	.1484	----	3	----	123	+	3	
4125	50.00	50.00	----	52.00B/50.00	52.00B/31.50A	----	----	----	42.60 + 13.90	.1506	----	1	----	6	+	1	
4130	----	----	----	52.80B/----	52.80B/32.00A	----	----	----	43.40 + 14.20	.1529	----	----	----	16	UNCH		
4135	----	----	----	53.70B/----	53.70B/32.40A	----	----	----	44.10 + 14.40	.1552	----	----	----	57	UNCH		
4140	48.30	48.30	----	54.60B/48.30	54.60B/33.00A	----	----	----	44.80 + 14.60	.1574	----	1	----	2	+	1	
4145	----	----	----	55.50B/----	55.50B/33.50A	----	----	----	45.60 + 14.90	.1598	----	----	----	27	UNCH		
4150	----	----	----	56.50B/----	56.50B/34.00A	----	----	----	46.40 + 15.20	.1622	----	----	----	1087	+	10	
4155	46.20	46.20	----	57.40B/46.20	57.40B/34.60A	----	----	----	47.20 + 15.50	.1646	----	11	----	11	+	1	
4160	----	----	----	58.30B/----	58.30B/35.30A	----	----	----	48.00 + 15.80	.1670	----	----	----	50	UNCH		
4165	----	----	----	59.30B/----	59.30B/35.90A	----	----	----	48.80 + 16.00	.1695	----	1	----	104	UNCH		
4170	----	----	----	60.30B/----	60.30B/36.40A	----	----	----	49.60 + 16.30	.1719	----	----	----	80	UNCH		
4175	49.40	49.40	----	61.30B/49.40	61.30B/37.10A	----	----	----	50.50 + 16.60	.1745	----	10	----	36	+	3	
4180	----	----	----	62.30B/----	62.30B/37.70A	----	----	----	51.40 + 16.90	.1771	----	----	----	114	UNCH		
4185	----	----	----	63.30B/----	63.30B/38.30A	----	----	----	52.20 + 17.10	.1796	----	----	----	50	UNCH		
4190	----	----	----	64.30B/----	64.30B/38.90A	----	----	----	53.10 + 17.50	.1822	----	1	----	140	UNCH		
4195	----	----	----	65.40B/----	65.40B/39.50A	----	----	----	54.00 + 17.70	.1849	----	----	----	218	UNCH		
4200	60.50	60.50	----	66.50B/54.80	66.50B/40.20A	----	----	----	55.00 + 18.10	.1877	----	175	----	412	+	132	
4205	----	----	----	67.60B/----	67.60B/40.80A	----	----	----	55.90 + 18.40	.1903	----	----	----	350	UNCH		
4210	----	----	----	68.70B/----	68.70B/41.60A	----	----	----	56.90 + 18.80	.1931	----	----	----	3	UNCH		
4215	----	----	----	69.80B/----	69.80B/42.20A	----	----	----	57.80 + 19.00	.1958	----	----	----	17	UNCH		
4220	----	----	----	71.10B/----	71.10B/43.00A	----	----	----	58.80 + 19.40	.1986	----	----	----	12	UNCH		
4225	----	----	----	72.20B/----	72.20B/43.60A	----	----	----	59.80 + 19.70	.2015	----	----	----	18	UNCH		
4230	----	----	----	73.40B/----	73.40B/44.40A	----	----	----	60.80 + 20.00	.2043	----	----	----	12	UNCH		
4235	----	----	----	74.50B/----	74.50B/45.10A	----	----	----	61.90 + 20.40	.2073	----	----	----	8	UNCH		
4240	----	----	----	75.80B/----	75.80B/45.90A	----	----	----	62.90 + 20.70	.2101	----	----	----	37	UNCH		
4245	----	----	----	77.10B/----	77.10B/46.70A	----	----	----	64.00 + 21.10	.2131	----	3	----	55	UNCH		
4250	70.20	70.20	----	78.40B/70.20	78.40B/47.50A	----	----	----	65.00 + 21.30	.2160	----	1	----	1048	+	1	
4255	----	----	----	79.60B/----	79.60B/48.30A	----	----	----	66.10 + 21.70	.2190	----	----	----	890	UNCH		
4260	----	----	----	80.90B/----	80.90B/49.00A	----	----	----	67.30 + 22.10	.2222	----	----	----	11	UNCH		
4270	68.60	68.60	----	83.60B/68.60	83.60B/50.70A	----	----	----	69.50 + 22.80	.2282	----	1	----	16	UNCH		
4275	----	----	----	84.70B/----	84.70B/51.60A	----	----	----	70.70 + 23.20	.2314	----	----	----	23	UNCH		
4280	71.00	71.00	----	86.20B/71.00	86.20B/52.50A	----	----	----	71.90 + 23.60	.2346	----	1	----	68	UNCH		
4285	----	----	----	87.60B/----	87.60B/53.40A	----	----	----	73.10 + 23.90	.2378	----	----	----	173	UNCH		
4290	----	----	----	89.00B/----	89.00B/54.30A	----	----	----	74.30 + 24.30	.2410	----	----	----	62	UNCH		
4295	----	----	----	90.30B/----	90.30B/55.10A	----	----	----	75.50 + 24.60	.2442	----	----	----	2	UNCH		
4300	78.20	78.20	----	92.00B/78.20	92.00B/56.00A	----	----	----	76.80 + 25.10	.2475	----	189	----	1032	+	52	
4305	----	----	----	93.40B/----	93.40B/57.00A	----	----	----	78.00 + 25.40	.2507	----	----	----	507	UNCH		
4310	----	----	----</														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
AUG26																
4540	----	----	----	186.30B/----	186.30B/121.60A	----	----	----	160.60 + 46.90	.4316	----	----	----	----	38	UNCH
4545	----	----	----	188.90B/----	188.90B/123.40A	----	----	----	162.90 + 47.40	.4359	----	----	----	----	21	UNCH
4550	----	----	----	191.00B/----	191.00B/125.20A	----	----	----	165.20 + 47.90	.4401	----	----	6	----	235	UNCH
4555	----	----	----	193.90B/----	193.90B/127.20A	----	----	----	167.50 + 48.40	.4444	----	----	1	----	115	+
4560	----	----	----	196.30B/----	196.30B/129.00A	----	----	----	169.90 + 48.90	.4486	----	----	----	----	96	UNCH
4565	----	----	----	199.10B/----	199.10B/131.00A	----	----	----	172.30 + 49.50	.4529	----	2	----	6	+	
4570	----	----	----	201.00B/----	201.00B/132.90A	----	----	----	174.70 + 50.00	.4571	----	----	----	74	UNCH	
4575	----	----	----	203.50B/----	203.50B/135.00A	----	----	----	177.10 + 50.50	.4614	----	----	----	59	UNCH	
4580	181.90	181.90	----	206.30B/181.90	206.30B/136.90A	----	----	----	179.60 + 51.00	.4656	----	11	----	187	+	
4585	----	----	----	208.80B/----	208.80B/139.00A	----	----	----	182.10 + 51.60	.4699	----	----	----	4	UNCH	
4590	----	----	----	211.60B/----	211.60B/141.10A	----	----	----	184.60 + 52.10	.4742	----	----	----	32	UNCH	
4595	190.50	190.50	----	214.20B/184.20	214.20B/143.10A	----	----	----	187.10 + 52.60	.4784	----	29	----	169	+	
4600	187.20	187.20	----	217.60B/187.20	217.60B/145.10A	----	----	----	189.70 + 53.20	.4827	----	59	----	617	+	
4605	----	----	----	219.80B/----	219.80B/147.30A	----	----	----	192.20 + 53.60	.4870	----	----	----	126	UNCH	
4610	----	----	----	222.70B/----	222.70B/149.50A	----	----	----	194.80 + 54.20	.4912	----	----	----	9	UNCH	
4615	----	----	----	225.50B/----	225.50B/151.70A	----	----	----	197.40 + 54.70	.4955	----	----	----	2	UNCH	
4620	----	----	----	228.30B/----	228.30B/154.10A	----	----	----	200.10 + 55.30	.4997	----	----	----	41	UNCH	
4625	206.90	206.90	----	231.20B/204.30	231.20B/156.40A	----	----	----	202.80 + 55.80	.5040	----	50	----	270	+	
4630	208.00	208.00	----	234.10B/204.50	234.10B/158.30A	----	----	----	205.40 + 56.30	.5083	----	50	----	53	+	
4635	----	----	----	237.00B/----	237.00B/160.90A	----	----	----	208.20 + 56.90	.5125	----	----	----	128	UNCH	
4640	----	----	----	240.30B/----	240.30B/162.90A	----	----	----	210.90 + 57.40	.5167	----	----	----	325	UNCH	
4645	209.60	209.60	----	242.90B/209.60	242.90B/165.20A	----	----	----	213.60 + 57.80	.5210	----	1	----	135	UNCH	
4650	174.90	174.90	----	246.20B/174.90	246.20B/167.50A	----	----	----	216.40 + 58.40	.5252	----	13	----	455	+	
4655	----	----	----	248.90B/----	248.90B/169.90A	----	----	----	219.20 + 58.90	.5294	----	----	----	25	UNCH	
4660	----	----	----	251.60B/----	251.60B/172.30A	----	----	----	222.10 + 59.50	.5336	----	----	----	28	UNCH	
4665	----	----	----	255.00B/----	255.00B/175.00A	----	----	----	224.90 + 60.00	.5378	----	----	----	4	UNCH	
4670	----	----	----	257.90B/----	257.90B/177.40A	----	----	----	227.80 + 60.50	.5420	----	2	----	53	+	
4675	207.50	207.50	----	261.00B/207.50	261.00B/180.00A	----	----	----	230.70 + 61.10	.5461	----	1	----	15	+	
4680	----	----	----	264.20B/----	264.20B/182.40A	----	----	----	233.60 + 61.60	.5503	----	----	----	34	UNCH	
4685	213.50	213.50	----	267.20B/213.50	267.20B/184.50A	----	----	----	236.50 + 62.00	.5544	----	3	----	224	+	
4690	----	----	----	269.80B/----	269.80B/187.00A	----	----	----	239.50 + 62.60	.5586	----	1	----	9	+	
4695	219.00	219.00	----	272.90B/219.00	272.90B/189.60A	----	----	----	242.50 + 63.10	.5627	----	----	----	5	UNCH	
4700	254.50	254.50	----	277.50B/251.40	277.50B/192.20A	----	----	----	245.50 + 63.60	.5668	----	28	----	1034	+	
4705	----	----	----	280.10B/----	280.10B/195.20A	----	----	----	248.50 + 64.10	.5709	----	----	----	141	UNCH	
4710	----	----	----	282.50B/----	282.50B/197.50A	----	----	----	251.60 + 64.70	.5750	----	----	----	10	UNCH	
4715	----	----	----	285.40B/----	285.40B/200.10A	----	----	----	254.70 + 65.20	.5791	----	----	----	1	UNCH	
4720	----	----	----	288.90B/----	288.90B/203.10A	----	----	----	257.80 + 65.70	.5831	----	----	----	13	UNCH	
4725	----	----	----	293.10B/----	293.10B/206.00A	----	----	----	260.90 + 66.20	.5872	----	----	----	60	UNCH	
4730	----	----	----	296.30B/----	296.30B/208.70A	----	----	----	264.10 + 66.80	.5912	----	----	----	57	UNCH	
4735	----	----	----	299.80B/----	299.80B/211.40A	----	----	----	267.20 + 67.20	.5952	----	----	----	60	UNCH	
4740	----	----	----	303.10B/----	303.10B/214.30A	----	----	----	270.40 + 67.80	.5992	----	8	----	50	-	
4745	----	----	----	306.50B/----	306.50B/217.10A	----	----	----	273.60 + 68.30	.6032	----	----	----	35	UNCH	
4750	----	----	----	309.90B/----	309.90B/219.90A	----	----	----	276.90 + 68.80	.6071	----	1	----	181	UNCH	
4755	----	----	----	313.20B/----	313.20B/222.70A	----	----	----	280.10 + 69.30	.6110	----	----	----	27	UNCH	
4760	----	----	----	315.60B/----	315.60B/225.50A	----	----	----	283.40 + 69.80	.6149	----	----	----	8	UNCH	
4765	----	----	----	319.10B/----	319.10B/228.40A	----	----	----	286.70 + 70.30	.6188	----	2	----	7	+	
4770	----	----	----	323.60B/----	323.60B/231.30A	----	----	----	290.00 + 70.80	.6227	----	----	----	263	UNCH	
4775	----	----	----	327.00B/----	327.00B/234.20A	----	----	----	293.40 + 71.40	.6265	----	----	----	172	UNCH	
4780	----	----	----	330.40B/----	330.40B/237.00A	----	----	----	296.70 + 71.80	.6304	----	----	----	20	UNCH	
4785	----	----	----	334.20B/----	334.20B/240.00A	----	----	----	300.10 + 72.30	.6342	----	----	----	18	UNCH	
4790	----	----	----	337.50B/----	337.50B/243.00A	----	----	----	303.50 + 72.80	.6379	----	1	----	54	+	
4795	277.80	277.80	----	341.10B/277.80	341.10B/246.00A	----	----	----	307.00 + 73.40	.6417	----	34	----	128	+	
4800	----	----	----	345.00B/----	345.00B/249.10A	----	----	----	310.40 + 73.80	.6454	----	----	----	968	UNCH	
4805	----	----	----	347.40B/----	347.40B/252.10A	----	----	----	313.90 + 74.40	.6491	----	----	----	9	UNCH	
4810	----	----	----	351.00B/----	351.00B/255.20A	----	----	----	317.30 + 74.80	.6528	----	----	----	5	UNCH	
4815	----	----	----	354.80B/----	354.80B/258.50A	----	----	----	320.80 + 75.20	.6565	----	----	----	3	UNCH	
4820	----	----	----	358.20B/----	358.20B/261.40A	----	----	----	324.30 + 75.70	.6602	----	----	----	4	UNCH	
4825	----	----	----	362.00B/----	362.00B/264.60A	----	----	----	327.90 + 76.30	.6638	----	----	----	30	UNCH	
4830	----	----	----	365.80B/----	365.80B/267.80A	----	----	----	331.40 + 76.70	.6674	----	----	----	4	UNCH	
4835	----	----	----	369.50B/----	369.50B/271.10A	----	----	----	335.00 + 77.20	.6710	----	----	----	36	UNCH	
4840	----	----	----	373.20B/----	373.20B/275.30A	----	----	----	338.60 + 77.70	.6745	----	----	----	5	UNCH	
4850	----	----	----	378.90B/----	378.90B/282.10A	----	----	----	345.80 + 78.50	.6815	----	----	----	155	UNCH	
4855	----	----	----	379.10B/----	379.10B/287.40A	----	----	----	349.40 + 79.00	.6851	----	----	----	11	UNCH	
4860	----	----	----	381.20B/----	381.20B/289.40A	----	----	----	353.10 + 79.50	.6886	----	----	----	9	UNCH	
4865	----	----	----	384.70B/----	384.70B/294.50A	----	----	----	356.70 + 79.80	.6920	----	----	----	12	UNCH	
4870	----	----	----	388.50B/----	388.50B/297.70A	----	----	----	360.40 + 80.30	.6954	----	----	----	29	UNCH	
4875	----	----	----	392.30B/----	392.30B/301.20A	----	----	----	364.10 + 80.70	.6989	----	----	----	82	UNCH	
4880	----	----	----	396.20B/----	396.20B/304.40A	----	----	----	367.90 + 81.20	.7022	----	----	----	126	UNCH	
4885	----	----	----	400.00B/----	400.00B/307.90A	----	----	----	371.60 + 81.60	.7056	----	----	----	8	UNCH	
4890	----	----	----	403.90B/----	403.90B/311.50A	----	----	----	375.40 + 82.10	.7089	----	----	----	6	UNCH	
4895	----	----	----	407.80B/----	407.80B/315.00A	----	----	----	379.10 + 82.50	.7122	----	----	----	6	UNCH	
4900	----	----	----	414.60B/----	414.60B/383.10A	----	----	----	382.90 + 82.90	.7153	----	----	----	422	UNCH	
4905	----	----	----	415.60B/----	415.60B/387.80A	----	----	----	386.70 + 83.30	.7186	----	----	----	29	UNCH	
4910	----	----	----	419.50B/----	419.50B/391.60A	----	----	----	390.60 + 83.80	.7217	----	----	----	23	UNCH	
4920	----	----	----	427.40B/----	427.40B/399.30A	----	----	----	398.30 + 84.60	.7281	----	----	----	3	UNCH	
4925	----	----	----	431.60B/----	431.60B/403.10A	----	----	----	402.20 + 85.10	.7312	----	----	----	53	UNCH	
4930	----	----	----	----	314.30B/462.30A	----	----	----	406.10 + 85.50	.7344	----	----	----	1	UNCH	
4950	----	----	----	451.40B/----	451.40B/422.80A	----	----	----	421.80 + 87.10	.7463	----	----	----	31	UNCH	
4955	----	----	----	----	334.70B/480.60A	----	----	----	425.80 + 87.50	.7493	----	----	----	1	UNCH	
4980	----	----	----	----	355.40B/499.20A	----	----	----	445.90 + 89.50	.7636	----	----	----	1	UNCH	
5000	----	----	----	494.60B/----	494.60B/462.10A	----	----	----	462.20 + 91.00	.7744	----	----	----	326	UNCH	
5010	----	----	----	380.80B/----	380.80B/521.90A	----	----	----	470.50 + 91.80	.7796	----	----	----	1	UNCH	
5025	----	----	----	513.60B/----	513.60B/483.70A	----	----	----	482.90 + 92.80	.7874	----	----	----	25	UNCH	
5030	----	----	----	398.10B/----	398.10B/537.20A	----	----	----	487.10 + 93.20	.7900	----	----	----	1	UNCH	
5040	----	----	----	526.30B/----	526.30B/496.20A	----	----	----	495.50 + 93.90	.7948	----	----	----	4	UNCH	
5045	----	----	----	530.60B/----	530.60B/500.50A	----	----	----	499.70 + 94.30	.7973	----	----	----	31	UNCH	
5050	----	----	----	536.70B/----	536.70B/503.70A	----	----	----	504.00 + 94.70	.7996	----	----	----	351	UNCH	
5070	----	----	----	552.10B/----	552.10B/521.70A	----	----	----	521.00 + 96.00	.8091	----	----	----	17	UNCH	
5080	----	----	----	560.80B/----	560.80B/530.20A	----	----	----	529.60 + 96.70	.8136	----	----	----	3	UNCH	
5100	----	----	----	578.40B/----	578.40B/547.50A	----	----	----	546.90 + 98.00	.8224	----	----	----	82	UNCH	
5120	551.40	551.40	----	551.40/551.40	551.40/551.40	----	----	----	564.30 + 99.20	.8308	----	1	----	2		

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
SEP26															
3825	----	----	----	28.90B/----	28.90B/24.40A	----	----	25.20 + 6.50	.0784	----	----	----	----	13	UNCH
3850	----	----	----	30.60B/----	30.60B/25.20A	----	----	27.00 + 7.00	.0838	----	----	----	----	22	UNCH
3860	----	----	----	31.50B/----	31.50B/26.60A	----	----	27.80 + 7.30	.0861	----	----	----	----	1	UNCH
3880	----	----	----	33.60B/----	33.60B/24.70A	----	----	29.40 + 7.70	.0907	----	----	----	----	26	UNCH
3900	----	----	----	35.60B/----	35.60B/25.80A	----	----	31.10 + 8.20	.0956	----	----	2	----	213	UNCH
3910	----	----	----	36.50B/----	36.50B/26.60A	----	----	32.00 + 8.50	.0982	----	----	----	----	2	UNCH
3915	----	----	----	37.20B/----	37.20B/27.50A	----	----	32.40 + 8.50	.0994	----	----	----	----	4	UNCH
3920	----	----	----	37.50B/----	37.50B/27.20A	----	----	32.90 + 8.70	.1007	----	----	----	----	14	UNCH
3930	----	----	----	38.50B/----	38.50B/27.90A	----	----	33.80 + 8.90	.1033	----	----	----	----	2	UNCH
3945	----	----	----	40.70B/----	40.70B/29.30A	----	----	35.30 + 9.40	.1075	----	----	----	----	380	UNCH
3950	----	----	----	41.40B/----	41.40B/29.50A	----	----	35.80 + 9.50	.1089	----	----	----	----	4	UNCH
3975	----	----	----	44.50B/----	44.50B/31.90A	----	----	38.50 + 10.30	.1164	----	----	----	----	2	UNCH
3980	----	----	----	45.10B/----	45.10B/32.30A	----	----	39.00 + 10.40	.1178	----	----	----	----	1	UNCH
3990	----	----	----	46.50B/----	46.50B/32.90A	----	----	40.20 NEW	.1210	----	----	1	----	1 +	1
4000	34.00	34.00	----	47.80B/34.00	47.80B/33.70A	----	----	41.30 + 11.10	.1241	----	----	173	----	1204 -	7
4005	----	----	----	48.50B/----	48.50B/34.20A	----	----	41.90 + 11.30	.1257	----	----	----	----	1	UNCH
4020	----	----	----	50.70B/----	50.70B/35.70A	----	----	43.80 + 11.80	.1307	----	----	----	----	14	UNCH
4030	----	----	----	52.20B/----	52.20B/37.10A	----	----	45.00 + 12.10	.1340	----	----	----	----	3	UNCH
4040	47.30	47.30	----	53.70B/47.30	53.70B/39.10A	----	----	46.40 NEW	.1377	----	----	10	----	10 +	10
4050	----	----	----	55.30B/----	55.30B/38.70A	----	----	47.70 + 12.90	.1411	----	----	1	----	44	UNCH
4055	----	----	----	56.10B/----	56.10B/39.70A	----	----	48.40 NEW	.1430	----	----	1	----	1 +	1
4065	----	----	----	57.90B/----	57.90B/40.40A	----	----	49.80 + 13.50	.1466	----	----	----	----	5	UNCH
4070	----	----	----	58.70B/----	58.70B/41.50A	----	----	50.60 + 13.80	.1486	----	----	----	----	10	UNCH
4080	----	----	----	60.40B/----	60.40B/42.20A	----	----	52.00 + 14.10	.1523	----	----	----	----	6	UNCH
4085	----	----	----	61.30B/----	61.30B/43.20A	----	----	52.80 + 14.40	.1543	----	----	----	----	76	UNCH
4090	----	----	----	62.20B/----	62.20B/43.80A	----	----	53.60 + 14.60	.1563	----	----	----	----	2	UNCH
4100	56.70	56.70	----	64.00B/55.60	64.00B/45.10A	----	----	55.10 + 15.00	.1602	----	----	151	----	154 +	130
4110	----	----	----	65.90B/----	65.90B/45.80A	----	----	56.70 + 15.40	.1642	----	----	----	----	1	UNCH
4115	----	----	----	66.90B/----	66.90B/47.00A	----	----	57.60 + 15.70	.1664	----	----	----	----	28	UNCH
4130	----	----	----	69.80B/----	69.80B/49.60A	----	----	60.10 + 16.40	.1727	----	----	----	----	20	UNCH
4135	----	----	----	70.80B/----	70.80B/50.00A	----	----	61.00 + 16.70	.1749	----	----	----	----	3	UNCH
4150	----	----	----	74.00B/----	74.00B/51.60A	----	----	63.70 + 17.40	.1814	----	----	----	----	21	UNCH
4165	----	----	----	77.00B/----	77.00B/53.80A	----	----	66.50 NEW	.1882	----	----	4	----	3 +	3
4175	----	----	----	78.90B/----	78.90B/55.30A	----	----	68.40 NEW	.1928	----	----	1	----	1 +	1
4185	----	----	----	81.70B/----	81.70B/56.90A	----	----	70.40 + 19.20	.1975	----	----	----	----	79	UNCH
4190	----	----	----	82.70B/----	82.70B/57.70A	----	----	71.40 NEW	.1999	----	----	4	----	3 +	3
4200	----	----	----	85.30B/----	85.30B/58.90A	----	----	73.50 + 20.00	.2047	----	----	2	----	227 +	2
4205	76.10	76.10	----	86.40B/76.10	86.40B/60.40A	----	----	74.50 NEW	.2071	----	----	1	----	10 +	10
4210	77.20	77.20	----	87.50B/77.20	87.50B/60.50A	----	----	75.60 + 20.60	.2096	----	----	10	----	3 +	1
4220	----	----	----	90.10B/----	90.10B/62.60A	----	----	77.80 + 21.20	.2147	----	----	----	----	113	UNCH
4225	----	----	----	90.90B/----	90.90B/63.50A	----	----	78.90 + 21.50	.2172	----	----	----	----	2	UNCH
4230	----	----	----	92.70B/----	92.70B/64.30A	----	----	80.00 + 21.70	.2197	----	----	----	----	29	UNCH
4240	----	----	----	95.30B/----	95.30B/66.20A	----	----	82.30 + 22.30	.2249	----	----	----	----	106	UNCH
4250	93.40	93.40	----	97.90B/93.40	97.90B/68.60A	----	----	84.70 + 23.00	.2302	----	----	322	----	393 +	267
4275	----	----	----	105.00B/----	105.00B/72.90A	----	----	90.90 + 24.60	.2437	----	----	----	----	30	UNCH
4290	----	----	----	109.00B/----	109.00B/75.90A	----	----	94.80 + 25.60	.2521	----	----	----	----	1	UNCH
4295	----	----	----	110.50B/----	110.50B/77.10A	----	----	96.10 + 25.90	.2549	----	----	----	----	1	UNCH
4300	97.70	97.70	----	112.50B/97.70	112.50B/78.10A	----	----	97.40 + 26.20	.2577	----	----	2	----	319 -	1
4320	----	----	----	118.50B/----	118.50B/82.50A	----	----	103.00 + 27.60	.2693	----	----	----	----	158	UNCH
4325	----	----	----	120.20B/----	120.20B/83.60A	----	----	104.40 + 28.00	.2722	----	----	----	----	6	UNCH
4345	----	----	----	126.70B/----	126.70B/88.30A	----	----	110.30 + 29.40	.2841	----	----	----	----	16	UNCH
4350	----	----	----	128.40B/----	128.40B/89.60A	----	----	111.80 + 29.80	.2872	----	----	----	----	44	UNCH
4360	----	----	----	131.30B/----	131.30B/92.00A	----	----	114.80 + 30.40	.2932	----	----	----	----	1	UNCH
4365	----	----	----	133.50B/----	133.50B/94.90A	----	----	116.40 + 30.80	.2963	----	----	----	----	6	UNCH
4375	----	----	----	137.10B/----	137.10B/95.80A	----	----	119.60 + 31.60	.3025	----	----	----	----	55	UNCH
4380	----	----	----	138.60B/----	138.60B/96.90A	----	----	121.20 + 32.00	.3056	----	----	----	----	95	UNCH
4390	----	----	----	142.30B/----	142.30B/99.70A	----	----	124.50 + 32.80	.3120	----	----	----	----	41	UNCH
4395	----	----	----	144.20B/----	144.20B/102.10A	----	----	126.10 + 33.10	.3151	----	----	----	----	41	UNCH
4400	----	----	----	146.50B/----	146.50B/103.20A	----	----	127.80 + 33.50	.3183	----	----	----	----	852	UNCH
4405	----	----	----	147.90B/----	147.90B/104.80A	----	----	129.50 + 33.90	.3215	----	----	----	----	40	UNCH
4410	----	----	----	149.90B/----	149.90B/106.20A	----	----	131.30 + 34.30	.3247	----	----	----	----	6	UNCH
4420	----	----	----	152.80B/----	152.80B/108.00A	----	----	134.80 + 35.10	.3312	----	----	----	----	1	UNCH
4425	----	----	----	155.70B/----	155.70B/109.50A	----	----	136.50 + 35.50	.3344	----	----	----	----	200	UNCH
4430	----	----	----	157.10B/----	157.10B/111.00A	----	----	138.30 + 35.90	.3377	----	----	----	----	7	UNCH
4440	----	----	----	161.50B/----	161.50B/114.00A	----	----	142.00 + 36.70	.3443	----	----	----	----	2	UNCH
4445	----	----	----	162.70B/----	162.70B/115.50A	----	----	143.80 + 37.10	.3476	----	----	----	----	1	UNCH
4450	----	----	----	165.90B/----	165.90B/116.80A	----	----	145.70 + 37.50	.3510	----	----	----	----	460	UNCH
4470	----	----	----	173.20B/----	173.20B/123.30A	----	----	153.30 + 39.10	.3644	----	----	----	----	2	UNCH
4475	----	----	----	176.20B/----	176.20B/124.90A	----	----	155.30 + 39.60	.3678	----	----	----	----	3	UNCH
4485	----	----	----	180.50B/----	180.50B/129.30A	----	----	159.30 + 40.40	.3746	----	----	----	----	1	UNCH
4490	----	----	----	182.50B/----	182.50B/129.80A	----	----	161.30 + 40.80	.3780	----	----	----	----	50	UNCH
4495	----	----	----	184.80B/----	184.80B/132.80A	----	----	163.30 + 41.20	.3814	----	----	----	----	2	UNCH
4500	----	----	----	187.40B/----	187.40B/133.20A	----	----	165.40 + 41.70	.3848	----	----	----	----	504	UNCH
4510	----	----	----	191.70B/----	191.70B/136.70A	----	----	169.60 NEW	.3917	----	----	1	----	1 +	1
4515	----	----	----	194.00B/----	194.00B/138.20A	----	----	171.70 + 43.00	.3952	----	----	----	----	3	UNCH
4520	----	----	----	196.30B/----	196.30B/140.00A	----	----	173.80 + 43.40	.3987	----	----	----	----	91	UNCH
4525	----	----	----	198.70B/----	198.70B/142.00A	----	----	176.00 + 43.90	.4021	----	----	----	----	2	UNCH
4530	----	----	----	201.00B/----	201.00B/143.90A	----	----	178.10 + 44.20	.4056	----	----	----	----	2	UNCH
4540	184.60	184.60	----	205.80B/184.60	205.80B/149.00A	----	----	182.50 NEW	.4126	----	----	3	----	3 +	3
4550	----	----	----	210.90B/----	210.90B/151.20A	----	----	187.00 + 46.00	.4196	----	----	----	----	352	UNCH
4560	----	----	----	215.40B/----	215.40B/155.10A	----	----	191.50 + 46.80	.4266	----	----	----	----	30	UNCH
4565	----	----	----	217.90B/----	217.90B/157.00A	----	----	193.80 + 47.30	.4302	----	----	----	----	75	UNCH
4570	----	----	----	220.50B/----	220.50B/160.60A	----	----	196.20 + 47.80	.4337	----	----	----	----	4	UNCH
4575	----	----	----	222.90B/----	222.90B/161.10A	----	----	198.50 + 48.20	.4372	----	----	----	----	16	UNCH
4580	----	----	----	225.60B/----	225.60B/163.10A	----	----	200.90 + 48.70	.4408	----	----	----	----	1	UNCH
4585	----	----	----	228.20B/----	228.20B/164.90A	----	----	203.30 + 49.10	.4443	----	----	----	----	7	UNCH
4595	----	----	----	233.40B/----	233.40B/168.80A	----	----	208.10 + 50.00	.4514	----	----	----	----	2	UNCH
4600	216.00	216.00	----	235.80B/216.00	235.80B/173.20A	----	----	210.50 + 50.40	.4549	----	----	2	----	56 +	1
4605	----	----	----	238.60B/----	238.60B/175.40A	----	----	213.00 + 50.90	.4585	----	----	----	----	3	UNCH
4610	----	----	----	241.30B/----	241.30B/175.60A	----	----	215.40 + 51.20	.4620	----	----	----	----	5	UNCH
4615	----	----	----	244.00B/----	244.00B/177.60A	----	----	217.90 + 51.70	.4656	----	----	----	----	4	UNCH
4620	----	----	----	246.90B/----	246.90B/179.00A	----	----	220.50 + 52.20	.4691	----	----	----	----	428	UNCH
4625	----	----	----	249.40B/----	249.40B/184.00A	----	----	223.00 + 52.60	.4727	----	----	----	----	14	UNCH
4630	----	----	----	251.90B/----	251.90B/184.40A	----	----								

BULLETIN # 93@				METALS OPTION PRODUCTS								Fri, May 15, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS																
SEP26																	
5105	----	----	----	----	456.00B/604.40A	----	----	549.20 + 90.80	.7638	----	----	----	----	2	UNCH		
5150	----	----	----	494.20B/----	494.20B/639.30A	----	----	586.50 + 93.50	.7831	----	----	----	----	2	UNCH		
5200	----	----	----	663.30B/----	663.30B/628.80A	----	----	628.90 + 96.40	.8026	----	----	----	----	45	UNCH		
5230	----	----	----	690.80B/----	690.80B/654.00A	----	----	654.80 + 98.10	.8137	----	----	----	----	400	UNCH		
5300	----	----	----	752.80B/----	752.80B/715.50A	----	----	716.30 + 01.50	.8366	----	----	----	----	300	UNCH		
5400	----	----	----	841.50B/----	841.50B/806.20A	----	----	806.60 + 05.90	.8643	----	----	----	----	100	UNCH		
5420	----	----	----	859.80B/----	859.80B/824.70A	----	----	825.00 + 06.70	.8692	----	----	----	----	80	UNCH		
5450	----	----	----	764.40B/----	764.40B/889.50A	----	----	852.60 + 07.80	.8761	----	----	----	----	1	UNCH		
5500	----	----	----	934.00B/----	934.00B/898.60A	----	----	899.00 + 09.40	.8869	----	----	----	----	3	UNCH		
6000	----	----	----	----	----	----	----	1380.20 + 19.40	.9475	----	----	----	----	2	UNCH		
TOTAL													754	11910+	468		
OCT26																	
2700	----	----	----	2.90B/----	2.90B/3.90A	----	----	3.40 + 0.60	.0083	----	----	----	----	1	UNCH		
2800	4.00	4.00	----	4.00/4.00	4.00/4.00	----	----	3.90 + 0.70	.0099	----	----	6	----	8 +	5		
2900	----	----	----	4.20B/----	4.20B/5.30A	----	----	4.60 + 0.80	.0119	----	----	----	----	1	UNCH		
3100	----	----	----	6.20B/----	6.20B/7.50A	----	----	6.60 + 1.30	.0178	----	----	----	----	1	UNCH		
3155	----	----	----	7.00B/----	7.00B/8.30A	----	----	7.40 + 1.50	.0201	----	----	----	----	1	UNCH		
3200	----	----	----	7.90B/----	7.90B/8.70A	----	----	8.10 + 1.60	.0222	----	----	----	----	414	UNCH		
3240	----	----	----	8.70B/----	8.70B/9.40A	----	----	8.80 + 1.80	.0242	----	----	----	----	5	UNCH		
3300	10.00	10.00	----	10.00/10.00	10.00/10.00	----	----	10.10 + 2.20	.0279	----	----	1	----	416 +	1		
3340	----	----	----	11.00B/----	11.00B/11.60A	----	----	11.00 + 2.40	.0305	----	----	----	----	9	UNCH		
3360	----	----	----	11.40B/----	11.40B/12.10A	----	----	11.50 + 2.50	.0319	----	----	----	----	1	UNCH		
3380	----	----	----	12.10B/----	12.10B/12.70A	----	----	12.00 + 2.60	.0334	----	----	----	----	1	UNCH		
3390	----	----	----	12.50B/----	12.50B/13.00A	----	----	12.30 + 2.60	.0342	----	----	----	----	4	UNCH		
3400	----	----	----	12.80B/----	12.80B/13.20A	----	----	12.60 + 2.70	.0350	----	----	----	----	150	UNCH		
3480	----	----	----	15.60B/----	15.60B/15.80A	----	----	15.10 + 3.20	.0422	----	----	----	----	12	UNCH		
3500	----	----	----	16.30B/----	16.30B/16.60A	----	----	15.90 + 3.50	.0443	----	----	----	----	18	UNCH		
3520	----	----	----	17.20B/----	17.20B/17.40A	----	----	16.60 + 3.60	.0463	----	----	----	----	12	UNCH		
3550	----	----	----	18.60B/----	18.60B/18.60A	----	----	17.90 + 3.90	.0499	----	----	----	----	25	UNCH		
3600	----	----	----	21.10B/----	21.10B/21.00A	----	----	20.20 + 4.40	.0562	----	----	1	----	183 +	1		
3615	----	----	----	22.00B/----	22.00B/21.70A	----	----	21.00 + 4.60	.0583	----	----	----	----	1	UNCH		
3700	----	----	----	28.90B/----	28.90B/26.70A	----	----	26.00 + 5.80	.0717	----	----	----	----	138	UNCH		
3715	----	----	----	30.20B/----	30.20B/27.70A	----	----	27.00 + 6.00	.0743	----	----	----	----	196	UNCH		
3750	----	----	----	33.00B/----	33.00B/29.00A	----	----	29.50 + 6.60	.0808	----	----	----	----	19	UNCH		
3770	----	----	----	34.40B/----	34.40B/30.40A	----	----	31.10 + 7.00	.0849	----	----	----	----	1	UNCH		
3785	----	----	----	35.70B/----	35.70B/28.00A	----	----	32.30 + 7.30	.0880	----	----	----	----	1	UNCH		
3800	----	----	----	37.10B/----	37.10B/29.10A	----	----	33.60 + 7.60	.0913	----	----	----	----	18	UNCH		
3805	----	----	----	37.80B/----	37.80B/29.30A	----	----	34.10 + 7.80	.0925	----	----	----	----	1	UNCH		
3820	----	----	----	39.30B/----	39.30B/30.40A	----	----	35.40 + 8.10	.0958	----	----	----	----	1	UNCH		
3865	----	----	----	44.30B/----	44.30B/34.10A	----	----	39.90 + 9.30	.1068	----	----	----	----	2	UNCH		
3870	----	----	----	45.30B/----	45.30B/35.00A	----	----	40.40 + 9.40	.1080	----	----	----	----	1	UNCH		
3875	----	----	----	46.10B/----	46.10B/35.60A	----	----	40.90 + 9.50	.1093	----	----	----	----	12	UNCH		
3885	----	----	----	47.30B/----	47.30B/35.80A	----	----	42.00 + 9.80	.1119	----	----	----	----	5	UNCH		
3890	----	----	----	47.80B/----	47.80B/36.30A	----	----	42.60 + 10.00	.1134	----	----	----	----	2	UNCH		
3895	----	----	----	48.60B/----	48.60B/36.80A	----	----	43.10 + 10.00	.1146	----	----	----	----	2	UNCH		
3900	----	----	----	49.20B/----	49.20B/37.10A	----	----	43.70 + 10.20	.1160	----	----	----	----	23	UNCH		
3920	----	----	----	51.90B/----	51.90B/39.00A	----	----	46.10 + 10.80	.1217	----	----	----	----	28	UNCH		
3930	----	----	----	53.20B/----	53.20B/40.00A	----	----	47.30 + 11.10	.1246	----	----	----	----	2	UNCH		
3940	----	----	----	54.60B/----	54.60B/41.00A	----	----	48.50 + 11.40	.1274	----	----	----	----	65	UNCH		
3950	----	----	----	56.00B/----	56.00B/42.40A	----	----	49.80 + 11.70	.1305	----	----	----	----	2	UNCH		
3965	----	----	----	58.50B/----	58.50B/44.50A	----	----	51.80 NEW	.1351	----	----	1	----	1 +	1		
3975	----	----	----	60.10B/----	60.10B/44.80A	----	----	53.20 + 12.60	.1383	----	----	----	----	5	UNCH		
4000	60.00	60.00	----	64.70B/60.00	64.70B/48.20A	----	----	56.80 + 13.50	.1465	----	----	2	----	374	UNCH		
4025	65.20	65.20	----	68.80B/65.20	68.80B/50.90A	----	----	60.70 NEW	.1552	----	----	10	----	10 +	10		
4030	----	----	----	69.40B/----	69.40B/52.20A	----	----	61.50 + 14.70	.1570	----	----	----	----	2	UNCH		
4050	----	----	----	73.60B/----	73.60B/54.20A	----	----	64.90 + 15.60	.1644	----	----	----	----	5	UNCH		
4070	71.00	71.00	----	77.50B/71.00	77.50B/57.40A	----	----	68.40 + 16.50	.1719	----	----	7	----	31 +	7		
4090	77.00	77.00	----	81.50B/77.00	81.50B/62.30A	----	----	72.10 + 17.40	.1798	----	----	10	----	10	UNCH		
4095	----	----	----	82.60B/----	82.60B/61.30A	----	----	73.00 + 17.60	.1817	----	----	----	----	20	UNCH		
4100	----	----	----	84.00B/----	84.00B/61.40A	----	----	74.00 + 17.90	.1838	----	----	----	----	466	UNCH		
4130	----	----	----	89.60B/----	89.60B/66.90A	----	----	79.90 + 19.30	.1961	----	----	----	----	2	UNCH		
4150	----	----	----	95.00B/----	95.00B/72.10A	----	----	84.10 + 20.30	.2046	----	----	----	----	5	UNCH		
4180	----	----	----	102.20B/----	102.20B/75.70A	----	----	90.70 + 21.70	.2179	----	----	----	----	1	UNCH		
4200	100.00	100.00	----	108.10B/97.50	108.10B/79.60A	----	----	95.40 + 22.80	.2271	----	----	10	----	396 +	5		
4220	----	----	----	113.00B/----	113.00B/83.60A	----	----	100.30 + 23.90	.2366	----	----	----	----	5	UNCH		
4235	----	----	----	117.10B/----	117.10B/86.80A	----	----	104.20 + 24.80	.2439	----	----	----	----	1	UNCH		
4250	----	----	----	122.00B/----	122.00B/89.60A	----	----	108.20 + 25.70	.2514	----	----	----	----	72	UNCH		
4265	----	----	----	126.50B/----	126.50B/93.40A	----	----	112.20 + 26.50	.2589	----	----	----	----	200	UNCH		
4270	----	----	----	128.00B/----	128.00B/94.10A	----	----	113.60 + 26.80	.2614	----	----	----	----	229	UNCH		
4280	----	----	----	131.20B/----	131.20B/96.80A	----	----	116.50 + 27.50	.2666	----	----	----	----	196	UNCH		
4300	----	----	----	138.00B/----	138.00B/101.30A	----	----	122.30 + 28.70	.2770	----	----	----	----	616	UNCH		
4330	----	----	----	147.00B/----	147.00B/109.30A	----	----	131.50 + 30.60	.2931	----	----	----	----	1	UNCH		
4350	----	----	----	154.80B/----	154.80B/114.60A	----	----	137.90 + 31.90	.3040	----	----	----	----	236	UNCH		
4355	----	----	----	156.40B/----	156.40B/116.00A	----	----	139.50 + 32.20	.3068	----	----	----	----	11	UNCH		
4375	----	----	----	163.80B/----	163.80B/121.50A	----	----	146.20 + 33.50	.3180	----	----	----	----	11	UNCH		
4400	166.40	166.40	----	173.60B/166.40	173.60B/129.00A	----	----	155.00 + 35.20	.3323	----	----	10	----	606	UNCH		
4425	----	----	----	183.30B/----	183.30B/136.70A	----	----	164.20 + 36.90	.3468	----	----	----	----	15	UNCH		
4430	----	----	----	185.50B/----	185.50B/138.40A	----	----	166.10 + 37.30	.3498	----	----	----	----	3	UNCH		
4450	----	----	----	193.40B/----	193.40B/144.90A	----	----	173.80 + 38.70	.3616	----	----	----	----	26	UNCH		
4475	----	----	----	204.30B/----	204.30B/153.40A	----	----	183.80 + 40.50	.3766	----	----	----	----	2	UNCH		
4500	198.20	198.20	----	215.70B/198.20	215.70B/162.40A	----	----	194.30 + 42.50	.3918	----	----	4	----	92 +	2		
4550	----	----	----	239.50B/----	239.50B/181.40A	----	----	216.60 + 46.40	.4226	----	----	----	----	1	UNCH		
4560	----	----	----	244.40B/----	244.40B/185.50A	----	----	221.20 + 47.20	.4288	----	----	----	----	78	UNCH		
4600	----	----	----	265.40B/----	265.40B/202.20A	----	----	240.60 + 50.40	.4537	----	----	----	----	329	UNCH		
4605	----	----	----	267.70B/----	267.70B/204.40A	----	----	243.10 + 50.90	.4569	----	----	----	----	5	UNCH		
4610	----	----	----	270.40B/----	270.40B/206.40A	----	----	245.60 + 51.20	.4600	----	----	----	----	5	UNCH		
4625	258.80	258.80	----	278.40B/258.80	278.40B/213.30A	----	----	253.30 + 52.50	.4694	----	----	1	----	41 +	1		
4630	----	----	----	281.40B/----	281.40B/215.20A	----	----	255.90 + 52.90	.4725	----	----	----	----	1	UNCH		
4635	----	----	----	283.90B/----	283.90B/216.90A	----	----	258.50 + 53.30	.4756	----	----	----	----	1	UNCH		
4640	----	----	----	286.90B/----	286.90B/219.00A	----	----	261.10 + 53.70	.4787	----	----	----	----	13	UNCH		
4645	----	----	----	289.60B/----	289.60B/220.60A	----	----	263.70 + 54.10	.4818	----	----	----	----	2	UNCH		
4650	----	----	----	2													

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
NOV26																
3000	----	----		6.60B/----	6.60B/8.10A	----			7.20 + 1.50	.0175	----	----	----	----	95	UNCH
3120	----	----		8.50B/----	8.50B/10.10A	----			9.10 + 1.90	.0224	----	----	----	----	10	UNCH
3180	----	----		9.70B/----	9.70B/11.30A	----			10.30 + 2.10	.0255	----	----	----	----	10	UNCH
3200	----	----		10.20B/----	10.20B/11.70A	----			10.70 + 2.20	.0266	----	----	----	----	93	UNCH
3215	----	----		10.60B/----	10.60B/12.10A	----			11.10 + 2.30	.0276	----	----	----	----	1	UNCH
3220	----	----		10.70B/----	10.70B/12.20A	----			11.20 + 2.30	.0278	----	----	----	----	1	UNCH
3225	----	----		10.70B/----	10.70B/12.30A	----			11.30 + 2.30	.0281	----	----	----	----	2	UNCH
3235	----	----		11.10B/----	11.10B/12.60A	----			11.60 + 2.40	.0288	----	----	----	----	18	UNCH
3250	----	----		11.40B/----	11.40B/12.90A	----			11.90 + 2.40	.0296	----	----	----	----	18	UNCH
3255	----	----		11.60B/----	11.60B/13.10A	----			12.10 + 2.50	.0301	----	----	----	----	20	UNCH
3300	----	----		12.80B/----	12.80B/14.30A	----			13.30 + 2.70	.0332	----	----	----	----	1	UNCH
3310	----	----		13.20B/----	13.20B/14.60A	----			13.60 + 2.80	.0339	----	----	----	----	16	UNCH
3320	----	----		13.40B/----	13.40B/14.90A	----			13.90 + 2.90	.0347	----	----	----	----	1	UNCH
3350	----	----		14.50B/----	14.50B/15.90A	----			14.90 + 3.10	.0371	----	----	----	----	180	UNCH
3455	----	----		18.60B/----	18.60B/19.90A	----			18.90 + 3.90	.0470	----	----	----	----	2	UNCH
3475	----	----		19.70B/----	19.70B/20.80A	----			19.70 + 3.90	.0490	----	----	----	----	1	UNCH
3500	----	----		20.90B/----	20.90B/21.90A	----			20.90 + 4.20	.0519	----	----	----	----	675	UNCH
3535	----	----		23.10B/----	23.10B/23.70A	----			22.70 + 4.50	.0562	----	----	----	----	1	UNCH
3605	----	----		29.40B/----	29.40B/27.80A	----			26.80 + 5.30	.0659	----	----	----	----	1	UNCH
3690	----	----		36.30B/----	36.30B/33.80A	----			32.80 + 6.50	.0798	----	----	----	----	1	UNCH
3700	----	----		37.20B/----	37.20B/34.60A	----			33.60 + 6.60	.0816	----	----	----	----	1	UNCH
3725	----	----		38.50B/----	38.50B/32.20A	----			35.70 + 7.10	.0863	----	----	----	----	1	UNCH
3740	----	----		40.00B/----	40.00B/32.50A	----			37.00 + 7.30	.0893	----	----	----	----	21	UNCH
3750	----	----		41.10B/----	41.10B/34.10A	----			37.90 + 7.50	.0913	----	----	----	----	347	UNCH
3780	----	----		44.60B/----	44.60B/36.90A	----			40.80 + 8.20	.0976	----	----	----	----	1	UNCH
3800	----	----		46.70B/----	46.70B/38.20A	----			42.90 + 8.70	.1021	----	----	----	----	29	UNCH
3820	----	----		49.20B/----	49.20B/40.70A	----			45.00 + 9.10	.1067	----	----	----	----	22	UNCH
3875	----	----		56.80B/----	56.80B/45.00A	----			51.50 + 10.60	.1204	----	----	----	----	24	UNCH
3900	----	----		60.50B/----	60.50B/49.60A	----			54.80 + 11.40	.1271	----	----	----	----	2	UNCH
3920	----	----		63.60B/----	63.60B/49.90A	----			57.60 + 12.10	.1328	----	----	----	----	2	UNCH
3925	----	----		64.40B/----	64.40B/52.70A	----			58.30 + 12.30	.1342	----	----	----	----	2	UNCH
3945	68.00	68.00		68.00/68.00	68.00/55.30A	----			61.20 NEW	.1400	----	----	1	----	1	+
3980	----	----		73.40B/----	73.40B/57.50A	----			66.60 + 14.20	.1507	----	----	----	----	1	UNCH
4000	75.00	75.00		77.10B/75.00	77.10B/62.70A	----			69.90 + 15.00	.1571	----	----	1	----	7	+
4025	----	----		81.70B/----	81.70B/64.00A	----			74.20 + 15.90	.1653	----	----	----	----	2	UNCH
4070	----	----		90.80B/----	90.80B/70.70A	----			82.60 + 17.80	.1810	----	----	----	----	25	UNCH
4100	----	----		97.40B/----	97.40B/77.40A	----			88.60 + 19.10	.1920	----	----	4	----	5	+
4135	----	----		105.60B/----	105.60B/82.30A	----			96.00 + 20.60	.2054	----	----	----	----	22	UNCH
4160	----	----		111.80B/----	111.80B/86.80A	----			101.70 + 21.70	.2154	----	----	----	----	1	UNCH
4170	----	----		114.60B/----	114.60B/90.20A	----			104.00 + 22.20	.2194	----	----	----	----	1	UNCH
4180	----	----		116.90B/----	116.90B/91.80A	----			106.40 + 22.60	.2236	----	----	----	----	1	UNCH
4200	----	----		122.30B/----	122.30B/95.60A	----			111.30 + 23.60	.2319	----	----	----	----	6	UNCH
4205	----	----		123.70B/----	123.70B/95.40A	----			112.60 + 23.90	.2341	----	----	----	----	1	UNCH
4215	----	----		126.50B/----	126.50B/101.10A	----			115.10 + 24.30	.2383	----	----	----	----	5	UNCH
4250	----	----		136.70B/----	136.70B/106.50A	----			124.40 + 26.00	.2537	----	----	----	----	567	UNCH
4275	----	----		144.50B/----	144.50B/113.10A	----			131.50 + 27.40	.2651	----	----	----	----	3	UNCH
4305	----	----		154.00B/----	154.00B/121.00A	----			140.30 + 28.90	.2791	----	----	----	----	1	UNCH
4320	----	----		159.20B/----	159.20B/125.60A	----			144.90 + 29.70	.2862	----	----	----	----	43	UNCH
4330	----	----		162.50B/----	162.50B/127.00A	----			148.00 + 30.20	.2910	----	----	----	----	2	UNCH
4350	----	----		169.50B/----	169.50B/133.70A	----			154.50 + 31.40	.3008	----	----	----	----	3	UNCH
4390	----	----		184.40B/----	184.40B/145.40A	----			168.00 + 33.70	.3207	----	----	----	----	1	UNCH
4395	----	----		186.30B/----	186.30B/147.00A	----			169.80 + 34.00	.3233	----	----	----	----	1	UNCH
4400	----	----		188.20B/----	188.20B/149.70A	----			171.60 + 34.40	.3258	----	----	2	----	5	+
4425	----	----		198.00B/----	198.00B/157.60A	----			180.70 + 35.90	.3387	----	----	----	----	72	UNCH
4430	----	----		200.00B/----	200.00B/159.00A	----			182.50 + 36.20	.3413	----	----	----	----	10	UNCH
4450	----	----		208.20B/----	208.20B/165.70A	----			190.10 + 37.40	.3517	----	----	----	----	39	UNCH
4485	----	----		223.10B/----	223.10B/176.70A	----			204.00 + 39.70	.3703	----	----	----	----	1	UNCH
4490	----	----		225.30B/----	225.30B/176.90A	----			206.00 + 40.00	.3730	----	----	----	----	1	UNCH
4500	----	----		229.70B/----	229.70B/182.90A	----			210.20 + 40.80	.3784	----	----	----	----	45	UNCH
4510	----	----		234.20B/----	234.20B/184.50A	----			214.40 + 41.50	.3838	----	----	----	----	11	UNCH
4535	----	----		245.70B/----	245.70B/195.40A	----			225.10 + 43.20	.3973	----	----	----	----	10	UNCH
4540	----	----		248.10B/----	248.10B/196.80A	----			227.30 + 43.50	.4001	----	----	----	----	6	UNCH
4580	----	----		267.40B/----	267.40B/211.60A	----			245.50 + 46.50	.4220	----	----	----	----	10	UNCH
4600	----	----		277.40B/----	277.40B/222.80A	----			255.00 + 48.00	.4331	----	----	----	----	1	UNCH
4640	----	----		298.30B/----	298.30B/238.70A	----			274.70 + 51.00	.4553	----	----	----	----	90	UNCH
4650	----	----		303.50B/----	303.50B/243.30A	----			279.80 + 51.70	.4608	----	----	----	----	52	UNCH
4700	280.90	280.90		331.30B/280.90	331.30B/263.00A	----			306.10 + 55.20	.4885	----	----	58	----	53	+
4710	----	----		337.10B/----	337.10B/267.30A	----			311.60 + 55.90	.4940	----	----	----	----	1	UNCH
4725	----	----		345.80B/----	345.80B/276.50A	----			319.80 + 56.80	.5022	----	----	----	----	2	UNCH
4750	----	----		359.20B/----	359.20B/292.00A	----			333.90 + 58.40	.5159	----	----	----	----	10	UNCH
4755	----	----		362.40B/----	362.40B/290.30A	----			336.80 + 58.80	.5186	----	----	----	----	1	UNCH
4800	----	----		390.00B/----	390.00B/314.20A	----			363.30 + 61.80	.5428	----	----	----	----	12	UNCH
4820	----	----		402.70B/----	402.70B/330.60A	----			375.40 + 63.20	.5534	----	----	----	----	1	UNCH
4840	----	----		415.40B/----	415.40B/342.00A	----			387.80 + 64.60	.5639	----	----	----	----	2	UNCH
4845	----	----		418.70B/----	418.70B/344.80A	----			390.90 + 64.90	.5665	----	----	----	----	10	UNCH
4850	----	----		422.00B/----	422.00B/347.70A	----			394.00 + 65.30	.5691	----	----	----	----	8	UNCH
4900	----	----		455.20B/----	455.20B/376.80A	----			426.30 + 68.80	.5945	----	----	----	----	12	UNCH
4915	----	----		465.40B/----	465.40B/386.30A	----			436.30 + 69.90	.6020	----	----	----	----	3	UNCH
4935	----	----		479.30B/----	479.30B/398.70A	----			449.90 + 71.40	.6118	----	----	----	----	25	UNCH
4950	----	----		489.80B/----	489.80B/404.80A	----			460.10 + 72.30	.6190	----	----	----	----	11	UNCH
4960	----	----		496.80B/----	496.80B/413.90A	----			467.00 + 73.00	.6238	----	----	----	----	2	UNCH
5000	----	----		525.60B/----	525.60B/440.20A	----			495.10 + 75.70	.6427	----	----	----	----	255	UNCH
5020	----	----		540.20B/----	540.20B/453.50A	----			509.30 + 76.80	.6518	----	----	----	----	30	UNCH
5055	----	----		566.30B/----	566.30B/477.10A	----			534.70 + 79.00	.6675	----	----	----	----	8	UNCH
5200	----	----		----	535.00B/719.60A	----			645.60 + 87.20	.7268	----	----	----	----	81	UNCH
5395	----	----		----	699.10B/872.80A	----			807.00 + 96.70	.7912	----	----	----	----	6	UNCH
5400	----	----		----	703.40B/876.90A	----			811.30 + 96.90	.7927	----	----	----	----	6	UNCH
5760	----	----		#1,030.10B/----	1030.10B/1186.30A	----			1134.60 + 09.00	.8715	----	----	----	----	1	UNCH
5975	----	----		#1,232.60B/----	1232.60B/1385.90A	----			1337.10 + 13.80	.9010	----	----	----	----	1	UNCH
6000	----	----		#1,256.50B/----	1256.50B/1409											

BULLETIN # 93@				METALS OPTION PRODUCTS										Fri, May 15, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																	
DEC26																			
3850	----	----	65.00B/----	65.00B/53.50A	----	60.20	+ 12.00	.1279	----	----	----	----	24	UNCH					
3880	----	----	69.80B/----	69.80B/56.80A	----	64.40	+ 12.80	.1357	----	----	----	----	1	UNCH					
3900	----	----	73.00B/----	73.00B/60.40A	----	67.30	+ 13.30	.1411	----	----	33	60	1206	UNCH					
3920	----	----	76.20B/----	76.20B/62.20A	----	70.40	+ 13.90	.1468	----	----	----	----	50	UNCH					
3925	----	----	77.30B/----	77.30B/63.10A	----	71.20	+ 14.00	.1482	----	----	----	----	252	UNCH					
3930	----	----	77.90B/----	77.90B/63.30A	----	72.00	+ 14.20	.1497	----	----	----	----	2	UNCH					
3950	----	----	82.40B/----	82.40B/67.40A	----	75.30	+ 14.80	.1556	----	----	----	----	27	UNCH					
3965	----	----	85.50B/----	85.50B/68.40A	----	77.80	+ 15.20	.1601	----	----	----	----	50	UNCH					
3975	----	----	87.30B/----	87.30B/70.20A	----	79.50	+ 15.50	.1631	----	----	----	----	192	UNCH					
3980	84.40	84.40	88.10B/84.40	88.10B/70.70A	----	80.40	+ 15.70	.1647	----	----	3	----	232	UNCH					
4000	----	----	92.60B/----	92.60B/73.60A	----	84.00	+ 16.30	.1710	----	----	----	750	2156	UNCH					
4025	----	----	97.30B/----	97.30B/78.70A	----	88.80	+ 17.20	.1792	----	----	----	----	220	UNCH					
4050	----	----	103.10B/----	103.10B/83.20A	----	93.70	+ 18.10	.1876	----	----	----	----	202	UNCH					
4070	----	----	107.20B/----	107.20B/85.80A	----	97.90	+ 18.90	.1946	----	----	----	----	8	UNCH					
4090	----	----	111.30B/----	111.30B/89.40A	----	102.20	+ 19.60	.2017	----	----	----	----	1	UNCH					
4100	----	----	115.00B/----	115.00B/92.40A	----	104.40	+ 20.00	.2053	----	----	----	----	386	UNCH					
4130	----	----	121.40B/----	121.40B/97.40A	----	111.30	+ 21.30	.2165	----	----	----	----	2	UNCH					
4150	----	----	127.30B/----	127.30B/101.50A	----	116.20	+ 22.20	.2242	----	----	----	----	21	UNCH					
4160	----	----	130.10B/----	130.10B/104.10A	----	118.70	+ 22.60	.2281	----	----	----	----	252	UNCH					
4170	----	----	132.10B/----	132.10B/106.10A	----	121.20	+ 23.10	.2320	----	----	----	----	2	UNCH					
4175	----	----	134.50B/----	134.50B/106.80A	----	122.50	+ 23.30	.2340	----	----	----	----	60	UNCH					
4200	----	----	141.60B/----	141.60B/113.50A	----	129.10	+ 24.50	.2441	----	----	----	----	1307	UNCH					
4215	----	----	145.70B/----	145.70B/116.20A	----	133.20	+ 25.20	.2503	----	----	----	----	14	UNCH					
4230	----	----	150.70B/----	150.70B/119.90A	----	137.40	+ 25.90	.2566	----	----	----	----	150	UNCH					
4250	----	----	156.80B/----	156.80B/124.90A	----	143.20	+ 26.90	.2651	----	----	----	----	344	UNCH					
4300	170.00	170.00	173.50B/170.00	173.50B/138.40A	----	158.60	+ 29.60	.2871	----	----	1	----	2343	+					
4320	----	----	180.50B/----	180.50B/144.50A	----	165.10	+ 30.70	.2961	----	----	----	----	100	UNCH					
4325	----	----	182.30B/----	182.30B/145.50A	----	166.80	+ 31.00	.2984	----	----	----	----	544	UNCH					
4340	----	----	187.90B/----	187.90B/150.40A	----	171.80	+ 31.80	.3052	----	----	----	----	82	UNCH					
4350	----	----	191.60B/----	191.60B/152.80A	----	175.30	+ 32.40	.3099	----	----	----	----	151	UNCH					
4365	----	----	197.40B/----	197.40B/157.80A	----	180.50	+ 33.20	.3168	----	----	----	----	390	UNCH					
4375	----	----	199.50B/----	199.50B/160.40A	----	184.10	+ 33.80	.3215	----	----	3	----	5	+					
4385	----	----	204.80B/----	204.80B/163.60A	----	187.70	+ 34.40	.3263	----	----	----	----	75	UNCH					
4390	----	----	206.70B/----	206.70B/165.20A	----	189.60	+ 34.70	.3287	----	----	----	----	200	UNCH					
4400	----	----	210.70B/----	210.70B/168.60A	----	193.30	+ 35.30	.3334	----	----	----	----	290	UNCH					
4425	----	----	220.80B/----	220.80B/176.80A	----	202.80	+ 36.90	.3455	----	----	----	----	9	UNCH					
4430	----	----	222.80B/----	222.80B/179.00A	----	204.70	+ 37.10	.3479	----	----	----	----	10	UNCH					
4435	----	----	224.90B/----	224.90B/180.50A	----	206.70	+ 37.50	.3503	----	----	----	----	14	UNCH					
4450	----	----	231.40B/----	231.40B/185.70A	----	212.60	+ 38.40	.3576	----	----	----	----	260	UNCH					
4470	----	----	238.40B/----	238.40B/192.60A	----	220.70	NEW	.3675	----	----	1	----	1	+					
4475	----	----	242.10B/----	242.10B/194.60A	----	222.80	+ 39.90	.3699	----	----	----	----	8	UNCH					
4500	----	----	253.10B/----	253.10B/203.90A	----	233.30	+ 41.50	.3824	----	----	1	----	1197	+					
4510	----	----	257.40B/----	257.40B/207.80A	----	237.50	+ 42.10	.3874	----	----	----	----	2	UNCH					
4515	----	----	259.80B/----	259.80B/209.80A	----	239.70	+ 42.40	.3899	----	----	----	----	242	UNCH					
4520	----	----	262.10B/----	262.10B/211.50A	----	241.90	+ 42.80	.3924	----	----	----	----	25	UNCH					
4525	----	----	264.30B/----	264.30B/213.60A	----	244.10	+ 43.10	.3949	----	----	----	----	200	UNCH					
4530	----	----	266.70B/----	266.70B/215.40A	----	246.30	+ 43.40	.3974	----	----	----	----	20	UNCH					
4535	----	----	268.90B/----	268.90B/217.40A	----	248.50	+ 43.70	.3999	----	----	----	----	102	UNCH					
4540	----	----	271.30B/----	271.30B/219.40A	----	250.70	+ 44.00	.4024	----	----	----	----	1	UNCH					
4550	239.50	239.50	276.10B/239.50	276.10B/223.40A	----	255.20	+ 44.60	.4075	----	----	8	----	9	+					
4555	----	----	278.50B/----	278.50B/225.40A	----	257.50	+ 45.00	.4100	----	----	----	----	50	UNCH					
4580	----	----	290.80B/----	290.80B/235.60A	----	269.10	+ 46.60	.4227	----	----	----	----	50	UNCH					
4585	----	----	293.70B/----	293.70B/237.90A	----	271.40	+ 46.90	.4253	----	----	----	----	325	UNCH					
4600	261.00	261.00	301.40B/261.00	301.40B/244.30A	----	278.60	+ 47.90	.4330	----	----	15	80	705	+					
4620	----	----	311.20B/----	311.20B/252.90A	----	288.40	+ 49.30	.4432	----	----	----	----	50	UNCH					
4625	----	----	313.70B/----	313.70B/255.20A	----	290.80	+ 49.60	.4457	----	----	----	----	34	UNCH					
4640	----	----	321.60B/----	321.60B/262.00A	----	298.40	+ 50.60	.4534	----	----	----	----	100	UNCH					
4650	----	----	326.90B/----	326.90B/266.00A	----	303.50	+ 51.30	.4585	----	----	----	----	116	UNCH					
4680	----	----	343.30B/----	343.30B/279.00A	----	319.30	+ 53.40	.4739	----	----	----	----	60	UNCH					
4700	----	----	354.00B/----	354.00B/287.50A	----	330.20	+ 54.90	.4840	----	----	----	----	511	UNCH					
4725	----	----	368.20B/----	368.20B/301.50A	----	344.10	+ 56.70	.4966	----	----	----	----	110	UNCH					
4750	----	----	382.80B/----	382.80B/313.50A	----	358.30	+ 58.40	.5091	----	----	----	----	63	UNCH					
4790	----	----	407.00B/----	407.00B/332.50A	----	381.60	+ 61.10	.5289	----	----	----	----	60	UNCH					
4795	----	----	409.90B/----	409.90B/335.80A	----	384.60	+ 61.40	.5314	----	----	----	----	1	UNCH					
4800	----	----	413.20B/----	413.20B/338.70A	----	387.60	+ 61.70	.5339	----	----	----	----	348	UNCH					
4810	----	----	419.40B/----	419.40B/343.60A	----	393.60	+ 62.40	.5387	----	----	----	----	56	UNCH					
4815	----	----	422.60B/----	422.60B/346.50A	----	396.60	+ 62.70	.5412	----	----	----	----	10	UNCH					
4820	----	----	425.70B/----	425.70B/351.60A	----	399.70	+ 63.00	.5436	----	----	----	----	20	UNCH					
4825	----	----	428.90B/----	428.90B/354.30A	----	402.70	+ 63.30	.5460	----	----	----	----	112	UNCH					
4830	----	----	432.00B/----	432.00B/358.40A	----	405.80	+ 63.70	.5484	----	----	----	----	6	UNCH					
4835	----	----	435.10B/----	435.10B/361.20A	----	408.90	+ 64.00	.5509	----	----	----	----	125	UNCH					
4850	----	----	444.80B/----	444.80B/369.60A	----	418.30	+ 65.00	.5580	----	----	----	----	13	UNCH					
4875	----	----	460.90B/----	460.90B/384.00A	----	434.10	+ 66.60	.5699	----	----	----	----	16	UNCH					
4880	----	----	464.40B/----	464.40B/386.90A	----	437.30	+ 66.90	.5722	----	----	----	----	12	UNCH					
4900	----	----	477.70B/----	477.70B/398.80A	----	450.30	+ 68.20	.5816	----	----	----	----	110	UNCH					
4925	----	----	494.40B/----	494.40B/413.80A	----	466.70	+ 69.80	.5931	----	----	----	----	237	UNCH					
4930	----	----	497.70B/----	497.70B/416.90A	----	470.00	+ 70.10	.5954	----	----	----	----	1	UNCH					
4935	----	----	501.00B/----	501.00B/419.90A	----	473.30	+ 70.40	.5977	----	----	----	----	2	UNCH					
4940	----	----	504.60B/----	504.60B/423.00A	----	476.70	+ 70.70	.6000	----	----	----	----	29	UNCH					
4950	----	----	511.50B/----	511.50B/429.20A	----	483.40	+ 71.30	.6045	----	----	----	----	24	UNCH					
4975	----	----	528.90B/----	528.90B/444.90A	----	500.30	+ 72.80	.6156	----	----	----	----	43	UNCH					
4980	----	----	532.40B/----	532.40B/448.10A	----	503.80	+ 73.20	.6178	----	----	----	----	5	UNCH					
4995	----	----	543.10B/----	543.10B/457.70A	----	514.10	+ 74.00	.6245	----	----	----	----	32	UNCH					
5000	----	----	546.70B/----	546.70B/460.90A	----	517.60	+ 74.30	.6266	----	----	----	----	445	UNCH					
5020	----	----	561.00B/----	561.00B/474.00A	----	531.60	+ 75.50	.6353	----	----	----	----	8	UNCH					
5025	----	----	564.70B/----	564.70B/477.20A	----	535.10	+ 75.70	.6374	----	----	----	----	210	UNCH					
5035	----	----	571.90B/----	571.90B/483.90A	----	542.20	+ 76.30	.6417	----	----	----	----	8	UNCH					
5050	----	----	583.00B/----	583.00B/493.80A	----	552.90	+ 77.20	.6480	----	----	----	----	201	UNCH					
5070	----	----	597.70B/----	597.70B/507.30A	----	567.30	+ 78.20	.6563	----	----	----	----	1	UNCH					
5075	----	----	601.50B/----	601.50B/511.00A	----	570.90	+ 78.50	.6583	----	----	----	----	100	UNCH					
5095	----	----	616.50B/----	616.50B/524.60A	----	585.50	+ 79.50	.6665	----	----	----	----	6	UNCH					
5100	----	----	620.20B/----	620.20B/528.10A	----	589.20	+ 79.80	.6685	----	----	----	----	6	UNCH					
5195	----	----	687.30B/----	687.30B/659.40A	----	661.10	+ 84.60	.7049	----	----	----	----	5</						

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG CALL		COMEX GOLD OPTIONS																							
JUN26																									
3700	----	----	----	----	/824.70A	864.60B/824.70A	----	----	862.30 - 23.00	.9950	----	----	----	----	----	290	UNCH								
3715	----	----	----	----	/813.40A	848.00B/813.40A	----	----	847.40 - 22.90	.9949	----	----	----	----	----	25	UNCH								
3725	----	----	----	----	/803.40A	838.00B/803.40A	----	----	837.40 - 23.00	.9943	----	----	----	----	----	5	UNCH								
3750	----	----	----	----	/774.30A	814.70B/774.30A	----	----	812.50 - 22.90	.9942	----	----	----	----	1051	UNCH									
3755	----	----	----	----	/773.50A	808.10B/773.50A	----	----	807.50 - 22.90	.9936	----	----	----	----	15	UNCH									
3785	----	----	----	----	/743.60A	778.20B/743.60A	----	----	777.60 - 22.80	.9928	----	----	----	----	9	UNCH									
3790	----	----	----	----	----	----	----	----	772.60 - 22.80	.9928	----	----	----	----	1	UNCH									
3800	----	----	----	----	/724.50A	764.80B/724.50A	----	----	762.70 - 22.80	.9927	----	----	----	----	519	UNCH									
3835	----	----	----	----	----	----	----	----	727.90 - 22.60	.9913	----	----	----	----	1	UNCH									
3840	----	----	----	----	----	----	----	----	722.90 - 22.60	.9912	----	----	----	----	1	UNCH									
3850	----	----	----	----	/675.30A	715.10B/675.30A	----	----	712.90 - 22.60	.9906	----	----	----	----	290	UNCH									
3875	----	----	----	----	/654.00A	688.60B/654.00A	----	----	688.10 - 22.50	.9897	----	----	----	----	60	UNCH									
3895	----	----	----	----	----	----	----	----	668.10 - 22.50	.9889	----	----	----	----	1	UNCH									
3900	----	----	----	----	/625.60A	665.30B/625.60A	----	----	663.20 - 22.40	.9888	----	----	----	----	363	UNCH									
3925	----	----	----	----	/604.40A	638.90B/604.40A	----	----	638.30 - 22.30	.9873	----	----	----	----	4	UNCH									
3950	----	----	----	----	/579.60A	614.10B/579.60A	----	----	613.50 - 22.20	.9862	----	----	----	----	14	UNCH									
3975	----	----	----	----	/553.30A	590.00B/553.30A	----	----	588.70 - 22.00	.9846	----	----	----	----	106	UNCH									
3990	----	----	----	----	----	----	----	----	573.70 - 22.10	.9842	----	----	----	----	1	UNCH									
3995	----	----	----	----	/535.10A	569.40B/535.10A	----	----	568.80 - 22.00	.9835	----	----	----	----	5	UNCH									
4000	----	----	----	----	/526.40A	566.00B/526.40A	----	----	563.80 - 22.00	.9834	----	----	----	----	859	UNCH									
4005	----	----	----	----	/525.20A	559.50B/525.20A	----	----	558.80 - 22.00	.9832	----	----	----	----	10	UNCH									
4010	----	----	----	----	----	----	----	----	553.90 - 21.90	.9831	----	----	----	----	1	UNCH									
4020	----	----	----	----	----	----	----	----	543.90 - 21.90	.9822	----	----	----	----	2	UNCH									
4025	----	----	----	----	/505.50A	539.70B/505.50A	----	----	539.00 - 21.80	.9821	----	----	----	----	51	UNCH									
4030	----	----	----	----	----	----	----	----	534.00 - 21.80	.9813	----	----	----	----	1	UNCH									
4040	----	----	----	----	----	----	----	----	524.10 - 21.80	.9810	----	----	----	----	1	UNCH									
4050	----	----	----	----	/479.30A	515.70B/479.30A	----	----	514.10 - 21.80	.9801	----	----	----	----	184	UNCH									
4060	----	----	----	----	/471.00A	505.00B/471.00A	----	----	504.20 - 21.70	.9791	----	----	----	----	25	UNCH									
4070	----	----	----	----	/461.20A	495.10B/461.20A	----	----	494.30 - 21.70	.9782	----	----	----	----	10	UNCH									
4075	----	----	----	----	/446.20A	500.40B/446.20A	----	----	489.40 - 21.60	.9774	----	----	----	----	64	UNCH									
4090	----	----	----	----	/431.50A	485.60B/431.50A	----	----	474.60 - 21.50	.9761	----	----	----	----	34	UNCH									
4100	----	----	----	----	/421.80A	475.70B/421.80A	----	----	464.70 - 21.40	.9744	----	----	----	----	682	UNCH									
4105	----	----	----	----	/416.90A	471.20B/416.90A	----	----	459.80 - 21.40	.9742	----	----	----	----	50	UNCH									
4110	----	----	----	----	/412.10A	466.20B/412.10A	----	----	454.80 - 21.40	.9733	----	----	----	----	2	UNCH									
4115	----	----	----	----	/407.20A	461.00B/407.20A	----	----	449.90 - 21.30	.9725	----	----	----	----	5	UNCH									
4125	----	----	----	----	/397.50A	451.20B/397.50A	----	----	440.10 - 21.20	.9713	----	----	----	----	95	UNCH									
4135	----	----	----	----	/387.80A	441.40B/387.80A	----	----	430.30 - 21.00	.9695	----	----	----	----	16	UNCH									
4150	----	----	----	----	/373.40A	443.20B/373.40A	----	----	415.60 - 20.80	.9667	----	----	----	----	263	UNCH									
4155	----	----	----	----	/368.60A	438.30B/368.60A	----	----	410.70 - 20.70	.9657	----	----	----	----	5	UNCH									
4170	----	----	----	----	/354.20A	423.60B/354.20A	----	----	396.00 - 20.50	.9628	----	----	----	----	51	UNCH									
4175	----	----	----	----	/349.50A	418.70B/349.50A	----	----	391.10 - 20.50	.9617	----	----	----	----	61	UNCH									
4195	----	----	----	----	/330.40A	399.60B/330.40A	----	----	371.60 - 20.10	.9569	----	----	11	----	1	UNCH									
4200	350.00	350.00	----	----	363.50/325.70A	394.30B/325.70A	----	----	366.70 - 20.10	.9558	----	----	----	----	2052	UNCH									
4210	----	----	----	----	/316.30A	418.90B/316.30A	----	----	357.00 - 19.90	.9529	----	----	----	----	1534	UNCH									
4220	----	----	----	----	/306.90A	409.10B/306.90A	----	----	347.30 - 19.70	.9500	----	----	----	----	84	UNCH									
4225	----	----	----	----	/302.20A	404.30B/302.20A	----	----	342.50 - 19.50	.9481	----	----	----	----	15										

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64		
GLOBEX OPEN		OPEN	OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL		COMEX GOLD OPTIONS																								
JUN26																										
4715	17.50	17.50			21.30/*15.00A	48.00B/*15.00A	----	----	17.40	- 38.00	.1798	----	----	----	15	----	----	60 +	1							
4720	18.00	18.00			20.50/*14.30A	46.10B/*14.30A	----	----	16.60	- 36.70	.1725	----	----	----	36	----	----	340 +	4							
4725	18.00	18.00			18.00/*13.60A	44.30B/*13.60A	----	----	15.80	- 35.50	.1653	----	----	207	----	----	396 -	10								
4730	15.50	15.50			17.40/*13.00A	42.60B/*13.00A	----	----	15.10	- 34.30	.1587	----	----	16	----	----	84 +	4								
4735	15.90	15.90			15.90/*12.40A	41.00B/*12.40A	----	----	14.40	- 33.10	.1521	----	----	25	----	----	292 +	2								
4740	16.20	16.20			18.80/*11.90A	39.40B/*11.90A	----	----	13.70	- 32.00	.1456	----	----	60	----	----	77 +	7								
4745	31.90	31.90			31.90/*11.30A	37.80B/*11.30A	----	----	13.10	- 30.90	.1397	----	----	23	----	----	80 +	6								
4750	36.50	36.50			36.50/*10.80A	36.50/*10.80A	----	----	12.50	- 29.80	.1338	----	----	257	300	----	2921 +	349								
4755	14.40	14.40			14.80/*10.30A	34.70B/*10.30A	----	----	11.90	- 28.80	.1280	----	----	118	----	----	147 +	31								
4760	12.30	12.30			14.80/*9.90A	33.30B/*9.90A	----	----	11.30	- 27.80	.1223	----	----	19	----	----	121 +	8								
4765	13.00	13.00			13.20/*9.40A	31.90B/*9.40A	----	----	10.80	- 26.80	.1172	----	----	21	----	----	93 +	11								
4770	11.40	11.40			11.40/*9.00A	30.60B/*9.00A	----	----	10.30	- 25.80	.1122	----	----	3	----	----	142	UNCH								
4775	9.50	9.50			11.80/*8.60A	29.30B/*8.60A	----	----	9.80	- 24.90	.1072	----	----	34	----	----	266 -	4								
4780	11.60	11.60			11.60/*8.20A	28.30B/*8.20A	----	----	9.40	- 23.90	.1029	----	----	20	----	----	153 +	1								
4785	10.30	10.30			11.10/*7.90A	26.90B/*7.90A	----	----	8.90	- 23.10	.0980	----	----	37	----	----	65 -	5								
4790	8.90	8.90			11.10/*7.50A	25.90B/*7.50A	----	----	8.50	- 22.20	.0938	----	----	25	----	----	114 +	1								
4795	8.10	8.10			9.30/*7.00A	24.70B/*7.00A	----	----	8.10	- 21.40	.0897	----	----	8	----	----	71 -	2								
4800	23.00	23.00			23.00/*6.00	23.00B/*6.00	----	----	7.70	- 20.60	.0856	----	----	4611	----	----	5497 -	1985								
4805	6.80	6.80			9.20/*6.00A	22.70B/*6.00A	----	----	7.40	- 19.80	.0822	----	----	100	----	----	76 +	34								
4810	8.20	8.20			8.80/*5.50A	21.70B/*5.50A	----	----	7.10	- 19.00	.0789	----	----	99	----	----	77 +	17								
4815	14.10	14.10			14.10/*5.10A	20.80B/*5.10A	----	----	6.70	- 18.30	.0749	----	----	27	----	----	60 -	5								
4820	17.00	17.00			17.00/*4.60A	19.90B/*4.60A	----	----	6.50	- 17.50	.0724	----	----	48	----	----	338 +	3								
4825	15.80	15.80			15.80/*4.00	19.20B/*4.00	----	----	6.20	- 16.80	.0692	----	----	224	----	----	723 -	1								
4830	6.10	6.10			6.70/*3.80A	18.30B/*3.80A	----	----	5.90	- 16.20	.0660	----	----	68	----	----	288 -	7								
4835	5.80	5.80			5.90/*3.50A	17.60B/*3.50A	----	----	5.70	- 15.50	.0637	----	----	16	----	----	35 -	5								
4840	4.60	4.60			7.00/*3.20A	16.90B/*3.20A	----	----	5.50	- 14.80	.0613	----	----	113	----	----	228 +	60								
4845	7.00	7.00			7.00/*2.90A	16.10B/*2.90A	----	----	5.30	- 14.20	.0590	----	----	12	----	----	53	UNCH								
4850	13.20	13.20			13.20/*2.70A	15.60B/*2.70A	----	----	5.10	- 13.60	.0567	----	----	735	300	----	2143 -	36								
4855	3.70	3.70			5.20/*2.40A	14.90B/*2.40A	----	----	4.90	- 13.00	.0545	----	----	23	----	----	434 -	7								
4860	4.60	4.60			4.70/*2.10A	14.20B/*2.10A	----	----	4.70	- 12.50	.0522	----	----	12	----	----	208 +	2								
4865	4.90	4.90			5.30/*1.90A	13.60B/*1.90A	----	----	4.50	- 12.00	.0500	----	----	34	----	----	76 -	7								
4870	11.20	11.20			11.20/*1.80A	13.10B/*1.80A	----	----	4.30	- 11.50	.0478	----	----	10	----	----	59 -	1								
4875	9.90	9.90			9.90/*1.60A	12.40B/*1.60A	----	----	4.20	- 10.90	.0465	----	----	105	----	----	348 -	10								
4880	4.40	4.40			4.40/*1.50A	12.00B/*1.50A	----	----	4.00	- 10.50	.0443	----	----	46	----	----	124 +	24								
4885	3.50	3.50			3.80/*1.40A	11.50B/*1.40A	----	----	3.90	- 10.00	.0430	----	----	8	----	----	212 -	4								
4890	5.10	5.10			5.10/*1.30A	11.10B/*1.30A	----	----	3.70	- 9.60	.0409	----	----	12	----	----	415 -	5								
4895	3.10	3.10			3.70/*1.20A	10.50B/*1.20A	----	----	3.50	- 9.30	.0388	----	----	66	----	----	360 +	55								
4900	9.10	9.10			9.20/*0.50	9.90B/*0.50	----	----	3.40	- 8.90	.0376	----	----	4065	----	----	4103 -	2738								
4905	3.40	3.40			3.80/*1.00A	9.60B/*1.00A	----	----	3.30	- 8.50	.0363	----	----	8	----	----	49 +	2								
4910	----	----			----/*0.90A	9.00B/*0.90A	----	----	3.10	- 8.20	.0343	----	----	1	----	----	79	UNCH								
4915	7.10	7.10			7.20/*0.80A	8.70B/*0.80A	----	----	3.00	- 7.80	.0331	----	----	29	----	----	346 +	19								
4920	7.10	7.10			7.10/*0.80A	8.40B/*0.80A	----	----	2.90	- 7.40	.0319	----	----	21	----	----	259 +	9								
4925	1.20	1.20			3.10/*0.80A	8.20B/*0.80A	----	----	2.80	- 7.10	.0307	----	----	86	----	----	248 +	17								
4930	6.50	6.50			6.50/*0.80	7.70B/*0.80	----	----	2.70	- 6.80	.0296	----	----	16	----	----	262 +	1								
4935	6.20	6.20			6.20/*0.70A	7.40B/*0.70A	----	----	2.60	- 6.50	.0284	----	----	12	----	----	117 -	2								
4940	6.90	6.90			6.90/*0.70A	7.10B/*0.70A	----	----	2.50	- 6.20	.0273	----	----	19	----	----	799 -	3								
4945	2.30	2.30			2.30/*0.70A	6.80B/*0.70A	----	----	2.50	- 5.90	.0271	----	----	2	----	----	383 +	1								
4950	3.60	3.60			3.60/*0.40	6.50B/*0.40	----	----	2.40	- 5.60	.0259	----	----	713	----	----	1864 -	280								
4955	2.30	2.30			2.70/*0.60A	6.30B/*0.60A	----	----	2.30	- 5.40	.0249	----	----	10	----	----	151 +	4								
4960	----	----			----/*0.60A	6.00B/*0.60A	----	----	2.30	- 5.10	.0246	----	----	3	----	----	399	UNCH								
4965	2.00	2.00			2.00/*0.60A	5.80B/*0.60A	----	----	2.20	- 4.90	.0235	----	----	1	----	----	146	UNCH								
4970	2.60	2.60			2.60/*0.60A	5.60B/*0.60A	----	----	2.10	- 4.70	.0225	----	----	1	----	----	205	UNCH								
4975	5.30	5.30			5.30/*0.50A	5.40B/*0.50A	----	----	2.10	- 4.40	.0223	----	----	85	----	----	512	UNCH								
4980	4.70	4.70			4.70/*0.50A	5.20B/*0.50A	----	----	2.00	- 4.20	.0212	----	----	6	----	----	231 +	1								
4985	2.30	2.30			2.30/*0.50A	5.00B/*0.50A	----	----	2.00	- 4.00	.0210	----	----	4	----	----	187 -	2								
4990	4.80	4.80			4.80/*0.50A	4.80/*0.50A	----	----	1.90	- 3.80	.0200	----	----													

PG64	BULLETIN # 93@				METALS OPTION PRODUCTS					Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS													
JUN26														
5400	----	----	----/*0.20A	0.50B/*0.20A	----	0.30 - 0.40	.0024	----	----	26	49	5108 +	36	
5405	0.40	0.40	0.40/*0.30A	0.50B/*0.30A	----	0.30 - 0.40	.0024	----	----	3	----	84 -	3	
5410	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.40	.0024	----	----	----	----	30	UNCH	
5415	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.40	.0023	----	----	----	----	14	UNCH	
5420	----	----	----/*0.30A	0.50B/*0.30A	----	0.30 - 0.40	.0023	----	----	----	----	50	UNCH	
5425	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.40	.0023	----	----	----	----	125	UNCH	
5430	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.40	.0023	----	----	----	----	112	UNCH	
5435	----	----	----/*0.30A	0.50B/*0.30A	----	0.30 - 0.40	.0023	----	----	----	----	29	UNCH	
5440	----	----	----/*0.30A	0.50B/*0.30A	----	0.30 - 0.30	.0023	----	----	----	----	98	UNCH	
5445	0.40	0.40	0.40/*0.40	0.50B/*0.40	----	0.30 - 0.30	.0023	----	2	----	----	40	UNCH	
5450	0.30	0.30	0.30/*0.30	0.50B/*0.30	----	0.30 - 0.30	.0023	----	2	----	1490	UNCH		
5455	----	----	----/*0.30A	0.50B/*0.30A	----	0.30 - 0.30	.0023	----	----	----	----	185	UNCH	
5460	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.30	.0023	----	----	----	----	130	UNCH	
5465	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.30	.0022	----	----	----	----	39	UNCH	
5470	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.30	.0022	----	----	----	----	38	UNCH	
5475	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.30	.0022	----	----	----	----	79	UNCH	
5480	0.30	0.30	0.30/*0.30	0.40B/*0.30	----	0.30 - 0.30	.0022	----	83	----	128 +	80		
5485	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.30	.0022	----	----	----	----	13	UNCH	
5490	----	----	----/*0.30A	0.40B/*0.30A	----	0.30 - 0.30	.0022	----	----	----	----	189	UNCH	
5495	0.60	0.60	0.60/*0.30A	0.60/*0.30A	----	0.30 - 0.30	.0022	----	2	----	80	UNCH		
5500	0.30	0.30	0.30/*0.10	0.40B/*0.10	----	0.30 - 0.20	.0022	----	84	----	5466 -	3		
5505	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.20	.0022	----	----	----	----	16	UNCH	
5510	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.30	.0015	----	----	----	----	185	UNCH	
5515	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.30	.0015	----	----	----	----	38	UNCH	
5520	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0015	----	----	----	----	31	UNCH	
5525	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0015	----	----	----	----	173	UNCH	
5530	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.30	.0015	----	----	----	----	39	UNCH	
5535	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0014	----	----	----	----	13	UNCH	
5540	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0014	----	----	----	----	291	UNCH	
5545	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.30	.0014	----	----	----	----	19	UNCH	
5550	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.30	.0014	----	----	----	----	772	UNCH	
5555	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0014	----	----	----	----	4	UNCH	
5560	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.20	.0014	----	----	----	----	52	UNCH	
5565	----	----	----/*0.20A	0.20B/*0.20A	----	0.20 - 0.20	.0014	----	----	----	----	14	UNCH	
5570	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.20	.0014	----	----	----	----	36	UNCH	
5575	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0014	----	----	----	----	60	UNCH	
5580	----	----	----	0.20B/*0.40A	----	0.20 - 0.20	.0014	----	----	----	----	14	UNCH	
5585	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0014	----	----	----	----	11	UNCH	
5590	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0014	----	----	----	----	99	UNCH	
5595	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0014	----	----	----	----	42	UNCH	
5600	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0014	----	----	----	2365	UNCH		
5610	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0014	----	----	----	----	78	UNCH	
5620	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0013	----	----	----	----	66	UNCH	
5625	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0013	----	----	----	----	405	UNCH	
5630	0.50	0.50	0.50/*0.20	0.50/*0.20	----	0.10 - 0.20	.0007	----	100	----	328 +	97		
5640	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0006	----	----	----	----	74	UNCH	
5650	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0006	----	----	----	----	730	UNCH	
5660	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0005	----	----	----	----	42	UNCH	
5665	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0005	----	----	----	----	6	UNCH	
5670	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0005	----	----	----	----	119	UNCH	
5675	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0004	----	----	----	----	22	UNCH	
5680	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0004	----	----	----	----	47	UNCH	
5690	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0004	----	----	----	----	180	UNCH	
5700	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0003	----	----	----	467	2212 +	317	
5710	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	.0003	----	----	----	----	41	UNCH	
5720	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	18	UNCH	
5725	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	36	UNCH	
5730	----	----	----	----/*0.30A	----	0.10 - 0.10	.0002	----	----	----	----	59	UNCH	
5740	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	62	UNCH	
5750	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0002	----	----	----	1691	UNCH		
5760	----	----	----/*0.20A	----	----	0.10 - 0.10	.0002	----	----	----	----	18	UNCH	
5770	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	32	UNCH	
5775	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	167	UNCH	
5780	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	219	UNCH	
5790	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	11	UNCH	
5800	----	----	----/*0.20A	----	----	0.10 - 0.10	.0001	----	----	30	247	2881 -	258	
5810	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	264	UNCH	
5820	----	----	----/*0.20A	----	----	0.10 - 0.10	.0001	----	----	----	----	35	UNCH	
5825	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	37	UNCH	
5830	----	----	----/0.30A	----	----	0.10 - 0.10	.0001	----	----	----	----	17	UNCH	
5840	----	----	----/*0.20A	----	----	0.10 UNCH	.0000	----	----	----	----	23	UNCH	
5850	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	2	----	457	UNCH		
5860	----	----	----/0.50A	----	----	0.10 UNCH	.0000	----	----	----	----	24	UNCH	
5870	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	32	UNCH	
5875	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	196	UNCH	
5880	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	17	UNCH	
5890	----	----	----/0.50A	----	----	0.10 UNCH	.0000	----	----	----	----	139	UNCH	
5900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	27	352	1095 -	277	
5910	----	----	----/0.50A	----	----	0.10 UNCH	.0000	----	----	----	----	16	UNCH	
5920	----	----	----/0.50A	----	----	0.10 UNCH	.0000	----	----	----	----	40	UNCH	
5930	----	----	----/0.50A	----	----	0.10 UNCH	.0000	----	----	----	----	57	UNCH	
5940	----	----	----/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	----	7	UNCH	
5950	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	27	----	195 +	25		
5960	----	----	----/0.50A	----	----	0.10 UNCH	.0000	----	----	----				

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																						
JUN26																								
6490	----	----	----	----	----	----	/0.40A	----		0.10	UNCH	----	----	----	----	----	17	UNCH						
6500	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1049	UNCH							
6525	----	----	----	----	----	----	/*0.10A	----		0.10	UNCH	----	----	----	----	24	UNCH							
6550	0.10	0.10		0.10	0.10	0.10	/0.10	0.10		0.10	UNCH	----	----	1	----	245	UNCH							
6575	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	7	UNCH							
6600	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	884	UNCH							
6625	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	105	UNCH							
6650	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	40	UNCH							
6675	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	48	UNCH							
6700	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1346	UNCH							
6725	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	107	UNCH							
6750	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	134	UNCH							
6775	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	13	UNCH							
6800	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	235	UNCH							
6825	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	10	UNCH							
6850	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	31	UNCH							
6875	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	3	UNCH							
6900	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	157	UNCH							
6925	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	51	UNCH							
6950	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	27	UNCH							
6975	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	21	UNCH							
7000	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1840	UNCH							
7025	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	53	UNCH							
7050	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	120	UNCH							
7075	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	30	UNCH							
7100	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	145	UNCH							
7125	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	52	UNCH							
7150	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	59	UNCH							
7175	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	3	UNCH							
7200	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	134	UNCH							
7225	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	2	UNCH							
7250	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	91	UNCH							
7275	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1	UNCH							
7300	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	150	UNCH							
7325	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	14	UNCH							
7350	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	3	UNCH							
7375	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	20	UNCH							
7400	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	47	UNCH							
7425	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	20	UNCH							
7450	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	5	UNCH							
7475	0.10	0.10		0.10	0.10	0.10	/0.10A	0.10		0.10	UNCH	----	----	1	----	8	UNCH							
7500	----	----	----	----	----	----	/0.10	----		0.10	UNCH	----	----	----	----	1355	UNCH							
7525	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	22	UNCH							
7575	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	8	UNCH							
7600	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	78	UNCH							
7700	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	65	UNCH							
7750	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	17	UNCH							
7800	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	39	UNCH							
7825	----	----	----	----	----	----	/0.40A	----		0.10	UNCH	----	----	----	----	1	UNCH							
7875	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	31	UNCH							
7900	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	2	UNCH							
7950	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	2	UNCH							
8000	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	1064	UNCH							
8100	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	4	UNCH							
8200	----	----	----	----	----	----	/0.10A	----		0.10	UNCH	----	----	----	----	88	UNCH							

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG CALL		COMEX GOLD OPTIONS																							
JUL26																									
4365	----	----	----	----	/259.00A	369.30B/259.00A	----	----	286.40 - 99.60	.7536	----	----	----	----	45	UNCH									
4370	----	----	----	----	/255.40A	364.00B/255.40A	----	----	282.60 - 99.10	.7494	----	----	----	----	20	UNCH									
4375	----	----	----	----	/251.90A	360.90B/251.90A	----	----	278.90 - 98.60	.7451	----	----	----	----	5	UNCH									
4400	----	----	----	----	/234.90A	340.50B/234.90A	----	----	260.50 - 96.10	.7225	----	----	----	----	2305	UNCH									
4410	----	----	----	----	/228.30A	332.20B/228.30A	----	----	253.40 - 94.90	.7132	----	----	----	----	4	UNCH									
4415	----	----	----	----	/225.10A	327.90B/225.10A	----	----	249.80 - 94.40	.7085	----	----	----	----	39	UNCH									
4420	----	----	----	----	/221.80A	323.60B/221.80A	----	----	246.30 - 93.90	.7037	----	----	----	----	5	UNCH									
4425	----	----	----	----	/218.90A	320.40B/218.90A	----	----	242.80 - 93.30	.6989	----	----	----	----	16	UNCH									
4430	----	----	----	----	/215.70A	315.80B/215.70A	----	----	239.30 - 92.80	.6940	----	----	----	----	2	UNCH									
4445	----	----	----	----	/206.00A	304.60B/206.00A	----	----	229.10 - 91.00	.6791	----	----	----	----	30	UNCH									
4450	----	----	----	----	/202.90A	300.90B/202.90A	----	----	225.80 - 90.40	.6741	----	----	----	----	256	UNCH									
4455	----	----	----	----	/200.10A	296.80B/200.10A	----	----	222.40 - 89.80	.6690	----	----	----	----	2	UNCH									
4460	----	----	----	----	/197.10A	292.10B/197.10A	----	----	219.10 - 89.20	.6639	----	----	----	----	2	UNCH									
4475	----	----	----	----	/188.20A	280.80B/188.20A	----	----	209.40 - 87.40	.6483	----	----	----	----	2	UNCH									
4480	----	----	----	----	/185.30A	277.80B/185.30A	----	----	206.20 - 86.80	.6430	----	----	----	----	36	UNCH									
4485	----	----	----	----	/182.30A	274.50B/182.30A	----	----	203.10 - 86.10	.6377	----	----	----	----	1	UNCH									
4490	----	----	----	----	/179.50A	269.90B/179.50A	----	----	200.00 - 85.50	.6324	----	----	----	----	20	UNCH									
4500	----	----	----	----	/173.90A	263.30B/173.90A	----	----	193.80 - 84.20	.6215	----	----	25	----	969	UNCH									
4505	----	----	----	----	/171.20A	260.00B/171.20A	----	----	190.80 - 83.60	.6162	----	----	----	----	2	UNCH									
4510	----	----	----	----	/168.30A	256.30B/168.30A	----	----	187.80 - 82.90	.6107	----	----	----	----	75	UNCH									
4515	----	----	----	----	/165.60A	253.00B/165.60A	----	----	184.90 - 82.20	.6052	----	----	----	----	210	UNCH									
4520	----	----	----	----	/163.00A	249.10B/163.00A	----	----	181.90 - 81.60	.5997	----	----	----	----	188	UNCH									
4525	----	----	----	----	/160.40A	245.80B/160.40A	----	----	179.00 - 80.90	.5941	----	----	----	----	129	UNCH									
4530	----	----	----	----	/157.50A	242.20B/157.50A	----	----	176.10 - 80.30	.5886	----	----	----	----	5	UNCH									
4535	----	----	----	----	/155.20A	238.70B/155.20A	----	----	173.30 - 79.60	.5830	----	----	----	----	19	UNCH									
4540	----	----	----	----	/152.60A	235.20B/152.60A	----	----	170.50 - 78.90	.5775	----	----	----	----	56	UNCH									
4550	----	----	----	----	/147.50A	229.00B/147.50A	----	----	164.90 - 77.60	.5662	----	----	----	----	10	UNCH									
4555	----	----	----	----	/145.20A	225.40B/145.20A	----	----	162.20 - 76.90	.5606	----	----	----	----	2	UNCH									
4560	----	----	----	----	/142.60A	222.00B/142.60A	----	----	159.50 - 76.20	.5550	----	----	----	----	51	UNCH									
4565	----	----	----	----	/140.20A	218.70B/140.20A	----	----	156.90 - 75.50	.5493	----	----	----	----	24	UNCH									
4570	155.60	155.60	----	155.60/137.80A	215.40B/137.80A	----	----	154.20 - 74.80	.5436	----	----	2	----	4	+	2									
4575	----	----	----	----																					

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG CALL		COMEX GOLD OPTIONS																							
JUL26																									
5105	----	----	----	----	----/*17.70A	31.80B/*17.70A	----	----	18.50 - 16.40	.1033	----	----	1	----	96	UNCH									
5110	----	----	----	----	----/*17.40A	31.20B/*17.40A	----	----	18.10 - 16.10	.1013	----	----	----	----	409	UNCH									
5115	----	----	----	----	----/*17.10A	30.70B/*17.10A	----	----	17.80 - 15.80	.0997	----	----	----	----	30	UNCH									
5120	----	----	----	----	----/*16.70A	30.20B/*16.70A	----	----	17.40 - 15.60	.0977	----	----	4	----	42	+	2								
5125	----	----	----	----	----/*16.40A	29.60B/*16.40A	----	----	17.10 - 15.30	.0961	----	----	2	----	247	UNCH									
5130	----	----	----	----	----/*16.10A	29.00B/*16.10A	----	----	16.80 - 15.00	.0945	----	----	----	----	42	UNCH									
5135	----	----	----	----	----/*15.80A	28.40B/*15.80A	----	----	16.50 - 14.70	.0930	----	----	----	----	171	UNCH									
5140	19.00	19.00	----	----	19.00/*15.50A	27.90B/*15.50A	----	----	16.20 - 14.40	.0914	----	4	----	70	+	2									
5145	----	----	----	----	----/*15.20A	27.30B/*15.20A	----	----	15.90 - 14.10	.0898	----	9	----	79	+	7									
5150	23.50	23.50	----	----	23.70/*14.90A	26.80B/*14.90A	----	----	15.60 - 13.90	.0882	----	613	----	3079	+	236									
5155	----	----	----	----	----/*14.70A	26.40B/*14.70A	----	----	15.30 - 13.60	.0867	----	----	----	20	UNCH										
5160	----	----	----	----	----/*14.40A	25.90B/*14.40A	----	----	15.00 - 13.40	.0851	----	----	----	22	UNCH										
5165	----	----	----	----	----/*14.20A	25.40B/*14.20A	----	----	14.70 - 13.20	.0836	----	1	----	21	UNCH										
5170	----	----	----	----	----/*13.90A	24.90B/*13.90A	----	----	14.50 - 12.90	.0824	----	----	----	12	UNCH										
5175	----	----	----	----	----/*13.60A	24.40B/*13.60A	----	----	14.20 - 12.70	.0809	----	3	----	75	+	2									
5180	----	----	----	----	----/*13.40A	24.10B/*13.40A	----	----	14.00 - 12.40	.0797	----	----	----	31	UNCH										
5185	----	----	----	----	----/*13.20A	23.50B/*13.20A	----	----	13.70 - 12.20	.0782	----	1	----	120	+	1									
5190	----	----	----	----	----/*13.00A	23.20B/*13.00A	----	----	13.50 - 12.00	.0770	----	----	----	16	UNCH										
5195	----	----	----	----	----/*12.80A	22.70B/*12.80A	----	----	13.20 - 11.80	.0755	----	----	----	38	UNCH										
5200	18.80	18.80	----	----	20.20/*12.50	22.30B/*12.50	----	----	13.00 - 11.60	.0744	----	204	320	2288	+	297									
5205	----	----	----	----	----/*12.30A	21.80B/*12.30A	----	----	12.80 - 11.30	.0732	----	1	----	48	UNCH										
5210	12.10	12.10	----	----	12.10/*12.10	21.40B/*12.10	----	----	12.60 - 11.10	.0721	----	1	----	56	+	1									
5215	----	----	----	----	----/*11.90A	21.00B/*11.90A	----	----	12.30 - 11.00	.0706	----	1	----	46	-	1									
5220	12.10	12.10	----	----	12.10/*11.70A	20.70B/*11.70A	----	----	12.10 - 10.80	.0695	----	4	----	46	+	4									
5225	----	----	----	----	----/*11.50A	20.30B/*11.50A	----	----	11.90 - 10.60	.0684	----	101	----	90	-	21									
5230	----	----	----	----	----/*11.30A	19.90B/*11.30A	----	----	11.70 - 10.40	.0673	----	----	----	86	UNCH										
5235	----	----	----	----	----/*11.10A	19.70B/*11.10A	----	----	11.50 - 10.20	.0662	----	----	----	30	UNCH										
5240	----	----	----	----	----/*11.00A	19.30B/*11.00A	----	----	11.40 - 9.90	.0655	----	----	----	114	UNCH										
5245	----	----	----	----	----/*10.80A	18.90B/*10.80A	----	----	11.20 - 9.70	.0644	----	----	----	67	UNCH										
5250	12.20	12.20	----	----	12.20/*10.60A	18.70B/*10.60A	----	----	11.00 - 9.60	.0633	----	25	----	820	-	11									
5255	----	----	----	----	----/*10.40A	18.30B/*10.40A	----	----	10.80 - 9.40	.0622	----	----	----	24	UNCH										
5260	----	----	----	----	----/*10.30A	18.00B/*10.30A	----	----	10.60 - 9.30	.0611	----	4	----												

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS														
JUL26																
5890	----	----	----	----/*2.60A	3.20B/*2.60A	----	2.60	- 1.30	.0138	----	----	----	----	----	9	UNCH
5900	----	----	----	----/*2.40A	3.10B/*2.40A	----	2.60	- 1.20	.0137	----	----	----	----	----	430	UNCH
5910	----	----	----	----/*2.50A	3.00B/*2.50A	----	2.50	- 1.30	.0132	----	----	----	----	----	6	UNCH
5920	----	----	----	----/*2.40A	3.00B/*2.40A	----	2.50	- 1.20	.0132	----	----	----	----	----	19	UNCH
5925	----	----	----	----/*2.50A	3.30B/*2.50A	----	2.50	- 1.20	.0131	----	----	----	----	----	5	UNCH
5930	----	----	----	----/*2.50A	2.90B/*2.50A	----	2.50	- 1.10	.0131	----	----	----	----	----	4	UNCH
5940	----	----	----	----/*2.40A	2.90B/*2.40A	----	2.40	- 1.20	.0126	----	----	----	----	----	2	UNCH
5950	----	----	----	----/*2.40A	3.20B/*2.40A	----	2.40	- 1.10	.0126	----	----	----	----	----	43	UNCH
5960	----	----	----	----/*2.40A	3.00B/*2.40A	----	2.40	- 1.00	.0125	----	----	----	----	----	16	UNCH
5970	----	----	----	----/*2.40A	3.10B/*2.40A	----	2.40	- 1.00	.0124	----	----	----	----	----	55	UNCH
5980	----	----	----	----/*2.30A	2.70B/*2.30A	----	2.30	- 1.00	.0120	----	----	----	----	----	3	UNCH
5990	----	----	----	----/*2.20A	2.80B/*2.20A	----	2.30	- 1.00	.0119	----	----	----	----	----	76	UNCH
6000	3.00	3.00		3.00/*2.20	3.00/*2.20	----	2.30	- 0.90	.0118	----	----	----	101	----	2208	+
6025	----	----	----	----/*2.20A	2.50B/*2.20A	----	2.20	- 0.90	.0113	----	----	----	----	----	34	UNCH
6050	----	----	----	----/*2.20A	2.70B/*2.20A	----	2.20	- 0.80	.0112	----	----	----	----	----	45	UNCH
6075	2.10	2.10		2.10/*2.00A	2.30B/*2.00A	----	2.10	- 0.80	.0106	----	----	----	1	----	713	UNCH
6100	----	----	----	----/*2.00A	2.20B/*2.00A	----	2.10	- 0.70	.0105	----	----	----	----	----	291	UNCH
6125	----	----	----	----/*2.00A	2.10B/*2.00A	----	2.00	- 0.70	.0100	----	----	----	----	----	59	UNCH
6150	----	----	----	----/*1.90A	2.20B/*1.90A	----	2.00	- 0.60	.0099	----	----	----	----	----	881	UNCH
6175	----	----	----	----/*1.90A	2.00B/*1.90A	----	1.90	- 0.70	.0094	----	----	----	----	----	37	UNCH
6200	2.00	2.00		2.00/*1.70	2.10B/*1.70	----	1.90	- 0.60	.0093	----	----	----	66	----	551	+
6225	----	----	----	----/*1.80A	2.00B/*1.80A	----	1.80	- 0.60	.0088	----	----	----	----	----	20	UNCH
6250	----	----	----	----/*1.80A	1.80B/*1.80A	----	1.80	- 0.60	.0087	----	----	----	----	----	392	UNCH
6275	----	----	----	----/*1.70A	1.70B/*1.70A	----	1.70	- 0.60	.0082	----	----	----	----	----	3	UNCH
6300	----	----	----	----/*1.70A	1.60B/*1.70A	----	1.70	- 0.60	.0081	----	----	----	----	----	339	UNCH
6325	----	----	----	----/*1.60A	1.60B/*1.60A	----	1.60	- 0.60	.0077	----	----	----	----	----	29	UNCH
6350	----	----	----	----/*1.60A	1.60B/*1.60A	----	1.60	- 0.60	.0076	----	----	----	----	----	26	UNCH
6375	----	----	----	----/*1.60A	1.50B/*1.60A	----	1.50	- 0.60	.0071	----	----	----	----	----	37	UNCH
6400	----	----	----	----/*1.50A	1.50B/*1.50A	----	1.50	- 0.60	.0070	----	----	----	----	----	171	UNCH
6425	----	----	----	----/*1.50A	1.40B/*1.50A	----	1.40	- 0.60	.0066	----	----	----	----	----	17	UNCH
6450	----	----	----	----/*1.50A	1.40B/*1.50A	----	1.40	- 0.60	.0065	----	----	----	----	----	48	UNCH
6475	----	----	----	----/*1.40A	1.30B/*1.40A	----	1.30	- 0.70	.0061	----	----	----	----	----	13	UNCH
6500	1.50	1.50		1.50/*1.40	1.50/*1.40	----	1.30	- 0.60	.0060	----	----	----	2	----	645	-
6525	----	----	----	----/*1.40A	1.30B/*1.40A	----	1.30	- 0.60	.0060	----	----	----	----	----	132	UNCH
6550	----	----	----	----/*1.30A	1.20B/*1.30A	----	1.20	- 0.60	.0055	----	----	----	----	----	7	UNCH
6575	----	----	----	----/*1.30A	1.20B/*1.30A	----	1.20	- 0.60	.0055	----	----	----	----	----	4	UNCH
6600	1.20	1.20		1.20/*1.20	1.30B/*1.20	----	1.20	- 0.50	.0055	----	----	----	1	----	27	UNCH
6650	----	----	----	----/*1.20A	1.10B/*1.20A	----	1.10	- 0.50	.0050	----	----	----	----	----	16	UNCH
6675	----	----	----	----/*1.20A	1.10B/*1.20A	----	1.10	- 0.50	.0049	----	----	----	----	----	1	UNCH
6700	----	----	----	----/*1.20A	1.10B/*1.20A	----	1.10	- 0.40	.0049	----	----	----	----	----	127	UNCH
6775	----	----	----	----/*1.10A	1.00B/*1.10A	----	1.00	- 0.40	.0044	----	----	----	----	----	1	UNCH
6800	----	----	----	----/*1.10A	1.00B/*1.10A	----	1.00	- 0.30	.0044	----	----	----	----	----	201	UNCH
6825	----	----	----	----/*1.10A	0.90B/*1.10A	----	0.90	- 0.40	.0040	----	----	----	----	----	19	UNCH
6850	----	----	----	----/*1.10A	0.90B/*1.10A	----	0.90	- 0.40	.0039	----	----	----	----	----	201	UNCH
6875	----	----	----	----/*1.10A	0.90B/*1.10A	----	0.90	- 0.30	.0039	----	----	----	----	----	22	UNCH
6900	----	----	----	----/*1.10A	0.90B/*1.10A	----	0.90	- 0.30	.0039	----	----	----	----	----	19	UNCH
6925	----	----	----	----	0.80B/*1.10A	----	0.90	- 0.20	.0039	----	----	----	----	----	1	UNCH
6950	----	----	----	----	0.80B/*1.10A	----	0.80	- 0.30	.0035	----	----	----	----	----	22	UNCH
6975	----	----	----	----	0.90B/*1.10A	----	0.80	- 0.30	.0034	----	----	----	----	----	10	UNCH
7000	----	----	----	----	0.70B/*1.10A	----	0.80	- 0.30	.0034	----	----	----	21	----	1442	+
7050	----	----	----	----	0.70B/*1.00A	----	0.80	- 0.20	.0034	----	----	----	----	----	18	UNCH
7075	----	----	----	----	0.70B/*1.00A	----	0.70	- 0.30	.0030	----	----	----	----	----	13	UNCH
7100	----	----	----	----	0.60B/*1.00A	----	0.70	- 0.30	.0030	----	----	----	----	----	28	UNCH
7125	----	----	----	----	0.60B/*1.00A	----	0.70	- 0.30	.0029	----	----	----	----	----	1	UNCH
7150	----	----	----	----	0.60B/*1.00A	----	0.70	- 0.20	.0029	----	----	----	----	----	20	UNCH
7175	----	----	----	----	0.60B/*1.00A	----	0.70	- 0.20	.0029	----	----	----	----	----	1	UNCH
7200	----	----	----	----	0.60B/*1.00A	----	0.70	- 0.20	.0029	----	----	----	----	----	3	UNCH
7225	----	----	----	----	0.60B/*1.00A	----	0.60	- 0.30	.0025	----	----	----	----	----	23	UNCH
7250	----	----	----	----	0.50B/*0.90A	----	0.60	- 0.30	.0025	----	----	----	----	----	23	UNCH
7275	----	----	----	----	0.50B/*0.90A	----	0.60	- 0.30	.0025	----	----	----	----	----	14	UNCH
7300	----	----	----	----	0.50B/*0.90A	----	0.60	- 0.20	.0025	----	----	----	----	----	50	UNCH
7350	----	----	----	----	0.50B/*0.90A	----	0.60	- 0.20	.0024	----	----	----	----	----	8	UNCH
7400	----	----	----	----	0.50B/*0.90A	----	0.50	- 0.30	.0021	----	----	----	----	----	2	UNCH
7425	----	----	----	----	0.50B/*0.90A	----	0.50	- 0.30	.0020	----	----	----	----	----	19	UNCH
7450	----	----	----	----	0.50B/*0.90A	----	0.50	- 0.30	.0020	----	----	----	----	----	28	UNCH
7475	----	----	----	----	0.50B/*0.90A											

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
AUG26																	
3955	----	----	----	----	/633.70A	660.80B/633.70A	----	661.80	- 16.20	.9082	----	----	----	----	7	UNCH	
3975	----	----	----	----	/615.70A	642.50B/615.70A	----	643.50	- 15.60	.9025	----	----	----	----	200	UNCH	
3995	----	----	----	----	/597.90A	624.40B/597.90A	----	625.30	- 15.00	.8966	----	----	----	----	30	UNCH	
4000	----	----	----	----	/589.60A	622.40B/589.60A	----	620.70	- 14.90	.8949	----	----	----	----	723	UNCH	
4005	----	----	----	----	/702.10A	512.30B/702.10A	----	616.20	- 14.70	.8935	----	----	----	----	12	UNCH	
4015	----	----	----	----	/580.30A	606.30B/580.30A	----	607.20	- 14.40	.8901	----	----	----	----	1	UNCH	
4025	----	----	----	----	/571.50A	597.40B/571.50A	----	598.20	- 14.10	.8870	----	----	----	----	174	UNCH	
4045	----	----	----	----	/553.80A	579.60B/553.80A	----	580.30	- 13.40	.8800	----	----	----	----	30	UNCH	
4050	----	----	----	----	/549.50A	575.20B/549.50A	----	575.90	- 13.20	.8782	----	----	----	----	100	UNCH	
4055	----	----	----	----	/545.40A	570.80B/545.40A	----	571.50	- 12.90	.8763	----	----	----	----	100	UNCH	
4075	----	----	----	----	/528.40A	553.20B/528.40A	----	553.80	- 12.20	.8687	----	----	----	----	3	UNCH	
4080	----	----	----	----	/636.10A	519.00B/636.10A	----	549.50	- 11.90	.8668	----	----	----	----	1	UNCH	
4100	----	----	----	----	/507.20A	531.50B/507.20A	----	532.10	- 11.10	.8587	----	----	----	----	73	UNCH	
4110	----	----	----	----	/498.80A	522.90B/498.80A	----	523.40	- 10.70	.8545	----	----	----	----	19	UNCH	
4135	----	----	----	----	/478.00A	502.00B/478.00A	----	502.10	- 09.40	.8433	----	----	----	----	20	UNCH	
4140	----	----	----	----	/586.80A	465.00B/586.80A	----	497.90	- 09.10	.8411	----	----	----	----	1	UNCH	
4150	----	----	----	----	/465.80A	489.40B/465.80A	----	489.50	- 08.60	.8362	----	----	----	----	40	UNCH	
4165	----	----	----	----	/566.90A	443.00B/566.90A	----	477.00	- 07.80	.8289	----	----	----	----	1	UNCH	
4195	----	----	----	----	/429.80A	452.30B/429.80A	----	452.30	- 06.00	.8135	----	----	----	----	3	UNCH	
4200	----	----	----	----	/425.90A	448.20B/425.90A	----	448.30	- 05.70	.8107	----	----	----	----	73	UNCH	
4215	----	----	----	----	/528.20A	399.80B/528.20A	----	436.20	- 04.80	.8026	----	----	----	----	1	UNCH	
4220	----	----	----	----	/410.30A	432.20B/410.30A	----	432.20	- 04.40	.7997	----	----	----	----	16	UNCH	
4225	----	----	----	----	/406.50A	428.20B/406.50A	----	428.20	- 04.10	.7969	----	----	----	----	102	UNCH	
4235	----	----	----	----	/513.10A	382.40B/513.10A	----	420.30	- 03.50	.7910	----	----	----	----	1	UNCH	
4250	----	----	----	----	/387.60A	408.60B/387.60A	----	408.60	- 02.40	.7823	----	----	----	----	71	UNCH	
4265	----	----	----	----	/376.40A	397											

PG64 BULLETIN # 93@			METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64		
GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL COMEX GOLD OPTIONS																	
AUG26																	
4980	----	----	----/*60.00A	92.00B/*60.00A	----	----	63.50 - 34.30	.2348	----	----	----	----	11	UNCH			
4985	----	----	----/*59.20A	90.80B/*59.20A	----	----	62.60 - 33.90	.2320	----	----	----	----	14	UNCH			
4990	60.20	60.20	60.20/*58.30A	89.50B/*58.30A	----	----	61.70 - 33.50	.2293	----	----	1	----	10	+	1		
4995	59.40	59.40	59.40/*57.60A	88.30B/*57.60A	----	----	60.80 - 33.20	.2266	----	----	1	----	4	+	1		
5000	80.00	80.00	80.00/56.70A	87.20B/56.70A	----	----	60.00 - 32.70	.2240	----	----	186	----	1854	-	38		
5005	57.70	57.70	57.70/*55.90A	85.90B/*55.90A	----	----	59.10 - 32.40	.2213	----	----	2	----	12	+	2		
5010	56.90	56.90	56.90/*55.10A	84.80B/*55.10A	----	----	58.30 - 32.00	.2187	----	----	2	----	3	+	2		
5015	56.10	56.10	56.10/*54.50A	83.60B/*54.50A	----	----	57.40 - 31.70	.2160	----	----	4	----	11	+	4		
5020	55.30	55.30	55.30/*53.60A	82.50B/*53.60A	----	----	56.60 - 31.30	.2135	----	----	7	----	32		UNCH		
5025	54.50	54.50	54.50/*52.90A	81.40B/*52.90A	----	----	55.80 - 30.90	.2110	----	----	15	----	232	+	2		
5030	53.80	53.80	53.80/*52.10A	80.30B/*52.10A	----	----	55.00 - 30.60	.2084	----	----	35	----	228	+	35		
5035	53.00	53.00	54.40/*51.30	79.20B/*51.30	----	----	54.20 - 30.20	.2059	----	----	122	----	125	+	114		
5040	53.90	53.90	53.90/*50.60A	78.10B/*50.60A	----	----	53.50 - 29.80	.2036	----	----	12	----	17		UNCH		
5045	58.80	58.80	58.80/*50.00A	77.10B/*50.00A	----	----	52.70 - 29.50	.2011	----	----	1	----	22	-	1		
5050	----	----	----/*49.30A	76.10B/*49.30A	----	----	52.00 - 29.10	.1988	----	----	56	----	309	+	33		
5055	----	----	----/*48.60A	75.00B/*48.60A	----	----	51.20 - 28.80	.1963	----	----	----	----	5		UNCH		
5060	----	----	----/*47.90A	74.00B/*47.90A	----	----	50.50 - 28.50	.1940	----	----	----	----	32		UNCH		
5065	----	----	----/*47.20A	73.00B/*47.20A	----	----	49.80 - 28.10	.1917	----	----	----	----	43		UNCH		
5070	----	----	----/*46.60A	72.00B/*46.60A	----	----	49.10 - 27.80	.1894	----	----	----	----	58		UNCH		
5075	----	----	----/*46.00A	71.10B/*46.00A	----	----	48.40 - 27.50	.1871	----	----	----	----	208		UNCH		
5080	----	----	----/*45.30A	70.10B/*45.30A	----	----	47.70 - 27.10	.1848	----	----	----	----	21		UNCH		
5085	----	----	----/*44.70A	69.10B/*44.70A	----	----	47.00 - 26.80	.1825	----	----	----	----	160		UNCH		
5090	----	----	----/*44.10A	68.20B/*44.10A	----	----	46.40 - 26.50	.1805	----	----	----	----	2		UNCH		
5095	----	----	----/*43.50A	67.30B/*43.50A	----	----	45.70 - 26.20	.1782	----	----	----	----	5		UNCH		
5100	47.80	47.80	48.10/*42.90A	66.40B/42.90A	----	----	45.10 - 25.80	.1761	----	----	151	1086	2910	+	1027		
5105	46.50	46.50	46.50/*42.30A	65.40B/*42.30A	----	----	44.50 - 25.50	.1741	----	----	4	----	7	+	4		
5110	----	----	----/*41.70A	64.60B/*41.70A	----	----	43.80 - 25.30	.1718	----	----	----	----	11		UNCH		
5115	----	----	----/*41.10A	63.70B/*41.10A	----	----	43.20 - 24.90	.1698	----	----	----	----	13		UNCH		
5120	----	----	----/*40.50A	62.90B/*40.50A	----	----	42.60 - 24.60	.1677	----	----	----	----	358		UNCH		
5125	----	----	----/*40.00A	62.00B/*40.00A	----	----	42.00 - 24.30	.1657	----	----	----	----	163		UNCH		
5130	----	----	----/*39.40A	61.20B/*39.40A	----	----	41.40 - 24.10	.1636	----	----	1	----	1	-	1		
5135	41.10	41.10	41.10/*39.00A	60.50B/*39.00A	----	----	40.90 - 23.70	.1618	----	----	18	----	21	+	17		
5140	----	----	----/*38.40A	59.60B/*38.40A	----	----	40.30 - 23.40	.1598	----	----	----	----	12		UNCH		
5145	----	----	----/*37.80A	58.80B/*37.80A	----	----	39.70 - 23.20	.1578	----	----	----	----	12		UNCH		
5150	52.20	52.20	52.20/*37.30A	58.10B/*37.30A	----	----	39.20 - 22.90	.1560	----	4	----	----	109		UNCH		
5155	----	----	----/*36.80A	57.30B/*36.80A	----	----	38.70 - 22.50	.1542	----	----	----	----	17		UNCH		
5160	----	----	----/*36.30A	56.60B/*36.30A	----	----	38.10 - 22.30	.1522	----	1	----	----	15	+	1		
5165	----	----	----/*35.90A	55.70B/*35.90A	----	----	37.60 - 22.00	.1504	----	----	----	----	2		UNCH		
5170	----	----	----/*35.40A	55.10B/*35.40A	----	----	37.10 - 21.70	.1486	----	----	----	----	6		UNCH		
5175	----	----	----/*34.90A	54.40B/*34.90A	----	----	36.60 - 21.50	.1469	----	75	----	----	361		UNCH		
5185	----	----	----/*34.00A	52.90B/*34.00A	----	----	35.60 - 21.00	.1433	----	----	----	----	2		UNCH		
5190	----	----	----/*33.50A	52.20B/*33.50A	----	----	35.10 - 20.70	.1416	----	----	----	----	12		UNCH		
5195	----	----	----/*33.10A	51.50B/*33.10A	----	----	34.60 - 20.50	.1398	----	----	----	----	42		UNCH		
5200	45.00	45.00	45.00/*32.70A	50.80B/*32.70A	----	----	34.20 - 20.20	.1383	----	----	156	420	3282	-	90		
5205	----	----	----/*32.20A	50.00B/*32.20A	----	----	33.70 - 19.90	.1365	----	----	----	----	6		UNCH		
5210	----	----	----/*31.80A	49.40B/*31.80A	----	----	33.20 - 19.70	.1348	----	----	----	----	8		UNCH		
5215	----	----	----/*31.40A	48.70B/*31.40A	----	----	32.80 - 19.40	.1333	----	----	----	----	15		UNCH		
5220	32.60	32.60	32.60/*31.00A	48.00B/*31.00A	----	----	32.40 - 19.20	.1318	----	56	----	----	129	+	55		
5225	33.50	33.50	33.50/*30.60A	47.50B/*30.60A	----	----	31.90 - 19.00	.1300	----	6	----	----	51		UNCH		
5230	----	----	----/*30.20A	46.80B/*30.20A	----	----	31.50 - 18.70	.1285	----	----	----	----	11		UNCH		
5235	----	----	----/*29.90A	46.20B/*29.90A	----	----	31.10 - 18.50	.1270	----	----	----	----	20		UNCH		
5240	----	----	----/*29.50A	45.60B/*29.50A	----	----	30.70 - 18.20	.1256	----	----	----	----	17		UNCH		
5245	----	----	----/*29.10A	45.00B/*29.10A	----	----	30.30 - 18.00	.1241	----	----	----	----	17		UNCH		
5250	----	----	----/*28.70A	44.50B/*28.70A	----	----	29.90 - 17.80	.1226	----	100	----	----	747		UNCH		
5255	----	----	----/*28.40A	44.00B/*28.40A	----	----	29.50 - 17.60	.1211	----	----	----	----	888		UNCH		
5260	----	----	----/*28.00A	43.40B/*28.00A	----	----	29.10 - 17.30	.1197	----	----	----	----	25		UNCH		
5265	----	----	----/*27.60A	42.90B/*27.60A	----	----	28.70 - 17.20	.1182	----	----	----	----	13		UNCH		
5270	28.50	28.50	28.50/*27.30A	42.20B/*27.30A	----	----	28.30 - 17.00	.1167	----	17	----	----	136	+	17		
5275	----	----	----/*27.00A	41.70B/*27.00A	----	----	28.00 - 16.70	.1155	----	----	----	----	21		UNCH		
5280	----	----	----/*26.60A	41.20B/*26.60A	----	----	27.60 - 16.50	.1141	----	----	----	----	207		UNCH		
5285	27.40	27.40	27.40/*26.30A	40.70B/*26.30A	----	----	27.30 - 16.20	.1129	----	3	----	----	32		UNCH		
5290	29.80	29.80	29.80/*26.00A	40.20B/*26.00A	----	----	26.90 - 16.10	.1114	----	5	----	----	22	+	5		
5295	----	----	----/*25.60A	39.70B/*25.60A	----	----	26.60 - 15.80	.1102	----	----	----	----	6		UNCH		
5300	30.50	30.50	30.50/*25.30A	39.00B/*25.30A	----	----	26.20 - 15.70	.1088	----	358	----	----	1079	-	74		
5305	----	----	----/*25.00A	38.70B/*25.00A	----	----	25.90 - 15.50	.1076	----	----	----	----	17		UNCH		
5310	----	----	----/*24.70A	38.00B/*24.70A	----	----	25.60 - 15.20	.1064	----	----	----	----	107		UNCH		
5320	----	----	----/*24.10A	37.20B/*24.10A	----	----	24.90 - 14.90	.1038	----	----	----	----	17		UNCH		
5325	24.90	24.90	24.90/*23.80A	36.70B/*23.80A	----	----	24.60 - 14.70	.1026	----	2	----	----	29	+	2		
5330	----	----	----/*23.60A	36.20B/*23.60A	----	----	24.30 - 14.50	.1015	----	----	----	----	3		UNCH		
5335	----	----	----/*23.30A	35.80B/*23.30A	----	----	24.00 - 14.30	.1003	----	----	----	----	1		UNCH		
5345	----	----	----/*22.70A	34.90B/*22.70A	----	----	23.40 - 14.00	.0980	----	----	----	----	2		UNCH		
5350	----	----	----/*22.50A	34.50B/*22.50A	----	----	23.10 - 13.80	.0968	----	50	----	----	8001		UNCH		
5355	----	----	----/*22.20A	34.00B/*22.20A	----	----	22.90 - 13.60	.0959	----	----	----	----	1		UNCH		
5360	----	----	----/*21.90A	33.60B/*21.90A	----	----	22.60 - 13.40	.0948	----	----	----	----	114		UNCH		
5365	24.50	24.50	24.50/*21.70A	33.20B/*21													

PG64	BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026				PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST													
OG CALL	COMEX GOLD OPTIONS																											
AUG26																												
5775				---/*10.00A	13.00B/*10.00A	---	10.10	- 4.60	.0424	----	----	----	----	----	2	UNCH												
5800	9.50	9.50		9.50/*9.50	12.40B/*9.50	---	9.70	- 4.40	.0407	----	----	----	12	----	996	- 10												
5825				---/*9.30A	11.90B/*9.30A	---	9.30	- 4.20	.0390	----	----	----	4	----	132	UNCH												
5850	8.90	8.90		8.90/*8.90	11.40B/*8.90	---	9.00	- 4.00	.0376	----	----	----	10	----	166	UNCH												
5875				---/*8.70A	10.90B/*8.70A	---	8.70	- 3.80	.0362	----	----	----	----	----	26	UNCH												
5900				---/*8.50A	11.20B/*8.50A	---	8.40	- 3.60	.0349	----	----	----	----	----	1496	UNCH												
5925				---/*8.20A	10.00B/*8.20A	---	8.10	- 3.40	.0336	----	----	----	----	----	2	UNCH												
5950				---/*8.00A	9.70B/*8.00A	---	7.90	- 3.20	.0326	----	----	4	----	----	12	+	3											
6000	9.00	9.00		9.00/7.10	9.00/7.10	---	7.50	- 2.90	.0306	----	----	157	----	----	1815	- 20												
6100				---/*6.80A	8.40B/*6.80A	---	6.70	- 2.40	.0270	----	----	----	----	----	379	UNCH												
6200	6.70	6.70		6.70/*6.20A	6.90B/*6.20A	---	6.20	- 1.90	.0245	----	----	4	----	----	1428	- 2												
6250	5.80	5.80		5.80/*5.80	6.50B/*5.80	---	5.90	- 1.80	.0231	----	----	2	----	----	3	+	2											
6300				---/*5.70A	6.10B/*5.70A	---	5.70	- 1.60	.0221	----	----	----	----	----	82	UNCH												
6400				---/*5.30A	6.20B/*5.30A	---	5.20	- 1.50	.0199	----	----	----	----	----	54	UNCH												
6500				---/4.90A	5.10B/4.90A	---	4.90	- 1.20	.0183	----	----	----	----	----	892	UNCH												
6600				---/*4.60A	4.70B/*4.60A	---	4.50	- 1.20	.0166	----	----	----	----	----	152	UNCH												
6700				---/*4.40A	4.30B/*4.40A	---	4.20	- 1.10	.0153	----	----	----	----	----	241	UNCH												
6800				---/*4.10A	4.00B/*4.10A	---	4.00	- 0.90	.0143	----	----	----	----	----	38	UNCH												
6900				---/*3.90A	3.80B/*3.90A	---	3.70	- 0.90	.0131	----	----	----	----	----	31	UNCH												
7000	4.20	4.20		4.20/3.60	4.20/3.60	---	3.50	- 0.90	.0122	----	----	219	----	----	431	- 180												
7500				---/3.10A	2.60B/3.10A	---	2.70	- 0.70	.0088	----	----	1	----	----	801	+	1											
8000	2.40	2.40		2.40/2.40	2.40/2.40	---	1.90	- 0.80	.0060	----	----	----	----	----	235	- 33												
8500				---/2.00A	1.50B/2.00A	---	1.40	- 0.70	.0043	----	----	1	----	----	85	+	1											
9000				---	1.10B/2.20A	---	1.10	- 0.60	.0033	----	----	----	----	----	17	UNCH												
9500				---	0.80B/1.90A	---	0.90	- 0.50	.0026	----	----	75	----	----	124	+	42											
10000				---	0.60B/1.50A	---	0.90	- 0.20	.0024	----	----	55	----	----	94	- 17												
TOTAL												3480		2,742	69963	+	2546											
SEP26																												
3875				---	557.70B/970.70A	---	776.80	- 17.10	.9088	----	----	----	----	----	1	UNCH												
3995				---/638.40A	669.70B/638.40A	---	669.10	- 13.50	.8756	----	----	----	----	----	10	UNCH												
4085				---/563.00A	592.70B/563.00A	---	591.70	- 10.00	.8436	----	----	----	----	----	37	UNCH												
4130				---/527.00A	555.40B/527.00A	---	554.20	- 08.00	.8252	----	----	----	----	----	10	UNCH												
4185				---/484.20A	511.10B/484.20A	---	509.90	- 05.10	.8003	----	----	----	----	----	40	UNCH												
4200				---/593.20A	457.50B/593.20A	---	498.10	- 04.20	.7930	----	----	----	----	----	1	UNCH												
4220				---/457.70A	483.70B/457.70A	---	482.50	- 03.10	.7831	----	----	----	----	----	162	UNCH												
4290				---/407.40A	431.20B/407.40A	---	430.00	- 98.60	.7456	----	----	----	----	----	6	UNCH												
4295				---/404.00A	427.50B/404.00A	---	426.30	- 98.30	.7428	----	----	----	----	----	50	UNCH												
4300	394.60	394.60		430.40/394.60	430.40/394.60	---	422.70	- 98.00	.7400	----	----	12	----	----	15	+	2											
4320				---/381.70A	409.50B/381.70A	---	408.40	- 96.60	.7284	----	----	----	----	----	162	UNCH												
4375				---/345.70A	374.90B/345.70A	---	370.40	- 92.60	.6951	----	----	----	----	----	1	UNCH												
4390				---/336.30A	365.00B/336.30A	---	360.40	- 91.40	.6856	----	----	----	----	----	202	UNCH												
4425				---/314.70A	342.20B/314.70A	---	337.70	- 88.70	.6631	----	----	----	----	----	1	UNCH												
4495				---/274.40A	308.90B/274.40A	---	295.10	- 82.80	.6161	----	----	----	----	----	18	UNCH												
4500	275.80	275.80		275.80/271.10A	304.10B/271.10A	---	292.20	- 82.40	.6127	----	----	6	----	----	12	UNCH												
4505				---/268.40A	301.10B/268.40A	---	289.30	- 82.00	.6092	----	----	----	----	----	2	UNCH												
4510				---/266.10A	307.00B/266.10A	---	286.40	- 81.60	.6058	----	----	----	----	----	2	UNCH												
4515				---/263.80A	311.80B/263.80A	---	283.60	- 81.10	.6023	----	----	----	----	----	2	UNCH												
4520				---/261.20A	308.20B/261.20A	---	280.70	- 80.80	.5989	----	----	----	----	----	1	UNCH												
4545				---/248.20A	304.50B/248.20A	---	266.90	- 78.50	.5814	----																		

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST				
OG CALL		COMEX GOLD OPTIONS																						
SEP26																								
5440	----	----			----/*35.40A	49.20B/*35.40A	----	----	----	36.60 - 17.20	.1244	----	----	----	----									
5450	----	----			----/*34.90A	48.20B/*34.90A	----	----	----	35.90 - 16.80	.1222		----	----	----									
5455	35.50	35.50			35.50/*34.40A	47.90B/*34.40A	----	----	----	35.50 NEW	.1210			10	----									
5460	----	----			----/*34.20A	47.30B/*34.20A	----	----	----	35.20 - 16.50	.1200		----	----	----									
5470	----	----			----/*33.50A	46.50B/*33.50A	----	----	----	34.50 - 16.20	.1179		----	----	----									
5475	----	----			----/*33.30A	45.90B/*33.30A	----	----	----	34.20 - 16.00	.1169		----	----	----									
5500	----	----			----/*31.70A	43.50B/*31.70A	----	----	----	32.50 - 15.30	.1116		----	----	----									
5505	----	----			----/*31.30A	43.00B/*31.30A	----	----	----	32.20 - 15.10	.1106		----	----	----									
5515	31.30	31.30			31.30/*30.80A	42.30B/*30.80A	----	----	----	31.60 - 14.80	.1087			2	----									
5520	----	----			----/*30.50A	42.10B/*30.50A	----	----	----	31.30 - 14.60	.1077		----	----	----									
5525	----	----			----/*30.20A	41.60B/*30.20A	----	----	----	31.00 - 14.50	.1067		----	----	----									
5540	----	----			----/*29.40A	40.30B/*29.40A	----	----	----	30.10 - 14.10	.1039		----	----	----									
5550	----	----			----/*28.90A	39.60B/*28.90A	----	----	----	29.50 - 13.90	.1020		----	----	----									
5555	----	----			----/*28.70A	39.20B/*28.70A	----	----	----	29.30 - 13.60	.1013		----	----	----									
5595	----	----			----/*26.80A	35.30B/*26.80A	----	----	----	27.20 - 12.60	.0944		----	----	----									
5600	----	----			----/*26.50A	34.70B/*26.50A	----	----	----	26.90 - 12.60	.0935			50	----									
5605	----	----			----/*26.30A	35.40B/*26.30A	----	----	----	26.70 - 12.40	.0928		----	----	----									
5620	----	----			----/*25.60A	33.50B/*25.60A	----	----	----	26.00 - 12.00	.0904		----	----	----									
5625	----	----			----/*25.40A	33.30B/*25.40A	----	----	----	25.80 - 11.90	.0898		----	----	----									
5645	----	----			----/*24.60A	33.20B/*24.60A	----	----	----	24.90 - 11.40	.0868		----	----	----									
5650	----	----			----/*24.50A	31.70B/*24.50A	----	----	----	24.70 - 11.30	.0861		----	----	----									
5655	24.60	24.60			24.60/*24.30A	32.70B/*24.30A	----	----	----	24.50 - 11.20	.0854			2	----									
5665	----	----			----/*23.90A	30.90B/*23.90A	----	----	----	24.10 - 11.00	.0840		----	----	----									
5675	----	----			----/*23.60A	30.30B/*23.60A	----	----	----	23.70 - 10.70	.0827		----	----	----									
5690	----	----			----/*23.00A	29.50B/*23.00A	----	----	----	23.10 - 10.40	.0806		----	----	----									
5700	24.00	24.00			24.00/*22.50A	29.00B/*22.50A	----	----	----	22.70 - 10.20	.0793			2	----									
5710	----	----			----/*22.10A	29.30B/*22.10A	----	----	----	22.40 - 10.00	.0782		----	----	----									
5730	----	----			----/*21.90A	28.70B/*21.90A	----	----	----	21.70 - 9.60	.0758		----	----	----									
5750	----	----			----/*21.20A	26.20B/*21.20A	----	----	----	21.10 - 9.10	.0736		----	----	----									
5760	----	----			----/*20.90A	26.00B/*20.90A	----	----	----	20.80 - 8.90	.0726		----	----	----									
5770	----	----			----/*20.30A	25.60B/*20.30A	----	----	----	20.50 - 8.70	.0715		----	----	----									
5775	----	----			----/*20.50A	25.10B/*20.50A	----	----	----	20.30 - 8.70	.0709		----	----	----									
5800	----	----			----/*19.70A	24.40B/*19.70A	----	----	----	19.60 - 8.30	.0684		----	----	----									
5850	----	----			----/*18.10A	22.20B/*18.10A	----	----	----	18.30 - 7.50	.0637		----	----	----									
5900	17.00	17.00			17.00/*17.00	20.30B/*17.00	----	----	----	17.10 - 6.90	.0594		----	----	2	160								
5950	16.00	16.00			16.00/*16.00	18.90B/*16.00	----	----	----	16.00 - 6.40	.0555		----	----	2									
6000	15.60	15.60			15.70/*15.10A	17.60B/*15.10A	----	----	----	15.10 - 5.80	.0522			26	----									
6075	----	----			----/*14.00A	15.80B/*14.00A	----	----	----	13.80 - 5.20	.0475		----	----	----									
6100	----	----			----/*13.60A	15.40B/*13.60A	----	----	----	13.40 - 5.00	.0460		----	----	----									
6200	13.50	13.50			13.50/*12.40A	13.70B/*12.40A	----	----	----	12.10 - 4.20	.0411			22	----									
6300	----	----			----/*11.30A	12.30B/*11.30A	----	----	----	11.10 - 3.60	.0373		----	----	----									
6400	----	----			----/*10.50A	11.20B/*10.50A	----	----	----	10.30 - 3.00	.0341		----	----	----									
6500	11.10	11.10			11.10/*9.70A	11.10/*9.70A	----	----	----	9.60 - 2.60	.0313			1	----									
6600	----	----			----/*9.20A	9.50B/*9.20A	----	----	----	8.90 - 2.40	.0287		----	----	----									
6650	----	----			----/*9.20A	9.10B/*9.20A	----	----	----	8.60 - 2.30	.0276		----	----	----									
6750	----	----			----/*8.70A	8.50B/*8.70A	----	----	----	8.10 - 2.10	.0256		----	----	----									
6775	----	----			----/*8.60A	8.30B/*8.60A	----	----	----	8.00 - 2.00	.0252		----	----	----									
6800	----	----			----/*8.50A	8.30B/*8.50A	----	----	----	7.90 - 1.90	.0248		----	----	----									
7000	----	----			----/*7.80A	7.80B/*7.80A	----	----	----	7.00 - 1.70	.0215		----	----	----									
8000	5.00	5.00			5.00/5.00	5.00/5.00	----	----	----	5.00 - 0.80	.0135		----	----	1	----								
TOTAL														452	230									
OCT26																								
3600	----	----			----/1,008.00A	1039.50B/1008.00A	----	----	----	1040.60 - 20.50	.9424	----	----	----	----									
4300	----	----			----/420.70A	447.20B/420.70A	----	----	----	446.90 - 95.20	.7200		----	----	----									
4400	----	----			----/357.70A	384.70B/357.70A	----	----	----	380.50 - 88.80	.6647		----	----	----									
4405	----	----			----/354.80A	381.40B/354.80A	----	----	----	377.40 - 88.40	.6618		----	----	----									
4480	----	----			----/311.80A	343.60B/311.80A	----	----	----	332.20 - 82.90	.6173		----	----	----									
4500	----	----			----/301.00A	344.30B/301.00A	----	----	----	320.80 - 81.40	.6051		----	----	----									
4515	----	----			----/293.20A	339.50B/293.20A	----	----	----	312.50 - 80.20	.5959		----	----	----									
4550	----	----			----/275.60A	345.50B/275.60A	----	----	----	293.60 - 77.40	.5743		----	----	----									
4580	----	----	</																					



PG64 BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026				PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL DEC26	COMEX GOLD OPTIONS															
4450	----	----	----	401.00A	425.20B/401.00A	----	421.80	- 85.60	.6380	----	----	----	----	----	87	UNCH
4465	----	----	----	392.80A	416.50B/392.80A	----	413.10	- 84.70	.6306	----	----	----	----	----	93	UNCH
4490	----	----	----	378.90A	408.50B/378.90A	----	398.80	- 83.10	.6183	----	----	----	----	----	7	UNCH
4500	----	----	----	373.50A	402.90B/373.50A	----	393.20	- 82.40	.6133	----	----	----	----	----	757	UNCH
4525	----	----	----	360.50A	403.30B/360.50A	----	379.30	- 80.90	.6007	----	----	----	5	----	10	+
4540	----	----	----	352.90A	404.50B/352.90A	----	371.20	- 79.90	.5932	----	----	----	----	----	9	UNCH
4550	----	----	----	347.40A	403.60B/347.40A	----	365.80	- 79.30	.5881	----	----	----	----	----	11	UNCH
4565	----	----	----	340.20A	410.20B/340.20A	----	357.90	- 78.30	.5805	----	----	----	----	----	93	UNCH
4580	----	----	----	332.80A	405.80B/332.80A	----	350.10	- 77.30	.5728	----	----	----	----	----	150	UNCH
4585	----	----	----	330.30A	403.00B/330.30A	----	347.50	- 77.00	.5703	----	----	----	----	----	325	UNCH
4590	----	----	----	327.90A	400.20B/327.90A	----	345.00	- 76.60	.5677	----	----	----	----	----	16	UNCH
4600	339.10	339.10	339.10/323.20A	339.10/323.20A	339.10/323.20A	339.10/323.20A	339.90	- 76.00	.5626	----	----	----	1	----	158	-
4615	----	----	----	316.10A	386.40B/316.10A	----	332.40	- 75.00	.5550	----	----	----	----	----	41	UNCH
4625	----	----	----	311.50A	381.00B/311.50A	----	327.50	- 74.30	.5498	----	----	----	----	----	71	UNCH
4640	----	----	----	304.80A	372.80B/304.80A	----	320.30	- 73.30	.5422	----	----	----	----	----	100	UNCH
4650	----	----	----	300.20A	367.60B/300.20A	----	315.60	- 72.60	.5370	----	----	----	5	----	297	-
4675	----	----	----	289.20A	354.70B/289.20A	----	304.00	- 70.90	.5243	----	----	----	----	40	48	+
4680	----	----	----	287.10A	352.20B/287.10A	----	301.80	- 70.40	.5217	----	----	----	40	----	42	+
4700	351.50	351.50	351.50/278.50A	351.50/278.50A	351.50/278.50A	351.50/278.50A	292.90	- 69.10	.5116	----	----	----	11	----	96	UNCH
4725	----	----	----	268.30A	329.60B/268.30A	----	282.20	- 67.20	.4990	----	----	----	----	----	110	UNCH
4730	----	----	----	266.30A	327.70B/266.30A	----	280.00	- 67.00	.4965	----	----	----	----	----	2	UNCH
4750	----	----	----	258.40A	318.00B/258.40A	----	271.70	- 65.50	.4865	----	----	----	----	----	239	UNCH
4775	----	----	----	248.80A	306.50B/248.80A	----	261.50	- 63.90	.4740	----	----	----	----	----	2	UNCH
4780	----	----	----	246.90A	304.20B/246.90A	----	259.60	- 63.50	.4716	----	----	----	----	----	2	UNCH
4790	----	----	----	243.20A	300.20B/243.20A	----	255.60	- 62.90	.4667	----	----	----	----	----	1	UNCH
4795	253.60	253.60	253.60/241.50A	253.60/241.50A	253.60/241.50A	253.60/241.50A	253.70	- 62.50	.4642	----	----	----	1	----	9	UNCH
4800	----	----	----	239.70A	295.10B/239.70A	----	251.70	- 62.20	.4618	----	----	----	----	----	381	UNCH
4810	----	----	----	236.20A	290.90B/236.20A	----	247.90	- 61.50	.4569	----	----	----	1	----	57	+
4820	----	----	----	232.60A	286.60B/232.60A	----	244.10	- 60.90	.4520	----	----	----	----	----	48	UNCH
4825	----	----	----	230.50A	284.30B/230.50A	----	242.20	- 60.60	.4496	----	----	----	----	----	104	UNCH
4835	----	----	----	226.90A	287.60B/226.90A	----	238.50	- 60.00	.4448	----	----	----	----	----	125	UNCH
4850	----	----	----	221.80A	281.40B/221.80A	----	233.10	- 59.00	.4376	----	----	----	----	----	292	UNCH
4875	----	----	----	213.60A	268.50B/213.60A	----	224.30	- 57.40	.4258	----	----	----	----	----	1	UNCH
4880	----	----	----	211.90A	267.10B/211.90A	----	222.60	- 57.00	.4234	----	----	----	----	----	4	UNCH
4900	245.00	245.00	245.00/205.40A	245.00/205.40A	245.00/205.40A	245.00/205.40A	215.80	- 55.80	.4141	----	----	----	1	----	357	+
4910	----	----	----	202.80A	257.30B/202.80A	----	212.50	- 55.00	.4095	----	----	----	2	----	2	+
4925	----	----	----	197.70A	251.60B/197.70A	----	207.60	- 54.20	.4026	----	----	----	1	----	239	+
4950	----	----	----	190.30A	240.00B/190.30A	----	199.60	- 52.70	.3912	----	----	----	----	----	103	UNCH
4975	224.20	224.20	224.20/183.10A	224.20/183.10A	224.20/183.10A	224.20/183.10A	191.90	- 51.20	.3801	----	----	----	8	----	50	UNCH
5000	213.90	213.90	213.90/176.00A	213.90/176.00A	213.90/176.00A	213.90/176.00A	184.50	- 49.70	.3692	----	----	----	27	----	2406	-
5005	----	----	----	*174.90A	223.10B/*174.90A	----	183.00	- 49.40	.3670	----	----	----	87	----	4	UNCH
5025	----	----	----	169.40A	213.40B/169.40A	----	177.30	- 48.30	.3584	----	----	----	----	----	218	UNCH
5050	----	----	----	*163.10A	201.70B/*163.10A	----	170.40	- 46.90	.3478	----	----	----	----	----	101	UNCH
5070	----	----	----	*158.30A	196.70B/*158.30A	----	165.10	- 45.80	.3396	----	----	----	----	----	13	UNCH
5075	----	----	----	*157.00A	195.30B/*157.00A	----	163.80	- 45.60	.3375	----	----	----	----	----	30	UNCH
5090	----	----	----	*153.40A	190.70B/*153.40A	----	159.90	- 44.80	.3314	----	----	----	----	----	17	UNCH
5100	----	----	----	150.70A	187.70B/150.70A	----	157.40	- 44.30	.3274	----	----	----	----	----	349	UNCH
5125	----	----	----	*145.40A	179.70B/*145.40A	----	151.30	- 43.00	.3175	----	----	----	----	----	70	UNCH
5150	----	----	----	*140.00A	173.90B/*140.00A	----	145.40	- 41.70	.3079	----	----	----	----	----	11	UNCH
5155	----	----	----	*138.90A	172.40B/*138.90A	----	144.20	- 41.60	.3059	----	----	----	----	----	4	UNCH
5160	----	----	----	*138.30A	171.50B/*138.30A	----	143.10	- 41.30	.3041	----	----	----	1	----	2	+
5170	----	----	----	*135.70A	170.40B/*135.70A	----	140.90	- 40.70	.3004	----	----	----	----	----	4	UNCH
5175	----	----	----	*134.90A	167.50B/*134.90A	----	139.80	- 40.50	.2985	----	----	----	----	----	101	UNCH
5195	----	----	----	*130.60A	162.10B/*130.60A	----	135.40	- 39.60	.2911	----	----	----	----	----	5	UNCH
5200	----	----	----	129.30A	161.10B/129.30A	----	134.40	- 39.30	.2894	----	----	----	----	----	1328	UNCH
5220	----	----	----	*125.80A	156.80B/*125.80A	----	130.20	- 38.40	.2822	----	----	----	----	----	6	UNCH
5245	----	----	----	*121.10A	150.70B/*121.10A	----	125.20	- 37.20	.2734	----	----	----	----	----	10	UNCH
5250	119.40	119.40	119.40/119.40	119.40/119.40	119.40/119.40	119.40/119.40	124.30	- 36.90	.2718	----	----	----	8	----	343	-
5255	----	----	----	*119.90A	146.90B/*119.90A	----	123.30	- 36.70	.2701	----	----	----	----	----	1	UNCH
5265	----	----	----	*117.50A	147.00B/*117.50A	----	121.40	- 36.30	.2667	----	----	----	----	----	5	UNCH
5275	----	----	----	*115.90A	143.80B/*115.90A	----	119.60	- 35.70	.2634	----	----	----	----	----	23	UNCH
5300	----	----	----	111.40A	138.90B/111.40A	----	115.10	- 34.60	.2553	----	----	----	----	----	740	UNCH
5335	----	----	----	*105.90A	131.80B/*105.90A	----	109.10	- 33.00	.2443	----	----	----	----	----	21	UNCH
5340	----	----	----	*105.80A	130.90B/*105.80A	----	108.30	- 32.80	.2428	----	----	----	----	----	1	UNCH
5350	----	----	----	*103.50A	128.50B/*103.50A	----	106.70	- 32.30	.2398	----	----	----	----	----	459	UNCH
5360	----	----	----	*102.00A	127.40B/*102.00A	----	105.10	- 31.90	.2368	----	----	----	----	----	100	UNCH
5370	----	----	----	*100.90A	125.40B/*100.90A	----	103.60	- 31.40	.2339	----	----	----	----	----	36	UNCH
5380	----	----	----	*99.80A	123.50B/*99.80A	----	102.00	- 31.00	.2309	----	----	----	----	----	1	UNCH
5390	----	----	----	*97.70A	121.60B/*97.70A	----	100.60	- 30.50	.2281	----	----	----	----	----	200	UNCH
5400	98.00	98.00	98.00/96.30A	98.00/96.30A	98.00/96.30A	98.00/96.30A	99.10	- 30.10	.2253	----	----	----	3	----	549	UNCH
5450	----	----	----	*89.80A	111.40B/*89.80A	----	92.10	- 28.00	.2117	----	----	----	40	----	279	-
5460	----	----	----	*88.50A	109.80B/*88.50A	----	90.80	- 27.60	.2091	----	----	----	----	----	203	UNCH
5465	----	----	----	*87.90A	106.40B/*87.90A	----	90.10	- 27.40	.2077	----	----	----	----	----	53	UNCH
5475	89.70	89.70	89.70/86.60A	89.70/86.60A	89.70/86.60A	89.70/86.60A	88.80	- 27.00	.2052	----	----	----	2	----	552	+
5480	----	----	----	*86.10A	104.00B/*86.10A	----	88.20	- 26.80	.2039	----	----	----	----	----	50	UNCH
5500	100.00	100.00	100.00/80.30	100.00/80.30	100.00/80.30	100.00/80.30	85.70	- 26.10	.1989	----	----	----	211	60	2983	-
5505	----	----	----	*83.10A	102.40B/*83.10A	----	85.10	- 25.90	.1977	----	----	----	----	----	3	UNCH
5525	----	----	----	*80.80A	97.20B/*80.80A	----	82.60	- 25.30	.1928	----	----	----	----	----	80	UNCH
5550	----	----	----	*78.00A	93.70B/*78.00A	----	79.70	- 24.50	.1869	----	----	----	----	----	3	UNCH
5570	----	----	----	*75.90A	93.00B/*75.90A	----	77.40	- 24.00	.1822	----	----	----	----	----	198	UNCH
5575	----	----	----	*75.40A	90.50B/*75.40A	----	76.90	- 23.80	.1811	----	----	----	----	----	10	UNCH
5600	----	----	----	72.70A	89.40B/72.70A	----	74.20	- 23.10	.1756	----	----	----	----	----	2590	UNCH
5650	----	----	----	*68.30A	83.30B/*68.30A	----	69.20	- 21.80	.1651	----	----	----	----	200	306	+
5660	----	----	----	*67.40A	81.40B/*67.40A	----	68.20	- 21.60	.1630	----	----	----	----	----	1	UNCH
5665	----	----	----	*67.20A	79.40B/*67.20A	----	67.80	- 21.40	.1621	----	----	----	----	----	1	UNCH
5670	----	----	----	*66.60A	78.90B/*66.60A	----	67.30	- 21.30	.1611	----	----	----	----	----	2	UNCH
5675	----	----	----	*66.10A	80.10B/*66.10A	----	66.80	- 21.20	.1600	----	----	----	----	----	18	UNCH
5680	----	----	----	*65.70A	78.20B/*65.70A	----										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.



PG64 BULLETIN # 93@				METALS OPTION PRODUCTS								Fri, May 15, 2026				PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL			COMEX GOLD OPTIONS														
DEC26		----	----	----	----/2.00A		----		1.30 - 0.50	.0020	----	----	----	----	32	UNCH	
24000															108901+	274	
TOTAL													2020	710			
JAN27																	
4190		----	----	----	543.60B/781.20A		----		638.70 - 99.70	.7562	----	----	----	----	1	UNCH	
4290		----	----	----/544.50A	552.30B/544.50A		----		568.90 - 95.20	.7171	----	----	----	----	1	UNCH	
4300		----	----	----/538.10A	552.80B/538.10A		----		562.20 - 94.70	.7130	----	----	----	----	1	UNCH	
4400		----	----	----/476.40A	499.70B/476.40A		----		497.50 - 89.60	.6706	----	----	----	----	1	UNCH	
4500		----	----	----/419.90A	442.10B/419.90A		----		438.00 - 83.90	.6258	----	----	----	----	1	UNCH	
4600		----	----	----/*368.60A	440.60B/*368.60A		----		383.80 - 77.90	.5794	----	----	----	----	4	UNCH	
4650		----	----	----/*344.90A	416.70B/*344.90A		----		358.70 - 74.90	.5558	----	----	----	----	2	UNCH	
4700		----	----	----/*322.50A	390.50B/*322.50A		----		335.10 - 71.70	.5322	----	----	----	----	3	UNCH	
4710		----	----	----/*318.20A	385.40B/*318.20A		----		330.50 - 71.10	.5275	----	----	----	----	3	UNCH	
4750		----	----	----/*301.30A	365.60B/*301.30A		----		312.80 - 68.50	.5089	----	----	----	----	8	UNCH	
4760		----	----	----/*297.20A	360.70B/*297.20A		----		308.60 - 67.80	.5042	----	----	----	----	101	UNCH	
4800		----	----	----/*281.30A	342.10B/*281.30A		----		292.00 - 65.20	.4858	----	----	----	----	1	UNCH	
4850		----	----	----/*262.50A	319.60B/*262.50A		----		272.50 - 62.00	.4632	----	----	----	----	1	UNCH	
4875		----	----	----/*253.60A	308.90B/*253.60A		----		263.20 - 60.40	.4520	----	----	----	----	4	UNCH	
4900		----	----	----/*244.80A	303.20B/*244.80A		----		254.20 - 58.90	.4410	----	----	----	----	10	UNCH	
5000		----	----	----/*213.30A	263.30B/*213.30A		----		221.10 - 52.90	.3985	----	----	----	----	28	UNCH	
5050		----	----	----/*199.10A	245.40B/*199.10A		----		206.00 - 50.10	.3782	----	----	----	----	100	UNCH	
5100		----	----	----/*185.80A	229.00B/*185.80A		----		192.00 - 47.40	.3586	----	----	----	----	1	UNCH	
5130		----	----	----/*177.80A	217.50B/*177.80A		----		184.00 - 45.90	.3472	----	----	----	----	1	UNCH	
5195		----	----	----/*162.70A	198.50B/*162.70A		----		167.70 - 42.80	.3233	----	----	----	----	5	UNCH	
5200		----	----	----/*162.00A	197.00B/*162.00A		----		166.50 - 42.50	.3215	----	----	----	----	1100	UNCH	
5250		----	----	----/*150.90A	184.00B/*150.90A		----		155.10 - 40.20	.3041	----	----	----	----	7	UNCH	
5300		----	----	----/*141.40A	171.30B/*141.40A		----		144.50 - 38.10	.2875	----	----	----	----	1	UNCH	
5400		----	----	----/*123.70A	149.00B/*123.70A		----		125.70 - 33.90	.2568	----	----	----	----	2	UNCH	
5450		----	----	----/*115.70A	139.40B/*115.70A		----		117.40 - 31.90	.2427	----	----	----	----	6	UNCH	
5500		----	----	----/*108.50A	130.00B/*108.50A		----		109.70 - 30.10	.2293	----	----	----	----	60	UNCH	
5550		----	----	----/*101.80A	121.80B/*101.80A		----		102.60 - 28.40	.2167	----	----	----	----	4	UNCH	
5820		----	----	----/*73.40A	86.00B/*73.40A		----		73.20 - 20.40	.1611	----	----	----	----	6	UNCH	
5850		----	----	----/*70.50A	82.90B/*70.50A		----		70.70 - 19.70	.1561	----	----	----	----	3	UNCH	
5900		----	----	----/*66.90A	78.00B/*66.90A		----		66.80 - 18.50	.1482	----	----	----	----	5	UNCH	
6000		----	----	----/*60.20A	70.20B/*60.20A		----		59.90 - 16.40	.1339	----	----	----	----	257	UNCH	
6025		----	----	----/*58.50A	67.60B/*58.50A		----		58.40 - 15.80	.1307	----	----	----	----	1	UNCH	
6300		----	----	----/*45.90A	50.40B/*45.90A		----		45.00 - 11.40	.1015	----	----	----	----	2	UNCH	
6500		----	----	----/*39.20A	41.90B/*39.20A		----		38.10 - 9.00	.0859	----	----	----	----	6	UNCH	
20000		3.80	3.80	3.80/3.80	3.80/3.80		----		5.30 + 0.80	.0073	----	----	1	----	126 -	1	
TOTAL													1	----	1863 -	1	
FEB27																	
4500		----	----	----/*442.00A	459.10B/*442.00A		----		455.80 - 83.60	.6226	----	----	----	----	1	UNCH	
4650		----	----	----/*367.80A	430.40B/*367.80A		----		378.00 - 75.00	.5563	----	----	----	----	1	UNCH	
4700		----	----	----/*344.70A	404.60B/*344.70A		----		354.80 - 72.00	.5341	----	----	----	----	1	UNCH	
4750		----	----	----/*323.30A	380.00B/*323.30A		----		332.90 - 69.10	.5120	----	----	----	----	36	UNCH	
4785		----	----	----/*308.30A	363.40B/*308.30A		----		318.20 - 67.10	.4968	----	----	----	----	100	UNCH	
4850		----	----	----/*283.50A	336.10B/*283.50A		----		292.40 - 63.30	.4689	----	----	----	----	36	UNCH	
5000		----	----	----/*233.80A	283.80B/*233.80A		----		239.70 - 54.50	.4073	----	----	----	----	149	UNCH	
5100		----	----	----/*205.20A	248.80B/*205.20A		----		210.10 - 48.80	.3692	----	----	----	----	148	UNCH	
5175		----	----	----/*186.10A	220.20B/*186.10A		----		190.70 - 44.70	.3426	----	----	----	----	125	UNCH	
5200		----	----	----/*180.10A	213.50B/*180.10A		----		184.60 - 43.50	.3341	----	----	----	----	3	UNCH	
5250		----	----	----/*168.80A	200.00B/*168.80A		----		173.20 - 40.90	.3176	----	----	----	----	22	UNCH	
5300		----	----	----/*158.30A	187.30B/*158.30A		----		162.50 - 38.50	.3018	----	----	----	----	50	UNCH	
5375		----	----	----/*144.10A	167.90B/*144.10A		----		147.60 - 35.30	.2793	----	----	----	----	2	UNCH	
5400		----	----	----/*139.70A	164.30B/*139.70A		----		143.00 - 34.30	.2722	----	----	----	----	1	UNCH	
5500		----	----	----/*123.50A	144.20B/*123.50A		----		125.90 - 30.70	.2451	----	----	----	----	13	UNCH	
5520		----	----	----/*120.50A	140.90B/*120.50A		----		122.70 - 30.10	.2400	----	----	----	----	300	UNCH	
5530		----	----	----/*119.10A	138.90B/*119.10A		----		121.20 - 29.80	.2375	----	----	----	----	100	UNCH	
5550		----	----	----/*116.20A	135.40B/*116.20A		----		118.20 - 29.20	.2325	----	----	----	----	82	UNCH	
5600		----	----	----/*109.20A	127.10B/*109.20A		----		111.00 - 27.70	.2206	----	----	----	----	8	UNCH	
6000		73.00	73.00	73.00/*70.80A	79.60B/*70.80A		----		70.10 - 18.90	.1472	----	----	11	----	1301 +	11	
6025		----	----	----/*69.00A	77.30B/*69.00A		----		68.40 - 18.40	.1438	----	----	----	----	4	UNCH	
6100		----	----	----/*64.40A	71.50B/*64.40A		----		63.40 - 17.30	.1340	----	----	----	----	4	UNCH	
6300		----	----	----/*54.50A	58.40B/*54.50A		----		52.90 - 14.40	.1126	----	----	----	----	1	UNCH	
6500		----	----	----/*47.00A	47.60B/*47.00A		----		45.10 - 11.80	.0961	----	----	----	----	1220	UNCH	
6900		----	----	----/*37.00A	34.60B/*37.00A		----		34.70 - 7.50	.0731	----	----	----	----	533	UNCH	
7000		30.00	30.00	30.00/*30.00	30.00/*30.00		----		32.90 - 6.50	.0690	----	----	1	----	550	UNCH	
7100		----	----	----/*33.70A	26.50B/*33.70A		----		31.20 - 5.80	.0651	----	----	----	----	9	UNCH	
7900		----	----	----	18.30B/*26.80A		----		22.80 - 2.80	.0452	----	----	----	----	500	UNCH	
8000		----	----	----	17.90B/*26.30A		----		22.10 - 2.80	.0435	----	----	----	----	695	UNCH	
TOTAL													12	----	5995 +	11	
MAR27																	
4995		292.00	292.00	292.00/*268.20A	316.20B/*268.20A		----		274.10 - 56.60	.4313	----	----	1	----	2 +	1	
5000		269.00	269.00	269.00/*266.50A	313.40B/*266.50A		----		272.40 - 56.30	.4294	----	----	----	----	101 +	5	
5010		----	----	----/*263.60A	310.90B/*263.60A		----		269.00 - 55.90	.4255	----	----	----	----	1	UNCH	
5200		----	----	----/*209.70A	243.00B/*209.70A		----		212.00 - 47.60	.3571	----	----	----	----	3	UNCH	
5500		----	----	----/*149.00A	170.00B/*149.00A		----		147.10 - 35.70	.2673	----	----	----	----	67	UNCH	
5600		----	----	----/131.00A	149.40B/131.00A		----		130.90 - 32.30	.2426	----	----	----	----	1	UNCH	
5650		----	----	----/125.80A	142.40B/125.80A		----		123.70 - 30.60	.2312	----	----	----	----	19	UNCH	
5790		----	----	----/*107.70A	119.90B/*107.70A		----		106.10 - 26.20	.2024	----	----	----	----	2	UNCH	
5820		----	----	----/*103.70A	115.70B/*103.70A		----		102.80 - 25.40	.1969	----	----	----	----	1	UNCH	
5850		----	----	----/*100.50A	112.10B/*100.50A		----		99.60 - 24.50	.1914	----	----	----	----	253	UNCH	
5900		----	----	----/*95.60A	105.60B/*95.60A		----		94.60 - 23.20	.1829	----	----	----	----	11	UNCH	
6000		----	----	----/*86.70A	95.20B/*86.70A		----		85.50 - 20.80	.1669	----	----	----	----	2	UNCH	
6500		----	----	----/*57.00A	57.60B/*57.00A		----		55.00 - 11.50	.1102	----	----	----	----	2	UNCH	
TOTAL													6	----	465 +	6	
APR27																	
5000		----	----	----	129.60B/*430.20A		----		258.70 - 68.20	.4237	----	----	----	----	100	UNCH	
5060		----	----	----	110.60B/*412.00A		----		242.90 - 65.40	.4021	----	----	----	----	25	UNCH	
5600		----	----	----	14.50B/*270.70A		----		124.30 - 42.50	.2364	----	----	----	----	300	UNCH	
6000		----	----	----	0.70B/206.00A		----		78.30 - 30.30	.1586	----	----	----	----	151	UNCH	
TOTAL															576	0	
JUN27																	
5085		----	----	----	----		----		363.70 - 59.10	.4486	----	----	----	----	150	UNCH	
7000		----	----	----	----		----		60.60 - 14.40	.1054	----	----	----	----	3	UNCH	
7500		----	----	----	----		----		41.80 - 10.00	.0749	----	----	----	----	450	UNCH	
8000		----	----	----	----		----		30.60 - 7.30	.0555	----	----	----	----	1	UNCH	
9000		----	----	----	----		----		19.60 - 4.40	.0352	----	----	----	----	1	UNCH</	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
MICRO GOLD WEEKLY MONDAY OPTION WEE																1	0
GOLD WEEKLY WEDNESDAY OPTION WEEK4																	
3800	----	----	----	1.40B/----	1.40B/1.40A	----	----	----	0.30 + 0.70	.0076	----	----	----	----	1	UNCH	
3900	----	----	----	0.40B/----	0.40B/*0.60A	----	----	----	1.20 UNCH	.0011	----	----	----	----	3	UNCH	
3900	----	----	----	#1.90B/----	1.90B/1.50A	----	----	----	1.70 NEW	.0108	----	----	2	----	2	+	
4000	----	----	----	0.80B/----	0.80B/0.80A	----	----	----	0.40 + 0.10	.0025	----	----	1	----	3	+	
4100	----	----	----	1.40B/----	1.40B/1.10A	----	----	----	0.80 + 0.30	.0059	----	----	----	----	1	UNCH	
4125	4.50	4.50	4.50	#5.20B/4.50	5.20B/2.50A	----	----	----	3.60 NEW	.0278	----	----	5	----	5	+	
4150	1.50	1.50	1.50	2.00B/1.50	2.00B/1.30A	----	----	----	1.00 + 0.40	.0081	----	----	1	----	1	+	
4150	----	----	----	6.00B/----	6.00B/2.70A	----	----	----	4.10 + 2.50	.0321	----	----	----	----	30	UNCH	
4175	----	----	----	2.40B/----	2.40B/1.40A	----	----	----	1.20 + 0.50	.0102	----	----	----	----	3	UNCH	
4200	2.40	2.40	2.40	3.00B/1.80	3.00B/1.50A	----	----	----	1.40 + 0.60	.0125	----	----	5	----	57	+	
4200	6.50	6.50	6.50	8.20B/6.50	8.20B/3.10A	----	----	----	5.20 NEW	.0421	----	----	1	----	1	+	
4225	2.00	2.00	2.00	3.70B/2.00	3.70B/1.60A	----	----	----	1.70 + 0.90	.0158	----	----	13	----	14	+	
4225	----	----	----	9.50B/----	9.50B/3.40A	----	----	----	5.90 + 3.70	.0485	----	----	2	----	2	UNCH	
4235	2.10	2.10	2.10	#4.00B/*2.10	#4.00B/1.70A	----	----	----	1.80 NEW	.0170	----	----	1	----	2	+	
4240	2.70	2.70	2.70	#4.10B/*2.70	#4.10B/1.70A	----	----	----	1.90 NEW	.0181	----	----	2	----	1	+	
4245	2.80	2.80	2.80	#4.40B/*2.80	#4.40B/1.70A	----	----	----	1.90 NEW	.0183	----	----	2	----	2	+	
4250	4.30	4.30	4.30	4.50B/4.30	4.50B/1.70A	----	----	----	2.00 + 1.10	.0194	----	----	3	----	7	UNCH	
4250	4.90	4.90	4.90	11.20B/4.90	11.20B/3.70A	----	----	----	6.70 NEW	.0560	----	26	----	21	+		
4260	2.80	2.80	2.80	#4.90B/*2.80	#4.90B/1.80A	----	----	----	2.10 NEW	.0209	----	1	----	1	+		
4265	2.20	2.20	2.20	#5.20B/*2.20	#5.20B/1.80A	----	----	----	2.20 NEW	.0220	----	1	----	1	+		
4275	----	----	----	13.10B/----	13.10B/4.10A	----	----	----	7.80 + 5.00	.0658	----	2	----	13	UNCH		
4295	3.80	3.80	3.80	#6.80B/*3.80	#6.80B/2.10A	----	----	----	2.80 NEW	.0295	----	1	----	1	+		
4300	4.50	4.50	4.50	7.00B/4.50	7.00B/2.10A	----	----	----	2.90 + 1.70	.0309	----	6	----	22	UNCH		
4300	----	----	----	15.50B/----	15.50B/4.50A	----	----	----	9.00 + 5.80	.0768	----	1	----	1	UNCH		
4305	4.70	4.70	4.70	#7.30B/*4.70	#7.30B/2.10A	----	----	----	3.00 NEW	.0322	----	1	----	1	+		
4315	6.10	6.10	6.10	#8.00B/*6.10	#8.00B/2.20A	----	----	----	3.30 NEW	.0360	----	1	----	1	+		
4320	6.40	6.40	6.40	#8.40B/*6.40	#8.40B/2.30A	----	----	----	3.40 NEW	.0375	----	1	----	1	+		
4325	4.70	4.70	4.70	8.80B/4.70	8.80B/2.30A	----	----	----	3.60 + 2.20	.0399	----	1	----	15	+		
4325	7.70	7.70	7.70	18.30B/7.30	18.30B/5.10A	----	----	----	10.60 + 6.90	.0908	----	24	----	20	+		
4345	5.70	5.70	5.70	#10.70B/*5.70	#10.70B/2.50A	----	----	----	4.20 NEW	.0483	----	1	----	1	+		
4350	6.40	6.40	6.40	11.30B/5.90	11.30B/2.60A	----	----	----	4.40 + 2.90	.0510	----	104	----	106	+		
4350	----	----	----	21.70B/----	21.70B/5.90A	----	----	----	12.40 + 8.20	.1068	----	----	----	1	UNCH		
4355	6.20	6.20	6.20	#11.80B/*6.20	#11.80B/2.70A	----	----	----	4.60 NEW	.0537	----	1	----	1	+		
4360	5.90	5.90	5.90	#12.40B/*5.90	#12.40B/2.70A	----	----	----	4.80 + 3.20	.0565	----	1	----	3	+		
4365	6.20	6.20	6.20	#13.00B/*6.20	#13.00B/2.80A	----	----	----	5.10 NEW	.0603	----	1	----	1	+		
4375	----	----	----	14.40B/----	14.40B/3.00A	----	----	----	5.60 + 3.90	.0671	----	----	----	14	UNCH		
4375	11.20	11.20	11.20	25.70B/10.40	25.70B/6.90A	----	----	----	14.80 + 9.90	.1270	----	27	----	14	+		
4380	10.10	10.10	10.10	#15.10B/*10.10	#15.10B/3.10A	----	----	----	5.90 NEW	.0711	----	10	----	10	+		
4390	----	----	----	#16.70B/----	#16.70B/3.30A	----	----	----	6.50 NEW	.0794	----	1	----	1	+		
4400	8.20	8.20	8.20	18.40B/8.20	18.40B/3.50A	----	----	----	7.20 + 5.20	.0889	----	7	----	23	UNCH		
4400	13.00	13.00	13.00	30.50B/12.90	30.50B/8.00A	----	----	----	17.60 NEW	.1504	----	16	----	4	+		
4410	9.10	9.10	9.10	#20.30B/*9.10	#20.30B/3.70A	----	----	----	8.00 NEW	.0998	----	1	----	1	+		
4415	----	----	----	#21.30B/----	#21.30B/3.80A	----	----	----	8.40 NEW	.1054	----	5	----	5	+		
4425	16.40	16.40	16.40	23.40B/16.40	23.40B/4.10A	----	----	----	9.40 + 6.90	.1186	----	3	----	13	+		
4425	26.00	26.00	26.00	36.10B/25.50	36.10B/9.50A	----	----	----	21.10 + 14.10	.1784	----	9	----	7	+		
4430	----	----	----	#24.60B/----	#24.60B/4.30A	----	----	----	9.90 NEW	.1255	----	1	----	1	+		
4445	----	----	----	#28.20B/----	#28.20B/4.90A	----	----	----	11.70 NEW	.1493	----	4	----	4	+		
4450	13.40	13.40	13.40	29.60B/13.40	29.60B/5.00A	----	----	----	12.40 + 9.30	.1583	----	20	----	22	+		
4450	19.50	19.50	19.50	42.50B/19.50	42.50B/11.30A	----	----	----	25.30 + 16.90	.2109	----	2	----	5	+		
4460	----	----	----	#32.40B/----	#32.40B/5.50A	----	----	----	14.00 NEW	.1783	----	3	----	3	+		
4470	----	----	----	#35.50B/----	#35.50B/6.00A	----	----	----	15.70 NEW	.1998	----	4	----	4	+		
4475	22.70	22.70	22.70	37.10B/18.00	37.10B/6.30A	----	----	----	16.60 + 12.70	.2111	----	101	----	104	+		
4475	----	----	----	49.90B/----	49.90B/13.70A	----	----	----	30.50 + 20.20	.2487	----	----	----	1	UNCH		
4480	----	----	----	#38.90B/----	#38.90B/6.60A	----	----	----	17.70 NEW	.2239	----	4	----	4	+		
4500	16.50	16.50	16.50	46.60B/16.50	46.60B/8.00A	----	----	----	22.30 + 17.20	.2780	----	6	----	58	+		
4500	28.30	28.30	28.30	58.60B/28.30	58.60B/16.60A	----	----	----	36.70 + 24.00	.2915	----	1	----	1	+		
4500	----	----	----	---/*110.60A	214.30B/*110.60A	----	----	----	132.10 - 00.20	.7082	----	----	----	50	UNCH		
4505	25.00	25.00	25.00	#48.60B/*25.00	#48.60B/8.50A	----	----	----	23.70 NEW	.2932	----	1	----	1	+		
4515	----	----	----	#53.10B/----	#53.10B/9.50A	----	----	----	26.60 + 20.50	.3248	----	----	----	1	UNCH		
4520	----	----	----	#55.40B/----	#55.40B/9.90A	----	----	----	28.20 NEW	.3414	----	2	----	1	+		
4525	33.80	33.80	33.80	57.70B/33.00	57.70B/10.60A	----	----	----	29.80 + 23.00	.3583	----	2	----	13	UNCH		
4525	----	----	----	68.60B/----	68.60B/20.10A	----	----	----	44.10 + 28.50	.3390	----	1	----	2	+		
4530	51.10	51.10	51.10	#60.20B/*51.10	#60.20B/11.10A	----	----	----	31.60 NEW	.3759	----	1	----	1	+		
4530	----	----	----	---/*48.60A	145.00B/*48.60A	----	----	----	63.50 NEW	.6239	----	1	----	1	+		
4535	51.40	51.40	51.40	#51.40/*46.30A	140.60B/*46.30A	----	----	----	60.30 NEW	.6060	----	1	----	1	+		
4535	52.40	52.40	52.40	#62.80B/*52.40	#62.80B/11.80A	----	----	----	33.40 NEW	.3938	----	2	----	2	+		
4540	46.50	46.50	46.50	#65.50B/*46.50	#65.50B/12.40A	----	----	----	35.30 NEW	.4120	----	1	----	1	+		
4545	54.30	54.30	54.30	#54.30/*41.70A	132.60B/*41.70A	----	----	----	54.20 NEW	.5690	----	4	----	4	+		
4545	46.90	46.90	46.90	#68.20B/*46.90	#68.20B/13.10A	----	----	----	37.40 NEW	.4307	----	26	----	21	+		
4550	46.40	46.40	46.40	71.10B/38.70	71.10B/13.90A	----	----	----	39.50 + 30.20	.4496	----	65	----	130	+		
4550	51.40	51.40	51.40	53.80/*39.50A	128.30B/*39.50A	----	----	----	51.40 NEW	.5502	----	27	----	26	+		
4550	40.90	40.90	40.90	79.80B/38.50	79.80B/24.30A	----	----	----	52.80 + 33.50	.3907	----	19	----	25	+		
4565	44.20	44.20	44.20	#44.20/*33.50A	115.70B/*33.50A	----	----	----	43.30 NEW	.4923	----	1	----	1	+		
4570	33.00	33.00	33.00	#33.00/*31.70A	111.60B/*31.70A	----	----	----	40.80 NEW	.4728	----	3	----	3	+		
4570	----	----	----	#83.30B/----	#83.30B/17.30A	----	----	----	48.90 + 37.00	.5270	----	2	----	3	+		
4575	----	----	----	86.60B/----	86.60B/18.30A	----	----	----	51.50 + 38.80	.5465	----	----	----	10	UNCH		
4575	45.60	45.60	45.60	45.60/*29.80A	107.50B/*29.80A	----	----	----	38.40 - 84.50	.4533	----	62	----	62	+		
4575	----	----	----	92.40B/----	92.40B/29.70A	----	----	----	62.90 + 39.00	.4457	----	----	----	1	UNCH		
4575	----	----	----	---/*69.40A	153.30B/*69.40A	----	----	----	83.40 NEW	.5540	----	7	----	7	+		
4580	----	----	----	#89.80B/----	#89.80B/19.40A	----	----	----	54.10 NEW	.5659	----	1	----	1	+		
4580	38.50	38.50	38.50	#38.50/*28.20A	102.90B/*28.20A	----	----	----	36.10 NEW	.4338	----	4	----	3	+		
4585	----	----	----	#93.30B/----	#93.30B/20.50A	----	----	----	56.90 NEW	.5855	----	1	----	1	+		
4585	28.10	28.10	28.10	#28.10/*26.60A	99.90B/*26.60A	----	----	----	33.80 NEW	.4143	----	16	----	16	+		
4590	26.30	26.30	26.30	#26.30/*25.00A	96.00B/*25.00A	----	----	----	31.70 NEW	.3951	----	1	----	1	+		
4590	----	----	----	#96.80B/----	#96.80B/21.70A	----	----	----	59.80 + 44.40	.6047	----	----	----	1	UNCH		
4595	----	----	----	---/*23.50A	92.00B/*23.50A	----	----	----	29.70 NEW	.3761	----	2	----	2	+		
4600	41.10	41.10	41.10	41.10/*22.10A	87.60B/*22.10A	----	----	----	27.80 - 74.90	.3574	----	159	----	150	+		
4600	----	----	----	103.90B/----	103.90B/24.20A	----	----	----	65.90 + 48.50	.6423	----	8	----	56	+		
4600	----	----	----	106.80B/----	106.80B/36.20A	----	----	----	74.60 + 45.10	.5026	----	1	----	1	UNCH		
4600	70.00	70.00	70.00	82.00/*58.30	134.20B/*58.30	----	----	----	70.10 NEW	.4971	----	178	----	48	+		
4615	25.60	25.															

BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK3															
GWW WED MAY26	----	----	----	----	----	----	200.50 + 05.80	.9633	----	----	1	----	2 +	1	
4760	10.70	10.70	----	#245.30B/----	#245.30B/111.10A	----	2.50 - 17.50	.0365	----	----	2	----	4 +	1	
4775	2.20	2.20	----	2.20/*1.80A	12.20B/*1.80A	----	2.00 - 14.60	.0287	----	----	4	----	55	UNCH	
4775	16.80	16.80	----	16.80/*14.70A	42.70B/*14.70A	----	16.40 NEW	.1613	----	27	----	----	27 +	27	
4790	3.10	3.10	----	#3.10/*1.60A	9.90B/*1.60A	----	1.60 NEW	.0225	----	1	----	----	1 +	1	
4800	2.50	2.50	----	2.50/*1.40A	8.60B/*1.40A	----	1.40 - 10.70	.0194	----	9	----	----	29	UNCH	
4800	14.20	14.20	----	268.30B/----	268.30B/143.70A	----	239.50 + 12.80	.9805	----	----	----	----	1	UNCH	
4800	14.20	14.20	----	14.20/*11.90A	35.10B/*11.90A	----	13.20 - 29.20	.1327	----	5	----	----	8 +	2	
4825	5.20	5.20	----	292.80B/----	292.80B/166.00A	----	264.00 + 15.60	.9866	----	----	----	----	1	UNCH	
4825	5.20	5.20	----	5.20/*1.10A	6.10B/*1.10A	----	1.00 - 7.80	.0133	----	1	----	----	22	UNCH	
4825	----	----	----	----/*9.70A	29.00B/*9.70A	----	10.60 - 24.60	.1086	----	11	----	----	10 +	9	
4850	18.90	18.90	----	----/*0.90A	4.10B/*0.90A	----	0.70 - 5.70	.0089	----	----	----	----	42	UNCH	
4850	18.90	18.90	----	18.90/*7.90A	23.50B/*7.90A	----	8.60 - 20.50	.0891	----	2	----	----	3 +	1	
4875	----	----	----	----/*0.70A	2.80B/*0.70A	----	0.50 - 4.10	.0061	----	----	----	----	3	UNCH	
4875	----	----	----	----/*6.00A	19.20B/*6.00A	----	7.00 - 17.10	.0730	----	----	----	----	3	UNCH	
4900	2.60	2.60	----	2.60/*0.70A	2.60/*0.70A	----	0.40 - 3.00	.0046	----	1	----	----	26 +	1	
4900	6.20	6.20	----	6.20/*4.30A	15.40B/*4.30A	----	5.70 - 14.10	.0598	----	2	----	----	6 -	1	
4925	----	----	----	----/*0.50A	1.30B/*0.50A	----	0.30 - 2.20	.0033	----	----	----	----	4	UNCH	
4925	----	----	----	----/*3.10A	12.60B/*3.10A	----	4.80 - 11.50	.0501	----	----	----	----	4	UNCH	
4950	7.40	7.40	----	----/*0.50A	0.90B/*0.50A	----	0.20 - 1.70	.0021	----	----	----	----	6	UNCH	
4950	7.40	7.40	----	7.40/*2.20A	10.40B/*2.20A	----	4.00 - 9.40	.0416	----	6	----	----	5 +	4	
4975	----	----	----	----/*0.40A	0.60B/*0.40A	----	0.10 - 1.30	.0009	----	----	----	----	8	UNCH	
4975	----	----	----	----/*1.70A	8.70B/*1.70A	----	3.40 - 7.60	.0351	----	----	----	----	9	UNCH	
4980	0.40	0.40	----	----/*0.40A	0.50B/*0.40A	----	0.10 - 1.30	.0008	----	----	----	----	1	UNCH	
5000	0.40	0.40	----	0.40/*0.20A	0.40/*0.20A	----	0.10 - 1.00	.0004	----	1	----	----	13 -	1	
5000	----	----	----	----/*1.40A	6.90B/*1.40A	----	2.90 - 6.20	.0296	----	----	----	----	6	UNCH	
5020	----	----	----	#385.70B/----	#385.70B/475.70A	----	458.10 + 22.70	1.0000	1	----	----	----	0 -	1	
5025	----	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 0.70	.0002	----	----	----	----	7	UNCH	
5025	----	----	----	390.80B/----	390.80B/480.30A	----	463.10 + 22.70	1.0000	1	----	----	----	0 -	1	
5050	----	----	----	----/*0.40A	0.30B/*0.40A	----	0.10 - 0.60	.0001	----	----	----	----	4	UNCH	
5075	----	----	----	----	----/*0.50A	----	0.10 - 0.40	.0000	----	----	----	----	3	UNCH	
5100	----	----	----	----	----/*0.50A	----	0.10 - 0.30	.0000	----	----	----	----	31	UNCH	
5100	1.80	1.80	----	#573.90B/----	#573.90B/537.60A	----	538.10 + 23.10	1.0000	----	2	----	----	2 -	1	
5100	1.80	1.80	----	1.80/*0.90A	3.10B/*0.90A	----	1.50 NEW	.0148	----	8	----	----	8 +	8	
5125	----	----	----	----/0.60A	----	----	0.10 - 0.30	.0000	----	----	----	----	1	UNCH	
5125	----	----	----	----/*0.90A	2.60B/*0.90A	----	1.20 - 2.40	.0119	----	----	----	----	11	UNCH	
5150	----	----	----	----/*0.40A	----	----	0.10 - 0.20	.0000	----	----	----	----	7	UNCH	
5150	----	----	----	#515.50B/----	#515.50B/600.30A	----	588.10 + 23.20	1.0000	----	----	----	----	0	UNCH	
5200	----	----	----	----/*0.40A	----	----	0.10 - 0.10	----	----	----	----	----	3	UNCH	
5200	----	----	----	----/*0.90A	1.50B/*0.90A	----	0.80 - 1.40	.0076	----	----	----	----	9	UNCH	
5225	----	----	----	----	----/0.60A	----	0.10 - 0.10	----	----	----	----	----	3	UNCH	
5250	----	----	----	----	----/0.60A	----	0.10 - 0.10	----	----	----	----	----	1	UNCH	
5250	----	----	----	----/*0.80A	1.00B/*0.80A	----	0.60 - 1.10	.0056	----	----	----	----	2	UNCH	
5300	----	----	----	----	----/0.60A	----	0.10 UNCH	----	----	----	----	----	40	UNCH	
5300	----	----	----	----/*0.70A	0.80B/*0.70A	----	0.40 - 0.90	.0037	----	----	----	----	6	UNCH	
5400	----	----	----	----	----/0.90A	----	0.10 UNCH	----	----	1	----	----	6 +	1	
5400	----	----	----	----	0.40B/*0.90A	----	0.30 - 0.50	.0025	----	----	----	----	1	UNCH	
5500	----	----	----	----	0.20B/0.80A	----	0.20 - 0.40	.0016	----	----	----	----	3	UNCH	
5600	----	----	----	----	----/4.30A	----	0.10 UNCH	----	----	----	----	----	4	UNCH	
5600	----	----	----	----	0.10B/1.00A	----	0.20 - 0.30	.0015	----	----	----	----	1	UNCH	
TOTAL											1364	150	2471+	1008	
JUN26															
3900	----	----	----	3.20B/----	3.20B/3.60A	----	3.00 + 1.40	.0184	----	----	2	----	7	UNCH	
4000	----	----	----	#5.00B/----	#5.00B/4.80A	----	4.10 NEW	.0267	----	----	2	----	2 +	2	
4200	----	----	----	#18.80B/----	#18.80B/*12.50A	----	14.70 NEW	.0903	----	----	1	----	1 +	1	
4200	----	----	----	#14.00B/----	#14.00B/9.90A	----	9.80 NEW	.0685	----	----	1	----	1 +	1	
4250	----	----	----	#24.70B/----	#24.70B/*12.40A	----	18.70 NEW	.1141	----	----	1	----	1 +	1	
4250	----	----	----	#18.70B/----	#18.70B/10.70A	----	12.60 NEW	.0886	----	2	----	----	2 +	2	
4275	----	----	----	#28.30B/----	#28.30B/13.70A	----	21.30 NEW	.1288	----	1	----	----	1 +	1	
4275	----	----	----	#21.60B/----	#21.60B/10.80A	----	14.50 + 8.20	.1016	----	----	----	----	1	UNCH	
4300	----	----	----	#24.80B/----	#24.80B/10.20A	----	16.60 NEW	.1161	----	2	----	----	2 +	2	
4325	----	----	----	#28.80B/----	#28.80B/10.20A	----	19.20 NEW	.1333	----	1	----	----	1 +	1	
4375	27.20	27.20	----	#38.50B/27.20	#38.50B/14.10A	----	25.80 + 14.90	.1751	----	7	----	----	8 +	7	
4400	----	----	----	#44.50B/----	#44.50B/16.40A	----	30.10 + 17.40	.2006	----	----	----	----	1	UNCH	
4500	----	----	----	----/*130.40A	224.10B/*130.40A	----	150.40 - 93.40	.6681	----	2	----	----	2	UNCH	
4550	----	----	----	#99.10B/----	#99.10B/41.90A	----	73.40 + 39.60	.4117	----	2	----	----	2	UNCH	
4600	----	----	----	#125.60B/----	#125.60B/55.50A	----	96.00 + 49.20	.4976	----	2	----	----	2	UNCH	
4625	----	----	----	#140.40B/----	#140.40B/64.70A	----	109.10 + 54.20	.5411	----	1	----	----	1	UNCH	
4675	----	----	----	#173.40B/----	#173.40B/85.60A	----	138.70 + 64.60	.6261	----	1	----	----	1	UNCH	
4700	----	----	----	----/*45.40A	90.40B/*45.40A	----	50.80 NEW	.3332	----	1	----	----	1 +	1	
4700	----	----	----	#187.00B/----	#187.00B/97.10A	----	155.20 NEW	.6662	----	1	----	----	1 +	1	
4800	23.20	23.20	----	----/*24.50A	51.30B/*24.50A	----	26.60 NEW	.1989	----	1	----	----	1 +	1	
4825	23.20	23.20	----	23.20/*20.90A	45.50B/*20.90A	----	22.60 NEW	.1730	----	3	----	----	2 +	2	
4850	20.00	20.00	----	----/*17.60A	38.60B/*17.60A	----	19.20 - 27.60	.1501	----	1	----	----	1	UNCH	
4900	20.00	20.00	----	#25.00/*20.00	41.50B/*20.00	----	24.10 NEW	.1571	----	8	----	----	8 +	8	
4900	----	----	----	----/*13.00A	28.20B/*13.00A	----	14.00 - 20.90	.1128	----	2	----	----	3	UNCH	
4950	----	----	----	----/*17.90A	32.70B/*17.90A	----	18.30 NEW	.1236	----	1					

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION week3																	
MAY26																	
4500	----	----	----	----/*58.30A	170.40B/*58.30A	----	78.40	- 10.30	.7569	----	----	----	----	----	----	2	UNCH
4510	23.00	23.00		#44.10B/23.00	#44.10B/6.30A	----	19.00	NEW	.2764	----	----	----	3	----	----	3 +	3
4515	30.60	30.60		#46.20B/30.60	#46.20B/6.70A	----	20.30	NEW	.2942	----	----	----	4	----	----	4 +	4
4520	----	----	----	#48.60B/----	#48.60B/7.10A	----	21.70	NEW	.3130	----	----	----	2	----	----	2 +	2
4525	----	----	----	51.10B/----	51.10B/7.40A	----	23.20	+ 18.50	.3325	----	----	----	----	----	----	3	UNCH
4530	35.60	35.60		#53.40B/33.10	#53.40B/7.80A	----	24.80	NEW	.3528	----	----	6	----	----	----	5 +	5
4535	40.00	40.00		#56.00B/40.00	#56.00B/8.30A	----	26.60	NEW	.3742	----	----	3	----	----	----	3 +	3
4545	35.20	35.20		#61.60B/32.70	#61.60B/9.50A	----	30.30	NEW	.4179	----	----	7	----	----	----	6 +	6
4550	45.50	45.50		47.00/*32.70A	124.60B/*32.70A	----	44.20	- 97.50	.5592	----	----	16	----	----	----	16 +	15
4550	43.90	43.90		64.40B/43.90	64.40B/9.90A	----	32.30	+ 25.90	.4406	----	----	69	----	----	----	62 +	8
4555	35.00	35.00		#67.50B/34.00	#67.50B/10.60A	----	34.50	+ 27.60	.4638	----	----	2	----	----	----	1	UNCH
4565	34.00	34.00		36.00/*26.80A	111.90B/*26.80A	----	36.00	NEW	.4889	----	----	4	----	----	----	2 +	2
4565	37.40	37.40		#73.70B/37.40	#73.70B/12.20A	----	39.10	+ 31.20	.5109	----	----	2	----	----	----	1	UNCH
4570	48.90	48.90		#76.90B/48.90	#76.90B/12.90A	----	41.60	+ 33.20	.5347	----	----	1	----	----	----	2 +	1
4570	47.40	47.40		47.40/*25.10A	107.30B/*25.10A	----	33.50	NEW	.4651	----	----	3	----	----	----	2 +	2
4575	33.40	33.40		80.30B/33.40	80.30B/13.80A	----	44.20	+ 35.20	.5584	----	----	1	----	----	----	2	UNCH
4575	36.50	36.50		36.50/*23.40A	103.70B/*23.40A	----	31.20	NEW	.4414	----	----	8	----	----	----	8 +	8
4580	53.00	53.00		#83.70B/53.00	#83.70B/14.60A	----	47.00	+ 37.30	.5821	----	----	1	----	----	----	5 +	1
4580	33.90	33.90		33.90/*21.80A	99.30B/*21.80A	----	28.90	NEW	.4177	----	----	5	----	----	----	3 +	3
4585	----	----	----	#87.30B/----	#87.30B/15.60A	----	49.80	+ 39.40	.6057	----	----	2	----	----	----	4 +	2
4585	29.00	29.00		33.00/*20.40A	94.80B/*20.40A	----	26.70	NEW	.3941	----	----	32	----	----	----	30 +	30
4590	----	----	----	#90.90B/----	#90.90B/16.80A	----	52.80	NEW	.6288	----	----	4	----	----	----	2 +	2
4590	----	----	----	----/*19.00A	90.80B/*19.00A	----	24.70	NEW	.3710	----	----	1	----	----	----	1 +	1
4595	33.50	33.50		33.50/*17.60A	87.40B/*17.60A	----	22.80	NEW	.3483	----	----	2	----	----	----	2 +	2
4595	----	----	----	#94.60B/----	#94.60B/17.80A	----	55.90	+ 43.90	.6515	----	----	2	----	----	----	12 -	2
4600	23.00	23.00		23.00/*15.80	83.00B/*15.80	----	21.00	- 77.10	.3261	----	----	21	----	----	----	53 +	17
4600	----	----	----	98.40B/----	98.40B/18.90A	----	59.10	+ 46.30	.6738	----	----	----	----	----	----	25	UNCH
4605	----	----	----	#102.30B/----	#102.30B/20.20A	----	62.40	+ 48.60	.6955	----	----	----	----	----	----	1	UNCH
4605	37.50	37.50		37.50/*14.90A	79.30B/*14.90A	----	19.30	NEW	.3044	----	----	45	----	----	----	24 +	24
4610	92.10	92.10		#106.20B/92.10	#106.20B/21.50A	----	65.90	+ 51.10	.7159	----	----	4	----	----	----	3 +	1
4615	----	----	----	#110.20B/----	#110.20B/22.80A	----	69.40	+ 53.50	.7362	----	----	3	----	----	----	4 +	1
4620	15.10	15.10		15.10/*11.60A	68.40B/*11.60A	----	15.00	NEW	.2447	----	----	6	----	----	----	6 +	6
4620	48.00	48.00		#114.20B/48.00	#114.20B/24.40A	----	73.00	NEW	.7551	----	----	2	----	----	----	1 +	1
4625	----	----	----	118.30B/----	118.30B/26.00A	----	76.80	+ 58.50	.7737	----	----	----	----	----	----	49	UNCH
4625	11.70	11.70		11.70/*10.60A	65.50B/*10.60A	----	13.70	NEW	.2261	----	----	1	----	----	----	1 +	1
4630	13.00	13.00		15.10/*9.70A	62.10B/*9.70A	----	12.50	NEW	.2084	----	----	21	----	----	----	21 +	21
4635	11.10	11.10		11.90/*8.80A	58.80B/*8.80A	----	11.40	NEW	.1916	----	----	2	----	----	----	2 +	2
4640	40.00	40.00		40.00/*8.10A	55.30B/*8.10A	----	10.40	NEW	.1760	----	----	12	----	----	----	7 +	7
4645	8.00	8.00		10.00/*7.40A	52.60B/*7.40A	----	9.50	NEW	.1615	----	----	23	----	----	----	23 +	23
4650	13.70	13.70		13.70/*6.80A	50.90B/*6.80A	----	8.70	- 52.50	.1482	----	----	68	----	----	----	61 +	49
4650	85.10	85.10		139.90B/85.10	139.90B/35.50A	----	96.80	+ 70.90	.8516	----	----	3	----	----	----	60 -	1
4655	11.00	11.00		11.00/*6.20A	47.60B/*6.20A	----	7.90	NEW	.1352	----	----	40	----	----	----	34 +	34
4660	29.60	29.60		29.60/*5.60A	44.90B/*5.60A	----	7.20	- 47.70	.1234	----	----	8	----	----	----	7 +	6
4660	----	----	----	#148.80B/----	#148.80B/39.90A	----	105.30	+ 75.60	.8764	----	----	1	----	----	----	1	UNCH
4665	40.60	40.60		40.60/*5.10A	42.50B/*5.10A	----	6.60	NEW	.1130	----	----	6	----	----	----	4 +	4
4670	29.00	29.00		29.00/*4.60A	39.80B/*4.60A	----	6.00	NEW	.1027	----	----	35	----	----	----	33 +	33
4675	----	----	----	----/*4.20A	37.40B/*4.20A	----	5.40	- 40.90	.0926	----	----	----	----	----	----	2	UNCH
4675	107.00	107.00		162.50B/107.00	162.50B/47.20A	----	118.50	+ 82.50	.9072	----	----	1	----	----	----	1	UNCH
4685	----	----	----	----/*3.50A	32.60B/*3.50A	----	4.50	NEW	.0767	----	----	1	----	----	----	1 +	1
4700	----	----	----	186.00B/----	186.00B/61.90A	----	141.40	+ 92.60	.9428	----	----	6	----	----	----	42 -	1
4700	17.50	17.50		17.50/*2.70A	26.90B/*2.70A	----	3.40	- 30.70	.0571	----	----	9	----	----	----	89 +	2
4710	----	----	----	#195.60B/----	#195.60B/68.50A	----	150.80	+ 96.20	.9534	----	----	----	----	----	----	25	UNCH
4715	----	----	----	----/*2.10A	21.80B/*2.10A	----	2.50	- 25.50	.0413	----	----	1	----	----	----	1	UNCH
4715	----	----	----	#200.30B/----	#200.30B/72.40A	----	155.60	+ 97.90	.9586	----	----	----	----	----	----	1	UNCH
4725	----	----	----	----/*1.80A	18.90B/*1.80A	----	2.10	- 22.30	.0340	----	----	----	----	----	----	46	UNCH
4725	----	----	----	210.00B/----	210.00B/79.40A	----	165.20	+ 01.10	.9658	----	----	----	----	----	----	2	UNCH
4735	3.10	3.10		3.10/*1.60A	16.30B/*1.60A	----	1.80	- 19.40	.0284	----	----	1	----	----	----	21 +	1
4740	15.10	15.10		15.10/*1.50A	15.10/*1.50A	----	1.60	- 18.20	.0251	----	----	11	----	----	----	6 +	5
4745	----	----	----	----/*1.40A	13.90B/*1.40A	----	1.50	NEW	.0232	----	----	2	----	----	----	2 +	2
4745	----	----	----	#229.40B/----	#229.40B/93.90A	----	184.50	NEW	.9767	----	----	4	----	----	----	2 +	2
4750	----	----	----	234.30B/----	234.30B/98.20A	----	189.40	+ 07.60	.9799	----	----	----	----	----	----	1	UNCH
4750	2.60	2.60		2.60/*1.30A	12.70B/*1.30A	----	1.30	- 15.80	.0200	----	----	5	----	----	----	35 +	1
4755	----	----	----	#239.10B/----	#239.10B/102.20A	----	194.30	NEW	.9816	----	----	2	----	----	----	2 +	2
4755	11.00	11.00		11.90B/*1.30A	11.90B/*1.30A	----	1.20	NEW	.0182	----	----	4	----	----	----	2 +	2
4765	----	----	----	----/*1.10A	10.10B/*1.10A	----	1.00	- 12.70	.0148	----	----	----	----	----	----	1	UNCH
4770	2.20	2.															

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64									
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
GWT TUE		GOLD WEEKLY TUESDAY OPTION week1																															
JUN26																																	
4600	----	----	----	----	----/*76.00A	144.30B/*76.00A	----	----	----	87.70 - 75.50	.5011	----	----	1	----	4 +	1																
4600	----	----	----	----	#151.80B/----	#151.80B/84.30A	----	----	----	126.10 + 51.60	.4922	----	----	----	----	1	UNCH																
4625	----	----	----	----	#150.80B/----	#150.80B/78.80A	----	----	----	123.50 + 53.60	.5324	----	----	----	----	8	UNCH																
4650	----	----	----	----	153.10B/----	153.10B/71.10A	----	----	----	119.60 + 59.40	.5887	----	----	----	----	1	UNCH																
4650	----	----	----	----	#165.90B/----	#165.90B/88.40A	----	----	----	137.80 NEW	.5692	----	----	1	----	1 +	1																
4675	----	----	----	----	170.20B/----	170.20B/80.90A	----	----	----	135.10 + 64.80	.6323	----	1	----	1	UNCH																	
4675	----	----	----	----	----/*49.20A	99.00B/*49.20A	----	----	----	55.70 - 59.50	.3672	----	----	----	----	1	UNCH																
4675	----	----	----	----	#182.40B/----	#182.40B/98.80A	----	----	----	153.20 + 63.40	.6051	----	----	----	----	1	UNCH																
4700	----	----	----	----	#196.70B/----	#196.70B/111.90A	----	----	----	169.50 + 68.30	.6397	----	----	----	----	1	UNCH																
4700	----	----	----	----	----/*73.50A	123.00B/*73.50A	----	----	----	79.70 NEW	.3797	----	15	----	----	15 +	15																
4725	----	----	----	----	----/*36.20A	78.90B/*36.20A	----	----	----	40.20 - 48.90	.2869	----	----	----	----	1	UNCH																
4725	----	----	----	----	199.30B/----	199.30B/107.70A	----	----	----	169.50 + 75.40	.7126	----	----	----	----	0	UNCH																
4725	51.70	51.70	51.70	51.70	*51.70	95.10B/*51.70	----	----	----	57.50 - 51.00	.3268	----	1	----	0 -	1																	
4750	----	----	----	----	219.10B/----	219.10B/122.30A	----	----	----	188.20 + 80.40	.7487	----	----	----	----	1	UNCH																
4750	----	----	----	----	----/*46.00A	85.40B/*46.00A	----	----	----	50.60 - 46.30	.2958	----	----	2	----	3 +	2																
4775	----	----	----	----	242.80B/----	242.80B/140.40A	----	----	----	207.80 + 85.20	.7814	----	----	2	----	2	UNCH																
4775	----	----	----	----	----/*26.20A	56.00B/*26.20A	----	----	----	28.60 - 39.00	.2181	----	----	----	----	1	UNCH																
4775	----	----	----	----	----/*40.50A	75.60B/*40.50A	----	----	----	44.50 - 41.80	.2668	----	----	----	----	1	UNCH																
4800	----	----	----	----	----/*22.10A	48.00B/*22.10A	----	----	----	24.10 - 34.50	.1889	----	----	----	----	3	UNCH																
4800	----	----	----	----	----/*35.40A	65.40B/*35.40A	----	----	----	39.10 - 37.60	.2400	----	3	----	5 +	2																	
4800	50.30	50.30	50.30	50.30	*46.90A	80.20B/*46.90A	----	----	----	50.30 NEW	.2682	----	6	----	6 +	6																	
4850	----	----	----	----	----/*15.70A	35.70B/*15.70A	----	----	----	17.20 - 26.30	.1406	----	1	----	2 +	1																	
4850	40.50	40.50	40.50	40.50	*37.00A	65.50B/*37.00A	----	----	----	39.80 NEW	.2219	----	9	----	6 +	6																	
4875	----	----	----	----	----/*13.30A	30.20B/*13.30A	----	----	----	14.50 NEW	.1207	----	1	----	1 +	1																	
4900	----	----	----	----	----/*11.50A	25.00B/*11.50A	----	----	----	12.30 - 19.70	.1038	----	----	----	----	3	UNCH																
4900	21.00	21.00	21.00	21.00	*21.00	38.80B/*21.00	----	----	----	23.20 - 23.60	.1536	----	8	----	6 +	5																	
4925	----	----	----	----	----/*18.40A	34.50B/*18.40A	----	----	----	20.40 NEW	.1370	----	2	----	0	UNCH																	
4950	----	----	----	----	----/*23.60A	41.20B/*23.60A	----	----	----	24.80 - 23.90	.1485	----	----	----	1	UNCH																	
4950	----	----	----	----	----/*16.50A	30.70B/*16.50A	----	----	----	17.90 NEW	.1218	----	2	----	1 +	1																	
4975	----	----	----	----	----/*21.40A	37.20B/*21.40A	----	----	----	22.00 NEW	.1338	----	3	----	3 +	3																	
5000	6.40	6.40	6.40	6.40	*6.40	13.30B/*6.40	----	----	----	6.60 - 10.60	.0573	----	2	----	7 -	1																	
5000	----	----	----	----	----/*19.20A	32.80B/*19.20A	----	----	----	19.50 NEW	.1203	----	3	----	3 +	3																	
5000	----	----	----	----	----/*12.50A	23.00B/*12.50A	----	----	----	13.80 - 14.50	.0962	----	1	----	1 -	1																	
5050	----	----	----	----	----/*4.90A	9.20B/*4.90A	----	----	----	5.00 - 7.60	.0434	----	1	----	0 -	1																	
5050	----	----	----	----	----/*15.40A	26.20B/*15.40A	----	----	----	15.40 - 16.00	.0974	----	3	----	4 +	3																	
5075	----	----	----	----	----/*4.40A	7.80B/*4.40A	----	----	----	4.40 - 6.50	.0381	----	----	----	1	UNCH																	
5100	----	----	----	----	----/*9.60A	13.80B/*9.60A	----	----	----	8.30 - 9.00	.0598	----	----	----	1	UNCH																	
5250	----	----	----	----	----	4.50B/*8.80A	----	----	----	4.10 - 4.50	.0301	----	----	----	2	UNCH																	
5500	----	----	----	----	----/*1.40A	0.60B/*1.40A	----	----	----	0.90 - 0.70	.0067	----	----	----	3	UNCH																	
5500	----	----	----	----	----	0.30B/*5.60A	----	----	----	1.60 - 1.80	.0114	----	----	----	1	UNCH																	
5600	----	----	----	----	----	0.40B/*1.20A	----	----	----	0.80 - 0.40	.0056	----	----	----	3	UNCH																	
TOTAL														89			326 +																
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
GWR THU		GOLD WEEKLY THURSDAY OPTION week4																															
MAY26																																	
3250	----	----	----	----	----/*1.00A	----	----	----	----	0.60 + 0.20	.0023	----	----	----	----	1	UNCH																
3500	----	----	----	----	----/*0.60A	----	----	----	----	0.10 UNCH	.0001	----	----	----	----	40	UNCH																
3700	1.10	1.10	1.10	1.10	#1.10/1.10	1.10/1.10	----	----	----	1.10 NEW	.0060	----	1	----	1 +	1																	
4000	----	----	----	----	1.10B/----	1.10B/1.10A	----	----	----	1.00 + 0.30	.0066	----	1	----	3 +	1																	
4150	2.40	2.40	2.40	2.40	2.90B/2.10	2.90B/1.60A	----	----	----	1.80 + 0.90	.0149	----	3	----	4 +	3																	
4175	2.00	2.00	2.00	2.00	3.50B/2.00	3.50B/1.70A	----	----	----	2.00 NEW	.0172	----	2	----	2 +	2																	
4200	3.00	3.00	3.00	3.00	4.30B/3.00	4.30B/1.80A	----	----	----	2.30 NEW	.0205	----	8	----	8 +	8																	
4200	----	----	----	----	9.40B/----	9.40B/3.50A	----	----	----	6.00 + 3.60	.0472	----	----	----	----	1	UNCH																
4220	3.10	3.10	3.10	3.10	#4.90B/*3.10	#4.90B/*2.10A	----	----	----	2.50 NEW	.0231	----	1	----	1 +	1																	

BULLETIN # 93@				METALS OPTION PRODUCTS								Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU	GOLD WEEKLY THURSDAY OPTION week3														
MAY26															
4650	----	----		147.80B/----	147.80B/47.70A	----			106.50 + 68.70	.7688	----	----	1	----	3
4650	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4650	----	----		----	----	----			35.30 UNCH	----	----	----	----	----	0
4650	----	----		142.50B/----	142.50B/56.80A	----			106.90 + 58.60	.6079	----	----	----	----	5
4655	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4655	----	----		----	----	----			30.30 UNCH	----	----	----	----	----	0
4660	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4660	----	----		----	----	----			25.30 UNCH	----	----	----	----	----	0
4665	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4670	----	----		----	----	----			15.30 UNCH	----	----	----	----	----	0
4670	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4675	----	----		169.00B/----	169.00B/59.80A	----			126.30 + 77.70	.8262	----	----	----	----	1
4675	----	----		----/*11.20A	49.30B/*11.20A	----			13.30 - 45.60	.1735	----	3	----	3	+
4675	----	----		----	----	----			10.30 UNCH	----	----	----	----	----	0
4675	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4675	----	----		160.20B/----	160.20B/67.10A	----			122.80 + 65.00	.6585	----	----	----	----	1
4675	----	----		----/*37.00A	91.20B/*37.00A	----			43.40 NEW	.3410	----	1	----	1	+
4680	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4680	17.50	17.50		#17.50/*10.50A	#46.70B/*10.50A	----			5.30 UNCH	----	----	----	----	----	0
4685	----	----		----	----	----			12.40 NEW	.1631	----	1	----	1	+
4685	----	----		----	----	----			0.30 UNCH	----	----	----	----	----	0
4690	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4690	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4690	----	----		----	----	----			4.70 UNCH	----	----	----	----	----	0
4695	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4695	----	----		----	----	----			9.70 UNCH	----	----	----	----	----	0
4700	14.00	14.00		191.10B/----	191.10B/73.80A	----			147.50 + 86.10	.8724	----	----	----	----	6
4700	----	----		14.00/*8.00A	38.30B/*8.00A	----			9.50 - 37.20	.1274	----	1	----	5	+
4700	34.10	34.10		----	----	----			14.70 UNCH	----	----	----	----	----	0
4700	----	----		34.10/*30.70A	77.90B/*30.70A	----			35.70 NEW	.2936	----	1	----	1	+
4700	----	----		179.00B/----	179.00B/79.20A	----			140.10 NEW	.7060	----	1	----	1	+
4700	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4705	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4705	----	----		----	----	----			19.70 UNCH	----	----	----	----	----	0
4710	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4710	----	----		----	----	----			24.70 UNCH	----	----	----	----	----	0
4715	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4715	----	----		----	----	----			29.70 UNCH	----	----	----	----	----	0
4720	----	----		----	----	----			34.70 UNCH	----	----	----	----	----	0
4720	8.60	8.60		8.60/*5.70A	29.40B/*5.70A	----			0.00 UNCH	----	----	----	----	----	0
4725	----	----		214.00B/----	214.00B/90.10A	----			6.80 - 29.70	.0924	----	1	----	151	+
4725	28.20	28.20		28.20/*25.60A	66.50B/*25.60A	----			169.80 + 93.60	.9074	----	----	----	2	+
4725	----	----		----	----	----			39.70 UNCH	----	----	----	----	----	0
4725	----	----		----	----	----			29.20 NEW	.2502	----	8	----	8	+
4730	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4730	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4735	----	----		----	----	----			44.70 UNCH	----	----	----	----	----	0
4735	----	----		----	----	----			49.70 UNCH	----	----	----	----	----	0
4740	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4740	----	----		----	----	----			54.70 UNCH	----	----	----	----	----	0
4745	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4745	----	----		----	----	----			59.70 UNCH	----	----	----	----	----	0
4750	8.00	8.00		237.40B/----	237.40B/108.70A	----			0.00 UNCH	----	----	----	----	----	0
4750	----	----		8.00/*4.10A	22.00B/*4.10A	----			192.90 + 00.00	.9331	----	31	----	32	+
4750	43.80	43.80		43.80/*21.10A	56.10B/*21.10A	----			4.90 - 23.30	.0667	----	----	----	0	+
4750	----	----		219.50B/----	219.50B/107.10A	----			64.70 UNCH	----	----	----	----	----	0
4755	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4760	----	----		----	----	----			23.80 - 41.00	.2113	----	1	----	153	+
4760	----	----		----	----	----			178.10 + 83.20	.7883	----	----	----	1	+
4765	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4770	----	----		----	----	----			74.70 UNCH	----	----	----	----	----	0
4770	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4770	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4775	13.00	13.00		261.40B/----	261.40B/127.90A	----			84.70 UNCH	----	----	----	----	----	0
4775	----	----		13.00/*3.00A	16.60B/*3.00A	----			211.80 NEW	.9484	----	1	----	1	+
4775	----	----		240.90B/----	240.90B/123.60A	----			216.60 NEW	.9514	----	4	----	1	+
4775	----	----		----	----	----			3.60 - 18.00	.0484	----	----	----	6	+
4775	----	----		----/*17.40A	46.90B/*17.40A	----			198.60 + 88.70	.8227	----	----	----	50	+
4775	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4780	5.20	5.20		----	----	----			19.30 - 35.60	.1769	----	----	----	1	+
4780	----	----		#5.20/*3.30A	#15.40B/*3.30A	----			89.70 UNCH	----	----	----	----	----	0
4785	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4790	2.80	2.80		2.80/*2.30A	12.30B/*2.30A	----			94.70 UNCH	----	----	----	----	----	0
4795	163.00	163.00		285.40B/----	285.40B/147.70A	----			3.40 NEW	.0456	----	1	----	1	+
4800	16.50	16.50		2.80/*2.30A	12.30B/*2.30A	----			0.00 UNCH	----	----	----	----	----	0
4800	163.00	163.00		263.00B/163.00	263.00B/140.80A	----			0.00 UNCH	----	----	----	----	----	0
4810	2.20	2.20		16.50/*14.30A	39.20B/*14.30A	----			2.70 - 13.80	.0356	----	4	----	69	+
4825	1.50	1.50		263.00B/163.00	263.00B/140.80A	----			240.70 + 09.60	.9642	----	----	----	1	+
4840	----	----		2.20/*1.70A	9.20B/*1.70A	----			0.00 UNCH	----	----	----	----	----	0
4845	----	----		----	----	----			114.70 UNCH	----	----	----	----	----	0
4850	334.30B/----	334.30B/192.50A		1.50/*1.20A	6.70B/*1.20A	----			15.70 - 30.60	.1476	----	6	----	7	+
4850	----	----		334.30B/----	334.30B/192.50A	----			220.00 NEW	.8521	----	1	----	1	+
4850	----	----		----	----	----			0.00 UNCH	----	----	----	----	----	0
4850	----	----		----	----	----									

BULLETIN # 93@				METALS OPTION PRODUCTS										Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GWR THU GOLD WEEKLY THURSDAY OPTION week1																		
JUN26																		
4550	----	----		#102.40B/----	#102.40B/43.00A	----			76.80 + 40.40	.4142	----	----	1	----		3 UNCH		
4575	----	----		#115.20B/----	#115.20B/50.30A	----			87.60 + 44.90	.4552	----	----	----	----		1 UNCH		
4600	----	----			#110.70B/*110.00A	----			111.10 NEW	.5053	----	----	4	----	4 +	4		
4625	----	----		----/*72.80A	137.10B/*72.80A	----			83.20 - 69.60	.4606	----	----	----	----	9	UNCH		
4825	----	----		----/*23.00A	47.30B/*23.00A	----			24.90 - 32.50	.1824	----	----	----	----	1	UNCH		
4850	21.00	21.00		23.80/*19.50A	40.90B/*19.50A				21.30 - 28.70	.1593	----	----	2	----	2 +	1		
4900	----	----		----/*14.60A	30.40B/*14.60A				15.60 - 22.10	.1209	----	----	----	----	3	UNCH		
4900	25.00	25.00		#25.00/*25.00	#25.00/*24.90A				25.40 NEW	.1619	----	----	3	----	3 +	3		
5000	9.50	9.50		9.50/*8.60A	17.00B/*8.60A				8.70 NEW	.0700	----	----	1	----	1 +	1		
5025	----	----		----/*7.60A	14.70B/*7.60A	----			7.60 - 10.90	.0614	----	----	----	----	1	UNCH		
5125	----	----		----/*4.90A	7.50B/*4.90A				4.60 - 6.10	.0372	----	----	----	----	1	UNCH		
5400	----	----		----/*2.20A	1.10B/*2.20A	----			1.40 - 1.60	.0108	----	----	----	----	1	UNCH		
TOTAL													49			86+ 46		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3																		
MAY26																		
4000	0.30	0.30		0.30/*0.20A	0.30/*0.20A	----			0.10 UNCH	.0000	----	----	4	----		12 + 2		
4100	0.30	0.30		0.70/*0.10	0.70/*0.10	----			0.10 - 0.10	.0004	----	----	4	----		8 + 4		
4150	0.50	0.50		0.60B/*0.20	0.60B/*0.20	----			0.20 UNCH	.0010	----	----	19	----		19 + 15		
4175	0.20	0.20		0.80B/*0.20	0.80B/*0.20	----			0.30 UNCH	.0017	----	----	14	----		16 + 14		
4200	0.30	0.30		1.20/*0.30	1.20/*0.30	----			0.30 UNCH	.0019	----	----	22	----		20 + 12		
4220	0.50	0.50		#1.40B/0.50	#1.40B/0.50	----			0.40 UNCH	.0027	----	----	2	----		2 + 2		
4225	0.50	0.50		1.50B/*0.20	1.50B/*0.20	----			0.40 UNCH	.0028	----	----	9	----		9 + 9		
4230	0.40	0.40		#1.50B/0.40	#1.50B/0.40	----			0.40 UNCH	.0028	----	----	2	----		2 + 2		
4235	0.70	0.70		#1.60B/0.60A	#1.60B/0.60A	----			0.50 NEW	.0036	----	----	1	----		1 + 1		
4250	----	----		1.90B/----	1.90B/0.60A	----			0.50 + 0.10	.0038	----	----	----	----		5 UNCH		
4260	1.10	1.10		#2.30B/0.70A	#2.30B/0.70A	----			0.60 NEW	.0047	----	----	1	----		1 + 1		
4265	1.10	1.10		#2.40B/0.70A	#2.40B/0.70A	----			0.60 NEW	.0048	----	----	1	----		1 + 1		
4270	1.30	1.30		#2.40B/0.70A	#2.40B/0.70A	----			0.60 NEW	.0049	----	----	26	----		26 + 26		
4275	2.30	2.30		2.60B/0.70A	2.60B/0.70A	----			0.70 NEW	.0058	----	----	5	----		4 + 4		
4280	1.20	1.20		#2.70B/0.70A	#2.70B/0.70A	----			0.70 NEW	.0059	----	----	4	----		4 + 4		
4285	0.90	0.90		#2.90B/0.90	#2.90B/0.80A	----			0.70 NEW	.0060	----	----	5	----		5 + 5		
4290	2.30	2.30		#3.00B/0.70	#3.00B/0.70	----			0.70 + 0.10	.0062	----	----	2	----		4 + 2		
4295	2.40	2.40		#3.20B/0.70	#3.20B/0.70	----			0.80 NEW	.0072	----	----	4	----		4 + 4		
4300	1.80	1.80		3.40B/0.80	3.40B/0.80	----			0.80 + 0.20	.0073	----	----	53	----		116 + 40		
4305	2.50	2.50		#3.60B/0.90A	#3.60B/0.90A	----			0.80 NEW	.0074	----	----	2	----		2 + 2		
4315	1.20	1.20		#3.90B/1.20	#3.90B/1.00A	----			0.90 NEW	.0087	----	----	1	----		1 + 1		
4320	1.90	1.90		#4.10B/1.00A	#4.10B/1.00A	----			1.00 NEW	.0098	----	----	3	----		3 + 3		
4325	1.20	1.20		4.40B/1.20	4.40B/1.00A	----			1.00 + 0.30	.0100	----	----	4	----		8 + 3		
4330	2.10	2.10		#4.50B/1.10A	#4.50B/1.10A	----			1.00 NEW	.0103	----	----	1	----		1 + 1		
4335	1.00	1.00		#4.60B/1.00	#4.60B/1.00	----			1.10 NEW	.0115	----	----	2	----		2 + 2		
4340	----	----		#4.80B/----	#4.80B/1.20A	----			1.10 NEW	.0117	----	----	1	----		1 + 1		
4345	2.40	2.40		#5.00B/1.10	#5.00B/1.10	----			1.20 NEW	.0130	----	----	3	----		1 + 1		
4350	5.00	5.00		5.30B/1.20	5.30B/1.20	----			1.20 + 0.40	.0133	----	----	28	----		46 + 24		
4360	5.50	5.50		#6.10B/1.40A	#6.10B/1.40A	----			1.30 NEW	.0151	----	----	20	----		20 + 20		
4365	5.60	5.60		#6.20B/1.40A	#6.20B/1.40A	----			1.40 NEW	.0165	----	----	17	----		17 + 17		
4375	4.60	4.60		7.10B/1.50A	7.10B/1.50A	----			1.60 + 0.70	.0197	----	----	1	----		5 + 1		
4380	4.90	4.90		#7.30B/4.90	#7.30B/1.60A	----			1.60 NEW	.0202	----	----	1	----		1 + 1		
4385	----	----		#8.00B/----	#8.00B/1.60A	----			1.70 NEW	.0219	----	----	2	----		2 + 2		
4395	2.50	2.50		#8.90B/2.50	#8.90B/1.60A	----			1.90 + 0.90	.0255	----	----	2	----		3 + 2		
4400	3.40	3.40		9.10B/1.90	9.10B/1.60A	----			2.00 + 1.00	.0274	----	----	145	----		163 + 135		
4405	2.00	2.00		#9.60B/2.00	#9.60B/1.60A	----			2.20 NEW	.0307	----	----	10	----		10 + 10		
4410	6.00	6.00		#10.10B/3.30	#10.10B/1.70A	----			2.30 NEW	.0328	----	----	2	----		1 + 1		
4415	4.80	4.80		#10.70B/4.80	#10.70B/1.70A	----			2.40 NEW	.0350	----	----	1	----		1 + 1		
4420	5.20	5.20		#11.30B/4.10	#11.30B/1.80A	----			2.60 NEW	.0386	----	----	21	----		21 + 21		
4425	6.90	6.90		12.30B/3.00	12.30B/1.80A	----			2.80 + 1.70	.0424	----	----	58	----		71 + 44		
4430	7.60	7.60		#12.60B/4.40	#12.60B/1.90A	----			3.00 NEW	.0463	----	----	12	----		12 + 12		
4435	8.50	8.50		#13.40B/8.50	#13.40B/2.00A	----			3.20 NEW	.0504	----	----	2	----		2 + 2		
4440	2.20	2.20		#14.20B/2.20	#14.20B/2.10A	----			3.40 NEW	.0547	----	----	16	----		15 + 15		
4445	11.80	11.80		#15.50B/8.20	#15.50B/2.20A	----			3.70 NEW	.0605	----	----	3	----		2 + 2		
4450	----	----		----/*84.30A	217.60B/*84.30A	----			115.80 NEW	.9332	----	----	7	----		4 + 4		
4450	7.40	7.40		16.20B/4.10	16.20B/2.40A	----			4.00 + 2.70	.0666	----	----	31	----		34 + 17		
4455	13.20	13.20		#17.40B/6.90	#17.40B/2.40A	----			4.30 NEW	.0729	----	----	3	----		3 + 3		
4455	177.70	177.70		177.70/*80.50A	213.10B/*80.50A	----			111.20 NEW	.9269	----	----	3	----		3 + 3		
4460	8.30	8.30		#18.50B/8.30	#18.50B/2.50A	----			4.70 NEW	.0808	----	----	48	----		47 + 47		
4465	----	----		#19.80B/----	#19.80B/2.70A	----			5.10 NEW	.0891	----	----	2	----		1 + 1		
4470	15.70	15.70		#21.30B/5.00	#21.30B/2.90A	----			5.50 NEW	.0977	----	----	20	----		20 + 20		
4475	155.00	155.00		155.00/*65.90A	193.10B/*65.90A	----			92.90 NEW	.8919	----	----	1	----		1 + 1		
4475	13.00	13.00		22.80B/5.60	22.80B/3.00A	----			6.00 + 4.40	.1079	----	----	62	----		53 + 47		
4480	4.60	4.60		#24.30B/4.60	#24.30B/3.20A	----			6.50 + 4.80	.1186	----	----	13	----		11 + 10		
4485	9.10	9.10		#25.80B/7.20	#25.80B/3.30A	----			7.10 NEW	.1310	----	----	17	----		8 + 8		
4490	13.90	13.90																

BULLETIN # 93@														METALS OPTION PRODUCTS										Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST													
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3																											
MAY26																												
4655	30.60	30.60		30.60/*2.40A	41.50B/*2.40A	----			3.40 - 48.00	.0697	----	----	78	----	22 +	21												
4660	10.80	10.80		10.80/*2.20A	38.80B/*2.20A	----			3.00 - 45.20	.0607	----	----	42	----	36 +	34												
4660	60.00	60.00		#145.40B/60.00	#145.40B/33.30A	----			101.10 + 78.20	.9391	----	----	2	----	5 +	1												
4665	----	----	----	----/*2.00A	35.80B/*2.00A	----			2.70 NEW	.0537	----	16	----	7 +	7													
4665	----	----	----	#150.20B/----	#150.20B/35.60A	----			105.80 + 81.00	.9462	----	10	----	5 +	2													
4670	29.20	29.20		29.20/*1.80A	33.00B/*1.80A	----			2.40 - 39.80	.0469	----	9	----	6 +	5													
4670	140.10	140.10		#154.90B/140.10	#154.90B/38.00A	----			110.50 + 83.60	.9529	----	6	----	8 +	5													
4675	105.00	105.00		159.70B/105.00	159.70B/40.50A	----			115.20 + 86.20	.9578	----	1	----	6	UNCH													
4675	17.90	17.90		17.90/*1.40	30.50B/*1.40	----			2.20 - 37.10	.0421	----	26	----	16 +	15													
4680	----	----	----	----/*1.50A	28.20B/*1.50A	----			1.90 - 34.70	.0358	----	6	----	32 +	1													
4680	----	----	----	#164.50B/----	#164.50B/43.20A	----			120.00 + 88.70	.9640	----	----	----	2	UNCH													
4685	4.20	4.20		4.30/*1.40	26.00B/*1.40	----			1.70 NEW	.0314	----	35	----	34 +	34													
4685	----	----	----	#169.40B/----	#169.40B/45.90A	----			124.80 + 91.10	.9685	----	1	----	27	UNCH													
4690	----	----	----	#174.20B/----	#174.20B/48.80A	----			129.60 + 93.30	.9711	----	1	----	2	UNCH													
4690	23.80	23.80		24.90/*1.20A	24.90/*1.20A	----			1.60 NEW	.0288	----	31	----	31 +	31													
4695	----	----	----	----/*1.10A	22.10B/*1.10A	----			1.40 - 27.90	.0247	----	----	----	27	UNCH													
4700	168.40	168.40		184.00B/168.40	184.00B/55.70A	----			139.30 + 97.60	.9775	----	2	----	14	UNCH													
4700	12.70	12.70		12.70/*1.00	20.30B/*1.00	----			1.30 - 25.80	.0224	----	103	----	86 -	54													
4705	2.00	2.00		2.00/*0.90A	18.50B/*0.90A	----			1.10 - 23.90	.0186	----	2	----	30 +	1													
4705	----	----	----	#188.90B/----	#188.90B/59.60A	----			144.20 + 99.50	.9813	----	2	----	0 -	2													
4710	182.60	182.60		#193.80B/182.60	#193.80B/62.40A	----			149.10 + 01.40	.9834	----	2	----	4 +	1													
4710	16.50	16.50		17.10B/*0.80A	17.10B/*0.80A	----			1.00 - 22.00	.0165	----	13	----	12 +	3													
4715	16.00	16.00		16.00/*0.80A	16.00/*0.80A	----			0.90 NEW	.0145	----	11	----	7 +	7													
4720	188.70	188.70		#203.60B/188.70	#203.60B/69.40A	----			158.90 NEW	.9873	----	2	----	1 +	1													
4720	11.20	11.20		14.20B/*0.70A	14.20B/*0.70A	----			0.80 - 18.70	.0126	----	18	----	14 -	10													
4725	2.40	2.40		2.40/*0.70A	13.00B/*0.70A	----			0.80 - 17.10	.0122	----	3	----	12 -	2													
4725	----	----	----	208.50B/----	208.50B/73.60A	----			163.80 + 06.20	.9877	----	1	----	3 -	1													
4730	----	----	----	----/*0.60A	11.70B/*0.60A	----			0.70 - 15.70	.0104	----	3	----	40 -	1													
4735	1.50	1.50		1.50/*0.60A	10.60B/*0.60A	----			0.60 - 14.40	.0087	----	2	----	2 -	2													
4740	1.40	1.40		1.60/*0.50	9.80B/*0.50	----			0.60 - 13.20	.0085	----	5	----	4	UNCH													
4750	----	----	----	233.30B/----	233.30B/92.90A	----			188.50 + 12.30	.9932	----	----	----	4	UNCH													
4750	4.20	4.20		4.20/*0.20	8.00B/*0.20	----			0.50 - 11.00	.0067	----	15	----	58 +	5													
4755	3.50	3.50		3.50/*0.40A	7.10B/*0.40A	----			0.40 - 10.10	.0052	----	2	----	2	UNCH													
4760	----	----	----	#243.20B/----	#243.20B/101.30A	----			198.40 + 14.20	.9948	----	----	----	1	UNCH													
4765	3.50	3.50		3.50/*0.30A	5.80B/*0.30A	----			0.30 NEW	.0037	----	9	----	9 +	9													
4770	----	----	----	----/*0.30A	5.00B/*0.30A	----			0.30 - 7.70	.0036	----	----	----	4	UNCH													
4775	3.60	3.60		3.60/*0.10	4.60B/*0.10	----			0.30 - 6.90	.0035	----	38	----	57 +	20													
4775	----	----	----	258.10B/----	258.10B/114.40A	----			213.30 + 16.40	.9964	----	----	----	1	UNCH													
4780	----	----	----	----/*0.30A	4.20B/*0.30A	----			0.20 - 6.40	.0023	----	2	----	5 +	2													
4780	----	----	----	#263.10B/----	#263.10B/119.40A	----			218.30 + 17.00	.9977	3	----	3	2 -	2													
4785	----	----	----	----/*0.30A	3.60B/*0.30A	----			0.20 - 5.80	.0022	----	2	----	5	UNCH													
4790	----	----	----	----/*0.20A	3.40B/*0.20A	----			0.20 - 5.30	.0022	----	----	----	2	UNCH													
4795	2.20	2.20		2.20/*0.20A	3.10B/*0.20A	----			0.20 - 4.80	.0021	----	2	----	12 -	1													
4800	3.10	3.10		3.10/*0.20A	3.10/*0.20A	----			0.10 - 4.40	.0010	----	25	----	70 -	1													
4800	----	----	----	283.00B/----	283.00B/136.90A	----			238.20 + 19.00	.9991	----	----	----	2	UNCH													
4805	----	----	----	----/*0.20A	2.50B/*0.20A	----			0.10 - 4.00	.0008	----	----	----	1	UNCH													
4810	----	----	----	----/*0.20A	2.20B/*0.20A	----			0.10 - 3.70	.0006	----	----	----	5	UNCH													
4815	----	----	----	----/*0.20A	1.90B/*0.20A	----			0.10 - 3.30	.0005	----	2	----	2	UNCH													
4820	----	----	----	#303.00B/----	#303.00B/156.30A	----			258.20 + 20.40	.9997	1	----	----	0 -	1													
4820	----	----	----	----/*0.30A	1.70B/*0.30A	----			0.10 - 3.00	.0004	----	----	----	1	UNCH													
4825	2.20	2.20		2.20/*0.20	2.20/*0.20	----			0.10 - 2.80	.0003	----	4	----	30 -	1													
4825	----	----	----	308.00B/----	308.00B/161.10A	----			263.20 + 20.70	.9998	----	----	----	1	UNCH													
4830	----	----	----	#312.90B/----	#312.90B/165.90A	----			268.20 + 20.90	.9999	1	----	----	2 -	1													
4840	----	----	----	#322.90B/----	#322.90B/175.90A	----			278.20 + 21.40	1.0000	2	----	----	1	UNCH													
4850	----	----	----	332.90B/----	332.90B/185.30A	----			288.20 + 21.70	1.0000	----	----	----	1	UNCH													
4850	1.30	1.30		1.30/*0.20A	1.30/*0.20A	----			0.10 - 1.70	.0001	----	1	----	30 -	1													
4855	----	----	----	----/*0.20A	0.80B/*0.20A	----			0.10 - 1.60	.0000	----	----	----	10	UNCH													
4855	----	----	----	337.90B/----	337.90B/190.60A	----			293.20 + 21.90	1.0000	----	----	----	1	UNCH													
4875	----	----	----	241.30B/----	241.30B/332.30A	----			313.20 + 22.30	1.0000	----	----	----	1	UNCH													
4875	1.30	1.30		1.30/*0.20A	1.30/*0.20A	----			0.10 - 1.10	.0000	----	2	----	12 -	2													
4885	----	----	----	----/*0.20A	0.40B/*0.20A	----			0.10 - 0.90	.0000	----	----	----	1	UNCH													
4900	0.50	0.50		0.50/*0.20A	0.50/*0.20A	----			0.10 - 0.70	.0000	----	4	----	35 -	3													
4900	----	----	----	266.30B/----	266.30B/356.90A	----			338.20 + 22.70	1.0000	1	----	----	0 -	1													
4925	----	----	----	----/0.40A	----/0.40A	----			0.10 - 0.50	----	----	1	----	16	UNCH													
4950	0.40	0.40		0.40/*0.40	0.40/*0.40	----			0.10 - 0.30	----	----	2	----	14	UNCH													
4975	----	----	----	----/0.50A	----/0.50A	----			0.10 -																			

PG64

BULLETIN # 93@

METALS OPTION PRODUCTS

Fri, May 15, 2026

PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3												
JUN26						129.70	NEW	----	----	3	----	3 + 3
4575	125.00	125.00	125.00/*120.70A	191.70B/*120.70A	----	109.20	NEW	----	----	5	----	5 + 5
4575	----	----	#132.80B/----	#132.80B/71.50A	----	76.80	+ 43.20	----	----	1	----	7 UNCH
4575	96.00	96.00	104.50B/96.00	104.50B/41.30A	----	121.60	+ 50.60	----	----	----	----	1 UNCH
4600	----	----	#148.70B/----	#148.70B/81.70A	----	84.10	- 75.60	----	----	----	50	52 + 50
4600	----	----	----/*72.40A	140.90B/*72.40A	----	88.60	+ 48.60	----	----	----	----	7 UNCH
4600	----	----	118.40B/----	118.40B/48.70A	----	101.70	+ 54.20	----	----	----	----	4 UNCH
4625	----	----	133.50B/----	133.50B/56.70A	----	72.30	- 70.00	----	----	----	----	3 UNCH
4625	----	----	----/*62.40A	123.80B/*62.40A	----	121.00	+ 55.10	----	----	----	----	1 UNCH
4625	----	----	#144.90B/----	#144.90B/75.40A	----	116.10	+ 59.90	----	----	----	----	6 UNCH
4650	----	----	149.70B/----	149.70B/67.40A	----	61.70	- 64.30	----	5	----	----	7 + 5
4650	----	----	----/*53.70A	109.20B/*53.70A	----	135.20	+ 59.80	----	----	----	----	1 UNCH
4650	----	----	#163.40B/----	#163.40B/85.40A	----	131.70	+ 65.40	----	----	----	----	3 UNCH
4675	----	----	166.90B/----	166.90B/76.50A	----	71.20	- 59.40	----	4	----	----	3 + 2
4675	117.00	117.00	117.00/*64.60A	117.00/*64.60A	----	52.30	- 58.80	----	----	----	----	2 UNCH
4675	----	----	----/*45.90A	95.20B/*45.90A	----	180.60	+ 67.60	----	5	----	----	5 UNCH
4700	----	----	#208.30B/----	#208.30B/123.90A	----	76.40	NEW	----	----	10	----	10 + 10
4700	75.00	75.00	75.00/*70.60A	118.20B/*70.60A	----	44.10	- 53.50	----	----	82	----	97 + 79
4700	43.30	43.30	43.30/*38.90A	82.90B/*38.90A	----	62.50	- 54.70	----	----	----	----	1 UNCH
4700	----	----	----/*56.90A	104.00B/*56.90A	----	166.80	+ 69.50	----	----	----	----	2 UNCH
4700	----	----	#197.30B/----	#197.30B/108.10A	----	148.50	+ 70.80	----	----	----	----	6 UNCH
4700	----	----	177.40B/----	177.40B/89.20A	----	68.30	- 52.40	----	----	----	----	1 UNCH
4725	----	----	----/*63.20A	106.80B/*63.20A	----	166.40	+ 76.00	----	----	----	----	1 UNCH
4725	----	----	196.40B/----	196.40B/104.10A	----	37.10	- 48.20	----	8	----	----	10 + 7
4725	38.80	38.80	38.80/*32.70A	73.30B/*32.70A	----	184.00	+ 74.20	----	----	----	----	1 UNCH
4725	----	----	#215.30B/----	#215.30B/124.60A	----	60.80	- 48.50	----	----	----	----	1 UNCH
4750	----	----	----/*56.20A	99.00B/*56.20A	----	47.90	- 45.40	----	1	----	----	1 - 1
4750	42.00	42.00	42.00/*42.00	82.30B/*42.00	----	31.00	- 43.10	----	6	----	----	7 + 6
4750	32.70	32.70	32.70/*27.50A	62.40B/*27.50A	----	202.10	+ 78.80	----	----	----	----	1 UNCH
4750	----	----	#234.40B/----	#234.40B/138.50A	----	185.30	+ 81.10	----	----	----	----	2 UNCH
4750	----	----	216.30B/----	216.30B/118.80A	----	25.80	- 38.30	----	----	----	----	1 UNCH
4775	----	----	----/*23.00A	52.60B/*23.00A	----	48.00	NEW	----	6	----	----	6 + 6
4800	----	----	----/*44.30A	77.70B/*44.30A	----	21.50	- 33.60	----	1	----	----	16 + 1
4800	----	----	----/*19.30A	44.70B/*19.30A	----	36.40	- 36.90	----	----	----	100	UNCH
4800	----	----	----/*33.50A	63.90B/*33.50A	----	225.70	+ 90.60	----	----	----	----	1 UNCH
4800	----	----	258.50B/----	258.50B/151.80A	----	17.90	- 29.20	----	----	----	----	1 UNCH
4825	----	----	----/*16.20A	38.10B/*16.20A	----	14.90	- 25.30	----	14	----	----	13 + 12
4850	14.00	14.00	14.00/*13.70A	31.90B/*13.70A	----	27.50	NEW	----	2	----	----	2 + 2
4850	23.00	23.00	23.00/*23.00	48.70B/*23.00	----	12.50	- 21.70	----	1	----	----	104 + 1
4875	----	----	----/*11.60A	27.60B/*11.60A	----	29.30	- 28.50	----	----	----	----	3 UNCH
4900	----	----	----/*27.80A	49.50B/*27.80A	----	314.60	+ 05.70	----	----	----	----	1 UNCH
4900	----	----	348.50B/----	348.50B/228.90A	----	20.70	- 23.40	----	----	----	----	3 UNCH
4900	----	----	----/*19.40A	37.40B/*19.40A	----	10.50	- 18.60	----	24	----	----	45 + 5
4925	11.30	11.30	11.30/*9.80A	22.70B/*9.80A	----	8.80	- 15.90	----	----	----	----	4 UNCH
4950	----	----	----/*8.30A	20.20B/*8.30A	----	22.70	- 23.50	----	----	----	----	6 UNCH
4950	----	----	----/*22.20A	39.40B/*22.20A	----	15.60	- 18.30	----	----	----	----	5 UNCH
4950	----	----	----/*15.00A	28.20B/*15.00A	----	7.50	- 13.40	----	1	----	----	32 UNCH
4950	----	----	----/*7.10A	16.30B/*7.10A	----	6.40	- 11.40	----	----	----	----	3 UNCH
4975	----	----	----/*6.20A	14.40B/*6.20A	----	17.70	- 19.00	----	1	----	----	1 UNCH
5000	----	----	----/*17.90A	31.30B/*17.90A	----	5.50	- 9.60	----	7	----	----	22 - 4
5000	5.10	5.10	5.10/*5.10	11.00B/*5.10	----	11.70	- 14.30	----	----	----	----	32 UNCH
5000	----	----	----/*11.40A	21.30B/*11.40A	----	4.80	- 8.10	----	----	----	----	1 UNCH
5025	----	----	----/*4.80A	9.00B/*4.80A	----	13.90	- 15.30	----	----	----	----	6 UNCH
5050	----	----	----/*14.30A	24.60B/*14.30A	----	4.10	- 6.90	----	1	----	----	28 UNCH
5050	----	----	----/*4.20A	8.30B/*4.20A	----	8.80	- 11.30	----	----	----	----	5 UNCH
5050	----	----	----/*10.10A	16.90B/*10.10A	----	3.60	- 5.90	----	----	----	----	1 UNCH
5075	----	----	----/*3.70A	6.80B/*3.70A	----	11.10	- 12.20	----	1	----	----	1 UNCH
5100	----	----	----/*11.90A	20.00B/*11.90A	----	3.20	- 4.90	----	----	----	----	1 UNCH
5100	----	----	----/*3.20A	4.00B/*3.20A	----	2.80	- 4.20	----	2	----	----	2 UNCH
5125	----	----	----/*2.90A	3.30B/*2.90A	----	5.20	- 6.90	----	1	----	----	2 UNCH
5150	----	----	----/*10.40A	9.60B/*10.40A	----	2.50	- 3.60	----	----	----	----	5 UNCH
5150	----	----	----/*2.60A	2.60B/*2.60A	----	2.20	- 3.10	----	----	----	----	3 UNCH
5175	----	----	----/*2.40A	2.30B/*2.40A	----	2.00	- 2.60	----	----	----	----	2 UNCH
5200	----	----	----/*2.20A	2.10B/*2.20A	----	1.80	- 2.30	----	----	----	----	4 UNCH
5225	----	----	----/*2.10A	1.90B/*2.10A	----	1.70	- 1.90	----	----	----	----	4 UNCH
5250	----	----	----/*1.90A	1.70B/*1.90A	----	3.20	- 4.40	----	1	----	----	4 + 1
5250	----	----	----	1.50B/*8.40A	----	1.50	- 1.70	----	----	----	----	6 UNCH
5275	----	----	----/*1.80A	1.60B/*1.80A	----	2.50	- 3.50	----	3	----	----	5 UNCH
5300	----	----	----	0.60B/*7.50A	----	1.40	- 1.40	----	----	----	----	4 UNCH
5300	----	----	----/*1.70A	1.50B/*1.70A	----	1.30	- 1.20	----	----	----	----	2 UNCH
5325	----	----	----/*1.60A	1.30B/*1.60A	----	1.30	- 1.00	----	----	----	----	6 UNCH
5350	----	----	----/*1.50A	1.20B/*1.50A	----	1.10	- 0.80	----	----	----	----	9 UNCH
5400	----	----	----/*1.40A	1.00B/*1.40A	----	0.80	- 0.60	----	----	----	----	2 UNCH
5500	----	----	----/*1.30A	0.50B/*1.30A	----	0.70	- 0.50	----	----	----	----	1 UNCH
5600	----	----	----/*1.10A	0.30B/*1.10A	----	0.60	- 0.50	----	----	----	----	10 UNCH
5700	----	----	----/*1.00A	0.10B/*1.00A	----	2.50	- 2.20	----	----	----	----	3 UNCH
5750	----	----	----	0.20B/*5.30A	----	0.60	- 0.40	----	----	----	----	12 UNCH
5750	----	----	----	0.10B/1.40A	----	0.60	- 0.40	----	----	----	----	11 UNCH
6000	----	----	----	----/1.20A	----	0.60	- 0.40	----	----	----	----	1178 + 312
TOTAL										338	50	

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT MICRO GOLD WEEKLY FRI OPTION WEEK3												
MAY26						0.00	NEW	----	----	1	----	0 UNCH
4500	7.00	7.00	7.00/*7.00	7.00/*7.00	----	38.10	+ 35.00	1	----	----	----	0 - 1
4600	----	----	----	----/165.00A	----	138.10	+ 07.40	1	----	----	----	0 - 1
4700	----	----	----	----	----	0.00	- 10.90	----	----	----	----	0 - 2
4715	----	----	----	----/23.00A	----	0.00	- 7.30	----	----	----	----	0 - 1
4730	----	----	----	----	----	0.00	- 4.10	----	----	----	----	0 - 1
4750	----	----	----	----	----					1	----	0 - 6
TOTAL												

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU SILVER WEEKLY THURSDAY OPTION week3													
MAY26						0.347	+	0.293	.0995	----	----	----	1 UNCH
7100	----	----	0.533B/----	0.533B/0.209A	----	0.474	+	0.399	.1345	----	1	----	2 + 1
7200	0.665	0.665	0.725B/0.665	0.725B/0.227A	----	8.828		UNCH	----	----	----	----	0 UNCH
7650	----	----	----	----	----	2.550		NEW	.5548	----	2	----	2 + 2
7700	2.180	2.180	2.180/2.096A	2.805B/2.096A	----	6.828		UNCH	----	----	----	----	0 UNCH
7850	----	----	----	----	----	5.328		UNCH	----	----	----	----	0 UNCH
8000	----	----	3.380B/----	3.380B/1.132A	----	3.861	+	3.049	.6542	----	----	----	1 UNCH
8000	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8000	3.550	3.550	3.550/1.668A	3.550/1.668A	----	1.851	-	4.138	.3506	----	1	----	0 - 1
8100	----	----	----/0.853A	2.578B/0.853A	----	1.026	-	3.970	.2619	----	----	----	1 UNCH
8160	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8200	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8200	----	----	#4.889B/----	4.889B/1.754A	----	5.371	+	4.057	.7624	----	----	----	1 UNCH
8200	----	----	----	----	----	3.328		UNCH	----	----	----	----	0 UNCH
8200	----	----	----/1.452A	3.440B/1.452A	----	1.566	-	3.756	.3074	----	----	----	1 UNCH
8230	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8250	----	----	----/0.707A	2.417B/0.707A	----	0.824	-	3.474	.2147	----	----	----	1 UNCH
8250	----	----	#4.925B/----	4.925B/1.975A	----	5.775	+	4.304	.7852	----	----	----	2 UNCH
8300	----	----	----	----	----	2.328		UNCH	----	----	----	----	0 UNCH
8300	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8300	----	----	#6.290B/----	6.290B/3.074A	----	6.770	+	4.390	.7319	----	----	----	1 UNCH
8350	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8350	0.900	0.900	0.900/0.900	3.403B/0.900	----	1.216		NEW	.2498	----	1	----	1 + 1
8400	----	----	#7.022B/----	#7.022B/3.576A	----	7.564	+	4.750	.7672	----	----	----	2 UNCH
8400	----	----	----	----	----	1.328		UNCH	----	----	----	----	0 UNCH
8400	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8450	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8470	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8500	----	----	----	----	----	0.000		UNCH	----	----	----	----	0 UNCH
8500	----	----	#9.100B/----	#9.100B/4.113A	----	8.390	+	5.088	.7987	----	----	----	1 UNCH
8500	----	----	----	----	----	0.328		UNCH	----	----	----	----	0 UNCH
8520	----	----	----	----	----	0.128		UNCH	----	----	----	----	0 UNCH



BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
RWS THU	SILVER WEEKLY THURSDAY OPTION week2															
MAY26																
8550	----	----	----	----	----	0.172	UNCH	----	----	----	----	0	UNCH			
8550	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8550	0.650	0.650	0.650/*0.650	2.548B/*0.650	----	0.870	NEW	.1870	----	1	----	1 +	1			
8580	----	----	----	----	----	0.472	UNCH	----	----	----	----	0	UNCH			
8580	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8600	----	----	----	----	----	0.672	UNCH	----	----	----	----	0	UNCH			
8600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8650	----	----	----	----	----	1.172	UNCH	----	----	----	----	0	UNCH			
8700	----	----	----	----	----	1.672	UNCH	----	----	----	----	0	UNCH			
8700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8730	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8750	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8750	----	----	----	----	----	2.172	UNCH	----	----	----	----	0	UNCH			
8770	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8800	----	----	----	----	----	2.672	UNCH	----	----	----	----	0	UNCH			
8800	----	----	----	-----/28.061A	----	11.024 +	5.951	.8703	----	----	----	1	UNCH			
8800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8830	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8850	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8900	----	----	----	----	----	3.672	UNCH	----	----	----	----	0	UNCH			
8900	1.030	1.030	1.030/0.600A	1.443B/0.600A	----	0.499 -	1.590	.1120	----	1	----	0 -	1			
8900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
8950	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
9000	----	----	----	----	----	4.672	UNCH	----	----	----	----	0	UNCH			
9000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
9000	0.778	0.778	0.778/0.524A	1.209B/0.524A	----	0.430 -	1.383	.0970	----	3	----	8 +	3			
9010	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
9100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
9200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
9300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
9310	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
9700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH			
10000	----	----	-----//*0.222A	0.171B/0.222A	----	0.101 -	0.347	.0231	----	----	----	1	UNCH			
TOTAL										10	0	28 +	6			
JUN26																
7700	----	----	-----//*3.758A	4.266B/*3.758A	----	4.253 -	5.268	.5474	----	----	----	2	UNCH			
7750	----	----	#4.300B/----	#4.300B/1.796A	----	3.960 +	2.646	.4729	----	----	----	1	UNCH			
7850	----	----	#4.743B/----	#4.743B/2.085A	----	4.499 +	2.946	.5136	----	----	----	2	UNCH			
7900	----	----	#5.060B/----	#5.060B/2.215A	----	4.784 +	3.098	.5337	----	----	----	1	UNCH			
8300	----	----	----	#0.044B/*8.396A	----	2.618	NEW	.3519	----	6	----	6 +	6			
TOTAL										6	0	12 +	6			
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3															
MAY26																
6100	0.044	0.044	0.044/*0.044	0.044/*0.044	----	0.001	UNCH	.0000	----	1	----	1 +	1			
6800	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.033	NEW	.0079	----	5	----	5 +	5			
6850	0.095	0.095	0.095/*0.070	0.095/*0.070	----	0.045	NEW	.0113	----	5	----	5 +	5			
7000	0.103	0.103	0.103/*0.103	0.103/*0.100A	----	0.067	NEW	.0196	----	20	75	95 +	95			
7000	----	----	-----/7.782A	7.617B/7.782A	----	7.612	NEW	.9803	----	1	----	1 +	1			
7100	----	----	0.095B/----	0.095B/0.135A	----	0.090 +	0.089	.0292	----	----	----	2	UNCH			
7200	0.270	0.270	0.270/0.201	0.270/0.137A	----	0.126	NEW	.0450	----	3	----	2 +	2			
7250	0.200	0.200	0.200/0.200	0.200/0.128A	----	0.150	NEW	.0561	----	1	----	1 +	1			
7300	0.505	0.505	0.505/0.505	0.505/0.133A	----	0.181	NEW	.0706	----	5	----	5 +	5			
7350	0.275	0.275	0.354B/*0.175	0.354B/0.139A	----	0.220 +	0.213	.0892	----	2	----	2 +	2			
7400	0.505	0.505	0.505/0.230	0.505/0.147A	----	0.269 +	0.259	.1128	----	8	75	82 +	81			
7500	0.600	0.600	1.000/0.500	1.000/0.180A	----	0.412 +	0.394	.1803	----	14	----	15 +	13			
7550	0.746	0.746	0.919B/0.746	0.919B/0.188A	----	0.512	NEW	.2259	----	1	----	1 +	1			
7600	0.681	0.681	1.151B/0.681	1.151B/0.200A	----	0.637	NEW	.2802	----	5	----	2 +	2			
7600	2.400	2.400	2.400/1.642A	2.400/1.642A	----	2.184	NEW	.7197	----	2	----	2 +	2			
7680	----	----	-----/1.499B/*0.430A	#1.499B/0.430A	----	0.899	NEW	.3837	----	2	----	1 +	1			
7700	0.230	0.230	1.646B/0.220	1.646B/0.220	----	0.978 +	0.919	.4122	----	16	----	11 +	9			
7700	1.800	1.800	2.062B/0.920	2.062B/*0.920	----	1.525 -	6.860	.5877	----	63	----	62 +	62			
7750	1.000	1.000	1.290/*0.962A	2.035B/*0.962A	----	1.246 -	6.658	.5138	----	29	----	30 +	29			
7770	----	----	#1.613B/----	#1.613B/0.316A	----	1.298	NEW	.5162	----	2	----	1 +	1			
7800	1.000	1.000	1.000/*0.570	2.111B/*0.570	----	1.004	NEW	.4386	----	45	----	44 +	44			
7850	----	----	1.771B/----	1.771B/0.390A	----	1.750 +	1.619	.6347	----	----	----	1	UNCH			
7850	0.750	0.750	0.850/*0.672A	1.984B/*0.672A	----	0.797	NEW	.3652	----	5	----	5 +	5			
7900	1.750	1.750	1.750/*0.420	1.816B/*0.420	----	0.625 -	5.868	.2968	----	13	----	10 +	9			
7900	1.300	1.300	1.953B/1.300	1.953B/0.432A	----	2.078	NEW	.7031	----	2	----	1 +	1			
7950	0.400	0.400	0.400/*0.400	1.720B/*0.400	----	0.485	NEW	.2357	----	10	----	10 +	10			
8000	0.800	0.800	1.000/*0.290	1.779B/*0.290	----	0.372	NEW	.1832	----	15	----	12 +	12			
8000	2.200	2.200	2.200/2.100	2.200/0.564A	----	2.825 +	2.564	.8168	----	2	----	4 +	2			
8020	----	----	-----/*0.299A	1.721B/*0.299A	----	0.334	NEW	.1647	----	2	----	1 +	1			
8050	1.260	1.260	1.260/*0.294A	1.822B/*0.294A	----	0.284	NEW	.1399	----	1	----	1 +	1			
8070	0.202	0.202	#0.202/*0.202	1.840B/*0.202	----	0.254	NEW	.1248	----	1	----	1 +	1			
8100	0.300	0.300	0.300/*0.244A	1.876B/*0.244A	----	0.215	NEW	.1049	----	2	----	2 +	2			
8120	1.700	1.700	1.700/*0.233A	1.795B/*0.233A	----	0.193	NEW	.0935	----	4	----	1 +	1			
8130	----	----	-----/*0.216A	1.752B/*0.216A	----	0.182 -	4.283	.0879	----	----	----	1	UNCH			
8250	----	----	#4.111B/----	4.111B/1.216A	----	5.046 +	4.366	.9577	----	----	----	2	UNCH			
8300	----	----	-----/*0.154A	1.741B/*0.154A	----	0.072 -	3.064	.0310	----	----	----	1	UNCH			
8350	----	----	-----/*0.143A	1.723B/*0.143A	----	0.056 -	2.730	.0229	----	----	----	5	UNCH			
8400	----	----	#5.629B/----	5.629B/1.757A	----	6.495 +	5.365	.9831	----	----	----	1	UNCH			
8400	0.200	0.200	0.200/*0.129A	1.568B/*0.129A	----	0.043	NEW	.0168	----	2	----	2 +	2			
8410	0.140	0.140	0.140/*0.119A	1.487B/*0.119A	----	0.041	NEW	.0158	----	1	----	1 +	1			
8430	1.520	1.520	1.520/*0.123A	1.520/*0.123A	----	0.038	NEW	.0143	----	2	----	1 +	1			
8450	0.900	0.900	0.900/*0.122A	1.286B/*0.122A	----	0.034	NEW	.0125	----	3	----	1 +	1			
8450	----	----	5.815B/													

BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS														
JUN26															
5025	----	----	----	----/26.162A	28.212B/26.162A	----	----	27.317 - 7.765	.9946	----	----	----	----	6	UNCH
5050	----	----	----	----/25.899A	27.643B/25.899A	----	----	27.069 - 7.763	.9943	----	----	----	----	1	UNCH
5200	----	----	----	----/24.303A	26.465B/24.303A	----	----	25.575 - 7.759	.9931	----	----	----	----	79	UNCH
5225	----	----	----	----/24.157A	25.900B/24.157A	----	----	25.325 - 7.759	.9930	----	----	----	----	4	UNCH
5275	----	----	----	----/23.673A	25.717B/23.673A	----	----	24.828 - 7.757	.9925	----	----	----	----	7	UNCH
5300	----	----	----	----/23.410A	25.152B/23.410A	----	----	24.578 - 7.757	.9922	----	----	----	----	3	UNCH
5325	----	----	----	----/23.162A	24.896B/23.162A	----	----	24.331 - 7.755	.9919	----	----	----	----	5	UNCH
5350	----	----	----	----/22.927A	24.980B/22.927A	----	----	24.081 - 7.755	.9918	----	----	----	----	7	UNCH
5400	----	----	----	----/22.416A	24.148B/22.416A	----	----	23.584 - 7.753	.9912	----	----	----	----	2	UNCH
5425	----	----	----	----/22.182A	24.220B/22.182A	----	----	23.335 - 7.752	.9909	----	----	----	----	9	UNCH
5500	----	----	----	----/21.318A	23.486B/21.318A	----	----	22.589 - 7.749	.9901	----	----	----	----	335	UNCH
5525	----	----	----	----/21.179A	22.902B/21.179A	----	----	22.341 - 7.748	.9896	----	----	----	----	1	UNCH
5600	----	----	----	----/20.450A	22.489B/20.450A	----	----	21.596 - 7.744	.9887	----	----	----	----	7	UNCH
5675	----	----	----	----/19.673A	21.407B/19.673A	----	----	20.850 - 7.741	.9875	----	----	----	----	3	UNCH
5700	----	----	----	----/19.337A	21.483B/19.337A	----	----	20.603 - 7.739	.9869	----	----	----	----	56	UNCH
5725	----	----	----	----/19.214A	21.235B/19.214A	----	----	20.354 - 7.738	.9866	----	----	----	----	10	UNCH
5750	----	----	----	----/18.967A	21.007B/18.967A	----	----	20.107 - 7.736	.9860	----	----	----	----	13	UNCH
5775	----	----	----	----/18.685A	20.411B/18.685A	----	----	19.859 - 7.734	.9857	----	----	----	----	1	UNCH
5800	----	----	----	----/18.459A	20.161B/18.459A	----	----	19.612 - 7.732	.9850	----	----	----	----	2	UNCH
5825	----	----	----	----/18.220A	19.913B/18.220A	----	----	19.363 - 7.731	.9847	----	----	----	----	1	UNCH
5850	----	----	----	----/17.982A	20.007B/17.982A	----	----	19.116 - 7.729	.9840	----	----	----	----	9	UNCH
5900	----	----	----	----/17.453A	19.165B/17.453A	----	----	18.621 - 7.725	.9830	----	----	----	----	4	UNCH
5925	----	----	----	----/17.244A	19.255B/17.244A	----	----	18.374 - 7.723	.9821	----	----	----	----	17	UNCH
6000	----	----	----	----/16.429A	18.510B/16.429A	----	----	17.633 - 7.716	.9801	----	----	----	----	399	UNCH
6025	----	----	----	----/16.260A	18.261B/16.260A	----	----	17.385 - 7.714	.9795	----	----	----	----	7	UNCH
6050	----	----	----	----/15.998A	17.677B/15.998A	----	----	17.138 - 7.712	.9788	----	----	----	----	4	UNCH
6075	----	----	----	----/15.736A	17.765B/15.736A	----	----	16.891 - 7.710	.9780	----	----	----	----	30	UNCH
6100	----	----	----	----/15.525A	17.516B/15.525A	----	----	16.645 - 7.707	.9770	----	----	----	----	16	UNCH
6200	----	----	----	----/14.419A	16.547B/14.419A	----	----	15.661 - 7.695	.9732	----	----	----	----	101	UNCH
6225	----	----	----	----/14.300A	15.947B/14.300A	----	----	15.416 - 7.691	.9720	----	----	----	----	1	UNCH
6250	----	----	----	----/14.057A	15.708B/14.057A	----	----	15.170 - 7.688	.9709	----	----	----	----	4	UNCH
6300	----	----	----	----/13.574A	15.216B/13.574A	----	----	14.681 - 7.679	.9684	----	----	----	----	4	UNCH
6400	----	----	----	----/12.484A	14.564B/12.484A	----	----	13.705 - 7.660	.9623	----	----	----	----	110	UNCH
6425	----	----	----	----/12.329A	14.314B/12.329A	----	----	13.462 - 7.655	.9606	----	----	----	----	25	UNCH
6450	----	----	----	----/12.134A	13.746B/12.134A	----	----	13.220 - 7.648	.9588	----	----	----	----	5	UNCH
6475	----	----	----	----/11.897A	13.825B/11.897A	----	----	12.978 - 7.642	.9568	----	----	----	----	7	UNCH
6500	----	----	----	----/11.659A	13.582B/11.659A	----	----	12.736 - 7.635	.9546	----	----	----	----	13	UNCH
6625	----	----	----	----/10.478A	12.372B/10.478A	----	----	11.540 - 7.592	.9418	----	----	----	----	10	UNCH
6700	----	----	----	----/9.798A	11.329B/9.798A	----	----	10.831 - 7.558	.9318	----	----	----	----	1	UNCH
6725	----	----	----	----/9.560A	11.092B/9.560A	----	----	10.597 - 7.545	.9282	----	----	----	----	1	UNCH
6750	----	----	----	----/9.335A	11.194B/9.335A	----	----	10.364 - 7.531	.9243	----	----	----	----	3	UNCH
6800	----	----	----	----/8.858A	10.711B/8.858A	----	----	9.902 - 7.499	.9157	----	----	----	----	9	UNCH
6850	----	----	----	----/8.450A	10.220B/8.450A	----	----	9.444 - 7.464	.9059	----	----	----	----	5	UNCH
6900	----	----	----	----/7.968A	9.786B/7.968A	----	----	8.993 - 7.424	.8952	----	----	----	----	16	UNCH
6925	----	----	----	----/7.750A	9.559B/7.750A	----	----	8.769 - 7.402	.8894	----	----	----	----	9	UNCH
6975	----	----	----	----/7.323A	9.776B/7.323A	----	----	8.328 - 7.352	.8768	----	----	----	----	7	UNCH
7000	8.196	8.196		8.196/7.088A	8.905B/7.088A	----	----	8.109 - 7.327	.8701	----	----	4	----	130 +	4
7025	----	----	----	----/6.963A	9.815B/6.963A	----	----	7.893 - 7.298	.8630	----	----	----	----	1	UNCH
7050	----	----	----	----/6.746A	8.101B/6.746A	----	----	7.679 - 7.268	.8556	----	----	----	----	2	UNCH
7075	----	----	----	----/6.563A	9.872B/6.563A	----	----	7.467 - 7.236	.8478	----	----	----	----	4	UNCH
7100	----	----	----	----/6.280A	8.045B/6.280A	----	----	7.257 - 7.204	.8397	----	----	----	----	93	UNCH
7150	----	----	----	----/5.966A	9.844B/5.966A	----	----	6.844 - 7.132	.8224	----	----	----	----	1	UNCH
7200	----	----	----	----/5.596A	10.056B/5.596A	----	----	6.440 - 7.052	.8038	----	----	----	----	5	UNCH
7225	----	----	----	----/5.411A	10.049B/5.411A	----	----	6.242 - 7.010	.7939	----	----	----	----	4	UNCH
7250	----	----	----	----/5.130A	9.973B/5.130A	----	----	6.047 - 6.964	.7836	----	----	----	----	31	UNCH
7275	----	----	----	----/5.058A	6.204B/5.058A	----	----	5.854 - 6.919	.7731	----	----	----	----	2	UNCH
7300	----	----	----	----/4.770A	9.778B/4.770A	----	----	5.665 - 6.869	.7622	----	----	2	----	19 +	1
7325	----	----	----	----/4.791A	9.876B/4.791A	----	----	5.478 - 6.818	.7509	----	----	----	----	1	UNCH
7350	----	----	----	----/4.429A	9.874B/4.429A	----	----	5.294 - 6.764	.7394	----	----	----	----	23	UNCH
7375	----	----	----	----/4.258A	9.915B/4.258A	----	----	5.113 - 6.709	.7275	----	----	----	----	6	UNCH
7400	----	----	----	----/4.099A	5.663B/4.099A	----	----	4.935 - 6.651	.7153	----	----	3	----	47	UNCH
7425	----	----	----	----/3.975A	5.420B/3.975A	----	----	4.760 - 6.592	.7028	----	----	----	----	31	UNCH
7450	----	----	----	----/3.912A	5.270B/3.912A	----	----	4.588 - 6.531	.6901	----	----	----	----	15	UNCH
7475	----	----	----	----/3.770A	4.695B/3.770A	----	----	4.420 - 6.466	.6770	----	----	----	----	3	UNCH
7500	----	----	----	----/3.441A	4.953B/3.441A	----	----	4.255 - 6.399	.6637	----	----	4	----	246	UNCH
7525	----	----	----	----/3.315A	4.737B/3.315A	----	----	4.093 - 6.331	.6501	----	----	----	----	12	UNCH
7550	----	----	----	----/3.170A	4.547B/3.170A	----	----	3.935 - 6.261	.6364	----	----	----	----	31	UNCH
7575	3.060	3.060		3.060/3.046A	4.021B/3.										



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

	BULLETIN # 93@			METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUN26														
9350	0.190	0.190	0.190/*0.190	0.558B/*0.190	----	0.169 -	0.638	.0420	----	----	1	----	24 -	1
9375	----	----	-----/0.195A	0.550B/0.195A	----	0.163 -	0.611	.0404	----	----	----	----	25	UNCH
9400	0.324	0.324	0.324/*0.158A	0.519B/*0.158A	----	0.157 -	0.585	.0389	----	37	----	119 -	1	
9425	0.302	0.302	0.302/0.187A	0.489B/0.187A	----	0.151 -	0.561	.0374	----	3	----	57 -	3	
9450	----	----	-----/0.179A	0.468B/0.179A	----	0.146 -	0.537	.0361	----	----	----	9	UNCH	
9475	0.299	0.299	0.299/*0.171A	0.458B/*0.171A	----	0.141 -	0.515	.0348	----	2	----	18 -	1	
9500	0.290	0.290	0.290/*0.120	0.438B/*0.120	----	0.136 -	0.493	.0335	----	1286	----	1399 +	475	
9525	0.160	0.160	0.160/*0.160	0.405B/*0.160	----	0.131 -	0.473	.0322	----	1	----	14 -	1	
9550	----	----	----/*0.163A	0.397B/*0.163A	----	0.126 -	0.454	.0310	----	----	----	10	UNCH	
9575	----	----	----/*0.157A	0.380B/*0.157A	----	0.122 -	0.435	.0299	----	----	----	5	UNCH	
9600	0.162	0.162	0.166/0.140	0.368B/0.140	----	0.117 -	0.418	.0287	----	31	----	57 -	11	
9625	----	----	----/*0.148A	0.336B/*0.148A	----	0.113 -	0.401	.0276	----	----	----	10	UNCH	
9650	----	----	----/*0.149A	0.325B/*0.149A	----	0.109 -	0.381	.0266	----	----	----	1	UNCH	
9675	0.160	0.160	0.160/*0.147A	0.310B/*0.147A	----	0.106 -	0.368	.0258	----	2	----	10 -	2	
9700	0.115	0.115	0.151/*0.115	0.293B/*0.115	----	0.102 -	0.354	.0248	----	8	----	50 -	2	
9725	----	----	----/*0.141A	0.284B/*0.141A	----	0.099 -	0.339	.0240	----	----	----	7	UNCH	
9750	----	----	----/*0.138A	0.272B/*0.138A	----	0.095 -	0.326	.0230	----	----	----	35	UNCH	
9775	----	----	----/*0.135A	0.257B/*0.135A	----	0.092 -	0.313	.0222	----	----	----	1	UNCH	
9800	0.150	0.150	0.180/*0.132A	0.248B/*0.132A	----	0.089 -	0.301	.0215	----	3	----	60 -	2	
9825	0.189	0.189	0.189/*0.131A	0.237B/*0.131A	----	0.086 -	0.289	.0207	----	1	----	6 -	1	
9850	0.172	0.172	0.172/*0.129A	0.226B/*0.129A	----	0.083 -	0.278	.0200	----	1	----	3 -	1	
9875	----	----	----/*0.127A	0.217B/*0.127A	----	0.081 -	0.267	.0194	----	1	----	18	UNCH	
9900	0.152	0.152	0.152/*0.100	0.204B/*0.100	----	0.078 -	0.257	.0187	----	14	----	53 +	5	
9925	----	----	----/*0.117A	0.125B/*0.117A	----	0.076 -	0.247	.0181	----	----	----	24	UNCH	
9950	0.130	0.130	0.160/*0.106A	0.160/*0.106A	----	0.073 -	0.238	.0174	----	2	----	11 -	2	
9975	----	----	----/*0.103A	0.117B/*0.103A	----	0.071 -	0.229	.0169	----	----	----	14	UNCH	
10000	0.180	0.180	0.180/*0.080	0.200B/*0.080	----	0.069 -	0.220	.0163	----	1217	----	2271 +	656	
10025	0.130	0.130	0.130/*0.100A	0.210B/*0.100A	----	0.067 -	0.212	.0158	----	3	----	13 +	1	
10050	----	----	----/*0.096A	0.098B/*0.096A	----	0.065 -	0.204	.0153	----	----	----	12	UNCH	
10075	----	----	----/*0.103A	0.093B/*0.103A	----	0.063 -	0.196	.0148	----	----	----	12	UNCH	
10100	----	----	----/*0.101A	0.098B/*0.101A	----	0.062 -	0.188	.0145	----	1	----	218 +	1	
10125	----	----	----/*0.099A	0.084B/*0.099A	----	0.060 -	0.182	.0140	----	----	----	7	UNCH	
10150	----	----	----/*0.098A	0.080B/*0.098A	----	0.058 -	0.175	.0135	----	----	----	7	UNCH	
10175	----	----	----/*0.095A	0.076B/*0.095A	----	0.057 -	0.168	.0132	----	----	----	1	UNCH	
10200	0.120	0.120	0.120/*0.093A	0.120/*0.093A	----	0.055 -	0.163	.0127	----	6	----	54 +	4	
10225	----	----	----/*0.094A	0.069B/*0.094A	----	0.054 -	0.157	.0125	----	----	----	1	UNCH	
10250	0.100	0.100	0.100/*0.050	0.100/*0.050	----	0.053 -	0.151	.0122	----	4	----	13 +	3	
10275	----	----	----/*0.090A	0.062B/*0.090A	----	0.052 -	0.145	.0119	----	----	----	1	UNCH	
10300	----	----	----/*0.089A	0.067B/*0.089A	----	0.050 -	0.141	.0114	----	----	----	23	UNCH	
10350	----	----	----/*0.087A	0.055B/*0.087A	----	0.048 -	0.130	.0109	----	----	----	1	UNCH	
10375	----	----	----/*0.084A	0.052B/*0.084A	----	0.047 -	0.126	.0106	----	----	----	2	UNCH	
10400	0.120	0.120	0.120/*0.075A	0.120/*0.075A	----	0.046 -	0.121	.0104	----	10	----	30 +	3	
10425	----	----	----/*0.081A	0.047B/*0.081A	----	0.045 -	0.117	.0101	----	----	----	1	UNCH	
10450	----	----	----/*0.078A	0.041B/*0.078A	----	0.044 -	0.113	.0098	----	----	----	5	UNCH	
10475	----	----	----/*0.082A	0.041B/*0.082A	----	0.043 -	0.109	.0096	----	----	----	4	UNCH	
10500	0.100	0.100	0.105/*0.076	0.105/*0.076	----	0.042 -	0.106	.0093	----	38	----	294 -	5	
10525	----	----	----/*0.081A	0.038B/*0.081A	----	0.042 -	0.101	.0093	----	----	----	12	UNCH	
10550	----	----	----/*0.083A	0.036B/*0.083A	----	0.041 -	0.098	.0090	----	----	----	2	UNCH	
10575	----	----	----/*0.082A	0.035B/*0.082A	----	0.040 -	0.095	.0088	----	----	----	4	UNCH	
10600	----	----	----/*0.081A	0.035B/*0.081A	----	0.039 -	0.092	.0085	----	23	----	25 -	9	
10625	----	----	----/*0.079A	0.050B/*0.079A	----	0.039 -	0.088	.0085	----	----	----	2	UNCH	
10650	----	----	----/*0.079A	0.035B/*0.079A	----	0.038 -	0.086	.0083	----	----	----	2	UNCH	
10675	----	----	----/*0.074A	0.032B/*0.074A	----	0.037 -	0.083	.0080	----	----	----	15	UNCH	
10700	----	----	----/*0.081A	0.031B/*0.081A	----	0.037 -	0.080	.0080	----	----	----	103	UNCH	
10750	----	----	----/*0.078A	0.032B/*0.078A	----	0.035 -	0.076	.0075	----	----	----	4	UNCH	
10800	----	----	----/0.076A	0.032B/0.076A	----	0.034 -	0.071	.0072	----	----	----	20	UNCH	
10825	----	----	----/*0.074A	0.027B/*0.074A	----	0.034 -	0.068	.0072	----	----	----	2	UNCH	
10850	----	----	----/*0.075A	0.027B/*0.075A	----	0.033 -	0.066	.0070	----	----	----	12	UNCH	
10875	----	----	----/*0.071A	0.026B/*0.071A	----	0.033 -	0.064	.0069	----	----	----	6	UNCH	
10900	----	----	----/*0.078A	0.028B/*0.078A	----	0.032 -	0.062	.0067	----	----	----	26	UNCH	
10925	----	----	----/*0.071A	0.026B/*0.071A	----	0.032 -	0.060	.0067	----	----	----	2	UNCH	
10950	----	----	----/*0.071A	0.027B/*0.071A	----	0.031 -	0.059	.0064	----	----	----	4	UNCH	
11000	0.071	0.071	0.100/*0.040	0.100/*0.040	----	0.031 -	0.054	.0064	----	71	----	428 -	3	
11025	----	----	----/*0.066A	0.027B/*0.066A	----	0.030 -	0.053	.0062	----	----	----	1	UNCH	
11050	----	----	----/*0.076A	0.022B/*0.076A	----	0.030 -	0.051	.0061	----	----	----	5	UNCH	
11075	----	----	----/*0.069A	0.022B/*0.069A	----	0.030 -	0.050	.0061	----	----	----	5	UNCH	
11100	----	----	----/*0.074A	0.022B/*0.074A	----	0.029 -	0.049	.0059	----	----	----	3	UNCH	
11125	----	----	----/*0.072A	0.019B/*0.072A	----	0.029 -	0.047	.0059	----	----	----	5	UNCH	
11175	----	----	----/*0.062A	0.020B/*0.062A	----	0.028 -	0.045	.0056	----	----	----	3	UNCH	
11200	----	----	----	0.024B/*0.078A	----	0.028 -	0.043	.0056	----	----	----	8	UNCH	
11225	----	----	----	0.017B/*0.073A	----	0.028 -	0.042	.0056	----	----	----	3	UNCH	
11250	----	----	----	0.017B/*0.079A	----	0.027 -	0.041	.0054	----	----	----	1	UNCH	

BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
JUN26															
14200	----	----	----	----/0. 200A	----	0. 011 - 0. 011	.0015	----	----	----	----	60	UNCH		
14300	----	----	----	----/0. 203A	----	0. 011 - 0. 011	.0015	----	----	----	----	1	UNCH		
14400	----	----	----	----/0. 205A	----	0. 011 - 0. 010	.0015	----	----	----	----	65	UNCH		
14500	----	----	----	----/0. 211A	----	0. 010 - 0. 010	.0014	----	----	----	----	31	UNCH		
14600	----	----	----	----/0. 213A	----	0. 010 - 0. 010	.0014	----	----	----	----	7	UNCH		
14700	----	----	----	----/0. 216A	----	0. 010 - 0. 009	.0013	----	----	----	----	11	UNCH		
14800	----	----	----	----/0. 218A	----	0. 010 - 0. 009	.0013	----	----	----	----	10	UNCH		
14900	----	----	----	----/0. 221A	----	0. 009 - 0. 009	.0012	----	----	----	----	6	UNCH		
15000	0.025	0. 025	0. 025/0. 020A	0. 025/0. 020A	----	0. 009 - 0. 009	.0012	----	----	2	----	144 -	2		
15300	----	----	----	----/0. 230A	----	0. 008 - 0. 008	.0010	----	----	----	----	2	UNCH		
15400	----	----	----	----/0. 233A	----	0. 008 - 0. 008	.0010	----	----	----	----	1	UNCH		
15500	----	----	----	----/0. 235A	----	0. 008 - 0. 007	.0010	----	----	----	----	6	UNCH		
15600	----	----	----	----/0. 237A	----	0. 007 - 0. 008	.0009	----	----	----	----	1	UNCH		
15700	----	----	----	----/0. 238A	----	0. 007 - 0. 007	.0009	----	----	----	----	1	UNCH		
15800	----	----	----	----/0. 240A	----	0. 007 - 0. 007	.0009	----	----	----	----	6	UNCH		
15900	----	----	----	----/0. 242A	----	0. 007 - 0. 006	.0009	----	----	----	----	8	UNCH		
16000	----	----	----	----/*0. 020A	----	0. 007 - 0. 006	.0009	----	----	----	----	198	UNCH		
16200	----	----	----	----/0. 248A	----	0. 006 - 0. 006	.0007	----	----	----	----	36	UNCH		
16400	----	----	----	----/0. 249A	----	0. 006 - 0. 006	.0007	----	----	----	----	1	UNCH		
16500	----	----	----	----/0. 247A	----	0. 006 - 0. 005	.0007	----	----	----	----	30	UNCH		
16600	----	----	----	----/0. 247A	----	0. 005 - 0. 006	.0006	----	----	----	----	2	UNCH		
16700	----	----	----	----/0. 247A	----	0. 005 - 0. 006	.0006	----	----	----	----	7	UNCH		
16800	----	----	----	----/0. 246A	----	0. 005 - 0. 005	.0006	----	----	----	----	3	UNCH		
17000	----	----	----	----/*0. 017A	----	0. 005 - 0. 005	.0006	----	----	----	----	27	UNCH		
17100	----	----	----	----/0. 247A	----	0. 005 - 0. 005	.0006	----	----	----	----	5	UNCH		
17200	----	----	----	----/0. 248A	----	0. 004 - 0. 005	.0004	----	----	----	----	5	UNCH		
17300	----	----	----	----/0. 250A	----	0. 004 - 0. 005	.0004	----	----	----	----	11	UNCH		
17400	----	----	----	----/0. 252A	----	0. 004 - 0. 005	.0004	----	----	----	----	2	UNCH		
17500	0.015	0. 015	0. 015/*0.015	0. 015/*0.015	----	0. 004 - 0. 005	.0004	----	----	1	----	63	UNCH		
17700	----	----	----	----/0. 255A	----	0. 004 - 0. 004	.0004	----	----	----	----	3	UNCH		
17800	----	----	----	----/0. 256A	----	0. 004 - 0. 004	.0004	----	----	----	----	3	UNCH		
18000	----	----	----	----/0. 258A	----	0. 003 - 0. 005	.0003	----	----	----	----	46	UNCH		
18100	----	----	----	----/0. 252A	----	0. 003 - 0. 005	.0003	----	----	----	----	2	UNCH		
18300	----	----	----	----/0. 247A	----	0. 003 - 0. 004	.0003	----	----	----	----	1	UNCH		
18900	----	----	----	----/0. 240A	----	0. 003 - 0. 004	.0003	----	----	----	----	1	UNCH		
19000	----	----	----	----/*0. 014A	----	0. 002 - 0. 005	.0002	----	----	----	----	229	UNCH		
19500	----	----	----	----/0. 209A	----	0. 002 - 0. 004	.0002	----	----	----	----	126	UNCH		
19600	----	----	----	----/0. 208A	----	0. 002 - 0. 004	.0002	----	----	----	----	2	UNCH		
19900	----	----	----	----/0. 207A	----	0. 002 - 0. 004	.0002	----	----	----	----	28	UNCH		
20000	----	----	----	----/*0. 002A	----	0. 002 - 0. 004	.0002	----	----	----	----	235	UNCH		
21000	----	----	----	----/0. 206A	----	0. 002 - 0. 004	.0002	----	----	----	----	20	UNCH		
23000	----	----	----	----/0. 205A	----	0. 002 - 0. 004	.0001	----	----	----	----	14	UNCH		
25000	----	----	----	----/0. 017A	----	0. 001 - 0. 001	.0000	----	----	----	----	302	UNCH		
27000	----	----	----	----/0. 204A	----	0. 001	UNCH .0000	----	----	----	----	3	UNCH		
30000	----	----	----	----/0. 005A	----	0. 001	UNCH .0000	----	----	----	----	31	UNCH		
32000	----	----	----	----/0. 204A	----	0. 001	UNCH	----	----	----	----	1	UNCH		
35000	----	----	----	----/0. 003A	----	0. 001	UNCH	----	----	----	----	45	UNCH		
TOTAL										4594	25	18718 +	1157		
JUL26															
2700	----	----	----/49. 389A	51. 122B/49. 389A	----	50. 547 - 7. 781	.9985	----	----	----	----	1	UNCH		
4000	----	----	----/36. 384A	38. 131B/36. 384A	----	37. 560 - 7. 768	.9923	----	----	----	----	1	UNCH		
4500	----	----	----/31. 425A	33. 438B/31. 425A	----	32. 594 - 7. 734	.9868	----	----	----	----	28	UNCH		
4600	----	----	----/30. 335A	32. 449B/30. 335A	----	31. 604 - 7. 725	.9854	----	----	----	----	124	UNCH		
4700	----	----	----/29. 561A	31. 120B/29. 561A	----	30. 616 - 7. 714	.9837	----	----	----	----	1	UNCH		
4750	----	----	----/29. 069A	30. 622B/29. 069A	----	30. 122 - 7. 709	.9828	----	----	----	----	1	UNCH		
4825	----	----	----/28. 332A	29. 874B/28. 332A	----	29. 383 - 7. 700	.9813	----	----	----	----	3	UNCH		
4900	----	----	----/27. 479A	29. 127B/27. 479A	----	28. 644 - 7. 691	.9797	----	----	----	----	1	UNCH		
4925	----	----	----/27. 284A	29. 220B/27. 284A	----	28. 398 - 7. 688	.9791	----	----	----	----	16	UNCH		
5000	----	----	----/26. 405A	28. 480B/26. 405A	----	27. 661 - 7. 679	.9773	----	----	----	----	307	UNCH		
5025	----	----	----/26. 310A	27. 895B/26. 310A	----	27. 416 - 7. 674	.9766	----	----	----	----	4	UNCH		
5050	----	----	----/26. 042A	27. 647B/26. 042A	----	27. 171 - 7. 671	.9760	----	----	----	----	2	UNCH		
5100	----	----	----/25. 429A	27. 494B/25. 429A	----	26. 681 - 7. 663	.9746	----	----	----	----	133	UNCH		
5150	----	----	----/25. 085A	26. 998B/25. 085A	----	26. 192 - 7. 655	.9731	----	----	----	----	6	UNCH		
5200	----	----	----/24. 565A	26. 503B/24. 565A	----	25. 704 - 7. 647	.9715	----	----	----	----	40	UNCH		
5225	----	----	----/24. 359A	26. 259B/24. 359A	----	25. 460 - 7. 643	.9707	----	----	----	----	9	UNCH		
5250	----	----	----/24. 101A	25. 666B/24. 101A	----	25. 216 - 7. 639	.9697	----	----	----	----	2	UNCH		
5275	----	----	----/23. 918A	25. 418B/23. 918A	----	24. 973 - 7. 635	.9689	----	----	----	----	1	UNCH		
5300	----	----	----/23. 637A	25. 533B/23. 637A	----	24. 730 - 7. 629	.9679	----	----	----	----	7	UNCH		
5350	----	----	----/23. 064A	25. 028B/23. 064A	----	24. 244 - 7. 621	.9660	----	----	----	----	157	UNCH		
5375	----	----	----/22. 991A	24. 421B/22. 991A	----	24. 002 - 7. 615	.9650	----	----	----	----	1	UNCH		
5400	----	----	----/22. 659A	24. 522B/22. 659A	----	23. 760 - 7. 610	.9639	----	----	----	----	21	UNCH		
5425	----	----	----/22. 393A	24. 307B/22. 393A	----	23. 518 - 7. 605	.9628	----	----	----	----	42	UNCH		
5450	----	----	----/22. 274A	23. 685B/22. 274A	----	23. 277 - 7. 599	.9617	----	----	----	----	1	UNCH		
5500	----	----	----/21. 631A	23. 558B/21. 631A	----	22. 794 - 7. 589	.9593	----	----	----	----	496	UNCH		
5550	----	----	----/21. 318A	22. 723B/21. 318A	----	22. 314 - 7. 575	.9567	----	----	----	----	3	UNCH		
5600	----	----	----/20. 685A	22. 587B/20. 685A	----	21. 834 - 7. 562	.9540	----	----	----	----	106	UNCH		
5650	----	----	----/20. 262A	22. 102B/20. 262A	----	21. 357 - 7. 547	.9510	----	----	----	----	43	UNCH		
5675	----	----	----/20. 030A	21. 859B/20. 030A	----										

PG64	BULLETIN # 93@				METALS OPTION PRODUCTS						Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
JUL26	-----	-----	-----	-----/4. 225A	5. 388B/4. 225A	-----	-----	-----	4. 565 - 4. 500	.4718	-----	-----	-----	-----	4 UNCH
7975	-----	-----	-----	5. 350/4. 110A	7. 632B/4. 110A	-----	-----	-----	4. 472 - 4. 447	.4649	-----	-----	252	28	626 - 16
8000	5.000	5.000	4.440	4. 440/4. 072A	5. 542B/4. 072A	-----	-----	-----	4. 381 - 4. 393	.4580	-----	-----	7	-----	17 + 7
8025	4.440	-----	-----	-----/3. 991A	5. 538B/3. 991A	-----	-----	-----	4. 292 - 4. 339	.4512	-----	-----	1	-----	23 + 1
8050	-----	-----	-----	4. 218/3. 921A	5. 560B/3. 921A	-----	-----	-----	4. 205 - 4. 286	.4445	-----	-----	1	-----	13 UNCH
8075	4.218	4.218	6.152	6. 152/3. 809A	6. 152/3. 809A	-----	-----	-----	4. 120 - 4. 232	.4378	-----	-----	26	-----	73 + 5
8100	6.152	6.152	5.599	5. 830/3. 705A	5. 855B/3. 705A	-----	-----	-----	3. 955 - 4. 128	.4247	-----	-----	4	-----	18 + 1
8150	5.599	5.599	-----	-----/3. 630A	5. 871B/3. 630A	-----	-----	-----	3. 876 - 4. 074	.4182	-----	-----	-----	-----	2 UNCH
8175	-----	-----	-----	6. 500/3. 531A	6. 500/3. 531A	-----	-----	-----	3. 798 - 4. 023	.4118	-----	-----	50	-----	195 + 21
8200	6.000	6.000	-----	-----/3. 498A	5. 786B/3. 498A	-----	-----	-----	3. 722 - 3. 971	.4055	-----	-----	-----	-----	2 UNCH
8225	-----	-----	-----	-----/3. 395A	5. 708B/3. 395A	-----	-----	-----	3. 648 - 3. 918	.3992	-----	-----	-----	-----	147 UNCH
8250	-----	-----	-----	-----/3. 369A	5. 726B/3. 369A	-----	-----	-----	3. 576 - 3. 867	.3931	-----	-----	2	-----	3 + 2
8275	-----	-----	-----	6. 000/3. 279A	6. 000/3. 279A	-----	-----	-----	3. 506 - 3. 816	.3870	-----	-----	27	-----	481 + 19
8300	6.000	6.000	-----	-----/3. 241A	6. 163B/3. 241A	-----	-----	-----	3. 437 - 3. 764	.3810	-----	-----	-----	-----	4 UNCH
8325	-----	-----	-----	-----/3. 180A	6. 319B/3. 180A	-----	-----	-----	3. 370 - 3. 714	.3751	-----	-----	-----	-----	21 UNCH
8350	-----	-----	-----	3. 631/3. 094A	5. 486B/3. 094A	-----	-----	-----	3. 305 - 3. 663	.3692	-----	-----	10	-----	50 UNCH
8375	3.631	3.631	3.700	3. 888/3. 021	5. 482B/3. 021	-----	-----	-----	3. 241 - 3. 612	.3635	-----	-----	11	-----	41 + 5
8400	3.700	-----	-----	-----/3. 003A	5. 740B/3. 003A	-----	-----	-----	3. 178 - 3. 563	.3578	-----	-----	-----	-----	12 UNCH
8425	-----	-----	-----	-----/2. 947A	5. 958B/2. 947A	-----	-----	-----	3. 118 - 3. 513	.3522	-----	-----	-----	-----	18 UNCH
8450	-----	-----	-----	-----/2. 892A	5. 856B/2. 892A	-----	-----	-----	3. 058 - 3. 464	.3467	-----	-----	-----	-----	1 UNCH
8475	-----	-----	-----	5. 712B/2. 800	5. 712B/2. 800	-----	-----	-----	3. 000 - 3. 423	.3413	-----	-----	112	50	895 - 26
8500	5.639	5.639	-----	-----/2. 785A	5. 673B/2. 785A	-----	-----	-----	2. 943 - 3. 369	.3359	-----	-----	-----	-----	5 UNCH
8525	-----	-----	-----	-----/2. 707A	5. 570B/2. 707A	-----	-----	-----	2. 888 - 3. 320	.3307	-----	-----	33	-----	262 - 4
8550	-----	-----	-----	-----/2. 683A	5. 428B/2. 683A	-----	-----	-----	2. 834 - 3. 273	.3255	-----	-----	-----	-----	7 UNCH
8575	-----	-----	-----	-----/2. 607A	5. 389B/2. 607A	-----	-----	-----	2. 781 - 3. 226	.3204	-----	-----	-----	-----	101 UNCH
8600	-----	-----	-----	-----/2. 585A	5. 289B/2. 585A	-----	-----	-----	2. 729 - 3. 180	.3154	-----	-----	2	-----	3 + 2
8625	-----	-----	-----	-----/2. 535A	5. 190B/2. 535A	-----	-----	-----	2. 678 - 3. 136	.3104	-----	-----	-----	-----	32 UNCH
8650	-----	-----	-----	-----/2. 492A	5. 067B/2. 492A	-----	-----	-----	2. 628 - 3. 090	.3055	-----	-----	-----	-----	9 UNCH
8675	-----	-----	-----	3. 116/2. 405	4. 970B/2. 405	-----	-----	-----	2. 580 - 3. 046	.3007	-----	-----	59	-----	155 UNCH
8700	3.035	3.035	5.000	5. 000/2. 402A	5. 000/2. 402A	-----	-----	-----	2. 532 - 3. 003	.2960	-----	-----	1	-----	5 + 1
8725	5.000	5.000	-----	-----/2. 329A	4. 833B/2. 329A	-----	-----	-----	2. 485 - 2. 960	.2913	-----	-----	-----	-----	91 UNCH
8750	-----	-----	-----	2. 780/2. 287	4. 763B/2. 287	-----	-----	-----	2. 439 - 2. 917	.2867	-----	-----	3	-----	7 + 3
8775	2.780	2.780	2.550	2. 727/2. 200	4. 645B/2. 200	-----	-----	-----	2. 394 - 2. 881	.2822	-----	-----	21	-----	447 - 2
8800	2.550	-----	-----	-----/2. 233A	4. 600B/2. 233A	-----	-----	-----	2. 350 - 2. 835	.2777	-----	-----	1	-----	3 UNCH
8825	-----	-----	-----	2. 172/2. 172	4. 534B/2. 172	-----	-----	-----	2. 307 - 2. 793	.2733	-----	-----	3	-----	6 + 2
8850	2.172	2.172	-----	-----/2. 154A	4. 445B/2. 154A	-----	-----	-----	2. 265 - 2. 753	.2690	-----	-----	-----	-----	1 UNCH
8875	-----	-----	-----	2. 273/2. 086A	4. 367B/2. 086A	-----	-----	-----	2. 224 - 2. 715	.2648	-----	-----	2	-----	137 + 1
8900	2.273	2.273	3.340	3. 340/2. 078A	4. 294B/2. 078A	-----	-----	-----	2. 183 - 2. 674	.2606	-----	-----	-----	-----	8 + 1
8925	3.340	3.340	2.791	2. 881/2. 034A	4. 221B/2. 034A	-----	-----	-----	2. 143 - 2. 636	.2564	-----	-----	10	-----	34 + 7
8950	2.791	2.791	-----	-----/2. 006A	4. 153B/2. 006A	-----	-----	-----	2. 104 - 2. 598	.2524	-----	-----	-----	-----	1 UNCH
8975	-----	-----	-----	4. 073/1. 915	4. 085B/1. 915	-----	-----	-----	2. 066 - 2. 561	.2484	-----	-----	295	28	1430 + 3
9000	4.073	4.073	-----	-----/1. 902A	3. 945B/1. 902A	-----	-----	-----	1. 993 - 2. 485	.2407	-----	-----	-----	-----	12 UNCH
9050	-----	-----	-----	-----/1. 869A	3. 871B/1. 869A	-----	-----	-----	1. 957 - 2. 450	.2368	-----	-----	-----	-----	1 UNCH
9075	-----	-----	-----	2. 998/1. 800	3. 813B/1. 800	-----	-----	-----	1. 922 - 2. 413	.2331	-----	-----	4	-----	34 + 1
9100	2.998	2.998	2.195	2. 195/1. 805A	3. 744B/1. 805A	-----	-----	-----	1. 888 - NEW	.2294	-----	-----	1	-----	1 + 1
9125	2.195	2.195	2.951	2. 951/1. 774A	3. 579B/1. 774A	-----	-----	-----	1. 855 - 2. 343	.2259	-----	-----	3	-----	2 - 2
9150	2.951	2.951	2.120	2. 120/1. 743A	3. 617B/1. 743A	-----	-----	-----	1. 822 - 2. 309	.2223	-----	-----	2	-----	5 + 2
9175	2.120	2.120	2.793	2. 793/1. 689A	3. 539B/1. 689A	-----	-----	-----	1. 790 - 2. 274	.2188	-----	-----	5	-----	86 + 2
9200	2.793	2.793	1.990	1. 990/1. 684A	3. 501B/1. 684A	-----	-----	-----	1. 759 - 2. 241	.2154	-----	-----	1	-----	3 - 1
9225	1.990	1.990	2.748	2. 748/1. 655A	3. 442B/1. 655A	-----	-----	-----	1. 729 - 2. 207	.2121	-----	-----	2	-----	24 + 1
9250	2.748	2.748	-----	-----/1. 626A	3. 384B/1. 626A	-----	-----	-----	1. 699 - 2. 175	.2088	-----	-----	-----	-----	1 UNCH
9275	-----	-----	-----	1. 625/1. 576A	3. 279B/1. 576A	-----	-----	-----	1. 670 - 2. 141	.2056	-----	-----	9	-----	712 + 1
9300	1.625	1.625	-----	-----/1. 545A	3. 219B/1. 545A	-----	-----	-----	1. 614 - 2. 078	.1993	-----	-----	1	-----	13 + 1
9350	-----	-----	-----	-----/1. 519A	3. 164B/1. 519A	-----	-----	-----	1. 587 - 2. 046	.1962	-----	-----	-----	-----	2 UNCH
9375	-----	-----	-----	1. 900/1. 489	3. 113B/1. 489	-----	-----	-----	1. 561 - 2. 014	.1933	-----	-----	18	-----	31 + 3
9400	1.900	1.900	-----	-----/1. 468A	3. 058B/1. 468A	-----	-----	-----	1. 535 - 1. 984	.1903	-----	-----	-----	-----	5 UNCH
9425	-----	-----	-----	-----/1. 441A	3. 008B/1. 441A	-----	-----	-----	1. 510 - 1. 954	.1875	-----	-----	48	-----	78 + 39
9450	-----	-----	-----	-----/1. 419A	2. 958B/1. 419A	-----	-----	-----	1. 485 - 1. 924	.1846	-----	-----	-----	-----	5 UNCH
9475	-----	-----	-----	2. 905/1. 378A	2. 911B/1. 378A										



BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
11725	----	----	----/0.398A	0.757B/0.398A	----	0.436 -	0.480	.0560	----	----	----	22	UNCH	
11750	0.688	0.688	0.688/0.393A	0.746B/0.393A	----	0.432 -	0.472	.0555	----	1	----	23 +	1	
11775	----	----	----/0.388A	0.737B/0.388A	----	0.427 -	0.464	.0548	----	----	----	23	UNCH	
11800	----	----	----/0.385A	0.729B/0.385A	----	0.422 -	0.457	.0542	----	----	----	3	UNCH	
11875	----	----	----/0.371A	0.700B/0.371A	----	0.409 -	0.436	.0525	----	----	----	2	UNCH	
11900	----	----	----/0.367A	0.686B/0.367A	----	0.405 -	0.429	.0519	----	----	----	2	UNCH	
11925	----	----	----/0.363A	0.672B/0.363A	----	0.401 -	0.423	.0514	----	----	----	1	UNCH	
11950	----	----	----/0.359A	0.666B/0.359A	----	0.397 -	0.416	.0509	----	----	----	1	UNCH	
12000	0.673	0.673	0.673/0.315	0.665B/0.315	----	0.389 -	0.403	.0498	----	43	----	548 -	34	
12150	----	----	----/0.337A	0.590B/0.337A	----	0.366 -	0.368	.0468	----	----	----	1	UNCH	
12200	----	----	----/0.332A	0.578B/0.332A	----	0.359 -	0.355	.0459	----	3	----	14	UNCH	
12225	----	----	----/0.328A	0.571B/0.328A	----	0.355 -	0.351	.0453	----	----	----	16	UNCH	
12250	----	----	----/0.325A	0.559B/0.325A	----	0.352 -	0.345	.0449	----	2	----	8 +	2	
12275	----	----	----/0.322A	0.555B/0.322A	----	0.348 -	0.340	.0444	----	----	----	1	UNCH	
12300	----	----	----/0.320A	0.544B/0.320A	----	0.345 -	0.335	.0440	----	----	----	13	UNCH	
12325	----	----	----/0.317A	0.541B/0.317A	----	0.342 -	0.329	.0436	----	----	----	1	UNCH	
12375	----	----	----/0.312A	0.523B/0.312A	----	0.335 -	0.320	.0427	----	----	----	2	UNCH	
12425	----	----	----/0.305A	0.514B/0.305A	----	0.329 -	0.310	.0419	----	----	----	3	UNCH	
12450	----	----	----/0.303A	0.503B/0.303A	----	0.326 -	0.305	.0415	----	----	----	1	UNCH	
12475	----	----	----/0.301A	0.499B/0.301A	----	0.323 -	0.300	.0411	----	----	----	3	UNCH	
12500	0.460	0.460	0.460/*0.255	0.493B/0.255	----	0.320 -	0.296	.0407	----	11	----	118	UNCH	
12575	----	----	----/0.366A	0.343B/0.366A	----	0.311 -	0.283	.0395	----	----	----	2	UNCH	
12600	----	----	----/0.359A	0.381B/0.359A	----	0.308 -	0.279	.0391	----	----	----	6	UNCH	
12700	----	----	----/0.354A	0.330B/0.354A	----	0.297 -	0.263	.0377	----	70	----	71 +	70	
12725	----	----	----/0.351A	0.321B/0.351A	----	0.294 -	0.258	.0373	----	----	----	2	UNCH	
12800	----	----	----/0.343A	0.325B/0.343A	----	0.287 -	0.246	.0363	----	----	----	1	UNCH	
13000	0.372	0.372	0.372/0.255	0.372/0.255	----	0.267 -	0.219	.0337	----	2669	----	2849 +	2432	
14000	0.200	0.200	0.200/0.200	0.200/0.200	----	0.195 -	0.121	.0241	----	72	----	861 -	2	
14700	----	----	----/0.216A	0.122B/0.216A	----	0.160 -	0.083	.0195	----	----	----	11	UNCH	
15000	0.180	0.180	0.180/0.180	0.180/0.180	----	0.148 -	0.069	.0179	----	3	----	771 -	2	
16000	0.096	0.096	0.106/0.096	0.106/0.096	----	0.117 -	0.041	.0139	----	2657	----	2879 +	2133	
17000	----	----	----	0.028B/0.142A	----	0.095 -	0.025	.0111	----	----	----	22	UNCH	
18000	----	----	----	0.012B/0.122A	----	0.078 -	0.017	.0089	----	1	----	259 -	1	
19000	0.097	0.097	0.097/*0.097	0.097/*0.097	----	0.065 -	0.012	.0073	----	1	----	79 +	1	
20000	----	----	----	0.060B/0.090A	----	0.055 -	0.010	.0061	----	----	----	1178	UNCH	
21000	----	----	----	0.001B/0.127A	----	0.047 -	0.009	.0051	----	----	----	427	UNCH	
24000	----	----	----	----/0.140A	----	0.031 -	0.011	.0033	----	----	----	131	UNCH	
25000	0.039	0.039	0.039/0.038A	0.039/0.038A	----	0.027 -	0.013	.0028	----	2	----	396	UNCH	
27000	----	----	----	----/0.170A	----	0.020 -	0.011	.0020	----	----	----	5	UNCH	
30000	----	----	----	----/0.070A	----	0.014 -	0.008	.0014	----	----	----	23	UNCH	
32000	----	----	----	----/0.040A	----	0.011 -	0.006	.0011	----	----	----	4	UNCH	
35000	----	----	----	0.010B/0.015A	----	0.008 -	0.003	.0008	----	----	----	93	UNCH	
TOTAL										8272	160	29107 +	4856	
AUG26														
5000	----	----	----/27.474A	29.006B/27.474A	----	28.378 -	7.642	.9601	----	----	----	2	UNCH	
5400	----	----	----/23.823A	25.102B/23.823A	----	24.570 -	7.534	.9408	----	----	----	2	UNCH	
5500	----	----	----/23.000A	24.142B/23.000A	----	23.639 -	7.498	.9341	----	----	----	1	UNCH	
6300	----	----	----/15.760A	17.255B/15.760A	----	16.654 -	7.027	.8487	----	----	----	7	UNCH	
6450	----	----	----/15.262A	15.660B/15.262A	----	15.460 -	6.901	.8258	----	----	----	1	UNCH	
6500	----	----	----/14.901A	15.295B/14.901A	----	15.072 -	6.855	.8176	----	----	----	2	UNCH	
6600	----	----	----/14.202A	14.477B/14.202A	----	14.316 -	6.755	.8005	----	----	----	4	UNCH	
6800	----	----	----/12.180A	13.425B/12.180A	----	12.882 -	6.523	.7634	----	----	----	7	UNCH	
6875	----	----	----/12.365A	12.443B/12.365A	----	12.374 -	6.423	.7485	----	----	----	5	UNCH	
7000	----	----	----/11.684A	11.582B/11.684A	----	11.565 -	6.241	.7228	----	----	----	1	UNCH	
7025	----	----	----/11.545A	11.415B/11.545A	----	11.408 -	6.203	.7175	----	----	----	5	UNCH	
7050	----	----	----/11.369A	11.250B/11.369A	----	11.254 -	6.164	.7123	----	----	----	4	UNCH	
7100	----	----	----/11.124A	10.924B/11.124A	----	10.950 -	6.086	.7016	----	----	----	2	UNCH	
7200	----	----	----/10.125A	10.296B/10.125A	----	10.363 -	5.924	.6800	----	----	----	1	UNCH	
7250	----	----	----/9.646A	9.905B/9.646A	----	10.078 -	5.843	.6692	----	----	----	3	UNCH	
7300	----	----	----/9.395A	9.599B/9.395A	----	9.799 -	5.761	.6582	----	----	----	1	UNCH	
7400	----	----	----/8.920A	9.034B/8.920A	----	9.254 -	5.603	.6363	----	----	----	2	UNCH	
7425	----	----	----/8.660A	9.455B/8.660A	----	9.121 -	5.564	.6308	----	----	----	14	UNCH	
7475	----	----	----/8.427A	9.184B/8.427A	----	8.858 -	5.487	.6198	----	----	----	6	UNCH	
7500	8.250	8.250	8.700/8.250	9.100B/8.250	----	8.729 -	5.449	.6143	----	46	----	71 +	35	
7550	----	----	----/8.088A	8.707B/8.088A	----	8.477 -	5.371	.6032	----	----	----	4	UNCH	
7600	----	----	----/7.869A	8.586B/7.869A	----	8.232 -	5.291	.5922	----	----	----	27	UNCH	
7625	----	----	----/7.761A	8.417B/7.761A	----	8.112 -	5.252	.5867	----	----	----	18	UNCH	
7700	----	----	----/7.414A	8.051B/7.414A	----	7.760 -	5.135	.5702	----	----	----	18	UNCH	
7725	----	----	----/7.289A	7.983B/7.289A	----	7.646 -	5.095	.5647	----	7	----	7	+	
7750	----	----	----/7.244A	7.991B/7.244A	----	7.535 -	5.054	.5592	----	3	----	4 +	3	
7800	7.530	7.530	7.530/6.773	7.761B/6.773	----	7.318 -	4.973	.5483	----	5	----	14 +	3	
7850	----	----	----/6.853A	7.955B/6.853A	----	7.108 -	4.890	.5375	----	----	----	2	UNCH	
7900	----	----	----/6.397A	7.341B/6.397A	----	6.905 -	4.807	.5268	----	----	----	1	UNCH	
7950	----	----	----/6.484A	7.585B/6.484A	----	6.707 -	4.726	.5162	----	----	----	9	UNCH	
7975	6.147	6.147	6.147/6.147	9.094B/6.147	----	6.611 -	4.684	.5110	----	1	----	0 -	1	
8000	6.600	6.600	6.600/6.066	8.973B/6.066	----	6.516 -	4.643	.5058	----	76	----	105 +	57	
8050	----	----	----/6.134A	8.737B/6.134A	----	6.3.								

BULLETIN # 93@			METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
AUG26														
10700	----	----	----/1.801A	2.668B/1.801A	----	1.759 -	1.608 .1658	----	----	----	----	1	UNCH	
10775	----	----	----/1.731A	2.586B/1.731A	----	1.700 -	1.571 .1608	----	----	----	----	3	UNCH	
10800	----	----	----/1.757A	2.560B/1.757A	----	1.681 -	1.558 .1592	----	----	----	----	4	UNCH	
10825	1.700	1.700	1.700/1.660A	2.534B/1.660A	----	1.663 -	1.545 .1576	----	----	1	----	3	UNCH	
10875	----	----	----/1.621A	2.482B/1.621A	----	1.627 -	1.519 .1545	----	----	----	----	5	UNCH	
10925	1.629	1.629	1.629/1.599A	2.432B/1.599A	----	1.594	NEW .1516	----	----	4	----	4 +	4	
10975	----	----	----/1.576A	2.383B/1.576A	----	1.564 -	1.464 .1489	----	----	----	----	1	UNCH	
11000	----	----	----/1.630A	2.359B/1.630A	----	1.550 -	1.450 .1476	----	----	84	----	330 +	77	
11075	----	----	----/1.517A	2.288B/1.517A	----	1.514 -	1.402 .1441	----	----	----	----	2	UNCH	
11100	1.551	1.551	1.551/1.500	2.264B/1.500	----	1.503 -	1.385 .1430	----	2	----	----	20	UNCH	
11200	----	----	----/1.505A	2.175B/1.505A	----	1.464 -	1.317 .1389	----	----	----	----	2	UNCH	
11225	----	----	----/1.438A	2.153B/1.438A	----	1.454 -	1.301 .1379	----	----	----	----	1	UNCH	
11275	----	----	----/1.390A	2.110B/1.390A	----	1.434 -	1.271 .1359	----	----	----	----	6	UNCH	
11400	----	----	----/1.359A	2.008B/1.359A	----	1.383 -	1.199 .1309	----	----	----	----	2	UNCH	
11475	----	----	----/1.285A	1.949B/1.285A	----	1.351 -	1.161 .1278	----	----	----	----	1	UNCH	
11500	----	----	----/1.344A	1.930B/1.344A	----	1.340 -	1.149 .1268	----	6	----	----	112 +	6	
11575	----	----	----/1.238A	1.874B/1.238A	----	1.307 -	1.115 .1237	----	----	----	----	1	UNCH	
11700	----	----	----/1.184A	1.785B/1.184A	----	1.252 -	1.062 .1187	----	----	----	----	2	UNCH	
11850	----	----	----/1.176A	1.387B/1.176A	----	1.185 -	1.009 .1127	----	----	----	----	1	UNCH	
12000	----	----	----/1.112A	1.355B/1.112A	----	1.119 -	0.961 .1068	----	----	----	----	36	UNCH	
12025	----	----	----/1.052A	1.452B/1.052A	----	1.108 -	0.954 .1058	----	----	----	----	52	UNCH	
12050	----	----	----/1.080A	1.436B/1.080A	----	1.097 -	0.947 .1049	----	----	----	----	208	UNCH	
12100	----	----	----/1.026A	1.294B/1.026A	----	1.076 -	0.933 .1030	----	----	----	----	1	UNCH	
12500	----	----	----/0.952A	1.232B/0.952A	----	0.921 -	0.831 .0892	----	3	----	----	156	UNCH	
12700	----	----	----/0.909A	0.989B/0.909A	----	0.860 -	0.780 .0835	----	----	----	----	1	UNCH	
12725	----	----	----/0.826A	0.922B/0.826A	----	0.853 -	0.774 .0828	----	----	----	----	1	UNCH	
12800	----	----	----/0.805A	0.946B/0.805A	----	0.831 -	0.756 .0808	----	----	----	----	2	UNCH	
13000	0.846	0.846	0.846/0.773A	1.006B/0.773A	----	0.785 -	0.713 .0763	----	11	----	----	1815 +	11	
14000	----	----	----/0.565A	0.719B/0.565A	----	0.572 -	0.528 .0562	----	----	----	----	17	UNCH	
15000	0.399	0.399	0.399/0.370	0.399/0.370	----	0.433 -	0.403 .0427	----	13	----	----	96 -	1	
16000	----	----	----/0.434A	0.232B/0.434A	----	0.338 -	0.315 .0333	----	----	----	----	10	UNCH	
17000	0.300	0.300	0.300/0.299A	0.320B/0.299A	----	0.270 -	0.251 .0266	----	11	----	----	1745 +	11	
18000	----	----	----/0.307A	0.106B/0.307A	----	0.220 -	0.205 .0216	----	----	----	----	7	UNCH	
19000	----	----	----/0.271A	0.066B/0.271A	----	0.183 -	0.170 .0179	----	----	----	----	2	UNCH	
20000	----	----	----/0.239A	0.058B/0.239A	----	0.155 -	0.142 .0150	----	----	----	----	222	UNCH	
25000	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.084 -	0.074 .0078	----	1	----	----	4	UNCH	
27000	----	----	----	0.001B/3.732A	----	0.068 -	0.060 .0063	----	----	----	----	6	UNCH	
30000	----	----	----	0.001B/3.653A	----	0.054 -	0.046 .0048	----	----	----	----	14	UNCH	
32000	----	----	----	0.025B/3.621A	----	0.042 -	0.035 .0038	----	----	----	----	3	UNCH	
35000	----	----	----	0.017B/3.575A	----	0.030 -	0.025 .0027	----	----	555	0	7313 +	408	
TOTAL														
SEP26														
5100	----	----	----/27.376A	28.068B/27.376A	----	27.576 -	7.583 .9433	----	----	----	----	1	UNCH	
5900	----	----	----/20.729A	20.782B/20.729A	----	20.528 -	7.201 .8741	----	----	----	----	2	UNCH	
6000	----	----	----/19.982A	19.925B/19.982A	----	19.709 -	7.128 .8621	----	----	----	----	7	UNCH	
6700	----	----	----/14.692A	14.543B/14.692A	----	14.550 -	6.395 .7577	----	----	----	----	1	UNCH	
7000	----	----	----/12.841A	12.764B/12.841A	----	12.677 -	6.005 .7046	----	----	----	----	266	UNCH	
7125	----	----	----/12.153A	12.007B/12.153A	----	11.959 -	5.842 .6817	----	----	----	----	75	UNCH	
7300	----	----	----/10.811A	10.975B/10.811A	----	11.031 -	5.593 .6491	----	----	----	----	145	UNCH	
7400	----	----	----/10.336A	10.583B/10.336A	----	10.542 -	5.436 .6304	----	----	----	----	104	UNCH	
7500	10.100	10.100	10.100/9.761A	10.100/9.761A	----	10.073 -	5.280 .6119	----	2	----	----	3 -	1	
7550	----	----	----/9.669A	9.844B/9.669A	----	9.845 -	5.203 .6027	----	----	----	----	2	UNCH	
7700	----	----	----/9.085A	9.155B/9.085A	----	9.190 -	4.978 .5753	----	----	----	----	1	UNCH	
7900	8.500	8.500	8.500/7.722A	8.500/7.722A	----	8.383	NEW .5396	----	2	----	----	2 +	2	
8000	11.700	11.700	11.700/7.966A	11.700/7.966A	----	8.008 -	4.546 .5223	----	22	----	----	269 +	1	
8100	10.150	10.150	10.150/7.673A	10.150/7.673A	----	7.651 -	4.408 .5053	----	10	----	----	9 +	8	
8200	----	----	----/7.360A	7.981B/7.360A	----	7.313 -	4.273 .4887	----	----	----	----	25	UNCH	
8300	----	----	----/7.042A	8.072B/7.042A	----	6.994 -	4.139 .4726	----	1	----	----	1	UNCH	
8400	----	----	----/6.803A	8.099B/6.803A	----	6.693 -	4.008 .4570	----	----	----	----	10	UNCH	
8500	----	----	----/6.507A	7.815B/6.507A	----	6.408 -	3.881 .4418	----	5	----	----	239 +	5	
8600	----	----	----/6.281A	7.665B/6.281A	----	6.140 -	3.756 .4271	----	----	----	----	63	UNCH	
8675	----	----	----/6.234A	5.683B/6.234A	----	5.949 -	3.664 .4165	----	----	----	----	5	UNCH	
8700	----	----	----/6.027A	7.724B/6.027A	----	5.887 -	3.634 .4130	----	----	----	----	102	UNCH	
8800	----	----	----/5.807A	5.458B/5.807A	----	5.649 -	3.515 .3993	----	----	----	----	10	UNCH	
8900	5.697	5.697	5.697/5.597A	5.697/5.597A	----	5.424 -	3.400 .3862	----	1	----	----	4	UNCH	
8925	----	----	----/5.659A	5.100B/5.659A	----	5.370 -	3.371 .3830	----	----	----	----	2	UNCH	
8950	----	----	----/5.532A	5.173B/5.532A	----	5.316 -	3.344 .3798	----	----	----	----	2	UNCH	
9000	----	----	----/5.397A	7.246B/5.397A	----	5.212 -	3.288 .3735	----	13	----	----	220 +	10	
9025	5.197	5.197	5.197/5.192A	5.197/5.192A	----	5.160	NEW .3704	----	4	----	----	4 +	4	
9100	----	----	----/5.245A	4.774B/5.245A	----	5.011 -	3.180 .3614	----	----	----	----	12	UNCH	
9400	----	----	----/4.732A	4.184B/4.732A	----	4.472 -	2.877 .3277	----	----	----	----	20	UNCH	
9500	4.000	4.000	4.000/4.000	5.913B/4.000	----	4.311 -	2.783 .3173	----	10	----	----	264 -	5	
9600	----	----	----/4.395A	3.859B/4.395A	----	4.157 -	2.693 .3073	----	----	----	----	25	UNCH	
9750	----	----	----/4.204A	3.642B/4.204A	----	3.941 -	2.564 .2931	----	----	----	----	23	UNCH	
9800	----	----	----/4.114A	5.257B/4.114A	----	3.873 -	2.522 .2886	----	----	----	----	132	UNCH	
9900	----	----												

BULLETIN # 93@			METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL		COMEX SILVER OPTIONS												
NOV26														
7000	----	----	----/15.460A	14.571B/15.460A	----	14.909 - 5.938	.6999	----	----	----	----	14	UNCH	
7100	----	----	----/14.939A	14.028B/14.939A	----	14.380 - 5.817	.6849	----	----	----	----	14	UNCH	
7500	----	----	----/12.499A	12.418B/12.499A	----	12.470 - 5.316	.6251	----	----	----	----	1	UNCH	
7900	----	----	----/10.944A	10.705B/10.944A	----	10.861 - 4.817	.5673	----	----	----	----	16	UNCH	
8000	----	----	----/10.644A	10.320B/10.644A	----	10.501 - 4.695	.5535	----	----	----	----	10	UNCH	
8200	----	----	----/9.949A	9.598B/9.949A	----	9.826 - 4.459	.5268	----	----	----	----	6	UNCH	
9000	----	----	----/7.868A	7.235B/7.868A	----	7.638 - 3.628	.4319	----	----	----	----	1	UNCH	
9550	----	----	----/6.799A	6.049B/6.799A	----	6.505 - 3.162	.3779	----	----	----	----	3	UNCH	
9800	----	----	----/6.421A	5.591B/6.421A	----	6.067 - 2.973	.3561	----	----	----	----	3	UNCH	
10000	----	----	----/6.127A	5.219B/6.127A	----	5.744 - 2.832	.3397	----	----	----	----	24	UNCH	
11000	----	----	----/4.856A	3.920B/4.856A	----	4.440 - 2.226	.2709	----	----	----	----	4	UNCH	
12000	----	----	----/3.936A	2.960B/3.936A	----	3.510 - 1.776	.2192	----	----	----	----	13	UNCH	
12500	----	----	----/*3.577A	2.642B/3.577A	----	3.144 - 1.600	.1982	----	----	----	----	10	UNCH	
13000	----	----	----/3.209A	2.332B/3.209A	----	2.828 - 1.453	.1797	----	----	----	----	1	UNCH	
14000	----	----	----/2.719A	1.830B/2.719A	----	2.313 - 1.236	.1492	----	----	----	----	2	UNCH	
15000	----	----	----/2.439A	1.313B/2.439A	----	1.914 - 1.104	.1250	----	----	----	----	6	UNCH	
16000	----	----	----/2.206A	0.902B/2.206A	----	1.600 - 1.030	.1057	----	----	----	----	14	UNCH	
17000	----	----	----/2.010A	1.060B/2.010A	----	1.351 - 0.990	.0901	----	----	----	----	2	UNCH	
20000	----	----	----/1.016A	0.626B/1.016A	----	0.872 - 0.956	.0592	----	----	1	----	33 +	1	
21000	----	----	----/0.910A	0.513B/0.910A	----	0.772 - 0.955	.0525	----	----	----	----	1	UNCH	
30000	----	----	----/0.460A	0.257B/0.460A	----	0.401 - 1.069	.0264	----	----	1	----	5 +	1	
TOTAL										2	0	184 +	2	
DEC26														
3875	----	----	----	----	----	40.275 - 7.819	.9719	----	----	----	----	1	UNCH	
5000	----	----	----	8.086B/50.986A	----	29.849 - 7.493	.9200	----	----	----	----	30	UNCH	
5250	----	----	----	----/55.260A	----	27.692 - 7.376	.9016	----	----	----	----	50	UNCH	
5500	----	----	----	----/53.406A	----	25.621 - 7.234	.8800	----	----	----	----	1	UNCH	
6500	----	----	----/19.141A	17.994B/19.141A	----	18.416 - 6.395	.7646	----	----	----	----	600	UNCH	
6900	----	----	----/16.860A	15.692B/16.860A	----	16.085 - 5.957	.7098	----	----	----	----	1	UNCH	
6950	----	----	----/16.580A	15.335B/16.580A	----	15.816 - 5.900	.7028	----	----	----	----	220	UNCH	
7000	----	----	----/16.334A	15.146B/16.334A	----	15.553 - 5.842	.6957	----	----	----	----	120	UNCH	
7025	----	----	----/16.192A	14.938B/16.192A	----	15.423 - 5.813	.6922	----	----	----	----	1	UNCH	
7075	----	----	----/15.906A	14.668B/15.906A	----	15.167 - 5.754	.6852	----	----	----	----	5	UNCH	
7100	----	----	----/15.817A	14.539B/15.817A	----	15.040 - 5.726	.6817	----	----	----	----	15	UNCH	
7375	----	----	----/14.505A	13.271B/14.505A	----	13.731 - 5.401	.6432	----	----	----	----	2	UNCH	
7500	----	----	----/13.330A	13.081B/13.330A	----	13.182 - 5.254	.6259	----	----	----	----	18	UNCH	
7575	----	----	----/13.717A	12.378B/13.717A	----	12.866 - 5.166	.6156	----	----	----	----	1	UNCH	
7750	----	----	----/12.397A	12.005B/12.397A	----	12.165 - 4.964	.5919	----	----	----	----	2	UNCH	
7750	----	----	----/12.210A	11.803B/12.210A	----	11.975 - 4.906	.5853	----	----	----	----	1	UNCH	
7800	----	----	----/12.353A	10.921B/12.353A	----	11.514 - 4.765	.5689	----	----	----	----	2	UNCH	
7925	----	----	----/11.462A	11.044B/11.462A	----	11.249 - 4.683	.5592	----	----	----	----	133	UNCH	
8000	----	----	----/11.134A	10.686B/11.134A	----	10.909 - 4.573	.5466	----	----	----	----	1	UNCH	
8100	----	----	----/10.819A	10.343B/10.819A	----	10.583 - 4.466	.5343	----	----	----	----	21	UNCH	
8200	----	----	----/10.277A	9.698B/10.277A	----	9.970 - 4.261	.5105	----	----	----	----	50	UNCH	
8400	----	----	----	9.383B/9.951A	----	9.683 - 4.161	.4990	----	----	----	----	150	UNCH	
8500	----	----	----	9.866A	9.241B/9.866A	9.543 - 4.113	.4933	----	----	----	----	25	UNCH	
8550	----	----	----	9.737A	9.091B/9.737A	9.407 - 4.065	.4877	----	----	----	----	7	UNCH	
8600	----	----	----	9.186A	8.496B/9.186A	8.889 - 3.880	.4661	----	----	----	----	5	UNCH	
8800	----	----	----	8.951A	8.235B/8.951A	8.646 - 3.791	.4558	----	----	----	----	27	UNCH	
8900	----	----	----	8.884A	8.147B/8.884A	8.528 - 3.747	.4507	----	----	----	----	1	UNCH	
8950	8.440	8.440	8.440/8.401A	8.440/8.401A	----	8.412 - 3.705	.4457	----	----	1	----	250 +	1	
9000			8.665A	7.862B/8.665A	----	8.299 - 3.662	.4407	----	----	----	----	100	UNCH	
9050	----	----	8.554A	7.742B/8.554A	----	8.188 - 3.621	.4359	----	----	----	----	16	UNCH	
9100	----	----	8.150A	7.290B/8.150A	----	7.765 - 3.460	.4170	----	----	----	----	15	UNCH	
9300	----	----	7.721A	6.864B/7.721A	----	7.374 - 3.308	.3992	----	----	----	----	10	UNCH	
9500	----	----	7.419A	6.472B/7.419A	----	7.011 - 3.164	.3824	----	----	----	----	1	UNCH	
9700	----	----	/*7.252A	6.293B/7.252A	----	6.839 - 3.095	.3743	----	----	----	----	56	UNCH	
9800	----	----	/*7.041A	6.113B/7.041A	----	6.673 - 3.027	.3665	----	----	----	----	4	UNCH	
9900	----	----	6.923A	5.942B/6.923A	----	6.512 - 2.961	.3588	----	----	63	----	839	UNCH	
10000	----	----	7.179A	5.713B/7.179A	----	6.473 - 2.945	.3570	----	----	----	----	3	UNCH	
10025	----	----	/*6.187A	5.162B/6.187A	----	5.782 - 2.653	.3235	----	----	----	----	100	UNCH	
10500	----	----	/*6.110A	5.023B/6.110A	----	5.649 - 2.596	.3170	----	----	----	----	6	UNCH	
10600	----	----	5.820A	4.750B/5.820A	----	5.395 - 2.487	.3044	----	----	----	----	5	UNCH	
10800	----	----	5.624A	4.498B/5.624A	----	5.156 - 2.383	.2924	----	----	----	----	94	UNCH	
11000	----	----	/*5.267A	4.096B/5.267A	----	4.771 - 2.215	.2730	----	----	----	----	5	UNCH	
11350	----	----	/*4.864A	3.644B/4.864A	----	4.331 - 2.025	.2503	----	----	----	----	25	UNCH	
11800	----	----	4.702A	3.472B/4.702A	----	4.153 - 1.950	.2411	----	----	67	----	641 +	5	
12000	----	----	/*4.538A	3.309B/4.538A	----	3.984 - 1.880	.2322	----	----	----	----	1	UNCH	
12200	----	----	/*4.300A	3.081B/4.300A	----	3.749 - 1.782	.2198	----	----	----	----	51	UNCH	
12500	----	----	3.927A	2.743B/3.927A	----	3.397 - 1.636	.2009	----	----	----	----	383	UNCH	
13000	----	----	/*3.600A	2.446B/*3.600A	----	3.090 - 1.504	.1842	----	----	----	----	6	UNCH	
13500	----	----	3.310A	2.187B/3.310A	----	2.820 - 1.386	.1693	----	----	----	----	96	UNCH	
14000	----	----	/*3.205A	2.092B/3.205A	----	2.721 - 1.342	.1638	----	----	----	----	1	UNCH	
14200	2.400	2.400	2.400/2.400	2.400/2.400	----	2.370 - 1.183	.1441	----	----	5	----	1854 +	3	
15000	----	----	2.681A	1.235B/2.681A	----	2.012 - 1.017	.1237	----	----	----	----	1609	UNCH	
1														

PG64	BULLETIN # 93@				METALS OPTION PRODUCTS					Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
TOTAL											0	26	0	
SO PUT	COMEX SILVER OPTIONS													
JUN26														
2100	----	----	----	----/0.002A	----	0.001	UNCH	----	----	----	----	1	UNCH	
2350	----	----	----	----/0.005A	----	0.001	UNCH	----	----	----	----	2	UNCH	
2500	----	----	----	----/0.007A	----	0.001	UNCH	----	----	----	----	141	UNCH	
2650	----	----	----	----/0.300A	----	0.001	UNCH	.0000	----	----	----	1	UNCH	
3000	----	----	----	----/0.021A	----	0.001	UNCH	.0000	----	----	----	246	UNCH	
3075	----	----	----	----/0.046A	----	0.001	UNCH	.0000	----	----	----	4	UNCH	
3100	----	----	----	----/0.046A	----	0.001	UNCH	.0001	----	----	----	3	UNCH	
3150	----	----	----	----/0.046A	----	0.002	UNCH	.0002	----	----	----	9	UNCH	
3200	----	----	----	----/0.046A	----	0.002	UNCH	.0002	----	----	----	4	UNCH	
3325	----	----	----	----/0.046A	----	0.004 +	0.001	.0004	----	----	----	2	UNCH	
3350	----	----	----	----/0.046A	----	0.004 +	0.001	.0004	----	----	----	1	UNCH	
3375	----	----	----	----/0.046A	----	0.004 +	0.001	.0004	----	----	----	1	UNCH	
3400	----	----	----	----/0.046A	----	0.004 +	0.001	.0004	----	----	----	17	UNCH	
3500	0.025	0.025	0.025/0.021A	0.025/0.021A	----	0.005 +	0.001	.0005	----	1	----	100	UNCH	
3550	----	----	----	----/0.047A	----	0.005 +	0.001	.0005	----	----	----	5	UNCH	
3575	----	----	----	----/0.050A	----	0.005 +	0.001	.0005	----	----	----	22	UNCH	
3600	----	----	----	----/0.050A	----	0.005 +	0.001	.0005	----	----	----	6	UNCH	
3650	----	----	----	----/0.051A	----	0.005 +	0.001	.0005	----	----	----	22	UNCH	
3675	----	----	----	----/0.051A	----	0.006 +	0.001	.0006	----	----	----	1	UNCH	
3700	----	----	----	----/0.051A	----	0.006 +	0.001	.0006	----	----	----	6	UNCH	
3725	----	----	----	---/*0.010A	----	0.006 +	0.001	.0006	----	----	----	15	UNCH	
3800	----	----	----	----/0.053A	----	0.008 +	0.002	.0009	----	----	----	14	UNCH	
3850	----	----	----	----/0.053A	----	0.008 +	0.002	.0009	----	----	----	2	UNCH	
3900	----	----	----	----/0.054A	----	0.008 +	0.002	.0009	----	----	----	6	UNCH	
3925	----	----	----	----/0.054A	----	0.008 +	0.002	.0009	----	----	----	3	UNCH	
4000	----	----	----	----/0.019A	----	0.010 +	0.003	.0012	----	----	----	153	UNCH	
4075	----	----	----	----/0.057A	----	0.011 +	0.003	.0013	----	----	----	1	UNCH	
4100	----	----	----	----/0.057A	----	0.011 +	0.003	.0013	----	----	----	31	UNCH	
4125	----	----	----	----/0.058A	----	0.011 +	0.003	.0013	----	----	----	5	UNCH	
4150	----	----	----	----/0.058A	----	0.012 +	0.004	.0014	----	----	----	4	UNCH	
4200	----	----	----	---/*0.029A	----	0.013 +	0.004	.0016	----	----	----	26	UNCH	
4225	----	----	----	----/0.060A	----	0.013 +	0.004	.0016	----	----	----	7	UNCH	
4250	----	----	----	----/0.061A	----	0.013 +	0.004	.0016	----	----	----	5	UNCH	
4275	----	----	----	----/0.061A	----	0.015 +	0.005	.0019	----	----	----	13	UNCH	
4300	----	----	----	----/0.062A	----	0.015 +	0.005	.0019	----	----	----	7	UNCH	
4350	----	----	----	----/0.063A	----	0.017 +	0.006	.0021	----	----	----	2	UNCH	
4375	----	----	----	----/0.064A	----	0.017 +	0.006	.0022	----	----	----	3	UNCH	
4400	----	----	----	----/0.064A	----	0.017 +	0.006	.0022	----	----	----	8	UNCH	
4425	----	----	----	----/0.065A	----	0.017 +	0.006	.0022	----	----	----	1	UNCH	
4500	----	----	----	0.001B/0.033A	----	0.019 +	0.007	.0025	----	----	----	164	UNCH	
4550	----	----	----	0.001B/0.069A	----	0.021 +	0.008	.0028	----	----	----	2	UNCH	
4600	----	----	----	0.001B/0.071A	----	0.021 +	0.008	.0028	----	----	----	7	UNCH	
4625	----	----	----	0.001B/0.072A	----	0.023 +	0.009	.0031	----	----	----	12	UNCH	
4650	----	----	----	0.001B/0.073A	----	0.023 +	0.009	.0031	----	----	----	1	UNCH	
4700	----	----	----	0.001B/0.075A	----	0.025 +	0.010	.0035	----	----	----	2	UNCH	
4725	----	----	----	0.001B/0.075A	----	0.025 +	0.010	.0035	----	----	----	10	UNCH	
4750	----	----	----	0.001B/0.060A	----	0.025 +	0.010	.0035	----	----	----	3	UNCH	
4800	----	----	----	0.001B/0.079A	----	0.028 +	0.012	.0040	----	----	----	27	UNCH	
4850	----	----	----	0.001B/0.082A	----	0.030 +	0.013	.0043	----	----	----	3	UNCH	
4875	----	----	----	0.001B/0.084A	----	0.030 +	0.013	.0043	----	----	----	15	UNCH	
4900	----	----	----	0.001B/0.085A	----	0.030 +	0.013	.0044	----	1	----	170	- 1	
4975	----	----	----	0.001B/0.089A	----	0.033 +	0.015	.0049	----	----	----	1	UNCH	
5000	0.032	0.032	0.032/0.032	0.032/0.032	----	0.035 +	0.016	.0052	----	15	----	1077	UNCH	
5025	----	----	----	0.001B/0.093A	----	0.035 +	0.016	.0053	----	----	----	8	UNCH	
5050	----	----	----	0.001B/0.095A	----	0.037 +	0.017	.0056	----	----	----	3	UNCH	
5075	----	----	----	0.001B/0.096A	----	0.037 +	0.017	.0057	----	----	----	2	UNCH	
5100	----	----	----	0.001B/0.099A	----	0.038 +	0.018	.0059	----	----	----	34	UNCH	
5125	----	----	----	0.001B/0.101A	----	0.040 +	0.019	.0062	----	----	----	1	UNCH	
5150	----	----	----	0.001B/0.103A	----	0.040 +	0.019	.0062	----	----	----	16	UNCH	
5175	----	----	----	0.001B/0.104A	----	0.041 +	0.020	.0065	----	----	----	12	UNCH	
5200	----	----	----	0.001B/0.106A	----	0.043 +	0.021	.0068	----	----	----	7	UNCH	
5225	----	----	----	0.001B/0.107A	----	0.043 +	0.021	.0069	----	----	----	1	UNCH	
5250	----	----	----	0.001B/0.109A	----	0.044 +	0.022	.0071	----	----	----	14	UNCH	
5275	----	----	----	0.002B/0.110A	----	0.046 +	0.023	.0074	----	----	----	17	UNCH	
5300	----	----	----	0.002B/0.069A	----	0.047 +	0.024	.0076	----	----	----	14	UNCH	
5325	----	----	----	0.003B/0.111A	----	0.049 +	0.025	.0080	----	----	----	10	UNCH	
5350	----	----	----	0.005B/0.114A	----	0.049 +	0.025	.0081	----	----	----	12	UNCH	
5375	----	----	----	0.004B/0.106A	----	0.050 +	0.026	.0083	----	----	----	10	UNCH	
5400	----	----	----	0.008B/0.102A	----	0.052 +	0.027	.0087	----	----	----	24	UNCH	
5425	----	----	----	0.011B/0.100A	----	0.053 +	0.028	.0089	----	----	----	4	UNCH	
5450	----	----	----	0.008B/0.102A	----	0.055 +	0.029	.0093	----	----	----	2	UNCH	
5475	----	----	----	0.007B/0.106A	----	0.056 +	0.030	.0096	----	----	----	13	UNCH	
5500	0.045	0.045	0.045/0.040	0.045/0.040	----	0.057 +	0.031	.0098	----	8	----	641	- 2	
5525	----	----	----	0.010B/0.096A	----	0.059 +	0.032	.0102	----	----	----	16	UNCH	
5550	----	----	----	0.010B/0.096A	----	0.060 +	0.033	.0105	----	----	----	10	UNCH	
5575	----	----	----	0.009B/0.096A	----	0.063 +	0.035	.0111	----	----	----	2	UNCH	
5600	----	----	----	0.010B/0.095A	----	0.063 +	0.035	.0112	----	----	----	19	UNCH	
5625	----	----	----	0.011B/0.092A	----	0.066 +	0.037	.0118	----	----	----	2	UNCH	
5650	----	----	----	0.013B/0.093A	----	0.067 +	0.038	.0121	----	----	----	51	UNCH	
5675	----	----	----	0.013B/0.093A	----	0.068 +	0.039	.0124	----	----	----	21	UNCH	
5700	----	----	0.039B/----	0.039B/0.093A	----	0.071 +	0.041	.0130	----	----	----	243	UNCH	
5725	----	----	----	0.013B/0.093A	----	0.072 +	0.042	.0133	----	----	----	4	UNCH	
5750	0.048	0.048	0.048/*0.048	0.048/*0.048	----	0.075 +	0.044	.0139	----	1	----	225	- 1	
5775	----	----	----	0.013B/0.097A										

BULLETIN # 93@			METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
JUN26	-----	-----	1.0198/-----	1.0198/0.247A	-----	0.676 + 0.538 .1521	-----	-----	-----	-----	-----	50	UNCH
7075	-----	-----	1.1728/0.225	1.1728/0.225	-----	0.716 + 0.571 .1602	-----	-----	-----	31	-----	80	- 9
7100	0.234	0.234	1.1238/0.863	1.1238/0.272A	-----	0.758 + 0.606 .1687	-----	-----	-----	2	-----	20	+
7125	0.863	0.863	1.2038/0.280	1.2038/0.280	-----	0.802 + 0.642 .1774	-----	-----	-----	71	-----	98	+ 36
7150	0.280	0.280	1.2708/0.963	1.2708/0.298A	-----	0.849 + 0.681 .1866	-----	-----	-----	1	-----	59	+
7175	0.963	0.963	1.431/0.590	1.431/0.301A	-----	0.898 + 0.722 .1961	-----	-----	-----	152	-----	392	+ 80
7200	0.590	0.590	1.3918/-----	1.3918/0.327A	-----	0.950 + 0.764 .2060	-----	-----	-----	-----	-----	10	UNCH
7225	-----	-----	1.4858/0.765	1.4858/0.343A	-----	1.005 + 0.810 .2163	-----	-----	-----	29	-----	103	+
7250	0.830	0.830	1.5358/1.269	1.5358/0.359A	-----	1.062 + 0.856 .2268	-----	-----	-----	2	-----	13	UNCH
7275	1.269	1.269	1.7318/0.423	1.7318/0.364A	-----	1.122 + 0.905 .2377	-----	-----	-----	74	-----	132	+
7300	0.423	0.423	1.6958/-----	1.6958/0.358A	-----	1.185 + 0.956 .2490	-----	-----	-----	-----	-----	18	UNCH
7325	-----	-----	1.8048/1.641	1.8048/0.337A	-----	1.251 + 1.010 .2605	-----	-----	-----	3	-----	42	+
7350	1.641	1.641	1.8948/-----	1.8948/0.343A	-----	1.319 + 1.064 .2724	-----	-----	-----	-----	-----	32	UNCH
7375	-----	-----	2.0918/0.528	2.0918/0.361A	-----	1.391 + 1.122 .2845	-----	-----	-----	107	-----	108	+
7400	0.539	0.539	2.0818/-----	2.0818/0.383A	-----	1.466 + 1.182 .2970	-----	-----	-----	-----	-----	41	UNCH
7425	-----	-----	2.2058/-----	2.2058/0.405A	-----	1.544 + 1.243 .3098	-----	-----	-----	-----	-----	64	UNCH
7450	-----	-----	2.2708/-----	2.2708/0.426A	-----	1.626 + 1.308 .3229	-----	-----	-----	1	-----	19	-
7475	-----	-----	2.473/0.690	2.473/0.449A	-----	1.711 + 1.375 .3362	-----	-----	-----	192	-----	549	+
7500	0.700	0.700	2.4898/1.281	2.4898/0.474A	-----	1.799 + 1.443 .3498	-----	-----	-----	7	-----	14	+
7525	1.600	1.600	2.6218/1.302	2.6218/0.500A	-----	1.890 + 1.513 .3635	-----	-----	-----	10	-----	21	-
7550	1.302	1.302	2.7208/1.430	2.7208/0.536A	-----	1.985 + 1.586 .3775	-----	-----	-----	10	-----	17	+
7575	1.430	1.430	2.8888/1.749	2.8888/0.556A	-----	2.084 + 1.661 .3917	-----	-----	-----	69	-----	101	+
7600	1.760	1.760	2.9648/2.436	2.9648/0.589A	-----	2.187 + 1.739 .4061	-----	-----	-----	1	-----	5	+
7625	2.436	2.436	3.1168/1.305	3.1168/0.622A	-----	2.293 + 1.819 .4207	-----	-----	-----	28	-----	34	+
7650	1.305	1.305	3.2548/1.030	3.2548/0.654A	-----	2.402 + 1.899 .4354	-----	-----	-----	42	-----	42	+
7675	1.030	1.030	3.4118/0.868	3.4118/0.690A	-----	2.516 + 1.983 .4502	-----	-----	-----	109	-----	132	+
7700	0.868	0.868	3.5048/1.934	3.5048/0.732A	-----	2.633 + 2.068 .4650	-----	-----	-----	10	-----	23	UNCH
7725	1.934	1.934	3.6228/1.210	3.6228/0.776A	-----	2.754 + 2.156 .4800	-----	-----	-----	2	-----	11	UNCH
7750	1.230	1.230	3.7578/-----	3.7578/0.818A	-----	2.879 + 2.245 .4950	-----	-----	-----	-----	-----	37	UNCH
7775	-----	-----	3.9088/1.106	3.9088/0.864A	-----	3.008 + 2.336 .5100	-----	-----	-----	168	-----	95	-
7800	1.170	1.170	4.0528/-----	4.0528/0.915A	-----	3.141 + 2.429 .5249	-----	-----	-----	-----	-----	13	UNCH
7825	-----	-----	4.2078/1.475	4.2078/0.963A	-----	3.278 + 2.523 .5399	-----	-----	-----	29	-----	37	+
7850	1.475	1.475	4.3488/2.979	4.3488/1.019A	-----	3.419 + 2.619 .5547	-----	-----	-----	1	-----	19	-
7875	2.979	2.979	4.5118/1.361	4.5118/1.075A	-----	3.563 + 2.716 .5695	-----	-----	-----	58	-----	138	+
7900	1.426	1.426	4.6718/3.211	4.6718/1.135A	-----	3.713 + 2.816 .5841	-----	-----	-----	3	-----	14	-
7925	3.241	3.241	4.8428/2.664	4.8428/1.197A	-----	3.866 + 2.916 .5985	-----	-----	-----	3	-----	71	-
7950	2.664	2.664	5.0078/-----	5.0078/1.264A	-----	4.023 + 3.018 .6128	-----	-----	-----	-----	-----	6	UNCH
7975	-----	-----	5.250/1.500	5.250/1.343A	-----	4.185 + 3.122 .6268	-----	-----	-----	189	-----	794	-
8000	1.500	1.500	5.3558/-----	5.3558/1.404A	-----	4.351 + 3.227 .6406	-----	-----	-----	-----	-----	125	UNCH
8025	-----	-----	5.5278/2.540	5.5278/1.479A	-----	4.521 + 3.332 .6539	-----	-----	-----	6	-----	18	UNCH
8050	2.600	2.600	5.4918/2.632	5.4918/1.558A	-----	4.695 + 3.439 .6671	-----	-----	-----	1	-----	2	-
8075	2.632	2.632	5.8938/2.103	5.8938/1.641A	-----	4.874 + 3.548 .6798	-----	-----	-----	30	-----	120	+
8100	2.177	2.177	6.0778/2.745	6.0778/1.726A	-----	5.056 + 3.656 .6921	-----	-----	-----	3	-----	11	+
8125	2.888	2.888	6.2638/2.628	6.2638/1.819A	-----	5.242 + 3.765 .7040	-----	-----	-----	11	-----	14	+
8150	2.628	2.628	6.4588/2.755	6.4588/1.908A	-----	5.432 + 3.875 .7156	-----	-----	-----	4	-----	44	UNCH
8175	2.755	2.755	6.6528/2.638	6.6528/2.011A	-----	5.625 + 3.984 .7268	-----	-----	-----	30	-----	152	-
8200	2.676	2.676	6.8448/3.022	6.8448/2.123A	-----	5.821 + 4.093 .7374	-----	-----	-----	4	-----	12	+
8225	3.087	3.087	7.0468/2.750	7.0468/2.234A	-----	6.020 + 4.201 .7478	-----	-----	-----	1	-----	45	+
8250	2.750	2.750	7.2468/-----	7.2468/2.341A	-----	6.222 + 4.309 .7578	-----	-----	-----	-----	-----	42	UNCH
8275	-----	-----	7.4488/2.382	7.4488/2.382	-----	6.427 + 4.417 .7673	-----	-----	-----	9	-----	29	+
8300	2.382	2.382	7.5478/-----	7.5478/2.548A	-----	6.633 + 4.521 .7765	-----	-----	-----	-----	-----	2	UNCH
8325	-----	-----	7.8608/3.890	7.8608/2.683A	-----	6.842 + 4.626 .7854	-----	-----	-----	3	-----	30	+
8350	3.890	3.890	8.0598/-----	8.0598/2.790A	-----	7.053 + 4.728 .7939	-----	-----	-----	1	-----	19	-
8375	-----	-----	8.3168/-----	8.3168/2.923A	-----	7.266 + 4.830 .8021	-----	-----	-----	1	-----	117	-
8400	-----	-----	8.5388/-----	8.5388/3.059A	-----	7.481 + 4.929 .8100	-----	-----	-----	-----	-----	64	UNCH
8425	-----	-----	8.6958/-----	8.6958/3.192A	-----	7.697 + 5.026 .8175	-----	-----	-----	-----	-----	22	UNCH
8450	-----	-----	8.8728/-----	8.8728/3.327A	-----	7.915 + 5.122 .8248	-----	-----	-----	-----	-----	4	UNCH
8475	-----	-----	9.2038/4.000	9.2038/3.466A	-----	8.134 + 5.215 .8318	-----	-----	-----	43	-----	187	-
8500	4.000	4.000	9.3298/-----	9.3298/3.602A	-----	8.355 + 5.306 .8385	-----	-----	-----	-----	-----	3	UNCH
8525	-----	-----	9.5588/-----	9.5588/3.739A	-----	8.576 + 5.394 .8452	-----	-----	-----	-----	-----	3	UNCH
8550	-----	-----	9.8088/-----	9.8088/3.905A	-----	8.799 + 5.480 .8515	-----	-----	-----	-----	-----	23	UNCH
8575	-----	-----	10.0408/5.650	10.0408/4.078A	-----	9.022 + 5.564 .8575	-----	-----	-----	3	-----	20	-
8600	5.650	5.650	10.2728/6.000	10.2728/4.215A	-----	9.247 + 5.646 .8634	-----	-----	-----	5	-----	21	UNCH
8625	6.000	6.000	10.5018/-----	10.5018/4.460A	-----	9.473 + 5.725 .8690	-----	-----	-----	-----	-----	9	UNCH
8650	-----	-----	10.7338/-----	10.7338/4.714A	-----	9.700 + 5.802 .8744	-----	-----	-----	-----	-----	22	UNCH
8675	-----	-----	11.0578/-----	11.0578/4.857A	-----	9.928 + 5.877 .8797	-----	-----	-----	-----	-----	59	UNCH
8700	-----	-----											



PG64	BULLETIN # 93@			METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT JUL26	COMEX SILVER OPTIONS													
3600	----	----	----	0.0018/0.127A	----	0.046 +	0.020 .0048	----	----	----	----	12	UNCH	
3700	----	----	----	0.0018/0.126A	----	0.051 +	0.024 .0054	----	----	----	----	94	UNCH	
3800	----	----	----	0.0018/0.128A	----	0.057 +	0.029 .0062	----	----	----	----	25	UNCH	
3825	----	----	----	0.0018/0.129A	----	0.058 +	0.029 .0063	----	----	----	----	8	UNCH	
3850	----	----	----	0.0018/0.130A	----	0.059 +	0.030 .0064	----	----	----	----	3	UNCH	
3900	----	----	----	0.0018/0.132A	----	0.062 +	0.032 .0068	----	----	----	----	11	UNCH	
3950	----	----	----	0.0018/0.159A	----	0.065 +	0.034 .0072	----	----	----	----	1	UNCH	
4000	----	----	----	0.0308/0.137A	----	0.068 +	0.037 .0076	----	----	----	----	70	UNCH	
4075	----	----	----	0.0018/0.141A	----	0.073 +	0.040 .0082	----	----	----	----	16	UNCH	
4100	----	----	----	0.0018/0.145A	----	0.075 +	0.042 .0085	----	----	----	----	6	UNCH	
4175	----	----	----	0.0018/0.147A	----	0.080 +	0.046 .0092	----	----	----	----	9	UNCH	
4200	----	----	----	0.0018/0.148A	----	0.082 +	0.047 .0094	----	----	----	----	27	UNCH	
4225	----	----	----	0.0018/0.180A	----	0.084 +	0.049 .0097	----	----	----	----	1	UNCH	
4250	----	----	----	0.0028/0.150A	----	0.086 +	0.050 .0100	----	----	----	----	21	UNCH	
4300	----	----	----	0.0358/0.153A	----	0.090 +	0.053 .0105	----	----	----	----	98	UNCH	
4325	----	----	----	0.0048/0.155A	----	0.092 +	0.054 .0108	----	----	----	----	17	UNCH	
4375	----	----	----	0.0238/0.148A	----	0.097 +	0.058 .0114	----	----	----	----	32	UNCH	
4400	----	----	----	0.0088/0.160A	----	0.099 +	0.060 .0117	----	----	----	----	29	UNCH	
4450	----	----	----	0.0148/0.152A	----	0.104 +	0.063 .0124	----	----	----	----	4	UNCH	
4475	----	----	----	0.0168/0.147A	----	0.106 +	0.065 .0127	----	----	----	----	16	UNCH	
4500	----	----	0.0708/-----	0.0708/0.142A	----	0.109 +	0.067 .0131	----	----	----	----	300	UNCH	
4575	----	----	----	0.0138/0.143A	----	0.117 +	0.073 .0142	----	----	----	----	75	UNCH	
4600	----	----	----	0.0138/0.142A	----	0.119 +	0.074 .0145	----	----	----	----	101	UNCH	
4650	----	----	----	0.0138/0.143A	----	0.125 +	0.078 .0153	----	----	----	----	40	UNCH	
4675	----	----	----	0.0138/0.149A	----	0.128 +	0.080 .0157	----	----	----	----	12	UNCH	
4700	----	----	----	0.0138/0.150A	----	0.131 +	0.082 .0161	----	----	----	----	152	UNCH	
4725	----	----	----	0.0158/0.149A	----	0.135 +	0.085 .0167	----	----	----	----	3	UNCH	
4750	----	----	----	0.0188/0.148A	----	0.138 +	0.087 .0171	----	----	----	----	54	UNCH	
4775	----	----	----	0.0228/0.153A	----	0.141 +	0.089 .0175	----	----	----	----	8	UNCH	
4800	0.110	0.110	0.110/0.110	0.110/0.110	----	0.145 +	0.092 .0181	----	----	1	----	15	UNCH	
4825	----	----	----	0.0268/0.150A	----	0.148 +	0.094 .0185	----	----	----	----	26	UNCH	
4850	----	----	----	0.0268/0.161A	----	0.152 +	0.096 .0191	----	----	----	----	2	UNCH	
4875	----	----	----	0.0348/0.155A	----	0.156 +	0.099 .0196	----	----	----	----	23	UNCH	
4900	----	----	----	0.0388/0.167A	----	0.160 +	0.102 .0202	----	----	1	----	168	UNCH	
4975	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.172	NEW .0219	----	----	2	----	2	+	
5000	0.110	0.110	0.160/0.095	0.160/0.095	----	0.177 +	0.112 .0226	----	----	39	----	898	+	
5025	----	----	0.1008/-----	0.1008/0.183A	----	0.182 +	0.116 .0232	----	----	----	----	1	UNCH	
5050	----	----	0.1008/-----	0.1008/0.177A	----	0.186 +	0.118 .0238	----	----	----	----	16	UNCH	
5075	----	----	0.1008/-----	0.1008/0.190A	----	0.191 +	0.122 .0245	----	----	----	----	11	UNCH	
5100	----	----	0.1008/-----	0.1008/0.192A	----	0.196 +	0.125 .0252	----	----	----	----	178	UNCH	
5150	----	----	0.1008/-----	0.1008/0.197A	----	0.207 +	0.132 .0268	----	----	----	----	5	UNCH	
5175	----	----	0.0978/-----	0.0978/0.199A	----	0.213 +	0.135 .0276	----	----	----	----	5	UNCH	
5200	----	----	0.1028/-----	0.1028/0.200A	----	0.218 +	0.138 .0283	----	----	----	----	108	UNCH	
5225	----	----	0.1068/-----	0.1068/0.205A	----	0.224 +	0.142 .0292	----	----	----	----	9	UNCH	
5250	----	----	0.1148/-----	0.1148/0.207A	----	0.231 +	0.146 .0301	----	----	----	----	225	UNCH	
5275	----	----	0.1118/-----	0.1118/0.224A	----	0.237 +	0.149 .0310	----	----	----	----	2	UNCH	
5300	----	----	0.1278/-----	0.1278/0.210A	----	0.244 +	0.154 .0319	----	----	2	----	128	+	
5325	----	----	0.1358/-----	0.1358/0.212A	----	0.251 +	0.158 .0329	----	----	----	----	11	UNCH	
5350	----	----	0.1438/-----	0.1438/0.214A	----	0.258 +	0.162 .0339	----	----	----	----	26	UNCH	
5375	----	----	0.1508/-----	0.1508/0.216A	----	0.265 +	0.166 .0349	----	----	----	----	17	UNCH	
5400	----	----	0.1628/-----	0.1628/0.219A	----	0.273 +	0.171 .0359	----	----	3	----	75	UNCH	
5425	----	----	0.1648/-----	0.1648/0.222A	----	0.281 +	0.175 .0371	----	----	----	----	49	UNCH	
5450	----	----	0.1758/-----	0.1758/0.226A	----	0.289 +	0.180 .0382	----	----	----	----	38	UNCH	
5475	----	----	0.1858/-----	0.1858/0.230A	----	0.297 +	0.185 .0393	----	----	----	----	53	UNCH	
5500	0.306	0.306	0.329/0.306	0.329/0.236A	----	0.306 +	0.190 .0405	----	----	11	----	1027	+	
5525	----	----	0.2078/-----	0.2078/0.237A	----	0.315 +	0.196 .0418	----	----	----	----	86	UNCH	
5550	----	----	0.2188/-----	0.2188/0.241A	----	0.325 +	0.202 .0431	----	----	----	----	18	UNCH	
5575	----	----	0.2288/-----	0.2288/0.244A	----	0.335 +	0.208 .0445	----	----	----	----	3	UNCH	
5600	0.301	0.301	0.301/*0.301	0.301/0.249A	----	0.345 +	0.215 .0458	----	----	4	----	30	UNCH	
5625	0.315	0.315	0.315/*0.315	0.315/0.253A	----	0.356 +	0.222 .0473	----	----	20	----	23	+	
5650	----	----	0.2698/-----	0.2698/0.258A	----	0.367 +	0.229 .0488	----	----	----	----	29	UNCH	
5675	----	----	0.2838/-----	0.2838/0.263A	----	0.378 +	0.236 .0503	----	----	----	----	45	UNCH	
5700	0.370	0.370	0.370/0.370	0.370/0.268A	----	0.390 +	0.244 .0519	----	----	2	----	304	+	
5725	----	----	0.3158/-----	0.3158/0.273A	----	0.402 +	0.252 .0535	----	----	----	----	3	UNCH	
5750	----	----	0.3298/-----	0.3298/0.279A	----	0.415 +	0.260 .0552	----	----	----	----	52	UNCH	
5775	----	----	0.3438/-----	0.3438/0.369A	----	0.428 +	0.269 .0570	----	----	----	----	2	UNCH	
5800	----	----	0.3588/-----	0.3588/0.295A	----	0.442 +	0.278 .0588	----	----	----	----	27	UNCH	
5825	----	----	0.3778/-----	0.3778/0.296A	----	0.456 +	0.287 .0607	----	----	----	----	4	UNCH	
5850	----	----	0.4028/-----	0.4028/0.303A	----	0.471 +	0.298 .0626	----	----	4	----	116	-	
5875	----	----	0.4178/-----	0.4178/0.310A	----	0.486 +	0.307 .0646	----	----	----	----	3	UNCH	
5900	----	----	0.4448/-----	0.4448/0.321A	----	0.502 +	0.318 .0667	----	----	----	----	6	UNCH	
5925	----	----	0.4668/-----	0.4668/0.407A	----	0.519 +	0.330 .0688	----	----	----	----	2	UNCH	
5950	----	----	0.4898/-----	0.4898/0.415A	----	0.536 +	0.341 .0710	----	----	----	----	2	UNCH	
5975	----	----	0.5978/-----	0.5978/0.341A	----	0.554 +	0.354 .0733	----	----	----	----	9	UNCH	
6000	0.300	0.300	0.6218/0.300	0.6218/0.300	----	0.573 +	0.366 .0757	----	----	209	----	729	+	
6050	----	----	0.6748/-----	0.6748/0.375A	----	0.612 +	0.392 .0807	----	----	----	----	12	UNCH	
6100	0.677	0.677	0.7318/0.677	0.7318/0.385A	----	0.655 +	0.420 .0860	----	----	3	----	295	+	
6125	----	----	0.7608/-----	0.7608/0.527A	----	0.678 +	0.435 .0888	----	----	----	----	1	UNCH	
6150	----													

BULLETIN # 93@			METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
JUL26													
7675	5.384	5.384	5.749B/5.384	5.749B/2.685A	----	5.042 +	2.604	.4417	----	14	----	31 +	
7700	4.700	4.700	5.918B/4.700	5.918B/2.771A	----	5.174 +	2.657	.4490	----	16	25	237 +	
7725	5.667	5.667	6.065B/5.667	6.065B/2.859A	----	5.309 +	2.713	.4564	----	13	----	14 +	
7750	----	----	6.180B/----	6.180B/2.947A	----	5.445 +	2.767	.4637	----	19	----	25 +	
7775	----	----	6.298B/----	6.298B/3.038A	----	5.583 +	2.821	.4710	----	----	----	5	
7800	5.150	5.150	6.500B/5.150	6.500B/3.131A	----	5.723 +	2.876	.4782	----	6	----	85 +	
7825	6.130	6.130	6.610B/6.109	6.610B/3.225A	----	5.866 +	2.931	.4854	----	2	----	25 +	
7850	----	----	6.795B/----	6.795B/3.327A	----	6.010 +	2.985	.4926	----	----	----	34	
7875	----	----	6.956B/----	6.956B/3.422A	----	6.156 +	3.039	.4998	----	----	----	27	
7900	6.820	6.820	7.114B/6.820	7.114B/3.528A	----	6.304 +	3.093	.5069	----	2	----	35 +	
7925	----	----	7.135B/----	7.135B/3.634A	----	6.455 +	3.148	.5140	----	----	----	1	
7950	6.648	6.648	7.327B/6.648	7.327B/3.739A	----	6.607 +	3.202	.5210	----	1	----	3 +	
7975	----	----	7.584B/----	7.584B/3.868A	----	6.761 +	3.255	.5280	----	----	----	6	
8000	4.821	4.821	7.803B/4.821	7.803B/3.959A	----	6.917 +	3.308	.5349	----	37	----	272 +	
8075	----	----	8.279B/----	8.279B/4.317A	----	7.397 +	3.468	.5553	----	----	----	10	
8100	----	----	8.474B/----	8.474B/4.453A	----	7.561 +	3.522	.5620	----	1	----	49	
8125	8.428	8.428	8.645B/8.428	8.645B/4.555A	----	7.727 +	3.575	.5686	----	1	----	7	
8150	----	----	8.719B/----	8.719B/4.666A	----	7.895 +	3.627	.5751	----	----	----	2	
8175	8.378	8.378	8.776B/8.378	8.776B/4.793A	----	8.065 +	3.681	.5816	----	1	----	2	
8200	7.987	7.987	9.190B/7.987	9.190B/4.929A	----	8.236 +	3.732	.5880	----	1	----	10 +	
8225	9.131	9.131	9.376B/9.131	9.376B/5.059A	----	8.410 +	3.784	.5943	----	1	----	17 +	
8250	6.700	6.700	9.560B/6.700	9.560B/5.177A	----	8.585 +	3.837	.6006	----	3	----	89 +	
8275	----	----	9.746B/----	9.746B/5.311A	----	8.762 +	3.888	.6067	----	----	----	15	
8300	9.664	9.664	9.932B/9.664	9.932B/5.446A	----	8.941 +	3.939	.6128	----	3	----	130	
8325	----	----	9.857B/----	9.857B/5.578A	----	9.121 +	3.991	.6188	----	----	----	1	
8350	10.033	10.033	10.312B/10.033	10.312B/5.719A	----	9.303 +	4.041	.6247	----	2	----	20 -	
8375	----	----	10.228B/----	10.228B/5.856A	----	9.487 +	4.092	.6306	----	----	----	4	
8400	10.407	10.407	10.693B/10.407	10.693B/6.015A	----	9.672 +	4.142	.6363	----	1	----	13	
8425	10.596	10.596	10.605/10.596	10.605/6.153A	----	9.859 +	4.192	.6420	----	2	----	4 +	
8450	----	----	11.079B/----	11.079B/6.289A	----	10.047 +	4.241	.6476	----	----	----	33	
8475	----	----	10.942B/----	10.942B/6.439A	----	10.237 +	4.291	.6531	----	----	----	1	
8500	----	----	11.470B/----	11.470B/6.583A	----	10.428 +	4.332	.6585	----	5	----	167 -	
8525	----	----	11.336B/----	11.336B/6.737A	----	10.621 +	4.387	.6639	----	----	----	4	
8550	----	----	11.864B/----	11.864B/6.894A	----	10.814 +	4.435	.6691	----	----	----	37	
8575	----	----	11.736B/----	11.736B/7.039A	----	11.009 +	4.481	.6743	----	----	----	1	
8600	----	----	12.265B/----	12.265B/7.203A	----	11.206 +	4.529	.6794	----	----	----	69	
8625	----	----	12.466B/----	12.466B/7.380A	----	11.403 +	4.575	.6844	----	----	----	7	
8650	----	----	12.346B/----	12.346B/7.517A	----	11.601 +	4.619	.6894	----	----	----	1	
8675	----	----	12.549B/----	12.549B/7.667A	----	11.801 +	4.666	.6943	----	----	----	1	
8700	11.360	11.360	13.049B/11.360	13.049B/7.839A	----	12.001 +	4.709	.6991	----	2	----	12 -	
8725	----	----	12.961B/----	12.961B/7.989A	----	12.203 +	4.753	.7038	----	----	----	1	
8800	----	----	13.902B/----	13.902B/8.499A	----	12.813 +	4.875	.7176	----	----	----	59	
8850	----	----	14.011B/----	14.011B/8.863A	----	13.225 +	4.964	.7265	----	----	----	1	
8900	10.450	10.450	14.431B/10.450	14.431B/9.179A	----	13.639 +	5.041	.7350	----	1	----	2	
8975	----	----	15.074B/----	15.074B/10.185A	----	14.268 +	5.159	.7474	----	----	----	2	
9000	----	----	15.591B/----	15.591B/10.113A	----	14.479 +	5.196	.7514	----	----	----	321	
9025	----	----	15.507B/----	15.507B/10.542A	----	14.691 +	5.235	.7553	----	----	----	1	
9175	----	----	16.818B/----	16.818B/11.660A	----	15.980 +	5.449	.7775	----	----	----	1	
9200	----	----	17.327B/----	17.327B/11.611A	----	16.197 +	5.484	.7810	----	----	----	11	
9250	----	----	17.479B/----	17.479B/12.228A	----	16.634 +	5.551	.7877	----	----	----	1	
9275	----	----	17.701B/----	17.701B/12.419A	----	16.854 +	5.583	.7910	----	----	----	1	
9300	----	----	17.924B/----	17.924B/12.561A	----	17.074 +	5.617	.7943	----	----	----	5	
9400	----	----	18.819B/----	18.819B/13.855A	----	17.962 +	5.745	.8065	----	----	----	1	
9450	----	----	19.546B/----	19.546B/14.262A	----	18.410 +	5.805	.8123	----	----	----	12	
9500	----	----	19.996B/----	19.996B/14.673A	----	18.860 +	5.866	.8180	----	----	----	217	
9600	----	----	20.904B/----	20.904B/19.048A	----	19.766 +	5.980	.8285	----	----	----	50	
9775	----	----	22.239B/----	22.239B/20.988A	----	21.370 +	6.167	.8452	----	----	----	5	
9900	----	----	23.662B/----	23.662B/21.801A	----	22.527 +	6.288	.8560	----	----	----	6	
9950	----	----	23.866B/----	23.866B/22.589A	----	22.992 +	6.333	.8601	----	----	----	5	
10000	----	----	24.589B/----	24.589B/22.682A	----	23.458 +	6.378	.8640	----	----	----	225	
10275	----	----	27.165B/----	27.165B/25.318A	----	26.040 +	6.593	.8836	----	----	----	7	
10500	----	----	29.078B/----	29.078B/27.744A	----	28.174 +	6.744	.8973	----	----	----	3	
10600	----	----	30.247B/----	30.247B/28.387A	----	29.128 +	6.804	.9028	----	----	----	9	
10800	----	----	31.958B/----	31.958B/30.597A	----	31.046 +	6.915	.9125	----	----	----	1	
11000	----	----	34.124B/----	34.124B/32.069A	----	32.975 +	7.014	.9211	----	----	----	239	
11300	----	----	36.995B/----	36.995B/34.966A	----	35.887 +	7.145	.9318	----	----	----	10	
11500	----	----	38.854B/----	38.854B/37.356A	----	37.838 +	7.221	.9378	----	----	----	1	
12000	----	----	43.847B/----	43.847B/41.967A	----	42.738 +	7.373	.9500	----	----	----	19	
13000	----	----	53.639B/----	53.639B/48.771A	----	52.608 +	7.565	.9662	----	----	----	5	
TOTAL										1893	147	14054 +	
AUG26													
3300	----	----	----	0.001B/0.269A	----	0.111 +	0.044	.0089	----	----	----	2	
3900	----	----	----	0.005B/0.200A	----	0.180 +	0.077	.0156	----	----	----	2	
4000	----	----	----	0.012B/0.183A	----	0.193 +	0.084	.0170	----	----	----	1	
4175	----	----	----	0.032B/0.187A	----	0.219 +	0.098	.0197	----	----	----	1	
4300	----	----	----	0.049B/0.216A	----	0.239 +	0.109	.0219	----	----	----	1	
4350	----	----	----	0.057B/0.212A	----	0.247 +	0.113	.0228	----	----	----	1	
4375	----	----	----	0.062B/0.216A	----	0.252 +							



	BULLETIN # 93@			METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT	COMEX SILVER OPTIONS														
AUG26															
7200	----	----	----	4.595B/----	4.595B/3.004A	----	----	----	4.297 +	1.872 .3197	----	----	5	----	74 +
7225	----	----	----	4.708B/----	4.708B/3.288A	----	----	----	4.403 +	1.912 .3251	----	----	----	----	2
7300	----	----	----	5.058B/----	5.058B/3.306A	----	----	----	4.727 +	2.033 .3415	----	----	----	----	110
7350	4.943	4.943	4.943	5.300B/4.943	5.300B/3.686A	----	----	----	4.950 +	2.113 .3525	----	----	1	----	7 +
7400	----	----	----	5.549B/----	5.549B/3.790A	----	----	----	5.177 +	2.191 .3634	----	----	----	----	4
7425	----	----	----	5.676B/----	5.676B/3.941A	----	----	----	5.293 +	2.230 .3689	----	----	----	----	2
7450	----	----	----	5.805B/----	5.805B/4.029A	----	----	----	5.409 +	2.269 .3744	----	----	----	----	1
7500	5.157	5.157	5.157	6.082B/5.157	6.082B/3.980A	----	----	----	5.646 +	2.345 .3855	----	----	1	----	133 +
7525	6.309	6.309	6.309	6.309/6.309	6.309/4.299A	----	----	----	5.768 +	NEW .3910	----	----	1	----	1 +
7550	----	----	----	6.338B/----	6.338B/4.391A	----	----	----	5.891 +	2.423 .3965	----	----	8	----	13 +
7575	----	----	----	6.475B/----	6.475B/4.489A	----	----	----	6.016 +	2.462 .4020	----	----	----	----	1
7600	----	----	----	6.615B/----	6.615B/4.516A	----	----	----	6.143 +	2.502 .4075	----	----	----	----	5
7625	----	----	----	6.755B/----	6.755B/4.685A	----	----	----	6.272 +	2.541 .4131	----	----	----	----	1
7650	----	----	----	6.897B/----	6.897B/4.785A	----	----	----	6.402 +	2.581 .4186	----	----	8	----	12 +
7675	----	----	----	7.041B/----	7.041B/4.701A	----	----	----	6.533 +	2.620 .4241	----	----	----	----	44
7700	6.161	6.161	6.161	7.239B/6.161	7.239B/4.746A	----	----	----	6.666 +	2.659 .4296	----	----	49	----	112 +
7725	----	----	----	7.333B/----	7.333B/5.095A	----	----	----	6.800 +	NEW .4351	----	----	7	----	7 +
7800	7.338	7.338	7.338	7.782B/7.338	7.782B/5.348A	----	----	----	7.218 +	2.821 .4514	----	----	31	----	26 +
7850	----	----	----	8.355B/----	8.355B/5.642A	----	----	----	7.505 +	2.903 .4622	----	----	5	----	18 +
7900	7.280	7.280	7.280	8.678B/7.280	8.678B/5.809A	----	----	----	7.798 +	2.985 .4729	----	----	3	----	5 +
7950	7.801	7.801	7.801	9.006B/7.801	9.006B/5.920A	----	----	----	8.098 +	3.067 .4835	----	----	6	----	60 +
7975	9.172	9.172	9.172	9.172/9.172	9.172/6.241A	----	----	----	8.250 +	3.109 .4887	----	----	1	----	1 -
8000	8.104	8.104	8.104	9.400/7.900	9.400/6.112A	----	----	----	8.404 +	3.150 .4940	----	----	32	----	289 +
8025	----	----	----	9.508B/----	9.508B/6.486A	----	----	----	8.559 +	3.190 .4992	----	----	----	----	1
8100	----	----	----	10.021B/----	10.021B/6.788A	----	----	----	9.032 +	3.311 .5146	----	----	----	----	7
8150	----	----	----	10.369B/----	10.369B/7.121A	----	----	----	9.355 +	3.391 .5246	----	----	----	----	15
8175	----	----	----	10.220B/----	10.220B/7.254A	----	----	----	9.518 +	3.431 .5296	----	----	----	----	1
8200	----	----	----	10.392B/----	10.392B/7.313A	----	----	----	9.682 +	3.470 .5346	----	----	----	----	10
8225	----	----	----	10.568B/----	10.568B/7.522A	----	----	----	9.848 +	3.510 .5395	----	----	----	----	4
8250	----	----	----	10.750B/----	10.750B/7.658A	----	----	----	10.015 +	3.548 .5444	----	----	----	----	10
8275	----	----	----	10.929B/----	10.929B/7.802A	----	----	----	10.183 +	3.586 .5493	----	----	----	----	5
8300	----	----	----	11.114B/----	11.114B/7.867A	----	----	----	10.352 +	3.625 .5541	----	----	----	----	1
8325	----	----	----	11.298B/----	11.298B/8.082A	----	----	----	10.523 +	3.663 .5589	----	----	----	----	5
8400	----	----	----	11.833B/----	11.833B/8.438A	----	----	----	11.041 +	3.775 .5730	----	----	----	----	1
8425	----	----	----	11.955B/----	11.955B/8.659A	----	----	----	11.216 +	3.812 .5776	----	----	----	----	1
8475	----	----	----	12.321B/----	12.321B/8.955A	----	----	----	11.570 +	3.884 .5867	----	----	----	----	1
8500	----	----	----	12.568B/----	12.568B/9.031A	----	----	----	11.749 +	3.922 .5912	----	----	----	----	22
8600	----	----	----	13.254B/----	13.254B/9.644A	----	----	----	12.476 +	4.064 .6088	----	----	----	----	3
8650	----	----	----	13.633B/----	13.633B/10.033A	----	----	----	12.846 +	4.135 .6173	----	----	----	----	1
8700	----	----	----	14.017B/----	14.017B/10.276A	----	----	----	13.222 +	4.205 .6257	----	----	----	----	2
8825	----	----	----	14.993B/----	14.993B/11.169A	----	----	----	14.180 +	4.378 .6456	----	----	----	----	4
8850	----	----	----	15.191B/----	15.191B/11.337A	----	----	----	14.375 +	4.411 .6495	----	----	----	----	1
8900	----	----	----	15.745B/----	15.745B/11.589A	----	----	----	14.768 +	4.480 .6570	----	----	----	----	24
9000	12.200	12.200	12.200	16.610B/12.200	16.610B/12.066A	----	----	----	15.565 +	4.612 .6716	----	----	20	----	97 +
9025	----	----	----	16.520B/----	16.520B/12.537A	----	----	----	15.767 +	4.645 .6751	----	----	----	----	4
9150	----	----	----	17.551B/----	17.551B/13.427A	----	----	----	16.787 +	4.804 .6921	----	----	----	----	4
9175	16.208	16.208	16.208	17.759B/16.208	17.759B/13.605A	----	----	----	16.993 +	NEW .6953	----	----	1	----	1 +
9200	16.412	16.412	16.412	17.967B/16.412	17.967B/13.711A	----	----	----	17.200 +	NEW .6985	----	----	1	----	1 +
9225	16.617	16.617	16.617	17.649B/16.617	17.649B/13.951A	----	----	----	17.408 +	NEW .7017	----	----	1	----	1 +
9275	----	----	----	18.068B/----	18.068B/14.371A	----	----	----	17.825 +	4.956 .7080	----	----	----	----	5
9300	----	----	----	18.197B/----	18.197B/14.498A	----	----	----	18.034 +	4.984 .7111	----	----	----	----	1
9325	----	----	----	19.251B/----	19.251B/14.671A	----	----	----	18.245 +	5.014 .7141	----	----	----	----	11
9350	----	----	----	18.694B/----	18.694B/14.863A	----	----	----	18.455 +	5.043 .7171	----	----	----	----	4
9500	----	----	----	20.788B/----	20.788B/15.964A	----	----	----	19.732 +	5.207 .7344	----	----	----	----	31
9975	----	----	----	24.102B/----	24.102B/21.230A	----	----	----	23.900 +	5.665 .7808	----	----	----	----	1
10000	----	----	----	25.144B/----	25.144B/21.431A	----	----	----	24.124 +	5.687 .7830	----	----	5	----	7 -
10025	----	----	----	24.549B/----	24.549B/21.633A	----	----	----	24.349 +	5.709 .7850	----	----	----	----	1
10175	----	----	----	26.712B/----	26.712B/22.025A	----	----	----	25.706 +	5.837 .7970	----	----	----	----	15
TOTAL													719	68	2698 +
SEP26															
2500	----	----	----	----	0.001B/3.648A	----	----	----	0.011 +	0.003 .0010	----	----	----	----	60
3000	----	----	----	----	0.001B/3.772A	----	----	----	0.034 +	0.011 .0032	----	----	----	----	22
3500	----	----	----	----	0.007B/0.234A	----	----	----	0.086 +	0.028 .0079	----	----	----	----	74
4000	----	----	----	----	0.076B/0.269A	----	----	----	0.198 +	0.067 .0174	----	----	----	----	45
4500	----	----	----	----	0.212B/0.396A	----	----	----	0.338 +	0.120 .0301	----	----	----	----	12
4525	----	----	----	----	0.221B/0.419A	----	----	----	0.347 +	0.124 .0309	----	----	----	----	3
5000	0.535	0.535	0.535	0.535/0.535	0.535/0.535	----	----	----	0.569 +	0.210 .0505	----	----	3	----	237 +
5100	----	----	----	0.560B/----	0.560B/0.688A	----	----	----	0.640 +	0.238 .0564	----	----	----	----	1
5400	----	----	----	0.854B/----	0.854B/0.900A	----	----	----	0.905 +	0.338 .0774	----	----	----	----	1
5475	----	----	----	0.946B/----	0.946B/0.967A	----	----	----	0.984 +	0.368 .0835	----	----			

BULLETIN # 93@				METALS OPTION PRODUCTS								Fri, May 15, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS																
NOV26																	
4500	----	----	----	----	0.400B/0.785A	----	----	0.625	+	0.191	.0444	----	----	----	----	1	UNCH
4550	----	----	----	----	0.434B/0.808A	----	----	0.658	+	0.201	.0466	----	----	----	----	1	UNCH
4800	----	----	----	0.636B/----	0.636B/0.986A	----	----	0.850	+	0.264	.0593	----	----	----	----	1	UNCH
5000	----	----	----	0.846B/----	0.846B/1.154A	----	----	1.034	+	0.325	.0711	----	----	----	----	12	UNCH
5200	----	----	----	1.113B/----	1.113B/1.352A	----	----	1.254	+	0.398	.0848	----	----	----	----	1	UNCH
5950	----	----	----	2.116B/----	2.116B/2.924A	----	----	2.546	+	0.825	.1558	----	----	----	----	1	UNCH
6700	----	----	----	4.417B/----	4.417B/5.159A	----	----	4.851	+	1.529	.2552	----	----	----	----	50	UNCH
7000	----	----	----	5.707B/----	5.707B/6.386A	----	----	6.102	+	1.874	.2996	----	----	----	----	41	UNCH
7025	----	----	----	5.675B/----	5.675B/6.485A	----	----	6.215	+	1.904	.3033	----	----	----	----	6	UNCH
7400	----	----	----	7.703B/----	7.703B/8.319A	----	----	8.063	+	2.366	.3596	----	----	----	----	24	UNCH
7500	----	----	----	8.250B/----	8.250B/8.800A	----	----	8.603	+	2.492	.3744	----	----	----	----	7	UNCH
7700	----	----	----	9.378B/----	9.378B/9.855A	----	----	9.739	+	2.742	.4037	----	----	----	----	50	UNCH
8500	----	----	----	14.644B/----	14.644B/14.831A	----	----	14.929	+	3.681	.5106	----	----	----	----	60	UNCH
9000	----	----	----	18.346B/----	18.346B/18.380A	----	----	18.590	+	4.180	.5676	----	----	----	----	5	UNCH
9050	----	----	----	18.755B/----	18.755B/18.765A	----	----	18.971	+	4.227	.5729	----	----	----	----	3	UNCH
10000	----	----	----	26.835B/----	26.835B/26.234A	----	----	26.584	+	4.985	.6598	----	----	----	----	1	UNCH
11000	----	----	----	34.610B/----	34.610B/35.145A	----	----	35.177	+	5.601	.7286	----	----	----	----	1	UNCH
TOTAL															0	265	0
DEC26																	
1500	----	----	----	----	-----/0.050A	----	----	0.009	+	0.002	.0006	----	----	----	----	180	UNCH
2000	----	----	----	----	0.001B/0.150A	----	----	0.031	+	0.006	.0021	----	----	----	----	10	UNCH
2500	----	----	----	----	0.001B/4.381A	----	----	0.061	+	0.012	.0043	----	----	----	----	32	UNCH
3000	----	----	----	----	0.002B/0.250A	----	----	0.117	+	0.025	.0084	----	----	----	----	93	UNCH
3100	----	----	----	----	0.003B/0.379A	----	----	0.133	+	0.030	.0096	----	----	----	----	1	UNCH
3150	----	----	----	----	0.002B/0.390A	----	----	0.148	+	0.033	.0105	----	----	----	----	1	UNCH
3500	----	----	----	----	0.011B/0.487A	----	----	0.274	+	0.063	.0185	----	----	----	----	45	UNCH
3850	----	----	----	----	0.114B/0.616A	----	----	0.403	+	0.096	.0270	----	----	----	----	1	UNCH
3925	----	----	----	----	0.142B/0.649A	----	----	0.436	+	0.105	.0292	----	----	----	----	1	UNCH
4000	----	----	----	----	0.174B/0.695A	----	----	0.470	+	0.113	.0314	----	----	----	----	75	UNCH
4500	----	----	----	----	0.482B/0.985A	----	----	0.783	+	0.213	.0512	----	----	----	----	35	UNCH
4600	----	----	----	----	0.570B/1.063A	----	----	0.863	+	0.239	.0561	----	----	----	----	4	UNCH
4800	----	----	----	0.767B/----	0.767B/1.232A	----	----	1.043	+	0.297	.0669	----	----	----	----	241	UNCH
5000	----	----	----	1.019B/----	1.019B/1.431A	----	----	1.258	+	0.365	.0795	----	----	----	----	378	UNCH
5250	----	----	----	1.426B/----	1.426B/1.730A	----	----	1.589	+	0.472	.0979	----	----	----	----	50	UNCH
5300	----	----	----	1.517B/----	1.517B/1.797A	----	----	1.664	+	0.496	.1020	----	----	----	----	250	UNCH
5400	----	----	----	1.626B/----	1.626B/1.939A	----	----	1.825	+	0.548	.1105	----	----	----	----	100	UNCH
5500	----	----	----	1.631B/----	1.631B/2.093A	----	----	2.000	+	0.604	.1195	----	----	----	----	229	UNCH
5600	----	----	----	----	1.493B/2.900A	----	----	2.190	+	0.664	.1290	----	----	----	----	8	UNCH
5650	----	----	----	1.612B/----	1.612B/2.940A	----	----	2.291	+	0.696	.1339	----	----	----	----	12	UNCH
5800	3.090	3.090		3.090/3.047A	3.090/3.047A	----	----	2.619	+	0.799	.1495	----	1	----	2	+	1
5950	----	----	----	2.359B/----	2.359B/3.459A	----	----	2.986	+	0.913	.1662	----	----	----	----	5	UNCH
6000	----	----	----	2.514B/----	2.514B/3.594A	----	----	3.117	+	0.953	.1720	----	----	----	----	135	UNCH
6200	----	----	----	3.085B/----	3.085B/4.180A	----	----	3.688	+	1.124	.1961	----	----	----	----	13	UNCH
6300	----	----	----	3.417B/----	3.417B/4.334A	----	----	4.003	+	1.217	.2087	----	----	----	----	25	UNCH
6500	----	----	----	4.173B/----	4.173B/4.429A	----	----	4.691	+	1.413	.2348	----	----	----	----	737	UNCH
6650	----	----	----	4.727B/----	4.727B/5.761A	----	----	5.260	+	1.570	.2551	----	----	----	----	5	UNCH
6725	----	----	----	4.873B/----	4.873B/6.061A	----	----	5.561	+	1.650	.2654	----	----	----	----	4	UNCH
6750	----	----	----	5.145B/----	5.145B/6.163A	----	----	5.664	+	1.677	.2688	----	----	----	----	6	UNCH
6800	----	----	----	5.362B/----	5.362B/6.372A	----	----	5.874	+	1.732	.2758	----	----	----	----	79	UNCH
6850	----	----	----	5.629B/----	5.629B/6.585A	----	----	6.088	+	1.787	.2827	----	----	----	----	78	UNCH
6900	----	----	----	5.855B/----	5.855B/6.803A	----	----	6.308	+	1.844	.2897	----	----	----	----	1	UNCH
6950	----	----	----	6.086B/----	6.086B/7.025A	----	----	6.533	+	1.900	.2967	----	----	----	----	121	UNCH
7000	6.000	6.000		7.555/6.000	7.555/6.000	----	----	6.763	+	1.958	.3037	----	2	----	230	UNCH	
7075	----	----	----	6.425B/----	6.425B/7.602A	----	----	7.116	+	2.043	.3142	----	----	----	----	20	UNCH
7100	----	----	----	6.768B/----	6.768B/7.680A	----	----	7.237	+	2.073	.3177	----	----	----	----	2	UNCH
7200	----	----	----	7.289B/----	7.289B/8.153A	----	----	7.730	+	2.188	.3318	----	----	----	----	14	UNCH
7250	----	----	----	7.547B/----	7.547B/8.393A	----	----	7.984	+	2.247	.3388	----	----	----	----	48	UNCH
7500	----	----	----	8.926B/----	8.926B/9.681A	----	----	9.323	+	2.540	.3735	----	----	----	----	22	UNCH
7550	----	----	----	9.174B/----	9.174B/9.948A	----	----	9.604	+	2.598	.3804	----	----	----	----	1	UNCH
7800	----	----	----	10.670B/----	10.670B/11.320A	----	----	11.073	+	2.886	.4142	----	----	----	----	20	UNCH
7850	----	----	----	10.974B/----	10.974B/11.590A	----	----	11.379	+	2.942	.4208	----	----	----	----	10	UNCH
7875	----	----	----	10.791B/----	10.791B/11.945A	----	----	11.534	+	2.971	.4241	----	----	----	----	1	UNCH
7900	----	----	----	11.315B/----	11.315B/11.885A	----	----	11.689	+	2.999	.4273	----	----	----	----	19	UNCH
8000	----	----	----	11.949B/----	11.949B/12.508A	----	----	12.320	+	3.110	.4402	----	----	----	----	57	UNCH
8100	----	----	----	12.599B/----	12.599B/13.131A	----	----	12.966	+	3.219	.4528	----	----	----	----	1	UNCH
8200	----	----	----	13.262B/----	13.262B/13.749A	----	----	13.625	+	3.325	.4651	----	----	----	----	35	UNCH
8350	----	----	----	14.281B/----	14.281B/14.723A	----	----	14.640	+	3.480	.4831	----	----	----	----	9	UNCH
8400	----</																

BULLETIN # 93@				METALS OPTION PRODUCTS						Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S03 CALL	SILVER OPTIONS													
MAY26														
7150	----	----	----	----	----	6.047 - 7.782	----	----	----	----	----	0	UNCH	
7200	----	----	----	----	----	5.547 - 7.782	----	----	----	----	----	0	UNCH	
7250	----	----	----	----	----	5.047 - 7.783	----	2	----	----	----	0 -	2	
7400	----	----	----	----	----	3.547 - 7.785	----	5	----	----	----	0 -	5	
7450	----	----	-----/4.258A	0.568B/4.258A	----	3.047 - 7.786	----	1	----	----	----	0 -	1	
7500	----	----	-----/3.903A	1.800B/3.903A	----	2.547 - 7.788	----	3	----	----	----	0 -	3	
7600	2.800	2.800	3.080/*1.086A	3.080/*1.086A	----	1.547 - 7.793	----	2	----	3	----	0 -	4	
7700	0.390	0.390	0.660/*0.080A	1.288B/*0.080A	----	0.547 - 7.803	----	48	----	4	25	0 -	50	
7720	0.510	0.510	#0.547/*0.192A	1.468B/*0.192A	----	0.347 NEW	----	----	----	4	----	0	UNCH	
7740	0.510	0.510	#0.510/*0.180A	1.461B/*0.180A	----	0.147 NEW	----	1	----	1	----	0	UNCH	
7750	0.150	0.150	0.150/*0.150	1.469B/*0.150	----	0.047 - 7.810	----	6	----	5	----	0 -	1	
7800	2.000	2.000	2.000/*0.007	2.000/*0.007	----	0.000 - 7.367	----	----	----	71	----	0 -	2	
7850	1.050	1.050	1.050/*0.005	1.358B/*0.005	----	0.000 - 6.874	----	----	----	83	----	0 -	2	
7900	1.200	1.200	1.265B/*0.005	1.265B/*0.005	----	0.000 - 6.383	----	----	----	64	----	0 -	3	
7920	0.732	0.732	#0.732/*0.150A	1.116B/*0.150A	----	0.000 NEW	----	----	----	2	----	0	UNCH	
7950	0.457	0.457	0.457/*0.147A	0.947B/*0.147A	----	0.000 NEW	----	----	----	12	----	0	UNCH	
8000	0.600	0.600	0.880/*0.028	1.188B/*0.028	----	0.000 - 5.409	----	----	----	50	----	0 -	17	
8100	0.280	0.280	0.280/*0.008	1.246B/*0.008	----	0.000 - 4.453	----	----	----	7	----	0 -	11	
8150	1.050	1.050	1.050/*0.138A	1.136B/*0.138A	----	0.000 NEW	----	----	----	4	----	0	UNCH	
8200	0.500	0.500	0.500/*0.050	1.124B/*0.050	----	0.000 - 3.533	----	----	----	110	----	0 -	12	
8250	----	----	----/*0.127A	1.089B/*0.127A	----	0.000 - 3.094	----	----	----	----	----	0 -	2	
8300	0.450	0.450	0.650/*0.027	1.035B/*0.027	----	0.000 - 2.676	----	----	----	9	----	0 -	13	
8320	0.700	0.700	0.700/*0.136A	1.038B/*0.136A	----	0.000 NEW	----	----	----	1	----	0	UNCH	
8350	0.665	0.665	0.665/*0.001A	1.154B/*0.001A	----	0.000 - 2.281	----	----	----	6	----	0 -	1	
8400	0.240	0.240	0.240/*0.001A	1.046B/*0.001A	----	0.000 - 1.916	----	----	----	3	----	0 -	26	
8420	----	----	----/*0.133A	0.911B/*0.133A	----	0.000 - 1.778	----	----	----	----	----	0 -	1	
8450	0.180	0.180	0.180/*0.001A	0.759B/*0.001A	----	0.000 - 1.583	----	----	----	2	----	0 -	1	
8480	----	----	----/*0.110A	0.622B/*0.110A	----	0.000 - 1.400	----	----	----	----	----	0 -	1	
8500	0.650	0.650	0.650/*0.010	0.650/*0.010	----	0.000 - 1.286	----	----	----	43	----	0 -	32	
8510	0.550	0.550	0.550/*0.103A	0.550/*0.103A	----	0.000 NEW	----	----	----	1	----	0	UNCH	
8600	----	----	----/*0.102A	0.231B/*0.102A	----	0.000 - 0.804	----	----	----	----	----	0 -	8	
8650	0.055	0.055	0.085/*0.055	0.098B/*0.055	----	0.000 - 0.618	----	----	----	3	----	0 -	14	
8660	0.018	0.018	0.018/*0.018	0.080B/*0.018	----	0.000 - 0.585	----	----	----	1	----	0 -	1	
8700	0.090	0.090	0.090/*0.090	0.101B/*0.090	----	0.000 - 0.466	----	----	----	1	----	0 -	25	
8730	----	----	----/*0.131A	0.006B/*0.131A	----	0.000 - 0.389	----	----	----	----	----	0	UNCH	
8750	0.130	0.130	0.130/*0.001	0.130/*0.001	----	0.000 - 0.344	----	----	----	12	----	0 -	6	
8800	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.000 - 0.251	----	----	----	1	----	0 -	18	
8850	----	----	----/*0.129A	0.001B/*0.129A	----	0.000 - 0.181	----	----	----	----	----	0 -	11	
8880	----	----	----/*0.133A	0.002B/*0.133A	----	0.000 - 0.148	----	----	----	----	----	0 -	2	
8900	----	----	----	0.001B/*0.130A	----	0.000 - 0.129	----	----	----	----	----	0 -	15	
8950	0.001	0.001	0.001/*0.001	0.030B/*0.001	----	0.000 - 0.091	----	----	----	1	----	0 -	1	
9000	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.064	----	----	----	11	----	0 -	78	
9050	----	----	----	----/0.120A	----	0.000 - 0.045	----	----	----	----	----	0 -	1	
9100	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.031	----	----	----	1	----	0 -	9	
9200	----	----	----/*0.102A	0.000 - 0.015	----	0.000 - 0.015	----	----	----	----	----	0 -	155	
9250	----	----	0.031B/----	0.031B/0.097A	----	0.000 - 0.011	----	----	----	----	----	0 -	112	
9320	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.007	----	----	----	1	----	0 -	1	
9400	----	----	----/*0.083A	0.000 - 0.004	----	0.000 - 0.004	----	----	----	----	----	0 -	26	
9500	----	----	----/*0.075A	0.000 - 0.002	----	0.000 - 0.002	----	----	----	----	----	0 -	151	
9600	----	----	----/*0.067A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
9700	----	----	----/0.062A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	2	
9750	----	----	----/0.060A	0.000 - 0.001	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
9800	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.000 - 0.001	----	----	----	2	----	0 -	22	
10000	----	----	----	----/0.060A	----	0.000 - 0.001	----	----	----	----	----	0 -	14	
TOTAL											519	25	0 - 864	
S03 PUT	SILVER OPTIONS													
MAY26														
6400	----	----	----	----/0.143A	----	0.000 - 0.001	----	----	----	----	----	0 -	10	
6500	----	----	----	----/0.160A	----	0.000 - 0.001	----	----	----	----	----	0 -	18	
6600	----	----	----	----/0.181A	----	0.000 - 0.001	----	----	----	----	----	0 -	16	
6700	----	----	----	----/0.199A	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
6750	----	----	----	----/0.211A	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
6800	----	----	----	----/0.208A	----	0.000 - 0.001	----	----	----	----	----	0 -	5	
6900	----	----	----	----/0.154A	----	0.000 - 0.001	----	----	----	----	----	0 -	2	
7000	0.010	0.010	0.010/*0.001	0.010/*0.001	----	0.000 - 0.001	----	----	----	10	----	0 -	13	
7150	----	----	----	0.001B/0.136A	----	0.000 - 0.001	----	----	----	----	----	0 -	1	
7200	----	----	----	0.001B/0.134A	----	0.000 - 0.001	----	----	----	----	----	0 -	4	
7250	----	----	----	0.001B/0.126A	----	0.000 - 0.002	----	----	----	----	----	0 -	1	
7300	----	----	----	0.002B/0.080A	----	0.000 - 0.002	----	----	----	----	----	0 -	4	
7350	----	----	0.004B/----	0.004B/0.126A	----	0.000 - 0.003	----	----	----	----	----	0 -	1	
7400	----	----	0.044B/----	0.044B/*0.127A	----	0.000 - 0.004	----	----	----	----	----	0 -	7	
7450	----	----	0.067B/----	0.067B/*0.129A	----	0.000 - 0.005	----	----	----	----	----	0 -	11	
7500	0.055	0.055	0.250/0.045	0.250/0.045	----	0.000 - 0.007	----	----	----	24	----	0 -	16	
7550	----	----	0.195B/----	0.195B/0.133A	----	0.000 - 0.009	----	----	----	1	----	0 -	1	
7600	0.379	0.379	0.490/*0.010	0.490/*0.010	----	0.000 - 0.012	----	----	----	21	----	0 -	7	
7650	0.505	0.505	0.561B/*0.175	0.561B/0.135A	----	0.000 NEW	----	----	----	13	----	0	UNCH	
7700	0.100	0.100	0.814B/0.060	0.814B/0.060	----	0.000 - 0.022	----	----	----	115	----	0 -	47	
7750	----	----	0.717B/----	0.717B/0.134A	----	0.000 - 0.029	----	----	----	----	----	0 -	1	
7800	0.075	0.075	1.100/0.075	1.100/0.075	----	0.453 + 0.414	16	----	12	----	----	0 -	16	
7810	0.150	0.150	#1.050/0.150	#1.050/0.149A	----	0.553 NEW	1	----	10	----	----	0	UNCH	
7850	1.155	1.155	1.168B/0.465	1.168B/0.162A	----	0.953 + 0.907	4	----	3	----	----			



PG64	BULLETIN # 93@				METALS OPTION PRODUCTS					Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S04 CALL SILVER OPTIONS														
MAY26														
8550	----	----	----/*0.509A	1.866B/*0.509A	----	0.449 - 2.261	.1205	----	----	----	----	27	UNCH	
8600	----	----	----/0.454A	1.701B/0.454A	----	0.402 - 2.078	.1083	----	----	----	----	56	UNCH	
8700	----	----	----/0.388A	1.355B/0.388A	----	0.325 - 1.740	.0877	----	----	----	----	1	UNCH	
8750	----	----	----/*0.367A	1.175B/*0.367A	----	0.293 - 1.588	.0790	----	----	----	----	16	UNCH	
8800	0.800	0.800	0.800/*0.228A	1.066B/*0.228A	----	0.264 - 1.447	.0711	----	----	3	----	8 +	1	
9000	0.850	0.850	0.850/*0.150A	0.850/*0.150A	----	0.180 - 0.979	.0476	----	----	2	----	1 +	1	
9050	----	----	----/*0.237A	0.518B/*0.237A	----	0.164 - 0.885	.0431	----	----	----	----	0	UNCH	
9100	----	----	----/*0.218A	0.472B/*0.218A	----	0.150 - 0.799	.0392	----	----	----	----	3	UNCH	
9200	----	----	----/*0.199A	0.351B/*0.199A	----	0.126 - 0.648	.0324	----	----	----	----	25	UNCH	
9250	----	----	----/*0.194A	0.277B/*0.194A	----	0.116 - 0.583	.0296	----	----	----	----	20	UNCH	
9300	----	----	----/*0.187A	0.258B/*0.187A	----	0.104 - 0.529	.0265	----	----	----	----	25	UNCH	
9400	0.201	0.201	0.250/*0.176A	0.250/*0.176A	----	0.084 - 0.436	.0212	----	----	5	----	10 +	3	
9500	0.350	0.350	0.350/*0.168A	0.350/*0.168A	----	0.068 - 0.359	.0170	----	----	2	----	41 +	2	
9800	----	----	----/*0.136A	0.056B/*0.136A	----	0.036 - 0.199	.0087	----	----	----	----	1	UNCH	
10000	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.024 - 0.135	.0056	----	----	1	----	5 +	1	
10500	----	----	----	0.010B/0.124A	----	0.009 - 0.052	.0019	----	----	----	----	3	UNCH	
TOTAL										39	0	317 +	23	
S04 PUT SILVER OPTIONS														
MAY26														
6600	0.180	0.180	0.180/0.180	0.180/0.170A	----	0.183	NEW	.0421	----	1	----	1 +	1	
6900	0.330	0.330	0.395B/0.330	0.395B/0.191A	----	0.354 + 0.287	.0851	----	----	1	----	2 +	1	
7000	0.130	0.130	0.526B/*0.130	0.526B/*0.130	----	0.443 + 0.361	.1073	----	13	----	----	8 +	3	
7200	0.500	0.500	0.915B/0.500	0.915B/0.258A	----	0.696	NEW	.1685	4	----	----	2 +	2	
7250	0.720	0.720	1.017B/0.720	1.017B/0.295A	----	0.779	NEW	.1880	5	----	----	5 +	5	
7300	1.335	1.335	1.335/0.944	1.335/0.310A	----	0.873	NEW	.2094	3	----	----	2 +	2	
7350	----	----	1.314B/----	1.314B/0.357A	----	0.977 + 0.801	.2326	----	----	----	----	1	UNCH	
7450	----	----	1.671B/----	1.671B/0.430A	----	1.224 + 1.001	.2851	----	----	----	----	1	UNCH	
7500	0.500	0.500	1.902B/0.500	1.902B/0.460A	----	1.368 + 1.116	.3142	----	3	----	----	3 +	1	
7600	2.200	2.200	2.348B/2.200	2.348B/0.560A	----	1.734 + 1.406	.3788	----	2	----	----	3 +	2	
7700	0.820	0.820	2.855B/0.820	2.855B/0.688A	----	2.195 + 1.766	.4474	----	1	----	----	6 +	1	
7750	1.100	1.100	3.104B/1.100	3.104B/0.779A	----	2.450	NEW	.4818	11	----	----	10 +	10	
7800	----	----	3.426B/----	3.426B/0.883A	----	2.722 + 2.166	.5159	----	----	----	----	3	UNCH	
7900	----	----	3.703B/----	3.703B/1.040A	----	3.313 + 2.599	.5823	----	----	----	----	5	UNCH	
8000	1.150	1.150	#3.891B/1.150	3.891B/1.150	----	3.965 + 3.056	.6447	----	1	----	----	1 +	1	
8200	----	----	#5.068B/----	5.068B/1.943A	----	5.432 + 3.999	.7527	----	----	----	----	3	UNCH	
8250	6.603	6.603	#6.603/6.603	#6.603/2.174A	----	5.828	NEW	.7757	1	----	----	1 +	1	
8300	----	----	#5.643B/----	#5.643B/2.356A	----	6.235 + 4.463	.7970	----	----	----	----	0	UNCH	
8400	6.750	6.750	#6.750/6.000	#6.750/2.839A	----	7.076 + 4.906	.8346	----	2	----	----	0 -	2	
8500	----	----	#5.373B/----	5.373B/3.370A	----	7.950 + 5.321	.8658	----	----	----	----	1	UNCH	
8600	----	----	3.786B/----	3.786B/3.956A	----	8.850 + 5.699	.8916	----	----	----	----	1	UNCH	
8700	----	----	10.463B/----	10.463B/11.296A	----	9.772 + 6.036	.9122	----	----	----	----	1	UNCH	
TOTAL										48	0	60 +	28	
S05 CALL SILVER OPTIONS														
MAY26														
8200	----	----	----/1.593A	3.574B/1.593A	----	1.729	NEW	.3194	----	1	----	1 +	1	
8300	----	----	----/1.395A	3.532B/1.395A	----	1.477	NEW	.2813	----	1	----	1 +	1	
8400	----	----	----/1.230A	3.430B/1.230A	----	1.261 - 3.116	.2468	----	----	----	----	2	UNCH	
8600	----	----	----/0.957A	2.573B/0.957A	----	0.920 - 2.482	.1881	----	----	----	----	2	UNCH	
8700	----	----	----/0.859A	2.215B/0.859A	----	0.788 - 2.197	.1638	----	----	----	----	2	UNCH	
8800	----	----	----/0.760A	1.898B/0.760A	----	0.679 - 1.933	.1429	----	----	----	----	2	UNCH	
8900	----	----	----/0.680A	1.621B/0.680A	----	0.587 - 1.695	.1247	----	3	----	----	0 -	1	
9200	0.470	0.470	0.470/*0.470	0.982B/*0.470	----	0.395 - 1.121	.0848	----	4	----	----	0 -	2	
9500	----	----	----/0.348A	0.579B/0.348A	----	0.281 - 0.730	.0597	----	----	9	0	11 -	1	
TOTAL														
S05 PUT SILVER OPTIONS														
MAY26														
6700	0.350	0.350	#0.462B/0.350	0.462B/0.241A	----	0.480	NEW	.0951	----	20	----	20 +	20	
6900	0.380	0.380	#0.750B/0.380	0.750B/0.299A	----	0.722	NEW	.1386	2	----	----	2 +	2	
7000	----	----	0.945B/----	0.945B/0.353A	----	0.878 + 0.691	.1654	----	----	----	----	2	UNCH	
7300	----	----	#1.783B/----	1.783B/0.580A	----	1.539	NEW	.2685	1	----	----	1 +	1	
7400	----	----	#2.166B/----	2.166B/0.695A	----	1.836	NEW	.3102	1	----	----	1 +	1	
8000	4.085	4.085	#5.198B/4.085	#5.198B/1.998A	----	4.800 + 3.245	.5954	----	1	----	----	2	UNCH	
8300	----	----	#6.427B/----	6.427B/3.223A	----	6.924 + 4.314	.7185	----	----	----	----	2	UNCH	
8400	----	----	#7.149B/----	#7.149B/3.727A	----	7.706 + 4.655	.7531	----	----	----	----	5	UNCH	
8500	----	----	#8.036B/----	#8.036B/4.268A	----	8.521 + 4.983	.7842	----	----	----	----	4	UNCH	
TOTAL										25	0	39 +	24	
SWM WED SILVER WEEKLY WEDNESDAY OPTION WEEK														
MAY26														
6400	----	----	0.003B/----	0.003B/0.138A	----	0.012 + 0.010	.0030	----	----	----	----	1	UNCH	
6750	0.165	0.165	0.165/0.165	0.165/0.138A	----	0.060	NEW	.0176	----	1	----	1 +	1	
6800	0.158	0.158	0.158/0.158	0.158/0.134A	----	0.074 + 0.065	.0220	----	1	----	----	4	UNCH	
6850	----	----	0.514B/----	0.514B/0.233A	----	0.501 + 0.415	.1075	----	----	----	----	1	UNCH	
6850	0.190	0.190	0.190/0.190	0.190/0.137A	----	0.090	NEW	.0272	1	----	----	1 +	1	
6900	0.240	0.240	0.310/0.210	0.310/0.166A	----	0.109	NEW	.0334	14	----	----	14 +	14	
6950	0.270	0.270	0.270/0.270	0.270/0.169A	----	0.132	NEW	.0409	1	----	----	1 +	1	
7000	----	----	0.275B/----	0.275B/0.172A	----	0.160 + 0.141	.0500	----	2	----	----	5	UNCH	
7200	0.545	0.545	0.557B/0.545	0.557B/0.194A	----	0.335	NEW	.1061	1	----	----	1 +	1	
7500	0.851	0.851	1.406B/0.800	1.406B/0.301A	----	0.922 + 0.804	.2728	----	2	----	----	1	UNCH	
7600	1.250	1.250	1.830B/1.250	1.830B/0.380A	----	1.263	NEW	.3529	2	----	----	1 +	1	
7700	----	----	2.327B/----	2.327B/0.468A	----	1.697 + 1.462	.4399	----	----	----	----	3	UNCH	
7700	1.950	1.950	1.950/1.838A	2.565B/1.838A	----	2.244	NEW	.5600	5	----	----	5 +	5	
7750	1.694	1.694	1.694/1.657A	2.590B/1.657A	----	1.992	NEW	.5157	2	----	----	2 +	2	
7750	----	----	2.575B/----	2.575B/0.543A	----	1.945	NEW	.4842	1	----	----	1 +	1	
7800	----	----	2.803B/----	2.803B/0.586A	----	2.213	NEW	.5282	2	----	----	2 +	2	
7880	----	----	----	#2.424B/*1.213A	----	1.430	NEW	.4030	100	----	----	100 +	100	
7930	----	----	----	#2.151B/*1.074A	----	1.248	NEW	.3620	100	----	----	100 +	100	
8000	0.778	0.778	0.810/*0.778	2.308B/*0.778	----	1.023	NEW	.3077	10	----	----	10 +	10	
8100	----	----	#4.836B/----	4.836B/2.039A	----	5.084 + 3.475	.6637	----	----	----	----	1	UNCH	
8200	----	----	4.247B/----	4.247B/1.522A	----	5.001 + 3.961	.8208	----	----	----	----	2	UNCH	
8300	----	----	----/*0.463A	2.354B/*0.463A	----	0.391	NEW	.1308	2	----	----	2 +	2	
8320	0.309	0.309	#0.309/*0.309	2.347B/*0.309	----	0.365	NEW	.1225	1	----	----	1 +	1	
8400	----	----	#6.810B/----	#6.810B/2.363A	----	6.723 + 5.005	.9072	----	----	----	----	1	UNCH	
8500	0.850	0.850	0.850/*0.289A	1.641B/*0.289A	----	0.186 - 2.302	.0640	----	1	----	----	1	UNCH	
8650	0.654	0.654	0.654/*0.654	2.004B/*0.654	----	0.487	NEW	.1254	1	----	----	1 +	1	
8700	0.130	0.130	0.130/*0.130	0.913B/*0.130	----	0.079	NEW	.0272	1</					

BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
TWS TUE	SILVER WEEKLY TUESDAY OPTION week3													
MAY26														
8500	----	----	----/*0.186A	1.361B/*0.186A	----	0.079 - 2.132	.0299	----	----	----	----	1	UNCH	
8560	----	----	----/*0.175A	1.085B/*0.175A	----	0.057 - 1.862	.0212	----	----	----	----	1	UNCH	
8630	----	----	----/*0.157A	0.836B/*0.157A	----	0.039 - 1.574	.0140	----	----	----	----	2	UNCH	
8660	0.078	0.078	#0.078/*0.078	0.742B/*0.078	----	0.033 NEW	.0117	----	----	1	----	1 +	1	
8700	----	----	----/*0.105A	0.656B/*0.105A	----	0.026 - 1.317	.0090	----	----	----	----	4	UNCH	
8700	----	----	6.532B/----	6.532B/8.705A	----	9.477 + 6.463	.9909	----	----	----	----	4	UNCH	
8900	----	----	----/*0.125A	0.247B/*0.125A	----	0.008 - 0.747	.0024	----	----	----	----	1	UNCH	
9000	----	----	----/*0.125A	0.134B/*0.125A	----	0.004 - 0.545	.0011	----	----	----	----	1	UNCH	
9100	----	----	----/*0.123A	0.065B/*0.123A	----	0.002 - 0.389	.0005	----	----	----	----	3	UNCH	
9300	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.001 - 0.203	.0000	----	----	3	----	3	UNCH	
10000	----	----	----	0.001B/0.138A	----	0.001 - 0.019	----	----	----	----	----	2	UNCH	
TOTAL										147	0	124 +	91	
JUN26														
6500	----	----	0.335B/----	0.335B/0.244A	----	0.467 + 0.339	.0837	----	----	----	----	1	UNCH	
7100	----	----	1.348B/----	1.348B/0.525A	----	1.338 + 0.994	.2177	----	----	----	----	2	UNCH	
7700	3.980	3.980	#3.980/*3.960	4.613B/*3.960	----	4.593 NEW	.5478	----	----	3	----	3 +	3	
7800	----	----	#5.009B/----	#5.009B/2.270A	----	4.595 + 2.833	.4892	----	----	----	----	1	UNCH	
8000	----	----	----/2.384A	3.713B/2.384A	----	2.564 - 4.518	.4137	----	----	----	----	4	UNCH	
8000	----	----	#5.486B/----	#5.486B/2.304A	----	5.013 + 3.250	.5861	----	----	----	----	9	UNCH	
8100	----	----	----/*2.792A	4.398B/*2.792A	----	3.007 NEW	.4051	----	----	8	----	8 +	8	
8200	----	----	----/1.881A	3.827B/1.881A	----	1.900 - 3.904	.3317	----	----	----	----	4	UNCH	
8500	----	----	----/*1.931A	4.071B/*1.931A	----	1.930 - 3.040	.2860	----	----	9	----	8 -	4	
8800	----	----	----/0.975A	2.216B/0.975A	----	0.760 - 2.212	.1547	----	----	----	----	1	UNCH	
9700	----	----	----/*0.684A	1.112B/*0.684A	----	0.562 - 1.076	.0948	----	----	1	----	11 +	1	
TOTAL										21	0	52 +	8	
COPPER OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HMW MON	COPPER WEEKLY MONDAY OPTION WEEK3													
MAY26														
450	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	4	UNCH	
600	----	----	----/0.2810A	0.5760B/0.2810A	----	0.2955 - 0.3165	.9987	----	----	----	----	17	UNCH	
600	----	----	----/0.0065A	0.0005B/0.0065A	----	0.0005 UNCH	.0013	----	----	----	----	1	UNCH	
610	----	----	----/0.1850A	0.4765B/0.1850A	----	0.1975 - 0.3145	.9715	----	----	----	----	1	UNCH	
615	----	----	----/0.1400A	0.4265B/0.1400A	----	0.1515 - 0.3105	.9207	----	----	----	----	5	UNCH	
615	0.0105	0.0105	0.0105/*0.0105	0.0105/0.0080A	----	0.0065 + 0.0060	.0791	----	----	1	----	5 +	1	
620	----	----	----/0.0990A	0.3770B/0.0990A	----	0.1095 - 0.3025	.8227	----	----	----	----	1	UNCH	
621	0.0195	0.0195	#0.0205B/*0.019	#0.0205B/*0.015	----	0.0165 NEW	.2018	----	----	1	----	1 +	1	
622	----	----	#0.0240B/----	#0.0240B/0.0155	----	0.0185 NEW	.2274	----	----	3	----	3 +	3	
625	----	----	0.0350B/----	0.0350B/0.0095A	----	0.0265 + 0.0260	.3215	----	----	----	----	5	UNCH	
628	0.0460	0.0460	0.0460/*0.0415	0.1630B/*0.0415	----	0.0525 NEW	.5645	----	----	3	----	3 +	3	
628	0.0445	0.0445	#0.0495B/0.0420	#0.0495B/0.0165	----	0.0375 NEW	.4353	----	----	2	----	2 +	2	
630	----	----	----/0.0400A	0.2795B/0.0400A	----	0.0415 - 0.2710	.4820	----	----	----	----	15	UNCH	
634	----	----	----/*0.0260A	0.1485B/*0.0260	----	0.0245 NEW	.3188	----	----	3	----	3 +	3	
635	0.0610	0.0610	0.0610/0.0205	0.2325B/0.0205	----	0.0215 NEW	.2830	----	----	6	----	6 +	6	
635	0.0650	0.0650	0.0915B/0.0650	0.0915B/0.0140A	----	0.0760 NEW	.7168	----	----	10	----	10 +	10	
639	0.0125	0.0125	0.0125/*0.0125	0.1320B/*0.0125	----	0.0115 NEW	.1586	----	----	1	----	1 +	1	
640	0.0100	0.0100	0.0100/0.0100	0.1870B/0.0100	----	0.0100 NEW	.1369	----	----	10	----	10 +	10	
640	----	----	0.1305B/----	0.1305B/0.0190A	----	0.1150 + 0.1085	.8629	----	----	----	----	0	UNCH	
642	0.0670	0.0670	0.0670/*0.0130A	0.1040B/*0.0130	----	0.0075 NEW	.1006	----	----	3	----	3 +	3	
643	0.0050	0.0050	0.0050/*0.0050	0.0950B/*0.0050	----	0.0065 NEW	.0859	----	----	2	----	2 +	2	
645	0.0170	0.0170	0.0170/0.0115A	0.1445B/0.0115A	----	0.0045 NEW	.0584	----	----	10	----	10 +	10	
645	----	----	0.1750B/----	0.1750B/0.0275A	----	0.1595 + 0.1455	.9415	----	----	----	----	15	UNCH	
646	0.0450	0.0450	0.0450/*0.0055	0.0875B/*0.0055	----	0.0040 NEW	.0505	----	----	15	----	10 +	10	
650	0.0540	0.0540	0.0540/*0.0085A	0.1070B/0.0085A	----	0.0020 NEW	.0231	----	----	8	----	4 +	4	
660	0.0220	0.0220	0.0220/*0.0025	0.0510B/*0.0025	----	0.0005 - 0.0770	.0014	----	----	7	----	9 +	3	
660	----	----	0.3225B/----	0.3225B/0.0880A	----	0.3055 + 0.2395	.9986	----	----	----	----	1	UNCH	
665	0.0050	0.0050	0.0050/*0.0050	0.0325B/*0.0050	----	0.0005 - 0.0560	.0002	----	----	5	----	5	UNCH	
675	----	----	----/*0.0065A	0.0095B/*0.0065	----	0.0005 - 0.0280	.0000	----	----	----	----	5	UNCH	
678	----	----	----/*0.0055A	0.0025B/*0.0055	----	0.0005 - 0.0225	----	----	----	----	----	1	UNCH	
700	----	----	----	----/*0.0060A	----	0.0005 - 0.0030	----	----	----	----	----	15	UNCH	
TOTAL										90		173 +	72	
JUN26														
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	14	UNCH	
500	----	----	----	----/0.0080A	----	0.0005 UNCH	.0023	----	----	----	----	5	UNCH	
580	----	----	0.0325B/----	0.0325B/0.0155A	----	0.0310 + 0.0205	.1234	----	----	----	----	1	UNCH	
595	----	----	0.0370B/----	0.0370B/0.0140A	----	0.0350 + 0.0265	.1613	----	----	----	----	1	UNCH	
600	----	----	----/0.3500A	0.5125B/0.3500A	----	0.3390 - 0.2825	.8022	----	----	----	----	1	UNCH	
630	----	----	----/0.1480A	0.2970B/0.1480A	----	0.1505 - 0.2075	.5062	----	----	----	----	1	UNCH	
635	----	----	0.2300B/----	0.2300B/0.1055A	----	0.2170 + 0.1250	.5325	----	----	----	----	1	UNCH	
640	0.1180	0.1180	0.1180/0.1110A	0.2580B/0.1110A	----	0.1105 - 0.1765	.4036	----	----	1	----	6	UNCH	
640	----	----	----/*0.1730A	0.3040B/*0.1730	----	0.1745 - 0.1775	.4410	----	----	----	----	1	UNCH	
650	----	----	#0.3580B/----	#0.3580B/0.2160	----	0.3445 + 0.1585	.6251	----	----	----	----	3	UNCH	
665	----	----	----/0.0505A	0.1350B/0.0505A	----	0.0480 + 0.1080	.2039	----	----	2	----	25 -	2	
675	----	----	----/0.0370A	0.1015B/0.0370A	----	0.0335 - 0.0855	.1490	----	----	----	----	1	UNCH	
700	----	----	----/*0.0520A	0.0875B/*0.0520	----	0.0465 - 0.0750	.1469	----	----	----	----	29	UNCH	
725	----	----	----/0.0100A	0.0200B/0.0100A	----	0.0065 - 0.0215	.0310	----	----	----	----	14	UNCH	
775	0.0065	0.0065	0.0065/*0.0065	0.0085B/*0.0065	----	0.0040 NEW	.0165	----	----	1	----	1 +	1	
TOTAL										4		104 -	1	
HWR THU	COPPER WEEKLY THURSDAY OPT week3													
MAY26														
450	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----				



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HWT TUE	COPPER WEEKLY TUESDAY OPTION week3														
TOTAL												31		29 -	8
JUN26															
450	----	----	----	----	----/0.0080A	----	----	0.0005 UNCH	.0003	----	----	----	----	14	UNCH
550	----	----	----	#0.0165B/----	#0.0165B/0.0190	----	----	0.0145 NEW	.0558	----	----	1	----	1 +	1
590	----	----	----	#0.0745B/----	#0.0745B/0.0405	----	----	0.0695 NEW	.2110	----	----	1	----	1 +	1
595	----	----	----	0.0655B/----	0.0655B/0.0270A	----	----	0.0610 +	0.0395	.2122	----	----	----	1	UNCH
615	----	----	----	0.1325B/----	0.1325B/0.0545A	----	----	0.1240 +	0.0780	.3624	----	----	----	1	UNCH
620	----	----	----	0.1555B/----	0.1555B/0.0660A	----	----	0.1460 +	0.0900	.4045	----	----	----	1	UNCH
640	0.2000	0.2000		0.2700B/0.2000	0.2700B/0.1330A	----	----	0.2565 +	0.1390	.5692	----	3	----	5	UNCH
670	----	----	----	----/0.0740A	0.1635B/0.0740A	----	----	0.0715 -	0.1110	.2354	----	----	----	107	UNCH
685	0.0350	0.0350		0.0350/*0.0305A	0.0820B/*0.0305	----	----	0.0270 NEW	.1182	----	----	2	----	2 +	2
750	----	----	----	----/0.0085A	0.0085B/0.0085A	----	----	0.0030 -	0.0130	.0144	----	----	----	10	UNCH
TOTAL												7		143 +	4
HWW WED	COPPER WEEKLY WEDNESDAY OPTION WEEK														
MAY26															
450	----	----	----	----	----/0.0070A	----	----	0.0005 UNCH	----	----	----	----	----	4	UNCH
570	----	----	----	----	----/0.0065A	----	----	0.0005 UNCH	.0005	----	----	----	----	1	UNCH
575	----	----	----	0.0065B/----	0.0065B/0.0105A	----	----	0.0090 +	0.0070	.0496	----	----	----	2	UNCH
585	----	----	----	----	----/0.0075A	----	----	0.0010 +	0.0005	.0077	----	----	----	13	UNCH
610	----	----	----	0.0150B/----	0.0150B/0.0095A	----	----	0.0165 +	0.0150	.1347	----	----	----	1	UNCH
620	----	----	----	0.0410B/----	0.0410B/0.0120A	----	----	0.0375 +	0.0340	.2869	----	----	----	1	UNCH
630	0.0730	0.0730		0.0730/0.0700	0.2865B/0.0700	----	----	0.0725 NEW	.4937	----	----	35	----	35 +	35
635	0.0965	0.0965		0.0965/0.0965	0.2460B/0.0965	----	----	0.1035 -	0.1980	.4393	----	1	----	1	UNCH
650	----	----	----	0.2360B/----	0.2360B/0.0650A	----	----	0.2205 +	0.1740	.8681	----	----	----	1	UNCH
655	----	----	----	----/0.0500A	0.1490B/0.0500A	----	----	0.0465 -	0.1270	.2294	----	----	----	7	UNCH
660	----	----	----	----/0.0145A	0.0785B/0.0145A	----	----	0.0065 -	0.0955	.0552	----	----	----	6	UNCH
670	----	----	----	----/*0.0290A	0.0885B/0.0290A	----	----	0.0250 -	0.0850	.1310	----	----	----	0	UNCH
TOTAL												36		72 +	35
JUN26															
465	----	----	----	----	----/0.0080A	----	----	0.0005 UNCH	.0003	----	----	----	----	10	UNCH
470	----	----	----	----	----/0.0080A	----	----	0.0005 UNCH	.0004	----	----	----	----	4	UNCH
490	----	----	----	----	----/0.0080A	----	----	0.0005 UNCH	.0022	----	----	----	----	7	UNCH
500	----	----	----	----	----/0.0085A	----	----	0.0010 +	0.0005	.0044	----	----	----	1	UNCH
555	0.0085	0.0085		0.0085/*0.0085	0.0085/*0.0085	----	----	0.0090 +	0.0050	.0408	----	1	----	1	UNCH
595	----	----	----	----/0.4040A	0.5815B/0.4040A	----	----	0.3870 -	0.2855	.8210	----	----	----	5	UNCH
595	----	----	----	0.0455B/----	0.0455B/0.0175A	----	----	0.0425 +	0.0310	.1785	----	----	----	5	UNCH
600	0.3425	0.3425		0.3425/0.3425	0.5775B/0.3425	----	----	0.3475 -	0.2775	.7854	----	1	----	2 +	1
606	----	----	----	0.0745B/----	0.0745B/0.0250A	----	----	0.0685 +	0.0495	.2623	----	----	----	1	UNCH
610	----	----	----	----/0.2665A	0.4870B/0.2665A	----	----	0.2750 -	0.2585	.7023	----	----	----	8	UNCH
620	----	----	----	----/0.2080A	0.4030B/0.2080A	----	----	0.2135 -	0.2335	.6069	----	----	----	1	UNCH
636	0.1410	0.1410		0.2160B/0.1410	0.2160B/0.0890A	----	----	0.2025 +	0.1265	.5498	----	1	----	1	UNCH
650	0.1300	0.1300		0.1300/0.0940A	0.2135B/0.0940A	----	----	0.0915 -	0.1500	.3279	----	9	----	15 +	9
650	0.1650	0.1650		#0.1650/*0.1365	0.2315B/*0.1365	----	----	0.1200 NEW	.3578	----	----	1	----	1 +	1
655	----	----	----	0.3465B/----	0.3465B/0.1715A	----	----	0.3335 +	0.1795	.7090	----	----	----	0	UNCH
660	----	----	----	----/0.0710A	0.1710B/0.0710A	----	----	0.0680 -	0.1240	.2561	----	----	----	8	UNCH
705	----	----	----	----/0.0205A	0.0510B/0.0205A	----	----	0.0180 -	0.0460	.0762	----	----	----	7	UNCH
710	----	----	----	/*0.0180A	0.0440B/0.0180A	----	----	0.0155 -	0.0410	.0661	----	----	----	2	UNCH
725	----	----	----	----/0.0135A	0.0275B/0.0135A	----	----	0.0100 -	0.0290	.0433	----	----	----	7	UNCH
750	----	----	----	/*0.0095A	0.0115B/0.0095A	----	----	0.0050 -	0.0155	.0218	----	----	----	4	UNCH
800	----	----	----	----	----/*0.0070A	----	----	0.0010 -	0.0045	.0045	----	----	----	2	UNCH
TOTAL												13		92 +	11
JUL26															
460	----	----	----	----	----/0.0105A	----	----	0.0020 +	0.0005	.0064	----	----	----	23	UNCH
581	----	----	----	0.0740B/----	0.0740B/0.0460A	----	----	0.0745 +	0.0395	.1855	----	----	----	1	UNCH
585	----	----	----	----	----	----	----	0.5865 -	0.2725	.7964	----	----	----	6	UNCH
585	----	----	----	0.0830B/----	0.0830B/0.0510A	----	----	0.0830 +	0.0440	.2025	----	----	----	6	UNCH
600	----	----	----	----/0.4665A	0.5230B/0.4665A	----	----	0.4765 -	0.2540	.7245	----	----	----	12	UNCH
611	----	----	----	0.1650B/----	0.1650B/0.0995A	----	----	0.1605 +	0.0775	.3348	----	----	----	22	UNCH
612	----	----	----	----	----	----	----	0.3990 -	0.2365	.6585	----	----	----	5	UNCH
612	----	----	----	0.1690B/----	0.1690B/0.1020A	----	----	0.1640 +	0.0790	.3403	----	----	----	6	UNCH
613	----	----	----	0.1730B/----	0.1730B/0.1045A	----	----	0.1680 +	0.0805	.3460	----	----	----	3	UNCH
621	----	----	----	----/0.3410A	0.3525B/0.3410A	----	----	0.3475 -	0.2220	.6061	----	----	----	1	UNCH
625	----	----	----	----/0.3210A	0.5110B/0.3210A	----	----	0.3270 -	0.2150	.5826	----	----	----	22	UNCH
630	----	----	----	----/0.2975A	0.4785B/0.2975A	----	----	0.3025 -	0.2060	.5532	----	----	----	5	UNCH
650	0.2650	0.2650		0.2650/0.2180A	0.3625B/0.2180A	----	----	0.2195 -	0.1710	.4405	----	2	----	5	UNCH
650	----	----	----	0.3740B/----	0.3740B/0.2425A	----	----	0.3635 +	0.1445	.5583	----	----	----	1	UNCH
700	0.1230	0.1230		0.1230/0.1000A	0.1705B/0.1000A	----	----	0.0955 -	0.0980	.2253	----	1	----	5	UNCH
710	----	----	----	----/*0.0860A	0.1455B/*0.0860	----	----	0.0810 -	0.0865	.1954	----	----	----	5	UNCH
TOTAL												3		128	
AUG26															
599	----	----	----	----	----	----	----	0.5795 -	0.2335	.6795	----	----	----	10	UNCH
630	----	----	----	----/0.4085A	0.5815B/0.4085A	----	----	0.4145 -	0.1930	.5521	----	----	----	13	UNCH
630	----	----	----	0.3620B/----	0.3620B/0.2645A	----	----	0.3595 +	0.1225	.4459	----	----	----	15	UNCH
640	----	----	----	----/0.3660A	0.5260B/0.3660A	----	----	0.3710 -	0.1795	.5115	----	----	----	1	UNCH
650	----	----	----	----/0.3275A	0.4740B/0.3275A	----	----	0.3315 -	0.1670	.4721	----	----	----	16	UNCH
700	0.2095	0.2095		0.2095/0.1870A	0.2765B/0.1870A	----	----	0.1870 NEW	.3037	----	----	1	----	1 +	1
750	----	----													

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
HX CALL		COMEX COPPER OPTIONS																						
JUN26																								
611	----	----	----	----	----/0.2465A	0.4005B/0.2465A	----	----	0.2305 - 0.2780	.7543	----	----	----	----	9	UNCH								
612	----	----	----	----	----/0.2375A	0.4030B/0.2375A	----	----	0.2230 - 0.2755	.7432	----	----	----	----	29	UNCH								
613	----	----	----	----	----/0.2310A	0.4140B/0.2310A	----	----	0.2160 - 0.2730	.7320	----	----	----	----	56	UNCH								
614	----	----	----	----	----/0.2240A	0.4165B/0.2240A	----	----	0.2085 - 0.2710	.7198	----	----	----	----	13	UNCH								
615	----	----	----	----	----/0.1945A	0.4055B/0.1945A	----	----	0.2015 - 0.2685	.7075	----	----	----	----	228	UNCH								
616	----	----	----	----	----/0.2130A	0.3965B/0.2130A	----	----	0.1950 - 0.2655	.6952	----	----	----	----	40	UNCH								
617	----	----	----	----	----/0.1810A	0.3870B/0.1810A	----	----	0.1880 - 0.2630	.6828	----	----	25	----	19 -	15								
618	----	----	----	----	----/0.1745A	0.3780B/0.1745A	----	----	0.1815 - 0.2600	.6696	----	----	27	----	18 -	19								
619	----	----	----	----	----/0.1685A	0.3690B/0.1685A	----	----	0.1750 - 0.2570	.6563	----	----	----	----	19	UNCH								
620	0.1730	0.1730	0.1730	0.1730	0.1730/0.1625A	0.3600B/0.1625A	----	----	0.1690 - 0.2540	.6425	----	1	----	----	644 +	1								
621	----	----	----	----	----/0.1575A	0.3510B/0.1575A	----	----	0.1630 - 0.2505	.6287	----	----	----	----	30	UNCH								
622	----	----	----	----	----/0.1505A	0.3425B/0.1505A	----	----	0.1570 - 0.2475	.6149	----	----	----	----	86	UNCH								
623	----	----	----	----	----/0.1450A	0.3335B/0.1450A	----	----	0.1510 - 0.2445	.6008	----	15	----	----	31 -	6								
624	----	----	----	----	----/0.1400A	0.3250B/0.1400A	----	----	0.1455 - 0.2410	.5869	----	----	----	----	12	UNCH								
625	----	----	----	----	----/0.1340A	0.3160B/0.1340A	----	----	0.1400 - 0.2375	.5726	----	----	----	----	213	UNCH								
626	----	----	----	----	----/0.1290A	0.3075B/0.1290A	----	----	0.1350 - 0.2335	.5585	----	----	----	----	10	UNCH								
627	0.1325	0.1325	0.1325	0.1325	0.1325/0.1250A	0.2990B/0.1250A	----	----	0.1300 - 0.2300	.5443	----	1	----	----	31 +	1								
628	----	----	----	----	----/0.1195A	0.2910B/0.1195A	----	----	0.1250 - 0.2265	.5301	----	----	----	----	23	UNCH								
629	0.1185	0.1185	0.1185	0.1185	0.1185/0.1155A	0.2825B/0.1155A	----	----	0.1205 - 0.2225	.5160	----	11	----	----	97 -	4								
630	0.1600	0.1600	0.1600	0.1600	0.1620/0.1105A	0.2745B/0.1105A	----	----	0.1155 - 0.2190	.5019	----	65	----	----	1140 +	64								
631	0.1135	0.1135	0.1135	0.1135	0.1135/0.1055A	0.2665B/0.1055A	----	----	0.1110 - 0.2155	.4879	----	1	----	----	140	UNCH								
632	----	----	----	----	----/0.1030A	0.2585B/0.1030A	----	----	0.1070 - 0.2115	.4741	----	----	----	----	124	UNCH								
635	0.1480	0.1480	0.1480	0.1480	0.1480/0.0900A	0.2355B/0.0900A	----	----	0.0950 - 0.1995	.4335	----	103	6	----	381 +	32								
639	0.1180	0.1180	0.1180	0.1180	0.1180/0.0775A	0.2065B/0.0775A	----	----	0.0805 - 0.1845	.3817	----	6	----	----	60	UNCH								
640	0.1005	0.1005	0.1005	0.1005	0.1070/0.0735A	0.2275B/0.0735A	----	----	0.0770 - 0.1805	.3690	----	55	----	----	364 -	13								
641	0.1160	0.1160	0.1160	0.1160	0.1180/0.0720A	0.1980B/0.0720A	----	----	0.0740 - 0.1765	.3571	----	16	----	----	49 -	4								
644	0.1040	0.1040	0.1040	0.1040	0.1160/0.0645A	0.1770B/0.0645A	----	----	0.0650 - 0.1650	.3217	----	6	----	----	21 -	1								
645	0.1000	0.1000	0.1000	0.1000	0.1000/0.0600A	0.1950B/0.0600A	----	----	0.0620 - 0.1615	.3101	----	65	----	----	138 -	41								
646	0.1235	0.1235	0.1235	0.1235	0.1235/0.0590A	0.1640B/0.0590A	----	----	0.0595 - 0.1575	.2993	----	3	----	----	21 +	1								
649	0.1095	0.1095	0.1095	0.1095	0.1095/0.0520A	0.1550B/0.0520A	----	----	0.0515 - 0.1470	.2666	----	1	----	----	10 +	1								
650	0.1055	0.1055	0.1055	0.1055	0.1055/0.0475A	0.1650B/0.0475A	----	----	0.0495 - 0.1430	.2572	----	153	3	----	1151 +	18								
651	0.1290	0.1290	0.1290	0.1290	0.1290/0.0480A	0.1615B/0.0480A	----	----	0.0470 - 0.1400	.2468	----	3	----	----	19 +	2								
654	0.1165	0.1165	0.1165	0.1165	0.1165/0.0415A	0.1475B/0.0415A	----	----	0.0410 - 0.1290	.2193	----	13	----	----	63 +	13								
655	0.1130	0.1130	0.1130	0.1130	0.1145/0.0380A	0.1440B/0.0380A	----	----	0.0390 - 0.1260	.2102	----	47	----	----	1277 -	27								
656	0.1065	0.1065	0.1065	0.1065	0.1065/0.0380	0.1380B/0.0380	----	----	0.0370 - 0.1230	.2012	----	4	----	----	14 +	4								
659	0.0355	0.0355	0.0355	0.0355	0.0355/*0.0330A	0.1250B/*0.0330	----	----	0.0320 - 0.1130	.1772	----	4	----	----	9 +	3								
660	0.1270	0.1270	0.1270	0.1270	0.1270/0.0305A	0.1270/0.0305A	----	----	0.0305 - 0.1100	.1698	----	153	75	----	559 -	39								
661	0.0330	0.0330	0.0330	0.0330	0.0330/*0.0300	0.1160B/*0.0300	----	----	0.0290 - 0.1070	.1624	----	12	----	----	19 +	12								
665	0.0355	0.0355	0.0355	0.0355	0.0500/0.0250	0.0995B/0.0250	----	----	0.0240 - 0.0955	.1367	----	230	----	----	268 +	177								
666	0.0360	0.0360	0.0360	0.0360	0.0360/*0.0240A	0.0970B/*0.0240	----	----	0.0230 - 0.0925	.1312	----	32	----	----	38 +	31								
669	0.0325	0.0325	0.0325	0.0325	0.0325/*0.0210	0.0860B/*0.0210	----	----	0.0200 - 0.0845	.1151	----	12	----	----	19 +	12								
670	0.0500	0.0500	0.0500	0.0500	0.0500/0.0195	0.0835B/0.0195	----	----	0.0190 - 0.0820	.1099	----	165	----	----	1111 +	33								
671	0.0300	0.0300	0.0300	0.0300	0.0300/*0.0190	0.0805B/*0.0190	----	----	0.0185 - 0.0790	.1065	----	6	----	----	9 +	6								
674	0.0270	0.0270	0.0270	0.0270	#0.0270/*0.0170	0.0665B/*0.0170	----	----	0.0160 - NEW	.0929	----	12	----	----	12 +	12								
675	0.0250	0.0250	0.0250	0.0250	0.0250/0.0160A	0.0685B/0.0160A	----	----	0.0155 - 0.0695	.0897	----	21	220	----	1231 -	223								
676	0.0250	0.0250	0.0250	0.0250	#0.0250/*0.0155	0.0610B/*0.0155	----	----	0.0150 - NEW	.0866	----	20	----	----	20 +	20								
680	0.0255	0.0255	0.0255	0.0255	0.0255/0.0130A	0.0565B/0.0130A	----	----	0.0125 - 0.0585	.0726	----	7	----	----	215	UNCH								
684	0.0170	0.0170	0.0170	0.0170	#0.0170/*0.0110	#0.0450B/*0.0110	----	----	0.0105 - NEW	.0611	----	1	----	----	1 +	1								
685	0.0185	0.0185	0.0185	0.0185	0.0185/0.0105A	0.0465B/0.0105A	----	----	0.0105 - 0.0485	.0604	----	9	----	----	504 -	8								
689	----	----	----	----	*/0.0090A	0.0380B/*0.0090	----	----	0.0090 - NEW	.0516	----	15	----	----	15 +	15								
690	0.0145	0.0145	0.0145	0.0145	0.0155/0.0085	0.0375B/0.0085	----	----	0.0085 - 0.0405	.0489	----	20	----	----	190 -	1								
695	0.0215	0.0215	0.0215	0.0215	0.0215/0.0075A	0.0300B/0.0075A	----	----	0.0070 - 0.0345	.0400	----	14	----	----	76 -	2								
700	0.0180	0.0180	0.0180	0.0180	0.0180/0.0060	0.0235B/0.0060	----	----	0.0060 - 0.0280	.0338	----	123	----	----	1202	UNCH								
705	0.0085	0.0085	0.0085	0.0085	0.0085/0.0055A	0.0225B/0.0055A	----	----	0.0050 - 0.0225	.0279	----	6	----	----	574 -	5								
710	0.0055	0.0055	0.0055	0.0055	0.0055/0.0050A	0.0150B/0.0050A	----	----	0.0045 - 0.0180	.0245	----	1	----	----	110 -	1								
715	----	----	----	----	----/0.0045A	0.0115B/0.0045A	----	----	0.0040 - 0.0140	.0214	----	----	----	----	56	UNCH								
720	----	----	----	----	----/0.0040A	0.0090B/0.0040A	----	----	0.0030 - 0.0115	.0162	----	----	----	----	126	UNCH								
725	----	----	----	----	----/0.0035A	0.0065B/0.0035A	----	----	0.0025 - 0.0095	.0134	----	----	----	----	88	UNCH								
730	0.0025	0.0025	0.0025	0.0025	0.0025/0.0020	0.0045B/0.0020	----	----	0.0020 - 0.0080	.0107	----	2	----	----	32 -	1								
735	----	----	----	----	----/0.0030A	0.0025B/0.0030A	----	----	0.0015 - 0.0065	.0080	----	----	----	----	41	UNCH								
740	----	----	----	----	----/0.0035A	----/0.0035A	----	----	0.0015 - 0.0050	.0078	----	----	----	----	500	UNCH								
745	----	----	----	----	----/0.0035A	----/0.0035A	----	----	0.0010 - 0.0045	.0053	----	----	----	----	1703	UNCH								
750	0.0025	0.0025	0.0025	0.0025	0.0025/0.0025	0.0025/0.0025	----	----	0.0010 - 0.0035	.0051	----	50	----	----	194 -	50								
755	----	----	----	----	----/0.0030A	----/0.0030A	----	----	0.0005 - 0.0030	.0026	----	----	----	----	1	UNCH								
760	----	----	----	----	----/0.0020A	----/0.0020A	----	----	0.0005 - 0.0025	.0019	----	----	----	----	6	UNCH								
765	----	----	----	----	----/0.0025A	----/0.0025A	----	----	0.0005 - 0.0020	.0014	----	----	----	----	1512	UNCH								
770	0.0020	0.0020	0.0020	0.0020	0.0020/0.0020	0.0020/0.0020	----	----	0.0005 - 0.0015	.0010	----	1	----	----	7	UNCH								
775	----	----	----	----	----/0.0040A	----/0.0040A	----	----	0.0005 - 0.0010	.0007	----	----	----	----	1	UNCH								
780	----	----	----	----	----/0.0045A	----/0.0045A	----	----	0.0005 - 0.0010	.0005	----	----	----	----	278	UNCH								
785	----	----	----	----	----/0.0030A	----/0.0030A	----	----	0.0005 - 0.0005	.0003	----	----	----	----	1	UNCH								
790	----	----	----	----	----/0.0045A	----/0.0045A	----	----	0.0005 - 0.0005	.0002	----	----	----	----	8	UNCH								
795	----	----	----	----	----/0.0045A	---- /0.0045A</td <td>----</td> <td>----</td> <td>0.0005 UNCH</td> <td>.0001</td> <td>----</td> <td>----</td> <td>----</td> <td>----</td> <td>33</td> <td>UNCH</td>	----	----	0.0005 UNCH	.0001	----	----	----	----	33	UNCH								
800	----	----	----	----	0.0005B/0.0025A	0.0005B/0.0025A	----	----	0.0005 UNCH	.0001	----	----	----	----	152	UNCH								
805	----	----	----	----	----/0.0035A	---- /0.0035A</td <td>----</td> <td>----</td> <td>0.0005 UNCH</td> <td>.0000</td> <td>----</td> <td>----</td> <td>----</td> <td>----</td> <td>3</td> <td>UNCH</td>	----	----	0.0005 UNCH	.0000	----	----	----	----	3	UNCH								
810	----	----	----	----	----/0.0040A	---- /0.0040A</td <td>----</td> <td>----</td> <td>0.0005 UNCH</td> <td>.0000</td> <td>----</td> <td>----</td> <td>----</td> <td>----</td> <td>3</td> <td>UNCH</td>	----	----	0.0005 UNCH	.0000	----	----	----	----	3	UNCH								
825	----	----	----	----	----/0.0035A	---- /0.0035A</td <td>----</td> <td>----</td> <td>0.0005 UNCH</td> <td>.0000</td> <td>----</td> <td>----</td> <td>----</td> <td>----</td> <td>4</td> <td>UNCH</td>	----	----	0.0005 UNCH	.0000	----	----	----	----	4	UNCH								
830	----	----	----	----	----/0.0035A	---- /0.0035A</td <td>----</td> <td>----</td> <td>0.0005 UNCH</td> <td>.0000</td> <td>----</td> <td>----</td> <td>----</td> <td>----</td> <td>3</td> <td>UNCH</td>	----	----	0.0005 UNCH	.0000	----	----	----	----	3	UNCH								
840	----	----	----	----	----/0.0035A	---- /0.0035A</td <td>----</td> <td>----</td> <td>0.0005 UNCH</td> <td>----</td> <td>----</td> <td>----</td> <td>----</td> <td>----</td> <td>6</td> <td>UNCH</td>	----	----	0.0005 UNCH	----	----	----	----	----	6	UNCH								
850	0.0005	0.0005	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	----	0.0005 UNCH	----	----	1	----	----	5 +	1								
880	----	----	----	----	----/0.0035A	----/0.0035A	----	----	0.0005 UNCH	----														

BULLETIN # 93@			METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
HX CALL	COMEX COPPER OPTIONS														
JUL26															
730	0.0490	0.0490	0.0510/0.0440A	0.0855B/0.0440A	----	0.0430 - 0.0555	.1179	----	----	3	----	259 +	2		
740	----	----	----/*0.0370A	0.0725B/*0.0370	----	0.0365 - 0.0470	.1011	----	----	----	----	102 -	UNCH		
750	0.0360	0.0360	0.0360/0.0315A	0.0610B/0.0315A	----	0.0310 - 0.0400	.0868	----	----	38	----	1484 -	19		
760	0.0275	0.0275	0.0275/*0.0270A	0.0515B/*0.0270	----	0.0265 - 0.0335	.0747	----	----	6	----	57 -	UNCH		
770	----	----	----/*0.0230A	0.0435B/*0.0230	----	0.0230 - 0.0280	.0650	----	----	----	----	21 -	UNCH		
775	----	----	----/0.0215A	0.0400B/0.0215A	----	0.0215 - 0.0255	.0608	----	----	----	----	112 -	UNCH		
780	----	----	----/0.0200A	0.0370B/0.0200A	----	0.0200 - 0.0235	.0566	----	----	----	----	42 -	UNCH		
800	0.0240	0.0240	0.0240/0.0140	0.0265B/0.0140	----	0.0150 - 0.0170	.0427	----	----	7	----	2272 +	1		
825	----	----	----/0.0115A	0.0175B/0.0115A	----	0.0105 - 0.0115	.0302	----	----	----	----	9 -	UNCH		
850	0.0090	0.0090	0.0090/0.0085A	0.0120B/0.0085A	----	0.0080 - 0.0075	.0227	----	----	2	----	329 -	UNCH		
875	----	----	----/*0.0070A	0.0080B/0.0070A	----	0.0065 - 0.0045	.0181	----	----	1	----	4 -	UNCH		
900	0.0050	0.0050	0.0050/0.0050	0.0055B/0.0050	----	0.0050 - 0.0035	.0138	----	----	22	----	2221 -	22		
925	----	----	----	0.0035B/0.0075A	----	0.0035 - 0.0030	.0098	----	----	----	----	16 -	UNCH		
950	----	----	----	----/0.0080A	----	0.0030 - 0.0015	.0082	----	----	----	----	52 -	UNCH		
975	----	----	----	----/0.0075A	----	0.0020 - 0.0015	.0055	----	----	----	----	3 -	UNCH		
1000	----	----	----	----/0.0060A	----	0.0015 - 0.0005	.0042	----	----	----	----	6 -	UNCH		
TOTAL									350	920		22878 -	182		
AUG26															
500	----	----	----	----	----	1.3720 - 0.3100	.9494	----	----	----	----	3	UNCH		
550	----	----	----	----	----	0.9215 - 0.2860	.8600	----	----	----	----	3	UNCH		
580	----	----	----/0.6860A	0.6825B/0.6860A	----	0.6875 - 0.2590	.7638	----	----	----	----	253 -	UNCH		
585	----	----	----/0.6410A	0.6660B/0.6410A	----	0.6520 - 0.2535	.7450	----	----	----	----	11 -	UNCH		
590	----	----	----/0.6075A	0.6730B/0.6075A	----	0.6175 - 0.2480	.7253	----	----	----	----	17 -	UNCH		
595	----	----	----/0.5745A	0.6900B/0.5745A	----	0.5845 - 0.2425	.7049	----	----	----	----	1 -	UNCH		
600	----	----	----/0.5435A	0.6735B/0.5435A	----	0.5530 - 0.2360	.6840	----	----	----	----	4 -	UNCH		
610	----	----	----/0.4855A	0.6880B/0.4855A	----	0.4940 - 0.2225	.6408	----	----	----	----	1 -	UNCH		
620	----	----	----/0.4325A	0.6220B/0.4325A	----	0.4405 - 0.2080	.5968	----	----	----	----	28 -	UNCH		
625	----	----	----/0.4035A	0.5905B/0.4035A	----	0.4155 - 0.2010	.5747	----	----	----	----	92 -	UNCH		
630	----	----	----/0.3820A	0.5605B/0.3820A	----	0.3915 - 0.1940	.5527	----	----	----	----	6 -	UNCH		
635	----	----	----/0.3595A	0.5315B/0.3595A	----	0.3690 - 0.1870	.5309	----	----	----	----	2 -	UNCH		
640	0.3460	0.3460	0.3460/0.3370A	0.5035B/0.3370A	----	0.3475 - 0.1800	.5094	----	----	5	----	156 +	5		
650	0.3020	0.3020	0.3020/0.2980A	0.4510B/0.2980A	----	0.3075 - 0.1670	.4673	----	----	12	----	593 +	4		
655	----	----	----/0.2805A	0.4285B/0.2805A	----	0.2895 - 0.1600	.4470	----	----	2	----	459 +	2		
660	----	----	----/0.2650A	0.4050B/0.2650A	----	0.2720 - 0.1540	.4271	----	----	----	----	28 -	UNCH		
665	----	----	----/0.2515A	0.3830B/0.2515A	----	0.2555 - 0.1480	.4077	----	----	----	----	1 -	UNCH		
670	----	----	----/0.2365A	0.3620B/0.2365A	----	0.2405 - 0.1420	.3891	----	----	----	----	19 -	UNCH		
675	0.2160	0.2160	0.2160/0.2160	0.3425B/0.2160	----	0.2260 - 0.1360	.3709	----	----	11	----	353 -	UNCH		
680	----	----	----/0.2095A	0.3230B/0.2095A	----	0.2125 - 0.1305	.3534	----	----	----	----	4 -	UNCH		
685	----	----	----/0.1995A	0.3000B/0.1995A	----	0.1995 - 0.1255	.3364	----	----	----	----	2 -	UNCH		
690	----	----	----/0.1880A	0.2830B/0.1880A	----	0.1875 - 0.1200	.3201	----	----	----	----	53 -	UNCH		
695	----	----	----/0.1770A	0.2670B/0.1770A	----	0.1765 - 0.1150	.3047	----	----	----	----	2 -	UNCH		
700	0.1700	0.1700	0.1700/0.1570	0.2520B/0.1570	----	0.1660 - 0.1100	.2898	----	----	50	----	1348 -	19		
710	----	----	----/0.1475A	0.2235B/0.1475A	----	0.1470 - 0.1000	.2619	----	----	----	----	3 -	UNCH		
720	----	----	----/0.1310A	0.1985B/0.1310A	----	0.1300 - 0.0915	.2362	----	----	----	----	2 -	UNCH		
725	0.1400	0.1400	0.1400/0.1230A	0.1870B/0.1230A	----	0.1225 - 0.0870	.2245	----	----	1	200	325 +	159		
730	----	----	----/0.1145A	0.1810B/0.1145A	----	0.1150 - 0.0830	.2129	----	----	----	----	3 -	UNCH		
735	----	----	----/0.1080A	0.1705B/0.1080A	----	0.1080 - 0.0795	.2018	----	----	----	----	1 -	UNCH		
750	----	----	----/0.0895A	0.1435B/0.0895A	----	0.0900 - 0.0690	.1723	----	----	25	----	496 -	25		
775	----	----	----/0.0675A	0.1070B/0.0675A	----	0.0660 - 0.0545	.1313	----	----	----	----	160 -	UNCH		
800	0.0600	0.0600	0.0600/0.0480A	0.0810B/0.0480A	----	0.0485 - 0.0430	.0998	----	----	6	----	400 +	4		
825	----	----	----/0.0390A	0.0605B/0.0390A	----	0.0360 - 0.0335	.0760	----	----	----	----	2 -	UNCH		
850	----	----	----/0.0295A	0.0455B/0.0295A	----	0.0270 - 0.0260	.0583	----	----	----	----	11 -	UNCH		
900	0.0180	0.0180	0.0180/*0.0180	0.0260B/*0.0180	----	0.0160 - 0.0165	.0354	----	----	14	----	71 +	9		
950	----	----	----/0.0150A	0.0150B/0.0150A	----	0.0120 - 0.0115	.0258	----	----	----	----	45 -	UNCH		
975	----	----	----/0.0130A	0.0110B/0.0130A	----	0.0090 - 0.0095	.0198	----	----	----	----	6 -	UNCH		
TOTAL									200	126		4964 +	139		
SEP26															
495	----	----	----	----	----	1.4335 - 0.3055	.9325	----	----	----	----	2	UNCH		
500	----	----	----/1.4130A	1.3445B/1.4130A	----	1.3875 - 0.3040	.9259	----	----	----	----	5	UNCH		
510	----	----	----	----	----	1.2970 - 0.3000	.9114	----	----	----	----	2	UNCH		
535	----	----	----	----	----	1.0820 - 0.2855	.8620	----	----	----	----	1	UNCH		
565	----	----	----	----	----	0.8475 - 0.2620	.7819	----	----	----	----	1	UNCH		
575	----	----	----/0.7635A	0.7860B/0.7635A	----	0.7765 - 0.2525	.7507	----	----	----	----	100 -	UNCH		
595	----	----	----/0.6360A	0.8075B/0.6360A	----	0.6465 - 0.2320	.6822	----	----	----	----	5 -	UNCH		
600	----	----	----/0.6030A	0.8155B/0.6030A	----	0.6170 - 0.2260	.6643	----	----	1	----	222 -	1		
610	----	----	----/0.5520A	0.7495B/0.5520A	----	0.5615 - 0.2140	.6278	----	----	31	----	3	UNCH		
615	----	----	----/0.5255A	0.7180B/0.5255A	----	0.5355 - 0.2075	.6093	----	----	----	----	9 -	UNCH		
620	----	----	----/0.4975A	0.6880B/0.4975A	----	0.5110 - 0.2010	.5909	----	----	----	----	185 -	UNCH		
625	----	----	----/0.4725A	0.6585B/0.4725A	----	0.4875 - 0.1945	.5725	----	----	----	----	632 -	UNCH		
630	----	----	----/0.4530A	0.6300B/0.4530A	----	0.4650 - 0.1880	.5543	----	----	----	----	51 -	UNCH		
635	----	----	----/0.4320A	0.6020B/0.4320A	----	0.4435 - 0.1815	.5363	----	----	----	----	1 -	UNCH		
640	----	----	----/0.4080A	0.5755B/0.4080A	----	0.4225 - 0.1755	.5185	----	----	----	----	1002 -	UNCH		
650	----	----	----/0.3690A	0.5250B/0.3690A	----	0.3835 - 0.1640	.4838	----	----	1	----	324 -	UNCH		
655	----	----	----/0.3545A	0.5015B/0.3545A	----	0.3650 - 0.1585	.4669	----							

BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
HX CALL COMEX COPPER OPTIONS													
NOV26													
695	----	----	----/0.3835A	0.4940B/0.3835A	----	0.3895 - 0.1320	.4140	----	----	----	----	1	UNCH
700	----	----	----/0.3685A	0.4755B/0.3685A	----	0.3745 - 0.1290	.4021	----	----	----	----	24	UNCH
705	----	----	----/0.3540A	0.4580B/0.3540A	----	0.3595 - 0.1260	.3903	----	----	----	----	1	UNCH
725	----	----	----/0.3020A	0.3925B/0.3020A	----	0.3060 - 0.1135	.3457	----	----	----	----	48	UNCH
750	0.2500	0.2500	0.2500/0.2480A	0.3230B/0.2480A	----	0.2500 - 0.0990	.2955	----	----	3	----	26	UNCH
800	----	----	----/0.1685A	0.2185B/0.1685A	----	0.1655 - 0.0735	.2121	----	----	----	----	1	UNCH
850	----	----	----/0.1175A	0.1465B/0.1175A	----	0.1140 - 0.0540	.1538	----	----	----	----	2	UNCH
900	----	----	----/0.0850A	0.0995B/0.0850A	----	0.0790 - 0.0395	.1113	----	----	----	----	1	UNCH
975	----	----	----/*0.0565A	0.0565B/0.0565A	----	0.0450 - 0.0240	.0674	----	----	----	----	2	UNCH
TOTAL										3		209	
DEC26													
520	----	----	----	----	----	1.3660 - 0.2715	.8472	----	----	----	----	1	UNCH
525	----	----	----	----	----	1.3275 - 0.2675	.8377	----	----	----	----	123	UNCH
535	----	----	----	----	----	1.2520 - 0.2600	.8176	----	----	----	----	1	UNCH
550	----	----	----	----	----	1.1445 - 0.2475	.7849	----	----	----	----	2	UNCH
555	----	----	----	----	----	1.1100 - 0.2435	.7735	----	----	----	----	1	UNCH
565	----	----	----/1.0345A	1.0345B/1.0345A	----	1.0435 - 0.2350	.7499	----	----	----	----	45	UNCH
575	----	----	----/0.9710A	1.0740B/0.9710A	----	0.9805 - 0.2255	.7255	----	----	----	----	123	UNCH
585	----	----	----/0.9110A	1.0585B/0.9110A	----	0.9205 - 0.2165	.7004	----	----	----	----	1	UNCH
590	----	----	----/0.8820A	1.0670B/0.8820A	----	0.8920 - 0.2115	.6878	----	----	----	----	200	UNCH
595	----	----	----/0.8540A	1.0345B/0.8540A	----	0.8635 - 0.2075	.6751	----	----	----	----	163	UNCH
600	----	----	----/0.8265A	1.0035B/0.8265A	----	0.8365 - 0.2025	.6622	----	----	----	----	598	UNCH
610	----	----	----/0.7745A	0.9430B/0.7745A	----	0.7840 - 0.1940	.6365	----	----	----	----	291	UNCH
620	----	----	----/0.7250A	0.8855B/0.7250A	----	0.7345 - 0.1850	.6107	----	----	----	----	414	UNCH
625	----	----	----/0.7015A	0.8575B/0.7015A	----	0.7110 - 0.1805	.5978	----	----	----	----	3	UNCH
630	----	----	----/0.6785A	0.8305B/0.6785A	----	0.6880 - 0.1760	.5850	----	----	----	----	391	UNCH
640	----	----	----/0.6340A	0.7785B/0.6340A	----	0.6435 - 0.1680	.5596	----	----	----	----	29	UNCH
650	0.6550	0.6550	0.6560/0.5925A	0.7295B/0.5925A	----	0.6015 - 0.1605	.5345	----	----	84	----	744 +	65
660	----	----	----/0.5535A	0.6825B/0.5535A	----	0.5620 - 0.1530	.5099	----	----	----	----	300	UNCH
670	----	----	----/0.5165A	0.6380B/0.5165A	----	0.5240 - 0.1460	.4858	----	----	----	----	4	UNCH
675	----	----	----/0.4985A	0.6170B/0.4985A	----	0.5060 - 0.1430	.4739	----	----	----	----	17	UNCH
680	----	----	----/0.4810A	0.5960B/0.4810A	----	0.4885 - 0.1395	.4622	----	----	----	----	3	UNCH
700	----	----	----/0.4175A	0.5190B/0.4175A	----	0.4230 - 0.1280	.4168	----	----	----	----	909	UNCH
705	----	----	----/0.4025A	0.5010B/0.4025A	----	0.4080 - 0.1250	.4060	----	----	----	----	2	UNCH
725	----	----	----/0.3485A	0.4345B/0.3485A	----	0.3520 - 0.1145	.3639	----	----	----	100	102 +	95
730	----	----	----/0.3360A	0.4190B/0.3360A	----	0.3395 - 0.1115	.3540	----	----	----	----	4	UNCH
750	----	----	----/0.2905A	0.3620B/0.2905A	----	0.2925 - 0.1010	.3159	----	----	38	----	426	UNCH
775	----	----	----/0.2435A	0.3010B/0.2435A	----	0.2430 - 0.0880	.2731	----	----	----	----	3	UNCH
800	----	----	----/0.2045A	0.2505B/0.2045A	----	0.2020 - 0.0755	.2353	----	----	----	----	165	UNCH
825	----	----	----/0.1730A	0.2080B/0.1730A	----	0.1680 - 0.0670	.2022	----	----	----	----	13	UNCH
850	0.1360	0.1360	0.1360/0.1340	0.1730B/0.1340	----	0.1420 - 0.0580	.1750	----	----	64	----	304 +	45
900	----	----	----/0.1100A	0.1210B/0.1100A	----	0.1030 - 0.0440	.1318	----	----	----	----	643	UNCH
925	----	----	----/0.0960A	0.1015B/0.0960A	----	0.0885 - 0.0380	.1150	----	----	----	----	6	UNCH
950	----	----	----/0.0845A	0.0850B/0.0845A	----	0.0760 - 0.0335	.1002	----	----	----	----	78	UNCH
975	----	----	----/0.0750A	0.0715B/0.0750A	----	0.0660 - 0.0295	.0880	----	----	----	----	13	UNCH
1000	----	----	----/0.0670A	0.0600B/0.0670A	----	0.0595 - 0.0265	.0793	----	----	----	----	2	UNCH
TOTAL									100	186		6124+	205
JAN27													
500	----	----	----	----	----	1.6440 - 0.2795	.8697	----	----	----	----	1	UNCH
900	----	----	----	----	----	0.1825 - 0.0675	.1880	----	----	----	----	1	UNCH
TOTAL												2	
FEB27													
620	----	----	----	----	----	0.8790 - 0.2065	.6283	----	----	----	----	1	UNCH
TOTAL												1	
MAR27													
680	----	----	----	----	----	0.6795 - 0.1690	.5079	----	----	----	----	30	UNCH
950	----	----	----	----	----	0.2055 - 0.0665	.1883	----	----	----	----	3	UNCH
TOTAL												33	
HX PUT COMEX COPPER OPTIONS													
JUN26													
330	----	----	----/0.0065A	----	----	0.0005 UNCH	----	----	----	----	----	8	UNCH
355	----	----	----/0.0065A	----	----	0.0005 UNCH	.0000	----	----	----	----	10	UNCH
370	----	----	----/0.0065A	----	----	0.0005 UNCH	.0000	----	----	----	----	1	UNCH
380	----	----	----/0.0065A	----	----	0.0005 UNCH	.0000	----	----	----	----	1	UNCH
400	----	----	----/0.0040A	----	----	0.0005 UNCH	.0003	----	----	----	----	33	UNCH
405	----	----	----/0.0070A	----	----	0.0005 UNCH	.0005	----	----	----	----	1	UNCH
410	----	----	----/0.0070A	----	----	0.0005 UNCH	.0006	----	----	----	----	53	UNCH
420	----	----	----/0.0070A	----	----	0.0005 UNCH	.0012	----	----	----	----	9	UNCH
430	----	----	----/0.0040A	----	----	0.0010 UNCH	.0024	----	----	----	----	3	UNCH
435	----	----	----/0.0070A	----	----	0.0010 UNCH	.0025	----	----	----	----	2	UNCH
440	----	----	----/0.0045A	----	----	0.0010 UNCH	.0025	----	----	----	----	8	UNCH
445	----	----	----/0.0045A	----	----	0.0015 UNCH	.0037	----	----	----	----	8	UNCH
450	0.0015	0.0015	0.0015/*0.0015	0.0015/*0.0015	----	0.0015 UNCH	.0038	----	----	2	----	450 -	1
455	----	----	----/0.0045A	----	----	0.0020 + 0.0005	.0051	----	----	----	----	42	UNCH
460	----	----	----/0.0045A	----	----	0.0020 UNCH	.0053	----	----	----	----	54	UNCH
465	----	----	----/0.0045A	----	----	0.0025 + 0.0005	.0066	----	----	----	----	878	UNCH
470	----	----	----/0.0050A	----	----	0.0025 + 0.0005	.0068	----	----	----	----	659	UNCH
475	----	----	----/0.0050A	----	----	0.0030 + 0.0005	.0082	----	----	----	----	155	UNCH
480	----	----	----/0.0050A	----	----	0.0030 + 0.0005	.0085	----	----	----	----	951	UNCH
485	----	----	----/0.0050A	----	----	0.0030 + 0.0005	.0088	----	----	----	----	63	UNCH
490	----	----	----/0.0050A	----	----	0.0030 + 0.0005	.0091	----	----	----	----	52	UNCH
495	----	----	----/0.0050A	----	----	0.0035 + 0.0010	.0107	----	----	----	----	35	UNCH
500	----	----	----/0.0055A	----	----	0.0035 + 0.0010	.0111	----	----	----	----	536	UNCH
505	0.0015	0.0015											

PG64		BULLETIN # 93@										METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME			OPEN INTEREST					
HX PUT		COMEX COPPER OPTIONS																						
JUN26																								
569	----	----	----	----	0.0060B/----	0.0060B/0.0050A	----	0.0050	+ 0.0025	.0291	----	----	----	----	----	----	27	UNCH	27	UNCH				
570	----	----	----	----	0.0060B/----	0.0060B/0.0055A	----	0.0050	+ 0.0025	.0295	----	----	----	----	26	----	424	+	26	+				
571	0.0065	0.0065	0.0065	0.0065	0.0065/0.0065	0.0065/0.0055A	----	0.0055	+ 0.0030	.0322	----	----	----	29	----	----	30	----	11	----				
572	----	----	----	----	0.0065B/----	0.0065B/0.0055A	----	0.0055	+ 0.0025	.0327	----	----	----	----	----	----	1	UNCH	1	UNCH				
573	----	----	----	----	0.0070B/----	0.0070B/0.0060A	----	0.0055	+ 0.0025	.0331	----	----	----	----	----	----	26	UNCH	26	UNCH				
574	----	----	----	----	0.0075B/----	0.0075B/0.0060A	----	0.0060	+ 0.0030	.0359	----	----	15	----	----	----	14	-	3	----				
575	0.0060	0.0060	0.0060	0.0060	0.0075/0.0060	0.0075/0.0060	----	0.0060	+ 0.0030	.0364	----	----	20	----	----	----	131	UNCH	131	UNCH				
576	----	----	----	----	0.0080B/----	0.0080B/0.0065A	----	0.0065	+ 0.0035	.0393	----	----	----	----	----	----	5	UNCH	5	UNCH				
577	----	----	----	----	0.0085B/----	0.0085B/0.0070A	----	0.0065	+ 0.0035	.0398	----	----	----	----	----	----	10	UNCH	10	UNCH				
578	----	----	----	----	0.0090B/----	0.0090B/0.0075A	----	0.0070	+ 0.0040	.0427	----	----	----	----	----	----	2	UNCH	2	UNCH				
579	----	----	----	----	0.0090B/----	0.0090B/0.0075A	----	0.0070	+ 0.0040	.0434	----	----	----	----	----	----	17	UNCH	17	UNCH				
580	----	----	----	----	0.0095B/----	0.0095B/0.0070A	----	0.0075	+ 0.0045	.0463	----	----	79	----	----	----	907	-	7	----				
581	----	----	----	----	0.0100B/----	0.0100B/0.0070A	----	0.0080	+ 0.0050	.0493	----	----	20	----	----	----	33	-	8	----				
582	----	----	----	----	0.0105B/----	0.0105B/0.0075A	----	0.0085	+ 0.0055	.0523	----	----	----	----	----	----	14	UNCH	14	UNCH				
583	----	----	----	----	0.0115B/----	0.0115B/0.0075A	----	0.0090	+ 0.0060	.0554	----	----	----	----	----	----	13	UNCH	13	UNCH				
584	----	----	----	----	0.0120B/----	0.0120B/0.0075A	----	0.0095	+ 0.0060	.0585	----	----	----	----	----	----	22	UNCH	22	UNCH				
585	0.0070	0.0070	0.0070	0.0070	0.0125B/0.0070	0.0125B/0.0070	----	0.0100	+ 0.0065	.0616	----	----	18	----	----	----	478	-	1	----				
586	----	----	----	----	0.0135B/----	0.0135B/0.0075A	----	0.0105	+ 0.0070	.0648	----	----	7	----	----	----	7	UNCH	7	UNCH				
587	0.0145	0.0145	0.0145	0.0145	0.0145/0.0145	0.0145/0.0075A	----	0.0115	+ 0.0080	.0701	----	----	10	----	----	----	23	+	10	----				
588	0.0130	0.0130	0.0130	0.0130	0.0155B/0.0130	0.0155B/0.0075A	----	0.0120	+ 0.0085	.0734	----	----	3	----	----	----	4	+	2	----				
590	0.0140	0.0140	0.0140	0.0140	0.0180B/0.0140	0.0180B/0.0075A	----	0.0135	+ 0.0100	.0822	----	----	36	----	----	----	223	UNCH	223	UNCH				
591	0.0165	0.0165	0.0165	0.0165	0.0185B/0.0135	0.0185B/0.0075A	----	0.0145	+ 0.0105	.0876	----	----	10	----	----	----	13	+	9	----				
592	0.0145	0.0145	0.0145	0.0145	0.0195B/0.0145	0.0195B/0.0075A	----	0.0155	+ 0.0115	.0931	----	----	2	----	----	----	16	+	2	----				
593	0.0215	0.0215	0.0215	0.0215	0.0215/0.0170	0.0215/0.0075A	----	0.0165	+ 0.0125	.0986	----	----	7	----	----	----	43	+	5	----				
594	0.0160	0.0160	0.0160	0.0160	0.0225B/0.0160	0.0225B/0.0070A	----	0.0175	+ 0.0135	.1042	----	----	15	----	----	----	21	+	15	----				
595	0.0200	0.0200	0.0200	0.0200	0.0230B/0.0170	0.0230B/0.0070A	----	0.0185	+ 0.0145	.1099	----	----	23	----	----	----	129	+	8	----				
596	0.0190	0.0190	0.0190	0.0190	0.0250B/0.0190	0.0250B/0.0075A	----	0.0200	+ 0.0155	.1173	----	----	5	----	----	----	28	+	2	----				
597	0.0270	0.0270	0.0270	0.0270	0.0270/0.0200	0.0270/0.0075A	----	0.0210	+ 0.0165	.1231	----	----	12	----	----	----	56	UNCH	56	UNCH				
598	0.0205	0.0205	0.0205	0.0205	0.0270B/0.0205	0.0270B/0.0075A	----	0.0225	+ 0.0180	.1306	----	----	11	----	----	----	32	+	5	----				
599	0.0225	0.0225	0.0225	0.0225	0.0290B/0.0225	0.0290B/0.0080A	----	0.0240	+ 0.0195	.1382	----	----	11	----	----	----	35	+	11	----				
600	0.0100	0.0100	0.0100	0.0100	0.0300B/0.0100	0.0300B/0.0080A	----	0.0255	+ 0.0205	.1458	----	----	254	----	----	----	312	+	176	----				
601	0.0250	0.0250	0.0250	0.0250	0.0320B/0.0250	0.0320B/0.0080A	----	0.0270	+ 0.0220	.1535	----	----	27	----	----	----	53	+	27	----				
602	0.0265	0.0265	0.0265	0.0265	0.0335B/0.0265	0.0335B/0.0075A	----	0.0285	+ 0.0235	.1612	----	----	9	----	----	----	15	+	6	----				
603	0.0285	0.0285	0.0285	0.0285	0.0355B/0.0285	0.0355B/0.0075A	----	0.0300	+ 0.0245	.1690	----	----	1	----	----	----	18	UNCH	18	UNCH				
604	----	----	----	----	0.0380B/----	0.0380B/0.0070A	----	0.0315	+ 0.0260	.1770	----	----	----	----	----	----	9	UNCH	9	UNCH				
605	0.0200	0.0200	0.0200	0.0200	0.0420/0.0200	0.0420/0.0070A	----	0.0335	+ 0.0275	.1864	----	----	26	----	----	----	190	+	1	----				
606	0.0140	0.0140	0.0140	0.0140	0.0420B/0.0140	0.0420B/0.0075A	----	0.0350	+ 0.0290	.1945	----	----	1	----	----	----	23	UNCH	23	UNCH				
607	----	----	----	----	0.0445B/----	0.0445B/0.0075A	----	0.0370	+ 0.0310	.2041	----	----	----	----	----	----	29	UNCH	29	UNCH				
608	----	----	----	----	0.0465B/----	0.0465B/0.0080A	----	0.0390	+ 0.0325	.2137	----	----	----	----	----	----	27	UNCH	27	UNCH				
609	0.0420	0.0420	0.0420	0.0420	0.0490B/0.0420	0.0490B/0.0080A	----	0.0410	+ 0.0340	.2235	----	----	1	----	----	----	42	-	1	----				
610	0.0470	0.0470	0.0470	0.0470	0.0520B/0.0435	0.0520B/0.0080A	----	0.0435	+ 0.0365	.2345	----	----	182	----	----	----	168	-	16	----				
611	----	----	----	----	0.0550B/----	0.0550B/0.0080A	----	0.0460	+ 0.0385	.2455	----	----	----	----	----	----	16	UNCH	16	UNCH				
612	----	----	----	----	0.0580B/----	0.0580B/0.0090A	----	0.0485	+ 0.0410	.2567	----	----	----	----	----	----	27	UNCH	27	UNCH				
613	0.0315	0.0315	0.0315	0.0315	0.0620B/0.0315	0.0620B/0.0095A	----	0.0510	+ 0.0430	.2679	----	----	1	----	----	----	11	UNCH	11	UNCH				
614	----	----	----	----	0.0655B/----	0.0655B/0.0100A	----	0.0540	+ 0.0455	.2801	----	----	----	----	----	----	46	UNCH	46	UNCH				
615	0.0625	0.0625	0.0625	0.0625	0.0690B/0.0625	0.0690B/0.0105A	----	0.0570	+ 0.0480	.2924	----	----	11	----	----	----	134	-	1	----				
616	----	----	----	----	0.0720B/----	0.0720B/0.0110A	----	0.0600	+ 0.0505	.3047	----	----	----	----	----	----	15	UNCH	15	UNCH				
617	0.0270	0.0270	0.0270	0.0270	0.0765B/0.0270	0.0765B/0.0115A	----	0.0630	+ 0.0530	.3171	----	----	29	----	----	----	42	-	18	----				
618	----	----	----	----	0.0810B/----	0.0810B/0.0125A	----	0.0665	+ 0.0560	.3303	----	----	----	----	----	----	12	UNCH	12	UNCH				
619	----	----	----	----	0.0845B/----	0.0845B/0.0135A	----	0.0700	+ 0.0590	.3435	----	----	----	----	----	----	27	UNCH	27	UNCH				
620	0.0170	0.0170	0.0170	0.0170	0.0905/0.0170	0.0905/0.0145A	----	0.0740	+ 0.0625	.3574	----	----	36	----	----	----	137	-	10	----				
621	----	----	----	----	0.0935B/----	0.0935B/0.0155A	----	0.0780	+ 0.0655	.3712	----	----	1	----	----	----	21	+	1	----				
622	----	----	----	----	0.0980B/----	0.0980B/0.0165A	----	0.0820	+ 0.0685	.3849	----	----	----	----	----	----	21	UNCH	21	UNCH				
623	0.1005	0.10																						

BULLETIN # 93@			METALS OPTION PRODUCTS										Fri, May 15, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
COMEX COPPER OPTIONS															
JUL26															
554	0.0345	0.0345	0.0365B/0.0310	0.0365B/0.0165A	----		0.0330 + 0.0170	.0986	----	----	80	----	82 +	72	
555	0.0360	0.0360	0.0375B/0.0360	0.0375B/0.0170A	----		0.0340 + 0.0175	.1013	----	----	43	----	94 +	39	
556	----	----	0.0390B/----	0.0390B/0.0175A	----		0.0350 + 0.0180	.1040	----	----	1	----	65	UNCH	
558	0.0395	0.0395	0.0415/0.0375	0.0415/0.0185A	----		0.0370 + 0.0190	.1094	----	----	88	----	114 -	10	
559	----	----	0.0425B/----	0.0425B/0.0185A	----		0.0380 + 0.0200	.1121	----	----	----	----	9	UNCH	
560	0.0410	0.0410	0.0440B/0.0410	0.0440B/0.0190A	----		0.0395 + 0.0210	.1157	----	----	6	----	324	UNCH	
561	----	----	0.0455B/----	0.0455B/0.0200A	----		0.0405 + 0.0215	.1184	----	----	6	----	10 +	3	
562	----	----	0.0470B/----	0.0470B/0.0205A	----		0.0415 + 0.0220	.1212	----	----	----	----	2	UNCH	
563	0.0460	0.0460	0.0485B/0.0460	0.0485B/0.0210A	----		0.0430 + 0.0230	.1248	----	4	----	----	17 +	3	
565	0.0530	0.0530	0.0530/0.0530	0.0530/0.0220A	----		0.0455 + 0.0240	.1312	----	3	----	----	18 -	1	
566	0.0490	0.0490	0.0530B/0.0465	0.0530B/0.0230A	----		0.0470 NEW	.1349	----	30	----	----	30 +	30	
567	----	----	0.0545B/----	0.0545B/0.0235A	----		0.0485 + 0.0260	.1385	----	----	----	----	13	UNCH	
568	0.0535	0.0535	0.0560B/0.0535	0.0560B/0.0240A	----		0.0500 + 0.0270	.1421	----	3	----	----	7 +	3	
569	0.0550	0.0550	0.0580B/0.0550	0.0580B/0.0245A	----		0.0515 + 0.0275	.1458	----	4	----	----	11 +	4	
570	0.0390	0.0390	0.0595B/0.0390	0.0595B/0.0255A	----		0.0530 + 0.0285	.1494	----	56	----	----	391 -	26	
571	----	----	0.0615B/----	0.0615B/0.0260A	----		0.0545 + 0.0295	.1531	----	----	----	----	17	UNCH	
572	----	----	0.0630B/----	0.0630B/0.0270A	----		0.0560 + 0.0300	.1568	----	----	----	----	4	UNCH	
573	----	----	0.0650B/----	0.0650B/0.0275A	----		0.0580 + 0.0315	.1612	----	----	----	----	2	UNCH	
574	----	----	0.0670B/----	0.0670B/0.0285A	----		0.0595 + 0.0320	.1649	----	----	----	----	6	UNCH	
575	----	----	0.0695B/----	0.0695B/0.0290A	----		0.0615 + 0.0335	.1693	----	2	----	----	223	UNCH	
576	0.0395	0.0395	0.0715B/0.0395	0.0715B/0.0300A	----		0.0635 + 0.0345	.1737	----	3	----	----	4 +	3	
577	----	----	0.0735B/----	0.0735B/0.0310A	----		0.0650 + 0.0350	.1775	----	----	----	----	2	UNCH	
578	0.0760	0.0760	0.0760/0.0735	0.0760/0.0320A	----		0.0670 + 0.0360	.1819	----	70	----	----	75 +	67	
579	----	----	0.0780B/----	0.0780B/0.0330A	----		0.0690 + 0.0375	.1864	----	----	----	----	2	UNCH	
580	0.0735	0.0735	0.0810/0.0735	0.0810/0.0340A	----		0.0710 + 0.0385	.1908	----	111	----	1862 +	49	+	
581	0.0825	0.0825	0.0830B/0.0825	0.0830B/0.0350A	----		0.0730 + 0.0395	.1953	----	6	----	----	5 -	4	
582	0.0800	0.0800	0.0870/0.0800	0.0870/0.0365A	----		0.0755 + 0.0410	.2003	----	80	----	30 +	25	+	
583	----	----	0.0875B/----	0.0875B/0.0375A	----		0.0775 + 0.0420	.2048	----	----	----	----	1	UNCH	
584	----	----	0.0905B/----	0.0905B/0.0385A	----		0.0795 + 0.0430	.2093	----	----	----	----	1	UNCH	
585	0.0835	0.0835	0.0930B/0.0835	0.0930B/0.0400A	----		0.0820 + 0.0440	.2144	----	3	----	868	UNCH	+	
586	----	----	0.0955B/----	0.0955B/0.0410A	----		0.0845 + 0.0455	.2195	----	----	----	8	UNCH	+	
587	----	----	0.0980B/----	0.0980B/0.0425A	----		0.0870 + 0.0470	.2246	----	----	----	9	UNCH	+	
588	0.0725	0.0725	0.1005B/0.0725	0.1005B/0.0440A	----		0.0895 + 0.0480	.2296	----	3	----	4 +	2	+	
589	----	----	0.1040B/----	0.1040B/0.0450A	----		0.0920 + 0.0495	.2347	----	----	----	7	UNCH	+	
590	0.0925	0.0925	0.1065B/0.0925	0.1065B/0.0475A	----		0.0945 + 0.0505	.2398	----	10	----	899 +	1	+	
592	----	----	0.1125B/----	0.1125B/0.0505A	----		0.1000 + 0.0530	.2505	----	1	----	4 +	1	+	
593	----	----	0.1155B/----	0.1155B/0.0520A	----		0.1025 + 0.0540	.2557	----	----	----	2	UNCH	+	
594	----	----	0.1185B/----	0.1185B/0.0540A	----		0.1055 + 0.0555	.2613	----	----	----	1	UNCH	+	
595	0.0920	0.0920	0.1220B/0.0920	0.1220B/0.0555A	----		0.1085 + 0.0570	.2669	----	25	----	200 +	4	+	
596	----	----	0.1255B/----	0.1255B/0.0575A	----		0.1115 + 0.0585	.2724	----	----	----	1	UNCH	+	
597	----	----	0.1280B/----	0.1280B/0.0590A	----		0.1145 + 0.0600	.2780	----	----	----	33	UNCH	+	
598	0.1255	0.1255	0.1320B/0.1245	0.1320B/0.0610A	----		0.1175 + 0.0610	.2837	----	13	----	21 +	10	+	
599	----	----	0.1350B/----	0.1350B/0.0630A	----		0.1210 + 0.0630	.2896	----	----	----	28	UNCH	+	
600	0.0680	0.0680	0.1385B/0.0680	0.1385B/0.0650A	----		0.1245 + 0.0645	.2956	----	58	----	816	UNCH	+	
601	----	----	0.1420B/----	0.1420B/0.0670A	----		0.1275 + 0.0655	.3012	----	----	----	2	UNCH	+	
602	----	----	0.1460B/----	0.1460B/0.0690A	----		0.1310 + 0.0670	.3072	----	----	----	9	UNCH	+	
603	0.1125	0.1125	0.1495B/0.1125	0.1495B/0.0715A	----		0.1345 + 0.0690	.3132	----	10	----	10 +	7	+	
605	0.1430	0.1430	0.1575B/0.1410	0.1575B/0.0755A	----		0.1420 + 0.0720	.3254	----	5	----	148	UNCH	+	
610	0.1230	0.1230	0.1785B/0.1230	0.1785B/0.0870A	----		0.1615 + 0.0805	.3563	----	17	----	379 -	3	+	
615	0.1390	0.1390	0.2000B/0.1390	0.2000B/0.1010A	----		0.1830 + 0.0890	.3878	----	89	----	146 +	82	+	
620	0.1680	0.1680	0.2245B/0.1680	0.2245B/0.1160A	----		0.2060 + 0.0980	.4196	----	4	----	263	UNCH	+	
625	0.2475	0.2475	0.2500B/0.2475	0.2500B/0.1330A	----		0.2310 + 0.1070	.4514	----	2	----	48 +	1	+	
630	0.2315	0.2315	0.2775B/0.2315	0.2775B/0.1520A	----		0.2580 + 0.1165	.4830	----	9	----	297 -	1	+	
635	0.2500	0.2500	0.3060B/0.2500	0.3060B/0.1730A	----		0.2865 + 0.1255	.5140	----	2	----	35 +	4	+	
640	0.2730	0.2730	0.3360B/0.2465	0.3360B/0.1955A	----		0.3165 + 0.1350	.5442	----	8	----	54 -	1	+	
645	0.2740	0.2740	0.3680B/0.2740	0.3680B/0.2175A	----		0.3485 + 0.1445	.5734	----	1	----	44 +	1	+	
650	0.3030	0.3030	0.3975B/0.3030	0.3975B/0.2425A	----		0.3815 + 0.1530	.6014	----	3	----	122 -	2	+	
655	----	----	0.4325B/----	0.4325B/0.2685A	----		0.4165 + 0.1625	.6285	----	----	----	49	UNCH	+	
660	0.4530	0.4530	0.4695B/0.4530	0.4695B/0.2975A	----		0.4520 + 0.1705	.6541	----	4	----	11 +	1	+	
665	----	----	0.5045B/----	0.5045B/0.3270A	----		0.4890 + 0.1790	.6782	----	----	----	3	UNCH	+	
670	----	----	0.5440B/----	0.5440B/0.3575A	----		0.5275 + 0.1875	.7014	----	----	----	68	UNCH	+	
675	----	----	0.5835B/----	0.5835B/0.3885A	----		0.5665 + 0.1950	.7228	----	----	----	26	UNCH	+	
700	----	----	0.7735B/----	0.7735B/0.5730A	----		0.7750 + 0.2290	.8110	----	----	----	2	UNCH	+	
705	----	----	0.8170B/----	0.8170B/0.6115A	----		0.8190 + 0.2355	.8257	----	----	----	1	UNCH	+	
TOTAL											1697		22058 +	473	
AUG26															
330	----	----	----	-----/0.0020A	----		0.0010 UNCH	.0019	----	----	----	----	3	UNCH	
405	----	----	----	0.0005B/0.0110A	----		0.0045 UNCH	.0093	----	----	----	----	3	UNCH	
420	----	----	----	0.0015B/0.0120A	----		0.0060 + 0.0005	.0125	----	----	----	----	1	UNCH	
440	----	----	----	0.0015B/0.0140A	----		0.0080 + 0.0010	.0172	----	----	----	----	5	UNCH	
450	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----		0.0090 + 0.0010	.0198	----	2	----	8 +	1	+	
460	----	----	----	0.0050B/0.0165A	----		0.0110 + 0.0020	.0242	----	----	----	3	UNCH	+	
465	----	----	----	0.0085B/*0.0155	----		0.0120 + 0.0020	.0265	----	----	----	1	UNCH	+	
470	----	----	----	0.0095B/*0.0160	----		0.0130 + 0.0025	.0289	----	----	----	2	UNCH	+	
475	----	----	----	0.0105B/*0.0170	----		0.0140 + 0.0030	.0313	----	----	----	5	UNCH	+	
480	----	----	0.0125B/----	0.0125B/*0.0170	----		0.0155 + 0.0035	.0346	----	----	----	7	UNCH	+	
485	----	----	0.0145B/----	0.0145B/*0.0180	----		0.0170 + 0.0040	.0380	----	----	----	1	UNCH	+	
500	----	----	0.0205B/----	0.0205B/0.0205A	----		0.0225 + 0.0065	.0504	----	2	----	9 +	2	+	
505	----	----	0.0230B/----	0.0230B/0.0215A	----		0.0250 + 0.0075	.0557	----	----	----	1	UNCH	+	
510	----	----	0.0260B/----	0.0260B/0.0230A	----		0.0280 + 0.0095	.0619	----	----	----	1	UNCH	+	
520	0.0350	0.0350	0.0350/0.0350	0.0350/0.0270A	----		0.0345 + 0.0120	.0754	----	1	----	308 +	1	+	
525	----	----	0.0385B/----	0.0385B/0.0295A	----		0.0390 + 0.0145	.0840	----	----	----	1	UNCH	+	
530	----	----	0.0440B/----	0.0440B/0.0320A	----		0.0440 + 0.0170	.0934	----	----	----	64	UNCH	+	
535	----	----	0.0495B/----	0.0495B/0.0350A	----		0.0495 + 0.0200	.1035	----	----	----	8	UNCH	+	
540	0.0425	0.0425	0.0565B/0.0425	0.0565B/0.0390A	----		0.0555 + 0.0225	.1144	----	1	----	6 +	1	+	
545	----	----	0.0645B/----	0.0645B/0.0410A	----		0.0625 + 0.0260	.1265	----	1	----	1	UNCH	+	
550	0.0440	0.0440	0.0725B/0.0440	0.0725B/0.0440	----		0.0705 + 0.0300	.1397	----	1	----	25 -	1	+	
565	----	----	0.1010B/----	0.1010B/0.0625A	----		0.0985 + 0.0420	.1839	----	----	----	1	UNCH	+	
570	----	----	0.1125B/----	0.1125B/0.0695A	----		0.1095 + 0.0465	.2003	----	1	----	5 +	1	+	
575	----	----	0.1250B/----	0.1250B/0.0780A	----		0.1220 + 0.0515	.2179	----	2	----	2	UNCH	+	
580	0.1150	0.1150	0.1425B/0.1150	0.1425B/0.0865A	----		0.1350 + 0.0565	.2359	----	2	----	253 +	2	+	
585	----	----	0.1540B/----	0.1540B/0.0965A	----		0.1490 + 0.0615	.2547	----	----	----	14	UNCH	+	
590	----	----	0.1695B/----	0.1695B/0.1075A	----		0.1645 + 0.0670	.2744	----	----	----	8	UNCH	+	
600	0.2035	0.2035													

BULLETIN # 93@				METALS OPTION PRODUCTS								Fri, May 15, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
COMEX COPPER OPTIONS																
SEP26																
635	----	----	----	0.4450B/----	0.4450B/0.3300A	----	----		0.4380 + 0.1330	.4633	----	----	----	500	431 +	286
650	----	----	----	0.5330B/----	0.5330B/0.4015A	----	----		0.5270 + 0.1505	.5158	----	----	2	----	82	UNCH
655	----	----	----	0.5635B/----	0.5635B/0.4275A	----	----		0.5580 + 0.1560	.5328	----	----	----	----	53	UNCH
660	----	----	----	0.5950B/----	0.5950B/0.4540A	----	----		0.5900 + 0.1615	.5493	----	----	----	----	1	UNCH
670	----	----	----	0.6650B/----	0.6650B/0.5105A	----	----		0.6560 + 0.1710	.5817	----	----	----	----	210	UNCH
685	----	----	----	0.7655B/----	0.7655B/0.6010A	----	----		0.7605 + 0.1855	.6271	----	----	----	----	11	UNCH
695	----	----	----	0.8395B/----	0.8395B/0.6650A	----	----		0.8335 + 0.1940	.6554	----	----	----	----	2	UNCH
700	----	----	----	0.8775B/----	0.8775B/0.6985A	----	----		0.8710 + 0.1985	.6691	----	----	----	----	7	UNCH
725	----	----	----	1.0740B/----	1.0740B/0.8810A	----	----		1.0670 + 0.2185	.7304	----	----	----	----	2	UNCH
TOTAL												1500	401		9589 +	1569
OCT26																
300	----	----	----	----	----/0.0110A	----	----		0.0020	UNCH	.0030	----	----	----	1	UNCH
375	----	----	----	----	0.0050B/0.0170A	----	----		0.0095 + 0.0005	.0142	----	----	----	----	2	UNCH
400	----	----	----	----	0.0050B/0.0190A	----	----		0.0125 + 0.0005	.0193	----	----	----	----	1	UNCH
450	----	----	----	----	0.0190B/0.0295A	----	----		0.0245 + 0.0045	.0392	----	----	----	----	1	UNCH
470	----	----	----	0.0280B/----	0.0280B/0.0340A	----	----		0.0340 + 0.0085	.0537	----	----	----	----	1	UNCH
475	----	----	----	----	0.0275B/0.0385A	----	----		0.0370 + 0.0095	.0582	----	----	----	----	3	UNCH
500	----	----	----	0.0480B/----	0.0480B/0.0510A	----	----		0.0575 + 0.0185	.0869	----	----	----	----	60	UNCH
530	----	----	----	0.0890B/----	0.0890B/0.0780A	----	----		0.0970 + 0.0330	.1367	----	----	----	----	1	UNCH
570	----	----	----	0.1810B/----	0.1810B/0.1450A	----	----		0.1885 + 0.0630	.2322	----	----	----	----	4	UNCH
600	----	----	----	0.2930B/----	0.2930B/0.2200A	----	----		0.2940 + 0.0925	.3207	----	----	----	----	13	UNCH
605	0.3165		0.3165	0.3165/0.3165	0.3165/0.2365A	----	----		0.3150	NEW	.3362	----	1	----	1 +	1
745	----	----	----	1.2110B/----	1.2110B/1.0220A	----	----		1.2065 + 0.2170	.7207	----	----	----	----	1	UNCH
750	----	----	----	1.2385B/----	1.2385B/1.0735A	----	----		1.2465 + 0.2200	.7307	----	----	----	----	5	UNCH
TOTAL													1		94 +	1
NOV26																
400	----	----	----	----	0.0080B/0.0280A	----	----		0.0180 + 0.0015	.0252	----	----	----	----	10	UNCH
475	----	----	----	0.0425B/----	0.0425B/0.0510A	----	----		0.0515 + 0.0135	.0716	----	----	----	----	2	UNCH
480	----	----	----	0.0470B/----	0.0470B/0.0535A	----	----		0.0555 + 0.0150	.0768	----	----	----	----	2	UNCH
500	----	----	----	0.0705B/----	0.0705B/0.0685A	----	----		0.0780 + 0.0240	.1034	----	----	----	----	16	UNCH
520	----	----	----	0.1025B/----	0.1025B/0.0895A	----	----		0.1090 + 0.0350	.1370	----	----	----	----	2	UNCH
550	----	----	----	0.1690B/----	0.1690B/0.1380A	----	----		0.1755 + 0.0370	.2003	----	----	----	----	1	UNCH
560	----	----	----	0.1970B/----	0.1970B/0.1595A	----	----		0.2035 + 0.0650	.2243	----	----	----	----	1	UNCH
590	----	----	----	0.3010B/----	0.3010B/0.2405A	----	----		0.3080 + 0.0925	.3032	----	----	----	----	1	UNCH
645	----	----	----	0.5680B/----	0.5680B/0.4600A	----	----		0.5750 + 0.1445	.4566	----	----	----	----	1	UNCH
735	----	----	----	1.1745B/----	1.1745B/1.0045A	----	----		1.1755 + 0.2060	.6745	----	----	----	----	2	UNCH
TOTAL															38	
DEC26																
380	----	----	----	----	0.0055B/0.0320A	----	----		0.0195 + 0.0025	.0245	----	----	----	----	2	UNCH
385	----	----	----	----	0.0065B/0.0330A	----	----		0.0205 + 0.0030	.0259	----	----	----	----	1	UNCH
395	----	----	----	----	0.0090B/0.0350A	----	----		0.0225 + 0.0030	.0289	----	----	----	----	3	UNCH
400	----	----	----	----	0.0105B/0.0360A	----	----		0.0240 + 0.0035	.0309	----	----	----	----	18	UNCH
420	----	----	----	----	0.0170B/0.0410A	----	----		0.0300 + 0.0050	.0392	----	----	----	----	2	UNCH
460	0.0525		0.0525	0.0525/*0.0525	0.0525/*0.0525	----	----		0.0525 + 0.0135	.0674	----	2	----	----	2 +	2
475	----	----	----	0.0555B/----	0.0555B/0.0650A	----	----		0.0665 + 0.0190	.0834	----	----	----	----	76	UNCH
480	----	----	----	0.0615B/----	0.0615B/0.0690A	----	----		0.0720 + 0.0210	.0894	----	----	----	----	16	UNCH
490	----	----	----	0.0745B/----	0.0745B/0.0770A	----	----		0.0845 + 0.0255	.1027	----	----	----	----	5	UNCH
500	----	----	----	0.0895B/----	0.0895B/0.0870A	----	----		0.0995 + 0.0310	.1178	----	----	----	----	103	UNCH
525	----	----	----	0.1370B/----	0.1370B/0.1205A	----	----		0.1465 + 0.0465	.1618	----	----	----	----	1	UNCH
540	----	----	----	0.1735B/----	0.1735B/0.1475A	----	----		0.1830 + 0.0580	.1925	----	----	----	----	3	UNCH
550	----	----	----	0.2010B/----	0.2010B/0.1685A	----	----		0.2110 + 0.0660	.2146	----	----	----	----	152	UNCH
560	----	----	----	0.2320B/----	0.2320B/0.1930A	----	----		0.2420 + 0.0750	.2377	----	----	----	----	300	UNCH
570	----	----	----	0.2660B/----	0.2660B/0.2200A	----	----		0.2760 + 0.0835	.2617	----	----	----	----	4	UNCH
580	----	----	----	0.3025B/----	0.3025B/0.2505A	----	----		0.3130 + 0.0925	.2864	----	----	----	----	22	UNCH
600	----	----	----	0.3855B/----	0.3855B/0.3195A	----	----		0.3965 + 0.1105	.3372	----	----	----	----	118	UNCH
630	----	----	----	0.5320B/----	0.5320B/0.4440A	----	----		0.5440 + 0.1365	.4144	----	----	----	----	18	UNCH
750	----	----	----	1.3260B/----	1.3260B/1.1585A	----	----		1.3325 + 0.2130	.6835	----	----	----	----	1	UNCH
TOTAL													2		847 +	2
JAN27																
400	----	----	----	----	0.0055B/0.0320A	----	----		0.0480 + 0.0125	.0474	----	----	----	----	8	UNCH
800	1.5300		1.5300	#1.5300/1.5300	#1.5300/1.5300	----	----		1.7465 + 0.2105	.7075	----	----	1	----	2 +	1
TOTAL													1		10 +	1
FEB27																
400	----	----	----	----	0.0055B/0.0320A	----	----		0.0620 + 0.0150	.0556	----	----	----	----	2	UNCH
TOTAL															2	
MAR27																
275	----	----	----	----	0.0055B/0.0320A	----	----		0.0255 + 0.0050	.0190	----	----	----	----	1	UNCH
TOTAL															1	
HXE CALL																
COPPER OPTIONS																
MAY26																
580	----	----	----	----/0.4855A	0.7770B/0.4855A	----	----		0.4990 - 0.3145	.9736	----	----	----	----	1	UNCH
600	----	----	----	----/0.2820A	0.5755B/0.2820A	----	----		0.2950 - 0.3180	----	----	----	----	----	0	UNCH
610	0.2255		0.2255	0.2255/0.1835A	0.4755B/0.1835A	----	----		0.1950 - 0.3190	----	2	----	----	----	0 -	2
610	----	----	----	0.2255/0.2165A	0.4805B/0.2165A	----	----		0.2260 - 0.2935	.8033	----	----	1	----	6	UNCH
610	----	----	----	----/0.2495A	0.4670B/0.2495A	----	----		0.2570 - 0.2680	.7287	----	----	----	----	5	UNCH
615	----	----	----	----/0.1360A	0.4255B/0.1360A	----	----		0.1450 - 0.3200	----	1	----	----	----	0 -	1
615	----	----	----	----/0.2175A	0.4220B/0.2175A	----	----		0.2230 - 0.2560	.6760	----	----	----	----	1	UNCH
620	----	----	----	----/0.0915A	0											

BULLETIN # 93@				METALS OPTION PRODUCTS										Fri, May 15, 2026				PG64	
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
HXE CALL		COPPER OPTIONS																	
JUN26																			
650	0.1500	0.1500	0.1500/*0.1165A	0.2100B/*0.1165	----	0.1045	- 0.1555	.3425	----	----	2	----	0 -	2					
675	0.0565	0.0565	0.0565/*0.0565	0.1145B/*0.0565	----	0.0535	NEW	.1936	----	----	5	----	5 +	5					
690	----	----	----/*0.0350A	0.0720B/*0.0350	----	0.0320	- 0.0750	.1328	----	----	----	----	1	UNCH					
700	----	----	----/*0.0365A	0.0540B/*0.0365	----	0.0265	- 0.0610	.1029	----	----	----	----	1	UNCH					
750	----	----	----/*0.0165A	0.0070B/*0.0165	----	0.0070	- 0.0205	.0287	----	----	7	----	8 +	3					
TOTAL																			
HXE PUT		COPPER OPTIONS																	
MAY26																			
450	----	----	----	----/0.0070A	----	0.0005	UNCH	----	----	----	----	----	4	UNCH					
570	----	----	----	----/0.0055A	----	0.0000	- 0.0005	----	----	----	----	----	0 -	1					
575	0.0055	0.0055	0.0055/*0.0055	0.0055/*0.0055	----	0.0030	NEW	.0191	----	----	4	----	4 +	4					
580	----	----	----	----/0.0055A	----	0.0000	- 0.0005	----	----	----	----	----	0 -	1					
580	----	----	0.0140B/----	0.0140B/0.0100A	----	0.0145	+ 0.0105	.0751	----	----	----	----	1	UNCH					
589	----	----	----	----/0.0055A	----	0.0000	- 0.0010	----	----	----	----	----	0 -	3					
590	----	----	0.0065B/----	0.0065B/*0.0085	----	0.0090	+ 0.0050	.0583	----	----	----	----	1	UNCH					
595	----	----	----	----/0.0055A	----	0.0000	- 0.0015	----	----	----	----	----	0 -	2					
595	----	----	0.0095B/----	0.0095B/*0.0090	----	0.0125	+ 0.0070	.0811	----	----	----	----	1	UNCH					
600	----	----	----	----/0.0055A	----	0.0000	- 0.0015	----	----	----	----	----	0 -	35					
600	----	----	0.0150B/----	0.0150B/0.0095A	----	0.0170	+ 0.0100	.1102	----	----	----	----	7	UNCH					
605	----	----	----	----/0.0055A	----	0.0000	- 0.0020	----	----	----	----	----	0 -	1					
610	----	----	----	----/0.0060A	----	0.0000	- 0.0025	----	----	----	----	----	0 -	3					
615	----	----	----	0.0005B/0.0060A	----	0.0000	- 0.0035	----	----	----	----	----	0 -	1					
620	0.0100	0.0100	0.0100/0.0100	0.0100/0.0060A	----	0.0000	- 0.0045	----	----	1	----	----	0 -	73					
620	0.0370	0.0370	0.0660B/0.0370	0.0660B/0.0155A	----	0.0585	+ 0.0475	.3340	----	2	----	----	33 +	2					
625	0.0120	0.0120	0.0145B/*0.0040	0.0145B/*0.0040	----	0.0000	- 0.0050	----	----	2	----	----	0 -	21					
625	0.0600	0.0600	0.0970/0.0600	0.0970/0.0195A	----	0.0785	+ 0.0645	.4161	----	113	----	----	172 -	29					
630	----	----	0.0370B/----	0.0370B/0.0105A	----	0.0050	UNCH	----	----	2	----	----	0 -	2					
630	0.0485	0.0485	0.1140B/0.0485	0.1140B/0.0260A	----	0.1030	NEW	.5009	----	4	----	----	2 +	2					
633	0.0070	0.0070	#0.0585B/*0.007	0.0585B/0.0070	----	0.0350	NEW	----	2	----	2	----	0	UNCH					
634	0.0190	0.0190	#0.0655B/0.0190	0.0655B/0.0110A	----	0.0450	NEW	----	4	----	8	----	0	UNCH					
635	0.0205	0.0205	0.0740B/0.0205	0.0740B/0.0110A	----	0.0550	+ 0.0495	----	1	----	2	----	0 -	1					
636	0.0370	0.0370	#0.0830B/0.0295	0.0830B/0.0115A	----	0.0650	NEW	----	40	40	----	----	0	UNCH					
639	0.0230	0.0230	#0.1105B/0.0230	0.1105B/0.0070A	----	0.0950	NEW	----	1	----	2	----	0	UNCH					
640	0.0290	0.0290	0.1200B/0.0275	0.1200B/0.0130A	----	0.1050	+ 0.0990	----	10	10	----	----	0 -	1					
640	0.1310	0.1310	0.1775B/0.1310	0.1775B/0.0485A	----	0.1650	+ 0.1300	.6591	----	34	----	----	43 -	11					
642	0.0760	0.0760	#0.1395B/0.0760	#0.1395B/0.0140	----	0.1250	+ 0.1185	----	5	----	1	----	0 -	5					
645	0.0370	0.0370	0.1690B/0.0370	0.1690B/0.0165A	----	0.1550	NEW	----	12	22	----	----	0	UNCH					
649	----	----	#0.2090B/----	#0.2090B/0.0225	----	0.1950	+ 0.1855	----	2	----	----	----	0 -	2					
650	0.0250	0.0250	0.2190B/0.0250	0.2190B/0.0230A	----	0.2050	+ 0.1945	----	1	2	----	----	0 -	2					
650	----	----	0.2540B/----	0.2540B/0.0845A	----	0.2405	+ 0.1745	.7837	----	----	----	----	1	UNCH					
653	0.1850	0.1850	#0.2490B/0.1850	#0.2490B/0.0330	----	0.2350	+ 0.2195	----	1	1	----	----	0 -	2					
655	0.2565	0.2565	0.2690B/0.2565	0.2690B/0.0405A	----	0.2550	+ 0.2345	----	4	1	----	----	0 -	5					
658	----	----	#0.2990B/----	#0.2990B/0.0545	----	0.2850	+ 0.2530	----	2	----	----	----	0 -	2					
660	----	----	0.3190B/----	0.3190B/0.0650A	----	0.3050	+ 0.2635	----	3	----	----	----	0 -	3					
662	----	----	#0.3390B/----	#0.3390B/0.0770	----	0.3250	+ 0.2730	----	40	----	----	----	0 -	40					
663	----	----	#0.3490B/----	#0.3490B/0.0830	----	0.3350	+ 0.2775	----	20	----	----	----	0 -	20					
665	----	----	0.3845B/----	0.3845B/0.1640A	----	0.3710	+ 0.2295	.8987	----	----	253	----	1	UNCH					
TOTAL																			
JUN26																			
600	0.0645	0.0645	#0.0645/0.0645	#0.0645/0.0295A	----	0.0635	NEW	.2315	----	----	5	----	5 +	5					
620	0.1005	0.1005	#0.1280B/0.1005	#0.1280B/0.0635	----	0.1330	NEW	.3993	----	----	34	----	34 +	34					
TOTAL																			
ALUMINIUM OPTIONS ON FUTURES																			
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
PLATINUM OPTIONS ON FUTURES																			
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
PAO CALL		NYMEX PALLADIUM OPTIONS																	
JUN26																			
1400	----	----	----/*40.00A	61.00B/*40.00A	----	39.70	- 30.00	.6887	----	----	----	----	75	UNCH					
1425	----	----	----/*28.10A	42.70B/*28.10A	----	25.40	- 26.00	.5170	----	----	----	----	1 +	1					
1440	----	----	----/*22.40A	32.60B/*22.40A	----	19.10	- 22.80	.4145	----	----	----	----	1	UNCH					
1460	----	----	----/*16.60A	24.00B/*16.60A	----	13.20	- 18.10	.2982	----	----	----	----	25	UNCH					
1500	----	----	----/*9.60A	11.70B/*9.60A	----	6.40	- 10.80	.1453	----	----	----	----	110	UNCH					
1525	----	----	----/*7.40A	7.20B/*7.40A	----	4.10	- 7.90	.0910	----	----	----	----	5	UNCH					
1530	----	----	----/*7.10A	6.50B/*7.10A	----	3.70	- 7.40	.0819	----	----	----	----	1	UNCH					
1550	----	----	----/*6.10A	4.20B/*6.10A	----	2.60	- 5.90	.0559	----	----	----	----	94	UNCH					
1575	----	----	----/*5.30A	2.20B/*5.30A	----	1.60	- 4.10	.0332	----	----	----	----	15	UNCH					
1600	----	----	----	0.90B/*4.80A	----	1.00	- 2.90	.0198	----	----	----	----	49	UNCH					
1650	----	----	----/*4.20A	----	----	0.40	- 1.60	.0071	----	----	----	----	67	UNCH					
1700	----	----	----/*3.80A	----	----	0.20	- 0.80	.0031	----	----	----	----	32	UNCH					
1750	----	----	----/*3.40A	----	----	0.10	- 0.40	.0004	----	----	----	----	142	UNCH					
1800	----	----	----/*3.20A	----	----	0.10	- 0.10	.0000	----	----	----	----	112	UNCH					
1850	----	----	----	----/*3.10A	----	0.10	UNCH	.0000	----	----	----	----	67	UNCH					
1900	----	----	----/*3.00A	----	----	0.10	UNCH	----	----	----	----	----	64	UNCH					
1925	----	----	----/*3.00A	----	----	0.10	UNCH	----	----	----	----	----	40	UNCH					
1950	----	----	----/*3.00A	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH					
2000	----	----	----/*2.90A	----	----	0.10	UNCH	----	----	----	----	----	108	UNCH					
2100	----	----	----/*2.90A	----	----	0.10	UNCH	----	----	----	----	----	52	UNCH					
2200	----	----	----/*2.80A	----	----	0.10	UNCH	----	----	----	----	----	8	UNCH					
2300	----	----	----/*2.80A	----	----	0.10	UNCH	----	----	----	----	----	30	UNCH					
2400	----	----	----/*2.80A	----	----	0.10	UNCH	----	----	----	----	----	7	UNCH					
2500	----	----	----/2.80A	----	----	0.10	UNCH	----	----	----	----	----	25	UNCH					
2700	----	----	----/2.80A	----	----	0.10	UNCH	----	----	----	----	----	50	UNCH					
3000	----	----	----/2.80A	----	----	0.10	UNCH	----	----	----	----	----	30	UNCH					
3500	----	----	----	----/2.80A	----	0.10	UNCH	----	----	----	----	----	25	UNCH					
TOTAL																			
JUL26																			
1440	----	----	----/*72.40A	88.40B/*72.40A	----	69.10	- 28.00	.5421	----	----	----	----	1	UNCH					
1500	45.00	45.00	45.00/*45.00	62.60B/*45.00	----	46.30	NEW	.4029	----	----	10	----	10 +	10					
1550	37.50	37.50	37.50/*36.80A	47.00B/*36.80A	----	34.00	- 18.40	.3100	----	----	20	----	70 +	20					
1600	----	----	----/*28.30A	35.80B/*28.30A	----	25.70	- 14.70	.2397	----	----	----	----	50	UNCH					
1720	----	----	----/*17.20A	19.70B/*17.20A	----	14.70	- 8.50	.1374	----	----	----	----	6	UNCH					
1800	----	----	----/*13.30A	13.70B/*13.30A	----	9.80	- 6.20	.0933	----	----	----	----	49	UNCH					
TOTAL																			
AUG26																			
1600	----	----	----/*56.20A	63.40B/*56.20A	----	52.00	- 17.60	.3250	----	----	----	----	100	UNCH					
1700	----	----	----/*41.70A	46.00B/*41.70A	----	37.80	- 13.40	.2400	----	----	----	----	20	UNCH					
1800	----	----	----/*32.20A	34.20B/*32.20A	----	28.40	- 10.40	.1813	----	----	----	----	100	UNCH					
1900	----	----	----/*25.60A	25.90B/*25.60A	----	21.50	- 8.30	.1382	----	----	----	----	400	UNCH					
TOTAL																			
SEP26																			
1400	----	----	----/*144.00A	157.70B/*144.00	----	139.70	- 27.50	.6057	----	----	----	----	75	UNCH					
1575	----	----	----/*83.90A	91.30B/*83.90A	----	78.50	- 20.80	.3918	----	----	----	----	25	UNCH					
1600	----	----	----/*78.10A	84.70B/*78.10A	----	72.80	- 19.80	.3676	----	----	----	----	150	UNCH					
1625	----	----	----/*72.90A	78.80B/*72.90A	----	67.80	- 18.60	.3453	----	----	----	----	20	UNCH					
1665	----	----	----/*65.60A	70.30B/*65.60A	----	60.60	- 17.00	.3126	----	----	----	----	9	UNCH					
1700	----	----	----/*60.10A	63.90B/*60.10A	----	55.20	- 15.70	.2872	----	----	----	----	55	UNCH					
1800	----	----	----/47.80A	49.30B/47.80A	----	43.00	- 12.60	.2275	----	----	----	----	6	UNCH					
1875	----	----	----/*41.00A	41.20B/*41.00A	----	36.30	- 10.80	.1933	----	----	----	----	25	UNCH					
1885	----	----	----/*40.30A	40.20B/*40.30A	----	35.60	- 10.50	.1895	----	----	----	----	100	UNCH					
1900	----	----	----/*39.10A	38.90B/*39.10A	----	34.40	- 10.30	.1834	----	----	----	----	10	UNCH					
2000	----	----	----/*32.70A	31.20B/*32.70A	----	28.20	- 8.40	.1506	----	----	----	----	30	UNCH					
2100	----	----	----/*27.90A	25.40B/*27.90A															



	BULLETIN # 93@				METALS OPTION PRODUCTS							Fri, May 15, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO CALL	NYMEX PALLADIUM OPTIONS															
DEC26																
1800	----	----		----	----	----		77.60 - 13.40	.3082	----	----	----	----	50	UNCH	
2000	----	----		----	----	----		54.50 - 9.90	.2234	----	----	----	----	1	UNCH	
3000	----	----		----	----	----		16.60 - 3.20	.0696	----	----	----	----	1	UNCH	
TOTAL														52	UNCH	
PAO PUT	NYMEX PALLADIUM OPTIONS															
JUN26																
1195	----	----		----	----/2.80A	----		0.10 UNCH	.0000	----	----	----	----	113	UNCH	
1200	----	----		----	----/2.80A	----		0.10 UNCH	.0000	----	----	----	----	15	UNCH	
1250	----	----		----	----/3.00A	----		0.10 UNCH	.0006	----	----	----	----	1	UNCH	
1300	----	----		----	----/3.70A	----		0.60 UNCH	.0148	----	----	----	----	135	UNCH	
1325	----	----		----	----/4.30A	----		1.40 + 0.10	.0365	----	----	----	----	18	UNCH	
1335	----	----		----	0.70B/4.70A	----		2.00 + 0.30	.0525	----	----	----	----	1	UNCH	
1350	----	----		----	2.50B/5.60A	----		3.20 + 0.60	.0844	----	----	----	----	12	UNCH	
1400	----	----		15.20B/----	15.20B/12.40A	----		13.40 + 4.50	.3112	----	----	----	----	236	UNCH	
1440	----	----		36.30B/----	36.30B/26.30A	----		32.80 + 11.70	.5854	----	----	----	----	4	UNCH	
1450	42.40	42.40		45.30B/42.40	45.30B/31.40A	----		39.60 + 14.10	.6468	----	----	1	----	100	-	
1460	----	----		37.10B/----	37.10B/36.90A	----		46.90 + 16.40	.7017	----	----	----	----	100	UNCH	
1475	----	----		65.10B/----	65.10B/46.40A	----		58.80 + 19.60	.7700	----	----	----	----	11	UNCH	
1500	----	----		86.80B/----	86.80B/64.40A	----		80.10 + 23.70	.8545	----	----	----	----	54	UNCH	
1550	----	----		133.30B/----	133.30B/106.00A	----		126.30 + 28.70	.9440	----	----	----	----	1	UNCH	
1750	----	----		330.50B/----	330.50B/299.40A	----		323.70 + 34.20	.9996	----	----	----	----	1	UNCH	
1900	----	----		480.20B/----	480.20B/448.60A	----		473.70 + 34.50	1.0000	----	----	----	----	50	UNCH	
TOTAL												1		852	-	
JUL26																
1285	----	----		11.60B/----	11.60B/12.50A	----		12.60 + 1.50	.1360	----	----	----	----	9	UNCH	
1300	----	----		14.10B/----	14.10B/14.30A	----		14.90 + 1.90	.1572	----	----	----	----	165	UNCH	
1400	----	----		44.80B/----	44.80B/36.50A	----		42.30 + 7.00	.3587	----	----	----	----	31	UNCH	
1450	----	----		71.10B/----	71.10B/57.00A	----		66.50 + 10.90	.4823	----	----	----	----	30	UNCH	
TOTAL														235	UNCH	
AUG26																
1400	----	----		#70.20B/----	#70.20B/62.70A	----		68.30 + 8.60	.3847	----	----	----	----	1	UNCH	
TOTAL														1	UNCH	
SEP26																
1300	----	----		47.00B/----	47.00B/47.00A	----		49.60 + 6.20	.2584	----	----	----	----	40	UNCH	
1375	----	----		79.00B/----	79.00B/74.80A	----		79.80 + 9.50	.3595	----	----	----	----	100	UNCH	
1460	----	----		127.40B/----	127.40B/118.30A	----		125.40 + 12.30	.4748	----	----	----	----	75	UNCH	
1465	----	----		130.50B/----	130.50B/121.20A	----		128.50 + 12.50	.4813	----	----	----	----	150	UNCH	
1550	----	----		189.20B/----	189.20B/176.00A	----		185.80 + 15.80	.5820	----	----	----	----	100	UNCH	
1575	----	----		207.90B/----	207.90B/193.80A	----		204.40 + 17.00	.6078	----	----	----	----	25	UNCH	
1650	----	----		267.20B/----	267.20B/250.80A	----		263.60 + 20.30	.6752	----	----	----	----	50	UNCH	
1925	----	----		509.80B/----	509.80B/489.20A	----		506.50 + 28.30	.8253	----	----	----	----	75	UNCH	
TOTAL														615	UNCH	
DEC26																
1500	----	----		----	----	----		190.60 + 17.40	.4695	----	----	----	----	40	UNCH	
TOTAL														40	UNCH	
PLW OOF	PLATINUM WEEKLY FRIDAY OPTION week3															
MAY26																
1800	----	----		----	----/1.70A	----		0.00 - 0.10	----	----	----	----	----	0	-	
1900	----	----		----/77.80A	177.60B/77.80A	----		91.80 - 99.70	----	30	----	----	----	0	-	
2000	37.30	37.30		37.30/*36.00A	95.50B/*36.00A	----		41.60 NEW	.4800	----	----	20	----	20	+	
2000	----	----		----/*1.80A	78.30B/*1.80A	----		0.00 - 92.10	----	----	----	----	----	0	-	
2050	27.00	27.00		27.00/*21.20A	62.80B/*21.20A	----		24.50 NEW	.3127	----	----	20	----	20	+	
2075	----	----		----/*1.70A	17.20B/*1.70A	----		0.00 - 28.60	----	----	----	----	----	0	-	
2100	----	----		----/*1.70A	7.20B/*1.70A	----		0.00 - 15.80	----	----	----	----	----	0	-	
2150	----	----		----/*8.30A	23.60B/*8.30A	----		8.30 - 22.50	.1133	----	----	----	----	10	UNCH	
2150	----	----		----/*1.70A	----/*1.70A	----		0.00 - 3.80	----	----	----	----	----	0	-	
2170	----	----		----/*1.70A	----/*1.70A	----		0.00 - 1.80	----	----	----	----	----	0	-	
TOTAL												40		50	-	
JUN26																
2200	----	----		----/*21.40A	43.60B/*21.40A	----		22.70 - 28.10	.1907	----	----	----	----	100	UNCH	
2400	----	----		----/*8.90A	14.30B/*8.90A	----		8.10 - 10.40	.0710	----	----	----	----	100	UNCH	
TOTAL														200	UNCH	
PO CALL	PLATINUM OPTIONS															
JUN26																
1900	----	----		----/85.90A	179.40B/85.90A	----		97.90 - 95.10	.8839	----	----	----	----	1	UNCH	
1950	----	----		----/49.70A	132.30B/49.70A	----		58.60 - 87.20	.7130	----	----	----	----	5	UNCH	
2000	----	----		----/*26.50A	88.80B/*26.50A	----		31.40 - 70.10	.4676	----	----	----	----	20	UNCH	
2025	----	----		----/*18.90A	69.60B/*18.90A	----		22.20 - 59.50	.3528	----	----	----	----	27	UNCH	
2050	----	----		----/*13.40A	53.30B/*13.40A	----		15.50 - 49.00	.2565	----	----	8	----	71	UNCH	
2055	15.60	15.60		16.00/*12.60A	40.90B/*12.60A	----		14.40 - 47.00	.2397	----	----	50	----	150	+	
2060	----	----		----/*11.80A	42.20B/*11.80A	----		13.40 - 45.00	.2240	----	----	----	----	1	UNCH	
2075	----	----		----/*9.80A	40.10B/*9.80A	----		10.70 - 39.30	.1810	----	----	----	----	15	UNCH	
2085	----	----		----/*8.70A	35.60B/*8.70A	----		9.30 - 35.70	.1573	----	----	----	----	15	UNCH	
2090	----	----		----/*8.30A	33.50B/*8.30A	----		8.70 - 33.90	.1469	----	----	----	----	15	UNCH	
2095	----	----		----/*7.80A	31.40B/*7.80A	----		8.10 - 32.30	.1367	----	----	----	----	15	UNCH	
2100	----	----		----/*7.40A	29.50B/*7.40A	----		7.60 - 30.60	.1277	----	----	----	----	155	UNCH	
2120	----	----		----/*6.10A	22.70B/*6.10A	----		5.80 - 24.70	.0962	----	----	----	----	15	UNCH	
2130	----	----		----/*5.60A	19.80B/*5.60A	----		5.10 - 22.00	.0837	----	----	----	----	55	UNCH	
2135	----	----		----/*5.40A	18.50B/*5.40A	----		4.80 - 20.80	.0783	----	----	----	----	4	UNCH	
2140	----	----		----/*5.20A	17.20B/*5.20A	----		4.50 - 19.60	.0730	----	----	----	----	15	UNCH	
2145	----	----		----/*5.00A	16.10B/*5.00A	----		4.20 - 18.50	.0678	----	----	----	----	15		

BULLETIN # 93@				METALS OPTION PRODUCTS										Fri, May 15, 2026				PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST						
PO CALL	PLATINUM OPTIONS																		
JUL26																			
2170	----	----	----/40.20A	74.10B/40.20A	----	43.40	- 38.60	.2783	----	----	----	----	4	UNCH					
2200	47.00	47.00	47.00/35.10A	65.10B/35.10A	----	37.70	- 35.00	.2473	----	----	50	----	458 +	4					
2250	----	----	---/28.30A	52.50B/28.30A	----	29.90	- 29.40	.2025	----	----	----	----	132	UNCH					
2300	24.40	24.40	25.00/23.00A	42.40B/23.00A	----	24.00	- 24.50	.1663	----	----	33	----	268 +	27					
2350	----	----	---/*19.00A	34.40B/*19.00A	----	19.50	- 20.30	.1373	----	----	----	----	160	UNCH					
2400	----	----	---/*16.00A	28.10B/*16.00A	----	16.00	- 17.00	.1139	----	----	----	----	974	UNCH					
2450	----	----	---/*13.60A	23.10B/*13.60A	----	13.20	- 14.30	.0947	----	----	----	----	50	UNCH					
2480	----	----	---/*12.40A	20.60B/*12.40A	----	11.90	- 12.90	.0855	----	----	----	----	50	UNCH					
2500	----	----	---/*11.70A	19.00B/*11.70A	----	11.10	- 12.00	.0798	----	----	----	----	649	UNCH					
2600	----	----	---/*9.10A	13.10B/*9.10A	----	8.10	- 8.60	.0580	----	----	----	----	361	UNCH					
2650	----	----	---/*8.10A	10.90B/*8.10A	----	7.00	- 7.30	.0500	----	----	----	----	1	UNCH					
2700	----	----	---/*7.40A	9.10B/*7.40A	----	6.20	- 6.20	.0438	----	----	----	----	112	UNCH					
2800	----	----	---/*6.30A	6.50B/*6.30A	----	4.70	- 4.90	.0330	----	----	----	----	350	UNCH					
2850	----	----	---/*5.80A	5.50B/*5.80A	----	4.30	- 4.30	.0298	----	----	----	----	58	UNCH					
2900	----	----	---/*5.50A	4.60B/*5.50A	----	3.90	- 3.90	.0267	----	----	----	----	183	UNCH					
3000	----	----	---/*4.90A	3.40B/*4.90A	----	3.20	- 3.30	.0215	----	----	----	150	574	UNCH					
3100	----	----	---/*4.40A	2.50B/*4.40A	----	2.70	- 2.70	.0178	----	----	----	----	159	UNCH					
3200	----	----	----/*5.50A	----	----	2.30	- 2.30	.0149	----	----	----	----	18	UNCH					
3300	----	----	----/*5.20A	----	----	2.00	- 2.00	.0127	----	----	----	----	30	UNCH					
3400	----	----	----/*4.90A	----	----	1.80	- 1.70	.0111	----	----	----	----	32	UNCH					
3500	----	----	----/*4.70A	----	----	1.60	- 1.50	.0097	----	----	----	----	274	UNCH					
3600	----	----	----/*4.50A	----	----	1.40	- 1.40	.0084	----	----	----	----	300	UNCH					
3800	----	----	----/*2.70A	----	----	1.20	- 1.10	.0069	----	----	----	----	12	UNCH					
3900	----	----	----/*2.60A	----	----	1.10	- 1.00	.0062	----	----	----	----	9	UNCH					
4000	----	----	----/2.50A	----	----	1.00	- 0.90	.0056	----	----	----	----	219	UNCH					
TOTAL										150	112		6230 +	24					
AUG26																			
2000	148.00	148.00	150.00/140.40A	197.20B/140.40A	----	147.00	NEW	.5478	----	----	6	----	0	UNCH					
2200	----	----	---/77.00A	113.80B/77.00A	----	81.00	- 41.70	.3493	----	----	----	----	15	UNCH					
2225	74.00	74.00	74.00/71.40A	106.10B/71.40A	----	75.10	- 39.60	.3287	----	----	1	----	0 -	1					
2300	----	----	---/57.30A	85.80B/57.30A	----	59.90	- 33.70	.2731	----	----	2	----	338	UNCH					
2350	----	----	---/49.70A	74.50B/49.70A	----	51.70	- 30.00	.2411	----	----	----	----	15	UNCH					
2400	----	----	---/43.30A	64.80B/43.30A	----	44.80	- 26.70	.2130	----	----	----	----	34	UNCH					
2500	----	----	---/33.40A	49.30B/33.40A	----	34.00	- 21.20	.1667	----	----	52	----	248 -	32					
2600	----	----	---/26.40A	38.00B/26.40A	----	26.20	- 17.00	.1313	----	----	----	----	545	UNCH					
2750	----	----	---/19.30A	26.20B/19.30A	----	18.30	- 12.40	.0937	----	----	----	----	105	UNCH					
3000	----	----	---/*12.80A	14.90B/*12.80A	----	11.00	- 7.70	.0569	----	----	50	----	54 -	50					
TOTAL											111		1354 -	83					
OCT26																			
1720	----	----	----	----	----	354.00	- 83.30	.7845	----	----	----	----	1	UNCH					
1800	----	----	---/293.30A	365.00B/293.30A	----	301.90	- 76.80	.7224	----	----	----	----	1	UNCH					
1900	----	----	---/239.20A	301.30B/239.20A	----	246.40	- 67.90	.6397	----	----	----	----	2	UNCH					
2000	202.00	202.00	202.00/195.00A	247.80B/195.00A	----	201.10	- 58.80	.5576	----	----	6	----	8 +	6					
2050	205.00	205.00	205.00/176.30A	224.70B/176.30A	----	181.80	- 54.50	.5185	----	----	3	----	6 +	3					
2100	185.00	185.00	185.00/159.40A	203.70B/159.40A	----	164.40	- 50.50	.4812	----	----	12	----	3 -	9					
2125	----	----	---/151.60A	194.00B/151.60A	----	156.30	- 48.60	.4632	----	----	----	----	12	UNCH					
2135	----	----	---/148.60A	190.30B/148.60A	----	153.20	- 47.90	.4562	----	----	----	----	12	UNCH					
2200	----	----	---/130.50A	167.60B/130.50A	----	134.60	- 43.30	.4126	----	----	----	----	136	UNCH					
2250	----	----	---/118.20A	152.00B/118.20A	----	121.90	- 40.10	.3815	----	----	----	----	1	UNCH					
2300	----	----	---/107.20A	137.90B/107.20A	----	110.50	- 37.10	.3525	----	----	----	----	7	UNCH					
2375	----	----	---/92.80A	119.30B/92.80A	----	95.40	- 33.00	.3126	----	----	----	----	50	UNCH					
2400	----	----	---/88.50A	113.70B/88.50A	----	90.90	- 31.70	.3003	----	----	----	----	256	UNCH					
2500	----	----	---/73.40A	94.00B/73.40A	----	74.90	- 27.30	.2554	----	----	10	----	326 +	2					
2600	80.20	80.20	80.20/61.40A	80.20/61.40A	----	62.00	- 23.60	.2173	----	----	24	----	47 +	24					
2635	----	----	---/57.80A	73.20B/57.80A	----	58.10	- 22.40	.2055	----	----	----	----	200	UNCH					
2650	----	----	---/56.40A	71.20B/56.40A	----	56.50	- 22.00	.2005	----	----	----	----	25	UNCH					
2700	----	----	---/51.80A	65.10B/51.80A	----	51.50	- 20.50	.1850	----	----	----	----	371	UNCH					
2800	----	----	---/44.10A	54.60B/44.10A	----	43.00	- 17.50	.1578	----	----	----	----	40	UNCH					
2850	----	----	---/40.90A	50.10B/40.90A	----	39.40	- 16.20	.1460	----	----	----	----	155	UNCH					
2900	----	----	---/38.00A	46.00B/38.00A	----	36.10	- 15.10	.1350	----	----	----	----	210	UNCH					
2950	----	----	---/35.40A	42.40B/35.40A	----	33.20	- 14.00	.1251	----	----	----	----	55	UNCH					
3000	----	----	---/33.10A	39.10B/33.10A	----	30.60	- 13.00	.1161	----	----	10	----	187 +	8					
3200	----	----	---/25.80A	28.60B/25.80A	----	22.30	- 9.80	.0868	----	----	----	----	10	UNCH					
3500	----	----	---/*19.10A	18.80B/*19.10A	----	14.90	- 6.80	.0590	----	----	----	----	10	UNCH					
4000	----	----	---/*13.30A	10.40B/*13.30A	----	9.90	- 4.40	.0382	----	----	----	----	5	UNCH					
TOTAL											65		2136 +	34					
JAN27						148.80	- 41.20	.3803	----	----	----	----	100	UNCH					
2360	----	----	----	----	----								100	UNCH					
TOTAL																			
PO PUT	PLATINUM OPTIONS																		
JUN26																			
1780	----	----	----	----/2.30A	----	0.30	+ 0.20	.0049	----	----	----	----	2	UNCH					
1800	----	----	----	----/2.50A	----	0.50	+ 0.30	.0087	----	----	----	----	3	UNCH					
1825	----	----	----	----/3.00A	----	1.10	+ 0.80	.0197	----	----	----	----	103	UNCH					
1850	----	----	1.10B/----	1.10B/3.40A	----	2.00	+ 1.40	.0371	----	----	----	----	44	UNCH					
1865	----	----	2.10B/----	2.10B/3.60A	----	2.90	+ 2.00	.0542	----	----	----	----	15	UNCH					
1870	----	----	2.50B/----	2.50B/3.70A	----	3.30	+ 2.30	.0615	----	----	----	----	15	UNCH					
1875	----	----	3.00B/----	3.00B/3.80A	----	3.70	+ 2.60	.0691	----	----	----	----	39	UNCH					
1880	----	----	3.50B/----	3.50B/4.00A	----	4.10	+ 2.90	.0767	----	----	----	----	73	UNCH					
1885	----	----	4.10B/----	4.10B/4.10A	----	4.60	+ 3.30	.0859	----	----	----	----	42	UNCH					
1890	----	----	4.70B/----	4.70B/4.20A	----	5.00	+ 3.60	.0941	----	----	----	----	32	UNCH					
1895	----	----	5.40B/----	5.40B/4.40A	----	5.60	+ 4.00	.1049	----	----	----	----	12	UNCH					
1900	----	----	6.10B/----	6.10B/4.60A	----	6.20	+ 4.50	.1160	----	----	8	----	411 +	8					
1905	----	----	6.90B/----	6.90B/4.70A	----	6.80	+ 4.90	.1274	----	----	----	----	39	UNCH					
1910	----	----	7.80B/----	7.80B/4.90A	----	7.50	+ 5.40	.1402	----	----	----	----	39	UNCH					
1915	----	----	8.80B/----	8.80B/5.20A	----	8.30	+ 6.00	.1544	----	----	----	----	54	UNCH					
1920	----	----	9.90B/----	9.90B/5.40A	----	9.20	+ 6.70	.1699	----	----	----	----	44	UNCH					
1925	----	----	11.10B/----	11.10B/5.70A	----	10.20	+ 7.40	.1867	----	----	----	----	27	UNCH					
1930	----	----	12.50B/----	12.50B/6.00A	----	11.30	+ 8.20	.2046	----	----	----	----	42	UNCH					
1935	----	----	13.90B/----	13.90B/6.30A	----	12.50	+ 9.10	.2236	----	----	----	----	42	UNCH					
1940	----	----	15.60B/----	15.60B/6.70A	----	13.80	+ 10.10	.2436	----	----	----	----	30	UNCH					
1950	----	----	19.30B/----	19.30B/7.50A	----	16.80	+ 12.30	.2869	----	----	----	----	137	UNCH					
1955	----	----	21.40B/----	21.40B/7.90A	----	18.50	+ 13.70	.3099	----	----	----	----	30	UNCH					
1960	----	----	23.60B/----	23.60B/8.40A	----	20.30	+ 15.00	.3335	----	----	----	----	15	UNCH					
1965	20.00	20.00	26.00B/20.00	26.00B/9.00A	----	22.30	+ 16.60	.3580	----	----	1	----	16 +	1					
1970	----	----	28.50B/----	28.50B/9.60A	----	24.40	+ 18.20	.3827	----	----	----	----	15	UNCH					
1975	----	----	31.20B/----	31.20B/10.20A	----	26.60	+ 19.90	.4076	----	----	8	----	15	UNCH					
1980	----	----	33.90B/----	33.90B/10.90A	----	29.00	+ 21.70	.4328	----	----	----	----	15	UNCH					
1985	----	----	36.80B/----	36.80B/11.70A	----	31.50	+ 23.60	.4580	----	----	----	----	15	UNCH					
1990	----	----	39.60B/----	39.60B/12.50A	----	34.10	+ 25.50	.4830	----	----	----	----	15	UNCH					
1995	----	----	41.10B/----	41.10B/13.40A	----	36.80	+ 27.40	.5078	----	----	----	----	15	UNCH					
2000	----	----	46.00B/----	46.00B/14.40A	----	39.60	+ 29.40	.5323	----	----	----	----	24	UNCH					
2020	----	----	45.10B/----	45.10B/19.10A	----	52.00	+ 37.80	.6255	----	----	----	----	30	UNCH					
2045	----	----	43.70B/----	43.70B/27.40A	----	69.80	+ 48.50	.7263	----	----	----	----	50						

PG64	BULLETIN # 93@				METALS OPTION PRODUCTS						Fri, May 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
PO PUT	PLATINUM OPTIONS														
JUL26															
2000	74.80	74.80	109.00B/74.80	109.00B/72.90A	----	104.60 + 38.40	.4883	----	----	24	----	53	UNCH		
2075	----	----	157.30B/----	157.30B/110.80A	----	151.30 + 48.70	.6017	----	----	----	----	1	UNCH		
2085	----	----	135.10B/----	135.10B/116.50A	----	158.10 + 50.00	.6156	----	----	----	----	1	UNCH		
2100	----	----	175.10B/----	175.10B/125.30A	----	168.60 + 51.90	.6361	----	----	----	----	225	UNCH		
2130	----	----	143.40B/----	143.40B/143.70A	----	190.40 + 55.80	.6748	----	----	----	----	23	UNCH		
2135	----	----	142.30B/----	142.30B/146.90A	----	194.10 + 56.40	.6811	----	----	----	----	190	UNCH		
2165	----	----	----	----	----	217.20 + 60.10	.7159	----	----	----	----	20	UNCH		
2350	----	----	388.10B/----	388.10B/309.40A	----	376.80 + 79.10	.8626	----	----	----	----	5	UNCH		
2400	----	----	434.90B/----	434.90B/352.80A	----	423.20 + 82.50	.8860	----	----	----	----	300	UNCH		
TOTAL										24		2831	0		
AUG26															
1600	11.00	11.00	11.10B/11.00	11.10B/11.00	----	13.80 NEW	.0791	----	----	1	----	1 +	1		
TOTAL										1		1 +	1		
OCT26															
1300	----	----	----	4.90B/10.40A	----	7.90 + 1.20	.0343	----	----	----	----	4	UNCH		
1500	----	----	19.20B/----	19.20B/21.30A	----	21.60 + 4.60	.0875	----	----	----	----	20	UNCH		
1600	----	----	34.60B/----	34.60B/32.60A	----	36.40 + 8.60	.1361	----	----	----	----	29	UNCH		
1720	----	----	64.10B/----	64.10B/54.80A	----	65.20 + 16.00	.2151	----	----	----	----	2	UNCH		
1820	----	----	100.10B/----	100.10B/82.90A	----	100.20 + 24.00	.2935	----	----	----	----	5	UNCH		
1850	----	----	113.00B/----	113.00B/93.20A	----	112.80 + 26.70	.3182	----	----	----	----	200	UNCH		
1950	----	----	163.00B/----	163.00B/134.20A	----	161.60 + 35.70	.4014	----	----	----	----	50	UNCH		
2000	----	----	191.50B/----	191.50B/158.40A	----	189.70 + 40.30	.4420	----	----	----	----	1	UNCH		
2100	----	----	254.90B/----	254.90B/213.40A	----	252.00 + 48.50	.5184	----	----	----	----	100	UNCH		
2130	----	----	275.30B/----	275.30B/231.60A	----	272.20 + 50.90	.5399	----	----	----	----	41	UNCH		
2135	----	----	278.80B/----	278.80B/234.60A	----	275.60 + 51.20	.5434	----	----	----	----	12	UNCH		
2140	----	----	282.20B/----	282.20B/237.70A	----	279.00 + 51.60	.5469	----	----	----	----	12	UNCH		
2200	----	----	325.10B/----	325.10B/276.30A	----	321.40 + 55.80	.5870	----	----	----	----	1	UNCH		
2400	----	----	481.20B/----	481.20B/420.30A	----	475.90 + 67.50	.6993	----	----	----	----	200	UNCH		
2500	----	----	565.10B/----	565.10B/499.60A	----	559.10 + 72.00	.7442	----	----	----	----	1	UNCH		
3000	----	----	1,022.20B/----	1,022.20B/940.2	----	1011.70 + 86.70	.8836	----	----	----	----	1	UNCH		
TOTAL												679	0		
JAN27															
1500	----	----	----	----	----	54.70 + 12.00	.1393	----	----	----	----	40	UNCH		
1800	----	----	----	----	----	141.20 + 26.30	.2973	----	----	----	----	1	UNCH		
2000	----	----	----	----	----	237.80 + 38.10	.4234	----	----	----	----	200	UNCH		
TOTAL												241	0		

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUN26	CALL			
OG		4500	0	744
OG		4600	0	400
OG		4750	0	300
OG		4850	0	300
OG		5000	0	684
OG		5200	0	198
OG		5300	0	819
OG		5400	0	49
OG		5700	0	467
OG		5800	0	247
OG		5900	0	352
TOTALS			0	4560
JUL26	CALL			
OG		4850	0	300
OG		5200	0	320
TOTALS			0	620
AUG26	CALL			
OG		4570	0	150
OG		4700	0	1086
OG		5100	0	1086
OG		5200	0	420
TOTALS			0	2742
SEP26	CALL			
OG		4700	0	70
OG		5900	0	160
TOTALS			0	230
DEC26	CALL			
OG		5500	0	60
OG		5650	0	200
OG		5800	0	200
OG		6000	0	250
TOTALS			0	710
OG PUT COMEX GOLD OPTIONS				
JUN26	PUT			
OG		4460	0	50
OG		4515	0	110
OG		4550	0	100
OG		4600	0	150
OG		4700	0	100
TOTALS			0	510
JUL26	PUT			
OG		4100	0	160
OG		4250	0	100
OG		4300	0	1000
OG		4350	0	300
OG		4500	0	1000
TOTALS			0	2560
DEC26	PUT			
OG		3900	0	60
OG		4000	0	750
OG		4600	0	80
TOTALS			0	890
SO CALL COMEX SILVER OPTIONS				
JUN26	CALL			
SO		7700	0	25
TOTALS			0	25
JUL26	CALL			
SO		8000	0	28
SO		8500	0	50
SO		9000	0	28
SO		9800	0	54
TOTALS			0	160
SEP26	CALL			
SO		10000	0	105
SO		12000	0	80
TOTALS			0	185
SO PUT COMEX SILVER OPTIONS				
JUN26	PUT			
SO		6000	0	28
TOTALS			0	28
JUL26	PUT			
SO		6500	0	68
SO		7000	0	54
SO		7700	0	25
TOTALS			0	147
AUG26	PUT			
SO		5500	0	68
TOTALS			0	68
SEP26	PUT			
SO		6500	0	25
TOTALS			0	25
HX CALL COMEX COPPER OPTIONS				
JUN26	CALL			
HX		660	0	75
HX		675	0	220
TOTALS			0	295
JUL26	CALL			
HX		645	0	150
HX		650	0	200
TOTALS			0	350
AUG26	CALL			
HX		725	0	200
TOTALS			0	200
DEC26	CALL			
HX		725	0	100
TOTALS			0	100
HX PUT COMEX COPPER OPTIONS				
SEP26	PUT			
HX		610	0	1000
HX		635	0	500
TOTALS			0	1500
PO CALL PLATINUM OPTIONS				
JUL26	CALL			
PO		3000	0	150
TOTALS			0	150

PRELIMINARY

PG64	BULLETIN # 93@			METALS OPTION PRODUCTS	Fri, May 15, 2026	PG64
OG3 CALL MAY26 OG3 TOTALS	CALL	GOLD OPTIONS	4580	0 0	150 150	
OG4 CALL MAY26 OG4 TOTALS	CALL	GOLD OPTIONS	4700	0 0	15 15	
SO3 CALL MAY26 SO3 TOTALS	CALL	SILVER OPTIONS	7700	0 0	25 25	
HRO OPT JUL26 HRO TOTALS	CALL	U.S. MIDWEST DOMESTIC HOT-ROLLED CO	120000	0 0	100 100	
AUG26 HRO TOTALS	CALL		120000	0 0	100 100	
SEP26 HRO TOTALS	CALL		120000	0 0	100 100	
HRO OPT JUL26 HRO TOTALS	PUT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO	105000	0 0	50 50	
AUG26 HRO TOTALS	PUT		105000	0 0	50 50	
SMW MON MAY26 M3S M3S TOTALS	PUT	SILVER WEEKLY MONDAY OPTION WEEK3	7000 7400	0 0 0	75 75 150	
GMW WED MAY26 G3W TOTALS	CALL	GOLD WEEKLY WEDNESDAY OPTION WEEK3	4600	0 0	150 150	
GMW MON JUN26 G1M TOTALS	CALL	GOLD WEEKLY MONDAY OPTION WEEK1	4600	0 0	50 50	
COO OPT JUL26 COO TOTALS	PUT	COBALT METAL (FASTMARKETS) APO	2550	0 0	50 50	
AUG26 COO TOTALS	PUT		2550	0 0	50 50	
SEP26 COO TOTALS	PUT		2550	0 0	50 50	
COO OPT AUG26 COO TOTALS	CALL	COBALT METAL (FASTMARKETS) APO	2725	0 0	100 100	