METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/07	04/08											
ECG11 OP		04/07	04/08											
ECG13 OP		04/07	04/08											
ECG15 OP		04/07	04/08											
ECG16 OP		04/07	04/08											
ECGC OOF		04/07	04/08											
ECHG OOF		04/07	04/08											
ECSI OOF		04/07	04/08											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT	04/17													
FSO OPT	04/30			05/29	06/30									
GMW MON	04/20			05/11										
GWR THU	04/23													
GWT TUE	04/28			05/05										
GWW WED	04/29													
HMW MON	04/13													
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30													
HWT TUE	04/14													
HWW WED	04/22			05/06	06/03	07/01								
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL	04/24													
HXE PUT	04/17			05/01										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
MMG MON	04/13													
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL	04/10													
OG2 PUT	04/10													
OG3 CALL	04/17													
OG3 PUT	04/17													
OG4 CALL	04/24													
OG4 PUT	04/24													
OMG OPT				04/27	05/26	06/25								
PAO CALL				04/15	05/20	06/17		08/19			11/18			
PAO PUT				04/15	05/20	06/17		08/19						
PAW OOF	04/17													
PLW OOF	04/24			05/01										
PO CALL				04/15	05/20	06/17			09/16			12/16		
PO PUT				04/15	05/20	06/17			09/16			12/16		
RWS THU	04/23													
SMW MON	04/20			05/11										
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28		
SO1 CALL				05/01										
SO2 CALL	04/10													
SO2 PUT	04/10													
SO3 CALL	04/17													
SO3 PUT	04/17													
SO4 CALL	04/24													
SO4 PUT	04/24													
SWW WED	04/22													
TWS TUE	04/28													
WMG WED	04/15													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK3										
APR26												
4500	13.10	13.10	#13.10/*13.10	#13.10/*13.10	----	13.50 NEW	.1129	----	----	1	----	1 + 1
4500	----	----	----	----	----	0.00 - 7.30	----	----	----	----	----	0 - 1
4700	72.00	72.00	#72.00/72.00	#72.00/72.00	----	77.20 + 42.70	----	----	----	1	----	0 - 2
TOTAL										2		1 - 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3600	----	----	----	----	----	1.70 - 2.60	----	----	----	----	----	2 UNCH
3700	----	----	----	----	----	2.10 - 3.40	----	----	----	----	----	1 UNCH
3850	----	----	----	----	----	3.20 - 5.20	----	----	----	----	----	2 UNCH
3900	----	----	----	----	----	3.70 - 6.10	----	----	----	----	----	3 UNCH
4000	----	----	----	----	----	5.10 - 8.40	----	----	----	----	----	7 UNCH
4200	----	----	----	----	----	11.00 - 15.70	----	----	----	----	----	2 UNCH
4250	----	----	----	----	----	540.10 + 74.30	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	403.20 + 64.90	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	359.80 + 61.00	----	----	----	----	----	1 UNCH
4450	----	----	----	----	----	33.10 - 31.40	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	41.10 - 35.90	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	317.90 + 56.60	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	63.20 - 45.40	----	----	----	----	----	2 UNCH
4725	----	----	----	----	----	105.20 - 58.50	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	139.40 - 66.70	----	----	----	----	----	1 UNCH
4800	----	----	----	----	----	116.60 + 25.60	----	----	----	----	----	1 UNCH
4900	----	----	----	----/79.50A	----	74.80 + 16.70	----	----	----	----	----	2 UNCH
4900	----	----	----	----	----	197.40 - 75.70	----	----	----	----	----	1 UNCH
4920	----	----	----	----	----	210.50 - 77.30	----	----	----	----	----	2 UNCH
4950	----	----	----	----	----	58.70 + 12.80	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	45.60 + 9.60	----	----	----	----	----	2 UNCH
5050	----	----	----	----	----	307.50 - 85.30	----	----	----	----	----	3 UNCH
5200	----	----	----	----	----	16.00 + 2.30	----	----	----	----	----	1 UNCH
5875	----	----	----	----	----	1.90 - 0.30	----	----	----	----	----	1 UNCH
TOTAL												42 0
JUN26												
2500	----	----	----	----	----	1.00 - 0.70	----	----	----	----	----	2 UNCH
4000	----	----	----	----	----	21.70 - 16.00	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	47.30 - 27.30	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	95.40 - 42.40	----	----	----	----	----	3 UNCH
4645	----	----	----	----	----	141.90 - 53.00	----	----	----	----	----	3 UNCH
4700	----	----	----	----	----	240.70 + 34.90	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	143.50 + 20.70	----	----	----	----	----	2 UNCH
5200	87.50	87.50	87.50/87.50	87.50/87.50	----	58.90 + 6.00	----	----	----	1	----	1 UNCH
5400	----	----	----	----	----	32.20 + 1.50	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	10.50 - 0.70	----	----	----	----	----	1 UNCH
TOTAL										1		16 0
JUL26												
3400	----	----	----	----	----	1417.80 + 88.10	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1359.00 + 87.20	----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT JUL26		MICRO GOLD OPTIONS										
4100	48.50	48.50	#55.60/*43.90	55.60/*43.90	----	49.10 NEW	----	----	----	4	----	0 UNCH
TOTAL										4		2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT APR26		GOLD OPTIONS										
4025	----	----	----/*6.20A	7.80B/*6.20A	----	4.80 - 8.90	.0277	----	----	----	----	1 UNCH
4050	----	----	----/*6.70A	8.60B/*6.70A	----	5.20 - 9.70	.0301	----	----	2	----	4 UNCH
4100	----	----	----/*7.80A	10.60B/*7.80A	----	6.30 - 11.40	.0366	----	----	----	----	1 UNCH
4150	----	----	----/*9.00A	13.00B/*9.00A	----	7.70 - 13.30	.0447	----	----	----	----	9 UNCH
4175	----	----	----/*9.50A	14.40B/*9.50A	----	8.60 - 14.30	.0497	----	----	----	----	2 UNCH
4200	9.90	9.90	9.90/*9.90	15.90B/*9.90	----	9.60 NEW	.0552	----	----	3	----	3 + 3
4210	11.20	11.20	11.20/*10.50A	16.10B/*10.50A	----	10.10 NEW	.0579	----	----	2	----	2 + 2
4225	8.00	8.00	8.00/*7.50	17.60B/*7.50	----	10.80 NEW	.0617	----	----	5	----	5 + 5
4255	9.80	9.80	9.80/*9.80	16.70B/*9.80	----	12.40 NEW	.0702	----	----	1	----	1 + 1
4300	10.00	10.00	17.00/*10.00	21.00B/*10.00	----	15.30 - 20.40	.0853	----	----	10	----	8 + 5
4315	----	----	----/*11.70A	21.60B/*11.70A	----	16.40 - 21.20	.0909	----	----	1	----	1 UNCH
4375	----	----	----/*14.60A	28.90B/*14.60A	----	21.50 - 25.20	.1167	----	----	1	----	1 UNCH
4400	20.10	20.10	20.50/*16.20A	32.00B/*16.20A	----	24.00 - 27.10	.1290	----	----	22	----	26 + 19
4480	----	----	----/*23.30A	44.20B/*23.30A	----	34.40 NEW	.1777	----	----	1	----	1 + 1
4500	----	----	----/*25.40A	48.50B/*25.40A	----	37.60 - 35.70	.1921	----	----	----	----	9 UNCH
4525	----	----	----/*28.50A	54.10B/*28.50A	----	42.00 - 38.20	.2114	----	----	----	----	125 UNCH
4565	----	----	----/*34.20A	64.60B/*34.20A	----	50.10 NEW	.2454	----	----	1	----	1 + 1
4590	----	----	----/*38.30A	71.90B/*38.30A	----	55.90 - 45.00	.2688	----	----	----	----	1 UNCH
4600	52.00	52.00	75.30B/*40.10A	75.30B/*40.10A	----	58.40 - 46.10	.2786	----	----	9	----	12 + 9
4625	----	----	----/*45.10A	83.40B/*45.10A	----	65.10 - 48.80	.3041	----	----	----	----	3 UNCH
4650	----	----	----/*50.40A	92.40B/*50.40A	----	72.50 - 51.60	.3312	----	----	3	----	2 + 1
4670	----	----	----/*55.10A	100.00B/*55.10A	----	78.90 - 53.80	.3538	----	----	----	----	2 UNCH
4675	----	----	----/*56.50A	102.20B/*56.50A	----	80.60 - 54.40	.3596	----	----	----	----	1 UNCH
4695	----	----	----/*61.70A	110.80B/*61.70A	----	87.60 - 56.70	.3832	----	----	----	----	1 UNCH
4700	----	----	----/*63.00A	112.80B/*63.00A	----	89.50 - 57.20	.3893	----	----	----	----	50 UNCH
4765	----	----	----/*83.40A	144.30B/*83.40A	----	116.50 NEW	.4711	----	----	10	----	10 + 10
4780	----	----	----/*89.00A	152.20B/*89.00A	----	123.60 NEW	.4906	----	----	1	----	1 + 1
4850	----	----	----/*116.60A	194.40B/*116.60A	----	160.90 NEW	.5822	----	----	5	----	5 + 5
4870	----	----	----/*128.00A	207.30B/*128.00A	----	172.80 NEW	.6080	----	----	2	----	2 + 2
4900	----	----	----/*143.60A	228.10B/*143.60A	----	191.80 NEW	.6456	----	----	3	----	3 + 3
5075	----	----	----/*257.40A	365.40B/*257.40A	----	324.70 - 86.90	.8250	----	----	----	----	1 UNCH
TOTAL										82		294 + 68

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL APR26		GOLD OPTIONS										
4540	----	----	#347.40B/----	#347.40B/255.30A	----	281.70 + 52.60	.7760	----	----	----	----	1 UNCH
4550	----	----	#338.40B/----	#338.40B/247.00A	----	273.80 + 51.70	.7674	----	----	----	----	1 UNCH
4600	209.00	209.00	#297.70B/207.30	#297.70B/207.30A	----	235.30 + 46.30	.7209	----	----	1	----	2 + 1
4675	169.00	169.00	#239.20B/159.70	#239.20B/159.70A	----	182.60 NEW	.6399	----	----	1	----	1 + 1
4765	----	----	176.70B/----	176.70B/111.80A	----	128.70 NEW	.5284	----	----	10	----	10 + 10
4800	----	----	154.70B/----	154.70B/96.20A	----	110.70 + 24.40	.4827	----	----	1	----	17 + 1
4820	----	----	#142.70B/----	142.70B/88.00A	----	101.30 + 22.40	.4565	----	----	----	----	4 UNCH
4850	----	----	129.00B/----	129.00B/76.70A	----	88.20 + 19.60	.4173	----	----	2	----	3 + 2
4865	----	----	#126.80B/----	126.80B/71.40A	----	82.10 NEW	.3980	----	----	1	----	1 + 1
4890	----	----	#113.60B/----	#113.60B/63.30A	----	72.70 + 16.20	.3663	----	----	----	----	9 UNCH
4895	----	----	#111.00B/----	#111.00B/61.70A	----	70.90 + 15.70	.3601	----	----	----	----	14 UNCH
4900	72.50	72.50	109.70B/60.40A	109.70B/60.40A	----	69.20 + 15.40	.3539	----	----	8	----	26 + 6
4930	----	----	#94.40B/----	#94.40B/51.90A	----	59.40 + 13.10	.3177	----	----	----	----	14 UNCH
4995	----	----	#67.70B/----	67.70B/37.30A	----	42.20 + 9.00	.2464	----	----	----	----	15 UNCH
5000	57.10	57.10	69.10B/36.50A	69.10B/36.50A	----	41.10 + 8.80	.2414	----	----	1	----	16 UNCH
5025	----	----	58.70B/----	58.70B/32.10A	----	35.90 NEW	.2173	----	----	2	----	2 + 2
5050	----	----	#52.80B/----	52.80B/28.30A	----	31.30 + 6.40	.1950	----	----	50	----	55 + 40
5100	34.00	34.00	#39.50B/21.60A	39.50B/21.60A	----	23.80 NEW	.1560	----	----	63	----	60 + 60
5200	----	----	#20.90B/----	20.90B/13.50A	----	13.90 + 2.30	.0985	----	----	----	----	1 UNCH
5300	11.20	11.20	11.20/*9.10A	11.20/9.10A	----	8.40 + 1.00	.0626	----	----	6	----	11 + 6
5400	7.00	7.00	#7.20B/*6.10A	#7.20B/*6.10A	----	5.40 NEW	.0412	----	----	1	----	1 + 1
5450	5.50	5.50	#7.00B/*4.80A	#7.00B/*4.80A	----	4.50 NEW	.0344	----	----	20	----	20 + 20
TOTAL										167		284 + 151

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT APR26		GOLD OPTIONS										
3200	----	----	----	----/1.00A	----	0.10 - 0.40	.0006	----	----	----	----	1 UNCH
3350	----	----	----	----/*1.20A	----	0.20 - 0.70	.0012	----	----	----	----	2 UNCH
3500	----	----	----/*0.90A	0.40B/*0.90A	----	0.50 - 1.30	.0029	----	----	----	----	5 UNCH
3550	----	----	----/*1.10A	0.50B/*1.10A	----	0.50 - 1.50	.0030	----	----	----	----	2 UNCH
3600	0.40	0.40	0.50B/*0.40	0.50B/*0.40	----	0.60 - 1.70	.0036	----	----	6	----	11 UNCH
3650	----	----	----/*1.30A	1.10B/*1.30A	----	0.70 - 1.90	.0043	----	----	----	----	3 UNCH
3700	----	----	----/*1.30A	1.10B/*1.30A	----	0.80 - 2.20	.0050	----	----	----	----	3 UNCH
3750	0.80	0.80	0.80/*0.80	1.40B/*0.80	----	0.90 - 2.50	.0058	----	----	2	----	3 UNCH
3800	0.90	0.90	0.90/*0.90	1.60B/*0.90	----	1.10 - 2.80	.0071	----	----	2	----	44 UNCH
3850	----	----	----/*1.80A	2.10B/*1.80A	----	1.30 - 3.20	.0085	----	----	1	----	6 UNCH
3900	----	----	----/*2.00A	2.60B/*2.00A	----	1.50 - 3.80	.0101	----	----	1	----	32 UNCH
3950	2.40	2.40	2.40/*2.10A	3.30B/*2.10A	----	1.80 - 4.30	.0122	----	----	5	----	52 - 4
4000	2.80	2.80	2.80/*2.30A	4.10B/*2.30A	----	2.10 - 5.10	.0145	----	----	1	----	159 - 1
4025	----	----	----/*2.50A	4.60B/*2.50A	----	2.30 - 5.60	.0160	----	----	----	----	2 UNCH
4050	2.30	2.30	2.80/*2.30	5.10B/*2.30	----	2.50 - 6.10	.0176	----	----	7	----	59 - 3
4100	2.00	2.00	3.30/*2.00	6.30B/*2.00	----	3.00 - 7.20	.0214	----	----	12	----	38 - 4
4150	4.40	4.40	4.40/*3.50A	7.70B/*3.50A	----	3.60 - 8.70	.0261	----	----	1	----	4 UNCH
4175	3.50	3.50	3.50/*3.50	8.60B/*3.50	----	4.00 NEW	.0291	----	----	4	----	4 + 4
4200	5.00	5.00	5.30/*4.00A	9.50B/*4.00A	----	4.40 - 10.50	.0322	----	----	6	----	22 + 2
4220	6.50	6.50	6.50/*4.20A	10.50B/*4.20A	----	4.80 - 11.20	.0353	----	----	1	----	150 UNCH
4225	----	----	----/*4.30A	10.60B/*4.30A	----	4.90 - 11.50	.0360	----	----	----	----	2 UNCH
4250	4.80	4.80	4.80/*4.80	11.90B/*4.80	----	5.40 - 12.70	.0400	----	----	2	----	144 + 1
4260	----	----	----/*4.80A	12.20B/*4.80A	----	5.70 - 13.10	.0422	----	----	----	----	1 UNCH
4275	5.30	5.30	5.30/*5.30	13.00B/*5.30	----	6.10 - 13.80	.0452	----	----	1	----	1 UNCH
4295	----	----	----/*5.60A	14.50B/*5.60A	----	6.70 - 14.90	.0497	----	----	----	----	2 UNCH
4300	7.00	7.00	7.30/*4.50	14.90B/*4.50	----	6.80 - 15.30	.0506	----	----	6	----	52 + 2
4350	----	----	----/*6.90A	18.70B/*6.90A	----	8.70 - 18.40	.0645	----	----	----	----	113 UNCH
4375	----	----	----/*7.70A	20.80B/*7.70A	----	9.90 - 20.20	.0732	----	----	----	----	26 UNCH
4380	10.50	10.50	10.50/*7.70A	21.20B/*7.70A	----	10.20 NEW	.0752	----	----	1	----	1 + 1
4385	----	----	----/*7.90A	21.80B/*7.90A	----	10.40 - 21.00	.0768	----	----	----	----	2 UNCH
4395	----	----	----/*8.30A	22.70B/*8.30A	----	11.00 - 21.70	.0810	----	----	----	----	2 UNCH
4400	8.00	8.00	13.30/*7.70	23.20B/*7.70	----	11.30 - 22.10	.0831	----	----	14	----	100 + 2
4425	----	----	----/*8.90A	25.90B/*8.90A	----	12.90 - 24.20	.0943	----	----	1	----	2 + 1
4430	----	----	----/*9.20A	26.50B/*9.20A	----	13.20 - 24.70	.0965	----	----	----	----	3 UNCH
4440	----	----	----/*9.30A	27.90B/*9.30A	----	14.00 - 25.60	.1019	----	----	----	----	11 UNCH
4450	----	----	----/*9.70A	29.30B/*9.70A	----	14.80 - 26.50	.1073	----	----	5	----	169 - 5
4460	16.10	16.10	16.10/*10.10A	30.70B/*10.10A	----	15.60 NEW	.1128	----	----	3	----	3 + 3
4470	17.00	17.00	17.00/*10.80A	32.10B/*10.80A	----	16.50 NEW	.1188	----	----	3	----	3 + 3
4480	----	----	----/*11.10A	33.50B/*11.10A	----	17.50 - 29.50	.1253	----	----	----	----	10 UNCH
4490	----	----	----/*11.70A	35.10B/*11.70A	----	18.50 - 30.50	.1319	----	----	----	----	4 UNCH
4500	17.00	17.00	25.70/*10.70	36.70B/*10.70	----	19.50 - 31.70	.1386	----	----	67	----	196 - 4
4510	21.10	21.10	21.10/*13.00A	38.40B/*13.00A	----	20.70 NEW	.1461	----	----	2	----	2 + 2
4520	22.30	22.30	22.30/*13.90A	40.10B/*13.90A	----	21.90 - 33.90	.1537	----	----	2	----	20 + 2
4525	----	----	----/*14.30A	41.00B/*14.30A	----	22.50 - 34.50	.1576	----	----	1	----	7 + 1
4540	----	----	----/*15.60A	43.90B/*15.60A	----	24.60 - 36.10	.1704	----	----	1	----	2 + 1
4545	----	----	----/*16.30A	44.80B/*16.30A	----	25.30 - 36.80	.1747	----	----	----	----	18 UNCH
4550	21.80	21.80	31.20/*16.70A	45.90B/*16.70A	----	26.00 - 37.40	.1790	----	----	118	----	264 + 89
4575	----	----	----/*19.10A	51.40B/*19.10A	----	30.10 NEW	.2032	----	----	5	----	5 + 5
4580	----	----	----/*19.60A	52.50B/*19.60A	----	30.90 - 41.20	.2081	----	----	----	----	1 UNCH
4600	49.00	49.00	51.20/*21.90A	57.40B/*21.90A	----	34.70 - 43.70	.2296	----	----	7	----	61 - 2
4610	----	----	----/*23.00A	60.00B/*23.00A	----	36.80 - 45.00	.2412	----	----	----	----	2 UNCH
4625	----	----	----/*25.10A	63.80B/*25.10A	----	40.10 - 47.00	.2591	----	----	----	----	11 UNCH
4630	----	----	----/*25.80A	65.90B/*25.80A	----	41.30 - 47.70	.2654	----	----	----	----	5 UNCH
4635	37.60	37.60	37.60/*26.60A	67.00B/*26.60A	----	42.50 - 48.30	.2717	----	----	1	----	11 + 1
4640	----	----	----/*27.30A	68.50B/*27.30A	----	43.70 - 49.10	.2780	----	----	----	----	1 UNCH
4645	----	----	----/*28.00A	70.00B/*28.00A	----	45.00 - 49.70	.2846	----	----	----	----	5 UNCH
4650	48.00	48.00	48.00/*28.80A	71.60B/28.80A	----	46.30 - 50.40	.2913	----	----	1	----	96 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
APR26												
4660	----	----	----/*30.50A	74.80B/*30.50A	----	49.00 - 51.80	.3049	----	----	----	----	4 UNCH
4675	----	----	----/*33.30A	79.80B/33.30A	----	53.30 - 53.90	.3260	----	----	5	----	87 + 4
4680	----	----	----/*34.30A	81.60B/*34.30A	----	54.80 - 54.60	.3332	----	----	----	----	72 UNCH
4685	----	----	----/*35.30A	83.50B/*35.30A	----	56.40 - 55.20	.3406	----	----	----	----	20 UNCH
4690	----	----	----/*36.30A	85.20B/*36.30A	----	58.00 - 55.90	.3481	----	----	----	----	38 UNCH
4695	70.30	70.30	70.30/*37.50A	87.20B/*37.50A	----	59.60 - 56.60	.3556	----	----	1	----	21 + 1
4700	50.30	50.30	75.00/38.50A	89.10B/38.50A	----	61.30 - 57.30	.3632	----	----	14	----	64 + 3
4710	----	----	----/*40.80A	92.90B/*40.80A	----	64.80 - 58.70	.3788	----	----	----	----	1 UNCH
4720	69.00	69.00	69.00/*43.30A	97.00B/*43.30A	----	68.40 - 60.10	.3946	----	----	3	----	5 + 3
4725	----	----	----/44.50A	99.10B/44.50A	----	70.30 - 60.80	.4027	----	----	----	----	2 UNCH
4735	96.00	96.00	96.00/*47.30A	103.40B/*47.30A	----	74.20 NEW	.4190	----	----	34	----	34 + 34
4740	59.50	59.50	96.40/*48.80A	105.60B/*48.80A	----	76.30 NEW	.4273	----	----	59	----	59 + 59
4745	68.50	68.50	98.80/*50.30A	107.80B/*50.30A	----	78.30 NEW	.4355	----	----	24	----	24 + 24
4750	61.50	61.50	110.20B/51.10A	110.20B/51.10A	----	80.40 - 64.20	.4439	----	----	37	----	30 + 19
4755	83.70	83.70	112.80B/*52.80A	112.80B/*52.80A	----	82.60 NEW	.4523	----	----	10	----	5 + 5
4760	94.60	94.60	115.40B/*54.80A	115.40B/*54.80A	----	84.80 NEW	.4608	----	----	10	----	10 + 10
4775	----	----	----/59.70A	123.40B/59.70A	----	91.70 - 67.40	.4864	----	----	----	----	1 UNCH
4780	92.40	92.40	126.20B/*61.30A	126.20B/*61.30A	----	94.10 NEW	.4949	----	----	4	----	4 + 4
4785	86.70	86.70	129.10B/*62.70A	129.10B/*62.70A	----	96.50 NEW	.5036	----	----	16	----	15 + 15
4795	----	----	----/*66.70A	135.00B/*66.70A	----	101.60 - 69.90	.5208	----	----	----	----	1 UNCH
4800	----	----	----/67.90A	137.90B/67.90A	----	104.10 - 70.60	.5295	----	----	1	----	2 + 1
4805	95.80	95.80	141.10B/*70.00A	141.10B/*70.00A	----	106.80 NEW	.5381	----	----	10	----	10 + 10
4820	98.00	98.00	150.40B/*76.00A	150.40B/*76.00A	----	114.90 NEW	.5640	----	----	2	----	1 + 1
4825	104.20	104.20	153.60B/78.00A	153.60B/78.00A	----	117.80 - 73.60	.5726	----	----	1	----	2 + 1
4850	----	----	----/88.80A	170.70B/88.80A	----	132.60 - 76.50	.6151	----	----	----	----	1 UNCH
4885	----	----	----/*106.20A	195.80B/106.20A	----	155.30 - 80.00	.6719	----	----	----	----	1 UNCH
4900	----	----	----/113.50A	207.40B/113.50A	----	165.70 NEW	.6951	----	----	4	----	4 + 4
4915	----	----	----/121.70A	219.00B/121.70A	----	176.40 - 82.70	.7174	----	----	3	----	5 UNCH
4950	158.40	158.40	247.50B/145.40A	247.50B/145.40A	----	203.00 NEW	.7657	----	----	6	----	2 + 2
4975	----	----	----/160.30A	268.40B/160.30A	----	223.00 - 86.60	.7965	----	----	----	----	1 UNCH
4995	----	----	----/174.20A	285.70B/174.20A	----	239.60 - 87.50	.8188	----	----	----	----	1 UNCH
5000	----	----	----/177.60A	290.10B/177.60A	----	243.80 - 87.80	.8237	----	----	----	----	1 UNCH
5050	----	----	----/213.30A	335.10B/213.30A	----	287.30 - 89.60	.8698	----	----	----	----	1 UNCH
5150	----	----	----/293.60A	428.80B/293.60A	----	379.70 - 91.70	.9302	----	----	----	----	1 UNCH
5180	----	----	----/319.70A	457.90B/319.70A	----	408.30 - 92.10	.9425	----	----	----	----	1 UNCH
TOTAL										534		2491+ 298

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
APR26												
4300	----	----	#585.10B/----	#585.10B/436.40A	----	483.70 + 77.30	.9492	----	----	----	----	1 UNCH
4375	----	----	#512.30B/----	#512.30B/366.50A	----	411.80 + 72.30	.9265	----	----	----	----	74 UNCH
4415	----	----	#473.90B/----	#473.90B/330.20A	----	374.10 + 69.00	.9102	----	----	----	----	6 UNCH
4435	----	----	#454.80B/----	#454.80B/312.30A	----	355.60 + 67.40	.9005	----	----	----	----	10 UNCH
4450	----	----	#440.60B/----	#440.60B/299.10A	----	341.70 + 65.90	.8924	----	----	----	----	1 UNCH
4500	----	----	#393.60B/----	#393.60B/256.60A	----	296.50 + 60.80	.8612	----	----	----	----	1 UNCH
4550	----	----	#347.50B/----	347.50B/216.10A	----	253.00 + 55.00	.8207	----	----	----	----	1 UNCH
4575	----	----	#324.90B/----	324.90B/197.00A	----	232.10 + 52.00	.7965	----	----	1	----	4 + 1
4600	----	----	#302.50B/----	302.50B/178.60A	----	211.80 + 48.70	.7701	----	----	8	----	29 + 4
4610	----	----	#293.70B/----	#293.70B/171.60A	----	203.90 + 47.50	.7585	----	----	----	----	1 UNCH
4625	----	----	#280.60B/----	280.60B/161.10A	----	192.20 + 45.40	.7406	----	----	----	----	3 UNCH
4650	----	----	#259.20B/----	259.20B/144.00A	----	173.40 + 42.00	.7084	----	----	2	----	11 + 2
4670	165.00	165.00	#242.20B/131.30	#242.20B/131.30A	----	158.90 + 39.20	.6809	----	----	4	----	4 UNCH
4675	----	----	#238.10B/----	238.10B/128.20A	----	155.40 + 38.50	.6737	----	----	----	----	8 UNCH
4680	----	----	#234.10B/----	#234.10B/125.10A	----	152.00 + 37.90	.6665	----	----	----	----	32 UNCH
4685	----	----	#230.00B/----	#230.00B/122.10A	----	148.50 + 37.20	.6591	----	----	----	----	39 UNCH
4690	----	----	#225.90B/----	#225.90B/119.20A	----	145.10 + 36.50	.6516	----	----	----	----	20 UNCH
4695	----	----	#221.90B/----	#221.90B/116.30A	----	141.80 + 35.90	.6441	----	----	----	----	32 UNCH
4700	114.00	114.00	217.80B/114.00	217.80B/113.40A	----	138.40 + 35.10	.6364	----	----	14	----	44 + 1
4710	----	----	#209.80B/----	#209.80B/107.80A	----	131.90 + 33.70	.6209	----	----	----	----	1 UNCH
4715	----	----	#205.90B/----	#205.90B/105.00A	----	128.70 + 33.00	.6130	----	----	----	----	2 UNCH
4725	----	----	198.10B/----	198.10B/99.60A	----	122.50 + 31.70	.5970	----	----	----	----	1 UNCH
4730	----	----	#194.30B/----	#194.30B/97.00A	----	119.40 + 31.00	.5889	----	----	----	----	1 UNCH
4740	100.80	100.80	#186.80B/91.80A	186.80B/91.80A	----	113.40 NEW	.5724	----	----	76	----	76 + 76
4745	97.60	97.60	#183.00B/97.60	183.00B/89.60A	----	110.50 NEW	.5642	----	----	66	----	66 + 66
4750	93.90	93.90	179.30B/87.30A	179.30B/87.30A	----	107.60 + 28.30	.5558	----	----	42	----	90 + 41
4755	91.30	91.30	#175.60B/84.80A	175.60B/84.80A	----	104.80 + 27.60	.5474	----	----	3	----	5 + 3
4765	95.90	95.90	#168.40B/80.10A	168.40B/80.10A	----	99.20 + 26.30	.5304	----	----	3	----	77 + 3
4770	96.20	96.20	#164.80B/77.80A	164.80B/77.80A	----	96.60 NEW	.5219	----	----	11	----	11 + 11
4775	103.60	103.60	160.80B/75.50A	160.80B/75.50A	----	93.90 + 25.00	.5133	----	----	1	----	1 UNCH
4780	----	----	#157.70B/----	157.70B/73.30A	----	91.30 + 24.40	.5047	----	----	----	----	11 UNCH
4785	94.70	94.70	#154.30B/71.20A	154.30B/71.20A	----	88.70 + 23.70	.4961	----	----	8	----	10 + 8
4790	----	----	#150.80B/----	150.80B/69.00A	----	86.20 + 23.00	.4875	----	----	2	----	3 + 1
4795	101.20	101.20	#147.40B/66.90A	147.40B/66.90A	----	83.80 NEW	.4789	----	----	10	----	10 + 10
4800	110.00	110.00	143.70B/64.90A	143.70B/64.90A	----	81.40 + 21.80	.4702	----	----	43	----	64 + 9
4805	----	----	#140.30B/----	140.30B/63.00A	----	79.00 + 21.20	.4616	----	----	----	----	1 UNCH
4810	----	----	#137.10B/----	137.10B/61.00A	----	76.70 + 20.60	.4529	----	----	----	----	2 UNCH
4815	----	----	#135.10B/----	135.10B/59.00A	----	74.40 + 20.00	.4443	----	----	----	----	6 UNCH
4825	----	----	128.80B/----	128.80B/55.30A	----	70.00 + 18.80	.4271	----	----	----	----	48 UNCH
4830	----	----	#125.70B/----	125.70B/53.70A	----	67.90 + 18.20	.4186	----	----	----	----	1 UNCH
4840	----	----	#119.60B/----	119.60B/50.40A	----	63.80 + 17.10	.4016	----	----	24	----	22 + 20
4845	----	----	116.60B/----	116.60B/48.60A	----	61.80 + 16.50	.3931	----	----	----	----	10 UNCH
4850	100.00	100.00	113.60B/46.90A	113.60B/46.90A	----	59.80 + 15.90	.3846	----	----	53	----	147 + 36
4860	----	----	108.00B/----	108.00B/44.20A	----	56.10 + 14.90	.3680	----	----	----	----	1 UNCH
4865	----	----	105.10B/----	105.10B/42.50A	----	54.30 + 14.30	.3598	----	----	----	----	18 UNCH
4870	----	----	102.40B/----	102.40B/41.30A	----	52.60 NEW	.3518	----	----	101	----	101 + 101
4875	----	----	99.70B/----	99.70B/39.70A	----	50.90 + 13.40	.3437	----	----	1	----	15 + 1
4880	49.00	49.00	97.10B/38.60A	97.10B/38.60A	----	49.20 NEW	.3356	----	----	2	----	2 + 2
4890	----	----	91.80B/----	91.80B/36.00A	----	46.00 + 11.90	.3199	----	----	5	----	48 + 5
4895	46.70	46.70	89.40B/34.80A	89.40B/34.80A	----	44.50 + 11.50	.3122	----	----	3	----	5 + 3
4900	63.00	63.00	86.50B/33.40A	86.50B/33.40A	----	43.00 + 11.10	.3046	----	----	75	75	203 + 120
4905	----	----	84.50B/----	84.50B/32.40A	----	41.50 + 10.60	.2969	----	----	----	----	1 UNCH
4910	49.90	49.90	82.10B/31.30A	82.10B/31.30A	----	40.10 NEW	.2894	----	----	1	----	1 + 1
4915	59.00	59.00	79.80B/30.30A	79.80B/30.30A	----	38.80 NEW	.2823	----	----	3	----	1 + 1
4920	29.30	29.30	77.50B/29.20A	77.50B/29.20A	----	37.40 NEW	.2748	----	----	15	----	15 + 15
4925	45.40	45.40	75.20B/28.20A	75.20B/28.20A	----	36.20 + 9.10	.2680	----	----	2	----	8 + 2
4930	40.40	40.40	73.00B/27.30A	73.00B/27.30A	----	34.90 NEW	.2608	----	----	3	----	3 + 3
4935	42.50	42.50	70.80B/26.30A	70.80B/26.30A	----	33.70 NEW	.2540	----	----	1	----	1 + 1
4940	42.00	42.00	69.60B/25.40A	69.60B/25.40A	----	32.50 NEW	.2471	----	----	11	----	11 + 11
4945	39.70	39.70	66.70B/24.60A	66.70B/24.60A	----	31.40 + 7.60	.2405	----	----	8	----	13 + 8
4950	55.20	55.20	64.80B/23.60A	64.80B/23.60A	----	30.30 + 7.30	.2340	----	----	37	----	38 + 30
4955	----	----	62.00B/----	62.00B/22.80A	----	29.20 + 6.90	.2275	----	----	----	----	8 UNCH
4960	----	----	60.20B/----	60.20B/22.00A	----	28.20 + 6.60	.2213	----	----	----	----	10 UNCH
4965	39.20	39.20	58.10B/21.30A	58.10B/21.30A	----	27.20 NEW	.2151	----	----	10	----	10 + 10
4970	----	----	56.60B/----	56.60B/20.60A	----	26.30 + 6.10	.2093	----	----	----	----	2 UNCH
4975	25.90	25.90	54.50B/19.70A	54.50B/19.70A	----	25.30 + 5.80	.2032	----	----	1	----	54 UNCH
4980	31.30	31.30	52.80B/19.20A	52.80B/19.20A	----	24.40 + 5.50	.1974	----	----	5	----	8 + 5
4985	29.90	29.90	51.00B/18.50A	51.00B/18.50A	----	23.60 NEW	.1920	----	----	2	----	2 + 2
4990	29.00	29.00	49.40B/17.70A	49.40B/17.70A	----	22.70 + 5.00	.1863	----	----	2	----	4 + 2
4995	28.00	28.00	48.00B/17.20A	48.00B/17.20A	----	21.90 + 4.80	.1809	----	----	9	----	24 + 9
5000	40.00	40.00	46.30B/16.60A	46.30B/16.60A	----	21.20 + 4.70	.1760	----	----	49	----	198 + 22
5005	----	----	44.70B/----	44.70B/16.10A	----	20.40 + 4.40	.1707	----	----	----	----	1 UNCH
5010	23.20	23.20	45.00B/15.40A	45.00B/15.40A	----	19.70 + 4.20	.1658	----	----	2	----	7 + 1
5015	----	----	42.00B/----	42.00B/15.00A	----	19.00 + 4.00	.1609	----	----	----	----	17 UNCH
5020	----	----	40.70B/----	40.70B/14.50A	----	18.30 + 3.80	.1560	----	----	1	----	2 + 1
5025	----	----	39.70B/13.90A	39.70B/13.90A	----	17.60 + 3.60	.1512	----	----	----	----	4 UNCH
5030	28.10	28.10	37.80B/13.50A	37.80B/13.50A	----	17.00 + 3.40	.1468	----	----	3	----	2 + 1
5050	25.10	25.10	33.70B/11.70A	33.70B/11.70A	----	14.70 + 2.80	.1299	----	----	8	----	9 + 2
5055	----	----	32.70B/11.30A	32.70B/11.30A	----	14.20 + 2.70	.1261	----	----	----	----	1 UNCH
5070	----	----	29.60B/*10.00A	29.60B/*10.00A	----	12.70 + 2.20	.1147	----	----	----	----	1 UNCH
5080	11.70	11.70	27.30B/9.50A	27.30B/9.50A	----	11.80 + 2.00	.1077	----	----	20	----	21 + 18
5085	----	----	26.40B/9.20A	26.40B/9.20A	----	11.40 + 1.90	.1045	----	----	----	----	1 UNCH
5090	16.90	16.90	26.30B/8.90A	26.30B/8.90A	----	11.00 NEW	.1013	----	----	9	----	9 + 9
5095	----	----	24.80B/*8.60A	24.80B/*8.60A	----	10.60 + 1.60	.0981	----	----	----	----	2 UNCH
5100	15.50	15.50	24.00B/8.30A	24.00B/8.30A	----	10.20 + 1.50	.0949	----	----	74	200	313 + 210
5105	22.30	22.30	23.20B/*8.10A	23.20B/*8.10A	----	9.90 + 1.50	.0923	----	----	2	----	2 + 1
5120	----	----	20.80B/*7.10A	20.80B/*7.10A	----	8.90 + 1.20	.0840	----	----	----	----	2 UNCH
5130	20.00	20.00	20.00/*6.90A	20.00/*6.90A	----	8.30 + 1.10	.0789	----	----	1	----	3 + 1
5135	11.10	11.10	18.80B/*6.50A	18.80B/*6.50A	----	8.00 NEW	.0764	----	----	1	----	1 + 1
5150	----	----	17.40B/*5.80A	17.40B/*5.80A	----	7.20 + 0.80	.0695	----	----	2	----	6 + 2
5160	----	----	15.80B/*5.50A	15.80B/*5.50A	----	6.70 + 0.60	.0652	----	----	----	----	3 UNCH
5170	----	----	14.70B/*5.10A	14.70B/*5.10A	----	6.20 + 0.40	.0609	----	----	----	----	10 UNCH
5175	----	----	14.20B/*4.90A	14.20B/*4.90A	----	6.00 + 0.40	.0591	----	----	1	----	3 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG3 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
5200	9.00	9.00	11.90B/*4.30A	11.90B/*4.30A	----	5.10 + 0.20	.0508	----	----	297	----	194 - 103
5230	6.10	6.10	9.60B/*3.60A	9.60B/*3.60A	----	4.10 - 0.10	.0417	----	----	1	----	3 + 1
5245	----	----	8.60B/*3.20A	8.60B/*3.20A	----	3.70 - 0.20	.0379	----	----	----	----	6 UNCH
5250	----	----	8.30B/*3.20A	8.30B/*3.20A	----	3.60 - 0.20	.0369	----	----	1	----	200 UNCH
5265	----	----	7.50B/*2.90A	7.50B/*2.90A	----	3.30 - 0.30	.0339	----	----	----	----	3 UNCH
5270	5.30	5.30	7.20B/*2.80A	7.20B/*2.80A	----	3.20 NEW	.0330	----	----	1	----	1 + 1
5280	3.00	3.00	6.70B/*2.60A	6.70B/*2.60A	----	3.00 NEW	.0310	----	----	2	----	2 + 2
5295	4.20	4.20	5.90B/*2.50A	5.90B/*2.50A	----	2.70 NEW	.0281	----	----	2	----	2 + 2
5300	----	----	5.70B/*2.40A	5.70B/*2.40A	----	2.60 - 0.50	.0272	----	----	1	----	11 + 1
5325	----	----	4.40B/*2.10A	4.40B/*2.10A	----	2.20 - 0.60	.0232	----	----	----	----	1 UNCH
5350	2.30	2.30	3.60B/*1.80A	3.60B/*1.80A	----	1.90 - 0.60	.0202	----	----	17	----	28 + 17
5375	----	----	2.90B/*1.60A	2.90B/*1.60A	----	1.70 - 0.60	.0180	----	----	----	----	2 UNCH
5400	1.50	1.50	2.40B/*1.40A	2.40B/*1.40A	----	1.40 - 0.80	.0150	----	----	2	----	7 + 1
5425	1.30	1.30	2.10B/*1.30	2.10B/*1.30	----	1.20 - 0.80	.0130	----	----	1	----	3 + 1
5450	----	----	----/*1.20A	1.80B/*1.20A	----	1.10 - 0.80	.0118	----	----	----	----	1 UNCH
5500	----	----	----/*1.00A	1.30B/*1.00A	----	0.80 - 0.70	.0087	----	----	5	----	8 - 4
5550	----	----	----/*0.90A	0.80B/*0.90A	----	0.60 - 0.60	.0065	----	----	----	----	1 UNCH
TOTAL										1171	275	2685 + 813

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2800	0.30	0.30	0.30/0.10A	0.30/0.10A	----	0.10 UNCH	.0004	----	----	1	----	18 - 1
3200	----	----	----	----/*0.20A	----	0.10 UNCH	.0006	----	----	----	----	1 UNCH
3250	----	----	----	----/*0.20A	----	0.10 UNCH	.0006	----	----	----	----	15 UNCH
3300	----	----	----	----/*0.20A	----	0.10 UNCH	.0006	----	----	----	----	4 UNCH
3350	----	----	----	----/*0.10A	----	0.10 UNCH	.0006	----	----	----	----	17 UNCH
3400	----	----	----	----/0.20A	----	0.10 UNCH	.0007	----	----	----	----	14 UNCH
3500	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.20	.0007	----	----	1	----	33 UNCH
3550	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.20	.0007	----	----	5	----	9 UNCH
3600	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0008	----	----	----	----	7 UNCH
3650	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.40	.0008	----	----	----	----	36 UNCH
3700	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.50	.0009	----	----	----	----	14 UNCH
3750	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.10 - 0.70	.0009	----	----	1	----	54 UNCH
3800	0.30	0.30	0.30/*0.10	0.40B/*0.10	----	0.10 - 0.90	.0009	----	----	3	----	21 - 3
3850	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 1.20	.0010	----	----	----	----	44 UNCH
3900	0.20	0.20	0.20/*0.20	0.50B/*0.20	----	0.20 - 1.30	.0019	----	----	2	----	130 + 1
3950	----	----	----/*0.40A	0.80B/*0.40A	----	0.20 - 1.60	.0020	----	----	----	----	57 UNCH
4000	1.00	1.00	1.00/*0.30A	1.10B/*0.30A	----	0.30 - 1.90	.0031	----	----	12	----	239 - 7
4025	----	----	----/*0.20A	1.30B/*0.20A	----	0.30 - 2.10	.0032	----	----	1	----	12 UNCH
4050	----	----	----/*0.20A	1.50B/*0.20A	----	0.40 - 2.20	.0041	----	----	1	----	35 UNCH
4075	----	----	----/*0.20A	1.70B/*0.20A	----	0.40 - 2.50	.0043	----	----	----	----	29 UNCH
4100	1.00	1.00	1.30/*0.20A	2.10B/*0.20A	----	0.40 - 2.80	.0044	----	----	19	----	253 UNCH
4125	----	----	----/*0.30A	2.10B/*0.30A	----	0.50 - 3.10	.0055	----	----	----	----	46 UNCH
4150	----	----	----/*0.40A	2.30B/*0.40A	----	0.50 - 3.50	.0057	----	----	----	----	49 UNCH
4175	1.40	1.40	1.40/*0.40A	2.60B/*0.40A	----	0.60 - 3.90	.0068	----	----	3	----	4100 - 1
4200	1.00	1.00	1.10/*0.40A	2.90B/*0.40A	----	0.60 - 4.50	.0071	----	----	29	----	5065 + 16
4210	----	----	----/*0.50A	3.10B/*0.50A	----	0.70 - 4.60	.0081	----	----	----	----	913 UNCH
4215	1.00	1.00	1.00/*0.50A	3.20B/*0.50A	----	0.70 - 4.80	.0082	----	----	1	----	10 + 1
4220	----	----	----/*0.50A	3.30B/*0.50A	----	0.70 - 4.90	.0082	----	----	----	----	1204 UNCH
4225	----	----	----/*0.50A	3.40B/*0.50A	----	0.70 - 5.00	.0083	----	----	----	----	173 UNCH
4230	----	----	----/*0.50A	3.40B/*0.50A	----	0.70 - 5.10	.0084	----	----	----	----	49 UNCH
4235	----	----	----/*0.50A	3.50B/*0.50A	----	0.70 - 5.30	.0084	----	----	----	----	90 UNCH
4240	----	----	----/*0.60A	3.60B/*0.60A	----	0.80 - 5.30	.0095	----	----	----	----	926 UNCH
4245	----	----	----/*0.60A	3.70B/*0.60A	----	0.80 - 5.40	.0095	----	----	----	----	19 UNCH
4250	1.00	1.00	1.00/*0.60A	3.90B/*0.60A	----	0.80 - 5.60	.0096	----	----	1	----	289 UNCH
4255	----	----	----/*0.60A	4.00B/*0.60A	----	0.80 - 5.70	.0097	----	----	----	----	22 UNCH
4260	----	----	----/*0.60A	4.00B/*0.60A	----	0.80 - 5.90	.0098	----	----	----	----	71 UNCH
4265	----	----	----/*0.70A	4.10B/*0.70A	----	0.80 - 6.00	.0099	----	----	----	----	63 UNCH
4270	0.90	0.90	0.90/*0.70A	4.20B/*0.70A	----	0.90 - 6.10	.0109	----	----	2	----	5 + 1
4275	----	----	----/*0.70A	4.40B/*0.70A	----	0.90 - 6.20	.0110	----	----	----	----	50 UNCH
4280	----	----	----/*0.70A	4.50B/*0.70A	----	0.90 - 6.40	.0111	----	----	----	----	1224 UNCH
4285	----	----	----/*0.70A	4.50B/*0.70A	----	0.90 - 6.60	.0112	----	----	----	----	24 UNCH
4290	----	----	----/*0.80A	4.70B/*0.80A	----	0.90 - 6.70	.0113	----	----	----	----	2 UNCH
4295	0.90	0.90	1.00/*0.80A	4.70B/*0.80A	----	1.00 - 6.80	.0124	----	----	4	----	18 + 4
4300	2.20	2.20	2.20/*0.80A	4.90B/*0.80A	----	1.00 - 7.00	.0125	----	----	28	----	463 - 3
4305	----	----	----/*0.80A	5.10B/*0.80A	----	1.00 - 7.20	.0126	----	----	----	----	7 UNCH
4310	----	----	----/*0.80A	5.20B/*0.80A	----	1.00 - 7.40	.0127	----	----	----	----	13 UNCH
4315	----	----	----/*0.80A	5.30B/*0.80A	----	1.10 - 7.40	.0138	----	----	----	----	2 UNCH
4320	----	----	----/*0.90A	5.50B/*0.90A	----	1.10 - 7.60	.0139	----	----	----	----	3 UNCH
4325	----	----	----/*0.90A	5.70B/*0.90A	----	1.10 - 7.90	.0140	----	----	----	----	5 UNCH
4330	----	----	----/*0.90A	5.80B/*0.90A	----	1.10 - 8.10	.0142	----	----	----	----	11 UNCH
4335	----	----	----/*0.90A	5.90B/*0.90A	----	1.20 - 8.20	.0153	----	----	----	----	1 UNCH
4340	----	----	----/*1.00A	6.20B/*1.00A	----	1.20 - 8.40	.0154	----	----	----	----	16 UNCH
4345	----	----	----/*1.00A	6.20B/*1.00A	----	1.20 - 8.60	.0156	----	----	----	----	2 UNCH
4350	1.60	1.60	1.80/*1.00A	6.40B/*1.00A	----	1.30 - 8.80	.0167	----	----	14	----	360 + 6
4355	----	----	----/*1.10A	6.50B/*1.10A	----	1.30 - 9.00	.0169	----	----	----	----	51 UNCH
4360	----	----	----/*1.10A	6.80B/*1.10A	----	1.30 - 9.20	.0170	----	----	1	----	7 UNCH
4365	1.60	1.60	1.60/*1.10A	7.00B/*1.10A	----	1.40 - 9.40	.0182	----	----	25	----	26 + 25
4370	----	----	----/*1.20A	7.20B/*1.20A	----	1.40 - 9.70	.0184	----	----	----	----	3 UNCH
4375	----	----	----/*1.20A	7.20B/*1.20A	----	1.40 - 9.90	.0186	----	----	1	----	7 + 1
4380	----	----	----/*1.30A	7.50B/*1.30A	----	1.50 - 10.10	.0198	----	----	----	----	2 UNCH
4385	2.00	2.00	2.00/*1.30A	7.50B/*1.30A	----	1.50 - 10.40	.0200	----	----	5	----	18 + 1
4390	----	----	----/*1.40A	7.70B/*1.40A	----	1.50 - 10.70	.0202	----	----	----	----	3 UNCH
4395	----	----	----/*1.40A	7.90B/*1.40A	----	1.60 - 10.90	.0214	----	----	----	----	2 UNCH
4400	5.40	5.40	6.00/*1.40	8.10B/*1.40	----	1.60 - 11.20	.0216	----	----	81	----	413 - 21
4405	----	----	----/*1.50A	8.50B/*1.50A	----	1.70 - 11.50	.0228	----	----	----	----	21 UNCH
4410	----	----	----/*1.60A	8.80B/*1.60A	----	1.70 - 11.80	.0231	----	----	----	----	10 UNCH
4415	----	----	----/*1.60A	8.90B/*1.60A	----	1.80 - 12.10	.0244	----	----	----	----	19 UNCH
4420	----	----	----/*1.70A	9.10B/*1.70A	----	1.80 - 12.40	.0246	----	----	----	----	2 UNCH
4425	4.00	4.00	4.00/*1.80A	9.50B/*1.80A	----	1.90 - 12.70	.0259	----	----	5	----	88 - 2
4430	----	----	----/*1.80A	9.60B/*1.80A	----	1.90 - 13.10	.0262	----	----	----	----	8 UNCH
4435	----	----	----/*1.90A	10.00B/*1.90A	----	2.00 - 13.40	.0275	----	----	----	----	5 UNCH
4445	----	----	----/*2.10A	10.50B/*2.10A	----	2.10 - 14.10	.0292	----	----	----	----	5 UNCH
4450	5.00	5.00	5.00/*2.10	10.70B/*2.10	----	2.20 - 14.50	.0305	----	----	124	----	149 + 4
4455	3.20	3.20	3.20/*2.30A	11.10B/*2.30A	----	2.30 - 14.80	.0319	----	----	2	----	4 + 1
4460	2.70	2.70	2.70/*2.40A	11.30B/*2.40A	----	2.40 - 15.20	.0333	----	----	1	----	6 UNCH
4465	----	----	----/*2.30A	11.60B/*2.30A	----	2.40 - 15.70	.0337	----	----	----	----	3 UNCH
4470	3.30	3.30	3.30/*2.50A	12.00B/*2.50A	----	2.50 - 16.10	.0351	----	----	1	----	27 - 1
4475	----	----	----/*2.60A	12.30B/*2.60A	----	2.60 - 16.50	.0365	----	----	----	----	66 UNCH
4480	----	----	----/*2.70A	12.50B/*2.70A	----	2.70 - 17.00	.0380	----	----	----	----	202 UNCH
4485	----	----	----/*2.80A	13.00B/*2.80A	----	2.80 - 17.50	.0395	----	----	----	----	10 UNCH
4490	3.00	3.00	3.00/*2.90A	13.30B/*2.90A	----	2.90 - 17.90	.0410	----	----	50	----	52 - 2
4495	----	----	----/*3.00A	13.70B/*3.00A	----	3.00 - 18.50	.0425	----	----	----	----	3 UNCH
4500	6.20	6.20	6.20/*1.40	14.20B/*1.40	----	3.10 - 19.00	.0441	----	----	87	----	238 - 16
4505	3.40	3.40	3.40/*3.20A	14.60B/*3.20A	----	3.20 - 19.50	.0457	----	----	1	----	6 + 1
4510	3.20	3.20	3.70/*3.20	14.90B/*3.20	----	3.30 - 20.10	.0473	----	----	110	----	97 - 16
4515	----	----	----/*3.50A	15.50B/*3.50A	----	3.50 - 20.60	.0499	----	----	----	----	11 UNCH
4520	3.80	3.80	3.80/*3.60A	16.00B/*3.60A	----	3.60 - 21.30	.0516	----	----	2	----	9 + 1
4525	3.60	3.60	5.80/*3.60	16.40B/*3.60	----	3.80 - 21.80	.0542	----	----	3	----	5 - 2
4530	4.50	4.50	4.50/*3.80A	16.90B/*3.80A	----	3.90 - 22.50	.0560	----	----	2	----	12 UNCH
4535	6.40	6.40	6.40/*4.00A	17.30B/*4.00A	----	4.10 - 23.10	.0587	----	----	1	----	2 UNCH
4540	----	----	----/*4.10A	17.90B/*4.10A	----	4.20 - 23.80	.0605	----	----	1	----	25 UNCH
4545	----	----	----/*4.30A	18.30B/*4.30A	----	4.40 - 24.50	.0634	----	----	----	----	45 UNCH
4550	5.60	5.60	9.70/*4.30A	18.90B/*4.30A	----	4.60 - 25.20	.0662	----	----	65	----	216 + 3
4555	5.10	5.10	10.20/*4.50A	19.60B/*4.50A	----	4.80 - 26.00	.0691	----	----	4	----	29 - 1
4560	5.00	5.00	5.00/*4.70A	20.20B/*4.70A	----	5.00 - 26.70	.0721	----	----	9	----	35 + 8
4565	6.80	6.80	11.20/*4.80A	20.80B/*4.80A	----	5.20 - 27.50	.0751	----	----	4	----	8 UNCH
4570	7.10	7.10	7.80/*5.00A	21.40B/*5.00A	----	5.50 - 28.30	.0790	----	----	18	----	18 + 13
4575	----	----	----/*5.00A	22.00B/*5.00A	----	5.70 - 29.20	.0821	----	----	5	----	11 - 5
4580	8.00	8.00	11.50/*5.20A	22.70B/*5.20A	----	6.00 NEW	.0862	----	----	30	----	30 + 30
4585	6.40	6.40	13.00/*5.30A	23.40B/*5.30A	----	6.30 - 30.80	.0903	----	----	51	----	76 + 51
4590	----	----	----/*5.40A	24.30B/*5.40A	----	6.60 - 31.70	.0945	----	----	2	----	5 + 2
4595	13.30	13.30	13.30/*5.60A	24.90B/*5.60A	----	6.90 - 32.70	.0988	----	----	3	----	5 + 2
4600	25.00	25.00	26.50/*5.00	26.50/*5.00	----	7.20 - 33.70	.1031	----	----	323	----	206 - 132
4610	11.40	11.40	11.40/*6.10A	27.40B/*6.10A	----	8.00 - 35.60	.1137	----	----	12	----	77 + 1
4615	7.50	7.50	7.50/*6.30A	28.30B/*6.30A	----	8.40 - 36.60	.1191	----	----	5	----	6 + 5
4620	8.00	8.00	17.70/*6.50A	29.30B/*6.50A	----	8.80 - 37.70	.1246	----	----	55	----	70 + 52
4625	9.00	9.00	12.00/*6.70A	30.00B/*6.70A	----	9.20 - 38.80	.1301	----	----	14	----	121 + 2
4630	15.00	15.00	15.00/*6.90A	31.00B/*6.90A	----	9.70 - 39.90	.1366	----	----	16	----	180 - 3
4635	----	----	----/*7.20A	32.50B/*7.20A	----	10.20 NEW	.1432	----	----	1	----	1 + 1
4640	9.10	9.10	10.10/*7.40A	33.00B/*7.40A	----	10.70 NEW	.1498	----	----	60	----	60 + 60
4645	13.00	13.00	13.00/*8.10A	35.00B/*8.10A	----	11.30 - 43.30	.1573	----	----	2	----	4 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4650	15.00	15.00	23.70/*7.90A	35.50B/*7.90A	----	11.90 - 44.50	.1649	----	----	221	----	189 + 85
4655	10.70	10.70	10.70/*8.70A	37.00B/*8.70A	----	12.60 NEW	.1733	----	----	8	----	8 + 8
4660	15.00	15.00	15.00/*9.10A	38.20B/*9.10A	----	13.30 - 46.80	.1818	----	----	4	----	4 + 4
4665	----	----	----/*9.40A	39.40B/*9.40A	----	14.00 - 48.10	.1905	----	----	----	----	3 UNCH
4670	25.00	25.00	25.00/*9.90A	40.70B/*9.90A	----	14.70 - 49.40	.1992	----	----	2	----	8 + 2
4675	14.00	14.00	20.70/*10.20A	42.10B/*10.20A	----	15.60 - 50.60	.2094	----	----	9	----	38 + 4
4680	15.30	15.30	15.30/*10.60A	43.50B/*10.60A	----	16.40 NEW	.2190	----	----	3	----	3 + 3
4685	16.20	16.20	16.20/*11.00A	45.00B/*11.00A	----	17.30 - 53.30	.2294	----	----	2	----	49 UNCH
4690	15.70	15.70	17.10/*11.50A	46.50B/*11.50A	----	18.30 - 54.60	.2405	----	----	58	----	57 + 56
4700	24.90	24.90	38.70/*12.10	49.80B/*12.10	----	20.40 - 57.20	.2636	----	----	256	----	306 + 124
4705	----	----	----/*13.10A	51.50B/*13.10A	----	21.50 - 58.60	.2756	----	----	----	----	3 UNCH
4710	----	----	----/*13.50A	53.20B/*13.50A	----	22.80 - 59.80	.2887	----	----	----	----	3 UNCH
4715	20.80	20.80	20.80/*13.90A	55.10B/*13.90A	----	24.00 NEW	.3015	----	----	1	----	1 + 1
4720	13.60	13.60	45.30/*13.60	56.90B/*13.60	----	25.40 - 62.50	.3152	----	----	25	----	30 + 23
4725	18.30	18.30	43.00/*15.10A	58.90B/*15.10A	----	26.80 - 63.80	.3291	----	----	14	----	14 + 13
4730	27.10	27.10	51.50/*16.00A	60.90B/*16.00A	----	28.30 NEW	.3435	----	----	11	----	9 + 9
4735	48.60	48.60	48.60/*16.50A	62.90B/*16.50A	----	29.90 - 66.40	.3583	----	----	34	----	33 + 23
4740	44.70	44.70	51.00/*17.30A	65.10B/*17.30A	----	31.50 NEW	.3733	----	----	5	----	3 + 3
4745	53.30	53.30	53.30/*18.00A	67.30B/*18.00A	----	33.30 - 68.90	.3889	----	----	36	----	38 + 36
4750	40.00	40.00	49.40/*18.60A	70.60B/*18.60A	----	35.10 - 70.20	.4047	----	----	194	----	109 + 100
4760	17.60	17.60	63.90/*17.60	75.30B/*17.60	----	39.00 - 72.70	.4371	----	----	15	----	14 + 13
4765	38.20	38.20	38.20/*21.10A	77.30B/*21.10A	----	41.10 NEW	.4538	----	----	5	----	5 + 5
4770	50.20	50.20	50.20/*22.20A	79.70B/*22.20A	----	43.30 NEW	.4706	----	----	70	----	50 + 50
4775	----	----	----/*23.20A	82.40B/*23.20A	----	45.60 NEW	.4875	----	----	4	----	3 + 3
4780	40.30	40.30	52.50/*24.40A	83.80B/*24.40A	----	48.00 - 77.10	.5046	----	----	26	----	33 + 13
4785	47.10	47.10	51.30/*25.50A	86.90B/*25.50A	----	50.50 - 78.20	.5218	----	----	5	----	48 UNCH
4790	----	----	----/*26.80A	89.70B/*26.80A	----	53.10 - 79.20	.5389	----	----	----	----	23 UNCH
4795	----	----	----/*28.10A	92.60B/*28.10A	----	55.80 - 80.10	.5560	----	----	19	----	49 + 19
4800	44.60	44.60	66.60/*29.40A	95.40B/*29.40A	----	58.60 - 81.00	.5730	----	----	52	----	31 + 22
4805	----	----	----/*31.00A	98.50B/*31.00A	----	61.40 - 82.00	.5901	----	----	----	----	7 UNCH
4810	----	----	----/*32.30A	101.50B/*32.30A	----	64.40 - 82.80	.6069	----	----	----	----	1 UNCH
4820	----	----	----/*35.40A	108.80B/*35.40A	----	70.70 NEW	.6396	----	----	13	----	11 + 11
4825	51.50	51.50	112.40B/37.30A	112.40B/37.30A	----	73.90 - 85.10	.6559	----	----	4	----	7 + 1
4840	----	----	----/*43.00A	124.30B/*43.00A	----	84.30 - 87.00	.7016	----	----	----	----	1 UNCH
4845	----	----	----/*44.80A	128.70B/*44.80A	----	87.90 NEW	.7162	----	----	1	----	1 + 1
4850	69.00	69.00	132.50B/46.40A	132.50B/46.40A	----	91.60 - 88.10	.7303	----	----	33	----	23 + 20
4875	----	----	----/58.30A	154.00B/58.30A	----	111.10 - 90.20	.7941	----	----	14	----	12 + 8
4900	----	----	----/72.90A	179.20B/72.90A	----	132.20 - 91.60	.8453	----	----	2	----	17 UNCH
4910	----	----	----/79.10A	185.40B/79.10A	----	141.00 - 92.00	.8623	----	----	1	----	2 + 1
4925	----	----	----/89.60A	199.60B/89.60A	----	154.40 - 92.50	.8855	----	----	----	----	2 UNCH
4935	----	----	----/96.30A	209.50B/96.30A	----	163.60 - 92.60	.8980	----	----	----	----	1 UNCH
4945	----	----	----/102.80A	218.50B/102.80A	----	172.80 - 92.90	.9103	----	----	----	----	3 UNCH
4950	----	----	----/106.10A	223.30B/106.10A	----	177.50 - 92.90	.9152	----	----	----	----	2 UNCH
4955	----	----	----/109.70A	228.10B/109.70A	----	182.20 - 93.00	.9201	----	----	----	----	2 UNCH
4975	----	----	----/123.90A	247.40B/123.90A	----	201.20 - 93.10	.9369	----	----	----	----	2 UNCH
4995	----	----	----/138.80A	266.90B/138.80A	----	220.40 - 93.30	.9507	----	----	1	----	2 UNCH
5000	----	----	----/142.80A	275.20B/142.80A	----	225.20 - 93.30	.9540	----	----	----	----	104 UNCH
5015	----	----	----/154.90A	286.60B/154.90A	----	239.80 - 93.30	.9613	----	----	----	----	3 UNCH
5020	----	----	----/159.00A	292.30B/159.00A	----	244.70 - 93.30	.9632	----	----	----	----	8 UNCH
5025	----	----	----/163.10A	296.40B/163.10A	----	249.60 - 93.30	.9651	----	----	----	----	2 UNCH
5050	----	----	----/184.20A	321.90B/184.20A	----	274.10 - 93.30	.9743	----	----	----	----	4 UNCH
5065	----	----	----/197.20A	338.70B/197.20A	----	288.90 - 93.30	.9782	----	----	----	----	20 UNCH
5070	----	----	----/201.80A	341.50B/201.80A	----	293.90 - 93.20	.9784	----	----	----	----	4 UNCH
5075	----	----	----/206.20A	346.70B/206.20A	----	298.80 - 93.20	.9802	----	----	----	----	1 UNCH
5100	----	----	----/228.70A	370.70B/228.70A	----	323.60 - 93.20	.9842	----	----	----	----	14 UNCH
5120	----	----	----/247.30A	390.60B/247.30A	----	343.40 - 93.20	.9879	----	----	----	----	3 UNCH
5125	----	----	----/251.90A	395.60B/251.90A	----	348.40 - 93.10	.9880	----	----	----	----	3 UNCH
5130	----	----	----/256.50A	401.40B/256.50A	----	353.40 - 93.10	.9882	----	----	----	----	4 UNCH
5200	----	----	----/323.50A	471.00B/323.50A	----	423.10 - 93.00	.9940	----	----	----	----	20 UNCH
5230	----	----	----/359.80A	497.50B/359.80A	----	453.00 - 93.00	.9959	----	----	----	----	2 UNCH
5235	----	----	----/364.70A	502.40B/364.70A	----	458.00 - 93.00	.9960	----	----	----	----	2 UNCH
5260	----	----	----/389.30A	527.40B/389.30A	----	483.00 - 92.90	.9961	----	----	----	----	31 UNCH
5360	----	----	----/488.50A	595.30B/488.50A	----	582.90 - 92.80	.9981	----	----	----	----	1 UNCH
5400	----	----	----/527.90A	635.40B/527.90A	----	622.90 - 92.80	.9982	----	----	----	----	1 UNCH
TOTAL										2458		20644 + 740

OG2 CALL — GOLD OPTIONS — APR26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4000	----	----	#879.90B/----	#879.90B/730.30A	----	777.50 + 90.70	.9969	----	----	----	----	0 - 1
4150	----	----	#730.30B/----	#730.30B/579.70A	----	627.70 + 89.10	.9942	----	----	----	----	1 UNCH
4200	----	----	#680.50B/----	#680.50B/530.70A	----	577.80 + 88.10	.9928	----	----	2	----	4 UNCH
4350	----	----	#531.20B/----	#531.20B/381.80A	----	428.50 + 83.80	.9832	----	----	----	----	2 UNCH
4375	----	----	#506.60B/----	#506.60B/357.10A	----	403.60 + 82.60	.9813	----	----	----	----	3 UNCH
4400	----	----	#481.60B/----	481.60B/329.80A	----	378.80 + 81.30	.9783	----	----	----	----	66 UNCH
4415	----	----	#466.80B/----	#466.80B/317.80A	----	364.00 + 80.50	.9755	----	----	----	----	5 UNCH
4450	----	----	#432.20B/----	#432.20B/283.70A	----	329.40 + 78.10	.9694	----	----	----	----	2 UNCH
4475	----	----	#407.60B/----	#407.60B/257.00A	----	304.80 + 76.00	.9633	----	----	----	----	20 UNCH
4480	----	----	#402.70B/----	#402.70B/252.00A	----	299.90 + 75.60	.9619	----	----	----	----	16 UNCH
4500	275.00	275.00	#383.10B/233.10	383.10B/233.10A	----	280.30 + 73.60	.9558	----	----	296	----	145 - 146
4505	----	----	#378.20B/----	#378.20B/231.00A	----	275.40 + 73.00	.9542	----	----	----	----	1 UNCH
4510	----	----	#373.30B/----	#373.30B/226.30A	----	270.50 + 72.40	.9526	----	----	----	----	1 UNCH
4525	----	----	#358.60B/----	#358.60B/211.70A	----	256.00 + 70.70	.9456	----	----	----	----	1 UNCH
4530	209.20	209.20	#353.80B/204.80	#353.80B/204.80A	----	251.10 + 70.10	.9439	----	----	1	----	101 + 1
4535	----	----	#348.90B/----	#348.90B/203.00A	----	246.30 + 69.40	.9412	----	----	----	----	1 UNCH
4540	----	----	#344.00B/----	#344.00B/198.20A	----	241.40 + 68.70	.9393	----	----	----	----	2 UNCH
4545	----	----	#339.20B/----	#339.20B/193.70A	----	236.60 + 68.00	.9365	----	----	----	----	6 UNCH
4550	----	----	#334.30B/----	334.30B/186.60A	----	231.80 + 67.30	.9337	----	----	----	----	106 UNCH
4555	----	----	#329.40B/----	#329.40B/184.50A	----	227.00 + 66.60	.9307	----	----	----	----	10 UNCH
4560	----	----	#324.60B/----	#324.60B/180.00A	----	222.20 + 65.80	.9278	----	----	----	----	9 UNCH
4570	----	----	#315.00B/----	#315.00B/171.10A	----	212.70 + 64.30	.9208	----	----	----	----	4 UNCH
4575	----	----	#310.10B/----	310.10B/166.20A	----	207.90 + 63.40	.9177	----	----	1	----	1 UNCH
4580	----	----	#305.20B/----	#305.20B/160.00A	----	203.20 + 62.60	.9136	----	----	----	----	103 UNCH
4585	----	----	#300.50B/----	#300.50B/158.00A	----	198.50 + 61.70	.9095	----	----	----	----	1 UNCH
4595	----	----	#290.80B/----	#290.80B/149.40A	----	189.10 + 59.90	.9011	----	----	----	----	1 UNCH
4600	181.00	181.00	#286.00B/142.60	286.00B/142.60A	----	184.40 + 58.90	.8967	----	----	348	----	295 - 96
4610	----	----	#276.50B/----	#276.50B/136.60A	----	175.20 + 57.00	.8862	----	----	----	----	3 UNCH
4625	----	----	#262.20B/----	262.20B/124.30A	----	161.40 + 53.70	.8697	----	----	----	----	5 UNCH
4630	----	----	#257.30B/----	#257.30B/118.40A	----	156.90 + 52.70	.8633	----	----	----	----	174 UNCH
4635	----	----	#252.60B/----	#252.60B/114.50A	----	152.40 + 51.50	.8567	----	----	1	----	22 - 1
4640	171.00	171.00	#248.00B/110.70	#248.00B/110.70A	----	147.90 + 50.30	.8500	----	----	2	----	30 - 1
4645	230.00	230.00	#243.30B/108.60	#243.30B/108.60A	----	143.50 + 49.20	.8425	----	----	4	----	4 + 1
4650	109.50	109.50	#238.40B/103.10	238.40B/103.10A	----	139.10 + 48.00	.8349	----	----	2	----	67 UNCH
4655	158.00	158.00	#233.90B/100.90	#233.90B/100.90A	----	134.80 + 46.90	.8265	----	----	2	----	3 + 1
4660	----	----	#229.20B/----	#229.20B/97.20A	----	130.50 + 45.70	.8180	----	----	1	----	9 - 1
4665	----	----	#224.40B/----	#224.40B/93.60A	----	126.20 + 44.40	.8094	----	----	----	----	14 UNCH
4670	----	----	#219.90B/----	#219.90B/90.20A	----	121.90 + 43.10	.8006	----	----	----	----	1 UNCH
4675	----	----	#215.20B/----	215.20B/86.60A	----	117.80 + 41.90	.7905	----	----	----	----	3 UNCH
4680	155.00	155.00	#210.40B/83.10A	#210.40B/83.10A	----	113.60 + 40.50	.7808	----	----	2	----	13 UNCH
4685	----	----	#205.80B/----	#205.80B/79.90A	----	109.50 + 39.20	.7704	----	----	----	----	1 UNCH
4695	----	----	#196.80B/----	#196.80B/71.10A	----	101.50 + 36.60	.7481	----	----	----	----	4 UNCH
4700	162.20	162.20	192.00B/68.00A	192.00B/68.00A	----	97.60 + 35.30	.7362	----	----	74	----	396 - 7
4705	----	----	#187.40B/----	#187.40B/65.00A	----	93.70 + 33.90	.7242	----	----	----	----	2 UNCH
4710	132.00	132.00	#183.00B/62.20A	#183.00B/62.20A	----	90.00 + 32.70	.7112	----	----	2	----	12 UNCH
4715	----	----	#178.40B/----	#178.40B/59.30A	----	86.20 + 31.30	.6984	----	----	----	----	68 UNCH
4720	----	----	#173.90B/----	#173.90B/56.50A	----	82.60 + 30.00	.6846	----	----	2	----	10 - 1
4725	136.00	136.00	169.50B/53.80A	169.50B/53.80A	----	79.00 + 28.70	.6707	----	----	2	----	9 UNCH
4730	----	----	#165.10B/----	#165.10B/51.20A	----	75.50 + 27.40	.6564	----	----	----	----	37 UNCH
4735	137.00	137.00	#160.70B/48.60A	160.70B/48.60A	----	72.10 + 26.10	.6415	----	----	8	----	16 + 4
4740	50.30	50.30	#156.40B/50.30	156.40B/46.20A	----	68.70 + 24.80	.6266	----	----	16	----	13 + 8
4745	51.30	51.30	#152.10B/43.80A	152.10B/43.80A	----	65.50 + 23.60	.6109	----	----	15	----	19 + 12
4750	100.00	100.00	148.30B/41.30A	148.30B/41.30A	----	62.30 + 22.30	.5952	----	----	126	----	108 + 35
4755	----	----	#143.60B/----	143.60B/39.20A	----	59.20 + 21.00	.5791	----	----	----	----	6 UNCH
4760	----	----	#139.60B/----	139.60B/37.00A	----	56.20 + 19.80	.5627	----	----	----	----	21 UNCH
4765	----	----	#135.30B/----	135.30B/34.90A	----	53.30 + 18.60	.5461	----	----	6	----	9 + 3
4770	----	----	#131.20B/32.90A	131.20B/32.90A	----	50.50 + 17.50	.5293	----	----	----	----	1 UNCH
4775	80.00	80.00	127.20B/30.70A	127.20B/30.70A	----	47.80 + 16.40	.5123	----	----	57	----	94 - 2
4780	----	----	123.20B/29.10A	123.20B/29.10A	----	45.20 + 15.30	.4952	----	----	1	----	22 - 1
4785	27.90	27.90	119.10B/27.20A	119.10B/27.20A	----	42.70 + 14.30	.4781	----	----	11	----	17 + 2
4790	37.90	37.90	115.20B/25.40A	115.20B/25.40A	----	40.30 + 13.30	.4610	----	----	79	----	183 + 59
4795	----	----	111.30B/23.90A	111.30B/23.90A	----	38.00 + 12.30	.4439	----	----	----	----	5 UNCH
4800	87.00	87.00	107.90B/22.40A	107.90B/22.40A	----	35.80 + 11.40	.4268	----	----	151	----	135 UNCH
4805	45.00	45.00	103.70B/20.90A	103.70B/20.90A	----	33.60 + 10.50	.4097	----	----	11	----	16 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
APR26												
4810	26.40	26.40	100.00B/19.60A	100.00B/19.60A	----	31.60 + 9.60	.3930	----	----	1	----	11 + 1
4815	----	----	96.30B/18.30A	96.30B/18.30A	----	29.70 + 8.80	.3765	----	----	1	----	5 + 1
4820	62.00	62.00	94.10B/17.00A	94.10B/17.00A	----	27.90 + 8.10	.3602	----	----	93	----	32 + 17
4825	42.20	42.20	92.60B/15.90A	92.60B/15.90A	----	26.10 + 7.30	.3440	----	----	71	----	66 - 28
4830	51.50	51.50	89.00B/14.80A	89.00B/14.80A	----	24.50 + 6.70	.3284	----	----	140	----	116 - 13
4835	----	----	85.70B/13.90A	85.70B/13.90A	----	22.90 + 6.00	.3129	----	----	----	----	55 UNCH
4840	67.40	67.40	82.70B/12.80A	82.70B/12.80A	----	21.50 + 5.50	.2982	----	----	236	----	186 + 161
4845	----	----	79.30B/*12.00A	79.30B/*12.00A	----	20.10 + 4.90	.2836	----	----	----	----	11 UNCH
4850	46.00	46.00	76.30B/*11.20A	76.30B/*11.20A	----	18.80 + 4.40	.2696	----	----	458	----	262 + 18
4855	49.20	49.20	73.10B/*10.40A	73.10B/*10.40A	----	17.50 + 3.80	.2555	----	----	22	----	29 + 16
4860	18.00	18.00	70.40B/*9.80A	70.40B/*9.80A	----	16.40 + 3.40	.2427	----	----	4	----	6 + 3
4865	38.00	38.00	67.50B/*9.10A	67.50B/*9.10A	----	15.30 + 3.00	.2299	----	----	2	----	4 UNCH
4870	41.00	41.00	64.70B/*8.50	64.70B/*8.50	----	14.30 + 2.60	.2178	----	----	17	----	24 - 9
4875	32.90	32.90	62.00B/*7.90A	62.00B/*7.90A	----	13.30 + 2.20	.2057	----	----	30	----	76 + 9
4880	31.00	31.00	59.10B/*7.30A	59.10B/*7.30A	----	12.40 + 1.90	.1944	----	----	3	----	35 UNCH
4885	21.00	21.00	56.80B/*6.80A	56.80B/*6.80A	----	11.60 + 1.60	.1840	----	----	24	----	41 + 14
4890	----	----	54.30B/*6.30A	54.30B/*6.30A	----	10.80 + 1.30	.1736	----	----	26	----	17 + 10
4895	----	----	51.90B/*5.90A	51.90B/*5.90A	----	10.10 + 1.10	.1640	----	----	----	----	14 UNCH
4900	20.50	20.50	49.70B/*5.50A	49.70B/*5.50A	----	9.40 + 0.90	.1546	----	----	262	----	290 + 10
4905	25.40	25.40	47.30B/*5.20A	47.30B/*5.20A	----	8.80 + 0.70	.1460	----	----	16	----	13 + 6
4910	4.80	4.80	45.10B/*4.80	45.10B/*4.80	----	8.20 + 0.50	.1376	----	----	5	----	9 + 3
4915	21.70	21.70	42.90B/*4.50A	42.90B/*4.50A	----	7.60 + 0.30	.1291	----	----	4	----	6 + 4
4920	25.10	25.10	40.90B/*4.20A	40.90B/*4.20A	----	7.10 + 0.10	.1217	----	----	59	----	50 + 41
4925	29.90	29.90	38.90B/*3.90A	38.90B/*3.90A	----	6.60 UNCH	.1144	----	----	69	----	35 + 27
4930	16.30	16.30	37.00B/*3.70A	37.00B/*3.70A	----	6.20 - 0.10	.1081	----	----	9	----	19 + 7
4935	----	----	35.20B/*3.40A	35.20B/*3.40A	----	5.80 - 0.20	.1019	----	----	----	----	8 UNCH
4940	----	----	33.40B/*3.20A	33.40B/*3.20A	----	5.40 - 0.30	.0957	----	----	----	----	8 UNCH
4945	12.00	12.00	31.80B/*3.00A	31.80B/*3.00A	----	5.00 - 0.40	.0896	----	----	6	----	21 UNCH
4950	17.00	17.00	30.20B/*2.80A	30.20B/*2.80A	----	4.70 - 0.50	.0846	----	----	47	----	85 + 8
4955	8.10	8.10	28.50B/*2.60A	28.50B/*2.60A	----	4.40 - 0.50	.0797	----	----	8	----	15 + 3
4960	11.20	11.20	27.00B/*2.50A	27.00B/*2.50A	----	4.10 - 0.60	.0749	----	----	3	----	3 + 1
4965	4.70	4.70	25.60B/*2.30A	25.60B/*2.30A	----	3.80 - 0.70	.0700	----	----	6	----	10 + 3
4970	10.80	10.80	24.20B/*2.20A	24.20B/*2.20A	----	3.60 - 0.70	.0665	----	----	2	----	9 UNCH
4975	9.50	9.50	22.90B/*2.00A	22.90B/*2.00A	----	3.40 - 0.70	.0629	----	----	15	----	36 + 9
4980	----	----	21.70B/*1.90A	21.70B/*1.90A	----	3.20 - 0.70	.0595	----	----	1	----	13 UNCH
4985	----	----	20.50B/*1.80A	20.50B/*1.80A	----	3.00 - 0.80	.0560	----	----	----	----	2 UNCH
4990	----	----	19.40B/*1.70A	19.40B/*1.70A	----	2.80 - 0.80	.0526	----	----	2	----	72 UNCH
4995	----	----	18.30B/*1.60A	18.30B/*1.60A	----	2.60 - 0.80	.0492	----	----	----	----	14 UNCH
5000	6.20	6.20	20.00/*1.30	20.00/*1.30	----	2.40 - 0.90	.0458	----	----	213	----	270 + 37
5005	6.90	6.90	16.30B/*1.40A	16.30B/*1.40A	----	2.30 - 0.90	.0438	----	----	3	----	9 + 2
5010	----	----	15.40B/*1.30A	15.40B/*1.30A	----	2.20 - 0.80	.0419	----	----	----	----	0 UNCH
5015	----	----	14.50B/*1.20A	14.50B/*1.20A	----	2.00 - 0.90	.0386	----	----	----	----	28 UNCH
5020	3.30	3.30	13.70B/*1.20A	13.70B/*1.20A	----	1.90 - 0.90	.0366	----	----	4	----	20 + 2
5025	3.10	3.10	13.00B/*1.10A	13.00B/*1.10A	----	1.80 - 0.90	.0347	----	----	2	----	6 - 1
5030	4.60	4.60	12.10B/*1.10A	12.10B/*1.10A	----	1.70 - 0.90	.0329	----	----	15	----	27 + 4
5035	4.30	4.30	11.40B/*1.00A	11.40B/*1.00A	----	1.60 - 0.90	.0310	----	----	14	----	6 - 2
5040	4.00	4.00	10.80B/*0.90A	10.80B/*0.90A	----	1.50 - 0.90	.0292	----	----	8	----	28 + 8
5045	3.70	3.70	10.20B/*0.90A	10.20B/*0.90A	----	1.40 - 0.90	.0274	----	----	3	----	5 UNCH
5050	----	----	9.70B/*0.80A	9.70B/*0.80A	----	1.30 - 0.90	.0256	----	----	18	----	77 + 12
5055	3.20	3.20	9.10B/*0.80A	9.10B/*0.80A	----	1.30 - 0.80	.0253	----	----	19	----	16 + 15
5060	----	----	8.70B/*0.80A	8.70B/*0.80A	----	1.20 - 0.80	.0235	----	----	----	----	4 UNCH
5065	2.70	2.70	8.20B/*0.70A	8.20B/*0.70A	----	1.10 - 0.90	.0217	----	----	20	----	21 + 18
5070	1.30	1.30	7.90B/*0.70A	7.90B/*0.70A	----	1.10 - 0.80	.0215	----	----	10	----	11 + 10
5075	1.00	1.00	7.40B/*0.60A	7.40B/*0.60A	----	1.00 - 0.80	.0197	----	----	1	----	3 + 1
5080	2.20	2.20	7.00B/*0.60A	7.00B/*0.60A	----	0.90 NEW	.0180	----	----	8	----	8 + 8
5085	----	----	6.60B/*0.60A	6.60B/*0.60A	----	0.90 - 0.80	.0178	----	----	----	----	4 UNCH
5090	----	----	6.30B/*0.60A	6.30B/*0.60A	----	0.80 - 0.90	.0160	----	----	----	----	10 UNCH
5095	----	----	6.00B/*0.50A	6.00B/*0.50A	----	0.80 - 0.80	.0159	----	----	----	----	2 UNCH
5100	5.20	5.20	5.90B/*0.50	5.90B/*0.50	----	0.80 - 0.70	.0157	----	----	11	----	51 UNCH
5105	----	----	5.40B/*0.50A	5.40B/*0.50A	----	0.70 NEW	.0140	----	----	1	----	1 + 1
5115	----	----	4.80B/*0.40A	4.80B/*0.40A	----	0.70 - 0.70	.0137	----	----	----	----	23 UNCH
5120	1.10	1.10	4.50B/*0.40A	4.50B/*0.40A	----	0.60 - 0.80	.0120	----	----	18	----	23 + 18
5125	1.00	1.00	4.30B/*0.40A	4.30B/*0.40A	----	0.60 NEW	.0118	----	----	1	----	1 + 1
5130	----	----	4.10B/*0.40A	4.10B/*0.40A	----	0.60 NEW	.0117	----	----	2	----	1 + 1
5135	1.10	1.10	3.90B/*0.30A	3.90B/*0.30A	----	0.50 - 0.80	.0100	----	----	2	----	4 + 2
5145	1.00	1.00	3.50B/*0.30A	3.50B/*0.30A	----	0.50 - 0.70	.0098	----	----	15	----	19 + 15
5150	1.20	1.20	3.40B/*0.30A	3.40B/*0.30A	----	0.50 - 0.70	.0097	----	----	21	----	58 + 10
5160	----	----	3.00B/*0.30A	3.00B/*0.30A	----	0.40 - 0.70	.0080	----	----	----	----	3 UNCH
5170	----	----	2.70B/*0.30A	2.70B/*0.30A	----	0.40 - 0.60	.0078	----	----	----	----	10 UNCH
5175	0.80	0.80	2.50B/*0.30A	2.50B/*0.30A	----	0.40 - 0.60	.0078	----	----	28	----	29 + 15
5185	----	----	2.30B/*0.30A	2.30B/*0.30A	----	0.30 - 0.70	.0060	----	----	----	----	4 UNCH
5190	0.70	0.70	2.20B/*0.30A	2.20B/*0.30A	----	0.30 - 0.60	.0060	----	----	1	----	10 UNCH
5200	2.00	2.00	3.00/*0.30A	3.00/*0.30A	----	0.30 - 0.60	.0059	----	----	27	----	118 - 21
5205	----	----	1.80B/*0.30A	1.80B/*0.30A	----	0.30 - 0.60	.0058	----	----	----	----	11 UNCH
5210	----	----	1.70B/*0.40A	1.70B/*0.40A	----	0.30 - 0.60	.0058	----	----	----	----	4 UNCH
5215	----	----	1.60B/*0.40A	1.60B/*0.40A	----	0.30 - 0.60	.0057	----	----	----	----	1 UNCH
5220	----	----	1.60B/*0.30A	1.60B/*0.30A	----	0.30 - 0.50	.0057	----	----	----	----	21 UNCH
5225	----	----	1.50B/*0.30A	1.50B/*0.30A	----	0.20 - 0.60	.0040	----	----	----	----	6 UNCH
5230	----	----	1.40B/*0.30A	1.40B/*0.30A	----	0.20 - 0.60	.0040	----	----	----	----	11 UNCH
5235	----	----	1.30B/*0.30A	1.30B/*0.30A	----	0.20 - 0.60	.0039	----	----	----	----	6 UNCH
5245	----	----	1.20B/*0.30A	1.20B/*0.30A	----	0.20 - 0.60	.0039	----	----	----	----	2 UNCH
5250	----	----	1.20B/*0.30A	1.20B/*0.30A	----	0.20 - 0.60	.0038	----	----	----	----	50 UNCH
5255	----	----	1.00B/*0.30A	1.00B/*0.30A	----	0.20 - 0.50	.0038	----	----	----	----	7 UNCH
5260	----	----	1.00B/*0.30A	1.00B/*0.30A	----	0.20 - 0.50	.0038	----	----	----	----	4 UNCH
5265	----	----	0.90B/*0.30A	0.90B/*0.30A	----	0.20 - 0.50	.0037	----	----	----	----	3 UNCH
5270	----	----	0.90B/*0.30A	0.90B/*0.30A	----	0.20 - 0.50	.0037	----	----	----	----	1 UNCH
5280	----	----	0.80B/*0.30A	0.80B/*0.30A	----	0.20 - 0.50	.0037	----	----	----	----	2 UNCH
5285	----	----	----/*0.30A	0.70B/*0.30A	----	0.20 - 0.50	.0036	----	----	----	----	4 UNCH
5290	----	----	----/*0.30A	0.70B/*0.30A	----	0.20 - 0.50	.0036	----	----	----	----	2 UNCH
5300	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.20 - 0.40	.0036	----	----	1	----	18 - 1
5305	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.40	.0035	----	----	----	----	1 UNCH
5315	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.50	.0019	----	----	----	----	1 UNCH
5330	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.50	.0019	----	----	----	----	1 UNCH
5340	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.50	.0019	----	----	----	----	2 UNCH
5350	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.50	.0018	----	----	----	----	19 UNCH
5375	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0018	----	----	----	----	4 UNCH
5395	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0017	----	----	----	----	9 UNCH
5400	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0017	----	----	----	----	160 UNCH
5410	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0017	----	----	----	----	1 UNCH
5415	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.40	.0017	----	----	----	----	1 UNCH
5420	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0017	----	----	----	----	1 UNCH
5450	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.40	.0016	----	----	----	----	3 UNCH
5460	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0016	----	----	----	----	1 UNCH
5475	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0016	----	----	----	----	1 UNCH
5500	----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	.0015	----	----	----	----	49 UNCH
5525	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0015	----	----	----	----	15 UNCH
5575	----	----	----	----/*0.20A	----	0.10 - 0.10	.0014	----	----	----	----	4 UNCH
5600	----	----	----	----/0.20A	----	0.10 - 0.10	.0014	----	----	----	----	305 UNCH
5625	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.10	.0013	----	----	2	----	2 UNCH
5675	----	----	----	----/*0.20A	----	0.10 - 0.10	.0013	----	----	----	----	4 UNCH
5700	----	----	----	----/*0.20A	----	0.10 UNCH	.0013	----	----	----	----	42 UNCH
5750	----	----	----	----/*0.20A	----	0.10 UNCH	.0012	----	----	----	----	256 UNCH
5800	----	----	----	----/*0.20A	----	0.10 UNCH	.0012	----	----	----	----	384 UNCH
6300	----	----	----	----/0.20A	----	0.10 UNCH	.0008	----	----	----	----	6 UNCH
6500	----	----	----	----/*0.20A	----	0.10 UNCH	.0008	----	----	----	----	12 UNCH
TOTAL										3333		6514 + 353

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT		GOLD OPTIONS										
MAY26												
4125	17.00	17.00	17.00/*11.20	18.60B/*11.20	----	12.10 - 13.80	.0587	----	----	6	----	2 UNCH
4150	----	----	----/*13.80A	20.30B/*13.80A	----	13.40 - 14.90	.0646	----	----	----	----	2 UNCH
4175	----	----	----/*14.30A	20.10B/*14.30A	----	14.90 - 16.00	.0712	----	----	----	----	1 UNCH
4200	16.70	16.70	16.70/*14.40A	21.90B/*14.40A	----	16.50 NEW	.0782	----	----	1	----	1 + 1
4250	----	----	----/*15.80A	27.20B/*15.80A	----	20.20 - 20.00	.0942	----	----	1	----	5 + 1
4300	----	----	----/*18.90A	33.10B/*18.90A	----	24.80 - 23.10	.1134	----	----	1	----	2 + 1
4325	----	----	----/*20.70A	36.10B/*20.70A	----	27.50 - 24.70	.1243	----	----	----	----	2 UNCH
4350	23.80	23.80	31.20/*22.30A	39.70B/*22.30A	----	30.30 - 26.40	.1356	----	----	2	----	5 UNCH
4400	----	----	----/*27.70A	47.80B/*27.70A	----	36.80 NEW	.1612	----	----	1	----	1 + 1
4485	50.00	50.00	50.00/*38.10A	64.90B/*38.10A	----	51.50 - 36.90	.2147	----	----	1	----	1 UNCH
4500	----	----	----/*40.30A	66.10B/*40.30A	----	54.60 - 38.20	.2255	----	----	----	----	2 UNCH
4535	----	----	----/*46.30A	76.20B/*46.30A	----	62.50 - 41.20	.2520	----	----	----	----	1 UNCH
4610	----	----	----/*61.40A	98.60B/*61.40A	----	82.70 - 47.80	.3155	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4630	----	----	----/*66.30A	105.90B/*66.30A	----	88.90 - 49.70	.3339	----	----	----	----	0 UNCH
4675	----	----	----/*78.40A	123.80B/*78.40A	----	104.20 - 54.00	.3773	----	----	1	----	0 - 1
4715	----	----	----/*90.40A	141.60B/*90.40A	----	119.60 - 57.80	.4180	----	----	1	----	0 - 1
4950	----	----	----/*198.60A	282.80B/*198.60A	----	247.50 NEW	.6684	----	----	1	----	1 + 1
5000	----	----	----/*229.90A	320.50B/*229.90A	----	283.00 NEW	.7159	----	----	1	----	1 + 1
5200	----	----	----/*378.10A	489.90B/*378.10A	----	446.60 - 87.90	.8609	----	----	----	----	0 UNCH
TOTAL										17		37 + 4

OG1 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4625	----	----	#306.40B/----	#306.40B/220.10A	----	239.20 + 43.10	.6701	----	----	----	----	1 UNCH
4665	----	----	#276.70B/----	#276.70B/195.30A	----	212.60 + 39.30	.6319	----	----	----	----	1 UNCH
4715	----	----	#243.80B/----	#243.80B/166.60A	----	181.70 + 34.60	.5813	----	----	1	----	0 - 1
4800	----	----	#187.00B/----	#187.00B/124.80A	----	135.50 + 26.70	.4902	----	----	1	----	0 - 1
4825	----	----	#172.00B/----	#172.00B/113.90A	----	123.50 NEW	.4629	----	----	1	----	1 + 1
4840	119.50	119.50	#163.90B/107.70	#163.90B/107.70A	----	116.70 NEW	.4466	----	----	10	----	10 + 10
4860	----	----	#153.00B/----	#153.00B/100.50A	----	108.00 + 21.50	.4248	----	----	----	----	1 UNCH
4875	----	----	#147.70B/----	#147.70B/92.80A	----	101.90 NEW	.4087	----	----	1	----	1 + 1
4900	94.00	94.00	#134.50B/83.60A	#134.50B/83.60A	----	92.20 + 18.50	.3822	----	----	10	----	11 + 10
4950	----	----	111.20B/----	111.20B/70.70A	----	75.00 + 15.00	.3309	----	----	----	----	21 UNCH
5000	----	----	#90.70B/----	90.70B/57.00A	----	60.70 + 12.00	.2834	----	----	1	----	2 + 1
5050	----	----	73.10B/----	73.10B/46.40A	----	48.90 + 9.50	.2404	----	----	1	----	2 + 1
5125	----	----	#53.50B/----	#53.50B/34.10A	----	35.10 + 6.60	.1849	----	----	----	----	1 UNCH
5200	----	----	#37.30B/----	#37.30B/25.20A	----	24.60 + 4.40	.1386	----	----	----	----	6 UNCH
TOTAL										26		58 + 22

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
1000	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	2046 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	761 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	40 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	149 UNCH
2175	----	----	----	----/*0.10A	----	0.10 UNCH	.0003	----	----	----	----	25 UNCH
2200	----	----	----	----/0.10A	----	0.10 UNCH	.0003	----	----	----	----	129 UNCH
2225	----	----	----	----/*0.10A	----	0.10 UNCH	.0003	----	----	----	----	271 UNCH
2250	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	8 UNCH
2275	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
2300	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0003	----	----	1	----	156 + 1
2325	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	7 UNCH
2350	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	122 UNCH
2400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0003	----	----	10	----	13 + 10
2420	----	----	----	----/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	16 UNCH
2450	----	----	----	----/0.40A	----	0.10 - 0.20	.0003	----	----	----	----	15 UNCH
2485	----	----	----	----/*0.30A	----	0.10 - 0.20	.0003	----	----	----	----	20 UNCH
2495	----	----	----	----/0.40A	----	0.10 - 0.20	.0003	----	----	----	----	75 UNCH
2500	----	----	----	----/0.40A	----	0.10 - 0.20	.0003	----	----	----	----	74 UNCH
2505	----	----	----	----/*0.30A	----	0.10 - 0.20	.0003	----	----	----	----	5 UNCH
2520	----	----	----	----/0.30A	----	0.10 - 0.20	.0003	----	----	----	----	2 UNCH
2525	----	----	----	----/*0.30A	----	0.10 - 0.20	.0003	----	----	----	----	102 UNCH
2540	----	----	----	----/0.40A	----	0.10 - 0.30	.0004	----	----	----	----	5 UNCH
2550	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	1 UNCH
2560	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	6 UNCH
2580	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	35 UNCH
2590	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	1 UNCH
2600	----	----	----/0.30A	0.20B/0.30A	----	0.20 - 0.20	.0007	----	----	----	----	114 UNCH
2615	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	1 UNCH
2620	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0007	----	----	----	----	1 UNCH
2650	----	----	----/*0.30A	----/0.30A	----	0.20 - 0.30	.0007	----	----	----	----	4 UNCH
2660	----	----	----/*0.30A	----/0.30A	----	0.20 - 0.30	.0007	----	----	----	----	1 UNCH
2685	----	----	----/*0.30A	----/0.30A	----	0.20 - 0.30	.0007	----	----	----	----	1 UNCH
2700	----	----	----/0.30A	----/0.30A	----	0.20 - 0.30	.0007	----	----	----	----	34 UNCH
2705	----	----	----/*0.40A	----/0.40A	----	0.20 - 0.30	.0007	----	----	----	----	1 UNCH
2715	----	----	----	----/0.50A	----	0.20 - 0.30	.0007	----	----	----	----	2 UNCH
2725	----	----	----/*0.50A	----/0.50A	----	0.20 - 0.40	.0008	----	----	----	----	1 UNCH
2730	----	----	----/*0.50A	----/0.50A	----	0.20 - 0.40	.0008	----	----	----	----	2 UNCH
2750	----	----	----/*0.50A	----/0.50A	----	0.30 - 0.30	.0011	----	----	----	----	3 UNCH
2755	----	----	----/*0.50A	----/0.50A	----	0.30 - 0.30	.0011	----	----	----	----	6 UNCH
2770	----	----	----/*0.50A	----/0.50A	----	0.30 - 0.30	.0011	----	----	----	----	4 UNCH
2785	----	----	----/*0.50A	0.10B/0.50A	----	0.30 - 0.40	.0011	----	----	----	----	21 UNCH
2790	----	----	----/*0.50A	0.10B/0.50A	----	0.30 - 0.40	.0011	----	----	----	----	5 UNCH
2800	----	----	----/0.50A	0.10B/0.50A	----	0.30 - 0.40	.0011	----	----	5	----	88 + 5
2815	----	----	----/*0.50A	0.10B/0.50A	----	0.30 - 0.40	.0011	----	----	----	----	35 UNCH
2820	----	----	----/*0.50A	0.10B/0.50A	----	0.30 - 0.40	.0011	----	----	----	----	74 UNCH
2845	----	----	----/*0.50A	0.20B/0.50A	----	0.30 - 0.50	.0012	----	----	----	----	5 UNCH
2850	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 NEW	.0012	----	----	2	----	2 + 2
2870	----	----	----/*0.50A	0.20B/0.50A	----	0.30 - 0.50	.0012	----	----	----	----	23 UNCH
2895	----	----	----/*0.50A	0.20B/*0.50A	----	0.40 - 0.50	.0015	----	----	----	----	39 UNCH
2900	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.50	.0016	----	----	----	----	349 UNCH
2905	----	----	----/*0.50A	0.20B/*0.50A	----	0.40 - 0.50	.0016	----	----	----	----	4 UNCH
2910	----	----	----/*0.50A	0.20B/*0.50A	----	0.40 - 0.50	.0016	----	----	----	----	20 UNCH
2930	----	----	----/*0.60A	0.20B/*0.60A	----	0.40 - 0.50	.0016	----	----	----	----	28 UNCH
2940	----	----	----/*0.60A	0.20B/*0.60A	----	0.40 - 0.60	.0016	----	----	----	----	8 UNCH
2950	----	----	----/*0.60A	0.30B/*0.60A	----	0.40 - 0.60	.0016	----	----	----	----	299 UNCH
2980	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.60	.0020	----	----	----	----	2 UNCH
2995	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.60	.0020	----	----	----	----	4 UNCH
3000	----	----	----/*0.50A	0.30B/*0.50A	----	0.50 - 0.60	.0020	----	----	----	----	140 UNCH
3005	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.60	.0020	----	----	----	----	1 UNCH
3010	----	----	----/*0.60A	0.30B/*0.60A	----	0.50 - 0.60	.0020	----	----	----	----	1 UNCH
3020	----	----	----/*0.70A	0.30B/*0.70A	----	0.50 - 0.70	.0020	----	----	----	----	1 UNCH
3040	----	----	----/*0.70A	0.30B/*0.70A	----	0.50 - 0.70	.0021	----	----	----	----	52 UNCH
3045	----	----	----/*0.70A	0.30B/*0.70A	----	0.50 - 0.70	.0021	----	----	----	----	2 UNCH
3050	----	----	----/*0.70A	0.30B/*0.70A	----	0.50 - 0.80	.0021	----	----	----	----	19 UNCH
3055	----	----	----/*0.70A	0.30B/*0.70A	----	0.50 - 0.80	.0021	----	----	----	----	5 UNCH
3065	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.70	.0024	----	----	----	----	5 UNCH
3070	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.70	.0024	----	----	----	----	1 UNCH
3075	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.70	.0025	----	----	----	----	66 UNCH
3080	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.80	.0025	----	----	----	----	1 UNCH
3090	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.80	.0025	----	----	----	----	5 UNCH
3095	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.80	.0025	----	----	----	----	3 UNCH
3100	----	----	----/*0.70A	0.40B/*0.70A	----	0.60 - 0.80	.0025	----	----	----	----	306 UNCH
3105	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.80	.0025	----	----	----	----	5 UNCH
3115	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.90	.0025	----	----	----	----	5 UNCH
3120	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.90	.0025	----	----	----	----	41 UNCH
3125	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.90	.0025	----	----	----	----	1 UNCH
3130	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.90	.0025	----	----	----	----	8 UNCH
3135	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.90	.0026	----	----	----	----	2 UNCH
3140	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.80	.0029	----	----	----	----	3 UNCH
3150	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.90	.0029	----	----	----	----	10 UNCH
3155	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.90	.0029	----	----	----	----	74 UNCH
3160	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.90	.0030	----	----	----	----	15 UNCH
3170	----	----	----/*0.90A	0.60B/*0.90A	----	0.70 - 1.00	.0030	----	----	----	----	5 UNCH
3175	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 1.00	.0030	----	----	----	----	10 UNCH
3185	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 1.00	.0030	----	----	----	----	18 UNCH
3200	0.50	0.50	1.00/*0.50	1.00/*0.50	----	0.70 - 1.10	.0030	----	----	15	----	258 + 5
3205	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 1.10	.0030	----	----	----	----	10 UNCH
3210	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 1.10	.0031	----	----	----	----	10 UNCH
3220	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 1.00	.0034	----	----	----	----	8 UNCH
3225	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 1.10	.0035	----	----	----	----	12 UNCH
3235	----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 1.10	.0035	----	----	----	----	5 UNCH
3245	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 1.10	.0035	----	----	----	----	5 UNCH
3250	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 1.20	.0035	----	----	----	----	84 UNCH
3255	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 1.20	.0035	----	----	----	----	8 UNCH
3260	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 1.20	.0035	----	----	----	----	21 UNCH
3265	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 1.20	.0035	----	----	----	----	16 UNCH
3270	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 1.20	.0036	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
3275	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 1.30	.0036	----	----	----	----	22 UNCH
3280	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 1.20	.0040	----	----	----	----	1 UNCH
3290	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 1.20	.0040	----	----	----	----	40 UNCH
3295	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 1.30	.0040	----	----	----	----	1 UNCH
3300	0.60	0.60	1.20/*0.60	1.20/*0.60	----	0.90 - 1.30	.0040	----	----	7	----	602 - 5
3305	----	----	----/*1.00A	1.40B/*1.00A	----	0.90 - 1.30	.0040	----	----	----	----	60 UNCH
3310	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 1.30	.0040	----	----	----	----	1 UNCH
3315	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 1.40	.0041	----	----	----	----	3 UNCH
3320	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 1.40	.0041	----	----	----	----	1 UNCH
3325	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 1.40	.0041	----	----	----	----	10 UNCH
3330	----	----	----/*1.00A	1.50B/*1.00A	----	0.90 - 1.40	.0041	----	----	----	----	2 UNCH
3335	----	----	----/*1.00A	1.20B/*1.00A	----	1.00 - 1.40	.0045	----	----	----	----	20 UNCH
3340	----	----	----/*1.00A	1.30B/*1.00A	----	1.00 - 1.40	.0045	----	----	----	----	1 UNCH
3345	----	----	----/*1.00A	1.30B/*1.00A	----	1.00 - 1.40	.0045	----	----	----	----	1 UNCH
3350	0.90	0.90	0.90/*0.90	1.60B/*0.90	----	1.00 - 1.40	.0045	----	----	1	----	53 UNCH
3360	----	----	----/*1.00A	1.30B/*1.00A	----	1.00 - 1.50	.0046	----	----	----	----	4 UNCH
3370	----	----	----/*1.00A	1.40B/*1.00A	----	1.00 - 1.50	.0046	----	----	----	----	76 UNCH
3375	----	----	----/*1.00A	1.50B/*1.00A	----	1.00 - 1.60	.0046	----	----	----	----	54 UNCH
3380	----	----	----/*1.10A	1.50B/*1.10A	----	1.00 - 1.60	.0046	----	----	----	----	5 UNCH
3385	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 1.50	.0050	----	----	----	----	12 UNCH
3390	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 1.50	.0050	----	----	----	----	5 UNCH
3395	----	----	----/*1.00A	1.50B/*1.00A	----	1.10 - 1.60	.0051	----	----	----	----	35 UNCH
3400	1.20	1.20	1.20/*1.00A	1.60B/*1.00A	----	1.10 - 1.60	.0051	----	----	10	----	190 UNCH
3405	----	----	----/*1.10A	1.60B/*1.10A	----	1.10 - 1.60	.0051	----	----	----	----	5 UNCH
3415	----	----	----/*1.10A	1.60B/*1.10A	----	1.10 - 1.70	.0051	----	----	----	----	118 UNCH
3420	----	----	----/*1.10A	1.70B/*1.10A	----	1.10 - 1.70	.0052	----	----	----	----	1 UNCH
3425	----	----	----/*1.10A	1.70B/*1.10A	----	1.10 - 1.80	.0052	----	----	----	----	11 UNCH
3430	----	----	----/*1.10A	1.70B/*1.10A	----	1.10 - 1.80	.0052	----	----	----	----	21 UNCH
3435	----	----	----/*1.20A	1.70B/*1.20A	----	1.20 - 1.70	.0056	----	----	----	----	101 UNCH
3440	2.20	2.20	2.20/*1.20A	2.20/*1.20A	----	1.20 - 1.80	.0056	----	----	1	----	1 UNCH
3445	----	----	----/*1.20A	1.80B/*1.20A	----	1.20 - 1.80	.0056	----	----	----	----	33 UNCH
3450	1.10	1.10	1.10/*1.10	2.10B/*1.10	----	1.20 - 1.80	.0057	----	----	4	----	50 - 2
3455	----	----	----/*1.20A	1.90B/*1.20A	----	1.20 - 1.80	.0057	----	----	----	----	44 UNCH
3460	----	----	----/*1.10A	1.90B/*1.10A	----	1.20 - 1.90	.0057	----	----	----	----	142 UNCH
3465	----	----	----/*1.20A	1.90B/*1.20A	----	1.20 - 1.90	.0057	----	----	----	----	17 UNCH
3470	----	----	----/*1.20A	2.00B/*1.20A	----	1.20 - 2.00	.0057	----	----	----	----	76 UNCH
3475	----	----	----/*1.30A	2.00B/*1.30A	----	1.30 - 1.90	.0062	----	----	----	----	94 UNCH
3480	----	----	----/*1.20A	2.00B/*1.20A	----	1.30 - 1.90	.0062	----	----	----	----	84 UNCH
3485	----	----	----/*1.30A	2.10B/*1.30A	----	1.30 - 2.00	.0062	----	----	----	----	61 UNCH
3490	----	----	----/*1.30A	2.10B/*1.30A	----	1.30 - 2.00	.0062	----	----	----	----	52 UNCH
3495	----	----	----/*1.30A	2.10B/*1.30A	----	1.30 - 2.00	.0063	----	----	----	----	54 UNCH
3500	2.30	2.30	2.30/*1.00	2.30/*1.00	----	1.30 - 2.10	.0063	----	----	11	----	1431 - 2
3505	----	----	----/*1.30A	2.50B/*1.30A	----	1.30 - 2.10	.0063	----	----	----	----	14 UNCH
3510	1.20	1.20	1.20/*1.20	2.20B/*1.20	----	1.40 - 2.00	.0067	----	----	1	----	36 + 1
3515	----	----	----/*1.30A	2.20B/*1.30A	----	1.40 - 2.10	.0067	----	----	----	----	82 UNCH
3520	----	----	----/*1.30A	2.60B/*1.30A	----	1.40 - 2.10	.0068	----	----	----	----	8 UNCH
3525	----	----	----/*1.40A	2.30B/*1.40A	----	1.40 - 2.20	.0068	----	----	----	----	119 UNCH
3530	----	----	----/*1.40A	2.40B/*1.40A	----	1.40 - 2.20	.0068	----	----	----	----	102 UNCH
3535	----	----	----/*1.40A	2.40B/*1.40A	----	1.40 - 2.30	.0068	----	----	----	----	158 UNCH
3540	----	----	----/*1.40A	2.40B/*1.40A	----	1.40 - 2.30	.0069	----	----	----	----	10 UNCH
3545	----	----	----/*1.40A	2.80B/*1.40A	----	1.50 - 2.20	.0073	----	----	----	----	66 UNCH
3550	----	----	----/*1.40A	2.80B/*1.40A	----	1.50 - 2.30	.0073	----	----	----	----	340 UNCH
3555	----	----	----/*1.40A	2.50B/*1.40A	----	1.50 - 2.30	.0073	----	----	----	----	45 UNCH
3560	2.00	2.00	2.00/*1.40A	2.60B/*1.40A	----	1.50 - 2.40	.0074	----	----	1	----	8 UNCH
3565	----	----	----/*1.40A	2.60B/*1.40A	----	1.50 - 2.40	.0074	----	----	----	----	7 UNCH
3570	----	----	----/*1.50A	2.70B/*1.50A	----	1.50 - 2.50	.0074	----	----	----	----	11 UNCH
3575	----	----	----/*1.50A	2.70B/*1.50A	----	1.60 - 2.40	.0079	----	----	----	----	96 UNCH
3580	----	----	----/*1.40A	3.10B/*1.40A	----	1.60 - 2.50	.0079	----	----	----	----	12 UNCH
3585	----	----	----/*1.50A	3.10B/*1.50A	----	1.60 - 2.50	.0079	----	----	----	----	9 UNCH
3590	----	----	----/*1.50A	3.20B/*1.50A	----	1.60 - 2.60	.0080	----	----	----	----	33 UNCH
3595	----	----	----/*1.50A	3.20B/*1.50A	----	1.60 - 2.60	.0080	----	----	----	----	39 UNCH
3600	2.00	2.00	2.00/*1.50	3.30B/*1.50	----	1.70 - 2.60	.0084	----	----	25	----	982 - 16
3605	----	----	----/*1.50A	3.30B/*1.50A	----	1.70 - 2.60	.0085	----	----	----	----	56 UNCH
3610	----	----	----/*1.50A	3.30B/*1.50A	----	1.70 - 2.70	.0085	----	----	2	----	23 UNCH
3615	----	----	----/*1.60A	3.40B/*1.60A	----	1.70 - 2.70	.0085	----	----	----	----	120 UNCH
3620	----	----	----/*1.60A	3.40B/*1.60A	----	1.70 - 2.80	.0086	----	----	----	----	128 UNCH
3625	----	----	----/*1.60A	3.50B/*1.60A	----	1.80 - 2.70	.0090	----	----	----	----	45 UNCH
3630	----	----	----/*1.60A	3.50B/*1.60A	----	1.80 - 2.80	.0090	----	----	----	----	13 UNCH
3635	----	----	----/*1.60A	3.60B/*1.60A	----	1.80 - 2.80	.0091	----	----	----	----	26 UNCH
3640	----	----	----/*1.70A	3.60B/*1.70A	----	1.80 - 2.90	.0091	----	----	----	----	42 UNCH
3645	----	----	----/*1.70A	3.60B/*1.70A	----	1.80 - 3.00	.0091	----	----	----	----	15 UNCH
3650	1.70	1.70	1.70/*1.70	3.70B/*1.70	----	1.90 - 2.90	.0096	----	----	4	----	418 UNCH
3655	1.70	1.70	1.70/*1.70	3.70B/*1.70	----	1.90 - 3.00	.0096	----	----	1	----	24 UNCH
3660	----	----	----/*1.70A	3.80B/*1.70A	----	1.90 - 3.10	.0097	----	----	----	----	47 UNCH
3665	----	----	----/*1.80A	3.80B/*1.80A	----	1.90 - 3.10	.0097	----	----	1	----	35 UNCH
3670	----	----	----/*1.80A	3.90B/*1.80A	----	2.00 - 3.10	.0101	----	----	----	----	35 UNCH
3675	----	----	----/*1.80A	3.90B/*1.80A	----	2.00 - 3.10	.0102	----	----	2	----	66 - 2
3680	2.00	2.00	2.10/*1.80A	4.00B/*1.80A	----	2.00 - 3.20	.0102	----	----	2	----	119 UNCH
3685	----	----	----/*1.80A	4.00B/*1.80A	----	2.00 - 3.30	.0103	----	----	----	----	25 UNCH
3690	----	----	----/*1.90A	4.10B/*1.90A	----	2.10 - 3.30	.0107	----	----	----	----	23 UNCH
3695	----	----	----/*1.90A	4.10B/*1.90A	----	2.10 - 3.30	.0108	----	----	----	----	73 UNCH
3700	2.00	2.00	2.50/*1.90A	4.20B/*1.90A	----	2.10 - 3.40	.0108	----	----	56	----	1171 + 46
3705	----	----	----/*1.90A	4.20B/*1.90A	----	2.10 - 3.50	.0109	----	----	----	----	40 UNCH
3710	----	----	----/*2.00A	4.30B/*2.00A	----	2.20 - 3.40	.0113	----	----	2	----	25 - 2
3715	----	----	----/*2.00A	4.30B/*2.00A	----	2.20 - 3.50	.0114	----	----	----	----	28 UNCH
3720	----	----	----/*2.00A	4.40B/*2.00A	----	2.20 - 3.60	.0114	----	----	----	----	35 UNCH
3725	----	----	----/*2.00A	4.50B/*2.00A	----	2.20 - 3.70	.0115	----	----	----	----	37 UNCH
3730	2.10	2.10	2.10/*2.00A	4.50B/*2.00A	----	2.30 - 3.70	.0119	----	----	7	----	54 - 7
3735	2.40	2.40	2.40/*2.10A	4.60B/*2.10A	----	2.30 - 3.70	.0120	----	----	7	----	38 UNCH
3740	----	----	----/*2.10A	4.60B/*2.10A	----	2.30 - 3.80	.0120	----	----	----	----	13 UNCH
3745	----	----	----/*2.10A	4.70B/*2.10A	----	2.40 - 3.80	.0125	----	----	----	----	39 UNCH
3750	----	----	----/*2.10A	4.80B/*2.10A	----	2.40 - 3.90	.0125	----	----	----	----	393 UNCH
3755	----	----	----/*2.20A	4.80B/*2.20A	----	2.40 - 4.00	.0126	----	----	----	----	10 UNCH
3760	----	----	----/*2.20A	4.90B/*2.20A	----	2.50 - 4.00	.0130	----	----	----	----	49 UNCH
3765	----	----	----/*2.20A	5.00B/*2.20A	----	2.50 - 4.10	.0131	----	----	----	----	104 UNCH
3770	----	----	----/*2.30A	5.00B/*2.30A	----	2.50 - 4.20	.0132	----	----	----	----	25 UNCH
3775	----	----	----/*2.30A	5.10B/*2.30A	----	2.60 - 4.20	.0136	----	----	----	----	279 UNCH
3780	----	----	----/*2.30A	5.20B/*2.30A	----	2.60 - 4.30	.0137	----	----	----	----	33 UNCH
3785	----	----	----/*2.30A	5.30B/*2.30A	----	2.60 - 4.40	.0138	----	----	----	----	27 UNCH
3790	----	----	----/*2.40A	5.30B/*2.40A	----	2.70 - 4.40	.0142	----	----	1	----	28 UNCH
3795	----	----	----/*2.40A	5.40B/*2.40A	----	2.70 - 4.50	.0143	----	----	----	----	25 UNCH
3800	2.50	2.50	2.80/*2.40A	5.50B/*2.40A	----	2.70 - 4.60	.0144	----	----	424	----	1490 + 228
3805	----	----	----/*2.50A	5.60B/*2.50A	----	2.80 - 4.60	.0148	----	----	----	----	75 UNCH
3810	----	----	----/*2.50A	5.70B/*2.50A	----	2.80 - 4.70	.0149	----	----	----	----	20 UNCH
3815	----	----	----/*2.50A	5.80B/*2.50A	----	2.90 - 4.70	.0154	----	----	----	----	53 UNCH
3820	----	----	----/*2.60A	5.80B/*2.60A	----	2.90 - 4.80	.0154	----	----	----	----	788 UNCH
3825	----	----	----/*2.60A	5.90B/*2.60A	----	2.90 - 4.90	.0155	----	----	----	----	113 UNCH
3830	----	----	----/*2.70A	6.00B/*2.70A	----	3.00 - 4.90	.0160	----	----	----	----	18 UNCH
3835	----	----	----/*2.70A	6.10B/*2.70A	----	3.00 - 5.10	.0161	----	----	----	----	31 UNCH
3840	----	----	----/*2.70A	6.20B/*2.70A	----	3.10 - 5.10	.0166	----	----	----	----	51 UNCH
3845	----	----	----/*2.80A	6.30B/*2.80A	----	3.10 - 5.20	.0166	----	----	1	----	36 UNCH
3850	5.90	5.90	5.90/*2.40	6.40B/*2.40	----	3.20 - 5.20	.0171	----	----	197	----	2996 - 42
3855	----	----	----/*2.90A	6.50B/*2.90A	----	3.20 - 5.40	.0172	----	----	----	----	41 UNCH
3860	----	----	----/*2.90A	6.60B/*2.90A	----	3.30 - 5.40	.0177	----	----	----	----	54 UNCH
3865	----	----	----/*2.90A	6.70B/*2.90A	----	3.30 - 5.50	.0178	----	----	----	----	21 UNCH
3870	----	----	----/*3.00A	6.80B/*3.00A	----	3.30 - 5.60	.0179	----	----	----	----	48 UNCH
3875	----	----	----/*3.00A	6.90B/*3.00A	----	3.40 - 5.70	.0184	----	----	1	----	42 UNCH
3880	----	----	----/*3.10A	7.00B/*3.10A	----	3.40 - 5.80	.0184	----	----	1	----	39 - 1
3885	----	----	----/*3.10A	7.10B/*3.10A	----	3.50 - 5.90	.0189	----	----	----	----	82 UNCH
3890	----	----	----/*3.20A	7.20B/3.20A	----	3.60 - 5.90	.0194	----	----	----	----	12 UNCH
3895	----	----	----/*3.20A	7.30B/*3.20A	----	3.60 - 6.10	.0195	----	----	----	----	75 UNCH
3900	6.70	6.70	6.70/*3.00	7.40B/*3.00	----	3.70 - 6.10	.0200	----	----	765	----	1831 - 117
3905	----	----	----/*3.30A	7.50B/3.30A	----	3.70 - 6.30	.0201	----	----	----	----	27 UNCH
3910	----	----	----/*3.40A	7.70B/3.40A	----	3.80 - 6.30	.0206	----	----	----	----	135 UNCH
3915	----	----	----/*3.40A	7.80B/3.40A	----	3.80 - 6.50	.0207	----	----	----	----	38 UNCH
3920	4.00	4.00	4.00/3.50A	7.90B/3.50A	----	3.90 - 6.50	.0213	----	----	1	----	15 + 1
3925	----	----	----/*3.50A	8.00B/3.50A	----	4.00 - 6.60	.0218	----	----	----	----	84 UNCH
3930	----	----	----/3.60A	8.20B/3.60A	----	4.00 - 6.80	.0219	----	----	----	----	61 UNCH
3935	----	----	----/3.60A	8.30B/3.60A	----	4.10 - 6.90	.0224	----	----	----	----	17 UNCH
3940	----	----	----/3.70A	8.40B/3.70A	----	4.20 - 6.90	.0229	----	----	----	----	37 UNCH
3945	----	----	----/3.70A	8.60B/3.70A	----	4.20 - 7.10	.0230	----	----	4	----	24 UNCH
3950	4.30	4.30	4.60/3.80A	8.70B/3.80A	----	4.30 - 7.20	.0236	----	----	10	----	137 + 6
3955	----	----	----/3.80A	8.90B/3.80A	----	4.40 - 7.30	.0241	----	----	----	----	59 UNCH
3960	----	----	----/3.80A	9.00B/3.80A	----	4.40 - 7.50	.0242	----	----	----	----	15 UNCH
3965	----	----	----/*3.80A	9.10B/3.80A	----	4.50 - 7.60	.0247	----	----	----	----	85 UNCH
3970	----	----	----/3.90A	9.30B/3.90A	----	4.60 - 7.60	.0253	----	----	4	----	33 - 4
3975	----	----	----/*3.90A	9.60B/3.90A	----	4.70 - 7.70	.0258	----	----	----	----	42 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3980	----	----	----/4.00A	9.70B/4.00A	----	4.70 - 8.00	.0259	----	----	----	----	141 UNCH
3985	----	----	----/4.00A	9.90B/4.00A	----	4.80 - 8.10	.0265	----	----	----	----	51 UNCH
3990	----	----	----/*4.00A	10.00B/4.00A	----	4.90 - 8.20	.0270	----	----	----	----	20 UNCH
3995	----	----	----/4.10A	10.20B/4.10A	----	5.00 - 8.30	.0276	----	----	----	----	26 UNCH
4000	10.00	10.00	10.00/*3.60	10.40B/*3.60	----	5.10 - 8.40	.0281	----	----	1885	----	3767 + 175
4005	----	----	----/4.20A	10.50B/4.20A	----	5.20 - 8.50	.0287	----	----	----	----	237 UNCH
4010	----	----	----/*4.20A	10.70B/4.20A	----	5.20 - 8.80	.0288	----	----	----	----	61 UNCH
4015	----	----	----/*4.20A	10.90B/*4.20A	----	5.30 - 8.90	.0294	----	----	----	----	51 UNCH
4020	----	----	----/*4.30A	11.10B/4.30A	----	5.40 - 9.00	.0299	----	----	----	----	92 UNCH
4025	----	----	----/*4.30A	11.20B/*4.30A	----	5.50 - 9.20	.0305	----	----	----	----	103 UNCH
4030	----	----	----/*4.40A	11.50B/4.40A	----	5.60 - 9.30	.0311	----	----	----	----	40 UNCH
4035	----	----	----/*4.40A	11.60B/*4.40A	----	5.70 - 9.50	.0316	----	----	----	----	32 UNCH
4040	----	----	----/*4.50A	11.80B/4.50A	----	5.80 - 9.60	.0322	----	----	----	----	63 UNCH
4045	12.10	12.10	12.10/4.60A	12.10/4.60A	----	5.90 - 9.80	.0328	----	----	18	----	211 + 18
4050	7.60	7.60	7.60/*4.60	12.20B/*4.60	----	6.10 - 9.80	.0338	----	----	8	----	1319 - 1
4055	5.60	5.60	5.60/*4.70A	12.50B/4.70A	----	6.20 - 10.00	.0343	----	----	1	----	153 UNCH
4060	----	----	----/4.80A	12.70B/4.80A	----	6.30 - 10.20	.0349	----	----	----	----	26 UNCH
4065	----	----	----/4.90A	12.90B/4.90A	----	6.40 - 10.40	.0355	----	----	----	----	28 UNCH
4070	----	----	----/4.90A	13.10B/4.90A	----	6.50 - 10.60	.0361	----	----	----	----	134 UNCH
4075	----	----	----/*4.90A	13.40B/4.90A	----	6.60 - 10.80	.0367	----	----	----	----	125 UNCH
4080	----	----	----/*5.00A	13.60B/5.00A	----	6.80 - 10.90	.0377	----	----	10	----	92 - 10
4085	6.70	6.70	8.70/5.10A	13.80B/5.10A	----	6.90 - 11.10	.0383	----	----	33	----	712 + 4
4090	8.80	8.80	8.80/5.20A	14.10B/5.20A	----	7.00 - 11.30	.0389	----	----	1	----	218 UNCH
4095	9.60	9.60	9.60/*5.20A	14.30B/5.20A	----	7.20 - 11.40	.0399	----	----	2	----	157 UNCH
4100	10.00	10.00	10.00/5.10	14.60B/5.10	----	7.30 - 11.60	.0405	----	----	242	----	1511 - 131
4105	9.20	9.20	9.20/5.40A	14.90B/5.40A	----	7.50 - 11.70	.0415	----	----	3	----	207 - 3
4110	----	----	----/5.50A	15.10B/5.50A	----	7.60 - 12.00	.0422	----	----	----	----	67 UNCH
4115	----	----	----/5.60A	15.30B/5.60A	----	7.80 - 12.10	.0432	----	----	1	----	43 UNCH
4120	11.10	11.10	11.10/5.70A	15.70B/5.70A	----	7.90 - 12.30	.0438	----	----	16	----	131 + 4
4125	11.20	11.20	11.20/5.70A	16.00B/5.70A	----	8.10 - 12.50	.0449	----	----	1	----	207 - 1
4130	----	----	----/5.80A	16.20B/5.80A	----	8.20 - 12.70	.0455	----	----	1	----	840 - 1
4135	10.40	10.40	10.40/5.90A	16.50B/5.90A	----	8.40 - 12.90	.0465	----	----	2	----	79 UNCH
4140	----	----	----/6.00A	16.70B/6.00A	----	8.60 - 13.10	.0476	----	----	1	----	26 - 1
4145	8.70	8.70	11.60/6.10A	17.10B/6.10A	----	8.80 - 13.30	.0486	----	----	2	----	108 UNCH
4150	17.20	17.20	17.50B/6.20A	17.50B/6.20A	----	8.90 - 13.50	.0493	----	----	23	----	515 + 3
4155	----	----	----/6.30A	17.70B/6.30A	----	9.10 - 13.70	.0503	----	----	----	----	44 UNCH
4160	----	----	----/6.40A	18.10B/6.40A	----	9.30 - 13.90	.0514	----	----	8	----	31 + 2
4165	----	----	----/6.60A	18.40B/6.60A	----	9.50 - 14.10	.0525	----	----	----	----	67 UNCH
4170	----	----	----/6.70A	18.70B/6.70A	----	9.70 - 14.40	.0535	----	----	2	----	75 UNCH
4175	----	----	----/6.80A	19.10B/6.80A	----	9.90 - 14.60	.0546	----	----	----	----	196 UNCH
4180	----	----	----/7.00A	19.30B/7.00A	----	10.10 - 14.80	.0557	----	----	7	----	289 + 1
4185	----	----	----/7.10A	19.70B/7.10A	----	10.30 - 15.00	.0568	----	----	1	----	357 UNCH
4190	----	----	----/7.30A	20.10B/7.30A	----	10.60 - 15.20	.0582	----	----	2	----	86 UNCH
4195	----	----	----/7.30A	20.50B/7.30A	----	10.80 - 15.40	.0593	----	----	----	----	112 UNCH
4200	12.00	12.00	13.50/7.40A	20.80B/7.40A	----	11.00 - 15.70	.0604	----	----	161	----	2192 - 32
4205	----	----	----/7.60A	21.20B/7.60A	----	11.20 - 16.00	.0615	----	----	1	----	199 UNCH
4210	14.00	14.00	14.00/7.70A	21.50B/7.70A	----	11.50 - 16.10	.0630	----	----	3	----	87 + 1
4215	----	----	----/7.90A	21.90B/7.90A	----	11.70 - 16.40	.0641	----	----	----	----	184 UNCH
4220	----	----	----/8.00A	22.40B/8.00A	----	12.00 - 16.60	.0656	----	----	----	----	20 UNCH
4225	10.50	10.50	10.90/8.50A	22.80B/8.50A	----	12.30 - 16.80	.0671	----	----	26	----	219 - 9
4230	----	----	----/8.40A	23.20B/8.40A	----	12.50 - 17.10	.0682	----	----	1	----	144 UNCH
4235	----	----	----/8.50A	23.60B/8.50A	----	12.80 - 17.40	.0697	----	----	----	----	59 UNCH
4240	11.10	11.10	11.10/8.70A	24.00B/8.70A	----	13.10 - 17.60	.0713	----	----	9	----	160 - 3
4245	12.20	12.20	12.20/8.80A	24.40B/8.80A	----	13.40 - 17.80	.0728	----	----	3	----	56 UNCH
4250	18.00	18.00	18.00/9.00A	24.90B/9.00A	----	13.70 - 18.10	.0743	----	----	45	----	1018 - 5
4255	----	----	----/9.20A	25.30B/9.20A	----	14.00 - 18.40	.0758	----	----	----	----	41 UNCH
4260	12.90	12.90	12.90/9.30A	25.80B/9.30A	----	14.30 - 18.60	.0774	----	----	4	----	109 + 2
4265	----	----	----/9.50A	26.20B/9.50A	----	14.60 - 18.90	.0789	----	----	----	----	83 UNCH
4270	10.60	10.60	10.60/9.70A	26.70B/9.70A	----	14.90 - 19.20	.0805	----	----	1	----	109 UNCH
4275	----	----	----/9.90A	27.20B/9.90A	----	15.20 - 19.50	.0820	----	----	1	----	142 + 1
4280	14.70	14.70	19.80/10.10A	27.70B/10.10A	----	15.60 - 19.70	.0839	----	----	16	----	124 - 5
4285	14.20	14.20	14.30/10.40A	28.20B/10.40A	----	15.90 - 20.10	.0855	----	----	15	----	450 UNCH
4290	15.90	15.90	15.90/10.50A	28.80B/10.50A	----	16.30 - 20.30	.0874	----	----	14	----	105 - 8
4295	17.40	17.40	17.40/10.80A	29.20B/10.80A	----	16.60 - 20.60	.0890	----	----	2	----	36 UNCH
4300	17.00	17.00	19.30/10.80	29.80B/10.80	----	17.00 - 20.90	.0909	----	----	574	----	1993 - 47
4305	18.00	18.00	18.00/11.30A	30.30B/11.30A	----	17.40 - 21.20	.0929	----	----	7	----	48 UNCH
4310	15.80	15.80	24.30/11.50A	30.90B/11.50A	----	17.80 - 21.50	.0948	----	----	5	----	55 - 1
4315	----	----	----/11.80A	31.40B/11.80A	----	18.20 - 21.80	.0968	----	----	----	----	19 UNCH
4320	19.20	19.20	19.20/12.00A	32.00B/12.00A	----	18.60 - 22.10	.0988	----	----	2	----	68 UNCH
4325	----	----	----/12.20A	32.60B/12.20A	----	19.00 - 22.40	.1007	----	----	25	----	165 - 1
4330	----	----	----/12.50A	33.20B/12.50A	----	19.40 - 22.80	.1027	----	----	----	----	276 UNCH
4335	----	----	----/12.80A	33.80B/12.80A	----	19.90 - 23.00	.1050	----	----	----	----	39 UNCH
4340	----	----	----/13.10A	34.40B/13.10A	----	20.30 - 23.40	.1070	----	----	----	----	148 UNCH
4345	----	----	----/13.30A	35.10B/13.30A	----	20.80 - 23.70	.1093	----	----	----	----	337 UNCH
4350	19.50	19.50	19.50/13.60A	35.60B/13.60A	----	21.30 - 24.00	.1117	----	----	22	----	998 + 4
4355	18.60	18.60	18.60/13.90A	36.40B/13.90A	----	21.70 - 24.40	.1137	----	----	5	----	72 UNCH
4360	25.00	25.00	25.00/14.20A	37.20B/14.20A	----	22.20 - 24.70	.1161	----	----	2	----	373 + 2
4365	----	----	----/14.50A	37.70B/14.50A	----	22.70 - 25.00	.1184	----	----	----	----	39 UNCH
4370	20.20	20.20	20.20/14.80A	38.40B/14.80A	----	23.20 - 25.40	.1208	----	----	10	----	203 - 1
4375	17.50	17.50	17.50/15.20A	39.10B/15.20A	----	23.80 - 25.60	.1235	----	----	13	----	107 - 5
4380	15.10	15.10	15.10/15.10	39.70B/15.10	----	24.30 - 26.00	.1259	----	----	4	----	83 + 1
4385	----	----	----/15.80A	40.40B/15.80A	----	24.80 - 26.40	.1283	----	----	----	----	399 UNCH
4390	----	----	----/16.20A	41.30B/16.20A	----	25.40 - 26.80	.1310	----	----	1	----	95 - 1
4395	----	----	----/16.40A	42.20B/16.40A	----	26.00 - 27.10	.1337	----	----	5	----	51 - 5
4400	40.00	40.00	42.80B/16.60	42.80B/16.60	----	26.50 - 27.50	.1361	----	----	1141	600	3195 + 484
4405	24.90	24.90	25.20/17.30A	43.60B/17.30A	----	27.10 - 27.90	.1388	----	----	6	----	26 - 3
4410	25.70	25.70	26.60/17.70A	44.60B/17.70A	----	27.70 - 28.30	.1416	----	----	5	----	117 - 1
4415	----	----	----/18.10A	45.30B/18.10A	----	28.40 - 28.60	.1446	----	----	2	----	121 - 2
4420	22.60	22.60	24.50/18.50A	46.10B/18.50A	----	29.00 - 29.00	.1474	----	----	9	----	150 UNCH
4425	30.00	30.00	30.00/18.90A	46.90B/18.90A	----	29.60 - 29.40	.1502	----	----	2	----	578 UNCH
4430	39.80	39.80	39.80/19.30A	47.80B/19.30A	----	30.30 - 29.80	.1532	----	----	1	----	84 + 1
4435	----	----	----/19.70A	49.10B/19.70A	----	31.00 - 30.20	.1563	----	----	----	----	283 UNCH
4440	31.50	31.50	31.50/20.20A	49.70B/20.20A	----	31.60 - 30.70	.1591	----	----	18	----	296 + 2
4445	----	----	----/20.60A	50.60B/20.60A	----	32.30 - 31.10	.1622	----	----	----	----	120 UNCH
4450	27.20	27.20	36.50/21.00A	51.50B/21.00A	----	33.10 - 31.40	.1656	----	----	46	----	642 UNCH
4455	28.30	28.30	42.40/21.50A	52.40B/21.50A	----	33.80 - 31.90	.1687	----	----	23	----	284 + 10
4460	28.50	28.50	28.50/22.00A	53.40B/22.00A	----	34.50 - 32.30	.1719	----	----	2	----	58 - 1
4465	35.40	35.40	35.40/22.50A	54.30B/22.50A	----	35.30 - 32.70	.1753	----	----	1	----	37 UNCH
4470	30.30	30.30	38.00/22.40	55.30B/22.40	----	36.10 - 33.20	.1787	----	----	12	----	111 - 8
4475	30.20	30.20	37.20/23.50A	56.30B/23.50A	----	36.90 - 33.60	.1821	----	----	29	----	951 - 13
4480	47.10	47.10	47.10/23.90A	57.30B/23.90A	----	37.70 - 34.00	.1855	----	----	15	----	174 UNCH
4485	48.10	48.10	48.10/24.70A	58.40B/24.70A	----	38.50 - 34.50	.1890	----	----	9	----	43 - 1
4490	38.70	38.70	49.20/25.10A	59.40B/25.10A	----	39.40 - 34.90	.1927	----	----	23	----	262 + 21
4495	33.30	33.30	33.30/25.70A	60.50B/25.70A	----	40.20 - 35.40	.1962	----	----	2	----	25 - 2
4500	45.00	45.00	55.20/26.20A	61.60B/26.20A	----	41.10 - 35.90	.1999	----	----	342	100	2369 - 100
4505	----	----	----/26.90A	62.70B/26.90A	----	42.00 - 36.30	.2037	----	----	1	----	32 UNCH
4510	----	----	----/27.50A	64.40B/27.50A	----	43.00 - 36.70	.2076	----	----	1	----	100 - 1
4515	----	----	----/28.10A	65.00B/28.10A	----	43.90 - 37.20	.2114	----	----	1	----	57 UNCH
4520	31.10	31.10	55.70/27.50	66.20B/27.50	----	44.90 - 37.60	.2154	----	----	14	----	162 + 2
4525	----	----	----/29.40A	67.30B/29.40A	----	45.80 - 38.20	.2192	----	----	4	----	786 - 2
4530	40.00	40.00	40.00/30.10A	68.60B/30.10A	----	46.80 - 38.70	.2233	----	----	4	----	45 - 1
4535	----	----	----/30.60A	69.80B/30.60A	----	47.90 - 39.10	.2275	----	----	----	----	218 UNCH
4540	60.50	60.50	60.50/31.30A	71.00B/31.30A	----	48.90 - 39.60	.2316	----	----	13	----	43 - 4
4545	----	----	----/32.20A	72.30B/32.20A	----	50.00 - 40.00	.2358	----	----	1	----	87 - 1
4550	32.50	32.50	32.50/32.50	73.60B/32.50	----	51.10 - 40.50	.2401	----	----	48	----	635 + 18
4555	----	----	----/33.50A	74.90B/33.50A	----	52.20 - 41.00	.2444	----	----	1	----	15 UNCH
4560	64.60	64.60	64.60/34.60A	76.30B/34.60A	----	53.30 - 41.50	.2487	----	----	1	----	91 UNCH
4565	----	----	----/35.10A	77.60B/35.10A	----	54.50 - 41.90	.2533	----	----	----	----	131 UNCH
4570	46.50	46.50	46.50/35.90A	79.00B/35.90A	----	55.60 - 42.50	.2576	----	----	10	----	181 + 1
4575	49.30	49.30	49.30/36.80A	80.40B/36.80A	----	56.80 - 43.00	.2622	----	----	25	----	76 + 23
4580	47.00	47.00	70.20/37.70A	81.80B/37.70A	----	58.10 - 43.40	.2669	----	----	12	----	125 - 1
4585	----	----	----/38.80A	83.70B/38.80A	----	59.30 - 43.90	.2715	----	----	----	----	19 UNCH
4590	----	----	----/39.50A	85.40B/39.50A	----	60.60 - 44.40	.2763	----	----	----	----	94 UNCH
4595	48.80	48.80	54.80/40.50A	86.90B/40.50A	----	61.90 - 44.90	.2810	----	----	5	----	61 UNCH
4600	84.20	84.20	88.40B/41.30A	88.40B/41.30A	----	63.20 - 45.40	.2858	----	----	1047	----	2083 - 314
4605	----	----	----/42.30A	89.30B/42.30A	----	64.60 - 45.80	.2908	----	----	----	----	77 UNCH
4610	55.00	55.00	62.40/43.00A	91.50B/43.00A	----	65.90 - 46.40	.2956	----	----	16	----	217 - 7
4615	----	----	----/44.00A	93.10B/44.00A	----	67.30 - 46.90	.3006	----	----	----	----	102 UNCH
4620	----	----	----/44.90A	94.40B/44.90A	----	68.70 - 47.40	.3056	----	----	3	----	196 UNCH
4625	95.00	95.00	96.40B/46.10A	96.40B/46.10A	----	70.20 - 47.90	.3108	----	----	7	----	292 - 3
4630	59.90	59.90	86.30/47.30A	97.70B/47.30A	----	71.70 - 48.40	.3160	----	----	606	----	775 + 597
4635	50.50	50.50	74.50/48.10A	99.50B/48.10A	----	73.20 - 48.90	.3212	----	----	5	----	516 - 2
4640	58.50	58.50	72.00/48.00	101.10B/48.00	----	74.70 - 49.40	.3264	----	----	21	----	149 + 1
4645	54.00	54.00	54.00/50.30A	102.90B/50.30A	----	76.30 - 49.90	.3317	----	----	1	----	56 - 1
4650	68.00	68.00	83.00/50.50	104.70B/50.50	----	77.90 - 50.40	.3371	----	----	652	----	1004 - 263
4655	56.00	56.00	69.00/52.60A	106.40B/52.60A	----	79.50 - 51.00	.3425	----	----	2	----	33 + 1
4660	89.60	89.60	89.60/53.90A	108.20B/53.90A	----	81.10 - 51.60	.3479	----	----	35	----	206 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4665	----	----	----/55.20A	110.10B/55.20A	----	82.80 - 52.10	.3534	----	----	----	----	85 UNCH
4670	71.00	71.00	71.00/56.40A	112.30B/56.40A	----	84.50 - 52.70	.3589	----	----	16	----	170 + 11
4675	69.50	69.50	97.00/57.60A	114.20B/57.60A	----	86.20 - 53.30	.3645	----	----	87	----	420 - 39
4680	68.00	68.00	105.10/58.70A	116.20B/58.70A	----	88.00 - 53.80	.3701	----	----	82	----	272 + 32
4685	87.00	87.00	87.00/59.80A	118.10B/59.80A	----	89.80 - 54.30	.3758	----	----	4	----	174 + 2
4690	----	----	----/61.30A	120.10B/61.30A	----	91.60 - 54.90	.3815	----	----	----	----	221 UNCH
4695	96.50	96.50	96.50/62.90A	122.10B/62.90A	----	93.50 - 55.40	.3873	----	----	1	----	83 UNCH
4700	80.00	80.00	120.10/64.10A	124.20B/64.10A	----	95.30 - 56.00	.3930	----	----	258	----	2057 + 54
4705	97.20	97.20	125.00/65.60A	126.30B/65.60A	----	97.30 - 56.40	.3989	----	----	22	----	47 + 14
4710	84.50	84.50	102.10/66.70A	128.40B/66.70A	----	99.20 - 56.90	.4047	----	----	6	----	199 + 1
4715	----	----	----/68.60A	130.30B/68.60A	----	101.20 - 57.40	.4107	----	----	2	----	73 - 2
4720	86.50	86.50	122.20/69.60A	132.70B/69.60A	----	103.20 - 58.00	.4166	----	----	16	----	566 + 6
4725	----	----	----/71.50A	134.90B/71.50A	----	105.20 - 58.50	.4225	----	----	3	----	68 - 1
4730	----	----	----/73.10A	136.90B/73.10A	----	107.30 - 59.00	.4285	----	----	----	----	122 UNCH
4735	118.30	118.30	118.30/74.20A	139.40B/74.20A	----	109.40 - 59.50	.4345	----	----	1	----	24 + 1
4740	----	----	----/75.80A	141.70B/75.80A	----	111.50 - 60.10	.4406	----	----	6	----	117 + 5
4745	----	----	----/77.50A	143.70B/77.50A	----	113.60 - 60.70	.4466	----	----	----	----	37 UNCH
4750	98.00	98.00	135.40/79.20A	146.30B/79.20A	----	115.80 - 61.20	.4527	----	----	501	----	513 + 78
4755	106.50	106.50	106.50/80.70A	148.70B/80.70A	----	118.10 - 61.70	.4589	----	----	8	----	147 + 3
4760	----	----	----/82.60A	151.10B/82.60A	----	120.30 - 62.30	.4650	----	----	10	----	138 UNCH
4765	----	----	----/84.20A	153.50B/84.20A	----	122.60 - 62.80	.4712	----	----	----	----	63 UNCH
4770	----	----	----/86.10A	155.80B/86.10A	----	124.90 - 63.40	.4774	----	----	----	----	68 UNCH
4775	----	----	----/87.90A	158.50B/87.90A	----	127.20 - 64.00	.4836	----	----	57	----	432 - 6
4780	128.00	128.00	128.00/89.70A	160.70B/89.70A	----	129.60 - 64.50	.4898	----	----	5	----	113 + 4
4785	113.00	113.00	135.60/91.70A	163.60B/91.70A	----	132.00 - 65.00	.4960	----	----	21	----	91 + 2
4790	102.50	102.50	166.10B/93.70A	166.10B/93.70A	----	134.40 - 65.60	.5023	----	----	42	----	370 + 5
4795	99.50	99.50	168.90B/95.50A	168.90B/95.50A	----	136.90 - 66.10	.5085	----	----	2	----	36 UNCH
4800	107.20	107.20	171.90B/97.60A	171.90B/97.60A	----	139.40 - 66.70	.5148	----	----	211	150	1569 - 76
4805	----	----	----/99.60A	174.70B/99.60A	----	141.90 - 67.20	.5210	----	----	----	----	53 UNCH
4810	----	----	----/101.60A	177.60B/101.60A	----	144.50 - 67.70	.5273	----	----	----	----	262 UNCH
4815	125.90	125.90	180.60B/103.70A	180.60B/103.70A	----	147.10 - 68.30	.5336	----	----	1	----	24 UNCH
4820	----	----	----/105.80A	183.50B/105.80A	----	149.80 - 68.70	.5398	----	----	1	----	258 - 1
4825	132.00	132.00	186.50B/107.80A	186.50B/107.80A	----	152.50 - 69.20	.5461	----	----	24	----	188 - 1
4830	128.40	128.40	189.70B/110.00A	189.70B/110.00A	----	155.20 - 69.70	.5524	----	----	2	----	67 UNCH
4835	126.90	126.90	192.60B/112.20A	192.60B/112.20A	----	158.00 - 70.10	.5586	----	----	1	----	135 UNCH
4840	129.20	129.20	195.70B/114.20A	195.70B/114.20A	----	160.90 - 70.50	.5648	----	----	4	----	56 UNCH
4845	132.20	132.20	198.60B/116.70A	198.60B/116.70A	----	163.70 - 71.00	.5710	----	----	2	----	40 + 1
4850	129.30	129.30	202.20B/118.90A	202.20B/118.90A	----	166.60 - 71.40	.5772	----	----	114	----	1087 + 26
4855	140.30	140.30	205.10B/121.30A	205.10B/121.30A	----	169.50 - 71.90	.5833	----	----	53	----	76 + 41
4860	----	----	----/123.40A	208.70B/123.40A	----	172.50 - 72.30	.5895	----	----	----	----	38 UNCH
4865	142.10	142.10	211.60B/126.10A	211.60B/126.10A	----	175.50 - 72.70	.5957	----	----	1	----	27 + 1
4870	151.90	151.90	215.00B/128.60A	215.00B/128.60A	----	178.50 - 73.20	.6017	----	----	3	----	234 UNCH
4875	136.90	136.90	218.40B/130.60A	218.40B/130.60A	----	181.60 - 73.60	.6079	----	----	4	----	281 UNCH
4880	----	----	----/133.00A	221.80B/133.00A	----	184.70 - 74.00	.6139	----	----	----	----	90 UNCH
4885	----	----	----/135.60A	225.00B/135.60A	----	187.80 - 74.40	.6199	----	----	----	----	21 UNCH
4890	----	----	----/138.70A	228.80B/138.70A	----	190.90 - 74.90	.6259	----	----	----	----	66 UNCH
4895	----	----	----/140.80A	232.20B/140.80A	----	194.10 - 75.30	.6319	----	----	----	----	96 UNCH
4900	171.70	171.70	235.70B/143.40A	235.70B/143.40A	----	197.40 - 75.70	.6377	----	----	8	----	1064 - 1
4905	----	----	----/146.10A	239.00B/146.10A	----	200.60 - 76.10	.6437	----	----	1	----	53 - 1
4910	----	----	----/148.80A	242.50B/148.80A	----	203.90 - 76.50	.6495	----	----	----	----	89 UNCH
4915	159.10	159.10	246.00B/151.40A	246.00B/151.40A	----	207.20 - 76.90	.6554	----	----	3	----	32 + 3
4920	----	----	----/154.30A	249.70B/154.30A	----	210.50 - 77.30	.6611	----	----	1	----	149 - 1
4925	----	----	----/157.10A	253.20B/157.10A	----	213.90 - 77.70	.6668	----	----	----	----	47 UNCH
4930	----	----	----/159.90A	256.90B/159.90A	----	217.30 - 78.10	.6725	----	----	----	----	53 UNCH
4935	----	----	----/162.50A	260.70B/162.50A	----	220.80 - 78.40	.6782	----	----	----	----	54 UNCH
4940	----	----	----/165.40A	261.10B/165.40A	----	224.20 - 78.80	.6838	----	----	1	----	15 UNCH
4945	----	----	----/171.90A	268.20B/171.90A	----	227.70 - 79.10	.6893	----	----	----	----	48 UNCH
4950	----	----	----/175.00A	272.40B/175.00A	----	231.20 - 79.50	.6949	----	----	1	----	753 - 1
4955	----	----	----/178.00A	276.00B/178.00A	----	234.80 - 79.80	.7003	----	----	----	----	83 UNCH
4960	----	----	----/180.90A	279.80B/180.90A	----	238.40 - 80.10	.7057	----	----	----	----	132 UNCH
4965	----	----	----/184.20A	283.40B/184.20A	----	242.00 - 80.50	.7111	----	----	----	----	25 UNCH
4970	----	----	----/188.60A	283.80B/188.60A	----	245.60 - 80.90	.7165	----	----	----	----	4 UNCH
4975	----	----	----/190.40A	291.10B/190.40A	----	249.30 - 81.10	.7217	----	----	----	----	89 UNCH
4980	----	----	----/193.60A	295.10B/193.60A	----	253.00 - 81.50	.7269	----	----	----	----	56 UNCH
4985	----	----	----/196.80A	299.10B/196.80A	----	256.70 - 81.80	.7319	----	----	----	----	124 UNCH
4990	----	----	----/200.00A	302.80B/200.00A	----	260.50 - 82.10	.7371	----	----	----	----	35 UNCH
4995	----	----	----/203.30A	307.10B/203.30A	----	264.20 - 82.40	.7421	----	----	----	----	222 UNCH
5000	200.00	200.00	311.10B/200.00	311.10B/200.00	----	268.10 - 82.60	.7471	----	----	4	----	1124 - 2
5005	----	----	----/209.90A	315.10B/209.90A	----	271.90 - 83.00	.7518	----	----	1	----	41 - 1
5010	----	----	----/213.30A	315.70B/213.30A	----	275.70 - 83.30	.7568	----	----	----	----	14 UNCH
5015	----	----	----/216.50A	323.30B/216.50A	----	279.60 - 83.60	.7616	----	----	----	----	23 UNCH
5020	----	----	----/219.70A	327.10B/219.70A	----	283.50 - 83.80	.7663	----	----	----	----	23 UNCH
5025	----	----	----/223.00A	331.50B/223.00A	----	287.50 - 84.00	.7708	----	----	----	----	154 UNCH
5030	----	----	----/226.30A	335.60B/226.30A	----	291.40 - 84.40	.7756	----	----	----	----	24 UNCH
5035	----	----	----/229.60A	336.20B/229.60A	----	295.40 - 84.60	.7801	----	----	----	----	13 UNCH
5040	----	----	----/233.00A	344.00B/233.00A	----	299.40 - 84.90	.7843	----	----	----	----	135 UNCH
5045	----	----	----/236.30A	348.20B/236.30A	----	303.50 - 85.00	.7888	----	----	----	----	28 UNCH
5050	----	----	----/239.80A	350.40B/239.80A	----	307.50 - 85.30	.7930	----	----	1	----	437 - 1
5055	----	----	----/243.20A	353.20B/243.20A	----	311.60 - 85.50	.7975	----	----	----	----	107 UNCH
5060	----	----	----/246.70A	357.40B/246.70A	----	315.70 - 85.80	.8014	----	----	----	----	84 UNCH
5065	----	----	----/250.20A	361.30B/250.20A	----	319.80 - 86.00	.8056	----	----	----	----	54 UNCH
5070	----	----	----/253.70A	366.00B/253.70A	----	324.00 - 86.20	.8098	----	----	----	----	175 UNCH
5075	----	----	----/260.00A	369.40B/260.00A	----	328.10 - 86.40	.8137	----	----	----	----	47 UNCH
5080	----	----	----/263.80A	374.70B/263.80A	----	332.30 - 86.60	.8176	----	----	----	----	85 UNCH
5085	----	----	----/267.60A	378.90B/267.60A	----	336.50 - 86.80	.8215	----	----	1	----	116 UNCH
5090	----	----	----/271.40A	383.00B/271.40A	----	340.80 - 87.00	.8251	----	----	----	----	23 UNCH
5095	----	----	----/275.30A	388.00B/275.30A	----	345.00 - 87.20	.8290	----	----	----	----	17 UNCH
5100	----	----	----/279.70A	393.10B/279.70A	----	349.30 - 87.30	.8325	----	----	----	----	391 UNCH
5105	----	----	----/283.20A	396.20B/283.20A	----	353.60 - 87.50	.8361	----	----	2	----	57 - 1
5110	----	----	----/287.80A	401.80B/287.80A	----	357.90 - 87.70	.8396	----	----	----	----	286 UNCH
5115	----	----	----/291.50A	404.10B/291.50A	----	362.20 - 87.90	.8432	----	----	----	----	24 UNCH
5120	----	----	----/295.20A	409.40B/295.20A	----	366.50 - 88.10	.8464	----	----	----	----	18 UNCH
5125	----	----	----/299.70A	414.10B/299.70A	----	370.90 - 88.20	.8500	----	----	----	----	89 UNCH
5130	----	----	----/303.60A	418.60B/303.60A	----	375.30 - 88.30	.8532	----	----	----	----	120 UNCH
5135	----	----	----/307.20A	423.10B/307.20A	----	379.70 - 88.50	.8563	----	----	----	----	95 UNCH
5140	----	----	----/311.80A	427.30B/311.80A	----	384.10 - 88.60	.8595	----	----	----	----	23 UNCH
5145	----	----	----/315.80A	431.20B/315.80A	----	388.50 - 88.80	.8623	----	----	----	----	44 UNCH
5150	----	----	----/320.00A	437.70B/320.00A	----	393.00 - 88.90	.8655	----	----	----	----	372 UNCH
5155	----	----	----/324.30A	440.00B/324.30A	----	397.40 - 89.10	.8683	----	----	----	----	9 UNCH
5160	----	----	----/328.00A	445.40B/328.00A	----	401.90 - 89.20	.8711	----	----	----	----	31 UNCH
5165	----	----	----/332.20A	449.20B/332.20A	----	406.40 - 89.30	.8739	----	----	----	----	47 UNCH
5170	----	----	----/336.10A	455.00B/336.10A	----	410.90 - 89.40	.8767	----	----	----	----	155 UNCH
5175	----	----	----/340.70A	459.00B/340.70A	----	415.40 - 89.50	.8795	----	----	----	----	30 UNCH
5180	----	----	----/344.70A	464.00B/344.70A	----	419.90 - 89.70	.8822	----	----	----	----	76 UNCH
5185	----	----	----/349.10A	467.50B/349.10A	----	424.50 - 89.70	.8846	----	----	----	----	2 UNCH
5190	----	----	----/353.10A	473.00B/353.10A	----	429.00 - 89.90	.8874	----	----	----	----	10 UNCH
5195	----	----	----/357.20A	477.00B/357.20A	----	433.60 - 90.00	.8897	----	----	----	----	25 UNCH
5200	379.00	379.00	483.70B/358.80A	483.70B/358.80A	----	438.20 - 90.00	.8921	----	----	1	----	424 - 1
5205	----	----	----/365.80A	486.30B/365.80A	----	442.80 - 90.10	.8944	----	----	----	----	19 UNCH
5210	----	----	----/370.10A	491.50B/370.10A	----	447.40 - 90.20	.8968	----	----	----	----	9 UNCH
5215	----	----	----/374.40A	495.30B/374.40A	----	452.00 - 90.30	.8991	----	----	----	----	5 UNCH
5220	----	----	----/378.70A	500.90B/378.70A	----	456.60 - 90.50	.9014	----	----	----	----	9 UNCH
5225	----	----	----/383.00A	505.60B/383.00A	----	461.20 - 90.60	.9033	----	----	----	----	59 UNCH
5230	----	----	----/387.60A	509.70B/387.60A	----	465.90 - 90.60	.9057	----	----	----	----	10 UNCH
5235	----	----	----/391.70A	514.90B/391.70A	----	470.50 - 90.70	.9076	----	----	----	----	71 UNCH
5240	----	----	----/396.10A	519.10B/396.10A	----	475.20 - 90.80	.9094	----	----	----	----	43 UNCH
5245	----	----	----/400.70A	524.40B/400.70A	----	479.90 - 90.80	.9113	----	----	----	----	15 UNCH
5250	----	----	----/405.10A	530.50B/405.10A	----	484.60 - 90.90	.9132	----	----	----	----	431 UNCH
5255	----	----	----/409.30A	533.00B/409.30A	----	489.30 - 91.00	.9150	----	----	----	----	4 UNCH
5260	----	----	----/413.80A	538.60B/413.80A	----	494.00 - 91.10	.9169	----	----	----	----	11 UNCH
5265	----	----	----/418.40A	542.50B/418.40A	----	498.70 - 91.10	.9187	----	----	----	----	7 UNCH
5270	----	----	----/422.90A	548.10B/422.90A	----	503.40 - 91.20	.9206	----	----	----	----	30 UNCH
5275	----	----	----/427.30A	553.10B/427.30A	----	508.20 - 91.20	.9220	----	----	----	----	206 UNCH
5280	----	----	----/431.60A	556.70B/431.60A	----	512.90 - 91.30	.9238	----	----	----	----	33 UNCH
5290	----	----	----/440.60A	566.90B/440.60A	----	522.40 - 91.40	.9270	----	----	----	----	2 UNCH
5295	----	----	----/445.40A	571.90B/445.40A	----	527.20 - 91.50	.9284	----	----	----	----	5 UNCH
5300	----	----	----/449.90A	577.10B/449.90A	----	531.90 - 91.60	.9297	----	----	----	----	108 UNCH
5305	----	----	----/454.20A	580.70B/454.20A	----	536.70 - 91.60	.9310	----	----	----	----	40 UNCH
5310	----	----	----/458.80A	585.50B/458.80A	----	541.50 - 91.70	.9324	----	----	----	----	32 UNCH
5315	----	----	----/463.40A	591.00B/463.40A	----	546.30 - 91.70	.9342	----	----	----	----	1 UNCH
5320	----	----	----/468.20A	595.90B/468.20A	----	551.10 - 91.70	.9355	----	----	----	----	26 UNCH
5325	----	----	----/472.60A	600.70B/472.60A	----	555.90 - 91.80	.9364	----	----	----	----	51 UNCH
5330	----	----	----/477.20A	604.80B/477.20A	----	560.70 - 91.80	.9377	----	----	----	----	27 UNCH
5335	----	----	----/482.00A	610.30B/482.00A	----	565.50 - 91.90	.9390	----	----	----	----	1 UNCH
5340	----	----	----/486.70A	614.50B/486.70A	----	570.30 - 91.90	.9403	----	----	2	----	12 - 2
5350	----	----	----/496.00A	624.90B/496.00A	----	580.00 - 92.00	.9424	----	----	----	----	43 UNCH
5360	----	----	----/505.30A	633.90B/505.30A	----	589.70 - 92.00	.9445	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
MAY26												
5365	----	----	----/509.80A	639.50B/509.80A	----	594.50 - 92.10	.9458	----	----	----	----	11 UNCH
5370	----	----	----/514.50A	644.30B/514.50A	----	599.40 - 92.10	.9470	----	----	----	----	32 UNCH
5375	----	----	----/519.20A	649.90B/519.20A	----	604.20 - 92.10	.9478	----	----	----	----	32 UNCH
5380	----	----	----/523.80A	654.00B/523.80A	----	609.10 - 92.10	.9486	----	----	----	----	4 UNCH
5385	----	----	----/528.70A	658.90B/528.70A	----	613.90 - 92.20	.9499	----	----	----	----	15 UNCH
5390	----	----	----/533.40A	663.00B/533.40A	----	618.80 - 92.20	.9506	----	----	----	----	1 UNCH
5400	----	----	----/542.80A	674.00B/542.80A	----	628.50 - 92.30	.9527	----	----	----	----	96 UNCH
5410	----	----	----/552.10A	683.30B/552.10A	----	638.30 - 92.30	.9541	----	----	----	----	55 UNCH
5420	----	----	----/558.50A	692.40B/558.50A	----	648.00 - 92.40	.9556	----	----	----	----	7 UNCH
5425	----	----	----/566.30A	698.00B/566.30A	----	652.90 - 92.40	.9564	----	----	----	----	32 UNCH
5435	----	----	----/575.80A	707.70B/575.80A	----	662.70 - 92.40	.9583	----	----	----	----	2 UNCH
5445	----	----	----/585.40A	717.50B/585.40A	----	672.50 - 92.40	.9598	----	----	----	----	1 UNCH
5450	----	----	----/590.40A	722.50B/590.40A	----	677.40 - 92.40	.9600	----	----	----	----	20 UNCH
5475	----	----	----/620.30A	746.90B/620.30A	----	701.90 - 92.50	.9635	----	----	----	----	1 UNCH
5490	----	----	----/634.70A	761.80B/634.70A	----	716.70 - 92.50	.9650	----	----	----	----	3 UNCH
5500	----	----	----/638.90A	771.00B/638.90A	----	726.50 - 92.60	.9664	----	----	----	----	34 UNCH
5515	----	----	----/653.40A	785.70B/653.40A	----	741.30 - 92.60	.9679	----	----	----	----	10 UNCH
5520	----	----	----/658.50A	791.20B/658.50A	----	746.20 - 92.60	.9686	----	----	----	----	1 UNCH
5530	----	----	----/668.10A	800.50B/668.10A	----	756.10 - 92.60	.9694	----	----	----	----	10 UNCH
5535	----	----	----/678.50A	805.50B/678.50A	----	761.00 - 92.60	.9701	----	----	----	----	10 UNCH
5540	----	----	----/683.40A	810.40B/683.40A	----	766.00 - 92.60	.9702	----	----	----	----	5 UNCH
5550	----	----	----/687.50A	820.30B/687.50A	----	775.90 - 92.50	.9710	----	----	----	----	5 UNCH
5565	----	----	----/702.20A	835.10B/702.20A	----	790.70 - 92.60	.9724	----	----	----	----	10 UNCH
5575	----	----	----/711.90A	846.40B/711.90A	----	800.60 - 92.60	.9732	----	----	----	----	12 UNCH
5590	----	----	----/752.10A	859.90B/752.10A	----	815.40 - 92.60	.9741	----	----	----	----	25 UNCH
5600	----	----	----/761.90A	869.80B/761.90A	----	825.30 - 92.60	.9748	----	----	----	----	12 UNCH
5625	----	----	----	----	----	850.10 - 92.60	.9764	----	----	----	----	2 UNCH
5640	----	----	----	----	----	865.00 - 92.60	.9778	----	----	----	----	1 UNCH
5890	----	----	----/1,049.30A	1158.00B/1049.30A	----	1113.70 - 92.60	.9873	----	----	----	----	4 UNCH
5910	----	----	----	----	----	1133.60 - 92.60	.9880	----	----	----	----	1 UNCH
5960	----	----	----	----	----	1183.50 - 92.60	.9889	----	----	----	----	1 UNCH
5980	----	----	----	----	----	1203.40 - 92.60	.9896	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1223.40 - 92.60	.9897	----	----	----	----	2 UNCH
6025	----	----	----/1,183.80A	1292.60B/1183.80A	----	1248.30 - 92.60	.9898	----	----	----	----	3 UNCH
6100	----	----	----/1,258.50A	1367.40B/1258.50A	----	1323.20 - 92.60	.9913	----	----	----	----	7 UNCH
TOTAL										10656	850	88685 + 635
JUN26												
1325	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
1375	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1400	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1425	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1475	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	11 UNCH
1500	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	3 UNCH
1525	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	8 UNCH
1575	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1580	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1590	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	175 UNCH
1600	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	18 UNCH
1610	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1615	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1620	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	31 UNCH
1625	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
1650	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
1670	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	10 UNCH
1675	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	10 UNCH
1685	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
1690	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
1695	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
1700	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
1725	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1735	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1740	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1745	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1750	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	4 UNCH
1755	----	----	----	----/0.40A	----	0.20 - 0.10	.0004	----	----	----	----	1 UNCH
1775	----	----	----	----/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1780	----	----	----	----/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	2 UNCH
1785	----	----	----	----/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	2 UNCH
1795	----	----	----	----/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	11 UNCH
1800	----	----	----	----/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	6 UNCH
1815	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	1 UNCH
1820	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0004	----	----	----	----	2 UNCH
1855	----	----	----	0.10B/0.40A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
1875	----	----	----/*0.40A	0.10B/0.40A	----	0.30 - 0.20	.0007	----	----	----	----	3 UNCH
1900	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0007	----	----	----	----	3 UNCH
1905	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0007	----	----	----	----	7 UNCH
1915	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0007	----	----	----	----	10 UNCH
1920	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0007	----	----	----	----	2 UNCH
1950	----	----	----/0.50A	0.10B/0.50A	----	0.30 - 0.30	.0007	----	----	----	----	1 UNCH
1955	----	----	----/0.50A	0.10B/0.50A	----	0.30 - 0.30	.0007	----	----	----	----	2 UNCH
1965	----	----	----/0.50A	0.10B/0.50A	----	0.30 - 0.30	.0007	----	----	----	----	10 UNCH
1975	----	----	----/0.50A	0.10B/0.50A	----	0.30 - 0.30	.0007	----	----	----	----	85 UNCH
2000	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0009	----	----	----	----	603 UNCH
2005	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0009	----	----	----	----	1 UNCH
2010	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0009	----	----	----	----	1 UNCH
2015	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0009	----	----	----	----	7 UNCH
2020	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0009	----	----	----	----	1 UNCH
2025	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0009	----	----	----	----	40 UNCH
2030	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0009	----	----	----	----	13 UNCH
2050	----	----	----/0.60A	0.20B/0.60A	----	0.40 - 0.30	.0009	----	----	----	----	20 UNCH
2085	----	----	----/0.60A	0.20B/0.60A	----	0.40 - 0.30	.0010	----	----	----	----	15 UNCH
2100	----	----	----/0.60A	0.20B/0.60A	----	0.40 - 0.30	.0010	----	----	----	----	90 UNCH
2105	----	----	----/0.60A	0.30B/0.60A	----	0.40 - 0.40	.0010	----	----	----	----	1 UNCH
2130	0.70	0.70	0.70/0.70	0.70/0.70	----	0.50 NEW	.0012	----	----	1	----	1 + 1
2170	----	----	----/0.70A	0.70B/0.70A	----	0.50 - 0.40	.0012	----	----	----	----	5 UNCH
2180	----	----	----/0.70A	0.30B/0.70A	----	0.50 - 0.40	.0012	----	----	----	----	6 UNCH
2195	----	----	----/0.80A	0.40B/0.80A	----	0.50 - 0.40	.0012	----	----	----	----	5 UNCH
2200	----	----	----/0.80A	0.40B/0.80A	----	0.50 - 0.40	.0012	----	----	----	----	9 UNCH
2205	----	----	----/0.80A	0.40B/0.80A	----	0.50 - 0.40	.0012	----	----	----	----	7 UNCH
2220	----	----	----/0.80A	0.40B/0.80A	----	0.60 - 0.40	.0015	----	----	----	----	1 UNCH
2230	----	----	----/0.80A	0.40B/0.80A	----	0.60 - 0.40	.0015	----	----	----	----	25 UNCH
2235	----	----	----/0.80A	0.40B/0.80A	----	0.60 - 0.40	.0015	----	----	----	----	21 UNCH
2240	----	----	----/0.80A	0.40B/0.80A	----	0.60 - 0.40	.0015	----	----	----	----	6 UNCH
2250	----	----	----/0.80A	0.40B/0.80A	----	0.60 - 0.40	.0015	----	----	----	----	5 UNCH
2300	----	----	----/0.90A	0.70B/0.90A	----	0.70 - 0.40	.0017	----	----	----	----	13 UNCH
2315	----	----	----/0.90A	0.50B/0.90A	----	0.70 - 0.50	.0018	----	----	----	----	40 UNCH
2330	----	----	----/0.90A	0.50B/0.90A	----	0.70 - 0.50	.0018	----	----	----	----	9 UNCH
2350	----	----	----/0.90A	0.60B/0.90A	----	0.70 - 0.50	.0018	----	----	----	----	1 UNCH
2380	----	----	----/1.00A	0.60B/1.00A	----	0.80 - 0.50	.0020	----	----	----	----	9 UNCH
2385	----	----	----/1.00A	0.60B/1.00A	----	0.80 - 0.50	.0020	----	----	----	----	1 UNCH
2390	----	----	----/1.00A	0.60B/1.00A	----	0.80 - 0.50	.0021	----	----	----	----	1 UNCH
2395	----	----	----/1.00A	0.60B/1.00A	----	0.80 - 0.50	.0021	----	----	----	----	1 UNCH
2400	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.60	.0021	----	----	----	----	72 UNCH
2405	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.60	.0021	----	----	----	----	1 UNCH
2410	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.60	.0021	----	----	----	----	6 UNCH
2415	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.60	.0021	----	----	----	----	1 UNCH
2420	----	----	----/1.10A	0.70B/1.10A	----	0.80 - 0.60	.0021	----	----	----	----	5 UNCH
2425	----	----	----/1.10A	0.70B/1.10A	----	0.90 - 0.50	.0023	----	----	----	----	2 UNCH
2430	----	----	----/1.10A	0.70B/1.10A	----	0.90 - 0.50	.0023	----	----	----	----	1 UNCH
2445	----	----	----/1.10A	0.70B/1.10A	----	0.90 - 0.60	.0023	----	----	----	----	5 UNCH
2450	----	----	----/1.10A	0.70B/1.10A	----	0.90 - 0.60	.0023	----	----	----	----	2 UNCH
2460	----	----	----/1.10A	0.80B/1.10A	----	0.90 - 0.60	.0024	----	----	----	----	1 UNCH
2465	----	----	----/1.10A	0.80B/1.10A	----	0.90 - 0.60	.0024	----	----	----	----	7 UNCH
2475	----	----	----/1.20A	0.80B/1.20A	----	0.90 - 0.70	.0024	----	----	----	----	1 UNCH
2495	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.60	.0026	----	----	----	----	1 UNCH
2500	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.70	.0026	----	----	----	----	1821 UNCH
2510	----	----	----/1.20A	0.90B/1.20A	----	1.00 - 0.70	.0027	----	----	----	----	2 UNCH
2525	----	----	----/1.30A	0.90B/1.30A	----	1.00 - 0.70	.0027	----	----	----	----	25 UNCH
2535	----	----	----/1.30A	1.00B/1.30A	----	1.10 - 0.70	.0029	----	----	----	----	5 UNCH
2540	----	----	----/1.30A	1.00B/1.30A	----	1.10 - 0.70	.0029	----	----	----	----	5 UNCH
2550	----	----	----/1.30A	1.00B/1.30A	----	1.10 - 0.70	.0029	----	----	----	----	50 UNCH
2565	----	----	----/1.30A	1.00B/1.30A	----	1.10 - 0.80	.0030	----	----	----	----	5 UNCH
2580	----	----	----/1.40A	1.00B/1.40A	----	1.20 - 0.70	.0032	----	----	----	----	5 UNCH
2590	----	----	----/1.40A	1.10B/1.40A	----	1.20 - 0.80	.0032	----	----	----	----	8 UNCH
2600	----	----	----/1.40A	1.10B/1.40A	----	1.20 - 0.80	.0032	----	----	----	----	159 UNCH
2650	----	----	----/1.50A	1.30B/1.50A	----	1.30 - 0.90	.0036	----	----	1	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2700	1.40	1.40	1.40/1.40	1.40/1.40	----	1.40 - 1.00	.0039	----	----	1	----	427 - 1
2730	----	----	----/1.60A	1.60B/1.60A	----	1.50 - 1.00	.0042	----	----	----	----	5 UNCH
2750	----	----	----/1.70A	1.60B/1.70A	----	1.60 - 1.00	.0045	----	----	----	----	1 UNCH
2800	----	----	----/1.80A	1.80B/1.80A	----	1.70 - 1.20	.0048	----	----	----	----	749 UNCH
2805	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 1.20	.0049	----	----	----	----	223 UNCH
2810	----	----	----/1.80A	1.90B/1.80A	----	1.80 - 1.10	.0051	----	----	----	----	39 UNCH
2825	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 1.20	.0052	----	----	----	----	51 UNCH
2830	----	----	----/1.90A	2.00B/1.90A	----	1.80 - 1.20	.0052	----	----	----	----	25 UNCH
2850	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 1.20	.0055	----	----	----	----	22 UNCH
2875	----	----	----/2.00A	2.20B/2.00A	----	2.00 - 1.30	.0058	----	----	----	----	7 UNCH
2900	----	----	----/2.10A	2.40B/2.10A	----	2.00 - 1.40	.0059	----	----	----	----	154 UNCH
2905	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 1.40	.0061	----	----	----	----	5 UNCH
2915	----	----	----/2.10A	2.40B/2.10A	----	2.10 - 1.40	.0062	----	----	----	----	1 UNCH
2930	----	----	----/2.20A	2.50B/2.20A	----	2.10 - 1.50	.0062	----	----	----	----	1 UNCH
2935	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 1.40	.0065	----	----	----	----	3 UNCH
2950	----	----	----/2.30A	2.60B/2.30A	----	2.20 - 1.50	.0065	----	----	----	----	24 UNCH
2970	----	----	----/2.30A	2.70B/2.30A	----	2.30 - 1.60	.0068	----	----	----	----	1 UNCH
2975	----	----	----/2.30A	2.80B/2.30A	----	2.30 - 1.60	.0069	----	----	----	----	9 UNCH
2990	----	----	----/2.40A	2.90B/2.40A	----	2.40 - 1.60	.0072	----	----	----	----	5 UNCH
2995	----	----	----/2.40A	2.90B/2.40A	----	2.40 - 1.60	.0072	----	----	----	----	6 UNCH
3000	----	----	----/2.40A	3.00B/2.40A	----	2.40 - 1.70	.0072	----	----	1	----	1597 - 1
3005	----	----	----/2.40A	3.00B/2.40A	----	2.40 - 1.70	.0072	----	----	----	----	30 UNCH
3010	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 1.60	.0075	----	----	----	----	8 UNCH
3015	----	----	----/2.50A	3.00B/2.50A	----	2.50 - 1.70	.0075	----	----	----	----	215 UNCH
3020	----	----	----/2.50A	3.10B/2.50A	----	2.50 - 1.70	.0075	----	----	----	----	35 UNCH
3035	----	----	----/2.60A	3.20B/2.60A	----	2.60 - 1.70	.0078	----	----	----	----	1 UNCH
3050	----	----	----/2.60A	3.30B/2.60A	----	2.60 - 1.90	.0079	----	----	----	----	389 UNCH
3065	----	----	----/2.70A	3.40B/2.70A	----	2.70 - 1.90	.0082	----	----	----	----	7 UNCH
3070	----	----	----/2.70A	3.40B/2.70A	----	2.70 - 1.90	.0083	----	----	----	----	6 UNCH
3075	----	----	----/2.70A	3.40B/2.70A	----	2.70 - 2.00	.0083	----	----	----	----	10 UNCH
3080	----	----	----/2.80A	3.50B/2.80A	----	2.80 - 1.90	.0086	----	----	----	----	8 UNCH
3095	----	----	----/2.80A	3.60B/2.80A	----	2.80 - 2.00	.0086	----	----	----	----	41 UNCH
3100	----	----	----/2.80A	3.70B/2.80A	----	2.90 - 2.00	.0089	----	----	----	----	365 UNCH
3105	----	----	----/2.90A	3.70B/2.90A	----	2.90 - 2.00	.0089	----	----	----	----	13 UNCH
3110	----	----	----/2.90A	3.70B/2.90A	----	2.90 - 2.10	.0090	----	----	----	----	10 UNCH
3120	----	----	----/2.90A	3.90B/2.90A	----	3.00 - 2.10	.0093	----	----	----	----	13 UNCH
3125	----	----	----/3.00A	3.80B/3.00A	----	3.00 - 2.10	.0093	----	----	----	----	10 UNCH
3130	----	----	----/3.00A	3.90B/3.00A	----	3.00 - 2.10	.0093	----	----	----	----	26 UNCH
3140	----	----	----/3.00A	4.00B/3.00A	----	3.10 - 2.10	.0096	----	----	----	----	5 UNCH
3150	----	----	----/3.10A	4.10B/3.10A	----	3.10 - 2.20	.0097	----	----	----	----	142 UNCH
3155	----	----	----/3.10A	4.10B/3.10A	----	3.10 - 2.30	.0097	----	----	----	----	16 UNCH
3160	----	----	----/3.10A	4.10B/3.10A	----	3.20 - 2.20	.0100	----	----	----	----	5 UNCH
3170	----	----	----/3.20A	4.20B/3.20A	----	3.20 - 2.30	.0101	----	----	----	----	6 UNCH
3175	----	----	----/3.20A	4.30B/3.20A	----	3.20 - 2.40	.0101	----	----	----	----	12 UNCH
3180	----	----	----/3.20A	4.30B/3.20A	----	3.30 - 2.30	.0104	----	----	2	----	5 UNCH
3185	----	----	----/3.30A	4.40B/3.30A	----	3.30 - 2.40	.0104	----	----	----	----	6 UNCH
3190	----	----	----/3.30A	4.40B/3.30A	----	3.30 - 2.50	.0104	----	----	----	----	18 UNCH
3195	----	----	----/3.30A	4.50B/3.30A	----	3.40 - 2.40	.0107	----	----	----	----	12 UNCH
3200	3.60	3.60	3.60/3.40A	4.60B/3.40A	----	3.40 - 2.50	.0108	----	----	12	----	298 + 9
3205	----	----	----/3.40A	4.60B/3.40A	----	3.40 - 2.50	.0108	----	----	----	----	42 UNCH
3210	----	----	----/3.40A	4.60B/3.40A	----	3.50 - 2.50	.0111	----	----	----	----	15 UNCH
3215	----	----	----/3.40A	4.70B/3.40A	----	3.50 - 2.50	.0111	----	----	----	----	22 UNCH
3220	----	----	----/3.50A	4.70B/3.50A	----	3.50 - 2.60	.0111	----	----	----	----	7 UNCH
3225	----	----	----/3.50A	4.80B/3.50A	----	3.60 - 2.50	.0114	----	----	----	----	65 UNCH
3235	----	----	----/3.60A	4.90B/3.60A	----	3.60 - 2.70	.0115	----	----	----	----	24 UNCH
3250	----	----	----/3.60A	5.00B/3.60A	----	3.70 - 2.80	.0119	----	----	----	----	147 UNCH
3255	----	----	----/3.70A	5.10B/3.70A	----	3.70 - 2.80	.0119	----	----	----	----	110 UNCH
3260	----	----	----/3.70A	5.10B/3.70A	----	3.80 - 2.80	.0122	----	----	----	----	1 UNCH
3265	----	----	----/3.70A	5.20B/3.70A	----	3.80 - 2.80	.0122	----	----	----	----	20 UNCH
3270	----	----	----/3.80A	5.30B/3.80A	----	3.90 - 2.80	.0125	----	----	----	----	7 UNCH
3280	----	----	----/3.60A	5.40B/3.60A	----	3.90 - 2.90	.0126	----	----	----	----	13 UNCH
3290	----	----	----/3.90A	5.50B/3.90A	----	4.00 - 3.00	.0129	----	----	----	----	37 UNCH
3300	6.30	6.30	6.30/3.50A	6.30/3.50A	----	4.10 - 3.00	.0133	----	----	8	----	375 + 3
3305	----	----	----/4.00A	5.70B/4.00A	----	4.10 - 3.10	.0133	----	----	----	----	1 UNCH
3310	----	----	----/3.70A	5.80B/3.70A	----	4.10 - 3.20	.0134	----	----	----	----	7 UNCH
3320	----	----	----/3.80A	5.80B/3.80A	----	4.20 - 3.20	.0137	----	----	----	----	4 UNCH
3325	----	----	----/4.20A	6.00B/4.20A	----	4.30 - 3.20	.0140	----	----	----	----	47 UNCH
3335	----	----	----/4.20A	6.00B/4.20A	----	4.30 - 3.30	.0141	----	----	----	----	46 UNCH
3340	----	----	----/4.30A	6.10B/4.30A	----	4.40 - 3.30	.0144	----	----	----	----	22 UNCH
3345	----	----	----/4.30A	6.20B/4.30A	----	4.40 - 3.40	.0144	----	----	----	----	12 UNCH
3350	----	----	----/4.30A	6.20B/4.30A	----	4.50 - 3.40	.0147	----	----	----	----	407 UNCH
3355	4.40	4.40	4.40/4.30A	6.30B/4.30A	----	4.50 - 3.50	.0148	----	----	16	----	17 + 16
3360	----	----	----/4.40A	6.40B/4.40A	----	4.60 - 3.40	.0151	----	----	----	----	8 UNCH
3365	----	----	----/4.40A	6.50B/4.40A	----	4.60 - 3.50	.0152	----	----	10	----	31 + 2
3370	----	----	----/4.20A	6.50B/4.20A	----	4.60 - 3.60	.0152	----	----	----	----	26 UNCH
3375	----	----	----/4.50A	6.60B/4.50A	----	4.70 - 3.60	.0155	----	----	----	----	98 UNCH
3380	----	----	----/4.50A	6.70B/4.50A	----	4.70 - 3.70	.0156	----	----	----	----	46 UNCH
3385	----	----	----/4.60A	6.70B/4.60A	----	4.80 - 3.70	.0159	----	----	----	----	6 UNCH
3390	4.70	4.70	4.70/4.60A	6.80B/4.60A	----	4.80 - 3.80	.0159	----	----	16	----	59 + 16
3395	----	----	----/4.70A	6.90B/4.70A	----	4.90 - 3.80	.0162	----	----	----	----	1 UNCH
3400	4.80	4.80	4.80/4.70A	7.00B/4.70A	----	4.90 - 3.90	.0163	----	----	1	----	734 UNCH
3405	----	----	----/4.80A	7.10B/4.80A	----	5.00 - 3.90	.0166	----	----	----	----	66 UNCH
3410	----	----	----/4.80A	7.10B/4.80A	----	5.00 - 3.90	.0167	----	----	----	----	7 UNCH
3415	----	----	----/4.80A	7.20B/4.80A	----	5.10 - 3.90	.0170	----	----	----	----	2 UNCH
3420	----	----	----/4.90A	7.30B/4.90A	----	5.10 - 4.00	.0170	----	----	----	----	18 UNCH
3425	----	----	----/4.90A	7.40B/4.90A	----	5.20 - 4.00	.0173	----	----	----	----	25 UNCH
3430	----	----	----/5.00A	7.50B/5.00A	----	5.20 - 4.10	.0174	----	----	----	----	4 UNCH
3435	----	----	----/5.00A	7.50B/5.00A	----	5.30 - 4.10	.0177	----	----	----	----	20 UNCH
3440	----	----	----/5.10A	7.60B/5.10A	----	5.30 - 4.30	.0178	----	----	1	----	0 - 1
3450	----	----	----/5.20A	7.80B/5.20A	----	5.40 - 4.40	.0182	----	----	----	----	427 UNCH
3455	----	----	----/5.20A	7.90B/5.20A	----	5.50 - 4.40	.0185	----	----	----	----	51 UNCH
3460	----	----	----/5.30A	8.00B/5.30A	----	5.50 - 4.50	.0185	----	----	----	----	50 UNCH
3465	----	----	----/5.30A	8.10B/5.30A	----	5.60 - 4.50	.0189	----	----	----	----	89 UNCH
3470	----	----	----/5.10A	8.20B/5.10A	----	5.70 - 4.50	.0192	----	----	----	----	28 UNCH
3475	----	----	----/5.40A	8.30B/5.40A	----	5.70 - 4.60	.0192	----	----	----	----	241 UNCH
3480	----	----	----/5.50A	8.40B/5.50A	----	5.80 - 4.60	.0196	----	----	----	----	171 UNCH
3485	----	----	----/5.50A	8.60B/5.50A	----	5.80 - 4.80	.0196	----	----	----	----	2 UNCH
3490	----	----	----/5.60A	8.60B/5.60A	----	5.90 - 4.80	.0200	----	----	----	----	21 UNCH
3500	9.20	9.20	9.20/5.70A	9.20/5.70A	----	6.00 - 4.90	.0204	----	----	113	----	1806 + 107
3505	----	----	----/5.80A	8.90B/5.80A	----	6.10 - 4.90	.0207	----	----	----	----	65 UNCH
3510	6.20	6.20	6.20/5.80A	9.00B/5.80A	----	6.10 - 5.10	.0208	----	----	1	----	61 UNCH
3515	----	----	----/5.90A	9.10B/5.90A	----	6.20 - 5.10	.0211	----	----	----	----	16 UNCH
3520	----	----	----/5.70A	9.20B/5.70A	----	6.30 - 5.10	.0214	----	----	----	----	248 UNCH
3525	6.60	6.60	6.60/6.00A	9.30B/6.00A	----	6.30 - 5.30	.0215	----	----	1	----	301 UNCH
3530	----	----	----/6.00A	9.40B/6.00A	----	6.40 - 5.30	.0218	----	----	----	----	5 UNCH
3535	----	----	----/6.10A	9.50B/6.10A	----	6.50 - 5.30	.0222	----	----	----	----	100 UNCH
3540	----	----	----/6.20A	9.60B/6.20A	----	6.50 - 5.50	.0222	----	----	----	----	5 UNCH
3545	----	----	----/6.20A	9.70B/6.20A	----	6.60 - 5.50	.0226	----	----	----	----	20 UNCH
3550	----	----	----/6.00A	9.80B/6.00A	----	6.70 - 5.50	.0229	----	----	----	----	418 UNCH
3555	----	----	----/6.40A	9.90B/6.40A	----	6.80 - 5.60	.0232	----	----	----	----	2 UNCH
3560	6.80	6.80	6.80/6.40A	10.10B/6.40A	----	6.80 - 5.70	.0233	----	----	1	----	87 + 1
3565	----	----	----/6.50A	10.20B/6.50A	----	6.90 - 5.80	.0237	----	----	----	----	41 UNCH
3570	----	----	----/6.60A	10.50B/6.60A	----	7.00 - 5.80	.0240	----	----	----	----	60 UNCH
3575	7.40	7.40	7.40/6.60A	10.40B/6.60A	----	7.10 - 5.90	.0244	----	----	2	----	41 - 2
3580	----	----	----/6.50A	10.70B/6.50A	----	7.10 - 6.00	.0244	----	----	----	----	77 UNCH
3585	----	----	----/6.60A	10.80B/6.60A	----	7.20 - 6.10	.0248	----	----	----	----	2 UNCH
3590	----	----	----/6.60A	11.00B/6.60A	----	7.30 - 6.10	.0251	----	----	2	----	3 + 2
3595	----	----	----/6.70A	11.10B/6.70A	----	7.40 - 6.20	.0255	----	----	----	----	23 UNCH
3600	10.60	10.60	10.60/6.80A	11.20B/6.80A	----	7.50 - 6.30	.0258	----	----	19	----	1672 + 6
3610	----	----	----/6.90A	11.50B/6.90A	----	7.70 - 6.40	.0265	----	----	2	----	4 - 1
3615	----	----	----/6.90A	11.60B/6.90A	----	7.70 - 6.60	.0266	----	----	----	----	37 UNCH
3620	----	----	----/7.00A	11.80B/7.00A	----	7.80 - 6.60	.0270	----	----	1	----	11 - 1
3625	----	----	----/7.10A	11.90B/7.10A	----	7.90 - 6.70	.0273	----	----	----	----	68 UNCH
3630	----	----	----/7.20A	12.10B/7.20A	----	8.00 - 6.80	.0277	----	----	----	----	86 UNCH
3635	----	----	----/7.20A	12.20B/7.20A	----	8.10 - 6.90	.0280	----	----	----	----	107 UNCH
3640	----	----	----/7.30A	12.40B/7.30A	----	8.20 - 7.00	.0284	----	----	----	----	25 UNCH
3645	----	----	----/7.40A	12.50B/7.40A	----	8.30 - 7.00	.0288	----	----	----	----	13 UNCH
3650	7.70	7.70	9.00/7.50A	12.70B/7.50A	----	8.40 - 7.10	.0291	----	----	8	----	523 + 2
3655	----	----	----/7.50A	12.80B/7.50A	----	8.50 - 7.20	.0295	----	----	----	----	2 UNCH
3660	----	----	----/7.60A	13.00B/7.60A	----	8.60 - 7.30	.0299	----	----	----	----	1 UNCH
3665	----	----	----/7.70A	13.10B/7.70A	----	8.70 - 7.40	.0302	----	----	----	----	14 UNCH
3670	8.20	8.20	8.20/7.80A	13.30B/7.80A	----	8.80 - 7.50	.0306	----	----	1	----	31 UNCH
3675	----	----	----/7.90A	13.50B/7.90A	----	8.90 - 7.60	.0310	----	----	----	----	45 UNCH
3680	----	----	----/8.00A	13.60B/8.00A	----	9.00 - 7.70	.0313	----	----	----	----	18 UNCH
3685	----	----	----/8.00A	13.80B/8.00A	----	9.10 - 7.80	.0317	----	----	----	----	51 UNCH
3690	----	----	----/8.10A	14.00B/8.10A	----	9.30 - 7.80	.0323	----	----	----	----	7 UNCH
3695	----	----	----/8.20A	14.10B/8.20A	----	9.40 - 7.90	.0327	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3700	11.20	11.20	11.20/8.30A	14.30B/8.30A	----	9.50 - 8.00	.0331	----	----	61	----	869 + 32
3705	----	----	----/8.40A	14.50B/8.40A	----	9.60 - 8.20	.0335	----	----	----	----	123 UNCH
3710	----	----	----/8.50A	14.70B/8.50A	----	9.70 - 8.30	.0338	----	----	----	----	79 UNCH
3715	----	----	----/8.60A	14.90B/8.60A	----	9.90 - 8.30	.0345	----	----	----	----	46 UNCH
3720	----	----	----/8.70A	15.00B/8.70A	----	10.00 - 8.40	.0349	----	----	----	----	2 UNCH
3725	----	----	----/8.80A	15.30B/8.80A	----	10.10 - 8.60	.0352	----	----	----	----	90 UNCH
3730	----	----	----/9.00A	15.40B/9.00A	----	10.20 - 8.70	.0356	----	----	----	----	18 UNCH
3740	----	----	----/9.20A	15.80B/9.20A	----	10.50 - 8.90	.0367	----	----	----	----	67 UNCH
3745	----	----	----/9.30A	16.00B/9.30A	----	10.60 - 9.00	.0370	----	----	----	----	19 UNCH
3750	12.60	12.60	12.60/8.60	16.20B/8.60	----	10.80 - 9.10	.0377	----	----	10	----	1280 - 3
3755	----	----	----/9.50A	16.40B/9.50A	----	10.90 - 9.20	.0381	----	----	----	----	2 UNCH
3760	----	----	----/9.60A	16.60B/9.60A	----	11.10 - 9.30	.0387	----	----	----	----	24 UNCH
3765	----	----	----/9.80A	16.90B/9.80A	----	11.20 - 9.40	.0391	----	----	----	----	48 UNCH
3770	----	----	----/9.80A	17.00B/9.80A	----	11.40 - 9.50	.0398	----	----	----	----	10 UNCH
3775	----	----	----/10.10A	17.30B/10.10A	----	11.50 - 9.70	.0402	----	----	----	----	40 UNCH
3780	----	----	----/10.10A	17.50B/10.10A	----	11.70 - 9.70	.0408	----	----	1	----	14 UNCH
3785	----	----	----/10.30A	17.70B/10.30A	----	11.80 - 9.90	.0413	----	----	----	----	6 UNCH
3790	----	----	----/10.20A	17.90B/10.20A	----	12.00 - 10.00	.0419	----	----	2	----	257 UNCH
3795	13.50	13.50	13.50/10.50A	18.10B/10.50A	----	12.10 - 10.20	.0423	----	----	1	----	55 UNCH
3800	13.70	13.70	15.00/9.50	18.40B/9.50	----	12.30 - 10.20	.0430	----	----	276	----	1122 - 128
3805	----	----	----/10.70A	18.60B/10.70A	----	12.50 - 10.30	.0436	----	----	----	----	67 UNCH
3810	----	----	----/10.90A	18.90B/10.90A	----	12.60 - 10.50	.0441	----	----	----	----	16 UNCH
3815	----	----	----/11.10A	19.10B/11.10A	----	12.80 - 10.60	.0447	----	----	----	----	38 UNCH
3820	----	----	----/11.10A	19.40B/11.10A	----	13.00 - 10.70	.0454	----	----	----	----	11 UNCH
3825	----	----	----/11.40A	19.60B/11.40A	----	13.20 - 10.80	.0461	----	----	----	----	43 UNCH
3830	----	----	----/11.50A	19.80B/11.50A	----	13.30 - 11.00	.0465	----	----	----	----	184 UNCH
3835	----	----	----/11.60A	20.10B/11.60A	----	13.50 - 11.10	.0472	----	----	----	----	55 UNCH
3840	----	----	----/11.90A	20.40B/11.90A	----	13.70 - 11.30	.0479	----	----	----	----	3 UNCH
3850	15.80	15.80	15.80/12.10A	20.90B/12.10A	----	14.10 - 11.50	.0492	----	----	41	----	677 - 10
3855	----	----	----/12.20A	21.20B/12.20A	----	14.30 - 11.60	.0499	----	----	----	----	72 UNCH
3860	20.00	20.00	20.00/12.50A	21.50B/12.50A	----	14.50 - 11.80	.0506	----	----	3	----	28 - 1
3865	----	----	----/12.80A	21.70B/12.80A	----	14.70 - 11.90	.0513	----	----	----	----	16 UNCH
3870	----	----	----/12.70A	22.10B/12.70A	----	14.90 - 12.10	.0520	----	----	----	----	15 UNCH
3875	----	----	----/13.10A	22.30B/13.10A	----	15.10 - 12.20	.0527	----	----	----	----	163 UNCH
3880	----	----	----/13.20A	22.60B/13.20A	----	15.30 - 12.40	.0534	----	----	----	----	14 UNCH
3885	----	----	----/13.20A	22.90B/13.20A	----	15.50 - 12.50	.0541	----	----	----	----	12 UNCH
3890	----	----	----/13.50A	23.20B/13.50A	----	15.80 - 12.60	.0550	----	----	----	----	43 UNCH
3895	----	----	----/13.80A	23.70B/13.80A	----	16.00 - 12.70	.0557	----	----	----	----	16 UNCH
3900	24.00	24.00	24.00/13.10	24.00/13.10	----	16.20 - 12.90	.0564	----	----	144	----	705 + 25
3905	----	----	----/14.00A	24.30B/14.00A	----	16.50 - 13.00	.0573	----	----	----	----	44 UNCH
3910	----	----	----/14.10A	24.60B/14.10A	----	16.70 - 13.20	.0580	----	----	1	----	8 UNCH
3915	----	----	----/14.40A	24.90B/14.40A	----	16.90 - 13.40	.0588	----	----	----	----	29 UNCH
3920	----	----	----/14.50A	25.30B/14.50A	----	17.20 - 13.50	.0597	----	----	----	----	38 UNCH
3925	----	----	----/14.80A	25.60B/14.80A	----	17.40 - 13.70	.0604	----	----	----	----	50 UNCH
3930	----	----	----/15.00A	25.90B/15.00A	----	17.70 - 13.80	.0614	----	----	----	----	24 UNCH
3935	----	----	----/14.80A	26.30B/14.80A	----	17.90 - 14.00	.0621	----	----	----	----	21 UNCH
3940	----	----	----/15.40A	26.70B/15.40A	----	18.20 - 14.10	.0631	----	----	----	----	105 UNCH
3945	----	----	----/15.50A	27.00B/15.50A	----	18.50 - 14.20	.0640	----	----	----	----	25 UNCH
3950	----	----	----/15.70A	27.40B/15.70A	----	18.70 - 14.40	.0648	----	----	5	----	310 + 1
3955	----	----	----/16.00A	27.70B/16.00A	----	19.00 - 14.60	.0657	----	----	----	----	6 UNCH
3960	----	----	----/16.30A	28.10B/16.30A	----	19.30 - 14.70	.0667	----	----	----	----	32 UNCH
3965	----	----	----/16.60A	28.50B/16.60A	----	19.60 - 14.90	.0677	----	----	----	----	23 UNCH
3970	----	----	----/16.70A	28.90B/16.70A	----	19.90 - 15.00	.0687	----	----	16	----	56 - 16
3975	----	----	----/16.90A	29.30B/16.90A	----	20.10 - 15.30	.0694	----	----	----	----	336 UNCH
3980	----	----	----/17.20A	29.70B/17.20A	----	20.40 - 15.40	.0704	----	----	----	----	32 UNCH
3985	----	----	----/17.30A	30.10B/17.30A	----	20.70 - 15.60	.0714	----	----	----	----	27 UNCH
3990	----	----	----/17.50A	30.50B/17.50A	----	21.10 - 15.70	.0726	----	----	----	----	24 UNCH
3995	----	----	----/17.60A	30.90B/17.60A	----	21.40 - 15.90	.0736	----	----	----	----	151 UNCH
4000	25.10	25.10	25.10/17.40	31.30B/17.40	----	21.70 - 16.00	.0746	----	----	252	----	3670 + 18
4005	----	----	----/17.70A	31.80B/17.70A	----	22.00 - 16.20	.0756	----	----	----	----	29 UNCH
4010	21.90	21.90	21.90/18.10A	32.20B/18.10A	----	22.30 - 16.40	.0766	----	----	6	----	44 - 1
4015	----	----	----/18.30A	32.60B/18.30A	----	22.70 - 16.60	.0778	----	----	----	----	16 UNCH
4020	22.80	22.80	22.80/18.50A	33.10B/18.50A	----	23.00 - 16.80	.0788	----	----	30	----	104 + 21
4025	----	----	----/18.80A	33.50B/18.80A	----	23.40 - 16.90	.0800	----	----	1	----	215 UNCH
4030	23.20	23.20	27.20/19.10A	34.00B/19.10A	----	23.70 - 17.10	.0811	----	----	8	----	16 + 7
4035	----	----	----/19.30A	34.40B/19.30A	----	24.10 - 17.30	.0823	----	----	----	----	48 UNCH
4040	----	----	----/19.60A	34.90B/19.60A	----	24.40 - 17.50	.0833	----	----	----	----	76 UNCH
4045	21.50	21.50	21.50/19.90A	35.40B/19.90A	----	24.80 - 17.70	.0846	----	----	1	----	1 UNCH
4050	27.30	27.30	27.30/20.20A	35.90B/20.20A	----	25.20 - 17.80	.0858	----	----	157	----	1222 - 28
4055	21.50	21.50	21.50/20.40A	36.40B/20.40A	----	25.50 - 18.10	.0868	----	----	7	----	14 + 5
4060	----	----	----/20.80A	36.90B/20.80A	----	25.90 - 18.30	.0881	----	----	----	----	85 UNCH
4065	----	----	----/21.00A	37.40B/21.00A	----	26.30 - 18.40	.0893	----	----	----	----	119 UNCH
4070	----	----	----/21.30A	37.90B/21.30A	----	26.70 - 18.60	.0906	----	----	----	----	61 UNCH
4075	----	----	----/21.50A	38.40B/21.50A	----	27.10 - 18.80	.0919	----	----	1	----	247 - 1
4080	----	----	----/21.80A	38.90B/21.80A	----	27.50 - 19.00	.0931	----	----	1	----	98 + 1
4085	----	----	----/22.10A	39.40B/22.10A	----	27.90 - 19.30	.0944	----	----	----	----	22 UNCH
4090	33.90	33.90	33.90/22.40A	40.00B/22.40A	----	28.40 - 19.40	.0959	----	----	1	----	113 UNCH
4095	28.30	28.30	28.30/22.70A	40.50B/22.70A	----	28.80 - 19.60	.0972	----	----	10	----	60 UNCH
4100	29.50	29.50	31.30/23.10A	41.10B/23.10A	----	29.20 - 19.80	.0984	----	----	76	----	1275 - 2
4105	----	----	----/23.40A	41.60B/23.40A	----	29.70 - 20.00	.0999	----	----	9	----	88 - 9
4110	----	----	----/23.80A	42.20B/23.80A	----	30.10 - 20.20	.1012	----	----	1	----	144 + 1
4115	----	----	----/24.10A	42.80B/24.10A	----	30.60 - 20.40	.1027	----	----	----	----	456 UNCH
4120	27.20	27.20	27.20/24.50A	43.40B/24.50A	----	31.00 - 20.70	.1040	----	----	27	----	53 + 24
4125	----	----	----/24.80A	43.90B/24.80A	----	31.50 - 20.90	.1055	----	----	2	----	376 - 1
4130	----	----	----/25.30A	44.50B/25.30A	----	32.00 - 21.10	.1070	----	----	1	----	19 UNCH
4135	26.10	26.10	26.10/25.60A	45.20B/25.60A	----	32.50 - 21.30	.1085	----	----	1	----	24 UNCH
4140	30.60	30.60	30.60/26.00A	45.80B/26.00A	----	33.00 - 21.50	.1101	----	----	2	----	17 + 2
4145	----	----	----/26.40A	46.40B/26.40A	----	33.50 - 21.70	.1116	----	----	----	----	218 UNCH
4150	----	----	----/26.80A	47.00B/26.80A	----	34.00 - 21.90	.1131	----	----	2	----	506 - 1
4155	----	----	----/27.20A	47.70B/27.20A	----	34.50 - 22.20	.1146	----	----	----	----	21 UNCH
4160	33.90	33.90	33.90/27.60A	48.30B/27.60A	----	35.00 - 22.40	.1162	----	----	25	----	81 + 20
4165	----	----	----/28.00A	49.00B/28.00A	----	35.50 - 22.70	.1177	----	----	----	----	27 UNCH
4170	----	----	----/28.50A	49.70B/28.50A	----	36.10 - 22.80	.1194	----	----	----	----	48 UNCH
4175	----	----	----/28.80A	50.20B/28.80A	----	36.60 - 23.10	.1210	----	----	1	----	913 UNCH
4180	----	----	----/29.30A	50.90B/29.30A	----	37.20 - 23.30	.1227	----	----	2	----	125 - 1
4185	----	----	----/29.80A	51.70B/29.80A	----	37.70 - 23.60	.1243	----	----	1	----	14 - 1
4190	----	----	----/30.20A	52.40B/30.20A	----	38.30 - 23.80	.1260	----	----	1	----	44 UNCH
4195	----	----	----/30.60A	53.00B/30.60A	----	38.90 - 24.00	.1278	----	----	----	----	33 UNCH
4200	39.00	39.00	39.00/31.10A	53.70B/31.10A	----	39.50 - 24.30	.1295	----	----	214	----	2852 - 64
4205	----	----	----/31.60A	54.60B/31.60A	----	40.10 - 24.50	.1313	----	----	----	----	58 UNCH
4210	----	----	----/32.10A	55.30B/32.10A	----	40.70 - 24.80	.1331	----	----	----	----	392 UNCH
4215	----	----	----/32.50A	55.90B/32.50A	----	41.30 - 25.00	.1348	----	----	----	----	9 UNCH
4220	38.10	38.10	38.10/33.00A	56.80B/33.00A	----	41.90 - 25.30	.1366	----	----	1	----	191 - 1
4225	----	----	----/33.60A	57.60B/33.60A	----	42.60 - 25.50	.1386	----	----	----	----	267 UNCH
4230	----	----	----/34.00A	58.40B/34.00A	----	43.20 - 25.80	.1404	----	----	----	----	69 UNCH
4235	39.90	39.90	41.20/34.60A	59.00B/34.60A	----	43.90 - 26.00	.1423	----	----	4	----	47 UNCH
4240	----	----	----/35.10A	59.80B/35.10A	----	44.50 - 26.30	.1441	----	----	1	----	54 + 1
4245	45.30	45.30	45.30/35.60A	60.60B/35.60A	----	45.20 - 26.60	.1461	----	----	21	----	48 + 11
4250	50.30	50.30	50.30/36.20A	61.40B/36.20A	----	45.90 - 26.80	.1481	----	----	50	----	710 + 1
4255	----	----	----/36.70A	62.80B/36.70A	----	46.60 - 27.10	.1501	----	----	----	----	10 UNCH
4260	----	----	----/37.30A	63.20B/37.30A	----	47.30 - 27.30	.1521	----	----	----	----	106 UNCH
4265	----	----	----/37.80A	64.20B/37.80A	----	48.00 - 27.60	.1541	----	----	8	----	36 - 7
4270	----	----	----/38.30A	65.10B/38.30A	----	48.70 - 27.90	.1561	----	----	8	----	51 UNCH
4275	----	----	----/38.90A	65.80B/38.90A	----	49.50 - 28.10	.1582	----	----	----	----	88 UNCH
4280	----	----	----/39.50A	66.70B/39.50A	----	50.20 - 28.40	.1603	----	----	1	----	76 UNCH
4285	----	----	----/40.00A	67.70B/40.00A	----	50.90 - 28.80	.1623	----	----	----	----	13 UNCH
4290	----	----	----/40.70A	68.60B/40.70A	----	51.70 - 29.00	.1645	----	----	1	----	74 + 1
4295	----	----	----/41.30A	69.50B/41.30A	----	52.50 - 29.30	.1667	----	----	----	----	22 UNCH
4300	50.30	50.30	57.90/41.80A	70.40B/41.80A	----	53.30 - 29.50	.1689	----	----	125	----	2413 - 27
4305	----	----	----/42.50A	71.30B/42.50A	----	54.10 - 29.80	.1711	----	----	2	----	75 + 1
4310	----	----	----/43.30A	72.40B/43.30A	----	54.90 - 30.10	.1733	----	----	----	----	53 UNCH
4315	----	----	----/43.90A	73.20B/43.90A	----	55.70 - 30.40	.1755	----	----	1	----	48 - 1
4320	----	----	----/44.50A	74.30B/44.50A	----	56.50 - 30.70	.1777	----	----	2	----	84 + 2
4325	----	----	----/45.20A	75.30B/45.20A	----	57.40 - 31.00	.1801	----	----	----	----	58 UNCH
4330	57.80	57.80	60.30/45.90A	76.30B/45.90A	----	58.20 - 31.30	.1823	----	----	290	----	461 + 238
4335	----	----	----/46.60A	77.30B/46.60A	----	59.10 - 31.60	.1847	----	----	----	----	38 UNCH
4340	----	----	----/47.30A	78.30B/47.30A	----	60.00 - 31.90	.1871	----	----	----	----	115 UNCH
4345	54.80	54.80	54.80/48.00A	79.80B/48.00A	----	60.90 - 32.20	.1895	----	----	11	----	43 - 3
4350	48.90	48.90	52.60/48.70A	80.40B/48.70A	----	61.80 - 32.50	.1919	----	----	20	----	522 + 15
4355	----	----	----/49.50A	81.90B/49.50A	----	62.70 - 32.80	.1943	----	----	----	----	80 UNCH
4360	----	----	----/50.30A	83.00B/50.30A	----	63.60 - 33.10	.1968	----	----	3	----	90 + 3
4365	----	----	----/51.00A	83.70B/51.00A	----	64.60 - 33.40	.1993	----	----	----	----	66 UNCH
4370	----	----	----/51.80A	85.20B/51.80A	----	65.50 - 33.80	.2018	----	----	10	----	23 + 4
4375	----	----	----/52.40A	86.40B/52.40A	----	66.50 - 34.10	.2043	----	----	101	----	492 + 32
4380	----	----	----/53.30A	87.40B/53.30A	----	67.50 - 34.30	.2069	----	----	6	----	424 + 4
4385	----	----	----/54.10A	88.20B/54.10A	----	68.50 - 34.70	.2095	----	----	----	----	22 UNCH
4390	53.70	53.70	53.70/53.70	89.80B/53.70	----	69.50 - 35.00	.2121	----	----	3	----	56 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4395	----	----	----/55.80A	90.50B/55.80A	----	70.50 - 35.30	.2147	----	----	----	----	79 UNCH
4400	70.30	70.30	71.00/56.60A	91.70B/56.60A	----	71.50 - 35.70	.2173	----	----	567	----	4207 - 39
4405	----	----	----/57.50A	92.90B/57.50A	----	72.60 - 36.00	.2201	----	----	28	----	132 + 2
4410	----	----	----/58.30A	94.10B/58.30A	----	73.60 - 36.40	.2227	----	----	4	----	93 + 3
4415	----	----	----/59.20A	95.30B/59.20A	----	74.70 - 36.70	.2254	----	----	1	----	86 + 1
4420	----	----	----/60.10A	97.10B/60.10A	----	75.80 - 37.00	.2282	----	----	----	----	29 UNCH
4425	----	----	----/61.00A	97.80B/61.00A	----	76.90 - 37.30	.2310	----	----	23	----	121 + 2
4430	----	----	----/61.80A	99.60B/61.80A	----	78.00 - 37.70	.2337	----	----	1	----	97 UNCH
4435	----	----	----/62.80A	100.40B/62.80A	----	79.20 - 38.00	.2366	----	----	----	----	71 UNCH
4440	----	----	----/63.70A	101.70B/63.70A	----	80.30 - 38.30	.2394	----	----	----	----	33 UNCH
4445	----	----	----/64.60A	103.00B/64.60A	----	81.50 - 38.60	.2423	----	----	1	----	45 UNCH
4450	86.40	86.40	86.40/65.70A	104.30B/65.70A	----	82.70 - 39.00	.2453	----	----	38	----	850 + 3
4455	84.10	84.10	85.40/66.50A	105.70B/66.50A	----	83.90 - 39.30	.2482	----	----	5	----	68 + 5
4460	----	----	----/67.60A	107.10B/67.60A	----	85.10 - 39.70	.2511	----	----	----	----	34 UNCH
4465	85.00	85.00	85.00/68.50A	108.40B/68.50A	----	86.30 - 40.00	.2541	----	----	13	----	30 + 4
4470	----	----	----/69.60A	109.80B/69.60A	----	87.50 - 40.40	.2570	----	----	----	----	29 UNCH
4475	79.80	79.80	89.70/70.60A	111.20B/70.60A	----	88.80 - 40.70	.2601	----	----	9	----	155 + 2
4480	----	----	----/71.60A	112.70B/71.60A	----	90.10 - 41.00	.2631	----	----	1	----	103 UNCH
4485	90.90	90.90	91.40/72.70A	114.10B/72.70A	----	91.40 - 41.40	.2662	----	----	4	----	30 + 4
4490	84.70	84.70	84.70/73.80A	115.60B/73.80A	----	92.70 - 41.70	.2693	----	----	13	----	91 + 10
4495	----	----	----/75.00A	117.00B/75.00A	----	94.00 - 42.10	.2724	----	----	----	----	81 UNCH
4500	89.00	89.00	109.70/76.10A	118.50B/76.10A	----	95.40 - 42.40	.2756	----	----	684	----	2675 + 98
4505	----	----	----/77.20A	120.00B/77.20A	----	96.70 - 42.80	.2787	----	----	----	----	27 UNCH
4510	101.90	101.90	101.90/78.20A	121.60B/78.20A	----	98.10 - 43.10	.2819	----	----	11	----	19 + 1
4515	----	----	----/79.40A	123.10B/79.40A	----	99.50 - 43.50	.2851	----	----	----	----	243 UNCH
4520	----	----	----/80.50A	124.70B/80.50A	----	100.90 - 43.80	.2883	----	----	----	----	157 UNCH
4525	----	----	----/81.70A	126.70B/81.70A	----	102.30 - 44.20	.2915	----	----	----	----	131 UNCH
4530	----	----	----/82.90A	128.50B/82.90A	----	103.80 - 44.50	.2949	----	----	----	----	17 UNCH
4535	----	----	----/84.20A	130.10B/84.20A	----	105.30 - 44.80	.2982	----	----	3	----	24 UNCH
4540	----	----	----/85.40A	131.50B/85.40A	----	106.70 - 45.20	.3014	----	----	32	----	179 + 22
4545	----	----	----/86.50A	133.40B/86.50A	----	108.20 - 45.60	.3048	----	----	1	----	79 UNCH
4550	101.20	101.20	101.50/87.80A	135.10B/87.80A	----	109.80 - 45.80	.3082	----	----	39	----	578 - 19
4555	101.80	101.80	101.80/89.10A	136.10B/89.10A	----	111.30 - 46.20	.3115	----	----	2	----	55 - 1
4560	131.00	131.00	131.00/90.40A	138.30B/90.40A	----	112.80 - 46.60	.3149	----	----	5	----	28 - 1
4565	----	----	----/91.70A	139.90B/91.70A	----	114.40 - 47.00	.3184	----	----	2	----	199 UNCH
4570	104.70	104.70	134.40/93.00A	141.90B/93.00A	----	116.00 - 47.30	.3218	----	----	7	----	70 - 5
4575	----	----	----/94.30A	143.30B/94.30A	----	117.60 - 47.70	.3253	----	----	2	----	168 + 1
4580	103.40	103.40	103.40/95.60A	145.10B/95.60A	----	119.20 - 48.10	.3287	----	----	2	----	218 UNCH
4585	----	----	----/97.10A	146.90B/97.10A	----	120.90 - 48.40	.3323	----	----	2	----	27 UNCH
4590	----	----	----/98.40A	148.60B/98.40A	----	122.50 - 48.80	.3358	----	----	21	----	79 UNCH
4595	----	----	----/100.10A	150.50B/100.10A	----	124.20 - 49.10	.3393	----	----	----	----	28 UNCH
4600	133.80	133.80	145.60/101.60A	152.50B/101.60A	----	125.90 - 49.50	.3429	----	----	111	----	1682 + 40
4605	----	----	----/102.90A	154.20B/102.90A	----	127.60 - 49.90	.3464	----	----	----	----	14 UNCH
4610	----	----	----/104.30A	156.00B/104.30A	----	129.30 - 50.30	.3500	----	----	----	----	12 UNCH
4615	----	----	----/106.00A	158.10B/106.00A	----	131.10 - 50.60	.3537	----	----	----	----	51 UNCH
4620	----	----	----/107.40A	159.90B/107.40A	----	132.80 - 51.10	.3572	----	----	----	----	187 UNCH
4625	120.00	120.00	135.50/108.80A	161.80B/108.80A	----	134.60 - 51.40	.3609	----	----	32	----	203 + 25
4630	----	----	----/110.40A	163.80B/110.40A	----	136.40 - 51.80	.3646	----	----	6	----	132 - 1
4635	----	----	----/111.80A	165.70B/111.80A	----	138.20 - 52.20	.3682	----	----	----	----	25 UNCH
4640	133.40	133.40	139.80/113.50A	167.70B/113.50A	----	140.10 - 52.60	.3720	----	----	18	----	49 + 1
4645	----	----	----/114.90A	169.80B/114.90A	----	141.90 - 53.00	.3757	----	----	----	----	37 UNCH
4650	160.30	160.30	160.30/116.10A	171.80B/116.10A	----	143.80 - 53.40	.3794	----	----	10	----	1159 + 7
4655	----	----	----/117.70A	173.80B/117.70A	----	145.70 - 53.80	.3831	----	----	----	----	45 UNCH
4660	----	----	----/119.30A	176.40B/119.30A	----	147.60 - 54.20	.3869	----	----	----	----	105 UNCH
4665	143.60	143.60	143.60/121.40A	178.00B/121.40A	----	149.60 - 54.50	.3907	----	----	2	----	16 + 1
4670	151.60	151.60	152.70/122.70A	180.10B/122.70A	----	151.50 - 55.00	.3945	----	----	6	----	155 - 3
4675	158.10	158.10	158.10/124.30A	182.70B/124.30A	----	153.50 - 55.30	.3983	----	----	26	----	291 - 10
4680	----	----	----/125.90A	184.90B/125.90A	----	155.50 - 55.70	.4021	----	----	7	----	61 UNCH
4685	----	----	----/128.10A	187.10B/128.10A	----	157.60 - 56.10	.4060	----	----	2	----	39 - 1
4690	----	----	----/129.30A	189.30B/129.30A	----	159.60 - 56.50	.4098	----	----	----	----	21 UNCH
4695	----	----	----/131.10A	191.50B/131.10A	----	161.70 - 56.90	.4137	----	----	----	----	31 UNCH
4700	151.80	151.80	168.60/133.30A	193.30B/133.30A	----	163.80 - 57.20	.4175	----	----	121	----	1386 + 6
4705	146.20	146.20	146.20/135.10A	196.00B/135.10A	----	166.00 - 57.50	.4214	----	----	2	----	91 UNCH
4710	138.40	138.40	160.30/136.40A	198.30B/136.40A	----	168.10 - 58.00	.4253	----	----	5	----	21 UNCH
4715	169.90	169.90	169.90/138.20A	200.60B/138.20A	----	170.30 - 58.30	.4292	----	----	4	----	41 + 4
4720	----	----	----/140.00A	202.90B/140.00A	----	172.50 - 58.70	.4332	----	----	1	----	102 + 1
4725	143.80	143.80	143.80/141.80A	205.20B/141.80A	----	174.70 - 59.00	.4371	----	----	39	----	54 + 33
4730	----	----	----/144.30A	207.60B/144.30A	----	176.90 - 59.50	.4410	----	----	12	----	62 + 1
4735	----	----	----/145.90A	210.00B/145.90A	----	179.20 - 59.80	.4450	----	----	----	----	56 UNCH
4740	172.90	172.90	172.90/147.60A	212.40B/147.60A	----	181.40 - 60.20	.4489	----	----	6	----	86 UNCH
4745	180.20	180.20	180.20/149.50A	214.80B/149.50A	----	183.70 - 60.60	.4529	----	----	1	----	3 + 1
4750	189.60	189.60	200.30/151.50A	217.30B/151.50A	----	186.00 - 61.00	.4569	----	----	145	200	812 + 25
4755	----	----	----/153.50A	219.70B/153.50A	----	188.40 - 61.30	.4608	----	----	----	----	19 UNCH
4760	197.80	197.80	197.80/155.40A	222.20B/155.40A	----	190.70 - 61.70	.4648	----	----	21	----	65 + 8
4765	160.10	160.10	210.60/157.50A	224.70B/157.50A	----	193.10 - 62.10	.4688	----	----	26	----	67 + 23
4770	182.20	182.20	200.00/159.80A	227.00B/159.80A	----	195.50 - 62.40	.4728	----	----	7	----	51 + 2
4775	----	----	----/162.40A	229.80B/162.40A	----	197.90 - 62.80	.4768	----	----	----	----	109 UNCH
4780	199.30	199.30	199.40/164.10A	232.40B/164.10A	----	200.30 - 63.30	.4808	----	----	36	----	46 + 35
4785	168.70	168.70	168.70/165.90A	235.00B/165.90A	----	202.80 - 63.60	.4848	----	----	6	----	48 UNCH
4790	----	----	----/168.10A	237.60B/168.10A	----	205.30 - 63.90	.4888	----	----	----	----	44 UNCH
4795	----	----	----/170.40A	240.00B/170.40A	----	207.80 - 64.30	.4928	----	----	----	----	13 UNCH
4800	232.60	232.60	242.90B/172.40A	242.90B/172.40A	----	210.30 - 64.70	.4969	----	----	34	----	2231 + 13
4805	208.00	208.00	229.00/174.50A	245.60B/174.50A	----	212.90 - 65.00	.5009	----	----	9	----	82 - 2
4810	----	----	----/176.50A	248.00B/176.50A	----	215.50 - 65.40	.5049	----	----	1	----	9 UNCH
4815	199.30	199.30	209.90/179.20A	250.70B/179.20A	----	218.10 - 65.70	.5089	----	----	4	----	72 + 1
4820	201.20	201.20	201.20/181.40A	253.50B/181.40A	----	220.70 - 66.10	.5129	----	----	4	----	23 + 4
4825	200.00	200.00	204.00/183.60A	256.20B/183.60A	----	223.40 - 66.40	.5169	----	----	3	----	166 + 2
4830	206.50	206.50	206.50/186.00A	259.00B/186.00A	----	226.00 - 66.80	.5209	----	----	1	----	137 + 1
4835	195.00	195.00	195.00/188.40A	261.80B/188.40A	----	228.70 - 67.20	.5249	----	----	1	----	30 + 1
4840	----	----	----/190.80A	264.60B/190.80A	----	231.50 - 67.50	.5289	----	----	----	----	18 UNCH
4845	207.90	207.90	207.90/192.90A	267.80B/192.90A	----	234.20 - 67.80	.5329	----	----	1	----	11 + 1
4850	218.80	218.80	218.80/195.70A	270.40B/195.70A	----	237.00 - 68.10	.5369	----	----	9	----	541 + 8
4855	200.80	200.80	273.30B/198.00A	273.30B/198.00A	----	239.70 - 68.60	.5409	----	----	2	----	359 UNCH
4860	221.30	221.30	276.30B/200.20A	276.30B/200.20A	----	242.50 - 68.90	.5449	----	----	1	----	44 UNCH
4865	----	----	----/202.70A	279.20B/202.70A	----	245.40 - 69.20	.5489	----	----	----	----	17 UNCH
4870	----	----	----/205.30A	282.30B/205.30A	----	248.20 - 69.60	.5528	----	----	----	----	42 UNCH
4875	214.00	214.00	285.30B/207.80A	285.30B/207.80A	----	251.10 - 69.90	.5568	----	----	10	----	74 - 7
4880	----	----	----/210.40A	288.50B/210.40A	----	254.00 - 70.20	.5607	----	----	----	----	3 UNCH
4885	220.10	220.10	291.60B/212.50A	291.60B/212.50A	----	256.90 - 70.50	.5647	----	----	1	----	7 + 1
4890	216.50	216.50	294.70B/215.10A	294.70B/215.10A	----	259.80 - 70.90	.5686	----	----	1	----	46 UNCH
4895	----	----	----/218.10A	297.90B/218.10A	----	262.80 - 71.20	.5726	----	----	----	----	211 UNCH
4900	----	----	----/220.70A	301.10B/220.70A	----	265.80 - 71.50	.5765	----	----	3	----	1803 + 1
4905	----	----	----/223.30A	304.00B/223.30A	----	268.80 - 71.80	.5804	----	----	----	----	10 UNCH
4910	----	----	----/225.90A	307.30B/225.90A	----	271.80 - 72.10	.5843	----	----	----	----	57 UNCH
4915	----	----	----/228.70A	310.80B/228.70A	----	274.80 - 72.50	.5882	----	----	----	----	37 UNCH
4920	----	----	----/231.50A	313.90B/231.50A	----	277.90 - 72.80	.5921	----	----	1	----	92 + 1
4925	----	----	----/234.20A	317.20B/234.20A	----	281.00 - 73.00	.5959	----	----	----	----	73 UNCH
4930	----	----	----/236.60A	320.60B/236.60A	----	284.10 - 73.40	.5998	----	----	1	----	199 UNCH
4940	----	----	----/242.10A	327.20B/242.10A	----	290.40 - 73.90	.6075	----	----	----	----	64 UNCH
4945	----	----	----/245.10A	330.60B/245.10A	----	293.50 - 74.30	.6113	----	----	----	----	2 UNCH
4950	----	----	----/247.80A	333.70B/247.80A	----	296.70 - 74.60	.6151	----	----	1	----	287 - 1
4955	----	----	----/250.00A	337.30B/250.00A	----	299.90 - 74.90	.6189	----	----	----	----	31 UNCH
4960	----	----	----/253.00A	340.70B/253.00A	----	303.10 - 75.20	.6227	----	----	----	----	23 UNCH
4965	----	----	----/255.80A	344.00B/255.80A	----	306.40 - 75.50	.6265	----	----	----	----	24 UNCH
4970	----	----	----/258.70A	347.60B/258.70A	----	309.70 - 75.70	.6302	----	----	----	----	44 UNCH
4975	----	----	----/263.20A	350.80B/263.20A	----	312.90 - 76.10	.6340	----	----	----	----	153 UNCH
4980	----	----	----/266.10A	354.30B/266.10A	----	316.20 - 76.40	.6377	----	----	2	----	28 UNCH
4985	----	----	----/269.10A	357.80B/269.10A	----	319.60 - 76.60	.6413	----	----	----	----	9 UNCH
4990	----	----	----/272.00A	361.30B/272.00A	----	322.90 - 76.90	.6451	----	----	----	----	292 UNCH
4995	----	----	----/275.00A	364.90B/275.00A	----	326.30 - 77.10	.6487	----	----	----	----	11 UNCH
5000	301.00	301.00	368.40B/277.80A	368.40B/277.80A	----	329.70 - 77.40	.6524	----	----	23	----	1886 - 6
5005	----	----	----/281.10A	372.00B/281.10A	----	333.10 - 77.70	.6559	----	----	2	----	302 - 2
5010	294.60	294.60	375.80B/284.20A	375.80B/284.20A	----	336.50 - 78.00	.6596	----	----	10	----	13 + 2
5015	----	----	----/287.40A	379.20B/287.40A	----	339.90 - 78.30	.6631	----	----	----	----	49 UNCH
5020	----	----	----/290.50A	382.80B/290.50A	----	343.40 - 78.50	.6668	----	----	----	----	31 UNCH
5025	----	----	----/293.30A	386.40B/293.30A	----	346.90 - 78.70	.6704	----	----	2	----	53 - 2
5030	----	----	----/296.70A	390.10B/296.70A	----	350.40 - 79.00	.6739	----	----	----	----	68 UNCH
5035	----	----	----/300.00A	393.80B/300.00A	----	353.90 - 79.30	.6774	----	----	----	----	13 UNCH
5040	----	----	----/303.10A	397.50B/303.10A	----	357.40 - 79.60	.6809	----	----	----	----	18 UNCH
5045	----	----	----/306.30A	401.20B/306.30A	----	361.00 - 79.80	.6844	----	----	----	----	5 UNCH
5050	----	----	----/309.70A	404.90B/309.70A	----	364.50 - 80.10	.6878	----	----	1	----	805 + 1
5055	----	----	----/312.80A	408.70B/312.80A	----	368.10 - 80.30	.6912	----	----	----	----	63 UNCH
5060	----	----	----/316.10A	412.40B/316.10A	----	371.80 - 80.50	.6947	----	----	----	----	64 UNCH
5065	329.50	329.50	416.50B/319.40A	416.50B/319.40A	----	375.40 - 80.80	.6980	----	----	10	----	17 + 8
5070	----	----	----/322.70A	420.30B/322.70A	----	379.00 - 81.00	.7013	----	----	----	----	52 UNCH
5075	----	----	----/326.00A	424.20B/326.00A	----	382.70 - 81.30	.7046	----	----	1	----	28 + 1
5080	----	----	----/329.60A	427.70B/329.60A	----	386.40 - 81.50	.7080	----	----	----	----	29 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 15

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5085	----	----	----/332.90A	431.50B/332.90A	----	390.10 - 81.70	.7113	----	----	----	----	123 UNCH
5090	----	----	----/336.10A	435.40B/336.10A	----	393.80 - 82.00	.7146	----	----	----	----	109 UNCH
5095	----	----	----/339.80A	439.20B/339.80A	----	397.60 - 82.10	.7178	----	----	30	----	117 + 6
5100	----	----	----/343.20A	443.40B/343.20A	----	401.40 - 82.30	.7210	----	----	1	----	457 UNCH
5105	----	----	----/346.60A	447.40B/346.60A	----	405.10 - 82.60	.7241	----	----	----	----	38 UNCH
5110	----	----	----/349.90A	450.90B/349.90A	----	408.90 - 82.80	.7273	----	----	----	----	74 UNCH
5115	----	----	----/353.40A	455.20B/353.40A	----	412.80 - 82.90	.7304	----	----	----	----	14 UNCH
5120	----	----	----/356.80A	459.20B/356.80A	----	416.60 - 83.20	.7335	----	----	----	----	25 UNCH
5125	----	----	----/360.20A	463.20B/360.20A	----	420.50 - 83.30	.7366	----	----	----	----	192 UNCH
5130	----	----	----/363.60A	467.20B/363.60A	----	424.30 - 83.60	.7396	----	----	----	----	26 UNCH
5135	----	----	----/367.00A	471.10B/367.00A	----	428.20 - 83.80	.7426	----	----	----	----	37 UNCH
5140	----	----	----/370.50A	475.20B/370.50A	----	432.10 - 84.00	.7456	----	----	----	----	14 UNCH
5145	----	----	----/374.00A	479.20B/374.00A	----	436.10 - 84.10	.7485	----	----	----	----	39 UNCH
5150	450.00	450.00	483.00B/377.50A	483.00B/377.50A	----	440.00 - 84.30	.7515	----	----	1	----	389 - 1
5155	----	----	----/381.00A	487.30B/381.00A	----	444.00 - 84.50	.7544	----	----	----	----	38 UNCH
5160	----	----	----/384.50A	491.00B/384.50A	----	447.90 - 84.70	.7572	----	----	----	----	70 UNCH
5165	----	----	----/388.30A	495.10B/388.30A	----	451.90 - 84.90	.7601	----	----	----	----	47 UNCH
5170	----	----	----/391.70A	499.20B/391.70A	----	455.90 - 85.10	.7630	----	----	----	----	504 UNCH
5175	----	----	----/395.30A	503.40B/395.30A	----	459.90 - 85.20	.7658	----	----	----	----	15 UNCH
5180	----	----	----/398.80A	507.90B/398.80A	----	463.90 - 85.40	.7685	----	----	----	----	19 UNCH
5185	----	----	----/402.50A	511.60B/402.50A	----	468.00 - 85.50	.7713	----	----	----	----	22 UNCH
5190	----	----	----/406.10A	515.80B/406.10A	----	472.00 - 85.70	.7740	----	----	----	----	5 UNCH
5195	----	----	----/409.80A	519.90B/409.80A	----	476.10 - 85.90	.7769	----	----	----	----	8 UNCH
5200	432.80	432.80	524.10B/413.50A	524.10B/413.50A	----	480.10 - 86.10	.7796	----	----	3	----	612 UNCH
5205	----	----	----/417.20A	528.70B/417.20A	----	484.20 - 86.20	.7822	----	----	----	----	36 UNCH
5210	----	----	----/420.70A	532.80B/420.70A	----	488.30 - 86.40	.7849	----	----	----	----	68 UNCH
5215	----	----	----/424.70A	536.60B/424.70A	----	492.40 - 86.60	.7874	----	----	----	----	42 UNCH
5220	----	----	----/428.30A	540.90B/428.30A	----	496.50 - 86.70	.7900	----	----	----	----	188 UNCH
5225	----	----	----/432.00A	545.20B/432.00A	----	500.70 - 86.80	.7927	----	----	----	----	200 UNCH
5230	----	----	----/435.90A	549.40B/435.90A	----	504.80 - 87.00	.7952	----	----	----	----	7 UNCH
5235	----	----	----/439.70A	553.70B/439.70A	----	509.00 - 87.10	.7977	----	----	----	----	160 UNCH
5245	----	----	----/447.30A	562.20B/447.30A	----	517.30 - 87.50	.8028	----	----	----	----	9 UNCH
5250	----	----	----/451.20A	566.60B/451.20A	----	521.50 - 87.60	.8051	----	----	----	----	332 UNCH
5255	----	----	----/455.00A	570.80B/455.00A	----	525.70 - 87.70	.8076	----	----	----	----	9 UNCH
5260	----	----	----/458.90A	575.10B/458.90A	----	529.90 - 87.90	.8100	----	----	----	----	11 UNCH
5265	----	----	----/462.80A	579.40B/462.80A	----	534.20 - 88.00	.8123	----	----	----	----	5 UNCH
5270	----	----	----/466.70A	584.10B/466.70A	----	538.40 - 88.10	.8148	----	----	----	----	24 UNCH
5275	----	----	----/470.60A	588.10B/470.60A	----	542.70 - 88.20	.8170	----	----	----	----	170 UNCH
5280	----	----	----/474.50A	592.50B/474.50A	----	546.90 - 88.40	.8193	----	----	----	----	67 UNCH
5285	----	----	----/478.50A	596.80B/478.50A	----	551.20 - 88.50	.8215	----	----	----	----	27 UNCH
5290	----	----	----/482.50A	601.30B/482.50A	----	555.50 - 88.60	.8238	----	----	----	----	2 UNCH
5300	----	----	----/490.40A	610.20B/490.40A	----	564.20 - 88.80	.8281	----	----	----	----	161 UNCH
5305	----	----	----/494.40A	614.60B/494.40A	----	568.50 - 89.00	.8303	----	----	----	----	104 UNCH
5320	----	----	----/506.50A	627.70B/506.50A	----	581.60 - 89.20	.8364	----	----	----	----	108 UNCH
5325	----	----	----/510.50A	632.50B/510.50A	----	586.00 - 89.30	.8384	----	----	----	----	1 UNCH
5335	----	----	----/518.70A	641.10B/518.70A	----	594.80 - 89.50	.8425	----	----	----	----	5 UNCH
5340	----	----	----/522.80A	645.60B/522.80A	----	599.20 - 89.60	.8445	----	----	----	----	52 UNCH
5345	----	----	----/526.80A	650.30B/526.80A	----	603.60 - 89.70	.8463	----	----	----	----	1 UNCH
5350	----	----	----/531.00A	654.80B/531.00A	----	608.10 - 89.80	.8483	----	----	----	----	108 UNCH
5365	----	----	----/543.60A	668.20B/543.60A	----	621.40 - 90.10	.8538	----	----	----	----	4 UNCH
5370	----	----	----/547.70A	672.80B/547.70A	----	625.90 - 90.10	.8556	----	----	----	----	37 UNCH
5375	----	----	----/552.00A	676.90B/552.00A	----	630.30 - 90.30	.8574	----	----	----	----	1 UNCH
5380	----	----	----/556.10A	682.00B/556.10A	----	634.80 - 90.40	.8591	----	----	----	----	2 UNCH
5385	----	----	----/560.40A	686.40B/560.40A	----	639.30 - 90.40	.8609	----	----	----	----	10 UNCH
5390	----	----	----/564.40A	691.00B/564.40A	----	643.80 - 90.50	.8626	----	----	----	----	2 UNCH
5395	----	----	----/568.70A	695.50B/568.70A	----	648.30 - 90.60	.8644	----	----	----	----	156 UNCH
5400	645.90	645.90	700.30B/572.90A	700.30B/572.90A	----	652.80 - 90.70	.8662	----	----	1	----	443 - 1
5420	----	----	----/590.20A	718.10B/590.20A	----	671.00 - 90.90	.8727	----	----	----	----	10 UNCH
5425	----	----	----/594.40A	722.60B/594.40A	----	675.50 - 91.00	.8741	----	----	----	----	1 UNCH
5430	----	----	----/598.70A	727.30B/598.70A	----	680.10 - 91.00	.8756	----	----	----	----	31 UNCH
5435	----	----	----/603.20A	731.90B/603.20A	----	684.60 - 91.20	.8774	----	----	----	----	10 UNCH
5440	----	----	----/607.30A	736.90B/607.30A	----	689.20 - 91.20	.8789	----	----	----	----	20 UNCH
5470	----	----	----/633.50A	764.40B/633.50A	----	716.80 - 91.50	.8875	----	----	----	----	1 UNCH
5490	----	----	----/651.20A	783.30B/651.20A	----	735.30 - 91.80	.8928	----	----	----	----	166 UNCH
5500	----	----	----/660.10A	792.30B/660.10A	----	744.60 - 91.90	.8954	----	----	----	----	52 UNCH
5525	----	----	----/682.50A	815.70B/682.50A	----	768.00 - 92.00	.9016	----	----	----	----	2 UNCH
5575	----	----	----/727.80A	863.10B/727.80A	----	815.20 - 92.30	.9124	----	----	----	----	2 UNCH
5590	----	----	----/741.60A	877.40B/741.60A	----	829.50 - 92.30	.9153	----	----	----	----	77 UNCH
5595	----	----	----/746.20A	882.20B/746.20A	----	834.20 - 92.30	.9161	----	----	----	----	1 UNCH
5600	----	----	----/750.80A	886.90B/750.80A	----	839.00 - 92.30	.9170	----	----	----	----	8 UNCH
5640	----	----	----/787.80A	925.30B/787.80A	----	877.20 - 92.40	.9240	----	----	----	----	9 UNCH
5800	----	----	----/938.80A	1075.60B/938.80A	----	1031.90 - 92.80	.9458	----	----	----	----	6 UNCH
6000	----	----	----/1,150.40A	1271.80B/1150.40A	----	1228.00 - 93.00	.9626	----	----	4	----	4 UNCH
6100	----	----	----/1,242.20A	1370.00B/1242.20A	----	1326.70 - 93.00	.9683	----	----	----	----	3 UNCH
6675	----	----	----	----	----	1898.30 - 92.70	.9858	----	----	----	----	2 UNCH
TOTAL										4643	200	82996 + 643
JUL26												
2275	----	----	----	0.80B/1.80A	----	1.10 - 0.60	.0025	----	----	----	----	20 UNCH
2300	----	----	----/1.80A	0.90B/1.80A	----	1.30 - 0.60	.0029	----	----	----	----	96 UNCH
2400	----	----	----/2.00A	1.10B/2.00A	----	1.60 - 0.70	.0036	----	----	----	----	2 UNCH
2500	----	----	----/2.30A	1.40B/2.30A	----	1.80 - 0.90	.0042	----	----	----	----	192 UNCH
2575	----	----	----/2.50A	1.70B/2.50A	----	2.00 - 1.10	.0048	----	----	----	----	1 UNCH
2600	----	----	----/2.60A	1.80B/2.60A	----	2.10 - 1.10	.0050	----	----	----	----	12 UNCH
2620	----	----	----/2.60A	1.90B/2.60A	----	2.20 - 1.10	.0053	----	----	----	----	1 UNCH
2650	----	----	----/2.70A	2.00B/2.70A	----	2.30 - 1.20	.0055	----	----	----	----	52 UNCH
2670	----	----	----/2.80A	2.10B/2.80A	----	2.40 - 1.20	.0058	----	----	----	----	10 UNCH
2675	----	----	----/2.80A	2.10B/2.80A	----	2.40 - 1.20	.0058	----	----	----	----	10 UNCH
2680	----	----	----/2.90A	2.10B/2.90A	----	2.40 - 1.20	.0058	----	----	----	----	10 UNCH
2700	----	----	----/2.90A	2.20B/2.90A	----	2.50 - 1.30	.0061	----	----	----	----	3 UNCH
2705	----	----	----/2.90A	2.20B/2.90A	----	2.50 - 1.30	.0061	----	----	----	----	1 UNCH
2730	----	----	----/3.00A	2.30B/3.00A	----	2.60 - 1.40	.0064	----	----	----	----	1 UNCH
2750	----	----	----/3.10A	2.40B/3.10A	----	2.70 - 1.40	.0067	----	----	----	----	19 UNCH
2785	----	----	----/3.30A	2.60B/3.30A	----	2.80 - 1.60	.0070	----	----	----	----	2 UNCH
2800	3.00	3.00	3.00/3.00	3.00/3.00	----	2.90 - 1.60	.0073	----	----	1	----	6 + 1
2850	----	----	----/3.60A	2.90B/3.60A	----	3.20 - 1.70	.0081	----	----	1	----	3 + 1
2860	----	----	----/3.60A	2.90B/3.60A	----	3.20 - 1.80	.0081	----	----	----	----	5 UNCH
2890	----	----	----/3.80A	3.10B/3.80A	----	3.40 - 1.90	.0087	----	----	----	----	60 UNCH
2895	----	----	----/3.80A	3.10B/3.80A	----	3.40 - 2.00	.0087	----	----	----	----	18 UNCH
2900	----	----	----/3.90A	3.20B/3.90A	----	3.40 - 2.00	.0087	----	----	2	----	17 + 1
2905	----	----	----/3.90A	3.20B/3.90A	----	3.50 - 2.00	.0089	----	----	----	----	19 UNCH
2920	----	----	----/4.00A	3.30B/4.00A	----	3.50 - 2.10	.0090	----	----	1	----	2 + 1
2950	----	----	----/4.20A	3.50B/4.20A	----	3.70 - 2.30	.0096	----	----	----	----	32 UNCH
2995	----	----	----/4.50A	3.80B/4.50A	----	4.00 - 2.50	.0105	----	----	----	----	16 UNCH
3000	----	----	----/4.50A	3.80B/4.50A	----	4.10 - 2.50	.0107	----	----	----	----	58 UNCH
3015	----	----	----/4.60A	3.90B/4.60A	----	4.20 - 2.60	.0110	----	----	----	----	5 UNCH
3025	----	----	----/4.70A	4.00B/4.70A	----	4.30 - 2.60	.0113	----	----	----	----	1 UNCH
3035	----	----	----/4.70A	4.10B/4.70A	----	4.30 - 2.80	.0113	----	----	----	----	5 UNCH
3100	----	----	----/5.20A	4.90B/5.20A	----	4.90 - 3.10	.0130	----	----	----	----	43 UNCH
3105	----	----	----/5.20A	4.90B/5.20A	----	4.90 - 3.20	.0131	----	----	----	----	1 UNCH
3125	----	----	----/5.40A	5.10B/5.40A	----	5.10 - 3.40	.0137	----	----	2	----	42 - 2
3140	----	----	----/5.60A	5.30B/5.60A	----	5.30 - 3.40	.0142	----	----	----	----	1 UNCH
3150	----	----	----/5.70A	5.40B/5.70A	----	5.40 - 3.50	.0145	----	----	----	----	12 UNCH
3155	----	----	----/5.70A	5.60B/5.70A	----	5.40 - 3.60	.0145	----	----	----	----	1 UNCH
3180	----	----	----/5.90A	5.60B/5.90A	----	5.70 NEW	.0154	----	----	2	----	2 + 2
3200	----	----	----/6.10A	6.10B/6.10A	----	5.90 - 3.90	.0160	----	----	----	----	111 UNCH
3210	----	----	----/6.20A	6.00B/6.20A	----	6.00 - 4.00	.0163	----	----	----	----	1 UNCH
3220	----	----	----/6.40A	6.40B/6.40A	----	6.10 - 4.10	.0166	----	----	----	----	1 UNCH
3225	----	----	----/6.40A	6.30B/6.40A	----	6.20 - 4.10	.0168	----	----	----	----	70 UNCH
3250	----	----	----/6.70A	6.80B/6.70A	----	6.50 - 4.40	.0177	----	----	1	----	61 - 1
3275	----	----	----/7.00A	7.00B/7.00A	----	6.80 - 4.60	.0186	----	----	----	----	10 UNCH
3290	----	----	----/7.20A	7.40B/7.20A	----	7.00 - 4.80	.0192	----	----	1	----	11 + 1
3300	----	----	----/7.40A	7.60B/7.40A	----	7.20 - 4.80	.0197	----	----	----	----	55 UNCH
3320	----	----	----/7.70A	8.00B/7.70A	----	7.50 - 5.00	.0206	----	----	----	----	1 UNCH
3325	----	----	----/7.70A	8.00B/7.70A	----	7.50 - 5.20	.0207	----	----	----	----	147 UNCH
3335	----	----	----/7.80A	8.10B/7.80A	----	7.70 - 5.20	.0212	----	----	----	----	86 UNCH
3340	----	----	----/7.80A	7.80B/7.80A	----	7.80 - 5.30	.0215	----	----	----	----	1 UNCH
3350	----	----	----/8.00A	8.50B/8.00A	----	7.90 - 5.50	.0218	----	----	4	----	26 - 4
3355	----	----	----/8.10A	8.70B/8.10A	----	8.00 - 5.50	.0221	----	----	----	----	69 UNCH
3360	----	----	----/8.10A	8.70B/8.10A	----	8.10 - 5.50	.0224	----	----	----	----	3 UNCH
3370	----	----	----/8.30A	8.90B/8.30A	----	8.30 - 5.60	.0229	----	----	----	----	9 UNCH
3380	----	----	----/8.50A	9.20B/8.50A	----	8.50 - 5.70	.0235	----	----	----	----	2 UNCH
3385	----	----	----/8.40A	9.20B/8.40A	----	8.60 - 5.80	.0238	----	----	----	----	4 UNCH
3390	----	----	----/8.70A	9.20B/8.70A	----	8.70 - 5.80	.0241	----	----	----	----	1 UNCH
3395	----	----	----/8.50A	9.50B/8.50A	----	8.80 - 5.90	.0243	----	----	----	----	31 UNCH
3400	----	----	----/8.80A	9.70B/8.80A	----	8.80 - 6.10	.0244	----	----	----	----	46 UNCH
3410	----	----	----/9.00A	9.80B/9.00A	----	9.00 - 6.20	.0250	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3425	----	----	----/9.30A	10.20B/9.30A	----	9.40 - 6.30	.0260	----	----	----	----	56 UNCH
3435	----	----	----/9.50A	10.40B/9.50A	----	9.60 - 6.40	.0266	----	----	----	----	5 UNCH
3445	----	----	----/9.70A	10.70B/9.70A	----	9.80 - 6.60	.0272	----	----	----	----	1 UNCH
3450	----	----	----/9.80A	10.80B/9.80A	----	9.90 - 6.70	.0275	----	----	2	----	138 - 2
3455	----	----	----/9.90A	11.10B/9.90A	----	10.00 - 6.80	.0278	----	----	----	----	10 UNCH
3460	----	----	----/10.00A	11.20B/10.00A	----	10.10 - 6.80	.0281	----	----	----	----	10 UNCH
3465	----	----	----/10.10A	11.10B/10.10A	----	10.20 - 6.90	.0284	----	----	----	----	142 UNCH
3475	----	----	----/10.30A	11.40B/10.30A	----	10.50 - 7.00	.0292	----	----	----	----	138 UNCH
3480	----	----	----/10.20A	11.60B/10.20A	----	10.60 - 7.10	.0295	----	----	----	----	36 UNCH
3495	----	----	----/10.80A	12.20B/10.80A	----	11.00 - 7.30	.0306	----	----	----	----	5 UNCH
3500	14.50	14.50	14.50/10.80A	14.50/10.80A	----	11.10 - 7.40	.0309	----	----	25	----	579 - 1
3505	----	----	----/10.80A	12.30B/10.80A	----	11.20 - 7.50	.0312	----	----	----	----	9 UNCH
3510	----	----	----/11.20A	12.80B/11.20A	----	11.40 - 7.50	.0317	----	----	----	----	5 UNCH
3515	----	----	----/11.30A	12.80B/11.30A	----	11.50 - 7.60	.0320	----	----	----	----	6 UNCH
3525	----	----	----/11.50A	12.90B/11.50A	----	11.80 - 7.80	.0328	----	----	----	----	3 UNCH
3530	----	----	----/11.70A	12.80B/11.70A	----	11.90 - 7.90	.0331	----	----	----	----	168 UNCH
3535	----	----	----/11.80A	13.40B/11.80A	----	12.10 - 7.90	.0336	----	----	----	----	31 UNCH
3545	----	----	----/11.90A	13.60B/11.90A	----	12.40 - 8.10	.0344	----	----	----	----	256 UNCH
3550	----	----	----/12.00A	13.80B/12.00A	----	12.50 - 8.20	.0347	----	----	----	----	148 UNCH
3575	----	----	----/12.60A	14.90B/12.60A	----	13.30 - 8.60	.0369	----	----	----	----	1 UNCH
3580	----	----	----/12.70A	15.30B/12.70A	----	13.50 - 8.70	.0374	----	----	----	----	5 UNCH
3590	----	----	----/13.00A	15.70B/13.00A	----	13.80 - 8.90	.0383	----	----	----	----	16 UNCH
3600	14.90	14.90	16.10B/13.30A	16.10B/13.30A	----	14.10 - 9.10	.0391	----	----	12	----	92 + 10
3605	----	----	----/13.40A	16.30B/13.40A	----	14.30 - 9.20	.0397	----	----	----	----	5 UNCH
3620	----	----	----/13.90A	17.00B/13.90A	----	14.90 - 9.40	.0412	----	----	----	----	12 UNCH
3625	----	----	----/14.00A	17.20B/14.00A	----	15.00 - 9.50	.0416	----	----	----	----	11 UNCH
3630	----	----	----/14.20A	17.40B/14.20A	----	15.20 - 9.60	.0421	----	----	----	----	3 UNCH
3635	----	----	----/14.30A	17.60B/14.30A	----	15.40 - 9.70	.0426	----	----	----	----	3 UNCH
3640	----	----	----/14.50A	17.90B/14.50A	----	15.60 - 9.80	.0432	----	----	----	----	6 UNCH
3645	----	----	----/14.60A	18.10B/14.60A	----	15.80 - 9.90	.0437	----	----	----	----	1 UNCH
3650	16.10	16.10	18.30B/14.80A	18.30B/14.80A	----	16.00 - 10.00	.0442	----	----	1	----	101 - 1
3655	----	----	----/15.00A	18.60B/15.00A	----	16.20 - 10.10	.0448	----	----	----	----	6 UNCH
3660	----	----	----/15.10A	18.80B/15.10A	----	16.40 - 10.20	.0453	----	----	----	----	22 UNCH
3665	----	----	----/15.40A	19.10B/15.40A	----	16.60 - 10.30	.0458	----	----	----	----	2 UNCH
3670	----	----	----/15.50A	19.30B/15.50A	----	16.80 - 10.40	.0464	----	----	----	----	110 UNCH
3675	----	----	----/15.70A	19.60B/15.70A	----	17.00 - 10.50	.0469	----	----	----	----	4 UNCH
3680	----	----	----/15.80A	21.20B/15.80A	----	17.20 - 10.60	.0475	----	----	----	----	5 UNCH
3685	----	----	----/16.00A	21.40B/16.00A	----	17.50 - 10.60	.0482	----	----	----	----	10 UNCH
3690	----	----	----/16.20A	21.80B/16.20A	----	17.70 - 10.80	.0488	----	----	----	----	50 UNCH
3695	----	----	----/16.50A	21.90B/16.50A	----	17.90 - 10.90	.0493	----	----	----	----	142 UNCH
3700	17.70	17.70	18.40/16.60A	22.30B/16.60A	----	18.10 - 11.00	.0499	----	----	6	----	424 - 5
3705	----	----	----/16.80A	22.60B/16.80A	----	18.40 - 11.00	.0506	----	----	----	----	20 UNCH
3715	----	----	----/17.20A	23.00B/17.20A	----	18.80 - 11.30	.0517	----	----	----	----	30 UNCH
3720	----	----	----/17.40A	23.40B/17.40A	----	19.10 - 11.30	.0524	----	----	----	----	18 UNCH
3725	----	----	----/17.60A	23.70B/17.60A	----	19.30 - 11.50	.0530	----	----	----	----	5 UNCH
3730	----	----	----/17.80A	24.00B/17.80A	----	19.50 - 11.60	.0536	----	----	----	----	3 UNCH
3735	----	----	----/18.00A	22.80B/18.00A	----	19.80 - 11.70	.0543	----	----	----	----	30 UNCH
3740	----	----	----/18.20A	24.20B/18.20A	----	20.00 - 11.90	.0549	----	----	----	----	20 UNCH
3750	16.10	16.10	16.10/16.10	25.60B/16.10	----	20.50 - 12.10	.0562	----	----	1	----	550 + 1
3760	----	----	----/18.80A	26.00B/18.80A	----	21.10 - 12.20	.0577	----	----	----	----	2 UNCH
3765	----	----	----/19.30A	26.20B/19.30A	----	21.30 - 12.40	.0583	----	----	----	----	32 UNCH
3770	----	----	----/19.50A	26.60B/19.50A	----	21.60 - 12.50	.0590	----	----	----	----	120 UNCH
3775	----	----	----/19.50A	26.30B/19.50A	----	21.90 - 12.60	.0598	----	----	----	----	61 UNCH
3780	----	----	----/19.70A	27.20B/19.70A	----	22.20 - 12.70	.0606	----	----	----	----	1 UNCH
3785	----	----	----/20.20A	27.60B/20.20A	----	22.40 - 12.90	.0611	----	----	----	----	5 UNCH
3790	----	----	----/20.20A	27.90B/20.20A	----	22.70 - 12.90	.0619	----	----	----	----	40 UNCH
3795	----	----	----/20.40A	28.20B/20.40A	----	23.00 - 13.10	.0627	----	----	----	----	36 UNCH
3800	22.60	22.60	23.70/20.70A	28.40B/20.70A	----	23.30 - 13.20	.0634	----	----	5	----	684 - 1
3810	----	----	----/21.20A	29.30B/21.20A	----	23.90 - 13.40	.0650	----	----	----	----	16 UNCH
3815	----	----	----/21.60A	29.50B/21.60A	----	24.20 - 13.50	.0658	----	----	----	----	14 UNCH
3820	21.00	21.00	22.70/21.00	29.70B/21.00	----	24.50 - 13.60	.0665	----	----	6	----	7 + 1
3825	----	----	----/22.00A	29.50B/22.00A	----	24.80 - 13.80	.0673	----	----	----	----	9 UNCH
3830	----	----	----/22.20A	30.70B/22.20A	----	25.10 - 13.90	.0681	----	----	----	----	24 UNCH
3835	----	----	----/22.20A	31.10B/22.20A	----	25.40 - 14.00	.0689	----	----	----	----	1 UNCH
3840	----	----	----/22.40A	31.40B/22.40A	----	25.80 - 14.10	.0698	----	----	----	----	32 UNCH
3845	----	----	----/22.60A	31.70B/22.60A	----	26.10 - 14.20	.0706	----	----	----	----	13 UNCH
3850	----	----	----/22.80A	31.90B/22.80A	----	26.40 - 14.40	.0714	----	----	----	----	206 UNCH
3860	----	----	----/23.50A	32.90B/23.50A	----	27.10 - 14.60	.0732	----	----	1	----	28 - 1
3875	----	----	----/24.10A	33.30B/24.10A	----	28.10 - 15.10	.0757	----	----	----	----	108 UNCH
3880	----	----	----/24.60A	34.60B/24.60A	----	28.50 - 15.20	.0767	----	----	----	----	13 UNCH
3885	----	----	----/24.90A	34.30B/24.90A	----	28.80 - 15.40	.0775	----	----	----	----	5 UNCH
3890	----	----	----/25.20A	34.70B/25.20A	----	29.20 - 15.50	.0785	----	----	----	----	4 UNCH
3895	----	----	----/25.50A	34.90B/25.50A	----	29.60 - 15.60	.0795	----	----	----	----	1 UNCH
3900	30.00	30.00	30.00/25.80A	35.40B/25.80A	----	29.90 - 15.80	.0803	----	----	2	----	300 UNCH
3905	----	----	----/26.10A	35.80B/26.10A	----	30.30 - 15.90	.0813	----	----	----	----	10 UNCH
3910	----	----	----/26.50A	36.20B/26.50A	----	30.70 - 16.00	.0823	----	----	----	----	54 UNCH
3920	----	----	----/27.00A	37.70B/27.00A	----	31.50 - 16.30	.0842	----	----	----	----	1 UNCH
3925	----	----	----/27.30A	38.20B/27.30A	----	31.90 - 16.40	.0852	----	----	----	----	48 UNCH
3930	----	----	----/27.70A	38.80B/27.70A	----	32.30 - 16.60	.0862	----	----	----	----	36 UNCH
3935	----	----	----/28.00A	39.10B/28.00A	----	32.70 - 16.80	.0872	----	----	----	----	7 UNCH
3940	----	----	----/28.40A	39.50B/28.40A	----	33.10 - 16.90	.0882	----	----	----	----	20 UNCH
3945	----	----	----/28.70A	40.70B/28.70A	----	33.50 - 17.10	.0892	----	----	----	----	20 UNCH
3950	----	----	----/29.10A	40.50B/29.10A	----	33.90 - 17.30	.0902	----	----	----	----	604 UNCH
3955	----	----	----/29.40A	41.00B/29.40A	----	34.30 - 17.50	.0912	----	----	----	----	25 UNCH
3960	----	----	----/29.70A	41.90B/29.70A	----	34.80 - 17.50	.0924	----	----	----	----	16 UNCH
3965	----	----	----/30.10A	42.00B/30.10A	----	35.20 - 17.70	.0934	----	----	----	----	94 UNCH
3970	----	----	----/30.50A	42.70B/30.50A	----	35.60 - 18.00	.0944	----	----	----	----	2 UNCH
3975	----	----	----/30.80A	43.00B/30.80A	----	36.10 - 18.10	.0956	----	----	----	----	21 UNCH
3980	----	----	----/31.20A	43.80B/31.20A	----	36.50 - 18.30	.0966	----	----	----	----	3 UNCH
3985	----	----	----/31.60A	44.00B/31.60A	----	37.00 - 18.40	.0978	----	----	----	----	136 UNCH
3990	30.80	30.80	30.80/30.80	44.50B/30.80	----	37.40 - 18.70	.0989	----	----	1	----	41 + 1
3995	31.20	31.20	31.20/31.20	45.30B/31.20	----	37.90 - 18.80	.1000	----	----	1	----	14 + 1
4000	36.60	36.60	40.20/31.90	45.60B/31.90	----	38.40 - 19.00	.1012	----	----	11	----	681 + 2
4005	38.60	38.60	38.60/33.20A	46.20B/33.20A	----	38.90 - 19.10	.1024	----	----	20	----	95 + 10
4010	----	----	----/33.60A	46.60B/33.60A	----	39.30 - 19.40	.1035	----	----	----	----	3 UNCH
4015	----	----	----/34.00A	47.20B/34.00A	----	39.80 - 19.50	.1047	----	----	----	----	59 UNCH
4020	----	----	----/34.40A	47.80B/34.40A	----	40.30 - 19.70	.1059	----	----	----	----	90 UNCH
4025	----	----	----/34.80A	48.40B/34.80A	----	40.80 - 19.90	.1071	----	----	----	----	18 UNCH
4030	----	----	----/35.30A	49.30B/35.30A	----	41.30 - 20.10	.1083	----	----	----	----	32 UNCH
4035	----	----	----/35.70A	49.50B/35.70A	----	41.80 - 20.30	.1095	----	----	----	----	2 UNCH
4040	----	----	----/36.20A	50.50B/36.20A	----	42.40 - 20.40	.1109	----	----	----	----	1 UNCH
4045	----	----	----/36.60A	51.40B/36.60A	----	42.90 - 20.60	.1121	----	----	----	----	20 UNCH
4050	----	----	----/37.00A	52.20B/37.00A	----	43.40 - 20.90	.1133	----	----	----	----	46 UNCH
4055	----	----	----/37.50A	52.50B/37.50A	----	44.00 - 21.00	.1147	----	----	----	----	31 UNCH
4065	----	----	----/38.40A	53.40B/38.40A	----	45.00 - 21.50	.1171	----	----	----	----	6 UNCH
4070	----	----	----/38.80A	54.30B/38.80A	----	45.60 - 21.70	.1185	----	----	2	----	12 UNCH
4075	----	----	----/39.30A	55.40B/39.30A	----	46.20 - 21.80	.1199	----	----	----	----	7 UNCH
4080	----	----	----/39.80A	55.80B/39.80A	----	46.70 - 22.10	.1211	----	----	----	----	7 UNCH
4085	----	----	----/40.30A	56.20B/40.30A	----	47.30 - 22.30	.1225	----	----	----	----	10 UNCH
4095	----	----	----/41.30A	57.90B/41.30A	----	48.50 - 22.60	.1253	----	----	----	----	1 UNCH
4100	47.40	47.40	47.40/41.90A	58.50B/41.90A	----	49.10 - 22.90	.1267	----	----	6	----	317 UNCH
4105	----	----	----/42.40A	58.70B/42.40A	----	49.70 - 23.10	.1281	----	----	----	----	9 UNCH
4110	----	----	----/42.90A	59.50B/42.90A	----	50.30 - 23.30	.1295	----	----	2	----	11 UNCH
4115	----	----	----/43.50A	60.40B/43.50A	----	50.90 - 23.50	.1309	----	----	----	----	5 UNCH
4120	----	----	----/44.00A	61.00B/44.00A	----	51.50 - 23.70	.1324	----	----	----	----	6 UNCH
4125	----	----	----/44.50A	61.60B/44.50A	----	52.20 - 23.90	.1339	----	----	----	----	72 UNCH
4130	----	----	----/45.10A	62.40B/45.10A	----	52.80 - 24.10	.1353	----	----	----	----	65 UNCH
4140	----	----	----/46.20A	63.90B/46.20A	----	54.10 - 24.60	.1383	----	----	----	----	4 UNCH
4145	----	----	----/46.80A	64.40B/46.80A	----	54.80 - 24.70	.1399	----	----	----	----	235 UNCH
4150	----	----	----/47.40A	65.20B/47.40A	----	55.50 - 24.90	.1415	----	----	----	----	132 UNCH
4155	----	----	----/47.90A	65.80B/47.90A	----	56.10 - 25.20	.1429	----	----	----	----	5 UNCH
4160	----	----	----/48.50A	66.80B/48.50A	----	56.80 - 25.40	.1445	----	----	----	----	4 UNCH
4165	----	----	----/49.10A	67.60B/49.10A	----	57.50 - 25.60	.1461	----	----	----	----	53 UNCH
4170	----	----	----/49.70A	68.40B/49.70A	----	58.20 - 25.80	.1476	----	----	----	----	1 UNCH
4175	----	----	----/50.30A	69.20B/50.30A	----	58.90 - 26.10	.1492	----	----	3	----	42 + 2
4190	----	----	----/52.10A	71.30B/52.10A	----	61.10 - 26.70	.1542	----	----	1	----	129 UNCH
4195	----	----	----/52.70A	72.50B/52.70A	----	61.90 - 26.90	.1559	----	----	----	----	65 UNCH
4200	77.70	77.70	77.70/53.30A	77.70/53.30A	----	62.60 - 27.20	.1575	----	----	234	----	400 + 39
4205	----	----	----/54.00A	73.80B/54.00A	----	63.40 - 27.30	.1592	----	----	----	----	4 UNCH
4210	----	----	----/54.70A	74.50B/54.70A	----	64.20 - 27.50	.1610	----	----	----	----	67 UNCH
4215	----	----	----/55.30A	75.40B/55.30A	----	64.90 - 27.80	.1626	----	----	----	----	33 UNCH
4220	----	----	----/56.00A	76.20B/56.00A	----	65.70 - 28.10	.1644	----	----	----	----	74 UNCH
4225	----	----	----/56.70A	77.10B/56.70A	----	66.50 - 28.30	.1661	----	----	----	----	34 UNCH
4230	----	----	----/57.40A	78.00B/57.40A	----	67.40 - 28.40	.1680	----	----	----	----	8 UNCH
4235	60.40	60.40	60.40/58.10A	78.90B/58.10A	----	68.20 - 28.70	.1698	----	----	6	----	42 UNCH
4240	----	----	----/58.80A	80.00B/58.80A	----	69.00 - 28.90	.1715	----	----	----	----	33 UNCH
4245	----	----	----/59.50A	80.80B/59.50A	----	69.90 - 29.10	.1734	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4250	70.00	70.00	70.00/60.30A	82.00B/60.30A	----	70.70 - 29.40	.1752	----	----	13	----	842 + 2
4255	----	----	----/60.90A	82.70B/60.90A	----	71.60 - 29.60	.1771	----	----	----	----	2 UNCH
4260	----	----	----/61.80A	83.80B/61.80A	----	72.50 - 29.80	.1790	----	----	----	----	4 UNCH
4265	----	----	----/62.50A	84.80B/62.50A	----	73.40 - 30.00	.1809	----	----	----	----	12 UNCH
4270	----	----	----/63.30A	85.70B/63.30A	----	74.30 - 30.20	.1828	----	----	----	----	1 UNCH
4275	----	----	----/63.90A	86.80B/63.90A	----	75.20 - 30.50	.1847	----	----	----	----	73 UNCH
4280	----	----	----/64.80A	87.90B/64.80A	----	76.10 - 30.70	.1866	----	----	----	----	38 UNCH
4285	----	----	----/65.50A	88.90B/65.50A	----	77.00 - 31.00	.1885	----	----	1	----	101 UNCH
4290	----	----	----/66.30A	90.00B/66.30A	----	78.00 - 31.20	.1906	----	----	----	----	33 UNCH
4295	----	----	----/67.10A	91.00B/67.10A	----	78.90 - 31.50	.1925	----	----	----	----	20 UNCH
4300	73.50	73.50	92.20B/68.00A	92.20B/68.00A	----	79.90 - 31.70	.1945	----	----	1003	----	1266 - 927
4305	----	----	----/68.70A	93.20B/68.70A	----	80.90 - 31.90	.1966	----	----	----	----	9 UNCH
4310	----	----	----/69.60A	94.30B/69.60A	----	81.80 - 32.20	.1985	----	----	1	----	5 + 1
4315	----	----	----/70.50A	95.40B/70.50A	----	82.80 - 32.40	.2006	----	----	----	----	24 UNCH
4320	81.20	81.20	96.50B/71.30A	96.50B/71.30A	----	83.80 - 32.70	.2026	----	----	2	----	3 + 2
4325	80.70	80.70	97.70B/72.10A	97.70B/72.10A	----	84.90 - 32.90	.2048	----	----	4	----	87 + 3
4330	----	----	----/73.00A	98.80B/73.00A	----	85.90 - 33.10	.2069	----	----	----	----	21 UNCH
4335	----	----	----/73.90A	100.00B/73.90A	----	86.90 - 33.40	.2089	----	----	----	----	111 UNCH
4340	----	----	----/74.90A	101.10B/74.90A	----	88.00 - 33.60	.2111	----	----	----	----	114 UNCH
4345	----	----	----/75.60A	102.30B/75.60A	----	89.10 - 33.80	.2133	----	----	----	----	12 UNCH
4350	97.10	97.10	103.60B/76.60A	103.60B/76.60A	----	90.10 - 34.20	.2154	----	----	16	----	320 + 14
4355	----	----	----/77.40A	104.70B/77.40A	----	91.20 - 34.40	.2176	----	----	----	----	123 UNCH
4360	----	----	----/78.40A	105.90B/78.40A	----	92.30 - 34.70	.2198	----	----	----	----	104 UNCH
4365	87.30	87.30	107.20B/79.40A	107.20B/79.40A	----	93.40 - 34.90	.2220	----	----	26	----	27 + 26
4370	----	----	----/80.30A	108.50B/80.30A	----	94.50 - 35.20	.2242	----	----	----	----	140 UNCH
4375	----	----	----/81.30A	109.60B/81.30A	----	95.70 - 35.40	.2264	----	----	----	----	27 UNCH
4380	----	----	----/82.30A	110.90B/82.30A	----	96.80 - 35.70	.2287	----	----	----	----	2 UNCH
4385	----	----	----/83.20A	112.20B/83.20A	----	98.00 - 35.90	.2310	----	----	----	----	52 UNCH
4390	----	----	----/84.20A	113.50B/84.20A	----	99.10 - 36.20	.2332	----	----	----	----	2 UNCH
4395	----	----	----/85.20A	114.80B/85.20A	----	100.30 - 36.50	.2355	----	----	2	----	13 UNCH
4400	95.00	95.00	116.20B/86.20A	116.20B/86.20A	----	101.50 - 36.80	.2378	----	----	1034	----	1653 - 958
4405	----	----	----/87.20A	117.30B/87.20A	----	102.70 - 37.00	.2401	----	----	----	----	1 UNCH
4410	----	----	----/88.20A	118.80B/88.20A	----	103.90 - 37.30	.2425	----	----	----	----	14 UNCH
4415	----	----	----/89.30A	120.20B/89.30A	----	105.10 - 37.60	.2448	----	----	----	----	4 UNCH
4420	----	----	----/90.30A	121.60B/90.30A	----	106.30 - 37.90	.2471	----	----	----	----	15 UNCH
4425	----	----	----/91.30A	123.00B/91.30A	----	107.60 - 38.10	.2496	----	----	----	----	36 UNCH
4430	----	----	----/92.50A	124.40B/92.50A	----	108.80 - 38.50	.2519	----	----	----	----	156 UNCH
4435	----	----	----/93.60A	125.70B/93.60A	----	110.10 - 38.70	.2543	----	----	----	----	1 UNCH
4440	104.90	104.90	127.30B/94.60A	127.30B/94.60A	----	111.30 - 39.10	.2567	----	----	3	----	36 + 3
4445	----	----	----/95.70A	128.70B/95.70A	----	112.60 - 39.40	.2592	----	----	----	----	152 UNCH
4450	105.60	105.60	130.30B/96.90A	130.30B/96.90A	----	113.90 - 39.70	.2616	----	----	6	----	585 + 5
4455	----	----	----/98.00A	131.70B/98.00A	----	115.20 - 40.00	.2641	----	----	----	----	18 UNCH
4460	----	----	----/99.40A	133.10B/99.40A	----	116.60 - 40.20	.2666	----	----	----	----	93 UNCH
4465	110.50	110.50	134.70B/100.50A	134.70B/100.50A	----	117.90 - 40.60	.2691	----	----	3	----	17 + 3
4470	----	----	----/101.80A	136.10B/101.80A	----	119.30 - 40.80	.2716	----	----	----	----	10 UNCH
4475	----	----	----/102.90A	137.70B/102.90A	----	120.60 - 41.20	.2741	----	----	----	----	27 UNCH
4480	----	----	----/104.20A	139.20B/104.20A	----	122.00 - 41.50	.2766	----	----	----	----	136 UNCH
4485	----	----	----/105.40A	140.80B/105.40A	----	123.40 - 41.80	.2792	----	----	----	----	50 UNCH
4490	----	----	----/106.60A	142.40B/106.60A	----	124.80 - 42.10	.2818	----	----	----	----	16 UNCH
4495	----	----	----/107.90A	144.00B/107.90A	----	126.30 - 42.30	.2844	----	----	----	----	3 UNCH
4500	118.00	118.00	145.70B/109.20A	145.70B/109.20A	----	127.70 - 42.70	.2870	----	----	168	----	523 + 82
4505	----	----	----/110.30A	147.30B/110.30A	----	129.20 - 43.00	.2896	----	----	----	----	5 UNCH
4510	----	----	----/111.60A	148.90B/111.60A	----	130.60 - 43.30	.2922	----	----	----	----	7 UNCH
4515	----	----	----/112.90A	150.50B/112.90A	----	132.10 - 43.60	.2949	----	----	----	----	3 UNCH
4520	----	----	----/114.20A	152.20B/114.20A	----	133.60 - 43.90	.2975	----	----	7	----	9 + 5
4525	----	----	----/115.40A	153.90B/115.40A	----	135.10 - 44.30	.3002	----	----	----	----	74 UNCH
4530	----	----	----/116.80A	155.60B/116.80A	----	136.70 - 44.50	.3029	----	----	----	----	3 UNCH
4535	130.40	130.40	157.20B/118.00A	157.20B/118.00A	----	138.20 - 44.90	.3056	----	----	1	----	2 + 1
4540	140.00	140.00	159.00B/119.50A	159.00B/119.50A	----	139.80 - 45.20	.3083	----	----	1	----	89 UNCH
4545	----	----	----/120.90A	160.80B/120.90A	----	141.30 - 45.60	.3110	----	----	----	----	20 UNCH
4550	----	----	----/122.20A	162.50B/122.20A	----	142.90 - 45.90	.3138	----	----	----	----	63 UNCH
4555	----	----	----/123.70A	164.30B/123.70A	----	144.60 - 46.10	.3166	----	----	----	----	15 UNCH
4560	----	----	----/125.20A	166.10B/125.20A	----	146.20 - 46.40	.3193	----	----	----	----	18 UNCH
4565	----	----	----/126.50A	168.00B/126.50A	----	147.80 - 46.80	.3221	----	----	----	----	105 UNCH
4570	----	----	----/127.90A	169.80B/127.90A	----	149.50 - 47.00	.3249	----	----	----	----	8 UNCH
4575	----	----	----/129.30A	171.60B/129.30A	----	151.10 - 47.40	.3277	----	----	----	----	11 UNCH
4580	----	----	----/130.90A	173.40B/130.90A	----	152.80 - 47.70	.3305	----	----	----	----	4 UNCH
4585	----	----	----/132.30A	175.30B/132.30A	----	154.50 - 48.00	.3333	----	----	----	----	4 UNCH
4590	----	----	----/133.80A	177.30B/133.80A	----	156.30 - 48.30	.3362	----	----	----	----	5 UNCH
4595	146.10	146.10	179.10B/135.40A	179.10B/135.40A	----	158.00 - 48.60	.3391	----	----	15	----	47 + 14
4600	140.60	140.60	181.20B/136.90A	181.20B/136.90A	----	159.70 - 49.00	.3419	----	----	184	----	1210 + 88
4605	----	----	----/138.40A	182.50B/138.40A	----	161.50 - 49.20	.3448	----	----	----	----	1 UNCH
4610	----	----	----/140.10A	184.90B/140.10A	----	163.30 - 49.50	.3477	----	----	----	----	143 UNCH
4615	----	----	----/141.70A	186.90B/141.70A	----	165.10 - 49.80	.3506	----	----	----	----	12 UNCH
4620	----	----	----/143.00A	188.80B/143.00A	----	166.90 - 50.10	.3535	----	----	----	----	45 UNCH
4625	----	----	----/144.80A	190.90B/144.80A	----	168.70 - 50.50	.3564	----	----	----	----	27 UNCH
4635	----	----	----/147.90A	195.00B/147.90A	----	172.40 - 51.10	.3623	----	----	----	----	127 UNCH
4640	----	----	----/149.70A	197.00B/149.70A	----	174.30 - 51.40	.3653	----	----	----	----	51 UNCH
4645	----	----	----/151.40A	199.00B/151.40A	----	176.20 - 51.70	.3683	----	----	----	----	10 UNCH
4650	164.20	164.20	201.10B/153.00A	201.10B/153.00A	----	178.10 - 52.00	.3712	----	----	8	----	120 - 2
4655	----	----	----/154.90A	203.20B/154.90A	----	180.00 - 52.40	.3742	----	----	----	----	2 UNCH
4660	----	----	----/156.50A	205.30B/156.50A	----	182.00 - 52.60	.3772	----	----	----	----	58 UNCH
4665	----	----	----/158.30A	207.60B/158.30A	----	184.00 - 52.90	.3802	----	----	----	----	20 UNCH
4670	----	----	----/160.00A	209.70B/160.00A	----	185.90 - 53.30	.3832	----	----	----	----	100 UNCH
4675	----	----	----/161.70A	212.00B/161.70A	----	187.90 - 53.60	.3863	----	----	----	----	69 UNCH
4680	----	----	----/163.50A	214.00B/163.50A	----	190.00 - 53.90	.3893	----	----	----	----	8 UNCH
4685	----	----	----/165.30A	216.30B/165.30A	----	192.00 - 54.30	.3924	----	----	----	----	6 UNCH
4695	181.80	181.80	220.70B/169.10A	220.70B/169.10A	----	196.10 - 55.00	.3985	----	----	17	----	179 + 17
4700	185.00	185.00	223.20B/169.40	223.20B/169.40	----	198.20 - 55.30	.4015	----	----	167	----	519 + 92
4705	----	----	----/172.60A	225.20B/172.60A	----	200.30 - 55.70	.4046	----	----	----	----	6 UNCH
4710	----	----	----/174.40A	227.50B/174.40A	----	202.40 - 56.00	.4077	----	----	1	----	124 UNCH
4715	----	----	----/176.30A	229.80B/176.30A	----	204.50 - 56.40	.4108	----	----	----	----	1 UNCH
4720	230.80	230.80	230.80/178.20A	232.30B/178.20A	----	206.70 - 56.70	.4139	----	----	3	----	9 UNCH
4725	193.10	193.10	234.50B/180.30A	234.50B/180.30A	----	208.80 - 57.20	.4170	----	----	13	----	205 UNCH
4730	195.50	195.50	236.90B/182.20A	236.90B/182.20A	----	211.00 - 57.50	.4201	----	----	31	----	58 + 31
4735	----	----	----/184.10A	239.20B/184.10A	----	213.20 - 57.80	.4232	----	----	----	----	11 UNCH
4740	199.70	199.70	241.60B/186.20A	241.60B/186.20A	----	215.40 - 58.20	.4263	----	----	45	----	114 - 35
4745	----	----	----/188.20A	244.10B/188.20A	----	217.60 - 58.50	.4294	----	----	----	----	115 UNCH
4750	239.30	239.30	246.60B/190.20A	246.60B/190.20A	----	219.80 - 58.90	.4326	----	----	2	----	408 + 1
4755	----	----	----/192.20A	248.90B/192.20A	----	222.10 - 59.20	.4357	----	----	----	----	9 UNCH
4760	----	----	----/194.00A	251.40B/194.00A	----	224.40 - 59.50	.4388	----	----	----	----	28 UNCH
4765	210.20	210.20	253.80B/196.00A	253.80B/196.00A	----	226.70 - 59.90	.4420	----	----	333	----	302 + 272
4770	----	----	----/198.20A	256.20B/198.20A	----	229.00 - 60.30	.4451	----	----	----	----	1 UNCH
4775	----	----	----/200.20A	258.70B/200.20A	----	231.30 - 60.60	.4483	----	----	----	----	43 UNCH
4780	----	----	----/202.50A	261.30B/202.50A	----	233.70 - 60.90	.4515	----	----	----	----	30 UNCH
4785	208.60	208.60	263.80B/204.50A	263.80B/204.50A	----	236.00 - 61.40	.4546	----	----	3	----	17 + 2
4790	----	----	----/206.70A	266.20B/206.70A	----	238.40 - 61.70	.4578	----	----	----	----	1 UNCH
4795	----	----	----/208.90A	269.10B/208.90A	----	240.80 - 62.10	.4610	----	----	1	----	7 UNCH
4800	210.00	210.00	271.80B/210.00	271.80B/210.00	----	243.20 - 62.40	.4641	----	----	25	----	1278 - 1
4805	----	----	----/213.20A	274.10B/213.20A	----	245.70 - 62.70	.4673	----	----	3	----	1 UNCH
4810	231.00	231.00	277.10B/215.30A	277.10B/215.30A	----	248.10 - 63.10	.4705	----	----	1	----	7 + 1
4815	----	----	----/217.60A	279.50B/217.60A	----	250.60 - 63.40	.4737	----	----	----	----	1 UNCH
4820	229.70	229.70	282.50B/219.90A	282.50B/219.90A	----	253.10 - 63.80	.4769	----	----	10	----	101 - 1
4825	237.30	237.30	285.10B/222.00A	285.10B/222.00A	----	255.60 - 64.10	.4800	----	----	3	----	3 + 2
4830	269.90	269.90	287.20B/224.70A	287.20B/224.70A	----	258.10 NEW	.4832	----	----	1	----	1 + 1
4840	----	----	----/229.40A	293.20B/229.40A	----	263.10 - 65.30	.4896	----	----	2	----	8 UNCH
4845	----	----	----/231.40A	296.00B/231.40A	----	265.70 - 65.60	.4928	----	----	----	----	69 UNCH
4850	258.30	258.30	298.80B/234.00A	298.80B/234.00A	----	268.30 - 65.90	.4960	----	----	2	----	215 + 1
4860	----	----	----/238.70A	304.00B/238.70A	----	273.50 - 66.60	.5023	----	----	----	----	1 UNCH
4865	----	----	----/240.80A	306.90B/240.80A	----	276.20 - 66.80	.5055	----	----	----	----	2 UNCH
4870	----	----	----/243.40A	309.90B/243.40A	----	278.80 - 67.20	.5087	----	----	----	----	318 UNCH
4875	----	----	----/245.70A	313.10B/245.70A	----	281.50 - 67.50	.5119	----	----	----	----	70 UNCH
4880	----	----	----/248.20A	315.80B/248.20A	----	284.20 - 67.80	.5151	----	----	----	----	11 UNCH
4890	----	----	----/253.20A	321.40B/253.20A	----	289.70 - 68.40	.5214	----	----	----	----	3 UNCH
4895	----	----	----/256.00A	324.60B/256.00A	----	292.40 - 68.80	.5245	----	----	----	----	61 UNCH
4900	----	----	----/258.50A	327.50B/258.50A	----	295.20 - 69.00	.5277	----	----	1	----	262 + 1
4905	263.00	263.00	330.80B/260.80A	330.80B/260.80A	----	298.10 - 69.20	.5309	----	----	50	----	54 + 49
4910	----	----	----/263.20A	333.20B/263.20A	----	300.90 - 69.50	.5340	----	----	----	----	2 UNCH
4915	277.30	277.30	336.70B/266.20A	336.70B/266.20A	----	303.80 - 69.70	.5371	----	----	100	----	105 + 99
4920	----	----	----/268.40A	339.80B/268.40A	----	306.70 - 70.00	.5403	----	----	----	----	22 UNCH
4925	----	----	----/271.40A	342.60B/271.40A	----	309.60 - 70.20	.5434	----	----	----	----	11 UNCH
4930	281.70	281.70	345.60B/273.70A	345.60B/273.70A	----	312.50 - 70.50	.5465	----	----	50	----	52 + 50
4935	----	----	----/276.60A	348.60B/276.60A	----	315.50 - 70.70	.5496	----	----	----	----	4 UNCH
4940	----	----	----/279.40A	351.50B/279.40A	----	318.40 - 71.00	.5527	----	----	----	----	11 UNCH
4950	----	----	----/284.80A	357.60B/284.80A	----	324.40 - 71.40	.5589	----	----	----	----	106 UNCH
4975	----	----	----/298.30A	372.90B/298.30A	----	339.70 - 72.50	.5742	----	----	----	----	2 UNCH
4980	----	----	----/301.10A	376.80B/301.10A	----	342.80 - 72.70	.5773	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4985	----	----	----/303.70A	380.00B/303.70A	----	345.90 - 73.00	.5803	----	----	----	----	104 UNCH
4990	----	----	----/306.60A	382.40B/306.60A	----	349.00 - 73.20	.5833	----	----	----	----	2 UNCH
4995	353.00	353.00	385.80B/309.40A	385.80B/309.40A	----	352.10 - 73.50	.5863	----	----	9	----	12 + 4
5000	318.20	318.20	389.10B/312.30A	389.10B/312.30A	----	355.30 - 73.70	.5893	----	----	1	----	553 UNCH
5005	----	----	----/315.30A	392.60B/315.30A	----	358.50 - 73.90	.5923	----	----	----	----	12 UNCH
5010	----	----	----/318.20A	395.80B/318.20A	----	361.70 - 74.10	.5953	----	----	----	----	9 UNCH
5015	----	----	----/321.60A	399.00B/321.60A	----	364.90 - 74.30	.5983	----	----	----	----	20 UNCH
5020	----	----	----/326.20A	402.50B/326.20A	----	368.10 - 74.60	.6013	----	----	----	----	5 UNCH
5025	----	----	----/329.20A	405.90B/329.20A	----	371.30 - 74.80	.6043	----	----	----	----	150 UNCH
5030	----	----	----/332.30A	409.30B/332.30A	----	374.50 - 75.10	.6072	----	----	----	----	8 UNCH
5035	----	----	----/335.20A	412.80B/335.20A	----	377.80 - 75.30	.6102	----	----	----	----	37 UNCH
5045	----	----	----/341.20A	419.40B/341.20A	----	384.30 - 75.80	.6161	----	----	----	----	5 UNCH
5050	----	----	----/344.30A	423.30B/344.30A	----	387.60 - 76.10	.6190	----	----	----	----	79 UNCH
5055	----	----	----/347.30A	426.40B/347.30A	----	391.00 - 76.20	.6219	----	----	----	----	3 UNCH
5065	----	----	----/353.50A	433.40B/353.50A	----	397.60 - 76.80	.6277	----	----	3	----	11 + 1
5075	----	----	----/358.00A	440.40B/358.00A	----	404.40 - 77.20	.6334	----	----	----	----	6 UNCH
5080	----	----	----/362.80A	443.90B/362.80A	----	407.80 - 77.40	.6363	----	----	----	----	2 UNCH
5085	----	----	----/364.00A	447.60B/364.00A	----	411.20 - 77.60	.6392	----	----	----	----	21 UNCH
5090	----	----	----/369.00A	451.10B/369.00A	----	414.60 - 77.90	.6420	----	----	----	----	6 UNCH
5095	----	----	----/372.30A	454.70B/372.30A	----	418.00 - 78.10	.6448	----	----	----	----	42 UNCH
5100	----	----	----/375.30A	458.30B/375.30A	----	421.40 - 78.40	.6476	----	----	----	----	106 UNCH
5105	----	----	----/376.30A	461.90B/376.30A	----	424.90 - 78.60	.6504	----	----	----	----	22 UNCH
5110	----	----	----/381.60A	465.50B/381.60A	----	428.40 - 78.80	.6532	----	----	----	----	16 UNCH
5115	----	----	----/384.80A	469.20B/384.80A	----	431.90 - 79.00	.6560	----	----	----	----	37 UNCH
5120	----	----	----/388.40A	472.80B/388.40A	----	435.40 - 79.30	.6588	----	----	----	----	14 UNCH
5125	----	----	----/391.50A	476.60B/391.50A	----	438.90 - 79.50	.6615	----	----	----	----	37 UNCH
5130	----	----	----/394.90A	480.10B/394.90A	----	442.40 - 79.80	.6643	----	----	----	----	23 UNCH
5135	----	----	----/398.10A	484.30B/398.10A	----	446.00 - 79.90	.6670	----	----	----	----	9 UNCH
5140	----	----	----/401.30A	487.60B/401.30A	----	449.50 - 80.20	.6697	----	----	----	----	19 UNCH
5145	----	----	----/401.70A	491.20B/401.70A	----	453.10 - 80.40	.6724	----	----	----	----	2 UNCH
5150	----	----	----/404.90A	495.00B/404.90A	----	456.70 - 80.60	.6751	----	----	----	----	233 UNCH
5155	----	----	----/411.10A	498.70B/411.10A	----	460.30 - 80.80	.6777	----	----	----	----	42 UNCH
5160	----	----	----/414.40A	502.60B/414.40A	----	463.90 - 81.00	.6804	----	----	----	----	42 UNCH
5170	----	----	----/421.00A	506.50B/421.00A	----	471.20 - 81.40	.6858	----	----	----	----	51 UNCH
5175	----	----	----/424.30A	510.30B/424.30A	----	474.90 - 81.60	.6884	----	----	----	----	61 UNCH
5180	----	----	----/427.60A	514.20B/427.60A	----	478.50 - 81.90	.6910	----	----	----	----	10 UNCH
5185	----	----	----/431.00A	518.00B/431.00A	----	482.20 - 82.10	.6935	----	----	----	----	103 UNCH
5190	----	----	----/434.30A	521.90B/434.30A	----	485.90 - 82.30	.6961	----	----	----	----	19 UNCH
5200	----	----	----/441.10A	529.50B/441.10A	----	493.40 - 82.60	.7012	----	----	----	----	64 UNCH
5225	----	----	----/458.30A	548.90B/458.30A	----	512.20 - 83.60	.7136	----	----	----	----	42 UNCH
5230	----	----	----/461.80A	501.50B/461.80A	----	516.00 - 83.80	.7161	----	----	----	----	2 UNCH
5235	----	----	----/465.30A	556.70B/465.30A	----	519.90 - 83.90	.7185	----	----	----	----	23 UNCH
5245	----	----	----/472.30A	507.50B/472.30A	----	527.60 - 84.20	.7234	----	----	----	----	2 UNCH
5250	----	----	----/475.90A	568.60B/475.90A	----	531.40 - 84.40	.7257	----	----	----	----	14 UNCH
5255	----	----	----/479.40A	572.70B/479.40A	----	535.30 - 84.60	.7280	----	----	----	----	14 UNCH
5285	----	----	----/500.90A	514.20B/500.90A	----	558.90 - 85.40	.7418	----	----	----	----	2 UNCH
5290	----	----	----/504.60A	600.80B/504.60A	----	562.90 - 85.50	.7441	----	----	----	----	4 UNCH
5295	----	----	----/508.20A	520.10B/508.20A	----	566.80 - 85.80	.7463	----	----	----	----	2 UNCH
5300	----	----	----/511.90A	609.00B/511.90A	----	570.80 - 85.90	.7485	----	----	----	----	67 UNCH
5315	----	----	----/523.00A	621.30B/523.00A	----	582.90 - 86.20	.7550	----	----	----	----	10 UNCH
5325	----	----	----/530.40A	533.10B/530.40A	----	591.00 - 86.50	.7593	----	----	----	----	1 UNCH
5350	----	----	----/575.60A	650.30B/575.60A	----	611.40 - 87.10	.7696	----	----	----	----	8 UNCH
5375	----	----	----/595.70A	671.30B/595.70A	----	632.10 - 87.60	.7796	----	----	----	----	7 UNCH
5390	----	----	----/607.60A	683.90B/607.60A	----	644.60 - 88.00	.7856	----	----	----	----	5 UNCH
5400	----	----	----/611.40A	695.00B/611.40A	----	653.00 - 88.20	.7893	----	----	----	----	602 UNCH
5410	----	----	----	489.50B/828.90A	----	661.40 - 88.40	.7931	----	----	----	----	1 UNCH
5440	----	----	----	516.70B/852.20A	----	686.90 - 88.90	.8039	----	----	----	----	1 UNCH
5475	----	----	----/677.10A	757.40B/677.10A	----	717.00 - 89.60	.8160	----	----	----	----	6 UNCH
5500	----	----	----/697.70A	779.40B/697.70A	----	738.70 - 90.00	.8240	----	----	----	----	3 UNCH
5505	----	----	----	576.80B/903.60A	----	743.10 - 90.10	.8256	----	----	----	----	1 UNCH
5510	----	----	----	581.50B/907.70A	----	747.40 - 90.20	.8272	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1299.10 - 93.50	.9350	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1323.40 - 93.50	.9374	----	----	----	----	2 UNCH
TOTAL										3738		28299 - 995
AUG26												
2300	----	----	----	1.50B/2.70A	----	1.50 - 1.00	.0032	----	----	----	----	31 UNCH
2325	----	----	----/2.70A	1.50B/2.70A	----	1.80 - 1.10	.0038	----	----	----	----	1 UNCH
2350	----	----	----/2.80A	1.60B/2.80A	----	1.80 - 1.10	.0038	----	----	----	----	2 UNCH
2375	----	----	----	1.70B/3.00A	----	1.80 - 1.20	.0039	----	----	----	----	7 UNCH
2400	----	----	----/3.00A	1.80B/3.00A	----	1.90 - 1.20	.0041	----	----	----	----	5 UNCH
2425	----	----	----/3.00A	1.80B/3.00A	----	2.10 - 1.20	.0045	----	----	----	----	1 UNCH
2475	----	----	----/3.20A	2.00B/3.20A	----	2.40 - 1.20	.0052	----	----	----	----	5 UNCH
2500	----	----	----/3.30A	2.20B/3.30A	----	2.50 - 1.20	.0054	----	----	----	----	2 UNCH
2570	----	----	----/3.60A	2.40B/3.60A	----	3.00 - 1.20	.0065	----	----	----	----	9 UNCH
2580	----	----	----/3.60A	2.50B/3.60A	----	3.00 - 1.30	.0066	----	----	----	----	1 UNCH
2590	----	----	----/3.60A	2.50B/3.60A	----	3.10 - 1.30	.0068	----	----	----	----	2 UNCH
2600	----	----	----/3.70A	2.60B/3.70A	----	3.10 - 1.40	.0068	----	----	----	----	2 UNCH
2615	----	----	----/3.80A	2.70B/3.80A	----	3.20 - 1.40	.0071	----	----	----	----	1 UNCH
2625	----	----	----/3.90A	2.70B/3.90A	----	3.30 - 1.40	.0073	----	----	----	----	2 UNCH
2640	----	----	----/4.00A	2.80B/4.00A	----	3.30 - 1.50	.0073	----	----	----	----	1 UNCH
2685	----	----	----/4.20A	3.00B/4.20A	----	3.60 - 1.60	.0080	----	----	----	----	1 UNCH
2690	----	----	----/4.30A	3.10B/4.30A	----	3.60 - 1.60	.0081	----	----	----	----	1 UNCH
2730	----	----	----/4.60A	3.30B/4.60A	----	3.80 - 1.80	.0086	----	----	----	----	1 UNCH
2745	----	----	----/4.60A	3.40B/4.60A	----	3.90 - 1.90	.0089	----	----	----	----	1 UNCH
2750	----	----	----/4.60A	3.50B/4.60A	----	3.90 - 1.90	.0089	----	----	----	----	4 UNCH
2800	----	----	----/4.90A	3.90B/4.90A	----	4.30 - 2.10	.0099	----	----	----	----	30 UNCH
2860	----	----	----/5.40A	4.40B/5.40A	----	4.90 - 2.30	.0113	----	----	----	----	1 UNCH
2950	----	----	----/6.30A	5.30B/6.30A	----	5.80 - 3.00	.0135	----	----	----	----	8 UNCH
3000	----	----	----/6.90A	5.90B/6.90A	----	6.40 - 3.30	.0150	----	----	----	----	262 UNCH
3005	----	----	----/7.00A	5.90B/7.00A	----	6.50 - 3.30	.0152	----	----	----	----	5 UNCH
3010	----	----	----/7.10A	6.00B/7.10A	----	6.60 - 3.30	.0154	----	----	----	----	1 UNCH
3015	----	----	----/7.10A	6.10B/7.10A	----	6.60 - 3.40	.0155	----	----	----	----	1 UNCH
3025	----	----	----/7.20A	6.20B/7.20A	----	6.70 - 3.50	.0157	----	----	----	----	5 UNCH
3040	----	----	----/7.40A	6.40B/7.40A	----	6.90 - 3.60	.0162	----	----	----	----	1 UNCH
3065	----	----	----/7.80A	6.80B/7.80A	----	7.30 - 3.70	.0172	----	----	----	----	1 UNCH
3090	----	----	----/8.10A	7.10B/8.10A	----	7.70 - 3.90	.0181	----	----	----	----	1 UNCH
3095	----	----	----/8.20A	7.20B/8.20A	----	7.70 - 4.00	.0182	----	----	----	----	1 UNCH
3100	----	----	----/8.30A	7.40B/8.30A	----	7.80 - 4.00	.0184	----	----	----	----	137 UNCH
3110	----	----	----/8.50A	7.50B/8.50A	----	8.00 - 4.00	.0189	----	----	----	----	15 UNCH
3120	----	----	----/8.60A	7.60B/8.60A	----	8.10 - 4.20	.0192	----	----	----	----	29 UNCH
3130	----	----	----/8.80A	7.90B/8.80A	----	8.30 - 4.20	.0196	----	----	----	----	5 UNCH
3150	----	----	----/9.10A	8.20B/9.10A	----	8.60 - 4.40	.0204	----	----	----	----	10 UNCH
3155	----	----	----/9.20A	8.20B/9.20A	----	8.70 - 4.50	.0206	----	----	----	----	3 UNCH
3160	----	----	----/9.30A	8.30B/9.30A	----	8.80 - 4.50	.0209	----	----	----	----	1 UNCH
3170	----	----	----/9.40A	8.50B/9.40A	----	9.00 - 4.60	.0213	----	----	----	----	1 UNCH
3180	----	----	----/9.60A	8.70B/9.60A	----	9.20 - 4.60	.0218	----	----	----	----	25 UNCH
3185	----	----	----/9.70A	8.80B/9.70A	----	9.20 - 4.80	.0219	----	----	----	----	1 UNCH
3190	----	----	----/9.80A	8.90B/9.80A	----	9.30 - 4.80	.0221	----	----	----	----	881 UNCH
3195	----	----	----/9.90A	9.00B/9.90A	----	9.40 - 4.90	.0224	----	----	----	----	1 UNCH
3200	----	----	----/9.90A	9.20B/9.90A	----	9.50 - 4.90	.0226	----	----	----	----	406 UNCH
3250	----	----	----/10.90A	10.30B/10.90A	----	10.60 - 5.40	.0253	----	----	----	----	405 UNCH
3260	----	----	----/11.20A	10.90B/11.20A	----	10.80 - 5.50	.0258	----	----	----	----	30 UNCH
3300	----	----	----/12.00A	11.50B/12.00A	----	11.80 - 6.00	.0281	----	----	----	----	157 UNCH
3350	----	----	----/13.20A	13.10B/13.20A	----	13.10 - 6.70	.0313	----	----	----	----	371 UNCH
3370	----	----	----/13.90A	13.60B/13.90A	----	13.70 - 6.90	.0327	----	----	----	----	1 UNCH
3375	----	----	----/14.00A	13.80B/14.00A	----	13.90 - 7.00	.0331	----	----	----	----	15 UNCH
3380	----	----	----/14.10A	14.00B/14.10A	----	14.10 - 7.00	.0336	----	----	----	----	1 UNCH
3390	----	----	----/14.40A	14.50B/14.40A	----	14.40 - 7.10	.0343	----	----	----	----	1 UNCH
3400	----	----	----/14.70A	14.60B/14.70A	----	14.70 - 7.30	.0350	----	----	----	----	23 UNCH
3405	----	----	----/14.90A	15.00B/14.90A	----	14.90 - 7.40	.0354	----	----	----	----	4 UNCH
3450	----	----	----/16.30A	16.70B/16.30A	----	16.40 - 8.10	.0390	----	----	----	----	1 UNCH
3465	----	----	----/16.90A	17.00B/16.90A	----	17.00 - 8.30	.0404	----	----	----	----	6 UNCH
3470	----	----	----/17.00A	17.10B/17.00A	----	17.20 - 8.40	.0408	----	----	----	----	1 UNCH
3495	----	----	----/17.90A	18.20B/17.90A	----	18.20 - 8.90	.0431	----	----	----	----	1 UNCH
3500	20.00	20.00	20.00/18.10A	20.00/18.10A	----	18.40 - 8.90	.0436	----	----	101	----	1022 + 101
3505	----	----	----/18.30A	18.80B/18.30A	----	18.60 - 9.00	.0441	----	----	----	----	1 UNCH
3510	----	----	----/18.50A	18.90B/18.50A	----	18.80 - 9.10	.0445	----	----	----	----	50 UNCH
3520	----	----	----/18.80A	20.00B/18.80A	----	19.30 - 9.30	.0456	----	----	----	----	210 UNCH
3525	----	----	----/19.10A	20.90B/19.10A	----	19.50 - 9.40	.0461	----	----	----	----	60 UNCH
3545	----	----	----/19.90A	22.40B/19.90A	----	20.40 - 9.80	.0482	----	----	----	----	9 UNCH
3550	----	----	----/20.10A	22.50B/20.10A	----	20.60 - 9.90	.0486	----	----	----	----	115 UNCH
3570	----	----	----/20.90A	23.70B/20.90A	----	21.60 - 10.20	.0509	----	----	----	----	32 UNCH
3575	----	----	----/21.10A	24.50B/21.10A	----	21.90 - 10.30	.0515	----	----	----	----	20 UNCH
3585	----	----	----/21.40A	27.40B/21.40A	----	22.40 - 10.50	.0526	----	----	----	----	50 UNCH
3600	----	----	----/22.00A	28.40B/22.00A	----	23.10 - 10.90	.0543	----	----	101	----	551 + 101
3610	----	----	----/22.50A	28.90B/22.50A	----	23.70 - 11.00	.0556	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3630	----	----	----/23.50A	30.40B/23.50A	----	24.80 - 11.40	.0580	----	----	----	----	8 UNCH
3645	----	----	----/23.50A	31.30B/23.50A	----	25.70 - 11.70	.0600	----	----	----	----	22 UNCH
3650	----	----	----/23.60A	31.80B/23.60A	----	26.00 - 11.80	.0607	----	----	----	----	40 UNCH
3655	----	----	----/23.90A	32.00B/23.90A	----	26.30 - 11.90	.0613	----	----	----	----	55 UNCH
3660	----	----	----/24.30A	32.40B/24.30A	----	26.60 - 12.10	.0620	----	----	----	----	9 UNCH
3665	----	----	----/24.60A	32.70B/24.60A	----	26.90 - 12.20	.0626	----	----	----	----	1 UNCH
3675	----	----	----/25.10A	33.50B/25.10A	----	27.50 - 12.40	.0640	----	----	----	----	24 UNCH
3690	----	----	----/25.90A	34.60B/25.90A	----	28.40 - 12.80	.0660	----	----	----	----	10 UNCH
3700	----	----	----/26.40A	35.40B/26.40A	----	29.10 - 13.00	.0675	----	----	----	----	221 UNCH
3705	----	----	----/26.70A	35.80B/26.70A	----	29.40 - 13.10	.0682	----	----	----	----	20 UNCH
3715	----	----	----/27.30A	36.60B/27.30A	----	30.10 - 13.40	.0697	----	----	----	----	30 UNCH
3725	----	----	----/27.90A	37.40B/27.90A	----	30.80 - 13.60	.0712	----	----	----	----	4 UNCH
3730	----	----	----/28.20A	37.90B/28.20A	----	31.20 - 13.70	.0720	----	----	----	----	10 UNCH
3750	----	----	----/29.40A	39.60B/29.40A	----	32.60 - 14.20	.0751	----	----	10	----	77 + 9
3765	----	----	----/30.50A	40.80B/30.50A	----	33.70 - 14.60	.0775	----	----	----	----	100 UNCH
3770	----	----	----/30.80A	41.30B/30.80A	----	34.10 - 14.70	.0783	----	----	----	----	4 UNCH
3775	----	----	----/31.20A	41.70B/31.20A	----	34.50 - 14.80	.0792	----	----	----	----	12 UNCH
3795	----	----	----/32.50A	43.60B/32.50A	----	36.10 - 15.30	.0826	----	----	----	----	80 UNCH
3800	----	----	----/32.80A	44.10B/32.80A	----	36.50 - 15.50	.0834	----	----	----	----	317 UNCH
3805	----	----	----/33.20A	44.60B/33.20A	----	36.90 - 15.60	.0843	----	----	----	----	4 UNCH
3810	----	----	----/33.60A	45.10B/33.60A	----	37.40 - 15.70	.0853	----	----	----	----	50 UNCH
3815	----	----	----/33.90A	45.50B/33.90A	----	37.80 - 15.80	.0862	----	----	----	----	150 UNCH
3820	----	----	----/34.30A	46.10B/34.30A	----	38.20 - 16.00	.0870	----	----	----	----	52 UNCH
3825	----	----	----/34.70A	46.60B/34.70A	----	38.70 - 16.10	.0880	----	----	----	----	51 UNCH
3835	----	----	----/35.50A	47.60B/35.50A	----	39.50 - 16.40	.0898	----	----	----	----	10 UNCH
3850	----	----	----/36.60A	49.10B/36.60A	----	40.90 - 16.80	.0927	----	----	10	125	86 - 44
3855	----	----	----/37.00A	49.70B/37.00A	----	41.40 - 16.90	.0937	----	----	----	----	3 UNCH
3875	----	----	----/38.70A	51.90B/38.70A	----	43.30 - 17.40	.0976	----	----	----	----	10 UNCH
3880	----	----	----/39.10A	52.40B/39.10A	----	43.80 - 17.60	.0987	----	----	----	----	297 UNCH
3890	----	----	----/40.00A	53.60B/40.00A	----	44.70 - 18.00	.1006	----	----	----	----	73 UNCH
3900	45.10	45.10	45.10/40.90A	54.80B/40.90A	----	45.80 - 18.20	.1028	----	----	1	----	306 UNCH
3910	----	----	----/41.80A	56.00B/41.80A	----	46.80 - 18.50	.1049	----	----	----	----	1 UNCH
3925	----	----	----/43.20A	57.80B/43.20A	----	48.40 - 19.00	.1081	----	----	----	----	10 UNCH
3930	----	----	----/43.60A	58.50B/43.60A	----	48.90 - 19.10	.1092	----	----	----	----	38 UNCH
3950	----	----	----/45.60A	61.00B/45.60A	----	51.20 - 19.70	.1138	----	----	----	----	246 UNCH
3965	----	----	----/47.10A	62.90B/47.10A	----	52.90 - 20.20	.1172	----	----	----	----	14 UNCH
3975	----	----	----/48.10A	64.30B/48.10A	----	54.10 - 20.50	.1196	----	----	----	----	267 UNCH
3980	----	----	----/48.60A	65.00B/48.60A	----	54.70 - 20.70	.1208	----	----	----	----	46 UNCH
3985	----	----	----/49.20A	65.60B/49.20A	----	55.30 - 20.90	.1220	----	----	1	----	2 + 1
3990	----	----	----/49.70A	66.40B/49.70A	----	55.90 - 21.00	.1232	----	----	1	----	44 UNCH
3995	----	----	----/50.20A	67.00B/50.20A	----	56.60 - 21.10	.1245	----	----	----	----	4 UNCH
4000	57.70	57.70	57.70/50.80A	67.70B/50.80A	----	57.20 - 21.30	.1257	----	----	1	125	1179 - 74
4005	----	----	----/51.40A	68.50B/51.40A	----	57.80 - 21.50	.1269	----	----	----	----	3 UNCH
4010	----	----	----/51.90A	69.30B/51.90A	----	58.50 - 21.60	.1283	----	----	----	----	78 UNCH
4025	----	----	----/53.60A	71.40B/53.60A	----	60.40 - 22.20	.1320	----	----	----	----	90 UNCH
4030	----	----	----/54.20A	72.20B/54.20A	----	61.10 - 22.40	.1334	----	----	----	----	50 UNCH
4040	----	----	----/55.40A	73.70B/55.40A	----	62.50 - 22.70	.1360	----	----	----	----	15 UNCH
4045	----	----	----/56.00A	74.50B/56.00A	----	63.20 - 22.80	.1374	----	----	----	----	30 UNCH
4050	----	----	----/56.60A	75.30B/56.60A	----	63.90 - 23.00	.1387	----	----	----	----	299 UNCH
4075	----	----	----/59.80A	79.20B/59.80A	----	67.50 - 23.90	.1456	----	----	----	----	5 UNCH
4085	77.20	77.20	77.20/61.10A	80.40B/61.10A	----	69.00 - 24.30	.1485	----	----	22	----	28 + 22
4095	----	----	----/62.50A	82.60B/62.50A	----	70.50 - 24.70	.1513	----	----	----	----	4 UNCH
4100	----	----	----/63.00A	83.40B/63.00A	----	71.30 - 24.80	.1528	----	----	----	----	90 UNCH
4110	----	----	----/64.40A	85.10B/64.40A	----	72.80 - 25.30	.1557	----	----	----	----	1 UNCH
4115	----	----	----/65.10A	86.20B/65.10A	----	73.60 - 25.50	.1572	----	----	----	----	6 UNCH
4120	----	----	----/65.90A	87.10B/65.90A	----	74.40 - 25.70	.1587	----	----	----	----	1 UNCH
4130	----	----	----/67.20A	88.90B/67.20A	----	76.10 - 26.00	.1618	----	----	----	----	5 UNCH
4135	----	----	----/67.90A	89.60B/67.90A	----	76.90 - 26.20	.1633	----	----	----	----	20 UNCH
4140	----	----	----/68.70A	90.70B/68.70A	----	77.70 - 26.40	.1648	----	----	----	----	1 UNCH
4145	----	----	----/69.40A	91.50B/69.40A	----	78.60 - 26.60	.1664	----	----	----	----	20 UNCH
4150	----	----	----/70.10A	92.50B/70.10A	----	79.40 - 26.80	.1679	----	----	----	----	329 UNCH
4160	78.60	78.60	78.60/71.60A	94.50B/71.60A	----	81.10 - 27.30	.1711	----	----	2	----	56 UNCH
4165	----	----	----/72.40A	95.40B/72.40A	----	82.00 - 27.50	.1727	----	----	----	----	100 UNCH
4170	----	----	----/73.20A	96.40B/73.20A	----	82.90 - 27.70	.1743	----	----	----	----	77 UNCH
4175	----	----	----/73.90A	97.30B/73.90A	----	83.80 - 27.90	.1760	----	----	----	----	25 UNCH
4180	----	----	----/74.70A	98.40B/74.70A	----	84.70 - 28.10	.1776	----	----	----	----	91 UNCH
4185	----	----	----/75.60A	99.40B/75.60A	----	85.60 - 28.30	.1792	----	----	----	----	40 UNCH
4190	----	----	----/76.40A	100.40B/76.40A	----	86.50 - 28.50	.1809	----	----	----	----	140 UNCH
4195	----	----	----/77.30A	101.40B/77.30A	----	87.50 - 28.70	.1826	----	----	----	----	143 UNCH
4200	----	----	----/77.90A	102.40B/77.90A	----	88.40 - 28.90	.1843	----	----	----	----	176 UNCH
4205	----	----	----/78.90A	103.50B/78.90A	----	89.40 - 29.10	.1860	----	----	----	----	13 UNCH
4215	----	----	----/80.40A	105.50B/80.40A	----	91.30 - 29.50	.1894	----	----	----	----	1 UNCH
4220	----	----	----/81.30A	106.60B/81.30A	----	92.30 - 29.70	.1912	----	----	----	----	9 UNCH
4225	----	----	----/82.30A	107.70B/82.30A	----	93.20 - 30.10	.1928	----	----	----	----	1 UNCH
4230	----	----	----/83.10A	108.80B/83.10A	----	94.20 - 30.30	.1946	----	----	----	----	10 UNCH
4245	----	----	----/85.70A	112.00B/85.70A	----	97.30 - 30.90	.2000	----	----	----	----	32 UNCH
4250	97.80	97.80	97.80/86.60A	113.20B/86.60A	----	98.30 - 31.10	.2017	----	----	63	----	175 - 38
4255	----	----	----/87.50A	114.30B/87.50A	----	99.40 - 31.30	.2036	----	----	----	----	883 UNCH
4260	----	----	----/88.40A	115.40B/88.40A	----	100.40 - 31.60	.2054	----	----	----	----	8 UNCH
4270	----	----	----/90.40A	117.70B/90.40A	----	102.50 - 32.10	.2090	----	----	----	----	3 UNCH
4285	----	----	----/93.20A	121.20B/93.20A	----	105.80 - 32.80	.2146	----	----	----	----	170 UNCH
4290	----	----	----/94.10A	122.50B/94.10A	----	106.90 - 33.00	.2165	----	----	----	----	2 UNCH
4295	----	----	----/95.10A	123.60B/95.10A	----	108.10 - 33.20	.2185	----	----	----	----	2 UNCH
4300	105.00	105.00	105.70/96.20A	124.90B/96.20A	----	109.20 - 33.50	.2204	----	----	30	----	437 - 10
4305	----	----	----/97.10A	126.10B/97.10A	----	110.30 - 33.80	.2223	----	----	----	----	100 UNCH
4310	----	----	----/98.10A	127.40B/98.10A	----	111.50 - 34.00	.2243	----	----	----	----	1 UNCH
4320	----	----	----/100.10A	129.90B/100.10A	----	113.80 - 34.50	.2281	----	----	----	----	5 UNCH
4325	----	----	----/101.30A	131.20B/101.30A	----	115.00 - 34.70	.2301	----	----	----	----	275 UNCH
4330	110.00	110.00	110.00/102.20A	132.40B/102.20A	----	116.20 - 35.00	.2321	----	----	1	----	101 UNCH
4340	----	----	----/104.40A	135.00B/104.40A	----	118.60 - 35.50	.2361	----	----	----	----	1 UNCH
4350	----	----	----/106.50A	137.70B/106.50A	----	121.10 - 36.00	.2402	----	----	----	----	632 UNCH
4355	----	----	----/107.70A	139.00B/107.70A	----	122.40 - 36.20	.2422	----	----	----	----	2 UNCH
4360	----	----	----/108.70A	140.40B/108.70A	----	123.60 - 36.50	.2442	----	----	----	----	50 UNCH
4365	----	----	----/109.90A	141.70B/109.90A	----	124.90 - 36.70	.2463	----	----	----	----	100 UNCH
4380	----	----	----/113.50A	145.90B/113.50A	----	128.80 - 37.50	.2526	----	----	----	----	1 UNCH
4390	----	----	----/115.60A	148.70B/115.60A	----	131.40 - 38.10	.2568	----	----	----	----	6 UNCH
4395	----	----	----/117.00A	150.10B/117.00A	----	132.80 - 38.30	.2590	----	----	----	----	1 UNCH
4400	126.10	126.10	126.10/118.00A	151.60B/118.00A	----	134.10 - 38.60	.2611	----	----	23	----	837 + 11
4410	----	----	----/120.50A	154.50B/120.50A	----	136.90 - 39.10	.2654	----	----	----	----	1 UNCH
4415	----	----	----/121.70A	156.00B/121.70A	----	138.30 - 39.30	.2676	----	----	----	----	6 UNCH
4420	----	----	----/123.00A	157.50B/123.00A	----	139.70 - 39.60	.2698	----	----	----	----	2 UNCH
4425	----	----	----/124.10A	159.00B/124.10A	----	141.10 - 39.90	.2720	----	----	----	----	3 UNCH
4435	----	----	----/126.80A	161.90B/126.80A	----	144.00 - 40.40	.2764	----	----	----	----	6 UNCH
4440	----	----	----/128.00A	162.50B/128.00A	----	145.40 - 40.70	.2786	----	----	----	----	37 UNCH
4450	141.60	141.60	141.60/130.50A	166.60B/130.50A	----	148.30 - 41.30	.2831	----	----	3	----	325 + 3
4455	----	----	----/132.00A	168.10B/132.00A	----	149.80 - 41.50	.2853	----	----	----	----	1 UNCH
4460	----	----	----/133.20A	169.50B/133.20A	----	151.30 - 41.80	.2876	----	----	----	----	4 UNCH
4465	----	----	----/134.60A	170.90B/134.60A	----	152.90 - 42.00	.2899	----	----	----	----	10 UNCH
4470	----	----	----/136.10A	172.70B/136.10A	----	154.40 - 42.30	.2922	----	----	----	----	14 UNCH
4475	146.60	146.60	146.60/137.20A	174.00B/137.20A	----	155.90 - 42.60	.2945	----	----	1	----	15 UNCH
4480	----	----	----/138.60A	176.20B/138.60A	----	157.50 - 42.80	.2968	----	----	----	----	8 UNCH
4485	164.50	164.50	164.50/140.20A	176.80B/140.20A	----	159.00 - 43.10	.2991	----	----	1	----	10 + 1
4490	----	----	----/141.50A	179.40B/141.50A	----	160.60 - 43.30	.3015	----	----	----	----	3 UNCH
4500	152.00	152.00	181.80B/144.20A	181.80B/144.20A	----	163.80 - 43.90	.3062	----	----	22	----	844 + 3
4505	----	----	----/145.80A	183.20B/145.80A	----	165.40 - 44.20	.3085	----	----	----	----	3 UNCH
4515	----	----	----/148.70A	187.00B/148.70A	----	168.70 NEW	.3133	----	----	1	----	1 + 1
4525	----	----	----/151.50A	190.40B/151.50A	----	172.10 NEW	.3181	----	----	1	----	1 + 1
4535	----	----	----/154.70A	194.20B/154.70A	----	175.40 - 45.70	.3229	----	----	----	----	10 UNCH
4545	----	----	----/157.80A	197.90B/157.80A	----	178.90 - 46.20	.3278	----	----	----	----	21 UNCH
4550	----	----	----/159.30A	199.80B/159.30A	----	180.60 - 46.50	.3302	----	----	----	----	2 UNCH
4560	----	----	----/162.50A	203.70B/162.50A	----	184.10 - 47.00	.3351	----	----	----	----	3 UNCH
4570	----	----	----/165.70A	207.60B/165.70A	----	187.70 - 47.60	.3401	----	----	----	----	2 UNCH
4575	----	----	----/167.20A	209.50B/167.20A	----	189.50 - 47.80	.3425	----	----	----	----	3 UNCH
4580	----	----	----/169.00A	211.10B/169.00A	----	191.40 - 48.00	.3451	----	----	----	----	150 UNCH
4585	----	----	----/171.00A	213.10B/171.00A	----	193.20 - 48.30	.3475	----	----	----	----	2 UNCH
4590	----	----	----/172.90A	215.10B/172.90A	----	195.00 - 48.60	.3500	----	----	----	----	6 UNCH
4600	----	----	----/176.10A	219.40B/176.10A	----	198.80 - 49.10	.3551	----	----	2	----	354 + 2
4605	----	----	----/178.00A	221.40B/178.00A	----	200.70 - 49.40	.3576	----	----	----	----	3 UNCH
4620	----	----	----/183.40A	227.40B/183.40A	----	206.50 - 50.20	.3653	----	----	2	----	3 - 2
4625	----	----	----/185.10A	229.80B/185.10A	----	208.40 - 50.50	.3678	----	----	----	----	100 UNCH
4640	----	----	----/191.30A	235.90B/191.30A	----	214.30 - 51.40	.3755	----	----	----	----	100 UNCH
4645	----	----	----/193.30A	238.30B/193.30A	----	216.30 - 51.60	.3781	----	----	----	----	127 UNCH
4650	234.50	234.50	240.30B/197.70A	240.30B/197.70A	----	218.40 - 51.80	.3807	----	----	12	----	309 + 11
4665	----	----	----/204.20A	246.80B/204.20A	----	224.50 - 52.70	.3885	----	----	----	----	1 UNCH
4675	----	----	----/207.10A	250.70B/207.10A	----	228.70 - 53.30	.3938	----	----	----	----	2 UNCH
4680	----	----	----/209.20A	253.60B/209.20A	----	230.80 - 53.60	.3964	----	----	----	----	5 UNCH
4700	----	----	----/218.30A	262.80B/218.30A	----	239.40 - 54.70	.4070	----	----	21	----	453 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 20

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4705	----	----	----/219.50A	265.10B/219.50A	----	241.60 - 55.00	.4096	----	----	----	----	50 UNCH
4710	----	----	----/221.60A	267.50B/221.60A	----	243.80 - 55.30	.4123	----	----	2	----	4 + 1
4715	----	----	----/223.30A	269.80B/223.30A	----	246.00 - 55.60	.4149	----	----	----	----	1 UNCH
4720	----	----	----/226.70A	272.50B/226.70A	----	248.20 - 56.00	.4176	----	----	3	----	9 + 3
4725	----	----	----/228.60A	274.70B/228.60A	----	250.50 - 56.20	.4203	----	----	----	----	30 UNCH
4730	----	----	----/230.70A	277.10B/230.70A	----	252.80 - 56.50	.4229	----	----	----	----	1 UNCH
4735	255.00	255.00	279.90B/232.80A	279.90B/232.80A	----	255.00 NEW	.4256	----	----	40	----	40 + 40
4740	----	----	----/233.90A	282.00B/233.90A	----	257.30 - 57.10	.4283	----	----	----	----	15 UNCH
4745	----	----	----/236.10A	284.40B/236.10A	----	259.60 - 57.40	.4310	----	----	----	----	3 UNCH
4750	----	----	----/238.10A	286.90B/238.10A	----	262.00 - 57.60	.4337	----	----	2	----	175 UNCH
4760	----	----	----/242.10A	291.90B/242.10A	----	266.70 - 58.20	.4390	----	----	----	----	1 UNCH
4775	----	----	----/245.20A	299.50B/245.20A	----	273.80 - 59.00	.4471	----	----	----	----	57 UNCH
4785	----	----	----/252.30A	304.70B/252.30A	----	278.60 - 59.60	.4525	----	----	----	----	2 UNCH
4795	----	----	----/256.20A	310.20B/256.20A	----	283.60 - 60.10	.4580	----	----	----	----	2 UNCH
4800	268.70	268.70	311.60B/256.70A	311.60B/256.70A	----	286.10 - 60.40	.4607	----	----	33	----	647 - 10
4805	----	----	----/261.30A	315.10B/261.30A	----	288.60 - 60.60	.4634	----	----	----	----	1 UNCH
4820	298.90	298.90	323.50B/268.60A	323.50B/268.60A	----	296.20 NEW	.4715	----	----	1	----	1 + 1
4835	294.60	294.60	331.70B/275.10A	331.70B/275.10A	----	303.90 NEW	.4796	----	----	11	----	11 + 11
4840	297.10	297.10	334.00B/277.40A	334.00B/277.40A	----	306.50 NEW	.4823	----	----	11	----	11 + 11
4850	296.90	296.90	340.10B/280.00A	340.10B/280.00A	----	311.80 - 63.20	.4877	----	----	3	----	6 + 3
4855	----	----	----/284.80A	341.50B/284.80A	----	314.40 - 63.50	.4904	----	----	----	----	10 UNCH
4865	299.30	299.30	347.20B/289.60A	347.20B/289.60A	----	319.80 NEW	.4958	----	----	2	----	2 + 2
4870	301.30	301.30	349.60B/292.40A	349.60B/292.40A	----	322.40 NEW	.4985	----	----	14	----	14 + 14
4875	----	----	----/292.90A	352.30B/292.90A	----	325.10 - 64.70	.5012	----	----	----	----	76 UNCH
4900	320.10	320.10	366.80B/305.00A	366.80B/305.00A	----	338.90 - 66.10	.5146	----	----	14	----	345 - 3
4905	----	----	----/307.50A	369.90B/307.50A	----	341.70 - 66.30	.5173	----	----	----	----	17 UNCH
4925	----	----	----/319.30A	381.60B/319.30A	----	353.00 - 67.40	.5280	----	----	----	----	50 UNCH
4950	----	----	----/331.20A	397.30B/331.20A	----	367.50 - 68.80	.5412	----	----	----	----	31 UNCH
4955	----	----	----/334.40A	400.50B/334.40A	----	370.50 - 69.00	.5439	----	----	----	----	1 UNCH
4980	----	----	----/350.50A	416.20B/350.50A	----	385.40 - 70.30	.5570	----	----	----	----	1 UNCH
5000	375.70	375.70	429.10B/361.80A	429.10B/361.80A	----	397.70 - 71.10	.5674	----	----	1	----	317 - 1
5010	----	----	----/367.60A	435.20B/367.60A	----	403.90 - 71.60	.5725	----	----	----	----	1 UNCH
5025	----	----	----/375.90A	444.90B/375.90A	----	413.30 - 72.30	.5802	----	----	----	----	25 UNCH
5030	----	----	----/377.60A	448.40B/377.60A	----	416.50 - 72.50	.5828	----	----	----	----	1 UNCH
5040	412.50	412.50	454.90B/383.30A	454.90B/383.30A	----	422.90 NEW	.5878	----	----	4	----	4 + 4
5045	----	----	----/388.10A	458.30B/388.10A	----	426.10 - 73.10	.5903	----	----	----	----	31 UNCH
5050	----	----	----/390.90A	461.60B/390.90A	----	429.30 - 73.40	.5929	----	----	----	----	351 UNCH
5070	----	----	----/402.80A	475.20B/402.80A	----	442.40 - 74.10	.6029	----	----	----	----	17 UNCH
5080	----	----	----/406.80A	482.40B/406.80A	----	449.00 - 74.60	.6078	----	----	----	----	3 UNCH
5100	----	----	----/421.20A	496.10B/421.20A	----	462.30 - 75.40	.6176	----	----	----	----	81 UNCH
5120	----	----	----/433.70A	510.20B/433.70A	----	475.90 - 76.20	.6273	----	----	----	----	2 UNCH
5180	----	----	----/472.20A	553.60B/472.20A	----	517.90 - 78.40	.6553	----	----	----	----	1 UNCH
5195	----	----	----/482.10A	564.90B/482.10A	----	528.70 - 78.90	.6621	----	----	----	----	2 UNCH
5200	----	----	----/485.50A	568.60B/485.50A	----	532.30 - 79.10	.6644	----	----	----	----	112 UNCH
5265	----	----	----/529.60A	604.10B/529.60A	----	580.30 - 81.20	.6926	----	----	----	----	1 UNCH
5300	----	----	----/554.20A	605.80B/554.20A	----	606.90 - 82.30	.7070	----	----	----	----	3 UNCH
5355	----	----	----/594.00A	607.50B/594.00A	----	649.90 - 83.70	.7286	----	----	----	----	1 UNCH
5400	----	----	----/627.50A	632.30B/627.50A	----	685.80 - 84.90	.7453	----	----	----	----	76 UNCH
5460	----	----	----	555.70B/909.20A	----	734.90 - 86.20	.7661	----	----	----	----	1 UNCH
5500	----	----	----	591.00B/940.30A	----	768.30 - 86.90	.7790	----	----	----	----	3 UNCH
5530	----	----	----	617.70B/963.80A	----	793.70 - 87.40	.7883	----	----	----	----	1 UNCH
5575	----	----	----	658.40B/999.70A	----	832.20 - 88.10	.8013	----	----	----	----	2 UNCH
TOTAL										574	250	20418 + 181
SEP26												
2350	----	----	----	1.30B/4.00A	----	2.20 - 1.10	.0045	----	----	2	----	54 + 2
2375	----	----	----	1.40B/4.10A	----	2.40 - 1.10	.0048	----	----	2	----	3 + 2
2400	----	----	----	1.40B/4.30A	----	2.50 - 1.20	.0051	----	----	----	----	1 UNCH
2500	----	----	----	1.80B/4.80A	----	3.10 - 1.50	.0063	----	----	----	----	4 UNCH
2600	----	----	----/5.40A	2.50B/5.40A	----	3.80 - 1.80	.0079	----	----	----	----	2 UNCH
3000	----	----	----/10.60A	6.80B/10.60A	----	8.50 - 3.80	.0181	----	----	----	----	2 UNCH
3145	----	----	----/13.80A	9.80B/13.80A	----	11.70 - 5.20	.0249	----	----	----	----	15 UNCH
3150	----	----	----/14.00A	9.90B/14.00A	----	11.80 - 5.30	.0251	----	----	----	----	2 UNCH
3200	----	----	----/15.30A	11.40B/15.30A	----	13.20 - 5.80	.0280	----	----	----	----	1 UNCH
3270	----	----	----/17.60A	13.40B/17.60A	----	15.40 - 6.60	.0325	----	----	----	----	15 UNCH
3300	----	----	----/18.50A	14.60B/18.50A	----	16.40 - 7.00	.0346	----	----	----	----	1 UNCH
3475	----	----	----/26.00A	24.00B/26.00A	----	23.70 - 9.70	.0495	----	----	----	----	2 UNCH
3480	----	----	----/26.10A	24.20B/26.10A	----	24.00 - 9.70	.0501	----	----	----	----	780 UNCH
3500	----	----	----/27.20A	26.00B/27.20A	----	25.00 - 10.10	.0521	----	----	----	----	19 UNCH
3525	----	----	----/28.50A	27.60B/28.50A	----	26.40 - 10.50	.0549	----	----	----	----	2 UNCH
3565	----	----	----/30.40A	30.30B/30.40A	----	28.70 - 11.30	.0594	----	----	----	----	1 UNCH
3610	----	----	----/31.70A	33.50B/31.70A	----	31.50 - 12.20	.0649	----	----	----	----	1 UNCH
3625	----	----	----/32.60A	34.70B/32.60A	----	32.50 - 12.50	.0669	----	----	----	----	1 UNCH
3650	----	----	----/34.20A	36.70B/34.20A	----	34.30 - 13.00	.0703	----	----	----	----	66 UNCH
3700	----	----	----/37.90A	40.90B/37.90A	----	38.10 - 14.10	.0776	----	----	----	----	144 UNCH
3720	----	----	----/39.40A	42.70B/39.40A	----	39.80 - 14.50	.0808	----	----	----	----	50 UNCH
3755	----	----	----/42.50A	46.10B/42.50A	----	42.80 - 15.40	.0864	----	----	----	220	310 + 220
3800	----	----	----/46.10A	50.80B/46.10A	----	47.00 - 16.60	.0942	----	----	----	----	1 UNCH
3850	----	----	----/51.20A	56.50B/51.20A	----	52.20 - 17.90	.1036	----	----	----	----	20 UNCH
3880	----	----	----/54.60A	60.20B/54.60A	----	55.60 - 18.70	.1097	----	----	----	----	26 UNCH
3900	----	----	----/56.50A	63.10B/56.50A	----	57.90 - 19.30	.1138	----	----	----	----	211 UNCH
3910	----	----	----/57.40A	64.10B/57.40A	----	59.10 - 19.60	.1159	----	----	----	----	2 UNCH
3930	----	----	----/59.60A	66.90B/59.60A	----	61.60 - 20.20	.1203	----	----	----	----	2 UNCH
3945	----	----	----/61.30A	69.00B/61.30A	----	63.60 - 20.60	.1237	----	----	----	100	330 + 100
3950	----	----	----/62.00A	69.70B/62.00A	----	64.20 - 20.80	.1248	----	----	----	----	324 UNCH
4000	----	----	----/68.00A	77.20B/68.00A	----	71.10 - 22.40	.1366	----	----	----	----	715 UNCH
4005	----	----	----/68.60A	78.50B/68.60A	----	71.80 - 22.60	.1378	----	----	----	----	1 UNCH
4030	----	----	----/71.50A	82.00B/71.50A	----	75.60 - 23.40	.1442	----	----	----	----	1 UNCH
4050	77.50	77.50	77.50/74.40A	86.00B/74.40A	----	78.70 - 24.10	.1494	----	----	2	----	43 + 2
4080	----	----	----/78.80A	91.30B/78.80A	----	83.50 - 25.30	.1573	----	----	----	----	4 UNCH
4085	----	----	----/79.50A	92.20B/79.50A	----	84.40 - 25.40	.1588	----	----	----	----	76 UNCH
4100	----	----	----/81.70A	94.30B/81.70A	----	86.90 - 26.00	.1629	----	----	----	----	21 UNCH
4130	----	----	----/87.10A	100.80B/87.10A	----	92.20 - 27.10	.1715	----	----	----	----	20 UNCH
4135	----	----	----/88.00A	101.40B/88.00A	----	93.10 - 27.30	.1729	----	----	----	----	3 UNCH
4150	97.50	97.50	97.50/90.40A	104.80B/90.40A	----	95.90 - 27.90	.1774	----	----	1	----	4 + 1
4185	----	----	----/96.70A	112.40B/96.70A	----	102.60 - 29.40	.1880	----	----	----	----	76 UNCH
4200	106.90	106.90	106.90/99.60A	115.40B/99.60A	----	105.60 - 30.00	.1927	----	----	1	----	106 UNCH
4220	----	----	----/103.40A	119.10B/103.40A	----	109.80 - 30.80	.1991	----	----	----	----	113 UNCH
4225	----	----	----/104.40A	120.30B/104.40A	----	110.80 - 31.00	.2007	----	----	----	----	3 UNCH
4230	----	----	----/105.40A	121.50B/105.40A	----	111.90 - 31.20	.2023	----	----	----	----	1 UNCH
4240	114.20	114.20	114.20/107.40A	124.60B/107.40A	----	114.10 - 31.60	.2057	----	----	4	----	56 UNCH
4250	----	----	----/109.50A	126.10B/109.50A	----	116.20 - 32.10	.2089	----	----	----	----	62 UNCH
4300	----	----	----/120.10A	139.40B/120.10A	----	127.70 - 34.40	.2261	----	----	----	----	84 UNCH
4320	----	----	----/124.90A	143.80B/124.90A	----	132.60 - 35.20	.2333	----	----	----	----	152 UNCH
4350	----	----	----/131.90A	152.00B/131.90A	----	140.20 - 36.60	.2442	----	----	----	----	20 UNCH
4365	----	----	----/135.70A	156.30B/135.70A	----	144.10 - 37.40	.2498	----	----	----	----	5 UNCH
4390	----	----	----/142.00A	163.70B/142.00A	----	150.90 - 38.50	.2594	----	----	----	----	15 UNCH
4400	153.70	153.70	166.70B/144.40A	166.70B/144.40A	----	153.70 - 39.00	.2632	----	----	1	----	36 UNCH
4410	----	----	----/147.30A	170.20B/147.30A	----	156.50 - 39.50	.2671	----	----	----	----	7 UNCH
4420	----	----	----/149.80A	173.30B/149.80A	----	159.40 - 40.00	.2711	----	----	----	----	1 UNCH
4430	----	----	----/152.70A	176.40B/152.70A	----	162.30 - 40.50	.2750	----	----	----	----	2 UNCH
4440	153.00	153.00	173.50/153.00	179.60B/153.00	----	165.30 - 40.90	.2791	----	----	2	----	8 + 1
4450	----	----	----/157.80A	182.80B/157.80A	----	168.30 - 41.40	.2831	----	----	----	----	430 UNCH
4475	----	----	----/165.20A	191.00B/165.20A	----	176.00 - 42.70	.2933	----	----	----	----	3 UNCH
4500	----	----	----/172.70A	199.40B/172.70A	----	184.00 - 43.90	.3038	----	----	2	----	459 + 2
4550	----	----	----/188.50A	217.50B/188.50A	----	200.90 - 46.50	.3252	----	----	----	----	350 UNCH
4560	----	----	----/191.80A	221.20B/191.80A	----	204.40 - 47.00	.3296	----	----	----	----	7 UNCH
4580	----	----	----/198.50A	229.00B/198.50A	----	211.60 - 48.00	.3384	----	----	----	----	1 UNCH
4600	----	----	----/205.40A	237.00B/205.40A	----	219.00 - 49.10	.3473	----	----	2	----	0 - 2
4620	----	----	----/212.50A	245.20B/212.50A	----	226.70 - 50.10	.3564	----	----	----	----	500 UNCH
4650	----	----	----/223.80A	257.80B/223.80A	----	238.50 - 51.70	.3701	----	----	----	----	2 UNCH
4700	----	----	----/243.10A	280.10B/243.10A	----	259.30 - 54.30	.3933	----	----	----	----	75 UNCH
4725	269.00	269.00	291.50B/253.10A	291.50B/253.10A	----	270.10 - 55.80	.4051	----	----	1	----	1 UNCH
4730	----	----	----/255.20A	294.00B/255.20A	----	272.30 - 56.00	.4075	----	----	----	----	5 UNCH
4750	----	----	----/263.60A	303.60B/263.60A	----	281.30 - 57.20	.4170	----	----	----	----	150 UNCH
4760	----	----	----/267.70A	308.30B/267.70A	----	285.90 - 57.70	.4217	----	----	----	----	100 UNCH
4775	----	----	----/274.20A	315.80B/274.20A	----	292.90 - 58.60	.4289	----	----	----	----	18 UNCH
4800	----	----	----/285.20A	328.40B/285.20A	----	304.80 - 60.00	.4409	----	----	----	----	27 UNCH
4825	----	----	----/296.50A	341.40B/296.50A	----	317.00 - 61.30	.4529	----	----	----	----	2 UNCH
4835	----	----	----/301.20A	346.90B/301.20A	----	322.10 - 61.80	.4577	----	----	----	----	30 UNCH
4900	----	----	----/332.50A	382.30B/332.50A	----	356.00 - 64.80	.4889	----	----	----	----	3 UNCH
4930	----	----	----/347.70A	399.70B/347.70A	----	372.50 - 66.10	.5032	----	----	----	----	20 UNCH
4950	----	----	----/355.80A	411.50B/355.80A	----	383.80 - 66.90	.5127	----	----	----	----	1 UNCH
4975	----	----	----/370.70A	426.50B/370.70A	----	398.20 - 67.90	.5245	----	----	----	----	210 UNCH
5000	----	----	----/384.30A	442.00B/384.30A	----	412.90 - 68.90	.5362	----	----	----	----	10 UNCH
5005	----	----	----/386.80A	445.00B/386.80A	----	415.90 - 69.10	.5385	----	----	----	----	3 UNCH
5020	----	----	----/395.10A	454.50B/395.10A	----	424.90 - 69.80	.5455	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 21

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
5100	----	----	----/440.70A	506.50B/440.70A	----	475.00 - 73.10	.5818	----	----	----	----	28 UNCH
5105	----	----	----/443.60A	509.90B/443.60A	----	478.30 - 73.20	.5840	----	----	----	----	2 UNCH
5200	----	----	----/502.20A	575.80B/502.20A	----	542.10 - 76.80	.6249	----	----	----	----	47 UNCH
5230	----	----	----/521.50A	597.50B/521.50A	----	563.10 - 77.70	.6373	----	----	----	----	400 UNCH
5300	----	----	----/568.20A	649.10B/568.20A	----	613.60 - 79.90	.6650	----	----	----	----	300 UNCH
5400	----	----	----/638.10A	701.00B/638.10A	----	689.00 - 82.50	.7019	----	----	----	----	100 UNCH
5420	----	----	----/652.70A	700.80B/652.70A	----	704.50 - 83.00	.7089	----	----	----	----	80 UNCH
5450	----	----	----/674.70A	701.70B/674.70A	----	728.10 - 83.60	.7190	----	----	----	----	1 UNCH
5500	----	----	----/712.00A	718.60B/712.00A	----	768.00 - 84.70	.7353	----	----	----	----	3 UNCH
6000	----	----	----	1030.30B/1359.80A	----	1201.40 - 91.40	.8548	----	----	----	----	2 UNCH
TOTAL										20	320	7400 + 328
OCT26												
2700	----	----	----	3.40B/8.60A	----	6.00 - 2.30	.0118	----	----	----	----	1 UNCH
2800	----	----	----/10.00A	4.50B/10.00A	----	7.30 - 2.90	.0144	----	----	----	----	3 UNCH
3100	----	----	----/17.30A	10.60B/17.30A	----	13.60 - 5.30	.0269	----	----	----	----	1 UNCH
3200	----	----	----/20.80A	14.00B/20.80A	----	16.90 - 6.40	.0332	----	----	----	----	414 UNCH
3240	----	----	----/22.40A	15.50B/22.40A	----	18.40 - 7.00	.0361	----	----	----	----	5 UNCH
3300	----	----	----/25.00A	18.20B/25.00A	----	21.00 - 7.70	.0409	----	----	----	----	415 UNCH
3340	----	----	----/26.90A	20.10B/26.90A	----	22.90 - 8.30	.0444	----	----	----	----	9 UNCH
3360	----	----	----/27.90A	21.10B/27.90A	----	23.90 - 8.60	.0462	----	----	----	----	1 UNCH
3380	----	----	----/28.90A	22.20B/28.90A	----	24.90 - 8.90	.0481	----	----	----	----	1 UNCH
3390	----	----	----/29.40A	22.80B/29.40A	----	25.50 - 9.00	.0491	----	----	----	----	4 UNCH
3400	----	----	----/30.00A	25.30B/30.00A	----	26.00 - 9.20	.0501	----	----	----	----	150 UNCH
3480	----	----	----/33.10A	32.20B/33.10A	----	31.00 - 10.00	.0589	----	----	----	----	12 UNCH
3500	----	----	----/34.30A	33.60B/34.30A	----	32.30 - 10.30	.0613	----	----	----	----	10 UNCH
3520	----	----	----/35.00A	35.10B/35.00A	----	33.70 - 10.50	.0637	----	----	----	----	12 UNCH
3550	----	----	----/36.70A	37.50B/36.70A	----	35.90 - 10.90	.0676	----	----	----	----	25 UNCH
3600	----	----	----/40.60A	41.80B/40.60A	----	39.80 - 11.80	.0743	----	----	----	----	177 UNCH
3615	----	----	----/41.30A	43.20B/41.30A	----	41.10 - 12.00	.0765	----	----	----	----	1 UNCH
3700	----	----	----/48.60A	51.60B/48.60A	----	48.60 - 14.30	.0894	----	----	----	----	210 UNCH
3750	----	----	----/54.40A	57.20B/54.40A	----	53.60 - 15.90	.0978	----	----	----	----	19 UNCH
3770	----	----	----/56.40A	59.60B/56.40A	----	55.70 - 16.60	.1013	----	----	----	----	1 UNCH
3785	----	----	----/57.80A	61.40B/57.80A	----	57.30 - 17.10	.1040	----	----	----	----	1 UNCH
3800	62.20	62.20	63.30B/59.00	63.30B/59.00	----	59.00 - 17.60	.1068	----	----	4	----	22 - 2
3805	----	----	----/60.10A	63.90B/60.10A	----	59.60 - 17.70	.1077	----	----	----	----	1 UNCH
3865	----	----	----/67.10A	72.00B/67.10A	----	67.00 - 19.60	.1197	----	----	----	----	2 UNCH
3870	----	----	----/67.40A	72.70B/67.40A	----	67.70 - 19.70	.1208	----	----	----	----	1 UNCH
3875	----	----	----/68.20A	73.60B/68.20A	----	68.40 - 19.80	.1219	----	----	----	----	12 UNCH
3885	----	----	----/69.30A	74.90B/69.30A	----	69.70 - 20.10	.1239	----	----	----	----	5 UNCH
3890	----	----	----/69.80A	75.70B/69.80A	----	70.40 - 20.20	.1250	----	----	----	----	2 UNCH
3895	----	----	----/70.50A	76.40B/70.50A	----	71.10 - 20.40	.1261	----	----	----	----	2 UNCH
3900	----	----	----/71.00A	77.20B/71.00A	----	71.80 - 20.50	.1272	----	----	----	----	22 UNCH
3920	----	----	----/73.50A	80.20B/73.50A	----	74.60 - 21.20	.1316	----	----	----	----	28 UNCH
3930	----	----	----/74.80A	81.80B/74.80A	----	76.10 NEW	.1339	----	----	2	----	2 + 2
3940	----	----	----/75.90A	83.40B/75.90A	----	77.50 - 21.80	.1361	----	----	----	----	65 UNCH
3950	----	----	----/77.30A	85.00B/77.30A	----	79.10 - 22.00	.1385	----	----	----	----	2 UNCH
3975	----	----	----/80.60A	89.20B/80.60A	----	82.90 - 22.90	.1444	----	----	----	----	5 UNCH
4000	----	----	----/84.00A	93.50B/84.00A	----	87.00 - 23.60	.1506	----	----	----	----	406 UNCH
4030	----	----	----/88.20A	98.90B/88.20A	----	92.10 NEW	.1582	----	----	2	----	2 + 2
4050	----	----	----/91.20A	102.70B/91.20A	----	95.60 - 25.30	.1634	----	----	----	----	5 UNCH
4070	----	----	----/95.20A	106.60B/95.20A	----	99.20 - 26.00	.1687	----	----	----	----	24 UNCH
4100	----	----	----/100.60A	112.70B/100.60A	----	104.90 - 27.00	.1770	----	----	----	----	314 UNCH
4130	----	----	----/106.10A	119.00B/106.10A	----	110.80 - 28.20	.1854	----	----	----	----	1 UNCH
4150	----	----	----/109.80A	123.40B/109.80A	----	114.90 - 29.00	.1913	----	----	----	----	5 UNCH
4200	----	----	----/120.10A	135.10B/120.10A	----	125.80 - 31.00	.2064	----	----	----	----	127 UNCH
4220	----	----	----/124.40A	140.00B/124.40A	----	130.30 - 31.90	.2126	----	----	----	----	5 UNCH
4235	----	----	----/127.70A	143.80B/127.70A	----	133.80 - 32.50	.2174	----	----	----	----	1 UNCH
4250	----	----	----/131.20A	147.60B/131.20A	----	137.40 - 33.20	.2222	----	----	----	----	72 UNCH
4265	----	----	----/134.50A	151.60B/134.50A	----	141.10 - 33.80	.2272	----	----	----	----	200 UNCH
4270	----	----	----/135.80A	152.90B/135.80A	----	142.30 - 34.10	.2288	----	----	----	----	226 UNCH
4300	----	----	----/143.10A	161.10B/143.10A	----	150.00 - 35.40	.2389	----	----	----	----	476 UNCH
4355	----	----	----/157.30A	177.10B/157.30A	----	164.90 - 38.00	.2581	----	----	----	----	11 UNCH
4375	----	----	----/162.70A	183.20B/162.70A	----	170.60 - 39.00	.2652	----	----	----	----	10 UNCH
4400	184.00	184.00	191.20B/169.80A	191.20B/169.80A	----	178.00 - 40.20	.2744	----	----	1	----	302 + 1
4430	----	----	----/178.60A	201.00B/178.60A	----	187.20 - 41.70	.2856	----	----	----	----	3 UNCH
4450	----	----	----/184.60A	207.70B/184.60A	----	193.60 - 42.60	.2932	----	----	----	----	26 UNCH
4500	----	----	----/200.30A	225.50B/200.30A	----	210.30 - 45.00	.3127	----	----	----	----	56 UNCH
4600	----	----	----/232.80A	264.60B/232.80A	----	247.10 - 49.70	.3534	----	----	----	----	350 UNCH
4610	----	----	----/239.00A	268.70B/239.00A	----	251.10 - 50.00	.3576	----	----	----	----	5 UNCH
4675	----	----	----/264.30A	297.10B/264.30A	----	278.00 - 52.80	.3851	----	----	----	----	1 UNCH
4700	----	----	----/274.40A	308.50B/274.40A	----	288.90 - 53.90	.3959	----	----	----	----	64 UNCH
4750	----	----	----/295.40A	332.40B/295.40A	----	311.70 - 55.90	.4176	----	----	----	----	173 UNCH
4775	----	----	----/306.30A	344.80B/306.30A	----	323.50 - 57.10	.4285	----	----	----	----	1 UNCH
4800	----	----	----/317.50A	357.50B/317.50A	----	335.70 - 58.10	.4394	----	----	----	----	126 UNCH
4845	----	----	----/338.50A	381.20B/338.50A	----	358.30 - 60.20	.4592	----	----	----	----	17 UNCH
4850	----	----	----/340.90A	383.90B/340.90A	----	360.90 - 60.40	.4614	----	----	40	----	83 + 28
4875	----	----	----/353.10A	397.60B/353.10A	----	374.00 - 61.50	.4724	----	----	----	----	1 UNCH
4900	----	----	----/365.50A	411.40B/365.50A	----	387.40 - 62.70	.4833	----	----	----	----	110 UNCH
4910	----	----	----/370.60A	417.10B/370.60A	----	392.80 - 63.20	.4876	----	----	----	----	1 UNCH
4920	----	----	----/375.80A	422.80B/375.80A	----	398.30 - 63.60	.4920	----	----	----	----	1 UNCH
4925	----	----	----/378.30A	425.70B/378.30A	----	401.00 - 63.90	.4942	----	----	----	----	25 UNCH
4980	----	----	----/407.20A	458.20B/407.20A	----	432.20 - 66.50	.5179	----	----	----	----	1 UNCH
5000	----	----	----/417.90A	470.60B/417.90A	----	443.90 - 67.40	.5264	----	----	----	----	47 UNCH
5010	----	----	----/423.40A	476.80B/423.40A	----	449.80 - 67.80	.5307	----	----	----	----	1 UNCH
5050	----	----	----/444.80A	501.90B/444.80A	----	474.00 - 69.50	.5476	----	----	----	----	25 UNCH
5200	----	----	----/534.90A	602.90B/534.90A	----	571.30 - 75.10	.6080	----	----	----	----	100 UNCH
5230	----	----	----/554.00A	624.20B/554.00A	----	591.90 - 76.10	.6195	----	----	----	----	2 UNCH
5250	----	----	----/566.90A	638.50B/566.90A	----	605.90 - 76.70	.6270	----	----	----	----	75 UNCH
5300	----	----	----/600.80A	675.10B/600.80A	----	641.50 - 78.20	.6454	----	----	----	----	6 UNCH
5425	----	----	----/687.80A	770.30B/687.80A	----	734.60 - 81.30	.6882	----	----	----	----	1 UNCH
5455	----	----	----/709.20A	774.90B/709.20A	----	757.80 - 81.90	.6979	----	----	----	----	40 UNCH
5600	----	----	----/816.70A	812.90B/816.70A	----	873.50 - 84.60	.7406	----	----	----	----	1 UNCH
5700	----	----	----	754.20B/1153.30A	----	956.40 - 86.30	.7669	----	----	----	----	1 UNCH
TOTAL										49		5173 + 31
NOV26												
2750	----	----	----	3.60B/12.70A	----	8.10 - 2.90	.0149	----	----	----	----	1 UNCH
2800	----	----	----	4.40B/13.60A	----	9.10 - 3.00	.0167	----	----	----	----	8 UNCH
2900	----	----	----	6.30B/16.00A	----	11.30 - 3.80	.0206	----	----	----	----	1 UNCH
3000	----	----	----	8.60B/18.80A	----	14.00 - 4.60	.0254	----	----	----	----	95 UNCH
3120	----	----	----/23.20A	12.30B/23.20A	----	17.90 - 5.80	.0323	----	----	----	----	10 UNCH
3180	----	----	----/25.80A	14.80B/25.80A	----	20.30 - 6.40	.0364	----	----	----	----	10 UNCH
3200	----	----	----/26.60A	15.60B/26.60A	----	21.10 - 6.70	.0378	----	----	----	----	93 UNCH
3215	----	----	----/27.40A	16.20B/27.40A	----	21.80 - 6.80	.0390	----	----	----	----	1 UNCH
3220	----	----	----/27.60A	16.60B/27.60A	----	22.00 - 6.90	.0394	----	----	----	----	1 UNCH
3225	----	----	----/27.70A	16.70B/27.70A	----	22.20 - 7.00	.0397	----	----	----	----	1 UNCH
3235	----	----	----/28.40A	17.20B/28.40A	----	22.70 - 7.10	.0406	----	----	----	----	2 UNCH
3250	----	----	----/29.00A	18.00B/29.00A	----	23.30 - 7.40	.0416	----	----	----	----	18 UNCH
3255	----	----	----/29.40A	18.30B/29.40A	----	23.60 - 7.40	.0421	----	----	----	----	18 UNCH
3300	31.90	31.90	31.90/31.90	31.90/31.90	----	25.80 - 8.00	.0459	----	----	2	----	20 UNCH
3310	----	----	----/32.40A	21.10B/32.40A	----	26.30 - 8.20	.0467	----	----	----	----	1 UNCH
3320	----	----	----/33.00A	21.70B/33.00A	----	26.90 - 8.20	.0477	----	----	----	----	16 UNCH
3350	----	----	----/34.70A	23.50B/34.70A	----	28.50 - 8.80	.0504	----	----	1	----	181 + 1
3455	----	----	----/38.00A	35.30B/38.00A	----	35.20 - 10.40	.0614	----	----	----	----	1 UNCH
3475	----	----	----/38.30A	36.90B/38.30A	----	36.60 - 10.80	.0637	----	----	----	----	1 UNCH
3500	32.80	32.80	39.00B/32.80	39.00B/32.80	----	38.50 - 11.20	.0668	----	----	5	----	655 UNCH
3535	----	----	----/42.50A	42.00B/42.50A	----	41.30 - 11.90	.0712	----	----	1	----	1 UNCH
3690	----	----	----/56.20A	58.00B/56.20A	----	55.90 - 15.20	.0939	----	----	----	----	1 UNCH
3700	----	----	----/57.80A	59.20B/57.80A	----	56.90 NEW	.0954	----	----	1	----	1 + 1
3725	----	----	----/60.30A	62.30B/60.30A	----	59.80 - 16.00	.0997	----	----	1	----	1 UNCH
3740	----	----	----/61.90A	64.00B/61.90A	----	61.50 - 16.50	.1023	----	----	----	----	20 UNCH
3750	----	----	----/63.00A	65.30B/63.00A	----	62.70 - 16.70	.1041	----	----	----	----	150 UNCH
3780	----	----	----/66.70A	69.40B/66.70A	----	66.40 - 17.40	.1095	----	----	----	----	1 UNCH
3800	----	----	----/68.80A	72.10B/68.80A	----	68.90 - 18.00	.1132	----	----	----	----	25 UNCH
3820	----	----	----/71.50A	74.80B/71.50A	----	71.50 - 18.60	.1170	----	----	----	----	20 UNCH
3875	----	----	----/78.70A	83.10B/78.70A	----	79.30 - 20.10	.1281	----	----	----	----	24 UNCH
4000	----	----	----/97.50A	104.50B/97.50A	----	99.50 - 24.00	.1561	----	----	----	----	2 UNCH
4100	----	----	----/115.40A	125.00B/115.40A	----	118.70 - 27.30	.1814	----	----	----	----	1 UNCH
4160	----	----	----/127.90A	138.50B/127.90A	----	131.50 - 29.60	.1978	----	----	----	----	1 UNCH
4170	----	----	----/130.00A	140.80B/130.00A	----	133.80 - 29.90	.2007	----	----	----	----	1 UNCH
4200	----	----	----/136.60A	148.20B/136.60A	----	140.70 - 31.10	.2093	----	----	----	----	4 UNCH
4205	----	----	----/137.70A	149.50B/137.70A	----	141.90 - 31.20	.2108	----	----	----	----	1 UNCH
4215	----	----	----/140.00A	152.00B/140.00A	----	144.30 - 31.60	.2137	----	----	----	----	5 UNCH
4275	----	----	----/154.30A	168.30B/154.30A	----	159.30 - 34.10	.2319	----	----	----	----	3 UNCH
4320	----	----	----/165.80A	180.80B/165.80A	----	171.50 - 35.80	.2462	----	----	----	----	43 UNCH
4350	----	----	----/173.70A	190.20B/173.70A	----	179.90 - 37.20	.2559	----	----	----	----	3 UNCH
4400	----	----	----/187.50A	205.90B/187.50A	----	194.80 - 39.40	.2727	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 22

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4425	----	----	----/194.70A	213.90B/194.70A	----	202.60 - 40.50	.2813	----	----	----	----	72 UNCH
4500	----	----	----/217.70A	240.20B/217.70A	----	227.50 - 43.90	.3079	----	----	----	----	40 UNCH
4580	----	----	----/244.90A	271.30B/244.90A	----	256.70 - 47.70	.3374	----	----	----	----	10 UNCH
4640	----	----	----/266.90A	295.80B/266.90A	----	280.40 - 50.60	.3603	----	----	----	----	90 UNCH
4700	290.20	290.20	322.60B/290.20	322.60B/290.20	----	305.70 - 53.30	.3836	----	----	1	----	2 + 1
4725	----	----	----/300.60A	334.00B/300.60A	----	316.70 - 54.40	.3935	----	----	----	----	2 UNCH
4800	343.60	343.60	370.20B/332.90A	370.20B/332.90A	----	351.50 - 57.60	.4233	----	----	1	----	1 + 1
4840	----	----	----/351.10A	390.70B/351.10A	----	371.00 - 59.60	.4393	----	----	----	----	2 UNCH
4900	----	----	----/379.80A	422.70B/379.80A	----	401.70 - 62.70	.4634	----	----	----	----	2 UNCH
4915	----	----	----/387.30A	431.00B/387.30A	----	409.70 - 63.30	.4694	----	----	----	----	3 UNCH
4950	----	----	----/404.30A	451.10B/404.30A	----	428.60 - 64.90	.4833	----	----	----	----	11 UNCH
4960	----	----	----/409.10A	456.70B/409.10A	----	434.20 - 65.30	.4873	----	----	----	----	2 UNCH
5000	----	----	----/431.00A	479.90B/431.00A	----	456.80 - 66.80	.5030	----	----	----	----	253 UNCH
5055	----	----	----/461.20A	513.20B/461.20A	----	489.00 - 68.90	.5244	----	----	----	----	8 UNCH
5200	----	----	----/546.50A	607.00B/546.50A	----	580.40 - 73.30	.5787	----	----	----	----	81 UNCH
5395	----	----	----/674.60A	746.00B/674.60A	----	715.80 - 78.90	.6455	----	----	----	----	6 UNCH
5400	----	----	----/677.80A	749.70B/677.80A	----	719.50 - 79.00	.6472	----	----	----	----	6 UNCH
5760	----	----	----	771.80B/1227.10A	----	1001.20 - 86.10	.7477	----	----	----	----	1 UNCH
5975	----	----	----	961.70B/1401.00A	----	1184.10 - 88.50	.7939	----	----	----	----	1 UNCH
6000	----	----	----	984.30B/1421.70A	----	1205.90 - 88.80	.7986	----	----	----	----	1 UNCH
TOTAL										13		2039 + 4
DEC26												
1350	----	----	----	----/1.10A	----	0.20 - 0.10	.0003	----	----	----	----	16 UNCH
1500	----	----	----	----/2.20A	----	0.40 - 0.20	.0006	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/3.00A	----	0.60 - 0.20	.0010	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/4.00A	----	0.80 - 0.30	.0013	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/36.80A	----	1.20 - 0.50	.0020	----	----	----	----	36 UNCH
1900	----	----	----	0.10B/37.50A	----	1.40 - 0.50	.0024	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/38.70A	----	1.80 - 0.70	.0031	----	----	----	----	2 UNCH
2400	----	----	----	0.90B/8.70A	----	4.60 - 1.60	.0080	----	----	----	----	1 UNCH
2490	----	----	----	1.50B/9.90A	----	5.60 - 1.90	.0098	----	----	----	----	1 UNCH
2750	----	----	----	4.90B/14.80A	----	10.10 - 2.90	.0175	----	----	----	----	1 UNCH
2800	----	----	----	5.60B/15.60A	----	11.20 - 3.20	.0194	----	----	----	----	8 UNCH
2900	----	----	----	8.10B/19.00A	----	13.80 - 4.00	.0238	----	----	----	----	19 UNCH
2925	----	----	----	8.60B/19.80A	----	14.60 - 4.10	.0251	----	----	----	----	300 UNCH
2975	----	----	----	10.00B/21.60A	----	16.10 - 4.60	.0276	----	----	----	----	400 UNCH
3000	----	----	----/19.90A	10.90B/19.90A	----	17.00 - 4.80	.0291	----	----	----	----	1363 UNCH
3160	----	----	----/29.40A	17.40B/29.40A	----	23.40 - 6.70	.0396	----	----	----	----	2 UNCH
3175	----	----	----/30.40A	18.20B/30.40A	----	24.10 - 6.90	.0407	----	----	----	----	1 UNCH
3190	----	----	----/31.30A	18.90B/31.30A	----	24.90 - 7.00	.0420	----	----	----	----	5 UNCH
3250	----	----	----/34.60A	22.30B/34.60A	----	28.00 - 7.90	.0469	----	----	----	----	15 UNCH
3300	----	----	----/37.50A	25.40B/37.50A	----	30.90 - 8.70	.0515	----	----	----	----	6 UNCH
3400	----	----	----/41.90A	39.70B/41.90A	----	37.70 - 10.20	.0619	----	----	----	----	1610 UNCH
3425	----	----	----/42.50A	41.80B/42.50A	----	39.60 - 10.60	.0648	----	----	----	----	350 UNCH
3450	----	----	----/45.40A	44.00B/45.40A	----	41.50 - 11.20	.0677	----	----	----	----	201 UNCH
3460	----	----	----/45.10A	44.90B/45.10A	----	42.30 - 11.40	.0689	----	----	----	----	20 UNCH
3475	----	----	----/47.20A	46.30B/47.20A	----	43.60 - 11.60	.0708	----	----	----	----	152 UNCH
3500	45.00	45.00	48.70B/45.00	48.70B/45.00	----	45.80 - 12.00	.0741	----	----	1	----	1457 + 1
3550	----	----	----/53.60A	53.70B/53.60A	----	50.40 - 13.00	.0808	----	----	----	----	18 UNCH
3565	----	----	----/55.00A	55.30B/55.00A	----	51.80 - 13.40	.0829	----	----	----	----	2 UNCH
3590	----	----	----/57.50A	58.10B/57.50A	----	54.40 - 13.90	.0866	----	----	----	----	1 UNCH
3600	----	----	----/58.00A	59.20B/58.00A	----	55.40 - 14.10	.0880	----	----	----	----	353 UNCH
3610	----	----	----/58.90A	60.30B/58.90A	----	56.50 - 14.30	.0896	----	----	----	----	3 UNCH
3650	----	----	----/64.80A	65.10B/64.80A	----	60.90 - 15.20	.0958	----	----	----	----	201 UNCH
3660	----	----	----/66.00A	66.30B/66.00A	----	62.00 - 15.50	.0974	----	----	----	----	5 UNCH
3670	----	----	----/67.20A	67.60B/67.20A	----	63.20 - 15.70	.0991	----	----	----	----	1 UNCH
3690	----	----	----/68.80A	70.20B/68.80A	----	65.60 - 16.10	.1024	----	----	----	----	1 UNCH
3700	----	----	----/70.70A	71.50B/70.70A	----	66.80 - 16.40	.1041	----	----	----	----	29 UNCH
3710	----	----	----/71.80A	72.80B/71.80A	----	68.10 - 16.60	.1059	----	----	----	----	37 UNCH
3720	----	----	----/72.90A	74.20B/72.90A	----	69.40 - 16.80	.1077	----	----	----	----	1 UNCH
3725	----	----	----/73.70A	74.90B/73.70A	----	70.00 - 17.00	.1085	----	----	----	----	6 UNCH
3750	----	----	----/76.40A	78.40B/76.40A	----	73.30 - 17.60	.1130	----	----	----	----	166 UNCH
3760	----	----	----/77.60A	79.90B/77.60A	----	74.60 - 17.90	.1148	----	----	----	----	184 UNCH
3780	----	----	----/80.30A	82.80B/80.30A	----	77.40 - 18.40	.1186	----	----	----	----	1 UNCH
3800	----	----	----/82.90A	85.90B/82.90A	----	80.30 - 18.80	.1224	----	----	----	----	77 UNCH
3810	----	----	----/84.20A	87.40B/84.20A	----	81.70 - 19.20	.1243	----	----	----	----	56 UNCH
3850	----	----	----/89.80A	93.90B/89.80A	----	87.80 - 20.20	.1324	----	----	----	----	24 UNCH
3880	----	----	----/94.00A	99.00B/94.00A	----	92.60 - 21.10	.1386	----	----	----	----	1 UNCH
3900	----	----	----/96.90A	102.50B/96.90A	----	95.90 - 21.70	.1429	----	----	----	----	805 UNCH
3925	----	----	----/99.80A	107.10B/99.80A	----	100.20 - 22.40	.1484	----	----	----	----	209 UNCH
3930	----	----	----/101.00A	108.00B/101.00A	----	101.10 - 22.50	.1496	----	----	----	----	2 UNCH
3950	----	----	----/103.90A	111.80B/103.90A	----	104.60 - 23.20	.1540	----	----	----	----	27 UNCH
3975	----	----	----/107.80A	116.70B/107.80A	----	109.20 NEW	.1598	----	----	----	190	190 + 190
3980	108.70	108.70	117.70B/108.30A	117.70B/108.30A	----	110.20 - 24.10	.1610	----	----	3	----	132 + 3
4000	----	----	----/112.50A	121.80B/112.50A	----	114.00 - 24.70	.1657	----	----	----	----	1699 UNCH
4025	----	----	----/117.40A	127.00B/117.40A	----	118.90 - 25.60	.1718	----	----	----	----	220 UNCH
4070	----	----	----/126.30A	136.90B/126.30A	----	128.20 - 27.10	.1831	----	----	----	----	5 UNCH
4090	----	----	----/130.60A	141.50B/130.60A	----	132.50 - 27.80	.1882	----	----	----	----	1 UNCH
4100	128.00	128.00	143.80B/128.00	143.80B/128.00	----	134.70 - 28.20	.1909	----	----	25	----	381 UNCH
4130	----	----	----/138.80A	151.00B/138.80A	----	141.50 - 29.20	.1989	----	----	----	----	2 UNCH
4160	----	----	----/145.90A	158.50B/145.90A	----	148.60 - 30.30	.2071	----	----	----	----	252 UNCH
4170	----	----	----/148.10A	161.10B/148.10A	----	151.00 - 30.70	.2098	----	----	----	----	2 UNCH
4175	----	----	----/149.10A	162.40B/149.10A	----	152.20 - 30.90	.2112	----	----	----	----	60 UNCH
4200	----	----	----/155.20A	169.00B/155.20A	----	158.40 - 31.90	.2183	----	----	----	----	684 UNCH
4215	----	----	----/159.00A	173.00B/159.00A	----	162.30 - 32.40	.2227	----	----	----	----	14 UNCH
4250	----	----	----/167.50A	182.80B/167.50A	----	171.50 - 33.70	.2329	----	----	----	----	202 UNCH
4300	----	----	----/181.10A	197.50B/181.10A	----	185.30 - 35.80	.2480	----	----	500	----	1906 + 500
4320	----	----	----/186.80A	203.60B/186.80A	----	191.10 - 36.60	.2542	----	----	----	----	100 UNCH
4325	----	----	----/188.10A	205.20B/188.10A	----	192.60 - 36.70	.2558	----	----	----	----	300 UNCH
4340	----	----	----/192.20A	209.90B/192.20A	----	197.10 - 37.30	.2605	----	----	----	----	79 UNCH
4350	----	----	----/195.50A	213.10B/195.50A	----	200.10 - 37.70	.2636	----	----	----	----	101 UNCH
4375	----	----	----/202.60A	221.30B/202.60A	----	207.80 - 38.80	.2717	----	----	----	----	2 UNCH
4385	----	----	----/205.60A	224.60B/205.60A	----	210.90 - 39.20	.2749	----	----	----	----	75 UNCH
4390	----	----	----/207.10A	226.30B/207.10A	----	212.50 - 39.40	.2765	----	----	----	----	14 UNCH
4400	----	----	----/210.10A	229.70B/210.10A	----	215.70 - 39.90	.2798	----	----	----	----	102 UNCH
4425	----	----	----/218.10A	238.30B/218.10A	----	223.90 - 40.90	.2880	----	----	----	----	9 UNCH
4435	----	----	----/221.20A	241.80B/221.20A	----	227.20 - 41.30	.2914	----	----	----	----	14 UNCH
4450	----	----	----/226.30A	247.20B/226.30A	----	232.30 - 41.90	.2964	----	----	----	----	60 UNCH
4475	----	----	----/234.60A	256.30B/234.60A	----	240.90 - 43.00	.3049	----	----	----	----	8 UNCH
4500	----	----	----/243.10A	265.70B/243.10A	----	249.80 - 44.00	.3134	----	----	----	----	516 UNCH
4510	----	----	----/246.80A	269.50B/246.80A	----	253.40 - 44.50	.3169	----	----	----	----	2 UNCH
4515	----	----	----/248.00A	271.40B/248.00A	----	255.20 - 44.70	.3186	----	----	----	----	242 UNCH
4520	----	----	----/249.80A	273.40B/249.80A	----	257.10 - 44.90	.3204	----	----	----	----	25 UNCH
4530	----	----	----/253.60A	277.30B/253.60A	----	260.80 - 45.30	.3239	----	----	----	----	20 UNCH
4535	----	----	----/255.60A	279.30B/255.60A	----	262.60 - 45.60	.3256	----	----	----	----	102 UNCH
4540	----	----	----/257.20A	281.20B/257.20A	----	264.50 - 45.70	.3274	----	----	----	----	1 UNCH
4550	----	----	----/260.60A	285.20B/260.60A	----	268.30 - 46.20	.3309	----	----	----	----	5 UNCH
4580	----	----	----/272.00A	297.40B/272.00A	----	279.80 - 47.50	.3415	----	----	----	----	50 UNCH
4585	----	----	----/273.70A	299.40B/273.70A	----	281.80 - 47.70	.3433	----	----	----	----	325 UNCH
4600	----	----	----/279.60A	305.70B/279.60A	----	287.80 - 48.30	.3487	----	----	----	----	418 UNCH
4620	----	----	----/287.40A	314.30B/287.40A	----	295.90 - 49.10	.3559	----	----	----	----	50 UNCH
4625	----	----	----/289.20A	316.40B/289.20A	----	297.90 - 49.40	.3577	----	----	----	----	22 UNCH
4640	----	----	----/295.30A	322.90B/295.30A	----	304.10 - 50.00	.3632	----	----	----	----	100 UNCH
4650	----	----	----/299.40A	327.30B/299.40A	----	308.30 - 50.40	.3668	----	----	----	----	111 UNCH
4680	----	----	----/311.30A	340.80B/311.30A	----	321.10 - 51.70	.3778	----	----	----	----	60 UNCH
4690	----	----	----/315.60A	345.40B/315.60A	----	325.50 NEW	.3815	----	----	1	----	1 + 1
4700	----	----	----/319.80A	350.00B/319.80A	----	329.90 - 52.50	.3852	----	----	----	----	522 UNCH
4750	340.00	340.00	373.60B/340.00	373.60B/340.00	----	352.60 - 54.60	.4038	----	----	5	----	63 - 4
4790	----	----	----/360.10A	393.40B/360.10A	----	371.60 - 56.30	.4188	----	----	----	----	60 UNCH
4800	----	----	----/364.60A	398.40B/364.60A	----	376.40 - 56.80	.4225	----	----	----	----	152 UNCH
4810	----	----	----/369.40A	403.50B/369.40A	----	381.30 - 57.20	.4263	----	----	----	----	56 UNCH
4815	----	----	----/371.70A	406.10B/371.70A	----	383.80 - 57.40	.4282	----	----	----	----	10 UNCH
4820	----	----	----/374.00A	408.60B/374.00A	----	386.30 - 57.50	.4301	----	----	----	----	20 UNCH
4825	----	----	----/376.30A	411.20B/376.30A	----	388.80 - 57.70	.4319	----	----	----	----	100 UNCH
4850	----	----	----/388.10A	424.30B/388.10A	----	401.40 - 58.80	.4413	----	----	1	----	10 + 1
4900	418.90	418.90	451.10B/412.50A	451.10B/412.50A	----	427.50 - 60.80	.4601	----	----	5	95	105 + 94
4925	463.00	463.00	463.00/425.00A	465.00B/425.00A	----	440.90 - 61.90	.4695	----	----	11	125	137 + 136
4950	458.00	458.00	479.10B/437.80A	479.10B/437.80A	----	454.60 - 62.90	.4788	----	----	5	----	6 + 5
4975	----	----	----/450.80A	493.40B/450.80A	----	468.60 - 63.80	.4880	----	----	----	----	43 UNCH
4980	----	----	----/453.60A	496.30B/453.60A	----	471.40 - 64.00	.4899	----	----	----	----	12 UNCH
4995	----	----	----/461.50A	505.10B/461.50A	----	480.00 - 64.50	.4954	----	----	----	----	32 UNCH
5000	481.00	481.00	508.00B/464.20A	508.00B/464.20A	----	482.80 - 64.80	.4972	----	----	1	----	393 + 1
5020	----	----	----/475.00A	519.90B/475.00A	----	494.40 - 65.50	.5045	----	----	----	----	8 UNCH
5025	----	----	----/477.70A	522.80B/477.70A	----	497.30 - 65.70	.5064	----	----	----	95	110 + 95
5035	----	----	----/483.30A	528.80B/483.30A	----	503.20 - 66.00	.5100	----	----	----	----	8 UNCH
5050	----	----	----/491.50A	537.90B/491.50A	----	512.00 - 66.70	.5154	----	----	----	----	201 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 23

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS											
DEC26													
5070	----	----	----/502.70A	550.20B/502.70A	----	524.00 - 67.30	.5227	----	----	----	----	1	UNCH
5075	----	----	----/505.60A	553.30B/505.60A	----	527.00 - 67.50	.5244	----	----	----	----	100	UNCH
5095	----	----	----/517.00A	565.80B/517.00A	----	539.20 - 68.20	.5316	----	----	----	----	6	UNCH
5100	----	----	----/519.90A	568.90B/519.90A	----	542.30 - 68.30	.5334	----	----	----	----	6	UNCH
5195	----	----	----/576.40A	630.30B/576.40A	----	602.30 - 71.50	.5666	----	----	----	----	5	UNCH
5200	----	----	----/579.50A	633.60B/579.50A	----	605.60 - 71.60	.5683	----	----	----	----	38	UNCH
5250	----	----	----/610.70A	667.40B/610.70A	----	638.60 - 73.20	.5852	----	----	----	----	126	UNCH
5290	----	----	----/636.40A	692.40B/636.40A	----	665.70 - 74.40	.5984	----	----	----	----	1	UNCH
5295	----	----	----/639.60A	696.00B/639.60A	----	669.20 - 74.40	.6000	----	----	----	----	1	UNCH
5360	----	----	----/682.70A	742.90B/682.70A	----	714.50 - 76.20	.6208	----	----	----	----	100	UNCH
5370	----	----	----/689.40A	750.20B/689.40A	----	721.60 - 76.50	.6239	----	----	----	----	20	UNCH
5375	----	----	----/692.70A	753.80B/692.70A	----	725.10 - 76.70	.6254	----	----	----	----	34	UNCH
5400	----	----	----/708.70A	772.10B/708.70A	----	743.10 - 77.30	.6332	----	----	----	----	102	UNCH
5460	----	----	----/751.20A	816.50B/751.20A	----	786.90 - 78.80	.6511	----	----	----	----	200	UNCH
5465	----	----	----/755.80A	820.30B/755.80A	----	790.60 - 78.90	.6526	----	----	----	----	50	UNCH
5480	----	----	----/766.40A	831.70B/766.40A	----	801.80 - 79.20	.6570	----	----	----	----	50	UNCH
5500	----	----	----/780.20A	847.00B/780.20A	----	816.70 - 79.70	.6627	----	----	----	----	31	UNCH
5525	----	----	----/797.90A	866.20B/797.90A	----	835.60 - 80.20	.6698	----	----	----	----	80	UNCH
5600	----	----	----/852.60A	924.90B/852.60A	----	893.20 - 81.80	.6903	----	----	----	----	252	UNCH
5900	----	----	----	890.00B/1380.90A	----	1136.90 - 86.60	.7611	----	----	----	----	125	UNCH
6000	----	----	----	978.50B/1462.40A	----	1222.10 - 87.80	.7810	----	----	----	----	40	UNCH
6500	----	----	----	1438.80B/1892.60A	----	1670.00 - 91.90	.8561	----	----	----	----	4	UNCH
TOTAL										558	505	20655+	1023
JAN27													
2800	----	----	----	4.70B/20.70A	----	12.80 - 3.60	.0210	----	----	----	----	10	UNCH
3000	----	----	----	10.60B/28.20A	----	19.30 - 5.50	.0312	----	----	----	----	3	UNCH
3520	----	----	----/*58.50A	57.10B/58.50A	----	55.00 - 10.20	.0817	----	----	----	----	1	UNCH
3680	73.20	73.20	76.70B/73.20	76.70B/73.20	----	73.50 - 12.90	.1058	----	----	1	----	1	UNCH
3800	----	----	----/93.30A	94.80B/93.30A	----	90.10 - 16.30	.1268	----	----	----	----	1	UNCH
3825	----	----	----/96.90A	99.00B/96.90A	----	94.00 - 17.10	.1315	----	----	----	----	1	UNCH
3900	----	----	----/108.40A	112.40B/108.40A	----	106.30 - 19.70	.1465	----	----	----	----	1	UNCH
3980	----	----	----/122.00A	128.20B/122.00A	----	120.90 - 22.60	.1637	----	----	----	----	1	UNCH
4000	----	----	----/125.80A	132.40B/125.80A	----	124.80 - 23.40	.1682	----	----	----	----	1	UNCH
4350	----	----	----/211.50A	226.10B/211.50A	----	213.10 - 34.90	.2610	----	----	----	----	1	UNCH
4400	----	----	----/226.80A	242.70B/226.80A	----	228.90 - 36.70	.2761	----	----	----	----	1	UNCH
4500	----	----	----/259.80A	278.90B/259.80A	----	263.10 - 40.70	.3075	----	----	----	----	1	UNCH
4585	----	----	----/290.80A	312.30B/290.80A	----	295.10 - 44.10	.3353	----	----	----	----	1	UNCH
4600	----	----	----/296.10A	318.50B/296.10A	----	301.00 - 44.80	.3403	----	----	----	----	3	UNCH
4630	----	----	----/307.60A	331.20B/307.60A	----	313.10 - 46.00	.3504	----	----	----	----	1	UNCH
4660	----	----	----/319.90A	344.30B/319.90A	----	325.50 - 47.40	.3606	----	----	----	----	4	UNCH
4665	----	----	----/322.10A	346.50B/322.10A	----	327.60 - 47.60	.3623	----	----	----	----	4	UNCH
4760	----	----	----/361.80A	390.40B/361.80A	----	369.60 - 51.70	.3950	----	----	----	----	100	UNCH
4800	----	----	----/379.50A	410.10B/379.50A	----	388.40 - 53.30	.4090	----	----	----	----	6	UNCH
4820	----	----	----/388.50A	419.70B/388.50A	----	398.00 - 54.20	.4160	----	----	----	----	6	UNCH
4860	----	----	----/407.10A	440.20B/407.10A	----	417.70 - 56.00	.4300	----	----	----	----	1	UNCH
4990	----	----	----/471.60A	510.90B/471.60A	----	486.10 - 61.70	.4755	----	----	----	----	1	UNCH
4995	----	----	----/474.10A	513.70B/474.10A	----	488.90 - 61.90	.4772	----	----	----	----	1	UNCH
5000	----	----	----/476.80A	516.60B/476.80A	----	491.60 - 62.20	.4789	----	----	----	----	3	UNCH
5050	----	----	----/503.50A	546.30B/503.50A	----	519.90 - 64.30	.4961	----	----	----	----	100	UNCH
5085	----	----	----/522.70A	566.60B/522.70A	----	540.30 - 65.80	.5080	----	----	----	----	2	UNCH
5150	----	----	----/559.60A	606.60B/559.60A	----	579.30 - 68.50	.5299	----	----	----	----	2	UNCH
5235	----	----	----/610.20A	662.10B/610.20A	----	632.70 - 71.70	.5577	----	----	2	----	2	UNCH
5245	----	----	----/616.20A	668.70B/616.20A	----	639.10 NEW	.5609	----	----	2	----	2 +	2
5300	----	----	----/650.60A	704.70B/650.60A	----	675.30 NEW	.5783	----	----	4	----	2 +	2
TOTAL										9		264+	4
FEB27													
4000	----	----	----/137.80A	142.60B/137.80A	----	137.30 - 30.10	.1749	----	----	----	----	1	UNCH
4600	----	----	----/312.20A	334.80B/312.20A	----	321.20 - 49.80	.3429	----	----	----	----	17	UNCH
4650	----	----	----/*331.80A	356.60B/331.80A	----	341.90 - 51.90	.3590	----	----	----	----	1	UNCH
4655	----	----	----/*333.80A	358.60B/333.80A	----	344.00 - 52.20	.3607	----	----	----	----	1	UNCH
4660	----	----	----/*335.90A	361.00B/335.90A	----	346.10 - 52.40	.3623	----	----	----	----	435	UNCH
4665	----	----	----/*337.80A	363.20B/337.80A	----	348.30 - 52.60	.3639	----	----	----	----	3	UNCH
4775	399.50	399.50	414.60B/*384.50	414.60B/384.50A	----	397.60 NEW	.4002	----	----	1	----	1 +	1
5000	----	----	----/493.40A	534.20B/493.40A	----	513.20 - 65.90	.4752	----	----	----	----	10	UNCH
5005	----	----	----/*496.10A	537.30B/496.10A	----	515.90 - 66.10	.4769	----	----	----	----	2	UNCH
5100	----	----	----/*547.70A	592.80B/547.70A	----	569.90 - 69.70	.5080	----	----	----	----	2	UNCH
5150	----	----	----/*576.00A	623.60B/576.00A	----	599.50 - 71.70	.5241	----	----	----	----	1	UNCH
5175	----	----	----/*590.70A	639.30B/590.70A	----	614.60 - 72.70	.5321	----	----	----	----	125	UNCH
5200	----	----	----/*605.30A	655.20B/605.30A	----	629.90 - 73.60	.5400	----	----	----	----	1	UNCH
5355	----	----	----/*701.40A	758.40B/701.40A	----	729.90 - 78.80	.5875	----	----	----	----	1	UNCH
5520	----	----	----/*812.20A	808.50B/812.20A	----	845.30 - 82.90	.6344	----	----	----	----	300	UNCH
5530	----	----	----/*819.10A	786.40B/819.10A	----	852.50 - 83.20	.6370	----	----	----	----	100	UNCH
5550	----	----	----/*833.20A	800.70B/833.20A	----	867.20 - 83.50	.6424	----	----	----	----	65	UNCH
5565	----	----	----/847.30A	804.70B/847.30A	----	878.20 - 83.80	.6463	----	----	----	----	50	UNCH
TOTAL										1		1116+	1
APR27													
5000	----	----	----	----	----	575.10 NEW	.4534	----	----	----	100	100 +	100
TOTAL											100	100+	100
DEC27													
3700	----	----	----	----	----	199.80 - 15.50	.1546	----	----	----	----	100	UNCH
3715	----	----	----	----	----	203.30 - 15.70	.1569	----	----	----	----	150	UNCH
3820	----	----	----	----	----	229.10 - 17.30	.1733	----	----	----	----	50	UNCH
4130	----	----	----	----	----	317.70 - 22.40	.2265	----	----	----	----	168	UNCH
4500	----	----	----	----	----	449.50 - 29.20	.2978	----	----	----	----	270	UNCH
4630	----	----	----	----	----	503.00 - 31.70	.3244	----	----	----	----	284	UNCH
4860	----	----	----	----	----	607.10 - 36.10	.3729	----	----	----	----	100	UNCH
5000	----	----	----	----	----	676.40 - 38.90	.4030	----	----	----	----	50	UNCH
5650	----	----	----	----	----	1057.10 - 51.30	.5364	----	----	----	----	200	UNCH
5880	----	----	----	----	----	1213.40 - 55.30	.5787	----	----	----	----	200	UNCH
TOTAL												1572	0
JAN28													
5000	----	----	----	----	----	683.10 - 38.20	.3944	----	----	----	----	1	UNCH
5100	----	----	----	----	----	734.80 - 40.20	.4153	----	----	----	----	1	UNCH
TOTAL												2	0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS											
MAY26													
3400	----	----	----	----	----	1377.40 + 91.30	.9950	----	----	----	----	1	UNCH
3500	----	----	----	----	----	1277.60 + 90.80	.9938	----	----	----	----	1	UNCH
3600	----	----	1,270.70B/----	1270.70B/1133.10A	----	1177.80 + 90.10	.9916	----	----	----	----	10	UNCH
3675	----	----	1,196.10B/----	1196.10B/1058.40A	----	1103.20 + 89.60	.9897	----	----	----	----	8	UNCH
3685	----	----	1,180.50B/----	1180.50B/1048.50A	----	1093.20 + 89.50	.9897	----	----	----	----	8	UNCH
3700	----	----	1,171.20B/----	1171.20B/1033.50A	----	1078.30 + 89.30	.9891	----	----	----	----	31	UNCH
3720	----	----	1,145.70B/----	1145.70B/1013.70A	----	1058.40 + 89.10	.9885	----	----	----	----	6	UNCH
3725	----	----	1,146.40B/----	1146.40B/1008.00A	----	1053.40 + 89.00	.9884	----	----	----	----	8	UNCH
3735	----	----	1,136.50B/----	1136.50B/998.80A	----	1043.50 + 89.00	.9879	----	----	----	----	15	UNCH
3750	----	----	1,121.60B/----	1121.60B/984.00A	----	1028.60 + 88.80	.9874	----	----	----	----	56	UNCH
3800	----	----	1,066.40B/----	1066.40B/934.30A	----	978.90 + 88.10	.9855	----	----	----	----	44	UNCH
3820	----	----	1,052.30B/----	1052.30B/913.80A	----	959.10 + 87.90	.9844	----	----	----	----	4	UNCH
3840	----	----	1,032.40B/----	1032.40B/894.70A	----	939.30 + 87.60	.9833	----	----	----	----	20	UNCH
3855	----	----	1,017.60B/----	1017.60B/880.90A	----	924.40 + 87.30	.9826	----	----	----	----	2	UNCH
3875	----	----	997.90B/----	997.90B/860.10A	----	904.60 + 86.90	.9814	----	----	----	----	41	UNCH
3890	----	----	983.10B/----	983.10B/845.40A	----	889.80 + 86.70	.9803	----	----	----	----	1	UNCH
3895	----	----	972.60B/----	972.60B/840.50A	----	884.80 + 86.50	.9802	----	----	----	----	9	UNCH
3900	----	----	967.60B/----	967.60B/834.40A	----	879.90 + 86.50	.9797	----	----	----	----	112	UNCH
3950	----	----	918.30B/----	918.30B/785.30A	----	830.50 + 85.40	.9762	----	----	----	----	223	UNCH
3960	----	----	914.10B/----	914.10B/776.50A	----	820.70 + 85.20	.9755	----	----	----	----	11	UNCH
3975	----	----	899.30B/----	899.30B/762.00A	----	805.90 + 84.80	.9739	----	----	----	----	13	UNCH
3980	----	----	894.40B/----	894.40B/755.90A	----	801.00 + 84.70	.9738	----	----	----	----	97	UNCH
3995	----	----	874.10B/----	874.10B/742.50A	----	786.20 + 84.20	.9721	----	----	----	----	62	UNCH
4000	----	----	874.70B/----	874.70B/736.40A	----	781.30 + 84.10	.9716	----	----	----	----	143	UNCH
4005	----	----	869.80B/----	869.80B/732.70A	----	776.40 + 84.00	.9710	----	----	----	----	30	UNCH
4015	----	----	860.00B/----	860.00B/723.00A	----	766.60 + 83.70	.9703	----	----	----	----	5	UNCH
4020	----	----	855.10B/----	855.10B/718.10A	----	761.70 + 83.60	.9698	----	----	----	----	15	UNCH
4025	----	----	850.30B/----	850.30B/713.00A	----	756.80 + 83.40	.9692	----	----	----	----	2	UNCH
4050	----	----	825.70B/----	825.70B/687.80A	----	732.30 + 82.60	.9659	----	----	----	----	176	UNCH
4070	----	----	800.70B/----	800.70B/669.20A	----	712.80 + 82.00	.9636	----	----	----	----	25	UNCH
4075	----	----	801.30B/----	801.30B/664.80A	----	707.90 + 81.80	.9630	----	----	----	----	22	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4090	----	----	786.70B/----	786.70B/650.00A	----	693.30 + 81.20	.9607	----	----	----	----	1 UNCH
4100	----	----	776.90B/----	776.90B/640.80A	----	683.60 + 80.90	.9591	----	----	----	----	48 UNCH
4105	----	----	772.00B/----	772.00B/636.00A	----	678.80 + 80.80	.9581	----	----	----	----	10 UNCH
4115	----	----	762.30B/----	762.30B/626.40A	----	669.10 + 80.40	.9564	----	----	----	----	4 UNCH
4120	----	----	757.40B/----	757.40B/619.40A	----	664.20 + 80.10	.9558	----	----	----	----	372 UNCH
4125	----	----	752.50B/----	752.50B/617.30A	----	659.40 + 80.00	.9548	----	----	----	----	1 UNCH
4130	----	----	747.70B/----	747.70B/612.10A	----	654.60 + 79.80	.9541	----	----	----	----	11 UNCH
4135	----	----	742.80B/----	742.80B/606.80A	----	649.70 + 79.50	.9531	----	----	----	----	3 UNCH
4145	----	----	733.10B/----	733.10B/598.20A	----	640.10 + 79.20	.9510	----	----	----	----	1 UNCH
4150	----	----	728.20B/----	728.20B/590.80A	----	635.30 + 79.00	.9503	----	----	----	----	255 UNCH
4155	----	----	723.50B/----	723.50B/588.70A	----	630.50 + 78.80	.9493	----	----	----	----	1 UNCH
4165	----	----	713.70B/----	713.70B/578.90A	----	620.90 + 78.40	.9471	----	----	----	----	3 UNCH
4170	----	----	708.90B/----	708.90B/573.60A	----	616.10 + 78.20	.9461	----	----	----	----	24 UNCH
4175	----	----	698.60B/----	698.60B/568.90A	----	611.30 + 77.90	.9450	----	----	----	----	3 UNCH
4180	----	----	699.60B/----	699.60B/563.70A	----	606.50 + 77.70	.9439	----	----	----	----	123 UNCH
4185	----	----	694.40B/----	694.40B/558.70A	----	601.70 + 77.50	.9428	----	----	----	----	3 UNCH
4190	----	----	689.60B/----	689.60B/555.30A	----	596.90 + 77.20	.9414	----	----	----	----	18 UNCH
4200	----	----	679.90B/----	679.90B/543.50A	----	587.40 + 76.80	.9392	----	----	----	----	822 UNCH
4205	----	----	675.20B/----	675.20B/540.70A	----	582.60 + 76.50	.9381	----	----	----	----	4 UNCH
4210	----	----	665.00B/----	665.00B/536.70A	----	577.90 + 76.30	.9366	----	----	----	----	23 UNCH
4220	----	----	660.70B/----	660.70B/526.70A	----	568.40 + 75.80	.9340	----	----	----	----	7 UNCH
4240	----	----	636.20B/----	636.20B/508.20A	----	549.50 + 74.80	.9283	----	----	----	----	21 UNCH
4245	----	----	636.70B/----	636.70B/502.80A	----	544.80 + 74.60	.9268	----	----	----	----	2 UNCH
4250	----	----	632.00B/----	632.00B/497.60A	----	540.10 + 74.30	.9253	----	----	1	----	277 UNCH
4255	----	----	627.20B/----	627.20B/494.10A	----	535.40 + 74.00	.9237	----	----	1	----	103 UNCH
4260	----	----	617.10B/----	617.10B/490.10A	----	530.70 + 73.80	.9222	----	----	----	----	8 UNCH
4265	----	----	617.60B/----	617.60B/485.20A	----	526.00 + 73.50	.9207	----	----	----	----	13 UNCH
4270	----	----	612.80B/----	612.80B/481.40A	----	521.40 + 73.30	.9191	----	----	----	----	29 UNCH
4275	----	----	608.10B/----	608.10B/476.70A	----	516.70 + 73.00	.9175	----	----	----	----	14 UNCH
4280	----	----	597.90B/----	597.90B/471.60A	----	512.10 + 72.70	.9156	----	----	----	----	1 UNCH
4285	----	----	598.60B/----	598.60B/467.60A	----	507.40 + 72.40	.9140	----	----	----	----	4 UNCH
4290	----	----	593.80B/----	593.80B/461.70A	----	502.80 + 72.10	.9121	----	----	----	----	44 UNCH
4295	----	----	583.70B/----	583.70B/458.80A	----	498.10 + 71.80	.9105	----	----	----	----	2 UNCH
4300	560.00	560.00	584.50B/452.10A	584.50B/452.10A	----	493.50 + 71.50	.9086	----	----	10	----	1116 - 7
4305	----	----	579.70B/----	579.70B/449.80A	----	488.90 + 71.20	.9067	----	----	----	----	2 UNCH
4315	----	----	570.40B/----	570.40B/440.60A	----	479.70 + 70.60	.9027	----	----	----	----	3 UNCH
4325	----	----	555.20B/----	555.20B/429.90A	----	470.50 + 70.00	.8988	----	----	----	----	560 UNCH
4330	----	----	556.20B/----	556.20B/427.00A	----	466.00 + 69.70	.8968	----	----	----	----	26 UNCH
4335	----	----	551.50B/----	551.50B/422.30A	----	461.40 + 69.40	.8945	----	----	----	----	2 UNCH
4340	----	----	546.70B/----	546.70B/418.40A	----	456.90 + 69.10	.8925	----	----	----	----	4 UNCH
4345	----	----	542.00B/----	542.00B/414.20A	----	452.30 + 68.70	.8902	----	----	----	----	2 UNCH
4350	----	----	531.80B/----	531.80B/408.00A	----	447.80 + 68.40	.8878	----	----	----	----	251 UNCH
4355	----	----	527.30B/----	527.30B/404.70A	----	443.30 + 68.10	.8858	----	----	----	----	40 UNCH
4360	----	----	528.00B/----	528.00B/399.20A	----	438.80 + 67.80	.8835	----	----	----	----	349 UNCH
4365	----	----	517.90B/----	517.90B/396.00A	----	434.30 + 67.40	.8811	----	----	----	----	5 UNCH
4370	----	----	518.70B/----	518.70B/391.60A	----	429.80 + 67.00	.8787	----	----	----	----	75 UNCH
4375	----	----	508.60B/----	508.60B/387.90A	----	425.30 + 66.70	.8760	----	----	----	----	34 UNCH
4380	----	----	503.90B/----	503.90B/383.60A	----	420.90 + 66.40	.8737	----	----	----	----	12 UNCH
4385	----	----	504.80B/----	504.80B/379.30A	----	416.40 + 66.00	.8712	----	----	----	----	4 UNCH
4390	----	----	500.10B/----	500.10B/374.70A	----	412.00 + 65.60	.8685	----	----	----	----	10 UNCH
4395	----	----	495.50B/----	495.50B/370.20A	----	407.60 + 65.30	.8658	----	----	----	----	5 UNCH
4400	387.20	387.20	491.00B/364.80A	491.00B/364.80A	----	403.20 + 64.90	.8634	----	----	1	----	1635 + 1
4405	----	----	480.90B/----	480.90B/361.70A	----	398.80 + 64.60	.8606	----	----	----	----	16 UNCH
4410	----	----	481.80B/----	481.80B/358.10A	----	394.40 + 64.20	.8579	----	----	----	----	44 UNCH
4415	----	----	477.30B/----	477.30B/352.50A	----	390.00 + 63.80	.8549	----	----	----	----	35 UNCH
4420	----	----	472.80B/----	472.80B/346.40A	----	385.60 + 63.30	.8521	----	----	----	----	50 UNCH
4425	----	----	468.20B/----	468.20B/342.40A	----	381.30 + 63.00	.8493	----	----	----	----	67 UNCH
4430	----	----	463.60B/----	463.60B/338.20A	----	376.90 + 62.50	.8463	----	----	----	----	16 UNCH
4435	----	----	459.10B/----	459.10B/337.20A	----	372.60 + 62.10	.8432	----	----	----	----	6 UNCH
4440	----	----	454.50B/----	454.50B/330.10A	----	368.30 + 61.70	.8404	----	----	----	----	62 UNCH
4445	----	----	444.70B/----	444.70B/329.00A	----	364.00 + 61.30	.8373	----	----	----	----	7 UNCH
4450	----	----	445.30B/----	445.30B/321.90A	----	359.80 + 61.00	.8339	----	----	----	----	270 UNCH
4455	----	----	440.90B/----	440.90B/317.80A	----	355.50 + 60.50	.8308	----	----	----	----	43 UNCH
4460	----	----	436.50B/----	436.50B/313.80A	----	351.20 + 60.00	.8276	----	----	----	----	27 UNCH
4465	----	----	426.70B/----	426.70B/309.80A	----	347.00 + 59.60	.8242	----	----	----	----	20 UNCH
4470	----	----	427.50B/----	427.50B/305.90A	----	342.80 + 59.20	.8208	----	----	----	----	53 UNCH
4475	----	----	423.00B/----	423.00B/302.00A	----	338.60 + 58.80	.8174	----	----	----	----	38 UNCH
4480	----	----	418.60B/----	418.60B/298.10A	----	334.40 + 58.30	.8139	----	----	----	----	116 UNCH
4485	----	----	414.10B/----	414.10B/294.00A	----	330.30 + 57.90	.8105	----	----	----	----	23 UNCH
4490	----	----	409.70B/----	409.70B/290.20A	----	326.10 + 57.40	.8068	----	----	----	----	19 UNCH
4495	----	----	405.30B/----	405.30B/286.40A	----	322.00 + 57.00	.8033	----	----	----	----	16 UNCH
4500	388.20	388.20	400.90B/282.20A	400.90B/282.20A	----	317.90 + 56.60	.7996	----	----	50	----	1263 - 9
4505	----	----	396.50B/----	396.50B/278.60A	----	313.80 + 56.10	.7958	----	----	----	----	29 UNCH
4510	----	----	392.10B/----	392.10B/274.80A	----	309.70 + 55.60	.7918	----	----	----	----	46 UNCH
4515	----	----	387.70B/----	387.70B/271.00A	----	305.70 + 55.20	.7881	----	----	----	----	17 UNCH
4520	----	----	383.70B/----	383.70B/267.30A	----	301.70 + 54.70	.7841	----	----	----	----	20 UNCH
4525	----	----	379.40B/----	379.40B/263.60A	----	297.60 + 54.20	.7802	----	----	----	----	23 UNCH
4530	----	----	375.00B/----	375.00B/259.80A	----	293.70 + 53.80	.7762	----	----	----	----	37 UNCH
4535	----	----	370.30B/----	370.30B/256.10A	----	289.70 + 53.30	.7720	----	----	----	----	30 UNCH
4540	----	----	366.00B/----	366.00B/252.20A	----	285.70 + 52.80	.7679	----	----	----	----	20 UNCH
4545	----	----	361.80B/----	361.80B/251.00A	----	281.80 + 52.30	.7636	----	----	----	----	4 UNCH
4550	317.90	317.90	357.50B/245.00A	357.50B/245.00A	----	277.90 + 51.80	.7593	----	----	1	----	367 - 1
4555	----	----	353.40B/----	353.40B/241.60A	----	274.00 + 51.30	.7550	----	----	----	----	31 UNCH
4560	----	----	343.70B/----	343.70B/238.00A	----	270.20 + 50.90	.7507	----	----	----	----	34 UNCH
4565	----	----	344.90B/----	344.90B/234.10A	----	266.30 + 50.40	.7462	----	----	----	----	47 UNCH
4570	----	----	340.70B/----	340.70B/230.90A	----	262.50 + 49.90	.7418	----	----	----	----	209 UNCH
4575	----	----	336.40B/----	336.40B/227.30A	----	258.70 + 49.40	.7373	----	----	1	----	69 - 1
4580	----	----	332.20B/----	332.20B/224.90A	----	255.00 + 49.00	.7326	----	----	----	----	6 UNCH
4585	----	----	328.10B/----	328.10B/220.40A	----	251.20 + 48.40	.7280	----	----	----	----	101 UNCH
4590	----	----	324.20B/----	324.20B/216.40A	----	247.50 + 48.00	.7232	----	----	----	----	135 UNCH
4595	----	----	317.70B/----	317.70B/213.30A	----	243.80 + 47.50	.7184	----	----	----	----	31 UNCH
4600	293.00	293.00	322.00/209.70A	322.00/209.70A	----	240.10 + 47.00	.7136	----	----	162	50	2685 - 150
4605	----	----	312.10B/----	312.10B/206.60A	----	236.50 + 46.50	.7087	----	----	----	----	302 UNCH
4610	257.30	257.30	307.50B/203.40A	307.50B/203.40A	----	232.90 + 46.00	.7038	----	----	14	----	77 - 7
4615	----	----	303.90B/----	303.90B/199.90A	----	229.30 + 45.50	.6988	----	----	----	----	20 UNCH
4620	----	----	297.90B/----	297.90B/195.70A	----	225.70 + 45.00	.6938	----	----	----	----	26 UNCH
4625	----	----	295.80B/----	295.80B/192.50A	----	222.10 + 44.40	.6887	----	----	1	----	117 - 1
4630	----	----	291.60B/----	291.60B/189.30A	----	218.60 + 43.90	.6835	----	----	----	----	40 UNCH
4635	----	----	288.10B/----	288.10B/186.10A	----	215.10 + 43.40	.6783	----	----	1	----	229 UNCH
4640	----	----	283.80B/----	283.80B/183.00A	----	211.70 + 42.90	.6731	----	----	----	----	45 UNCH
4645	----	----	274.60B/----	274.60B/179.80A	----	208.30 + 42.50	.6677	----	----	----	----	6 UNCH
4650	250.00	250.00	275.80B/176.60A	275.80B/176.60A	----	204.80 + 41.80	.6624	----	----	2	----	619 UNCH
4655	----	----	272.80B/----	272.80B/173.60A	----	201.50 + 41.40	.6570	----	----	----	----	223 UNCH
4660	----	----	268.00B/----	268.00B/170.60A	----	198.10 + 40.70	.6516	----	----	1	----	151 UNCH
4665	----	----	264.20B/----	264.20B/167.60A	----	194.80 + 40.20	.6460	----	----	----	----	57 UNCH
4670	----	----	260.40B/----	260.40B/164.60A	----	191.50 + 39.60	.6405	----	----	----	----	118 UNCH
4675	----	----	256.60B/----	256.60B/161.70A	----	188.30 + 39.10	.6350	----	----	23	----	87 - 21
4680	250.00	250.00	250.00/158.80A	250.00/158.80A	----	185.00 + 38.50	.6293	----	----	2	----	162 - 1
4685	----	----	248.40B/----	248.40B/155.90A	----	181.80 + 38.00	.6236	----	----	----	----	159 UNCH
4690	----	----	248.90B/----	248.90B/153.00A	----	178.70 + 37.50	.6179	----	----	1	----	51 - 1
4695	----	----	246.40B/----	246.40B/150.20A	----	175.50 + 36.90	.6121	----	----	1	----	55 UNCH
4700	220.50	220.50	250.00/147.40A	250.00/147.40A	----	172.40 + 36.40	.6064	----	----	254	----	2251 - 145
4705	----	----	241.80B/----	241.80B/144.70A	----	169.30 + 35.90	.6005	----	----	----	----	319 UNCH
4710	159.30	159.30	238.50B/142.00A	238.50B/142.00A	----	166.30 + 35.40	.5947	----	----	11	----	212 - 10
4715	147.80	147.80	235.00B/139.30A	235.00B/139.30A	----	163.30 + 34.90	.5888	----	----	6	----	68 + 6
4720	157.60	157.60	231.40B/136.70A	231.40B/136.70A	----	160.30 + 34.40	.5829	----	----	8	----	113 UNCH
4725	142.20	142.20	227.80B/134.00A	227.80B/134.00A	----	157.30 + 33.80	.5769	----	----	15	----	144 + 2
4730	----	----	224.20B/----	224.20B/131.50A	----	154.40 + 33.30	.5709	----	----	----	----	50 UNCH
4735	----	----	220.80B/----	220.80B/128.90A	----	151.50 + 32.80	.5649	----	----	----	----	31 UNCH
4740	181.00	181.00	217.20B/126.40A	217.20B/126.40A	----	148.60 + 32.20	.5589	----	----	10	----	161 - 6
4745	131.50	131.50	213.80B/123.90A	213.80B/123.90A	----	145.80 + 31.70	.5528	----	----	6	----	27 UNCH
4750	195.20	195.20	210.40B/121.30A	210.40B/121.30A	----	143.00 + 31.20	.5467	----	----	35	----	1452 - 5
4755	----	----	207.20B/----	207.20B/119.10A	----	140.20 + 30.60	.5406	----	----	----	----	46 UNCH
4760	123.80	123.80	203.60B/116.60A	203.60B/116.60A	----	137.50 + 30.10	.5344	----	----	7	----	83 + 5
4765	144.60	144.60	200.30B/114.30A	200.30B/114.30A	----	134.80 + 29.50	.5283	----	----	2	----	76 UNCH
4770	167.00	167.00	196.90B/111.80A	196.90B/111.80A	----	132.10 + 29.00	.5221	----	----	9	----	81 UNCH
4775	125.70	125.70	193.60B/109.50A	193.60B/109.50A	----	129.40 + 28.40	.5159	----	----	8	----	189 - 1
4780	----	----	190.50B/----	190.50B/107.20A	----	126.80 + 27.80	.5097	----	----	----	----	54 UNCH
4785	128.60	128.60	187.10B/105.10A	187.10B/105.10A	----	124.20 + 27.30	.5034	----	----	2	----	32 + 1
4790	117.50	117.50	183.90B/102.80A	183.90B/102.80A	----	121.60 + 26.70	.4972	----	----	9	----	129 + 2
4795	136.70	136.70	182.90B/100.70A	182.90B/100.70A	----	119.10 + 26.20	.4909	----	----	4	----	57 + 4
4800	130.00	130.00	179.80B/98.30A	179.80B/98.30A	----	116.60 + 25.60	.4846	----	----	357	----	2123 - 54
4805	----	----	176.40B/----	176.40B/96.50A	----	114.20 + 25.20	.4784	----	----	2	----	19 UNCH
4810	114.00	114.00	173.50B/94.10A	173.50B/94.10A	----	111.70 + 24.60	.4721	----	----	13	----	588 + 2
4815	134.10	134.10	170.50B/92.20A	170.50B/92.20A	----	109.40 + 24.10	.4658	----	----	7	----	16 - 2
4820	112.00	112.00	167.30B/90.20A	167.30B/90.20A	----	107.10 + 23.70	.4596	----	----	32	----	148 + 15
4825	132.40	132.40	164.50B/88.20A	164.50B/88.20A	----	104.80 + 23.20	.4533	----	----	5	----	182 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
4830	117.80	117.80	161.30B/86.30A	161.30B/86.30A	----	102.50 + 22.70	.4471	----	----	2	----	65 + 2
4835	97.70	97.70	158.40B/84.30A	158.40B/84.30A	----	100.30 + 22.20	.4408	----	----	2	----	10 + 2
4840	134.50	134.50	155.50B/82.50A	155.50B/82.50A	----	98.20 + 21.80	.4347	----	----	6	----	34 UNCH
4845	119.00	119.00	152.60B/80.70A	152.60B/80.70A	----	96.00 + 21.30	.4284	----	----	9	----	25 + 5
4850	139.10	139.10	149.80B/78.70A	149.80B/78.70A	----	93.90 + 20.90	.4222	----	----	689	----	934 + 229
4855	121.50	121.50	147.00B/77.00A	147.00B/77.00A	----	91.90 + 20.50	.4161	----	----	3	----	21 UNCH
4860	114.00	114.00	144.40B/75.20A	144.40B/75.20A	----	89.80 + 20.00	.4099	----	----	116	----	49 + 24
4865	116.60	116.60	141.50B/73.50A	141.50B/73.50A	----	87.80 + 19.60	.4038	----	----	3	----	57 UNCH
4870	76.00	76.00	138.80B/71.80A	138.80B/71.80A	----	85.90 + 19.20	.3977	----	----	6	----	67 + 3
4875	120.40	120.40	136.10B/70.10A	136.10B/70.10A	----	83.90 + 18.70	.3916	----	----	3	----	176 - 1
4880	118.00	118.00	133.50B/68.50A	133.50B/68.50A	----	82.00 + 18.30	.3855	----	----	25	----	30 + 1
4885	116.50	116.50	130.90B/66.90A	130.90B/66.90A	----	80.20 + 17.90	.3796	----	----	11	----	68 + 8
4890	113.20	113.20	128.30B/65.30A	128.30B/65.30A	----	78.30 + 17.40	.3735	----	----	29	----	44 + 27
4895	108.60	108.60	125.70B/63.80A	125.70B/63.80A	----	76.50 + 17.00	.3676	----	----	1	----	73 + 1
4900	79.00	79.00	123.40B/62.10A	123.40B/62.10A	----	74.80 + 16.70	.3617	----	----	360	215	2161 + 198
4905	103.50	103.50	120.80B/60.90A	120.80B/60.90A	----	73.00 + 16.20	.3558	----	----	4	----	42 UNCH
4910	85.40	85.40	118.30B/59.30A	118.30B/59.30A	----	71.30 + 15.80	.3499	----	----	39	----	90 + 3
4915	----	----	115.90B/----	115.90B/58.00A	----	69.60 + 15.40	.3441	----	----	1	----	70 UNCH
4920	----	----	113.50B/----	113.50B/56.60A	----	68.00 + 15.10	.3384	----	----	----	----	60 UNCH
4925	----	----	111.20B/----	111.20B/55.00A	----	66.40 + 14.70	.3327	----	----	2	----	310 - 1
4930	80.00	80.00	108.90B/53.80A	108.90B/53.80A	----	64.80 + 14.30	.3269	----	----	3	----	194 + 2
4935	80.40	80.40	106.60B/52.60A	106.60B/52.60A	----	63.20 + 13.90	.3212	----	----	33	----	71 - 2
4940	64.80	64.80	104.60B/51.30A	104.60B/51.30A	----	61.70 + 13.60	.3157	----	----	2	----	23 - 2
4945	77.90	77.90	102.20B/49.90A	102.20B/49.90A	----	60.20 + 13.20	.3101	----	----	5	----	34 + 1
4950	68.00	68.00	99.90B/48.60A	99.90B/48.60A	----	58.70 + 12.80	.3045	----	----	126	----	931 + 15
4955	----	----	97.80B/----	97.80B/47.50A	----	57.30 + 12.50	.2992	----	----	----	----	10 UNCH
4960	----	----	95.70B/----	95.70B/46.40A	----	55.90 + 12.20	.2938	----	----	----	----	36 UNCH
4965	63.00	63.00	93.60B/45.30A	93.60B/45.30A	----	54.50 + 11.80	.2884	----	----	1	----	65 - 1
4970	55.90	55.90	91.60B/44.10A	91.60B/44.10A	----	53.10 + 11.50	.2830	----	----	92	----	73 - 41
4975	----	----	89.60B/----	89.60B/42.80A	----	51.80 + 11.20	.2778	----	----	20	----	300 - 5
4980	61.40	61.40	87.70B/41.90A	87.70B/41.90A	----	50.50 + 10.80	.2726	----	----	11	----	256 + 9
4985	----	----	85.90B/----	85.90B/40.80A	----	49.30 + 10.60	.2676	----	----	1	----	148 - 1
4990	----	----	83.60B/----	83.60B/39.90A	----	48.00 + 10.20	.2624	----	----	30	----	38 - 4
4995	67.50	67.50	81.80B/38.70A	81.80B/38.70A	----	46.80 + 9.90	.2574	----	----	8	----	113 UNCH
5000	57.50	57.50	80.00B/37.70A	80.00B/37.70A	----	45.60 + 9.60	.2524	----	----	849	----	4369 - 33
5005	----	----	78.10B/----	78.10B/36.80A	----	44.50 + 9.40	.2477	----	----	2	----	26 - 1
5010	57.90	57.90	76.40B/35.90A	76.40B/35.90A	----	43.30 + 9.10	.2427	----	----	13	----	182 + 5
5015	43.50	43.50	74.70B/35.00A	74.70B/35.00A	----	42.20 + 8.80	.2379	----	----	6	----	56 + 4
5020	52.20	52.20	72.90B/34.10A	72.90B/34.10A	----	41.10 + 8.50	.2332	----	----	26	----	39 - 5
5025	54.70	54.70	71.20B/33.30A	71.20B/33.30A	----	40.10 + 8.30	.2287	----	----	2	----	219 UNCH
5030	45.30	45.30	69.60B/32.40A	69.60B/32.40A	----	39.00 + 8.00	.2239	----	----	1	----	263 UNCH
5035	50.00	50.00	68.00B/31.70A	68.00B/31.70A	----	38.00 + 7.70	.2194	----	----	2	----	19 UNCH
5040	36.20	36.20	66.20B/30.80A	66.20B/30.80A	----	37.10 + 7.60	.2152	----	----	22	----	152 + 2
5045	54.50	54.50	64.80B/29.90A	64.80B/29.90A	----	36.10 + 7.30	.2107	----	----	138	----	1245 + 89
5050	53.10	53.10	63.10B/29.20A	63.10B/29.20A	----	35.20 + 7.10	.2065	----	----	187	150	2191 + 92
5055	----	----	61.60B/----	61.60B/28.50A	----	34.20 + 6.80	.2020	----	----	----	----	85 UNCH
5060	50.50	50.50	60.10B/27.80A	60.10B/27.80A	----	33.40 + 6.60	.1981	----	----	2	----	90 + 1
5065	----	----	59.00B/----	59.00B/27.10A	----	32.50 + 6.40	.1939	----	----	----	----	18 UNCH
5070	43.00	43.00	57.50B/26.40A	57.50B/26.40A	----	31.60 + 6.10	.1897	----	----	23	----	60 - 14
5075	----	----	56.10B/----	56.10B/25.70A	----	30.80 + 5.90	.1858	----	----	3	----	52 UNCH
5080	----	----	54.80B/----	54.80B/25.10A	----	30.00 + 5.70	.1819	----	----	----	----	145 UNCH
5085	----	----	53.50B/----	53.50B/24.40A	----	29.20 + 5.50	.1780	----	----	10	----	322 + 8
5090	----	----	52.10B/----	52.10B/23.80A	----	28.50 + 5.40	.1744	----	----	----	----	215 UNCH
5095	35.70	35.70	50.90B/23.30A	50.90B/23.30A	----	27.70 + 5.10	.1705	----	----	2	----	20 + 1
5100	40.00	40.00	51.00/22.70A	51.00/22.70A	----	27.00 + 5.00	.1670	----	----	440	----	1896 - 70
5105	----	----	48.50B/----	48.50B/22.10A	----	26.30 + 4.80	.1634	----	----	----	----	10 UNCH
5110	22.50	22.50	47.30B/21.50A	47.30B/21.50A	----	25.60 + 4.60	.1599	----	----	1	----	415 UNCH
5115	45.20	45.20	46.00B/21.00A	46.00B/21.00A	----	24.90 + 4.40	.1563	----	----	5	----	118 + 1
5120	30.50	30.50	44.90B/20.50A	44.90B/20.50A	----	24.30 + 4.30	.1531	----	----	2	----	25 + 1
5125	36.90	36.90	43.90B/19.90A	43.90B/19.90A	----	23.60 + 4.10	.1496	----	----	42	----	357 - 11
5130	----	----	42.70B/----	42.70B/19.40A	----	23.00 + 4.00	.1464	----	----	2	----	89 - 1
5135	----	----	42.00B/----	42.00B/18.90A	----	22.40 + 3.80	.1432	----	----	----	----	194 UNCH
5140	----	----	40.90B/----	40.90B/18.50A	----	21.80 + 3.70	.1400	----	----	203	----	263 + 140
5145	----	----	39.70B/----	39.70B/18.10A	----	21.30 + 3.60	.1372	----	----	38	----	78 + 34
5150	29.00	29.00	38.60B/17.60A	38.60B/17.60A	----	20.70 + 3.40	.1340	----	----	708	----	1331 + 66
5155	----	----	38.10B/----	38.10B/17.20A	----	20.20 + 3.30	.1312	----	----	----	----	74 UNCH
5160	----	----	37.30B/----	37.30B/16.60A	----	19.70 + 3.20	.1284	----	----	6	----	312 + 2
5165	----	----	36.00B/----	36.00B/16.30A	----	19.20 + 3.10	.1256	----	----	1	----	47 UNCH
5170	26.50	26.50	34.90B/15.90A	34.90B/15.90A	----	18.70 + 3.00	.1228	----	----	9	----	196 - 2
5175	28.30	28.30	34.40B/15.50A	34.40B/15.50A	----	18.20 + 2.80	.1201	----	----	1	----	244 - 1
5180	----	----	33.10B/----	33.10B/15.10A	----	17.70 + 2.70	.1173	----	----	1	----	34 UNCH
5185	----	----	32.60B/----	32.60B/14.80A	----	17.30 + 2.60	.1149	----	----	----	----	25 UNCH
5190	----	----	31.60B/----	31.60B/14.40A	----	16.80 + 2.40	.1122	----	----	----	----	340 UNCH
5195	----	----	31.40B/----	31.40B/14.10A	----	16.40 + 2.40	.1098	----	----	----	----	22 UNCH
5200	25.00	25.00	30.40B/13.70A	30.40B/13.70A	----	16.00 + 2.30	.1075	----	----	696	25	2740 - 376
5205	----	----	29.60B/----	29.60B/13.40A	----	15.60 + 2.20	.1051	----	----	----	----	27 UNCH
5210	21.50	21.50	28.90B/13.10A	28.90B/13.10A	----	15.20 + 2.10	.1028	----	----	9	----	59 + 3
5215	----	----	28.30B/----	28.30B/12.80A	----	14.80 + 2.00	.1004	----	----	----	----	53 UNCH
5220	----	----	27.30B/12.50A	27.30B/12.50A	----	14.40 + 1.80	.0981	----	----	----	----	264 UNCH
5225	----	----	27.00B/12.20A	27.00B/12.20A	----	14.10 + 1.80	.0962	----	----	3	----	178 + 2
5230	17.60	17.60	26.30B/11.90A	26.30B/11.90A	----	13.70 + 1.70	.0939	----	----	9	----	27 - 5
5235	----	----	25.50B/11.60A	25.50B/11.60A	----	13.40 + 1.60	.0920	----	----	----	----	67 UNCH
5240	----	----	25.10B/11.40A	25.10B/11.40A	----	13.10 + 1.60	.0901	----	----	----	----	94 UNCH
5245	----	----	24.40B/11.10A	24.40B/11.10A	----	12.80 + 1.50	.0883	----	----	----	----	55 UNCH
5250	24.50	24.50	24.50/10.80A	24.50/10.80A	----	12.50 + 1.50	.0864	----	----	504	----	1986 - 136
5255	----	----	23.20B/10.60A	23.20B/10.60A	----	12.20 + 1.40	.0845	----	----	----	----	7 UNCH
5260	----	----	22.60B/10.40A	22.60B/10.40A	----	11.90 + 1.30	.0827	----	----	----	----	110 UNCH
5265	----	----	22.00B/10.20A	22.00B/10.20A	----	11.60 + 1.20	.0808	----	----	----	----	56 UNCH
5270	----	----	21.40B/10.00A	21.40B/10.00A	----	11.30 + 1.10	.0790	----	----	1	----	92 UNCH
5275	15.80	15.80	20.80B/9.80A	20.80B/9.80A	----	11.10 + 1.10	.0776	----	----	3	----	201 UNCH
5280	14.20	14.20	20.40B/9.50A	20.40B/9.50A	----	10.80 + 1.00	.0758	----	----	12	----	292 + 5
5285	----	----	19.50B/9.30A	19.50B/9.30A	----	10.60 + 1.00	.0744	----	----	----	----	29 UNCH
5290	----	----	19.10B/9.10A	19.10B/9.10A	----	10.30 + 0.90	.0726	----	----	----	----	64 UNCH
5295	----	----	18.60B/9.00A	18.60B/9.00A	----	10.10 + 0.90	.0712	----	----	1	----	67 - 1
5300	20.00	20.00	20.00/8.80A	20.00/8.80A	----	9.90 + 0.80	.0699	----	----	38	----	2585 + 11
5305	----	----	17.80B/8.60A	17.80B/8.60A	----	9.70 + 0.80	.0686	----	----	----	----	46 UNCH
5310	13.60	13.60	17.40B/8.40A	17.40B/8.40A	----	9.50 + 0.80	.0672	----	----	2	----	33 - 1
5315	9.90	9.90	16.90B/8.30A	16.90B/8.30A	----	9.20 + 0.60	.0654	----	----	6	----	33 + 6
5320	----	----	16.50B/8.10A	16.50B/8.10A	----	9.00 + 0.60	.0641	----	----	----	----	531 UNCH
5325	----	----	16.10B/8.00A	16.10B/8.00A	----	8.90 + 0.60	.0633	----	----	1	----	110 - 1
5330	----	----	15.80B/7.80A	15.80B/7.80A	----	8.70 + 0.60	.0620	----	----	----	----	44 UNCH
5335	----	----	15.40B/7.70A	15.40B/7.70A	----	8.50 + 0.50	.0606	----	----	----	----	243 UNCH
5340	----	----	15.30B/7.50A	15.30B/7.50A	----	8.30 + 0.40	.0593	----	----	----	----	131 UNCH
5345	----	----	14.80B/7.40A	14.80B/7.40A	----	8.10 + 0.40	.0580	----	----	----	----	47 UNCH
5350	14.20	14.20	14.40B/7.20A	14.40B/7.20A	----	8.00 + 0.40	.0572	----	----	3	----	807 - 1
5355	----	----	14.20B/7.10A	14.20B/7.10A	----	7.80 + 0.30	.0560	----	----	----	----	26 UNCH
5360	8.30	8.30	13.80B/7.00A	13.80B/7.00A	----	7.70 + 0.40	.0552	----	----	3	----	106 + 3
5365	----	----	13.40B/6.90A	13.40B/6.90A	----	7.50 + 0.30	.0539	----	----	----	----	33 UNCH
5370	----	----	13.30B/6.70A	13.30B/6.70A	----	7.30 + 0.20	.0526	----	----	----	----	127 UNCH
5375	10.30	10.30	12.80B/6.60A	12.80B/6.60A	----	7.20 + 0.20	.0518	----	----	2	----	403 UNCH
5380	----	----	12.60B/6.50A	12.60B/6.50A	----	7.10 + 0.20	.0511	----	----	----	----	77 UNCH
5385	----	----	12.30B/6.40A	12.30B/6.40A	----	6.90 + 0.10	.0498	----	----	----	----	117 UNCH
5390	----	----	12.00B/6.30A	12.00B/6.30A	----	6.80 + 0.10	.0490	----	----	----	----	100 UNCH
5395	----	----	11.80B/6.20A	11.80B/6.20A	----	6.70 + 0.10	.0483	----	----	----	----	39 UNCH
5400	8.50	8.50	12.60/6.00A	12.60/6.00A	----	6.50 UNCH	.0470	----	----	1169	----	2490 + 25
5405	----	----	11.30B/5.90A	11.30B/5.90A	----	6.40 + 0.10	.0463	----	----	----	----	60 UNCH
5410	----	----	11.00B/5.80A	11.00B/5.80A	----	6.30 UNCH	.0455	----	----	----	----	155 UNCH
5415	----	----	10.80B/5.80A	10.80B/5.80A	----	6.20 UNCH	.0448	----	----	----	----	38 UNCH
5420	----	----	10.60B/5.70A	10.60B/5.70A	----	6.10 UNCH	.0441	----	----	----	----	143 UNCH
5425	8.40	8.40	10.30B/5.60A	10.30B/5.60A	----	6.00 UNCH	.0433	----	----	4	----	104 - 2
5430	5.60	5.60	10.10B/5.50A	10.10B/5.50A	----	5.90 UNCH	.0426	----	----	1	----	27 - 1
5435	----	----	9.80B/5.40A	9.80B/5.40A	----	5.70 - 0.10	.0414	----	----	----	----	12 UNCH
5440	----	----	9.60B/5.30A	9.60B/5.30A	----	5.60 - 0.10	.0406	----	----	----	----	56 UNCH
5445	----	----	9.40B/5.20A	9.40B/5.20A	----	5.50 - 0.10	.0399	----	----	----	----	113 UNCH
5450	----	----	9.30B/5.10A	9.30B/5.10A	----	5.50 UNCH	.0397	----	----	----	----	641 UNCH
5455	----	----	9.10B/5.10A	9.10B/5.10A	----	5.40 - 0.10	.0390	----	----	----	----	153 UNCH
5460	7.60	7.60	8.80B/5.00A	8.80B/5.00A	----	5.30 - 0.10	.0383	----	----	2	----	35 UNCH
5465	----	----	8.70B/4.90A	8.70B/4.90A	----	5.20 - 0.10	.0376	----	----	----	----	40 UNCH
5470	----	----	8.40B/4.80A	8.40B/4.80A	----	5.10 - 0.10	.0369	----	----	----	----	253 UNCH
5475	----	----	8.30B/4.70A	8.30B/4.70A	----	5.00 - 0.10	.0362	----	----	----	----	35 UNCH
5480	4.60	4.60	8.10B/4.60	8.10B/4.60	----	4.90 - 0.20	.0355	----	----	2	----	34 UNCH
5485	----	----	7.90B/4.60A	7.90B/4.60A	----	4.80 - 0.20	.0349	----	----	----	----	40 UNCH
5490	----	----	7.80B/4.50A	7.80B/4.50A	----	4.80 - 0.10	.0347	----	----	----	----	35 UNCH
5495	----	----	7.70B/4.50A	7.70B/4.50A	----	4.70 - 0.20	.0340	----	----	1	----	50 - 1
5500	8.00	8.00	8.00/*3.90	8.00/*3.90	----	4.60 - 0.20	.0333	----	----	234	----	4467 + 97
5505	----	----	7.30B/4.30A	7.30B/4.30A	----	4.50 - 0.20	.0327	----	----	----	----	91 UNCH
5510	6.20	6.20	7.30B/4.30A	7.30B/4.30A	----	4.50 - 0.20	.0325	----	----	23	----	59 + 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
5515	----	----	7.10B/4.20A	7.10B/4.20A	----	4.40 - 0.20	.0318	----	----	----	----	13 UNCH
5520	----	----	7.00B/4.20A	7.00B/4.20A	----	4.30 - 0.20	.0312	----	----	----	----	202 - 217
5525	----	----	6.80B/4.10A	6.80B/4.10A	----	4.30 - 0.20	.0310	----	----	----	----	84 UNCH
5530	----	----	6.70B/4.10A	6.70B/4.10A	----	4.20 - 0.20	.0304	----	----	----	----	62 UNCH
5535	----	----	6.50B/4.00A	6.50B/4.00A	----	4.10 - 0.30	.0297	----	----	----	----	14 UNCH
5540	----	----	6.40B/4.00A	6.40B/4.00A	----	4.10 - 0.20	.0296	----	----	----	----	27 UNCH
5545	----	----	6.30B/3.90A	6.30B/3.90A	----	4.00 - 0.30	.0289	----	----	----	----	6 UNCH
5550	----	----	6.20B/3.80A	6.20B/3.80A	----	4.00 - 0.20	.0288	----	----	12	----	851 - 9
5555	----	----	6.00B/3.80A	6.00B/3.80A	----	3.90 - 0.20	.0281	----	----	----	----	19 UNCH
5560	----	----	5.90B/3.70A	5.90B/3.70A	----	3.90 - 0.20	.0280	----	----	----	----	28 UNCH
5565	----	----	5.80B/3.70A	5.80B/3.70A	----	3.80 - 0.20	.0274	----	----	----	----	46 UNCH
5570	----	----	5.70B/3.70A	5.70B/3.70A	----	3.80 - 0.20	.0272	----	----	----	----	558 UNCH
5575	----	----	5.60B/3.60A	5.60B/3.60A	----	3.70 - 0.20	.0266	----	----	----	----	239 UNCH
5580	----	----	5.50B/3.60A	5.50B/3.60A	----	3.70 - 0.20	.0265	----	----	----	----	137 UNCH
5585	----	----	5.40B/3.50A	5.40B/3.50A	----	3.60 - 0.20	.0258	----	----	----	----	20 UNCH
5590	----	----	5.30B/3.50A	5.30B/3.50A	----	3.60 - 0.20	.0257	----	----	----	----	93 UNCH
5595	----	----	5.20B/3.40A	5.20B/3.40A	----	3.50 - 0.30	.0251	----	----	----	----	17 UNCH
5600	5.30	5.30	5.30/3.40A	5.30/3.40A	----	3.50 - 0.20	.0250	----	----	86	----	3189 - 63
5610	----	----	4.90B/3.30A	4.90B/3.30A	----	3.40 - 0.20	.0243	----	----	----	----	461 UNCH
5620	----	----	4.70B/3.20A	4.70B/3.20A	----	3.30 - 0.20	.0235	----	----	2	----	136 UNCH
5625	----	----	4.60B/3.20A	4.60B/3.20A	----	3.30 - 0.20	.0234	----	----	----	----	267 UNCH
5630	----	----	4.60B/3.20A	4.60B/3.20A	----	3.20 - 0.30	.0228	----	----	----	----	147 UNCH
5640	----	----	4.40B/3.10A	4.40B/3.10A	----	3.10 - 0.30	.0221	----	----	2	----	552 - 1
5650	----	----	4.30B/3.00A	4.30B/3.00A	----	3.10 - 0.20	.0219	----	----	----	----	709 UNCH
5660	----	----	4.10B/3.00A	4.10B/3.00A	----	3.00 - 0.20	.0212	----	----	----	----	262 UNCH
5670	----	----	4.00B/2.90A	4.00B/2.90A	----	2.90 - 0.30	.0205	----	----	----	----	41 UNCH
5675	----	----	4.00B/2.90A	4.00B/2.90A	----	2.90 - 0.20	.0205	----	----	----	----	5 UNCH
5680	----	----	3.90B/2.80A	3.90B/2.80A	----	2.90 - 0.20	.0204	----	----	----	----	94 UNCH
5690	----	----	3.80B/2.80A	3.80B/2.80A	----	2.80 - 0.30	.0197	----	----	----	----	178 UNCH
5700	----	----	3.80B/2.70A	3.80B/2.70A	----	2.70 - 0.30	.0190	----	----	3	----	1879 - 1
5710	----	----	3.60B/2.70A	3.60B/2.70A	----	2.70 - 0.20	.0189	----	----	----	----	49 UNCH
5720	----	----	3.50B/2.60A	3.50B/2.60A	----	2.60 - 0.30	.0182	----	----	----	----	35 UNCH
5725	----	----	3.50B/2.60A	3.50B/2.60A	----	2.60 - 0.30	.0181	----	----	----	----	432 UNCH
5730	----	----	3.40B/2.60A	3.40B/2.60A	----	2.60 - 0.20	.0181	----	----	----	----	121 UNCH
5740	----	----	3.30B/2.50A	3.30B/2.50A	----	2.50 - 0.30	.0174	----	----	----	----	55 UNCH
5750	3.10	3.10	3.30B/2.40A	3.30B/2.40A	----	2.50 - 0.20	.0173	----	----	12	----	311 - 10
5760	----	----	3.20B/2.40A	3.20B/2.40A	----	2.40 - 0.30	.0166	----	----	----	----	63 UNCH
5770	----	----	3.10B/2.40A	3.10B/2.40A	----	2.40 - 0.20	.0165	----	----	----	----	16 UNCH
5775	----	----	3.10B/2.30A	3.10B/2.30A	----	2.40 - 0.20	.0165	----	----	----	----	69 UNCH
5780	----	----	3.00B/2.30A	3.00B/2.30A	----	2.30 - 0.30	.0159	----	----	----	----	22 UNCH
5790	----	----	3.00B/2.30A	3.00B/2.30A	----	2.30 - 0.20	.0158	----	----	----	----	41 UNCH
5800	----	----	2.90B/2.20A	2.90B/2.20A	----	2.20 - 0.30	.0151	----	----	1	120	988 - 121
5810	----	----	2.80B/2.20A	2.80B/2.20A	----	2.20 - 0.30	.0150	----	----	----	----	37 UNCH
5820	----	----	2.80B/2.20A	2.80B/2.20A	----	2.20 - 0.20	.0149	----	----	----	----	48 UNCH
5825	----	----	2.80B/2.10A	2.80B/2.10A	----	2.10 - 0.30	.0144	----	----	1	----	112 UNCH
5830	----	----	2.70B/2.10A	2.70B/2.10A	----	2.10 - 0.30	.0143	----	----	----	----	139 UNCH
5840	----	----	2.70B/2.10A	2.70B/2.10A	----	2.10 - 0.20	.0142	----	----	----	----	87 UNCH
5850	----	----	2.60B/2.10A	2.60B/2.10A	----	2.00 - 0.30	.0136	----	----	----	----	327 UNCH
5860	----	----	2.60B/2.00A	2.60B/2.00A	----	2.00 - 0.20	.0135	----	----	----	----	68 UNCH
5870	----	----	2.50B/2.00A	2.50B/2.00A	----	2.00 - 0.20	.0134	----	----	----	----	17 UNCH
5875	----	----	2.50B/2.00A	2.50B/2.00A	----	1.90 - 0.30	.0129	----	----	----	----	29 UNCH
5880	----	----	2.50B/2.00A	2.50B/2.00A	----	1.90 - 0.30	.0128	----	----	----	----	24 UNCH
5890	----	----	2.50B/1.90A	2.50B/1.90A	----	1.90 - 0.20	.0127	----	----	----	----	23 UNCH
5900	----	----	2.40B/1.90A	2.40B/1.90A	----	1.80 - 0.30	.0121	----	----	----	----	829 UNCH
5910	----	----	2.40B/1.90A	2.40B/1.90A	----	1.80 - 0.30	.0121	----	----	1	----	61 UNCH
5920	----	----	2.30B/1.80A	2.30B/1.80A	----	1.80 - 0.20	.0120	----	----	----	----	113 UNCH
5930	----	----	2.30B/1.80A	2.30B/1.80A	----	1.80 - 0.20	.0119	----	----	----	----	136 UNCH
5940	----	----	2.20B/1.80A	2.20B/1.80A	----	1.70 - 0.30	.0113	----	----	----	----	59 UNCH
5950	----	----	2.20B/1.70A	2.20B/1.70A	----	1.70 - 0.30	.0113	----	----	----	----	431 UNCH
5960	----	----	2.20B/1.70A	2.20B/1.70A	----	1.70 - 0.20	.0112	----	----	----	----	45 UNCH
5970	----	----	2.10B/1.70A	2.10B/1.70A	----	1.70 - 0.20	.0111	----	----	----	----	35 UNCH
5980	2.30	2.30	2.30/1.70A	2.30/1.70A	----	1.60 - 0.30	.0105	----	----	13	----	128 + 10
5990	2.30	2.30	2.30/1.60A	2.30/1.60A	----	1.60 - 0.30	.0105	----	----	13	----	72 + 13
6000	2.00	2.00	2.30B/1.60A	2.30B/1.60A	----	1.60 - 0.20	.0104	----	----	7	----	3535 - 7
6025	----	----	2.00B/1.50A	2.00B/1.50A	----	1.60 - 0.20	.0103	----	----	----	----	94 UNCH
6050	----	----	1.90B/1.50A	1.90B/1.50A	----	1.50 - 0.20	.0096	----	----	----	----	103 UNCH
6075	----	----	1.80B/1.40A	1.80B/1.40A	----	1.50 - 0.20	.0095	----	----	----	----	23 UNCH
6100	1.50	1.50	1.70B/1.40A	1.70B/1.40A	----	1.40 - 0.20	.0089	----	----	1	200	517 - 109
6125	----	----	----/1.30A	1.60B/1.30A	----	1.40 - 0.20	.0088	----	----	----	----	48 UNCH
6150	1.60	1.60	1.60/1.30A	1.60/1.30A	----	1.40 - 0.20	.0087	----	----	2	----	132 UNCH
6175	----	----	----/1.20A	1.50B/1.20A	----	1.30 - 0.20	.0081	----	----	----	----	131 UNCH
6200	----	----	----/1.20A	1.40B/1.20A	----	1.30 - 0.20	.0080	----	----	----	----	370 UNCH
6225	----	----	----/1.20A	1.30B/1.20A	----	1.30 - 0.20	.0079	----	----	----	----	138 UNCH
6250	----	----	----/1.20A	1.40B/1.20A	----	1.20 - 0.20	.0073	----	----	----	----	260 UNCH
6275	----	----	----/1.10A	1.20B/1.10A	----	1.20 - 0.20	.0072	----	----	----	----	34 UNCH
6300	----	----	----/1.20A	1.20B/1.20A	----	1.10 - 0.30	.0066	----	----	----	----	254 UNCH
6325	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.20	.0066	----	----	----	----	148 UNCH
6350	----	----	----/1.00A	1.10B/1.00A	----	1.10 - 0.20	.0065	----	----	----	----	203 UNCH
6375	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.30	.0059	----	----	----	----	24 UNCH
6400	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.20	.0059	----	----	----	----	345 UNCH
6425	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.20	.0058	----	----	----	----	42 UNCH
6450	----	----	----/1.00A	1.00B/1.00A	----	0.90 - 0.30	.0053	----	----	----	----	76 UNCH
6475	----	----	----/1.00A	0.90B/1.00A	----	0.90 - 0.20	.0052	----	----	----	----	68 UNCH
6500	0.80	0.80	0.80/0.80	0.90B/0.80	----	0.90 - 0.20	.0052	----	----	1	----	1123 UNCH
6525	----	----	----/0.80A	0.80B/0.80A	----	0.80 - 0.30	.0046	----	----	----	----	20 UNCH
6550	----	----	----	0.90B/1.10A	----	0.80 - 0.30	.0046	----	----	----	----	75 UNCH
6575	----	----	----/0.90A	0.80B/0.90A	----	0.80 - 0.20	.0046	----	----	----	----	10 UNCH
6600	----	----	----/0.90A	0.80B/0.90A	----	0.70 - 0.30	.0040	----	----	----	----	72 UNCH
6625	----	----	----/0.70A	0.70B/0.70A	----	0.70 - 0.30	.0040	----	----	----	----	38 UNCH
6650	----	----	----/0.90A	0.70B/0.90A	----	0.70 - 0.30	.0040	----	----	----	----	57 UNCH
6675	0.70	0.70	0.70/0.70	0.70/0.70	----	0.70 - 0.20	.0039	----	----	1	----	29 UNCH
6700	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.20	.0039	----	----	5	----	381 + 5
6725	----	----	----	0.70B/0.90A	----	0.60 - 0.30	.0034	----	----	----	----	101 UNCH
6750	----	----	----/0.80A	0.60B/0.80A	----	0.60 - 0.30	.0034	----	----	----	----	64 UNCH
6775	----	----	----	0.60B/0.80A	----	0.60 - 0.20	.0033	----	----	----	----	7 UNCH
6800	----	----	----/0.60A	0.60B/0.60A	----	0.60 - 0.20	.0033	----	----	2	----	616 + 2
6825	----	----	----/0.70A	0.60B/0.70A	----	0.60 - 0.20	.0033	----	----	----	----	8 UNCH
6850	----	----	----	0.50B/0.80A	----	0.50 - 0.30	.0028	----	----	----	----	32 UNCH
6875	----	----	----/0.70A	0.50B/0.70A	----	0.50 - 0.30	.0028	----	----	----	----	13 UNCH
6900	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0027	----	----	----	----	553 UNCH
6925	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0027	----	----	----	----	1 UNCH
6950	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0027	----	----	----	----	34 UNCH
6975	----	----	----	0.40B/0.70A	----	0.50 - 0.20	.0027	----	----	----	----	7 UNCH
7000	----	----	----	0.40B/0.70A	----	0.50 - 0.20	.0027	----	----	----	----	823 UNCH
7025	----	----	----/0.60A	0.40B/0.60A	----	0.50 - 0.20	.0026	----	----	----	----	402 UNCH
7050	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0022	----	----	----	----	33 UNCH
7075	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0021	----	----	----	----	86 UNCH
7100	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0021	----	----	----	----	106 UNCH
7125	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0021	----	----	----	----	14 UNCH
7150	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0021	----	----	----	----	26 UNCH
7175	----	----	----/0.50A	0.30B/0.50A	----	0.40 - 0.20	.0021	----	----	----	----	37 UNCH
7200	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0021	----	----	----	----	97 UNCH
7225	----	----	----	0.30B/0.60A	----	0.40 - 0.10	.0021	----	----	----	----	6 UNCH
7250	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0020	----	----	----	----	42 UNCH
7275	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0020	----	----	----	----	15 UNCH
7300	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0020	----	----	----	----	10 UNCH
7325	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0020	----	----	----	----	1 UNCH
7350	----	----	----	0.30B/0.50A	----	0.30 - 0.20	.0015	----	----	----	----	1 UNCH
7375	----	----	----	0.20B/0.50A	----	0.30 - 0.20	.0015	----	----	----	----	10 UNCH
7400	----	----	----	0.20B/0.50A	----	0.30 - 0.20	.0015	----	----	----	----	16 UNCH
7450	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0015	----	----	----	----	20 UNCH
7475	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0015	----	----	----	----	11 UNCH
7500	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0015	----	----	----	----	350 UNCH
7525	----	----	----	0.20B/0.50A	----	0.30 - 0.10	.0015	----	----	----	----	42 UNCH
7575	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0015	----	----	----	----	6 UNCH
7600	----	----	----	----/0.60A	----	0.30 - 0.10	.0015	----	----	----	----	89 UNCH
7625	----	----	----	----/0.50A	----	0.30 - 0.10	.0014	----	----	----	----	2 UNCH
7650	----	----	----	----/0.50A	----	0.30 - 0.10	.0014	----	----	----	----	2 UNCH
7675	----	----	----	----/0.50A	----	0.30 - 0.10	.0014	----	----	----	----	36 UNCH
7700	----	----	----	----/0.50A	----	0.30 - 0.10	.0014	----	----	----	----	77 UNCH
7725	----	----	----	----/0.50A	----	0.30 - 0.10	.0014	----	----	----	----	1 UNCH
7750	----	----	----	----/0.50A	----	0.30 UNCH	.0014	----	----	----	----	20 UNCH
7775	----	----	----	----/0.50A	----	0.30 UNCH	.0014	----	----	----	----	5 UNCH
7800	----	----	----	----/0.50A	----	0.30 UNCH	.0014	----	----	----	----	23 UNCH
7825	----	----	----	----/0.50A	----	0.30 UNCH	.0014	----	----	----	----	6 UNCH
7850	----	----	----	----/0.50A	----	0.30 UNCH	.0014	----	----	----	----	6 UNCH
7875	----	----	----	----/0.50A	----	0.30 UNCH	.0014	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
7900	----	----	----	----/0.40A	----	0.30 UNCH	.0014	----	----	----	----	5 UNCH
7950	----	----	----	----/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	39 UNCH
7975	----	----	----	----/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	5 UNCH
8000	----	----	----	----/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	1000 UNCH
8100	----	----	----	----/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	54 UNCH
8200	----	----	----	----/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	980 UNCH
8300	----	----	----	----/0.30A	----	0.20 UNCH	.0009	----	----	----	----	27 UNCH
8400	----	----	----	----/0.30A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
8500	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	3	----	59 UNCH
8600	----	----	----	----/0.30A	----	0.10 - 0.10	.0004	----	----	----	----	1 UNCH
8700	----	----	----	----/0.30A	----	0.10 UNCH	.0004	----	----	----	----	13 UNCH
8800	----	----	----	----/0.30A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
8900	----	----	----	----/*0.20A	----	0.10 UNCH	.0004	----	----	----	----	14 UNCH
9000	----	----	----	----/*0.10A	----	0.10 UNCH	.0004	----	----	----	----	311 UNCH
9100	----	----	----	----/*0.10A	----	0.10 UNCH	.0004	----	----	----	----	2 UNCH
9300	----	----	----	----/*0.10A	----	0.10 UNCH	.0004	----	----	----	----	2 UNCH
9400	----	----	----	----/*0.10A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
9500	----	----	----	----/*0.10A	----	0.10 UNCH	.0004	----	----	----	----	53 UNCH
9600	----	----	----	----/*0.10A	----	0.10 UNCH	.0004	----	----	----	----	7 UNCH
9800	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	15 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	31 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	.0004	----	----	----	----	767 UNCH
15000	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	133 UNCH
TOTAL										8362	760	99762 - 475
JUN26												
1995	----	----	----	----	----	2782.20 + 92.50	1.0000	----	----	100	----	0 UNCH
2000	----	----	2,835.30B/----	2835.30B/2734.20A	----	2777.20 + 92.50	1.0000	----	----	1359	----	412 UNCH
2005	----	----	----	----	----	2772.20 + 92.50	1.0000	----	----	100	----	0 UNCH
2800	----	----	2,042.60B/----	2042.60B/1930.60A	----	1977.20 + 92.30	.9959	----	----	828	----	500 UNCH
3000	----	----	1,843.30B/----	1843.30B/1730.80A	----	1777.30 + 91.70	.9933	----	----	----	----	564 - 49
3200	----	----	1,659.90B/----	1659.90B/1533.80A	----	1577.80 + 90.60	.9894	----	----	25	----	67 + 25
3300	----	----	1,560.30B/----	1560.30B/1434.40A	----	1478.40 + 90.00	.9868	----	----	----	----	4 UNCH
3310	----	----	1,550.30B/----	1550.30B/1428.80A	----	1468.40 + 89.90	.9867	----	----	----	----	1 UNCH
3400	----	----	1,461.20B/----	1461.20B/1332.60A	----	1379.10 + 89.10	.9836	----	----	----	----	893 UNCH
3500	----	----	1,380.80B/----	1380.80B/1236.50A	----	1280.20 + 88.00	.9794	----	----	----	----	58 UNCH
3525	----	----	1,356.20B/----	1356.20B/1216.00A	----	1255.50 + 87.60	.9782	----	----	----	----	1 UNCH
3550	----	----	1,331.50B/----	1331.50B/1191.30A	----	1230.90 + 87.30	.9768	----	----	----	----	1 UNCH
3580	----	----	1,302.10B/----	1302.10B/1157.60A	----	1201.30 + 86.80	.9752	----	----	----	----	18 UNCH
3585	----	----	1,297.20B/----	1297.20B/1152.70A	----	1196.40 + 86.70	.9749	----	----	----	----	100 UNCH
3600	----	----	1,282.40B/----	1282.40B/1138.00A	----	1181.60 + 86.40	.9738	----	----	----	----	214 UNCH
3635	----	----	1,248.20B/----	1248.20B/1099.60A	----	1147.30 + 85.90	.9715	----	----	----	----	60 UNCH
3650	----	----	1,233.50B/----	1233.50B/1085.10A	----	1132.60 + 85.60	.9704	----	----	----	----	143 UNCH
3665	----	----	1,218.80B/----	1218.80B/1070.50A	----	1117.90 + 85.30	.9693	----	----	----	----	3 UNCH
3700	----	----	1,184.70B/----	1184.70B/1036.70A	----	1083.70 + 84.60	.9664	----	----	----	----	395 UNCH
3715	----	----	1,170.10B/----	1170.10B/1021.80A	----	1069.10 + 84.30	.9650	----	----	----	----	25 UNCH
3725	----	----	1,160.30B/----	1160.30B/1012.30A	----	1059.30 + 84.00	.9642	----	----	----	----	212 UNCH
3750	----	----	1,136.00B/----	1136.00B/988.10A	----	1035.00 + 83.50	.9617	----	----	----	----	1112 UNCH
3755	----	----	1,131.20B/----	1131.20B/983.30A	----	1030.20 + 83.40	.9613	----	----	----	----	15 UNCH
3785	----	----	1,102.10B/----	1102.10B/954.30A	----	1001.10 + 82.70	.9581	----	----	----	----	170 UNCH
3790	----	----	1,097.20B/----	1097.20B/949.60A	----	996.30 + 82.60	.9575	----	----	----	----	1 UNCH
3800	----	----	1,087.60B/----	1087.60B/940.10A	----	986.60 + 82.30	.9564	----	----	----	----	545 UNCH
3835	----	----	1,053.80B/----	1053.80B/906.70A	----	952.90 + 81.40	.9521	----	----	----	----	1 UNCH
3840	----	----	1,049.00B/----	1049.00B/901.90A	----	948.10 + 81.30	.9515	----	----	----	----	21 UNCH
3850	----	----	1,039.40B/----	1039.40B/892.20A	----	938.50 + 81.10	.9501	----	----	----	----	322 UNCH
3875	----	----	1,015.40B/----	1015.40B/868.70A	----	914.50 + 80.30	.9466	----	----	----	----	60 UNCH
3895	----	----	996.20B/----	996.20B/849.80A	----	895.40 + 79.70	.9436	----	----	----	----	1 UNCH
3900	----	----	991.40B/----	991.40B/845.10A	----	890.70 + 79.60	.9429	----	----	----	----	364 UNCH
3925	----	----	967.50B/----	967.50B/821.30A	----	866.90 + 78.80	.9388	----	----	----	----	4 UNCH
3950	----	----	943.80B/----	943.80B/797.90A	----	843.20 + 78.00	.9344	----	----	----	----	14 UNCH
3975	----	----	920.10B/----	920.10B/774.70A	----	819.70 + 77.20	.9297	----	----	----	----	106 UNCH
3990	----	----	905.90B/----	905.90B/760.90A	----	805.70 + 76.70	.9266	----	----	----	----	1 UNCH
3995	----	----	901.20B/----	901.20B/756.20A	----	801.00 + 76.50	.9256	----	----	----	----	5 UNCH
4000	805.30	805.30	896.50B/751.50A	896.50B/751.50A	----	796.30 + 76.30	.9246	----	----	1	----	862 UNCH
4005	----	----	891.80B/----	891.80B/747.00A	----	791.60 + 76.10	.9236	----	----	----	----	10 UNCH
4010	----	----	887.00B/----	887.00B/742.50A	----	787.00 + 76.00	.9225	----	----	----	----	1 UNCH
4020	----	----	877.70B/----	877.70B/733.60A	----	777.70 + 75.60	.9203	----	----	----	----	2 UNCH
4025	----	----	872.90B/----	872.90B/728.70A	----	773.00 + 75.40	.9191	----	----	----	----	51 UNCH
4040	----	----	858.90B/----	858.90B/715.10A	----	759.10 + 74.90	.9158	----	----	----	----	1 UNCH
4050	----	----	849.50B/----	849.50B/706.10A	----	749.90 + 74.50	.9133	----	----	----	----	185 UNCH
4060	----	----	840.30B/----	840.30B/697.10A	----	740.70 + 74.10	.9110	----	----	----	----	25 UNCH
4070	----	----	830.90B/----	830.90B/688.30A	----	731.50 + 73.70	.9085	----	----	----	----	10 UNCH
4075	----	----	826.20B/----	826.20B/683.80A	----	726.90 + 73.50	.9072	----	----	----	----	64 UNCH
4090	----	----	812.30B/----	812.30B/670.00A	----	713.20 + 72.90	.9032	----	----	----	----	34 UNCH
4100	----	----	803.10B/----	803.10B/661.30A	----	704.10 + 72.50	.9006	----	----	----	----	682 UNCH
4105	----	----	798.50B/----	798.50B/656.60A	----	699.50 + 72.30	.8991	----	----	----	----	50 UNCH
4110	----	----	793.70B/----	793.70B/652.50A	----	695.00 + 72.10	.8978	----	----	----	----	2 UNCH
4115	----	----	789.20B/----	789.20B/647.80A	----	690.50 + 71.90	.8963	----	----	----	----	5 UNCH
4125	----	----	780.00B/----	780.00B/639.20A	----	681.40 + 71.40	.8935	----	----	----	----	95 UNCH
4135	----	----	770.80B/----	770.80B/630.10A	----	672.40 + 71.00	.8905	----	----	----	----	16 UNCH
4150	----	----	757.00B/----	757.00B/617.20A	----	659.00 + 70.40	.8859	----	----	----	----	263 UNCH
4155	----	----	752.40B/----	752.40B/612.50A	----	654.50 + 70.10	.8844	----	----	----	----	5 UNCH
4170	----	----	738.80B/----	738.80B/599.80A	----	641.10 + 69.40	.8795	----	----	----	----	51 UNCH
4175	----	----	734.30B/----	734.30B/595.30A	----	636.70 + 69.20	.8780	----	----	----	----	61 UNCH
4195	----	----	716.30B/----	716.30B/578.00A	----	619.00 + 68.20	.8712	----	----	----	----	1 UNCH
4200	----	----	711.70B/----	711.70B/574.00A	----	614.60 + 68.00	.8694	----	----	----	----	2079 UNCH
4210	----	----	702.60B/----	702.60B/565.40A	----	605.80 + 67.40	.8659	----	----	----	----	1582 UNCH
4220	----	----	693.70B/----	693.70B/557.00A	----	597.10 + 67.00	.8623	----	----	----	----	84 UNCH
4225	----	----	689.30B/----	689.30B/552.30A	----	592.80 + 66.80	.8604	----	----	----	----	15 UNCH
4235	----	----	680.40B/----	680.40B/544.30A	----	584.10 + 66.20	.8566	----	----	----	----	6 UNCH
4240	----	----	675.90B/----	675.90B/540.00A	----	579.80 + 66.00	.8548	----	----	----	----	53 UNCH
4245	----	----	671.40B/----	671.40B/535.70A	----	575.50 + 65.70	.8528	----	----	----	----	263 UNCH
4250	----	----	667.10B/----	667.10B/531.50A	----	571.20 + 65.50	.8508	----	----	----	----	922 UNCH
4255	----	----	662.70B/----	662.70B/527.20A	----	566.90 + 65.20	.8488	----	----	----	----	6 UNCH
4260	----	----	658.10B/----	658.10B/523.20A	----	562.60 + 64.90	.8468	----	----	----	----	1 UNCH
4265	----	----	653.80B/----	653.80B/518.90A	----	558.30 + 64.60	.8448	----	----	----	----	87 UNCH
4270	----	----	649.40B/----	649.40B/515.20A	----	554.00 + 64.30	.8428	----	----	----	----	11 UNCH
4280	----	----	640.60B/----	640.60B/506.70A	----	545.60 + 63.80	.8386	----	----	----	----	1 UNCH
4285	----	----	636.20B/----	636.20B/502.60A	----	541.30 + 63.50	.8366	----	----	----	----	1 UNCH
4300	----	----	623.20B/----	623.20B/490.30A	----	528.70 + 62.70	.8300	----	----	----	----	2116 UNCH
4305	----	----	618.80B/----	618.80B/486.40A	----	524.50 + 62.40	.8278	----	----	----	----	1 UNCH
4310	----	----	614.50B/----	614.50B/482.50A	----	520.30 + 62.10	.8256	----	----	----	----	23 UNCH
4315	----	----	610.20B/----	610.20B/478.60A	----	516.20 + 61.80	.8234	----	----	----	----	1 UNCH
4320	----	----	605.90B/----	605.90B/474.30A	----	512.00 + 61.50	.8212	----	----	----	----	62 UNCH
4325	----	----	601.50B/----	601.50B/470.60A	----	507.90 + 61.20	.8188	----	----	----	----	72 UNCH
4335	----	----	593.00B/----	593.00B/462.70A	----	499.60 + 60.60	.8142	----	----	----	----	13 UNCH
4340	----	----	588.70B/----	588.70B/458.70A	----	495.50 + 60.30	.8118	----	----	----	----	17 UNCH
4345	----	----	584.40B/----	584.40B/454.50A	----	491.50 + 60.10	.8094	----	----	----	----	2 UNCH
4350	----	----	580.40B/----	580.40B/450.60A	----	487.40 + 59.70	.8069	----	----	1	----	1451 UNCH
4355	----	----	576.00B/----	576.00B/447.00A	----	483.30 + 59.40	.8045	----	----	----	----	129 UNCH
4360	----	----	571.60B/----	571.60B/442.90A	----	479.30 + 59.10	.8021	----	----	----	----	42 UNCH
4365	----	----	567.40B/----	567.40B/438.90A	----	475.20 + 58.80	.7995	----	----	----	----	4 UNCH
4370	----	----	563.20B/----	563.20B/435.10A	----	471.20 + 58.50	.7971	----	----	----	----	3 UNCH
4375	----	----	559.00B/----	559.00B/431.50A	----	467.20 + 58.20	.7945	----	----	----	----	106 UNCH
4380	----	----	554.80B/----	554.80B/427.60A	----	463.20 + 57.90	.7919	----	----	----	----	341 UNCH
4385	----	----	550.60B/----	550.60B/423.80A	----	459.20 + 57.50	.7893	----	----	----	----	3 UNCH
4390	----	----	546.40B/----	546.40B/419.70A	----	455.20 + 57.20	.7868	----	----	----	----	16 UNCH
4395	----	----	542.30B/----	542.30B/416.20A	----	451.20 + 56.80	.7841	----	----	----	----	10 UNCH
4400	498.80	498.80	538.10B/412.40A	538.10B/412.40A	----	447.30 + 56.50	.7815	----	----	1	----	1458 - 1
4410	----	----	529.80B/----	529.80B/404.90A	----	439.40 + 55.80	.7762	----	----	----	----	39 UNCH
4415	----	----	525.70B/----	525.70B/401.20A	----	435.50 + 55.50	.7734	----	----	----	----	176 UNCH
4420	----	----	521.50B/----	521.50B/397.30A	----	431.60 + 55.20	.7706	----	----	----	----	3 UNCH
4425	----	----	517.40B/----	517.40B/393.60A	----	427.80 + 54.90	.7679	----	----	----	----	274 UNCH
4430	----	----	513.30B/----	513.30B/390.00A	----	423.90 + 54.50	.7651	----	----	----	----	19 UNCH
4435	----	----	509.40B/----	509.40B/386.40A	----	420.10 + 54.20	.7622	----	----	----	----	20 UNCH
4440	----	----	505.20B/----	505.20B/382.70A	----	416.20 + 53.80	.7594	----	----	----	----	19 UNCH
4445	----	----	501.20B/----	501.20B/379.10A	----	412.40 + 53.50	.7565	----	----	----	----	5 UNCH
4450	----	----	497.10B/----	497.10B/375.20A	----	408.60 + 53.20	.7536	----	----	----	----	497 UNCH
4455	----	----	493.10B/----	493.10B/371.70A	----	404.80 + 52.80	.7506	----	----	----	----	6 UNCH
4460	----	----	489.10B/----	489.10B/368.00A	----	401.00 + 52.40	.7477	----	----	----	----	20 UNCH
4465	----	----	485.10B/----	485.10B/364.70A	----	397.30 + 52.10	.7448	----	----	----	----	18 UNCH
4470	----	----	481.20B/----	481.20B/361.20A	----	393.60 + 51.80	.7418	----	----	----	----	24 UNCH
4475	----	----	477.10B/----	477.10B/357.60A	----	389.80 + 51.40	.7387	----	----	----	----	22 UNCH
4480	----	----	473.20B/----	473.20B/354.00A	----	386.10 + 51.10	.7357	----	----	----	----	59 UNCH
4485	----	----	469.20B/----	469.20B/350.40A	----	382.40 + 50.70	.7326	----	----	----	----	6 UNCH
4490	----	----	465.40B/----	465.40B/347.00A	----	378.80 + 50.50	.7295	----	----	----	----	51 UNCH
4495	----	----	461.40B/----	461.40B/343.60A	----	375.10 + 50.10	.7264	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4500	----	----	457.40B/----	457.40B/340.10A	----	371.50 + 49.80	.7232	----	----	10	300	4401 - 10
4505	----	----	453.70B/----	453.70B/336.60A	----	367.90 + 49.40	.7201	----	----	----	----	49 UNCH
4510	----	----	449.70B/----	449.70B/333.30A	----	364.30 + 49.10	.7169	----	----	----	----	1475 UNCH
4515	----	----	445.80B/----	445.80B/329.90A	----	360.70 + 48.70	.7137	----	----	----	----	93 UNCH
4520	----	----	442.10B/----	442.10B/326.40A	----	357.10 + 48.30	.7105	----	----	----	----	51 UNCH
4525	----	----	438.20B/----	438.20B/323.00A	----	353.60 + 48.10	.7073	----	----	----	----	232 UNCH
4530	----	----	434.40B/----	434.40B/319.90A	----	350.00 + 47.60	.7039	----	----	----	----	13 UNCH
4535	----	----	430.60B/----	430.60B/316.40A	----	346.50 + 47.30	.7006	----	----	----	----	12 UNCH
4540	----	----	426.80B/----	426.80B/313.10A	----	343.00 + 47.00	.6974	----	----	----	----	78 UNCH
4545	----	----	423.00B/----	423.00B/309.80A	----	339.50 + 46.60	.6940	----	----	----	----	32 UNCH
4550	----	----	419.20B/----	419.20B/306.20A	----	336.10 + 46.30	.6906	----	----	----	----	219 UNCH
4555	----	----	415.50B/----	415.50B/302.90A	----	332.60 + 45.90	.6872	----	----	----	----	9 UNCH
4560	----	----	411.50B/----	411.50B/299.70A	----	329.20 + 45.60	.6839	----	----	3	----	159 - 1
4565	----	----	407.70B/----	407.70B/296.50A	----	325.80 + 45.20	.6804	----	----	----	----	104 UNCH
4570	----	----	404.30B/----	404.30B/293.30A	----	322.40 + 44.90	.6770	----	----	----	----	35 UNCH
4575	----	----	400.60B/----	400.60B/290.10A	----	319.00 + 44.50	.6735	----	----	----	----	65 UNCH
4580	----	----	397.00B/----	397.00B/287.00A	----	315.70 + 44.20	.6700	----	----	----	----	8 UNCH
4585	----	----	393.00B/----	393.00B/283.80A	----	312.30 + 43.70	.6665	----	----	----	----	15 UNCH
4590	----	----	389.40B/----	389.40B/280.80A	----	309.00 + 43.40	.6630	----	----	----	----	79 UNCH
4595	----	----	385.90B/----	385.90B/277.60A	----	305.70 + 43.00	.6595	----	----	----	----	13 UNCH
4600	355.00	355.00	382.40B/274.60A	382.40B/274.60A	----	302.40 + 42.70	.6559	----	----	40	----	5205 - 22
4605	350.00	350.00	378.70B/271.50A	378.70B/271.50A	----	299.10 + 42.20	.6523	----	----	2	----	153 UNCH
4610	----	----	375.00B/----	375.00B/268.50A	----	295.90 + 41.90	.6488	----	----	3	----	2 UNCH
4615	----	----	371.40B/----	371.40B/265.50A	----	292.60 + 41.50	.6451	----	----	----	----	3 UNCH
4620	----	----	367.80B/----	367.80B/262.50A	----	289.40 + 41.10	.6415	----	----	----	----	19 UNCH
4625	----	----	364.30B/----	364.30B/259.50A	----	286.20 + 40.70	.6379	----	----	----	----	196 UNCH
4630	----	----	360.80B/----	360.80B/256.60A	----	283.00 + 40.30	.6342	----	----	----	----	55 UNCH
4635	----	----	357.30B/----	357.30B/253.60A	----	279.90 + 40.00	.6305	----	----	----	----	6 UNCH
4640	----	----	353.80B/----	353.80B/250.70A	----	276.70 + 39.50	.6268	----	----	----	----	21 UNCH
4645	----	----	350.40B/----	350.40B/247.90A	----	273.60 + 39.20	.6231	----	----	1	----	13 - 1
4650	253.30	253.30	346.90B/253.30	346.90B/245.00A	----	270.50 + 38.80	.6194	----	----	6	----	1011 - 6
4655	----	----	343.50B/----	343.50B/242.10A	----	267.40 + 38.40	.6156	----	----	----	----	28 UNCH
4660	----	----	340.10B/----	340.10B/239.30A	----	264.40 + 38.00	.6119	----	----	----	----	25 UNCH
4665	----	----	336.70B/----	336.70B/236.50A	----	261.30 + 37.60	.6081	----	----	----	----	1 UNCH
4670	----	----	333.30B/----	333.30B/233.70A	----	258.30 + 37.20	.6043	----	----	----	----	152 UNCH
4675	274.00	274.00	329.90B/230.90A	329.90B/230.90A	----	255.30 + 36.80	.6005	----	----	33	----	512 - 19
4680	----	----	326.60B/----	326.60B/228.20A	----	252.40 + 36.50	.5967	----	----	----	----	235 UNCH
4685	----	----	323.30B/----	323.30B/225.50A	----	249.40 + 36.00	.5928	----	----	----	----	32 UNCH
4690	----	----	320.00B/----	320.00B/222.80A	----	246.50 + 35.70	.5890	----	----	----	----	38 UNCH
4695	----	----	316.70B/----	316.70B/220.10A	----	243.60 + 35.30	.5851	----	----	----	----	19 UNCH
4700	292.90	292.90	313.40B/217.50A	313.40B/217.50A	----	240.70 + 34.90	.5812	----	----	105	----	3465 + 25
4705	----	----	310.20B/----	310.20B/214.90A	----	237.90 + 34.60	.5773	----	----	----	----	3 UNCH
4710	----	----	306.90B/----	306.90B/212.30A	----	235.00 + 34.10	.5734	----	----	----	----	15 UNCH
4715	----	----	303.70B/----	303.70B/209.70A	----	232.20 + 33.80	.5695	----	----	----	----	13 UNCH
4720	----	----	300.50B/----	300.50B/207.10A	----	229.40 + 33.40	.5656	----	----	----	----	233 UNCH
4725	----	----	297.40B/----	297.40B/204.50A	----	226.70 + 33.10	.5617	----	----	----	----	394 UNCH
4730	----	----	294.30B/----	294.30B/202.00A	----	223.90 + 32.70	.5577	----	----	----	----	13 UNCH
4735	272.00	272.00	291.70B/199.50A	291.70B/199.50A	----	221.20 + 32.30	.5538	----	----	2	----	92 + 1
4740	----	----	288.60B/----	288.60B/197.00A	----	218.50 + 32.00	.5498	----	----	----	----	33 UNCH
4745	----	----	285.50B/----	285.50B/194.60A	----	215.80 + 31.60	.5459	----	----	----	----	12 UNCH
4750	247.10	247.10	282.40B/192.10A	282.40B/192.10A	----	213.10 + 31.20	.5419	----	----	9	----	1631 + 4
4755	251.00	251.00	279.50B/189.70A	279.50B/189.70A	----	210.50 + 30.80	.5379	----	----	2	----	102 UNCH
4760	----	----	276.50B/----	276.50B/187.30A	----	207.80 + 30.40	.5339	----	----	7	----	55 UNCH
4765	----	----	273.50B/----	273.50B/185.10A	----	205.20 + 30.00	.5299	----	----	----	----	36 UNCH
4770	202.20	202.20	270.50B/182.60A	270.50B/182.60A	----	202.60 + 29.60	.5259	----	----	4	----	36 - 3
4775	247.40	247.40	267.50B/180.50A	267.50B/180.50A	----	200.10 + 29.30	.5219	----	----	104	----	206 - 46
4780	199.90	199.90	264.50B/178.10A	264.50B/178.10A	----	197.50 + 28.90	.5179	----	----	8	----	104 + 8
4785	212.60	212.60	261.60B/175.80A	261.60B/175.80A	----	195.00 + 28.50	.5139	----	----	4	----	24 + 4
4790	----	----	259.00B/----	259.00B/173.50A	----	192.50 + 28.10	.5099	----	----	----	----	24 UNCH
4795	----	----	256.30B/----	256.30B/171.20A	----	190.10 + 27.80	.5059	----	----	----	----	40 UNCH
4800	197.00	197.00	254.90/168.90A	254.90/168.90A	----	187.60 + 27.40	.5019	----	----	243	----	2767 + 28
4805	----	----	250.10B/----	250.10B/166.70A	----	185.20 + 27.10	.4979	----	----	----	----	7 UNCH
4810	210.60	210.60	247.20B/164.40A	247.20B/164.40A	----	182.80 + 26.70	.4939	----	----	9	----	28 + 7
4815	----	----	244.40B/----	244.40B/162.20A	----	180.40 + 26.30	.4899	----	----	----	----	43 UNCH
4820	----	----	241.60B/----	241.60B/160.10A	----	178.10 + 26.00	.4859	----	----	2	----	36 UNCH
4825	----	----	238.90B/----	238.90B/158.00A	----	175.80 + 25.70	.4819	----	----	----	----	92 UNCH
4830	189.80	189.80	236.10B/155.80A	236.10B/155.80A	----	173.40 + 25.30	.4778	----	----	7	----	129 + 6
4835	----	----	233.40B/----	233.40B/153.90A	----	171.20 + 25.00	.4738	----	----	----	----	2 UNCH
4840	----	----	230.70B/----	230.70B/151.80A	----	168.90 + 24.60	.4698	----	----	4	----	38 + 1
4845	166.00	166.00	228.00B/149.70A	228.00B/149.70A	----	166.70 + 24.30	.4659	----	----	4	----	15 + 4
4850	211.50	211.50	225.30B/147.60A	225.30B/147.60A	----	164.40 + 23.90	.4618	----	----	452	----	629 - 111
4855	----	----	222.70B/----	222.70B/145.70A	----	162.20 + 23.60	.4578	----	----	----	80	260 + 41
4860	196.40	196.40	220.10B/143.70A	220.10B/143.70A	----	160.10 + 23.30	.4539	----	----	3	----	53 + 2
4865	----	----	217.50B/----	217.50B/141.60A	----	157.90 + 22.90	.4499	----	----	----	----	26 UNCH
4870	----	----	214.90B/----	214.90B/139.80A	----	155.80 + 22.60	.4459	----	----	----	----	10 UNCH
4875	157.20	157.20	212.30B/137.90A	212.30B/137.90A	----	153.70 + 22.30	.4420	----	----	6	----	121 + 1
4880	188.30	188.30	209.80B/136.00A	209.80B/136.00A	----	151.60 + 21.90	.4380	----	----	1	----	63 + 1
4885	186.10	186.10	207.30B/134.10A	207.30B/134.10A	----	149.50 + 21.60	.4340	----	----	8	----	256 + 7
4890	182.30	182.30	204.80B/132.20A	204.80B/132.20A	----	147.50 + 21.30	.4301	----	----	3	----	292 - 1
4895	180.10	180.10	202.30B/130.40A	202.30B/130.40A	----	145.50 + 21.00	.4262	----	----	12	----	204 + 9
4900	160.00	160.00	200.00/128.40A	200.00/128.40A	----	143.50 + 20.70	.4223	----	----	476	----	3437 + 82
4905	----	----	197.40B/----	197.40B/126.80A	----	141.50 + 20.30	.4184	----	----	----	----	9 UNCH
4910	----	----	195.00B/----	195.00B/125.00A	----	139.50 + 20.00	.4144	----	----	----	----	27 UNCH
4915	----	----	192.60B/----	192.60B/123.30A	----	137.60 + 19.70	.4106	----	----	----	----	40 UNCH
4920	----	----	190.20B/----	190.20B/121.50A	----	135.70 + 19.40	.4067	----	----	----	----	108 UNCH
4925	170.40	170.40	187.80B/119.80A	187.80B/119.80A	----	133.80 + 19.10	.4028	----	----	23	----	45 + 7
4930	163.50	163.50	185.50B/118.10A	185.50B/118.10A	----	131.90 + 18.80	.3990	----	----	14	----	185 + 9
4935	----	----	183.10B/----	183.10B/116.40A	----	130.00 + 18.40	.3951	----	----	----	----	6 UNCH
4940	----	----	180.80B/----	180.80B/114.70A	----	128.20 + 18.10	.3913	----	----	----	----	102 UNCH
4945	----	----	178.60B/----	178.60B/113.10A	----	126.40 + 17.90	.3875	----	----	----	----	193 UNCH
4950	147.70	147.70	176.30B/111.50A	176.30B/111.50A	----	124.60 + 17.60	.3837	----	----	137	----	933 - 4
4955	----	----	174.10B/----	174.10B/109.90A	----	122.80 + 17.20	.3798	----	----	----	----	33 UNCH
4960	121.60	121.60	171.80B/108.30A	171.80B/108.30A	----	121.10 + 17.00	.3761	----	----	3	----	188 + 1
4965	----	----	169.70B/----	169.70B/106.80A	----	119.30 + 16.60	.3723	----	----	----	----	37 UNCH
4970	----	----	167.50B/----	167.50B/105.30A	----	117.60 + 16.40	.3686	----	----	2	----	51 UNCH
4975	----	----	165.30B/----	165.30B/103.80A	----	115.90 + 16.10	.3648	----	----	75	----	210 - 36
4980	----	----	163.20B/----	163.20B/102.20A	----	114.20 + 15.80	.3611	----	----	----	----	74 UNCH
4985	112.70	112.70	161.10B/100.70A	161.10B/100.70A	----	112.60 + 15.50	.3574	----	----	1	----	115 UNCH
4990	----	----	159.00B/----	159.00B/99.30A	----	110.90 + 15.20	.3537	----	----	2	----	1243 + 2
4995	----	----	156.90B/----	156.90B/97.80A	----	109.30 + 14.90	.3500	----	----	1	----	41 UNCH
5000	131.80	131.80	154.90B/96.20A	154.90B/96.20A	----	107.70 + 14.60	.3464	----	----	860	600	7343 + 207
5005	109.00	109.00	152.80B/95.00A	152.80B/95.00A	----	106.20 + 14.50	.3428	----	----	4	----	301 - 2
5010	----	----	150.80B/----	150.80B/93.60A	----	104.60 + 14.10	.3392	----	----	----	----	84 UNCH
5015	----	----	148.80B/----	148.80B/92.30A	----	103.10 + 13.90	.3356	----	----	----	----	73 UNCH
5020	129.50	129.50	146.90B/90.80A	146.90B/90.80A	----	101.50 + 13.60	.3320	----	----	25	----	460 UNCH
5025	127.70	127.70	144.90B/89.60A	144.90B/89.60A	----	100.00 + 13.30	.3284	----	----	32	----	68 + 21
5030	112.30	112.30	143.00B/88.20A	143.00B/88.20A	----	98.50 + 13.00	.3249	----	----	11	----	118 UNCH
5035	98.00	98.00	141.10B/86.90A	141.10B/86.90A	----	97.10 + 12.90	.3214	----	----	4	----	50 UNCH
5040	----	----	139.20B/----	139.20B/85.60A	----	95.60 + 12.50	.3179	----	----	----	----	47 UNCH
5045	123.80	123.80	137.30B/84.30A	137.30B/84.30A	----	94.20 + 12.30	.3144	----	----	3	----	22 + 1
5050	134.90	134.90	135.40B/83.10A	135.40B/83.10A	----	92.80 + 12.10	.3110	----	----	82	----	1095 + 36
5055	----	----	133.60B/----	133.60B/81.80A	----	91.40 + 11.80	.3076	----	----	----	----	7 UNCH
5060	112.40	112.40	131.60B/80.60A	131.60B/80.60A	----	90.00 + 11.50	.3041	----	----	6	----	85 + 1
5065	----	----	130.00B/----	130.00B/79.40A	----	88.70 + 11.40	.3008	----	----	----	----	28 UNCH
5070	----	----	128.10B/----	128.10B/78.30A	----	87.40 + 11.20	.2975	----	----	----	----	81 UNCH
5075	98.70	98.70	126.60B/77.10A	126.60B/77.10A	----	86.10 + 10.90	.2942	----	----	23	----	712 + 5
5080	105.80	105.80	124.90B/75.90A	124.90B/75.90A	----	84.80 + 10.70	.2909	----	----	2	----	154 UNCH
5085	88.10	88.10	123.20B/74.80A	123.20B/74.80A	----	83.50 + 10.40	.2875	----	----	1	----	129 UNCH
5090	----	----	121.40B/----	121.40B/73.70A	----	82.20 + 10.20	.2842	----	----	----	----	46 UNCH
5095	----	----	119.50B/----	119.50B/72.60A	----	81.00 + 10.00	.2810	----	----	----	----	56 UNCH
5100	105.40	105.40	118.00B/71.50A	118.00B/71.50A	----	79.80 + 9.80	.2779	----	----	158	50	4303 + 61
5105	100.00	100.00	116.40B/70.50A	116.40B/70.50A	----	78.60 + 9.60	.2747	----	----	3	----	40 UNCH
5110	----	----	114.90B/----	114.90B/69.40A	----	77.40 + 9.30	.2715	----	----	----	----	104 UNCH
5115	88.70	88.70	113.30B/68.40A	113.30B/68.40A	----	76.30 + 9.20	.2685	----	----	100	----	108 + 43
5120	----	----	111.50B/----	111.50B/67.30A	----	75.10 + 8.90	.2653	----	----	----	----	53 UNCH
5125	86.10	86.10	109.90B/66.30A	109.90B/66.30A	----	74.00 + 8.80	.2623	----	----	34	----	224 + 13
5130	----	----	108.40B/----	108.40B/65.40A	----	72.90 + 8.60	.2593	----	----	6	----	44 + 1
5135	72.30	72.30	106.90B/64.40A	106.90B/64.40A	----	71.80 + 8.40	.2562	----	----	3	----	44 + 1
5140	----	----	105.40B/----	105.40B/63.40A	----	70.70 + 8.20	.2532	----	----	3	----	32 + 1
5145	----	----	104.00B/----	104.00B/62.50A	----	69.70 + 8.00	.2503	----	----	----	----	9 UNCH
5150	94.70	94.70	102.70B/61.50A	102.70B/61.50A	----	68.60 + 7.80	.2473	----	----	205	----	1832 - 34
5155	----	----	101.10B/----	101.10B/60.60A	----	67.60 + 7.60	.2445	----	----	1	----	22 + 1
5160	----	----	99.70B/----	99.70B/59.70A	----	66.60 + 7.50	.2416	----	----	----	----	96 UNCH
5165	65.30	65.30	98.30B/58.80A	98.30B/58.80A	----	65.60 + 7.30	.2388	----	----	3	----	113 + 1
5170	----	----	97.00B/----	97.00B/58.00A	----	64.60 + 7.10	.2359	----	----	10	----	45 - 1
5175	----	----	95.60B/----	95.60B/57.10A	----	63.60 + 6.90	.2330	----	----	10	----	46 - 1
5180	----	----	94.20B/----	94.20B/56.30A	----	62.70 + 6.80	.2304	----	----	----	----	52 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5185	63.30	63.30	92.90B/55.40A	92.90B/55.40A	----	61.70 + 6.60	.2275	----	----	8	----	87 + 4
5190	----	----	91.60B/----	91.60B/54.60A	----	60.80 + 6.40	.2248	----	----	501	----	524 + 498
5195	69.80	69.80	90.40B/53.80A	90.40B/53.80A	----	59.80 + 6.20	.2220	----	----	507	----	514 + 496
5200	79.50	79.50	89.20B/53.00A	89.20B/53.00A	----	58.90 + 6.00	.2193	----	----	1359	275	6372 - 404
5205	----	----	87.90B/----	87.90B/52.30A	----	58.00 + 5.90	.2167	----	----	1	----	15 UNCH
5210	----	----	86.60B/----	86.60B/51.40A	----	57.10 + 5.70	.2140	----	----	2	----	3046 + 1
5215	57.00	57.00	85.60B/50.70A	85.60B/50.70A	----	56.30 + 5.60	.2115	----	----	4	----	58 + 2
5220	55.20	55.20	84.10B/50.00A	84.10B/50.00A	----	55.40 + 5.50	.2088	----	----	6	----	147 UNCH
5225	----	----	83.00B/----	83.00B/49.20A	----	54.50 + 5.30	.2062	----	----	----	----	282 UNCH
5230	----	----	82.10B/48.50A	82.10B/48.50A	----	53.70 + 5.10	.2037	----	----	----	----	105 UNCH
5235	----	----	80.60B/47.80A	80.60B/47.80A	----	52.90 + 5.00	.2012	----	----	----	----	148 UNCH
5240	----	----	79.20B/47.10A	79.20B/47.10A	----	52.00 + 4.80	.1986	----	----	1	----	59 + 1
5245	52.00	52.00	78.20B/46.40A	78.20B/46.40A	----	51.20 + 4.70	.1961	----	----	3	----	15 UNCH
5250	51.60	51.60	77.10B/45.60A	77.10B/45.60A	----	50.50 + 4.60	.1938	----	----	20	----	3555 - 4
5255	----	----	76.00B/45.10A	76.00B/45.10A	----	49.70 + 4.50	.1914	----	----	1	----	68 - 1
5260	71.30	71.30	75.00B/44.40A	75.00B/44.40A	----	48.90 + 4.30	.1889	----	----	8	----	371 + 6
5265	----	----	73.90B/43.80A	73.90B/43.80A	----	48.20 + 4.20	.1866	----	----	3	----	29 + 1
5270	48.30	48.30	73.00B/43.10A	73.00B/43.10A	----	47.40 + 4.00	.1842	----	----	4	----	48 + 4
5275	----	----	72.10B/42.50A	72.10B/42.50A	----	46.70 + 3.90	.1819	----	----	1	----	29 + 1
5280	46.90	46.90	70.90B/41.90A	70.90B/41.90A	----	46.00 + 3.80	.1797	----	----	4	----	91 UNCH
5285	----	----	70.00B/41.30A	70.00B/41.30A	----	45.30 + 3.70	.1774	----	----	----	----	168 UNCH
5290	----	----	68.80B/40.70A	68.80B/40.70A	----	44.60 + 3.50	.1752	----	----	----	----	35 UNCH
5295	----	----	67.90B/40.10A	67.90B/40.10A	----	43.90 + 3.40	.1729	----	----	----	----	86 UNCH
5300	49.00	49.00	66.90B/39.50A	66.90B/39.50A	----	43.30 + 3.30	.1709	----	----	922	----	5034 + 198
5305	40.20	40.20	65.90B/39.00A	65.90B/39.00A	----	42.60 + 3.20	.1686	----	----	1	----	395 UNCH
5310	----	----	65.20B/38.40A	65.20B/38.40A	----	42.00 + 3.10	.1666	----	----	16	----	118 + 6
5315	----	----	64.20B/37.80A	64.20B/37.80A	----	41.40 + 3.00	.1646	----	----	----	----	64 UNCH
5320	60.50	60.50	63.30B/37.30A	63.30B/37.30A	----	40.80 + 2.90	.1626	----	----	25	----	140 + 16
5325	50.80	50.80	62.40B/36.80A	62.40B/36.80A	----	40.20 + 2.80	.1605	----	----	113	----	156 + 101
5330	----	----	61.40B/36.30A	61.40B/36.30A	----	39.60 + 2.70	.1585	----	----	1	----	51 + 1
5335	41.80	41.80	60.60B/35.80A	60.60B/35.80A	----	39.00 + 2.60	.1565	----	----	4	----	6 + 1
5340	----	----	60.10B/35.30A	60.10B/35.30A	----	38.40 + 2.50	.1545	----	----	----	----	69 UNCH
5345	----	----	58.90B/34.80A	58.90B/34.80A	----	37.90 + 2.50	.1527	----	----	----	----	12 UNCH
5350	55.70	55.70	58.10B/34.30A	58.10B/34.30A	----	37.30 + 2.30	.1507	----	----	150	----	1357 + 89
5355	----	----	57.30B/33.70A	57.30B/33.70A	----	36.80 + 2.30	.1489	----	----	----	----	12 UNCH
5360	----	----	56.50B/33.30A	56.50B/33.30A	----	36.20 + 2.10	.1469	----	----	----	----	50 UNCH
5365	----	----	55.70B/32.90A	55.70B/32.90A	----	35.70 + 2.10	.1452	----	----	1	----	7 + 1
5370	44.80	44.80	55.10B/32.40A	55.10B/32.40A	----	35.20 + 2.00	.1434	----	----	10	----	71 + 6
5375	----	----	54.10B/32.00A	54.10B/32.00A	----	34.70 + 1.90	.1416	----	----	1	----	42 UNCH
5380	----	----	53.30B/31.50A	53.30B/31.50A	----	34.20 + 1.90	.1399	----	----	1	----	93 UNCH
5385	----	----	52.60B/31.10A	52.60B/31.10A	----	33.70 + 1.80	.1381	----	----	----	----	4 UNCH
5390	----	----	51.90B/30.60A	51.90B/30.60A	----	33.20 + 1.70	.1364	----	----	----	----	58 UNCH
5395	32.90	32.90	51.50B/30.20A	51.50B/30.20A	----	32.70 + 1.60	.1346	----	----	10	----	44 + 8
5400	51.50	51.50	51.50/29.80A	51.50/29.80A	----	32.20 + 1.50	.1329	----	----	488	----	5345 + 138
5405	----	----	49.70B/29.40A	49.70B/29.40A	----	31.80 + 1.50	.1314	----	----	----	----	76 UNCH
5410	----	----	49.10B/29.00A	49.10B/29.00A	----	31.30 + 1.40	.1296	----	----	----	----	27 UNCH
5415	----	----	48.50B/28.60A	48.50B/28.60A	----	30.90 + 1.40	.1281	----	----	----	----	15 UNCH
5420	30.40	30.40	48.00B/28.20A	48.00B/28.20A	----	30.40 + 1.20	.1264	----	----	10	----	46 + 6
5425	32.20	32.20	47.30B/27.80A	47.30B/27.80A	----	30.00 + 1.20	.1249	----	----	4	----	121 - 4
5430	29.70	29.70	46.60B/27.50A	46.60B/27.50A	----	29.60 + 1.20	.1234	----	----	10	----	74 + 10
5435	29.60	29.60	45.80B/27.10A	45.80B/27.10A	----	29.10 + 1.00	.1217	----	----	3	----	15 + 3
5440	----	----	45.10B/26.70A	45.10B/26.70A	----	28.70 + 1.00	.1202	----	----	----	----	95 UNCH
5445	----	----	44.80B/26.40A	44.80B/26.40A	----	28.30 + 0.90	.1187	----	----	2	----	31 + 2
5450	29.90	29.90	44.20B/26.00A	44.20B/26.00A	----	27.90 + 0.80	.1173	----	----	9	----	1606 - 4
5455	28.00	28.00	43.70B/25.70A	43.70B/25.70A	----	27.50 + 0.80	.1158	----	----	3	----	3 + 1
5460	28.30	28.30	42.90B/25.30A	42.90B/25.30A	----	27.10 + 0.70	.1143	----	----	6	----	114 + 1
5465	----	----	42.40B/25.00A	42.40B/25.00A	----	26.80 + 0.70	.1131	----	----	----	----	38 UNCH
5470	26.80	26.80	41.70B/24.70A	41.70B/24.70A	----	26.40 + 0.70	.1116	----	----	10	----	34 + 7
5475	----	----	41.40B/24.40A	41.40B/24.40A	----	26.00 + 0.60	.1102	----	----	----	----	60 UNCH
5480	----	----	40.60B/24.10A	40.60B/24.10A	----	25.70 + 0.60	.1090	----	----	----	----	38 UNCH
5485	----	----	40.30B/23.70A	40.30B/23.70A	----	25.30 + 0.50	.1075	----	----	----	----	9 UNCH
5490	----	----	39.50B/23.40A	39.50B/23.40A	----	25.00 + 0.50	.1063	----	----	----	----	178 UNCH
5495	----	----	39.10B/23.10A	39.10B/23.10A	----	24.60 + 0.40	.1049	----	----	2	----	61 UNCH
5500	36.00	36.00	38.70B/22.80A	38.70B/22.80A	----	24.30 + 0.40	.1037	----	----	691	300	6387 + 43
5505	----	----	38.10B/22.50A	38.10B/22.50A	----	24.00 + 0.40	.1025	----	----	----	----	11 UNCH
5510	----	----	37.60B/22.30A	37.60B/22.30A	----	23.60 + 0.20	.1011	----	----	----	----	185 UNCH
5515	----	----	36.90B/22.00A	36.90B/22.00A	----	23.30 + 0.20	.0999	----	----	----	----	40 UNCH
5520	23.30	23.30	36.60B/21.70A	36.60B/21.70A	----	23.00 + 0.20	.0987	----	----	14	----	26 + 5
5525	23.00	23.00	36.20B/21.40A	36.20B/21.40A	----	22.70 + 0.10	.0975	----	----	10	----	167 + 4
5530	----	----	35.60B/21.20A	35.60B/21.20A	----	22.40 + 0.10	.0964	----	----	----	----	39 UNCH
5535	----	----	35.20B/20.90A	35.20B/20.90A	----	22.10 + 0.10	.0952	----	----	----	----	7 UNCH
5540	----	----	34.70B/20.70A	34.70B/20.70A	----	21.90 + 0.10	.0943	----	----	----	----	260 UNCH
5545	----	----	34.30B/20.40A	34.30B/20.40A	----	21.60 + 0.10	.0932	----	----	----	----	17 UNCH
5550	33.60	33.60	34.00B/20.20A	34.00B/20.20A	----	21.30 UNCH	.0920	----	----	2	----	772 + 2
5555	----	----	33.40B/19.90A	33.40B/19.90A	----	21.10 + 0.10	.0911	----	----	----	----	1 UNCH
5560	----	----	32.80B/19.70A	32.80B/19.70A	----	20.80 UNCH	.0900	----	----	----	----	32 UNCH
5565	----	----	32.40B/19.40A	32.40B/19.40A	----	20.50 UNCH	.0888	----	----	4	----	2 + 2
5570	20.30	20.30	32.00B/19.20A	32.00B/19.20A	----	20.30 UNCH	.0880	----	----	10	----	24 + 5
5575	----	----	31.70B/*19.00A	31.70B/*19.00A	----	20.00 - 0.10	.0868	----	----	----	----	19 UNCH
5580	----	----	31.40B/*18.70A	31.40B/*18.70A	----	19.80 - 0.10	.0860	----	----	----	----	11 UNCH
5585	30.00	30.00	31.00B/*18.50A	31.00B/*18.50A	----	19.60 UNCH	.0851	----	----	2	----	11 + 1
5590	----	----	30.50B/*18.30A	30.50B/*18.30A	----	19.30 - 0.10	.0840	----	----	----	----	94 UNCH
5595	----	----	30.10B/*18.10A	30.10B/*18.10A	----	19.10 - 0.10	.0831	----	----	----	----	30 UNCH
5600	23.10	23.10	29.80B/17.90	29.80B/17.90	----	18.90 - 0.10	.0823	----	----	305	275	2334 - 161
5610	----	----	29.00B/*17.50A	29.00B/*17.50A	----	18.40 - 0.20	.0803	----	----	----	----	69 UNCH
5620	18.10	18.10	28.40B/*17.00	28.40B/*17.00	----	18.00 - 0.20	.0786	----	----	10	----	57 + 9
5625	----	----	27.90B/*16.90A	27.90B/*16.90A	----	17.80 - 0.20	.0778	----	----	----	----	404 UNCH
5630	----	----	27.60B/*16.70A	27.60B/*16.70A	----	17.60 - 0.20	.0769	----	----	----	----	203 UNCH
5640	----	----	27.00B/*16.30A	27.00B/*16.30A	----	17.20 - 0.20	.0753	----	----	----	----	77 UNCH
5650	17.20	17.20	26.40B/*16.00A	26.40B/*16.00A	----	16.80 - 0.20	.0736	----	----	4	----	705 - 4
5660	----	----	25.60B/*15.60A	25.60B/*15.60A	----	16.40 - 0.30	.0720	----	----	----	----	41 UNCH
5665	----	----	25.50B/*15.40A	25.50B/*15.40A	----	16.20 - 0.30	.0711	----	----	----	----	3 UNCH
5670	18.30	18.30	25.20B/*15.30A	25.20B/*15.30A	----	16.00 - 0.30	.0703	----	----	1	----	120 - 1
5675	----	----	24.60B/*15.10A	24.60B/*15.10A	----	15.90 - 0.30	.0698	----	----	----	----	21 UNCH
5680	----	----	24.30B/*14.90A	24.30B/*14.90A	----	15.70 - 0.30	.0690	----	----	----	----	52 UNCH
5690	15.10	15.10	23.90B/*14.60A	23.90B/*14.60A	----	15.30 - 0.40	.0674	----	----	9	----	156 + 9
5700	21.10	21.10	23.20B/14.00	23.20B/14.00	----	15.00 - 0.30	.0661	----	----	102	60	1945 + 126
5710	----	----	22.60B/*14.00A	22.60B/*14.00A	----	14.70 - 0.30	.0648	----	----	----	----	40 UNCH
5720	----	----	22.10B/*13.70A	22.10B/*13.70A	----	14.30 - 0.40	.0632	----	----	----	----	19 UNCH
5725	----	----	21.80B/*13.60A	21.80B/*13.60A	----	14.20 - 0.40	.0627	----	----	----	----	16 UNCH
5730	----	----	21.60B/*13.40A	21.60B/*13.40A	----	14.00 - 0.50	.0619	----	----	----	----	59 UNCH
5740	----	----	21.10B/*13.20A	21.10B/*13.20A	----	13.70 - 0.50	.0606	----	----	----	----	58 UNCH
5750	----	----	20.60B/*12.90A	20.60B/*12.90A	----	13.40 - 0.50	.0593	----	----	2	----	1685 + 1
5760	----	----	20.10B/*12.60A	20.10B/*12.60A	----	13.20 - 0.50	.0584	----	----	----	----	12 UNCH
5770	----	----	19.70B/*12.40A	19.70B/*12.40A	----	12.90 - 0.50	.0571	----	----	----	----	30 UNCH
5775	----	----	19.50B/*12.30A	19.50B/*12.30A	----	12.80 - 0.50	.0566	----	----	51	----	218 + 41
5780	----	----	19.10B/*12.10A	19.10B/*12.10A	----	12.60 - 0.60	.0558	----	----	----	----	219 UNCH
5790	----	----	18.80B/*11.90A	18.80B/*11.90A	----	12.40 - 0.50	.0549	----	----	----	----	11 UNCH
5800	13.50	13.50	18.40B/11.50	18.40B/11.50	----	12.10 - 0.60	.0537	----	----	49	185	3059 + 8
5810	11.90	11.90	18.30B/*11.20	18.30B/*11.20	----	11.90 - 0.60	.0527	----	----	10	----	259 + 8
5820	----	----	18.00B/*11.20A	18.00B/*11.20A	----	11.70 - 0.60	.0518	----	----	----	----	27 UNCH
5825	----	----	17.80B/*11.10A	17.80B/*11.10A	----	11.60 - 0.60	.0514	----	----	----	----	14 UNCH
5830	----	----	17.60B/*11.00A	17.60B/*11.00A	----	11.50 - 0.60	.0509	----	----	----	----	14 UNCH
5840	----	----	17.20B/*10.80A	17.20B/*10.80A	----	11.20 - 0.70	.0497	----	----	----	----	22 UNCH
5850	----	----	16.90B/*10.60A	16.90B/*10.60A	----	11.00 - 0.70	.0488	----	----	54	----	485 + 52
5860	12.80	12.80	16.60B/*10.40A	16.60B/*10.40A	----	10.80 - 0.70	.0479	----	----	2	----	22 + 2
5870	----	----	16.20B/*10.20A	16.20B/*10.20A	----	10.60 - 0.70	.0470	----	----	----	----	32 UNCH
5875	----	----	16.10B/*10.10A	16.10B/*10.10A	----	10.50 - 0.70	.0466	----	----	----	----	191 UNCH
5880	----	----	15.90B/*10.00A	15.90B/*10.00A	----	10.40 - 0.70	.0461	----	----	----	----	17 UNCH
5890	10.10	10.10	15.60B/*9.90A	15.60B/*9.90A	----	10.20 - 0.70	.0452	----	----	16	----	137 + 10
5900	10.40	10.40	15.30B/9.70A	15.30B/9.70A	----	10.00 - 0.80	.0444	----	----	92	----	1364 - 25
5910	----	----	15.00B/*9.50A	15.00B/*9.50A	----	9.90 - 0.70	.0438	----	----	----	----	10 UNCH
5920	----	----	14.70B/*9.40A	14.70B/*9.40A	----	9.70 - 0.70	.0429	----	----	----	----	38 UNCH
5930	----	----	14.40B/*9.20A	14.40B/*9.20A	----	9.50 - 0.80	.0421	----	----	----	----	58 UNCH
5940	----	----	14.20B/*9.00A	14.20B/*9.00A	----	9.30 - 0.80	.0412	----	----	----	----	3 UNCH
5950	9.60	9.60	13.90B/*8.90A	13.90B/*8.90A	----	9.20 - 0.80	.0407	----	----	3	----	168 + 3
5960	9.00	9.00	13.70B/*8.50	13.70B/*8.50	----	9.00 - 0.80	.0399	----	----	9	----	35 + 7
5970	----	----	13.40B/*8.60A	13.40B/*8.60A	----	8.80 - 0.80	.0390	----	----	----	----	35 UNCH
5980	----	----	13.20B/*8.50A	13.20B/*8.50A	----	8.70 - 0.80	.0385	----	----	----	----	6 UNCH
5990	----	----	12.90B/*8.30A	12.90B/*8.30A	----	8.60 - 0.70	.0380	----	----	----	----	4 UNCH
6000	13.20	13.20	13.30/7.80	13.30/7.80	----	8.40 - 0.80	.0372	----	----	189	----	7348 - 17
6010	----	----	12.50B/*8.10A	12.50B/*8.10A	----	8.30 - 0.70	.0366	----	----	----	----	9 UNCH
6020	----	----	12.30B/*7.90A	12.30B/*7.90A	----	8.20 - 0.70	.0361	----	----	----	----	23 UNCH
6030	7.80	7.80	12.00B/*7.80	12.00B/*7.80	----	8.00 - 0.80	.0353	----	----	9	----	31 + 9
6040	----	----	11.80B/*7.70A	11.80B/*7.70A	----	7.90 - 0.80	.0348	----	----	----	----	26 UNCH
6050	----	----	11.60B/*7.50A	11.60B/*7.50A	----	7.80 - 0.70	.0343	----	----	----	----	280 UNCH
6060	----	----	11.40B/*7.40A	11.40B/*7.40A	----	7.70 - 0.70	.0339	----	----	1	----	32 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6070	----	----	11.20B/*7.30A	11.20B/*7.30A	----	7.50 - 0.80	.0331	----	----	----	----	34 UNCH
6080	----	----	11.00B/*7.20A	11.00B/*7.20A	----	7.40 - 0.80	.0326	----	----	----	----	9 UNCH
6090	----	----	10.80B/*7.10A	10.80B/*7.10A	----	7.30 - 0.80	.0321	----	----	----	----	25 UNCH
6100	----	----	10.70B/*7.00A	10.70B/*7.00A	----	7.20 - 0.80	.0316	----	----	----	----	2403 UNCH
6110	----	----	10.50B/*6.90A	10.50B/*6.90A	----	7.10 - 0.80	.0312	----	----	----	----	65 UNCH
6120	----	----	10.30B/*6.80A	10.30B/*6.80A	----	7.00 - 0.80	.0307	----	----	----	----	11 UNCH
6125	----	----	10.20B/*6.70A	10.20B/*6.70A	----	6.90 - 0.80	.0303	----	----	----	----	16 UNCH
6130	----	----	10.20B/*6.70A	10.20B/*6.70A	----	6.90 - 0.80	.0302	----	----	----	----	10 UNCH
6140	----	----	10.00B/*6.60A	10.00B/*6.60A	----	6.70 - 0.90	.0294	----	----	----	----	8 UNCH
6150	6.60	6.60	9.90B/*6.20	9.90B/*6.20	----	6.60 - 0.90	.0290	----	----	9	----	510 + 5
6160	----	----	9.70B/*6.40A	9.70B/*6.40A	----	6.50 - 0.90	.0285	----	----	----	----	130 UNCH
6170	----	----	9.50B/*6.40A	9.50B/*6.40A	----	6.50 - 0.80	.0284	----	----	----	----	17 UNCH
6180	----	----	9.40B/*6.30A	9.40B/*6.30A	----	6.40 - 0.80	.0279	----	----	----	----	75 UNCH
6190	----	----	9.20B/*6.20A	9.20B/*6.20A	----	6.30 - 0.80	.0275	----	----	----	----	2 UNCH
6200	7.40	7.40	9.10B/*6.10A	9.10B/*6.10A	----	6.20 - 0.90	.0270	----	----	65	----	4036 - 15
6210	----	----	9.00B/*6.10A	9.00B/*6.10A	----	6.10 - 0.90	.0266	----	----	----	----	53 UNCH
6220	----	----	8.80B/*6.00A	8.80B/*6.00A	----	6.00 - 0.90	.0262	----	----	----	----	7 UNCH
6230	5.80	5.80	8.70B/*5.50	8.70B/*5.50	----	5.90 - 0.90	.0257	----	----	9	----	66 + 6
6240	----	----	8.60B/*5.70A	8.60B/*5.70A	----	5.90 - 0.80	.0256	----	----	----	----	21 UNCH
6250	----	----	8.50B/*5.70A	8.50B/*5.70A	----	5.80 - 0.80	.0252	----	----	----	----	1307 UNCH
6260	----	----	8.30B/*5.70A	8.30B/*5.70A	----	5.70 - 0.90	.0247	----	----	----	----	8 UNCH
6270	----	----	8.20B/*5.60A	8.20B/*5.60A	----	5.60 - 0.90	.0243	----	----	----	----	146 UNCH
6280	----	----	8.10B/*5.50A	8.10B/*5.50A	----	5.60 - 0.80	.0242	----	----	----	----	12 UNCH
6290	7.10	7.10	8.00B/*5.40A	8.00B/*5.40A	----	5.50 - 0.80	.0238	----	----	10	----	19 UNCH
6300	7.00	7.00	7.90B/*5.30A	7.90B/*5.30A	----	5.40 - 0.90	.0234	----	----	106	----	2454 - 48
6310	----	----	7.80B/*5.30A	7.80B/*5.30A	----	5.40 - 0.80	.0233	----	----	----	----	2 UNCH
6320	----	----	7.70B/*5.20A	7.70B/*5.20A	----	5.30 - 0.80	.0229	----	----	----	----	24 UNCH
6330	4.90	4.90	7.50B/*4.90	7.50B/*4.90	----	5.20 - 0.80	.0224	----	----	9	----	33 + 8
6340	5.00	5.00	7.40B/*4.70	7.40B/*4.70	----	5.10 - 0.90	.0220	----	----	9	----	35 + 8
6350	4.90	4.90	7.40B/*4.70	7.40B/*4.70	----	5.10 - 0.80	.0219	----	----	9	----	17 + 1
6360	----	----	7.20B/*5.00A	7.20B/*5.00A	----	5.00 - 0.80	.0215	----	----	----	----	2 UNCH
6370	----	----	7.10B/*4.90A	7.10B/*4.90A	----	5.00 - 0.80	.0214	----	----	----	----	4 UNCH
6380	----	----	7.00B/*4.90A	7.00B/*4.90A	----	4.90 - 0.80	.0210	----	----	----	----	9 UNCH
6390	----	----	7.00B/*4.80A	7.00B/*4.80A	----	4.80 - 0.80	.0206	----	----	----	----	1 UNCH
6400	----	----	6.90B/*4.80A	6.90B/*4.80A	----	4.80 - 0.80	.0205	----	----	9	----	419 UNCH
6410	----	----	6.80B/*4.70A	6.80B/*4.70A	----	4.70 - 0.80	.0201	----	----	----	----	8 UNCH
6420	----	----	6.70B/*4.60A	6.70B/*4.60A	----	4.70 - 0.70	.0200	----	----	----	----	3 UNCH
6430	----	----	6.60B/*4.60A	6.60B/*4.60A	----	4.60 - 0.80	.0196	----	----	----	----	30 UNCH
6440	----	----	6.50B/*4.60A	6.50B/*4.60A	----	4.50 - 0.80	.0192	----	----	----	----	2 UNCH
6450	4.30	4.30	6.40B/*4.10	6.40B/*4.10	----	4.50 - 0.80	.0192	----	----	9	----	58 + 5
6460	4.20	4.20	6.30B/*4.20	6.30B/*4.20	----	4.40 - 0.80	.0188	----	----	18	----	36 + 18
6470	----	----	6.20B/*4.40A	6.20B/*4.40A	----	4.40 - 0.80	.0187	----	----	----	----	9 UNCH
6480	4.20	4.20	6.20B/*4.00	6.20B/*4.00	----	4.30 - 0.80	.0183	----	----	9	----	21 + 7
6490	----	----	6.10B/*4.30A	6.10B/*4.30A	----	4.30 - 0.80	.0182	----	----	----	----	23 UNCH
6500	3.90	3.90	6.10B/3.90	6.10B/3.90	----	4.20 - 0.80	.0178	----	----	2	----	1096 + 2
6525	3.90	3.90	5.80B/*3.80	5.80B/*3.80	----	4.10 - 0.80	.0174	----	----	9	----	20 + 7
6550	----	----	5.70B/*4.00A	5.70B/*4.00A	----	4.00 - 0.80	.0169	----	----	----	----	210 UNCH
6575	----	----	5.50B/*3.90A	5.50B/*3.90A	----	3.90 - 0.70	.0164	----	----	----	----	7 UNCH
6600	3.70	3.70	5.40B/*3.60	5.40B/*3.60	----	3.80 - 0.70	.0159	----	----	7	----	863 UNCH
6625	3.50	3.50	5.20B/*3.00	5.20B/*3.00	----	3.80 - 0.60	.0158	----	----	6	----	106 + 5
6650	4.20	4.20	5.10B/*3.60A	5.10B/*3.60A	----	3.70 - 0.60	.0154	----	----	8	----	33 - 3
6675	3.50	3.50	4.90B/*3.40	4.90B/*3.40	----	3.60 - 0.60	.0149	----	----	16	----	50 + 16
6700	----	----	4.80B/*3.50A	4.80B/*3.50A	----	3.50 - 0.70	.0145	----	----	----	----	1207 UNCH
6725	----	----	4.60B/*3.40A	4.60B/*3.40A	----	3.50 - 0.60	.0143	----	----	----	----	111 UNCH
6750	4.20	4.20	4.50B/*3.30A	4.50B/*3.30A	----	3.40 - 0.60	.0139	----	----	1	----	135 + 1
6775	----	----	4.40B/*3.20A	4.40B/*3.20A	----	3.30 - 0.60	.0135	----	----	1	----	5 UNCH
6800	2.90	2.90	4.30B/*2.40	4.30B/*2.40	----	3.30 - 0.50	.0134	----	----	7	----	245 + 3
6825	----	----	4.20B/*3.10A	4.20B/*3.10A	----	3.20 - 0.60	.0130	----	----	----	----	10 UNCH
6850	----	----	4.10B/*3.00A	4.10B/*3.00A	----	3.20 - 0.50	.0129	----	----	----	----	26 UNCH
6875	----	----	4.00B/*3.00A	4.00B/*3.00A	----	3.10 - 0.50	.0124	----	----	----	----	3 UNCH
6900	----	----	3.90B/*2.90A	3.90B/*2.90A	----	3.10 - 0.50	.0124	----	----	10	----	157 UNCH
6925	----	----	3.80B/*3.00A	3.80B/*3.00A	----	3.00 - 0.50	.0120	----	----	----	----	51 UNCH
6950	----	----	3.70B/*2.90A	3.70B/*2.90A	----	3.00 - 0.40	.0119	----	----	----	----	27 UNCH
6975	----	----	3.60B/*2.90A	3.60B/*2.90A	----	2.90 - 0.50	.0115	----	----	----	----	17 UNCH
7000	4.10	4.10	4.10/2.80A	4.10/2.80A	----	2.90 - 0.40	.0114	----	----	2	----	1815 + 1
7025	----	----	3.40B/*2.80A	3.40B/*2.80A	----	2.80 - 0.50	.0110	----	----	----	----	32 UNCH
7050	----	----	3.30B/*2.70A	3.30B/*2.70A	----	2.80 - 0.40	.0109	----	----	----	----	5 UNCH
7075	----	----	3.30B/*2.70A	3.30B/*2.70A	----	2.70 - 0.50	.0105	----	----	----	----	8 UNCH
7100	----	----	3.20B/*2.60A	3.20B/*2.60A	----	2.70 - 0.40	.0105	----	----	----	----	147 UNCH
7125	----	----	3.10B/*2.60A	3.10B/*2.60A	----	2.70 - 0.30	.0104	----	----	----	----	52 UNCH
7150	----	----	3.10B/*2.60A	3.10B/*2.60A	----	2.60 - 0.40	.0100	----	----	----	----	59 UNCH
7200	----	----	----/*2.50A	2.90B/*2.50A	----	2.50 - 0.40	.0096	----	----	----	----	129 UNCH
7250	----	----	----/*2.40A	2.80B/*2.40A	----	2.40 - 0.40	.0092	----	----	----	----	91 UNCH
7275	----	----	----/*2.40A	2.70B/*2.40A	----	2.40 - 0.40	.0091	----	----	----	----	1 UNCH
7300	----	----	----/*2.30A	2.70B/*2.30A	----	2.40 - 0.30	.0091	----	----	----	----	150 UNCH
7325	----	----	----/*2.30A	2.60B/*2.30A	----	2.30 - 0.40	.0087	----	----	----	----	14 UNCH
7350	----	----	----/*2.20A	2.60B/*2.20A	----	2.30 - 0.30	.0086	----	----	----	----	3 UNCH
7375	----	----	----/*2.20A	2.50B/*2.20A	----	2.20 - 0.40	.0083	----	----	----	----	20 UNCH
7400	----	----	----/*2.20A	2.50B/*2.20A	----	2.20 - 0.30	.0082	----	----	----	----	46 UNCH
7425	----	----	----/*2.10A	2.40B/*2.10A	----	2.10 - 0.40	.0079	----	----	----	----	20 UNCH
7450	----	----	----/*2.10A	2.40B/*2.10A	----	2.10 - 0.40	.0078	----	----	----	----	5 UNCH
7475	----	----	----/*2.10A	2.30B/*2.10A	----	2.10 - 0.30	.0078	----	----	----	----	8 UNCH
7500	2.50	2.50	2.50/2.00A	2.50/2.00A	----	2.00 - 0.40	.0075	----	----	1	----	1352 + 1
7525	----	----	----/*2.00A	2.20B/*2.00A	----	2.00 - 0.40	.0074	----	----	----	----	22 UNCH
7575	----	----	----/*1.90A	2.20B/*1.90A	----	1.90 - 0.40	.0070	----	----	----	----	8 UNCH
7600	----	----	----/*1.90A	2.10B/*1.90A	----	1.90 - 0.40	.0070	----	----	----	----	46 UNCH
7700	----	----	----/*1.80A	2.00B/*1.80A	----	1.70 - 0.40	.0062	----	----	----	----	45 UNCH
7750	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 0.50	.0059	----	----	----	----	12 UNCH
7800	----	----	----/*1.60A	1.90B/*1.60A	----	1.60 - 0.40	.0058	----	----	----	----	39 UNCH
7875	----	----	----/*1.60A	1.70B/1.60A	----	1.50 - 0.50	.0054	----	----	----	----	31 UNCH
7900	----	----	----/*1.60A	1.70B/1.60A	----	1.50 - 0.40	.0054	----	----	----	----	2 UNCH
7950	----	----	----/*1.60A	1.70B/1.60A	----	1.40 - 0.50	.0051	----	----	----	----	2 UNCH
8000	2.50	2.50	2.60/1.60A	2.60/1.60A	----	1.30 - 0.60	.0047	----	----	21	----	981 + 10
8100	----	----	----/*1.60A	1.50B/1.60A	----	1.30 - 0.50	.0046	----	----	----	----	3 UNCH
8200	----	----	----/*1.50A	1.40B/1.50A	----	1.20 - 0.50	.0043	----	----	----	----	89 UNCH
8300	----	----	----/*1.50A	1.30B/1.50A	----	1.10 - 0.50	.0039	----	----	----	----	64 UNCH
8500	----	----	----/1.30A	1.40B/1.30A	----	1.00 - 0.50	.0035	----	----	----	----	141 UNCH
8600	----	----	----/1.30A	1.10B/1.30A	----	1.00 - 0.40	.0034	----	----	----	----	51 UNCH
8800	----	----	----/*1.20A	1.00B/1.20A	----	0.90 - 0.40	.0030	----	----	----	----	32 UNCH
8900	----	----	----/*1.20A	0.90B/1.20A	----	0.90 - 0.40	.0030	----	----	----	----	15 UNCH
9000	1.50	1.50	1.50/1.10A	1.50/1.10A	----	0.90 - 0.40	.0029	----	----	2	----	230 UNCH
9100	----	----	----/1.10A	0.80B/1.10A	----	0.80 - 0.40	.0026	----	----	----	----	1 UNCH
9200	----	----	----/*1.00A	0.80B/1.00A	----	0.80 - 0.40	.0026	----	----	----	----	51 UNCH
9300	----	----	----/1.00A	0.70B/1.00A	----	0.80 - 0.30	.0026	----	----	----	----	3 UNCH
9400	----	----	----/1.00A	0.70B/1.00A	----	0.70 - 0.40	.0023	----	----	----	----	25 UNCH
9500	----	----	----/0.90A	0.60B/0.90A	----	0.70 - 0.40	.0022	----	----	----	----	23 UNCH
9600	----	----	----/*0.90A	0.60B/0.90A	----	0.70 - 0.30	.0022	----	----	----	----	26 UNCH
9700	----	----	----/0.90A	0.60B/0.90A	----	0.60 - 0.40	.0019	----	----	----	----	20 UNCH
9800	----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.30	.0019	----	----	----	----	17 UNCH
9900	----	----	----/0.80A	0.50B/0.80A	----	0.60 - 0.30	.0019	----	----	----	----	24 UNCH
10000	----	----	----/0.80A	0.40B/0.80A	----	0.50 - 0.40	.0016	----	----	----	----	263 UNCH
10100	----	----	----	0.40B/0.80A	----	0.50 - 0.30	.0016	----	----	----	----	2 UNCH
10300	----	----	----/*0.70A	0.30B/0.70A	----	0.40 - 0.40	.0012	----	----	----	----	3 UNCH
10400	----	----	----	0.30B/0.70A	----	0.40 - 0.30	.0012	----	----	----	----	2 UNCH
10500	----	----	----	0.30B/0.70A	----	0.40 - 0.30	.0012	----	----	----	----	1 UNCH
10700	----	----	----	0.20B/0.60A	----	0.40 - 0.20	.0012	----	----	----	----	4 UNCH
11000	----	----	----	0.20B/0.60A	----	0.30 - 0.30	.0009	----	----	----	----	72 UNCH
11300	----	----	----	0.20B/0.50A	----	0.30 - 0.20	.0009	----	----	----	----	12 UNCH
11500	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0009	----	----	----	----	1 UNCH
11600	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0009	----	----	----	----	5 UNCH
11700	----	----	----	0.10B/0.50A	----	0.30 - 0.20	.0008	----	----	----	----	15 UNCH
11900	----	----	----	0.10B/0.50A	----	0.30 - 0.10	.0008	----	----	----	----	1 UNCH
12000	----	----	----	0.20B/0.50A	----	0.20 - 0.20	.0006	----	----	----	----	350 UNCH
TOTAL										12085	2,125	158116+ 1690
JUL26												
3500	----	----	----	----	----	1320.00 + 86.60	.9686	----	----	----	----	1 UNCH
3600	----	----	1,282.40B/----	1282.40B/1180.90A	----	1223.00 + 84.70	.9601	----	----	----	----	24 UNCH
3650	----	----	1,234.20B/----	1234.20B/1133.20A	----	1174.90 + 83.80	.9549	----	----	----	----	10 UNCH
3670	----	----	1,215.00B/----	1215.00B/1114.00A	----	1155.80 + 83.40	.9527	----	----	----	----	3 UNCH
3700	----	----	1,186.30B/----	1186.30B/1085.60A	----	1127.10 + 82.70	.9492	----	----	----	----	119 UNCH
3735	----	----	----	----	----	1093.80 + 81.90	.9447	----	----	----	----	1 UNCH
3775	----	----	1,115.20B/----	1115.20B/1015.10A	----	1056.00 + 81.00	.9391	----	----	----	----	4 UNCH
3800	----	----	1,096.10B/----	1096.10B/988.60A	----	1032.40 + 80.30	.9354	----	----	----	----	2045 UNCH
3825	----	----	1,068.10B/----	1068.10B/968.40A	----	1009.00 + 79.70	.9315	----	----	----	----	5 UNCH
3850	----	----	1,044.70B/----	1044.70B/945.30A	----	985.70 + 79.10	.9274	----	----	----	----	66 UNCH
3860	----	----	----	----	----	976.40 + 78.90	.9256	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

OG CALL — COMEX GOLD OPTIONS

JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3865	----	----	1,030.80B/----	1030.80B/931.50A	----	971.70 + 78.70	.9248	----	----	----	----	7 UNCH
3875	----	----	1,021.40B/----	1021.40B/922.50A	----	962.40 + 78.40	.9230	----	----	----	----	25 UNCH
3900	----	----	998.30B/----	998.30B/899.50A	----	939.30 + 77.70	.9184	----	----	----	----	18 UNCH
3925	----	----	975.20B/----	975.20B/876.80A	----	916.30 + 76.90	.9134	----	----	----	----	35 UNCH
3950	----	----	956.70B/----	956.70B/851.60A	----	893.50 + 76.20	.9084	----	----	----	----	820 UNCH
3960	----	----	----	654.40B/1047.00A	----	884.30 + 75.70	.9062	----	----	----	----	1 UNCH
4000	----	----	906.60B/----	906.60B/809.70A	----	848.10 + 74.40	.8973	----	----	----	----	16 UNCH
4020	----	----	----	684.40B/994.20A	----	830.10 + 73.60	.8927	----	----	----	----	1 UNCH
4030	----	----	----	684.30B/985.50A	----	821.20 + 73.30	.8902	----	----	----	----	2 UNCH
4040	----	----	----	675.00B/976.80A	----	812.20 + 72.80	.8877	----	----	----	----	1 UNCH
4075	----	----	839.10B/----	839.10B/744.00A	----	781.20 + 71.40	.8786	----	----	----	----	6 UNCH
4095	----	----	821.30B/----	821.30B/726.80A	----	763.60 + 70.60	.8731	----	----	----	----	4 UNCH
4100	----	----	816.90B/----	816.90B/722.50A	----	759.20 + 70.40	.8717	----	----	----	----	194 UNCH
4105	----	----	----	615.50B/921.10A	----	754.80 + 70.10	.8703	----	----	----	----	1 UNCH
4110	----	----	808.00B/----	808.00B/714.00A	----	750.50 + 70.00	.8689	----	----	----	----	3 UNCH
4145	----	----	777.30B/----	777.30B/684.50A	----	720.10 + 68.50	.8585	----	----	----	----	28 UNCH
4150	----	----	772.60B/----	772.60B/680.10A	----	715.80 + 68.30	.8569	----	----	----	----	37 UNCH
4155	----	----	----	570.40B/880.80A	----	711.50 + 68.00	.8555	----	----	----	----	1 UNCH
4160	----	----	----	566.00B/876.90A	----	707.20 + 67.80	.8539	----	----	----	----	1 UNCH
4190	----	----	----	539.40B/853.60A	----	681.60 + 66.50	.8442	----	----	----	----	1 UNCH
4200	----	----	729.70B/----	729.70B/638.60A	----	673.20 + 66.10	.8409	----	----	----	----	8 UNCH
4215	----	----	716.80B/----	716.80B/626.30A	----	660.60 + 65.40	.8357	----	----	----	----	25 UNCH
4220	----	----	----	513.00B/830.60A	----	656.40 + 65.20	.8340	----	----	----	----	1 UNCH
4225	----	----	----	508.70B/826.70A	----	652.20 + 64.90	.8322	----	----	----	----	2 UNCH
4235	----	----	----	500.00B/819.20A	----	643.90 + 64.50	.8286	----	----	----	----	1 UNCH
4240	----	----	695.70B/----	695.70B/606.10A	----	639.80 + 64.30	.8268	----	----	----	----	39 UNCH
4245	----	----	----	491.30B/811.60A	----	635.70 + 64.10	.8249	----	----	----	----	1 UNCH
4250	----	----	689.80B/----	689.80B/596.80A	----	631.50 + 63.80	.8231	----	----	----	----	316 UNCH
4255	----	----	----	482.70B/804.10A	----	627.40 + 63.50	.8212	----	----	----	----	1 UNCH
4265	----	----	----	473.60B/796.60A	----	619.30 + 63.20	.8174	----	----	----	----	2 UNCH
4270	----	----	670.90B/----	670.90B/582.10A	----	615.20 + 62.90	.8155	----	----	----	----	38 UNCH
4275	----	----	666.70B/----	666.70B/578.20A	----	611.10 + 62.60	.8136	----	----	----	----	76 UNCH
4280	----	----	662.60B/----	662.60B/574.20A	----	607.10 + 62.50	.8117	----	----	----	----	3 UNCH
4300	----	----	646.10B/----	646.10B/558.50A	----	591.00 + 61.50	.8037	----	----	----	----	63 UNCH
4315	----	----	633.90B/----	633.90B/546.90A	----	579.00 + 60.70	.7977	----	----	----	----	21 UNCH
4325	----	----	625.50B/----	625.50B/539.20A	----	571.10 + 60.30	.7934	----	----	----	----	22 UNCH
4335	----	----	----	410.90B/745.30A	----	563.20 + 59.70	.7893	----	----	----	----	1 UNCH
4350	----	----	605.60B/----	605.60B/520.10A	----	551.50 + 59.00	.7829	----	----	----	----	10 UNCH
4360	----	----	597.40B/----	597.40B/512.60A	----	543.70 + 58.50	.7785	----	----	----	----	53 UNCH
4365	----	----	593.70B/----	593.70B/508.90A	----	539.80 + 58.20	.7763	----	----	----	----	45 UNCH
4370	----	----	589.70B/----	589.70B/505.10A	----	536.00 + 58.00	.7741	----	----	----	----	20 UNCH
4375	----	----	585.70B/----	585.70B/501.40A	----	532.10 + 57.60	.7718	----	----	----	----	5 UNCH
4400	----	----	570.40B/----	570.40B/481.80A	----	513.10 + 56.30	.7604	----	----	----	----	2267 UNCH
4410	----	----	558.40B/----	558.40B/475.80A	----	505.50 + 55.70	.7557	----	----	----	----	4 UNCH
4415	----	----	554.50B/----	554.50B/472.20A	----	501.80 + 55.50	.7534	----	----	----	----	39 UNCH
4420	----	----	550.60B/----	550.60B/468.60A	----	498.00 + 55.10	.7510	----	----	----	----	5 UNCH
4425	----	----	546.80B/----	546.80B/465.00A	----	494.30 + 54.90	.7486	----	----	----	----	16 UNCH
4430	----	----	----	329.20B/669.30A	----	490.60 + 54.60	.7463	----	----	----	----	1 UNCH
4445	----	----	531.60B/----	531.60B/450.80A	----	479.50 + 53.70	.7390	----	----	----	----	30 UNCH
4450	----	----	529.70B/----	529.70B/446.10A	----	475.80 + 53.40	.7366	----	----	----	----	255 UNCH
4455	----	----	----	308.60B/661.50A	----	472.20 + 53.20	.7341	----	----	----	----	2 UNCH
4460	----	----	432.70B/----	432.70B/438.20A	----	468.50 + 52.80	.7316	----	----	----	----	2 UNCH
4475	----	----	431.10B/----	431.10B/427.80A	----	457.70 + 51.90	.7241	----	----	----	----	2 UNCH
4480	----	----	505.30B/----	505.30B/424.40A	----	454.10 + 51.60	.7215	----	----	----	----	25 UNCH
4490	----	----	497.90B/----	497.90B/417.60A	----	447.00 + 51.00	.7164	----	----	----	----	9 UNCH
4500	501.00	501.00	501.00/410.60A	501.00/410.60A	----	439.90 + 50.40	.7112	----	----	3	----	969 UNCH
4505	----	----	431.60B/----	431.60B/407.60A	----	436.40 + 50.10	.7085	----	----	----	----	2 UNCH
4510	----	----	483.30B/----	483.30B/404.10A	----	432.90 + 49.80	.7059	----	----	----	----	45 UNCH
4515	----	----	479.50B/----	479.50B/400.90A	----	429.40 + 49.50	.7033	----	----	----	----	200 UNCH
4520	----	----	475.90B/----	475.90B/397.50A	----	425.90 + 49.10	.7006	----	----	----	----	188 UNCH
4525	----	----	472.30B/----	472.30B/394.20A	----	422.50 + 48.80	.6980	----	----	----	----	129 UNCH
4530	----	----	468.70B/----	468.70B/391.00A	----	419.00 + 48.50	.6952	----	----	----	----	5 UNCH
4535	----	----	#465.10B/----	465.10B/387.70A	----	415.60 + 48.20	.6925	----	----	----	----	14 UNCH
4540	----	----	461.60B/----	461.60B/384.40A	----	412.20 + 47.90	.6898	----	----	----	----	53 UNCH
4550	----	----	454.50B/----	454.50B/378.00A	----	405.40 + 47.20	.6844	----	----	----	----	10 UNCH
4560	----	----	442.30B/----	442.30B/371.60A	----	398.70 + 46.60	.6788	----	----	----	----	2 UNCH
4565	----	----	442.30B/----	442.30B/368.20A	----	395.40 + 46.30	.6760	----	----	----	----	1 UNCH
4570	----	----	445.80B/----	445.80B/365.20A	----	392.10 + 46.00	.6732	----	----	----	----	2 UNCH
4575	----	----	447.80B/----	447.80B/361.30A	----	388.80 + 45.70	.6704	----	----	----	----	128 UNCH
4600	374.50	374.50	449.70B/344.40A	449.70B/344.40A	----	372.50 + 44.10	.6562	----	----	2	----	344 - 1
4605	----	----	447.00B/----	447.00B/342.60A	----	369.30 + 43.80	.6533	----	----	----	----	10 UNCH
4610	----	----	443.50B/----	443.50B/339.20A	----	366.10 + 43.50	.6504	----	----	----	----	6 UNCH
4635	----	----	426.40B/----	426.40B/323.50A	----	350.40 + 41.90	.6358	----	----	----	----	86 UNCH
4640	----	----	423.10B/----	423.10B/320.60A	----	347.30 + 41.60	.6328	----	----	----	----	242 UNCH
4645	----	----	419.70B/----	419.70B/318.10A	----	344.30 + 41.40	.6298	----	----	----	----	14 UNCH
4650	----	----	416.40B/----	416.40B/314.70A	----	341.20 + 41.00	.6269	----	----	----	----	259 UNCH
4655	----	----	413.00B/----	413.00B/312.00A	----	338.20 + 40.70	.6239	----	----	----	----	18 UNCH
4660	----	----	409.60B/----	409.60B/308.90A	----	335.10 + 40.40	.6209	----	----	----	----	20 UNCH
4665	----	----	406.40B/----	406.40B/306.20A	----	332.10 + 40.00	.6178	----	----	----	----	268 UNCH
4670	----	----	403.10B/----	403.10B/303.40A	----	329.10 + 39.70	.6149	----	----	----	----	105 UNCH
4675	----	----	399.90B/----	399.90B/300.30A	----	326.20 + 39.40	.6118	----	----	----	----	129 UNCH
4680	----	----	396.60B/----	396.60B/297.90A	----	323.20 + 39.10	.6088	----	----	----	----	10 UNCH
4685	----	----	393.40B/----	393.40B/295.10A	----	320.30 + 38.80	.6057	----	----	----	----	11 UNCH
4695	----	----	387.00B/----	387.00B/289.80A	----	314.50 + 38.10	.5996	----	----	----	----	22 UNCH
4700	315.00	315.00	383.80B/286.90A	383.80B/286.90A	----	311.60 + 37.70	.5966	----	----	18	----	585 - 10
4710	----	----	377.40B/----	377.40B/281.60A	----	305.90 + 37.00	.5904	----	----	----	----	110 UNCH
4720	----	----	371.10B/----	371.10B/276.80A	----	300.20 + 36.30	.5842	----	----	----	----	2 UNCH
4725	----	----	370.00B/----	370.00B/273.60A	----	297.40 + 35.90	.5811	----	----	----	----	51 UNCH
4730	----	----	366.50B/----	366.50B/271.00A	----	294.60 + 35.60	.5780	----	----	----	----	3 UNCH
4740	----	----	361.70B/----	361.70B/266.40A	----	289.00 + 34.80	.5718	----	----	----	----	1 UNCH
4745	----	----	357.30B/----	357.30B/263.40A	----	286.30 + 34.50	.5686	----	----	----	----	177 UNCH
4750	----	----	354.60B/----	354.60B/261.00A	----	283.50 + 34.10	.5655	----	----	2	----	1066 UNCH
4755	----	----	349.70B/----	349.70B/258.20A	----	280.80 + 33.80	.5624	----	----	----	----	12 UNCH
4760	----	----	346.70B/----	346.70B/256.00A	----	278.10 + 33.40	.5592	----	----	----	----	47 UNCH
4770	----	----	343.60B/----	343.60B/251.00A	----	272.80 + 32.70	.5529	----	----	----	----	69 UNCH
4775	----	----	340.60B/----	340.60B/248.30A	----	270.20 + 32.40	.5498	----	----	----	----	150 UNCH
4780	----	----	337.70B/----	337.70B/246.10A	----	267.50 + 32.00	.5466	----	----	----	----	32 UNCH
4785	----	----	334.70B/----	334.70B/243.70A	----	264.90 + 31.60	.5434	----	----	----	----	12 UNCH
4790	----	----	331.80B/----	331.80B/241.70A	----	262.40 + 31.40	.5403	----	----	----	----	2 UNCH
4795	263.10	263.10	328.90B/239.00A	328.90B/239.00A	----	259.80 + 31.00	.5371	----	----	30	----	32 + 30
4800	----	----	326.00B/----	326.00B/236.60A	----	257.20 + 30.60	.5339	----	----	9	----	1693 - 1
4805	266.90	266.90	320.40B/234.80A	320.40B/234.80A	----	254.70 + 30.30	.5308	----	----	1	----	3 + 1
4810	255.50	255.50	319.00B/232.00A	319.00B/232.00A	----	252.20 + 29.90	.5276	----	----	30	----	32 + 30
4820	----	----	313.00B/----	313.00B/227.20A	----	247.20 + 29.20	.5212	----	----	2	----	10 UNCH
4825	----	----	310.20B/----	310.20B/225.10A	----	244.70 + 28.80	.5180	----	----	606	----	609 + 568
4830	----	----	307.40B/----	307.40B/222.80A	----	242.30 + 28.50	.5148	----	----	----	----	3 UNCH
4835	----	----	303.70B/----	303.70B/220.60A	----	239.80 + 28.10	.5117	----	----	----	----	6 UNCH
4840	----	----	301.90B/----	301.90B/218.70A	----	237.40 + 27.80	.5085	----	----	----	----	1 UNCH
4845	----	----	299.20B/----	299.20B/216.30A	----	235.00 + 27.50	.5053	----	----	----	----	59 UNCH
4850	240.30	240.30	296.50B/214.20A	296.50B/214.20A	----	232.60 + 27.10	.5021	----	----	5	----	329 - 3
4855	----	----	293.80B/----	293.80B/212.30A	----	230.20 + 26.70	.4989	----	----	----	----	1 UNCH
4860	----	----	291.10B/----	291.10B/209.60A	----	227.90 + 26.50	.4957	----	----	----	----	10 UNCH
4870	----	----	286.20B/----	286.20B/205.50A	----	223.30 + 25.80	.4894	----	----	----	----	60 UNCH
4875	----	----	283.20B/----	283.20B/203.30A	----	221.00 + 25.50	.4862	----	----	----	----	12 UNCH
4880	----	----	280.60B/----	280.60B/201.40A	----	218.70 + 25.20	.4830	----	----	----	----	12 UNCH
4885	----	----	278.40B/----	278.40B/199.60A	----	216.50 + 24.90	.4799	----	----	----	----	2 UNCH
4890	----	----	274.70B/----	274.70B/197.50A	----	214.20 + 24.50	.4767	----	----	----	----	2 UNCH
4900	268.70	268.70	270.70B/193.10A	270.70B/193.10A	----	209.90 + 24.00	.4704	----	----	154	----	627 + 91
4905	----	----	267.10B/----	267.10B/191.50A	----	207.70 + 23.70	.4672	----	----	----	----	2 UNCH
4910	239.00	239.00	264.60B/189.30A	264.60B/189.30A	----	205.60 + 23.50	.4641	----	----	10	----	112 + 10
4915	206.90	206.90	263.20B/187.40A	263.20B/187.40A	----	203.50 + 23.20	.4609	----	----	30	----	32 + 29
4920	----	----	259.60B/----	259.60B/185.30A	----	201.40 + 23.00	.4578	----	----	----	----	6 UNCH
4925	----	----	257.20B/----	257.20B/183.60A	----	199.40 + 22.80	.4547	----	----	----	----	4 UNCH
4930	----	----	255.80B/----	255.80B/181.70A	----	197.30 + 22.50	.4516	----	----	----	----	3 UNCH
4935	----	----	253.40B/----	253.40B/179.80A	----	195.30 NEW	.4485	----	----	606	----	600 + 600
4940	----	----	249.80B/----	249.80B/177.90A	----	193.30 + 22.10	.4454	----	----	----	----	165 UNCH
4950	----	----	245.30B/----	245.30B/174.10A	----	189.40 + 21.60	.4392	----	----	1	----	110 - 1
4955	----	----	243.90B/----	243.90B/172.20A	----	187.40 + 21.40	.4361	----	----	----	----	72 UNCH
4960	----	----	241.60B/----	241.60B/170.70A	----	185.50 + 21.20	.4331	----	----	----	----	1 UNCH
4965	186.50	186.50	239.20B/168.90A	239.20B/168.90A	----	183.60 + 21.00	.4300	----	----	22	----	172 + 22
4970	----	----	236.90B/----	236.90B/166.90A	----	181.70 + 20.70	.4269	----	----	----	----	8 UNCH
4975	----	----	235.10B/----	235.10B/165.10A	----	179.80 + 20.50	.4239	----	----	----	----	42 UNCH
4980	----	----	232.40B/----	232.40B/163.40A	----	177.90 + 20.30	.4208	----	----	----	----	3 UNCH
4985	----	----	230.10B/----	230.10B/161.60A	----	176.00 + 20.00	.4178	----	----	----	----	27 UNCH
4990	----	----	227.90B/----	227.90B/160.10A	----	174.20 + 19.80	.4148	----	----	----	----	13 UNCH
4995	----	----	225.90B/----	225.90B/158.40A	----	172.40 + 19.60	.4118	----	----	----	----	20 UNCH
5000	226.70	226.70	226.70/156.50A	226.70/156.50A	----	170.60 + 19.40	.4088	----	----	730	750	2587 + 751

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5005	----	----	221.60B/----	221.60B/155.00A	----	168.80 + 19.10	.4058	----	----	----	----	12 UNCH
5010	----	----	219.40B/----	219.40B/153.40A	----	167.00 + 18.90	.4028	----	----	----	----	12 UNCH
5015	167.80	167.80	217.20B/151.70A	217.20B/151.70A	----	165.20 + 18.60	.3998	----	----	8	----	26 + 8
5020	----	----	215.10B/----	215.10B/150.10A	----	163.40 + 18.40	.3968	----	----	----	----	7 UNCH
5025	184.60	184.60	213.00B/148.50A	213.00B/148.50A	----	161.70 + 18.20	.3938	----	----	3	----	34 + 3
5030	161.70	161.70	210.90B/146.90A	210.90B/146.90A	----	160.00 + 18.00	.3909	----	----	1	----	31 UNCH
5035	----	----	209.60B/----	209.60B/145.40A	----	158.30 + 17.70	.3879	----	----	----	----	54 UNCH
5040	----	----	206.80B/----	206.80B/143.90A	----	156.60 + 17.50	.3850	----	----	----	----	2 UNCH
5045	----	----	205.40B/----	205.40B/142.30A	----	154.90 + 17.20	.3821	----	----	----	----	2 UNCH
5050	174.70	174.70	203.40B/140.70A	203.40B/140.70A	----	153.20 + 17.00	.3791	----	----	13	----	22 + 3
5055	154.00	154.00	200.10B/139.20A	200.10B/139.20A	----	151.50 + 16.70	.3762	----	----	1	----	8 UNCH
5060	151.60	151.60	197.90B/137.50A	197.90B/137.50A	----	149.90 + 16.50	.3733	----	----	1	----	6 + 1
5065	147.30	147.30	195.90B/136.20A	195.90B/136.20A	----	148.30 + 16.30	.3704	----	----	1	----	24 - 1
5070	----	----	193.90B/----	193.90B/134.80A	----	146.70 + 16.10	.3676	----	----	----	----	21 UNCH
5075	147.50	147.50	191.50B/133.30A	191.50B/133.30A	----	145.10 + 15.80	.3647	----	----	31	----	45 + 31
5080	168.10	168.10	190.00B/131.90A	190.00B/131.90A	----	143.50 + 15.60	.3618	----	----	14	----	79 + 14
5085	144.40	144.40	187.70B/130.50A	187.70B/130.50A	----	141.90 + 15.30	.3589	----	----	32	----	34 + 32
5090	----	----	186.30B/----	186.30B/129.10A	----	140.40 + 15.10	.3562	----	----	----	----	1 UNCH
5095	----	----	184.30B/----	184.30B/127.70A	----	138.80 + 14.90	.3533	----	----	----	----	45 UNCH
5100	142.70	142.70	182.50B/126.00A	182.50B/126.00A	----	137.30 + 14.60	.3505	----	----	7	----	631 + 5
5105	159.80	159.80	181.10B/125.00A	181.10B/125.00A	----	135.80 + 14.40	.3477	----	----	10	----	61 UNCH
5110	----	----	178.80B/----	178.80B/123.60A	----	134.30 + 14.20	.3449	----	----	----	----	3 UNCH
5115	----	----	177.30B/----	177.30B/122.30A	----	132.80 + 14.00	.3421	----	----	----	----	27 UNCH
5120	133.80	133.80	175.50B/120.90A	175.50B/120.90A	----	131.30 + 13.70	.3393	----	----	34	----	38 + 32
5125	----	----	173.50B/----	173.50B/119.60A	----	129.90 + 13.50	.3366	----	----	----	----	214 UNCH
5130	130.00	130.00	171.70B/118.30A	171.70B/118.30A	----	128.40 + 13.20	.3338	----	----	1	----	13 + 1
5135	129.50	129.50	170.00B/117.00A	170.00B/117.00A	----	127.00 + 13.10	.3311	----	----	33	----	155 UNCH
5140	143.10	143.10	169.70B/115.80A	169.70B/115.80A	----	125.60 + 12.80	.3284	----	----	18	----	55 + 11
5145	126.70	126.70	166.50B/114.50A	166.50B/114.50A	----	124.20 + 12.60	.3257	----	----	33	----	49 + 33
5150	155.90	155.90	164.80B/113.00A	164.80B/113.00A	----	122.80 + 12.40	.3230	----	----	4	----	700 - 1
5155	122.80	122.80	163.10B/112.10A	163.10B/112.10A	----	121.50 + 12.20	.3204	----	----	1	----	2 + 1
5160	125.50	125.50	161.50B/110.80A	161.50B/110.80A	----	120.10 + 12.00	.3177	----	----	2	----	9 UNCH
5165	144.40	144.40	160.10B/109.60A	160.10B/109.60A	----	118.80 + 11.80	.3151	----	----	3	----	4 + 1
5170	116.90	116.90	158.30B/108.40A	158.30B/108.40A	----	117.40 + 11.50	.3124	----	----	1	----	6 - 1
5175	----	----	156.60B/----	156.60B/107.30A	----	116.10 + 11.30	.3098	----	----	----	----	51 UNCH
5180	114.70	114.70	155.50B/106.10A	155.50B/106.10A	----	114.80 + 11.10	.3072	----	----	1	----	13 UNCH
5185	116.00	116.00	153.40B/104.90A	153.40B/104.90A	----	113.60 + 11.00	.3047	----	----	33	----	118 + 33
5190	----	----	152.30B/----	152.30B/103.80A	----	112.30 + 10.80	.3021	----	----	----	----	2 UNCH
5195	110.90	110.90	150.30B/102.70A	150.30B/102.70A	----	111.00 + 10.60	.2995	----	----	1	----	7 UNCH
5200	150.00	150.00	150.00/101.30A	150.00/101.30A	----	109.80 + 10.40	.2970	----	----	36	----	1191 - 8
5205	----	----	147.60B/----	147.60B/100.40A	----	108.60 + 10.20	.2945	----	----	----	----	7 UNCH
5210	107.30	107.30	145.90B/99.30A	145.90B/99.30A	----	107.40 + 10.10	.2920	----	----	3	----	15 + 3
5215	121.80	121.80	144.40B/98.20A	144.40B/98.20A	----	106.20 + 9.90	.2895	----	----	4	----	8 - 1
5220	103.80	103.80	143.20B/97.00A	143.20B/97.00A	----	105.00 + 9.70	.2871	----	----	1	----	17 - 1
5225	103.70	103.70	141.00B/96.00A	141.00B/96.00A	----	103.80 + 9.50	.2846	----	----	1	----	3 UNCH
5230	102.60	102.60	140.20B/95.00A	140.20B/95.00A	----	102.60 + 9.30	.2821	----	----	3	----	9 UNCH
5240	----	----	136.80B/----	136.80B/93.00A	----	100.40 + 9.00	.2773	----	----	----	----	1 UNCH
5245	----	----	135.20B/----	135.20B/92.00A	----	99.20 + 8.80	.2748	----	----	----	----	61 UNCH
5250	98.10	98.10	134.50B/90.90A	134.50B/90.90A	----	98.10 + 8.60	.2725	----	----	25	----	374 + 12
5255	97.00	97.00	133.00B/89.90A	133.00B/89.90A	----	97.10 + 8.50	.2702	----	----	1	----	14 + 1
5260	----	----	131.50B/----	131.50B/89.00A	----	96.00 + 8.30	.2679	----	----	----	----	150 UNCH
5265	----	----	129.90B/----	129.90B/88.00A	----	94.90 + 8.20	.2655	----	----	----	----	3 UNCH
5270	----	----	128.60B/----	128.60B/87.00A	----	93.90 + 8.10	.2633	----	----	----	----	10 UNCH
5275	----	----	127.20B/----	127.20B/86.20A	----	92.80 + 7.90	.2609	----	----	----	----	16 UNCH
5280	100.10	100.10	126.20B/85.10A	126.20B/85.10A	----	91.80 + 7.70	.2587	----	----	1	----	5 + 1
5285	90.80	90.80	124.90B/84.20A	124.90B/84.20A	----	90.80 + 7.60	.2564	----	----	1	----	14 + 1
5290	----	----	123.60B/----	123.60B/83.30A	----	89.80 + 7.50	.2542	----	----	----	----	33 UNCH
5295	----	----	121.90B/----	121.90B/82.50A	----	88.80 + 7.30	.2519	----	----	----	----	1 UNCH
5300	108.90	108.90	122.20B/81.50A	122.20B/81.50A	----	87.80 + 7.20	.2497	----	----	150	----	907 + 111
5305	93.40	93.40	119.10B/80.80A	119.10B/80.80A	----	86.80 + 7.00	.2475	----	----	2	----	36 UNCH
5310	----	----	118.60B/----	118.60B/79.90A	----	85.90 + 6.90	.2454	----	----	----	----	4 UNCH
5315	----	----	116.90B/----	116.90B/79.10A	----	85.00 + 6.80	.2433	----	----	----	----	13 UNCH
5320	----	----	115.50B/----	115.50B/78.20A	----	84.00 + 6.70	.2411	----	----	----	----	8 UNCH
5325	----	----	114.20B/----	114.20B/77.40A	----	83.10 + 6.60	.2390	----	----	----	----	181 UNCH
5330	----	----	113.70B/----	113.70B/76.50A	----	82.20 + 6.40	.2369	----	----	----	----	4 UNCH
5345	----	----	110.20B/----	110.20B/74.10A	----	79.50 + 6.10	.2306	----	----	----	----	8 UNCH
5350	98.00	98.00	109.00B/73.10A	109.00B/73.10A	----	78.70 + 6.00	.2287	----	----	3	----	517 UNCH
5355	----	----	107.60B/----	107.60B/72.50A	----	77.80 + 5.90	.2266	----	----	----	----	4 UNCH
5360	----	----	106.30B/----	106.30B/71.70A	----	76.90 + 5.70	.2245	----	----	----	----	333 UNCH
5365	----	----	105.70B/----	105.70B/70.90A	----	76.10 + 5.60	.2226	----	----	----	----	14 UNCH
5370	----	----	103.90B/----	103.90B/70.20A	----	75.30 + 5.50	.2206	----	----	----	----	10 UNCH
5375	75.20	75.20	102.90B/69.50A	102.90B/69.50A	----	74.50 + 5.50	.2187	----	----	1	----	4 + 1
5380	----	----	103.80B/----	103.80B/68.80A	----	73.60 + 5.30	.2166	----	----	----	----	5 UNCH
5385	----	----	101.30B/----	101.30B/68.00A	----	72.80 + 5.20	.2147	----	----	----	----	16 UNCH
5390	----	----	101.10B/----	101.10B/67.30A	----	72.00 + 5.10	.2128	----	----	----	----	11 UNCH
5395	72.00	72.00	98.90B/66.60A	98.90B/66.60A	----	71.30 + 5.00	.2110	----	----	1	----	19 + 1
5400	72.70	72.70	97.90B/65.60A	97.90B/65.60A	----	70.50 + 4.90	.2091	----	----	669	----	3873 - 439
5405	70.40	70.40	96.80B/65.20A	96.80B/65.20A	----	69.70 + 4.80	.2072	----	----	1	----	10 UNCH
5410	----	----	96.00B/----	96.00B/64.50A	----	68.90 + 4.60	.2052	----	----	----	----	16 UNCH
5415	----	----	95.00B/----	95.00B/63.70A	----	68.20 + 4.60	.2035	----	----	1	----	18 + 1
5420	----	----	93.80B/----	93.80B/63.10A	----	67.50 + 4.50	.2017	----	----	----	----	10 UNCH
5425	84.00	84.00	93.10B/62.50A	93.10B/62.50A	----	66.70 + 4.40	.1998	----	----	1	----	7 UNCH
5430	----	----	91.80B/----	91.80B/61.80A	----	66.00 + 4.30	.1980	----	----	----	----	5 UNCH
5435	65.00	65.00	91.00B/61.20A	91.00B/61.20A	----	65.30 + 4.20	.1963	----	----	1	----	3 + 1
5440	----	----	90.20B/----	90.20B/60.50A	----	64.60 + 4.10	.1945	----	----	1	----	6 + 1
5445	----	----	89.10B/59.80A	89.10B/59.80A	----	63.90 + 4.00	.1928	----	----	----	----	8 UNCH
5450	----	----	88.20B/59.00A	88.20B/59.00A	----	63.20 + 3.90	.1910	----	----	1	----	1185 - 1
5455	----	----	87.20B/58.50A	87.20B/58.50A	----	62.50 + 3.80	.1893	----	----	----	----	13 UNCH
5460	----	----	86.40B/57.90A	86.40B/57.90A	----	61.80 + 3.70	.1875	----	----	----	----	13 UNCH
5465	----	----	85.60B/57.30A	85.60B/57.30A	----	61.10 + 3.60	.1858	----	----	----	----	16 UNCH
5470	----	----	84.70B/56.70A	84.70B/56.70A	----	60.50 + 3.60	.1842	----	----	----	----	17 UNCH
5475	----	----	83.80B/56.10A	83.80B/56.10A	----	59.80 + 3.40	.1824	----	----	----	----	206 UNCH
5480	----	----	83.00B/55.50A	83.00B/55.50A	----	59.20 + 3.40	.1808	----	----	----	----	5 UNCH
5485	----	----	82.00B/54.90A	82.00B/54.90A	----	58.50 + 3.30	.1791	----	----	----	----	2 UNCH
5490	----	----	82.60B/54.40A	82.60B/54.40A	----	57.90 + 3.20	.1775	----	----	----	----	17 UNCH
5495	----	----	80.40B/53.80A	80.40B/53.80A	----	57.30 + 3.10	.1760	----	----	----	----	1 UNCH
5500	61.20	61.20	79.60B/53.20A	79.60B/53.20A	----	56.70 + 3.10	.1744	----	----	80	750	4018 + 755
5505	----	----	78.80B/52.60A	78.80B/52.60A	----	56.10 + 3.00	.1728	----	----	----	----	3 UNCH
5510	----	----	79.20B/52.10A	79.20B/52.10A	----	55.50 + 2.90	.1713	----	----	----	----	5 UNCH
5515	----	----	77.20B/51.70A	77.20B/51.70A	----	54.90 + 2.90	.1697	----	----	----	----	10 UNCH
5520	----	----	76.50B/51.10A	76.50B/51.10A	----	54.30 + 2.80	.1681	----	----	----	----	11 UNCH
5525	----	----	75.60B/50.60A	75.60B/50.60A	----	53.70 + 2.70	.1666	----	----	----	----	83 UNCH
5530	----	----	75.00B/50.00A	75.00B/50.00A	----	53.10 + 2.60	.1650	----	----	----	----	25 UNCH
5535	----	----	74.10B/49.50A	74.10B/49.50A	----	52.60 + 2.60	.1636	----	----	----	----	1 UNCH
5540	----	----	74.50B/49.00A	74.50B/49.00A	----	52.00 + 2.40	.1621	----	----	----	----	16 UNCH
5545	----	----	72.70B/48.50A	72.70B/48.50A	----	51.50 + 2.40	.1607	----	----	----	----	8 UNCH
5550	----	----	72.00B/48.00A	72.00B/48.00A	----	50.90 + 2.30	.1591	----	----	----	----	204 UNCH
5555	----	----	71.20B/47.50A	71.20B/47.50A	----	50.40 + 2.30	.1578	----	----	----	----	23 UNCH
5560	----	----	70.50B/47.00A	70.50B/47.00A	----	49.90 + 2.20	.1564	----	----	----	----	21 UNCH
5565	----	----	69.80B/46.50A	69.80B/46.50A	----	49.40 + 2.20	.1550	----	----	----	----	1 UNCH
5570	----	----	69.20B/46.10A	69.20B/46.10A	----	48.80 + 2.10	.1535	----	----	----	----	2 UNCH
5575	----	----	68.40B/45.60A	68.40B/45.60A	----	48.30 + 2.00	.1521	----	----	----	----	29 UNCH
5580	----	----	67.70B/45.10A	67.70B/45.10A	----	47.80 + 2.00	.1507	----	----	----	----	2 UNCH
5585	----	----	67.00B/44.70A	67.00B/44.70A	----	47.30 + 1.90	.1494	----	----	----	----	19 UNCH
5590	----	----	66.40B/44.30A	66.40B/44.30A	----	46.80 + 1.80	.1480	----	----	----	----	1 UNCH
5595	----	----	65.80B/43.80A	65.80B/43.80A	----	46.40 + 1.90	.1468	----	----	----	----	19 UNCH
5600	47.10	47.10	65.00B/43.40A	65.00B/43.40A	----	45.90 + 1.80	.1455	----	----	689	----	2210 - 392
5605	----	----	64.40B/43.00A	64.40B/43.00A	----	45.40 + 1.70	.1441	----	----	----	----	29 UNCH
5610	----	----	63.80B/42.60A	63.80B/42.60A	----	45.00 + 1.70	.1430	----	----	----	----	1 UNCH
5625	----	----	62.00B/41.30A	62.00B/41.30A	----	43.60 + 1.50	.1391	----	----	----	----	10 UNCH
5630	----	----	61.80B/40.90A	61.80B/40.90A	----	43.20 + 1.50	.1379	----	----	----	----	5 UNCH
5635	----	----	60.80B/40.50A	60.80B/40.50A	----	42.70 + 1.40	.1366	----	----	----	----	8 UNCH
5640	----	----	60.20B/40.10A	60.20B/40.10A	----	42.30 + 1.40	.1354	----	----	----	----	4 UNCH
5650	----	----	58.90B/39.40A	58.90B/39.40A	----	41.40 + 1.30	.1329	----	----	215	----	461 + 148
5660	----	----	57.80B/38.70A	57.80B/38.70A	----	40.60 + 1.20	.1306	----	----	----	----	1 UNCH
5670	----	----	56.80B/37.90A	56.80B/37.90A	----	39.80 + 1.10	.1284	----	----	----	----	11 UNCH
5675	----	----	56.20B/37.50A	56.20B/37.50A	----	39.40 + 1.10	.1272	----	----	----	----	6 UNCH
5680	----	----	55.60B/37.20A	55.60B/37.20A	----	39.00 + 1.00	.1261	----	----	----	----	6 UNCH
5690	----	----	54.60B/36.50A	54.60B/36.50A	----	38.30 + 1.00	.1240	----	----	----	----	11 UNCH
5700	42.40	42.40	53.50B/35.80A	53.50B/35.80A	----	37.50 + 0.90	.1217	----	----	32	----	899 UNCH
5710	----	----	52.50B/35.00A	52.50B/35.00A	----	36.80 + 0.80	.1197	----	----	----	----	12 UNCH
5720	----	----	51.90B/34.40A	51.90B/34.40A	----	36.10 + 0.80	.1176	----	----	----	----	10 UNCH
5725	----	----	51.10B/34.10A	51.10B/34.10A	----	35.80 + 0.80	.1167	----	----	----	----	57 UNCH
5730	----	----	50.60B/33.80A	50.60B/33.80A	----	35.40 + 0.70	.1156	----	----	----	----	9 UNCH
5740	40.20	40.20	49.50B/33.20A	49.50B/33.20A	----	34.80 + 0.70	.1137	----	----	3	----	8 + 3
5750	----	----	48.60B/32.50A	48.60B/32.50A	----	34.10 + 0.60	.1117	----	----	1234	----	989 - 726
5760	----	----	47.70B/31.90A	47.70B/31.90A	----	33.50 + 0.60	.1099	----	----	----	----	168 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5770	----	----	47.10B/31.30A	47.10B/31.30A	----	32.90 + 0.60	.1081	----	----	----	----	4 UNCH
5775	----	----	46.40B/31.10A	46.40B/31.10A	----	32.60 + 0.60	.1072	----	----	----	----	214 UNCH
5780	----	----	45.90B/30.80A	45.90B/30.80A	----	32.30 + 0.50	.1063	----	----	----	----	2 UNCH
5790	----	----	45.10B/30.20A	45.10B/30.20A	----	31.70 + 0.50	.1045	----	----	----	----	10 UNCH
5800	----	----	44.30B/29.70A	44.30B/29.70A	----	31.10 + 0.40	.1027	----	----	15	----	952 UNCH
5810	----	----	43.70B/29.10A	43.70B/29.10A	----	30.50 + 0.40	.1009	----	----	----	----	10 UNCH
5820	----	----	42.90B/28.70A	42.90B/28.70A	----	30.00 + 0.40	.0993	----	----	----	----	207 UNCH
5825	30.70	30.70	42.30B/28.40A	42.30B/28.40A	----	29.70 + 0.30	.0984	----	----	4	----	19 + 4
5830	----	----	41.90B/28.20A	41.90B/28.20A	----	29.50 + 0.40	.0977	----	----	----	----	1 UNCH
5840	----	----	41.20B/27.70A	41.20B/27.70A	----	29.00 + 0.30	.0962	----	----	----	----	102 UNCH
5850	26.60	26.60	40.40B/26.60	40.40B/26.60	----	28.40 + 0.20	.0944	----	----	2	----	109 - 1
5860	29.30	29.30	39.60B/26.70A	39.60B/26.70A	----	28.00 + 0.30	.0931	----	----	2	----	69 UNCH
5870	----	----	38.90B/26.10A	38.90B/26.10A	----	27.50 + 0.20	.0915	----	----	----	----	10 UNCH
5875	----	----	38.70B/26.00A	38.70B/26.00A	----	27.20 + 0.20	.0907	----	----	----	----	22 UNCH
5880	----	----	38.30B/25.80A	38.30B/25.80A	----	27.00 + 0.20	.0900	----	----	----	----	11 UNCH
5890	----	----	37.60B/25.30A	37.60B/25.30A	----	26.60 + 0.20	.0887	----	----	----	----	6 UNCH
5900	----	----	37.00B/24.80A	37.00B/24.80A	----	26.10 + 0.10	.0872	----	----	----	----	417 UNCH
5910	----	----	36.30B/24.50A	36.30B/24.50A	----	25.70 + 0.10	.0859	----	----	----	----	6 UNCH
5920	----	----	35.60B/24.00A	35.60B/24.00A	----	25.20 + 0.10	.0844	----	----	----	----	25 UNCH
5925	----	----	35.30B/23.80A	35.30B/23.80A	----	25.00 UNCH	.0837	----	----	----	----	6 UNCH
5940	----	----	34.40B/23.20A	34.40B/23.20A	----	24.40 UNCH	.0818	----	----	----	----	2 UNCH
5950	----	----	33.70B/22.90A	33.70B/22.90A	----	24.00 UNCH	.0805	----	----	----	----	3 UNCH
5960	----	----	33.20B/22.60A	33.20B/22.60A	----	23.60 UNCH	.0793	----	----	----	----	15 UNCH
5970	----	----	32.70B/22.20A	32.70B/22.20A	----	23.20 - 0.10	.0780	----	----	----	----	55 UNCH
5980	----	----	32.10B/21.90A	32.10B/21.90A	----	22.90 UNCH	.0770	----	----	----	----	3 UNCH
5990	26.60	26.60	31.60B/21.50A	31.60B/21.50A	----	22.50 - 0.10	.0757	----	----	10	----	70 UNCH
6000	30.10	30.10	30.90B/21.20A	30.90B/21.20A	----	22.20 UNCH	.0747	----	----	430	----	2475 - 19
6025	----	----	29.60B/20.40A	29.60B/20.40A	----	21.30 - 0.10	.0718	----	----	----	----	14 UNCH
6050	----	----	28.30B/19.50A	28.30B/19.50A	----	20.50 - 0.20	.0692	----	----	----	----	43 UNCH
6075	----	----	27.10B/18.90A	27.10B/18.90A	----	19.70 - 0.30	.0666	----	----	----	----	89 UNCH
6100	----	----	26.00B/18.30A	26.00B/18.30A	----	19.00 - 0.30	.0643	----	----	----	----	253 UNCH
6125	20.00	20.00	24.90B/17.60A	24.90B/17.60A	----	18.30 - 0.30	.0620	----	----	2	----	65 + 2
6150	----	----	23.80B/17.00A	23.80B/17.00A	----	17.70 - 0.30	.0599	----	----	----	----	854 UNCH
6175	----	----	22.80B/16.30A	22.80B/16.30A	----	17.00 - 0.50	.0577	----	----	----	----	38 UNCH
6200	19.00	19.00	21.90B/15.90A	21.90B/15.90A	----	16.50 - 0.40	.0559	----	----	15	----	538 - 5
6225	----	----	20.00B/15.70A	20.00B/15.70A	----	15.90 - 0.50	.0539	----	----	----	----	19 UNCH
6250	----	----	19.30B/15.30A	19.30B/15.30A	----	15.40 - 0.50	.0522	----	----	2000	----	393 - 1621
6275	----	----	18.40B/14.80A	18.40B/14.80A	----	14.90 - 0.50	.0505	----	----	----	----	3 UNCH
6300	----	----	17.80B/14.40A	17.80B/14.40A	----	14.40 - 0.50	.0488	----	----	----	----	324 UNCH
6325	----	----	17.20B/13.90A	17.20B/13.90A	----	14.00 - 0.50	.0474	----	----	----	----	32 UNCH
6350	----	----	16.60B/13.50A	16.60B/13.50A	----	13.50 - 0.60	.0458	----	----	----	----	32 UNCH
6375	----	----	16.00B/13.10A	16.00B/13.10A	----	13.10 - 0.60	.0444	----	----	----	----	37 UNCH
6400	----	----	15.30B/12.70A	15.30B/12.70A	----	12.70 - 0.60	.0430	----	----	----	----	192 UNCH
6425	----	----	14.80B/12.40A	14.80B/12.40A	----	12.30 - 0.70	.0416	----	----	----	----	15 UNCH
6450	----	----	14.40B/12.00A	14.40B/12.00A	----	12.00 - 0.60	.0405	----	----	----	----	48 UNCH
6475	----	----	13.90B/11.70A	13.90B/11.70A	----	11.70 - 0.60	.0394	----	----	----	----	14 UNCH
6500	----	----	13.50B/11.40A	13.50B/11.40A	----	11.30 - 0.70	.0381	----	----	1000	----	831 - 816
6525	----	----	13.00B/11.10A	13.00B/11.10A	----	11.00 - 0.70	.0371	----	----	----	----	132 UNCH
6550	----	----	12.70B/10.80A	12.70B/10.80A	----	10.70 - 0.70	.0360	----	----	----	----	1 UNCH
6575	----	----	12.10B/*10.60A	12.10B/10.60A	----	10.40 - 0.70	.0350	----	----	----	----	4 UNCH
6600	10.00	10.00	11.80B/10.00	11.80B/10.00	----	10.20 - 0.60	.0342	----	----	1	----	30 + 1
6650	----	----	11.10B/9.80A	11.10B/9.80A	----	9.70 - 0.60	.0324	----	----	2	----	16 UNCH
6675	----	----	10.80B/9.50A	10.80B/9.50A	----	9.40 - 0.70	.0314	----	----	----	----	1 UNCH
6700	----	----	10.40B/9.30A	10.40B/9.30A	----	9.20 - 0.70	.0307	----	----	----	----	127 UNCH
6800	10.80	10.80	10.80/*8.40A	10.80/8.40A	----	8.40 - 0.70	.0278	----	----	6	----	199 UNCH
6825	----	----	9.10B/*8.20A	9.10B/8.20A	----	8.20 - 0.70	.0271	----	----	----	----	19 UNCH
6850	----	----	8.90B/*8.00A	8.90B/8.00A	----	8.00 - 0.70	.0264	----	----	----	----	201 UNCH
6875	----	----	8.70B/*7.80A	8.70B/7.80A	----	7.80 - 0.70	.0258	----	----	----	----	22 UNCH
6900	----	----	8.50B/*7.60A	8.50B/7.60A	----	7.70 - 0.70	.0253	----	----	----	----	19 UNCH
6925	----	----	----/*7.40A	8.20B/7.40A	----	7.50 - 0.70	.0246	----	----	----	----	1 UNCH
6950	----	----	8.10B/*7.50A	8.10B/7.50A	----	7.30 - 0.70	.0240	----	----	----	----	22 UNCH
6975	----	----	8.10B/*7.10A	8.10B/7.10A	----	7.20 - 0.70	.0236	----	----	----	----	10 UNCH
7000	----	----	7.80B/7.00A	7.80B/7.00A	----	7.10 - 0.60	.0232	----	----	2	----	790 + 2
7050	----	----	----/7.00A	7.40B/7.00A	----	6.80 - 0.70	.0221	----	----	----	----	17 UNCH
7075	----	----	----/7.00A	7.20B/7.00A	----	6.70 - 0.60	.0217	----	----	2	----	15 + 2
7100	----	----	----/*6.50A	7.10B/6.50A	----	6.50 - 0.70	.0211	----	----	2	----	26 + 2
7125	----	----	----/6.60A	6.90B/6.60A	----	6.40 - 0.70	.0207	----	----	----	----	1 UNCH
7150	----	----	----/6.60A	6.80B/6.60A	----	6.30 - 0.70	.0203	----	----	----	----	19 UNCH
7175	----	----	----/6.40A	6.60B/6.40A	----	6.20 - 0.60	.0200	----	----	----	----	1 UNCH
7200	----	----	----/6.20A	6.50B/6.20A	----	6.10 - 0.60	.0196	----	----	----	----	3 UNCH
7225	----	----	----/6.00A	6.50B/6.00A	----	6.00 - 0.60	.0192	----	----	----	----	17 UNCH
7250	----	----	----/6.00A	6.30B/6.00A	----	5.90 - 0.60	.0189	----	----	----	----	2 UNCH
7275	----	----	----/5.90A	6.10B/5.90A	----	5.80 - 0.60	.0185	----	----	----	----	14 UNCH
7300	----	----	----/5.80A	6.10B/5.80A	----	5.70 - 0.60	.0181	----	----	3	----	4 - 3
7350	----	----	----/5.60A	5.80B/5.60A	----	5.50 - 0.60	.0174	----	----	----	----	6 UNCH
7400	----	----	----/5.40A	5.60B/5.40A	----	5.30 - 0.60	.0168	----	----	----	----	1 UNCH
7425	----	----	----/5.30A	5.50B/5.30A	----	5.20 - 0.60	.0164	----	----	----	----	19 UNCH
7450	----	----	----/5.30A	5.40B/5.30A	----	5.20 - 0.50	.0163	----	----	----	----	16 UNCH
7475	----	----	----/5.10A	5.30B/5.10A	----	5.10 - 0.50	.0160	----	----	----	----	9 UNCH
7500	5.00	5.00	5.00/5.00	5.20B/5.00	----	5.00 - 0.50	.0157	----	----	1	----	291 + 1
7525	----	----	----/5.00A	5.10B/5.00A	----	4.90 - 0.60	.0153	----	----	----	----	33 UNCH
7550	----	----	----/4.90A	5.10B/4.90A	----	4.90 - 0.50	.0153	----	----	----	----	50 UNCH
7575	----	----	----/4.90A	4.90B/4.90A	----	4.80 - 0.50	.0149	----	----	----	----	1 UNCH
7600	----	----	----/4.80A	4.90B/4.80A	----	4.70 - 0.50	.0146	----	----	----	----	10 UNCH
7625	----	----	----/*4.70A	4.80B/4.70A	----	4.70 - 0.40	.0145	----	----	----	----	12 UNCH
7700	----	----	----/4.50A	4.60B/4.50A	----	4.50 - 0.40	.0138	----	----	----	----	11 UNCH
7725	----	----	----/4.40A	4.50B/4.40A	----	4.40 - 0.50	.0135	----	----	----	----	11 UNCH
7750	----	----	----/*4.30A	4.40B/4.30A	----	4.30 - 0.50	.0132	----	----	----	----	2 UNCH
7775	----	----	----/4.30A	4.30B/4.30A	----	4.30 - 0.40	.0131	----	----	----	----	5 UNCH
7800	----	----	----/*4.20A	4.30B/4.20A	----	4.20 - 0.40	.0128	----	----	2	----	5 UNCH
7825	----	----	----/4.10A	4.20B/4.10A	----	4.20 - 0.40	.0128	----	----	----	----	10 UNCH
7875	----	----	----/*4.00A	4.00B/4.00A	----	4.10 - 0.40	.0124	----	----	----	----	140 UNCH
7900	----	----	----/*4.00A	4.00B/4.00A	----	4.00 - 0.40	.0121	----	----	----	----	1 UNCH
8000	----	----	----/3.80A	3.70B/3.80A	----	3.80 - 0.40	.0114	----	----	3	----	589 - 3
8300	----	----	----/3.20A	3.10B/3.20A	----	3.30 - 0.20	.0097	----	----	----	----	4 UNCH
8500	----	----	----/2.90A	2.80B/2.90A	----	3.00 - 0.20	.0087	----	----	----	----	6 UNCH
8600	----	----	----/2.80A	2.60B/2.80A	----	2.90 - 0.20	.0083	----	----	----	----	1 UNCH
8800	----	----	----/2.60A	2.40B/2.60A	----	2.60 - 0.20	.0074	----	----	----	----	7 UNCH
9000	----	----	----/2.40A	2.20B/2.40A	----	2.30 - 0.20	.0065	----	----	----	----	223 UNCH
9200	----	----	----/2.20A	1.90B/2.20A	----	2.00 - 0.30	.0057	----	----	----	----	11 UNCH
9300	----	----	----/*2.10A	1.80B/2.10A	----	1.90 - 0.40	.0053	----	----	----	----	4 UNCH
9400	----	----	----/*2.00A	1.70B/2.00A	----	1.80 - 0.40	.0051	----	----	----	----	141 UNCH
9500	----	----	----/1.90A	1.60B/1.90A	----	1.70 - 0.40	.0048	----	----	----	----	66 UNCH
9900	----	----	----/*1.70A	1.30B/1.70A	----	1.30 - 0.50	.0036	----	----	----	----	5 UNCH
10000	----	----	----/1.60A	1.10B/1.60A	----	1.20 - 0.50	.0034	----	----	3	----	171 - 3
10100	----	----	----/*1.60A	1.10B/1.60A	----	1.20 - 0.50	.0033	----	----	----	----	12 UNCH
11000	----	----	----	0.70B/1.20A	----	0.80 - 0.40	.0022	----	----	----	----	86 UNCH
11200	----	----	----	0.60B/1.20A	----	0.70 - 0.40	.0019	----	----	----	----	13 UNCH
11500	----	----	----	0.50B/1.20A	----	0.60 - 0.30	.0016	----	----	----	----	47 UNCH
11600	----	----	----	0.50B/1.10A	----	0.50 - 0.30	.0014	----	----	----	----	50 UNCH
12000	----	----	----	0.40B/1.00A	----	0.50 - 0.20	.0013	----	----	----	----	216 UNCH
TOTAL										9216	1,500	54137 - 663
AUG26												
3400	----	----	----	----	----	1421.20 + 86.80	.9643	----	----	----	----	1 UNCH
3500	----	----	----	----	----	1324.80 + 84.90	.9554	----	----	----	----	46 UNCH
3505	----	----	----	----	----	1320.00 + 84.80	.9549	----	----	----	----	4 UNCH
3520	----	----	----	----	----	1305.70 + 84.50	.9533	----	----	----	----	65 UNCH
3550	----	----	----	----	----	1277.10 + 84.00	.9502	----	----	----	----	310 UNCH
3600	----	----	----	----	----	1229.60 + 82.80	.9445	----	----	----	----	1045 UNCH
3610	----	----	----	----	----	1220.20 + 82.70	.9431	----	----	----	----	6 UNCH
3650	----	----	----	----	----	1182.50 + 81.70	.9379	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1173.20 + 81.50	.9366	----	----	----	----	2 UNCH
3685	----	----	----	----	----	1149.80 + 80.90	.9332	----	----	----	----	1 UNCH
3700	----	----	----	----	----	1135.80 + 80.50	.9310	----	----	----	----	40 UNCH
3715	----	----	----	----	----	1121.80 + 80.10	.9288	----	----	----	----	30 UNCH
3720	----	----	----	----	----	1117.20 + 80.00	.9279	----	----	----	----	1 UNCH
3735	----	----	----	----	----	1103.30 + 79.70	.9257	----	----	----	----	1 UNCH
3750	----	----	----	----	----	1089.40 + 79.20	.9233	----	----	----	----	8 UNCH
3775	----	----	----	----	----	1066.40 + 78.60	.9191	----	----	----	----	4 UNCH
3780	----	----	----	711.30B/1414.50A	----	1061.80 + 78.40	.9183	----	----	----	----	10 UNCH
3790	----	----	----	707.10B/1397.00A	----	1052.70 + 78.20	.9166	----	----	----	----	67 UNCH
3800	----	----	----	714.20B/1388.30A	----	1043.50 + 77.90	.9148	----	----	----	----	303 UNCH
3820	----	----	----	708.30B/1370.90A	----	1025.30 + 77.40	.9112	----	----	----	----	3 UNCH
3840	----	----	----	773.90B/1171.20A	----	1007.10 + 76.80	.9074	----	----	----	----	1 UNCH
3850	----	----	----	764.80B/1162.30A	----	998.10 + 76.50	.9055	----	----	----	----	12 UNCH
3885	----	----	----	767.10B/1131.60A	----	966.60 + 75.50	.8986	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26												
3890	----	----	----	801.40B/1127.20A	----	962.10 + 75.30	.8975	----	----	----	----	2 UNCH
3900	----	----	----	803.30B/1118.50A	----	953.20 + 75.10	.8953	----	----	----	----	146 UNCH
3920	----	----	----	795.50B/1101.10A	----	935.40 + 74.50	.8910	----	----	----	----	1 UNCH
3925	----	----	----	791.00B/1096.80A	----	930.90 + 74.20	.8899	----	----	----	----	10 UNCH
3950	----	----	----	768.20B/1075.30A	----	908.80 + 73.40	.8842	----	----	----	----	106 UNCH
3955	----	----	----	763.60B/1071.00A	----	904.40 + 73.30	.8831	----	----	----	----	7 UNCH
3975	----	----	----	745.50B/1053.90A	----	886.90 + 72.70	.8784	----	----	----	----	200 UNCH
3995	----	----	----	727.60B/1036.90A	----	869.50 + 72.00	.8734	----	----	----	----	30 UNCH
4000	----	----	829.00B/----	829.00B/990.00A	----	865.10 + 71.80	.8722	----	----	----	----	714 UNCH
4005	----	----	----	718.60B/1028.40A	----	860.80 + 71.70	.8710	----	----	----	----	1 UNCH
4015	----	----	----	709.70B/1020.00A	----	852.10 + 71.30	.8684	----	----	----	----	12 UNCH
4025	----	----	----	700.70B/1011.60A	----	843.50 + 70.90	.8659	----	----	----	----	174 UNCH
4045	----	----	----	683.00B/995.30A	----	826.30 + 70.20	.8605	----	----	----	----	30 UNCH
4050	----	----	----	678.60B/991.40A	----	822.10 + 70.10	.8591	----	----	----	----	100 UNCH
4055	----	----	----	674.20B/987.40A	----	817.80 + 69.90	.8578	----	----	----	----	100 UNCH
4075	----	----	----	656.60B/971.80A	----	800.80 + 69.10	.8522	----	----	----	----	3 UNCH
4080	----	----	----	652.20B/967.90A	----	796.60 + 68.90	.8508	----	----	----	----	1 UNCH
4100	----	----	729.00B/----	729.00B/952.40A	----	779.80 + 68.20	.8450	----	----	----	----	73 UNCH
4110	----	----	----	626.10B/944.60A	----	771.40 + 67.80	.8421	----	----	----	----	19 UNCH
4135	----	----	----	604.50B/925.50A	----	750.60 + 66.80	.8344	----	----	----	----	20 UNCH
4140	----	----	----	600.20B/921.70A	----	746.50 + 66.60	.8329	----	----	----	----	1 UNCH
4150	----	----	----	591.70B/914.10A	----	738.20 + 66.10	.8298	----	----	----	----	40 UNCH
4165	----	----	----	578.80B/902.80A	----	726.00 + 65.60	.8250	----	----	----	----	1 UNCH
4195	----	----	----	552.10B/880.30A	----	701.60 + 64.30	.8151	----	----	----	----	3 UNCH
4200	----	----	----	547.60B/876.60A	----	697.60 + 64.10	.8134	----	----	----	----	75 UNCH
4215	----	----	----	534.40B/865.50A	----	685.60 + 63.50	.8082	----	----	----	----	1 UNCH
4220	----	----	----	530.00B/861.90A	----	681.60 + 63.20	.8065	----	----	----	----	16 UNCH
4225	----	----	----	525.60B/858.20A	----	677.60 + 63.00	.8048	----	----	----	----	102 UNCH
4235	----	----	----	516.90B/850.90A	----	669.70 + 62.60	.8013	----	----	----	----	1 UNCH
4250	----	----	----	503.90B/840.00A	----	657.80 + 61.80	.7959	----	----	----	----	71 UNCH
4265	----	----	----	490.90B/829.10A	----	646.10 + 61.10	.7904	----	----	----	----	77 UNCH
4285	----	----	----	473.80B/814.80A	----	630.60 + 60.20	.7829	----	----	----	----	8 UNCH
4300	----	----	----	461.00B/804.20A	----	619.10 + 59.50	.7772	----	----	----	----	42 UNCH
4320	----	----	----	444.20B/790.10A	----	603.90 + 58.50	.7694	----	----	----	----	2 UNCH
4325	----	----	----	440.00B/786.60A	----	600.10 + 58.20	.7674	----	----	----	----	6 UNCH
4330	----	----	----	435.90B/783.10A	----	596.30 + 57.90	.7654	----	----	----	----	201 UNCH
4350	----	----	----	419.30B/769.20A	----	581.40 + 57.00	.7574	----	----	----	----	774 UNCH
4360	----	----	----	411.10B/761.40A	----	574.00 + 56.40	.7533	----	----	----	----	1 UNCH
4375	----	----	----	398.90B/750.90A	----	562.90 + 55.60	.7470	----	----	----	----	3 UNCH
4385	----	----	----	390.80B/742.30A	----	555.60 + 55.10	.7428	----	----	----	----	100 UNCH
4390	----	----	----	386.80B/741.90A	----	552.00 + 54.80	.7407	----	----	----	----	1 UNCH
4400	----	----	----	378.80B/735.20A	----	544.80 + 54.30	.7364	----	----	----	----	325 UNCH
4420	----	----	493.50B/----	493.50B/499.90A	----	530.50 + 53.30	.7277	----	----	----	----	50 UNCH
4425	----	----	493.50B/----	493.50B/496.50A	----	526.90 + 53.00	.7255	----	----	----	----	5 UNCH
4440	----	----	492.00B/----	492.00B/486.30A	----	516.40 + 52.20	.7188	----	----	----	----	1 UNCH
4450	----	----	488.80B/----	488.80B/479.70A	----	509.40 + 51.70	.7144	----	----	----	----	6 UNCH
4455	----	----	495.30B/----	495.30B/476.30A	----	505.90 + 51.40	.7121	----	----	----	----	2 UNCH
4460	----	----	496.60B/----	496.60B/473.00A	----	502.50 + 51.20	.7098	----	----	----	----	5 UNCH
4465	----	----	495.10B/----	495.10B/469.70A	----	499.00 + 50.80	.7075	----	----	----	----	9 UNCH
4470	----	----	495.00B/----	495.00B/466.40A	----	495.60 + 50.60	.7052	----	----	----	----	7 UNCH
4475	----	----	494.90B/----	494.90B/463.10A	----	492.20 + 50.40	.7029	----	----	----	----	29 UNCH
4485	----	----	494.00B/----	494.00B/456.60A	----	485.40 + 49.80	.6983	----	----	----	----	5 UNCH
4490	----	----	496.20B/----	496.20B/453.40A	----	482.00 + 49.50	.6960	----	----	----	----	1 UNCH
4500	----	----	495.30B/----	495.30B/446.90A	----	475.30 + 49.00	.6913	----	----	----	----	846 UNCH
4535	----	----	512.80B/----	512.80B/424.90A	----	452.20 + 47.20	.6745	----	----	----	----	10 UNCH
4540	----	----	#517.30B/----	517.30B/421.80A	----	448.90 + 46.90	.6721	----	----	----	----	5 UNCH
4545	----	----	518.30B/----	518.30B/418.60A	----	445.70 + 46.60	.6696	----	----	----	----	1 UNCH
4550	----	----	516.70B/----	516.70B/415.50A	----	442.50 + 46.40	.6672	----	----	----	----	22 UNCH
4555	444.10	444.10	515.30B/412.40A	515.30B/412.40A	----	439.30 + 46.10	.6647	----	----	1	----	1 UNCH
4560	----	----	512.90B/----	512.90B/409.50A	----	436.10 + 45.80	.6623	----	----	----	----	5 UNCH
4565	----	----	509.50B/----	509.50B/406.50A	----	432.90 + 45.60	.6598	----	----	----	----	1 UNCH
4575	----	----	502.70B/----	502.70B/400.30A	----	426.60 + 45.00	.6548	----	----	----	----	41 UNCH
4580	----	----	499.20B/----	499.20B/397.30A	----	423.50 + 44.80	.6523	----	----	----	----	200 UNCH
4585	----	----	496.00B/----	496.00B/394.40A	----	420.30 + 44.50	.6498	----	----	----	----	2 UNCH
4590	----	----	492.60B/----	492.60B/391.40A	----	417.20 + 44.20	.6473	----	----	----	----	16 UNCH
4595	----	----	489.30B/----	489.30B/388.50A	----	414.10 + 43.90	.6448	----	----	----	----	2 UNCH
4600	----	----	486.00B/----	486.00B/385.60A	----	411.10 + 43.70	.6423	----	----	----	----	100 UNCH
4605	----	----	482.60B/----	482.60B/382.60A	----	408.00 + 43.40	.6397	----	----	----	----	1 UNCH
4620	----	----	472.80B/----	472.80B/373.90A	----	398.90 + 42.60	.6321	----	----	----	----	4 UNCH
4640	----	----	459.90B/----	459.90B/362.50A	----	386.90 + 41.40	.6218	----	----	----	----	1 UNCH
4650	----	----	453.50B/----	453.50B/356.90A	----	381.10 + 41.00	.6166	----	----	----	----	145 UNCH
4660	----	----	447.10B/----	447.10B/349.30A	----	375.20 + 40.30	.6114	----	----	----	----	2 UNCH
4670	----	----	440.80B/----	440.80B/344.00A	----	369.50 + 39.80	.6062	----	----	----	----	3 UNCH
4675	----	----	437.70B/----	437.70B/341.20A	----	366.60 + 39.50	.6036	----	----	----	----	36 UNCH
4700	----	----	422.30B/----	422.30B/327.90A	----	352.50 + 38.00	.5904	----	----	----	----	1619 UNCH
4705	----	----	419.30B/----	419.30B/325.30A	----	349.80 + 37.80	.5877	----	----	----	----	20 UNCH
4710	----	----	416.30B/----	416.30B/322.70A	----	347.00 + 37.50	.5851	----	----	----	----	17 UNCH
4720	----	----	410.30B/----	410.30B/318.70A	----	341.50 + 36.90	.5797	----	----	3	----	29 + 3
4725	----	----	407.30B/----	407.30B/315.20A	----	338.80 + 36.60	.5771	----	----	----	----	2 UNCH
4730	----	----	404.30B/----	404.30B/312.50A	----	336.10 + 36.30	.5744	----	----	----	----	3 UNCH
4750	----	----	392.60B/----	392.60B/303.30A	----	325.50 + 35.10	.5637	----	----	----	----	182 UNCH
4760	----	----	386.80B/----	386.80B/297.60A	----	320.30 + 34.60	.5583	----	----	----	----	10 UNCH
4770	----	----	381.10B/----	381.10B/292.90A	----	315.10 + 34.00	.5529	----	----	----	----	14 UNCH
4775	----	----	378.20B/----	378.20B/290.70A	----	312.60 + 33.80	.5502	----	----	----	----	10 UNCH
4780	----	----	375.40B/----	375.40B/288.00A	----	310.00 + 33.40	.5475	----	----	1	----	3 + 1
4795	----	----	367.10B/----	367.10B/281.00A	----	302.50 + 32.70	.5394	----	----	----	----	2 UNCH
4800	305.00	305.00	364.40B/278.90A	364.40B/278.90A	----	300.00 + 32.40	.5367	----	----	10	----	1632 + 1
4810	----	----	359.80B/----	359.80B/275.10A	----	295.20 + 31.90	.5313	----	----	----	----	1 UNCH
4815	----	----	357.40B/----	357.40B/272.00A	----	292.70 + 31.50	.5285	----	----	----	----	3 UNCH
4820	----	----	353.50B/----	353.50B/270.10A	----	290.30 + 31.30	.5258	----	----	----	----	21 UNCH
4825	----	----	352.30B/----	352.30B/267.50A	----	287.90 + 31.00	.5231	----	----	----	----	5 UNCH
4830	----	----	349.00B/----	349.00B/265.40A	----	285.60 + 30.80	.5204	----	----	1	----	3 - 1
4835	300.20	300.20	346.90B/263.00A	346.90B/263.00A	----	283.20 NEW	.5177	----	----	10	----	10 + 10
4840	297.80	297.80	344.00B/261.00A	344.00B/261.00A	----	280.90 NEW	.5150	----	----	11	----	11 + 11
4850	----	----	339.00B/----	339.00B/256.50A	----	276.20 + 29.60	.5096	----	----	----	----	34 UNCH
4860	272.40	272.40	333.40B/252.10A	333.40B/252.10A	----	271.60 + 29.10	.5042	----	----	4	----	26 + 4
4870	----	----	328.60B/----	328.60B/248.00A	----	267.00 + 28.40	.4988	----	----	----	----	11 UNCH
4875	268.80	268.80	325.60B/245.80A	325.60B/245.80A	----	264.80 + 28.20	.4962	----	----	10	----	75 - 4
4880	----	----	323.10B/----	323.10B/243.90A	----	262.50 + 27.80	.4935	----	----	32	----	30 + 29
4895	----	----	316.00B/----	316.00B/238.00A	----	255.90 + 27.00	.4854	----	----	----	----	11 UNCH
4900	286.00	286.00	313.60B/235.80A	313.60B/235.80A	----	253.70 + 26.70	.4827	----	----	17	----	484 - 1
4905	----	----	311.30B/----	311.30B/233.70A	----	251.60 + 26.50	.4801	----	----	----	----	9 UNCH
4925	----	----	301.40B/----	301.40B/225.90A	----	243.10 + 25.40	.4694	----	----	----	----	123 UNCH
4935	----	----	296.90B/----	296.90B/222.10A	----	238.90 + 24.80	.4640	----	----	----	----	1 UNCH
4940	----	----	294.40B/----	294.40B/220.30A	----	236.90 + 24.60	.4614	----	----	----	----	1 UNCH
4950	----	----	289.70B/----	289.70B/216.40A	----	232.80 + 24.10	.4561	----	----	----	----	64 UNCH
4955	----	----	287.50B/----	287.50B/214.60A	----	230.80 + 23.80	.4535	----	----	----	----	22 UNCH
4975	----	----	278.30B/----	278.30B/207.40A	----	222.90 + 22.80	.4430	----	----	----	----	2 UNCH
4985	234.70	234.70	273.90B/203.60A	273.90B/203.60A	----	219.00 NEW	.4377	----	----	1	----	1 + 1
4995	----	----	269.50B/----	269.50B/200.20A	----	215.30 + 21.90	.4326	----	----	----	----	3 UNCH
5000	258.00	258.00	267.30B/198.30A	267.30B/198.30A	----	213.40 + 21.70	.4300	----	----	55	----	1523 - 25
5005	----	----	264.90B/----	264.90B/197.00A	----	211.50 + 21.40	.4274	----	----	----	----	4 UNCH
5015	----	----	260.90B/----	260.90B/193.40A	----	207.80 + 20.90	.4223	----	----	----	----	3 UNCH
5025	----	----	257.00B/----	257.00B/189.80A	----	204.20 NEW	.4172	----	----	5	----	5 + 5
5030	----	----	254.70B/----	254.70B/188.40A	----	202.40 + 20.30	.4146	----	----	----	----	2 UNCH
5045	----	----	248.90B/----	248.90B/183.70A	----	197.20 + 19.70	.4071	----	----	----	----	1 UNCH
5050	197.40	197.40	246.80B/182.10A	246.80B/182.10A	----	195.40 + 19.40	.4045	----	----	17	----	18 + 9
5065	----	----	240.80B/----	240.80B/177.10A	----	190.30 + 18.80	.3970	----	----	21	----	22 + 21
5075	187.00	187.00	236.60B/174.20A	236.60B/174.20A	----	187.00 + 18.40	.3921	----	----	1	----	201 + 1
5100	175.00	175.00	227.30B/166.60A	227.30B/166.60A	----	178.90 + 17.50	.3798	----	----	15	----	1608 - 9
5105	----	----	224.90B/----	224.90B/165.40A	----	177.30 + 17.20	.3774	----	----	----	----	2 UNCH
5110	----	----	223.10B/----	223.10B/163.80A	----	175.70 + 17.00	.3750	----	----	----	----	4 UNCH
5115	----	----	221.60B/----	221.60B/162.50A	----	174.20 + 16.90	.3726	----	----	----	----	4 UNCH
5125	----	----	217.90B/----	217.90B/159.70A	----	171.10 + 16.50	.3678	----	----	----	----	20 UNCH
5130	----	----	216.00B/----	216.00B/158.30A	----	169.60 + 16.30	.3654	----	----	----	----	1 UNCH
5145	----	----	211.60B/----	211.60B/154.20A	----	165.10 + 15.70	.3583	----	----	----	----	2 UNCH
5150	----	----	209.40B/----	209.40B/152.70A	----	163.60 + 15.50	.3559	----	----	----	----	70 UNCH
5155	----	----	207.50B/----	207.50B/151.40A	----	162.20 + 15.40	.3537	----	----	----	----	4 UNCH
5160	----	----	205.60B/----	205.60B/150.00A	----	160.70 + 15.10	.3513	----	----	----	----	6 UNCH
5190	152.80	152.80	195.40B/142.30A	195.40B/142.30A	----	152.30 NEW	.3376	----	----	4	----	4 + 4
5200	159.70	159.70	192.10B/139.80A	192.10B/139.80A	----	149.60 + 13.70	.3331	----	----	18	----	3401 UNCH
5205	----	----	190.70B/----	190.70B/138.60A	----	148.30 + 13.60	.3309	----	----	----	----	1 UNCH
5210	----	----	189.10B/----	189.10B/137.30A	----	146.90 + 13.30	.3286	----	----	----	----	6 UNCH
5215	----	----	187.40B/----	187.40B/136.10A	----	145.60 + 13.20	.3264	----	----	----	----	14 UNCH
5220	----	----	185.90B/----	185.90B/134.90A	----	144.30 + 13.00	.3242	----	----	----	----	26 UNCH
5225	----	----	184.30B/----	184.30B/133.50A	----	143.00 + 12.80	.3220	----	----	----	----	40 UNCH
5230	----	----	183.00B/----	183.00B/132.60A	----	141.80 + 12.70	.3199	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5235	----	----	181.30B/----	181.30B/131.40A	----	140.50 + 12.50	.3177	----	----	----	----	10 UNCH
5240	164.00	164.00	179.90B/130.00A	179.90B/130.00A	----	139.30 NEW	.3155	----	----	6	----	6 + 6
5245	----	----	178.20B/----	178.20B/129.10A	----	138.00 + 12.20	.3133	----	----	----	----	6 UNCH
5250	----	----	176.70B/----	176.70B/128.00A	----	136.80 + 12.10	.3112	----	----	22	----	461 + 22
5255	----	----	175.30B/----	175.30B/126.90A	----	135.60 + 12.00	.3091	----	----	----	----	884 UNCH
5260	----	----	174.10B/----	174.10B/125.90A	----	134.40 + 11.80	.3070	----	----	----	----	24 UNCH
5265	----	----	172.30B/----	172.30B/124.80A	----	133.20 + 11.70	.3049	----	----	----	----	6 UNCH
5270	----	----	170.60B/----	170.60B/123.40A	----	132.00 + 11.50	.3028	----	----	----	----	18 UNCH
5275	155.10	155.10	169.40B/122.50A	169.40B/122.50A	----	130.80 + 11.30	.3007	----	----	16	----	17 + 16
5285	129.20	129.20	166.50B/120.30A	166.50B/120.30A	----	128.50 + 11.00	.2966	----	----	10	----	12 + 10
5295	138.40	138.40	164.00B/118.20A	164.00B/118.20A	----	126.20 NEW	.2925	----	----	6	----	6 + 6
5300	147.50	147.50	162.50B/117.00A	162.50B/117.00A	----	125.10 + 10.60	.2905	----	----	1	----	542 + 1
5320	132.90	132.90	157.70B/113.10A	157.70B/113.10A	----	120.70 + 10.00	.2825	----	----	6	----	9 + 5
5325	----	----	155.60B/----	155.60B/112.30A	----	119.60 + 9.90	.2805	----	----	----	----	11 UNCH
5330	----	----	154.30B/----	154.30B/111.30A	----	118.50 + 9.70	.2785	----	----	3	----	3 - 3
5350	128.60	128.60	149.00B/107.50A	149.00B/107.50A	----	114.40 + 9.20	.2708	----	----	16	----	15 + 11
5355	----	----	147.70B/----	147.70B/106.30A	----	113.40 + 9.10	.2689	----	----	----	----	1 UNCH
5370	----	----	145.00B/----	145.00B/103.90A	----	110.40 + 8.70	.2633	----	----	----	----	2 UNCH
5375	----	----	142.80B/----	142.80B/102.90A	----	109.40 + 8.60	.2614	----	----	----	----	4 UNCH
5400	----	----	137.00B/----	137.00B/98.20A	----	104.70 + 8.00	.2524	----	----	----	----	3756 UNCH
5410	----	----	134.60B/----	134.60B/96.50A	----	102.90 + 7.80	.2488	----	----	----	----	6 UNCH
5420	----	----	132.40B/----	132.40B/94.90A	----	101.10 + 7.60	.2453	----	----	----	----	5 UNCH
5445	----	----	126.80B/----	126.80B/90.90A	----	96.70 + 7.00	.2366	----	----	----	----	3 UNCH
5450	----	----	125.90B/----	125.90B/90.10A	----	95.90 + 6.90	.2350	----	----	----	----	6 UNCH
5460	----	----	123.80B/----	123.80B/88.60A	----	94.20 + 6.70	.2316	----	----	----	----	3 UNCH
5470	----	----	121.50B/----	121.50B/87.10A	----	92.60 + 6.60	.2284	----	----	----	----	1 UNCH
5475	----	----	120.80B/----	120.80B/86.40A	----	91.80 + 6.50	.2268	----	----	----	----	2 UNCH
5480	----	----	119.60B/----	119.60B/85.60A	----	91.00 + 6.40	.2251	----	----	----	----	10 UNCH
5485	----	----	118.70B/----	118.70B/84.90A	----	90.20 + 6.30	.2235	----	----	----	----	1 UNCH
5490	----	----	118.80B/----	118.80B/84.20A	----	89.40 + 6.20	.2219	----	----	----	----	2 UNCH
5495	----	----	116.50B/----	116.50B/83.50A	----	88.60 + 6.00	.2203	----	----	----	----	2 UNCH
5500	109.00	109.00	115.60B/82.80A	115.60B/82.80A	----	87.90 + 6.00	.2188	----	----	157	----	814 + 29
5505	----	----	114.80B/----	114.80B/82.10A	----	87.10 + 5.90	.2172	----	----	----	----	6 UNCH
5515	----	----	112.80B/----	112.80B/80.70A	----	85.60 + 5.70	.2141	----	----	----	----	2 UNCH
5525	----	----	112.20B/----	112.20B/79.40A	----	84.20 + 5.60	.2111	----	----	----	----	25 UNCH
5535	----	----	109.20B/----	109.20B/78.10A	----	82.70 + 5.40	.2080	----	----	----	----	3 UNCH
5545	----	----	107.20B/----	107.20B/76.70A	----	81.30 + 5.30	.2050	----	----	----	----	2 UNCH
5550	----	----	107.50B/----	107.50B/76.10A	----	80.60 + 5.20	.2036	----	----	----	----	2 UNCH
5565	----	----	103.90B/----	103.90B/74.20A	----	78.60 + 5.00	.1993	----	----	----	----	5 UNCH
5575	----	----	102.10B/----	102.10B/73.00A	----	77.30 + 4.90	.1965	----	----	----	----	3 UNCH
5580	----	----	102.30B/----	102.30B/72.40A	----	76.60 + 4.80	.1950	----	----	----	----	17 UNCH
5595	----	----	98.80B/----	98.80B/70.60A	----	74.70 + 4.60	.1909	----	----	----	----	3 UNCH
5600	----	----	98.20B/----	98.20B/70.00A	----	74.00 + 4.50	.1894	----	----	20	----	2037 + 19
5615	----	----	95.60B/----	95.60B/68.40A	----	72.20 + 4.40	.1855	----	----	----	----	1 UNCH
5620	71.90	71.90	94.80B/67.80A	94.80B/67.80A	----	71.60 NEW	.1841	----	----	2	----	2 + 2
5635	----	----	92.50B/----	92.50B/66.20A	----	69.80 + 4.10	.1802	----	----	----	----	2 UNCH
5640	----	----	92.50B/----	92.50B/65.70A	----	69.20 + 4.00	.1789	----	----	----	----	3 UNCH
5650	94.00	94.00	94.00/64.60A	94.00/64.60A	----	68.10 + 4.00	.1764	----	----	2	----	89 UNCH
5660	----	----	88.90B/----	88.90B/63.60A	----	67.00 + 3.90	.1739	----	----	----	----	12 UNCH
5670	----	----	88.10B/----	88.10B/62.60A	----	65.90 + 3.80	.1715	----	----	----	----	10 UNCH
5675	----	----	86.70B/----	86.70B/62.10A	----	65.30 + 3.70	.1702	----	----	----	----	4 UNCH
5690	----	----	84.80B/----	84.80B/60.60A	----	63.70 + 3.50	.1666	----	----	----	----	13 UNCH
5700	----	----	83.80B/----	83.80B/59.60A	----	62.70 + 3.50	.1643	----	----	21	----	2198 + 19
5720	----	----	80.70B/----	80.70B/57.80A	----	60.70 + 3.30	.1597	----	----	----	----	10 UNCH
5725	----	----	80.10B/----	80.10B/57.30A	----	60.20 + 3.20	.1585	----	----	----	----	1 UNCH
5730	----	----	79.30B/----	79.30B/56.80A	----	59.70 + 3.20	.1574	----	----	----	----	12 UNCH
5750	----	----	76.80B/----	76.80B/55.10A	----	57.80 + 3.00	.1530	----	----	----	----	300 UNCH
5800	53.20	53.20	71.10B/51.10A	71.10B/51.10A	----	53.40 + 2.70	.1427	----	----	22	----	921 + 12
5825	----	----	68.40B/----	68.40B/49.10A	----	51.40 + 2.50	.1379	----	----	----	----	14 UNCH
5850	----	----	65.80B/----	65.80B/47.30A	----	49.50 + 2.40	.1333	----	----	----	----	165 UNCH
5875	53.20	53.20	63.30B/45.60A	63.30B/45.60A	----	47.60 + 2.20	.1287	----	----	14	----	21 + 14
5900	----	----	61.10B/----	61.10B/44.00A	----	45.90 + 2.10	.1245	----	----	40	----	1858 + 39
5925	----	----	58.80B/----	58.80B/42.50A	----	44.20 + 1.90	.1203	----	----	----	----	2 UNCH
5950	----	----	56.50B/----	56.50B/41.00A	----	42.60 + 1.80	.1163	----	----	----	----	1 UNCH
6000	54.00	54.00	54.00/38.30A	54.00/38.30A	----	39.70 + 1.60	.1090	----	----	265	----	1383 + 173
6100	----	----	45.40B/----	45.40B/33.50A	----	34.60 + 1.20	.0958	----	----	----	----	330 UNCH
6200	32.10	32.10	39.50B/29.70A	39.50B/29.70A	----	30.30 + 0.80	.0846	----	----	2	----	1336 + 2
6300	----	----	33.30B/----	33.30B/26.90A	----	26.70 + 0.60	.0749	----	----	12	----	75 + 10
6400	30.20	30.20	30.30B/24.00A	30.30B/24.00A	----	23.70 + 0.40	.0668	----	----	28	----	66 + 16
6500	----	----	24.70B/----	24.70B/21.60A	----	21.10 + 0.10	.0596	----	----	40	----	745 + 38
6600	----	----	21.90B/----	21.90B/19.40A	----	19.00 UNCH	.0537	----	----	4	----	132 UNCH
6700	----	----	19.40B/----	19.40B/17.80A	----	17.30 UNCH	.0488	----	----	----	----	254 UNCH
6800	----	----	17.50B/----	17.50B/16.20A	----	15.80 UNCH	.0444	----	----	----	----	49 UNCH
6900	----	----	15.80B/----	15.80B/14.90A	----	14.50 - 0.10	.0406	----	----	----	----	1 UNCH
7000	17.00	17.00	17.00/13.90A	17.00/13.90A	----	13.40 - 0.10	.0374	----	----	107	----	541 + 67
7500	----	----	----	9.70B/10.00A	----	9.70 - 0.10	.0262	----	----	----	----	737 UNCH
8000	----	----	----/7.50A	7.20B/7.50A	----	7.60 UNCH	.0198	----	----	----	----	93 UNCH
8500	----	----	----/5.90A	5.50B/5.90A	----	6.10 + 0.10	.0154	----	----	----	----	73 UNCH
9000	7.00	7.00	7.00/4.80A	7.00/4.80A	----	5.00 + 0.20	.0123	----	----	1	----	9 + 1
9500	----	----	----	3.90B/4.00A	----	4.10 + 0.10	.0099	----	----	----	----	68 UNCH
10000	----	----	----/3.40A	2.70B/3.40A	----	3.40 - 0.10	.0080	----	----	----	----	98 UNCH
TOTAL										1060		39006 + 575
SEP26												
3875	----	----	----	#874.70B/1189.30A	----	1020.30 + 76.00	.8890	----	----	----	----	1 UNCH
3995	----	----	----	768.00B/1087.70A	----	916.50 + 72.20	.8620	----	----	----	----	10 UNCH
4085	----	----	----	690.20B/1017.60A	----	841.10 + 68.90	.8385	----	----	----	----	37 UNCH
4130	----	----	----	651.90B/983.40A	----	804.30 + 67.20	.8257	----	----	----	----	10 UNCH
4185	----	----	----	603.80B/942.50A	----	760.20 + 64.90	.8092	----	----	----	----	37 UNCH
4200	----	----	----	590.90B/931.40A	----	748.30 + 64.30	.8044	----	----	----	----	1 UNCH
4220	----	----	----	573.80B/916.90A	----	732.60 + 63.40	.7980	----	----	----	----	162 UNCH
4290	----	----	----	515.10B/866.90A	----	678.80 + 60.30	.7744	----	----	----	----	6 UNCH
4295	----	----	----	511.00B/863.40A	----	675.00 + 60.00	.7726	----	----	----	----	50 UNCH
4300	----	----	----	506.90B/859.90A	----	671.30 + 59.90	.7709	----	----	----	----	13 UNCH
4320	----	----	----	490.50B/845.90A	----	656.30 + 58.90	.7637	----	----	----	----	162 UNCH
4375	----	----	----	446.50B/808.30A	----	616.10 + 56.40	.7433	----	----	----	----	1 UNCH
4390	----	----	----	434.70B/798.20A	----	605.30 + 55.60	.7376	----	----	----	----	200 UNCH
4425	----	----	546.20B/----	546.20B/550.20A	----	580.60 + 53.90	.7238	----	----	----	----	1 UNCH
4495	----	----	549.50B/----	549.50B/504.10A	----	532.80 + 50.40	.6951	----	----	----	----	18 UNCH
4500	----	----	550.90B/----	550.90B/501.00A	----	529.40 + 50.10	.6930	----	----	----	----	5 UNCH
4505	----	----	552.00B/----	552.00B/498.00A	----	526.10 + 49.80	.6909	----	----	----	----	2 UNCH
4510	----	----	550.90B/----	550.90B/494.70A	----	522.80 + 49.60	.6888	----	----	----	----	2 UNCH
4515	----	----	559.30B/----	559.30B/491.50A	----	519.50 + 49.30	.6867	----	----	----	----	2 UNCH
4545	----	----	572.30B/----	572.30B/473.00A	----	500.10 + 47.90	.6738	----	----	----	----	16 UNCH
4550	----	----	570.50B/----	570.50B/469.80A	----	496.90 + 47.60	.6716	----	----	----	----	222 UNCH
4560	----	----	#566.40B/----	566.40B/463.70A	----	490.50 + 47.10	.6672	----	----	----	----	2 UNCH
4565	----	----	#562.90B/----	562.90B/460.70A	----	487.30 + 46.80	.6650	----	----	----	----	2 UNCH
4570	----	----	559.70B/----	559.70B/457.70A	----	484.20 + 46.60	.6628	----	----	----	----	2 UNCH
4575	----	----	556.30B/----	556.30B/454.70A	----	481.00 + 46.20	.6606	----	----	----	----	2 UNCH
4580	----	----	552.90B/----	552.90B/451.80A	----	477.90 + 46.00	.6584	----	----	----	----	2 UNCH
4585	----	----	549.70B/----	549.70B/448.70A	----	474.80 + 45.80	.6561	----	----	----	----	2 UNCH
4590	----	----	546.30B/----	546.30B/445.80A	----	471.70 + 45.50	.6539	----	----	----	----	2 UNCH
4600	----	----	539.90B/----	539.90B/439.90A	----	465.50 + 44.90	.6494	----	----	30	----	53 UNCH
4650	----	----	507.60B/----	507.60B/411.50A	----	435.50 + 42.40	.6267	----	----	----	----	1 UNCH
4675	----	----	492.10B/----	492.10B/397.60A	----	421.00 + 41.00	.6151	----	----	----	----	1 UNCH
4680	----	----	489.10B/----	489.10B/395.00A	----	418.10 + 40.70	.6128	----	----	----	----	1 UNCH
4700	----	----	476.70B/----	476.70B/384.30A	----	406.80 + 39.70	.6034	----	----	----	----	117 UNCH
4705	----	----	473.70B/----	473.70B/381.50A	----	404.00 + 39.40	.6011	----	----	----	----	10 UNCH
4710	----	----	470.70B/----	470.70B/379.10A	----	401.20 + 39.10	.5987	----	----	----	----	1 UNCH
4720	----	----	466.00B/----	466.00B/373.80A	----	395.70 + 38.60	.5940	----	----	----	----	45 UNCH
4725	----	----	463.00B/----	463.00B/371.20A	----	392.90 + 38.30	.5916	----	----	----	----	2 UNCH
4730	----	----	460.10B/----	460.10B/368.70A	----	390.20 + 38.00	.5893	----	----	----	----	5 UNCH
4750	----	----	448.30B/----	448.30B/358.30A	----	379.40 + 36.90	.5798	----	----	----	----	43 UNCH
4775	----	----	434.00B/----	434.00B/345.90A	----	366.20 + 35.40	.5678	----	----	----	----	184 UNCH
4780	----	----	431.10B/----	431.10B/343.50A	----	363.60 + 35.10	.5654	----	----	----	----	7 UNCH
4800	----	----	419.90B/----	419.90B/334.00A	----	353.40 + 34.00	.5558	----	----	----	----	682 UNCH
4840	----	----	398.10B/----	398.10B/315.20A	----	333.60 + 32.00	.5366	----	----	----	----	2 UNCH
4850	----	----	392.80B/----	392.80B/310.90A	----	328.80 + 31.50	.5318	----	----	----	----	20 UNCH
4875	----	----	379.70B/----	379.70B/299.80A	----	317.00 + 30.20	.5197	----	----	----	----	30 UNCH
4900	----	----	367.30B/----	367.30B/289.00A	----	305.70 + 29.20	.5078	----	----	----	----	260 UNCH
4920	----	----	357.40B/----	357.40B/280.70A	----	296.80 NEW	.4982	----	----	31	----	31 + 31
4925	----	----	354.90B/----	354.90B/278.70A	----	294.60 + 28.10	.4958	----	----	----	----	1 UNCH
4975	----	----	332.20B/----	332.20B/259.10A	----	273.60 + 26.10	.4722	----	----	----	----	314 UNCH
5000	----	----	318.60B/----	318.60B/249.70A	----	263.60 + 25.10	.4605	----	----	1	----	587 UNCH
5005	----	----	316.30B/----	316.30B/247.90A	----	261.60 + 24.80	.4582	----	----	----	----	1 UNCH
5050	----	----	296.90B/----	296.90B/231.90A	----	244.60 + 23.00	.4375	----	----	----	----	1 UNCH
5075	----	----	286.20B/----	286.20B/223.50A	----	235.50 + 21.90	.4262	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5100	225.00	225.00	276.10B/215.40A	276.10B/215.40A	----	226.80 + 20.90	.4150	----	----	5	----	241 UNCH
5150	----	----	256.80B/----	256.80B/199.80A	----	210.20 + 19.00	.3931	----	----	----	----	3 UNCH
5200	195.30	195.30	238.90B/185.60A	238.90B/185.60A	----	194.80 + 17.20	.3719	----	----	5	----	373 UNCH
5230	----	----	228.40B/----	228.40B/177.40A	----	186.10 + 16.20	.3596	----	----	----	----	400 UNCH
5235	----	----	226.70B/----	226.70B/176.10A	----	184.70 + 16.10	.3575	----	----	----	----	1 UNCH
5250	----	----	221.80B/----	221.80B/172.10A	----	180.60 + 15.70	.3515	----	----	----	----	10 UNCH
5300	----	----	206.20B/----	206.20B/159.80A	----	167.30 + 14.10	.3319	----	----	----	----	723 UNCH
5335	----	----	195.50B/----	195.50B/151.70A	----	158.60 + 13.20	.3186	----	----	----	----	1 UNCH
5350	----	----	191.50B/----	191.50B/148.40A	----	155.00 + 12.70	.3130	----	----	----	----	1 UNCH
5375	----	----	184.10B/----	184.10B/143.00A	----	149.30 + 12.20	.3040	----	----	----	----	2 UNCH
5400	----	----	177.30B/----	177.30B/137.80A	----	143.70 + 11.50	.2951	----	----	----	----	430 UNCH
5420	----	----	172.00B/----	172.00B/133.80A	----	139.40 + 11.10	.2881	----	----	----	----	80 UNCH
5450	----	----	164.90B/----	164.90B/128.10A	----	133.30 + 10.50	.2780	----	----	----	----	3 UNCH
5460	----	----	162.10B/----	162.10B/126.20A	----	131.30 + 10.20	.2747	----	----	----	----	1 UNCH
5475	----	----	158.50B/----	158.50B/123.50A	----	128.30 + 9.80	.2697	----	----	----	----	2 UNCH
5500	----	----	152.70B/----	152.70B/119.00A	----	123.60 + 9.40	.2617	----	----	----	----	1239 UNCH
5505	----	----	151.50B/----	151.50B/118.20A	----	122.70 + 9.30	.2602	----	----	----	----	3 UNCH
5520	----	----	148.20B/----	148.20B/115.60A	----	120.00 + 9.00	.2555	----	----	----	----	1 UNCH
5525	----	----	147.50B/----	147.50B/114.70A	----	119.10 + 8.90	.2540	----	----	----	----	2 UNCH
5545	138.60	138.60	142.90B/111.40A	142.90B/111.40A	----	115.60 NEW	.2479	----	----	2	----	2 + 2
5600	----	----	131.90B/----	131.90B/103.00A	----	106.60 + 7.60	.2319	----	----	1	----	558 - 1
5625	----	----	127.20B/----	127.20B/99.40A	----	102.70 + 7.10	.2249	----	----	----	----	2 UNCH
5650	----	----	122.60B/----	122.60B/95.90A	----	99.00 + 6.70	.2182	----	----	----	----	559 UNCH
5700	95.50	95.50	114.10B/88.50	114.10B/88.50	----	92.10 + 6.10	.2053	----	----	15	----	1054 - 5
5750	----	----	106.10B/----	106.10B/83.40A	----	85.70 + 5.40	.1932	----	----	----	----	237 UNCH
5800	----	----	98.80B/----	98.80B/77.80A	----	79.80 + 4.80	.1817	----	----	----	----	827 UNCH
5850	----	----	92.10B/----	92.10B/72.80A	----	74.40 + 4.20	.1711	----	----	----	----	582 UNCH
5900	----	----	85.80B/----	85.80B/68.10A	----	69.40 + 3.70	.1610	----	----	----	----	503 UNCH
5950	----	----	80.00B/----	80.00B/63.80A	----	64.90 + 3.20	.1518	----	----	----	----	49 UNCH
6000	60.00	60.00	74.60B/60.00	74.60B/60.00	----	60.70 + 2.80	.1430	----	----	1	----	1110 + 1
6100	59.00	59.00	65.10B/53.50A	65.10B/53.50A	----	53.40 + 2.10	.1274	----	----	1	----	362 - 1
6200	----	----	56.90B/----	56.90B/46.90A	----	47.10 + 1.50	.1137	----	----	----	----	226 UNCH
6300	----	----	50.20B/----	50.20B/42.00A	----	41.80 + 1.00	.1018	----	----	----	----	159 UNCH
6400	----	----	45.40B/----	45.40B/37.90A	----	37.30 + 0.70	.0915	----	----	----	----	220 UNCH
6500	----	----	40.40B/----	40.40B/35.00A	----	33.50 + 0.60	.0826	----	----	----	----	344 UNCH
6600	----	----	35.80B/----	35.80B/31.90A	----	30.30 + 0.60	.0749	----	----	----	----	45 UNCH
6650	----	----	32.70B/----	32.70B/30.60A	----	28.90 + 0.60	.0715	----	----	----	----	5 UNCH
6750	----	----	27.70B/----	27.70B/28.10A	----	26.40 + 0.70	.0653	----	----	----	----	11 UNCH
6775	----	----	26.80B/----	26.80B/27.60A	----	25.80 + 0.70	.0638	----	----	----	----	1 UNCH
6800	----	----	26.10B/----	26.10B/27.10A	----	25.20 + 0.60	.0624	----	----	----	----	127 UNCH
7000	----	----	#20.90B/----	20.90B/*23.40A	----	21.40 + 0.60	.0528	----	----	----	----	150 UNCH
TOTAL										92		14021 + 27
OCT26												
3600	----	----	----	----	----	1276.90 + 83.00	.9235	----	----	----	----	12 UNCH
4300	----	----	----	507.90B/900.10A	----	692.50 + 58.60	.7575	----	----	----	----	102 UNCH
4400	----	----	588.20B/----	588.20B/592.30A	----	621.60 + 53.70	.7219	----	----	----	----	8 UNCH
4405	----	----	588.40B/----	588.40B/589.00A	----	618.20 + 53.50	.7200	----	----	----	----	2 UNCH
4480	----	----	593.80B/----	593.80B/540.90A	----	568.00 + 49.80	.6914	----	----	----	----	1 UNCH
4500	----	----	#608.70B/----	608.70B/528.30A	----	555.10 + 48.90	.6835	----	----	----	----	3 UNCH
4515	----	----	#613.80B/----	613.80B/519.20A	----	545.50 + 48.20	.6775	----	----	----	----	1 UNCH
4550	----	----	596.80B/----	596.80B/498.40A	----	523.50 + 46.50	.6634	----	----	----	----	1 UNCH
4580	----	----	#577.50B/----	577.50B/480.90A	----	505.10 + 45.10	.6511	----	----	----	----	70 UNCH
4600	----	----	565.50B/----	565.50B/469.10A	----	493.10 + 44.20	.6428	----	----	----	----	134 UNCH
4610	----	----	#559.20B/----	559.20B/463.50A	----	487.20 + 43.80	.6386	----	----	----	----	5 UNCH
4620	----	----	#552.90B/----	552.90B/458.20A	----	481.30 + 43.30	.6344	----	----	----	----	1 UNCH
4630	----	----	545.80B/----	545.80B/452.60A	----	475.50 + 42.90	.6302	----	----	----	----	3 UNCH
4650	----	----	533.00B/----	533.00B/441.70A	----	464.00 + 42.00	.6217	----	----	----	----	1 UNCH
4670	----	----	521.10B/----	521.10B/430.70A	----	452.70 + 41.20	.6131	----	----	----	----	1 UNCH
4675	----	----	518.10B/----	518.10B/427.90A	----	449.90 + 41.00	.6110	----	----	----	----	1 UNCH
4690	----	----	509.30B/----	509.30B/420.20A	----	441.60 + 40.30	.6046	----	----	----	----	1 UNCH
4700	----	----	503.40B/----	503.40B/414.80A	----	436.20 + 40.00	.6002	----	----	----	----	5 UNCH
4710	----	----	498.20B/----	498.20B/409.60A	----	430.70 + 39.50	.5959	----	----	----	----	1 UNCH
4715	----	----	495.60B/----	495.60B/407.10A	----	428.00 + 39.30	.5938	----	----	----	----	2 UNCH
4750	----	----	475.40B/----	475.40B/389.60A	----	409.50 + 37.80	.5785	----	----	----	----	1 UNCH
4755	----	----	472.60B/----	472.60B/387.20A	----	407.00 + 37.70	.5763	----	----	----	----	1 UNCH
4800	----	----	447.60B/----	447.60B/365.70A	----	384.20 + 35.70	.5566	----	----	----	----	14 UNCH
4845	----	----	423.70B/----	423.70B/344.90A	----	362.40 + 33.70	.5369	----	----	----	----	1 UNCH
4850	----	----	421.10B/----	421.10B/342.70A	----	360.00 + 33.40	.5347	----	----	----	----	54 UNCH
4865	----	----	413.10B/----	413.10B/336.10A	----	353.00 + 32.70	.5281	----	----	----	----	2 UNCH
4880	----	----	405.50B/----	405.50B/329.60A	----	346.10 + 32.00	.5215	----	----	----	----	1 UNCH
4900	----	----	394.80B/----	394.80B/321.20A	----	337.10 + 31.10	.5128	----	----	100	----	1278 + 40
4910	----	----	390.00B/----	390.00B/316.90A	----	332.70 + 30.60	.5085	----	----	----	----	1 UNCH
4925	----	----	383.30B/----	383.30B/310.90A	----	326.10 + 29.90	.5019	----	----	----	----	18 UNCH
4950	----	----	370.70B/----	370.70B/301.00A	----	315.40 + 28.70	.4911	----	----	----	----	7 UNCH
5000	275.10	275.10	348.40B/275.10	348.40B/275.10	----	294.90 + 26.40	.4697	----	----	51	----	1427 - 51
5025	----	----	336.30B/----	336.30B/272.60A	----	285.10 + 25.30	.4591	----	----	----	----	2 UNCH
5050	----	----	325.60B/----	325.60B/263.90A	----	275.60 + 24.30	.4486	----	----	----	----	57 UNCH
5075	----	----	316.20B/----	316.20B/255.30A	----	266.40 + 23.20	.4382	----	----	1	----	2 + 1
5080	----	----	314.40B/----	314.40B/253.60A	----	264.60 + 23.00	.4361	----	----	----	----	3 UNCH
5085	----	----	312.20B/----	312.20B/251.90A	----	262.90 + 22.90	.4341	----	----	----	----	3 UNCH
5100	----	----	305.40B/----	305.40B/247.00A	----	257.50 + 22.30	.4279	----	----	----	----	612 UNCH
5125	----	----	296.30B/----	296.30B/238.90A	----	248.90 + 21.30	.4178	----	----	----	----	1 UNCH
5160	----	----	282.30B/----	282.30B/228.10A	----	237.30 + 20.10	.4038	----	----	----	----	1 UNCH
5200	----	----	267.40B/----	267.40B/216.40A	----	224.70 + 18.70	.3882	----	----	748	----	1017 + 570
5250	----	----	250.40B/----	250.40B/202.50A	----	209.90 + 17.10	.3692	----	----	1	----	522 UNCH
5255	----	----	249.70B/----	249.70B/201.20A	----	208.50 + 17.00	.3674	----	----	----	----	2 UNCH
5300	----	----	234.30B/----	234.30B/189.60A	----	196.10 + 15.70	.3509	----	----	747	----	938 + 686
5325	----	----	226.70B/----	226.70B/183.50A	----	189.60 + 15.00	.3420	----	----	----	----	1 UNCH
5400	----	----	205.00B/----	205.00B/166.30A	----	171.30 + 13.10	.3164	----	----	----	----	168 UNCH
5435	----	----	195.40B/----	195.40B/158.70A	----	163.50 + 12.40	.3050	----	----	----	----	226 UNCH
5450	----	----	191.50B/----	191.50B/155.80A	----	160.20 + 12.00	.3002	----	----	----	----	66 UNCH
5455	----	----	190.20B/----	190.20B/154.60A	----	159.10 + 11.90	.2986	----	----	----	----	175 UNCH
5475	158.00	158.00	185.20B/150.80A	185.20B/150.80A	----	155.00 + 11.60	.2924	----	----	1	----	1 UNCH
5500	165.00	165.00	179.00B/146.10A	179.00B/146.10A	----	149.90 + 11.10	.2847	----	----	3	----	419 UNCH
5545	----	----	168.90B/----	168.90B/137.90A	----	141.20 + 10.20	.2714	----	----	----	----	5 UNCH
5550	----	----	167.30B/----	167.30B/136.50A	----	140.30 + 10.10	.2700	----	----	----	----	100 UNCH
5590	----	----	158.80B/----	158.80B/129.60A	----	133.10 + 9.40	.2587	----	----	----	----	4 UNCH
5600	----	----	156.70B/----	156.70B/128.00A	----	131.40 + 9.30	.2560	----	----	----	----	110 UNCH
5610	----	----	154.70B/----	154.70B/126.30A	----	129.70 + 9.20	.2533	----	----	----	----	1 UNCH
5615	----	----	153.70B/----	153.70B/125.60A	----	128.80 + 9.00	.2519	----	----	----	----	5 UNCH
5650	----	----	146.80B/----	146.80B/120.20A	----	123.10 + 8.50	.2426	----	----	----	----	201 UNCH
5655	----	----	145.80B/----	145.80B/119.90A	----	122.30 + 8.40	.2413	----	----	----	----	2 UNCH
5660	----	----	144.80B/----	144.80B/118.60A	----	121.50 + 8.40	.2400	----	----	----	----	1 UNCH
5675	----	----	142.00B/----	142.00B/116.50A	----	119.10 + 8.10	.2361	----	----	----	----	3 UNCH
5700	----	----	137.50B/----	137.50B/112.80A	----	115.30 + 7.70	.2299	----	----	----	----	20 UNCH
5710	----	----	135.70B/----	135.70B/111.50A	----	113.80 + 7.60	.2274	----	----	----	----	5 UNCH
5720	----	----	133.90B/----	133.90B/110.00A	----	112.40 + 7.50	.2250	----	----	----	----	75 UNCH
5750	----	----	128.80B/----	128.80B/105.90A	----	108.10 + 7.00	.2178	----	----	----	----	1 UNCH
5775	----	----	124.40B/----	124.40B/102.90A	----	104.70 + 6.70	.2120	----	----	----	----	50 UNCH
5800	----	----	120.40B/----	120.40B/99.90A	----	101.40 + 6.40	.2064	----	----	----	----	413 UNCH
5875	----	----	109.30B/----	109.30B/91.30A	----	92.20 + 5.50	.1903	----	----	----	----	1 UNCH
5900	----	----	105.90B/----	105.90B/88.60A	----	89.30 + 5.10	.1852	----	----	----	----	34 UNCH
6000	85.50	85.50	93.40B/78.80A	93.40B/78.80A	----	79.00 + 4.20	.1665	----	----	662	----	2416 - 661
6100	----	----	82.60B/----	82.60B/70.00A	----	70.30 + 3.60	.1501	----	----	----	----	66 UNCH
6200	----	----	73.20B/----	73.20B/63.30A	----	62.80 + 3.00	.1356	----	----	----	----	38 UNCH
6300	----	----	65.20B/----	65.20B/57.70A	----	56.40 + 2.60	.1229	----	----	----	----	632 UNCH
6400	----	----	57.30B/----	57.30B/50.60A	----	50.80 + 2.20	.1116	----	----	----	----	1911 UNCH
6500	57.00	57.00	58.50/44.50	58.50/44.50	----	45.90 + 1.80	.1015	----	----	678	----	6348 - 604
6800	----	----	36.50B/----	36.50B/37.80A	----	34.70 + 1.10	.0777	----	----	----	----	1385 UNCH
6900	----	----	33.60B/----	33.60B/35.20A	----	31.90 + 0.90	.0716	----	----	----	----	1 UNCH
7000	----	----	----	27.80B/32.90A	----	29.40 + 0.70	.0661	----	----	----	----	2263 UNCH
8000	----	----	----	12.50B/19.80A	----	15.40 - 0.10	.0341	----	----	----	----	211 UNCH
8500	----	----	----	9.70B/*16.70A	----	12.30 - 0.10	.0267	----	----	----	----	200 UNCH
9000	----	----	----	7.80B/14.20A	----	10.30 - 0.20	.0218	----	----	----	----	69 UNCH
9500	----	----	----	6.50B/*12.40A	----	8.60 - 0.20	.0179	----	----	----	----	10 UNCH
TOTAL										2992		23957 - 19
NOV26												
4000	----	----	----	781.60B/1187.40A	----	973.20 + 71.60	.8402	----	----	----	----	1 UNCH
4100	----	----	----	696.60B/1113.60A	----	893.40 + 68.10	.8146	----	----	----	----	1 UNCH
4275	----	----	----	552.70B/991.00A	----	761.20 + 61.30	.7639	----	----	----	----	38 UNCH
4300	----	----	----	533.10B/974.20A	----	743.10 + 60.20	.7560	----	----	----	----	1 UNCH
4375	----	----	----	475.70B/924.90A	----	690.40 + 57.00	.7314	----	----	----	----	38 UNCH
4400	----	----	633.90B/----	633.90B/645.80A	----	673.30 + 55.90	.7230	----	----	----	----	20 UNCH
4440	----	----	639.60B/----	639.60B/620.00A	----	646.40 + 54.10	.7091	----	----	----	----	1 UNCH
4500	----	----	#651.80B/----	651.80B/582.50A	----	607.30 + 51.20	.6877	----	----	----	----	25 UNCH
4600	----	----	610.10B/----	610.10B/523.50A	----	545.60 + 46.40	.6505	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4750	----	----	520.50B/----	520.50B/442.70A	----	461.50 + 39.80	.5920	----	----	----	----	1 UNCH
4775	----	----	506.50B/----	506.50B/430.30A	----	448.40 + 38.70	.5821	----	----	----	----	30 UNCH
4800	----	----	492.70B/----	492.70B/418.60A	----	435.60 + 37.50	.5721	----	----	----	----	2 UNCH
4850	----	----	465.70B/----	465.70B/395.00A	----	410.90 + 34.90	.5521	----	----	----	----	25 UNCH
4900	----	----	440.30B/----	440.30B/373.20A	----	387.30 + 32.40	.5320	----	----	----	----	451 UNCH
4915	----	----	432.20B/----	432.20B/366.60A	----	380.50 + 31.70	.5260	----	----	----	----	1 UNCH
4925	----	----	428.10B/----	428.10B/362.40A	----	376.00 + 31.30	.5220	----	----	----	----	1 UNCH
4950	----	----	415.60B/----	415.60B/351.90A	----	365.00 + 30.20	.5121	----	----	----	----	150 UNCH
5000	----	----	392.60B/----	392.60B/331.60A	----	343.90 + 28.20	.4924	----	----	----	----	29 UNCH
5080	----	----	357.90B/----	357.90B/302.20A	----	312.40 + 25.40	.4614	----	----	----	----	4 UNCH
5085	----	----	355.80B/----	355.80B/300.50A	----	310.60 + 25.30	.4596	----	----	----	----	4 UNCH
5175	----	----	319.80B/----	319.80B/269.60A	----	278.70 + 22.50	.4259	----	----	----	----	2 UNCH
5200	----	----	310.40B/----	310.40B/262.10A	----	270.40 + 21.80	.4168	----	----	----	----	26 UNCH
5250	----	----	292.20B/----	292.20B/247.00A	----	254.50 + 20.30	.3990	----	----	----	----	9 UNCH
5300	----	----	275.00B/----	275.00B/232.40A	----	239.60 + 18.90	.3817	----	----	----	----	27 UNCH
5370	----	----	252.80B/----	252.80B/213.80A	----	220.10 + 16.90	.3582	----	----	----	----	5 UNCH
5400	----	----	243.70B/----	243.70B/206.20A	----	212.20 + 16.10	.3485	----	----	----	----	17 UNCH
5450	----	----	229.70B/----	229.70B/194.40A	----	199.80 + 14.90	.3328	----	----	----	----	925 UNCH
5500	----	----	216.40B/----	216.40B/183.20A	----	188.20 + 13.80	.3177	----	----	----	----	79 UNCH
5550	----	----	204.20B/----	204.20B/173.40A	----	177.20 + 12.60	.3031	----	----	----	----	1 UNCH
5600	----	----	192.10B/----	192.10B/163.00A	----	167.00 + 11.70	.2891	----	----	----	----	43 UNCH
5700	----	----	171.00B/----	171.00B/146.10A	----	148.50 + 10.10	.2630	----	----	----	----	35 UNCH
5710	----	----	168.60B/----	168.60B/145.00A	----	146.80 + 9.90	.2605	----	----	----	----	1 UNCH
5800	----	----	151.60B/----	151.60B/129.90A	----	132.30 + 8.70	.2391	----	----	----	----	25 UNCH
5825	----	----	147.30B/----	147.30B/126.30A	----	128.60 + 8.40	.2335	----	----	----	----	2 UNCH
5900	----	----	135.10B/----	135.10B/116.40A	----	118.20 + 7.60	.2175	----	----	----	----	1 UNCH
5925	----	----	131.10B/----	131.10B/113.60A	----	114.90 + 7.30	.2124	----	----	----	----	4 UNCH
5975	----	----	123.80B/----	123.80B/108.60A	----	108.70 + 6.80	.2026	----	----	----	----	1 UNCH
6000	115.00	115.00	119.80B/104.60A	119.80B/104.60A	----	105.80 + 6.70	.1979	----	----	1	----	216 - 1
6100	----	----	107.00B/----	107.00B/94.70A	----	94.90 + 5.70	.1802	----	----	----	----	1 UNCH
6200	95.00	95.00	95.60B/85.30A	95.60B/85.30A	----	85.40 + 5.00	.1643	----	----	1	----	2 - 1
6400	----	----	76.80B/----	76.80B/70.80A	----	69.70 + 3.60	.1370	----	----	----	----	13 UNCH
6500	----	----	68.90B/----	68.90B/64.80A	----	63.40 + 3.10	.1256	----	----	----	----	1161 UNCH
8000	----	----	----	16.80B/*23.00A	----	23.00 + 0.60	.0460	----	----	----	----	11 UNCH
9000	12.00	12.00	15.00/*12.00	15.00/*12.00	----	15.00 + 0.40	.0292	----	----	2	----	5 + 2
20000	----	----	----	----/1.60A	----	0.90 + 0.20	.0016	----	----	----	----	137 UNCH
TOTAL										4		3573 0
DEC26												
3550	----	----	----	----	----	1369.00 + 83.20	.9163	----	----	----	----	2 UNCH
3570	----	----	----	918.90B/1775.10A	----	1351.00 + 82.70	.9134	----	----	----	----	1 UNCH
3600	----	----	----	927.00B/1749.50A	----	1324.20 + 82.00	.9088	----	----	----	----	1 UNCH
3800	----	----	----	943.30B/1375.00A	----	1150.40 + 76.80	.8738	----	----	----	----	4 UNCH
3900	----	----	----	858.10B/1294.90A	----	1067.00 + 73.90	.8530	----	----	----	----	2 UNCH
4060	----	----	----	723.50B/1176.70A	----	939.00 + 68.60	.8151	----	----	----	----	100 UNCH
4100	----	----	----	689.90B/1148.20A	----	908.10 + 67.20	.8047	----	----	----	----	48 UNCH
4160	----	----	----	640.50B/1106.20A	----	862.70 + 64.90	.7883	----	----	----	----	100 UNCH
4175	----	----	----	628.30B/1095.80A	----	851.60 + 64.40	.7842	----	----	----	----	37 UNCH
4200	----	----	----	608.20B/1078.70A	----	833.10 + 63.40	.7770	----	----	----	----	150 UNCH
4250	----	----	----	568.60B/1045.10A	----	796.90 + 61.50	.7624	----	----	----	----	293 UNCH
4255	----	----	----	564.70B/1041.70A	----	793.30 + 61.20	.7609	----	----	----	----	50 UNCH
4285	----	----	----	541.50B/1021.90A	----	772.00 + 60.00	.7518	----	----	----	----	1 UNCH
4300	----	----	----	530.00B/1012.10A	----	761.40 + 59.30	.7472	----	----	----	----	436 UNCH
4315	----	----	----	518.60B/1002.40A	----	751.00 + 58.80	.7425	----	----	----	----	1 UNCH
4320	----	----	----	514.80B/999.10A	----	747.50 + 58.50	.7410	----	----	----	----	100 UNCH
4350	----	----	----	492.30B/979.90A	----	726.90 + 57.30	.7315	----	----	----	----	206 UNCH
4375	----	----	669.10B/----	669.10B/682.60A	----	710.00 + 56.30	.7235	----	----	----	----	61 UNCH
4400	----	----	674.00B/----	674.00B/666.50A	----	693.30 + 55.20	.7153	----	----	----	----	2 UNCH
4425	----	----	674.30B/----	674.30B/650.60A	----	676.80 + 54.10	.7070	----	----	----	----	8 UNCH
4450	----	----	676.90B/----	676.90B/634.60A	----	660.60 + 53.10	.6986	----	----	----	----	87 UNCH
4465	----	----	675.10B/----	675.10B/625.90A	----	651.00 + 52.40	.6936	----	----	----	----	93 UNCH
4490	----	----	#692.60B/----	692.60B/610.20A	----	635.20 + 51.40	.6850	----	----	----	----	7 UNCH
4500	----	----	690.30B/----	690.30B/604.60A	----	628.90 + 50.90	.6815	----	----	----	----	757 UNCH
4525	----	----	678.10B/----	678.10B/589.80A	----	613.40 + 49.80	.6728	----	----	----	----	5 UNCH
4540	----	----	#668.80B/----	668.80B/581.00A	----	604.30 + 49.30	.6676	----	----	----	----	9 UNCH
4550	----	----	662.00B/----	662.00B/575.20A	----	598.20 + 48.80	.6640	----	----	----	----	1 UNCH
4565	----	----	#652.50B/----	652.50B/566.60A	----	589.20 + 48.20	.6587	----	----	----	----	93 UNCH
4580	----	----	#643.60B/----	643.60B/558.00A	----	580.20 + 47.50	.6534	----	----	----	----	150 UNCH
4585	----	----	#641.30B/----	641.30B/555.20A	----	577.30 + 47.30	.6516	----	----	----	----	325 UNCH
4590	----	----	#637.10B/----	637.10B/552.40A	----	574.30 + 47.00	.6498	----	----	----	----	15 UNCH
4600	----	----	630.60B/----	630.60B/546.80A	----	568.50 + 46.70	.6462	----	----	----	----	145 UNCH
4615	----	----	#621.70B/----	621.70B/538.30A	----	559.80 + 46.00	.6408	----	----	----	----	41 UNCH
4625	----	----	615.40B/----	615.40B/533.00A	----	554.00 + 45.60	.6372	----	----	----	----	72 UNCH
4640	----	----	606.30B/----	606.30B/524.80A	----	545.50 + 45.00	.6317	----	----	----	----	100 UNCH
4650	----	----	600.80B/----	600.80B/519.40A	----	539.80 + 44.50	.6281	----	----	30	----	302 UNCH
4700	563.70	563.70	590.20/493.00A	590.20/493.00A	----	512.20 + 42.30	.6096	----	----	2	----	97 UNCH
4720	----	----	561.00B/----	561.00B/482.80A	----	501.50 + 41.50	.6022	----	----	----	----	1 UNCH
4750	----	----	543.10B/----	543.10B/467.60A	----	485.80 + 40.30	.5910	----	----	----	----	211 UNCH
4780	----	----	526.40B/----	526.40B/453.20A	----	470.40 + 39.00	.5798	----	----	----	----	2 UNCH
4800	----	----	515.60B/----	515.60B/443.60A	----	460.40 + 38.20	.5723	----	----	----	----	146 UNCH
4810	----	----	510.30B/----	510.30B/438.90A	----	455.50 + 37.80	.5685	----	----	----	----	56 UNCH
4820	----	----	505.00B/----	505.00B/434.40A	----	450.60 + 37.30	.5648	----	----	----	----	49 UNCH
4825	----	----	501.90B/----	501.90B/432.10A	----	448.20 + 37.20	.5629	----	----	----	----	100 UNCH
4850	----	----	489.40B/----	489.40B/420.50A	----	436.20 + 36.10	.5535	----	----	----	----	291 UNCH
4875	----	----	476.40B/----	476.40B/409.60A	----	424.50 + 35.00	.5441	----	----	----	----	1 UNCH
4880	----	----	474.10B/----	474.10B/407.20A	----	422.20 + 34.80	.5422	----	----	----	----	1 UNCH
4900	440.00	440.00	464.00B/398.50A	464.00B/398.50A	----	413.10 + 34.00	.5347	----	----	39	----	92 + 39
4925	----	----	451.90B/----	451.90B/388.20A	----	402.00 + 33.10	.5254	----	----	----	125	126 + 125
4975	----	----	428.30B/----	428.30B/367.30A	----	380.50 + 31.10	.5068	----	----	----	----	50 UNCH
5000	395.00	395.00	417.30B/357.80A	417.30B/357.80A	----	370.10 + 30.10	.4976	----	----	43	----	2134 + 22
5025	----	----	405.90B/----	405.90B/348.20A	----	360.00 + 29.20	.4885	----	----	----	95	119 + 87
5050	----	----	395.60B/----	395.60B/338.90A	----	350.20 + 28.30	.4794	----	----	----	----	100 UNCH
5070	----	----	386.40B/----	386.40B/331.60A	----	342.50 + 27.60	.4722	----	----	----	----	13 UNCH
5075	----	----	383.90B/----	383.90B/329.80A	----	340.60 + 27.40	.4704	----	----	----	----	30 UNCH
5090	----	----	378.00B/----	378.00B/324.50A	----	334.90 + 26.90	.4650	----	----	----	----	13 UNCH
5100	385.10	385.10	385.10/321.00A	385.10/321.00A	----	331.20 + 26.50	.4615	----	----	1	----	131 UNCH
5150	----	----	353.80B/----	353.80B/304.00A	----	313.20 + 24.90	.4439	----	----	----	----	1 UNCH
5175	----	----	344.00B/----	344.00B/295.90A	----	304.60 + 24.10	.4352	----	----	----	----	100 UNCH
5195	----	----	336.70B/----	336.70B/289.50A	----	297.80 + 23.40	.4283	----	----	----	----	5 UNCH
5200	----	----	334.70B/----	334.70B/287.90A	----	296.10 + 23.20	.4266	----	----	----	----	851 UNCH
5250	----	----	316.40B/----	316.40B/272.70A	----	280.00 + 21.80	.4098	----	----	----	----	158 UNCH
5275	----	----	307.90B/----	307.90B/265.40A	----	272.30 + 21.10	.4015	----	----	----	----	20 UNCH
5300	----	----	299.80B/----	299.80B/258.40A	----	264.70 + 20.30	.3933	----	----	----	----	340 UNCH
5350	----	----	283.00B/----	283.00B/244.60A	----	250.30 + 18.90	.3774	----	----	----	----	457 UNCH
5360	----	----	279.80B/----	279.80B/241.90A	----	247.60 + 18.70	.3743	----	----	----	----	100 UNCH
5370	----	----	276.90B/----	276.90B/239.60A	----	244.80 + 18.40	.3711	----	----	----	----	20 UNCH
5400	----	----	267.10B/----	267.10B/231.80A	----	236.80 + 17.70	.3619	----	----	810	----	1850 + 800
5460	----	----	249.60B/----	249.60B/217.10A	----	221.50 + 16.20	.3440	----	----	----	----	200 UNCH
5465	----	----	248.20B/----	248.20B/216.00A	----	220.30 + 16.10	.3426	----	----	----	----	50 UNCH
5480	----	----	244.10B/----	244.10B/211.80A	----	216.70 + 15.80	.3382	----	----	----	----	50 UNCH
5500	249.00	249.00	249.00/208.00A	249.00/208.00A	----	211.90 + 15.30	.3325	----	----	126	25	2092 + 149
5525	----	----	232.20B/----	232.20B/202.60A	----	206.20 + 14.80	.3254	----	----	----	----	80 UNCH
5550	----	----	225.70B/----	225.70B/197.30A	----	200.60 + 14.30	.3185	----	----	----	----	1 UNCH
5600	----	----	213.60B/----	213.60B/187.20A	----	189.90 + 13.30	.3051	----	----	810	----	2040 + 698
5650	----	----	201.40B/----	201.40B/177.70A	----	179.80 + 12.30	.2921	----	----	1	----	6 + 1
5660	----	----	199.30B/----	199.30B/175.50A	----	177.90 + 12.20	.2896	----	----	----	----	1 UNCH
5675	----	----	195.80B/----	195.80B/172.70A	----	175.00 + 11.90	.2858	----	----	----	----	8 UNCH
5680	----	----	194.70B/----	194.70B/172.20A	----	174.10 + 11.90	.2846	----	----	----	----	1 UNCH
5685	----	----	193.90B/----	193.90B/171.30A	----	173.10 + 11.70	.2833	----	----	----	----	18 UNCH
5690	----	----	192.80B/----	192.80B/170.30A	----	172.20 + 11.70	.2821	----	----	----	----	7 UNCH
5700	----	----	190.80B/----	190.80B/167.10A	----	170.30 + 11.50	.2796	----	----	----	----	285 UNCH
5705	----	----	189.30B/----	189.30B/167.40A	----	169.40 + 11.40	.2784	----	----	----	----	5 UNCH
5710	----	----	188.20B/----	188.20B/166.90A	----	168.50 + 11.30	.2772	----	----	----	----	5 UNCH
5750	----	----	179.90B/----	179.90B/160.00A	----	161.40 + 10.70	.2677	----	----	1	----	576 UNCH
5770	----	----	175.90B/----	175.90B/156.80A	----	158.00 + 10.40	.2631	----	----	----	----	5 UNCH
5775	----	----	174.90B/----	174.90B/156.20A	----	157.10 + 10.30	.2619	----	----	----	----	2 UNCH
5800	----	----	170.50B/----	170.50B/151.60A	----	153.00 + 10.00	.2563	----	----	----	----	220 UNCH
5810	----	----	168.50B/----	168.50B/150.00A	----	151.40 + 9.90	.2541	----	----	----	----	56 UNCH
5825	----	----	165.50B/----	165.50B/146.80A	----	149.00 + 9.70	.2507	----	----	----	----	4 UNCH
5875	----	----	156.40B/----	156.40B/140.40A	----	141.30 + 9.00	.2400	----	----	----	----	9 UNCH
5900	143.40	143.40	152.00B/136.90A	152.00B/136.90A	----	137.60 + 8.70	.2347	----	----	3	----	1110 UNCH
5950	----	----	143.80B/----	143.80B/130.50A	----	130.60 + 8.10	.2247	----	----	----	----	25 UNCH
6000	129.00	129.00	136.00B/124.30A	136.00B/124.30A	----	123.90 + 7.40	.2150	----	----	786	100	6024 + 351
6100	----	----	121.90B/----	121.90B/112.70A	----	111.80 + 6.30	.1970	----	----	----	----	40 UNCH
6150	----	----	115.40B/----	115.40B/107.50A	----	106.30 + 5.80	.1886	----	----	----	----	1 UNCH
6200	----	----	109.30B/----	109.30B/102.30A	----	101.20 + 5.40	.1807	----	----	----	----	3345 UNCH
6300	----	----	98.50B/----	98.50B/93.60A	----	91.80 + 4.50	.1660	----	----	16	----	1046 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 38

FINAL

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
DEC26												
6400	----	----	88.60B/----	88.60B/85.40A	----	83.70 + 4.00	.1528	----	----	----	50	488 UNCH
6500	----	----	79.80B/----	79.80B/78.40A	----	76.70 + 3.80	.1411	----	----	126	290	4451 - 99
6750	----	----	62.60B/----	62.60B/63.30A	----	63.00 + 3.80	.1172	----	----	----	----	100 UNCH
6775	----	----	61.00B/----	61.00B/61.90A	----	61.80 + 3.70	.1151	----	----	----	----	163 UNCH
6800	----	----	59.70B/----	59.70B/60.70A	----	60.70 + 3.80	.1131	----	----	----	25	1664 UNCH
6900	----	----	55.60B/----	55.60B/56.50A	----	56.60 + 3.90	.1057	----	----	----	----	2 UNCH
7000	51.00	51.00	54.90B/51.00	54.90B/51.00	----	52.90 + 3.90	.0989	----	----	8	----	3997 + 2
7130	----	----	----	#43.10B/*50.00A	----	48.40 NEW	----	----	----	----	200	200 + 200
7175	----	----	#47.70B/----	47.70B/49.90A	----	47.00 + 3.70	.0881	----	----	----	----	125 UNCH
7250	----	----	42.30B/----	42.30B/49.00A	----	44.70 + 3.50	.0839	----	----	----	----	107 UNCH
7500	----	----	----	30.30B/43.10A	----	38.10 + 2.90	.0718	----	----	1	----	107 UNCH
8000	32.00	32.00	32.00/32.00	32.00/32.00	----	28.50 + 1.20	.0538	----	----	5	----	626 + 2
8125	----	----	----	20.40B/33.20A	----	26.70 + 0.80	.0503	----	----	----	----	801 UNCH
8500	----	----	----	16.70B/29.30A	----	22.80 + 0.10	.0426	----	----	----	----	170 UNCH
8630	----	----	----	#15.40B/*28.20A	----	21.70 NEW	----	----	----	----	400	400 + 400
8725	----	----	----	15.00B/27.40A	----	21.00 - 0.30	.0389	----	----	----	----	250 UNCH
9000	----	----	----	13.30B/25.40A	----	19.40 - 0.60	.0355	----	----	----	----	102 UNCH
9500	----	----	----	11.00B/22.60A	----	17.30 - 1.00	.0308	----	----	----	----	280 UNCH
9900	----	----	----	9.50B/20.80A	----	16.20 - 1.00	.0282	----	----	----	----	4 UNCH
10000	----	----	----	14.00B/17.60A	----	15.90 - 1.10	.0276	----	----	6	----	7505 UNCH
11000	----	----	----	6.50B/17.00A	----	13.60 - 1.00	.0225	----	----	----	----	379 UNCH
13000	----	----	----	8.50B/12.80A	----	10.00 - 0.30	.0156	----	----	----	----	366 UNCH
15000	6.80	6.80	6.80/6.50	6.80/6.50	----	6.70 - 0.10	.0103	----	----	12	----	18714 + 6
17000	----	----	----	2.50B/5.00A	----	4.00 - 0.20	.0062	----	----	----	----	26 UNCH
19000	----	----	----	----/7.70A	----	2.10 - 0.40	.0034	----	----	----	----	7 UNCH
20000	2.00	2.00	2.00/2.00	2.00/2.00	----	1.50 - 0.50	.0025	----	----	2	----	18617 + 2
21000	----	----	----	----/2.10A	----	1.20 - 0.30	.0020	----	----	----	----	18 UNCH
24000	----	----	----	----/1.50A	----	1.00 - 0.40	.0016	----	----	----	----	31 UNCH
TOTAL										2828	1,310	88482 + 2785
JAN27												
4190	----	----	----	613.50B/1178.00A	----	886.90 + 66.00	.7792	----	----	----	----	1 UNCH
4290	----	----	----	535.20B/1112.40A	----	815.60 + 62.50	.7512	----	----	----	----	1 UNCH
4300	----	----	----	527.60B/1106.00A	----	808.70 + 62.20	.7483	----	----	----	----	1 UNCH
4400	----	----	707.00B/----	707.00B/715.80A	----	741.10 + 58.50	.7184	----	----	----	----	1 UNCH
4650	----	----	#640.10B/----	#640.10B/568.70A	----	588.00 + 48.20	.6370	----	----	----	----	1 UNCH
4750	----	----	#582.10B/----	582.10B/516.60A	----	533.50 + 43.90	.6026	----	----	----	----	5 UNCH
4760	----	----	#582.90B/----	582.90B/511.80A	----	528.30 + 43.50	.5991	----	----	----	----	100 UNCH
4800	494.00	494.00	#561.10B/494.00	561.10B/492.10A	----	507.80 + 41.70	.5852	----	----	1	----	2 + 1
4850	----	----	534.60B/----	534.60B/468.80A	----	483.00 + 39.50	.5676	----	----	----	----	1 UNCH
4875	----	----	521.70B/----	521.70B/457.50A	----	471.10 + 38.50	.5589	----	----	----	----	4 UNCH
4900	----	----	509.10B/----	509.10B/446.20A	----	459.30 + 37.30	.5501	----	----	----	----	9 UNCH
5000	----	----	460.90B/----	460.90B/404.40A	----	414.80 + 32.90	.5152	----	----	----	----	27 UNCH
5050	----	----	438.20B/----	438.20B/384.70A	----	394.00 + 30.80	.4980	----	----	----	----	100 UNCH
5100	----	----	416.40B/----	416.40B/366.10A	----	374.10 + 28.60	.4810	----	----	----	----	1 UNCH
5250	----	----	356.70B/----	356.70B/315.00A	----	320.20 + 22.90	.4317	----	----	----	----	7 UNCH
5300	----	----	338.50B/----	338.50B/300.00A	----	304.00 + 21.30	.4160	----	----	----	----	1 UNCH
5400	----	----	304.70B/----	304.70B/271.10A	----	274.30 + 18.70	.3857	----	----	----	----	2 UNCH
5500	----	----	273.40B/----	273.40B/245.20A	----	247.80 + 16.70	.3571	----	----	----	----	24 UNCH
5550	----	----	259.30B/----	259.30B/233.30A	----	235.60 + 15.80	.3435	----	----	----	----	1 UNCH
5820	----	----	194.90B/----	194.90B/180.70A	----	180.20 + 12.00	.2776	----	----	----	----	6 UNCH
5850	----	----	189.40B/----	189.40B/174.20A	----	175.00 + 11.60	.2710	----	----	----	----	3 UNCH
5900	----	----	179.60B/----	179.60B/167.60A	----	166.70 + 11.10	.2605	----	----	----	----	5 UNCH
6000	----	----	161.20B/----	161.20B/151.80A	----	151.30 + 10.00	.2404	----	----	----	----	204 UNCH
6025	----	----	157.00B/----	157.00B/149.50A	----	147.70 + 9.70	.2356	----	----	----	----	1 UNCH
6300	----	----	118.30B/----	118.30B/117.50A	----	113.60 + 7.30	.1888	----	----	----	----	2 UNCH
20000	3.50	3.50	3.50/3.00	3.50/3.00	----	3.10 - 0.90	.0046	----	----	3	----	47 + 3
TOTAL										4		557 + 4
FEB27												
5000	----	----	#464.50B/----	464.50B/428.60A	----	436.50 + 29.00	.5183	----	----	----	----	1 UNCH
5100	384.80	384.80	#420.70B/384.80	#420.70B/384.80	----	395.20 + 25.10	.4856	----	----	1	----	1 UNCH
5175	----	----	#390.30B/----	#390.30B/362.40A	----	366.50 + 22.30	.4616	----	----	----	----	125 UNCH
5300	----	----	#342.70B/----	#342.70B/321.30A	----	322.80 + 17.80	.4227	----	----	----	----	50 UNCH
5375	----	----	317.40B/----	317.40B/298.80A	----	299.20 + 15.60	.4003	----	----	----	----	1 UNCH
5520	----	----	#272.90B/----	#272.90B/260.20A	----	258.80 + 12.00	.3596	----	----	----	----	300 UNCH
5530	----	----	#270.10B/----	#270.10B/257.70A	----	256.30 + 11.90	.3569	----	----	----	----	100 UNCH
5550	----	----	#264.50B/----	#264.50B/252.90A	----	251.30 + 11.50	.3516	----	----	----	----	65 UNCH
5600	----	----	#251.10B/----	#251.10B/241.30A	----	239.30 + 10.60	.3386	----	----	----	----	1 UNCH
6000	----	----	168.00B/----	168.00B/167.90A	----	164.70 + 6.30	.2505	----	----	----	----	5 UNCH
6025	----	----	164.10B/----	164.10B/164.20A	----	161.00 + 6.00	.2458	----	----	----	----	4 UNCH
6100	159.00	159.00	#159.00/154.10A	#159.00/154.10A	----	150.70 NEW	.2324	----	----	1	----	1 + 1
6300	----	----	127.30B/----	127.30B/130.70A	----	126.80 + 4.00	.2004	----	----	----	----	1 UNCH
6500	----	----	107.10B/----	107.10B/111.90A	----	106.90 + 2.00	.1728	----	----	----	----	110 UNCH
6900	----	----	----	77.30B/84.80A	----	76.50 - 2.30	.1287	----	----	----	----	800 UNCH
7000	----	----	----	71.70B/79.70A	----	71.10 - 2.70	.1203	----	----	----	----	833 UNCH
7100	----	----	----	66.50B/74.90A	----	66.60 - 2.70	.1131	----	----	----	----	8 UNCH
7900	----	----	----	29.00B/57.90A	----	39.80 - 1.80	.0694	----	----	----	----	500 UNCH
8000	----	----	----	27.00B/57.50A	----	37.20 - 1.80	.0652	----	----	----	----	500 UNCH
TOTAL										2		3406 + 1
APR27												
5000	----	----	----	----	----	532.20 NEW	.5390	----	----	----	100	100 + 100
5600	----	----	----	----	----	323.50 + 34.70	.3818	----	----	----	----	300 UNCH
TOTAL											100	400 + 100
JUN27												
9500	----	----	----	----	----	45.90 + 5.50	.0637	----	----	----	----	1 UNCH
TOTAL												1 0
DEC27												
4860	----	----	----	----	----	833.50 + 56.40	.6150	----	----	----	----	100 UNCH
5000	----	----	----	----	----	767.90 + 53.50	.5848	----	----	----	----	50 UNCH
5650	----	----	----	----	----	522.30 + 41.30	.4518	----	----	----	----	200 UNCH
5700	----	----	----	----	----	507.10 + 40.40	.4424	----	----	----	----	150 UNCH
5800	----	----	----	----	----	478.30 + 38.70	.4241	----	----	----	----	200 UNCH
5880	----	----	----	----	----	456.60 + 37.40	.4098	----	----	----	----	50 UNCH
6300	----	----	----	----	----	359.10 + 31.00	.3416	----	----	----	----	18 UNCH
7500	----	----	----	----	----	269.90 + 22.40	.2468	----	----	----	----	170 UNCH
7800	----	----	----	----	----	262.80 + 21.30	.2350	----	----	----	----	284 UNCH
10000	----	----	----	----	----	191.50 + 14.50	.1622	----	----	----	----	109 UNCH
10500	----	----	----	----	----	172.30 + 13.20	.1470	----	----	----	----	10 UNCH
TOTAL												1341 0

MMG MON — MICRO GOLD WEEKLY MONDAY OPTION WEE

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4595	----	----	----	----	----	13.80 - 37.10	.1464	----	----	----	----	1 UNCH
4895	28.00	28.00	#31.00B/*28.00	#31.00B/28.00	----	19.80 NEW	.2275	----	----	3	----	3 + 3
TOTAL										3		4 + 3

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3700	----	----	----/*1.20A	0.40B/*1.20A	----	0.60 - 1.40	.0040	----	----	----	----	1 UNCH
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3750	----	----	----/*1.30A	0.50B/*1.30A	----	0.70 - 1.70	.0047	----	----	2	----	2 UNCH
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
3800	----	----	----/*1.40A	0.70B/*1.40A	----	0.80 - 2.00	.0055	----	----	2	----	2 - 1
3800	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3850	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
3950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4000	----	----	----/2.10A	2.30B/2.10A	----	1.60 - 3.70	.0118	----	----	1	----	44 + 1
4000	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 131
4025	----	----	----/0.10A	----/0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 7
4050	----	----	----/0.10A	----/0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4050	----	----	----/*2.40A	3.00B/*2.40A	----	1.90 - 4.50	.0143	----	----	----	----	12 UNCH
4075	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 6
4100	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 7
4100	----	----	----/*2.70A	3.90B/*2.70A	----	2.20 - 5.40	.0170	----	----	1	----	13 UNCH
4125	----	----	----/*2.90A	4.40B/*2.90A	----	2.40 - 6.00	.0187	----	----	----	----	2 UNCH
4150	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.60	----	----	----	5	----	0 - 11
4175	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 25
4200	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 24
4200	----	----	#669.30B/----	#669.30B/534.20A	----	580.10 + 84.50	.9742	----	----	----	----	1 UNCH
4200	----	----	----/*3.20A	6.30B/*3.20A	----	3.20 - 8.00	.0256	----	----	----	----	1 UNCH
4200	14.70	14.70	14.70/*8.60A	14.70/*8.60A	----	7.40 - 13.80	.0464	----	----	3	----	3 + 2
4210	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.00	----	----	----	1	----	0 - 1
4220	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 1
4225	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4235	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 2
4240	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.20	----	----	----	----	----	0 - 5
4245	----	----	----/*3.80A	7.90B/*3.80A	----	3.80 - 9.70	.0310	----	----	----	----	2 UNCH
4250	----	----	----/*9.60A	16.00B/*9.60A	----	9.20 - 16.20	.0575	----	----	----	----	1 UNCH
4250	4.40	4.40	4.60/*3.90A	8.10B/*3.90A	----	3.80 NEW	.0312	----	----	50	----	50 + 50
4250	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 1.30	----	----	----	1	----	0 - 11
4260	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 3
4265	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 1
4270	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 1
4270	10.30	10.30	10.30/*10.30	14.80B/*10.30	----	10.10 NEW	.0628	----	----	1	----	1 + 1
4275	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 1
4280	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 1.50	----	----	----	----	----	0 - 3
4290	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 1.60	----	----	----	1	----	0 - 3
4300	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 1.70	----	----	----	2	----	0 - 16
4300	5.00	5.00	5.40/*4.80A	10.20B/*4.80A	----	4.80 - 12.20	.0398	----	----	101	----	102 + 98
4300	----	----	----/*11.10A	17.20B/*11.10A	----	11.60 NEW	.0718	----	----	2	----	2 + 2
4315	----	----	----/*5.10A	11.00B/*5.10A	----	5.10 - 13.00	.0425	----	----	1	----	1 UNCH
4320	----	----	----/*5.20A	11.20B/*5.20A	----	5.20 - 13.30	.0435	----	----	----	----	17 UNCH
4320	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 1
4320	----	----	----/*11.90A	18.50B/*11.90A	----	12.80 - 20.20	.0787	----	----	----	----	1 UNCH
4325	----	----	----/*5.20A	11.50B/*5.20A	----	5.30 - 13.60	.0444	----	----	----	----	1 UNCH
4325	----	----	----/*0.20A	----/*0.20A	----	0.00 - 2.00	----	----	----	1	----	0 - 1
4330	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 2.00	----	----	----	1	----	0 - 2
4340	----	----	----/*5.60A	12.30B/*5.60A	----	5.70 - 14.40	.0479	----	----	----	----	1 UNCH
4340	----	----	----/*0.20A	----/*0.20A	----	0.00 - 2.20	----	----	----	----	----	0 - 1
4350	----	----	----/*5.70A	13.00B/*5.70A	----	6.00 - 15.00	.0504	----	----	----	----	4 UNCH
4350	----	----	----/*0.20A	0.30B/*0.20A	----	0.00 - 2.20	----	----	----	----	----	0 - 6
4355	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 2.40	----	----	----	----	----	0 - 2
4360	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 2.50	----	----	----	----	----	0 - 1
4365	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 2.50	----	----	----	----	----	0 - 10
4370	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 2.70	----	----	----	----	----	0 - 1
4370	----	----	----/*6.30A	14.30B/*6.30A	----	6.60 - 16.30	.0557	----	----	----	----	14 UNCH
4375	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 2.80	----	----	----	----	----	0 - 156
4380	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 3.00	----	----	----	----	----	0 - 6
4390	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 3.10	----	----	----	----	----	0 - 1
4400	0.50	0.50	0.50/*0.20	0.60B/*0.20	----	0.00 - 3.40	----	----	----	3	----	0 - 12
4400	----	----	----/*7.10A	16.50B/*7.10A	----	7.70 - 18.50	.0651	----	----	----	----	2 UNCH
4400	27.00	27.00	27.00/*14.10A	27.00/*14.10A	----	18.80 NEW	.1126	----	----	1	----	1 + 1
4410	0.10	0.10	0.10/*0.10	0.70B/*0.10	----	0.00 - 3.70	----	----	----	5	----	0 - 20
4415	----	----	#460.10B/----	#460.10B/339.50A	----	362.20 + 88.70	----	----	----	----	----	0 - 9
4415	----	----	----/*7.70A	18.20B/*7.70A	----	8.40 - 19.60	.0709	----	----	----	----	1 UNCH
4415	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 3.80	----	----	----	----	----	0 - 4
4420	----	----	----/*8.00A	18.60B/*8.00A	----	8.60 - 20.00	.0727	----	----	----	----	5 UNCH
4420	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 3.90	----	----	----	----	----	0 - 1
4420	----	----	#455.10B/----	#455.10B/334.60A	----	357.20 + 88.60	----	----	----	----	----	0 - 5
4425	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 4.00	----	----	----	3	----	0 - 4
4430	----	----	----/*8.10A	19.60B/*8.10A	----	9.10 - 20.90	.0768	----	----	1	----	15 + 1
4430	----	----	----/*0.20A	0.90B/*0.20A	----	0.00 - 4.20	----	----	----	----	----	0 - 2
4435	----	----	----/*8.30A	20.10B/*8.30A	----	9.30 - 21.30	.0786	----	----	----	----	2 UNCH
4435	----	----	----/*0.30A	1.20B/*0.30A	----	0.00 - 4.30	----	----	----	----	----	0 - 1
4440	----	----	----/*8.20A	20.60B/*8.20A	----	9.60 - 21.70	.0810	----	----	1	----	2 + 1
4450	2.60	2.60	2.60/*0.30A	2.60/*0.30A	----	0.00 - 4.80	----	----	----	2	----	0 - 11
4450	11.00	11.00	11.00/*8.50A	21.70B/*8.50A	----	10.10 - 22.70	.0853	----	----	4	----	4 + 1
4450	----	----	----/*27.10A	47.20B/*27.10A	----	37.70 NEW	.1764	----	----	1	----	1 + 1
4455	----	----	----/*0.30A	1.50B/*0.30A	----	0.00 - 5.00	----	----	----	----	----	0 - 1
4455	----	----	----/*8.60A	22.20B/*8.60A	----	10.40 - 23.20	.0878	----	----	----	----	16 UNCH
4460	----	----	----/*0.40A	1.40B/*0.40A	----	0.00 - 5.30	----	----	----	----	----	0 - 9
4465	----	----	#416.90B/----	#416.90B/312.40A	----	337.80 + 61.00	.8491	----	----	----	----	5 UNCH
4470	----	----	----/*0.40A	1.80B/*0.40A	----	0.00 - 5.60	----	----	----	----	----	0 - 1
4475	----	----	----/*0.40A	1.90B/*0.40A	----	0.00 - 5.80	----	----	----	----	----	0 - 7
4475	----	----	----/*9.40A	24.60B/*9.40A	----	11.70 - 25.10	.0983	----	----	1	----	2 + 1
4475	43.00	43.00	43.00/*30.00A	52.20B/*30.00A	----	41.90 NEW	.1931	----	----	1	----	1 + 1
4480	0.40	0.40	0.40/*0.40	2.00B/*0.40	----	0.00 - 6.00	----	----	----	1	----	0 - 26
4480	----	----	----/*30.70A	53.10B/*30.70A	----	42.80 NEW	.1966	----	----	1	----	1 + 1
4485	0.10	0.10	0.10/*0.10	2.00B/*0.10	----	0.00 - 6.30	----	----	----	1	----	0 - 2
4490	----	----	----/*0.40A	2.30B/*0.40A	----	0.00 - 6.50	----	----	----	----	----	0 - 57
4490	----	----	----/*9.40A	26.40B/*9.40A	----	12.70 - 26.70	.1066	----	----	16	----	9 - 12
4495	----	----	----/*0.40A	2.40B/*0.40A	----	0.00 - 6.80	----	----	----	1	----	0 - 5
4500	16.60	16.60	16.60/*9.70A	27.70B/*9.70A	----	13.50 - 27.80	.1129	----	----	8	----	14 + 7
4500	----	----	#375.10B/----	#375.10B/261.20A	----	277.20 + 85.20	----	----	----	----	----	0 - 2
4500	3.60	3.60	3.60/*0.20A	3.60/*0.20A	----	0.00 - 7.30	----	----	----	19	----	0 - 80
4500	----	----	#367.20B/----	#367.20B/251.00A	----	290.60 + 64.70	.8869	----	----	----	----	2 UNCH
4505	----	----	----/*9.90A	28.50B/*9.90A	----	13.90 - 28.40	.1161	----	----	----	----	1 UNCH
4505	----	----	----/*0.40A	2.60B/*0.40A	----	0.00 - 7.30	----	----	----	1	----	0 - 2
4510	----	----	----/*0.40A	2.70B/*0.40A	----	0.00 - 7.60	----	----	----	----	----	0 - 18
4515	----	----	----/*0.30A	2.80B/*0.30A	----	0.00 - 7.90	----	----	----	----	----	0 - 25
4515	----	----	----/*10.40A	30.10B/*10.40A	----	14.80 - 29.50	.1231	----	----	16	----	4 - 12
4520	----	----	----/*0.30A	3.00B/*0.30A	----	0.00 - 8.40	----	----	----	----	----	0 - 50
4525	0.90	0.90	0.90/*0.10	3.30B/*0.10	----	0.00 - 8.80	----	----	----	2	----	0 - 183
4525	----	----	#349.70B/----	#349.70B/232.70A	----	252.20 + 83.70	----	----	----	----	----	0 - 50
4525	32.70	32.70	32.70/*24.70A	47.40B/*24.70A	----	34.90 NEW	.1948	----	----	20	----	20 + 20
4530	----	----	#344.90B/----	#344.90B/231.20A	----	247.20 + 83.40	----	----	----	----	----	0 - 2
4530	----	----	----/*0.40A	3.50B/*0.40A	----	0.00 - 9.10	----	----	----	----	----	0 - 22
4530	----	----	#338.80B/----	#338.80B/225.20A	----	263.30 + 61.20	.8657	----	----	----	----	1 UNCH
4535	----	----	----/*0.40A	3.60B/*0.40A	----	0.00 - 9.50	----	----	----	1	----	0 - 21
4535	----	----	#339.70B/----	#339.70B/223.20A	----	242.20 + 83.00	----	----	----	1	----	0 - 1
4540	----	----	----/*0.40A	3.80B/*0.40A	----	0.00 - 9.90	----	----	----	----	----	0 - 168
4545	----	----	----/*0.40A	4.00B/*0.40A	----	0.00 - 10.40	----	----	----	----	----	0 - 1
4550	4.70	4.70	4.70/*0.20A	4.70/*0.20A	----	0.00 - 10.90	----	----	----	14	----	0 - 346
4550	----	----	#341.10B/----	#341.10B/244.60A	----	266.40 + 52.70	.7832	----	----	----	----	1 UNCH
4550	----	----	#325.10B/----	325.10B/209.10A	----	227.20 + 81.60	----	----	----	----	----	0 - 150
4550	----	----	----/*12.60A	35.70B/*12.60A	----	18.40 - 33.90	.1505	----	----	----	----	1 UNCH
4550	----	----	#326.10B/----	#326.10B/208.70A	----	245.40 NEW	.8492	----	----	45	----	45 + 45
4560	20.00	20.00	20.00/*13.50A	37.70B/*13.50A	----	19.60 NEW	.1595	----	----	1	----	1 + 1
4560	1.00	1.00	1.00/*0.40A	4.60B/*0.40A	----	0.00 - 11.90	----	----	----	2	----	0 - 27
4565	23.90	23.90	23.90/*13.90A	38.70B/*13.90A	----	20.20 - 35.90	.1640	----	----	1	----	2 + 1
4565	----	----	----/*0.40A	4.80B/*0.40A	----	0.00 - 12.50	----	----	----	----	----	0 - 101
4570	----	----	#304.90B/----	#304.90B/190.40A	----	207.20 + 79.50	----	----	----	----	----	0 - 2
4570	1.70	1.70	1.70/*0.40A	4.90B/*0.40A	----	0.00 - 13.00	----	----	----	1	----	0 - 1
4575	218.00	218.00	#320.20B/218.00	#320.20B/216.20A	----	246.50 NEW	.7600	----	----	1	----	1 + 1
4575	25.50	25.50	25.50/*14.70A	40.60B/*14.70A	----	21.50 NEW	.1735	----	----	1	----	1 + 1
4575	----	----	----/*0.40A	5.30B/*0.40A	----	0.00 - 13.60	----	----	----	2	----	0 - 52
4580	5.00	5.00	5.00/*0.40	5.60B/*0.40	----	0.00 - 14.40	----	----	----	3	----	0 - 45
4580	----	----	#295.00B/----	#295.00B/181.30A	----	197.20 + 78.10	----	----	----	----	----	0 - 2
4580	18.90	18.90	18.90/*15.10A	41.30B/*15.10A	----	22.20 - 38.00	.1786	----	----	1	----	2 + 1
4585	----	----	----/*0.40A	6.00B/*0.40A	----	0.00 - 15.10	----	----	----	----	----	0 - 26
4585	204.00	204.00	#311.20B/204.00	#311.20B/204.00	----	238.80 NEW	.7502	----	----	1	----	1 + 1
4590	----	----	#285.20B/----	#285.20B/170.50A	----	187.20 + 76.60	----	----	----	----	----	0 - 1
4590	----	----	----/*0.30A	6.20B/*0.30A	----	0.00 - 15.90	----	----	----	----	----	0 - 2
4595	----	----	----/*0.40A	6.60B/*0.40A	----	0.00 - 16.70	----	----	----	1	----	0 - 1
4600	----	----	#275.50B/----	275.50B/160.60A	----	177.20 + 75.00	----	----	----	1	----	0 - 2
4600	----	----	----/*17.30A	45.70B/*17.30A	----	25.30 - 40.90	.2004	----	----	3	----	3 + 2
4600	8.00	8.00	9.50/*0.10	9.50/*0.10	----	0.00 - 17.50	----	----	----	30	----	0 - 72
4600	199.00	199.00	#299.30B/194.00	#299.30B/194.00	----	227.30 NEW	.7349	----	----	4	----	4 + 4
4600	----	----	----/*35.20A	65.80B/*35.20A	----	50.30 - 45.00	.2647	----	----	4	----	5 + 4
4600	----	----	#277.70B/----	#277.70B/169.30A	----	202.40 + 51.60	.7994	----	----	----	----	1 UNCH
4605	----	----	#273.00B/----	#273.00B/165.60A	----	198.20 + 50.80	.7937	----	----	----	----	1 UNCH
4605	0.60	0.60	0.60/*0.40A	7.20B/*0.40A	----	0.00 - 18.40	----	----	----	9	----	0 - 2
4605	----	----	#270.20B/----	#270.20B/155.90A	----	172.20 + 74.10	----	----	----	3	----	0 - 4
4610	3.00	3.00	3.00/*0.30A	7.60B/*0.30A	----	0.00 - 19.40	----	----	----	2	----	0 - 12
4610	----	----	#265.20B/----	#265.20B/151.40A	----	167.20 + 73.10	----	----	----	1	----	0 - 1
4615	0.40	0.40	0.40/*0.20	8.00B/*0.20	----	0.00 - 20.40	----	----	----	2	----	0 - 3
4620	0.50	0.50	0.50/*0.30A	8.60B/*0.30A	----	0.00 - 21.60	----	----	----	1	----	0 - 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED APR26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
4620	----	----	#255.30B/----	#255.30B/140.70A	----	157.20 + 70.90	----	----	----	----	----	0 - 42
4620	----	----	#259.20B/----	#259.20B/155.10A	----	185.90 + 48.50	.7755	----	----	----	----	1 UNCH
4620	25.00	25.00	25.00/*19.40A	50.80B/*19.40A	----	28.80 NEW	.2243	----	----	50	----	50 + 50
4625	----	----	----/*0.10A	9.00B/*0.10A	----	0.00 - 22.70	----	----	----	18	----	0 - 51
4625	----	----	----/*20.00A	51.90B/*20.00A	----	29.70 NEW	.2305	----	----	1	----	1 + 1
4625	----	----	#250.30B/----	250.30B/136.50A	----	152.20 + 69.80	----	----	----	----	----	0 - 1
4630	----	----	#245.40B/----	#245.40B/131.00A	----	147.20 + 68.60	----	----	----	1	----	0 - 1
4630	----	----	----/*20.60A	53.20B/*20.60A	----	30.70 NEW	.2370	----	----	1	----	1 + 1
4630	0.10	0.10	0.10/*0.10	9.60B/*0.10	----	0.00 - 23.90	----	----	----	1	----	0 - 83
4635	----	----	#240.40B/----	#240.40B/125.80A	----	142.20 + 67.50	----	----	----	----	----	0 - 5
4635	----	----	----/*0.40A	10.10B/*0.40A	----	0.00 - 25.00	----	----	----	----	----	0 - 12
4640	----	----	#240.10B/----	#240.10B/141.00A	----	169.90 NEW	.7491	----	----	1	----	1 + 1
4640	----	----	----/*0.30A	10.70B/*0.30A	----	0.00 - 26.50	----	----	----	----	----	0 - 7
4640	----	----	#235.50B/----	#235.50B/121.60A	----	137.20 + 66.00	----	----	----	----	----	0 - 2
4645	1.50	1.50	1.50/*0.30A	11.10B/*0.30A	----	0.00 - 28.00	----	----	----	1	----	0 - 9
4645	----	----	#230.50B/----	#230.50B/115.90A	----	132.20 + 64.50	----	----	----	----	----	0 - 12
4650	199.00	199.00	#258.80B/165.40	#258.80B/165.40A	----	190.80 NEW	.6794	----	----	2	----	2 + 2
4650	6.50	6.50	11.70B/*0.10	11.70B/*0.10	----	0.00 - 29.60	----	----	----	21	----	0 - 38
4650	----	----	#232.50B/----	#232.50B/134.20A	----	162.20 + 43.70	.7351	----	----	----	----	2 UNCH
4650	----	----	#225.90B/----	225.90B/111.20A	----	127.20 + 62.90	----	----	----	----	----	0 - 18
4650	35.00	35.00	37.00/*23.30A	58.80B/*23.30A	----	35.00 - 48.80	.2647	----	----	7	----	8 + 7
4655	12.00	12.00	12.40B/*0.10A	12.40B/*0.10A	----	0.00 - 31.20	----	----	----	1	----	0 - 54
4655	----	----	#220.70B/----	#220.70B/106.30A	----	122.20 + 61.30	----	----	----	3	----	0 - 4
4660	----	----	#215.70B/----	#215.70B/101.10A	----	117.20 + 59.60	----	----	----	----	----	0 - 15
4660	3.40	3.40	3.40/*0.30A	13.50B/*0.30A	----	0.00 - 32.90	----	----	----	4	----	0 - 20
4660	50.00	50.00	50.00/*24.60A	61.80B/*24.60A	----	37.40 - 50.40	.2795	----	----	1	----	1 UNCH
4665	----	----	----/*25.50A	63.30B/*25.50A	----	38.70 - 51.20	.2872	----	----	----	----	21 UNCH
4665	----	----	#217.70B/----	#217.70B/121.20A	----	150.80 + 41.20	.7125	----	----	----	----	11 UNCH
4665	2.00	2.00	2.00/*0.30A	14.30B/*0.30A	----	0.00 - 34.60	----	----	----	4	----	0 - 24
4665	----	----	#210.80B/----	#210.80B/96.20A	----	112.20 + 57.90	----	----	----	----	----	0 - 35
4670	199.00	199.00	#242.90B/153.40	#242.90B/153.40A	----	177.00 NEW	.6553	----	----	8	----	8 + 8
4670	----	----	#205.90B/----	#205.90B/91.60A	----	107.20 + 55.90	----	----	----	----	----	0 - 16
4670	----	----	----/*26.30A	64.90B/*26.30A	----	39.90 - 52.10	.2948	----	----	----	----	1 UNCH
4670	12.00	12.00	12.00/*0.30A	14.80B/*0.30A	----	0.00 - 36.60	----	----	----	1	----	0 - 14
4675	----	----	----/*50.30A	92.30B/*50.30A	----	71.60 NEW	.3506	----	----	4	----	4 + 4
4675	169.70	169.70	#200.90B/86.70A	200.90B/86.70A	----	102.20 + 54.10	----	----	----	5	----	0 - 56
4675	9.00	9.00	9.00/*0.30A	15.80B/*0.30A	----	0.00 - 38.40	----	----	----	9	----	0 - 105
4680	----	----	----/*27.90A	68.20B/*27.90A	----	42.60 NEW	.3108	----	----	2	----	2 + 2
4680	----	----	#196.00B/----	#196.00B/82.30A	----	97.20 + 51.90	----	----	----	----	----	0 - 10
4680	8.00	8.00	8.00/*0.10A	16.80B/*0.10A	----	0.00 - 40.60	----	----	----	5	----	0 - 8
4685	----	----	----/*0.10A	17.90B/*0.10A	----	0.00 - 42.70	----	----	----	4	----	0 - 6
4685	97.20	97.20	#191.10B/95.90	#191.10B/77.00A	----	92.20 + 49.80	----	----	----	2	----	0 - 5
4685	----	----	#231.40B/----	#231.40B/144.50A	----	167.00 + 37.80	.6365	----	----	----	----	1 UNCH
4685	----	----	----/*52.80A	96.40B/*52.80A	----	74.90 - 54.60	.3631	----	----	----	----	6 UNCH
4690	----	----	#186.20B/----	#186.20B/71.90A	----	87.20 + 47.70	----	----	----	2	----	0 - 16
4690	----	----	----/*0.30A	20.50B/*0.30A	----	0.00 - 44.80	----	----	----	1	----	0 - 51
4690	----	----	#241.80B/----	#241.80B/168.20A	----	184.00 + 33.60	.6144	----	----	----	----	1 UNCH
4690	161.80	161.80	#227.70B/141.60	#227.70B/141.60A	----	163.80 NEW	.6301	----	----	5	----	5 + 5
4695	39.20	39.20	39.20/*30.60A	73.90B/*30.60A	----	47.00 - 56.20	.3359	----	----	1	----	1 UNCH
4695	20.90	20.90	20.90/*0.30A	20.90/*0.30A	----	0.00 - 47.20	----	----	----	8	----	0 - 77
4695	----	----	#181.30B/----	#181.30B/67.40A	----	82.20 + 45.30	----	----	----	----	----	0 - 77
4695	----	----	191.60B/----	191.60B/102.70A	----	129.20 + 36.30	.6639	----	----	1	----	1 UNCH
4695	----	----	----/*55.30A	100.60B/*55.30A	----	78.40 - 55.70	.3759	----	----	----	----	2 UNCH
4700	37.00	37.00	50.00/*31.60A	75.70B/*31.60A	----	48.60 - 57.00	.3446	----	----	10	----	10 + 7
4700	----	----	188.50B/----	188.50B/99.80A	----	125.70 + 35.40	.6551	----	----	----	----	4 UNCH
4700	19.40	19.40	25.10/*0.30A	25.10/*0.30A	----	0.00 - 49.80	----	----	----	174	----	0 - 65
4700	----	----	176.80B/----	176.80B/63.10A	----	77.20 + 42.70	----	----	----	15	----	0 - 44
4705	1.20	1.20	1.40/*0.30A	23.00B/*0.30A	----	0.00 - 52.50	----	----	----	16	----	0 - 53
4705	----	----	183.00B/----	183.00B/97.30A	----	122.30 + 34.50	.6464	----	----	----	----	1 UNCH
4705	----	----	#171.60B/----	#171.60B/58.40A	----	72.20 + 40.00	----	----	----	2	----	0 - 6
4710	29.40	29.40	29.40/*29.40	78.60B/*29.40	----	51.80 NEW	.3622	----	----	1	----	1 + 1
4710	120.00	120.00	#166.70B/53.10A	#166.70B/53.10A	----	67.20 + 37.20	----	----	----	2	----	0 - 32
4710	25.10	25.10	25.10/*0.30A	25.10/*0.30A	----	0.00 - 55.30	----	----	----	61	----	0 - 6
4710	----	----	179.90B/----	179.90B/94.40A	----	119.00 + 33.80	.6376	----	----	----	----	5 UNCH
4715	1.50	1.50	2.50/*0.30A	26.10B/*0.30A	----	0.00 - 58.10	----	----	----	21	----	0 - 2
4715	----	----	#161.80B/----	#161.80B/49.20A	----	62.20 + 34.40	----	----	----	----	----	0 - 53
4715	85.10	85.10	109.70B/*60.70A	109.70B/*60.70A	----	85.80 NEW	.4021	----	----	15	----	15 + 15
4720	0.70	0.70	2.70/*0.10A	27.90B/*0.10A	----	0.00 - 61.10	----	----	----	7	----	0 - 6
4720	115.00	115.00	#157.00B/44.20A	#157.00B/44.20A	----	57.20 + 31.40	----	----	----	6	----	0 - 160
4725	12.70	12.70	12.70/*0.30A	29.70B/*0.30A	----	0.00 - 64.20	----	----	----	27	----	0 - 19
4725	110.00	110.00	152.10B/39.70A	152.10B/39.70A	----	52.20 + 28.30	----	----	----	13	----	0 - 149
4725	----	----	166.40B/----	166.40B/86.30A	----	109.20 + 31.30	.6102	----	----	----	----	1 UNCH
4725	65.00	65.00	65.00/*36.90A	85.00B/*36.90A	----	57.00 NEW	.3896	----	----	3	----	3 + 3
4730	30.00	30.00	31.60B/*0.30A	31.60B/*0.30A	----	0.00 - 67.40	----	----	----	49	----	0 - 54
4730	105.00	105.00	#147.30B/35.90A	#147.30B/35.90A	----	47.20 + 25.10	----	----	----	2	----	0 - 10
4730	----	----	162.20B/----	162.20B/83.70A	----	106.10 + 30.50	.6007	----	----	----	----	0 UNCH
4735	35.00	35.00	35.00/*35.00	89.60B/*35.00	----	60.80 NEW	.4085	----	----	1	----	1 + 1
4735	30.00	30.00	33.60B/*0.30	33.60B/*0.30	----	0.00 - 70.70	----	----	----	11	----	0 - 40
4735	----	----	#143.30B/----	143.30B/31.80A	----	42.20 + 21.80	----	----	----	----	----	0 - 7
4735	----	----	----/*66.50A	119.00B/*66.50A	----	93.80 - 60.20	.4291	----	----	----	----	1 UNCH
4735	----	----	159.50B/----	159.50B/81.20A	----	103.00 + 29.70	.5913	----	----	----	----	5 UNCH
4740	40.00	40.00	40.00/*39.50A	91.40B/*39.50A	----	62.70 NEW	.4180	----	----	1	----	1 + 1
4740	30.00	30.00	35.70B/*0.30A	35.70B/*0.30A	----	0.00 NEW	----	----	----	51	----	0 UNCH
4740	92.70	92.70	#138.50B/27.80A	138.50B/27.80A	----	37.20 + 18.40	----	----	----	4	----	0 - 16
4745	----	----	#133.70B/----	133.70B/24.10A	----	32.20 + 14.80	----	----	----	1	----	0 - 7
4745	----	----	----/*0.20A	37.90B/*0.20A	----	0.00 - 77.70	----	----	----	6	----	0 - 16
4750	----	----	148.60B/----	148.60B/73.80A	----	94.00 + 27.20	.5623	----	----	----	----	2 UNCH
4750	----	----	#184.90B/----	#184.90B/109.40A	----	127.30 + 30.40	.5497	----	----	----	----	1 UNCH
4750	47.00	47.00	96.20B/*43.10A	96.20B/*43.10A	----	66.80 - 65.20	.4374	----	----	25	----	15 + 14
4750	106.00	106.00	147.80B/*91.70A	147.80B/*91.70A	----	120.20 NEW	.4534	----	----	1	----	1 + 1
4750	60.00	60.00	128.70B/20.30A	128.70B/20.30A	----	27.20 + 11.20	----	----	----	45	----	0 - 83
4750	20.00	20.00	20.00/*0.30A	40.30B/*0.30A	----	0.00 - 81.30	----	----	----	270	----	0 - 6
4755	8.50	8.50	8.50/*0.10A	42.80B/*0.10A	----	0.00 NEW	----	----	----	6	----	0 UNCH
4755	----	----	124.20B/----	124.20B/17.00A	----	22.20 + 7.50	----	----	----	1	----	0 - 1
4760	42.00	42.00	119.50B/13.30A	119.50B/13.30A	----	17.20 + 3.70	----	----	----	20	----	0 - 58
4760	8.00	8.00	12.00/*0.10	45.40B/*0.10	----	0.00 NEW	----	----	----	30	----	0 UNCH
4760	----	----	139.50B/----	139.50B/69.10A	----	88.30 + 25.70	.5426	----	----	----	----	33 UNCH
4765	12.00	12.00	114.80B/*8.80A	114.80B/*8.80A	----	12.20 - 0.20	----	----	----	7	----	0 - 2
4765	25.40	25.40	25.40/*0.10A	49.30B/*0.10A	----	0.00 NEW	----	----	----	99	----	0 UNCH
4765	----	----	#180.00B/----	#180.00B/102.50A	----	119.00 + 28.70	.5288	----	----	----	----	3 UNCH
4770	----	----	#148.80B/----	#148.80B/64.60A	----	82.80 + 24.10	.5226	----	----	----	----	3 UNCH
4770	55.00	55.00	110.10B/*3.50A	110.10B/*3.50A	----	7.20 - 4.10	----	----	----	13	----	0 - 25
4770	15.50	15.50	16.00/*0.10A	47.10B/*0.10A	----	0.00 - 96.60	----	----	----	93	----	0 - 2
4775	40.00	40.00	110.00B/*0.90	110.00B/*0.90	----	2.20 - 8.30	----	----	----	43	----	0 - 348
4775	8.00	8.00	15.60/*0.10	49.80B/*0.10	----	0.00 - 00.80	----	----	----	272	----	0 - 1
4780	----	----	#141.60B/----	#141.60B/60.20A	----	77.50 + 22.60	.5025	----	----	----	----	1 UNCH
4780	45.10	45.10	51.90B/*0.50	51.90B/*0.50	----	2.80 NEW	----	----	----	121	----	0 UNCH
4780	15.00	15.00	102.60B/*0.60A	102.60B/*0.60A	----	0.00 - 9.60	----	----	----	28	----	0 - 11
4780	----	----	#191.60B/----	#191.60B/122.10A	----	130.90 NEW	.5102	----	----	1	----	1 + 1
4785	10.10	10.10	27.00/*2.70A	52.80B/*2.70A	----	7.80 NEW	----	----	----	59	----	0 UNCH
4785	11.20	11.20	97.70B/*0.10	97.70B/*0.10	----	0.00 - 8.70	----	----	----	30	----	0 - 18
4785	78.30	78.30	78.30/*53.50A	113.40B/*53.50A	----	82.70 NEW	.5074	----	----	1	----	1 + 1
4790	62.50	62.50	93.30B/*0.10	93.30B/*0.10	----	0.00 - 8.00	----	----	----	19	----	0 - 13
4790	18.70	18.70	18.70/*5.10A	54.30B/*5.10A	----	12.80 NEW	----	----	----	25	----	0 UNCH
4795	11.50	11.50	88.70B/*0.30A	88.70B/*0.30A	----	0.00 - 7.30	----	----	----	16	----	0 - 4
4795	9.00	9.00	13.00/*6.90A	57.80B/*6.90A	----	17.80 NEW	----	----	----	12	----	0 UNCH
4800	73.40	73.40	117.20B/52.20A	117.20B/52.20A	----	67.60 + 19.70	.4619	----	----	2	----	8 + 1
4800	19.00	19.00	27.10/*6.90A	61.30B/*6.90A	----	22.80 - 99.20	----	----	----	174	----	0 - 13
4800	21.70	21.70	84.40B/*0.10	84.40B/*0.10	----	0.00 - 6.70	----	----	----	142	----	0 - 86
4805	19.00	19.00	79.40B/*0.20	79.40B/*0.20	----	0.00 - 6.20	----	----	----	22	----	0 - 3
4805	14.00	14.00	14.10/*8.10	62.10B/*8.10	----	27.80 NEW	----	----	----	12	----	0 UNCH
4810	16.00	16.00	35.00/*9.90A	65.90B/*9.90A	----	32.80 - 98.10	----	----	----	22	----	0 - 1
4810	21.00	21.00	74.90B/*0.20A	74.90B/*0.20A	----	0.00 - 5.60	----	----	----	53	----	0 - 10
4810	89.60	89.60	114.90B/48.50A	114.90B/48.50A	----	63.00 + 18.30	.4416	----	----	3	----	3 UNCH
4815	12.00	12.00	42.00/*12.00	69.70B/*12.00	----	37.80 NEW	----	----	----	32	----	0 UNCH
4815	----	----	115.30B/----	115.30B/46.80A	----	60.80 + 17.60	.4315	----	----	1	----	1 UNCH
4815	35.00	35.00	70.90B/*0.20A	70.90B/*0.20A	----	0.00 - 5.30	----	----	----	5	----	0 - 23
4820	30.00	30.00	66.50B/*0.20A	66.50B/*0.20A	----	0.00 - 4.80	----	----	----	19	----	0 - 27
4820	25.00	25.00	35.00/*13.30A	73.60B/*13.30A	----	42.80 - 97.30	----	----	----	36	----	0 - 2
4820	136.20	136.20	186.40B/*119.10	186.40B/*119.10A	----	153.70 NEW	.5379	----	----	1	----	1 + 1
4820	----	----	114.20B/----	114.20B/45.00A	----	58.70 + 17.00	.4215	----	----	----	----	5 UNCH
4825	----	----	114.70B/----	114.70B/43.40A	----	56.60 + 16.40	.4115	----	----	----	----	12 UNCH
4825	14.90	14.90	23.50/*12.20A	77.60B/*12.20A	----	47.80 - 96.90	----	----	----	27	----	0 - 1
4825	14.20	14.20	62.20B/*0.10A	62.20B/*0.10A	----	0.00 - 4.40	----	----	----	83	----	0 - 37
4830	25.20	25.20	58.00B/*0.20A	58.00B/*0.20A	----	0.00 - 4.10	----	----	----	6	----	0 - 5
4830	30.00	30.00	35.00/*13.30A	81.80B/*13.30A	----	52.80 NEW	----	----	----	54	----	0 UNCH
4835	13.70	13.70	53.80B/*0.20A	53.80B/*0.20A	----	0.00 - 3.80	----	----	----	36	----	0 - 8

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK3

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4840	----	----	104.90B/----	104.90B/38.80A	----	50.60 + 14.50	.3817	----	----	4	----	4 UNCH
4840	34.00	34.00	65.00/*16.00A	90.30B/*16.00A	----	62.80 NEW	----	----	----	63	----	0 UNCH
4840	17.00	17.00	52.00/*0.10	52.00/*0.10	----	0.00 - 3.50	----	----	----	53	----	0 - 31
4845	----	----	101.90B/----	101.90B/37.30A	----	48.70 + 13.90	.3719	----	----	----	----	4 UNCH
4845	----	----	#125.40B/----	125.40B/69.60A	----	80.80 + 20.30	.4152	----	----	----	----	18 UNCH
4845	21.20	21.20	45.70B/*0.20A	45.70B/*0.20A	----	0.00 - 3.10	----	----	----	15	----	0 - 6
4845	29.00	29.00	38.00/*18.60A	94.60B/*18.60A	----	67.80 NEW	----	----	----	3	----	0 UNCH
4850	13.00	13.00	43.50B/*0.10	43.50B/*0.10	----	0.00 - 2.90	----	----	----	371	----	0 - 303
4850	79.00	79.00	98.90B/35.90A	98.90B/35.90A	----	46.90 + 13.30	.3622	----	----	60	----	38 - 12
4850	39.00	39.00	45.00/*19.90A	99.00B/*19.90A	----	72.80 - 95.40	----	----	----	58	----	0 - 1
4855	----	----	----/*80.60A	159.60B/*80.60A	----	122.90 - 79.60	.6470	----	----	----	----	1 UNCH
4855	11.00	11.00	40.90B/*0.20A	40.90B/*0.20A	----	0.00 - 2.70	----	----	----	32	----	0 - 4
4860	11.70	11.70	37.70B/*0.20	37.70B/*0.20	----	0.00 - 2.40	----	----	----	13	----	0 - 12
4860	28.00	28.00	28.00/*23.20A	108.00B/*23.20A	----	82.80 NEW	----	----	----	5	----	0 UNCH
4865	30.30	30.30	65.00/*25.00A	112.50B/*25.00A	----	87.80 NEW	----	----	----	47	----	0 UNCH
4865	15.00	15.00	34.50B/*0.20A	34.50B/*0.20A	----	0.00 - 2.30	----	----	----	56	----	0 - 21
4870	----	----	#115.80B/----	#115.80B/61.10A	----	70.80 + 17.80	.3802	----	----	----	----	14 UNCH
4870	17.10	17.10	35.00/*0.20A	35.00/*0.20A	----	0.00 - 2.10	----	----	----	16	----	0 - 3
4870	29.60	29.60	30.00/*27.00A	117.10B/*27.00A	----	92.80 - 94.60	----	----	----	7	----	0 - 1
4875	32.00	32.00	39.90/*29.10A	121.80B/*29.10A	----	97.80 NEW	----	----	----	2	----	0 UNCH
4875	----	----	84.70B/----	84.70B/29.50A	----	38.60 + 10.70	.3154	----	----	----	----	1 UNCH
4875	22.20	22.20	28.50B/*0.10	28.50B/*0.10	----	0.00 - 1.90	----	----	----	98	----	0 - 8
4880	35.10	35.10	56.50/*31.40A	126.40B/*31.40A	----	102.80 NEW	----	----	----	48	----	0 UNCH
4880	19.90	19.90	25.70B/*0.20A	25.70B/*0.20A	----	0.00 - 1.80	----	----	----	19	----	0 - 5
4885	----	----	79.50B/----	79.50B/27.30A	----	35.70 + 9.80	.2977	----	----	10	----	10 UNCH
4885	20.00	20.00	23.20B/*0.20A	23.20B/*0.20A	----	0.00 - 1.70	----	----	----	48	----	0 - 22
4890	6.00	6.00	20.80B/*0.20A	20.80B/*0.20A	----	0.00 NEW	----	----	----	6	----	0 UNCH
4895	1.10	1.10	18.50B/*0.20A	18.50B/*0.20A	----	0.00 - 1.60	----	----	----	3	----	0 - 6
4900	6.00	6.00	20.30/*0.10	20.30/*0.10	----	0.00 - 1.50	----	----	----	82	----	0 - 76
4900	38.90	38.90	72.10B/24.20A	72.10B/24.20A	----	31.60 + 8.40	.2719	----	----	19	----	29 + 16
4900	85.20	85.20	100.70B/52.10A	100.70B/52.10A	----	60.20 NEW	.3397	----	----	3	----	3 + 3
4900	81.20	81.20	#121.00B/75.30A	#121.00B/75.30A	----	78.20 NEW	.3661	----	----	60	----	60 + 60
4900	55.00	55.00	55.00/*45.20A	145.40B/45.20A	----	122.80 - 94.00	----	----	----	7	----	0 - 2
4905	78.10	78.10	#97.40B/50.30A	#97.40B/50.30A	----	58.60 NEW	.3332	----	----	50	----	50 + 50
4905	5.80	5.80	14.70B/*0.20A	14.70B/*0.20A	----	0.00 - 1.30	----	----	----	11	----	0 - 14
4910	----	----	67.40B/----	67.40B/22.30A	----	29.10 + 7.60	.2555	----	----	10	----	10 UNCH
4910	5.00	5.00	12.80B/*0.20A	12.80B/*0.20A	----	0.00 - 1.30	----	----	----	7	----	0 - 11
4915	2.00	2.00	11.30B/*0.10A	11.30B/*0.10A	----	0.00 - 1.20	----	----	----	18	----	0 - 38
4920	4.90	4.90	12.10/*0.20A	12.10/*0.20A	----	0.00 - 1.20	----	----	----	4	----	0 - 3
4925	----	----	60.70B/----	60.70B/19.70A	----	25.70 + 6.50	.2321	----	----	----	----	1 UNCH
4925	9.00	9.00	9.20B/*0.20A	9.20B/*0.20A	----	0.00 - 1.00	----	----	----	27	----	0 - 52
4925	----	----	----/*62.20A	169.60B/62.20A	----	147.80 - 93.50	----	----	----	----	----	0 - 1
4930	0.80	0.80	8.00B/*0.10A	8.00B/*0.10A	----	0.00 - 1.00	----	----	----	4	----	0 - 1
4935	----	----	6.90B/*0.20A	6.90B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 8
4935	80.10	80.10	112.90/*69.60A	179.30B/*69.60A	----	157.80 NEW	----	----	----	2	----	0 UNCH
4940	2.80	2.80	6.10B/*0.20	6.10B/*0.20	----	0.00 - 0.90	----	----	----	11	----	0 - 2
4950	----	----	49.90B/----	49.90B/16.00A	----	20.90 NEW	.1969	----	----	4	----	4 + 4
4950	5.30	5.30	6.40/*0.30A	6.40/*0.30A	----	0.00 - 0.80	----	----	----	26	----	0 - 17
4955	----	----	48.10B/----	48.10B/15.40A	----	20.00 + 4.60	.1902	----	----	----	----	1 UNCH
4955	----	----	----/85.70A	198.90B/85.70A	----	177.80 - 93.30	----	----	----	----	----	0 - 1
4955	----	----	4.20B/*0.20A	4.20B/*0.20A	----	0.00 - 0.80	----	----	----	7	----	0 - 2
4965	----	----	44.50B/14.20A	44.50B/14.20A	----	18.40 + 4.10	.1777	----	----	1	----	7 UNCH
4965	----	----	3.10B/*0.30A	3.10B/*0.30A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4970	14.00	14.00	42.80B/13.60A	42.80B/13.60A	----	17.70 NEW	.1720	----	----	3	----	3 + 3
4975	----	----	41.20B/13.10A	41.20B/13.10A	----	16.90 NEW	.1657	----	----	1	----	1 + 1
4975	0.80	0.80	2.30B/*0.20A	2.30B/*0.20A	----	0.00 - 0.70	----	----	----	2	----	0 - 4
4980	----	----	2.10B/*0.20A	2.10B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4990	----	----	#61.50B/----	61.50B/32.00A	----	36.00 + 8.50	.2319	----	----	----	----	14 UNCH
4990	----	----	1.50B/*0.10A	1.50B/*0.10A	----	0.00 - 0.60	----	----	----	2	----	0 - 514
4990	----	----	36.80B/11.60A	36.80B/11.60A	----	14.90 NEW	.1492	----	----	1	----	1 + 1
4995	----	----	#59.50B/----	59.50B/31.00A	----	34.90 + 8.20	.2265	----	----	----	----	28 UNCH
4995	----	----	----/*164.50A	276.50B/*164.50A	----	231.90 - 89.70	.8556	----	----	----	----	1 UNCH
4995	1.00	1.00	1.30B/*0.10A	1.30B/*0.10A	----	0.00 - 0.60	----	----	----	10	----	0 - 513
5000	30.00	30.00	34.10B/10.70A	34.10B/10.70A	----	13.70 + 2.60	.1391	----	----	7	----	11 + 3
5000	----	----	#79.10B/----	#79.10B/48.20A	----	49.10 NEW	.2603	----	----	1	----	1 + 1
5000	----	----	58.30B/----	58.30B/30.20A	----	33.90 + 7.90	.2214	----	----	----	----	1 UNCH
5000	----	----	----/128.90A	243.50B/128.90A	----	222.80 - 93.10	----	----	----	6	----	0 - 3
5000	2.10	2.10	2.30/*0.10A	2.30/*0.10A	----	0.00 - 0.60	----	----	----	13	----	0 - 113
5005	----	----	32.80B/*10.40A	32.80B/*10.40A	----	13.10 NEW	.1340	----	----	1	----	1 + 1
5005	----	----	----/134.00A	248.50B/134.00A	----	227.80 - 93.10	----	----	----	4	----	0 - 1
5010	----	----	31.60B/9.90A	31.60B/9.90A	----	12.60 + 2.30	.1295	----	----	----	----	5 UNCH
5010	----	----	0.80B/*0.10A	0.80B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 4
5010	----	----	----/138.80A	249.80B/138.80A	----	232.80 - 93.10	----	----	----	----	----	0 - 1
5015	----	----	30.20B/*9.50A	30.20B/*9.50A	----	12.00 + 2.10	.1244	----	----	1	----	2 + 1
5015	----	----	0.80B/*0.20A	0.80B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 3
5020	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 34
5020	----	----	29.00B/*9.20A	29.00B/*9.20A	----	11.50 NEW	.1200	----	----	1	----	1 + 1
5025	----	----	27.80B/*8.80A	27.80B/*8.80A	----	11.10 + 1.80	.1162	----	----	1	----	3 + 1
5025	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5035	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
5040	17.90	17.90	24.60B/*7.80A	24.60B/*7.80A	----	9.80 + 1.40	.1043	----	----	1	----	40 - 1
5050	----	----	23.10B/*7.20A	23.10B/*7.20A	----	9.00 + 1.20	.0968	----	----	1	----	5 UNCH
5050	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 30
5060	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
5065	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
5070	1.20	1.20	1.20/*0.10A	1.20/*0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 5
5075	48.50	48.50	#56.50B/34.20A	#56.50B/34.20A	----	34.00 NEW	.1952	----	----	2	----	2 + 2
5075	0.40	0.40	0.40/*0.10A	0.40/*0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 22
5080	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
5090	13.00	13.00	16.40B/*5.40A	16.40B/*5.40A	----	6.50 NEW	.0724	----	----	13	----	13 + 13
5095	0.20	0.20	0.30B/*0.10A	0.30B/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 1
5100	----	----	15.50B/*4.90A	15.50B/*4.90A	----	6.00 + 0.30	.0674	----	----	2	----	4 + 2
5100	----	----	#31.10B/----	31.10B/17.60A	----	18.60 NEW	.1359	----	----	4	----	4 + 4
5100	0.20	0.20	0.60/*0.10	0.60/*0.10	----	0.00 - 0.10	----	----	----	19	----	0 - 8
5100	----	----	----/227.20A	337.60B/227.20A	----	322.80 - 92.60	----	----	----	----	----	0 - 30
5105	12.90	12.90	14.90B/*4.70	14.90B/*4.70	----	5.80 NEW	.0652	----	----	2	----	2 + 2
5110	12.00	12.00	14.80B/*4.60A	14.80B/*4.60A	----	5.60 NEW	.0631	----	----	2	----	2 + 2
5120	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5150	----	----	10.30B/*3.50A	10.30B/*3.50A	----	4.20 UNCH	.0482	----	----	1	----	1 + 1
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5155	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5175	6.30	6.30	8.30B/*3.00A	8.30B/*3.00A	----	3.50 - 0.20	.0406	----	----	1	----	2 + 1
5175	----	----	#18.80B/----	18.80B/*11.70A	----	11.80 NEW	.0921	----	----	4	----	4 + 4
5200	----	----	7.00B/*2.70A	7.00B/*2.70A	----	2.90 - 0.30	.0340	----	----	----	----	3 UNCH
5200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5230	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5245	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
5250	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	4	----	0 - 5
5285	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5290	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5305	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5325	----	----	1.80B/----	1.80B/*1.50A	----	1.00 NEW	.0127	----	----	2	----	2 + 2
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
TOTAL										4567		1138 - 6068

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	----/1.00A	----	0.10 - 0.60	.0007	----	----	----	----	1 UNCH
3850	----	----	----/*1.10A	0.60B/*1.10A	----	0.60 - 1.90	.0046	----	----	----	----	2 UNCH
4000	----	----	----/*1.50A	1.70B/*1.50A	----	1.10 - 3.20	.0088	----	----	----	----	3 UNCH
4100	----	----	----/*1.60A	3.20B/*1.60A	----	1.60 - 4.70	.0133	----	----	----	----	16 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----/*2.10A	4.10B/*2.10A	----	1.90 - 5.70	.0162	----	----	----	----	1 UNCH
4175	----	----	----/*2.20A	4.60B/*2.20A	----	2.10 - 6.30	.0181	----	----	----	----	48 UNCH
4200	----	----	----/*2.40A	5.30B/*2.40A	----	2.20 - 7.10	.0194	----	----	----	----	1 UNCH
4200	----	----	----/*7.70A	11.50B/*7.70A	----	6.70 - 13.00	.0433	----	----	1	----	1 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----/*2.80A	6.80B/*2.80A	----	2.70 - 8.70	.0243	----	----	----	----	61 UNCH
4250	----	----	----/*8.70A	14.30B/*8.70A	----	8.40 - 15.40	.0541	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 42

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
APR26												
4285	----	----	----/*3.20A	8.10B/*3.20A	----	3.10 - 10.10	.0285	----	----	----	----	1 UNCH
4300	3.30	3.30	3.30/*3.30	8.70B/*3.30	----	3.40 - 10.70	.0312	----	----	5	----	130 + 3
4300	14.50	14.50	14.50/*13.40A	26.30B/*13.40A	----	18.60 - 22.90	.0960	----	----	1	----	2 + 1
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----/*10.00A	15.40B/*10.00A	----	10.50 - 18.30	.0673	----	----	1	----	1 UNCH
4305	----	----	----/*3.50A	9.00B/*3.50A	----	3.40 - 11.00	.0314	----	----	----	----	5 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----/*3.90A	10.60B/*3.90A	----	4.00 - 12.90	.0374	----	----	----	----	1 UNCH
4350	14.70	14.70	23.40/*14.70	32.10B/*14.70	----	23.10 NEW	.1169	----	----	2	----	1 + 1
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----/*4.20A	11.10B/*4.20A	----	4.20 - 13.50	.0394	----	----	----	----	99 UNCH
4360	----	----	----/*10.60A	19.40B/*10.60A	----	14.00 - 22.20	.0886	----	----	----	----	2 UNCH
4400	----	----	----/*5.10A	14.60B/*5.10A	----	5.50 - 16.80	.0521	----	----	1	----	21 + 1
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	#477.80B/----	#477.80B/338.50A	----	382.50 + 75.70	.9477	----	----	----	----	1 UNCH
4400	----	----	----	----	----	284.70 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	274.70 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	269.70 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	4.50	4.50	4.50/*4.50	18.80B/*4.50	----	7.20 - 21.10	.0689	----	----	6	----	8 UNCH
4460	11.00	11.00	11.00/*6.60A	19.80B/*6.60A	----	7.70 - 22.00	.0735	----	----	1	----	2 + 1
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	14.10	14.10	14.10/*6.90A	20.40B/*6.90A	----	7.90 NEW	.0755	----	----	12	----	12 + 12
4475	----	----	----/*7.10A	21.40B/*7.10A	----	8.40 - 23.60	.0802	----	----	----	----	2 UNCH
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	26.00	26.00	26.00/*26.00	50.80B/*26.00	----	39.60 NEW	.1882	----	----	1	----	1 + 1
4475	----	----	----	----	----	209.70 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	#393.50B/----	#393.50B/294.70A	----	326.50 + 60.70	.8506	----	----	----	----	5 UNCH
4480	----	----	----/*16.50A	34.10B/*16.50A	----	25.20 - 32.30	.1523	----	----	----	----	5 UNCH
4485	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485	11.00	11.00	11.00/*7.30A	22.30B/*7.30A	----	9.00 - 24.60	.0857	----	----	1	----	11 + 1
4490	----	----	----/*7.50A	23.00B/*7.50A	----	9.30 - 25.20	.0884	----	----	2	----	0 - 2
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	189.70 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	#375.10B/----	#375.10B/246.40A	----	286.90 + 66.10	.9058	----	----	----	----	1 UNCH
4500	14.00	14.00	14.00/*6.50	24.20B/*6.50	----	9.90 - 26.30	.0940	----	----	31	----	129 - 25
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	184.70 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	169.70 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----/*8.50A	27.10B/*8.50A	----	11.30 - 28.70	.1067	----	----	2	----	2 UNCH
4525	----	----	----	----	----	159.70 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----/*8.50A	27.90B/*8.50A	----	11.70 - 29.30	.1102	----	----	1	----	53 UNCH
4530	----	----	----	----	----	154.70 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----/*9.10A	29.80B/*9.10A	----	12.90 - 31.30	.1210	----	----	----	----	5 UNCH
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----/*22.20A	45.20B/*22.20A	----	34.00 - 38.30	.1984	----	----	----	----	1 UNCH
4545	20.00	20.00	20.00/*9.40A	30.60B/*9.40A	----	13.40 - 31.90	.1252	----	----	10	----	11 + 10
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	134.70 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	#326.90B/----	326.90B/203.00A	----	240.90 + 59.80	.8708	----	----	----	----	2 UNCH
4550	----	----	----/*23.40A	48.20B/*23.40A	----	35.70 - 39.40	.2071	----	----	----	----	3 UNCH
4550	14.50	14.50	14.50/*9.70A	31.40B/*9.70A	----	13.80 - 32.70	.1289	----	----	2	----	49 UNCH
4555	----	----	----	----	----	129.70 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----/*10.60A	34.10B/*10.60A	----	15.40 - 34.70	.1424	----	----	----	----	1 UNCH
4570	----	----	----/*10.90A	35.00B/*10.90A	----	15.90 - 35.50	.1468	----	----	----	----	6 UNCH
4570	----	----	----	----	----	114.70 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	109.70 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----/*11.40A	35.90B/*11.40A	----	16.50 - 36.20	.1518	----	----	----	----	18 UNCH
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----/*44.30A	76.70B/*44.30A	----	62.50 - 44.50	.2763	----	----	----	----	3 UNCH
4590	----	----	#288.80B/----	#288.80B/170.60A	----	205.50 + 54.00	.8324	----	----	----	----	1 UNCH
4590	----	----	----	----	----	94.70 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----/*12.50A	39.00B/*12.50A	----	18.40 - 38.40	.1674	----	----	----	----	14 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	#285.20B/----	285.20B/162.80A	----	196.80 + 52.40	.8216	----	----	----	----	1 UNCH
4600	49.00	49.00	81.50B/*47.30A	81.50B/*47.30A	----	66.50 - 45.90	.2905	----	----	1	----	2 + 1
4600	----	----	----	----	----	84.70 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----/*30.10A	61.10B/*30.10A	----	45.90 NEW	.2560	----	----	2	----	2 + 2
4600	14.00	14.00	19.70/*13.20A	41.10B/*13.20A	----	19.70 - 40.10	.1781	----	----	21	----	22 + 6
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	79.70 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	#275.50B/----	#275.50B/159.00A	----	192.60 + 51.70	.8155	----	----	----	----	8 UNCH
4605	16.50	16.50	16.80/*13.50A	42.20B/*13.50A	----	20.50 NEW	.1843	----	----	70	----	70 + 70
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	41.90	41.90	62.40B/*30.90A	62.40B/*30.90A	----	47.00 - 45.50	.2613	----	----	1	----	1 UNCH
4610	----	----	----	----	----	74.70 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----/*14.20A	43.20B/*14.20A	----	21.20 - 41.60	.1900	----	----	----	----	5 UNCH
4610	----	----	#275.90B/----	#275.90B/186.30A	----	215.20 + 46.40	.7329	----	----	----	----	10 UNCH
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	64.70 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	#261.50B/----	#261.50B/147.70A	----	180.00 + 49.30	.7972	----	----	----	----	9 UNCH
4625	14.10	14.10	14.10/*14.10	46.70B/*14.10	----	23.70 NEW	.2093	----	----	1	----	1 + 1
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	59.70 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----/*53.60A	91.40B/*53.60A	----	75.00 - 48.80	.3198	----	----	----	----	1 UNCH
4630	----	----	----/*35.00A	70.30B/*35.00A	----	53.20 NEW	.2892	----	----	2	----	2 + 2
4635	----	----	#252.80B/----	#252.80B/135.90A	----	167.60 + 46.70	.7769	----	----	----	----	12 UNCH
4635	----	----	----	----	----	49.70 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	44.70 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	39.70 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	34.70 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----/*17.90A	53.30B/*17.90A	----	28.50 - 48.30	.2449	----	----	----	----	3 UNCH
4655	----	----	----	----	----	29.70 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----/*18.50A	54.70B/*18.50A	----	29.60 - 49.10	.2527	----	----	----	----	10 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	24.70 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	19.70 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	#220.00B/----	#220.00B/115.30A	----	144.00 + 41.60	.7311	----	----	----	----	27 UNCH
4670	----	----	#215.60B/----	#215.60B/110.40A	----	140.20 + 40.70	.7228	----	----	----	----	2 UNCH
4670	----	----	----	----	----	14.70 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	9.70 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	#211.20B/----	211.20B/107.20A	----	136.40 + 39.80	.7145	----	----	----	----	17 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	4.70 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	20.60	20.60	20.60/*20.60	62.00B/*20.60	----	35.60 NEW	.2940	----	----	1	----	1 + 1
4680	----	----	#212.10B/----	#212.10B/104.00A	----	132.70 + 38.90	.7058	----	----	----	----	9 UNCH
4685	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	#212.80B/----	#212.80B/135.80A	----	158.30 + 37.10	.6355	----	----	----	----	3 UNCH
4690	----	----	----	----	----	5.30 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week1										
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	40.00	40.00	40.00/*23.40A	65.90B/*23.40A	----	38.30 NEW	.3118	----	----	1	----	1 + 1
4695	----	----	#198.80B/----	#198.80B/94.90A	----	121.90 + 36.30	.6789	----	----	----	----	6 UNCH
4695	----	----	----	----	----	10.30 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	#194.80B/----	194.80B/91.90A	----	118.40 + 35.40	.6695	----	----	----	----	56 UNCH
4700	24.20	24.20	58.90/*23.00	69.50B/*23.00	----	41.20 - 57.10	.3303	----	----	22	----	30 + 1
4700	----	----	----	----	----	15.30 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	20.30 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	25.30 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	30.30 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----/*27.70A	74.90B/*27.70A	----	46.00 - 59.70	.3595	----	----	----	----	12 UNCH
4720	----	----	----	----	----	35.30 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	163.20B/----	163.20B/75.40A	----	98.40 + 30.10	.6098	----	----	2	----	26 + 2
4730	50.10	50.10	50.10/*30.70A	81.00B/*30.70A	----	51.20 - 62.40	.3899	----	----	10	----	35 + 10
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	50.30 UNCH	----	----	----	----	----	0 UNCH
4740	30.90	30.90	30.90/*30.90	85.40B/*30.90	----	54.90 NEW	.4108	----	----	1	----	1 + 1
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	#156.70B/----	156.70B/68.00A	----	89.10 NEW	.5782	----	----	1	----	1 + 1
4745	68.80	68.80	68.80/*34.10A	87.60B/*34.10A	----	56.90 NEW	.4215	----	----	6	----	6 + 6
4750	----	----	----	----	----	65.30 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	144.00	144.00	147.60B/65.80A	147.60B/65.80A	----	86.10 + 26.50	.5675	----	----	7	----	8 + 5
4750	40.00	40.00	71.10/*35.40A	89.80B/*35.40A	----	58.90 NEW	.4323	----	----	10	----	10 + 10
4755	66.60	66.60	144.30B/66.60	144.30B/63.60A	----	83.20 NEW	.5566	----	----	7	----	7 + 7
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4765	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	#142.60B/----	142.60B/56.80A	----	74.80 + 23.10	.5234	----	----	----	----	3 UNCH
4770	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	90.30 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4780	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	100.30 UNCH	----	----	----	----	----	0 UNCH
4785	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4790	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4795	76.40	76.40	112.70B/*48.60A	112.70B/*48.60A	----	79.90 NEW	.5326	----	----	1	----	1 + 1
4795	----	----	----	----	----	110.30 UNCH	----	----	----	----	----	0 UNCH
4795	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	115.30 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	#166.70B/----	#166.70B/109.00A	----	120.30 + 26.70	.4858	----	----	----	----	0 UNCH
4800	93.70	93.70	139.50B/81.40A	139.50B/81.40A	----	95.20 NEW	.4767	----	----	20	----	20 + 20
4800	44.90	44.90	118.00B/44.80A	118.00B/44.80A	----	59.70 + 18.30	.4559	----	----	23	----	34 + 13
4805	----	----	----	----	----	120.30 UNCH	----	----	----	----	----	0 UNCH
4805	91.50	91.50	114.40B/43.00A	114.40B/43.00A	----	57.50 NEW	.4447	----	----	1	----	1 + 1
4810	----	----	----	----	----	125.30 UNCH	----	----	----	----	----	0 UNCH
4810	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	107.50B/----	107.50B/39.50A	----	53.10 + 16.10	.4223	----	----	----	----	13 UNCH
4815	----	----	----	----	----	130.30 UNCH	----	----	----	----	----	0 UNCH
4815	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4825	35.00	35.00	104.60B/35.00	104.60B/35.00	----	48.90 NEW	.4000	----	----	10	----	10 + 10
4825	----	----	----	----	----	140.30 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	124.40B/----	124.40B/71.50A	----	83.60 + 21.40	.4392	----	----	----	----	3 UNCH
4825	80.40	80.40	132.90B/*59.60A	132.90B/*59.60A	----	96.70 NEW	.5998	----	----	2	----	2 + 2
4830	82.90	82.90	105.10B/34.80A	105.10B/34.80A	----	46.90 + 14.00	.3889	----	----	7	----	28 - 1
4830	----	----	----/*61.30A	135.60B/*61.30A	----	99.70 NEW	.6109	----	----	1	----	1 + 1
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4835	----	----	102.00B/----	102.00B/33.40A	----	45.00 + 13.30	.3780	----	----	----	----	1 UNCH
4840	----	----	98.90B/----	98.90B/32.10A	----	43.20 + 12.80	.3673	----	----	----	----	25 UNCH
4845	----	----	----/*67.50A	146.30B/*67.50A	----	109.10 NEW	.6432	----	----	14	----	14 + 14
4845	----	----	95.80B/----	95.80B/30.80A	----	41.40 + 12.10	.3566	----	----	----	----	1 UNCH
4850	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	165.30 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	113.20B/----	113.20B/62.50A	----	73.00 + 18.60	.4019	----	----	----	----	3 UNCH
4850	----	----	----/*70.00A	149.90B/*70.00A	----	112.40 NEW	.6539	----	----	14	----	14 + 14
4850	80.00	80.00	92.80B/29.40A	92.80B/29.40A	----	39.60 + 11.50	.3459	----	----	9	----	11 + 5
4860	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4860	----	----	#112.90B/----	112.90B/59.20A	----	69.10 + 17.60	.3872	----	----	----	----	10 UNCH
4860	----	----	86.90B/----	86.90B/26.90A	----	36.30 + 10.30	.3251	----	----	----	----	36 UNCH
4865	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	185.30 UNCH	----	----	----	----	----	0 UNCH
4870	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4875	----	----	78.10B/----	78.10B/23.50A	----	31.80 NEW	.2951	----	----	5	----	5 + 5
4880	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4890	----	----	#101.00B/----	#101.00B/50.30A	----	58.20 + 14.60	.3441	----	----	----	----	5 UNCH
4895	48.00	48.00	68.20B/19.50A	68.20B/19.50A	----	26.60 NEW	.2579	----	----	8	----	8 + 8
4895	----	----	#96.50B/----	#96.50B/47.80A	----	56.60 + 14.20	.3373	----	----	----	----	5 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	215.30 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	94.80B/----	94.80B/47.40A	----	54.90 + 13.70	.3302	----	----	----	----	1 UNCH
4900	----	----	65.10B/18.70A	65.10B/18.70A	----	25.40 + 6.50	.2490	----	----	7	----	6 + 1
4905	18.30	18.30	63.10B/17.80A	63.10B/17.80A	----	24.30 NEW	.2405	----	----	10	----	10 + 10
4915	----	----	58.60B/16.30A	58.60B/16.30A	----	22.20 + 5.50	.2240	----	----	----	----	20 UNCH
4925	----	----	----/*142.90A	229.70B/*142.90A	----	195.00 - 80.80	.7028	----	----	----	----	1 UNCH
4930	----	----	52.20B/14.20A	52.20B/14.20A	----	19.30 + 4.50	.2005	----	----	1	----	2 - 1
4935	----	----	50.70B/13.50A	50.70B/13.50A	----	18.40 + 4.20	.1930	----	----	----	----	1 UNCH
4940	----	----	48.80B/12.90A	48.80B/12.90A	----	17.60 NEW	.1860	----	----	1	----	1 + 1
4950	----	----	----	----	----	265.30 UNCH	----	----	----	----	----	0 UNCH
4950	----	----	47.10B/11.80A	47.10B/11.80A	----	16.00 + 3.40	.1722	----	----	----	----	16 UNCH
4960	----	----	41.70B/10.80A	41.70B/10.80A	----	14.60 + 2.90	.1596	----	----	----	----	1 UNCH
4960	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4960	46.00	46.00	#67.90B/33.60A	67.90B/33.60A	----	38.30 NEW	.2531	----	----	5	----	5 + 5
4965	----	----	40.10B/*10.30A	40.10B/*10.30A	----	13.90 + 2.70	.1533	----	----	----	----	1 UNCH
4970	----	----	38.80B/*9.80A	38.80B/*9.80A	----	13.30 + 2.50	.1476	----	----	----	----	20 UNCH
4975	----	----	----/*147.10A	254.70B/*147.10A	----	210.40 - 90.10	.8578	----	----	----	----	1 UNCH
4975	----	----	----/*174.50A	269.70B/*174.50A	----	232.50 - 84.10	.7636	----	----	----	----	1 UNCH
4975	----	----	37.10B/*9.50A	37.10B/*9.50A	----	12.70 + 2.30	.1419	----	----	----	----	16 UNCH
4980	----	----	35.80B/*9.10A	35.80B/*9.10A	----	12.10 + 2.10	.1363	----	----	----	----	20 UNCH
4985	12.00	12.00	34.60B/*8.70A	34.60B/*8.70A	----	11.60 + 2.00	.1313	----	----	11	----	306 + 1
4990	----	----	33.10B/*8.30A	33.10B/*8.30A	----	11.10 + 1.80	.1264	----	----	----	----	5 UNCH
4995	----	----	31.80B/*8.00A	31.80B/*8.00A	----	10.60 + 1.70	.1215	----	----	----	----	11 UNCH
5000	----	----	----	----	----	315.30 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5000	29.30	29.30	30.40B/*7.70A	30.40B/*7.70A	----	10.10 + 1.50	.1166	----	----	9	----	31 + 1
5005	16.80	16.80	29.40B/*7.30A	29.40B/*7.30A	----	9.60 NEW	.1117	----	----	25	----	25 + 25
5010	----	----	----	----	----	325.30 UNCH	----	----	----	----	----	0 UNCH
5010	26.40	26.40	27.90B/*7.00A	27.90B/*7.00A	----	9.20 NEW	.1076	----	----	47	----	46 + 46
5015	12.30	12.30	27.60B/*6.70A	27.60B/*6.70A	----	8.80 NEW	.1034	----	----	25	----	25 + 25
5020	----	----	25.70B/*6.50A	25.70B/*6.50A	----	8.40 NEW	.0993	----	----	1	----	1 + 1
5025	----	----	24.60B/*6.20A	24.60B/*6.20A	----	8.10 NEW	.0960	----	----	1	----	1 + 1
5025	36.70	36.70	#46.30B/23.00A	46.30B/23.00A	----	25.70 NEW	.1846	----	----	4	----	4 + 4
5030	----	----	25.10B/*5.90A	25.10B/*5.90A	----	7.70 NEW	.0919	----	----	1	----	1 + 1
5050	12.80	12.80	19.70B/*5.10A	19.70B/*5.10A	----	6.50 NEW	.0788	----	----	1	----	1 + 1
5060	----	----	18.40B/*4.70A	18.40B/*4.70A	----	5.90 + 0.40	.0723	----	----	----	----	5 UNCH
5065	----	----	----	----	----	380.30 UNCH	----	----	----	----	----	0 UNCH
5085	----	----	----	----	----	400.30 UNCH	----	----	----	----	----	0 UNCH
5090	----	----	----	----	----	405.30 UNCH	----	----	----	----	----	0 UNCH
5100	7.00	7.00	12.90B/*3.40A	12.90B/*3.40A	----	4.20 UNCH	.0529	----	----	9	----	6 + 1
5120	----	----	----	----	----	435.30 UNCH	----	----	----	----	----	0 UNCH
5120	7.10	7.10	10.70B/*2.90A	10.70B/*2.90A	----	3.60 NEW	.0457	----	----	1	----	1 + 1
5140	----	----	----	----	----	455.30 UNCH	----	----	----	----	----	0 UNCH
5150	16.10	16.10	#18.40B/11.30A	18.40B/11.30A	----	12.10 + 2.50	.0971	----	----	20	----	21 + 20
5175	----	----	6.30B/*2.00A	6.30B/*2.00A	----	2.40 NEW	.0309	----	----	1	----	1 + 1
5200	----	----	#30.20B/----	30.20B/18.10A	----	17.40 + 2.20	.1131	----	----	----	----	1 UNCH
5200	----	----	5.00B/*1.80A	5.00B/*1.80A	----	2.00 - 0.30	.0259	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week2										
APR26												
5235	----	----	3.30B/*1.50A	3.30B/*1.50A	----	1.60 - 0.40	.0207	----	----	----	----	2 UNCH
5300	----	----	----/*1.10A	1.40B/*1.10A	----	1.10 - 0.30	.0141	----	----	----	----	12 UNCH
TOTAL										541		2069+ 369
MAY26												
4900	98.80	98.80	#99.00/*92.50A	#115.00B/*92.50A	----	95.00 NEW	.3850	----	----	20	----	20 + 20
5000	67.00	67.00	#67.00/*63.00A	#79.40B/*63.00A	----	63.10 NEW	.2877	----	----	30	----	30 + 30
TOTAL										50		50+ 50

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
APR26												
3500	----	----	----	0.10B/*0.10A	----	0.10 UNCH	.0007	----	----	1	----	1 UNCH
3700	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	.0009	----	----	----	----	2 UNCH
3800	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.40	.0009	----	----	2	----	6 UNCH
3850	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.60	.0010	----	----	----	----	2 UNCH
3900	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.70	.0011	----	----	----	----	2 UNCH
3950	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.90	.0011	----	----	----	----	2 UNCH
4000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 1.10	.0012	----	----	----	----	5 UNCH
4025	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.30	.0012	----	----	----	----	2 UNCH
4050	----	----	----/*2.80A	3.60B/*2.80A	----	1.70 - 5.60	.0131	----	----	----	----	2 UNCH
4100	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 1.80	.0014	----	----	----	----	3 UNCH
4100	----	----	----/*3.20A	4.70B/*3.20A	----	2.10 - 6.70	.0164	----	----	----	----	1 UNCH
4125	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 2.00	.0014	----	----	----	----	1 UNCH
4150	----	----	----/*0.20A	0.70B/*0.20A	----	0.10 - 2.20	.0015	----	----	----	----	1 UNCH
4200	0.90	0.90	0.90/*0.10A	1.10B/*0.10A	----	0.10 - 2.80	.0016	----	----	19	----	123 + 17
4200	----	----	----/*4.30A	7.60B/*4.30A	----	3.30 - 9.60	.0262	----	----	----	----	3 UNCH
4225	11.00	11.00	11.00/*9.80A	16.00B/*9.80A	----	10.00 NEW	.0587	----	----	115	----	115 + 115
4225	----	----	----/*4.70A	8.50B/*4.70A	----	3.70 - 10.60	.0295	----	----	----	----	3 UNCH
4225	----	----	----/*0.30A	1.30B/*0.30A	----	0.20 - 3.10	.0030	----	----	----	----	5 UNCH
4230	----	----	----/*4.70A	8.70B/*4.70A	----	3.80 - 10.70	.0303	----	----	3	----	0 - 3
4235	----	----	----/*4.80A	8.90B/*4.80A	----	3.90 - 10.90	.0311	----	----	----	----	1 UNCH
4245	0.60	0.60	0.60/*0.30A	1.50B/*0.30A	----	0.20 NEW	.0031	----	----	1	----	1 + 1
4250	----	----	----/*0.30A	1.50B/*0.30A	----	0.20 - 3.50	.0031	----	----	----	----	52 UNCH
4250	----	----	----/*5.10A	9.60B/*5.10A	----	4.20 - 11.60	.0335	----	----	3	----	1 - 3
4255	----	----	----/*5.20A	9.80B/*5.20A	----	4.30 - 11.80	.0343	----	----	----	----	1 UNCH
4260	----	----	----/*0.30A	1.60B/*0.30A	----	0.20 - 3.70	.0032	----	----	----	----	2 UNCH
4265	----	----	----/*0.30A	1.80B/*0.30A	----	0.20 - 3.80	.0032	----	----	----	----	1 UNCH
4270	----	----	----/*0.20A	1.80B/*0.20A	----	0.20 - 3.90	.0032	----	----	----	----	9 UNCH
4275	0.20	0.20	0.20/*0.20	1.80B/*0.20	----	0.20 NEW	.0033	----	----	1	----	1 + 1
4285	----	----	----/*5.80A	11.20B/*5.80A	----	5.10 - 13.10	.0405	----	----	----	----	1 UNCH
4300	----	----	----/*6.00A	12.00B/*6.00A	----	5.50 - 13.90	.0437	----	----	----	----	2 UNCH
4300	1.40	1.40	1.40/*0.20	2.20B/*0.20	----	0.30 - 4.40	.0048	----	----	3	----	31 - 2
4305	----	----	----/*0.20A	2.30B/*0.20A	----	0.30 - 4.50	.0048	----	----	----	----	1 UNCH
4310	----	----	----/*0.20A	2.30B/*0.20A	----	0.30 - 4.70	.0049	----	----	----	----	11 UNCH
4310	----	----	----/*6.30A	12.50B/*6.30A	----	5.80 NEW	.0461	----	----	1	----	1 + 1
4320	----	----	----/*0.20A	2.50B/*0.20A	----	0.30 - 4.90	.0049	----	----	----	----	6 UNCH
4325	----	----	----/*0.40A	2.60B/*0.40A	----	0.40 - 5.00	.0063	----	----	----	----	4 UNCH
4325	----	----	----/*6.70A	13.40B/*6.70A	----	6.20 - 15.40	.0494	----	----	----	----	150 UNCH
4330	----	----	----/*0.20A	2.70B/*0.20A	----	0.40 - 5.10	.0064	----	----	----	----	10 UNCH
4335	----	----	----/*0.40A	2.80B/*0.40A	----	0.40 - 5.30	.0064	----	----	----	----	13 UNCH
4340	----	----	----/*0.30A	2.90B/*0.30A	----	0.40 - 5.40	.0065	----	----	----	----	3 UNCH
4345	----	----	----/*0.20A	3.00B/*0.20A	----	0.40 - 5.60	.0066	----	----	----	----	11 UNCH
4350	----	----	----/*7.40A	15.10B/*7.40A	----	7.10 - 17.00	.0565	----	----	----	----	4 UNCH
4350	1.20	1.20	1.20/*0.20A	3.10B/*0.20A	----	0.50 - 5.60	.0079	----	----	4	----	189 + 4
4355	1.30	1.30	1.30/*0.30A	3.20B/*0.30A	----	0.50 - 5.80	.0080	----	----	4	----	5 + 4
4360	----	----	----/*0.30A	3.30B/*0.30A	----	0.50 - 6.00	.0081	----	----	----	----	1 UNCH
4365	0.30	0.30	0.30/*0.30	3.40B/*0.30	----	0.50 NEW	.0082	----	----	1	----	1 + 1
4370	0.30	0.30	0.30/*0.30	3.50B/*0.30	----	0.50 - 6.30	.0083	----	----	1	----	2 + 1
4375	----	----	----/*0.30A	3.60B/*0.30A	----	0.50 - 6.50	.0083	----	----	----	----	2 UNCH
4390	1.70	1.70	1.70/*0.40A	4.30B/*0.40A	----	0.60 - 7.00	.0100	----	----	1	----	1 UNCH
4395	----	----	----/*0.40A	4.30B/*0.40A	----	0.60 - 7.30	.0101	----	----	1	----	2 UNCH
4400	2.30	2.30	2.30/*0.40A	4.60B/*0.40A	----	0.60 - 7.50	.0102	----	----	15	----	22 + 1
4400	----	----	----/*14.30A	29.50B/*14.30A	----	21.70 - 26.50	.1221	----	----	1	----	1 UNCH
4400	12.40	12.40	12.40/*9.00A	19.50B/*9.00A	----	9.40 - 20.50	.0740	----	----	3	----	2 - 1
4405	----	----	----/*0.40A	4.50B/*0.40A	----	0.60 - 7.70	.0103	----	----	----	----	1 UNCH
4410	0.60	0.60	0.60/*0.40A	4.90B/*0.40A	----	0.60 - 8.00	.0104	----	----	1	----	5 + 1
4410	----	----	----/*15.00A	29.90B/*15.00A	----	22.70 - 27.30	.1272	----	----	1	----	2 UNCH
4410	----	----	----/*9.30A	20.10B/*9.30A	----	9.90 - 21.30	.0779	----	----	----	----	4 UNCH
4415	----	----	#457.70B/----	#457.70B/327.30A	----	372.20 + 70.80	.9196	----	----	----	----	5 UNCH
4415	----	----	#465.40B/----	#465.40B/312.40A	----	362.90 + 84.40	.9880	----	----	----	----	8 UNCH
4415	----	----	----/*0.50A	4.90B/*0.50A	----	0.70 - 8.10	.0119	----	----	----	----	12 UNCH
4420	----	----	#460.40B/----	#460.40B/307.50A	----	357.90 + 84.10	.9879	----	----	----	----	5 UNCH
4420	----	----	----/*0.50A	5.00B/*0.50A	----	0.70 - 8.40	.0120	----	----	----	----	3 UNCH
4420	----	----	#452.80B/----	#452.80B/322.70A	----	367.50 + 70.40	.9174	----	----	----	----	5 UNCH
4425	2.00	2.00	2.00/*0.50A	5.10B/*0.50A	----	0.70 - 8.70	.0122	----	----	11	----	11 + 1
4425	----	----	----/*9.90A	22.00B/*9.90A	----	10.80 NEW	.0846	----	----	1	----	1 + 1
4430	----	----	----/*0.50A	5.40B/*0.50A	----	0.70 - 8.90	.0123	----	----	----	----	1 UNCH
4435	----	----	----/*0.50A	5.50B/*0.50A	----	0.70 - 9.20	.0125	----	----	----	----	2 UNCH
4440	----	----	#440.70B/----	#440.70B/287.60A	----	338.00 + 83.10	.9859	----	----	----	----	1 UNCH
4440	0.60	0.60	0.60/*0.60	5.70B/*0.60	----	0.80 - 9.40	.0140	----	----	2	----	2 + 1
4445	0.60	0.60	0.60/*0.60	5.90B/*0.60	----	0.80 NEW	.0141	----	----	1	----	1 + 1
4450	0.80	0.80	0.80/*0.60A	6.10B/*0.60A	----	0.80 - 10.10	.0143	----	----	15	----	22 + 8
4455	----	----	----/*0.60A	6.20B/*0.60A	----	0.80 - 10.40	.0145	----	----	----	----	1 UNCH
4460	----	----	----/*11.30A	26.10B/*11.30A	----	13.20 - 25.80	.1024	----	----	----	----	4 UNCH
4460	----	----	----/*18.90A	37.20B/*18.90A	----	28.60 - 31.60	.1566	----	----	1	----	1 UNCH
4465	----	----	----/*11.00A	26.70B/*11.00A	----	13.60 - 26.30	.1052	----	----	----	----	3 UNCH
4465	----	----	----/*0.70A	6.70B/*0.70A	----	0.90 - 11.00	.0163	----	----	1	----	2 UNCH
4470	----	----	----/*0.70A	6.90B/*0.70A	----	0.90 - 11.40	.0165	----	----	----	----	2 UNCH
4470	----	----	----/*19.70A	38.80B/*19.70A	----	29.90 - 32.50	.1631	----	----	2	----	2 UNCH
4470	----	----	#410.90B/----	#410.90B/258.00A	----	308.10 + 81.10	.9834	----	----	----	----	5 UNCH
4475	----	----	----/*11.50A	28.00B/*11.50A	----	14.40 - 27.30	.1110	----	----	1	----	2 + 1
4475	2.20	2.20	2.20/*0.70A	7.20B/*0.70A	----	0.90 - 11.80	.0167	----	----	8	----	91 + 1
4480	1.10	1.10	1.20/*0.80A	7.30B/*0.80A	----	0.90 - 12.20	.0169	----	----	2	----	4 + 2
4480	----	----	----/*11.80A	28.70B/*11.80A	----	14.80 - 27.80	.1140	----	----	----	----	1 UNCH
4480	----	----	----/*20.90A	40.60B/*20.90A	----	31.40 - 33.40	.1701	----	----	2	----	4 UNCH
4485	----	----	----/*0.80A	7.60B/*0.80A	----	1.00 - 12.50	.0186	----	----	----	----	1 UNCH
4495	----	----	#385.90B/----	#385.90B/233.50A	----	283.20 + 79.10	.9808	----	----	----	----	2 UNCH
4495	----	----	----/*0.90A	8.30B/*0.90A	----	1.00 - 13.40	.0191	----	----	----	----	2 UNCH
4500	----	----	----/*22.90A	45.30B/*22.90A	----	34.40 - 35.20	.1844	----	----	1	----	1 UNCH
4500	----	----	----/*13.00A	31.30B/*13.00A	----	16.60 - 30.00	.1269	----	----	----	----	17 UNCH
4500	----	----	#381.00B/----	#381.00B/228.60A	----	278.30 + 78.70	.9791	----	----	----	----	11 UNCH
4500	3.50	3.50	3.50/*0.70	8.50B/*0.70	----	1.10 - 13.80	.0208	----	----	66	----	50 - 16
4510	2.30	2.30	2.30/*1.00A	9.00B/*1.00A	----	1.10 NEW	.0214	----	----	3	----	3 + 3
4510	----	----	----/*23.90A	46.80B/*23.90A	----	36.00 - 36.20	.1919	----	----	1	----	2 UNCH
4520	----	----	----/*1.00A	9.50B/*1.00A	----	1.20 - 15.80	.0236	----	----	----	----	2 UNCH
4525	16.50	16.50	16.50/*14.70A	35.20B/*14.70A	----	19.30 - 32.80	.1455	----	----	4	----	72 + 4
4525	1.70	1.70	1.70/*1.20A	9.90B/*1.20A	----	1.30 - 16.30	.0254	----	----	55	----	27 - 15
4530	----	----	----/*15.20A	36.10B/*15.20A	----	19.80 - 33.50	.1492	----	----	----	----	2 UNCH
4530	----	----	----/*1.30A	10.20B/*1.30A	----	1.30 - 16.90	.0258	----	----	1	----	1 UNCH
4535	----	----	#346.30B/----	#346.30B/194.40A	----	243.60 NEW	.9722	----	----	1	----	1 + 1
4535	1.00	1.00	1.00/*1.00	10.50B/*1.00	----	1.40 - 17.40	.0277	----	----	3	----	3 - 1
4540	----	----	----/*27.60A	53.60B/*27.60A	----	41.30 - 39.20	.2160	----	----	2	----	2 UNCH
4540	----	----	#341.30B/----	#341.30B/189.60A	----	238.60 + 74.40	.9718	----	----	----	----	1 UNCH
4540	2.70	2.70	2.70/*1.50A	10.90B/*1.50A	----	1.40 - 18.10	.0281	----	----	2	----	4 + 2
4545	----	----	----/*1.50A	11.30B/*1.50A	----	1.50 - 18.70	.0300	----	----	1	----	26 UNCH
4550	----	----	----/*1.60A	11.80B/*1.60A	----	1.60 - 19.30	.0320	----	----	8	----	19 + 8
4550	----	----	----/*16.80A	40.10B/*16.80A	----	22.30 - 36.00	.1661	----	----	----	----	1 UNCH
4550	----	----	#326.40B/----	#326.40B/211.70A	----	249.40 + 56.60	.8336	----	----	----	----	1 UNCH
4550	----	----	#331.40B/----	331.40B/180.00A	----	228.80 + 73.20	.9679	----	----	----	----	2 UNCH
4555	2.20	2.20	2.20/*1.60A	12.10B/*1.60A	----	1.60 - 20.10	.0325	----	----	2	----	6 + 2
4560	2.90	2.90	2.90/*1.70A	12.60B/*1.70A	----	1.70 - 20.80	.0346	----	----	2	----	4 + 2
4565	2.10	2.10	2.10/*1.80A	13.20B/*1.80A	----	1.80 - 21.50	.0366	----	----	1	----	5 UNCH
4570	2.10	2.10	2.10/*1.90A	13.50B/*1.90A	----	1.90 - 22.20	.0387	----	----	1	----	25 + 1
4575	1.90	1.90	1.90/*1.90	14.20B/*1.90	----	2.00 - 23.00	.0409	----	----	2	----	5 + 2
4575	----	----	----/*32.50A	62.90B/*32.50A	----	48.50 NEW	.2474	----	----	55	----	55 + 55
4580	2.40	2.40	5.00/*2.00A	14.70B/*2.00A	----	2.10 - 23.90	.0431	----	----	23	----	23 + 21
4585	----	----	----/*2.10A	15.30B/*2.10A	----	2.20 - 24.70	.0453	----	----	----	----	14 UNCH
4590	2.30	2.30	2.30/*2.20A	15.60B/*2.20A	----	2.30 - 25.70	.0476	----	----	2	----	2 + 1
4590	----	----	----/*20.90A	48.20B/*20.90A	----	28.40 - 41.20	.2055	----	----	----	----	1 UNCH
4595	----	----	----/*2.30A	16.30B/*2.30A	----	2.40 - 26.60	.0500	----	----	----	----	3 UNCH
4600	24.00	24.00	24.00/*22.00A	50.90B/*22.00A	----	30.10 - 42.60	.2163	----	----	3	----	15 + 2
4600	3.50	3.50	5.00/*2.50	17.10B/*2.50	----	2.60 - 27.50	.0538	----	----	292	----	206 + 199
4600	245.00	245.00	#282.30B/133.60	282.30B/133.60A	----	179.80 + 65.00	.9461	----	----	1	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week4										
APR26												
4605	----	----	----/*37.60A	72.00B/*37.60A	----	55.70 - 45.70	.2772	----	----	1	----	1 UNCH
4605	4.00	4.00	4.00/*2.60A	17.60B/*2.60A	----	2.70 - 28.60	.0563	----	----	9	----	10 + 9
4610	----	----	----/*23.30A	53.30B/*23.30A	----	32.00 NEW	.2279	----	----	5	----	5 + 5
4610	3.10	3.10	3.10/*2.70A	18.40B/*2.70A	----	2.90 - 29.60	.0603	----	----	2	----	2 + 2
4615	----	----	#267.60B/----	#267.60B/120.20A	----	165.30 NEW	.9355	----	----	1	----	1 + 1
4620	----	----	#262.80B/----	#262.80B/115.60A	----	160.50 + 60.70	.9314	----	----	----	----	3 UNCH
4620	5.50	5.50	5.50/*3.00A	20.00B/*3.00A	----	3.30 NEW	.0685	----	----	16	----	12 + 12
4625	----	----	#257.90B/----	257.90B/111.40A	----	155.70 + 59.50	.9272	----	----	----	----	2 UNCH
4625	3.80	3.80	3.80/*3.20A	20.70B/*3.20A	----	3.50 NEW	.0727	----	----	82	----	32 + 32
4630	6.00	6.00	7.10/*3.40A	21.50B/*3.40A	----	3.70 - 34.20	.0770	----	----	5	----	7 + 5
4635	----	----	#248.20B/----	#248.20B/102.90A	----	146.20 + 57.10	.9171	----	----	----	----	15 UNCH
4640	----	----	----/*3.80A	23.30B/*3.80A	----	4.30 - 36.60	.0886	----	----	3	----	3 + 1
4640	32.90	32.90	32.90/*27.50A	61.30B/*27.50A	----	38.60 NEW	.2662	----	----	1	----	1 + 1
4640	----	----	#243.30B/----	#243.30B/98.70A	----	141.50 + 55.90	.9113	----	----	----	----	1 UNCH
4645	4.90	4.90	5.00/*4.00A	24.30B/*4.00A	----	4.60 NEW	.0945	----	----	2	----	2 + 2
4645	----	----	#238.50B/----	#238.50B/94.70A	----	136.80 + 54.50	.9053	----	----	----	----	3 UNCH
4650	----	----	#233.80B/----	233.80B/90.60A	----	132.10 + 53.10	.8993	----	----	1	----	1 UNCH
4650	6.00	6.00	14.10/*4.30A	25.30B/*4.30A	----	4.90 - 39.40	.1006	----	----	65	----	104 + 23
4650	----	----	----/*28.80A	64.20B/28.80A	----	41.00 - 49.50	.2798	----	----	----	----	1 UNCH
4655	----	----	#228.90B/----	#228.90B/86.50A	----	127.40 + 51.70	.8930	----	----	3	----	4 + 3
4655	----	----	----/*29.80A	65.80B/*29.80A	----	42.30 - 50.20	.2869	----	----	----	----	1 UNCH
4655	6.30	6.30	6.30/*4.60A	26.10B/*4.60A	----	5.20 - 40.80	.1069	----	----	1	----	2 + 1
4660	125.00	125.00	#224.10B/82.50A	#224.10B/82.50A	----	122.80 + 50.20	.8854	----	----	1	----	1 UNCH
4660	5.20	5.20	10.00/*4.90A	27.40B/*4.90A	----	5.60 NEW	.1145	----	----	18	----	17 + 17
4665	9.70	9.70	9.70/*5.20A	28.60B/*5.20A	----	6.00 NEW	.1222	----	----	4	----	4 + 4
4665	----	----	#219.40B/----	#219.40B/78.70A	----	118.20 + 48.70	.8777	----	----	----	----	6 UNCH
4670	4.80	4.80	4.80/*4.80	29.40B/*4.80	----	6.40 - 45.30	.1302	----	----	5	----	4 + 3
4675	205.00	205.00	#209.80B/71.20A	209.80B/71.20A	----	109.10 + 45.60	.8605	----	----	3	----	1 - 2
4675	----	----	----/*33.00A	72.30B/33.00A	----	47.70 - 53.10	.3161	----	----	----	----	1 UNCH
4675	6.10	6.10	15.00/*5.50	30.90B/*5.50	----	6.90 - 46.90	.1394	----	----	59	----	97 + 34
4680	6.70	6.70	6.70/*5.90A	32.30B/*5.90A	----	7.40 - 48.50	.1489	----	----	41	----	42 + 41
4680	----	----	#214.20B/----	#214.20B/119.10A	----	146.30 + 38.60	.6759	----	----	----	----	30 UNCH
4680	----	----	#205.10B/----	#205.10B/67.60A	----	104.60 + 44.00	.8510	----	----	----	----	6 UNCH
4685	177.00	177.00	#200.40B/63.90A	#200.40B/63.90A	----	100.20 + 42.30	.8403	----	----	8	----	15 UNCH
4685	----	----	#227.50B/----	#227.50B/149.40A	----	171.70 + 37.90	.6320	----	----	----	----	0 UNCH
4685	9.50	9.50	9.50/*6.20A	33.60B/*6.20A	----	8.00 - 50.20	.1596	----	----	8	----	8 + 7
4690	9.00	9.00	9.00/*6.60A	35.00B/*6.60A	----	8.60 NEW	.1705	----	----	10	----	8 + 8
4690	----	----	#195.60B/----	#195.60B/60.70A	----	95.80 + 40.60	.8294	----	----	----	----	8 UNCH
4695	15.00	15.00	15.00/*6.80A	36.50B/*6.80A	----	9.30 NEW	.1827	----	----	2	----	1 + 1
4695	----	----	#190.90B/----	#190.90B/57.30A	----	91.50 + 39.00	.8172	----	----	----	----	1 UNCH
4700	199.10	199.10	#217.10B/140.70	#217.10B/140.70A	----	162.20 NEW	.6134	----	----	1	----	1 + 1
4700	----	----	#195.80B/----	195.80B/107.20A	----	132.50 + 35.60	.6444	----	----	----	----	6 UNCH
4700	100.00	100.00	186.10B/53.50A	186.10B/53.50A	----	87.20 + 37.20	.8048	----	----	19	----	76 + 1
4700	16.00	16.00	28.10/*6.80A	38.20B/*6.80A	----	10.00 - 55.30	.1951	----	----	260	----	190 + 135
4700	----	----	----/37.60A	80.80B/37.60A	----	55.40 - 56.80	.3553	----	----	1	----	1 UNCH
4705	----	----	#181.40B/----	#181.40B/50.30A	----	83.00 + 35.50	.7912	----	----	7	----	9 + 3
4705	12.60	12.60	12.60/*7.30A	39.80B/*7.30A	----	10.80 NEW	.2086	----	----	1	----	1 + 1
4710	----	----	#176.70B/----	#176.70B/47.20A	----	78.80 + 33.60	.7774	----	----	2	----	37 UNCH
4710	----	----	----/*7.70A	41.50B/*7.70A	----	11.60 - 58.90	.2225	----	----	3	----	6 + 3
4715	----	----	----/*8.10A	43.20B/*8.10A	----	12.60 - 60.60	.2383	----	----	5	----	45 + 5
4715	----	----	----/*41.80A	87.40B/*41.80A	----	60.40 - 59.10	.3800	----	----	----	----	1 UNCH
4715	48.00	48.00	#172.00B/48.00	#172.00B/44.30A	----	74.80 + 31.90	.7616	----	----	1	----	9 UNCH
4720	27.30	27.30	35.10/*8.40A	45.10B/*8.40A	----	13.60 - 62.40	.2543	----	----	2	----	17 + 2
4720	----	----	#167.40B/----	#167.40B/41.40A	----	70.80 + 30.10	.7456	----	----	----	----	23 UNCH
4725	39.00	39.00	162.70B/39.00	162.70B/38.60A	----	66.80 + 28.30	.7292	----	----	1	----	10 + 1
4725	25.50	25.50	25.50/*8.90A	47.00B/*8.90A	----	14.60 - 64.20	.2707	----	----	26	----	22 + 13
4730	14.40	14.40	31.00/*9.60A	48.90B/*9.60A	----	15.80 - 66.00	.2887	----	----	40	----	34 + 18
4730	----	----	#158.20B/36.00A	#158.20B/36.00A	----	63.00 + 26.50	.7112	----	----	6	----	6 - 2
4735	15.00	15.00	15.00/*10.00A	51.00B/*10.00A	----	17.10 NEW	.3077	----	----	8	----	8 + 8
4735	----	----	#153.60B/33.50A	153.60B/33.50A	----	59.30 + 24.80	.6922	----	----	----	----	11 UNCH
4740	27.50	27.50	27.50/*10.30A	53.10B/*10.30A	----	18.40 - 69.50	.3270	----	----	4	----	3 + 2
4740	36.90	36.90	#149.00B/31.30A	149.00B/31.30A	----	55.60 + 23.00	.6729	----	----	2	----	8 + 2
4745	21.20	21.20	31.30/*10.80A	55.30B/*10.80A	----	19.90 NEW	.3477	----	----	3	----	3 + 3
4745	----	----	164.20B/----	164.20B/83.20A	----	104.00 NEW	.5676	----	----	62	----	62 + 62
4750	----	----	160.70B/----	160.70B/80.90A	----	101.10 + 28.20	.5586	----	----	----	----	1 UNCH
4750	16.10	16.10	30.00/*11.50A	57.60B/*11.50A	----	21.50 - 72.90	.3691	----	----	159	----	80 + 78
4750	96.00	96.00	140.10B/26.80A	140.10B/26.80A	----	48.70 + 19.60	.6308	----	----	6	----	40 + 1
4755	----	----	----/*51.90A	105.40B/*51.90A	----	76.00 - 65.00	.4501	----	----	----	----	1 UNCH
4755	25.00	25.00	30.40/*12.10A	59.90B/*12.10A	----	23.20 NEW	.3912	----	----	13	----	11 + 11
4760	38.90	38.90	38.90/*12.80A	63.40B/*12.80A	----	25.00 NEW	.4139	----	----	65	----	35 + 35
4760	50.60	50.60	#131.10B/22.80A	131.10B/22.80A	----	42.20 NEW	.5859	----	----	2	----	1 + 1
4765	21.40	21.40	#126.50B/20.90A	126.50B/20.90A	----	39.20 + 14.80	.5624	----	----	4	----	5 + 4
4765	28.10	28.10	41.00/*13.70A	66.00B/*13.70A	----	27.00 - 77.70	.4375	----	----	4	----	3 + 2
4770	84.50	84.50	#122.40B/19.30A	122.40B/19.30A	----	36.30 + 13.30	.5385	----	----	34	----	16 + 14
4770	17.00	17.00	35.00/*14.80A	68.70B/*14.80A	----	29.10 NEW	.4614	----	----	28	----	19 + 19
4775	----	----	----/57.20A	115.90B/57.20A	----	85.00 - 67.90	.4868	----	----	----	----	1 UNCH
4775	----	----	#150.80B/----	150.80B/69.30A	----	87.20 + 24.60	.5129	----	----	----	----	6 UNCH
4775	20.10	20.10	34.20/*15.50A	71.50B/*15.50A	----	31.30 - 80.60	.4857	----	----	16	----	15 + 13
4775	68.10	68.10	117.90B/17.60A	117.90B/17.60A	----	33.50 + 11.90	.5141	----	----	31	----	71 + 4
4780	33.80	33.80	113.70B/16.20A	113.70B/16.20A	----	30.90 + 10.60	.4895	----	----	34	----	39 + 31
4780	20.10	20.10	59.20/*16.40A	72.90B/*16.40A	----	33.70 NEW	.5104	----	----	9	----	6 + 6
4785	60.90	60.90	109.30B/*14.70A	109.30B/*14.70A	----	28.40 + 9.30	.4647	----	----	45	----	13 - 27
4785	25.30	25.30	35.40/*17.30A	75.50B/*17.30A	----	36.20 - 83.20	.5351	----	----	16	----	8 + 5
4790	61.00	61.00	105.10B/*13.50A	105.10B/*13.50A	----	26.00 + 8.00	.4398	----	----	12	----	18 + 6
4790	----	----	----/*18.50A	78.40B/*18.50A	----	38.80 NEW	.5600	----	----	10	----	6 + 6
4795	25.50	25.50	101.00B/*12.30A	101.00B/*12.30A	----	23.80 NEW	.4152	----	----	5	----	4 + 4
4800	----	----	149.20B/----	149.20B/91.80A	----	106.50 + 25.20	.4812	----	----	1	----	31 + 1
4800	46.50	46.50	97.10B/*11.10A	97.10B/*11.10A	----	21.80 + 5.90	.3910	----	----	56	----	274 + 44
4800	----	----	126.80B/----	126.80B/59.00A	----	74.60 + 21.10	.4664	----	----	18	----	19 + 15
4800	33.00	33.00	52.00/*19.20	84.70B/*19.20	----	44.60 - 86.60	.6089	----	----	80	----	73 + 62
4805	32.00	32.00	88.20B/*21.80A	88.20B/*21.80A	----	47.70 NEW	.6328	----	----	10	----	6 + 6
4805	38.30	38.30	92.90B/*10.10A	92.90B/*10.10A	----	19.90 + 5.00	.3671	----	----	6	----	6 + 5
4805	----	----	----/*67.50A	134.00B/*67.50A	----	100.00 - 72.00	.5427	----	----	----	----	1 UNCH
4805	----	----	146.30B/----	146.30B/89.80A	----	104.10 + 24.70	.4744	----	----	----	----	19 UNCH
4810	----	----	143.30B/----	143.30B/87.80A	----	101.80 NEW	.4676	----	----	1	----	1 + 1
4810	----	----	124.70B/----	124.70B/55.20A	----	69.90 + 19.70	.4477	----	----	----	----	1 UNCH
4810	59.80	59.80	89.10B/*8.50	89.10B/*8.50	----	18.10 + 4.10	.3436	----	----	66	----	29 + 26
4815	----	----	85.10B/*8.30A	85.10B/*8.30A	----	16.40 + 3.30	.3205	----	----	1	----	8 + 1
4815	28.00	28.00	96.40B/*24.60A	96.40B/*24.60A	----	54.20 NEW	.6794	----	----	9	----	3 + 3
4815	----	----	122.80B/----	122.80B/53.30A	----	67.60 + 19.00	.4384	----	----	----	----	1 UNCH
4820	44.50	44.50	100.60B/*25.50A	100.60B/*25.50A	----	57.70 NEW	.7012	----	----	5	----	3 + 3
4820	36.50	36.50	81.60B/*7.60A	81.60B/*7.60A	----	14.90 + 2.60	.2986	----	----	26	----	25 + 24
4825	43.00	43.00	77.60B/*6.90A	77.60B/*6.90A	----	13.50 + 1.90	.2775	----	----	43	----	45 + 34
4825	40.10	40.10	105.10B/*27.30A	105.10B/*27.30A	----	61.30 NEW	.7224	----	----	44	----	44 + 44
4830	13.00	13.00	74.00B/*6.30A	74.00B/*6.30A	----	12.20 + 1.30	.2570	----	----	3	----	4 UNCH
4835	----	----	114.60B/----	114.60B/46.50A	----	59.10 + 16.50	.4014	----	----	----	----	17 UNCH
4835	----	----	73.10B/*5.70A	73.10B/*5.70A	----	11.10 + 0.90	.2384	----	----	3	----	2 + 2
4840	44.00	44.00	118.30B/*32.70A	118.30B/*32.70A	----	72.80 NEW	.7800	----	----	5	----	3 + 3
4840	39.00	39.00	70.00B/*5.10A	70.00B/*5.10A	----	10.00 + 0.40	.2199	----	----	214	----	62 + 61
4845	21.00	21.00	66.40B/*4.60A	66.40B/*4.60A	----	9.10 + 0.10	.2034	----	----	10	----	12 + 9
4850	45.10	45.10	105.10B/42.10A	105.10B/42.10A	----	53.30 + 14.80	.3742	----	----	6	----	5 UNCH
4850	45.00	45.00	63.30B/*4.00	63.30B/*4.00	----	8.20 - 0.30	.1871	----	----	312	----	216 + 206
4850	87.30	87.30	127.50B/*36.40A	127.50B/*36.40A	----	81.00 - 92.80	.8128	----	----	3	----	2 + 1
4850	100.00	100.00	164.50B/84.80A	164.50B/84.80A	----	126.00 NEW	.6255	----	----	1	----	1 + 1
4855	39.00	39.00	132.20B/*37.90A	132.20B/*37.90A	----	85.20 NEW	.8279	----	----	1	----	1 + 1
4855	40.50	40.50	60.20B/*3.90A	60.20B/*3.90A	----	7.40 - 0.50	.1720	----	----	7	----	10 + 6
4860	135.00	135.00	196.00B/*116.20	196.00B/*116.20A	----	162.80 NEW	.5993	----	----	1	----	1 + 1
4860	41.20	41.20	136.90B/*39.70A	136.90B/*39.70A	----	89.50 NEW	.8417	----	----	21	----	21 + 21
4860	----	----	99.30B/----	99.30B/39.20A	----	49.70 + 13.70	.3564	----	----	----	----	17 UNCH
4860	26.20	26.20	56.90B/*3.50A	56.90B/*3.50A	----	6.70 - 0.80	.1582	----	----	4	----	5 + 4
4865	8.20	8.20	54.20B/*2.90	54.20B/*2.90	----	6.10 - 0.90	.1459	----	----	3	----	4 + 1
4870	41.20	41.20	146.30B/*41.20	146.30B/*41.20	----	98.30 NEW	.8662	----	----	1	----	1 + 1
4870	2.90	2.90	51.30B/*2.60	51.30B/*2.60	----	5.50 - 1.10	.1336	----	----	31	----	31 + 28
4875	15.00	15.00	48.50B/*2.60	48.50B/*2.60	----	5.00 - 1.20	.1229	----	----	56	----	60 + 56
4875	----	----	----/47.30A	151.00B/47.30A	----	102.80 - 93.70	.8770	----	----	----	----	2 UNCH
4880	39.50	39.50	46.10B/*2.50A	46.10B/*2.50A	----	4.50 - 1.30	.1123	----	----	16	----	12 + 9
4885	12.80	12.80	43.30B/*2.30A	43.30B/*2.30A	----	4.10 - 1.40	.1033	----	----	9	----	7 + 6
4890	----	----	----/*56.00A	165.50B/*56.00A	----	116.50 - 94.00	.9055	----	----	----	----	10 UNCH
4890	15.00	15.00	40.80B/*2.10A	40.80B/*2.10A	----	3.70 NEW	.0944	----	----	2	----	1 + 1
4895	14.00	14.00	38.50B/*2.00A	38.50B/*2.00A	----	3.40 NEW	.0872	----	----	32	----	28 + 28
4895	79.00	79.00	170.40B/*59.20A	170.40B/*59.20A	----	121.20 - 94.00	.9127	----	----	6	----	5 + 3
4895	49.10	49.10	80.90B/30.50A	80.90B/30.50A	----	38.50 NEW	.2969	----	----	1	----	1 + 1
4900	----	----	105.10B/----	105.10B/56.40A	----	65.20 + 15.60	.3479	----	----	----	----	5 UNCH
4900	12.00	12.00	36.30B/*1.80A	36.30B/*1.80A	----	3.10 - 1.50	.0802	----	----	170	----	53 + 20
4900	----	----	----/110.90A	201.90B/110.90A	----	159.80 - 82.70	.7108	----	----	----	----	1 UNCH
4900	----	----	----/61.80A	175.20B/61.80A	----	125.90 - 94.00	.9197	----	----	----	----	3 UNCH
4900	47.10	47.10	78.40B/29.40A	78.40B/29.40A	----	37.10 + 9.70	.2889	----	----	2	----	203 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4905	----	----	76.00B/----	76.00B/28.30A	----	35.70 + 9.20	.2809	----	----	----	----	1 UNCH
4905	22.10	22.10	34.00B/*1.70A	34.00B/*1.70A	----	2.80 - 1.50	.0732	----	----	1	----	0 - 1
4910	13.20	13.20	31.90B/*1.60A	31.90B/*1.60A	----	2.60 - 1.50	.0680	----	----	11	----	6 + 5
4910	----	----	73.70B/----	73.70B/27.20A	----	34.40 + 8.80	.2731	----	----	4	----	5 + 4
4925	----	----	66.90B/----	66.90B/24.40A	----	30.70 + 7.60	.2506	----	----	----	----	1 UNCH
4925	8.00	8.00	26.30B/*1.20A	26.30B/*1.20A	----	2.00 NEW	.0532	----	----	4	----	2 + 2
4930	18.80	18.80	24.60B/*1.20A	24.60B/*1.20A	----	1.80 - 1.50	.0484	----	----	13	----	11 + 10
4935	3.90	3.90	22.90B/*1.10A	22.90B/*1.10A	----	1.70 NEW	.0455	----	----	2	----	2 + 2
4940	----	----	#85.10B/----	#85.10B/46.00A	----	52.40 NEW	.2981	----	----	1	----	1 + 1
4940	3.40	3.40	21.40B/*1.00A	21.40B/*1.00A	----	1.60 - 1.30	.0427	----	----	3	----	32 + 1
4945	1.10	1.10	19.90B/*1.00A	19.90B/*1.00A	----	1.40 NEW	.0380	----	----	7	----	5 + 5
4950	----	----	56.60B/----	56.60B/20.20A	----	25.40 + 6.00	.2161	----	----	1	----	5 + 1
4950	10.00	10.00	18.70B/*0.60	18.70B/*0.60	----	1.30 - 1.30	.0353	----	----	118	----	39 + 37
4955	2.80	2.80	17.20B/*0.80A	17.20B/*0.80A	----	1.30 - 1.20	.0346	----	----	5	----	6 + 5
4960	----	----	16.10B/*0.80A	16.10B/*0.80A	----	1.20 - 1.20	.0320	----	----	1	----	2 + 1
4965	1.10	1.10	14.90B/*0.80A	14.90B/*0.80A	----	1.10 - 1.20	.0295	----	----	2	----	1 UNCH
4965	----	----	----/107.10A	239.20B/107.10A	----	188.90 - 93.70	.9704	----	----	----	----	1 UNCH
4970	4.20	4.20	13.80B/*0.70A	13.80B/*0.70A	----	1.00 NEW	.0270	----	----	1	----	1 + 1
4975	----	----	46.70B/----	46.70B/16.70A	----	21.00 + 4.70	.1854	----	----	1	----	1 UNCH
4985	----	----	11.00B/*0.60A	11.00B/*0.60A	----	0.90 - 1.00	.0236	----	----	----	----	1 UNCH
4990	5.00	5.00	10.40B/*0.60A	10.40B/*0.60A	----	0.80 - 1.00	.0213	----	----	1	----	1 - 1
4990	----	----	----/126.80A	264.10B/126.80A	----	213.60 - 93.50	.9786	----	----	----	----	1 UNCH
4995	----	----	9.60B/*0.60A	9.60B/*0.60A	----	0.80 - 0.90	.0209	----	----	----	----	1 UNCH
5000	----	----	63.00B/----	63.00B/33.40A	----	38.20 + 8.70	.2337	----	----	1	----	1 + 1
5000	----	----	38.70B/----	38.70B/13.90A	----	17.30 + 3.50	.1581	----	----	----	----	60 UNCH
5000	----	----	----/180.50A	286.90B/180.50A	----	240.00 - 88.80	.8416	----	----	----	----	1 UNCH
5000	10.00	10.00	10.70/*0.40A	10.70/*0.40A	----	0.70 - 0.90	.0186	----	----	30	----	222 + 13
5000	----	----	----/134.90A	273.90B/134.90A	----	223.50 - 93.40	.9813	----	----	2	----	3 + 2
5005	4.20	4.20	8.50B/*0.50	8.50B/*0.50	----	0.70 NEW	.0183	----	----	10	----	9 + 9
5005	19.70	19.70	37.40B/13.10	37.40B/13.10	----	16.70 NEW	.1534	----	----	2	----	1 + 1
5010	----	----	36.00B/----	36.00B/12.90A	----	16.00 + 3.10	.1482	----	----	----	----	1 UNCH
5010	4.20	4.20	7.70B/*0.50A	7.70B/*0.50A	----	0.70 - 0.80	.0180	----	----	1	----	3 + 1
5015	5.60	5.60	7.40B/*0.40A	7.40B/*0.40A	----	0.60 NEW	.0157	----	----	3	----	3 + 3
5020	----	----	33.30B/11.90A	33.30B/11.90A	----	14.80 + 2.80	.1388	----	----	----	----	2 UNCH
5025	3.50	3.50	6.40B/*0.40A	6.40B/*0.40A	----	0.60 - 0.70	.0153	----	----	3	----	2 + 1
5030	----	----	30.90B/11.20A	30.90B/11.20A	----	13.70 + 2.40	.1300	----	----	----	----	1 UNCH
5040	2.00	2.00	5.30B/*0.20	5.30B/*0.20	----	0.50 NEW	.0127	----	----	5	----	5 + 5
5045	----	----	5.00B/*0.30A	5.00B/*0.30A	----	0.50 NEW	.0125	----	----	1	----	1 + 1
5050	4.80	4.80	4.90B/*0.30A	4.90B/*0.30A	----	0.50 - 0.60	.0123	----	----	27	----	28 + 24
5050	----	----	26.20B/*9.70A	26.20B/*9.70A	----	11.80 + 1.90	.1142	----	----	5	----	65 - 5
5060	1.30	1.30	4.30B/*0.20A	4.30B/*0.20A	----	0.40 - 0.60	.0101	----	----	4	----	6 + 4
5065	----	----	3.90B/*0.30A	3.90B/*0.30A	----	0.40 - 0.60	.0099	----	----	----	----	1 UNCH
5065	----	----	23.20B/*8.80A	23.20B/*8.80A	----	10.50 + 1.50	.1032	----	----	----	----	1 UNCH
5075	----	----	3.40B/*0.30A	3.40B/*0.30A	----	0.40 - 0.50	.0097	----	----	----	----	9 UNCH
5080	----	----	3.20B/*0.20A	3.20B/*0.20A	----	0.30 - 0.50	.0076	----	----	----	----	1 UNCH
5085	----	----	3.00B/*0.30A	3.00B/*0.30A	----	0.30 - 0.50	.0075	----	----	1	----	2 + 1
5095	----	----	2.60B/*0.30A	2.60B/*0.30A	----	0.20 - 0.50	.0052	----	----	----	----	1 UNCH
5100	----	----	2.60B/*0.20A	2.60B/*0.20A	----	0.20 NEW	.0052	----	----	4	----	4 + 4
5100	----	----	17.60B/*6.90A	17.60B/*6.90A	----	8.10 + 0.90	.0820	----	----	----	----	1 UNCH
5115	----	----	2.20B/*0.30A	2.20B/*0.30A	----	0.20 - 0.30	.0050	----	----	----	----	1 UNCH
5145	----	----	0.90B/*0.30A	0.90B/*0.30A	----	0.10 - 0.30	.0026	----	----	2	----	2 UNCH
5150	1.50	1.50	1.50/*0.20	1.50/*0.20	----	0.10 NEW	.0026	----	----	12	----	11 + 11
5150	----	----	10.90B/*5.10A	10.90B/*5.10A	----	5.70 + 0.30	.0595	----	----	----	----	1 UNCH
5155	----	----	0.80B/----	0.80B/*0.30A	----	0.10 - 0.20	.0026	----	----	----	----	4 UNCH
5180	----	----	8.20B/*4.30A	8.20B/*4.30A	----	4.70 + 0.10	.0495	----	----	----	----	1 UNCH
5200	----	----	6.90B/*3.80A	6.90B/*3.80A	----	4.10 UNCH	.0436	----	----	----	----	1 UNCH
5200	----	----	0.30B/----	0.30B/*0.20A	----	0.10 - 0.10	.0023	----	----	----	----	10 UNCH
5210	3.40	3.40	6.00B/*3.40	6.00B/*3.40	----	3.90 UNCH	.0415	----	----	1	----	1 + 1
5215	----	----	----	----/*0.30A	----	0.10 - 0.10	.0023	----	----	----	----	1 UNCH
5300	----	----	2.90B/*2.40A	2.90B/*2.40A	----	2.40 - 0.30	.0256	----	----	----	----	1 UNCH
5305	----	----	2.80B/*2.30A	2.80B/*2.30A	----	2.30 - 0.30	.0246	----	----	----	----	2 UNCH
5320	----	----	----/*2.20A	2.50B/*2.20A	----	2.20 - 0.30	.0234	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.10A	----	0.10 UNCH	.0017	----	----	----	----	250 UNCH
5425	1.30	1.30	1.30/*1.30	1.30/*1.30	----	1.40 NEW	.0146	----	----	10	----	10 + 10
5650	----	----	----	----/*0.10A	----	0.10 UNCH	.0013	----	----	----	----	2 UNCH
TOTAL										3650		5384 + 2006

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
3500	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.10 - 0.50	.0007	----	----	1	----	3 UNCH
3750	----	----	----/*1.00A	0.10B/*1.00A	----	0.20 - 1.20	.0016	----	----	----	----	1 UNCH
3850	----	----	----/*0.90A	0.30B/*0.90A	----	0.40 - 1.60	.0033	----	----	----	----	2 UNCH
3900	----	----	----/*0.90A	0.40B/*0.90A	----	0.40 - 2.00	.0035	----	----	----	----	2 UNCH
3950	----	----	----/*1.00A	0.70B/*1.00A	----	0.50 - 2.30	.0044	----	----	----	----	4 UNCH
4000	----	----	----/*1.10A	1.10B/*1.10A	----	0.70 - 2.60	.0061	----	----	1	----	21 UNCH
4025	----	----	----/*3.40A	4.50B/*3.40A	----	2.70 NEW	.0181	----	----	1	----	1 + 1
4050	----	----	----/*3.70A	5.10B/*3.70A	----	2.90 - 7.10	.0196	----	----	----	----	12 UNCH
4050	----	----	----/*1.20A	1.60B/*1.20A	----	0.80 - 3.30	.0072	----	----	----	----	2 UNCH
4100	----	----	----/*4.30A	6.40B/*4.30A	----	3.60 - 8.40	.0245	----	----	----	----	10 UNCH
4100	1.20	1.20	1.20/*1.20	2.10B/*1.20	----	1.00 - 4.00	.0092	----	----	2	----	11 - 1
4150	1.00	1.00	1.00/*1.00	2.90B/*1.00	----	1.30 NEW	.0121	----	----	2	----	2 + 2
4200	----	----	----/*1.80A	3.90B/*1.80A	----	1.60 - 5.80	.0152	----	----	----	----	5 UNCH
4215	----	----	----/*1.80A	4.20B/*1.80A	----	1.60 - 6.30	.0156	----	----	----	----	5 UNCH
4220	7.20	7.20	7.20/*6.70A	10.50B/*6.70A	----	6.00 NEW	.0412	----	----	1	----	1 + 1
4225	----	----	----/*6.70A	11.20B/*6.70A	----	6.10 - 13.00	.0420	----	----	1	----	49 + 1
4250	----	----	----/*7.40A	12.60B/*7.40A	----	6.80 - 14.30	.0469	----	----	----	----	5 UNCH
4250	----	----	#625.10B/----	#625.10B/482.00A	----	528.90 + 85.20	.9811	----	----	----	----	1 UNCH
4250	5.00	5.00	5.00/*2.00A	5.10B/*2.00A	----	1.90 - 7.30	.0187	----	----	1	----	100 UNCH
4255	----	----	----/*2.10A	5.40B/*2.10A	----	1.90 - 7.50	.0189	----	----	----	----	1 UNCH
4270	----	----	----/*2.20A	5.70B/*2.20A	----	2.00 - 8.10	.0201	----	----	----	----	10 UNCH
4300	2.00	2.00	2.00/*2.00	6.70B/*2.00	----	2.30 - 9.20	.0234	----	----	21	----	520 + 20
4310	----	----	----/*2.50A	7.00B/*2.50A	----	2.40 - 9.70	.0246	----	----	----	----	10 UNCH
4315	----	----	----/*2.60A	7.20B/*2.60A	----	2.50 - 9.80	.0256	----	----	----	----	5 UNCH
4335	10.00	10.00	10.00/*9.90A	15.30B/*9.90A	----	10.20 NEW	.0698	----	----	1	----	1 + 1
4340	----	----	----/*2.90A	8.30B/*2.90A	----	2.80 - 11.00	.0290	----	----	----	----	6 UNCH
4345	----	----	----/*2.90A	8.50B/*2.90A	----	2.80 - 11.40	.0293	----	----	----	----	101 UNCH
4350	----	----	----/*10.30A	17.10B/*10.30A	----	11.00 - 20.20	.0750	----	----	1	----	5 + 1
4350	----	----	----/*3.00A	8.80B/*3.00A	----	2.90 - 11.60	.0303	----	----	----	----	123 UNCH
4355	----	----	----/*3.10A	9.10B/*3.10A	----	3.00 - 11.80	.0313	----	----	----	----	1 UNCH
4365	----	----	----/*3.20A	9.30B/*3.20A	----	3.10 - 12.50	.0327	----	----	----	----	1 UNCH
4375	----	----	----/*11.30A	19.30B/*11.30A	----	12.40 - 22.10	.0843	----	----	1	----	2 + 1
4380	----	----	----/*3.50A	10.10B/*3.50A	----	3.40 NEW	.0359	----	----	6	----	3 + 3
4380	----	----	----/*11.50A	19.10B/*11.50A	----	12.80 - 22.40	.0867	----	----	----	----	2 UNCH
4390	----	----	----/*11.60A	20.20B/*11.60A	----	13.40 - 23.20	.0907	----	----	----	----	0 UNCH
4400	----	----	----/*3.80A	11.20B/*3.80A	----	3.80 - 14.60	.0404	----	----	----	----	521 UNCH
4400	----	----	----/*11.60A	21.70B/*11.60A	----	14.10 - 24.00	.0951	----	----	----	----	150 UNCH
4415	----	----	#467.20B/----	#467.20B/321.70A	----	366.10 + 76.70	.9559	----	----	----	----	10 UNCH
4420	----	----	----/*4.20A	12.50B/*4.20A	----	4.20 - 16.10	.0451	----	----	----	----	1 UNCH
4425	----	----	----/*4.40A	13.20B/*4.40A	----	4.30 - 16.50	.0463	----	----	----	----	1 UNCH
4440	----	----	----/*13.20A	26.00B/*13.20A	----	17.40 - 27.40	.1156	----	----	----	----	15 UNCH
4440	----	----	#442.60B/----	#442.60B/297.50A	----	341.80 + 74.80	.9490	----	----	----	----	1 UNCH
4440	----	----	----/*4.70A	14.30B/*4.70A	----	4.70 - 17.70	.0508	----	----	----	----	2 UNCH
4450	----	----	----/*5.00A	15.00B/*5.00A	----	5.00 - 18.60	.0542	----	----	----	----	8 UNCH
4460	----	----	----/*14.50A	28.00B/*14.50A	----	19.30 - 29.30	.1272	----	----	----	----	10 UNCH
4465	----	----	----/*14.80A	29.40B/*14.80A	----	19.80 - 29.80	.1302	----	----	----	----	5 UNCH
4470	----	----	----/*15.20A	30.20B/*15.20A	----	20.30 - 30.30	.1333	----	----	----	----	5 UNCH
4470	----	----	----/*5.60A	16.70B/*5.60A	----	5.70 - 20.40	.0618	----	----	----	----	2 UNCH
4475	----	----	----/*15.50A	31.00B/*15.50A	----	20.90 - 30.70	.1367	----	----	----	----	2 UNCH
4480	----	----	----/*5.90A	17.70B/*5.90A	----	6.00 - 21.50	.0654	----	----	----	----	2 UNCH
4485	----	----	----/*16.30A	32.50B/*16.30A	----	22.00 - 31.70	.1433	----	----	----	----	5 UNCH
4490	----	----	----/*6.30A	18.70B/*6.30A	----	6.40 - 22.60	.0699	----	----	1	----	7 + 1
4500	----	----	#384.10B/----	#384.10B/241.80A	----	284.00 + 68.90	.9247	----	----	----	----	300 UNCH
4500	16.60	16.60	16.60/*4.00	19.80B/*4.00	----	6.90 - 23.60	.0751	----	----	13	----	11 + 4
4515	----	----	----/*7.10A	21.20B/*7.10A	----	7.60 - 25.40	.0829	----	----	----	----	6 UNCH
4525	8.20	8.20	8.20/*7.50A	22.40B/*7.50A	----	8.20 - 26.60	.0891	----	----	20	----	21 + 20
4535	----	----	----/*7.60A	23.70B/*7.60A	----	8.80 NEW	.0955	----	----	1	----	1 + 1
4535	----	----	#350.30B/----	#350.30B/210.50A	----	250.90 + 64.50	.9043	----	----	----	----	4 UNCH
4540	7.30	7.30	9.50/*7.30	24.60B/*7.30	----	9.10 - 28.60	.0987	----	----	4	----	2 + 1
4550	----	----	----/*7.80A	26.10B/*7.80A	----	9.80 - 30.00	.1060	----	----	3	----	4 + 1
4550	----	----	#335.90B/----	335.90B/197.60A	----	236.90 + 62.40	.8938	----	----	----	----	1 UNCH
4550	----	----	----/*22.50A	44.60B/*22.50A	----	31.20 NEW	.1950	----	----	1	----	1 + 1
4555	----	----	----/*7.90A	26.90B/*7.90A	----	10.20 - 30.70	.1100	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3										
APR26												
4570	----	----	#315.70B/----	#315.70B/220.10A	----	241.80 + 51.40	.7856	----	----	----	----	1 UNCH
4575	----	----	#312.10B/----	312.10B/176.50A	----	214.00 + 58.70	.8732	----	----	----	----	5 UNCH
4575	----	----	----/*8.60A	30.10B/*8.60A	----	11.80 - 33.80	.1266	----	----	1	----	2 + 1
4580	----	----	----/*8.80A	31.10B/*8.80A	----	12.30 - 34.60	.1315	----	----	6	----	25 + 6
4580	----	----	----/*26.00A	51.10B/*26.00A	----	36.70 NEW	.2239	----	----	27	----	27 + 27
4585	----	----	----/*26.70A	52.50B/*26.70A	----	37.70 - 42.90	.2291	----	----	----	----	2 UNCH
4585	----	----	----/*9.00A	32.00B/*9.00A	----	12.80 - 35.40	.1364	----	----	----	----	4 UNCH
4585	----	----	#302.60B/----	#302.60B/168.30A	----	204.90 + 57.10	.8634	----	----	----	----	1 UNCH
4590	20.50	20.50	20.50/*9.40A	32.80B/*9.40A	----	13.30 NEW	.1414	----	----	1	----	1 + 1
4595	----	----	----/*28.10A	55.10B/*28.10A	----	39.80 - 44.10	.2397	----	----	----	----	2 UNCH
4600	----	----	#290.40B/----	#290.40B/188.10A	----	217.90 + 47.70	.7545	----	----	----	----	10 UNCH
4600	----	----	----/*28.80A	56.60B/*28.80A	----	40.90 - 44.70	.2451	----	----	2	----	2 + 1
4600	11.00	11.00	17.50/*10.00A	34.70B/*10.00A	----	14.40 - 37.90	.1521	----	----	7	----	7 + 1
4605	----	----	----/*29.60A	57.70B/*29.60A	----	42.00 NEW	.2506	----	----	27	----	27 + 27
4610	----	----	----/*10.50A	36.70B/*10.50A	----	15.60 - 39.70	.1636	----	----	3	----	18 + 3
4610	----	----	#279.00B/----	#279.00B/148.20A	----	182.70 NEW	.8362	----	----	1	----	1 + 1
4615	----	----	----/*11.00A	37.80B/*11.00A	----	16.30 NEW	.1700	----	----	43	----	43 + 43
4620	----	----	----/*11.40A	38.90B/*11.40A	----	16.90 - 41.50	.1759	----	----	----	----	1 UNCH
4625	15.60	15.60	15.60/*11.80A	40.10B/*11.80A	----	17.60 NEW	.1824	----	----	3	----	3 + 3
4630	----	----	----/*12.20A	41.10B/*12.20A	----	18.40 NEW	.1894	----	----	2	----	2 + 2
4635	22.00	22.00	22.00/*12.60A	42.30B/*12.60A	----	19.10 NEW	.1961	----	----	11	----	11 + 11
4635	----	----	#255.50B/----	#255.50B/128.60A	----	161.30 + 48.20	.8037	----	----	1	----	9 UNCH
4640	30.00	30.00	30.00/*13.30A	43.50B/*13.30A	----	20.00 - 45.20	.2038	----	----	44	----	45 + 44
4645	----	----	----/*13.60A	44.70B/*13.60A	----	20.80 NEW	.2110	----	----	2	----	2 + 2
4650	----	----	#241.60B/----	241.60B/117.70A	----	148.80 + 45.20	.7810	----	----	----	----	1 UNCH
4650	17.30	17.30	23.20/*14.00A	46.10B/*14.00A	----	21.70 - 47.20	.2188	----	----	68	----	135 + 65
4660	----	----	#232.60B/----	#232.60B/110.90A	----	140.70 + 43.20	.7647	----	----	1	----	2 UNCH
4660	----	----	----/*14.90A	48.80B/*14.90A	----	23.60 - 49.20	.2351	----	----	6	----	14 + 6
4670	----	----	----/*16.10A	51.70B/*16.10A	----	25.60 - 52.30	.2521	----	----	----	----	5 UNCH
4675	----	----	----/*16.70A	53.30B/*16.70A	----	26.70 - 52.30	.2611	----	----	2	205	208 + 207
4680	----	----	#225.20B/----	#225.20B/135.20A	----	159.40 + 37.60	.6556	----	----	----	----	1 UNCH
4685	----	----	#210.10B/----	#210.10B/92.40A	----	121.20 + 38.10	.7197	----	----	----	----	2 UNCH
4685	26.50	26.50	26.50/*17.80A	56.10B/*17.80A	----	29.10 NEW	.2800	----	----	2	----	2 + 2
4690	39.70	39.70	40.00/*18.50A	58.50B/*18.50A	----	30.30 NEW	.2897	----	----	12	----	12 + 12
4695	----	----	#201.20B/----	#201.20B/86.40A	----	113.80 + 36.00	.7001	----	----	----	----	1 UNCH
4700	64.60	64.60	91.80B/*48.00A	91.80B/*48.00A	----	69.00 NEW	.3720	----	----	25	----	24 + 24
4700	----	----	#209.50B/----	#209.50B/123.60A	----	146.20 + 35.00	.6276	----	----	----	----	51 UNCH
4700	25.00	25.00	25.00/*19.80A	61.70B/*19.80A	----	33.00 - 57.50	.3101	----	----	2	----	4 + 2
4700	150.00	150.00	#196.70B/83.30A	196.70B/83.30A	----	110.10 + 34.90	.6897	----	----	105	----	132 - 31
4705	39.00	39.00	42.50/*20.40A	63.50B/*20.40A	----	34.40 NEW	.3205	----	----	20	----	10 + 10
4710	----	----	----/*21.20A	65.50B/*21.20A	----	35.80 - 59.60	.3311	----	----	----	----	6 UNCH
4720	----	----	#179.20B/----	#179.20B/71.80A	----	96.10 + 30.80	.6466	----	----	3	----	17 - 2
4720	38.90	38.90	60.60/*23.00A	68.90B/*23.00A	----	38.90 NEW	.3532	----	----	33	----	33 + 33
4725	62.60	62.60	62.60/*23.70A	70.90B/*23.70A	----	40.60 NEW	.3647	----	----	66	----	66 + 66
4730	22.10	22.10	65.20/*22.10	73.00B/*22.10	----	42.30 - 63.70	.3763	----	----	63	----	64 + 62
4735	67.30	67.30	67.30/*25.60A	75.10B/*25.60A	----	44.10 NEW	.3881	----	----	41	----	41 + 41
4740	25.60	25.60	25.60/*25.60	77.20B/*25.60	----	45.90 NEW	.4000	----	----	1	----	1 + 1
4750	----	----	#172.90B/----	#172.90B/96.70A	----	115.80 + 29.00	.5529	----	----	----	----	12 UNCH
4750	76.10	76.10	115.70B/*61.10A	115.70B/*61.10A	----	88.60 NEW	.4467	----	----	1	----	1 + 1
4750	----	----	----/*28.80A	81.90B/*28.80A	----	49.80 - 67.70	.4245	----	----	3	----	3 + 2
4750	----	----	#153.80B/----	153.80B/57.10A	----	77.00 + 24.70	.5753	----	----	3	----	12 + 2
4760	----	----	----/*30.80A	86.50B/*30.80A	----	53.90 NEW	.4495	----	----	1	----	1 + 1
4770	68.00	68.00	#138.20B/48.20A	138.20B/48.20A	----	65.60 NEW	.5249	----	----	6	----	6 + 6
4775	95.00	95.00	129.00B/*69.00A	129.00B/*69.00A	----	99.90 NEW	.4858	----	----	20	----	20 + 20
4775	----	----	----/*34.70A	93.90B/*34.70A	----	60.70 NEW	.4878	----	----	1	----	1 + 1
4780	----	----	#130.50B/----	130.50B/44.10A	----	60.30 + 19.10	.4991	----	----	----	----	2 UNCH
4780	----	----	----/*36.30A	96.50B/*36.30A	----	63.10 NEW	.5007	----	----	1	----	1 + 1
4780	100.00	100.00	#159.40B/82.80A	#159.40B/82.80A	----	99.50 NEW	.5059	----	----	1	----	1 + 1
4785	----	----	----/*73.50A	134.50B/*73.50A	----	104.70 - 67.40	.5016	----	----	----	----	24 UNCH
4785	----	----	#156.00B/----	#156.00B/80.60A	----	96.90 + 25.00	.4980	----	----	----	----	24 UNCH
4785	----	----	#126.80B/----	126.80B/42.10A	----	57.80 + 18.20	.4862	----	----	----	----	1 UNCH
4790	91.00	91.00	#123.10B/40.30A	123.10B/40.30A	----	55.30 NEW	.4732	----	----	1	----	1 + 1
4795	----	----	----/*41.10A	104.40B/*41.10A	----	70.70 - 76.00	.5396	----	----	----	----	4 UNCH
4795	135.00	135.00	#143.30B/76.00A	#143.30B/76.00A	----	91.90 NEW	.4821	----	----	9	----	9 + 9
4795	----	----	119.40B/----	119.40B/38.40A	----	52.90 + 16.40	.4602	----	----	----	----	10 UNCH
4800	78.00	78.00	107.40B/*43.40A	107.40B/*43.40A	----	73.40 - 76.80	.5525	----	----	5	----	6 + 5
4800	87.20	87.20	139.70B/73.90A	139.70B/73.90A	----	89.50 + 23.50	.4742	----	----	21	----	25 + 20
4800	53.50	53.50	115.30B/36.70A	115.30B/36.70A	----	50.60 + 15.60	.4473	----	----	8	----	14 + 5
4805	----	----	112.30B/----	112.30B/35.00A	----	48.40 + 14.90	.4344	----	----	----	----	4 UNCH
4810	----	----	----/*45.90A	114.30B/*45.90A	----	79.00 - 78.40	.5783	----	----	----	----	4 UNCH
4810	----	----	108.50B/----	108.50B/33.30A	----	46.20 + 14.00	.4215	----	----	----	----	4 UNCH
4815	----	----	#130.50B/----	130.50B/68.90A	----	82.50 + 21.20	.4504	----	----	----	----	10 UNCH
4820	----	----	----/*50.00A	120.70B/*50.00A	----	84.90 NEW	.6037	----	----	1	----	1 + 1
4820	62.60	62.60	101.50B/30.20A	101.50B/30.20A	----	42.10 + 12.60	.3960	----	----	4	----	7 + 3
4825	----	----	98.20B/----	98.20B/28.80A	----	40.20 + 11.90	.3836	----	----	1	----	4 UNCH
4830	70.40	70.40	127.90B/*54.10A	127.90B/*54.10A	----	91.10 NEW	.6287	----	----	4	----	2 + 2
4830	63.00	63.00	94.90B/27.40A	94.90B/27.40A	----	38.30 + 11.20	.3711	----	----	4	----	8 + 4
4840	----	----	#115.60B/----	115.60B/59.40A	----	71.60 NEW	.4109	----	----	24	----	20 + 20
4840	----	----	90.00B/24.80A	90.00B/24.80A	----	34.80 + 9.90	.3468	----	----	----	----	6 UNCH
4840	----	----	----/*57.70A	135.30B/57.70A	----	97.50 - 82.60	.6530	----	----	----	----	1 UNCH
4845	68.80	68.80	86.80B/23.60A	86.80B/23.60A	----	33.10 + 9.30	.3347	----	----	6	----	6 + 3
4850	----	----	110.40B/----	110.40B/56.70A	----	67.60 + 16.70	.3953	----	----	----	----	5 UNCH
4850	84.20	84.20	143.00B/*61.90A	143.00B/61.90A	----	104.30 - 83.70	.6768	----	----	3	----	7 + 3
4850	57.50	57.50	83.80B/22.40A	83.80B/22.40A	----	31.50 + 8.70	.3230	----	----	207	----	202 + 201
4855	----	----	#107.40B/----	107.40B/54.20A	----	65.60 + 16.10	.3875	----	----	----	----	7 UNCH
4855	----	----	----/*64.30A	146.80B/64.30A	----	107.70 - 84.30	.6882	----	----	----	----	1 UNCH
4860	67.00	67.00	77.90B/20.20A	77.90B/20.20A	----	28.50 + 7.60	.3001	----	----	45	----	45 + 41
4860	76.30	76.30	150.80B/*66.30A	150.80B/66.30A	----	111.20 NEW	.6997	----	----	8	----	0 UNCH
4870	----	----	72.30B/18.30A	72.30B/18.30A	----	25.70 NEW	.2780	----	----	8	----	8 + 8
4875	----	----	69.50B/17.30A	69.50B/17.30A	----	24.40 NEW	.2673	----	----	51	----	51 + 51
4880	----	----	#99.60B/----	99.60B/47.10A	----	56.40 + 13.20	.3494	----	----	----	----	9 UNCH
4880	29.50	29.50	66.90B/16.50A	66.90B/16.50A	----	23.20 + 5.70	.2571	----	----	8	----	11 + 8
4885	----	----	63.90B/15.60A	63.90B/15.60A	----	22.00 + 5.30	.2469	----	----	43	----	49 + 41
4885	----	----	----/*79.30A	171.20B/79.30A	----	129.80 - 87.10	.7529	----	----	----	----	1 UNCH
4895	----	----	#91.30B/----	91.30B/42.80A	----	51.40 NEW	.3273	----	----	27	----	27 + 27
4900	50.00	50.00	56.60B/13.40A	56.60B/13.40A	----	18.80 + 4.10	.2183	----	----	75	----	85 + 2
4900	84.80	84.80	183.70B/*84.80	183.70B/84.80	----	141.60 - 88.20	.7815	----	----	1	----	2 UNCH
4905	----	----	----/*88.50A	188.00B/88.50A	----	145.60 - 88.60	.7907	----	----	----	----	1 UNCH
4910	----	----	52.40B/11.80A	52.40B/11.80A	----	16.90 + 3.50	.2005	----	----	----	----	6 UNCH
4915	----	----	50.20B/11.40A	50.20B/11.40A	----	16.00 NEW	.1920	----	----	3	----	3 + 3
4920	----	----	#79.70B/----	79.70B/37.00A	----	43.90 NEW	.2919	----	----	27	----	27 + 27
4920	----	----	48.50B/10.80A	48.50B/10.80A	----	15.20 + 2.90	.1840	----	----	----	----	12 UNCH
4925	----	----	48.40B/10.30A	48.40B/10.30A	----	14.40 + 2.60	.1761	----	----	----	----	3 UNCH
4930	10.80	10.80	44.90B/9.80A	44.90B/9.80A	----	13.70 + 2.50	.1688	----	----	19	----	19 + 17
4940	9.70	9.70	41.20B/8.80A	41.20B/8.80A	----	12.30 + 2.00	.1544	----	----	9	----	21 + 8
4940	----	----	----/*113.50A	219.00B/113.50A	----	175.00 - 90.50	.8454	----	----	----	----	1 UNCH
4950	12.10	12.10	37.70B/8.00A	37.70B/8.00A	----	11.00 + 1.60	.1407	----	----	10	----	54 UNCH
4955	----	----	35.80B/*7.60A	35.80B/*7.60A	----	10.50 + 1.50	.1350	----	----	----	----	8 UNCH
4960	10.10	10.10	34.50B/*7.20A	34.50B/*7.20A	----	9.90 + 1.20	.1286	----	----	10	----	10 + 6
4965	----	----	34.50B/*6.80A	34.50B/*6.80A	----	9.40 + 1.10	.1230	----	----	----	----	2 UNCH
4970	----	----	32.70B/*6.50A	32.70B/*6.50A	----	8.90 + 0.90	.1174	----	----	----	----	3 UNCH
4975	----	----	----/*136.50A	251.10B/136.50A	----	206.20 - 91.60	.8880	----	----	----	----	1 UNCH
4975	16.00	16.00	30.00B/*6.20A	30.00B/*6.20A	----	8.40 + 0.80	.1118	----	----	10	----	16 + 10
4975	----	----	57.60B/----	57.60B/26.40A	----	30.60 + 6.00	.2221	----	----	----	----	4 UNCH
4980	----	----	28.80B/*5.90A	28.80B/*5.90A	----	8.00 + 0.70	.1070	----	----	----	----	1 UNCH
4985	----	----	27.60B/*5.60A	27.60B/*5.60A	----	7.60 + 0.60	.1023	----	----	----	----	3 UNCH
4990	----	----	----/*147.10A	265.20B/147.10A	----	219.90 NEW	.9022	----	----	1	----	1 + 1
4990	----	----	26.20B/*5.30A	26.20B/*5.30A	----	7.20 + 0.50	.0976	----	----	----	----	13 UNCH
5000	----	----	#49.20B/----	49.20B/22.60A	----	25.90 + 4.90	.1947	----	----	51	350	375 + 374
5000	17.80	17.80	23.50B/*4.80A	23.50B/*4.80A	----	6.50 + 0.30	.0891	----	----	16	----	13 + 3
5005	----	----	22.50B/*4.60A	22.50B/*4.60A	----	6.20 + 0.20	.0853	----	----	----	----	1 UNCH
5010	12.30	12.30	22.10B/*4.40A	22.10B/*4.40A	----	5.80 + 0.10	.0807	----	----	20	----	21 + 17
5015	----	----	20.80B/*4.20A	20.80B/*4.20A	----	5.50 UNCH	.0769	----	----	----	----	2 UNCH
5020	----	----	19.40B/*4.00A	19.40B/*4.00A	----	5.30 UNCH	.0741	----	----	----	----	1 UNCH
5025	----	----	18.90B/*3.80A	18.90B/*3.80A	----	5.00 - 0.10	.0705	----	----	----	----	5 UNCH
5035	----	----	16.80B/*3.50A	16.80B/*3.50A	----	4.50 - 0.20	.0641	----	----	----	----	2 UNCH
5040	----	----	17.60B/*3.30A	17.60B/*3.30A	----	4.30 - 0.30	.0614	----	----	----	----	2 UNCH
5050	18.70	18.70	#34.70B/16.30A	34.70B/16.30A	----	18.50 NEW	.1479	----	----	20	----	20 + 20
5050	----	----	14.70B/*3.00A	14.70B/*3.00A	----	3.90 - 0.30	.0561	----	----	----	----	3 UNCH
5055	----	----	15.30B/*2.90A	15.30B/*2.90A	----	3.70 - 0.40	.0535	----	----	----	----	3 UNCH
5060	----	----	13.30B/*2.80A	13.30B/*2.80A	----	3.50 - 0.40	.0509	----	----	----	----	2 UNCH
5070	----	----	12.10B/*2.60A	12.10B/*2.60A	----	3.10 - 0.60	.0457	----	----	----	----	4 UNCH
5075	----	----	11.50B/*2.50A	11.50B/*2.50A	----	3.00 - 0.60	.0441	----	----	----	----	1 UNCH
5080	----	----	10.90B/*2.40A	10.90B/*2.40A	----	2.80 - 0.60	.0416	----	----	----	----	1 UNCH
5100	----	----	#23.80B/----	23.80B/*12.20A	----	13.30 + 2.60	.1117	----	----	2	----	3 + 2
5100	----	----	8.90B/*2.00A	8.90B/*2.00A	----	2.40 - 0.60	.0356	----	----	----	----	2 UNCH
5150	----	----	5.10B/*1.50A	5.10B/*1.50A	----	1.60 - 0.70	.0239	----	----	5	----	6 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5180	----	----	----/*308.80A	451.40B/308.80A	----	404.00 - 93.10	.9805	----	----	----	----	1 UNCH
5200	10.00	10.00	#10.50B/*7.20A	10.50B/*7.20A	----	7.20 NEW	.0643	----	----	8	----	4 + 4
5200	----	----	2.60B/*1.10A	2.60B/*1.10A	----	1.20 - 0.70	.0176	----	----	1	----	11 UNCH
5220	----	----	1.90B/*1.10A	1.90B/*1.10A	----	1.10 - 0.60	.0159	----	----	----	----	2 UNCH
5225	1.10	1.10	1.80B/*1.10	1.80B/*1.10	----	1.00 NEW	.0147	----	----	2	----	2 + 2
5235	----	----	----/*1.00A	1.50B/*1.00A	----	1.00 - 0.60	.0144	----	----	----	----	2 UNCH
5250	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.70	.0130	----	----	----	----	12 UNCH
5350	----	----	----/*0.90A	0.20B/*0.90A	----	0.70 - 0.50	.0092	----	----	----	----	2 UNCH
5400	----	----	----/*0.90A	----/*0.90A	----	0.50 - 0.50	.0066	----	----	----	----	1 UNCH
TOTAL										1529	555	4706+ 1719
MAY26												
4200	----	----	----/*15.00A	24.50B/*15.00A	----	18.00 - 17.30	.0825	----	----	4	----	1 - 2
4250	----	----	----/*17.60A	29.40B/*17.60A	----	22.10 - 20.00	.0994	----	----	1	----	2 + 1
4300	29.40	29.40	29.40/*20.70A	35.30B/*20.70A	----	27.00 - 23.10	.1189	----	----	1	----	18 UNCH
4300	37.00	37.00	#37.00/*27.50A	41.40B/*27.50A	----	34.60 NEW	.1360	----	----	5	----	5 + 5
4350	----	----	----/*24.90A	42.20B/*24.90A	----	32.80 - 26.40	.1414	----	----	----	----	2 UNCH
4350	30.90	30.90	49.70B/*30.90	49.70B/*30.90	----	41.40 - 30.60	.1592	----	----	5	----	15 UNCH
4370	----	----	----/*26.80A	45.00B/*26.80A	----	35.40 - 27.80	.1513	----	----	----	----	1 UNCH
4375	----	----	----/*27.30A	46.70B/*27.30A	----	36.10 - 28.20	.1539	----	----	----	----	1 UNCH
4400	40.40	40.40	40.40/*29.90A	51.10B/*29.90A	----	39.70 NEW	.1673	----	----	1	----	1 + 1
4475	----	----	----/*39.50A	64.70B/*39.50A	----	53.00 - 35.90	.2139	----	----	----	----	1 UNCH
4475	----	----	----/*50.20A	76.60B/*50.20A	----	64.00 NEW	.2308	----	----	10	----	10 + 10
4485	----	----	----/*51.90A	79.10B/*51.90A	----	66.20 NEW	.2374	----	----	10	----	10 + 10
4500	----	----	----/*43.40A	71.90B/*43.40A	----	58.30 - 37.90	.2314	----	----	----	----	2 UNCH
4505	----	----	----/*44.30A	73.20B/*44.30A	----	59.40 - 38.30	.2350	----	----	----	----	1 UNCH
4580	----	----	----/*58.40A	93.90B/*58.40A	----	78.20 - 44.90	.2939	----	----	----	----	2 UNCH
4600	----	----	----/*76.50A	114.80B/*76.50A	----	97.20 - 49.40	.3231	----	----	----	----	1 UNCH
4600	80.00	80.00	99.20B/*62.90A	99.20B/*62.90A	----	84.00 - 46.70	.3110	----	----	5	----	4 + 3
4630	----	----	----/*70.20A	110.20B/*70.20A	----	93.20 - 49.50	.3376	----	----	----	----	0 UNCH
4650	----	----	#291.80B/----	#291.80B/208.40A	----	226.70 + 40.90	.6432	----	----	----	----	1 UNCH
4690	----	----	#263.20B/----	#263.20B/184.80A	----	201.00 + 37.00	.6048	----	----	2	----	3 UNCH
4700	----	----	#256.30B/----	#256.30B/179.30A	----	194.90 + 36.10	.5950	----	----	----	----	1 UNCH
4700	----	----	----/*89.90A	139.50B/*89.90A	----	117.80 - 56.30	.4043	----	----	1	----	1 - 1
4705	----	----	#252.80B/----	#252.80B/176.20A	----	191.80 + 35.50	.5899	----	----	----	----	1 UNCH
4705	----	----	----/*91.70A	141.30B/*91.70A	----	119.80 - 56.70	.4093	----	----	----	----	11 UNCH
4710	----	----	#251.70B/----	#251.70B/173.50A	----	188.80 + 35.10	.5850	----	----	1	----	0 - 1
4720	----	----	#244.90B/----	#244.90B/168.30A	----	182.80 + 34.10	.5749	----	----	1	----	1 - 1
4780	----	----	#222.80B/----	#222.80B/152.80A	----	165.30 + 27.10	.5143	----	----	1	----	0 - 1
4800	----	----	#210.70B/----	#210.70B/143.90A	----	155.10 + 25.20	.4951	----	----	----	----	1 UNCH
4800	----	----	#191.50B/----	#191.50B/129.20A	----	138.80 + 26.30	.4911	----	----	----	----	1 UNCH
4900	98.40	98.40	#139.40B/89.20A	#139.40B/89.20A	----	95.00 + 17.80	.3850	----	----	20	----	21 + 20
4900	120.00	120.00	#151.60B/*104.7	#151.60B/104.70A	----	110.30 NEW	.3989	----	----	1	----	1 + 1
4905	----	----	#135.40B/----	#135.40B/88.00A	----	93.10 + 17.40	.3798	----	----	----	----	2 UNCH
4950	----	----	115.70B/----	115.70B/74.30A	----	77.90 + 14.50	.3350	----	----	----	----	1 UNCH
4975	----	----	#105.10B/----	105.10B/67.70A	----	70.50 + 13.10	.3114	----	----	----	----	1 UNCH
5000	----	----	#95.20B/----	95.20B/61.30A	----	63.80 + 11.80	.2889	----	----	----	----	3 UNCH
5000	265.40	265.40	324.10B/*234.50	324.10B/*234.50A	----	286.10 - 80.50	.7104	----	----	1	----	1 UNCH
5005	----	----	#92.30B/----	#92.30B/60.30A	----	62.50 + 11.50	.2845	----	----	----	----	1 UNCH
5025	----	----	#85.90B/----	85.90B/55.30A	----	57.60 + 10.60	.2673	----	----	----	----	0 UNCH
5175	----	----	#45.50B/----	45.50B/30.30A	----	31.20 + 5.80	.1631	----	----	----	----	2 UNCH
TOTAL										70		131+ 45

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
4250	----	----	----	----	----	5.40 - 12.70	.0400	----	----	----	----	1 UNCH
4600	----	----	----	----	----	7.20 - 33.70	.1031	----	----	----	----	2 UNCH
4700	29.00	29.00	#29.00/*29.00	#29.00/*29.00	----	20.40 NEW	.2636	----	----	1	----	1 + 1
4915	----	----	----	----	----	38.80 + 9.80	.2823	----	----	----	----	3 UNCH
TOTAL										1		7+ 1

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
5000	----	----	----	0.001B/0.191A	----	0.101 - 0.074	.0170	----	----	----	----	1 UNCH
5000	----	----	----	0.001B/*0.122A	----	0.025 - 0.019	.0058	----	----	----	----	1 UNCH
5600	----	----	----	----/0.173A	----	0.001 - 0.020	.0005	----	----	----	----	1 UNCH
6000	----	----	----	----/0.158A	----	0.001 - 0.066	.0006	----	----	----	----	1 UNCH
6000	0.150	0.150	0.150/*0.150	0.150/*0.150	----	0.167 - 0.192	.0389	----	----	1	----	0 - 1
6100	----	----	----/*0.411A	0.338B/*0.411A	----	0.352 - 0.441	.0672	----	----	----	----	1 UNCH
6150	----	----	----	----/*0.133A	----	0.002 - 0.093	.0013	----	----	----	----	1 UNCH
6425	----	----	----/*0.104A	0.001B/*0.104A	----	0.005 - 0.165	.0035	----	----	----	----	1 UNCH
6500	----	----	----/*0.372A	0.322B/*0.372A	----	0.355 - 0.496	.0862	----	----	----	----	1 UNCH
6500	----	----	----/*0.102A	0.001B/*0.102A	----	0.006 - 0.198	.0043	----	----	----	----	2 UNCH
6550	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.008 - 0.223	.0057	----	----	1	----	2 UNCH
6650	----	----	----/*0.115A	0.001B/*0.115A	----	0.012 - 0.288	.0087	----	----	----	----	6 UNCH
6660	----	----	----/*0.116A	0.001B/*0.116A	----	0.013 - 0.295	.0094	----	----	----	----	4 UNCH
6750	----	----	----/*0.133A	0.001B/*0.133A	----	0.020 - 0.377	.0144	----	----	----	----	10 UNCH
6800	----	----	----	----	----	7.410 + 2.965	.9819	----	----	----	----	50 UNCH
6800	0.105	0.105	0.105/*0.105	0.105/*0.105	----	0.025 - 0.434	.0180	----	----	1	----	2 + 1
6850	----	----	----/*1.126A	1.461B/*1.126A	----	0.767 - 1.679	.1702	----	----	----	----	25 UNCH
6900	0.079	0.079	0.080/*0.079	0.114B/*0.079	----	0.043 NEW	.0302	----	----	2	----	2 + 2
7000	0.125	0.125	0.194/*0.125	0.222B/*0.125	----	0.074 - 0.772	.0503	----	----	2	----	3 + 2
7000	----	----	----	----/24.866A	----	6.399 + 1.398	.7807	----	----	----	----	1 UNCH
7025	----	----	----/*0.173A	0.222B/*0.173A	----	0.085 - 0.829	.0572	----	----	----	----	1 UNCH
7180	1.646	1.646	1.709B/*1.144A	1.709B/*1.144A	----	1.324 NEW	.2856	----	----	3	----	3 + 3
7200	0.341	0.341	0.350/*0.210	0.644B/*0.210	----	0.229 NEW	.1371	----	----	4	----	4 + 4
7250	0.250	0.250	0.500/*0.250	0.748B/*0.250	----	0.302 NEW	.1728	----	----	2	----	2 + 2
7300	----	----	----	1.029B/2.322A	----	2.777 + 1.702	.7853	----	----	----	----	3 UNCH
7300	0.300	0.300	0.390/*0.300	0.968B/*0.300	----	0.393 NEW	.2146	----	----	2	----	2 + 2
7350	0.375	0.375	0.795/*0.375	1.081B/*0.375	----	0.493 NEW	.2603	----	----	4	----	4 + 4
7400	----	----	1.367B/----	1.367B/1.365A	----	2.003 + 1.287	.6867	----	----	----	----	2 UNCH
7400	0.607	0.607	0.920/*0.423A	1.369B/*0.423A	----	0.618 NEW	.3132	----	----	7	----	7 + 7
7450	1.250	1.250	1.352B/0.896	1.352B/0.896	----	1.659 NEW	.6266	----	----	7	----	3 + 3
7450	0.780	0.780	0.780/*0.523A	1.592B/*0.523A	----	0.774 NEW	.3733	----	----	1	----	1 + 1
7455	1.000	1.000	#1.000/1.000	1.000/1.000	----	1.627 NEW	.6202	----	----	1	----	1 + 1
7475	0.909	0.909	1.092B/0.909	1.092B/0.909	----	1.501 + 0.983	.5942	----	----	1	----	1 UNCH
7500	----	----	3.561B/----	3.561B/2.514A	----	2.893 + 1.226	.5405	----	----	----	----	1 UNCH
7500	0.600	0.600	1.515/*0.593A	1.733B/*0.593A	----	0.968 NEW	.4393	----	----	3	----	3 + 3
7520	1.300	1.300	#1.300/0.898A	1.300/0.898A	----	1.242 NEW	.5332	----	----	3	----	3 + 3
7525	1.250	1.250	1.250/*0.684A	1.738B/*0.684A	----	1.080 NEW	.4736	----	----	5	----	5 + 5
7550	1.178	1.178	1.178/*0.737A	1.740B/*0.737A	----	1.204 NEW	.5083	----	----	1	----	1 + 1
7550	1.150	1.150	1.478B/0.600	1.478B/0.600	----	1.089 NEW	.4916	----	----	4	----	2 + 2
7555	0.550	0.550	1.250/*0.550	1.761B/*0.550	----	1.230 NEW	.5153	----	----	2	----	0 UNCH
7575	1.105	1.105	1.105/0.731A	1.105/0.731A	----	0.975 NEW	.4570	----	----	7	----	7 + 7
7600	2.100	2.100	2.100/0.500	2.100/0.500	----	0.873 + 0.573	.4233	----	----	3	----	4 + 3
7600	----	----	3.035B/----	3.035B/2.104A	----	2.403 + 1.037	.4815	----	----	----	----	2 UNCH
7600	----	----	----/*0.851A	1.842B/*0.851A	----	1.488 NEW	.5766	----	----	1	----	1 + 1
7625	0.832	0.832	1.278B/0.606A	1.278B/0.606A	----	0.780 NEW	.3905	----	----	1	----	1 + 1
7650	1.150	1.150	1.309B/0.557A	1.309B/0.557A	----	0.696 + 0.453	.3591	----	----	2	----	2 UNCH
7650	----	----	----/*1.033A	1.732B/*1.033A	----	1.811 NEW	.6409	----	----	1	----	1 + 1
7700	1.500	1.500	2.000/*1.190A	2.000/*1.190A	----	2.166 NEW	.6992	----	----	4	----	0 UNCH
7700	0.453	0.453	1.230B/0.441A	1.230B/0.441A	----	0.552 NEW	.3007	----	----	11	----	11 + 11
7725	1.013	1.013	1.172B/0.300A	1.172B/0.300A	----	0.491 + 0.310	.2741	----	----	61	----	60 + 35
7750	0.800	0.800	1.132B/0.399A	1.132B/0.399A	----	0.436 + 0.272	.2492	----	----	12	----	13 + 12
7800	0.211	0.211	0.910B/*0.211	0.910B/*0.211	----	0.346 + 0.208	.2054	----	----	1	----	4 + 1
7850	0.500	0.500	0.641B/0.281A	0.641B/0.281A	----	0.275 NEW	.1686	----	----	1	----	1 + 1
7900	0.550	0.550	0.550/*0.135A	0.550/*0.135A	----	0.219 + 0.118	.1380	----	----	2	----	3 + 2
7950	0.590	0.590	0.590/0.201A	0.590/0.201A	----	0.177 NEW	.1136	----	----	2	----	2 + 2
8000	0.400	0.400	0.400/0.165A	0.400/0.165A	----	0.144 + 0.066	.0938	----	----	2	----	7 + 1
8250	----	----	----	----/25.951A	----	7.750 - 3.129	.8230	----	----	----	----	4 UNCH
8275	----	----	----	----/26.450A	----	7.968 - 3.144	.8305	----	----	----	----	4 UNCH
8300	0.051	0.051	0.051/*0.051	0.051/*0.051	----	0.053 NEW	.0346	----	----	1	----	1 + 1
8500	0.100	0.100	0.100/0.100	0.100/0.100	----	0.033 - 0.012	.0208	----	----	1	----	0 - 1
8525	0.109	0.109	0.109/*0.100A	0.109/*0.100A	----	0.031 NEW	.0195	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week2										
APR26												
8600	----	----	----	0.001B/0.109A	----	0.025 -	0.015 .0157	----	----	----	----	1 UNCH
8800	----	----	----/*14.882A	11.936B/*14.882A	----	12.825	NEW .9319	----	----	1	----	1 + 1
TOTAL										172	0	295 + 125
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
APR26												
6000	0.037	0.037	0.037/*0.037	0.037/*0.037	----	0.052	NEW .0167	----	----	1	----	1 + 1
6600	0.375	0.375	0.375/*0.222A	0.375/*0.222A	----	0.178 -	0.447 .0601	----	----	1	----	1 UNCH
6625	0.200	0.200	0.200/*0.200	0.200/*0.200	----	0.187	NEW .0633	----	----	6	----	6 + 6
6700	----	----	----/*0.253A	0.246B/*0.253A	----	0.221 -	0.562 .0749	----	----	----	----	1 UNCH
6750	----	----	----/*0.285A	0.253B/*0.285A	----	0.247	NEW .0838	----	----	1	----	1 + 1
6900	0.624	0.624	0.624/*0.357A	0.624/*0.357A	----	0.354 -	0.868 .1191	----	----	1	----	2 + 1
6975	----	----	----/*0.397A	0.637B/*0.397A	----	0.428 -	1.012 .1424	----	----	----	----	11 UNCH
7000	----	----	----/*0.422A	0.732B/*0.422A	----	0.457 -	1.062 .1513	----	----	----	----	1 UNCH
7050	----	----	----	----/27.727A	----	5.405 +	2.228 .8292	----	----	----	----	1 UNCH
7175	----	----	----/*0.584A	1.179B/*0.584A	----	0.733 -	1.461 .2299	----	----	----	----	2 UNCH
7200	----	----	2.684B/----	2.684B/3.409A	----	4.169 +	1.874 .7560	----	----	----	----	1 UNCH
7205	0.842	0.842	0.842/*0.626A	1.269B/*0.626A	----	0.797	NEW .2467	----	----	1	----	1 + 1
7250	----	----	----/*0.715A	1.433B/*0.715A	----	0.902	NEW .2734	----	----	2	----	2 + 2
7300	----	----	3.137B/----	3.137B/4.550A	----	4.072 +	1.225 .6539	----	----	----	----	2 UNCH
7300	----	----	2.575B/----	2.575B/3.036A	----	3.420	NEW .6942	----	----	4	----	4 + 4
7400	----	----	2.638B/----	2.638B/2.205A	----	2.747 +	1.367 .6226	----	----	----	----	1 UNCH
7500	2.200	2.200	2.537B/1.727A	2.537B/1.727A	----	2.161 +	1.123 .5441	----	----	3	----	3 + 3
7500	----	----	----/*1.308A	2.551B/*1.308A	----	1.776	NEW .4558	----	----	1	----	1 + 1
7500	----	----	3.302B/----	3.302B/2.938A	----	2.910 +	0.868 .5405	----	----	----	----	2 UNCH
7600	----	----	2.364B/----	2.364B/1.348A	----	1.666 +	0.898 .4630	----	----	----	----	2 UNCH
7700	2.150	2.150	2.150/1.042A	2.150/1.042A	----	1.262 +	0.700 .3837	----	----	2	----	1 - 1
7800	2.095	2.095	2.095/0.650A	2.095/0.650A	----	0.944 +	0.533 .3108	----	----	1	----	1 + 1
8000	0.330	0.330	0.904B/0.330	0.904B/0.330	----	0.520 +	0.292 .1939	----	----	1	----	2 UNCH
8025	----	----	0.830B/----	0.830B/0.471A	----	0.483 +	0.269 .1823	----	----	----	----	1 UNCH
8100	0.360	0.360	0.625B/0.360	0.625B/0.360	----	0.387	NEW .1511	----	----	1	----	1 + 1
8500	----	----	0.100B/----	0.100B/0.189A	----	0.135 +	0.042 .0577	----	----	----	----	1 UNCH
TOTAL										26	0	53 + 21
MAY26												
6600	----	----	----/*1.347A	1.497B/*1.347A	----	1.015 -	1.374 .1573	----	----	----	----	1 UNCH
7625	6.000	6.000	#6.010/*5.200	#6.010/*5.200	----	5.801	NEW .4712	----	----	4	----	1 + 1
TOTAL										4	0	2 + 1
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3750	----	----	40.021B/----	40.021B/36.450A	----	37.892 +	3.387 .9953	----	----	----	----	1 UNCH
3875	----	----	38.844B/----	38.844B/35.055A	----	36.648 +	3.384 .9942	----	----	----	----	50 UNCH
3900	----	----	38.521B/----	38.521B/34.953A	----	36.399 +	3.383 .9940	----	----	----	----	1 UNCH
4000	----	----	37.609B/----	37.609B/33.808A	----	35.405 +	3.380 .9931	----	----	----	----	53 UNCH
4100	----	----	36.610B/----	36.610B/32.811A	----	34.409 +	3.375 .9924	----	----	----	----	50 UNCH
4200	----	----	35.611B/----	35.611B/31.815A	----	33.413 +	3.368 .9917	----	----	----	----	116 UNCH
4400	----	----	33.579B/----	33.579B/29.881A	----	31.422 +	3.353 .9899	----	----	----	----	43 UNCH
4450	----	----	32.921B/----	32.921B/29.476A	----	30.925 +	3.349 .9895	----	----	----	----	2 UNCH
4500	----	----	32.619B/----	32.619B/28.830A	----	30.427 +	3.344 .9889	----	----	----	----	120 UNCH
4550	----	----	32.039B/----	32.039B/28.482A	----	29.930 +	3.339 .9884	----	----	----	----	1 UNCH
4600	----	----	31.564B/----	31.564B/27.892A	----	29.433 +	3.334 .9878	----	----	----	----	43 UNCH
4650	----	----	31.127B/----	31.127B/27.342A	----	28.937 +	3.330 .9872	----	----	----	----	77 UNCH
4675	----	----	30.770B/----	30.770B/27.200A	----	28.688 +	3.327 .9870	----	----	----	----	15 UNCH
4700	----	----	30.547B/----	30.547B/26.996A	----	28.440 +	3.324 .9866	----	----	----	----	2 UNCH
4725	----	----	30.298B/----	30.298B/26.748A	----	28.192 +	3.322 .9862	----	----	----	----	2 UNCH
4750	----	----	30.051B/----	30.051B/26.459A	----	27.944 +	3.319 .9859	----	----	----	----	7 UNCH
4800	----	----	29.554B/----	29.554B/25.964A	----	27.448 +	3.313 .9851	----	----	----	----	7 UNCH
4825	----	----	29.279B/----	29.279B/25.714A	----	27.200 +	3.310 .9847	----	----	----	----	22 UNCH
4850	----	----	29.031B/----	29.031B/25.467A	----	26.952 +	3.307 .9843	----	----	----	----	10 UNCH
4900	----	----	28.538B/----	28.538B/24.974A	----	26.457 +	3.301 .9835	----	----	----	----	14 UNCH
4925	----	----	28.291B/----	28.291B/24.731A	----	26.209 +	3.297 .9830	----	----	----	----	12 UNCH
4950	----	----	27.962B/----	27.962B/24.529A	----	25.962 +	3.294 .9826	----	----	----	----	4 UNCH
5000	----	----	27.653B/----	27.653B/23.886A	----	25.467 +	3.287 .9816	----	----	----	----	99 UNCH
5025	----	----	27.222B/----	27.222B/23.806A	----	25.220 +	3.283 .9811	----	----	----	----	3 UNCH
5050	----	----	27.052B/----	27.052B/23.505A	----	24.973 +	3.280 .9805	----	----	----	----	6 UNCH
5075	----	----	26.804B/----	26.804B/23.253A	----	24.726 +	3.276 .9800	----	----	----	----	6 UNCH
5100	----	----	26.556B/----	26.556B/23.015A	----	24.480 +	3.272 .9794	----	----	----	----	9 UNCH
5125	----	----	26.242B/----	26.242B/22.812A	----	24.233 +	3.268 .9787	----	----	----	----	1 UNCH
5150	----	----	26.061B/----	26.061B/22.519A	----	23.987 +	3.264 .9781	----	----	----	----	15 UNCH
5200	----	----	25.566B/----	25.566B/22.031A	----	23.495 +	3.256 .9767	----	----	----	----	11 UNCH
5225	----	----	25.267B/----	25.267B/21.836A	----	23.249 +	3.251 .9759	----	----	----	----	1 UNCH
5250	----	----	25.072B/----	25.072B/21.544A	----	23.003 +	3.246 .9752	----	----	----	----	21 UNCH
5275	----	----	24.824B/----	24.824B/21.301A	----	22.757 +	3.241 .9744	----	----	----	----	6 UNCH
5300	----	----	24.690B/----	24.690B/20.955A	----	22.512 +	3.236 .9735	----	----	----	----	126 UNCH
5325	----	----	24.387B/----	24.387B/20.771A	----	22.267 +	3.231 .9726	----	----	----	----	29 UNCH
5350	----	----	24.142B/----	24.142B/20.515A	----	22.022 +	3.225 .9717	----	----	----	----	25 UNCH
5400	----	----	23.699B/----	23.699B/19.989A	----	21.533 +	3.214 .9699	----	----	----	----	146 UNCH
5425	----	----	23.343B/----	23.343B/19.851A	----	21.289 +	3.209 .9688	----	----	----	----	12 UNCH
5450	----	----	23.209B/----	23.209B/19.513A	----	21.045 +	3.203 .9678	----	----	----	----	50 UNCH
5475	----	----	22.807B/----	22.807B/19.406A	----	20.801 +	3.196 .9667	----	----	----	----	2 UNCH
5500	----	----	22.720B/----	22.720B/19.034A	----	20.558 +	3.190 .9656	----	----	----	----	185 UNCH
5525	----	----	22.425B/----	22.425B/18.838A	----	20.314 +	3.183 .9644	----	----	----	----	35 UNCH
5550	----	----	22.126B/----	22.126B/18.653A	----	20.072 +	3.177 .9631	----	----	----	----	8 UNCH
5600	----	----	21.743B/----	21.743B/18.074A	----	19.587 +	3.162 .9606	----	----	----	----	110 UNCH
5625	----	----	21.401B/----	21.401B/17.938A	----	19.345 +	3.154 .9592	----	----	----	----	8 UNCH
5650	----	----	21.224B/----	21.224B/17.648A	----	19.103 +	3.146 .9578	----	----	----	----	31 UNCH
5675	----	----	20.913B/----	20.913B/17.464A	----	18.862 +	3.138 .9562	----	----	----	----	6 UNCH
5700	----	----	20.687B/----	20.687B/17.228A	----	18.621 +	3.129 .9547	----	----	----	----	9 UNCH
5750	----	----	20.201B/----	20.201B/16.756A	----	18.140 +	3.111 .9514	----	----	----	----	16 UNCH
5775	----	----	19.920B/----	19.920B/16.553A	----	17.900 +	3.101 .9496	----	----	----	----	1 UNCH
5800	----	----	19.677B/----	19.677B/16.319A	----	17.661 +	3.091 .9479	----	----	----	----	1 UNCH
5825	----	----	19.475B/----	19.475B/16.053A	----	17.422 +	3.081 .9460	----	----	----	----	11 UNCH
5850	----	----	19.195B/----	19.195B/15.852A	----	17.184 +	3.071 .9441	----	----	----	----	2 UNCH
5900	----	----	18.831B/----	18.831B/15.259A	----	16.708 +	3.047 .9400	----	----	----	----	124 UNCH
5925	----	----	18.493B/----	18.493B/15.156A	----	16.471 +	3.035 .9378	----	----	----	----	1 UNCH
5950	----	----	18.271B/----	18.271B/14.895A	----	16.234 +	3.022 .9355	----	----	----	----	16 UNCH
6000	----	----	17.876B/----	17.876B/14.334A	----	15.763 +	2.996 .9308	----	----	----	----	247 UNCH
6050	----	----	17.279B/----	17.279B/14.032A	----	15.294 +	2.967 .9256	----	----	----	----	2 UNCH
6075	----	----	17.163B/----	17.163B/13.653A	----	15.060 +	2.952 .9230	----	----	----	----	122 UNCH
6100	----	----	16.837B/----	16.837B/13.522A	----	14.828 +	2.937 .9202	----	----	----	----	9 UNCH
6125	----	----	16.589B/----	16.589B/13.332A	----	14.595 +	2.920 .9173	----	----	----	----	1 UNCH
6150	----	----	16.354B/----	16.354B/13.109A	----	14.364 +	2.904 .9144	----	----	----	----	3 UNCH
6175	----	----	16.118B/----	16.118B/12.905A	----	14.133 +	2.886 .9112	----	----	----	----	1 UNCH
6200	----	----	16.003B/----	16.003B/12.539A	----	13.904 +	2.869 .9080	----	----	----	----	59 UNCH
6225	----	----	15.769B/----	15.769B/12.319A	----	13.675 +	2.851 .9047	----	----	----	----	69 UNCH
6250	----	----	15.415B/----	15.415B/12.227A	----	13.446 +	2.831 .9012	----	----	----	----	3 UNCH
6275	----	----	15.182B/----	15.182B/12.028A	----	13.219 +	2.811 .8976	----	----	----	----	4 UNCH
6300	----	----	14.970B/----	14.970B/11.759A	----	12.993 +	2.791 .8939	----	----	----	----	24 UNCH
6325	----	----	14.624B/----	14.624B/11.598A	----	12.768 +	2.770 .8901	----	----	----	----	3 UNCH
6350	----	----	14.497B/----	14.497B/11.330A	----	12.544 +	2.749 .8861	----	----	----	----	7 UNCH
6375	----	----	14.302B/----	14.302B/11.078A	----	12.321 +	2.727 .8820	----	----	----	----	48 UNCH
6400	----	----	14.131B/----	14.131B/10.815A	----	12.099 +	2.704 .8777	----	----	----	----	62 UNCH
6425	----	----	13.812B/----	13.812B/10.697A	----	11.878 +	2.680 .8733	----	----	----	----	6 UNCH
6450	----	----	13.477B/----	13.477B/10.543A	----	11.659 +	2.657 .8687	----	----	----	----	4 UNCH
6475	----	----	13.361B/----	13.361B/10.278A	----	11.441 +	2.632 .8641	----	----	----	----	6 UNCH
6500	----	----	13.208B/----	13.208B/9.997A	----	11.224 +	2.607 .8592	----	----	----	----	174 UNCH
6525	----	----	12.960B/----	12.960B/9.834A	----	11.009 +	2.582 .8542	----	----	----	----	28 UNCH
6550	----	----	12.693B/----	12.693B/9.662A	----	10.795 +	2.555 .8490	----	----	----	----	8 UNCH
6575	----	----	12.350B/----	12.350B/9.526A	----	10.582 +	2.528 .8437	----	----	----	----	3 UNCH
6600	----	----	12.248B/----	12.248B/9.261A	----	10.372 +	2.501 .8382	----	----	----	----	9 UNCH
6625	----	----	12.029B/----	12.029B/9.063A	----	10.162 +	2.472 .8324	----	----	----	----	7 UNCH
6650	----	----	11.811B/----	11.811B/8.871A	----	9.955 +	2.444 .8266	----	----	----	----	6 UNCH
6675	----	----	11.490B/----	11.490B/8.740A	----	9.749 +	2.415 .8206	----	----	----	----	1 UNCH
6700	----	----	11.434B/----	11.434B/8.416A	----	9.546 +	2.386 .8144	----	----	----	----	172 UNCH
6750	----	----	10.956B/----	10.956B/8.100A	----	9.144 +	2.326 .8015	----	----	----	----	10 UNCH
6800	----	----	10.595B/----	10.595B/7.668A	----	8.750 +	2.264 .7879	----	----	----	----	56 UNCH
6825	----	----	10.385B/----	10.385B/7.496A	----	8.556 +	2.232 .7809	----	----	----	----	107 UNCH
6850	----	----	10.019B/----	10.019B/7.438A	----	8.364 +	2.200 .7736	----	----	----	----	1 UNCH
6875	----	----	9.813B/----	9.813B/7.277A	----	8.175 +	2.169 .7662	----	----	----	----	1 UNCH
6900	----	----	9.758B/----	9.758B/6.976A	----	7.987 +	2.136 .7587	----	----	----	----	195 UNCH
6925	----	----	9.511B/----	9.511B/6.837A	----	7.802 +	2.103 .7510	----	----	----	----	12 UNCH
6950	----	----	9.206B/----	9.206B/6.765A	----	7.618 +	2.069 .7432	----	----	----	----	5 UNCH
7000	7.000	7.000	8.956B/6.311A	8.956B/6.311A	----	7.259 +	2.002 .7271	----	----	3	----	461 - 3
7025	----	----	8.730B/----	8.730B/6.173A	----	7.082 +	1.968 .7188	----	----	----	----	11 UNCH
7050	----	----	8.533B/----	8.533B/6.007A	----	6.908 +	1.933 .7104	----	----	----	----	26 UNCH
7075	----	----	8.348B/----	8.348B/5.854A	----	6.735 +	1.898 .7019	----	----	----	----	7 UNCH
7100	----	----	8.200B/----	8.200B/5.681A	----	6.566 +	1.864 .6932	----	----	10	----	64 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7125	----	----	7.861B/----	7.861B/5.644A	----	6.398 + 1.828	.6844	----	----	----	----	4 UNCH
7150	----	----	7.688B/----	7.688B/5.527A	----	6.232 + 1.792	.6756	----	----	----	----	2 UNCH
7175	----	----	7.605B/----	7.605B/5.235A	----	6.069 + 1.756	.6666	----	----	11	----	13 - 6
7200	----	----	7.426B/----	7.426B/4.986A	----	5.909 + 1.721	.6575	----	----	10	----	52 + 8
7225	----	----	7.247B/----	7.247B/4.851A	----	5.750 + 1.684	.6482	----	----	----	----	8 UNCH
7250	----	----	7.095B/----	7.095B/4.708A	----	5.595 + 1.649	.6389	----	----	----	----	62 UNCH
7275	----	----	6.810B/----	6.810B/4.582A	----	5.441 + 1.612	.6295	----	----	----	----	3 UNCH
7300	4.934	4.934	6.746B/4.442A	6.746B/4.442A	----	5.290 + 1.576	.6200	----	----	2	----	133 UNCH
7325	----	----	6.470B/----	6.470B/4.322A	----	5.142 + 1.540	.6105	----	----	----	----	2 UNCH
7350	----	----	6.407B/----	6.407B/4.189A	----	4.996 + 1.504	.6008	----	----	----	----	47 UNCH
7375	----	----	6.249B/----	6.249B/4.059A	----	4.853 + 1.468	.5911	----	----	----	----	86 UNCH
7400	4.850	4.850	6.083B/3.940A	6.083B/3.940A	----	4.712 + 1.431	.5813	----	----	6	----	30 UNCH
7425	----	----	5.926B/----	5.926B/3.823A	----	4.575 + 1.396	.5715	----	----	----	----	7 UNCH
7450	----	----	5.767B/----	5.767B/3.704A	----	4.439 + 1.360	.5616	----	----	----	----	15 UNCH
7475	----	----	5.621B/----	5.621B/3.596A	----	4.307 + 1.325	.5517	----	----	----	----	6 UNCH
7500	4.000	4.000	5.466B/3.467A	5.466B/3.467A	----	4.177 + 1.289	.5417	----	----	14	----	451 - 1
7525	----	----	5.322B/----	5.322B/3.373A	----	4.050 + 1.255	.5317	----	----	----	----	16 UNCH
7530	----	----	5.207B/----	5.207B/3.356A	----	4.025 + 1.248	.5297	----	----	----	----	5 UNCH
7535	----	----	5.163B/----	5.163B/3.331A	----	4.000 + 1.241	.5277	----	----	1	----	1 - 1
7540	----	----	5.146B/----	5.146B/3.309A	----	3.975 + 1.234	.5257	----	----	----	----	1 UNCH
7545	----	----	5.158B/----	5.158B/3.293A	----	3.950 + 1.227	.5237	----	----	----	----	2 UNCH
7550	3.870	3.870	5.183B/3.268A	5.183B/3.268A	----	3.925 + 1.219	.5217	----	----	3	----	11 UNCH
7555	----	----	5.101B/----	5.101B/3.250A	----	3.901 + 1.213	.5197	----	----	----	----	2 UNCH
7565	----	----	5.081B/----	5.081B/3.206A	----	3.852 + 1.199	.5157	----	----	----	----	1 UNCH
7570	----	----	5.088B/----	5.088B/3.193A	----	3.828 + 1.192	.5137	----	----	----	----	1 UNCH
7575	----	----	5.083B/----	5.083B/3.165A	----	3.804 + 1.186	.5117	----	----	----	----	9 UNCH
7585	----	----	5.033B/----	5.033B/3.127A	----	3.756 + 1.172	.5077	----	----	----	----	2 UNCH
7590	----	----	5.001B/----	5.001B/3.106A	----	3.732 + 1.165	.5057	----	----	----	----	1 UNCH
7595	----	----	4.976B/----	4.976B/3.091A	----	3.708 + 1.158	.5037	----	----	----	----	2 UNCH
7600	4.449	4.449	4.967B/3.055A	4.967B/3.055A	----	3.685 + 1.152	.5017	----	----	11	----	94 UNCH
7605	----	----	4.918B/----	4.918B/3.051A	----	3.661 + 1.144	.4997	----	----	----	----	2 UNCH
7615	----	----	4.862B/----	4.862B/3.008A	----	3.615 + 1.131	.4957	----	----	----	----	2 UNCH
7620	----	----	4.830B/----	4.830B/2.989A	----	3.592 + 1.125	.4937	----	----	----	----	2 UNCH
7625	----	----	4.803B/----	4.803B/2.967A	----	3.569 + 1.118	.4917	----	----	----	----	7 UNCH
7630	----	----	4.772B/----	4.772B/2.955A	----	3.546 + 1.111	.4897	----	----	----	----	1 UNCH
7635	----	----	4.749B/----	4.749B/2.924A	----	3.523 + 1.105	.4877	----	----	----	----	2 UNCH
7640	----	----	4.723B/----	4.723B/2.919A	----	3.500 + 1.098	.4857	----	----	----	----	3 UNCH
7645	----	----	4.696B/----	4.696B/2.890A	----	3.478 + 1.092	.4837	----	----	2	----	10 UNCH
7650	----	----	4.670B/----	4.670B/2.878A	----	3.455 + 1.084	.4817	----	----	----	----	19 UNCH
7655	----	----	4.640B/----	4.640B/2.854A	----	3.433 + 1.078	.4798	----	----	----	----	2 UNCH
7660	----	----	4.608B/----	4.608B/2.835A	----	3.411 + 1.072	.4778	----	----	----	----	1 UNCH
7665	----	----	4.582B/----	4.582B/2.820A	----	3.389 + 1.065	.4758	----	----	----	----	10 UNCH
7675	----	----	4.533B/----	4.533B/2.786A	----	3.345 + 1.052	.4718	----	----	----	----	1 UNCH
7680	----	----	4.504B/----	4.504B/2.762A	----	3.323 + 1.046	.4698	----	----	----	----	1 UNCH
7685	----	----	4.478B/----	4.478B/2.751A	----	3.301 + 1.039	.4678	----	----	----	----	1 UNCH
7690	----	----	4.449B/----	4.449B/2.725A	----	3.280 + 1.033	.4658	----	----	----	----	1 UNCH
7695	4.047	4.047	4.428B/2.719A	4.428B/2.719A	----	3.258 NEW	.4639	----	----	1	----	1 + 1
7700	3.970	3.970	4.411B/2.680A	4.411B/2.680A	----	3.237 + 1.020	.4619	----	----	30	----	212 + 16
7710	----	----	4.346B/----	4.346B/2.657A	----	3.195 + 1.008	.4579	----	----	----	----	1 UNCH
7715	----	----	4.315B/----	4.315B/2.649A	----	3.174 + 1.001	.4560	----	----	----	----	4 UNCH
7725	3.880	3.880	4.269B/2.616A	4.269B/2.616A	----	3.132 + 0.989	.4520	----	----	2	----	6 UNCH
7735	----	----	4.216B/----	4.216B/2.582A	----	3.091 + 0.976	.4481	----	----	----	----	1 UNCH
7740	3.809	3.809	4.186B/2.551A	4.186B/2.551A	----	3.070 NEW	.4461	----	----	1	----	1 + 1
7745	----	----	4.098B/----	4.098B/2.553A	----	3.050 NEW	.4441	----	----	1	----	1 + 1
7750	----	----	4.139B/----	4.139B/2.520A	----	3.030 + 0.958	.4422	----	----	----	----	7 UNCH
7760	3.876	3.876	4.085B/2.488A	4.085B/2.488A	----	2.989 + 0.945	.4383	----	----	1	----	2 + 1
7770	----	----	4.035B/----	4.035B/2.455A	----	2.950 + 0.933	.4344	----	----	----	----	1 UNCH
7775	----	----	4.013B/----	4.013B/2.441A	----	2.930 + 0.927	.4324	----	----	----	----	3 UNCH
7780	3.623	3.623	3.987B/2.424A	3.987B/2.424A	----	2.910 NEW	.4305	----	----	1	----	1 + 1
7785	----	----	3.966B/----	3.966B/2.407A	----	2.891 + 0.915	.4285	----	----	----	----	1 UNCH
7790	3.734	3.734	3.938B/2.393A	3.938B/2.393A	----	2.871 NEW	.4266	----	----	2	----	2 + 2
7800	3.412	3.412	3.907B/2.350A	3.907B/2.350A	----	2.833 + 0.897	.4227	----	----	7	----	81 + 1
7805	3.544	3.544	3.867B/2.342A	3.867B/2.342A	----	2.814 + 0.891	.4208	----	----	1	----	7 + 1
7810	3.639	3.639	3.838B/2.337A	3.838B/2.337A	----	2.795 + 0.885	.4189	----	----	1	----	1 UNCH
7815	3.414	3.414	3.816B/2.311A	3.816B/2.311A	----	2.776 + 0.879	.4169	----	----	1	----	3 + 1
7825	3.418	3.418	3.781B/2.280A	3.781B/2.280A	----	2.739 + 0.868	.4131	----	----	8	----	6 + 5
7830	3.550	3.550	3.766B/2.276A	3.766B/2.276A	----	2.720 NEW	.4112	----	----	1	----	1 + 1
7845	3.354	3.354	3.695B/2.222A	3.695B/2.222A	----	2.666 + 0.845	.4055	----	----	3	----	2 + 1
7850	3.400	3.400	3.675B/2.206A	3.675B/2.206A	----	2.648 + 0.840	.4036	----	----	33	----	34 + 1
7855	----	----	3.651B/----	3.651B/2.195A	----	2.630 + 0.834	.4017	----	----	----	----	8 UNCH
7860	3.344	3.344	3.632B/2.177A	3.632B/2.177A	----	2.612 NEW	.3998	----	----	4	----	4 + 4
7870	----	----	3.583B/----	3.583B/2.148A	----	2.576 + 0.816	.3960	----	----	----	----	1 UNCH
7875	----	----	3.572B/----	3.572B/2.133A	----	2.559 + 0.811	.3942	----	----	----	----	43 UNCH
7895	3.119	3.119	3.479B/2.080A	3.479B/2.080A	----	2.490 NEW	.3867	----	----	1	----	1 + 1
7900	3.380	3.380	3.461B/2.062A	3.461B/2.062A	----	2.473 + 0.784	.3848	----	----	12	----	35 + 5
7905	3.233	3.233	3.426B/2.051A	3.426B/2.051A	----	2.456 NEW	.3830	----	----	4	----	3 + 3
7910	----	----	3.414B/----	3.414B/2.038A	----	2.439 + 0.773	.3811	----	----	----	----	1 UNCH
7915	3.193	3.193	3.391B/2.022A	3.391B/2.022A	----	2.422 + 0.767	.3793	----	----	1	----	2 + 1
7920	----	----	3.370B/----	3.370B/2.013A	----	2.406 + 0.763	.3774	----	----	----	----	1 UNCH
7925	----	----	3.348B/----	3.348B/1.996A	----	2.389 + 0.757	.3756	----	----	----	----	6 UNCH
7930	----	----	3.327B/----	3.327B/1.990A	----	2.373 + 0.752	.3738	----	----	----	----	2 UNCH
7935	----	----	3.305B/----	3.305B/1.971A	----	2.356 + 0.746	.3719	----	----	----	----	1 UNCH
7940	----	----	3.285B/----	3.285B/1.958A	----	2.340 + 0.741	.3701	----	----	----	----	3 UNCH
7945	----	----	3.257B/----	3.257B/1.945A	----	2.324 + 0.736	.3683	----	----	----	----	2 UNCH
7950	2.568	2.568	3.241B/1.933A	3.241B/1.933A	----	2.308 + 0.731	.3665	----	----	4	----	21 + 3
7955	----	----	3.220B/----	3.220B/1.919A	----	2.292 + 0.726	.3647	----	----	----	----	1 UNCH
7960	----	----	3.200B/----	3.200B/1.910A	----	2.276 + 0.720	.3628	----	----	----	----	2 UNCH
7965	----	----	3.179B/----	3.179B/1.896A	----	2.261 + 0.716	.3611	----	----	----	----	2 UNCH
7970	2.749	2.749	3.158B/1.880A	3.158B/1.880A	----	2.245 + 0.711	.3593	----	----	11	----	14 + 10
7975	2.643	2.643	3.139B/1.867A	3.139B/1.867A	----	2.230 + 0.706	.3575	----	----	10	----	15 + 10
7980	2.629	2.629	3.116B/1.856A	3.116B/1.856A	----	2.214 + 0.700	.3557	----	----	5	----	10 UNCH
7985	----	----	3.097B/----	3.097B/1.840A	----	2.199 + 0.696	.3539	----	----	----	----	10 UNCH
7990	----	----	3.075B/----	3.075B/1.830A	----	2.184 + 0.691	.3522	----	----	----	----	8 UNCH
7995	----	----	3.055B/----	3.055B/1.823A	----	2.169 + 0.686	.3504	----	----	----	----	21 UNCH
8000	2.250	2.250	3.042B/1.800A	3.042B/1.800A	----	2.154 + 0.681	.3486	----	----	83	----	1330 - 26
8005	----	----	3.016B/----	3.016B/1.790A	----	2.139 + 0.676	.3469	----	----	----	----	25 UNCH
8010	----	----	2.996B/----	2.996B/1.778A	----	2.124 + 0.671	.3451	----	----	----	----	34 UNCH
8015	----	----	2.977B/----	2.977B/1.769A	----	2.109 + 0.666	.3433	----	----	----	----	24 UNCH
8020	----	----	2.957B/----	2.957B/1.758A	----	2.095 + 0.662	.3416	----	----	----	----	14 UNCH
8025	2.510	2.510	2.939B/1.743A	2.939B/1.743A	----	2.080 + 0.657	.3399	----	----	1	----	14 UNCH
8030	----	----	2.917B/----	2.917B/1.738A	----	2.066 + 0.653	.3382	----	----	----	----	4 UNCH
8035	----	----	2.894B/----	2.894B/1.724A	----	2.051 + 0.647	.3364	----	----	----	----	2 UNCH
8040	----	----	2.880B/----	2.880B/1.712A	----	2.037 + 0.643	.3347	----	----	----	----	2 UNCH
8045	----	----	2.862B/----	2.862B/1.699A	----	2.023 + 0.638	.3330	----	----	----	----	1 UNCH
8050	----	----	2.843B/----	2.843B/1.695A	----	2.009 + 0.634	.3313	----	----	3	----	13 UNCH
8055	----	----	2.824B/----	2.824B/1.678A	----	1.995 + 0.629	.3296	----	----	----	----	1 UNCH
8060	----	----	2.799B/----	2.799B/1.669A	----	1.981 + 0.624	.3279	----	----	----	----	1 UNCH
8065	----	----	2.786B/----	2.786B/1.652A	----	1.967 + 0.620	.3262	----	----	----	----	5 UNCH
8070	----	----	2.768B/----	2.768B/1.642A	----	1.954 + 0.616	.3245	----	----	----	----	2 UNCH
8075	----	----	2.750B/----	2.750B/1.629A	----	1.940 + 0.611	.3228	----	----	----	----	6 UNCH
8080	----	----	2.732B/----	2.732B/1.619A	----	1.926 + 0.606	.3211	----	----	----	----	2 UNCH
8085	----	----	2.712B/----	2.712B/1.615A	----	1.913 + 0.602	.3195	----	----	----	----	1 UNCH
8090	----	----	2.696B/----	2.696B/1.597A	----	1.900 + 0.598	.3178	----	----	----	----	21 UNCH
8095	----	----	2.676B/----	2.676B/1.589A	----	1.887 + 0.594	.3162	----	----	----	----	16 UNCH
8100	2.200	2.200	2.707B/1.575A	2.707B/1.575A	----	1.873 + 0.588	.3145	----	----	9	----	241 + 2
8105	----	----	2.641B/----	2.641B/1.567A	----	1.860 + 0.584	.3128	----	----	----	----	1 UNCH
8110	----	----	2.624B/----	2.624B/1.558A	----	1.847 + 0.580	.3112	----	----	----	----	2 UNCH
8115	----	----	2.607B/----	2.607B/1.550A	----	1.835 + 0.576	.3096	----	----	----	----	3 UNCH
8125	----	----	2.571B/----	2.571B/1.534A	----	1.809 + 0.567	.3063	----	----	----	----	3 UNCH
8150	----	----	2.487B/----	2.487B/1.476A	----	1.747 + 0.547	.2983	----	----	----	----	12 UNCH
8175	----	----	2.407B/----	2.407B/1.429A	----	1.687 + 0.527	.2904	----	----	----	----	15 UNCH
8200	2.160	2.160	2.372B/1.383A	2.372B/1.383A	----	1.629 + 0.507	.2827	----	----	27	----	92 - 4
8205	----	----	2.303B/----	2.303B/1.375A	----	1.618 + 0.503	.2812	----	----	----	----	1 UNCH
8210	----	----	2.293B/----	2.293B/1.365A	----	1.606 + 0.499	.2797	----	----	----	----	4 UNCH
8225	----	----	2.248B/----	2.248B/1.339A	----	1.573 + 0.488	.2752	----	----	----	----	4 UNCH
8230	----	----	2.232B/----	2.232B/1.331A	----	1.562 + 0.484	.2737	----	----	----	----	1 UNCH
8235	----	----	2.212B/----	2.212B/1.322A	----	1.551 + 0.480	.2722	----	----	----	----	1 UNCH
8240	----	----	2.199B/----	2.199B/1.315A	----	1.541 + 0.477	.2708	----	----	----	----	1 UNCH
8250	----	----	2.174B/----	2.174B/1.295A	----	1.519 + 0.470	.2678	----	----	5	----	105 UNCH
8255	----	----	2.155B/----	2.155B/1.293A	----	1.509 + 0.467	.2664	----	----	----	----	3 UNCH
8265	1.830	1.830	2.126B/1.274A	2.126B/1.274A	----	1.488 + 0.459	.2635	----	----	1	----	2 UNCH
8270	----	----	2.112B/----	2.112B/1.265A	----	1.477 + 0.455	.2620	----	----	----	----	3 UNCH
8275	----	----	2.099B/----	2.099B/1.256A	----	1.467 + 0.452	.2606	----	----	----	----	5 UNCH
8280	----	----	2.085B/----	2.085B/1.249A	----	1.457 + 0.449	.2591	----	----	----	----	2 UNCH
8290	----	----	2.055B/----	2.055B/1.233A	----	1.437 + 0.442	.2563	----	----	----	----	10 UNCH
8300	2.050	2.050	2.072B/1.218A	2.072B/1.218A	----	1.417 + 0.435	.2535	----	----	32	----	130 + 10
8310	----	----	2.000B/----	2.000B/1.202A	----	1.398 + 0.429	.2508	----	----	----	----	2 UNCH
8325	1.600	1.600	1.958B/1.181A	1.958B/1.181A	----	1.369 + 0.419	.2466	----	----	2	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
8340	----	----	1.921B/----	1.921B/1.156A	----	1.341 + 0.409	.2426	----	----	----	----	29 UNCH
8345	----	----	1.905B/----	1.905B/1.149A	----	1.332 + 0.406	.2413	----	----	----	----	16 UNCH
8350	----	----	1.894B/----	1.894B/1.144A	----	1.322 + 0.402	.2399	----	----	----	----	26 UNCH
8360	----	----	1.858B/----	1.858B/1.129A	----	1.304 + 0.396	.2372	----	----	----	----	1 UNCH
8365	1.709	1.709	1.844B/1.124A	1.844B/1.124A	----	1.295 NEW	.2359	----	----	1	----	1 + 1
8370	----	----	1.840B/----	1.840B/1.111A	----	1.286 + 0.390	.2346	----	----	----	----	1 UNCH
8375	1.689	1.689	1.821B/1.109A	1.821B/1.109A	----	1.278 + 0.388	.2334	----	----	6	----	7 + 3
8400	1.448	1.448	1.813B/1.074A	1.813B/1.074A	----	1.235 + 0.373	.2270	----	----	24	----	34 UNCH
8415	----	----	1.733B/----	1.733B/1.055A	----	1.209 + 0.363	.2231	----	----	----	----	1 UNCH
8420	----	----	1.718B/----	1.718B/1.051A	----	1.201 + 0.361	.2219	----	----	----	----	3 UNCH
8425	----	----	1.707B/----	1.707B/1.044A	----	1.193 + 0.358	.2207	----	----	----	----	6 UNCH
8435	----	----	1.676B/----	1.676B/1.027A	----	1.177 + 0.352	.2183	----	----	----	----	1 UNCH
8440	----	----	1.671B/----	1.671B/1.022A	----	1.169 + 0.350	.2170	----	----	----	----	1 UNCH
8450	----	----	1.653B/----	1.653B/1.003A	----	1.153 + 0.344	.2146	----	----	3	----	152 UNCH
8460	----	----	1.623B/----	1.623B/0.998A	----	1.138 + 0.339	.2123	----	----	----	----	1 UNCH
8465	----	----	1.614B/----	1.614B/0.992A	----	1.130 + 0.336	.2111	----	----	----	----	1 UNCH
8475	----	----	1.593B/----	1.593B/0.980A	----	1.115 + 0.331	.2087	----	----	----	----	1 UNCH
8485	----	----	1.572B/----	1.572B/0.967A	----	1.100 + 0.326	.2064	----	----	----	----	1 UNCH
8490	----	----	1.561B/----	1.561B/0.961A	----	1.093 + 0.324	.2053	----	----	----	----	2 UNCH
8500	1.500	1.500	1.584/0.900	1.584/0.900	----	1.078 + 0.318	.2030	----	----	125	----	732 - 22
8505	----	----	1.527B/----	1.527B/0.944A	----	1.071 + 0.316	.2019	----	----	----	----	4 UNCH
8510	----	----	1.513B/----	1.513B/0.938A	----	1.064 + 0.313	.2007	----	----	----	----	2 UNCH
8515	----	----	1.508B/----	1.508B/0.932A	----	1.057 + 0.311	.1996	----	----	----	----	1 UNCH
8525	----	----	1.488B/----	1.488B/0.921A	----	1.043 + 0.306	.1974	----	----	----	----	23 UNCH
8535	----	----	1.467B/----	1.467B/0.909A	----	1.029 + 0.301	.1952	----	----	----	----	1 UNCH
8540	----	----	1.456B/----	1.456B/0.904A	----	1.022 + 0.299	.1941	----	----	----	----	6 UNCH
8545	----	----	1.448B/----	1.448B/0.898A	----	1.015 + 0.296	.1930	----	----	----	----	2 UNCH
8550	----	----	1.436B/----	1.436B/0.894A	----	1.008 + 0.293	.1919	----	----	----	----	10 UNCH
8565	----	----	1.408B/----	1.408B/0.877A	----	0.989 + 0.287	.1888	----	----	----	----	10 UNCH
8570	----	----	1.398B/----	1.398B/0.840A	----	0.982 + 0.284	.1877	----	----	----	----	4 UNCH
8575	----	----	1.388B/----	1.388B/0.866A	----	0.976 + 0.283	.1867	----	----	----	----	34 UNCH
8590	----	----	1.360B/----	1.360B/0.850A	----	0.957 + 0.276	.1836	----	----	----	----	1 UNCH
8600	1.165	1.165	1.345B/0.841A	1.345B/0.841A	----	0.944 + 0.271	.1815	----	----	5	----	247 - 4
8605	1.140	1.140	1.330B/0.834A	1.330B/0.834A	----	0.938 + 0.269	.1805	----	----	4	----	8 + 4
8615	----	----	1.314B/----	1.314B/0.825A	----	0.926 + 0.265	.1785	----	----	----	----	1 UNCH
8620	----	----	1.303B/----	1.303B/0.820A	----	0.920 + 0.263	.1776	----	----	----	----	5 UNCH
8625	----	----	1.295B/----	1.295B/0.815A	----	0.914 + 0.261	.1766	----	----	----	----	2 UNCH
8630	----	----	1.286B/----	1.286B/0.810A	----	0.908 + 0.258	.1756	----	----	----	----	2 UNCH
8635	----	----	1.278B/----	1.278B/0.806A	----	0.902 + 0.256	.1746	----	----	----	----	1 UNCH
8640	----	----	1.268B/----	1.268B/0.800A	----	0.896 + 0.254	.1736	----	----	----	----	1 UNCH
8650	----	----	1.252B/----	1.252B/0.791A	----	0.885 + 0.250	.1717	----	----	----	----	11 UNCH
8660	----	----	1.235B/----	1.235B/0.781A	----	0.874 + 0.247	.1699	----	----	----	----	2 UNCH
8670	----	----	1.218B/----	1.218B/0.773A	----	0.863 + 0.243	.1680	----	----	----	----	1 UNCH
8675	----	----	1.210B/----	1.210B/0.767A	----	0.857 + 0.240	.1671	----	----	----	----	1 UNCH
8695	----	----	1.179B/----	1.179B/0.749A	----	0.836 + 0.233	.1635	----	----	----	----	2 UNCH
8700	1.020	1.020	1.173B/0.747A	1.173B/0.747A	----	0.830 + 0.231	.1625	----	----	6	----	89 + 5
8705	----	----	1.162B/----	1.162B/0.742A	----	0.825 + 0.229	.1616	----	----	----	----	17 UNCH
8725	0.809	0.809	1.131B/0.725A	1.131B/0.725A	----	0.805 + 0.222	.1582	----	----	1	----	2 + 1
8750	----	----	1.092B/----	1.092B/0.704A	----	0.780 + 0.213	.1539	----	----	5	----	47 + 5
8775	----	----	1.056B/----	1.056B/0.684A	----	0.756 + 0.204	.1497	----	----	----	----	26 UNCH
8800	----	----	1.027B/----	1.027B/0.664A	----	0.734 + 0.197	.1458	----	----	3	----	626 - 1
8850	----	----	0.948B/----	0.948B/0.626A	----	0.691 + 0.182	.1382	----	----	----	----	3 UNCH
8875	----	----	0.925B/----	0.925B/0.611A	----	0.671 + 0.175	.1346	----	----	----	----	3 UNCH
8900	----	----	0.893B/----	0.893B/0.592A	----	0.651 + 0.167	.1310	----	----	----	----	116 UNCH
8925	----	----	0.863B/----	0.863B/0.577A	----	0.633 + 0.161	.1276	----	----	----	----	4 UNCH
8950	----	----	0.832B/----	0.832B/0.561A	----	0.615 + 0.155	.1243	----	----	5	----	64 + 5
8975	----	----	0.810B/----	0.810B/0.548A	----	0.598 + 0.149	.1212	----	----	----	----	23 UNCH
9000	0.650	0.650	0.859/0.513	0.859/0.513	----	0.581 + 0.143	.1180	----	----	89	----	1244 + 10
9025	----	----	0.756B/----	0.756B/0.517A	----	0.565 + 0.137	.1151	----	----	----	----	23 UNCH
9050	----	----	0.732B/----	0.732B/0.505A	----	0.550 + 0.132	.1122	----	----	----	----	17 UNCH
9075	----	----	0.709B/----	0.709B/0.503A	----	0.535 + 0.127	.1094	----	----	----	----	6 UNCH
9100	----	----	0.674B/----	0.674B/0.495A	----	0.521 + 0.123	.1067	----	----	2	----	80 + 2
9125	----	----	0.654B/----	0.654B/0.488A	----	0.508 + 0.119	.1042	----	----	----	----	5 UNCH
9150	----	----	0.634B/----	0.634B/0.476A	----	0.495 + 0.115	.1016	----	----	----	----	27 UNCH
9175	----	----	0.614B/----	0.614B/0.466A	----	0.482 + 0.110	.0991	----	----	----	----	8 UNCH
9200	0.500	0.500	0.596B/0.455A	0.596B/0.455A	----	0.470 + 0.107	.0968	----	----	23	----	173 + 7
9225	0.489	0.489	0.579B/0.448A	0.579B/0.448A	----	0.458 + 0.103	.0944	----	----	1	----	17 - 1
9250	0.474	0.474	0.562B/0.445A	0.562B/0.445A	----	0.447 + 0.100	.0923	----	----	52	----	35 - 38
9275	0.480	0.480	0.601B/0.437A	0.601B/0.437A	----	0.436 + 0.096	.0901	----	----	1	----	29 UNCH
9300	0.505	0.505	0.565/0.426A	0.565/0.426A	----	0.425 + 0.093	.0879	----	----	4	----	196 - 1
9325	----	----	0.515B/----	0.515B/0.417A	----	0.415 + 0.090	.0859	----	----	----	----	7 UNCH
9350	0.466	0.466	0.502B/0.412A	0.502B/0.412A	----	0.405 + 0.088	.0839	----	----	8	----	37 + 6
9375	----	----	0.488B/----	0.488B/0.403A	----	0.395 + 0.085	.0820	----	----	----	----	13 UNCH
9400	----	----	0.474B/----	0.474B/0.320A	----	0.386 + 0.082	.0801	----	----	----	----	39 UNCH
9425	----	----	0.462B/----	0.462B/0.380A	----	0.377 + 0.080	.0783	----	----	----	----	9 UNCH
9450	----	----	0.451B/----	0.451B/0.372A	----	0.368 + 0.078	.0765	----	----	5	----	19 UNCH
9475	0.419	0.419	0.438B/0.362A	0.438B/0.362A	----	0.360 + 0.076	.0749	----	----	8	----	12 + 7
9500	0.500	0.500	0.500/0.282	0.500/0.282	----	0.352 + 0.075	.0733	----	----	56	----	866 - 15
9525	----	----	0.416B/----	0.416B/0.347A	----	0.344 + 0.073	.0716	----	----	----	----	23 UNCH
9550	----	----	0.396B/----	0.396B/0.341A	----	0.336 + 0.071	.0700	----	----	----	----	30 UNCH
9575	----	----	0.389B/----	0.389B/0.333A	----	0.329 + 0.070	.0686	----	----	----	----	4 UNCH
9600	0.390	0.390	0.390/0.280A	0.390/0.280A	----	0.322 + 0.068	.0671	----	----	13	----	143 + 13
9625	----	----	0.367B/----	0.367B/0.324A	----	0.315 + 0.067	.0657	----	----	----	----	6 UNCH
9650	----	----	0.358B/----	0.358B/0.317A	----	0.308 + 0.065	.0642	----	----	----	----	14 UNCH
9675	----	----	0.348B/----	0.348B/0.315A	----	0.302 + 0.064	.0630	----	----	----	----	13 UNCH
9700	----	----	0.341B/----	0.341B/0.303A	----	0.295 + 0.062	.0616	----	----	----	----	17 UNCH
9725	----	----	0.331B/----	0.331B/0.301A	----	0.289 + 0.061	.0603	----	----	----	----	9 UNCH
9750	----	----	0.322B/----	0.322B/0.295A	----	0.284 + 0.060	.0592	----	----	----	----	73 UNCH
9775	----	----	0.314B/----	0.314B/0.291A	----	0.278 + 0.058	.0580	----	----	----	----	2 UNCH
9800	----	----	0.307B/----	0.307B/*0.230A	----	0.273 + 0.057	.0569	----	----	----	----	100 UNCH
9825	0.255	0.255	0.298B/*0.255	0.298B/*0.255	----	0.268 + 0.056	.0558	----	----	2	----	5 UNCH
9850	----	----	0.291B/----	0.291B/0.268A	----	0.263 + 0.055	.0547	----	----	----	----	20 UNCH
9875	----	----	0.284B/----	0.284B/0.271A	----	0.258 + 0.053	.0537	----	----	----	----	11 UNCH
9900	----	----	0.279B/----	0.279B/*0.210A	----	0.253 + 0.051	.0526	----	----	----	----	245 UNCH
9925	----	----	0.271B/----	0.271B/0.259A	----	0.249 + 0.051	.0517	----	----	----	----	2 UNCH
9950	----	----	0.266B/----	0.266B/*0.215A	----	0.244 + 0.049	.0507	----	----	----	----	21 UNCH
9975	----	----	0.260B/----	0.260B/0.264A	----	0.240 + 0.048	.0498	----	----	----	----	2 UNCH
10000	0.275	0.275	0.305/0.210	0.305/0.210	----	0.236 + 0.047	.0489	----	----	22	----	1053 - 10
10025	----	----	0.250B/----	0.250B/0.255A	----	0.232 + 0.045	.0481	----	----	----	----	2 UNCH
10050	----	----	0.243B/----	0.243B/0.254A	----	0.228 + 0.044	.0472	----	----	----	----	22 UNCH
10075	----	----	0.237B/----	0.237B/0.250A	----	0.224 + 0.043	.0464	----	----	----	----	4 UNCH
10100	0.273	0.273	0.273/*0.250A	0.273/0.250A	----	0.221 + 0.043	.0457	----	----	1	----	68 + 1
10125	----	----	0.227B/----	0.227B/0.245A	----	0.217 + 0.041	.0448	----	----	----	----	1 UNCH
10150	----	----	0.222B/----	0.222B/0.232A	----	0.214 + 0.041	.0441	----	----	----	----	1 UNCH
10175	----	----	0.215B/----	0.215B/0.230A	----	0.210 + 0.039	.0433	----	----	----	----	1 UNCH
10200	----	----	0.215B/----	0.215B/0.232A	----	0.207 + 0.039	.0426	----	----	----	----	34 UNCH
10225	----	----	0.209B/----	0.209B/0.236A	----	0.204 + 0.038	.0420	----	----	----	----	1 UNCH
10250	----	----	0.202B/----	0.202B/0.225A	----	0.201 + 0.038	.0413	----	----	----	----	5 UNCH
10275	----	----	0.196B/----	0.196B/0.226A	----	0.197 + 0.036	.0405	----	----	----	----	4 UNCH
10300	0.238	0.238	0.238/*0.219	0.238/0.219	----	0.194 + 0.035	.0398	----	----	3	----	207 - 2
10305	----	----	0.190B/----	0.190B/0.223A	----	0.194 + 0.036	.0398	----	----	----	----	2 UNCH
10325	----	----	0.187B/----	0.187B/0.210A	----	0.191 + 0.035	.0392	----	----	----	----	1 UNCH
10350	----	----	0.184B/----	0.184B/0.211A	----	0.189 + 0.035	.0387	----	----	----	----	2 UNCH
10375	----	----	0.181B/----	0.181B/0.208A	----	0.186 + 0.034	.0380	----	----	----	----	1 UNCH
10400	----	----	0.176B/----	0.176B/0.207A	----	0.183 + 0.033	.0374	----	----	----	----	27 UNCH
10425	----	----	0.172B/----	0.172B/0.205A	----	0.180 + 0.033	.0368	----	----	----	----	19 UNCH
10450	----	----	0.167B/----	0.167B/0.201A	----	0.178 + 0.033	.0363	----	----	----	----	4 UNCH
10480	----	----	0.162B/----	0.162B/0.200A	----	0.174 + 0.031	.0355	----	----	----	----	2 UNCH
10485	----	----	0.162B/----	0.162B/0.198A	----	0.174 + 0.032	.0354	----	----	----	----	2 UNCH
10490	----	----	0.160B/----	0.160B/0.199A	----	0.173 + 0.031	.0353	----	----	----	----	1 UNCH
10500	----	----	0.159B/----	0.159B/0.194A	----	0.172 + 0.031	.0350	----	----	5	----	317 - 5
10515	----	----	0.157B/----	0.157B/0.197A	----	0.171 + 0.031	.0348	----	----	----	----	7 UNCH
10520	----	----	0.157B/----	0.157B/0.192A	----	0.170 + 0.031	.0346	----	----	----	----	2 UNCH
10550	----	----	0.152B/----	0.152B/0.192A	----	0.168 + 0.031	.0341	----	----	----	----	2 UNCH
10555	----	----	0.153B/----	0.153B/0.192A	----	0.167 + 0.030	.0339	----	----	----	----	1 UNCH
10560	0.200	0.200	0.220/0.140	0.220/0.140	----	0.167 + 0.031	.0339	----	----	11	----	20 - 2
10570	----	----	0.149B/----	0.149B/0.195A	----	0.166 + 0.031	.0337	----	----	----	----	1 UNCH
10575	----	----	0.150B/----	0.150B/0.190A	----	0.165 + 0.030	.0335	----	----	----	----	1 UNCH
10580	----	----	0.151B/----	0.151B/0.194A	----	0.165 + 0.030	.0335	----	----	----	----	1 UNCH
10595	----	----	0.149B/----	0.149B/0.193A	----	0.163 + 0.030	.0331	----	----	----	----	2 UNCH
10600	----	----	0.150B/----	0.150B/0.191A	----	0.163 + 0.030	.0330	----	----	----	----	23 UNCH
10605	----	----	0.147B/----	0.147B/0.191A	----	0.162 + 0.029	.0329	----	----	----	----	5 UNCH
10610	----	----	0.148B/----	0.148B/0.191A	----	0.162 + 0.030	.0328	----	----	----	----	1 UNCH
10615	----	----	0.148B/----	0.148B/0.191A	----	0.161 + 0.029	.0326	----	----	----	----	1 UNCH
10625	----	----	0.143B/----	0.143B/0.191A	----	0.161 + 0.030	.0326	----	----	----	----	1 UNCH
10630	----	----	0.142B/----	0.142B/0.190A	----	0.160 + 0.029	.0324	----	----	----	----	1 UNCH
10650	----	----	0.141B/----	0.141B/0.189A	----	0.158 + 0.029	.0320	----	----	----	----	1 UNCH
10655	----	----	0.139B/----	0.139B/0.188A	----	0.158 + 0.029	.0320	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
10670	----	----	0.129B/----	0.129B/0.186A	----	0.157 + 0.029	.0317	----	----	----	----	1 UNCH
10675	----	----	0.128B/----	0.128B/0.183A	----	0.156 + 0.029	.0315	----	----	----	----	3 UNCH
10680	----	----	0.129B/----	0.129B/0.187A	----	0.156 + 0.029	.0315	----	----	----	----	7 UNCH
10685	----	----	0.128B/----	0.128B/0.184A	----	0.155 + 0.028	.0313	----	----	----	----	1 UNCH
10690	----	----	0.128B/----	0.128B/0.183A	----	0.155 + 0.029	.0313	----	----	----	----	1 UNCH
10700	----	----	0.127B/----	0.127B/0.184A	----	0.154 + 0.029	.0311	----	----	----	----	119 UNCH
10720	----	----	0.125B/----	0.125B/0.182A	----	0.152 + 0.028	.0307	----	----	----	----	1 UNCH
10725	----	----	0.126B/----	0.126B/0.181A	----	0.152 + 0.028	.0306	----	----	----	----	3 UNCH
10750	----	----	0.129B/----	0.129B/0.179A	----	0.150 + 0.028	.0302	----	----	----	----	1 UNCH
10755	----	----	0.131B/----	0.131B/0.174A	----	0.149 + 0.028	.0300	----	----	----	----	1 UNCH
10760	----	----	0.128B/----	0.128B/0.174A	----	0.149 + 0.028	.0300	----	----	----	----	10 UNCH
10765	----	----	0.128B/----	0.128B/0.177A	----	0.149 + 0.028	.0300	----	----	----	----	10 UNCH
10770	----	----	0.127B/----	0.127B/0.171A	----	0.148 + 0.028	.0298	----	----	----	----	1 UNCH
10800	----	----	0.129B/----	0.129B/0.175A	----	0.146 + 0.028	.0293	----	----	----	----	21 UNCH
10825	----	----	0.122B/----	0.122B/0.160A	----	0.144 + 0.027	.0289	----	----	----	----	1 UNCH
10835	----	----	0.124B/----	0.124B/0.169A	----	0.143 + 0.027	.0287	----	----	----	----	1 UNCH
10850	----	----	0.125B/----	0.125B/0.165A	----	0.142 + 0.027	.0285	----	----	----	----	12 UNCH
10855	----	----	0.122B/----	0.122B/0.167A	----	0.142 + 0.027	.0285	----	----	----	----	3 UNCH
10875	----	----	0.120B/----	0.120B/0.156A	----	0.140 + 0.027	.0281	----	----	----	----	2 UNCH
10900	----	----	0.116B/----	0.116B/0.153A	----	0.138 + 0.026	.0276	----	----	----	----	40 UNCH
10925	----	----	0.116B/----	0.116B/0.152A	----	0.136 + 0.026	.0272	----	----	----	----	5 UNCH
10950	----	----	0.114B/----	0.114B/0.150A	----	0.135 + 0.026	.0270	----	----	----	----	2 UNCH
10975	----	----	0.110B/----	0.110B/0.150A	----	0.133 + 0.026	.0265	----	----	----	----	9 UNCH
11000	0.147	0.147	0.163B/0.127	0.163B/0.127	----	0.131 + 0.026	.0261	----	----	18	----	693 - 4
11025	----	----	0.109B/----	0.109B/0.145A	----	0.130 + 0.026	.0259	----	----	----	----	5 UNCH
11050	----	----	0.107B/----	0.107B/0.165A	----	0.128 + 0.025	.0255	----	----	----	----	2 UNCH
11075	----	----	----	0.098B/0.161A	----	0.126 + 0.025	.0251	----	----	----	----	1 UNCH
11100	----	----	0.103B/----	0.103B/*0.143A	----	0.125 + 0.025	.0248	----	----	----	----	59 UNCH
11125	----	----	0.101B/----	0.101B/0.154A	----	0.123 + 0.025	.0244	----	----	----	----	3 UNCH
11150	----	----	0.098B/----	0.098B/0.154A	----	0.122 + 0.025	.0242	----	----	----	----	2 UNCH
11200	----	----	----	0.088B/0.151A	----	0.119 + 0.025	.0235	----	----	----	----	262 UNCH
11225	----	----	----	0.088B/0.151A	----	0.117 + 0.024	.0231	----	----	----	----	40 UNCH
11240	----	----	----	0.088B/0.145A	----	0.117 + 0.025	.0231	----	----	----	----	2 UNCH
11245	----	----	----	0.087B/0.150A	----	0.116 + 0.024	.0229	----	----	----	----	2 UNCH
11250	----	----	----	0.087B/0.146A	----	0.116 + 0.024	.0229	----	----	----	----	22 UNCH
11255	----	----	----	0.084B/0.146A	----	0.116 + 0.025	.0229	----	----	----	----	1 UNCH
11260	----	----	----	0.087B/0.146A	----	0.115 + 0.024	.0227	----	----	----	----	1 UNCH
11265	----	----	----	0.085B/0.146A	----	0.115 + 0.024	.0227	----	----	----	----	1 UNCH
11275	----	----	----	0.085B/0.146A	----	0.115 + 0.025	.0226	----	----	----	----	1 UNCH
11290	----	----	----	0.084B/0.146A	----	0.114 + 0.024	.0224	----	----	----	----	1 UNCH
11300	----	----	----	0.084B/0.145A	----	0.113 + 0.024	.0223	----	----	----	----	93 UNCH
11305	----	----	----	0.080B/0.145A	----	0.113 + 0.024	.0222	----	----	----	----	1 UNCH
11315	----	----	----	0.083B/0.143A	----	0.112 + 0.023	.0221	----	----	----	----	1 UNCH
11325	----	----	----	0.081B/0.142A	----	0.112 + 0.024	.0220	----	----	----	----	8 UNCH
11335	----	----	----	0.081B/*0.140A	----	0.111 + 0.023	.0218	----	----	----	----	2 UNCH
11345	----	----	----	0.079B/0.141A	----	0.111 + 0.024	.0218	----	----	----	----	1 UNCH
11350	----	----	----	0.079B/0.143A	----	0.111 + 0.024	.0218	----	----	----	----	4 UNCH
11365	----	----	----	0.080B/0.142A	----	0.110 + 0.024	.0216	----	----	----	----	1 UNCH
11370	----	----	----	0.080B/0.140A	----	0.110 + 0.024	.0216	----	----	----	----	2 UNCH
11380	----	----	----	0.080B/0.139A	----	0.109 + 0.024	.0214	----	----	----	----	3 UNCH
11385	----	----	----	0.079B/0.143A	----	0.109 + 0.024	.0214	----	----	----	----	1 UNCH
11400	----	----	----	0.079B/0.137A	----	0.108 + 0.023	.0212	----	----	----	----	10 UNCH
11450	----	----	----	0.072B/0.135A	----	0.106 + 0.024	.0207	----	----	----	----	41 UNCH
11455	----	----	----	0.072B/0.137A	----	0.105 + 0.023	.0206	----	----	----	----	1 UNCH
11465	----	----	----	0.072B/0.137A	----	0.105 + 0.023	.0205	----	----	----	----	1 UNCH
11475	----	----	----	0.072B/0.134A	----	0.104 + 0.023	.0203	----	----	----	----	1 UNCH
11480	----	----	----	0.072B/0.137A	----	0.104 + 0.023	.0203	----	----	----	----	1 UNCH
11485	----	----	----	0.071B/0.136A	----	0.104 + 0.023	.0203	----	----	----	----	2 UNCH
11500	----	----	----	0.070B/0.135A	----	0.103 + 0.023	.0201	----	----	----	----	250 UNCH
11505	----	----	----	0.036B/0.176A	----	0.103 + 0.023	.0201	----	----	----	----	2 UNCH
11515	----	----	----	0.035B/0.175A	----	0.103 + 0.023	.0201	----	----	----	----	2 UNCH
11525	----	----	----	0.035B/0.175A	----	0.102 + 0.023	.0199	----	----	----	----	7 UNCH
11530	----	----	----	0.039B/0.175A	----	0.102 + 0.023	.0199	----	----	----	----	10 UNCH
11540	----	----	----	0.034B/0.174A	----	0.101 + 0.022	.0197	----	----	----	----	10 UNCH
11550	----	----	----	0.068B/0.175A	----	0.101 + 0.023	.0197	----	----	----	----	22 UNCH
11570	----	----	----	0.033B/0.172A	----	0.100 + 0.023	.0195	----	----	----	----	1 UNCH
11575	----	----	----	0.033B/0.172A	----	0.100 + 0.023	.0195	----	----	----	----	1 UNCH
11595	----	----	----	0.032B/0.171A	----	0.099 + 0.023	.0192	----	----	----	----	1 UNCH
11600	----	----	----	0.031B/0.172A	----	0.099 + 0.023	.0192	----	----	----	----	43 UNCH
11615	----	----	----	0.031B/0.170A	----	0.098 + 0.022	.0190	----	----	----	----	1 UNCH
11625	----	----	----	0.030B/0.171A	----	0.098 + 0.023	.0190	----	----	----	----	2 UNCH
11630	----	----	----	0.030B/0.169A	----	0.097 + 0.022	.0189	----	----	----	----	1 UNCH
11640	----	----	----	0.029B/0.170A	----	0.097 + 0.022	.0188	----	----	----	----	1 UNCH
11650	----	----	----	0.029B/0.156A	----	0.097 + 0.023	.0188	----	----	----	----	2 UNCH
11665	----	----	----	0.028B/0.169A	----	0.096 + 0.022	.0186	----	----	----	----	1 UNCH
11685	----	----	----	0.027B/0.168A	----	0.095 + 0.022	.0184	----	----	----	----	1 UNCH
11690	----	----	----	0.027B/0.168A	----	0.095 + 0.022	.0184	----	----	----	----	1 UNCH
11700	----	----	----	0.026B/0.166A	----	0.094 + 0.021	.0182	----	----	----	----	85 UNCH
11705	----	----	----	0.026B/0.167A	----	0.094 + 0.022	.0182	----	----	----	----	1 UNCH
11725	----	----	----	0.025B/0.166A	----	0.093 + 0.021	.0180	----	----	----	----	6 UNCH
11730	----	----	----	0.025B/0.166A	----	0.093 + 0.021	.0180	----	----	----	----	1 UNCH
11750	----	----	----	0.027B/0.165A	----	0.092 + 0.021	.0178	----	----	----	----	5 UNCH
11775	----	----	----	0.022B/0.163A	----	0.091 + 0.021	.0176	----	----	----	----	2 UNCH
11800	----	----	----	0.021B/0.163A	----	0.091 + 0.022	.0175	----	----	----	----	64 UNCH
11825	----	----	----	0.020B/0.162A	----	0.090 + 0.022	.0173	----	----	----	----	2 UNCH
11850	----	----	----	0.018B/0.159A	----	0.089 + 0.021	.0171	----	----	----	----	3 UNCH
11900	----	----	----	0.017B/0.118A	----	0.087 + 0.021	.0167	----	----	----	----	86 UNCH
11925	----	----	----	0.019B/0.157A	----	0.086 + 0.021	.0165	----	----	----	----	2 UNCH
11950	----	----	----	0.018B/0.157A	----	0.085 + 0.021	.0163	----	----	----	----	5 UNCH
11975	----	----	----	0.014B/0.155A	----	0.084 + 0.020	.0161	----	----	----	----	4 UNCH
12000	0.115	0.115	0.115/*0.080	0.115/*0.080	----	0.083 + 0.020	.0159	----	----	5	----	842 UNCH
12025	----	----	----	0.012B/0.153A	----	0.082 + 0.020	.0157	----	----	----	----	1 UNCH
12050	----	----	----	0.012B/0.100A	----	0.082 + 0.020	.0156	----	----	----	----	1 UNCH
12075	----	----	----	0.010B/0.151A	----	0.081 + 0.020	.0154	----	----	----	----	1 UNCH
12100	----	----	----	0.010B/0.150A	----	0.080 + 0.020	.0152	----	----	----	----	17 UNCH
12125	----	----	----	0.010B/0.149A	----	0.079 + 0.019	.0150	----	----	----	----	1 UNCH
12150	----	----	----	0.010B/*0.105A	----	0.078 + 0.019	.0148	----	----	----	----	13 UNCH
12175	----	----	----	0.010B/0.148A	----	0.078 + 0.020	.0148	----	----	----	----	1 UNCH
12200	----	----	----	0.010B/0.147A	----	0.077 + 0.019	.0146	----	----	----	----	3 UNCH
12225	----	----	----	0.010B/0.146A	----	0.076 + 0.019	.0144	----	----	----	----	2 UNCH
12250	----	----	----	0.010B/0.145A	----	0.075 + 0.019	.0142	----	----	----	----	3 UNCH
12300	----	----	----	0.010B/0.143A	----	0.074 + 0.019	.0140	----	----	----	----	118 UNCH
12350	----	----	----	0.010B/0.143A	----	0.073 + 0.019	.0138	----	----	----	----	2 UNCH
12375	----	----	----	0.010B/0.142A	----	0.072 + 0.018	.0136	----	----	----	----	1 UNCH
12400	----	----	----	0.010B/0.141A	----	0.071 + 0.018	.0134	----	----	----	----	12 UNCH
12450	----	----	----	0.010B/0.140A	----	0.070 + 0.018	.0131	----	----	----	----	5 UNCH
12500	----	----	----	0.011B/*0.105A	----	0.069 + 0.018	.0129	----	----	----	----	331 UNCH
12525	----	----	----	0.011B/0.138A	----	0.068 + 0.018	.0127	----	----	----	----	2 UNCH
12550	----	----	----	0.011B/0.137A	----	0.067 + 0.017	.0126	----	----	----	----	3 UNCH
12600	----	----	----	0.010B/0.136A	----	0.066 + 0.017	.0123	----	----	----	----	30 UNCH
12650	----	----	----	0.010B/0.135A	----	0.065 + 0.017	.0121	----	----	----	----	3 UNCH
12675	----	----	----	0.031B/0.132A	----	0.065 + 0.017	.0121	----	----	----	----	3 UNCH
12700	----	----	----	0.010B/0.133A	----	0.064 + 0.017	.0119	----	----	----	----	5 UNCH
12725	----	----	----	0.010B/0.133A	----	0.063 + 0.016	.0117	----	----	----	----	1 UNCH
12775	----	----	----	0.011B/0.136A	----	0.062 + 0.016	.0115	----	----	----	----	2 UNCH
12800	----	----	----	0.029B/0.126A	----	0.062 + 0.017	.0115	----	----	----	----	30 UNCH
12900	0.075	0.075	0.075/*0.075	0.075/*0.075	----	0.060 + 0.016	.0111	----	----	1	----	72 - 1
13000	0.085	0.085	0.085/*0.059	0.085/*0.059	----	0.058 + 0.016	.0107	----	----	24	----	293 + 16
13100	----	----	----	0.009B/0.129A	----	0.056 + 0.015	.0102	----	----	----	----	3 UNCH
13200	----	----	----	0.011B/0.116A	----	0.054 + 0.015	.0099	----	----	----	----	44 UNCH
13300	----	----	----	0.006B/0.126A	----	0.053 + 0.015	.0096	----	----	----	----	3 UNCH
13400	----	----	----	0.006B/0.126A	----	0.051 + 0.014	.0092	----	----	----	----	3 UNCH
13500	----	----	----	0.002B/0.125A	----	0.050 + 0.014	.0090	----	----	----	----	64 UNCH
13600	----	----	----	0.001B/0.112A	----	0.048 + 0.013	.0086	----	----	----	----	19 UNCH
13700	----	----	----	0.001B/0.122A	----	0.047 + 0.013	.0084	----	----	----	----	76 UNCH
13800	----	----	----	0.001B/0.121A	----	0.046 + 0.013	.0082	----	----	----	----	39 UNCH
13900	----	----	----	0.001B/0.119A	----	0.044 + 0.012	.0078	----	----	----	----	4 UNCH
14000	----	----	0.034B/----	0.034B/0.070A	----	0.043 + 0.012	.0076	----	----	----	----	400 UNCH
14100	----	----	----	0.001B/0.117A	----	0.042 + 0.012	.0074	----	----	----	----	27 UNCH
14200	----	----	----	0.001B/0.116A	----	0.041 + 0.011	.0072	----	----	----	----	41 UNCH
14300	----	----	----	0.001B/0.115A	----	0.040 + 0.011	.0070	----	----	----	----	6 UNCH
14400	----	----	----	0.001B/0.112A	----	0.039 + 0.011	.0068	----	----	----	----	13 UNCH
14500	----	----	----	0.001B/0.101A	----	0.039 + 0.011	.0067	----	----	----	----	117 UNCH
14600	----	----	----	0.001B/0.099A	----	0.038 + 0.011	.0065	----	----	----	----	55 UNCH
14700	----	----	----	0.001B/0.098A	----	0.037 + 0.011	.0064	----	----	----	----	9 UNCH
14800	----	----	----	0.001B/*0.045A	----	0.036 + 0.010	.0062	----	----	1	----	62 + 1
14900	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.036 + 0.011	.0061	----	----	2	----	3 UNCH
15000	0.030	0.030	0.035/0.030	0.035/0.030	----	0.035 + 0.010	.0059	----	----	8	----	456 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
MAY26														
15100	----	----	----	----/0.104A	----	0.034	+ 0.010	.0058	----	----	----	----	9	UNCH
15200	----	----	----	----/0.106A	----	0.033	+ 0.009	.0056	----	----	----	----	54	UNCH
15300	----	----	----	----/0.105A	----	0.032	+ 0.009	.0054	----	----	----	----	11	UNCH
15500	----	----	----	----/0.088A	----	0.030	+ 0.008	.0050	----	----	----	----	115	UNCH
15600	----	----	----	----/0.103A	----	0.029	+ 0.008	.0049	----	----	----	----	1	UNCH
15700	----	----	----	----/0.102A	----	0.028	+ 0.008	.0047	----	----	----	----	19	UNCH
15800	----	----	----	----/0.101A	----	0.027	+ 0.007	.0045	----	----	----	----	14	UNCH
15900	----	----	----	----/0.100A	----	0.026	+ 0.007	.0044	----	----	----	----	14	UNCH
16000	0.021	0.021	0.021/*0.021	0.021/*0.021	----	0.026	+ 0.007	.0043	----	----	1	----	721	UNCH
16100	----	----	----	----/0.098A	----	0.025	+ 0.007	.0042	----	----	----	----	6	UNCH
16200	----	----	----	----/0.097A	----	0.024	+ 0.006	.0040	----	----	----	----	1	UNCH
16300	----	----	----	----/0.096A	----	0.023	+ 0.006	.0038	----	----	----	----	1	UNCH
16400	----	----	----	----/0.094A	----	0.023	+ 0.006	.0038	----	----	----	----	2	UNCH
16500	----	----	----	----/0.093A	----	0.022	+ 0.006	.0036	----	----	----	----	56	UNCH
16600	----	----	----	----/0.093A	----	0.021	+ 0.005	.0035	----	----	----	----	3	UNCH
16700	----	----	----	----/0.091A	----	0.021	+ 0.005	.0035	----	----	----	----	5	UNCH
16800	----	----	----	----/0.090A	----	0.020	+ 0.005	.0033	----	----	----	----	6	UNCH
16900	----	----	----	----/0.089A	----	0.020	+ 0.005	.0033	----	----	----	----	67	UNCH
17000	----	----	----	----/0.088A	----	0.019	+ 0.005	.0031	----	----	----	----	67	UNCH
17100	----	----	----	----/0.087A	----	0.019	+ 0.005	.0031	----	----	----	----	8	UNCH
17200	----	----	----	----/0.086A	----	0.018	+ 0.004	.0030	----	----	----	----	6	UNCH
17300	----	----	----	----/0.085A	----	0.018	+ 0.005	.0029	----	----	----	----	5	UNCH
17400	----	----	----	----/0.084A	----	0.017	+ 0.004	.0028	----	----	----	----	6	UNCH
17500	----	----	----	----/*0.020A	----	0.017	+ 0.004	.0028	----	----	----	----	96	UNCH
17600	----	----	----	----/0.083A	----	0.016	+ 0.004	.0026	----	----	----	----	7	UNCH
17700	----	----	----	----/0.081A	----	0.016	+ 0.004	.0026	----	----	----	----	9	UNCH
17800	----	----	----	----/0.100A	----	0.016	+ 0.004	.0026	----	----	----	----	8	UNCH
17900	----	----	----	----/0.099A	----	0.015	+ 0.003	.0024	----	----	----	----	3	UNCH
18000	----	----	----	----/0.050A	----	0.015	+ 0.004	.0024	----	----	----	----	54	UNCH
18100	----	----	----	----/0.145A	----	0.014	+ 0.003	.0023	----	----	----	----	1	UNCH
18200	----	----	----	----/0.140A	----	0.014	+ 0.003	.0023	----	----	----	----	11	UNCH
18300	----	----	----	----/0.162A	----	0.014	+ 0.003	.0022	----	----	----	----	5	UNCH
18400	----	----	----	----/0.163A	----	0.013	+ 0.003	.0021	----	----	----	----	2	UNCH
18500	----	----	----	----/0.164A	----	0.013	+ 0.003	.0021	----	----	----	----	11	UNCH
18700	----	----	----	----/0.167A	----	0.013	+ 0.003	.0021	----	----	----	----	8	UNCH
18800	----	----	----	----/0.168A	----	0.012	+ 0.002	.0019	----	----	----	----	6	UNCH
18900	----	----	----	----/0.169A	----	0.012	+ 0.003	.0019	----	----	----	----	3	UNCH
19000	----	----	----	----/0.170A	----	0.012	+ 0.003	.0019	----	----	----	----	51	UNCH
19100	----	----	----	----/0.171A	----	0.011	+ 0.002	.0018	----	----	----	----	74	UNCH
19200	----	----	----	----/0.172A	----	0.011	+ 0.002	.0017	----	----	----	----	130	UNCH
19300	----	----	----	----/0.173A	----	0.011	+ 0.002	.0017	----	----	----	----	6	UNCH
19400	----	----	----	----/0.174A	----	0.011	+ 0.002	.0017	----	----	----	----	66	UNCH
19500	----	----	----	----/0.175A	----	0.011	+ 0.003	.0017	----	----	----	----	96	UNCH
19700	----	----	----	----/0.177A	----	0.010	+ 0.002	.0016	----	----	----	----	2	UNCH
19800	----	----	----	----/0.177A	----	0.010	+ 0.002	.0016	----	----	----	----	10	UNCH
19900	----	----	----	----/0.178A	----	0.010	+ 0.002	.0016	----	----	----	----	11	UNCH
20000	----	----	----	0.005B/*0.015A	----	0.010	+ 0.002	.0016	----	----	----	----	392	UNCH
21000	----	----	----	----/0.100A	----	0.007	+ 0.001	.0011	----	----	----	----	15	UNCH
22000	----	----	----	----/0.190A	----	0.005	+ 0.001	.0008	----	----	----	----	10	UNCH
23000	----	----	----	----/0.193A	----	0.004	+ 0.001	.0006	----	----	----	----	6	UNCH
24000	----	----	----	----/0.196A	----	0.002	UNCH	.0003	----	----	----	----	4	UNCH
25000	----	----	0.002B/----	0.002B/0.007A	----	0.002	+ 0.001	.0003	----	----	----	----	91	UNCH
TOTAL											936	0	23375 +	40
JUN26														
4300	----	----	35.219B/----	35.219B/31.374A	----	33.082	+ 3.341	.9775	----	----	----	----	20	UNCH
4850	----	----	29.817B/----	29.817B/26.098A	----	27.715	+ 3.222	.9623	----	----	----	----	7	UNCH
4900	----	----	29.344B/----	29.344B/25.635A	----	27.233	+ 3.209	.9603	----	----	----	----	9	UNCH
5000	----	----	28.452B/----	28.452B/24.647A	----	26.273	+ 3.181	.9560	----	----	----	----	348	UNCH
5025	----	----	28.135B/----	28.135B/24.457A	----	26.034	+ 3.174	.9548	----	----	----	----	6	UNCH
5050	----	----	27.853B/----	27.853B/24.249A	----	25.795	+ 3.167	.9536	----	----	----	----	1	UNCH
5200	----	----	26.540B/----	26.540B/22.784A	----	24.373	+ 3.123	.9454	----	----	----	----	77	UNCH
5225	----	----	26.233B/----	26.233B/22.625A	----	24.138	+ 3.116	.9439	----	----	----	----	4	UNCH
5275	----	----	25.756B/----	25.756B/22.165A	----	23.668	+ 3.099	.9407	----	----	----	----	7	UNCH
5300	----	----	25.510B/----	25.510B/21.938A	----	23.435	+ 3.092	.9391	----	----	----	----	3	UNCH
5325	----	----	25.258B/----	25.258B/21.710A	----	23.201	+ 3.083	.9373	----	----	----	----	5	UNCH
5350	----	----	25.050B/----	25.050B/21.477A	----	22.969	+ 3.075	.9356	----	----	----	----	7	UNCH
5400	----	----	24.513B/----	24.513B/21.024A	----	22.505	+ 3.057	.9319	----	----	----	----	2	UNCH
5425	----	----	24.346B/----	24.346B/20.798A	----	22.274	+ 3.048	.9300	----	----	----	----	9	UNCH
5500	----	----	23.719B/----	23.719B/20.054A	----	21.585	+ 3.020	.9240	----	----	----	----	341	UNCH
5525	----	----	23.345B/----	23.345B/19.904A	----	21.356	+ 3.009	.9219	----	----	----	----	2	UNCH
5600	----	----	22.712B/----	22.712B/19.245A	----	20.675	+ 2.977	.9153	----	----	----	----	7	UNCH
5625	----	----	22.481B/----	22.481B/19.026A	----	20.449	+ 2.966	.9130	----	----	----	----	11	UNCH
5675	----	----	21.982B/----	21.982B/18.587A	----	19.999	+ 2.941	.9082	----	----	----	----	1	UNCH
5700	----	----	21.879B/----	21.879B/18.294A	----	19.775	+ 2.928	.9057	----	----	----	----	56	UNCH
5725	----	----	21.567B/----	21.567B/18.164A	----	19.552	+ 2.915	.9032	----	----	----	----	10	UNCH
5750	----	----	21.340B/----	21.340B/17.951A	----	19.330	+ 2.902	.9006	----	----	----	----	13	UNCH
5775	----	----	21.074B/----	21.074B/17.726A	----	19.108	+ 2.887	.8979	----	----	----	----	1	UNCH
5800	----	----	20.856B/----	20.856B/17.579A	----	18.887	+ 2.873	.8952	----	----	----	----	2	UNCH
5825	----	----	20.646B/----	20.646B/17.363A	----	18.667	+ 2.858	.8924	----	----	----	----	1	UNCH
5850	----	----	20.425B/----	20.425B/17.109A	----	18.448	+ 2.843	.8896	----	----	----	----	9	UNCH
5900	----	----	19.972B/----	19.972B/16.738A	----	18.013	+ 2.812	.8837	----	----	----	----	4	UNCH
5925	----	----	19.763B/----	19.763B/16.512A	----	17.796	+ 2.795	.8806	----	----	----	----	17	UNCH
6000	----	----	19.196B/----	19.196B/15.814A	----	17.152	+ 2.744	.8711	----	----	----	----	401	UNCH
6025	----	----	18.876B/----	18.876B/15.676A	----	16.940	+ 2.727	.8678	----	----	----	----	7	UNCH
6050	----	----	18.558B/----	18.558B/15.509A	----	16.728	+ 2.709	.8644	----	----	----	----	4	UNCH
6075	----	----	18.486B/----	18.486B/15.228A	----	16.518	+ 2.691	.8610	----	----	----	----	30	UNCH
6100	----	----	18.221B/----	18.221B/15.058A	----	16.308	+ 2.672	.8575	----	----	----	----	16	UNCH
6200	----	----	17.434B/----	17.434B/14.185A	----	15.481	+ 2.594	.8427	----	----	----	----	101	UNCH
6225	----	----	17.048B/----	17.048B/14.132A	----	15.277	+ 2.574	.8389	----	----	----	----	1	UNCH
6250	----	----	16.836B/----	16.836B/13.939A	----	15.075	+ 2.554	.8349	----	----	----	----	4	UNCH
6300	----	----	16.430B/----	16.430B/13.551A	----	14.673	+ 2.512	.8268	----	----	----	----	4	UNCH
6400	----	----	15.760B/----	15.760B/12.688A	----	13.886	+ 2.428	.8099	----	----	----	----	110	UNCH
6425	----	----	15.527B/----	15.527B/12.568A	----	13.693	+ 2.407	.8054	----	----	----	----	25	UNCH
6450	----	----	15.305B/----	15.305B/12.397A	----	13.501	+ 2.386	.8009	----	----	----	----	6	UNCH
6475	----	----	15.003B/----	15.003B/12.261A	----	13.310	+ 2.364	.7963	----	----	----	----	5	UNCH
6500	----	----	14.909B/----	14.909B/12.042A	----	13.121	+ 2.342	.7917	----	----	----	----	11	UNCH
6625	----	----	13.942B/----	13.942B/11.175A	----	12.198	+ 2.231	.7675	----	----	----	----	10	UNCH
6650	----	----	13.013B/----	13.013B/13.399A	----	12.018	+ 2.208	.7625	----	----	----	----	0	UNCH
6700	----	----	13.295B/----	13.295B/10.690A	----	11.662	+ 2.162	.7523	----	----	----	----	1	UNCH
6725	----	----	13.115B/----	13.115B/10.527A	----	11.487	+ 2.139	.7471	----	----	----	----	1	UNCH
6750	----	----	12.896B/----	12.896B/10.382A	----	11.313	+ 2.116	.7418	----	----	----	----	3	UNCH
6800	----	----	12.643B/----	12.643B/10.021A	----	10.971	+ 2.070	.7311	----	----	----	----	6	UNCH
6850	----	----	12.207B/----	12.207B/9.733A	----	10.635	+ 2.023	.7202	----	----	----	----	5	UNCH
6900	----	----	11.936B/----	11.936B/9.392A	----	10.305	+ 1.975	.7091	----	----	----	----	16	UNCH
6925	----	----	11.761B/----	11.761B/9.238A	----	10.143	+ 1.951	.7035	----	----	----	----	9	UNCH
6975	----	----	11.419B/----	11.419B/8.938A	----	9.824	+ 1.904	.6921	----	----	----	----	7	UNCH
7000	----	----	11.259B/----	11.259B/8.775A	----	9.667	+ 1.880	.6863	----	----	----	----	125	UNCH
7025	----	----	10.877B/----	10.877B/8.699A	----	9.512	+ 1.856	.6805	----	----	----	----	1	UNCH
7050	----	----	10.707B/----	10.707B/8.550A	----	9.359	+ 1.832	.6747	----	----	----	----	1	UNCH
7075	----	----	10.543B/----	10.543B/8.484A	----	9.207	+ 1.808	.6688	----	----	4	----	4	UNCH
7100	----	----	10.598B/----	10.598B/8.203A	----	9.057	+ 1.783	.6629	----	----	1	----	99 -	1
7150	----	----	10.062B/----	10.062B/8.075A	----	8.763	+ 1.735	.6510	----	----	----	----	1	UNCH
7225	----	----	9.591B/----	9.591B/7.569A	----	8.334	+ 1.662	.6330	----	----	----	----	1	UNCH
7250	----	----	9.660B/----	9.660B/7.387A	----	8.195	+ 1.638	.6270	----	----	1	----	31 -	1
7275	----	----	9.296B/----	9.296B/7.314A	----	8.058	+ 1.614	.6209	----	----	----	----	2	UNCH
7300	----	----	9.366B/----	9.366B/7.143A	----	7.922	+ 1.589	.6148	----	----	----	----	13	UNCH
7375	----	----	8.821B/----	8.821B/6.720A	----	7.526	+ 1.516	.5964	----	----	----	----	4	UNCH
7400	----	----	8.604B/----	8.604B/6.608A	----	7.397	+ 1.492	.5903	----	----	----	----	4	UNCH
7425	----	----	8.655B/----	8.655B/6.489A	----	7.270	+ 1.467	.5842	----	----	5	----	12	UNCH
7450	6.578	6.578	8.416B/6.519	8.416B/6.395A	----	7.145	+ 1.443	.5780	----	----	72	----	12 +	10
7475	----	----	8.314B/----	8.314B/6.269A	----	7.022	+ 1.419	.5719	----	----	----	----	2	UNCH
7500	7.900	7.900	8.279B/6.149A	8.279B/6.149A	----	6.900	+ 1.394	.5657	----	----	1	----	231	UNCH
7525	7.665	7.665	8.150B/6.053A	8.150B/6.053A	----	6.781	+ 1.370	.5596	----	----	1	----	9	UNCH
7550	----	----	8.013B/----	8.013B/5.938A	----	6.663	+ 1.346	.5534	----	----	----	----	25	UNCH
7575	----	----	7.877B/----	7.877B/5.843A	----	6.546	+ 1.322	.5473	----	----	----	----	1	UNCH
7600	----	----	7.753B/----	7.753B/5.749A	----	6.432	+ 1.298	.5412	----	----	----	----	17	UNCH
7675	----	----	7.370B/----	7.370B/5.447A	----	6.099	+ 1.228	.5229	----	----	----	----	3	UNCH
7700	----	----	7.251B/----	7.251B/5.348A	----	5.991	+ 1.205	.5168	----	----	----	----	116	UNCH
7725	6.960	6.960	7.122B/5.269A	7.122B/5.269A	----	5.885	+ 1.182	.5108	----	----	2	----	7	UNCH
7750	----	----	7.002B/----	7.002B/5.184A	----	5.781	+ 1.159	.5048	----	----	1	----	10	UNCH
7775	----	----	6.882B/----	6.882B/5.074A	----	5.679	+ 1.137	.4988	----	----	----	----	2	UNCH
7800	6.254	6.254	6.765B/4.983A	6.765B/4.983A	----	5.578	+ 1.115	.4929	----	----	1	----	18	UNCH
7825	----	----	6.650B/----	6.650B/4.910A	----	5.479	+ 1.093	.4869	----	----	----	----	1	UNCH
7850	----	----	6.535B/----	6.535B/4.813A	----	5.382	+ 1.072	.4810	----	----	----	----	1	UNCH
7900	5.744	5.744	6.324B/4.618A	6.324B/4.618A	----	5.192	+ 1.030	.4693	----	----	5	----	67	UNCH
7925	5.724	5.724	6.202B/4.577A	6.202B/4.577A	----	5.100	+ 1.010	.4635	----	----	11	----	12 +	10
7950	6.064	6.064	6.097B/4.497A	6.097B/4.497A	----	5.009	+ 0.989	.4577	----	----	1	----	3 +	1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
7975	----	----	5.990B/----	5.990B/4.406A	----	4.919 +	0.969 .4520	----	----	----	----	2 UNCH
8000	6.000	6.000	6.000/4.314A	6.000/4.314A	----	4.832 +	0.950 .4463	----	----	9	----	189 - 1
8025	----	----	5.787B/----	5.787B/4.242A	----	4.746 +	0.931 .4407	----	----	----	----	3 UNCH
8050	5.667	5.667	5.701B/4.173A	5.701B/4.173A	----	4.661 +	0.911 .4351	----	----	1	----	58 UNCH
8075	5.551	5.551	5.586B/4.096A	5.586B/4.096A	----	4.578 +	0.893 .4295	----	----	1	----	2 UNCH
8100	5.006	5.006	5.492B/4.042A	5.492B/4.042A	----	4.497 +	0.875 .4240	----	----	5	----	11 UNCH
8125	----	----	5.396B/----	5.396B/3.952A	----	4.417 +	0.857 .4185	----	----	----	----	2 UNCH
8150	----	----	5.304B/----	5.304B/3.884A	----	4.338 +	0.839 .4131	----	----	----	----	10 UNCH
8175	----	----	5.212B/----	5.212B/3.822A	----	4.261 +	0.822 .4077	----	----	----	----	1 UNCH
8200	----	----	5.120B/----	5.120B/3.766A	----	4.186 +	0.806 .4024	----	----	----	----	3 UNCH
8225	----	----	5.033B/----	5.033B/3.687A	----	4.111 +	0.788 .3971	----	----	----	----	3 UNCH
8250	----	----	4.946B/----	4.946B/3.635A	----	4.039 +	0.773 .3919	----	----	5	----	20 + 5
8275	----	----	4.861B/----	4.861B/3.564A	----	3.967 +	0.756 .3867	----	----	----	----	19 UNCH
8300	4.789	4.789	4.803B/3.488A	4.803B/3.488A	----	3.897 +	0.741 .3815	----	----	2	----	90 + 2
8350	----	----	4.614B/----	4.614B/3.378A	----	3.761 +	0.710 .3714	----	----	5	----	13 + 5
8375	----	----	4.533B/----	4.533B/3.324A	----	3.695 +	0.696 .3665	----	----	----	----	5 UNCH
8400	----	----	4.455B/----	4.455B/3.264A	----	3.630 +	0.681 .3615	----	----	----	----	7 UNCH
8425	----	----	4.412B/----	4.412B/3.208A	----	3.567 +	0.667 .3567	----	----	----	----	51 UNCH
8450	----	----	4.303B/----	4.303B/3.160A	----	3.504 +	0.653 .3519	----	----	----	----	19 UNCH
8475	----	----	4.229B/----	4.229B/3.104A	----	3.443 +	0.639 .3471	----	----	----	----	4 UNCH
8500	4.050	4.050	4.189B/3.050A	4.189B/3.050A	----	3.383 +	0.626 .3424	----	----	1	----	316 UNCH
8550	----	----	4.014B/----	4.014B/2.959A	----	3.267 +	0.600 .3332	----	----	----	----	5 UNCH
8575	----	----	3.946B/----	3.946B/2.904A	----	3.211 +	0.588 .3287	----	----	----	----	4 UNCH
8600	----	----	3.879B/----	3.879B/2.855A	----	3.156 +	0.576 .3242	----	----	----	----	9 UNCH
8625	----	----	3.812B/----	3.812B/2.809A	----	3.102 +	0.564 .3198	----	----	----	----	4 UNCH
8650	----	----	3.745B/----	3.745B/2.765A	----	3.049 +	0.553 .3154	----	----	----	----	5 UNCH
8675	----	----	3.683B/----	3.683B/2.720A	----	2.997 +	0.541 .3111	----	----	----	----	6 UNCH
8700	----	----	3.635B/----	3.635B/2.676A	----	2.946 +	0.530 .3069	----	----	4	----	32 + 4
8725	----	----	3.559B/----	3.559B/2.634A	----	2.896 +	0.519 .3027	----	----	----	----	3 UNCH
8750	----	----	3.497B/----	3.497B/2.593A	----	2.847 +	0.508 .2986	----	----	----	----	12 UNCH
8800	2.825	2.825	3.411B/2.501A	3.411B/2.501A	----	2.752 +	0.487 .2904	----	----	22	----	76 - 14
8825	----	----	3.325B/----	3.325B/2.475A	----	2.706 +	0.477 .2865	----	----	----	----	2 UNCH
8850	----	----	3.274B/----	3.274B/2.432A	----	2.661 +	0.467 .2826	----	----	----	----	12 UNCH
8875	----	----	3.216B/----	3.216B/2.395A	----	2.617 +	0.458 .2787	----	----	----	----	2 UNCH
8900	----	----	3.165B/----	3.165B/2.358A	----	2.574 +	0.449 .2749	----	----	----	----	16 UNCH
8925	----	----	3.119B/----	3.119B/2.321A	----	2.531 +	0.439 .2711	----	----	----	----	3 UNCH
8950	----	----	3.072B/----	3.072B/2.287A	----	2.490 +	0.430 .2675	----	----	----	----	4 UNCH
8975	----	----	3.018B/----	3.018B/2.252A	----	2.449 +	0.421 .2638	----	----	----	----	4 UNCH
9000	3.150	3.150	3.150/2.195A	3.150/2.195A	----	2.409 +	0.412 .2602	----	----	245	----	517 - 76
9025	2.920	2.920	2.920/2.183A	2.920/2.183A	----	2.370 +	0.404 .2567	----	----	1	----	4 + 1
9050	----	----	2.873B/----	2.873B/2.149A	----	2.332 +	0.396 .2532	----	----	----	----	12 UNCH
9100	----	----	2.793B/----	2.793B/2.068A	----	2.258 +	0.380 .2464	----	----	2	----	327 + 2
9125	----	----	2.746B/----	2.746B/2.053A	----	2.222 +	0.372 .2431	----	----	----	----	2 UNCH
9150	2.245	2.245	2.704B/2.009A	2.704B/2.009A	----	2.187 +	0.365 .2398	----	----	3	----	103 + 3
9175	----	----	2.657B/----	2.657B/2.127A	----	2.153 +	0.358 .2366	----	----	----	----	0 UNCH
9200	2.440	2.440	2.617B/1.952A	2.617B/1.952A	----	2.119 +	0.351 .2334	----	----	1	----	98 - 1
9225	2.650	2.650	2.650/1.937A	2.650/1.937A	----	2.086 +	0.344 .2303	----	----	3	----	7 + 1
9250	----	----	2.531B/----	2.531B/1.907A	----	2.054 +	0.337 .2272	----	----	----	----	6 UNCH
9275	----	----	2.509B/----	2.509B/1.883A	----	2.022 +	0.330 .2242	----	----	----	----	7 UNCH
9300	----	----	2.454B/----	2.454B/1.846A	----	1.991 +	0.323 .2212	----	----	1	----	31 UNCH
9325	----	----	2.425B/----	2.425B/1.832A	----	1.960 +	0.316 .2182	----	----	----	----	2 UNCH
9350	----	----	2.386B/----	2.386B/1.805A	----	1.930 +	0.310 .2153	----	----	----	----	17 UNCH
9375	----	----	2.350B/----	2.350B/1.777A	----	1.901 +	0.304 .2125	----	----	----	----	17 UNCH
9400	----	----	2.311B/----	2.311B/1.739A	----	1.873 +	0.298 .2097	----	----	----	----	20 UNCH
9425	----	----	2.285B/----	2.285B/1.699A	----	1.844 +	0.292 .2069	----	----	----	----	22 UNCH
9450	----	----	2.244B/----	2.244B/1.678A	----	1.817 +	0.286 .2042	----	----	----	----	4 UNCH
9475	----	----	2.219B/----	2.219B/1.654A	----	1.790 +	0.280 .2016	----	----	----	----	17 UNCH
9500	2.182	2.182	2.260/1.627A	2.260/1.627A	----	1.764 +	0.275 .1989	----	----	64	----	231 + 1
9525	----	----	2.150B/----	2.150B/1.607A	----	1.738 +	0.269 .1964	----	----	----	----	1 UNCH
9550	----	----	2.118B/----	2.118B/1.581A	----	1.712 +	0.263 .1938	----	----	----	----	1 UNCH
9575	----	----	2.087B/----	2.087B/1.574A	----	1.687 +	0.258 .1913	----	----	----	----	1 UNCH
9600	----	----	2.043B/----	2.043B/1.537A	----	1.663 +	0.253 .1888	----	----	----	----	18 UNCH
9625	----	----	2.021B/----	2.021B/1.519A	----	1.639 +	0.248 .1864	----	----	----	----	4 UNCH
9650	----	----	1.994B/----	1.994B/1.502A	----	1.616 +	0.243 .1840	----	----	----	----	1 UNCH
9675	----	----	1.961B/----	1.961B/1.479A	----	1.593 +	0.239 .1817	----	----	----	----	2 UNCH
9700	----	----	1.932B/----	1.932B/1.454A	----	1.570 +	0.233 .1793	----	----	3	----	37 + 1
9750	----	----	1.877B/----	1.877B/1.418A	----	1.526 +	0.224 .1748	----	----	----	----	28 UNCH
9800	----	----	1.817B/----	1.817B/1.380A	----	1.484 +	0.215 .1704	----	----	1	----	6 + 1
9850	----	----	1.767B/----	1.767B/1.346A	----	1.443 +	0.206 .1662	----	----	----	----	2 UNCH
9875	----	----	1.745B/----	1.745B/1.326A	----	1.423 +	0.202 .1641	----	----	----	----	10 UNCH
9900	1.472	1.472	1.720B/1.313A	1.720B/1.313A	----	1.404 +	0.198 .1621	----	----	9	----	22 - 6
9925	----	----	1.695B/----	1.695B/1.290A	----	1.385 +	0.194 .1601	----	----	----	----	1 UNCH
9950	----	----	1.669B/----	1.669B/1.275A	----	1.366 +	0.190 .1581	----	----	----	----	2 UNCH
9975	----	----	1.645B/----	1.645B/1.256A	----	1.348 +	0.187 .1561	----	----	----	----	4 UNCH
10000	1.770	1.770	1.770/1.242A	1.770/1.242A	----	1.330 +	0.184 .1542	----	----	211	----	696 + 103
10025	----	----	1.599B/----	1.599B/1.227A	----	1.312 +	0.180 .1523	----	----	----	----	5 UNCH
10050	----	----	1.576B/----	1.576B/1.210A	----	1.294 +	0.176 .1504	----	----	----	----	3 UNCH
10075	----	----	1.555B/----	1.555B/1.195A	----	1.277 +	0.173 .1486	----	----	----	----	9 UNCH
10100	----	----	1.534B/----	1.534B/1.180A	----	1.260 +	0.169 .1468	----	----	1	----	19 UNCH
10125	----	----	1.511B/----	1.511B/1.166A	----	1.244 +	0.167 .1450	----	----	----	----	1 UNCH
10175	----	----	1.470B/----	1.470B/1.137A	----	1.211 +	0.160 .1415	----	----	----	----	1 UNCH
10200	----	----	1.452B/----	1.452B/1.122A	----	1.195 +	0.157 .1398	----	----	1	----	9 UNCH
10225	----	----	1.430B/----	1.430B/1.108A	----	1.180 +	0.155 .1381	----	----	----	----	1 UNCH
10300	----	----	1.372B/----	1.372B/1.066A	----	1.135 +	0.147 .1332	----	----	----	----	7 UNCH
10375	----	----	1.318B/----	1.318B/1.027A	----	1.092 +	0.139 .1285	----	----	----	----	2 UNCH
10400	----	----	1.299B/----	1.299B/1.015A	----	1.078 +	0.137 .1270	----	----	----	----	4 UNCH
10425	----	----	1.281B/----	1.281B/1.003A	----	1.064 +	0.134 .1255	----	----	----	----	1 UNCH
10450	----	----	1.264B/----	1.264B/0.991A	----	1.051 +	0.132 .1240	----	----	----	----	3 UNCH
10475	----	----	1.248B/----	1.248B/0.978A	----	1.038 +	0.130 .1226	----	----	----	----	2 UNCH
10500	----	----	1.233B/----	1.233B/0.968A	----	1.025 +	0.128 .1212	----	----	22	----	354 + 16
10525	----	----	1.214B/----	1.214B/0.955A	----	1.012 +	0.126 .1197	----	----	----	----	12 UNCH
10550	----	----	1.197B/----	1.197B/0.945A	----	0.999 +	0.123 .1183	----	----	----	----	1 UNCH
10600	----	----	1.169B/----	1.169B/0.922A	----	0.975 +	0.120 .1156	----	----	22	----	67 + 20
10625	----	----	1.151B/----	1.151B/0.912A	----	0.963 +	0.118 .1143	----	----	----	----	1 UNCH
10650	----	----	1.136B/----	1.136B/0.901A	----	0.951 +	0.116 .1130	----	----	----	----	3 UNCH
10675	----	----	1.121B/----	1.121B/0.889A	----	0.940 +	0.115 .1117	----	----	----	----	3 UNCH
10700	----	----	1.103B/----	1.103B/0.879A	----	0.928 +	0.112 .1104	----	----	----	----	11 UNCH
10750	----	----	1.064B/----	1.064B/0.859A	----	0.906 +	0.109 .1079	----	----	1	----	3 - 1
10800	----	----	1.036B/----	1.036B/0.841A	----	0.885 +	0.106 .1055	----	----	----	----	2 UNCH
10850	----	----	1.008B/----	1.008B/0.821A	----	0.864 +	0.103 .1032	----	----	----	----	12 UNCH
10875	----	----	0.993B/----	0.993B/0.812A	----	0.854 +	0.102 .1020	----	----	----	----	6 UNCH
10900	----	----	0.987B/----	0.987B/0.804A	----	0.844 +	0.100 .1009	----	----	----	----	20 UNCH
10925	----	----	0.973B/----	0.973B/0.795A	----	0.834 +	0.099 .0998	----	----	----	----	1 UNCH
10950	----	----	0.957B/----	0.957B/0.785A	----	0.825 +	0.098 .0987	----	----	----	----	1 UNCH
11000	----	----	0.939B/----	0.939B/0.768A	----	0.806 +	0.095 .0965	----	----	1	----	473 UNCH
11025	----	----	0.921B/----	0.921B/0.760A	----	0.797 +	0.094 .0955	----	----	----	----	1 UNCH
11050	----	----	0.924B/----	0.924B/0.752A	----	0.788 +	0.093 .0945	----	----	----	----	4 UNCH
11075	----	----	0.914B/----	0.914B/0.745A	----	0.779 +	0.092 .0934	----	----	----	----	5 UNCH
11100	----	----	0.903B/----	0.903B/0.736A	----	0.770 +	0.091 .0924	----	----	----	----	1 UNCH
11125	----	----	0.892B/----	0.892B/0.728A	----	0.761 +	0.089 .0914	----	----	----	----	5 UNCH
11175	----	----	0.869B/----	0.869B/0.714A	----	0.745 +	0.088 .0895	----	----	----	----	2 UNCH
11200	----	----	0.859B/----	0.859B/0.707A	----	0.737 +	0.087 .0886	----	----	----	----	3 UNCH
11225	----	----	0.848B/----	0.848B/0.699A	----	0.729 +	0.086 .0877	----	----	----	----	3 UNCH
11300	----	----	0.816B/----	0.816B/0.682A	----	0.705 +	0.082 .0849	----	----	----	----	2 UNCH
11325	----	----	0.808B/----	0.808B/0.676A	----	0.698 +	0.082 .0841	----	----	----	----	6 UNCH
11350	----	----	0.797B/----	0.797B/0.669A	----	0.690 +	0.080 .0831	----	----	----	----	3 UNCH
11375	----	----	0.785B/----	0.785B/0.663A	----	0.683 +	0.080 .0823	----	----	----	----	1 UNCH
11400	----	----	0.776B/----	0.776B/0.655A	----	0.676 +	0.079 .0815	----	----	----	----	164 UNCH
11425	----	----	0.764B/----	0.764B/0.649A	----	0.669 +	0.078 .0807	----	----	----	----	12 UNCH
11450	----	----	0.751B/----	0.751B/0.643A	----	0.662 +	0.077 .0798	----	----	----	----	13 UNCH
11475	----	----	0.740B/----	0.740B/0.637A	----	0.655 +	0.076 .0790	----	----	----	----	2 UNCH
11500	----	----	0.737B/----	0.737B/0.631A	----	0.649 +	0.076 .0783	----	----	1	72	245 + 73
11525	----	----	0.698B/----	0.698B/0.626A	----	0.642 +	0.075 .0775	----	----	----	----	4 UNCH
11550	----	----	0.684B/----	0.684B/0.626A	----	0.636 +	0.075 .0768	----	----	----	----	1 UNCH
11625	----	----	0.666B/----	0.666B/*0.603A	----	0.617 +	0.072 .0745	----	----	----	----	1 UNCH
11675	----	----	0.657B/----	0.657B/*0.592A	----	0.605 +	0.071 .0731	----	----	----	----	2 UNCH
11700	----	----	0.637B/----	0.637B/0.604A	----	0.599 +	0.070 .0724	----	----	----	----	7 UNCH
11725	----	----	0.643B/----	0.643B/*0.581A	----	0.593 +	0.069 .0717	----	----	----	----	2 UNCH
11750	----	----	0.622B/----	0.622B/*0.592A	----	0.588 +	0.069 .0710	----	----	----	----	21 UNCH
11775	----	----	0.626B/----	0.626B/*0.570A	----	0.582 +	0.068 .0703	----	----	----	----	2 UNCH
11800	----	----	0.608B/----	0.608B/0.598A	----	0.577 +	0.068 .0697	----	----	----	----	4 UNCH
11850	----	----	0.594B/----	0.594B/0.601A	----	0.566 +	0.066 .0684	----	----	----	----	5 UNCH
11900	----	----	0.581B/----	0.581B/0.592A	----	0.556 +	0.066 .0672	----	----	----	----	2 UNCH
11925	----	----	0.590B/----	0.590B/0.586A	----	0.551 +	0.065 .0666	----	----	----	----	8 UNCH
11950	----	----	0.568B/----	0.568B/0.581A	----	0.546 +	0.064 .0660	----	----	----	----	3 UNCH
12000	0.652	0.652	0.652/0.530	0.652/0.530	----	0.536 +	0.063 .0648	----	----	14	----	452 - 3
12025	----	----	0.567B/----	0.567B/0.568A	----	0.531 +	0.062 .0642	----	----	----	----	11 UNCH
12125	----	----	0.525B/----	0.525B/0.550A	----	0.513 +	0.060 .0620	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JUN26														
12200	----	----	0.509B/----	0.509B/0.539A	----	0.501	+ 0.059	.0604	----	----	----	----	13	UNCH
12225	----	----	0.503B/----	0.503B/0.534A	----	0.497	+ 0.058	.0599	----	----	----	----	7	UNCH
12275	----	----	0.493B/----	0.493B/0.526A	----	0.489	+ 0.057	.0590	----	----	----	----	1	UNCH
12325	----	----	0.482B/----	0.482B/0.518A	----	0.481	+ 0.056	.0580	----	----	----	----	3	UNCH
12350	----	----	0.477B/----	0.477B/0.515A	----	0.477	+ 0.055	.0575	----	----	----	----	5	UNCH
12400	----	----	0.467B/----	0.467B/0.507A	----	0.470	+ 0.055	.0566	----	----	----	----	23	UNCH
12425	----	----	0.462B/----	0.462B/0.504A	----	0.466	+ 0.054	.0561	----	----	----	----	1	UNCH
12450	----	----	0.457B/----	0.457B/0.500A	----	0.463	+ 0.054	.0557	----	----	----	----	9	UNCH
12475	----	----	0.452B/----	0.452B/0.497A	----	0.459	+ 0.053	.0552	----	----	----	----	1	UNCH
12500	0.450	0.450	0.450/0.450	0.450/0.450	----	0.456	+ 0.053	.0548	----	----	2	----	102	UNCH
12525	----	----	0.442B/----	0.442B/0.490A	----	0.452	+ 0.052	.0544	----	----	----	----	37	UNCH
12550	----	----	0.438B/----	0.438B/0.486A	----	0.449	+ 0.052	.0540	----	----	----	----	6	UNCH
12575	----	----	0.434B/----	0.434B/0.483A	----	0.446	+ 0.052	.0536	----	----	----	----	2	UNCH
12600	----	----	0.429B/----	0.429B/0.480A	----	0.442	+ 0.051	.0531	----	----	----	----	5	UNCH
12650	----	----	0.420B/----	0.420B/0.473A	----	0.436	+ 0.050	.0523	----	----	----	----	2	UNCH
12675	----	----	0.416B/----	0.416B/0.470A	----	0.433	+ 0.050	.0520	----	----	----	----	2	UNCH
12700	----	----	0.411B/----	0.411B/0.467A	----	0.430	+ 0.049	.0516	----	----	----	----	11	UNCH
12725	----	----	0.407B/----	0.407B/*0.464A	----	0.427	+ 0.049	.0512	----	----	----	----	2	UNCH
12750	----	----	0.403B/----	0.403B/0.461A	----	0.424	+ 0.049	.0508	----	----	----	----	2	UNCH
12775	----	----	0.399B/----	0.399B/0.458A	----	0.421	+ 0.048	.0504	----	----	----	----	7	UNCH
12800	----	----	0.396B/----	0.396B/0.455A	----	0.418	+ 0.048	.0501	----	----	----	----	34	UNCH
12900	----	----	0.379B/----	0.379B/*0.444A	----	0.406	+ 0.045	.0486	----	----	----	----	6	UNCH
13000	0.490	0.490	0.490/0.433A	0.490/0.433A	----	0.395	+ 0.043	.0472	----	----	1	----	272	UNCH
13100	----	----	0.347B/----	0.347B/*0.423A	----	0.385	+ 0.042	.0459	----	----	----	----	4	UNCH
13200	----	----	0.336B/----	0.336B/*0.413A	----	0.375	+ 0.040	.0446	----	----	----	----	3	UNCH
13300	----	----	----	0.322B/*0.403A	----	0.365	+ 0.038	.0434	----	----	----	----	3	UNCH
13400	----	----	----	0.310B/*0.398A	----	0.356	+ 0.037	.0422	----	----	----	----	5	UNCH
13500	----	----	----	0.298B/*0.390A	----	0.347	+ 0.035	.0411	----	----	----	----	23	UNCH
13600	----	----	----	0.287B/*0.382A	----	0.338	+ 0.033	.0400	----	----	----	----	7	UNCH
13700	----	----	----	0.276B/*0.374A	----	0.330	+ 0.032	.0390	----	----	----	----	5	UNCH
13800	----	----	----	0.267B/*0.365A	----	0.321	+ 0.030	.0379	----	----	----	----	1	UNCH
13900	----	----	----	0.256B/*0.358A	----	0.313	+ 0.029	.0369	----	----	----	----	3	UNCH
14000	0.280	0.280	0.280/0.280	0.280/0.280	----	0.305	+ 0.027	.0359	----	----	1	----	292	UNCH
14200	----	----	----	0.230B/*0.339A	----	0.289	+ 0.024	.0340	----	----	----	----	60	UNCH
14300	----	----	----	0.220B/*0.331A	----	0.281	+ 0.022	.0330	----	----	----	----	1	UNCH
14400	----	----	----	0.213B/*0.325A	----	0.273	+ 0.020	.0321	----	----	----	----	65	UNCH
14500	----	----	----	0.206B/*0.320A	----	0.265	+ 0.018	.0312	----	----	----	----	31	UNCH
14600	----	----	----	0.198B/*0.314A	----	0.257	+ 0.016	.0302	----	----	----	----	6	UNCH
14700	----	----	----	0.191B/*0.308A	----	0.249	+ 0.014	.0293	----	----	----	----	11	UNCH
14800	----	----	----	0.184B/*0.303A	----	0.241	+ 0.013	.0284	----	----	----	----	10	UNCH
14900	----	----	----	0.177B/*0.298A	----	0.233	+ 0.011	.0275	----	----	----	----	6	UNCH
15000	0.215	0.215	0.215/0.199	0.215/0.199	----	0.226	+ 0.010	.0267	----	----	5	----	146	+ 1
15300	----	----	----	0.153B/*0.280A	----	0.202	+ 0.005	.0240	----	----	----	----	2	UNCH
15400	----	----	----	0.149B/*0.276A	----	0.194	+ 0.003	.0231	----	----	----	----	1	UNCH
15500	----	----	----	0.144B/*0.273A	----	0.186	+ 0.001	.0222	----	----	----	----	7	UNCH
15600	----	----	----	0.139B/*0.269A	----	0.179	UNCH	.0215	----	----	----	----	1	UNCH
15700	----	----	----	0.134B/*0.265A	----	0.172	- 0.001	.0207	----	----	----	----	1	UNCH
15800	----	----	----	0.129B/*0.262A	----	0.165	- 0.003	.0199	----	----	----	----	6	UNCH
15900	----	----	----	0.125B/*0.258A	----	0.158	- 0.004	.0191	----	----	----	----	8	UNCH
16000	0.235	0.235	0.235/0.180	0.235/0.180	----	0.152	- 0.005	.0184	----	----	2	----	202	UNCH
16200	----	----	----	0.107B/*0.248A	----	0.144	- 0.005	.0175	----	----	----	----	36	UNCH
16400	----	----	----	0.102B/*0.243A	----	0.136	- 0.006	.0165	----	----	----	----	1	UNCH
16500	----	----	----	0.095B/*0.240A	----	0.133	- 0.006	.0161	----	----	----	----	30	UNCH
16600	----	----	----	0.094B/*0.237A	----	0.129	- 0.006	.0157	----	----	----	----	2	UNCH
16700	----	----	----	0.091B/*0.235A	----	0.126	- 0.006	.0153	----	----	----	----	6	UNCH
16800	----	----	----	0.087B/*0.231A	----	0.123	- 0.006	.0149	----	----	----	----	3	UNCH
17000	----	----	----	0.081B/0.226A	----	0.117	- 0.006	.0142	----	----	----	----	21	UNCH
17100	----	----	----	0.077B/*0.225A	----	0.114	- 0.006	.0138	----	----	----	----	5	UNCH
17200	----	----	----	0.076B/*0.223A	----	0.111	- 0.007	.0135	----	----	----	----	5	UNCH
17300	----	----	----	0.073B/0.220A	----	0.108	- 0.007	.0131	----	----	----	----	11	UNCH
17400	----	----	----	0.070B/*0.218A	----	0.106	- 0.006	.0128	----	----	----	----	3	UNCH
17500	----	----	----	0.064B/0.216A	----	0.103	- 0.007	.0125	----	----	----	----	63	UNCH
17700	----	----	----	0.061B/*0.212A	----	0.098	- 0.007	.0119	----	----	----	----	3	UNCH
17800	----	----	----	0.059B/*0.209A	----	0.096	- 0.007	.0116	----	----	----	----	3	UNCH
18000	----	----	----	0.060B/0.206A	----	0.091	- 0.007	.0110	----	----	----	----	44	UNCH
18100	----	----	----	0.051B/*0.204A	----	0.089	- 0.007	.0108	----	----	----	----	2	UNCH
18300	----	----	----	0.046B/*0.201A	----	0.085	- 0.007	.0103	----	----	----	----	1	UNCH
18900	----	----	----	0.032B/*0.191A	----	0.075	- 0.006	.0091	----	----	----	----	1	UNCH
19000	----	----	----	0.030B/0.186A	----	0.073	- 0.007	.0088	----	----	----	----	229	UNCH
19500	----	----	----	0.019B/0.179A	----	0.066	- 0.006	.0080	----	----	----	----	126	UNCH
19600	----	----	----	0.018B/0.182A	----	0.064	- 0.007	.0077	----	----	----	----	2	UNCH
19900	----	----	----	0.010B/0.186A	----	0.061	- 0.006	.0074	----	----	----	----	28	UNCH
20000	----	----	----	0.046B/0.177A	----	0.059	- 0.007	.0071	----	----	----	----	236	UNCH
21000	----	----	----	0.003B/0.208A	----	0.049	- 0.006	.0059	----	----	----	----	20	UNCH
23000	----	----	----	0.001B/0.221A	----	0.035	- 0.005	.0042	----	----	----	----	14	UNCH
25000	----	----	----	0.001B/0.129A	----	0.026	- 0.005	.0031	----	----	----	----	298	UNCH
27000	----	----	----	0.001B/0.205A	----	0.017	- 0.004	.0020	----	----	----	----	3	UNCH
30000	----	----	----	----/*0.067A	----	0.010	- 0.002	.0012	----	----	----	----	31	UNCH
32000	----	----	----	----/*0.049A	----	0.007	- 0.002	.0008	----	----	----	----	1	UNCH
35000	----	----	----	----/0.030A	----	0.005	- 0.001	.0006	----	----	----	----	21	UNCH
TOTAL											779	72	10652	+ 156
JUL26														
2700	----	----	51.165B/----	51.165B/47.285A	----	48.951	+ 3.429	.9953	----	----	----	----	1	UNCH
3900	----	----	39.158B/----	39.158B/35.371A	----	37.036	+ 3.310	.9805	----	----	----	----	1	UNCH
4000	----	----	38.176B/----	38.176B/34.416A	----	36.062	+ 3.299	.9779	----	----	----	----	1	UNCH
4200	----	----	36.234B/----	36.234B/32.497A	----	34.125	+ 3.274	.9720	----	----	----	----	2	UNCH
4500	----	----	33.378B/----	33.378B/29.603A	----	31.247	+ 3.218	.9613	----	----	----	----	28	UNCH
4600	----	----	32.430B/----	32.430B/28.628A	----	30.296	+ 3.193	.9571	----	----	----	----	114	UNCH
4700	----	----	31.411B/----	31.411B/27.783A	----	29.351	+ 3.164	.9524	----	----	----	----	1	UNCH
4750	----	----	30.944B/----	30.944B/27.310A	----	28.880	+ 3.148	.9500	----	----	----	----	1	UNCH
4825	----	----	30.236B/----	30.236B/26.622A	----	28.177	+ 3.123	.9461	----	----	----	----	3	UNCH
4900	----	----	29.530B/----	29.530B/25.933A	----	27.478	+ 3.095	.9419	----	----	----	----	1	UNCH
4925	----	----	29.335B/----	29.335B/25.704A	----	27.245	+ 3.085	.9404	----	----	----	----	16	UNCH
5000	----	----	28.708B/----	28.708B/24.946A	----	26.552	+ 3.054	.9358	----	----	----	----	307	UNCH
5025	----	----	28.405B/----	28.405B/24.787A	----	26.322	+ 3.044	.9343	----	----	----	----	4	UNCH
5050	----	----	28.107B/----	28.107B/24.569A	----	26.092	+ 3.032	.9326	----	----	----	----	2	UNCH
5100	----	----	27.768B/----	27.768B/24.030A	----	25.634	+ 3.009	.9292	----	----	----	----	130	UNCH
5150	----	----	27.222B/----	27.222B/23.669A	----	25.179	+ 2.985	.9257	----	----	----	----	6	UNCH
5200	----	----	26.765B/----	26.765B/23.197A	----	24.727	+ 2.961	.9220	----	----	----	----	40	UNCH
5225	----	----	26.470B/----	26.470B/23.000A	----	24.501	+ 2.948	.9201	----	----	----	----	9	UNCH
5250	----	----	26.240B/----	26.240B/22.771A	----	24.276	+ 2.935	.9181	----	----	----	----	2	UNCH
5275	----	----	26.104B/----	26.104B/22.553A	----	24.052	+ 2.921	.9161	----	----	----	----	1	UNCH
5300	----	----	25.870B/----	25.870B/22.340A	----	23.829	+ 2.908	.9141	----	----	----	----	7	UNCH
5350	----	----	25.498B/----	25.498B/21.850A	----	23.384	+ 2.880	.9099	----	----	----	----	155	UNCH
5375	----	----	25.202B/----	25.202B/21.688A	----	23.163	+ 2.866	.9077	----	----	----	----	1	UNCH
5400	----	----	24.975B/----	24.975B/21.475A	----	22.943	+ 2.852	.9055	----	----	----	----	21	UNCH
5425	----	----	24.799B/----	24.799B/21.248A	----	22.723	+ 2.837	.9032	----	----	----	----	42	UNCH
5450	----	----	24.500B/----	24.500B/21.047A	----	22.504	+ 2.822	.9009	----	----	----	----	1	UNCH
5500	21.425	21.425	24.136B/20.570A	24.136B/20.570A	----	22.069	+ 2.792	.8962	----	----	2	----	494	+ 2
5550	----	----	23.650B/----	23.650B/20.264A	----	21.637	+ 2.760	.8912	----	----	----	----	3	UNCH
5600	----	----	23.256B/----	23.256B/19.736A	----	21.208	+ 2.728	.8861	----	----	----	----	102	UNCH
5650	----	----	22.748B/----	22.748B/19.359A	----	20.783	+ 2.695	.8807	----	----	----	----	43	UNCH
5675	----	----	22.543B/----	22.543B/19.154A	----	20.572	+ 2.678	.8780	----	----	----	----	25	UNCH
5700	----	----	22.327B/----	22.327B/18.942A	----	20.362	+ 2.661	.8752	----	----	----	----	26	UNCH
5750	19.328	19.328	21.979B/18.518A	21.979B/18.518A	----	19.944	+ 2.626	.8695	----	----	4	----	162	+ 4
5775	----	----	21.578B/----	21.578B/18.434A	----	19.737	+ 2.609	.8666	----	----	----	----	1	UNCH
5800	----	----	21.365B/----	21.365B/18.231A	----	19.531	+ 2.592	.8636	----	----	----	----	16	UNCH
5900	----	----	20.535B/----	20.535B/17.442A	----	18.717	+ 2.520	.8511	----	----	----	----	10	UNCH
5925	----	----	20.341B/----	20.341B/17.252A	----	18.516	+ 2.502	.8479	----	----	----	----	10	UNCH
5950	----	----	20.134B/----	20.134B/17.060A	----	18.316	+ 2.483	.8446	----	----	----	----	6	UNCH
5975	----	----	19.907B/----	19.907B/16.873A	----	18.118	+ 2.466	.8413	----	----	----	----	20	UNCH
6000	----	----	19.826B/----	19.826B/16.567A	----	17.920	+ 2.447	.8379	----	----	----	----	550	UNCH
6050	16.932	16.932	19.435B/16.186A	19.435B/16.186A	----	17.529	+ 2.410	.8310	----	----	4	----	58	UNCH
6075	----	----	19.129B/----	19.129B/16.116A	----	17.335	+ 2.392	.8274	----	----	----	----	1	UNCH
6100	----	----	18.928B/----	18.928B/15.933A	----	17.143	+ 2.374	.8239	----	----	----	----	10	UNCH
6200	16.258	16.258	18.222B/15.091A	18.222B/15.091A	----	16.384	+ 2.299	.8091	----	----	2	----	101	+ 2
6250	----	----	17.772B/----	17.772B/14.855A	----	16.013	+ 2.263	.8014	----	----	----	----	1	UNCH
6300	----	----	17.396B/----	17.396B/14.509A	----	15.647	+ 2.227	.7936	----	----	----	----	3	UNCH
6350	----	----	17.012B/----	17.012B/14.162A	----	15.287	+ 2.191	.7855	----	----	----	----	2	UNCH
6450	----	----	16.262B/----	16.262B/13.490A	----	14.582	+ 2.121	.7690	----	----	----	----	1	UNCH
6500	----	----	15.977B/----	15.977B/13.034A	----	14.238	+ 2.087	.7605	----	----	----	----	195	UNCH
6600	13.081	13.081	15.273B/12.402A	15.273B/12.402A	----	13.568	+ 2.022	.7430	----	----	2	----	53	+ 2
6650	----	----	14.920B/----	14.920B/12.097A	----	13.242	+ 1.991	.7341	----	----	----	----	100	UNCH
6750	----	----	14.006B/----	14.006B/11.610A	----	12.608	+ 1.931	.7159	----	----	----	----	24	UNCH
6800	----	----	13.888B/----	13.888B/11.275A	----	12.300	+ 1.903	.7067	----	----	----	----	250	UNCH
6825	----	----	13.517B/----	13.517B/11.177A	----	12.149	+ 1.890	.7020	----	----	----	----	6	UNCH
6850	----	----	13.352B/----	13.352B/11.037A	----	11.998	+ 1.875	.6973	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
6875	----	----	13.187B/----	13.187B/10.898A	----	11.850 + 1.862	.6926	----	----	----	----	16 UNCH
6900	----	----	13.155B/----	13.155B/10.692A	----	11.703 + 1.849	.6879	----	----	----	----	99 UNCH
6950	----	----	12.705B/----	12.705B/10.487A	----	11.413 + 1.822	.6784	----	----	----	----	1 UNCH
7000	----	----	12.535B/----	12.535B/10.134A	----	11.129 + 1.796	.6688	----	----	----	----	161 UNCH
7025	----	----	12.380B/----	12.380B/10.029A	----	10.990 + 1.784	.6640	----	----	----	----	125 UNCH
7050	----	----	12.103B/----	12.103B/9.962A	----	10.852 + 1.771	.6592	----	----	----	----	1 UNCH
7100	----	----	11.799B/----	11.799B/9.779A	----	10.580 + 1.745	.6496	----	----	----	----	5 UNCH
7200	----	----	11.222B/----	11.222B/9.233A	----	10.055 + 1.695	.6302	----	----	----	----	11 UNCH
7225	----	----	11.087B/----	11.087B/9.119A	----	9.927 + 1.682	.6253	----	----	----	----	1 UNCH
7250	----	----	11.098B/----	11.098B/8.970A	----	9.801 + 1.670	.6205	----	----	----	----	164 UNCH
7300	----	----	10.682B/----	10.682B/8.797A	----	9.553 + 1.645	.6108	----	----	----	----	5 UNCH
7325	----	----	10.675B/----	10.675B/8.630A	----	9.432 + 1.633	.6059	----	----	----	----	100 UNCH
7350	----	----	10.415B/----	10.415B/8.626A	----	9.311 + 1.619	.6011	----	----	----	----	1 UNCH
7400	----	----	10.145B/----	10.145B/8.412A	----	9.075 + 1.594	.5914	----	----	----	----	22 UNCH
7450	----	----	9.884B/----	9.884B/8.195A	----	8.844 + 1.568	.5817	----	----	----	----	12 UNCH
7500	----	----	9.711B/----	9.711B/7.874A	----	8.620 + 1.542	.5721	----	----	24	----	325 + 5
7550	----	----	9.348B/----	9.348B/7.803A	----	8.400 + 1.515	.5625	----	----	----	----	6 UNCH
7575	8.340	8.340	8.532B/7.500	8.532B/7.500	----	8.292 NEW	.5577	----	----	20	----	20 + 20
7600	----	----	9.119B/----	9.119B/7.611A	----	8.186 + 1.488	.5529	----	----	----	----	19 UNCH
7700	----	----	8.649B/----	8.649B/7.242A	----	7.774 + 1.434	.5341	----	----	----	----	19 UNCH
7800	----	----	8.081B/----	8.081B/6.888A	----	7.384 + 1.379	.5155	----	----	----	----	15 UNCH
7900	----	----	7.653B/----	7.653B/6.554A	----	7.013 + 1.323	.4973	----	----	----	----	9 UNCH
7975	----	----	7.349B/----	7.349B/6.313A	----	6.749 + 1.282	.4839	----	----	----	----	5 UNCH
8000	----	----	7.488B/----	7.488B/6.112A	----	6.663 + 1.268	.4795	----	----	----	100	566 + 75
8025	----	----	7.156B/----	7.156B/6.159A	----	6.578 + 1.254	.4751	----	----	----	----	8 UNCH
8100	----	----	6.880B/----	6.880B/5.935A	----	6.331 + 1.212	.4621	----	----	----	----	21 UNCH
8200	----	----	6.520B/----	6.520B/5.651A	----	6.018 + 1.158	.4452	----	----	----	----	2 UNCH
8250	----	----	6.399B/----	6.399B/5.465A	----	5.867 + 1.129	.4369	----	----	----	----	45 UNCH
8300	----	----	6.395B/----	6.395B/5.276A	----	5.721 + 1.102	.4288	----	----	----	----	215 UNCH
8350	----	----	6.048B/----	6.048B/5.254A	----	5.580 + 1.076	.4207	----	----	----	----	2 UNCH
8375	----	----	5.944B/----	5.944B/5.192A	----	5.510 + 1.062	.4167	----	----	----	----	1 UNCH
8400	----	----	5.874B/----	5.874B/5.131A	----	5.442 + 1.049	.4128	----	----	----	----	3 UNCH
8500	----	----	5.768B/----	5.768B/4.781A	----	5.178 + 0.995	.3974	----	----	----	----	684 UNCH
8550	----	----	5.625B/----	5.625B/4.682A	----	5.052 + 0.969	.3899	----	----	----	----	331 UNCH
8600	----	----	5.340B/----	5.340B/4.670A	----	4.929 + 0.943	.3825	----	----	----	----	6 UNCH
8650	----	----	5.152B/----	5.152B/4.567A	----	4.810 + 0.917	.3752	----	----	----	----	1 UNCH
8700	----	----	5.181B/----	5.181B/4.351A	----	4.694 + 0.892	.3681	----	----	----	----	63 UNCH
8750	----	----	4.797B/----	4.797B/4.359A	----	4.582 + 0.867	.3611	----	----	----	----	8 UNCH
8800	----	----	4.776B/----	4.776B/4.259A	----	4.473 + 0.843	.3542	----	----	----	----	12 UNCH
8900	----	----	4.677B/----	4.677B/3.978A	----	4.264 + 0.794	.3409	----	----	----	----	103 UNCH
9000	----	----	4.508B/----	4.508B/3.806A	----	4.067 + 0.748	.3280	----	----	----	----	215 UNCH
9100	----	----	3.993B/----	3.993B/3.739A	----	3.881 + 0.702	.3157	----	----	----	----	10 UNCH
9200	4.500	4.500	4.500/3.486A	4.500/3.486A	----	3.706 + 0.660	.3039	----	----	6	----	81 + 6
9250	----	----	3.686B/----	3.686B/3.506A	----	3.622 + 0.639	.2981	----	----	----	----	7 UNCH
9300	----	----	3.814B/----	3.814B/3.345A	----	3.540 + 0.618	.2925	----	----	----	----	255 UNCH
9350	----	----	3.519B/----	3.519B/3.367A	----	3.461 + 0.598	.2870	----	----	----	----	7 UNCH
9400	----	----	3.554B/----	3.554B/3.256A	----	3.384 + 0.578	.2816	----	----	----	----	25 UNCH
9450	----	----	3.480B/----	3.480B/3.185A	----	3.309 + 0.559	.2764	----	----	----	----	33 UNCH
9500	----	----	3.469B/----	3.469B/3.078A	----	3.236 + 0.540	.2712	----	----	4	----	449 UNCH
9600	----	----	3.296B/----	3.296B/2.958A	----	3.097 + 0.505	.2612	----	----	----	----	51 UNCH
9700	----	----	2.955B/----	2.955B/2.934A	----	2.965 + 0.471	.2516	----	----	----	----	4 UNCH
9725	----	----	2.981B/----	2.981B/2.911A	----	2.933 + 0.463	.2493	----	----	----	----	1 UNCH
9775	----	----	3.034B/----	3.034B/2.760A	----	2.870 + 0.447	.2447	----	----	----	----	50 UNCH
9800	----	----	3.002B/----	3.002B/2.730A	----	2.840 + 0.440	.2425	----	----	----	----	109 UNCH
9900	----	----	2.871B/----	2.871B/2.634A	----	2.722 + 0.410	.2337	----	----	4	----	73 + 4
10000	2.850	2.850	3.050B/2.542A	3.050B/2.542A	----	2.610 + 0.382	.2253	----	----	19	----	1521 - 10
10100	----	----	2.503B/----	2.503B/2.539A	----	2.505 + 0.358	.2173	----	----	----	----	1 UNCH
10125	----	----	2.475B/----	2.475B/2.508A	----	2.479 + 0.351	.2153	----	----	----	----	1 UNCH
10200	----	----	2.531B/----	2.531B/2.355A	----	2.405 + 0.335	.2096	----	----	----	----	81 UNCH
10250	----	----	2.339B/----	2.339B/2.403A	----	2.357 + 0.324	.2059	----	----	----	----	20 UNCH
10375	----	----	2.214B/----	2.214B/2.310A	----	2.243 + 0.299	.1970	----	----	----	----	18 UNCH
10400	----	----	2.191B/----	2.191B/2.286A	----	2.221 + 0.295	.1952	----	----	----	----	1 UNCH
10475	----	----	2.167B/----	2.167B/2.180A	----	2.157 + 0.281	.1902	----	----	----	----	25 UNCH
10500	----	----	2.228B/----	2.228B/2.116A	----	2.136 + 0.277	.1885	----	----	----	----	596 UNCH
10600	----	----	2.004B/----	2.004B/2.144A	----	2.056 + 0.261	.1821	----	----	----	----	1 UNCH
10800	----	----	1.891B/----	1.891B/1.966A	----	1.908 + 0.234	.1702	----	----	----	----	28 UNCH
11000	1.750	1.750	1.883B/1.750	1.883B/1.750	----	1.774 + 0.210	.1592	----	----	82	----	1042 + 21
11100	----	----	1.606B/----	1.606B/1.853A	----	1.712 + 0.200	.1540	----	----	----	----	23 UNCH
11200	----	----	1.524B/----	1.524B/1.797A	----	1.653 + 0.191	.1491	----	----	----	----	8 UNCH
11225	----	----	1.466B/----	1.466B/1.784A	----	1.639 + 0.189	.1479	----	----	----	----	3 UNCH
11300	----	----	1.552B/----	1.552B/1.745A	----	1.597 + 0.183	.1444	----	----	----	----	62 UNCH
11400	----	----	1.374B/----	1.374B/1.694A	----	1.544 + 0.175	.1399	----	----	----	----	19 UNCH
11500	----	----	----	1.317B/1.646A	----	1.493 + 0.168	.1356	----	----	----	----	129 UNCH
11600	----	----	----	1.264B/1.599A	----	1.444 + 0.161	.1314	----	----	----	----	1 UNCH
11625	----	----	----	1.252B/1.587A	----	1.432 + 0.160	.1304	----	----	----	----	2 UNCH
11650	----	----	----	1.239B/1.576A	----	1.421 + 0.159	.1295	----	----	----	----	24 UNCH
11675	----	----	----	1.226B/1.564A	----	1.409 + 0.157	.1285	----	----	----	----	22 UNCH
11700	----	----	----	1.214B/1.554A	----	1.398 + 0.156	.1275	----	----	----	----	22 UNCH
11725	----	----	----	1.203B/1.543A	----	1.387 + 0.155	.1265	----	----	----	----	22 UNCH
11750	----	----	----	1.192B/1.534A	----	1.376 + 0.153	.1256	----	----	----	----	22 UNCH
11775	----	----	----	1.181B/1.523A	----	1.364 + 0.151	.1246	----	----	----	----	22 UNCH
11800	----	----	----	1.168B/1.513A	----	1.354 + 0.150	.1237	----	----	----	----	1 UNCH
11900	----	----	----	1.128B/1.472A	----	1.311 + 0.145	.1200	----	----	----	----	1 UNCH
11950	----	----	----	1.101B/1.452A	----	1.291 + 0.143	.1183	----	----	----	----	1 UNCH
12000	----	----	----	1.077B/1.433A	----	1.271 + 0.140	.1165	----	----	----	----	548 UNCH
12200	----	----	----	0.994B/1.224A	----	1.195 + 0.131	.1099	----	----	----	----	1 UNCH
12225	----	----	----	0.983B/1.215A	----	1.185 + 0.129	.1090	----	----	----	----	16 UNCH
12250	----	----	----	0.985B/1.204A	----	1.176 + 0.128	.1082	----	----	----	----	6 UNCH
12300	----	----	----	0.963B/1.189A	----	1.159 + 0.127	.1067	----	----	----	----	8 UNCH
12375	----	----	----	0.959B/1.159A	----	1.133 + 0.124	.1045	----	----	----	----	1 UNCH
12425	----	----	----	0.993B/1.143A	----	1.116 + 0.122	.1030	----	----	----	----	1 UNCH
12450	----	----	0.998B/----	0.998B/1.135A	----	1.108 + 0.121	.1023	----	----	----	----	1 UNCH
12475	----	----	0.996B/----	0.996B/1.128A	----	1.100 + 0.120	.1015	----	----	----	----	3 UNCH
12500	----	----	0.996B/----	0.996B/1.121A	----	1.091 + 0.118	.1008	----	----	----	----	141 UNCH
12600	----	----	1.010B/----	1.010B/1.093A	----	1.060 + 0.115	.0980	----	----	----	----	6 UNCH
12725	----	----	1.031B/----	1.031B/1.058A	----	1.021 + 0.110	.0946	----	----	----	----	1 UNCH
12800	----	----	1.026B/----	1.026B/1.036A	----	0.999 + 0.107	.0926	----	----	----	----	1 UNCH
13000	----	----	0.975B/----	0.975B/0.950A	----	0.944 + 0.100	.0877	----	----	10	----	691 - 10
14000	----	----	0.718B/----	0.718B/0.720A	----	0.721 + 0.068	.0676	----	----	10	----	799 UNCH
14700	----	----	0.589B/----	0.589B/0.676A	----	0.612 + 0.052	.0575	----	----	----	----	1 UNCH
15000	0.600	0.600	0.600/0.600	0.600/0.600	----	0.574 + 0.047	.0539	----	----	4	----	680 + 4
16000	0.520	0.520	0.520/0.448A	0.520/0.448A	----	0.473 + 0.034	.0443	----	----	14	----	759 - 8
17000	----	----	----	0.338B/0.385A	----	0.399 + 0.025	.0372	----	----	----	----	23 UNCH
18000	----	----	----	0.270B/0.329A	----	0.339 + 0.017	.0315	----	----	----	----	253 UNCH
19000	----	----	----	0.222B/0.360A	----	0.288 + 0.011	.0267	----	----	----	----	78 UNCH
20000	0.250	0.250	0.251B/0.230	0.251B/0.230	----	0.246 + 0.009	.0228	----	----	4	----	1208 + 1
21000	----	----	----	0.154B/*0.220A	----	0.212 + 0.011	.0196	----	----	----	----	427 UNCH
24000	----	----	----	0.085B/0.182A	----	0.147 + 0.019	.0135	----	----	----	----	125 UNCH
25000	0.150	0.150	0.150/0.140	0.150/0.140	----	0.133 + 0.018	.0121	----	----	24	----	349 + 4
27000	----	----	----	0.036B/0.140A	----	0.118 + 0.015	.0106	----	----	----	----	4 UNCH
30000	----	----	----	0.080B/0.110A	----	0.106 + 0.013	.0092	----	----	----	----	23 UNCH
32000	----	----	----	0.040B/0.102A	----	0.089 + 0.010	.0077	----	----	----	----	4 UNCH
35000	----	----	----	0.046B/0.058A	----	0.062 + 0.007	.0054	----	----	----	----	75 UNCH
TOTAL										239	100	17706 + 122
AUG26												
5000	----	----	----	10.782B/43.765A	----	27.452 + 3.069	.9198	----	----	----	----	2 UNCH
5400	----	----	----	7.483B/40.154A	----	23.966 + 2.886	.8877	----	----	----	----	2 UNCH
5500	----	----	----	6.349B/39.736A	----	23.124 + 2.830	.8782	----	----	----	----	1 UNCH
6300	----	----	----	2.405B/32.088A	----	16.962 + 2.277	.7810	----	----	----	----	5 UNCH
6450	----	----	----	1.909B/30.618A	----	15.941 + 2.160	.7588	----	----	----	----	1 UNCH
6500	----	----	----	1.747B/30.129A	----	15.611 + 2.121	.7512	----	----	----	----	2 UNCH
6600	----	----	----	1.447B/29.158A	----	14.968 + 2.042	.7357	----	----	----	----	4 UNCH
6800	----	----	12.923B/----	12.923B/13.881A	----	13.750 + 1.889	.7037	----	----	----	----	7 UNCH
6875	----	----	13.007B/----	13.007B/13.413A	----	13.316 + 1.833	.6914	----	----	----	----	5 UNCH
7000	----	----	13.065B/----	13.065B/12.303A	----	12.624 + 1.744	.6707	----	----	----	----	3 UNCH
7025	----	----	12.921B/----	12.921B/12.666A	----	12.489 + 1.726	.6665	----	----	----	----	5 UNCH
7050	----	----	12.779B/----	12.779B/12.049A	----	12.357 + 1.709	.6624	----	----	----	----	2 UNCH
7100	----	----	12.510B/----	12.510B/11.801A	----	12.096 + 1.675	.6540	----	----	----	----	2 UNCH
7400	----	----	11.348B/----	11.348B/10.425A	----	10.654 + 1.494	.6039	----	----	----	----	8 UNCH
7425	----	----	10.805B/----	10.805B/10.698A	----	10.543 + 1.480	.5997	----	----	----	----	14 UNCH
7475	----	----	10.664B/----	10.664B/10.476A	----	10.326 + 1.454	.5915	----	----	----	----	6 UNCH
7500	----	----	10.840B/----	10.840B/10.009A	----	10.219 + 1.441	.5874	----	----	----	----	2 UNCH
7550	----	----	10.610B/----	10.610B/9.808A	----	10.009 + 1.416	.5792	----	----	----	----	4 UNCH
7625	----	----	10.434B/----	10.434B/9.858A	----	9.704 + 1.380	.5670	----	----	----	----	15 UNCH
7700	----	----	10.232B/----	10.232B/9.234A	----	9.410 + 1.345	.5550	----	----	----	----	1 UNCH
7800	----	----	9.495B/----	9.495B/8.875A	----	9.035 + 1.301	.5393	----	----	----	----	1 UNCH
7900	----	----	9.123B/----	9.123B/8.534A	----	8.677 + 1.258	.5238	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.			DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS													
AUG26															
8000	----	----	8.663B/----	8.663B/8.211A	----	8.337	+	1.217	.5087	----	----	----	----	12	UNCH
8300	----	----	7.608B/----	7.608B/7.336A	----	7.402	+	1.096	.4655	----	----	----	----	1	UNCH
8450	----	----	7.200B/----	7.200B/6.945A	----	6.979	+	1.037	.4450	----	----	----	----	1	UNCH
8500	----	----	6.974B/----	6.974B/6.821A	----	6.843	+	1.016	.4384	----	----	----	----	12	UNCH
8900	----	----	5.879B/----	5.879B/5.938A	----	5.864	+	0.860	.3885	----	----	----	----	7	UNCH
9000	----	----	5.639B/----	5.639B/5.743A	----	5.645	+	0.823	.3769	----	----	----	----	20	UNCH
9100	----	----	5.408B/----	5.408B/5.557A	----	5.435	+	0.786	.3656	----	----	----	----	84	UNCH
9400	----	----	4.848B/----	4.848B/5.051A	----	4.861	+	0.684	.3339	----	----	----	----	102	UNCH
10000	----	----	3.768B/----	3.768B/4.229A	----	3.920	+	0.514	.2790	----	----	----	----	76	UNCH
10200	----	----	3.540B/----	3.540B/3.999A	----	3.659	+	0.468	.2631	----	----	----	----	3	UNCH
10400	----	----	3.302B/----	3.302B/3.781A	----	3.420	+	0.426	.2482	----	----	----	----	2	UNCH
10500	----	----	3.213B/----	3.213B/3.671A	----	3.309	+	0.408	.2412	----	----	----	----	7	UNCH
11100	----	----	2.644B/----	2.644B/3.101A	----	2.731	+	0.310	.2038	----	----	----	----	1	UNCH
11200	----	----	2.455B/----	2.455B/3.015A	----	2.649	+	0.297	.1983	----	----	----	----	1	UNCH
11300	----	----	2.364B/----	2.364B/2.937A	----	2.570	+	0.284	.1930	----	----	----	----	10	UNCH
11500	----	----	2.343B/----	2.343B/2.788A	----	2.421	+	0.260	.1829	----	----	----	----	9	UNCH
11850	----	----	1.983B/----	1.983B/2.545A	----	2.188	+	0.224	.1669	----	----	----	----	1	UNCH
12000	----	----	1.894B/----	1.894B/2.457A	----	2.098	+	0.210	.1606	----	----	----	----	2	UNCH
12500	----	----	1.702B/----	1.702B/2.219A	----	1.834	+	0.172	.1419	----	----	----	----	1	UNCH
13000	----	----	----	1.378B/2.019A	----	1.616	+	0.142	.1261	----	----	----	----	53	UNCH
14000	----	----	----	1.149B/1.298A	----	1.283	+	0.102	.1013	----	----	----	----	6	UNCH
15000	----	----	1.098B/----	1.098B/1.124A	----	1.045	+	0.076	.0831	----	----	----	----	36	UNCH
16000	----	----	0.860B/----	0.860B/0.950A	----	0.868	+	0.058	.0693	----	----	----	----	1	UNCH
17000	----	----	----	0.688B/0.825A	----	0.732	+	0.044	.0586	----	----	----	----	2	UNCH
18000	----	----	----	0.573B/0.720A	----	0.625	+	0.033	.0501	----	----	----	----	1	UNCH
19000	0.550	0.550	0.550/0.550	0.550/0.550	----	0.540	+	0.024	.0433	----	----	1	----	2	UNCH
20000	----	----	----	0.405B/0.568A	----	0.472	+	0.018	.0379	----	----	----	----	217	UNCH
25000	----	----	----	0.198B/0.366A	----	0.270	+	0.001	.0215	----	----	----	----	2	UNCH
30000	----	----	----	0.097B/*0.273A	----	0.185	-	0.003	.0145	----	----	----	----	13	UNCH
35000	----	----	----	0.037B/*0.170A	----	0.121	-	0.005	.0095	----	----	----	----	2	UNCH
TOTAL												1	0	780	0
SEP26															
5100	----	----	----	7.465B/46.582A	----	26.865	+	2.979	.9002	----	----	----	----	1	UNCH
5900	----	----	----	2.269B/39.375A	----	20.459	+	2.545	.8203	----	----	----	----	2	UNCH
6000	----	----	----	1.762B/38.491A	----	19.729	+	2.479	.8081	----	----	----	----	7	UNCH
6700	----	----	13.883B/----	13.883B/15.369A	----	15.155	+	1.985	.7117	----	----	----	----	1	UNCH
7000	----	----	13.857B/----	13.857B/13.287A	----	13.504	+	1.776	.6667	----	----	----	----	119	UNCH
7125	----	----	13.129B/----	13.129B/13.098A	----	12.873	+	1.694	.6477	----	----	----	----	75	UNCH
7400	----	----	12.174B/----	12.174B/11.484A	----	11.602	+	1.528	.6062	----	----	----	----	100	UNCH
7500	----	----	11.673B/----	11.673B/11.081A	----	11.179	+	1.473	.5913	----	----	----	----	1	UNCH
7700	----	----	11.026B/----	11.026B/10.329A	----	10.391	+	1.372	.5621	----	----	----	----	1	UNCH
8000	----	----	9.593B/----	9.593B/9.326A	----	9.338	+	1.238	.5203	----	----	----	----	105	UNCH
8200	----	----	8.891B/----	8.891B/8.732A	----	8.711	+	1.158	.4940	----	----	----	----	20	UNCH
8500	----	----	7.919B/----	7.919B/7.940A	----	7.864	+	1.048	.4568	----	----	----	----	100	UNCH
8675	----	----	7.217B/----	7.217B/7.737A	----	7.417	+	0.990	.4363	----	----	----	----	5	UNCH
8700	----	----	7.347B/----	7.347B/7.470A	----	7.355	+	0.981	.4335	----	----	----	----	100	UNCH
9000	----	----	6.583B/----	6.583B/6.839A	----	6.667	+	0.888	.4008	----	----	----	----	65	UNCH
9500	----	----	5.525B/----	5.525B/5.955A	----	5.692	+	0.750	.3522	----	----	----	----	2	UNCH
9750	----	----	5.048B/----	5.048B/5.577A	----	5.274	+	0.690	.3305	----	----	----	----	23	UNCH
9800	----	----	4.962B/----	4.962B/5.506A	----	5.196	+	0.679	.3263	----	----	----	----	9	UNCH
9900	----	----	4.814B/----	4.814B/5.368A	----	5.043	+	0.657	.3182	----	----	----	----	40	UNCH
10000	----	----	4.653B/----	4.653B/5.235A	----	4.896	+	0.635	.3103	----	----	----	----	182	UNCH
10500	----	----	3.937B/----	3.937B/4.644A	----	4.243	+	0.538	.2744	----	----	----	----	50	UNCH
10800	----	----	3.595B/----	3.595B/4.330A	----	3.907	+	0.487	.2553	----	----	----	----	2	UNCH
11000	----	----	3.378B/----	3.378B/4.130A	----	3.703	+	0.456	.2435	----	----	----	----	58	UNCH
12000	----	----	----	2.539B/3.285A	----	2.876	+	0.330	.1943	----	----	----	----	47	UNCH
12500	----	----	----	2.222B/2.955A	----	2.557	+	0.284	.1745	----	----	----	----	92	UNCH
13000	----	----	----	1.969B/2.675A	----	2.284	+	0.244	.1574	----	----	----	----	2	UNCH
14000	----	----	----	1.491B/2.300A	----	1.849	+	0.184	.1294	----	----	----	----	41	UNCH
15000	----	----	----	1.130B/1.990A	----	1.522	+	0.141	.1078	----	----	----	----	131	UNCH
16000	----	----	1.254B/----	1.254B/1.362A	----	1.273	+	0.111	.0910	----	----	----	----	18	UNCH
17000	----	----	1.037B/----	1.037B/1.176A	----	1.079	+	0.087	.0777	----	----	----	----	27	UNCH
18000	----	----	0.871B/----	0.871B/1.036A	----	0.927	+	0.069	.0671	----	----	----	----	2	UNCH
19000	----	----	----	0.738B/0.911A	----	0.807	+	0.056	.0586	----	----	----	----	14	UNCH
20000	----	----	----	0.635B/0.823A	----	0.709	+	0.045	.0516	----	----	----	----	307	UNCH
21000	----	----	----	0.548B/0.744A	----	0.630	+	0.036	.0459	----	----	----	----	1	UNCH
23000	----	----	----	0.419B/0.620A	----	0.509	+	0.022	.0371	----	----	----	----	32	UNCH
25000	----	----	----	0.328B/0.526A	----	0.425	+	0.014	.0309	----	----	----	----	14	UNCH
30000	----	----	----	0.207B/0.389A	----	0.303		UNCH	.0217	----	----	----	----	19	UNCH
35000	----	----	----	0.102B/0.312A	----	0.177	-	0.003	.0131	----	----	----	----	27	UNCH
TOTAL													0	1842	0
OCT26															
3800	----	----	----	----	----	39.515	+	3.359	.9694	----	----	----	----	1	UNCH
7000	----	----	15.008B/----	15.008B/14.635A	----	15.180	+	1.912	.6740	----	----	----	----	2	UNCH
7100	----	----	14.491B/----	14.491B/14.157A	----	14.657	+	1.853	.6606	----	----	----	----	1	UNCH
7500	----	----	12.887B/----	12.887B/12.427A	----	12.729	+	1.625	.6068	----	----	----	----	1	UNCH
7650	----	----	12.227B/----	12.227B/11.849A	----	12.072	+	1.543	.5867	----	----	----	----	1	UNCH
7875	----	----	11.526B/----	11.526B/11.375A	----	11.152	+	1.425	.5571	----	----	----	----	2	UNCH
8000	----	----	10.783B/----	10.783B/10.640A	----	10.675	+	1.363	.5410	----	----	----	----	4	UNCH
8075	----	----	10.231B/----	10.231B/10.764A	----	10.400	+	1.327	.5315	----	----	----	----	1	UNCH
8500	----	----	9.076B/----	9.076B/9.204A	----	9.000	+	1.139	.4798	----	----	----	----	1	UNCH
8700	----	----	8.480B/----	8.480B/8.711A	----	8.427	+	1.061	.4571	----	----	----	----	4	UNCH
9000	----	----	7.686B/----	7.686B/8.045A	----	7.662	+	0.956	.4250	----	----	----	----	1	UNCH
9100	----	----	7.458B/----	7.458B/7.840A	----	7.429	+	0.924	.4149	----	----	----	----	73	UNCH
10000	----	----	5.616B/----	5.616B/6.317A	----	5.760	+	0.697	.3366	----	----	----	----	96	UNCH
11000	----	----	4.218B/----	4.218B/5.112A	----	4.541	+	0.537	.2726	----	----	----	----	3	UNCH
12000	----	----	3.260B/----	3.260B/4.157A	----	3.689	+	0.430	.2251	----	----	----	----	65	UNCH
13000	----	----	----	2.592B/3.441A	----	3.023	+	0.345	.1875	----	----	----	----	145	UNCH
14000	----	----	----	2.078B/2.902A	----	2.491	+	0.276	.1571	----	----	----	----	2	UNCH
15000	----	----	----	1.651B/2.539A	----	2.066	+	0.220	.1324	----	----	----	----	178	UNCH
16000	----	----	----	1.287B/2.258A	----	1.732	+	0.176	.1126	----	----	----	----	1	UNCH
18000	1.592	1.592	1.592/1.394A	1.592/1.394A	----	1.252	+	0.118	.0833	----	----	50	----	340	+ 50
20000	----	----	0.909B/----	0.909B/1.111A	----	0.953	+	0.083	.0642	----	----	----	----	225	UNCH
TOTAL												50	0	1147	+ 50
NOV26															
6500	----	----	----	----/45.491A	----	18.579	+	2.210	.7349	----	----	----	----	1	UNCH
7000	----	----	15.124B/----	15.124B/15.484A	----	15.824	+	1.935	.6728	----	----	----	----	14	UNCH
7100	----	----	14.623B/----	14.623B/15.022A	----	15.320	+	1.880	.6601	----	----	----	----	14	UNCH
7500	----	----	13.506B/----	13.506B/13.339A	----	13.462	+	1.671	.6096	----	----	----	----	1	UNCH
7900	----	----	11.838B/----	11.838B/11.907A	----	11.855	+	1.481	.5604	----	----	----	----	10	UNCH
8000	----	----	11.427B/----	11.427B/11.585A	----	11.492	+	1.437	.5485	----	----	----	----	10	UNCH
10000	----	----	6.299B/----	6.299B/7.233A	----	6.766	+	0.847	.3613	----	----	----	----	26	UNCH
12000	----	----	----	3.728B/5.049A	----	4.431	+	0.550	.2494	----	----	----	----	13	UNCH
12500	----	----	----	3.303B/4.675A	----	4.023	+	0.496	.2288	----	----	----	----	10	UNCH
14000	----	----	----	2.271B/3.804A	----	3.066	+	0.371	.1791	----	----	----	----	1	UNCH
15000	----	----	----	1.815B/3.378A	----	2.592	+	0.306	.1536	----	----	----	----	5	UNCH
16000	----	----	----	1.415B/3.039A	----	2.215	+	0.254	.1329	----	----	----	----	2	UNCH
17000	----	----	----	1.059B/2.766A	----	1.914	+	0.213	.1161	----	----	----	----	1	UNCH
20000	----	----	1.264B/----	1.264B/1.548A	----	1.304	+	0.128	.0808	----	----	----	----	31	UNCH
TOTAL													0	139	0
DEC26															
3875	----	----	----	----	----	39.010	+	3.300	.9541	----	----	----	----	1	UNCH
5250	----	----	----	----/62.485A	----	27.271	+	2.844	.8657	----	----	----	----	50	UNCH
5500	----	----	----	----/59.192A	----	25.363	+	2.726	.8430	----	----	----	----	1	UNCH
6500	----	----	----	----/49.559A	----	18.701	+	2.141	.7339	----	----	----	----	564	UNCH
6900	----	----	15.620B/----	15.620B/18.014A	----	16.537	+	1.878	.6849	----	----	----	----	1	UNCH
6950	----	----	15.354B/----	15.354B/16.427A	----	16.287	+	1.846	.6787	----	----	----	----	200	UNCH
7000	----	----	15.093B/----	15.093B/16.195A	----	16.041	+	1.814	.6725	----	----	----	----	120	UNCH
7025	----	----	14.964B/----	14.964B/17.503A	----	15.920	+	1.799	.6694	----	----	----	----	1	UNCH
7075	----	----	14.709B/----	14.709B/17.209A	----	15.681	+	1.768	.6632	----	----	----	----	5	UNCH
7100	----	----	14.583B/----	14.583B/15.743A	----	15.563	+	1.753	.6601	----	----	----	----	15	UNCH
7375	----	----	13.287B/----	13.287B/15.971A	----	14.335	+	1.595	.6263	----	----	----	----	3	UNCH
7500	----	----	13.980B/----	13.980B/14.095A	----	13.818	+	1.530	.6111	----	----	----	----	18	UNCH
7575	----	----	12.426B/----	12.426B/15.155A	----	13.519	+	1.492	.6021	----	----	----	----	1	UNCH
7750	----	----	12.931B/----	12.931B/13.189A	----	12.856	+	1.411	.5813	----	----	----	----	2	UNCH
7800	----	----	12.732B/----	12.732B/13.018A	----	12.675	+	1.390	.5755	----	----	----	----	1	UNCH
7925	----	----	12.201B/----	12.201B/13.917A	----	12.238	+	1.338	.5613	----	----	----	----	2	UNCH
8000	----	----	11.930B/----	11.930B/12.367A	----	11.986	+	1.309	.5529	----	----	----	----	127	UNCH
8100	----	----	11.572B/----	11.572B/12.061A	----	11.662	+	1.272	.5419	----	----	----	----	1	UNCH
8200	----	----	11.234B/----	11.234B/11.767A	----	11.350	+	1.237	.5311	----	----	----	----	25	UNCH
8400	----	----	10.605B/----	10.605B/11.213A	----	10.765	+	1.175	.5102	----	----	----	----	50	UNCH
8500	----	----	10.297B/----	10.297B/10.951A	----	10.489	+	1.146	.5001	----	----	----	----	150	UNCH
8550	----	----	10.148B/----	10.148B/10.824A	----	10.356	+	1.133	.4952	----	----	----	----	1	UNCH
8800	----	----	9.426B/----	9.426B/10.225A	----	9.727	+	1.072	.4713	----	----	----	----	5	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
8900	----	----	9.163B/----	9.163B/10.001A	----	9.492 + 1.050	.4621	----	----	----	----	2 UNCH
8950	----	----	9.049B/----	9.049B/9.892A	----	9.378 + 1.040	.4577	----	----	----	----	1 UNCH
9000	----	----	8.910B/----	8.910B/9.785A	----	9.266 + 1.030	.4532	----	----	----	----	184 UNCH
9050	----	----	8.800B/----	8.800B/9.680A	----	9.157 + 1.021	.4489	----	----	----	----	100 UNCH
9300	----	----	8.213B/----	8.213B/9.182A	----	8.639 + 0.976	.4278	----	----	----	----	1 UNCH
9500	----	----	7.799B/----	7.799B/8.814A	----	8.257 + 0.944	.4120	----	----	----	----	3 UNCH
9700	----	----	7.365B/----	7.365B/8.471A	----	7.901 + 0.915	.3969	----	----	----	----	1 UNCH
9800	----	----	7.175B/----	7.175B/8.307A	----	7.731 + 0.900	.3897	----	----	----	----	17 UNCH
9900	----	----	6.991B/----	6.991B/8.149A	----	7.567 + 0.887	.3826	----	----	----	----	3 UNCH
10000	----	----	6.813B/----	6.813B/7.996A	----	7.408 + 0.874	.3757	----	----	----	----	773 UNCH
10025	----	----	----	5.904B/8.934A	----	7.368 + 0.870	.3740	----	----	----	----	3 UNCH
10500	----	----	6.009B/----	6.009B/7.301A	----	6.674 + 0.806	.3434	----	----	----	----	2 UNCH
10600	----	----	5.861B/----	5.861B/7.175A	----	6.539 + 0.793	.3374	----	----	----	----	1 UNCH
11000	----	----	5.327B/----	5.327B/6.700A	----	6.034 + 0.740	.3147	----	----	----	----	91 UNCH
11350	----	----	----	4.896B/6.334A	----	5.634 + 0.695	.2964	----	----	----	----	5 UNCH
11800	----	----	----	4.387B/5.908A	----	5.170 + 0.639	.2748	----	----	----	----	25 UNCH
12000	----	----	----	4.186B/5.734A	----	4.980 + 0.615	.2659	----	----	----	----	438 UNCH
12200	----	----	----	3.995B/5.569A	----	4.800 + 0.593	.2574	----	----	----	----	1 UNCH
12500	----	----	----	3.726B/5.338A	----	4.546 + 0.560	.2453	----	----	----	----	43 UNCH
13000	----	----	----	3.321B/4.988A	----	4.162 + 0.508	.2267	----	----	----	----	338 UNCH
14000	----	----	----	2.641B/4.403A	----	3.523 + 0.421	.1951	----	----	----	----	56 UNCH
14200	----	----	----	2.527B/4.302A	----	3.412 + 0.406	.1895	----	----	----	----	1 UNCH
15000	----	----	----	2.102B/3.940A	----	3.017 + 0.353	.1694	----	----	----	----	1821 UNCH
16000	----	----	----	1.658B/3.559A	----	2.610 + 0.298	.1482	----	----	----	----	1608 UNCH
17000	----	----	----	1.303B/3.254A	----	2.277 + 0.253	.1306	----	----	----	----	50 UNCH
18000	----	----	----	1.011B/3.001A	----	2.003 + 0.217	.1159	----	----	----	----	7 UNCH
19000	----	----	----	0.768B/2.791A	----	1.775 + 0.188	.1035	----	----	----	----	1 UNCH
20000	----	----	----	1.240B/1.975A	----	1.583 + 0.163	.0929	----	----	----	----	262 UNCH
21000	----	----	----	1.072B/1.817A	----	1.420 + 0.143	.0838	----	----	----	----	4 UNCH
23000	----	----	----	0.790B/1.576A	----	1.165 + 0.114	.0694	----	----	----	----	4 UNCH
25000	----	----	----	0.592B/1.382A	----	0.977 + 0.093	.0585	----	----	----	----	231 UNCH
30000	0.708	0.708	0.708/0.700	0.708/0.700	----	0.685 + 0.061	.0413	----	----	2	----	107 + 2
40000	0.480	0.480	0.480/0.480	0.480/0.480	----	0.434 + 0.034	.0258	----	----	1	----	22 - 1
90000	----	----	----/*0.191A	0.010B/*0.191A	----	0.217 + 0.011	.0116	----	----	----	----	1 UNCH
TOTAL										3	0	7551 + 1
JAN27												
7550	----	----	----	12.242B/19.292A	----	14.912 + 1.321	.6176	----	----	----	----	1 UNCH
7650	----	----	----	12.388B/18.000A	----	14.493 + 1.194	.6063	----	----	----	----	6 UNCH
10000	----	----	----	0.088B/18.424A	----	9.556 - 0.378	.4193	----	----	----	----	1 UNCH
11000	----	----	----	0.086B/16.560A	----	8.628 - 0.328	.3742	----	----	----	----	1 UNCH
13000	----	----	----	0.001B/13.884A	----	7.147 - 0.427	.3071	----	----	----	----	1 UNCH
14000	----	----	----	2.200B/12.909A	----	6.631 - 0.458	.2830	----	----	----	----	1 UNCH
14500	----	----	----	0.001B/12.481A	----	6.429 - 0.468	.2731	----	----	----	----	400 UNCH
15000	----	----	----	0.001B/12.095A	----	6.257 - 0.476	.2644	----	----	----	----	400 UNCH
TOTAL											0	811 0
FEB27												
9000	----	----	----	0.096B/22.275A	----	11.427 - 0.355	.4881	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/8.561A	----	3.501 - 0.492	.1396	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
9200	----	----	----	0.102B/23.246A	----	11.428 - 0.130	.4791	----	----	----	----	25 UNCH
TOTAL											0	25 0
JUL27												
2000	----	----	----	----	----	59.180 + 3.517	.9962	----	----	----	----	1 UNCH
10000	----	----	----	----	----	13.945 + 1.618	.4875	----	----	----	----	1 UNCH
10300	----	----	----	----	----	13.488 + 1.569	.4732	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.125 + 3.161	.9146	----	----	----	----	1 UNCH
20000	----	----	----	----	----	9.555 + 1.005	.3031	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												
2075	----	----	----	----/0.010A	----	0.001 UNCH	.0001	----	----	----	----	31 UNCH
2100	----	----	----	----/0.042A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2150	----	----	----	----/0.042A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2175	----	----	----	----/0.042A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
2650	----	----	----	----/0.048A	----	0.004 - 0.001	.0005	----	----	----	----	2 UNCH
2700	----	----	----	----/0.049A	----	0.004 - 0.002	.0005	----	----	----	----	50 UNCH
2800	----	----	----	----/*0.016A	----	0.005 - 0.002	.0006	----	----	----	----	12 UNCH
2850	----	----	----	----/0.052A	----	0.006 - 0.002	.0008	----	----	----	----	3 UNCH
2875	----	----	----	----/0.053A	----	0.006 - 0.003	.0008	----	----	----	----	1 UNCH
2950	----	----	----	----/0.055A	----	0.007 - 0.003	.0009	----	----	----	----	1 UNCH
3000	----	----	----	----/0.018A	----	0.008 - 0.003	.0011	----	----	----	----	22 UNCH
3075	----	----	----	----/0.059A	----	0.009 - 0.004	.0012	----	----	----	----	16 UNCH
3100	----	----	----	----/0.060A	----	0.010 - 0.004	.0013	----	----	----	----	5 UNCH
3125	----	----	----	----/0.061A	----	0.010 - 0.005	.0013	----	----	----	----	14 UNCH
3175	----	----	----	----/0.063A	----	0.012 - 0.004	.0016	----	----	----	----	14 UNCH
3200	----	----	----	----/0.065A	----	0.012 - 0.005	.0016	----	----	----	----	13 UNCH
3225	----	----	----	----/0.066A	----	0.013 - 0.005	.0017	----	----	----	----	10 UNCH
3275	----	----	----	----/0.068A	----	0.014 - 0.006	.0019	----	----	----	----	54 UNCH
3300	----	----	----	----/0.070A	----	0.015 - 0.006	.0020	----	----	----	----	79 UNCH
3325	----	----	----	----/0.071A	----	0.016 - 0.006	.0021	----	----	----	----	2 UNCH
3350	----	----	----	----/*0.072A	----	0.017 - 0.006	.0023	----	----	----	----	14 UNCH
3375	----	----	----	----/*0.074A	----	0.017 - 0.008	.0023	----	----	----	----	12 UNCH
3400	----	----	----	----/*0.075A	----	0.018 - 0.008	.0024	----	----	----	----	39 UNCH
3450	----	----	----	----/*0.078A	----	0.020 - 0.008	.0027	----	----	----	----	5 UNCH
3475	----	----	----	----/*0.079A	----	0.021 - 0.009	.0028	----	----	----	----	13 UNCH
3500	----	----	----/*0.030A	----/*0.030A	----	0.022 - 0.009	.0030	----	----	----	----	59 UNCH
3550	----	----	----	----/0.084A	----	0.024 - 0.010	.0032	----	----	----	----	1 UNCH
3575	----	----	----	----/*0.086A	----	0.025 - 0.011	.0034	----	----	----	----	28 UNCH
3600	----	----	----	----/0.087A	----	0.027 - 0.010	.0036	----	----	----	----	6 UNCH
3625	----	----	----	----/*0.089A	----	0.028 - 0.011	.0038	----	----	----	----	12 UNCH
3675	----	----	----	----/0.093A	----	0.030 - 0.013	.0040	----	----	----	----	105 UNCH
3700	----	----	----	----/0.095A	----	0.032 - 0.012	.0043	----	----	----	----	264 UNCH
3750	----	----	----	----/*0.098A	----	0.034 - 0.014	.0046	----	----	----	----	10 UNCH
3775	----	----	----	----/*0.100A	----	0.036 - 0.014	.0049	----	----	----	----	10 UNCH
3800	----	----	----	0.001B/0.102A	----	0.037 - 0.015	.0050	----	----	----	----	356 UNCH
3850	----	----	----	----/*0.097A	----	0.040 - 0.016	.0054	----	----	----	----	1 UNCH
3900	----	----	----	0.001B/0.100A	----	0.043 - 0.018	.0058	----	----	----	----	52 UNCH
3925	----	----	----	0.001B/*0.101A	----	0.045 - 0.018	.0061	----	----	----	----	9 UNCH
3950	----	----	----	0.001B/*0.102A	----	0.047 - 0.018	.0064	----	----	----	----	11 UNCH
3975	----	----	----	0.001B/*0.103A	----	0.048 - 0.020	.0065	----	----	----	----	5 UNCH
4000	0.040	0.040	0.060/*0.030	0.060/*0.030	----	0.050 - 0.020	.0068	----	----	15	----	310 - 6
4025	----	----	----	0.001B/*0.105A	----	0.051 - 0.021	.0070	----	----	----	----	3 UNCH
4050	----	----	----	0.001B/*0.106A	----	0.052 - 0.023	.0072	----	----	----	----	21 UNCH
4075	----	----	----	0.001B/*0.107A	----	0.053 - 0.025	.0073	----	----	----	----	15 UNCH
4100	----	----	----	0.001B/0.109A	----	0.054 - 0.026	.0075	----	----	----	----	190 UNCH
4125	----	----	----	0.001B/*0.113A	----	0.055 - 0.028	.0077	----	----	----	----	10 UNCH
4150	----	----	----	0.001B/*0.115A	----	0.056 - 0.029	.0079	----	----	----	----	9 UNCH
4175	----	----	----	0.001B/*0.116A	----	0.057 - 0.031	.0080	----	----	----	----	1 UNCH
4200	----	----	----	0.001B/*0.117A	----	0.058 - 0.033	.0082	----	----	----	----	101 UNCH
4225	----	----	----	0.001B/*0.119A	----	0.059 - 0.035	.0084	----	----	----	----	20 UNCH
4250	----	----	----	0.001B/0.120A	----	0.061 - 0.036	.0087	----	----	----	----	10 UNCH
4275	----	----	----	0.001B/*0.121A	----	0.062 - 0.038	.0089	----	----	----	----	7 UNCH
4300	----	----	----	0.010B/0.122A	----	0.063 - 0.040	.0091	----	----	----	----	267 UNCH
4325	----	----	----	0.001B/*0.124A	----	0.064 - 0.042	.0093	----	----	----	----	1 UNCH
4350	----	----	----	0.003B/0.124A	----	0.065 - 0.044	.0095	----	----	----	----	27 UNCH
4375	----	----	----	0.004B/*0.125A	----	0.066 - 0.046	.0097	----	----	----	----	12 UNCH
4400	----	----	----	0.005B/*0.128A	----	0.068 - 0.047	.0100	----	----	1	----	314 UNCH
4425	----	----	----	0.008B/*0.129A	----	0.069 - 0.050	.0102	----	----	----	----	14 UNCH
4450	----	----	----	0.006B/*0.131A	----	0.070 - 0.052	.0104	----	----	----	----	7 UNCH
4475	----	----	----	0.010B/*0.131A	----	0.072 - 0.054	.0108	----	----	----	----	81 UNCH
4500	----	----	----/0.102A	0.070B/0.102A	----	0.073 - 0.056	.0110	----	----	4	----	786 - 1
4525	----	----	----	0.011B/*0.133A	----	0.074 - 0.059	.0112	----	----	----	----	19 UNCH
4550	----	----	----/*0.126A	0.018B/*0.126A	----	0.076 - 0.060	.0115	----	----	----	----	4 UNCH
4575	----	----	----/*0.127A	0.015B/*0.127A	----	0.077 - 0.063	.0117	----	----	----	----	11 UNCH
4600	----	----	----/*0.095A	0.008B/*0.095A	----	0.079 - 0.065	.0121	----	----	1	----	14 - 1
4625	----	----	----/*0.135A	0.008B/*0.135A	----	0.080 - 0.068	.0123	----	----	----	----	66 UNCH
4650	----	----	----/*0.138A	0.009B/*0.138A	----	0.082 - 0.070	.0127	----	----	----	----	10 UNCH
4675	----	----	----/*0.140A	0.013B/*0.140A	----	0.083 - 0.073	.0129	----	----	----	----	17 UNCH
4700	----	----	----/*0.143A	0.012B/*0.143A	----	0.085 - 0.076	.0133	----	----	----	----	116 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
4725	----	----	----/*0.146A	0.013B/*0.146A	----	0.087 - 0.078	.0136	----	----	----	----	11 UNCH
4750	----	----	----/*0.153A	0.012B/*0.153A	----	0.089 - 0.081	.0140	----	----	----	----	18 UNCH
4775	----	----	----/*0.150A	0.016B/*0.150A	----	0.091 - 0.083	.0144	----	----	----	----	4 UNCH
4800	----	----	----/0.153A	0.018B/0.153A	----	0.093 - 0.086	.0148	----	----	----	----	318 UNCH
4825	----	----	----/*0.160A	0.023B/*0.160A	----	0.095 - 0.089	.0152	----	----	----	----	3 UNCH
4850	----	----	----/*0.125A	0.061B/*0.125A	----	0.097 - 0.092	.0155	----	----	----	----	78 UNCH
4875	----	----	----/*0.127A	0.064B/*0.127A	----	0.099 - 0.095	.0159	----	----	----	----	1 UNCH
4900	----	----	----/*0.130A	0.064B/*0.130A	----	0.101 - 0.099	.0163	----	----	----	----	163 UNCH
4925	----	----	----/*0.134A	0.065B/*0.134A	----	0.104 - 0.101	.0169	----	----	----	----	9 UNCH
4950	----	----	----/*0.135A	0.071B/*0.135A	----	0.106 - 0.105	.0173	----	----	----	----	12 UNCH
4975	----	----	----/*0.138A	0.075B/*0.138A	----	0.109 - 0.108	.0178	----	----	----	----	52 UNCH
5000	0.200	0.200	0.200/*0.070	0.200/*0.070	----	0.111 - 0.112	.0182	----	----	128	----	893 + 1
5025	----	----	----/*0.148A	0.079B/*0.148A	----	0.114 - 0.115	.0188	----	----	----	----	1 UNCH
5050	----	----	----/*0.159A	0.083B/*0.159A	----	0.117 - 0.119	.0194	----	----	----	----	24 UNCH
5075	0.125	0.125	0.125/*0.125	0.125/*0.125	----	0.120 - 0.123	.0199	----	----	1	----	7 UNCH
5100	----	----	----/*0.160A	0.091B/*0.160A	----	0.123 - 0.127	.0205	----	----	8	----	163 UNCH
5125	----	----	----/*0.162A	0.092B/*0.162A	----	0.127 - 0.130	.0212	----	----	----	----	52 UNCH
5150	----	----	----/*0.168A	0.097B/*0.168A	----	0.130 - 0.135	.0218	----	----	----	----	48 UNCH
5175	----	----	----/*0.170A	0.097B/*0.170A	----	0.134 - 0.139	.0225	----	----	----	----	2 UNCH
5200	----	----	----/*0.174A	0.105B/*0.174A	----	0.138 - 0.143	.0232	----	----	8	----	163 - 8
5225	----	----	----/*0.178A	0.108B/*0.178A	----	0.142 - 0.147	.0240	----	----	----	----	5 UNCH
5250	----	----	----/*0.182A	0.108B/*0.182A	----	0.146 - 0.152	.0247	----	----	1	----	29 UNCH
5275	----	----	----/*0.194A	0.113B/*0.194A	----	0.150 - 0.157	.0254	----	----	----	----	8 UNCH
5300	0.218	0.218	0.218/*0.193A	0.218/*0.193A	----	0.155 - 0.162	.0263	----	----	1	----	171 UNCH
5325	----	----	----/*0.203A	0.124B/*0.203A	----	0.160 - 0.166	.0272	----	----	----	----	23 UNCH
5350	----	----	----/*0.207A	0.137B/*0.207A	----	0.165 - 0.172	.0281	----	----	3	----	28 UNCH
5375	----	----	----/*0.215A	0.142B/*0.215A	----	0.170 - 0.177	.0290	----	----	----	----	14 UNCH
5400	0.200	0.200	0.200/*0.200	0.200/*0.200	----	0.175 - 0.183	.0300	----	----	1	----	99 - 1
5425	----	----	----/*0.227A	0.178B/*0.227A	----	0.181 - 0.188	.0310	----	----	----	----	14 UNCH
5450	----	----	----/*0.231A	0.174B/*0.231A	----	0.187 - 0.194	.0321	----	----	1	----	12 - 1
5475	----	----	----/*0.240A	0.184B/*0.240A	----	0.193 - 0.200	.0332	----	----	----	----	13 UNCH
5500	0.350	0.350	0.350/*0.170	0.350/*0.170	----	0.199 - 0.207	.0343	----	----	37	----	578 - 13
5525	----	----	----/*0.248A	0.233B/*0.248A	----	0.206 - 0.213	.0355	----	----	----	----	37 UNCH
5550	----	----	----/*0.251A	0.243B/*0.251A	----	0.213 - 0.220	.0367	----	----	2	----	31 - 2
5575	----	----	----/*0.263A	0.256B/*0.263A	----	0.220 - 0.228	.0380	----	----	----	----	5 UNCH
5600	----	----	----/*0.271A	0.266B/*0.271A	----	0.227 - 0.235	.0393	----	----	----	----	72 UNCH
5625	----	----	----/*0.279A	0.267B/*0.279A	----	0.235 - 0.243	.0407	----	----	----	----	6 UNCH
5650	----	----	----/*0.268A	0.288B/*0.268A	----	0.243 - 0.251	.0421	----	----	----	----	41 UNCH
5675	----	----	----/*0.285A	0.299B/*0.285A	----	0.252 - 0.259	.0436	----	----	----	----	48 UNCH
5700	0.230	0.230	0.230/*0.219	0.329B/*0.219	----	0.261 - 0.267	.0452	----	----	4	----	131 - 4
5725	----	----	----/*0.301A	0.329B/*0.301A	----	0.270 - 0.276	.0468	----	----	----	----	28 UNCH
5750	----	----	----/*0.306A	0.346B/*0.306A	----	0.280 - 0.285	.0485	----	----	----	----	111 UNCH
5775	0.210	0.210	0.360B/*0.210	0.360B/*0.210	----	0.290 - 0.294	.0502	----	----	2	----	14 UNCH
5800	----	----	----/*0.320A	0.352B/*0.320A	----	0.300 - 0.305	.0520	----	----	3	----	370 - 2
5825	0.315	0.315	0.397B/*0.315	0.397B/*0.315	----	0.311 - 0.315	.0539	----	----	1	----	55 UNCH
5850	----	----	----/*0.322A	0.410B/*0.322A	----	0.322 - 0.326	.0558	----	----	----	----	7 UNCH
5875	----	----	----/*0.318A	0.426B/*0.318A	----	0.334 - 0.337	.0578	----	----	----	----	4 UNCH
5900	----	----	----/*0.318A	0.443B/*0.318A	----	0.346 - 0.348	.0599	----	----	3	----	116 - 2
5925	----	----	----/*0.317A	0.464B/*0.317A	----	0.359 - 0.360	.0621	----	----	1	----	13 UNCH
5950	----	----	----/*0.326A	0.483B/*0.326A	----	0.372 - 0.373	.0643	----	----	1	----	13 - 1
5975	----	----	----/*0.320A	0.505B/*0.320A	----	0.386 - 0.385	.0667	----	----	----	----	23 UNCH
6000	0.500	0.500	0.530/*0.300	0.535B/*0.300	----	0.400 - 0.399	.0691	----	----	99	----	1081 + 21
6025	----	----	----/*0.344A	0.549B/*0.344A	----	0.415 - 0.413	.0716	----	----	----	----	24 UNCH
6050	----	----	----/*0.356A	0.573B/*0.356A	----	0.431 - 0.427	.0742	----	----	----	----	328 UNCH
6075	0.483	0.483	0.483/*0.370A	0.597B/*0.370A	----	0.447 - 0.442	.0769	----	----	2	----	164 - 1
6100	0.440	0.440	0.461/*0.381A	0.625B/*0.381A	----	0.464 - 0.458	.0797	----	----	4	----	156 - 3
6125	----	----	----/*0.392A	0.661B/*0.392A	----	0.481 - 0.474	.0825	----	----	----	----	7 UNCH
6150	----	----	----/*0.407A	0.684B/*0.407A	----	0.499 - 0.491	.0855	----	----	----	----	43 UNCH
6175	0.471	0.471	0.471/*0.423A	0.716B/*0.423A	----	0.519 - 0.508	.0887	----	----	2	----	14 + 2
6200	0.525	0.525	0.525/*0.437A	0.744B/*0.437A	----	0.538 - 0.526	.0918	----	----	4	----	59 + 1
6225	----	----	----/*0.451A	0.775B/*0.451A	----	0.559 - 0.544	.0952	----	----	----	----	32 UNCH
6250	----	----	----/*0.467A	0.800B/*0.467A	----	0.581 - 0.563	.0987	----	----	1	----	93 UNCH
6275	----	----	----/*0.484A	0.831B/*0.484A	----	0.603 - 0.583	.1022	----	----	----	----	13 UNCH
6300	0.631	0.631	0.754/*0.500A	0.870B/*0.500A	----	0.627 - 0.603	.1060	----	----	18	----	177 - 8
6325	0.614	0.614	0.614/*0.513A	0.899B/*0.513A	----	0.651 - 0.624	.1098	----	----	1	----	126 UNCH
6350	----	----	----/*0.531A	0.933B/*0.531A	----	0.677 - 0.645	.1138	----	----	----	----	86 UNCH
6375	----	----	----/*0.551A	0.963B/*0.551A	----	0.703 - 0.668	.1179	----	----	----	----	29 UNCH
6400	1.000	1.000	1.000/*0.571A	1.008B/*0.571A	----	0.731 - 0.690	.1221	----	----	76	----	111 - 1
6425	----	----	----/*0.595A	1.041B/*0.595A	----	0.760 - 0.714	.1265	----	----	----	----	9 UNCH
6450	----	----	----/*0.618A	1.079B/*0.618A	----	0.791 - 0.737	.1312	----	----	2	----	58 + 2
6475	----	----	----/*0.641A	1.122B/*0.641A	----	0.822 - 0.762	.1358	----	----	----	----	10 UNCH
6500	0.841	0.841	1.164/*0.650	1.167B/*0.650	----	0.855 - 0.787	.1407	----	----	77	----	733 - 59
6525	----	----	----/*0.697A	1.212B/*0.697A	----	0.889 - 0.813	.1457	----	----	----	----	17 UNCH
6550	----	----	----/*0.727A	1.258B/*0.727A	----	0.925 - 0.839	.1509	----	----	1	----	172 UNCH
6575	----	----	----/*0.751A	1.304B/*0.751A	----	0.962 - 0.866	.1562	----	----	----	----	59 UNCH
6600	0.974	0.974	1.100/*0.774A	1.357B/*0.774A	----	1.001 - 0.893	.1617	----	----	19	----	371 - 3
6625	----	----	----/*0.804A	1.407B/*0.804A	----	1.042 - 0.921	.1674	----	----	----	----	6 UNCH
6650	----	----	----/*0.837A	1.463B/*0.837A	----	1.084 - 0.949	.1733	----	----	10	----	72 + 10
6675	----	----	----/*0.868A	1.515B/*0.868A	----	1.128 - 0.978	.1793	----	----	----	----	65 UNCH
6700	1.122	1.122	1.150/*0.899A	1.578B/*0.899A	----	1.174 - 1.007	.1855	----	----	14	----	428 - 4
6725	----	----	----/*0.932A	1.634B/*0.932A	----	1.222 - 1.037	.1919	----	----	----	----	8 UNCH
6750	----	----	----/*0.967A	1.698B/*0.967A	----	1.271 - 1.068	.1984	----	----	10	----	83 + 10
6775	----	----	----/*1.002A	1.760B/*1.002A	----	1.323 - 1.098	.2051	----	----	----	----	14 UNCH
6800	1.700	1.700	1.833B/*1.037	1.833B/*1.037	----	1.377 - 1.129	.2120	----	----	24	----	103 UNCH
6825	----	----	----/*1.077A	1.901B/*1.077A	----	1.432 - 1.161	.2190	----	----	----	----	13 UNCH
6850	1.700	1.700	1.700/*1.117A	1.972B/*1.117A	----	1.490 - 1.193	.2262	----	----	1	----	11 - 1
6875	1.350	1.350	2.046B/*1.159A	2.046B/*1.159A	----	1.550 - 1.225	.2336	----	----	1	----	8 - 1
6900	1.420	1.420	2.125B/*1.201A	2.125B/*1.201A	----	1.612 - 1.258	.2411	----	----	47	----	434 - 8
6925	1.310	1.310	2.204B/*1.246A	2.204B/*1.246A	----	1.677 - 1.290	.2489	----	----	19	----	71 + 8
6950	1.670	1.670	2.280B/*1.292A	2.280B/*1.292A	----	1.743 - 1.323	.2567	----	----	12	----	25 + 8
6975	----	----	----/*1.345A	2.369B/*1.345A	----	1.812 - 1.357	.2647	----	----	----	----	13 UNCH
7000	2.500	2.500	2.500/1.360A	2.500/1.360A	----	1.882 - 1.391	.2728	----	----	188	----	783 - 69
7025	1.720	1.720	2.541B/*1.450A	2.541B/*1.450A	----	1.955 - 1.425	.2811	----	----	3	----	12 - 3
7050	1.750	1.750	2.635B/*1.496A	2.635B/*1.496A	----	2.031 - 1.459	.2895	----	----	7	----	52 + 4
7075	----	----	----/1.557A	2.728B/1.557A	----	2.108 - 1.494	.2980	----	----	1	----	12 UNCH
7100	1.700	1.700	2.828B/1.609A	2.828B/1.609A	----	2.188 - 1.529	.3067	----	----	14	----	71 + 3
7125	----	----	----/1.676A	2.927B/1.676A	----	2.270 - 1.564	.3154	----	----	1	----	11 - 1
7150	----	----	----/1.730A	3.032B/1.730A	----	2.354 - 1.600	.3243	----	----	----	----	25 UNCH
7175	1.990	1.990	3.135B/1.806A	3.135B/1.806A	----	2.440 - 1.636	.3333	----	----	24	----	23 - 7
7200	1.880	1.880	3.251B/1.861A	3.251B/1.861A	----	2.529 - 1.672	.3424	----	----	13	----	316 UNCH
7225	----	----	----/1.942A	3.354B/1.942A	----	2.621 - 1.707	.3516	----	----	1	----	19 UNCH
7250	3.510	3.510	3.510/2.010A	3.510/2.010A	----	2.714 - 1.744	.3609	----	----	2	----	64 - 1
7275	2.544	2.544	3.587B/2.076A	3.587B/2.076A	----	2.810 - 1.780	.3703	----	----	2	----	7 UNCH
7300	2.320	2.320	3.700/2.150A	3.700/2.150A	----	2.909 - 1.816	.3798	----	----	47	----	55 + 19
7325	2.250	2.250	3.825B/2.200	3.825B/2.200	----	3.010 - 1.853	.3894	----	----	5	----	14 UNCH
7350	3.015	3.015	3.951B/2.312A	3.951B/2.312A	----	3.114 - 1.889	.3990	----	----	2	----	31 UNCH
7375	3.117	3.117	4.075B/2.395A	4.075B/2.395A	----	3.221 - 1.924	.4088	----	----	1	----	7 - 1
7400	2.460	2.460	4.197B/2.460	4.197B/2.460	----	3.330 - 1.960	.4185	----	----	5	----	43 + 3
7425	2.610	2.610	4.338B/2.579A	4.338B/2.579A	----	3.441 - 1.997	.4284	----	----	2	----	15 UNCH
7450	2.681	2.681	4.475B/2.640	4.475B/2.640	----	3.556 - 2.032	.4382	----	----	12	----	6 - 1
7475	----	----	----/2.770A	4.613B/2.770A	----	3.673 - 2.067	.4482	----	----	----	----	7 UNCH
7500	3.300	3.300	4.747B/2.873A	4.747B/2.873A	----	3.793 - 2.102	.4581	----	----	17	----	407 + 4
7525	----	----	----/2.959A	4.887B/2.959A	----	3.915 - 2.138	.4681	----	----	----	----	33 UNCH
7530	----	----	----/2.986A	4.903B/2.986A	----	3.940 - 2.145	.4701	----	----	----	----	7 UNCH
7535	----	----	----/3.015A	4.929B/3.015A	----	3.965 - 2.151	.4721	----	----	----	----	6 UNCH
7540	----	----	----/3.022A	4.954B/3.022A	----	3.990 - 2.158	.4741	----	----	----	----	6 UNCH
7545	----	----	----/3.058A	4.988B/3.058A	----	4.015 - 2.166	.4761	----	----	----	----	2 UNCH
7550	----	----	----/3.060A	5.011B/3.060A	----	4.040 - 2.173	.4781	----	----	----	----	17 UNCH
7555	----	----	----/3.094A	5.039B/3.094A	----	4.066 - 2.179	.4801	----	----	----	----	1 UNCH
7560	----	----	----/3.096A	5.074B/3.096A	----	4.091 - 2.186	.4821	----	----	----	----	1 UNCH
7565	----	----	----/3.130A	5.100B/3.130A	----	4.117 - 2.193	.4841	----	----	----	----	1 UNCH
7570	----	----	----/3.162A	5.143B/3.162A	----	4.142 - 2.200	.4861	----	----	----	----	3 UNCH
7575	----	----	----/3.166A	5.151B/3.166A	----	4.168 - 2.207	.4881	----	----	----	----	2 UNCH
7580	----	----	----/3.191A	5.193B/3.191A	----	4.194 - 2.214	.4901	----	----	----	----	25 UNCH
7585	----	----	----/3.217A	5.216B/3.217A	----	4.220 - 2.221	.4921	----	----	----	----	6 UNCH
7590	4.991	4.991	4.991/3.245A	5.246B/3.245A	----	4.246 - 2.227	.4941	----	----	1	----	1 UNCH
7595	3.822	3.822	5.287B/3.254A	5.287B/3.254A	----	4.272 - 2.234	.4961	----	----	1	----	1 UNCH
7600	3.600	3.600	5.330B/3.290A	5.330B/3.290A	----	4.299 - 2.241	.4981	----	----	9	----	50 - 3
7605	----	----	----/3.291A	5.338B/3.291A	----	4.325 - 2.248	.5001	----	----	----	----	3 UNCH
7610	3.843	3.843	5.371B/3.328A	5.371B/3.328A	----	4.352 - 2.254	.5021	----	----	1	----	1 UNCH
7615	3.710	3.710	5.379B/3.352A	5.379B/3.352A	----	4.379 NEW	.5041	----	----	2	----	2 + 2
7620	4.362	4.362	5.433B/3.366A	5.433B/3.366A	----	4.405 - 2.268	.5061	----	----	30	----	12 - 19
7625	4.390	4.390	5.428B/3.402A	5.428B/3.402A	----	4.432 - 2.275	.5081	----	----	1	----	3 UNCH
7630	----	----	----/3.412A	5.489B/3.412A	----	4.459 - 2.281	.5101	----	----	----	----	1 UNCH
7635	----	----	----/3.439A	5.527B/3.439A	----	4.486 - 2.288	.5121	----	----	----	----	36 UNCH
7645	----	----	----/3.476A	5.555B/3.476A	----	4.541 - 2.301	.5161	----	----	----	----	2 UNCH
7650	4.158	4.158	5.597B/3.508A	5.597B/3.508A	----	4.568 - 2.308	.5181	----	----	1	----	8 + 1
7655	----	----	----/3.517A	5.612B/3.517A	----	4.596 - 2.314	.5201	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
7660	3.925	3.925	5.644B/3.550A	5.644B/3.550A	----	4.624 - 2.320	.5221	----	----	14	----	15 + 14
7665	----	----	----/3.584A	5.675B/3.584A	----	4.652 - 2.327	.5241	----	----	----	----	3 UNCH
7670	4.158	4.158	5.707B/3.598A	5.707B/3.598A	----	4.679 - 2.334	.5261	----	----	1	----	1 UNCH
7675	4.262	4.262	5.738B/3.624A	5.738B/3.624A	----	4.707 - 2.340	.5281	----	----	2	----	3 UNCH
7680	3.741	3.741	5.770B/3.648A	5.770B/3.648A	----	4.736 NEW	.5301	----	----	1	----	1 + 1
7685	3.776	3.776	5.802B/3.661A	5.802B/3.661A	----	4.764 - 2.353	.5320	----	----	2	----	12 + 2
7690	3.800	3.800	5.834B/3.698A	5.834B/3.698A	----	4.792 NEW	.5340	----	----	2	----	1 + 1
7695	4.378	4.378	5.866B/3.714A	5.866B/3.714A	----	4.821 NEW	.5360	----	----	1	----	1 + 1
7700	4.368	4.368	5.898B/3.735A	5.898B/3.735A	----	4.849 - 2.372	.5380	----	----	23	----	256 - 16
7705	4.336	4.336	5.930B/3.772A	5.930B/3.772A	----	4.878 NEW	.5400	----	----	3	----	3 + 3
7710	----	----	----/3.778A	5.962B/3.778A	----	4.907 - 2.385	.5419	----	----	----	----	2 UNCH
7715	----	----	----/3.810A	5.995B/3.810A	----	4.936 - 2.391	.5439	----	----	----	----	1 UNCH
7720	----	----	----/3.845A	6.027B/3.845A	----	4.965 - 2.397	.5459	----	----	----	----	2 UNCH
7725	3.978	3.978	6.060B/3.851A	6.060B/3.851A	----	4.994 - 2.403	.5479	----	----	1	----	3 + 1
7730	----	----	----/3.883A	6.092B/3.883A	----	5.023 - 2.410	.5498	----	----	----	----	1 UNCH
7735	4.153	4.153	6.125B/3.913A	6.125B/3.913A	----	5.052 - 2.417	.5518	----	----	2	----	3 + 2
7740	4.051	4.051	6.158B/3.927A	6.158B/3.927A	----	5.082 - 2.422	.5538	----	----	1	----	1 + 1
7745	4.639	4.639	6.191B/3.957A	6.191B/3.957A	----	5.111 - 2.429	.5557	----	----	1	----	3 UNCH
7750	4.101	4.101	6.224B/3.986A	6.224B/3.986A	----	5.141 - 2.435	.5577	----	----	1	----	61 UNCH
7755	4.082	4.082	6.257B/3.995A	6.257B/3.995A	----	5.171 - 2.441	.5596	----	----	11	----	11 + 7
7760	4.734	4.734	6.290B/4.031A	6.290B/4.031A	----	5.201 - 2.447	.5616	----	----	12	----	14 + 10
7765	4.228	4.228	6.324B/4.064A	6.324B/4.064A	----	5.231 NEW	.5636	----	----	10	----	10 + 10
7770	4.203	4.203	6.357B/4.071A	6.357B/4.071A	----	5.261 - 2.459	.5655	----	----	1	----	2 + 1
7775	4.790	4.790	6.391B/4.105A	6.391B/4.105A	----	5.291 - 2.465	.5674	----	----	1	----	1 - 1
7780	----	----	----/4.140A	6.424B/4.140A	----	5.321 - 2.472	.5694	----	----	----	----	1 UNCH
7785	----	----	----/4.164A	6.458B/4.164A	----	5.352 - 2.477	.5713	----	----	----	----	1 UNCH
7790	----	----	----/4.179A	6.459B/4.179A	----	5.382 - 2.484	.5733	----	----	----	----	2 UNCH
7800	4.340	4.340	6.527B/4.240A	6.527B/4.240A	----	5.444 - 2.495	.5771	----	----	4	----	27 + 3
7805	----	----	----/4.253A	6.561B/4.253A	----	5.475 - 2.501	.5791	----	----	----	----	1 UNCH
7810	4.408	4.408	6.595B/4.290A	6.595B/4.290A	----	5.506 NEW	.5810	----	----	1	----	1 + 1
7815	----	----	----/4.327A	6.629B/4.327A	----	5.537 - 2.513	.5829	----	----	----	----	1 UNCH
7820	4.462	4.462	6.664B/4.337A	6.664B/4.337A	----	5.568 NEW	.5848	----	----	1	----	1 + 1
7825	----	----	----/4.364A	6.698B/4.364A	----	5.599 - 2.525	.5867	----	----	----	----	1 UNCH
7830	4.517	4.517	6.733B/4.401A	6.733B/4.401A	----	5.631 - 2.530	.5887	----	----	1	----	11 + 1
7835	4.544	4.544	6.768B/4.421A	6.768B/4.421A	----	5.662 NEW	.5906	----	----	1	----	1 + 1
7840	4.572	4.572	6.802B/4.441A	6.802B/4.441A	----	5.694 - 2.541	.5925	----	----	1	----	3 + 1
7850	4.511	4.511	6.872B/4.511	6.872B/4.511	----	5.757 - 2.553	.5963	----	----	3	----	47 + 3
7855	4.538	4.538	6.907B/4.522A	6.907B/4.522A	----	5.789 NEW	.5982	----	----	3	----	3 + 3
7860	4.566	4.566	6.943B/4.548A	6.943B/4.548A	----	5.821 NEW	.6001	----	----	3	----	3 + 3
7865	4.593	4.593	6.978B/4.586A	6.978B/4.586A	----	5.854 - 2.570	.6019	----	----	3	----	3 + 2
7870	4.621	4.621	7.013B/4.617A	7.013B/4.617A	----	5.886 - 2.575	.6038	----	----	3	----	3 + 3
7875	4.649	4.649	7.049B/4.640A	7.049B/4.640A	----	5.918 - 2.581	.6057	----	----	3	----	9 + 2
7880	4.677	4.677	7.084B/4.659A	7.084B/4.659A	----	5.951 - 2.586	.6076	----	----	3	----	4 + 3
7885	4.705	4.705	7.120B/4.697A	7.120B/4.697A	----	5.983 - 2.592	.6095	----	----	3	----	3 + 2
7890	4.733	4.733	7.156B/4.733	7.156B/4.733	----	6.016 - 2.598	.6113	----	----	3	----	3 + 2
7895	4.762	4.762	7.191B/4.744A	7.191B/4.744A	----	6.049 - 2.603	.6132	----	----	3	----	3 + 2
7900	4.790	4.790	7.227B/4.772A	7.227B/4.772A	----	6.082 - 2.608	.6150	----	----	3	----	33 UNCH
7905	4.819	4.819	7.263B/4.808A	7.263B/4.808A	----	6.115 NEW	.6169	----	----	3	----	3 + 3
7910	4.847	4.847	7.299B/4.844A	7.299B/4.844A	----	6.148 - 2.619	.6187	----	----	3	----	3 UNCH
7915	4.876	4.876	7.335B/4.876	7.335B/4.876	----	6.181 - 2.624	.6206	----	----	3	----	3 + 2
7925	----	----	----/4.920A	7.290B/4.920A	----	6.248 - 2.635	.6243	----	----	----	----	1 UNCH
7930	----	----	----/5.014A	7.326B/5.014A	----	6.281 - 2.641	.6261	----	----	----	----	1 UNCH
7935	----	----	----/5.030A	7.363B/5.030A	----	6.315 - 2.645	.6280	----	----	----	----	2 UNCH
7940	----	----	----/5.063A	7.399B/5.063A	----	6.349 - 2.650	.6298	----	----	----	----	3 UNCH
7950	----	----	----/5.124A	7.574B/5.124A	----	6.416 - 2.661	.6334	----	----	----	----	24 UNCH
7955	----	----	----/5.156A	7.509B/5.156A	----	6.450 - 2.667	.6352	----	----	----	----	1 UNCH
7965	----	----	----/5.208A	7.682B/5.208A	----	6.519 - 2.676	.6388	----	----	----	----	6 UNCH
7970	----	----	----/5.243A	7.621B/5.243A	----	6.553 - 2.682	.6406	----	----	----	----	3 UNCH
7975	----	----	----/5.276A	7.658B/5.276A	----	6.588 - 2.686	.6424	----	----	----	----	1 UNCH
7980	----	----	----/5.305A	7.677B/5.305A	----	6.622 - 2.691	.6442	----	----	----	----	1 UNCH
7985	----	----	----/5.335A	7.733B/5.335A	----	6.657 - 2.696	.6459	----	----	----	----	1 UNCH
7990	----	----	----/5.365A	7.771B/5.365A	----	6.691 - 2.702	.6477	----	----	----	----	2 UNCH
8000	6.065	6.065	7.966B/5.200	7.966B/5.200	----	6.761 - 2.711	.6512	----	----	13	----	473 - 6
8005	----	----	----/5.458A	7.884B/5.458A	----	6.796 - 2.716	.6530	----	----	----	----	2 UNCH
8010	----	----	----/5.485A	7.901B/5.485A	----	6.831 - 2.721	.6548	----	----	----	----	2 UNCH
8020	5.739	5.739	7.999B/5.543A	7.999B/5.543A	----	6.902 NEW	.6582	----	----	1	----	1 + 1
8025	----	----	----/5.574A	8.118B/5.574A	----	6.937 - 2.735	.6600	----	----	----	----	7 UNCH
8030	----	----	----/5.604A	8.075B/5.604A	----	6.973 - 2.740	.6617	----	----	----	----	1 UNCH
8035	----	----	----/5.664A	8.113B/5.664A	----	7.008 - 2.745	.6635	----	----	----	----	1 UNCH
8040	----	----	----/5.715A	8.152B/5.715A	----	7.044 - 2.749	.6652	----	----	----	----	1 UNCH
8050	----	----	----/5.791A	8.229B/5.791A	----	7.116 - 2.758	.6686	----	----	----	----	4 UNCH
8065	----	----	----/5.904A	8.345B/5.904A	----	7.224 - 2.772	.6737	----	----	----	----	1 UNCH
8070	----	----	----/5.946A	8.384B/5.946A	----	7.260 - 2.777	.6754	----	----	----	----	2 UNCH
8075	----	----	----/5.986A	8.423B/5.986A	----	7.296 - 2.782	.6771	----	----	----	----	4 UNCH
8080	----	----	----/6.028A	8.464B/6.028A	----	7.333 - 2.785	.6788	----	----	----	----	3 UNCH
8085	----	----	----/6.009A	8.582B/6.009A	----	7.369 - 2.790	.6804	----	----	----	----	7 UNCH
8090	----	----	----/6.043A	8.619B/6.043A	----	7.406 - 2.794	.6821	----	----	----	----	20 UNCH
8095	----	----	----/6.158A	8.581B/6.158A	----	7.443 - 2.799	.6837	----	----	----	----	2 UNCH
8100	----	----	----/6.105A	8.700B/6.105A	----	7.479 - 2.804	.6854	----	----	----	----	33 UNCH
8105	----	----	----/6.218A	8.660B/6.218A	----	7.516 - 2.808	.6870	----	----	----	----	1 UNCH
8110	----	----	----/6.267A	8.699B/6.267A	----	7.553 - 2.812	.6887	----	----	----	----	1 UNCH
8125	----	----	----/6.317A	8.818B/6.317A	----	7.665 - 2.824	.6935	----	----	----	----	1 UNCH
8150	----	----	----/6.539A	9.018B/6.539A	----	7.852 - 2.846	.7016	----	----	----	----	4 UNCH
8175	----	----	----/6.729A	9.220B/6.729A	----	8.042 - 2.865	.7094	----	----	----	----	2 UNCH
8195	----	----	----/6.874A	9.383B/6.874A	----	8.195 - 2.881	.7156	----	----	----	----	2 UNCH
8200	----	----	----/6.808A	9.503B/6.808A	----	8.233 - 2.886	.7171	----	----	----	----	37 UNCH
8205	----	----	----/6.932A	9.465B/6.932A	----	8.272 - 2.889	.7186	----	----	----	----	1 UNCH
8210	----	----	----/6.967A	9.504B/6.967A	----	8.311 - 2.892	.7202	----	----	----	----	1 UNCH
8215	----	----	----/7.001A	9.546B/7.001A	----	8.349 - 2.897	.7217	----	----	----	----	1 UNCH
8225	----	----	----/7.077A	9.629B/7.077A	----	8.427 - 2.904	.7247	----	----	----	----	5 UNCH
8230	----	----	----/7.104A	9.670B/7.104A	----	8.466 - 2.908	.7262	----	----	----	----	1 UNCH
8240	----	----	----/7.181A	9.753B/7.181A	----	8.544 - 2.915	.7291	----	----	----	----	2 UNCH
8250	----	----	----/7.126A	9.970B/7.126A	----	8.623 - 2.922	.7321	----	----	----	----	73 UNCH
8255	----	----	----/7.294A	9.875B/7.294A	----	8.662 - 2.926	.7335	----	----	----	----	3 UNCH
8265	----	----	----/7.360A	9.959B/7.360A	----	8.741 - 2.933	.7364	----	----	----	----	1 UNCH
8270	----	----	----/7.396A	10.000B/7.396A	----	8.781 - 2.936	.7379	----	----	----	----	1 UNCH
8275	----	----	----/7.431A	10.042B/7.431A	----	8.820 - 2.941	.7393	----	----	----	----	1 UNCH
8280	----	----	----/7.467A	10.084B/7.467A	----	8.860 - 2.944	.7407	----	----	----	----	3 UNCH
8285	----	----	----/7.503A	10.125B/7.503A	----	8.900 - 2.947	.7421	----	----	----	----	1 UNCH
8290	----	----	----/7.539A	10.168B/7.539A	----	8.940 - 2.950	.7435	----	----	----	----	2 UNCH
8295	----	----	----/7.574A	10.210B/7.574A	----	8.980 - 2.954	.7449	----	----	----	----	1 UNCH
8300	----	----	----/7.485A	10.371B/7.485A	----	9.020 - 2.957	.7464	----	----	----	----	64 UNCH
8305	----	----	----/7.646A	10.294B/7.646A	----	9.060 - 2.961	.7478	----	----	----	----	1 UNCH
8315	----	----	----/7.730A	10.378B/7.730A	----	9.141 - 2.967	.7505	----	----	----	----	1 UNCH
8320	----	----	----/7.755A	10.421B/7.755A	----	9.181 - 2.970	.7519	----	----	----	----	2 UNCH
8325	----	----	----/7.792A	10.463B/7.792A	----	9.221 - 2.974	.7532	----	----	----	----	1 UNCH
8330	----	----	----/7.828A	10.505B/7.828A	----	9.262 - 2.977	.7546	----	----	----	----	1 UNCH
8335	----	----	----/7.865A	10.548B/7.865A	----	9.302 - 2.981	.7560	----	----	----	----	1 UNCH
8340	----	----	----/7.819A	10.643B/7.819A	----	9.343 - 2.983	.7573	----	----	----	----	19 UNCH
8350	----	----	----/7.891A	10.731B/7.891A	----	9.424 - 2.990	.7600	----	----	----	----	19 UNCH
8355	----	----	----/8.029A	10.718B/8.029A	----	9.465 - 2.993	.7613	----	----	----	----	3 UNCH
8360	----	----	----/8.054A	10.761B/8.054A	----	9.506 - 2.996	.7626	----	----	----	----	4 UNCH
8375	----	----	----/8.079A	10.940B/8.079A	----	9.629 - 3.005	.7665	----	----	----	----	8 UNCH
8385	----	----	----/8.282A	10.975B/8.282A	----	9.712 - 3.011	.7691	----	----	----	----	1 UNCH
8395	----	----	----/8.358A	11.061B/8.358A	----	9.794 - 3.017	.7717	----	----	----	----	1 UNCH
8400	----	----	----/8.256A	11.181B/8.256A	----	9.836 - 3.020	.7729	----	----	1	----	31 - 1
8405	----	----	----/8.439A	11.147B/8.439A	----	9.877 - 3.023	.7742	----	----	----	----	2 UNCH
8410	----	----	----/8.471A	11.190B/8.471A	----	9.919 - 3.026	.7754	----	----	----	----	3 UNCH
8415	----	----	----/8.515A	11.233B/8.515A	----	9.961 - 3.028	.7767	----	----	----	----	3 UNCH
8420	----	----	----/8.555A	11.268B/8.555A	----	10.002 - 3.032	.7780	----	----	----	----	2 UNCH
8425	----	----	----/8.593A	11.311B/8.593A	----	10.044 - 3.034	.7792	----	----	----	----	5 UNCH
8430	----	----	----/8.632A	11.354B/8.632A	----	10.086 - 3.037	.7804	----	----	----	----	1 UNCH
8450	----	----	----/8.637A	11.618B/8.637A	----	10.254 - 3.048	.7853	----	----	----	----	30 UNCH
8460	----	----	----/8.862A	11.615B/8.862A	----	10.338 - 3.054	.7876	----	----	----	----	1 UNCH
8475	----	----	----/8.979A	11.746B/8.979A	----	10.465 - 3.062	.7911	----	----	----	----	5 UNCH
8480	----	----	----/9.018A	11.790B/9.018A	----	10.508 - 3.064	.7923	----	----	----	----	1 UNCH
8490	----	----	----/9.096A	11.878B/9.096A	----	10.593 - 3.069	.7946	----	----	----	----	1 UNCH
8495	----	----	----/9.135A	11.922B/9.135A	----	10.635 - 3.072	.7958	----	----	----	----	1 UNCH
8500	----	----	----/9.014A	12.099B/9.014A	----	10.678 - 3.074	.7969	----	----	1	----	374 UNCH
8515	----	----	----/9.293A	12.097B/9.293A	----	10.806 - 3.082	.8002	----	----	----	----	1 UNCH
8535	----	----	----/9.451A	12.274B/9.451A	----	10.978 - 3.092	.8047	----	----	----	----	2 UNCH
8545	----	----	----/9.531A	12.363B/9.531A	----	11.064 - 3.097	.8069	----	----	----	----	1 UNCH
8550	----	----	----/9.571A	12.407B/9.571A	----	11.108 - 3.098	.8080	----	----	----	----	3 UNCH
8555	----	----	----/9.611A	12.452B/9.611A	----	11.151 - 3.101	.8090	----	----	----	----	1 UNCH
8560	----	----	----/9.651A	12.497B/9.651A	----	11.194 - 3.104	.8101	----	----	----	----	1 UNCH
8565	----	----	----/9.692A	12.541B/9.692A	----	11.238 - 3.105	.8111	----	----	----	----	1 UNCH
8570	----	----	----/9.737A	12.585B/9.737A	----	11.281 - 3.108	.8122	----	----	----	----	1 UNCH
8575	----	----	----/9.772A	12.630B/9.772A	----	11.325 - 3.110	.8132	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
MAY26												
8580	----	----	----/9.813A	12.675B/9.813A	----	11.368 - 3.112	.8143	----	----	----	----	1 UNCH
8585	----	----	----/9.853A	12.719B/9.853A	----	11.412 - 3.114	.8153	----	----	----	----	1 UNCH
8590	----	----	----/9.894A	12.764B/9.894A	----	11.455 - 3.117	.8163	----	----	----	----	4 UNCH
8600	----	----	----/9.789A	12.989B/9.789A	----	11.543 - 3.121	.8183	----	----	2	----	83 - 2
8605	----	----	----/10.016A	12.899B/10.016A	----	11.587 - 3.123	.8193	----	----	----	----	3 UNCH
8620	----	----	----/10.108A	13.033B/10.108A	----	11.718 - 3.130	.8223	----	----	----	----	1 UNCH
8630	----	----	----/10.221A	13.124B/10.221A	----	11.806 - 3.134	.8243	----	----	----	----	1 UNCH
8640	----	----	----/10.304A	13.214B/10.304A	----	11.894 - 3.138	.8263	----	----	----	----	2 UNCH
8645	----	----	----/10.244A	13.259B/10.244A	----	11.939 - 3.140	.8271	----	----	----	----	1 UNCH
8650	----	----	----/10.285A	13.304B/10.285A	----	11.983 - 3.142	.8281	----	----	----	----	5 UNCH
8655	----	----	----/10.326A	13.349B/10.326A	----	12.027 - 3.144	.8291	----	----	----	----	3 UNCH
8665	----	----	----/10.409A	13.440B/10.409A	----	12.116 - 3.148	.8310	----	----	----	----	1 UNCH
8670	----	----	----/10.522A	13.485B/10.522A	----	12.160 - 3.150	.8318	----	----	----	----	1 UNCH
8675	----	----	----/10.492A	13.585B/10.492A	----	12.205 - 3.152	.8328	----	----	----	----	9 UNCH
8685	----	----	----/10.657A	13.623B/10.657A	----	12.294 - 3.155	.8347	----	----	----	----	1 UNCH
8695	----	----	----/10.659A	13.714B/10.659A	----	12.383 - 3.159	.8364	----	----	----	----	1 UNCH
8700	----	----	----/10.649A	13.857B/10.649A	----	12.428 - 3.161	.8374	----	----	----	----	32 UNCH
8705	----	----	----/10.743A	13.856B/10.743A	----	12.472 - 3.163	.8382	----	----	----	----	10 UNCH
8725	----	----	----/10.911A	13.990B/10.911A	----	12.652 - 3.170	.8417	----	----	----	----	2 UNCH
8750	----	----	----/11.123A	14.218B/11.123A	----	12.877 - 3.179	.8460	----	----	----	----	1 UNCH
8775	----	----	----/11.335A	14.497B/11.335A	----	13.103 - 3.187	.8502	----	----	----	----	9 UNCH
8800	----	----	----/11.463A	14.828B/11.463A	----	13.330 - 3.195	.8541	----	----	----	----	219 UNCH
8825	----	----	----/11.849A	14.913B/11.849A	----	13.557 - 3.204	.8579	----	----	----	----	3 UNCH
8850	----	----	----/11.982A	15.188B/11.982A	----	13.786 - 3.211	.8617	----	----	----	----	13 UNCH
8875	----	----	----/12.200A	15.422B/12.200A	----	14.016 - 3.218	.8653	----	----	----	----	8 UNCH
8900	----	----	----/12.419A	15.655B/12.419A	----	14.246 - 3.225	.8689	----	----	----	----	8 UNCH
8925	----	----	----/12.639A	15.889B/12.639A	----	14.477 - 3.232	.8722	----	----	----	----	6 UNCH
8950	----	----	----/12.958A	16.080B/12.958A	----	14.709 - 3.238	.8755	----	----	----	----	3 UNCH
8975	----	----	----/13.101A	16.358B/13.101A	----	14.941 - 3.244	.8787	----	----	----	----	9 UNCH
9000	----	----	----/13.223A	16.699B/13.223A	----	15.175 - 3.249	.8818	----	----	----	----	168 UNCH
9025	----	----	----/13.554A	16.829B/13.554A	----	15.408 - 3.255	.8848	----	----	----	----	11 UNCH
9050	----	----	----/13.855A	17.024B/13.855A	----	15.643 - 3.260	.8877	----	----	----	----	2 UNCH
9075	----	----	----/14.081A	17.261B/14.081A	----	15.878 - 3.265	.8905	----	----	----	----	4 UNCH
9100	----	----	----/14.213A	17.500B/14.213A	----	16.113 - 3.270	.8932	----	----	----	----	4 UNCH
9150	----	----	----/14.661A	18.017B/14.661A	----	16.586 - 3.279	.8982	----	----	----	----	7 UNCH
9175	----	----	----/14.890A	18.256B/14.890A	----	16.823 - 3.283	.9007	----	----	----	----	19 UNCH
9200	----	----	----/15.120A	18.496B/15.120A	----	17.061 - 3.286	.9031	----	----	----	----	7 UNCH
9225	----	----	----/15.350A	18.735B/15.350A	----	17.298 - 3.291	.9054	----	----	----	----	7 UNCH
9250	----	----	----/15.597A	18.933B/15.597A	----	17.537 - 3.293	.9076	----	----	----	----	2 UNCH
9275	----	----	----/15.829A	19.173B/15.829A	----	17.776 - 3.296	.9098	----	----	----	----	1 UNCH
9300	----	----	----/16.076A	19.458B/16.076A	----	18.015 - 3.300	.9119	----	----	----	----	6 UNCH
9375	----	----	----/16.784A	20.181B/16.784A	----	18.734 - 3.308	.9179	----	----	----	----	10 UNCH
9400	----	----	----/17.019A	20.423B/17.019A	----	18.975 - 3.310	.9197	----	----	----	----	6 UNCH
9450	----	----	----/17.472A	20.863B/17.472A	----	19.456 - 3.316	.9233	----	----	----	----	3 UNCH
9475	----	----	----/17.709A	21.105B/17.709A	----	19.698 - 3.317	.9250	----	----	----	----	4 UNCH
9500	----	----	----/17.849A	21.496B/17.849A	----	19.939 - 3.319	.9266	----	----	----	----	110 UNCH
9525	----	----	----/18.185A	21.590B/18.185A	----	20.181 - 3.321	.9282	----	----	----	----	1 UNCH
9550	----	----	----/18.424A	21.814B/18.424A	----	20.423 - 3.323	.9299	----	----	----	----	3 UNCH
9575	----	----	----/18.663A	22.077B/18.663A	----	20.666 - 3.323	.9313	----	----	----	----	1 UNCH
9600	----	----	----/18.855A	22.428B/18.855A	----	20.908 - 3.326	.9328	----	----	----	----	26 UNCH
9650	----	----	----/19.382A	22.854B/19.382A	----	21.394 - 3.328	.9356	----	----	----	----	11 UNCH
9675	----	----	----/19.623A	23.051B/19.623A	----	21.637 - 3.330	.9369	----	----	----	----	2 UNCH
9700	----	----	----/19.767A	23.447B/19.767A	----	21.881 - 3.331	.9383	----	----	----	----	182 UNCH
9725	----	----	----/20.105A	23.521B/20.105A	----	22.125 - 3.332	.9396	----	----	----	----	1 UNCH
9750	----	----	----/20.347A	23.766B/20.347A	----	22.369 - 3.334	.9407	----	----	----	----	3 UNCH
9775	----	----	----/20.589A	24.010B/20.589A	----	22.613 - 3.335	.9419	----	----	----	----	3 UNCH
9800	----	----	----/20.832A	24.321B/20.832A	----	22.858 - 3.336	.9430	----	----	----	----	7 UNCH
9825	----	----	----/21.074A	24.518B/21.074A	----	23.102 - 3.338	.9441	----	----	----	----	2 UNCH
9850	----	----	----/21.223A	24.914B/21.223A	----	23.347 - 3.339	.9451	----	----	----	----	179 UNCH
9900	----	----	----/21.803A	25.302B/21.803A	----	23.837 - 3.342	.9472	----	----	----	----	8 UNCH
10000	----	----	----/22.681A	26.388B/22.681A	----	24.819 - 3.347	.9509	----	----	----	----	133 UNCH
10050	----	----	----/23.266A	26.729B/23.266A	----	25.311 - 3.349	.9527	----	----	----	----	2 UNCH
10100	----	----	----/23.756A	27.221B/23.756A	----	25.803 - 3.352	.9542	----	----	----	----	2 UNCH
10225	----	----	----/24.982A	28.454B/24.982A	----	27.035 - 3.356	.9579	----	----	----	----	2 UNCH
10250	----	----	----/25.227A	28.700B/25.227A	----	27.282 - 3.357	.9586	----	----	----	----	4 UNCH
10300	----	----	----/25.717A	29.194B/25.717A	----	27.775 - 3.358	.9601	----	----	----	----	4 UNCH
10325	----	----	----/25.963A	29.441B/25.963A	----	28.022 - 3.359	.9607	----	----	----	----	1 UNCH
10350	----	----	----/26.207A	29.688B/26.207A	----	28.269 - 3.360	.9612	----	----	----	----	1 UNCH
10400	----	----	----/26.698A	30.182B/26.698A	----	28.763 - 3.361	.9625	----	----	----	----	2 UNCH
10450	----	----	----/27.211A	30.656B/27.211A	----	29.257 - 3.362	.9636	----	----	----	----	2 UNCH
10475	----	----	----/27.457A	30.924B/27.457A	----	29.504 - 3.363	.9642	----	----	----	----	1 UNCH
10500	----	----	----/27.664A	31.219B/27.664A	----	29.752 - 3.363	.9648	----	----	----	----	10 UNCH
10505	----	----	----/27.753A	31.221B/27.753A	----	29.801 - 3.363	.9649	----	----	----	----	1 UNCH
10510	----	----	----/27.802A	31.284B/27.802A	----	29.851 - 3.363	.9651	----	----	----	----	1 UNCH
10545	----	----	----/28.178A	31.617B/28.178A	----	30.197 - 3.364	.9657	----	----	----	----	1 UNCH
10550	----	----	----/28.176A	31.713B/28.176A	----	30.246 - 3.364	.9658	----	----	----	----	22 UNCH
10585	----	----	----/28.572A	31.992B/28.572A	----	30.593 - 3.364	.9666	----	----	----	----	1 UNCH
10590	----	----	----/28.621A	32.062B/28.621A	----	30.642 - 3.365	.9666	----	----	----	----	1 UNCH
10595	----	----	----/28.639A	32.112B/28.639A	----	30.692 - 3.365	.9668	----	----	----	----	3 UNCH
10600	----	----	----/28.720A	32.161B/28.720A	----	30.741 - 3.365	.9668	----	----	----	----	5 UNCH
10670	----	----	----/29.410A	32.855B/29.410A	----	31.435 - 3.366	.9682	----	----	----	----	3 UNCH
10675	----	----	----/29.463A	32.905B/29.463A	----	31.484 - 3.366	.9683	----	----	----	----	1 UNCH
10700	----	----	----/29.653A	33.199B/29.653A	----	31.732 - 3.366	.9688	----	----	----	----	9 UNCH
10800	----	----	----/30.637A	34.122B/30.637A	----	32.723 - 3.368	.9705	----	----	----	----	1 UNCH
10820	----	----	----/30.834A	34.342B/30.834A	----	32.922 - 3.367	.9709	----	----	----	----	1 UNCH
10825	----	----	----/30.939A	34.392B/30.939A	----	32.971 - 3.368	.9710	----	----	----	----	1 UNCH
10835	----	----	----/31.038A	34.491B/31.038A	----	33.070 - 3.368	.9712	----	----	----	----	2 UNCH
10845	----	----	----/31.137A	34.590B/31.137A	----	33.170 - 3.368	.9714	----	----	----	----	1 UNCH
10875	----	----	----/31.378A	34.888B/31.378A	----	33.467 - 3.368	.9718	----	----	----	----	2 UNCH
10900	----	----	----/31.624A	35.136B/31.624A	----	33.715 - 3.369	.9722	----	----	----	----	1 UNCH
10950	----	----	----/32.119A	35.633B/32.119A	----	34.211 - 3.369	.9729	----	----	----	----	1 UNCH
10975	----	----	----/32.422A	35.881B/32.422A	----	34.459 - 3.370	.9733	----	----	----	----	3 UNCH
11000	----	----	----/32.507A	36.276B/32.507A	----	34.708 - 3.369	.9738	----	----	----	----	60 UNCH
11025	----	----	----/32.916A	36.377B/32.916A	----	34.956 - 3.370	.9740	----	----	----	----	1 UNCH
11075	----	----	----/33.356A	36.874B/33.356A	----	35.452 - 3.371	.9748	----	----	----	----	1 UNCH
11100	----	----	----/33.663A	37.122B/33.663A	----	35.701 - 3.370	.9751	----	----	----	----	1 UNCH
11125	----	----	----/33.851A	37.371B/33.851A	----	35.949 - 3.371	.9755	----	----	----	----	1 UNCH
11175	----	----	----/34.445A	37.868B/34.445A	----	36.446 - 3.371	.9761	----	----	----	----	1 UNCH
11200	----	----	----/34.692A	38.116B/34.692A	----	36.694 - 3.372	.9764	----	----	2	----	4 UNCH
11225	----	----	----/34.916A	38.365B/34.916A	----	36.943 - 3.371	.9768	----	----	----	----	3 UNCH
11250	----	----	----/35.092A	38.614B/35.092A	----	37.191 - 3.372	.9770	----	----	----	----	1 UNCH
11500	----	----	----/37.465A	41.248B/37.465A	----	39.678 - 3.374	.9798	----	----	----	----	78 UNCH
11550	----	----	----/38.165A	41.600B/38.165A	----	40.175 - 3.374	.9802	----	----	----	----	1 UNCH
11650	----	----	----/39.133A	42.597B/39.133A	----	41.171 - 3.375	.9811	----	----	----	----	1 UNCH
11800	----	----	----/40.625A	44.091B/40.625A	----	42.664 - 3.377	.9824	----	----	----	----	1 UNCH
11875	----	----	----/41.371A	44.839B/41.371A	----	43.411 - 3.377	.9830	----	----	----	----	1 UNCH
12250	----	----	----/45.090A	48.580B/45.090A	----	47.148 - 3.381	.9857	----	----	----	----	3 UNCH
12300	----	----	----/45.588A	49.079B/45.588A	----	47.647 - 3.381	.9859	----	----	----	----	1 UNCH
12500	----	----	----/47.527A	51.116B/47.527A	----	49.642 - 3.382	.9870	----	----	----	----	20 UNCH
12700	----	----	----/49.608A	53.071B/49.608A	----	51.637 - 3.384	.9880	----	----	----	----	1 UNCH
13000	----	----	----/52.593A	56.067B/52.593A	----	54.631 - 3.387	.9893	----	----	----	----	1 UNCH
TOTAL										1225	0	19072 - 70
JUN26												
2100	----	----	----	----/0.020A	----	0.007 - 0.004	.0007	----	----	----	----	1 UNCH
2350	----	----	----	0.009B/0.030A	----	0.017 - 0.009	.0016	----	----	----	----	2 UNCH
2500	----	----	----/0.039A	0.019B/0.039A	----	0.027 - 0.013	.0024	----	----	----	----	141 UNCH
2650	----	----	----	----/0.114A	----	0.036 - 0.013	.0032	----	----	----	----	1 UNCH
3000	----	----	----/0.070A	0.050B/0.070A	----	0.062 - 0.013	.0056	----	----	----	----	245 UNCH
3075	----	----	----	0.001B/0.155A	----	0.069 - 0.013	.0063	----	----	----	----	4 UNCH
3100	----	----	----	0.001B/0.156A	----	0.071 - 0.013	.0065	----	----	----	----	3 UNCH
3150	----	----	----	0.001B/0.160A	----	0.076 - 0.013	.0069	----	----	----	----	8 UNCH
3200	----	----	----	0.001B/0.164A	----	0.081 - 0.013	.0074	----	----	----	----	4 UNCH
3325	----	----	----	0.001B/0.173A	----	0.093 - 0.015	.0086	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/0.175A	----	0.096 - 0.015	.0089	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/0.179A	----	0.101 - 0.016	.0094	----	----	----	----	12 UNCH
3500	----	----	----	0.001B/0.176A	----	0.111 - 0.020	.0104	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/0.193A	----	0.117 - 0.021	.0110	----	----	----	----	5 UNCH
3575	----	----	----	0.008B/0.185A	----	0.120 - 0.022	.0113	----	----	----	----	22 UNCH
3600	----	----	----	0.011B/0.184A	----	0.122 - 0.024	.0116	----	----	----	----	4 UNCH
3650	----	----	----	0.016B/0.190A	----	0.128 - 0.026	.0122	----	----	----	----	22 UNCH
3675	----	----	----	0.019B/0.178A	----	0.131 - 0.027	.0125	----	----	----	----	2 UNCH
3700	----	----	----	0.022B/0.180A	----	0.134 - 0.029	.0128	----	----	----	----	6 UNCH
3800	----	----	----	0.034B/0.191A	----	0.145 - 0.036	.0141	----	----	----	----	14 UNCH
3850	----	----	----	0.041B/0.197A	----	0.152 - 0.039	.0148	----	----	----	----	2 UNCH
3900	----	----	----	0.048B/0.203A	----	0.158 - 0.043	.0155	----	----	----	----	6 UNCH
3925	----	----	----/0.206A	0.052B/0.206A	----	0.161 - 0.046	.0158	----	----	----	----	3 UNCH
4000	0.125	0.125	0.125/0.125	0.125/0.125	----	0.171 - 0.053	.0170	----	----	2	----	55 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 62

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
4075	----	----	----/*0.227A	0.076B/*0.227A	----	0.181 -	0.062 .0182	----	----	----	----	1 UNCH
4100	----	----	----/0.231A	0.081B/0.231A	----	0.185 -	0.064 .0186	----	----	----	----	2 UNCH
4125	----	----	----/*0.235A	0.085B/*0.235A	----	0.188 -	0.068 .0190	----	----	----	----	5 UNCH
4150	----	----	----/0.239A	0.090B/0.239A	----	0.192 -	0.071 .0194	----	----	----	----	4 UNCH
4200	----	----	----/0.248A	0.100B/0.248A	----	0.200 -	0.078 .0204	----	----	----	----	26 UNCH
4225	----	----	----/*0.252A	0.106B/*0.252A	----	0.204 -	0.081 .0208	----	----	----	----	7 UNCH
4250	----	----	----/0.257A	0.111B/0.257A	----	0.208 -	0.085 .0213	----	----	----	----	5 UNCH
4275	----	----	----/0.263A	0.117B/0.263A	----	0.212 -	0.089 .0218	----	----	----	----	13 UNCH
4300	----	----	----/0.267A	0.122B/0.267A	----	0.216 -	0.093 .0223	----	----	----	----	7 UNCH
4350	----	----	----/0.274A	0.133B/0.274A	----	0.225 -	0.101 .0233	----	----	----	----	2 UNCH
4375	----	----	----/0.282A	0.140B/0.282A	----	0.229 -	0.105 .0238	----	----	----	----	3 UNCH
4400	----	----	----/0.287A	0.147B/0.287A	----	0.234 -	0.109 .0244	----	----	----	----	8 UNCH
4425	----	----	----/*0.293A	0.154B/*0.293A	----	0.238 -	0.115 .0249	----	----	----	----	1 UNCH
4500	0.240	0.240	0.240/0.240	0.240/0.240	----	0.253 -	0.129 .0267	----	----	2	----	167 + 1
4550	----	----	----/0.319A	0.187B/0.319A	----	0.264 -	0.139 .0280	----	----	----	----	2 UNCH
4600	----	----	----/0.331A	0.202B/0.331A	----	0.275 -	0.150 .0293	----	----	----	----	7 UNCH
4625	----	----	----/*0.338A	0.210B/*0.338A	----	0.281 -	0.155 .0301	----	----	----	----	12 UNCH
4650	----	----	----/0.344A	0.218B/0.344A	----	0.288 -	0.160 .0308	----	----	----	----	1 UNCH
4700	----	----	----/0.358A	0.235B/0.358A	----	0.301 -	0.172 .0324	----	----	----	----	3 UNCH
4725	----	----	----/*0.365A	0.244B/*0.365A	----	0.307 -	0.178 .0331	----	----	----	----	10 UNCH
4750	0.286	0.286	0.286/*0.286	0.286/*0.286	----	0.314 -	0.184 .0339	----	----	1	----	3 + 1
4800	----	----	----/0.386A	0.273B/0.386A	----	0.329 -	0.197 .0357	----	----	1	----	23 UNCH
4850	----	----	----/*0.363A	0.350B/*0.363A	----	0.345 -	0.209 .0375	----	----	1	----	3 UNCH
4875	----	----	----/*0.373A	0.366B/*0.373A	----	0.354 -	0.215 .0385	----	----	----	----	15 UNCH
4900	----	----	----/*0.381A	0.374B/*0.381A	----	0.363 -	0.221 .0395	----	----	----	----	177 UNCH
5000	0.503	0.503	0.503/0.420A	0.503/0.420A	----	0.401 -	0.249 .0438	----	----	95	----	1017 + 10
5025	----	----	----/*0.431A	0.439B/*0.431A	----	0.412 -	0.255 .0450	----	----	----	----	8 UNCH
5075	----	----	----/*0.452A	0.477B/*0.452A	----	0.434 -	0.270 .0475	----	----	----	----	2 UNCH
5100	----	----	----/*0.462A	0.487B/*0.462A	----	0.446 -	0.276 .0488	----	----	----	----	29 UNCH
5125	----	----	----/*0.475A	0.508B/*0.475A	----	0.459 -	0.283 .0502	----	----	----	----	1 UNCH
5150	----	----	----/*0.489A	0.549B/*0.489A	----	0.471 -	0.291 .0515	----	----	----	----	16 UNCH
5175	----	----	----/*0.501A	0.574B/*0.501A	----	0.485 -	0.297 .0530	----	----	----	----	12 UNCH
5200	----	----	----/*0.513A	0.592B/*0.513A	----	0.498 -	0.305 .0544	----	----	1	----	3 + 1
5225	----	----	----/*0.510A	0.612B/*0.510A	----	0.513 -	0.312 .0560	----	----	----	----	1 UNCH
5250	----	----	----/*0.523A	0.631B/*0.523A	----	0.527 -	0.321 .0575	----	----	----	----	13 UNCH
5275	----	----	----/*0.537A	0.651B/*0.537A	----	0.543 -	0.328 .0591	----	----	----	----	23 UNCH
5300	----	----	----/*0.551A	0.672B/*0.551A	----	0.558 -	0.336 .0607	----	----	----	----	14 UNCH
5325	----	----	----/*0.565A	0.693B/*0.565A	----	0.575 -	0.344 .0625	----	----	----	----	10 UNCH
5350	----	----	----/*0.581A	0.715B/*0.581A	----	0.592 -	0.352 .0642	----	----	----	----	13 UNCH
5375	----	----	----/*0.595A	0.737B/*0.595A	----	0.609 -	0.361 .0660	----	----	----	----	10 UNCH
5400	----	----	----/*0.612A	0.762B/*0.612A	----	0.627 -	0.369 .0679	----	----	----	----	14 UNCH
5425	----	----	----/*0.628A	0.783B/*0.628A	----	0.646 -	0.378 .0698	----	----	----	----	4 UNCH
5450	----	----	----/*0.644A	0.808B/*0.644A	----	0.665 -	0.387 .0717	----	----	----	----	2 UNCH
5475	----	----	----/*0.661A	0.830B/*0.661A	----	0.684 -	0.397 .0737	----	----	----	----	13 UNCH
5500	----	----	----/*0.679A	0.858B/*0.679A	----	0.705 -	0.406 .0758	----	----	1	----	301 + 1
5525	----	----	----/*0.692A	0.829B/*0.692A	----	0.726 -	0.416 .0779	----	----	----	----	16 UNCH
5550	----	----	----/*0.707A	0.911B/*0.707A	----	0.747 -	0.427 .0800	----	----	----	----	10 UNCH
5600	----	----	----/*0.753A	0.959B/*0.753A	----	0.792 -	0.449 .0845	----	----	3	----	21 + 3
5625	----	----	----/*0.773A	0.988B/*0.773A	----	0.816 -	0.459 .0868	----	----	----	----	2 UNCH
5650	----	----	----/*0.794A	1.029B/*0.794A	----	0.840 -	0.471 .0892	----	----	----	----	51 UNCH
5675	----	----	----/*0.815A	1.049B/0.815A	----	0.865 -	0.484 .0916	----	----	----	----	21 UNCH
5700	0.887	0.887	1.051/0.832A	1.128B/0.832A	----	0.890 -	0.497 .0941	----	----	53	----	249 + 26
5750	----	----	----/0.864A	1.187B/0.864A	----	0.943 -	0.524 .0992	----	----	----	----	227 UNCH
5775	----	----	----/0.888A	1.210B/0.888A	----	0.971 -	0.537 .1019	----	----	----	----	9 UNCH
5800	1.300	1.300	1.300/0.880	1.300/0.880	----	1.000 -	0.551 .1046	----	----	11	----	90 + 6
5825	----	----	----/0.936A	1.280B/0.936A	----	1.029 -	0.566 .1074	----	----	----	----	9 UNCH
5850	----	----	----/0.963A	1.329B/0.963A	----	1.059 -	0.581 .1102	----	----	----	----	16 UNCH
5875	----	----	----/0.988A	1.355B/0.988A	----	1.090 -	0.597 .1132	----	----	----	----	12 UNCH
5900	----	----	----/1.014A	1.411B/1.014A	----	1.122 -	0.612 .1161	----	----	1	----	48 UNCH
5925	----	----	----/1.029A	1.428B/1.029A	----	1.155 -	0.628 .1192	----	----	----	----	21 UNCH
5950	----	----	----/1.055A	1.489B/1.055A	----	1.189 -	0.645 .1223	----	----	----	----	16 UNCH
5975	----	----	----/1.084A	1.517B/1.084A	----	1.224 -	0.661 .1255	----	----	----	----	1 UNCH
6000	1.120	1.120	1.120/1.113A	1.581B/1.113A	----	1.259 -	0.679 .1287	----	----	6	36	762 + 30
6025	1.148	1.148	1.148/1.145A	1.621B/1.145A	----	1.296 -	0.696 .1320	----	----	1	----	31 UNCH
6050	----	----	----/1.177A	1.664B/1.177A	----	1.334 -	0.714 .1354	----	----	4	----	144 UNCH
6075	----	----	----/1.209A	1.694B/1.209A	----	1.372 -	0.733 .1388	----	----	----	----	31 UNCH
6100	----	----	----/1.242A	1.747B/1.242A	----	1.412 -	0.751 .1423	----	----	----	----	77 UNCH
6125	----	----	----/1.276A	1.785B/1.276A	----	1.453 -	0.770 .1459	----	----	----	----	3 UNCH
6150	----	----	----/1.311A	1.845B/1.311A	----	1.495 -	0.789 .1496	----	----	----	----	5 UNCH
6175	----	----	----/1.346A	1.897B/1.346A	----	1.538 -	0.808 .1533	----	----	----	----	291 UNCH
6200	1.411	1.411	1.411/1.384A	1.952B/1.384A	----	1.582 -	0.828 .1571	----	----	8	----	155 + 1
6225	----	----	----/1.421A	1.988B/1.421A	----	1.627 -	0.848 .1609	----	----	----	----	2 UNCH
6250	----	----	----/1.461A	2.053B/1.461A	----	1.674 -	0.868 .1649	----	----	----	----	89 UNCH
6275	1.700	1.700	1.700/1.499A	2.102B/1.499A	----	1.722 -	0.888 .1689	----	----	1	----	3 + 1
6300	----	----	----/1.539A	2.179B/1.539A	----	1.771 -	0.909 .1729	----	----	5	----	119 + 4
6325	----	----	----/1.584A	2.220B/1.584A	----	1.821 -	0.930 .1771	----	----	----	----	6 UNCH
6350	----	----	----/1.625A	2.290B/1.625A	----	1.873 -	0.951 .1813	----	----	----	----	27 UNCH
6375	----	----	----/1.670A	2.346B/1.670A	----	1.926 -	0.972 .1856	----	----	1	----	102 + 1
6400	----	----	----/1.715A	2.418B/1.715A	----	1.980 -	0.993 .1899	----	----	5	----	77 + 2
6425	----	----	----/1.760A	2.491B/1.760A	----	2.036 -	1.014 .1944	----	----	----	----	47 UNCH
6450	----	----	----/1.809A	2.539B/1.809A	----	2.093 -	1.036 .1989	----	----	----	----	9 UNCH
6475	2.141	2.141	2.141/1.857A	2.608B/1.857A	----	2.152 -	1.057 .2035	----	----	120	----	121 + 119
6500	2.488	2.488	2.488/1.907A	2.685B/1.907A	----	2.212 -	1.079 .2081	----	----	12	----	198 + 2
6525	----	----	----/1.959A	2.765B/1.959A	----	2.273 -	1.101 .2128	----	----	----	----	35 UNCH
6550	----	----	----/2.011A	2.815B/2.011A	----	2.336 -	1.123 .2175	----	----	----	----	6 UNCH
6575	----	----	----/2.065A	2.897B/2.065A	----	2.401 -	1.145 .2224	----	----	1	----	2 UNCH
6600	2.771	2.771	2.771/2.126A	2.984B/2.126A	----	2.467 -	1.167 .2273	----	----	9	----	141 + 1
6625	----	----	----/2.175A	3.049B/2.175A	----	2.534 -	1.190 .2323	----	----	----	----	9 UNCH
6650	----	----	----/2.235A	3.122B/2.235A	----	2.603 -	1.213 .2373	----	----	----	----	11 UNCH
6675	----	----	----/2.293A	3.208B/2.293A	----	2.674 -	1.235 .2424	----	----	----	----	4 UNCH
6700	----	----	----/2.355A	3.286B/2.355A	----	2.746 -	1.258 .2475	----	----	7	----	57 + 5
6725	----	----	----/2.415A	3.389B/2.415A	----	2.819 -	1.282 .2527	----	----	2	----	28 + 2
6750	----	----	----/2.479A	3.452B/2.479A	----	2.895 -	1.304 .2580	----	----	2	----	22 + 2
6775	----	----	----/2.543A	3.543B/2.543A	----	2.972 -	1.327 .2633	----	----	----	----	2 UNCH
6800	----	----	----/2.611A	3.627B/2.611A	----	3.050 -	1.351 .2687	----	----	1	----	21 UNCH
6825	----	----	----/2.679A	3.722B/2.679A	----	3.131 -	1.374 .2741	----	----	----	----	2 UNCH
6850	----	----	----/2.750A	3.761B/2.750A	----	3.213 -	1.397 .2796	----	----	----	----	16 UNCH
6875	----	----	----/2.818A	3.912B/2.818A	----	3.296 -	1.421 .2851	----	----	----	----	2 UNCH
6900	----	----	----/2.895A	3.999B/2.895A	----	3.381 -	1.445 .2907	----	----	1	----	90 + 1
6925	----	----	----/2.965A	4.102B/2.965A	----	3.468 -	1.469 .2963	----	----	----	----	9 UNCH
6950	3.262	3.262	3.262/3.040A	4.194B/3.040A	----	3.557 -	1.492 .3020	----	----	3	----	7 + 2
6975	3.320	3.320	3.320/3.119A	4.304B/3.119A	----	3.648 -	1.516 .3077	----	----	2	----	9 + 2
7000	3.242	3.242	3.767/3.197A	4.381B/3.197A	----	3.740 -	1.540 .3135	----	----	9	----	503 + 6
7025	----	----	----/3.276A	4.481B/3.276A	----	3.834 -	1.563 .3193	----	----	----	----	4 UNCH
7050	3.500	3.500	3.500/3.360A	4.559B/3.360A	----	3.929 -	1.588 .3251	----	----	5	----	15 - 5
7075	----	----	----/3.441A	4.673B/3.441A	----	4.027 -	1.611 .3310	----	----	----	----	41 UNCH
7100	----	----	----/3.531A	4.768B/3.531A	----	4.126 -	1.636 .3369	----	----	2	----	18 UNCH
7125	----	----	----/3.616A	4.892B/3.616A	----	4.227 -	1.660 .3428	----	----	----	----	3 UNCH
7150	----	----	----/3.705A	5.000B/3.705A	----	4.329 -	1.685 .3487	----	----	----	----	27 UNCH
7175	----	----	----/3.795A	5.121B/3.795A	----	4.434 -	1.708 .3547	----	----	----	----	36 UNCH
7200	3.950	3.950	4.600/3.890A	5.258B/3.890A	----	4.540 -	1.733 .3607	----	----	9	----	235 + 4
7225	----	----	----/3.980A	5.366B/3.980A	----	4.648 -	1.757 .3668	----	----	----	----	6 UNCH
7250	4.230	4.230	5.476B/4.076A	5.476B/4.076A	----	4.758 -	1.781 .3728	----	----	7	----	13 UNCH
7275	----	----	----/4.189A	5.600B/4.189A	----	4.869 -	1.806 .3789	----	----	----	----	3 UNCH
7300	4.330	4.330	5.724B/4.282A	5.724B/4.282A	----	4.983 -	1.830 .3850	----	----	6	----	77 + 2
7325	----	----	----/4.392A	5.849B/4.392A	----	5.098 -	1.854 .3911	----	----	----	----	1 UNCH
7350	----	----	----/4.487A	5.960B/4.487A	----	5.215 -	1.879 .3972	----	----	----	----	3 UNCH
7375	----	----	----/4.588A	6.106B/4.588A	----	5.333 -	1.904 .4034	----	----	----	----	2 UNCH
7400	4.947	4.947	4.947/4.700A	6.242B/4.700A	----	5.454 -	1.928 .4095	----	----	1	----	49 + 1
7425	----	----	----/4.801A	6.372B/4.801A	----	5.576 -	1.952 .4156	----	----	----	----	2 UNCH
7450	6.700	6.700	6.700/4.916A	6.700/4.916A	----	5.700 -	1.976 .4218	----	----	2	----	2 UNCH
7475	----	----	----/5.049A	6.652B/5.049A	----	5.826 -	2.000 .4279	----	----	----	----	4 UNCH
7500	5.610	5.610	6.801B/5.129A	6.801B/5.129A	----	5.953 -	2.025 .4341	----	----	5	----	341 - 2
7525	----	----	----/5.258A	6.935B/5.258A	----	6.082 -	2.050 .4402	----	----	----	----	3 UNCH
7550	----	----	----/5.387A	7.058B/5.387A	----	6.213 -	2.074 .4464	----	----	----	----	7 UNCH
7575	5.827	5.827	7.202B/5.497A	7.202B/5.497A	----	6.346 -	2.097 .4525	----	----	5	----	5 - 5
7600	5.907	5.907	7.361B/5.591A	7.361B/5.591A	----	6.481 -	2.121 .4586	----	----	1	----	79 - 1
7625	6.035	6.035	7.488B/5.740A	7.488B/5.740A	----	6.617 -	2.145 .4647	----	----	2	----	2 - 1
7650	----	----	----/5.861A	7.632B/5.861A	----	6.755 -	2.168 .4708	----	----	----	----	3 UNCH
7675	----	----	----/5.984A	7.772B/5.984A	----	6.895 -	2.191 .4769	----	----	----	----	1 UNCH
7700	6.236	6.236	7.934B/6.109A	7.934B/6.109A	----	7.036 -	2.214 .4829	----	----	2	----	19 UNCH
7725	----	----	----/6.235A	8.087B/6.235A	----	7.179 -	2.237 .4890	----	----	----	----	1 UNCH
7750	----	----	----/6.362A	8.236B/6.362A	----	7.324 -	2.260 .4950	----	----	----	----	2 UNCH
7775	----	----	----/6.481A	8.423B/6.481A	----	7.471 -	2.282 .5010	----	----	----	----	25 UNCH
7800	----	----	----/6.626A	8.586B/6.626A	----	7.619 -	2.304 .5069	----	----	----	----	4 UNCH
7850	7.891	7.891	8.902B/6.895A	8.902B/6.895A	----	7.921 -	2.347 .5188	----	----	1	----	8 UNCH
7875	----	----	----/7.031A	9.069B/7.031A	----	8.074 -	2.369 .5246	----	----	----	----	19 UNCH
7900	7.918	7.918	9.244B/7.140A	9.244B/7.140A	----	8.229 -	2.389 .5305	----	----	2	----	110 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7925	----	----	----/7.310A	9.408B/7.310A	----	8.386 - 2.409	.5363	----	----	----	----	10 UNCH
7950	8.290	8.290	9.556B/7.452A	9.556B/7.452A	----	8.544 - 2.430	.5420	----	----	1	----	21 UNCH
8000	----	----	----/7.734A	9.915B/7.734A	----	8.865 - 2.469	.5535	----	----	----	----	145 UNCH
8025	----	----	----/7.900A	10.100B/7.900A	----	9.028 - 2.489	.5591	----	----	----	----	1 UNCH
8050	----	----	----/8.057A	10.238B/8.057A	----	9.192 - 2.508	.5647	----	----	----	----	1 UNCH
8075	----	----	----/8.208A	10.406B/8.208A	----	9.358 - 2.527	.5703	----	----	----	----	1 UNCH
8100	----	----	----/8.359A	10.583B/8.359A	----	9.526 - 2.544	.5758	----	----	----	----	2 UNCH
8125	----	----	----/8.507A	10.805B/8.507A	----	9.695 - 2.562	.5813	----	----	----	----	2 UNCH
8150	----	----	----/8.671A	10.885B/8.671A	----	9.865 - 2.580	.5867	----	----	----	----	4 UNCH
8175	----	----	----/8.817A	11.141B/8.817A	----	10.037 - 2.598	.5921	----	----	----	----	42 UNCH
8200	10.389	10.389	11.325B/8.988A	11.325B/8.988A	----	10.211 - 2.614	.5974	----	----	1	----	14 UNCH
8225	----	----	----/9.145A	11.508B/9.145A	----	10.386 - 2.630	.6027	----	----	----	----	6 UNCH
8250	----	----	----/9.333A	11.689B/9.333A	----	10.562 - 2.647	.6079	----	----	----	----	15 UNCH
8275	----	----	----/9.539A	11.874B/9.539A	----	10.740 - 2.663	.6131	----	----	----	----	23 UNCH
8300	----	----	----/9.691A	11.947B/9.691A	----	10.919 - 2.678	.6183	----	----	2	----	6 + 1
8350	----	----	----/10.021A	12.440B/10.021A	----	11.281 - 2.709	.6284	----	----	----	----	17 UNCH
8400	----	----	----/10.366A	12.712B/10.366A	----	11.648 - 2.738	.6383	----	----	----	----	3 UNCH
8425	----	----	----/10.530A	13.023B/10.530A	----	11.833 - 2.753	.6431	----	----	----	----	63 UNCH
8450	----	----	----/10.715A	13.204B/10.715A	----	12.020 - 2.766	.6479	----	----	----	----	18 UNCH
8475	----	----	----/11.014A	13.299B/11.014A	----	12.208 - 2.780	.6527	----	----	----	----	2 UNCH
8500	----	----	----/11.123A	13.612B/11.123A	----	12.397 - 2.794	.6574	----	----	----	----	62 UNCH
8525	----	----	----/11.463A	13.695B/11.463A	----	12.588 - 2.806	.6620	----	----	----	----	1 UNCH
8550	----	----	----/11.644A	13.895B/11.644A	----	12.779 - 2.819	.6666	----	----	----	----	1 UNCH
8575	----	----	----/11.821A	14.079B/11.821A	----	12.972 - 2.832	.6711	----	----	----	----	1 UNCH
8600	----	----	----/12.016A	14.280B/12.016A	----	13.166 - 2.844	.6756	----	----	----	----	5 UNCH
8625	----	----	----/12.042A	14.585B/12.042A	----	13.361 - 2.856	.6800	----	----	----	----	11 UNCH
8675	----	----	----/12.568A	14.893B/12.568A	----	13.754 - 2.879	.6887	----	----	----	----	2 UNCH
8700	----	----	----/12.602A	15.193B/12.602A	----	13.952 - 2.890	.6929	----	----	----	----	14 UNCH
8750	----	----	----/12.982A	15.604B/12.982A	----	14.352 - 2.911	.7012	----	----	----	----	26 UNCH
8775	----	----	----/13.343A	15.720B/13.343A	----	14.553 - 2.922	.7053	----	----	----	----	1 UNCH
8800	----	----	----/13.366A	16.017B/13.366A	----	14.755 - 2.932	.7094	----	----	----	----	14 UNCH
8825	----	----	----/13.560A	16.225B/13.560A	----	14.958 - 2.943	.7133	----	----	----	----	15 UNCH
8850	----	----	----/13.753A	16.434B/13.753A	----	15.162 - 2.953	.7172	----	----	----	----	6 UNCH
8925	----	----	----/14.516A	16.989B/14.516A	----	15.780 - 2.980	.7287	----	----	----	----	4 UNCH
8975	----	----	----/14.913A	17.417B/14.913A	----	16.196 - 2.998	.7360	----	----	----	----	2 UNCH
9000	----	----	----/14.896A	17.775B/14.896A	----	16.405 - 3.007	.7396	----	----	----	----	93 UNCH
9050	----	----	----/15.516A	18.062B/15.516A	----	16.826 - 3.024	.7466	----	----	----	----	3 UNCH
9075	----	----	----/15.718A	18.280B/15.718A	----	17.038 - 3.032	.7500	----	----	----	----	2 UNCH
9100	----	----	----/15.768A	18.565B/15.768A	----	17.251 - 3.039	.7534	----	----	----	----	6 UNCH
9125	----	----	----/16.123A	18.717B/16.123A	----	17.464 - 3.047	.7567	----	----	----	----	1 UNCH
9150	----	----	----/16.199A	18.937B/16.199A	----	17.678 - 3.055	.7600	----	----	----	----	1 UNCH
9175	----	----	----/16.405A	19.157B/16.405A	----	17.893 - 3.062	.7632	----	----	----	----	1 UNCH
9200	----	----	----/16.494A	19.526B/16.494A	----	18.108 - 3.070	.7664	----	----	----	----	80 UNCH
9325	----	----	----/17.661A	20.488B/17.661A	----	19.195 - 3.104	.7816	----	----	----	----	1 UNCH
9450	----	----	----/18.705A	21.658B/18.705A	----	20.298 - 3.134	.7956	----	----	----	----	6 UNCH
9500	----	----	----/19.026A	22.209B/19.026A	----	20.743 - 3.146	.8008	----	----	----	----	138 UNCH
9525	----	----	----/19.380A	22.291B/19.380A	----	20.966 - 3.152	.8034	----	----	----	----	1 UNCH
9550	----	----	----/19.622A	22.505B/19.622A	----	21.190 - 3.157	.8060	----	----	----	----	1 UNCH
9575	----	----	----/19.811A	22.743B/19.811A	----	21.414 - 3.163	.8085	----	----	----	----	1 UNCH
9725	----	----	----/21.148A	24.116B/21.148A	----	22.770 - 3.192	.8227	----	----	----	----	1 UNCH
9825	----	----	----/22.033A	25.039B/22.033A	----	23.682 - 3.211	.8315	----	----	----	----	1 UNCH
9850	----	----	----/22.255A	25.270B/22.255A	----	23.912 - 3.214	.8336	----	----	----	----	1 UNCH
9900	----	----	----/22.636A	25.781B/22.636A	----	24.371 - 3.223	.8377	----	----	----	----	17 UNCH
9925	----	----	----/22.939A	25.966B/22.939A	----	24.601 - 3.227	.8397	----	----	----	----	1 UNCH
9950	----	----	----/23.163A	26.199B/23.163A	----	24.832 - 3.230	.8417	----	----	----	----	1 UNCH
10000	----	----	----/23.438A	26.813B/23.438A	----	25.294 - 3.238	.8456	----	----	----	----	97 UNCH
10025	----	----	----/23.839A	26.901B/23.839A	----	25.525 - 3.242	.8475	----	----	----	----	2 UNCH
10075	----	----	----/24.288A	27.372B/24.288A	----	25.989 - 3.249	.8512	----	----	----	----	1 UNCH
10100	----	----	----/24.434A	27.669B/24.434A	----	26.221 - 3.252	.8530	----	----	----	----	6 UNCH
10125	----	----	----/24.742A	27.843B/24.742A	----	26.454 - 3.255	.8548	----	----	----	----	1 UNCH
10150	----	----	----/24.889A	28.140B/24.889A	----	26.687 - 3.258	.8566	----	----	----	----	8 UNCH
10175	----	----	----/25.198A	28.312B/25.198A	----	26.920 - 3.262	.8583	----	----	----	----	2 UNCH
10200	----	----	----/25.259A	28.695B/25.259A	----	27.154 - 3.264	.8600	----	----	----	----	117 UNCH
10225	----	----	----/25.656A	28.785B/25.656A	----	27.387 - 3.268	.8617	----	----	----	----	1 UNCH
10325	----	----	----/26.577A	29.733B/26.577A	----	28.325 - 3.278	.8682	----	----	----	----	1 UNCH
10350	----	----	----/26.808A	29.970B/26.808A	----	28.560 - 3.281	.8697	----	----	----	----	1 UNCH
10375	----	----	----/27.037A	30.208B/27.037A	----	28.795 - 3.284	.8713	----	----	----	----	1 UNCH
10400	----	----	----/27.267A	30.445B/27.267A	----	29.031 - 3.285	.8728	----	----	----	----	1 UNCH
10500	----	----	----/28.108A	31.448B/28.108A	----	29.975 - 3.295	.8786	----	----	----	----	9 UNCH
10600	----	----	----/29.118A	32.414B/29.118A	----	30.923 - 3.303	.8842	----	----	----	----	5 UNCH
10825	----	----	----/31.139A	34.564B/31.139A	----	33.067 - 3.318	.8955	----	----	----	----	6 UNCH
10850	----	----	----/31.478A	34.815B/31.478A	----	33.306 - 3.320	.8967	----	----	----	----	4 UNCH
10875	----	----	----/31.713A	35.056B/31.713A	----	33.545 - 3.321	.8978	----	----	----	----	2 UNCH
10950	----	----	----/32.421A	35.779B/32.421A	----	34.264 - 3.326	.9011	----	----	----	----	3 UNCH
11000	----	----	----/32.893A	36.262B/32.893A	----	34.744 - 3.328	.9033	----	----	----	----	3 UNCH
11325	----	----	----/35.905A	39.393B/35.905A	----	37.879 - 3.343	.9158	----	----	----	----	1 UNCH
11500	----	----	----/37.563A	41.105B/37.563A	----	39.577 - 3.348	.9215	----	----	----	----	10 UNCH
11525	----	----	----/37.821A	41.347B/37.821A	----	39.820 - 3.349	.9223	----	----	----	----	1 UNCH
11675	----	----	----/39.266A	42.812B/39.266A	----	41.280 - 3.354	.9268	----	----	----	----	1 UNCH
11700	----	----	----/39.507A	43.057B/39.507A	----	41.524 - 3.354	.9275	----	----	----	----	1 UNCH
12000	----	----	----/42.334A	46.074B/42.334A	----	44.456 - 3.362	.9351	----	----	----	----	50 UNCH
12025	----	----	----/42.673A	46.237B/42.673A	----	44.700 - 3.364	.9357	----	----	----	----	1 UNCH
13000	----	----	----/52.212A	55.853B/52.212A	----	54.301 - 3.384	.9527	----	----	----	----	5 UNCH
TOTAL										426	36	9201 + 228
JUL26												
2000	----	----	----	0.020B/0.042A	----	0.033 - 0.009	.0024	----	----	----	----	6 UNCH
2400	----	----	----	0.001B/0.113A	----	0.044 - 0.031	.0035	----	----	----	----	10 UNCH
2650	----	----	----	0.001B/0.138A	----	0.052 - 0.048	.0043	----	----	----	----	6 UNCH
3000	----	----	----/0.135A	0.001B/0.135A	----	0.068 - 0.077	.0060	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/0.150A	----	0.070 NEW	.0062	----	----	1	----	1 + 1
3350	----	----	----/0.198A	0.043B/0.198A	----	0.102 - 0.102	.0093	----	----	----	----	1 UNCH
3400	----	----	----/0.204A	0.050B/0.204A	----	0.108 - 0.107	.0099	----	----	----	----	55 UNCH
3475	----	----	----/0.214A	0.062B/0.214A	----	0.120 - 0.111	.0109	----	----	----	----	5 UNCH
3500	----	----	----/0.217A	0.066B/0.217A	----	0.124 - 0.112	.0113	----	----	----	----	3 UNCH
3600	----	----	----/0.236A	0.084B/0.236A	----	0.142 - 0.118	.0129	----	----	----	----	12 UNCH
3700	----	----	----/0.256A	0.107B/0.256A	----	0.163 - 0.124	.0148	----	----	----	----	92 UNCH
3800	----	----	----/0.280A	0.127B/0.280A	----	0.187 - 0.129	.0169	----	----	----	----	25 UNCH
3825	----	----	----/0.287A	0.132B/0.287A	----	0.194 - 0.130	.0175	----	----	----	----	8 UNCH
3850	----	----	----/0.294A	0.138B/0.294A	----	0.201 - 0.131	.0181	----	----	----	----	3 UNCH
3900	----	----	----/0.309A	0.149B/0.309A	----	0.214 - 0.135	.0193	----	----	----	----	11 UNCH
3950	----	----	----/0.320A	0.162B/0.320A	----	0.229 - 0.138	.0206	----	----	----	----	1 UNCH
4000	0.242	0.242	0.242/0.242	0.242/0.242	----	0.244 - 0.142	.0219	----	----	1	----	70 UNCH
4075	----	----	----/0.352A	0.194B/0.352A	----	0.268 - 0.148	.0240	----	----	----	----	16 UNCH
4100	----	----	----/0.359A	0.202B/0.359A	----	0.276 - 0.151	.0247	----	----	----	----	6 UNCH
4175	----	----	----/0.382A	0.225B/0.382A	----	0.302 - 0.159	.0270	----	----	----	----	9 UNCH
4200	----	----	----/0.390A	0.234B/0.390A	----	0.311 - 0.162	.0277	----	----	----	----	27 UNCH
4225	----	----	----/*0.399A	0.242B/0.399A	----	0.320 - 0.165	.0285	----	----	----	----	1 UNCH
4250	----	----	----/0.407A	0.251B/0.407A	----	0.329 - 0.169	.0293	----	----	----	----	21 UNCH
4300	----	----	----/0.425A	0.270B/0.425A	----	0.349 - 0.176	.0311	----	----	----	----	96 UNCH
4325	----	----	----/*0.433A	0.279B/0.433A	----	0.358 - 0.180	.0319	----	----	----	----	17 UNCH
4375	----	----	----/*0.452A	0.299B/0.452A	----	0.379 - 0.188	.0337	----	----	----	----	32 UNCH
4400	----	----	----/0.463A	0.310B/0.463A	----	0.389 - 0.193	.0346	----	----	2	----	28 UNCH
4450	----	----	----/0.483A	0.332B/0.483A	----	0.411 - 0.203	.0365	----	----	----	----	4 UNCH
4475	----	----	----/*0.493A	0.344B/0.493A	----	0.422 - 0.208	.0375	----	----	----	----	16 UNCH
4500	0.503	0.503	0.503/0.503	0.503/0.503	----	0.434 - 0.213	.0385	----	----	1	----	304 UNCH
4575	----	----	----/0.539A	0.400B/0.539A	----	0.470 - 0.230	.0416	----	----	----	----	75 UNCH
4600	----	----	----/0.551A	0.414B/0.551A	----	0.482 - 0.237	.0427	----	----	----	----	101 UNCH
4650	----	----	----/0.578A	0.443B/0.578A	----	0.508 - 0.250	.0449	----	----	----	----	40 UNCH
4675	----	----	----/*0.591A	0.458B/0.591A	----	0.522 - 0.257	.0461	----	----	----	----	12 UNCH
4700	----	----	----/0.604A	0.473B/0.604A	----	0.536 - 0.264	.0473	----	----	2	----	153 + 1
4725	----	----	----/*0.617A	0.489B/0.617A	----	0.550 - 0.271	.0486	----	----	----	----	3 UNCH
4750	----	----	----/0.631A	0.505B/0.631A	----	0.564 - 0.280	.0498	----	----	----	----	54 UNCH
4775	----	----	----/*0.644A	0.522B/0.644A	----	0.579 - 0.287	.0511	----	----	----	----	8 UNCH
4800	----	----	----/0.658A	0.540B/0.658A	----	0.594 - 0.296	.0523	----	----	----	----	15 UNCH
4825	----	----	----/*0.674A	0.557B/0.674A	----	0.610 - 0.304	.0537	----	----	----	----	26 UNCH
4850	----	----	----/0.689A	0.576B/0.689A	----	0.626 - 0.313	.0551	----	----	----	----	2 UNCH
4875	----	----	----/*0.704A	0.595B/0.704A	----	0.642 - 0.322	.0564	----	----	----	----	23 UNCH
4900	----	----	----/0.720A	0.614B/0.720A	----	0.659 - 0.331	.0579	----	----	----	----	172 UNCH
5000	----	----	----/0.787A	0.698B/0.787A	----	0.731 - 0.371	.0639	----	----	48	----	862 - 12
5025	----	----	----/*0.805A	0.721B/0.805A	----	0.750 - 0.381	.0655	----	----	----	----	1 UNCH
5050	----	----	----/0.824A	0.744B/0.824A	----	0.770 - 0.392	.0671	----	----	----	----	16 UNCH
5075	----	----	----/*0.842A	0.769B/0.842A	----	0.790 - 0.403	.0688	----	----	----	----	11 UNCH
5100	----	----	----/0.861A	0.793B/0.861A	----	0.811 - 0.414	.0705	----	----	----	----	176 UNCH
5150	----	----	----/0.900A	0.845B/0.900A	----	0.855 - 0.437	.0741	----	----	----	----	5 UNCH
5175	----	----	----/*0.919A	0.872B/0.919A	----	0.877 - 0.450	.0759	----	----	----	----	5 UNCH
5200	----	----	----/0.942A	0.900B/0.942A	----	0.900 - 0.462	.0777	----	----	----	----	86 UNCH
5225	----	----	----/*0.963A	0.929B/0.963A	----	0.924 - 0.475	.0797	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
5250	----	----	----/0.986A	0.958B/0.986A	----	0.949 - 0.487	.0816	----	----	----	----	250 UNCH
5275	----	----	----/*1.008A	0.986B/1.008A	----	0.974 - 0.500	.0836	----	----	----	----	2 UNCH
5300	----	----	----/1.031A	1.008B/1.031A	----	1.000 - 0.513	.0857	----	----	----	----	125 UNCH
5325	----	----	----/1.055A	1.015B/1.055A	----	1.026 - 0.527	.0877	----	----	----	----	11 UNCH
5350	----	----	----/1.079A	1.009B/1.079A	----	1.053 - 0.541	.0899	----	----	----	----	26 UNCH
5375	1.040	1.040	1.040/1.040	1.040/1.040	----	1.081 - 0.555	.0920	----	----	3	----	17 UNCH
5400	1.059	1.059	1.059/1.059	1.059/1.059	----	1.110 - 0.569	.0943	----	----	2	----	75 UNCH
5425	----	----	----/1.155A	1.062B/1.155A	----	1.139 - 0.584	.0965	----	----	----	----	49 UNCH
5450	----	----	----/1.181A	1.095B/1.181A	----	1.170 - 0.598	.0988	----	----	----	----	38 UNCH
5475	----	----	----/1.208A	1.129B/1.208A	----	1.201 - 0.613	.1012	----	----	----	----	53 UNCH
5500	1.140	1.140	1.265/1.140	1.265/1.140	----	1.232 - 0.629	.1036	----	----	56	----	885 - 2
5525	----	----	----/1.265A	1.200B/1.265A	----	1.265 - 0.644	.1060	----	----	----	----	72 UNCH
5550	----	----	----/1.294A	1.236B/1.294A	----	1.298 - 0.660	.1085	----	----	----	----	13 UNCH
5575	----	----	----/1.320A	1.274B/1.320A	----	1.333 - 0.675	.1111	----	----	----	----	3 UNCH
5600	----	----	----/1.542A	1.312B/1.542A	----	1.368 - 0.691	.1137	----	----	----	----	13 UNCH
5625	----	----	----/1.576A	1.352B/1.576A	----	1.404 - 0.707	.1163	----	----	----	----	3 UNCH
5650	----	----	----/1.611A	1.392B/1.611A	----	1.441 - 0.724	.1190	----	----	----	----	29 UNCH
5675	----	----	----/1.646A	1.434B/1.646A	----	1.479 - 0.740	.1217	----	----	----	----	45 UNCH
5700	----	----	----/1.683A	1.516B/1.683A	----	1.517 - 0.758	.1245	----	----	----	----	297 UNCH
5725	----	----	----/1.720A	1.519B/1.720A	----	1.557 - 0.774	.1273	----	----	----	----	3 UNCH
5750	----	----	----/1.759A	1.564B/1.759A	----	1.598 - 0.791	.1302	----	----	----	----	52 UNCH
5775	----	----	----/1.798A	1.609B/1.798A	----	1.639 - 0.809	.1332	----	----	----	----	2 UNCH
5800	----	----	----/1.837A	1.654B/1.837A	----	1.682 - 0.826	.1362	----	----	----	----	21 UNCH
5825	----	----	----/1.878A	1.703B/1.878A	----	1.726 - 0.843	.1392	----	----	----	----	2 UNCH
5850	----	----	----/1.920A	1.753B/1.920A	----	1.771 - 0.861	.1423	----	----	----	----	114 UNCH
5875	----	----	----/1.960A	1.813B/1.960A	----	1.816 - 0.879	.1454	----	----	----	----	3 UNCH
5900	----	----	----/2.005A	1.814B/2.005A	----	1.863 - 0.897	.1486	----	----	----	----	6 UNCH
5950	----	----	----/2.092A	1.988B/2.092A	----	1.960 - 0.933	.1551	----	----	----	----	2 UNCH
5975	----	----	----/2.047A	2.042B/2.047A	----	2.011 - 0.950	.1585	----	----	----	----	1 UNCH
6000	2.000	2.000	2.186B/2.000	2.186B/2.000	----	2.062 - 0.969	.1618	----	----	81	----	593 + 10
6100	----	----	----/2.384A	2.433B/2.384A	----	2.279 - 1.042	.1759	----	----	----	----	285 UNCH
6200	----	----	----/2.551A	2.614B/2.551A	----	2.516 - 1.115	.1906	----	----	4	----	9 UNCH
6250	----	----	----/2.659A	2.754B/2.659A	----	2.642 - 1.152	.1983	----	----	----	----	13 UNCH
6275	----	----	----/2.694A	2.826B/2.694A	----	2.707 - 1.170	.2022	----	----	----	----	1 UNCH
6300	----	----	----/2.749A	2.944B/2.749A	----	2.773 - 1.188	.2062	----	----	2	----	31 UNCH
6325	----	----	----/2.833A	2.977B/2.833A	----	2.841 - 1.206	.2102	----	----	----	----	20 UNCH
6375	----	----	----/2.954A	3.131B/2.954A	----	2.980 - 1.241	.2182	----	----	----	----	1 UNCH
6400	----	----	----/2.912A	3.294B/2.912A	----	3.052 - 1.259	.2224	----	----	1	----	56 + 1
6500	4.000	4.000	4.000/3.150	4.000/3.150	----	3.353 - 1.327	.2392	----	----	31	----	680 - 1
6550	----	----	----/3.315A	3.802B/3.315A	----	3.513 - 1.359	.2479	----	----	----	----	50 UNCH
6600	----	----	----/3.555A	3.893B/3.555A	----	3.678 - 1.391	.2567	----	----	----	----	1 UNCH
6650	----	----	----/3.603A	4.171B/3.603A	----	3.849 - 1.422	.2656	----	----	----	----	100 UNCH
6700	----	----	----/3.755A	4.364B/3.755A	----	4.026 - 1.452	.2746	----	----	2	----	81 UNCH
6750	----	----	----/4.042A	4.472B/4.042A	----	4.209 - 1.481	.2838	----	----	----	----	24 UNCH
6800	----	----	----/4.072A	4.769B/4.072A	----	4.398 - 1.509	.2931	----	----	----	----	257 UNCH
6900	----	----	----/4.555A	5.109B/4.555A	----	4.794 - 1.564	.3118	----	----	----	----	11 UNCH
7000	----	----	----/4.779A	5.663B/4.779A	----	5.215 - 1.616	.3309	----	----	80	----	554 + 57
7025	----	----	----/4.877A	5.784B/4.877A	----	5.324 - 1.629	.3357	----	----	----	----	125 UNCH
7100	----	----	----/5.507A	5.748B/5.507A	----	5.660 NEW	.3501	----	----	2	----	2 + 2
7125	----	----	----/5.416A	6.177B/5.416A	----	5.775 - 1.679	.3550	----	----	----	----	8 UNCH
7150	----	----	----/5.519A	6.303B/5.519A	----	5.891 - 1.692	.3598	----	----	----	----	1 UNCH
7200	----	----	----/5.632A	6.606B/5.632A	----	6.128 - 1.717	.3695	----	----	----	----	39 UNCH
7250	----	----	----/5.690A	6.921B/5.690A	----	6.372 - 1.741	.3792	----	----	----	----	169 UNCH
7300	----	----	----/6.067A	7.140B/6.067A	----	6.621 - 1.766	.3889	----	----	----	----	25 UNCH
7325	----	----	----/6.269A	7.250B/6.269A	----	6.747 - 1.780	.3938	----	----	1	----	0 - 1
7375	----	----	----/6.299A	7.607B/6.299A	----	7.005 - 1.805	.4035	----	----	----	----	149 UNCH
7400	----	----	----/6.618A	7.670B/6.618A	----	7.136 - 1.818	.4083	----	----	----	----	21 UNCH
7450	----	----	----/6.857A	7.949B/6.857A	----	7.403 - 1.843	.4180	----	----	----	----	1 UNCH
7500	7.000	7.000	8.298B/6.955A	8.298B/6.955A	----	7.674 - 1.870	.4276	----	----	2	----	38 + 1
7525	----	----	----/7.225A	8.401B/7.225A	----	7.812 - 1.883	.4324	----	----	----	----	2 UNCH
7550	----	----	----/7.353A	8.534B/7.353A	----	7.952 - 1.896	.4372	----	----	----	----	7 UNCH
7600	----	----	----/7.517A	8.836B/7.517A	----	8.235 - 1.923	.4468	----	----	2	----	3 - 1
7625	----	----	----/7.751A	9.006B/7.751A	----	8.378 - 1.937	.4515	----	----	----	----	1 UNCH
7700	----	----	----/8.040A	9.463B/8.040A	----	8.817 - 1.977	.4656	----	----	----	----	1 UNCH
7800	9.100	9.100	10.082B/8.591A	10.082B/8.591A	----	9.420 - 2.032	.4842	----	----	2	----	4 + 2
7850	----	----	----/8.880A	10.410B/8.880A	----	9.729 - 2.060	.4933	----	----	----	----	1 UNCH
7900	----	----	----/9.153A	10.757B/9.153A	----	10.044 - 2.087	.5024	----	----	----	----	8 UNCH
7975	----	----	----/9.624A	11.241B/9.624A	----	10.524 - 2.130	.5158	----	----	----	----	5 UNCH
8000	----	----	----/9.638A	11.516B/9.638A	----	10.687 - 2.143	.5202	----	----	----	----	291 UNCH
8100	----	----	----/10.333A	12.156B/10.333A	----	11.349 - 2.199	.5376	----	----	----	----	25 UNCH
8125	----	----	----/10.555A	12.280B/10.555A	----	11.517 - 2.213	.5419	----	----	----	----	4 UNCH
8250	----	----	----/11.242A	13.233B/11.242A	----	12.376 - 2.282	.5628	----	----	----	----	46 UNCH
8300	----	----	----/11.505A	13.641B/11.505A	----	12.727 - 2.309	.5710	----	----	----	----	120 UNCH
8375	----	----	----/12.199A	14.098B/12.199A	----	13.261 - 2.350	.5830	----	----	----	----	1 UNCH
8400	----	----	----/12.305A	14.283B/12.305A	----	13.441 - 2.364	.5869	----	----	----	----	7 UNCH
8500	----	----	----/12.848A	15.143B/12.848A	----	14.171 - 2.417	.6023	----	----	----	----	53 UNCH
8600	----	----	----/13.548A	15.914B/13.548A	----	14.917 - 2.469	.6172	----	----	----	----	56 UNCH
8700	----	----	----/14.421A	16.595B/14.421A	----	15.676 - 2.520	.6316	----	----	----	----	4 UNCH
9000	----	----	----/16.526A	19.124B/16.526A	----	18.031 - 2.666	.6717	----	----	----	----	308 UNCH
9200	----	----	----/18.296A	20.703B/18.296A	----	19.659 - 2.754	.6958	----	----	----	----	11 UNCH
9400	----	----	----/19.910A	22.417B/19.910A	----	21.326 - 2.835	.7181	----	----	----	----	1 UNCH
9450	----	----	----/20.320A	22.850B/20.320A	----	21.749 - 2.854	.7234	----	----	----	----	12 UNCH
9500	----	----	----/20.535A	23.412B/20.535A	----	22.173 - 2.873	.7285	----	----	----	----	218 UNCH
9600	----	----	----/21.331A	24.288B/21.331A	----	23.028 - 2.909	.7385	----	----	----	----	50 UNCH
9900	----	----	----/24.001A	26.809B/24.001A	----	25.638 - 3.005	.7660	----	----	----	----	6 UNCH
9950	----	----	----/24.433A	27.257B/24.433A	----	26.079 - 3.018	.7703	----	----	----	----	5 UNCH
10000	----	----	----/24.760A	27.842B/24.760A	----	26.521 - 3.032	.7744	----	----	----	----	205 UNCH
10275	----	----	----/27.298A	30.201B/27.298A	----	28.981 - 3.097	.7956	----	----	----	----	7 UNCH
10500	----	----	----/29.314A	32.268B/29.314A	----	31.023 - 3.139	.8112	----	----	----	----	3 UNCH
10600	----	----	----/30.216A	33.266B/30.216A	----	31.939 - 3.154	.8176	----	----	----	----	9 UNCH
11000	----	----	----/33.773A	37.063B/33.773A	----	35.639 - 3.207	.8406	----	----	----	----	217 UNCH
11300	----	----	----/36.669A	39.801B/36.669A	----	38.450 - 3.235	.8553	----	----	----	----	10 UNCH
11500	----	----	----/38.528A	41.665B/38.528A	----	40.338 - 3.250	.8641	----	----	----	----	1 UNCH
12000	----	----	----/43.254A	46.452B/43.254A	----	45.098 - 3.280	.8832	----	----	----	----	15 UNCH
13000	----	----	----/52.825A	56.128B/52.825A	----	54.742 - 3.323	.9121	----	----	----	----	6 UNCH
TOTAL										326	0	10026 + 58
AUG26												
3300	----	----	----	0.098B/0.289A	----	0.180 - 0.059	.0137	----	----	----	----	2 UNCH
3900	----	----	----/0.441A	0.263B/0.441A	----	0.378 - 0.124	.0282	----	----	----	----	2 UNCH
4175	----	----	----/0.552A	0.379B/0.552A	----	0.503 - 0.164	.0373	----	----	----	----	1 UNCH
4300	----	----	----/0.613A	0.446B/0.613A	----	0.569 - 0.187	.0421	----	----	----	----	1 UNCH
4350	----	----	----/0.639A	0.475B/0.639A	----	0.598 - 0.197	.0442	----	----	----	----	1 UNCH
4375	----	----	----/0.652A	0.490B/0.652A	----	0.613 - 0.202	.0453	----	----	----	----	160 UNCH
4500	----	----	----/0.724A	0.572B/0.724A	----	0.691 - 0.230	.0509	----	----	----	----	2 UNCH
4600	----	----	----/0.787A	0.654B/0.787A	----	0.761 - 0.253	.0559	----	----	----	----	2 UNCH
4625	----	----	----/0.804A	0.674B/0.804A	----	0.779 - 0.260	.0571	----	----	----	----	1 UNCH
4700	----	----	----/0.856A	0.742B/0.856A	----	0.837 - 0.280	.0612	----	----	----	----	1 UNCH
4775	----	----	----/0.913A	0.874B/0.913A	----	0.898 - 0.302	.0655	----	----	----	----	1 UNCH
4800	----	----	----/0.932A	0.843B/0.932A	----	0.919 - 0.310	.0669	----	----	----	----	16 UNCH
4825	----	----	----/*0.952A	0.919B/0.952A	----	0.941 - 0.318	.0685	----	----	----	----	1 UNCH
5000	----	----	----/1.061A	1.061B/1.061A	----	1.108 - 0.378	.0799	----	----	----	----	14 UNCH
5275	----	----	----/1.319A	1.279B/1.319A	----	1.430 - 0.494	.1010	----	----	----	----	1 UNCH
5300	----	----	----/1.385A	1.275B/1.385A	----	1.463 - 0.506	.1031	----	----	----	----	1 UNCH
5500	----	----	----/1.928A	1.694B/1.928A	----	1.757 - 0.610	.1214	----	----	----	----	26 UNCH
5675	----	----	----/2.278A	2.034B/2.278A	----	2.058 - 0.714	.1395	----	----	----	----	9 UNCH
5800	----	----	----/2.515A	2.203B/2.515A	----	2.301 - 0.794	.1535	----	----	----	----	4 UNCH
5850	----	----	----/2.629A	2.415B/2.629A	----	2.405 - 0.827	.1593	----	----	----	----	2 UNCH
5875	----	----	----/2.673A	2.315B/2.673A	----	2.459 - 0.844	.1623	----	----	----	----	12 UNCH
5900	----	----	----/2.698A	2.535B/2.698A	----	2.513 - 0.862	.1653	----	----	----	----	5 UNCH
5950	----	----	----/2.826A	2.653B/2.826A	----	2.626 - 0.897	.1715	----	----	----	----	16 UNCH
6000	----	----	----/2.923A	2.600B/2.923A	----	2.743 - 0.932	.1778	----	----	----	----	139 UNCH
6100	----	----	----/3.171A	2.838B/3.171A	----	2.990 - 1.006	.1909	----	----	----	----	9 UNCH
6300	3.222	3.222	3.608B/3.222	3.608B/3.222	----	3.542 - 1.157	.2187	----	----	1	----	0 - 1
6500	----	----	----/4.315A	4.230B/4.315A	----	4.176 - 1.312	.2484	----	----	----	----	156 UNCH
6600	----	----	----/4.644A	4.451B/4.644A	----	4.525 - 1.390	.2639	----	----	----	----	13 UNCH
6725	----	----	----/5.059A	4.861B/5.059A	----	4.992 - 1.487	.2838	----	----	----	----	7 UNCH
6825	----	----	----/5.441A	5.271B/5.441A	----	5.392 - 1.562	.3000	----	----	----	----	7 UNCH
7000	----	----	----/6.118A	6.196B/6.118A	----	6.147 - 1.689	.3289	----	----	----	----	6 UNCH
7050	----	----	----/6.325A	6.438B/6.325A	----	6.376 - 1.723	.3373	----	----	----	----	1 UNCH
7100	----	----	----/6.513A	6.686B/6.513A	----	6.611 - 1.757	.3456	----	----	----	----	2 UNCH
7350	----	----	----/7.651A	8.260B/7.651A	----	7.874 - 1.910	.3874	----	----	----	----	6 UNCH
7400	----	----	----/7.864A	8.284B/7.864A	----	8.144 - 1.937	.3957	----	----	----	----	4 UNCH
7500	----	----	----/8.355A	9.099B/8.355A	----	8.700 - 1.990	.4123	----	----	----	----	6 UNCH
7550	----	----	----/8.636A	9.153B/8.636A	----	8.986 - 2.015	.4204	----	----	----	----	5 UNCH
7700	----	----	----/9.412A	10.066B/9.412A	----	9.874 - 2.086	.4446	----	----	----	----	25 UNCH
8000	----	----	----/11.130A	12.015B/11.130A	----	11.775 - 2.214	.4909	----	----	----	----	20 UNCH
8150	----	----	----/12.082A	13.046B/12.082A	----	12.779 - 2.275	.5129	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
8200	----	----	----/12.381A	13.397B/12.381A	----	13.121 - 2.295	.5201	----	----	----	----	10 UNCH
8250	----	----	----/12.696A	13.752B/12.696A	----	13.466 - 2.315	.5272	----	----	----	----	5 UNCH
8500	----	----	----/14.385A	15.579B/14.385A	----	15.240 - 2.415	.5612	----	----	----	----	20 UNCH
9000	----	----	----/17.989A	19.456B/17.989A	----	19.000 - 2.610	.6228	----	----	----	----	29 UNCH
9300	----	----	----/20.348A	21.435B/20.348A	----	21.375 - 2.717	.6555	----	----	----	----	1 UNCH
9500	----	----	----/21.922A	23.089B/21.922A	----	23.002 - 2.781	.6757	----	----	----	----	30 UNCH
10000	----	----	----/26.474A	24.993B/26.474A	----	27.199 - 2.921	.7206	----	----	----	----	6 UNCH
10175	----	----	----	14.653B/38.870A	----	28.707 - 2.962	.7346	----	----	----	----	15 UNCH
TOTAL										1	0	813 - 1
SEP26												
2500	----	----	----	0.001B/4.223A	----	0.059 - 0.020	.0045	----	----	----	----	60 UNCH
3000	----	----	----	0.080B/0.306A	----	0.139 - 0.045	.0102	----	----	----	----	22 UNCH
3500	----	----	----	0.205B/0.420A	----	0.285 - 0.088	.0203	----	----	----	----	74 UNCH
4000	----	----	----/0.622A	0.422B/0.622A	----	0.540 - 0.157	.0368	----	----	----	----	46 UNCH
4500	----	----	----/0.933A	0.773B/0.933A	----	0.900 - 0.263	.0597	----	----	----	----	12 UNCH
5000	----	----	----/1.404A	1.282B/1.404A	----	1.430 - 0.421	.0917	----	----	----	----	232 UNCH
5100	----	----	----/1.523A	1.291B/1.523A	----	1.564 - 0.461	.0994	----	----	----	----	1 UNCH
5500	----	----	----/2.567A	1.901B/2.567A	----	2.219 - 0.650	.1353	----	----	----	----	228 UNCH
5600	----	----	----/2.742A	2.076B/2.742A	----	2.416 - 0.706	.1455	----	----	----	----	1 UNCH
5700	----	----	----/2.902A	2.291B/2.902A	----	2.629 - 0.763	.1563	----	----	----	----	2 UNCH
5800	----	----	----/3.092A	2.525B/3.092A	----	2.857 - 0.823	.1675	----	----	----	----	7 UNCH
5900	----	----	----/3.311A	2.772B/3.311A	----	3.101 - 0.886	.1793	----	----	----	----	50 UNCH
6000	----	----	----/3.573A	3.039B/3.573A	----	3.363 - 0.951	.1915	----	----	----	----	128 UNCH
6050	----	----	----/3.708A	3.179B/3.708A	----	3.500 - 0.985	.1978	----	----	----	----	15 UNCH
6300	----	----	----/4.454A	3.986B/4.454A	----	4.256 - 1.157	.2307	----	----	----	----	3 UNCH
6400	----	----	----/4.777A	4.356B/4.777A	----	4.592 - 1.228	.2445	----	----	----	----	1 UNCH
6425	----	----	----/4.864A	4.422B/4.864A	----	4.679 - 1.246	.2480	----	----	----	----	1 UNCH
6500	----	----	----/5.089A	4.745B/5.089A	----	4.948 - 1.299	.2587	----	----	----	----	55 UNCH
6900	----	----	----/6.646A	6.501B/6.646A	----	6.580 - 1.581	.3177	----	----	----	----	1 UNCH
7000	----	----	----/7.076A	6.991B/7.076A	----	7.041 - 1.648	.3328	----	----	----	----	16 UNCH
7025	----	----	----/7.199A	6.968B/7.199A	----	7.159 - 1.665	.3366	----	----	----	----	1 UNCH
7100	----	----	----/7.508A	7.500B/7.508A	----	7.523 - 1.714	.3480	----	----	----	----	16 UNCH
7125	----	----	----/7.660A	7.464B/7.660A	----	7.647 - 1.730	.3518	----	----	----	----	25 UNCH
7175	----	----	----/7.899A	7.674B/7.899A	----	7.899 - 1.762	.3594	----	----	----	----	20 UNCH
7200	----	----	----/7.967A	8.029B/7.967A	----	8.026 - 1.778	.3632	----	----	----	----	50 UNCH
7400	----	----	----/8.914A	9.144B/8.914A	----	9.097 - 1.896	.3934	----	----	----	----	20 UNCH
7500	----	----	----/9.438A	9.730B/9.438A	----	9.663 - 1.951	.4083	----	----	----	----	3 UNCH
7550	----	----	----/9.704A	10.030B/9.704A	----	9.954 - 1.977	.4157	----	----	----	----	2 UNCH
7700	----	----	----/10.530A	10.956B/10.530A	----	10.854 - 2.052	.4375	----	----	----	----	1 UNCH
7800	----	----	----/11.104A	11.594B/11.104A	----	11.476 - 2.099	.4517	----	----	----	----	4 UNCH
7900	----	----	----/11.692A	12.249B/11.692A	----	12.115 - 2.143	.4656	----	----	----	----	1 UNCH
8000	----	----	----/12.275A	12.919B/12.275A	----	12.769 - 2.186	.4792	----	----	----	----	40 UNCH
8100	----	----	----/12.900A	13.604B/12.900A	----	13.439 - 2.226	.4925	----	----	----	----	1 UNCH
8200	----	----	----/13.540A	14.302B/13.540A	----	14.122 - 2.265	.5056	----	----	----	----	1 UNCH
8500	----	----	----/15.548A	16.477B/15.548A	----	16.243 - 2.377	.5428	----	----	----	----	225 UNCH
8700	----	----	----/16.934A	17.985B/16.934A	----	17.714 - 2.444	.5661	----	----	----	----	100 UNCH
9000	----	----	----/19.146A	20.321B/19.146A	----	19.995 - 2.539	.5987	----	----	----	----	74 UNCH
9300	----	----	----/21.436A	22.736B/21.436A	----	22.357 - 2.624	.6288	----	----	----	----	1 UNCH
9400	----	----	----/22.221A	23.470B/22.221A	----	23.161 - 2.651	.6382	----	----	----	----	1 UNCH
10150	----	----	----/28.772A	28.625B/28.772A	----	29.406 - 2.826	.7006	----	----	----	----	1 UNCH
10300	----	----	----/30.050A	29.042B/30.050A	----	30.695 - 2.856	.7115	----	----	----	----	1 UNCH
TOTAL											0	1543 0
OCT26												
2675	----	----	----	0.044B/0.299A	----	0.107 - 0.035	.0074	----	----	----	----	8 UNCH
3250	----	----	----	0.177B/0.424A	----	0.229 - 0.074	.0157	----	----	----	----	1 UNCH
4000	----	----	----/0.745A	0.518B/0.745A	----	0.578 - 0.170	.0377	----	----	----	----	3 UNCH
4500	----	----	----/1.105A	0.925B/1.105A	----	1.049 - 0.280	.0638	----	----	----	----	3 UNCH
5000	----	----	----/1.638A	1.389B/1.638A	----	1.778 - 0.459	.1001	----	----	----	----	6 UNCH
5050	----	----	----/1.704A	1.392B/1.704A	----	1.865 - 0.480	.1042	----	----	----	----	1 UNCH
5150	----	----	----/2.340A	1.357B/2.340A	----	2.050 - 0.522	.1128	----	----	----	----	5 UNCH
6500	----	----	----/5.631A	5.095B/5.631A	----	5.835 - 1.238	.2602	----	----	----	----	6 UNCH
7000	----	----	----/7.644A	7.362B/7.644A	----	7.924 - 1.534	.3255	----	----	----	----	85 UNCH
7225	----	----	----/8.697A	8.378B/8.697A	----	8.994 - 1.665	.3557	----	----	----	----	87 UNCH
7500	----	----	----/10.054A	10.089B/10.054A	----	10.411 - 1.821	.3927	----	----	----	----	1 UNCH
7950	----	----	----/12.583A	12.903B/12.583A	----	12.989 - 2.057	.4521	----	----	----	----	10 UNCH
8200	----	----	----/14.117A	14.596B/14.117A	----	14.556 - 2.177	.4836	----	----	----	----	6 UNCH
8375	----	----	----/15.459A	15.512B/15.459A	----	15.708 - 2.254	.5049	----	----	----	----	1 UNCH
9100	----	----	----/20.372A	21.291B/20.372A	----	20.914 - 2.524	.5846	----	----	----	----	1 UNCH
10000	----	----	----/27.423A	28.156B/27.423A	----	28.143 - 2.753	.6629	----	----	----	----	40 UNCH
TOTAL											0	264 0
NOV26												
4500	----	----	----/1.437A	1.016B/1.437A	----	1.263 - 0.308	.0709	----	----	----	----	2 UNCH
4550	----	----	----/1.489A	1.078B/1.489A	----	1.332 - 0.324	.0742	----	----	----	----	1 UNCH
4800	----	----	----/1.782A	1.362B/1.782A	----	1.719 - 0.410	.0921	----	----	----	----	1 UNCH
5000	----	----	----	1.121B/2.764A	----	2.077 - 0.487	.1079	----	----	----	----	12 UNCH
5200	----	----	----	1.514B/3.087A	----	2.483 - 0.570	.1251	----	----	----	----	1 UNCH
5950	----	----	----/4.766A	3.520B/4.766A	----	4.458 - 0.933	.2005	----	----	----	----	1 UNCH
6700	----	----	----/7.227A	6.475B/7.227A	----	7.233 - 1.340	.2891	----	----	----	----	50 UNCH
7000	----	----	----/8.518A	7.935B/8.518A	----	8.584 - 1.504	.3266	----	----	----	----	40 UNCH
7025	----	----	----/9.032A	7.524B/9.032A	----	8.703 - 1.518	.3298	----	----	----	----	6 UNCH
7500	----	----	----/10.989A	10.713B/10.989A	----	11.150 - 1.766	.3898	----	----	----	----	3 UNCH
7700	----	----	----/12.079A	11.936B/12.079A	----	12.286 - 1.864	.4147	----	----	----	----	50 UNCH
8500	----	----	----/17.078A	17.379B/17.078A	----	17.437 - 2.200	.5071	----	----	----	----	60 UNCH
9000	----	----	----/20.627A	21.139B/20.627A	----	21.097 - 2.360	.5569	----	----	----	----	5 UNCH
9050	----	----	----/20.995A	21.527B/20.995A	----	21.478 - 2.374	.5615	----	----	----	----	3 UNCH
10000	----	----	----/28.370A	29.230B/28.370A	----	29.101 - 2.597	.6381	----	----	----	----	1 UNCH
11000	----	----	----/37.592A	36.253B/37.592A	----	37.642 - 2.770	.7008	----	----	----	----	1 UNCH
TOTAL											0	237 0
DEC26												
1500	----	----	----	----/0.130A	----	0.026 - 0.006	.0015	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/5.134A	----	0.080 - 0.019	.0046	----	----	----	----	10 UNCH
2500	----	----	----	0.003B/0.483A	----	0.144 - 0.035	.0087	----	----	----	----	32 UNCH
3000	----	----	----	0.005B/0.667A	----	0.254 - 0.063	.0155	----	----	----	----	93 UNCH
3100	----	----	----	0.030B/0.710A	----	0.283 - 0.070	.0173	----	----	----	----	1 UNCH
3150	----	----	----	0.045B/0.653A	----	0.308 - 0.075	.0187	----	----	----	----	1 UNCH
3500	----	----	----/0.600A	0.175B/0.600A	----	0.527 - 0.120	.0301	----	----	----	----	45 UNCH
3850	----	----	----	0.380B/1.154A	----	0.812 - 0.179	.0443	----	----	----	----	1 UNCH
3900	----	----	----	0.417B/1.192A	----	0.856 - 0.189	.0465	----	----	----	----	1 UNCH
3925	----	----	----	0.436B/1.212A	----	0.878 - 0.194	.0476	----	----	----	----	1 UNCH
4000	----	----	----	0.496B/1.273A	----	0.948 - 0.210	.0511	----	----	----	----	74 UNCH
4500	----	----	----/1.770A	1.031B/1.770A	----	1.518 - 0.335	.0783	----	----	----	----	32 UNCH
4600	----	----	----/1.891A	1.171B/1.891A	----	1.655 - 0.366	.0846	----	----	----	----	4 UNCH
4800	----	----	----/2.155A	1.298B/2.155A	----	1.958 - 0.431	.0982	----	----	----	----	241 UNCH
5000	----	----	----	1.251B/3.150A	----	2.299 - 0.504	.1131	----	----	----	----	357 UNCH
5250	----	----	----	1.794B/3.603A	----	2.788 - 0.605	.1337	----	----	----	----	50 UNCH
5300	----	----	----	1.971B/3.703A	----	2.894 - 0.628	.1380	----	----	----	----	250 UNCH
5400	----	----	----	2.162B/3.909A	----	3.117 - 0.672	.1470	----	----	----	----	100 UNCH
5500	----	----	----	2.427B/4.136A	----	3.352 - 0.720	.1563	----	----	----	----	86 UNCH
5600	----	----	----	2.708B/4.374A	----	3.601 - 0.769	.1660	----	----	----	----	4 UNCH
5650	----	----	----/4.498A	2.854B/4.498A	----	3.731 - 0.794	.1709	----	----	----	----	12 UNCH
5800	----	----	----/4.866A	3.316B/4.866A	----	4.142 - 0.874	.1862	----	----	----	----	1 UNCH
5950	----	----	----/5.319A	3.815B/5.319A	----	4.589 - 0.956	.2022	----	----	----	----	5 UNCH
6000	----	----	----/4.609A	3.990B/4.609A	----	4.745 - 0.985	.2076	----	----	----	----	147 UNCH
6200	----	----	----/6.108A	4.730B/6.108A	----	5.415 - 1.104	.2301	----	----	----	----	13 UNCH
6300	----	----	----/6.400A	5.126B/6.400A	----	5.776 - 1.166	.2417	----	----	----	----	25 UNCH
6500	----	----	----/7.154A	5.969B/7.154A	----	6.553 - 1.294	.2655	----	----	----	----	626 UNCH
6650	----	----	----/7.752A	6.646B/7.752A	----	7.184 - 1.392	.2837	----	----	----	----	5 UNCH
6725	----	----	----/8.741A	6.073B/8.741A	----	7.515 - 1.441	.2929	----	----	----	----	4 UNCH
6750	----	----	----/8.125A	7.118B/8.125A	----	7.627 - 1.458	.2960	----	----	----	----	6 UNCH
6800	----	----	----/8.343A	7.361B/8.343A	----	7.856 - 1.490	.3021	----	----	----	----	52 UNCH
6850	----	----	----/8.561A	7.608B/8.561A	----	8.089 - 1.523	.3083	----	----	----	----	65 UNCH
6900	----	----	----/8.806A	7.859B/8.806A	----	8.326 - 1.555	.3145	----	----	----	----	1 UNCH
6950	----	----	----/9.037A	8.114B/9.037A	----	8.568 - 1.587	.3207	----	----	----	----	101 UNCH
7000	----	----	----/8.609A	8.373B/8.609A	----	8.814 - 1.619	.3269	----	----	----	----	179 UNCH
7050	----	----	----/9.503A	8.636B/9.503A	----	9.065 - 1.649	.3331	----	----	----	----	1 UNCH
7075	----	----	----/10.454A	7.727B/10.454A	----	9.192 - 1.665	.3362	----	----	----	----	20 UNCH
7100	----	----	----/9.682A	8.904B/9.682A	----	9.320 - 1.680	.3393	----	----	----	----	2 UNCH
7200	----	----	----/10.177A	9.451B/10.177A	----	9.843 - 1.739	.3516	----	----	----	----	14 UNCH
7500	----	----	----/11.726A	11.187B/11.726A	----	11.510 - 1.901	.3883	----	----	----	----	25 UNCH
7550	----	----	----/12.014A	11.490B/12.014A	----	11.801 - 1.927	.3943	----	----	----	----	1 UNCH
7800	----	----	----/13.443A	13.056B/13.443A	----	13.317 - 2.042	.4238	----	----	----	----	20 UNCH
7850	----	----	----/13.767A	13.380B/13.767A	----	13.632 - 2.062	.4295	----	----	----	----	10 UNCH
7875	----	----	----/14.896A	12.318B/14.896A	----	13.790 - 2.073	.4324	----	----	----	----	4 UNCH
7900	----	----	----/14.067A	13.707B/14.067A	----	13.949 - 2.083	.4352	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
8000	----	----	----/14.677A	14.371B/14.677A	----	14.595 - 2.123	.4465	----	----	----	----	50 UNCH
8100	----	----	----/15.301A	15.047B/15.301A	----	15.255 - 2.159	.4575	----	----	----	----	1 UNCH
8200	----	----	----/15.884A	15.735B/15.884A	----	15.927 - 2.194	.4683	----	----	----	----	35 UNCH
8350	----	----	----/16.898A	16.790B/16.898A	----	16.959 - 2.242	.4840	----	----	----	----	9 UNCH
8400	----	----	----/17.231A	17.147B/17.231A	----	17.309 - 2.257	.4891	----	----	----	----	50 UNCH
8500	----	----	----/17.908A	17.868B/17.908A	----	18.017 - 2.286	.4992	----	----	----	----	160 UNCH
8600	----	----	----/18.557A	18.599B/18.557A	----	18.736 - 2.313	.5091	----	----	----	----	2 UNCH
8800	----	----	----/19.962A	20.090B/19.962A	----	20.206 - 2.361	.5281	----	----	----	----	10 UNCH
8900	----	----	----/20.696A	20.849B/20.696A	----	20.956 - 2.382	.5372	----	----	----	----	30 UNCH
9000	----	----	----/21.424A	21.616B/21.424A	----	21.714 - 2.404	.5461	----	----	----	----	3 UNCH
9050	----	----	----/21.792A	22.002B/21.792A	----	22.097 - 2.413	.5505	----	----	----	----	100 UNCH
9500	----	----	----/25.190A	25.562B/25.190A	----	25.628 - 2.491	.5874	----	----	----	----	2 UNCH
9850	----	----	----/27.946A	28.420B/27.946A	----	28.466 - 2.543	.6133	----	----	----	----	8 UNCH
9950	----	----	----/28.748A	29.248B/28.748A	----	29.290 - 2.556	.6203	----	----	----	----	1 UNCH
10025	----	----	----/30.669A	28.387B/30.669A	----	29.910 - 2.568	.6254	----	----	----	----	3 UNCH
10125	----	----	----/31.485A	29.351B/31.485A	----	30.742 - 2.581	.6321	----	----	----	----	1 UNCH
10700	----	----	----/34.970A	34.130B/34.970A	----	35.603 - 2.662	.6678	----	----	----	----	5 UNCH
10800	----	----	----/35.789A	35.123B/35.789A	----	36.462 - 2.675	.6736	----	----	----	----	2 UNCH
11000	----	----	----/38.725A	36.869B/38.725A	----	38.189 - 2.703	.6847	----	----	----	----	2 UNCH
11500	----	----	----/43.055A	40.139B/43.055A	----	42.563 - 2.770	.7104	----	----	----	----	1 UNCH
12000	----	----	----	14.062B/75.361A	----	47.008 - 2.834	.7335	----	----	----	----	1 UNCH
12100	----	----	----	14.750B/74.585A	----	47.905 - 2.846	.7378	----	----	----	----	1 UNCH
12300	----	----	----	16.142B/80.410A	----	49.705 - 2.871	.7462	----	----	----	----	1 UNCH
15000	----	----	----	39.179B/108.162A	----	74.750 - 3.121	.8301	----	----	----	----	1 UNCH
19000	----	----	----	80.634B/142.088A	----	113.322 - 3.323	.8962	----	----	----	----	1 UNCH
TOTAL											0	3401 0
JAN27												
3800	----	----	----	0.001B/7.300A	----	1.568 - 0.911	.0624	----	----	----	----	1 UNCH
7125	----	----	----	0.184B/19.598A	----	10.216 - 1.818	.3334	----	----	----	----	1 UNCH
8600	----	----	----	8.580B/29.588A	----	19.305 - 3.519	.4879	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
7175	----	----	----	----	----	16.024 - 1.083	.3058	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
8000	----	----	#3.632B/----	3.632B/2.888A	----	2.568 + 0.374	.3794	----	----	----	----	5 UNCH
TOTAL											0	5 0
SO2 CALL		SILVER OPTIONS										
APR26												
6200	----	----	----	----	----	13.418 + 3.272	.9859	----	----	----	----	1 UNCH
6800	----	----	#7.148B/----	#7.148B/8.932A	----	7.526 + 2.831	.9378	----	----	----	----	2 UNCH
7000	----	----	#6.535B/----	#6.535B/8.354A	----	5.648 + 2.453	.8877	----	----	----	----	2 UNCH
7050	----	----	#6.308B/----	#6.308B/8.839A	----	5.197 + 2.332	.8689	----	----	----	----	2 UNCH
7110	----	----	----	----	----	4.671 + 2.176	.8418	----	----	----	----	1 UNCH
7200	----	----	----	1.051B/4.626A	----	3.918 + 1.920	.7919	----	----	----	----	2 UNCH
7300	----	----	1.958B/----	1.958B/2.569A	----	3.147 + 1.617	.7224	----	----	----	----	4 UNCH
7350	----	----	2.039B/----	2.039B/2.111A	----	2.791 + 1.463	.6825	----	----	----	----	4 UNCH
7355	----	----	1.861B/----	1.861B/2.048A	----	2.757 + 1.448	.6784	----	----	----	----	3 UNCH
7400	2.030	2.030	2.046B/1.563	2.046B/1.563	----	2.459 + 1.312	.6397	----	----	2	----	106 UNCH
7450	----	----	2.039B/----	2.039B/1.590A	----	2.150 + 1.164	.5945	----	----	----	----	2 UNCH
7475	----	----	1.936B/----	1.936B/1.401A	----	2.005 + 1.092	.5713	----	----	----	----	3 UNCH
7500	3.000	3.000	3.101B/1.345A	3.101B/1.345A	----	1.867 + 1.023	.5477	----	----	4	----	22 UNCH
7550	----	----	2.007B/----	2.007B/1.186A	----	1.609 + 0.890	.5000	----	----	----	----	2 UNCH
7600	----	----	2.201B/----	2.201B/0.987A	----	1.377 + 0.767	.4523	----	----	----	----	7 UNCH
7605	----	----	#1.605B/----	1.605B/0.942A	----	1.355 + 0.755	.4476	----	----	----	----	5 UNCH
7675	2.000	2.000	2.000/0.703A	2.000/0.703A	----	1.076 + 0.603	.3826	----	----	3	----	2 + 1
7700	----	----	1.770B/----	1.770B/0.725A	----	0.987 + 0.553	.3602	----	----	----	----	10 UNCH
7750	----	----	1.504B/----	1.504B/0.641A	----	0.828 + 0.464	.3172	----	----	----	----	1 UNCH
7775	----	----	1.447B/----	1.447B/0.536A	----	0.756 + 0.422	.2967	----	----	----	----	1 UNCH
7800	1.200	1.200	1.510/0.399A	1.510/0.399A	----	0.689 + 0.384	.2768	----	----	13	----	20 - 1
7900	0.450	0.450	0.901B/0.416A	0.901B/0.416A	----	0.469 + 0.257	.2057	----	----	3	----	4 UNCH
7925	0.750	0.750	0.802B/0.384A	0.802B/0.384A	----	0.424 NEW	.1899	----	----	5	----	5 + 5
8000	0.413	0.413	0.567B/0.271	0.567B/0.271	----	0.312 + 0.167	.1481	----	----	3	----	31 - 1
8100	0.491	0.491	0.491/0.234A	0.491/0.234A	----	0.205 + 0.105	.1042	----	----	1	----	23 + 1
8150	----	----	0.231B/----	0.231B/0.219A	----	0.170 + 0.084	.0883	----	----	----	----	1 UNCH
8250	----	----	0.137B/----	0.137B/0.179A	----	0.119 + 0.053	.0638	----	----	----	----	7 UNCH
8300	0.057	0.057	0.103B/*0.057	0.103B/*0.057	----	0.101 NEW	.0547	----	----	1	----	1 + 1
8400	0.210	0.210	0.211/*0.152A	0.211/0.152A	----	0.074 + 0.027	.0406	----	----	5	----	5 UNCH
8500	0.039	0.039	0.100B/*0.030	0.100B/*0.030	----	0.056 + 0.017	.0309	----	----	10	----	17 - 10
8625	----	----	----	0.002B/0.128A	----	0.041 + 0.009	.0225	----	----	----	----	2 UNCH
8800	----	----	----	0.001B/*0.115A	----	0.023 + 0.002	.0130	----	----	----	----	6 UNCH
9000	----	----	----	----/0.104A	----	0.009 UNCH	.0055	----	----	----	----	16 UNCH
9125	----	----	----	----/*0.099A	----	0.004 - 0.002	.0026	----	----	----	----	2 UNCH
9200	----	----	----	----/0.110A	----	0.003 - 0.001	.0020	----	----	----	----	7 UNCH
9225	0.050	0.050	0.050/*0.020	0.050/*0.020	----	0.003 NEW	.0020	----	----	2	----	2 + 2
9500	----	----	----	----/*0.110A	----	0.001 UNCH	.0007	----	----	----	----	2 UNCH
9700	0.050	0.050	0.050/0.050	0.050/0.050	----	0.001 UNCH	.0006	----	----	5	----	0 - 5
TOTAL										57	0	333 - 7
SO2 PUT		SILVER OPTIONS										
APR26												
5500	----	----	----	----/0.150A	----	0.004 - 0.023	.0016	----	----	----	----	14 UNCH
5800	----	----	----	----/0.120A	----	0.010 - 0.047	.0041	----	----	----	----	2 UNCH
6000	----	----	----/*0.030A	0.001B/*0.030A	----	0.019 - 0.079	.0077	----	----	----	----	43 UNCH
6100	0.035	0.035	0.035/*0.030	0.035/*0.030	----	0.027 - 0.102	.0108	----	----	3	----	10 UNCH
6200	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.035 - 0.126	.0140	----	----	1	----	4 UNCH
6250	----	----	----/*0.118A	0.030B/*0.118A	----	0.041 - 0.140	.0164	----	----	----	----	2 UNCH
6300	0.110	0.110	0.110/*0.108A	0.110/*0.108A	----	0.045 - 0.158	.0182	----	----	1	----	2 UNCH
6400	----	----	----/*0.139A	0.008B/*0.139A	----	0.055 - 0.201	.0227	----	----	----	----	12 UNCH
6450	----	----	----/*0.147A	0.006B/*0.147A	----	0.061 - 0.228	.0254	----	----	----	----	2 UNCH
6500	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.068 - 0.259	.0286	----	----	3	----	19 UNCH
6575	----	----	----/*0.165A	0.028B/*0.165A	----	0.081 - 0.313	.0344	----	----	----	----	2 UNCH
6600	----	----	----/*0.163A	0.065B/*0.163A	----	0.086 - 0.334	.0367	----	----	----	----	25 UNCH
6650	----	----	----/*0.172A	0.065B/*0.172A	----	0.097 - 0.381	.0416	----	----	----	----	2 UNCH
6700	----	----	----/*0.177A	0.127B/*0.177A	----	0.109 - 0.435	.0471	----	----	----	----	9 UNCH
6750	----	----	----/*0.185A	0.138B/*0.185A	----	0.124 - 0.497	.0539	----	----	----	----	3 UNCH
6800	0.240	0.240	0.240/*0.209A	0.240/*0.209A	----	0.143 - 0.566	.0621	----	----	1	----	3 - 1
6870	----	----	----/*0.217A	0.215B/*0.217A	----	0.175 - 0.680	.0759	----	----	----	----	3 UNCH
6950	----	----	----/*0.261A	0.354B/*0.261A	----	0.224 - 0.834	.0962	----	----	----	----	3 UNCH
6960	----	----	----/*0.267A	0.371B/*0.267A	----	0.231 - 0.856	.0991	----	----	----	----	1 UNCH
7000	0.250	0.250	0.250/*0.250	0.480B/*0.250	----	0.264 - 0.945	.1122	----	----	4	----	12 UNCH
7025	----	----	----/*0.307A	0.493B/*0.307A	----	0.287 - 1.004	.1212	----	----	----	----	1 UNCH
7050	----	----	----/*0.323A	0.547B/*0.323A	----	0.313 - 1.065	.1310	----	----	----	----	1 UNCH
7085	----	----	----/*0.333A	0.630B/*0.333A	----	0.354 - 1.155	.1462	----	----	----	----	2 UNCH
7100	0.600	0.600	0.600/*0.341A	0.706B/*0.341A	----	0.373 - 1.195	.1531	----	----	4	----	7 + 4
7110	0.400	0.400	0.400/*0.347A	0.692B/*0.347A	----	0.387 - 1.221	.1581	----	----	2	----	2 UNCH
7115	----	----	----/*0.355A	0.706B/*0.355A	----	0.394 - 1.235	.1606	----	----	----	----	5 UNCH
7135	----	----	----/*0.365A	0.761B/*0.365A	----	0.423 - 1.290	.1708	----	----	----	----	1 UNCH
7150	0.450	0.450	0.450/*0.390A	0.805B/*0.390A	----	0.446 - 1.333	.1788	----	----	3	----	3 + 1
7155	0.260	0.260	0.260/*0.260	0.818B/*0.260	----	0.454 NEW	.1815	----	----	1	----	1 + 1
7175	----	----	----/*0.395A	0.878B/*0.395A	----	0.488 - 1.404	.1929	----	----	----	----	1 UNCH
7180	----	----	----/*0.402A	0.894B/*0.402A	----	0.497 - 1.419	.1959	----	----	----	----	1 UNCH
7195	----	----	----/*0.416A	0.941B/*0.416A	----	0.524 - 1.463	.2049	----	----	----	----	1 UNCH
7200	0.350	0.350	0.350/*0.350	0.998B/*0.350	----	0.534 - 1.477	.2080	----	----	1	----	3 + 1
7325	----	----	----/*0.582A	1.414B/*0.582A	----	0.832 - 1.857	.2971	----	----	----	----	1 UNCH
7400	----	----	----/*0.728A	1.762B/*0.728A	----	1.074 - 2.085	.3602	----	----	1	50	51 + 50
7450	1.040	1.040	1.040/*0.857A	1.984B/*0.857A	----	1.265 NEW	.4054	----	----	1	----	1 + 1
7500	1.200	1.200	1.425/*0.976A	2.197B/*0.976A	----	1.482 - 2.374	.4522	----	----	5	----	4 + 3
7505	0.947	0.947	0.947/*0.936A	2.192B/*0.936A	----	1.505 NEW	.4570	----	----	1	----	1 + 1
7520	0.901	0.901	0.901/*0.900A	2.204B/*0.900A	----	1.576 NEW	.4712	----	----	1	----	1 + 1
7580	1.981	1.981	1.981/*1.200A	2.212B/*1.200A	----	1.882 NEW	.5285	----	----	3	----	3 + 3
7600	1.478	1.478	1.500/*1.100	2.267B/*1.100	----	1.992 - 2.630	.5476	----	----	6	----	5 + 4
7675	2.000	2.000	2.000/*1.545A	2.206B/*1.545A	----	2.441 NEW	.6173	----	----	2	----	1 + 1
7700	1.216	1.216	1.216/*1.216	2.224B/*1.216	----	2.602 NEW	.6397	----	----	3	----	3 + 3
TOTAL										47	50	273 + 73
SO3 CALL		SILVER OPTIONS										
APR26												
7000	----	----	----	2.123B/8.252A	----	6.436 + 2.084	.7778	----	----	----	----	7 UNCH
7100	----	----	----	3.401B/6.556A	----	5.660 + 1.902	.7387	----	----	----	----	1 UNCH
7300	----	----	3.859B/----	3.859B/3.719A	----	4.250 + 1.522	.6467	----	----	----	----	3 UNCH
7400	----	----	3.835B/----	3.835B/3.184A	----	3.626 + 1.332	.5948	----	----	----	----	1 UNCH
7420	----	----	#3.717B/----	#3.717B/3.110A	----	3.509 + 1.295	.5841	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 CALL		SILVER OPTIONS										
APR26												
7500	----	----	3.828B/----	3.828B/2.713A	----	3.062 + 1.148	.5403	----	----	----	----	17 UNCH
7550	2.869	2.869	3.681B/2.534A	3.681B/2.534A	----	2.804 NEW	.5125	----	----	1	----	1 + 1
7575	----	----	3.606B/----	3.606B/2.424A	----	2.680 + 1.018	.4986	----	----	----	----	2 UNCH
7600	----	----	3.614B/----	3.614B/2.298A	----	2.561 + 0.976	.4846	----	----	3	----	6 + 3
7750	----	----	2.794B/----	2.794B/1.813A	----	1.926 + 0.745	.4020	----	----	----	----	2 UNCH
7800	----	----	2.603B/----	2.603B/1.632A	----	1.746 + 0.677	.3755	----	----	----	----	3 UNCH
7825	2.499	2.499	2.499/1.596A	2.499/1.596A	----	1.661 NEW	.3626	----	----	3	----	3 + 3
7875	2.277	2.277	2.277/1.479A	2.277/1.479A	----	1.502 NEW	.3373	----	----	4	----	4 + 4
7975	----	----	1.785B/----	1.785B/1.249A	----	1.225 + 0.474	.2899	----	----	----	----	2 UNCH
8000	1.180	1.180	1.728B/1.162A	1.728B/1.162A	----	1.164 + 0.450	.2788	----	----	2	----	3 + 2
8300	----	----	0.836B/----	0.836B/0.710A	----	0.636 NEW	.1709	----	----	3	----	3 + 3
8500	0.701	0.701	0.740/*0.330	0.740/*0.330	----	0.441 + 0.157	.1237	----	----	11	----	18 + 7
8800	----	----	0.204B/----	0.204B/0.334A	----	0.273 + 0.091	.0790	----	----	----	----	1 UNCH
8875	0.200	0.200	0.200/*0.200	0.200/*0.200	----	0.228 NEW	.0678	----	----	2	----	2 + 2
TOTAL										29	0	84 + 25
SO3 PUT		SILVER OPTIONS										
APR26												
4000	----	----	----	----/0.168A	----	0.002 - 0.005	.0004	----	----	----	----	20 UNCH
5500	----	----	----/*0.171A	0.003B/*0.171A	----	0.080 - 0.118	.0178	----	----	----	----	1 UNCH
6000	----	----	----/*0.241A	0.122B/*0.241A	----	0.174 - 0.246	.0400	----	----	----	----	75 UNCH
6300	----	----	----/*0.322A	0.254B/*0.322A	----	0.289 - 0.417	.0666	----	----	----	----	2 UNCH
6400	----	----	----/*0.365A	0.327B/*0.365A	----	0.344 - 0.499	.0791	----	----	----	----	6 UNCH
6500	0.350	0.350	0.450/*0.350	0.450/*0.350	----	0.411 - 0.597	.0940	----	----	4	----	6 + 2
6825	----	----	----/*0.708A	0.892B/*0.708A	----	0.754 - 1.020	.1654	----	----	----	----	20 UNCH
7000	0.780	0.780	0.850/*0.780	1.369B/*0.780	----	1.055 - 1.312	.2221	----	----	3	----	9 + 1
7200	1.828	1.828	1.828/*1.272A	2.028B/*1.272A	----	1.548 NEW	.3050	----	----	3	----	3 + 3
7300	----	----	----/*1.510A	2.423B/*1.510A	----	1.867 - 1.873	.3532	----	----	----	----	10 UNCH
7380	----	----	----/*1.764A	2.789B/*1.764A	----	2.163 - 2.025	.3945	----	----	----	----	2 UNCH
7500	2.200	2.200	3.417B/*2.122A	3.417B/*2.122A	----	2.678 - 2.246	.4596	----	----	2	----	2 + 1
7550	3.350	3.350	3.678B/*2.338A	3.678B/*2.338A	----	2.918 - 2.335	.4874	----	----	2	----	2 + 2
7625	3.800	3.800	3.800/*2.630A	4.066B/*2.630A	----	3.309 - 2.460	.5292	----	----	1	----	0 - 1
TOTAL										15	0	158 + 8
SO4 CALL		SILVER OPTIONS										
APR26												
7800	----	----	3.454B/----	3.454B/2.305A	----	2.183 + 0.381	.3978	----	----	----	----	8 UNCH
7900	2.890	2.890	2.989B/2.215A	2.989B/2.215A	----	1.890 NEW	.3559	----	----	5	----	5 + 5
8200	----	----	1.875B/----	1.875B/1.540A	----	1.258 + 0.185	.2532	----	----	----	----	1 UNCH
8225	----	----	1.771B/----	1.771B/1.528A	----	1.222 + 0.173	.2465	----	----	----	----	2 UNCH
8300	1.775	1.775	#1.775/1.365A	#1.775/1.365A	----	1.123 NEW	.2278	----	----	1	----	1 + 1
TOTAL										6	0	17 + 6
SO4 PUT		SILVER OPTIONS										
APR26												
6050	0.400	0.400	0.400/*0.300	0.400/*0.300	----	0.401 - 0.396	.0710	----	----	7	----	0 - 7
6125	----	----	----/*0.481A	0.398B/*0.481A	----	0.453 - 0.438	.0796	----	----	----	----	2 UNCH
6400	----	----	----/*0.661A	0.721B/*0.661A	----	0.632 - 0.709	.1128	----	----	----	----	1 UNCH
7200	----	----	----/*1.952A	2.845B/*1.952A	----	1.760 NEW	.3156	----	----	1	----	1 + 1
7300	----	----	----/*2.249A	3.286B/*2.249A	----	2.106 - 2.432	.3614	----	----	----	----	1 UNCH
TOTAL										8	0	5 - 6
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----/39.384A	----	15.483 NEW	.9718	----	----	1	----	1 + 1
6000	----	----	----	----	----	15.385 + 3.376	----	----	----	1	----	0 - 1
6300	----	----	----	----/0.115A	----	0.000 - 0.080	----	----	----	----	----	0 - 10
6500	----	----	----	----/0.115A	----	0.000 - 0.102	----	----	----	----	----	0 - 10
6600	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.122	----	----	----	2	----	0 - 4
6700	----	----	----/*0.114A	----/*0.114A	----	0.000 - 0.159	----	----	----	----	----	0 - 16
6700	----	----	----/*0.425A	0.484B/*0.425A	----	0.410 NEW	.1086	----	----	1	----	1 + 1
6800	----	----	----/*0.499A	0.639B/*0.499A	----	0.509 NEW	.1327	----	----	1	----	1 + 1
6800	0.027	0.027	0.027/*0.027	0.027/*0.027	----	0.000 - 0.225	----	----	----	1	----	0 - 15
6800	1.000	1.000	1.258B/*0.930A	1.258B/*0.930A	----	0.995 - 1.129	.1847	----	----	3	----	2 - 1
6850	----	----	----/*0.122A	0.001B/*0.122A	----	0.000 - 0.276	----	----	----	----	----	0 - 1
6900	----	----	----/*0.130A	0.001B/*0.130A	----	0.000 - 0.341	----	----	----	----	----	0 - 1
7000	----	----	----/*0.697A	1.075B/*0.697A	----	0.791 - 1.173	.1967	----	----	----	----	1 UNCH
7000	0.051	0.051	0.051/*0.001	0.051/*0.001	----	0.000 - 0.527	----	----	----	3	----	0 - 4
7010	----	----	----/*0.132A	0.001B/*0.132A	----	0.000 - 0.550	----	----	----	----	----	0 - 4
7025	----	----	----/*0.126A	0.001B/*0.126A	----	0.000 - 0.587	----	----	----	----	----	0 - 1
7100	----	----	----/*0.113A	0.071B/*0.113A	----	0.000 - 0.804	----	----	----	----	----	0 - 2
7125	----	----	----/*0.111A	0.090B/*0.111A	----	0.000 - 0.889	----	----	----	----	----	0 - 1
7150	----	----	----/*0.107A	0.129B/*0.107A	----	0.000 - 0.983	----	----	----	----	----	0 - 2
7150	----	----	----	----	----	3.885 + 2.415	----	----	----	----	----	0 - 5
7175	----	----	----/*0.106A	0.174B/*0.106A	----	0.000 - 1.084	----	----	----	----	----	0 - 5
7190	----	----	----	----	----	3.485 + 2.249	----	----	----	----	----	0 - 3
7200	----	----	----/*0.105A	0.240B/*0.105A	----	0.000 - 1.193	----	----	----	----	----	0 - 9
7200	----	----	----/*1.005A	1.691B/*1.005A	----	1.218 - 1.552	.2842	----	----	----	----	1 UNCH
7200	----	----	----	0.075B/----	----	3.385 + 2.205	----	----	----	24	----	0 - 30
7250	4.700	4.700	#4.700/4.700	#4.700/4.700	----	2.885 + 1.959	----	----	----	1	----	0 - 2
7250	0.680	0.680	0.680/*0.100	0.680/*0.100	----	0.000 - 1.439	----	----	----	2	----	0 - 1
7300	----	----	0.795B/----	0.795B/----	----	2.385 + 1.676	----	----	----	14	----	0 - 16
7300	0.115	0.115	0.115/*0.107A	0.472B/*0.107A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7330	4.300	4.300	#4.300/4.300	#4.300/4.300	----	2.085 + 1.487	----	----	----	1	----	0 - 2
7350	----	----	----	0.066B/3.824A	----	1.885 + 1.354	----	----	----	----	----	0 - 12
7375	----	----	----	0.066B/3.585A	----	1.635 + 1.180	----	----	----	----	----	0 - 3
7400	1.100	1.100	1.100/1.100	1.100/1.100	----	1.385 + 0.996	----	----	----	1	----	0 - 6
7400	0.100	0.100	0.100/*0.100	0.821B/*0.100	----	0.000 - 2.402	----	----	----	6	----	0 - 5
7405	0.331	0.331	0.331/*0.102A	0.843B/*0.102A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7415	0.390	0.390	0.390/*0.104A	0.888B/*0.104A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7450	1.050	1.050	1.050/1.050	1.050/1.050	----	0.885 + 0.602	----	----	----	3	----	0 - 3
7450	0.385	0.385	0.385/*0.005	0.991B/*0.005	----	0.000 NEW	----	----	----	2	----	0 UNCH
7460	0.204	0.204	0.204/*0.006	1.020B/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7500	0.380	0.380	0.409B/0.380	0.409B/0.380	----	0.385 + 0.177	----	----	----	65	----	0 - 3
7500	0.510	0.510	0.513/*0.010	1.043B/*0.010	----	0.000 NEW	----	----	----	13	----	0 UNCH
7550	0.590	0.590	0.900B/0.355A	0.900B/0.355A	----	0.000 - 0.156	----	----	----	2	----	0 - 1
7550	0.670	0.670	0.670/*0.100	1.076B/*0.100	----	0.115 NEW	----	----	----	26	----	0 UNCH
7600	0.777	0.777	1.015/*0.354A	1.034B/*0.354A	----	0.615 NEW	----	----	----	4	----	0 UNCH
7600	0.010	0.010	1.056B/*0.010	1.056B/*0.010	----	0.000 - 0.121	----	----	----	56	----	0 - 3
7610	0.432	0.432	0.432/*0.394A	0.986B/*0.394A	----	0.715 NEW	----	----	----	1	----	0 UNCH
7625	0.500	0.500	0.500/*0.424A	1.017B/*0.424A	----	0.865 NEW	----	----	----	5	----	0 UNCH
7650	1.000	1.000	1.000/*0.100A	1.000/*0.100A	----	0.000 - 0.097	----	----	----	1	----	0 - 10
7700	0.900	0.900	0.900/*0.120A	0.900/*0.120A	----	0.000 - 0.082	----	----	----	5	----	0 - 2
7725	0.500	0.500	0.800/*0.123A	0.800/*0.123A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7750	0.450	0.450	0.611B/*0.119A	0.611B/*0.119A	----	0.000 - 0.072	----	----	----	13	----	0 - 20
7800	0.550	0.550	0.550/*0.005	0.550/*0.005	----	0.000 - 0.065	----	----	----	2	----	0 - 2
7825	----	----	0.298B/----	0.298B/0.122A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7850	1.825	1.825	1.946B/1.155A	1.946B/1.155A	----	1.228 NEW	.3226	----	----	4	----	4 + 4
7850	0.600	0.600	0.600/0.129A	0.600/0.129A	----	0.000 NEW	----	----	----	16	----	0 UNCH
7875	0.212	0.212	0.212/*0.006	0.212/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7900	0.250	0.250	0.250/0.107A	0.250/0.107A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7900	1.744	1.744	1.756B/1.025A	1.756B/1.025A	----	1.087 + 0.561	.2948	----	----	4	----	4 + 4
8000	0.235	0.235	0.250/0.100	0.250/0.100	----	0.000 - 0.055	----	----	----	3	----	0 - 2
8000	----	----	1.363B/----	1.363B/0.835A	----	0.842 NEW	.2433	----	----	2	----	2 + 2
8300	----	----	0.551B/----	0.551B/0.473A	----	0.375 NEW	.1269	----	----	2	----	2 + 2
8500	----	----	----	----/*0.111A	----	0.000 - 0.006	----	----	----	----	----	0 - 5
8725	----	----	----	----/0.111A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
8800	----	----	----	----	----	12.615 - 3.399	----	----	----	1	----	0 - 1
TOTAL										307	0	19 - 210
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week2										
APR26												
6000	0.110	0.110	0.110/*0.110	0.110/*0.110	----	0.054 - 0.190	.0172	----	----	1	----	0 - 1
6500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	----/*0.257A	0.180B/*0.257A	----	0.152 - 0.446	.0501	----	----	----	----	1 UNCH
6550	----	----	----/*0.276A	0.186B/*0.276A	----	0.172 - 0.488	.0565	----	----	----	----	1 UNCH
6700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6700	----	----	----/*0.345A	0.355B/*0.345A	----	0.251 - 0.645	.0811	----	----	----	----	1 UNCH
6890	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6955	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----/*1.142A	1.663B/*1.142A	----	1.180 - 1.420	.2321	----	----	----	----	1 UNCH
7000	----	----	----/*0.588A	0.889B/*0.588A	----	0.567 - 1.107	.1685	----	----	----	----	1 UNCH
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7025	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7055	----	----	----	----	----	1.437 UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.987 UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
APR26												
7125	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7175	----	----	----	----	----	0.237 UNCH	----	----	----	----	----	0 UNCH
7185	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.013 UNCH	----	----	----	----	----	0 UNCH
7220	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7220	----	----	----	----	----	0.213 UNCH	----	----	----	----	----	0 UNCH
7225	----	----	----	----	----	0.263 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.513 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	2.929B/----	2.929B/3.430A	----	3.665 + 1.654	.6758	----	----	----	----	1 UNCH
7300	2.800	2.800	#3.332B/*2.378A	3.332B/*2.378A	----	2.555 NEW	.3555	----	----	3	----	3 + 3
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7335	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7355	1.519	1.519	1.519/*1.213A	2.011B/*1.213A	----	1.473 NEW	.3593	----	----	1	----	1 + 1
7400	----	----	----/*1.300A	2.264B/*1.300A	----	1.645 - 1.975	.3892	----	----	----	----	2 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7475	2.521	2.521	2.521/*1.542A	2.589B/*1.542A	----	1.962 NEW	.4405	----	----	2	----	2 + 2
7475	----	----	2.300B/----	2.300B/2.178A	----	2.597 + 1.245	.5594	----	----	----	----	2 UNCH
7475	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	2.922B/----	2.922B/2.031A	----	2.462 + 1.187	.5420	----	----	----	----	1 UNCH
7520	2.164	2.164	2.164/*1.684A	2.726B/*1.684A	----	2.172 NEW	.4719	----	----	4	----	4 + 4
7525	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7535	1.820	1.820	1.820/*1.734A	2.715B/*1.734A	----	2.245 NEW	.4825	----	----	4	----	4 + 4
7580	2.449	2.449	#2.449/*1.890A	2.674B/*1.890A	----	2.475 NEW	.5142	----	----	2	----	2 + 2
7600	----	----	2.610B/----	2.610B/1.636A	----	1.967 + 0.961	.4716	----	----	----	----	7 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	1.979B/----	1.979B/1.058A	----	1.200 + 0.578	.3365	----	----	----	----	1 UNCH
7850	1.672	1.672	1.712B/0.979A	1.712B/0.979A	----	1.053 + 0.501	.3058	----	----	4	----	8 + 4
8000	----	----	1.138B/----	1.138B/0.684A	----	0.705 + 0.315	.2245	----	----	----	----	4 UNCH
TOTAL										21	0	47 + 19

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK2										
APR26												
530	----	----	#0.4755B/----	0.4755B/0.3570A	----	0.4775 + 0.2005	.9982	----	----	----	----	9 UNCH
530	----	----	----/*0.0075A	0.0010B/*0.0075	----	0.0005 - 0.0135	.0019	----	----	----	----	30 UNCH
535	----	----	----/*0.0080A	0.0015B/*0.0080	----	0.0010 - 0.0190	.0080	----	----	----	----	1 UNCH
550	----	----	#0.2790B/----	0.2790B/0.1860A	----	0.2810 + 0.1635	.9614	----	----	----	----	3 UNCH
555	0.0125	0.0125	0.0130/*0.0125	0.0310B/*0.0125	----	0.0075 NEW	.0721	----	----	20	----	20 + 20
560	----	----	#0.1860B/----	0.1860B/0.1175A	----	0.1900 + 0.1260	.8732	----	----	----	----	5 UNCH
573	----	----	0.0845B/----	0.0845B/0.0585A	----	0.0930 + 0.0670	.6255	----	----	----	----	1 UNCH
580	0.1100	0.1100	0.1100/*0.0730	0.1755B/*0.0730	----	0.0790 NEW	.5544	----	----	7	----	5 + 5
584	----	----	0.0310B/----	0.0310B/0.0330A	----	0.0400 + 0.0295	.3449	----	----	----	----	1 UNCH
590	0.0100	0.0100	0.0200/0.0100	0.0200/0.0100	----	0.0235 + 0.0170	.2186	----	----	36	----	39 + 29
595	0.0125	0.0125	0.0125/*0.0125	0.0125/0.0125	----	0.0145 NEW	.1401	----	----	20	----	20 + 20
TOTAL										83		134 + 74
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	0.0020	0.0020	#0.0020/*0.0020	#0.0020/*0.0020	----	0.0020 NEW	.0086	----	----	21	----	21 + 21
500	----	----	----	----/*0.0110A	----	0.0005 - 0.0050	.0030	----	----	----	----	3 UNCH
508	----	----	----/*0.0125A	0.0115B/*0.0125	----	0.0065 - 0.0165	.0329	----	----	----	----	0 UNCH
510	----	----	----/*0.0130A	0.0125B/*0.0130	----	0.0075 - 0.0170	.0374	----	----	----	----	0 UNCH
520	----	----	----/*0.0155A	0.0205B/*0.0155	----	0.0105 - 0.0245	.0539	----	----	----	----	0 UNCH
525	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0005 NEW	----	----	----	1	----	1 + 1
530	----	----	----/*0.0115A	0.0080B/*0.0115	----	0.0045 - 0.0235	.0305	----	----	----	----	2 UNCH
552	----	----	----/*0.0095A	0.0030B/*0.0095	----	0.0005 - 0.0375	.0000	----	----	----	----	4 UNCH
556	----	----	#0.2125B/----	0.2125B/0.1670A	----	0.2405 + 0.1320	.8375	----	----	1	----	1 UNCH
560	----	----	0.1755B/----	0.1755B/0.0930A	----	0.1780 + 0.1385	.9965	----	----	----	----	1 UNCH
565	----	----	0.1280B/----	0.1280B/0.0660A	----	0.1310 + 0.1070	.9710	----	----	----	----	1 UNCH
566	0.0045	0.0045	0.0045/*0.0045	0.0525B/*0.0045	----	0.0050 NEW	.0403	----	----	2	----	2 + 2
570	0.0210	0.0210	0.0220/*0.0200A	0.0775B/*0.0200	----	0.0115 NEW	.1271	----	----	20	----	20 + 20
571	----	----	0.1215B/----	0.1215B/0.0910A	----	0.1280 + 0.0770	.6297	----	----	1	----	1 UNCH
574	0.0380	0.0380	0.0380/*0.0300A	0.1080B/*0.0300	----	0.0220 NEW	.2876	----	----	1	----	1 + 1
575	0.0260	0.0260	0.0275/*0.0260	0.1165B/*0.0260	----	0.0255 NEW	.3400	----	----	15	----	15 + 15
575	0.0350	0.0350	0.0455B/0.0350	0.0455B/0.0310A	----	0.0525 NEW	.6599	----	----	5	----	5 + 5
585	0.0100	0.0100	0.0100/*0.0100	0.0100/0.0100	----	0.0120 NEW	.1392	----	----	30	----	30 + 30
590	----	----	0.0365B/----	0.0365B/0.0405A	----	0.0440 + 0.0245	.2938	----	----	----	----	2 UNCH
620	----	----	----	0.0020B/*0.0110	----	0.0065 + 0.0025	.0488	----	----	----	----	4 UNCH
635	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
650	----	----	----	----/0.0105A	----	0.0005 UNCH	.0037	----	----	----	----	2 UNCH
TOTAL										97		117 + 95
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week2										
APR26												
540	0.0065	0.0065	0.0065/*0.0065	0.0080B/*0.0065	----	0.0025 - 0.0320	.0215	----	----	1	----	0 - 1
555	----	----	----	----	----	0.0130 UNCH	----	----	----	----	----	0 UNCH
556	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
561	----	----	----	----	----	0.0470 UNCH	----	----	----	----	----	0 UNCH
561	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
565	----	----	#0.1485B/----	#0.1485B/0.1005	----	0.1560 + 0.1020	.7681	----	----	----	----	1 UNCH
568	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
568	----	----	0.1120B/----	0.1120B/0.0865A	----	0.1335 + 0.0885	.7157	----	----	----	----	1 UNCH
569	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL										1		2 - 1
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
520	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
522	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0020 - 0.0135	.0133	----	----	1	----	1 UNCH
535	----	----	----	----/*0.0065A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
545	----	----	----/*0.0065A	----/*0.0065A	----	0.0000 - 0.0080	----	----	----	----	----	0 - 230
549	----	----	----/*0.0350A	0.0690B/*0.0350	----	0.0305 - 0.0705	.1645	----	----	----	----	1 UNCH
550	----	----	----/*0.0005A	----/*0.0005A	----	0.0000 - 0.0175	----	----	----	----	----	0 - 7
552	----	----	----/*0.0070A	0.0005B/*0.0070	----	0.0000 - 0.0235	----	----	----	----	----	0 - 2
554	----	----	----/*0.0220A	0.0440B/*0.0220	----	0.0165 - 0.0715	.1242	----	----	----	----	1 UNCH
559	----	----	#0.1750B/----	0.1750B/0.0840A	----	0.1870 + 0.1580	----	----	----	----	----	0 - 1
560	0.1425	0.1425	0.1650B/0.1425	0.1650B/0.0775A	----	0.1770 + 0.1520	----	----	----	1	----	0 - 1
560	0.0075	0.0075	0.0075/*0.0075	0.0100B/*0.0075	----	0.0000 NEW	----	----	----	25	----	0 UNCH
564	----	----	#0.1250B/----	0.1250B/0.0550A	----	0.1370 + 0.1235	----	----	----	----	----	0 - 29
565	0.1000	0.1000	0.1150B/0.1000	0.1150B/0.0500A	----	0.1270 + 0.1155	----	----	----	2	----	0 - 3
565	0.0010	0.0010	0.0010/*0.0010	0.0320B/*0.0010	----	0.0000 NEW	----	----	----	1	----	0 UNCH
566	----	----	#0.1050B/----	0.1050B/0.0450A	----	0.1170 + 0.1075	----	----	----	----	----	0 - 15
567	0.0350	0.0350	0.0360/*0.0080A	0.0435B/*0.0080	----	0.0000 NEW	----	----	----	2	----	0 UNCH
568	----	----	0.0855B/----	0.0855B/0.0370A	----	0.0970 + 0.0905	----	----	----	----	----	0 - 25
568	0.0125	0.0125	0.0125/*0.0080A	0.0505B/*0.0080	----	0.0000 NEW	----	----	----	1	----	0 UNCH
570	0.0205	0.0205	0.0205/*0.0010	0.0650B/*0.0010	----	0.0000 NEW	----	----	----	25	----	0 UNCH
571	0.0080	0.0080	0.0080/*0.0080	0.0730B/*0.0080	----	0.0000 NEW	----	----	----	10	----	0 UNCH
572	0.0105	0.0105	0.0105/*0.0080A	0.0815B/*0.0080	----	0.0000 NEW	----	----	----	10	----	0 UNCH
573	0.0135	0.0135	0.0135/*0.0070	0.0905B/*0.0070	----	0.0000 NEW	----	----	----	20	----	0 UNCH
574	----	----	0.0320B/----	0.0320B/0.0205A	----	0.0370 + 0.0355	----	----	----	----	----	0 - 17
574	0.0080	0.0080	0.0100/*0.0080	0.0990B/*0.0080	----	0.0000 NEW	----	----	----	40	----	0 UNCH
575	0.0150	0.0150	0.0250B/0.0150	0.0250B/0.0145A	----	0.0270 NEW	----	----	----	10	----	0 UNCH
575	0.0110	0.0110	0.0110/*0.0080A	0.1080B/*0.0080	----	0.0000 NEW	----	----	----	10	----	0 UNCH
578	0.0060	0.0060	0.0090B/*0.0060	0.0090B/*0.0060	----	0.0000 NEW	----	----	----	2	----	0 UNCH
580	----	----	#0.1050B/----	#0.1050B/0.0850	----	0.1095 + 0.0555	.4785	----	----	----	----	1 UNCH
580	0.0100	0.0100	0.0100/*0.0080A	0.0100/*0.0080A	----	0.0000 - 0.0005	----	----	----	30	----	0 - 10
588	----	----	0.0350B/----	0.0350B/0.0385A	----	0.0420 + 0.0255	.3054	----	----	----	----	1 UNCH
595	----	----	0.0190B/----	0.0190B/0.0275A	----	0.0255 + 0.0155	.1990	----	----	----	----	1 UNCH
600	----	----	0.0420B/----	0.0420B/0.0420A	----	0.0435 NEW	.2375	----	----	3	----	3 + 3
600	----	----	0.0115B/----	0.0115B/0.0215A	----	0.0175 + 0.0100	.1414	----	----	----	----	1 UNCH
620	----	----	----	----/0.0070A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
625	----	----	0.0115B/----	0.0115B/0.0170A	----	0.0115 NEW	.0736	----	----	3	----	3 + 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
TOTAL										196		13 - 338
MAY26												
465	----	----	----	0.0055B/*0.0145	----	0.0025 - 0.0070	.0106	----	----	----	----	2 UNCH
475	----	----	----/*0.0130A	0.0085B/*0.0130	----	0.0045 - 0.0100	.0182	----	----	----	----	2 UNCH
485	----	----	----/*0.0145A	0.0125B/*0.0145	----	0.0070 - 0.0145	.0276	----	----	----	----	1 UNCH
500	----	----	----/*0.0180A	0.0215B/*0.0180	----	0.0120 - 0.0225	.0466	----	----	----	----	1 UNCH
510	----	----	----/*0.0220A	0.0295B/*0.0220	----	0.0170 - 0.0290	.0651	----	----	----	----	8 UNCH
520	----	----	----/*0.0280A	0.0415B/*0.0280	----	0.0230 - 0.0385	.0878	----	----	----	----	1 UNCH
530	----	----	----/*0.0365A	0.0575B/*0.0365	----	0.0315 - 0.0505	.1187	----	----	----	----	4 UNCH
540	----	----	----/*0.0490A	0.0795B/*0.0490	----	0.0440 - 0.0645	.1611	----	----	----	----	10 UNCH
550	----	----	0.3750B/----	0.3750B/0.3245A	----	0.3935 + 0.1350	.7840	----	----	----	----	3 UNCH
550	0.0750	0.0750	0.0750/*0.0650	0.1085B/*0.0650	----	0.0610 - 0.0820	.2153	----	----	5	----	28 UNCH
555	----	----	----/*0.0775A	0.1260B/*0.0775	----	0.0720 - 0.0920	.2477	----	----	----	----	16 UNCH
556	----	----	----/*0.0800A	0.1300B/*0.0800	----	0.0745 - 0.0940	.2547	----	----	----	----	1 UNCH
560	----	----	----/*0.0910A	0.1455B/*0.0910	----	0.0850 - 0.1020	.2837	----	----	----	----	1 UNCH
561	----	----	----/*0.0940A	0.1500B/*0.0940	----	0.0875 - 0.1045	.2910	----	----	----	----	1 UNCH
562	----	----	----/*0.0970A	0.1540B/*0.0970	----	0.0905 - 0.1065	.2987	----	----	----	----	20 UNCH
565	----	----	----/*0.1060A	0.1675B/*0.1060	----	0.1000 - 0.1125	.3228	----	----	----	----	1 UNCH
568	----	----	0.2475B/----	0.2475B/0.2210A	----	0.2635 + 0.0985	.6514	----	----	----	----	1 UNCH
575	----	----	----/*0.1435A	0.2170B/*0.1435	----	0.1375 - 0.1335	.4088	----	----	----	----	1 UNCH
579	----	----	0.1950B/----	0.1950B/0.1705A	----	0.1990 + 0.0765	.5543	----	----	----	----	1 UNCH
584	----	----	----/*0.1850A	0.2685B/*0.1850	----	0.1805 - 0.1500	.4906	----	----	----	----	24 UNCH
585	----	----	----/*0.1905A	0.2750B/*0.1905	----	0.1855 - 0.1520	.4998	----	----	----	----	1 UNCH
590	----	----	0.1425B/----	0.1425B/0.1310A	----	0.1470 + 0.0570	.4543	----	----	----	----	4 UNCH
590	----	----	----/*0.2185A	0.3080B/*0.2185	----	0.2135 - 0.1600	.5450	----	----	----	----	17 UNCH
600	----	----	0.1070B/----	0.1070B/0.1025A	----	0.1095 + 0.0420	.3680	----	----	----	----	1 UNCH
600	----	----	----/0.2835A	0.3805B/0.2835A	----	0.2755 - 0.1755	.6313	----	----	----	----	1 UNCH
607	----	----	0.0860B/----	0.0860B/0.0850A	----	0.0875 + 0.0320	.3117	----	----	----	----	1 UNCH
610	----	----	0.0785B/----	0.0785B/0.0775A	----	0.0795 + 0.0280	.2894	----	----	----	----	4 UNCH
617	----	----	0.0635B/----	0.0635B/0.0630A	----	0.0630 + 0.0205	.2409	----	----	----	----	1 UNCH
624	----	----	0.0510B/----	0.0510B/0.0515A	----	0.0500 + 0.0150	.1992	----	----	----	----	16 UNCH
645	----	----	----/0.6585A	0.6635B/0.6585A	----	0.6405 - 0.2130	.8891	----	----	----	----	6 UNCH
660	----	----	0.0150B/----	0.0150B/0.0210A	----	0.0160 + 0.0015	.0718	----	----	----	----	1 UNCH
675	----	----	----	0.0090B/0.0160A	----	0.0090 UNCH	.0428	----	----	----	----	2 UNCH
695	----	----	----	0.0040B/*0.0120	----	0.0045 - 0.0005	.0222	----	----	----	----	20 UNCH
710	----	----	----	----/0.0150A	----	0.0025 - 0.0005	.0128	----	----	----	----	2 UNCH
TOTAL										5		204
JUN26												
579	----	----	----/*0.2525A	0.3225B/*0.2525	----	0.2430 - 0.1360	.4505	----	----	----	----	1 UNCH
580	----	----	0.2720B/----	0.2720B/0.2530A	----	0.2810 NEW	.5420	----	----	5	----	5 + 5
580	----	----	----/*0.2570A	0.3280B/*0.2570	----	0.2480 NEW	.4565	----	----	5	----	5 + 5
610	----	----	0.1520B/----	0.1520B/0.1515A	----	0.1580 + 0.0445	.3665	----	----	----	----	7 UNCH
630	----	----	0.0995B/----	0.0995B/0.1060A	----	0.1045 + 0.0280	.2675	----	----	----	----	8 UNCH
650	----	----	0.0635B/----	0.0635B/0.0735A	----	0.0680 + 0.0165	.1890	----	----	----	----	6 UNCH
660	----	----	0.0505B/----	0.0505B/0.0610A	----	0.0545 + 0.0125	.1571	----	----	----	----	7 UNCH
TOTAL										10		39 + 10
JUL26												
600	----	----	0.2665B/----	0.2665B/0.2555A	----	0.2750 + 0.0670	.4722	----	----	----	----	12 UNCH
TOTAL												12
HX CALL		COMEX COPPER OPTIONS										
MAY26												
490	----	----	----	----	----	0.8830 + 0.2040	.9705	----	----	----	----	1 UNCH
500	----	----	0.5960B/----	0.5960B/0.6825A	----	0.7845 + 0.2000	.9623	----	----	----	----	3 UNCH
505	----	----	0.5910B/----	0.5910B/0.6355A	----	0.7355 + 0.1975	.9570	----	----	----	----	3 UNCH
525	----	----	0.5260B/----	0.5260B/0.4550A	----	0.5425 + 0.1780	.9203	----	----	----	----	14 UNCH
530	----	----	0.4935B/----	0.4935B/0.4130A	----	0.4960 + 0.1710	.9052	----	----	----	----	276 UNCH
531	----	----	#0.4665B/----	#0.4665B/0.4050	----	0.4865 + 0.1690	.9009	----	----	----	----	1 UNCH
532	----	----	#0.4645B/----	#0.4645B/0.4190	----	0.4775 + 0.1675	.8979	----	----	----	----	1 UNCH
533	----	----	#0.4485B/----	#0.4485B/0.3885	----	0.4685 + 0.1660	.8935	----	----	----	----	3 UNCH
534	----	----	#0.4400B/----	#0.4400B/0.3805	----	0.4590 + 0.1640	.8890	----	----	----	----	4 UNCH
535	----	----	0.4300B/----	0.4300B/0.3725A	----	0.4500 + 0.1620	.8859	----	----	----	----	1 UNCH
536	----	----	#0.4210B/----	#0.4210B/0.3650	----	0.4410 + 0.1605	.8814	----	----	----	----	2 UNCH
537	----	----	#0.4120B/----	#0.4120B/0.3570	----	0.4320 + 0.1585	.8767	----	----	----	----	1 UNCH
539	----	----	#0.3945B/----	#0.3945B/0.3420	----	0.4140 + 0.1540	.8660	----	----	----	----	2 UNCH
540	----	----	0.3885B/----	0.3885B/0.3220A	----	0.4055 + 0.1525	.8612	----	----	----	----	44 UNCH
541	----	----	#0.3795B/----	#0.3795B/0.3270	----	0.3965 + 0.1505	.8563	----	----	----	----	9 UNCH
542	----	----	#0.3710B/----	#0.3710B/0.3195	----	0.3880 + 0.1485	.8501	----	----	----	----	15 UNCH
543	----	----	#0.3595B/----	#0.3595B/0.3120	----	0.3795 + 0.1465	.8439	----	----	----	----	1 UNCH
544	----	----	#0.3515B/----	#0.3515B/0.3050	----	0.3710 + 0.1445	.8376	----	----	----	----	2 UNCH
545	----	----	0.3455B/----	0.3455B/0.2860A	----	0.3625 + 0.1420	.8312	----	----	----	----	14 UNCH
546	----	----	#0.3370B/----	#0.3370B/0.2910	----	0.3540 + 0.1400	.8248	----	----	----	----	7 UNCH
547	----	----	#0.3260B/----	#0.3260B/0.2840	----	0.3455 + 0.1375	.8183	----	----	----	----	1 UNCH
548	----	----	#0.3205B/----	#0.3205B/0.2775	----	0.3375 + 0.1355	.8107	----	----	----	----	28 UNCH
549	----	----	#0.3125B/----	#0.3125B/0.2705	----	0.3290 + 0.1330	.8040	----	----	----	----	5 UNCH
550	0.2650	0.2650	0.3205B/0.2650	0.3205B/0.2530A	----	0.3210 + 0.1305	.7963	----	----	2	----	521 UNCH
551	----	----	0.2965B/----	0.2965B/0.2575A	----	0.3130 + 0.1285	.7885	----	----	----	----	14 UNCH
552	----	----	0.2885B/----	0.2885B/0.2515A	----	0.3050 + 0.1260	.7806	----	----	----	----	21 UNCH
553	----	----	0.2805B/----	0.2805B/0.2450A	----	0.2970 + 0.1235	.7727	----	----	----	----	21 UNCH
554	0.2780	0.2780	0.2800B/0.2780	0.2800B/0.2270A	----	0.2895 + 0.1210	.7638	----	----	3	----	7 UNCH
555	0.2520	0.2520	0.2770B/0.2520	0.2770B/0.2130A	----	0.2820 + 0.1190	.7557	----	----	33	----	114 + 11
556	----	----	0.2580B/----	0.2580B/0.2095A	----	0.2745 + 0.1165	.7466	----	----	----	----	26 UNCH
557	0.2490	0.2490	0.2525/0.2490	0.2525/0.2050A	----	0.2670 + 0.1140	.7376	----	----	6	----	18 - 2
558	0.2570	0.2570	0.2585B/0.2570	0.2585B/0.1965A	----	0.2595 + 0.1115	.7277	----	----	3	----	16 UNCH
559	----	----	0.2360B/----	0.2360B/0.1910A	----	0.2520 + 0.1085	.7185	----	----	----	----	20 UNCH
560	0.2000	0.2000	0.2450B/0.2000	0.2450B/0.1855A	----	0.2450 + 0.1065	.7085	----	----	2	----	871 - 1
561	----	----	0.2215B/----	0.2215B/0.1800A	----	0.2380 + 0.1040	.6985	----	----	----	----	20 UNCH
562	----	----	0.2150B/----	0.2150B/0.1750A	----	0.2310 + 0.1010	.6884	----	----	----	----	12 UNCH
563	0.2080	0.2080	0.2080/0.2080	0.2080/0.1700A	----	0.2240 + 0.0985	.6783	----	----	2	----	23 UNCH
564	----	----	0.2035B/----	0.2035B/0.1650A	----	0.2175 + 0.0960	.6681	----	----	----	----	24 UNCH
565	0.1895	0.1895	0.2085/0.1895	0.2085/0.1600A	----	0.2110 + 0.0935	.6573	----	----	21	----	211 - 7
566	----	----	0.2045B/----	0.2045B/0.1555A	----	0.2045 + 0.0910	.6465	----	----	----	----	15 UNCH
567	----	----	0.1945B/----	0.1945B/0.1515A	----	0.1980 + 0.0885	.6352	----	----	----	----	11 UNCH
568	----	----	0.1885B/----	0.1885B/0.1465A	----	0.1920 + 0.0860	.6243	----	----	----	----	59 UNCH
569	----	----	0.1830B/----	0.1830B/0.1420A	----	0.1860 + 0.0835	.6129	----	----	----	----	108 UNCH
570	----	----	0.1810B/----	0.1810B/0.1375A	----	0.1800 + 0.0810	.6016	----	----	581	----	740 - 309
571	----	----	0.1750B/----	0.1750B/0.1335A	----	0.1740 + 0.0785	.5902	----	----	1	----	31 UNCH
572	0.1480	0.1480	0.1685B/0.1400	0.1685B/0.1295A	----	0.1685 + 0.0765	.5785	----	----	32	----	31 + 17
573	----	----	0.1635B/----	0.1635B/0.1260A	----	0.1630 + 0.0740	.5668	----	----	----	----	35 UNCH
574	0.1745	0.1745	0.1745/0.1410	0.1745/0.1220A	----	0.1575 + 0.0715	.5552	----	----	2	----	17 + 1
575	0.1370	0.1370	0.1530B/0.1360	0.1530B/0.1180A	----	0.1525 + 0.0695	.5434	----	----	352	----	671 + 61
576	0.1300	0.1300	0.1475B/0.1155	0.1475B/0.1145A	----	0.1475 + 0.0675	.5316	----	----	21	----	36 + 20
577	0.1230	0.1230	0.1440/0.1230	0.1440/0.1110A	----	0.1425 + 0.0650	.5199	----	----	66	----	56 + 54
578	0.1245	0.1245	0.1375B/0.1235	0.1375B/0.1080A	----	0.1375 + 0.0625	.5081	----	----	11	----	14 + 6
579	0.1335	0.1335	0.1335/0.1335	0.1335/0.1040A	----	0.1330 + 0.0610	.4965	----	----	1	----	9 + 1
580	0.1140	0.1140	0.1310B/0.1125	0.1310B/0.1010A	----	0.1285 + 0.0590	.4848	----	----	115	----	546 - 6
581	----	----	0.1250B/----	0.1250B/0.0980A	----	0.1240 + 0.0565	.4732	----	----	----	----	4 UNCH
582	----	----	0.1205B/----	0.1205B/0.0950A	----	0.1195 + 0.0545	.4616	----	----	----	----	5 UNCH
583	0.0950	0.0950	0.1165B/0.0950	0.1165B/0.0920A	----	0.1155 + 0.0525	.4502	----	----	50	----	64 UNCH
584	----	----	0.1125B/----	0.1125B/0.0885A	----	0.1110 + 0.0505	.4386	----	----	----	----	45 UNCH
585	0.1000	0.1000	0.1100B/0.0955	0.1100B/0.0860A	----	0.1070 + 0.0485	.4273	----	----	101	----	479 - 12
586	0.0985	0.0985	0.1050B/0.0985	0.1050B/0.0835A	----	0.1035 + 0.0470	.4164	----	----	1	----	10 + 1
587	----	----	0.1015B/----	0.1015B/0.0810A	----	0.0995 + 0.0450	.4051	----	----	----	----	5 UNCH
588	----	----	0.0975B/----	0.0975B/0.0770A	----	0.0960 + 0.0435	.3943	----	----	----	----	3 UNCH
589	----	----	0.0945B/----	0.0945B/0.0750A	----	0.0920 + 0.0410	.3830	----	----	----	----	12 UNCH
590	0.0850	0.0850	0.0915B/0.0780	0.0915B/0.0735A	----	0.0885 + 0.0395	.3722	----	----	53	----	1727 - 6
591	0.0755	0.0755	0.0875B/0.0755	0.0875B/0.0700A	----	0.0850 + 0.0375	.3614	----	----	2	----	140 UNCH
592	----	----	0.0845B/----	0.0845B/0.0680A	----	0.0815 + 0.0360	.3506	----	----	----	----	2 UNCH
593	----	----	0.0810B/----	0.0810B/0.0655A	----	0.0780 + 0.0340	.3398	----	----	----	----	16 UNCH
594	----	----	0.0780B/----	0.0780B/0.0635A	----	0.0750 + 0.0325	.3297	----	----	----	----	4 UNCH
595	0.0665	0.0665	0.0760/0.0640	0.0760/0.0615A	----	0.0715 + 0.0305	.3188	----	----	11	175	315 + 8
596	----	----	0.0715B/----	0.0715B/0.0595A	----	0.0685 + 0.0290	.3087	----	----	----	----	4 UNCH
597	----	----	0.0690B/----	0.0690B/0.0570A	----	0.0660 + 0.0280	.2993	----	----	----	----	1 UNCH
598	----	----	0.0680B/----	0.0680B/0.0550A	----	0.0630 + 0.0260	.2892	----	----	----	----	2 UNCH
599	----	----	0.0650B/----	0.0650B/0.0520A	----	0.0605 + 0.0250	.2800	----	----	----	----	3 UNCH
600	0.0620	0.0620	0.0630B/0.0500A	0.0630B/0.0500A	----	0.0580 + 0.0240	.2708	----	----	224	----	1424 - 42
601	0.0510	0.0510	0.0600B/0.0510	0.0600B/0.0480A	----	0.0555 + 0.0225	.2616	----	----	2	----	9 UNCH
602	----	----	0.0570B/----	0.0570B/0.0470A	----	0.0535 + 0.0215	.2534	----	----	----	----	4 UNCH
603	0.0540	0.0540	0.0550B/0.0535	0.0550B/0.0445A	----	0.0510 + 0.0200	.2443	----	----	8	----	15 + 7
604	----	----	0.0530B/----	0.0530B/0.0430A	----	0.0490 + 0.0190	.2362	----	----	----	----	44 UNCH
605	0.0450	0.0450	0.0515B/0.0450	0.0515B/0.0415A	----	0.0470 + 0.0180	.2281	----	----	2	----	182 + 1
606	0.0430	0.0430	0.0490B/0.0430	0.0490B/0.0405A	----	0.0455 + 0.0175	.2213	----	----	4	----	5 + 2
607	0.0410	0.0410	0.0470B/0.0410	0.0470B/0.0385A	----	0.0435 + 0.0165	.2133	----	----	18	----	18 + 13
608	0.0395	0.0395	0.0450B/0.0380	0.0450B/0.0370A	----	0.0415 + 0.0155	.2054	----	----	48	----	50 + 48
609	0.0360	0.0360	0.0435B/0.0360	0.0435B/0.0355A	----	0.0400 + 0.0145	.1987	----	----	13	----	21 + 12
610	0.0350	0.0350	0.0425/0.0350	0.0425/0.0345A	----	0.0385 + 0.0140	.1921	----	----	676	----	1264 - 322

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
MAY26												
611	----	----	0.0400B/----	0.0400B/0.0325A	----	0.0365 + 0.0125	.1842	----	----	----	----	17 UNCH
612	----	----	0.0385B/----	0.0385B/0.0315A	----	0.0350 + 0.0120	.1776	----	----	----	----	29 UNCH
613	0.0315	0.0315	0.0370B/0.0315	0.0370B/0.0300A	----	0.0335 + 0.0110	.1711	----	----	3	----	39 + 3
614	----	----	0.0355B/----	0.0355B/0.0290A	----	0.0320 + 0.0100	.1646	----	----	----	----	29 UNCH
615	0.0310	0.0310	0.0350/0.0290	0.0350/0.0280A	----	0.0305 + 0.0090	.1581	----	----	37	----	467 + 10
616	----	----	0.0330B/----	0.0330B/0.0265A	----	0.0290 + 0.0085	.1516	----	----	----	----	43 UNCH
617	----	----	0.0320B/----	0.0320B/0.0255A	----	0.0275 + 0.0075	.1451	----	----	----	----	53 UNCH
618	0.0250	0.0250	0.0310B/0.0245A	0.0310B/0.0245A	----	0.0265 + 0.0070	.1402	----	----	1	----	41 + 1
619	0.0250	0.0250	0.0295B/0.0235A	0.0295B/0.0235A	----	0.0250 + 0.0060	.1337	----	----	4	----	60 + 4
620	0.0240	0.0240	0.0285B/0.0215	0.0285B/0.0215	----	0.0240 + 0.0055	.1288	----	----	169	----	1035 - 72
621	0.0250	0.0250	0.0275B/0.0215A	0.0275B/0.0215A	----	0.0230 + 0.0050	.1240	----	----	19	----	51 + 19
622	0.0225	0.0225	0.0265B/0.0205A	0.0265B/0.0205A	----	0.0220 + 0.0040	.1192	----	----	9	----	42 + 9
623	0.0215	0.0215	0.0255B/0.0180	0.0255B/0.0180	----	0.0210 + 0.0035	.1144	----	----	9	----	67 + 7
624	0.0250	0.0250	0.0250/0.0190	0.0250/0.0190	----	0.0200 + 0.0030	.1096	----	----	9	----	25 + 6
625	0.0240	0.0240	0.0245B/0.0180	0.0245B/0.0180	----	0.0190 + 0.0025	.1048	----	----	45	----	1087 + 31
626	0.0235	0.0235	0.0240B/0.0175	0.0240B/0.0175	----	0.0180 + 0.0020	.1001	----	----	8	----	28 + 7
627	0.0225	0.0225	0.0230B/0.0170	0.0230B/0.0170	----	0.0175 + 0.0015	.0971	----	----	3	----	32 + 3
628	0.0210	0.0210	0.0225B/0.0160	0.0225B/0.0160	----	0.0170 + 0.0015	.0942	----	----	9	175	198 + 5
629	0.0210	0.0210	0.0215B/0.0155A	0.0215B/0.0155A	----	0.0160 + 0.0010	.0895	----	----	8	----	105 + 7
630	0.0160	0.0160	0.0205B/0.0140	0.0205B/0.0140	----	0.0155 + 0.0010	.0866	----	----	3	----	544 + 1
631	0.0195	0.0195	0.0200B/0.0145A	0.0200B/0.0145A	----	0.0150 + 0.0005	.0838	----	----	2	----	8 + 2
633	----	----	0.0185B/----	0.0185B/0.0135A	----	0.0140 + 0.0005	.0783	----	----	----	----	37 UNCH
634	0.0175	0.0175	0.0180B/0.0130A	0.0180B/0.0130A	----	0.0140 + 0.0005	.0774	----	----	2	----	3 UNCH
635	----	----	0.0175B/0.0125A	0.0175B/0.0125A	----	0.0135 + 0.0005	.0747	----	----	----	----	207 UNCH
636	----	----	0.0170B/0.0120A	0.0170B/0.0120A	----	0.0130 UNCH	.0720	----	----	----	----	7 UNCH
637	----	----	0.0165B/0.0115A	0.0165B/0.0115A	----	0.0125 UNCH	.0694	----	----	----	----	3 UNCH
638	----	----	0.0155B/0.0110A	0.0155B/0.0110A	----	0.0125 + 0.0005	.0687	----	----	----	----	3 UNCH
639	----	----	0.0155B/0.0105A	0.0155B/0.0105A	----	0.0120 UNCH	.0661	----	----	----	----	1 UNCH
640	----	----	0.0150B/0.0105A	0.0150B/0.0105A	----	0.0115 UNCH	.0635	----	----	----	----	1193 UNCH
641	----	----	0.0145B/0.0100A	0.0145B/0.0100A	----	0.0115 UNCH	.0629	----	----	----	----	6 UNCH
642	----	----	0.0140B/0.0095A	0.0140B/0.0095A	----	0.0110 UNCH	.0603	----	----	----	----	4 UNCH
643	----	----	0.0140B/0.0095A	0.0140B/0.0095A	----	0.0105 - 0.0005	.0578	----	----	----	----	9 UNCH
644	----	----	0.0135B/0.0090A	0.0135B/0.0090A	----	0.0105 UNCH	.0573	----	----	----	----	1 UNCH
645	----	----	0.0130B/0.0090A	0.0130B/0.0090A	----	0.0100 UNCH	.0548	----	----	1	----	83 - 1
646	----	----	0.0125B/0.0085A	0.0125B/0.0085A	----	0.0100 UNCH	.0543	----	----	----	----	1 UNCH
650	----	----	0.0115B/0.0075A	0.0115B/0.0075A	----	0.0090 UNCH	.0485	----	----	1	----	3291 - 1
655	----	----	0.0100B/0.0065A	0.0100B/0.0065A	----	0.0080 UNCH	.0426	----	----	----	----	70 UNCH
660	----	----	0.0085B/0.0060A	0.0085B/0.0060A	----	0.0070 UNCH	.0370	----	----	----	----	148 UNCH
665	----	----	0.0075B/0.0055A	0.0075B/0.0055A	----	0.0065 UNCH	.0336	----	----	----	----	17 UNCH
670	0.0050	0.0050	0.0070B/0.0050	0.0070B/0.0050	----	0.0060 UNCH	.0304	----	----	203	----	485 - 39
675	----	----	0.0060B/0.0045A	0.0060B/0.0045A	----	0.0055 UNCH	.0275	----	----	----	----	126 UNCH
680	----	----	----/0.0045A	0.0055B/0.0045A	----	0.0050 - 0.0005	.0247	----	----	----	----	1101 UNCH
685	----	----	----/0.0045A	----/0.0045A	----	0.0045 - 0.0005	.0220	----	----	----	----	12 UNCH
690	----	----	----/0.0040A	----/0.0040A	----	0.0045 - 0.0005	.0213	----	----	100	----	178 UNCH
695	----	----	----/0.0040A	----/0.0040A	----	0.0040 - 0.0010	.0188	----	----	----	----	26 UNCH
700	0.0040	0.0040	0.0040/0.0035A	0.0040/0.0035A	----	0.0040 - 0.0010	.0183	----	----	11	----	525 - 11
705	----	----	----/0.0035A	----/0.0035A	----	0.0040 - 0.0010	.0178	----	----	----	----	2 UNCH
710	----	----	----/0.0035A	----/0.0035A	----	0.0040 - 0.0010	.0173	----	----	----	----	59 UNCH
715	----	----	----/0.0035A	----/0.0035A	----	0.0035 - 0.0015	.0151	----	----	3	----	13 - 3
720	----	----	----/0.0035A	----/0.0035A	----	0.0035 - 0.0015	.0148	----	----	1	----	13 UNCH
725	----	----	----/0.0030A	----/0.0030A	----	0.0035 - 0.0015	.0144	----	----	3	----	90 - 3
730	----	----	----	----/0.0060A	----	0.0035 - 0.0015	.0141	----	----	----	----	15 UNCH
735	----	----	----	----/0.0060A	----	0.0035 - 0.0015	.0138	----	----	----	----	5 UNCH
740	----	----	----	----/0.0060A	----	0.0035 - 0.0010	.0135	----	----	----	----	92 UNCH
745	----	----	----	----/0.0055A	----	0.0035 - 0.0010	.0132	----	----	----	----	34 UNCH
750	----	----	----	0.0015B/0.0055A	----	0.0035 - 0.0005	.0129	----	----	----	----	489 UNCH
755	----	----	----	----/0.0050A	----	0.0035 - 0.0005	.0127	----	----	----	----	2 UNCH
760	----	----	----	0.0010B/0.0050A	----	0.0035 UNCH	.0125	----	----	----	----	78 UNCH
765	----	----	----	----/0.0050A	----	0.0030 - 0.0005	.0108	----	----	----	----	2 UNCH
770	----	----	----	----/0.0050A	----	0.0030 UNCH	.0106	----	----	----	----	3 UNCH
775	----	----	----	----/0.0050A	----	0.0025 - 0.0005	.0089	----	----	----	----	47 UNCH
780	----	----	----	----/0.0050A	----	0.0025 - 0.0005	.0088	----	----	----	----	8 UNCH
785	----	----	----	----/0.0045A	----	0.0025 - 0.0005	.0086	----	----	----	----	3 UNCH
790	----	----	----	----/0.0045A	----	0.0025 - 0.0005	.0085	----	----	----	----	3 UNCH
795	----	----	----	----/0.0045A	----	0.0025 UNCH	.0084	----	----	----	----	5 UNCH
800	----	----	----	----/0.0045A	----	0.0025 UNCH	.0082	----	----	----	----	4120 UNCH
810	----	----	----	----/0.0040A	----	0.0025 UNCH	.0080	----	----	----	----	4040 UNCH
820	----	----	----	----/0.0035A	----	0.0020 - 0.0005	.0064	----	----	----	----	28 UNCH
825	----	----	----	----/0.0035A	----	0.0020 UNCH	.0063	----	----	----	----	91 UNCH
835	----	----	----	----/*0.0030A	----	0.0020 UNCH	.0062	----	----	----	----	1 UNCH
840	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0047	----	----	----	----	4 UNCH
850	----	----	----	----/0.0030A	----	0.0015 UNCH	.0046	----	----	----	----	62 UNCH
855	----	----	----	----/0.0030A	----	0.0015 UNCH	.0046	----	----	----	----	30 UNCH
860	----	----	----	----/0.0030A	----	0.0015 UNCH	.0045	----	----	----	----	4 UNCH
865	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0045	----	----	----	----	3 UNCH
870	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0031	----	----	----	----	4 UNCH
875	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0031	----	----	----	----	1 UNCH
880	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0030	----	----	----	----	12 UNCH
890	----	----	----	----/0.0025A	----	0.0010 UNCH	.0030	----	----	----	----	1 UNCH
900	----	----	----	----/0.0025A	----	0.0010 UNCH	.0029	----	----	----	----	73 UNCH
915	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0012	----	----	----	----	1 UNCH
920	----	----	----	----/0.0020A	----	0.0005 UNCH	.0011	----	----	----	----	4 UNCH
925	----	----	----	----/0.0020A	----	0.0005 UNCH	.0009	----	----	----	----	10 UNCH
930	----	----	----	----/0.0020A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
935	----	----	----	----/0.0025A	----	0.0005 UNCH	.0007	----	----	----	----	1 UNCH
940	----	----	----	----/0.0045A	----	0.0005 UNCH	.0006	----	----	----	----	4 UNCH
945	----	----	----	----/0.0045A	----	0.0005 UNCH	.0005	----	----	----	----	10 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	.0005	----	----	----	----	40 UNCH
TOTAL									350	3130		31678 - 459
JUN26												
500	----	----	#0.8360B/----	#0.8360B/0.7800	----	0.8625 + 0.1790	.9099	----	----	----	----	4 UNCH
525	----	----	0.6160B/----	0.6160B/0.5740A	----	0.6415 + 0.1555	.8396	----	----	----	----	1 UNCH
535	----	----	0.5335B/----	0.5335B/0.4855A	----	0.5590 + 0.1440	.7998	----	----	----	----	2 UNCH
540	----	----	0.5000B/----	0.5000B/0.4510A	----	0.5195 + 0.1375	.7777	----	----	----	----	22 UNCH
545	----	----	0.4755B/----	0.4755B/0.4175A	----	0.4810 + 0.1305	.7535	----	----	----	----	2 UNCH
549	----	----	#0.4275B/----	#0.4275B/0.4050	----	0.4510 + 0.1245	.7331	----	----	----	----	1 UNCH
550	----	----	0.4380B/----	0.4380B/0.3860A	----	0.4440 + 0.1235	.7279	----	----	----	----	3 UNCH
555	----	----	0.4025B/----	0.4025B/0.3555A	----	0.4085 + 0.1155	.6998	----	----	----	----	1 UNCH
556	----	----	#0.3795B/----	#0.3795B/0.3405	----	0.4020 + 0.1145	.6941	----	----	----	----	1 UNCH
557	----	----	0.3730B/----	0.3730B/0.3355A	----	0.3950 + 0.1125	.6884	----	----	----	----	62 UNCH
559	----	----	#0.3600B/----	#0.3600B/0.3260	----	0.3820 + 0.1100	.6764	----	----	----	----	4 UNCH
560	----	----	0.3725B/----	0.3725B/0.3180A	----	0.3755 + 0.1085	.6703	----	----	----	----	106 UNCH
562	----	----	#0.3475B/----	0.3475B/0.3070A	----	0.3625 + 0.1055	.6582	----	----	----	----	1 UNCH
565	----	----	0.3375B/----	0.3375B/0.2910A	----	0.3440 + 0.1010	.6397	----	----	----	----	2 UNCH
568	----	----	0.3260B/----	0.3260B/0.2765A	----	0.3255 + 0.0965	.6207	----	----	----	----	3 UNCH
569	----	----	0.3170B/----	0.3170B/0.2710A	----	0.3200 + 0.0950	.6144	----	----	----	----	2 UNCH
570	----	----	0.3115B/----	0.3115B/0.2660A	----	0.3140 + 0.0935	.6080	----	----	3	----	20 + 1
574	----	----	0.2900B/----	0.2900B/0.2475A	----	0.2915 + 0.0875	.5820	----	----	----	----	3 UNCH
575	----	----	0.2850B/----	0.2850B/0.2430A	----	0.2860 + 0.0860	.5755	----	----	----	----	149 UNCH
579	0.2550	0.2550	0.2645B/0.2550	0.2645B/0.2255A	----	0.2650 + 0.0805	.5492	----	----	1	----	3 + 1
580	0.2500	0.2500	0.2595B/0.2500	0.2595B/0.2210A	----	0.2600 + 0.0790	.5426	----	----	36	----	44 - 28
581	0.2455	0.2455	0.2540B/0.2455	0.2540B/0.2170A	----	0.2550 NEW	.5361	----	----	1	----	1 + 1
582	0.2405	0.2405	0.2500B/0.2405	0.2500B/0.2135A	----	0.2500 NEW	.5294	----	----	1	----	1 + 1
583	0.2320	0.2320	0.2455B/0.2320	0.2455B/0.2095A	----	0.2450 NEW	.5228	----	----	1	----	1 + 1
584	0.2300	0.2300	0.2405B/0.2260	0.2405B/0.2055A	----	0.2405 + 0.0735	.5163	----	----	3	----	3 + 3
585	0.2255	0.2255	0.2360B/0.2255	0.2360B/0.2010A	----	0.2355 + 0.0720	.5097	----	----	1	----	27 UNCH
586	0.2210	0.2210	0.2315B/0.2210	0.2315B/0.1970A	----	0.2310 NEW	.5031	----	----	1	----	1 + 1
587	0.2155	0.2155	0.2265B/0.2155	0.2265B/0.1935A	----	0.2265 + 0.0690	.4966	----	----	1	----	3 + 1
588	0.2100	0.2100	0.2220B/0.2100	0.2220B/0.1900A	----	0.2215 + 0.0675	.4899	----	----	2	----	4 + 2
589	0.2075	0.2075	0.2180B/0.2075	0.2180B/0.1865A	----	0.2170 NEW	.4833	----	----	1	----	1 + 1
590	0.2030	0.2030	0.2135B/0.2030	0.2135B/0.1830A	----	0.2125 + 0.0645	.4768	----	----	2	----	20 + 1
591	----	----	0.2085B/----	0.2085B/0.1790A	----	0.2085 + 0.0635	.4704	----	----	----	----	10 UNCH
595	----	----	0.1920B/----	0.1920B/0.1655A	----	0.1915 + 0.0580	.4444	----	----	----	----	5 UNCH
596	0.1825	0.1825	0.1895B/0.1825	0.1895B/0.1625A	----	0.1875 + 0.0565	.4380	----	----	1	----	2 - 1
600	0.1735	0.1735	0.1740B/0.1680	0.1740B/0.1500A	----	0.1720 + 0.0515	.4126	----	----	14	----	304 - 2
604	----	----	0.1600B/----	0.1600B/0.1390A	----	0.1575 + 0.0465	.3877	----	----	----	----	14 UNCH
605	----	----	0.1570B/----	0.1570B/0.1365A	----	0.1545 + 0.0460	.3819	----	----	----	----	3 UNCH
607	----	----	0.1505B/----	0.1505B/0.1305A	----	0.1475 + 0.0435	.3697	----	----	10	----	30 + 10
608	0.1475	0.1475	0.1475/0.1475	0.1475/0.1280A	----	0.1445 NEW	.3639	----	----	2	----	2 + 2
609	----	----	0.1440B/----	0.1440B/0.1260A	----	0.1415 + 0.0415	.3582	----	----	----	----	7 UNCH
610	0.1350	0.1350	0.1405B/0.1350	0.1405B/0.1230A	----	0.1385 + 0.0405	.3524	----	----	20	----	532 + 2
612	----	----	0.1350B/----	0.1350B/0.1185A	----	0.1325 + 0.0390	.3409	----	----	----	----	14 UNCH
613	----	----	0.1320B/----	0.1320B/0.1160A	----	0.1295 + 0.0375	.3352	----	----	----	----	2 UNCH
615	----	----	0.1260B/----	0.1260B/0.1120A	----	0.1235 + 0.0355	.3238	----	----	----	----	15 UNCH
616	----	----	0.1240B/----	0.1240B/0.1090A	----	0.1210 + 0.0350	.3185	----	----	----	----	9 UNCH
617	----	----	0.1220B/----	0.1220B/0.1075A	----	0.1185 + 0.0340	.3133	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
620	----	----	0.1135B/----	0.1135B/0.1010A	----	0.1105 + 0.0315	.2971	----	----	100	----	137 + 89
622	----	----	0.1080B/----	0.1080B/0.0965A	----	0.1055 + 0.0295	.2867	----	----	----	----	3 UNCH
625	0.0990	0.0990	0.1010B/0.0990	0.1010B/0.0910A	----	0.0985 + 0.0275	.2717	----	----	10	----	148 - 7
627	----	----	0.0970B/----	0.0970B/0.0875A	----	0.0940 + 0.0260	.2619	----	----	----	----	11 UNCH
629	----	----	0.0920B/----	0.0920B/0.0835A	----	0.0900 + 0.0245	.2527	----	----	----	----	2 UNCH
630	0.0905	0.0905	0.0905/0.0905	0.0905/0.0815A	----	0.0880 + 0.0240	.2482	----	----	1	----	538 - 1
635	----	----	0.0810B/----	0.0810B/0.0730A	----	0.0785 + 0.0210	.2262	----	----	----	----	13 UNCH
640	----	----	0.0725B/----	0.0725B/0.0665A	----	0.0700 + 0.0185	.2057	----	----	1	----	58 UNCH
645	----	----	0.0645B/----	0.0645B/0.0595A	----	0.0625 + 0.0165	.1870	----	----	----	----	11 UNCH
650	----	----	0.0580B/----	0.0580B/0.0520A	----	0.0555 + 0.0140	.1693	----	----	----	----	481 UNCH
655	----	----	0.0515B/----	0.0515B/0.0470A	----	0.0495 + 0.0125	.1535	----	----	----	----	7 UNCH
660	0.0430	0.0430	0.0460B/0.0420A	0.0460B/0.0420A	----	0.0445 + 0.0110	.1396	----	----	13	----	275 + 8
665	----	----	0.0410B/----	0.0410B/0.0375A	----	0.0395 + 0.0095	.1260	----	----	----	----	19 UNCH
670	0.0335	0.0335	0.0385B/0.0330A	0.0385B/0.0330A	----	0.0355 + 0.0085	.1144	----	----	201	----	204 + 199
675	0.0305	0.0305	0.0345B/0.0295A	0.0345B/0.0295A	----	0.0320 + 0.0075	.1041	----	----	3	----	36 + 3
680	----	----	0.0310B/----	0.0310B/0.0270A	----	0.0285 + 0.0060	.0939	----	----	1	----	304 + 1
685	----	----	0.0280B/----	0.0280B/0.0240A	----	0.0260 + 0.0055	.0860	----	----	----	----	1 UNCH
690	0.0230	0.0230	0.0250B/0.0210A	0.0250B/0.0210A	----	0.0230 + 0.0045	.0772	----	----	102	----	124 + 102
695	----	----	0.0230B/----	0.0230B/0.0190A	----	0.0210 + 0.0040	.0707	----	----	----	----	1 UNCH
700	----	----	0.0205B/----	0.0205B/0.0170A	----	0.0190 + 0.0030	.0643	----	----	----	----	320 UNCH
705	----	----	0.0185B/----	0.0185B/0.0155A	----	0.0170 + 0.0020	.0581	----	----	----	----	1 UNCH
715	----	----	0.0155B/----	0.0155B/0.0130A	----	0.0145 + 0.0015	.0495	----	----	----	----	7 UNCH
720	----	----	0.0140B/----	0.0140B/0.0125A	----	0.0135 + 0.0010	.0460	----	----	----	----	5 UNCH
725	0.0130	0.0130	0.0130/0.0115A	0.0130/0.0115A	----	0.0125 + 0.0010	.0425	----	----	2	----	72 + 1
740	----	----	----	0.0095B/0.0100A	----	0.0105 + 0.0005	.0352	----	----	----	----	1 UNCH
745	0.0095	0.0095	0.0095/0.0095	0.0095/0.0095	----	0.0100 + 0.0005	.0333	----	----	1	----	1502 + 1
750	0.0085	0.0085	0.0085/0.0085	0.0085/0.0085	----	0.0095 + 0.0005	.0314	----	----	1	----	159 + 1
755	----	----	----	0.0075B/0.0085A	----	0.0090 + 0.0005	.0296	----	----	----	----	1 UNCH
765	----	----	----	0.0065B/0.0075A	----	0.0080 + 0.0005	.0261	----	----	----	----	1503 UNCH
770	----	----	----/0.0070A	0.0060B/0.0070A	----	0.0075 UNCH	.0245	----	----	----	----	3 UNCH
780	----	----	----	0.0050B/0.0065A	----	0.0065 UNCH	.0212	----	----	----	----	1 UNCH
795	----	----	----	0.0040B/0.0070A	----	0.0060 UNCH	.0190	----	----	----	----	33 UNCH
800	----	----	----	----/0.0090A	----	0.0055 UNCH	.0175	----	----	----	----	6 UNCH
825	----	----	----	----/0.0075A	----	0.0040 - 0.0005	.0127	----	----	----	----	1 UNCH
840	----	----	----	----/0.0070A	----	0.0035 UNCH	.0109	----	----	----	----	6 UNCH
850	----	----	----	----/0.0065A	----	0.0030 UNCH	.0094	----	----	----	----	5 UNCH
880	----	----	----	----/0.0055A	----	0.0020 - 0.0005	.0063	----	----	----	----	2 UNCH
900	----	----	----	----/0.0050A	----	0.0015 - 0.0005	.0047	----	----	----	----	9 UNCH
910	----	----	----	----/0.0045A	----	0.0015 UNCH	.0046	----	----	----	----	11 UNCH
950	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0017	----	----	----	----	1 UNCH
975	----	----	----	----/0.0025A	----	0.0005 UNCH	.0010	----	----	----	----	1 UNCH
TOTAL										537		7471 + 394
JUL26												
500	----	----	----	----	----	0.8915 + 0.1665	.8676	----	----	----	----	2 UNCH
520	----	----	0.6515B/----	0.6515B/0.6505A	----	0.7245 + 0.1485	.8094	----	----	----	----	1 UNCH
525	----	----	0.6565B/----	0.6565B/0.6150A	----	0.6855 + 0.1440	.7920	----	----	----	----	1 UNCH
530	----	----	0.6310B/----	0.6310B/0.5800A	----	0.6470 + 0.1390	.7739	----	----	----	----	6 UNCH
540	----	----	0.5730B/----	0.5730B/0.5145A	----	0.5735 + 0.1280	.7341	----	----	----	----	16 UNCH
545	----	----	0.5335B/----	0.5335B/0.4835A	----	0.5385 + 0.1220	.7125	----	----	----	----	1 UNCH
550	----	----	0.4995B/----	0.4995B/0.4540A	----	0.5050 + 0.1155	.6903	----	----	----	----	2 UNCH
555	----	----	0.4720B/----	0.4720B/0.4200A	----	0.4725 + 0.1095	.6673	----	----	----	----	146 UNCH
560	----	----	0.4360B/----	0.4360B/0.3930A	----	0.4415 + 0.1035	.6434	----	----	----	----	1 UNCH
570	----	----	0.3830B/----	0.3830B/0.3415A	----	0.3830 + 0.0920	.5942	----	----	1	----	157 UNCH
574	----	----	#0.3615B/----	#0.3615B/0.3225	----	0.3610 + 0.0875	.5741	----	----	----	----	5 UNCH
575	----	----	0.3565B/----	0.3565B/0.3185A	----	0.3555 + 0.0865	.5691	----	----	----	----	17 UNCH
580	----	----	0.3315B/----	0.3315B/0.2955A	----	0.3295 + 0.0805	.5436	----	----	----	----	152 UNCH
585	----	----	0.3080B/----	0.3080B/0.2740A	----	0.3050 + 0.0750	.5181	----	----	----	----	304 UNCH
590	----	----	0.2855B/----	0.2855B/0.2540A	----	0.2820 + 0.0700	.4926	----	----	----	----	92 UNCH
595	----	----	0.2640B/----	0.2640B/0.2355A	----	0.2605 + 0.0650	.4674	----	----	2	----	44 UNCH
600	----	----	0.2445B/----	0.2445B/0.2185A	----	0.2400 + 0.0600	.4424	----	----	----	----	230 UNCH
605	----	----	0.2255B/----	0.2255B/0.2035A	----	0.2215 + 0.0555	.4181	----	----	----	----	14 UNCH
610	----	----	0.2075B/----	0.2075B/0.1885A	----	0.2040 + 0.0515	.3944	----	----	30	----	33 + 28
615	----	----	0.1915B/----	0.1915B/0.1730A	----	0.1875 + 0.0470	.3712	----	----	3	----	102 + 1
620	----	----	0.1755B/----	0.1755B/0.1600A	----	0.1725 + 0.0430	.3489	----	----	----	----	81 UNCH
625	----	----	0.1630B/----	0.1630B/0.1480A	----	0.1585 + 0.0390	.3274	----	----	----	----	346 UNCH
630	----	----	0.1490B/----	0.1490B/0.1370A	----	0.1460 + 0.0360	.3072	----	----	----	----	5 UNCH
635	----	----	0.1370B/----	0.1370B/0.1280A	----	0.1340 + 0.0325	.2875	----	----	----	----	11 UNCH
640	0.1225	0.1225	0.1265B/0.1180A	0.1265B/0.1180A	----	0.1230 + 0.0295	.2687	----	----	1	----	759 UNCH
645	0.1140	0.1140	0.1165B/0.1085A	0.1165B/0.1085A	----	0.1130 + 0.0265	.2511	----	----	13	----	321 + 13
650	----	----	0.1070B/----	0.1070B/0.0995A	----	0.1040 + 0.0240	.2346	----	----	2	----	289 + 2
660	----	----	0.0910B/----	0.0910B/0.0840A	----	0.0880 + 0.0195	.2042	----	----	----	----	250 UNCH
665	----	----	0.0820B/----	0.0820B/0.0795A	----	0.0810 + 0.0175	.1904	----	----	----	----	1 UNCH
670	----	----	0.0755B/----	0.0755B/0.0730A	----	0.0745 + 0.0155	.1774	----	----	----	----	22 UNCH
675	----	----	0.0705B/----	0.0705B/0.0670A	----	0.0685 + 0.0140	.1651	----	----	----	----	437 UNCH
680	----	----	0.0640B/----	0.0640B/0.0620A	----	0.0630 + 0.0125	.1537	----	----	----	----	3 UNCH
685	----	----	0.0590B/----	0.0590B/0.0570A	----	0.0580 + 0.0110	.1430	----	----	----	----	2 UNCH
690	----	----	0.0550B/----	0.0550B/0.0525A	----	0.0540 + 0.0100	.1339	----	----	----	----	245 UNCH
695	----	----	0.0505B/----	0.0505B/0.0480A	----	0.0495 + 0.0085	.1243	----	----	----	----	40 UNCH
700	----	----	0.0465B/----	0.0465B/0.0435A	----	0.0460 + 0.0080	.1162	----	----	----	----	131 UNCH
715	0.0365	0.0365	0.0370B/0.0345A	0.0370B/0.0345A	----	0.0365 NEW	.0942	----	----	25	----	25 + 25
725	----	----	0.0315B/----	0.0315B/0.0300A	----	0.0315 + 0.0060	.0823	----	----	1	----	1523 UNCH
730	----	----	0.0280B/----	0.0280B/0.0320A	----	0.0295 + 0.0055	.0773	----	----	----	----	3 UNCH
750	----	----	0.0205B/----	0.0205B/0.0255A	----	0.0225 + 0.0035	.0598	----	----	----	----	184 UNCH
775	----	----	0.0145B/----	0.0145B/0.0195A	----	0.0165 + 0.0025	.0442	----	----	1	----	25 + 1
800	----	----	----	0.0110B/0.0160A	----	0.0125 + 0.0015	.0336	----	----	----	----	69 UNCH
850	----	----	----	0.0060B/0.0110A	----	0.0075 + 0.0010	.0201	----	----	----	----	3 UNCH
875	----	----	----	0.0025B/0.0110A	----	0.0060 + 0.0010	.0160	----	----	----	----	2 UNCH
900	----	----	----	----/0.0095A	----	0.0050 + 0.0005	.0132	----	----	----	----	271 UNCH
950	----	----	----	----/0.0080A	----	0.0030 UNCH	.0080	----	----	1	----	56 UNCH
975	----	----	----	----/0.0070A	----	0.0025 + 0.0005	.0066	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0045A	----	0.0020 UNCH	.0053	----	----	----	----	4 UNCH
TOTAL										80		6436 + 70
AUG26												
500	----	----	----	----	----	0.9710 + 0.1640	.8475	----	----	----	----	2 UNCH
550	----	----	0.5890B/----	0.5890B/0.5420A	----	0.5975 + 0.1185	.6904	----	----	----	----	3 UNCH
575	----	----	0.4410B/----	0.4410B/0.4010A	----	0.4500 + 0.0965	.5901	----	----	----	----	1 UNCH
580	----	----	0.4170B/----	0.4170B/0.3780A	----	0.4235 + 0.0925	.5693	----	----	----	----	252 UNCH
585	----	----	0.3915B/----	0.3915B/0.3555A	----	0.3985 + 0.0885	.5483	----	----	----	----	11 UNCH
590	----	----	0.3675B/----	0.3675B/0.3345A	----	0.3745 + 0.0845	.5273	----	----	----	----	16 UNCH
600	----	----	0.3230B/----	0.3230B/0.2955A	----	0.3295 + 0.0765	.4855	----	----	----	----	4 UNCH
620	----	----	0.2475B/----	0.2475B/0.2285A	----	0.2525 + 0.0600	.4049	----	----	----	----	6 UNCH
625	----	----	0.2310B/----	0.2310B/0.2140A	----	0.2355 + 0.0555	.3855	----	----	----	----	86 UNCH
640	----	----	0.1885B/----	0.1885B/0.1765A	----	0.1920 + 0.0450	.3314	----	----	----	----	153 UNCH
650	----	----	0.1645B/----	0.1645B/0.1560A	----	0.1675 + 0.0390	.2984	----	----	----	----	4 UNCH
675	----	----	0.1165B/----	0.1165B/0.1150A	----	0.1200 + 0.0285	.2279	----	----	----	----	168 UNCH
680	----	----	0.1090B/----	0.1090B/0.1080A	----	0.1125 + 0.0265	.2159	----	----	----	----	1 UNCH
690	----	----	0.0890B/----	0.0890B/0.1045A	----	0.0985 + 0.0230	.1932	----	----	----	----	3 UNCH
700	----	----	0.0775B/----	0.0775B/0.0930A	----	0.0865 + 0.0200	.1729	----	----	----	----	4 UNCH
725	----	----	0.0545B/----	0.0545B/0.0705A	----	0.0620 + 0.0115	.1297	----	----	----	----	86 UNCH
730	----	----	0.0550B/----	0.0550B/0.0625A	----	0.0585 + 0.0105	.1231	----	----	----	----	1 UNCH
750	----	----	0.0425B/----	0.0425B/0.0500A	----	0.0450 + 0.0070	.0976	----	----	----	----	66 UNCH
800	----	----	0.0220B/----	0.0220B/0.0310A	----	0.0255 + 0.0055	.0576	----	----	----	----	6 UNCH
850	----	----	0.0115B/----	0.0115B/0.0215A	----	0.0155 + 0.0050	.0357	----	----	----	----	1 UNCH
900	----	----	----	0.0060B/0.0160A	----	0.0105 + 0.0030	.0241	----	----	----	----	57 UNCH
950	----	----	----	0.0020B/*0.0130	----	0.0065 + 0.0020	.0152	----	----	----	----	2 UNCH
975	----	----	----	0.0010B/*0.0145	----	0.0055 + 0.0015	.0128	----	----	----	----	4 UNCH
TOTAL												937
SEP26												
495	----	----	----	----	----	1.0360 + 0.1620	.8397	----	----	----	----	2 UNCH
500	----	----	----	----	----	0.9960 + 0.1590	.8278	----	----	----	----	5 UNCH
535	----	----	0.7160B/----	0.7160B/0.6890A	----	0.7345 + 0.1310	.7289	----	----	----	----	1 UNCH
565	----	----	0.5400B/----	0.5400B/0.4990A	----	0.5475 + 0.1055	.6247	----	----	----	----	1 UNCH
575	----	----	0.4855B/----	0.4855B/0.4495A	----	0.4935 + 0.0975	.5877	----	----	----	----	100 UNCH
595	----	----	0.3895B/----	0.3895B/0.3615A	----	0.3975 + 0.0830	.5130	----	----	----	----	2 UNCH
600	----	----	0.3680B/----	0.3680B/0.3415A	----	0.3755 + 0.0795	.4945	----	----	----	----	286 UNCH
610	----	----	0.3280B/----	0.3280B/0.3060A	----	0.3345 + 0.0720	.4579	----	----	----	----	31 UNCH
615	----	----	0.3090B/----	0.3090B/0.2885A	----	0.3155 + 0.0685	.4399	----	----	----	----	9 UNCH
620	----	----	0.2910B/----	0.2910B/0.2735A	----	0.2975 + 0.0650	.4223	----	----	----	----	35 UNCH
625	----	----	0.2740B/----	0.2740B/0.2585A	----	0.2800 + 0.0615	.4049	----	----	----	----	142 UNCH
630	----	----	0.2580B/----	0.2580B/0.2440A	----	0.2640 + 0.0585	.3880	----	----	----	----	2 UNCH
640	----	----	0.2280B/----	0.2280B/0.2185A	----	0.2340 + 0.0525	.3554	----	----	----	----	12 UNCH
650	0.2110	0.2110	0.2240B/0.2110	0.2240B/0.1960A	----	0.2075 + 0.0465	.3246	----	----	115	----	201 - 35
655	----	----	0.1895B/----	0.1895B/0.1850A	----	0.1950 + 0.0435	.3098	----	----	----	----	4 UNCH
670	----	----	0.1575B/----	0.1575B/0.1580A	----	0.1635 + 0.0360	.2695	----	----	----	----	1 UNCH
675	----	----	0.1480B/----	0.1480B/0.1500A	----	0.1540 NEW	.2569	----	----	----	200	200 + 200

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 72

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
SEP26												
690	----	----	0.1235B/----	0.1235B/0.1285A	----	0.1295 + 0.0275	.2227	----	----	----	----	11 UNCH
700	----	----	0.1095B/----	0.1095B/0.1165A	----	0.1155 + 0.0240	.2024	----	----	----	----	55 UNCH
750	----	----	0.0610B/----	0.0610B/0.0735A	----	0.0675 + 0.0130	.1264	----	----	----	----	10 UNCH
800	----	----	0.0345B/----	0.0345B/0.0485A	----	0.0405 + 0.0075	.0796	----	----	----	----	12 UNCH
875	----	----	----	0.0155B/0.0295A	----	0.0205 + 0.0030	.0419	----	----	----	----	1 UNCH
975	----	----	----	0.0050B/*0.0200	----	0.0090 + 0.0010	.0190	----	----	----	----	1 UNCH
TOTAL									200	115		1124 + 165
OCT26												
650	----	----	0.2690B/----	0.2690B/0.2665A	----	0.2755 + 0.0560	.3714	----	----	----	----	100 UNCH
700	----	----	0.1465B/----	0.1465B/0.1715A	----	0.1635 + 0.0345	.2477	----	----	----	----	145 UNCH
775	----	----	----	0.0630B/0.0935A	----	0.0810 + 0.0135	.1349	----	----	----	----	71 UNCH
800	----	----	----	0.0540B/0.0740A	----	0.0645 + 0.0105	.1101	----	----	----	----	1 UNCH
850	----	----	----	0.0320B/0.0535A	----	0.0425 + 0.0065	.0751	----	----	----	----	30 UNCH
875	----	----	----	0.0240B/0.0465A	----	0.0360 + 0.0050	.0638	----	----	----	----	2 UNCH
900	----	----	----	0.0185B/0.0410A	----	0.0315 + 0.0045	.0556	----	----	----	----	3 UNCH
975	----	----	----	0.0065B/*0.0305	----	0.0165 + 0.0020	.0308	----	----	----	----	4 UNCH
TOTAL												356
NOV26												
535	----	----	0.8430B/----	0.8430B/0.8140A	----	0.8590 + 0.1285	.7273	----	----	----	----	1 UNCH
545	----	----	0.7800B/----	0.7800B/0.7555A	----	0.7950 + 0.1220	.6993	----	----	----	----	1 UNCH
580	----	----	0.5850B/----	0.5850B/0.5755A	----	0.5955 + 0.0970	.5948	----	----	----	----	2 UNCH
585	----	----	0.5605B/----	0.5605B/0.5530A	----	0.5705 + 0.0935	.5794	----	----	----	----	1 UNCH
595	----	----	0.5140B/----	0.5140B/0.5100A	----	0.5230 + 0.0870	.5485	----	----	----	----	2 UNCH
600	----	----	0.4920B/----	0.4920B/0.4890A	----	0.5000 + 0.0835	.5331	----	----	----	----	2 UNCH
610	----	----	0.4500B/----	0.4500B/0.4500A	----	0.4570 + 0.0770	.5026	----	----	----	----	14 UNCH
640	----	----	0.3400B/----	0.3400B/0.3485A	----	0.3465 + 0.0610	.4152	----	----	----	----	1 UNCH
670	----	----	0.2535B/----	0.2535B/0.2695A	----	0.2610 + 0.0475	.3369	----	----	----	----	14 UNCH
675	----	----	0.2415B/----	0.2415B/0.2585A	----	0.2490 + 0.0455	.3250	----	----	----	----	1 UNCH
750	----	----	0.1155B/----	0.1155B/0.1390A	----	0.1245 + 0.0195	.1851	----	----	----	----	1 UNCH
850	----	----	----	0.0440B/0.0710A	----	0.0550 + 0.0070	.0895	----	----	----	----	1 UNCH
900	----	----	----	0.0265B/0.0550A	----	0.0375 + 0.0045	.0630	----	----	----	----	1 UNCH
975	----	----	----	0.0110B/0.0415A	----	0.0205 + 0.0020	.0363	----	----	----	----	1 UNCH
TOTAL												43
DEC26												
520	----	----	0.9670B/----	0.9670B/0.9390A	----	0.9835 + 0.1325	.7585	----	----	----	----	1 UNCH
525	----	----	0.9335B/----	0.9335B/0.9075A	----	0.9495 + 0.1290	.7461	----	----	----	----	123 UNCH
535	----	----	0.8685B/----	0.8685B/0.8475A	----	0.8835 + 0.1225	.7204	----	----	----	----	1 UNCH
550	----	----	0.7775B/----	0.7775B/0.7630A	----	0.7910 + 0.1130	.6797	----	----	----	----	2 UNCH
555	----	----	0.7490B/----	0.7490B/0.7365A	----	0.7620 + 0.1100	.6658	----	----	----	----	1 UNCH
565	----	----	0.6935B/----	0.6935B/0.6855A	----	0.7060 + 0.1040	.6375	----	----	----	----	45 UNCH
575	----	----	0.6420B/----	0.6420B/0.6375A	----	0.6535 + 0.0980	.6088	----	----	----	----	123 UNCH
585	----	----	0.5930B/----	0.5930B/0.5925A	----	0.6040 + 0.0925	.5799	----	----	----	----	1 UNCH
590	----	----	0.5695B/----	0.5695B/0.5705A	----	0.5805 + 0.0895	.5655	----	----	----	----	200 UNCH
595	----	----	0.5470B/----	0.5470B/0.5495A	----	0.5575 + 0.0865	.5510	----	----	----	----	163 UNCH
600	----	----	0.5250B/----	0.5250B/0.5295A	----	0.5350 + 0.0835	.5366	----	----	----	125	601 + 50
610	----	----	0.4835B/----	0.4835B/0.4905A	----	0.4925 + 0.0775	.5082	----	----	----	----	356 UNCH
620	----	----	0.4445B/----	0.4445B/0.4540A	----	0.4525 + 0.0715	.4802	----	----	----	----	408 UNCH
625	----	----	0.4255B/----	0.4255B/0.4365A	----	0.4335 + 0.0690	.4664	----	----	----	----	13 UNCH
630	----	----	0.4075B/----	0.4075B/0.4200A	----	0.4150 + 0.0660	.4527	----	----	----	----	456 UNCH
640	----	----	0.3735B/----	0.3735B/0.3885A	----	0.3805 + 0.0605	.4260	----	----	----	----	29 UNCH
650	----	----	0.3420B/----	0.3420B/0.3590A	----	0.3485 + 0.0555	.4001	----	----	----	----	371 UNCH
660	----	----	0.3125B/----	0.3125B/0.3320A	----	0.3190 + 0.0505	.3752	----	----	----	----	300 UNCH
670	----	----	0.2855B/----	0.2855B/0.3075A	----	0.2925 + 0.0465	.3516	----	----	----	----	4 UNCH
675	----	----	0.2730B/----	0.2730B/0.2955A	----	0.2800 + 0.0445	.3401	----	----	----	----	17 UNCH
680	0.2750	0.2750	0.2750/0.2750	0.2750/0.2750	----	0.2680 NEW	.3289	----	----	3	----	3 + 3
700	----	----	0.2175B/----	0.2175B/0.2425A	----	0.2260 + 0.0360	.2877	----	----	----	----	843 UNCH
705	----	----	0.2080B/----	0.2080B/0.2330A	----	0.2165 + 0.0345	.2780	----	----	----	----	2 UNCH
725	----	----	0.1740B/----	0.1740B/0.2000A	----	0.1830 + 0.0285	.2425	----	----	----	----	5 UNCH
730	----	----	0.1665B/----	0.1665B/0.1925A	----	0.1755 + 0.0270	.2343	----	----	----	----	2 UNCH
750	----	----	0.1395B/----	0.1395B/0.1665A	----	0.1490 + 0.0220	.2043	----	----	----	----	24 UNCH
800	----	----	0.0910B/----	0.0910B/0.1190A	----	0.1015 + 0.0140	.1463	----	----	----	----	104 UNCH
850	----	----	----	0.0595B/0.0895A	----	0.0715 + 0.0095	.1066	----	----	----	----	4 UNCH
900	----	----	----	0.0385B/*0.0600	----	0.0515 + 0.0060	.0787	----	----	----	----	200 UNCH
925	----	----	----	0.0305B/0.0630A	----	0.0460 + 0.0050	.0701	----	----	----	----	6 UNCH
950	----	----	----	0.0310B/0.0575A	----	0.0415 + 0.0045	.0630	----	----	----	----	78 UNCH
975	----	----	----	0.0185B/0.0525A	----	0.0375 + 0.0035	.0567	----	----	----	----	13 UNCH
TOTAL									125	3		4499 + 53
JAN27												
500	----	----	----	----	----	1.2180 + 0.1680	.8045	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1150 + 0.0265	.1349	----	----	----	----	1 UNCH
TOTAL												2
MAR27												
680	----	----	----	----	----	0.4805 + 0.0830	.4134	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.2365 + 0.0395	.1978	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
125	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
300	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	22 UNCH
330	----	----	----	----/0.0045A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
340	----	----	----	----/0.0045A	----	0.0005 UNCH	.0002	----	----	----	----	6 UNCH
350	----	----	----	----/0.0045A	----	0.0005 UNCH	.0005	----	----	----	----	6 UNCH
360	----	----	----	----/*0.0020A	----	0.0005 UNCH	.0010	----	----	----	----	35 UNCH
370	----	----	----	0.0010B/0.0050A	----	0.0010 UNCH	.0026	----	----	----	----	1 UNCH
375	----	----	----	----/0.0050A	----	0.0010 UNCH	.0027	----	----	----	----	1 UNCH
390	----	----	----	----/0.0050A	----	0.0015 - 0.0005	.0041	----	----	----	----	2 UNCH
395	----	----	----	----/0.0050A	----	0.0015 - 0.0005	.0042	----	----	----	----	6 UNCH
400	----	----	----	0.0010B/0.0035A	----	0.0020 - 0.0005	.0055	----	----	----	----	124 UNCH
405	----	----	----	----/0.0050A	----	0.0020 - 0.0005	.0057	----	----	----	----	125 UNCH
410	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0071	----	----	----	----	23 UNCH
415	----	----	----	----/0.0055A	----	0.0025 - 0.0010	.0073	----	----	----	----	6 UNCH
420	----	----	----	----/0.0050A	----	0.0025 - 0.0010	.0076	----	----	----	----	60 UNCH
425	----	----	----	----/*0.0040A	----	0.0030 - 0.0010	.0091	----	----	----	----	56 UNCH
430	----	----	----	----/0.0060A	----	0.0030 - 0.0015	.0094	----	----	----	----	21 UNCH
435	----	----	----/*0.0045A	----/*0.0045A	----	0.0030 - 0.0020	.0097	----	----	----	----	8 UNCH
440	----	----	----	----/0.0055A	----	0.0035 - 0.0020	.0114	----	----	----	----	134 UNCH
445	----	----	----/*0.0030A	----/*0.0030A	----	0.0035 - 0.0025	.0118	----	----	----	----	52 UNCH
450	0.0030	0.0030	0.0035B/*0.0030	0.0035B/*0.0030	----	0.0040 - 0.0025	.0136	----	----	3	----	860 - 1
455	----	----	----/*0.0035A	----/*0.0035A	----	0.0040 - 0.0035	.0142	----	----	----	----	23 UNCH
460	0.0045	0.0045	0.0045/*0.0040	0.0055B/*0.0040	----	0.0045 - 0.0040	.0162	----	----	48	----	547 - 42
465	0.0080	0.0080	0.0080/*0.0040A	0.0080/*0.0040A	----	0.0050 - 0.0045	.0183	----	----	1	----	34 UNCH
470	----	----	----/*0.0045A	0.0070B/*0.0045	----	0.0050 - 0.0055	.0190	----	----	14	----	60 UNCH
475	0.0075	0.0075	0.0075/*0.0045A	0.0085B/*0.0045	----	0.0055 - 0.0065	.0214	----	----	87	----	438 - 77
480	0.0080	0.0080	0.0080/*0.0050A	0.0100B/*0.0050	----	0.0060 - 0.0075	.0239	----	----	20	----	1308 - 2
485	----	----	----/*0.0055A	0.0110B/*0.0055	----	0.0065 - 0.0085	.0265	----	----	2	----	89 UNCH
490	0.0090	0.0090	0.0095/*0.0060A	0.0130B/*0.0060	----	0.0070 - 0.0100	.0294	----	----	43	----	271 - 16
495	0.0070	0.0070	0.0070/*0.0065A	0.0150B/*0.0065	----	0.0075 - 0.0120	.0325	----	----	6	----	92 - 4
500	0.0175	0.0175	0.0175/*0.0080A	0.0175/*0.0080A	----	0.0085 - 0.0140	.0375	----	----	308	----	1789 + 18
505	0.0135	0.0135	0.0135/*0.0085A	0.0200B/*0.0085	----	0.0095 - 0.0165	.0429	----	----	28	----	178 - 16
510	0.0205	0.0205	0.0210/*0.0095	0.0230B/*0.0095	----	0.0105 - 0.0200	.0487	----	----	83	----	388 + 17
514	----	----	----/*0.0110A	0.0260B/*0.0110	----	0.0120 - 0.0230	.0560	----	----	----	----	43 UNCH
515	0.0200	0.0200	0.0200/*0.0110A	0.0275B/*0.0110	----	0.0120 - 0.0240	.0567	----	----	6	----	147 - 1
516	----	----	----/*0.0115A	0.0280B/*0.0115	----	0.0125 - 0.0250	.0590	----	----	----	----	74 UNCH
517	----	----	----/*0.0120A	0.0290B/*0.0120	----	0.0130 - 0.0260	.0613	----	----	1	----	108 UNCH
518	----	----	----/*0.0125A	0.0300B/*0.0125	----	0.0130 - 0.0270	.0621	----	----	2	----	118 - 2
519	----	----	----/*0.0130A	0.0300B/*0.0130	----	0.0135 - 0.0280	.0645	----	----	----	----	88 UNCH
520	0.0275	0.0275	0.0275/*0.0135A	0.0315B/*0.0135	----	0.0140 - 0.0295	.0669	----	----	62	----	1190 + 7
521	----	----	----/*0.0140A	0.0320B/*0.0140	----	0.0145 - 0.0305	.0694	----	----	1	----	66 - 1
522	----	----	----/*0.0145A	0.0335B/*0.0145	----	0.0150 - 0.0315	.0718	----	----	----	----	49 UNCH
523	----	----	----/*0.0150A	0.0355B/*0.0150	----	0.0155 - 0.0330	.0744	----	----	----	----	21 UNCH
524	0.0155	0.0155	0.0155/*0.0155	0.0365B/*0.0155	----	0.0160 - 0.0340	.0769	----	----	3	----	19 UNCH
525	0.0220	0.0220	0.0220/*0.0160A	0.0370B/*0.0160	----	0.0165 - 0.0355	.0795	----	----	94	----	344 + 56
526	0.0185	0.0185	0.0185/*0.0165A	0.0385B/*0.0165	----	0.0170 - 0.0370	.0822	----	----	4	----	14 - 1
527	0.0180	0.0180	0.0190/*0.0170A	0.0400B/*0.0170	----	0.0175 - 0.0385	.0848	----	----	6	----	17 + 5
528	0.0190	0.0190	0.0190/*0.0180A	0.0415B/*0.0180	----	0.0185 - 0.0395	.0891	----	----	1	----	12 + 1
529	0.0200	0.0200	0.0200/*0.0185	0.0425B/*0.0185	----	0.0190 NEW	.0918	----	----	6	----	6 + 6
530	0.0315	0.0315	0.0315/*0.0195	0.0455B/*0.0195	----	0.0195 - 0.0430	.0947	----	----	262	----	684 + 120
531	0.0215	0.0215	0.0225/*0.0200	0.0470B/*0.0200	----	0.0205 - 0.0445	.0990	----	----	21	----	21 + 18
532	0.0225	0.0225	0.0235/*0.0210	0.0480B/*0.0210	----	0.0210 - 0.0465	.1019	----	----	10	----	15 + 9
533	0.0235	0.0235	0.0240/*0.0215	0.0500B/*0.0215	----	0.0220 - 0.0480	.1064	----	----	6	----	7 + 6
534	0.0260	0.0260	0.0260/*0.0225	0.0525B/*0.0225	----	0.0230 NEW	.1108	----	----	8	----	8 + 8
535	0.0400	0.0400	0.0400/*0.0235	0.0535B/*0.0235	----	0.0235 - 0.0520	.1139	----	----	36	----	210 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
MAY26												
536	0.0265	0.0265	0.0275/*0.0245	0.0555B/*0.0245	----	0.0245 - 0.0535	.1185	----	----	9	----	10 + 9
537	0.0275	0.0275	0.0285/*0.0255	0.0580B/*0.0255	----	0.0255 - 0.0555	.1231	----	----	6	----	8 + 5
538	0.0295	0.0295	0.0295/*0.0265	0.0590B/*0.0265	----	0.0265 NEW	.1278	----	----	9	----	8 + 8
539	0.0280	0.0280	0.0280/*0.0275A	0.0635B/*0.0275	----	0.0280 - 0.0590	.1339	----	----	2	----	6 + 2
540	0.0405	0.0405	0.0405/*0.0290	0.0650B/*0.0290	----	0.0290 - 0.0610	.1387	----	----	55	----	379 - 2
541	----	----	----/*0.0300A	0.0665B/*0.0300	----	0.0300 - 0.0635	.1435	----	----	----	----	8 UNCH
542	----	----	----/*0.0315A	0.0695B/*0.0315	----	0.0315 - 0.0655	.1498	----	----	----	----	8 UNCH
543	----	----	----/*0.0330A	0.0715B/*0.0330	----	0.0330 NEW	.1560	----	----	1	----	1 + 1
544	----	----	----/*0.0345A	0.0750B/*0.0345	----	0.0345 - 0.0695	.1623	----	----	----	----	1 UNCH
545	----	----	----/*0.0360A	0.0770B/*0.0360	----	0.0360 - 0.0715	.1686	----	----	5	----	165 - 2
546	----	----	----/*0.0375A	0.0805B/*0.0375	----	0.0375 - 0.0740	.1751	----	----	----	----	11 UNCH
547	----	----	----/*0.0390A	0.0840B/*0.0390	----	0.0390 - 0.0760	.1815	----	----	2	----	9 + 2
548	----	----	----/*0.0405A	0.0875B/*0.0405	----	0.0410 - 0.0780	.1892	----	----	----	----	109 UNCH
549	----	----	----/*0.0430A	0.0905B/*0.0430	----	0.0425 - 0.0810	.1958	----	----	1	----	12 + 1
550	0.0700	0.0700	0.0700/*0.0440A	0.0940B/*0.0440	----	0.0445 - 0.0830	.2036	----	----	108	150	1886 + 101
551	----	----	----/*0.0460A	0.0975B/*0.0460	----	0.0465 - 0.0855	.2114	----	----	----	----	32 UNCH
552	----	----	----/*0.0480A	0.1010B/*0.0480	----	0.0485 - 0.0875	.2192	----	----	----	----	18 UNCH
553	----	----	----/*0.0505A	0.1045B/*0.0505	----	0.0505 - 0.0900	.2272	----	----	----	----	21 UNCH
554	0.0580	0.0580	0.0580/*0.0525A	0.1090B/*0.0525	----	0.0530 - 0.0925	.2361	----	----	3	----	17 - 3
555	0.0585	0.0585	0.0585/*0.0555A	0.1125B/*0.0555	----	0.0550 - 0.0950	.2442	----	----	5	----	122 - 2
556	----	----	----/*0.0580A	0.1170B/*0.0580	----	0.0575 - 0.0975	.2532	----	----	----	----	15 UNCH
557	0.0700	0.0700	0.0700/*0.0605A	0.1215B/*0.0605	----	0.0600 - 0.1000	.2623	----	----	3	----	32 - 2
558	0.0695	0.0695	0.0700/*0.0630A	0.1255B/*0.0630	----	0.0630 - 0.1020	.2722	----	----	6	----	107 - 6
559	----	----	----/*0.0655A	0.1300B/*0.0655	----	0.0655 - 0.1050	.2814	----	----	----	----	24 UNCH
560	0.1100	0.1100	0.1100/*0.0670A	0.1345B/*0.0670	----	0.0685 - 0.1070	.2914	----	----	101	----	528 + 75
561	----	----	----/*0.0715A	0.1390B/*0.0715	----	0.0715 - 0.1095	.3014	----	----	----	----	15 UNCH
562	----	----	----/*0.0745A	0.1440B/*0.0745	----	0.0745 - 0.1120	.3114	----	----	----	----	22 UNCH
563	----	----	----/*0.0780A	0.1495B/*0.0780	----	0.0775 - 0.1150	.3216	----	----	----	----	12 UNCH
564	----	----	----/*0.0810A	0.1545B/*0.0810	----	0.0805 - 0.1175	.3318	----	----	----	----	9 UNCH
565	0.0920	0.0920	0.0920/*0.0825A	0.1595B/*0.0825	----	0.0840 - 0.1200	.3426	----	----	2	----	220 - 2
566	----	----	----/*0.0880A	0.1650B/*0.0880	----	0.0875 - 0.1225	.3534	----	----	----	----	6 UNCH
567	----	----	----/*0.0915A	0.1700B/*0.0915	----	0.0915 - 0.1250	.3647	----	----	----	----	3 UNCH
568	----	----	----/*0.0950A	0.1760B/*0.0950	----	0.0950 - 0.1275	.3756	----	----	1	----	8 UNCH
569	----	----	----/*0.0990A	0.1805B/*0.0990	----	0.0990 - 0.1300	.3869	----	----	----	----	27 UNCH
570	0.1420	0.1420	0.1420/*0.1015A	0.1870B/*0.1015	----	0.1030 - 0.1325	.3983	----	----	4	----	550 UNCH
571	----	----	----/*0.1070A	0.1925B/*0.1070	----	0.1070 - 0.1350	.4097	----	----	----	----	5 UNCH
572	0.1565	0.1565	0.1565/*0.1115A	0.1985B/*0.1115	----	0.1115 - 0.1375	.4214	----	----	9	----	9 + 4
573	0.1575	0.1575	0.1575/*0.1165A	0.2035B/*0.1165	----	0.1160 - 0.1395	.4330	----	----	1	----	5 + 1
575	0.1665	0.1665	0.1675/*0.1240A	0.2220B/*0.1240	----	0.1255 - 0.1440	.4565	----	----	66	----	308 + 19
576	0.1630	0.1630	0.1630/*0.1305A	0.2125B/*0.1305	----	0.1305 - 0.1465	.4682	----	----	29	----	29 + 26
577	0.2075	0.2075	0.2075/*0.1355A	0.2140B/*0.1355	----	0.1355 - 0.1485	.4800	----	----	83	----	77 + 74
578	0.1580	0.1580	0.1580/*0.1405A	0.2150B/*0.1405	----	0.1405 - 0.1510	.4917	----	----	8	----	25 UNCH
579	0.1575	0.1575	0.1575/*0.1455A	0.2170B/*0.1455	----	0.1460 - 0.1530	.5034	----	----	1	----	6 + 1
580	0.1695	0.1695	0.1695/*0.1500A	0.2425B/*0.1500	----	0.1510 - 0.1555	.5150	----	----	56	----	302 + 20
581	----	----	----/*0.1565A	0.2180B/*0.1565	----	0.1570 - 0.1570	.5267	----	----	----	----	20 UNCH
582	----	----	----/*0.1625A	0.2200B/*0.1625	----	0.1625 - 0.1590	.5383	----	----	----	----	7 UNCH
583	----	----	----/*0.1675A	0.2270B/*0.1675	----	0.1685 - 0.1610	.5496	----	----	----	----	1 UNCH
584	----	----	----/*0.1740A	0.2345B/*0.1740	----	0.1740 - 0.1630	.5613	----	----	----	----	5 UNCH
585	----	----	----/*0.1785A	0.2780B/*0.1785	----	0.1800 - 0.1650	.5726	----	----	----	----	189 UNCH
586	----	----	----/*0.1870A	0.2485B/*0.1870	----	0.1860 - 0.1670	.5835	----	----	----	----	3 UNCH
587	----	----	----/*0.1920A	0.2560B/*0.1920	----	0.1925 - 0.1685	.5948	----	----	----	----	3 UNCH
588	----	----	----/*0.2015A	0.2635B/*0.2015	----	0.1985 - 0.1705	.6056	----	----	----	----	2 UNCH
589	----	----	----/*0.2105A	0.2710B/*0.2105	----	0.2050 - 0.1720	.6169	----	----	----	----	2 UNCH
590	----	----	----/0.2120A	0.3160B/0.2120A	----	0.2115 - 0.1740	.6277	----	----	----	----	144 UNCH
591	----	----	----/0.2235A	0.2865B/0.2235A	----	0.2175 - 0.1760	.6385	----	----	----	----	1 UNCH
592	----	----	----/0.2280A	0.2940B/0.2280A	----	0.2245 - 0.1775	.6492	----	----	----	----	50 UNCH
594	----	----	----/0.2510A	0.3095B/0.2510A	----	0.2375 - 0.1815	.6702	----	----	----	----	1 UNCH
595	----	----	----/0.2455A	0.3505B/0.2455A	----	0.2445 - 0.1830	.6811	----	----	----	----	31 UNCH
597	----	----	----/0.2720A	0.3340B/0.2720A	----	0.2585 - 0.1860	.7005	----	----	----	----	1 UNCH
598	----	----	----/0.2795A	0.3420B/0.2795A	----	0.2655 - 0.1875	.7106	----	----	----	----	1 UNCH
600	----	----	----/0.2815A	0.3585B/0.2815A	----	0.2805 - 0.1900	.7291	----	----	----	----	505 UNCH
602	----	----	----/0.3095A	0.3755B/0.3095A	----	0.2960 - 0.1920	.7465	----	----	----	----	1 UNCH
603	----	----	----/0.3175A	0.3840B/0.3175A	----	0.3040 - 0.1930	.7556	----	----	----	----	1 UNCH
604	----	----	----/0.3255A	0.3925B/0.3255A	----	0.3115 - 0.1945	.7637	----	----	----	----	2 UNCH
605	0.3345	0.3345	0.3345/0.3320A	0.4010B/0.3320A	----	0.3195 - 0.1955	.7717	----	----	1	----	37 UNCH
610	----	----	----/0.3740A	0.4450B/0.3740A	----	0.3605 - 0.2000	.8078	----	----	----	----	42 UNCH
615	----	----	----/0.4170A	0.4900B/0.4170A	----	0.4030 - 0.2045	.8418	----	----	----	----	1 UNCH
619	----	----	----/0.4525A	0.5265B/0.4525A	----	0.4375 - 0.2075	.8662	----	----	----	----	1 UNCH
620	----	----	----/0.4615A	0.5355B/0.4615A	----	0.4465 - 0.2080	.8710	----	----	----	----	3 UNCH
645	----	----	----/0.7730A	0.6645B/0.7730A	----	0.6820 - 0.2140	.9451	----	----	----	----	1 UNCH
TOTAL									150	1749		16267 + 443
JUN26												
330	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0033	----	----	----	----	3 UNCH
355	----	----	----	----/0.0090A	----	0.0025 - 0.0020	.0056	----	----	----	----	10 UNCH
370	----	----	----	----/0.0090A	----	0.0035 - 0.0025	.0079	----	----	----	----	1 UNCH
380	----	----	----	----/0.0105A	----	0.0045 - 0.0030	.0102	----	----	----	----	1 UNCH
400	----	----	----/0.0100A	0.0020B/0.0100A	----	0.0060 - 0.0045	.0142	----	----	----	----	2 UNCH
405	----	----	----/*0.0105A	0.0020B/*0.0105	----	0.0065 - 0.0045	.0156	----	----	----	----	1 UNCH
410	----	----	----/*0.0110A	0.0040B/*0.0110	----	0.0070 - 0.0050	.0169	----	----	----	----	2 UNCH
420	----	----	----/*0.0120A	0.0080B/*0.0120	----	0.0080 - 0.0060	.0198	----	----	----	----	3 UNCH
430	----	----	----/*0.0095A	0.0100B/*0.0095	----	0.0090 - 0.0075	.0230	----	----	----	----	4 UNCH
435	----	----	----/*0.0110A	0.0115B/*0.0110	----	0.0095 - 0.0085	.0247	----	----	----	----	2 UNCH
440	----	----	----/*0.0095A	0.0135B/*0.0095	----	0.0100 - 0.0100	.0265	----	----	----	----	8 UNCH
445	0.0105	0.0105	0.0110/*0.0100A	0.0160B/*0.0100	----	0.0110 - 0.0110	.0293	----	----	5	----	12 UNCH
450	0.0205	0.0205	0.0205/*0.0105A	0.0205/*0.0105A	----	0.0115 - 0.0125	.0313	----	----	37	----	468 - 4
455	----	----	----/*0.0120A	0.0205B/*0.0120	----	0.0125 - 0.0140	.0343	----	----	5	----	73 - 5
460	----	----	----/*0.0135A	0.0230B/*0.0135	----	0.0135 - 0.0155	.0375	----	----	5	----	89 - 1
465	0.0160	0.0160	0.0160/*0.0150A	0.0255B/*0.0150	----	0.0150 - 0.0175	.0418	----	----	10	----	921 UNCH
470	0.0275	0.0275	0.0275/*0.0160A	0.0285B/*0.0160	----	0.0165 - 0.0195	.0463	----	----	13	650	669 - 1
475	0.0235	0.0235	0.0235/*0.0185A	0.0320B/*0.0185	----	0.0180 - 0.0220	.0509	----	----	6	----	164 - 5
480	0.0255	0.0255	0.0255/*0.0205A	0.0360B/*0.0205	----	0.0200 - 0.0250	.0568	----	----	17	650	1007 - 230
485	0.0240	0.0240	0.0240/*0.0235A	0.0400B/*0.0235	----	0.0225 - 0.0275	.0638	----	----	48	----	54 + 47
490	----	----	----/*0.0260A	0.0450B/*0.0260	----	0.0250 - 0.0310	.0710	----	----	2	----	63 - 1
495	----	----	----/*0.0295A	0.0490B/*0.0295	----	0.0285 - 0.0345	.0803	----	----	3	----	35 - 1
500	----	----	----/*0.0330A	0.0550B/*0.0330	----	0.0320 - 0.0385	.0899	----	----	30	----	567 - 5
505	----	----	----/*0.0375A	0.0620B/*0.0375	----	0.0360 - 0.0425	.1007	----	----	1	----	515 + 1
510	0.0420	0.0420	0.0420/*0.0420	0.0700B/*0.0420	----	0.0410 - 0.0470	.1135	----	----	54	----	218 + 48
515	----	----	----/*0.0475A	0.0790B/*0.0475	----	0.0465 - 0.0515	.1275	----	----	3	----	29 + 1
520	0.0595	0.0595	0.0595/*0.0540A	0.0890B/*0.0540	----	0.0530 - 0.0565	.1433	----	----	9	----	179 UNCH
523	----	----	----/*0.0585A	0.0955B/*0.0585	----	0.0570 - 0.0600	.1531	----	----	----	----	3 UNCH
525	0.0670	0.0670	0.0670/*0.0605A	0.0995B/*0.0605	----	0.0600 - 0.0620	.1602	----	----	9	----	2303 - 1
528	----	----	----/*0.0660A	0.1065B/*0.0660	----	0.0650 - 0.0650	.1717	----	----	----	----	3 UNCH
529	----	----	----/*0.0675A	0.1080B/*0.0675	----	0.0665 - 0.0665	.1753	----	----	----	----	5 UNCH
530	----	----	----/*0.0690A	0.1105B/*0.0690	----	0.0685 - 0.0670	.1796	----	----	37	----	113 - 16
531	----	----	----/*0.0710A	0.1130B/*0.0710	----	0.0700 NEW	.1833	----	----	2	----	2 + 2
535	----	----	----/*0.0785A	0.1240B/*0.0785	----	0.0775 - 0.0730	.2000	----	----	----	----	21 UNCH
537	0.0825	0.0825	0.0825/*0.0825	0.1300B/*0.0825	----	0.0810 - 0.0760	.2082	----	----	3	----	4 + 3
538	----	----	----/*0.0840A	0.1325B/*0.0840	----	0.0830 - 0.0775	.2127	----	----	----	----	1 UNCH
539	----	----	----/*0.0865A	0.1365B/*0.0865	----	0.0855 - 0.0785	.2176	----	----	----	----	1 UNCH
540	----	----	----/*0.0885A	0.1385B/*0.0885	----	0.0875 - 0.0800	.2221	----	----	1	----	45 UNCH
542	----	----	----/*0.0920A	0.1445B/*0.0920	----	0.0920 - 0.0825	.2316	----	----	2	----	3 + 2
543	----	----	----/*0.0955A	0.1490B/*0.0955	----	0.0940 - 0.0840	.2362	----	----	2	----	12 + 2
545	----	----	----/*0.1000A	0.1550B/*0.1000	----	0.0990 - 0.0865	.2463	----	----	3	----	67 - 1
550	0.1755	0.1755	0.1755/*0.1120A	0.1755/*0.1120A	----	0.1115 - 0.0940	.2719	----	----	4	----	131 - 75
551	----	----	----/*0.1150A	0.1775B/*0.1150	----	0.1145 - 0.0955	.2775	----	----	----	----	90 UNCH
555	0.1355	0.1355	0.1355/*0.1265A	0.1920B/*0.1265	----	0.1265 - 0.1010	.3000	----	----	2	----	10 - 1
557	----	----	----/*0.1335A	0.2000B/*0.1335	----	0.1325 - 0.1045	.3114	----	----	----	----	50 UNCH
559	----	----	----/*0.1390A	0.2085B/*0.1390	----	0.1395 - 0.1070	.3234	----	----	----	----	2 UNCH
560	----	----	----/*0.1435A	0.2130B/*0.1435	----	0.1430 - 0.1085	.3294	----	----	3	----	4 UNCH
561	----	----	----/*0.1470A	0.2175B/*0.1470	----	0.1465 - 0.1100	.3355	----	----	----	----	1 UNCH
565	----	----	----/*0.1600A	0.2360B/*0.1600	----	0.1610 - 0.1160	.3601	----	----	1	----	163 + 1
568	----	----	----/*0.1720A	0.2510B/*0.1720	----	0.1730 NEW	.3791	----	----	1	----	1 + 1
570	0.2400	0.2400	0.2400/*0.1810A	0.2615B/*0.1810	----	0.1810 - 0.1235	.3918	----	----	3	----	13 + 1
574	0.2200	0.2200	0.2200/*0.1985A	0.2830B/*0.1985	----	0.1985 NEW	.4178	----	----	1	----	1 + 1
575	0.2370	0.2370	0.2370/*0.2025A	0.2875B/*0.2025	----	0.2030 - 0.1310	.4243	----	----	1	----	62 + 1
576	0.2415	0.2415	0.2415/*0.2060A	0.2935B/*0.2060	----	0.2075 NEW	.4308	----	----	1	----	1 + 1
577	0.2465	0.2465	0.2465/*0.2105A	0.2990B/*0.2105	----	0.2125 NEW	.4374	----	----	1	----	1 + 1
578	0.2515	0.2515	0.2515/*0.2160A	0.3045B/*0.2160	----	0.2170 NEW	.4440	----	----	1	----	1 + 1
579	0.2600	0.2600	0.2600/*0.2215A	0.3110B/*0.2215	----	0.2220 NEW	.4506	----	----	2	----	2 + 2
580	0.2615	0.2615	0.2615/*0.2255A	0.3165B/*0.2255	----	0.2270 - 0.1380	.4571	----	----	1	----	14 - 1
581	0.2665	0.2665	0.2665/*0.2305A	0.3215B/*0.2305	----	0.2315 NEW	.4637	----	----	1	----	1 + 1
582	0.2720	0.2720	0.2720/*0.2355A	0.3285B/*0.2355	----	0.2365 NEW	.4703	----	----	1	----	1 + 1
583	0.2770	0.2770	0.2770/*0.2400A	0.3340B/*0.2400	----	0.2415 NEW	.4769	----	----	1	----	1 + 1
584	0.2920	0.2920	0.2920/*0.2460A	0.3400B/*0.2460	----	0.2470 NEW	.4835	----	----	2	----	2 + 2
585	0.2880	0.2880	0.2880/*0.2510A	0.3455B/*0.2510	----	0.2520 - 0.1455	.4901	----	----	1	----	2 + 1
590	----	----	----/0.2780A	0.3685B/0.2780A	----	0.2790 - 0.1525	.5230	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 74

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
600	----	----	----/0.3370A	0.4360B/0.3370A	----	0.3380 - 0.1655	.5872	----	----	----	----	15 UNCH
602	----	----	----/0.3535A	0.4095B/0.3535A	----	0.3505 - 0.1680	.5998	----	----	----	----	1 UNCH
605	----	----	----/0.3705A	0.4720B/0.3705A	----	0.3700 - 0.1715	.6179	----	----	----	----	48 UNCH
610	----	----	----/0.4040A	0.5095B/0.4040A	----	0.4035 - 0.1770	.6474	----	----	----	----	20 UNCH
615	----	----	----/0.4400A	0.5475B/0.4400A	----	0.4390 - 0.1815	.6760	----	----	----	----	31 UNCH
620	----	----	----/0.4760A	0.5875B/0.4760A	----	0.4755 - 0.1860	.7027	----	----	----	----	9 UNCH
630	----	----	----/0.5530A	0.6245B/0.5530A	----	0.5525 - 0.1935	.7516	----	----	----	----	9 UNCH
645	----	----	----/0.6935A	0.7525B/0.6935A	----	0.6765 - 0.2010	.8127	----	----	----	----	1 UNCH
650	----	----	----/0.7370A	0.7970B/0.7370A	----	0.7195 - 0.2030	.8305	----	----	----	----	3 UNCH
655	----	----	----/0.7810A	0.8420B/0.7810A	----	0.7635 - 0.2050	.8463	----	----	----	----	1 UNCH
700	----	----	----	----	----	1.1820 - 0.2145	.9355	----	----	----	----	1 UNCH
TOTAL									1300	335		8378 - 226
JUL26												
330	----	----	----	----/0.0110A	----	0.0020 - 0.0025	.0042	----	----	----	----	80 UNCH
350	----	----	----	0.0010B/0.0125A	----	0.0030 - 0.0030	.0065	----	----	----	----	5 UNCH
380	----	----	----	0.0020B/0.0160A	----	0.0055 - 0.0055	.0122	----	----	----	----	2 UNCH
390	----	----	----	0.0070B/0.0170A	----	0.0070 - 0.0065	.0154	----	----	----	----	6 UNCH
395	----	----	----	0.0075B/*0.0175	----	0.0080 - 0.0070	.0175	----	----	----	----	1 UNCH
400	0.0120	0.0120	0.0120/*0.0085	0.0135B/*0.0085	----	0.0085 - 0.0080	.0189	----	----	6	----	508 - 1
405	----	----	----/0.0165A	0.0100B/0.0165A	----	0.0095 - 0.0085	.0210	----	----	----	----	1 UNCH
415	----	----	----/*0.0135A	0.0125B/*0.0135	----	0.0115 - 0.0105	.0256	----	----	1	----	53 + 1
420	----	----	----/*0.0140A	0.0140B/*0.0140	----	0.0130 - 0.0115	.0287	----	----	----	----	4 UNCH
425	----	----	----/*0.0155A	0.0160B/*0.0155	----	0.0140 - 0.0125	.0312	----	----	----	----	50 UNCH
430	----	----	----/*0.0170A	0.0180B/*0.0170	----	0.0155 - 0.0140	.0345	----	----	----	----	8 UNCH
435	----	----	----/*0.0215A	0.0205B/*0.0215	----	0.0175 - 0.0145	.0387	----	----	----	----	5 UNCH
440	----	----	----/*0.0230A	0.0235B/*0.0230	----	0.0190 - 0.0165	.0422	----	----	----	----	3 UNCH
445	----	----	----/*0.0220A	0.0275B/*0.0220	----	0.0210 - 0.0180	.0466	----	----	----	----	3 UNCH
450	0.0240	0.0240	0.0240/*0.0230	0.0315B/*0.0230	----	0.0230 - 0.0200	.0511	----	----	5	----	1921 - 3
455	0.0240	0.0240	0.0240/*0.0240	0.0355B/*0.0240	----	0.0255 - 0.0215	.0564	----	----	3	----	9 + 3
460	0.0275	0.0275	0.0275/*0.0275	0.0400B/*0.0275	----	0.0280 - 0.0240	.0620	----	----	3	----	4 + 3
470	----	----	----/*0.0355A	0.0505B/*0.0355	----	0.0340 - 0.0290	.0749	----	----	----	----	3 UNCH
475	----	----	----/*0.0380A	0.0560B/*0.0380	----	0.0375 - 0.0320	.0823	----	----	----	----	510 UNCH
480	0.0420	0.0420	0.0420/*0.0420	0.0625B/*0.0420	----	0.0415 - 0.0350	.0906	----	----	1	----	69 + 1
485	0.0465	0.0465	0.0465/*0.0465	0.0690B/*0.0465	----	0.0460 NEW	.0997	----	----	1	----	1 + 1
490	----	----	----/*0.0530A	0.0770B/*0.0530	----	0.0510 - 0.0425	.1097	----	----	----	----	543 UNCH
495	----	----	----/*0.0585A	0.0850B/*0.0585	----	0.0565 - 0.0465	.1205	----	----	----	----	96 UNCH
500	----	----	----/*0.0645A	0.0945B/*0.0645	----	0.0625 - 0.0505	.1321	----	----	1	250	2618 - 249
505	----	----	----/*0.0715A	0.1045B/*0.0715	----	0.0695 - 0.0545	.1452	----	----	----	----	2 UNCH
510	----	----	----/*0.0790A	0.1150B/*0.0790	----	0.0770 - 0.0590	.1590	----	----	----	----	31 UNCH
520	0.0970	0.0970	0.0970/*0.0965A	0.1385B/*0.0965	----	0.0950 - 0.0680	.1903	----	----	3	----	619 - 1
525	0.1215	0.1215	0.1220/*0.1070A	0.1520B/*0.1070	----	0.1055 - 0.0725	.2077	----	----	5	250	507 - 250
530	0.1190	0.1190	0.1190/*0.1185A	0.1665B/*0.1185	----	0.1165 - 0.0780	.2258	----	----	2	----	3215 + 1
534	----	----	----/*0.1285A	0.1800B/*0.1285	----	0.1265 - 0.0820	.2413	----	----	----	----	1 UNCH
535	----	----	----/*0.1310A	0.1840B/*0.1310	----	0.1290 - 0.0835	.2452	----	----	----	----	1 UNCH
539	----	----	----/*0.1415A	0.1965B/*0.1415	----	0.1400 - 0.0875	.2617	----	----	----	----	1 UNCH
540	----	----	----/*0.1445A	0.2000B/*0.1445	----	0.1425 - 0.0890	.2656	----	----	1	----	457 UNCH
550	0.1825	0.1825	0.1825/*0.1745A	0.2385B/*0.1745	----	0.1735 - 0.1010	.3095	----	----	19	----	469 + 5
555	----	----	----/*0.1925A	0.2595B/*0.1925	----	0.1905 - 0.1075	.3324	----	----	----	----	44 UNCH
560	----	----	----/*0.2110A	0.2815B/*0.2110	----	0.2095 - 0.1135	.3563	----	----	1	----	43 UNCH
565	----	----	----/*0.2315A	0.3050B/*0.2315	----	0.2295 - 0.1190	.3807	----	----	----	----	7 UNCH
570	----	----	----/0.2530A	0.3320B/0.2530A	----	0.2505 - 0.1245	.4055	----	----	31	----	56 + 26
574	----	----	----/*0.2705A	0.3510B/*0.2705	----	0.2680 - 0.1290	.4256	----	----	----	----	5 UNCH
580	0.3115	0.3115	0.3135/*0.2965A	0.3860B/*0.2965	----	0.2965 - 0.1355	.4561	----	----	3	----	1735 UNCH
585	----	----	----/0.3245A	0.4125B/0.3245A	----	0.3215 - 0.1415	.4816	----	----	----	----	21 UNCH
588	----	----	----/*0.3405A	0.4310B/*0.3405	----	0.3375 - 0.1445	.4969	----	----	----	----	1 UNCH
589	0.3475	0.3475	0.3475/*0.3465	0.4370B/*0.3465	----	0.3425 NEW	.5020	----	----	7	----	7 + 7
590	----	----	----/0.3535A	0.4430B/0.3535A	----	0.3480 - 0.1465	.5071	----	----	----	----	21 UNCH
595	----	----	----/0.3825A	0.4705B/0.3825A	----	0.3760 - 0.1520	.5323	----	----	----	----	2 UNCH
600	----	----	----/0.4110A	0.5005B/0.4110A	----	0.4055 - 0.1565	.5573	----	----	----	----	10 UNCH
610	----	----	----/0.4735A	0.5690B/0.4735A	----	0.4690 - 0.1650	.6053	----	----	----	----	47 UNCH
615	----	----	----/0.5070A	0.6050B/0.5070A	----	0.5025 - 0.1695	.6285	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.2065 - 0.2090	.8836	----	----	----	----	1 UNCH
705	----	----	----	----	----	1.2525 - 0.2100	.8915	----	----	----	----	1 UNCH
TOTAL									500	93		13817 - 456
AUG26												
405	----	----	----/*0.0230A	0.0155B/*0.0230	----	0.0170 - 0.0095	.0313	----	----	----	----	3 UNCH
420	----	----	----/*0.0275A	0.0215B/*0.0275	----	0.0210 - 0.0130	.0393	----	----	----	----	1 UNCH
440	0.0290	0.0290	0.0290/*0.0290	0.0345B/*0.0290	----	0.0290 - 0.0195	.0545	----	----	2	----	9 + 2
450	----	----	----/*0.0405A	0.0435B/*0.0405	----	0.0345 - 0.0240	.0646	----	----	----	----	4 UNCH
475	----	----	----/*0.0600A	0.0750B/*0.0600	----	0.0555 - 0.0370	.1003	----	----	----	----	2 UNCH
480	----	----	----/*0.0650A	0.0820B/*0.0650	----	0.0610 - 0.0400	.1092	----	----	----	----	4 UNCH
500	----	----	----/*0.0945A	0.1195B/*0.0945	----	0.0890 - 0.0530	.1521	----	----	----	----	3 UNCH
510	----	----	----/*0.1125A	0.1425B/*0.1125	----	0.1065 - 0.0615	.1776	----	----	1	----	1 UNCH
520	----	----	----/*0.1335A	0.1685B/*0.1335	----	0.1275 - 0.0695	.2064	----	----	----	----	300 UNCH
530	----	----	----/*0.1580A	0.1980B/*0.1580	----	0.1515 - 0.0790	.2378	----	----	1	----	1 UNCH
580	----	----	----/0.3405A	0.4085B/0.3405A	----	0.3355 - 0.1240	.4304	----	----	----	----	250 UNCH
585	----	----	----/0.3650A	0.4355B/0.3650A	----	0.3600 - 0.1280	.4513	----	----	----	----	5 UNCH
590	----	----	----/0.3905A	0.4635B/0.3905A	----	0.3855 - 0.1320	.4723	----	----	----	----	14 UNCH
TOTAL										4		597 + 2
SEP26												
400	----	----	----/*0.0290A	0.0185B/*0.0290	----	0.0215 - 0.0110	.0360	----	----	----	----	1 UNCH
450	----	----	----/*0.0545A	0.0585B/*0.0545	----	0.0470 - 0.0305	.0782	----	----	----	----	578 UNCH
470	----	----	----/*0.0765A	0.0865B/*0.0765	----	0.0675 - 0.0415	.1085	----	----	----	----	3 UNCH
475	----	----	----/*0.0830A	0.0945B/*0.0830	----	0.0740 - 0.0440	.1176	----	----	----	----	70 UNCH
480	----	----	----/*0.0905A	0.1035B/*0.0905	----	0.0815 - 0.0465	.1276	----	----	----	----	7 UNCH
485	----	----	----/*0.0975A	0.1130B/*0.0975	----	0.0890 - 0.0490	.1377	----	----	----	----	1 UNCH
490	----	----	----/*0.1085A	0.1170B/*0.1085	----	0.0975 - 0.0515	.1487	----	----	----	----	9 UNCH
500	----	----	----/*0.1270A	0.1400B/*0.1270	----	0.1155 - 0.0575	.1718	----	----	----	----	377 UNCH
520	----	----	----/*0.1730A	0.1940B/*0.1730	----	0.1595 - 0.0725	.2249	----	----	----	----	3 UNCH
525	----	----	----/*0.1865A	0.2095B/*0.1865	----	0.1725 NEW	.2396	----	----	----	200	200 + 200
540	----	----	----/*0.2250A	0.2670B/*0.2250	----	0.2170 - 0.0895	.2870	----	----	----	----	1 UNCH
550	----	----	----/0.2600A	0.3070B/0.2600A	----	0.2515 - 0.0980	.3211	----	----	----	----	20 UNCH
575	----	----	----/0.3645A	0.4215B/0.3645A	----	0.3560 - 0.1185	.4118	----	----	----	----	102 UNCH
590	----	----	----/0.4390A	0.5035B/0.4390A	----	0.4310 - 0.1295	.4679	----	----	----	----	2 UNCH
600	----	----	----/0.4935A	0.5625B/0.4935A	----	0.4855 - 0.1365	.5051	----	----	----	----	9 UNCH
610	----	----	----/0.5515A	0.6255B/0.5515A	----	0.5435 - 0.1440	.5417	----	----	----	----	6 UNCH
615	----	----	----/0.5820A	0.6580B/0.5820A	----	0.5740 - 0.1475	.5596	----	----	----	----	1 UNCH
625	----	----	----/0.6490A	0.7260B/0.6490A	----	0.6375 - 0.1545	.5947	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.1730 - 0.1910	.7871	----	----	----	----	2 UNCH
TOTAL									200			1539 + 200
OCT26												
375	----	----	----	0.0070B/0.0310A	----	0.0185 - 0.0080	.0277	----	----	----	----	2 UNCH
400	----	----	----/*0.0370A	0.0170B/*0.0370	----	0.0255 - 0.0140	.0390	----	----	----	----	1 UNCH
450	----	----	----/*0.0675A	0.0600B/*0.0675	----	0.0560 - 0.0335	.0833	----	----	----	----	1 UNCH
470	----	----	----/*0.0915A	0.0905B/*0.0915	----	0.0785 - 0.0445	.1126	----	----	----	----	1 UNCH
500	----	----	----/*0.1450A	0.1460B/*0.1450	----	0.1285 - 0.0615	.1715	----	----	----	----	110 UNCH
TOTAL												115
NOV26												
400	----	----	----/0.0470A	0.0205B/0.0470A	----	0.0315 - 0.0190	.0450	----	----	----	----	10 UNCH
475	----	----	----/*0.1215A	0.1185B/*0.1215	----	0.1030 - 0.0530	.1334	----	----	----	----	2 UNCH
735	----	----	----	----	----	1.5055 - 0.1925	.7920	----	----	----	----	2 UNCH
TOTAL												14
DEC26												
385	----	----	----	0.0160B/0.0490A	----	0.0305 - 0.0180	.0410	----	----	----	----	1 UNCH
400	----	----	----/0.0555A	0.0310B/0.0555A	----	0.0380 - 0.0220	.0508	----	----	----	----	17 UNCH
420	----	----	----/*0.0690A	0.0455B/*0.0690	----	0.0510 - 0.0295	.0674	----	----	----	----	2 UNCH
455	----	----	----/0.1080A	0.0965B/0.1080A	----	0.0885 - 0.0450	.1105	----	----	----	----	1 UNCH
475	----	----	----/*0.1410A	0.1360B/*0.1410	----	0.1205 - 0.0555	.1439	----	----	----	----	77 UNCH
490	----	----	----/*0.1720A	0.1715B/*0.1720	----	0.1505 - 0.0640	.1731	----	----	----	----	5 UNCH
500	----	----	----/*0.1955A	0.1980B/*0.1955	----	0.1730 - 0.0705	.1941	----	----	----	----	62 UNCH
550	----	----	----/0.3540A	0.3780B/0.3540A	----	0.3300 - 0.1015	.3196	----	----	----	----	2 UNCH
560	----	----	----/0.3955A	0.4230B/0.3955A	----	0.3705 - 0.1080	.3476	----	----	----	----	300 UNCH
570	----	----	----/0.4395A	0.4715B/0.4395A	----	0.4150 - 0.1135	.3761	----	----	----	----	1 UNCH
580	----	----	----/0.4870A	0.5230B/0.4870A	----	0.4625 - 0.1195	.4050	----	----	----	----	22 UNCH
600	----	----	----/0.5905A	0.6340B/0.5905A	----	0.5655 - 0.1315	.4627	----	----	----	----	26 UNCH
630	----	----	----/0.7645A	0.8200B/0.7645A	----	0.7405 - 0.1490	.5467	----	----	----	----	18 UNCH
TOTAL												534
JAN27												
400	----	----	----	----	----	0.0395 - 0.0130	.0505	----	----	----	----	8 UNCH
TOTAL												8
FEB27												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
FEB27												
400	----	----	----	----	----	0.0470 - 0.0140	.0564	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0130 - 0.0035	.0135	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
APR26												
548	----	----	#0.2960B/----	0.2960B/0.2760A	----	0.3000 + 0.1795	.9829	----	----	----	----	2 UNCH
555	----	----	0.2275B/----	0.2275B/0.1590A	----	0.2325 + 0.1560	.9606	----	----	----	----	1 UNCH
558	----	----	#0.2280B/----	#0.2280B/0.1925	----	0.2530 + 0.1130	.7396	----	----	----	----	11 UNCH
560	----	----	0.1805B/----	0.1805B/0.1055A	----	0.1845 + 0.1315	.9359	----	----	1	----	4 UNCH
567	----	----	0.1180B/----	0.1180B/0.0695A	----	0.1225 + 0.0925	.8422	----	----	----	----	5 UNCH
570	----	----	0.0940B/----	0.0940B/0.0575A	----	0.0985 + 0.0750	.7722	----	----	----	----	1 UNCH
572	0.0715	0.0715	0.0790B/0.0715	0.0790B/0.0505A	----	0.0845 NEW	.7105	----	----	1	----	1 + 1
574	----	----	#0.1125B/----	0.1125B/0.0880A	----	0.1185 + 0.0685	.5704	----	----	----	----	1 UNCH
575	0.0500	0.0500	0.0595B/0.0470	0.0595B/0.0415A	----	0.0655 + 0.0510	.6057	----	----	8	----	9 + 3
575	0.1200	0.1200	#0.1500/0.1200	#0.1500/0.1135A	----	0.1470 NEW	.5441	----	----	17	----	7 + 7
576	0.0710	0.0710	0.0710/0.0710	0.0710/0.0390A	----	0.0595 NEW	.5687	----	----	1	----	1 + 1
580	0.0410	0.0410	0.0410/0.0300	0.0410/0.0300	----	0.0400 + 0.0315	.4157	----	----	7	----	6 + 5
580	----	----	0.0815B/----	0.0815B/0.0685A	----	0.0880 + 0.0505	.4691	----	----	----	----	5 UNCH
580	----	----	#0.1190B/----	#0.1190B/0.0960	----	0.1220 + 0.0570	.4826	----	----	----	----	2 UNCH
581	0.0755	0.0755	0.0770B/0.0755	0.0770B/0.0660A	----	0.0835 NEW	.4522	----	----	1	----	1 + 1
585	0.0250	0.0250	0.0250/0.0250	0.0250/0.0245A	----	0.0225 NEW	.2444	----	----	3	----	3 + 3
587	0.0135	0.0135	0.0135/*0.0135	0.0135/0.0135	----	0.0175 + 0.0135	.1893	----	----	1	----	1 UNCH
589	----	----	0.0070B/----	0.0070B/0.0170A	----	0.0135 + 0.0100	.1434	----	----	----	----	2 UNCH
590	0.0100	0.0100	0.0100/*0.0100	0.0100/0.0100	----	0.0120 NEW	.1252	----	----	30	----	30 + 30
590	----	----	0.0440B/----	0.0440B/0.0460A	----	0.0505 + 0.0270	.3100	----	----	----	----	10 UNCH
594	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0070 NEW	.0672	----	----	1	----	1 + 1
595	----	----	0.0315B/----	0.0315B/0.0380A	----	0.0380 + 0.0190	.2442	----	----	----	----	5 UNCH
595	0.0700	0.0700	#0.0700/0.0700	#0.0700/0.0595A	----	0.0640 NEW	.3058	----	----	7	----	7 + 7
600	0.0060	0.0060	0.0060/0.0055	0.0060/0.0055	----	0.0030 + 0.0020	.0237	----	----	3	----	4 + 3
604	0.0065	0.0065	0.0065/*0.0065	0.0065/*0.0065	----	0.0015 NEW	.0100	----	----	1	----	1 + 1
610	----	----	----	----/*0.0075A	----	0.0005 UNCH	.0014	----	----	----	----	100 UNCH
630	----	----	----	----/*0.0065A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
640	----	----	----	0.0005B/*0.0095	----	0.0025 + 0.0005	.0177	----	----	----	----	3 UNCH
670	----	----	----	----/0.0095A	----	0.0005 UNCH	.0021	----	----	----	----	3 UNCH
TOTAL										82		229 + 63
HXE PUT		COPPER OPTIONS										
APR26												
470	----	----	----	----/*0.0060A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
490	----	----	----	----/*0.0105A	----	0.0005 - 0.0035	.0028	----	----	----	----	2 UNCH
510	----	----	----/*0.0115A	0.0025B/*0.0115	----	0.0020 - 0.0105	.0120	----	----	----	----	25 UNCH
515	----	----	----	----/*0.0065A	----	0.0005 - 0.0015	----	----	----	----	----	115 UNCH
520	----	----	----	----/*0.0065A	----	0.0005 - 0.0025	.0000	----	----	----	----	31 UNCH
526	----	----	----	----/*0.0070A	----	0.0005 - 0.0050	.0001	----	----	----	----	1 UNCH
530	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0005 - 0.0075	.0003	----	----	1	----	31 - 1
535	----	----	----/*0.0070A	----/*0.0070A	----	0.0005 - 0.0120	.0013	----	----	1	----	7 - 1
540	----	----	----/*0.0070A	0.0015B/*0.0070	----	0.0010 - 0.0185	.0041	----	----	----	----	115 UNCH
545	----	----	----/*0.0075A	0.0030B/*0.0075	----	0.0020 - 0.0275	.0101	----	----	----	----	1 UNCH
550	0.0055	0.0055	0.0055/*0.0045	0.0095B/*0.0045	----	0.0040 - 0.0395	.0241	----	----	2	----	3 - 2
552	0.0130	0.0130	0.0130/*0.0090A	0.0135B/*0.0090	----	0.0045 NEW	.0290	----	----	1	----	1 + 1
555	----	----	----/*0.0095A	0.0210B/*0.0095	----	0.0055 - 0.0580	.0393	----	----	----	----	1 UNCH
558	----	----	----/*0.0115A	0.0305B/*0.0115	----	0.0065 - 0.0720	.0517	----	----	----	----	2 UNCH
560	0.0150	0.0150	0.0170/*0.0145A	0.0380B/*0.0145	----	0.0075 - 0.0825	.0640	----	----	2	----	6 + 1
564	0.0500	0.0500	0.0500/*0.0500	0.1025B/*0.0500	----	0.0460 - 0.1125	.2750	----	----	3	----	0 - 3
565	----	----	----/*0.0195A	0.0610B/*0.0195	----	0.0125 NEW	.1221	----	----	1	----	1 + 1
565	0.0795	0.0795	0.0795/*0.0540A	0.1075B/*0.0540	----	0.0490 NEW	.2893	----	----	1	----	1 + 1
568	0.1000	0.1000	0.1000/*0.0635A	0.1240B/*0.0635	----	0.0585 NEW	.3334	----	----	2	----	1 + 1
570	0.0580	0.0580	0.0580/*0.0295A	0.0895B/*0.0295	----	0.0215 - 0.1390	.2276	----	----	2	----	1 - 2
576	0.0320	0.0320	0.0320/*0.0320	0.0870B/*0.0320	----	0.0425 NEW	.4311	----	----	1	----	1 + 1
TOTAL										17		348 - 3
MAY26												
510	----	----	----/*0.0175A	0.0240B/*0.0175	----	0.0135 - 0.0240	.0552	----	----	----	----	1 UNCH
TOTAL												1

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
MAY26												
1575	----	----	85.10B/----	85.10B/24.00A	----	64.10 + 50.40	.5990	----	----	----	----	5 UNCH
1585	----	----	72.80B/----	72.80B/22.00A	----	58.40 + 46.10	.5677	----	----	----	----	1 UNCH
1600	56.60	56.60	69.80B/56.60	69.80B/19.50A	----	50.60 + 40.30	.5200	----	----	1	----	31 UNCH
1610	53.40	53.40	64.20B/53.40	64.20B/18.00A	----	45.90 NEW	.4882	----	----	15	----	15 + 15
1615	51.10	51.10	61.60B/51.10	61.60B/17.30A	----	43.70 NEW	.4725	----	----	15	----	15 + 15
1720	11.70	11.70	22.50B/*11.70	22.50B/9.80A	----	14.80 NEW	.2059	----	----	8	----	8 + 8
1800	----	----	9.70B/----	9.70B/7.70A	----	7.10 + 5.70	.1061	----	----	----	----	4 UNCH
1900	----	----	2.70B/----	2.70B/6.20A	----	2.70 + 2.20	.0438	----	----	----	----	20 UNCH
1925	----	----	1.70B/----	1.70B/6.00A	----	2.00 + 1.60	.0335	----	----	----	----	10 UNCH
1950	----	----	0.90B/----	0.90B/5.80A	----	1.60 + 1.30	.0271	----	----	----	----	40 UNCH
2475	----	----	----	----/4.20A	----	0.10 UNCH	.0015	----	----	----	----	100 UNCH
TOTAL										39		249 + 38
JUN26												
1400	----	----	268.40B/----	268.40B/157.40A	----	237.20 + 03.80	.7962	----	----	----	----	75 UNCH
1440	----	----	128.90B/----	128.90B/136.60A	----	206.90 + 94.10	.7528	----	----	----	----	1 UNCH
1460	----	----	125.50B/----	125.50B/125.80A	----	192.60 + 89.20	.7290	----	----	----	----	25 UNCH
1500	----	----	196.10B/----	196.10B/107.70A	----	166.00 + 79.80	.6776	----	----	----	----	110 UNCH
1525	----	----	180.20B/----	180.20B/97.40A	----	150.70 + 74.10	.6434	----	----	----	----	5 UNCH
1550	----	----	165.30B/----	165.30B/87.90A	----	136.40 + 68.50	.6081	----	----	----	----	11 UNCH
1575	----	----	151.30B/----	151.30B/79.20A	----	123.10 + 63.10	.5723	----	----	----	----	15 UNCH
1600	110.10	110.10	138.20B/106.90	138.20B/71.40A	----	110.90 + 57.90	.5363	----	----	50	----	53 + 33
1655	----	----	112.50B/----	112.50B/56.80A	----	87.40 + 47.10	.4585	----	----	----	----	1 UNCH
1700	----	----	94.30B/----	94.30B/47.70A	----	71.60 + 39.10	.3984	----	----	----	----	25 UNCH
1750	----	----	76.90B/----	76.90B/39.80A	----	57.20 + 31.20	.3373	----	----	----	----	10 UNCH
1800	----	----	62.60B/----	62.60B/33.70A	----	46.00 + 24.90	.2842	----	----	----	----	110 UNCH
1850	----	----	50.90B/----	50.90B/29.10A	----	37.40 + 19.90	.2394	----	----	----	----	2 UNCH
1900	----	----	41.70B/----	41.70B/25.50A	----	30.90 + 16.10	.2027	----	----	----	----	64 UNCH
1925	----	----	37.80B/----	37.80B/24.00A	----	28.20 + 14.50	.1868	----	----	----	----	40 UNCH
1950	----	----	34.40B/----	34.40B/22.70A	----	25.90 + 13.10	.1728	----	----	----	----	10 UNCH
2000	----	----	28.70B/----	28.70B/20.40A	----	22.00 + 10.80	.1484	----	----	----	----	106 UNCH
2100	----	----	20.40B/----	20.40B/17.10A	----	15.10 + 7.30	.1061	----	----	----	----	52 UNCH
2200	----	----	14.80B/----	14.80B/14.80A	----	10.40 + 4.90	.0758	----	----	----	----	7 UNCH
2300	----	----	11.00B/----	11.00B/13.00A	----	7.50 + 3.50	.0558	----	----	----	----	30 UNCH
2400	----	----	8.20B/----	8.20B/11.70A	----	5.80 + 2.60	.0432	----	----	----	----	7 UNCH
2500	----	----	6.10B/----	6.10B/10.60A	----	4.10 + 1.80	.0314	----	----	----	----	25 UNCH
2700	----	----	3.20B/----	3.20B/8.90A	----	2.20 + 0.90	.0174	----	----	----	----	50 UNCH
3000	----	----	----	0.30B/7.40A	----	1.00 + 0.40	.0081	----	----	----	----	30 UNCH
3500	----	----	----	----/6.00A	----	0.20 UNCH	.0018	----	----	----	----	25 UNCH
TOTAL										50		889 + 33
JUL26												
1800	----	----	#102.80B/----	#102.80B/62.90A	----	85.90 + 39.90	.3733	----	----	----	----	29 UNCH
TOTAL												29 0
SEP26												
1400	----	----	#334.70B/----	#334.70B/242.00	----	312.60 + 00.20	.7419	----	----	----	----	75 UNCH
1575	----	----	#238.40B/----	#238.40B/169.80	----	218.70 + 74.20	.6011	----	----	----	----	25 UNCH
1665	----	----	#200.00B/----	#200.00B/141.90	----	181.90 + 63.50	.5303	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
SEP26												
1700	----	----	#186.80B/----	#186.80B/132.50	----	169.20 + 59.50	.5040	----	----	----	----	5 UNCH
1800	----	----	#153.70B/----	#153.70B/109.40	----	137.70 + 48.80	.4336	----	----	----	----	1 UNCH
1900	----	----	#126.70B/----	#126.70B/91.60A	----	112.40 + 39.30	.3713	----	----	----	----	5 UNCH
2100	----	----	#87.60B/----	#87.60B/67.50A	----	78.30 + 26.20	.2748	----	----	----	----	25 UNCH
2200	70.00	70.00	#74.00B/*70.00	#74.00B/59.30A	----	68.00 NEW	.2410	----	----	5	----	5 + 5
2400	----	----	#54.80B/----	#54.80B/47.40A	----	54.40 + 17.40	.1927	----	----	----	10	15 - 10
2550	----	----	#44.80B/----	#44.80B/41.00A	----	46.70 + 14.70	.1652	----	----	----	----	50 UNCH
TOTAL									10	5		215 - 5
DEC26												
2000	----	----	----	----	----	201.20 + 56.40	.4378	----	----	----	----	1 UNCH
3000	----	----	----	----	----	123.30 + 33.40	.2612	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
MAY26												
1250	----	----	----	----/*5.50A	----	0.10 - 2.30	.0023	----	----	----	----	160 UNCH
1300	----	----	----	0.60B/*6.60A	----	0.30 - 5.50	.0065	----	----	----	----	1 UNCH
1400	----	----	----/*10.20A	13.00B/*10.20A	----	2.60 - 22.40	.0464	----	----	----	----	22 UNCH
1450	----	----	----/*13.70A	28.30B/*13.70A	----	6.50 - 38.70	.1021	----	----	----	----	2 UNCH
1500	30.00	30.00	30.00/*19.90A	52.70B/*19.90A	----	15.20 - 59.20	.2000	----	----	1	----	2 UNCH
1550	----	----	----/*31.10A	85.50B/*31.10A	----	28.40 - 83.00	.3262	----	----	----	----	100 UNCH
1605	49.10	49.10	51.20/*49.10	62.80B/*49.10	----	51.80 NEW	.4958	----	----	17	----	17 + 17
1610	51.60	51.60	53.70/*51.60	65.00B/*51.60	----	54.50 NEW	.5117	----	----	17	----	17 + 17
1615	56.20	56.20	56.30/*54.20	68.10B/*54.20	----	57.30 NEW	.5274	----	----	26	----	26 + 26
1675	----	----	----/92.30A	193.80B/92.30A	----	97.20 - 25.30	.6981	----	----	----	----	100 UNCH
1820	----	----	----	----	----	224.40 - 40.00	.9094	----	----	----	----	25 UNCH
TOTAL										61		472 + 60
JUN26												
1200	----	----	----/*15.60A	11.50B/15.60A	----	9.30 - 8.10	.0618	----	----	----	----	15 UNCH
1250	----	----	----/*15.80A	18.70B/*15.80A	----	14.00 - 12.00	.0881	----	----	----	----	1 UNCH
1300	26.00	26.00	28.40/*23.50	29.30B/23.50	----	20.30 - 18.90	.1211	----	----	27	95	125 + 50
1325	21.30	21.30	26.50/*21.30	36.10B/21.30	----	23.60 NEW	.1387	----	----	18	----	18 + 18
1335	----	----	----/*31.50A	39.10B/31.50A	----	25.00 - 25.70	.1462	----	----	----	----	1 UNCH
1400	----	----	----/43.50A	62.60B/43.50A	----	36.50 - 40.50	.2036	----	----	----	30	215 + 30
1440	----	----	----/53.20A	80.60B/53.20A	----	46.10 - 50.20	.2470	----	----	----	----	4 UNCH
1450	----	----	----/56.00A	85.50B/56.00A	----	48.80 - 52.60	.2587	----	----	----	----	76 UNCH
1460	----	----	----/59.00A	90.50B/59.00A	----	51.70 - 55.10	.2708	----	----	----	----	25 UNCH
1750	----	----	----/207.80A	294.60B/207.80A	----	205.30 - 13.10	.6625	----	----	----	----	1 UNCH
1900	----	----	----/323.70A	430.70B/323.70A	----	328.50 - 28.40	.7971	----	----	----	----	50 UNCH
TOTAL									125	45		531 + 98
JUL26												
1285	----	----	----/*36.90A	38.70B/*36.90A	----	29.00 - 18.20	.1335	----	----	----	----	9 UNCH
1300	----	----	----/*39.40A	45.00B/*39.40A	----	32.00 NEW	.1444	----	----	----	35	35 + 35
TOTAL									35			44 + 35
SEP26												
1465	----	----	----/*124.30A	150.60B/*124.30	----	114.30 - 54.00	.3090	----	----	----	----	150 UNCH
1575	----	----	----/*177.30A	217.00B/*177.30	----	168.10 - 69.30	.3985	----	----	----	----	25 UNCH
1650	----	----	----/*219.60A	267.70B/*219.60	----	211.20 - 78.30	.4578	----	----	----	----	50 UNCH
1925	----	----	----/*407.30A	482.70B/*407.30	----	403.00 - 06.50	.6425	----	----	----	----	75 UNCH
TOTAL												300 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
APR26												
1500	116.00	116.00	131.10B/116.00	131.10B/34.40A	----	106.20 + 87.40	.8893	----	----	2	----	2 UNCH
1600	----	----	77.70B/----	77.70B/25.20A	----	59.10 + 44.30	.5220	----	----	----	----	1 UNCH
1630	----	----	34.70B/----	34.70B/9.30A	----	23.60 + 21.80	.3867	----	----	----	----	7 UNCH
TOTAL										2		10 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4										
APR26												
1755	----	----	----/*12.70A	20.60B/*12.70A	----	10.00 - 19.70	.0819	----	----	----	----	27 UNCH
1765	----	----	----/*7.70A	11.50B/*7.70A	----	4.60 - 14.80	.0511	----	----	----	----	27 UNCH
1790	----	----	----/*8.80A	15.00B/*8.80A	----	5.90 - 17.80	.0642	----	----	----	----	27 UNCH
1840	----	----	----/*12.30A	23.90B/*12.30A	----	9.70 - 25.30	.1004	----	----	----	----	27 UNCH
1940	----	----	----/*8.50A	27.50B/*8.50A	----	5.80 - 38.40	.1082	----	----	----	----	35 UNCH
1955	----	----	----	----	----	120.10 + 75.80	.8639	----	----	----	----	10 UNCH
1975	----	----	134.40B/----	134.40B/51.30A	----	103.20 + 68.00	.8187	----	----	----	----	4 UNCH
2040	72.00	72.00	80.50B/72.00	80.50B/51.70A	----	83.50 NEW	.5797	----	----	10	----	10 + 10
2050	----	----	74.70B/----	74.70B/22.20A	----	49.20 + 36.00	.5790	----	----	----	----	20 UNCH
2065	----	----	49.30B/----	49.30B/18.80A	----	40.90 + 30.10	.5196	----	----	----	----	25 UNCH
2085	94.40	94.40	#94.90/*94.40	#120.80B/*94.40	----	99.50 NEW	.5089	----	----	26	----	26 + 26
2090	94.50	94.50	#104.60B/94.50	#104.60B/55.20A	----	79.80 NEW	.4822	----	----	26	----	26 + 26
2090	----	----	----/*41.70A	52.10B/*41.70A	----	52.00 - 97.90	.5799	----	----	----	----	18 UNCH
2090	97.00	97.00	#97.50/*97.00	#121.50B/*97.00	----	102.30 NEW	.5176	----	----	26	----	26 + 26
2095	92.20	92.20	#102.10B/92.20	#102.10B/53.70A	----	77.60 NEW	.4735	----	----	26	----	26 + 26
2095	100.10	100.10	#100.20/*99.50A	#121.90B/*99.50	----	105.10 NEW	.5264	----	----	53	----	53 + 53
2095	----	----	47.60B/----	47.60B/13.90A	----	27.50 + 20.20	.4004	----	----	----	----	25 UNCH
2100	29.80	29.80	45.00B/29.80	45.00B/13.30A	----	25.70 + 18.80	.3816	----	----	10	----	23 + 10
2115	23.30	23.30	37.80B/23.30	37.80B/11.70A	----	20.80 NEW	.3271	----	----	24	----	24 + 24
2120	----	----	#90.50B/----	#90.50B/46.80A	----	67.40 + 31.10	.4306	----	----	----	----	27 UNCH
2125	----	----	33.40B/----	33.40B/10.90A	----	18.00 + 12.90	.2934	----	----	----	----	1 UNCH
2150	----	----	----/*106.70A	190.70B/*106.70	----	118.60 - 99.50	.6662	----	----	----	----	12 UNCH
2155	----	----	----	----	----	122.20 - 00.30	.6760	----	----	----	----	12 UNCH
2160	----	----	51.90B/----	51.90B/22.50A	----	33.40 + 18.40	.3141	----	----	----	----	12 UNCH
2160	----	----	----	----	----	125.80 - 01.10	.6858	----	----	----	----	12 UNCH
2265	14.70	14.70	23.90B/14.70	23.90B/12.80A	----	14.40 NEW	.1581	----	----	26	----	26 + 26
2345	----	----	0.50B/----	0.50B/4.20A	----	0.50 + 0.20	.0127	----	----	----	----	1 UNCH
TOTAL										227		562 + 227
MAY26												
1700	----	----	----/*14.30A	20.50B/*14.30A	----	10.50 - 17.10	.0748	----	----	----	----	3 UNCH
1915	----	----	----	----	----	199.60 + 70.40	.7377	----	----	----	----	20 UNCH
2050	105.00	105.00	#142.30B/105.00	#142.30B/84.60A	----	116.70 NEW	.5518	----	----	10	----	10 + 10
TOTAL										10		33 + 10
PO CALL		PLATINUM OPTIONS										
MAY26												
1750	----	----	352.00B/----	352.00B/237.40A	----	319.00 + 10.30	.9765	----	----	----	----	19 UNCH
1800	----	----	303.70B/----	303.70B/193.00A	----	270.70 + 04.50	.9550	----	----	----	----	18 UNCH
1850	----	----	256.50B/----	256.50B/151.30A	----	223.70 + 96.30	.9200	----	----	----	----	2 UNCH
1950	120.00	120.00	168.10B/120.00	168.10B/82.80A	----	136.10 + 71.40	.7933	----	----	1	----	3 UNCH
1995	----	----	69.60B/----	69.60B/59.70A	----	102.00 + 57.60	.7013	----	----	----	----	15 UNCH
2000	----	----	128.50B/----	128.50B/57.50A	----	98.50 + 56.00	.6894	----	----	1	----	304 - 1
2005	----	----	69.50B/----	69.50B/55.20A	----	95.10 + 54.50	.6774	----	----	----	----	14 UNCH
2025	----	----	110.70B/----	110.70B/46.90A	----	82.20 + 48.40	.6274	----	----	----	----	50 UNCH
2040	----	----	69.70B/----	69.70B/41.40A	----	73.30 + 43.90	.5881	----	----	----	----	64 UNCH
2045	----	----	67.60B/----	67.60B/39.30A	----	70.50 + 42.50	.5749	----	----	----	----	50 UNCH
2050	----	----	94.60B/----	94.60B/38.00A	----	67.80 + 41.00	.5614	----	----	----	----	111 UNCH
2055	----	----	66.70B/----	66.70B/36.50A	----	65.10 + 39.60	.5480	----	----	----	----	57 UNCH
2060	82.00	82.00	82.00/82.00	82.00/34.90A	----	62.50 + 38.10	.5345	----	----	5	----	12 + 5
2065	----	----	72.00B/----	72.00B/33.50A	----	59.90 + 36.70	.5209	----	----	----	----	14 UNCH
2070	----	----	73.30B/----	73.30B/32.10A	----	57.50 + 35.30	.5074	----	----	----	----	14 UNCH
2075	50.00	50.00	80.10B/50.00	80.10B/30.80A	----	55.10 + 33.90	.4938	----	----	4	----	25 + 4
2080	----	----	74.10B/----	74.10B/29.50A	----	52.80 + 32.60	.4803	----	----	----	----	20 UNCH
2085	----	----	73.90B/----	73.90B/28.40A	----	50.50 + 31.20	.4668	----	----	----	----	14 UNCH
2090	----	----	72.10B/----	72.10B/27.20A	----	48.30 + 29.80	.4534	----	----	----	----	21 UNCH
2095	----	----	69.60B/----	69.60B/26.10A	----	46.20 + 28.60	.4401	----	----	----	----	7 UNCH
2100	50.00	50.00	67.10B/50.00	67.10B/25.10A	----	44.10 + 27.20	.4267	----	----	16	----	233 + 1
2105	----	----	64.70B/----	64.70B/24.10A	----	42.20 + 26.10	.4138	----	----	----	----	7 UNCH
2110	----	----	62.30B/----	62.30B/23.20A	----	40.30 + 24.90	.4008	----	----	----	----	37 UNCH
2115	----	----	60.00B/----	60.00B/22.30A	----	38.40 + 23.60	.3878	----	----	----	----	22 UNCH
2120	----	----	57.80B/----	57.80B/21.50A	----	36.60 + 22.50	.3750	----	----	----	----	14 UNCH
2125	----	----	55.60B/----	55.60B/20.70A	----	34.90 + 21.40	.3625	----	----	----	----	14 UNCH
2130	----	----	53.40B/----	53.40B/19.90A	----	33.30 + 20.30	.3503	----	----	----	----	107 UNCH
2135	----	----	51.40B/----	51.40B/19.20A	----	31.70 + 19.30	.3382	----	----	----	----	7 UNCH
2140	----	----	49.30B/----	49.30B/18.50A	----	30.20 + 18.30	.3263	----	----	----	----	7 UNCH
2145	----	----	47.40B/----	47.40B/17.90A	----	28.80 + 17.40	.3148	----	----	----	----	7 UNCH
2150	----	----	45.40B/----	45.40B/17.30A	----	27.40 + 16.50	.3034	----	----	----	----	119 UNCH
2155	----	----	43.60B/----	43.60B/16.70A	----	26.10 + 15.60	.2924	----	----	----	----	7 UNCH
2160	----	----	41.80B/----	41.80B/16.10A	----	24.90 + 14.90	.2818	----	----	----	----	13 UNCH
2170	----	----	38.40B/----	38.40B/15.10A	----	22.50 + 13.30	.2607	----	----	----	----	75 UNCH
2175	----	----	36.80B/----	36.80B/14.70A	----	21.50 + 12.70	.2512	----	----	----	200	208 + 195
2200	----	----	29.50B/----	29.50B/12.70A	----	16.90 + 9.80	.2066	----	----	----	----	206 UNCH
2215	----	----	25.80B/----	25.80B/11.70A	----	14.70 + 8.50	.1836	----	----	----	----	20 UNCH
2220	----	----	24.70B/----	24.70B/11.40A	----	14.10 + 8.10	.1769	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
MAY26												
2245	----	----	19.90B/----	19.90B/10.10A	----	11.30 + 6.50	.1457	----	----	----	----	10 UNCH
2250	----	----	19.00B/----	19.00B/9.90A	----	10.80 + 6.20	.1400	----	----	----	----	29 UNCH
2260	----	----	17.50B/----	17.50B/9.50A	----	10.00 + 5.80	.1303	----	----	----	----	10 UNCH
2265	----	----	16.60B/----	16.60B/9.30A	----	9.60 + 5.60	.1255	----	----	----	----	10 UNCH
2270	----	----	15.90B/----	15.90B/9.10A	----	9.20 + 5.40	.1208	----	----	----	----	183 UNCH
2275	----	----	15.30B/----	15.30B/8.90A	----	8.90 + 5.20	.1168	----	----	----	----	10 UNCH
2280	----	----	14.60B/----	14.60B/8.80A	----	8.50 + 5.00	.1122	----	----	----	----	10 UNCH
2285	----	----	14.00B/----	14.00B/8.60A	----	8.20 + 4.90	.1084	----	----	----	----	10 UNCH
2300	----	----	12.40B/----	12.40B/8.10A	----	7.40 + 4.50	.0980	----	----	----	----	14 UNCH
2315	----	----	10.90B/----	10.90B/7.70A	----	6.60 + 4.10	.0880	----	----	----	----	10 UNCH
2320	----	----	10.40B/----	10.40B/7.60A	----	6.30 + 3.90	.0844	----	----	----	----	4 UNCH
2330	----	----	9.50B/----	9.50B/7.40A	----	5.70 + 3.50	.0773	----	----	----	----	10 UNCH
2350	----	----	8.00B/----	8.00B/7.00A	----	4.80 + 2.90	.0661	----	----	----	----	1 UNCH
2360	----	----	7.30B/----	7.30B/6.80A	----	4.40 + 2.70	.0610	----	----	----	----	10 UNCH
2390	----	----	5.50B/----	5.50B/6.30A	----	3.20 + 1.90	.0460	----	----	----	----	21 UNCH
2400	----	----	5.00B/----	5.00B/6.10A	----	2.90 + 1.70	.0421	----	----	----	----	5 UNCH
2450	----	----	3.00B/----	3.00B/5.40A	----	1.60 + 0.90	.0249	----	----	----	----	160 UNCH
2500	----	----	1.60B/----	1.60B/4.80A	----	1.00 + 0.60	.0160	----	----	----	----	170 UNCH
2700	----	----	----	----/3.50A	----	0.10 UNCH	.0018	----	----	----	----	110 UNCH
2730	----	----	----	----/3.40A	----	0.10 UNCH	.0018	----	----	----	----	1 UNCH
2750	----	----	----	----/3.40A	----	0.10 UNCH	.0017	----	----	----	----	2 UNCH
2800	----	----	----	----/3.20A	----	0.10 UNCH	.0017	----	----	----	----	1 UNCH
2880	----	----	----	----/3.10A	----	0.10 UNCH	.0015	----	----	----	----	1 UNCH
3000	----	----	----	----/2.90A	----	0.10 UNCH	.0014	----	----	----	----	2 UNCH
3050	----	----	----	----/2.90A	----	0.10 UNCH	.0013	----	----	----	----	2 UNCH
3150	----	----	----	----/2.80A	----	0.10 UNCH	.0013	----	----	----	----	121 UNCH
TOTAL									200	27		2875 + 204
JUN26												
1900	----	----	267.80B/----	267.80B/188.50A	----	239.80 + 70.60	.7130	----	----	1	----	1 UNCH
2000	----	----	204.50B/----	204.50B/138.80A	----	179.10 + 56.60	.6087	----	----	----	----	20 UNCH
2100	----	----	152.40B/----	152.40B/100.30A	----	130.50 + 44.00	.4997	----	----	1	----	2 + 1
2150	----	----	130.50B/----	130.50B/84.90A	----	110.50 + 38.20	.4467	----	----	----	----	4 UNCH
2200	----	----	111.30B/----	111.30B/71.70A	----	93.20 + 32.80	.3962	----	----	----	----	200 UNCH
2225	----	----	102.60B/----	102.60B/65.80A	----	85.40 + 30.20	.3720	----	----	----	----	30 UNCH
2250	80.00	80.00	94.50B/80.00	94.50B/60.50A	----	78.30 NEW	.3489	----	----	2	----	2 + 2
2300	75.00	75.00	80.00B/75.00	80.00B/51.10A	----	65.70 + 23.70	.3055	----	----	4	----	321 + 4
2500	----	----	40.40B/----	40.40B/27.50A	----	32.70 + 11.40	.1735	----	----	----	----	104 UNCH
2650	----	----	24.50B/----	24.50B/19.10A	----	19.70 + 6.80	.1121	----	----	----	----	17 UNCH
TOTAL										8		701 + 7
JUL26												
1500	----	----	611.00B/----	611.00B/501.00A	----	580.20 + 07.70	.9334	----	----	----	----	50 UNCH
1680	----	----	----	----	----	424.90 + 91.40	.8510	----	----	----	----	50 UNCH
1700	----	----	438.00B/----	438.00B/343.60A	----	409.10 + 89.50	.8386	----	----	----	----	1 UNCH
1800	----	----	362.40B/----	362.40B/277.80A	----	335.20 + 79.90	.7687	----	----	----	----	113 UNCH
1850	----	----	327.80B/----	327.80B/248.00A	----	301.50 + 75.10	.7297	----	----	1	----	1 - 1
1950	----	----	264.60B/----	264.60B/194.90A	----	240.30 + 64.60	.6464	----	----	----	----	1 UNCH
2000	----	----	236.10B/----	236.10B/171.90A	----	212.90 + 59.10	.6028	----	----	----	----	110 UNCH
2050	----	----	209.70B/----	209.70B/151.20A	----	187.80 NEW	.5587	----	----	1	----	1 + 1
2100	178.00	178.00	185.50B/178.00	185.50B/132.90A	----	165.10 + 48.00	.5148	----	----	6	----	410 + 5
2150	----	----	163.60B/----	163.60B/116.70A	----	144.90 + 42.70	.4719	----	----	----	----	12 UNCH
2200	----	----	144.00B/----	144.00B/102.40A	----	126.90 + 37.70	.4305	----	----	----	----	404 UNCH
2300	----	----	111.20B/----	111.20B/78.90A	----	97.20 + 28.90	.3543	----	----	----	----	163 UNCH
2375	----	----	91.40B/----	91.40B/65.00A	----	79.60 + 23.80	.3039	----	----	----	----	50 UNCH
2400	----	----	85.60B/----	85.60B/61.00A	----	74.40 + 22.30	.2883	----	----	----	----	766 UNCH
2500	----	----	65.70B/----	65.70B/47.60A	----	57.10 + 17.10	.2331	----	----	----	100	422 + 100
2600	----	----	50.50B/----	50.50B/37.80A	----	44.10 + 12.80	.1879	----	----	1	----	412 + 1
2700	----	----	39.00B/----	39.00B/30.90A	----	34.60 + 9.50	.1523	----	----	----	----	13 UNCH
2755	----	----	34.10B/----	34.10B/27.90A	----	30.40 + 8.50	.1359	----	----	----	----	1 UNCH
2800	----	----	30.50B/----	30.50B/25.90A	----	27.20 + 7.60	.1234	----	----	----	200	349 + 200
2850	----	----	27.10B/----	27.10B/23.90A	----	24.30 + 6.70	.1115	----	----	----	----	158 UNCH
2900	----	----	24.10B/----	24.10B/22.10A	----	21.70 + 5.90	.1007	----	----	----	----	90 UNCH
3000	----	----	19.30B/----	19.30B/19.40A	----	17.60 + 4.70	.0830	----	----	----	----	682 UNCH
3100	----	----	15.70B/----	15.70B/17.20A	----	14.30 + 3.70	.0686	----	----	----	100	159 + 100
3200	----	----	10.00B/----	10.00B/18.30A	----	11.60 + 2.90	.0565	----	----	----	----	14 UNCH
3300	----	----	7.90B/----	7.90B/16.90A	----	9.60 + 2.40	.0473	----	----	----	----	31 UNCH
3400	----	----	----	6.10B/15.80A	----	8.00 + 1.90	.0398	----	----	----	----	32 UNCH
3500	----	----	----	4.70B/14.80A	----	6.80 + 1.60	.0340	----	----	----	----	274 UNCH
3600	----	----	----	3.50B/13.90A	----	5.80 + 1.30	.0291	----	----	----	----	300 UNCH
3800	----	----	4.50B/----	4.50B/10.00A	----	4.50 + 1.00	.0225	----	----	----	----	12 UNCH
3900	----	----	3.70B/----	3.70B/9.50A	----	4.00 + 0.80	.0200	----	----	----	----	8 UNCH
4000	----	----	3.10B/----	3.10B/9.00A	----	3.60 + 0.70	.0179	----	----	----	----	221 UNCH
TOTAL									400	9		5310 + 406
OCT26												
1720	----	----	----	----	----	463.00 + 84.40	.7768	----	----	----	----	1 UNCH
1800	----	----	435.90B/----	435.90B/357.90A	----	412.70 + 78.40	.7321	----	----	----	----	1 UNCH
2000	315.00	315.00	325.60B/315.00	325.60B/263.00A	----	305.90 + 63.40	.6145	----	----	3	----	0 - 3
2200	----	----	240.40B/----	240.40B/193.60A	----	224.80 + 48.50	.5000	----	----	----	----	135 UNCH
2400	----	----	178.60B/----	178.60B/145.00A	----	166.90 + 36.60	.4007	----	----	----	----	100 UNCH
2500	----	----	154.70B/----	154.70B/126.30A	----	144.80 + 32.10	.3583	----	----	----	----	175 UNCH
2600	----	----	134.50B/----	134.50B/110.40A	----	126.00 + 28.20	.3202	----	----	----	----	10 UNCH
2700	----	----	117.30B/----	117.30B/96.90A	----	110.00 + 24.80	.2863	----	----	----	----	200 UNCH
2800	----	----	102.60B/----	102.60B/85.40A	----	96.70 + 22.00	.2567	----	----	----	----	30 UNCH
2900	----	----	89.80B/----	89.80B/75.70A	----	85.30 + 19.40	.2305	----	----	----	----	110 UNCH
3000	----	----	78.90B/----	78.90B/67.40A	----	75.70 + 17.20	.2076	----	----	----	----	21 UNCH
3200	----	----	61.50B/----	61.50B/54.40A	----	60.50 + 13.80	.1700	----	----	----	----	10 UNCH
3500	----	----	43.70B/----	43.70B/41.60A	----	44.80 + 10.00	.1289	----	----	----	----	10 UNCH
TOTAL										3		803 - 3
JAN27												
2360	----	----	----	----	----	237.60 + 50.60	.4619	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
MAY26												
1700	4.10	4.10	4.10/*4.10	4.10/*4.10	----	0.70 - 5.50	.0110	----	----	1	----	1 UNCH
1725	----	----	----/*4.80A	3.40B/*4.80A	----	1.10 - 7.20	.0165	----	----	----	----	13 UNCH
1745	----	----	----/*5.20A	4.90B/*5.20A	----	1.50 - 8.90	.0220	----	----	----	----	15 UNCH
1750	----	----	----/*5.30A	5.40B/*5.30A	----	1.60 - 9.30	.0234	----	----	----	----	76 UNCH
1780	----	----	----/*6.00A	8.30B/*6.00A	----	2.50 - 12.60	.0350	----	----	----	----	1 UNCH
1785	----	----	----/*6.20A	8.90B/*6.20A	----	2.70 - 13.20	.0374	----	----	----	----	1 UNCH
1800	----	----	----/*6.70A	10.70B/*6.70A	----	3.30 - 15.10	.0449	----	----	----	----	108 UNCH
1820	----	----	----/*7.50A	13.50B/*7.50A	----	4.30 - 18.10	.0569	----	----	----	----	100 UNCH
1825	----	----	----/*7.80A	14.30B/*7.80A	----	4.60 - 18.90	.0604	----	----	----	----	14 UNCH
1850	----	----	----/*9.20A	18.60B/*9.20A	----	6.30 - 23.30	.0798	----	----	----	----	78 UNCH
1855	----	----	----/*9.50A	19.60B/*9.50A	----	6.70 - 24.20	.0843	----	----	----	----	15 UNCH
1860	----	----	----/*9.90A	20.60B/*9.90A	----	7.20 - 25.10	.0895	----	----	----	----	100 UNCH
1865	----	----	----/*10.30A	21.70B/*10.30A	----	7.60 - 26.20	.0940	----	----	----	----	5 UNCH
1870	----	----	----/*10.70A	22.80B/*10.70A	----	8.10 - 27.20	.0993	----	----	----	----	14 UNCH
1875	----	----	----/*11.10A	24.00B/*11.10A	----	8.60 - 28.20	.1046	----	----	----	----	122 UNCH
1890	----	----	----/*12.40A	27.90B/*12.40A	----	10.20 - 31.60	.1214	----	----	----	----	22 UNCH
1895	----	----	----/*13.00A	29.30B/*13.00A	----	10.70 - 32.90	.1268	----	----	----	----	29 UNCH
1900	----	----	----/*13.50A	30.80B/*13.50A	----	11.30 - 34.10	.1330	----	----	100	----	132 UNCH
1905	----	----	----/*14.00A	32.40B/*14.00A	----	11.90 - 35.40	.1393	----	----	----	----	46 UNCH
1910	----	----	----/*14.60A	34.00B/*14.60A	----	12.50 - 36.70	.1456	----	----	----	----	46 UNCH
1915	----	----	----/*15.20A	35.60B/*15.20A	----	13.10 - 38.10	.1519	----	----	----	----	67 UNCH
1920	----	----	----/*15.80A	37.40B/*15.80A	----	13.80 - 39.50	.1590	----	----	----	----	49 UNCH
1925	----	----	----/*16.50A	39.20B/*16.50A	----	14.50 - 40.90	.1661	----	----	----	----	20 UNCH
1930	----	----	----/*17.20A	41.10B/*17.20A	----	15.30 - 42.20	.1738	----	----	----	----	20 UNCH
1935	----	----	----/*17.90A	43.00B/*17.90A	----	16.00 - 43.80	.1811	----	----	----	----	20 UNCH
1945	----	----	----/*19.40A	47.10B/*19.40A	----	17.70 - 46.70	.1975	----	----	----	----	30 UNCH
1950	----	----	----/*20.20A	49.20B/*20.20A	----	18.70 - 48.10	.2066	----	----	----	----	79 UNCH
1970	----	----	----/*23.70A	58.30B/*23.70A	----	22.90 - 54.20	.2444	----	----	----	----	9 UNCH
1990	----	----	----/*27.80A	68.40B/*27.80A	----	28.10 - 60.40	.2873	----	----	----	----	10 UNCH
2000	40.00	40.00	40.00/*30.00	73.80B/*30.00	----	31.10 - 63.40	.3105	----	----	17	----	329 - 8
2030	----	----	----/*38.70A	74.80B/*38.70A	----	41.70 - 72.60	.3854	----	----	----	----	75 UNCH
2050	----	----	----/*45.60A	104.60B/*45.60A	----	50.30 - 78.50	.4385	----	----	----	75	200 UNCH
2100	----	----	----/*67.50A	142.10B/*67.50A	----	76.60 - 92.30	.5731	----	----	----	----	70 UNCH
2115	74.60	74.60	74.60/*74.60	82.10B/*74.60	----	85.90 NEW	.6121	----	----	22	----	22 + 22
2155	----	----	----	----	----	113.60 - 03.80	.7075	----	----	----	----	13 UNCH
2160	----	----	----	----	----	117.30 - 04.70	.7181	----	----	----	----	38 UNCH
2175	----	----	----/112.20A	207.30B/112.20A	----	128.90 - 06.90	.7487	----	----	----	----	10 UNCH
2195	----	----	----	----	----	145.10 - 09.30	.7852	----	----	----	----	23 UNCH
2200	----	----	----/130.70A	230.30B/130.70A	----	149.30 - 09.70	.7933	----	----	----	----	10 UNCH
2215	----	----	----	----	----	162.10 - 11.10	.8163	----	----	----	----	60 UNCH
2450	----	----	----/356.70A	473.30B/356.70A	----	384.00 - 18.60	.9750	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
MAY26												
2500	----	----	----/405.30A	522.90B/405.30A	----	433.30 - 19.00	.9839	----	----	----	----	100 UNCH
TOTAL									75	140		2242 + 14
JUN26												
1825	----	----	----/*51.30A	75.20B/*51.30A	----	51.00 - 38.40	.2176	----	----	----	----	89 UNCH
1850	----	----	----/57.50A	84.40B/57.50A	----	57.60 - 41.80	.2396	----	----	----	----	1 UNCH
1900	----	----	----/71.70A	104.90B/71.70A	----	72.80 - 48.70	.2868	----	----	100	----	275 + 75
2000	110.00	110.00	110.00/108.20A	154.80B/108.20A	----	111.90 NEW	.3911	----	----	1	----	1 + 1
2100	----	----	----/156.20A	216.00B/156.20A	----	162.80 - 75.30	.5001	----	----	----	----	100 UNCH
TOTAL										101		466 + 76
JUL26												
1400	----	----	----/*12.30A	9.80B/*12.30A	----	8.80 - 5.90	.0402	----	----	----	----	150 UNCH
1500	----	----	----/*18.20A	19.80B/*18.20A	----	15.30 - 11.50	.0664	----	----	----	----	153 UNCH
1550	----	----	----/*22.50A	27.10B/*22.50A	----	19.90 - 15.70	.0839	----	----	----	----	200 UNCH
1600	----	----	----/*28.20A	36.30B/*28.20A	----	26.00 - 20.20	.1056	----	----	----	20	403 + 20
1650	----	----	----/*35.40A	47.50B/35.40A	----	33.80 - 24.90	.1314	----	----	----	----	1 UNCH
1680	----	----	----/*40.60A	55.20B/40.60A	----	39.40 - 27.70	.1488	----	----	----	----	50 UNCH
1700	----	----	----/44.40A	60.80B/44.40A	----	43.50 - 29.60	.1611	----	----	----	20	285 + 20
1710	----	----	----/46.50A	63.80B/46.50A	----	45.70 - 30.60	.1675	----	----	----	----	1 UNCH
1750	----	----	----/55.60A	76.40B/55.60A	----	55.30 - 34.30	.1945	----	----	----	----	50 UNCH
1800	----	----	----/68.70A	94.00B/68.70A	----	69.20 - 39.00	.2310	----	----	----	----	218 UNCH
1900	----	----	----/101.30A	135.70B/101.30A	----	103.30 - 48.90	.3110	----	----	----	----	1 UNCH
2100	----	----	----/191.10A	247.00B/191.10A	----	197.50 - 70.90	.4849	----	----	----	----	225 UNCH
2165	----	----	----/228.10A	249.80B/228.10A	----	236.20 - 77.80	.5404	----	----	----	----	20 UNCH
2350	----	----	----/353.00A	432.80B/353.00A	----	366.00 - 93.60	.6797	----	----	----	----	5 UNCH
2400	----	----	----/390.60A	474.50B/390.60A	----	405.10 - 96.70	.7114	----	----	----	----	300 UNCH
4000	----	----	----/1,903.50A	2,021.70B/1,903	----	1932.60 - 19.50	.9820	----	----	----	----	10 UNCH
TOTAL									40			2072 + 40
OCT26												
1300	----	----	----/25.80A	20.50B/25.80A	----	21.00 - 5.50	.0597	----	----	----	----	4 UNCH
1500	----	----	----/49.30A	52.30B/49.30A	----	45.70 - 16.80	.1189	----	----	----	----	80 UNCH
1600	----	----	----/69.10A	78.30B/69.10A	----	66.70 - 24.50	.1617	----	----	----	----	17 UNCH
1720	----	----	----/102.50A	119.60B/102.50A	----	101.20 - 33.80	.2227	----	----	----	----	2 UNCH
1800	140.00	140.00	140.00/130.40A	152.90B/130.40A	----	130.00 - 39.80	.2674	----	----	10	----	10 - 10
2000	229.00	229.00	229.00/218.60A	255.00B/218.60A	----	220.90 - 54.70	.3850	----	----	1	----	1 UNCH
2100	----	----	----/272.10A	316.00B/272.10A	----	276.00 - 62.40	.4437	----	----	----	----	100 UNCH
2400	----	----	----/467.70A	532.50B/467.70A	----	477.20 - 81.60	.5988	----	----	----	----	200 UNCH
2500	----	----	----/542.60A	613.00B/542.60A	----	554.00 - 86.10	.6413	----	----	----	----	1 UNCH
TOTAL										11		415 - 10
JAN27												
1500	----	----	----	----	----	59.60 - 18.20	.1330	----	----	----	----	40 UNCH
1800	----	----	----	----	----	159.40 - 35.90	.2747	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 79

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
MAY26 CALL			
OG	4600	0	50
OG	4900	0	215
OG	5050	0	150
OG	5200	0	25
OG	5800	0	120
OG	6100	0	200
TOTALS		0	760
JUN26 CALL			
OG	4500	0	300
OG	4855	0	80
OG	5000	0	600
OG	5100	0	50
OG	5200	0	275
OG	5500	0	300
OG	5600	0	275
OG	5700	0	60
OG	5800	0	185
TOTALS		0	2125
JUL26 CALL			
OG	5000	0	750
OG	5500	0	750
TOTALS		0	1500
DEC26 CALL			
OG	4925	0	125
OG	5025	0	95
OG	5500	0	25
OG	6000	0	100
OG	6400	0	50
OG	6500	0	290
OG	6800	0	25
OG	7130	0	200
OG	8630	0	400
TOTALS		0	1310
APR27 CALL			
OG	5000	0	100
TOTALS		0	100
OG PUT	COMEX GOLD OPTIONS		
MAY26 PUT			
OG	4400	0	600
OG	4500	0	100
OG	4800	0	150
TOTALS		0	850
JUN26 PUT			
OG	4750	0	200
TOTALS		0	200
AUG26 PUT			
OG	3850	0	125
OG	4000	0	125
TOTALS		0	250
SEP26 PUT			
OG	3755	0	220
OG	3945	0	100
TOTALS		0	320
DEC26 PUT			
OG	3975	0	190
OG	4900	0	95
OG	4925	0	125
OG	5025	0	95
TOTALS		0	505
APR27 PUT			
OG	5000	0	100
TOTALS		0	100
SO CALL	COMEX SILVER OPTIONS		
JUN26 CALL			
SO	11500	0	72
TOTALS		0	72
JUL26 CALL			
SO	8000	0	100
TOTALS		0	100
SO PUT	COMEX SILVER OPTIONS		
JUN26 PUT			
SO	6000	0	36
TOTALS		0	36
HX CALL	COMEX COPPER OPTIONS		
MAY26 CALL			
HX	595	0	175
HX	628	0	175
TOTALS		0	350
SEP26 CALL			
HX	675	0	200
TOTALS		0	200
DEC26 CALL			
HX	600	0	125
TOTALS		0	125
HX PUT	COMEX COPPER OPTIONS		
MAY26 PUT			
HX	550	0	150
TOTALS		0	150
JUN26 PUT			
HX	470	0	650
HX	480	0	650
TOTALS		0	1300
JUL26 PUT			
HX	500	0	250
HX	525	0	250
TOTALS		0	500
SEP26 PUT			
HX	525	0	200
TOTALS		0	200
PO CALL	PLATINUM OPTIONS		
MAY26 CALL			
PO	2175	0	200
TOTALS		0	200
JUL26 CALL			
PO	2500	0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 80

FINAL

PO		2800	0	200
PO		3100	0	100
TOTALS			0	400
PO PUT	PLATINUM OPTIONS			
MAY26	PUT			
PO		2050	0	75
TOTALS			0	75
JUL26	PUT			
PO		1600	0	20
PO		1700	0	20
TOTALS			0	40
PAO CALL	NYMEX PALLADIUM OPTIONS			
SEP26	CALL			
PAO		2400	0	10
TOTALS			0	10
PAO PUT	NYMEX PALLADIUM OPTIONS			
JUN26	PUT			
PAO		1300	0	95
PAO		1400	0	30
TOTALS			0	125
JUL26	PUT			
PAO		1300	0	35
TOTALS			0	35
OG3 CALL	GOLD OPTIONS			
APR26	CALL			
OG3		4900	0	75
OG3		5100	0	200
TOTALS			0	275
SO2 PUT	SILVER OPTIONS			
APR26	PUT			
SO2		7400	0	50
TOTALS			0	50
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO			
JUL26	CALL			
HRO		110000	0	15
TOTALS			0	15
AUG26	CALL			
HRO		110000	0	15
TOTALS			0	15
SEP26	CALL			
HRO		110000	0	15
TOTALS			0	15
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3			
APR26	CALL			
G3M		5000	0	350
TOTALS			0	350
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK2			
APR26	PUT			
G2M		4675	0	205
TOTALS			0	205

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.