

PG64

BULLETIN #101@

METALS OPTION PRODUCTS

Thu, May 28, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX ( OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

| METAL FUTURES CONTRACTS LAST TRADE DATES |       |       |       |       |       |       |       |       |       |       |       |       |       |       |
|------------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| EXPIRATION:                              | MAY26 | MAY26 | MAY26 | JUN26 | JUL26 | AUG26 | SEP26 | OCT26 | NOV26 | DEC26 | JAN27 | FEB27 | MAR27 | APR27 |
| COO OPT                                  | 05/29 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| ECG10 OP                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| ECG11 OP                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| ECG13 OP                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| ECG15 OP                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| ECG16 OP                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| ECGC OOF                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| ECHG OOF                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| ECSI OOF                                 |       | 05/27 | 05/28 |       |       |       |       |       |       |       |       |       |       |       |
| EHO OPT                                  | 05/29 |       |       | 06/30 | 07/31 | 08/28 | 09/30 |       |       |       |       |       |       |       |
| FMG OPT                                  | 05/29 |       |       | 06/05 |       |       |       |       |       |       |       |       |       |       |
| FSO OPT                                  | 05/29 |       |       | 06/30 |       |       |       |       |       |       |       |       |       |       |
| GMW MON                                  |       |       |       | 06/22 |       |       |       |       |       |       |       |       |       |       |
| GWR THU                                  | 05/28 |       |       | 06/18 |       |       |       |       |       |       |       |       |       |       |
| GWT TUE                                  |       |       |       | 06/23 |       |       |       |       |       |       |       |       |       |       |
| GWV WED                                  | 05/27 |       |       | 06/17 |       |       |       |       |       |       |       |       |       |       |
| HMW MON                                  |       |       |       | 06/15 |       |       |       |       |       |       |       |       |       |       |
| HRO OPT                                  | 05/26 |       |       | 06/23 | 07/28 | 08/25 | 09/29 | 10/27 | 11/24 | 12/29 |       |       |       |       |
| HWR THU                                  | 05/28 |       |       | 06/18 |       |       |       |       |       |       |       |       |       |       |
| HWT TUE                                  |       |       |       | 06/16 |       |       |       |       |       |       |       |       |       |       |
| HWW WED                                  | 05/27 |       |       | 06/17 |       |       |       |       |       |       |       |       |       |       |
| HX CALL                                  |       |       |       |       | 07/01 | 08/05 | 09/02 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |       |
| HX PUT                                   |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 |       |
| HXE CALL                                 | 05/29 |       |       | 06/26 |       |       |       |       |       |       |       |       |       |       |
| HXE PUT                                  | 05/29 |       |       | 06/26 |       |       |       |       |       |       |       |       |       |       |
| LHO OPT                                  | 05/29 |       |       | 06/30 | 07/31 | 08/31 | 09/30 | 10/30 | 11/30 | 12/31 | 01/29 | 02/26 | 03/31 |       |
| MMG MON                                  |       |       |       | 06/01 |       |       |       |       |       |       |       |       |       |       |
| OG CALL                                  |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| OG PUT                                   |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| OG1 CALL                                 |       |       |       | 06/05 |       |       |       |       |       |       |       |       |       |       |
| OG1 PUT                                  |       |       |       | 06/05 |       |       |       |       |       |       |       |       |       |       |
| OG2 CALL                                 |       |       |       | 06/12 |       |       |       |       |       |       |       |       |       |       |
| OG2 PUT                                  |       |       |       | 06/12 |       |       |       |       |       |       |       |       |       |       |
| OG4 CALL                                 |       |       |       | 06/26 |       |       |       |       |       |       |       |       |       |       |
| OG4 PUT                                  |       |       |       | 06/26 |       |       |       |       |       |       |       |       |       |       |
| OG5 CALL                                 | 05/29 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| OG5 PUT                                  | 05/29 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| OMG OPT                                  |       |       |       |       | 06/25 | 07/28 |       |       |       | 11/24 |       |       |       |       |
| PAO CALL                                 |       |       |       |       | 06/17 | 07/15 | 08/19 |       |       | 11/18 |       |       |       |       |
| PAO PUT                                  |       |       |       |       | 06/17 | 07/15 | 08/19 |       |       | 11/18 |       |       |       |       |
| PLW OOF                                  | 05/29 |       |       | 06/05 |       |       |       |       |       |       |       |       |       |       |
| PO CALL                                  |       |       |       |       | 06/17 | 07/15 | 08/19 | 09/16 |       |       | 12/16 |       |       |       |
| PO PUT                                   |       |       |       |       | 06/17 | 07/15 | 08/19 | 09/16 |       |       | 12/16 |       |       |       |
| RWS THU                                  | 05/28 |       |       | 06/18 |       |       |       |       |       |       |       |       |       |       |
| SMW MON                                  |       |       |       | 06/22 |       |       |       |       |       |       |       |       |       |       |
| SO CALL                                  |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| SO PUT                                   |       |       |       |       | 06/25 | 07/28 | 08/26 | 09/24 | 10/27 | 11/24 | 12/28 | 01/26 | 02/23 | 03/24 |
| SO1 CALL                                 |       |       |       | 06/05 |       |       |       |       |       |       |       |       |       |       |
| SO1 PUT                                  |       |       |       | 06/05 |       |       |       |       |       |       |       |       |       |       |
| SO2 CALL                                 |       |       |       | 06/12 |       |       |       |       |       |       |       |       |       |       |
| SO2 PUT                                  |       |       |       | 06/12 |       |       |       |       |       |       |       |       |       |       |
| SO4 CALL                                 |       |       |       | 06/26 |       |       |       |       |       |       |       |       |       |       |
| SO4 PUT                                  |       |       |       | 06/26 |       |       |       |       |       |       |       |       |       |       |
| SO5 CALL                                 | 05/29 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| SO5 PUT                                  | 05/29 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| SWW WED                                  | 05/27 |       |       |       |       |       |       |       |       |       |       |       |       |       |
| TWS TUE                                  |       |       |       | 06/16 |       |       |       |       |       |       |       |       |       |       |
| WMG WED                                  | 05/27 |       |       |       |       |       |       |       |       |       |       |       |       |       |

| GOLD OPTIONS ON FUTURES                                                                                                                                                                                               |                          |                          |                                          |                                                                                                                                                              |                 |                 |                                                                                                                                                                                                                                                      |       |               |                          |                   |               |                                                                                                                                                           |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|--------------------------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------|--------------------------|-------------------|---------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| GLOBEX<br>OPEN                                                                                                                                                                                                        | OPEN<br>OPEN             | OUTCRY<br>RANGE          | GLOBEX<br>HIGH/LOW                       | OPEN<br>HIGH/LOW                                                                                                                                             | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE.                                                                                                                                                                                                                             | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST                                                                                                                                          |
| WMG WED<br>MAY26<br>4450<br>TOTAL                                                                                                                                                                                     | ----                     | ----                     | ----                                     | ----                                                                                                                                                         | ----            | ----            | 0.00 UNCH                                                                                                                                                                                                                                            | ----  | ----          | ----                     | ----              | ----          | 0 UNCH<br>0                                                                                                                                               |
| OMG OPT<br>JUL26<br>3400<br>3460<br>4200<br>4275<br>4300<br>4400<br>4500<br>4550<br>4600<br>4600<br>4700<br>4800<br>5000<br>5300<br>5500<br>TOTAL<br>AUG26<br>4400<br>4550<br>4995<br>TOTAL<br>DEC26<br>4700<br>TOTAL | ----                     | ----                     | ----                                     | ----                                                                                                                                                         | ----            | ----            | 1132.60 + 50.60<br>1072.70 + 50.40<br>19.50 - 7.10<br>28.40 - 9.80<br>32.30 - 11.00<br>54.70 NEW<br>91.20 - 23.00<br>115.30 - 26.90<br>143.50 - 30.60<br>76.10 + 20.20<br>44.40 + 13.70<br>24.90 + 8.60<br>8.30 + 3.20<br>2.70 + 1.10<br>1.80 + 0.70 | ----  | ----          | ----                     | ----              | ----          | 1 UNCH<br>1 UNCH<br>2 UNCH<br>1 UNCH<br>1 UNCH<br>1 + 1<br>7 + 2<br>1 UNCH<br>2 UNCH<br>3 UNCH<br>1 UNCH<br>2 UNCH<br>3 UNCH<br>3 UNCH<br>2 UNCH<br>31+ 3 |
| 4400<br>4500<br>4550<br>4600<br>4600<br>4700<br>4800<br>5000<br>5300<br>5500<br>TOTAL<br>AUG26<br>4400<br>4550<br>4995<br>TOTAL<br>DEC26<br>4700<br>TOTAL                                                             | 100.00<br>157.00<br>---- | 100.00<br>157.00<br>---- | #100.00/100.00<br>#157.00/97.50A<br>---- | #100.00/100.00<br>#157.00/97.50A<br>----                                                                                                                     | ----            | ----            | 100.00 - 16.90<br>165.90 - 24.10<br>31.90 + 8.40                                                                                                                                                                                                     | ----  | ----          | ----                     | ----              | ----          | 6 UNCH<br>1 UNCH<br>1 UNCH<br>8 UNCH<br>10 UNCH<br>10 UNCH                                                                                                |
| OG5 PUT<br>MAY26<br>3700<br>3750<br>3800<br>3900<br>4000<br>4085<br>4100<br>4125<br>4130<br>4135<br>4140                                                                                                              | 0.20<br>----             | 0.20<br>----             | 0.20/0.10A<br>----                       | 0.20/0.10A<br>--/*0.10A<br>--/*0.10A<br>--/0.10A<br>--/0.10A<br>#0.90/*0.20A<br>0.70B/*0.10A<br>1.00B/*0.10A<br>1.00B/*0.10A<br>1.10B/*0.10A<br>1.20B/*0.10A | ----            | ----            | 0.10 UNCH<br>0.10 UNCH<br>0.10 UNCH<br>0.10 UNCH<br>0.10 - 0.10<br>0.10 NEW<br>0.10 - 0.30<br>0.10 - 0.40<br>0.10 - 0.50<br>0.10 - 0.50<br>0.10 - 0.50                                                                                               | ----  | ----          | ----                     | 4<br>----         | ----          | 28 + 4<br>25 UNCH<br>15 UNCH<br>43 UNCH<br>113 UNCH<br>2 + 2<br>2 + 4<br>8 + 2<br>7 + 1<br>3 UNCH<br>10 UNCH                                              |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.  
© Copyright CME Group Inc. All rights reserved.









| PG64     | BULLETIN #101@     |              |                 |                    | METALS OPTION PRODUCTS |                 |                 |  |                          |       |               |                          |                   |               | Thu, May 28, 2026 |                  |  |  | PG64 |
|----------|--------------------|--------------|-----------------|--------------------|------------------------|-----------------|-----------------|--|--------------------------|-------|---------------|--------------------------|-------------------|---------------|-------------------|------------------|--|--|------|
|          | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |                   | OPEN<br>INTEREST |  |  |      |
| OG1 CALL | GOLD OPTIONS       |              |                 |                    |                        |                 |                 |  |                          |       |               |                          |                   |               |                   |                  |  |  |      |
| JUN26    |                    |              |                 |                    |                        |                 |                 |  |                          |       |               |                          |                   |               |                   |                  |  |  |      |
| 4675     | 15.20              | 15.20        |                 | 17.00B/*3.70A      | 17.00B/*3.70A          | ----            |                 |  | 14.00 + 6.50             | .1621 | ----          | ----                     | 4                 | ----          |                   | 45 + 4           |  |  |      |
| 4700     | 11.60              | 11.60        |                 | 13.10B/*2.90A      | 13.10B/*2.90A          | ----            |                 |  | 10.70 + 5.00             | .1266 | ----          | ----                     | 5                 | ----          |                   | 59 + 4           |  |  |      |
| 4725     | ----               |              |                 | 10.10B/*2.40A      | 10.10B/*2.40A          | ----            |                 |  | 8.20 + 3.90              | .0983 | ----          | ----                     | 2                 | ----          |                   | 51 + 2           |  |  |      |
| 4750     | 6.50               | 6.50         |                 | 7.80B/*2.00A       | 7.80B/*2.00A           | ----            |                 |  | 6.40 + 3.10              | .0768 | ----          | ----                     | 9                 | ----          |                   | 73 UNCH          |  |  |      |
| 4775     | ----               |              |                 | 5.90B/*1.70A       | 5.90B/*1.70A           | ----            |                 |  | 5.00 + 2.40              | .0599 | ----          | ----                     | ----              | ----          |                   | 26 UNCH          |  |  |      |
| 4800     | 3.80               | 3.80         |                 | 4.70B/*1.50A       | 4.70B/*1.50A           | ----            |                 |  | 3.90 + 1.80              | .0465 | ----          | ----                     | 9                 | ----          |                   | 68 + 2           |  |  |      |
| 4825     | 3.20               | 3.20         |                 | 3.60B/*1.30A       | 3.60B/*1.30A           | ----            |                 |  | 3.20 + 1.50              | .0375 | ----          | ----                     | 7                 | ----          |                   | 14 + 7           |  |  |      |
| 4850     | ----               |              |                 | 3.00B/*1.20A       | 3.00B/*1.20A           | ----            |                 |  | 2.60 + 1.20              | .0300 | ----          | ----                     | ----              | ----          |                   | 280 UNCH         |  |  |      |
| 4875     | ----               |              |                 | 2.30B/*1.10A       | 2.30B/*1.10A           | ----            |                 |  | 2.20 + 1.00              | .0248 | ----          | ----                     | ----              | ----          |                   | 2 UNCH           |  |  |      |
| 4900     | ----               |              |                 | 1.90B/*1.00A       | 1.90B/*1.00A           | ----            |                 |  | 1.80 + 0.70              | .0199 | ----          | ----                     | ----              | ----          |                   | 20 UNCH          |  |  |      |
| 4950     | ----               |              |                 | 1.40B/----         | 1.40B/1.10A            | ----            |                 |  | 1.40 + 0.60              | .0146 | ----          | ----                     | ----              | ----          |                   | 4 UNCH           |  |  |      |
| 5000     | 1.20               | 1.20         |                 | 1.20/1.20          | 1.20/0.90A             | ----            |                 |  | 1.10 + 0.40              | .0109 | ----          | ----                     | 1                 | ----          |                   | 12 - 1           |  |  |      |
| 5050     | ----               |              |                 | 0.80B/----         | 0.80B/0.90A            | ----            |                 |  | 0.80 + 0.20              | .0076 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 5100     | ----               |              |                 | 0.70B/----         | 0.70B/0.80A            | ----            |                 |  | 0.70 + 0.20              | .0062 | ----          | ----                     | ----              | ----          |                   | 2 UNCH           |  |  |      |
| 5200     | ----               |              |                 | ----               | 0.40B/0.80A            | ----            |                 |  | 0.50 + 0.10              | .0040 | ----          | ----                     | ----              | ----          |                   | 2 UNCH           |  |  |      |
| 5225     | ----               |              |                 | ----               | 0.40B/0.80A            | ----            |                 |  | 0.40 UNCH                | .0032 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 5250     | ----               |              |                 | ----               | 0.30B/0.80A            | ----            |                 |  | 0.40 + 0.10              | .0031 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 5300     | ----               |              |                 | ----               | ----/0.70A             | ----            |                 |  | 0.30 UNCH                | .0022 | ----          | ----                     | ----              | ----          |                   | 4 UNCH           |  |  |      |
| 5400     | ----               |              |                 | ----               | ----/0.80A             | ----            |                 |  | 0.20 UNCH                | .0014 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 5600     | ----               |              |                 | ----               | ----/0.70A             | ----            |                 |  | 0.10 UNCH                | .0006 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| TOTAL    |                    |              |                 |                    |                        |                 |                 |  |                          |       |               |                          | 414               |               |                   | 1174+ 230        |  |  |      |
|          | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>CLOSE | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |                   | OPEN<br>INTEREST |  |  |      |
| OG PUT   | COMEX GOLD OPTIONS |              |                 |                    |                        |                 |                 |  |                          |       |               |                          |                   |               |                   |                  |  |  |      |
| JUL26    |                    |              |                 |                    |                        |                 |                 |  |                          |       |               |                          |                   |               |                   |                  |  |  |      |
| 2000     | ----               |              |                 | ----               | ----/0.10A             | ----            |                 |  | 0.10 UNCH                | ----  | ----          | ----                     | 4                 | ----          |                   | 19 + 4           |  |  |      |
| 2275     | ----               |              |                 | ----               | ----/0.10A             | ----            |                 |  | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          |                   | 23 UNCH          |  |  |      |
| 2300     | ----               |              |                 | ----               | ----/0.10A             | ----            |                 |  | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          |                   | 127 UNCH         |  |  |      |
| 2400     | ----               |              |                 | ----               | ----/0.20A             | ----            |                 |  | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 2500     | ----               |              |                 | ----               | 0.10B/0.20A            | ----            |                 |  | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----          |                   | 199 UNCH         |  |  |      |
| 2550     | ----               |              |                 | ----               | ----/0.40A             | ----            |                 |  | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          |                   | 30 UNCH          |  |  |      |
| 2575     | ----               |              |                 | ----               | ----/0.40A             | ----            |                 |  | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 2600     | ----               |              |                 | ----               | ----/0.30A             | ----            |                 |  | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----          |                   | 13 UNCH          |  |  |      |
| 2620     | ----               |              |                 | ----               | ----/0.40A             | ----            |                 |  | 0.10 UNCH                | .0002 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 2650     | ----               |              |                 | ----               | ----/0.30A             | ----            |                 |  | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          |                   | 139 UNCH         |  |  |      |
| 2670     | ----               |              |                 | ----               | 0.10B/0.40A            | ----            |                 |  | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          |                   | 10 UNCH          |  |  |      |
| 2675     | ----               |              |                 | ----               | 0.10B/0.40A            | ----            |                 |  | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          |                   | 66 UNCH          |  |  |      |
| 2680     | ----               |              |                 | ----               | 0.10B/0.40A            | ----            |                 |  | 0.10 - 0.10              | .0003 | ----          | ----                     | ----              | ----          |                   | 10 UNCH          |  |  |      |
| 2700     | ----               |              |                 | ----               | 0.10B/0.40A            | ----            |                 |  | 0.20 UNCH                | .0007 | ----          | ----                     | ----              | ----          |                   | 6 UNCH           |  |  |      |
| 2705     | ----               |              |                 | ----               | 0.10B/*0.40A           | ----            |                 |  | 0.20 UNCH                | .0007 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 2710     | ----               |              |                 | ----               | 0.10B/*0.40A           | ----            |                 |  | 0.20 UNCH                | .0007 | ----          | ----                     | ----              | ----          |                   | 7 UNCH           |  |  |      |
| 2725     | ----               |              |                 | ----               | 0.10B/0.50A            | ----            |                 |  | 0.20 UNCH                | .0007 | ----          | ----                     | ----              | ----          |                   | 141 UNCH         |  |  |      |
| 2730     | ----               |              |                 | ----               | 0.10B/0.50A            | ----            |                 |  | 0.20 UNCH                | .0007 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 2750     | ----               |              |                 | ----               | 0.10B/0.50A            | ----            |                 |  | 0.20 UNCH                | .0007 | ----          | ----                     | ----              | ----          |                   | 92 UNCH          |  |  |      |
| 2775     | ----               |              |                 | ----               | 0.10B/0.60A            | ----            |                 |  | 0.20 - 0.10              | .0007 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 2785     | ----               |              |                 | ----               | 0.10B/0.60A            | ----            |                 |  | 0.20 - 0.10              | .0008 | ----          | ----                     | ----              | ----          |                   | 2 UNCH           |  |  |      |
| 2800     | ----               |              |                 | ----               | 0.30B/*0.40A           | ----            |                 |  | 0.20 - 0.10              | .0008 | ----          | ----                     | ----              | ----          |                   | 9 UNCH           |  |  |      |
| 2850     | ----               |              |                 | ----               | 0.20B/0.70A            | ----            |                 |  | 0.30 - 0.10              | .0011 | ----          | ----                     | ----              | ----          |                   | 4 UNCH           |  |  |      |
| 2860     | ----               |              |                 | ----               | 0.20B/0.70A            | ----            |                 |  | 0.30 - 0.10              | .0012 | ----          | ----                     | ----              | ----          |                   | 6 UNCH           |  |  |      |
| 2885     | ----               |              |                 | ----               | 0.30B/0.70A            | ----            |                 |  | 0.30 - 0.10              | .0012 | ----          | ----                     | ----              | ----          |                   | 14 UNCH          |  |  |      |
| 2890     | ----               |              |                 | ----               | 0.30B/0.70A            | ----            |                 |  | 0.30 - 0.10              | .0012 | ----          | ----                     | ----              | ----          |                   | 60 UNCH          |  |  |      |
| 2895     | ----               |              |                 | ----               | 0.30B/0.70A            | ----            |                 |  | 0.30 - 0.10              | .0012 | ----          | ----                     | ----              | ----          |                   | 18 UNCH          |  |  |      |
| 2900     | ----               |              |                 | ----               | 0.30B/0.70A            | ----            |                 |  | 0.40 UNCH                | .0015 | ----          | ----                     | ----              | ----          |                   | 19 UNCH          |  |  |      |
| 2905     | ----               |              |                 | ----               | 0.30B/0.70A            | ----            |                 |  | 0.40 - 0.10              | .0015 | ----          | ----                     | ----              | ----          |                   | 19 UNCH          |  |  |      |
| 2915     | ----               |              |                 | ----               | 0.30B/0.70A            | ----            |                 |  | 0.40 - 0.10              | .0015 | ----          | ----                     | ----              | ----          |                   | 2 UNCH           |  |  |      |
| 2920     | ----               |              |                 | ----               | 0.30B/0.70A            | ----            |                 |  | 0.40 - 0.10              | .0016 | ----          | ----                     | ----              | ----          |                   | 3 UNCH           |  |  |      |
| 2950     | ----               |              |                 | ----               | 0.40B/0.70A            | ----            |                 |  | 0.40 - 0.10              | .0016 | ----          | ----                     | ----              | ----          |                   | 35 UNCH          |  |  |      |
| 2985     | ----               |              |                 | ----               | 0.40B/0.80A            | ----            |                 |  | 0.50 - 0.10              | .0020 | ----          | ----                     | ----              | ----          |                   | 21 UNCH          |  |  |      |
| 2995     | ----               |              |                 | ----               | 0.50B/0.80A            | ----            |                 |  | 0.50 - 0.10              | .0020 | ----          | ----                     | ----              | ----          |                   | 16 UNCH          |  |  |      |
| 3000     | ----               |              |                 | ----               | 0.50B/0.80A            | ----            |                 |  | 0.50 - 0.10              | .0020 | ----          | ----                     | ----              | ----          |                   | 68 UNCH          |  |  |      |
| 3010     | ----               |              |                 | ----               | 0.50B/0.80A            | ----            |                 |  | 0.50 - 0.20              | .0020 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 3015     | ----               |              |                 | ----               | 0.50B/*0.80A           | ----            |                 |  | 0.50 - 0.20              | .0020 | ----          | ----                     | ----              | ----          |                   | 5 UNCH           |  |  |      |
| 3025     | ----               |              |                 | ----               | 0.60B/*0.80A           | ----            |                 |  | 0.50 - 0.20              | .0020 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 3035     | ----               |              |                 | ----               | 0.60B/0.90A            | ----            |                 |  | 0.60 - 0.10              | .0024 | ----          | ----                     | ----              | ----          |                   | 5 UNCH           |  |  |      |
| 3050     | ----               |              |                 | ----               | 0.60B/0.80A            | ----            |                 |  | 0.60 - 0.10              | .0024 | ----          | ----                     | ----              | ----          |                   | 2 UNCH           |  |  |      |
| 3060     | ----               |              |                 | ----               | 0.60B/0.80A            | ----            |                 |  | 0.60 - 0.20              | .0025 | ----          | ----                     | ----              | ----          |                   | 24 UNCH          |  |  |      |
| 3100     | ----               |              |                 | ----               | 0.70B/0.90A            | ----            |                 |  | 0.70 - 0.20              | .0029 | ----          | ----                     | ----              | ----          |                   | 80 UNCH          |  |  |      |
| 3105     | ----               |              |                 | ----               | 0.70B/*0.90A           | ----            |                 |  | 0.70 - 0.20              | .0029 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 3110     | ----               |              |                 | ----               | 0.70B/0.90A            | ----            |                 |  | 0.70 - 0.20              | .0029 | ----          | ----                     | ----              | ----          |                   | 5 UNCH           |  |  |      |
| 3125     | ----               |              |                 | ----               | 0.80B/*0.90A           | ----            |                 |  | 0.80 - 0.10              | .0033 | ----          | ----                     | ----              | ----          |                   | 42 UNCH          |  |  |      |
| 3140     | ----               |              |                 | ----/*0.90A        | 0.80B/*0.90A           | ----            |                 |  | 0.80 - 0.20              | .0033 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 3150     | ----               |              |                 | ----/*0.90A        | 0.80B/*0.90A           | ----            |                 |  | 0.80 - 0.20              | .0034 | ----          | ----                     | ----              | ----          |                   | 12 UNCH          |  |  |      |
| 3155     | ----               |              |                 | ----/*0.90A        | 0.90B/*0.90A           | ----            |                 |  | 0.80 - 0.20              | .0034 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 3165     | ----               |              |                 | ----/*0.90A        | 0.90B/*0.90A           | ----            |                 |  | 0.80 - 0.30              | .0034 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 3175     | ----               |              |                 | ----/1.00A         | 0.90B/1.00A            | ----            |                 |  | 0.80 - 0.30              | .0034 | ----          | ----                     | ----              | ----          |                   | 1 UNCH           |  |  |      |
| 3180     | ----               |              |                 | ----/1.00A         | 0.90B/1.00A            | ----            |                 |  | 0.90 - 0.20              | .0038 | ----          | ----                     | ----              | ----          |                   | 2 UNCH           |  |  |      |
| 3185     | ----               |              |                 | ----/1.00A         | 0.90B/1.00A            | ----            |                 |  | 0.90 - 0.20              | .0038 | ----          | ----                     | ----              | ----          |                   | 22 UNCH          |  |  |      |
| 3195     | ----               |              |                 | ----/1.00A         | 1.00B/1.00A            | ----            |                 |  |                          |       |               |                          |                   |               |                   |                  |  |  |      |

| GLOBEX<br>OPEN |       | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |
|----------------|-------|--------------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|
| OG PUT         |       | COMEX GOLD OPTIONS |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |  |
| JUL26          |       |                    |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |  |
| 3590           | ----  | ----               |                 | 3.20B/*2.10A       | 3.20B/*2.10A     | ----            |               |                 | 2.00 - 1.00              | .0106 | ----          | ----                     | ----              | ----          | 16               | UNCH |  |
| 3600           | 3.10  | 3.10               |                 | 3.30/*2.10         | 3.30/*2.10       | ----            |               |                 | 2.10 - 0.90              | .0111 | ----          | ----                     | 135               | ----          | 1110 +           | 115  |  |
| 3605           | ----  | ----               |                 | 3.40B/*2.20A       | 3.40B/*2.20A     | ----            |               |                 | 2.10 - 1.00              | .0112 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |
| 3610           | ----  | ----               |                 | 3.40B/*2.30A       | 3.40B/*2.30A     | ----            |               |                 | 2.10 - 1.00              | .0112 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3615           | ----  | ----               |                 | 3.50B/*2.30A       | 3.50B/*2.30A     | ----            |               |                 | 2.10 - 1.10              | .0113 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3620           | ----  | ----               |                 | 3.50B/*2.30A       | 3.50B/*2.30A     | ----            |               |                 | 2.20 - 1.00              | .0118 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |
| 3625           | ----  | ----               |                 | 3.60B/*2.30A       | 3.60B/*2.30A     | ----            |               |                 | 2.20 - 1.10              | .0118 | ----          | ----                     | ----              | ----          | 41               | UNCH |  |
| 3630           | ----  | ----               |                 | 3.80B/*2.40A       | 3.80B/*2.40A     | ----            |               |                 | 2.20 - 1.10              | .0119 | ----          | ----                     | ----              | ----          | 12               | UNCH |  |
| 3635           | ----  | ----               |                 | 3.70B/*2.40A       | 3.70B/*2.40A     | ----            |               |                 | 2.30 - 1.10              | .0124 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3640           | ----  | ----               |                 | 3.80B/*2.40A       | 3.80B/*2.40A     | ----            |               |                 | 2.30 - 1.10              | .0124 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3645           | ----  | ----               |                 | 3.90B/*2.50A       | 3.90B/*2.50A     | ----            |               |                 | 2.40 - 1.00              | .0129 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 3650           | ----  | ----               |                 | 3.90B/*2.50A       | 3.90B/*2.50A     | ----            |               |                 | 2.40 - 1.10              | .0130 | ----          | ----                     | ----              | ----          | 90               | UNCH |  |
| 3655           | ----  | ----               |                 | 4.00B/*2.50A       | 4.00B/*2.50A     | ----            |               |                 | 2.40 - 1.10              | .0131 | ----          | ----                     | ----              | ----          | 6                | UNCH |  |
| 3660           | ----  | ----               |                 | 4.20B/*2.60A       | 4.20B/*2.60A     | ----            |               |                 | 2.50 - 1.10              | .0136 | ----          | ----                     | ----              | ----          | 54               | UNCH |  |
| 3665           | ----  | ----               |                 | 4.10B/*2.60A       | 4.10B/*2.60A     | ----            |               |                 | 2.50 - 1.10              | .0136 | ----          | ----                     | ----              | ----          | 4                | UNCH |  |
| 3670           | ----  | ----               |                 | 4.20B/*2.60A       | 4.20B/*2.60A     | ----            |               |                 | 2.50 - 1.20              | .0137 | ----          | ----                     | ----              | ----          | 112              | UNCH |  |
| 3675           | ----  | ----               |                 | 4.30B/*2.70A       | 4.30B/*2.70A     | ----            |               |                 | 2.60 - 1.10              | .0142 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3680           | ----  | ----               |                 | 4.40B/*2.70A       | 4.40B/*2.70A     | ----            |               |                 | 2.60 - 1.20              | .0143 | ----          | ----                     | ----              | ----          | 13               | UNCH |  |
| 3685           | 2.80  | 2.80               |                 | 4.50B/*2.70A       | 4.50B/*2.70A     | ----            |               |                 | 2.70 - 1.20              | .0148 | ----          | ----                     | 1                 | ----          | 13 +             | 1    |  |
| 3690           | ----  | ----               |                 | 4.50B/*2.80A       | 4.50B/*2.80A     | ----            |               |                 | 2.70 - 1.20              | .0149 | ----          | ----                     | ----              | ----          | 50               | UNCH |  |
| 3695           | ----  | ----               |                 | 4.60B/*2.80A       | 4.60B/*2.80A     | ----            |               |                 | 2.80 - 1.20              | .0154 | ----          | ----                     | ----              | ----          | 143              | UNCH |  |
| 3700           | 4.60  | 4.60               |                 | 4.80B/*2.90A       | 4.80B/*2.90A     | ----            |               |                 | 2.80 - 1.20              | .0155 | ----          | ----                     | 110               | ----          | 554 -            | 10   |  |
| 3705           | ----  | ----               |                 | 4.90B/*2.90A       | 4.90B/*2.90A     | ----            |               |                 | 2.90 - 1.20              | .0160 | ----          | ----                     | ----              | ----          | 21               | UNCH |  |
| 3715           | ----  | ----               |                 | 5.10B/*3.00A       | 5.10B/*3.00A     | ----            |               |                 | 2.90 - 1.30              | .0162 | ----          | ----                     | ----              | ----          | 30               | UNCH |  |
| 3720           | ----  | ----               |                 | 5.20B/*3.00A       | 5.20B/*3.00A     | ----            |               |                 | 3.00 - 1.30              | .0167 | ----          | ----                     | ----              | ----          | 24               | UNCH |  |
| 3725           | ----  | ----               |                 | 5.30B/*3.10A       | 5.30B/*3.10A     | ----            |               |                 | 3.00 - 1.30              | .0168 | ----          | ----                     | 160               | ----          | 167 +            | 160  |  |
| 3730           | ----  | ----               |                 | 5.30B/*3.10A       | 5.30B/*3.10A     | ----            |               |                 | 3.10 - 1.30              | .0173 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3735           | ----  | ----               |                 | 5.40B/*3.20A       | 5.40B/*3.20A     | ----            |               |                 | 3.10 - 1.40              | .0174 | ----          | ----                     | ----              | ----          | 30               | UNCH |  |
| 3740           | ----  | ----               |                 | 5.60B/*3.20A       | 5.60B/*3.20A     | ----            |               |                 | 3.20 - 1.30              | .0179 | ----          | ----                     | ----              | ----          | 20               | UNCH |  |
| 3745           | ----  | ----               |                 | 5.70B/*3.30A       | 5.70B/*3.30A     | ----            |               |                 | 3.30 - 1.30              | .0185 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3750           | ----  | ----               |                 | 5.80B/*3.30A       | 5.80B/*3.30A     | ----            |               |                 | 3.30 - 1.40              | .0186 | ----          | ----                     | ----              | ----          | 533              | UNCH |  |
| 3755           | ----  | ----               |                 | 6.00B/*3.40A       | 6.00B/*3.40A     | ----            |               |                 | 3.40 - 1.30              | .0191 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |
| 3760           | ----  | ----               |                 | 6.00B/*3.40A       | 6.00B/*3.40A     | ----            |               |                 | 3.40 - 1.40              | .0192 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3765           | 3.60  | 3.60               |                 | 6.20B/*3.50A       | 6.20B/*3.50A     | ----            |               |                 | 3.50 - 1.40              | .0197 | ----          | ----                     | 5                 | ----          | 32 -             | 1    |  |
| 3770           | ----  | ----               |                 | 6.30B/*3.50A       | 6.30B/*3.50A     | ----            |               |                 | 3.50 - 1.50              | .0199 | ----          | ----                     | ----              | ----          | 126              | UNCH |  |
| 3775           | ----  | ----               |                 | 6.40B/3.60A        | 6.40B/3.60A      | ----            |               |                 | 3.60 - 1.40              | .0204 | ----          | ----                     | ----              | ----          | 97               | UNCH |  |
| 3780           | 3.70  | 3.70               |                 | 6.60B/*3.60A       | 6.60B/*3.60A     | ----            |               |                 | 3.60 - 1.50              | .0205 | ----          | ----                     | 2                 | ----          | 13 +             | 2    |  |
| 3785           | ----  | ----               |                 | 6.60B/*3.70A       | 6.60B/*3.70A     | ----            |               |                 | 3.70 - 1.50              | .0211 | ----          | ----                     | ----              | ----          | 7                | UNCH |  |
| 3790           | ----  | ----               |                 | 6.80B/*3.70A       | 6.80B/*3.70A     | ----            |               |                 | 3.80 - 1.50              | .0216 | ----          | ----                     | ----              | ----          | 41               | UNCH |  |
| 3795           | ----  | ----               |                 | 6.90B/*3.80A       | 6.90B/*3.80A     | ----            |               |                 | 3.80 - 1.50              | .0218 | ----          | ----                     | ----              | ----          | 42               | UNCH |  |
| 3800           | 6.00  | 6.00               |                 | 7.10/*3.80         | 7.10/*3.80       | ----            |               |                 | 3.90 - 1.50              | .0223 | ----          | ----                     | 53                | ----          | 666 -            | 3    |  |
| 3805           | ----  | ----               |                 | 7.20B/*3.90A       | 7.20B/*3.90A     | ----            |               |                 | 4.00 - 1.50              | .0229 | ----          | ----                     | ----              | ----          | 5                | UNCH |  |
| 3810           | ----  | ----               |                 | 7.30B/*4.00A       | 7.30B/*4.00A     | ----            |               |                 | 4.00 - 1.60              | .0230 | ----          | ----                     | ----              | ----          | 22               | UNCH |  |
| 3815           | ----  | ----               |                 | 7.50B/*4.00A       | 7.50B/*4.00A     | ----            |               |                 | 4.10 - 1.60              | .0236 | ----          | ----                     | ----              | ----          | 17               | UNCH |  |
| 3820           | ----  | ----               |                 | 7.70B/*4.10A       | 7.70B/*4.10A     | ----            |               |                 | 4.20 - 1.60              | .0242 | ----          | ----                     | ----              | ----          | 11               | UNCH |  |
| 3825           | ----  | ----               |                 | 7.80B/*4.20A       | 7.80B/*4.20A     | ----            |               |                 | 4.20 - 1.70              | .0243 | ----          | ----                     | 30                | ----          | 45 +             | 28   |  |
| 3830           | ----  | ----               |                 | 8.00B/*4.20A       | 8.00B/*4.20A     | ----            |               |                 | 4.30 - 1.70              | .0249 | ----          | ----                     | ----              | ----          | 25               | UNCH |  |
| 3835           | ----  | ----               |                 | 8.10B/*4.30A       | 8.10B/*4.30A     | ----            |               |                 | 4.40 - 1.70              | .0255 | ----          | ----                     | ----              | ----          | 1                | UNCH |  |
| 3840           | ----  | ----               |                 | 8.30B/*4.40A       | 8.30B/*4.40A     | ----            |               |                 | 4.40 - 1.80              | .0257 | ----          | ----                     | ----              | ----          | 39               | UNCH |  |
| 3845           | ----  | ----               |                 | 8.50B/4.50A        | 8.50B/4.50A      | ----            |               |                 | 4.50 - 1.80              | .0263 | ----          | ----                     | ----              | ----          | 14               | UNCH |  |
| 3850           | ----  | ----               |                 | 8.70B/*4.50A       | 8.70B/*4.50A     | ----            |               |                 | 4.60 - 1.80              | .0269 | ----          | ----                     | ----              | ----          | 239              | UNCH |  |
| 3855           | ----  | ----               |                 | 8.80B/*4.60A       | 8.80B/*4.60A     | ----            |               |                 | 4.70 - 1.80              | .0275 | ----          | ----                     | ----              | ----          | 3                | UNCH |  |
| 3860           | 5.00  | 5.00               |                 | 9.00B/*4.70A       | 9.00B/*4.70A     | ----            |               |                 | 4.70 - 1.90              | .0276 | ----          | ----                     | 10                | ----          | 53 +             | 5    |  |
| 3865           | ----  | ----               |                 | 9.20B/*4.80A       | 9.20B/*4.80A     | ----            |               |                 | 4.80 - 1.90              | .0282 | ----          | ----                     | ----              | ----          | 85               | UNCH |  |
| 3870           | ----  | ----               |                 | 9.40B/*4.90A       | 9.40B/*4.90A     | ----            |               |                 | 4.90 - 1.90              | .0289 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 3875           | 5.10  | 5.10               |                 | 9.60B/5.00A        | 9.60B/5.00A      | ----            |               |                 | 5.00 - 1.90              | .0295 | ----          | ----                     | 5                 | ----          | 134 +            | 1    |  |
| 3880           | ----  | ----               |                 | 9.80B/*5.00A       | 9.80B/*5.00A     | ----            |               |                 | 5.10 - 2.00              | .0301 | ----          | ----                     | ----              | ----          | 15               | UNCH |  |
| 3885           | 5.40  | 5.40               |                 | 10.00B/*5.10A      | 10.00B/*5.10A    | ----            |               |                 | 5.20 - 2.00              | .0307 | ----          | ----                     | 2                 | ----          | 51 +             | 2    |  |
| 3890           | ----  | ----               |                 | 10.20B/5.20A       | 10.20B/5.20A     | ----            |               |                 | 5.30 - 2.00              | .0314 | ----          | ----                     | ----              | ----          | 8                | UNCH |  |
| 3895           | ----  | ----               |                 | 10.50B/5.30A       | 10.50B/5.30A     | ----            |               |                 | 5.40 - 2.00              | .0320 | ----          | ----                     | ----              | ----          | 21               | UNCH |  |
| 3900           | 8.60  | 8.60               |                 | 10.60B/5.40A       | 10.60B/5.40A     | ----            |               |                 | 5.50 - 2.10              | .0326 | ----          | ----                     | 31                | ----          | 350 -            | 4    |  |
| 3905           | 8.30  | 8.30               |                 | 10.90B/5.50A       | 10.90B/5.50A     | ----            |               |                 | 5.60 - 2.10              | .0333 | ----          | ----                     | 3                 | ----          | 34               | UNCH |  |
| 3910           | ----  | ----               |                 | 11.10B/5.60A       | 11.10B/5.60A     | ----            |               |                 | 5.70 - 2.10              | .0339 | ----          | ----                     | ----              | ----          | 76               | UNCH |  |
| 3915           | ----  | ----               |                 | 11.30B/5.70A       | 11.30B/5.70A     | ----            |               |                 | 5.80 - 2.20              | .0346 | ----          | ----                     | ----              | ----          | 10               | UNCH |  |
| 3920           | 9.10  | 9.10               |                 | 11.60B/5.80A       | 11.60B/5.80A     | ----            |               |                 | 5.90 - 2.20              | .0353 | ----          | ----                     | 2                 | ----          | 66 +             | 2    |  |
| 3925           | 9.00  | 9.00               |                 | 11.80B/5.90A       | 11.80B/5.90A     | ----            |               |                 | 6.00 - 2.30              | .0359 | ----          | ----                     | 10                | ----          | 144              | UNCH |  |
| 3930           | ----  | ----               |                 | 12.10B/6.00A       | 12.10B/6.00A     | ----            |               |                 | 6.10 - 2.30              | .0366 | ----          | ----                     | ----              | ----          | 40               | UNCH |  |
| 3935           | 9.20  | 9.20               |                 | 12.30B/6.10A       | 12.30B/6.10A     | ----            |               |                 | 6.20 - 2.40              | .0373 | ----          | ----                     | 9                 | ----          | 79 +             | 9    |  |
| 3940           | 9.60  | 9.60               |                 | 12.70B/6.30A       | 12.70B/6.30A     | ----            |               |                 | 6.30 - 2.40              | .0380 | ----          | ----                     | 11                | ----          | 73 +             | 2    |  |
| 3945           | 7.00  | 7.00               |                 | 12.90B/6.40A       | 12.90B/6.40A     | ----            |               |                 | 6.40 - 2.50              | .0387 | ----          | ----                     | 1                 | ----          | 79               | UNCH |  |
| 3950           | 12.40 | 12.40              |                 | 13.20B/6.50A       | 13.20B/6.50A     | ----            |               |                 | 6.50 - 2.60              | .0394 |               |                          |                   |               |                  |      |  |

| GLOBEX<br>OPEN  |                    | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |  |
|-----------------|--------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|--|
| OG PUT<br>JUL26 | COMEX GOLD OPTIONS |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
| 4285            | 57.40              | 57.40                     | 64.80B/28.20A      | 64.80B/28.20A           | ----                       | 29.90 - 10.30            | .1787 | ----          | ----                     | 104               | ----          | 178 +            |  |
|                 |                    |                           |                    |                         |                            |                          |       |               |                          |                   |               |                  |  |

| BULLETIN #101@ |                    |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                   | Thu, May 28, 2026 |                  |         | PG64 |
|----------------|--------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|---------|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |         |      |
| OG PUT         | COMEX GOLD OPTIONS |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |         |      |
| JUL26          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |         |      |
| 4995           | ----               | ----         | ----            | 599.40B/458.90A        | 599.40B/458.90A  | ----               | ----          | ----            | 470.20 - 47.50           | .9348 | ----          | ----                     | ----              | ----              | 12               | UNCH    |      |
| 5000           | 465.80             | 465.80       |                 | 604.40B/463.50A        | 604.40B/463.50A  | ----               | ----          | ----            | 475.00 - 47.60           | .9363 | ----          | ----                     | 2                 | ----              | 544              | - 2     |      |
| 5005           | ----               | ----         |                 | 609.30B/467.50A        | 609.30B/467.50A  | ----               | ----          | ----            | 479.80 - 47.70           | .9378 | ----          | ----                     | ----              | ----              | 12               | UNCH    |      |
| 5010           | ----               | ----         |                 | 614.20B/473.20A        | 614.20B/473.20A  | ----               | ----          | ----            | 484.60 - 47.70           | .9388 | ----          | ----                     | ----              | ----              | 8                | UNCH    |      |
| 5015           | ----               | ----         |                 | 619.10B/478.00A        | 619.10B/478.00A  | ----               | ----          | ----            | 489.40 - 47.80           | .9402 | ----          | ----                     | ----              | ----              | 19               | UNCH    |      |
| 5020           | ----               | ----         |                 | 624.00B/483.10A        | 624.00B/483.10A  | ----               | ----          | ----            | 494.20 - 47.90           | .9417 | ----          | ----                     | ----              | ----              | 5                | UNCH    |      |
| 5025           | ----               | ----         |                 | 629.00B/487.90A        | 629.00B/487.90A  | ----               | ----          | ----            | 499.10 - 47.90           | .9431 | ----          | ----                     | 150               | ----              | 8                | UNCH    |      |
| 5030           | ----               | ----         |                 | 633.90B/492.60A        | 633.90B/492.60A  | ----               | ----          | ----            | 503.90 - 48.00           | .9446 | ----          | ----                     | 8                 | ----              | UNCH             |         |      |
| 5035           | ----               | ----         |                 | 639.10B/496.50A        | 639.10B/496.50A  | ----               | ----          | ----            | 508.70 - 48.10           | .9454 | ----          | ----                     | 37                | ----              | UNCH             |         |      |
| 5040           | ----               | ----         |                 | #644.00B/501.30        | #644.00B/501.30A | ----               | ----          | ----            | 513.60 - 48.10           | .9469 | ----          | ----                     | 10                | ----              | UNCH             |         |      |
| 5045           | ----               | ----         |                 | 648.70B/506.90A        | 648.70B/506.90A  | ----               | ----          | ----            | 518.40 - 48.20           | .9477 | ----          | ----                     | 5                 | ----              | UNCH             |         |      |
| 5050           | ----               | ----         |                 | 653.60B/511.90A        | 653.60B/511.90A  | ----               | ----          | ----            | 523.20 - 48.30           | .9492 | ----          | ----                     | 79                | ----              | UNCH             |         |      |
| 5055           | ----               | ----         |                 | 658.50B/515.80A        | 658.50B/515.80A  | ----               | ----          | ----            | 528.10 - 48.30           | .9500 | ----          | ----                     | 3                 | ----              | UNCH             |         |      |
| 5065           | ----               | ----         |                 | 668.70B/525.50A        | 668.70B/525.50A  | ----               | ----          | ----            | 537.80 - 48.40           | .9523 | ----          | ----                     | 11                | ----              | UNCH             |         |      |
| 5075           | ----               | ----         |                 | 643.80B/535.20A        | 643.80B/535.20A  | ----               | ----          | ----            | 547.50 - 48.50           | .9545 | ----          | ----                     | 6                 | ----              | UNCH             |         |      |
| 5080           | ----               | ----         |                 | ----/540.90A           | 562.60B/540.90A  | ----               | ----          | ----            | 552.40 - 48.50           | .9553 | ----          | ----                     | 2                 | ----              | UNCH             |         |      |
| 5085           | ----               | ----         |                 | 653.70B/545.70A        | 653.70B/545.70A  | ----               | ----          | ----            | 557.20 - 48.70           | .9567 | ----          | ----                     | 21                | ----              | UNCH             |         |      |
| 5090           | ----               | ----         |                 | 658.60B/549.60A        | 658.60B/549.60A  | ----               | ----          | ----            | 562.10 - 48.70           | .9575 | ----          | ----                     | 6                 | ----              | UNCH             |         |      |
| 5095           | ----               | ----         |                 | 663.60B/555.60A        | 663.60B/555.60A  | ----               | ----          | ----            | 567.00 - 48.70           | .9583 | ----          | ----                     | 42                | ----              | UNCH             |         |      |
| 5100           | ----               | ----         |                 | 668.50B/560.30A        | 668.50B/560.30A  | ----               | ----          | ----            | 571.90 - 48.70           | .9591 | ----          | ----                     | 107               | ----              | UNCH             |         |      |
| 5105           | ----               | ----         |                 | 673.50B/565.20A        | 673.50B/565.20A  | ----               | ----          | ----            | 576.70 - 48.90           | .9599 | ----          | ----                     | 22                | ----              | UNCH             |         |      |
| 5110           | ----               | ----         |                 | 678.40B/569.10A        | 678.40B/569.10A  | ----               | ----          | ----            | 581.60 - 48.90           | .9607 | ----          | ----                     | 16                | ----              | UNCH             |         |      |
| 5115           | ----               | ----         |                 | 683.40B/574.00A        | 683.40B/574.00A  | ----               | ----          | ----            | 586.50 - 49.00           | .9615 | ----          | ----                     | 37                | ----              | UNCH             |         |      |
| 5120           | ----               | ----         |                 | 688.30B/578.90A        | 688.30B/578.90A  | ----               | ----          | ----            | 591.40 - 49.00           | .9629 | ----          | ----                     | 13                | ----              | UNCH             |         |      |
| 5125           | ----               | ----         |                 | 693.20B/583.80A        | 693.20B/583.80A  | ----               | ----          | ----            | 596.30 - 49.00           | .9637 | ----          | ----                     | 37                | ----              | UNCH             |         |      |
| 5130           | ----               | ----         |                 | 698.20B/591.00A        | 698.20B/591.00A  | ----               | ----          | ----            | 601.20 - 49.10           | .9644 | ----          | ----                     | 25                | ----              | UNCH             |         |      |
| 5135           | ----               | ----         |                 | 703.20B/595.90A        | 703.20B/595.90A  | ----               | ----          | ----            | 606.10 - 49.10           | .9646 | ----          | ----                     | 19                | ----              | UNCH             |         |      |
| 5140           | ----               | ----         |                 | 708.20B/600.80A        | 708.20B/600.80A  | ----               | ----          | ----            | 611.00 - 49.20           | .9654 | ----          | ----                     | 21                | ----              | UNCH             |         |      |
| 5145           | ----               | ----         |                 | #713.10B/605.80        | #713.10B/605.80A | ----               | ----          | ----            | 615.90 - 49.20           | .9662 | ----          | ----                     | 3                 | ----              | UNCH             |         |      |
| 5150           | ----               | ----         |                 | 718.10B/610.60A        | 718.10B/610.60A  | ----               | ----          | ----            | 620.80 - 49.30           | .9669 | ----          | ----                     | 235               | ----              | UNCH             |         |      |
| 5155           | ----               | ----         |                 | 723.00B/615.60A        | 723.00B/615.60A  | ----               | ----          | ----            | 625.80 - 49.20           | .9677 | ----          | ----                     | 43                | ----              | UNCH             |         |      |
| 5160           | ----               | ----         |                 | 728.00B/620.40A        | 728.00B/620.40A  | ----               | ----          | ----            | 630.70 - 49.30           | .9685 | ----          | ----                     | 44                | ----              | UNCH             |         |      |
| 5170           | ----               | ----         |                 | 737.90B/630.30A        | 737.90B/630.30A  | ----               | ----          | ----            | 640.50 - 49.40           | .9694 | ----          | ----                     | 53                | ----              | UNCH             |         |      |
| 5175           | ----               | ----         |                 | 742.90B/635.20A        | 742.90B/635.20A  | ----               | ----          | ----            | 645.40 - 49.50           | .9701 | ----          | ----                     | 61                | ----              | UNCH             |         |      |
| 5180           | ----               | ----         |                 | 747.80B/640.10A        | 747.80B/640.10A  | ----               | ----          | ----            | 650.40 - 49.40           | .9709 | ----          | ----                     | 12                | ----              | UNCH             |         |      |
| 5185           | ----               | ----         |                 | 752.80B/645.00A        | 752.80B/645.00A  | ----               | ----          | ----            | 655.30 - 49.50           | .9710 | ----          | ----                     | 103               | ----              | UNCH             |         |      |
| 5190           | ----               | ----         |                 | 757.80B/650.00A        | 757.80B/650.00A  | ----               | ----          | ----            | 660.20 - 49.60           | .9717 | ----          | ----                     | 19                | ----              | UNCH             |         |      |
| 5200           | ----               | ----         |                 | 767.70B/659.80A        | 767.70B/659.80A  | ----               | ----          | ----            | 670.10 - 49.60           | .9726 | ----          | 1                        | ----              | 54                | UNCH             |         |      |
| 5225           | ----               | ----         |                 | 792.50B/684.60A        | 792.50B/684.60A  | ----               | ----          | ----            | 694.80 - 49.70           | .9750 | ----          | ----                     | 42                | ----              | UNCH             |         |      |
| 5230           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 699.80 - 49.70           | .9752 | ----          | ----                     | 2                 | ----              | UNCH             |         |      |
| 5235           | ----               | ----         |                 | 802.50B/694.40A        | 802.50B/694.40A  | ----               | ----          | ----            | 704.70 - 49.80           | .9759 | ----          | ----                     | 23                | ----              | UNCH             |         |      |
| 5245           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 714.60 - 49.80           | .9767 | ----          | ----                     | 2                 | ----              | UNCH             |         |      |
| 5250           | ----               | ----         |                 | 817.40B/709.30A        | 817.40B/709.30A  | ----               | ----          | ----            | 719.60 - 49.80           | .9768 | ----          | ----                     | 14                | ----              | UNCH             |         |      |
| 5255           | ----               | ----         |                 | 822.40B/714.20A        | 822.40B/714.20A  | ----               | ----          | ----            | 724.50 - 49.90           | .9775 | ----          | ----                     | 14                | ----              | UNCH             |         |      |
| 5285           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 754.30 - 49.90           | .9793 | ----          | ----                     | 2                 | ----              | UNCH             |         |      |
| 5290           | ----               | ----         |                 | 857.20B/748.90A        | 857.20B/748.90A  | ----               | ----          | ----            | 759.20 - 50.00           | .9794 | ----          | ----                     | 4                 | ----              | UNCH             |         |      |
| 5295           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 764.20 - 49.90           | .9801 | ----          | ----                     | 2                 | ----              | UNCH             |         |      |
| 5300           | ----               | ----         |                 | 867.20B/758.90A        | 867.20B/758.90A  | ----               | ----          | ----            | 769.20 - 49.90           | .9802 | ----          | ----                     | 68                | ----              | UNCH             |         |      |
| 5315           | ----               | ----         |                 | 882.10B/773.80A        | 882.10B/773.80A  | ----               | ----          | ----            | 784.10 - 49.90           | .9810 | ----          | ----                     | 10                | ----              | UNCH             |         |      |
| 5325           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 794.00 - 50.00           | .9812 | ----          | ----                     | 2                 | ----              | UNCH             |         |      |
| 5350           | ----               | ----         |                 | 917.00B/808.40A        | 917.00B/808.40A  | ----               | ----          | ----            | 818.90 - 50.00           | .9828 | ----          | ----                     | 8                 | ----              | UNCH             |         |      |
| 5375           | ----               | ----         |                 | 941.90B/833.30A        | 941.90B/833.30A  | ----               | ----          | ----            | 843.70 - 50.10           | .9837 | ----          | ----                     | 8                 | ----              | UNCH             |         |      |
| 5390           | ----               | ----         |                 | 956.90B/848.30A        | 956.90B/848.30A  | ----               | ----          | ----            | 858.70 - 50.10           | .9845 | ----          | ----                     | 5                 | ----              | UNCH             |         |      |
| 5400           | ----               | ----         |                 | 967.70B/857.30A        | 967.70B/857.30A  | ----               | ----          | ----            | 868.60 - 50.20           | .9847 | ----          | ----                     | 603               | ----              | UNCH             |         |      |
| 5410           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 878.60 - 50.20           | .9854 | ----          | ----                     | 1                 | ----              | UNCH             |         |      |
| 5440           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 908.40 - 50.30           | .9863 | ----          | ----                     | 1                 | ----              | UNCH             |         |      |
| 5475           | ----               | ----         |                 | 1,041.90B/933.0        | 1041.90B/933.00A | ----               | ----          | ----            | 943.30 - 50.40           | .9873 | ----          | ----                     | 7                 | ----              | UNCH             |         |      |
| 5500           | ----               | ----         |                 | 1,066.60B/957.8        | 1066.60B/957.80A | ----               | ----          | ----            | 968.20 - 50.40           | .9881 | ----          | ----                     | 3                 | ----              | UNCH             |         |      |
| 5505           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 973.20 - 50.40           | .9881 | ----          | ----                     | 1                 | ----              | UNCH             |         |      |
| 5510           | ----               | ----         |                 | ----                   | ----             | ----               | ----          | ----            | 978.20 - 50.40           | .9882 | ----          | ----                     | 1                 | ----              | UNCH             |         |      |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   | 5823              | 900              | 58792 + | 1955 |
| AUG26          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |                  |         |      |
| 2300           | 0.90               | 0.90         |                 | 0.90/0.80A             | 0.90/0.80A       | ----               | ----          | ----            | 0.40 UNCH                | .0011 | ----          | ----                     | 1                 | ----              | 45               | +       |      |
| 2325           | ----               | ----         |                 | ----                   | 0.20B/0.90A      | ----               | ----          | ----            | 0.40 - 0.10              | .0011 | ----          | ----                     | ----              | ----              | 1                | UNCH    |      |
| 2350           | ----               | ----         |                 | ----                   | 0.30B/0.90A      | ----               | ----          | ----            | 0.40 - 0.10              | .0012 | ----          | ----                     | ----              | ----              | 22               | UNCH    |      |
| 2375           | ----               | ----         |                 | ----                   | 0.30B/0.90A      | ----               | ----          | ----            | 0.50 UNCH                | .0014 | ----          | ----                     | ----              | ----              | 7                | UNCH    |      |
| 2400           | ----               | ----         |                 | ----                   | 0.40B/0.70A      | ----               | ----          | ----            | 0.50 - 0.10              | .0015 | ----          | ----                     | ----              | ----              | 5                | UNCH    |      |
| 2425           | ----               | ----         |                 | ----                   | 0.40B/1.00A      | ----               | ----          | ----            | 0.50 - 0.10              | .0015 | ----          | ----                     | ----              | ----              | 1                | UNCH    |      |
| 2475           | ----               | ----         |                 | ----                   | 0.50B/1.10A      | ----               | ----          | ----            | 0.60 - 0.10              | .0018 | ----          | ----                     | ----              | ----              | 5                | UNCH    |      |
| 2500           | ----               | ----         |                 | -----/0.70A            | 0.60B/0.70A      | ----               | ----          | ----            | 0.60 - 0.20              | .0018 | ----          | ----                     | 114               | ----              | UNCH             |         |      |
| 2570           | ----               | ----         |                 | ----                   | 0.70B/1.20A      | ----               | ----          | ----            | 0.80 - 0.10              | .0024 | ----          | ----                     | ----              | ----              | 9                | UNCH    |      |
| 2580           | ----               | ----         |                 | ----                   | 0.70B/1.20A      | ----               | ----          | ----            | 0.80 - 0.10              | .0024 | ----          | ----                     | ----              | ----              | 1                | UNCH    |      |
| 2590           | ----               | ----         |                 | ----                   | 0.70B/1.30A      | ----               | ----          | ----            | 0.80 - 0.10              | .0025 | ----          | ----                     | ----              | ----              | 2                | UNCH    |      |
| 2600           | ----               | ----         |                 | ----                   | 0.80B/1.10A      | ----               | ----          | ----            | 0.80 - 0.20              | .0025 | ----          | ----                     | ----              | ----              | 6                | UNCH    |      |
| 2615           | ----               | ----         |                 | ----                   | 0.80B/1.30A      | ----               | ----          | ----            | 0.80 - 0.20              | .0025 |               |                          |                   |                   |                  |         |      |



| BULLETIN #101@ |                    |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   |               |                  |      | Thu, May 28, 2026 |  |  |  | PG64 |
|----------------|--------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|-------------------|--|--|--|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |                   |  |  |  |      |
| OG PUT         | COMEX GOLD OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |  |  |      |
| AUG26          |                    |                              |                    |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |  |  |      |
| 3450           | ----               | ----                         | 6.60B/5.10A        | 6.60B/5.10A                | ----                          | 5.00 - 0.70              | .0198 | ----          | ----                     | ----              | ----          | 2                | UNCH |                   |  |  |  |      |
| 3460           | ----               | ----                         | 6.70B/5.20A        | 6.70B/5.20A                | ----                          | 5.10 - 0.80              | .0203 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3465           | ----               | ----                         | 6.80B/5.20A        | 6.80B/5.20A                | ----                          | 5.20 - 0.80              | .0206 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |  |  |      |
| 3470           | ----               | ----                         | 6.90B/5.30A        | 6.90B/5.30A                | ----                          | 5.20 - 0.80              | .0207 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3485           | ----               | ----                         | 7.20B/5.50A        | 7.20B/5.50A                | ----                          | 5.40 - 0.80              | .0216 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3495           | ----               | ----                         | 7.40B/5.60A        | 7.40B/5.60A                | ----                          | 5.50 - 0.90              | .0221 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3500           | ----               | ----                         | 7.50B/5.60A        | 7.50B/5.60A                | ----                          | 5.60 - 0.90              | .0225 | ----          | ----                     | 3                 | ----          | 827              | UNCH |                   |  |  |  |      |
| 3505           | ----               | ----                         | 7.60B/5.70A        | 7.60B/5.70A                | ----                          | 5.70 - 0.80              | .0229 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3510           | 7.50               | 7.50                         | 8.00/5.80A         | 8.00/5.80A                 | ----                          | 5.70 - 0.90              | .0230 | ----          | ----                     | 2                 | ----          | 50               | UNCH |                   |  |  |  |      |
| 3520           | ----               | ----                         | 7.90B/5.90A        | 7.90B/5.90A                | ----                          | 5.90 - 0.90              | .0238 | ----          | ----                     | ----              | ----          | 210              | UNCH |                   |  |  |  |      |
| 3525           | ----               | ----                         | 8.00B/6.00A        | 8.00B/6.00A                | ----                          | 5.90 - 1.00              | .0239 | ----          | ----                     | ----              | ----          | 60               | UNCH |                   |  |  |  |      |
| 3535           | ----               | ----                         | 8.30B/6.10A        | 8.30B/6.10A                | ----                          | 6.10 - 0.90              | .0247 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3545           | ----               | ----                         | 8.50B/6.30A        | 8.50B/6.30A                | ----                          | 6.20 - 1.00              | .0252 | ----          | ----                     | ----              | ----          | 9                | UNCH |                   |  |  |  |      |
| 3550           | ----               | ----                         | 8.70B/6.30A        | 8.70B/6.30A                | ----                          | 6.30 - 1.00              | .0257 | ----          | ----                     | ----              | ----          | 151              | UNCH |                   |  |  |  |      |
| 3560           | ----               | ----                         | 8.90B/6.50A        | 8.90B/6.50A                | ----                          | 6.40 - 1.10              | .0262 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3565           | ----               | ----                         | 9.00B/6.60A        | 9.00B/6.60A                | ----                          | 6.50 - 1.10              | .0266 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3570           | ----               | ----                         | 9.10B/6.70A        | 9.10B/6.70A                | ----                          | 6.60 - 1.10              | .0270 | ----          | ----                     | ----              | ----          | 32               | UNCH |                   |  |  |  |      |
| 3575           | ----               | ----                         | 9.30B/6.70A        | 9.30B/6.70A                | ----                          | 6.70 - 1.10              | .0275 | ----          | ----                     | ----              | ----          | 20               | UNCH |                   |  |  |  |      |
| 3585           | ----               | ----                         | 9.60B/6.90A        | 9.60B/6.90A                | ----                          | 6.90 - 1.10              | .0283 | ----          | ----                     | ----              | ----          | 50               | UNCH |                   |  |  |  |      |
| 3600           | 10.60              | 10.60                        | 10.60/7.00         | 10.60/7.00                 | ----                          | 7.10 - 1.20              | .0293 | ----          | ----                     | 63                | ----          | 637 +            | 19   |                   |  |  |  |      |
| 3605           | ----               | ----                         | 10.10B/7.30A       | 10.10B/7.30A               | ----                          | 7.20 - 1.20              | .0297 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3610           | ----               | ----                         | 10.30B/7.30A       | 10.30B/7.30A               | ----                          | 7.30 - 1.20              | .0302 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3630           | ----               | ----                         | 11.00B/7.70A       | 11.00B/7.70A               | ----                          | 7.70 - 1.30              | .0320 | ----          | ----                     | ----              | ----          | 8                | UNCH |                   |  |  |  |      |
| 3640           | ----               | ----                         | 11.30B/7.90A       | 11.30B/7.90A               | ----                          | 7.90 - 1.30              | .0329 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3645           | 10.80              | 10.80                        | 11.40B/8.00A       | 11.40B/8.00A               | ----                          | 8.00 - 1.30              | .0333 | ----          | ----                     | 1                 | ----          | 21 -             | 1    |                   |  |  |  |      |
| 3650           | ----               | ----                         | 11.60B/8.10A       | 11.60B/8.10A               | ----                          | 8.10 - 1.40              | .0338 | ----          | ----                     | ----              | ----          | 47               | UNCH |                   |  |  |  |      |
| 3655           | ----               | ----                         | 11.80B/8.20A       | 11.80B/8.20A               | ----                          | 8.20 - 1.40              | .0342 | ----          | ----                     | ----              | ----          | 55               | UNCH |                   |  |  |  |      |
| 3660           | ----               | ----                         | 12.00B/8.30A       | 12.00B/8.30A               | ----                          | 8.30 - 1.40              | .0347 | ----          | ----                     | ----              | ----          | 10               | UNCH |                   |  |  |  |      |
| 3665           | ----               | ----                         | 12.20B/8.40A       | 12.20B/8.40A               | ----                          | 8.40 - 1.50              | .0352 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3675           | ----               | ----                         | 12.60B/8.60A       | 12.60B/8.60A               | ----                          | 8.60 - 1.50              | .0361 | ----          | ----                     | ----              | ----          | 24               | UNCH |                   |  |  |  |      |
| 3690           | ----               | ----                         | 13.40B/9.00A       | 13.40B/9.00A               | ----                          | 9.00 - 1.60              | .0378 | ----          | ----                     | ----              | ----          | 12               | UNCH |                   |  |  |  |      |
| 3700           | 13.10              | 13.10                        | 13.90B/9.10A       | 13.90B/9.10A               | ----                          | 9.20 - 1.70              | .0388 | ----          | ----                     | 9                 | ----          | 283 +            | 3    |                   |  |  |  |      |
| 3705           | ----               | ----                         | 14.10B/9.20A       | 14.10B/9.20A               | ----                          | 9.30 - 1.70              | .0393 | ----          | ----                     | ----              | ----          | 21               | UNCH |                   |  |  |  |      |
| 3715           | 13.40              | 13.40                        | 14.50B/9.60A       | 14.50B/9.60A               | ----                          | 9.60 - 1.70              | .0406 | ----          | ----                     | 7                 | ----          | 30               | UNCH |                   |  |  |  |      |
| 3725           | ----               | ----                         | 14.90B/9.80A       | 14.90B/9.80A               | ----                          | 9.90 - 1.80              | .0419 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |  |  |      |
| 3730           | ----               | ----                         | 15.20B/10.00A      | 15.20B/10.00A              | ----                          | 10.00 - 1.80             | .0424 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |  |  |      |
| 3735           | ----               | ----                         | 15.40B/10.00A      | 15.40B/10.00A              | ----                          | 10.10 - 1.90             | .0429 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3740           | ----               | ----                         | 15.60B/10.20A      | 15.60B/10.20A              | ----                          | 10.30 - 1.90             | .0437 | ----          | ----                     | ----              | ----          | 7                | UNCH |                   |  |  |  |      |
| 3745           | ----               | ----                         | 15.90B/10.30A      | 15.90B/10.30A              | ----                          | 10.40 - 2.00             | .0442 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3750           | 15.30              | 15.30                        | 16.20B/10.40A      | 16.20B/10.40A              | ----                          | 10.60 - 1.90             | .0451 | ----          | ----                     | 12                | ----          | 89 +             | 3    |                   |  |  |  |      |
| 3755           | ----               | ----                         | 16.40B/10.70A      | 16.40B/10.70A              | ----                          | 10.70 - 2.00             | .0456 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3760           | ----               | ----                         | 16.70B/10.80A      | 16.70B/10.80A              | ----                          | 10.90 - 2.00             | .0464 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3765           | ----               | ----                         | 16.90B/10.90A      | 16.90B/10.90A              | ----                          | 11.00 - 2.10             | .0469 | ----          | ----                     | ----              | ----          | 100              | UNCH |                   |  |  |  |      |
| 3770           | ----               | ----                         | 17.20B/11.10A      | 17.20B/11.10A              | ----                          | 11.20 - 2.10             | .0478 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |  |  |      |
| 3775           | ----               | ----                         | 17.50B/11.20A      | 17.50B/11.20A              | ----                          | 11.40 - 2.10             | .0486 | ----          | ----                     | ----              | ----          | 13               | UNCH |                   |  |  |  |      |
| 3785           | ----               | ----                         | 18.20B/11.50A      | 18.20B/11.50A              | ----                          | 11.70 - 2.20             | .0500 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3790           | ----               | ----                         | 18.50B/11.70A      | 18.50B/11.70A              | ----                          | 11.90 - 2.20             | .0509 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |  |  |      |
| 3795           | 12.70              | 12.70                        | 18.80B/11.90A      | 18.80B/11.90A              | ----                          | 12.00 - 2.30             | .0514 | ----          | ----                     | 2                 | ----          | 83 -             | 1    |                   |  |  |  |      |
| 3800           | 18.20              | 18.20                        | 19.60/12.00A       | 19.60/12.00A               | ----                          | 12.20 - 2.40             | .0523 | ----          | ----                     | 28                | ----          | 414 +            | 5    |                   |  |  |  |      |
| 3805           | ----               | ----                         | 19.40B/12.20A      | 19.40B/12.20A              | ----                          | 12.40 - 2.40             | .0531 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |  |  |      |
| 3810           | ----               | ----                         | 19.70B/12.40A      | 19.70B/12.40A              | ----                          | 12.60 - 2.40             | .0540 | ----          | ----                     | ----              | ----          | 50               | UNCH |                   |  |  |  |      |
| 3815           | ----               | ----                         | 20.00B/12.60A      | 20.00B/12.60A              | ----                          | 12.80 - 2.50             | .0549 | ----          | ----                     | ----              | ----          | 151              | UNCH |                   |  |  |  |      |
| 3820           | ----               | ----                         | 20.30B/12.80A      | 20.30B/12.80A              | ----                          | 12.90 - 2.60             | .0555 | ----          | ----                     | ----              | ----          | 52               | UNCH |                   |  |  |  |      |
| 3825           | ----               | ----                         | 20.80B/12.90A      | 20.80B/12.90A              | ----                          | 13.10 - 2.60             | .0563 | ----          | ----                     | 1                 | ----          | 54 +             | 1    |                   |  |  |  |      |
| 3830           | ----               | ----                         | 21.00B/13.10A      | 21.00B/13.10A              | ----                          | 13.30 - 2.70             | .0572 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3835           | ----               | ----                         | 21.40B/13.30A      | 21.40B/13.30A              | ----                          | 13.50 - 2.70             | .0581 | ----          | ----                     | 1                 | ----          | 16 +             | 1    |                   |  |  |  |      |
| 3840           | ----               | ----                         | 21.90B/13.50A      | 21.90B/13.50A              | ----                          | 13.80 - 2.70             | .0593 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3845           | ----               | ----                         | 22.20B/13.70A      | 22.20B/13.70A              | ----                          | 14.00 - 2.70             | .0602 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3850           | 21.00              | 21.00                        | 22.70B/14.00A      | 22.70B/14.00A              | ----                          | 14.20 - 2.80             | .0611 | ----          | ----                     | 4                 | ----          | 138              | UNCH |                   |  |  |  |      |
| 3855           | ----               | ----                         | 23.00B/14.20A      | 23.00B/14.20A              | ----                          | 14.40 - 2.90             | .0620 | ----          | ----                     | ----              | ----          | 7                | UNCH |                   |  |  |  |      |
| 3860           | ----               | ----                         | 23.50B/14.40A      | 23.50B/14.40A              | ----                          | 14.60 - 3.00             | .0629 | ----          | ----                     | ----              | ----          | 1                | UNCH |                   |  |  |  |      |
| 3870           | ----               | ----                         | 24.10B/14.80A      | 24.10B/14.80A              | ----                          | 15.10 - 3.00             | .0650 | ----          | ----                     | ----              | ----          | 17               | UNCH |                   |  |  |  |      |
| 3875           | ----               | ----                         | 24.50B/15.00A      | 24.50B/15.00A              | ----                          | 15.30 - 3.10             | .0660 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |  |  |      |
| 3880           | 16.80              | 16.80                        | 24.80B/15.30A      | 24.80B/15.30A              | ----                          | 15.60 - 3.10             | .0672 | ----          | ----                     | 3                 | ----          | 341 +            | 1    |                   |  |  |  |      |
| 3885           | ----               | ----                         | 25.30B/15.50A      | 25.30B/15.50A              | ----                          | 15.80 - 3.20             | .0681 | ----          | ----                     | ----              | ----          | 90               | UNCH |                   |  |  |  |      |
| 3890           | ----               | ----                         | 25.80B/15.70A      | 25.80B/15.70A              | ----                          | 16.00 - 3.30             | .0691 | ----          | ----                     | ----              | ----          | 73               | UNCH |                   |  |  |  |      |
| 3895           | 16.40              | 16.40                        | 26.20B/16.00A      | 26.20B/16.00A              | ----                          | 16.30 - 3.30             | .0703 | ----          | ----                     | 13                | ----          | 14 +             | 13   |                   |  |  |  |      |
| 3900           | 21.30              | 21.30                        | 26.70B/16.20A      | 26.70B/16.20A              | ----                          | 16.60 - 3.40             | .0715 | ----          | ----                     | 280               | 880           | 2081 +           | 802  |                   |  |  |  |      |
| 3905           | 17.00              | 17.00                        | 27.10B/16.50A      | 27.10B/16.50A              | ----                          | 16.80                    | NEW   | .0725         | ----                     | 23                | ----          | 23 +             | 53   |                   |  |  |  |      |
| 3910           | 22.50              | 22.50                        | 27.50B/16.70A      | 27.50B/16.70A              | ----                          | 17.10 - 3.50             | .0738 | ----          | ----                     | 53                | ----          | 90 +             | 53   |                   |  |  |  |      |
| 3915           | 25.20              | 25.20                        | 28.00B/17.00A      | 28.00B/17.00A              | ----                          | 17.40 - 3.60             | .0750 | ----          | ----                     | 24                | ----          | 59 +             | 24   |                   |  |  |  |      |
| 3920           | 17.70              | 17.70                        | 28.60B/17.20A      | 28.60B/17.20A              | ----                          | 17.70 - 3.60             | .0763 | ----          | ----                     | 16                | ----          | 64 +             | 15   |                   |  |  |  |      |
| 3925           | 26.10              | 26.10                        | 29.00B/17.50A      | 29.00B/17.50A              | ----                          | 18.00 - 3.70             | .0776 | ----          | ----                     | 58                | ----          | 61 +             | 50   |                   |  |  |  |      |
| 3930           | 18.50              | 18.50                        | 29.60B/17.80A      | 29.60B/17.80A              | ----                          | 18.20 - 3.80             | .0786 | ----          | ----                     | 16                | ----          | 62 +             | 13   |                   |  |  |  |      |
| 3935           | ----               | ----                         | 30.10B/18.10A      | 30.10B/18.10A              | ----                          | 18.50 - 3.90             | .0798 | ----          | ----                     | ----              | ----          | 13               | UNCH |                   |  |  |  |      |
| 3940           | 27.50              | 27.50                        | 30.70B/18.40A      | 30.70B/18.40A              | ----                          | 18.90 - 3.90             | .0814 | ----          | ----                     | 2                 | ----          | 19 +             | 2    |                   |  |  |  |      |
| 3945           | 28.00              | 28.00                        | 31.30B/18.70A      | 31.30B/18.70A              | ----                          | 19.20                    | NEW   | .0827         | ----                     | 1                 | ----          | 1 +              | 1    |                   |  |  |  |      |
| 3950           | ----               | ----                         | 31.90B/19.00A      | 31.90B/19.00A              | ----                          | 19.50 - 4.00             | .0840 | ----          | ----                     | 3                 | ----          | 257 +            | 1    |                   |  |  |  |      |
| 3955           | ----               | ----                         | 32.50B/19.30A      | 32.50B/19.30A              | ----                          | 19.80 - 4.10             | .0853 | ----          | ----                     | ----              | ----          | 12               | UNCH |                   |  |  |  |      |
| 3960           | 29.50              | 29.50                        | 33.00B/19.60A      | 33.00B/19.60A              | ----                          | 20.10 - 4.20             | .0866 | ----          | ----                     | 1                 | ----          | 4 +              | 1    |                   |  |  |  |      |
| 3965           | ----               | ----                         | 33.80B/19.90A      | 33.80B/19.90A              | ----                          | 20.50 - 4.30             | .0882 | ----          | ----                     | ----              | ----          | 29               | UNCH |                   |  |  |  |      |
| 3970           | ----               | ----                         | 34.20B/20.30A      | 34.20B/20.30A              | ----                          | 20.80 - 4.40             | .0896 | ----          | ----                     | ----              | ----          | 11               | UNCH |                   |  |  |  |      |
| 3975           | 31.10              | 31.10                        | 34.80B/20.60A      | 34.80B/20.60A              | ----                          | 21.20 - 4.40             | .0912 | ----          | ----                     | 1                 | ----          | 269              | UNCH |                   |  |  |  |      |
| 3980           | ----               | ----                         | 35.50B/20.90A      | 35.50B/20.90A              | ----                          | 21.50 - 4.50             | .0925 | ----          | ----                     | 1                 | ----          | 2252 +           | 1    |                   |  |  |  |      |
| 3985           | ----               | ----                         | 36.10B/21.30A      | 36.10B/21.30A              | ----                          | 21.90 - 4.60             | .0941 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |  |  |      |
| 3990           | ----               | ----                         | 37.00B/21.60A      | 37.00B/21.60A              | ----                          | 22.30 - 4.60             | .0958 | ----          | ----                     | 2                 | ----          | 45               | UNCH |                   |  |  |  |      |
| 3995           | 33.40              | 33.40                        | 37.40B/22.00A      | 37.40B/22.00A              | ----                          | 22.70 - 4.70             | .0974 | ----          | ----                     | 2                 | ----          | 10 +             | 1    |                   |  |  |  |      |
| 4000           | 35.90              | 35.90                        | 39.60/22.40A       | 39.60/22.40A               | ----                          | 23.10 - 4.80             | .0990 | ----          | ----                     | 917               | ----          | 1338 +           | 35   |                   |  |  |  |      |
| 4005           | ----               | ----                         | 38.80B/22.80A      | 38.80B/22.80A              | ----                          | 23.50 - 4.90             | .1007 | ----          | ----                     | ----              | ----          | 6                | UNCH |                   |  |  |  |      |
| 4010           | 32.00              | 32.00                        | 39.60B/23.20A      | 39.60B/23.20A              | ----                          | 23.90 - 5.00             | .1024 | ----          | ----                     | 10                | ----          | 106 +            | 10   |                   |  |  |  |      |
| 4015           | ----               | ----                         | 40.50B/23.60A      | 40.50B/23.60A              | ----                          | 24.30 - 5.10             | .1040 | ----          | ----                     | 1                 | ----          | 3                | UNCH |                   |  |  |  |      |
| 4020           | ----               | ----                         | 41.00B/24.00A      | 41.00B/24.00A              | ----                          | 24.70 - 5.20             | .1057 | ----          | ----                     | ----              | ----          | 4                | UNCH |                   |  |  |  |      |
| 4025           | 37.20              | 37.20                        | 41.80B/24.40A      | 41.80B/24.40A              | ----                          | 25.20 - 5.20             | .1076 | ----          | ----                     | 287               | ----          | 258 -            | 97   |                   |  |  |  |      |
| 4030           | 37.30              | 37.30                        | 42.50B/24.80A      | 42.50B/24.80A              | ----                          | 25.60 - 5.30             | .1093 | ----          | ----                     | 7                 | ----          | 59 +             | 7    |                   |  |  |  |      |
| 4035           | 25.90              | 25.90                        | 43.20B/25.20A      | 43.20B/25.20A              | ----                          | 26.00 - 5.50             | .1110 | ----          | ----                     | 1                 | ----          | 23               | UNCH |                   |  |  |  |      |
| 4040           | ----               | ----                         | 44.10B/25.70A      | 44.10B/25.70A              | ----                          | 26.50 - 5.50             | .1130 | ----          | ----                     | 2                 | ----          | 27 +             | 2    |                   |  |  |  |      |
| 4045           | ----               | ----                         | 44.80B/26.10A      | 44.80B/26.10A              | ----                          | 27.00 - 5.60             | .1150 | ----          | ----                     | ----              | ----          | 32               | UNCH |                   |  |  |  |      |
| 4050           | 27.30              | 27.30                        | 45.80B/2           |                            |                               |                          |       |               |                          |                   |               |                  |      |                   |  |  |  |      |

| GLOBEX<br>OPEN |                    | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |            |
|----------------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------------|
| OG PUT         | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |            |
| AUG26          |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |            |
| 4250           | 92.10              | 92.10                  |                 | 93.90B/55.20A      | 93.90B/55.20A              | ----                    | ----            | 57.50 - 10.90            | .2257 | ----          | ----                     | 174               | ----          | ----             | 1462 - 39  |
| 4255           | ----               | ----                   |                 | 95.70B/56.30A      | 95.70B/56.30A              | ----                    | ----            | 58.50 - 11.20            | .2291 | ----          | ----                     | ----              | ----          | ----             | 896 UNCH   |
| 4260           | ----               | ----                   |                 | 97.20B/57.30A      | 97.20B/57.30A              | ----                    | ----            | 59.70 - 11.30            | .2329 | ----          | ----                     | ----              | ----          | ----             | 31 UNCH    |
| 4265           | ----               | ----                   |                 | 99.10B/58.40A      | 99.10B/58.40A              | ----                    | ----            | 60.80 - 11.50            | .2365 | ----          | 1                        | ----              | ----          | ----             | 1 - 1      |
| 4270           | ----               | ----                   |                 | 100.70B/59.50A     | 100.70B/59.50A             | ----                    | ----            | 61.90 - 11.70            | .2402 | ----          | ----                     | ----              | ----          | ----             | 214 UNCH   |
| 4275           | ----               | ----                   |                 | 102.60B/60.60A     | 102.60B/60.60A             | ----                    | ----            | 63.10 - 11.90            | .2440 | ----          | 1                        | ----              | ----          | ----             | 24 + 1     |
| 4280           | 98.30              | 98.30                  |                 | 104.40B/61.70A     | 104.40B/61.70A             | ----                    | ----            | 64.30 - 12.10            | .2478 | ----          | 1                        | 250               | ----          | ----             | 320 + 249  |
| 4285           | 65.60              | 65.60                  |                 | 106.30B/62.90A     | 106.30B/62.90A             | ----                    | ----            | 65.50 - 12.30            | .2516 | ----          | 2                        | ----              | ----          | ----             | 176 + 1    |
| 4290           | ----               | ----                   |                 | 108.10B/64.10A     | 108.10B/64.10A             | ----                    | ----            | 66.80 - 12.40            | .2556 | ----          | ----                     | ----              | ----          | ----             | 64 UNCH    |
| 4295           | ----               | ----                   |                 | 109.60B/65.30A     | 109.60B/65.30A             | ----                    | ----            | 68.00 - 12.60            | .2594 | ----          | 2                        | ----              | ----          | ----             | 4 + 1      |
| 4300           | 91.80              | 91.80                  |                 | 111.50B/66.40A     | 111.50B/66.40A             | ----                    | ----            | 69.30 - 12.80            | .2634 | ----          | 153                      | ----              | ----          | ----             | 1356 + 128 |
| 4305           | ----               | ----                   |                 | 113.80B/67.80A     | 113.80B/67.80A             | ----                    | ----            | 70.60 - 13.00            | .2674 | ----          | ----                     | ----              | ----          | ----             | 511 UNCH   |
| 4310           | 79.10              | 79.10                  |                 | 115.70B/69.00A     | 115.70B/69.00A             | ----                    | ----            | 71.90 - 13.20            | .2714 | ----          | 6                        | ----              | ----          | ----             | 10 + 6     |
| 4315           | ----               | ----                   |                 | 117.40B/70.30A     | 117.40B/70.30A             | ----                    | ----            | 73.30 - 13.40            | .2755 | ----          | ----                     | ----              | ----          | ----             | 12 UNCH    |
| 4320           | ----               | ----                   |                 | 119.40B/71.60A     | 119.40B/71.60A             | ----                    | ----            | 74.60 - 13.60            | .2796 | ----          | ----                     | ----              | ----          | ----             | 51 UNCH    |
| 4325           | ----               | ----                   |                 | 121.90B/72.90A     | 121.90B/72.90A             | ----                    | ----            | 76.00 - 13.80            | .2838 | ----          | 2                        | ----              | ----          | ----             | 331 + 1    |
| 4330           | ----               | ----                   |                 | 123.80B/74.30A     | 123.80B/74.30A             | ----                    | ----            | 77.50 - 13.90            | .2881 | ----          | ----                     | ----              | ----          | ----             | 109 UNCH   |
| 4335           | ----               | ----                   |                 | 125.70B/75.70A     | 125.70B/75.70A             | ----                    | ----            | 78.90 - 14.20            | .2922 | ----          | ----                     | ----              | ----          | ----             | 10 UNCH    |
| 4340           | ----               | ----                   |                 | 127.90B/77.10A     | 127.90B/77.10A             | ----                    | ----            | 80.40 - 14.40            | .2966 | ----          | 1                        | ----              | ----          | ----             | 62 UNCH    |
| 4345           | ----               | ----                   |                 | 130.10B/78.50A     | 130.10B/78.50A             | ----                    | ----            | 81.90 - 14.60            | .3009 | ----          | ----                     | ----              | ----          | ----             | 5 UNCH     |
| 4350           | 120.10             | 120.10                 |                 | 132.30B/79.90A     | 132.30B/79.90A             | ----                    | ----            | 83.40 - 14.80            | .3052 | ----          | 10                       | ----              | ----          | ----             | 1218 - 1   |
| 4355           | ----               | ----                   |                 | 134.50B/81.40A     | 134.50B/81.40A             | ----                    | ----            | 84.90 - 15.00            | .3096 | ----          | ----                     | ----              | ----          | ----             | 104 UNCH   |
| 4360           | ----               | ----                   |                 | 136.40B/83.20A     | 136.40B/83.20A             | ----                    | ----            | 86.50 - 15.20            | .3140 | ----          | ----                     | ----              | ----          | ----             | 71 UNCH    |
| 4365           | 126.40             | 126.40                 |                 | 138.60B/84.60A     | 138.60B/84.60A             | ----                    | ----            | 88.10 - 15.40            | .3185 | ----          | 5                        | ----              | ----          | ----             | 121 + 4    |
| 4370           | ----               | ----                   |                 | 141.10B/86.30A     | 141.10B/86.30A             | ----                    | ----            | 89.70 - 15.70            | .3230 | ----          | ----                     | ----              | ----          | ----             | 2 UNCH     |
| 4375           | ----               | ----                   |                 | 143.40B/87.70A     | 143.40B/87.70A             | ----                    | ----            | 91.40 - 15.80            | .3276 | ----          | 2                        | ----              | ----          | ----             | 44 - 1     |
| 4380           | 92.00              | 92.00                  |                 | 145.90B/89.30A     | 145.90B/89.30A             | ----                    | ----            | 93.00 - 16.10            | .3321 | ----          | 1                        | ----              | ----          | ----             | 4 + 1      |
| 4385           | ----               | ----                   |                 | 148.10B/91.00A     | 148.10B/91.00A             | ----                    | ----            | 94.70 - 16.30            | .3367 | ----          | ----                     | ----              | ----          | ----             | 10 UNCH    |
| 4390           | 140.50             | 140.50                 |                 | 150.50B/92.60A     | 150.50B/92.60A             | ----                    | ----            | 96.40 - 16.60            | .3413 | ----          | 4                        | ----              | ----          | ----             | 33 + 1     |
| 4395           | ----               | ----                   |                 | 153.00B/94.30A     | 153.00B/94.30A             | ----                    | ----            | 98.20 - 16.70            | .3460 | ----          | ----                     | ----              | ----          | ----             | 31 UNCH    |
| 4400           | 131.00             | 131.00                 |                 | 155.00B/96.00A     | 155.00B/96.00A             | ----                    | ----            | 100.00 - 16.90           | .3507 | ----          | 31                       | ----              | ----          | ----             | 2052 - 9   |
| 4405           | 144.60             | 144.60                 |                 | 157.50B/97.70A     | 157.50B/97.70A             | ----                    | ----            | 101.80 - 17.20           | .3554 | ----          | 2                        | ----              | ----          | ----             | 65 UNCH    |
| 4410           | ----               | ----                   |                 | 160.40B/99.40A     | 160.40B/99.40A             | ----                    | ----            | 103.60 - 17.40           | .3601 | ----          | 1                        | ----              | ----          | ----             | 355 - 1    |
| 4415           | 149.40             | 149.40                 |                 | 162.70B/101.30A    | 162.70B/101.30A            | ----                    | ----            | 105.40 - 17.70           | .3648 | ----          | 17                       | ----              | ----          | ----             | 149 + 2    |
| 4420           | 159.40             | 159.40                 |                 | 165.10B/103.10A    | 165.10B/103.10A            | ----                    | ----            | 107.30 - 17.90           | .3696 | ----          | 2                        | ----              | ----          | ----             | 29 UNCH    |
| 4425           | 128.00             | 128.00                 |                 | 167.70B/104.90A    | 167.70B/104.90A            | ----                    | ----            | 109.20 - 18.10           | .3745 | ----          | 152                      | 7                 | ----          | ----             | 100 - 21   |
| 4430           | 140.80             | 140.80                 |                 | 170.40B/107.00A    | 170.40B/107.00A            | ----                    | ----            | 111.20 - 18.30           | .3793 | ----          | ----                     | ----              | ----          | ----             | 42 - 5     |
| 4435           | 143.40             | 143.40                 |                 | 173.00B/108.70A    | 173.00B/108.70A            | ----                    | ----            | 113.10 - 18.60           | .3842 | ----          | 7                        | ----              | ----          | ----             | 35 + 19    |
| 4440           | 142.60             | 142.60                 |                 | 175.70B/110.60A    | 175.70B/110.60A            | ----                    | ----            | 115.10 - 18.80           | .3891 | ----          | 15                       | ----              | ----          | ----             | 80 + 9     |
| 4445           | ----               | ----                   |                 | 178.50B/112.60A    | 178.50B/112.60A            | ----                    | ----            | 117.10 - 19.10           | .3940 | ----          | ----                     | ----              | ----          | ----             | 6 UNCH     |
| 4450           | 150.60             | 150.60                 |                 | 181.10B/114.50A    | 181.10B/114.50A            | ----                    | ----            | 119.20 - 19.20           | .3989 | ----          | 300                      | 625               | ----          | ----             | 980 + 535  |
| 4455           | 171.80             | 171.80                 |                 | 184.00B/116.50A    | 184.00B/116.50A            | ----                    | ----            | 121.20 - 19.50           | .4038 | ----          | 5                        | ----              | ----          | ----             | 275 UNCH   |
| 4460           | 155.30             | 155.30                 |                 | 186.80B/118.60A    | 186.80B/118.60A            | ----                    | ----            | 123.30 - 19.80           | .4088 | ----          | 16                       | ----              | ----          | ----             | 35 + 8     |
| 4465           | 156.70             | 156.70                 |                 | 189.60B/120.70A    | 189.60B/120.70A            | ----                    | ----            | 125.50 - 19.90           | .4138 | ----          | 2                        | ----              | ----          | ----             | 26 + 2     |
| 4470           | ----               | ----                   |                 | 192.40B/122.70A    | 192.40B/122.70A            | ----                    | ----            | 127.60 - 20.20           | .4188 | ----          | ----                     | ----              | ----          | ----             | 117 UNCH   |
| 4475           | ----               | ----                   |                 | 195.30B/124.90A    | 195.30B/124.90A            | ----                    | ----            | 129.80 - 20.40           | .4238 | ----          | 1                        | ----              | ----          | ----             | 153 + 1    |
| 4480           | ----               | ----                   |                 | 198.30B/127.10A    | 198.30B/127.10A            | ----                    | ----            | 132.00 - 20.70           | .4288 | ----          | 133                      | ----              | ----          | ----             | 133 UNCH   |
| 4485           | ----               | ----                   |                 | 201.30B/129.20A    | 201.30B/129.20A            | ----                    | ----            | 134.20 - 21.00           | .4339 | ----          | 1                        | ----              | ----          | ----             | 42 + 1     |
| 4490           | ----               | ----                   |                 | 204.20B/131.40A    | 204.20B/131.40A            | ----                    | ----            | 136.50 - 21.20           | .4389 | ----          | 1                        | ----              | ----          | ----             | 10 + 1     |
| 4495           | ----               | ----                   |                 | 207.20B/133.70A    | 207.20B/133.70A            | ----                    | ----            | 138.80 - 21.40           | .4440 | ----          | ----                     | ----              | ----          | ----             | 33 UNCH    |
| 4500           | 196.70             | 196.70                 |                 | 210.20B/135.80A    | 210.20B/135.80A            | ----                    | ----            | 141.10 - 21.70           | .4491 | ----          | 32                       | ----              | ----          | ----             | 1960 + 4   |
| 4505           | ----               | ----                   |                 | 213.00B/138.20A    | 213.00B/138.20A            | ----                    | ----            | 143.50 - 21.90           | .4541 | ----          | 1                        | ----              | ----          | ----             | 43 + 1     |
| 4510           | ----               | ----                   |                 | 216.10B/140.50A    | 216.10B/140.50A            | ----                    | ----            | 145.90 - 22.10           | .4592 | ----          | 2                        | ----              | ----          | ----             | 53 + 2     |
| 4515           | 154.90             | 154.90                 |                 | 219.60B/142.90A    | 219.60B/142.90A            | ----                    | ----            | 148.30 - 22.30           | .4643 | ----          | 16                       | 5                 | ----          | ----             | 50 + 16    |
| 4520           | 151.80             | 151.80                 |                 | 222.90B/145.20A    | 222.90B/145.20A            | ----                    | ----            | 150.70 - 22.60           | .4694 | ----          | 5                        | ----              | ----          | ----             | 226 + 5    |
| 4525           | 194.00             | 194.00                 |                 | 225.80B/147.60A    | 225.80B/147.60A            | ----                    | ----            | 153.20 - 22.80           | .4745 | ----          | 11                       | ----              | ----          | ----             | 20 UNCH    |
| 4530           | 156.50             | 156.50                 |                 | 229.00B/150.00A    | 229.00B/150.00A            | ----                    | ----            | 155.70 - 23.10           | .4796 | ----          | 22                       | ----              | ----          | ----             | 29 + 18    |
| 4535           | ----               | ----                   |                 | 232.30B/152.50A    | 232.30B/152.50A            | ----                    | ----            | 158.20 - 23.30           | .4847 | ----          | 1                        | ----              | ----          | ----             | 67 + 1     |
| 4540           | 159.40             | 159.40                 |                 | 235.60B/155.00A    | 235.60B/155.00A            | ----                    | ----            | 160.70 - 23.60           | .4898 | ----          | 32                       | ----              | ----          | ----             | 70 + 30    |
| 4545           | ----               | ----                   |                 | 238.70B/157.50A    | 238.70B/157.50A            | ----                    | ----            | 163.30 - 23.80           | .4949 | ----          | ----                     | ----              | ----          | ----             | 27 UNCH    |
| 4550           | 224.80             | 224.80                 |                 | 242.00B/160.10A    | 242.00B/160.10A            | ----                    | ----            | 165.90 - 24.10           | .5000 | ----          | 1                        | ----              | ----          | ----             | 188 - 1    |
| 4555           | ----               | ----                   |                 | 245.50B/162.60A    | 245.50B/162.60A            | ----                    | ----            | 168.50 - 24.40           | .5051 | ----          | ----                     | ----              | ----          | ----             | 120 UNCH   |
| 4560           | ----               | ----                   |                 | 248.70B/165.20A    | 248.70B/165.20A            | ----                    | ----            | 171.20 - 24.60           | .5102 | ----          | ----                     | ----              | ----          | ----             | 224 UNCH   |
| 4565           | ----               | ----                   |                 | 252.10B/167.80A    | 252.10B/167.80A            | ----                    | ----            | 173.90 - 24.80           | .5153 | ----          | ----                     | ----              | ----          | ----             | 12 UNCH    |
| 4570           | ----               | ----                   |                 | 255.40B/170.50A    | 255.40B/170.50A            | ----                    | ----            | 176.60 - 25.10           | .5204 | ----          | ----                     | ----              | ----          | ----             | 74 UNCH    |
| 4575           | ----               | ----                   |                 | 258.80B/173.10A    | 258.80B/173                |                         |                 |                          |       |               |                          |                   |               |                  |            |

| BULLETIN #101@ |                    |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |        |               |                          |                   | Thu, May 28, 2026 |                  |       |        | PG64 |
|----------------|--------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|--------|---------------|--------------------------|-------------------|-------------------|------------------|-------|--------|------|
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |       |        |      |
| OG PUT         | COMEX GOLD OPTIONS |              |                 |                        |                  |                    |               |                 |                          |        |               |                          |                   |                   |                  |       |        |      |
| AUG26          | ----               | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | ----                     | ----   | ----          | ----                     | ----              | ----              | ----             |       |        |      |
| 4965           | ----               | ----         | ----            | 582.40B/456.60A        | 582.40B/456.60A  | ----               | ----          | ----            | 466.00 - 41.60           | .8328  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 4980           | ----               | ----         | ----            | 596.10B/469.70A        | 596.10B/469.70A  | ----               | ----          | ----            | 479.20 - 42.00           | .8401  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5000           | ----               | ----         | ----            | 615.10B/487.10A        | 615.10B/487.10A  | ----               | ----          | ----            | 496.90 - 42.50           | .8496  | ----          | ----                     | ----              | ----              | 331              |       |        |      |
| 5010           | ----               | ----         | ----            | 624.30B/496.20A        | 624.30B/496.20A  | ----               | ----          | ----            | 505.80 - 42.70           | .8539  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5025           | ----               | ----         | ----            | 638.30B/509.40A        | 638.30B/509.40A  | ----               | ----          | ----            | 519.20 - 43.10           | .8602  | ----          | ----                     | ----              | ----              | 25               |       |        |      |
| 5030           | ----               | ----         | ----            | 643.00B/514.30A        | 643.00B/514.30A  | ----               | ----          | ----            | 523.70 - 43.30           | .8624  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5040           | ----               | ----         | ----            | 652.60B/523.20A        | 652.60B/523.20A  | ----               | ----          | ----            | 532.70 - 43.50           | .8666  | ----          | ----                     | ----              | ----              | 4                |       |        |      |
| 5045           | ----               | ----         | ----            | 657.30B/527.40A        | 657.30B/527.40A  | ----               | ----          | ----            | 537.30 - 43.60           | .8684  | ----          | ----                     | ----              | ----              | 31               |       |        |      |
| 5050           | ----               | ----         | ----            | 662.20B/531.80A        | 662.20B/531.80A  | ----               | ----          | ----            | 541.80 - 43.70           | .8705  | ----          | ----                     | ----              | ----              | 351              |       |        |      |
| 5070           | ----               | ----         | ----            | 681.10B/550.00A        | 681.10B/550.00A  | ----               | ----          | ----            | 560.00 - 44.20           | .8780  | ----          | ----                     | ----              | ----              | 17               |       |        |      |
| 5080           | ----               | ----         | ----            | 690.40B/559.40A        | 690.40B/559.40A  | ----               | ----          | ----            | 569.20 - 44.40           | .8815  | ----          | ----                     | ----              | ----              | 3                |       |        |      |
| 5100           | ----               | ----         | ----            | 709.70B/577.60A        | 709.70B/577.60A  | ----               | ----          | ----            | 587.60 - 44.80           | .8883  | ----          | ----                     | ----              | ----              | 85               |       |        |      |
| 5120           | ----               | ----         | ----            | #728.70B/596.10        | #728.70B/596.10A | ----               | ----          | ----            | 606.20 - 45.10           | .8947  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 5180           | ----               | ----         | ----            | #786.90B/652.70        | #786.90B/652.70A | ----               | ----          | ----            | 662.40 - 46.20           | .9114  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5200           | ----               | ----         | ----            | 806.40B/671.50A        | 806.40B/671.50A  | ----               | ----          | ----            | 681.30 - 46.50           | .9163  | ----          | ----                     | 1                 | ----              | 114              |       |        |      |
| 5265           | ----               | ----         | ----            | #869.70B/733.60        | #869.70B/733.60A | ----               | ----          | ----            | 743.40 - 47.20           | .9300  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5300           | ----               | ----         | ----            | 904.10B/767.30A        | 904.10B/767.30A  | ----               | ----          | ----            | 777.10 - 47.50           | .9360  | ----          | ----                     | ----              | ----              | 3                |       |        |      |
| 5355           | ----               | ----         | ----            | #957.40B/820.70        | #957.40B/820.70A | ----               | ----          | ----            | 830.40 - 48.00           | .9443  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5400           | ----               | ----         | ----            | 1,002.50B/864.4        | 1002.50B/864.40A | ----               | ----          | ----            | 874.30 - 48.30           | .9500  | ----          | ----                     | ----              | ----              | 76               |       |        |      |
| 5460           | ----               | ----         | ----            | ----/923.30A           | 935.70B/923.30A  | ----               | ----          | ----            | 933.10 - 48.60           | .9561  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5500           | ----               | ----         | ----            | 1,067.80B/962.7        | 1067.80B/962.70A | ----               | ----          | ----            | 972.40 - 48.80           | .9598  | ----          | ----                     | ----              | ----              | 4                |       |        |      |
| 5530           | ----               | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 1001.90 - 48.90          | .9621  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 5575           | ----               | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 1046.30 - 49.10          | .9654  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 8000           | ----               | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 3467.60 - 50.90          | 1.0000 | ----          | ----                     | ----              | ----              | 0                |       |        |      |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |                          |        |               |                          |                   |                   | 3619             | 2,180 | 44899+ | 2471 |
| SEP26          | ----               | ----         | ----            | ----                   | ----             | ----               | ----          | ----            | 0.50 - 0.10              | .0011  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 2000           | ----               | ----         | ----            | ----                   | ----             | -----/0.90A        | ----          | ----            | 1.10 - 0.10              | .0028  | ----          | ----                     | ----              | ----              | 37               |       |        |      |
| 2350           | ----               | ----         | ----            | ----                   | ----             | 0.70B/1.40A        | ----          | ----            | 1.10 - 0.10              | .0028  | ----          | ----                     | ----              | ----              | 5                |       |        |      |
| 2375           | ----               | ----         | ----            | ----                   | ----             | 0.80B/1.40A        | ----          | ----            | 1.20 - 0.10              | .0031  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 2400           | ----               | ----         | ----            | ----                   | ----             | 0.80B/1.50A        | ----          | ----            | 1.40 - 0.10              | .0037  | ----          | ----                     | 50                | ----              | 54               |       |        |      |
| 2500           | 1.60               | 1.60         | 1.60            | 1.60/1.40A             | 1.60/1.40A       | 1.60/1.40A         | ----          | ----            | 1.60 - 0.20              | .0043  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 2575           | ----               | ----         | ----            | ----                   | ----             | 1.30B/1.90A        | ----          | ----            | 1.70 - 0.10              | .0046  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 2600           | ----               | ----         | ----            | ----                   | ----             | 1.40B/2.00A        | ----          | ----            | 2.40 - 0.30              | .0069  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 2800           | ----               | ----         | ----            | ----/2.60A             | 2.50B/2.60A      | 2.70B/2.90A        | ----          | ----            | 2.60 - 0.30              | .0076  | ----          | ----                     | ----              | ----              | 4                |       |        |      |
| 2850           | ----               | ----         | ----            | ----                   | ----             | 2.80B/2.90A        | ----          | ----            | 2.70 - 0.30              | .0079  | ----          | ----                     | ----              | ----              | 17               |       |        |      |
| 2860           | ----               | ----         | ----            | ----/*2.90A            | 2.80B/2.90A      | 3.00B/3.10A        | ----          | ----            | 2.90 - 0.30              | .0086  | ----          | ----                     | ----              | ----              | 10               |       |        |      |
| 2865           | ----               | ----         | ----            | ----/2.90A             | 2.80B/2.90A      | 3.10B/3.20A        | ----          | ----            | 2.90 - 0.40              | .0087  | ----          | ----                     | ----              | ----              | 5                |       |        |      |
| 2900           | ----               | ----         | ----            | ----/3.10A             | 3.00B/3.10A      | 3.10B/3.20A        | ----          | ----            | 3.00 - 0.30              | .0089  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 2915           | ----               | ----         | ----            | ----/*3.20A            | 3.10B/3.20A      | 3.60B/3.70A        | ----          | ----            | 3.40 - 0.40              | .0104  | ----          | ----                     | ----              | ----              | 3                |       |        |      |
| 2920           | ----               | ----         | ----            | ----/*3.20A            | 3.10B/3.20A      | 4.00B/4.00A        | ----          | ----            | 3.70 - 0.50              | .0114  | ----          | ----                     | ----              | ----              | 25               |       |        |      |
| 3000           | ----               | ----         | ----            | ----/3.70A             | 3.60B/3.70A      | 4.40B/4.40A        | ----          | ----            | 4.10 - 0.50              | .0129  | ----          | ----                     | ----              | ----              | 25               |       |        |      |
| 3045           | ----               | ----         | ----            | ----/*4.00A            | 4.00B/4.00A      | 4.80B/4.80A        | ----          | ----            | 4.50 - 0.50              | .0142  | ----          | ----                     | ----              | ----              | 15               |       |        |      |
| 3100           | ----               | ----         | ----            | ----/*4.40A            | 4.40B/4.40A      | 4.90B/4.80A        | ----          | ----            | 4.50 - 0.60              | .0143  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 3145           | ----               | ----         | ----            | ----/*4.80A            | 4.80B/4.80A      | 5.40B/5.30A        | ----          | ----            | 5.00 - 0.60              | .0161  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 3150           | ----               | ----         | ----            | ----/*4.80A            | 4.90B/4.80A      | 6.40B/6.00A        | ----          | ----            | 5.70 - 0.70              | .0187  | ----          | ----                     | ----              | ----              | 15               |       |        |      |
| 3200           | ----               | ----         | ----            | ----/*5.30A            | 5.40B/5.30A      | 6.90B/6.30A        | ----          | ----            | 6.10 - 0.80              | .0201  | ----          | ----                     | ----              | ----              | 3                |       |        |      |
| 3270           | ----               | ----         | ----            | ----/*6.00A            | 6.40B/6.00A      | 8.80B/7.70A        | ----          | ----            | 7.50 - 1.00              | .0252  | ----          | ----                     | ----              | ----              | 51               |       |        |      |
| 3300           | ----               | ----         | ----            | ----/*6.30A            | 6.90B/6.30A      | 10.70B/9.00A       | ----          | ----            | 8.90 - 1.20              | .0303  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 3400           | ----               | ----         | ----            | 8.80B/7.70A            | 8.80B/7.70A      | 10.80B/9.10A       | ----          | ----            | 9.00 - 1.20              | .0307  | ----          | ----                     | ----              | ----              | 780              |       |        |      |
| 3475           | ----               | ----         | ----            | 10.70B/9.00A           | 10.70B/9.00A     | 11.20B/9.40A       | ----          | ----            | 9.30 - 1.30              | .0318  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 3480           | ----               | ----         | ----            | 10.80B/9.10A           | 10.80B/9.10A     | 11.40B/9.40        | ----          | ----            | 9.40 - 1.30              | .0322  | ----          | ----                     | 2                 | ----              | 226              |       |        |      |
| 3495           | ----               | ----         | ----            | 11.20B/9.40A           | 11.20B/9.40A     | 11.80B/9.80A       | ----          | ----            | 9.70 - 1.40              | .0334  | ----          | ----                     | ----              | ----              | 5                |       |        |      |
| 3500           | 11.30              | 11.30        | 11.30           | 11.40B/9.40            | 11.40B/9.40      | 12.10B/10.10A      | ----          | ----            | 9.90 - 1.50              | .0341  | ----          | ----                     | ----              | ----              | 2                |       |        |      |
| 3515           | ----               | ----         | ----            | 11.80B/9.80A           | 11.80B/9.80A     | 12.30B/10.20A      | ----          | ----            | 10.00 - 1.50             | .0345  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 3525           | ----               | ----         | ----            | 12.10B/10.10A          | 12.10B/10.10A    | 12.50B/10.30A      | ----          | ----            | 10.20 - 1.40             | .0351  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 3530           | ----               | ----         | ----            | 12.30B/10.20A          | 12.30B/10.20A    | 12.80B/10.50A      | ----          | ----            | 10.40 - 1.50             | .0359  | ----          | ----                     | ----              | ----              | 6                |       |        |      |
| 3535           | ----               | ----         | ----            | 12.50B/10.30A          | 12.50B/10.30A    | 13.00B/10.60A      | ----          | ----            | 10.50 - 1.60             | .0363  | ----          | ----                     | ----              | ----              | 5                |       |        |      |
| 3545           | ----               | ----         | ----            | 12.80B/10.50A          | 12.80B/10.50A    | 13.10B/10.80A      | ----          | ----            | 10.60 - 1.60             | .0367  | ----          | ----                     | ----              | ----              | 6                |       |        |      |
| 3550           | ----               | ----         | ----            | 13.00B/10.60A          | 13.00B/10.60A    | 13.50B/11.00A      | ----          | ----            | 10.90 - 1.60             | .0378  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 3555           | ----               | ----         | ----            | 13.10B/10.80A          | 13.10B/10.80A    | 13.70B/11.10A      | ----          | ----            | 11.00 - 1.70             | .0382  | ----          | ----                     | ----              | ----              | 3                |       |        |      |
| 3565           | ----               | ----         | ----            | 13.50B/11.00A          | 13.50B/11.00A    | 14.90B/11.30A      | ----          | ----            | 11.20 - 1.70             | .0388  | ----          | ----                     | ----              | ----              | 64               |       |        |      |
| 3570           | ----               | ----         | ----            | 13.70B/11.10A          | 13.70B/11.10A    | 14.30B/11.50A      | ----          | ----            | 11.40 - 1.80             | .0396  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 3575           | ----               | ----         | ----            | 14.90B/11.30A          | 14.90B/11.30A    | 14.50B/11.70A      | ----          | ----            | 11.60 - 1.70             | .0403  | ----          | ----                     | ----              | ----              | 3                |       |        |      |
| 3585           | ----               | ----         | ----            | 14.30B/11.50A          | 14.30B/11.50A    | 14.70B/11.80A      | ----          | ----            | 11.70 - 1.80             | .0407  | ----          | ----                     | ----              | ----              | 5                |       |        |      |
| 3590           | ----               | ----         | ----            | 14.50B/11.70A          | 14.50B/11.70A    | 14.90B/11.90A      | ----          | ----            | 11.80 - 1.90             | .0411  | ----          | ----                     | ----              | ----              | 40               |       |        |      |
| 3595           | ----               | ----         | ----            | 14.70B/11.80A          | 14.70B/11.80A    | 15.10B/12.10A      | ----          | ----            | 12.00 - 1.90             | .0418  | ----          | ----                     | ----              | ----              | 9                |       |        |      |
| 3600           | ----               | ----         | ----            | 14.90B/11.90A          | 14.90B/11.90A    | 15.30B/12.20A      | ----          | ----            | 12.10 - 1.90             | .0422  | ----          | ----                     | ----              | ----              | 8                |       |        |      |
| 3605           | ----               | ----         | ----            | 15.10B/12.10A          | 15.10B/12.10A    | 15.90B/12.70A      | ----          | ----            | 12.60 - 2.00             | .0440  | ----          | ----                     | ----              | ----              | 7                |       |        |      |
| 3610           | ----               | ----         | ----            | 15.30B/12.20A          | 15.30B/12.20A    | 16.40B/13.00A      | ----          | ----            | 12.90 - 2.10             | .0451  | ----          | ----                     | ----              | ----              | 5                |       |        |      |
| 3625           | ----               | ----         | ----            | 15.90B/12.70A          | 15.90B/12.70A    | 18.20B/13.40A      | ----          | ----            | 13.40 - 2.20             | .0469  | ----          | ----                     | 61                | ----              | 48               |       |        |      |
| 3635           | ----               | ----         | ----            | 16.40B/13.00A          | 16.40B/13.00A    | 18.00B/13.90A      | ----          | ----            | 13.90 - 2.30             | .0488  | ----          | ----                     | ----              | ----              | 1                |       |        |      |
| 3650           | ----               | ----         | ----            | 18.20B/13.40A          | 18.20B/13.40A    | 19.00B/14.10A      | ----          | ----            | 14.1                     |        |               |                          |                   |                   |                  |       |        |      |



*CME Group, Inc.*

20 South Wacker Drive, Chicago, Illinois 60606-7499.

**Customer Service: (312) 930-1000**

**PRELIMINARY**



| BULLETIN #101@  |        |                    |                 | METALS OPTION PRODUCTS |                  |                    |               | Thu, May 28, 2026 |                          |       |               | PG64                     |                   |               |                  |
|-----------------|--------|--------------------|-----------------|------------------------|------------------|--------------------|---------------|-------------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| GLOBEX<br>OPEN  |        | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE   | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| OG PUT<br>SEP26 |        | COMEX GOLD OPTIONS |                 |                        |                  |                    |               |                   |                          |       |               |                          |                   |               |                  |
| 4190            | ----   | ----               |                 | 95.70B/62.70A          | 95.70B/62.70A    | ----               |               |                   | 64.60 - 10.30            | .2073 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4195            | ----   | ----               |                 | 97.00B/63.60A          | 97.00B/63.60A    | ----               |               |                   | 65.60 NEW                | .2100 | ----          | ----                     | 1                 | ----          | 1 + 1            |
| 4200            | ----   | ----               |                 | 98.40B/64.70A          | 98.40B/64.70A    | ----               |               |                   | 66.70 - 10.50            | .2129 | ----          | ----                     | ----              | 472           | 704 + 420        |
| 4205            | ----   | ----               |                 | 100.10B/65.70A         | 100.10B/65.70A   | ----               |               |                   | 67.70 - 10.70            | .2157 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 4210            | ----   | ----               |                 | 101.60B/66.70A         | 101.60B/66.70A   | ----               |               |                   | 68.80 - 10.80            | .2186 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 4220            | ----   | ----               |                 | 104.60B/68.80A         | 104.60B/68.80A   | ----               |               |                   | 71.00 - 11.10            | .2244 | ----          | ----                     | ----              | ----          | 113 UNCH         |
| 4225            | ----   | ----               |                 | 106.20B/69.90A         | 106.20B/69.90A   | ----               |               |                   | 72.10 - 11.20            | .2273 | ----          | 1                        | ----              | ----          | 3 + 1            |
| 4230            | ----   | ----               |                 | 107.80B/71.00A         | 107.80B/71.00A   | ----               |               |                   | 73.20 - 11.40            | .2302 | ----          | ----                     | ----              | ----          | 29 UNCH          |
| 4235            | ----   | ----               |                 | 109.30B/72.20A         | 109.30B/72.20A   | ----               |               |                   | 74.40 - 11.50            | .2333 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4240            | ----   | ----               |                 | 111.00B/73.20A         | 111.00B/73.20A   | ----               |               |                   | 75.50 - 11.70            | .2362 | ----          | ----                     | ----              | ----          | 106 UNCH         |
| 4245            | ----   | ----               |                 | 112.50B/74.40A         | 112.50B/74.40A   | ----               |               |                   | 76.70 - 11.80            | .2393 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4250            | ----   | ----               |                 | 114.40B/75.50A         | 114.40B/75.50A   | ----               |               |                   | 77.90 - 12.00            | .2423 | ----          | 21                       | ----              | ----          | 693 - 1          |
| 4255            | 80.20  | 80.20              |                 | 115.90B/76.80A         | 115.90B/76.80A   | ----               |               |                   | 79.20 - 12.10            | .2455 | ----          | 1                        | ----              | ----          | 2 + 1            |
| 4260            | ----   | ----               |                 | 117.60B/77.90A         | 117.60B/77.90A   | ----               |               |                   | 80.40 - 12.20            | .2486 | ----          | ----                     | ----              | ----          | 50 UNCH          |
| 4270            | ----   | ----               |                 | 121.00B/80.40A         | 121.00B/80.40A   | ----               |               |                   | 82.90 - 12.60            | .2549 | ----          | ----                     | ----              | ----          | 28 UNCH          |
| 4275            | 84.60  | 84.60              |                 | 122.80B/81.70A         | 122.80B/81.70A   | ----               |               |                   | 84.20 - 12.70            | .2582 | ----          | ----                     | 8                 | ----          | 38 + 8           |
| 4285            | ----   | ----               |                 | 126.40B/84.20A         | 126.40B/84.20A   | ----               |               |                   | 86.90 - 13.00            | .2647 | ----          | ----                     | ----              | ----          | 13 UNCH          |
| 4290            | ----   | ----               |                 | 128.20B/85.60A         | 128.20B/85.60A   | ----               |               |                   | 88.20 - 13.20            | .2680 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4295            | ----   | ----               |                 | 130.10B/86.90A         | 130.10B/86.90A   | ----               |               |                   | 89.60 - 13.30            | .2713 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 4300            | ----   | ----               |                 | 132.00B/88.20A         | 132.00B/88.20A   | ----               |               |                   | 91.00 - 13.50            | .2747 | ----          | 93                       | ----              | ----          | 497 + 72         |
| 4310            | ----   | ----               |                 | 135.80B/91.00A         | 135.80B/91.00A   | ----               |               |                   | 93.80 - 13.80            | .2814 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4315            | ----   | ----               |                 | 137.70B/92.40A         | 137.70B/92.40A   | ----               |               |                   | 95.20 - 14.00            | .2848 | ----          | ----                     | ----              | ----          | 70 UNCH          |
| 4320            | ----   | ----               |                 | 139.90B/93.80A         | 139.90B/93.80A   | ----               |               |                   | 96.70 - 14.20            | .2883 | ----          | ----                     | ----              | ----          | 168 UNCH         |
| 4325            | ----   | ----               |                 | 141.80B/95.20A         | 141.80B/95.20A   | ----               |               |                   | 98.20 - 14.30            | .2918 | ----          | ----                     | ----              | ----          | 54 UNCH          |
| 4340            | ----   | ----               |                 | 148.20B/99.70A         | 148.20B/99.70A   | ----               |               |                   | 102.80 - 14.80           | .3023 | ----          | ----                     | ----              | ----          | 50 UNCH          |
| 4345            | ----   | ----               |                 | 150.30B/101.20A        | 150.30B/101.20A  | ----               |               |                   | 104.30 - 15.00           | .3058 | ----          | ----                     | ----              | ----          | 17 UNCH          |
| 4350            | ----   | ----               |                 | 152.40B/102.70A        | 152.40B/102.70A  | ----               |               |                   | 105.90 - 15.20           | .3094 | ----          | ----                     | ----              | ----          | 141 UNCH         |
| 4355            | 107.80 | 107.80             |                 | 154.50B/104.60A        | 154.50B/104.60A  | ----               |               |                   | 107.50 - 15.40           | .3130 | ----          | 3                        | ----              | ----          | 5 + 3            |
| 4360            | ----   | ----               |                 | 156.70B/106.30A        | 156.70B/106.30A  | ----               |               |                   | 109.20 - 15.50           | .3167 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4365            | ----   | ----               |                 | 159.00B/107.80A        | 159.00B/107.80A  | ----               |               |                   | 110.80 - 15.70           | .3203 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 4375            | ----   | ----               |                 | 163.30B/111.00A        | 163.30B/111.00A  | ----               |               |                   | 114.20 - 16.00           | .3277 | ----          | ----                     | ----              | ----          | 63 UNCH          |
| 4380            | ----   | ----               |                 | 165.70B/112.70A        | 165.70B/112.70A  | ----               |               |                   | 115.90 - 16.20           | .3315 | ----          | ----                     | ----              | ----          | 95 UNCH          |
| 4385            | ----   | ----               |                 | 167.80B/114.70A        | 167.80B/114.70A  | ----               |               |                   | 117.60 - 16.40           | .3352 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 4390            | ----   | ----               |                 | 170.30B/116.00A        | 170.30B/116.00A  | ----               |               |                   | 119.40 - 16.60           | .3390 | ----          | ----                     | ----              | ----          | 41 UNCH          |
| 4395            | ----   | ----               |                 | 172.60B/117.90A        | 172.60B/117.90A  | ----               |               |                   | 121.20 - 16.70           | .3427 | ----          | 10                       | ----              | ----          | 52 + 10          |
| 4400            | 150.10 | 150.10             |                 | 174.80B/119.20A        | 174.80B/119.20A  | ----               |               |                   | 123.00 - 16.90           | .3465 | ----          | 17                       | ----              | ----          | 837 - 16         |
| 4405            | ----   | ----               |                 | 177.20B/121.40A        | 177.20B/121.40A  | ----               |               |                   | 124.80 - 17.10           | .3503 | ----          | ----                     | ----              | ----          | 40 UNCH          |
| 4410            | ----   | ----               |                 | 179.60B/123.20A        | 179.60B/123.20A  | ----               |               |                   | 126.60 - 17.30           | .3541 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 4415            | ----   | ----               |                 | 182.20B/125.20A        | 182.20B/125.20A  | ----               |               |                   | 128.50 - 17.50           | .3580 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 4420            | 131.50 | 131.50             |                 | 184.60B/127.10A        | 184.60B/127.10A  | ----               |               |                   | 130.40 - 17.60           | .3619 | ----          | 2                        | ----              | ----          | 3 + 2            |
| 4425            | ----   | ----               |                 | 186.60B/128.70A        | 186.60B/128.70A  | ----               |               |                   | 132.30 - 17.80           | .3658 | ----          | ----                     | ----              | ----          | 201 UNCH         |
| 4430            | ----   | ----               |                 | 189.40B/130.70A        | 189.40B/130.70A  | ----               |               |                   | 134.20 - 18.00           | .3696 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 4440            | ----   | ----               |                 | 194.60B/134.30A        | 194.60B/134.30A  | ----               |               |                   | 138.10 - 18.50           | .3775 | ----          | ----                     | ----              | ----          | 8 UNCH           |
| 4445            | ----   | ----               |                 | 197.10B/136.30A        | 197.10B/136.30A  | ----               |               |                   | 140.10 - 18.60           | .3814 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 4450            | ----   | ----               |                 | 199.70B/138.10A        | 199.70B/138.10A  | ----               |               |                   | 142.20 - 18.80           | .3854 | ----          | ----                     | ----              | ----          | 448 UNCH         |
| 4455            | ----   | ----               |                 | 202.30B/140.10A        | 202.30B/140.10A  | ----               |               |                   | 144.20 - 19.00           | .3893 | ----          | ----                     | ----              | ----          | 4 UNCH           |
| 4465            | 149.50 | 149.50             |                 | 205.60B/144.70A        | 205.60B/144.70A  | ----               |               |                   | 148.40 NEW               | .3973 | ----          | 2                        | ----              | ----          | 2 + 2            |
| 4470            | 160.00 | 160.00             |                 | 205.70B/146.40A        | 205.70B/146.40A  | ----               |               |                   | 150.50 - 19.50           | .4013 | ----          | 1                        | ----              | ----          | 5 + 1            |
| 4475            | ----   | ----               |                 | 211.20B/148.40A        | 211.20B/148.40A  | ----               |               |                   | 152.60 - 19.80           | .4053 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 4480            | ----   | ----               |                 | 213.40B/150.50A        | 213.40B/150.50A  | ----               |               |                   | 154.80 - 19.90           | .4094 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 4485            | ----   | ----               |                 | 216.00B/152.60A        | 216.00B/152.60A  | ----               |               |                   | 157.00 - 20.10           | .4134 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 4490            | 198.90 | 198.90             |                 | 218.00B/154.80A        | 218.00B/154.80A  | ----               |               |                   | 159.20 - 20.30           | .4174 | ----          | 4                        | ----              | ----          | 50 UNCH          |
| 4495            | 162.70 | 162.70             |                 | 221.50B/156.90A        | 221.50B/156.90A  | ----               |               |                   | 161.40 - 20.50           | .4215 | ----          | 2                        | ----              | ----          | 4 + 2            |
| 4500            | 180.00 | 180.00             |                 | 227.60/158.90A         | 227.60/158.90A   | ----               |               |                   | 163.60 - 20.70           | .4255 | ----          | 6                        | ----              | ----          | 614 UNCH         |
| 4510            | ----   | ----               |                 | 230.70B/163.60A        | 230.70B/163.60A  | ----               |               |                   | 168.20 - 21.10           | .4337 | ----          | ----                     | ----              | ----          | 11 UNCH          |
| 4515            | ----   | ----               |                 | 232.90B/165.90A        | 232.90B/165.90A  | ----               |               |                   | 170.50 - 21.30           | .4378 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 4520            | ----   | ----               |                 | 234.10B/168.10A        | 234.10B/168.10A  | ----               |               |                   | 172.90 - 21.50           | .4418 | ----          | ----                     | ----              | ----          | 91 UNCH          |
| 4525            | ----   | ----               |                 | 237.10B/170.40A        | 237.10B/170.40A  | ----               |               |                   | 175.20 - 21.70           | .4459 | ----          | ----                     | ----              | ----          | 4 UNCH           |
| 4530            | ----   | ----               |                 | 240.00B/172.80A        | 240.00B/172.80A  | ----               |               |                   | 177.60 - 21.90           | .4500 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 4540            | ----   | ----               |                 | 245.00B/177.50A        | 245.00B/177.50A  | ----               |               |                   | 182.50 - 22.30           | .4582 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 4545            | ----   | ----               |                 | 249.00B/179.90A        | 249.00B/179.90A  | ----               |               |                   | 184.90 - 22.50           | .4623 | ----          | ----                     | ----              | ----          | 14 UNCH          |
| 4550            | ----   | ----               |                 | 254.50B/182.10A        | 254.50B/182.10A  | ----               |               |                   | 187.40 - 22.70           | .4664 | ----          | ----                     | ----              | ----          | 510 UNCH         |
| 4555            | ----   | ----               |                 | 255.70B/184.90A        | 255.70B/184.90A  | ----               |               |                   | 189.90 - 22.90           | .4705 | ----          | ----                     | ----              | ----          | 50 UNCH          |
| 4560            | ----   | ----               |                 | 257.10B/187.30A        | 257.10B/187.30A  | ----               |               |                   | 192.40 - 23.10           | .4746 | ----          | ----                     | ----              | ----          | 42 UNCH          |
| 4565            | ----   | ----               |                 | 262.00B/189.70A        | 262.00B/189.70A  | ----               |               |                   | 195.00 - 23.30           | .4788 | ----          | ----                     | ----              | ----          | 81 UNCH          |
| 4570            | 209.10 | 209.10             |                 | 264.30B/192.30A        | 264.30B/192.30A  | ----               |               |                   | 197.60 - 23.50           | .4829 | ----          | 7                        | ----              | ----          | 18 + 6           |
| 4575            | ----   | ----               |                 | 265.70B/194.90A        | 265.70B/194.90A  | ----               |               |                   | 200.20 - 23.70           | .4870 | ----          | ----                     | ----              | ----          | 47 UNCH          |
| 4580            | ----   | ----               |                 | 269.30B/197.40A        | 269.30B/197.40A  | ----               |               |                   | 202.80 - 23.90           | .4910 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 4585            | ----   | ----               |                 | 271.90B/199.80A        | 271.90B/199.80A  | ----               |               |                   | 205.40 - 24.10           | .4951 | ----          | 3                        | ----              | ----          | 63 - 3           |
| 4595            | ----   | ----               |                 | 276.50B/205.00A        | 276.50B/205.00A  | ----               |               |                   | 210.80 - 24.50           | .5033 | ----          | 2                        | ----              | ----          | 2 - 1            |
| 4600            | ----   | ----               |                 | 281.50B/207.70A        | 281.50B/207.70A  | ----               |               |                   | 213.50 - 24.70           | .5074 | ----          | ----                     | ----              | ----          | 118 UNCH         |
| 4605            | 213.10 | 213.10             |                 | 284.60B/210.40A        | 284.60B/210.40A  | ----               |               |                   | 216.20 - 24.90           | .5115 | ----          | 8                        | ----              | ----          | 39 + 5           |
| 4610            | ----   | ----               |                 | 285.50B/213.10A        | 285.50B/213.10A  | ----               |               |                   | 219.00 - 25.10           | .5155 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 4615            | ----   | ----               |                 | 288.80B/215.90A        | 288.80B/215.90A  | ----               |               |                   | 221.70 - 25.40           | .5196 | ----          | ----                     | ----              | ----          | 22 UNCH          |
| 4620            | 257.70 | 257.70             |                 | 292.20B/218.30A        | 292.20B/218.30A  | ----               |               |                   | 224.50 - 25.60           | .5236 | ----          | 10                       | ----              | ----          | 438 + 10         |
| 4625            | ----   | ----               |                 | 295.30B/221.30A        | 295.30B/221.30A  | ----               |               |                   | 227.40 - 25.70           | .5277 | ----          | 3                        | ----              | ----          | 20 UNCH          |
| 4630            | ----   | ----               |                 | 298.60B/224.10A        | 298.60B/224.10A  | ----               |               |                   | 230.20 - 26.00           | .5317 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 4635            | ----   | ----               |                 | 302.00B/226.90A        | 302.00B/226.90A  | ----               |               |                   | 233.10 - 26.10           | .5357 | ----          | 2                        | ----              | ----          | 1 - 1            |
| 4640            | ----   | ----               |                 | 305.30B/229.70A        | 305.30B/229.70A  | ----               |               |                   | 236.00 - 26.30           | .5397 | ----          | ----                     | ----              | ----          | 9 UNCH           |
| 4645            | ----   | ----               |                 | 308.70B/232.60A        | 308.70B/232.60A  | ----               |               |                   | 238.90 - 26.50           | .5438 | ----          | 1                        | ----              | ----          | 1 UNCH           |
| 4650            | ----   | ----               |                 | 312.10B/235.60A        | 312.10B/235.60A  | ----               |               |                   | 241.80 - 26.80           | .5477 | ----          | ----                     | ----              | ----          | 8 UNCH           |
| 4655            | ----   | ----               |                 | 315.60B/238.40A        | 315.60B/238.40A  | ----               |               |                   | 244.80 - 26.90           | .5517 | ----          | ----                     | ----              | ----          | 16 UNCH          |
| 4660            | ----   | ----               |                 | 319.00B/241.30A        | 319.00B/241.30A  | ----               |               |                   | 247.70 - 27.20           | .5557 | ----          | ----                     | ----              | ----          | 8 UNCH           |
| 4665            | ----   | ----               |                 | 322.50B/244.30A        | 322.50B/244.30A  | ----               |               |                   | 250.70 - 27.40           | .5596 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 4670            | ----   | ----               |                 | 326.00B/247.20A        | 326.00B/247.20A  | ----               |               |                   | 253.80 - 27.60           | .5636 | ----          | ----                     | ----              | ----          | 26 UNCH          |
| 4675            | ----   | ----               |                 | 329.50B/250.30A        | 329.50B/250.30A  | ----               |               |                   | 256.80 - 27.80           | .5675 | ----          | ----                     | ----              | ----          | 7 UNCH           |
| 4685            | 263.00 | 263.00             |                 | 336.60B/256.30A        | 336.60B/256.30A  | ----               |               |                   | 263.00 NEW               | .5753 | ----          | 8                        | ----              | ----          | 8 + 8            |
| 4690            | ----   | ----               |                 | 340.20B/259.30A        | 340.20B/259.30A  | ----               |               |                   | 266.10 - 28.40           | .5792 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 4695            | ----   | ----               |                 | 343.80B/262.40A        | 343              |                    |               |                   |                          |       |               |                          |                   |               |                  |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.



| BULLETIN #101@ |        |                                 |      |                    |      |                            |                 |                                  |      | METALS OPTION PRODUCTS   |         |       |      |               |      |                          |      |                   |      | Thu, May 28, 2026 |      | PG64             |      |
|----------------|--------|---------------------------------|------|--------------------|------|----------------------------|-----------------|----------------------------------|------|--------------------------|---------|-------|------|---------------|------|--------------------------|------|-------------------|------|-------------------|------|------------------|------|
| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN<br>RANGE |      | GLOBEX<br>HIGH/LOW |      | OPEN<br>OUTCRY<br>HIGH/LOW |                 | OPEN<br>OUTCRY<br>CLOSE<br>RANGE |      | SETT.PRICE<br>& PT.CHGE. |         | DELTA |      | EXER<br>CISES |      | OPEN<br>OUTCRY<br>VOLUME |      | GLOBEX®<br>VOLUME |      | PNT<br>VOLUME     |      | OPEN<br>INTEREST |      |
| OG PUT         |        | COMEX GOLD OPTIONS              |      |                    |      |                            |                 |                                  |      |                          |         |       |      |               |      |                          |      |                   |      |                   |      |                  |      |
| OCT26          |        |                                 |      |                    |      |                            |                 |                                  |      |                          |         |       |      |               |      |                          |      |                   |      |                   |      |                  |      |
| 1500           | ----   | ----                            | ---- | ----               | ---- | ----/0.80A                 | ----            | ----                             | ---- | 0.10                     | UNCH    | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 2675           | ----   | ----                            | ---- | ----               | ---- | 2.70B/3.30A                | ----            | ----                             | ---- | 2.80                     | - 0.40  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 75               | UNCH |
| 2700           | ----   | ----                            | ---- | ----               | ---- | 2.90B/3.40A                | ----            | ----                             | ---- | 2.90                     | - 0.40  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 2800           | ----   | ----                            | ---- | ----               | ---- | 3.50B/4.00A                | ----            | ----                             | ---- | 3.50                     | - 0.50  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 8                | UNCH |
| 2900           | ----   | ----                            | ---- | ----               | ---- | 4.40B/4.70A                | ----            | ----                             | ---- | 4.20                     | - 0.50  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 3100           | ----   | ----                            | ---- | ----               | ---- | /6.70A                     | 6.60B/6.70A     | ----                             | ---- | 6.20                     | - 0.70  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3155           | ----   | ----                            | ---- | ----               | ---- | /7.30A                     | 7.60B/7.30A     | ----                             | ---- | 6.90                     | - 0.70  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3190           | ----   | ----                            | ---- | ----               | ---- | /7.80A                     | 8.20B/7.80A     | ----                             | ---- | 7.40                     | - 0.80  | ----  | ---- | ----          | ---- | ----                     | ---- | 2                 | ---- | ----              | ---- | 14               | +    |
| 3200           | ----   | ----                            | ---- | ----               | ---- | /7.90A                     | 8.40B/7.90A     | ----                             | ---- | 7.60                     | - 0.80  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 414              | +    |
| 3240           | ----   | ----                            | ---- | ----               | ---- | 9.20B/8.60A                | 9.20B/8.60A     | ----                             | ---- | 8.20                     | - 0.90  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 5                | UNCH |
| 3300           | 11.00  | 11.00                           | ---- | ----               | ---- | 11.00/9.70A                | 11.00/9.70A     | ----                             | ---- | 9.30                     | - 1.00  | ----  | ---- | ----          | ---- | ----                     | 1    | ----              | ---- | ----              | ---- | 417              | +    |
| 3340           | ----   | ----                            | ---- | ----               | ---- | 11.50B/10.50A              | 11.50B/10.50A   | ----                             | ---- | 10.20                    | - 1.00  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 9                | UNCH |
| 3360           | ----   | ----                            | ---- | ----               | ---- | 12.10B/11.00A              | 12.10B/11.00A   | ----                             | ---- | 10.60                    | - 1.10  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3380           | ----   | ----                            | ---- | ----               | ---- | 12.60B/11.40A              | 12.60B/11.40A   | ----                             | ---- | 11.10                    | - 1.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3390           | ----   | ----                            | ---- | ----               | ---- | 12.90B/11.70A              | 12.90B/11.70A   | ----                             | ---- | 11.30                    | - 1.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 4                | UNCH |
| 3400           | ----   | ----                            | ---- | ----               | ---- | 13.20B/11.90A              | 13.20B/11.90A   | ----                             | ---- | 11.60                    | - 1.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 150              | UNCH |
| 3430           | ----   | ----                            | ---- | ----               | ---- | 14.20B/12.70A              | 14.20B/12.70A   | ----                             | ---- | 12.40                    | - 1.30  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3480           | ----   | ----                            | ---- | ----               | ---- | 16.10B/14.10A              | 16.10B/14.10A   | ----                             | ---- | 13.80                    | - 1.60  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 12               | UNCH |
| 3500           | ----   | ----                            | ---- | ----               | ---- | 16.90B/14.80A              | 16.90B/14.80A   | ----                             | ---- | 14.50                    | - 1.60  | ----  | ---- | ----          | ---- | ----                     | 1    | ----              | ---- | ----              | ---- | 31               | +    |
| 3520           | ----   | ----                            | ---- | ----               | ---- | 17.70B/15.50A              | 17.70B/15.50A   | ----                             | ---- | 15.20                    | - 1.70  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 12               | UNCH |
| 3530           | ----   | ----                            | ---- | ----               | ---- | 18.20B/15.80A              | 18.20B/15.80A   | ----                             | ---- | 15.50                    | - 1.80  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 5                | UNCH |
| 3550           | ----   | ----                            | ---- | ----               | ---- | 19.10B/16.50A              | 19.10B/16.50A   | ----                             | ---- | 16.30                    | - 1.90  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 25               | UNCH |
| 3600           | 25.00  | 25.00                           | ---- | ----               | ---- | 25.00/18.50A               | 25.00/18.50A    | ----                             | ---- | 18.30                    | - 2.30  | ----  | ---- | ----          | ---- | ----                     | 3    | ----              | ---- | ----              | ---- | 174              | -    |
| 3615           | ----   | ----                            | ---- | ----               | ---- | 24.00B/19.20A              | 24.00B/19.20A   | ----                             | ---- | 18.90                    | - 2.40  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3635           | ----   | ----                            | ---- | ----               | ---- | 25.20B/20.10A              | 25.20B/20.10A   | ----                             | ---- | 19.90                    | - 2.50  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3680           | ----   | ----                            | ---- | ----               | ---- | 28.20B/22.30A              | 28.20B/22.30A   | ----                             | ---- | 22.20                    | - 2.90  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 5                | UNCH |
| 3695           | ----   | ----                            | ---- | ----               | ---- | 29.40B/23.20A              | 29.40B/23.20A   | ----                             | ---- | 23.00                    | - 3.10  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3700           | ----   | ----                            | ---- | ----               | ---- | 29.70B/23.40A              | 29.70B/23.40A   | ----                             | ---- | 23.30                    | - 3.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 213              | UNCH |
| 3715           | ----   | ----                            | ---- | ----               | ---- | 30.70B/24.30A              | 30.70B/24.30A   | ----                             | ---- | 24.20                    | - 3.30  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 196              | UNCH |
| 3750           | ----   | ----                            | ---- | ----               | ---- | 33.80B/26.40A              | 33.80B/26.40A   | ----                             | ---- | 26.40                    | - 3.70  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 19               | UNCH |
| 3770           | ----   | ----                            | ---- | ----               | ---- | 36.10B/27.70A              | 36.10B/27.70A   | ----                             | ---- | 27.80                    | - 3.90  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3785           | ----   | ----                            | ---- | ----               | ---- | 37.30B/28.80A              | 37.30B/28.80A   | ----                             | ---- | 28.90                    | - 4.10  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3800           | ----   | ----                            | ---- | ----               | ---- | 39.30B/29.90A              | 39.30B/29.90A   | ----                             | ---- | 30.10                    | - 4.30  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 22               | UNCH |
| 3805           | ----   | ----                            | ---- | ----               | ---- | 39.40B/30.30A              | 39.40B/30.30A   | ----                             | ---- | 30.50                    | - 4.30  | ----  | ---- | ----          | ---- | ----                     | 8    | ----              | ---- | ----              | ---- | 9                | +    |
| 3820           | ----   | ----                            | ---- | ----               | ---- | 43.60B/31.50A              | 43.60B/31.50A   | ----                             | ---- | 31.70                    | - 4.50  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3865           | ----   | ----                            | ---- | ----               | ---- | 49.40B/35.40A              | 49.40B/35.40A   | ----                             | ---- | 35.70                    | - 5.10  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 3870           | ----   | ----                            | ---- | ----               | ---- | 50.10B/35.90A              | 50.10B/35.90A   | ----                             | ---- | 36.20                    | - 5.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3875           | ----   | ----                            | ---- | ----               | ---- | 50.80B/36.40A              | 50.80B/36.40A   | ----                             | ---- | 36.70                    | - 5.20  | ----  | 1    | ----          | 13   | +                        | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3885           | ----   | ----                            | ---- | ----               | ---- | 52.30B/37.30A              | 52.30B/37.30A   | ----                             | ---- | 37.70                    | - 5.40  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 5                | UNCH |
| 3890           | ----   | ----                            | ---- | ----               | ---- | 53.10B/37.80A              | 53.10B/37.80A   | ----                             | ---- | 38.20                    | - 5.50  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 3895           | ----   | ----                            | ---- | ----               | ---- | 53.80B/38.30A              | 53.80B/38.30A   | ----                             | ---- | 38.70                    | - 5.50  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 3900           | ----   | ----                            | ---- | ----               | ---- | 54.60B/38.80A              | 54.60B/38.80A   | ----                             | ---- | 39.20                    | - 5.60  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 23               | UNCH |
| 3920           | ----   | ----                            | ---- | ----               | ---- | 57.70B/40.90A              | 57.70B/40.90A   | ----                             | ---- | 41.40                    | - 5.90  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 28               | UNCH |
| 3930           | ----   | ----                            | ---- | ----               | ---- | 59.30B/42.00A              | 59.30B/42.00A   | ----                             | ---- | 42.60                    | - 6.00  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 3940           | ----   | ----                            | ---- | ----               | ---- | 61.00B/43.20A              | 61.00B/43.20A   | ----                             | ---- | 43.70                    | - 6.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 65               | UNCH |
| 3950           | ----   | ----                            | ---- | ----               | ---- | 62.70B/44.30A              | 62.70B/44.30A   | ----                             | ---- | 45.00                    | - 6.30  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 3965           | ----   | ----                            | ---- | ----               | ---- | 65.40B/46.10A              | 65.40B/46.10A   | ----                             | ---- | 46.80                    | - 6.60  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 3975           | ----   | ----                            | ---- | ----               | ---- | 67.30B/47.40A              | 67.30B/47.40A   | ----                             | ---- | 48.10                    | - 6.70  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 5                | UNCH |
| 4000           | 73.50  | 73.50                           | ---- | ----               | ---- | 73.50/50.70A               | 73.50/50.70A    | ----                             | ---- | 51.60                    | - 7.10  | ----  | 4    | ----          | 533  | UNCH                     | ---- | ----              | ---- | ----              | ---- | 10               | UNCH |
| 4025           | ----   | ----                            | ---- | ----               | ---- | 77.30B/54.30A              | 77.30B/54.30A   | ----                             | ---- | 55.20                    | - 7.60  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 4030           | ----   | ----                            | ---- | ----               | ---- | 78.30B/55.00A              | 78.30B/55.00A   | ----                             | ---- | 56.00                    | - 7.70  | ----  | ---- | ----          | ---- | ----                     | 8    | ----              | ---- | ----              | ---- | 13               | +    |
| 4050           | ----   | ----                            | ---- | ----               | ---- | 82.60B/58.10A              | 82.60B/58.10A   | ----                             | ---- | 59.20                    | - 8.10  | ----  | ---- | ----          | ---- | ----                     | 3    | ----              | ---- | ----              | ---- | 5                | +    |
| 4055           | 73.20  | 73.20                           | ---- | ----               | ---- | 84.00B/58.90A              | 84.00B/58.90A   | ----                             | ---- | 60.00                    | - 8.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 4065           | ----   | ----                            | ---- | ----               | ---- | 86.30B/60.50A              | 86.30B/60.50A   | ----                             | ---- | 61.70                    | - 8.40  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4070           | ----   | ----                            | ---- | ----               | ---- | 87.50B/61.30A              | 87.50B/61.30A   | ----                             | ---- | 62.50                    | - 8.60  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 31               | UNCH |
| 4075           | ----   | ----                            | ---- | ----               | ---- | 88.40B/62.20A              | 88.40B/62.20A   | ----                             | ---- | 63.40                    | - 8.70  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 4090           | ----   | ----                            | ---- | ----               | ---- | 92.40B/64.80A              | 92.40B/64.80A   | ----                             | ---- | 66.10                    | - 9.00  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 10               | UNCH |
| 4095           | ----   | ----                            | ---- | ----               | ---- | 93.40B/65.70A              | 93.40B/65.70A   | ----                             | ---- | 67.00                    | - 9.10  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 20               | UNCH |
| 4100           | ----   | ----                            | ---- | ----               | ---- | 94.50B/66.50A              | 94.50B/66.50A   | ----                             | ---- | 67.90                    | - 9.20  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 515              | UNCH |
| 4115           | 97.40  | 97.40                           | ---- | ----               | ---- | 98.60B/69.50A              | 98.60B/69.50A   | ----                             | ---- | 70.80                    | - 9.90  | ----  | 1    | ----          | 1    | +                        | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4130           | ----   | ----                            | ---- | ----               | ---- | 102.80B/72.40A             | 102.80B/72.40A  | ----                             | ---- | 73.80                    | - 9.90  | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 2                | UNCH |
| 4150           | ----   | ----                            | ---- | ----               | ---- | 108.30B/76.40A             | 108.30B/76.40A  | ----                             | ---- | 78.00                    | - 10.30 | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4180           | ----   | ----                            | ---- | ----               | ---- | 117.40B/82.90A             | 117.40B/82.90A  | ----                             | ---- | 84.80                    | - 11.00 | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4185           | 114.70 | 114.70                          | ---- | ----               | ---- | 118.70B/84.10A             | 118.70B/84.10A  | ----                             | ---- | 85.90                    | - 11.00 | ----  | 100  | ----          | 100  | +                        | ---- | ----              | ---- | ----              | ---- | 100              | +    |
| 4200           | 125.00 | 125.00                          | ---- | ----               | ---- | 126.20/87.60A              | 126.20/87.60A   | ----                             | ---- | 89.60                    | - 11.40 | ----  | 14   | ----          | 308  | +                        | ---- | ----              | ---- | ----              | ---- | 14               | UNCH |
| 4220           | ----   | ----                            | ---- | ----               | ---- | 130.00B/92.50A             | 130.00B/92.50A  | ----                             | ---- | 94.60                    | - 12.00 | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 5                | UNCH |
| 4230           | 129.00 | 129.00                          | ---- | ----               | ---- | 133.40B/95.00A             | 133.40B/95.00A  | ----                             | ---- | 97.20                    | - 12.30 | ----  | 1    | ----          | 51   | +                        | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4235           | ----   | ----                            | ---- | ----               | ---- | 135.10B/96.30A             | 135.10B/96.30A  | ----                             | ---- | 98.50                    | - 12.40 | ----  | ---- | ----          | ---- | ----                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4240           | 129.00 | 129.00                          | ---- | ----               | ---- | 137.10B/97.70A             | 137.10B/97.70A  | ----                             | ---- | 99.90                    | - 12.40 | ----  | 1    | ----          | 1    | +                        | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4250           | ----   | ----                            | ---- | ----               | ---- | 140.50B/100.20A            | 140.50B/100.20A | ----                             | ---- | 102.60                   | - 12.80 | ----  | 903  | ----          | 122  | -                        | 495  | ----              | ---- | ----              | ---- | ----             | ---- |
| 4265           | ----   | ----                            | ---- | ----               | ---- | 146.00B/104.40A            | 146.00B/104.40A | ----                             | ---- | 106.80                   | - 13.30 | ----  | ---- | ----          | 200  | UNCH                     | ---- | ----              | ---- | ----              | ---- | 3                | UNCH |
| 4270           | ----   | ----                            | ---- | ----               | ---- | 147.90B/105.80A            | 147.90B/105.80A | ----                             | ---- | 108.30                   | - 13.40 | ----  | ---- | ----          | 229  | UNCH                     | ---- | ----              | ---- | ----              | ---- | 1                | UNCH |
| 4280           | ----   | ----                            | ---- | ----               | ---- | 151.70B/108.60A            |                 |                                  |      |                          |         |       |      |               |      |                          |      |                   |      |                   |      |                  |      |



| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|--------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG PUT         |        | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| DEC26          | ----   | ----                   | ----            | ----               | 0.70B/2.00A                | ----                    | ----            | 1.00 + 0.10              | .0020 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 1900           | ----   | ----                   | ----            | ----               | 0.90B/2.60A                | ----                    | ----            | 1.40 + 0.20              | .0028 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 2000           | ----   | ----                   | ----            | ----               | 2.50B/4.40A                | ----                    | ----            | 3.50 + 0.50              | .0073 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2400           | ----   | ----                   | ----            | ----               | 2.50B/4.80A                | ----                    | ----            | 3.90 + 0.50              | .0082 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 2450           | ----   | ----                   | ----            | ----               | 2.80B/5.00A                | ----                    | ----            | 4.30 + 0.60              | .0090 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2490           | 4.10   | 4.10                   |                 | #4.10/4.00         | 4.10/4.00                  | ----                    | ----            | 4.30 NEW                 | .0091 | ----          | 120                      | ----              | ----          | 120 +            | 120  |
| 2500           | ----   | ----                   | ----            | ----               | 5.40B/7.10A                | ----                    | ----            | 5.80 - 0.10              | .0132 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 2750           | ----   | ----                   | ----            | ----               | 5.70B/7.70A                | ----                    | ----            | 6.30 - 0.10              | .0145 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 2800           | ----   | ----                   | ----            | ----               | 6.90B/9.00A                | ----                    | ----            | 7.50 - 0.30              | .0176 | ----          | ----                     | ----              | ----          | 28               | UNCH |
| 2900           | ----   | ----                   | ----            | ----               | 7.40B/9.40A                | ----                    | ----            | 7.90 - 0.20              | .0185 | ----          | ----                     | ----              | ----          | 300              | UNCH |
| 2925           | ----   | ----                   | ----            | ----               | 8.20B/10.20A               | ----                    | ----            | 8.60 - 0.40              | .0204 | ----          | ----                     | ----              | ----          | 400              | UNCH |
| 2975           | ----   | ----                   | ----            | ----               | 8.70B/10.50A               | ----                    | ----            | 9.00 - 0.50              | .0214 | ----          | ----                     | ----              | ----          | 1362             | UNCH |
| 3000           | ----   | ----                   | ----            | ----               | 10.80B/12.60A              | ----                    | ----            | 10.90 - 0.70             | .0262 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 3100           | ----   | ----                   | ----            | ----               | 12.40B/14.00A              | ----                    | ----            | 12.30 - 0.80             | .0297 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3160           | ----   | ----                   | ----            | ----               | 13.00B/14.40A              | ----                    | ----            | 12.70 - 0.80             | .0307 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3175           | ----   | ----                   | ----            | ----               | 15.40B/16.60A              | ----                    | ----            | 14.80 - 1.00             | .0360 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 3250           | ----   | ----                   | ----            | 20.00B/----        | 20.00B/18.20A              | ----                    | ----            | 16.40 - 1.30             | .0400 | ----          | 8                        | ----              | ----          | 537 +            | 8    |
| 3300           | ----   | ----                   | ----            | 22.40B/21.00A      | 22.40B/21.00A              | ----                    | ----            | 20.20 - 2.00             | .0494 | ----          | ----                     | ----              | ----          | 1251             | UNCH |
| 3400           | ----   | ----                   | ----            | 23.70B/23.30A      | 23.70B/23.30A              | ----                    | ----            | 21.40 - 2.10             | .0522 | ----          | ----                     | ----              | ----          | 350              | UNCH |
| 3425           | ----   | ----                   | ----            | 25.40B/24.50A      | 25.40B/24.50A              | ----                    | ----            | 22.60 - 2.30             | .0551 | ----          | ----                     | ----              | ----          | 201              | UNCH |
| 3450           | ----   | ----                   | ----            | 27.10B/25.00A      | 27.10B/25.00A              | ----                    | ----            | 23.10 - 2.40             | .0563 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 3460           | ----   | ----                   | ----            | 28.10B/25.70A      | 28.10B/25.70A              | ----                    | ----            | 23.90 - 2.50             | .0582 | ----          | ----                     | ----              | ----          | 152              | UNCH |
| 3475           | 29.00  | 29.00                  |                 | 30.00B/27.10A      | 30.00B/27.10A              | ----                    | ----            | 25.20 - 2.80             | .0614 | ----          | 35                       | ----              | ----          | 1513 +           | 35   |
| 3500           | ----   | ----                   | ----            | 33.80B/30.00A      | 33.80B/30.00A              | ----                    | ----            | 28.30 - 3.20             | .0686 | ----          | ----                     | ----              | ----          | 18               | UNCH |
| 3550           | ----   | ----                   | ----            | 35.00B/30.90A      | 35.00B/30.90A              | ----                    | ----            | 29.30 - 3.30             | .0709 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3565           | ----   | ----                   | ----            | 36.40B/32.00A      | 36.40B/32.00A              | ----                    | ----            | 31.10 - 3.50             | .0750 | ----          | 14                       | ----              | ----          | 1                | UNCH |
| 3590           | ----   | ----                   | ----            | 39.20B/32.50A      | 39.20B/32.50A              | ----                    | ----            | 31.80 - 3.60             | .0766 | ----          | ----                     | ----              | 14            | 539 +            | 4    |
| 3600           | ----   | ----                   | ----            | 38.10B/33.20A      | 38.10B/33.20A              | ----                    | ----            | 32.60 - 3.60             | .0784 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 3610           | ----   | ----                   | ----            | 42.20B/36.60A      | 42.20B/36.60A              | ----                    | ----            | 35.70 - 4.10             | .0855 | ----          | ----                     | ----              | ----          | 201              | UNCH |
| 3650           | ----   | ----                   | ----            | 43.30B/37.40A      | 43.30B/37.40A              | ----                    | ----            | 36.60 - 4.10             | .0874 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 3660           | ----   | ----                   | ----            | 44.40B/37.80A      | 44.40B/37.80A              | ----                    | ----            | 37.40 - 4.30             | .0893 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3670           | ----   | ----                   | ----            | 46.70B/39.80A      | 46.70B/39.80A              | ----                    | ----            | 39.20 - 4.40             | .0932 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3690           | ----   | ----                   | ----            | 50.40B/40.40A      | 50.40B/40.40A              | ----                    | ----            | 40.10 - 4.50             | .0953 | ----          | ----                     | ----              | ----          | 280              | UNCH |
| 3700           | ----   | ----                   | ----            | 51.90B/41.60A      | 51.90B/41.60A              | ----                    | ----            | 41.00 - 4.70             | .0973 | ----          | ----                     | ----              | ----          | 37               | UNCH |
| 3710           | ----   | ----                   | ----            | 53.20B/42.30A      | 53.20B/42.30A              | ----                    | ----            | 42.00 - 4.70             | .0994 | ----          | ----                     | ----              | ----          | 0                | UNCH |
| 3720           | ----   | ----                   | ----            | 53.90B/42.60A      | 53.90B/42.60A              | ----                    | ----            | 42.40 - 4.90             | .1004 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 3725           | ----   | ----                   | ----            | 56.90B/45.60A      | 56.90B/45.60A              | ----                    | ----            | 44.90 - 5.10             | .1059 | ----          | ----                     | ----              | ----          | 166              | UNCH |
| 3750           | ----   | ----                   | ----            | 58.40B/46.70A      | 58.40B/46.70A              | ----                    | ----            | 46.00 - 5.20             | .1082 | ----          | ----                     | ----              | ----          | 184              | UNCH |
| 3760           | ----   | ----                   | ----            | 61.10B/48.80A      | 61.10B/48.80A              | ----                    | ----            | 48.10 - 5.40             | .1128 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 3780           | ----   | ----                   | ----            | 61.90B/49.20A      | 61.90B/49.20A              | ----                    | ----            | 48.60 - 5.50             | .1139 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 3785           | ----   | ----                   | ----            | 64.20B/50.90A      | 64.20B/50.90A              | ----                    | ----            | 50.30 - 5.70             | .1176 | ----          | ----                     | ----              | ----          | 351              | UNCH |
| 3800           | ----   | ----                   | ----            | 65.00B/51.50A      | 65.00B/51.50A              | ----                    | ----            | 50.90 - 5.80             | .1189 | ----          | ----                     | ----              | ----          | 11               | UNCH |
| 3805           | ----   | ----                   | ----            | 65.70B/52.10A      | 65.70B/52.10A              | ----                    | ----            | 51.50 - 5.80             | .1201 | ----          | ----                     | ----              | ----          | 56               | UNCH |
| 3810           | ----   | ----                   | ----            | 72.20B/56.80A      | 72.20B/56.80A              | ----                    | ----            | 56.40 - 6.30             | .1305 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 3850           | ----   | ----                   | ----            | 77.30B/60.80A      | 77.30B/60.80A              | ----                    | ----            | 60.30 - 6.80             | .1387 | ----          | 50                       | ----              | ----          | 1                | UNCH |
| 3880           | ----   | ----                   | ----            | 81.20B/63.50A      | 81.20B/63.50A              | ----                    | ----            | 63.10 - 7.20             | .1445 | ----          | ----                     | 50                | ----          | 1206             | UNCH |
| 3900           | ----   | ----                   | ----            | 85.10B/66.30A      | 85.10B/66.30A              | ----                    | ----            | 66.10 - 7.40             | .1505 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 3920           | ----   | ----                   | ----            | 85.90B/67.00A      | 85.90B/67.00A              | ----                    | ----            | 66.90 - 7.50             | .1521 | ----          | ----                     | ----              | ----          | 255              | UNCH |
| 3925           | ----   | ----                   | ----            | 87.10B/67.80A      | 87.10B/67.80A              | ----                    | ----            | 67.60 - 7.60             | .1536 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 3930           | ----   | ----                   | ----            | 91.10B/70.50A      | 91.10B/70.50A              | ----                    | ----            | 70.80 - 7.90             | .1600 | ----          | ----                     | ----              | ----          | 27               | UNCH |
| 3950           | ----   | ----                   | ----            | 94.40B/72.90A      | 94.40B/72.90A              | ----                    | ----            | 73.30 - 8.20             | .1649 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 3965           | ----   | ----                   | ----            | 96.70B/74.40A      | 96.70B/74.40A              | ----                    | ----            | 75.00 - 8.30             | .1682 | ----          | ----                     | ----              | ----          | 192              | UNCH |
| 3975           | ----   | ----                   | ----            | 97.80B/75.20A      | 97.80B/75.20A              | ----                    | ----            | 75.90 - 8.40             | .1699 | ----          | 3                        | ----              | ----          | 264 +            | 3    |
| 3980           | 82.40  | 82.40                  |                 | 102.40B/78.70A     | 102.40B/78.70A             | ----                    | ----            | 79.50 - 8.70             | .1769 | ----          | 10                       | 250               | ----          | 2803 +           | 260  |
| 4000           | ----   | ----                   | ----            | 108.30B/83.50A     | 108.30B/83.50A             | ----                    | ----            | 84.20 - 9.20             | .1858 | ----          | ----                     | ----              | ----          | 220              | UNCH |
| 4025           | ----   | ----                   | ----            | 114.60B/88.40A     | 114.60B/88.40A             | ----                    | ----            | 89.20 - 9.70             | .1951 | ----          | ----                     | ----              | ----          | 207              | UNCH |
| 4050           | ----   | ----                   | ----            | 120.10B/92.50A     | 120.10B/92.50A             | ----                    | ----            | 93.40 - 10.00            | .2028 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 4070           | ----   | ----                   | ----            | 125.50B/97.50A     | 125.50B/97.50A             | ----                    | ----            | 97.80 - 10.40            | .2107 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4090           | ----   | ----                   | ----            | 128.50B/99.00A     | 128.50B/99.00A             | ----                    | ----            | 100.10 - 10.60           | .2148 | ----          | 64                       | ----              | ----          | 396 -            | 2    |
| 4100           | ----   | ----                   | ----            | 137.30B/106.00A    | 137.30B/106.00A            | ----                    | ----            | 107.10 - 11.30           | .2272 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 4130           | ----   | ----                   | ----            | 143.40B/110.70A    | 143.40B/110.70A            | ----                    | ----            | 112.10 - 11.70           | .2358 | ----          | ----                     | ----              | ----          | 93               | UNCH |
| 4150           | ----   | ----                   | ----            | 146.70B/113.20A    | 146.70B/113.20A            | ----                    | ----            | 114.70 - 11.80           | .2402 | ----          | ----                     | ----              | ----          | 252              | UNCH |
| 4160           | 131.30 | 131.30                 |                 | 148.30B/114.30A    | 148.30B/114.30A            | ----                    | ----            | 116.00 NEW               | .2424 | ----          | 28                       | ----              | ----          | 28 +             | 28   |
| 4165           | 133.50 | 133.50                 |                 | 149.90B/116.50A    | 149.90B/116.50A            | ----                    | ----            | 117.30 - 12.10           | .2446 | ----          | 1                        | ----              | ----          | 2                | UNCH |
| 4170           | ----   | ----                   | ----            | 151.40B/117.00A    | 151.40B/117.00A            | ----                    | ----            | 118.60 - 12.20           | .2468 | ----          | 30                       | ----              | ----          | 60               | UNCH |
| 4175           | 151.30 | 151.30                 |                 | 159.90B/123.60A    | 159.90B/123.60A            | ----                    | ----            | 125.40 - 12.80           | .2581 | ----          | ----                     | ----              | ----          | 1343 +           | 22   |
| 4200           | 143.60 | 143.60                 |                 | 161.80B/125.30A    | 161.80B/125.30A            | ----                    | ----            | 126.80 NEW               | .2604 | ----          | 20                       | ----              | ----          | 20 +             | 20   |
| 4205           | ----   | ----                   | ----            | 165.10B/128.10A    | 165.10B/128.10A            | ----                    | ----            | 129.70 - 13.10           | .2650 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 4215           | ----   | ----                   | ----            | 170.60B/132.20A    | 170.60B/132.20A            | ----                    | ----            | 134.10 - 13.40           | .2721 | ----          | ----                     | ----              | ----          | 15               |      |

| PG64   |       | BULLETIN #101@     |              |                 |                    |                   |                    |               |                 |                          |        | METALS OPTION PRODUCTS |                |                  |                   |               |  |  |                  |   |      | Thu, May 28, 2026 |  | PG64 |  |
|--------|-------|--------------------|--------------|-----------------|--------------------|-------------------|--------------------|---------------|-----------------|--------------------------|--------|------------------------|----------------|------------------|-------------------|---------------|--|--|------------------|---|------|-------------------|--|------|--|
|        |       | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW  | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA  | EXER<br>CISES          | OPEN<br>VOLUME | OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |  |  | OPEN<br>INTEREST |   |      |                   |  |      |  |
| OG PUT |       | COMEX GOLD OPTIONS |              |                 |                    |                   |                    |               |                 |                          |        |                        |                |                  |                   |               |  |  |                  |   |      |                   |  |      |  |
| DEC26  |       |                    |              |                 |                    |                   |                    |               |                 |                          |        |                        |                |                  |                   |               |  |  |                  |   |      |                   |  |      |  |
| 4930   | ----  | ----               |              |                 | 567.30B/483.20A    | 567.30B/483.20A   | ----               | ----          | ----            | 489.30 - 30.40           | .6412  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 4935   | ----  | ----               |              |                 | 571.10B/486.70A    | 571.10B/486.70A   | ----               | ----          | ----            | 492.90 - 30.40           | .6435  | ----                   | ----           | ----             | ----              | ----          |  |  | 2                |   | UNCH |                   |  |      |  |
| 4940   | ----  | ----               |              |                 | 575.00B/490.10A    | 575.00B/490.10A   | ----               | ----          | ----            | 496.50 - 30.50           | .6458  | ----                   | ----           | ----             | ----              | ----          |  |  | 29               |   | UNCH |                   |  |      |  |
| 4950   | ----  | ----               |              |                 | 577.30B/497.20A    | 577.30B/497.20A   | ----               | ----          | ----            | 503.70 - 30.80           | .6504  | ----                   | ----           | ----             | ----              | ----          |  |  | 24               |   | UNCH |                   |  |      |  |
| 4975   | ----  | ----               |              |                 | 581.10B/515.10A    | 581.10B/515.10A   | ----               | ----          | ----            | 521.90 - 31.30           | .6616  | ----                   | ----           | ----             | ----              | ----          |  |  | 43               |   | UNCH |                   |  |      |  |
| 4980   | ----  | ----               |              |                 | 581.40B/518.70A    | 581.40B/518.70A   | ----               | ----          | ----            | 525.50 - 31.50           | .6639  | ----                   | ----           | ----             | ----              | ----          |  |  | 5                |   | UNCH |                   |  |      |  |
| 4995   | ----  | ----               |              |                 | 584.70B/529.60A    | 584.70B/529.60A   | ----               | ----          | ----            | 536.60 - 31.90           | .6704  | ----                   | ----           | ----             | ----              | ----          |  |  | 32               |   | UNCH |                   |  |      |  |
| 5000   | ----  | ----               |              |                 | 585.30B/533.30A    | 585.30B/533.30A   | ----               | ----          | ----            | 540.30 - 32.00           | .6726  | ----                   | ----           | ----             | ----              | ----          |  |  | 445              |   | UNCH |                   |  |      |  |
| 5020   | ----  | ----               |              |                 | ----/548.10A       | 583.90B/548.10A   | ----               | ----          | ----            | 555.30 - 32.40           | .6812  | ----                   | ----           | ----             | ----              | ----          |  |  | 8                |   | UNCH |                   |  |      |  |
| 5025   | ----  | ----               |              |                 | ----/551.80A       | 582.60B/551.80A   | ----               | ----          | ----            | 559.00 - 32.60           | .6833  | ----                   | ----           | ----             | ----              | ----          |  |  | 210              |   | UNCH |                   |  |      |  |
| 5035   | ----  | ----               |              |                 | ----/559.20A       | 580.50B/559.20A   | ----               | ----          | ----            | 566.60 - 32.80           | .6876  | ----                   | ----           | ----             | ----              | ----          |  |  | 8                |   | UNCH |                   |  |      |  |
| 5050   | ----  | ----               |              |                 | ----/570.60A       | 588.20B/570.60A   | ----               | ----          | ----            | 578.00 - 33.10           | .6938  | ----                   | ----           | ----             | ----              | ----          |  |  | 201              |   | UNCH |                   |  |      |  |
| 5070   | ----  | ----               |              |                 | ----/585.80A       | 593.80B/585.80A   | ----               | ----          | ----            | 593.40 - 33.50           | .7019  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 5075   | ----  | ----               |              |                 | ----/589.50A       | 605.40B/589.50A   | ----               | ----          | ----            | 597.20 - 33.70           | .7039  | ----                   | ----           | ----             | ----              | ----          |  |  | 100              |   | UNCH |                   |  |      |  |
| 5095   | ----  | ----               |              |                 | ----/604.90A       | 621.00B/604.90A   | ----               | ----          | ----            | 612.80 - 34.10           | .7118  | ----                   | ----           | ----             | ----              | ----          |  |  | 6                |   | UNCH |                   |  |      |  |
| 5100   | ----  | ----               |              |                 | ----/608.80A       | 625.00B/608.80A   | ----               | ----          | ----            | 616.70 - 34.20           | .7138  | ----                   | ----           | ----             | ----              | ----          |  |  | 6                |   | UNCH |                   |  |      |  |
| 5195   | ----  | ----               |              |                 | ----/687.50A       | 701.60B/687.50A   | ----               | ----          | ----            | 692.70 - 36.30           | .7488  | ----                   | ----           | ----             | ----              | ----          |  |  | 5                |   | UNCH |                   |  |      |  |
| 5200   | ----  | ----               |              |                 | ----/691.70A       | 705.80B/691.70A   | ----               | ----          | ----            | 696.80 - 36.40           | .7505  | ----                   | ----           | ----             | ----              | ----          |  |  | 38               |   | UNCH |                   |  |      |  |
| 5250   | ----  | ----               |              |                 | ----/733.00A       | 747.40B/733.00A   | ----               | ----          | ----            | 738.10 - 37.40           | .7672  | ----                   | ----           | ----             | ----              | ----          |  |  | 126              |   | UNCH |                   |  |      |  |
| 5290   | ----  | ----               |              |                 | ----               | 742.50B/888.30A   | ----               | ----          | ----            | 771.70 - 38.20           | .7798  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 5295   | ----  | ----               |              |                 | ----               | 747.00B/892.50A   | ----               | ----          | ----            | 775.90 - 38.30           | .7813  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 5360   | ----  | ----               |              |                 | ----/826.80A       | 841.50B/826.80A   | ----               | ----          | ----            | 831.60 - 39.50           | .8001  | ----                   | ----           | ----             | ----              | ----          |  |  | 100              |   | UNCH |                   |  |      |  |
| 5370   | ----  | ----               |              |                 | ----/835.60A       | 850.20B/835.60A   | ----               | ----          | ----            | 840.30 - 39.60           | .8029  | ----                   | ----           | ----             | ----              | ----          |  |  | 20               |   | UNCH |                   |  |      |  |
| 5375   | ----  | ----               |              |                 | ----/839.80A       | 854.60B/839.80A   | ----               | ----          | ----            | 844.60 - 39.80           | .8042  | ----                   | ----           | ----             | ----              | ----          |  |  | 34               |   | UNCH |                   |  |      |  |
| 5400   | ----  | ----               |              |                 | ----/861.80A       | 876.50B/861.80A   | ----               | ----          | ----            | 866.40 - 40.20           | .8108  | ----                   | ----           | ----             | ----              | ----          |  |  | 102              |   | UNCH |                   |  |      |  |
| 5415   | ----  | ----               |              |                 | ----/874.90A       | 889.70B/874.90A   | ----               | ----          | ----            | 879.60 - 40.40           | .8146  | ----                   | ----           | ----             | ----              | ----          |  |  | 4                |   | UNCH |                   |  |      |  |
| 5460   | ----  | ----               |              |                 | ----/915.00A       | 929.60B/915.00A   | ----               | ----          | ----            | 919.40 - 41.10           | .8256  | ----                   | ----           | ----             | ----              | ----          |  |  | 200              |   | UNCH |                   |  |      |  |
| 5465   | ----  | ----               |              |                 | ----/919.30A       | 934.10B/919.30A   | ----               | ----          | ----            | 923.80 - 41.20           | .8267  | ----                   | ----           | ----             | ----              | ----          |  |  | 50               |   | UNCH |                   |  |      |  |
| 5480   | ----  | ----               |              |                 | ----/932.90A       | 947.50B/932.90A   | ----               | ----          | ----            | 937.20 - 41.40           | .8302  | ----                   | ----           | ----             | ----              | ----          |  |  | 50               |   | UNCH |                   |  |      |  |
| 5500   | ----  | ----               |              |                 | ----/950.70A       | 965.40B/950.70A   | ----               | ----          | ----            | 955.10 - 41.70           | .8347  | ----                   | ----           | ----             | ----              | ----          |  |  | 31               |   | UNCH |                   |  |      |  |
| 5525   | ----  | ----               |              |                 | ----/973.40A       | 987.90B/973.40A   | ----               | ----          | ----            | 977.60 - 42.10           | .8401  | ----                   | ----           | ----             | ----              | ----          |  |  | 80               |   | UNCH |                   |  |      |  |
| 5600   | ----  | ----               |              |                 | ----/1,040.20A     | 1058.30B/1040.20A | ----               | ----          | ----            | 1045.80 - 43.00          | .8553  | ----                   | ----           | ----             | ----              | ----          |  |  | 252              |   | UNCH |                   |  |      |  |
| 5900   | ----  | ----               |              |                 | ----/1,323.50A     | 1335.90B/1323.50A | ----               | ----          | ----            | 1326.40 - 46.20          | .9005  | ----                   | ----           | ----             | ----              | ----          |  |  | 125              |   | UNCH |                   |  |      |  |
| 6000   | ----  | ----               |              |                 | ----/1,419.60A     | 1430.90B/1419.60A | ----               | ----          | ----            | 1421.90 - 47.20          | .9116  | ----                   | ----           | ----             | ----              | ----          |  |  | 40               |   | UNCH |                   |  |      |  |
| 6500   | ----  | ----               |              |                 | ----/1,911.80A     | 1914.40B/1911.80A | ----               | ----          | ----            | 1908.90 - 50.30          | .9468  | ----                   | ----           | ----             | ----              | ----          |  |  | 4                |   | UNCH |                   |  |      |  |
| 8000   | ----  | ----               |              |                 | ----               | ----              | ----               | ----          | ----            | 3403.00 - 51.90          | .9792  | ----                   | ----           | ----             | ----              | ----          |  |  | 0                |   | UNCH |                   |  |      |  |
| 20000  | ----  | ----               |              |                 | ----               | ----              | ----               | ----          | ----            | 5403.00 - 51.90          | 1.0000 | ----                   | ----           | ----             | ----              | ----          |  |  | 0                |   | UNCH |                   |  |      |  |
| TOTAL  |       |                    |              |                 |                    |                   |                    |               |                 |                          |        |                        |                |                  | 471               | 390           |  |  | 29519+           |   | 692  |                   |  |      |  |
| JAN27  |       |                    |              |                 |                    |                   |                    |               |                 |                          |        |                        |                |                  |                   |               |  |  |                  |   |      |                   |  |      |  |
| 2700   | ----  | ----               |              |                 | ----               | 4.50B/8.80A       | ----               | ----          | ----            | 5.80 - 0.30              | .0126  | ----                   | ----           | ----             | ----              | ----          |  |  | 11               |   | UNCH |                   |  |      |  |
| 2800   | 8.00  | 8.00               |              |                 | 8.00/8.00          | 8.00/8.00         | ----               | ----          | ----            | 6.90 - 0.30              | .0152  | ----                   | ----           | ----             | 2                 | ----          |  |  | 12               | + | 2    |                   |  |      |  |
| 3000   | ----  | ----               |              |                 | ----               | 9.40B/13.90A      | ----               | ----          | ----            | 11.00 - 0.60             | .0243  | ----                   | ----           | ----             | ----              | ----          |  |  | 36               |   | UNCH |                   |  |      |  |
| 3300   | 25.00 | 25.00              |              |                 | 25.00/23.20A       | 25.00/23.20A      | ----               | ----          | ----            | 20.10 - NEW              | .0448  | ----                   | ----           | 1                | ----              | ----          |  |  | 1                | + | 1    |                   |  |      |  |
| 3500   | ----  | ----               |              |                 | 35.20B/33.70A      | 35.20B/33.70A     | ----               | ----          | ----            | 30.50 - 3.50             | .0675  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 3520   | ----  | ----               |              |                 | 36.80B/34.40A      | 36.80B/34.40A     | ----               | ----          | ----            | 31.90 - 3.60             | .0704  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 3600   | ----  | ----               |              |                 | 43.10B/39.30A      | 43.10B/39.30A     | ----               | ----          | ----            | 38.00 - 4.20             | .0831  | ----                   | ----           | ----             | ----              | ----          |  |  | 7                |   | UNCH |                   |  |      |  |
| 3680   | ----  | ----               |              |                 | 56.00B/46.50A      | 56.00B/46.50A     | ----               | ----          | ----            | 45.50 - 4.60             | .0980  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 3800   | ----  | ----               |              |                 | 73.00B/60.10A      | 73.00B/60.10A     | ----               | ----          | ----            | 59.10 - 5.60             | .1245  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 3825   | ----  | ----               |              |                 | 77.20B/63.30A      | 77.20B/63.30A     | ----               | ----          | ----            | 62.40 - 5.80             | .1307  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 3850   | ----  | ----               |              |                 | 81.60B/66.70A      | 81.60B/66.70A     | ----               | ----          | ----            | 65.90 - 6.10             | .1372  | ----                   | ----           | ----             | ----              | ----          |  |  | 230              |   | UNCH |                   |  |      |  |
| 3900   | ----  | ----               |              |                 | 91.00B/73.40A      | 91.00B/73.40A     | ----               | ----          | ----            | 73.30 - 6.80             | .1508  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 3980   | ----  | ----               |              |                 | 108.30B/86.80A     | 108.30B/86.80A    | ----               | ----          | ----            | 86.90 - 8.10             | .1750  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 4000   | ----  | ----               |              |                 | 113.10B/90.50A     | 113.10B/90.50A    | ----               | ----          | ----            | 90.60 - 8.50             | .1814  | ----                   | ----           | ----             | ----              | ----          |  |  | 3                |   | UNCH |                   |  |      |  |
| 4025   | ----  | ----               |              |                 | 119.20B/95.50A     | 119.20B/95.50A    | ----               | ----          | ----            | 95.60 - 8.90             | .1899  | ----                   | ----           | ----             | ----              | ----          |  |  | 2                |   | UNCH |                   |  |      |  |
| 4070   | ----  | ----               |              |                 | 131.10B/105.10A    | 131.10B/105.10A   | ----               | ----          | ----            | 105.10 - 9.80            | .2057  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 4100   | ----  | ----               |              |                 | 139.70B/111.70A    | 139.70B/111.70A   | ----               | ----          | ----            | 111.90 - 10.40           | .2167  | ----                   | ----           | ----             | ----              | ----          |  |  | 8                |   | UNCH |                   |  |      |  |
| 4200   | ----  | ----               |              |                 | 171.40B/137.40A    | 171.40B/137.40A   | ----               | ----          | ----            | 137.70 - 12.40           | .2565  | ----                   | ----           | ----             | ----              | ----          |  |  | 3                |   | UNCH |                   |  |      |  |
| 4350   | ----  | ----               |              |                 | 229.50B/184.70A    | 229.50B/184.70A   | ----               | ----          | ----            | 185.80 - 15.60           | .3236  | ----                   | ----           | ----             | ----              | ----          |  |  | 1                |   | UNCH |                   |  |      |  |
| 4400   | ----  | ----               |              |                 | 251.60B/203.20A    | 251.60B/203.20A   | ----               | ----          | ----            | 204.60 - 16.60           | .3475  | ----                   | ----           | ----             | ----              |               |  |  |                  |   |      |                   |  |      |  |







| BULLETIN #101@ |      |                    |                 |                    |              |                  |                    |                     |       | METALS OPTION PRODUCTS   |       |               |                          |                   |               |                  |      |  |  | Thu, May 28, 2026 |  | PG64 |
|----------------|------|--------------------|-----------------|--------------------|--------------|------------------|--------------------|---------------------|-------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|-------------------|--|------|
| GLOBEX<br>OPEN |      | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW |              | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE RANGE |       | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |                   |  |      |
| OG CALL        |      | COMEX GOLD OPTIONS |                 |                    |              |                  |                    |                     |       |                          |       |               |                          |                   |               |                  |      |  |  |                   |  |      |
| JUL26          |      |                    |                 |                    |              |                  |                    |                     |       |                          |       |               |                          |                   |               |                  |      |  |  |                   |  |      |
| 5115           | ---- | ----               | ----            | 5.60B/*2.70A       | 5.60B/*2.70A | ----             | 5.00               | + 2.00              | .0381 | ----                     | ----  | ----          | ----                     | ----              | ----          | 29               | UNCH |  |  |                   |  |      |
| 5120           | 4.00 | 4.00               | ----            | 5.60B/*2.70A       | 5.60B/*2.70A | ----             | 4.80               | + 1.90              | .0368 | ----                     | ----  | ----          | ----                     | 22                | ----          | 59               | -    |  |  |                   |  |      |
| 5125           | 2.50 | 2.50               | ----            | 5.40B/*2.50        | 5.40B/*2.50  | ----             | 4.70               | + 1.80              | .0360 | ----                     | ----  | ----          | ----                     | 3                 | ----          | 260              | -    |  |  |                   |  |      |
| 5130           | 4.10 | 4.10               | ----            | 5.30B/*2.60A       | 5.30B/*2.60A | ----             | 4.60               | + 1.80              | .0353 | ----                     | ----  | ----          | ----                     | 1                 | ----          | 44               | +    |  |  |                   |  |      |
| 5135           | 4.80 | 4.80               | ----            | 5.20B/*2.50A       | 5.20B/*2.50A | ----             | 4.60               | + 1.80              | .0351 | ----                     | ----  | ----          | ----                     | 2                 | ----          | 173              | +    |  |  |                   |  |      |
| 5140           | ---- | ----               | ----            | 5.10B/*2.50A       | 5.10B/*2.50A | ----             | 4.50               | + 1.80              | .0343 | ----                     | ----  | ----          | ----                     | ----              | ----          | 70               | UNCH |  |  |                   |  |      |
| 5145           | ---- | ----               | ----            | 5.00B/*2.50A       | 5.00B/*2.50A | ----             | 4.40               | + 1.70              | .0335 | ----                     | ----  | ----          | ----                     | ----              | ----          | 81               | UNCH |  |  |                   |  |      |
| 5150           | 2.50 | 2.50               | ----            | 4.90B/*2.30        | 4.90B/*2.30  | ----             | 4.30               | + 1.70              | .0328 | ----                     | ----  | ----          | 9                        | ----              | ----          | 2987             | -    |  |  |                   |  |      |
| 5155           | ---- | ----               | ----            | 4.80B/*2.40A       | 4.80B/*2.40A | ----             | 4.20               | + 1.60              | .0320 | ----                     | ----  | ----          | ----                     | ----              | ----          | 17               | UNCH |  |  |                   |  |      |
| 5160           | ---- | ----               | ----            | 4.70B/*2.40A       | 4.70B/*2.40A | ----             | 4.10               | + 1.60              | .0313 | ----                     | ----  | ----          | ----                     | ----              | ----          | 23               | UNCH |  |  |                   |  |      |
| 5165           | ---- | ----               | ----            | 4.60B/*2.30A       | 4.60B/*2.30A | ----             | 4.00               | + 1.50              | .0306 | ----                     | ----  | ----          | ----                     | ----              | ----          | 18               | UNCH |  |  |                   |  |      |
| 5170           | ---- | ----               | ----            | 4.50B/*2.30A       | 4.50B/*2.30A | ----             | 4.00               | + 1.50              | .0304 | ----                     | ----  | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |                   |  |      |
| 5175           | ---- | ----               | ----            | 4.50B/*2.30A       | 4.50B/*2.30A | ----             | 3.90               | + 1.50              | .0297 | ----                     | ----  | ----          | ----                     | ----              | ----          | 76               | UNCH |  |  |                   |  |      |
| 5180           | 2.10 | 2.10               | ----            | 4.30B/*2.10        | 4.30B/*2.10  | ----             | 3.80               | + 1.40              | .0289 | ----                     | ----  | ----          | ----                     | 3                 | ----          | 31               | UNCH |  |  |                   |  |      |
| 5185           | ---- | ----               | ----            | 4.30B/*2.20A       | 4.30B/*2.20A | ----             | 3.80               | + 1.40              | .0288 | ----                     | ----  | ----          | ----                     | 21                | ----          | 148              | +    |  |  |                   |  |      |
| 5190           | ---- | ----               | ----            | 4.20B/*2.20A       | 4.20B/*2.20A | ----             | 3.70               | + 1.40              | .0280 | ----                     | ----  | ----          | ----                     | ----              | ----          | 24               | UNCH |  |  |                   |  |      |
| 5195           | ---- | ----               | ----            | 4.20B/2.20A        | 4.20B/2.20A  | ----             | 3.60               | + 1.30              | .0273 | ----                     | ----  | ----          | ----                     | ----              | ----          | 37               | UNCH |  |  |                   |  |      |
| 5200           | 2.00 | 2.00               | ----            | 4.10/*2.00         | 4.10/*2.00   | ----             | 3.60               | + 1.30              | .0272 | ----                     | ----  | ----          | ----                     | 22                | 280           | 2408             | -    |  |  |                   |  |      |
| 5205           | ---- | ----               | ----            | 4.00B/*2.10A       | 4.00B/*2.10A | ----             | 3.50               | + 1.30              | .0265 | ----                     | ----  | ----          | ----                     | ----              | ----          | 48               | UNCH |  |  |                   |  |      |
| 5210           | ---- | ----               | ----            | 3.90B/2.10A        | 3.90B/2.10A  | ----             | 3.50               | + 1.30              | .0263 | ----                     | ----  | ----          | ----                     | ----              | ----          | 55               | UNCH |  |  |                   |  |      |
| 5215           | ---- | ----               | ----            | 3.80B/2.10A        | 3.80B/2.10A  | ----             | 3.40               | + 1.20              | .0256 | ----                     | ----  | ----          | ----                     | ----              | ----          | 47               | UNCH |  |  |                   |  |      |
| 5220           | 3.50 | 3.50               | ----            | 3.80B/*2.00A       | 3.80B/*2.00A | ----             | 3.40               | + 1.30              | .0255 | ----                     | ----  | ----          | 2                        | ----              | ----          | 44               | UNCH |  |  |                   |  |      |
| 5225           | ---- | ----               | ----            | 3.80B/*2.00A       | 3.80B/*2.00A | ----             | 3.30               | + 1.20              | .0248 | ----                     | ----  | ----          | ----                     | ----              | ----          | 89               | UNCH |  |  |                   |  |      |
| 5230           | ---- | ----               | ----            | 3.70B/2.00A        | 3.70B/2.00A  | ----             | 3.30               | + 1.20              | .0247 | ----                     | ----  | ----          | 1                        | ----              | ----          | 85               | -    |  |  |                   |  |      |
| 5235           | ---- | ----               | ----            | 3.60B/----         | 3.60B/2.00A  | ----             | 3.20               | + 1.20              | .0240 | ----                     | ----  | ----          | ----                     | ----              | ----          | 30               | UNCH |  |  |                   |  |      |
| 5240           | ---- | ----               | ----            | 3.50B/1.90A        | 3.50B/1.90A  | ----             | 3.20               | + 1.20              | .0239 | ----                     | ----  | ----          | 1                        | ----              | ----          | 116              | +    |  |  |                   |  |      |
| 5245           | ---- | ----               | ----            | 3.50B/1.90A        | 3.50B/1.90A  | ----             | 3.10               | + 1.10              | .0232 | ----                     | ----  | ----          | ----                     | ----              | ----          | 66               | UNCH |  |  |                   |  |      |
| 5250           | 2.20 | 2.20               | ----            | 3.50B/1.90A        | 3.50B/1.90A  | ----             | 3.10               | + 1.20              | .0231 | ----                     | ----  | ----          | 195                      | ----              | ----          | 948              | +    |  |  |                   |  |      |
| 5255           | ---- | ----               | ----            | 3.40B/----         | 3.40B/1.90A  | ----             | 3.00               | + 1.10              | .0224 | ----                     | ----  | ----          | ----                     | ----              | ----          | 21               | UNCH |  |  |                   |  |      |
| 5260           | ---- | ----               | ----            | 3.30B/----         | 3.30B/1.90A  | ----             | 3.00               | + 1.10              | .0223 | ----                     | ----  | ----          | ----                     | ----              | ----          | 150              | UNCH |  |  |                   |  |      |
| 5265           | ---- | ----               | ----            | 3.30B/----         | 3.30B/1.80A  | ----             | 3.00               | + 1.20              | .0222 | ----                     | ----  | ----          | ----                     | ----              | ----          | 14               | UNCH |  |  |                   |  |      |
| 5270           | ---- | ----               | ----            | 3.30B/----         | 3.30B/1.80A  | ----             | 2.90               | + 1.10              | .0215 | ----                     | ----  | ----          | ----                     | ----              | ----          | 26               | UNCH |  |  |                   |  |      |
| 5275           | ---- | ----               | ----            | 3.20B/----         | 3.20B/1.80A  | ----             | 2.90               | + 1.10              | .0214 | ----                     | ----  | ----          | 3                        | ----              | ----          | 24               | -    |  |  |                   |  |      |
| 5280           | ---- | ----               | ----            | 3.10B/----         | 3.10B/1.80A  | ----             | 2.80               | + 1.00              | .0207 | ----                     | ----  | ----          | 1                        | ----              | ----          | 44               | -    |  |  |                   |  |      |
| 5285           | ---- | ----               | ----            | 3.10B/----         | 3.10B/1.80A  | ----             | 2.80               | + 1.10              | .0206 | ----                     | ----  | ----          | ----                     | ----              | ----          | 15               | UNCH |  |  |                   |  |      |
| 5290           | ---- | ----               | ----            | 3.10B/----         | 3.10B/1.80A  | ----             | 2.80               | + 1.10              | .0205 | ----                     | ----  | ----          | ----                     | ----              | ----          | 55               | UNCH |  |  |                   |  |      |
| 5295           | ---- | ----               | ----            | 3.00B/----         | 3.00B/1.70A  | ----             | 2.70               | + 1.00              | .0199 | ----                     | ----  | ----          | ----                     | ----              | ----          | 86               | UNCH |  |  |                   |  |      |
| 5300           | 2.30 | 2.30               | ----            | 2.90B/2.30         | 2.90B/1.70A  | ----             | 2.70               | + 1.10              | .0198 | ----                     | ----  | ----          | 87                       | ----              | ----          | 1207             | +    |  |  |                   |  |      |
| 5305           | 2.70 | 2.70               | ----            | 2.90B/2.70         | 2.90B/1.70A  | ----             | 2.70               | + 1.10              | .0197 | ----                     | ----  | ----          | 1                        | ----              | ----          | 65               | UNCH |  |  |                   |  |      |
| 5310           | 3.00 | 3.00               | ----            | 3.00/2.60          | 3.00/1.70A   | ----             | 2.60               | + 1.00              | .0190 | ----                     | ----  | ----          | 7                        | ----              | ----          | 26               | +    |  |  |                   |  |      |
| 5315           | ---- | ----               | ----            | 2.90B/----         | 2.90B/1.70A  | ----             | 2.60               | + 1.00              | .0189 | ----                     | ----  | ----          | ----                     | ----              | ----          | 28               | UNCH |  |  |                   |  |      |
| 5320           | ---- | ----               | ----            | 2.80B/----         | 2.80B/1.70A  | ----             | 2.60               | + 1.10              | .0188 | ----                     | ----  | ----          | ----                     | ----              | ----          | 57               | UNCH |  |  |                   |  |      |
| 5325           | ---- | ----               | ----            | 2.70B/----         | 2.70B/1.60A  | ----             | 2.60               | + 1.10              | .0188 | ----                     | ----  | ----          | ----                     | ----              | ----          | 162              | UNCH |  |  |                   |  |      |
| 5330           | ---- | ----               | ----            | 2.70B/----         | 2.70B/1.60A  | ----             | 2.50               | + 1.00              | .0181 | ----                     | ----  | ----          | ----                     | ----              | ----          | 13               | UNCH |  |  |                   |  |      |
| 5335           | 2.80 | 2.80               | ----            | 2.80/2.80          | 2.80/1.60A   | ----             | 2.50               | + 1.00              | .0180 | ----                     | ----  | ----          | 1                        | ----              | ----          | 11               | UNCH |  |  |                   |  |      |
| 5340           | ---- | ----               | ----            | 2.60B/----         | 2.60B/1.60A  | ----             | 2.50               | + 1.00              | .0180 | ----                     | ----  | ----          | ----                     | ----              | ----          | 30               | UNCH |  |  |                   |  |      |
| 5345           | ---- | ----               | ----            | 2.60B/----         | 2.60B/1.60A  | ----             | 2.40               | + 1.00              | .0173 | ----                     | ----  | ----          | ----                     | ----              | ----          | 35               | UNCH |  |  |                   |  |      |
| 5350           | ---- | ----               | ----            | 2.60B/----         | 2.60B/1.60A  | ----             | 2.40               | + 1.00              | .0172 | ----                     | ----  | ----          | ----                     | ----              | ----          | 1110             | UNCH |  |  |                   |  |      |
| 5355           | ---- | ----               | ----            | 2.50B/----         | 2.50B/1.60A  | ----             | 2.40               | + 1.00              | .0172 | ----                     | ----  | ----          | ----                     | ----              | ----          | 71               | UNCH |  |  |                   |  |      |
| 5360           | ---- | ----               | ----            | 2.60B/----         | 2.60B/1.60A  | ----             | 2.40               | + 1.00              | .0171 | ----                     | ----  | ----          | ----                     | ----              | ----          | 337              | UNCH |  |  |                   |  |      |
| 5365           | ---- | ----               | ----            | 2.50B/----         | 2.50B/1.50A  | ----             | 2.30               | + 0.90              | .0165 | ----                     | ----  | ----          | ----                     | ----              | ----          | 146              | UNCH |  |  |                   |  |      |
| 5370           | ---- | ----               | ----            | 2.40B/----         | 2.40B/1.50A  | ----             | 2.30               | + 0.90              | .0164 | ----                     | ----  | ----          | ----                     | ----              | ----          | 25               | UNCH |  |  |                   |  |      |
| 5375           | ---- | ----               | ----            | 2.40B/----         | 2.40B/1.50A  | ----             | 2.30               | + 0.90              | .0163 | ----                     | ----  | ----          | ----                     | ----              | ----          | 23               | UNCH |  |  |                   |  |      |
| 5380           | ---- | ----               | ----            | 2.40B/----         | 2.40B/1.50A  | ----             | 2.30               | + 1.00              | .0162 | ----                     | ----  | ----          | ----                     | ----              | ----          | 18               | UNCH |  |  |                   |  |      |
| 5385           | ---- | ----               | ----            | 2.40B/----         | 2.40B/1.50A  | ----             | 2.20               | + 0.90              | .0156 | ----                     | ----  | ----          | ----                     | ----              | ----          | 18               | UNCH |  |  |                   |  |      |
| 5390           | ---- | ----               | ----            | 2.30B/----         | 2.30B/1.50A  | ----             | 2.20               | + 0.90              | .0156 | ----                     | ----  | ----          | ----                     | ----              | ----          | 34               | UNCH |  |  |                   |  |      |
| 5395           | ---- | ----               | ----            | 2.30B/----         | 2.30B/1.50A  | ----             | 2.20               | + 0.90              | .0155 | ----                     | ----  | ----          | ----                     | ----              | ----          | 24               | UNCH |  |  |                   |  |      |
| 5400           | ---- | ----               | ----            | 2.30B/----         | 2.30B/1.50A  | ----             | 2.20               | + 0.90              | .0154 | ----                     | ----  | ----          | 22                       | ----              | ----          | 3325             | +    |  |  |                   |  |      |
| 5405           | ---- | ----               | ----            | 2.30B/----         | 2.30B/1.50A  | ----             | 2.10               | + 0.80              | .0148 | ----                     | ----  | ----          | ----                     | ----              | ----          | 19               | UNCH |  |  |                   |  |      |
| 5410           | ---- | ----               | ----            | 2.30B/----         | 2.30B/1.50A  | ----             | 2.10               | + 0.80              | .0147 | ----                     | ----  | ----          | ----                     | ----              | ----          | 24               | UNCH |  |  |                   |  |      |
| 5415           | ---- | ----               | ----            | 2.20B/----         | 2.20B/1.40A  | ----             | 2.10               | + 0.80              | .0147 | ----                     | ----  | ----          | ----                     | ----              | ----          | 18               | UNCH |  |  |                   |  |      |
| 5420           | ---- | ----               | ----            | 2.30B/----         | 2.30B/1.40A  | ----             | 2.10               | + 0.90              | .0146 | ----                     | ----  | ----          | ----                     | ----              | ----          | 29               | UNCH |  |  |                   |  |      |
| 5425           | ---- | ----               | ----            | 2.20B/----         | 2.20B/1.40A  | ----             | 2.10               | + 0.90              | .0146 | ----                     | ----  | ----          | ----                     | ----              | ----          | 34               | UNCH |  |  |                   |  |      |
| 5430           | ---- | ----               | ----            | 2.10B/----         | 2.10B/1.40A  | ----             | 2.00               | + 0.80              | .0140 | ----                     | ----  | ----          | ----                     | ----              | ----          | 11               | UNCH |  |  |                   |  |      |
| 5435           | ---- | ----               | ----            | 2.10B/----         | 2.10B/1.40A  | ----             | 2.00               | + 0.80              | .0139 | ----                     | ----  | ----          | ----                     | ----              | ----          | 7                | UNCH |  |  |                   |  |      |
| 5440           | ---- | ----               | ----            | 2.10B/----         | 2.10B/1.40A  | ----             | 2.00               | + 0.80              | .0138 | ----                     | ----  | ----          | ----                     | ----              | ----          | 20               | UNCH |  |  |                   |  |      |
| 5445           | ---- | ----               | ----            | 2.10B/----         | 2.10B/1.40A  | ----             | 2.00               | + 0.80              | .0138 | ----                     | ----  | ----          | ----                     | ----              | ----          | 24               | UNCH |  |  |                   |  |      |
| 5450           | ---- | ----               | ----            | 2.10B/----         | 2.10B/1.40A  | ----             | 2.00               | + 0.80              | .0137 | ----                     | ----  | ----          | ----                     | ----              | ----          | 1171             | UNCH |  |  |                   |  |      |
| 5455           | ---- | ----               | ----            | 2.10B/----         | 2.10B/1.40A  | ----             | 2.00               | + 0.80              | .0137 | ----                     | ----  | ----          | ----                     | ----              | ----          | 36               | UNCH |  |  |                   |  |      |
| 5460           |      |                    |                 |                    |              |                  |                    |                     |       |                          |       |               |                          |                   |               |                  |      |  |  |                   |  |      |

| PG64    |      | BULLETIN #101@     |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |        |      |  |  |  | Thu, May 28, 2026 |  | PG64 |  |  |  |  |  |  |  |  |  |
|---------|------|--------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|--------|------|--|--|--|-------------------|--|------|--|--|--|--|--|--|--|--|--|
|         |      | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |        |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| OG CALL |      | COMEX GOLD OPTIONS |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |        |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| JUL26   |      |                    |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |        |      |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5910    | ---- | ----               | ----         | ----            | 0.90B/----         | 0.90B/0.90A      | ----               | ----          | ----            | 1.00 + 0.30              | .0058 | ----                   | ----                     | ----              | ----          | ----             | 6      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5920    | ---- | ----               | ----         | ----            | 0.90B/----         | 0.90B/0.80A      | ----               | ----          | ----            | 1.00 + 0.40              | .0058 | ----                   | ----                     | ----              | ----          | ----             | 19     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5925    | ---- | ----               | ----         | ----            | 1.00B/----         | 1.00B/0.90A      | ----               | ----          | ----            | 1.00 + 0.40              | .0058 | ----                   | ----                     | ----              | ----          | ----             | 5      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5930    | ---- | ----               | ----         | ----            | 0.90B/----         | 0.90B/0.90A      | ----               | ----          | ----            | 1.00 + 0.40              | .0058 | ----                   | ----                     | ----              | ----          | ----             | 4      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5940    | ---- | ----               | ----         | ----            | 0.90B/----         | 0.90B/0.90A      | ----               | ----          | ----            | 1.00 + 0.40              | .0057 | ----                   | ----                     | ----              | ----          | ----             | 2      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5950    | ---- | ----               | ----         | ----            | 0.90B/----         | 0.90B/0.80A      | ----               | ----          | ----            | 1.00 + 0.40              | .0057 | ----                   | ----                     | ----              | ----          | ----             | 43     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5960    | ---- | ----               | ----         | ----            | 0.90B/----         | 0.90B/0.90A      | ----               | ----          | ----            | 0.90 + 0.30              | .0052 | ----                   | ----                     | ----              | ----          | ----             | 16     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5970    | ---- | ----               | ----         | ----            | 0.90B/----         | 0.90B/0.80A      | ----               | ----          | ----            | 0.90 + 0.30              | .0052 | ----                   | ----                     | ----              | ----          | ----             | 55     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5980    | ---- | ----               | ----         | ----            | 0.80B/----         | 0.80B/0.80A      | ----               | ----          | ----            | 0.90 + 0.30              | .0051 | ----                   | ----                     | ----              | ----          | ----             | 3      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 5990    | ---- | ----               | ----         | ----            | 0.80B/----         | 0.80B/0.80A      | ----               | ----          | ----            | 0.90 + 0.30              | .0051 | ----                   | ----                     | ----              | ----          | ----             | 76     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6000    | 0.80 | 0.80               | ----         | ----            | 0.90/0.80          | 0.90/0.80        | ----               | ----          | ----            | 0.90 + 0.30              | .0051 | ----                   | ----                     | 3                 | ----          | ----             | 2259 + | 3    |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6025    | ---- | ----               | ----         | ----            | 0.80B/----         | 0.80B/0.80A      | ----               | ----          | ----            | 0.90 + 0.30              | .0050 | ----                   | ----                     | ----              | ----          | ----             | 34     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6050    | ---- | ----               | ----         | ----            | 0.80B/----         | 0.80B/0.80A      | ----               | ----          | ----            | 0.80 + 0.20              | .0045 | ----                   | ----                     | ----              | ----          | ----             | 45     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6075    | ---- | ----               | ----         | ----            | 0.70B/----         | 0.70B/0.70A      | ----               | ----          | ----            | 0.80 + 0.20              | .0044 | ----                   | ----                     | ----              | ----          | ----             | 713    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6100    | ---- | ----               | ----         | ----            | 0.70B/----         | 0.70B/0.70A      | ----               | ----          | ----            | 0.80 + 0.30              | .0044 | ----                   | ----                     | ----              | ----          | ----             | 290    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6125    | ---- | ----               | ----         | ----            | 0.70B/----         | 0.70B/0.70A      | ----               | ----          | ----            | 0.70 + 0.20              | .0039 | ----                   | ----                     | ----              | ----          | ----             | 59     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6150    | ---- | ----               | ----         | ----            | 0.60B/----         | 0.60B/0.70A      | ----               | ----          | ----            | 0.70 + 0.20              | .0038 | ----                   | ----                     | ----              | ----          | ----             | 881    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6175    | ---- | ----               | ----         | ----            | 0.60B/----         | 0.60B/0.70A      | ----               | ----          | ----            | 0.70 + 0.20              | .0038 | ----                   | ----                     | ----              | ----          | ----             | 37     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6200    | ---- | ----               | ----         | ----            | 0.60B/----         | 0.60B/0.70A      | ----               | ----          | ----            | 0.70 + 0.20              | .0037 | ----                   | ----                     | ----              | ----          | ----             | 567    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6225    | ---- | ----               | ----         | ----            | 0.60B/----         | 0.60B/0.70A      | ----               | ----          | ----            | 0.70 + 0.20              | .0037 | ----                   | ----                     | ----              | ----          | ----             | 20     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6250    | ---- | ----               | ----         | ----            | 0.50B/----         | 0.50B/0.70A      | ----               | ----          | ----            | 0.60 + 0.10              | .0032 | ----                   | ----                     | ----              | ----          | ----             | 392    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6275    | ---- | ----               | ----         | ----            | 0.50B/----         | 0.50B/0.70A      | ----               | ----          | ----            | 0.60 + 0.20              | .0032 | ----                   | ----                     | ----              | ----          | ----             | 3      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6300    | ---- | ----               | ----         | ----            | 0.50B/----         | 0.50B/0.70A      | ----               | ----          | ----            | 0.60 + 0.20              | .0031 | ----                   | ----                     | ----              | ----          | ----             | 336    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6325    | ---- | ----               | ----         | ----            | 0.50B/----         | 0.50B/0.60A      | ----               | ----          | ----            | 0.60 + 0.20              | .0031 | ----                   | ----                     | ----              | ----          | ----             | 29     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6350    | ---- | ----               | ----         | ----            | 0.40B/0.60A        | 0.40B/0.60A      | ----               | ----          | ----            | 0.60 + 0.20              | .0031 | ----                   | ----                     | ----              | ----          | ----             | 21     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6375    | ---- | ----               | ----         | ----            | 0.40B/0.60A        | 0.40B/0.60A      | ----               | ----          | ----            | 0.50 + 0.10              | .0026 | ----                   | ----                     | ----              | ----          | ----             | 37     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6400    | ---- | ----               | ----         | ----            | 0.40B/0.60A        | 0.40B/0.60A      | ----               | ----          | ----            | 0.50 + 0.10              | .0026 | ----                   | ----                     | ----              | ----          | ----             | 171    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6425    | ---- | ----               | ----         | ----            | 0.40B/0.60A        | 0.40B/0.60A      | ----               | ----          | ----            | 0.50 + 0.10              | .0026 | ----                   | ----                     | ----              | ----          | ----             | 17     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6450    | ---- | ----               | ----         | ----            | 0.40B/0.60A        | 0.40B/0.60A      | ----               | ----          | ----            | 0.50 + 0.10              | .0025 | ----                   | ----                     | ----              | ----          | ----             | 48     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6475    | ---- | ----               | ----         | ----            | 0.30B/0.60A        | 0.30B/0.60A      | ----               | ----          | ----            | 0.50 + 0.20              | .0025 | ----                   | ----                     | ----              | ----          | ----             | 13     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6500    | 0.40 | 0.40               | ----         | 0.40/*0.40      | 0.40/*0.40         | 0.40/*0.40       | ----               | ----          | ----            | 0.50 + 0.20              | .0025 | ----                   | ----                     | 100               | ----          | ----             | 584 -  | 50   |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6525    | ---- | ----               | ----         | ----            | 0.30B/0.60A        | 0.30B/0.60A      | ----               | ----          | ----            | 0.40 + 0.10              | .0020 | ----                   | ----                     | ----              | ----          | ----             | 132    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6550    | ---- | ----               | ----         | ----            | 0.30B/0.60A        | 0.30B/0.60A      | ----               | ----          | ----            | 0.40 + 0.10              | .0020 | ----                   | ----                     | ----              | ----          | ----             | 11     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6575    | ---- | ----               | ----         | ----            | 0.30B/0.60A        | 0.30B/0.60A      | ----               | ----          | ----            | 0.40 + 0.10              | .0020 | ----                   | ----                     | ----              | ----          | ----             | 4      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6600    | ---- | ----               | ----         | ----            | 0.30B/0.60A        | 0.30B/0.60A      | ----               | ----          | ----            | 0.40 + 0.10              | .0020 | ----                   | ----                     | ----              | ----          | ----             | 27     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6650    | ---- | ----               | ----         | ----            | 0.20B/0.60A        | 0.20B/0.60A      | ----               | ----          | ----            | 0.40 + 0.10              | .0019 | ----                   | ----                     | ----              | ----          | ----             | 16     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6675    | ---- | ----               | ----         | ----            | 0.30B/0.60A        | 0.30B/0.60A      | ----               | ----          | ----            | 0.40 + 0.10              | .0019 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6700    | ---- | ----               | ----         | ----            | 0.20B/0.60A        | 0.20B/0.60A      | ----               | ----          | ----            | 0.40 + 0.10              | .0019 | ----                   | ----                     | ----              | ----          | ----             | 127    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6775    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6800    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 202    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6825    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 19     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6850    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 201    | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6875    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 22     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6900    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 19     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6925    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6950    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 22     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 6975    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0014 | ----                   | ----                     | ----              | ----          | ----             | 10     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 7000    | ---- | ----               | ----         | ----            | 0.30 + 0.10        | 0.30 + 0.10      | ----               | ----          | ----            | 0.30 + 0.10              | .0013 | ----                   | ----                     | ----              | ----          | ----             | 1470   | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 7025    | ---- | ----               | ----         | ----            | 0.20 UNCH          | 0.20 UNCH        | ----               | ----          | ----            | 0.20 UNCH                | .0009 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 7050    | ---- | ----               | ----         | ----            | 0.20 UNCH          | 0.20 UNCH        | ----               | ----          | ----            | 0.20 UNCH                | .0009 | ----                   | ----                     | ----              | ----          | ----             | 18     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 7075    | ---- | ----               | ----         | ----            | 0.20 UNCH          | 0.20 UNCH        | ----               | ----          | ----            | 0.20 UNCH                | .0009 | ----                   | ----                     | ----              | ----          | ----             | 13     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 7100    | ---- | ----               | ----         | ----            | 0.20 UNCH          | 0.20 UNCH        | ----               | ----          | ----            | 0.20 UNCH                | .0009 | ----                   | ----                     | ----              | ----          | ----             | 28     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 7125    | ---- | ----               | ----         | ----            | 0.20 UNCH          | 0.20 UNCH        | ----               | ----          | ----            | 0.20 UNCH                | .0009 | ----                   | ----                     | ----              | ----          | ----             | 1      | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |
| 7150    | ---- | ----               | ----         | ----            | 0.20 UNCH          | 0.20 UNCH        | ----               | ----          | ----            | 0.20 UNCH                | .0009 | ----                   | ----                     | ----              | ----          | ----             | 20     | UNCH |  |  |  |                   |  |      |  |  |  |  |  |  |  |  |  |



| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |  |
|----------------|--------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|------|--|
| OG CALL        |        | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |      |  |
| AUG26          |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |      |  |
| 3920           | ----   | ----                   | ----            | 637.90B/506.90A    | 637.90B/506.90A            | ----                    | ----            | 627.60 + 47.20           | .9227 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 3925           | ----   | ----                   | ----            | 633.30B/502.40A    | 633.30B/502.40A            | ----                    | ----            | 622.90 + 47.10           | .9214 | ----          | ----                     | ----              | ----          | ----             | 10   | UNCH |  |
| 3950           | ----   | ----                   | ----            | 609.60B/480.10A    | 609.60B/480.10A            | ----                    | ----            | 599.50 + 46.80           | .9149 | ----          | ----                     | ----              | ----          | ----             | 106  | UNCH |  |
| 3955           | ----   | ----                   | ----            | 605.10B/476.00A    | 605.10B/476.00A            | ----                    | ----            | 594.80 + 46.70           | .9136 | ----          | ----                     | ----              | ----          | ----             | 7    | UNCH |  |
| 3975           | ----   | ----                   | ----            | 586.60B/458.30A    | 586.60B/458.30A            | ----                    | ----            | 576.20 + 46.30           | .9077 | ----          | ----                     | ----              | ----          | ----             | 200  | UNCH |  |
| 3995           | ----   | ----                   | ----            | 567.90B/440.90A    | 567.90B/440.90A            | ----                    | ----            | 557.80 + 46.00           | .9015 | ----          | ----                     | ----              | ----          | ----             | 30   | UNCH |  |
| 4000           | 454.20 | 454.20                 | ----            | 563.70B/436.50A    | 563.70B/436.50A            | ----                    | ----            | 553.20 + 46.00           | .8998 | ----          | ----                     | 1                 | ----          | ----             | 723  | -    |  |
| 4005           | ----   | ----                   | ----            | 559.10B/432.60A    | 559.10B/432.60A            | ----                    | ----            | 548.60 + 45.90           | .8982 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4015           | ----   | ----                   | ----            | 549.60B/423.70A    | 549.60B/423.70A            | ----                    | ----            | 539.50 + 45.70           | .8948 | ----          | ----                     | ----              | ----          | ----             | 12   | UNCH |  |
| 4025           | ----   | ----                   | ----            | 540.70B/415.60A    | 540.70B/415.60A            | ----                    | ----            | 530.40 + 45.60           | .8912 | ----          | ----                     | ----              | ----          | ----             | 174  | UNCH |  |
| 4045           | ----   | ----                   | ----            | 522.60B/398.80A    | 522.60B/398.80A            | ----                    | ----            | 512.30 + 45.20           | .8838 | ----          | ----                     | ----              | ----          | ----             | 30   | UNCH |  |
| 4050           | ----   | ----                   | ----            | 518.10B/394.60A    | 518.10B/394.60A            | ----                    | ----            | 507.80 + 45.10           | .8819 | ----          | ----                     | ----              | ----          | ----             | 100  | UNCH |  |
| 4055           | ----   | ----                   | ----            | 513.50B/390.20A    | 513.50B/390.20A            | ----                    | ----            | 503.30 + 45.00           | .8799 | ----          | ----                     | ----              | ----          | ----             | 100  | UNCH |  |
| 4075           | ----   | ----                   | ----            | 495.80B/374.00A    | 495.80B/374.00A            | ----                    | ----            | 485.40 + 44.50           | .8718 | ----          | ----                     | ----              | ----          | ----             | 3    | UNCH |  |
| 4080           | ----   | ----                   | ----            | 491.20B/369.70A    | 491.20B/369.70A            | ----                    | ----            | 481.00 + 44.50           | .8695 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4090           | ----   | ----                   | ----            | 482.40B/361.60A    | 482.40B/361.60A            | ----                    | ----            | 472.10 + 44.20           | .8652 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4100           | ----   | ----                   | ----            | 473.70B/353.70A    | 473.70B/353.70A            | ----                    | ----            | 463.30 + 44.00           | .8606 | ----          | ----                     | ----              | ----          | ----             | 73   | UNCH |  |
| 4110           | ----   | ----                   | ----            | 464.90B/345.60A    | 464.90B/345.60A            | ----                    | ----            | 454.60 + 43.80           | .8559 | ----          | ----                     | ----              | ----          | ----             | 19   | UNCH |  |
| 4115           | ----   | ----                   | ----            | 460.10B/341.60A    | 460.10B/341.60A            | ----                    | ----            | 450.20 + 43.60           | .8536 | ----          | ----                     | ----              | ----          | ----             | 2    | UNCH |  |
| 4135           | ----   | ----                   | ----            | 443.20B/326.20A    | 443.20B/326.20A            | ----                    | ----            | 433.00 + 43.20           | .8435 | ----          | ----                     | ----              | ----          | ----             | 20   | UNCH |  |
| 4140           | ----   | ----                   | ----            | 438.80B/322.30A    | 438.80B/322.30A            | ----                    | ----            | 428.70 + 43.00           | .8408 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4150           | ----   | ----                   | ----            | 430.30B/314.70A    | 430.30B/314.70A            | ----                    | ----            | 420.20 + 42.80           | .8356 | ----          | ----                     | ----              | ----          | ----             | 40   | UNCH |  |
| 4165           | ----   | ----                   | ----            | 417.50B/303.40A    | 417.50B/303.40A            | ----                    | ----            | 407.50 + 42.40           | .8272 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4195           | ----   | ----                   | ----            | 392.60B/281.40A    | 392.60B/281.40A            | ----                    | ----            | 382.60 + 41.50           | .8096 | ----          | ----                     | ----              | ----          | ----             | 3    | UNCH |  |
| 4200           | ----   | ----                   | ----            | 388.50B/277.90A    | 388.50B/277.90A            | ----                    | ----            | 378.50 + 41.40           | .8064 | ----          | ----                     | ----              | ----          | ----             | 73   | UNCH |  |
| 4215           | ----   | ----                   | ----            | 376.20B/267.20A    | 376.20B/267.20A            | ----                    | ----            | 366.30 + 40.90           | .7968 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4220           | ----   | ----                   | ----            | 372.30B/263.70A    | 372.30B/263.70A            | ----                    | ----            | 362.30 + 40.70           | .7936 | ----          | ----                     | ----              | ----          | ----             | 16   | UNCH |  |
| 4225           | ----   | ----                   | ----            | 368.30B/260.20A    | 368.30B/260.20A            | ----                    | ----            | 358.30 + 40.60           | .7902 | ----          | ----                     | ----              | ----          | ----             | 102  | UNCH |  |
| 4235           | ----   | ----                   | ----            | 360.20B/253.30A    | 360.20B/253.30A            | ----                    | ----            | 350.30 + 40.20           | .7834 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4250           | ----   | ----                   | ----            | 349.00B/243.20A    | 349.00B/243.20A            | ----                    | ----            | 338.50 + 39.70           | .7729 | ----          | ----                     | ----              | ----          | ----             | 71   | UNCH |  |
| 4255           | ----   | ----                   | ----            | 344.50B/239.80A    | 344.50B/239.80A            | ----                    | ----            | 334.60 + 39.50           | .7694 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4265           | ----   | ----                   | ----            | 337.30B/233.40A    | 337.30B/233.40A            | ----                    | ----            | 326.90 + 39.20           | .7620 | ----          | ----                     | ----              | ----          | ----             | 77   | UNCH |  |
| 4285           | ----   | ----                   | ----            | 321.70B/220.60A    | 321.70B/220.60A            | ----                    | ----            | 311.70 + 38.40           | .7470 | ----          | ----                     | ----              | ----          | ----             | 8    | UNCH |  |
| 4300           | ----   | ----                   | ----            | 310.80B/211.10A    | 310.80B/211.10A            | ----                    | ----            | 300.60 + 37.90           | .7351 | ----          | ----                     | ----              | ----          | ----             | 43   | UNCH |  |
| 4310           | ----   | ----                   | ----            | 303.00B/205.10A    | 303.00B/205.10A            | ----                    | ----            | 293.30 + 37.50           | .7271 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4320           | ----   | ----                   | ----            | 295.70B/199.50A    | 295.70B/199.50A            | ----                    | ----            | 286.00 + 37.10           | .7189 | ----          | ----                     | ----              | ----          | ----             | 2    | UNCH |  |
| 4325           | ----   | ----                   | ----            | 292.20B/196.60A    | 292.20B/196.60A            | ----                    | ----            | 282.40 + 36.80           | .7148 | ----          | ----                     | ----              | ----          | ----             | 6    | UNCH |  |
| 4330           | ----   | ----                   | ----            | 289.00B/193.70A    | 289.00B/193.70A            | ----                    | ----            | 278.90 + 36.70           | .7105 | ----          | ----                     | ----              | ----          | ----             | 201  | UNCH |  |
| 4350           | ----   | ----                   | ----            | 274.80B/182.30A    | 274.80B/182.30A            | ----                    | ----            | 264.90 + 35.90           | .6933 | ----          | ----                     | ----              | ----          | ----             | 774  | UNCH |  |
| 4360           | ----   | ----                   | ----            | 267.60B/176.70A    | 267.60B/176.70A            | ----                    | ----            | 258.10 + 35.50           | .6845 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4375           | ----   | ----                   | ----            | 257.50B/168.50A    | 257.50B/168.50A            | ----                    | ----            | 248.00 + 34.80           | .6709 | ----          | ----                     | ----              | ----          | ----             | 3    | UNCH |  |
| 4385           | ----   | ----                   | ----            | 251.10B/163.30A    | 251.10B/163.30A            | ----                    | ----            | 241.40 + 34.40           | .6618 | ----          | ----                     | ----              | ----          | ----             | 100  | UNCH |  |
| 4390           | ----   | ----                   | ----            | 247.50B/160.80A    | 247.50B/160.80A            | ----                    | ----            | 238.10 + 34.10           | .6572 | ----          | ----                     | ----              | ----          | ----             | 1    | UNCH |  |
| 4400           | 155.00 | 155.00                 | ----            | 241.30B/154.00     | 241.30B/154.00             | ----                    | ----            | 231.70 + 33.70           | .6478 | ----          | ----                     | 25                | ----          | ----             | 338  | +    |  |
| 4420           | 156.80 | 156.80                 | ----            | 228.50B/145.90A    | 228.50B/145.90A            | ----                    | ----            | 219.20 + 32.80           | .6288 | ----          | ----                     | 7                 | ----          | ----             | 56   | +    |  |
| 4425           | 151.70 | 151.70                 | ----            | 225.30B/143.60A    | 225.30B/143.60A            | ----                    | ----            | 216.10 + 32.60           | .6240 | ----          | ----                     | 12                | ----          | ----             | 12   | +    |  |
| 4430           | 153.20 | 153.20                 | ----            | 222.20B/141.20A    | 222.20B/141.20A            | ----                    | ----            | 213.10 NEW               | .6191 | ----          | ----                     | 3                 | ----          | ----             | 3    | +    |  |
| 4435           | 155.00 | 155.00                 | ----            | 219.00B/138.90A    | 219.00B/138.90A            | ----                    | ----            | 210.00 NEW               | .6143 | ----          | ----                     | 1                 | ----          | ----             | 1    | +    |  |
| 4440           | ----   | ----                   | ----            | 216.00B/136.60A    | 216.00B/136.60A            | ----                    | ----            | 207.10 + 31.90           | .6094 | ----          | ----                     | ----              | ----          | ----             | 2    | UNCH |  |
| 4445           | 140.80 | 140.80                 | ----            | 213.00B/134.30A    | 213.00B/134.30A            | ----                    | ----            | 204.10 NEW               | .6045 | ----          | ----                     | 1                 | ----          | ----             | 1    | +    |  |
| 4450           | 160.50 | 160.50                 | ----            | 210.20B/132.10A    | 210.20B/132.10A            | ----                    | ----            | 201.20 + 31.40           | .5996 | ----          | ----                     | ----              | ----          | ----             | 24   | +    |  |
| 4455           | 153.40 | 153.40                 | ----            | 207.20B/129.80A    | 207.20B/129.80A            | ----                    | ----            | 198.30 + 31.20           | .5946 | ----          | ----                     | 4                 | ----          | ----             | 5    | +    |  |
| 4460           | 142.80 | 142.80                 | ----            | 204.30B/127.70A    | 204.30B/127.70A            | ----                    | ----            | 195.40 + 30.90           | .5897 | ----          | ----                     | 11                | ----          | ----             | 15   | +    |  |
| 4465           | ----   | ----                   | ----            | 201.40B/125.50A    | 201.40B/125.50A            | ----                    | ----            | 192.50 + 30.60           | .5847 | ----          | ----                     | ----              | ----          | ----             | 9    | UNCH |  |
| 4470           | ----   | ----                   | ----            | 198.50B/123.40A    | 198.50B/123.40A            | ----                    | ----            | 189.70 + 30.40           | .5797 | ----          | ----                     | 12                | ----          | ----             | 19   | +    |  |
| 4475           | 127.40 | 127.40                 | ----            | 195.70B/121.30A    | 195.70B/121.30A            | ----                    | ----            | 186.90 + 30.20           | .5747 | ----          | ----                     | 33                | ----          | ----             | 61   | +    |  |
| 4480           | 125.90 | 125.90                 | ----            | 192.90B/119.30A    | 192.90B/119.30A            | ----                    | ----            | 184.20 + 30.00           | .5696 | ----          | ----                     | 6                 | ----          | ----             | 25   | +    |  |
| 4485           | ----   | ----                   | ----            | 190.10B/117.20A    | 190.10B/117.20A            | ----                    | ----            | 181.40 + 29.70           | .5646 | ----          | ----                     | ----              | ----          | ----             | 21   | UNCH |  |
| 4490           | ----   | ----                   | ----            | 187.40B/115.20A    | 187.40B/115.20A            | ----                    | ----            | 178.70 + 29.50           | .5595 | ----          | ----                     | ----              | ----          | ----             | 11   | UNCH |  |
| 4500           | 134.00 | 134.00                 | ----            | 181.90B/110.60     | 181.90B/110.60             | ----                    | ----            | 173.40 + 29.00           | .5494 | ----          | ----                     | 153               | ----          | ----             | 1232 | +    |  |
| 4505           | 116.00 | 116.00                 | ----            | 179.30B/109.10     | 179.30B/109.10A            | ----                    | ----            | 170.70 + 28.70           | .5443 | ----          | ----                     | 14                | ----          | ----             | 22   | +    |  |
| 4510           | 127.80 | 127.80                 | ----            | 176.70B/107.50     | 176.70B/107.50A            | ----                    | ----            | 168.10 + 28.50           | .5392 | ----          | ----                     | 3                 | ----          | ----             | 8    | +    |  |
| 4515           | 105.00 | 105.00                 | ----            | 174.00B/105.00     | 174.00B/105.00             | ----                    | ----            | 165.60 + 28.30           | .5341 | ----          | ----                     | 3                 | ----          | ----             | 10   | +    |  |
| 4520           | 107.90 | 107.90                 | ----            | 171.40B/103.70     | 171.40B/103.70A            | ----                    | ----            | 163.00 + 28.00           | .5290 | ----          | ----                     | 17                | ----          | ----             | 29   | +    |  |
| 4525           | ----   | ----                   | ----            |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |      |  |

| GLOBEX<br>OPEN |       | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|-------|--------------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |       | COMEX GOLD OPTIONS |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| AUG26          |       |                    |                 |                    |                  |                 |               |                 |                          |       |               |                          |                   |               |                  |      |
| 4900           | 27.00 | 27.00              |                 | 48.00B/25.30A      | 48.00B/25.30A    | ----            | ----          | ----            | 44.40 + 11.10            | .2013 | ----          | ----                     | 286               | ----          | 1188 -           | 80   |
| 4905           | ----  | ----               |                 | 47.10B/*24.90A     | 47.10B/*24.90A   | ----            | ----          | ----            | 43.70 + 11.00            | .1985 | ----          | ----                     | 1                 | ----          | 14               | UNCH |
| 4910           | ----  | ----               |                 | 46.40B/*24.40A     | 46.40B/*24.40A   | ----            | ----          | ----            | 42.90 + 10.80            | .1955 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 4915           | 24.30 | 24.30              |                 | 45.60B/*24.00A     | 45.60B/*24.00A   | ----            | ----          | ----            | 42.10 + 10.60            | .1925 | ----          | ----                     | 15                | ----          | 40 +             | 14   |
| 4920           | ----  | ----               |                 | 44.80B/*23.50A     | 44.80B/*23.50A   | ----            | ----          | ----            | 41.40 + 10.50            | .1898 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 4925           | ----  | ----               |                 | 44.00B/*23.10A     | 44.00B/*23.10A   | ----            | ----          | ----            | 40.70 + 10.30            | .1870 | ----          | ----                     | ----              | ----          | 308              | UNCH |
| 4930           | 41.20 | 41.20              |                 | 43.20/*22.70A      | 43.20/*22.70A    | ----            | ----          | ----            | 40.00 + 10.20            | .1843 | ----          | 7                        | ----              | ----          | 46 +             | 6    |
| 4935           | ----  | ----               |                 | 42.50B/*22.30A     | 42.50B/*22.30A   | ----            | ----          | ----            | 39.30 + 10.00            | .1815 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 4940           | ----  | ----               |                 | 41.70B/*21.90A     | 41.70B/*21.90A   | ----            | ----          | ----            | 38.60 + 9.90             | .1788 | ----          | ----                     | ----              | ----          | 46               | UNCH |
| 4945           | ----  | ----               |                 | 41.00B/*21.50A     | 41.00B/*21.50A   | ----            | ----          | ----            | 37.90 + 9.70             | .1761 | ----          | ----                     | ----              | ----          | 83               | UNCH |
| 4950           | 27.70 | 27.70              |                 | 40.30B/*21.10A     | 40.30B/*21.10A   | ----            | ----          | ----            | 37.30 + 9.60             | .1736 | ----          | ----                     | 152               | ----          | 532 -            | 22   |
| 4955           | ----  | ----               |                 | 39.60B/*20.80A     | 39.60B/*20.80A   | ----            | ----          | ----            | 36.60 + 9.40             | .1709 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 4960           | ----  | ----               |                 | 38.90B/*20.40A     | 38.90B/*20.40A   | ----            | ----          | ----            | 36.00 + 9.30             | .1684 | ----          | ----                     | ----              | ----          | 37               | UNCH |
| 4965           | ----  | ----               |                 | 38.20B/*20.10A     | 38.20B/*20.10A   | ----            | ----          | ----            | 35.40 + 9.20             | .1660 | ----          | ----                     | ----              | ----          | 23               | UNCH |
| 4970           | ----  | ----               |                 | 37.60B/*19.70A     | 37.60B/*19.70A   | ----            | ----          | ----            | 34.80 + 9.00             | .1635 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 4975           | ----  | ----               |                 | 36.90B/*19.40A     | 36.90B/*19.40A   | ----            | ----          | ----            | 34.20 + 8.90             | .1611 | ----          | 1                        | ----              | ----          | 8 -              | 1    |
| 4980           | ----  | ----               |                 | 36.30B/*19.00A     | 36.30B/*19.00A   | ----            | ----          | ----            | 33.60 + 8.80             | .1586 | ----          | ----                     | ----              | ----          | 14               | UNCH |
| 4985           | ----  | ----               |                 | 35.70B/*18.70A     | 35.70B/*18.70A   | ----            | ----          | ----            | 33.00 + 8.60             | .1562 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 4990           | ----  | ----               |                 | 35.10B/*18.40A     | 35.10B/*18.40A   | ----            | ----          | ----            | 32.40 + 8.40             | .1538 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4995           | 21.80 | 21.80              |                 | 34.40B/*18.10A     | 34.40B/*18.10A   | ----            | ----          | ----            | 31.90 + 8.40             | .1516 | ----          | 4                        | ----              | ----          | 8 +              | 4    |
| 5000           | 18.60 | 18.60              |                 | 33.90B/*17.80A     | 33.90B/*17.80A   | ----            | ----          | ----            | 31.30 + 8.20             | .1492 | ----          | 477                      | ----              | 2938 +        | 234              | UNCH |
| 5005           | 26.40 | 26.40              |                 | 33.30B/*17.50A     | 33.30B/*17.50A   | ----            | ----          | ----            | 30.80 + 8.10             | .1471 | ----          | 1                        | ----              | 15            | UNCH             |      |
| 5010           | 25.90 | 25.90              |                 | 32.70B/*17.20A     | 32.70B/*17.20A   | ----            | ----          | ----            | 30.30 + 8.00             | .1449 | ----          | 1                        | ----              | 3             | -                | 1    |
| 5015           | 25.50 | 25.50              |                 | 32.20B/*16.90A     | 32.20B/*16.90A   | ----            | ----          | ----            | 29.80 + 7.90             | .1428 | ----          | 1                        | ----              | 22            | -                | 2    |
| 5020           | 25.10 | 25.10              |                 | 31.60B/*16.60A     | 31.60B/*16.60A   | ----            | ----          | ----            | 29.30 + 7.80             | .1407 | ----          | 3                        | ----              | 32            | UNCH             |      |
| 5025           | 24.60 | 24.60              |                 | 31.10B/*16.30A     | 31.10B/*16.30A   | ----            | ----          | ----            | 28.80 + 7.60             | .1386 | ----          | 14                       | ----              | 233 +         | 1                |      |
| 5030           | 24.20 | 24.20              |                 | 30.60B/*16.10A     | 30.60B/*16.10A   | ----            | ----          | ----            | 28.30 + 7.50             | .1365 | ----          | 30                       | ----              | 208           | -                | 20   |
| 5035           | 23.80 | 23.80              |                 | 30.00B/*15.80A     | 30.00B/*15.80A   | ----            | ----          | ----            | 27.80 + 7.40             | .1344 | ----          | 114                      | ----              | 73 -          | 57               | UNCH |
| 5040           | ----  | ----               |                 | 29.60B/*15.50A     | 29.60B/*15.50A   | ----            | ----          | ----            | 27.30 + 7.20             | .1323 | ----          | ----                     | ----              | 33            | UNCH             |      |
| 5045           | ----  | ----               |                 | 29.00B/*15.30A     | 29.00B/*15.30A   | ----            | ----          | ----            | 26.90 + 7.20             | .1304 | ----          | ----                     | ----              | 34            | UNCH             |      |
| 5050           | 15.90 | 15.90              |                 | 28.60B/*15.00A     | 28.60B/*15.00A   | ----            | ----          | ----            | 26.40 + 7.00             | .1284 | ----          | 17                       | ----              | 431 +         | 10               | UNCH |
| 5055           | ----  | ----               |                 | 28.10B/*14.80A     | 28.10B/*14.80A   | ----            | ----          | ----            | 26.00 + 6.90             | .1266 | ----          | 1                        | ----              | 7 +           | 1                |      |
| 5060           | ----  | ----               |                 | 27.60B/*14.60A     | 27.60B/*14.60A   | ----            | ----          | ----            | 25.60 + 6.80             | .1248 | ----          | ----                     | ----              | 34            | UNCH             |      |
| 5065           | ----  | ----               |                 | 27.20B/*14.30A     | 27.20B/*14.30A   | ----            | ----          | ----            | 25.10 + 6.70             | .1227 | ----          | ----                     | ----              | 43            | UNCH             |      |
| 5070           | ----  | ----               |                 | 26.70B/*14.10A     | 26.70B/*14.10A   | ----            | ----          | ----            | 24.70 + 6.60             | .1209 | ----          | ----                     | ----              | 61            | UNCH             |      |
| 5075           | ----  | ----               |                 | 26.30B/*13.90A     | 26.30B/*13.90A   | ----            | ----          | ----            | 24.30 + 6.50             | .1191 | ----          | ----                     | ----              | 306           | UNCH             |      |
| 5080           | ----  | ----               |                 | 25.80B/*13.70A     | 25.80B/*13.70A   | ----            | ----          | ----            | 23.90 + 6.40             | .1174 | ----          | ----                     | ----              | 24            | UNCH             |      |
| 5085           | ----  | ----               |                 | 25.40B/*13.50A     | 25.40B/*13.50A   | ----            | ----          | ----            | 23.50 + 6.30             | .1156 | ----          | ----                     | ----              | 161           | UNCH             |      |
| 5090           | 24.60 | 24.60              |                 | 25.00B/*13.30A     | 25.00B/*13.30A   | ----            | ----          | ----            | 23.20 + 6.20             | .1141 | ----          | 2                        | ----              | 7 +           | 2                | UNCH |
| 5095           | ----  | ----               |                 | 24.60B/*13.10A     | 24.60B/*13.10A   | ----            | ----          | ----            | 22.80 + 6.10             | .1124 | ----          | ----                     | ----              | 5             | UNCH             |      |
| 5100           | 15.30 | 15.30              |                 | 24.20B/*12.90A     | 24.20B/*12.90A   | ----            | ----          | ----            | 22.40 + 6.00             | .1106 | ----          | 716                      | 1175              | 5029 +        | 1131             | UNCH |
| 5105           | ----  | ----               |                 | 23.80B/*12.70A     | 23.80B/*12.70A   | ----            | ----          | ----            | 22.00 + 5.80             | .1089 | ----          | ----                     | ----              | 7             | UNCH             |      |
| 5110           | ----  | ----               |                 | 23.40B/*12.50A     | 23.40B/*12.50A   | ----            | ----          | ----            | 21.70 + 5.80             | .1075 | ----          | ----                     | ----              | 14            | UNCH             |      |
| 5115           | ----  | ----               |                 | 23.10B/*12.30A     | 23.10B/*12.30A   | ----            | ----          | ----            | 21.30 + 5.70             | .1057 | ----          | ----                     | ----              | 14            | UNCH             |      |
| 5120           | ----  | ----               |                 | 22.70B/*12.10A     | 22.70B/*12.10A   | ----            | ----          | ----            | 21.00 + 5.60             | .1043 | ----          | ----                     | ----              | 360           | UNCH             |      |
| 5125           | 22.00 | 22.00              |                 | 22.30B/*11.90A     | 22.30B/*11.90A   | ----            | ----          | ----            | 20.70 + 5.50             | .1029 | ----          | 2                        | ----              | 349 +         | 2                | UNCH |
| 5130           | ----  | ----               |                 | 22.00B/*11.80A     | 22.00B/*11.80A   | ----            | ----          | ----            | 20.30 + 5.40             | .1012 | ----          | ----                     | ----              | 13            | UNCH             |      |
| 5135           | 20.70 | 20.70              |                 | 21.60B/*11.60A     | 21.60B/*11.60A   | ----            | ----          | ----            | 20.00 + 5.30             | .0998 | ----          | 1                        | ----              | 24            | UNCH             |      |
| 5140           | ----  | ----               |                 | 21.30B/*11.40A     | 21.30B/*11.40A   | ----            | ----          | ----            | 19.70 + 5.30             | .0984 | ----          | ----                     | ----              | 25            | UNCH             |      |
| 5145           | ----  | ----               |                 | 20.90B/*11.30A     | 20.90B/*11.30A   | ----            | ----          | ----            | 19.40 + 5.20             | .0970 | ----          | ----                     | ----              | 12            | UNCH             |      |
| 5150           | 11.00 | 11.00              |                 | 20.60B/*11.00A     | 20.60B/*11.00A   | ----            | ----          | ----            | 19.10 + 5.10             | .0956 | ----          | 4                        | ----              | 123 +         | 1                | UNCH |
| 5155           | ----  | ----               |                 | 20.30B/*10.90A     | 20.30B/*10.90A   | ----            | ----          | ----            | 18.80 + 5.00             | .0942 | ----          | ----                     | ----              | 25            | UNCH             |      |
| 5160           | ----  | ----               |                 | 20.00B/*10.80A     | 20.00B/*10.80A   | ----            | ----          | ----            | 18.50 + 4.90             | .0928 | ----          | ----                     | ----              | 16            | UNCH             |      |
| 5165           | ----  | ----               |                 | 19.70B/*10.60A     | 19.70B/*10.60A   | ----            | ----          | ----            | 18.20 + 4.80             | .0914 | ----          | ----                     | ----              | 24            | UNCH             |      |
| 5170           | 11.50 | 11.50              |                 | 19.40B/*10.50A     | 19.40B/*10.50A   | ----            | ----          | ----            | 18.00 + 4.80             | .0904 | ----          | 1                        | ----              | 12 +          | 1                | UNCH |
| 5175           | ----  | ----               |                 | 19.10B/*10.30A     | 19.10B/*10.30A   | ----            | ----          | ----            | 17.70 + 4.70             | .0890 | ----          | ----                     | ----              | 362           | UNCH             |      |
| 5180           | ----  | ----               |                 | 18.80B/*10.20A     | 18.80B/*10.20A   | ----            | ----          | ----            | 17.40 + 4.60             | .0876 | ----          | ----                     | ----              | 2             | UNCH             |      |
| 5185           | ----  | ----               |                 | 18.50B/*10.10A     | 18.50B/*10.10A   | ----            | ----          | ----            | 17.20 + 4.60             | .0866 | ----          | ----                     | ----              | 1             | UNCH             |      |
| 5190           | 18.00 | 18.00              |                 | 18.20B/*9.90A      | 18.20B/*9.90A    | ----            | ----          | ----            | 16.90 + 4.50             | .0852 | ----          | 9                        | ----              | 33 +          | 5                | UNCH |
| 5195           | ----  | ----               |                 | 17.90B/*9.80A      | 17.90B/*9.80A    | ----            | ----          | ----            | 16.60 + 4.40             | .0839 | ----          | 1                        | ----              | 42            | UNCH             |      |
| 5200           | 10.30 | 10.30              |                 | 17.70B/*9.70A      | 17.70B/*9.70A    | ----            | ----          | ----            | 16.40 + 4.40             | .0829 | ----          | 237                      | ----              | 3651 +        | 202              | UNCH |
| 5205           | ----  | ----               |                 | 17.40B/*9.50A      | 17.40B/*9.50A    | ----            | ----          | ----            | 16.20 + 4.40             | .0818 | ----          | ----                     | ----              | 6             | UNCH             |      |
| 5210           | ----  | ----               |                 | 17.10B/*9.40A      | 17.10B/*9.40A    | ----            | ----          | ----            | 15.90 + 4.20             | .0805 | ----          | ----                     | ----              | 8             | UNCH             |      |
| 5215           | ----  | ----               |                 | 16.90B/*9.30A      | 16.90B/*9.30A    | ----            | ----          | ----            | 15.70 + 4.20             | .0795 | ----          | ----                     | ----              | 15            | UNCH             |      |
| 5220           | ----  | ----               |                 | 16.60B/*9.20A      | 16.60B/*9.20A    | ----            | ----          | ----            | 15.50 + 4.20             | .0785 | ----          | ----                     | ----              | 291           | UNCH             |      |
| 5225           | ----  | ----               |                 | 16.40B/*9.00A      | 16.40B/*9.00A    | ----            | ----          | ----            | 15.20 + 4.10             | .0771 | ----          | ----                     | ----              | 55            | UNCH             |      |
| 5230           | ----  | ----               |                 | 16.20B/*8.90A      | 16.20B/*8.90A    | ----            | ----          | ----            | 15.00 + 4.00             | .0761 | ----          | ----                     | ----              | 11            | UNCH             |      |
| 5235           | ----  | ----               |                 | 15.90B/*8.80A      | 15.90B/*8.80A    | ----            | ----          | ----            | 14.80 + 4.00             | .0752 | ----          | ----                     | ----              | 20            | UNCH             |      |
| 5240           | ----  | ----               |                 | 15.70B/*8.70A      | 15.70B/*8.70A    | ----            | ----          | ----            | 14.60 + 4.00             | .0742 | ----          | ----                     | ----              | 34            | UNCH             |      |
| 5245           | ----  | ----               |                 | 15.50B/*8.60A      | 15.50B/*8.60A    | ----            | ----          | ----            | 14.40 + 3.90             | .0732 | ----          | ----                     | ----              | 17            | UNCH             |      |
| 5250           | 9.40  | 9.40               |                 | 15.30B/*8.50A      | 15.30B/*8.50A    | ----            | ----          | ----            | 14.20 + 3.90             | .0722 | ----          | 5                        | ----              | 736 +         | 2                | UNCH |
| 5255           | ----  | ----               |                 | 15.00B/*8.40A      | 15.00B/*8.40A    | ----            | ----          | ----            | 14.00 + 3.80             | .0712 | ----          | ----                     | ----              | 905           | UNCH             |      |
| 5260           | ----  | ----               |                 | 14.80B/*8.30A      | 14.80B/*8.30A    | ----            | ----          | ----            | 13.80 + 3.80             | .0702 | ----          | ----                     | ----              | 34            | UNCH             |      |
| 5265           | ----  | ----               |                 | 14.60B/*8.20A      | 14.60B/*8.20A    | ----            | ----          | ----            | 13.60 + 3.70             | .0693 | ----          | ----                     | ----              | 13            | UNCH             |      |
| 5270           | 13.50 | 13.50              |                 | 14.40B/*8.10A      | 14.40B/*8.10A    | ----            | ----          | ----            | 13.40 + 3.60             | .0683 | ----          | 5                        | ----              | 153 +         | 2                | UNCH |
| 5275           | 14.00 | 14.00              |                 | 14.20B/*8.00A      | 14.20B/*8.00A    | ----            | ----          | ----            | 13.20 + 3.60             | .0673 | ----          | 2                        | ----              | 16            | UNCH             |      |
| 5280           | ----  | ----               |                 | 14.00B/*7.90A      | 14.00B/*7.90A    | ----            | ----          | ----            | 13.10 + 3.60             | .0667 | ----          | ----                     | ----              | 207           | UNCH             |      |
| 5285           | ----  | ----               |                 | 13.80B/*7.80A      | 13.80B/*7.80A    | ----            | ----          | ----            | 12.90 + 3.50             | .0658 | ----          | ----                     | ----              | 32            | UNCH             |      |
| 5290           | ----  | ----               |                 | 13.60B/*7.70A      | 13.60B/*7.70A    | ----            | ----          | ----            | 12.70 + 3.50             | .0648 | ----          | ----                     | ----              | 22            | UNCH             |      |
| 5295           | ----  | ----               |                 | 13.50B/*7.60A      | 13.50B/*7.60A    | ----            | ----          | ----            | 12.50 + 3.40             | .0639 | ----          | ----                     | ----              | 6             | UNCH             |      |
| 5300           | ----  | ----               |                 | 13.30B/*7.50A      | 13.30B/*7.50A    | ----            | ----          | ----            | 12.40 + 3.40             | .0633 | ----          | 15                       | ----              | 1180 +        | 5                | UNCH |
| 5305           | ----  | ----               |                 | 13.10B/*7.40A      | 13.10B/*7.40A    | ----            | ----          | ----            | 12.20 + 3.30             | .0623 | ----          | ----                     | ----              | 17            | UNCH             |      |
| 5310           | ----  | ----               |                 | 12.90B/*7.40A      | 12.90B/*7.40A    | ----            | ----          | ----            | 12.10 + 3.30             | .0617 | ----          | ----                     | ----              | 107           | UNCH             |      |
| 5320           | ----  | ----               |                 | 12.60B/*7.20A      | 12.60B/*7.20A    | ----            | ----          | ----            | 11.80 + 3.20             | .0602 | ----          | 1                        | ----              | 16 -          | 1                | UNCH |
| 5325           | ----  | ----               |                 | 12.40B/*7.10A      | 12.40B/*7.10A    | ----            | ----          | ----            | 11.60 + 3.10             | .0593 | ----          | ----                     | ----              | 27            | UNCH             |      |
| 5330           | ----  | ----               |                 | 12.30B/*7.00A      | 12.30B/*7.00A    | ----            | ----          | ----            | 11.50 + 3.10             | .0587 | ----          | ----                     | ----              | 18            | UNCH             |      |
| 5335           | ----  | ----               |                 | 12.10B/*7.00A      | 12.10B/*7.00A    | ----            | ----          | ----            | 11.30 + 3.10             | .0578 | ----          | ----                     | ----              | 27            | UNCH             |      |
| 5345           | ----  | ----               |                 | 11.80B/*6.80A      | 11.80B/*6.80A    | ----            |               |                 |                          |       |               |                          |                   |               |                  |      |

| BULLETIN #101@ |                    |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               |                          |                   | Thu, May 28, 2026 |        | PG64             |
|----------------|--------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|--------|------------------|
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     |        | OPEN<br>INTEREST |
| OG CALL        | COMEX GOLD OPTIONS |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |        |                  |
| AUG26          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |        |                  |
| 5615           | ----               | ----         | ----            | 6.70B/*4.20A           | 6.70B/*4.20A     | ----               | ----          | ----            | 6.40 + 1.80              | .0318 | ----          | ----                     | ----              | ----              | ----   | 3                |
| 5620           | ----               | ----         | ----            | 6.60B/*4.20A           | 6.60B/*4.20A     | ----               | ----          | ----            | 6.40 + 1.80              | .0317 | ----          | ----                     | ----              | ----              | ----   | 37               |
| 5625           | ----               | ----         | ----            | 6.60B/*4.20A           | 6.60B/*4.20A     | ----               | ----          | ----            | 6.30 + 1.80              | .0313 | ----          | ----                     | ----              | ----              | ----   | 5                |
| 5630           | ----               | ----         | ----            | 6.50B/*4.20A           | 6.50B/*4.20A     | ----               | ----          | ----            | 6.30 + 1.80              | .0312 | ----          | ----                     | ----              | ----              | ----   | 15               |
| 5635           | ----               | ----         | ----            | 6.50B/*4.10A           | 6.50B/*4.10A     | ----               | ----          | ----            | 6.20 + 1.80              | .0307 | ----          | ----                     | ----              | ----              | ----   | 2                |
| 5640           | ----               | ----         | ----            | 6.40B/*4.10A           | 6.40B/*4.10A     | ----               | ----          | ----            | 6.20 + 1.80              | .0306 | ----          | ----                     | ----              | ----              | ----   | 9                |
| 5650           | ----               | ----         | ----            | 6.30B/*4.00A           | 6.30B/*4.00A     | ----               | ----          | ----            | 6.10 + 1.80              | .0301 | ----          | ----                     | ----              | ----              | ----   | 602              |
| 5660           | ----               | ----         | ----            | 6.20B/*4.00A           | 6.20B/*4.00A     | ----               | ----          | ----            | 6.00 + 1.70              | .0296 | ----          | ----                     | ----              | ----              | ----   | 34               |
| 5670           | ----               | ----         | ----            | 6.10B/*3.90A           | 6.10B/*3.90A     | ----               | ----          | ----            | 5.90 + 1.70              | .0290 | ----          | ----                     | ----              | ----              | ----   | 10               |
| 5675           | ----               | ----         | ----            | 6.00B/*3.90A           | 6.00B/*3.90A     | ----               | ----          | ----            | 5.80 + 1.60              | .0286 | ----          | ----                     | ----              | ----              | ----   | 3                |
| 5680           | ----               | ----         | ----            | 6.00B/*3.90A           | 6.00B/*3.90A     | ----               | ----          | ----            | 5.80 + 1.70              | .0285 | ----          | ----                     | ----              | ----              | ----   | 4                |
| 5690           | ----               | ----         | ----            | 5.90B/*3.90A           | 5.90B/*3.90A     | ----               | ----          | ----            | 5.70 + 1.60              | .0280 | ----          | ----                     | ----              | ----              | ----   | 16               |
| 5700           | 3.80               | 3.80         | ----            | 5.80B/*3.80            | 5.80B/*3.80      | ----               | ----          | ----            | 5.60 + 1.60              | .0274 | ----          | ----                     | 1                 | ----              | 1691   |                  |
| 5710           | ----               | ----         | ----            | 5.70B/*3.80A           | 5.70B/*3.80A     | ----               | ----          | ----            | 5.50 + 1.50              | .0269 | ----          | ----                     | ----              | ----              | ----   | 7                |
| 5720           | ----               | ----         | ----            | 5.60B/*3.70A           | 5.60B/*3.70A     | ----               | ----          | ----            | 5.50 + 1.60              | .0268 | ----          | ----                     | ----              | ----              | ----   | 19               |
| 5725           | ----               | ----         | ----            | 5.60B/*3.70A           | 5.60B/*3.70A     | ----               | ----          | ----            | 5.40 + 1.50              | .0263 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 5730           | ----               | ----         | ----            | 5.60B/*3.70A           | 5.60B/*3.70A     | ----               | ----          | ----            | 5.40 + 1.60              | .0263 | ----          | ----                     | ----              | ----              | ----   | 15               |
| 5750           | ----               | ----         | ----            | 5.40B/*3.60A           | 5.40B/*3.60A     | ----               | ----          | ----            | 5.20 + 1.50              | .0253 | ----          | ----                     | ----              | ----              | ----   | 830              |
| 5775           | ----               | ----         | ----            | 5.20B/*3.50A           | 5.20B/*3.50A     | ----               | ----          | ----            | 5.10 + 1.50              | .0246 | ----          | ----                     | ----              | ----              | ----   | 3                |
| 5800           | 3.30               | 3.30         | ----            | 5.10/*3.30             | 5.10/*3.30       | ----               | ----          | ----            | 4.90 + 1.40              | .0235 | ----          | ----                     | 4                 | ----              | 1050   |                  |
| 5825           | ----               | ----         | ----            | 4.90B/*3.30A           | 4.90B/*3.30A     | ----               | ----          | ----            | 4.80 + 1.40              | .0229 | ----          | ----                     | ----              | ----              | ----   | 135              |
| 5850           | ----               | ----         | ----            | 4.80B/*3.20A           | 4.80B/*3.20A     | ----               | ----          | ----            | 4.60 + 1.30              | .0219 | ----          | ----                     | ----              | ----              | ----   | 166              |
| 5875           | ----               | ----         | ----            | 4.60B/----             | 4.60B/*3.20A     | ----               | ----          | ----            | 4.50 + 1.30              | .0212 | ----          | ----                     | ----              | ----              | ----   | 26               |
| 5900           | ----               | ----         | ----            | 4.50B/----             | 4.50B/*3.10A     | ----               | ----          | ----            | 4.40 + 1.30              | .0206 | ----          | ----                     | ----              | ----              | ----   | 1490             |
| 5925           | 4.50               | 4.50         | ----            | 4.50/4.50              | 4.50/*3.00A      | ----               | ----          | ----            | 4.30 + 1.30              | .0200 | ----          | ----                     | 12                | ----              | 14 +   |                  |
| 5950           | ----               | ----         | ----            | 4.30B/----             | 4.30B/*3.00A     | ----               | ----          | ----            | 4.20 + 1.30              | .0194 | ----          | ----                     | ----              | ----              | ----   | 12               |
| 6000           | 3.10               | 3.10         | ----            | 4.30/3.00              | 4.30/2.90A       | ----               | ----          | ----            | 4.00 + 1.30              | .0183 | ----          | ----                     | 2467              | ----              | 3822 + |                  |
| 6100           | ----               | ----         | ----            | 3.70B/----             | 3.70B/2.70A      | ----               | ----          | ----            | 3.60 + 1.10              | .0162 | ----          | ----                     | ----              | ----              | 816    |                  |
| 6200           | 3.60               | 3.60         | ----            | 3.60/3.60              | 3.60/2.50A       | ----               | ----          | ----            | 3.40 + 1.10              | .0148 | ----          | 20                       | ----              | 1429 +            |        |                  |
| 6250           | ----               | ----         | ----            | 3.30B/----             | 3.30B/2.40A      | ----               | ----          | ----            | 3.20 + 1.00              | .0139 | ----          | ----                     | ----              | ----              | 4      |                  |
| 6300           | 3.30               | 3.30         | ----            | 3.30/3.30              | 3.30/2.40A       | ----               | ----          | ----            | 3.10 + 0.90              | .0133 | ----          | 1                        | ----              | 87                |        |                  |
| 6400           | ----               | ----         | ----            | 3.00B/----             | 3.00B/2.20A      | ----               | ----          | ----            | 2.90 + 0.80              | .0122 | ----          | ----                     | ----              | 54                |        |                  |
| 6500           | 2.50               | 2.50         | ----            | 2.80B/2.50             | 2.80B/2.10A      | ----               | ----          | ----            | 2.80 + 0.80              | .0114 | ----          | 1                        | ----              | 904               |        |                  |
| 6600           | ----               | ----         | ----            | 2.60B/----             | 2.60B/2.00A      | ----               | ----          | ----            | 2.60 + 0.70              | .0104 | ----          | ----                     | ----              | 207               |        |                  |
| 6700           | ----               | ----         | ----            | 2.50B/----             | 2.50B/2.00A      | ----               | ----          | ----            | 2.50 + 0.70              | .0098 | ----          | ----                     | ----              | 332               |        |                  |
| 6800           | ----               | ----         | ----            | 2.30B/----             | 2.30B/1.90A      | ----               | ----          | ----            | 2.30 + 0.60              | .0089 | ----          | ----                     | ----              | 38                |        |                  |
| 6900           | 1.90               | 1.90         | ----            | 2.20B/1.90             | 2.20B/1.80A      | ----               | ----          | ----            | 2.20 + 0.60              | .0084 | ----          | ----                     | 2                 | 33 +              |        |                  |
| 7000           | ----               | ----         | ----            | 2.00B/----             | 2.00B/1.70A      | ----               | ----          | ----            | 2.10 + 0.60              | .0079 | ----          | 72                       | ----              | 909               |        |                  |
| 7500           | ----               | ----         | ----            | 1.50B/----             | 1.50B/1.40A      | ----               | ----          | ----            | 1.60 + 0.50              | .0056 | ----          | ----                     | 36                | 801               |        |                  |
| 8000           | ----               | ----         | ----            | 1.00B/----             | 1.00B/1.20A      | ----               | ----          | ----            | 1.20 + 0.40              | .0040 | ----          | ----                     | 2                 | 634               |        |                  |
| 8500           | 0.90               | 0.90         | ----            | 0.90/0.80              | 0.90/0.80        | ----               | ----          | ----            | 0.90 + 0.20              | .0029 | ----          | ----                     | ----              | 90                |        |                  |
| 9000           | ----               | ----         | ----            | ----                   | 0.40B/0.90A      | ----               | ----          | ----            | 0.60 + 0.10              | .0019 | ----          | ----                     | ----              | 17                |        |                  |
| 9500           | ----               | ----         | ----            | ----                   | 0.30B/0.80A      | ----               | ----          | ----            | 0.50                     | UNCH  | .0015         | ----                     | ----              | 312               |        |                  |
| 10000          | 0.50               | 0.50         | ----            | 0.60/0.50              | 0.60/0.50        | ----               | ----          | ----            | 0.40                     | UNCH  | .0012         | ----                     | 9                 | 112 +             |        |                  |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               | 7498                     | 3,085             | 85576 +           | 5632   |                  |
| SEP26          |                    |              |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |        |                  |
| 3875           | ----               | ----         | ----            | ----                   | 568.30B/700.60A  | ----               | ----          | ----            | 709.30 + 46.80           | .9125 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 3995           | ----               | ----         | ----            | 607.80B/514.90A        | 607.80B/514.90A  | ----               | ----          | ----            | 600.30 + 45.00           | .8775 | ----          | ----                     | ----              | ----              | ----   | 10               |
| 4085           | ----               | ----         | ----            | 529.40B/440.70A        | 529.40B/440.70A  | ----               | ----          | ----            | 522.10 + 43.30           | .8425 | ----          | ----                     | ----              | ----              | ----   | 37               |
| 4130           | ----               | ----         | ----            | 491.60B/405.40A        | 491.60B/405.40A  | ----               | ----          | ----            | 484.40 + 42.30           | .8218 | ----          | ----                     | ----              | ----              | ----   | 10               |
| 4185           | ----               | ----         | ----            | 447.00B/364.10A        | 447.00B/364.10A  | ----               | ----          | ----            | 439.90 + 41.00           | .7934 | ----          | ----                     | ----              | ----              | ----   | 40               |
| 4200           | ----               | ----         | ----            | ----                   | 330.20B/441.30A  | ----               | ----          | ----            | 428.00 + 40.60           | .7851 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 4220           | ----               | ----         | ----            | 419.50B/323.20A        | 419.50B/323.20A  | ----               | ----          | ----            | 412.40 + 40.00           | .7736 | ----          | ----                     | ----              | ----              | ----   | 162              |
| 4290           | ----               | ----         | ----            | 367.00B/274.90A        | 367.00B/274.90A  | ----               | ----          | ----            | 360.10 + 37.90           | .7300 | ----          | ----                     | ----              | ----              | ----   | 6                |
| 4295           | ----               | ----         | ----            | 363.40B/270.80A        | 363.40B/270.80A  | ----               | ----          | ----            | 356.50 + 37.70           | .7266 | ----          | ----                     | ----              | ----              | ----   | 50               |
| 4300           | ----               | ----         | ----            | 359.80B/267.70A        | 359.80B/267.70A  | ----               | ----          | ----            | 353.00 + 37.60           | .7232 | ----          | ----                     | ----              | ----              | ----   | 18               |
| 4320           | ----               | ----         | ----            | 348.50B/255.50A        | 348.50B/255.50A  | ----               | ----          | ----            | 338.80 + 36.90           | .7096 | ----          | ----                     | ----              | ----              | ----   | 162              |
| 4375           | ----               | ----         | ----            | 309.60B/224.50A        | 309.60B/224.50A  | ----               | ----          | ----            | 301.70 + 35.10           | .6701 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 4390           | ----               | ----         | ----            | 301.20B/214.30A        | 301.20B/214.30A  | ----               | ----          | ----            | 292.00 + 34.50           | .6589 | ----          | ----                     | ----              | ----              | ----   | 202              |
| 4400           | 223.90             | 223.90       | ----            | 293.50B/208.00A        | 293.50B/208.00A  | ----               | ----          | ----            | 285.60 + 34.10           | .6513 | ----          | 9                        | ----              | 4 -               | 3      |                  |
| 4410           | ----               | ----         | ----            | 287.10B/202.40A        | 287.10B/202.40A  | ----               | ----          | ----            | 279.30 + 33.70           | .6437 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 4425           | ----               | ----         | ----            | 277.80B/194.90A        | 277.80B/194.90A  | ----               | ----          | ----            | 270.10 + 33.20           | .6321 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 4450           | ----               | ----         | ----            | 262.80B/182.70A        | 262.80B/182.70A  | ----               | ----          | ----            | 255.20 + 32.30           | .6124 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 4480           | ----               | ----         | ----            | 246.70B/169.30A        | 246.70B/169.30A  | ----               | ----          | ----            | 238.00 + 31.10           | .5884 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 4485           | ----               | ----         | ----            | 243.90B/166.70A        | 243.90B/166.70A  | ----               | ----          | ----            | 235.20 + 30.90           | .5844 | ----          | ----                     | ----              | ----              | ----   | 1                |
| 4495           | ----               | ----         | ----            | 238.30B/162.90A        | 238.30B/162.90A  | ----               | ----          | ----            | 229.70 + 30.50           | .5763 | ----          | ----                     | ----              | ----              | ----   | 110              |
| 4500           | ----               | ----         | ----            | 235.60B/161.00A        | 235.60B/161.00A  | ----               | ----          | ----            | 227.00 + 30.30           | .5723 | ----          | ----                     | ----              | ----              | ----   | 83               |
| 4505           | ----               | ----         | ----            | 232.80B/158.20A        | 232.80B/158.20A  | ----               | ----          | ----            | 224.30 + 30.10           | .5682 | ----          | ----                     | ----              | ----              | ----   | 21               |
| 4510           | ----               | ----         | ----            | 230.10B/156.40A        | 230.10B/156.40A  | ----               | ----          | ----            | 221.60 + 29.90           | .5641 | ----          | ----                     | ----              | ----              | ----   | 2                |
| 4515           | ----               | ----         | ----            | 227.50B/154.40A        | 227.50B/154.40A  | ----               | ----          | ----            | 219.00 + 29.80           | .5600 | ----          | ----                     | ----              | ----              | ----   | 2                |
| 4520           | ----               | ----         | ----            | 224.80B/152.40A        | 224.80B/152.40A  | ----               | ----          | ----            | 216.40 + 29.60           | .5560 | ----          | ----                     | ----              | ----              | ----   | 2                |
| 4530           | ----               | ----         | ----            | 219.60B/148.30A        | 219.60B/148.30A  | ----               | ----          | ----            | 211.20 + 29.20           | .5478 | ----          | ----                     | ----              | ----              | ----   | 7                |
| 4535           | ----               | ----         | ----            | 217.00B/146.40A        | 217.00B/146.40A  | ----               | ----          | ----            | 208.60 + 28.90           | .5437 | ----          | ----                     | ----              | ----              | ----   | 7                |
| 4540           | 211.00             | 211.00       | ----            | 214.50B/144.20A        | 214.50B/144.20A  | ----               | ----          | ----            | 206.10 + 28.70           | .5396 | ----          | 2                        | ----              | 7 +               | 2      |                  |
| 4545           | 191.00             | 191.00       | ----            |                        |                  |                    |               |                 |                          |       |               |                          |                   |                   |        |                  |



| PG64    |       | BULLETIN #101@     |                        |                 |                    |                            |                         |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |      |  |  |  |  |  | Thu, May 28, 2026 |  | PG64 |  |
|---------|-------|--------------------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|--|-------------------|--|------|--|
|         |       | GLOBEX<br>OPEN     | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |  |                   |  |      |  |
| OG CALL |       | COMEX GOLD OPTIONS |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |  |
| SEP26   |       |                    |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |  |
| 4930    | ----  | ----               | ----                   | ----            | 78.10B/*48.80A     | 78.10B/*48.80A             | ----                    | ----            | 73.90 + 14.30            | .2564 | ----          | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4935    | ----  | ----               | ----                   | ----            | 77.00B/*48.10A     | 77.00B/*48.10A             | ----                    | ----            | 72.90 + 14.10            | .2536 | ----          | ----                     | 1                 | ----          | 1                | UNCH |  |  |  |  |  |                   |  |      |  |
| 4945    | ----  | ----               | ----                   | ----            | 75.00B/*46.80A     | 75.00B/*46.80A             | ----                    | ----            | 70.90 + 13.80            | .2480 | ----          | 2                        | ----              | 1             | -                | 1    |  |  |  |  |  |                   |  |      |  |
| 4950    | ----  | ----               | ----                   | ----            | 74.00B/*46.20A     | 74.00B/*46.20A             | ----                    | ----            | 69.90 + 13.60            | .2452 | ----          | ----                     | ----              | 285           | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 4955    | ----  | ----               | ----                   | ----            | 73.00B/*45.50A     | 73.00B/*45.50A             | ----                    | ----            | 69.00 + 13.50            | .2426 | ----          | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 4960    | ----  | ----               | ----                   | ----            | 72.00B/*44.90A     | 72.00B/*44.90A             | ----                    | ----            | 68.00 + 13.20            | .2398 | ----          | ----                     | ----              | 48            | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 4965    | ----  | ----               | ----                   | ----            | 71.10B/*44.30A     | 71.10B/*44.30A             | ----                    | ----            | 67.10 + 13.10            | .2372 | ----          | 3                        | ----              | 5             | -                | 1    |  |  |  |  |  |                   |  |      |  |
| 4970    | ----  | ----               | ----                   | ----            | 70.10B/*43.60A     | 70.10B/*43.60A             | ----                    | ----            | 66.20 + 13.00            | .2345 | ----          | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 4975    | 67.10 | 67.10              | ----                   | ----            | 69.20B/*43.00A     | 69.20B/*43.00A             | ----                    | ----            | 65.30 + 12.80            | .2319 | ----          | 3                        | ----              | 327           | +                | 2    |  |  |  |  |  |                   |  |      |  |
| 4980    | ----  | ----               | ----                   | ----            | 68.30B/*42.50A     | 68.30B/*42.50A             | ----                    | ----            | 64.40 + 12.70            | .2293 | ----          | ----                     | ----              | 3             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 4985    | ----  | ----               | ----                   | ----            | 67.30B/*41.90A     | 67.30B/*41.90A             | ----                    | ----            | 63.50 + 12.50            | .2267 | ----          | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5000    | 43.50 | 43.50              | ----                   | ----            | 64.70B/*40.00      | 64.70B/*40.00              | ----                    | ----            | 61.00 + 12.10            | .2193 | ----          | 27                       | ----              | 918           | +                | 1    |  |  |  |  |  |                   |  |      |  |
| 5005    | ----  | ----               | ----                   | ----            | 63.80B/*39.70A     | 63.80B/*39.70A             | ----                    | ----            | 60.20 + 12.00            | .2168 | ----          | ----                     | ----              | 3             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5010    | ----  | ----               | ----                   | ----            | 63.00B/*39.20A     | 63.00B/*39.20A             | ----                    | ----            | 59.40 + 11.80            | .2144 | ----          | ----                     | ----              | 10            | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5050    | ----  | ----               | ----                   | ----            | 56.70B/*35.20A     | 56.70B/*35.20A             | ----                    | ----            | 53.30 + 10.70            | .1958 | ----          | 4                        | ----              | 342           | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5055    | ----  | ----               | ----                   | ----            | 55.90B/*34.80A     | 55.90B/*34.80A             | ----                    | ----            | 52.60 + 10.60            | .1936 | ----          | ----                     | ----              | 5             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5070    | 52.10 | 52.10              | ----                   | ----            | 53.70B/*33.40A     | 53.70B/*33.40A             | ----                    | ----            | 50.60 + 10.30            | .1873 | ----          | 2                        | ----              | 8             | +                | 2    |  |  |  |  |  |                   |  |      |  |
| 5075    | ----  | ----               | ----                   | ----            | 53.00B/*33.00A     | 53.00B/*33.00A             | ----                    | ----            | 49.90 + 10.10            | .1851 | ----          | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5080    | ----  | ----               | ----                   | ----            | 52.30B/*32.40A     | 52.30B/*32.40A             | ----                    | ----            | 49.30 + 10.10            | .1831 | ----          | ----                     | ----              | 9             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5090    | 49.50 | 49.50              | ----                   | ----            | 51.00B/*31.50A     | 51.00B/*31.50A             | ----                    | ----            | 48.00 NEW                | .1790 | ----          | 3                        | ----              | 3             | +                | 3    |  |  |  |  |  |                   |  |      |  |
| 5095    | ----  | ----               | ----                   | ----            | 50.30B/*31.10A     | 50.30B/*31.10A             | ----                    | ----            | 47.40 + 9.70             | .1770 | ----          | ----                     | ----              | 15            | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5100    | 36.00 | 36.00              | ----                   | ----            | 50.00/*30.70A      | 50.00/*30.70A              | ----                    | ----            | 46.70 + 9.60             | .1748 | ----          | 12                       | ----              | 396           | +                | 11   |  |  |  |  |  |                   |  |      |  |
| 5105    | ----  | ----               | ----                   | ----            | 49.00B/*30.30A     | 49.00B/*30.30A             | ----                    | ----            | 46.10 + 9.50             | .1729 | ----          | ----                     | ----              | 4             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5110    | ----  | ----               | ----                   | ----            | 48.40B/*29.90A     | 48.40B/*29.90A             | ----                    | ----            | 45.50 + 9.40             | .1709 | ----          | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5120    | ----  | ----               | ----                   | ----            | 47.10B/*29.20A     | 47.10B/*29.20A             | ----                    | ----            | 44.30 + 9.10             | .1671 | ----          | ----                     | ----              | 3             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5130    | ----  | ----               | ----                   | ----            | 45.90B/*28.40A     | 45.90B/*28.40A             | ----                    | ----            | 43.20 + 9.00             | .1634 | ----          | ----                     | ----              | 4             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5140    | ----  | ----               | ----                   | ----            | 44.70B/*27.70A     | 44.70B/*27.70A             | ----                    | ----            | 42.10 + 8.80             | .1597 | ----          | ----                     | ----              | 4             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5150    | ----  | ----               | ----                   | ----            | 43.60B/*27.00A     | 43.60B/*27.00A             | ----                    | ----            | 41.00 + 8.60             | .1561 | ----          | ----                     | ----              | 390           | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5155    | ----  | ----               | ----                   | ----            | 43.00B/*26.70A     | 43.00B/*26.70A             | ----                    | ----            | 40.40 + 8.40             | .1542 | ----          | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5160    | ----  | ----               | ----                   | ----            | 42.50B/*26.30A     | 42.50B/*26.30A             | ----                    | ----            | 39.90 + 8.30             | .1525 | ----          | ----                     | ----              | 2             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5165    | ----  | ----               | ----                   | ----            | 41.90B/*26.00A     | 41.90B/*26.00A             | ----                    | ----            | 39.40 + 8.20             | .1508 | ----          | ----                     | ----              | 15            | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5170    | ----  | ----               | ----                   | ----            | 41.40B/*25.60A     | 41.40B/*25.60A             | ----                    | ----            | 38.90 + 8.10             | .1491 | ----          | ----                     | ----              | 7             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5175    | ----  | ----               | ----                   | ----            | 40.80B/*25.30A     | 40.80B/*25.30A             | ----                    | ----            | 38.40 + 8.00             | .1474 | ----          | ----                     | ----              | 15            | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5190    | 25.30 | 25.30              | ----                   | ----            | 39.30B/*24.40A     | 39.30B/*24.40A             | ----                    | ----            | 36.90 + 7.70             | .1424 | ----          | 28                       | ----              | 10004         | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5195    | ----  | ----               | ----                   | ----            | 38.80B/*24.10A     | 38.80B/*24.10A             | ----                    | ----            | 36.40 NEW                | .1407 | ----          | 50                       | ----              | 50            | +                | 50   |  |  |  |  |  |                   |  |      |  |
| 5200    | 23.70 | 23.70              | ----                   | ----            | 38.40/*23.60A      | 38.40/*23.60A              | ----                    | ----            | 36.00 + 7.50             | .1392 | ----          | 26                       | ----              | 10018         | -                | 1    |  |  |  |  |  |                   |  |      |  |
| 5215    | 34.70 | 34.70              | ----                   | ----            | 36.90B/*23.00A     | 36.90B/*23.00A             | ----                    | ----            | 34.60 NEW                | .1345 | ----          | 7                        | ----              | 7             | +                | 7    |  |  |  |  |  |                   |  |      |  |
| 5230    | ----  | ----               | ----                   | ----            | 35.50B/*22.20A     | 35.50B/*22.20A             | ----                    | ----            | 33.40 + 7.00             | .1302 | ----          | ----                     | ----              | 402           | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5235    | ----  | ----               | ----                   | ----            | 35.10B/*21.90A     | 35.10B/*21.90A             | ----                    | ----            | 32.90 + 6.80             | .1285 | ----          | ----                     | ----              | 1             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5240    | ----  | ----               | ----                   | ----            | 34.60B/*21.60A     | 34.60B/*21.60A             | ----                    | ----            | 32.50 + 6.70             | .1271 | ----          | ----                     | ----              | 2             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5245    | ----  | ----               | ----                   | ----            | 34.20B/*21.40A     | 34.20B/*21.40A             | ----                    | ----            | 32.10 + 6.60             | .1257 | ----          | ----                     | 1                 | 21            | +                | 1    |  |  |  |  |  |                   |  |      |  |
| 5250    | 23.50 | 23.50              | ----                   | ----            | 33.80B/*21.20A     | 33.80B/*21.20A             | ----                    | ----            | 31.70 + 6.50             | .1243 | ----          | 1                        | ----              | 635           | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5270    | ----  | ----               | ----                   | ----            | 32.10B/*20.20A     | 32.10B/*20.20A             | ----                    | ----            | 30.20 + 6.30             | .1189 | ----          | ----                     | ----              | 5             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5275    | ----  | ----               | ----                   | ----            | 31.70B/*20.00A     | 31.70B/*20.00A             | ----                    | ----            | 29.80 + 6.20             | .1175 | ----          | ----                     | ----              | 200           | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5290    | ----  | ----               | ----                   | ----            | 30.60B/*19.40A     | 30.60B/*19.40A             | ----                    | ----            | 28.70 + 5.90             | .1136 | ----          | ----                     | ----              | 9             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5295    | ----  | ----               | ----                   | ----            | 30.20B/*19.20A     | 30.20B/*19.20A             | ----                    | ----            | 28.40 + 5.90             | .1125 | ----          | ----                     | ----              | 8             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5300    | ----  | ----               | ----                   | ----            | 29.90B/*18.90A     | 29.90B/*18.90A             | ----                    | ----            | 28.00 + 5.80             | .1111 | ----          | ----                     | ----              | 1009          | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5310    | ----  | ----               | ----                   | ----            | 29.10B/*18.50A     | 29.10B/*18.50A             | ----                    | ----            | 27.40 + 5.70             | .1088 | ----          | ----                     | ----              | 6             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5315    | ----  | ----               | ----                   | ----            | 28.80B/*18.30A     | 28.80B/*18.30A             | ----                    | ----            | 27.00 + 5.60             | .1074 | ----          | ----                     | ----              | 5             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5330    | ----  | ----               | ----                   | ----            | 27.80B/*17.70A     | 27.80B/*17.70A             | ----                    | ----            | 26.10 + 5.40             | .1041 | ----          | ----                     | ----              | 20            | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5335    | ----  | ----               | ----                   | ----            | 27.40B/*17.70A     | 27.40B/*17.70A             | ----                    | ----            | 25.80 + 5.40             | .1030 | ----          | ----                     | ----              | 4             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5340    | ----  | ----               | ----                   | ----            | 27.10B/*17.50A     | 27.10B/*17.50A             | ----                    | ----            | 25.50 + 5.30             | .1019 | ----          | ----                     | ----              | 7             | UNCH             |      |  |  |  |  |  |                   |  |      |  |
| 5350    | ----  | ----               | ----                   | ----            | 26.50B/*17.00A     | 26.50B/*17.00A             | ----                    | ----            | 24.90 + 5.20             | .0997 |               |                          |                   |               |                  |      |  |  |  |  |  |                   |  |      |  |



| PG64 BULLETIN #101@ |  |              |  |                    |  |                    |  |                  |  |                    |  | METALS OPTION PRODUCTS |  |                 |  |                          |  |       |  |               |  |                          |  | Thu, May 28, 2026 |  |               |  |                  |  |      |  |  |  |  |  | PG64 |  |
|---------------------|--|--------------|--|--------------------|--|--------------------|--|------------------|--|--------------------|--|------------------------|--|-----------------|--|--------------------------|--|-------|--|---------------|--|--------------------------|--|-------------------|--|---------------|--|------------------|--|------|--|--|--|--|--|------|--|
| GLOBEX<br>OPEN      |  | OPEN<br>OPEN |  | OUTCRY<br>RANGE    |  | GLOBEX<br>HIGH/LOW |  | OPEN<br>HIGH/LOW |  | OUTCRY<br>HIGH/LOW |  | OPEN<br>CLOSE          |  | OUTCRY<br>RANGE |  | SETT.PRICE<br>& PT.CHGE. |  | DELTA |  | EXER<br>CISES |  | OPEN<br>OUTCRY<br>VOLUME |  | GLOBEX®<br>VOLUME |  | PNT<br>VOLUME |  | OPEN<br>INTEREST |  |      |  |  |  |  |  |      |  |
| OG CALL             |  |              |  | COMEX GOLD OPTIONS |  |                    |  |                  |  |                    |  |                        |  |                 |  |                          |  |       |  |               |  |                          |  |                   |  |               |  |                  |  |      |  |  |  |  |  |      |  |
| OCT26               |  |              |  |                    |  |                    |  |                  |  |                    |  |                        |  |                 |  |                          |  |       |  |               |  |                          |  |                   |  |               |  |                  |  |      |  |  |  |  |  |      |  |
| 4580                |  | ----         |  | ----               |  | 225.60B/158.90A    |  | 225.60B/158.90A  |  | ----               |  | 218.00                 |  | + 27.60         |  | .5117                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 70               |  | UNCH |  |  |  |  |  |      |  |
| 4585                |  | ----         |  | ----               |  | 223.30B/157.20A    |  | 223.30B/157.20A  |  | ----               |  | 215.70                 |  | + 27.40         |  | .5082                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4590                |  | 212.50       |  | 212.50             |  | 220.90B/155.40A    |  | 220.90B/155.40A  |  | ----               |  | 213.40                 |  | + 27.20         |  | .5047                    |  | ----  |  | ----          |  | 3                        |  | ----              |  | 3             |  | 9                |  | +    |  |  |  |  |  |      |  |
| 4595                |  | ----         |  | ----               |  | 218.60B/153.90A    |  | 218.60B/153.90A  |  | ----               |  | 211.10                 |  | + 27.00         |  | .5012                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4600                |  | 156.90       |  | 156.90             |  | 216.20B/152.10A    |  | 216.20B/152.10A  |  | ----               |  | 208.90                 |  | + 26.80         |  | .4977                    |  | ----  |  | ----          |  | 7                        |  | ----              |  | 7             |  | 108              |  | +    |  |  |  |  |  |      |  |
| 4605                |  | ----         |  | ----               |  | 214.00B/150.40A    |  | 214.00B/150.40A  |  | ----               |  | 206.60                 |  | + 26.60         |  | .4942                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 9                |  | UNCH |  |  |  |  |  |      |  |
| 4610                |  | ----         |  | ----               |  | 211.70B/148.50A    |  | 211.70B/148.50A  |  | ----               |  | 204.40                 |  | + 26.40         |  | .4907                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 15               |  | UNCH |  |  |  |  |  |      |  |
| 4615                |  | ----         |  | ----               |  | 209.50B/147.00A    |  | 209.50B/147.00A  |  | ----               |  | 202.20                 |  | + 26.20         |  | .4872                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 9                |  | UNCH |  |  |  |  |  |      |  |
| 4620                |  | ----         |  | ----               |  | 207.30B/145.30A    |  | 207.30B/145.30A  |  | ----               |  | 200.10                 |  | + 26.10         |  | .4837                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 15               |  | UNCH |  |  |  |  |  |      |  |
| 4625                |  | ----         |  | ----               |  | 205.20B/143.50A    |  | 205.20B/143.50A  |  | ----               |  | 197.90                 |  | + 25.90         |  | .4802                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 5                |  | UNCH |  |  |  |  |  |      |  |
| 4630                |  | ----         |  | ----               |  | 203.00B/141.90A    |  | 203.00B/141.90A  |  | ----               |  | 195.80                 |  | + 25.70         |  | .4768                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4635                |  | ----         |  | ----               |  | 200.70B/140.10A    |  | 200.70B/140.10A  |  | ----               |  | 193.70                 |  | + 25.60         |  | .4733                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 6                |  | UNCH |  |  |  |  |  |      |  |
| 4640                |  | 139.40       |  | 139.40             |  | 198.70B/138.80A    |  | 198.70B/138.80A  |  | ----               |  | 191.60                 |  | + 25.40         |  | .4699                    |  | ----  |  | ----          |  | 1                        |  | ----              |  | ----          |  | 5                |  | +    |  |  |  |  |  |      |  |
| 4645                |  | ----         |  | ----               |  | 196.60B/137.10A    |  | 196.60B/137.10A  |  | ----               |  | 189.50                 |  | + 25.20         |  | .4664                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4650                |  | ----         |  | ----               |  | 194.50B/135.40A    |  | 194.50B/135.40A  |  | ----               |  | 187.50                 |  | + 25.10         |  | .4630                    |  | ----  |  | ----          |  | 157                      |  | ----              |  | ----          |  | 272              |  | -    |  |  |  |  |  |      |  |
| 4655                |  | ----         |  | ----               |  | 192.40B/133.80A    |  | 192.40B/133.80A  |  | ----               |  | 185.50                 |  | + 24.90         |  | .4596                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4670                |  | ----         |  | ----               |  | 186.30B/129.20A    |  | 186.30B/129.20A  |  | ----               |  | 179.50                 |  | + 24.40         |  | .4493                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 4                |  | UNCH |  |  |  |  |  |      |  |
| 4675                |  | ----         |  | ----               |  | 184.30B/127.80A    |  | 184.30B/127.80A  |  | ----               |  | 177.50                 |  | + 24.20         |  | .4459                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 4                |  | UNCH |  |  |  |  |  |      |  |
| 4690                |  | ----         |  | ----               |  | 178.40B/123.40A    |  | 178.40B/123.40A  |  | ----               |  | 171.80                 |  | + 23.70         |  | .4358                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4695                |  | ----         |  | ----               |  | 176.50B/122.00A    |  | 176.50B/122.00A  |  | ----               |  | 169.90                 |  | + 23.60         |  | .4325                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4700                |  | 121.80       |  | 121.80             |  | 174.60B/120.60A    |  | 174.60B/120.60A  |  | ----               |  | 168.00                 |  | + 23.30         |  | .4291                    |  | ----  |  | ----          |  | 1                        |  | ----              |  | 1             |  | 169              |  | +    |  |  |  |  |  |      |  |
| 4710                |  | ----         |  | ----               |  | 170.80B/117.80A    |  | 170.80B/117.80A  |  | ----               |  | 164.40                 |  | + 23.10         |  | .4225                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4715                |  | ----         |  | ----               |  | 168.90B/116.60A    |  | 168.90B/116.60A  |  | ----               |  | 162.60                 |  | + 22.90         |  | .4192                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4725                |  | ----         |  | ----               |  | 165.30B/113.80A    |  | 165.30B/113.80A  |  | ----               |  | 159.00                 |  | + 22.60         |  | .4126                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4730                |  | ----         |  | ----               |  | 163.40B/*112.60    |  | 163.40B/*112.60A |  | ----               |  | 157.30                 |  | + 22.50         |  | .4094                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4735                |  | ----         |  | ----               |  | 161.70B/*111.30    |  | 161.70B/*111.30A |  | ----               |  | 155.50                 |  | + 22.20         |  | .4061                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4750                |  | ----         |  | ----               |  | 156.40B/*107.30    |  | 156.40B/*107.30A |  | ----               |  | 150.40                 |  | + 21.80         |  | .3964                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 36               |  | UNCH |  |  |  |  |  |      |  |
| 4755                |  | ----         |  | ----               |  | 154.70B/*106.30    |  | 154.70B/*106.30A |  | ----               |  | 148.80                 |  | + 21.70         |  | .3933                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 76               |  | UNCH |  |  |  |  |  |      |  |
| 4760                |  | ----         |  | ----               |  | 152.70B/*105.10    |  | 152.70B/*105.10A |  | ----               |  | 147.10                 |  | + 21.50         |  | .3901                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 21               |  | UNCH |  |  |  |  |  |      |  |
| 4765                |  | ----         |  | ----               |  | 151.30B/*103.80    |  | 151.30B/*103.80A |  | ----               |  | 145.50                 |  | + 21.30         |  | .3869                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 21               |  | UNCH |  |  |  |  |  |      |  |
| 4775                |  | ----         |  | ----               |  | 148.00B/*101.40    |  | 148.00B/*101.40A |  | ----               |  | 142.30                 |  | + 21.00         |  | .3806                    |  | ----  |  | ----          |  | 3                        |  | ----              |  | ----          |  | 25               |  | UNCH |  |  |  |  |  |      |  |
| 4785                |  | 112.40       |  | 112.40             |  | 144.70B/*99.20A    |  | 144.70B/*99.20A  |  | ----               |  | 139.10                 |  | + 20.70         |  | .3744                    |  | ----  |  | ----          |  | 6                        |  | ----              |  | ----          |  | 7                |  | UNCH |  |  |  |  |  |      |  |
| 4790                |  | 137.50       |  | 137.50             |  | 144.10B/*97.80A    |  | 144.10B/*97.80A  |  | ----               |  | 137.60                 |  | + 20.60         |  | .3713                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4795                |  | ----         |  | ----               |  | 141.50B/*96.90A    |  | 141.50B/*96.90A  |  | ----               |  | 136.10                 |  | + 20.40         |  | .3682                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4800                |  | 100.50       |  | 100.50             |  | 140.10B/*95.70A    |  | 140.10B/*95.70A  |  | ----               |  | 134.50                 |  | + 20.20         |  | .3651                    |  | ----  |  | ----          |  | 23                       |  | ----              |  | ----          |  | 499              |  | +    |  |  |  |  |  |      |  |
| 4805                |  | ----         |  | ----               |  | 138.10B/*94.40A    |  | 138.10B/*94.40A  |  | ----               |  | 133.10                 |  | + 20.10         |  | .3622                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4810                |  | ----         |  | ----               |  | 136.90B/*93.50A    |  | 136.90B/*93.50A  |  | ----               |  | 131.60                 |  | + 20.00         |  | .3591                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4815                |  | ----         |  | ----               |  | 135.40B/*92.40A    |  | 135.40B/*92.40A  |  | ----               |  | 130.10                 |  | + 19.80         |  | .3561                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 36               |  | UNCH |  |  |  |  |  |      |  |
| 4820                |  | ----         |  | ----               |  | 133.80B/*91.50A    |  | 133.80B/*91.50A  |  | ----               |  | 128.70                 |  | + 19.70         |  | .3531                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4825                |  | 92.50        |  | 92.50              |  | 132.40B/*90.40A    |  | 132.40B/*90.40A  |  | ----               |  | 127.20                 |  | NEW             |  | .3501                    |  | ----  |  | ----          |  | 105                      |  | ----              |  | ----          |  | 105              |  | +    |  |  |  |  |  |      |  |
| 4830                |  | ----         |  | ----               |  | 130.70B/*89.20A    |  | 130.70B/*89.20A  |  | ----               |  | 125.80                 |  | + 19.40         |  | .3471                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4835                |  | ----         |  | ----               |  | 129.30B/*88.30A    |  | 129.30B/*88.30A  |  | ----               |  | 124.40                 |  | + 19.20         |  | .3442                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4840                |  | ----         |  | ----               |  | 127.80B/*87.20A    |  | 127.80B/*87.20A  |  | ----               |  | 123.00                 |  | + 19.10         |  | .3413                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4845                |  | ----         |  | ----               |  | 126.10B/*86.30A    |  | 126.10B/*86.30A  |  | ----               |  | 121.70                 |  | + 19.00         |  | .3384                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4850                |  | ----         |  | ----               |  | 125.20B/*85.30A    |  | 125.20B/*85.30A  |  | ----               |  | 120.30                 |  | + 18.80         |  | .3355                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 54               |  | UNCH |  |  |  |  |  |      |  |
| 4860                |  | ----         |  | ----               |  | 122.40B/*83.40A    |  | 122.40B/*83.40A  |  | ----               |  | 117.60                 |  | + 18.50         |  | .3297                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 100              |  | UNCH |  |  |  |  |  |      |  |
| 4865                |  | ----         |  | ----               |  | 120.70B/*82.50A    |  | 120.70B/*82.50A  |  | ----               |  | 116.30                 |  | + 18.30         |  | .3269                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 4870                |  | ----         |  | ----               |  | 119.40B/*81.40A    |  | 119.40B/*81.40A  |  | ----               |  | 115.00                 |  | + 18.20         |  | .3241                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4880                |  | ----         |  | ----               |  | 116.80B/*79.60A    |  | 116.80B/*79.60A  |  | ----               |  | 112.50                 |  | + 18.00         |  | .3185                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4885                |  | ----         |  | ----               |  | 115.70B/*78.80A    |  | 115.70B/*78.80A  |  | ----               |  | 111.20                 |  | + 17.80         |  | .3157                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 50               |  | UNCH |  |  |  |  |  |      |  |
| 4900                |  | 81.00        |  | 81.00              |  | 111.90B/*76.00A    |  | 111.90B/*76.00A  |  | ----               |  | 107.50                 |  | + 17.40         |  | .3075                    |  | ----  |  | ----          |  | 66                       |  | ----              |  | ----          |  | 1431             |  | +    |  |  |  |  |  |      |  |
| 4905                |  | ----         |  | ----               |  | 110.60B/*75.30A    |  | 110.60B/*75.30A  |  | ----               |  | 106.30                 |  | + 17.20         |  | .3048                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 20               |  | UNCH |  |  |  |  |  |      |  |
| 4910                |  | ----         |  | ----               |  | 108.90B/*74.30A    |  | 108.90B/*74.30A  |  | ----               |  | 105.10                 |  | + 17.10         |  | .3021                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4925                |  | ----         |  | ----               |  | 105.80B/*71.70A    |  | 105.80B/*71.70A  |  | ----               |  | 101.60                 |  | + 16.70         |  | .2942                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 20               |  | UNCH |  |  |  |  |  |      |  |
| 4935                |  | ----         |  | ----               |  | 103.50B/*70.10A    |  | 103.50B/*70.10A  |  | ----               |  | 99.30                  |  | + 16.40         |  | .2889                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 5                |  | UNCH |  |  |  |  |  |      |  |
| 4945                |  | ----         |  | ----               |  | 101.10B/*68.60A    |  | 101.10B/*68.60A  |  | ----               |  | 97.10                  |  | + 16.10         |  | .2838                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 3                |  | UNCH |  |  |  |  |  |      |  |
| 4950                |  | ----         |  | ----               |  | 100.10B/*67.60A    |  | 100.10B/*67.60A  |  | ----               |  | 96.00                  |  | + 16.00         |  | .2813                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 875              |  | UNCH |  |  |  |  |  |      |  |
| 4970                |  | ----         |  | ----               |  | 95.60B/*64.60A     |  | 95.60B/*64.60A   |  | ----               |  | 91.70                  |  | + 15.40         |  | .2712                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 4975                |  | ----         |  | ----               |  | 94.50B/*63.80A     |  | 94.50B/*63.80A   |  | ----               |  | 90.70                  |  | + 15.30         |  | .2688                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 1                |  | UNCH |  |  |  |  |  |      |  |
| 5000                |  | 61.20        |  | 61.20              |  | 89.50B/*60.30A     |  | 89.50B/*60.30A   |  | ----               |  | 85.70                  |  | + 14.60         |  | .2568                    |  | ----  |  | ----          |  | 27                       |  | ----              |  | ----          |  | 1443             |  | +    |  |  |  |  |  |      |  |
| 5025                |  | ----         |  | ----               |  | 84.60B/*56.90A     |  | 84.60B/*56.90A   |  | ----               |  | 81.00                  |  | + 13.90         |  | .2452                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 2                |  | UNCH |  |  |  |  |  |      |  |
| 5045                |  | 54.60        |  | 54.60              |  | 80.90B/*54.40A     |  | 80.90B/*54.40A   |  | ----               |  | 77.50                  |  | + 13.40         |  | .2364                    |  | ----  |  | ----          |  | 7                        |  | ----              |  | ----          |  | 9                |  | +    |  |  |  |  |  |      |  |
| 5050                |  | ----         |  | ----               |  | 80.00B/*53.80A     |  | 80.00B/*53.80A   |  | ----               |  | 76.60                  |  | + 13.30         |  | .2342                    |  | ----  |  | ----          |  | ----                     |  | ----              |  | ----          |  | 59               |  | UNCH |  |  |  |  |  |      |  |
| 5075                |  | ----         |  | ----               |  | 75.70B/*50.90A     |  | 7                |  |                    |  |                        |  |                 |  |                          |  |       |  |               |  |                          |  |                   |  |               |  |                  |  |      |  |  |  |  |  |      |  |



| BULLETIN #101@ |        |                    |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       |               | Thu, May 28, 2026        |                   |               | PG64             |      |         |     |  |
|----------------|--------|--------------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|---------|-----|--|
| GLOBEX<br>OPEN |        | OPEN<br>OPEN       | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |         |     |  |
| OG CALL        |        | COMEX GOLD OPTIONS |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |         |     |  |
| TOTAL          |        |                    |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |               |                  | 900  | 33687 + | 290 |  |
| NOV26          |        |                    |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |         |     |  |
| 4000           | ----   | ----               | ----            | 549.70B/668.50A        | ----             | ----               | 655.70        | + 43.60         | .8360                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4100           | ----   | ----               | ----            | 467.90B/594.20A        | ----             | ----               | 574.90        | + 41.90         | .7974                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4275           | ----   | ----               | 429.20B/363.00A | 429.20B/363.00A        | ----             | ----               | 445.90        | + 38.30         | .7145                    | ----  | ----          | ----                     | ----              | ----          | 38               | UNCH |         |     |  |
| 4300           | ----   | ----               | 435.50B/347.80A | 435.50B/347.80A        | ----             | ----               | 428.90        | + 37.70         | .7013                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4375           | ----   | ----               | 386.60B/301.00A | 386.60B/301.00A        | ----             | ----               | 380.20        | + 35.70         | .6596                    | ----  | ----          | ----                     | ----              | ----          | 38               | UNCH |         |     |  |
| 4400           | ----   | ----               | 371.00B/290.00A | 371.00B/290.00A        | ----             | ----               | 364.80        | + 35.00         | .6452                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |         |     |  |
| 4440           | ----   | ----               | 347.10B/266.30A | 347.10B/266.30A        | ----             | ----               | 341.00        | + 33.90         | .6217                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4455           | 304.50 | 304.50             | 338.40B/257.90A | 338.40B/257.90A        | ----             | ----               | 332.30        | + 33.40         | .6128                    | ----  | ----          | ----                     | 1                 | ----          | 0 -              | 1    |         |     |  |
| 4500           | ----   | ----               | 313.40B/240.70A | 313.40B/240.70A        | ----             | ----               | 307.40        | + 32.10         | .5856                    | ----  | ----          | ----                     | ----              | ----          | 28               | UNCH |         |     |  |
| 4575           | ----   | ----               | 275.90B/205.00A | 275.90B/205.00A        | ----             | ----               | 268.90        | + 29.80         | .5397                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4585           | ----   | ----               | 270.90B/201.20A | 270.90B/201.20A        | ----             | ----               | 264.10        | + 29.60         | .5335                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4595           | ----   | ----               | 266.20B/197.30A | 266.20B/197.30A        | ----             | ----               | 259.30        | + 29.20         | .5274                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4600           | ----   | ----               | 263.40B/195.90A | 263.40B/195.90A        | ----             | ----               | 257.00        | + 29.10         | .5243                    | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH |         |     |  |
| 4650           | ----   | ----               | 240.60B/177.30A | 240.60B/177.30A        | ----             | ----               | 234.40        | + 27.50         | .4938                    | ----  | ----          | ----                     | ----              | ----          | 30               | UNCH |         |     |  |
| 4700           | ----   | ----               | 219.40B/160.30A | 219.40B/160.30A        | ----             | ----               | 213.60        | + 26.10         | .4637                    | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |         |     |  |
| 4750           | ----   | ----               | 199.80B/145.40A | 199.80B/145.40A        | ----             | ----               | 194.40        | + 24.50         | .4343                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4775           | ----   | ----               | 190.40B/138.60A | 190.40B/138.60A        | ----             | ----               | 185.50        | + 23.90         | .4200                    | ----  | ----          | ----                     | ----              | ----          | 31               | UNCH |         |     |  |
| 4800           | ----   | ----               | 181.80B/131.70A | 181.80B/131.70A        | ----             | ----               | 176.90        | + 23.20         | .4059                    | ----  | ----          | ----                     | 14                | ----          | 16 +             | 12   |         |     |  |
| 4850           | ----   | ----               | 164.70B/119.30A | 164.70B/119.30A        | ----             | ----               | 160.90        | + 21.90         | .3786                    | ----  | ----          | ----                     | ----              | ----          | 25               | UNCH |         |     |  |
| 4900           | ----   | ----               | 149.50B/108.10A | 149.50B/108.10A        | ----             | ----               | 146.10        | + 20.50         | .3523                    | ----  | ----          | ----                     | ----              | ----          | 451              | UNCH |         |     |  |
| 4915           | ----   | ----               | 145.30B/*105.20 | 145.30B/*105.20A       | ----             | ----               | 141.90        | + 20.00         | .3446                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4925           | ----   | ----               | 142.40B/*103.00 | 142.40B/*103.00A       | ----             | ----               | 139.20        | + 19.80         | .3396                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 4935           | ----   | ----               | 139.80B/*101.20 | 139.80B/*101.20A       | ----             | ----               | 136.50        | + 19.40         | .3346                    | ----  | ----          | ----                     | ----              | ----          | 25               | UNCH |         |     |  |
| 4950           | ----   | ----               | 136.20B/*98.00A | 136.20B/*98.00A        | ----             | ----               | 132.60        | + 19.00         | .3272                    | ----  | ----          | ----                     | ----              | ----          | 150              | UNCH |         |     |  |
| 4970           | ----   | ----               | 130.90B/*94.50A | 130.90B/*94.50A        | ----             | ----               | 127.60        | + 18.50         | .3176                    | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |         |     |  |
| 5000           | ----   | ----               | 123.20B/*89.00A | 123.20B/*89.00A        | ----             | ----               | 120.40        | + 17.70         | .3035                    | ----  | ----          | ----                     | 1                 | ----          | 96 +             | 1    |         |     |  |
| 5020           | ----   | ----               | 118.60B/*85.80A | 118.60B/*85.80A        | ----             | ----               | 115.80        | + 17.20         | .2944                    | ----  | ----          | ----                     | ----              | ----          | 30               | UNCH |         |     |  |
| 5050           | ----   | ----               | 111.80B/*80.90A | 111.80B/*80.90A        | ----             | ----               | 109.40        | + 16.50         | .2813                    | ----  | ----          | ----                     | ----              | ----          | 100              | UNCH |         |     |  |
| 5060           | ----   | ----               | 109.70B/*79.40A | 109.70B/*79.40A        | ----             | ----               | 107.30        | + 16.30         | .2770                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |         |     |  |
| 5080           | ----   | ----               | 105.60B/*76.30A | 105.60B/*76.30A        | ----             | ----               | 103.30        | + 15.80         | .2686                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |         |     |  |
| 5085           | ----   | ----               | 104.60B/*75.60A | 104.60B/*75.60A        | ----             | ----               | 102.30        | + 15.70         | .2665                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |         |     |  |
| 5120           | ----   | ----               | 97.80B/*70.60A  | 97.80B/*70.60A         | ----             | ----               | 95.80         | + 15.00         | .2525                    | ----  | ----          | ----                     | ----              | ----          | 50               | UNCH |         |     |  |
| 5150           | ----   | ----               | 92.40B/*66.70A  | 92.40B/*66.70A         | ----             | ----               | 90.50         | + 14.30         | .2410                    | ----  | ----          | ----                     | ----              | ----          | 100              | UNCH |         |     |  |
| 5175           | ----   | ----               | 88.20B/*63.60A  | 88.20B/*63.60A         | ----             | ----               | 86.40         | + 13.80         | .2318                    | ----  | ----          | ----                     | ----              | ----          | 12               | UNCH |         |     |  |
| 5180           | ----   | ----               | 87.30B/*63.00A  | 87.30B/*63.00A         | ----             | ----               | 85.60         | + 13.70         | .2300                    | ----  | ----          | ----                     | 1                 | ----          | 5                | UNCH |         |     |  |
| 5185           | ----   | ----               | 86.60B/*62.40A  | 86.60B/*62.40A         | ----             | ----               | 84.80         | + 13.60         | .2282                    | ----  | ----          | ----                     | 1                 | ----          | 1                | UNCH |         |     |  |
| 5200           | ----   | ----               | 84.20B/*60.70A  | 84.20B/*60.70A         | ----             | ----               | 82.40         | + 13.30         | .2229                    | ----  | ----          | ----                     | ----              | ----          | 31               | UNCH |         |     |  |
| 5230           | ----   | ----               | 79.40B/*57.40A  | 79.40B/*57.40A         | ----             | ----               | 78.00         | + 12.70         | .2127                    | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH |         |     |  |
| 5250           | ----   | ----               | 76.70B/*55.30A  | 76.70B/*55.30A         | ----             | ----               | 75.20         | + 12.40         | .2062                    | ----  | ----          | ----                     | 1                 | ----          | 11 +             | 1    |         |     |  |
| 5275           | ----   | ----               | 73.20B/*52.80A  | 73.20B/*52.80A         | ----             | ----               | 71.80         | + 11.90         | .1982                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5285           | ----   | ----               | 72.00B/*51.90A  | 72.00B/*51.90A         | ----             | ----               | 70.50         | + 11.70         | .1952                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5300           | ----   | ----               | 69.90B/*50.30A  | 69.90B/*50.30A         | ----             | ----               | 68.60         | + 11.40         | .1906                    | ----  | ----          | ----                     | ----              | ----          | 395              | UNCH |         |     |  |
| 5325           | ----   | ----               | 66.90B/*48.20A  | 66.90B/*48.20A         | ----             | ----               | 65.60         | + 11.00         | .1834                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5330           | ----   | ----               | 66.40B/*47.80A  | 66.40B/*47.80A         | ----             | ----               | 65.00         | + 10.90         | .1819                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5370           | ----   | ----               | 61.70B/*44.70A  | 61.70B/*44.70A         | ----             | ----               | 60.60         | + 10.30         | .1711                    | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH |         |     |  |
| 5400           | ----   | ----               | 58.60B/*42.60A  | 58.60B/*42.60A         | ----             | ----               | 57.50         | + 9.80          | .1633                    | ----  | ----          | ----                     | ----              | ----          | 17               | UNCH |         |     |  |
| 5420           | ----   | ----               | 56.50B/*41.30A  | 56.50B/*41.30A         | ----             | ----               | 55.50         | + 9.50          | .1583                    | ----  | ----          | ----                     | ----              | ----          | 14               | UNCH |         |     |  |
| 5450           | ----   | ----               | 53.80B/*39.30A  | 53.80B/*39.30A         | ----             | ----               | 52.70         | + 9.00          | .1512                    | ----  | ----          | ----                     | ----              | ----          | 454              | UNCH |         |     |  |
| 5460           | ----   | ----               | 52.80B/*38.70A  | 52.80B/*38.70A         | ----             | ----               | 51.80         | + 8.90          | .1489                    | ----  | ----          | ----                     | ----              | ----          | 10               | UNCH |         |     |  |
| 5500           | ----   | ----               | 49.40B/*36.50A  | 49.40B/*36.50A         | ----             | ----               | 48.40         | + 8.30          | .1401                    | ----  | ----          | ----                     | 14                | ----          | 86 +             | 2    |         |     |  |
| 5530           | ----   | ----               | 47.10B/*35.00A  | 47.10B/*35.00A         | ----             | ----               | 46.10         | + 7.90          | .1340                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5535           | ----   | ----               | 46.60B/*34.70A  | 46.60B/*34.70A         | ----             | ----               | 45.70         | + 7.80          | .1329                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5540           | ----   | ----               | 46.30B/*34.40A  | 46.30B/*34.40A         | ----             | ----               | 45.30         | + 7.80          | .1319                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5545           | ----   | ----               | 45.90B/*34.20A  | 45.90B/*34.20A         | ----             | ----               | 44.90         | + 7.70          | .1309                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5550           | ----   | ----               | 45.50B/*33.80A  | 45.50B/*33.80A         | ----             | ----               | 44.60         | + 7.70          | .1300                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH |         |     |  |
| 5555           | ----   | ----               | 45.20B/*33.70A  | 45.20B/*33.70A         | ----             | ----               | 44.20         | + 7.60          | .1290                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH |         |     |  |
| 5560           | ----   | ----               | 44.80B/*33.30A  | 44.80B/*33.30A         | ----             | ----               | 43.90         | + 7.60          | .1281                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |         |     |  |
| 5565           | ----   | ----               | 44.50B/*33.10A  | 44.50B/*33.10A         | ----             | ----               | 43.50         | + 7.40          | .1271                    | ----  | ----          | ----                     | ----              | ----          | 8                | UNCH |         |     |  |
| 5570           | ----   | ----               | 44.10B/*33.00A  | 44.10B/*33.00A         | ----             | ----               | 43.10         | + 7.30          | .1261                    | ----  | ----          | ----                     | ----              | ----          | 20               | UNCH |         |     |  |
| 5575           | ----   | ----               | 43.80B/*32.60A  | 43.80B/*32.60A         | ----             | ----               | 42.80         | + 7.30          | .1252                    | ----  | ----          | ----                     | ----              | ----          | 84               | UNCH |         |     |  |
| 5600           | ----   | ----               | 42.00B/*31.70A  | 42.00B/*31.70A         | ----             | ----               | 41.10         | + 7.00          | .1206                    | ----  | ----          | ----                     | ----              | ----          | 44               | UNCH |         |     |  |
| 5650           | ----   | ----               | 38.10B/*29.60A  | 38.10B/*29.60A         | ----             | ----               | 38.00         | + 6.40          | .1122                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5655           | ----   | ----               | 37.80B/*29.50A  | 37.80B/*29.50A         | ----             | ----               | 37.70         | + 6.40          | .1114                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5660           | ----   | ----               | 37.50B/*29.20A  | 37.50B/*29.20A         | ----             | ----               | 37.40         | + 6.30          | .1105                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5665           | ----   | ----               | 37.20B/*29.10A  | 37.20B/*29.10A         | ----             | ----               | 37.10         | + 6.20          | .1097                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5670           | ----   | ----               | 36.80B/*28.90A  | 36.80B/*28.90A         | ----             | ----               | 36.80         | + 6.10          | .1089                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |         |     |  |
| 5675           | ----   | ----               | 36.60B/*28.70A  | 36.60B/*28.70A         | ----             | ----               | 36.60         | + 6.20          | .1083                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |         |     |  |
| 5680           | ----   | ----               | 36.20B/*28.50A  | 36.20B/*28.50A         | ----             | ----               | 36.30         | + 6.10          | .1075                    | ----  | ----          | ----                     | ----              | ----          | 39               | UNCH |         |     |  |
| 5685           | ----   | ----               | 35.90B/*28.30A  | 35.90B/*28.30A         | ----             | ----               | 36.00         | + 6.00          | .1067                    | ----  | ----          | ----                     | ----              | ----          | 5                | UNCH |         |     |  |
| 5690           | ----   | ----               | 35.80B/*28.10A  | 35.80B/*28.10A         | ----             | ----               | 35.70         | + 5.90          | .1058                    | ----  | ----          | ----                     | ----              | ----          | 18               | UNCH |         |     |  |
| 5695           | ----   | ----               | 35.50B/*27.90A  | 35.50B/*27.90A         | ----             | ----               | 35.50         | + 6.00          | .1052                    | ----  | ----          | ----                     | ----              | ----          | 15               | UNCH |         |     |  |
| 5700           | ----   | ----               | 35.20B/*27.80A  | 35.20B/*27.80A         | ----             | ----               | 35.20         | + 5.90          | .1044                    | ----  | ----          | ----                     | ----              | ----          | 53               | UNCH |         |     |  |
| 5710           | ----   | ----               | 34.70B/*27.50A  | 34.70B/*27.50A         | ----             | ----               | 34.70         | + 5.80          | .1030                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5800           | ----   | ----               | 30.50B/*24.70A  | 30.50B/*24.70A         | ----             | ----               | 30.40         | + 4.90          | .0909                    | ----  | ----          | ----                     | ----              | ----          | 80               | UNCH |         |     |  |
| 5825           | ----   | ----               | 29.30B/*24.00A  | 29.30B/*24.00A         | ----             | ----               | 29.40         | + 4.70          | .0880                    | ----  | ----          | ----                     | ----              | ----          | 2                | UNCH |         |     |  |
| 5900           | ----   | ----               | 25.40B/*22.20A  | 25.40B/*22.20A         | ----             | ----               | 26.60         | + 4.10          | .0798                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 5925           | ----   | ----               | 24.50B/*21.70A  | 24.50B/*21.70A         | ----             | ----               | 25.70         | + 3.80          | .0772                    | ----  | ----          | ----                     | ----              | ----          | 4                | UNCH |         |     |  |
| 5975           | ----   | ----               | 22.90B/----     | 22.90B/*20.70A         | ----             | ----               | 24.20         | + 3.50          | .0727                    | ----  | ----          | ----                     | ----              | ----          | 3                | UNCH |         |     |  |
| 6000           | ----   | ----               | 22.20B/----     | 22.20B/*20.20A         | ----             | ----               | 23.50         | + 3.40          | .0705                    | ----  | ----          | ----                     | ----              | ----          | 331              | UNCH |         |     |  |
| 6100           | ----   | ----               | 19.60B/----     | 19.60B/*18.40A         | ----             | ----               | 21.00         | + 2.80          | .0629                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 6200           | ----   | ----               | 17.40B/----     | 17.40B/*17.30A         | ----             | ----               | 18.90         | + 2.30          | .0564                    | ----  | ----          | ----                     | ----              | ----          | 1                | UNCH |         |     |  |
| 6400           | ----   | ----               | ----            | 14.30B/*15.10A         | ----             | ----               | 15.90         | + 1.60          | .0468                    | ----  | ----          | ----                     | ----              | ----          | 14               | UNCH |         |     |  |
| 6500           | 15.00  | 15.00              | 15.00/*14.30A   | 15.00/*14.30A          | ----             | ----               | 14.80         | + 1.30          | .0431                    | ----  | ----          | ----                     | 2                 | ----          | 1155             | UNCH |         |     |  |
| 8000           | ----   | ----               | ----            | 7.00B/9.30A            | ----             | ----               | 8.50          | + 0.10          | .0207                    | ----  | ----          | ----                     | ----              | ----          | 928              | UNCH |         |     |  |
| 9000           | ----   | ----               | ----            | 5.80B/8.10A            | ----             | ----               | 7.20          | UNCH            | .0159                    | ----  | ----          | ----                     | ----              | ----          | 951              | UNCH |         |     |  |
| 20000          | ----   | ----               | ----            | 0.80B/1.90A            | ----             | ----               | 1.20          | - 0.10          | .0020                    | ----  | ----          | ----                     | ----              | ----          | 165              | UNCH |         |     |  |
| TOTAL          |        |                    |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |               |                  | 35   | 6252 +  | 15  |  |
| DEC26          |        |                    |                 |                        |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |      |         |     |  |
| 2500           | ----   | ----               | #2,091.60B/---- | #2091.60B/*2089.00.    | ----             | ----               | 2097.00       | + 51.90         | .9943                    | 790   | ----          | 790                      | ----              | ----          | 421              | UNCH |         |     |  |
| 3000           | ----   | ----               | ----            | ----                   | ----</           |                    |               |                 |                          |       |               |                          |                   |               |                  |      |         |     |  |

| GLOBEX<br>OPEN |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
|----------------|--------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|------|
| OG CALL        |        | COMEX GOLD OPTIONS     |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| DEC26          |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |      |
| 4680           | ----   | ----                   | ----            | 253.00B/190.50A    | 253.00B/190.50A            | ----                    | ----            | 246.40 + 27.70           | .4825 | ----          | ----                     | ----              | ----          | 42               | UNCH |
| 4700           | ----   | ----                   | ----            | 244.60B/183.80A    | 244.60B/183.80A            | ----                    | ----            | 238.20 + 27.10           | .4715 | ----          | ----                     | 157               | ----          | 206 +            | 111  |
| 4725           | ----   | ----                   | ----            | 234.60B/175.60A    | 234.60B/175.60A            | ----                    | ----            | 228.30 + 26.40           | .4580 | ----          | ----                     | ----              | ----          | 127              | UNCH |
| 4730           | ----   | ----                   | ----            | 232.70B/174.00A    | 232.70B/174.00A            | ----                    | ----            | 226.30 + 26.20           | .4553 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4750           | ----   | ----                   | ----            | 224.90B/167.80A    | 224.90B/167.80A            | ----                    | ----            | 218.70 + 25.60           | .4446 | ----          | ----                     | ----              | ----          | 240              | UNCH |
| 4765           | ----   | ----                   | ----            | 218.90B/*163.30    | 218.90B/*163.30A           | ----                    | ----            | 213.20 + 25.20           | .4367 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 4775           | ----   | ----                   | ----            | 215.10B/160.40A    | 215.10B/160.40A            | ----                    | ----            | 209.60 + 24.90           | .4315 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4780           | ----   | ----                   | ----            | 213.80B/159.00A    | 213.80B/159.00A            | ----                    | ----            | 207.80 + 24.80           | .4289 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 4790           | ----   | ----                   | ----            | 210.20B/156.10A    | 210.20B/156.10A            | ----                    | ----            | 204.30 + 24.50           | .4237 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 4795           | ----   | ----                   | ----            | 208.50B/*154.70    | 208.50B/*154.70A           | ----                    | ----            | 202.50 + 24.30           | .4211 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 4800           | 153.00 | 153.00                 | ----            | 206.90B/142.00     | 206.90B/142.00             | ----                    | ----            | 200.80 + 24.20           | .4185 | ----          | ----                     | 9                 | ----          | 636 +            | 7    |
| 4810           | ----   | ----                   | ----            | 203.20B/150.60A    | 203.20B/150.60A            | ----                    | ----            | 197.40 + 24.00           | .4134 | ----          | ----                     | 1                 | ----          | 60 +             | 1    |
| 4815           | 198.00 | 198.00                 | ----            | 201.50B/*149.30    | 201.50B/*149.30A           | ----                    | ----            | 195.70 + 23.80           | .4108 | ----          | ----                     | 2                 | ----          | 6 +              | 2    |
| 4820           | ----   | ----                   | ----            | 199.70B/147.90A    | 199.70B/147.90A            | ----                    | ----            | 194.00 + 23.70           | .4082 | ----          | ----                     | ----              | ----          | 91               | UNCH |
| 4825           | ----   | ----                   | ----            | 198.10B/146.60A    | 198.10B/146.60A            | ----                    | ----            | 192.40 + 23.60           | .4057 | ----          | ----                     | ----              | ----          | 104              | UNCH |
| 4835           | ----   | ----                   | ----            | 194.70B/*144.00    | 194.70B/*144.00A           | ----                    | ----            | 189.10 + 23.30           | .4007 | ----          | 17                       | ----              | ----          | 127 +            | 2    |
| 4850           | ----   | ----                   | ----            | 189.90B/140.20A    | 189.90B/140.20A            | ----                    | ----            | 184.30 + 22.90           | .3932 | ----          | ----                     | ----              | ----          | 292              | UNCH |
| 4875           | ----   | ----                   | ----            | 180.20B/134.10A    | 180.20B/134.10A            | ----                    | ----            | 176.50 + 22.20           | .3809 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 4880           | ----   | ----                   | ----            | 180.30B/*132.90    | 180.30B/*132.90A           | ----                    | ----            | 175.00 + 22.10           | .3785 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 4895           | 170.10 | 170.10                 | ----            | 175.80B/*129.40    | 175.80B/*129.40A           | ----                    | ----            | 170.60 NEW               | .3713 | ----          | ----                     | 250               | ----          | 200 +            | 200  |
| 4900           | ----   | ----                   | ----            | 174.00B/128.30A    | 174.00B/128.30A            | ----                    | ----            | 169.10 + 21.60           | .3689 | ----          | ----                     | ----              | 10            | 358              | UNCH |
| 4905           | ----   | ----                   | ----            | 172.70B/*127.10    | 172.70B/*127.10A           | ----                    | ----            | 167.70 + 21.50           | .3665 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 4910           | ----   | ----                   | ----            | 171.20B/*126.00    | 171.20B/*126.00A           | ----                    | ----            | 166.30 + 21.40           | .3642 | ----          | ----                     | 2                 | ----          | 18 +             | 2    |
| 4925           | ----   | ----                   | ----            | 166.80B/122.70A    | 166.80B/122.70A            | ----                    | ----            | 162.10 + 21.10           | .3572 | ----          | 1                        | ----              | ----          | 242 +            | 1    |
| 4950           | ----   | ----                   | ----            | 159.80B/117.40A    | 159.80B/117.40A            | ----                    | ----            | 155.30 + 20.50           | .3457 | ----          | ----                     | ----              | ----          | 103              | UNCH |
| 4955           | ----   | ----                   | ----            | 158.40B/*116.40    | 158.40B/*116.40A           | ----                    | ----            | 153.90 + 20.30           | .3434 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 4960           | ----   | ----                   | ----            | 157.00B/*115.40    | 157.00B/*115.40A           | ----                    | ----            | 152.60 + 20.20           | .3411 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 4975           | ----   | ----                   | ----            | 152.90B/112.40A    | 152.90B/112.40A            | ----                    | ----            | 148.80 + 19.90           | .3345 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 5000           | 120.00 | 120.00                 | ----            | 146.70B/105.00     | 146.70B/105.00             | ----                    | ----            | 142.50 + 19.30           | .3235 | ----          | ----                     | 67                | ----          | 2710 -           | 10   |
| 5005           | ----   | ----                   | ----            | 145.30B/*106.60    | 145.30B/*106.60A           | ----                    | ----            | 141.30 + 19.20           | .3213 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5020           | ----   | ----                   | ----            | 140.20B/*103.90    | 140.20B/*103.90A           | ----                    | ----            | 137.70 + 18.80           | .3149 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5025           | ----   | ----                   | ----            | 140.30B/103.00A    | 140.30B/103.00A            | ----                    | ----            | 136.60 + 18.80           | .3129 | ----          | ----                     | ----              | ----          | 243              | UNCH |
| 5045           | ----   | ----                   | ----            | 134.30B/*99.50A    | 134.30B/*99.50A            | ----                    | ----            | 132.00 + 18.30           | .3045 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5050           | ----   | ----                   | ----            | 134.30B/*98.60A    | 134.30B/*98.60A            | ----                    | ----            | 130.80 + 18.10           | .3024 | ----          | ----                     | ----              | ----          | 119              | UNCH |
| 5055           | ----   | ----                   | ----            | 131.90B/*97.80A    | 131.90B/*97.80A            | ----                    | ----            | 129.70 + 18.00           | .3004 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5070           | ----   | ----                   | ----            | 129.70B/*95.30A    | 129.70B/*95.30A            | ----                    | ----            | 126.40 + 17.70           | .2943 | ----          | ----                     | ----              | ----          | 13               | UNCH |
| 5075           | ----   | ----                   | ----            | 128.60B/*94.50A    | 128.60B/*94.50A            | ----                    | ----            | 125.30 + 17.60           | .2923 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 5090           | ----   | ----                   | ----            | 125.30B/*92.10A    | 125.30B/*92.10A            | ----                    | ----            | 122.20 + 17.30           | .2864 | ----          | ----                     | ----              | ----          | 17               | UNCH |
| 5100           | ----   | ----                   | ----            | 123.40B/*90.50A    | 123.40B/*90.50A            | ----                    | ----            | 120.10 + 17.10           | .2825 | ----          | ----                     | ----              | ----          | 362              | UNCH |
| 5115           | 109.10 | 109.10                 | ----            | 119.00B/*88.30A    | 119.00B/*88.30A            | ----                    | ----            | 117.00 NEW               | .2767 | ----          | 1                        | ----              | ----          | 1 +              | 1    |
| 5125           | ----   | ----                   | ----            | 118.10B/*86.80A    | 118.10B/*86.80A            | ----                    | ----            | 115.00 + 16.50           | .2729 | ----          | ----                     | 10                | ----          | 70               | UNCH |
| 5150           | ----   | ----                   | ----            | 113.10B/*83.10A    | 113.10B/*83.10A            | ----                    | ----            | 110.20 + 15.90           | .2636 | ----          | ----                     | ----              | ----          | 22 +             | 10   |
| 5155           | ----   | ----                   | ----            | 112.10B/*82.40A    | 112.10B/*82.40A            | ----                    | ----            | 109.30 + 15.90           | .2618 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5160           | ----   | ----                   | ----            | 110.10B/*81.70A    | 110.10B/*81.70A            | ----                    | ----            | 108.40 + 15.80           | .2600 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5170           | ----   | ----                   | ----            | 109.30B/*80.40A    | 109.30B/*80.40A            | ----                    | ----            | 106.50 + 15.50           | .2563 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5175           | ----   | ----                   | ----            | 108.40B/*79.70A    | 108.40B/*79.70A            | ----                    | ----            | 105.60 + 15.40           | .2546 | ----          | ----                     | ----              | ----          | 101              | UNCH |
| 5195           | ----   | ----                   | ----            | 104.80B/*77.10A    | 104.80B/*77.10A            | ----                    | ----            | 102.10 + 15.00           | .2476 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5200           | ----   | ----                   | ----            | 104.10B/*76.50A    | 104.10B/*76.50A            | ----                    | ----            | 101.30 + 15.00           | .2459 | ----          | ----                     | ----              | ----          | 1330             | UNCH |
| 5220           | ----   | ----                   | ----            | 100.30B/*74.00A    | 100.30B/*74.00A            | ----                    | ----            | 97.90 + 14.50            | .2391 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5245           | ----   | ----                   | ----            | 96.30B/*71.00A     | 96.30B/*71.00A             | ----                    | ----            | 93.90 + 14.10            | .2309 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 5250           | ----   | ----                   | ----            | 95.60B/*70.40A     | 95.60B/*70.40A             | ----                    | ----            | 93.10 + 13.90            | .2293 | ----          | ----                     | ----              | ----          | 407              | UNCH |
| 5255           | ----   | ----                   | ----            | 93.90B/*69.90A     | 93.90B/*69.90A             | ----                    | ----            | 92.30 + 13.80            | .2277 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5265           | ----   | ----                   | ----            | 93.10B/*68.70A     | 93.10B/*68.70A             | ----                    | ----            | 90.80 + 13.70            | .2246 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5270           | ----   | ----                   | ----            | 91.60B/*68.20A     | 91.60B/*68.20A             | ----                    | ----            | 90.00 + 13.50            | .2229 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5275           | ----   | ----                   | ----            | 91.60B/*67.60A     | 91.60B/*67.60A             | ----                    | ----            | 89.30 + 13.50            | .2214 | ----          | ----                     | ----              | ----          | 24               | UNCH |
| 5280           | ----   | ----                   | ----            | 90.00B/*67.10A     | 90.00B/*67.10A             | ----                    | ----            | 88.50 + 13.30            | .2198 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5285           | ----   | ----                   | ----            | 89.30B/*66.60A     | 89.30B/*66.60A             | ----                    | ----            | 87.80 + 13.20            | .2183 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 5290           | ----   | ----                   | ----            | 88.60B/*66.00A     | 88.60B/*66.00A             | ----                    | ----            | 87.10 + 13.20            | .2168 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5295           | ----   | ----                   | ----            | 87.90B/*65.50A     | 87.90B/*65.50A             | ----                    | ----            | 86.40 + 13.10            | .2153 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5300           | ----   | ----                   | ----            | 87.90B/*65.00A     | 87.90B/*65.00A             | ----                    | ----            | 85.70 + 13.00            | .2139 | ----          | ----                     | ----              | 50            | 750              | UNCH |
| 5305           | ----   | ----                   | ----            | 87.20B/*64.50A     | 87.20B/*64.50A             | ----                    | ----            | 85.00 + 12.90            | .2124 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5310           | ----   | ----                   | ----            | 86.50B/*64.00A     | 86.50B/*64.00A             | ----                    | ----            | 84.30 + 12.80            | .2109 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5315           | ----   | ----                   | ----            | 85.80B/*63.50A     | 85.80B/*63.50A             | ----                    | ----            | 83.60 + 12.70            | .2094 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5320           | ----   | ----                   | ----            | 85.10B/*63.00A     | 85.10B/*63.00A             | ----                    | ----            | 82.90 + 12.60            | .2079 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5325           | ----   | ----                   | ----            | 84.40B/*62.50A     | 84.40B/*62.50A             | ----                    | ----            | 82.20 + 12.50            | .2064 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5330           | ----   | ----                   | ----            | 83.70B/*62.00A     | 83.70B/*62.00A             | ----                    | ----            | 81.50 + 12.40            | .2050 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 5335           | ----   | ----                   | ----            | 83.00B/*61.50A     | 83.00B/*61.50A             | ----                    | ----            | 80.90 + 12.40            | .2036 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 5340           | ----   | ----                   | ----            | 82.40B/*61.00A     | 82.40B/*61.00A             | ----                    | ----            | 80.20 + 12.20            | .2022 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 5345           | ----   | ----                   | ----            | 81.70B/*60.50A     | 81.70B/*60.50A             | ----                    | ----            | 79.60 + 12.20            | .2008 | ----          | ----                     | ----              | ----          | 5                | UNCH |
| 5350           | ----   | ----                   | ----            | 81.10B/*60.00A     | 81.10B/*60.00A             | ----                    | ----            | 78.90 + 12.10            | .1993 | ----          | ----                     | ----              | ----          | 466              | UNCH |
| 5355           | ----   | ----                   | ----            | 80.20B/*59.50A     | 80.20B/*59.50A             | ----                    | ----            | 78.30 + 12.00            | .1980 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 5360           | ----   | ----                   | ----            | 79.70B/*59.10A     | 79.70B/*59.10A             | ----                    | ----            | 77.70 + 11.90            | .1967 | ----          | ----                     | ----              | ----          | 107              | UNCH |
| 5365           | ----   | ----                   | ----            | 79.10B/*58.60A     | 79.10B/*58.60A             | ----                    | ----            | 77.10 + 11.90            | .1954 | ----          | ----                     | ----              | ----          | 22               | UNCH |
| 5370           | ----   | ----                   | ----            | 78.30B/*58.10A     | 78.30B/*58.10A             | ----                    | ----            | 76.40 + 11.70            | .1939 | ----          | ----                     | ----              | ----          | 38               | UNCH |
| 5375           | ----   | ----                   | ----            | 77.20B/*57.70A     | 77.20B/*57.70A             | ----                    | ----            | 75.80 + 11.60            | .1926 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5380           | ----   | ----                   | ----            | 77.20B/*57.20A     | 77.20B/*57.20A             | ----                    | ----            | 75.20 + 11.60            | .1912 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5385           | ----   | ----                   | ----            | 76.00B/*56.80A     | 76.00B/*56.80A             | ----                    | ----            | 74.60 + 11.50            | .1899 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 5390           | ----   | ----                   | ----            | 75.90B/*56.20A     | 75.90B/*56.20A             | ----                    | ----            | 74.00 + 11.40            | .1886 | ----          | ----                     | ----              | ----          | 203              | UNCH |
| 5395           | ----   | ----                   | ----            | 75.10B/*55.80A     | 75.10B/*55.80A             | ----                    | ----            | 73.50 + 11.40            | .1874 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5400           | ----   | ----                   | ----            | 74.80B/*55.40A     | 74.80B/*55.40A             | ----                    | ----            | 72.90 + 11.30            | .1861 | ----          | ----                     | ----              | ----          | 583              | UNCH |
| 5450           | ----   | ----                   | ----            | 69.00B/*51.50A     | 69.00B/*51.50A             | ----                    | ----            | 67.40 + 10.50            | .1737 | ----          | ----                     | ----              | 10            | 288 +            | 10   |
| 5460           | ----   | ----                   | ----            | 68.00B/*50.80A     | 68.00B/*50.80A             | ----                    | ----            | 66.40 + 10.40            | .1714 | ----          | ----                     | ----              | ----          | 200              | UNCH |
| 5465           | ----   | ----                   | ----            | 67.30B/*50.40A     | 67.30B/*50.40A             | ----                    | ----            | 65.90 + 10.40            | .1703 | ----          | ----                     | ----              | ----          | 53               | UNCH |
| 5475           | ----   | ----                   | ----            | 66.50B/*49.70A     | 66.50B/*49.70A             | ----                    | ----            | 64.90 + 10.20            | .1680 | ----          | ----                     | ----              | ----          | 572              | UNCH |
| 5480           | ----   | ----                   | ----            | 65.70B/*49.40A     | 65.70B/*49.40A             | ----                    | ----            | 64.40 + 10.10            | .1668 | ----          | ----                     | ----              | ----          | 50               | UNCH |
| 5500           | ----   | ----                   | ----            | 63.40B/*47.90A     | 63.40B/*47.90A             | ----                    | ----            | 62.50 + 9.90             | .1624 | ----          | ----                     | 10                | 50            | 3240 -           | 10   |
| 5505           | ----   | ----                   | ----            | 62.90B/*47.60A     | 62.90B/*47.60A             | ----                    | ----            | 62.00 + 9.80             | .1613 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 5525           | ----   | ----                   | ----            | 61.10B/*46.30A     | 61.10B/*46.30A             | ----                    | ----            | 60.20 + 9.60             | .1571 | ----          | ----                     | ----              | ----          | 80               | UNCH |
| 5550           | ----   | ----                   | ----            | 58.90B/*44.80A     | 58.90B/*44.80A             | ----                    | ----            | 58.00 + 9.20             | .1519 | ----          | ----                     | ----              | ----          | 206              | UNCH |



| BULLETIN #101@ |                    |              |                 | METALS OPTION PRODUCTS |                  |                    |               |                 |                          |       | Thu, May 28, 2026 |                          |                   |               | PG64             |
|----------------|--------------------|--------------|-----------------|------------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|-------------------|--------------------------|-------------------|---------------|------------------|
|                | GLOBEX<br>OPEN     | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES     | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| OG CALL        | COMEX GOLD OPTIONS |              |                 |                        |                  |                    |               |                 |                          |       |                   |                          |                   |               |                  |
| DEC26          |                    |              |                 |                        |                  |                    |               |                 |                          |       |                   |                          |                   |               |                  |
| 9500           | ----               | ----         |                 | ----                   | 7.50B/10.10A     | ----               |               |                 | 9.70 + 0.50              | .0192 | ----              | ----                     | 200               | ----          | 443 +            |
| 9900           | ----               | ----         |                 | ----                   | 7.20B/*9.70A     | ----               |               |                 | 9.50 + 0.50              | .0182 | ----              | ----                     | ----              | ----          | 17               |
| 10000          | 8.80               | 8.80         |                 | 8.80/8.00              | 8.80/8.00        | ----               |               |                 | 9.50 + 0.60              | .0180 | ----              | ----                     | 227               | ----          | 10807 +          |
| 11000          | ----               | ----         |                 | ----                   | 7.50B/8.70A      | ----               |               |                 | 7.70 - 0.10              | .0141 | ----              | ----                     | 110               | ----          | 662 +            |
| 13000          | 5.10               | 5.10         |                 | 5.30/*5.10             | 5.30/*5.10       | ----               |               |                 | 5.60 - 0.50              | .0096 | ----              | ----                     | 89                | ----          | 684 +            |
| 15000          | 4.50               | 4.50         |                 | 4.80B/4.50             | 4.80B/4.50       | ----               |               |                 | 4.50 - 0.20              | .0074 | ----              | ----                     | 455               | ----          | 23797 +          |
| 17000          | ----               | ----         |                 | ----/3.30A             | 2.30B/3.30A      | ----               |               |                 | 3.30 - 0.10              | .0053 | ----              | ----                     | ----              | ----          | 27               |
| 19000          | ----               | ----         |                 | ----                   | 1.70B/3.50A      | ----               |               |                 | 2.30                     | UNCH  | .0037             | ----                     | ----              | ----          | 6                |
| 20000          | ----               | ----         |                 | 2.00B/----             | 2.00B/2.10A      | ----               |               |                 | 2.00 + 0.10              | .0032 | ----              | ----                     | ----              | ----          | 26433            |
| 21000          | ----               | ----         |                 | ----                   | ----/18.40A      | ----               |               |                 | 1.60                     | UNCH  | .0025             | ----                     | ----              | ----          | 31               |
| 24000          | 1.50               | 1.50         |                 | 1.50/1.50              | 1.50/1.30A       | ----               |               |                 | 1.00 + 0.10              | .0016 | ----              | ----                     | 2                 | ----          | 34 +             |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |                          |       |                   |                          | 6128              | 180           | 120874 +         |
| JAN27          |                    |              |                 |                        |                  |                    |               |                 |                          |       |                   |                          |                   |               |                  |
| 4190           | ----               | ----         |                 | ----/*483.70A          | 503.20B/*483.70A | ----               |               |                 | 570.40 + 39.50           | .7432 | ----              | ----                     | ----              | ----          | 1                |
| 4290           | ----               | ----         |                 | 506.60B/*421.50        | 506.60B/*421.50A | ----               |               |                 | 502.00 + 37.40           | .6996 | ----              | ----                     | ----              | ----          | 1                |
| 4300           | ----               | ----         |                 | 500.00B/415.50A        | 500.00B/415.50A  | ----               |               |                 | 495.50 + 37.20           | .6950 | ----              | ----                     | ----              | ----          | 1                |
| 4400           | ----               | ----         |                 | 437.20B/*358.20        | 437.20B/*358.20A | ----               |               |                 | 433.10 + 35.00           | .6477 | ----              | ----                     | ----              | ----          | 1                |
| 4500           | ----               | ----         |                 | 380.40B/*307.70        | 380.40B/*307.70A | ----               |               |                 | 376.40 + 32.80           | .5981 | ----              | ----                     | 1                 | ----          | 2 +              |
| 4575           | ----               | ----         |                 | 343.20B/*270.60        | 343.20B/*270.60A | ----               |               |                 | 337.70 + 31.20           | .5600 | ----              | ----                     | ----              | ----          | 1                |
| 4600           | ----               | ----         |                 | 330.80B/*260.30        | 330.80B/*260.30A | ----               |               |                 | 325.50 + 30.60           | .5472 | ----              | ----                     | ----              | ----          | 4                |
| 4650           | 305.00             | 305.00       |                 | 306.40B/*240.60        | 306.40B/*240.60A | ----               |               |                 | 302.20 + 29.40           | .5217 | ----              | ----                     | 1                 | ----          | 3 +              |
| 4700           | ----               | ----         |                 | 284.90B/*222.50        | 284.90B/*222.50A | ----               |               |                 | 280.30 + 28.20           | .4965 | ----              | ----                     | ----              | ----          | 2                |
| 4710           | ----               | ----         |                 | 281.50B/*219.00        | 281.50B/*219.00A | ----               |               |                 | 276.10 + 28.00           | .4915 | ----              | ----                     | ----              | ----          | 3                |
| 4750           | ----               | ----         |                 | 265.00B/*205.40        | 265.00B/*205.40A | ----               |               |                 | 259.90 + 27.10           | .4717 | ----              | ----                     | ----              | ----          | 8                |
| 4760           | ----               | ----         |                 | 261.00B/*202.30        | 261.00B/*202.30A | ----               |               |                 | 255.90 + 26.80           | .4667 | ----              | ----                     | ----              | ----          | 101              |
| 4765           | ----               | ----         |                 | 259.00B/*200.60        | 259.00B/*200.60A | ----               |               |                 | 254.00                   | NEW   | .4643             | ----                     | 6                 | ----          | 6 +              |
| 4800           | ----               | ----         |                 | 245.50B/*189.70        | 245.50B/*189.70A | ----               |               |                 | 240.70 + 25.80           | .4473 | ----              | ----                     | 10                | ----          | 13 +             |
| 4850           | ----               | ----         |                 | 227.40B/*175.20        | 227.40B/*175.20A | ----               |               |                 | 222.90 + 24.60           | .4236 | ----              | ----                     | ----              | ----          | 1                |
| 4875           | ----               | ----         |                 | 218.80B/*168.50        | 218.80B/*168.50A | ----               |               |                 | 214.50 + 24.00           | .4120 | ----              | ----                     | ----              | ----          | 4                |
| 4900           | ----               | ----         |                 | 209.70B/*161.90        | 209.70B/*161.90A | ----               |               |                 | 206.30 + 23.30           | .4005 | ----              | ----                     | 30                | ----          | 31 +             |
| 4935           | ----               | ----         |                 | 198.50B/*153.20        | 198.50B/*153.20A | ----               |               |                 | 195.40 + 22.50           | .3848 | ----              | ----                     | ----              | ----          | 1                |
| 4945           | ----               | ----         |                 | 195.50B/*150.80        | 195.50B/*150.80A | ----               |               |                 | 192.40 + 22.20           | .3804 | ----              | ----                     | ----              | ----          | 1                |
| 4960           | ----               | ----         |                 | 191.10B/*147.30        | 191.10B/*147.30A | ----               |               |                 | 188.00 + 21.90           | .3739 | ----              | ----                     | ----              | ----          | 1                |
| 5000           | ----               | ----         |                 | 179.30B/*138.30        | 179.30B/*138.30A | ----               |               |                 | 176.70 + 20.90           | .3568 | ----              | ----                     | ----              | ----          | 30               |
| 5050           | ----               | ----         |                 | 166.00B/*128.00        | 166.00B/*128.00A | ----               |               |                 | 163.50 + 19.80           | .3363 | ----              | ----                     | ----              | ----          | 100              |
| 5075           | 129.20             | 129.20       |                 | 159.60B/*123.10        | 159.60B/*123.10  | ----               |               |                 | 157.30                   | NEW   | .3264             | ----                     | 2                 | ----          | 2 +              |
| 5100           | ----               | ----         |                 | 153.60B/*118.50        | 153.60B/*118.50A | ----               |               |                 | 151.30 + 18.60           | .3166 | ----              | ----                     | ----              | ----          | 1                |
| 5130           | ----               | ----         |                 | 146.70B/*113.00        | 146.70B/*113.00A | ----               |               |                 | 144.50 + 18.00           | .3053 | ----              | ----                     | ----              | ----          | 1                |
| 5195           | ----               | ----         |                 | 132.80B/*102.20        | 132.80B/*102.20A | ----               |               |                 | 130.80 + 16.70           | .2820 | ----              | ----                     | ----              | ----          | 5                |
| 5200           | ----               | ----         |                 | 131.80B/*101.40        | 131.80B/*101.40A | ----               |               |                 | 129.80 + 16.60           | .2803 | ----              | ----                     | ----              | 1103          | UNCH             |
| 5250           | ----               | ----         |                 | 122.00B/*94.00A        | 122.00B/*94.00A  | ----               |               |                 | 120.30 + 15.70           | .2635 | ----              | ----                     | ----              | ----          | 7                |
| 5300           | ----               | ----         |                 | 113.30B/*87.30A        | 113.30B/*87.30A  | ----               |               |                 | 111.60 + 14.80           | .2477 | ----              | ----                     | ----              | ----          | 1                |
| 5350           | 106.50             | 106.50       |                 | 107.00/*80.90A         | 107.00/*80.90A   | ----               |               |                 | 103.60 + 13.90           | .2328 | ----              | ----                     | 2                 | ----          | 3 +              |
| 5380           | ----               | ----         |                 | 100.60B/*77.70A        | 100.60B/*77.70A  | ----               |               |                 | 99.20 + 13.50            | .2244 | ----              | ----                     | ----              | ----          | 3                |
| 5400           | ----               | ----         |                 | 97.70B/*75.40A         | 97.70B/*75.40A   | ----               |               |                 | 96.30 + 13.10            | .2188 | ----              | ----                     | ----              | ----          | 6                |
| 5450           | ----               | ----         |                 | 90.80B/*70.10A         | 90.80B/*70.10A   | ----               |               |                 | 89.60 + 12.30            | .2057 | ----              | ----                     | ----              | ----          | 6                |
| 5500           | ----               | ----         |                 | 84.60B/*65.40A         | 84.60B/*65.40A   | ----               |               |                 | 83.50 + 11.70            | .1935 | ----              | ----                     | ----              | ----          | 58               |
| 5550           | ----               | ----         |                 | 79.00B/*61.00A         | 79.00B/*61.00A   | ----               |               |                 | 77.90 + 11.00            | .1821 | ----              | ----                     | ----              | ----          | 4                |
| 5555           | ----               | ----         |                 | 78.50B/*60.70A         | 78.50B/*60.70A   | ----               |               |                 | 77.40 + 11.00            | .1811 | ----              | ----                     | ----              | ----          | 2                |
| 5600           | ----               | ----         |                 | 73.80B/*57.90A         | 73.80B/*57.90A   | ----               |               |                 | 72.80 + 10.40            | .1715 | ----              | ----                     | ----              | ----          | 226              |
| 5700           | ----               | ----         |                 | 64.50B/*51.50A         | 64.50B/*51.50A   | ----               |               |                 | 63.80 + 9.20             | .1523 | ----              | ----                     | ----              | ----          | 3                |
| 5750           | ----               | ----         |                 | 60.50B/*48.60A         | 60.50B/*48.60A   | ----               |               |                 | 59.90 + 8.70             | .1438 | ----              | ----                     | ----              | ----          | 2                |
| 5820           | ----               | ----         |                 | 55.30B/*44.50A         | 55.30B/*44.50A   | ----               |               |                 | 54.90 + 7.90             | .1327 | ----              | ----                     | ----              | ----          | 6                |
| 5850           | ----               | ----         |                 | 53.40B/*43.00A         | 53.40B/*43.00A   | ----               |               |                 | 53.00 + 7.70             | .1284 | ----              | ----                     | ----              | ----          | 3                |
| 5900           | ----               | ----         |                 | 50.20B/*40.80A         | 50.20B/*40.80A   | ----               |               |                 | 49.90 + 7.20             | .1214 | ----              | ----                     | ----              | ----          | 6                |
| 6000           | ----               | ----         |                 | 43.30B/*37.10A         | 43.30B/*37.10A   | ----               |               |                 | 44.60 + 6.30             | .1091 | ----              | ----                     | ----              | 283           | UNCH             |
| 6025           | ----               | ----         |                 | 42.10B/*36.20A         | 42.10B/*36.20A   | ----               |               |                 | 43.40 + 6.10             | .1063 | ----              | ----                     | ----              | ----          | 1                |
| 6250           | ----               | ----         |                 | 33.10B/----            | 33.10B/*31.40A   | ----               |               |                 | 34.40 + 4.30             | .0848 | ----              | ----                     | ----              | ----          | 1                |
| 6300           | ----               | ----         |                 | 29.30B/----            | 29.30B/*30.30A   | ----               |               |                 | 32.80 + 4.00             | .0809 | ----              | ----                     | ----              | ----          | 3                |
| 6500           | ----               | ----         |                 | ----                   | 24.10B/*26.80A   | ----               |               |                 | 27.30 + 2.70             | .0674 | ----              | ----                     | ----              | ----          | 5                |
| 20000          | ----               | ----         |                 | ----                   | 2.20B/4.00A      | ----               |               |                 | 3.00 - 1.00              | .0045 | ----              | ----                     | ----              | ----          | 125              |
| TOTAL          |                    |              |                 |                        |                  |                    |               |                 |                          |       |                   |                          | 52                |               | 2182 +           |
| FEB27          |                    |              |                 |                        |                  |                    |               |                 |                          |       |                   |                          |                   |               |                  |
| 4500           | ----               | ----         |                 | 398.20B/*327.50        | 398.20B/*327.50A | ----               |               |                 | 394.90 + 32.30           | .5959 | ----              | ----                     | ----              | ----          | 0                |
| 4630           | ----               | ----         |                 | 336.00B/*268.00        | 336.00B/*268.00A | ----               |               |                 | 330.10 + 29.00           | .5335 | ----              | ----                     | ----              | ----          | 1                |
| 4640           | ----               | ----         |                 | 331.40B/*264.10        | 331.40B/*264.10A | ----               |               |                 | 325.50 + 28.80           | .5287 | ----              | ----                     | ----              | ----          | 5                |
| 4650           | ----               | ----         |                 | 326.80B/*260.40        | 326.80B/*260.40A | ----               |               |                 | 321.00 + 28.50           | .5240 | ----              | ----                     | ----              | ----          | 6                |
| 4675           | ----               | ----         |                 | 315.60B/*250.90        | 315.60B/*250.90A | ----               |               |                 | 309.90 + 27.90           | .5121 | ----              | ----                     | ----              | ----          | 1                |
| 4700           | ----               | ----         |                 | 304.80B/*241.90        | 304.80B/*241.90A | ----               |               |                 | 299.20 + 27.30           | .5002 |                   |                          |                   |               |                  |



| PG64    | BULLETIN #101@                      |              |                 |                    |                   |                 |                 |                          |       |               | METALS OPTION PRODUCTS   |                   |               |                  |  |  |  |      |  |  | Thu, May 28, 2026 |  |  |  | PG64 |
|---------|-------------------------------------|--------------|-----------------|--------------------|-------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|--|--|--|------|--|--|-------------------|--|--|--|------|
|         | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW  | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |  |  |  |      |  |  |                   |  |  |  |      |
| OG CALL | COMEX GOLD OPTIONS                  |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| APR27   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| 5600    | ----                                |              | ----            | ----               | 63.70B/138.30A    | ----            |                 | 136.10 + 11.70           | .2411 | ----          | ----                     | ----              | ----          | 300              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 5800    | ----                                |              | ----            | ----               | 53.40B/111.50A    | ----            |                 | 106.80 NEW               | .1980 | ----          | ----                     | ----              | 50            | 50 +             |  |  |  | 50   |  |  |                   |  |  |  |      |
| 5900    | ----                                |              | ----            | ----               | 50.30B/96.60A     | ----            |                 | 94.80 + 8.70             | .1793 | ----          | ----                     | ----              | ----          | 1                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 6000    | ----                                |              | ----            | ----               | 47.30B/86.70A     | ----            |                 | 84.30 + 7.80             | .1623 | ----          | ----                     | ----              | ----          | 151              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| TOTAL   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   | 50            | 627 +            |  |  |  | 50   |  |  |                   |  |  |  |      |
| JUN27   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| 5085    | ----                                |              | ----            | ----               | #117.70B/*407.30A | ----            |                 | 325.90 + 21.10           | .4241 | ----          | ----                     | ----              | ----          | 150              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 7000    | ----                                |              | ----            | ----               | #40.00B/114.80A   | ----            |                 | 53.40 + 4.60             | .0960 | ----          | ----                     | ----              | ----          | 3                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 7500    | ----                                |              | ----            | ----               | ----              | ----            |                 | 38.20 + 3.30             | .0698 | ----          | ----                     | ----              | ----          | 450              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 8000    | ----                                |              | ----            | ----               | ----              | ----            |                 | 29.60 + 2.60             | .0539 | ----          | ----                     | ----              | ----          | 2                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 9000    | 20.00                               | 20.00        |                 | 20.00/*20.00       | 20.00/*20.00      | ----            |                 | 21.70 + 1.80             | .0379 | ----          | ----                     | 1                 | ----          | 0 -              |  |  |  | 1    |  |  |                   |  |  |  |      |
| 10000   | ----                                |              | ----            | ----               | ----              | ----            |                 | 19.30 + 1.40             | .0316 | ----          | ----                     | ----              | ----          | 3                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| TOTAL   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          | 1                 | ----          | 608 -            |  |  |  | 1    |  |  |                   |  |  |  |      |
| DEC27   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| 4860    | ----                                |              | ----            | ----               | ----              | ----            |                 | 561.40 + 27.60           | .5407 | ----          | ----                     | ----              | ----          | 100              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 5000    | ----                                |              | ----            | ----               | ----              | ----            |                 | 507.00 + 25.80           | .5045 | ----          | ----                     | ----              | ----          | 50               |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 5650    | ----                                |              | ----            | ----               | ----              | ----            |                 | 309.60 + 18.00           | .3538 | ----          | ----                     | ----              | ----          | 200              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 5700    | ----                                |              | ----            | ----               | ----              | ----            |                 | 298.00 + 17.50           | .3437 | ----          | ----                     | ----              | ----          | 150              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 5800    | ----                                |              | ----            | ----               | ----              | ----            |                 | 276.10 + 16.40           | .3242 | ----          | ----                     | ----              | ----          | 200              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 5880    | ----                                |              | ----            | ----               | ----              | ----            |                 | 259.90 + 15.70           | .3094 | ----          | ----                     | ----              | ----          | 125              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 6300    | ----                                |              | ----            | ----               | ----              | ----            |                 | 190.90 + 12.20           | .2415 | ----          | ----                     | ----              | ----          | 18               |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 7500    | ----                                |              | ----            | ----               | ----              | ----            |                 | 90.30 + 6.20             | .1256 | ----          | ----                     | ----              | ----          | 170              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 7800    | ----                                |              | ----            | ----               | ----              | ----            |                 | 77.80 + 5.40             | .1092 | ----          | ----                     | ----              | ----          | 284              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 10000   | 36.00                               | 36.00        |                 | 36.00/36.00        | 36.00/36.00       | ----            |                 | 38.60 + 2.60             | .0533 | ----          | ----                     | 4                 | ----          | 103              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 10500   | ----                                |              | ----            | ----               | ----              | ----            |                 | 34.80 + 2.30             | .0475 | ----          | ----                     | ----              | ----          | 10               |  |  |  | UNCH |  |  |                   |  |  |  |      |
| TOTAL   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          | 4                 | ----          | 1410             |  |  |  | 0    |  |  |                   |  |  |  |      |
| DEC28   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| 5750    | ----                                |              | ----            | ----               | ----              | ----            |                 | 521.80 + 22.70           | .4316 | ----          | ----                     | ----              | ----          | 100              |  |  |  | UNCH |  |  |                   |  |  |  |      |
| TOTAL   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               | 100              |  |  |  | 0    |  |  |                   |  |  |  |      |
|         | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW  | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |  |  |  |      |  |  |                   |  |  |  |      |
| MMG MON | MICRO GOLD WEEKLY MONDAY OPTION WEE |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| JUN26   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| 4400    | ----                                |              | ----            | ----/*8.00A        | ----/*8.00A       | ----            |                 | 5.20 - 9.60              | .0778 | ----          | ----                     | ----              | ----          | 1                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4430    | 25.00                               | 25.00        |                 | #25.00/*25.00      | #25.00/*25.00     | ----            |                 | 8.00 NEW                 | .1245 | ----          | ----                     | 1                 | ----          | 1 +              |  |  |  | 1    |  |  |                   |  |  |  |      |
| 4540    | 22.00                               | 22.00        |                 | #22.00/*22.00      | #22.00/*20.00A    | ----            |                 | 32.20 NEW                | .4658 | ----          | ----                     | 1                 | ----          | 1 +              |  |  |  | 1    |  |  |                   |  |  |  |      |
| 4600    | ----                                |              | ----            | ----               | ----              | ----            |                 | 12.30 + 6.70             | .2075 | ----          | ----                     | ----              | ----          | 4                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| TOTAL   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          | 2                 | ----          | 7 +              |  |  |  | 2    |  |  |                   |  |  |  |      |
|         | GLOBEX<br>OPEN                      | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW  | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |  |  |  |      |  |  |                   |  |  |  |      |
| GWV WED | GOLD WEEKLY WEDNESDAY OPTION WEEK4  |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| MAY26   |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |
| 4125    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4225    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4280    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4285    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4290    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4295    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4300    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4310    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4325    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4330    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4335    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4340    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4345    | ----                                |              | ----            | ----               | ----              | ----            |                 | 136.50 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4350    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4355    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4360    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4365    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4370    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4375    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4380    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4385    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4390    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4395    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4400    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4400    | ----                                |              | ----            | ----               | ----              | ----            |                 | 81.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4405    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4410    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4415    | ----                                |              | ----            | ----               | ----              | ----            |                 | 66.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4415    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4420    | ----                                |              | ----            | ----               | ----              | ----            |                 | 61.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4420    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4425    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4430    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4430    | ----                                |              | ----            | ----               | ----              | ----            |                 | 51.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4435    | ----                                |              | ----            | ----               | ----              | ----            |                 | 46.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4435    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4440    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4440    | ----                                |              | ----            | ----               | ----              | ----            |                 | 41.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4445    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4445    | ----                                |              | ----            | ----               | ----              | ----            |                 | 36.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4450    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4450    | ----                                |              | ----            | ----               | ----              | ----            |                 | 31.50 UNCH               | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
| 4455    | ----                                |              | ----            | ----               | ----              | ----            |                 | 0.00 UNCH                | ----  | ----          | ----                     | ----              | ----          | 0                |  |  |  | UNCH |  |  |                   |  |  |  |      |
|         |                                     |              |                 |                    |                   |                 |                 |                          |       |               |                          |                   |               |                  |  |  |  |      |  |  |                   |  |  |  |      |





| GLOBEX                                                                                               |  |  |  | OPEN |  |  |  | OUTCRY |  |  |  | GLOBEX   |  |  |  | OPEN     |  |  |  | OUTCRY |  |  |  | SETT.PRICE |  |  |  | DELTA                              |  |  |  | EXER |  |  |  | OPEN  |  |  |  | GLOBEX® |  |  |  | PNT    |  |  |  | OPEN   |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------|--|--|--|------|--|--|--|--------|--|--|--|----------|--|--|--|----------|--|--|--|--------|--|--|--|------------|--|--|--|------------------------------------|--|--|--|------|--|--|--|-------|--|--|--|---------|--|--|--|--------|--|--|--|--------|--|--|--|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| OPEN                                                                                                 |  |  |  | OPEN |  |  |  | RANGE  |  |  |  | HIGH/LOW |  |  |  | HIGH/LOW |  |  |  | CLOSE  |  |  |  | RANGE      |  |  |  | & PT.CHGE.                         |  |  |  |      |  |  |  | CISES |  |  |  | VOLUME  |  |  |  | VOLUME |  |  |  | VOLUME |  |  |  | INTEREST |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| GWW WED                                                                                              |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  | GOLD WEEKLY WEDNESDAY OPTION WEEK1 |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| JUN26                                                                                                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4520 13.50 13.50 #63.70B/*12.80A #63.70B/*12.80A ---- 54.70 NEW .5489 ---- 1 ---- 1 + 1              |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4525 63.50 63.50 #137.90B/39.30A #137.90B/39.30A ---- 44.60 - 29.30 .4686 ---- 3 ---- 57 + 2         |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4525 22.10 22.10 60.80B/*12.00A 60.80B/*12.00A ---- 52.00 + 21.60 .5312 ---- 1 ---- 5 + 1            |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4525 93.20 93.20 98.10B/*44.00A 98.10B/*44.00A ---- 93.50 NEW .5228 ---- 3 ---- 3 + 3                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4525 87.50 87.50 #160.20B/82.40A #160.20B/82.40A ---- 86.20 - 25.60 .4762 ---- 5 ---- 6 + 5          |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4530 ---- ---- ---- ---- 49.40 NEW .5134 ---- 10 ---- 10 + 10                                        |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4535 47.00 47.00 #47.00/*47.00 #55.10B/*10.50A ---- 46.80 NEW .4955 ---- 1 ---- 1 + 1                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4540 11.00 11.00 #52.50B/*9.70A #52.50B/*9.70A ---- 44.40 NEW .4776 ---- 60 ---- 30 + 30             |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4550 ---- ---- ---- ---- 57.40 - 33.20 .5577 ---- ---- 3 UNCH                                        |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4550 10.10 10.10 47.50B/*8.40A 47.50B/*8.40A ---- 39.80 + 17.70 .4421 ---- 5 ---- 12 UNCH            |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4550 ---- ---- ---- ---- #178.10B/94.60A #178.10B/94.60A ---- 98.80 - 27.80 .5220 ---- ---- 2 UNCH   |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4555 ---- ---- ---- ---- ---- 37.60 NEW .4244 ---- 4 ---- 0 UNCH                                     |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4565 9.90 9.90 #40.50B/*9.90 #40.50B/*6.90A ---- 33.60 NEW .3899 ---- 2 ---- 2 + 2                   |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4570 9.20 9.20 #38.40B/*9.00 #38.40B/*6.50A ---- 31.70 NEW .3729 ---- 55 ---- 49 + 49                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4575 8.60 8.60 36.30B/*6.00A 36.30B/*6.00A ---- 29.90 + 14.00 .3562 ---- 25 ---- 48 + 19             |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4575 ---- ---- ---- ---- #182.40B/64.70A #182.40B/64.70A ---- 72.50 - 36.90 .6435 ---- ---- 11 UNCH  |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4575 97.20 97.20 #185.50B/89.40A #185.50B/89.40A ---- 95.50 - 31.90 .5887 ---- 3 ---- 7 UNCH         |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4575 54.20 54.20 59.50B/*19.20A 59.50B/*19.20A ---- 53.00 + 19.00 .4109 ---- 4 ---- 9 UNCH           |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4580 8.00 8.00 #34.20B/*8.00 #34.20B/*5.70A ---- 28.20 NEW .3400 ---- 7 ---- 5 + 5                   |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4585 9.60 9.60 #32.30B/*9.60 #32.30B/*5.30A ---- 26.60 NEW .3242 ---- 32 ---- 32 + 32                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4590 8.10 8.10 #30.50B/*8.10 #30.50B/*5.00A ---- 25.00 NEW .3085 ---- 51 ---- 51 + 51                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4595 6.50 6.50 #28.90B/*6.50 #28.90B/*4.70A ---- 23.60 NEW .2937 ---- 6 ---- 6 + 6                   |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4600 5.20 5.20 27.50B/*4.30A 27.50B/*4.30A ---- 22.20 + 10.80 .2790 ---- 42 ---- 240 + 25            |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4600 ---- ---- ---- ---- #217.40B/122.60 #217.40B/122.60A ---- 127.70 - 31.90 .6111 ---- ---- 2 UNCH |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4600 21.90 21.90 #205.80B/81.50A #205.80B/81.50A ---- 89.80 - 40.00 .7207 ---- ---- 3 UNCH           |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4605 4.60 4.60 49.30B/*15.10A 49.30B/*15.10A ---- 43.50 + 16.30 .3564 ---- 6 ---- 116 + 6            |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4620 12.60 12.60 #25.60B/*4.20A #25.60B/*4.20A ---- 20.90 NEW .2650 ---- 1 ---- 1 + 1                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4625 ---- ---- ---- ---- #21.40B/*12.60 #21.40B/*3.50A ---- 17.40 NEW .2256 ---- 2 ---- 2 + 2        |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4625 3.90 3.90 #229.50B/98.70A #229.50B/98.70A ---- 108.90 - 42.60 .7866 ---- ---- 3 UNCH            |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4625 17.50 17.50 20.30B/*3.10A 20.30B/*3.10A ---- 16.30 + 8.20 .2132 ---- 71 ---- 72 + 66            |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4625 ---- ---- ---- ---- 40.60B/*11.90A 40.60B/*11.90A ---- 35.50 + 13.90 .3053 ---- 22 ---- 34 + 21 |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4630 ---- ---- ---- ---- 55.40B/*21.80A 55.40B/*21.80A ---- 51.40 + 16.90 .3461 ---- ---- 6 UNCH     |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4640 4.70 4.70 #18.90B/*3.20A #18.90B/*3.20A ---- 15.30 NEW .2014 ---- 2 ---- 2 + 2                  |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4650 5.00 5.00 #16.80B/*4.70 #16.80B/*2.80A ---- 13.50 NEW .1796 ---- 10 ---- 5 + 5                  |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4650 ---- ---- ---- ---- 14.90B/*2.40A 14.90B/*2.40A ---- 11.90 + 6.10 .1597 ---- 4 ---- 12 + 4      |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4675 ---- ---- ---- ---- 47.10B/*17.90A 47.10B/*17.90A ---- 43.70 + 15.00 .3061 ---- ---- 9 UNCH     |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4675 ---- ---- ---- ---- #269.00B/140.50 #269.00B/140.50A ---- 151.20 - 46.40 .8815 ---- ---- 1 UNCH |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4675 ---- ---- ---- ---- 10.80B/*1.90A 10.80B/*1.90A ---- 8.70 + 4.50 .1182 ---- ---- 12 UNCH        |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4675 ---- ---- ---- ---- 26.80B/*7.60A 26.80B/*7.60A ---- 23.20 + 9.70 .2165 ---- ---- 2 UNCH        |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4700 ---- ---- ---- ---- 21.70B/*6.10A 21.70B/*6.10A ---- 18.70 + 8.00 .1801 ---- ---- 25 UNCH       |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 4700 ---- ---- ---- ---- #293.40B/162.80 #293.40B/162.80A ---- 173.90                                |  |  |  |      |  |  |  |        |  |  |  |          |  |  |  |          |  |  |  |        |  |  |  |            |  |  |  |                                    |  |  |  |      |  |  |  |       |  |  |  |         |  |  |  |        |  |  |  |        |  |  |  |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |

| GLOBEX OPEN                              |       |       | OPEN | OUTCRY RANGE    | GLOBEX HIGH/LOW | OPEN             | OUTCRY HIGH/LOW | OPEN | OUTCRY CLOSE | RANGE | SETT.PRICE & PT.CHGE. | DELTA   | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |
|------------------------------------------|-------|-------|------|-----------------|-----------------|------------------|-----------------|------|--------------|-------|-----------------------|---------|------------|--------------------|----------------|------------|---------------|
| GWT TUE GOLD WEEKLY TUESDAY OPTION week1 |       |       |      |                 |                 |                  |                 |      |              |       |                       |         |            |                    |                |            |               |
| JUN26                                    |       |       |      |                 |                 |                  |                 |      |              |       |                       |         |            |                    |                |            |               |
| 4380                                     | ----  | ----  |      | #41.30B/*5.70A  |                 | #41.30B/*5.70A   | ----            |      |              |       | 6.40                  | NEW     | ----       | ----               | 2              | ----       | 2 +           |
| 4385                                     |       |       |      | #43.30B/*6.00A  |                 | #43.30B/*6.00A   |                 |      |              |       | 6.80                  | - 9.30  | ----       | ----               | ----           | ----       | 2 UNCH        |
| 4395                                     | 47.00 | 47.00 |      | #47.80B/*6.70A  |                 | #47.80B/*6.70A   |                 |      |              |       | 7.70                  | NEW     | ----       | ----               | 4              | ----       | 1 +           |
| 4400                                     | 38.10 | 38.10 |      | 49.70B/*7.10A   |                 | 49.70B/*7.10A    |                 |      |              |       | 8.10                  | - 10.80 | ----       | ----               | 38             | ----       | 117 +         |
| 4400                                     | ----  | ----  |      | #88.80B/36.70A  |                 | #88.80B/36.70A   |                 |      |              |       | 37.50                 | - 16.00 | ----       | ----               | ----           | ----       | 182 UNCH      |
| 4400                                     | ----  | ----  |      | #72.00B/22.50A  |                 | #72.00B/22.50A   |                 |      |              |       | 24.20                 | - 14.00 | ----       | ----               | ----           | ----       | 152 UNCH      |
| 4400                                     | 82.10 | 82.10 |      | 151.50B/*50.70A |                 | 151.50B/*50.70A  |                 |      |              |       | 140.50                | + 40.10 | ----       | ----               | 2              | ----       | 2 +           |
| 4400                                     |       |       |      | #101.90B/48.20A |                 | #101.90B/48.20A  |                 |      |              |       | 49.70                 | - 16.80 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4410                                     | 32.40 | 32.40 |      | #54.40B/*8.00A  |                 | #54.40B/*8.00A   |                 |      |              |       | 9.20                  | NEW     | ----       | ----               | 1              | ----       | 1 +           |
| 4420                                     | 11.70 | 11.70 |      | #59.50B/*9.00   |                 | #59.50B/*9.00    |                 |      |              |       | 10.40                 | NEW     | ----       | ----               | 6              | ----       | 6 +           |
| 4425                                     | ----  | ----  |      | 129.30B/*37.80A |                 | 129.30B/*37.80A  |                 |      |              |       | 118.40                | NEW     | ----       | ----               | 2              | ----       | 0 UNCH        |
| 4425                                     | 46.20 | 46.20 |      | 62.50B/9.60A    |                 | 62.50B/9.60A     |                 |      |              |       | 11.10                 | - 13.70 | ----       | ----               | 18             | ----       | 22 +          |
| 4425                                     | 73.40 | 73.40 |      | #83.20B/27.40A  |                 | #83.20B/27.40A   |                 |      |              |       | 29.60                 | - 16.20 | ----       | ----               | 36             | ----       | 43 +          |
| 4425                                     | ----  | ----  |      | 157.90B/79.10A  |                 | 157.90B/79.10A   |                 |      |              |       | 151.50                | + 33.00 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4425                                     | ----  | ----  |      | #99.90B/43.10A  |                 | #99.90B/43.10A   |                 |      |              |       | 44.20                 | - 17.90 | ----       | ----               | ----           | ----       | 24 UNCH       |
| 4435                                     |       |       |      | #120.70B/*33.00 |                 | #120.70B/*33.00A |                 |      |              |       | 109.90                | + 35.70 | ----       | ----               | ----           | ----       | 2 UNCH        |
| 4435                                     | 14.30 | 14.30 |      | #68.50B/*10.90A |                 | #68.50B/*10.90A  |                 |      |              |       | 12.60                 | - 15.10 | ----       | ----               | 1              | ----       | 3 +           |
| 4440                                     |       |       |      | #71.40B/*11.60A |                 | #71.40B/*11.60A  |                 |      |              |       | 13.40                 | NEW     | ----       | ----               | 1              | ----       | 1 +           |
| 4450                                     | 27.00 | 27.00 |      | 108.30B/*26.90A |                 | 108.30B/*26.90A  |                 |      |              |       | 97.60                 | + 33.60 | ----       | ----               | 50             | ----       | 44 +          |
| 4450                                     | 36.70 | 36.70 |      | #92.60B/33.50A  |                 | #92.60B/33.50A   |                 |      |              |       | 36.20                 | - 18.60 | ----       | ----               | 14             | ----       | 173 +         |
| 4450                                     | 25.80 | 25.80 |      | #77.60B/13.20A  |                 | #77.60B/13.20A   |                 |      |              |       | 15.30                 | - 17.20 | ----       | ----               | 4              | ----       | 21 +          |
| 4455                                     | 18.30 | 18.30 |      | #80.80B/*14.00A |                 | #80.80B/*14.00A  |                 |      |              |       | 16.30                 | NEW     | ----       | ----               | 2              | ----       | 2 +           |
| 4465                                     | ----  | ----  |      | #87.60B/*15.90A |                 | #87.60B/*15.90A  |                 |      |              |       | 18.50                 | - 19.70 | ----       | ----               | 1              | ----       | 1 UNCH        |
| 4470                                     |       |       |      | #92.30B/*20.30A |                 | #92.30B/*20.30A  |                 |      |              |       | 82.20                 | NEW     | ----       | ----               | 5              | ----       | 5 +           |
| 4475                                     | 59.50 | 59.50 |      | #94.80B/18.10A  |                 | #94.80B/18.10A   |                 |      |              |       | 21.10                 | - 21.30 | ----       | ----               | 23             | ----       | 57 +          |
| 4475                                     | ----  | ----  |      | #124.30B/58.90A |                 | #124.30B/58.90A  |                 |      |              |       | 61.30                 | - 21.50 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4475                                     | ----  | ----  |      | #107.80B/40.50A |                 | #107.80B/40.50A  |                 |      |              |       | 44.10                 | - 21.20 | ----       | ----               | 16             | ----       | 21 +          |
| 4475                                     |       |       |      | #137.60B/72.20A |                 | #137.60B/72.20A  |                 |      |              |       | 75.20                 | - 22.20 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4485                                     | 22.50 | 22.50 |      | #81.20B/*16.30A |                 | #81.20B/*16.30A  |                 |      |              |       | 71.40                 | + 27.90 | ----       | ----               | 20             | ----       | 40 UNCH       |
| 4500                                     | 20.00 | 20.00 |      | 70.70B/*12.90A  |                 | 70.70B/*12.90A   |                 |      |              |       | 61.30                 | + 25.20 | ----       | ----               | 44             | ----       | 137 +         |
| 4500                                     | 31.80 | 31.80 |      | #114.00B/24.80A |                 | #114.00B/24.80A  |                 |      |              |       | 29.00                 | - 25.60 | ----       | ----               | 15             | ----       | 16 +          |
| 4500                                     | 85.10 | 85.10 |      | 108.80B/*49.40A |                 | 108.80B/*49.40A  |                 |      |              |       | 104.10                | + 27.50 | ----       | ----               | 1              | ----       | 2 +           |
| 4500                                     | ----  | ----  |      | #124.70B/49.10A |                 | #124.70B/49.10A  |                 |      |              |       | 53.50                 | - 24.00 | ----       | ----               | 27             | ----       | 18 +          |
| 4500                                     | ----  | ----  |      | 94.20B/*33.40A  |                 | 94.20B/*33.40A   |                 |      |              |       | 85.80                 | NEW     | ----       | ----               | 7              | ----       | 5 +           |
| 4500                                     | ----  | ----  |      | #140.50B/68.60A |                 | #140.50B/68.60A  |                 |      |              |       | 71.70                 | - 23.30 | ----       | ----               | 2              | ----       | 8 UNCH        |
| 4500                                     | ----  | ----  |      | #153.20B/82.40A |                 | #153.20B/82.40A  |                 |      |              |       | 85.90                 | - 23.90 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4510                                     | ----  | ----  |      | #64.10B/*11.00A |                 | #64.10B/*11.00A  |                 |      |              |       | 55.10                 | + 23.40 | ----       | ----               | ----           | ----       | 4 UNCH        |
| 4515                                     |       |       |      | #126.80B/*30.40 |                 | #126.80B/*30.40A |                 |      |              |       | 34.80                 | NEW     | ----       | ----               | 20             | ----       | 12 +          |
| 4515                                     | 18.70 | 18.70 |      | #60.90B/*10.10A |                 | #60.90B/*10.10A  |                 |      |              |       | 52.20                 | NEW     | ----       | ----               | 3              | ----       | 2 +           |
| 4525                                     | 62.20 | 62.20 |      | #135.30B/33.90A |                 | #135.30B/33.90A  |                 |      |              |       | 39.20                 | - 30.10 | ----       | ----               | 66             | ----       | 110 +         |
| 4525                                     | 9.00  | 9.00  |      | 55.10B/*8.70A   |                 | 55.10B/*8.70A    |                 |      |              |       | 46.60                 | + 20.80 | ----       | ----               | 11             | ----       | 21 +          |
| 4525                                     | ----  | ----  |      | #157.70B/79.30A |                 | #157.70B/79.30A  |                 |      |              |       | 83.40                 | - 25.20 | ----       | ----               | ----           | ----       | 6 UNCH        |
| 4525                                     | ----  | ----  |      | 95.80B/*41.60A  |                 | 95.80B/*41.60A   |                 |      |              |       | 90.70                 | + 25.50 | ----       | ----               | ----           | ----       | 2 UNCH        |
| 4525                                     | ----  | ----  |      | #142.70B/59.20A |                 | #142.70B/59.20A  |                 |      |              |       | 64.40                 | - 26.90 | ----       | ----               | ----           | ----       | 2 UNCH        |
| 4530                                     | ----  | ----  |      | #139.20B/*35.80 |                 | #139.20B/*35.80A |                 |      |              |       | 41.50                 | NEW     | ----       | ----               | 10             | ----       | 6 +           |
| 4530                                     | ----  | ----  |      | #52.30B/*8.00A  |                 | #52.30B/*8.00A   |                 |      |              |       | 43.90                 | NEW     | ----       | ----               | 5              | ----       | 5 +           |
| 4535                                     | 7.70  | 7.70  |      | #49.60B/*7.40A  |                 | #49.60B/*7.40A   |                 |      |              |       | 41.40                 | NEW     | ----       | ----               | 2              | ----       | 2 +           |
| 4540                                     | 13.30 | 13.30 |      | #46.90B/*6.90A  |                 | #46.90B/*6.90A   |                 |      |              |       | 38.90                 | NEW     | ----       | ----               | 1              | ----       | 1 +           |
| 4540                                     |       |       |      | #148.50B/*40.30 |                 | #148.50B/*40.30A |                 |      |              |       | 46.50                 | NEW     | ----       | ----               | 1              | ----       | 1 +           |
| 4545                                     | 8.60  | 8.60  |      | 44.30B/*6.40A   |                 | 44.30B/*6.40A    |                 |      |              |       | 36.60                 | NEW     | ----       | ----               | 5              | ----       | 5 +           |
| 4550                                     | 50.40 | 50.40 |      | #157.30B/45.20A |                 | #157.30B/45.20A  |                 |      |              |       | 51.90                 | - 34.50 | ----       | ----               | 1              | ----       | 30 +          |
| 4550                                     | ----  | ----  |      | #187.40B/105.60 |                 | #187.40B/105.60A |                 |      |              |       | 110.40                | - 27.40 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4550                                     | ----  | ----  |      | #162.40B/71.50A |                 | #162.40B/71.50A  |                 |      |              |       | 76.90                 | - 29.80 | ----       | ----               | 5              | ----       | 5 UNCH        |
| 4550                                     | 12.70 | 12.70 |      | 41.80B/*5.90A   |                 | 41.80B/*5.90A    |                 |      |              |       | 34.30                 | + 16.30 | ----       | ----               | 35             | ----       | 73 +          |
| 4550                                     | ----  | ----  |      | #175.90B/91.30A |                 | #175.90B/91.30A  |                 |      |              |       | 96.20                 | - 27.30 | ----       | ----               | ----           | ----       | 101 UNCH      |
| 4550                                     |       |       |      | 83.40B/*34.70A  |                 | 83.40B/*34.70A   |                 |      |              |       | 78.60                 | + 23.50 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4555                                     | 7.30  | 7.30  |      | #39.50B/*5.40A  |                 | #39.50B/*5.40A   |                 |      |              |       | 32.20                 | NEW     | ----       | ----               | 5              | ----       | 5 +           |
| 4560                                     | 9.90  | 9.90  |      | #37.20B/*5.00A  |                 | #37.20B/*5.00A   |                 |      |              |       | 30.20                 | + 14.80 | ----       | ----               | 3              | ----       | 5 +           |
| 4565                                     | 8.40  | 8.40  |      | #35.10B/*4.70A  |                 | #35.10B/*4.70A   |                 |      |              |       | 28.20                 | NEW     | ----       | ----               | 1              | ----       | 1 +           |
| 4570                                     | 5.90  | 5.90  |      | #32.90B/*4.30A  |                 | #32.90B/*4.30A   |                 |      |              |       | 26.40                 | + 13.20 | ----       | ----               | 14             | ----       | 12 -          |
| 4575                                     | ----  | ----  |      | #180.40B/59.80A |                 | #180.40B/59.80A  |                 |      |              |       | 67.20                 | - 38.50 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4575                                     | 7.20  | 7.20  |      | 30.90B/*4.00A   |                 | 30.90B/*4.00A    |                 |      |              |       | 24.70                 | + 12.50 | ----       | ----               | 6              | ----       | 7 +           |
| 4575                                     | ----  | ----  |      | 71.90B/*28.90A  |                 | 71.90B/*28.90A   |                 |      |              |       | 67.60                 | + 21.40 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4575                                     |       |       |      | #182.80B/84.60A |                 | #182.80B/84.60A  |                 |      |              |       | 91.10                 | - 32.70 | ----       | ----               | ----           | ----       | 5 UNCH        |
| 4575                                     | 25.80 | 25.80 |      | 54.80B/*16.40A  |                 | 54.80B/*16.40A   |                 |      |              |       | 48.60                 | + 18.20 | ----       | ----               | 125            | ----       | 127 +         |
| 4575                                     | ----  | ----  |      | #195.10B/104.70 |                 | #195.10B/104.70A |                 |      |              |       | 110.10                | - 29.50 | ----       | ----               | ----           | ----       | 1 UNCH        |
| 4585                                     | ----  | ----  |      | #27.20B/*3.50A  |                 | #27.             |                 |      |              |       |                       |         |            |                    |                |            |               |



| PG64    | BULLETIN #101@                    |              |                 |                    |                  |                    |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |      |  |  |  |  | Thu, May 28, 2026 |  | PG64      |
|---------|-----------------------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|-------------------|--|-----------|
|         | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |                   |  |           |
| GWT TUE | GOLD WEEKLY TUESDAY OPTION week1  |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |           |
| JUN26   | ----                              | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.10 UNCH                | .0000 | ----                   | ----                     | 1                 | ----          | 1 +              | 1    |  |  |  |  |                   |  |           |
| 5250    | ----                              | ----         | ----            | 0.50B/----         | ----             | ----/0.40A         | ----          | ----            | 0.60 + 0.20              | .0052 | ----                   | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |                   |  |           |
| 5250    | ----                              | ----         | ----            | ----               | ----             | 0.50B/*2.90A       | ----          | ----            | 1.00 + 0.40              | .0089 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |           |
| 5500    | ----                              | ----         | ----            | ----               | ----             | ----/0.30A         | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |                   |  |           |
| 5500    | ----                              | ----         | ----            | ----               | ----             | ----/0.90A         | ----          | ----            | 0.20 UNCH                | .0015 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |           |
| 5500    | ----                              | ----         | ----            | ----               | ----             | 0.80B/*2.60A       | ----          | ----            | 1.60 + 0.50              | .0110 | ----                   | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |                   |  |           |
| 5600    | ----                              | ----         | ----            | ----               | ----             | ----/0.50A         | ----          | ----            | 0.10 UNCH                | ----  | ----                   | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |                   |  |           |
| TOTAL   |                                   |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  | 2884+ 468 |
|         | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |                   |  |           |
| GWR THU | GOLD WEEKLY THURSDAY OPTION week4 |              |                 |                    |                  |                    |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |           |
| MAY26   | ----                              | ----         | ----            | ----               | ----             | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 3250    | ----                              | ----         | ----            | ----               | ----             | ----/0.20A         | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 13   |  |  |  |  |                   |  |           |
| 3700    | ----                              | ----         | ----            | ----               | ----             | ----/*0.10A        | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 3750    | ----                              | ----         | ----            | ----               | ----             | ----/*0.10A        | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 2    |  |  |  |  |                   |  |           |
| 3800    | ----                              | ----         | ----            | ----               | ----             | ----/*0.10A        | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 3900    | ----                              | ----         | ----            | ----               | ----             | ----/0.10A         | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 6    |  |  |  |  |                   |  |           |
| 4000    | ----                              | ----         | ----            | ----               | ----             | ----/0.10A         | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 6    |  |  |  |  |                   |  |           |
| 4100    | ----                              | ----         | ----            | ----               | ----             | ----/0.20A         | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 3    |  |  |  |  |                   |  |           |
| 4110    | ----                              | ----         | ----            | ----               | ----             | ----/*0.10A        | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 10   |  |  |  |  |                   |  |           |
| 4125    | ----                              | ----         | ----            | ----               | ----             | ----/*0.10A        | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 4    |  |  |  |  |                   |  |           |
| 4150    | 0.20                              | 0.20         | ----            | 0.20/0.20          | 0.20/0.20        | 0.20/0.20          | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | 5                 | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4175    | 0.20                              | 0.20         | ----            | 0.20/0.20          | 0.20/0.20        | 0.20/0.20          | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | 5                 | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4180    | ----                              | ----         | ----            | ----               | ----             | ----/0.30A         | ----          | ----            | 0.00 - 0.10              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4200    | 0.20                              | 0.20         | ----            | 0.50/*0.10A        | 0.50/*0.10A      | 0.50/*0.10A        | ----          | ----            | 0.00 - 0.20              | ----  | ----                   | ----                     | 8                 | ----          | 0 -              | 22   |  |  |  |  |                   |  |           |
| 4205    | ----                              | ----         | ----            | 0.40B/*0.10A       | 0.40B/*0.10A     | 0.40B/*0.10A       | ----          | ----            | 0.00 - 0.20              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4210    | 0.30                              | 0.30         | ----            | 0.40B/0.10A        | 0.40B/0.10A      | 0.40B/0.10A        | ----          | ----            | 0.00 - 0.20              | ----  | ----                   | ----                     | 1                 | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4220    | 1.50                              | 1.50         | ----            | #1.50/*0.10A       | 1.50/*0.10A      | 1.50/*0.10A        | ----          | ----            | 0.00 NEW                 | ----  | ----                   | ----                     | 4                 | ----          | 0                | UNCH |  |  |  |  |                   |  |           |
| 4225    | ----                              | ----         | ----            | 0.70B/*0.10A       | 0.70B/*0.10A     | 0.70B/*0.10A       | ----          | ----            | 0.00 - 0.30              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 2    |  |  |  |  |                   |  |           |
| 4230    | 0.60                              | 0.60         | ----            | 0.70B/*0.10A       | 0.70B/*0.10A     | 0.70B/*0.10A       | ----          | ----            | 0.00 NEW                 | ----  | ----                   | ----                     | 3                 | ----          | 0                | UNCH |  |  |  |  |                   |  |           |
| 4240    | ----                              | ----         | ----            | 1.00B/*0.10A       | 1.00B/*0.10A     | 1.00B/*0.10A       | ----          | ----            | 0.00 - 0.40              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 6    |  |  |  |  |                   |  |           |
| 4245    | 1.50                              | 1.50         | ----            | 1.50/*0.10A        | 1.50/*0.10A      | 1.50/*0.10A        | ----          | ----            | 0.00 - 0.40              | ----  | ----                   | ----                     | 2                 | ----          | 0 -              | 2    |  |  |  |  |                   |  |           |
| 4250    | 1.50                              | 1.50         | ----            | 1.50/*0.10         | 1.50/*0.10       | 1.50/*0.10         | ----          | ----            | 0.00 - 0.40              | ----  | ----                   | ----                     | 2                 | ----          | 0 -              | 13   |  |  |  |  |                   |  |           |
| 4255    | ----                              | ----         | ----            | 1.30B/*0.10A       | 1.30B/*0.10A     | 1.30B/*0.10A       | ----          | ----            | 0.00 - 0.40              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 13   |  |  |  |  |                   |  |           |
| 4260    | ----                              | ----         | ----            | 1.50B/*0.10A       | 1.50B/*0.10A     | 1.50B/*0.10A       | ----          | ----            | 0.00 - 0.50              | ----  | ----                   | ----                     | 1                 | ----          | 0 -              | 3    |  |  |  |  |                   |  |           |
| 4265    | 0.80                              | 0.80         | ----            | 1.60B/*0.10A       | 1.60B/*0.10A     | 1.60B/*0.10A       | ----          | ----            | 0.00 - 0.50              | ----  | ----                   | ----                     | 1                 | ----          | 0 -              | 2    |  |  |  |  |                   |  |           |
| 4270    | ----                              | ----         | ----            | 1.90B/*0.10A       | 1.90B/*0.10A     | 1.90B/*0.10A       | ----          | ----            | 0.00 - 0.50              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 16   |  |  |  |  |                   |  |           |
| 4275    | 1.30                              | 1.30         | ----            | 2.50/*0.10A        | 2.50/*0.10A      | 2.50/*0.10A        | ----          | ----            | 0.00 - 0.60              | ----  | ----                   | ----                     | 7                 | ----          | 0 -              | 9    |  |  |  |  |                   |  |           |
| 4280    | 0.30                              | 0.30         | ----            | 2.20B/*0.10A       | 2.20B/*0.10A     | 2.20B/*0.10A       | ----          | ----            | 0.00 - 0.60              | ----  | ----                   | ----                     | 1                 | ----          | 0 -              | 19   |  |  |  |  |                   |  |           |
| 4285    | ----                              | ----         | ----            | 2.50B/*0.10A       | 2.50B/*0.10A     | 2.50B/*0.10A       | ----          | ----            | 0.00 - 0.60              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4290    | 1.20                              | 1.20         | ----            | 2.80B/*0.10A       | 2.80B/*0.10A     | 2.80B/*0.10A       | ----          | ----            | 0.00 NEW                 | ----  | ----                   | ----                     | 2                 | ----          | 0                | UNCH |  |  |  |  |                   |  |           |
| 4295    | ----                              | ----         | ----            | 3.10B/*0.10A       | 3.10B/*0.10A     | 3.10B/*0.10A       | ----          | ----            | 0.00 - 0.70              | ----  | ----                   | ----                     | ----              | ----          | 0 -              | 12   |  |  |  |  |                   |  |           |
| 4300    | 108.00                            | 108.00       | ----            | 243.50B/*102.60    | 243.50B/*102.60A | 243.50B/*102.60A   | ----          | ----            | 232.40 + 50.10           | ----  | 1                      | ----                     | 2                 | ----          | 0                | UNCH |  |  |  |  |                   |  |           |
| 4300    | 0.50                              | 0.50         | ----            | 3.40/*0.10A        | 3.40/*0.10A      | 3.40/*0.10A        | ----          | ----            | 0.00 - 0.80              | ----  | ----                   | ----                     | 37                | ----          | 0 -              | 16   |  |  |  |  |                   |  |           |
| 4305    | 2.20                              | 2.20         | ----            | 3.80B/*0.10A       | 3.80B/*0.10A     | 3.80B/*0.10A       | ----          | ----            | 0.00 NEW                 | ----  | ----                   | ----                     | 7                 | ----          | 0                | UNCH |  |  |  |  |                   |  |           |
| 4310    | 2.50                              | 2.50         | ----            | 4.00B/*0.10A       | 4.00B/*0.10A     | 4.00B/*0.10A       | ----          | ----            | 0.00 - 0.90              | ----  | ----                   | ----                     | 4                 | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4315    | 4.00                              | 4.00         | ----            | #4.90B/*0.10A      | #4.90B/*0.10A    | #4.90B/*0.10A      | ----          | ----            | 0.00 - 0.90              | ----  | ----                   | ----                     | 6                 | ----          | 0 -              | 4    |  |  |  |  |                   |  |           |
| 4320    | 3.00                              | 3.00         | ----            | #5.40B/*0.10A      | #5.40B/*0.10A    | #5.40B/*0.10A      | ----          | ----            | 0.00 - 1.00              | ----  | ----                   | ----                     | 5                 | ----          | 0 -              | 3    |  |  |  |  |                   |  |           |
| 4325    | 6.00                              | 6.00         | ----            | 6.00/*0.10A        | 6.00/*0.10A      | 6.00/*0.10A        | ----          | ----            | 0.00 - 1.10              | ----  | ----                   | ----                     | 32                | ----          | 0 -              | 32   |  |  |  |  |                   |  |           |
| 4330    | 2.40                              | 2.40         | ----            | #6.50/*0.10A       | #6.50/*0.10A     | #6.50/*0.10A       | ----          | ----            | 0.00 - 1.20              | ----  | ----                   | ----                     | 32                | ----          | 0 -              | 2    |  |  |  |  |                   |  |           |
| 4335    | 2.90                              | 2.90         | ----            | #7.00B/*0.10A      | #7.00B/*0.10A    | #7.00B/*0.10A      | ----          | ----            | 0.00 - 1.30              | ----  | ----                   | ----                     | 26                | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4340    | ----                              | ----         | ----            | 203.60B/*67.30A    | 203.60B/*67.30A  | 203.60B/*67.30A    | ----          | ----            | 192.40 + 49.50           | ----  | 1                      | ----                     | ----              | ----          | 0 -              | 1    |  |  |  |  |                   |  |           |
| 4340    | 4.70                              | 4.70         | ----            | #7.70B/*0.10       | #7.70B/*0.10     | #7.70B/*0.10       | ----          | ----            | 0.00 - 1.40              | ----  | ----                   | ----                     | 27                | ----          | 0 -              | 12   |  |  |  |  |                   |  |           |
| 4345    | 8.00                              | 8.00         | ----            | #8.80B/*0.20A      | #8.80B/*0.20A    | #8.80B/*0.20A      | ----          | ----            | 0.00 - 1.50              | ----  | ----                   | ----                     | 6                 | ----          | 0 -              | 3    |  |  |  |  |                   |  |           |
| 4350    | 5.00                              | 5.00         | ----            | 10.50/*0.10        | 10.50/*0.10      | 10.50/*0.10        | ----          | ----            | 0.00 - 1.60              | ----  | ----                   | ----                     | 144               | ----          | 0 -              | 32   |  |  |  |  |                   |  |           |
| 4355    | 1.30                              | 1.30         | ----            | #10.40B/*0.30      | #10.40B/*0.30    | #10.40B/*0.30      | ----          | ----            | 0.00 - 1.70              | ----  | ----                   | ----                     | 10                | ----          | 0 -              | 2    |  |  |  |  |                   |  |           |
| 4360    | 1.20                              | 1.20         | ----            | #12.00/*0.30A      | #12.00/*0.30A    | #12.00/*0.30A      | ----          | ----            | 0.00 - 1.90              | ----  | ----                   | ----                     | 108               | ----          | 0 -              | 3    |  |  |  |  |                   |  |           |

| GLOBEX<br>OPEN                    |        | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|-----------------------------------|--------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| GOLD WEEKLY THURSDAY OPTION week4 |        |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| MAY26                             |        |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| 4570                              | ----   | ----         | ----            | #171.80B/26.80A    | #171.80B/26.80A  | ----               | ----          | ----            | 37.60 - 52.80            | ----  | 1             | ----                     | ----              | ----          | 0 -              |
| 4570                              | 1.20   | 1.20         | ----            | 1.20/*0.10A        | 1.50B/*0.10A     | ----               | ----          | ----            | 0.00 - 1.90              | ----  | ----          | ----                     | 2                 | ----          | 0 -              |
| 4575                              | 0.20   | 0.20         | ----            | 0.20/*0.20         | 1.10B/*0.20      | ----               | ----          | ----            | 0.00 - 1.60              | ----  | ----          | 56                       | 56                | ----          | 0 -              |
| 4575                              | ----   | ----         | ----            | #176.80B/31.60A    | #176.80B/31.60A  | ----               | ----          | ----            | 42.60 - 52.50            | 56    | ----          | ----                     | ----              | ----          | 0 -              |
| 4580                              | ----   | ----         | ----            | #181.80B/36.50A    | #181.80B/36.50A  | ----               | ----          | ----            | 47.60 - 52.30            | 1     | ----          | 1                        | ----              | ----          | 0 -              |
| 4580                              | 0.10   | 0.10         | ----            | 0.10/*0.10         | 0.90B/*0.10      | ----               | ----          | ----            | 0.00 - 1.40              | ----  | ----          | 4                        | ----              | ----          | 0 -              |
| 4585                              | 0.10   | 0.10         | ----            | 0.10/*0.10         | 0.70B/*0.10      | ----               | ----          | ----            | 0.00 - 1.30              | ----  | ----          | 2                        | ----              | ----          | 0 -              |
| 4590                              | ----   | ----         | ----            | #191.70B/46.60A    | #191.70B/46.60A  | ----               | ----          | ----            | 57.60 - 52.00            | ----  | ----          | 1                        | ----              | ----          | 0 -              |
| 4590                              | 0.50   | 0.50         | ----            | 0.50/*0.10A        | 0.70B/*0.10A     | ----               | ----          | ----            | 0.00 - 1.10              | ----  | ----          | 1                        | ----              | ----          | 0 -              |
| 4595                              | 0.10   | 0.10         | ----            | 0.10/*0.10         | 0.50B/*0.10      | ----               | ----          | ----            | 0.00 - 1.00              | ----  | ----          | 14                       | ----              | ----          | 0 -              |
| 4600                              | 0.40   | 0.40         | ----            | 0.40/*0.20         | 0.40/*0.20       | ----               | ----          | ----            | 0.00 - 0.90              | ----  | ----          | 9                        | ----              | ----          | 0 -              |
| 4600                              | ----   | ----         | ----            | #202.10B/56.40A    | #202.10B/56.40A  | ----               | ----          | ----            | 67.60 - 51.80            | 10    | ----          | 8                        | ----              | ----          | 0 -              |
| 4605                              | ----   | ----         | ----            | ----/*0.20A        | ----/*0.20A      | ----               | ----          | ----            | 0.00 - 0.80              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4610                              | ----   | ----         | ----            | #211.70B/66.40A    | #211.70B/66.40A  | ----               | ----          | ----            | 77.60 - 51.60            | 4     | ----          | 3                        | ----              | ----          | 0 -              |
| 4610                              | ----   | ----         | ----            | ----/*0.30A        | ----/*0.30A      | ----               | ----          | ----            | 0.00 - 0.70              | ----  | ----          | 4                        | ----              | ----          | 0 -              |
| 4615                              | 0.10   | 0.10         | ----            | 0.10/*0.10         | 0.20B/*0.10      | ----               | ----          | ----            | 0.00 - 0.60              | ----  | ----          | 1                        | ----              | ----          | 0 -              |
| 4620                              | ----   | ----         | ----            | ----/*0.20A        | ----/*0.20A      | ----               | ----          | ----            | 0.00 - 0.60              | ----  | ----          | 7                        | ----              | ----          | 0 -              |
| 4625                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.50              | ----  | ----          | 1                        | ----              | ----          | 0 -              |
| 4630                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.40              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4630                              | ----   | ----         | ----            | #232.00B/86.50A    | #232.00B/86.50A  | ----               | ----          | ----            | 97.60 - 51.30            | 1     | ----          | 1                        | ----              | ----          | 0 -              |
| 4635                              | 0.40   | 0.40         | ----            | 0.40/*0.20A        | 0.40/*0.20A      | ----               | ----          | ----            | 0.00 - 0.40              | ----  | ----          | 2                        | ----              | ----          | 0 -              |
| 4635                              | ----   | ----         | ----            | #236.60B/91.50A    | #236.60B/91.50A  | ----               | ----          | ----            | 102.60 - 51.30           | 1     | ----          | ----                     | ----              | ----          | 0 -              |
| 4640                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.40              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4640                              | 219.00 | 219.00       | ----            | #241.60B/96.40A    | #241.60B/96.40A  | ----               | ----          | ----            | 107.60 - 51.30           | 8     | ----          | 3                        | ----              | ----          | 0 -              |
| 4645                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.30              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4650                              | ----   | ----         | ----            | #251.60B/106.40    | #251.60B/106.40A | ----               | ----          | ----            | 117.60 - 51.20           | 5     | ----          | 5                        | ----              | ----          | 0 -              |
| 4650                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.30              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4665                              | ----   | ----         | ----            | ----/0.30A         | ----/0.30A       | ----               | ----          | ----            | 0.00 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4670                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4675                              | ----   | ----         | ----            | #276.60B/131.50    | #276.60B/131.50A | ----               | ----          | ----            | 142.60 - 51.10           | 1     | ----          | ----                     | ----              | ----          | 0 -              |
| 4675                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.20              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4695                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4700                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4700                              | ----   | ----         | ----            | #301.60B/156.50    | #301.60B/156.50A | ----               | ----          | ----            | 167.60 - 51.00           | 1     | ----          | ----                     | ----              | ----          | 0 -              |
| 4705                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4715                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4725                              | ----   | ----         | ----            | ----/0.10A         | ----/0.10A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4730                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4735                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4750                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 159              |
| 4750                              | ----   | ----         | ----            | #351.60B/206.50    | #351.60B/206.50A | ----               | ----          | ----            | 217.60 - 51.00           | 1     | ----          | ----                     | ----              | ----          | 0 -              |
| 4775                              | ----   | ----         | ----            | #376.60B/231.50    | #376.60B/231.50A | ----               | ----          | ----            | 242.60 - 51.00           | 50    | ----          | 50                       | ----              | ----          | 0 -              |
| 4775                              | ----   | ----         | ----            | ----/0.10A         | ----/0.10A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4800                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 41               |
| 4800                              | 388.00 | 388.00       | ----            | #401.60B/256.50    | #401.60B/256.50A | ----               | ----          | ----            | 267.60 - 51.00           | 1     | ----          | 1                        | ----              | ----          | 0 -              |
| 4825                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4830                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4850                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 36               |
| 4855                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4875                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 1                |
| 4875                              | ----   | ----         | ----            | #476.60B/331.50    | #476.60B/331.50A | ----               | ----          | ----            | 342.60 - 51.00           | ----  | ----          | ----                     | ----              | ----          | 0                |
| 4900                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4925                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 4950                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 17               |
| 4970                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 7                |
| 4975                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 3                |
| 4990                              | ----   | ----         | ----            | ----/0.30A         | ----/0.30A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | 2                        | ----              | ----          | 1                |
| 5000                              | ----   | ----         | ----            | ----/*0.10A        | ----/*0.10A      | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 5100                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 5                |
| 5150                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 1                |
| 5200                              | ----   | ----         | ----            | ----/0.20A         | ----/0.20A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 1                |
| 5300                              | ----   | ----         | ----            | ----/0.30A         | ----/0.30A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | ----              | ----          | 1                |
| 5750                              | ----   | ----         | ----            | ----/9.00A         | ----/9.00A       | ----               | ----          | ----            | 0.00 - 0.10              | ----  | ----          | ----                     | 5259              | ----          | 0 -              |
| TOTAL                             |        |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| 5259                              |        |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| JUN26                             |        |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |
| 3500                              | ----   | ----         | ----            | ----/*0.80A        | 0.70B/*1.20A     | ----               | ----          | ----            | 0.80 - 0.20              | .0040 | ----          | ----                     | ----              | ----          | 2                |
| 3800                              | ----   | ----         | ----            | 0.80B/*0.80A       | 0.80B/*0.80A     | ----               | ----          | ----            | 0.50 - 0.40              | .0029 | ----          | ----                     | 2                 | ----          | UNCH             |
| 4000                              | 1.80   | 1.80         | ----            | 2.40B/*1.10A       | 2.40B/*1.10A     | ----               | ----          | ----            | 1.10 - 0.70              | .0081 | ----          | 6                        | ----              | 4 +           | 2                |
| 4050                              | ----   | ----         | ----            | #3.20B/*1.50A      | #3.20B/*1.50A    | ----               | ----          | ----            | 1.30                     | NEW   | ----          | 2                        | ----              | 2 +           | 2                |
| 4075                              | ----   | ----         | ----            | #4.10B/*1.60A      | #4.10B/*1.60A    | ----               | ----          | ----            | 1.50                     | NEW   | ----          | 1                        | ----              | 1 +           | 1                |
| 4075                              | ----   | ----         | ----            | #9.10B/*4.20A      | #9.10B/*4.20A    | ----               | ----          | ----            | 4.10                     | NEW   | ----          | 1                        | ----              | 1 +           | 1                |
| 4100                              | ----   | ----         | ----            | 10.50B/4.70A       | 10.50B/4.70A     | ----               | ----          | ----            | 4.60 - 2.40              | .0365 | ----          | 1                        | ----              | 2 +           | 1                |
| 4150                              | ----   | ----         | ----            | 7.50B/*2.20A       | 7.50B/*2.20A     | ----               | ----          | ----            | 2.10                     | NEW   | ----          | 1                        | ----              | 1 +           | 1                |
| 4175                              | ----   | ----         | ----            | 9.10B/*2.50A       | 9.10B/*2.50A     | ----               | ----          | ----            | 2.40 - 2.00              | .0226 | ----          | ----                     | 12                | UNCH          |                  |
| 4175                              | ----   | ----         | ----            | 18.80B/*6.80A      | 18.80B/*6.80A    | ----               | ----          | ----            | 6.80                     | NEW   | ----          | 2                        | ----              | 1 +           | 1                |
| 4200                              | ----   | ----         | ----            | 22.20B/7.80A       | 22.20B/7.80A     | ----               | ----          | ----            | 7.80                     | NEW   | ----          | 1                        | ----              | 1 +           | 1                |
| 4200                              | 9.70   | 9.70         | ----            | 11.20B/*2.90A      | 11.20B/*2.90A    | ----               | ----          | ----            | 2.80 - 2.40              | .0272 | ----          | 100                      | ----              | 104 +         | 95               |
| 4225                              | ----   | ----         | ----            | #38.00B/15.70A     | #38.00B/15.70A   | ----               | ----          | ----            | 15.50 - 7.40             | .1092 | ----          | ----                     | 3                 | UNCH          |                  |
| 4225                              | ----   | ----         | ----            | 26.30B/8.90A       | 26.30B/8.90A     | ----               | ----          | ----            | 9.10 - 5.00              | .0762 | ----          | ----                     | 2                 | UNCH          |                  |
| 4225                              | 11.20  | 11.20        | ----            | 13.80B/*3.30A      | 13.80B/*3.30A    | ----               | ----          | ----            | 3.30 - 2.90              | .0330 | ----          | 1                        | ----              | 17 +          | 1                |
| 4250                              | ----   | ----         | ----            | #43.50B/18.10A     | #43.50B/18.10A   | ----               | ----          | ----            | 17.90 - 8.30             | .1252 | ----          | ----                     | 1                 | UNCH          |                  |
| 4250                              | 10.    |              |                 |                    |                  |                    |               |                 |                          |       |               |                          |                   |               |                  |

| PG64    | BULLETIN #101@                    |              |                 |                    |                  |                    |               |                 |                          |         | METALS OPTION PRODUCTS |                          |                   |               |                  |      |      |  |  |  | Thu, May 28, 2026 |  |  |  |  |  |  |  |  |  | PG64 |  |  |  |  |  |  |  |  |  |
|---------|-----------------------------------|--------------|-----------------|--------------------|------------------|--------------------|---------------|-----------------|--------------------------|---------|------------------------|--------------------------|-------------------|---------------|------------------|------|------|--|--|--|-------------------|--|--|--|--|--|--|--|--|--|------|--|--|--|--|--|--|--|--|--|
|         | GLOBEX<br>OPEN                    | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>HIGH/LOW | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| GWR THU | GOLD WEEKLY THURSDAY OPTION week2 |              |                 |                    |                  |                    |               |                 |                          |         |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| JUN26   |                                   |              |                 |                    |                  |                    |               |                 |                          |         |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4675    | 12.20                             | 12.20        |                 | 29.50B/*8.90A      | 29.50B/*8.90A    | ----               | ----          | ----            | 25.80                    | NEW     | ----                   | ----                     | 35                | ----          | 35               | +    | 35   |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4700    | ----                              | ----         |                 | 37.60B/*14.50A     | 37.60B/*14.50A   | ----               | ----          | ----            | 34.80                    | NEW     | ----                   | ----                     | 285               | ----          | 285              | +    | 285  |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4700    | 2.80                              | 2.80         |                 | 10.20B/*2.10A      | 10.20B/*2.10A    | ----               | ----          | ----            | 8.20                     | + 3.90  | .1053                  | ----                     | 6                 | ----          | 8                | +    | 4    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4700    | ----                              | ----         |                 | 24.10B/*7.20A      | 24.10B/*7.20A    | ----               | ----          | ----            | 21.00                    | + 8.70  | .1919                  | ----                     | ----              | ----          | 5                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4725    | 14.00                             | 14.00        |                 | 19.60B/*5.90A      | 19.60B/*5.90A    | ----               | ----          | ----            | 17.10                    | NEW     | .1605                  | ----                     | 4                 | ----          | 4                | +    | 4    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4725    | 29.30                             | 29.30        |                 | 32.10B/*12.20A     | 32.10B/*12.20A   | ----               | ----          | ----            | 29.60                    | + 11.50 | .2159                  | ----                     | 10                | ----          | 10               | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4725    | ----                              | ----         |                 | 7.70B/*1.80A       | 7.70B/*1.80A     | ----               | ----          | ----            | 6.10                     | + 2.90  | .0789                  | ----                     | ----              | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4750    | 13.90                             | 13.90        |                 | 16.00B/*4.90A      | 16.00B/*4.90A    | ----               | ----          | ----            | 13.90                    | + 6.00  | .1336                  | ----                     | 1                 | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4750    | ----                              | ----         |                 | 5.70B/*1.50A       | 5.70B/*1.50A     | ----               | ----          | ----            | 4.60                     | + 2.20  | .0593                  | ----                     | ----              | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4750    | 25.00                             | 25.00        |                 | 27.20B/*10.30A     | 27.20B/*10.30A   | ----               | ----          | ----            | 25.10                    | NEW     | .1883                  | ----                     | 9                 | ----          | 9                | +    | 9    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4750    | ----                              | ----         |                 | #347.00B/234.10    | #347.00B/234.10A | ----               | ----          | ----            | 242.40                   | - 40.90 | .8112                  | ----                     | ----              | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4775    | ----                              | ----         |                 | 13.00B/*4.10A      | 13.00B/*4.10A    | ----               | ----          | ----            | 11.30                    | + 4.90  | .1107                  | ----                     | ----              | ----          | 3                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4775    | ----                              | ----         |                 | 4.30B/*1.30A       | 4.30B/*1.30A     | ----               | ----          | ----            | 3.50                     | + 1.60  | .0447                  | ----                     | ----              | ----          | 150              | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4800    | 18.00                             | 18.00        |                 | 19.30B/*7.60A      | 19.30B/*7.60A    | ----               | ----          | ----            | 18.00                    | + 7.10  | .1415                  | ----                     | 286               | ----          | 286              | +    | 285  |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4800    | 3.00                              | 3.00         |                 | 3.30B/*1.20A       | 3.30B/*1.20A     | ----               | ----          | ----            | 2.70                     | + 1.20  | .0340                  | ----                     | 1                 | ----          | 4                | +    | 1    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4800    | ----                              | ----         |                 | -----/257.70A      | 276.40B/257.70A  | ----               | ----          | ----            | 270.20                   | - 49.60 | .9658                  | ----                     | ----              | ----          | 1                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4800    | 10.50                             | 10.50        |                 | 10.60B/*3.40A      | 10.60B/*3.40A    | ----               | ----          | ----            | 9.30                     | + 4.10  | .0922                  | ----                     | 11                | ----          | 16               | +    | 9    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4825    | ----                              | ----         |                 | 2.60B/*1.10A       | 2.60B/*1.10A     | ----               | ----          | ----            | 2.20                     | + 1.00  | .0270                  | ----                     | ----              | ----          | 1                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4825    | 12.20                             | 12.20        |                 | 16.50B/*6.50A      | 16.50B/*6.50A    | ----               | ----          | ----            | 15.20                    | + 5.90  | .1220                  | ----                     | 19                | ----          | 21               | +    | 19   |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4850    | ----                              | ----         |                 | 14.00B/*5.70A      | 14.00B/*5.70A    | ----               | ----          | ----            | 12.90                    | + 5.00  | .1053                  | ----                     | ----              | ----          | 1                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4850    | ----                              | ----         |                 | 2.00B/----         | 2.00B/*1.00A     | ----               | ----          | ----            | 1.70                     | + 0.70  | .0205                  | ----                     | ----              | ----          | 1                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4850    | ----                              | ----         |                 | 7.10B/*2.50A       | 7.10B/*2.50A     | ----               | ----          | ----            | 6.40                     | + 2.90  | .0642                  | ----                     | 1                 | ----          | 10               | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4875    | 8.90                              | 8.90         |                 | 12.00B/*5.00A      | 12.00B/*5.00A    | ----               | ----          | ----            | 11.10                    | + 4.30  | .0915                  | ----                     | 5                 | ----          | 19               | +    | 5    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4900    | ----                              | ----         |                 | 4.80B/*2.00A       | 4.80B/*2.00A     | ----               | ----          | ----            | 4.50                     | + 2.00  | .0452                  | ----                     | ----              | ----          | 3                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4900    | ----                              | ----         |                 | 1.40B/----         | 1.40B/*1.00A     | ----               | ----          | ----            | 1.20                     | + 0.50  | .0136                  | ----                     | ----              | ----          | 4                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4900    | 8.10                              | 8.10         |                 | 10.00B/*4.40A      | 10.00B/*4.40A    | ----               | ----          | ----            | 9.60                     | NEW     | .0797                  | ----                     | 1                 | ----          | 1                | +    | 1    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4925    | ----                              | ----         |                 | 8.60B/*3.80A       | 8.60B/*3.80A     | ----               | ----          | ----            | 8.40                     | + 3.30  | .0699                  | ----                     | ----              | ----          | 14               | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4925    | ----                              | ----         |                 | 1.10B/----         | 1.10B/*0.90A     | ----               | ----          | ----            | 1.00                     | NEW     | .0110                  | ----                     | 2                 | ----          | 2                | +    | 2    |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4950    | ----                              | ----         |                 | 3.30B/*1.70A       | 3.30B/*1.70A     | ----               | ----          | ----            | 3.30                     | + 1.40  | .0328                  | ----                     | ----              | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 4975    | ----                              | ----         |                 | 4.70B/*3.10A       | 4.70B/*3.10A     | ----               | ----          | ----            | 6.60                     | + 2.70  | .0547                  | ----                     | ----              | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 5000    | ----                              | ----         |                 | 0.70B/----         | 0.70B/0.90A      | ----               | ----          | ----            | 0.60                     | + 0.20  | .0060                  | ----                     | ----              | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 5000    | ----                              | ----         |                 | 4.30B/*2.80A       | 4.30B/*2.80A     | ----               | ----          | ----            | 5.90                     | + 2.50  | .0487                  | ----                     | ----              | ----          | 2                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 5025    | ----                              | ----         |                 | 0.60B/----         | 0.60B/0.90A      | ----               | ----          | ----            | 0.50                     | + 0.10  | .0049                  | ----                     | ----              | ----          | 1                | ---- | UNCH |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |
| 5125    | ----                              | ----         |                 | 0.40B/----         | 0.40B/0.70A      |                    |               |                 |                          |         |                        |                          |                   |               |                  |      |      |  |  |  |                   |  |  |  |  |  |  |  |  |  |      |  |  |  |  |  |  |  |  |  |

| GLOBEX<br>OPEN                  |        | OPEN<br>OUTCRY<br>OPEN<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|---------------------------------|--------|---------------------------------|--------------------|----------------------------|----------------------------------|--------------------------|---------|---------------|--------------------------|-------------------|---------------|------------------|
| GOLD WEEKLY MONDAY OPTION WEEK1 |        |                                 |                    |                            |                                  |                          |         |               |                          |                   |               |                  |
| 85.10                           | 85.10  |                                 | 148.70B/*44.80A    | 148.70B/*44.80A            | ----                             | 137.50                   | NEW     | .9220         | ----                     | 1                 | ----          | 1 +              |
| ----                            | ----   |                                 | 173.70B/*88.60A    | 173.70B/*88.60A            | ----                             | 167.60                   | + 35.40 | .7436         | ----                     | ----              | ----          | 14               |
| ----                            | ----   |                                 | #85.70B/34.00A     | #85.70B/34.00A             | ----                             | 35.40                    | - 15.40 | .2559         | ----                     | ----              | ----          | 25               |
| ----                            | ----   |                                 | #46.70B/*4.80A     | #46.70B/*4.80A             | ----                             | 5.60                     | - 10.10 | .0844         | ----                     | 1                 | ----          | 2 +              |
| 38.50                           | 38.50  |                                 | 139.40B/*38.50     | 139.40B/*38.50             | ----                             | 128.30                   | NEW     | .9087         | ----                     | 2                 | ----          | 1 +              |
| 20.00                           | 20.00  |                                 | #49.40B/*5.10A     | #49.40B/*5.10A             | ----                             | 6.00                     | - 10.70 | .0911         | ----                     | 5                 | ----          | 3 +              |
| ----                            | ----   |                                 | #51.80B/*5.40A     | #51.80B/*5.40A             | ----                             | 6.40                     | - 11.30 | .0981         | ----                     | ----              | ----          | 1                |
| ----                            | ----   |                                 | 130.30B/*34.20A    | 130.30B/*34.20A            | ----                             | 119.20                   | + 38.90 | .8935         | ----                     | ----              | ----          | 3                |
| 25.50                           | 25.50  |                                 | #54.30B/*5.80A     | #54.30B/*5.80A             | ----                             | 6.90                     | - 12.00 | .1063         | ----                     | 2                 | ----          | 2 +              |
| 67.90                           | 67.90  |                                 | #80.80B/24.60A     | #80.80B/24.60A             | ----                             | 26.50                    | - 16.10 | .2461         | ----                     | 51                | ----          | 73 +             |
| 31.50                           | 31.50  |                                 | 57.40B/*6.20A      | 57.40B/*6.20A              | ----                             | 7.40                     | - 12.70 | .1147         | ----                     | 206               | ----          | 225 +            |
| ----                            | ----   |                                 | 143.90B/*59.10A    | 143.90B/*59.10A            | ----                             | 133.80                   | NEW     | .7535         | ----                     | 78                | ----          | 38 +             |
| ----                            | ----   |                                 | #97.60B/40.10A     | #97.60B/40.10A             | ----                             | 41.90                    | - 17.40 | .2941         | ----                     | ----              | ----          | 11               |
| 32.00                           | 32.00  |                                 | 121.20B/*29.50A    | 121.20B/*29.50A            | ----                             | 110.30                   | NEW     | .8754         | ----                     | 2                 | ----          | 0                |
| 27.70                           | 27.70  |                                 | #60.40B/*6.60A     | #60.40B/*6.60A             | ----                             | 8.00                     | - 13.30 | .1244         | ----                     | 7                 | ----          | 4 +              |
| ----                            | ----   |                                 | #63.30B/*7.10A     | #63.30B/*7.10A             | ----                             | 8.60                     | NEW     | .1344         | ----                     | 2                 | ----          | 2 +              |
| 30.70                           | 30.70  |                                 | #66.30B/*7.70A     | #66.30B/*7.70A             | ----                             | 9.20                     | - 14.90 | .1446         | ----                     | 2                 | ----          | 3 +              |
| ----                            | ----   |                                 | 108.10B/*23.20A    | 108.10B/*23.20A            | ----                             | 97.30                    | NEW     | .8437         | ----                     | 1                 | ----          | 1 +              |
| ----                            | ----   |                                 | 140.40B/*65.00A    | 140.40B/*65.00A            | ----                             | 131.80                   | + 31.40 | .6636         | ----                     | ----              | ----          | 12               |
| 16.10                           | 16.10  |                                 | 72.70B/8.80A       | 72.70B/8.80A               | ----                             | 10.70                    | - 16.60 | .1688         | ----                     | 19                | ----          | 48 -             |
| 67.00                           | 67.00  |                                 | #92.00/30.30A      | #92.00/30.30A              | ----                             | 32.80                    | - 18.70 | .2952         | ----                     | 20                | ----          | 16               |
| ----                            | ----   |                                 | 124.70B/*48.20A    | 124.70B/*48.20A            | ----                             | 115.10                   | + 32.10 | .7045         | ----                     | ----              | ----          | 8                |
| 43.50                           | 43.50  |                                 | 103.70B/*21.40A    | 103.70B/*21.40A            | ----                             | 93.10                    | + 34.30 | .8310         | ----                     | 2                 | ----          | 4 +              |
| 56.60                           | 56.60  |                                 | #103.10B/45.00     | #103.10B/45.00             | ----                             | 49.50                    | - 19.40 | .3359         | ----                     | 76                | ----          | 91 +             |
| ----                            | ----   |                                 | #76.20B/9.60A      | #76.20B/9.60A              | ----                             | 11.50                    | - 17.50 | .1818         | ----                     | ----              | ----          | 7                |
| 22.00                           | 22.00  |                                 | 99.50B/*19.70A     | 99.50B/*19.70A             | ----                             | 88.90                    | NEW     | .8180         | ----                     | 3                 | ----          | 2 +              |
| ----                            | ----   |                                 | 95.30B/*18.10A     | 95.30B/*18.10A             | ----                             | 84.80                    | NEW     | .8038         | ----                     | 1                 | ----          | 1 +              |
| 36.50                           | 36.50  |                                 | #83.20B/*11.00A    | #83.20B/*11.00A            | ----                             | 13.40                    | NEW     | .2114         | ----                     | 4                 | ----          | 2 +              |
| 14.90                           | 14.90  |                                 | #86.80B/*11.90A    | #86.80B/*11.90A            | ----                             | 14.50                    | - 20.20 | .2278         | ----                     | 11                | ----          | 15 +             |
| ----                            | ----   |                                 | 87.20B/*15.20A     | 87.20B/*15.20A             | ----                             | 76.90                    | + 30.70 | .7721         | ----                     | 17                | ----          | 20 +             |
| 15.50                           | 15.50  |                                 | 83.30B/*13.80A     | 83.30B/*13.80A             | ----                             | 73.00                    | + 29.70 | .7553         | ----                     | 185               | ----          | 46 +             |
| 43.40                           | 43.40  |                                 | #90.40B/12.80A     | #90.40B/12.80A             | ----                             | 15.60                    | - 21.20 | .2445         | ----                     | 78                | ----          | 126 +            |
| 57.00                           | 57.00  |                                 | #100.20B/37.00A    | #100.20B/37.00A            | ----                             | 40.50                    | - 21.50 | .3503         | ----                     | 3                 | ----          | 4 +              |
| 60.00                           | 60.00  |                                 | #117.30B/55.40A    | #117.30B/55.40A            | ----                             | 58.30                    | - 21.60 | .3807         | ----                     | 10                | ----          | 16 +             |
| 117.70                          | 117.70 |                                 | 123.80B/*55.10A    | 123.80B/*55.10A            | ----                             | 115.60                   | NEW     | .6188         | ----                     | 4                 | ----          | 4 +              |
| 14.80                           | 14.80  |                                 | 79.30B/*12.60A     | 79.30B/*12.60A             | ----                             | 69.20                    | + 28.70 | .7375         | ----                     | 2                 | ----          | 3 +              |
| 17.90                           | 17.90  |                                 | #94.70B/*13.80A    | #94.70B/*13.80A            | ----                             | 16.80                    | NEW     | .2623         | ----                     | 7                 | ----          | 6 +              |
| ----                            | ----   |                                 | 75.50B/*11.50A     | 75.50B/*11.50A             | ----                             | 65.50                    | + 27.60 | .7181         | ----                     | ----              | ----          | 3                |
| 21.40                           | 21.40  |                                 | #98.20B/14.90A     | #98.20B/14.90A             | ----                             | 18.20                    | - 23.20 | .2817         | ----                     | 18                | ----          | 10 +             |
| 21.60                           | 21.60  |                                 | #102.20B/*16.10    | #102.20B/*16.10            | ----                             | 19.60                    | - 24.20 | .3013         | ----                     | 17                | ----          | 17 +             |
| 12.70                           | 12.70  |                                 | 71.80B/*10.50A     | 71.80B/*10.50A             | ----                             | 62.00                    | + 26.70 | .6985         | ----                     | 15                | ----          | 10 +             |
| 35.60                           | 35.60  |                                 | #106.70B/*17.30    | #106.70B/*17.30            | ----                             | 21.10                    | NEW     | .3219         | ----                     | 4                 | ----          | 1 +              |
| ----                            | ----   |                                 | 68.10B/*9.60A      | 68.10B/*9.60A              | ----                             | 58.50                    | + 25.60 | .6779         | ----                     | 4                 | ----          | 29               |
| ----                            | ----   |                                 | #150.80B/79.80A    | #150.80B/79.80A            | ----                             | 82.40                    | - 24.60 | .4356         | ----                     | ----              | ----          | 1                |
| ----                            | ----   |                                 | #110.90B/18.60A    | #110.90B/18.60A            | ----                             | 22.70                    | - 26.40 | .3432         | ----                     | 4                 | ----          | 75 +             |
| 32.10                           | 32.10  |                                 | 64.60B/*8.70A      | 64.60B/*8.70A              | ----                             | 55.10                    | + 24.50 | .6566         | ----                     | 92                | ----          | 79 +             |
| ----                            | ----   |                                 | #117.50B/45.40A    | #117.50B/45.40A            | ----                             | 49.70                    | - 24.40 | .4104         | ----                     | 26                | ----          | 105 -            |
| ----                            | ----   |                                 | #133.10B/65.00A    | #133.10B/65.00A            | ----                             | 68.40                    | - 23.70 | .4278         | ----                     | ----              | ----          | 15               |
| 109.00                          | 109.00 |                                 | 109.00/*46.50A     | 109.00/*46.50A             | ----                             | 100.70                   | + 27.00 | .5717         | ----                     | 1                 | ----          | 10               |
| 64.00                           | 64.00  |                                 | 120.60B/*59.10A    | 120.60B/*59.10A            | ----                             | 114.70                   | + 26.10 | .5637         | ----                     | 1                 | ----          | 2 +              |
| ----                            | ----   |                                 | 61.10B/*8.00A      | 61.10B/*8.00A              | ----                             | 51.80                    | + 23.40 | .6345         | ----                     | ----              | ----          | 8                |
| ----                            | ----   |                                 | 57.70B/*7.10A      | 57.70B/*7.10A              | ----                             | 48.60                    | NEW     | .6115         | ----                     | 8                 | ----          | 4 +              |
| 29.90                           | 29.90  |                                 | #123.70B/*23.30    | #123.70B/*23.30            | ----                             | 28.20                    | NEW     | .4116         | ----                     | 10                | ----          | 10 +             |
| 34.20                           | 34.20  |                                 | 54.60B/*6.60A      | 54.60B/*6.60A              | ----                             | 45.60                    | NEW     | .5882         | ----                     | 6                 | ----          | 3 +              |
| 35.40                           | 35.40  |                                 | #127.60B/25.20     | #127.60B/25.20             | ----                             | 30.30                    | - 30.70 | .4356         | ----                     | 18                | ----          | 11 +             |
| 30.10                           | 30.10  |                                 | 51.50B/*6.00A      | 51.50B/*6.00A              | ----                             | 42.70                    | + 20.20 | .5642         | ----                     | 114               | ----          | 48 +             |
| 31.90                           | 31.90  |                                 | #132.50B/27.00A    | #132.50B/27.00A            | ----                             | 32.50                    | - 31.70 | .4599         | ----                     | 7                 | ----          | 6 +              |
| 82.00                           | 82.00  |                                 | #136.70B/55.80A    | #136.70B/55.80A            | ----                             | 60.50                    | - 27.50 | .4739         | ----                     | ----              | ----          | 7                |
| 13.80                           | 13.80  |                                 | 48.50B/*5.50A      | 48.50B/*5.50A              | ----                             | 39.90                    | + 19.20 | .5399         | ----                     | 64                | ----          | 54 +             |
| ----                            | ----   |                                 | #136.70B/29.10     | #136.70B/29.10             | ----                             | 34.80                    | - 32.80 | .4845         | ----                     | ----              | ----          | 1                |
| 7.00                            | 7.00   |                                 | 45.70B/*5.00A      | 45.70B/*5.00A              | ----                             | 37.20                    | + 18.10 | .5153         | ----                     | 67                | ----          | 67 +             |
| 7.10                            | 7.10   |                                 | 42.90B/*4.50A      | 42.90B/*4.50A              | ----                             | 34.60                    | NEW     | .4906         | ----                     | 10                | ----          | 8 +              |
| ----                            | ----   |                                 | #141.10B/*31.10    | #141.10B/*31.10            | ----                             | 37.20                    | - 33.80 | .5093         | ----                     | 2                 | ----          | 3 +              |
| 38.30                           | 38.30  |                                 | #145.90B/*33.50    | #145.90B/*33.50            | ----                             | 39.80                    | NEW     | .5340         | ----                     | 1                 | ----          | 1 +              |
| 34.20                           | 34.20  |                                 | 40.20B/*4.20A      | 40.20B/*4.20A              | ----                             | 32.20                    | + 16.10 | .4658         | ----                     | 22                | ----          | 16 +             |
| 8.20                            | 8.20   |                                 | 37.70B/*3.80A      | 37.70B/*3.80A              | ----                             | 29.90                    | + 15.10 | .4411         | ----                     | 30                | ----          | 52 +             |
| 41.00                           | 41.00  |                                 | #150.40B/*35.90    | #150.40B/*35.90            | ----                             | 42.50                    | - 35.80 | .5587         | ----                     | 2                 | ----          | 35 +             |
| 32.50                           | 32.50  |                                 | 62.40B/*18.00      | 62.40B/*18.00              | ----                             | 55.50                    | + 20.30 | .4609         | ----                     | 8                 | ----          | 1                |
| 58.00                           | 58.00  |                                 | #155.50B/38.70A    | #155.50B/38.70A            | ----                             | 45.30                    | - 36.70 | .5832         | ----                     | 1                 | ----          | 135 +            |
| 5.40                            | 5.40   |                                 | 35.30B/*3.50A      | 35.30B/*3.50A              | ----                             | 27.70                    | + 14.10 | .4166         | ----                     | 129               | 125           | 251 +            |
| ----                            | ----   |                                 | #154.80B/67.50A    | #154.80B/67.50A            | ----                             | 73.10                    | - 30.50 | .5388         | ----                     | ----              | ----          | 1                |
| ----                            | ----   |                                 | #168.70B/87.70A    | #168.70B/87.70A            | ----                             | 92.40                    | - 28.20 | .5253         | ----                     | 5                 | ----          | 25 -             |
| 38.30                           | 38.30  |                                 | 81.90B/*32.10A     | 81.90B/*32.10A             | ----                             | 74.80                    | + 22.50 | .4741         | ----                     | 1                 | ----          | 108 +            |
| ----                            | ----   |                                 | 95.50B/*43.90A     | 95.50B/*43.90A             | ----                             | 89.40                    | + 22.80 | .4811         | ----                     | ----              | ----          | 1                |
| ----                            | ----   |                                 | 32.90B/*3.20A      | 32.90B/*3.20A              | ----                             | 25.70                    | NEW     | .3927         | ----                     | 8                 | ----          | 3 +              |
| 43.20                           | 43.20  |                                 | #160.20B/41.00A    | #160.20B/41.00A            | ----                             | 48.30                    | NEW     | .6071         | ----                     | 3                 | ----          | 3 +              |
| 24.80                           | 24.80  |                                 | 30.60B/*3.00A      | 30.60B/*3.00A              | ----                             | 23.80                    | + 12.40 | .3692         | ----                     | 9                 | ----          | 5 +              |
| 22.20                           | 22.20  |                                 | 28.50B/*2.70A      | 28.50B/*2.70A              | ----                             | 21.90                    | + 11.50 | .3458         | ----                     | 1                 | ----          | 3 +              |
| 15.10                           | 15.10  |                                 | 26.60B/*2.50A      | 26.60B/*2.50A              | ----                             | 20.30                    | NEW     | .3239         | ----                     | 3                 | ----          | 1 +              |
| 90.70                           | 90.70  |                                 | #179.10B/52.90A    | #179.10B/52.90A            | ----                             | 61.30                    | - 40.90 | .6976         | ----                     | 1                 | ----          | 24               |
| 5.40                            | 5.40   |                                 | 24.70B/*2.30A      | 24.70B/*2.30A              | ----                             | 18.70                    | + 10.00 | .3022         | ----                     | 31                | ----          | 92 +             |
| 22.10                           | 22.10  |                                 | 51.00B/*14.10A     | 51.00B/*14.10A             | ----                             | 44.80                    | NEW     | .3968         | ----                     | 7                 | ----          | 5 +              |
| 26.10                           | 26.10  |                                 | 70.30B/*26.10      | 70.30B/*26.10              | ----                             | 63.80                    | + 20.30 | .4256         | ----                     | 1                 | ----          | 6                |
| ----                            | ----   |                                 | #188.10B/101.00A   | #188.10B/101.00A           | ----                             | 106.30                   | - 30.50 | .5739         | ----                     | ----              | ----          | 5                |
| 9.40                            | 9.40   |                                 | 22.90B/*2.20A      | 22.90B/*2.20A              | ----                             | 17.20                    | + 9.20  | .2813         | ----                     | 5                 | ----          | 23 +             |
| 17.60                           | 17.60  |                                 | 21.30B/*2.00A      | 21.30B/*2.00A              | ----                             | 15.80                    | + 8.50  | .2612         | ----                     | 6                 | ----          | 12 +             |
| 14.20                           | 14.20  |                                 | 19.70B/*1.90A      | 19.70B/*1.90A              | ----                             | 14.60                    | NEW     | .2427         | ----                     | 5                 | ----          | 5 +              |
| 14.10                           | 14.10  |                                 | 18.30B/*1.80A      | 18.30B/*1.80A              | ----                             | 13.40                    | NEW     | .2246         | ----                     | 7                 | ----          | 7 +              |
| ----                            | ----   |                                 | 41.10B/*10.70A     | 41.10B/*10.70A             | ----                             | 35.80                    | + 14.60 | .3359         | ----                     | 8                 | ----          | 35 -             |
| ----                            | ----   |                                 | #203.40B/70.10A    | #203.40B/70.10A            | ----                             | 79.90                    | - 44.20 | .7924         | ----                     | ----              | ----          | 6                |
| 4.00                            | 4.00   |                                 | 16.90B/*1.70A      | 16.90B/*1.70A              | ----                             | 12.30                    | + 6.70  | .2074         | ----                     | 48                | ----          | 91               |
| ----                            | ----   |                                 | #208.60B/115.50    | #208.60B/115.50            | ----                             | 121.60                   | - 32.70 | .6211         | ----                     | ----              | ----          | 1                |
| 53.00                           | 53.00  |                                 | 59.80B/*21.70A     | 59.80B/*21.70A             | ----                             | 54.10                    | + 18.10 | .3784         | ----                     | 1                 | ----          | 151 +            |
| ----                            | ----   |                                 | 74.30B/*32.30A     | 74.30B/*32.30A             | ----                             | 68.70                    | + 19.70 | .4004         | ----                     | ----              | ----          | 1                |
| 12.30                           | 12.30  |                                 | 15.60B/*1.60A      | 15.60B/*1.60A              | ----                             | 11.30                    | NEW     | .1914         | ----                     | 1                 | ----          | 1 +              |
| ----                            | ----   |                                 | 14.40B/*1.50A      | 14.40B/*1.50A              | ----                             | 10.40                    | NEW     | .1766         | ----                     | 1                 | ----          | 1 +              |
| ----                            | ----   |                                 | 13.30B/*1.40A      | 13.30B/*1.40A              | ----                             | 9.50                     | + 5.20  | .1621         | ----                     | ----              | ----          | 1                |
| ----                            | ----   |                                 | #222.60B/86.60A    | #222.60B/86.60A            | ----                             | 96.30                    | - 46.10 | .8500         | ----                     | ----              | ----          | 3                |
| 9.60                            | 9.60   |                                 | 12.20B/*1.30A      | 12.20B/*1.30A              | ----                             | 8.80                     | + 4.80  | .1498         | ----                     | 2                 | ----          | 7 +              |
| ----                            | ----   |                                 | #219.70B/112.20A   | #219.70B/112.20A           | ----                             | 120.80                   | - 38.80 | .7200         | ----                     | ----              | ----          | 1                |
| ----                            | ----   |                                 | #227.80B/90.00A    | #227.80B/90.00A            | ----                             | 100.60                   | - 46.50 | .8620         | ----                     | ----              | ----          | 4                |
| 4.50                            | 4.50   |                                 | 11.40B/*1.30A      | 11.40B/*1.30A              | ----                             | 8.10                     | + 4.40  | .1378         | ----                     | 63                | ----          | 116 -            |
| 10.20                           | 10.20  |                                 | 10.30B/*1.20A      | 10.30B/*1.20A              | ----                             | 7.40                     | + 4.00  | .1260         | ----                     | 8                 | ----          | 15 +             |
| ----                            | ----   |                                 | 9.50B/*1.20A       | 9.50B/*1.20A               | ----                             | 6.80                     | + 3.70  | .1156         | ----                     | ----              | ----          | 1                |
| 6.50                            | 6.50   |                                 | 9.00B/*1.10A       |                            |                                  |                          |         |               |                          |                   |               |                  |



PG64

BULLETIN #101@

METALS OPTION PRODUCTS

Thu, May 28, 2026

PG64

|         | LOBEX<br>OPEN                   | OPEN<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | RANGE | OPEN<br>CLOSE | OUTCRY<br>CLOSE | RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|---------|---------------------------------|--------------|-----------------|-------------------|------------------|-----------------|-------|---------------|-----------------|-------|--------------------------|-------|---------------|--------------------------|------------------|---------------|------------------|
| GMW MON | GOLD WEEKLY MONDAY OPTION WEEK2 |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          |                  |               |                  |
| JUN26   |                                 |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          |                  |               |                  |
| 4750    | ----                            |              | ----            | ----/215.40A      | 259.20B/215.40A  | ----            |       | 225.80        | -               | 46.90 | .9038                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4750    | ----                            |              | ----            | 1.70B/*0.70A      | 1.70B/*0.70A     | ----            |       | 1.30          | +               | 0.50  | .0177                    | ----  | ----          | ----                     | ----             | ----          | 8 UNCH           |
| 4750    | ----                            |              | ----            | 30.30B/*12.10A    | 30.30B/*12.10A   | ----            |       | 28.10         | +               | 10.60 | .2002                    | ----  | ----          | ----                     | ----             | ----          | 3 UNCH           |
| 4750    | ----                            |              | ----            | 20.20B/*6.70A     | 20.20B/*6.70A    | ----            |       | 18.10         | +               | 7.40  | .1573                    | ----  | ----          | ----                     | 3                | ----          | 5 - 2            |
| 4775    | ----                            |              | ----            | #376.90B/257.60   | #376.90B/257.60A | ----            |       | 266.20        | -               | 41.40 | .8240                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4775    | ----                            |              | ----            | 7.70B/*2.40A      | 7.70B/*2.40A     | ----            |       | 6.70          | +               | 3.20  | .0770                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4775    | ----                            |              | ----            | 1.20B/----        | 1.20B/*0.70A     | ----            |       | 1.00          | +               | 0.30  | .0127                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4800    | 0.70                            | 0.70         |                 | 0.90/*0.60A       | 0.90/*0.60A      | ----            |       | 0.80          | +               | 0.20  | .0094                    | ----  | ----          | ----                     | 3                | ----          | 58 + 2           |
| 4800    | ----                            |              | ----            |                   | 296.80B/360.80A  | ----            |       | 268.30        | -               | 50.70 | .9905                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4800    | ----                            |              | ----            | 6.20B/*2.00A      | 6.20B/*2.00A     | ----            |       | 5.40          | +               | 2.60  | .0621                    | ----  | ----          | ----                     | ----             | 102           | UNCH             |
| 4800    | ----                            |              | ----            | 13.90B/*4.80A     | 13.90B/*4.80A    | ----            |       | 12.40         | +               | 5.20  | .1125                    | ----  | ----          | ----                     | ----             | 2             | UNCH             |
| 4800    | ----                            |              | ----            | 22.20B/*9.10A     | 22.20B/*9.10A    | ----            |       | 20.60         | +               | 8.20  | .1537                    | ----  | ----          | ----                     | ----             | 2             | UNCH             |
| 4825    | ----                            |              | ----            | 4.80B/*1.80A      | 4.80B/*1.80A     | ----            |       | 4.40          | +               | 2.10  | .0504                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 4825    | ----                            |              | ----            | 0.70B/----        | 0.70B/*0.50A     | ----            |       | 0.60          | +               | 0.10  | .0066                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 4850    | ----                            |              | ----            | 3.80B/*1.60A      | 3.80B/*1.60A     | ----            |       | 3.60          | +               | 1.70  | .0410                    | ----  | ----          | ----                     | ----             | 3             | UNCH             |
| 4850    | ----                            |              | ----            | 0.50B/----        | 0.50B/*0.40A     | ----            |       | 0.50          | +               | 0.10  | .0052                    | ----  | ----          | ----                     | ----             | 13            | UNCH             |
| 4850    | 10.60                           | 10.60        |                 | 16.20B/*8.60A     | 16.20B/*8.60A    | ----            |       | 15.20         | +               | 6.20  | .1174                    | ----  | ----          | ----                     | 10               | ----          | 11 + 9           |
| 4850    | 3.10                            | 3.10         |                 | 9.60B/*3.10       | 9.60B/*3.10      | ----            |       | 8.70          | +               | 3.70  | .0809                    | ----  | ----          | ----                     | 1                | ----          | 11 + 1           |
| 4875    | ----                            |              | ----            | ----/333.80A      | 350.20B/333.80A  | ----            |       | 345.30        | -               | 49.60 | .9659                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4875    | ----                            |              | ----            | 3.00B/*1.50A      | 3.00B/*1.50A     | ----            |       | 3.00          | +               | 1.30  | .0338                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4875    | ----                            |              | ----            | 0.40B/----        | 0.40B/*0.30A     | ----            |       | 0.30          | UNCH            |       | .0029                    | ----  | ----          | 1                        | ----             | 128           | UNCH             |
| 4875    | ----                            |              | ----            | 13.90B/*7.60A     | 13.90B/*7.60A    | ----            |       | 13.10         | +               | 5.40  | .1026                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4875    | ----                            |              | ----            | 8.00B/*3.10A      | 8.00B/*3.10A     | ----            |       | 7.40          | +               | 3.20  | .0691                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 4900    | ----                            |              | ----            | 6.80B/*2.70A      | 6.80B/*2.70A     | ----            |       | 6.30          | +               | 2.70  | .0591                    | ----  | ----          | ----                     | ----             | 5             | UNCH             |
| 4900    | ----                            |              | ----            | 2.40B/----        | 2.40B/*1.40A     | ----            |       | 2.60          | +               | 1.20  | .0288                    | ----  | ----          | ----                     | ----             | 4             | UNCH             |
| 4900    | ----                            |              | ----            |                   | #397.50B/455.20A | ----            |       | 367.80        | -               | 50.90 | .9982                    | ----  | ----          | ----                     | ----             | 2             | UNCH             |
| 4900    | ----                            |              | ----            |                   | 0.30B/*0.30A     | ----            |       | 0.20          | -               | 0.10  | .0018                    | ----  | ----          | ----                     | ----             | 49            | UNCH             |
| 4925    | ----                            |              | ----            | 5.50B/*2.50A      | 5.50B/*2.50A     | ----            |       | 5.40          | +               | 2.30  | .0507                    | ----  | ----          | ----                     | 2                | ----          | 7 UNCH           |
| 4925    | ----                            |              | ----            |                   | 0.20B/*0.20A     | ----            |       | 0.20          | UNCH            |       | .0017                    | ----  | ----          | ----                     | ----             | 5             | UNCH             |
| 4935    | 0.20                            | 0.20         |                 | #0.20/*0.20       | 0.20/*0.20       | ----            |       | 0.20          | UNCH            |       | .0016                    | ----  | ----          | ----                     | 25               | ----          | 26 + 25          |
| 4950    | 8.10                            | 8.10         |                 | 8.80B/8.10        | 8.80B/*5.70A     | ----            |       | 8.70          | NEW             |       | .0696                    | ----  | ----          | 1                        | ----             | 1 + 1         |                  |
| 4950    | ----                            |              | ----            | 1.70B/----        | 1.70B/1.40A      | ----            |       | 1.90          | +               | 0.80  | .0204                    | ----  | ----          | ----                     | ----             | 5             | UNCH             |
| 4950    | ----                            |              | ----            |                   | 0.10B/*0.20A     | ----            |       | 0.10          | -               | 0.10  | .0008                    | ----  | ----          | ----                     | ----             | 32            | UNCH             |
| 4950    | ----                            |              | ----            | 4.60B/*2.20A      | 4.60B/*2.20A     | ----            |       | 4.70          | +               | 2.00  | .0440                    | ----  | ----          | ----                     | 1                | ----          | 11 UNCH          |
| 4975    | ----                            |              | ----            | ----              | 0.10B/*0.30A     | ----            |       | 0.10          | UNCH            |       | .0004                    | ----  | ----          | ----                     | ----             | 5             | UNCH             |
| 5000    | ----                            |              | ----            | ----              | /*0.20A          | ----            |       | 0.10          | UNCH            |       | .0002                    | ----  | ----          | ----                     | ----             | 31            | UNCH             |
| 5000    | ----                            |              | ----            | 1.30B/----        | 1.30B/1.30A      | ----            |       | 1.50          | +               | 0.60  | .0154                    | ----  | ----          | ----                     | 1                | ----          | 32 UNCH          |
| 5000    | ----                            |              | ----            | 5.30B/----        | 5.30B/*4.80A     | ----            |       | 6.90          | +               | 3.00  | .0552                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5000    | ----                            |              | ----            | 3.40B/*1.90A      | 3.40B/*1.90A     | ----            |       | 3.60          | +               | 1.50  | .0334                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5025    | ----                            |              | ----            | ----              | /*0.40A          | ----            |       | 0.10          | UNCH            |       | .0001                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5025    | ----                            |              | ----            | 3.10B/*1.70A      | 3.10B/*1.70A     | ----            |       | 3.20          | +               | 1.30  | .0294                    | ----  | ----          | ----                     | ----             | 4             | UNCH             |
| 5050    | ----                            |              | ----            | 4.00B/----        | 4.00B/*4.20A     | ----            |       | 5.60          | +               | 2.50  | .0445                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5050    | ----                            |              | ----            | 1.00B/----        | 1.00B/1.10A      | ----            |       | 1.20          | +               | 0.40  | .0119                    | ----  | ----          | ----                     | ----             | 5             | UNCH             |
| 5050    | ----                            |              | ----            | 2.70B/*1.60A      | 2.70B/*1.60A     | ----            |       | 2.80          | +               | 1.10  | .0256                    | ----  | ----          | 1                        | ----             | 11 UNCH       |                  |
| 5050    | ----                            |              | ----            | ----              | /*0.40A          | ----            |       | 0.10          | UNCH            |       | .0000                    | ----  | ----          | ----                     | ----             | 29            | UNCH             |
| 5075    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       | .0000                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5100    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       | .0000                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5100    | ----                            |              | ----            | 2.10B/----        | 2.10B/1.50A      | ----            |       | 2.20          | +               | 0.80  | .0199                    | ----  | ----          | ----                     | ----             | 6             | UNCH             |
| 5125    | ----                            |              | ----            | ----              | /*0.40A          | ----            |       | 0.10          | UNCH            |       | .0000                    | ----  | ----          | ----                     | ----             | 2             | UNCH             |
| 5150    | ----                            |              | ----            | 0.70B/----        | 0.70B/1.00A      | ----            |       | 0.80          | +               | 0.30  | .0073                    | ----  | ----          | 1                        | ----             | 1 - 1         |                  |
| 5150    | ----                            |              | ----            | ----              | /*0.40A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 5             | UNCH             |
| 5175    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 3             | UNCH             |
| 5200    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 2             | UNCH             |
| 5225    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 4             | UNCH             |
| 5250    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 4             | UNCH             |
| 5250    | ----                            |              | ----            |                   | 0.40B/0.90A      | ----            |       | 0.60          | +               | 0.20  | .0050                    | ----  | ----          | ----                     | ----             | 4             | UNCH             |
| 5250    | ----                            |              | ----            |                   | 1.00B/*2.60A     | ----            |       | 3.10          | +               | 1.80  | .0228                    | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5275    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 6             | UNCH             |
| 5300    | ----                            |              | ----            | ----              | /*0.40A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 6             | UNCH             |
| 5300    | ----                            |              | ----            |                   | 0.30B/0.90A      | ----            |       | 0.50          | +               | 0.10  | .0041                    | ----  | ----          | ----                     | ----             | 5             | UNCH             |
| 5325    | ----                            |              | ----            | ----              | /*0.30A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 2             | UNCH             |
| 5350    | ----                            |              | ----            | ----              | /*0.40A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 6             | UNCH             |
| 5400    | ----                            |              | ----            | ----              | /*0.40A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 9             | UNCH             |
| 5500    | ----                            |              | ----            | ----              | /*8.50A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 2             | UNCH             |
| 5600    | ----                            |              | ----            | ----              | /*8.50A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 1             | UNCH             |
| 5700    | ----                            |              | ----            | ----              | /*8.60A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 10            | UNCH             |
| 5750    | ----                            |              | ----            | ----              | /*8.80A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 12            | UNCH             |
| 5750    | ----                            |              | ----            | ----              | /*1.00A          | ----            |       | 0.30          | +               | 0.10  | .0021                    | ----  | ----          | ----                     | ----             | 3             | UNCH             |
| 5750    | ----                            |              | ----            | ----              | ----             | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 11            | UNCH             |
| 6000    | ----                            |              | ----            | ----              | /*8.90A          | ----            |       | 0.10          | UNCH            |       |                          | ----  | ----          | ----                     | ----             | 11            | UNCH             |
| TOTAL   |                                 |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          | 2567             | 125           | 5824+ 1384       |

|                                            | LOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | RANGE | OPEN<br>CLOSE | OUTCRY<br>CLOSE | RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|--------------------------------------------|---------------|--------------|-----------------|-------------------|------------------|-----------------|-------|---------------|-----------------|-------|--------------------------|-------|---------------|--------------------------|------------------|---------------|------------------|
| FMG OPT MICRO GOLD WEEKLY FRI OPTION WEEK5 |               |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          |                  |               |                  |
| MAY26                                      |               |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          |                  |               |                  |
| 4350                                       | 10.50         | 10.50        |                 | #10.50/*10.50     | #10.50/10.50     | ----            |       | 0.90          | NEW             |       | .0028                    | ----  | ----          | ----                     | 1                | ----          | 1 + 1            |
| 4470                                       | ----          |              | ----            | ----              | /*57.70A         | ----            |       | 69.20         | +               | 31.50 | .9013                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4500                                       | ----          |              | ----            | ----              | /*40.00A         | ----            |       | 45.20         | +               | 22.90 | .7619                    | ----  | ----          | ----                     | ----             | ----          | 1 UNCH           |
| 4515                                       | 18.00         | 18.00        |                 | #18.00/*18.00     | #18.00/*18.00    | ----            |       | 35.00         | NEW             |       | .6525                    | ----  | ----          | ----                     | 1                | ----          | 1 + 1            |
| TOTAL                                      |               |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          | 2                |               | 4+ 2             |
| JUN26                                      |               |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          |                  |               |                  |
| 4675                                       | 5.50          | 5.50         |                 | #5.50/*5.50       | #5.50/*5.50      | ----            |       | 14.00         | NEW             |       | .1621                    | ----  | ----          | ----                     | 4                | ----          | 4 + 4            |
| TOTAL                                      |               |              |                 |                   |                  |                 |       |               |                 |       |                          |       |               |                          | 4                |               | 4+ 4             |

SILVER OPTIONS ON FUTURES

|         | LOBEX<br>OPEN                       | OPEN<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|---------|-------------------------------------|--------------|-----------------|-------------------|------------------|-----------------|-------|--------------------------|-------|---------------|------------------|------------------|---------------|------------------|
| RWS THU | SILVER WEEKLY THURSDAY OPTION week4 |              |                 |                   |                  |                 |       |                          |       |               |                  |                  |               |                  |
| MAY26   |                                     |              |                 |                   |                  |                 |       |                          |       |               |                  |                  |               |                  |
| 6400    | 0.010                               | 0.010        |                 | 0.010/*0.010      | 0.010/*0.010     | ----            |       | 0.000                    | NEW   | ----          | ----             | 1                | ----          | 0 UNCH           |
| 6700    | ----                                |              | ----            | ----/0.114A       | ----             | ----            |       | 0.000                    | NEW   | ----          | ----             | 1                | ----          | 0 UNCH           |
| 6900    | 0.080                               | 0.080        |                 | 0.080/*0.080      | 0.080/*0.080     | ----            |       | 0.000                    | NEW   | ----          | ----             | 1                | ----          | 0 UNCH           |
| 6950    | ----                                |              | ----            | ----              | 0.001B/0.115A    | ----            |       | 0.000 -                  | 0.012 | ----          | ----             | ----             | ----          | 0 - 1            |
| 7000    | 0.020                               | 0.020        |                 | 0.036B/*0.001     | 0.036B/*0.001    | ----            |       | 0.000 -                  | 0.020 | ----          | 6                | ----             | ----          | 0 - 4            |
| 7050    | ----                                |              | ----            | 0.086B/----       | 0.086B/0.121A    | ----            |       | 0.000 -                  | 0.032 | ----          | ----             | ----             | ----          | 0 - 3            |
| 7100    | 0.300                               | 0.300        |                 | 0.300/*0.010      | 0.300/*0.010     | ----            |       | 0.000                    | NEW   | ----          | 2                | ----             | ----          | 0 UNCH           |
| 7150    | ----                                |              | ----            | 0.338B/----       | 0.338B/0.129A    | ----            |       | 0.000 -                  | 0.078 | ----          | ----             | ----             | ----          | 0 - 10           |
| 7200    | 0.300                               | 0.300        |                 | 0.540B/*0.145A    | 0.540B/*0.145A   | ----            |       | 0.000 -                  | 0.119 | ----          | 7                | ----             | ----          | 0 - 61           |
| 7210    | 0.350                               | 0.350        |                 | #0.572B/*0.155A   | #0.572B/*0.155A  | ----            |       | 0.000                    | NEW   | ----          | 11               | ----             | ----          | 0 UNCH           |
| 7230    | ----                                |              | ----            | #0.669B/----      | #0.669B/*0.167A  | ----            |       | 0.000                    | NEW   | ----          | 2                | ----             | ----          | 0 UNCH           |
| 7250    | ----                                |              | ----            | 0.756B/----       | 0.756B/*0.171A   | ----            |       | 0.000 -                  | 0.169 | ----          | 5                | ----             | ----          | 0 - 5            |
| 7300    | 0.600                               | 0.600        |                 | 0.600/*0.600      | 0.827B/*0.600    | ----            |       | 2.912                    | NEW   | 2             | 2                | ----             | ----          | 0 UNCH           |
| 7300    | 0.580                               | 0.580        |                 | 0.778B/0.236A     | 0.778B/0.236A    | ----            |       | 0.000 -                  | 0.240 | ----          | 12               | ----             | ----          | 0 - 15           |
| 7320    | 0.203                               | 0.203        |                 | #0.726B/0.195A    | #0.726B/0.195A   | ----            |       | 0.000 -                  | 0.275 | ----          | 1                | ----             | ----          | 0 - 1            |
| 7330    | 0.787                               | 0.787        |                 | #0.787/*0.185A    | #0.787/*0.185A   | ----            |       | 0.000                    | NEW   | ----          | 1                | ----             | ----          | 0 UNCH           |
| 7350    | 0.700                               | 0.700        |                 | 0.700/*0.500      | 0.817B/*0.500    | ----            |       | 2.412                    | NEW   | ----          | 2                | ----             | ----          | 0 UNCH           |
| 7350    | 0.700                               | 0.700        |                 | 0.700/*0.188A     | 0.700/*0.188A    | ----            |       | 0.000 -                  | 0.338 | ----          | 1                | ----             | ----          | 0 - 7            |
| 7390    | ----                                |              | ----            | 0.727B/*0.168A    | 0.727B/*0.168A   | ----            |       | 0.000 -                  | 0.444 | ----          | ----             | ----             | ----          | 0 - 1            |
| 7400    | 0.753                               | 0.753        |                 | 0.759B/*0.055A    | 0.759B/*0.055A   | ----            |       | 0.000 -                  | 0.474 | ----          | 1                | ----             | ----          | 0 - 5            |
| 7400    | 0.600                               | 0.600        |                 | 0.750/*0.250A     | 0.798B/*0.250A   | ----            |       | 1.912 +                  | 0.543 | 9             | 8                | ----             | ----          | 0 - 1            |
| 7430    | ----                                |              | ----            | 0.715B/*0.085A    | 0.715B/*0.085A   | ----            |       | 0.000 -                  | 0.576 | ----          | ----             | ----             | ----          | 0 - 1            |
| 7430    | 0.350                               | 0.350        |                 | #0.350/*0.313A    | 0.780B/*0.313A   | ----            |       | 1.612                    | NEW   | 5             | 5                | ----             | ----          | 0 UNCH           |
| 7450    | 0.300                               | 0.300        |                 | 0.400/*0.296A     | 0.813B/*0.296A   | ----            |       | 1.412                    | NEW   | 2             | 2                | ----             | ----          | 0 UNCH           |
| 7480    | 0.008                               | 0.008        |                 | 0.008/*0.008      | 0.699B/*0.008    | ----            |       | 0.000 -                  | 0.787 | ----          | 1                | ----             | ----          | 0 - 1            |
| 7490    | 0.130                               | 0.130        |                 | 0.130/*0.130      | 0.620B/*0.130    | ----            |       | 1.012 +                  | 0.181 | 3             | 2                | ----             | ----          | 0 - 2            |
| 7500    | 1.550                               | 1.550        |                 | 1.550/*0.105A     | 1.550/*0.105A    | ----            |       | 0.000 -                  | 0.887 | ----          | 14               | ----             | ----          | 0 - 23           |
| 7500    | 0.090                               | 0.090        |                 | 0.200/*0.090      | 0.587B/*0.090    | ----            |       | 0.912                    | NEW   | 6             | 10               | ----             | ----          | 0 UNCH           |
| 7510    | 0.238                               | 0.238        |                 | 0.238/*0.114A     | 0.725B/*0.114A   | ----            |       | 0.000                    | NEW   | ----          | 15               | ----             | ----          | 0 UNCH           |
| 7510    | 0.192                               | 0.192        |                 | #0.192/*0.161A    | 0.511B/*0.161A   | ----            |       | 0.812                    | NEW   | 6             | 6                | ----             | ----          | 0 UNCH           |
| 7530    | 0.500                               | 0.500        |                 | 0.500/*0.080A     | 0.500/*0.080A    | ----            |       | 0.612 -                  | 0.036 | 1             | 2                | ----             | ----          | 0 - 2            |
| 7550    | ----                                |              | ----            | ----/*0.155A      | 0.323B/*0.155A   | ----            |       | 0.412 -                  | 0.158 | 9             | 4                | ----             | ----          | 0 - 8            |
| 7550    | 0.001                               | 0.001        |                 | 0.001/*0.001      | 0.677B/*0.001    | ----            |       | 0.000 -                  | 1.175 | ----          | 1                | ----             | ----          | 0 - 1            |
| 7560    | ----                                |              | ----            | ----/*0.146A      | 0.283B/*0.146A   | ----            |       | 0.312                    | NEW   | 1             | 1                | ----             | ----          | 0 UNCH           |
| 7580    | 0.200                               | 0.200        |                 | #0.200/*0.143A    | 0.216B/*0.143A   | ----            |       | 0.112                    | NEW   | 1             | 1                | ----             | ----          | 0 UNCH           |
| 7590    | ----                                |              | ----            | ----/*0.493A      | 0.029B/*0.493A   | ----            |       | 0.000 -                  | 1.444 | ----          | ----             | ----             | ----          | 0 - 2            |
| 7590    | ----                                |              | ----            | ----/*0.136A      | 0.185B/*0.136A   | ----            |       | 0.012                    | NEW   | 3             | 3                | ----             | ----          | 0 UNCH           |
| 7600    | ----                                |              | ----            | ----/0.576A       | 0.029B/0.576A    | ----            |       | 0.088 -                  | 1.427 | 16            | 2                | ----             | ----          | 0 - 18           |
| 7600    | 0.029                               | 0.029        |                 | 0.029/*0.028      | 0.178B/*0.028    | ----            |       | 0.000 -                  | 0.410 | ----          | 16               | ----             | ----          | 0 -              |



| BULLETIN #101@ |                                     |                           |                    |                         |                            |                          |         |               |                          | METALS OPTION PRODUCTS |               |                  |      |     |    |  |  |  |  | Thu, May 28, 2026 |  | PG64 |
|----------------|-------------------------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|---------|---------------|--------------------------|------------------------|---------------|------------------|------|-----|----|--|--|--|--|-------------------|--|------|
|                | GLOBEX<br>OPEN                      | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME      | PNT<br>VOLUME | OPEN<br>INTEREST |      |     |    |  |  |  |  |                   |  |      |
| RWS THU        | SILVER WEEKLY THURSDAY OPTION week4 |                           |                    |                         |                            |                          |         |               |                          |                        |               |                  |      |     |    |  |  |  |  |                   |  |      |
| MAY26          |                                     |                           |                    |                         |                            |                          |         |               |                          |                        |               |                  |      |     |    |  |  |  |  |                   |  |      |
| 7620           | 0.150                               | 0.150                     | 0.150/*0.123A      | 0.150/*0.123A           | ----                       | 0.000                    | NEW     | ----          | ----                     | 1                      | ----          | 0                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7650           | ----                                | ----                      | ----/*0.125A       | 0.051B/*0.125A          | ----                       | 0.000                    | - 0.292 | ----          | ----                     | 2                      | ----          | 0                | 11   |     |    |  |  |  |  |                   |  |      |
| 7680           | 0.006                               | 0.006                     | 0.006/*0.001A      | 0.011B/*0.001A          | ----                       | 0.000                    | - 0.237 | ----          | ----                     | 2                      | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 7700           | ----                                | ----                      | ----/*0.119A       | 0.009B/*0.119A          | ----                       | 0.000                    | - 0.206 | ----          | ----                     | ----                   | ----          | 0                | 9    |     |    |  |  |  |  |                   |  |      |
| 7700           | ----                                | ----                      | ----               | ----                    | ----                       | 1.088                    | - 1.223 | 2             | ----                     | ----                   | ----          | 0                | 2    |     |    |  |  |  |  |                   |  |      |
| 7710           | 0.060                               | 0.060                     | 0.060/*0.060       | 0.060/*0.060            | ----                       | 0.000                    | - 0.192 | ----          | ----                     | 2                      | ----          | 0                | 2    |     |    |  |  |  |  |                   |  |      |
| 7710           | ----                                | ----                      | ----               | ----                    | ----                       | 1.188                    | - 1.209 | ----          | 1                        | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 7850           | ----                                | ----                      | ----               | 0.001B/*0.126A          | ----                       | 0.000                    | - 0.071 | ----          | ----                     | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 7950           | ----                                | ----                      | ----               | 0.001B/0.141A           | ----                       | 0.000                    | - 0.033 | ----          | ----                     | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 8000           | ----                                | ----                      | ----               | 0.010B/0.174A           | ----                       | 0.000                    | - 0.023 | ----          | ----                     | ----                   | ----          | 0                | 6    |     |    |  |  |  |  |                   |  |      |
| 8100           | ----                                | ----                      | ----               | ----/0.153A             | ----                       | 0.000                    | - 0.012 | ----          | ----                     | ----                   | ----          | 0                | 2    |     |    |  |  |  |  |                   |  |      |
| 8150           | ----                                | ----                      | ----               | ----/0.144A             | ----                       | 0.000                    | - 0.009 | ----          | ----                     | ----                   | ----          | 0                | 5    |     |    |  |  |  |  |                   |  |      |
| 8200           | ----                                | ----                      | ----               | ----/0.135A             | ----                       | 0.000                    | - 0.007 | ----          | ----                     | ----                   | ----          | 0                | 2    |     |    |  |  |  |  |                   |  |      |
| 8250           | ----                                | ----                      | ----               | ----/0.128A             | ----                       | 0.000                    | - 0.006 | ----          | ----                     | ----                   | ----          | 0                | 5    |     |    |  |  |  |  |                   |  |      |
| 8300           | 7.790                               | 7.790                     | #9.700B/7.790      | #9.700B/7.790           | ----                       | 7.088                    | - 1.021 | ----          | 1                        | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 8330           | ----                                | ----                      | ----               | ----/0.116A             | ----                       | 0.000                    | - 0.005 | ----          | ----                     | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 8400           | ----                                | ----                      | ----               | ----                    | ----                       | 8.088                    | - 1.020 | 2             | ----                     | ----                   | ----          | 0                | 2    |     |    |  |  |  |  |                   |  |      |
| 8400           | ----                                | ----                      | ----               | ----/0.108A             | ----                       | 0.000                    | - 0.004 | ----          | ----                     | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 8500           | 9.740                               | 9.740                     | 9.740/9.740        | 9.740/9.740             | ----                       | 9.088                    | - 1.018 | ----          | 1                        | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 8600           | ----                                | ----                      | ----               | ----/0.086A             | ----                       | 0.000                    | - 0.001 | ----          | ----                     | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 8800           | ----                                | ----                      | ----               | ----                    | ----                       | 12.088                   | - 1.017 | 1             | ----                     | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| 9000           | ----                                | ----                      | ----               | ----/*0.055A            | ----                       | 0.000                    | - 0.001 | ----          | ----                     | ----                   | ----          | 0                | 10   |     |    |  |  |  |  |                   |  |      |
| 10000          | ----                                | ----                      | ----               | ----/*0.037A            | ----                       | 0.000                    | - 0.001 | ----          | ----                     | ----                   | ----          | 0                | 1    |     |    |  |  |  |  |                   |  |      |
| TOTAL          |                                     |                           |                    |                         |                            |                          |         |               |                          |                        | 158           | 0                | 0    | 246 |    |  |  |  |  |                   |  |      |
| JUN26          |                                     |                           |                    |                         |                            |                          |         |               |                          |                        |               |                  |      |     |    |  |  |  |  |                   |  |      |
| 5500           | ----                                | ----                      | #0.026B/----       | #0.026B/0.164A          | ----                       | 0.035                    | + 0.019 | .0080         | ----                     | ----                   | ----          | 5                | UNCH |     |    |  |  |  |  |                   |  |      |
| 6000           | ----                                | ----                      | ----               | 0.003B/0.100A           | ----                       | 0.013                    | NEW     | .0033         | ----                     | 1                      | ----          | 1                | +    | 1   |    |  |  |  |  |                   |  |      |
| 6500           | ----                                | ----                      | 0.112B/-----       | 0.112B/0.156A           | ----                       | 0.069                    | NEW     | .0206         | ----                     | 1                      | ----          | 1                | +    | 1   |    |  |  |  |  |                   |  |      |
| 6900           | ----                                | ----                      | 0.634B/*0.289A     | 0.634B/*0.289A          | ----                       | 0.227                    | - 0.130 | .0739         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7000           | ----                                | ----                      | #2.184B/1.253A     | #2.184B/1.253A          | ----                       | 1.107                    | NEW     | .2121         | ----                     | 1                      | ----          | 1                | +    | 1   |    |  |  |  |  |                   |  |      |
| 7000           | ----                                | ----                      | 0.913B/0.399A      | 0.913B/0.399A           | ----                       | 0.306                    | - 0.178 | .1007         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7050           | 0.400                               | 0.400                     | 1.048B/*0.400      | 1.048B/*0.400           | ----                       | 0.358                    | NEW     | .1178         | ----                     | 1                      | ----          | 1                | +    | 1   |    |  |  |  |  |                   |  |      |
| 7100           | 0.477                               | 0.477                     | 1.262B/0.477       | 1.262B/0.477            | ----                       | 0.418                    | - 0.236 | .1372         | 1                        | ----                   | ----          | 2                | +    | 1   |    |  |  |  |  |                   |  |      |
| 7200           | ----                                | ----                      | 1.689B/0.689A      | 1.689B/0.689A           | ----                       | 0.573                    | - 0.308 | .1854         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7200           | ----                                | ----                      | #3.100B/1.814A     | #3.100B/1.814A          | ----                       | 1.654                    | - 0.398 | .2924         | 1                        | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7250           | ----                                | ----                      | #3.347B/2.011A     | #3.347B/2.011A          | ----                       | 1.823                    | - 0.422 | .3147         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7300           | 1.630                               | 1.630                     | #2.691B/1.630      | 2.691B/1.630            | ----                       | 1.480                    | NEW     | .3117         | 4                        | ----                   | ----          | 4                | +    | 4   |    |  |  |  |  |                   |  |      |
| 7350           | ----                                | ----                      | #2.943B/*1.641A    | 2.943B/*1.641A          | ----                       | 3.330                    | + 0.581 | .7174         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7400           | ----                                | ----                      | #4.236B/2.560A     | #4.236B/2.560A          | ----                       | 2.413                    | NEW     | .3853         | 1                        | ----                   | ----          | 1                | +    | 1   |    |  |  |  |  |                   |  |      |
| 7550           | 2.820                               | 2.820                     | 3.467B/2.638A      | 3.467B/2.638A           | ----                       | 2.530                    | NEW     | .4577         | 2                        | ----                   | ----          | 2                | +    | 2   |    |  |  |  |  |                   |  |      |
| 7550           | 2.500                               | 2.500                     | 2.566B/*1.705A     | 2.566B/*1.705A          | ----                       | 2.941                    | NEW     | .5421         | 2                        | ----                   | ----          | 2                | +    | 2   |    |  |  |  |  |                   |  |      |
| 7600           | ----                                | ----                      | 1.619B/*0.870A     | 1.619B/*0.870A          | ----                       | 1.828                    | + 0.350 | .5035         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7600           | ----                                | ----                      | 3.782B/2.857A      | 3.782B/2.857A           | ----                       | 2.787                    | - 0.598 | .4878         | ----                     | ----                   | ----          | 25               | UNCH |     |    |  |  |  |  |                   |  |      |
| 7700           | ----                                | ----                      | 2.775B/*1.677A     | 2.775B/*1.677A          | ----                       | 2.879                    | + 0.407 | .4695         | ----                     | ----                   | ----          | 104              | UNCH |     |    |  |  |  |  |                   |  |      |
| 7750           | ----                                | ----                      | 4.020B/3.165A      | 4.020B/3.165A           | ----                       | 2.792                    | - 0.790 | .6287         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7800           | ----                                | ----                      | 2.363B/*1.470A     | 2.363B/*1.470A          | ----                       | 2.502                    | NEW     | .4236         | 6                        | ----                   | ----          | 6                | +    | 6   |    |  |  |  |  |                   |  |      |
| 7850           | ----                                | ----                      | ----/3.903A        | 4.080B/3.903A           | ----                       | 3.482                    | - 0.858 | .7074         | ----                     | ----                   | ----          | 2                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7900           | 1.500                               | 1.500                     | 2.010B/*1.275A     | 2.010B/*1.275A          | ----                       | 2.171                    | NEW     | .3802         | 2                        | ----                   | ----          | 2                | +    | 2   |    |  |  |  |  |                   |  |      |
| 7900           | ----                                | ----                      | ----/4.269A        | 3.945B/4.269A           | ----                       | 3.855                    | - 0.888 | .7427         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7950           | ----                                | ----                      | ----/*0.407A       | 0.510B/*0.407A          | ----                       | 0.657                    | + 0.100 | .2247         | ----                     | ----                   | ----          | 2                | UNCH |     |    |  |  |  |  |                   |  |      |
| 8000           | ----                                | ----                      | 1.724B/*1.116A     | 1.724B/*1.116A          | ----                       | 1.884                    | + 0.291 | .3399         | ----                     | ----                   | ----          | 0                | UNCH |     |    |  |  |  |  |                   |  |      |
| 8000           | 0.320                               | 0.320                     | 0.441B/*0.319A     | 0.441B/*0.319A          | ----                       | 0.561                    | + 0.076 | .1954         | 5                        | ----                   | ----          | 8                | +    | 5   |    |  |  |  |  |                   |  |      |
| 8000           | 1.006                               | 1.006                     | 1.094B/*0.803A     | 1.094B/*0.803A          | ----                       | 1.269                    | + 0.177 | .2926         | 7                        | ----                   | ----          | 8                | +    | 5   |    |  |  |  |  |                   |  |      |
| 8050           | 0.329                               | 0.329                     | 0.329/*0.293A      | 0.329/*0.293A           | ----                       | 0.477                    | NEW     | .1690         | 1                        | ----                   | ----          | 1                | +    | 1   |    |  |  |  |  |                   |  |      |
| 8200           | 1.240                               | 1.240                     | 1.241B/*0.867A     | 1.241B/*0.867A          | ----                       | 1.419                    | NEW     | .2690         | 7                        | ----                   | ----          | 7                | +    | 7   |    |  |  |  |  |                   |  |      |
| 8200           | 0.340                               | 0.340                     | 0.340/*0.237A      | 0.340/*0.237A           | ----                       | 0.304                    | NEW     | .1098         | 1                        | ----                   | ----          | 1                | +    | 1   |    |  |  |  |  |                   |  |      |
| 8300           | ----                                | ----                      | ----/*0.467A       | 0.544B/*0.467A          | ----                       | 0.702                    | + 0.069 | .1768         | 3                        | ----                   | ----          | 4                | UNCH |     |    |  |  |  |  |                   |  |      |
| 8850           | ----                                | ----                      | ----               | 0.019B/*0.135A          | ----                       | 0.077                    | - 0.011 | .0241         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 9500           | ----                                | ----                      | ----               | 0.055B/*0.166A          | ----                       | 0.128                    | + 0.013 | .0314         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| TOTAL          |                                     |                           |                    |                         |                            |                          |         |               |                          |                        | 47            | 0                | 201  | +   | 41 |  |  |  |  |                   |  |      |
| SMW MON        | SILVER WEEKLY MONDAY OPTION WEEK2   |                           |                    |                         |                            |                          |         |               |                          |                        |               |                  |      |     |    |  |  |  |  |                   |  |      |
| JUN26          |                                     |                           |                    |                         |                            |                          |         |               |                          |                        |               |                  |      |     |    |  |  |  |  |                   |  |      |
| 5250           | ----                                | ----                      | ----               | ----/0.102A             | ----                       | 0.003                    | - 0.004 | .0007         | ----                     | ----                   | ----          | 15               | UNCH |     |    |  |  |  |  |                   |  |      |
| 5750           | ----                                | ----                      | ----               | ----/*0.049A            | ----                       | 0.001                    | UNCH    | ----          | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 6000           | ----                                | ----                      | ----               | 0.102B/0.178A           | ----                       | 0.108                    | - 0.030 | .0248         | ----                     | ----                   | ----          | 2                | UNCH |     |    |  |  |  |  |                   |  |      |
| 6000           | ----                                | ----                      | ----               | ----                    | ----                       | 15.912                   | + 1.017 | .9999         | 1                        | ----                   | ----          | 0                | -    | 1   |    |  |  |  |  |                   |  |      |
| 6500           | 0.100                               | 0.100                     | 0.100/*0.074A      | 0.100/*0.074A           | ----                       | 0.011                    | - 0.003 | .0029         | 5                        | ----                   | ----          | 13               | +    | 5   |    |  |  |  |  |                   |  |      |
| 6750           | 0.135                               | 0.135                     | 0.270/*0.094A      | 0.270/*0.094A           | ----                       | 0.043                    | NEW     | .0140         | 2                        | ----                   | ----          | 2                | +    | 2   |    |  |  |  |  |                   |  |      |
| 6900           | ----                                | ----                      | 0.318B/*0.114A     | 0.318B/*0.114A          | ----                       | 0.081                    | - 0.038 | .0291         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7000           | ----                                | ----                      | 0.532B/*0.138A     | 0.532B/*0.138A          | ----                       | 0.105                    | - 0.089 | .0412         | ----                     | ----                   | ----          | 4                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7010           | ----                                | ----                      | #0.534B/*0.141A    | #0.534B/*0.141A         | ----                       | 0.108                    | - 0.096 | .0427         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7050           | ----                                | ----                      | 0.645B/*0.158A     | 0.645B/*0.158A          | ----                       | 0.122                    | - 0.123 | .0499         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7100           | ----                                | ----                      | 0.824B/*0.182A     | 0.824B/*0.182A          | ----                       | 0.145                    | - 0.162 | .0616         | 1                        | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7200           | 0.300                               | 0.300                     | 1.231B/*0.228A     | 1.231B/*0.228A          | ----                       | 0.216                    | - 0.256 | .0971         | 1                        | ----                   | ----          | 3                | +    | 1   |    |  |  |  |  |                   |  |      |
| 7250           | 0.841                               | 0.841                     | 1.433B/*0.255      | 1.433B/*0.255           | ----                       | 0.269                    | - 0.312 | .1231         | 29                       | ----                   | ----          | 23               | +    | 21  |    |  |  |  |  |                   |  |      |
| 7300           | ----                                | ----                      | 2.562B/1.098A      | 2.562B/1.098A           | ----                       | 1.099                    | - 0.403 | .2834         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7300           | 0.342                               | 0.342                     | 1.712B/*0.324A     | 1.712B/*0.324A          | ----                       | 0.337                    | - 0.373 | .1557         | 6                        | ----                   | ----          | 3                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7350           | 0.410                               | 0.410                     | 1.657B/*0.410      | 1.657B/*0.410           | ----                       | 0.426                    | NEW     | .1964         | 3                        | ----                   | ----          | 3                | +    | 3   |    |  |  |  |  |                   |  |      |
| 7400           | 1.643                               | 1.643                     | 1.691B/0.514A      | 1.691B/0.514A           | ----                       | 0.538                    | - 0.503 | .2452         | 2                        | ----                   | ----          | 4                | +    | 1   |    |  |  |  |  |                   |  |      |
| 7410           | ----                                | ----                      | #1.658B/*0.538A    | #1.658B/*0.538A         | ----                       | 0.564                    | - 0.516 | .2560         | ----                     | ----                   | ----          | 2                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7430           | ----                                | ----                      | 1.656B/*0.589A     | 1.656B/*0.589A          | ----                       | 0.619                    | - 0.543 | .2785         | ----                     | ----                   | ----          | 6                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7450           | ----                                | ----                      | 1.663B/0.639A      | 1.663B/0.639A           | ----                       | 0.679                    | - 0.569 | .3021         | ----                     | ----                   | ----          | 1                | UNCH |     |    |  |  |  |  |                   |  |      |
| 7450           | ----                                | ----                      | 2.175B/*0.732A     | 2.175B/*0.732A          | ----                       | 2.090                    | NEW     | .6978         | 5                        | ----                   | ----          | 5                | +    | 5   |    |  |  |  |  |                   |  |      |
| 7490           | ----                                | ----                      | 1.892B/*0.761A     | 1.892B/*0.761A          | ----                       | 0.814                    | - 0.622 | .3526         | 2                        | ----                   | ----          | 73               | -    | 2   |    |  |  |  |  |                   |  |      |
| 7490           | ----                                | ----                      | #1.888B/*0.621A    | 1.888B/*0.621A          | ----                       | 1.825                    | NEW     | .6473         | 2                        | ----                   | ----          | 2                | +    | 2   |    |  |  |  |  |                   |  |      |
| 7500           | ----                                | ----                      | 1.962B/0.793A      | 1.962B/0.793A           | ----                       | 0.851                    | - 0.635 | .3658         | ----                     | ----                   | ----          | 12               | UNCH |     |    |  |  |  |  |                   |  |      |
| 7500           | 0.570                               | 0.570                     | 1.819B/*0.570      | 1.819B/*0.570           | ----                       | 1.763                    | + 0.382 | .6341         | 10                       | ----                   | ----          | 8                | +    | 5   |    |  |  |  |  |                   |  |      |
| 7510           | 1.                                  |                           |                    |                         |                            |                          |         |               |                          |                        |               |                  |      |     |    |  |  |  |  |                   |  |      |

| PG64    | BULLETIN #101@       |              |                 |                    |                  |                 |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |                  |      |  |  |  |  | Thu, May 28, 2026 |  |  | PG64 |
|---------|----------------------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------------------|------|--|--|--|--|-------------------|--|--|------|
|         | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |  |  |  |  |                   |  |  |      |
| SO CALL | COMEX SILVER OPTIONS |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |  |      |
| JUL26   |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |  |      |
| 5200    | ----                 | ----         | ----            | 24.1438/21.648A    | 24.1438/21.648A  | ----            | ----          | ----            | 23.944 + 1.003           | .9880 | ----                   | ----                     | ----              | ----          | 40               | UNCH |  |  |  |  |                   |  |  |      |
| 5225    | ----                 | ----         | ----            | 23.8628/21.440A    | 23.8628/21.440A  | ----            | ----          | ----            | 23.696 + 1.003           | .9876 | ----                   | ----                     | ----              | ----          | 9                | UNCH |  |  |  |  |                   |  |  |      |
| 5250    | ----                 | ----         | ----            | 23.6148/21.194A    | 23.6148/21.194A  | ----            | ----          | ----            | 23.448 + 1.002           | .9872 | ----                   | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |                   |  |  |      |
| 5275    | ----                 | ----         | ----            | 23.3668/20.947A    | 23.3668/20.947A  | ----            | ----          | ----            | 23.200 + 1.001           | .9868 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 5300    | ----                 | ----         | ----            | 23.1188/20.699A    | 23.1188/20.699A  | ----            | ----          | ----            | 22.952 + 1.001           | .9865 | ----                   | ----                     | ----              | ----          | 7                | UNCH |  |  |  |  |                   |  |  |      |
| 5350    | ----                 | ----         | ----            | 22.6868/20.126A    | 22.6868/20.126A  | ----            | ----          | ----            | 22.456 + 0.999           | .9854 | ----                   | ----                     | ----              | ----          | 157              | UNCH |  |  |  |  |                   |  |  |      |
| 5375    | ----                 | ----         | ----            | 22.3738/19.961A    | 22.3738/19.961A  | ----            | ----          | ----            | 22.208 + 0.998           | .9850 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 5400    | ----                 | ----         | ----            | 22.1268/19.713A    | 22.1268/19.713A  | ----            | ----          | ----            | 21.961 + 0.997           | .9845 | ----                   | ----                     | ----              | ----          | 21               | UNCH |  |  |  |  |                   |  |  |      |
| 5425    | ----                 | ----         | ----            | 21.9118/19.427A    | 21.9118/19.427A  | ----            | ----          | ----            | 21.713 + 0.996           | .9839 | ----                   | ----                     | ----              | ----          | 42               | UNCH |  |  |  |  |                   |  |  |      |
| 5450    | ----                 | ----         | ----            | 21.6238/19.222A    | 21.6238/19.222A  | ----            | ----          | ----            | 21.466 + 0.995           | .9834 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 5500    | ----                 | ----         | ----            | 21.2018/18.244A    | 21.2018/18.244A  | ----            | ----          | ----            | 20.972 + 0.993           | .9821 | ----                   | ----                     | ----              | ----          | 496              | UNCH |  |  |  |  |                   |  |  |      |
| 5550    | ----                 | ----         | ----            | 20.6348/17.755A    | 20.6348/17.755A  | ----            | ----          | ----            | 20.478 + 0.991           | .9808 | ----                   | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |                   |  |  |      |
| 5600    | ----                 | ----         | ----            | 20.2138/17.268A    | 20.2138/17.268A  | ----            | ----          | ----            | 19.985 + 0.988           | .9793 | ----                   | ----                     | ----              | ----          | 106              | UNCH |  |  |  |  |                   |  |  |      |
| 5650    | ----                 | ----         | ----            | 19.6888/16.782A    | 19.6888/16.782A  | ----            | ----          | ----            | 19.493 + 0.985           | .9776 | ----                   | ----                     | ----              | ----          | 43               | UNCH |  |  |  |  |                   |  |  |      |
| 5675    | ----                 | ----         | ----            | 19.4428/16.539A    | 19.4428/16.539A  | ----            | ----          | ----            | 19.248 + 0.985           | .9767 | ----                   | ----                     | ----              | ----          | 25               | UNCH |  |  |  |  |                   |  |  |      |
| 5700    | ----                 | ----         | ----            | 19.2018/16.297A    | 19.2018/16.297A  | ----            | ----          | ----            | 19.002 + 0.983           | .9757 | ----                   | ----                     | ----              | ----          | 26               | UNCH |  |  |  |  |                   |  |  |      |
| 5750    | ----                 | ----         | ----            | 18.7388/15.814A    | 18.7388/15.814A  | ----            | ----          | ----            | 18.512 + 0.980           | .9736 | ----                   | ----                     | ----              | ----          | 164              | UNCH |  |  |  |  |                   |  |  |      |
| 5775    | ----                 | ----         | ----            | 18.4218/15.573A    | 18.4218/15.573A  | ----            | ----          | ----            | 18.267 + 0.978           | .9725 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 5800    | ----                 | ----         | ----            | 18.1848/15.333A    | 18.1848/15.333A  | ----            | ----          | ----            | 18.023 + 0.976           | .9714 | ----                   | ----                     | ----              | ----          | 16               | UNCH |  |  |  |  |                   |  |  |      |
| 5900    | ----                 | ----         | ----            | 17.3318/14.379A    | 17.3318/14.379A  | ----            | ----          | ----            | 17.049 + 0.968           | .9661 | ----                   | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |                   |  |  |      |
| 5925    | ----                 | ----         | ----            | 17.0888/14.143A    | 17.0888/14.143A  | ----            | ----          | ----            | 16.807 + 0.966           | .9646 | ----                   | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |                   |  |  |      |
| 5950    | ----                 | ----         | ----            | 16.8458/13.907A    | 16.8458/13.907A  | ----            | ----          | ----            | 16.565 + 0.964           | .9630 | ----                   | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |                   |  |  |      |
| 5975    | ----                 | ----         | ----            | 16.6038/13.672A    | 16.6038/13.672A  | ----            | ----          | ----            | 16.323 + 0.961           | .9613 | ----                   | ----                     | ----              | ----          | 20               | UNCH |  |  |  |  |                   |  |  |      |
| 6000    | ----                 | ----         | ----            | 16.3638/13.438A    | 16.3638/13.438A  | ----            | ----          | ----            | 16.082 + 0.959           | .9597 | ----                   | ----                     | ----              | ----          | 547              | UNCH |  |  |  |  |                   |  |  |      |
| 6050    | ----                 | ----         | ----            | 15.8808/12.972A    | 15.8808/12.972A  | ----            | ----          | ----            | 15.601 + 0.953           | .9558 | ----                   | ----                     | ----              | ----          | 58               | UNCH |  |  |  |  |                   |  |  |      |
| 6075    | ----                 | ----         | ----            | 15.6388/12.741A    | 15.6388/12.741A  | ----            | ----          | ----            | 15.361 + 0.950           | .9538 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 6100    | ----                 | ----         | ----            | 15.4018/12.511A    | 15.4018/12.511A  | ----            | ----          | ----            | 15.122 + 0.947           | .9516 | ----                   | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |                   |  |  |      |
| 6200    | ----                 | ----         | ----            | 14.4488/11.603A    | 14.4488/11.603A  | ----            | ----          | ----            | 14.173 + 0.933           | .9419 | ----                   | ----                     | ----              | ----          | 101              | UNCH |  |  |  |  |                   |  |  |      |
| 6250    | ----                 | ----         | ----            | 13.9758/11.157A    | 13.9758/11.157A  | ----            | ----          | ----            | 13.703 + 0.926           | .9363 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 6300    | ----                 | ----         | ----            | 13.5068/10.717A    | 13.5068/10.717A  | ----            | ----          | ----            | 13.236 + 0.916           | .9300 | ----                   | ----                     | ----              | ----          | 3                | UNCH |  |  |  |  |                   |  |  |      |
| 6350    | ----                 | ----         | ----            | 13.0418/10.282A    | 13.0418/10.282A  | ----            | ----          | ----            | 12.774 + 0.908           | .9233 | ----                   | ----                     | ----              | ----          | 2                | UNCH |  |  |  |  |                   |  |  |      |
| 6450    | ----                 | ----         | ----            | 12.1208/9.434A     | 12.1208/9.434A   | ----            | ----          | ----            | 11.861 + 0.885           | .9077 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 6500    | ----                 | ----         | ----            | 11.6698/9.022A     | 11.6698/9.022A   | ----            | ----          | ----            | 11.412 + 0.872           | .8987 | ----                   | ----                     | ----              | ----          | 181              | UNCH |  |  |  |  |                   |  |  |      |
| 6600    | ----                 | ----         | ----            | 10.7818/8.220A     | 10.7818/8.220A   | ----            | ----          | ----            | 10.532 + 0.845           | .8786 | ----                   | ----                     | ----              | ----          | 56               | UNCH |  |  |  |  |                   |  |  |      |
| 6650    | ----                 | ----         | ----            | 10.3468/7.832A     | 10.3468/7.832A   | ----            | ----          | ----            | 10.102 + 0.830           | .8674 | ----                   | ----                     | ----              | ----          | 102              | UNCH |  |  |  |  |                   |  |  |      |
| 6750    | ----                 | ----         | ----            | 9.4978/7.085A      | 9.4978/7.085A    | ----            | ----          | ----            | 9.262 + 0.797            | .8423 | ----                   | ----                     | ----              | ----          | 24               | UNCH |  |  |  |  |                   |  |  |      |
| 6800    | ----                 | ----         | ----            | 9.0868/6.727A      | 9.0868/6.727A    | ----            | ----          | ----            | 8.855 + 0.780            | .8285 | ----                   | ----                     | ----              | ----          | 251              | UNCH |  |  |  |  |                   |  |  |      |
| 6825    | ----                 | ----         | ----            | 8.8808/6.552A      | 8.8808/6.552A    | ----            | ----          | ----            | 8.654 + 0.770            | .8212 | ----                   | ----                     | ----              | ----          | 6                | UNCH |  |  |  |  |                   |  |  |      |
| 6850    | ----                 | ----         | ----            | 8.6798/6.379A      | 8.6798/6.379A    | ----            | ----          | ----            | 8.456 + 0.761            | .8138 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 6875    | ----                 | ----         | ----            | 8.4808/6.209A      | 8.4808/6.209A    | ----            | ----          | ----            | 8.260 + 0.752            | .8060 | ----                   | 1                        | ----              | ----          | 17               | +    |  |  |  |  |                   |  |  |      |
| 6900    | ----                 | ----         | ----            | 8.2838/6.042A      | 8.2838/6.042A    | ----            | ----          | ----            | 8.066 + 0.742            | .7982 | ----                   | ----                     | 1                 | ----          | 99               | UNCH |  |  |  |  |                   |  |  |      |
| 6950    | ----                 | ----         | ----            | 7.9228/5.716A      | 7.9228/5.716A    | ----            | ----          | ----            | 7.685 + 0.722            | .7818 | ----                   | ----                     | 1                 | ----          | 26               | UNCH |  |  |  |  |                   |  |  |      |
| 6975    | ----                 | ----         | ----            | 7.7068/5.551A      | 7.7068/5.551A    | ----            | ----          | ----            | 7.499                    | NEW   | .7733                  | 1                        | ----              | ----          | 1                | +    |  |  |  |  |                   |  |  |      |
| 7000    | 6.810                | 6.810        | 6.810           | 7.5568/5.395A      | 7.5568/5.395A    | ----            | ----          | ----            | 7.315 + 0.703            | .7646 | ----                   | 3                        | ----              | ----          | 153              | -    |  |  |  |  |                   |  |  |      |
| 7025    | ----                 | ----         | ----            | 7.3718/4.872A      | 7.3718/4.872A    | ----            | ----          | ----            | 7.134 + 0.693            | .7558 | ----                   | ----                     | ----              | ----          | 125              | UNCH |  |  |  |  |                   |  |  |      |
| 7050    | ----                 | ----         | ----            | 7.1758/4.726A      | 7.1758/4.726A    | ----            | ----          | ----            | 6.955 + 0.682            | .7467 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 7100    | ----                 | ----         | ----            | 6.8198/4.336A      | 6.8198/4.336A    | ----            | ----          | ----            | 6.606 + 0.662            | .7282 | ----                   | ----                     | ----              | ----          | 10               | UNCH |  |  |  |  |                   |  |  |      |
| 7150    | ----                 | ----         | ----            | 6.4878/*4.085A     | 6.4878/*4.085A   | ----            | ----          | ----            | 6.268 + 0.641            | .7090 | ----                   | ----                     | ----              | ----          | 100              | UNCH |  |  |  |  |                   |  |  |      |
| 7200    | 3.880                | 3.880        | 3.880           | 6.1328/*3.839A     | 6.1328/*3.839A   | ----            | ----          | ----            | 5.942 + 0.620            | .6892 | ----                   | 1                        | ----              | ----          | 12               | UNCH |  |  |  |  |                   |  |  |      |
| 7225    | ----                 | ----         | ----            | 5.9738/*3.720A     | 5.9738/*3.720A   | ----            | ----          | ----            | 5.783 + 0.609            | .6791 | ----                   | ----                     | ----              | ----          | 1                | UNCH |  |  |  |  |                   |  |  |      |
| 7250    | ----                 | ----         | ----            | 5.8328/*3.607A     | 5.8328/*3.607A   | ----            | ----          | ----            | 5.627 + 0.598            | .6690 | ----                   | ----                     | ----              | ----          | 169              | UNCH |  |  |  |  |                   |  |  |      |
| 7300    | 4.381                | 4.381        | 4.381           | 5.5098/3.386A      | 5.5098/3.386A    | ----            | ----          | ----            | 5.324 + 0.576            | .6483 | ----                   | 3                        | ----              | ----          | 104              | UNCH |  |  |  |  |                   |  |  |      |
| 7325    | ----                 | ----         | ----            | 5.3678/*3.275A     | 5.3678/*3.275A   | ----            | ----          | ----            | 5.177 + 0.566            | .6379 | ----                   | ----                     | ----              | ----          | 113              | UNCH |  |  |  |  |                   |  |  |      |
| 7350    | 3.545                | 3.545        | 3.545           | 5.2068/*3.181A     | 5.2068/*3.181A   | ----            | ----          | ----            | 5.033 + 0.555            | .6274 | ----                   | 3                        | ----              | ----          | 5                | +    |  |  |  |  |                   |  |  |      |
| 7400    | 3.326                | 3.326        | 3.326           | 4.9188/2.994A      | 4.9188/2.994A    | ----            | ----          | ----            | 4.753 + 0.532            | .6062 | ----                   | 4                        | ----              | ----          | 22               | +    |  |  |  |  |                   |  |  |      |
| 7425    | 3.661                | 3.661        | 3.661           | 4.7798/*2.895A     | 4.7798/*2.895A   | ----            | ----          | ----            | 4.618 + 0.521            | .5955 | ----                   | ----                     | ----              | ----          | 7                | +    |  |  |  |  |                   |  |  |      |
| 7450    | 3.538                | 3.538        | 3.538           | 4.6448/*2.804A     | 4.6448/*2.804A   | ----            | ----          | ----            | 4.486 + 0.510            | .5848 | ----                   | 1                        | ----              | ----          | 17               | +    |  |  |  |  |                   |  |  |      |
| 7475    | 3.431                | 3.431        | 3.431           | 4.5268/*2.719A     | 4.5268/*2.719A   | ----            | ----          | ----            | 4.357 + 0.500            | .5741 | ----                   | 11                       | ----              | ----          | 14               | +    |  |  |  |  |                   |  |  |      |
| 7500    | 3.750                | 3.750        | 3.750           | 4.428/2.630A       | 4.428/2.630A     | ----            | ----          | ----            | 4.231 + 0.489            | .5634 | ----                   | 29                       | ----              | ----          | 312              | UNCH |  |  |  |  |                   |  |  |      |
| 7525    | 3.233                | 3.233        | 3.233           | 4.2778/*2.545A     | 4.2778/*2.545A   | ----            | ----          | ----            | 4.108 + 0.478            | .5527 | ----                   | 1                        | ----              | ----          | 4                | +    |  |  |  |  |                   |  |  |      |
| 7550    | ----                 | ----         | ----            | 4.1608/*2.455A     | 4.1608/*2.455A   | ----            | ----          | ----            | 3.988 + 0.468            | .5420 | ----                   | ----                     | ----              | ----          | 8                | UNCH |  |  |  |  |                   |  |  |      |
| 7575    | 3.031                | 3.031        | 3.031           | 4.0328/*2.375A     | 4.0328/*2.375A   | ----            | ----          | ----            | 3.871 + 0.457            | .5314 | ----                   | 1                        | ----              | ----          | 33               | UNCH |  |  |  |  |                   |  |  |      |
| 7600    | 2.681                | 2.681        | 2.681           | 3.9198/*2.312A     | 3.9198/*2.312A   | ----            | ----          | ----            | 3.757 + 0.447            | .5208 | ----                   | 24                       | ----              | ----          | 169              | +    |  |  |  |  |                   |  |  |      |
| 7625    | ----                 | ----         | ----            | 3.8058/*2.237A     | 3.8058/*2.237A   | ----            | ----          | ----            | 3.645 + 0.435            | .5102 | ----                   | 1                        | ----              | ----          | 19               | +    |  |  |  |  |                   |  |  |      |
| 7650    | 3                    |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |                  |      |  |  |  |  |                   |  |  |      |

| BULLETIN #101@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                           |             |               | Thu, May 28, 2026        |                   |               | PG64             |      |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|-------------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA       | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                           |             |               |                          |                   |               |                  |      |
| JUL26          |                      |                           |                    |                         |                            |                           |             |               |                          |                   |               |                  |      |
| 9525           | ----                 | ----                      | 0.449B/*0.299A     | 0.449B/*0.299A          | ----                       | 0.440 +                   | 0.029 .0814 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 9550           | ----                 | ----                      | 0.439B/*0.294A     | 0.439B/*0.294A          | ----                       | 0.430 +                   | 0.028 .0796 | ----          | ----                     | ----              | ----          | 7                | UNCH |
| 9575           | ----                 | ----                      | 0.430B/*0.288A     | 0.430B/*0.288A          | ----                       | 0.420 +                   | 0.026 .0778 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 9600           | 0.405                | 0.405                     | 0.420B/*0.283A     | 0.420B/*0.283A          | ----                       | 0.410 +                   | 0.024 .0760 | ----          | ----                     | 2                 | ----          | 166              | UNCH |
| 9625           | ----                 | ----                      | 0.412B/*0.272A     | 0.412B/*0.272A          | ----                       | 0.401 +                   | 0.022 .0743 | ----          | ----                     | 1                 | ----          | 7                | UNCH |
| 9650           | ----                 | ----                      | 0.404B/*0.274A     | 0.404B/*0.274A          | ----                       | 0.393 +                   | 0.022 .0728 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 9675           | 0.404                | 0.404                     | 0.404/*0.269A      | 0.404/*0.269A           | ----                       | 0.385 +                   | 0.021 .0713 | ----          | 8                        | ----              | ----          | 8 -              | 2    |
| 9700           | ----                 | ----                      | 0.387B/*0.266A     | 0.387B/*0.266A          | ----                       | 0.378 +                   | 0.021 .0700 | ----          | ----                     | ----              | ----          | 141              | UNCH |
| 9725           | ----                 | ----                      | 0.380B/*0.262A     | 0.380B/*0.262A          | ----                       | 0.372 +                   | 0.022 .0687 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 9750           | ----                 | ----                      | 0.373B/*0.257A     | 0.373B/*0.257A          | ----                       | 0.366 +                   | 0.023 .0675 | ----          | 2                        | ----              | ----          | 111 +            | 2    |
| 9775           | ----                 | ----                      | 0.364B/*0.252A     | 0.364B/*0.252A          | ----                       | 0.360 +                   | 0.023 .0663 | ----          | ----                     | ----              | ----          | 31               | UNCH |
| 9800           | 0.233                | 0.233                     | 0.357B/*0.233      | 0.357B/*0.233           | ----                       | 0.355 +                   | 0.025 .0652 | ----          | 6                        | ----              | ----          | 264 -            | 4    |
| 9825           | ----                 | ----                      | 0.350B/*0.244A     | 0.350B/*0.244A          | ----                       | 0.349 +                   | 0.025 .0641 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 9850           | ----                 | ----                      | 0.343B/*0.239A     | 0.343B/*0.239A          | ----                       | 0.343 +                   | 0.025 .0629 | ----          | ----                     | ----              | ----          | 38               | UNCH |
| 9875           | ----                 | ----                      | 0.336B/*0.237A     | 0.336B/*0.237A          | ----                       | 0.337 +                   | 0.025 .0617 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 9900           | ----                 | ----                      | 0.329B/*0.231A     | 0.329B/*0.231A          | ----                       | 0.331 +                   | 0.025 .0606 | ----          | ----                     | ----              | ----          | 32               | UNCH |
| 9925           | ----                 | ----                      | 0.324B/*0.229A     | 0.324B/*0.229A          | ----                       | 0.325 +                   | 0.024 .0594 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 9950           | 0.222                | 0.222                     | 0.317B/*0.222      | 0.317B/*0.222           | ----                       | 0.319 +                   | 0.024 .0583 | ----          | 7                        | ----              | ----          | 11 -             | 2    |
| 9975           | ----                 | ----                      | 0.314B/*0.221A     | 0.314B/*0.221A          | ----                       | 0.313 +                   | 0.023 .0572 | ----          | ----                     | ----              | ----          | 4                | UNCH |
| 10000          | 0.250                | 0.250                     | 0.315/*0.200       | 0.315/*0.200            | ----                       | 0.308 +                   | 0.023 .0562 | ----          | ----                     | 102               | ----          | 1949 +           | 22   |
| 10025          | ----                 | ----                      | 0.301B/*0.211A     | 0.301B/*0.211A          | ----                       | 0.302 +                   | 0.022 .0551 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 10050          | ----                 | ----                      | 0.295B/*0.209A     | 0.295B/*0.209A          | ----                       | 0.296 +                   | 0.021 .0540 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 10075          | ----                 | ----                      | 0.291B/*0.206A     | 0.291B/*0.206A          | ----                       | 0.291 +                   | 0.021 .0530 | ----          | ----                     | ----              | ----          | 21               | UNCH |
| 10100          | 0.199                | 0.199                     | 0.284B/*0.199      | 0.284B/*0.199           | ----                       | 0.285 +                   | 0.020 .0519 | ----          | 4                        | ----              | ----          | 112 -            | 1    |
| 10125          | ----                 | ----                      | 0.278B/*0.200A     | 0.278B/*0.200A          | ----                       | 0.280 +                   | 0.020 .0510 | ----          | ----                     | ----              | ----          | 3                | UNCH |
| 10150          | ----                 | ----                      | 0.274B/*0.199A     | 0.274B/*0.199A          | ----                       | 0.275 +                   | 0.019 .0500 | ----          | ----                     | ----              | ----          | 30               | UNCH |
| 10175          | ----                 | ----                      | 0.271B/*0.197A     | 0.271B/*0.197A          | ----                       | 0.270 +                   | 0.018 .0491 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 10200          | ----                 | ----                      | 0.265B/*0.193A     | 0.265B/*0.193A          | ----                       | 0.265 +                   | 0.018 .0481 | ----          | ----                     | ----              | ----          | 124              | UNCH |
| 10250          | 0.196                | 0.196                     | 0.257B/*0.187A     | 0.257B/*0.187A          | ----                       | 0.256 +                   | 0.017 .0464 | ----          | 1                        | ----              | ----          | 21 -             | 1    |
| 10275          | ----                 | ----                      | 0.251B/*0.184A     | 0.251B/*0.184A          | ----                       | 0.252 +                   | 0.017 .0456 | ----          | ----                     | ----              | ----          | 8                | UNCH |
| 10300          | ----                 | ----                      | 0.247B/*0.181A     | 0.247B/*0.181A          | ----                       | 0.248 +                   | 0.017 .0449 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 10325          | ----                 | ----                      | 0.244B/*0.179A     | 0.244B/*0.179A          | ----                       | 0.244 +                   | 0.017 .0441 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 10375          | ----                 | ----                      | 0.237B/*0.174A     | 0.237B/*0.174A          | ----                       | 0.236 +                   | 0.016 .0426 | ----          | ----                     | ----              | ----          | 20               | UNCH |
| 10400          | ----                 | ----                      | 0.231B/*0.171A     | 0.231B/*0.171A          | ----                       | 0.233 +                   | 0.017 .0420 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 10425          | ----                 | ----                      | 0.229B/*0.169A     | 0.229B/*0.169A          | ----                       | 0.229 +                   | 0.016 .0412 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 10450          | ----                 | ----                      | 0.225B/*0.166A     | 0.225B/*0.166A          | ----                       | 0.226 +                   | 0.017 .0406 | ----          | ----                     | ----              | ----          | 25               | UNCH |
| 10475          | ----                 | ----                      | 0.221B/*0.164A     | 0.221B/*0.164A          | ----                       | 0.223 +                   | 0.017 .0400 | ----          | ----                     | ----              | ----          | 26               | UNCH |
| 10500          | 0.170                | 0.170                     | 0.228/*0.162A      | 0.228/*0.162A           | ----                       | 0.219 +                   | 0.016 .0393 | ----          | 16                       | ----              | ----          | 620 -            | 2    |
| 10525          | ----                 | ----                      | 0.215B/*0.159A     | 0.215B/*0.159A          | ----                       | 0.216 +                   | 0.017 .0387 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 10550          | ----                 | ----                      | 0.211B/*0.157A     | 0.211B/*0.157A          | ----                       | 0.213 +                   | 0.017 .0381 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 10575          | ----                 | ----                      | 0.208B/*0.156A     | 0.208B/*0.156A          | ----                       | 0.210 +                   | 0.017 .0375 | ----          | ----                     | ----              | ----          | 1                | UNCH |
| 10600          | ----                 | ----                      | 0.204B/*0.153A     | 0.204B/*0.153A          | ----                       | 0.207 +                   | 0.017 .0369 | ----          | ----                     | ----              | ----          | 54               | UNCH |
| 10625          | ----                 | ----                      | 0.202B/*0.151A     | 0.202B/*0.151A          | ----                       | 0.204 +                   | 0.017 .0363 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 10650          | ----                 | ----                      | 0.197B/*0.151A     | 0.197B/*0.151A          | ----                       | 0.201 +                   | 0.017 .0357 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 10675          | ----                 | ----                      | 0.195B/*0.149A     | 0.195B/*0.149A          | ----                       | 0.199 +                   | 0.017 .0353 | ----          | ----                     | ----              | ----          | 10               | UNCH |
| 10700          | 0.189                | 0.189                     | 0.192B/*0.145A     | 0.192B/*0.145A          | ----                       | 0.196 +                   | 0.017 .0347 | ----          | 1                        | ----              | ----          | 69               | UNCH |
| 10725          | 0.201                | 0.201                     | 0.201/*0.144A      | 0.201/*0.144A           | ----                       | 0.193 +                   | 0.017 .0342 | ----          | 4                        | ----              | ----          | 4                | UNCH |
| 10750          | ----                 | ----                      | 0.186B/*0.142A     | 0.186B/*0.142A          | ----                       | 0.191 +                   | 0.018 .0338 | ----          | ----                     | ----              | ----          | 60               | UNCH |
| 10775          | ----                 | ----                      | 0.183B/*0.142A     | 0.183B/*0.142A          | ----                       | 0.188 +                   | 0.017 .0332 | ----          | ----                     | ----              | ----          | 9                | UNCH |
| 10800          | ----                 | ----                      | 0.182B/*0.140A     | 0.182B/*0.140A          | ----                       | 0.185 +                   | 0.017 .0326 | ----          | ----                     | ----              | ----          | 35               | UNCH |
| 10875          | ----                 | ----                      | 0.173B/*0.135A     | 0.173B/*0.135A          | ----                       | 0.177 +                   | 0.016 .0311 | ----          | ----                     | ----              | ----          | 15               | UNCH |
| 10900          | ----                 | ----                      | 0.170B/*0.133A     | 0.170B/*0.133A          | ----                       | 0.175 +                   | 0.017 .0307 | ----          | ----                     | ----              | ----          | 6                | UNCH |
| 10925          | 0.164                | 0.164                     | 0.167B/*0.131A     | 0.167B/*0.131A          | ----                       | 0.172 +                   | 0.016 .0302 | ----          | 1                        | ----              | ----          | 1                | UNCH |
| 10950          | 0.162                | 0.162                     | 0.165B/*0.130A     | 0.165B/*0.130A          | ----                       | 0.170 +                   | 0.016 .0298 | ----          | 1                        | ----              | ----          | 1                | UNCH |
| 10975          | 0.160                | 0.160                     | 0.163B/*0.128A     | 0.163B/*0.128A          | ----                       | 0.168 +                   | 0.017 .0294 | ----          | 1                        | ----              | ----          | 1                | UNCH |
| 11000          | 0.113                | 0.113                     | 0.161B/*0.113      | 0.161B/*0.113           | ----                       | 0.165 +                   | 0.016 .0289 | ----          | 62                       | ----              | ----          | 1346 -           | 1    |
| 11025          | 0.171                | 0.171                     | 0.171/*0.125A      | 0.171/*0.125A           | ----                       | 0.163 +                   | 0.016 .0285 | ----          | 2                        | ----              | ----          | 13 -             | 2    |
| 11050          | 0.170                | 0.170                     | 0.170/*0.124A      | 0.170/*0.124A           | ----                       | 0.161 +                   | 0.016 .0281 | ----          | 2                        | ----              | ----          | 8                | UNCH |
| 11075          | 0.163                | 0.163                     | 0.163/*0.122A      | 0.163/*0.122A           | ----                       | 0.159 +                   | 0.016 .0277 | ----          | 2                        | ----              | ----          | 2                | UNCH |
| 11100          | 0.152                | 0.152                     | 0.152/*0.121A      | 0.152/*0.121A           | ----                       | 0.157 +                   | 0.016 .0273 | ----          | 2                        | ----              | ----          | 15               | UNCH |
| 11125          | 0.162                | 0.162                     | 0.162/*0.119A      | 0.162/*0.119A           | ----                       | 0.154 +                   | 0.015 .0268 | ----          | 2                        | ----              | ----          | 5 -              | 1    |
| 11150          | 0.145                | 0.145                     | 0.146B/*0.118A     | 0.146B/*0.118A          | ----                       | 0.152 +                   | 0.015 .0264 | ----          | 1                        | ----              | ----          | 2                | UNCH |
| 11175          | 0.143                | 0.143                     | 0.145B/*0.115A     | 0.145B/*0.115A          | ----                       | 0.150 +                   | 0.015 .0260 | ----          | 1                        | ----              | ----          | 2                | UNCH |
| 11200          | 0.143                | 0.143                     | 0.143/*0.114A      | 0.143/*0.114A           | ----                       | 0.148 +                   | 0.015 .0257 | ----          | 1                        | ----              | ----          | 16 -             | 1    |
| 11225          | 0.139                | 0.139                     | 0.141B/*0.113A     | 0.141B/*0.113A          | ----                       | 0.146 +                   | 0.015 .0253 | ----          | 1                        | ----              | ----          | 6                | UNCH |
| 11250          | ----                 | ----                      | 0.139B/*0.112A     | 0.139B/*0.112A          | ----                       | 0.145 +                   | 0.016 .0250 | ----          | ----                     | ----              | ----          | 12               | UNCH |
| 11275          | ----                 | ----                      | 0.137B/*0.111A     | 0.137B/*0.111A          | ----                       | 0.143 +                   | 0.016 .0247 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11300          | ----                 | ----                      | 0.135B/*0.110A     | 0.135B/*0.110A          | ----                       | 0.141 +                   | 0.016 .0243 | ----          | ----                     | ----              | ----          | 52               | UNCH |
| 11325          | ----                 | ----                      | 0.133B/*0.107A     | 0.133B/*0.107A          | ----                       | 0.139 +                   | 0.015 .0239 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11350          | ----                 | ----                      | 0.132B/*0.106A     | 0.132B/*0.106A          | ----                       | 0.137 +                   | 0.015 .0236 | ----          | ----                     | ----              | ----          | 2                | UNCH |
| 11400          | ----                 | ----                      | 0.128B/*0.1        |                         |                            |                           |             |               |                          |                   |               |                  |      |



| BULLETIN #101@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                          |       | Thu, May 28, 2026 |                          |                   |               | PG64             |      |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------|-------------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES     | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |       |                   |                          |                   |               |                  |      |
| AUG26          |                      |                           |                    |                         |                            |                          |       |                   |                          |                   |               |                  |      |
| 7050           | ----                 | ----                      | 8.4528/6.752A      | 8.4528/6.752A           | ----                       | 8.756 +                  | 0.685 | .7069             | ----                     | ----              | ----          | 4                | UNCH |
| 7100           | ----                 | ----                      | 8.1758/6.483A      | 8.1758/6.483A           | ----                       | 8.446 +                  | 0.669 | .6931             | ----                     | ----              | ----          | 2                | UNCH |
| 7200           | ----                 | ----                      | 7.5948/5.756A      | 7.5948/5.756A           | ----                       | 7.853 +                  | 0.634 | .6648             | ----                     | ----              | ----          | 1                | UNCH |
| 7250           | ----                 | ----                      | 7.3178/5.524A      | 7.3178/5.524A           | ----                       | 7.570 +                  | 0.616 | .6505             | ----                     | ----              | ----          | 3                | UNCH |
| 7300           | 5.300                | 5.300                     | 7.0238/5.297A      | 7.0238/5.297A           | ----                       | 7.296 +                  | 0.598 | .6361             | ----                     | 3                 | ----          | 4 +              | 3    |
| 7400           | 5.600                | 5.600                     | 6.5358/4.912A      | 6.5358/4.912A           | ----                       | 6.776 +                  | 0.565 | .6072             | ----                     | 3                 | ----          | 7 +              | 3    |
| 7425           | ----                 | ----                      | 6.7228/4.829A      | 6.7228/4.829A           | ----                       | 6.651 +                  | 0.557 | .6000             | ----                     | ----              | ----          | 14               | UNCH |
| 7450           | 5.042                | 5.042                     | 6.4068/*4.714A     | 6.4068/4.714A           | ----                       | 6.528                    | NEW   | .5928             | ----                     | 2                 | ----          | 2 +              | 2    |
| 7475           | 4.941                | 4.941                     | 6.4798/*4.627A     | 6.4798/4.627A           | ----                       | 6.407 +                  | 0.542 | .5856             | ----                     | 3                 | ----          | 6                | UNCH |
| 7500           | 4.875                | 4.875                     | 6.4248/*4.543A     | 6.4248/4.543A           | ----                       | 6.287 +                  | 0.535 | .5784             | ----                     | 37                | ----          | 248 +            | 14   |
| 7550           | ----                 | ----                      | 6.2128/*4.355A     | 6.2128/4.355A           | ----                       | 6.054 +                  | 0.521 | .5640             | ----                     | ----              | ----          | 4                | UNCH |
| 7575           | 4.772                | 4.772                     | 6.1088/*4.273A     | 6.1088/4.273A           | ----                       | 5.940                    | NEW   | .5569             | ----                     | 1                 | ----          | 1 +              | 1    |
| 7600           | 4.900                | 4.900                     | 5.9958/*4.094      | 5.9958/4.094            | ----                       | 5.828 +                  | 0.505 | .5498             | ----                     | 37                | ----          | 67 +             | 23   |
| 7625           | ----                 | ----                      | 5.8828/*4.111A     | 5.8828/*4.111A          | ----                       | 5.718 +                  | 0.497 | .5427             | ----                     | ----              | ----          | 18               | UNCH |
| 7650           | ----                 | ----                      | 5.7738/*4.029A     | 5.7738/*4.029A          | ----                       | 5.610 +                  | 0.488 | .5356             | ----                     | ----              | ----          | 1                | UNCH |
| 7700           | ----                 | ----                      | 5.5608/*3.875A     | 5.5608/*3.875A          | ----                       | 5.402 +                  | 0.469 | .5216             | ----                     | 12                | ----          | 74 +             | 3    |
| 7725           | ----                 | ----                      | 5.4568/*3.793A     | 5.4568/*3.793A          | ----                       | 5.301 +                  | 0.459 | .5147             | ----                     | ----              | ----          | 7                | UNCH |
| 7750           | 4.268                | 4.268                     | 5.3578/*3.712A     | 5.3578/*3.712A          | ----                       | 5.202 +                  | 0.451 | .5078             | ----                     | 9                 | ----          | 7 +              | 2    |
| 7800           | 4.900                | 4.900                     | 5.1568/*3.582A     | 5.1568/*3.582A          | ----                       | 5.010 +                  | 0.439 | .4942             | ----                     | 8                 | ----          | 213 +            | 1    |
| 7825           | ----                 | ----                      | 5.0588/*3.505A     | 5.0588/*3.505A          | ----                       | 4.917 +                  | 0.433 | .4875             | ----                     | ----              | ----          | 1                | UNCH |
| 7850           | ----                 | ----                      | 4.9668/*3.431A     | 4.9668/*3.431A          | ----                       | 4.825 +                  | 0.426 | .4808             | ----                     | ----              | ----          | 15               | UNCH |
| 7900           | ----                 | ----                      | 4.7878/*3.312A     | 4.7878/*3.312A          | ----                       | 4.647 +                  | 0.411 | .4676             | ----                     | ----              | ----          | 45               | UNCH |
| 7925           | ----                 | ----                      | 4.6888/*3.168A     | 4.6888/*3.168A          | ----                       | 4.560 +                  | 0.403 | .4611             | ----                     | ----              | ----          | 2                | UNCH |
| 7950           | 3.107                | 3.107                     | 4.6118/*3.107      | 4.6118/*3.107           | ----                       | 4.476 +                  | 0.396 | .4547             | ----                     | 1                 | ----          | 17 +             | 1    |
| 8000           | 3.790                | 3.790                     | 4.4468/2.990       | 4.4468/2.990            | ----                       | 4.311 +                  | 0.379 | .4420             | ----                     | 23                | ----          | 607 +            | 18   |
| 8025           | ----                 | ----                      | 4.3478/*2.988A     | 4.3478/*2.988A          | ----                       | 4.232 +                  | 0.372 | .4358             | ----                     | ----              | ----          | 1                | UNCH |
| 8050           | 2.878                | 2.878                     | 4.2788/*2.878      | 4.2788/*2.878           | ----                       | 4.154 +                  | 0.364 | .4296             | ----                     | 2                 | ----          | 6 +              | 1    |
| 8075           | 2.823                | 2.823                     | 4.1878/*2.823      | 4.1878/*2.823           | ----                       | 4.078                    | NEW   | .4235             | ----                     | 1                 | ----          | 1 +              | 1    |
| 8100           | ----                 | ----                      | 4.1218/*2.770A     | 4.1218/*2.770A          | ----                       | 4.003 +                  | 0.351 | .4174             | ----                     | ----              | ----          | 32               | UNCH |
| 8125           | ----                 | ----                      | 4.0398/*2.765A     | 4.0398/*2.765A          | ----                       | 3.930 +                  | 0.345 | .4114             | ----                     | ----              | ----          | 1                | UNCH |
| 8150           | 2.704                | 2.704                     | 3.9728/*2.703A     | 3.9728/*2.703A          | ----                       | 3.859 +                  | 0.339 | .4056             | ----                     | 25                | ----          | 60 +             | 25   |
| 8175           | ----                 | ----                      | 3.8858/*2.662A     | 3.8858/*2.662A          | ----                       | 3.789 +                  | 0.334 | .3997             | ----                     | ----              | ----          | 2                | UNCH |
| 8200           | ----                 | ----                      | 3.8248/*2.614A     | 3.8248/*2.614A          | ----                       | 3.720 +                  | 0.328 | .3940             | ----                     | 2                 | ----          | 8 +              | 2    |
| 8225           | ----                 | ----                      | 3.7438/*2.567A     | 3.7438/*2.567A          | ----                       | 3.653 +                  | 0.323 | .3883             | ----                     | 2                 | ----          | 4 +              | 2    |
| 8250           | ----                 | ----                      | 3.6828/*2.518A     | 3.6828/*2.518A          | ----                       | 3.587 +                  | 0.317 | .3826             | ----                     | ----              | ----          | 247              | UNCH |
| 8300           | ----                 | ----                      | 3.5508/*2.427A     | 3.5508/*2.427A          | ----                       | 3.458 +                  | 0.304 | .3716             | ----                     | ----              | ----          | 53               | UNCH |
| 8325           | ----                 | ----                      | 3.4768/*2.381A     | 3.4768/*2.381A          | ----                       | 3.396                    | NEW   | .3662             | ----                     | 1                 | ----          | 1 +              | 1    |
| 8350           | ----                 | ----                      | 3.4218/*2.339A     | 3.4218/*2.339A          | ----                       | 3.334 +                  | 0.291 | .3608             | ----                     | ----              | ----          | 3                | UNCH |
| 8375           | ----                 | ----                      | 3.3498/*2.302A     | 3.3498/*2.302A          | ----                       | 3.273 +                  | 0.283 | .3555             | ----                     | 1                 | ----          | 1 -              | 1    |
| 8400           | 2.962                | 2.962                     | 3.334/*2.256A      | 3.334/*2.256A           | ----                       | 3.213 +                  | 0.275 | .3502             | ----                     | 2                 | ----          | 25               | UNCH |
| 8425           | 2.288                | 2.288                     | 3.2178/*2.221A     | 3.2178/*2.221A          | ----                       | 3.154 +                  | 0.269 | .3450             | ----                     | 1                 | ----          | 1                | UNCH |
| 8450           | ----                 | ----                      | 3.1848/*2.176A     | 3.1848/*2.176A          | ----                       | 3.096 +                  | 0.263 | .3398             | ----                     | ----              | ----          | 22               | UNCH |
| 8475           | ----                 | ----                      | 3.1138/*2.136A     | 3.1138/*2.136A          | ----                       | 3.039 +                  | 0.258 | .3348             | ----                     | ----              | ----          | 2                | UNCH |
| 8500           | ----                 | ----                      | 3.0688/*2.105A     | 3.0688/*2.105A          | ----                       | 2.984 +                  | 0.252 | .3298             | ----                     | 102               | ----          | 139 +            | 29   |
| 8550           | ----                 | ----                      | 2.9608/*2.034A     | 2.9608/*2.034A          | ----                       | 2.877 +                  | 0.240 | .3200             | ----                     | ----              | ----          | 21               | UNCH |
| 8600           | ----                 | ----                      | 2.8528/*1.963A     | 2.8528/*1.963A          | ----                       | 2.774 +                  | 0.228 | .3105             | ----                     | ----              | ----          | 203              | UNCH |
| 8650           | ----                 | ----                      | 2.7548/*1.892A     | 2.7548/*1.892A          | ----                       | 2.677 +                  | 0.218 | .3013             | ----                     | ----              | ----          | 2                | UNCH |
| 8675           | ----                 | ----                      | 2.6958/*1.865A     | 2.6958/*1.865A          | ----                       | 2.631 +                  | 0.213 | .2969             | ----                     | ----              | ----          | 1                | UNCH |
| 8700           | ----                 | ----                      | 2.6578/*1.830A     | 2.6578/*1.830A          | ----                       | 2.585 +                  | 0.208 | .2925             | ----                     | ----              | ----          | 31               | UNCH |
| 8750           | ----                 | ----                      | 2.5528/*1.771A     | 2.5528/*1.771A          | ----                       | 2.497 +                  | 0.199 | .2839             | ----                     | ----              | ----          | 45               | UNCH |
| 8775           | ----                 | ----                      | 2.5118/*1.751A     | 2.5118/*1.751A          | ----                       | 2.454 +                  | 0.195 | .2797             | ----                     | ----              | ----          | 2                | UNCH |
| 8800           | ----                 | ----                      | 2.4788/*1.715A     | 2.4788/*1.715A          | ----                       | 2.412 +                  | 0.190 | .2756             | ----                     | ----              | ----          | 8                | UNCH |
| 8825           | ----                 | ----                      | 2.4248/*1.694A     | 2.4248/*1.694A          | ----                       | 2.371 +                  | 0.186 | .2715             | ----                     | ----              | ----          | 10               | UNCH |
| 8850           | 1.812                | 1.812                     | 2.3858/*1.660A     | 2.3858/*1.660A          | ----                       | 2.331 +                  | 0.182 | .2676             | ----                     | 1                 | ----          | 11 +             | 1    |
| 8875           | ----                 | ----                      | 2.3488/*1.643A     | 2.3488/*1.643A          | ----                       | 2.292 +                  | 0.178 | .2636             | ----                     | ----              | ----          | 2                | UNCH |
| 8900           | ----                 | ----                      | 2.3018/*1.607A     | 2.3018/*1.607A          | ----                       | 2.254 +                  | 0.174 | .2598             | ----                     | ----              | ----          | 19               | UNCH |
| 8925           | 1.715                | 1.715                     | 2.2568/*1.583A     | 2.2568/*1.583A          | ----                       | 2.216 +                  | 0.170 | .2560             | ----                     | 1                 | ----          | 4 +              | 1    |
| 8950           | ----                 | ----                      | 2.2188/*1.558A     | 2.2188/*1.558A          | ----                       | 2.179 +                  | 0.166 | .2522             | ----                     | ----              | ----          | 7                | UNCH |
| 8975           | ----                 | ----                      | 2.1918/*1.535A     | 2.1918/*1.535A          | ----                       | 2.143 +                  | 0.163 | .2486             | ----                     | ----              | ----          | 1                | UNCH |
| 9000           | 1.720                | 1.720                     | 2.1528/*1.509A     | 2.1528/*1.509A          | ----                       | 2.107 +                  | 0.158 | .2449             | ----                     | 279               | ----          | 934 +            | 28   |
| 9025           | 1.425                | 1.425                     | 2.1138/*1.425      | 2.1138/*1.425           | ----                       | 2.072 +                  | 0.155 | .2413             | ----                     | 3                 | ----          | 3                | UNCH |
| 9050           | ----                 | ----                      | 2.0828/*1.469A     | 2.0828/*1.469A          | ----                       | 2.038 +                  | 0.151 | .2378             | ----                     | ----              | ----          | 12               | UNCH |
| 9075           | ----                 | ----                      | 2.0408/*1.442A     | 2.0408/*1.442A          | ----                       | 2.005 +                  | 0.148 | .2344             | ----                     | ----              | ----          | 2                | UNCH |
| 9100           | ----                 | ----                      | 2.0108/*1.421A     | 2.0108/*1.421A          | ----                       | 1.972 +                  | 0.144 | .2309             | ----                     | ----              | ----          | 91               | UNCH |
| 9150           | 1.469                | 1.469                     | 1.9478/*1.383A     | 1.9478/*1.383A          | ----                       | 1.908 +                  | 0.137 | .2243             | ----                     | 1                 | ----          | 11               | UNCH |
| 9175           | ----                 | ----                      | 1.9188/*1.360A     | 1.9188/*1.360A          | ----                       | 1.877 +                  | 0.133 | .2210             | ----                     | ----              | ----          | 1                | UNCH |
| 9200           | ----                 | ----                      | 1.8868/*1.345A     | 1.8868/*1.345A          | ----                       | 1.847 +                  | 0.130 | .2178             | ----                     | ----              | ----          | 9                | UNCH |
| 9225           | ----                 | ----                      | 1.8528/*1.321A     | 1.8528/*1.321A          | ----                       | 1.818 +                  | 0.127 | .2147             | ----                     | ----              | ----          | 1                | UNCH |
| 9250           | ----                 | ----                      | 1.8218/*1.308A     | 1.8218/*1.308A          | ----                       | 1.789 +                  | 0.124 | .2116             | ----                     | 35                | ----          | 174 +            | 35   |
| 9275           | ----                 | ----                      | 1.7958/*1.284A     | 1.7958/*1.284A          | ----                       | 1.760 +                  | 0.120 | .2086             | ----                     | ----              | ----          | 2                | UNCH |
| 9300           | ----                 | ----                      | 1.7718/*1.273A     | 1.7718/*1.273A          | ----                       | 1.733 +                  | 0.118 | .2056             |                          |                   |               |                  |      |



| BULLETIN #101@ |                      |                           |                    | METALS OPTION PRODUCTS  |                            |                           |       |               |                          |                   | Thu, May 28, 2026 |                  | PG64 |
|----------------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |
| SO CALL        | COMEX SILVER OPTIONS |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |
| AUG26          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |
| 12550          | ----                 | ----                      | ----/*0.349A       | 0.360B/*0.349A          | ----                       | 0.416 + 0.040             | .0496 | ----          | ----                     | ----              | ----              | 2                |      |
| 12700          | ----                 | ----                      | ----/*0.334A       | 0.343B/*0.334A          | ----                       | 0.395 + 0.041             | .0471 | ----          | ----                     | ----              | ----              | 1                |      |
| 12725          | ----                 | ----                      | ----/*0.331A       | 0.339B/*0.331A          | ----                       | 0.392 + 0.042             | .0467 | ----          | ----                     | ----              | ----              | 1                |      |
| 12775          | ----                 | ----                      | ----/*0.326A       | 0.333B/*0.326A          | ----                       | 0.385 + 0.042             | .0458 | ----          | ----                     | ----              | ----              | 13               |      |
| 12800          | ----                 | ----                      | ----/*0.324A       | 0.330B/*0.324A          | ----                       | 0.382 + 0.043             | .0455 | ----          | ----                     | ----              | ----              | 2                |      |
| 13000          | ----                 | ----                      | ----/*0.307A       | 0.307B/*0.307A          | ----                       | 0.355 + 0.041             | .0422 | ----          | ----                     | 9                 | ----              | 3817 +           |      |
| 14000          | ----                 | ----                      | ----               | 0.209B/*0.235A          | ----                       | 0.252 + 0.017             | .0299 | ----          | ----                     | ----              | ----              | 21               |      |
| 15000          | ----                 | ----                      | ----/0.186A        | 0.142B/0.186A           | ----                       | 0.184 - 0.003             | .0218 | ----          | ----                     | ----              | ----              | 96               |      |
| 16000          | ----                 | ----                      | ----               | 0.098B/0.150A           | ----                       | 0.138 + 0.002             | .0163 | ----          | ----                     | ----              | ----              | 9                |      |
| 17000          | ----                 | ----                      | ----/*0.065A       | 0.080B/*0.065A          | ----                       | 0.105 + 0.013             | .0123 | ----          | 6                        | ----              | ----              | 3179 +           |      |
| 18000          | ----                 | ----                      | ----               | 0.042B/0.104A           | ----                       | 0.080 + 0.018             | .0094 | ----          | ----                     | ----              | ----              | 8                |      |
| 19000          | ----                 | ----                      | ----               | 0.025B/0.112A           | ----                       | 0.062 + 0.020             | .0072 | ----          | ----                     | ----              | ----              | 2                |      |
| 20000          | ----                 | ----                      | ----               | 0.014B/2.477A           | ----                       | 0.048 + 0.019             | .0056 | ----          | ----                     | ----              | ----              | 245              |      |
| 25000          | ----                 | ----                      | ----               | ----/2.385A             | ----                       | 0.015 + 0.007             | .0017 | ----          | ----                     | ----              | ----              | 21               |      |
| 27000          | ----                 | ----                      | ----               | ----/2.380A             | ----                       | 0.010 + 0.004             | .0011 | ----          | ----                     | ----              | ----              | 6                |      |
| 30000          | ----                 | ----                      | ----               | ----/2.375A             | ----                       | 0.005 UNCH                | .0006 | ----          | ----                     | ----              | ----              | 14               |      |
| 32000          | ----                 | ----                      | ----               | 0.005B/2.373A           | ----                       | 0.004 - 0.001             | .0004 | ----          | ----                     | ----              | ----              | 3                |      |
| 35000          | ----                 | ----                      | ----               | 0.003B/0.020A           | ----                       | 0.003 - 0.002             | .0003 | ----          | ----                     | ----              | ----              | 4                |      |
| TOTAL          |                      |                           |                    |                         |                            |                           |       |               |                          | 842               | 0                 | 13714 +          |      |
| SEP26          |                      |                           |                    |                         |                            |                           |       |               |                          |                   |                   |                  |      |
| 5025           | ----                 | ----                      | ----               | 16.453B/31.875A         | ----                       | 26.419                    | NEW   | .9630         | ----                     | 1                 | ----              | 1 +              |      |
| 5050           | ----                 | ----                      | ----               | 16.041B/31.722A         | ----                       | 26.178                    | NEW   | .9620         | ----                     | 1                 | ----              | 1 +              |      |
| 5100           | ----                 | ----                      | ----               | 15.658B/31.372A         | ----                       | 25.698 + 0.977            | .9597 | ----          | ----                     | ----              | ----              | 1                |      |
| 5900           | ----                 | ----                      | ----               | 8.293B/24.177A          | ----                       | 18.311 + 0.895            | .8972 | ----          | ----                     | ----              | ----              | 2                |      |
| 6000           | ----                 | ----                      | ----               | 7.526B/23.359A          | ----                       | 17.446 + 0.884            | .8847 | ----          | ----                     | ----              | ----              | 7                |      |
| 6700           | ----                 | ----                      | 11.612B/10.557A    | 11.612B/10.557A         | ----                       | 11.994 + 0.747            | .7639 | ----          | ----                     | ----              | ----              | 1                |      |
| 7000           | ----                 | ----                      | 9.719B/8.099A      | 9.719B/8.099A           | ----                       | 10.073 + 0.668            | .6969 | ----          | ----                     | ----              | ----              | 268              |      |
| 7125           | ----                 | ----                      | 9.017B/7.730A      | 9.017B/7.730A           | ----                       | 9.354 + 0.624             | .6675 | ----          | ----                     | ----              | ----              | 75               |      |
| 7300           | ----                 | ----                      | 8.103B/6.900A      | 8.103B/6.900A           | ----                       | 8.433 + 0.562             | .6259 | ----          | ----                     | ----              | ----              | 145              |      |
| 7400           | ----                 | ----                      | 7.623B/6.510A      | 7.623B/6.510A           | ----                       | 7.953 + 0.534             | .6021 | ----          | ----                     | ----              | ----              | 104              |      |
| 7500           | ----                 | ----                      | 7.177B/6.148A      | 7.177B/6.148A           | ----                       | 7.504 + 0.509             | .5786 | ----          | 2                        | ----              | ----              | 27 +             |      |
| 7550           | ----                 | ----                      | 6.988B/6.035A      | 6.988B/6.035A           | ----                       | 7.291 + 0.498             | .5670 | ----          | ----                     | ----              | ----              | 2                |      |
| 7700           | ----                 | ----                      | 6.358B/*5.483A     | 6.358B/5.483A           | ----                       | 6.691 + 0.468             | .5329 | ----          | ----                     | ----              | ----              | 1                |      |
| 7900           | ----                 | ----                      | 5.639B/*4.908A     | 5.639B/*4.908A          | ----                       | 5.974 + 0.430             | .4895 | ----          | ----                     | ----              | ----              | 8                |      |
| 8000           | 5.098                | 5.098                     | 5.800/4.728A       | 5.800/4.728A            | ----                       | 5.645 + 0.408             | .4688 | ----          | 15                       | ----              | ----              | 258 +            |      |
| 8025           | 5.810                | 5.810                     | 5.810/*4.658A      | 5.810/*4.658A           | ----                       | 5.566                     | NEW   | .4637         | 1                        | ----              | ----              | 1 +              |      |
| 8100           | ----                 | ----                      | 5.024B/*4.428A     | 5.024B/*4.428A          | ----                       | 5.335 + 0.386             | .4488 | ----          | ----                     | ----              | ----              | 25               |      |
| 8200           | 5.000                | 5.000                     | 5.000/*4.231A      | 5.000/*4.231A           | ----                       | 5.043 + 0.364             | .4294 | ----          | 5                        | ----              | ----              | 35 +             |      |
| 8300           | ----                 | ----                      | 4.472B/*3.997A     | 4.472B/*3.997A          | ----                       | 4.768 + 0.341             | .4108 | ----          | ----                     | ----              | ----              | 2                |      |
| 8400           | ----                 | ----                      | 4.225B/*3.805A     | 4.225B/*3.805A          | ----                       | 4.511 + 0.321             | .3929 | ----          | ----                     | ----              | ----              | 10               |      |
| 8500           | ----                 | ----                      | 3.991B/*3.614A     | 3.991B/*3.614A          | ----                       | 4.269 + 0.301             | .3757 | ----          | 2                        | ----              | ----              | 249 +            |      |
| 8600           | ----                 | ----                      | 3.771B/*3.430A     | 3.771B/*3.430A          | ----                       | 4.042 + 0.282             | .3592 | ----          | ----                     | ----              | ----              | 76               |      |
| 8675           | ----                 | ----                      | 3.616B/*3.346A     | 3.616B/*3.346A          | ----                       | 3.882 + 0.270             | .3474 | ----          | ----                     | ----              | ----              | 5                |      |
| 8700           | ----                 | ----                      | 3.567B/*3.275A     | 3.567B/*3.275A          | ----                       | 3.830 + 0.266             | .3435 | ----          | ----                     | ----              | ----              | 104              |      |
| 8800           | ----                 | ----                      | ----/*3.136A       | 3.359B/*3.136A          | ----                       | 3.632 + 0.252             | .3285 | ----          | ----                     | ----              | ----              | 13               |      |
| 8900           | ----                 | ----                      | ----/*2.980A       | 3.177B/*2.980A          | ----                       | 3.448 + 0.241             | .3143 | ----          | ----                     | ----              | ----              | 4                |      |
| 8925           | ----                 | ----                      | ----/*2.942A       | 3.138B/*2.942A          | ----                       | 3.403 + 0.237             | .3108 | ----          | ----                     | ----              | ----              | 2                |      |
| 8950           | ----                 | ----                      | ----/*2.905A       | 3.095B/*2.905A          | ----                       | 3.360 + 0.235             | .3074 | ----          | ----                     | ----              | ----              | 2                |      |
| 9000           | ----                 | ----                      | ----/2.833A        | 3.029B/2.833A           | ----                       | 3.275 + 0.230             | .3007 | ----          | 9                        | ----              | ----              | 239 +            |      |
| 9025           | ----                 | ----                      | ----/*2.798A       | 2.971B/*2.798A          | ----                       | 3.233 + 0.227             | .2974 | ----          | ----                     | ----              | ----              | 4                |      |
| 9100           | ----                 | ----                      | ----/*2.696A       | 2.871B/*2.696A          | ----                       | 3.113 + 0.220             | .2877 | ----          | ----                     | ----              | ----              | 12               |      |
| 9200           | ----                 | ----                      | ----/*2.568A       | 2.726B/*2.568A          | ----                       | 2.962 + 0.211             | .2755 | ----          | ----                     | ----              | ----              | 4                |      |
| 9400           | ----                 | ----                      | ----/*2.336A       | 2.444B/*2.336A          | ----                       | 2.689 + 0.195             | .2528 | ----          | ----                     | ----              | ----              | 20               |      |
| 9500           | ----                 | ----                      | ----/*2.230A       | 2.320B/*2.230A          | ----                       | 2.565 + 0.187             | .2423 | ----          | ----                     | ----              | ----              | 306              |      |
| 9600           | ----                 | ----                      | ----/*2.132A       | 2.211B/*2.132A          | ----                       | 2.449 + 0.179             | .2323 | ----          | ----                     | ----              | ----              | 37               |      |
| 9750           | ----                 | ----                      | ----/*1.995A       | 2.056B/*1.995A          | ----                       | 2.288 + 0.167             | .2183 | ----          | ----                     | ----              | ----              | 23               |      |
| 9800           | ----                 | ----                      | ----/*1.953A       | 2.008B/*1.953A          | ----                       | 2.237 + 0.163             | .2139 | ----          | 2                        | ----              | ----              | 130 -            |      |
| 9900           | ----                 | ----                      | ----/*1.873A       | 1.911B/*1.873A          | ----                       | 2.141 + 0.156             | .2054 | ----          | ----                     | ----              | ----              | 85               |      |
| 10000          | 1.750                | 1.750                     | 2.001B/1.500       | 2.001B/1.500            | ----                       | 2.050 + 0.148             | .1973 | ----          | 86                       | ----              | ----              | 424 -            |      |
| 10025          | 2.000                | 2.000                     | 2.000/*1.778A      | 2.000/*1.778A           | ----                       | 2.029                     | NEW   | .1954         | 1                        | ----              | ----              | 1 +              |      |
| 10100          | ----                 | ----                      | ----/*1.723A       | 1.745B/*1.723A          | ----                       | 1.965 + 0.142             | .1896 | ----          | ----                     | ----              | ----              | 54               |      |
| 10200          | ----                 | ----                      | ----/*1.656A       | 1.667B/*1.656A          | ----                       | 1.884 + 0.135             | .1823 | ----          | ----                     | ----              | ----              | 54               |      |
| 10300          | ----                 | ----                      | ----/*1.605A       | 1.594B/*1.605A          | ----                       | 1.808 + 0.128             | .1754 | ----          | ----                     | ----              | ----              | 52               |      |
| 10500          | ----                 | ----                      | ----/*1.509A       | 1.462B/*1.509A          | ----                       | 1.668 + 0.117             | .1625 | ----          | ----                     | ----              | ----              | 233              |      |
| 10800          | ----                 | ----                      | ----               | 1.286B/*1.385A          | ----                       | 1.484 + 0.103             | .1453 | ----          | ----                     | ----              | ----              | 2                |      |
| 11000          | ----                 | ----                      | 1.301B/1.311A      | 1.301B/1.311A           | ----                       | 1.376 + 0.096             | .1352 | ----          | ----                     | ----              | ----              | 243              |      |
| 11100          | ----                 | ----                      | ----/*1.075A       | 1.109B/*1.075A          | ----                       | 1.326 + 0.093             | .1305 | ----          | ----                     | ----              | ----              | 3                |      |
| 11300          | ----                 | ----                      | ----/*0.991A       | 1.008B/*0.991A          | ----                       | 1.232 + 0.086             | .1215 | ----          | ----                     | ----              | ----              | 60               |      |
| 11500          | ----                 | ----                      | ----/*0.946A       | 0.959B/*0.946A          | ----                       | 1.146 + 0.079             | .1134 | ----          | ----                     | ----              | ----              | 101              |      |
| 12000          | ----                 | ----                      | 0.927B/*0.816A     | 0.927B/*0.816A          | ----                       | 0.961 + 0.063             | .0956 | ----          | ----                     | ----              | ----              | 128              |      |
| 12500          | ----                 | ----                      | 0.785B/*0.713A     | 0.785B/*0.713A          | ----                       | 0.810 + 0.045             | .0811 | ----          | ----                     | ----              | ----              | 96               |      |
| 12800          | ----                 | ----                      | 0.713B/*0.660A     | 0.713B/*0.660A          | ----                       | 0.732                     | NEW   | .0735         | 1                        | ----              | ----              | 1 +              |      |
| 13000          | ----                 | ----                      | 0.671B/*0.628A     | 0.671B/*0.628A          | ----                       | 0.686 + 0.028             | .0691 | ----          | 1                        | ----              | ----              | 204 +            |      |
| 14000          | ----                 | ----                      | ----               | 0.498B/0.504A           | ----                       | 0.502 - 0.001             | .0510 | ----          | ----                     | ----              | ----              | 238              |      |
| 15000          | 0.420                | 0.420                     | 0.420/*0.420       | 0.420/*0.412A           | ----                       | 0.398 - 0.002             | .0401 | ----          | 1                        | ----              | ----              | 426              |      |
| 16000          | ----                 | ----                      | ----               | 0.294B/*0.345A          | ----                       | 0.308 - 0.004             | .0311 | ----          | ----                     | ----              | ----              | 16               |      |
| 17000          | ----                 | ----                      | ----               | 0.228B/*0.293A          | ----                       | 0.243 - 0.004             | .0246 | ----          | ----                     | ----              | ----              | 27               |      |
| 18000          | ----                 | ----                      | ----               | 0.180B/*0.255A          | ----                       | 0.194 - 0.004             | .0197 | ----          | ----                     | ----              | ----              | 5                |      |
| 19000          | ----                 | ----                      | ----               | 0.141B/*0.222A          | ----                       | 0.156 - 0.005             | .0158 | ----          | ----                     | ----              | ----              | 14               |      |
| 20000          | ----                 | ----                      | ----               | 0.112B/*0.150A          | ----                       | 0.128 - 0.004             | .0130 | ----          | 2                        | ----              | ----              | 311 +            |      |
| 21000          | ----                 | ----                      | ----               | 0.088B/*0.177A          | ----                       | 0.106 - 0.004             | .0107 | ----          | ----                     | ----              | ----              | 1                |      |
| 23000          | ----                 | ----                      | ----               | 0.052B/*0.145A          | ----                       | 0.075 - 07                |       |               |                          |                   |                   |                  |      |

| BULLETIN #101@ |                      |                           | METALS OPTION PRODUCTS |                         |                            |                          |             |               |                          | Thu, May 28, 2026 |               |                  | PG64 |
|----------------|----------------------|---------------------------|------------------------|-------------------------|----------------------------|--------------------------|-------------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW     | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA       | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO CALL        | COMEX SILVER OPTIONS |                           |                        |                         |                            |                          |             |               |                          |                   |               |                  |      |
| NOV26          |                      |                           |                        |                         |                            |                          |             |               |                          |                   |               |                  |      |
| 6500           | ----                 | ----                      | 14.810B/14.094A        | 14.810B/14.094A         | ----                       | 15.347 +                 | 0.728 .7773 | ----          | ----                     | ----              | ----          | 1                |      |
| 7000           | ----                 | ----                      | 11.773B/11.271A        | 11.773B/11.271A         | ----                       | 12.288 +                 | 0.624 .6893 | ----          | ----                     | ----              | ----          | 14               |      |
| 7100           | ----                 | ----                      | 11.240B/10.778A        | 11.240B/10.778A         | ----                       | 11.744 +                 | 0.598 .6710 | ----          | ----                     | ----              | ----          | 14               |      |
| 7500           | ----                 | ----                      | 9.584B/9.046A          | 9.584B/9.046A           | ----                       | 9.821 +                  | 0.498 .5979 | ----          | ----                     | ----              | ----          | 1                |      |
| 7900           | ----                 | ----                      | ----/*7.645A           | 7.797B/7.645A           | ----                       | 8.288 +                  | 0.415 .5284 | ----          | ----                     | ----              | ----          | 16               |      |
| 8000           | ----                 | ----                      | ----/7.340A            | 7.459B/7.340A           | ----                       | 7.955 +                  | 0.397 .5121 | ----          | ----                     | ----              | ----          | 10               |      |
| 8200           | ----                 | ----                      | ----/*6.775A           | 6.840B/*6.775A          | ----                       | 7.337 +                  | 0.363 .4808 | ----          | ----                     | ----              | ----          | 6                |      |
| 9000           | ----                 | ----                      | ----/5.026A            | 4.924B/5.026A           | ----                       | 5.380 +                  | 0.249 .3735 | ----          | ----                     | ----              | ----          | 60               |      |
| 9550           | ----                 | ----                      | ----/*4.167A           | 3.999B/*4.167A          | ----                       | 4.422 +                  | 0.203 .3155 | ----          | ----                     | ----              | ----          | 3                |      |
| 9800           | ----                 | ----                      | ----/*3.845A           | 3.653B/*3.845A          | ----                       | 4.068 +                  | 0.191 .2929 | ----          | ----                     | ----              | ----          | 3                |      |
| 10000          | ----                 | ----                      | ----/3.612A            | 3.405B/3.612A           | ----                       | 3.814 +                  | 0.184 .2764 | ----          | ----                     | ----              | ----          | 24               |      |
| 11000          | ----                 | ----                      | ----                   | 2.452B/2.719A           | ----                       | 2.835 +                  | 0.163 .2103 | ----          | ----                     | ----              | ----          | 94               |      |
| 12000          | ----                 | ----                      | ----                   | 1.829B/2.138A           | ----                       | 2.176 +                  | 0.146 .1638 | ----          | ----                     | ----              | ----          | 13               |      |
| 12500          | ----                 | ----                      | ----                   | 1.589B/*1.960A          | ----                       | 1.924 +                  | 0.137 .1456 | ----          | ----                     | ----              | ----          | 10               |      |
| 13000          | ----                 | ----                      | ----                   | 1.328B/1.806A           | ----                       | 1.709 +                  | 0.127 .1300 | ----          | ----                     | ----              | ----          | 1                |      |
| 14000          | ----                 | ----                      | 1.288B/1.226A          | 1.288B/1.226A           | ----                       | 1.366 +                  | 0.107 .1049 | ----          | ----                     | ----              | ----          | 2                |      |
| 15000          | ----                 | ----                      | 1.036B/----            | 1.036B/1.032A           | ----                       | 1.107 +                  | 0.084 .0856 | ----          | ----                     | ----              | ----          | 6                |      |
| 16000          | ----                 | ----                      | ----                   | 0.847B/0.886A           | ----                       | 0.910 +                  | 0.063 .0708 | ----          | ----                     | ----              | ----          | 14               |      |
| 17000          | ----                 | ----                      | ----                   | 0.703B/0.773A           | ----                       | 0.760 +                  | 0.044 .0594 | ----          | ----                     | ----              | ----          | 2                |      |
| 20000          | ----                 | ----                      | 0.422B/----            | 0.422B/0.542A           | ----                       | 0.489 +                  | 0.085 .0382 | ----          | ----                     | ----              | ----          | 33               |      |
| 21000          | ----                 | ----                      | 0.363B/----            | 0.363B/0.498A           | ----                       | 0.436 +                  | 0.101 .0339 | ----          | ----                     | ----              | ----          | 1                |      |
| 30000          | ----                 | ----                      | ----                   | 0.107B/0.263A           | ----                       | 0.160 +                  | 0.040 .0125 | ----          | ----                     | 1                 | ----          | 6 +              |      |
| TOTAL          |                      |                           |                        |                         |                            |                          |             |               |                          | 1                 | 0             | 334 +            |      |
| DEC26          |                      |                           |                        |                         |                            |                          |             |               |                          |                   |               |                  |      |
| 3875           | ----                 | ----                      | ----                   | ----                    | ----                       | 38.558 +                 | 1.019 .9828 | ----          | ----                     | ----              | ----          | 1                |      |
| 5000           | ----                 | ----                      | ----                   | 8.526B/42.614A          | ----                       | 27.797 +                 | 0.935 .9372 | ----          | ----                     | ----              | ----          | 30               |      |
| 5250           | ----                 | ----                      | ----                   | 5.942B/40.907A          | ----                       | 25.574 +                 | 0.913 .9180 | ----          | ----                     | ----              | ----          | 50               |      |
| 5500           | ----                 | ----                      | ----                   | 3.777B/39.525A          | ----                       | 23.410 +                 | 0.894 .8960 | ----          | ----                     | ----              | ----          | 1                |      |
| 6500           | ----                 | ----                      | 15.245B/14.803A        | 15.245B/14.803A         | ----                       | 15.872 +                 | 0.676 .7661 | ----          | ----                     | ----              | ----          | 600              |      |
| 6900           | ----                 | ----                      | ----/12.596A           | 12.858B/12.596A         | ----                       | 13.474 +                 | 0.589 .7004 | ----          | ----                     | ----              | ----          | 1                |      |
| 6950           | ----                 | ----                      | ----/12.345A           | 12.586B/12.345A         | ----                       | 13.202 +                 | 0.581 .6920 | ----          | ----                     | ----              | ----          | 220              |      |
| 7000           | ----                 | ----                      | ----/12.100A           | 12.320B/12.100A         | ----                       | 12.936 +                 | 0.573 .6835 | ----          | ----                     | ----              | ----          | 120              |      |
| 7025           | ----                 | ----                      | ----/11.980A           | 12.186B/11.980A         | ----                       | 12.805 +                 | 0.570 .6793 | ----          | ----                     | ----              | ----          | 1                |      |
| 7075           | ----                 | ----                      | ----/11.373A           | 11.929B/11.373A         | ----                       | 12.548 +                 | 0.563 .6708 | ----          | ----                     | ----              | ----          | 5                |      |
| 7100           | ----                 | ----                      | ----/11.391A           | 11.805B/11.391A         | ----                       | 12.421 +                 | 0.559 .6666 | ----          | ----                     | ----              | ----          | 15               |      |
| 7375           | ----                 | ----                      | ----/10.433A           | 10.498B/10.433A         | ----                       | 11.123 +                 | 0.519 .6202 | ----          | ----                     | ----              | ----          | 2                |      |
| 7500           | ----                 | ----                      | 10.170B/9.941A         | 10.170B/9.941A          | ----                       | 10.587 +                 | 0.497 .5994 | ----          | ----                     | ----              | ----          | 18               |      |
| 7575           | ----                 | ----                      | ----/9.659A            | 9.651B/9.659A           | ----                       | 10.279 +                 | 0.481 .5871 | ----          | ----                     | ----              | ----          | 1                |      |
| 7750           | ----                 | ----                      | ----/9.044A            | 8.975B/9.044A           | ----                       | 9.604 +                  | 0.443 .5590 | ----          | ----                     | ----              | ----          | 2                |      |
| 7800           | ----                 | ----                      | ----/8.877A            | 8.792B/8.877A           | ----                       | 9.422 +                  | 0.432 .5512 | ----          | ----                     | ----              | ----          | 37               |      |
| 7925           | ----                 | ----                      | ----/*8.479A           | 8.354B/8.479A           | ----                       | 8.984 +                  | 0.404 .5320 | ----          | ----                     | ----              | ----          | 2                |      |
| 8000           | ----                 | ----                      | ----/8.252A            | 8.105B/8.252A           | ----                       | 8.733 +                  | 0.387 .5208 | ----          | ----                     | ----              | ----          | 134              |      |
| 8100           | ----                 | ----                      | ----/7.961A            | 7.787B/7.961A           | ----                       | 8.413 +                  | 0.365 .5061 | ----          | ----                     | ----              | ----          | 1                |      |
| 8200           | ----                 | ----                      | ----/*7.685A           | 7.485B/*7.685A          | ----                       | 8.107 +                  | 0.345 .4919 | ----          | ----                     | ----              | ----          | 21               |      |
| 8400           | ----                 | ----                      | ----/*7.172A           | 6.924B/*7.172A          | ----                       | 7.538 +                  | 0.310 .4645 | ----          | ----                     | ----              | ----          | 50               |      |
| 8500           | ----                 | ----                      | ----/6.933A            | 6.664B/6.933A           | ----                       | 7.273 +                  | 0.294 .4514 | ----          | ----                     | ----              | ----          | 165              |      |
| 8550           | ----                 | ----                      | ----/6.855A            | 6.539B/6.855A           | ----                       | 7.145 +                  | 0.287 .4450 | ----          | ----                     | ----              | ----          | 25               |      |
| 8600           | ----                 | ----                      | ----/*6.394A           | 6.417B/*6.394A          | ----                       | 7.020 +                  | 0.280 .4387 | ----          | ----                     | ----              | ----          | 47               |      |
| 8800           | ----                 | ----                      | ----                   | 5.958B/6.316A           | ----                       | 6.548 +                  | 0.254 .4144 | ----          | ----                     | ----              | ----          | 5                |      |
| 8900           | ----                 | ----                      | ----/*6.082A           | 5.745B/*6.082A          | ----                       | 6.329 +                  | 0.244 .4029 | ----          | ----                     | ----              | ----          | 27               |      |
| 8950           | ----                 | ----                      | ----                   | 5.642B/*6.022A          | ----                       | 6.223 +                  | 0.239 .3973 | ----          | ----                     | ----              | ----          | 1                |      |
| 9000           | 6.000                | 6.000                     | 6.000/5.792A           | 6.000/5.792A            | ----                       | 6.119 +                  | 0.233 .3917 | ----          | ----                     | 1                 | ----          | 250              |      |
| 9050           | ----                 | ----                      | ----                   | 5.444B/*5.801A          | ----                       | 6.018 +                  | 0.229 .3863 | ----          | ----                     | ----              | ----          | 100              |      |
| 9100           | ----                 | ----                      | ----                   | 5.348B/*5.745A          | ----                       | 5.919 +                  | 0.224 .3809 | ----          | ----                     | ----              | ----          | 16               |      |
| 9300           | ----                 | ----                      | ----                   | 4.987B/*5.397A          | ----                       | 5.546 +                  | 0.208 .3604 | ----          | ----                     | ----              | ----          | 15               |      |
| 9500           | ----                 | ----                      | ----                   | 4.659B/5.062A           | ----                       | 5.205 +                  | 0.194 .3412 | ----          | ----                     | ----              | ----          | 10               |      |
| 9700           | ----                 | ----                      | ----                   | 4.358B/*4.792A          | ----                       | 4.894 +                  | 0.183 .3233 | ----          | ----                     | ----              | ----          | 1                |      |
| 9800           | ----                 | ----                      | ----                   | 4.217B/*4.656A          | ----                       | 4.748 +                  | 0.177 .3148 | ----          | ----                     | 2                 | ----          | 74 +             |      |
| 9900           | ----                 | ----                      | ----                   | 4.083B/*4.525A          | ----                       | 4.609 +                  | 0.172 .3066 | ----          | ----                     | ----              | ----          | 5                |      |
| 10000          | ----                 | ----                      | ----                   | 3.952B/4.389A           | ----                       | 4.476 +                  | 0.167 .2987 | ----          | ----                     | 22                | ----          | 855 +            |      |
| 10025          | ----                 | ----                      | ----                   | 3.922B/*4.369A          | ----                       | 4.443 +                  | 0.166 .2968 | ----          | ----                     | ----              | ----          | 3                |      |
| 10500          | 3.600                | 3.600                     | 3.900/*3.599A          | 3.900/*3.599A           | ----                       | 3.888 +                  | 0.145 .2631 | ----          | ----                     | 2                 | ----          | 101 +            |      |
| 10600          | ----                 | ----                      | ----                   | 3.287B/*3.745A          | ----                       | 3.784 +                  | 0.141 .2566 | ----          | ----                     | ----              | ----          | 6                |      |
| 10800          | ----                 | ----                      | ----                   | 3.073B/*3.584A          | ----                       | 3.589 +                  | 0.133 .2444 | ----          | ----                     | ----              | ----          | 5                |      |
| 11000          | ----                 | ----                      | ----                   | 2.900B/3.393A           | ----                       | 3.409 +                  | 0.125 .2331 | ----          | ----                     | ----              | ----          | 210              |      |
| 11350          | ----                 | ----                      | ----                   | 2.628B/*3.136A          | ----                       | 3.125 +                  | 0.111 .2149 | ----          | ----                     | ----              | ----          | 5                |      |
| 11400          | ----                 | ----                      | ----                   | 2.592B/*3.087A          | ----                       | 3.087 +                  | 0.108 .2124 | ----          | ----                     | ----              | ----          | 1                |      |
| 11600          | ----                 | ----                      | ----                   | 2.454B/*2.960A          | ----                       | 2.943 +                  | 0.101 .2031 | ----          | ----                     | ----              | ----          | 1                |      |
| 11800          | ----                 | ----                      | ----                   | 2.327B/*2.822A          | ----                       | 2.810 +                  | 0.094 .1944 | ----          | ----                     | ----              | ----          | 27               |      |
| 12000          | ----                 | ----                      | ----                   | 2.209B/2.710A           | ----                       | 2.685 +                  | 0.087 .1862 | ----          | ----                     | 20                | ----          | 567 -            |      |
| 12200          | ----                 | ----                      | ----                   | 2.097B/*2.596A          | ----                       | 2.568 +                  | 0.081 .1784 | ----          | ----                     | ----              | ----          | 1                |      |
| 12300          | ----                 | ----                      | ----                   | 2.044B/*2.538A          | ----                       | 2.512                    | NEW .1747   | ----          | ----                     | 2                 | ----          | 2 +              |      |
| 12500          | ----                 | ----                      | ----                   | 1.945B/*2.449A          | ----                       | 2.406 +                  | 0.072 .1676 | ----          | ----                     | 2                 | ----          | 45               |      |
| 12800          | ----                 | ----                      | ----                   | 1.806B/*2.341A          | ----                       | 2.259 +                  | 0.065 .1578 | ----          | ----                     | ----              | ----          | 2                |      |
| 13000          | 1.850                | 1.850                     | 2.101B/1.850           | 2.101B/1.850            | ----                       | 2.168 +                  | 0.062 .1517 | ----          | ----                     | 1                 | ----          | 385              |      |
| 13500          | ----                 | ----                      | ----                   | 1.484B/*2.122A          | ----                       | 1.962 +                  | 0.056 .1377 | ----          | ----                     | ----              | ----          | 6                |      |
| 14000          | ----                 | ----                      | ----                   | 1.269B/2.001A           | ----                       | 1.782 +                  | 0.053 .1255 | ----          | ----                     | ----              | ----          | 96               |      |
| 14200          | ----                 | ----                      | ----/*1.548A           | 1.236B/*1.548A          | ----                       | 1.717 +                  | 0.053 .1211 | ----          | ----                     | ----              | ----          | 1                |      |
| 15000          | ----                 | ----                      | ----/1.361A            | 1.351B/1.361A           | ----                       | 1.486 +                  | 0.056 .1052 | ----          | ----                     | 1                 | ----          | 1854             |      |
| 16000          | ----                 | ----                      | ----/1.181A            | 1.118B/1.181A           | ----                       | 1.253 +                  | 0.063 .0891 | ----          | ----                     | 1                 | ----          | 1609             |      |
| 17000          | ----                 | ----                      | ----                   | 0.942B/1.036A           | ----                       | 1.068 +                  | 0.070 .0763 | ----          | ----                     | ----              |               |                  |      |



| PG64    | BULLETIN #101@       |                           |                    |                         |                            |                          |             |               |                          |                   | METALS OPTION PRODUCTS |                  |      |  | Thu, May 28, 2026 |  |  |  | PG64 |
|---------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-------------|---------------|--------------------------|-------------------|------------------------|------------------|------|--|-------------------|--|--|--|------|
|         | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA       | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME          | OPEN<br>INTEREST |      |  |                   |  |  |  |      |
| SO CALL | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |             |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| APR27   |                      |                           |                    |                         |                            |                          |             |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| 8525    | 10.625               | 10.625                    | #10.625/*10.625    | #10.625/*10.482A        | ----                       | 10.462                   | NEW .5053   | ----          | ----                     | 3                 | ----                   | 3 +              | 3    |  |                   |  |  |  |      |
| TOTAL   |                      |                           |                    |                         |                            |                          |             |               |                          | 3                 | 0                      | 3 +              | 3    |  |                   |  |  |  |      |
| MAY27   |                      |                           |                    |                         |                            |                          |             |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| 11000   | ----                 | ----                      | ----               | ----                    | ----                       | 7.491 +                  | 0.339 .3505 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| TOTAL   |                      |                           |                    |                         |                            |                          |             |               |                          |                   | 0                      | 1                | 0    |  |                   |  |  |  |      |
| JUL27   |                      |                           |                    |                         |                            |                          |             |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| 2000    | ----                 | ----                      | ----               | ----                    | ----                       | 59.234 +                 | 1.064 .9969 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 10000   | ----                 | ----                      | ----               | ----                    | ----                       | 10.384 +                 | 0.431 .4352 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 10300   | ----                 | ----                      | ----               | ----                    | ----                       | 9.893 +                  | 0.413 .4174 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| TOTAL   |                      |                           |                    |                         |                            |                          |             |               |                          |                   | 0                      | 3                | 0    |  |                   |  |  |  |      |
| DEC27   |                      |                           |                    |                         |                            |                          |             |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| 4000    | ----                 | ----                      | ----               | ----                    | ----                       | 41.457 +                 | 0.989 .9300 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 20000   | ----                 | ----                      | ----               | ----                    | ----                       | 6.590 +                  | 0.235 .2403 | ----          | ----                     | ----              | ----                   | 25               | UNCH |  |                   |  |  |  |      |
| TOTAL   |                      |                           |                    |                         |                            |                          |             |               |                          |                   | 0                      | 26               | 0    |  |                   |  |  |  |      |
| SO PUT  | COMEX SILVER OPTIONS |                           |                    |                         |                            |                          |             |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| JUL26   |                      |                           |                    |                         |                            |                          |             |               |                          |                   |                        |                  |      |  |                   |  |  |  |      |
| 2000    | ----                 | ----                      | ----               | ----                    | ----                       | 0.001                    | UNCH        | ----          | ----                     | ----              | ----                   | 6                | UNCH |  |                   |  |  |  |      |
| 2400    | ----                 | ----                      | ----               | ----                    | ----                       | 0.001                    | UNCH        | .0000         | ----                     | ----              | ----                   | 10               | UNCH |  |                   |  |  |  |      |
| 2650    | ----                 | ----                      | ----               | ----                    | ----                       | 0.001 -                  | 0.001 .0000 | ----          | ----                     | ----              | ----                   | 6                | UNCH |  |                   |  |  |  |      |
| 2900    | ----                 | ----                      | ----               | ----                    | ----                       | 0.002 -                  | 0.001 .0002 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 3000    | ----                 | ----                      | ----               | ----                    | ----                       | 0.003 -                  | 0.001 .0003 | ----          | ----                     | ----              | ----                   | 6                | UNCH |  |                   |  |  |  |      |
| 3025    | ----                 | ----                      | ----               | ----                    | ----                       | 0.003 -                  | 0.001 .0004 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 3175    | ----                 | ----                      | ----               | ----                    | ----                       | 0.004 -                  | 0.002 .0005 | ----          | ----                     | ----              | ----                   | 10               | UNCH |  |                   |  |  |  |      |
| 3275    | 0.005                | 0.005                     | 0.005/*0.005       | 0.005/*0.005            | 0.005/*0.005               | 0.005                    | NEW .0006   | ----          | 1                        | ----              | ----                   | 1 +              | 1    |  |                   |  |  |  |      |
| 3350    | ----                 | ----                      | ----               | ----                    | ----                       | 0.006 -                  | 0.003 .0008 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 3400    | ----                 | ----                      | ----               | ----                    | ----                       | 0.007 -                  | 0.003 .0009 | ----          | ----                     | ----              | ----                   | 55               | UNCH |  |                   |  |  |  |      |
| 3475    | ----                 | ----                      | ----               | ----                    | ----                       | 0.008 -                  | 0.003 .0010 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |                   |  |  |  |      |
| 3500    | ----                 | ----                      | ----               | ----                    | ----                       | 0.009 -                  | 0.003 .0012 | ----          | ----                     | ----              | ----                   | 4                | UNCH |  |                   |  |  |  |      |
| 3600    | ----                 | ----                      | ----               | ----                    | ----                       | 0.011 -                  | 0.003 .0015 | ----          | ----                     | ----              | ----                   | 12               | UNCH |  |                   |  |  |  |      |
| 3700    | ----                 | ----                      | ----               | ----                    | ----                       | 0.014 -                  | 0.002 .0019 | ----          | ----                     | ----              | ----                   | 94               | UNCH |  |                   |  |  |  |      |
| 3800    | ----                 | ----                      | ----               | ----                    | ----                       | 0.017 -                  | 0.003 .0023 | ----          | ----                     | ----              | ----                   | 25               | UNCH |  |                   |  |  |  |      |
| 3825    | ----                 | ----                      | ----               | ----                    | ----                       | 0.017 -                  | 0.004 .0023 | ----          | ----                     | ----              | ----                   | 8                | UNCH |  |                   |  |  |  |      |
| 3850    | ----                 | ----                      | ----               | ----                    | ----                       | 0.018 -                  | 0.004 .0024 | ----          | ----                     | ----              | ----                   | 3                | UNCH |  |                   |  |  |  |      |
| 3900    | ----                 | ----                      | ----               | ----                    | ----                       | 0.020 -                  | 0.003 .0027 | ----          | ----                     | ----              | ----                   | 11               | UNCH |  |                   |  |  |  |      |
| 3950    | ----                 | ----                      | ----               | ----                    | ----                       | 0.021 -                  | 0.004 .0029 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 4000    | ----                 | ----                      | ----               | ----                    | ----                       | 0.023 -                  | 0.004 .0032 | ----          | ----                     | ----              | ----                   | 85               | UNCH |  |                   |  |  |  |      |
| 4075    | ----                 | ----                      | ----               | ----                    | ----                       | 0.025 -                  | 0.004 .0035 | ----          | ----                     | ----              | ----                   | 16               | UNCH |  |                   |  |  |  |      |
| 4100    | ----                 | ----                      | ----               | ----                    | ----                       | 0.026 -                  | 0.004 .0036 | ----          | ----                     | ----              | ----                   | 6                | UNCH |  |                   |  |  |  |      |
| 4175    | ----                 | ----                      | ----               | ----                    | ----                       | 0.029 -                  | 0.003 .0041 | ----          | ----                     | ----              | ----                   | 9                | UNCH |  |                   |  |  |  |      |
| 4200    | ----                 | ----                      | ----               | ----                    | ----                       | 0.029 -                  | 0.003 .0041 | ----          | ----                     | ----              | ----                   | 27               | UNCH |  |                   |  |  |  |      |
| 4225    | ----                 | ----                      | ----               | ----                    | ----                       | 0.030 -                  | 0.003 .0043 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 4250    | ----                 | ----                      | ----               | ----                    | ----                       | 0.031 -                  | 0.003 .0045 | ----          | ----                     | ----              | ----                   | 21               | UNCH |  |                   |  |  |  |      |
| 4300    | ----                 | ----                      | ----               | ----                    | ----                       | 0.032 -                  | 0.003 .0047 | ----          | ----                     | ----              | ----                   | 98               | UNCH |  |                   |  |  |  |      |
| 4325    | ----                 | ----                      | ----               | ----                    | ----                       | 0.033 -                  | 0.003 .0048 | ----          | ----                     | ----              | ----                   | 17               | UNCH |  |                   |  |  |  |      |
| 4375    | ----                 | ----                      | ----               | ----                    | ----                       | 0.035 -                  | 0.002 .0052 | ----          | ----                     | ----              | ----                   | 32               | UNCH |  |                   |  |  |  |      |
| 4400    | ----                 | ----                      | ----               | ----                    | ----                       | 0.035 -                  | 0.003 .0052 | ----          | ----                     | ----              | ----                   | 34               | UNCH |  |                   |  |  |  |      |
| 4450    | ----                 | ----                      | ----               | ----                    | ----                       | 0.037 -                  | 0.003 .0056 | ----          | ----                     | ----              | ----                   | 4                | UNCH |  |                   |  |  |  |      |
| 4475    | ----                 | ----                      | ----               | ----                    | ----                       | 0.037 -                  | 0.004 .0056 | ----          | ----                     | ----              | ----                   | 16               | UNCH |  |                   |  |  |  |      |
| 4500    | ----                 | ----                      | ----               | ----                    | ----                       | 0.038 -                  | 0.003 .0058 | ----          | ----                     | ----              | ----                   | 302              | UNCH |  |                   |  |  |  |      |
| 4575    | ----                 | ----                      | ----               | ----                    | ----                       | 0.040 -                  | 0.004 .0062 | ----          | ----                     | ----              | ----                   | 75               | UNCH |  |                   |  |  |  |      |
| 4600    | ----                 | ----                      | ----               | ----                    | ----                       | 0.041 -                  | 0.004 .0064 | ----          | ----                     | ----              | ----                   | 101              | UNCH |  |                   |  |  |  |      |
| 4650    | ----                 | ----                      | ----               | ----                    | ----                       | 0.042 -                  | 0.005 .0067 | ----          | ----                     | ----              | ----                   | 40               | UNCH |  |                   |  |  |  |      |
| 4675    | ----                 | ----                      | ----               | ----                    | ----                       | 0.043 -                  | 0.005 .0069 | ----          | ----                     | ----              | ----                   | 12               | UNCH |  |                   |  |  |  |      |
| 4700    | ----                 | ----                      | ----               | ----                    | ----                       | 0.044 -                  | 0.005 .0071 | ----          | ----                     | ----              | ----                   | 154              | UNCH |  |                   |  |  |  |      |
| 4725    | ----                 | ----                      | ----               | ----                    | ----                       | 0.044 -                  | 0.006 .0071 | ----          | ----                     | ----              | ----                   | 3                | UNCH |  |                   |  |  |  |      |
| 4750    | ----                 | ----                      | ----               | ----                    | ----                       | 0.045 -                  | 0.006 .0073 | ----          | ----                     | ----              | ----                   | 55               | UNCH |  |                   |  |  |  |      |
| 4775    | ----                 | ----                      | ----               | ----                    | ----                       | 0.046 -                  | 0.007 .0075 | ----          | ----                     | ----              | ----                   | 8                | UNCH |  |                   |  |  |  |      |
| 4800    | ----                 | ----                      | ----               | ----                    | ----                       | 0.047 -                  | 0.007 .0077 | ----          | ----                     | ----              | ----                   | 15               | UNCH |  |                   |  |  |  |      |
| 4825    | ----                 | ----                      | ----               | ----                    | ----                       | 0.047 -                  | 0.008 .0078 | ----          | ----                     | ----              | ----                   | 26               | UNCH |  |                   |  |  |  |      |
| 4850    | ----                 | ----                      | ----               | ----                    | ----                       | 0.048 -                  | 0.008 .0080 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 4875    | ----                 | ----                      | ----               | ----                    | ----                       | 0.049 -                  | 0.009 .0083 | ----          | ----                     | ----              | ----                   | 23               | UNCH |  |                   |  |  |  |      |
| 4900    | ----                 | ----                      | ----               | ----                    | ----                       | 0.050 -                  | 0.009 .0085 | ----          | ----                     | ----              | ----                   | 170              | UNCH |  |                   |  |  |  |      |
| 4975    | ----                 | ----                      | ----               | ----                    | ----                       | 0.053 -                  | 0.010 .0092 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 5000    | 0.070                | 0.070                     | 0.070/0.050A       | 0.070/0.050A            | 0.070/0.050A               | 0.054 -                  | 0.011 .0094 | ----          | 17                       | ----              | ----                   | 973 +            | 15   |  |                   |  |  |  |      |
| 5025    | ----                 | ----                      | ----               | ----                    | ----                       | 0.055 -                  | 0.012 .0096 | ----          | ----                     | ----              | ----                   | 1                | UNCH |  |                   |  |  |  |      |
| 5050    | ----                 | ----                      | ----               | ----                    | ----                       | 0.057 -                  | 0.012 .0100 | ----          | ----                     | ----              | ----                   | 16               | UNCH |  |                   |  |  |  |      |
| 5075    | ----                 | ----                      | ----               | ----                    | ----                       | 0.058 -                  | 0.012 .0103 | ----          | ----                     | ----              | ----                   | 11               | UNCH |  |                   |  |  |  |      |
| 5100    | ----                 | ----                      | ----               | ----                    | ----                       | 0.059 -                  | 0.013 .0105 | ----          | ----                     | ----              | ----                   | 178              | UNCH |  |                   |  |  |  |      |
| 5150    | ----                 | ----                      | 0.079B/----        | 0.079B/*0.077A          | 0.079B/*0.077A             | 0.062 -                  | 0.014 .0112 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |                   |  |  |  |      |
| 5175    | ----                 | ----                      | 0.082B/----        | 0.082B/*0.079A          | 0.082B/*0.079A             | 0.064 -                  | 0.014 .0116 | ----          | ----                     | ----              | ----                   | 5                | UNCH |  |                   |  |  |  |      |
| 5200    | ----                 | ----                      | 0.085B/----        | 0.085B/*0.081A          | 0.085B/*0.081A             | 0.065 -                  | 0.016 .0118 | ----          | ----                     | ----              | ----                   | 109              | UNCH |  |                   |  |  |  |      |
| 5225    | ----                 | ----                      | 0.088B/*0.081A     | 0.088B/*0.081A          | 0.088B/*0.081A             | 0.067 -                  | 0.016 .0123 | ----          | ----                     | ----              | ----                   | 9                | UNCH |  |                   |  |  |  |      |
| 5250    | ----                 | ----                      | 0.091B/*0.082A     | 0.091B/*0.082A          | 0.091B/*0.082A             | 0.069 -                  | 0.017 .0127 | ----          | ----                     | ----              | ----                   | 225              | UNCH |  |                   |  |  |  |      |
| 5275    | ----                 | ----                      | 0.095B/*0.084A     | 0.095B/*0.084A          | 0.095B/*0.084A             | 0.071 -                  | 0.017 .0131 | ----          | ----                     | ----              | ----                   | 2                | UNCH |  |                   |  |  |  |      |
| 5300    | ----                 | ----                      | 0.098B/*0.086A     | 0.098B/*0.086A          | 0.098B/*0.086A             | 0.072 -                  | 0.019 .0134 | ----          | ----                     | ----              | ----                   | 124              | UNCH |  |                   |  |  |  |      |
| 5325    | ----                 | ----                      | 0.102B/*0.088A     | 0.102B/*0.088A          | 0.102B/*0.088A             | 0.075 -                  | 0.019 .0140 | ----          | ----                     | ----              | ----                   | 11               | UNCH |  |                   |  |  |  |      |
| 5350    | ----                 | ----                      | 0.106B/*0.091A     | 0.106B/*0.091A          | 0.106B/*0.091A             | 0.077 -                  | 0.020 .0145 | ----          | ----                     | ----              | ----                   | 26               | UNCH |  |                   |  |  |  |      |
| 5375    | ----                 | ----                      | 0.109B/*0.093A     | 0.109B/*0.093A          | 0.109B/*0.093A             | 0.079 -                  | 0.021 .0149 | ----          | ----                     | ----              | ----                   | 17               | UNCH |  |                   |  |  |  |      |
| 5400    | ----                 | ----                      | 0.113B/*0.095A     | 0.113B/*0.095A          | 0.113B/*0.095A             | 0.081 -                  | 0.022 .0154 | ----          | ----                     | ----              | ----                   | 76               | UNCH |  |                   |  |  |  |      |
| 5425    | ----                 | ----                      | 0.117B/*0.097A     | 0.117B/*0.097A          | 0.117B/*0.097A             | 0.084 -                  | 0.022 .0160 | ----          | ----                     | ----              | ----                   | 49               | UNCH |  |                   |  |  |  |      |
| 5450    | ----                 | ----                      | 0.122B/*0.101A     | 0.122B/*0.101A          | 0.122B/*0.101A             | 0.086 -                  | 0.024 .0165 | ----          | ----                     | ----              | ----                   | 38               | UNCH |  |                   |  |  |  |      |
| 5475    | ----                 | ----                      | 0.126B/*0.103A     | 0.126B/*0.103A          | 0.126B/*0.103A             | 0.089 -                  | 0.025 .0171 | ----          | ----                     | ----              | ----                   | 53               | UNCH |  |                   |  |  |  |      |
| 5500    | ----                 | ----                      | 0.130B/*0.107A     | 0.130B/*0.107A          | 0.130B/*0.107A             | 0.092 -                  | 0.025 .0178 | ----          | ----                     | ----              | ----                   | 1005             | UNCH |  |                   |  |  |  |      |
| 5525    | ----                 | ----                      | 0.135B/*0.110A     | 0.135B/*0.110A          | 0.135B/*0.110A             | 0.095 -                  | 0.027 .0184 | ----          | ----                     | ----              | ----                   | 87               | UNCH |  |                   |  |  |  |      |
| 5550    | ----                 | ----                      | 0.140B/*0.105A     | 0.140B/*0.105A          | 0.140B/*0.105A             | 0.098 -                  | 0.028 .0191 | ----          | ----                     | ----              | ----                   | 18               | UNCH |  |                   |  |  |  |      |
| 5575    | ----                 | ----                      | 0.148B/*0.109A     | 0.148B/*0.109A          | 0.148B/*0.109A             | 0.102 -                  | 0.028 .0199 | ----          | ----                     | ----              | ----                   | 4                | UNCH |  |                   |  |  |  |      |
| 5600    | ----                 | ----                      | 0.154B/*0.113A     | 0.154B/*0.113A          | 0.154B/*0.113A             | 0.105 -                  | 0.030 .0206 | ----          | ----                     | ----              | ----                   | 46               | UNCH |  |                   |  |  |  |      |
| 5625    | 0.160                | 0.160                     | 0.160/*0.116A      | 0.160/*0.116A           | 0.160/*0.116A              | 0.109 -                  | 0.031 .0214 | ----          | 7                        | ----              | ----                   | 30 +             | 6    |  |                   |  |  |  |      |
| 5650    | ----                 | ----                      | 0.165B/*0.121A     | 0.165B/*0.121A          | 0.165B/*0.121A             | 0.113 -                  | 0.033 .0223 | ----          | 1</                      |                   |                        |                  |      |  |                   |  |  |  |      |





| PG64   | BULLETIN #101@       |                           |                    |                         |                            |                           |         |               |                          |                   | METALS OPTION PRODUCTS |                  |      |      |   |  |  |  |  |  | Thu, May 28, 2026 |  |  |  | PG64 |  |  |
|--------|----------------------|---------------------------|--------------------|-------------------------|----------------------------|---------------------------|---------|---------------|--------------------------|-------------------|------------------------|------------------|------|------|---|--|--|--|--|--|-------------------|--|--|--|------|--|--|
|        | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETTL.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME          | OPEN<br>INTEREST |      |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| SO PUT | COMEX SILVER OPTIONS |                           |                    |                         |                            |                           |         |               |                          |                   |                        |                  |      |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| JUL26  |                      |                           |                    |                         |                            |                           |         |               |                          |                   |                        |                  |      |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 6825   | 1.404                | 1.404                     | 1.9608/0.983A      | 1.9608/0.983A           | ----                       | 1.009                     | - 0.245 | .1786         | ----                     | ----              | 2                      | ----             | 7    | UNCH |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 6850   | ----                 | ----                      | 2.0408/1.031A      | 2.0408/1.031A           | ----                       | 1.060                     | - 0.255 | .1861         | ----                     | ----              | ----                   | ----             | 17   | UNCH |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 6875   | 1.539                | 1.539                     | 2.1418/1.080A      | 2.1418/1.080A           | ----                       | 1.114                     | - 0.263 | .1938         | ----                     | ----              | 1                      | ----             | 113  | -    | 1 |  |  |  |  |  |                   |  |  |  |      |  |  |
| 6900   | 1.701                | 1.701                     | 2.2348/1.135A      | 2.2348/1.135A           | ----                       | 1.169                     | - 0.274 | .2016         | ----                     | 16                | ----                   | 159              | +    | 7    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 6925   | 1.686                | 1.686                     | 2.3158/1.191A      | 2.3158/1.191A           | ----                       | 1.228                     | - 0.282 | .2098         | ----                     | 1                 | ----                   | 46               | +    | 1    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 6950   | 1.892                | 1.892                     | 2.4028/1.250A      | 2.4028/1.250A           | ----                       | 1.288                     | - 0.292 | .2180         | ----                     | 2                 | ----                   | 120              | +    | 1    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 6975   | ----                 | ----                      | 2.5028/1.310A      | 2.5028/1.310A           | ----                       | 1.351                     | - 0.302 | .2265         | ----                     | 8                 | ----                   | 10               | +    | 7    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7000   | 1.882                | 1.882                     | 2.6158/1.370A      | 2.6158/1.370A           | ----                       | 1.417                     | - 0.312 | .2352         | ----                     | 55                | ----                   | 1082             | -    | 19   |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7025   | ----                 | ----                      | 2.7318/1.435A      | 2.7318/1.435A           | ----                       | 1.485                     | - 0.322 | .2440         | ----                     | ----              | ----                   | 210              | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7050   | 2.292                | 2.292                     | 2.8428/1.509A      | 2.8428/1.509A           | ----                       | 1.556                     | - 0.332 | .2531         | ----                     | 5                 | ----                   | 12               | +    | 3    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7075   | ----                 | ----                      | 2.9558/1.579A      | 2.9558/1.579A           | ----                       | 1.629                     | - 0.343 | .2623         | ----                     | ----              | ----                   | 7                | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7100   | 2.232                | 2.232                     | 2.9768/1.646A      | 2.9768/1.646A           | ----                       | 1.706                     | - 0.353 | .2717         | ----                     | 16                | ----                   | 74               | +    | 6    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7125   | ----                 | ----                      | 3.1948/1.729A      | 3.1948/1.729A           | ----                       | 1.785                     | - 0.363 | .2812         | ----                     | ----              | ----                   | 11               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7150   | ----                 | ----                      | 3.3118/1.801A      | 3.3118/1.801A           | ----                       | 1.867                     | - 0.374 | .2909         | ----                     | ----              | ----                   | 112              | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7175   | ----                 | ----                      | 3.4408/1.885A      | 3.4408/1.885A           | ----                       | 1.951                     | - 0.385 | .3007         | ----                     | ----              | ----                   | 33               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7200   | 2.425                | 2.425                     | 3.5628/1.953       | 3.5628/1.953            | ----                       | 2.039                     | - 0.395 | .3106         | ----                     | 18                | ----                   | 145              | +    | 5    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7225   | ----                 | ----                      | 3.6828/2.058A      | 3.6828/2.058A           | ----                       | 2.130                     | - 0.406 | .3207         | ----                     | ----              | ----                   | 4                | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7250   | 3.707                | 3.707                     | 3.8268/2.145A      | 3.8268/2.145A           | ----                       | 2.223                     | - 0.417 | .3309         | ----                     | 3                 | ----                   | 202              | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7275   | ----                 | ----                      | 3.9718/2.241A      | 3.9718/2.241A           | ----                       | 2.319                     | - 0.428 | .3411         | ----                     | ----              | ----                   | 3                | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7300   | 2.895                | 2.895                     | 4.1178/2.332A      | 4.1178/2.332A           | ----                       | 2.419                     | - 0.438 | .3515         | ----                     | 34                | ----                   | 75               | -    | 6    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7325   | ----                 | ----                      | 4.2648/2.434A      | 4.2648/2.434A           | ----                       | 2.521                     | - 0.449 | .3620         | ----                     | ----              | ----                   | 14               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7350   | 3.867                | 3.867                     | 4.4018/2.536A      | 4.4018/2.536A           | ----                       | 2.626                     | - 0.461 | .3725         | ----                     | 3                 | ----                   | 10               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7375   | 3.563                | 3.563                     | 4.5628/2.639A      | 4.5628/2.639A           | ----                       | 2.735                     | - 0.471 | .3831         | ----                     | 14                | ----                   | 120              | +    | 3    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7400   | 3.697                | 3.697                     | 4.7118/2.746A      | 4.7118/2.746A           | ----                       | 2.846                     | - 0.482 | .3937         | ----                     | 16                | ----                   | 136              | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7425   | 3.753                | 3.753                     | 4.8768/2.858A      | 4.8768/2.858A           | ----                       | 2.960                     | - 0.493 | .4043         | ----                     | 15                | ----                   | 27               | +    | 15   |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7450   | 3.952                | 3.952                     | 5.0288/2.967A      | 5.0288/2.967A           | ----                       | 3.078                     | - 0.504 | .4150         | ----                     | 6                 | ----                   | 98               | +    | 5    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7475   | 4.114                | 4.114                     | 5.1838/3.089A      | 5.1838/3.089A           | ----                       | 3.198                     | - 0.515 | .4257         | ----                     | 1                 | ----                   | 13               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7500   | 4.340                | 4.340                     | 5.2718/3.206A      | 5.2718/3.206A           | ----                       | 3.321                     | - 0.526 | .4364         | ----                     | 5                 | ----                   | 211              | +    | 1    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7525   | ----                 | ----                      | 5.2308/3.330A      | 5.2308/3.330A           | ----                       | 3.448                     | - 0.536 | .4471         | ----                     | ----              | ----                   | 26               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7550   | ----                 | ----                      | 5.0218/3.455A      | 5.0218/3.455A           | ----                       | 3.577                     | - 0.547 | .4578         | ----                     | 5                 | ----                   | 37               | +    | 5    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7575   | 3.754                | 3.754                     | 5.1928/3.582A      | 5.1928/3.582A           | ----                       | 3.709                     | - 0.558 | .4685         | ----                     | 14                | ----                   | 23               | +    | 14   |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7600   | 4.300                | 4.300                     | 5.3288/3.712A      | 5.3288/3.712A           | ----                       | 3.844                     | - 0.569 | .4791         | ----                     | 17                | ----                   | 44               | +    | 14   |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7625   | ----                 | ----                      | 5.4958/3.845A      | 5.4958/3.845A           | ----                       | 3.983                     | - 0.578 | .4896         | ----                     | ----              | ----                   | 40               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7650   | ----                 | ----                      | 5.6648/3.982A      | 5.6648/3.982A           | ----                       | 4.123                     | - 0.590 | .5001         | ----                     | ----              | ----                   | 67               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7675   | ----                 | ----                      | 5.8368/4.121A      | 5.8368/4.121A           | ----                       | 4.267                     | - 0.601 | .5106         | ----                     | ----              | ----                   | 37               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7700   | ----                 | ----                      | 6.0178/4.266A      | 6.0178/4.266A           | ----                       | 4.414                     | - 0.611 | .5209         | ----                     | 5                 | ----                   | 238              | +    | 5    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7725   | ----                 | ----                      | 6.1888/4.410A      | 6.1888/4.410A           | ----                       | 4.563                     | - 0.622 | .5312         | ----                     | ----              | ----                   | 35               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7750   | ----                 | ----                      | 6.3748/4.559A      | 6.3748/4.559A           | ----                       | 4.716                     | - 0.632 | .5414         | ----                     | ----              | ----                   | 24               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7775   | ----                 | ----                      | 6.5558/4.710A      | 6.5558/4.710A           | ----                       | 4.870                     | - 0.643 | .5514         | ----                     | ----              | ----                   | 5                | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7800   | 6.184                | 6.184                     | 6.7398/4.860A      | 6.7398/4.860A           | ----                       | 5.028                     | - 0.652 | .5614         | ----                     | 9                 | ----                   | 110              | +    | 6    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7825   | 5.005                | 5.005                     | 6.9268/5.005       | 6.9268/5.005            | ----                       | 5.188                     | - 0.663 | .5713         | ----                     | 2                 | ----                   | 27               | +    | 2    |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7850   | ----                 | ----                      | 7.1148/5.179A      | 7.1148/5.179A           | ----                       | 5.351                     | - 0.672 | .5810         | ----                     | ----              | ----                   | 35               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7875   | ----                 | ----                      | 7.3058/5.340A      | 7.3058/5.340A           | ----                       | 5.516                     | - 0.682 | .5906         | ----                     | ----              | ----                   | 26               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7900   | ----                 | ----                      | 7.4988/5.503A      | 7.4988/5.503A           | ----                       | 5.684                     | - 0.691 | .6000         | ----                     | ----              | ----                   | 28               | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7925   | ----                 | ----                      | 7.6938/5.668A      | 7.6938/5.668A           | ----                       | 5.854                     | - 0.701 | .6094         | ----                     | ----              | ----                   | 2                | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7950   | ----                 | ----                      | 7.8908/5.838A      | 7.8908/5.838A           | ----                       | 6.026                     | - 0.711 | .6186         | ----                     | ----              | ----                   | 4                | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 7975   | ----                 | ----                      | 8.0888/6.009A      | 8.0888/6.009A           | ----                       | 6.201                     | - 0.720 | .6276         | ----                     | ----              | ----                   | 5                | UNCH |      |   |  |  |  |  |  |                   |  |  |  |      |  |  |
| 8000   | 7.592                | 7.592                     | 8.4198/6.147       | 8.4198/6.147            | ----                       | 6.378                     | - 0.728 | .6365         | ----                     | 3                 | ----                   | 273              | -    | 2    |   |  |  |  |  |  |                   |  |  |  |      |  |  |

| PG64            | BULLETIN #101@       |              |                 |                    | METALS OPTION PRODUCTS |                 |                 |                          |       | Thu, May 28, 2026 |                          |                   |               | PG64             |
|-----------------|----------------------|--------------|-----------------|--------------------|------------------------|-----------------|-----------------|--------------------------|-------|-------------------|--------------------------|-------------------|---------------|------------------|
|                 | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW       | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES     | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
| SO PUT<br>AUG26 | COMEX SILVER OPTIONS |              |                 |                    |                        |                 |                 |                          |       |                   |                          |                   |               |                  |
| 5925            | ----                 | ----         | ----            | 0.8378/*0.559A     | 0.8378/*0.559A         | ----            | ----            | 0.542 - 0.102            | .0748 | ----              | ----                     | ----              | ----          | 6 UNCH           |
| 5950            | ----                 | ----         | ----            | 0.8918/*0.577A     | 0.8918/*0.577A         | ----            | ----            | 0.563 - 0.105            | .0774 | ----              | ----                     | ----              | ----          | 10 UNCH          |
| 6000            | ----                 | ----         | ----            | 0.9668/0.620A      | 0.9668/0.620A          | ----            | ----            | 0.607 - 0.111            | .0830 | ----              | ----                     | 3                 | ----          | 287 + 2          |
| 6025            | 0.806                | 0.806        | ----            | 1.0068/*0.645A     | 1.0068/*0.645A         | ----            | ----            | 0.630 - NEW              | .0858 | ----              | ----                     | 5                 | ----          | 4 + 4            |
| 6050            | 0.886                | 0.886        | ----            | 1.0278/*0.669A     | 1.0278/*0.669A         | ----            | ----            | 0.655 - 0.117            | .0889 | ----              | ----                     | 1                 | ----          | 25 UNCH          |
| 6100            | ----                 | ----         | ----            | 1.1348/*0.710A     | 1.1348/*0.710A         | ----            | ----            | 0.706 - 0.125            | .0951 | ----              | ----                     | 16                | ----          | 59 + 16          |
| 6125            | 0.852                | 0.852        | ----            | 1.1778/*0.738A     | 1.1778/*0.738A         | ----            | ----            | 0.734 - NEW              | .0985 | ----              | ----                     | 6                 | ----          | 5 + 5            |
| 6150            | 1.018                | 1.018        | ----            | 1.2258/0.765A      | 1.2258/0.765A          | ----            | ----            | 0.762 - 0.132            | .1018 | ----              | ----                     | 1                 | ----          | 28 - 1           |
| 6175            | ----                 | ----         | ----            | 1.2738/0.793A      | 1.2738/0.793A          | ----            | ----            | 0.792 - 0.135            | .1053 | ----              | ----                     | ----              | ----          | 12 UNCH          |
| 6200            | ----                 | ----         | ----            | 1.3228/0.825A      | 1.3228/0.825A          | ----            | ----            | 0.823 - 0.139            | .1089 | ----              | 5                        | ----              | ----          | 216 UNCH         |
| 6225            | ----                 | ----         | ----            | 1.3738/0.853A      | 1.3738/0.853A          | ----            | ----            | 0.855 - 0.142            | .1127 | ----              | ----                     | ----              | ----          | 10 UNCH          |
| 6250            | ----                 | ----         | ----            | 1.4268/0.887A      | 1.4268/0.887A          | ----            | ----            | 0.889 - 0.146            | .1165 | ----              | ----                     | ----              | ----          | 113 UNCH         |
| 6275            | 1.228                | 1.228        | ----            | 1.4808/0.920A      | 1.4808/0.920A          | ----            | ----            | 0.923 - 0.150            | .1204 | ----              | 1                        | ----              | ----          | 2 + 1            |
| 6300            | 1.360                | 1.360        | ----            | 1.5358/0.954A      | 1.5358/0.954A          | ----            | ----            | 0.959 - 0.154            | .1244 | ----              | 22                       | ----              | ----          | 152 + 14         |
| 6325            | 1.432                | 1.432        | ----            | 1.5948/0.991A      | 1.5948/0.991A          | ----            | ----            | 0.997 - 0.158            | .1286 | ----              | 1                        | ----              | ----          | 1 UNCH           |
| 6350            | 1.375                | 1.375        | ----            | 1.6538/1.028A      | 1.6538/1.028A          | ----            | ----            | 1.035 - 0.163            | .1328 | ----              | 1                        | ----              | ----          | 34 UNCH          |
| 6375            | 1.428                | 1.428        | ----            | 1.7158/1.066A      | 1.7158/1.066A          | ----            | ----            | 1.075 - NEW              | .1372 | ----              | 1                        | ----              | ----          | 1 + 1            |
| 6400            | 1.484                | 1.484        | ----            | 1.7778/1.106A      | 1.7778/1.106A          | ----            | ----            | 1.117 - 0.171            | .1417 | ----              | 3                        | ----              | ----          | 95 + 1           |
| 6425            | 1.652                | 1.652        | ----            | 1.8398/1.151A      | 1.8398/1.151A          | ----            | ----            | 1.160 - 0.176            | .1463 | ----              | 2                        | ----              | ----          | 7 + 1            |
| 6450            | 1.561                | 1.561        | ----            | 1.9078/1.192A      | 1.9078/1.192A          | ----            | ----            | 1.204 - 0.181            | .1509 | ----              | 2                        | ----              | ----          | 36 + 1           |
| 6475            | 1.620                | 1.620        | ----            | 1.9768/1.232A      | 1.9768/1.232A          | ----            | ----            | 1.250 - NEW              | .1557 | ----              | 1                        | ----              | ----          | 1 + 1            |
| 6500            | 1.836                | 1.836        | ----            | 2.0498/1.276A      | 2.0498/1.276A          | ----            | ----            | 1.297 - 0.192            | .1606 | ----              | 15                       | ----              | ----          | 194 - 11         |
| 6525            | ----                 | ----         | ----            | 2.1248/1.329A      | 2.1248/1.329A          | ----            | ----            | 1.346 - 0.197            | .1656 | ----              | ----                     | ----              | ----          | 2 UNCH           |
| 6550            | 1.399                | 1.399        | ----            | 2.1968/1.375A      | 2.1968/1.375A          | ----            | ----            | 1.396 - 0.203            | .1706 | ----              | 1                        | ----              | ----          | 1 - 1            |
| 6575            | 2.005                | 2.005        | ----            | 2.2728/1.430A      | 2.2728/1.430A          | ----            | ----            | 1.449 - 0.208            | .1759 | ----              | 40                       | ----              | ----          | 51 + 39          |
| 6600            | ----                 | ----         | ----            | 2.3558/1.478A      | 2.3558/1.478A          | ----            | ----            | 1.502 - 0.215            | .1811 | ----              | ----                     | ----              | ----          | 66 UNCH          |
| 6625            | 2.003                | 2.003        | ----            | 2.4348/1.540A      | 2.4348/1.540A          | ----            | ----            | 1.558 - 0.220            | .1866 | ----              | 1                        | ----              | ----          | 2 + 1            |
| 6650            | 1.812                | 1.812        | ----            | 2.5228/1.589A      | 2.5228/1.589A          | ----            | ----            | 1.615 - 0.227            | .1920 | ----              | 2                        | ----              | ----          | 10 + 1           |
| 6675            | ----                 | ----         | ----            | 2.6128/1.648A      | 2.6128/1.648A          | ----            | ----            | 1.675 - 0.232            | .1977 | ----              | ----                     | ----              | ----          | 1 UNCH           |
| 6700            | 2.434                | 2.434        | ----            | 2.7028/1.708A      | 2.7028/1.708A          | ----            | ----            | 1.736 - 0.239            | .2034 | ----              | 22                       | ----              | ----          | 25 + 18          |
| 6725            | 2.518                | 2.518        | ----            | 2.7918/1.771A      | 2.7918/1.771A          | ----            | ----            | 1.799 - 0.245            | .2092 | ----              | 5                        | ----              | ----          | 11 + 3           |
| 6750            | 2.605                | 2.605        | ----            | 2.8728/1.835A      | 2.8728/1.835A          | ----            | ----            | 1.864 - 0.251            | .2151 | ----              | 1                        | ----              | ----          | 7 + 1            |
| 6775            | 2.694                | 2.694        | ----            | 2.9798/1.907A      | 2.9798/1.907A          | ----            | ----            | 1.931 - 0.258            | .2211 | ----              | 1                        | ----              | ----          | 16 + 1           |
| 6800            | ----                 | ----         | ----            | 3.0808/1.969A      | 3.0808/1.969A          | ----            | ----            | 2.001 - 0.263            | .2273 | ----              | 90                       | ----              | ----          | 152 + 64         |
| 6825            | ----                 | ----         | ----            | 3.1308/2.038A      | 3.1308/2.038A          | ----            | ----            | 2.072 - 0.270            | .2335 | ----              | ----                     | ----              | ----          | 2 UNCH           |
| 6850            | ----                 | ----         | ----            | 3.2858/2.109A      | 3.2858/2.109A          | ----            | ----            | 2.145 - 0.276            | .2398 | ----              | ----                     | ----              | ----          | 10 UNCH          |
| 6875            | ----                 | ----         | ----            | 3.3848/2.182A      | 3.3848/2.182A          | ----            | ----            | 2.221 - 0.282            | .2462 | ----              | 2                        | ----              | 2 +           | 2                |
| 6900            | ----                 | ----         | ----            | 3.4738/2.257A      | 3.4738/2.257A          | ----            | ----            | 2.299 - 0.288            | .2526 | ----              | 2                        | ----              | 21 +          | 2                |
| 6950            | ----                 | ----         | ----            | 3.7068/2.419A      | 3.7068/2.419A          | ----            | ----            | 2.461 - 0.302            | .2658 | ----              | ----                     | ----              | ----          | 32 UNCH          |
| 6975            | ----                 | ----         | ----            | 3.8238/2.505A      | 3.8238/2.505A          | ----            | ----            | 2.545 - 0.308            | .2724 | ----              | ----                     | ----              | 5             | UNCH             |
| 7000            | 2.880                | 2.880        | ----            | 3.9308/2.586A      | 3.9308/2.586A          | ----            | ----            | 2.631 - 0.316            | .2792 | ----              | 125                      | ----              | 638 +         | 72               |
| 7050            | ----                 | ----         | ----            | 4.1698/2.760A      | 4.1698/2.760A          | ----            | ----            | 2.810 - 0.331            | .2928 | ----              | ----                     | ----              | 13            | UNCH             |
| 7075            | ----                 | ----         | ----            | 4.2828/2.852A      | 4.2828/2.852A          | ----            | ----            | 2.903 - 0.338            | .2997 | ----              | ----                     | ----              | 12            | UNCH             |
| 7100            | 3.948                | 3.948        | ----            | 4.4118/2.942A      | 4.4118/2.942A          | ----            | ----            | 2.998 - 0.346            | .3067 | ----              | 6                        | ----              | 24 +          | 6                |
| 7125            | ----                 | ----         | ----            | 4.5448/3.042A      | 4.5448/3.042A          | ----            | ----            | 3.095 - 0.355            | .3137 | ----              | ----                     | ----              | 20            | UNCH             |
| 7150            | ----                 | ----         | ----            | 4.6688/3.133A      | 4.6688/3.133A          | ----            | ----            | 3.194 - 0.364            | .3207 | ----              | ----                     | ----              | 5             | UNCH             |
| 7175            | ----                 | ----         | ----            | 4.8018/3.238A      | 4.8018/3.238A          | ----            | ----            | 3.296 - 0.372            | .3278 | ----              | ----                     | ----              | 10            | UNCH             |
| 7200            | ----                 | ----         | ----            | 4.9308/3.335A      | 4.9308/3.335A          | ----            | ----            | 3.399 - 0.382            | .3349 | ----              | ----                     | ----              | 101           | UNCH             |
| 7225            | ----                 | ----         | ----            | 5.0798/3.443A      | 5.0798/3.443A          | ----            | ----            | 3.505 - 0.391            | .3421 | ----              | ----                     | ----              | 11            | UNCH             |
| 7250            | ----                 | ----         | ----            | 5.2088/3.547A      | 5.2088/3.547A          | ----            | ----            | 3.614 - 0.400            | .3492 | ----              | ----                     | ----              | 9             | UNCH             |
| 7275            | ----                 | ----         | ----            | 5.3508/3.656A      | 5.3508/3.656A          | ----            | ----            | 3.725 - 0.408            | .3564 | ----              | ----                     | ----              | 10            | UNCH             |
| 7300            | 4.553                | 4.553        | ----            | 5.4948/3.763A      | 5.4948/3.763A          | ----            | ----            | 3.838 - 0.417            | .3636 | ----              | 1                        | ----              | 111           | UNCH             |
| 7325            | 5.212                | 5.212        | ----            | 5.6398/3.880A      | 5.6398/3.880A          | ----            | ----            | 3.954 - NEW              | .3709 | ----              | 1                        | ----              | 1 +           | 1                |
| 7350            | ----                 | ----         | ----            | 5.7828/3.987A      | 5.7828/3.987A          | ----            | ----            | 4.071 - 0.434            | .3781 | ----              | ----                     | ----              | 8             | UNCH             |
| 7400            | ----                 | ----         | ----            | 6.0798/4.225A      | 6.0798/4.225A          | ----            | ----            | 4.313 - 0.450            | .3926 | ----              | ----                     | ----              | 25            | UNCH             |
| 7425            | ----                 | ----         | ----            | 6.2318/4.350A      | 6.2318/4.350A          | ----            | ----            | 4.437 - 0.458            | .3998 | ----              | ----                     | ----              | 1             | UNCH             |
| 7450            | ----                 | ----         | ----            | 6.3888/4.473A      | 6.3888/4.473A          | ----            | ----            | 4.563 - 0.465            | .4070 | ----              | ----                     | ----              | 1             | UNCH             |
| 7475            | 5.516                | 5.516        | ----            | 6.5568/4.598A      | 6.5568/4.598A          | ----            | ----            | 4.690 - 0.473            | .4142 | ----              | 6                        | ----              | 6 +           | 5                |
| 7500            | 5.909                | 5.909        | ----            | 6.6968/4.721A      | 6.6968/4.721A          | ----            | ----            | 4.819 - 0.481            | .4214 | ----              | 1                        | ----              | 112           | UNCH             |
| 7525            | ----                 | ----         | ----            | 6.8578/4.855A      | 6.8578/4.855A          | ----            | ----            | 4.950 - 0.488            | .4286 | ----              | ----                     | ----              | 11            | UNCH             |
| 7550            | ----                 | ----         | ----            | 7.0138/4.986A      | 7.0138/4.986A          | ----            | ----            | 5.083 - 0.495            | .4357 | ----              | ----                     | ----              | 18            | UNCH             |
| 7575            | 6.524                | 6.524        | ----            | 7.1778/5.119A      | 7.1778/5.119A          | ----            | ----            | 5.218 - 0.502            | .4429 | ----              | 2                        | ----              | 2 +           | 1                |
| 7600            | ----                 | ----         | ----            | 7.3508/5.256A      | 7.3508/5.256A          | ----            | ----            | 5.355 - 0.510            | .4500 | ----              | ----                     | ----              | 6             | UNCH             |
| 7625            | ----                 | ----         | ----            | 7.5158/5.392A      | 7.5158/5.392A          | ----            | ----            | 5.494 - 0.518            | .4571 | ----              | ----                     | ----              | 1             | UNCH             |
| 7650            | ----                 | ----         | ----            | 7.6868/5.530A      | 7.6868/5.530A          | ----            | ----            | 5.635 - 0.527            | .4641 | ----              | ----                     | ----              | 16            | UNCH             |
| 7675            | ----                 | ----         | ----            | 7.8578/5.674A      | 7.8578/5.674A          | ----            | ----            | 5.779 - 0.535            | .4711 | ----              | ----                     | ----              | 44            | UNCH             |
| 7700            | 7.315                | 7.315        | ----            | 8.0298/5.817A      | 8.0298/5.817A          | ----            | ----            | 5.924 - 0.546            | .4781 | ----              | 2                        | ----              | 163 +         | 2                |
| 7725            | ----                 | ----         | ----            | 8.1998/5.962A      | 8.1998/5.962A          | ----            | ----            | 6.072 - 0.556            | .4850 | ----              | ----                     | ----              | 56            | UNCH             |
| 7750            | 7.316                | 7.316        | ----            | 8.1168/6.110A      | 8.1168/6.110A          | ----            | ----            | 6.222 - 0.564            | .4919 | ----              | 1                        | ----              | 1             | UNCH             |
| 7775            | 7.481                | 7.481        | ----            | 8.2978/6.260A      | 8.2978/6.260A          | ----            | ----            | 6.374 - 0.570            | .4988 | ----              | 1                        | ----              | 2             | UNCH             |
| 7800            | ----                 | ----         | ----            | 8.4808/6.411A      | 8.4808/6.411A          | ----            | ----            | 6.528 - 0.575            | .5055 | ----              | ----                     | ----              | 25            | UNCH             |
| 7825            | ----                 | ----         | ----            | 8.6578/6.566A      | 8.6578/6.566A          | ----            | ----            | 6.683 - 0.582            | .5123 | ----              | ----                     | ----              | 1             | UNCH             |
| 7850            | ----                 | ----         | ----            | 8.6508/6.718A      | 8.6508/6.718A          | ----            | ----            | 6.840 - 0.589            | .5189 | ----              | ----                     | ----              | 18            | UNCH             |
| 7875            | 7.050                | 7.050        | ----            | 8.6688/6.877A      | 8.6688/6.877A          | ----            | ----            | 6.999 - NEW              | .5256 | ----              | 1                        | ----              | 1 +           | 1                |
| 7900            | ----                 | ----         | ----            | 8.6768/7.027A      | 8.6768/7.027A          | ----            | ----            | 7.160 - 0.603            | .5321 | ----              | ----                     | ----              | 9             | UNCH             |
| 7925            | ----                 | ----         | ----            | 8.6618/7.182A      | 8.6618/7.182A          | ----            | ----            | 7.322 - 0.611            | .5386 | ----              | ----                     | ----              | 2             | UNCH             |
| 7950            | ----                 | ----         | ----            | 9.0328/7.348A      | 9.0328/7.348A          | ----            | ----            | 7.486 - 0.619            | .5451 | ----              | ----                     | ----              | 61            | UNCH             |
| 7975            | ----                 | ----         | ----            | 9.0088/7.507A      | 9.0088/7.507A          | ----            | ----            | 7.652 - 0.627            | .5514 | ----              | ----                     | ----              | 2             | UNCH             |
| 8000            | ----                 | ----         | ----            | 9.3908/7.674A      | 9.3908/7.674A          | ----            | ----            | 7.819 - 0.636            | .5578 | ----              | ----                     | ----              | 296           | UNCH             |
| 8025            | ----                 | ----         | ----            | 9.9928/7.844A      | 9.9928/7.844A          | ----            | ----            | 7.988 - 0.643            | .5640 | ----              | ----                     | ----              | 1             | UNCH             |
| 8100            | ----                 | ----         | ----            | 10.1598/8.352A     | 10.1598/8.352A         | ----            | ----            | 8.506 - 0.664            | .5823 | ----              | ----                     | ----              | 10            | UNCH             |
| 8125            | ----                 | ----         | ----            | 10.1178/8.521A     | 10.1178/8.521A         | ----            | ----            | 8.682 - 0.670            | .5883 | ----              | ----                     | ----              | 1             | UNCH             |
| 8150            | ----                 | ----         | ----            | 10.5388/8.703A     | 10.5388/8.703A         | ----            | ----            | 8.859 - 0.676            | .5942 | ----              | ----                     | ----              | 14            | UNCH             |
| 8175            | ----                 | ----         | ----            | 10.5588/8.879A     | 10.5588/8.879A         | ----            | ----            | 9.038 - 0.681            | .6000 | ----              | ----                     | ----              | 1             | UNCH             |
| 8200            | ----                 | ----         | ----            | 10.9288/9.056A     | 10.9288/9.056A         | ----            | ----            | 9.218 - 0.687            | .6058 | ----              | ----                     | ----              | 10            | UNCH             |
| 8225            | ----                 | ----         | ----            | 10.8868/9.382A     | 10.8868/9.382A         | ----            | ----            | 9.400 - 0.692            | .6115 | ----              | ----                     | ----              | 4             | UNCH             |
| 8250            | ----                 | ----         | ----            | 11.3168/9.546A     | 11.3168/9.546A         | ----            | ----            | 9.583 - 0.697            | .6171 | ----              | ----                     | ----              | 10            | UNCH             |
| 8275            | ----                 | ----         | ----            | 11.2738/9.618A     | 11.2738/9.618A         | ----            | ----            | 9.767 - 0.703            | .6227 | ----              | ----                     | ----              | 5             | UNCH             |

| BULLETIN #101@ |                      |              |                 | METALS OPTION PRODUCTS |                  |                 |                 |                          |         |               | Thu, May 28, 2026        |                   |               |                  | PG64 |
|----------------|----------------------|--------------|-----------------|------------------------|------------------|-----------------|-----------------|--------------------------|---------|---------------|--------------------------|-------------------|---------------|------------------|------|
|                | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA   | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| SO PUT         | COMEX SILVER OPTIONS |              |                 |                        |                  |                 |                 |                          |         |               |                          |                   |               |                  |      |
| SEP26          |                      |              |                 |                        |                  |                 |                 |                          |         |               |                          |                   |               |                  |      |
| 6050           | ----                 | ----         | ----            | 1.357B/----            | 1.357B/1.385A    | ----            | ----            | 1.145 -                  | 0.136   | .1216         | ----                     | ----              | ----          | 15 UNCH          |      |
| 6200           | ----                 | ----         | ----            | 1.582B/----            | 1.582B/1.569A    | ----            | ----            | 1.387 -                  | 0.157   | .1433         | ----                     | ----              | ----          | 40 UNCH          |      |
| 6300           | ----                 | ----         | ----            | 1.811B/1.609A          | 1.811B/1.609A    | ----            | ----            | 1.575 -                  | 0.177   | .1594         | ----                     | ----              | ----          | 5 UNCH           |      |
| 6400           | ----                 | ----         | ----            | 2.103B/----            | 2.103B/2.000A    | ----            | ----            | 1.787 -                  | 0.201   | .1767         | ----                     | ----              | ----          | 4 UNCH           |      |
| 6425           | ----                 | ----         | ----            | 2.138B/----            | 2.138B/2.059A    | ----            | ----            | 1.844 -                  | 0.206   | .1813         | ----                     | ----              | ----          | 3 UNCH           |      |
| 6450           | ----                 | ----         | ----            | 2.208B/----            | 2.208B/2.120A    | ----            | ----            | 1.902 -                  | 0.213   | .1859         | ----                     | ----              | ----          | 1 UNCH           |      |
| 6500           | ----                 | ----         | ----            | 2.600B/----            | 2.600B/2.249A    | ----            | ----            | 2.024 -                  | 0.225   | .1953         | ----                     | ----              | ----          | 152 UNCH         |      |
| 6550           | ----                 | ----         | ----            | 2.543B/2.383A          | 2.543B/2.383A    | ----            | ----            | 2.153 -                  | 0.236   | .2050         | ----                     | ----              | ----          | 15 UNCH          |      |
| 6700           | ----                 | ----         | ----            | 3.147B/2.824A          | 3.147B/2.824A    | ----            | ----            | 2.583 -                  | 0.268   | .2358         | ----                     | ----              | ----          | 5 UNCH           |      |
| 6750           | 3.777                | 3.777        | 3.777/2.986A    | 3.777/2.986A           | 3.777/2.986A     | ----            | ----            | 2.741 -                  | NEW     | .2465         | ----                     | 1                 | 1             | 1 +              |      |
| 6800           | 3.695                | 3.695        | 3.695/3.158A    | 3.695/3.158A           | 3.695/3.158A     | ----            | ----            | 2.907 -                  | 0.289   | .2574         | ----                     | 1                 | 1             | 12 +             |      |
| 6850           | ----                 | ----         | ----            | 3.734B/3.336A          | 3.734B/3.336A    | ----            | ----            | 3.079 -                  | 0.302   | .2685         | ----                     | ----              | ----          | 2 UNCH           |      |
| 6900           | ----                 | ----         | ----            | 4.016B/3.507A          | 4.016B/3.507A    | ----            | ----            | 3.260 -                  | 0.314   | .2798         | ----                     | ----              | ----          | 24 UNCH          |      |
| 7000           | 3.950                | 3.950        | 4.950/3.900A    | 4.950/3.900A           | 4.950/3.900A     | ----            | ----            | 3.643 -                  | 0.345   | .3028         | ----                     | 4                 | 139           | 139 UNCH         |      |
| 7025           | ----                 | ----         | ----            | 4.557B/4.005A          | 4.557B/4.005A    | ----            | ----            | 3.743 -                  | 0.354   | .3086         | ----                     | ----              | ----          | 1 UNCH           |      |
| 7100           | ----                 | ----         | ----            | 4.986B/4.315A          | 4.986B/4.315A    | ----            | ----            | 4.057 -                  | 0.380   | .3262         | ----                     | ----              | ----          | 18 UNCH          |      |
| 7125           | ----                 | ----         | ----            | 5.055B/4.433A          | 5.055B/4.433A    | ----            | ----            | 4.165 -                  | 0.390   | .3322         | ----                     | ----              | ----          | 25 UNCH          |      |
| 7175           | ----                 | ----         | ----            | 5.318B/4.658A          | 5.318B/4.658A    | ----            | ----            | 4.388 -                  | 0.409   | .3440         | ----                     | ----              | ----          | 20 UNCH          |      |
| 7200           | ----                 | ----         | ----            | 5.580B/4.776A          | 5.580B/4.776A    | ----            | ----            | 4.503 -                  | 0.417   | .3500         | ----                     | ----              | ----          | 77 UNCH          |      |
| 7300           | ----                 | ----         | ----            | 6.147B/5.263A          | 6.147B/5.263A    | ----            | ----            | 4.982 -                  | 0.451   | .3738         | ----                     | ----              | ----          | 171 UNCH         |      |
| 7400           | ----                 | ----         | ----            | 6.683B/5.770A          | 6.683B/5.770A    | ----            | ----            | 5.495 -                  | 0.480   | .3975         | ----                     | ----              | ----          | 26 UNCH          |      |
| 7500           | ----                 | ----         | ----            | 7.297B/6.316A          | 7.297B/6.316A    | ----            | ----            | 6.039 -                  | 0.504   | .4211         | ----                     | ----              | ----          | 17 UNCH          |      |
| 7550           | ----                 | ----         | ----            | 7.551B/6.588A          | 7.551B/6.588A    | ----            | ----            | 6.323 -                  | 0.514   | .4327         | ----                     | ----              | ----          | 44 UNCH          |      |
| 7600           | ----                 | ----         | ----            | 7.955B/6.879A          | 7.955B/6.879A    | ----            | ----            | 6.613 -                  | 0.525   | .4442         | ----                     | 3                 | 26            | UNCH             |      |
| 7650           | ----                 | ----         | ----            | 8.225B/7.173A          | 8.225B/7.173A    | ----            | ----            | 6.910 -                  | NEW     | .4556         | ----                     | 5                 | 5             | 5 +              |      |
| 7700           | ----                 | ----         | ----            | 8.626B/7.469A          | 8.626B/7.469A    | ----            | ----            | 7.213 -                  | 0.544   | .4668         | ----                     | ----              | 9             | UNCH             |      |
| 7775           | ----                 | ----         | ----            | 9.093B/7.934A          | 9.093B/7.934A    | ----            | ----            | 7.678 -                  | 0.559   | .4834         | ----                     | ----              | 5             | UNCH             |      |
| 7800           | ----                 | ----         | ----            | 9.252B/8.088A          | 9.252B/8.088A    | ----            | ----            | 7.836 -                  | 0.563   | .4888         | ----                     | ----              | 26            | UNCH             |      |
| 7900           | ----                 | ----         | ----            | 9.521B/8.737A          | 9.521B/8.737A    | ----            | ----            | 8.481 -                  | 0.583   | .5102         | ----                     | ----              | 1             | UNCH             |      |
| 8000           | ----                 | ----         | ----            | 10.250B/9.398A         | 10.250B/9.398A   | ----            | ----            | 9.145 -                  | 0.605   | .5309         | ----                     | ----              | 93            | UNCH             |      |
| 8100           | ----                 | ----         | ----            | 10.947B/10.092A        | 10.947B/10.092A  | ----            | ----            | 9.828 -                  | 0.627   | .5509         | ----                     | ----              | 1             | UNCH             |      |
| 8200           | ----                 | ----         | ----            | 11.698B/10.791A        | 11.698B/10.791A  | ----            | ----            | 10.529 -                 | 0.649   | .5702         | ----                     | ----              | 1             | UNCH             |      |
| 8300           | ----                 | ----         | ----            | 12.443B/11.525A        | 12.443B/11.525A  | ----            | ----            | 11.248 -                 | 0.671   | .5889         | ----                     | ----              | 1             | UNCH             |      |
| 8400           | ----                 | ----         | ----            | 13.216B/12.272A        | 13.216B/12.272A  | ----            | ----            | 11.983 -                 | 0.693   | .6068         | ----                     | ----              | 42            | UNCH             |      |
| 8500           | ----                 | ----         | ----            | 14.034B/13.041A        | 14.034B/13.041A  | ----            | ----            | 12.735 -                 | 0.712   | .6240         | ----                     | ----              | 228           | UNCH             |      |
| 8700           | ----                 | ----         | ----            | 15.624B/14.600A        | 15.624B/14.600A  | ----            | ----            | 14.283 -                 | 0.746   | .6562         | ----                     | ----              | 101           | UNCH             |      |
| 9000           | ----                 | ----         | ----            | 18.145B/17.052A        | 18.145B/17.052A  | ----            | ----            | 16.708 -                 | 0.783   | .6990         | ----                     | ----              | 74            | UNCH             |      |
| 9300           | ----                 | ----         | ----            | 20.737B/19.597A        | 20.737B/19.597A  | ----            | ----            | 19.236 -                 | 0.810   | .7359         | ----                     | ----              | 1             | UNCH             |      |
| 9400           | ----                 | ----         | ----            | 21.623B/20.464A        | 21.623B/20.464A  | ----            | ----            | 20.098 -                 | 0.818   | .7469         | ----                     | ----              | 15            | UNCH             |      |
| 10150          | ----                 | ----         | ----            | ----                   | 20.724B/33.824A  | ----            | ----            | 26.791 -                 | 0.875   | .8138         | ----                     | ----              | 1             | UNCH             |      |
| 10300          | ----                 | ----         | ----            | ----                   | 22.131B/35.313A  | ----            | ----            | 28.168 -                 | 0.884   | .8243         | ----                     | ----              | 1             | UNCH             |      |
| 11000          | ----                 | ----         | ----            | ----                   | 28.882B/42.496A  | ----            | ----            | 34.703 -                 | NEW     | .8645         | ----                     | 1                 | 1             | 1 +              |      |
| TOTAL          |                      |              |                 |                        |                  |                 |                 |                          |         |               |                          | 39                | 0             | 3072 + 23        |      |
| OCT26          |                      |              |                 |                        |                  |                 |                 |                          |         |               |                          |                   |               |                  |      |
| 2675           | ----                 | ----         | ----            | ----                   | 0.001B/2.470A    | ----            | ----            | 0.061 -                  | 0.005   | .0047         | ----                     | ----              | ----          | 8 UNCH           |      |
| 3250           | ----                 | ----         | ----            | ----                   | 0.001B/0.500A    | ----            | ----            | 0.100 -                  | 0.010   | .0084         | ----                     | ----              | ----          | 1 UNCH           |      |
| 4000           | ----                 | ----         | ----            | ----                   | 0.078B/*0.228A   | ----            | ----            | 0.177 -                  | 0.018   | .0165         | ----                     | ----              | ----          | 3 UNCH           |      |
| 4500           | ----                 | ----         | ----            | ----                   | 0.194B/*0.337A   | ----            | ----            | 0.268 -                  | 0.029   | .0263         | ----                     | ----              | ----          | 3 UNCH           |      |
| 5000           | ----                 | ----         | ----            | ----                   | 0.423B/*0.533A   | ----            | ----            | 0.442 -                  | 0.046   | .0441         | ----                     | ----              | ----          | 6 UNCH           |      |
| 5050           | ----                 | ----         | ----            | ----                   | 0.456B/*0.560A   | ----            | ----            | 0.466 -                  | 0.049   | .0465         | ----                     | ----              | ----          | 1 UNCH           |      |
| 5150           | ----                 | ----         | ----            | ----                   | 0.528B/*0.617A   | ----            | ----            | 0.520 -                  | 0.054   | .0518         | ----                     | ----              | 5             | UNCH             |      |
| 6300           | 2.041                | 2.041        | 2.528B/*2.035A  | 2.528B/2.035A          | 2.528B/2.035A    | ----            | ----            | 2.045 -                  | 0.201   | .1728         | ----                     | 6                 | 9             | 6 +              |      |
| 6500           | ----                 | ----         | 3.153B/*2.538A  | 3.153B/2.538A          | 3.153B/2.538A    | ----            | ----            | 2.551 -                  | 0.274   | .2058         | ----                     | ----              | 174           | UNCH             |      |
| 6625           | ----                 | ----         | 3.580B/*2.901A  | 3.580B/*2.901A         | 3.580B/*2.901A   | ----            | ----            | 2.915 -                  | 0.338   | .2281         | ----                     | ----              | 1             | UNCH             |      |
| 6700           | ----                 | ----         | 3.880B/3.134A   | 3.880B/3.134A          | 3.880B/3.134A    | ----            | ----            | 3.153 -                  | 0.378   | .2420         | ----                     | ----              | 1             | UNCH             |      |
| 6725           | ----                 | ----         | 3.965B/*3.215A  | 3.965B/3.215A          | 3.965B/3.215A    | ----            | ----            | 3.236 -                  | 0.391   | .2467         | ----                     | ----              | 1             | UNCH             |      |
| 6750           | ----                 | ----         | 4.080B/3.300A   | 4.080B/3.300A          | 4.080B/3.300A    | ----            | ----            | 3.320 -                  | 0.404   | .2514         | ----                     | ----              | 1             | UNCH             |      |
| 6800           | ----                 | ----         | 4.289B/3.468A   | 4.289B/3.468A          | 4.289B/3.468A    | ----            | ----            | 3.494 -                  | 0.427   | .2610         | ----                     | ----              | 2             | UNCH             |      |
| 6850           | ----                 | ----         | 4.502B/3.649A   | 4.502B/3.649A          | 4.502B/3.649A    | ----            | ----            | 3.674 -                  | 0.448   | .2707         | ----                     | ----              | 1             | UNCH             |      |
| 7000           | ----                 | ----         | 5.188B/4.223A   | 5.188B/4.223A          | 5.188B/4.223A    | ----            | ----            | 4.257 -                  | 0.485   | .3005         | ----                     | ----              | 89            | UNCH             |      |
| 7025           | ----                 | ----         | 5.287B/*4.326A  | 5.287B/4.326A          | 5.287B/4.326A    | ----            | ----            | 4.361 -                  | 0.486   | .3056         | ----                     | ----              | 1             | UNCH             |      |
| 7050           | ----                 | ----         | 5.424B/4.427A   | 5.424B/4.427A          | 5.424B/4.427A    | ----            | ----            | 4.466 -                  | 0.487   | .3107         | ----                     | ----              | 1             | UNCH             |      |
| 7225           | ----                 | ----         | 6.295B/5.209A   | 6.295B/5.209A          | 6.295B/5.209A    | ----            | ----            | 5.253 -                  | 0.477   | .3464         | ----                     | ----              | 87            | UNCH             |      |
| 7300           | ----                 | ----         | 6.737B/5.571A   | 6.737B/5.571A          | 6.737B/5.571A    | ----            | ----            | 5.618 -                  | 0.472   | .3618         | ----                     | ----              | 8             | UNCH             |      |
| 7350           | 5.803                | 5.803        | 7.017B/5.803    | 7.017B/5.803           | 7.017B/5.803     | ----            | ----            | 5.869 -                  | NEW     | .3721         | ----                     | 1                 | 1             | 1 +              |      |
| 7500           | ----                 | ----         | 7.891B/6.604A   | 7.891B/6.604A          | 7.891B/6.604A    | ----            | ----            | 6.667 -                  | 0.493   | .4026         | ----                     | ----              | 28            | UNCH             |      |
| 7600           | ----                 | ----         | 8.494B/7.154A   | 8.494B/7.154A          | 8.494B/7.154A    | ----            | ----            | 7.228 -                  | 0.522   | .4227         | ----                     | ----              | 13            | UNCH             |      |
| 7700           | ----                 | ----         | 9.144B/7.728A   | 9.144B/7.728A          | 9.144B/7.728A    | ----            | ----            | 7.809 -                  | 0.551   | .4424         | ----                     | ----              | 1             | UNCH             |      |
| 7950           | ----                 | ----         | 10.825B/9.264A  | 10.825B/9.264A         | 10.825B/9.264A   | ----            | ----            | 9.344 -                  | 0.635</ |               |                          |                   |               |                  |      |



|        | BULLETIN #101@       |              |                 |                    |                  |                 |               |                 |                          |       | METALS OPTION PRODUCTS |                          |                   |               |      |      |      |                  |      |  | Thu, May 28, 2026 |  |  |  | PG64 |
|--------|----------------------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|------------------------|--------------------------|-------------------|---------------|------|------|------|------------------|------|--|-------------------|--|--|--|------|
|        | GLOBEX<br>OPEN       | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES          | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME |      |      |      | OPEN<br>INTEREST |      |  |                   |  |  |  |      |
| SO PUT | COMEX SILVER OPTIONS |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |      |      |      |                  |      |  |                   |  |  |  |      |
| DEC26  |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |      |      |      |                  |      |  |                   |  |  |  |      |
| 7100   | ----                 | ----         | ----            | ----               | 6.612B/6.773A    | ----            | 6.202         | - 0.457         | .3329                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 2                | UNCH |  |                   |  |  |  |      |
| 7200   | ----                 | ----         | ----            | ----               | 7.140B/7.270A    | ----            | 6.697         | - 0.471         | .3498                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 14               | UNCH |  |                   |  |  |  |      |
| 7250   | ----                 | ----         | ----            | ----               | 7.413B/7.527A    | ----            | 6.953         | - 0.478         | .3583                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 48               | UNCH |  |                   |  |  |  |      |
| 7500   | ----                 | ----         | 8.853B/----     | 8.853B/8.889A      | 8.853B/8.889A    | ----            | 8.314         | - 0.519         | .4000                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 22               | UNCH |  |                   |  |  |  |      |
| 7550   | ----                 | ----         | 9.157B/----     | 9.157B/9.176A      | 9.157B/9.176A    | ----            | 8.602         | - 0.528         | .4082                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 7800   | ----                 | ----         | 10.748B/10.675A | 10.748B/10.675A    | 10.748B/10.675A  | ----            | 10.109        | - 0.583         | .4483                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 20               | UNCH |  |                   |  |  |  |      |
| 7850   | ----                 | ----         | 11.079B/10.980A | 11.079B/10.980A    | 11.079B/10.980A  | ----            | 10.424        | - 0.595         | .4560                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 10               | UNCH |  |                   |  |  |  |      |
| 7875   | ----                 | ----         | 11.247B/11.145A | 11.247B/11.145A    | 11.247B/11.145A  | ----            | 10.583        | - 0.601         | .4598                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 7900   | ----                 | ----         | 11.415B/11.300A | 11.415B/11.300A    | 11.415B/11.300A  | ----            | 10.743        | - 0.606         | .4637                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 19               | UNCH |  |                   |  |  |  |      |
| 8000   | ----                 | ----         | 12.097B/11.952A | 12.097B/11.952A    | 12.097B/11.952A  | ----            | 11.394        | - 0.628         | .4787                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 58               | UNCH |  |                   |  |  |  |      |
| 8100   | ----                 | ----         | 12.795B/12.630A | 12.795B/12.630A    | 12.795B/12.630A  | ----            | 12.061        | - 0.649         | .4933                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 8200   | ----                 | ----         | 13.505B/13.317A | 13.505B/13.317A    | 13.505B/13.317A  | ----            | 12.742        | - 0.670         | .5076                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 35               | UNCH |  |                   |  |  |  |      |
| 8350   | ----                 | ----         | 14.599B/14.365A | 14.599B/14.365A    | 14.599B/14.365A  | ----            | 13.790        | - 0.697         | .5283                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 9                | UNCH |  |                   |  |  |  |      |
| 8400   | ----                 | ----         | 14.958B/14.728A | 14.958B/14.728A    | 14.958B/14.728A  | ----            | 14.146        | - 0.706         | .5350                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 50               | UNCH |  |                   |  |  |  |      |
| 8500   | ----                 | ----         | 15.718B/15.448A | 15.718B/15.448A    | 15.718B/15.448A  | ----            | 14.868        | - 0.721         | .5481                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 166              | UNCH |  |                   |  |  |  |      |
| 8550   | ----                 | ----         | 16.101B/15.823A | 16.101B/15.823A    | 16.101B/15.823A  | ----            | 15.234        | - 0.728         | .5545                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 25               | UNCH |  |                   |  |  |  |      |
| 8600   | ----                 | ----         | 16.495B/16.195A | 16.495B/16.195A    | 16.495B/16.195A  | ----            | 15.602        | - 0.736         | .5608                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 2                | UNCH |  |                   |  |  |  |      |
| 8800   | ----                 | ----         | 18.041B/17.685A | 18.041B/17.685A    | 18.041B/17.685A  | ----            | 17.105        | - 0.761         | .5850                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 12               | UNCH |  |                   |  |  |  |      |
| 8900   | ----                 | ----         | 18.837B/18.456A | 18.837B/18.456A    | 18.837B/18.456A  | ----            | 17.873        | - 0.772         | .5966                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 30               | UNCH |  |                   |  |  |  |      |
| 9000   | ----                 | ----         | 19.643B/19.257A | 19.643B/19.257A    | 19.643B/19.257A  | ----            | 18.651        | - 0.782         | .6078                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 3                | UNCH |  |                   |  |  |  |      |
| 9050   | ----                 | ----         | 20.050B/19.631A | 20.050B/19.631A    | 20.050B/19.631A  | ----            | 19.043        | - 0.787         | .6132                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 100              | UNCH |  |                   |  |  |  |      |
| 9500   | ----                 | ----         | 23.737B/23.282A | 23.737B/23.282A    | 23.737B/23.282A  | ----            | 22.676        | - 0.821         | .6583                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 2                | UNCH |  |                   |  |  |  |      |
| 9850   | ----                 | ----         | 26.726B/26.220A | 26.726B/26.220A    | 26.726B/26.220A  | ----            | 25.608        | - 0.841         | .6888                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 8                | UNCH |  |                   |  |  |  |      |
| 9950   | ----                 | ----         | 27.592B/27.088A | 27.592B/27.088A    | 27.592B/27.088A  | ----            | 26.461        | - 0.846         | .6969                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 10025  | ----                 | ----         | 28.247B/27.725A | 28.247B/27.725A    | 28.247B/27.725A  | ----            | 27.104        | - 0.850         | .7027                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 3                | UNCH |  |                   |  |  |  |      |
| 10125  | ----                 | ----         | 29.123B/28.574A | 29.123B/28.574A    | 29.123B/28.574A  | ----            | 27.966        | - 0.855         | .7103                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 10700  | ----                 | ----         | 34.246B/33.653A | 34.246B/33.653A    | 34.246B/33.653A  | ----            | 33.024        | - 0.879         | .7491                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 5                | UNCH |  |                   |  |  |  |      |
| 10800  | ----                 | ----         | 35.150B/34.530A | 35.150B/34.530A    | 35.150B/34.530A  | ----            | 33.918        | - 0.883         | .7551                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 2                | UNCH |  |                   |  |  |  |      |
| 11000  | ----                 | ----         | 36.969B/36.345A | 36.969B/36.345A    | 36.969B/36.345A  | ----            | 35.718        | - 0.892         | .7665                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 2                | UNCH |  |                   |  |  |  |      |
| 11500  | ----                 | ----         | ----/40.898A    | 39.995B/40.898A    | 39.995B/40.898A  | ----            | 40.276        | - 0.912         | .7918                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 12000  | ----                 | ----         | ----            | 27.610B/62.014A    | 27.610B/62.014A  | ----            | 44.903        | - 0.931         | .8134                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 12100  | ----                 | ----         | ----            | 28.611B/62.634A    | 28.611B/62.634A  | ----            | 45.835        | - 0.935         | .8173                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 12300  | ----                 | ----         | ----            | 30.099B/64.564A    | 30.099B/64.564A  | ----            | 47.706        | - 0.941         | .8248                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 15000  | ----                 | ----         | ----            | 58.656B/90.599A    | 58.656B/90.599A  | ----            | 73.523        | - 0.970         | .8944                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 19000  | ----                 | ----         | ----            | 91.956B/129.958A   | 91.956B/129.958A | ----            | 112.813       | - 0.983         | .9422                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| TOTAL  |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          | 1                 | 0             |      |      | 3867 | 0                |      |  |                   |  |  |  |      |
| JAN27  |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |      |      |      |                  |      |  |                   |  |  |  |      |
| 3800   | ----                 | ----         | ----            | ----               | 0.120B/0.461A    | ----            | 0.276         | - 0.035         | .0209                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 6500   | ----                 | ----         | ----            | ----               | 4.153B/4.789A    | ----            | 4.150         | - 0.335         | .2336                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 2                | UNCH |  |                   |  |  |  |      |
| 6925   | ----                 | ----         | ----            | ----               | 6.025B/6.518A    | ----            | 5.839         | - 0.422         | .2975                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 24               | UNCH |  |                   |  |  |  |      |
| 7000   | ----                 | ----         | ----            | ----               | 6.389B/6.863A    | ----            | 6.176         | - 0.438         | .3090                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 35               | UNCH |  |                   |  |  |  |      |
| 7100   | ----                 | ----         | ----            | ----               | 6.848B/7.344A    | ----            | 6.643         | - 0.462         | .3245                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 20               | UNCH |  |                   |  |  |  |      |
| 7125   | ----                 | ----         | ----            | ----               | 6.977B/7.466A    | ----            | 6.763         | - 0.468         | .3284                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 8600   | ----                 | ----         | ----            | ----/16.620A       | 16.640B/16.620A  | ----            | 15.863        | - 0.782         | .5361                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 8850   | ----                 | ----         | 18.610B/18.474A | 18.610B/18.474A    | 18.610B/18.474A  | ----            | 17.716        | - 0.803         | .5646                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 9                | UNCH |  |                   |  |  |  |      |
| TOTAL  |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   | 0             |      |      | 93   | 0                |      |  |                   |  |  |  |      |
| FEB27  |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |      |      |      |                  |      |  |                   |  |  |  |      |
| 6500   | ----                 | ----         | ----            | ----               | 4.685B/5.330A    | ----            | 4.624         | - 0.400         | .2404                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 8150   | ----                 | ----         | ----            | ----               | 13.961B/14.176A  | ----            | 13.386        | - 0.673         | .4721                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 10               | UNCH |  |                   |  |  |  |      |
| 8225   | ----                 | ----         | ----            | ----               | 14.446B/14.682A  | ----            | 13.893        | - 0.685         | .4814                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 10               | UNCH |  |                   |  |  |  |      |
| 8250   | ----                 | ----         | ----            | ----               | 14.670B/14.853A  | ----            | 14.064        | - 0.689         | .4845                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 10               | UNCH |  |                   |  |  |  |      |
| TOTAL  |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   | 0             |      |      | 31   | 0                |      |  |                   |  |  |  |      |
| MAR27  |                      |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |      |      |      |                  |      |  |                   |  |  |  |      |
| 5500   | ----                 | ----         | ----            | ----               | 2.141B/2.810A    | ----            | 2.210         | - 0.234         | .1283                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 1                | UNCH |  |                   |  |  |  |      |
| 6000   | ----                 | ----         | ----            | ----               | 3.319B/4.083A    | ----            | 3.415         | - 0.309         | .1824                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 50               | UNCH |  |                   |  |  |  |      |
| 6500   | ----                 | ----         | ----            | ----               | 5.155B/5.849A    | ----            | 5.119         | - 0.371         | .2464                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 20               | UNCH |  |                   |  |  |  |      |
| 6825   | ----                 | ----         | ----            | ----               | 6.570B/7.251A    | ----            | 6.494         | - 0.421         | .2907                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 2                | UNCH |  |                   |  |  |  |      |
| 7500   | ----                 | ----         | ----            | ----               | 10.281B/10.763A  | ----            | 9.942         | - 0.578         | .3831                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 3                | UNCH |  |                   |  |  |  |      |
| 8100   | ----                 | ----         | ----            | ----               | 14.196B/14.497A  | ----            | 13.631        | - 0.703         | .4601                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 6                | UNCH |  |                   |  |  |  |      |
| 8300   | ----                 | ----         | ----            | ----               | 15.611B/15.851A  | ----            | 14.976        | - 0.736         | .4837                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 50               | UNCH |  |                   |  |  |  |      |
| 8500   | ----                 | ----         | ----            | ----               | 17.051B/17.253A  | ----            | 16.372        | - 0.764         | .5062                    | ----  | ----                   | ----                     | ----              | ----          | ---- | ---- | ---- | 3                | UNCH |  |                   |  |  |  |      |
| 8975   | ----</               |              |                 |                    |                  |                 |               |                 |                          |       |                        |                          |                   |               |      |      |      |                  |      |  |                   |  |  |  |      |



| PG64     | BULLETIN #101@ |                           |                    |                         | METALS OPTION PRODUCTS     |                          |           |               |                          | Thu, May 28, 2026 |               |                  |      | PG64 |
|----------|----------------|---------------------------|--------------------|-------------------------|----------------------------|--------------------------|-----------|---------------|--------------------------|-------------------|---------------|------------------|------|------|
|          | GLOBEX<br>OPEN | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA     | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |      |
| S02 CALL | SILVER OPTIONS |                           |                    |                         |                            |                          |           |               |                          | 7                 | 0             | 40 +             | 6    |      |
| TOTAL    |                |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| S02 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| JUN26    |                |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| 5250     | ----           | ----                      | ----               | 0.004B/0.101A           | ----                       | 0.017 - 0.003            | .0036     | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 6750     | ----           | ----                      | 0.862B/*0.446A     | 0.862B/*0.446A          | ----                       | 0.434 - 0.161            | .1052     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 6800     | 0.950          | 0.950                     | 1.006B/*0.492A     | 1.006B/*0.492A          | ----                       | 0.486                    | NEW .1171 | ----          | ----                     | 2                 | ----          | 0                | UNCH |      |
| 6900     | ----           | ----                      | 1.302B/*0.616A     | 1.302B/*0.616A          | ----                       | 0.612 - 0.222            | .1450     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 7300     | 2.773          | 2.773                     | 3.052B/1.527A      | 3.052B/1.527A           | ----                       | 1.541                    | NEW .3155 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |      |
| 7700     | ----           | ----                      | 4.482B/3.354A      | 4.482B/3.354A           | ----                       | 3.424 - 0.702            | .5445     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| TOTAL    |                |                           |                    |                         |                            |                          |           |               |                          | 4                 | 0             | 7 +              | 2    |      |
| S04 CALL | SILVER OPTIONS |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| JUN26    |                |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| 7800     | ----           | ----                      | ----               | #2.953B/*3.509A         | ----                       | 4.336 + 0.849            | .4835     | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 8000     | ----           | ----                      | ----               | #2.268B/*3.858A         | ----                       | 3.820 + 0.891            | .4288     | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 8200     | ----           | ----                      | ----/*2.248A       | #1.738B/*2.248A         | ----                       | 3.360 + 0.894            | .3806     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 8300     | ----           | ----                      | ----/*2.020A       | #1.523B/*2.020A         | ----                       | 3.135 + 0.870            | .3580     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 9000     | ----           | ----                      | ----/*0.639A       | #0.614B/*0.639A         | ----                       | 1.296 + 0.044            | .1886     | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| TOTAL    |                |                           |                    |                         |                            |                          |           |               |                          |                   | 0             | 10               | 0    |      |
| S04 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| JUN26    |                |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| 7000     | ----           | ----                      | ----/*1.532A       | #1.086B/*1.532A         | ----                       | 1.633 - 0.352            | .2381     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 7100     | ----           | ----                      | ----/*1.819A       | #1.351B/*1.819A         | ----                       | 1.971 - 0.331            | .2726     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| TOTAL    |                |                           |                    |                         |                            |                          |           |               |                          |                   | 0             | 2                | 0    |      |
| S05 CALL | SILVER OPTIONS |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| MAY26    |                |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| 7220     | 1.850          | 1.850                     | #4.010B/*1.390A    | #4.010B/*1.390A         | ----                       | 3.789                    | NEW .9820 | ----          | ----                     | 2                 | ----          | 2 +              | 2    |      |
| 7280     | ----           | ----                      | #3.428B/*1.131A    | #3.428B/*1.131A         | ----                       | 3.221 + 0.723            | .9678     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 7470     | 0.895          | 0.895                     | #1.721B/*0.396A    | 1.721B/*0.396A          | ----                       | 1.613                    | NEW .7852 | ----          | ----                     | 1                 | ----          | 1 +              | 1    |      |
| 7500     | 0.455          | 0.455                     | 1.496B/*0.314A     | 1.496B/*0.314A          | ----                       | 1.404 + 0.322            | .7255     | ----          | ----                     | 5                 | ----          | 10 +             | 5    |      |
| 7550     | 0.271          | 0.271                     | 1.146B/*0.218A     | 1.146B/*0.218A          | ----                       | 1.092 + 0.231            | .6091     | ----          | ----                     | 3                 | ----          | 8 +              | 3    |      |
| 7600     | 0.555          | 0.555                     | 0.928B/*0.141      | 0.928B/*0.141           | ----                       | 0.830 + 0.153            | .4813     | ----          | 20                       | ----              | ----          | 29 +             | 15   |      |
| 7640     | ----           | ----                      | #0.715B/*0.159A    | 0.715B/*0.159A          | ----                       | 0.656 + 0.101            | .3808     | ----          | ----                     | ----              | ----          | 10               | UNCH |      |
| 7650     | 0.280          | 0.280                     | 0.723B/*0.138A     | 0.723B/*0.138A          | ----                       | 0.617 + 0.090            | .3568     | ----          | 5                        | ----              | ----          | 28 +             | 2    |      |
| 7680     | ----           | ----                      | 0.541B/*0.130A     | 0.541B/*0.130A          | ----                       | 0.513 + 0.060            | .2896     | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 7700     | 0.276          | 0.276                     | 0.480B/*0.100      | 0.480B/*0.100           | ----                       | 0.452 + 0.044            | .2490     | ----          | 14                       | ----              | ----          | 19 -             | 4    |      |
| 7750     | 0.090          | 0.090                     | 0.338B/*0.090      | 0.338B/*0.090           | ----                       | 0.328 + 0.012            | .1650     | ----          | 1                        | ----              | ----          | 18 +             | 1    |      |
| 7780     | ----           | ----                      | ----/*0.101A       | 0.268B/*0.101A          | ----                       | 0.270                    | NEW .1263 | ----          | 1                        | ----              | ----          | 1 +              | 1    |      |
| 7800     | 0.150          | 0.150                     | 0.250/*0.095A      | 0.250/*0.095A           | ----                       | 0.237 - 0.007            | .1049     | ----          | 11                       | ----              | ----          | 12 +             | 6    |      |
| 7820     | 0.216          | 0.216                     | 0.216/*0.090A      | 0.216/*0.090A           | ----                       | 0.208 - 0.013            | .0867     | ----          | 1                        | ----              | ----          | 6                | UNCH |      |
| 7850     | ----           | ----                      | ----/*0.082A       | 0.165B/*0.082A          | ----                       | 0.172 - 0.018            | .0650     | ----          | ----                     | ----              | ----          | 10               | UNCH |      |
| 7900     | 0.110          | 0.110                     | 0.147/*0.072A      | 0.147/*0.072A           | ----                       | 0.126 - 0.023            | .0398     | ----          | 8                        | ----              | ----          | 6                | UNCH |      |
| 7910     | 0.038          | 0.038                     | 0.099B/*0.038      | 0.099B/*0.038           | ----                       | 0.119                    | NEW .0362 | ----          | 1                        | ----              | ----          | 1 +              | 1    |      |
| 7950     | ----           | ----                      | ----/*0.065A       | 0.078B/*0.065A          | ----                       | 0.094 - 0.025            | .0245     | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 8000     | 0.055          | 0.055                     | 0.055/*0.034A      | 0.055/*0.034A           | ----                       | 0.072 - 0.024            | .0154     | ----          | 3                        | ----              | ----          | 48 -             | 1    |      |
| 8100     | ----           | ----                      | ----/*0.052A       | 0.016B/*0.052A          | ----                       | 0.046 - 0.020            | .0067     | ----          | 1                        | ----              | ----          | 1 -              | 1    |      |
| 8130     | 0.030          | 0.030                     | #0.030/*0.030      | 0.030/*0.030            | ----                       | 0.041                    | NEW .0053 | ----          | 1                        | ----              | ----          | 1 +              | 1    |      |
| 8150     | ----           | ----                      | ----/*0.049A       | 0.010B/*0.049A          | ----                       | 0.038 - 0.018            | .0046     | ----          | ----                     | ----              | ----          | 30               | UNCH |      |
| 8200     | ----           | ----                      | ----/*0.046A       | 0.002B/*0.046A          | ----                       | 0.031 - 0.017            | .0031     | ----          | ----                     | ----              | ----          | 32               | UNCH |      |
| 8250     | ----           | ----                      | ----               | 0.001B/*0.043A          | ----                       | 0.023 - 0.017            | .0018     | ----          | ----                     | ----              | ----          | 5                | UNCH |      |
| 8300     | ----           | ----                      | ----               | ----/*0.040A            | ----                       | 0.018 - 0.016            | .0011     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 8400     | ----           | ----                      | ----               | ----/*0.036A            | ----                       | 0.011 - 0.015            | .0004     | ----          | ----                     | ----              | ----          | 3                | UNCH |      |
| 8500     | ----           | ----                      | ----               | ----/0.033A             | ----                       | 0.007 - 0.014            | .0002     | ----          | ----                     | ----              | ----          | 43               | UNCH |      |
| 8600     | ----           | ----                      | ----               | ----/*0.038A            | ----                       | 0.005 - 0.013            | .0001     | ----          | ----                     | ----              | ----          | 3                | UNCH |      |
| 8700     | ----           | ----                      | ----               | 0.010B/*0.034A          | ----                       | 0.004 - 0.012            | .0000     | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 8800     | ----           | ----                      | ----               | 0.010B/*0.032A          | ----                       | 0.003 - 0.010            | .0000     | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 8850     | ----           | ----                      | ----               | ----/0.104A             | ----                       | 0.002 - 0.008            | .0000     | UNCH          | ----                     | ----              | ----          | 1                | UNCH |      |
| 9500     | ----           | ----                      | ----               | ----/0.299A             | ----                       | 0.001                    | UNCH      | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| TOTAL    |                |                           |                    |                         |                            |                          |           |               |                          | 78                | 0             | 344 +            | 32   |      |
| S05 PUT  | SILVER OPTIONS |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| MAY26    |                |                           |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |
| 6200     | ----           | ----                      | ----/*0.011A       | 0.003B/*0.011A          | ----                       | 0.001                    | UNCH      | ----          | ----                     | ----              | ----          | 3                | UNCH |      |
| 6700     | ----           | ----                      | 0.070/*0.040A      | 0.070/*0.040A           | ----                       | 0.002 - 0.012            | .0000     | ----          | ----                     | ----              | ----          | 30               | UNCH |      |
| 6750     | 0.070          | 0.070                     | 0.059B/----        | 0.059B/*0.042A          | ----                       | 0.003                    | NEW .0000 | ----          | 1                        | ----              | ----          | 1 +              | 1    |      |
| 6800     | ----           | ----                      | 0.059B/----        | 0.059B/*0.042A          | ----                       | 0.005 - 0.022            | .0001     | ----          | ----                     | ----              | ----          | 2                | UNCH |      |
| 6850     | ----           | ----                      | 0.080B/----        | 0.080B/*0.045A          | ----                       | 0.007 - 0.031            | .0002     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 6900     | 0.170          | 0.170                     | 0.170/*0.030       | 0.170/*0.030            | ----                       | 0.011 - 0.041            | .0005     | ----          | 3                        | ----              | ----          | 20 -             | 1    |      |
| 6950     | ----           | ----                      | 0.198B/*0.051A     | 0.198B/*0.051A          | ----                       | 0.017 - 0.053            | .0011     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 7000     | 0.360          | 0.360                     | 0.364B/*0.024      | 0.364B/*0.024           | ----                       | 0.025 - 0.068            | .0022     | ----          | 15                       | ----              | ----          | 15 +             | 8    |      |
| 7100     | ----           | ----                      | 0.576B/*0.065A     | 0.576B/*0.065A          | ----                       | 0.045 - 0.114            | .0063     | ----          | ----                     | ----              | ----          | 1                | UNCH |      |
| 7150     | 0.206          | 0.206                     | 0.724B/*0.076A     | 0.724B/*0.076A          | ----                       | 0.056 - 0.150            | .0096     | ----          | 1                        | ----              | ----          | 13 +             | 1    |      |
| 7180     | 0.362          | 0.362                     | #0.841B/*0.081A    | #0.841B/*0.081A         | ----                       | 0.064                    | NEW .0124 | ----          | 10                       | ----              | ----          | 10 +             | 10   |      |
| 7200     | 0.950          | 0.950                     | 0.950/*0.088A      | 0.950/*0.088A           | ----                       | 0.070 - 0.196            | .0147     | ----          | 28                       | ----              | ----          | 112 -            | 8    |      |
| 7210     | 1.200          | 1.200                     | #1.200/*0.090A     | #1.200/*0.090A          | ----                       | 0.074                    | NEW .0163 | ----          | 1                        | ----              | ----          | 1 +              | 1    |      |
| 7250     | ----           | ----                      | 1.150B/*0.106A     | 1.150B/*0.106A          | ----                       | 0.091 - 0.254            | .0237     | ----          | ----                     | ----              | ----          | 4                | UNCH |      |
| 7300     | 1.000          | 1.000                     | 1.288B/*0.130      | 1.288B/*0.130           | ----                       | 0.124 - 0.324            | .0397     | ----          | 26                       | ----              | ----          | 107 +            | 20   |      |
| 7350     | 1.220          | 1.220                     | 1.220/*0.169A      | 1.220/*0.169A           | ----                       | 0.173 - 0.407            | .0670     | ----          | 2                        | ----              | ----          | 2                | UNCH |      |
| 7370     | 0.572          | 0.572                     | #1.221B/*0.189A    | #1.221B/*0.189A         | ----                       | 0.199                    | NEW .0826 | ----          | 1                        | ----              | ----          | 1 +              | 1    |      |
| 7400     | 0.705          | 0.705                     | 1.368/*0.222       | 1.368/*0.222            | ----                       | 0.246 - 0.499            | .1121     | ----          | 25                       | ----              | ----          | 32 +             | 24   |      |
| 7430     | 1.650          | 1.650                     | #1.650/*0.226      | #1.650/*0.226           | ----                       | 0.304 - 0.558            | .1500     | ----          | 3                        | ----              | ----          | 2 +              | 1    |      |
| 7450     | ----           | ----                      | 1.362B/*0.305A     | 1.362B/*0.305A          | ----                       | 0.349 - 0.598            | .1801     | ----          | ----                     | ----              | ----          | 6                | UNCH |      |
| 7500     | 1.230          | 1.2                       |                    |                         |                            |                          |           |               |                          |                   |               |                  |      |      |



| PG64 BULLETIN #101@                               |       |                        | METALS OPTION PRODUCTS |                      |                         |                       |       |            |                    |                |            |               | Thu, May 28, 2026 |   | PG64 |  |
|---------------------------------------------------|-------|------------------------|------------------------|----------------------|-------------------------|-----------------------|-------|------------|--------------------|----------------|------------|---------------|-------------------|---|------|--|
| GLOBEX OPEN                                       |       | OPEN OUTCRY OPEN RANGE | GLOBEX HIGH/LOW        | OPEN OUTCRY HIGH/LOW | OPEN OUTCRY CLOSE RANGE | SETT.PRICE & PT.CHGE. | DELTA | EXER CISES | OPEN OUTCRY VOLUME | GLOBEX® VOLUME | PNT VOLUME | OPEN INTEREST |                   |   |      |  |
| SWW WED MAY26 SILVER WEEKLY WEDNESDAY OPTION WEEK |       |                        |                        |                      |                         |                       |       |            |                    |                |            |               |                   |   |      |  |
| 7950                                              | ----  | ----                   | ----                   | ----                 | ----                    | 0.000                 | UNCH  | ----       | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| 8100                                              | ----  | ----                   | ----                   | ----                 | ----                    | 6.105                 | UNCH  | ----       | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| 8180                                              | ----  | ----                   | ----                   | ----                 | ----                    | 6.905                 | UNCH  | ----       | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| 8400                                              | ----  | ----                   | ----                   | ----                 | ----                    | 0.000                 | UNCH  | ----       | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| 8500                                              | ----  | ----                   | ----                   | ----                 | ----                    | 10.105                | UNCH  | ----       | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| 8800                                              | ----  | ----                   | ----                   | ----                 | ----                    | 13.105                | UNCH  | ----       | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| TOTAL                                             |       |                        |                        |                      |                         |                       |       |            |                    |                | 0          | 0             | 0                 | 0 |      |  |
| JUN26                                             |       |                        |                        |                      |                         |                       |       |            |                    |                |            |               |                   |   |      |  |
| 5250                                              | ----  | ----                   | ----                   | 0.003B/0.109A        | ----                    | 0.005 -               | 0.002 | .0013      | ----               | ----           | ----       | 5             | UNCH              |   |      |  |
| 6700                                              | 0.497 | 0.497                  | #0.971B/*0.497         | #0.971B/*0.497       | ----                    | 0.543 -               | 0.158 | .1170      | ----               | 1              | ----       | 1             | UNCH              |   |      |  |
| 6800                                              | ----  | ----                   | 0.355B/*0.178A         | 0.355B/*0.178A       | ----                    | 0.148 -               | 0.070 | .0475      | ----               | ----           | ----       | 1             | UNCH              |   |      |  |
| 6800                                              | ----  | ----                   | 0.843B/*0.417A         | 0.843B/*0.417A       | ----                    | 0.391 -               | 0.147 | .1020      | ----               | ----           | ----       | 3             | UNCH              |   |      |  |
| 6900                                              | ----  | ----                   | 0.545B/*0.216A         | 0.545B/*0.216A       | ----                    | 0.192 -               | 0.112 | .0639      | ----               | ----           | ----       | 1             | UNCH              |   |      |  |
| 7000                                              | ----  | ----                   | 0.808B/*0.276A         | 0.808B/*0.276A       | ----                    | 0.254 -               | 0.168 | .0872      | ----               | ----           | ----       | 3             | UNCH              |   |      |  |
| 7100                                              | 0.370 | 0.370                  | 1.144B/*0.359A         | 1.144B/*0.359A       | ----                    | 0.344 -               | 0.240 | .1202      | ----               | 1              | ----       | 5             | +                 |   |      |  |
| 7200                                              | 0.520 | 0.520                  | 1.563B/*0.448A         | 1.563B/*0.448A       | ----                    | 0.477 -               | 0.325 | .1666      | ----               | 1              | ----       | 2             | +                 |   |      |  |
| 7250                                              | ----  | ----                   | 1.683B/0.561A          | 1.683B/0.561A        | ----                    | 0.564 -               | 0.372 | .1955      | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| 7300                                              | 0.770 | 0.770                  | 1.729B/0.608A          | 1.729B/0.608A        | ----                    | 0.669 -               | 0.421 | .2288      | ----               | 4              | ----       | 4             | UNCH              |   |      |  |
| 7400                                              | 1.649 | 1.649                  | 1.938B/0.897A          | 1.938B/0.897A        | ----                    | 0.937                 | NEW   | .3072      | ----               | 25             | ----       | 25            | +                 |   |      |  |
| 7430                                              | 1.747 | 1.747                  | #2.039B/*0.986A        | #2.039B/*0.986A      | ----                    | 1.035                 | NEW   | .3336      | ----               | 15             | ----       | 15            | +                 |   |      |  |
| 7430                                              | 1.675 | 1.675                  | #2.723B/*1.675         | #2.723B/*1.170A      | ----                    | 2.647                 | NEW   | .6663      | ----               | 12             | ----       | 12            | +                 |   |      |  |
| 7500                                              | ----  | ----                   | 2.367B/1.228A          | 2.367B/1.228A        | ----                    | 1.298 -               | 0.624 | .3991      | ----               | ----           | ----       | 0             | UNCH              |   |      |  |
| 7550                                              | ----  | ----                   | 2.709B/1.433A          | 2.709B/1.433A        | ----                    | 1.517 -               | 0.671 | .4483      | ----               | ----           | ----       | 10            | UNCH              |   |      |  |
| 7600                                              | 1.320 | 1.320                  | 1.762B/*0.740A         | 1.762B/*0.740A       | ----                    | 1.673 +               | 0.300 | .5016      | ----               | 12             | ----       | 10            | +                 |   |      |  |
| 7600                                              | 2.010 | 2.010                  | 3.074B/1.659A          | 3.074B/1.659A        | ----                    | 1.761 -               | 0.717 | .4983      | ----               | 2              | ----       | 0             | -                 |   |      |  |
| 7650                                              | ----  | ----                   | 2.340B/*1.319A         | 2.340B/*1.319A       | ----                    | 2.310 +               | 0.359 | .4789      | ----               | ----           | ----       | 1             | UNCH              |   |      |  |
| 7700                                              | ----  | ----                   | 1.298B/*0.570A         | 1.298B/*0.570A       | ----                    | 1.242 +               | 0.221 | .4034      | ----               | ----           | ----       | 1             | UNCH              |   |      |  |
| 7810                                              | 0.381 | 0.381                  | #0.898B/*0.381         | #0.898B/*0.381       | ----                    | 0.879                 | NEW   | .3054      | ----               | 1              | ----       | 1             | +                 |   |      |  |
| 7820                                              | 0.370 | 0.370                  | #0.868B/*0.370         | #0.868B/*0.370       | ----                    | 0.852                 | NEW   | .2973      | ----               | 1              | ----       | 1             | +                 |   |      |  |
| 7900                                              | ----  | ----                   | 1.420B/*0.841A         | 1.420B/*0.841A       | ----                    | 1.430 +               | 0.234 | .3329      | ----               | ----           | ----       | 1             | UNCH              |   |      |  |
| 8000                                              | 0.330 | 0.330                  | 0.470B/*0.248A         | 0.470B/*0.248A       | ----                    | 0.480 +               | 0.081 | .1772      | ----               | 4              | ----       | 4             | UNCH              |   |      |  |
| 8100                                              | ----  | ----                   | #7.558B/5.277A         | #7.558B/5.277A       | ----                    | 5.439 -               | 0.955 | .8686      | ----               | ----           | ----       | 4             | UNCH              |   |      |  |
| 8100                                              | ----  | ----                   | 0.337B/*0.217A         | 0.337B/*0.217A       | ----                    | 0.353 +               | 0.060 | .1313      | ----               | ----           | ----       | 1             | UNCH              |   |      |  |
| 8160                                              | ----  | ----                   | ----                   | #8.143B/*5.811A      | ----                    | 5.982                 | NEW   | .8900      | ----               | 1              | ----       | 1             | +                 |   |      |  |
| 8250                                              | ----  | ----                   | 0.210B/*0.176A         | 0.210B/*0.176        |                         |                       |       |            |                    |                |            |               |                   |   |      |  |

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.  
© Copyright CME Group Inc. All rights reserved.

| GLOBEX<br>OPEN                      |        | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|-------------------------------------|--------|------------------------|-----------------|--------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| COPPER WEEKLY THURSDAY OPT week4    |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |
| MAY26                               |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |
| 633                                 | ----   | ----                   | ----            | 0.0920B/*0.0115    | 0.0920B/*0.0115            | ----                    | ----            | 0.0960 + 0.0520          | ----  | 1             | ----                     | ----              | ----          | 0 -              |
| 634                                 | ----   | ----                   | ----            | #0.0925B/*0.005    | #0.0925B/*0.005            | ----                    | ----            | 0.0000 NEW               | ----  | ----          | ----                     | 1                 | ----          | 0 UNCH           |
| 635                                 | 0.0205 | 0.0205                 | 0.0205          | 0.1020B/*0.0010    | 0.1020B/*0.0010            | ----                    | ----            | 0.0000 - 0.0440          | ----  | ----          | ----                     | 2                 | ----          | 0 -              |
| 635                                 | 0.0060 | 0.0060                 | 0.0060          | 0.0720B/*0.0060    | 0.0720B/*0.0060            | ----                    | ----            | 0.0760 + 0.0420          | ----  | 40            | ----                     | 18                | ----          | 0 -              |
| 636                                 | 0.0015 | 0.0015                 | 0.0015          | #0.1115B/*0.001    | #0.1115B/*0.001            | ----                    | ----            | 0.0000 - 0.0495          | ----  | ----          | ----                     | 2                 | ----          | 0 -              |
| 637                                 | 0.0015 | 0.0015                 | 0.0015          | #0.1210B/*0.001    | #0.1210B/*0.001            | ----                    | ----            | 0.0000 - 0.0555          | ----  | ----          | ----                     | 1                 | ----          | 0 -              |
| 637                                 | 0.0075 | 0.0075                 | 0.0075          | 0.0520B/*0.0075    | 0.0520B/*0.0075            | ----                    | ----            | 0.0560 NEW               | ----  | 25            | ----                     | 25                | ----          | 0 UNCH           |
| 638                                 | 0.0380 | 0.0380                 | 0.0380          | 0.0420B/*0.0090    | 0.0420B/*0.0090            | ----                    | ----            | 0.0460 + 0.0240          | ----  | 1             | ----                     | 2                 | ----          | 0 -              |
| 639                                 | ----   | ----                   | ----            | #0.1405B/*0.005    | #0.1405B/*0.005            | ----                    | ----            | 0.0000 - 0.0685          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 640                                 | ----   | ----                   | ----            | 0.1500B/*0.0055    | 0.1500B/*0.0055            | ----                    | ----            | 0.0000 - 0.0760          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 640                                 | ----   | ----                   | ----            | 0.0220B/*0.0080    | 0.0220B/*0.0080            | ----                    | ----            | 0.0260 + 0.0100          | ----  | 1             | ----                     | ----              | ----          | 0 -              |
| 641                                 | ----   | ----                   | ----            | #0.1600B/*0.005    | #0.1600B/*0.005            | ----                    | ----            | 0.0000 - 0.0835          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 643                                 | 0.0010 | 0.0010                 | 0.0010          | 0.0010/*0.0010     | 0.0010/*0.0010             | ----                    | ----            | 0.0000 NEW               | ----  | ----          | ----                     | 2                 | ----          | 0 UNCH           |
| 650                                 | ----   | ----                   | ----            | ----/*0.0050A      | ----/*0.0050A              | ----                    | ----            | 0.0000 - 0.0025          | ----  | ----          | ----                     | 1                 | ----          | 0 -              |
| 657                                 | ----   | ----                   | ----            | ----/0.0055A       | ----/0.0055A               | ----                    | ----            | 0.0000 - 0.0005          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 658                                 | ----   | ----                   | ----            | ----/*0.0055A      | ----/*0.0055A              | ----                    | ----            | 0.0000 - 0.0005          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 662                                 | ----   | ----                   | ----            | ----/*0.0055A      | ----/*0.0055A              | ----                    | ----            | 0.0000 - 0.0005          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 670                                 | ----   | ----                   | ----            | ----/*0.0055A      | ----/*0.0055A              | ----                    | ----            | 0.0000 - 0.0005          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 680                                 | ----   | ----                   | ----            | ----/0.0055A       | ----/0.0055A               | ----                    | ----            | 0.0000 - 0.0005          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 685                                 | ----   | ----                   | ----            | ----/0.0055A       | ----/0.0055A               | ----                    | ----            | 0.0000 - 0.0005          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| 700                                 | ----   | ----                   | ----            | ----/0.0050A       | ----/0.0050A               | ----                    | ----            | 0.0000 - 0.0005          | ----  | ----          | ----                     | ----              | ----          | 0 -              |
| TOTAL                               |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          | 70                |               | 0 -              |
| JUN26                               |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |
| 575                                 | ----   | ----                   | ----            | ----/*0.0075A      | ----/*0.0075A              | ----                    | ----            | 0.0005 - 0.0015          | .0032 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 600                                 | 0.0345 | 0.0345                 | 0.0345          | #0.0495B/*0.033    | 0.0495B/*0.0335            | ----                    | ----            | 0.0285 NEW               | .1287 | ----          | ----                     | 1                 | ----          | 1 +              |
| 615                                 | 0.0125 | 0.0125                 | 0.0125          | 0.0390B/*0.0125    | 0.0390B/*0.0125            | ----                    | ----            | 0.0125 NEW               | .0948 | ----          | ----                     | 15                | ----          | 15 +             |
| 620                                 | 0.0880 | 0.0880                 | 0.0880          | #0.1215B/*0.072    | #0.1215B/*0.072            | ----                    | ----            | 0.0675 NEW               | .2657 | ----          | ----                     | 1                 | ----          | 1 +              |
| 625                                 | ----   | ----                   | ----            | 0.1180B/*0.0570    | 0.1180B/*0.0570            | ----                    | ----            | 0.0540 - 0.0340          | .2684 | ----          | ----                     | ----              | ----          | 20 UNCH          |
| 625                                 | ----   | ----                   | ----            | #0.1475B/*0.087    | #0.1475B/*0.087            | ----                    | ----            | 0.0825 - 0.0390          | .3105 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 630                                 | 0.1070 | 0.1070                 | 0.1070          | 0.1930B/*0.1045    | 0.1930B/*0.1045            | ----                    | ----            | 0.1955 + 0.0455          | .6729 | ----          | 1                        | ----              | 1             | UNCH             |
| 630                                 | ----   | ----                   | ----            | 0.1100B/*0.0415    | 0.1100B/*0.0415            | ----                    | ----            | 0.0360 - 0.0380          | .2572 | ----          | ----                     | ----              | ----          | 8 UNCH           |
| 630                                 | ----   | ----                   | ----            | 0.1210B/*0.0720    | 0.1210B/*0.0720            | ----                    | ----            | 0.1620 + 0.0480          | .7425 | ----          | ----                     | ----              | ----          | 8 UNCH           |
| 635                                 | ----   | ----                   | ----            | 0.1770B/*0.0915    | 0.1770B/*0.0915            | ----                    | ----            | 0.0885 - 0.0470          | .3900 | ----          | ----                     | ----              | ----          | 20 UNCH          |
| 635                                 | ----   | ----                   | ----            | 0.1950B/*0.1195    | 0.1950B/*0.1195            | ----                    | ----            | 0.1975 + 0.0365          | .5899 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 640                                 | ----   | ----                   | ----            | 0.2120B/0.1140A    | 0.2120B/0.1140A            | ----                    | ----            | 0.1105 - 0.0540          | .4558 | ----          | ----                     | ----              | ----          | 78 UNCH          |
| 640                                 | ----   | ----                   | ----            | 0.1360B/*0.0700    | 0.1360B/*0.0700            | ----                    | ----            | 0.1365 + 0.0320          | .5437 | ----          | ----                     | ----              | ----          | 37 UNCH          |
| 645                                 | ----   | ----                   | ----            | 0.1115B/*0.0570    | 0.1115B/*0.0570            | ----                    | ----            | 0.1125 + 0.0260          | .4773 | ----          | ----                     | ----              | ----          | 9 UNCH           |
| 665                                 | 0.0125 | 0.0125                 | 0.0125          | 0.0140B/*0.0120    | 0.0140B/*0.0120            | ----                    | ----            | 0.0180 NEW               | .1430 | ----          | ----                     | 15                | ----          | 15 +             |
| 700                                 | ----   | ----                   | ----            | ----/*0.0215A      | 0.0190B/*0.0215            | ----                    | ----            | 0.0235 - 0.0005          | .1071 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| TOTAL                               |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          | 33                |               | 218 +            |
| COPPER WEEKLY TUESDAY OPTION week1  |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |
| JUN26                               |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |
| 450                                 | ----   | ----                   | ----            | ----/0.0055A       | ----/0.0055A               | ----                    | ----            | 0.0005 UNCH              | ----  | ----          | ----                     | ----              | ----          | 14 UNCH          |
| 500                                 | ----   | ----                   | ----            | ----/0.0060A       | ----/0.0060A               | ----                    | ----            | 0.0005 UNCH              | .0000 | ----          | ----                     | ----              | ----          | 14 UNCH          |
| 550                                 | 0.0040 | 0.0040                 | 0.0040          | 0.0040/*0.0040     | 0.0040/*0.0040             | ----                    | ----            | 0.0020 - 0.0020          | .0107 | ----          | ----                     | 1                 | ----          | 1 UNCH           |
| 590                                 | 0.0210 | 0.0210                 | 0.0210          | 0.0255B/*0.0175    | 0.0255B/*0.0175            | ----                    | ----            | 0.0145 - 0.0090          | .0737 | ----          | ----                     | 1                 | ----          | 1 UNCH           |
| 595                                 | ----   | ----                   | ----            | 0.0165B/*0.0120    | 0.0165B/*0.0120            | ----                    | ----            | 0.0090 - 0.0060          | .0551 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 610                                 | 0.0150 | 0.0150                 | 0.0150          | 0.0220/*0.0095A    | 0.0220/*0.0095A            | ----                    | ----            | 0.0030 NEW               | .0266 | ----          | 2                        | ----              | 2 +           | 2 UNCH           |
| 610                                 | ----   | ----                   | ----            | 0.0455B/*0.0210    | 0.0455B/*0.0210            | ----                    | ----            | 0.0180 - 0.0155          | .1129 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 615                                 | ----   | ----                   | ----            | 0.0615B/*0.0270    | 0.0615B/*0.0270            | ----                    | ----            | 0.0235 - 0.0205          | .1458 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 618                                 | 0.0135 | 0.0135                 | 0.0135          | #0.0325B/*0.012    | #0.0325B/*0.012            | ----                    | ----            | 0.0065 NEW               | .0614 | ----          | 1                        | ----              | 1 +           | 1 UNCH           |
| 620                                 | 0.0085 | 0.0085                 | 0.0085          | 0.0395B/*0.0085    | 0.0395B/*0.0085            | ----                    | ----            | 0.0080 NEW               | .0759 | ----          | 1                        | ----              | 1 +           | 1 UNCH           |
| 620                                 | ----   | ----                   | ----            | 0.0805B/*0.0350    | 0.0805B/*0.0350            | ----                    | ----            | 0.0315 - 0.0265          | .1895 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 625                                 | ----   | ----                   | ----            | 0.2160B/*0.1140    | 0.2160B/*0.1140            | ----                    | ----            | 0.2185 + 0.0530          | .7558 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 630                                 | 0.0500 | 0.0500                 | 0.0500          | 0.1430B/0.0500     | 0.1430B/0.0500             | ----                    | ----            | 0.1480 NEW               | .7978 | ----          | 4                        | ----              | 4 +           | 4 UNCH           |
| 630                                 | ----   | ----                   | ----            | 0.1800B/*0.0925    | 0.1800B/*0.0925            | ----                    | ----            | 0.1825 + 0.0455          | .6921 | ----          | ----                     | ----              | ----          | 1 UNCH           |
| 635                                 | ----   | ----                   | ----            | 0.1945B/0.1105A    | 0.1945B/0.1105A            | ----                    | ----            | 0.1075 - 0.0470          | .4027 | ----          | ----                     | ----              | ----          | 31 UNCH          |
| 640                                 | ----   | ----                   | ----            | 0.1575B/*0.0870    | 0.1575B/*0.0870            | ----                    | ----            | 0.1565 + 0.0330          | .5402 | ----          | ----                     | ----              | ----          | 20 UNCH          |
| 640                                 | ----   | ----                   | ----            | 0.2005B/*0.1000    | 0.2005B/*0.1000            | ----                    | ----            | 0.0965 - 0.0540          | .4523 | ----          | ----                     | ----              | ----          | 6 UNCH           |
| 640                                 | 0.0440 | 0.0440                 | 0.0440          | 0.0730B/0.0275A    | 0.0730B/0.0275A            | ----                    | ----            | 0.0785 NEW               | .5741 | ----          | 5                        | ----              | 5 +           | 5 UNCH           |
| 646                                 | ----   | ----                   | ----            | #0.0435B/*0.019    | 0.0435B/*0.0195            | ----                    | ----            | 0.0485 NEW               | .4126 | ----          | 3                        | ----              | 3 +           | 3 UNCH           |
| 650                                 | ----   | ----                   | ----            | 0.1130B/*0.0615    | 0.1130B/*0.0615            | ----                    | ----            | 0.1120 + 0.0220          | .4284 | ----          | ----                     | ----              | ----          | 10 UNCH          |
| 650                                 | ----   | ----                   | ----            | 0.0760B/*0.0360    | 0.0760B/*0.0360            | ----                    | ----            | 0.0775 + 0.0195          | .3983 | ----          | ----                     | ----              | ----          | 2 UNCH           |
| 652                                 | ----   | ----                   | ----            | #0.0230B/*0.015    | 0.0230B/*0.0150            | ----                    | ----            | 0.0285 NEW               | .2673 | ----          | 1                        | ----              | 1 +           | 1 UNCH           |
| 660                                 | 0.0090 | 0.0090                 | 0.0090          | 0.0090/*0.0085     | 0.0090/*0.0085             | ----                    | ----            | 0.0125 + 0.0025          | .1271 | ----          | 15                       | ----              | 15 +          | 15 UNCH          |
| 670                                 | ----   | ----                   | ----            | 0.0010B/0.0095A    | 0.0010B/0.0095A            | ----                    | ----            | 0.0045 + 0.0005          | .0450 | ----          | ----                     | ----              | ----          | 5 UNCH           |
| 670                                 | ----   | ----                   | ----            | 0.0245B/*0.0160    | 0.0245B/*0.0160            | ----                    | ----            | 0.0260 + 0.0030          | .1651 | ----          | ----                     | ----              | ----          | 47 UNCH          |
| 685                                 | ----   | ----                   | ----            | ----/0.0070A       | ----/0.0070A               | ----                    | ----            | 0.0010 UNCH              | .0087 | ----          | ----                     | ----              | ----          | 3 UNCH           |
| 750                                 | ----   | ----                   | ----            | ----/0.0060A       | ----/0.0060A               | ----                    | ----            | 0.0005 UNCH              | ----  | ----          | ----                     | ----              | ----          | 10 UNCH          |
| TOTAL                               |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          | 34                |               | 202 +            |
| COPPER WEEKLY WEDNESDAY OPTION WEEK |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |
| MAY26                               |        |                        |                 |                    |                            |                         |                 |                          |       |               |                          |                   |               |                  |
| 628                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 630                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0400 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 635                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0100 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 636                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0200 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 637                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0300 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 637                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0000 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 638                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0400 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 640                                 | ----   | ----                   | ----            | ----               | ----                       | ----                    | ----            | 0.0600 UNCH              | ----  | ----          | ----                     | ----              | ----          | 0 UNCH           |
| 640                                 | ----   | ----                   | ----            | ----               | ----                       |                         |                 |                          |       |               |                          |                   |               |                  |

| BULLETIN #101@                      |                |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   | Thu, May 28, 2026 |                  | PG64 |
|-------------------------------------|----------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|
|                                     | GLOBAL<br>OPEN | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |
| COPPER WEEKLY WEDNESDAY OPTION WEEK |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |
| HWW WED JUL26                       |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |
| 612                                 | ----           | ----                         | 0.1075B/*0.0740    | 0.1075B/*0.0740            | ----                          | 0.0700 - 0.0235          | .2204 | ----          | ----                     | ----              | ----              | 6                | UNCH |
| 612                                 | ----           | ----                         | #0.4135B/----      | #0.4135B/0.3810            | ----                          | 0.4340 + 0.0625          | .7787 | ----          | ----                     | ----              | ----              | 5                | UNCH |
| 613                                 | ----           | ----                         | 0.1110B/*0.0760    | 0.1110B/*0.0760            | ----                          | 0.0725 - 0.0240          | .2265 | ----          | ----                     | ----              | ----              | 3                | UNCH |
| 621                                 | ----           | ----                         | 0.3485B/0.2575A    | 0.3485B/0.2575A            | ----                          | 0.3690 + 0.0570          | .7210 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 622                                 | ----           | ----                         | 0.1495B/*0.1015    | 0.1495B/*0.1015            | ----                          | 0.0975 - 0.0295          | .2849 | ----          | ----                     | ----              | ----              | 5                | UNCH |
| 625                                 | ----           | ----                         | 0.3395B/0.2365A    | 0.3395B/0.2365A            | ----                          | 0.3420 + 0.0545          | .6930 | ----          | ----                     | ----              | ----              | 22               | UNCH |
| 630                                 | ----           | ----                         | 0.3075B/0.2125A    | 0.3075B/0.2125A            | ----                          | 0.3100 + 0.0510          | .6567 | ----          | ----                     | ----              | ----              | 5                | UNCH |
| 635                                 | ----           | ----                         | 0.2180B/*0.1500    | 0.2180B/*0.1500            | ----                          | 0.1455 - 0.0385          | .3799 | ----          | ----                     | ----              | ----              | 5                | UNCH |
| 645                                 | ----           | ----                         | 0.2285B/0.1525A    | 0.2285B/0.1525A            | ----                          | 0.2270 NEW               | .5424 | ----          | ----                     | 1                 | ----              | 1 +              | 1    |
| 650                                 | 0.1325         | 0.1325                       | 0.2050B/0.1250     | 0.2050B/0.1250             | ----                          | 0.2035 + 0.0365          | .5041 | ----          | ----                     | 3                 | ----              | 5                | UNCH |
| 675                                 | ----           | ----                         | 0.1150B/0.0770A    | 0.1150B/0.0770A            | ----                          | 0.1140 + 0.0195          | .3289 | ----          | ----                     | 1                 | ----              | 1 +              | 1    |
| 680                                 | ----           | ----                         | 0.1015B/0.0690A    | 0.1015B/0.0690A            | ----                          | 0.1010 NEW               | .2988 | ----          | ----                     | 1                 | ----              | 1 +              | 1    |
| 700                                 | ----           | ----                         | 0.0610B/0.0455A    | 0.0610B/0.0455A            | ----                          | 0.0615 + 0.0075          | .1984 | ----          | ----                     | ----              | ----              | 5                | UNCH |
| 710                                 | ----           | ----                         | 0.0470B/*0.0380    | 0.0470B/*0.0380            | ----                          | 0.0485 + 0.0050          | .1610 | ----          | ----                     | ----              | ----              | 5                | UNCH |
| 720                                 | 0.0420         | 0.0420                       | 0.0420/*0.0320A    | 0.0420/*0.0320A            | ----                          | 0.0385 + 0.0030          | .1306 | ----          | ----                     | 1                 | ----              | 0 -              | 1    |
| TOTAL                               |                |                              |                    |                            |                               |                          |       |               |                          | 26                |                   | 173 +            | 21   |
| AUG26                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |
| 599                                 | ----           | ----                         | ----               | ----                       | ----                          | 0.6220 + 0.0600          | .7532 | ----          | ----                     | ----              | ----              | 10               | UNCH |
| 630                                 | ----           | ----                         | 0.3110B/0.2505A    | 0.3110B/0.2505A            | ----                          | 0.2445 - 0.0385          | .3852 | ----          | ----                     | ----              | ----              | 15               | UNCH |
| 630                                 | ----           | ----                         | 0.4260B/0.3355A    | 0.4260B/0.3355A            | ----                          | 0.4285 + 0.0470          | .6131 | ----          | ----                     | ----              | ----              | 13               | UNCH |
| 640                                 | ----           | ----                         | 0.3740B/0.2935A    | 0.3740B/0.2935A            | ----                          | 0.3770 + 0.0420          | .5653 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 650                                 | ----           | ----                         | 0.3275B/0.2565A    | 0.3275B/0.2565A            | ----                          | 0.3305 + 0.0375          | .5178 | ----          | ----                     | ----              | ----              | 14               | UNCH |
| TOTAL                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   | 53               |      |
| SEP26                               |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |
| 750                                 | 0.1450         | 0.1450                       | 0.1450/*0.1220A    | 0.1450/*0.1220A            | ----                          | 0.1480 + 0.0135          | .2417 | ----          | ----                     | 3                 | ----              | 5                | UNCH |
| TOTAL                               |                |                              |                    |                            |                               |                          |       |               |                          | 3                 |                   | 5                |      |
| COMEX COPPER OPTIONS                |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |
| HX CALL JUL26                       |                |                              |                    |                            |                               |                          |       |               |                          |                   |                   |                  |      |
| 500                                 | ----           | ----                         | 1.4045B/----       | 1.4045B/1.3600A            | ----                          | 1.4270 + 0.0865          | .9909 | 1             | ----                     | ----              | ----              | 9 -              | 1    |
| 510                                 | ----           | ----                         |                    |                            | ----                          | 1.3275 + 0.0860          | .9887 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 520                                 | ----           | ----                         |                    |                            | ----                          | 1.2280 + 0.0855          | .9863 | ----          | ----                     | ----              | ----              | 2                | UNCH |
| 525                                 | ----           | ----                         |                    |                            | ----                          | 1.1780 + 0.0850          | .9843 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 530                                 | ----           | ----                         | 1.1065B/----       | 1.1065B/1.0625A            | ----                          | 1.1285 + 0.0845          | .9821 | ----          | ----                     | ----              | ----              | 6                | UNCH |
| 540                                 | ----           | ----                         | 1.0080B/----       | 1.0080B/0.9640A            | ----                          | 1.0300 + 0.0840          | .9759 | ----          | ----                     | ----              | ----              | 18               | UNCH |
| 545                                 | ----           | ----                         |                    |                            | ----                          | 0.9810 + 0.0835          | .9733 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 550                                 | ----           | ----                         |                    |                            | ----                          | 0.9320 + 0.0830          | .9675 | ----          | ----                     | ----              | ----              | 4                | UNCH |
| 555                                 | ----           | ----                         | 0.8610B/----       | 0.8610B/0.8185A            | ----                          | 0.8835 + 0.0830          | .9629 | ----          | ----                     | ----              | ----              | 116              | UNCH |
| 560                                 | ----           | ----                         | ---/0.6855A        | 0.6680B/0.6855A            | ----                          | 0.8350 + 0.0820          | .9567 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 570                                 | ----           | ----                         | 0.7295B/0.5930A    | 0.7295B/0.5930A            | ----                          | 0.7390 + 0.0800          | .9403 | ----          | ----                     | ----              | ----              | 157              | UNCH |
| 574                                 | ----           | ----                         | 0.6935B/0.5575A    | 0.6935B/0.5575A            | ----                          | 0.7010 + 0.0790          | .9322 | ----          | ----                     | ----              | ----              | 5                | UNCH |
| 575                                 | ----           | ----                         | 0.6815B/0.5485A    | 0.6815B/0.5485A            | ----                          | 0.6915 + 0.0785          | .9301 | ----          | ----                     | ----              | ----              | 19               | UNCH |
| 580                                 | ----           | ----                         | 0.6355B/0.5050A    | 0.6355B/0.5050A            | ----                          | 0.6450 + 0.0770          | .9180 | ----          | ----                     | ----              | ----              | 123              | UNCH |
| 585                                 | ----           | ----                         | 0.5945B/0.4625A    | 0.5945B/0.4625A            | ----                          | 0.5985 + 0.0740          | .9029 | ----          | ----                     | ----              | ----              | 318              | UNCH |
| 590                                 | ----           | ----                         | 0.5445B/0.4215A    | 0.5445B/0.4215A            | ----                          | 0.5535 + 0.0720          | .8847 | ----          | ----                     | ----              | ----              | 103              | UNCH |
| 591                                 | ----           | ----                         | 0.5340B/0.4140A    | 0.5340B/0.4140A            | ----                          | 0.5450 + 0.0715          | .8810 | ----          | ----                     | ----              | ----              | 3                | UNCH |
| 593                                 | ----           | ----                         | 0.5170B/0.3980A    | 0.5170B/0.3980A            | ----                          | 0.5270 + 0.0705          | .8724 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 594                                 | ----           | ----                         | 0.5085B/0.3905A    | 0.5085B/0.3905A            | ----                          | 0.5185 + 0.0700          | .8686 | ----          | ----                     | ----              | ----              | 2                | UNCH |
| 595                                 | ----           | ----                         | 0.5010B/0.3830A    | 0.5010B/0.3830A            | ----                          | 0.5100 + 0.0695          | .8637 | ----          | ----                     | ----              | ----              | 29               | UNCH |
| 597                                 | ----           | ----                         | 0.4825B/0.3675A    | 0.4825B/0.3675A            | ----                          | 0.4925 + 0.0680          | .8549 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 598                                 | ----           | ----                         | 0.4740B/0.3605A    | 0.4740B/0.3605A            | ----                          | 0.4845 + 0.0680          | .8489 | ----          | ----                     | ----              | ----              | 1                | UNCH |
| 599                                 | ----           | ----                         | 0.4655B/0.3530A    | 0.4655B/0.3530A            | ----                          | 0.4760 + 0.0675          | .8439 | ----          | ----                     | ----              | ----              | 2                | UNCH |
| 600                                 | ----           | ----                         | 0.4655B/0.3290A    | 0.4655B/0.3290A            | ----                          | 0.4675 + 0.0665          | .8389 | ----          | ----                     | ----              | ----              | 543              | UNCH |
| 602                                 | ----           | ----                         | 0.4425B/0.3315A    | 0.4425B/0.3315A            | ----                          | 0.4510 + 0.0655          | .8279 | ----          | ----                     | ----              | ----              | 83               | UNCH |
| 603                                 | ----           | ----                         | 0.4330B/0.3245A    | 0.4330B/0.3245A            | ----                          | 0.4430 + 0.0650          | .8228 | ----          | ----                     | ----              | ----              | 3                | UNCH |
| 605                                 | ----           | ----                         | 0.4185B/0.2950A    | 0.4185B/0.2950A            | ----                          | 0.4265 + 0.0630          | .8108 | ----          | ----                     | ----              | ----              | 41               | UNCH |
| 610                                 | 0.3665         | 0.3665                       | 0.3845B/0.2640A    | 0.3845B/0.2640A            | ----                          | 0.3875 + 0.0595          | .7787 | ----          | ----                     | 120               | ----              | 231 -            | 94   |
| 615                                 | 0.3510         | 0.3510                       | 0.3525B/0.2350A    | 0.3525B/0.2350A            | ----                          | 0.3505 + 0.0560          | .7441 | ----          | ----                     | 100               | ----              | 1409 -           | 11   |
| 620                                 | 0.3060         | 0.3060                       | 0.3170B/0.2035A    | 0.3170B/0.2035A            | ----                          | 0.3155 + 0.0520          | .7061 | ----          | ----                     | 2                 | ----              | 186 -            | 1    |
| 625                                 | ----           | ----                         | 0.2845B/0.1795A    | 0.2845B/0.1795A            | ----                          | 0.2825 + 0.0475          | .6658 | ----          | ----                     | 1                 | ----              | 359 +            | 1    |
| 630                                 | 0.1775         | 0.1775                       | 0.2545B/0.1575A    | 0.2545B/0.1575A            | ----                          | 0.2520 + 0.0430          | .6237 | ----          | ----                     | 13                | ----              | 396 -            | 5    |
| 635                                 | 0.1765         | 0.1765                       | 0.2275B/0.1380A    | 0.2275B/0.1380A            | ----                          | 0.2240 + 0.0385          | .5805 | ----          | ----                     | 28                | ----              | 201 +            | 23   |
| 640                                 | 0.1590         | 0.1590                       | 0.2020B/0.1205A    | 0.2020B/0.1205A            | ----                          | 0.1980 + 0.0345          | .5368 | ----          | ----                     | 146               | ----              | 1434 -           | 117  |
| 645                                 | 0.1090         | 0.1090                       | 0.1820/0.1055A     | 0.1820/0.1055A             | ----                          | 0.1750 + 0.0305          | .4934 | ----          | ----                     | 90                | ----              | 507 +            | 22   |
| 650                                 | 0.1185         | 0.1185                       | 0.1595/0.0920A     | 0.1595/0.0920A             | ----                          | 0.1535 + 0.0265          | .4507 | ----          | ----                     | 201               | 120               | 1783 -           | 107  |
| 655                                 | 0.1225         | 0.1225                       | 0.1400/0.0800A     | 0.1400/0.0800A             | ----                          | 0.1345 + 0.0230          | .4095 | ----          | ----                     | 12                | ----              | 366 +            | 1    |
| 660                                 | 0.1100         | 0.1100                       | 0.1220B/0.0700A    | 0.1220B/0.0700A            | ----                          | 0.1175 + 0.0195          | .3701 | ----          | ----                     | 3                 | ----              | 1338 -           | 1    |
| 665                                 | 0.1050         | 0.1050                       | 0.1060B/0.0610A    | 0.1060B/0.0610A            | ----                          | 0.1025 + 0.0165          | .3330 | ----          | ----                     | 10                | ----              | 138 -            | 8    |
| 670                                 | 0.0540         | 0.0540                       | 0.0930B/0.0535A    | 0.0930B/0.0535A            | ----                          | 0.0890 + 0.0135          | .2981 | ----          | ----                     | 180               | ----              | 699 +            | 121  |
| 675                                 | 0.0510         | 0.0510                       | 0.0810/0.0465A     | 0.0810/0.0465A             | ----                          | 0.0770 + 0.0105          | .2656 | ----          | ----                     | 41                | ----              | 2061 +           | 14   |
| 679                                 | ----           | ----                         | ---                | #0.0715B/*0.042            | ----                          | 0.0685 NEW               | .2414 | ----          | ----                     | 15                | ----              | 15 +             | 15   |
| 680                                 | 0.0550         | 0.0550                       | 0.0710/0.0410A     | 0.0710/0.0410A             | ----                          | 0.0665 + 0.0080          | .2356 | ----          | ----                     | 5                 | ----              | 232 -            | 5    |
| 681                                 | 0.0505         | 0.0505                       | #0.0675B/*0.050    | #0.0675B/*0.040            | ----                          | 0.0645 NEW               | .2298 | ----          | ----                     | 4                 | ----              | 4 +              | 4    |
| 684                                 | 0.0500         | 0.0500                       | #0.0630B/*0.045    | #0.0630B/*0.037            | ----                          | 0.0595 NEW               | .2143 | ----          | ----                     | 28                | ----              | 28 +             | 28   |
| 685                                 | 0.0485         | 0.0485                       | 0.0600B/0.0360A    | 0.0600B/0.0360A            | ----                          | 0.0575 + 0.0055          | .2086 | ----          | ----                     | 27                | ----              | 13               |      |



| BULLETIN #101@ |                      |                           | METALS OPTION PRODUCTS |                         |                            |                          |       |               |                          |                   | Thu, May 28, 2026 |                  |      | PG64 |
|----------------|----------------------|---------------------------|------------------------|-------------------------|----------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|------------------|------|------|
|                | GLOBEX<br>OPEN       | OPEN OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW     | OPEN OUTCRY<br>HIGH/LOW | OPEN OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     | OPEN<br>INTEREST |      |      |
| HX CALL        | COMEX COPPER OPTIONS |                           |                        |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| AUG26          |                      |                           |                        |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| 730            | ----                 | ----                      | 0.0900B/0.0675A        | 0.0900B/0.0675A         | ----                       | 0.0890 + 0.0065          | .1978 | ----          | ----                     | 1                 | ----              | 3 +              | 1    |      |
| 735            | ----                 | ----                      | 0.0830B/0.0630A        | 0.0830B/0.0630A         | ----                       | 0.0825 + 0.0055          | .1852 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 740            | ----                 | ----                      | 0.0770B/*0.0590        | 0.0770B/*0.0590         | ----                       | 0.0765 NEW               | .1734 | ----          | ----                     | 1                 | ----              | 1 +              | 1    |      |
| 750            | ----                 | ----                      | 0.0660B/0.0505A        | 0.0660B/0.0505A         | ----                       | 0.0660 + 0.0030          | .1521 | ----          | ----                     | ----              | ----              | 574              | UNCH |      |
| 775            | ----                 | ----                      | 0.0460B/0.0365A        | 0.0460B/0.0365A         | ----                       | 0.0465 + 0.0010          | .1105 | ----          | ----                     | ----              | ----              | 162              | UNCH |      |
| 800            | 0.0330               | 0.0330                    | 0.0330/0.0275A         | 0.0330/0.0275A          | ----                       | 0.0335 UNCH              | .0811 | ----          | ----                     | 3                 | ----              | 405 +            | 1    |      |
| 825            | ----                 | ----                      | ----/*0.0215A          | 0.0245B/0.0215A         | ----                       | 0.0245 - 0.0010          | .0602 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 850            | 0.0200               | 0.0200                    | 0.0200/*0.0170A        | 0.0200/0.0170A          | ----                       | 0.0190 - 0.0010          | .0465 | ----          | ----                     | 3                 | ----              | 13               | UNCH |      |
| 875            | ----                 | ----                      | ----/*0.0140A          | 0.0145B/0.0140A         | ----                       | 0.0145 - 0.0010          | .0356 | ----          | ----                     | ----              | ----              | 14               | UNCH |      |
| 900            | ----                 | ----                      | ----                   | 0.0110B/0.0125A         | ----                       | 0.0115 - 0.0010          | .0281 | ----          | ----                     | ----              | ----              | 141              | UNCH |      |
| 925            | 0.0085               | 0.0085                    | 0.0085/*0.0085         | 0.0085/0.0085           | ----                       | 0.0095 - 0.0010          | .0230 | ----          | ----                     | 1                 | ----              | 2 +              | 1    |      |
| 950            | 0.0090               | 0.0090                    | 0.0090/*0.0090         | 0.0090/0.0090           | ----                       | 0.0080 - 0.0005          | .0191 | ----          | ----                     | 6                 | ----              | 62 +             | 6    |      |
| 975            | ----                 | ----                      | ----                   | 0.0025B/0.0110A         | ----                       | 0.0060 - 0.0005          | .0145 | ----          | ----                     | ----              | ----              | 59               | UNCH |      |
| TOTAL          |                      |                           |                        |                         |                            |                          |       |               |                          | 450               |                   | 10207 +          | 209  |      |
| SEP26          |                      |                           |                        |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| 495            | ----                 | ----                      | ----                   | ----                    | ----                       | 1.5485 + 0.0825          | .9555 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 500            | ----                 | ----                      | 1.4565B/----           | 1.4565B/1.4570A         | ----                       | 1.5005 + 0.0820          | .9521 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 510            | ----                 | ----                      | ----                   | ----                    | ----                       | 1.4055 + 0.0810          | .9422 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 535            | ----                 | ----                      | ----                   | ----                    | ----                       | 1.1755 + 0.0780          | .9066 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 565            | ----                 | ----                      | ----                   | ----                    | ----                       | 0.9225 + 0.0745          | .8365 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 575            | ----                 | ----                      | 0.7990B/----           | 0.7990B/0.8105A         | ----                       | 0.8445 + 0.0725          | .8070 | ----          | ----                     | ----              | ----              | 100              | UNCH |      |
| 590            | ----                 | ----                      | 0.7245B/0.6025A        | 0.7245B/0.6025A         | ----                       | 0.7320 + 0.0650          | .7591 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 595            | ----                 | ----                      | 0.6925B/0.5715A        | 0.6925B/0.5715A         | ----                       | 0.6965 + 0.0625          | .7418 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 600            | ----                 | ----                      | 0.6615B/0.5420A        | 0.6615B/0.5420A         | ----                       | 0.6620 + 0.0595          | .7237 | ----          | ----                     | ----              | ----              | 222              | UNCH |      |
| 610            | ----                 | ----                      | 0.5950B/0.4865A        | 0.5950B/0.4865A         | ----                       | 0.5970 + 0.0545          | .6859 | ----          | ----                     | ----              | ----              | 31               | UNCH |      |
| 615            | ----                 | ----                      | 0.5645B/0.4605A        | 0.5645B/0.4605A         | ----                       | 0.5660 + 0.0515          | .6663 | ----          | ----                     | ----              | ----              | 9                | UNCH |      |
| 620            | ----                 | ----                      | 0.5385B/0.4305A        | 0.5385B/0.4305A         | ----                       | 0.5370 + 0.0495          | .6462 | ----          | ----                     | ----              | ----              | 187              | UNCH |      |
| 625            | ----                 | ----                      | 0.5115B/0.4070A        | 0.5115B/0.4070A         | ----                       | 0.5090 + 0.0470          | .6259 | ----          | ----                     | ----              | ----              | 632              | UNCH |      |
| 630            | ----                 | ----                      | 0.4820B/0.3860A        | 0.4820B/0.3860A         | ----                       | 0.4825 + 0.0450          | .6054 | ----          | ----                     | ----              | ----              | 51               | UNCH |      |
| 635            | ----                 | ----                      | 0.4565B/0.3635A        | 0.4565B/0.3635A         | ----                       | 0.4570 + 0.0430          | .5850 | ----          | ----                     | ----              | ----              | 66               | UNCH |      |
| 640            | ----                 | ----                      | 0.4350B/0.3445A        | 0.4350B/0.3445A         | ----                       | 0.4330 + 0.0415          | .5645 | ----          | ----                     | ----              | ----              | 1052             | UNCH |      |
| 645            | ----                 | ----                      | 0.4105B/0.3250A        | 0.4105B/0.3250A         | ----                       | 0.4100 + 0.0395          | .5442 | ----          | ----                     | ----              | ----              | 200              | UNCH |      |
| 650            | ----                 | ----                      | 0.3890B/0.3070A        | 0.3890B/0.3070A         | ----                       | 0.3880 + 0.0380          | .5241 | ----          | ----                     | 10                | ----              | 331 +            | 5    |      |
| 655            | ----                 | ----                      | 0.3660B/0.2890A        | 0.3660B/0.2890A         | ----                       | 0.3670 + 0.0360          | .5042 | ----          | ----                     | ----              | ----              | 24               | UNCH |      |
| 660            | ----                 | ----                      | 0.3470B/0.2735A        | 0.3470B/0.2735A         | ----                       | 0.3470 + 0.0345          | .4847 | ----          | ----                     | ----              | ----              | 104              | UNCH |      |
| 665            | ----                 | ----                      | 0.3280B/0.2575A        | 0.3280B/0.2575A         | ----                       | 0.3280 + 0.0325          | .4655 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 670            | 0.2700               | 0.2700                    | 0.3105B/0.2430A        | 0.3105B/0.2430A         | ----                       | 0.3100 + 0.0305          | .4467 | ----          | ----                     | 47                | ----              | 127 -            | 12   |      |
| 675            | 0.2870               | 0.2870                    | 0.2940B/0.2290A        | 0.2940B/0.2290A         | ----                       | 0.2930 + 0.0290          | .4284 | ----          | ----                     | 27                | ----              | 600 +            | 25   |      |
| 680            | ----                 | ----                      | 0.2780B/0.2160A        | 0.2780B/0.2160A         | ----                       | 0.2765 + 0.0270          | .4104 | ----          | ----                     | ----              | ----              | 1392             | UNCH |      |
| 685            | ----                 | ----                      | 0.2605B/0.2040A        | 0.2605B/0.2040A         | ----                       | 0.2610 NEW               | .3930 | ----          | ----                     | 30                | ----              | 30 +             | 30   |      |
| 690            | ----                 | ----                      | 0.2475B/0.1925A        | 0.2475B/0.1925A         | ----                       | 0.2465 + 0.0235          | .3761 | ----          | ----                     | ----              | ----              | 455              | UNCH |      |
| 695            | ----                 | ----                      | 0.2320B/0.1815A        | 0.2320B/0.1815A         | ----                       | 0.2325 + 0.0215          | .3596 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 700            | ----                 | ----                      | 0.2205B/0.1710A        | 0.2205B/0.1710A         | ----                       | 0.2195 + 0.0200          | .3437 | ----          | ----                     | 69                | 80                | 10654 +          | 80   |      |
| 705            | ----                 | ----                      | 0.2080B/0.1620A        | 0.2080B/0.1620A         | ----                       | 0.2070 + 0.0180          | .3283 | ----          | ----                     | ----              | ----              | 402              | UNCH |      |
| 710            | ----                 | ----                      | 0.1960B/0.1520A        | 0.1960B/0.1520A         | ----                       | 0.1950 + 0.0165          | .3132 | ----          | ----                     | ----              | ----              | 1000             | UNCH |      |
| 715            | ----                 | ----                      | 0.1835B/0.1440A        | 0.1835B/0.1440A         | ----                       | 0.1840 + 0.0150          | .2989 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 720            | ----                 | ----                      | 0.1730B/0.1360A        | 0.1730B/0.1360A         | ----                       | 0.1735 + 0.0135          | .2851 | ----          | ----                     | ----              | ----              | 7                | UNCH |      |
| 725            | ----                 | ----                      | 0.1625B/0.1280A        | 0.1625B/0.1280A         | ----                       | 0.1635 + 0.0120          | .2717 | ----          | ----                     | ----              | ----              | 133              | UNCH |      |
| 730            | ----                 | ----                      | 0.1535B/0.1210A        | 0.1535B/0.1210A         | ----                       | 0.1540 + 0.0110          | .2588 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 740            | ----                 | ----                      | 0.1370B/*0.1075        | 0.1370B/*0.1075         | ----                       | 0.1370 + 0.0090          | .2348 | ----          | ----                     | 3                 | ----              | 950              | UNCH |      |
| 750            | 0.1075               | 0.1075                    | 0.1205B/0.0955A        | 0.1205B/0.0955A         | ----                       | 0.1220 + 0.0075          | .2129 | ----          | ----                     | 13                | ----              | 235 +            | 10   |      |
| 775            | ----                 | ----                      | 0.0910B/0.0730A        | 0.0910B/0.0730A         | ----                       | 0.0915 + 0.0050          | .1663 | ----          | ----                     | ----              | 80                | 9180 +           | 80   |      |
| 800            | ----                 | ----                      | 0.0675B/0.0565A        | 0.0675B/0.0565A         | ----                       | 0.0690 + 0.0030          | .1296 | ----          | ----                     | ----              | ----              | 1000             | UNCH |      |
| 825            | ----                 | ----                      | 0.0520B/0.0445A        | 0.0520B/0.0445A         | ----                       | 0.0530 + 0.0030          | .1019 | ----          | ----                     | ----              | ----              | 131              | UNCH |      |
| 850            | ----                 | ----                      | 0.0400B/*0.0365        | 0.0400B/0.0365A         | ----                       | 0.0410 + 0.0020          | .0804 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 875            | ----                 | ----                      | 0.0315B/*0.0300        | 0.0315B/0.0300A         | ----                       | 0.0320 + 0.0015          | .0638 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 900            | ----                 | ----                      | 0.0240B/----           | 0.0240B/0.0255A         | ----                       | 0.0245 + 0.0010          | .0499 | ----          | ----                     | ----              | ----              | 79               | UNCH |      |
| 975            | ----                 | ----                      | 0.0125B/----           | 0.0125B/0.0170A         | ----                       | 0.0115 UNCH              | .0245 | ----          | ----                     | ----              | ----              | 14               | UNCH |      |
| TOTAL          |                      |                           |                        |                         |                            |                          |       |               | 160                      | 199               |                   | 29428 +          | 218  |      |
| OCT26          |                      |                           |                        |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |
| 500            | ----                 | ----                      | ----                   | ----                    | ----                       | 1.5970 + 0.0770          | .9401 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 575            | ----                 | ----                      | ----                   | ----                    | ----                       | 0.9540 + 0.0620          | .8027 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 600            | ----                 | ----                      | 0.7745B/0.6590A        | 0.7745B/0.6590A         | ----                       | 0.7790 + 0.0550          | .7284 | ----          | ----                     | ----              | ----              | 40               | UNCH |      |
| 605            | ----                 | ----                      | 0.7420B/0.6300A        | 0.7420B/0.6300A         | ----                       | 0.7470 + 0.0535          | .7125 | ----          | ----                     | ----              | ----              | 2                | UNCH |      |
| 615            | ----                 | ----                      | 0.6805B/0.5755A        | 0.6805B/0.5755A         | ----                       | 0.6855 + 0.0505          | .6796 | ----          | ----                     | ----              | ----              | 5                | UNCH |      |
| 620            | ----                 | ----                      | 0.6510B/0.5500A        | 0.6510B/0.5500A         | ----                       | 0.6560 + 0.0485          | .6627 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 625            | ----                 | ----                      | 0.6230B/0.5235A        | 0.6230B/0.5235A         | ----                       | 0.6275 + 0.0465          | .6458 | ----          | ----                     | ----              | ----              | 16               | UNCH |      |
| 650            | ----                 | ----                      | 0.4970B/0.4140A        | 0.4970B/0.4140A         | ----                       | 0.4995 + 0.0370          | .5600 | ----          | ----                     | ----              | ----              | 106              | UNCH |      |
| 665            | ----                 | ----                      | 0.4315B/0.3585A        | 0.4315B/0.3585A         | ----                       | 0.4335 + 0.0315          | .5092 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 670            | ----                 | ----                      | 0.4115B/0.3415A        | 0.4115B/0.3415A         | ----                       | 0.4135 + 0.0300          | .4927 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 675            | ----                 | ----                      | 0.3925B/0.3255A        | 0.3925B/0.3255A         | ----                       | 0.3945 + 0.0285          | .4765 | ----          | ----                     | ----              | ----              | 77               | UNCH |      |
| 690            | ----                 | ----                      | 0.3390B/0.2810A        | 0.3390B/0.2810A         | ----                       | 0.3415 + 0.0240          | .4293 | ----          | ----                     | ----              | ----              | 1                | UNCH |      |
| 700            | ----</               |                           |                        |                         |                            |                          |       |               |                          |                   |                   |                  |      |      |



| BULLETIN #101@               |                |              |                 | METALS OPTION PRODUCTS |                  |                 |               |                 |                          |       | Thu, May 28, 2026 |                          |                   | PG64          |                  |      |
|------------------------------|----------------|--------------|-----------------|------------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|-------------------|--------------------------|-------------------|---------------|------------------|------|
|                              | GLOBEX<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW     | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES     | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |      |
| HX CALL COMEX COPPER OPTIONS |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               |                  |      |
| DEC26                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               |                  |      |
| 680                          | ----           | ----         | ----            | 0.4750B/0.4210A        | 0.4750B/0.4210A  | ----            | ----          | ----            | 0.4855 + 0.0400          | .4829 | ----              | ----                     | ----              | ----          | 3                | UNCH |
| 690                          | ----           | ----         | ----            | 0.4390B/0.3900A        | 0.4390B/0.3900A  | ----            | ----          | ----            | 0.4495 + 0.0365          | .4573 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 700                          | ----           | ----         | ----            | 0.4055B/0.3610A        | 0.4055B/0.3610A  | ----            | ----          | ----            | 0.4165 + 0.0345          | .4326 | ----              | ----                     | ----              | ----          | 909              | UNCH |
| 705                          | ----           | ----         | ----            | 0.3900B/0.3475A        | 0.3900B/0.3475A  | ----            | ----          | ----            | 0.4005 + 0.0330          | .4204 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 725                          | ----           | ----         | ----            | 0.3320B/0.2980A        | 0.3320B/0.2980A  | ----            | ----          | ----            | 0.3430 + 0.0290          | .3743 | ----              | ----                     | ----              | ----          | 129              | UNCH |
| 730                          | ----           | ----         | ----            | 0.3190B/0.2870A        | 0.3190B/0.2870A  | ----            | ----          | ----            | 0.3300 + 0.0280          | .3634 | ----              | ----                     | ----              | ----          | 4                | UNCH |
| 750                          | ----           | ----         | ----            | 0.2710B/0.2465A        | 0.2710B/0.2465A  | ----            | ----          | ----            | 0.2820 + 0.0240          | .3218 | ----              | ----                     | ----              | ----          | 426              | UNCH |
| 775                          | ----           | ----         | ----            | 0.2210B/0.2045A        | 0.2210B/0.2045A  | ----            | ----          | ----            | 0.2320 + 0.0195          | .2755 | ----              | ----                     | ----              | ----          | 211              | UNCH |
| 800                          | ----           | ----         | ----            | 0.1805B/0.1705A        | 0.1805B/0.1705A  | ----            | ----          | ----            | 0.1920 + 0.0165          | .2356 | ----              | ----                     | ----              | ----          | 162              | UNCH |
| 825                          | ----           | ----         | ----            | 0.1475B/0.1435A        | 0.1475B/0.1435A  | ----            | ----          | ----            | 0.1595 + 0.0140          | .2015 | ----              | ----                     | ----              | ----          | 49               | UNCH |
| 850                          | ----           | ----         | ----            | ----                   | 0.1210B/0.1215A  | ----            | ----          | ----            | 0.1335 + 0.0120          | .1727 | ----              | ----                     | ----              | ----          | 304              | UNCH |
| 900                          | ----           | ----         | ----            | ----                   | 0.0825B/0.0905A  | ----            | ----          | ----            | 0.0950 + 0.0085          | .1276 | ----              | ----                     | ----              | ----          | 645              | UNCH |
| 925                          | ----           | ----         | ----            | ----                   | 0.0685B/0.0790A  | ----            | ----          | ----            | 0.0810 + 0.0070          | .1104 | ----              | ----                     | ----              | ----          | 6                | UNCH |
| 950                          | ----           | ----         | ----            | ----                   | 0.0575B/0.0700A  | ----            | ----          | ----            | 0.0700 + 0.0065          | .0963 | ----              | ----                     | ----              | ----          | 104              | UNCH |
| 975                          | ----           | ----         | ----            | ----                   | 0.0480B/0.0625A  | ----            | ----          | ----            | 0.0605 + 0.0055          | .0840 | ----              | ----                     | ----              | ----          | 13               | UNCH |
| 1000                         | ----           | ----         | ----            | ----                   | 0.0405B/0.0565A  | ----            | ----          | ----            | 0.0530 + 0.0050          | .0740 | ----              | ----                     | 1                 | ----          | 5 +              | 1    |
| TOTAL                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          | 7                 |               | 6220 +           |      |
| JAN27                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               |                  |      |
| 500                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 1.7215 + 0.0745          | .9039 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 900                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.1455 + 0.0125          | .1676 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| TOTAL                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               | 2                |      |
| FEB27                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               |                  |      |
| 620                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.8960 + 0.0525          | .6589 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| TOTAL                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               | 1                |      |
| MAR27                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               |                  |      |
| 680                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.6580 + 0.0415          | .5232 | ----              | ----                     | ----              | ----          | 30               | UNCH |
| 950                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.1650 + 0.0130          | .1675 | ----              | ----                     | ----              | ----          | 3                | UNCH |
| TOTAL                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               | 33               |      |
| HX PUT COMEX COPPER OPTIONS  |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               |                  |      |
| JUL26                        |                |              |                 |                        |                  |                 |               |                 |                          |       |                   |                          |                   |               |                  |      |
| 330                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0005 UNCH              | .0000 | ----              | ----                     | ----              | ----          | 84               | UNCH |
| 350                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0005 UNCH              | .0001 | ----              | ----                     | ----              | ----          | 5                | UNCH |
| 360                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0005 UNCH              | .0003 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 380                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0005 UNCH              | .0009 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 390                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0010 + 0.0005          | .0023 | ----              | ----                     | ----              | ----          | 6                | UNCH |
| 395                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0010 + 0.0005          | .0023 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 400                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0010 + 0.0005          | .0024 | ----              | ----                     | ----              | ----          | 566              | UNCH |
| 405                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0015 + 0.0005          | .0034 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 415                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0015 + 0.0005          | .0036 | ----              | ----                     | ----              | ----          | 52               | UNCH |
| 420                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0015 + 0.0005          | .0037 | ----              | ----                     | ----              | ----          | 4                | UNCH |
| 425                          | 0.0010         | 0.0010       | 0.0010          | 0.0010/*0.0010         | 0.0010/*0.0010   | ----            | ----          | ----            | 0.0015 + 0.0005          | .0038 | ----              | 1                        | ----              | ----          | 51               | UNCH |
| 430                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0015 + 0.0005          | .0039 | ----              | ----                     | ----              | ----          | 10               | UNCH |
| 435                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0015 + 0.0005          | .0040 | ----              | ----                     | ----              | ----          | 5                | UNCH |
| 440                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0015 + 0.0005          | .0041 | ----              | ----                     | ----              | ----          | 4                | UNCH |
| 445                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0020 + 0.0010          | .0054 | ----              | ----                     | ----              | ----          | 3                | UNCH |
| 450                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0020 + 0.0010          | .0055 | ----              | ----                     | ----              | ----          | 1909             | UNCH |
| 455                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0020 + 0.0010          | .0057 | ----              | ----                     | ----              | ----          | 14               | UNCH |
| 460                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0025 + 0.0015          | .0070 | ----              | ----                     | ----              | ----          | 6                | UNCH |
| 465                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0025 + 0.0015          | .0072 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 470                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0025 + 0.0015          | .0074 | ----              | ----                     | ----              | ----          | 3                | UNCH |
| 475                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0025 + 0.0015          | .0077 | ----              | ----                     | ----              | ----          | 512              | UNCH |
| 480                          | ----           | ----         | ----            | ----                   | 0.0010B/0.0025A  | ----            | ----          | ----            | 0.0025 + 0.0015          | .0079 | ----              | ----                     | ----              | ----          | 78               | UNCH |
| 485                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0025 + 0.0010          | .0081 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 490                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0025 + 0.0010          | .0084 | ----              | ----                     | ----              | ----          | 542              | UNCH |
| 495                          | ----           | ----         | ----            | ----                   | ----             | ----            | ----          | ----            | 0.0025 + 0.0005          | .0087 | ----              | ----                     | ----              | ----          | 104              | UNCH |
| 500                          | 0.0055         | 0.0055       | 0.0055          | 0.0080/0.0055          | 0.0080/0.0055    | ----            | ----          | ----            | 0.0025 + 0.0005          | .0090 | ----              | 80                       | ----              | ----          | 3303 -           | 33   |
| 505                          | ----           | ----         | ----            | ----                   | 0.0010B/*0.0065  | ----            | ----          | ----            | 0.0030 + 0.0005          | .0108 | ----              | ----                     | ----              | ----          | 3                | UNCH |
| 510                          | ----           | ----         | ----            | ----                   | 0.0010B/*0.0070  | ----            | ----          | ----            | 0.0030 UNCH              | .0111 | ----              | ----                     | ----              | ----          | 213              | UNCH |
| 515                          | ----           | ----         | ----            | ----                   | 0.0015B/0.0070A  | ----            | ----          | ----            | 0.0035 UNCH              | .0130 | ----              | ----                     | ----              | ----          | 6                | UNCH |
| 520                          | 0.0040         | 0.0040       | 0.0040          | 0.0050B/*0.0040        | 0.0050B/*0.0040  | ----            | ----          | ----            | 0.0035 - 0.0005          | .0135 | ----              | ----                     | ----              | ----          | 377              | UNCH |
| 525                          | 0.0040         | 0.0040       | 0.0040          | 0.0055B/*0.0040        | 0.0055B/*0.0040  | ----            | ----          | ----            | 0.0040 - 0.0010          | .0156 | ----              | 5                        | ----              | ----          | 653 +            | 5    |
| 530                          | ----           | ----         | ----            | 0.0065B/*0.0055        | 0.0065B/*0.0055  | ----            | ----          | ----            | 0.0045 - 0.0015          | .0178 | ----              | ----                     | ----              | ----          | 3199             | UNCH |
| 533                          | ----           | ----         | ----            | 0.0070B/*0.0060        | 0.0070B/*0.0060  | ----            | ----          | ----            | 0.0050 - 0.0015          | .0197 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 534                          | ----           | ----         | ----            | 0.0070B/*0.0060        | 0.0070B/*0.0060  | ----            | ----          | ----            | 0.0050 - 0.0015          | .0199 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 535                          | ----           | ----         | ----            | 0.0075B/*0.0060        | 0.0075B/*0.0060  | ----            | ----          | ----            | 0.0050 - 0.0020          | .0201 | ----              | ----                     | ----              | ----          | 4                | UNCH |
| 536                          | ----           | ----         | ----            | 0.0075B/*0.0060        | 0.0075B/*0.0060  | ----            | ----          | ----            | 0.0050 - 0.0020          | .0202 | ----              | ----                     | ----              | ----          | 5                | UNCH |
| 538                          | ----           | ----         | ----            | 0.0080B/*0.0065        | 0.0080B/*0.0065  | ----            | ----          | ----            | 0.0055 - 0.0020          | .0221 | ----              | ----                     | ----              | ----          | 3                | UNCH |
| 539                          | ----           | ----         | ----            | 0.0085B/*0.0065        | 0.0085B/*0.0065  | ----            | ----          | ----            | 0.0055 - 0.0020          | .0223 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 540                          | ----           | ----         | ----            | 0.0085B/*0.0065        | 0.0085B/*0.0065  | ----            | ----          | ----            | 0.0060 - 0.0020          | .0240 | ----              | 1                        | ----              | ----          | 910 +            | 1    |
| 541                          | ----           | ----         | ----            | 0.0090B/*0.0070        | 0.0090B/*0.0070  | ----            | ----          | ----            | 0.0060 - 0.0020          | .0242 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 542                          | ----           | ----         | ----            | 0.0095B/*0.0070        | 0.0095B/*0.0070  | ----            | ----          | ----            | 0.0060 - 0.0025          | .0244 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 543                          | ----           | ----         | ----            | 0.0095B/*0.0070        | 0.0095B/*0.0070  | ----            | ----          | ----            | 0.0065 - 0.0020          | .0261 | ----              | ----                     | ----              | ----          | 4                | UNCH |
| 545                          | ----           | ----         | ----            | 0.0105B/*0.0075        | 0.0105B/*0.0075  | ----            | ----          | ----            | 0.0065 - 0.0025          | .0266 | ----              | ----                     | ----              | ----          | 5                | UNCH |
| 546                          | ----           | ----         | ----            | 0.0105B/*0.0075        | 0.0105B/*0.0075  | ----            | ----          | ----            | 0.0070 - 0.0025          | .0284 | ----              | ----                     | ----              | ----          | 3                | UNCH |
| 547                          | ----           | ----         | ----            | 0.0110B/*0.0080        | 0.0110B/*0.0080  | ----            | ----          | ----            | 0.0070 - 0.0025          | .0286 | ----              | ----                     | ----              | ----          | 9                | UNCH |
| 548                          | ----           | ----         | ----            | 0.0115B/*0.0080        | 0.0115B/*0.0080  | ----            | ----          | ----            | 0.0075 - 0.0025          | .0304 | ----              | ----                     | ----              | ----          | 17               | UNCH |
| 549                          | ----           | ----         | ----            | 0.0120B/*0.0085        | 0.0120B/*0.0085  | ----            | ----          | ----            | 0.0075 - 0.0025          | .0306 | ----              | ----                     | ----              | ----          | 1                | UNCH |
| 550                          | 0.0100         | 0.0100       | 0.0100          | 0.0120B/*0.0080        | 0.0120B/*0.0080  | ----            | ----          | ----            | 0.0080 - 0.0025          | .0324 | ----              | 23                       | ----              | ----          | 1055 +           | 1    |
| 551                          | ----           | ----         | ----            | 0.0125B/*0.0085        | 0.0125B/*0.0085  | ----            | ----          | ----            | 0.0080 - 0.0030          | .0327 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 552                          | ----           | ----         | ----            | 0.0130B/*0.0090        | 0.0130B/*0.0090  | ----            | ----          | ----            | 0.0085 - 0.0025          | .0345 | ----              | ----                     | ----              | ----          | 2                | UNCH |
| 553                          | ----           | ----         | ----            | 0.0135B/*0.0090        | 0.0135B/*0.0090  | ----            | ----          | ----            | 0.0085 - 0.              |       |                   |                          |                   |               |                  |      |



| GLOBEX<br>OPEN       |        | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|----------------------|--------|--------------|-----------------|--------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------|---------------|------------------|
| COMEX COPPER OPTIONS |        |              |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
| JUL26                |        |              |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
| 620                  | 0.1370 | 0.1370       |                 | 0.1510B/*0.0895    | 0.1510B/*0.0895  | ----            |                 | 0.0900 - 0.0340          | .2938 | ----          | ----                     | 7                 | ----          | 331 +            |
| 625                  | 0.1645 | 0.1645       |                 | 0.1755B/*0.1065    | 0.1755B/*0.1065  | ----            |                 | 0.1070 - 0.0385          | .3340 | ----          | ----                     | 12                | ----          | 148 +            |
| 630                  | 0.1720 | 0.1720       |                 | 0.2050B/*0.1265    | 0.2050B/*0.1265  | ----            |                 | 0.1265 - 0.0425          | .3762 | ----          | ----                     | 63                | ----          | 416 +            |
| 635                  | 0.1985 | 0.1985       |                 | 0.2340B/*0.1475    | 0.2340B/*0.1475  | ----            |                 | 0.1480 - 0.0470          | .4193 | ----          | ----                     | 6                 | ----          | 232 +            |
| 640                  | 0.1755 | 0.1755       |                 | 0.2650B/0.1725A    | 0.2650B/0.1725A  | ----            |                 | 0.1720 - 0.0515          | .4630 | ----          | ----                     | 5                 | ----          | 133 +            |
| 645                  | 0.2005 | 0.2005       |                 | 0.2995B/0.1995A    | 0.2995B/0.1995A  | ----            |                 | 0.1985 - 0.0555          | .5065 | ----          | ----                     | 80                | ----          | 98 +             |
| 650                  | ----   | ----         |                 | 0.3360B/0.2285A    | 0.3360B/0.2285A  | ----            |                 | 0.2275 - 0.0590          | .5492 | ----          | ----                     | 2                 | ----          | 124              |
| 655                  | ----   | ----         |                 | 0.3745B/0.2595A    | 0.3745B/0.2595A  | ----            |                 | 0.2585 - 0.0625          | .5904 | ----          | ----                     | ----              | ----          | 49               |
| 660                  | ----   | ----         |                 | 0.4145B/0.2925A    | 0.4145B/0.2925A  | ----            |                 | 0.2910 - 0.0665          | .6297 | ----          | ----                     | 2                 | ----          | 10 -             |
| 665                  | ----   | ----         |                 | 0.4290B/0.3290A    | 0.4290B/0.3290A  | ----            |                 | 0.3260 - 0.0695          | .6668 | ----          | ----                     | ----              | ----          | 2                |
| 670                  | ----   | ----         |                 | 0.4715B/0.3650A    | 0.4715B/0.3650A  | ----            |                 | 0.3620 - 0.0730          | .7017 | ----          | ----                     | ----              | ----          | 60               |
| 675                  | ----   | ----         |                 | 0.5145B/0.4025A    | 0.5145B/0.4025A  | ----            |                 | 0.4000 - 0.0755          | .7343 | ----          | ----                     | ----              | ----          | 26               |
| 700                  | ----   | ----         |                 | 0.7430B/0.6320A    | 0.7430B/0.6320A  | ----            |                 | 0.6105 - 0.0845          | .8552 | ----          | ----                     | ----              | ----          | 1                |
| 705                  | ----   | ----         |                 | 0.7905B/0.6770A    | 0.7905B/0.6770A  | ----            |                 | 0.6555 - 0.0855          | .8724 | ----          | ----                     | ----              | ----          | 2                |
| TOTAL                |        |              |                 |                    |                  |                 |                 |                          |       |               |                          | 575               |               | 23219 +          |
| AUG26                |        |              |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
| 330                  | ----   | ----         |                 | ----               | ----/0.0055A     | ----            |                 | 0.0005 - UNCH            | .0006 | ----          | ----                     | ----              | ----          | 3                |
| 405                  | ----   | ----         |                 | ----               | ----/*0.0065A    | ----            |                 | 0.0030 - 0.0005          | .0063 | ----          | ----                     | ----              | ----          | 1                |
| 420                  | ----   | ----         |                 | ----               | 0.0005B/*0.0065  | ----            |                 | 0.0035 - 0.0005          | .0077 | ----          | ----                     | ----              | ----          | 3                |
| 440                  | ----   | ----         |                 | ----               | 0.0015B/*0.0080  | ----            |                 | 0.0050 - 0.0010          | .0113 | ----          | ----                     | ----              | ----          | 5                |
| 450                  | ----   | ----         |                 | ----               | 0.0025B/*0.0085  | ----            |                 | 0.0060 - 0.0010          | .0136 | ----          | ----                     | ----              | ----          | 8                |
| 460                  | ----   | ----         |                 | ----               | 0.0035B/*0.0095  | ----            |                 | 0.0065 - 0.0015          | .0153 | ----          | ----                     | ----              | ----          | 3                |
| 465                  | ----   | ----         |                 | ----               | 0.0035B/*0.0100  | ----            |                 | 0.0070 - 0.0015          | .0166 | ----          | ----                     | ----              | ----          | 1                |
| 470                  | ----   | ----         |                 | ----               | 0.0040B/*0.0105  | ----            |                 | 0.0075 - 0.0020          | .0179 | ----          | ----                     | ----              | ----          | 3                |
| 475                  | ----   | ----         |                 | ----               | 0.0045B/0.0110A  | ----            |                 | 0.0080 - 0.0020          | .0194 | ----          | ----                     | ----              | ----          | 15               |
| 480                  | ----   | ----         |                 | ----               | 0.0055B/*0.0115  | ----            |                 | 0.0090 - 0.0020          | .0217 | ----          | ----                     | ----              | ----          | 8                |
| 485                  | ----   | ----         |                 | ----               | 0.0065B/*0.0120  | ----            |                 | 0.0095 - 0.0020          | .0232 | ----          | ----                     | ----              | ----          | 1                |
| 500                  | ----   | ----         |                 | ----/*0.0130A      | 0.0105B/*0.0130  | ----            |                 | 0.0115 - 0.0025          | .0292 | ----          | ----                     | ----              | ----          | 11               |
| 505                  | ----   | ----         |                 | ----/*0.0140A      | 0.0120B/*0.0140  | ----            |                 | 0.0125 - 0.0025          | .0319 | ----          | ----                     | ----              | ----          | 1                |
| 510                  | ----   | ----         |                 | ----/*0.0150A      | 0.0135B/*0.0150  | ----            |                 | 0.0135 - 0.0030          | .0348 | ----          | ----                     | ----              | ----          | 2                |
| 520                  | ----   | ----         |                 | ----/*0.0170A      | 0.0190B/*0.0170  | ----            |                 | 0.0160 - 0.0035          | .0418 | ----          | ----                     | ----              | ----          | 308              |
| 525                  | ----   | ----         |                 | ----/*0.0185A      | 0.0205B/*0.0185  | ----            |                 | 0.0175 - 0.0040          | .0459 | ----          | ----                     | ----              | ----          | 1                |
| 530                  | ----   | ----         |                 | ----/*0.0205A      | 0.0235B/*0.0205  | ----            |                 | 0.0195 - 0.0045          | .0511 | ----          | ----                     | ----              | ----          | 43               |
| 535                  | ----   | ----         |                 | ----/*0.0230A      | 0.0265B/*0.0230  | ----            |                 | 0.0220 - 0.0050          | .0573 | ----          | ----                     | ----              | ----          | 9                |
| 540                  | 0.0270 | 0.0270       |                 | 0.0270/*0.0260A    | 0.0305B/*0.0260  | ----            |                 | 0.0245 - 0.0060          | .0637 | ----          | ----                     | 1                 | ----          | 9                |
| 545                  | ----   | ----         |                 | 0.0350B/*0.0290    | 0.0350B/*0.0290  | ----            |                 | 0.0280 - 0.0065          | .0719 | ----          | ----                     | ----              | ----          | 3                |
| 550                  | ----   | ----         |                 | 0.0400B/*0.0330    | 0.0400B/*0.0330  | ----            |                 | 0.0315 - 0.0075          | .0803 | ----          | ----                     | 1                 | ----          | 156              |
| 555                  | ----   | ----         |                 | 0.0465B/*0.0370    | 0.0465B/*0.0370  | ----            |                 | 0.0360 - 0.0085          | .0904 | ----          | ----                     | 2                 | ----          | 11               |
| 560                  | ----   | ----         |                 | 0.0530B/*0.0420    | 0.0530B/*0.0420  | ----            |                 | 0.0410 - 0.0095          | .1015 | ----          | ----                     | 1                 | ----          | 68               |
| 565                  | ----   | ----         |                 | 0.0610B/*0.0475    | 0.0610B/*0.0475  | ----            |                 | 0.0465 - 0.0110          | .1135 | ----          | ----                     | ----              | ----          | 3                |
| 570                  | 0.0685 | 0.0685       |                 | 0.0700B/*0.0520    | 0.0700B/*0.0520  | ----            |                 | 0.0535 - 0.0120          | .1276 | ----          | ----                     | 86                | ----          | 162              |
| 575                  | 0.0760 | 0.0760       |                 | 0.0805B/*0.0610    | 0.0805B/*0.0610  | ----            |                 | 0.0605 - 0.0140          | .1420 | ----          | ----                     | 86                | ----          | 109              |
| 580                  | ----   | ----         |                 | 0.0925B/*0.0695    | 0.0925B/*0.0695  | ----            |                 | 0.0690 - 0.0155          | .1583 | ----          | ----                     | 25                | ----          | 373              |
| 585                  | ----   | ----         |                 | 0.1060B/0.0790A    | 0.1060B/0.0790A  | ----            |                 | 0.0785 - 0.0175          | .1759 | ----          | ----                     | 2                 | ----          | 65               |
| 590                  | ----   | ----         |                 | 0.1205B/0.0895A    | 0.1205B/0.0895A  | ----            |                 | 0.0890 - 0.0190          | .1946 | ----          | ----                     | 2                 | ----          | 18               |
| 595                  | ----   | ----         |                 | 0.1365B/0.1010A    | 0.1365B/0.1010A  | ----            |                 | 0.1005 - NEW             | .2144 | ----          | ----                     | 1                 | ----          | 1                |
| 600                  | 0.1215 | 0.1215       |                 | 0.1535B/0.1145A    | 0.1535B/0.1145A  | ----            |                 | 0.1135 - 0.0235          | .2356 | ----          | ----                     | 3                 | ----          | 821              |
| 605                  | 0.1275 | 0.1275       |                 | 0.1730B/0.1275     | 0.1730B/0.1275   | ----            |                 | 0.1275 - 0.0260          | .2576 | ----          | ----                     | 2                 | ----          | 322              |
| 610                  | ----   | ----         |                 | 0.1935B/0.1445A    | 0.1935B/0.1445A  | ----            |                 | 0.1435 - 0.0280          | .2810 | ----          | ----                     | 251               | ----          | 380              |
| 620                  | ----   | ----         |                 | 0.2390B/0.1800A    | 0.2390B/0.1800A  | ----            |                 | 0.1790 - 0.0325          | .3297 | ----          | ----                     | ----              | ----          | 29               |
| 625                  | ----   | ----         |                 | 0.2645B/0.2000A    | 0.2645B/0.2000A  | ----            |                 | 0.1985 - 0.0350          | .3548 | ----          | ----                     | ----              | ----          | 6                |
| 630                  | ----   | ----         |                 | 0.2900B/0.2210A    | 0.2900B/0.2210A  | ----            |                 | 0.2200 - 0.0375          | .3804 | ----          | ----                     | ----              | ----          | 5                |
| 635                  | ----   | ----         |                 | 0.3175B/0.2445A    | 0.3175B/0.2445A  | ----            |                 | 0.2430 - 0.0400          | .4063 | ----          | ----                     | ----              | ----          | 10               |
| 640                  | ----   | ----         |                 | 0.3485B/0.2680A    | 0.3485B/0.2680A  | ----            |                 | 0.2670 - 0.0430          | .4322 | ----          | ----                     | ----              | ----          | 257              |
| 650                  | ----   | ----         |                 | 0.4105B/0.3210A    | 0.4105B/0.3210A  | ----            |                 | 0.3195 - 0.0490          | .4838 | ----          | ----                     | ----              | ----          | 50               |
| 660                  | ----   | ----         |                 | 0.4750B/0.3790A    | 0.4750B/0.3790A  | ----            |                 | 0.3775 - 0.0545          | .5339 | ----          | ----                     | ----              | ----          | 2                |
| 670                  | ----   | ----         |                 | 0.5475B/0.4410A    | 0.5475B/0.4410A  | ----            |                 | 0.4400 - 0.0600          | .5820 | ----          | ----                     | ----              | ----          | 310              |
| TOTAL                |        |              |                 |                    |                  |                 |                 |                          |       |               |                          | 463               |               | 3596 +           |
| SEP26                |        |              |                 |                    |                  |                 |                 |                          |       |               |                          |                   |               |                  |
| 400                  | ----   | ----         |                 | 0.0020B/0.0115A    | 0.0020B/0.0115A  | ----            |                 | 0.0060 - UNCH            | .0109 | ----          | ----                     | ----              | ----          | 1                |
| 440                  | ----   | ----         |                 | 0.0055B/0.0155A    | 0.0055B/0.0155A  | ----            |                 | 0.0100 - 0.0005          | .0193 | ----          | ----                     | ----              | ----          | 4                |
| 445                  | ----   | ----         |                 | 0.0065B/0.0160A    | 0.0065B/0.0160A  | ----            |                 | 0.0110 - 0.0005          | .0212 | ----          | ----                     | ----              | ----          | 5                |
| 450                  | ----   | ----         |                 | 0.0070B/0.0170A    | 0.0070B/0.0170A  | ----            |                 | 0.0115 - 0.0005          | .0224 | ----          | ----                     | ----              | ----          | 805              |
| 460                  | ----   | ----         |                 | 0.0095B/0.0165A    | 0.0095B/0.0165A  | ----            |                 | 0.0130 - 0.0005          | .0258 | ----          | ----                     | ----              | ----          | 12               |
| 470                  | ----   | ----         |                 | 0.0115B/0.0175A    | 0.0115B/0.0175A  | ----            |                 | 0.0150 - 0.0010          | .0301 | ----          | ----                     | ----              | ----          | 3                |
| 475                  | ----   | ----         |                 | 0.0130B/0.0190A    | 0.0130B/0.0190A  | ----            |                 | 0.0160 - 0.0015          | .0323 | ----          | ----                     | ----              | ----          | 71               |
| 480                  | ----   | ----         |                 | 0.0150B/0.0205A    | 0.0150B/0.0205A  | ----            |                 | 0.0170 - 0.0020          | .0347 | ----          | ----                     | ----              | ----          | 7                |
| 485                  | ----   | ----         |                 | 0.0165B/0.0220A    | 0.0165B/0.0220A  | ----            |                 | 0.0180 - 0.0025          | .0371 | ----          | ----                     | ----              | ----          | 1                |
| 490                  | ----   | ----         |                 | 0.0185B/0.0225A    | 0.0185B/0.0225A  | ----            |                 | 0.0195 - 0.0030          | .0403 | ----          | ----                     | ----              | ----          | 11               |
| 500                  | ----   | ----         |                 | ----/0.0265A       | 0.0235B/0.0265A  | ----            |                 | 0.0230 - 0.0040          | .0477 | ----          | ----                     | ----              | ----          | 627              |
| 510                  | ----   | ----         |                 | ----/0.0320A       | 0.0305B/0.0320A  | ----            |                 | 0.0280 - 0.0045          | .0575 | ----          | ----                     | ----              | ----          | 2                |
| 515                  | ----   | ----         |                 | ----/0.0345A       | 0.0345B/0.0345A  | ----            |                 | 0.0310 - 0.0050          | .0633 | ----          | ----                     | ----              | ----          | 1                |
| 520                  | ----   | ----         |                 | ----/0.0370A       | 0.0385B/0.0370A  | ----            |                 | 0.0340 - 0.0060          | .0692 | ----          | ----                     | ----              | ----          | 7                |
| 525                  | ----   | ----         |                 | ----/0.0405A       | 0.0435B/0.0405A  | ----            |                 | 0.0380 - 0.0065          | .0765 | ----          | ----                     | ----              | ----          | 327              |
| 530                  | ----   | ----         |                 | ----/0.0450A       | 0.0495B/0.0450A  | ----            |                 | 0.0425 - 0.0070          | .0844 | ----          | ----                     | ----              | ----          | 2                |
| 535                  | ----   | ----         |                 | 0.0555B/0.0500A    | 0.0555B/0.0500A  | ----            |                 | 0.0475 - 0.0075          | .0931 | ----          | ----                     | ----              | ----          | 350              |
| 540                  | ----   | ----         |                 | 0.0625B/0.0550A    | 0.0625B/0.0550A  | ----            |                 | 0.0530 - 0.0080          | .1025 | ----          | ----                     | ----              | ----          | 403              |
| 545                  | ----   | ----         |                 | 0.0705B/0.0610A    | 0.0705B/0.0610A  | ----            |                 | 0.0595 - 0.0085          | .1130 | ----          | ----                     | ----              | ----          | 1                |
| 550                  | 0.0785 | 0.0785       |                 | 0.0790B/0.0675     | 0.0790B/0.0675   | ----            |                 | 0.0665 - 0.0090          | .1242 | ----          | ----                     | 80                | ----          | 327              |
| 560                  | ----   | ----         |                 | 0.0995B/0.0830A    | 0.0995B/0.0830A  | ----            |                 | 0.0835 - 0.0100          | .1496 | ----          | ----                     | ----              | ----          | 5                |
| 565                  | ----   | ----         |                 | 0.1110B/0.0920A    | 0.1110B/0.0920A  | ----            |                 | 0.0930 - 0.0110          | .1632 | ----          | ----                     | 1                 | ----          | 2                |
| 570                  | 0.1250 | 0.1250       |                 | 0.1235B/0.1020A    | 0.1235B/0.1020A  | ----            |                 | 0.1035 - 0.0115          | .1778 | ----          | ----                     | ----              | ----          | 124              |
| 575                  | ----   | ----         |                 | 0.1370B/0.1125     | 0.1370B/0.1125   | ----            |                 | 0.1145 - 0.0130          | .1927 | ----          | ----                     | 210               | ----          | 406              |
| 580                  | ----   | ----         |                 | 0.1520B/0.1245A    | 0.1520B/0.1245A  | ----            |                 | 0.1260 - 0.0150          | .2081 | ----          | ----                     | ----              | ----          | 686              |
| 585                  | ----   | ----         |                 | 0.1680B/0.1375A    | 0.1680B/0.1375A  | ----            |                 | 0.1380 - 0.0175          | .2240 | ----          | ----                     | ----              | ----          | 8                |
| 590                  | ----   | ----         |                 | 0.1855B/0.1510A    | 0.1855B/0.1510A  | ----            |                 | 0.1510 - 0.0205          | .2406 | ----          | ----                     | ----              | ----          | 369              |
| 595                  | ----   | ----         |                 | 0.2040B/0.1665A    | 0.2040B/0.1665A  | ----            |                 | 0.1650 - 0.0230          | .2579 | ----          | ----                     | ----              | ----          | 8                |
| 600                  | ----   | ----         |                 | 0.2240B/0.1820A    | 0.2240B/0.1820A  | ----            |                 | 0.1805 - 0.0255          | .2760 | ----          | ----                     | ----              | ----          | 1213             |
| 610                  | ----   | ----         |                 | 0.2670B/0.2175A    | 0.2670B/0.2175A  | ----            |                 | 0.2145 - 0.0315          | .3138 | ----          | ----                     | ----              | ----          | 1100             |
| 615                  | ----   | ----         |                 | 0.2905B/0.2375A    | 0.2905B/0.2375A  | ----            |                 | 0.2335 - 0.0340          | .3334 | ----          | ----                     | ----              | ----          | 1                |
| 620                  | ----   | ----         |                 | 0.3160B/0.2575A    | 0.3160B/0.2575A  | ----            |                 | 0.2540 - 0.0360          | .3535 | ----          | ----                     | ----              | ----          | 1002             |
| 625                  | ----   | ----         |                 | 0.3420B/0.2790A    | 0.3420B/0.2790A  | ----            |                 | 0.2755 - 0.0385          | .3737 | ----          | ----                     | ----              | ----          | 1151             |
| 630                  | ----   | ----         |                 | 0.3690B/0.3025A    | 0.3690B/0.3025A  | ----            |                 | 0.2990 - 0.0400          | .3943 | ----          | ----                     | 30                | ----          | 34               |
| 635                  | ----   | ----         |                 | 0.3965B/0.3260A    | 0.3965B/0.3260A  | ----            |                 | 0.3230 - 0.0425          | .4147 | ----          | ----                     | ----              | ----          | 496              |
| 640                  | ----   | ----         |                 | 0.4265B/0.3515A    | 0.4265B/0.3515A  | ----            |                 | 0.3485 - 0.0440          | .4352 | ----          | ----                     | ----              | ----          | 390              |
| 645                  | ----   | ----         |                 | 0.4565B/0.3780A    | 0.4565B/0.3780A  | ----            |                 | 0.3750 - 0.0460          | .4555 | ----          | ----                     | ----              | ----          | 37               |
| 650                  | ----   | ----         |                 | 0.4880B/0.4055A    | 0.4880B/0.4055A  | ----            |                 | 0.4030 - 0.0475          | .4756 | ----          | ----                     | ----              | ----          | 83               |
| 655                  | ----   | ----         |                 | 0.5205B/0.4330A    | 0.5205B/0.4330A  | ----            |                 | 0.4315 - 0.0495          | .4955 | ----          |                          |                   |               |                  |

| BULLETIN #101@              |               |                        |                 | METALS OPTION PRODUCTS |                            |                         |                 |                          |       |               |                          |                  |               | Thu, May 28, 2026 |                  |      |  | PG64 |
|-----------------------------|---------------|------------------------|-----------------|------------------------|----------------------------|-------------------------|-----------------|--------------------------|-------|---------------|--------------------------|------------------|---------------|-------------------|------------------|------|--|------|
|                             | LOBEX<br>OPEN | OPEN<br>OUTCRY<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW      | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME |                   | OPEN<br>INTEREST |      |  |      |
| HX PUT COMEX COPPER OPTIONS |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| DEC26                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| 380                         | ----          | ----                   | ----            | ----                   | 0.0045B/0.0250A            | ----                    | ----            | 0.0145 - 0.0025          | .0190 | ----          | ----                     | ----             | ----          |                   | 2                | UNCH |  |      |
| 385                         | ----          | ----                   | ----            | ----                   | 0.0050B/*0.0260            | ----                    | ----            | 0.0155 - 0.0025          | .0203 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 395                         | ----          | ----                   | ----            | ----                   | 0.0070B/0.0275A            | ----                    | ----            | 0.0170 - 0.0030          | .0226 | ----          | ----                     | ----             | ----          |                   | 3                | UNCH |  |      |
| 400                         | ----          | ----                   | ----            | ----                   | 0.0075B/*0.0285            | ----                    | ----            | 0.0180 - 0.0030          | .0241 | ----          | ----                     | ----             | ----          |                   | 18               | UNCH |  |      |
| 420                         | ----          | ----                   | ----            | ----                   | 0.0115B/*0.0325            | ----                    | ----            | 0.0220 - 0.0040          | .0302 | ----          | ----                     | ----             | ----          |                   | 2                | UNCH |  |      |
| 460                         | ----          | ----                   | ----            | ----                   | 0.0265B/*0.0460            | ----                    | ----            | 0.0355 - 0.0070          | .0499 | ----          | ----                     | ----             | ----          |                   | 2                | UNCH |  |      |
| 475                         | ----          | ----                   | ----            | ----                   | 0.0370B/*0.0545            | ----                    | ----            | 0.0440 - 0.0090          | .0614 | ----          | ----                     | ----             | ----          |                   | 76               | UNCH |  |      |
| 480                         | 0.0550        | 0.0550                 |                 | 0.0550/0.0550          | 0.0550/0.0550              | ----                    | ----            | 0.0475 - 0.0095          | .0660 | ----          | ----                     | 2                | ----          |                   | 12               | -    |  |      |
| 490                         | ----          | ----                   | ----            | ----                   | 0.0515B/*0.0665            | ----                    | ----            | 0.0555 - 0.0100          | .0761 | ----          | ----                     | ----             | ----          |                   | 5                | UNCH |  |      |
| 500                         | 0.0580        | 0.0580                 |                 | 0.0580/*0.0580         | 0.0635B/*0.0580            | ----                    | ----            | 0.0655 - 0.0100          | .0882 | ----          | ----                     | 1                | ----          |                   | 104              | +    |  |      |
| 520                         | ----          | ----                   | ----            | ----                   | 0.0950B/0.1020A            | ----                    | ----            | 0.0915 - 0.0100          | .1176 | ----          | ----                     | 1                | ----          |                   | 2                | +    |  |      |
| 525                         | ----          | ----                   | ----            | ----/*0.1100A          | 0.1045B/0.1100A            | ----                    | ----            | 0.0990 - 0.0115          | .1258 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 540                         | ----          | ----                   | ----            | ----/*0.1375A          | 0.1375B/0.1375A            | ----                    | ----            | 0.1270 - 0.0140          | .1540 | ----          | ----                     | ----             | ----          |                   | 3                | UNCH |  |      |
| 545                         | ----          | ----                   | ----            | ----/*0.1480A          | 0.1500B/0.1480A            | ----                    | ----            | 0.1375 - 0.0150          | .1642 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 550                         | ----          | ----                   | ----            | ----/0.1595A           | 0.1635B/0.1595A            | ----                    | ----            | 0.1485 - 0.0160          | .1746 | ----          | ----                     | ----             | ----          |                   | 79               | UNCH |  |      |
| 560                         | ----          | ----                   | ----            | 0.1925B/0.1845A        | 0.1925B/0.1845A            | ----                    | ----            | 0.1735 - 0.0170          | .1970 | ----          | ----                     | ----             | ----          |                   | 300              | UNCH |  |      |
| 570                         | ----          | ----                   | ----            | 0.2250B/0.2130A        | 0.2250B/0.2130A            | ----                    | ----            | 0.2015 - 0.0175          | .2207 | ----          | ----                     | ----             | ----          |                   | 5                | UNCH |  |      |
| 575                         | ----          | ----                   | ----            | 0.2425B/0.2280A        | 0.2425B/0.2280A            | ----                    | ----            | 0.2165 - 0.0185          | .2330 | ----          | ----                     | ----             | ----          |                   | 20               | UNCH |  |      |
| 580                         | ----          | ----                   | ----            | 0.2610B/0.2440A        | 0.2610B/0.2440A            | ----                    | ----            | 0.2325 - 0.0185          | .2456 | ----          | ----                     | ----             | ----          |                   | 23               | UNCH |  |      |
| 600                         | 0.3050        | 0.3050                 |                 | 0.3420B/0.3050         | 0.3420B/0.3050             | ----                    | ----            | 0.3040 - 0.0215          | .2980 | ----          | ----                     | 2                | ----          |                   | 178              | UNCH |  |      |
| 630                         | ----          | ----                   | ----            | 0.4875B/0.4465A        | 0.4875B/0.4465A            | ----                    | ----            | 0.4345 - 0.0285          | .3805 | ----          | ----                     | ----             | ----          |                   | 18               | UNCH |  |      |
| 650                         | ----          | ----                   | ----            | 0.6000B/0.5480A        | 0.6000B/0.5480A            | ----                    | ----            | 0.5360 - 0.0345          | .4360 | ----          | ----                     | ----             | ----          |                   | 4                | UNCH |  |      |
| 665                         | ----          | ----                   | ----            | 0.6910B/0.6315A        | 0.6910B/0.6315A            | ----                    | ----            | 0.6195 - 0.0400          | .4769 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 750                         | ----          | ----                   | ----            | 1.3075B/1.2075A        | 1.3075B/1.2075A            | ----                    | ----            | 1.1975 - 0.0600          | .6777 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| TOTAL                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          | 6                |               |                   | 861              |      |  |      |
| JAN27                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| 400                         | ----          | ----                   | ----            | ----                   | ----                       | ----                    | ----            | 0.0255 - 0.0030          | .0298 | ----          | ----                     | ----             | ----          |                   | 8                | UNCH |  |      |
| 800                         | ----          | ----                   | ----            | ----                   | ----                       | ----                    | ----            | 1.5835 - 0.0615          | .7190 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| TOTAL                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   | 9                |      |  |      |
| FEB27                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| 400                         | ----          | ----                   | ----            | ----                   | ----                       | ----                    | ----            | 0.0350 - 0.0040          | .0369 | ----          | ----                     | ----             | ----          |                   | 2                | UNCH |  |      |
| TOTAL                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   | 2                |      |  |      |
| MAR27                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| 275                         | ----          | ----                   | ----            | ----                   | ----                       | ----                    | ----            | 0.0145 - 0.0010          | .0122 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| TOTAL                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   | 1                |      |  |      |
| HXE CALL COPPER OPTIONS     |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| MAY26                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| 605                         | ----          | ----                   | ----            | 0.3745B/0.2050A        | 0.3745B/0.2050A            | ----                    | ----            | 0.3765 + 0.0810          | .0000 | ----          | ----                     | ----             | ----          |                   | 0                | UNCH |  |      |
| 610                         | ----          | ----                   | ----            | 0.3250B/0.1580A        | 0.3250B/0.1580A            | ----                    | ----            | 0.3265 + 0.0800          | .0000 | ----          | ----                     | ----             | ----          |                   | 5                | UNCH |  |      |
| 615                         | ----          | ----                   | ----            | 0.2750B/0.1135A        | 0.2750B/0.1135A            | ----                    | ----            | 0.2765 + 0.0780          | .0000 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 625                         | ----          | ----                   | ----            | 0.1760B/*0.0480        | 0.1760B/0.0480A            | ----                    | ----            | 0.1770 + 0.0665          | .9965 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 630                         | ----          | ----                   | ----            | 0.1275B/*0.0295        | 0.1275B/*0.0295            | ----                    | ----            | 0.1295 + 0.0545          | .9747 | ----          | ----                     | ----             | ----          |                   | 13               | UNCH |  |      |
| 633                         | ----          | ----                   | ----            | #0.1000B/*0.021        | 0.1000B/*0.0215            | ----                    | ----            | 0.1030 + 0.0455          | .9311 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 635                         | 0.0340        | 0.0340                 |                 | 0.0865/*0.0175A        | 0.0865/*0.0175A            | ----                    | ----            | 0.0865 + 0.0390          | .8801 | ----          | ----                     | 50               | ----          |                   | 2                | -    |  |      |
| 637                         | ----          | ----                   | ----            | 0.0660B/*0.0145        | 0.0660B/*0.0145            | ----                    | ----            | 0.0705 + 0.0315          | .8130 | ----          | ----                     | 7                | ----          |                   | 0                | -    |  |      |
| 638                         | 0.0320        | 0.0320                 |                 | 0.0585B/*0.0135        | 0.0585B/*0.0135            | ----                    | ----            | 0.0630 + 0.0275          | .7701 | ----          | ----                     | 1                | ----          |                   | 1                | UNCH |  |      |
| 639                         | ----          | ----                   | ----            | 0.0515B/*0.0135        | 0.0515B/*0.0135            | ----                    | ----            | 0.0560 + 0.0240          | .7201 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 640                         | 0.0190        | 0.0190                 |                 | 0.0450B/*0.0125        | 0.0450B/*0.0125            | ----                    | ----            | 0.0495 + 0.0205          | .6643 | ----          | ----                     | 151              | ----          |                   | 293              | +    |  |      |
| 641                         | ----          | ----                   | ----            | 0.0385B/*0.0120        | 0.0385B/*0.0120            | ----                    | ----            | 0.0435 + 0.0170          | .6038 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 642                         | 0.0290        | 0.0290                 |                 | 0.0330B/*0.0115        | 0.0330B/*0.0115            | ----                    | ----            | 0.0380 NEW               | .5405 | ----          | ----                     | 5                | ----          |                   | 5                | +    |  |      |
| 645                         | ----          | ----                   | ----            | 0.0185B/*0.0100        | 0.0185B/*0.0100            | ----                    | ----            | 0.0250 + 0.0075          | .3541 | ----          | ----                     | 8                | ----          |                   | 91               | +    |  |      |
| 650                         | ----          | ----                   | ----            | ----/*0.0065A          | 0.0040B/*0.0065            | ----                    | ----            | 0.0125 + 0.0030          | .1419 | ----          | ----                     | 30               | ----          |                   | 30               | +    |  |      |
| 655                         | ----          | ----                   | ----            | ----                   | 0.0005B/*0.0065            | ----                    | ----            | 0.0070 + 0.0025          | .0549 | ----          | ----                     | ----             | ----          |                   | 12               | UNCH |  |      |
| 660                         | ----          | ----                   | ----            | ----                   | 0.0015B/*0.0060            | ----                    | ----            | 0.0045 + 0.0020          | .0238 | ----          | ----                     | ----             | ----          |                   | 252              | UNCH |  |      |
| 665                         | ----          | ----                   | ----            | ----/*0.0040A          | ----/*0.0040A              | ----                    | ----            | 0.0020 + 0.0010          | .0065 | ----          | ----                     | ----             | ----          |                   | 100              | UNCH |  |      |
| 670                         | ----          | ----                   | ----            | ----/*0.0050A          | ----/*0.0050A              | ----                    | ----            | 0.0005 UNCH              | .0007 | ----          | ----                     | ----             | ----          |                   | 17               | UNCH |  |      |
| 680                         | ----          | ----                   | ----            | ----                   | ----/*0.0050A              | ----                    | ----            | 0.0005 UNCH              | .0000 | ----          | ----                     | ----             | ----          |                   | 3                | UNCH |  |      |
| TOTAL                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          | 252              |               |                   | 829              | +    |  |      |
| JUN26                       |               |                        |                 |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |
| 550                         | ----          | ----                   | ----            | ----                   | 0.2455B/*0.1270            | 0.2455B/*0.1270         | ----            | 0.9875 + 0.0840          | .9815 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 620                         | ----          | ----                   | ----            | 0.2610B/*0.1570        | 0.2610B/*0.1570            | ----                    | ----            | 0.2475 + 0.0630          | .8464 | ----          | ----                     | ----             | ----          |                   | 0                | UNCH |  |      |
| 620                         | 0.1855        | 0.1855                 |                 | 0.1320B/*0.0785        | 0.1320B/*0.0785            | ----                    | ----            | 0.2725 NEW               | .7705 | ----          | ----                     | 3                | ----          |                   | 3                | +    |  |      |
| 630                         | 0.0825        | 0.0825                 |                 | 0.1995B/*0.1105        | 0.1995B/*0.1105            | ----                    | ----            | 0.1685 + 0.0500          | .7242 | ----          | ----                     | 3                | ----          |                   | 3                | +    |  |      |
| 630                         | ----          | ----                   | ----            | 0.1325B/*0.0610        | 0.1325B/*0.0610            | ----                    | ----            | 0.2015 + 0.0450          | .6646 | ----          | ----                     | ----             | ----          |                   | 2                | UNCH |  |      |
| 635                         | ----          | ----                   | ----            | 0.1030B/*0.0460        | 0.1030B/*0.0460            | ----                    | ----            | 0.1350 NEW               | .6428 | ----          | ----                     | 1                | ----          |                   | 1                | +    |  |      |
| 640                         | ----          | ----                   | ----            | 0.0785B/*0.0350        | 0.0785B/*0.0350            | ----                    | ----            | 0.1060 + 0.0350          | .5540 | ----          | ----                     | ----             | ----          |                   | 16               | UNCH |  |      |
| 645                         | 0.0580        | 0.0580                 |                 | 0.1195B/*0.0625        | 0.1195B/*0.0625            | ----                    | ----            | 0.0815 NEW               | .4632 | ----          | ----                     | 1                | ----          |                   | 1                | +    |  |      |
| 645                         | ----          | ----                   | ----            | 0.0625/*0.0270A        | 0.0625/*0.0270A            | ----                    | ----            | 0.1200 + 0.0285          | .4797 | ----          | ----                     | ----             | ----          |                   | 16               | UNCH |  |      |
| 650                         | 0.0625        | 0.0625                 |                 | 0.0985B/*0.0510        | 0.0985B/*0.0510            | ----                    | ----            | 0.0610 + 0.0200          | .3750 | ----          | ----                     | 1                | ----          |                   | 2                | +    |  |      |
| 650                         | ----          | ----                   | ----            | 0.0415B/*0.0205        | 0.0415B/*0.0205            | ----                    | ----            | 0.0990 + 0.0235          | .4187 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 655                         | ----          | ----                   | ----            | 0.0285B/*0.0165        | 0.0285B/*0.0165            | ----                    | ----            | 0.1835 + 0.0320          | .5013 | ----          | ----                     | ----             | ----          |                   | 1                | UNCH |  |      |
| 660                         | ----          | ----                   | ----            |                        |                            |                         |                 |                          |       |               |                          |                  |               |                   |                  |      |  |      |



| GLOBAL<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL <sup>®</sup><br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|----------------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------------------|---------------|------------------|
|----------------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------------------|---------------|------------------|

PLATINUM OPTIONS ON FUTURES

| GLOBAL<br>OPEN | OPEN<br>OPEN | OUTCRY<br>RANGE | GLOBAL<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>RANGE | OPEN<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBAL <sup>®</sup><br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |
|----------------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------------------|---------------|------------------|
|----------------|--------------|-----------------|--------------------|------------------|-----------------|---------------|-----------------|--------------------------|-------|---------------|--------------------------|-------------------------------|---------------|------------------|

| PAO CALL |       | NYMEX PALLADIUM OPTIONS |       |          |                |                |      |       |         |       |      |      |      |       |      |
|----------|-------|-------------------------|-------|----------|----------------|----------------|------|-------|---------|-------|------|------|------|-------|------|
| JUL26    |       |                         |       |          |                |                |      |       |         |       |      |      |      |       |      |
| 1390     | ----  | ----                    | ----  | ----     | */38.60A       | 59.80B/*38.60A | ---- | 53.10 | - 15.20 | .5360 | ---- | ---- | ---- | 4     | UNCH |
| 1440     | ----  | ----                    | ----  | ----     | */25.60A       | 37.20B/*25.60A | ---- | 33.40 | - 11.00 | .3825 | ---- | ---- | ---- | 1     | UNCH |
| 1450     | 25.00 | 25.00                   | 25.00 | */23.80A | 33.80B/*23.80A | ----           | ---- | 30.50 | NEW     | .3555 | ---- | 5    | ---- | 5 +   | 5    |
| 1500     | ----  | ----                    | ----  | ----     | */17.10A       | 21.10B/*17.10A | ---- | 20.00 | - 6.70  | .2454 | ---- | ---- | ---- | 10    | UNCH |
| 1550     | ----  | ----                    | ----  | ----     | */12.90A       | 13.70B/*12.90A | ---- | 13.80 | - 4.50  | .1718 | ---- | ---- | ---- | 76    | UNCH |
| 1600     | ----  | ----                    | ----  | ----     | */10.10A       | 9.00B/*10.10A  | ---- | 9.90  | - 3.20  | .1230 | ---- | ---- | ---- | 85    | UNCH |
| 1720     | ----  | ----                    | ----  | ----     | ----           | 2.70B/*6.50A   | ---- | 4.70  | - 1.60  | .0575 | ---- | ---- | ---- | 6     | UNCH |
| 1800     | ----  | ----                    | ----  | ----     | ----           | 0.70B/*5.40A   | ---- | 2.80  | - 0.90  | .0343 | ---- | ---- | ---- | 49    | UNCH |
| TOTAL    |       |                         |       |          |                |                |      |       |         |       | 5    |      |      | 236 + | 5    |

|       |      |      |      |          |      |        |          |      |       |        |       |      |      |     |      |
|-------|------|------|------|----------|------|--------|----------|------|-------|--------|-------|------|------|-----|------|
| AUG26 |      |      |      |          |      |        |          |      |       |        |       |      |      |     |      |
| 1500  | ---- | ---- | ---- | */34.30A | ---- | 42.40B | */34.30A | ---- | 41.30 | - 7.40 | .3324 | ---- | ---- | 10  | UNCH |
| 1550  | ---- | ---- | ---- | */27.60A | ---- | 32.20B | */27.60A | ---- | 32.30 | - 5.70 | .2664 | ---- | ---- | 10  | UNCH |
| 1600  | ---- | ---- | ---- | */22.80A | ---- | 24.90B | */22.80A | ---- | 25.80 | - 4.40 | .2155 | ---- | ---- | 100 | UNCH |
| 1700  | ---- | ---- | ---- | */16.20A | ---- | 15.70B | */16.20A | ---- | 17.30 | - 2.80 | .1454 | ---- | ---- | 20  | UNCH |
| 1800  | ---- | ---- | ---- | */12.10A | ---- | 9.80B  | */12.10A | ---- | 11.90 | - 2.10 | .1003 | ---- | ---- | 100 | UNCH |
| 1900  | ---- | ---- | ---- | */9.50A  | ---- | 5.90B  | */9.50A  | ---- | 8.30  | - 1.50 | .0703 | ---- | ---- | 400 | UNCH |
| TOTAL |      |      |      |          |      |        |          |      |       |        |       |      |      | 640 | 0    |

|       |      |      |      |           |      |         |          |      |        |         |       |      |      |     |      |
|-------|------|------|------|-----------|------|---------|----------|------|--------|---------|-------|------|------|-----|------|
| SEP26 |      |      |      |           |      |         |          |      |        |         |       |      |      |     |      |
| 1275  | ---- | ---- | ---- | */135.20A | ---- | 167.50B | */135.20 | ---- | 160.60 | - 18.00 | .7360 | ---- | ---- | 1   | UNCH |
| 1300  | ---- | ---- | ---- | */121.50A | ---- | 150.70B | */121.50 | ---- | 144.70 | - 17.30 | .6954 | ---- | ---- | 1   | UNCH |
| 1400  | ---- | ---- | ---- | */79.50A  | ---- | 97.90B  | */79.50A | ---- | 93.50  | - 13.90 | .5267 | ---- | ---- | 75  | UNCH |
| 1450  | ---- | ---- | ---- | */64.60A  | ---- | 78.70B  | */64.60A | ---- | 75.10  | - 11.90 | .4481 | ---- | ---- | 50  | UNCH |
| 1575  | ---- | ---- | ---- | */40.20A  | ---- | 45.60B  | */40.20A | ---- | 45.20  | - 7.40  | .2940 | ---- | ---- | 25  | UNCH |
| 1600  | ---- | ---- | ---- | */37.00A  | ---- | 41.10B  | */37.00A | ---- | 41.20  | - 6.70  | .2707 | ---- | ---- | 151 | UNCH |
| 1625  | ---- | ---- | ---- | */34.10A  | ---- | 37.10B  | */34.10A | ---- | 37.60  | - 6.10  | .2493 | ---- | ---- | 20  | UNCH |
| 1665  | ---- | ---- | ---- | */30.20A  | ---- | 31.60B  | */30.20A | ---- | 32.70  | - 5.30  | .2193 | ---- | ---- | 9   | UNCH |
| 1700  | ---- | ---- | ---- | */27.30A  | ---- | 27.70B  | */27.30A | ---- | 29.10  | - 4.70  | .1966 | ---- | ---- | 60  | UNCH |
| 1800  | ---- | ---- | ---- | */21.00A  | ---- | 19.30B  | */21.00A | ---- | 21.30  | - 3.50  | .1459 | ---- | ---- | 11  | UNCH |
| 1875  | ---- | ---- | ---- | */17.70A  | ---- | 14.80B  | */17.70A | ---- | 17.10  | - 2.80  | .1180 | ---- | ---- | 25  | UNCH |
| 1885  | ---- | ---- | ---- | */17.30A  | ---- | 14.30B  | */17.30A | ---- | 16.60  | - 2.80  | .1147 | ---- | ---- | 100 | UNCH |
| 1900  | ---- | ---- | ---- | */16.70A  | ---- | 13.50B  | */16.70A | ---- | 15.90  | - 2.70  | .1100 | ---- | ---- | 22  | UNCH |
| 2000  | ---- | ---- | ---- | */13.80A  | ---- | 9.40B   | */13.80A | ---- | 12.20  | - 2.10  | .0847 | ---- | ---- | 50  | UNCH |
| 2100  | ---- | ---- | ---- | ----      | ---- | 6.40B   | */11.70A | ---- | 9.80   | - 1.60  | .0676 | ---- | ---- | 30  | UNCH |
| 2200  | ---- | ---- | ---- | ----      | ---- | 4.30B   | */10.20A | ---- | 7.90   | - 1.40  | .0543 | ---- | ---- | 5   | UNCH |
| 2400  | ---- | ---- | ---- | ----      | ---- | 1.70B   | */8.30A  | ---- | 5.50   | - 0.90  | .0372 | ---- | ---- | 15  | UNCH |
| 2550  | ---- | ---- | ---- | ----      | ---- | 0.60B   | */7.40A  | ---- | 4.20   | - 0.70  | .0282 | ---- | ---- | 50  | UNCH |
| TOTAL |      |      |      |           |      |         |          |      |        |         |       |      |      | 700 | 0    |

|       |      |      |      |      |      |       |        |       |      |      |      |      |      |    |      |
|-------|------|------|------|------|------|-------|--------|-------|------|------|------|------|------|----|------|
| DEC26 |      |      |      |      |      |       |        |       |      |      |      |      |      |    |      |
| 1800  | ---- | ---- | ---- | ---- | ---- | 43.00 | - 5.90 | .2218 | ---- | ---- | ---- | ---- | ---- | 50 | UNCH |
| 2000  | ---- | ---- | ---- | ---- | ---- | 27.70 | - 3.90 | .1468 | ---- | ---- | ---- | ---- | ---- | 1  | UNCH |
| 3000  | ---- | ---- | ---- | ---- | ---- | 6.60  | - 1.00 | .0349 | ---- | ---- | ---- | ---- | ---- | 1  | UNCH |
| TOTAL |      |      |      |      |      |       |        |       |      |      |      |      |      | 52 | 0    |

|         |       |       |         |         |      |         |         |      |       |         |       |      |      |       |      |
|---------|-------|-------|---------|---------|------|---------|---------|------|-------|---------|-------|------|------|-------|------|
| PAO PUT |       |       |         |         |      |         |         |      |       |         |       |      |      |       |      |
| JUL26   |       |       |         |         |      |         |         |      |       |         |       |      |      |       |      |
| 1200    | ----  | ----  | 3.90B   | /----   | ---- | 3.90B   | /6.60A  | ---- | 3.50  | + 1.30  | .0531 | ---- | ---- | 4     | UNCH |
| 1250    | 14.00 | 14.00 | 14.00   | /11.00  | ---- | 14.00   | /9.80A  | ---- | 8.60  | NEW     | .1161 | ---- | 20   | 20 +  | 20   |
| 1280    | 13.00 | 13.00 | 16.00B  | */13.00 | ---- | 16.00B  | */13.00 | ---- | 13.20 | NEW     | .1681 | ---- | 1    | 1 +   | 1    |
| 1285    | ----  | ----  | 17.20B  | /----   | ---- | 17.20B  | /13.80A | ---- | 14.10 | + 4.30  | .1779 | ---- | ---- | 9     | UNCH |
| 1300    | ----  | ----  | 21.40B  | /----   | ---- | 21.40B  | /16.20A | ---- | 16.90 | + 4.70  | .2085 | ---- | ---- | 165   | UNCH |
| 1350    | ----  | ----  | 41.30B  | /----   | ---- | 41.30B  | /28.30A | ---- | 30.50 | + 6.80  | .3380 | ---- | ---- | 10    | UNCH |
| 1400    | ----  | ----  | 71.60B  | /----   | ---- | 71.60B  | /48.50A | ---- | 52.70 | + 10.20 | .4962 | ---- | ---- | 31    | UNCH |
| 1450    | ----  | ----  | 110.10B | /----   | ---- | 110.10B | /77.70A | ---- | 84.70 | + 14.40 | .6444 | ---- | ---- | 30    | UNCH |
| TOTAL   |       |       |         |         |      |         |         |      |       |         |       | 21   |      | 270 + | 21   |

|       |      |      |        |       |      |        |         |      |       |         |       |      |      |    |      |
|-------|------|------|--------|-------|------|--------|---------|------|-------|---------|-------|------|------|----|------|
| AUG26 |      |      |        |       |      |        |         |      |       |         |       |      |      |    |      |
| 1200  | ---- | ---- | 12.00B | /---- | ---- | 12.00B | /12.90A | ---- | 11.90 | + 3.70  | .1176 | ---- | ---- | 20 | UNCH |
| 1400  | ---- | ---- | 93.10B | /---- | ---- | 93.10B | /71.30A | ---- | 76.30 | + 11.90 | .4830 | ---- | ---- | 1  | UNCH |
| TOTAL |      |      |        |       |      |        |         |      |       |         |       |      |      | 21 | 0    |

|       |      |      |         |       |      |         |          |      |        |         |       |      |      |     |      |
|-------|------|------|---------|-------|------|---------|----------|------|--------|---------|-------|------|------|-----|------|
| SEP26 |      |      |         |       |      |         |          |      |        |         |       |      |      |     |      |
| 1200  | ---- | ---- | 20.90B  | /---- | ---- | 20.90B  | /21.80A  | ---- | 20.40  | + 4.30  | .1564 | ---- | ---- | 5   | UNCH |
| 1250  | ---- | ---- | 35.20B  | /---- | ---- | 35.20B  | /32.10A  | ---- | 32.80  | + 5.70  | .2253 | ---- | ---- | 7   | UNCH |
| 1300  | ---- | ---- | 55.40B  | /---- | ---- | 55.40B  | /47.50A  | ---- | 49.60  | + 7.10  | .3043 | ---- | ---- | 43  | UNCH |
| 1375  | ---- | ---- | 96.30B  | /---- | ---- | 96.30B  | /80.90A  | ---- | 83.80  | + 9.50  | .4312 | ---- | ---- | 100 | UNCH |
| 1460  | ---- | ---- | 146.40B | /---- | ---- | 146.40B | /131.70A | ---- | 135.80 | + 12.90 | .5662 | ---- | ---- | 75  | UNCH |
| 1465  | ---- | ---- | 146.90B | /---- | ---- | 146.90B | /135.00A | ---- | 139.30 | + 13.10 | .5735 | ---- | ---- | 150 | UNCH |
| 1550  | ---- | ---- | 226.30B | /---- | ---- | 226.30B | /196.30A | ---- | 203.10 | + 16.30 | .6798 | ---- | ---- | 100 | UNCH |
| 1575  | ---- | ---- | 247.60B | /---- | ---- | 247.60B | /215.90A | ---- | 223.40 | + 17.10 | .7057 | ---- | ---- | 25  | UNCH |
| 1650  | ---- | ---- | 314.00B | /---- | ---- | 314.00B | /278.00A | ---- | 287.20 | + 18.90 | .7695 | ---- | ---- | 50  | UNCH |
| 1925  | ---- | ---- | 572.80B | /---- | ---- | 572.80B | /529.50A | ---- | 541.40 | + 22.10 | .8967 | ---- | ---- | 75  | UNCH |
| TOTAL |      |      |         |       |      |         |          |      |        |         |       |      |      | 630 | 0    |

|       |      |      |      |      |      |        |         |       |      |      |      |      |      |     |      |
|-------|------|------|------|------|------|--------|---------|-------|------|------|------|------|------|-----|------|
| DEC26 |      |      |      |      |      |        |         |       |      |      |      |      |      |     |      |
| 1300  | ---- | ---- | ---- | ---- | ---- | 84.50  | + 7.00  | .3204 | ---- | ---- | ---- | ---- | ---- | 100 | UNCH |
| 1400  | ---- | ---- | ---- | ---- | ---- | 130.70 | + 9.60  | .4336 | ---- | ---- | ---- | ---- | ---- | 150 | UNCH |
| 1500  | ---- | ---- | ---- | ---- | ---- | 192.60 | + 12.10 | .5408 | ---- | ---- | ---- | ---- | ---- | 40  | UNCH |
| TOTAL |      |      |      |      |      |        |         |       |      |      |      |      |      | 290 | 0    |

|         |      |      |         |          |      |        |          |      |       |        |       |      |      |    |      |
|---------|------|------|---------|----------|------|--------|----------|------|-------|--------|-------|------|------|----|------|
| PLW OOF |      |      |         |          |      |        |          |      |       |        |       |      |      |    |      |
| MAY26   |      |      |         |          |      |        |          |      |       |        |       |      |      |    |      |
| 1850    | ---- | ---- | 6.90B   | /----    | ---- | 6.90B  | */2.60A  | ---- | 0.90  | - 1.60 | .0087 | ---- | ---- | 7  | UNCH |
| 1950    | ---- | ---- | #71.40B | */33.20A | ---- | 71.40B | */33.20A | ---- | 32.50 | - 4.00 | .7466 | ---- | ---- | 2  | UNCH |
| 2000    | ---- | ---- | ----    | */2.60A  | ---- | 2.60B  | */2.60A  | ---- | 2.00  | - 2.60 | .0257 | ---- | ---- | 11 | UNCH |
| TOTAL   |      |      |         |          |      |        |          |      |       |        |       |      |      | 20 | 0    |

|       |       |       |         |          |      |        |          |      |       |        |       |      |      |       |      |
|-------|-------|-------|---------|----------|------|--------|----------|------|-------|--------|-------|------|------|-------|------|
| JUN26 |       |       |         |          |      |        |          |      |       |        |       |      |      |       |      |
| 1900  | 38.00 | 38.00 | 51.20B  | */30.20A | ---- | 51.20B | */30.20A | ---- | 29.10 | NEW    | .3801 | ---- | 2    | 2 +   | 2    |
| 1925  | ----  | ----  | #67.50B | */41.60A | ---- | 67.50B | */41.60A | ---- | 40.60 | - 2.20 | .4804 | ---- | ---- | 26    | UNCH |
| 1950  | ----  | ----  | ----    | */18.40A | ---- | 34.80B | */18.40A | ---- | 31.90 | - 3.00 | .4202 | ---- | ---- | 2     | UNCH |
| 1950  | ----  | ----  | #85.80B | */55.40A | ---- | 85.80B | */55.40A | ---- | 54.50 | - 2.40 | .5797 | ---- | ---- | 53    | UNCH |
| 2000  | 10.80 | 10.80 | 10.80   | */10.00A | ---- | 18.30B | */10.00A | ---- | 16.60 | - 3.00 | .2487 | ---- | 20   | 40 +  | 20   |
| 2100  | ----  | ----  | ----    | */4.20A  | ---- | 3.70B  | */4.20A  | ---- | 4.20  | - 1.70 | .0690 | ---- | ---- | 100   | UNCH |
| 2300  | ----  | ----  | ----    | ----     | ---- | ----   | */2.30A  | ---- | 0.40  | - 0.30 | .0057 | ---- | ---- | 100   | UNCH |
| TOTAL |       |       |         |          |      |        |          |      |       |        |       | 22   |      | 323 + | 22   |

| CALL  | PLATINUM OPTIONS |       |                 |      |                 |      |        |        |       |      |      |      |      |     |      |
|-------|------------------|-------|-----------------|------|-----------------|------|--------|--------|-------|------|------|------|------|-----|------|
| JUL26 |                  |       |                 |      |                 |      |        |        |       |      |      |      |      |     |      |
| 1500  | ----             | ----  | 433.30B/381.40A | ---- | 433.30B/381.40A | ---- | 427.30 | - 0.70 | .9984 | ---- | ---- | ---- | ---- | 50  | UNCH |
| 1680  | ----             | ----  | ----            | ---- | ----            | ---- | 250.50 | - 1.30 | .9535 | ---- | ---- | ---- | ---- | 50  | UNCH |
| 1700  | ----             | ----  | 237.70B/189.50A | ---- | 237.70B/189.50A | ---- | 231.80 | - 1.40 | .9395 | ---- | ---- | ---- | ---- | 1   | UNCH |
| 1800  | ----             | ----  | 150.10B/*110.10 | ---- | 150.10B/*110.10 | ---- | 145.00 | - 1.70 | .8112 | ---- | ---- | ---- | ---- | 113 | UNCH |
| 1850  | ----             | ----  | 112.40B/*79.10A | ---- | 112.40B/*79.10A | ---- | 108.30 | - 1.80 | .7080 | ---- | ---- | ---- | ---- | 1   | UNCH |
| 1900  | ----             | ----  | 80.90B/*54.90A  | ---- | 80.90B/*54.90A  | ---- | 77.70  | - 2.00 | .5859 | ---- | ---- | ---- | ---- | 3   | UNCH |
| 1935  | ----             | ----  | 62.90B/*41.70A  | ---- | 62.90B/*41.70A  | ---- | 60.20  | - 2.10 | .4965 | ---- | ---- | ---- | ---- | 23  | UNCH |
| 1945  | ----             | ----  | 58.30B/*38.50A  | ---- | 58.30B/*38.50A  | ---- | 55.70  | - 2.20 | .4712 | ---- | ---- | ---- | ---- | 1   | UNCH |
| 1950  | 50.00            | 50.00 | 56.10B/*36.90A  | ---- | 56.10B/*36.90A  | ---- | 53.60  | - 2.20 | .4587 | ---- | 1    | +    | 1    | 1   | UNCH |
| 1960  | ----             | ----  | 51.90B/*34.00A  | ---- | 51.90B/*34.00A  | ---- | 49.50  | - 2.30 | .4338 | ---- | ---- | ---- | ---- | 3   | UNCH |
| 1965  | ----             | ----  | -----/*32.60A   | ---- | 49.90B/*32.60A  | ---- | 47.60  | - 2.30 | .4217 | ---- | ---- | ---- | ---- | 56  | UNCH |
| 1970  | ----             | ----  | -----/*31.30A   | ---- | 48.00B/*31.30A  | ---- | 45.70  | - 2.30 | .4096 | ---- | ---- | ---- | ---- | 2   | UNCH |
| 1975  | ----             | ----  | -----/*30.00A   | ---- | 46.10B/*30.00A  | ---- | 43.90  | - 2.30 | .3977 | ---- | ---- | ---- | ---- | 11  | UNCH |
| 1980  | ----             | ----  | -----/*28.80A   | ---- | 44.30B/*28.80A  | ---- | 42.10  | - 2.40 | .3858 | ---- | ---- | ---- | ---- | 2   | UNCH |
| 2000  | 24.50            | 24.50 | 24.50/*24.40A   | ---- | 37.50B/*24.40A  | ---- | 35.70  | - 2.40 | .3405 | ---- | 42   | +    | 290  | +   | 42   |
| 2005  | 25.10            | 25.10 | 25.10/*23.40A   | ---- | 36.00B/*23.40A  | ---- | 34.20  | NEW    | .3296 | ---- | 15   | +    | 15   | +   | 15   |
| 2010  | 23.10            | 23.10 | 23.10/*22.50A   | ---- | 34.50B/*22.50A  | ---- | 32.80  | NEW    | .3190 | ---- | 15   | +    | 15   | +   | 15   |
| 2015  | 22.20            | 22.20 | 22.20/*21.50A   | ---- | 33.10B/*21.50A  | ---- | 31.40  | NEW    | .3084 | ---- | 15   | +    | 15   | +   | 15   |
| 2020  | 21.30            | 21.30 | 21.30/*20.70A   | ---- | 31.70B/*20.70A  | ---- | 30.10  | NEW    | .2982 | ---- | 15   | +    | 15   | +   | 15   |
| 2025  | 20.40            | 20.40 | 20.40/*19.80A   | ---- | 30.30B/*19.80A  | ---- | 28.80  | NEW    | .2881 | ---- | 15   | +    | 15   | +   | 15   |
| 2030  | 19.60            | 19.60 | 19.60/*19.00A   | ---- | 29.00B/*19.00A  | ---- | 27.60  | NEW    | .2784 | ---- | 15   | +    | 15   | +   | 15   |
| 2035  | 18.50            | 18.50 | 18.50/*18.30A   | ---- | 27.80B/*18.30A  | ---- | 26.40  | NEW    | .2687 | ---- | 15   | +    | 15   | +   | 15   |
| 2050  | ----             | ----  | -----/*16.10A   | ---- | 24.40B/*16.10A  | ---- | 23.20  | - 2.30 | .2417 | ---- | ---- | ---- | ---- | 1   | UNCH |
| 2085  | ----             | ----  | -----/*12.20A   | ---- | 17.70B/*12.20A  | ---- | 17.10  | - 2.10 | .1867 | ---- | ---- | ---- | ---- | 31  | UNCH |

| BULLETIN #101@ |                  |                              |                    | METALS OPTION PRODUCTS     |                               |                          |       |               |                          |                   | Thu, May 28, 2026 |        |                  |  | PG64 |  |
|----------------|------------------|------------------------------|--------------------|----------------------------|-------------------------------|--------------------------|-------|---------------|--------------------------|-------------------|-------------------|--------|------------------|--|------|--|
|                | GLOBEX<br>OPEN   | OPEN<br>OUTCRY<br>OPEN RANGE | GLOBEX<br>HIGH/LOW | OPEN<br>OUTCRY<br>HIGH/LOW | OPEN<br>OUTCRY<br>CLOSE RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | GLOBEX®<br>VOLUME | PNT<br>VOLUME     |        | OPEN<br>INTEREST |  |      |  |
| PO CALL        | PLATINUM OPTIONS |                              |                    |                            |                               |                          |       |               |                          |                   |                   |        |                  |  |      |  |
| JUL26          |                  |                              |                    |                            |                               |                          |       |               |                          |                   |                   |        |                  |  |      |  |
| 2090           | ----             | ----                         | ----/*11.70A       | 16.90B/*11.70A             | ----                          | 16.30 - 2.10             | .1794 | ----          | ----                     | ----              | ----              | 34     | UNCH             |  |      |  |
| 2095           | ----             | ----                         | ----/*11.30A       | 16.10B/*11.30A             | ----                          | 15.60 - 2.10             | .1727 | ----          | ----                     | ----              | ----              | 45     | UNCH             |  |      |  |
| 2100           | ----             | ----                         | ----/*10.80A       | 15.40B/*10.80A             | ----                          | 14.90 - 2.10             | .1661 | ----          | ----                     | ----              | ----              | 426 +  | 1                |  |      |  |
| 2105           | ----             | ----                         | ----/*10.40A       | 14.70B/*10.40A             | ----                          | 14.30 - 2.00             | .1600 | ----          | ----                     | ----              | ----              | 30     | UNCH             |  |      |  |
| 2110           | ----             | ----                         | ----/*10.00A       | 14.00B/*10.00A             | ----                          | 13.70 - 1.90             | .1541 | ----          | ----                     | ----              | ----              | 31     | UNCH             |  |      |  |
| 2115           | ----             | ----                         | ----/*9.70A        | 13.30B/*9.70A              | ----                          | 13.10 - 1.90             | .1481 | ----          | ----                     | ----              | ----              | 30     | UNCH             |  |      |  |
| 2120           | ----             | ----                         | ----/*9.30A        | 12.70B/*9.30A              | ----                          | 12.50 - 1.90             | .1422 | ----          | ----                     | ----              | ----              | 15     | UNCH             |  |      |  |
| 2125           | ----             | ----                         | ----/*9.00A        | 12.10B/*9.00A              | ----                          | 12.00 - 1.80             | .1370 | ----          | ----                     | ----              | ----              | 15     | UNCH             |  |      |  |
| 2150           | ----             | ----                         | ----/*7.50A        | 9.40B/*7.50A               | ----                          | 9.60 - 1.60              | .1122 | ----          | ----                     | ----              | ----              | 18     | UNCH             |  |      |  |
| 2160           | ----             | ----                         | ----/*7.10A        | 8.40B/*7.10A               | ----                          | 8.80 - 1.50              | .1036 | ----          | ----                     | ----              | ----              | 1      | UNCH             |  |      |  |
| 2170           | ----             | ----                         | ----/*6.60A        | 7.60B/*6.60A               | ----                          | 8.00 - 1.40              | .0952 | ----          | ----                     | ----              | ----              | 4      | UNCH             |  |      |  |
| 2200           | ----             | ----                         | ----/*5.60A        | 5.40B/*5.60A               | ----                          | 6.20 - 1.20              | .0750 | ----          | ----                     | ----              | ----              | 461    | UNCH             |  |      |  |
| 2250           | ----             | ----                         | ----/*4.50A        | 2.90B/*4.50A               | ----                          | 4.10 - 0.90              | .0506 | ----          | ----                     | ----              | ----              | 117    | UNCH             |  |      |  |
| 2275           | 5.00             | 5.00                         | 5.00/*4.10A        | 5.00/*4.10A                | ----                          | 3.50 NEW                 | .0430 | ----          | ----                     | 10                | ----              | 10 +   | 10               |  |      |  |
| 2300           | ----             | ----                         | ----               | 1.70B/*3.80A               | ----                          | 3.00 - 0.60              | .0366 | ----          | ----                     | ----              | ----              | 255    | UNCH             |  |      |  |
| 2350           | ----             | ----                         | ----               | 1.00B/*3.40A               | ----                          | 2.20 - 0.50              | .0266 | ----          | ----                     | ----              | ----              | 160    | UNCH             |  |      |  |
| 2400           | ----             | ----                         | ----               | 0.50B/*2.00A               | ----                          | 1.70 - 0.30              | .0202 | ----          | ----                     | ----              | ----              | 904    | UNCH             |  |      |  |
| 2450           | ----             | ----                         | ----               | 0.20B/*2.80A               | ----                          | 1.30 - 0.30              | .0152 | ----          | ----                     | ----              | ----              | 50     | UNCH             |  |      |  |
| 2480           | ----             | ----                         | ----               | ----/*2.70A                | ----                          | 1.10 - 0.30              | .0128 | ----          | ----                     | ----              | ----              | 50     | UNCH             |  |      |  |
| 2500           | ----             | ----                         | ----               | ----/2.60A                 | ----                          | 1.00 - 0.30              | .0115 | ----          | ----                     | ----              | ----              | 649    | UNCH             |  |      |  |
| 2600           | ----             | ----                         | ----               | ----/2.30A                 | ----                          | 0.70 - 0.20              | .0077 | ----          | ----                     | 1                 | ----              | 360 -  | 1                |  |      |  |
| 2650           | ----             | ----                         | ----               | ----/*2.10A                | ----                          | 0.60 - 0.10              | .0064 | ----          | ----                     | ----              | ----              | 1      | UNCH             |  |      |  |
| 2700           | ----             | ----                         | ----               | ----/*2.00A                | ----                          | 0.50 - 0.10              | .0052 | ----          | ----                     | 1                 | ----              | 111 -  | 1                |  |      |  |
| 2800           | ----             | ----                         | ----               | ----/1.90A                 | ----                          | 0.30 - 0.10              | .0031 | ----          | ----                     | ----              | ----              | 350    | UNCH             |  |      |  |
| 2850           | ----             | ----                         | ----               | ----/*1.80A                | ----                          | 0.30 - 0.10              | .0030 | ----          | ----                     | ----              | ----              | 58     | UNCH             |  |      |  |
| 2900           | ----             | ----                         | ----               | ----/*1.80A                | ----                          | 0.20 - 0.10              | .0020 | ----          | ----                     | ----              | ----              | 183    | UNCH             |  |      |  |
| 3000           | ----             | ----                         | ----               | ----/*1.70A                | ----                          | 0.20 UNCH                | .0019 | ----          | ----                     | ----              | ----              | 574    | UNCH             |  |      |  |
| 3100           | ----             | ----                         | ----               | ----/*1.60A                | ----                          | 0.10 - 0.10              | .0009 | ----          | ----                     | ----              | ----              | 159    | UNCH             |  |      |  |
| 3200           | ----             | ----                         | ----               | ----/*2.70A                | ----                          | 0.10 UNCH                | .0004 | ----          | ----                     | ----              | ----              | 18     | UNCH             |  |      |  |
| 3300           | ----             | ----                         | ----               | ----/*2.70A                | ----                          | 0.10 UNCH                | .0002 | ----          | ----                     | ----              | ----              | 30     | UNCH             |  |      |  |
| 3400           | ----             | ----                         | ----               | ----/*2.60A                | ----                          | 0.10 UNCH                | .0001 | ----          | ----                     | ----              | ----              | 32     | UNCH             |  |      |  |
| 3500           | ----             | ----                         | ----               | ----/*2.60A                | ----                          | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----              | 274    | UNCH             |  |      |  |
| 3600           | ----             | ----                         | ----               | ----/*2.60A                | ----                          | 0.10 UNCH                | .0000 | ----          | ----                     | ----              | ----              | 300    | UNCH             |  |      |  |
| 3800           | ----             | ----                         | ----               | ----/*1.40A                | ----                          | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----              | 12     | UNCH             |  |      |  |
| 3900           | ----             | ----                         | ----               | ----/*1.40A                | ----                          | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----              | 9      | UNCH             |  |      |  |
| 4000           | ----             | ----                         | ----               | ----/1.40A                 | ----                          | 0.10 UNCH                | ----  | ----          | ----                     | ----              | ----              | 219    | UNCH             |  |      |  |
| TOTAL          |                  |                              |                    |                            |                               |                          |       |               |                          | 160               |                   | 6739 + | 157              |  |      |  |
| AUG26          |                  |                              |                    |                            |                               |                          |       |               |                          |                   |                   |        |                  |  |      |  |
| 1950           | ----             | ----                         | 104.10B/*82.60A    | 104.10B/*82.60A            | ----                          | 103.30 - 0.70            | .5227 | ----          | ----                     | ----              | ----              | 3      | UNCH             |  |      |  |
| 2000           | ----             | ----                         | ----/*65.80A       | 83.40B/*65.80A             | ----                          | 83.10 - 0.70             | .4485 | ----          | ----                     | ----              | ----              | 1      | UNCH             |  |      |  |
| 2050           | ----             | ----                         | ----/*52.30A       | 66.30B/*52.30A             | ----                          | 66.30 - 0.80             | .3795 | ----          | ----                     | ----              | ----              | 30     | UNCH             |  |      |  |
| 2100           | 55.00            | 55.00                        | 55.00/*41.60A      | 55.00/*41.60A              | ----                          | 52.60 - 0.90             | .3173 | ----          | ----                     | 2                 | ----              | 52     | UNCH             |  |      |  |
| 2150           | ----             | ----                         | ----/*33.20A       | 41.20B/*33.20A             | ----                          | 41.70 - 1.00             | .2632 | ----          | ----                     | ----              | ----              | 1      | UNCH             |  |      |  |
| 2175           | ----             | ----                         | ----/*29.70A       | 36.60B/*29.70A             | ----                          | 37.20 - 1.00             | .2393 | ----          | ----                     | ----              | ----              | 30     | UNCH             |  |      |  |
| 2200           | ----             | ----                         | ----/*26.60A       | 32.40B/*26.60A             | ----                          | 33.20 - 0.90             | .2173 | ----          | ----                     | ----              | ----              | 15     | UNCH             |  |      |  |
| 2250           | ----             | ----                         | ----/*21.50A       | 25.50B/*21.50A             | ----                          | 26.50 - 0.90             | .1789 | ----          | ----                     | ----              | ----              | 60     | UNCH             |  |      |  |
| 2275           | ----             | ----                         | ----/*19.40A       | 22.60B/*19.40A             | ----                          | 23.70 - 0.90             | .1622 | ----          | ----                     | ----              | ----              | 30     | UNCH             |  |      |  |
| 2300           | ----             | ----                         | ----/*17.50A       | 20.10B/*17.50A             | ----                          | 21.20 - 0.90             | .1470 | ----          | ----                     | ----              | ----              | 352    | UNCH             |  |      |  |
| 2350           | ----             | ----                         | ----/*14.50A       | 15.70B/*14.50A             | ----                          | 17.00 - 0.80             | .1207 | ----          | ----                     | ----              | ----              | 15     | UNCH             |  |      |  |
| 2400           | ----             | ----                         | ----/*12.10A       | 12.30B/*12.10A             | ----                          | 13.70 - 0.80             | .0991 | ----          | ----                     | ----              | ----              | 84     | UNCH             |  |      |  |
| 2500           | ----             | ----                         | ----/*8.90A        | 7.80B/*8.90A               | ----                          | 9.20 - 0.80              | .0682 | ----          | ----                     | ----              | ----              | 194    | UNCH             |  |      |  |
| 2600           | ----             | ----                         | ----/7.00A         | 5.10B/7.00A                | ----                          | 6.60 - 0.50              | .0491 | ----          | ----                     | ----              | ----              | 545    | UNCH             |  |      |  |
| 2750           | ----             | ----                         | ----               | 2.90B/*5.50A               | ----                          | 4.20 - 0.30              | .0312 | ----          | ----                     | ----              | ----              | 105    | UNCH             |  |      |  |
| 3000           | ----             | ----                         | ----               | 1.20B/*4.20A               | ----                          | 2.00 - 0.20              | .0149 | ----          | ----                     | ----              | ----              | 54     | UNCH             |  |      |  |
| TOTAL          |                  |                              |                    |                            |                               |                          |       |               |                          | 2                 |                   | 1571   |                  |  |      |  |
| SEP26          |                  |                              |                    |                            |                               |                          |       |               |                          |                   |                   |        |                  |  |      |  |
| 2100           | ----             | ----                         | ----/*71.00A       | 82.50B/*71.00A             | ----                          | 84.40 + 0.30             | .3742 | ----          | ----                     | ----              | ----              | 36     | UNCH             |  |      |  |
| TOTAL          |                  |                              |                    |                            |                               |                          |       |               |                          |                   |                   | 36     |                  |  |      |  |
| OCT26          |                  |                              |                    |                            |                               |                          |       |               |                          |                   |                   |        |                  |  |      |  |
| 1720           | ----             | ----                         | ----               | ----                       | ----                          | 286.20 + 1.10            | .7638 | ----          | ----                     | ----              | ----              | 1      | UNCH             |  |      |  |
| 1800           | ----             | ----                         | 234.30B/205.90A    | 234.30B/205.90A            | ----                          | 235.30 + 1.30            | .6881 | ----          | ----                     | ----              | ----              | 1      | UNCH             |  |      |  |
| 1900           | 162.00           | 162.00                       | 168.00/*152.00     | 180.50B/*152.00            | ----                          | 182.40 + 1.30            | .5881 | ----          | ----                     | 15                | ----              | 11 +   | 9                |  |      |  |
| 2000           | 116.00           | 116.00                       | 138.50B/*116.00    | 138.50B/*116.00            | ----                          | 140.80 + 1.30            | .4912 | ----          | ----                     | 6                 | ----              | 4 -    | 6                |  |      |  |
| 2050           | ----             | ----                         | ----/*107.00A      | 121.30B/*107.00            | ----                          | 123.70 + 1.20            | .4463 | ----          | ----                     | ----              | ----              | 6      | UNCH             |  |      |  |
| 2100           | ----             | ----                         | ----/*94.10A       | 106.20B/*94.10A            | ----                          | 108.70 + 1.20            | .4043 | ----          | ----                     | ----              | ----              | 3      | UNCH             |  |      |  |
| 2125           | ----             | ----                         | ----/*88.20A       | 99.40B/*88.20A             | ----                          | 101.90 + 1.10            | .3845 | ----          | ----                     | ----              | ----              | 12     | UNCH             |  |      |  |
| 2135           | ----             | ----                         | ----/*85.80A       | 96.80B/*85.80A             | ----                          | 99.30 + 1.10             | .3768 | ----          | ----                     | ----              | ----              | 12     | UNCH             |  |      |  |
| 2200           | ----             | ----                         | ----/*72.60A       | 81.40B/*72.60A             | ----                          | 83.90 + 1.00             | .3295 | ----          | ----                     | ----              | ----              | 136    | UNCH             |  |      |  |
| 2250           | ----             | ----                         | ----/*63.80A       | 71.20B/*63.80A             | ----                          | 73.60 + 0.80             | .2965 | ----          | ----                     | ----              | ----              | 1      | UNCH             |  |      |  |
| 2300           | ----             | ----                         | ----/*56.10A       | 62.20B/*56.10A             | ----                          | 64.60 + 0.70             | .2664 | ----          | ----                     | ----              | ----              | 7      | UNCH             |  |      |  |
| 2375           | ----             | ----                         | ----/*46.20A       | 50.60B/*46.20A             | ----                          | 53.10 + 0.60             | .2262 | ----          | ----                     | ----              | ----              | 50     | UNCH             |  |      |  |
| 2400           | ----             | ----                         | ----/*43.30A       | 47.30B/*43.30A             | ----                          | 49.70 + 0.60             | .2140 | ----          | ----                     | 1                 | ----              | 467 +  | 1                |  |      |  |
| 2500           | ----             | ----                         | ----/*33.70A       | 35.80B/*33.70A             | ----                          | 38.20 + 0.30             | .1711 | ----          | ----                     | 11                | 100               | 366 +  | 6                |  |      |  |
| 2600           | ----             | ----                         | ----/*26.60A       | 27.20B/*26.60A             | ----                          | 29.50 UNCH               | .1366 | ----          | ----                     | ----              | ----              | 23     | UNCH             |  |      |  |
| 2635           | ----             | ----                         | ----/*24.60A       | 24.70B/*24.60A             | ----                          | 27.00 UNCH               | .1264 | ----          | ----                     | ----              | ----              | 200    | UNCH             |  |      |  |
| 2650           | ----             | ----                         | ----/*23.80A       | 23.70B/*23.80A             | ----                          | 26.10 UNCH               | .1225 | ----          | ----                     | ----              | ----              | 25     | UNCH             |  |      |  |
| 2700           | ----             | ----                         | ----/*21.40A       | 20.70B/*21.40A             | ----                          | 23.00 - 0.10             | .1095 | ----          | ----                     | ----              | ----              | 371    | UNCH             |  |      |  |
| 2800           | ----             | ----                         | ----/*17.60A       | 15.90B/*17.60A             | ----                          | 18.20 - 0.10             |       |               |                          |                   |                   |        |                  |  |      |  |

| PG64   | BULLETIN #101@ |              |                 |                   |                  |                 |                 |                          |       |               | METALS OPTION PRODUCTS   |                  |               |                  | Thu, May 28, 2026 |  |  |  | PG64 |
|--------|----------------|--------------|-----------------|-------------------|------------------|-----------------|-----------------|--------------------------|-------|---------------|--------------------------|------------------|---------------|------------------|-------------------|--|--|--|------|
|        | LOBEX<br>OPEN  | OPEN<br>OPEN | OUTCRY<br>RANGE | LOBEX<br>HIGH/LOW | OPEN<br>HIGH/LOW | OUTCRY<br>CLOSE | OUTCRY<br>RANGE | SETT.PRICE<br>& PT.CHGE. | DELTA | EXER<br>CISES | OPEN<br>OUTCRY<br>VOLUME | LOBEX®<br>VOLUME | PNT<br>VOLUME | OPEN<br>INTEREST |                   |  |  |  |      |
| PO PUT |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               |                  |                   |  |  |  |      |
| AUG26  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               |                  |                   |  |  |  |      |
| 1600   | ----           |              | ----            | 8.60B/----        | 8.60B/9.30A      | ----            |                 | 8.20 - 0.10              | .0645 | ----          | ----                     | ----             | ----          | 1                | UNCH              |  |  |  |      |
| 1800   | 50.00          |              | 50.00           | 52.80B/43.00A     | 52.80B/43.00A    | ----            |                 | 41.60 NEW                | .2513 | ----          | ----                     | 1                | ----          | 1 +              | UNCH              |  |  |  |      |
| 2000   | ----           |              | ----            | 162.20B/135.40A   | 162.20B/135.40A  | ----            |                 | 135.30 - 0.70            | .5513 | ----          | ----                     | ----             | ----          | 1                | UNCH              |  |  |  |      |
| TOTAL  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               |                  |                   |  |  |  |      |
| SEP26  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               |                  |                   |  |  |  |      |
| 1850   | ----           |              | ----            | 103.50B/----      | 103.50B/89.00A   | ----            |                 | 88.20 + 0.70             | .3503 | ----          | ----                     | ----             | ----          | 16               | UNCH              |  |  |  |      |
| TOTAL  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               | 16               |                   |  |  |  | 0    |
| OCT26  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               |                  |                   |  |  |  |      |
| 1300   | ----           |              | ----            | ----              | 3.20B/*7.80A     | ----            |                 | 5.30 UNCH                | .0282 | ----          | ----                     | ----             | ----          | 4                | UNCH              |  |  |  |      |
| 1500   | ----           |              | ----            | 17.50B/----       | 17.50B/19.50A    | ----            |                 | 17.10 + 0.20             | .0844 | ----          | ----                     | ----             | ----          | 21               | UNCH              |  |  |  |      |
| 1600   | ----           |              | ----            | 34.50B/----       | 34.50B/33.60A    | ----            |                 | 31.20 + 0.50             | .1405 | ----          | ----                     | ----             | ----          | 28               | UNCH              |  |  |  |      |
| 1700   | ----           |              | ----            | 61.80B/----       | 61.80B/56.30A    | ----            |                 | 54.50 + 1.00             | .2181 | ----          | ----                     | ----             | ----          | 50               | UNCH              |  |  |  |      |
| 1720   | ----           |              | ----            | 68.60B/----       | 68.60B/62.10A    | ----            |                 | 60.50 + 1.10             | .2359 | ----          | ----                     | ----             | ----          | 2                | UNCH              |  |  |  |      |
| 1820   | ----           |              | ----            | 110.70B/----      | 110.70B/98.10A   | ----            |                 | 97.30 + 1.40             | .3314 | ----          | ----                     | ----             | ----          | 5                | UNCH              |  |  |  |      |
| 1850   | ----           |              | ----            | 125.70B/----      | 125.70B/111.30A  | ----            |                 | 110.60 + 1.30            | .3614 | ----          | ----                     | ----             | ----          | 200              | UNCH              |  |  |  |      |
| 1950   | ----           |              | ----            | 183.00B/----      | 183.00B/162.70A  | ----            |                 | 162.60 + 1.20            | .4610 | ----          | ----                     | ----             | ----          | 50               | UNCH              |  |  |  |      |
| 2000   | ----           |              | ----            | 213.40B/----      | 213.40B/192.40A  | ----            |                 | 192.70 + 1.20            | .5084 | ----          | ----                     | ----             | ----          | 1                | UNCH              |  |  |  |      |
| 2100   | ----           |              | ----            | 286.50B/----      | 286.50B/258.90A  | ----            |                 | 259.80 + 1.20            | .5953 | ----          | ----                     | ----             | ----          | 100              | UNCH              |  |  |  |      |
| 2130   | ----           |              | ----            | ----              | ----             | ----            |                 | 281.40 + 1.10            | .6190 | ----          | ----                     | ----             | ----          | 41               | UNCH              |  |  |  |      |
| 2135   | ----           |              | ----            | ----              | ----             | ----            |                 | 285.10 + 1.10            | .6228 | ----          | ----                     | ----             | ----          | 12               | UNCH              |  |  |  |      |
| 2140   | ----           |              | ----            | ----              | ----             | ----            |                 | 288.80 + 1.10            | .6267 | ----          | ----                     | ----             | ----          | 12               | UNCH              |  |  |  |      |
| 2400   | ----           |              | ----            | 533.90B/496.60A   | 533.90B/496.60A  | ----            |                 | 498.50 + 0.60            | .7857 | ----          | ----                     | ----             | ----          | 200              | UNCH              |  |  |  |      |
| 2500   | ----           |              | ----            | 624.00B/584.30A   | 624.00B/584.30A  | ----            |                 | 586.40 + 0.30            | .8286 | ----          | ----                     | ----             | ----          | 1                | UNCH              |  |  |  |      |
| TOTAL  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               | 727              |                   |  |  |  | 0    |
| JAN27  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               |                  |                   |  |  |  |      |
| 1500   | ----           |              | ----            | ----              | ----             | ----            |                 | 59.20 - 0.60             | .1564 | ----          | ----                     | ----             | ----          | 40               | UNCH              |  |  |  |      |
| 1800   | ----           |              | ----            | ----              | ----             | ----            |                 | 153.70 - 1.10            | .3313 | ----          | ----                     | ----             | ----          | 1                | UNCH              |  |  |  |      |
| 1900   | ----           |              | ----            | ----              | ----             | ----            |                 | 202.10 - 1.20            | .3987 | ----          | ----                     | ----             | ----          | 100              | UNCH              |  |  |  |      |
| 2000   | ----           |              | ----            | ----              | ----             | ----            |                 | 257.40 - 1.40            | .4653 | ----          | ----                     | ----             | ----          | 200              | UNCH              |  |  |  |      |
| TOTAL  |                |              |                 |                   |                  |                 |                 |                          |       |               |                          |                  |               | 341              |                   |  |  |  | 0    |

| OPTIONS EOO'S AND BLOCKS                           |  |              |            |              |
|----------------------------------------------------|--|--------------|------------|--------------|
| PRODUCT                                            |  | STRIKE PRICE | EEO VOLUME | BLOCK VOLUME |
| OG CALL JUL26 CALL COMEX GOLD OPTIONS              |  |              |            |              |
| OG                                                 |  | 4500         | 0          | 126          |
| OG                                                 |  | 4920         | 0          | 250          |
| OG                                                 |  | 5200         | 0          | 280          |
| TOTALS                                             |  |              | 0          | 656          |
| AUG26 CALL                                         |  |              |            |              |
| OG                                                 |  | 4600         | 0          | 55           |
| OG                                                 |  | 4650         | 0          | 400          |
| OG                                                 |  | 4700         | 0          | 1175         |
| OG                                                 |  | 4800         | 0          | 30           |
| OG                                                 |  | 4825         | 0          | 250          |
| OG                                                 |  | 5100         | 0          | 1175         |
| TOTALS                                             |  |              | 0          | 3085         |
| SEP26 CALL                                         |  |              |            |              |
| OG                                                 |  | 4700         | 0          | 60           |
| OG                                                 |  | 4750         | 0          | 472          |
| OG                                                 |  | 4825         | 0          | 50           |
| TOTALS                                             |  |              | 0          | 582          |
| DEC26 CALL                                         |  |              |            |              |
| OG                                                 |  | 4600         | 0          | 60           |
| OG                                                 |  | 4900         | 0          | 10           |
| OG                                                 |  | 5300         | 0          | 50           |
| OG                                                 |  | 5450         | 0          | 10           |
| OG                                                 |  | 5500         | 0          | 50           |
| TOTALS                                             |  |              | 0          | 180          |
| APR27 CALL                                         |  |              |            |              |
| OG                                                 |  | 5800         | 0          | 50           |
| TOTALS                                             |  |              | 0          | 50           |
| OG PUT JUL26 PUT COMEX GOLD OPTIONS                |  |              |            |              |
| OG                                                 |  | 4155         | 0          | 250          |
| OG                                                 |  | 4350         | 0          | 250          |
| OG                                                 |  | 4500         | 0          | 400          |
| TOTALS                                             |  |              | 0          | 900          |
| AUG26 PUT                                          |  |              |            |              |
| OG                                                 |  | 3900         | 0          | 880          |
| OG                                                 |  | 4100         | 0          | 200          |
| OG                                                 |  | 4200         | 0          | 225          |
| OG                                                 |  | 4280         | 0          | 250          |
| OG                                                 |  | 4450         | 0          | 625          |
| TOTALS                                             |  |              | 0          | 2180         |
| SEP26 PUT                                          |  |              |            |              |
| OG                                                 |  | 4200         | 0          | 472          |
| TOTALS                                             |  |              | 0          | 472          |
| NOV26 PUT                                          |  |              |            |              |
| OG                                                 |  | 3600         | 0          | 600          |
| TOTALS                                             |  |              | 0          | 600          |
| DEC26 PUT                                          |  |              |            |              |
| OG                                                 |  | 4000         | 0          | 250          |
| OG                                                 |  | 4300         | 0          | 130          |
| OG                                                 |  | 4350         | 0          | 10           |
| TOTALS                                             |  |              | 0          | 390          |
| MAR27 PUT                                          |  |              |            |              |
| OG                                                 |  | 3600         | 0          | 130          |
| TOTALS                                             |  |              | 0          | 130          |
| HX CALL JUL26 CALL COMEX COPPER OPTIONS            |  |              |            |              |
| HX                                                 |  | 650          | 0          | 120          |
| HX                                                 |  | 700          | 0          | 120          |
| TOTALS                                             |  |              | 0          | 240          |
| SEP26 CALL                                         |  |              |            |              |
| HX                                                 |  | 700          | 0          | 80           |
| HX                                                 |  | 775          | 0          | 80           |
| TOTALS                                             |  |              | 0          | 160          |
| PO CALL OCT26 CALL PLATINUM OPTIONS                |  |              |            |              |
| PO                                                 |  | 2500         | 0          | 100          |
| PO                                                 |  | 3000         | 0          | 100          |
| TOTALS                                             |  |              | 0          | 200          |
| OG1 PUT JUN26 PUT GOLD OPTIONS                     |  |              |            |              |
| OG1                                                |  | 4425         | 0          | 100          |
| TOTALS                                             |  |              | 0          | 100          |
| OG5 PUT MAY26 PUT GOLD OPTIONS                     |  |              |            |              |
| OG5                                                |  | 4425         | 0          | 75           |
| TOTALS                                             |  |              | 0          | 75           |
| GMW MON JUN26 CALL GOLD WEEKLY MONDAY OPTION WEEK1 |  |              |            |              |
| G1M                                                |  | 4550         | 0          | 125          |
| TOTALS                                             |  |              | 0          | 125          |