METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29			06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/28	05/29											
ECG11 OP		05/28	05/29											
ECG13 OP		05/28	05/29											
ECG15 OP		05/28	05/29											
ECG16 OP		05/28	05/29											
ECGC OOF		05/28	05/29											
ECHG OOF		05/28	05/29											
ECSI OOF		05/28	05/29											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/29			06/05										
FSO OPT	05/29			06/30										
GMW MON				06/22										
GWR THU	05/28			06/18	07/02									
GWT TUE				06/23										
GWW WED				06/24										
HMW MON				06/15										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/18										
HWT TUE				06/16										
HWW WED				06/24	07/01	08/05	09/02							
HX CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/26										
HXE PUT	05/29			06/26										
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON				06/01										
OG CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG2 CALL				06/12										
OG2 PUT				06/12										
OG4 CALL				06/26										
OG4 PUT				06/26										
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT					06/25	07/28				11/24				
PAO CALL					06/17	07/15	08/19			11/18				
PAO PUT					06/17	07/15	08/19			11/18				
PAW OOF	05/29													
PLW OOF	05/29			06/12										
PO CALL					06/17	07/15	08/19	09/16			12/16			
PO PUT					06/17	07/15	08/19	09/16			12/16			
RWS THU	05/28			06/18										
SMW MON				06/22										
SO CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL				06/05										
SO1 PUT				06/05										
SO2 CALL				06/12										
SO2 PUT				06/12										
SO4 CALL				06/26										
SO4 PUT				06/26										
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED				06/24										
TWS TUE				06/16										

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUL26												
3400	----	----	----	----	----	1193.00 + 60.40	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1133.10 + 60.40	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	13.50 - 6.00	----	----	----	----	----	2 UNCH
4275	----	----	----	----	----	19.70 - 8.70	----	----	----	----	----	1 UNCH
4300	----	----	----	----/*33.00A	----	22.50 - 9.80	----	----	----	----	----	1 UNCH
4400	39.00	39.00	39.00/39.00	39.00/39.00	----	38.90 - 15.80	----	----	----	1	----	0 - 1
4500	82.00	82.00	82.00/82.00	82.00/82.00	----	66.70 - 24.50	----	----	----	1	----	8 + 1
4550	----	----	----	----	----	86.30 - 29.00	----	----	----	----	----	1 UNCH
4600	----	----	----	76.10B/----	----	102.90 + 26.80	----	----	----	----	----	3 UNCH
4600	----	----	----	----	----	109.90 - 33.60	----	----	----	----	----	2 UNCH
4700	66.00	66.00	66.00/*66.00	66.00/66.00	----	62.30 + 17.90	----	----	----	1	----	2 + 1
4800	----	----	----	----	----	36.10 + 11.20	----	----	----	----	----	2 UNCH
5000	----	----	----	----	----	12.50 + 4.20	----	----	----	----	----	3 UNCH
5300	----	----	----	----	----	4.10 + 1.40	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	2.60 + 0.80	----	----	----	----	----	2 UNCH
TOTAL										3		32 + 1
AUG26												
4400	----	----	----	----	----	81.50 - 18.50	----	----	----	----	----	6 UNCH
4550	156.00	156.00	#156.00/156.00	#156.00/156.00	----	138.00 - 27.90	----	----	----	1	----	2 + 1
4995	----	----	----	----	----	41.50 + 9.60	----	----	----	----	----	1 UNCH
TOTAL										1		9 + 1
DEC26												
4700	----	----	----	----	----	269.70 + 31.50	----	----	----	----	----	10 UNCH
TOTAL												10 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
MAY26												
3250	----	----	----	----/0.20A	----	0.00 NEW	----	----	----	3	----	0 UNCH
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 25
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 43
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 113
4085	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
4125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4130	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4135	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4140	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4145	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4150	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	2	----	0 - 32
4165	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4190	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4195	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 100
4205	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 PUT		GOLD OPTIONS										
MAY26												
4210	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4225	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 6
4230	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4235	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4240	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 20
4245	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4250	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	4	----	0 - 31
4255	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4260	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4265	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4270	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4275	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 36
4280	0.60	0.60	0.60/*0.10A	0.60/*0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 51
4285	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4290	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 15
4295	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 13
4300	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.00 - 0.40	----	----	----	9	----	0 - 345
4310	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.50	----	----	----	1	----	0 - 27
4320	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 19
4325	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.00 - 0.60	----	----	----	1	----	0 - 22
4330	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.00 - 0.70	----	----	----	2	----	0 - 14
4335	0.10	0.10	0.10/*0.10	0.40B/*0.10	----	0.00 - 0.70	----	----	----	2	----	0 - 155
4340	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 28
4345	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4350	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.90	----	----	----	2	----	0 - 283
4355	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 0.90	----	----	----	1	----	0 - 10
4360	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 20
4365	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 2
4370	0.60	0.60	0.60/*0.10	0.80B/*0.10	----	0.00 - 1.10	----	----	----	5	----	0 - 38
4375	0.50	0.50	0.50/*0.10	0.80B/*0.10	----	0.00 - 1.20	----	----	----	44	----	0 - 125
4380	0.50	0.50	0.50/*0.10A	0.90B/*0.10A	----	0.00 - 1.30	----	----	----	11	----	0 - 39
4385	----	----	----/*0.10A	1.00B/*0.10A	----	0.00 - 1.40	----	----	----	----	----	0 - 10
4390	0.50	0.50	0.50/*0.10	1.00B/*0.10	----	0.00 - 1.60	----	----	----	12	----	0 - 59
4395	----	----	----/*0.10A	1.40B/*0.10A	----	0.00 - 1.70	----	----	----	----	----	0 - 32
4400	2.00	2.00	2.00/*0.10	2.00/*0.10	----	0.00 - 1.80	----	----	----	61	----	0 - 478
4405	----	----	----/*0.10A	1.60B/*0.10A	----	0.00 - 2.00	----	----	----	2	----	0 - 5
4410	1.20	1.20	1.20/*0.10A	1.90B/*0.10A	----	0.00 - 2.20	----	----	----	4	----	0 - 7
4415	2.20	2.20	2.20/*0.20A	2.20/*0.20A	----	0.00 - 2.40	----	----	----	2	----	0 - 5
4420	1.60	1.60	1.70/*0.10	2.30B/*0.10	----	0.00 - 2.60	----	----	----	32	----	0 - 125
4425	1.50	1.50	1.90/*0.10A	2.60B/*0.10A	----	0.00 - 2.80	----	----	----	57	----	0 - 93
4430	1.40	1.40	1.40/*0.10	2.80B/*0.10	----	0.00 - 3.10	----	----	----	10	----	0 - 32
4435	3.00	3.00	3.20B/*0.10	3.20B/*0.10	----	0.00 - 3.40	----	----	----	17	----	0 - 89
4440	1.00	1.00	1.00/*0.10A	3.50B/*0.10A	----	0.00 - 3.70	----	----	----	18	----	0 - 114
4445	----	----	4.80B/*0.10A	4.80B/*0.10A	----	0.00 - 4.10	----	----	----	10	----	0 - 30
4450	4.20	4.20	4.60B/*0.10	4.60B/*0.10	----	0.00 - 4.50	----	----	----	120	----	0 - 133
4455	3.50	3.50	3.50/*0.10	5.00B/*0.10	----	0.00 - 5.00	----	----	----	178	----	0 - 40
4460	6.10	6.10	6.10/*0.10	6.10/*0.10	----	0.00 - 5.50	----	----	----	45	----	0 - 89
4465	0.10	0.10	6.30B/*0.10	6.30B/*0.10	----	0.00 - 6.10	----	----	----	6	----	0 - 18
4470	7.50	7.50	7.50/*0.10	7.50/*0.10	----	0.00 - 6.80	----	----	----	120	----	0 - 43
4475	6.00	6.00	8.00B/*0.10	8.00B/*0.10	----	0.00 - 7.50	----	----	----	49	----	0 - 217
4480	8.90	8.90	9.00/*0.10	9.00/*0.10	----	0.00 - 8.40	----	----	----	44	----	0 - 32
4485	3.50	3.50	10.20B/*0.10A	10.20B/*0.10A	----	0.00 - 9.30	----	----	----	48	----	0 - 32
4490	8.00	8.00	11.40B/*0.10A	11.40B/*0.10A	----	0.00 - 10.40	----	----	----	70	----	0 - 74
4495	9.20	9.20	13.30B/*0.10A	13.30B/*0.10A	----	0.00 - 11.50	----	----	----	63	----	0 - 40
4500	14.60	14.60	15.00/*0.10	15.00/*0.10	----	0.00 - 12.80	----	----	----	365	----	0 - 542
4505	9.80	9.80	16.00B/*0.10A	16.00B/*0.10A	----	0.00 - 14.30	----	----	----	44	----	0 - 16
4510	19.00	19.00	19.40/*0.10	19.40/*0.10	----	0.00 - 15.90	----	----	----	90	----	0 - 26
4515	15.90	15.90	20.30B/*0.10A	20.30B/*0.10A	----	0.00 - 17.60	----	----	----	77	----	0 - 13
4520	20.80	20.80	22.90B/*0.10	22.90B/*0.10	----	0.00 - 19.60	----	----	----	104	----	0 - 18
4525	25.70	25.70	25.70/*0.10	25.70/*0.10	----	0.00 - 21.70	----	----	----	162	----	0 - 191
4530	26.00	26.00	27.60B/*0.10	27.60B/*0.10	----	0.00 - 23.90	----	----	----	257	----	0 - 26
4535	17.00	17.00	30.60B/*0.10	30.60B/*0.10	----	0.00 - 26.40	----	----	----	494	----	0 - 66
4540	19.60	19.60	33.30B/*0.10	33.30B/*0.10	----	0.00 - 29.10	----	----	----	331	----	0 - 39
4545	19.60	19.60	36.40B/*0.20A	36.40B/*0.20A	----	0.00 - 31.90	----	----	----	162	----	0 - 51
4550	20.50	20.50	39.80B/*0.10	39.80B/*0.10	----	0.00 - 34.90	----	----	----	238	----	0 - 337
4555	30.00	30.00	43.20B/*0.20A	43.20B/*0.20A	----	0.00 NEW	----	----	----	162	----	0 UNCH
4560	14.00	14.00	47.00B/*0.20	47.00B/*0.20	----	0.00 - 41.40	----	----	----	226	----	0 - 41
4565	24.00	24.00	50.80B/*0.10	50.80B/*0.10	----	0.00 NEW	----	----	----	120	----	0 UNCH
4570	15.40	15.40	55.00B/*0.30A	55.00B/*0.30A	----	0.00 NEW	----	----	----	145	----	0 UNCH
4575	18.00	18.00	59.20B/*0.30A	59.20B/*0.30A	----	0.00 - 52.40	----	----	----	87	----	0 - 35
4580	11.30	11.30	63.20B/*0.10	63.20B/*0.10	----	0.00 - 56.30	----	----	----	126	----	0 - 3
4585	14.00	14.00	67.50B/*0.10	67.50B/*0.10	----	0.00 - 60.30	----	----	----	108	----	0 - 1
4590	8.00	8.00	71.90B/*1.10A	71.90B/*1.10A	----	0.00 - 64.50	----	----	----	67	----	0 - 12
4595	10.90	10.90	76.60B/*2.50A	76.60B/*2.50A	----	2.00 - 66.70	----	28	----	46	----	0 - 6
4600	74.50	74.50	81.30B/*4.80	81.30B/*4.80	----	7.00 - 66.00	----	135	----	198	----	0 - 71
4605	16.00	16.00	85.90B/*6.50	85.90B/*6.50	----	12.00 NEW	----	11	----	22	----	0 UNCH
4610	13.80	13.80	90.50B/*7.60	90.50B/*7.60	----	17.00 - 64.90	----	12	----	27	----	0 - 5
4615	17.00	17.00	95.20B/*10.00A	95.20B/*10.00A	----	22.00 - 64.40	----	5	----	6	----	0 - 1
4620	14.00	14.00	99.80B/*12.10A	99.80B/*12.10A	----	27.00 NEW	----	29	----	32	----	0 UNCH
4625	15.20	15.20	104.80B/*14.90A	104.80B/*14.90A	----	32.00 - 63.70	----	26	----	10	----	0 - 18
4630	----	----	109.50B/*17.50A	109.50B/*17.50A	----	37.00 - 63.30	----	1	----	1	----	0 - 1
4635	85.00	85.00	114.30B/*20.60A	114.30B/*20.60A	----	42.00 - 63.10	----	2	----	2	----	0 - 1
4650	----	----	128.90B/*31.90A	128.90B/*31.90A	----	57.00 - 62.40	----	10	----	----	----	0 - 10
4660	----	----	138.70B/*40.70A	138.70B/*40.70A	----	67.00 - 62.00	----	4	----	----	----	0 - 4
4675	144.60	144.60	153.60B/53.30A	153.60B/53.30A	----	82.00 - 61.70	----	35	----	2	----	0 - 34
4700	----	----	178.30B/77.10A	178.30B/77.10A	----	107.00 - 61.20	----	6	----	4	----	0 - 8
4725	----	----	203.20B/102.60A	203.20B/102.60A	----	132.00 - 60.90	----	1	----	----	----	0 - 1
4750	----	----	228.10B/126.40A	228.10B/126.40A	----	157.00 - 60.80	----	3	----	----	----	0 - 3
4775	----	----	253.10B/152.30A	253.10B/152.30A	----	182.00 - 60.70	----	14	----	----	----	0 - 14
4800	----	----	278.10B/176.90A	278.10B/176.90A	----	207.00 - 60.70	----	1	----	----	----	0 - 1
4805	----	----	#283.10B/*181.9	283.10B/*181.90A	----	212.00 - 60.70	----	1	----	----	----	0 - 1
4850	----	----	328.10B/226.40A	328.10B/226.40A	----	257.00 - 60.70	----	1	----	----	----	0 - 1
4900	----	----	378.10B/276.40A	378.10B/276.40A	----	307.00 - 60.70	----	----	----	----	----	0 UNCH
4950	----	----	428.10B/326.40A	428.10B/326.40A	----	357.00 - 60.70	----	1	----	1	----	0 UNCH
5500	----	----	#977.90B/*876.0	977.90B/*876.00A	----	907.00 NEW	----	2	----	2	----	0 UNCH
6000	----	----	#1,477.90B/*1,3	1477.90B/*1376.00A	----	1407.00 NEW	----	1	----	1	----	0 UNCH
TOTAL										4777		0 - 5141

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG5 CALL		GOLD OPTIONS										
MAY26												
3250	----	----	#1,374.00B/*1,2	#1374.00B/1271.90A	----	1343.00 NEW	----	3	----	3	----	0 UNCH
4230	----	----	#394.00B/292.10	#394.00B/292.10A	----	363.00 + 60.40	----	1	----	----	----	0 - 1
4235	----	----	#388.50B/287.10	#388.50B/287.10A	----	358.00 + 60.40	----	1	----	----	----	0 - 1
4250	----	----	374.10B/272.10A	374.10B/272.10A	----	343.00 + 60.40	----	2	----	----	----	0 - 2
4255	----	----	#368.50B/267.10	#368.50B/267.10A	----	338.00 + 60.40	----	1	----	----	----	0 - 1
4260	----	----	#363.50B/262.10	#363.50B/262.10A	----	333.00 + 60.30	----	1	----	----	----	0 - 1
4335	----	----	#289.00B/187.70	#289.00B/187.70A	----	258.00 + 59.90	----	1	----	1	----	0 - 1
4340	----	----	#284.00B/182.70	#284.00B/182.70A	----	253.00 + 59.90	----	1	----	----	----	0 - 1
4375	----	----	249.10B/148.40A	249.10B/148.40A	----	218.00 + 59.40	----	2	----	----	----	0 - 2
4385	----	----	#239.00B/138.80	#239.00B/138.80A	----	208.00 + 59.20	----	1	----	----	----	0 - 1
4395	----	----	#229.00B/129.00	#229.00B/129.00A	----	198.00 + 58.90	----	1	----	----	----	0 - 1
4400	----	----	224.10B/124.10A	224.10B/124.10A	----	193.00 + 58.80	----	5	----	2	----	0 - 5
4405	----	----	#219.10B/119.30	#219.10B/119.30A	----	188.00 + 58.60	----	3	----	1	----	0 - 3
4415	----	----	#209.10B/109.80	#209.10B/109.80A	----	178.00 + 58.20	----	3	----	----	----	0 - 3
4420	----	----	#204.10B/105.20	#204.10B/105.20A	----	173.00 + 58.00	----	4	----	1	----	0 - 4
4425	----	----	199.10B/100.50A	199.10B/100.50A	----	168.00 + 57.80	----	2	----	5	----	0 - 6
4430	----	----	#193.10B/95.70A	#193.10B/95.70A	----	163.00 + 57.50	----	3	----	----	----	0 - 3
4440	----	----	#183.50B/86.60A	#183.50B/86.60A	----	153.00 + 56.90	----	4	----	----	----	0 - 4
4445	----	----	#178.60B/82.40A	#178.60B/82.40A	----	148.00 + 56.50	----	4	----	----	----	0 - 4
4450	----	----	174.30B/77.90A	174.30B/77.90A	----	143.00 + 56.10	----	62	----	5	----	0 - 66
4455	----	----	#167.80B/73.40A	#167.80B/73.40A	----	138.00 + 55.60	----	3	----	----	----	0 - 3
4460	87.30	87.30	#164.30B/69.30A	#164.30B/69.30A	----	133.00 + 55.10	----	51	----	4	----	0 - 53
4465	102.00	102.00	#158.60B/65.10A	#158.60B/65.10A	----	128.00 + 54.50	----	5	----	2	----	0 - 6
4470	81.50	81.50	#154.20B/60.90A	#154.20B/60.90A	----	123.00 + 53.80	----	44	----	3	----	0 - 47
4475	----	----	149.50B/57.00A	149.50B/57.00A	----	118.00 + 53.10	----	77	----	2	----	0 - 79
4480	53.00	53.00	#144.40B/53.00	#144.40B/53.00	----	113.00 + 52.20	----	55	----	1	----	0 - 55
4485	53.00	53.00	#138.80B/49.30A	#138.80B/49.30A	----	108.00 + 51.30	----	4	----	2	----	0 - 6
4490	59.00	59.00	#134.40B/45.60A	#134.40B/45.60A	----	103.00 + 50.20	----	68	----	8	----	0 - 74
4495	----	----	#129.40B/42.20A	#129.40B/42.20A	----	98.00 + 49.10	----	56	----	----	----	0 - 56
4500	55.00	55.00	124.40B/38.60A	124.40B/38.60A	----	93.00 + 47.80	----	214	----	13	----	0 - 214
4505	59.00	59.00	#119.30B/35.60A	119.30B/35.60A	----	88.00 + 46.30	----	18	----	3	----	0 - 18
4510	47.00	47.00	#114.40B/32.00A	114.40B/32.00A	----	83.00 + 44.70	----	42	----	16	----	0 - 44

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4515	51.80	51.80	#109.50B/28.30A	109.50B/28.30A	----	78.00 + 43.00	----	20	----	3	----	0 - 21
4520	26.60	26.60	#104.40B/25.00	104.40B/25.00	----	73.00 + 41.00	----	65	----	65	----	0 - 98
4525	32.00	32.00	99.50B/22.60A	99.50B/22.60A	----	68.00 + 38.90	----	78	----	30	----	0 - 86
4530	20.70	20.70	#94.60B/20.50A	94.60B/20.50A	----	63.00 + 36.70	----	94	----	13	----	0 - 102
4535	24.00	24.00	#89.90B/18.00A	89.90B/18.00A	----	58.00 + 34.20	----	99	----	23	----	0 - 104
4540	18.40	18.40	#84.60B/14.70	84.60B/14.70	----	53.00 + 31.50	----	85	----	138	----	0 - 99
4545	13.20	13.20	#79.60B/13.20	79.60B/13.20	----	48.00 + 28.70	----	65	----	44	----	0 - 67
4550	16.00	16.00	74.80B/11.90A	74.80B/11.90A	----	43.00 + 25.70	----	207	----	261	----	0 - 210
4555	13.00	13.00	#69.90B/10.20A	69.90B/10.20A	----	38.00 + 22.50	----	71	----	77	----	0 - 41
4560	9.00	9.00	#64.90B/8.00	64.90B/8.00	----	33.00 + 19.20	----	44	----	115	----	0 - 34
4565	8.90	8.90	#60.20B/6.60	60.20B/6.60	----	28.00 + 15.70	----	60	----	219	----	0 - 23
4570	7.70	7.70	#55.80B/5.50	55.80B/5.50	----	23.00 + 12.00	----	92	----	150	----	0 - 78
4575	7.50	7.50	50.60B/4.40	50.60B/4.40	----	18.00 + 8.20	----	139	----	156	----	0 - 157
4580	4.60	4.60	#46.60B/3.40	46.60B/3.40	----	13.00 + 4.30	----	87	----	275	----	0 - 60
4585	6.10	6.10	#41.90B/2.50	41.90B/2.50	----	8.00 + 0.30	----	67	----	175	----	0 - 51
4590	4.20	4.20	#37.20B/1.90	37.20B/1.90	----	3.00 - 3.90	----	31	----	128	----	0 - 34
4595	4.00	4.00	#33.10B/*0.20	33.10B/*0.20	----	0.00 - 6.10	----	----	----	70	----	0 - 42
4600	2.60	2.60	29.60B/*0.10	29.60B/*0.10	----	0.00 - 5.40	----	----	----	533	----	0 - 287
4605	3.50	3.50	#25.70B/*0.10	25.70B/*0.10	----	0.00 - 4.80	----	----	----	45	----	0 - 17
4610	2.90	2.90	22.20B/0.20	22.20B/0.20	----	0.00 - 4.30	----	----	----	328	----	0 - 21
4615	2.40	2.40	19.10B/*0.10	19.10B/*0.10	----	0.00 - 3.80	----	----	----	84	----	0 - 14
4620	1.50	1.50	16.30B/*0.10A	16.30B/*0.10A	----	0.00 - 3.40	----	----	----	227	----	0 - 68
4625	2.30	2.30	13.80B/*0.10	13.80B/*0.10	----	0.00 - 3.10	----	----	----	310	----	0 - 286
4630	3.00	3.00	11.60B/*0.10	11.60B/*0.10	----	0.00 - 2.70	----	----	----	62	----	0 - 31
4635	1.20	1.20	#9.60B/*0.10A	9.60B/*0.10A	----	0.00 - 2.50	----	----	----	93	----	0 - 8
4640	1.30	1.30	8.00/*0.10	8.00/*0.10	----	0.00 - 2.20	----	----	----	107	----	0 - 7
4645	0.20	0.20	6.70B/*0.10A	6.70B/*0.10A	----	0.00 - 2.00	----	----	----	25	----	0 - 4
4650	0.70	0.70	6.70/*0.10	6.70/*0.10	----	0.00 - 1.80	----	----	----	136	----	0 - 124
4655	0.50	0.50	4.70B/*0.10A	4.70B/*0.10A	----	0.00 - 1.60	----	----	----	30	----	0 - 7
4660	0.30	0.30	4.10B/*0.10A	4.10B/*0.10A	----	0.00 - 1.40	----	----	----	10	----	0 - 5
4665	0.60	0.60	3.30B/*0.10A	3.30B/*0.10A	----	0.00 - 1.30	----	----	----	17	----	0 - 3
4670	0.20	0.20	2.60B/*0.10	2.60B/*0.10	----	0.00 - 1.20	----	----	----	9	----	0 - 2
4675	0.30	0.30	2.20B/*0.10	2.20B/*0.10	----	0.00 - 1.10	----	----	----	45	----	0 - 86
4680	0.40	0.40	1.80B/*0.10	1.80B/*0.10	----	0.00 - 0.90	----	----	----	14	----	0 - 16
4685	0.30	0.30	#1.50/*0.10	1.50/*0.10	----	0.00 - 0.80	----	----	----	18	----	0 - 21
4690	0.40	0.40	#1.30B/*0.10A	1.30B/*0.10A	----	0.00 - 0.80	----	----	----	4	----	0 - 2
4695	0.20	0.20	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.70	----	----	----	6	----	0 - 2
4700	0.40	0.40	0.90B/*0.10A	0.90B/*0.10A	----	0.00 - 0.60	----	----	----	160	----	0 - 248
4705	0.40	0.40	0.70B/*0.10A	0.70B/*0.10A	----	0.00 - 0.50	----	----	----	54	----	0 - 1
4710	0.20	0.20	0.50B/*0.10A	0.50B/*0.10A	----	0.00 NEW	----	----	----	3	----	0 UNCH
4715	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 10
4720	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.40	----	----	----	6	----	0 - 10
4725	0.20	0.20	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.30	----	----	----	8	----	0 - 109
4730	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.30	----	----	----	1	----	0 - 2
4740	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.20	----	----	----	5	----	0 - 1
4745	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4750	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 186
4760	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 11
4775	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.10	----	----	----	54	----	0 - 77
4780	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4785	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4790	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4800	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 33
4820	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4825	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
4850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 48
4875	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
4880	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4890	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	5	----	0 - 346
4925	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 167
4950	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
4975	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
5000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 452
5025	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5050	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
5075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5100	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	2	----	0 - 334
5125	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5175	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
5225	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 22
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 1
5600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 37
5750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
6000	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
TOTAL										4420		0 - 5423

OG4 PUT — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	----/1.50A	0.10B/1.50A	----	1.60 - 0.60	.0062	----	----	----	----	4 UNCH
3500	----	----	----/2.80A	0.50B/2.80A	----	2.40 - 0.90	.0106	----	----	----	----	6 UNCH
3800	----	----	----/*4.40A	4.30B/*4.40A	----	3.90 - 1.60	.0209	----	----	----	----	1 UNCH
3900	----	----	----/*5.70A	4.40B/*5.70A	----	4.70 - 2.00	.0270	----	----	----	----	1 UNCH
4000	----	----	----/7.50A	6.90B/7.50A	----	6.00 - 2.70	.0367	----	----	----	----	7 UNCH
4050	----	----	----/*9.00A	10.00B/*9.00A	----	7.60 NEW	.0465	----	----	1	----	1 + 1
4075	----	----	----/*10.00A	11.40B/*10.00A	----	8.50 - 3.10	.0521	----	----	----	----	2 UNCH
4100	----	----	----/*10.90A	12.80B/*10.90A	----	9.50 - 3.40	.0583	----	----	7	----	16 + 6
4125	----	----	----/*11.60A	13.80B/*11.60A	----	10.50 - 3.90	.0648	----	----	----	----	1 UNCH
4150	----	----	----/*11.90A	15.30B/*11.90A	----	11.70 - 4.60	.0724	----	----	1	----	6 UNCH
4200	14.00	14.00	14.00/*14.00	19.40B/*14.00	----	14.60 - 6.30	.0906	----	----	2	----	11 UNCH
4225	----	----	24.20B/*16.60A	24.20B/*16.60A	----	16.40 - 7.20	.1016	----	----	3	----	1 - 1
4250	20.00	20.00	20.00/*18.20A	26.60B/*18.20A	----	18.50 - 8.30	.1142	----	----	8	----	7 + 2
4275	----	----	30.50B/*20.50A	30.50B/*20.50A	----	21.00 - 9.30	.1287	----	----	----	----	5 UNCH
4300	24.00	24.00	34.50B/*23.20A	34.50B/*23.20A	----	23.90 - 10.40	.1451	----	----	21	----	18 + 10
4325	----	----	39.30B/*26.10A	39.30B/*26.10A	----	27.20 - 11.70	.1633	----	----	----	----	1 UNCH
4350	37.20	37.20	46.20B/*29.60A	46.20B/*29.60A	----	31.10 - 13.10	.1839	----	----	9	----	21 + 8
4400	52.00	52.00	59.10B/*38.40A	59.10B/*38.40A	----	40.90 - 16.00	.2323	----	----	3	----	3 UNCH
4425	----	----	68.10B/*44.20A	68.10B/*44.20A	----	47.00 - 17.60	.2601	----	----	----	----	2 UNCH
4450	62.20	62.20	74.90B/*50.10A	74.90B/*50.10A	----	53.80 NEW	.2897	----	----	5	----	5 + 5
4475	----	----	85.60B/*57.00A	85.60B/*57.00A	----	61.60 - 21.40	.3215	----	----	2	----	3 + 1
4500	----	----	96.50B/*64.80A	96.50B/*64.80A	----	70.20 - 23.50	.3548	----	----	14	----	9 + 2
4525	----	----	108.40B/*73.30A	108.40B/*73.30A	----	79.80 - 25.60	.3895	----	----	5	----	2 - 3
4550	108.00	108.00	108.00/*82.90A	117.00B/*82.90A	----	90.30 NEW	.4252	----	----	2	----	2 + 2
4600	----	----	----/*104.50A	145.40B/*104.50A	----	114.10 NEW	.4980	----	----	1	----	1 + 1
4625	----	----	----/*117.10A	161.00B/*117.10A	----	127.40 - 34.70	.5346	----	----	----	----	1 UNCH
4700	----	----	----/*159.60A	213.10B/*159.60A	----	172.50 - 41.60	.6407	----	----	----	----	1 UNCH
4725	207.80	207.80	207.80/*175.70A	232.10B/*175.70A	----	189.30 - 43.80	.6738	----	----	1	----	1 UNCH
TOTAL										85		139 + 34

OG4 CALL — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300	----	----	#345.10B/264.90	#345.10B/264.90A	----	316.20 + 50.00	.8542	----	----	----	----	1 UNCH
4325	----	----	#323.00B/244.80	#323.00B/244.80A	----	294.60 + 48.80	.8360	----	----	----	----	1 UNCH
4400	----	----	#260.10B/188.70	#260.10B/188.70A	----	233.50 + 44.50	.7670	----	----	----	----	1 UNCH
4450	----	----	#221.40B/----	#221.40B/155.60A	----	196.50 + 41.00	.7095	----	----	----	----	1 UNCH
4475	----	----	#203.20B/----	#203.20B/140.40A	----	179.30 + 39.00	.6777	----	----	----	----	1 UNCH
4500	168.00	168.00	#185.80B/124.80	#185.80B/124.80A	----	163.00 + 37.00	.6444	----	----	2	----	11 UNCH
4525	116.00	116.00	#169.40B/112.40	#169.40B/112.40A	----	147.70 + 34.90	.6097	----	----	12	----	14 UNCH
4550	----	----	#153.80B/98.60A	#153.80B/98.60A	----	133.20 + 32.60	.5740	----	----	----	----	2 UNCH
4600	100.50	100.50	#125.60B/77.10A	#125.60B/77.10A	----	107.10 + 28.00	.5012	----	----	4	----	9 + 3
4625	----	----	#112.90B/67.90A	#112.90B/67.90A	----	95.40 NEW	.4646	----	----	3	----	3 + 3
4650	----	----	#100.90B/58.80A	#100.90B/58.80A	----	84.60 + 23.30	.4285	----	----	10	----	3 + 2
4700	----	----	#80.00B/45.20A	#80.00B/45.20A	----	65.70 + 18.80	.3586	----	----	----	----	5 UNCH
4725	----	----	#71.20B/39.50A	#71.20B/39.50A	----	57.60 NEW	.3255	----	----	1	----	1 + 1
4750	----	----	#62.80B/34.50A	#62.80B/34.50A	----	50.40 NEW	.2941	----	----	10	----	2 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG4 CALL — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4775	----	----	#55.40B/30.10A	#55.40B/30.10A	----	44.00 NEW	.2647	----	----	4	----	2 + 2
4800	26.10	26.10	#48.90B/26.10	#48.90B/26.10	----	38.40 + 11.40	.2374	----	----	16	----	12 + 9
4850	----	----	#37.70B/20.00A	#37.70B/20.00A	----	29.40 + 8.80	.1900	----	----	5	----	7 + 5
4875	----	----	#33.10B/17.50A	#33.10B/17.50A	----	25.80 + 7.80	.1697	----	----	3	----	4 + 3
4900	----	----	#29.10B/15.50A	#29.10B/15.50A	----	22.70 + 6.90	.1516	----	----	----	----	4 UNCH
4950	----	----	#22.30B/12.10A	#22.30B/12.10A	----	17.70 + 5.40	.1210	----	----	2	----	3 + 2
5000	13.00	13.00	#17.30B/13.00	#17.30B/9.70A	----	14.00 + 4.30	.0972	----	----	2	----	3 + 1
5200	5.00	5.00	#5.40B/5.00	#5.40B/4.80A	----	6.90 + 2.20	.0469	----	----	7	----	7 + 6
5250	----	----	----	#4.10B/5.20A	----	6.20 NEW	.0412	----	----	1	----	1 + 1
5300	----	----	----	#3.20B/4.70A	----	5.60 NEW	.0364	----	----	1	----	1 + 1
5400	----	----	----	#1.90B/*3.60A	----	4.90 + 1.30	.0302	----	----	----	----	1 UNCH
5500	----	----	----	#1.30B/*3.30A	----	4.40 NEW	.0257	----	----	1	----	1 + 1
5750	----	----	----/*2.50A	0.50B/*2.50A	----	3.70 + 0.80	.0191	----	----	----	----	1 UNCH
TOTAL										84		102 + 42

OG2 PUT — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	----	----/0.70A	----	0.20 - 0.20	.0009	----	----	----	----	5 UNCH
3500	----	----	----	0.40B/1.00A	----	0.50 - 0.30	.0025	----	----	----	----	10 UNCH
3600	----	----	----	0.50B/*1.10A	----	0.60 - 0.40	.0033	----	----	----	----	1 UNCH
3700	----	----	----/*1.20A	0.80B/*1.20A	----	0.80 - 0.50	.0047	----	----	----	----	1 UNCH
3750	----	----	----/*1.20A	1.00B/*1.20A	----	0.90 - 0.50	.0055	----	----	----	----	20 UNCH
3800	1.30	1.30	1.30/*1.30	1.30/*1.30	----	1.00 - 0.70	.0063	----	----	5	----	9 + 5
3900	1.70	1.70	1.70/*1.70	1.70/*1.70	----	1.40 - 0.90	.0095	----	----	1	----	57 + 1
4000	----	----	----/*2.40A	2.60B/*2.40A	----	2.00 - 1.30	.0147	----	----	----	----	307 UNCH
4050	----	----	----/*2.80A	3.30B/*2.80A	----	2.50 - 1.60	.0190	----	----	----	----	2 UNCH
4100	----	----	----/*3.50A	4.30B/*3.50A	----	3.20 - 2.00	.0250	----	----	----	----	3 UNCH
4125	----	----	----/*3.90A	5.00B/*3.90A	----	3.60 - 2.30	.0285	----	----	1	----	3 + 1
4150	----	----	----/*4.40A	5.80B/*4.40A	----	4.10 - 2.70	.0329	----	----	----	----	56 UNCH
4200	5.50	5.50	5.50/*5.50	8.40B/*5.50	----	5.40 - 3.60	.0443	----	----	6	----	12 UNCH
4225	----	----	----/*6.50A	10.00B/*6.50A	----	6.20 - 4.20	.0514	----	----	----	----	39 UNCH
4250	9.10	9.10	9.10/*7.20A	11.70B/*7.20A	----	7.20 - 4.90	.0602	----	----	27	----	40 + 20
4275	8.20	8.20	8.20/*8.20	14.00B/*8.20	----	8.40 - 5.80	.0706	----	----	1	----	37 UNCH
4300	11.30	11.30	16.90B/*9.60A	16.90B/*9.60A	----	9.90 - 6.70	.0833	----	----	9	----	86 + 1
4325	----	----	20.20B/*11.10A	20.20B/*11.10A	----	11.70 - 7.90	.0984	----	----	2	----	41 + 1
4350	21.10	21.10	24.00B/*13.10A	24.00B/*13.10A	----	13.80 - 9.30	.1159	----	----	10	----	14 - 3
4375	30.00	30.00	30.00/*15.30A	30.00/*15.30A	----	16.50 - 11.00	.1373	----	----	61	----	75 + 60
4400	----	----	34.40B/*18.00A	34.40B/*18.00A	----	19.70 - 12.90	.1622	----	----	1	----	257 + 1
4425	----	----	40.90B/*21.50A	40.90B/*21.50A	----	23.70 - 15.10	.1916	----	----	18	----	79 + 18
4450	----	----	48.60B/*25.50A	48.60B/*25.50A	----	28.50 - 17.60	.2253	----	----	----	----	12 UNCH
4475	35.80	35.80	57.60B/*30.80A	57.60B/*30.80A	----	34.30 - 20.20	.2636	----	----	5	----	64 + 4
4500	----	----	68.00B/*36.80A	68.00B/*36.80A	----	41.10 - 23.20	.3060	----	----	1	----	51 + 1
4525	47.50	47.50	79.90B/*43.90A	79.90B/*43.90A	----	49.10 - 26.40	.3523	----	----	10	----	24 + 10
4550	52.20	52.20	93.20B/*52.20	93.20B/*52.20	----	58.50 - 29.60	.4019	----	----	11	----	60 + 10
4575	----	----	106.80B/*61.80A	106.80B/*61.80A	----	69.20 - 32.80	.4536	----	----	2	----	8 + 1
4600	97.30	97.30	122.20B/*72.40A	122.20B/*72.40A	----	81.30 - 36.10	.5064	----	----	14	----	17 + 14
4700	----	----	197.30B/*127.70	197.30B/*127.70A	----	143.70 - 47.10	.7043	----	----	----	----	1 UNCH
TOTAL										185		1391 + 145

OG2 CALL — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4475	----	----	178.30B/107.20A	178.30B/107.20A	----	152.10 + 40.20	.7360	----	----	----	----	53 UNCH
4500	----	----	159.20B/92.10A	159.20B/92.10A	----	134.00 + 37.30	.6936	----	----	----	----	64 UNCH
4525	----	----	141.50B/78.90A	141.50B/78.90A	----	117.00 + 34.10	.6473	----	----	----	----	64 UNCH
4550	----	----	124.70B/67.10A	124.70B/67.10A	----	101.40 + 30.90	.5977	----	----	----	----	76 UNCH
4575	61.30	61.30	109.00B/56.60A	109.00B/56.60A	----	87.20 + 27.70	.5459	----	----	55	----	111 + 46
4600	48.00	48.00	94.70B/47.40A	94.70B/47.40A	----	74.30 + 24.50	.4931	----	----	19	----	36 + 10
4625	64.00	64.00	82.10B/39.50A	82.10B/39.50A	----	62.90 + 21.40	.4405	----	----	2	----	63 + 1
4650	35.00	35.00	70.40B/32.80A	70.40B/32.80A	----	52.90 + 18.50	.3892	----	----	2	----	14 + 2
4675	45.00	45.00	59.70B/27.10A	59.70B/27.10A	----	44.30 + 15.90	.3406	----	----	16	----	39 + 16
4700	----	----	50.60B/22.50A	50.60B/22.50A	----	36.90 + 13.50	.2953	----	----	20	----	21 + 20
4725	20.60	20.60	42.50B/18.50A	42.50B/18.50A	----	30.60 + 11.40	.2539	----	----	21	----	61 + 21
4750	14.30	14.30	35.40B/14.00	35.40B/14.00	----	25.30 + 9.50	.2166	----	----	7	----	5 + 1
4775	21.00	21.00	29.50B/12.80A	29.50B/12.80A	----	21.00 + 8.00	.1843	----	----	10	----	11 + 10
4800	----	----	24.50B/10.60A	24.50B/10.60A	----	17.30 + 6.60	.1555	----	----	1	----	32 + 1
4825	----	----	20.30B/----	20.30B/8.90A	----	14.40 + 5.50	.1315	----	----	----	----	10 UNCH
4850	12.00	12.00	17.00B/12.00	17.00B/7.40A	----	12.00 + 4.60	.1110	----	----	11	----	13 + 10
4875	10.00	10.00	14.10B/10.00	14.10B/6.50A	----	10.00 NEW	.0935	----	----	14	----	13 + 13
4900	----	----	11.70B/----	11.70B/5.50A	----	8.40 + 3.20	.0791	----	----	----	----	15 UNCH
4925	----	----	9.90B/----	9.90B/4.80A	----	7.10 NEW	.0670	----	----	2	----	2 + 2
4950	8.30	8.30	8.40/8.30	8.40/4.20A	----	6.00 + 2.20	.0568	----	----	9	----	12 + 9
4975	----	----	7.10B/----	7.10B/3.80A	----	5.10 + 1.90	.0482	----	----	----	----	3 UNCH
5000	----	----	6.00B/----	6.00B/3.40A	----	4.40 + 1.60	.0414	----	----	----	----	1 UNCH
5025	----	----	4.70B/----	4.70B/3.00A	----	3.80 + 1.30	.0356	----	----	----	----	4 UNCH
5050	2.50	2.50	4.00B/2.50	4.00B/2.50	----	3.30 + 1.10	.0307	----	----	10	----	14 + 10
5100	----	----	3.10B/----	3.10B/2.30A	----	2.60 + 0.90	.0237	----	----	----	----	4 UNCH
5300	----	----	1.40B/----	1.40B/1.40A	----	1.30 + 0.30	.0105	----	----	----	----	4 UNCH
TOTAL										199		745 + 172

OG1 PUT — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----/0.30A	----/0.30A	----	0.30 - 0.30	.0012	----	----	----	----	32 UNCH
3600	----	----	----/0.50A	----/0.50A	----	0.40 - 0.30	.0017	----	----	----	----	1 UNCH
3700	----	----	----/*0.30A	----/*0.30A	----	0.40 - 0.40	.0019	----	----	----	----	9 UNCH
3750	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.40 - 0.40	.0020	----	----	5	----	13 + 4
3800	----	----	----	0.30B/0.90A	----	0.50 - 0.40	.0027	----	----	----	----	17 UNCH
3900	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.60 - 0.50	.0036	----	----	22	----	30 + 22
4000	1.00	1.00	1.00/*0.80	1.00/*0.80	----	0.80 - 0.60	.0055	----	----	11	----	92 + 3
4050	1.20	1.20	1.20/*1.10A	1.20/*1.10A	----	1.00 - 0.70	.0073	----	----	24	----	24 + 23
4075	----	----	----/*1.20A	1.40B/*1.20A	----	1.10 NEW	.0083	----	----	6	----	4 + 4
4100	3.00	3.00	3.00/*1.40A	3.00/*1.40A	----	1.20 - 0.90	.0094	----	----	1	----	5 + 1
4125	1.70	1.70	1.70/*1.50A	1.80B/*1.50A	----	1.30 - 1.10	.0106	----	----	1	----	9 + 1
4150	----	----	2.90B/*1.70A	2.90B/*1.70A	----	1.50 - 1.30	.0126	----	----	23	----	25 + 21
4175	----	----	----/*1.90A	2.60B/*1.90A	----	1.70 - 1.50	.0148	----	----	2	----	30 + 2
4200	3.40	3.40	3.40/*2.00	3.40/*2.00	----	1.90 - 1.80	.0171	----	----	31	----	44 + 6
4225	2.70	2.70	2.70/*2.40A	3.90B/*2.40A	----	2.20 - 2.20	.0205	----	----	11	----	9 + 6
4250	2.60	2.60	2.70/*2.60	4.70B/*2.60	----	2.60 - 2.60	.0250	----	----	4	----	27 + 1
4275	----	----	----/*3.30A	6.00B/*3.30A	----	3.10 - 3.10	.0306	----	----	----	----	38 UNCH
4300	6.10	6.10	6.10/*3.80	7.40B/*3.80	----	3.70 - 3.90	.0376	----	----	106	----	194 + 74
4325	----	----	----/*4.60A	9.10B/*4.60A	----	4.50 - 4.80	.0468	----	----	7	----	36 - 5
4350	7.10	7.10	11.90B/*5.50	11.90B/*5.50	----	5.50 - 6.10	.0584	----	----	11	----	306 - 2
4375	6.90	6.90	15.00B/*6.60A	15.00B/*6.60A	----	6.80 - 7.60	.0736	----	----	13	----	76 + 6
4400	19.30	19.30	20.00/*8.10A	20.00/*8.10A	----	8.60 - 9.50	.0938	----	----	247	----	319 + 123
4425	16.30	16.30	24.00B/*10.10A	24.00B/*10.10A	----	10.90 - 11.90	.1195	----	----	40	----	322 - 23
4450	24.40	24.40	30.70B/*12.40	30.70B/*12.40	----	14.00 - 14.60	.1525	----	----	50	----	66 + 22
4475	24.30	24.30	38.60B/*15.90A	38.60B/*15.90A	----	18.00 - 17.90	.1934	----	----	15	----	30 + 12
4500	47.50	47.50	48.30B/*20.10A	48.30B/*20.10A	----	23.20 - 21.60	.2432	----	----	135	----	347 + 116
4525	41.00	41.00	59.70B/*25.60A	59.70B/*25.60A	----	29.80 - 25.60	.3018	----	----	7	----	30 + 1
4550	70.50	70.50	73.20B/*32.40A	73.20B/*32.40A	----	38.00 - 29.90	.3681	----	----	38	----	198 + 23
4575	64.00	64.00	88.00B/*40.70A	88.00B/*40.70A	----	48.00 - 34.30	.4402	----	----	96	----	88 + 71
4600	60.40	60.40	104.90B/50.70A	104.90B/50.70A	----	60.00 - 38.60	.5152	----	----	15	----	42 + 6
4625	----	----	123.50B/62.60A	123.50B/62.60A	----	73.90 - 42.60	.5898	----	----	----	----	13 UNCH
4650	----	----	143.50B/76.10A	143.50B/76.10A	----	89.70 - 46.20	.6605	----	----	----	----	2 UNCH
4675	----	----	164.80B/91.30A	164.80B/91.30A	----	107.20 - 49.30	.7246	----	----	----	----	1 UNCH
4700	----	----	187.00B/107.80A	187.00B/107.80A	----	126.30 - 51.90	.7805	----	----	4	----	26 + 3
4750	----	----	233.20B/146.30A	233.20B/146.30A	----	168.20 - 55.60	.8659	----	----	----	----	29 UNCH
4775	----	----	257.10B/166.90A	257.10B/166.90A	----	190.60 - 56.80	.8959	----	----	----	----	11 UNCH
4800	----	----	281.30B/188.70A	281.30B/188.70A	----	213.60 - 57.80	.9187	----	----	1	----	2 UNCH
4850	----	----	330.00B/234.10A	330.00B/234.10A	----	261.10 - 58.90	.9506	----	----	----	----	3 UNCH
4950	----	----	----/329.70A	371.60B/329.70A	----	358.80 NEW	.9785	----	----	1	----	1 + 1
TOTAL										927		2551 + 522

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 CALL		GOLD OPTIONS										
JUN26												
4375	----	----	254.40B/163.60A	254.40B/163.60A	----	224.70 + 53.00	.9262	----	----	2	----	14 - 2
4400	----	----	230.70B/142.80A	230.70B/142.80A	----	201.50 + 51.10	.9059	----	----	----	----	2 UNCH
4425	----	----	208.80B/123.10A	208.80B/123.10A	----	178.80 + 48.70	.8803	----	----	27	----	37 - 1
4450	----	----	185.40B/104.70A	185.40B/104.70A	----	156.90 + 45.90	.8472	----	----	3	----	13 + 3
4475	----	----	163.90B/87.50A	163.90B/87.50A	----	136.00 + 42.80	.8063	----	----	2	----	16 - 2
4500	83.00	83.00	142.80B/72.10A	142.80B/72.10A	----	116.20 + 39.10	.7565	----	----	5	----	36 - 1
4525	65.10	65.10	123.70B/58.30A	123.70B/58.30A	----	97.80 + 35.00	.6979	----	----	56	----	94 + 43
4550	50.50	50.50	105.40B/46.80A	105.40B/46.80A	----	81.00 + 30.70	.6317	----	----	5	----	136 - 2
4575	42.60	42.60	89.10B/37.00A	89.10B/37.00A	----	66.00 + 26.20	.5596	----	----	66	----	109 + 56
4600	28.70	28.70	73.80B/28.70	73.80B/28.70	----	53.00 + 22.00	.4845	----	----	81	----	86 + 53
4625	28.00	28.00	60.40B/22.40A	60.40B/22.40A	----	41.90 + 17.90	.4100	----	----	76	----	121 + 57
4650	25.00	25.00	48.70B/17.40A	48.70B/17.40A	----	32.70 + 14.30	.3392	----	----	37	----	65 + 18
4675	16.80	16.80	40.00/13.40A	40.00/13.40A	----	25.30 + 11.30	.2752	----	----	61	----	93 + 48
4700	10.50	10.50	31.10B/10.30A	31.10B/10.30A	----	19.40 + 8.70	.2192	----	----	136	----	146 + 87
4725	8.90	8.90	24.10B/7.90A	24.10B/7.90A	----	14.80 + 6.60	.1721	----	----	35	----	66 + 15
4750	7.20	7.20	19.10B/6.20A	19.10B/6.20A	----	11.30 + 4.90	.1339	----	----	206	----	223 + 150
4775	5.90	5.90	14.80B/4.80A	14.80B/4.80A	----	8.70 + 3.70	.1039	----	----	112	----	126 + 100
4800	4.70	4.70	11.50/4.30	11.50/3.90A	----	6.80 + 2.90	.0810	----	----	29	200	84 + 16
4825	6.10	6.10	9.10B/5.30	9.10B/3.20A	----	5.30 + 2.10	.0629	----	----	12	----	23 + 9
4850	2.70	2.70	7.20B/2.70	7.20B/2.70	----	4.20 + 1.60	.0492	----	----	49	----	328 + 48
4875	----	----	5.60B/----	5.60B/2.30A	----	3.40 + 1.20	.0391	----	----	----	----	2 UNCH
4900	2.00	2.00	4.50B/1.90A	4.50B/1.90A	----	2.80 + 1.00	.0315	----	----	7	----	21 + 1
4950	3.00	3.00	3.00/2.60	3.00/1.50A	----	2.00 + 0.60	.0214	----	----	37	----	38 + 34
5000	0.80	0.80	1.80B/*0.80	1.80B/*0.80	----	1.40 + 0.30	.0142	----	----	1	----	12 UNCH
5025	0.90	0.90	1.50B/0.90	1.50B/0.90	----	1.20 NEW	.0119	----	----	1	----	1 + 1
5050	----	----	1.30B/----	1.30B/1.00A	----	1.10 + 0.30	.0105	----	----	2	----	2 + 1
5075	1.30	1.30	1.30/1.30	1.30/0.90A	----	0.90 NEW	.0084	----	----	2	----	2 + 2
5100	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.10	.0073	----	----	6	----	7 + 5
5125	----	----	0.90B/----	0.90B/0.80A	----	0.70 NEW	.0062	----	----	2	----	2 + 2
5200	0.70	0.70	0.70/0.70	0.70/0.70	----	0.50 UNCH	.0041	----	----	2	----	4 + 2
5225	0.60	0.60	0.70/0.50	0.70/0.50	----	0.50 + 0.10	.0040	----	----	23	----	23 + 22
5250	----	----	0.50B/----	0.50B/*0.50A	----	0.40 UNCH	.0031	----	----	1	----	2 + 1
5300	----	----	0.40B/----	0.40B/*0.40A	----	0.30 UNCH	.0022	----	----	4	----	8 + 4
5400	----	----	----	0.20B/0.70A	----	0.20 UNCH	.0013	----	----	----	----	1 UNCH
5600	----	----	----	----/0.80A	----	0.10 UNCH	.0005	----	----	----	----	1 UNCH
TOTAL										1088	200	1944 + 770

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	127 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2500	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	21	----	215 + 16
2550	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
2575	----	----	----	----/2.60A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2600	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	10	----	16 + 3
2620	----	----	----	----/2.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2650	----	----	----	0.10B/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	139 UNCH
2670	----	----	----	----/1.00A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
2675	----	----	0.20B/----	0.20B/0.70A	----	0.10 UNCH	.0001	----	----	----	----	66 UNCH
2680	----	----	----	----/0.80A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
2700	----	----	----	----/0.60A	----	0.10 - 0.10	.0002	----	----	----	----	6 UNCH
2705	----	----	----	----/0.60A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2710	----	----	----	----/0.50A	----	0.10 - 0.10	.0002	----	----	----	----	7 UNCH
2725	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	141 UNCH
2730	----	----	----	----/*0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2750	----	----	----	----/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	92 UNCH
2775	----	----	----	----/*0.40A	----	0.10 - 0.10	.0004	----	----	----	----	1 UNCH
2785	----	----	----	----/*0.40A	----	0.20 UNCH	.0007	----	----	----	----	2 UNCH
2800	----	----	----	----/*0.20A	----	0.20 UNCH	.0007	----	----	----	----	9 UNCH
2850	----	----	----	0.10B/*0.50A	----	0.20 - 0.10	.0008	----	----	----	----	4 UNCH
2860	----	----	----	0.10B/*0.50A	----	0.20 - 0.10	.0008	----	----	----	----	6 UNCH
2885	----	----	----	0.10B/0.60A	----	0.20 - 0.10	.0008	----	----	----	----	14 UNCH
2890	----	----	----	0.10B/*0.60A	----	0.20 - 0.10	.0008	----	----	----	----	60 UNCH
2895	----	----	----	0.10B/*0.60A	----	0.20 - 0.10	.0008	----	----	----	----	18 UNCH
2900	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0008	----	----	----	----	19 UNCH
2905	----	----	----	0.10B/*0.60A	----	0.20 - 0.20	.0008	----	----	----	----	19 UNCH
2915	----	----	----	0.10B/0.60A	----	0.30 - 0.10	.0011	----	----	----	----	2 UNCH
2920	----	----	----	0.10B/*0.60A	----	0.30 - 0.10	.0011	----	----	----	----	3 UNCH
2950	----	----	----	0.10B/*0.60A	----	0.30 - 0.10	.0012	----	----	----	----	35 UNCH
2985	----	----	----	0.10B/*0.60A	----	0.30 - 0.20	.0012	----	----	----	----	21 UNCH
2995	----	----	----	0.20B/*0.60A	----	0.30 - 0.20	.0012	----	----	----	----	16 UNCH
3000	----	----	----	0.20B/*0.60A	----	0.30 - 0.20	.0012	----	----	----	----	68 UNCH
3010	----	----	----	0.20B/*0.60A	----	0.40 - 0.10	.0016	----	----	----	----	1 UNCH
3015	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0016	----	----	----	----	5 UNCH
3025	----	----	----	0.20B/*0.50A	----	0.40 - 0.10	.0016	----	----	----	----	1 UNCH
3035	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0016	----	----	----	----	5 UNCH
3050	----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0016	----	----	----	----	2 UNCH
3060	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0016	----	----	----	----	24 UNCH
3100	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	80 UNCH
3105	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	1 UNCH
3110	----	----	----/*0.50A	0.40B/*0.50A	----	0.50 - 0.20	.0021	----	----	----	----	5 UNCH
3125	----	----	----/*0.60A	0.40B/*0.60A	----	0.50 - 0.30	.0021	----	----	----	----	42 UNCH
3140	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0021	----	----	----	----	1 UNCH
3150	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0025	----	----	----	----	12 UNCH
3155	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0025	----	----	----	----	1 UNCH
3165	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0025	----	----	----	----	1 UNCH
3175	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.20	.0026	----	----	----	----	1 UNCH
3180	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.30	.0026	----	----	----	----	2 UNCH
3185	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.30	.0026	----	----	----	----	22 UNCH
3195	----	----	----/*0.60A	0.50B/*0.60A	----	0.60 - 0.30	.0026	----	----	----	----	1 UNCH
3200	----	----	----/*0.60A	0.60B/*0.60A	----	0.60 - 0.30	.0026	----	----	----	----	211 UNCH
3210	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0026	----	----	----	----	1 UNCH
3220	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0026	----	----	----	----	1 UNCH
3225	----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.30	.0027	----	----	----	----	71 UNCH
3250	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.30	.0031	----	----	----	----	111 UNCH
3270	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.30	.0031	----	----	----	----	1 UNCH
3275	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0032	----	----	----	----	10 UNCH
3280	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.30	.0032	----	----	----	----	24 UNCH
3285	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0032	----	----	----	----	1 UNCH
3290	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.40	.0032	----	----	----	----	11 UNCH
3300	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.40	.0032	----	----	----	----	103 UNCH
3320	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0037	----	----	----	----	28 UNCH
3325	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0037	----	----	----	----	147 UNCH
3335	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0037	----	----	----	----	87 UNCH
3340	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.40	.0037	----	----	----	----	1 UNCH
3350	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.40	.0038	----	----	----	----	25 UNCH
3355	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.40	.0038	----	----	----	----	69 UNCH
3360	0.80	0.80	0.90B/*0.80	0.90B/*0.80	----	0.80 - 0.40	.0038	----	----	1	----	6 + 1
3370	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.40	.0038	----	----	----	----	9 UNCH
3375	----	----	----/*1.00A	0.90B/*1.00A	----	0.80 - 0.50	.0038	----	----	----	----	4 UNCH
3380	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0043	----	----	----	----	4 UNCH
3385	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0043	----	----	----	----	6 UNCH
3390	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0043	----	----	----	----	2 UNCH
3395	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0043	----	----	----	----	32 UNCH
3400	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0043	----	----	----	----	64 UNCH
3405	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0044	----	----	----	----	7 UNCH
3410	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.40	.0044	----	----	----	----	5 UNCH
3415	----	----	----/*1.00A	1.00B/*1.00A	----	0.90 - 0.50	.0044	----	----	----	----	1 UNCH
3420	----	----	----/*1.10A	1.10B/*1.10A	----	0.90 - 0.50	.0044	----	----	----	----	6 UNCH
3425	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.40	.0048	----	----	----	----	57 UNCH
3435	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.40	.0049	----	----	----	----	6 UNCH
3440	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.40	.0049	----	----	----	----	7 UNCH
3445	----	----	----/*1.10A	1.10B/*1.10A	----	1.00 - 0.40	.0049	----	----	----	----	2 UNCH
3450	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.40	.0050	----	----	----	----	133 UNCH
3455	----	----	----/*1.10A	1.20B/*1.10A	----	1.00 - 0.50	.0050	----	----	----	----	10 UNCH
3460	----	----	----/*1.20A	1.20B/*1.20A	----	1.00 - 0.50	.0050	----	----	----	----	10 UNCH
3465	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.40	.0054	----	----	1	----	142 UNCH
3475	----	----	----/*1.20A	1.20B/*1.20A	----	1.10 - 0.40	.0055	----	----	----	----	128 UNCH
3480	----	----	----/*1.20A	1.30B/*1.20A	----	1.10 - 0.40	.0055	----	----	----	----	36 UNCH
3495	----	----	----/*1.20A	1.30B/*1.20A	----	1.10 - 0.50	.0056	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3500	1.30	1.30	1.50/*1.10	1.50/*1.10	----	1.10 - 0.50	.0056	----	----	4	----	584 + 3
3505	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.40	.0061	----	----	----	----	9 UNCH
3510	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.40	.0061	----	----	----	----	6 UNCH
3515	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.50	.0061	----	----	----	----	8 UNCH
3520	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.50	.0061	----	----	----	----	5 UNCH
3525	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.50	.0062	----	----	----	----	8 UNCH
3530	----	----	----/*1.30A	1.40B/*1.30A	----	1.20 - 0.50	.0062	----	----	----	----	168 UNCH
3535	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.40	.0067	----	----	----	----	31 UNCH
3545	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.50	.0067	----	----	----	----	256 UNCH
3550	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.50	.0067	----	----	----	----	165 UNCH
3555	----	----	----/*1.40A	1.60B/*1.40A	----	1.30 - 0.50	.0068	----	----	----	----	1 UNCH
3565	----	----	----/*1.50A	1.60B/*1.50A	----	1.40 - 0.50	.0073	----	----	----	----	2 UNCH
3575	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.50	.0073	----	----	----	----	1 UNCH
3580	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.50	.0074	----	----	----	----	6 UNCH
3585	----	----	----/*1.50A	1.70B/*1.50A	----	1.40 - 0.60	.0074	----	----	----	----	1 UNCH
3590	----	----	----/*1.50A	1.70B/*1.50A	----	1.50 - 0.50	.0079	----	----	----	----	16 UNCH
3600	2.00	2.00	2.00/*1.60	2.00/*1.60	----	1.50 - 0.60	.0080	----	----	120	----	1225 + 115
3605	----	----	----/*1.60A	1.80B/*1.60A	----	1.50 - 0.60	.0080	----	----	----	----	12 UNCH
3610	----	----	----/*1.60A	1.90B/*1.60A	----	1.50 - 0.60	.0080	----	----	----	----	2 UNCH
3615	----	----	----/*1.70A	1.90B/*1.70A	----	1.50 - 0.60	.0081	----	----	----	----	2 UNCH
3620	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 0.60	.0086	----	----	----	----	12 UNCH
3625	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 0.60	.0086	----	----	----	----	41 UNCH
3630	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.60	.0086	----	----	----	----	12 UNCH
3635	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.70	.0087	----	----	----	----	3 UNCH
3640	----	----	----/*1.70A	2.00B/*1.70A	----	1.70 - 0.60	.0092	----	----	----	----	6 UNCH
3645	----	----	----/*1.70A	2.10B/*1.70A	----	1.70 - 0.70	.0092	----	----	----	----	1 UNCH
3650	1.70	1.70	1.70/*1.70	2.10B/*1.70	----	1.70 - 0.70	.0093	----	----	5	----	93 + 3
3655	----	----	----/*1.80A	2.10B/*1.80A	----	1.70 - 0.70	.0093	----	----	----	----	6 UNCH
3660	----	----	----/*1.80A	2.20B/*1.80A	----	1.70 - 0.80	.0093	----	----	----	----	54 UNCH
3665	1.80	1.80	1.80/*1.80	2.20B/*1.80	----	1.80 - 0.70	.0098	----	----	2	----	6 + 2
3670	1.80	1.80	1.80/*1.80	2.20B/*1.80	----	1.80 - 0.70	.0099	----	----	5	----	116 + 4
3675	----	----	----/*1.90A	2.20B/*1.90A	----	1.80 - 0.80	.0099	----	----	----	----	19 UNCH
3680	----	----	----/*1.90A	2.30B/*1.90A	----	1.80 - 0.80	.0100	----	----	----	----	5 UNCH
3685	1.90	1.90	1.90/*1.90	2.30B/*1.90	----	1.90 - 0.80	.0105	----	----	5	----	18 + 5
3690	----	----	----/*2.00A	2.30B/*2.00A	----	1.90 - 0.80	.0105	----	----	----	----	50 UNCH
3695	----	----	----/*2.00A	2.40B/*2.00A	----	1.90 - 0.90	.0106	----	----	----	----	143 UNCH
3700	2.40	2.40	2.40/*2.00A	2.50B/*2.00A	----	1.90 - 0.90	.0107	----	----	15	----	542 - 12
3705	----	----	----/*2.10A	2.50B/*2.10A	----	2.00 - 0.90	.0112	----	----	----	----	21 UNCH
3715	----	----	----/*2.10A	2.60B/*2.10A	----	2.00 - 0.90	.0113	----	----	----	----	30 UNCH
3720	----	----	----/*2.20A	2.60B/*2.20A	----	2.10 - 0.90	.0118	----	----	----	----	24 UNCH
3725	----	----	----/*2.20A	2.70B/*2.20A	----	2.10 - 0.90	.0118	----	----	----	----	167 UNCH
3730	----	----	----/*2.20A	2.70B/*2.20A	----	2.10 - 1.00	.0119	----	----	----	----	3 UNCH
3735	----	----	----/*2.30A	2.80B/*2.30A	----	2.10 - 1.00	.0120	----	----	----	----	30 UNCH
3740	----	----	----/*2.30A	2.90B/*2.30A	----	2.20 - 1.00	.0125	----	----	----	----	20 UNCH
3745	----	----	----/*2.30A	2.90B/*2.30A	----	2.20 - 1.10	.0126	----	----	----	----	1 UNCH
3750	2.40	2.40	2.40/*2.30A	3.00B/*2.30A	----	2.20 - 1.10	.0126	----	----	2	----	533 UNCH
3755	----	----	----/*2.40A	2.90B/*2.40A	----	2.30 - 1.10	.0131	----	----	----	----	2 UNCH
3760	----	----	----/*2.40A	3.10B/*2.40A	----	2.30 - 1.10	.0132	----	----	----	----	3 UNCH
3765	----	----	----/*2.50A	3.10B/*2.50A	----	2.40 - 1.10	.0137	----	----	----	----	32 UNCH
3770	----	----	----/*2.50A	3.20B/*2.50A	----	2.40 - 1.10	.0138	----	----	----	----	126 UNCH
3775	----	----	----/*2.60A	3.20B/*2.60A	----	2.40 - 1.20	.0139	----	----	21	----	77 - 20
3780	----	----	----/*2.60A	3.30B/*2.60A	----	2.50 - 1.10	.0144	----	----	----	----	13 UNCH
3785	----	----	----/*2.60A	3.30B/*2.60A	----	2.50 - 1.20	.0145	----	----	1	----	7 UNCH
3790	----	----	----/*2.70A	3.40B/*2.70A	----	2.50 - 1.30	.0146	----	----	----	----	41 UNCH
3795	----	----	----/*2.70A	3.50B/*2.70A	----	2.60 - 1.20	.0151	----	----	----	----	42 UNCH
3800	3.20	3.20	3.20/*2.80A	3.60B/*2.80A	----	2.60 - 1.30	.0152	----	----	77	----	728 + 62
3805	----	----	----/*2.80A	3.60B/*2.80A	----	2.70 - 1.30	.0158	----	----	----	----	5 UNCH
3810	----	----	----/*2.90A	3.70B/*2.90A	----	2.70 - 1.30	.0159	----	----	----	----	22 UNCH
3815	----	----	----/*2.90A	3.80B/*2.90A	----	2.80 - 1.30	.0164	----	----	----	----	17 UNCH
3820	3.50	3.50	3.50/*2.90A	3.80B/*2.90A	----	2.80 - 1.40	.0165	----	----	2	----	13 + 2
3825	3.60	3.60	3.60/*2.90A	3.90B/*2.90A	----	2.90 - 1.30	.0171	----	----	46	----	90 + 45
3830	----	----	----/*3.10A	4.00B/*3.10A	----	2.90 - 1.40	.0172	----	----	----	----	25 UNCH
3835	----	----	----/*3.10A	4.10B/*3.10A	----	3.00 - 1.40	.0177	----	----	----	----	1 UNCH
3840	----	----	----/*3.20A	4.20B/*3.20A	----	3.00 - 1.40	.0178	----	----	----	----	39 UNCH
3845	3.20	3.20	3.20/*3.20	4.20B/*3.20	----	3.10 - 1.40	.0184	----	----	1	----	14 UNCH
3850	----	----	----/*3.20A	4.20B/*3.20A	----	3.10 - 1.50	.0185	----	----	60	----	239 UNCH
3855	----	----	----/*3.30A	4.30B/*3.30A	----	3.20 - 1.50	.0191	----	----	----	----	3 UNCH
3860	3.90	3.90	3.90/*3.30	4.40B/*3.30	----	3.20 - 1.50	.0192	----	----	20	----	62 + 9
3865	----	----	----/*3.40A	4.60B/*3.40A	----	3.30 - 1.50	.0197	----	----	----	----	85 UNCH
3870	----	----	----/*3.40A	4.70B/*3.40A	----	3.30 - 1.60	.0199	----	----	----	----	10 UNCH
3875	3.70	3.70	3.80/*3.50A	4.70B/*3.50A	----	3.40 - 1.60	.0204	----	----	2	----	132 - 2
3880	3.60	3.60	3.60/*3.60	4.70B/*3.60	----	3.50 - 1.60	.0210	----	----	10	----	20 + 5
3885	3.60	3.60	3.60/*3.60	4.80B/*3.60	----	3.50 - 1.70	.0212	----	----	2	----	49 - 2
3890	----	----	----/*3.60A	4.90B/*3.60A	----	3.60 - 1.70	.0217	----	----	----	----	8 UNCH
3895	----	----	----/*3.70A	5.10B/*3.70A	----	3.70 - 1.70	.0223	----	----	----	----	21 UNCH
3900	5.10	5.10	5.10/*3.80	5.10/*3.80	----	3.70 - 1.80	.0225	----	----	59	----	336 - 14
3905	4.40	4.40	4.50/*3.90A	5.30B/*3.90A	----	3.80 - 1.80	.0231	----	----	16	----	21 - 13
3910	----	----	----/*4.00A	5.40B/*4.00A	----	3.90 - 1.80	.0237	----	----	----	----	76 UNCH
3915	4.90	4.90	4.90/*4.00A	5.50B/*4.00A	----	3.90 - 1.90	.0238	----	----	8	----	15 + 5
3920	4.30	4.30	4.30/*4.10	5.60B/*4.10	----	4.00 - 1.90	.0244	----	----	10	----	64 - 2
3925	----	----	----/*4.20A	5.70B/*4.20A	----	4.10 - 1.90	.0251	----	----	----	----	144 UNCH
3930	5.10	5.10	5.10/*4.20A	5.90B/*4.20A	----	4.20 - 1.90	.0257	----	----	6	----	37 - 3
3935	4.30	4.30	4.30/*4.30	6.00B/*4.30	----	4.30 - 1.90	.0263	----	----	5	----	82 + 3
3940	4.90	4.90	4.90/*4.40A	6.10B/*4.40A	----	4.30 - 2.00	.0265	----	----	6	----	73 UNCH
3945	----	----	----/*4.40A	6.10B/*4.40A	----	4.40 - 2.00	.0271	----	----	----	----	79 UNCH
3950	6.30	6.30	6.30/*4.50A	6.40B/*4.50A	----	4.50 - 2.00	.0277	----	----	14	----	769 - 4
3955	5.60	5.60	5.60/*4.60A	6.50B/*4.60A	----	4.60 - 2.10	.0284	----	----	10	----	104 UNCH
3960	5.70	5.70	5.70/*4.70A	6.60B/*4.70A	----	4.70 - 2.10	.0290	----	----	2	----	107 - 1
3965	----	----	----/*4.80A	6.80B/*4.80A	----	4.80 - 2.10	.0297	----	----	----	----	130 UNCH
3970	6.00	6.00	6.00/*4.90A	6.90B/*4.90A	----	4.90 - 2.20	.0303	----	----	7	----	53 - 7
3975	----	----	----/*4.90A	7.10B/*4.90A	----	5.00 - 2.20	.0310	----	----	----	----	51 UNCH
3980	6.00	6.00	6.00/*5.10	7.30B/*5.10	----	5.10 - 2.20	.0317	----	----	3	----	249 - 2
3985	5.50	5.50	5.50/*5.10A	7.30B/*5.10A	----	5.20 - 2.30	.0323	----	----	17	----	325 + 15
3990	----	----	----/*5.20A	7.60B/*5.20A	----	5.30 - 2.30	.0330	----	----	----	----	69 UNCH
3995	----	----	----/*5.30A	7.70B/*5.30A	----	5.40 - 2.40	.0337	----	----	----	----	27 UNCH
4000	7.10	7.10	7.60/*5.50	7.90B/*5.50	----	5.50 - 2.50	.0344	----	----	496	----	4549 - 98
4005	----	----	----/*5.50A	8.10B/*5.50A	----	5.60 - 2.50	.0351	----	----	----	----	165 UNCH
4010	6.40	6.40	6.40/*5.60A	8.30B/*5.60A	----	5.70 - 2.60	.0358	----	----	7	----	63 - 6
4015	----	----	----/*5.80A	8.50B/*5.80A	----	5.80 - 2.70	.0365	----	----	----	----	68 UNCH
4020	----	----	----/*5.90A	8.60B/*5.90A	----	6.00 - 2.60	.0376	----	----	1	----	118 + 1
4025	----	----	----/*6.00A	8.80B/*6.00A	----	6.10 - 2.70	.0383	----	----	21	----	108 + 15
4030	6.60	6.60	6.60/*6.10A	9.00B/*6.10A	----	6.20 - 2.80	.0391	----	----	5	----	73 - 3
4035	7.60	7.60	7.60/*6.20A	9.10B/*6.20A	----	6.40 - 2.80	.0402	----	----	10	----	19 + 5
4040	7.80	7.80	7.80/*6.30A	9.40B/*6.30A	----	6.50 - 2.90	.0410	----	----	7	----	38 - 3
4045	7.90	7.90	7.90/*6.50A	9.60B/*6.50A	----	6.60 - 3.00	.0417	----	----	5	----	34 UNCH
4050	8.90	8.90	9.90B/*6.60	9.90B/*6.60	----	6.80 - 3.00	.0429	----	----	51	----	423 + 16
4055	6.70	6.70	10.10B/*6.70	10.10B/*6.70	----	6.90 - 3.10	.0437	----	----	7	----	61 - 6
4060	8.50	8.50	10.30B/*6.90	10.30B/*6.90	----	7.10 - 3.10	.0449	----	----	18	----	35 + 8
4065	8.70	8.70	10.60B/*7.10A	10.60B/*7.10A	----	7.20 - 3.20	.0457	----	----	14	----	150 + 7
4070	9.40	9.40	10.80B/*7.20A	10.80B/*7.20A	----	7.40 - 3.30	.0469	----	----	16	----	24 + 2
4075	8.00	8.00	11.10B/*7.40A	11.10B/*7.40A	----	7.50 - 3.40	.0477	----	----	5	----	30 UNCH
4080	9.20	9.20	11.30B/*7.50A	11.30B/*7.50A	----	7.70 - 3.40	.0489	----	----	69	----	101 + 61
4085	9.00	9.00	11.60B/*7.70A	11.60B/*7.70A	----	7.90 - 3.50	.0502	----	----	2	----	21 + 1
4090	9.60	9.60	11.90B/*7.80A	11.90B/*7.80A	----	8.10 - 3.50	.0515	----	----	10	----	31 + 4
4095	9.10	9.10	12.20B/*8.00A	12.20B/*8.00A	----	8.20 - 3.70	.0523	----	----	25	----	40 + 8
4100	10.20	10.20	12.40B/*8.10	12.40B/*8.10	----	8.40 - 3.80	.0536	----	----	276	----	1599 - 19
4105	8.40	8.40	12.80B/*8.40	12.80B/*8.40	----	8.60 - 3.90	.0549	----	----	8	----	24 + 3
4110	9.00	9.00	13.10B/*8.60	13.10B/*8.60	----	8.80 - 3.90	.0562	----	----	10	----	35 UNCH
4115	11.00	11.00	13.40B/*8.70	13.40B/*8.70	----	9.00 - 4.00	.0575	----	----	10	----	12 UNCH
4120	9.10	9.10	13.70B/*8.90	13.70B/*8.90	----	9.20 - 4.10	.0588	----	----	20	----	91 + 4
4125	9.30	9.30	14.00B/*9.10	14.00B/*9.10	----	9.40 - 4.20	.0601	----	----	13	----	89 - 2
4130	11.10	11.10	14.40B/*9.30A	14.40B/*9.30A	----	9.60 - 4.40	.0615	----	----	5	----	99 - 2
4135	----	----	14.70B/*9.50A	14.70B/*9.50A	----	9.90 - 4.40	.0632	----	----	1	----	34 - 1
4140	----	----	15.20B/*9.70A	15.20B/*9.70A	----	10.10 - 4.50	.0646	----	----	1	----	41 + 1
4145	12.40	12.40	15.50B/*9.90A	15.50B/*9.90A	----	10.30 - 4.70	.0660	----	----	5	----	246 + 5
4150	15.00	15.00	15.90B/*10.20A	15.90B/*10.20A	----	10.60 - 4.70	.0678	----	----	105	----	341 - 9
4155	11.90	11.90	16.30B/*10.40A	16.30B/*10.40A	----	10.80 - 4.90	.0692	----	----	7	----	311 UNCH
4160	16.60	16.60	16.70B/*10.60A	16.70B/*10.60A	----	11.10 - 5.00	.0710	----	----	35	----	59 + 21
4165	13.50	13.50	17.10B/*10.90A	17.10B/*10.90A	----	11.40 - 5.00	.0729	----	----	26	----	124 + 12
4170	12.70	12.70	17.60B/*11.10A	17.60B/*11.10A	----	11.60 - 5.20	.0743	----	----	74	----	126 + 21
4175	13.30	13.30	18.00B/*11.40A	18.00B/*11.40A	----	11.90 - 5.30	.0762	----	----	24	----	101 + 5
4180	14.60	14.60	18.40B/*11.60A	18.40B/*11.60A	----	12.20 - 5.50	.0781	----	----	9	----	40 + 2
4185	13.30	13.30	18.80B/*11.90A	18.80B/*11.90A	----	12.50 - 5.60	.0800	----	----	6	----	32 - 4
4190	13.00	13.00	19.20B/*12.20A	19.20B/*12.20A	----	12.80 - 5.70	.0819	----	----	8	----	149 - 3
4195	15.70	15.70	19.80B/*12.40A	19.80B/*12.40A	----	13.10 - 5.90	.0838	----	----	8	----	78 + 3
4200	18.30	18.30	20.30B/*12.70A	20.30B/*12.70A	----	13.50 - 6.00	.0862	----	----	684	----	2090 + 173
4205	17.30	17.30	20.90B/*13.00A	20.90B/*13.00A	----	13.80 - 6.20	.0881	----	----	1	----	78 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4210	16.70	16.70	21.30B/*13.30A	21.30B/*13.30A	----	14.10 - 6.40	.0901	----	----	12	----	98 + 1
4215	17.20	17.20	22.00B/*13.70A	22.00B/*13.70A	----	14.50 - 6.50	.0925	----	----	14	----	67 + 8
4220	17.80	17.80	22.50B/*14.00A	22.50B/*14.00A	----	14.90 - 6.60	.0949	----	----	14	----	223 + 1
4225	19.50	19.50	23.20B/*14.30A	23.20B/*14.30A	----	15.20 - 6.80	.0969	----	----	79	----	179 + 61
4230	20.00	20.00	23.70B/*14.70A	23.70B/*14.70A	----	15.60 - 7.00	.0994	----	----	9	----	59 - 5
4235	20.50	20.50	24.40B/*15.00A	24.40B/*15.00A	----	16.00 - 7.20	.1018	----	----	9	----	58 + 2
4240	19.50	19.50	24.90B/*15.40A	24.90B/*15.40A	----	16.50 - 7.30	.1047	----	----	4	----	115 - 3
4245	20.00	20.00	25.70B/*15.80A	25.70B/*15.80A	----	16.90 - 7.50	.1072	----	----	4	----	53 + 4
4250	23.20	23.20	26.30B/*16.20A	26.30B/*16.20A	----	17.30 - 7.70	.1097	----	----	378	----	1585 + 82
4255	17.80	17.80	27.00B/*16.60A	27.00B/*16.60A	----	17.80 - 7.80	.1126	----	----	7	----	41 + 4
4260	21.00	21.00	27.80B/*17.00A	27.80B/*17.00A	----	18.20 - 8.10	.1152	----	----	20	----	157 + 10
4265	26.50	26.50	28.40B/*17.50A	28.40B/*17.50A	----	18.70 - 8.30	.1181	----	----	24	----	221 + 3
4270	25.40	25.40	29.20B/*17.90A	29.20B/*17.90A	----	19.20 - 8.50	.1211	----	----	91	----	153 + 30
4275	28.80	28.80	30.00B/*18.40	30.00B/*18.40	----	19.70 - 8.70	.1240	----	----	44	----	137 + 13
4280	26.70	26.70	30.80B/*18.90A	30.80B/*18.90A	----	20.30 - 8.80	.1274	----	----	18	----	193 + 1
4285	26.30	26.30	31.70B/*19.30A	31.70B/*19.30A	----	20.80 - 9.10	.1304	----	----	51	----	212 + 34
4290	30.50	30.50	32.50B/*19.90A	32.50B/*19.90A	----	21.40 - 9.30	.1338	----	----	9	----	164 - 5
4295	24.20	24.20	33.40B/*20.40A	33.40B/*20.40A	----	21.90 - 9.60	.1369	----	----	78	----	102 + 69
4300	34.30	34.30	34.70/*20.30	34.70/*20.30	----	22.50 - 9.80	.1403	----	----	514	----	2612 + 62
4305	24.80	24.80	35.20B/*21.40	35.20B/*21.40	----	23.20 - 10.00	.1441	----	----	13	----	103 - 2
4310	29.20	29.20	36.10B/*22.00A	36.10B/*22.00A	----	23.80 - 10.30	.1476	----	----	15	----	88 UNCH
4315	29.80	29.80	37.10B/*22.60A	37.10B/*22.60A	----	24.40 - 10.60	.1511	----	----	14	----	96 + 1
4320	29.70	29.70	38.10B/*23.20A	38.10B/*23.20A	----	25.10 - 10.80	.1549	----	----	21	----	124 - 2
4325	32.50	32.50	39.10B/*23.80	39.10B/*23.80	----	25.80 - 11.10	.1588	----	----	35	----	128 + 13
4330	29.10	29.10	40.20B/*24.50	40.20B/*24.50	----	26.50 - 11.30	.1627	----	----	21	----	152 - 6
4335	32.10	32.10	41.30B/*25.10	41.30B/*25.10	----	27.20 - 11.60	.1666	----	----	19	----	168 + 9
4340	40.00	40.00	42.30B/*25.80A	42.30B/*25.80A	----	28.00 - 11.90	.1709	----	----	17	----	163 - 3
4345	35.20	35.20	43.50B/*26.50A	43.50B/*26.50A	----	28.80 - 12.10	.1752	----	----	16	----	39 + 6
4350	37.00	37.00	44.60B/*27.10A	44.60B/*27.10A	----	29.60 - 12.40	.1795	----	----	77	----	1712 - 15
4355	36.50	36.50	45.70B/*27.90A	45.70B/*27.90A	----	30.40 - 12.80	.1838	----	----	4	----	166 UNCH
4360	36.10	36.10	47.10B/*28.60A	47.10B/*28.60A	----	31.20 - 13.10	.1881	----	----	40	----	609 - 4
4365	----	----	48.30B/*29.40A	48.30B/*29.40A	----	32.10 - 13.40	.1928	----	----	2	----	42 - 2
4370	41.50	41.50	49.50B/*30.20A	49.50B/*30.20A	----	33.00 - 13.70	.1975	----	----	39	----	172 + 24
4375	36.50	36.50	51.10B/*31.00A	51.10B/*31.00A	----	33.90 - 14.10	.2022	----	----	37	----	62 - 5
4380	37.00	37.00	52.30B/*31.80A	52.30B/*31.80A	----	34.80 - 14.50	.2069	----	----	192	----	199 + 169
4385	39.20	39.20	53.70B/32.70A	53.70B/32.70A	----	35.80 - 14.80	.2119	----	----	8	----	73 + 6
4390	40.40	40.40	55.10B/33.60A	55.10B/33.60A	----	36.80 - 15.10	.2170	----	----	15	----	75 - 8
4395	42.80	42.80	56.60B/34.50A	56.60B/34.50A	----	37.80 - 15.50	.2220	----	----	6	----	64 + 2
4400	56.90	56.90	58.10B/35.40	58.10B/35.40	----	38.90 - 15.80	.2274	----	----	1205	766	2574 + 489
4405	46.10	46.10	59.60B/36.40A	59.60B/36.40A	----	39.90 - 16.30	.2325	----	----	6	----	36 + 3
4410	44.20	44.20	61.10B/37.40A	61.10B/37.40A	----	41.10 - 16.60	.2382	----	----	7	----	62 UNCH
4415	46.40	46.40	62.80B/38.40A	62.80B/38.40A	----	42.20 - 17.00	.2436	----	----	15	----	201 + 10
4420	47.60	47.60	64.50B/39.40A	64.50B/39.40A	----	43.40 - 17.40	.2492	----	----	4	----	124 + 1
4425	48.80	48.80	66.30B/40.50A	66.30B/40.50A	----	44.60 - 17.80	.2549	----	----	40	----	346 + 19
4430	46.90	46.90	67.90B/41.60A	67.90B/41.60A	----	45.80 - 18.20	.2607	----	----	25	----	323 + 7
4435	43.50	43.50	69.70B/42.80A	69.70B/42.80A	----	47.10 - 18.60	.2666	----	----	12	----	93 UNCH
4440	54.60	54.60	71.50B/43.90A	71.50B/43.90A	----	48.40 - 19.10	.2726	----	----	8	----	242 + 4
4445	----	----	73.20B/45.10A	73.20B/45.10A	----	49.70 - 19.50	.2786	----	----	----	----	157 UNCH
4450	66.80	66.80	75.10B/46.40A	75.10B/46.40A	----	51.10 - 19.90	.2848	----	----	176	----	1134 - 5
4455	55.60	55.60	77.00B/47.60A	77.00B/47.60A	----	52.50 - 20.40	.2910	----	----	1	----	144 UNCH
4460	59.20	59.20	79.10B/48.90A	79.10B/48.90A	----	53.90 - 20.80	.2973	----	----	42	----	277 + 23
4465	54.00	54.00	81.10B/50.30A	81.10B/50.30A	----	55.40 - 21.20	.3038	----	----	6	----	142 + 3
4470	60.20	60.20	82.90B/51.60A	82.90B/51.60A	----	56.90 - 21.70	.3102	----	----	51	----	266 + 45
4475	69.40	69.40	85.20B/53.00A	85.20B/53.00A	----	58.40 - 22.20	.3167	----	----	116	----	268 - 26
4480	60.80	60.80	87.30B/54.40A	87.30B/54.40A	----	60.00 - 22.60	.3234	----	----	3	----	353 + 2
4485	----	----	89.50B/55.90A	89.50B/55.90A	----	61.60 - 23.10	.3301	----	----	----	----	105 UNCH
4490	66.70	66.70	91.70B/57.60A	91.70B/57.60A	----	63.30 - 23.50	.3370	----	----	5	----	102 + 2
4495	71.30	71.30	93.80B/59.10A	93.80B/59.10A	----	65.00 - 24.00	.3438	----	----	6	----	85 UNCH
4500	83.30	83.30	96.50B/60.50	96.50B/60.50	----	66.70 - 24.50	.3507	----	----	96	2425	2517 - 1357
4505	95.90	95.90	98.50B/62.30A	98.50B/62.30A	----	68.50 - 24.90	.3578	----	----	2	----	68 UNCH
4510	98.20	98.20	100.80B/63.90A	100.80B/63.90A	----	70.30 - 25.40	.3648	----	----	3	----	66 + 3
4515	66.40	66.40	103.20B/65.60A	103.20B/65.60A	----	72.20 - 25.80	.3720	----	----	3	----	14 + 2
4520	81.20	81.20	105.80B/67.20A	105.80B/67.20A	----	74.10 - 26.20	.3792	----	----	2	----	158 - 1
4525	99.30	99.30	107.80B/69.00A	107.80B/69.00A	----	76.00 - 26.70	.3864	----	----	4	----	152 - 1
4530	101.80	101.80	110.70B/70.70A	110.70B/70.70A	----	78.00 - 27.20	.3937	----	----	5	----	72 + 2
4535	110.30	110.30	113.10B/72.50A	113.10B/72.50A	----	80.00 - 27.60	.4010	----	----	5	----	20 + 3
4540	102.40	102.40	115.60B/74.30A	115.60B/74.30A	----	82.10 - 28.10	.4084	----	----	4	----	118 - 2
4545	----	----	118.40B/76.30A	118.40B/76.30A	----	84.20 - 28.50	.4158	----	----	8	----	43 + 1
4550	110.90	110.90	121.10B/78.10A	121.10B/78.10A	----	86.30 - 29.00	.4232	----	----	56	100	537 - 42
4555	110.00	110.00	123.80B/80.10A	123.80B/80.10A	----	88.50 - 29.40	.4307	----	----	4	----	32 + 2
4560	----	----	126.60B/82.10A	126.60B/82.10A	----	90.70 - 29.90	.4382	----	----	6	----	94 - 4
4565	----	----	129.40B/84.10A	129.40B/84.10A	----	93.00 - 30.40	.4458	----	----	17	----	133 + 11
4570	----	----	132.20B/86.20A	132.20B/86.20A	----	95.30 - 30.80	.4533	----	----	1	----	68 + 1
4575	106.30	106.30	135.20B/88.40A	135.20B/88.40A	----	97.60 - 31.30	.4609	----	----	6	----	46 + 3
4580	----	----	138.10B/90.60A	138.10B/90.60A	----	100.00 - 31.80	.4685	----	----	1	----	43 UNCH
4585	----	----	141.10B/92.70A	141.10B/92.70A	----	102.40 - 32.20	.4761	----	----	12	----	27 + 9
4590	107.90	107.90	144.10B/95.00A	144.10B/95.00A	----	104.90 - 32.70	.4837	----	----	27	----	29 + 7
4595	----	----	147.10B/97.20A	147.10B/97.20A	----	107.40 - 33.10	.4913	----	----	----	----	144 UNCH
4600	107.30	107.30	150.00B/99.40A	150.00B/99.40A	----	109.90 - 33.60	.4989	----	----	27	200	1471 - 9
4605	112.80	112.80	152.80B/101.80A	152.80B/101.80A	----	112.50 - 34.10	.5065	----	----	7	----	88 + 2
4610	110.00	110.00	156.00B/104.10A	156.00B/104.10A	----	115.10 - 34.60	.5142	----	----	48	----	120 - 16
4615	----	----	159.20B/106.90A	159.20B/106.90A	----	117.80 - 35.00	.5217	----	----	53	----	56 + 34
4620	109.70	109.70	162.40B/109.10A	162.40B/109.10A	----	120.50 - 35.50	.5293	----	----	3	----	51 + 2
4625	125.30	125.30	165.70B/111.90A	165.70B/111.90A	----	123.20 - 36.00	.5369	----	----	6	----	177 UNCH
4630	----	----	169.00B/114.40A	169.00B/114.40A	----	126.00 - 36.40	.5444	----	----	----	----	17 UNCH
4635	----	----	172.30B/116.80A	172.30B/116.80A	----	128.80 - 36.90	.5520	----	----	----	----	169 UNCH
4640	----	----	175.70B/119.50A	175.70B/119.50A	----	131.70 - 37.30	.5594	----	----	----	----	156 UNCH
4645	----	----	178.90B/122.20A	178.90B/122.20A	----	134.60 - 37.70	.5669	----	----	----	----	26 UNCH
4650	135.00	135.00	182.60B/124.60A	182.60B/124.60A	----	137.50 - 38.20	.5744	----	----	3	200	483 + 48
4655	----	----	185.70B/127.50A	185.70B/127.50A	----	140.50 - 38.70	.5818	----	----	----	----	13 UNCH
4660	----	----	189.50B/130.20A	189.50B/130.20A	----	143.50 - 39.10	.5891	----	----	----	----	104 UNCH
4665	148.90	148.90	193.10B/133.20A	193.10B/133.20A	----	146.60 - 39.50	.5964	----	----	1	----	24 UNCH
4670	----	----	196.60B/135.80A	196.60B/135.80A	----	149.70 - 40.00	.6037	----	----	----	----	101 UNCH
4675	----	----	200.30B/138.70A	200.30B/138.70A	----	152.80 - 40.40	.6109	----	----	1	----	171 UNCH
4680	----	----	204.00B/141.80A	204.00B/141.80A	----	156.00 - 40.80	.6180	----	----	1	----	164 - 1
4685	----	----	207.40B/144.90A	207.40B/144.90A	----	159.20 - 41.30	.6252	----	----	----	----	8 UNCH
4690	----	----	211.70B/147.60A	211.70B/147.60A	----	162.40 - 41.70	.6322	----	----	----	----	60 UNCH
4695	----	----	215.20B/151.00A	215.20B/151.00A	----	165.70 - 42.10	.6391	----	----	----	----	201 UNCH
4700	165.90	165.90	219.00B/153.60A	219.00B/153.60A	----	169.10 - 42.50	.6461	----	----	40	----	775 + 25
4705	----	----	222.80B/157.20A	222.80B/157.20A	----	172.40 - 42.90	.6529	----	----	----	----	33 UNCH
4710	169.30	169.30	226.40B/160.40A	226.40B/160.40A	----	175.80 - 43.30	.6598	----	----	1	----	128 UNCH
4715	----	----	230.70B/163.60A	230.70B/163.60A	----	179.30 - 43.70	.6666	----	----	----	----	122 UNCH
4720	----	----	234.40B/166.80A	234.40B/166.80A	----	182.70 - 44.10	.6732	----	----	----	----	61 UNCH
4725	----	----	238.30B/170.20A	238.30B/170.20A	----	186.20 - 44.50	.6798	----	----	----	----	227 UNCH
4730	----	----	242.20B/173.40A	242.20B/173.40A	----	189.80 - 44.80	.6862	----	----	----	----	73 UNCH
4735	----	----	246.20B/176.70A	246.20B/176.70A	----	193.40 - 45.10	.6926	----	----	----	----	38 UNCH
4740	----	----	250.20B/180.00A	250.20B/180.00A	----	197.00 - 45.50	.6990	----	----	----	----	119 UNCH
4745	----	----	254.20B/183.60A	254.20B/183.60A	----	200.60 - 45.90	.7051	----	----	----	----	140 UNCH
4750	----	----	258.30B/186.70A	258.30B/186.70A	----	204.30 - 46.20	.7113	----	----	----	----	780 UNCH
4755	----	----	262.20B/190.50A	262.20B/190.50A	----	208.00 - 46.50	.7174	----	----	----	----	14 UNCH
4760	----	----	266.50B/193.90A	266.50B/193.90A	----	211.80 - 46.70	.7235	----	----	----	----	81 UNCH
4765	----	----	270.80B/197.40A	270.80B/197.40A	----	215.50 - 47.10	.7294	----	----	----	----	305 UNCH
4770	----	----	274.60B/201.10A	274.60B/201.10A	----	219.30 - 47.40	.7352	----	----	----	----	12 UNCH
4775	----	----	279.00B/204.50A	279.00B/204.50A	----	223.20 - 47.70	.7408	----	----	----	----	57 UNCH
4780	----	----	283.20B/208.00A	283.20B/208.00A	----	227.00 - 48.00	.7467	----	----	----	----	39 UNCH
4785	----	----	287.60B/211.70A	287.60B/211.70A	----	230.90 - 48.30	.7522	----	----	----	----	118 UNCH
4790	----	----	291.70B/216.20A	291.70B/216.20A	----	234.80 - 48.70	.7578	----	----	----	----	3 UNCH
4795	----	----	296.00B/219.40A	296.00B/219.40A	----	238.70 - 49.00	.7630	----	----	----	----	80 UNCH
4800	----	----	300.20B/222.90A	300.20B/222.90A	----	242.70 - 49.30	.7686	----	----	----	----	1246 UNCH
4805	----	----	304.60B/226.80A	304.60B/226.80A	----	246.70 - 49.50	.7738	----	----	----	----	22 UNCH
4810	----	----	308.90B/231.40A	308.90B/231.40A	----	250.70 - 49.80	.7787	----	----	----	----	11 UNCH
4815	----	----	313.30B/234.50A	313.30B/234.50A	----	254.70 - 50.10	.7839	----	----	----	----	28 UNCH
4820	----	----	317.60B/238.20A	317.60B/238.20A	----	258.80 - 50.40	.7888	----	----	----	----	207 UNCH
4825	----	----	322.30B/242.00A	322.30B/242.00A	----	262.90 - 50.60	.7937	----	----	----	----	33 UNCH
4830	----	----	326.50B/246.10A	326.50B/246.10A	----	267.00 - 50.90	.7982	----	----	----	----	5 UNCH
4835	----	----	330.80B/250.00A	330.80B/250.00A	----	271.20 - 51.10	.8031	----	----	----	----	24 UNCH
4840	----	----	335.40B/254.50A	335.40B/254.50A	----	275.40 - 51.30	.8076	----	----	----	----	10 UNCH
4845	----	----	340.00B/257.80A	340.00B/257.80A	----	279.60 - 51.50	.8121	----	----	----	----	63 UNCH
4850	----	----	344.50B/261.70A	344.50B/261.70A	----	283.80 - 51.70	.8162	----	----	----	----	300 UNCH
4855	----	----	348.90B/266.70A	348.90B/266.70A	----	288.10 - 51.90	.8207	----	----	----	----	11 UNCH
4860	----	----	353.20B/271.00A	353.20B/271.00A	----	292.30 - 52.10	.8248	----	----	----	----	8 UNCH
4865	----	----	358.00B/274.10A	358.00B/274.10A	----	296.60 - 52.30	.8289	----	----	----	----	30 UNCH
4870	----	----	362.50B/278.60A	362.50B/278.60A	----	300.90 - 52.50	.8329	----	----	----	----	319 UNCH
4875	----	----	367.10B/282.30A	367.10B/282.30A	----	305.30 - 52.60	.8366	----	----	----	----	71 UNCH
4880	----	----	371.40B/286.40A	371.40B/286.40A	----	309.60 - 52.90	.8407	----	----	----	----	51 UNCH
4885	----	----	376.30B/291.30A	376.30B/291.30A	----	314.00 - 53.00	.8443	----	----	----	----	12 UNCH
4890	----	----	380.80B/295.50A	380.80B/295.50A	----	318.40 - 53.20	.8480	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4895	----	----	385.50B/299.10A	385.50B/299.10A	----	322.80 - 53.40	.8516	----	----	----	----	48 UNCH
4900	----	----	390.00B/303.50A	390.00B/303.50A	----	327.20 - 53.60	.8552	----	----	1	----	261 - 1
4905	----	----	394.70B/307.60A	394.70B/307.60A	----	331.60 - 53.80	.8584	----	----	----	----	53 UNCH
4910	----	----	399.40B/311.90A	399.40B/311.90A	----	336.10 - 53.90	.8620	----	----	----	----	4 UNCH
4915	----	----	404.00B/316.10A	404.00B/316.10A	----	340.60 - 54.10	.8652	----	----	----	----	118 UNCH
4920	----	----	408.70B/320.50A	408.70B/320.50A	----	345.00 - 54.30	.8683	----	----	----	----	22 UNCH
4925	----	----	413.40B/325.50A	413.40B/325.50A	----	349.50 - 54.50	.8715	----	----	----	----	11 UNCH
4930	----	----	418.10B/329.20A	418.10B/329.20A	----	354.10 - 54.50	.8742	----	----	----	----	52 UNCH
4935	----	----	422.80B/334.30A	422.80B/334.30A	----	358.60 - 54.70	.8773	----	----	----	----	4 UNCH
4940	----	----	427.50B/338.70A	427.50B/338.70A	----	363.10 - 54.90	.8800	----	----	----	----	11 UNCH
4950	----	----	437.10B/346.80A	437.10B/346.80A	----	372.30 - 55.10	.8857	----	----	----	----	110 UNCH
4975	----	----	460.90B/370.10A	460.90B/370.10A	----	395.40 - 55.70	.8983	----	----	----	----	2 UNCH
4980	----	----	465.70B/374.80A	465.70B/374.80A	----	400.00 - 55.90	.9004	----	----	----	----	6 UNCH
4985	----	----	470.40B/379.10A	470.40B/379.10A	----	404.70 - 56.00	.9025	----	----	----	----	103 UNCH
4990	----	----	475.20B/383.70A	475.20B/383.70A	----	409.30 - 56.20	.9051	----	----	----	----	2 UNCH
4995	----	----	479.80B/388.20A	479.80B/388.20A	----	414.00 - 56.20	.9072	----	----	----	----	12 UNCH
5000	427.90	427.90	484.90B/392.50A	484.90B/392.50A	----	418.70 - 56.30	.9092	----	----	2	----	544 UNCH
5005	----	----	489.60B/397.40A	489.60B/397.40A	----	423.40 - 56.40	.9113	----	----	----	----	12 UNCH
5010	----	----	494.40B/402.10A	494.40B/402.10A	----	428.10 - 56.50	.9133	----	----	----	----	8 UNCH
5015	----	----	499.30B/406.90A	499.30B/406.90A	----	432.80 - 56.60	.9149	----	----	----	----	19 UNCH
5020	----	----	503.90B/411.20A	503.90B/411.20A	----	437.60 - 56.60	.9169	----	----	----	----	5 UNCH
5025	----	----	508.90B/415.50A	508.90B/415.50A	----	442.30 - 56.80	.9189	----	----	----	----	150 UNCH
5030	----	----	513.80B/420.80A	513.80B/420.80A	----	447.00 - 56.90	.9204	----	----	----	----	8 UNCH
5035	----	----	518.60B/425.10A	518.60B/425.10A	----	451.80 - 56.90	.9224	----	----	----	----	37 UNCH
5040	----	----	523.50B/429.80A	523.50B/429.80A	----	456.50 - 57.10	.9239	----	----	----	----	10 UNCH
5045	----	----	528.30B/434.90A	528.30B/434.90A	----	461.30 - 57.10	.9254	----	----	----	----	5 UNCH
5050	----	----	533.20B/439.50A	533.20B/439.50A	----	466.10 - 57.10	.9269	----	----	----	----	79 UNCH
5055	----	----	538.10B/444.10A	538.10B/444.10A	----	470.80 - 57.30	.9289	----	----	----	----	3 UNCH
5065	----	----	547.70B/453.50A	547.70B/453.50A	----	480.40 - 57.40	.9318	----	----	----	----	11 UNCH
5075	----	----	557.50B/462.70A	557.50B/462.70A	----	490.00 - 57.50	.9347	----	----	----	----	6 UNCH
5080	----	----	562.40B/467.00A	562.40B/467.00A	----	494.80 - 57.60	.9361	----	----	----	----	2 UNCH
5085	----	----	567.30B/471.90A	567.30B/471.90A	----	499.60 - 57.60	.9370	----	----	----	----	21 UNCH
5090	----	----	572.10B/476.40A	572.10B/476.40A	----	504.50 - 57.60	.9384	----	----	----	----	6 UNCH
5095	----	----	577.10B/481.70A	577.10B/481.70A	----	509.30 - 57.70	.9398	----	----	----	----	42 UNCH
5100	----	----	582.00B/487.10A	582.00B/487.10A	----	514.10 - 57.80	.9407	----	----	----	----	107 UNCH
5105	----	----	586.90B/490.40A	586.90B/490.40A	----	518.90 - 57.80	.9421	----	----	----	----	22 UNCH
5110	----	----	591.80B/496.00A	591.80B/496.00A	----	523.80 - 57.80	.9435	----	----	----	----	16 UNCH
5115	----	----	596.60B/500.80A	596.60B/500.80A	----	528.60 - 57.90	.9443	----	----	----	----	37 UNCH
5120	----	----	601.50B/505.60A	601.50B/505.60A	----	533.50 - 57.90	.9457	----	----	----	----	13 UNCH
5125	----	----	606.40B/510.40A	606.40B/510.40A	----	538.30 - 58.00	.9465	----	----	----	----	37 UNCH
5130	----	----	611.40B/515.20A	611.40B/515.20A	----	543.20 - 58.00	.9474	----	----	----	----	25 UNCH
5135	----	----	616.30B/520.00A	616.30B/520.00A	----	548.00 - 58.10	.9487	----	----	----	----	19 UNCH
5140	----	----	621.30B/524.80A	621.30B/524.80A	----	552.90 - 58.10	.9495	----	----	----	----	21 UNCH
5145	----	----	----/529.60A	603.10B/529.60A	----	557.80 - 58.10	.9503	----	----	----	----	3 UNCH
5150	----	----	----/534.80A	608.00B/534.80A	----	562.70 - 58.10	.9512	----	----	----	----	235 UNCH
5155	548.20	548.20	548.20/539.60A	613.20B/539.60A	----	567.50 - 58.30	.9525	----	----	1	----	43 UNCH
5160	----	----	----/544.10A	618.20B/544.10A	----	572.40 - 58.30	.9533	----	----	----	----	44 UNCH
5170	----	----	----/553.80A	628.00B/553.80A	----	582.20 - 58.30	.9549	----	----	----	----	53 UNCH
5175	----	----	----/559.00A	632.90B/559.00A	----	587.10 - 58.30	.9556	----	----	----	----	61 UNCH
5180	----	----	----/563.50A	637.80B/563.50A	----	592.00 - 58.40	.9564	----	----	----	----	12 UNCH
5185	----	----	----/568.10A	642.80B/568.10A	----	596.90 - 58.40	.9572	----	----	----	----	103 UNCH
5190	----	----	----/573.20A	647.70B/573.20A	----	601.80 - 58.40	.9579	----	----	----	----	19 UNCH
5200	----	----	----/582.90A	657.50B/582.90A	----	611.60 - 58.50	.9595	----	----	----	----	54 UNCH
5225	----	----	----/606.50A	681.90B/606.50A	----	636.10 - 58.70	.9626	----	----	----	----	42 UNCH
5230	----	----	----/612.30A	662.40B/612.30A	----	641.00 - 58.80	.9634	----	----	----	----	2 UNCH
5235	----	----	----/617.10A	685.10B/617.10A	----	646.00 - 58.70	.9641	----	----	----	----	23 UNCH
5245	----	----	----/626.80A	677.40B/626.80A	----	655.80 - 58.80	.9650	----	----	----	----	2 UNCH
5250	----	----	----/631.60A	699.90B/631.60A	----	660.70 - 58.90	.9657	----	----	----	----	14 UNCH
5255	----	----	----/636.50A	704.90B/636.50A	----	665.60 - 58.90	.9664	----	----	----	----	14 UNCH
5285	----	----	----/666.30A	716.70B/666.30A	----	695.20 - 59.10	.9695	----	----	----	----	2 UNCH
5290	----	----	----/671.10A	739.50B/671.10A	----	700.10 - 59.10	.9697	----	----	----	----	4 UNCH
5295	----	----	----/675.90A	----/675.90A	----	705.10 - 59.10	.9704	----	----	----	----	2 UNCH
5300	----	----	----/681.30A	749.40B/681.30A	----	710.00 - 59.20	.9710	----	----	----	----	68 UNCH
5315	----	----	----/696.00A	764.30B/696.00A	----	724.80 - 59.30	.9720	----	----	----	----	10 UNCH
5325	----	----	----/705.40A	----/705.40A	----	734.70 - 59.30	.9728	----	----	----	----	2 UNCH
5350	----	----	----/732.30A	799.00B/732.30A	----	759.50 - 59.40	.9750	----	----	----	----	8 UNCH
5375	----	----	----/757.10A	823.90B/757.10A	----	784.20 - 59.50	.9766	----	----	----	----	8 UNCH
5390	----	----	----/771.90A	838.80B/771.90A	----	799.10 - 59.60	.9775	----	----	----	----	5 UNCH
5400	----	----	----/779.00A	849.20B/779.00A	----	809.00 - 59.60	.9782	----	----	----	----	603 UNCH
5410	821.80	821.80	821.80/821.80	821.80/821.80	----	818.90 - 59.70	.9789	----	----	1	----	0 - 1
5440	----	----	----	----	----	848.70 - 59.70	.9805	----	----	----	----	1 UNCH
5475	----	----	----/856.20A	923.30B/856.20A	----	883.50 - 59.80	.9821	----	----	----	----	7 UNCH
5500	----	----	----/881.00A	948.20B/881.00A	----	908.40 - 59.80	.9830	----	----	----	----	3 UNCH
5505	----	----	----	----	----	913.40 - 59.80	.9831	----	----	----	----	1 UNCH
5510	----	----	----	----	----	918.30 - 59.90	.9832	----	----	----	----	1 UNCH
TOTAL										6857	3,691	59083 + 291
AUG26												
2300	----	----	----	----/0.50A	----	0.30 - 0.10	.0008	----	----	----	----	45 UNCH
2325	----	----	----	----/0.80A	----	0.30 - 0.10	.0009	----	----	----	----	1 UNCH
2350	----	----	----	----/0.80A	----	0.40 UNCH	.0011	----	----	----	----	22 UNCH
2375	----	----	----	----/0.80A	----	0.40 - 0.10	.0011	----	----	----	----	7 UNCH
2400	----	----	----	0.20B/0.90A	----	0.40 - 0.10	.0012	----	----	----	----	5 UNCH
2425	----	----	----	0.20B/0.90A	----	0.40 - 0.10	.0012	----	----	----	----	1 UNCH
2475	----	----	----	0.30B/1.00A	----	0.50 - 0.10	.0015	----	----	----	----	5 UNCH
2500	----	----	----	0.40B/1.00A	----	0.50 - 0.10	.0015	----	----	----	----	114 UNCH
2570	----	----	----	0.50B/1.10A	----	0.60 - 0.20	.0018	----	----	----	----	9 UNCH
2580	----	----	----	0.50B/1.10A	----	0.60 - 0.20	.0018	----	----	----	----	1 UNCH
2590	----	----	----	0.50B/1.10A	----	0.70 - 0.10	.0021	----	----	----	----	2 UNCH
2600	----	----	----	0.50B/1.10A	----	0.70 - 0.10	.0021	----	----	----	----	6 UNCH
2615	----	----	----	0.50B/1.20A	----	0.70 - 0.10	.0021	----	----	----	----	1 UNCH
2625	----	----	----	0.70B/*0.90A	----	0.70 - 0.20	.0022	----	----	----	----	2 UNCH
2640	----	----	----	0.70B/*0.90A	----	0.80 - 0.10	.0024	----	----	----	----	1 UNCH
2665	----	----	----	0.80B/*1.00A	----	0.80 - 0.20	.0025	----	----	----	----	1 UNCH
2685	----	----	----	0.80B/*1.00A	----	0.80 - 0.20	.0025	----	----	----	----	1 UNCH
2690	----	----	----	0.80B/*1.00A	----	0.90 - 0.10	.0028	----	----	----	----	1 UNCH
2730	----	----	----	0.90B/1.20A	----	0.90 - 0.20	.0029	----	----	----	----	3 UNCH
2740	----	----	----	0.90B/*1.20A	----	1.00 - 0.10	.0031	----	----	----	----	2 UNCH
2745	----	----	----	1.00B/1.20A	----	1.00 - 0.20	.0032	----	----	----	----	2 UNCH
2750	----	----	----	1.00B/1.20A	----	1.00 - 0.20	.0032	----	----	----	----	4 UNCH
2800	----	----	----	1.10B/1.30A	----	1.10 - 0.20	.0035	----	----	----	----	46 UNCH
2860	----	----	----	1.20B/*1.50A	----	1.30 - 0.20	.0042	----	----	----	----	1 UNCH
2875	----	----	----	1.30B/1.50A	----	1.30 - 0.20	.0043	----	----	----	----	3 UNCH
2900	----	----	----	1.40B/*1.60A	----	1.40 - 0.20	.0046	----	----	----	----	2 UNCH
2940	----	----	----	1.50B/1.70A	----	1.50 - 0.20	.0050	----	----	----	----	2 UNCH
2950	----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.30	.0050	----	----	----	----	8 UNCH
2965	----	----	----/*1.70A	1.60B/*1.70A	----	1.60 - 0.20	.0054	----	----	----	----	2 UNCH
2975	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.30	.0054	----	----	----	----	1 UNCH
2980	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.30	.0054	----	----	----	----	1 UNCH
3000	----	----	----/*1.80A	1.70B/*1.80A	----	1.70 - 0.30	.0058	----	----	----	----	274 UNCH
3005	----	----	----/*1.90A	1.70B/*1.90A	----	1.70 - 0.30	.0058	----	----	----	----	5 UNCH
3010	----	----	----/*1.90A	1.70B/*1.90A	----	1.70 - 0.30	.0058	----	----	----	----	1 UNCH
3015	----	----	----/*1.90A	1.70B/*1.90A	----	1.70 - 0.30	.0058	----	----	----	----	1 UNCH
3025	----	----	----/*2.00A	1.80B/*2.00A	----	1.80 - 0.30	.0062	----	----	----	----	5 UNCH
3040	----	----	----/*1.90A	1.80B/*1.90A	----	1.80 - 0.30	.0062	----	----	----	----	1 UNCH
3065	----	----	----/*2.00A	1.90B/*2.00A	----	1.90 - 0.30	.0066	----	----	----	----	1 UNCH
3090	----	----	----/*2.10A	2.00B/*2.10A	----	2.00 - 0.30	.0070	----	----	----	----	1 UNCH
3095	----	----	----/*2.10A	2.00B/*2.10A	----	2.00 - 0.40	.0070	----	----	----	----	1 UNCH
3100	----	----	----/*2.10A	2.10B/*2.10A	----	2.00 - 0.40	.0071	----	----	----	----	259 UNCH
3110	----	----	----/*2.20A	2.10B/*2.20A	----	2.00 - 0.40	.0071	----	----	----	----	15 UNCH
3115	----	----	----/*2.20A	2.10B/*2.20A	----	2.00 - 0.50	.0071	----	----	----	----	1 UNCH
3120	----	----	----/*2.20A	2.20B/*2.20A	----	2.10 - 0.40	.0075	----	----	----	----	29 UNCH
3125	2.10	2.10	2.10/*2.10	2.20B/*2.10	----	2.10 NEW	.0075	----	----	1	----	1 + 1
3130	----	----	----/*2.30A	2.20B/*2.30A	----	2.10 - 0.50	.0075	----	----	----	----	5 UNCH
3145	----	----	----/*2.30A	2.30B/*2.30A	----	2.10 - 0.50	.0076	----	----	----	----	1 UNCH
3150	----	----	----/*2.40A	2.30B/*2.40A	----	2.10 - 0.60	.0076	----	----	----	----	10 UNCH
3155	----	----	----/*2.40A	2.40B/*2.40A	----	2.20 - 0.50	.0079	----	----	----	----	3 UNCH
3160	----	----	----/*2.40A	2.40B/*2.40A	----	2.20 - 0.50	.0080	----	----	----	----	1 UNCH
3165	----	----	----/*2.40A	2.40B/*2.40A	----	2.20 - 0.50	.0080	----	----	----	----	141 UNCH
3170	----	----	----/*2.50A	2.40B/*2.50A	----	2.20 - 0.60	.0080	----	----	----	----	2 UNCH
3175	----	----	----/*2.50A	2.40B/*2.50A	----	2.20 - 0.60	.0081	----	----	----	----	1 UNCH
3180	----	----	----/*2.50A	2.50B/*2.50A	----	2.30 - 0.50	.0084	----	----	----	----	26 UNCH
3185	----	----	----/*2.50A	2.50B/*2.50A	----	2.30 - 0.60	.0084	----	----	----	----	1 UNCH
3190	----	----	----/*2.50A	2.50B/*2.50A	----	2.30 - 0.60	.0084	----	----	----	----	883 UNCH
3195	----	----	----/*2.60A	2.60B/*2.60A	----	2.30 - 0.60	.0085	----	----	----	----	1 UNCH
3200	----	----	----/*2.60A	2.60B/*2.60A	----	2.40 - 0.50	.0088	----	----	----	----	510 UNCH
3235	----	----	----/*2.80A	2.80B/*2.80A	----	2.60 - 0.60	.0096	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3250	----	----	----/*2.80A	2.90B/*2.80A	----	2.70 - 0.60	.0100	----	----	----	----	521 UNCH
3260	----	----	----/*2.90A	2.90B/*2.90A	----	2.80 - 0.50	.0104	----	----	----	----	30 UNCH
3295	----	----	----/*3.10A	3.20B/*3.10A	----	3.00 - 0.60	.0113	----	----	----	----	2 UNCH
3300	3.30	3.30	3.30/*3.10A	3.30/*3.10A	----	3.10 - 0.50	.0116	----	----	29	----	250 + 20
3310	----	----	----/*3.20A	3.30B/*3.20A	----	3.20 - 0.50	.0120	----	----	----	----	20 UNCH
3330	----	----	----/*3.30A	3.40B/*3.30A	----	3.30 - 0.50	.0125	----	----	----	----	2 UNCH
3350	----	----	----/*3.50A	3.60B/*3.50A	----	3.50 - 0.50	.0133	----	----	----	----	479 UNCH
3370	----	----	----/*3.60A	3.80B/*3.60A	----	3.60 - 0.60	.0138	----	----	----	----	1 UNCH
3375	----	----	----/*3.60A	3.80B/*3.60A	----	3.60 - 0.60	.0138	----	----	----	----	15 UNCH
3380	----	----	----/*3.70A	3.90B/*3.70A	----	3.70 - 0.60	.0142	----	----	----	----	1 UNCH
3390	----	----	----/*3.80A	4.00B/*3.80A	----	3.80 - 0.60	.0146	----	----	----	----	1 UNCH
3395	----	----	----/*3.80A	4.00B/*3.80A	----	3.80 - 0.60	.0146	----	----	----	----	7 UNCH
3400	----	----	----/*3.80A	4.10B/*3.80A	----	3.80 - 0.70	.0147	----	----	----	----	309 UNCH
3405	----	----	----/*3.90A	4.10B/*3.90A	----	3.90 - 0.60	.0150	----	----	----	----	24 UNCH
3410	----	----	----/*3.90A	4.10B/*3.90A	----	3.90 - 0.70	.0151	----	----	----	----	1 UNCH
3430	----	----	----/*4.10A	4.30B/*4.10A	----	4.10 - 0.70	.0160	----	----	----	----	20 UNCH
3450	----	----	----/*4.30A	4.60B/*4.30A	----	4.20 - 0.80	.0165	----	----	----	----	2 UNCH
3460	----	----	----/*4.40A	4.70B/*4.40A	----	4.30 - 0.80	.0170	----	----	----	----	1 UNCH
3465	----	----	----/*4.40A	4.70B/*4.40A	----	4.40 - 0.80	.0173	----	----	----	----	6 UNCH
3470	----	----	----/*4.40A	4.80B/*4.40A	----	4.40 - 0.80	.0174	----	----	----	----	1 UNCH
3485	----	----	----/*4.60A	5.00B/*4.60A	----	4.60 - 0.80	.0182	----	----	----	----	1 UNCH
3495	----	----	----/*4.70A	5.10B/*4.70A	----	4.70 - 0.80	.0187	----	----	----	----	1 UNCH
3500	5.40	5.40	5.40/*4.70A	5.40/*4.70A	----	4.70 - 0.90	.0188	----	----	1	----	828 + 1
3505	----	----	----/*4.80A	5.20B/*4.80A	----	4.80 - 0.90	.0191	----	----	----	----	1 UNCH
3510	4.80	4.80	4.80/*4.80	5.30B/*4.80	----	4.80 - 0.90	.0192	----	----	6	----	50 UNCH
3520	----	----	----/*5.00A	5.40B/*5.00A	----	5.00 - 0.90	.0200	----	----	----	----	210 UNCH
3525	----	----	----/*5.00A	5.50B/*5.00A	----	5.00 - 0.90	.0201	----	----	----	----	60 UNCH
3535	----	----	----/*5.10A	5.60B/*5.10A	----	5.10 - 1.00	.0206	----	----	----	----	1 UNCH
3545	----	----	----/*5.20A	5.70B/*5.20A	----	5.20 - 1.00	.0210	----	----	----	----	9 UNCH
3550	6.00	6.00	6.00/*5.20A	6.00/*5.20A	----	5.30 - 1.00	.0214	----	----	1	----	152 + 1
3560	----	----	----/*5.40A	6.00B/*5.40A	----	5.40 - 1.00	.0219	----	----	----	----	1 UNCH
3565	----	----	----/*5.40A	6.00B/*5.40A	----	5.50 - 1.00	.0223	----	----	----	----	1 UNCH
3570	----	----	----/*5.50A	6.10B/*5.50A	----	5.50 - 1.10	.0224	----	----	----	----	32 UNCH
3575	----	----	----/*5.50A	6.20B/*5.50A	----	5.60 - 1.10	.0228	----	----	----	----	20 UNCH
3585	----	----	----/*5.70A	6.30B/*5.70A	----	5.70 - 1.20	.0233	----	----	----	----	50 UNCH
3600	----	----	----/*5.90A	6.60B/*5.90A	----	5.90 - 1.20	.0243	----	----	2	----	637 UNCH
3605	----	----	----/*5.90A	6.70B/*5.90A	----	6.00 - 1.20	.0247	----	----	----	----	1 UNCH
3610	----	----	----/*6.00A	6.80B/*6.00A	----	6.10 - 1.20	.0251	----	----	----	----	1 UNCH
3630	----	----	----/*6.30A	7.10B/*6.30A	----	6.40 - 1.30	.0265	----	----	----	----	8 UNCH
3640	----	----	----/*6.50A	7.30B/*6.50A	----	6.50 - 1.40	.0270	----	----	----	----	1 UNCH
3645	----	----	----/*6.60A	7.40B/*6.60A	----	6.60 - 1.40	.0274	----	----	----	----	21 UNCH
3650	----	----	----/*6.60A	7.50B/*6.60A	----	6.70 - 1.40	.0279	----	----	1	----	47 UNCH
3655	----	----	----/*6.70A	7.60B/*6.70A	----	6.80 - 1.40	.0283	----	----	----	----	55 UNCH
3660	----	----	----/*6.80A	7.80B/*6.80A	----	6.90 - 1.40	.0287	----	----	----	----	10 UNCH
3665	----	----	----/*6.90A	7.90B/*6.90A	----	6.90 - 1.50	.0289	----	----	----	----	1 UNCH
3675	----	----	----/*7.10A	8.10B/*7.10A	----	7.10 - 1.50	.0297	----	----	----	----	24 UNCH
3690	----	----	----/*7.30A	8.40B/*7.30A	----	7.40 - 1.60	.0311	----	----	----	----	12 UNCH
3700	----	----	----/*7.50A	8.70B/*7.50A	----	7.60 - 1.60	.0320	----	----	----	----	283 UNCH
3705	----	----	----/*7.60A	8.80B/*7.60A	----	7.70 - 1.60	.0325	----	----	----	----	21 UNCH
3715	----	----	----/*7.80A	9.10B/*7.80A	----	7.90 - 1.70	.0334	----	----	----	----	30 UNCH
3720	----	----	----/*7.90A	9.20B/*7.90A	----	8.00 NEW	.0338	----	----	1	----	1 + 1
3725	----	----	----/*8.00A	9.40B/*8.00A	----	8.10 - 1.80	.0343	----	----	----	----	6 UNCH
3730	----	----	----/*8.10A	9.50B/*8.10A	----	8.20 - 1.80	.0348	----	----	----	----	11 UNCH
3735	----	----	----/*8.20A	9.60B/*8.20A	----	8.30 - 1.80	.0352	----	----	----	----	1 UNCH
3740	----	----	----/*8.30A	9.80B/*8.30A	----	8.40 - 1.90	.0357	----	----	----	----	7 UNCH
3745	----	----	----/*8.40A	9.90B/*8.40A	----	8.60 - 1.80	.0365	----	----	----	----	1 UNCH
3750	----	----	----/*8.50A	10.10B/*8.50A	----	8.70 - 1.90	.0370	----	----	----	----	89 UNCH
3755	----	----	----/*8.70A	10.20B/*8.70A	----	8.80 - 1.90	.0375	----	----	----	----	1 UNCH
3760	----	----	----/*8.80A	10.40B/*8.80A	----	8.90 - 2.00	.0380	----	----	----	----	1 UNCH
3765	----	----	----/*8.90A	10.60B/*8.90A	----	9.00 - 2.00	.0384	----	----	----	----	100 UNCH
3770	----	----	----/*9.00A	10.70B/*9.00A	----	9.20 - 2.00	.0392	----	----	----	----	4 UNCH
3775	----	----	----/*9.10A	10.90B/*9.10A	----	9.30 - 2.10	.0397	----	----	----	----	13 UNCH
3785	----	----	----/*9.40A	11.20B/*9.40A	----	9.60 - 2.10	.0410	----	----	----	----	1 UNCH
3790	----	----	----/*9.50A	11.40B/*9.50A	----	9.70 - 2.20	.0415	----	----	----	----	6 UNCH
3795	----	----	----/*9.60A	11.50B/*9.60A	----	9.80 - 2.20	.0421	----	----	1	----	83 UNCH
3800	11.40	11.40	11.40/*9.70	11.70B/*9.70	----	10.00 - 2.20	.0429	----	----	102	----	469 + 55
3805	----	----	----/*9.90A	12.20B/*9.90A	----	10.10 - 2.30	.0434	----	----	----	----	6 UNCH
3810	----	----	----/*10.10A	12.40B/*10.10A	----	10.30 - 2.30	.0442	----	----	1	----	51 + 1
3815	----	----	----/*10.20A	12.60B/*10.20A	----	10.40 - 2.40	.0447	----	----	----	----	151 UNCH
3820	----	----	----/*10.30A	12.80B/*10.30A	----	10.60 - 2.30	.0456	----	----	----	----	52 UNCH
3825	----	----	----/*10.50A	13.00B/*10.50A	----	10.70 - 2.40	.0461	----	----	----	----	54 UNCH
3830	----	----	----/*10.60A	13.20B/*10.60A	----	10.90 - 2.40	.0469	----	----	----	----	1 UNCH
3835	----	----	----/*10.80A	13.40B/*10.80A	----	11.00 - 2.50	.0475	----	----	----	----	16 UNCH
3840	----	----	----/*10.90A	13.70B/*10.90A	----	11.20 - 2.60	.0483	----	----	----	----	1 UNCH
3845	----	----	----/*11.00A	13.90B/*11.00A	----	11.40 - 2.60	.0492	----	----	----	----	1 UNCH
3850	12.10	12.10	12.10/*11.20A	14.10B/*11.20A	----	11.60 - 2.60	.0500	----	----	8	----	146 + 8
3855	----	----	----/*11.40A	14.40B/*11.40A	----	11.70 - 2.70	.0506	----	----	----	----	7 UNCH
3860	----	----	----/*11.60A	14.60B/*11.60A	----	11.90 - 2.70	.0514	----	----	----	----	1 UNCH
3870	----	----	----/*11.90A	15.10B/*11.90A	----	12.30 - 2.80	.0532	----	----	----	----	17 UNCH
3875	----	----	----/*12.10A	15.30B/*12.10A	----	12.50 - 2.80	.0540	----	----	----	----	11 UNCH
3880	12.40	12.40	12.40/*12.20A	15.60B/*12.20A	----	12.70 - 2.90	.0549	----	----	1	----	341 UNCH
3885	----	----	----/*12.40A	15.80B/*12.40A	----	12.90 - 2.90	.0558	----	----	----	----	90 UNCH
3890	----	----	16.10B/*12.60A	16.10B/*12.60A	----	13.10 - 2.90	.0567	----	----	----	----	73 UNCH
3895	----	----	16.40B/*12.80A	16.40B/*12.80A	----	13.30 - 3.00	.0576	----	----	----	----	14 UNCH
3900	15.40	15.40	16.70B/*12.90A	16.70B/*12.90A	----	13.50 - 3.10	.0585	----	----	46	140	2225 + 144
3905	----	----	17.00B/*13.10A	17.00B/*13.10A	----	13.70 - 3.10	.0594	----	----	----	----	23 UNCH
3910	----	----	17.20B/*13.30A	17.20B/*13.30A	----	13.90 - 3.20	.0603	----	----	2	----	91 + 1
3915	----	----	17.50B/*13.60A	17.50B/*13.60A	----	14.10 - 3.30	.0612	----	----	----	----	59 UNCH
3920	----	----	17.80B/*13.80A	17.80B/*13.80A	----	14.30 - 3.40	.0621	----	----	1	----	64 UNCH
3925	----	----	18.10B/*14.00A	18.10B/*14.00A	----	14.60 - 3.40	.0633	----	----	1	----	61 UNCH
3930	----	----	18.40B/*14.20A	18.40B/*14.20A	----	14.80 - 3.40	.0642	----	----	----	----	62 UNCH
3935	----	----	18.80B/*14.40A	18.80B/*14.40A	----	15.10 - 3.40	.0654	----	----	----	----	13 UNCH
3940	----	----	19.10B/*14.60A	19.10B/*14.60A	----	15.30 - 3.60	.0664	----	----	----	----	19 UNCH
3945	----	----	19.40B/*14.90A	19.40B/*14.90A	----	15.50 - 3.70	.0673	----	----	1	----	2 + 1
3950	17.70	17.70	19.80B/*15.10A	19.80B/*15.10A	----	15.80 - 3.70	.0685	----	----	8	----	254 - 3
3955	----	----	20.10B/*15.30A	20.10B/*15.30A	----	16.10 - 3.70	.0698	----	----	----	----	12 UNCH
3960	----	----	20.50B/*15.60A	20.50B/*15.60A	----	16.30 - 3.80	.0707	----	----	1	----	5 + 1
3965	20.20	20.20	20.80B/*15.80A	20.80B/*15.80A	----	16.60 - 3.90	.0720	----	----	2	----	30 + 1
3970	----	----	21.20B/*16.10A	21.20B/*16.10A	----	16.90 - 3.90	.0732	----	----	----	----	11 UNCH
3975	----	----	21.60B/*16.30A	21.60B/*16.30A	----	17.20 - 4.00	.0745	----	----	----	----	269 UNCH
3980	----	----	21.90B/*16.60A	21.90B/*16.60A	----	17.40 - 4.10	.0755	----	----	2	----	2254 + 2
3985	----	----	22.30B/*16.90A	22.30B/*16.90A	----	17.70 - 4.20	.0768	----	----	----	----	4 UNCH
3990	----	----	22.70B/*17.10A	22.70B/*17.10A	----	18.00 - 4.30	.0780	----	----	----	----	45 UNCH
3995	----	----	23.10B/*17.40A	23.10B/*17.40A	----	18.30 - 4.40	.0793	----	----	----	----	10 UNCH
4000	21.50	21.50	23.50B/*17.70A	23.50B/*17.70A	----	18.60 - 4.50	.0806	----	----	33	----	1344 + 6
4005	----	----	23.90B/*18.00A	23.90B/*18.00A	----	19.00 - 4.50	.0822	----	----	----	----	6 UNCH
4010	----	----	24.30B/*18.30A	24.30B/*18.30A	----	19.30 - 4.60	.0835	----	----	----	----	106 UNCH
4015	----	----	24.70B/*18.60A	24.70B/*18.60A	----	19.60 - 4.70	.0848	----	----	----	----	3 UNCH
4020	----	----	25.10B/*18.90A	25.10B/*18.90A	----	19.90 - 4.80	.0861	----	----	1	----	4 UNCH
4025	20.90	20.90	25.60B/*19.20A	25.60B/*19.20A	----	20.30 - 4.90	.0877	----	----	2	----	256 - 2
4030	----	----	26.10B/*19.50A	26.10B/*19.50A	----	20.60 - 5.00	.0891	----	----	1	----	60 + 1
4035	20.70	20.70	26.70B/*19.90A	26.70B/*19.90A	----	21.00 - 5.00	.0907	----	----	2	----	23 UNCH
4040	----	----	27.10B/*20.20A	27.10B/*20.20A	----	21.40 - 5.10	.0923	----	----	----	----	27 UNCH
4045	----	----	27.70B/*20.50A	27.70B/*20.50A	----	21.70 - 5.30	.0936	----	----	----	----	32 UNCH
4050	----	----	28.10B/*20.90A	28.10B/*20.90A	----	22.10 - 5.40	.0953	----	----	9	----	329 UNCH
4055	----	----	28.70B/*21.30A	28.70B/*21.30A	----	22.50 - 5.50	.0969	----	----	----	----	22 UNCH
4060	----	----	29.20B/*21.60A	29.20B/*21.60A	----	22.90 - 5.60	.0986	----	----	----	----	5 UNCH
4065	22.30	22.30	29.70B/*22.00A	29.70B/*22.00A	----	23.30 - 5.70	.1002	----	----	1	----	12 UNCH
4070	----	----	30.20B/*22.40A	30.20B/*22.40A	----	23.70 - 5.80	.1019	----	----	----	----	54 UNCH
4075	----	----	30.80B/*22.80A	30.80B/*22.80A	----	24.10 - 5.90	.1035	----	----	----	----	19 UNCH
4080	----	----	31.30B/*23.20A	31.30B/*23.20A	----	24.60 - 6.00	.1055	----	----	----	----	12 UNCH
4085	----	----	32.00B/*23.60A	32.00B/*23.60A	----	25.00 - 6.10	.1072	----	----	----	----	342 UNCH
4090	----	----	32.50B/*24.00A	32.50B/*24.00A	----	25.50 - 6.20	.1091	----	----	----	----	208 UNCH
4095	----	----	33.10B/*24.40A	33.10B/*24.40A	----	25.90 - 6.40	.1108	----	----	----	----	84 UNCH
4100	33.20	33.20	33.70B/*24.90A	33.70B/*24.90A	----	26.40 - 6.50	.1128	----	----	144	----	986 + 17
4105	----	----	34.50B/*25.30A	34.50B/*25.30A	----	26.90 - 6.60	.1147	----	----	----	----	21 UNCH
4110	----	----	35.00B/*25.80A	35.00B/*25.80A	----	27.30 - 6.80	.1165	----	----	----	----	11 UNCH
4115	----	----	35.80B/*26.20A	35.80B/*26.20A	----	27.80 - 6.90	.1185	----	----	----	----	20 UNCH
4120	----	----	36.40B/*26.70A	36.40B/*26.70A	----	28.40 - 7.00	.1207	----	----	----	----	128 UNCH
4125	----	----	37.10B/*27.20A	37.10B/*27.20A	----	28.90 - 7.10	.1227	----	----	----	----	15 UNCH
4130	----	----	37.80B/27.60A	37.80B/27.60A	----	29.40 - 7.30	.1247	----	----	1	----	17 UNCH
4135	----	----	38.50B/*28.10A	38.50B/*28.10A	----	29.90 - 7.50	.1267	----	----	----	----	63 UNCH
4140	----	----	39.30B/*28.70A	39.30B/*28.70A	----	30.50 - 7.60	.1290	----	----	4	----	15 + 4
4145	----	----	40.10B/*29.20A	40.10B/*29.20A	----	31.10 - 7.70	.1313	----	----	----	----	44 UNCH
4150	32.90	32.90	40.80B/*29.70A	40.80B/*29.70A	----	31.60 - 7.90	.1333	----	----	14	----	1139 + 4
4155	31.90	31.90	41.60B/*30.30A	41.60B/*30.30A	----	32.20 - 8.00	.1356	----	----	2	----	23 UNCH
4160	----	----	42.30B/30.80A	42.30B/30.80A	----	32.80 - 8.20	.1379	----	----	----	----	55 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4165	----	----	43.10B/31.40A	43.10B/31.40A	----	33.40 - 8.40	.1402	----	----	----	----	108 UNCH
4170	----	----	44.00B/31.90A	44.00B/31.90A	----	34.10 - 8.50	.1428	----	----	2	----	82 + 2
4175	----	----	44.70B/32.50A	44.70B/32.50A	----	34.70 - 8.70	.1451	----	----	----	----	38 UNCH
4180	40.00	40.00	45.70B/33.20A	45.70B/33.20A	----	35.40 - 8.80	.1477	----	----	5	----	118 + 3
4185	----	----	46.60B/33.80A	46.60B/33.80A	----	36.00 - 9.00	.1500	----	----	1	----	50 UNCH
4190	----	----	47.50B/34.40A	47.50B/34.40A	----	36.70 - 9.20	.1526	----	----	----	----	142 UNCH
4195	----	----	48.20B/35.00A	48.20B/35.00A	----	37.40 - 9.30	.1552	----	----	2	----	220 + 2
4200	43.30	43.30	49.30B/35.70A	49.30B/35.70A	----	38.10 - 9.50	.1578	----	----	77	----	521 - 25
4205	----	----	50.00B/36.30A	50.00B/36.30A	----	38.80 - 9.70	.1604	----	----	----	----	322 UNCH
4210	----	----	51.20B/37.00A	51.20B/37.00A	----	39.60 - 9.80	.1633	----	----	----	----	4 UNCH
4215	----	----	52.20B/37.70A	52.20B/37.70A	----	40.30 - 10.10	.1659	----	----	----	----	21 UNCH
4220	38.80	38.80	53.20B/38.40A	53.20B/38.40A	----	41.10 - 10.20	.1688	----	----	2	----	21 UNCH
4225	49.60	49.60	54.20B/39.20A	54.20B/39.20A	----	41.90 - 10.40	.1716	----	----	5	----	53 + 2
4230	40.20	40.20	55.00B/39.90A	55.00B/39.90A	----	42.70 - 10.60	.1745	----	----	1	----	15 + 1
4235	----	----	56.20B/40.70A	56.20B/40.70A	----	43.50 - 10.80	.1774	----	----	----	----	8 UNCH
4240	----	----	57.30B/41.40A	57.30B/41.40A	----	44.30 - 11.00	.1803	----	----	----	----	39 UNCH
4245	42.60	42.60	58.30B/42.20A	58.30B/42.20A	----	45.20 - 11.20	.1834	----	----	2	----	52 - 1
4250	48.00	48.00	59.50B/43.00A	59.50B/43.00A	----	46.10 - 11.40	.1865	----	----	4	----	1462 UNCH
4255	44.80	44.80	60.60B/43.90A	60.60B/43.90A	----	46.90 - 11.60	.1894	----	----	26	----	891 - 5
4260	51.50	51.50	61.80B/44.70A	61.80B/44.70A	----	47.90 - 11.80	.1927	----	----	34	----	50 + 19
4265	----	----	63.00B/45.50A	63.00B/45.50A	----	48.80 - 12.00	.1958	----	----	2	----	3 + 2
4270	----	----	64.20B/46.40A	64.20B/46.40A	----	49.70 - 12.20	.1990	----	----	----	----	214 UNCH
4275	47.60	47.60	65.30B/47.30A	65.30B/47.30A	----	50.70 - 12.40	.2023	----	----	5	----	27 + 3
4280	48.50	48.50	66.60B/48.20A	66.60B/48.20A	----	51.70 - 12.60	.2057	----	----	55	----	355 + 35
4285	59.60	59.60	67.90B/49.10A	67.90B/49.10A	----	52.70 - 12.80	.2090	----	----	4	----	177 + 1
4290	52.10	52.10	69.00B/50.10A	69.00B/50.10A	----	53.70 - 13.10	.2124	----	----	4	----	68 + 4
4295	----	----	70.40B/51.00A	70.40B/51.00A	----	54.70 - 13.30	.2157	----	----	----	----	4 UNCH
4300	68.70	68.70	71.70B/51.90A	71.70B/51.90A	----	55.80 - 13.50	.2193	----	----	102	----	1323 - 33
4305	----	----	73.10B/53.00A	73.10B/53.00A	----	56.90 - 13.70	.2229	----	----	1	----	512 + 1
4310	----	----	74.40B/54.00A	74.40B/54.00A	----	58.00 - 13.90	.2264	----	----	2	----	10 UNCH
4315	----	----	75.90B/55.10A	75.90B/55.10A	----	59.10 - 14.20	.2300	----	----	----	----	12 UNCH
4320	57.00	57.00	77.40B/56.20A	77.40B/56.20A	----	60.20 - 14.40	.2336	----	----	31	----	59 + 8
4325	----	----	78.80B/57.20A	78.80B/57.20A	----	61.40 - 14.60	.2374	----	----	----	----	331 UNCH
4330	63.00	63.00	80.40B/58.30A	80.40B/58.30A	----	62.60 - 14.90	.2411	----	----	26	----	130 + 21
4335	64.50	64.50	81.90B/59.40A	81.90B/59.40A	----	63.80 - 15.10	.2449	----	----	2	----	10 UNCH
4340	----	----	83.20B/60.50A	83.20B/60.50A	----	65.00 - 15.40	.2487	----	----	----	----	62 UNCH
4345	----	----	85.00B/61.70A	85.00B/61.70A	----	66.30 - 15.60	.2526	----	----	----	----	5 UNCH
4350	65.40	65.40	86.30B/62.80A	86.30B/62.80A	----	67.50 - 15.90	.2564	----	----	83	----	1191 - 27
4355	----	----	88.00B/64.00A	88.00B/64.00A	----	68.80 - 16.10	.2604	----	----	----	----	104 UNCH
4360	----	----	89.50B/65.30A	89.50B/65.30A	----	70.10 - 16.40	.2643	----	----	1	----	72 + 1
4365	----	----	91.40B/66.50A	91.40B/66.50A	----	71.50 - 16.60	.2684	----	----	----	----	121 UNCH
4370	----	----	93.10B/67.70A	93.10B/67.70A	----	72.80 - 16.90	.2724	----	----	----	----	2 UNCH
4375	----	----	94.80B/69.00A	94.80B/69.00A	----	74.20 - 17.20	.2765	----	----	----	----	44 UNCH
4380	70.00	70.00	96.40B/70.00	96.40B/70.00	----	75.60 - 17.40	.2807	----	----	3	----	5 + 1
4385	----	----	98.10B/71.60A	98.10B/71.60A	----	77.00 - 17.70	.2848	----	----	----	----	10 UNCH
4390	79.10	79.10	99.90B/73.00A	99.90B/73.00A	----	78.50 - 17.90	.2891	----	----	1	----	34 + 1
4395	80.60	80.60	101.80B/74.30A	101.80B/74.30A	----	80.00 - 18.20	.2933	----	----	1	----	31 UNCH
4400	90.70	90.70	103.50B/75.60A	103.50B/75.60A	----	81.50 - 18.50	.2976	----	----	52	----	2047 - 5
4405	----	----	105.50B/77.20A	105.50B/77.20A	----	83.00 - 18.80	.3019	----	----	1	----	66 + 1
4410	----	----	107.30B/78.50A	107.30B/78.50A	----	84.50 - 19.10	.3062	----	----	----	----	355 UNCH
4415	----	----	109.30B/80.00A	109.30B/80.00A	----	86.10 - 19.30	.3106	----	----	----	----	149 UNCH
4420	----	----	111.10B/81.50A	111.10B/81.50A	----	87.70 - 19.60	.3150	----	----	----	----	29 UNCH
4425	----	----	113.20B/83.00A	113.20B/83.00A	----	89.30 - 19.90	.3195	----	----	1	----	101 + 1
4430	101.30	101.30	115.00B/84.60A	115.00B/84.60A	----	90.90 - 20.30	.3239	----	----	15	----	53 + 11
4435	----	----	117.00B/86.20A	117.00B/86.20A	----	92.50 - 20.60	.3284	----	----	----	----	32 - 3
4440	91.50	91.50	119.30B/87.80A	119.30B/87.80A	----	94.20 - 20.90	.3329	----	----	11	----	80 UNCH
4445	----	----	121.10B/89.40A	121.10B/89.40A	----	95.90 - 21.20	.3375	----	----	----	----	6 UNCH
4450	104.80	104.80	123.40B/90.90A	123.40B/90.90A	----	97.60 - 21.60	.3420	----	----	7	----	982 + 2
4455	----	----	125.70B/92.50A	125.70B/92.50A	----	99.40 - 21.80	.3467	----	----	----	----	275 UNCH
4460	----	----	127.80B/94.30A	127.80B/94.30A	----	101.20 - 22.10	.3513	----	----	----	----	35 UNCH
4465	----	----	129.70B/96.10A	129.70B/96.10A	----	102.90 - 22.60	.3559	----	----	----	----	26 UNCH
4470	----	----	131.90B/97.80A	131.90B/97.80A	----	104.80 - 22.80	.3607	----	----	----	----	117 UNCH
4475	----	----	134.20B/99.50A	134.20B/99.50A	----	106.60 - 23.20	.3654	----	----	110	----	239 + 86
4480	105.50	105.50	136.50B/101.40A	136.50B/101.40A	----	108.50 - 23.50	.3701	----	----	2	----	134 + 1
4485	----	----	138.70B/103.20A	138.70B/103.20A	----	110.40 - 23.80	.3749	----	----	----	----	42 UNCH
4490	----	----	141.10B/105.00A	141.10B/105.00A	----	112.30 - 24.20	.3797	----	----	5	----	15 + 5
4495	----	----	143.40B/106.80A	143.40B/106.80A	----	114.30 - 24.50	.3845	----	----	----	----	33 UNCH
4500	134.50	134.50	146.10B/108.50A	146.10B/108.50A	----	116.40 - 24.70	.3894	----	----	312	----	2076 + 116
4505	118.30	118.30	148.50B/110.60A	148.50B/110.60A	----	118.50 - 25.00	.3943	----	----	5	----	48 + 5
4510	----	----	150.60B/112.60A	150.60B/112.60A	----	120.60 - 25.30	.3992	----	----	----	----	53 UNCH
4515	146.30	146.30	153.40B/114.40A	153.40B/114.40A	----	122.70 - 25.60	.4041	----	----	5	----	53 + 3
4520	----	----	155.60B/116.50A	155.60B/116.50A	----	124.80 - 25.90	.4091	----	----	----	----	226 UNCH
4525	----	----	158.10B/118.50A	158.10B/118.50A	----	126.90 - 26.30	.4140	----	----	1	----	21 + 1
4530	155.00	155.00	160.90B/120.60A	160.90B/120.60A	----	129.10 - 26.60	.4189	----	----	6	----	31 + 2
4535	131.00	131.00	163.20B/122.50A	163.20B/122.50A	----	131.30 - 26.90	.4239	----	----	4	----	71 + 4
4540	156.00	156.00	165.90B/124.80A	165.90B/124.80A	----	133.50 - 27.20	.4289	----	----	22	----	75 + 5
4545	157.20	157.20	168.50B/126.90A	168.50B/126.90A	----	135.70 - 27.60	.4338	----	----	15	----	41 + 14
4550	159.00	159.00	171.30B/128.90A	171.30B/128.90A	----	138.00 - 27.90	.4388	----	----	59	----	202 + 14
4555	----	----	174.00B/131.20A	174.00B/131.20A	----	140.20 - 28.30	.4438	----	----	----	----	120 UNCH
4560	----	----	176.60B/133.30A	176.60B/133.30A	----	142.60 - 28.60	.4489	----	----	----	----	224 UNCH
4565	----	----	179.40B/135.60A	179.40B/135.60A	----	144.90 - 29.00	.4539	----	----	11	----	15 + 3
4570	159.50	159.50	182.20B/137.80A	182.20B/137.80A	----	147.30 - 29.30	.4589	----	----	6	----	78 + 4
4575	----	----	184.90B/140.10A	184.90B/140.10A	----	149.70 - 29.70	.4640	----	----	6	----	71 + 5
4580	----	----	187.90B/142.40A	187.90B/142.40A	----	152.10 - 30.00	.4690	----	----	----	----	196 UNCH
4585	175.20	175.20	191.00B/144.60A	191.00B/144.60A	----	154.60 - 30.30	.4741	----	----	2	----	6 + 2
4590	158.20	158.20	193.90B/147.20A	193.90B/147.20A	----	157.10 - 30.70	.4791	----	----	3	----	41 + 3
4595	----	----	196.60B/149.50A	196.60B/149.50A	----	159.60 - 31.00	.4842	----	----	----	----	169 UNCH
4600	174.40	174.40	199.80B/151.80A	199.80B/151.80A	----	162.20 - 31.30	.4892	----	----	6	----	653 UNCH
4605	----	----	202.50B/154.50A	202.50B/154.50A	----	164.80 - 31.60	.4942	----	----	----	----	82 UNCH
4610	----	----	205.50B/156.80A	205.50B/156.80A	----	167.40 - 32.00	.4993	----	----	----	----	52 UNCH
4615	159.50	159.50	208.80B/159.40A	208.80B/159.40A	----	170.10 - 32.20	.5043	----	----	1	----	4 + 1
4620	162.00	162.00	211.60B/161.80A	211.60B/161.80A	----	172.80 - 32.50	.5093	----	----	1	----	41 UNCH
4625	----	----	214.80B/164.30A	214.80B/164.30A	----	175.50 - 32.90	.5144	----	----	----	----	340 UNCH
4630	----	----	217.70B/167.00A	217.70B/167.00A	----	178.20 - 33.20	.5194	----	----	----	----	53 UNCH
4635	----	----	220.90B/169.60A	220.90B/169.60A	----	181.00 - 33.50	.5244	----	----	----	----	129 UNCH
4640	----	----	223.40B/172.20A	223.40B/172.20A	----	183.80 - 33.80	.5294	----	----	----	----	310 UNCH
4645	----	----	223.30B/175.00A	223.30B/175.00A	----	186.60 - 34.10	.5343	----	----	----	----	135 UNCH
4650	----	----	229.60B/177.70A	229.60B/177.70A	----	189.50 - 34.40	.5393	----	----	4	----	443 + 4
4655	----	----	233.10B/180.30A	233.10B/180.30A	----	192.40 - 34.70	.5442	----	----	----	----	30 UNCH
4660	----	----	236.00B/183.10A	236.00B/183.10A	----	195.30 - 35.00	.5491	----	----	----	----	28 UNCH
4665	----	----	238.80B/185.90A	238.80B/185.90A	----	198.20 - 35.30	.5540	----	----	----	----	4 UNCH
4670	----	----	242.50B/188.60A	242.50B/188.60A	----	201.20 - 35.60	.5589	----	----	----	----	53 UNCH
4675	----	----	245.70B/191.50A	245.70B/191.50A	----	204.20 - 35.90	.5638	----	----	----	----	15 UNCH
4680	----	----	249.20B/194.30A	249.20B/194.30A	----	207.20 - 36.20	.5687	----	----	----	----	34 UNCH
4685	----	----	252.60B/197.20A	252.60B/197.20A	----	210.20 - 36.50	.5735	----	----	----	----	224 UNCH
4690	----	----	255.80B/200.10A	255.80B/200.10A	----	213.30 - 36.80	.5783	----	----	----	----	9 UNCH
4695	----	----	259.30B/202.90A	259.30B/202.90A	----	216.40 - 37.00	.5831	----	----	----	----	5 UNCH
4700	208.90	208.90	262.70B/206.00A	262.70B/206.00A	----	219.50 - 37.40	.5879	----	----	28	----	1051 + 20
4705	----	----	266.30B/208.80A	266.30B/208.80A	----	222.70 - 37.60	.5926	----	----	----	----	151 UNCH
4710	----	----	269.70B/211.90A	269.70B/211.90A	----	225.90 - 37.80	.5974	----	----	----	----	10 UNCH
4715	----	----	273.20B/214.80A	273.20B/214.80A	----	229.00 - 38.20	.6021	----	----	----	----	1 UNCH
4720	----	----	276.70B/218.10A	276.70B/218.10A	----	232.30 - 38.40	.6067	----	----	----	----	13 UNCH
4725	----	----	280.40B/221.00A	280.40B/221.00A	----	235.50 - 38.80	.6113	----	----	----	----	59 UNCH
4730	----	----	284.00B/224.00A	284.00B/224.00A	----	238.80 - 39.00	.6160	----	----	----	----	57 UNCH
4735	----	----	287.60B/227.10A	287.60B/227.10A	----	242.10 - 39.30	.6206	----	----	----	----	59 UNCH
4740	----	----	291.20B/230.50A	291.20B/230.50A	----	245.40 - 39.60	.6252	----	----	----	----	38 UNCH
4745	255.90	255.90	294.80B/233.60A	294.80B/233.60A	----	248.70 - 39.90	.6297	----	----	12	----	44 + 11
4750	----	----	298.40B/236.70A	298.40B/236.70A	----	252.10 - 40.10	.6342	----	----	1	----	181 UNCH
4755	----	----	302.40B/240.30A	302.40B/240.30A	----	255.50 - 40.40	.6387	----	----	----	----	25 UNCH
4760	----	----	305.80B/243.50A	305.80B/243.50A	----	258.90 - 40.70	.6431	----	----	1	----	7 - 1
4765	----	----	309.60B/246.80A	309.60B/246.80A	----	262.30 - 41.00	.6476	----	----	----	----	8 UNCH
4770	----	----	313.60B/250.10A	313.60B/250.10A	----	265.80 - 41.20	.6520	----	----	----	----	260 UNCH
4775	----	----	317.40B/253.20A	317.40B/253.20A	----	269.20 - 41.50	.6564	----	----	----	----	172 UNCH
4780	----	----	321.10B/256.60A	321.10B/256.60A	----	272.70 - 41.80	.6607	----	----	----	----	19 UNCH
4785	----	----	325.00B/259.90A	325.00B/259.90A	----	276.30 - 42.00	.6649	----	----	----	----	18 UNCH
4790	----	----	328.90B/263.30A	328.90B/263.30A	----	279.80 - 42.30	.6693	----	----	----	----	54 UNCH
4795	----	----	332.60B/266.70A	332.60B/266.70A	----	283.40 - 42.50	.6735	----	----	----	----	128 UNCH
4800	----	----	336.60B/270.00A	336.60B/270.00A	----	286.90 - 42.90	.6777	----	----	1	----	968 UNCH
4805	----	----	340.40B/273.90A	340.40B/273.90A	----	290.50 - 43.10	.6819	----	----	----	----	9 UNCH
4810	----	----	344.30B/277.20A	344.30B/277.20A	----	294.10 - 43.40	.6860	----	----	----	----	5 UNCH
4815	----	----	348.20B/280.80A	348.20B/280.80A	----	297.80 - 43.60	.6902	----	----	----	----	3 UNCH
4820	----	----	352.00B/284.40A	352.00B/284.40A	----	301.40 - 43.90	.6942	----	----	----	----	4 UNCH
4825	----	----	356.10B/287.60A	356.10B/287.60A	----	305.10 - 44.20	.6983	----	----	----	----	30 UNCH
4830	----	----	359.90B/291.30A	359.90B/291.30A	----	308.80 - 44.40	.7023	----	----	----	----	4 UNCH
4835	----	----	363.90B/294.70A	363.90B/294.70A	----	312.50 - 44.70	.7062	----	----	----	----	36 UNCH
4840	----	----	368.10B/298.50A	368.10B/298.50A	----	316.30 - 44.90	.7103	----	----	----	----	5 UNCH
4850	----	----	376.00B/305.60A	376.00B/305.60A	----	323.80 - 45.40	.7180	----	----	2	----	156 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4855	----	----	380.20B/309.40A	380.20B/309.40A	----	327.60 - 45.70	.7219	----	----	----	----	11 UNCH
4860	----	----	384.30B/313.10A	384.30B/313.10A	----	331.40 - 45.90	.7255	----	----	----	----	9 UNCH
4865	----	----	388.40B/316.80A	388.40B/316.80A	----	335.30 - 46.10	.7292	----	----	----	----	12 UNCH
4870	----	----	392.50B/320.40A	392.50B/320.40A	----	339.20 - 46.30	.7329	----	----	----	----	29 UNCH
4875	----	----	396.60B/324.00A	396.60B/324.00A	----	343.10 - 46.50	.7366	----	----	----	----	82 UNCH
4880	----	----	400.80B/327.90A	400.80B/327.90A	----	347.00 - 46.70	.7401	----	----	----	----	127 UNCH
4885	----	----	404.90B/332.40A	404.90B/332.40A	----	351.00 - 46.80	.7437	----	----	----	----	8 UNCH
4890	----	----	409.00B/336.40A	409.00B/336.40A	----	354.90 - 47.10	.7472	----	----	----	----	6 UNCH
4895	----	----	413.20B/339.60A	413.20B/339.60A	----	358.90 - 47.30	.7506	----	----	----	----	6 UNCH
4900	----	----	417.40B/342.90A	417.40B/342.90A	----	362.90 - 47.50	.7541	----	----	----	----	431 UNCH
4905	----	----	421.60B/347.00A	421.60B/347.00A	----	366.90 - 47.70	.7574	----	----	----	----	29 UNCH
4910	----	----	426.00B/351.20A	426.00B/351.20A	----	371.00 - 47.80	.7608	----	----	----	----	23 UNCH
4920	----	----	434.50B/358.80A	434.50B/358.80A	----	379.10 - 48.10	.7673	----	----	----	----	3 UNCH
4925	----	----	438.60B/363.00A	438.60B/363.00A	----	383.20 - 48.30	.7705	----	----	----	----	57 UNCH
4930	----	----	443.00B/366.80A	443.00B/366.80A	----	387.20 - 48.60	.7737	----	----	----	----	1 UNCH
4950	----	----	460.20B/382.90A	460.20B/382.90A	----	403.80 - 49.20	.7861	----	----	----	----	31 UNCH
4955	----	----	464.70B/386.90A	464.70B/386.90A	----	407.90 - 49.40	.7891	----	----	----	----	1 UNCH
4965	----	----	473.40B/395.70A	473.40B/395.70A	----	416.30 - 49.70	.7950	----	----	----	----	1 UNCH
4980	----	----	486.60B/408.00A	486.60B/408.00A	----	428.90 - 50.30	.8037	----	----	----	----	1 UNCH
5000	----	----	504.20B/424.50A	504.20B/424.50A	----	446.00 - 50.90	.8147	----	----	----	----	331 UNCH
5010	----	----	513.30B/432.80A	513.30B/432.80A	----	454.60 - 51.20	.8198	----	----	----	----	1 UNCH
5025	----	----	526.60B/445.30A	526.60B/445.30A	----	467.60 - 51.60	.8276	----	----	----	----	25 UNCH
5030	----	----	531.20B/450.30A	531.20B/450.30A	----	472.00 - 51.70	.8300	----	----	----	----	1 UNCH
5040	----	----	540.30B/458.50A	540.30B/458.50A	----	480.70 - 52.00	.8348	----	----	----	----	4 UNCH
5045	----	----	544.70B/462.80A	544.70B/462.80A	----	485.10 - 52.20	.8372	----	----	----	----	31 UNCH
5050	----	----	549.40B/467.10A	549.40B/467.10A	----	489.50 - 52.30	.8396	----	----	----	----	351 UNCH
5070	----	----	567.60B/483.90A	567.60B/483.90A	----	507.30 - 52.70	.8486	----	----	----	----	17 UNCH
5080	----	----	576.70B/493.30A	576.70B/493.30A	----	516.20 - 53.00	.8528	----	----	----	----	3 UNCH
5100	----	----	595.10B/510.80A	595.10B/510.80A	----	534.20 - 53.40	.8611	----	----	----	----	85 UNCH
5120	----	----	613.90B/528.80A	613.90B/528.80A	----	552.30 - 53.90	.8687	----	----	----	----	2 UNCH
5180	----	----	670.00B/582.60A	670.00B/582.60A	----	607.50 - 54.90	.8889	----	----	----	----	1 UNCH
5200	----	----	689.00B/600.90A	689.00B/600.90A	----	626.10 - 55.20	.8948	----	----	----	----	114 UNCH
5265	----	----	751.30B/661.70A	751.30B/661.70A	----	687.30 - 56.10	.9115	----	----	----	----	1 UNCH
5300	----	----	784.80B/694.50A	784.80B/694.50A	----	720.60 - 56.50	.9191	----	----	----	----	3 UNCH
5355	----	----	838.30B/747.00A	838.30B/747.00A	----	773.40 - 57.00	.9293	----	----	----	----	1 UNCH
5400	----	----	882.20B/790.20A	882.20B/790.20A	----	816.90 - 57.40	.9366	----	----	----	----	76 UNCH
5460	----	----	940.40B/848.40A	940.40B/848.40A	----	875.20 - 57.90	.9444	----	----	----	----	1 UNCH
5500	----	----	980.10B/887.30A	980.10B/887.30A	----	914.20 - 58.20	.9490	----	----	----	----	4 UNCH
5530	----	----	1,009.80B/916.7	1009.80B/916.70A	----	943.60 - 58.30	.9521	----	----	----	----	1 UNCH
5575	----	----	----/960.70A	1031.30B/960.70A	----	987.70 - 58.60	.9563	----	----	----	----	2 UNCH
TOTAL										1635	140	45497 + 598
SEP26												
2000	----	----	----	----/0.80A	----	0.50 UNCH	.0011	----	----	----	----	1 UNCH
2350	----	----	----	0.60B/1.30A	----	0.90 - 0.20	.0023	----	----	----	----	37 UNCH
2375	----	----	----	0.70B/*1.30A	----	1.00 - 0.10	.0025	----	----	----	----	5 UNCH
2400	----	----	----	0.70B/1.40A	----	1.00 - 0.20	.0026	----	----	----	----	1 UNCH
2500	----	----	----	0.90B/1.40A	----	1.20 - 0.20	.0032	----	----	1	----	54 UNCH
2575	----	----	----	1.10B/*1.70A	----	1.40 - 0.20	.0038	----	----	----	----	1 UNCH
2600	----	----	----	1.20B/*1.80A	----	1.40 - 0.30	.0038	----	----	----	----	2 UNCH
2800	----	----	----	2.00B/*2.40A	----	2.00 - 0.40	.0058	----	----	----	----	2 UNCH
2850	----	----	----/*2.50A	2.30B/*2.50A	----	2.20 - 0.40	.0064	----	----	----	----	4 UNCH
2860	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.40	.0067	----	----	----	----	17 UNCH
2865	----	----	----/*2.60A	2.30B/*2.60A	----	2.30 - 0.40	.0067	----	----	----	----	10 UNCH
2900	----	----	----/*2.70A	2.50B/*2.70A	----	2.40 - 0.50	.0071	----	----	----	----	5 UNCH
2915	----	----	----/*2.80A	2.60B/*2.80A	----	2.50 - 0.40	.0074	----	----	----	----	2 UNCH
2920	----	----	----/*2.80A	2.60B/*2.80A	----	2.50 - 0.50	.0074	----	----	----	----	5 UNCH
3000	----	----	----/3.20A	3.00B/3.20A	----	2.90 - 0.50	.0088	----	----	----	----	3 UNCH
3045	----	----	----/*3.50A	3.30B/*3.50A	----	3.20 - 0.50	.0098	----	----	----	----	25 UNCH
3100	----	----	----/*3.80A	3.60B/*3.80A	----	3.50 - 0.60	.0109	----	----	----	----	25 UNCH
3145	----	----	----/*4.10A	3.90B/*4.10A	----	3.80 - 0.70	.0120	----	----	----	----	15 UNCH
3150	----	----	----/*4.20A	3.90B/*4.20A	----	3.90 - 0.60	.0123	----	----	----	----	2 UNCH
3200	----	----	----/*4.50A	4.30B/*4.50A	----	4.30 - 0.70	.0137	----	----	----	----	1 UNCH
3270	----	----	----/*5.20A	5.00B/*5.20A	----	4.90 - 0.80	.0160	----	----	----	----	15 UNCH
3300	----	----	----/*5.50A	5.40B/*5.50A	----	5.20 - 0.90	.0171	----	----	1	----	4 + 1
3400	----	----	----/*6.60A	6.80B/*6.60A	----	6.40 - 1.10	.0215	----	----	----	----	51 UNCH
3475	----	----	----/*7.70A	8.10B/*7.70A	----	7.50 - 1.40	.0256	----	----	----	----	2 UNCH
3480	----	----	----/*7.80A	8.20B/*7.80A	----	7.60 - 1.40	.0259	----	----	----	----	780 UNCH
3495	----	----	----/*8.00A	8.50B/*8.00A	----	7.90 - 1.40	.0270	----	----	----	----	1 UNCH
3500	----	----	----/8.10A	8.60B/8.10A	----	8.00 - 1.40	.0274	----	----	----	----	226 UNCH
3515	----	----	----/*8.40A	8.90B/*8.40A	----	8.20 - 1.50	.0282	----	----	----	----	5 UNCH
3525	----	----	----/*8.60A	9.20B/*8.60A	----	8.40 - 1.50	.0289	----	----	----	----	2 UNCH
3530	----	----	----/*8.70A	9.30B/*8.70A	----	8.50 - 1.50	.0293	----	----	----	----	1 UNCH
3535	----	----	----/*8.80A	9.40B/*8.80A	----	8.60 - 1.60	.0296	----	----	----	----	1 UNCH
3545	----	----	----/*9.00A	9.60B/*9.00A	----	8.80 - 1.60	.0304	----	----	----	----	6 UNCH
3550	----	----	----/*9.10A	9.70B/*9.10A	----	8.90 - 1.60	.0308	----	----	----	----	5 UNCH
3555	----	----	----/*9.20A	9.90B/*9.20A	----	9.00 - 1.60	.0311	----	----	----	----	6 UNCH
3565	----	----	----/*9.40A	10.10B/*9.40A	----	9.30 - 1.60	.0321	----	----	----	----	1 UNCH
3570	----	----	----/*9.50A	10.20B/*9.50A	----	9.40 - 1.60	.0325	----	----	----	----	3 UNCH
3575	----	----	----/*9.60A	10.40B/*9.60A	----	9.50 - 1.70	.0329	----	----	----	----	64 UNCH
3585	----	----	----/*9.80A	10.60B/*9.80A	----	9.70 - 1.70	.0337	----	----	----	----	1 UNCH
3590	----	----	----/*9.90A	10.80B/*9.90A	----	9.80 - 1.80	.0341	----	----	1	----	4 + 1
3595	----	----	----/*10.00A	10.90B/*10.00A	----	9.90 - 1.80	.0344	----	----	----	----	5 UNCH
3600	----	----	----/*10.10A	11.00B/*10.10A	----	10.10 - 1.70	.0351	----	----	----	----	40 UNCH
3605	----	----	----/*10.30A	11.20B/*10.30A	----	10.20 - 1.80	.0355	----	----	----	----	9 UNCH
3610	----	----	----/*10.40A	11.30B/*10.40A	----	10.30 - 1.80	.0359	----	----	----	----	8 UNCH
3625	----	----	----/*10.70A	11.80B/*10.70A	----	10.70 - 1.90	.0373	----	----	----	----	7 UNCH
3635	----	----	----/*11.00A	12.10B/*11.00A	----	11.00 - 1.90	.0384	----	----	----	----	5 UNCH
3650	----	----	----/*11.40A	12.50B/*11.40A	----	11.40 - 2.00	.0399	----	----	----	----	48 UNCH
3665	----	----	----/*11.80A	13.00B/*11.80A	----	11.80 - 2.10	.0414	----	----	----	----	1 UNCH
3670	----	----	----/*11.90A	13.20B/*11.90A	----	12.00 - 2.10	.0420	----	----	----	----	1 UNCH
3675	----	----	----/*12.10A	13.40B/*12.10A	----	12.10 - 2.10	.0424	----	----	----	----	10 UNCH
3680	----	----	----/*12.20A	13.50B/*12.20A	----	12.30 - 2.10	.0431	----	----	----	----	3 UNCH
3685	----	----	----/*12.40A	13.70B/*12.40A	----	12.40 - 2.20	.0435	----	----	----	----	1 UNCH
3690	----	----	----/*12.50A	13.90B/*12.50A	----	12.60 - 2.20	.0442	----	----	----	----	61 UNCH
3700	14.10	14.10	14.10/*12.80A	14.30B/*12.80A	----	12.90 - 2.30	.0453	----	----	3	----	156 + 1
3715	----	----	----/*13.30A	14.90B/*13.30A	----	13.40 - 2.40	.0472	----	----	----	----	14 UNCH
3720	----	----	----/*13.50A	15.10B/*13.50A	----	13.60 - 2.40	.0479	----	----	----	----	50 UNCH
3740	----	----	----/*14.10A	15.90B/*14.10A	----	14.30 - 2.60	.0504	----	----	----	----	1 UNCH
3750	15.10	15.10	15.10/*14.50A	16.30B/*14.50A	----	14.70 - 2.60	.0518	----	----	1	----	104 + 1
3755	----	----	----/*14.70A	16.50B/*14.70A	----	14.90 - 2.60	.0525	----	----	----	----	453 UNCH
3765	----	----	----/*15.10A	17.00B/*15.10A	----	15.30 - 2.70	.0540	----	----	----	----	1 UNCH
3775	----	----	----/*15.50A	17.50B/*15.50A	----	15.70 - 2.80	.0554	----	----	1	----	1 UNCH
3790	----	----	----/*16.10A	19.10B/*16.10A	----	16.40 - 2.90	.0578	----	----	----	----	2 UNCH
3800	----	----	----/*16.50A	19.30B/*16.50A	----	16.90 - 2.90	.0595	----	----	4	----	486 + 2
3820	----	----	----/*17.40A	20.30B/*17.40A	----	17.80 - 3.10	.0628	----	----	----	----	1 UNCH
3825	----	----	----/*17.60A	20.40B/*17.60A	----	18.10 - 3.10	.0638	----	----	----	----	13 UNCH
3830	----	----	----/*17.80A	20.60B/*17.80A	----	18.30 - 3.20	.0645	----	----	----	----	50 UNCH
3840	23.30	23.30	23.30/*18.30A	23.30/*18.30A	----	18.80 - 3.40	.0663	----	----	2	----	2 UNCH
3850	----	----	----/*18.80A	22.20B/*18.80A	----	19.40 - 3.40	.0683	----	----	2	----	27 + 2
3860	----	----	----/*19.30A	22.50B/*19.30A	----	19.90 - 3.60	.0701	----	----	----	----	2 UNCH
3880	----	----	----/*20.40A	24.00B/*20.40A	----	21.10 - 3.70	.0742	----	----	----	----	26 UNCH
3890	----	----	----/*21.00A	24.60B/*21.00A	----	21.70 - 3.90	.0763	----	----	----	----	2 UNCH
3900	22.10	22.10	22.10/*21.60A	25.70B/*21.60A	----	22.30 - 4.00	.0784	----	----	3	----	317 + 2
3910	----	----	----/*22.20A	26.20B/*22.20A	----	23.00 - 4.10	.0807	----	----	----	----	4 UNCH
3915	----	----	----/*22.50A	26.70B/*22.50A	----	23.30 - 4.20	.0818	----	----	----	----	7 UNCH
3920	----	----	----/*22.80A	26.90B/*22.80A	----	23.70 - 4.20	.0830	----	----	----	----	14 UNCH
3930	----	----	----/*23.50A	27.90B/*23.50A	----	24.40 - 4.40	.0854	----	----	----	----	2 UNCH
3945	----	----	----/*24.50A	29.00B/*24.50A	----	25.50 - 4.60	.0891	----	----	----	----	380 UNCH
3950	----	----	----/*24.80A	29.50B/*24.80A	----	25.80 - 4.80	.0902	----	----	1	----	325 + 1
3970	----	----	----/*26.30A	31.30B/*26.30A	----	27.40 - 5.10	.0955	----	----	----	----	5 UNCH
3975	----	----	----/*26.70A	32.00B/*26.70A	----	27.80 - 5.20	.0968	----	----	----	----	44 UNCH
3980	----	----	----/*27.10A	32.30B/*27.10A	----	28.30 - 5.20	.0984	----	----	----	----	5 UNCH
3985	----	----	----/*27.50A	32.90B/*27.50A	----	28.70 - 5.30	.0997	----	----	----	----	1 UNCH
3990	----	----	----/*27.90A	33.50B/*27.90A	----	29.10 - 5.40	.1011	----	----	----	----	1 UNCH
3995	----	----	----/*28.30A	33.80B/*28.30A	----	29.60 - 5.50	.1026	----	----	----	----	9 UNCH
4000	30.80	30.80	30.80/*28.70A	34.50B/*28.70A	----	30.00 - 5.60	.1040	----	----	155	----	1412 + 147
4005	----	----	----/*29.20A	35.00B/*29.20A	----	30.50 - 5.70	.1056	----	----	----	----	1 UNCH
4015	----	----	----/*30.00A	36.20B/*30.00A	----	31.40 - 5.90	.1085	----	----	----	----	9 UNCH
4020	----	----	----/*30.50A	36.80B/*30.50A	----	31.90 - 6.00	.1101	----	----	----	----	14 UNCH
4030	----	----	----/*31.40A	38.10B/*31.40A	----	32.80 - 6.30	.1131	----	----	----	----	13 UNCH
4040	----	----	----/*32.40A	39.00B/*32.40A	----	33.90 - 6.40	.1165	----	----	----	----	19 UNCH
4050	----	----	42.50B/33.40A	42.50B/33.40A	----	34.90 - 6.70	.1197	----	----	50	----	94 + 50
4055	----	----	43.10B/*33.90A	43.10B/*33.90A	----	35.50 - 6.70	.1216	----	----	----	----	4 UNCH
4060	----	----	43.80B/*34.40A	43.80B/*34.40A	----	36.00 - 6.90	.1232	----	----	----	----	1 UNCH
4065	----	----	44.50B/*34.90A	44.50B/*34.90A	----	36.60 - 7.00	.1250	----	----	----	----	5 UNCH
4070	----	----	45.30B/*35.50A	45.30B/*35.50A	----	37.10 - 7.20	.1267	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4075	39.40	39.40	46.00B/36.00A	46.00B/36.00A	----	37.70 NEW	.1285	----	----	22	----	22 + 22
4080	----	----	46.40B/36.60A	46.40B/36.60A	----	38.30 - 7.40	.1304	----	----	----	----	7 UNCH
4085	----	----	47.40B/37.10A	47.40B/37.10A	----	38.90 - 7.50	.1322	----	----	----	----	76 UNCH
4090	----	----	48.00B/37.70A	48.00B/37.70A	----	39.50 - 7.60	.1341	----	----	4	----	38 + 2
4100	38.80	38.80	49.30B/38.80	49.30B/38.80	----	40.80 - 7.90	.1380	----	----	6	----	184 + 5
4105	----	----	50.60B/39.50A	50.60B/39.50A	----	41.40 - 8.00	.1399	----	----	----	----	1 UNCH
4110	----	----	50.90B/40.10A	50.90B/40.10A	----	42.00 - 8.20	.1417	----	----	----	----	1 UNCH
4115	----	----	51.80B/40.70A	51.80B/40.70A	----	42.70 - 8.30	.1438	----	----	----	----	28 UNCH
4125	----	----	53.40B/42.00A	53.40B/42.00A	----	44.10 - 8.50	.1480	----	----	----	----	14 UNCH
4130	----	----	54.50B/42.60A	54.50B/42.60A	----	44.80 - 8.70	.1501	----	----	----	----	20 UNCH
4135	----	----	55.00B/43.30A	55.00B/43.30A	----	45.50 - 8.80	.1521	----	----	----	----	3 UNCH
4150	----	----	57.70B/45.40A	57.70B/45.40A	----	47.70 - 9.30	.1586	----	----	2	----	31 - 1
4155	----	----	58.60B/46.10A	58.60B/46.10A	----	48.40 - 9.50	.1608	----	----	----	----	1 UNCH
4165	54.50	54.50	60.60B/47.60A	60.60B/47.60A	----	50.00 - 9.70	.1653	----	----	25	----	27 + 25
4175	----	----	62.00B/49.10A	62.00B/49.10A	----	51.60 - 10.00	.1700	----	----	----	----	1 UNCH
4180	----	----	63.30B/49.90A	63.30B/49.90A	----	52.40 - 10.20	.1723	----	----	----	----	3 UNCH
4185	----	----	64.10B/50.70A	64.10B/50.70A	----	53.20 - 10.40	.1746	----	----	----	----	79 UNCH
4190	----	----	65.70B/51.50A	65.70B/51.50A	----	54.10 - 10.50	.1771	----	----	----	----	1 UNCH
4195	----	----	66.80B/52.30A	66.80B/52.30A	----	55.00 - 10.60	.1796	----	----	----	----	1 UNCH
4200	----	----	67.20B/53.00A	67.20B/53.00A	----	55.80 - 10.90	.1819	----	----	----	----	704 UNCH
4205	----	----	68.30B/53.90A	68.30B/53.90A	----	56.70 - 11.00	.1844	----	----	----	----	10 UNCH
4210	----	----	69.40B/54.80A	69.40B/54.80A	----	57.60 - 11.20	.1870	----	----	1	----	4 + 1
4220	----	----	72.00B/56.50A	72.00B/56.50A	----	59.50 - 11.50	.1922	----	----	1	----	114 + 1
4225	----	----	72.80B/57.40A	72.80B/57.40A	----	60.40 - 11.70	.1947	----	----	----	----	3 UNCH
4230	----	----	74.10B/58.30A	74.10B/58.30A	----	61.40 - 11.80	.1974	----	----	----	----	29 UNCH
4235	----	----	74.60B/59.30A	74.60B/59.30A	----	62.40 - 12.00	.2001	----	----	----	----	1 UNCH
4240	----	----	76.40B/60.10A	76.40B/60.10A	----	63.40 - 12.10	.2028	----	----	----	----	106 UNCH
4245	----	----	77.40B/61.20A	77.40B/61.20A	----	64.40 - 12.30	.2055	----	----	----	----	1 UNCH
4250	65.00	65.00	79.50B/62.00A	79.50B/62.00A	----	65.40 - 12.50	.2082	----	----	60	----	746 + 53
4255	67.50	67.50	80.10B/63.10A	80.10B/63.10A	----	66.50 - 12.70	.2110	----	----	2	----	4 + 2
4260	----	----	80.60B/64.00A	80.60B/64.00A	----	67.50 - 12.90	.2138	----	----	----	----	50 UNCH
4270	----	----	84.00B/66.20A	84.00B/66.20A	----	69.70 - 13.20	.2195	----	----	----	----	28 UNCH
4275	----	----	84.40B/67.20A	84.40B/67.20A	----	70.80 - 13.40	.2224	----	----	----	----	38 UNCH
4280	----	----	87.20B/68.30A	87.20B/68.30A	----	71.90 NEW	.2253	----	----	1	----	1 + 1
4285	----	----	89.20B/69.30A	89.20B/69.30A	----	73.10 - 13.80	.2283	----	----	----	----	13 UNCH
4290	----	----	89.20B/70.40A	89.20B/70.40A	----	74.20 - 14.00	.2312	----	----	----	----	1 UNCH
4295	----	----	92.20B/71.50A	92.20B/71.50A	----	75.40 - 14.20	.2342	----	----	----	----	3 UNCH
4300	73.10	73.10	92.90B/72.70	92.90B/72.70	----	76.60 - 14.40	.2372	----	----	34	----	467 - 30
4305	----	----	93.50B/73.80A	93.50B/73.80A	----	77.80 NEW	.2403	----	----	15	----	15 + 15
4310	----	----	95.70B/75.00A	95.70B/75.00A	----	79.00 - 14.80	.2433	----	----	----	----	1 UNCH
4315	----	----	98.00B/76.10A	98.00B/76.10A	----	80.30 - 14.90	.2465	----	----	1	----	71 + 1
4320	----	----	98.70B/77.30A	98.70B/77.30A	----	81.60 - 15.10	.2497	----	----	1	----	168 UNCH
4325	82.50	82.50	99.90B/78.50A	99.90B/78.50A	----	82.80 - 15.40	.2527	----	----	14	----	56 + 2
4330	----	----	100.90B/79.80A	100.90B/79.80A	----	84.10 NEW	.2559	----	----	1	----	1 + 1
4340	----	----	104.50B/82.30A	104.50B/82.30A	----	86.80 - 16.00	.2624	----	----	----	----	50 UNCH
4345	----	----	105.30B/83.50A	105.30B/83.50A	----	88.20 - 16.10	.2657	----	----	----	----	17 UNCH
4350	----	----	106.10B/84.80A	106.10B/84.80A	----	89.50 - 16.40	.2689	----	----	2	----	141 UNCH
4355	----	----	109.80B/86.10A	109.80B/86.10A	----	90.90 - 16.60	.2722	----	----	----	----	5 UNCH
4360	----	----	110.00B/87.50A	110.00B/87.50A	----	92.30 - 16.90	.2756	----	----	----	----	1 UNCH
4365	----	----	112.00B/88.80A	112.00B/88.80A	----	93.80 - 17.00	.2790	----	----	----	----	6 UNCH
4375	----	----	115.30B/91.60A	115.30B/91.60A	----	96.70 - 17.50	.2858	----	----	----	----	63 UNCH
4380	----	----	117.00B/93.00A	117.00B/93.00A	----	98.20 - 17.70	.2892	----	----	----	----	95 UNCH
4385	----	----	118.90B/94.40A	118.90B/94.40A	----	99.70 - 17.90	.2926	----	----	----	----	2 UNCH
4390	----	----	119.60B/95.90A	119.60B/95.90A	----	101.30 - 18.10	.2962	----	----	2	----	43 + 2
4395	----	----	123.40B/97.30A	123.40B/97.30A	----	102.80 - 18.40	.2996	----	----	----	----	52 UNCH
4400	----	----	125.40B/98.70A	125.40B/98.70A	----	104.40 - 18.60	.3032	----	----	----	----	837 UNCH
4405	----	----	125.20B/100.30A	125.20B/100.30A	----	106.00 - 18.80	.3067	----	----	----	----	40 UNCH
4410	----	----	----/101.80A	126.60B/101.80A	----	107.60 - 19.00	.3103	----	----	----	----	6 UNCH
4415	----	----	130.70B/103.40A	130.70B/103.40A	----	109.20 - 19.30	.3139	----	----	----	----	2 UNCH
4420	----	----	132.40B/104.90A	132.40B/104.90A	----	110.90 - 19.50	.3175	----	----	----	----	3 UNCH
4425	----	----	134.70B/106.70A	134.70B/106.70A	----	112.60 - 19.70	.3211	----	----	----	----	201 UNCH
4430	----	----	----/108.60A	134.20B/108.60A	----	114.30 - 19.90	.3248	----	----	----	----	2 UNCH
4440	118.80	118.80	118.80/111.50A	138.10B/111.50A	----	117.70 - 20.40	.3321	----	----	3	----	8 UNCH
4445	----	----	140.30B/113.30A	140.30B/113.30A	----	119.50 - 20.60	.3358	----	----	----	----	5 UNCH
4450	----	----	142.40B/114.80A	142.40B/114.80A	----	121.30 - 20.90	.3396	----	----	----	----	448 UNCH
4455	----	----	144.30B/116.60A	144.30B/116.60A	----	123.10 - 21.10	.3433	----	----	----	----	4 UNCH
4465	----	----	----/120.50A	147.10B/120.50A	----	126.80 - 21.60	.3509	----	----	----	----	2 UNCH
4470	----	----	153.50B/121.90A	153.50B/121.90A	----	128.60 - 21.90	.3546	----	----	----	----	5 UNCH
4475	----	----	155.60B/123.70A	155.60B/123.70A	----	130.50 - 22.10	.3584	----	----	----	----	6 UNCH
4480	----	----	157.80B/125.30A	157.80B/125.30A	----	132.40 - 22.40	.3623	----	----	----	----	3 UNCH
4485	----	----	160.10B/127.30A	160.10B/127.30A	----	134.40 - 22.60	.3661	----	----	----	----	6 UNCH
4490	----	----	161.80B/129.20A	161.80B/129.20A	----	136.30 - 22.90	.3700	----	----	----	----	50 UNCH
4495	----	----	165.60B/130.90A	165.60B/130.90A	----	138.30 - 23.10	.3738	----	----	----	----	4 UNCH
4500	160.00	160.00	166.70B/132.70A	166.70B/132.70A	----	140.30 - 23.30	.3777	----	----	3	----	616 + 2
4505	141.50	141.50	169.00B/135.20A	169.00B/135.20A	----	142.30 NEW	.3816	----	----	3	----	3 + 3
4510	----	----	172.70B/136.70A	172.70B/136.70A	----	144.40 - 23.80	.3855	----	----	----	----	11 UNCH
4515	----	----	173.80B/138.60A	173.80B/138.60A	----	146.40 - 24.10	.3894	----	----	----	----	3 UNCH
4520	----	----	176.00B/140.60A	176.00B/140.60A	----	148.50 - 24.40	.3933	----	----	----	----	91 UNCH
4525	----	----	178.30B/142.50A	178.30B/142.50A	----	150.60 - 24.60	.3973	----	----	2	----	4 UNCH
4530	----	----	180.90B/144.60A	180.90B/144.60A	----	152.80 - 24.80	.4013	----	----	----	----	5 UNCH
4540	----	----	185.80B/148.70A	185.80B/148.70A	----	157.10 - 25.40	.4092	----	----	1	----	4 + 1
4545	----	----	188.20B/150.70A	188.20B/150.70A	----	159.30 - 25.60	.4131	----	----	----	----	14 UNCH
4550	183.30	183.30	190.70B/152.50A	190.70B/152.50A	----	161.50 - 25.90	.4171	----	----	1	----	509 - 1
4555	----	----	193.40B/155.00A	193.40B/155.00A	----	163.80 - 26.10	.4211	----	----	----	----	50 UNCH
4560	----	----	195.80B/157.00A	195.80B/157.00A	----	166.00 - 26.40	.4251	----	----	----	----	42 UNCH
4565	167.40	167.40	198.50B/159.20A	198.50B/159.20A	----	168.30 - 26.70	.4291	----	----	4	----	85 + 4
4570	----	----	201.40B/161.50A	201.40B/161.50A	----	170.60 - 27.00	.4331	----	----	----	----	18 UNCH
4575	----	----	204.90B/163.80A	204.90B/163.80A	----	173.00 - 27.20	.4371	----	----	----	----	47 UNCH
4580	----	----	206.60B/165.90A	206.60B/165.90A	----	175.30 - 27.50	.4412	----	----	----	----	1 UNCH
4585	----	----	207.70B/168.10A	207.70B/168.10A	----	177.70 - 27.70	.4452	----	----	----	----	63 UNCH
4595	----	----	215.60B/172.90A	215.60B/172.90A	----	182.50 - 28.30	.4532	----	----	----	----	2 UNCH
4600	----	----	217.20B/175.20A	217.20B/175.20A	----	185.00 - 28.50	.4573	----	----	----	----	118 UNCH
4605	----	----	218.30B/177.60A	218.30B/177.60A	----	187.40 - 28.80	.4613	----	----	51	----	70 + 31
4610	----	----	222.30B/179.90A	222.30B/179.90A	----	189.90 - 29.10	.4654	----	----	----	----	5 UNCH
4615	198.30	198.30	225.80B/182.20A	225.80B/182.20A	----	192.40 - 29.30	.4694	----	----	1	----	21 - 1
4620	----	----	228.60B/184.50A	228.60B/184.50A	----	195.00 - 29.50	.4734	----	----	----	----	438 UNCH
4625	191.50	191.50	232.70B/187.10A	232.70B/187.10A	----	197.50 - 29.90	.4775	----	----	100	----	119 + 99
4630	----	----	233.20B/189.50A	233.20B/189.50A	----	200.10 - 30.10	.4815	----	----	----	----	2 UNCH
4635	----	----	236.10B/192.10A	236.10B/192.10A	----	202.70 - 30.40	.4855	----	----	----	----	1 UNCH
4640	----	----	239.00B/194.50A	239.00B/194.50A	----	205.30 - 30.70	.4896	----	----	----	----	9 UNCH
4645	----	----	243.30B/196.90A	243.30B/196.90A	----	208.00 - 30.90	.4936	----	----	----	----	1 UNCH
4650	----	----	247.60B/199.60A	247.60B/199.60A	----	210.70 - 31.10	.4976	----	----	----	----	8 UNCH
4655	----	----	250.20B/202.30A	250.20B/202.30A	----	213.30 - 31.50	.5016	----	----	14	----	14 - 2
4660	----	----	252.20B/204.60A	252.20B/204.60A	----	216.10 - 31.60	.5056	----	----	----	----	8 UNCH
4665	----	----	254.80B/207.20A	254.80B/207.20A	----	218.80 - 31.90	.5096	----	----	----	----	2 UNCH
4670	----	----	258.40B/210.00A	258.40B/210.00A	----	221.60 - 32.20	.5136	----	----	----	----	26 UNCH
4675	----	----	260.70B/212.60A	260.70B/212.60A	----	224.30 - 32.50	.5176	----	----	----	----	7 UNCH
4685	----	----	264.00B/217.80A	264.00B/217.80A	----	230.00 - 33.00	.5255	----	----	----	----	8 UNCH
4690	----	----	----/220.50A	263.90B/220.50A	----	232.80 - 33.30	.5295	----	----	----	----	2 UNCH
4695	----	----	----/223.10A	266.90B/223.10A	----	235.70 - 33.50	.5335	----	----	----	----	2 UNCH
4700	----	----	----/226.00A	270.10B/226.00A	----	238.50 - 33.90	.5374	----	----	----	----	138 UNCH
4705	----	----	----/228.80A	273.30B/228.80A	----	241.50 - 34.00	.5413	----	----	----	----	2 UNCH
4710	----	----	----/231.80A	276.40B/231.80A	----	244.40 - 34.30	.5453	----	----	----	----	1 UNCH
4720	----	----	287.40B/237.30A	287.40B/237.30A	----	250.30 - 34.90	.5531	----	----	----	----	4 UNCH
4725	----	----	289.30B/240.00A	289.30B/240.00A	----	253.30 - 35.10	.5570	----	----	----	----	7 UNCH
4730	----	----	----/242.80A	290.30B/242.80A	----	256.30 - 35.40	.5608	----	----	----	----	7 UNCH
4735	----	----	----/245.90A	293.20B/245.90A	----	259.40 - 35.60	.5647	----	----	----	----	100 UNCH
4740	----	----	301.20B/248.80A	301.20B/248.80A	----	262.40 - 35.90	.5686	----	----	----	----	2 UNCH
4750	----	----	----/255.00A	302.70B/255.00A	----	268.60 - 36.40	.5762	----	----	----	----	175 UNCH
4755	----	----	----/257.60A	303.20B/257.60A	----	271.70 - 36.70	.5800	----	----	----	----	10 UNCH
4760	----	----	----/261.10A	304.30B/261.10A	----	274.90 - 36.90	.5838	----	----	----	----	109 UNCH
4770	----	----	----/266.80A	308.40B/266.80A	----	281.20 - 37.40	.5914	----	----	----	----	1 UNCH
4775	----	----	----/270.10A	312.50B/270.10A	----	284.40 - 37.70	.5951	----	----	----	----	130 UNCH
4780	----	----	----/273.20A	315.30B/273.20A	----	287.60 - 38.00	.5988	----	----	----	----	3 UNCH
4795	----	----	----/282.30A	325.70B/282.30A	----	297.40 - 38.70	.6099	----	----	----	----	6 UNCH
4800	----	----	----/285.70A	330.20B/285.70A	----	300.70 - 39.00	.6136	----	----	----	----	474 UNCH
4805	----	----	----/288.90A	332.70B/288.90A	----	304.00 - 39.20	.6172	----	----	----	----	9 UNCH
4825	----	----	----/302.50A	346.80B/302.50A	----	317.50 - 40.20	.6316	----	----	----	----	2 UNCH
4830	----	----	----/305.50A	350.50B/305.50A	----	320.90 - 40.40	.6351	----	----	----	----	10 UNCH
4835	----	----	----/308.80A	354.10B/308.80A	----	324.40 - 40.60	.6386	----	----	----	----	30 UNCH
4855	----	----	----/322.50A	368.80B/322.50A	----	338.30 - 41.50	.6525	----	----	----	----	14 UNCH
4860	----	----	----/325.60A	372.50B/325.60A	----	341.90 - 41.70	.6559	----	----	----	----	11 UNCH
4875	----	----	----/336.20A	383.70B/336.20A	----	352.60 - 42.30	.6660	----	----	----	----	8 UNCH
4885	----	----	----/343.10A	389.00B/343.10A	----	359.80 - 42.80	.6726	----	----	----	----	4 UNCH
4895	----	----	----/350.30A	390.10B/350.30A	----	367.10 - 43.20	.6792	----	----	----	----	1 UNCH
4900	----	----	----/353.80A	397.90B/353.80A	----	370.80 - 43.30	.6824	----	----	----	----	25 UNCH
4915	----	----	----/364.50A	392.80B/364.50A	----	381.90 - 43.90	.6919	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4930	----	----	----/375.40A	421.10B/375.40A	----	393.20 - 44.40	.7013	----	----	----	----	20 UNCH
4950	----	----	----/390.10A	401.30B/390.10A	----	408.40 - 45.10	.7133	----	----	----	----	1 UNCH
4955	----	----	----/393.90A	402.70B/393.90A	----	412.30 - 45.20	.7163	----	----	----	----	1 UNCH
4975	----	----	----/408.90A	456.80B/408.90A	----	427.90 - 45.90	.7278	----	----	----	----	220 UNCH
5000	429.00	429.00	429.20/429.00	477.10B/429.00	----	447.60 - 46.70	.7418	----	----	3	----	13 + 3
5005	----	----	----/434.70A	481.20B/434.70A	----	451.60 - 46.90	.7445	----	----	----	----	3 UNCH
5020	----	----	----/446.50A	493.60B/446.50A	----	463.60 - 47.40	.7526	----	----	----	----	3 UNCH
5060	----	----	----/478.30A	527.10B/478.30A	----	496.30 - 48.60	.7730	----	----	----	----	4 UNCH
5100	----	----	----/511.00A	561.30B/511.00A	----	529.70 - 49.80	.7917	----	----	----	----	28 UNCH
5105	----	----	----	434.80B/639.50A	----	533.90 - 50.00	.7941	----	----	----	----	2 UNCH
5150	----	----	----	474.60B/677.10A	----	572.40 - 51.10	.8132	----	----	----	----	2 UNCH
5200	----	----	----/595.90A	649.40B/595.90A	----	616.20 - 52.10	.8323	----	----	----	----	45 UNCH
5230	----	----	----/621.00A	677.60B/621.00A	----	642.80 - 52.70	.8430	----	----	----	----	400 UNCH
5300	----	----	----/683.30A	741.50B/683.30A	----	706.00 - 53.90	.8647	----	----	----	----	300 UNCH
5400	----	----	----/775.70A	833.10B/775.70A	----	798.30 - 55.40	.8904	----	----	----	----	100 UNCH
5420	----	----	----/794.30A	851.90B/794.30A	----	817.10 - 55.60	.8948	----	----	----	----	80 UNCH
5450	----	----	----	750.30B/946.60A	----	845.30 - 56.00	.9010	----	----	----	----	1 UNCH
5500	----	----	----/869.30A	927.90B/869.30A	----	892.60 - 56.50	.9101	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1379.50 - 59.60	.9597	----	----	----	----	2 UNCH
TOTAL										605		15904 + 449
OCT26												
1500	----	----	----	----/0.80A	----	0.10 UNCH	.0002	----	----	1	----	2 + 1
2000	----	----	----	0.40B/1.20A	----	0.80 UNCH	.0017	----	----	1	----	1 + 1
2675	----	----	----	2.20B/3.00A	----	2.60 - 0.20	.0066	----	----	----	----	75 UNCH
2700	----	----	----	2.30B/3.20A	----	2.70 - 0.20	.0069	----	----	1	----	2 + 1
2800	----	----	----	2.90B/3.70A	----	3.30 - 0.20	.0086	----	----	----	----	8 UNCH
2900	----	----	----	3.50B/4.40A	----	3.90 - 0.30	.0105	----	----	1	----	3 + 1
3050	----	----	----/5.50A	4.80B/5.50A	----	5.10 NEW	.0142	----	----	2	----	2 + 2
3100	----	----	----/6.00A	5.30B/6.00A	----	5.60 - 0.60	.0158	----	----	----	----	1 UNCH
3155	----	----	----/6.60A	6.00B/6.60A	----	6.20 - 0.70	.0177	----	----	----	----	1 UNCH
3190	----	----	----/7.10A	6.70B/7.10A	----	6.70 - 0.70	.0192	----	----	----	----	14 UNCH
3200	----	----	----/7.20A	6.80B/7.20A	----	6.80 - 0.80	.0195	----	----	----	----	414 UNCH
3240	----	----	----/7.80A	7.50B/7.80A	----	7.40 - 0.80	.0213	----	----	----	----	5 UNCH
3300	----	----	----/8.60A	8.60B/8.60A	----	8.30 - 1.00	.0242	----	----	----	----	417 UNCH
3340	----	----	----/9.30A	9.40B/9.30A	----	9.00 - 1.20	.0264	----	----	----	----	9 UNCH
3360	----	----	----/9.70A	9.80B/9.70A	----	9.40 - 1.20	.0277	----	----	----	----	1 UNCH
3380	----	----	----/10.10A	10.30B/10.10A	----	9.80 - 1.30	.0289	----	----	----	----	1 UNCH
3390	----	----	----/10.30A	10.50B/10.30A	----	10.00 - 1.30	.0296	----	----	----	----	4 UNCH
3400	----	----	----/10.50A	10.70B/10.50A	----	10.20 - 1.40	.0302	----	----	----	----	150 UNCH
3430	----	----	----/11.20A	11.50B/11.20A	----	10.90 - 1.50	.0324	----	----	----	----	1 UNCH
3480	----	----	----/12.40A	12.90B/12.40A	----	12.20 - 1.60	.0364	----	----	----	----	12 UNCH
3500	12.90	12.90	12.90/12.90	13.50B/12.90	----	12.70 - 1.80	.0381	----	----	1	----	30 - 1
3520	----	----	----/13.50A	14.10B/13.50A	----	13.30 - 1.90	.0399	----	----	----	----	12 UNCH
3530	----	----	----/13.80A	14.50B/13.80A	----	13.60 - 1.90	.0409	----	----	----	----	5 UNCH
3550	----	----	----/14.40A	15.20B/14.40A	----	14.20 - 2.10	.0428	----	----	----	----	25 UNCH
3600	----	----	----/16.10A	17.10B/16.10A	----	16.00 - 2.30	.0483	----	----	----	----	174 UNCH
3615	----	----	----/16.70A	17.80B/16.70A	----	16.60 - 2.30	.0501	----	----	----	----	1 UNCH
3635	----	----	----/17.40A	18.60B/17.40A	----	17.40 - 2.50	.0525	----	----	----	----	1 UNCH
3660	18.80	18.80	18.80/18.40A	19.80B/18.40A	----	18.50 NEW	.0558	----	----	10	----	10 + 10
3670	19.40	19.40	19.40/18.90A	20.30B/18.90A	----	18.90 NEW	.0571	----	----	20	----	20 + 20
3680	----	----	----/19.30A	20.80B/19.30A	----	19.40 - 2.80	.0586	----	----	----	----	5 UNCH
3695	----	----	----/20.00A	22.30B/20.00A	----	20.10 - 2.90	.0607	----	----	----	----	1 UNCH
3700	21.00	21.00	21.00/20.20A	22.60B/20.20A	----	20.30 - 3.00	.0614	----	----	1	----	213 UNCH
3715	----	----	----/20.90A	23.20B/20.90A	----	21.10 - 3.10	.0637	----	----	----	----	196 UNCH
3750	22.70	22.70	22.70/22.50	25.00B/22.50	----	23.00 - 3.40	.0694	----	----	42	----	43 + 24
3770	----	----	----/23.90A	26.30B/23.90A	----	24.20 - 3.60	.0730	----	----	----	----	1 UNCH
3785	----	----	----/24.80A	27.40B/24.80A	----	25.20 - 3.70	.0758	----	----	----	----	1 UNCH
3800	----	----	----/25.60A	28.50B/25.60A	----	26.10 - 4.00	.0786	----	----	----	----	22 UNCH
3805	----	----	----/26.00A	28.90B/26.00A	----	26.50 - 4.00	.0797	----	----	----	----	9 UNCH
3820	----	----	----/27.00A	30.00B/27.00A	----	27.50 - 4.20	.0826	----	----	----	----	1 UNCH
3865	----	----	----/30.20A	33.80B/30.20A	----	30.90 - 4.80	.0924	----	----	----	----	2 UNCH
3870	----	----	----/30.60A	34.40B/30.60A	----	31.30 - 4.90	.0935	----	----	----	----	1 UNCH
3875	----	----	----/31.00A	34.80B/31.00A	----	31.80 - 4.90	.0948	----	----	----	----	13 UNCH
3885	----	----	----/31.80A	35.90B/31.80A	----	32.60 - 5.10	.0972	----	----	----	----	5 UNCH
3890	----	----	----/32.20A	36.30B/32.20A	----	33.00 - 5.20	.0983	----	----	----	----	2 UNCH
3895	----	----	----/32.60A	36.80B/32.60A	----	33.50 - 5.20	.0997	----	----	----	----	2 UNCH
3900	----	----	----/33.10A	37.20B/33.10A	----	33.90 - 5.30	.1008	----	----	1	----	24 + 1
3920	----	----	----/34.90A	39.30B/34.90A	----	35.80 - 5.60	.1061	----	----	----	----	28 UNCH
3930	----	----	----/35.70A	40.60B/35.70A	----	36.70 - 5.90	.1086	----	----	----	----	2 UNCH
3940	----	----	----/36.70A	41.70B/36.70A	----	37.70 - 6.00	.1114	----	----	----	----	65 UNCH
3950	----	----	----/37.70A	43.00B/37.70A	----	38.80 - 6.20	.1143	----	----	----	----	2 UNCH
3960	----	----	----/38.70A	44.20B/38.70A	----	39.80 NEW	.1171	----	----	2	----	1 + 1
3965	----	----	----/39.20A	45.40B/39.20A	----	40.40 - 6.40	.1186	----	----	----	----	1 UNCH
3975	----	----	----/40.30A	47.00B/40.30A	----	41.50 - 6.60	.1216	----	----	----	----	5 UNCH
3980	----	----	49.60B/40.80A	49.60B/40.80A	----	42.10 NEW	.1232	----	----	1	----	1 + 1
4000	45.50	45.50	52.40B/43.10A	52.40B/43.10A	----	44.40 - 7.20	.1294	----	----	6	----	533 UNCH
4025	----	----	56.30B/46.00A	56.30B/46.00A	----	47.60 - 7.60	.1377	----	----	----	----	10 UNCH
4030	----	----	57.10B/46.70A	57.10B/46.70A	----	48.30 - 7.70	.1395	----	----	----	----	2 UNCH
4050	----	----	60.30B/49.30A	60.30B/49.30A	----	51.00 - 8.20	.1465	----	----	----	----	13 UNCH
4055	59.60	59.60	61.20B/49.90A	61.20B/49.90A	----	51.70 - 8.30	.1483	----	----	1	----	5 UNCH
4065	----	----	63.00B/51.40A	63.00B/51.40A	----	53.20 - 8.50	.1520	----	----	----	----	1 UNCH
4070	----	----	63.80B/52.00A	63.80B/52.00A	----	53.90 - 8.60	.1538	----	----	----	----	31 UNCH
4075	53.00	53.00	64.60B/52.80A	64.60B/52.80A	----	54.70 - 8.70	.1558	----	----	1	----	2 UNCH
4090	----	----	66.90B/54.90A	66.90B/54.90A	----	57.00 - 9.10	.1616	----	----	----	----	10 UNCH
4095	----	----	68.40B/55.70A	68.40B/55.70A	----	57.80 - 9.20	.1635	----	----	----	----	20 UNCH
4100	----	----	69.30B/56.50A	69.30B/56.50A	----	58.60 - 9.30	.1655	----	----	2	----	515 UNCH
4115	----	----	72.30B/58.80A	72.30B/58.80A	----	61.10 - 9.70	.1716	----	----	----	----	1 UNCH
4130	----	----	75.50B/61.30A	75.50B/61.30A	----	63.70 - 10.10	.1779	----	----	----	----	2 UNCH
4150	----	----	79.60B/64.70A	79.60B/64.70A	----	67.30 - 10.70	.1865	----	----	----	----	5 UNCH
4180	----	----	86.20B/70.30A	86.20B/70.30A	----	73.10 - 11.70	.2001	----	----	----	----	1 UNCH
4185	----	----	87.70B/71.20A	87.70B/71.20A	----	74.10 - 11.80	.2025	----	----	----	----	100 UNCH
4200	90.00	90.00	92.00/74.10A	92.00/74.10A	----	77.20 - 12.40	.2096	----	----	10	----	305 - 3
4220	----	----	96.70B/78.30A	96.70B/78.30A	----	81.60 - 13.00	.2195	----	----	----	----	5 UNCH
4230	----	----	99.30B/80.40A	99.30B/80.40A	----	83.90 - 13.30	.2245	----	----	----	----	51 UNCH
4235	----	----	100.60B/81.60A	100.60B/81.60A	----	85.10 - 13.40	.2271	----	----	----	----	1 UNCH
4240	----	----	102.00B/82.70A	102.00B/82.70A	----	86.20 - 13.70	.2296	----	----	----	----	1 UNCH
4250	97.70	97.70	104.80B/85.00A	104.80B/85.00A	----	88.60 - 14.00	.2348	----	----	231	----	337 + 215
4265	----	----	109.10B/88.50A	109.10B/88.50A	----	92.30 - 14.50	.2428	----	----	----	----	200 UNCH
4270	----	----	110.60B/89.70A	110.60B/89.70A	----	93.60 - 14.70	.2455	----	----	----	----	229 UNCH
4280	----	----	113.60B/92.10A	113.60B/92.10A	----	96.20 - 15.00	.2510	----	----	----	----	196 UNCH
4300	117.70	117.70	119.80B/97.10A	119.80B/97.10A	----	101.60 - 15.70	.2622	----	----	21	----	618 - 9
4310	----	----	123.10B/99.90A	123.10B/99.90A	----	104.40 - 16.00	.2678	----	----	----	----	1 UNCH
4330	----	----	129.70B/105.30A	129.70B/105.30A	----	110.10 - 16.80	.2794	----	----	----	----	1 UNCH
4350	----	----	136.70B/110.80A	136.70B/110.80A	----	116.20 - 17.50	.2913	----	----	----	----	265 UNCH
4355	----	----	138.50B/112.40A	138.50B/112.40A	----	117.80 - 17.60	.2943	----	----	----	----	11 UNCH
4370	----	----	143.80B/117.00A	143.80B/117.00A	----	122.50 - 18.30	.3034	----	----	----	----	2 UNCH
4375	----	----	145.70B/118.50A	145.70B/118.50A	----	124.20 - 18.40	.3065	----	----	----	----	11 UNCH
4385	----	----	149.50B/121.60A	149.50B/121.60A	----	127.50 - 18.80	.3127	----	----	----	----	2 UNCH
4390	----	----	151.30B/123.20A	151.30B/123.20A	----	129.10 - 19.00	.3158	----	----	----	----	1 UNCH
4400	----	----	155.10B/126.40A	155.10B/126.40A	----	132.60 - 19.30	.3221	----	----	----	----	606 UNCH
4405	----	----	157.20B/128.40A	157.20B/128.40A	----	134.30 - 19.60	.3253	----	----	----	----	3 UNCH
4410	----	----	159.30B/130.10A	159.30B/130.10A	----	136.00 - 19.80	.3284	----	----	----	----	49 UNCH
4420	----	----	163.40B/133.50A	163.40B/133.50A	----	139.60 - 20.20	.3348	----	----	----	----	1 UNCH
4425	----	----	165.40B/135.20A	165.40B/135.20A	----	141.40 - 20.40	.3380	----	----	----	----	16 UNCH
4430	----	----	167.50B/136.80A	167.50B/136.80A	----	143.20 - 20.60	.3413	----	----	----	----	4 UNCH
4440	----	----	171.60B/140.70A	171.60B/140.70A	----	146.90 - 21.00	.3478	----	----	----	----	2 UNCH
4445	----	----	173.80B/142.30A	173.80B/142.30A	----	148.80 - 21.20	.3510	----	----	----	----	1 UNCH
4450	----	----	176.00B/143.90A	176.00B/143.90A	----	150.70 - 21.40	.3543	----	----	----	----	64 UNCH
4465	----	----	182.20B/149.50A	182.20B/149.50A	----	156.50 - 22.10	.3642	----	----	----	----	3 UNCH
4475	----	----	184.80B/153.20A	184.80B/153.20A	----	160.50 - 22.50	.3709	----	----	----	----	3 UNCH
4480	----	----	189.10B/155.10A	189.10B/155.10A	----	162.50 - 22.70	.3742	----	----	----	----	3 UNCH
4490	----	----	193.70B/159.10A	193.70B/159.10A	----	166.60 - 23.10	.3809	----	----	----	----	10 UNCH
4500	----	----	197.00B/163.10A	197.00B/163.10A	----	170.70 - 23.60	.3877	----	----	----	----	91 UNCH
4510	194.30	194.30	202.00B/167.40A	202.00B/167.40A	----	174.90 NEW	.3944	----	----	1	----	1 + 1
4520	----	----	207.00B/171.50A	207.00B/171.50A	----	179.20 - 24.50	.4012	----	----	----	----	2 UNCH
4525	----	----	210.20B/173.60A	210.20B/173.60A	----	181.40 - 24.80	.4046	----	----	----	----	1 UNCH
4535	----	----	214.30B/177.90A	214.30B/177.90A	----	185.80 - 25.20	.4115	----	----	----	----	1 UNCH
4545	195.90	195.90	219.20B/181.50A	219.20B/181.50A	----	190.30 - 25.70	.4183	----	----	1	----	2 + 1
4550	----	----	221.90B/184.10A	221.90B/184.10A	----	192.60 - 25.90	.4218	----	----	4	----	5 + 2
4555	----	----	224.20B/186.10A	224.20B/186.10A	----	194.90 - 26.10	.4252	----	----	----	----	9 UNCH
4560	----	----	228.10B/188.60A	228.10B/188.60A	----	197.20 - 26.40	.4287	----	----	----	----	78 UNCH
4565	198.40	198.40	230.60B/190.70A	230.60B/190.70A	----	199.60 - 26.60	.4321	----	----	3	----	16 + 2
4570	----	----	232.40B/193.10A	232.40B/193.10A	----	201.90 - 26.90	.4356	----	----	----	----	9 UNCH
4580	----	----	238.20B/197.50A	238.20B/197.50A	----	206.70 - 27.30	.4425	----	----	----	----	6 UNCH
4595	----	----	244.50B/204.40A	244.50B/204.40A	----	214.00 - 28.00	.4529	----	----	----	----	3 UNCH
4600	----	----	246.80B/206.80A	246.80B/206.80A	----	216.50 - 28.20	.4564	----	----	----	----	328 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4605	----	----	251.00B/209.00A	251.00B/209.00A	----	219.00 - 28.50	.4599	----	----	----	----	5 UNCH
4610	----	----	252.80B/211.40A	252.80B/211.40A	----	221.50 - 28.70	.4633	----	----	----	----	11 UNCH
4615	----	----	255.70B/214.20A	255.70B/214.20A	----	224.10 - 28.90	.4668	----	----	----	----	9 UNCH
4620	----	----	256.10B/216.40A	256.10B/216.40A	----	226.60 - 29.20	.4703	----	----	----	----	9 UNCH
4625	----	----	259.50B/219.10A	259.50B/219.10A	----	229.20 - 29.40	.4738	----	----	----	----	48 UNCH
4630	----	----	261.60B/221.60A	261.60B/221.60A	----	231.80 - 29.60	.4772	----	----	----	----	13 UNCH
4635	----	----	267.00B/224.10A	267.00B/224.10A	----	234.40 - 29.90	.4807	----	----	----	----	7 UNCH
4640	250.50	250.50	270.20B/226.40A	270.20B/226.40A	----	237.10 - 30.00	.4841	----	----	3	----	25 + 3
4645	----	----	273.70B/228.80A	273.70B/228.80A	----	239.70 - 30.30	.4876	----	----	----	----	8 UNCH
4650	251.40	251.40	277.20B/231.70A	277.20B/231.70A	----	242.40 - 30.50	.4911	----	----	4	----	135 + 2
4655	----	----	276.20B/234.20A	276.20B/234.20A	----	245.10 - 30.70	.4945	----	----	----	----	3 UNCH
4660	----	----	281.50B/236.80A	281.50B/236.80A	----	247.80 - 31.00	.4979	----	----	----	----	3 UNCH
4670	251.00	251.00	289.40B/242.10A	289.40B/242.10A	----	253.30 - 31.40	.5048	----	----	6	----	6 + 3
4675	----	----	288.10B/244.70A	288.10B/244.70A	----	256.10 - 31.60	.5082	----	----	3	----	7 + 3
4680	----	----	291.30B/247.40A	291.30B/247.40A	----	258.80 - 31.90	.5117	----	----	----	----	1 UNCH
4690	----	----	300.40B/252.80A	300.40B/252.80A	----	264.50 - 32.30	.5185	----	----	----	----	3 UNCH
4700	----	----	304.40B/257.90A	304.40B/257.90A	----	270.20 - 32.80	.5253	----	----	----	----	84 UNCH
4715	----	----	----/266.30A	309.30B/266.30A	----	278.90 - 33.50	.5354	----	----	----	----	3 UNCH
4750	----	----	----/286.80A	334.60B/286.80A	----	299.90 - 35.00	.5588	----	----	----	----	175 UNCH
4755	----	----	----/289.20A	335.60B/289.20A	----	302.90 - 35.30	.5621	----	----	----	----	168 UNCH
4775	----	----	----/301.70A	347.70B/301.70A	----	315.40 - 36.20	.5752	----	----	----	----	26 UNCH
4780	----	----	355.60B/304.80A	355.60B/304.80A	----	318.50 - 36.40	.5784	----	----	----	----	1 UNCH
4800	----	----	----/317.10A	358.80B/317.10A	----	331.30 - 37.30	.5913	----	----	----	----	101 UNCH
4805	----	----	----/320.30A	361.10B/320.30A	----	334.60 - 37.50	.5944	----	----	----	----	1 UNCH
4810	----	----	----/323.30A	364.80B/323.30A	----	337.80 - 37.80	.5976	----	----	----	----	8 UNCH
4815	----	----	----/326.50A	368.10B/326.50A	----	341.10 - 38.00	.6008	----	----	----	----	39 UNCH
4820	----	----	----/329.80A	371.40B/329.80A	----	344.40 - 38.20	.6039	----	----	----	----	2 UNCH
4835	----	----	----/339.40A	382.00B/339.40A	----	354.30 - 38.90	.6133	----	----	----	----	3 UNCH
4845	----	----	----/345.90A	389.00B/345.90A	----	361.10 - 39.20	.6195	----	----	----	----	20 UNCH
4850	----	----	----/349.30A	392.60B/349.30A	----	364.40 - 39.50	.6225	----	----	----	----	81 UNCH
4875	----	----	----/366.50A	410.40B/366.50A	----	381.60 - 40.60	.6375	----	----	----	----	1 UNCH
4900	----	----	----/383.20A	428.90B/383.20A	----	399.20 - 41.50	.6522	----	----	----	----	71 UNCH
4910	----	----	----/390.60A	436.10B/390.60A	----	406.40 - 41.80	.6580	----	----	----	----	1 UNCH
4920	----	----	----/397.60A	443.70B/397.60A	----	413.60 - 42.20	.6637	----	----	----	----	1 UNCH
4925	----	----	----/401.00A	447.40B/401.00A	----	417.20 - 42.40	.6665	----	----	----	----	25 UNCH
4935	----	----	----/408.00A	455.00B/408.00A	----	424.60 - 42.60	.6720	----	----	----	----	5 UNCH
4965	----	----	----/429.70A	472.90B/429.70A	----	446.80 - 43.70	.6883	----	----	----	----	13 UNCH
4980	----	----	----/440.60A	466.50B/440.60A	----	458.10 - 44.10	.6962	----	----	----	----	1 UNCH
5000	----	----	----/455.40A	500.20B/455.40A	----	473.40 - 44.70	.7065	----	----	----	----	47 UNCH
5010	----	----	----/462.90A	475.50B/462.90A	----	481.10 - 45.00	.7116	----	----	----	----	1 UNCH
5050	----	----	----/496.30A	540.30B/496.30A	----	512.40 - 46.20	.7311	----	----	----	----	25 UNCH
5150	----	----	----	491.20B/702.50A	----	593.80 - 49.10	.7749	----	----	----	----	1 UNCH
5200	----	----	----/617.60A	666.50B/617.60A	----	636.10 - 50.30	.7941	----	----	----	----	100 UNCH
5230	----	----	----	560.90B/769.10A	----	661.80 - 51.00	.8049	----	----	----	----	1 UNCH
5250	----	----	----/660.10A	710.30B/660.10A	----	679.20 - 51.30	.8117	----	----	----	----	75 UNCH
5300	----	----	----/703.40A	754.70B/703.40A	----	723.00 - 52.30	.8279	----	----	----	----	9 UNCH
5425	----	----	----	737.40B/939.40A	----	835.40 - 54.20	.8620	----	----	----	----	1 UNCH
5455	----	----	----/841.90A	895.60B/841.90A	----	862.90 - 54.60	.8689	----	----	----	----	40 UNCH
5495	----	----	----	802.00B/1003.80A	----	900.00 - 54.90	.8775	----	----	----	----	1 UNCH
5500	----	----	----	806.70B/1008.50A	----	904.60 - 55.00	.8784	----	----	----	----	1 UNCH
5600	----	----	----	900.40B/1102.00A	----	998.40 - 55.90	.8967	----	----	----	----	1 UNCH
5700	----	----	----	----	----	1093.40 - 56.80	.9119	----	----	----	----	1 UNCH
TOTAL										381		8279 + 282
NOV26												
2750	----	----	----	3.10B/5.20A	----	4.20 - 0.40	.0100	----	----	----	----	1 UNCH
2800	----	----	----	3.50B/5.60A	----	4.60 - 0.40	.0110	----	----	----	----	8 UNCH
2900	----	----	----	4.20B/6.50A	----	5.40 - 0.50	.0132	----	----	----	----	1 UNCH
3000	----	----	----	5.30B/7.70A	----	6.40 - 0.60	.0160	----	----	----	----	94 UNCH
3120	----	----	----	6.80B/9.40A	----	8.00 - 0.80	.0204	----	----	----	----	10 UNCH
3180	----	----	----	7.80B/10.40A	----	9.00 - 0.90	.0232	----	----	----	----	10 UNCH
3200	----	----	----	8.10B/10.70A	----	9.30 - 1.00	.0241	----	----	----	----	93 UNCH
3215	----	----	----	8.40B/10.90A	----	9.60 - 1.00	.0249	----	----	----	----	1 UNCH
3220	----	----	----	8.50B/11.00A	----	9.70 - 1.00	.0251	----	----	----	----	1 UNCH
3225	----	----	----	8.60B/11.10A	----	9.80 - 1.00	.0254	----	----	----	----	1 UNCH
3235	----	----	----	8.80B/11.30A	----	10.00 - 1.10	.0260	----	----	----	----	2 UNCH
3250	----	----	----	9.10B/11.60A	----	10.30 - 1.10	.0268	----	----	----	----	18 UNCH
3255	----	----	----	9.20B/11.80A	----	10.40 - 1.10	.0271	----	----	----	----	18 UNCH
3300	----	----	----	10.20B/12.80A	----	11.40 - 1.30	.0298	----	----	----	----	47 UNCH
3310	----	----	----	10.60B/13.10A	----	11.60 - 1.30	.0304	----	----	----	----	1 UNCH
3320	----	----	----	10.70B/13.30A	----	11.90 - 1.30	.0311	----	----	----	----	16 UNCH
3350	----	----	----/14.00A	11.50B/14.00A	----	12.60 - 1.50	.0331	----	----	----	----	180 UNCH
3455	----	----	----/17.20A	14.80B/17.20A	----	15.80 - 1.90	.0418	----	----	----	----	1 UNCH
3475	----	----	----/18.00A	15.60B/18.00A	----	16.50 - 2.00	.0436	----	----	----	----	2 UNCH
3500	----	----	----/18.80A	16.60B/18.80A	----	17.40 - 2.20	.0461	----	----	----	----	684 UNCH
3520	----	----	----/19.50A	17.60B/19.50A	----	18.20 - 2.30	.0482	----	----	----	----	1 UNCH
3535	----	----	----/20.30A	18.20B/20.30A	----	18.80 - 2.40	.0498	----	----	----	----	1 UNCH
3600	----	----	----/23.00A	21.50B/23.00A	----	21.80 - 2.90	.0577	----	----	----	----	610 UNCH
3605	----	----	----/23.40A	21.80B/23.40A	----	22.00 - 3.00	.0583	----	----	----	----	1 UNCH
3690	----	----	----/28.00A	28.40B/28.00A	----	26.80 - 3.70	.0707	----	----	----	----	1 UNCH
3700	----	----	----/28.50A	29.00B/28.50A	----	27.50 - 3.70	.0724	----	----	----	----	1 UNCH
3725	----	----	----/29.40A	30.90B/29.40A	----	29.10 - 4.10	.0765	----	----	----	----	1 UNCH
3740	----	----	----/30.40A	32.10B/30.40A	----	30.20 - 4.20	.0792	----	----	----	----	21 UNCH
3750	----	----	----/31.00A	33.00B/31.00A	----	30.90 - 4.30	.0810	----	----	----	----	347 UNCH
3780	----	----	----/33.10A	35.60B/33.10A	----	33.30 - 4.60	.0869	----	----	----	----	1 UNCH
3800	----	----	----/34.90A	37.50B/34.90A	----	34.90 - 4.80	.0909	----	----	----	----	32 UNCH
3820	----	----	----/36.50A	39.40B/36.50A	----	36.70 - 5.00	.0952	----	----	----	----	22 UNCH
3875	----	----	----/41.70A	45.40B/41.70A	----	42.00 - 5.70	.1079	----	----	----	----	24 UNCH
3900	----	----	----/44.10A	48.40B/44.10A	----	44.70 - 6.00	.1142	----	----	2	----	7 UNCH
3920	----	----	----/46.20A	51.00B/46.20A	----	47.00 - 6.30	.1196	----	----	----	----	2 UNCH
3925	----	----	----/46.70A	51.60B/46.70A	----	47.60 - 6.30	.1209	----	----	2	----	2 UNCH
3945	----	----	----/49.00A	56.20B/49.00A	----	50.00 - 6.70	.1264	----	----	----	----	1 UNCH
3980	----	----	62.60B/53.10A	62.60B/53.10A	----	54.60 - 7.20	.1368	----	----	----	----	1 UNCH
4000	61.50	61.50	65.90B/55.80A	65.90B/55.80A	----	57.40 - 7.50	.1430	----	----	6	----	5 - 2
4025	----	----	70.10B/59.20A	70.10B/59.20A	----	61.10 - 8.00	.1511	----	----	2	----	2 UNCH
4065	----	----	77.40B/65.20A	77.40B/65.20A	----	67.50 - 8.80	.1648	----	----	----	----	1 UNCH
4070	----	----	77.80B/66.00A	77.80B/66.00A	----	68.40 - 8.80	.1666	----	----	----	----	25 UNCH
4100	----	----	84.50B/71.00A	84.50B/71.00A	----	73.70 - 9.50	.1777	----	----	----	----	5 UNCH
4135	----	----	92.20B/77.40A	92.20B/77.40A	----	80.30 - 10.40	.1912	----	----	----	----	22 UNCH
4160	----	----	98.00B/82.20A	98.00B/82.20A	----	85.50 - 11.00	.2015	----	----	----	----	1 UNCH
4170	----	----	100.40B/84.20A	100.40B/84.20A	----	87.60 - 11.30	.2057	----	----	----	----	1 UNCH
4180	----	----	102.90B/86.30A	102.90B/86.30A	----	89.80 - 11.60	.2099	----	----	----	----	1 UNCH
4200	----	----	108.00B/90.50A	108.00B/90.50A	----	94.30 - 12.10	.2186	----	----	----	----	7 UNCH
4205	----	----	109.30B/91.60A	109.30B/91.60A	----	95.40 - 12.30	.2208	----	----	----	----	1 UNCH
4215	----	----	112.00B/93.80A	112.00B/93.80A	----	97.80 - 12.60	.2253	----	----	----	----	5 UNCH
4250	----	----	121.90B/102.00A	121.90B/102.00A	----	106.40 - 13.70	.2413	----	----	----	----	567 UNCH
4265	124.30	124.30	126.30B/105.80A	126.30B/105.80A	----	110.30 NEW	.2484	----	----	1	----	1 + 1
4275	----	----	129.20B/108.30A	129.20B/108.30A	----	113.00 - 14.50	.2533	----	----	----	----	23 UNCH
4290	----	----	134.00B/112.20A	134.00B/112.20A	----	117.10 - 15.00	.2606	----	----	----	----	1 UNCH
4300	----	----	137.20B/114.90A	137.20B/114.90A	----	119.90 - 15.30	.2656	----	----	----	----	100 UNCH
4305	----	----	138.80B/116.30A	138.80B/116.30A	----	121.30 - 15.50	.2680	----	----	----	----	1 UNCH
4320	----	----	143.70B/120.60A	143.70B/120.60A	----	125.70 - 16.00	.2756	----	----	----	----	43 UNCH
4330	----	----	147.10B/123.60A	147.10B/123.60A	----	128.70 - 16.30	.2808	----	----	----	----	2 UNCH
4340	----	----	150.50B/126.40A	150.50B/126.40A	----	131.70 - 16.70	.2859	----	----	----	----	6 UNCH
4350	----	----	154.00B/129.20A	154.00B/129.20A	----	134.80 - 17.00	.2911	----	----	----	----	3 UNCH
4390	----	----	168.60B/141.70A	168.60B/141.70A	----	147.80 - 18.40	.3125	----	----	----	----	1 UNCH
4395	----	----	170.50B/143.40A	170.50B/143.40A	----	149.50 - 18.60	.3152	----	----	----	----	1 UNCH
4400	----	----	172.50B/145.00A	172.50B/145.00A	----	151.20 - 18.80	.3180	----	----	----	----	6 UNCH
4425	----	----	182.30B/153.50A	182.30B/153.50A	----	160.00 - 19.70	.3318	----	----	----	----	72 UNCH
4430	----	----	184.30B/155.70A	184.30B/155.70A	----	161.80 - 19.90	.3346	----	----	----	----	10 UNCH
4450	----	----	192.30B/162.40A	192.30B/162.40A	----	169.20 - 20.70	.3459	----	----	----	----	39 UNCH
4485	----	----	207.70B/175.50A	207.70B/175.50A	----	182.70 - 22.10	.3660	----	----	----	----	1 UNCH
4490	----	----	208.80B/177.40A	208.80B/177.40A	----	184.70 - 22.30	.3689	----	----	----	----	1 UNCH
4500	----	----	212.20B/181.40A	212.20B/181.40A	----	188.80 - 22.70	.3747	----	----	----	----	45 UNCH
4510	----	----	217.50B/185.30A	217.50B/185.30A	----	192.90 - 23.10	.3806	----	----	----	----	11 UNCH
4535	----	----	229.10B/195.60A	229.10B/195.60A	----	203.40 - 24.20	.3953	----	----	----	----	10 UNCH
4540	----	----	231.60B/197.70A	231.60B/197.70A	----	205.60 - 24.40	.3983	----	----	----	----	6 UNCH
4555	----	----	238.80B/204.70A	238.80B/204.70A	----	212.20 - 25.00	.4072	----	----	----	----	1 UNCH
4580	----	----	251.30B/215.10A	251.30B/215.10A	----	223.50 - 26.20	.4222	----	----	----	----	10 UNCH
4590	----	----	256.60B/219.70A	256.60B/219.70A	----	228.20 - 26.60	.4282	----	----	----	----	1 UNCH
4600	236.00	236.00	261.70B/224.30A	261.70B/224.30A	----	232.90 - 27.00	.4342	----	----	1	----	73 UNCH
4610	----	----	267.00B/229.00A	267.00B/229.00A	----	237.70 - 27.50	.4403	----	----	----	----	4 UNCH
4640	----	----	282.40B/243.80A	282.40B/243.80A	----	252.50 - 28.80	.4584	----	----	----	----	90 UNCH
4645	----	----	285.40B/246.20A	285.40B/246.20A	----	255.00 - 29.00	.4615	----	----	----	----	1 UNCH
4650	----	----	----/248.70A	286.40B/248.70A	----	257.50 - 29.30	.4645	----	----	----	----	76 UNCH
4700	----	----	----/274.00A	314.30B/274.00A	----	283.90 - 31.50	.4947	----	----	----	----	58 UNCH
4710	----	----	----/279.30A	318.80B/279.30A	----	289.40 - 31.90	.5007	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4725	----	----	----/287.50A	329.60B/287.50A	----	297.80 - 32.50	.5096	----	----	----	----	2 UNCH
4750	----	----	----/301.30A	344.50B/301.30A	----	312.10 - 33.60	.5244	----	----	----	----	10 UNCH
4755	----	----	----/304.20A	346.20B/304.20A	----	315.00 - 33.80	.5274	----	----	----	----	1 UNCH
4800	----	----	----/330.30A	374.80B/330.30A	----	342.10 - 35.50	.5535	----	----	----	----	13 UNCH
4820	----	----	----/342.20A	388.00B/342.20A	----	354.70 - 36.10	.5648	----	----	----	----	1 UNCH
4840	----	----	----/354.50A	401.30B/354.50A	----	367.60 - 36.60	.5760	----	----	----	----	2 UNCH
4845	----	----	409.50B/357.50A	409.50B/357.50A	----	370.80 - 36.80	.5787	----	----	----	----	10 UNCH
4850	----	----	----/360.70A	410.50B/360.70A	----	374.10 - 36.90	.5815	----	----	----	----	8 UNCH
4900	----	----	----/392.50A	433.50B/392.50A	----	407.20 - 38.50	.6086	----	----	----	----	12 UNCH
4915	----	----	----/402.40A	444.10B/402.40A	----	417.30 - 39.10	.6166	----	----	----	----	3 UNCH
4935	----	----	----/415.70A	458.30B/415.70A	----	431.00 - 39.80	.6271	----	----	----	----	25 UNCH
4950	----	----	----/425.80A	469.20B/425.80A	----	441.30 - 40.40	.6349	----	----	----	----	11 UNCH
4960	----	----	----/432.60A	476.40B/432.60A	----	448.30 - 40.70	.6401	----	----	----	----	2 UNCH
5000	----	----	----/460.50A	506.10B/460.50A	----	476.70 - 42.20	.6601	----	----	----	----	255 UNCH
5020	----	----	----/474.70A	521.20B/474.70A	----	491.20 - 43.00	.6699	----	----	----	----	30 UNCH
5055	----	----	----/500.10A	540.80B/500.10A	----	517.10 - 44.20	.6864	----	----	----	----	8 UNCH
5200	----	----	----	519.50B/748.00A	----	630.70 - 48.40	.7475	----	----	----	----	81 UNCH
5395	----	----	----	687.60B/910.00A	----	796.20 - 51.80	.8111	----	----	----	----	6 UNCH
5400	----	----	----	692.00B/914.30A	----	800.60 - 51.90	.8126	----	----	----	----	6 UNCH
5760	----	----	----	1022.50B/1239.90A	----	1129.30 - 55.90	.8873	----	----	----	----	1 UNCH
5975	----	----	----	----	----	1333.90 - 57.50	.9144	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1358.00 - 57.70	.9171	----	----	----	----	1 UNCH
TOTAL										14		4095 - 1
DEC26												
1350	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1375	----	----	----	----/1.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1500	----	----	----	----/0.90A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/1.20A	----	0.40 + 0.10	.0007	----	----	----	----	190 UNCH
1700	----	----	----	0.30B/1.80A	----	0.60 + 0.10	.0011	----	----	----	----	200 UNCH
1845	----	----	1.00B/----	1.00B/1.90A	----	1.00 + 0.10	.0019	----	----	----	----	55 UNCH
1900	----	----	----	0.60B/2.30A	----	1.20 + 0.20	.0022	----	----	----	----	4 UNCH
2000	----	----	----	0.80B/2.50A	----	1.50 + 0.10	.0029	----	----	----	----	2 UNCH
2400	----	----	----	2.00B/4.10A	----	3.20 - 0.30	.0066	----	----	----	----	1 UNCH
2450	----	----	----	2.20B/4.40A	----	3.40 - 0.50	.0071	----	----	----	----	4 UNCH
2490	----	----	----	2.40B/4.60A	----	3.60 - 0.70	.0076	----	----	----	----	1 UNCH
2500	4.00	4.00	4.00/4.00	4.00/4.00	----	3.70 - 0.60	.0078	----	----	51	----	171 + 51
2750	----	----	----	4.70B/6.60A	----	5.30 - 0.50	.0119	----	----	----	----	1 UNCH
2800	----	----	----	5.00B/7.00A	----	5.90 - 0.40	.0133	----	----	----	----	18 UNCH
2900	----	----	----	6.30B/8.20A	----	7.00 - 0.50	.0161	----	----	----	----	28 UNCH
2925	----	----	----	6.10B/8.60A	----	7.30 - 0.60	.0169	----	----	----	----	300 UNCH
2975	----	----	----	7.00B/9.20A	----	8.00 - 0.60	.0186	----	----	----	----	400 UNCH
3000	----	----	----	7.40B/9.50A	----	8.40 - 0.60	.0196	----	----	----	----	1362 UNCH
3100	----	----	----	8.80B/11.50A	----	10.10 - 0.80	.0239	----	----	1	----	4 + 1
3160	----	----	----	10.10B/12.80A	----	11.30 - 1.00	.0270	----	----	----	----	2 UNCH
3175	----	----	----	10.40B/13.10A	----	11.70 - 1.00	.0279	----	----	----	----	1 UNCH
3250	----	----	----	12.30B/15.10A	----	13.50 - 1.30	.0324	----	----	----	----	20 UNCH
3300	----	----	----	13.70B/16.50A	----	15.00 - 1.40	.0361	----	----	2	----	539 + 2
3400	----	----	----/19.90A	17.30B/19.90A	----	18.40 - 1.80	.0445	----	----	----	----	1251 UNCH
3425	----	----	----/20.90A	18.40B/20.90A	----	19.40 - 2.00	.0469	----	----	----	----	350 UNCH
3450	----	----	----/22.00A	19.60B/22.00A	----	20.50 - 2.10	.0495	----	----	----	----	201 UNCH
3460	----	----	----/22.40A	20.00B/22.40A	----	20.90 - 2.20	.0505	----	----	----	----	20 UNCH
3475	----	----	----/23.10A	20.70B/23.10A	----	21.60 - 2.30	.0522	----	----	----	----	152 UNCH
3500	23.20	23.20	23.50/23.20	23.50/23.20	----	22.80 - 2.40	.0551	----	----	2	----	1513 UNCH
3550	----	----	----/26.80A	24.80B/26.80A	----	25.50 - 2.80	.0614	----	----	----	----	18 UNCH
3565	----	----	----/27.60A	25.80B/27.60A	----	26.30 - 3.00	.0633	----	----	----	----	2 UNCH
3590	----	----	----/29.00A	28.80B/29.00A	----	27.90 - 3.20	.0670	----	----	----	----	1 UNCH
3600	29.00	29.00	29.00/29.00	29.20B/29.00	----	28.50 - 3.30	.0684	----	----	4	----	537 - 2
3610	----	----	----/30.20A	30.10B/30.20A	----	29.10 - 3.50	.0698	----	----	----	----	3 UNCH
3650	33.00	33.00	33.00/32.30A	33.00/32.30A	----	31.90 - 3.80	.0762	----	----	1	----	201 UNCH
3660	----	----	----/32.80A	33.80B/32.80A	----	32.60 - 4.00	.0778	----	----	----	----	5 UNCH
3670	----	----	----/33.40A	34.40B/33.40A	----	33.30 - 4.10	.0794	----	----	----	----	1 UNCH
3690	----	----	----/35.10A	36.20B/35.10A	----	34.90 - 4.30	.0830	----	----	----	----	1 UNCH
3700	----	----	----/35.70A	37.10B/35.70A	----	35.70 - 4.40	.0848	----	----	----	----	280 UNCH
3710	----	----	----/36.50A	38.00B/36.50A	----	36.50 - 4.50	.0866	----	----	----	----	37 UNCH
3725	----	----	----/37.80A	39.30B/37.80A	----	37.70 - 4.70	.0893	----	----	----	----	6 UNCH
3750	----	----	----/39.80A	41.30B/39.80A	----	39.90 - 5.00	.0942	----	----	----	----	166 UNCH
3760	----	----	----/40.60A	42.30B/40.60A	----	40.80 - 5.20	.0962	----	----	----	----	184 UNCH
3780	----	----	----/42.60A	44.30B/42.60A	----	42.70 - 5.40	.1004	----	----	----	----	1 UNCH
3785	----	----	----/42.90A	44.80B/42.90A	----	43.20 - 5.40	.1015	----	----	----	----	10 UNCH
3800	----	----	----/44.40A	46.60B/44.40A	----	44.70 - 5.60	.1047	----	----	----	----	351 UNCH
3805	----	----	----/45.20A	47.10B/45.20A	----	45.20 - 5.70	.1058	----	----	----	----	11 UNCH
3810	----	----	----/45.70A	47.70B/45.70A	----	45.70 - 5.80	.1069	----	----	----	----	56 UNCH
3850	----	----	----/49.80A	52.70B/49.80A	----	50.10 - 6.30	.1163	----	----	----	----	24 UNCH
3880	----	----	----/53.30A	56.60B/53.30A	----	53.60 - 6.70	.1238	----	----	----	----	1 UNCH
3900	----	----	63.70B/55.70A	63.70B/55.70A	----	56.20 - 6.90	.1291	----	----	----	30	1206 UNCH
3920	----	----	----/58.20A	66.00B/58.20A	----	58.80 - 7.30	.1345	----	----	----	----	50 UNCH
3925	----	----	----/58.90A	66.90B/58.90A	----	59.50 - 7.40	.1359	----	----	----	----	255 UNCH
3930	----	----	68.30B/59.50A	68.30B/59.50A	----	60.20 - 7.40	.1373	----	----	----	----	2 UNCH
3950	----	----	71.00B/62.20A	71.00B/62.20A	----	63.00 - 7.80	.1430	----	----	----	500	527 + 500
3965	----	----	74.00B/64.20A	74.00B/64.20A	----	65.30 - 8.00	.1476	----	----	----	----	50 UNCH
3975	----	----	75.20B/65.70A	75.20B/65.70A	----	66.80 - 8.20	.1506	----	----	----	----	192 UNCH
3980	----	----	76.60B/66.40A	76.60B/66.40A	----	67.60 - 8.30	.1521	----	----	----	----	264 UNCH
4000	----	----	80.00B/69.50A	80.00B/69.50A	----	70.80 - 8.70	.1584	----	----	----	150	2653 - 150
4025	----	----	84.80B/73.00A	84.80B/73.00A	----	75.10 - 9.10	.1666	----	----	----	----	220 UNCH
4050	----	----	89.80B/77.30A	89.80B/77.30A	----	79.60 - 9.60	.1752	----	----	----	----	207 UNCH
4070	----	----	94.10B/80.90A	94.10B/80.90A	----	83.30 - 10.10	.1822	----	----	----	----	8 UNCH
4090	----	----	98.50B/85.10A	98.50B/85.10A	----	87.30 - 10.50	.1895	----	----	----	----	1 UNCH
4100	----	----	100.70B/86.40A	100.70B/86.40A	----	89.30 - 10.80	.1932	----	----	----	----	396 UNCH
4130	----	----	107.90B/92.60A	107.90B/92.60A	----	95.70 - 11.40	.2046	----	----	----	----	30 UNCH
4150	----	----	112.40B/96.90A	112.40B/96.90A	----	100.20 - 11.90	.2126	----	----	----	----	93 UNCH
4160	----	----	115.50B/99.10A	115.50B/99.10A	----	102.50 - 12.20	.2166	----	----	----	----	252 UNCH
4165	----	----	116.50B/100.30A	116.50B/100.30A	----	103.70 - 12.30	.2186	----	----	----	----	28 UNCH
4170	----	----	117.70B/101.80A	117.70B/101.80A	----	104.90 - 12.40	.2207	----	----	----	----	2 UNCH
4175	----	----	120.50B/102.50A	120.50B/102.50A	----	106.10 - 12.50	.2228	----	----	6	----	66 + 6
4200	----	----	127.30B/108.30A	127.30B/108.30A	----	112.30 - 13.10	.2333	----	----	----	----	1343 UNCH
4205	----	----	127.70B/109.60A	127.70B/109.60A	----	113.50 - 13.30	.2354	----	----	----	----	20 UNCH
4215	----	----	130.70B/112.20A	130.70B/112.20A	----	116.10 - 13.60	.2397	----	----	----	----	14 UNCH
4230	----	----	134.40B/115.90A	134.40B/115.90A	----	120.10 - 14.00	.2463	----	----	----	----	150 UNCH
4250	----	----	141.50B/121.10A	141.50B/121.10A	----	125.50 - 14.60	.2551	----	----	----	----	364 UNCH
4265	----	----	145.80B/125.20A	145.80B/125.20A	----	129.80 - 15.00	.2620	----	----	----	----	10 UNCH
4290	----	----	153.30B/132.70A	153.30B/132.70A	----	137.10 - 15.70	.2735	----	----	----	----	1 UNCH
4300	148.00	148.00	157.30B/134.90A	157.30B/134.90A	----	140.10 - 16.00	.2782	----	----	40	----	2710 + 10
4320	----	----	164.00B/141.10A	164.00B/141.10A	----	146.30 - 16.70	.2877	----	----	----	75	124 + 24
4325	----	----	165.80B/142.50A	165.80B/142.50A	----	147.90 - 16.80	.2901	----	----	----	----	559 UNCH
4340	----	----	170.80B/147.20A	170.80B/147.20A	----	152.70 - 17.30	.2974	----	----	----	----	82 UNCH
4350	----	----	174.30B/150.40A	174.30B/150.40A	----	156.00 - 17.70	.3023	----	----	----	----	161 UNCH
4365	----	----	180.30B/155.20A	180.30B/155.20A	----	161.10 - 18.10	.3098	----	----	----	200	195 - 195
4375	----	----	183.70B/158.60A	183.70B/158.60A	----	164.50 - 18.50	.3148	----	----	----	----	6 UNCH
4385	----	----	187.60B/162.00A	187.60B/162.00A	----	168.00 - 18.80	.3198	----	----	----	----	75 UNCH
4390	----	----	189.50B/163.60A	189.50B/163.60A	----	169.80 - 19.00	.3223	----	----	----	----	200 UNCH
4400	----	----	193.80B/167.00A	193.80B/167.00A	----	173.40 - 19.30	.3274	----	----	----	----	295 UNCH
4425	----	----	204.70B/176.00A	204.70B/176.00A	----	182.60 - 20.20	.3403	----	----	----	----	9 UNCH
4430	----	----	205.80B/177.90A	205.80B/177.90A	----	184.50 - 20.40	.3429	----	----	----	----	31 UNCH
4435	----	----	207.40B/179.70A	207.40B/179.70A	----	186.40 - 20.60	.3455	----	----	----	----	14 UNCH
4440	188.30	188.30	209.60B/181.80A	209.60B/181.80A	----	188.30 - 20.80	.3481	----	----	4	----	6 + 4
4450	----	----	214.40B/185.10A	214.40B/185.10A	----	192.20 - 21.10	.3533	----	----	1	----	260 UNCH
4470	----	----	222.40B/193.20A	222.40B/193.20A	----	200.20 - 21.80	.3639	----	----	----	----	1 UNCH
4475	----	----	224.70B/194.80A	224.70B/194.80A	----	202.20 - 22.00	.3666	----	----	----	----	9 UNCH
4480	----	----	227.00B/197.20A	227.00B/197.20A	----	204.30 - 22.20	.3692	----	----	----	----	1 UNCH
4490	----	----	232.00B/200.90A	232.00B/200.90A	----	208.40 - 22.60	.3746	----	----	----	----	17 UNCH
4500	203.50	203.50	236.60B/203.50	236.60B/203.50	----	212.60 - 22.90	.3799	----	----	3	50	1211 - 49
4510	----	----	241.00B/209.40A	241.00B/209.40A	----	216.90 - 23.20	.3853	----	----	----	----	2 UNCH
4515	----	----	243.40B/211.10A	243.40B/211.10A	----	219.00 - 23.50	.3880	----	----	----	----	247 UNCH
4520	----	----	245.70B/213.10A	245.70B/213.10A	----	221.20 - 23.60	.3907	----	----	----	----	25 UNCH
4525	----	----	248.80B/215.20A	248.80B/215.20A	----	223.40 - 23.80	.3934	----	----	----	----	240 UNCH
4530	----	----	250.30B/217.50A	250.30B/217.50A	----	225.60 - 24.00	.3962	----	----	----	----	20 UNCH
4535	----	----	252.80B/219.50A	252.80B/219.50A	----	227.80 - 24.20	.3989	----	----	----	----	102 UNCH
4540	----	----	255.10B/222.00A	255.10B/222.00A	----	230.00 - 24.40	.4016	----	----	----	----	1 UNCH
4550	----	----	260.90B/226.00A	260.90B/226.00A	----	234.50 - 24.80	.4070	----	----	----	10	19 + 10
4555	----	----	262.90B/228.30A	262.90B/228.30A	----	236.80 - 25.00	.4098	----	----	----	----	50 UNCH
4570	----	----	270.10B/234.80A	270.10B/234.80A	----	243.80 - 25.40	.4180	----	----	----	----	5 UNCH
4575	----	----	272.90B/237.20A	272.90B/237.20A	----	246.10 - 25.70	.4207	----	----	----	----	5 UNCH
4580	----	----	275.40B/239.30A	275.40B/239.30A	----	248.40 - 25.90	.4235	----	----	----	100	150 + 100
4585	----	----	278.00B/241.70A	278.00B/241.70A	----	250.80 - 26.10	.4262	----	----	----	----	325 UNCH
4600	----	----	285.50B/248.60A	285.50B/248.60A	----	258.00 - 26.60	.4345	----	----	3	70	930 + 73
4605	----	----	288.40B/250.90A	288.40B/250.90A	----	260.50 - 26.70	.4372	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4610	----	----	291.50B/253.30A	291.50B/253.30A	----	262.90 - 27.00	.4400	----	----	----	----	3 UNCH
4620	----	----	296.90B/258.20A	296.90B/258.20A	----	267.90 - 27.30	.4455	----	----	----	----	53 UNCH
4625	----	----	299.50B/260.40A	299.50B/260.40A	----	270.40 - 27.40	.4482	----	----	----	----	56 UNCH
4630	----	----	302.00B/262.90A	302.00B/262.90A	----	272.90 - 27.60	.4510	----	----	----	----	3 UNCH
4640	----	----	307.30B/267.70A	307.30B/267.70A	----	277.90 - 28.10	.4565	----	----	----	----	104 UNCH
4650	----	----	----/272.70A	311.10B/272.70A	----	283.10 - 28.40	.4620	----	----	----	----	116 UNCH
4655	----	----	----/275.20A	313.70B/275.20A	----	285.70 - 28.50	.4648	----	----	----	----	1 UNCH
4660	----	----	----/277.70A	316.40B/277.70A	----	288.30 - 28.70	.4675	----	----	----	----	2 UNCH
4665	----	----	----/280.20A	313.90B/280.20A	----	290.90 - 28.90	.4703	----	----	----	----	69 UNCH
4675	----	----	----/285.30A	319.00B/285.30A	----	296.20 - 29.30	.4758	----	----	----	----	10 UNCH
4680	----	----	----/288.00A	321.90B/288.00A	----	298.80 - 29.50	.4785	----	----	----	----	60 UNCH
4700	----	----	----/298.20A	333.30B/298.20A	----	309.60 - 30.20	.4894	----	----	----	----	512 UNCH
4710	----	----	----/303.70A	343.20B/303.70A	----	315.10 - 30.60	.4949	----	----	----	----	1 UNCH
4715	----	----	----/306.40A	343.10B/306.40A	----	317.90 - 30.70	.4976	----	----	----	----	15 UNCH
4725	----	----	----/311.80A	348.00B/311.80A	----	323.50 - 31.10	.5030	----	----	----	----	127 UNCH
4750	----	----	----/325.80A	363.10B/325.80A	----	337.70 - 32.00	.5165	----	----	----	----	63 UNCH
4790	----	----	----/348.50A	387.90B/348.50A	----	361.20 - 33.50	.5378	----	----	----	----	60 UNCH
4795	----	----	----/351.50A	391.10B/351.50A	----	364.20 - 33.70	.5404	----	----	----	----	1 UNCH
4800	----	----	----/354.30A	394.30B/354.30A	----	367.30 - 33.80	.5431	----	----	----	----	348 UNCH
4810	----	----	----/360.50A	400.70B/360.50A	----	373.30 - 34.20	.5483	----	----	----	----	56 UNCH
4815	----	----	----/363.50A	404.00B/363.50A	----	376.40 - 34.40	.5509	----	----	----	----	10 UNCH
4820	----	----	----/366.40A	407.20B/366.40A	----	379.50 - 34.60	.5535	----	----	----	----	20 UNCH
4825	----	----	----/369.50A	410.50B/369.50A	----	382.60 - 34.70	.5561	----	----	----	----	112 UNCH
4830	----	----	----/372.40A	413.70B/372.40A	----	385.70 - 34.90	.5587	----	----	----	----	6 UNCH
4835	----	----	----/375.50A	417.00B/375.50A	----	388.80 - 35.10	.5613	----	----	----	----	125 UNCH
4850	----	----	----/384.60A	427.00B/384.60A	----	398.20 - 35.70	.5690	----	----	----	----	13 UNCH
4875	----	----	----/400.20A	443.80B/400.20A	----	414.30 - 36.60	.5817	----	----	----	----	16 UNCH
4880	----	----	----/403.40A	453.30B/403.40A	----	417.50 - 36.80	.5842	----	----	----	----	12 UNCH
4900	----	----	----/416.00A	456.80B/416.00A	----	430.60 - 37.60	.5941	----	----	----	----	110 UNCH
4925	----	----	----/432.30A	473.80B/432.30A	----	447.30 - 38.50	.6064	----	----	----	----	236 UNCH
4930	----	----	----/435.80A	477.20B/435.80A	----	450.70 - 38.60	.6089	----	----	----	----	1 UNCH
4935	----	----	----/439.00A	480.80B/439.00A	----	454.10 - 38.80	.6112	----	----	----	----	2 UNCH
4940	----	----	----/442.30A	484.40B/442.30A	----	457.50 - 39.00	.6136	----	----	----	----	29 UNCH
4950	----	----	----/449.20A	491.50B/449.20A	----	464.30 - 39.40	.6184	----	----	----	----	24 UNCH
4975	----	----	----/466.20A	509.40B/466.20A	----	481.70 - 40.20	.6302	----	----	----	----	43 UNCH
4980	----	----	----/469.50A	513.00B/469.50A	----	485.20 - 40.30	.6326	----	----	----	----	5 UNCH
4995	----	----	----/479.80A	524.00B/479.80A	----	495.80 - 40.80	.6395	----	----	----	----	32 UNCH
5000	----	----	----/483.40A	527.60B/483.40A	----	499.30 - 41.00	.6418	----	----	----	----	445 UNCH
5020	----	----	----/497.70A	542.40B/497.70A	----	513.60 - 41.70	.6508	----	----	----	----	8 UNCH
5025	----	----	----/501.20A	546.10B/501.20A	----	517.20 - 41.80	.6530	----	----	----	----	210 UNCH
5035	----	----	----/508.20A	553.60B/508.20A	----	524.50 - 42.10	.6574	----	----	----	----	8 UNCH
5050	----	----	----/518.90A	564.90B/518.90A	----	535.50 - 42.50	.6640	----	----	----	----	201 UNCH
5070	----	----	----/533.50A	580.00B/533.50A	----	550.30 - 43.10	.6726	----	----	----	----	1 UNCH
5075	----	----	----/537.00A	583.90B/537.00A	----	554.00 - 43.20	.6748	----	----	----	----	100 UNCH
5095	----	----	----/551.70A	599.20B/551.70A	----	569.00 - 43.80	.6831	----	----	----	----	6 UNCH
5100	----	----	----/555.30A	601.80B/555.30A	----	572.80 - 43.90	.6852	----	----	----	----	6 UNCH
5195	----	----	----/627.40A	672.40B/627.40A	----	646.50 - 46.20	.7223	----	----	----	----	5 UNCH
5200	----	----	----/635.90A	676.40B/635.90A	----	650.50 - 46.30	.7241	----	----	----	----	38 UNCH
5250	----	----	----/675.50A	717.30B/675.50A	----	690.80 - 47.30	.7419	----	----	----	----	126 UNCH
5290	----	----	----	599.00B/852.20A	----	723.60 - 48.10	.7554	----	----	----	----	1 UNCH
5295	----	----	----	603.20B/856.40A	----	727.70 - 48.20	.7571	----	----	----	----	1 UNCH
5360	----	----	----/765.80A	809.70B/765.80A	----	782.20 - 49.40	.7773	----	----	----	----	100 UNCH
5370	----	----	----/774.20A	818.50B/774.20A	----	790.60 - 49.70	.7803	----	----	----	----	20 UNCH
5375	----	----	----/778.40A	822.60B/778.40A	----	794.90 - 49.70	.7817	----	----	----	----	34 UNCH
5400	----	----	----/799.60A	844.30B/799.60A	----	816.30 - 50.10	.7889	----	----	----	----	102 UNCH
5415	----	----	----/812.40A	857.40B/812.40A	----	829.20 - 50.40	.7930	----	----	----	----	4 UNCH
5460	----	----	----/851.10A	896.70B/851.10A	----	868.20 - 51.20	.8051	----	----	----	----	200 UNCH
5465	----	----	----/855.40A	901.20B/855.40A	----	872.60 - 51.20	.8063	----	----	----	----	50 UNCH
5480	----	----	----/868.50A	914.30B/868.50A	----	885.70 - 51.50	.8102	----	----	----	----	50 UNCH
5500	----	----	----/886.00A	932.10B/886.00A	----	903.30 - 51.80	.8151	----	----	----	----	31 UNCH
5525	----	----	----/907.90A	954.30B/907.90A	----	925.40 - 52.20	.8211	----	----	----	----	80 UNCH
5600	----	----	----/973.00A	1023.60B/973.00A	----	992.50 - 53.30	.8378	----	----	----	----	252 UNCH
5900	----	----	----/1,251.30A	1298.10B/1251.30A	----	1270.10 - 56.30	.8875	----	----	----	----	125 UNCH
6000	----	----	----/1,345.90A	1392.60B/1345.90A	----	1365.00 - 56.90	.8995	----	----	----	----	40 UNCH
6500	----	----	----/1,832.90A	1874.50B/1832.90A	----	1849.60 - 59.30	.9383	----	----	----	----	4 UNCH
TOTAL										118	1,185	29904 + 385
JAN27												
2625	3.00	3.00	3.00/*3.00	3.20B/*3.00	----	4.90 NEW	.0103	----	----	4	----	4 + 4
2700	----	----	----	3.80B/8.30A	----	5.40 - 0.40	.0116	----	----	----	----	11 UNCH
2800	----	----	----	4.80B/9.60A	----	6.40 - 0.50	.0139	----	----	----	----	12 UNCH
3000	----	----	----	7.60B/12.90A	----	10.10 - 0.90	.0220	----	----	----	----	36 UNCH
3300	----	----	----	15.60B/21.20A	----	18.40 - 1.70	.0406	----	----	----	----	1 UNCH
3500	----	----	----	25.50B/30.50A	----	27.90 - 2.60	.0611	----	----	----	----	1 UNCH
3520	----	----	----/31.60A	29.30B/31.60A	----	29.00 - 2.90	.0635	----	----	----	----	1 UNCH
3600	----	----	----/35.50A	35.20B/35.50A	----	34.30 - 3.70	.0747	----	----	----	----	7 UNCH
3680	----	----	----/41.30A	42.30B/41.30A	----	40.60 - 4.90	.0877	----	----	----	----	1 UNCH
3800	----	----	----/53.70A	55.70B/53.70A	----	52.70 - 6.40	.1115	----	----	----	----	1 UNCH
3825	----	----	----/56.50A	58.90B/56.50A	----	55.70 - 6.70	.1172	----	----	----	----	1 UNCH
3850	----	----	----/59.30A	62.40B/59.30A	----	58.90 - 7.00	.1231	----	----	----	----	230 UNCH
3900	----	----	----/65.60A	73.10B/65.60A	----	65.80 - 7.50	.1358	----	----	----	----	1 UNCH
3980	----	----	87.00B/77.20A	87.00B/77.20A	----	78.50 - 8.40	.1583	----	----	----	----	1 UNCH
4000	----	----	90.90B/80.40A	90.90B/80.40A	----	82.00 - 8.60	.1644	----	----	----	----	3 UNCH
4025	----	----	95.90B/84.30A	95.90B/84.30A	----	86.50 - 9.10	.1721	----	----	----	----	2 UNCH
4070	----	----	106.20B/92.60A	106.20B/92.60A	----	95.30 - 9.80	.1868	----	----	----	----	1 UNCH
4100	----	----	112.80B/98.70A	112.80B/98.70A	----	101.60 - 10.30	.1971	----	----	----	----	8 UNCH
4200	----	----	139.50B/121.30A	139.50B/121.30A	----	125.20 - 12.50	.2341	----	----	----	----	3 UNCH
4350	----	----	186.90B/163.70A	186.90B/163.70A	----	169.00 - 16.80	.2968	----	----	----	----	1 UNCH
4400	----	----	205.20B/180.30A	205.20B/180.30A	----	186.10 - 18.50	.3195	----	----	----	----	1 UNCH
4425	----	----	215.70B/189.10A	215.70B/189.10A	----	195.10 - 19.40	.3311	----	----	----	1500	0 - 1500
4500	----	----	248.50B/217.60A	248.50B/217.60A	----	224.30 - 22.10	.3669	----	----	----	----	3 UNCH
4575	----	----	283.10B/249.10A	283.10B/249.10A	----	256.60 - 24.90	.4037	----	----	----	----	1 UNCH
4585	----	----	288.20B/253.60A	288.20B/253.60A	----	261.10 - 25.30	.4087	----	----	----	----	1 UNCH
4600	----	----	295.00B/260.60A	295.00B/260.60A	----	268.10 - 25.80	.4162	----	----	----	----	3 UNCH
4610	----	----	300.70B/265.20A	300.70B/265.20A	----	272.80 - 26.20	.4212	----	----	----	----	1 UNCH
4620	----	----	305.30B/269.80A	305.30B/269.80A	----	277.50 - 26.60	.4262	----	----	----	----	1 UNCH
4630	----	----	310.30B/274.50A	310.30B/274.50A	----	282.30 - 27.00	.4312	----	----	----	----	1 UNCH
4650	----	----	320.90B/284.10A	320.90B/284.10A	----	292.10 - 27.70	.4413	----	----	----	----	2 UNCH
4660	----	----	326.40B/288.90A	326.40B/288.90A	----	297.10 - 28.10	.4463	----	----	----	----	4 UNCH
4665	----	----	329.60B/291.10A	329.60B/291.10A	----	299.60 - 28.30	.4488	----	----	----	----	4 UNCH
4700	----	----	----/308.70A	346.60B/308.70A	----	317.60 - 29.60	.4664	----	----	----	----	1 UNCH
4710	----	----	----/313.80A	349.20B/313.80A	----	322.90 - 29.90	.4714	----	----	----	----	4 UNCH
4760	----	----	----/340.40A	378.10B/340.40A	----	350.10 - 31.70	.4963	----	----	----	----	100 UNCH
4800	----	----	----/363.20A	402.20B/363.20A	----	372.90 - 33.10	.5159	----	----	----	----	6 UNCH
4820	----	----	----/374.70A	414.50B/374.70A	----	384.70 - 33.70	.5256	----	----	----	----	6 UNCH
4860	----	----	----/398.10A	439.90B/398.10A	----	408.80 - 35.10	.5448	----	----	----	----	1 UNCH
4960	----	----	----/460.40A	503.50B/460.40A	----	472.70 - 38.20	.5910	----	----	----	----	42 UNCH
4980	----	----	----/473.20A	510.50B/473.20A	----	486.10 - 38.70	.5999	----	----	----	----	9 UNCH
4990	----	----	----/480.00A	517.50B/480.00A	----	492.80 - 39.10	.6043	----	----	----	----	1 UNCH
4995	----	----	----/483.10A	521.10B/483.10A	----	496.20 - 39.20	.6065	----	----	----	----	1 UNCH
5000	----	----	----/486.50A	524.70B/486.50A	----	499.60 - 39.40	.6087	----	----	----	----	2 UNCH
5050	----	----	----/520.50A	560.20B/520.50A	----	534.30 - 40.80	.6301	----	----	----	----	100 UNCH
5085	----	----	----/545.00A	586.00B/545.00A	----	559.20 - 41.80	.6445	----	----	----	----	2 UNCH
5150	----	----	----/591.60A	635.10B/591.60A	----	606.70 - 43.60	.6703	----	----	----	----	2 UNCH
5235	----	----	----/654.70A	677.50B/654.70A	----	671.40 - 45.70	.7018	----	----	----	----	2 UNCH
5245	----	----	----/662.60A	680.90B/662.60A	----	679.20 - 45.90	.7053	----	----	----	----	2 UNCH
5300	----	----	----	577.20B/870.40A	----	722.60 - 47.20	.7240	----	----	----	----	44 UNCH
TOTAL										4	1,500	673 - 1496
FEB27												
2800	----	----	----	5.60B/11.70A	----	9.00 - 0.30	.0180	----	----	----	----	4 UNCH
3400	----	----	----	24.00B/30.70A	----	27.50 - 2.30	.0565	----	----	----	----	11 UNCH
4000	----	----	----/92.30A	103.50B/92.30A	----	94.20 - 9.60	.1749	----	----	----	----	11 UNCH
4025	----	----	----/97.10A	109.10B/97.10A	----	99.20 - 10.00	.1826	----	----	----	----	35 UNCH
4070	----	----	119.70B/106.20A	119.70B/106.20A	----	108.70 - 10.80	.1972	----	----	----	----	2 UNCH
4200	----	----	154.70B/136.80A	154.70B/136.80A	----	140.80 - 13.30	.2435	----	----	----	----	50 UNCH
4330	----	----	197.30B/174.70A	197.30B/174.70A	----	180.00 - 16.60	.2954	----	----	----	----	6 UNCH
4370	----	----	212.20B/188.00A	212.20B/188.00A	----	193.70 - 17.60	.3124	----	----	----	----	1 UNCH
4400	----	----	223.80B/198.50A	223.80B/198.50A	----	204.50 - 18.50	.3255	----	----	----	----	2 UNCH
4440	----	----	240.20B/213.20A	240.20B/213.20A	----	219.50 - 19.70	.3431	----	----	----	----	1 UNCH
4500	----	----	266.10B/237.30A	266.10B/237.30A	----	243.70 - 21.40	.3703	----	----	----	----	2 UNCH
4600	----	----	314.10B/280.70A	314.10B/280.70A	----	288.20 - 24.50	.4167	----	----	----	----	17 UNCH
4630	----	----	329.60B/294.90A	329.60B/294.90A	----	302.60 - 25.40	.4308	----	----	----	----	9 UNCH
4635	----	----	332.20B/296.50A	332.20B/296.50A	----	305.00 - 25.60	.4332	----	----	----	----	2 UNCH
4650	----	----	340.20B/304.70A	340.20B/304.70A	----	312.40 - 26.20	.4402	----	----	----	----	1 UNCH
4655	----	----	342.90B/306.20A	342.90B/306.20A	----	314.90 - 26.30	.4426	----	----	----	----	1 UNCH
4660	----	----	345.80B/309.60A	345.80B/309.60A	----	317.40 - 26.50	.4450	----	----	----	----	435 UNCH
4665	----	----	346.90B/311.50A	346.90B/311.50A	----	320.00 - 26.60	.4473	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 17

OG PUT — COMEX GOLD OPTIONS

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FEB27											
4680 ----	----	----/318.70A	347.70B/318.70A	----	327.60 - 27.20	.4544	----	----	----	----	3 UNCH
4750 ----	----	----/356.60A	387.10B/356.60A	----	364.70 - 30.00	.4872	----	----	----	----	1 UNCH
4755 ----	----	----/359.30A	390.00B/359.30A	----	367.50 - 30.10	.4896	----	----	----	----	1 UNCH
4775 ----	----	----/370.10A	401.80B/370.10A	----	378.60 - 31.00	.4988	----	----	----	----	1 UNCH
4785 ----	----	----/375.70A	407.80B/375.70A	----	384.30 - 31.30	.5035	----	----	----	----	100 UNCH
4800 ----	----	----/384.70A	416.80B/384.70A	----	392.80 - 32.00	.5104	----	----	----	----	60 UNCH
4805 ----	----	----/387.30A	419.90B/387.30A	----	395.70 - 32.20	.5127	----	----	----	----	2 UNCH
4835 ----	----	----/404.60A	438.40B/404.60A	----	413.30 - 33.30	.5263	----	----	----	----	1 UNCH
4840 ----	----	----/407.50A	441.50B/407.50A	----	416.30 - 33.50	.5286	----	----	----	----	1 UNCH
4845 ----	----	----/410.40A	444.60B/410.40A	----	419.20 - 33.70	.5308	----	----	----	----	3 UNCH
4855 ----	----	----/416.30A	450.90B/416.30A	----	425.30 - 34.00	.5354	----	----	----	----	3 UNCH
4900 ----	----	----/443.50A	480.00B/443.50A	----	453.00 - 35.60	.5553	----	----	----	----	4 UNCH
4905 ----	----	----/446.50A	483.20B/446.50A	----	456.20 - 35.70	.5575	----	----	----	----	4 UNCH
4950 ----	----	----/474.60A	513.30B/474.60A	----	485.00 - 37.10	.5770	----	----	----	----	1 UNCH
4955 ----	----	----/477.80A	516.70B/477.80A	----	488.30 - 37.30	.5791	----	----	----	----	1 UNCH
5000 ----	----	----/507.10A	542.40B/507.10A	----	518.20 - 38.60	.5980	----	----	----	----	10 UNCH
5005 ----	----	----/510.50A	545.90B/510.50A	----	521.60 - 38.70	.6001	----	----	----	----	2 UNCH
5050 ----	----	----/540.70A	577.70B/540.70A	----	552.60 - 39.80	.6183	----	----	----	----	4 UNCH
5055 ----	----	----/544.20A	581.20B/544.20A	----	556.10 - 40.00	.6203	----	----	----	----	4 UNCH
5100 ----	----	----/575.20A	614.10B/575.20A	----	587.90 - 41.20	.6379	----	----	----	----	2 UNCH
5150 ----	----	----/610.70A	651.20B/610.70A	----	624.30 - 42.40	.6566	----	----	----	----	1 UNCH
5175 ----	----	----/628.90A	670.20B/628.90A	----	642.80 - 43.00	.6657	----	----	----	----	125 UNCH
5200 ----	----	----/647.30A	689.50B/647.30A	----	661.60 - 43.60	.6746	----	----	----	----	1 UNCH
5250 ----	----	----/684.60A	724.20B/684.60A	----	699.80 - 44.70	.6918	----	----	----	----	10 UNCH
5340 ----	----	----/753.90A	746.20B/753.90A	----	770.50 - 46.70	.7207	----	----	----	----	1 UNCH
5520 ----	----	----	752.40B/1085.40A	----	919.00 - 50.30	.7709	----	----	----	----	300 UNCH
5530 ----	----	----	760.90B/1093.80A	----	927.50 - 50.50	.7734	----	----	----	----	100 UNCH
5550 ----	----	----	778.10B/1110.70A	----	944.50 - 50.90	.7783	----	----	----	----	65 UNCH
5565 ----	----	----	791.00B/1123.50A	----	957.40 - 51.10	.7819	----	----	----	----	50 UNCH
TOTAL											1454 0
MAR27											
3600 ----	----	----/47.60A	45.00B/47.60A	----	45.80 - 4.00	.0865	----	----	----	70	725 + 70
3750 ----	----	----/64.70A	60.80B/64.70A	----	61.60 - 5.90	.1137	----	----	----	----	10 UNCH
3850 ----	----	----/77.90A	81.50B/77.90A	----	75.30 - 7.40	.1359	----	----	----	----	21 UNCH
3900 ----	----	----/85.50A	89.80B/85.50A	----	83.10 - 8.20	.1482	----	----	----	----	11 UNCH
4000 ----	----	----/99.50A	109.90B/99.50A	----	101.20 - 10.00	.1754	----	----	----	----	6 UNCH
4070 ----	----	----/113.50A	126.00B/113.50A	----	115.90 - 11.30	.1966	----	----	----	----	2 UNCH
4200 151.30	151.30	151.30/144.70A	161.80B/144.70A	----	147.80 - 14.00	.2400	----	----	50	50	575 + 50
4325 ----	----	202.20B/182.10A	202.20B/182.10A	----	184.80 - 17.30	.2865	----	----	----	----	10 UNCH
4370 ----	----	219.90B/196.60A	219.90B/196.60A	----	199.70 - 18.70	.3043	----	----	----	----	250 UNCH
4500 ----	----	----/244.90A	271.50B/244.90A	----	247.80 - 23.80	.3582	----	----	----	----	6 UNCH
4525 ----	----	----/255.00A	282.60B/255.00A	----	258.00 - 24.90	.3690	----	----	----	----	11 UNCH
4650 ----	----	343.80B/310.20A	343.80B/310.20A	----	314.10 - 29.60	.4240	----	----	----	----	3 UNCH
4660 ----	----	----/315.20A	344.90B/315.20A	----	319.00 - 29.90	.4284	----	----	----	----	25 UNCH
4680 ----	----	----/324.60A	349.30B/324.60A	----	328.90 - 30.50	.4374	----	----	----	----	1 UNCH
4710 ----	----	----/339.60A	365.30B/339.60A	----	344.30 - 31.20	.4507	----	----	----	----	4 UNCH
4720 ----	----	----/344.60A	370.80B/344.60A	----	349.50 - 31.40	.4552	----	----	----	----	2 UNCH
4740 ----	----	----/356.20A	381.80B/356.20A	----	360.20 - 31.80	.4641	----	----	----	----	3 UNCH
4750 ----	----	----/361.40A	387.40B/361.40A	----	365.60 - 32.00	.4685	----	----	----	----	15 UNCH
4810 ----	----	----/393.50A	422.00B/393.50A	----	399.30 - 32.80	.4947	----	----	----	----	22 UNCH
4850 418.40	418.40	418.40/416.10A	446.00B/416.10A	----	422.70 - 33.40	.5119	----	----	1	----	6 + 1
4900 ----	----	----/445.00A	477.10B/445.00A	----	453.00 - 34.20	.5329	----	----	----	----	2 UNCH
4905 ----	----	----/447.80A	480.30B/447.80A	----	456.10 - 34.30	.5350	----	----	----	----	2 UNCH
5000 ----	----	----/506.40A	542.60B/506.40A	----	516.60 - 36.40	.5737	----	----	----	----	75 UNCH
TOTAL									51	120	1787 + 121
APR27											
4300 ----	----	----/*192.80A	200.90B/*192.80A	----	192.50 - 53.40	.2829	----	----	----	----	150 UNCH
4500 ----	----	----/*264.80A	279.60B/*264.80A	----	266.80 - 63.70	.3612	----	----	----	----	1 UNCH
4900 ----	----	----/*464.40A	#494.10B/*464.40A	----	472.20 - 73.80	.5268	----	----	----	----	2 UNCH
4905 ----	----	----/*467.40A	#497.30B/*467.40A	----	475.20 - 73.90	.5288	----	----	----	----	2 UNCH
5000 ----	----	----/*525.60A	#559.10B/*525.60A	----	534.80 - 74.30	.5657	----	----	----	----	100 UNCH
5060 ----	----	----/*564.50A	#600.10B/*564.50A	----	574.40 - 74.20	.5882	----	----	----	----	25 UNCH
5200 ----	----	----	445.90B/966.20A	----	672.00 - 73.20	.6374	----	----	----	----	15 UNCH
TOTAL											295 0
JUN27											
2800 ----	----	----	----	----	8.30 - 7.50	.0164	----	----	----	----	4 UNCH
3625 ----	----	----	#3.00B/156.00A	----	72.30 - 34.20	.1106	----	----	----	----	450 UNCH
4900 ----	----	----	202.50B/875.60A	----	489.20 - 95.40	.5028	----	----	----	----	1 UNCH
4905 ----	----	----	#205.20B/879.00A	----	492.20 - 95.40	.5046	----	----	----	----	1 UNCH
5085 ----	----	----	217.40B/1107.90A	----	604.80 - 95.70	.5679	----	----	----	----	150 UNCH
TOTAL											606 0
DEC27											
3700 ----	----	----	----	----	130.80 - 47.00	.1446	----	----	----	----	100 UNCH
3715 ----	----	----	----	----	133.20 - 48.00	.1471	----	----	----	----	150 UNCH
3820 ----	----	----	----	----	151.80 - 54.70	.1659	----	----	----	----	50 UNCH
4130 ----	----	----	----	----	220.20 - 73.60	.2312	----	----	----	----	168 UNCH
4500 ----	----	----	----	----	339.30 - 92.00	.3292	----	----	----	----	270 UNCH
4630 ----	----	----	----	----	393.20 - 97.70	.3676	----	----	----	----	284 UNCH
4860 ----	----	----	----	----	504.80 - 05.90	.4377	----	----	----	----	100 UNCH
5000 ----	----	----	----	----	582.70 - 08.60	.4796	----	----	----	----	50 UNCH
5650 ----	----	----	----	----	1022.00 - 00.10	.6466	----	----	----	----	200 UNCH
5880 ----	----	----	----	----	1199.90 - 95.80	.6939	----	----	----	----	200 UNCH
TOTAL											1572 0
JAN28											
5000 ----	----	----	----	----	581.20 - 11.20	.4664	----	----	----	----	1 UNCH
5100 ----	----	----	----	----	639.90 - 11.50	.4944	----	----	----	----	1 UNCH
TOTAL											2 0

OG CALL — COMEX GOLD OPTIONS

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26											
2000 ----	----	#2,619.30B/----	#2619.30B/*2553.00/	----	2593.00 + 60.60	1.0000	700	----	675	----	0 - 25
3000 ----	----	#1,620.80B/----	1620.80B/*1552.50A	----	1593.00 + 60.60	1.0000	150	----	200	----	75 + 50
3300 ----	----	----	----	----	1293.00 + 60.50	.9974	----	----	----	----	2 UNCH
3400 ----	----	#1,219.90B/----	1219.90B/1152.30A	----	1193.00 + 60.40	.9961	----	----	----	----	20 UNCH
3500 ----	----	#1,120.00B/----	1120.00B/1052.40A	----	1093.20 + 60.40	.9947	----	----	----	----	5 UNCH
3600 ----	----	1,020.30B/----	1020.30B/952.70A	----	993.40 + 60.10	.9922	----	----	----	----	24 UNCH
3650 ----	----	970.50B/----	970.50B/902.90A	----	943.60 + 60.00	.9908	----	----	----	----	10 UNCH
3670 ----	----	950.60B/----	950.60B/883.00A	----	923.70 + 60.00	.9902	----	----	----	----	3 UNCH
3700 ----	----	920.70B/----	920.70B/853.20A	----	893.80 + 59.80	.9894	----	----	----	----	119 UNCH
3735 ----	----	----	----	----	859.00 + 59.70	.9880	----	----	----	----	1 UNCH
3775 ----	----	846.30B/----	846.30B/778.80A	----	819.30 + 59.50	.9860	----	----	----	----	4 UNCH
3800 ----	----	824.10B/----	824.10B/753.50A	----	794.50 + 59.40	.9847	----	----	----	----	2055 UNCH
3825 ----	----	796.70B/----	796.70B/729.30A	----	769.70 + 59.20	.9828	----	----	----	----	3 UNCH
3850 ----	----	772.00B/----	772.00B/704.60A	----	745.00 + 59.20	.9813	----	----	----	----	65 UNCH
3860 ----	----	----	----	----	735.10 + 59.10	.9806	----	----	----	----	1 UNCH
3865 ----	----	757.20B/----	757.20B/689.80A	----	730.20 + 59.10	.9800	----	----	----	----	7 UNCH
3875 ----	----	747.30B/----	747.30B/680.00A	----	720.30 + 59.00	.9793	----	----	----	----	25 UNCH
3900 ----	----	722.60B/627.00A	722.60B/627.00A	----	695.60 + 58.90	.9773	----	----	----	----	18 UNCH
3925 ----	----	698.60B/602.70A	698.60B/602.70A	----	671.00 + 58.70	.9747	----	----	----	----	35 UNCH
3950 ----	----	677.00B/578.20A	677.00B/578.20A	----	646.40 + 58.50	.9719	----	----	----	----	821 UNCH
3960 ----	----	666.90B/568.60A	666.90B/568.60A	----	636.60 + 58.50	.9706	----	----	----	----	1 UNCH
4000 ----	----	627.80B/529.80A	627.80B/529.80A	----	597.50 + 58.20	.9653	----	----	----	----	29 UNCH
4020 ----	----	608.60B/510.50A	608.60B/510.50A	----	578.00 + 58.00	.9620	----	----	----	----	1 UNCH
4040 ----	----	589.10B/491.40A	589.10B/491.40A	----	558.50 + 57.70	.9586	----	----	----	----	1 UNCH
4070 ----	----	559.20B/462.70A	559.20B/462.70A	----	529.40 + 57.30	.9526	----	----	----	----	1 UNCH
4075 ----	----	554.80B/458.00A	554.80B/458.00A	----	524.60 + 57.20	.9518	----	----	----	----	6 UNCH
4095 ----	----	535.40B/439.10A	535.40B/439.10A	----	505.30 + 56.90	.9472	----	----	----	----	4 UNCH
4100 ----	----	530.30B/434.30A	530.30B/434.30A	----	500.50 + 56.80	.9459	----	----	----	----	194 UNCH
4105 ----	----	525.00B/429.60A	525.00B/429.60A	----	495.70 + 56.70	.9446	----	----	----	----	1 UNCH
4110 ----	----	520.50B/424.90A	520.50B/424.90A	----	490.90 + 56.60	.9433	----	----	----	----	3 UNCH
4145 ----	----	487.90B/392.40A	487.90B/392.40A	----	457.50 + 55.90	.9335	----	----	----	----	28 UNCH
4150 ----	----	482.20B/387.90A	482.20B/387.90A	----	452.70 + 55.80	.9317	----	----	----	----	37 UNCH
4155 ----	----	477.80B/383.40A	477.80B/383.40A	----	448.00 + 55.70	.9303	----	----	----	----	1 UNCH
4160 ----	----	473.30B/378.70A	473.30B/378.70A	----	443.20 + 55.50	.9284	----	----	----	----	1 UNCH
4190 ----	----	445.60B/351.40A	445.60B/351.40A	----	415.00 + 54.80	.9175	----	----	----	----	1 UNCH
4200 411.90	411.90	436.30B/342.70A	436.30B/342.70A	----	405.70 + 54.50	.9132	----	----	1	----	9 UNCH
4215 ----	----	422.30B/329.00A	422.30B/329.00A	----	391.70 + 54.00	.9069	----	----	----	----	25 UNCH
4220 ----	----	417.50B/324.60A	417.50B/324.60A	----	387.10 + 53.90	.9045	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4225	----	----	412.90B/320.20A	412.90B/320.20A	----	382.50 + 53.70	.9024	----	----	----	----	2 UNCH
4235	----	----	403.90B/311.40A	403.90B/311.40A	----	373.30 + 53.40	.8975	----	----	----	----	1 UNCH
4240	----	----	399.10B/307.30A	399.10B/307.30A	----	368.70 + 53.20	.8947	----	----	----	----	39 UNCH
4245	----	----	394.70B/302.90A	394.70B/302.90A	----	364.20 + 53.10	.8922	----	----	----	----	1 UNCH
4250	----	----	389.80B/298.40A	389.80B/298.40A	----	359.60 + 52.80	.8897	----	----	----	----	318 UNCH
4255	----	----	385.20B/294.20A	385.20B/294.20A	----	355.10 + 52.70	.8868	----	----	----	----	1 UNCH
4265	----	----	376.00B/285.90A	376.00B/285.90A	----	346.00 + 52.20	.8813	----	----	----	----	2 UNCH
4270	----	----	371.60B/281.60A	371.60B/281.60A	----	341.50 + 52.00	.8783	----	----	----	----	38 UNCH
4275	----	----	367.30B/277.40A	367.30B/277.40A	----	337.10 + 51.90	.8753	----	----	----	----	76 UNCH
4280	----	----	362.50B/273.30A	362.50B/273.30A	----	332.60 + 51.60	.8720	----	----	----	----	3 UNCH
4300	----	----	344.80B/256.50A	344.80B/256.50A	----	314.90 + 50.70	.8590	----	----	----	----	91 UNCH
4305	----	----	340.00B/252.70A	340.00B/252.70A	----	310.50 + 50.40	.8552	----	----	----	----	1 UNCH
4315	----	----	331.40B/244.50A	331.40B/244.50A	----	301.80 + 49.90	.8482	----	----	----	----	21 UNCH
4325	----	----	322.60B/236.40A	322.60B/236.40A	----	293.20 + 49.40	.8405	----	----	----	----	22 UNCH
4335	----	----	313.60B/228.80A	313.60B/228.80A	----	284.70 + 48.90	.8327	----	----	----	----	1 UNCH
4350	----	----	301.20B/217.10A	301.20B/217.10A	----	272.00 + 48.00	.8199	----	----	----	----	17 UNCH
4360	----	----	292.60B/209.60A	292.60B/209.60A	----	263.70 + 47.40	.8112	----	----	----	----	53 UNCH
4365	----	----	288.40B/205.80A	288.40B/205.80A	----	259.60 + 47.10	.8065	----	----	----	----	45 UNCH
4370	----	----	284.10B/202.10A	284.10B/202.10A	----	255.50 + 46.70	.8018	----	----	----	----	20 UNCH
4375	----	----	279.60B/198.40A	279.60B/198.40A	----	251.40 + 46.40	.7971	----	----	----	----	5 UNCH
4395	----	----	263.40B/184.30A	263.40B/184.30A	----	235.40 + 45.00	.7772	----	----	----	----	2 UNCH
4400	183.70	183.70	259.40B/180.70A	259.40B/180.70A	----	231.40 + 44.60	.7719	----	----	1	----	2314 - 1
4405	----	----	255.00B/177.40A	255.00B/177.40A	----	227.50 + 44.20	.7668	----	----	----	----	1 UNCH
4410	----	----	251.10B/174.00A	251.10B/174.00A	----	223.70 + 43.90	.7611	----	----	----	----	4 UNCH
4415	----	----	247.60B/170.50A	247.60B/170.50A	----	219.80 + 43.40	.7557	----	----	----	----	39 UNCH
4420	----	----	243.50B/167.20A	243.50B/167.20A	----	216.00 + 43.10	.7500	----	----	----	----	34 UNCH
4425	----	----	239.60B/163.80A	239.60B/163.80A	----	212.20 + 42.60	.7443	----	----	----	----	30 UNCH
4430	----	----	234.60B/160.60A	234.60B/160.60A	----	208.40 + 42.20	.7386	----	----	----	----	13 UNCH
4435	----	----	231.40B/157.40A	231.40B/157.40A	----	204.70 + 41.80	.7327	----	----	----	----	1 UNCH
4440	----	----	227.70B/154.20A	227.70B/154.20A	----	201.00 + 41.40	.7267	----	----	----	----	9 UNCH
4445	----	----	224.10B/151.00A	224.10B/151.00A	----	197.40 + 41.00	.7207	----	----	----	----	32 UNCH
4450	----	----	220.70B/147.90A	220.70B/147.90A	----	193.70 + 40.50	.7145	----	----	1	----	308 UNCH
4455	----	----	216.40B/144.80A	216.40B/144.80A	----	190.20 + 40.10	.7082	----	----	----	----	4 UNCH
4460	----	----	212.70B/141.90A	212.70B/141.90A	----	186.60 + 39.60	.7020	----	----	----	----	2 UNCH
4465	----	----	209.50B/138.70A	209.50B/138.70A	----	183.10 + 39.20	.6955	----	----	----	----	39 UNCH
4470	----	----	205.70B/135.50A	205.70B/135.50A	----	179.60 + 38.70	.6890	----	----	----	----	29 UNCH
4475	----	----	202.30B/132.50A	202.30B/132.50A	----	176.20 + 38.30	.6825	----	----	2	----	91 - 2
4480	----	----	198.50B/129.80A	198.50B/129.80A	----	172.80 + 37.90	.6758	----	----	----	----	354 UNCH
4485	----	----	195.20B/126.90A	195.20B/126.90A	----	169.40 + 37.40	.6691	----	----	----	----	20 UNCH
4490	----	----	191.50B/124.10A	191.50B/124.10A	----	166.10 + 37.00	.6623	----	----	----	----	21 UNCH
4495	----	----	188.00B/121.50A	188.00B/121.50A	----	162.80 + 36.50	.6554	----	----	----	----	24 UNCH
4500	129.10	129.10	185.00B/118.70A	185.00B/118.70A	----	159.50 + 36.00	.6485	----	----	146	----	1576 - 46
4505	----	----	181.20B/116.00A	181.20B/116.00A	----	156.30 + 35.60	.6415	----	----	----	----	6 UNCH
4510	----	----	177.90B/113.50A	177.90B/113.50A	----	153.20 + 35.20	.6344	----	----	----	----	87 UNCH
4515	----	----	174.40B/110.90A	174.40B/110.90A	----	150.00 + 34.70	.6273	----	----	----	----	289 UNCH
4520	----	----	171.20B/108.20A	171.20B/108.20A	----	146.90 + 34.20	.6201	----	----	----	----	185 UNCH
4525	----	----	167.90B/105.70A	167.90B/105.70A	----	143.90 + 33.80	.6129	----	----	1	----	192 UNCH
4530	----	----	165.00B/103.40A	165.00B/103.40A	----	140.90 + 33.30	.6056	----	----	----	----	148 UNCH
4535	----	----	161.80B/100.80A	161.80B/100.80A	----	137.90 + 32.90	.5983	----	----	----	----	129 UNCH
4540	----	----	158.50B/98.40A	158.50B/98.40A	----	135.00 + 32.40	.5908	----	----	----	----	61 UNCH
4545	116.10	116.10	155.60B/96.20A	155.60B/96.20A	----	132.10 + 32.00	.5834	----	----	18	----	139 - 9
4550	106.50	106.50	152.60B/93.90A	152.60B/93.90A	----	129.20 + 31.50	.5760	----	----	217	----	368 + 31
4555	----	----	149.40B/91.50A	149.40B/91.50A	----	126.40 + 31.00	.5685	----	----	----	----	20 UNCH
4560	91.70	91.70	146.50B/89.30A	146.50B/89.30A	----	123.70 + 30.60	.5610	----	----	4	----	61 - 1
4565	99.30	99.30	143.50B/87.20A	143.50B/87.20A	----	120.90 + 30.10	.5535	----	----	21	----	56 + 10
4570	----	----	140.70B/85.10A	140.70B/85.10A	----	118.20 + 29.60	.5459	----	----	1	----	55 + 1
4575	100.90	100.90	137.80B/83.00A	137.80B/83.00A	----	115.60 + 29.20	.5384	----	----	13	----	137 - 1
4580	----	----	134.90B/80.80A	134.90B/80.80A	----	113.00 + 28.70	.5308	----	----	21	----	48 + 21
4585	----	----	132.00B/78.80A	132.00B/78.80A	----	110.40 + 28.20	.5232	----	----	10	----	24 + 10
4590	79.00	79.00	129.40B/76.80A	129.40B/76.80A	----	107.90 + 27.80	.5156	----	----	3	----	35 UNCH
4595	110.00	110.00	126.70B/75.00A	126.70B/75.00A	----	105.40 + 27.30	.5079	----	----	3	----	24 - 1
4600	74.50	74.50	124.10B/73.20A	124.10B/73.20A	----	102.90 + 26.80	.5003	----	----	295	----	1789 + 32
4605	----	----	121.30B/71.00A	121.30B/71.00A	----	100.50 + 26.30	.4927	----	----	1	----	87 + 1
4610	100.10	100.10	118.80B/69.40A	118.80B/69.40A	----	98.10 + 25.80	.4851	----	----	30	----	44 + 20
4615	----	----	116.00B/67.50A	116.00B/67.50A	----	95.80 + 25.40	.4775	----	----	53	----	81 + 48
4620	99.80	99.80	113.60B/65.80A	113.60B/65.80A	----	93.50 + 24.90	.4699	----	----	4	----	49 + 1
4625	94.40	94.40	111.30B/64.10A	111.30B/64.10A	----	91.30 + 24.50	.4624	----	----	17	----	128 + 10
4630	----	----	108.80B/62.60A	108.80B/62.60A	----	89.10 + 24.10	.4548	----	----	14	----	27 + 8
4635	----	----	106.30B/60.80A	106.30B/60.80A	----	86.90 + 23.60	.4473	----	----	----	----	125 UNCH
4640	67.90	67.90	104.10B/59.20A	104.10B/59.20A	----	84.80 + 23.20	.4398	----	----	72	----	217 - 43
4645	85.70	85.70	101.70B/57.60A	101.70B/57.60A	----	82.70 + 22.70	.4323	----	----	4	----	33 + 2
4650	58.60	58.60	99.50B/56.20A	99.50B/56.20A	----	80.60 + 22.20	.4249	----	----	157	----	1360 + 8
4655	93.40	93.40	97.10B/54.60A	97.10B/54.60A	----	78.60 + 21.70	.4175	----	----	4	----	28 + 1
4660	----	----	94.80B/53.20A	94.80B/53.20A	----	76.70 + 21.40	.4102	----	----	9	----	87 - 2
4665	77.50	77.50	92.70B/51.70A	92.70B/51.70A	----	74.70 + 20.90	.4028	----	----	3	----	288 + 1
4670	74.40	74.40	90.40B/50.40A	90.40B/50.40A	----	72.80 + 20.40	.3955	----	----	1	----	133 UNCH
4675	----	----	88.50B/48.90A	88.50B/48.90A	----	71.00 + 20.00	.3884	----	----	----	----	213 UNCH
4680	57.30	57.30	86.50B/47.60A	86.50B/47.60A	----	69.20 + 19.60	.3812	----	----	37	----	174 + 13
4685	----	----	84.30B/46.30A	84.30B/46.30A	----	67.40 + 19.20	.3741	----	----	----	----	20 UNCH
4690	53.60	53.60	82.30B/45.00A	82.30B/45.00A	----	65.70 + 18.80	.3671	----	----	6	----	27 + 6
4695	71.00	71.00	80.50B/43.70A	80.50B/43.70A	----	64.00 + 18.40	.3601	----	----	1	----	40 - 1
4700	50.00	50.00	78.60B/42.50A	78.60B/42.50A	----	62.30 + 17.90	.3531	----	----	230	----	2508 - 5
4705	49.60	49.60	76.70B/41.30A	76.70B/41.30A	----	60.70 + 17.60	.3463	----	----	12	----	16 UNCH
4710	46.30	46.30	74.70B/40.10A	74.70B/40.10A	----	59.10 + 17.20	.3395	----	----	9	----	201 + 7
4715	----	----	72.90B/39.10A	72.90B/39.10A	----	57.50 + 16.70	.3327	----	----	----	----	15 UNCH
4720	45.20	45.20	71.20B/38.00A	71.20B/38.00A	----	56.00 + 16.40	.3261	----	----	59	----	86 + 54
4725	41.80	41.80	69.50B/36.90A	69.50B/36.90A	----	54.50 + 16.00	.3195	----	----	5	----	148 - 1
4730	49.10	49.10	67.80B/35.90A	67.80B/35.90A	----	53.10 + 15.60	.3131	----	----	5	----	67 - 1
4735	38.60	38.60	66.20B/34.90A	66.20B/34.90A	----	51.70 + 15.30	.3067	----	----	45	----	69 + 20
4740	38.90	38.90	64.50B/34.00A	64.50B/34.00A	----	50.30 + 14.90	.3003	----	----	9	----	24 + 2
4745	39.90	39.90	62.80B/33.00A	62.80B/33.00A	----	49.00 + 14.70	.2942	----	----	18	----	201 + 18
4750	32.00	32.00	61.60/31.90A	61.60/31.90A	----	47.70 + 14.30	.2880	----	----	1355	766	2117 + 567
4755	42.80	42.80	59.70B/31.10A	59.70B/31.10A	----	46.40 + 14.00	.2819	----	----	4	----	87 UNCH
4760	36.30	36.30	58.20B/30.10A	58.20B/30.10A	----	45.10 + 13.60	.2758	----	----	6	----	66 + 4
4765	35.00	35.00	56.70B/29.30A	56.70B/29.30A	----	43.90 + 13.40	.2699	----	----	35	----	197 + 4
4770	33.80	33.80	55.30B/28.50A	55.30B/28.50A	----	42.70 + 13.00	.2641	----	----	6	----	108 - 1
4775	30.80	30.80	53.90B/27.80A	53.90B/27.80A	----	41.60 + 12.80	.2585	----	----	11	----	201 + 1
4780	28.40	28.40	52.50B/26.80A	52.50B/26.80A	----	40.40 + 12.40	.2526	----	----	9	----	51 + 2
4785	31.30	31.30	51.30B/26.10A	51.30B/26.10A	----	39.30 + 12.10	.2471	----	----	15	----	64 + 9
4790	36.40	36.40	50.10B/25.30A	50.10B/25.30A	----	38.20 + 11.80	.2415	----	----	37	----	75 + 21
4795	34.30	34.30	48.70B/24.60A	48.70B/24.60A	----	37.20 + 11.50	.2363	----	----	33	----	807 + 21
4800	24.00	24.00	47.60B/23.90A	47.60B/23.90A	----	36.10 + 11.20	.2307	----	----	601	----	3363 - 92
4805	27.90	27.90	46.20B/23.20A	46.20B/23.20A	----	35.10 + 10.90	.2255	----	----	17	75	292 - 76
4810	27.70	27.70	45.00B/22.70A	45.00B/22.70A	----	34.20 + 10.70	.2206	----	----	12	----	72 UNCH
4815	34.00	34.00	43.90B/22.00A	43.90B/22.00A	----	33.20 + 10.30	.2154	----	----	12	----	43 - 2
4820	23.80	23.80	42.70B/21.40A	42.70B/21.40A	----	32.30 + 10.10	.2105	----	----	19	----	64 + 1
4825	25.00	25.00	41.60B/20.80A	41.60B/20.80A	----	31.40 + 9.80	.2056	----	----	14	----	669 - 2
4830	34.60	34.60	40.50B/20.20A	40.50B/20.20A	----	30.60 + 9.70	.2011	----	----	4	----	92 - 1
4835	23.30	23.30	39.50B/19.60A	39.50B/19.60A	----	29.70 + 9.40	.1962	----	----	8	----	68 - 3
4840	21.60	21.60	38.40B/19.10A	38.40B/19.10A	----	28.90 + 9.20	.1917	----	----	25	----	246 + 5
4845	22.00	22.00	37.40B/18.60A	37.40B/18.60A	----	28.10 + 9.00	.1872	----	----	5	----	135 + 2
4850	17.80	17.80	36.40B/17.80	36.40B/17.80	----	27.40 + 8.80	.1831	----	----	564	----	1972 - 78
4855	20.70	20.70	35.50B/17.50A	35.50B/17.50A	----	26.60 + 8.50	.1786	----	----	20	----	239 + 2
4860	24.60	24.60	34.60B/17.00A	34.60B/17.00A	----	25.90 + 8.40	.1745	----	----	34	----	90 UNCH
4865	30.70	30.70	33.70B/16.50A	33.70B/16.50A	----	25.20 + 8.20	.1705	----	----	5	----	86 + 3
4870	22.60	22.60	32.80B/16.10A	32.80B/16.10A	----	24.50 + 8.00	.1664	----	----	1	----	125 - 1
4875	22.10	22.10	31.90B/15.70A	31.90B/15.70A	----	23.90 + 7.80	.1627	----	----	21	----	85 + 13
4880	25.80	25.80	31.10B/15.30A	31.10B/15.30A	----	23.20 + 7.60	.1587	----	----	19	----	138 + 5
4885	21.30	21.30	30.30B/14.90A	30.30B/14.90A	----	22.60 + 7.40	.1550	----	----	20	----	61 + 9
4890	20.10	20.10	29.50B/14.40A	29.50B/14.40A	----	22.00 + 7.20	.1514	----	----	7	----	74 + 5
4895	19.70	19.70	28.70B/14.10A	28.70B/14.10A	----	21.40 + 7.10	.1478	----	----	6	----	68 UNCH
4900	14.60	14.60	28.00B/13.70A	28.00B/13.70A	----	20.80 + 6.80	.1441	----	----	345	----	2619 - 92
4905	15.20	15.20	27.30B/13.30A	27.30B/13.30A	----	20.30 + 6.70	.1410	----	----	9	----	28 + 1
4910	20.20	20.20	26.50B/13.00A	26.50B/13.00A	----	19.70 + 6.50	.1374	----	----	21	----	161 + 7
4915	21.30	21.30	25.90B/12.70A	25.90B/12.70A	----	19.20 + 6.30	.1342	----	----	14	----	82 + 13
4920	15.30	15.30	25.20B/12.30A	25.20B/12.30A	----	18.70 + 6.20	.1311	----	----	35	----	354 + 16
4925	13.90	13.90	24.50B/12.00A	24.50B/12.00A	----	18.20 + 6.00	.1279	----	----	23	----	61 + 2
4930	13.50	13.50	23.90B/11.70A	23.90B/11.70A	----	17.80 + 5.90	.1252	----	----	30	----	101 + 6
4935	12.80	12.80	23.30B/11.40A	23.30B/11.40A	----	17.30 + 5.70	.1221	----	----	37	----	650 UNCH
4940	12.90	12.90	22.70B/11.00A	22.70B/11.00A	----	16.90 + 5.60	.1194	----	----	5	----	310 + 5
4945	12.50	12.50	22.10B/10.80A	22.10B/10.80A	----	16.40 + 5.40	.1163	----	----	21	----	36 + 2
4950	12.20	12.20	21.50B/10.50A	21.50B/10.50A	----	16.00 + 5.30	.1137	----	----	25	----	527 - 4
4955	11.90	11.90	21.00B/10.30A	21.00B/10.30A	----	15.60 + 5.20	.1111	----	----	9	----	91 + 3
4960	11.60	11.60	20.40B/10.00A	20.40B/10.00A	----	15.20 + 5.00	.1084	----	----	23	----	245 + 3
4965	11.30	11.30	19.90B/9.80A	19.90B/9.80A	----	14.80 + 4.90	.1058	----	----	13	----	210 + 8
4970	11.00	11.00	19.40B/9.50A	19.40B/9.50A	----	14.50 + 4.80	.1037	----	----	28	----	67 + 8
4975	10.70	10.70	18.90B/9.20A	18.90B/9.20A	----	14.10 + 4.70	.1011	----	----	39	----	79 + 22

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4980	10.50	10.50	18.50B/9.10A	18.50B/9.10A	----	13.80 + 4.60	.0990	----	----	47	----	79 + 35
4985	10.40	10.40	18.00B/8.90A	18.00B/8.90A	----	13.50 + 4.50	.0969	----	----	13	----	86 + 13
4990	10.10	10.10	17.50B/8.70A	17.50B/8.70A	----	13.10 + 4.30	.0944	----	----	19	----	58 - 1
4995	11.60	11.60	17.10B/11.60	17.10B/8.50A	----	12.80 + 4.30	.0923	----	----	2	----	1047 - 2
5000	7.80	7.80	16.70B/7.80	16.70B/7.80	----	12.50 + 4.20	.0902	----	----	412	50	4333 + 44
5005	15.70	15.70	16.30B/12.70	16.30B/8.10A	----	12.20 + 4.10	.0882	----	----	14	----	55 + 9
5010	9.80	9.80	15.90B/9.70	15.90B/8.00A	----	11.90 + 3.90	.0861	----	----	14	----	59 UNCH
5015	9.60	9.60	15.50B/9.60	15.50B/7.80A	----	11.70 + 3.90	.0846	----	----	1	----	103 UNCH
5020	9.30	9.30	15.10/9.30	15.10/7.60A	----	11.40 + 3.80	.0826	----	----	15	----	30 UNCH
5025	13.70	13.70	14.80B/13.70	14.80B/7.50A	----	11.10 + 3.70	.0805	----	----	2	----	346 + 1
5030	8.30	8.30	14.40B/8.30	14.40B/7.30A	----	10.90 + 3.70	.0790	----	----	4	----	213 + 2
5035	8.00	8.00	14.10B/8.00	14.10B/7.10A	----	10.60 + 3.50	.0770	----	----	4	----	65 + 3
5040	----	----	13.70B/----	13.70B/7.00A	----	10.40 + 3.50	.0755	----	----	----	----	21 UNCH
5045	11.90	11.90	13.40B/11.90	13.40B/6.80A	----	10.20 + 3.40	.0741	----	----	5	----	14 - 5
5050	7.70	7.70	13.10B/7.70	13.10B/6.70A	----	10.00 + 3.40	.0726	----	----	374	----	441 - 147
5055	12.40	12.40	12.80B/11.40	12.80B/6.60A	----	9.70 + 3.20	.0706	----	----	9	----	26 + 5
5060	7.20	7.20	12.50B/7.20	12.50B/6.40A	----	9.50 + 3.20	.0692	----	----	12	----	37 - 3
5065	----	----	12.20B/----	12.20B/6.30A	----	9.30 + 3.10	.0677	----	----	----	----	180 UNCH
5070	7.90	7.90	11.90B/7.40	11.90B/6.20A	----	9.10 + 3.10	.0663	----	----	13	----	37 + 1
5075	8.00	8.00	11.70B/8.00	11.70B/6.10A	----	8.90 + 3.00	.0649	----	----	14	----	163 - 5
5080	----	----	11.40B/----	11.40B/5.90A	----	8.70 + 2.90	.0634	----	----	----	----	119 UNCH
5085	10.10	10.10	11.20B/8.30	11.20B/5.80A	----	8.60 + 3.00	.0625	----	----	12	----	50 + 2
5090	7.70	7.70	10.90B/7.70	10.90B/5.70A	----	8.40 + 2.90	.0611	----	----	2	----	390 - 2
5095	6.30	6.30	10.70B/6.30	10.70B/5.60A	----	8.20 + 2.80	.0597	----	----	36	----	220 - 33
5100	6.30	6.30	10.40B/6.00	10.40B/5.50A	----	8.10 + 2.80	.0589	----	----	270	----	1935 - 23
5105	8.40	8.40	10.20B/8.40	10.20B/5.40A	----	7.90 + 2.70	.0575	----	----	11	----	100 + 4
5110	8.20	8.20	10.00B/8.20	10.00B/5.30A	----	7.70 + 2.60	.0561	----	----	5	----	408 - 4
5115	----	----	9.80B/----	9.80B/5.20A	----	7.60 + 2.60	.0552	----	----	----	----	29 UNCH
5120	----	----	9.50B/----	9.50B/5.10A	----	7.40 + 2.60	.0539	----	----	----	----	59 UNCH
5125	----	----	9.30B/----	9.30B/5.00A	----	7.30 + 2.60	.0531	----	----	1	----	260 UNCH
5130	8.70	8.70	9.10B/8.70	9.10B/4.90A	----	7.20 + 2.60	.0522	----	----	5	----	44 UNCH
5135	----	----	8.90B/----	8.90B/4.80A	----	7.00 + 2.40	.0509	----	----	----	----	173 UNCH
5140	8.10	8.10	8.70B/6.70	8.70B/4.80A	----	6.90 + 2.40	.0501	----	----	12	----	75 + 5
5145	----	----	8.60B/----	8.60B/4.70A	----	6.80 + 2.40	.0492	----	----	----	----	81 UNCH
5150	5.10	5.10	8.40B/5.10	8.40B/4.60A	----	6.70 + 2.40	.0484	----	----	22	2375	1424 - 1563
5155	5.60	5.60	8.30/5.60	8.30/4.50A	----	6.50 + 2.30	.0471	----	----	6	----	23 + 6
5160	5.60	5.60	8.00B/5.60	8.00B/4.40A	----	6.40 + 2.30	.0463	----	----	5	----	28 + 5
5165	----	----	7.90B/----	7.90B/4.40A	----	6.30 + 2.30	.0455	----	----	----	----	18 UNCH
5170	7.40	7.40	7.70B/7.40	7.70B/4.30A	----	6.20 + 2.20	.0448	----	----	5	----	16 + 5
5175	6.40	6.40	7.60B/6.40	7.60B/4.20A	----	6.10 + 2.20	.0440	----	----	10	----	77 + 1
5180	4.60	4.60	7.40B/4.60	7.40B/4.10A	----	6.00 + 2.20	.0432	----	----	3	----	31 UNCH
5185	----	----	7.30B/----	7.30B/4.10A	----	5.90 + 2.10	.0425	----	----	91	----	153 + 5
5190	4.40	4.40	7.10B/4.40	7.10B/4.00A	----	5.80 + 2.10	.0417	----	----	11	----	23 - 1
5195	----	----	7.00B/----	7.00B/4.00A	----	5.70 + 2.10	.0410	----	----	----	----	37 UNCH
5200	3.70	3.70	7.00/3.70	7.00/3.70	----	5.60 + 2.00	.0402	----	----	29	----	2408 UNCH
5205	4.70	4.70	6.80B/4.70	6.80B/3.90A	----	5.50 + 2.00	.0395	----	----	2	----	50 + 2
5210	----	----	6.60B/----	6.60B/3.80A	----	5.40 + 1.90	.0387	----	----	----	----	55 UNCH
5215	5.10	5.10	6.50B/5.10	6.50B/3.80A	----	5.40 + 2.00	.0385	----	----	1	----	47 UNCH
5220	----	----	6.40B/----	6.40B/3.70A	----	5.30 + 1.90	.0378	----	----	----	----	44 UNCH
5225	4.40	4.40	6.30B/4.40	6.30B/3.60A	----	5.20 + 1.90	.0371	----	----	22	----	88 - 1
5230	4.00	4.00	6.20B/4.00	6.20B/3.60A	----	5.10 + 1.80	.0363	----	----	5	----	90 + 5
5235	----	----	6.10B/----	6.10B/3.50A	----	5.00 + 1.80	.0356	----	----	----	----	30 UNCH
5240	3.90	3.90	6.00B/3.90	6.00B/3.50A	----	5.00 + 1.80	.0354	----	----	11	----	115 - 1
5245	4.10	4.10	5.90B/4.10	5.90B/3.40A	----	4.90 + 1.80	.0347	----	----	5	----	71 + 5
5250	3.00	3.00	5.80B/3.00	5.80B/3.00	----	4.80 + 1.70	.0340	----	----	102	----	932 - 16
5255	----	----	5.70B/----	5.70B/3.30A	----	4.70 + 1.70	.0333	----	----	----	----	21 UNCH
5260	----	----	5.60B/----	5.60B/3.30A	----	4.70 + 1.70	.0332	----	----	----	----	150 UNCH
5265	3.80	3.80	5.50B/3.80	5.50B/3.30A	----	4.60 + 1.60	.0325	----	----	5	----	18 + 4
5270	----	----	5.40B/----	5.40B/3.20A	----	4.50 + 1.60	.0318	----	----	----	----	26 UNCH
5275	----	----	5.30B/----	5.30B/3.10A	----	4.50 + 1.60	.0316	----	----	----	----	24 UNCH
5280	----	----	5.20B/----	5.20B/3.20A	----	4.40 + 1.60	.0309	----	----	----	----	44 UNCH
5285	----	----	5.20B/----	5.20B/3.10A	----	4.30 + 1.50	.0302	----	----	----	----	15 UNCH
5290	----	----	5.10B/----	5.10B/3.10A	----	4.30 + 1.50	.0301	----	----	----	----	55 UNCH
5295	----	----	5.00B/----	5.00B/3.00A	----	4.20 + 1.50	.0294	----	----	----	----	86 UNCH
5300	4.90	4.90	4.90/4.80	4.90/3.10A	----	4.10 + 1.40	.0288	----	----	11	----	1205 - 2
5305	----	----	4.80B/----	4.80B/3.10A	----	4.10 + 1.40	.0286	----	----	91	----	154 + 89
5310	3.10	3.10	4.80B/3.10	4.80B/3.00A	----	4.00 + 1.40	.0279	----	----	2	----	28 + 2
5315	3.80	3.80	4.70B/3.80	4.70B/3.00A	----	4.00 + 1.40	.0278	----	----	1	----	29 + 1
5320	----	----	4.60B/----	4.60B/3.00A	----	3.90 + 1.30	.0272	----	----	----	----	57 UNCH
5325	4.00	4.00	4.60B/4.00	4.60B/2.80A	----	3.90 + 1.30	.0270	----	----	10	----	172 + 10
5330	----	----	4.50B/----	4.50B/2.90A	----	3.80 + 1.30	.0264	----	----	----	----	13 UNCH
5335	2.90	2.90	4.40B/2.90	4.40B/2.90	----	3.80 + 1.30	.0263	----	----	2	----	13 + 2
5340	----	----	4.40B/----	4.40B/2.80A	----	3.70 + 1.20	.0256	----	----	----	----	30 UNCH
5345	----	----	4.30B/----	4.30B/2.70A	----	3.70 + 1.30	.0255	----	----	----	----	35 UNCH
5350	3.60	3.60	4.20B/3.60	4.20B/2.60A	----	3.60 + 1.20	.0248	----	----	1	140	970 - 140
5355	2.80	2.80	4.20B/2.70A	4.20B/2.70A	----	3.60 + 1.20	.0247	----	----	1	----	71 UNCH
5360	----	----	4.10B/----	4.10B/2.60A	----	3.50 + 1.10	.0241	----	----	----	----	337 UNCH
5365	4.10	4.10	4.20/3.50	4.20/2.70A	----	3.50 + 1.20	.0240	----	----	141	----	134 - 12
5370	----	----	4.00B/----	4.00B/2.50A	----	3.40 + 1.10	.0234	----	----	----	----	25 UNCH
5375	----	----	3.90B/----	3.90B/2.60A	----	3.40 + 1.10	.0232	----	----	----	----	23 UNCH
5380	----	----	3.90B/----	3.90B/2.60A	----	3.40 + 1.10	.0231	----	----	----	----	18 UNCH
5385	----	----	3.80B/----	3.80B/2.60A	----	3.30 + 1.10	.0225	----	----	----	----	18 UNCH
5390	----	----	3.80B/----	3.80B/2.50A	----	3.30 + 1.10	.0224	----	----	----	----	34 UNCH
5395	3.60	3.60	3.70B/3.60	3.70B/2.40A	----	3.20 + 1.00	.0218	----	----	5	----	25 + 1
5400	2.70	2.70	3.80/2.70	3.80/2.50A	----	3.20 + 1.00	.0217	----	----	19	----	3309 - 16
5405	----	----	3.60B/----	3.60B/2.40A	----	3.20 + 1.10	.0216	----	----	----	----	19 UNCH
5410	----	----	3.60B/----	3.60B/2.40A	----	3.10 + 1.00	.0210	----	----	----	----	24 UNCH
5415	----	----	3.50B/----	3.50B/2.30A	----	3.10 + 1.00	.0209	----	----	----	----	18 UNCH
5420	3.40	3.40	3.50B/3.40	3.50B/2.30A	----	3.10 + 1.00	.0208	----	----	1	----	29 UNCH
5425	----	----	3.50B/----	3.50B/2.30A	----	3.00 + 0.90	.0202	----	----	----	----	34 UNCH
5430	----	----	3.40B/----	3.40B/2.30A	----	3.00 + 1.00	.0201	----	----	----	----	11 UNCH
5435	----	----	3.40B/----	3.40B/2.30A	----	3.00 + 1.00	.0200	----	----	----	----	7 UNCH
5440	3.00	3.00	3.30B/3.00	3.30B/2.30A	----	2.90 + 0.90	.0194	----	----	9	----	26 + 6
5445	----	----	3.30B/----	3.30B/2.20A	----	2.90 + 0.90	.0194	----	----	----	----	24 UNCH
5450	----	----	3.30B/----	3.30B/2.20A	----	2.90 + 0.90	.0193	----	----	3	----	1171 UNCH
5455	3.20	3.20	3.20/3.20	3.20/2.20A	----	2.90 + 0.90	.0192	----	----	1	----	36 UNCH
5460	----	----	3.20B/----	3.20B/2.10A	----	2.80 + 0.90	.0186	----	----	----	----	27 UNCH
5465	2.70	2.70	3.20B/2.70	3.20B/2.20A	----	2.80 + 0.90	.0185	----	----	1	----	20 + 1
5470	----	----	3.10B/----	3.10B/2.20A	----	2.80 + 0.90	.0185	----	----	----	----	28 UNCH
5475	----	----	3.10B/----	3.10B/2.20A	----	2.70 + 0.80	.0179	----	----	----	----	207 UNCH
5480	----	----	3.10B/----	3.10B/2.10A	----	2.70 + 0.80	.0178	----	----	----	----	5 UNCH
5485	----	----	3.00B/----	3.00B/2.10A	----	2.70 + 0.80	.0177	----	----	----	----	16 UNCH
5490	2.80	2.80	3.00B/2.80	3.00B/2.10A	----	2.70 + 0.90	.0177	----	----	1	----	19 UNCH
5495	----	----	3.00B/----	3.00B/2.00A	----	2.60 + 0.80	.0171	----	----	----	----	7 UNCH
5500	1.90	1.90	3.00/1.90	3.00/1.90	----	2.60 + 0.80	.0170	----	----	21	----	2237 + 3
5505	----	----	2.90B/----	2.90B/2.00A	----	2.60 + 0.80	.0169	----	----	----	----	15 UNCH
5510	----	----	2.90B/----	2.90B/1.90A	----	2.60 + 0.80	.0169	----	----	----	----	13 UNCH
5515	----	----	2.80B/----	2.80B/2.00A	----	2.50 + 0.70	.0163	----	----	----	----	18 UNCH
5520	----	----	2.80B/----	2.80B/2.00A	----	2.50 + 0.70	.0162	----	----	----	----	38 UNCH
5525	----	----	2.80B/----	2.80B/2.00A	----	2.50 + 0.80	.0162	----	----	----	----	91 UNCH
5530	----	----	2.80B/----	2.80B/2.00A	----	2.50 + 0.80	.0161	----	----	----	----	30 UNCH
5535	----	----	2.70B/----	2.70B/2.00A	----	2.50 + 0.80	.0161	----	----	----	----	15 UNCH
5540	----	----	2.70B/----	2.70B/2.00A	----	2.40 + 0.70	.0155	----	----	----	----	16 UNCH
5545	----	----	2.70B/----	2.70B/1.90A	----	2.40 + 0.70	.0154	----	----	----	----	16 UNCH
5550	----	----	2.70B/----	2.70B/1.80A	----	2.40 + 0.70	.0154	----	----	----	----	195 UNCH
5555	----	----	2.60B/----	2.60B/1.90A	----	2.40 + 0.70	.0153	----	----	----	----	35 UNCH
5560	----	----	2.60B/----	2.60B/1.90A	----	2.40 + 0.70	.0153	----	----	----	----	18 UNCH
5565	----	----	2.60B/----	2.60B/1.80A	----	2.30 + 0.60	.0147	----	----	----	----	12 UNCH
5570	----	----	2.60B/----	2.60B/1.90A	----	2.30 + 0.70	.0146	----	----	----	----	4 UNCH
5575	----	----	2.50B/----	2.50B/1.80A	----	2.30 + 0.70	.0146	----	----	----	----	31 UNCH
5580	----	----	2.50B/----	2.50B/1.80A	----	2.30 + 0.70	.0145	----	----	----	----	7 UNCH
5585	----	----	2.50B/----	2.50B/1.80A	----	2.30 + 0.70	.0145	----	----	----	----	12 UNCH
5590	----	----	2.50B/----	2.50B/1.80A	----	2.20 + 0.60	.0139	----	----	----	----	5 UNCH
5595	----	----	2.40B/----	2.40B/1.80A	----	2.20 + 0.60	.0139	----	----	----	----	19 UNCH
5600	1.20	1.20	2.40/1.20	2.40/1.20	----	2.20 + 0.60	.0138	----	----	6	----	2137 + 5
5605	----	----	2.40B/----	2.40B/1.80A	----	2.20 + 0.60	.0138	----	----	----	----	32 UNCH
5610	----	----	2.40B/----	2.40B/1.80A	----	2.20 + 0.60	.0137	----	----	----	----	10 UNCH
5615	----	----	2.40B/----	2.40B/1.80A	----	2.20 + 0.60	.0137	----	----	----	----	1 UNCH
5620	----	----	2.30B/----	2.30B/1.80A	----	2.10 + 0.60	.0131	----	----	----	----	6 UNCH
5625	----	----	2.30B/----	2.30B/1.70A	----	2.10 + 0.60	.0131	----	----	----	----	13 UNCH
5630	----	----	2.30B/----	2.30B/1.70A	----	2.10 + 0.60	.0130	----	----	----	----	6 UNCH
5635	----	----	2.30B/----	2.30B/1.70A	----	2.10 + 0.60	.0130	----	----	----	----	12 UNCH
5640	----	----	2.30B/----	2.30B/1.70A	----	2.10 + 0.60	.0130	----	----	----	----	8 UNCH
5650	----	----	2.20B/----	2.20B/1.70A	----	2.00 + 0.50	.0124	----	----	9	----	402 UNCH
5660	----	----	2.20B/----	2.20B/1.70A	----	2.00 + 0.50	.0123	----	----	----	----	7 UNCH
5670	----	----	2.10B/----	2.10B/1.70A	----	2.00 + 0.50	.0122	----	----	----	----	11 UNCH
5675	----	----	2.10B/----	2.10B/1.60A	----	2.00 + 0.60	.0122	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 20

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5680	----	----	2.10B/----	2.10B/1.60A	----	1.90 + 0.50	.0116	----	----	----	----	6 UNCH
5690	----	----	2.10B/----	2.10B/1.60A	----	1.90 + 0.50	.0116	----	----	----	----	21 UNCH
5700	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.50	.0115	----	----	9	----	991 - 4
5710	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.50	.0114	----	----	----	----	22 UNCH
5720	----	----	2.00B/----	2.00B/1.60A	----	1.80 + 0.40	.0109	----	----	----	----	17 UNCH
5725	----	----	2.00B/----	2.00B/1.50A	----	1.80 + 0.40	.0108	----	----	----	----	56 UNCH
5730	----	----	2.00B/----	2.00B/1.50A	----	1.80 + 0.50	.0108	----	----	----	----	10 UNCH
5740	----	----	1.90B/----	1.90B/1.50A	----	1.80 + 0.50	.0107	----	----	----	----	9 UNCH
5750	1.50	1.50	1.90B/1.10	1.90B/1.10	----	1.70 + 0.40	.0102	----	----	51	----	1077 + 51
5760	----	----	1.90B/----	1.90B/1.50A	----	1.70 + 0.40	.0101	----	----	----	----	168 UNCH
5770	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.40	.0101	----	----	----	----	4 UNCH
5775	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.40	.0100	----	----	----	----	215 UNCH
5780	----	----	1.80B/----	1.80B/1.50A	----	1.70 + 0.40	.0100	----	----	----	----	6 UNCH
5790	----	----	1.80B/----	1.80B/1.50A	----	1.60 + 0.40	.0095	----	----	----	----	9 UNCH
5800	----	----	1.80B/----	1.80B/1.50A	----	1.60 + 0.40	.0094	----	----	----	----	804 UNCH
5810	----	----	1.70B/----	1.70B/1.50A	----	1.60 + 0.40	.0093	----	----	----	----	11 UNCH
5820	----	----	1.70B/----	1.70B/1.50A	----	1.60 + 0.40	.0093	----	----	----	----	208 UNCH
5825	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.40	.0093	----	----	----	----	19 UNCH
5830	----	----	1.70B/----	1.70B/1.40A	----	1.50 + 0.30	.0088	----	----	----	----	1 UNCH
5840	----	----	1.70B/----	1.70B/1.40A	----	1.50 + 0.40	.0087	----	----	----	----	103 UNCH
5850	----	----	1.60B/----	1.60B/1.30A	----	1.50 + 0.40	.0087	----	----	----	----	111 UNCH
5860	----	----	1.60B/----	1.60B/1.40A	----	1.50 + 0.40	.0086	----	----	----	----	193 UNCH
5870	----	----	1.60B/----	1.60B/1.40A	----	1.50 + 0.40	.0086	----	----	----	----	17 UNCH
5875	----	----	1.60B/----	1.60B/1.40A	----	1.40 + 0.30	.0081	----	----	----	----	22 UNCH
5880	----	----	1.60B/----	1.60B/1.30A	----	1.40 + 0.30	.0080	----	----	----	----	11 UNCH
5890	----	----	1.60B/----	1.60B/1.30A	----	1.40 + 0.30	.0080	----	----	----	----	9 UNCH
5900	----	----	1.50B/----	1.50B/1.30A	----	1.40 + 0.40	.0080	----	----	----	----	436 UNCH
5910	----	----	1.50B/----	1.50B/1.00A	----	1.40 + 0.40	.0079	----	----	----	----	6 UNCH
5920	----	----	1.50B/----	1.50B/1.00A	----	1.30 + 0.30	.0074	----	----	----	----	19 UNCH
5925	----	----	1.50B/----	1.50B/1.00A	----	1.30 + 0.30	.0074	----	----	----	----	5 UNCH
5930	----	----	1.50B/----	1.50B/1.30A	----	1.30 + 0.30	.0074	----	----	----	----	4 UNCH
5940	----	----	1.50B/----	1.50B/1.20A	----	1.30 + 0.30	.0073	----	----	----	----	2 UNCH
5950	----	----	1.40B/----	1.40B/1.20A	----	1.30 + 0.30	.0073	----	----	----	----	43 UNCH
5960	----	----	1.30B/----	1.30B/1.20A	----	1.30 + 0.40	.0072	----	----	----	----	16 UNCH
5970	----	----	1.30B/----	1.30B/1.20A	----	1.30 + 0.40	.0072	----	----	----	----	55 UNCH
5980	----	----	1.30B/----	1.30B/1.20A	----	1.20 + 0.30	.0067	----	----	----	----	3 UNCH
5990	----	----	1.30B/----	1.30B/1.10A	----	1.20 + 0.30	.0067	----	----	----	----	76 UNCH
6000	1.20	1.20	1.30B/1.10A	1.30B/1.10A	----	1.20 + 0.30	.0066	----	----	125	----	2273 + 14
6025	----	----	1.20B/----	1.20B/1.00A	----	1.20 + 0.30	.0066	----	----	----	----	34 UNCH
6050	----	----	1.20B/----	1.20B/1.10A	----	1.10 + 0.30	.0060	----	----	----	----	45 UNCH
6075	----	----	1.10B/----	1.10B/1.00A	----	1.10 + 0.30	.0059	----	----	----	----	713 UNCH
6100	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.20	.0054	----	----	----	----	290 UNCH
6125	1.10	1.10	1.10/*1.10	1.10/1.00A	----	1.00 + 0.30	.0054	----	----	11	----	70 + 11
6150	1.00	1.00	1.00/1.00	1.00/1.00	----	1.00 + 0.30	.0053	----	----	1	----	881 UNCH
6175	----	----	1.00B/----	1.00B/0.90A	----	0.90 + 0.20	.0048	----	----	----	----	37 UNCH
6200	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.20	.0047	----	----	----	----	567 UNCH
6225	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.20	.0047	----	----	----	----	20 UNCH
6250	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.30	.0046	----	----	----	----	392 UNCH
6275	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.20	.0041	----	----	----	----	3 UNCH
6300	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.20	.0041	----	----	----	----	336 UNCH
6325	----	----	0.80B/----	0.80B/0.80A	----	0.80 + 0.20	.0041	----	----	----	----	29 UNCH
6350	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.10	.0036	----	----	----	----	21 UNCH
6375	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.20	.0035	----	----	----	----	37 UNCH
6400	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.20	.0035	----	----	----	----	171 UNCH
6425	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.20	.0035	----	----	----	----	17 UNCH
6450	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.10	.0030	----	----	----	----	48 UNCH
6475	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.10	.0030	----	----	----	----	13 UNCH
6500	0.70	0.70	0.70/0.60	0.70/0.60	----	0.60 + 0.10	.0030	----	----	96	----	670 + 86
6525	0.60	0.60	0.60/0.60	0.60/0.60	----	0.60 + 0.20	.0029	----	----	30	----	152 + 20
6550	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.20	.0029	----	----	----	----	11 UNCH
6575	----	----	0.50B/----	0.50B/0.70A	----	0.50 + 0.10	.0025	----	----	----	----	4 UNCH
6600	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0024	----	----	----	----	27 UNCH
6650	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0024	----	----	----	----	16 UNCH
6675	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0024	----	----	----	----	1 UNCH
6700	----	----	----	0.40B/0.60A	----	0.50 + 0.10	.0023	----	----	----	----	127 UNCH
6775	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0019	----	----	----	----	1 UNCH
6800	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0019	----	----	----	----	202 UNCH
6825	----	----	0.40B/----	0.40B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	19 UNCH
6850	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	201 UNCH
6875	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	22 UNCH
6900	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	19 UNCH
6925	----	----	----	0.30B/0.50A	----	0.40 + 0.10	.0018	----	----	----	----	1 UNCH
6950	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0014	----	----	----	----	22 UNCH
6975	----	----	----	0.30B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	10 UNCH
7000	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 UNCH	.0014	----	----	2	----	1470 UNCH
7025	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	1 UNCH
7050	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	18 UNCH
7075	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	13 UNCH
7100	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	28 UNCH
7125	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	1 UNCH
7150	----	----	----	0.10B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	20 UNCH
7175	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
7200	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0009	----	----	----	----	3 UNCH
7225	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0009	----	----	----	----	22 UNCH
7250	----	----	----	0.10B/0.40A	----	0.20 UNCH	.0009	----	----	----	----	23 UNCH
7275	----	----	----	0.10B/0.40A	----	0.20 + 0.10	.0009	----	----	----	----	14 UNCH
7300	----	----	----	0.10B/0.40A	----	0.20 + 0.10	.0009	----	----	----	----	50 UNCH
7350	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0004	----	----	----	----	8 UNCH
7400	----	----	----	----/0.70A	----	0.10 UNCH	.0004	----	----	----	----	2 UNCH
7425	----	----	----	----/0.60A	----	0.10 UNCH	.0003	----	----	----	----	19 UNCH
7450	----	----	----	----/0.50A	----	0.10 UNCH	.0003	----	----	----	----	28 UNCH
7475	----	----	----	----/0.50A	----	0.10 UNCH	.0003	----	----	----	----	9 UNCH
7500	----	----	0.30B/----	0.30B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	297 UNCH
7525	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	34 UNCH
7550	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	50 UNCH
7575	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
7600	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
7625	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	12 UNCH
7700	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
7725	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	17 UNCH
7750	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
7775	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
7800	----	----	----	----/0.30A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
7825	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
7875	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	166 UNCH
7900	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
8000	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1116 UNCH
8100	----	----	----	0.10B/0.70A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
8200	----	----	----	0.10B/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
8300	----	----	----	0.10B/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
8500	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	10	----	40 + 10
8600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
8700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
8800	----	----	----	----/7.60A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	340 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9300	----	----	----	----/7.60A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	141 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
9900	----	----	----	----/7.60A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	275 UNCH
10100	----	----	----	----/1.00A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10700	----	----	----	----/8.00A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	103 UNCH
11200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	222 UNCH
TOTAL										8374	3,406	85681 - 853
AUG26												
2000	----	----	#2,609.60B/----	#2609.60B/*2579.80	----	2593.00 + 60.60	1.0000	215	----	215	----	0 UNCH
2800	----	----	----	----	----	1793.00 + 60.60	.9982	----	----	----	----	0 UNCH
3200	----	----	1,418.40B/----	1418.40B/1353.10A	----	1393.10 + 60.40	.9919	----	----	----	----	11 UNCH
3300	----	----	1,318.90B/----	1318.90B/1253.30A	----	1293.40 + 60.20	.9888	----	----	----	----	30 UNCH
3305	----	----	1,313.90B/----	1313.90B/1248.30A	----	1288.50 + 60.30	.9887	----	----	----	----	20 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3325	----	----	1,294.00B/----	1294.00B/1228.30A	----	1268.60 + 60.30	.9879	----	----	----	----	5 UNCH
3350	----	----	1,269.10B/----	1269.10B/1203.50A	----	1243.70 + 60.20	.9870	----	----	----	----	170 UNCH
3400	----	----	1,220.50B/----	1220.50B/1152.70A	----	1194.00 + 60.10	.9855	----	----	----	----	420 UNCH
3500	----	----	1,120.30B/----	1120.30B/1054.50A	----	1094.80 + 59.80	.9812	----	----	----	----	46 UNCH
3505	----	----	1,115.40B/----	1115.40B/1049.60A	----	1089.90 + 59.80	.9808	----	----	----	----	4 UNCH
3520	----	----	1,100.50B/----	1100.50B/1034.70A	----	1075.00 + 59.70	.9799	----	----	----	----	65 UNCH
3550	----	----	1,072.10B/----	1072.10B/1003.70A	----	1045.40 + 59.70	.9784	----	----	----	----	310 UNCH
3600	----	----	1,023.80B/----	1023.80B/955.00A	----	996.00 + 59.50	.9755	----	----	----	----	1045 UNCH
3610	----	----	1,011.70B/----	1011.70B/946.00A	----	986.10 + 59.40	.9746	----	----	----	----	6 UNCH
3650	----	----	972.40B/880.20A	972.40B/880.20A	----	946.80 + 59.30	.9718	----	----	----	----	4 UNCH
3660	----	----	964.60B/870.50A	964.60B/870.50A	----	936.90 + 59.20	.9709	----	----	----	----	25 UNCH
3685	----	----	941.00B/845.90A	941.00B/845.90A	----	912.40 + 59.10	.9689	----	----	----	----	1 UNCH
3700	----	----	926.30B/831.50A	926.30B/831.50A	----	897.70 + 59.00	.9675	----	----	----	----	40 UNCH
3715	----	----	911.60B/816.90A	911.60B/816.90A	----	883.00 + 58.90	.9661	----	----	----	----	30 UNCH
3720	----	----	906.60B/812.00A	906.60B/812.00A	----	878.10 + 58.80	.9656	----	----	----	----	1 UNCH
3735	----	----	#892.00B/797.40	892.00B/797.40A	----	863.50 + 58.80	.9642	----	----	----	----	1 UNCH
3750	----	----	877.40B/782.70A	877.40B/782.70A	----	848.80 + 58.70	.9624	----	----	----	----	8 UNCH
3775	----	----	853.00B/758.60A	853.00B/758.60A	----	824.50 + 58.50	.9596	----	----	----	----	4 UNCH
3780	----	----	848.10B/753.80A	848.10B/753.80A	----	819.60 + 58.50	.9591	----	----	----	----	10 UNCH
3790	----	----	838.40B/744.10A	838.40B/744.10A	----	809.90 + 58.40	.9578	----	----	----	----	67 UNCH
3800	----	----	828.70B/734.50A	828.70B/734.50A	----	800.20 + 58.30	.9564	----	----	----	----	303 UNCH
3820	----	----	809.30B/715.50A	809.30B/715.50A	----	780.80 + 58.20	.9537	----	----	----	----	3 UNCH
3840	----	----	#789.90B/696.20	789.90B/696.20A	----	761.50 + 58.00	.9509	----	----	----	----	1 UNCH
3850	----	----	780.30B/686.50A	780.30B/686.50A	----	751.80 + 57.90	.9492	----	----	----	----	12 UNCH
3885	----	----	746.60B/653.50A	746.60B/653.50A	----	718.20 + 57.60	.9434	----	----	----	----	2 UNCH
3890	----	----	741.70B/648.70A	741.70B/648.70A	----	713.40 + 57.50	.9425	----	----	----	----	2 UNCH
3900	----	----	732.40B/639.30A	732.40B/639.30A	----	703.80 + 57.40	.9407	----	----	----	----	149 UNCH
3920	----	----	#713.10B/620.40	713.10B/620.40A	----	684.80 + 57.20	.9370	----	----	----	----	1 UNCH
3925	----	----	708.50B/615.60A	708.50B/615.60A	----	680.00 + 57.10	.9358	----	----	----	----	10 UNCH
3950	----	----	684.70B/592.00A	684.70B/592.00A	----	656.30 + 56.80	.9305	----	----	----	----	106 UNCH
3955	----	----	680.00B/587.60A	680.00B/587.60A	----	651.50 + 56.70	.9293	----	----	----	----	7 UNCH
3975	----	----	661.00B/568.70A	661.00B/568.70A	----	632.70 + 56.50	.9245	----	----	----	----	200 UNCH
3995	----	----	642.10B/550.20A	642.10B/550.20A	----	613.90 + 56.10	.9196	----	----	----	----	30 UNCH
4000	614.20	614.20	637.50B/545.70A	637.50B/545.70A	----	609.20 + 56.00	.9183	----	----	1	----	723 UNCH
4005	----	----	632.80B/541.10A	632.80B/541.10A	----	604.60 + 56.00	.9168	----	----	----	----	1 UNCH
4015	----	----	622.80B/532.10A	622.80B/532.10A	----	595.20 + 55.70	.9141	----	----	----	----	12 UNCH
4025	----	----	614.40B/522.90A	614.40B/522.90A	----	586.00 + 55.60	.9112	----	----	----	----	174 UNCH
4045	----	----	595.60B/505.00A	595.60B/505.00A	----	567.50 + 55.20	.9053	----	----	----	----	30 UNCH
4050	----	----	590.30B/500.40A	590.30B/500.40A	----	562.90 + 55.10	.9036	----	----	----	----	100 UNCH
4055	----	----	586.30B/496.00A	586.30B/496.00A	----	558.30 + 55.00	.9020	----	----	----	----	100 UNCH
4075	----	----	568.00B/478.00A	568.00B/478.00A	----	540.00 + 54.60	.8953	----	----	----	----	3 UNCH
4080	----	----	562.60B/473.80A	562.60B/473.80A	----	535.40 + 54.40	.8934	----	----	----	----	1 UNCH
4090	----	----	553.50B/465.10A	553.50B/465.10A	----	526.30 + 54.20	.8897	----	----	----	----	1 UNCH
4100	----	----	544.50B/456.00A	544.50B/456.00A	----	517.30 + 54.00	.8861	----	----	----	----	73 UNCH
4110	----	----	535.50B/447.50A	535.50B/447.50A	----	508.30 + 53.70	.8823	----	----	----	----	19 UNCH
4115	----	----	531.50B/443.10A	531.50B/443.10A	----	503.80 + 53.60	.8803	----	----	----	----	2 UNCH
4135	----	----	513.70B/426.20A	513.70B/426.20A	----	486.00 + 53.00	.8720	----	----	----	----	20 UNCH
4140	----	----	508.60B/421.50A	508.60B/421.50A	----	481.50 + 52.80	.8698	----	----	----	----	1 UNCH
4150	----	----	499.70B/413.20A	499.70B/413.20A	----	472.70 + 52.50	.8654	----	----	----	----	40 UNCH
4165	----	----	487.00B/400.50A	487.00B/400.50A	----	459.60 + 52.10	.8585	----	----	----	----	1 UNCH
4195	----	----	461.20B/375.90A	461.20B/375.90A	----	433.60 + 51.00	.8435	----	----	----	----	3 UNCH
4200	----	----	456.60B/371.70A	456.60B/371.70A	----	429.30 + 50.80	.8409	----	----	----	----	73 UNCH
4215	----	----	443.90B/359.60A	443.90B/359.60A	----	416.60 + 50.30	.8328	----	----	----	----	1 UNCH
4220	----	----	439.60B/355.90A	439.60B/355.90A	----	412.40 + 50.10	.8299	----	----	----	----	16 UNCH
4225	----	----	435.50B/351.70A	435.50B/351.70A	----	408.20 + 49.90	.8271	----	----	----	----	102 UNCH
4235	----	----	426.70B/343.70A	426.70B/343.70A	----	399.90 + 49.60	.8213	----	----	----	----	1 UNCH
4250	----	----	414.50B/332.00A	414.50B/332.00A	----	387.50 + 49.00	.8122	----	----	----	----	71 UNCH
4255	----	----	409.50B/328.20A	409.50B/328.20A	----	383.40 + 48.80	.8093	----	----	----	----	1 UNCH
4265	----	----	401.40B/320.40A	401.40B/320.40A	----	375.30 + 48.40	.8028	----	----	----	----	77 UNCH
4285	----	----	385.00B/305.50A	385.00B/305.50A	----	359.20 + 47.50	.7896	----	----	----	----	8 UNCH
4300	----	----	373.70B/294.60A	373.70B/294.60A	----	347.40 + 46.80	.7793	----	----	----	----	43 UNCH
4310	----	----	365.00B/287.20A	365.00B/287.20A	----	339.60 + 46.30	.7722	----	----	----	----	1 UNCH
4320	----	----	357.30B/280.30A	357.30B/280.30A	----	332.00 + 46.00	.7650	----	----	----	----	2 UNCH
4325	----	----	353.50B/276.50A	353.50B/276.50A	----	328.10 + 45.70	.7612	----	----	----	----	6 UNCH
4330	----	----	350.20B/273.00A	350.20B/273.00A	----	324.30 + 45.40	.7575	----	----	----	----	201 UNCH
4350	----	----	335.70B/259.40A	335.70B/259.40A	----	309.40 + 44.50	.7421	----	----	----	----	774 UNCH
4360	----	----	327.10B/252.80A	327.10B/252.80A	----	302.00 + 43.90	.7342	----	----	----	----	1 UNCH
4375	----	----	315.70B/243.00A	315.70B/243.00A	----	291.20 + 43.20	.7220	----	----	----	----	3 UNCH
4385	----	----	309.20B/236.40A	309.20B/236.40A	----	284.10 + 42.70	.7137	----	----	----	----	100 UNCH
4390	----	----	304.20B/233.20A	304.20B/233.20A	----	280.50 + 42.40	.7095	----	----	----	----	1 UNCH
4400	237.00	237.00	298.40B/226.70A	298.40B/226.70A	----	273.50 + 41.80	.7009	----	----	7	----	336 - 2
4420	234.00	234.00	284.50B/214.40A	284.50B/214.40A	----	259.80 + 40.60	.6835	----	----	2	----	58 + 2
4425	----	----	279.70B/211.50A	279.70B/211.50A	----	256.50 + 40.40	.6790	----	----	----	----	12 UNCH
4430	----	----	276.70B/208.50A	276.70B/208.50A	----	253.10 + 40.00	.6746	----	----	----	----	3 UNCH
4435	----	----	273.30B/205.50A	273.30B/205.50A	----	249.80 + 39.80	.6702	----	----	----	----	1 UNCH
4440	----	----	269.90B/202.60A	269.90B/202.60A	----	246.50 + 39.40	.6656	----	----	----	----	2 UNCH
4445	----	----	266.50B/199.30A	266.50B/199.30A	----	243.20 + 39.10	.6610	----	----	----	----	1 UNCH
4450	----	----	264.20B/196.50A	264.20B/196.50A	----	240.00 + 38.80	.6565	----	----	----	----	24 UNCH
4455	----	----	259.80B/193.70A	259.80B/193.70A	----	236.70 + 38.40	.6518	----	----	----	----	5 UNCH
4460	----	----	256.60B/190.70A	256.60B/190.70A	----	233.50 + 38.10	.6472	----	----	----	----	15 UNCH
4465	----	----	253.20B/187.90A	253.20B/187.90A	----	230.30 + 37.80	.6426	----	----	----	----	9 UNCH
4470	----	----	251.10B/185.10A	251.10B/185.10A	----	227.20 + 37.50	.6378	----	----	----	----	19 UNCH
4475	----	----	247.80B/182.00A	247.80B/182.00A	----	224.00 + 37.10	.6331	----	----	----	----	61 UNCH
4480	----	----	244.30B/179.70A	244.30B/179.70A	----	220.90 + 36.70	.6284	----	----	----	----	25 UNCH
4485	----	----	241.10B/177.20A	241.10B/177.20A	----	217.90 + 36.50	.6236	----	----	----	----	21 UNCH
4490	----	----	237.30B/174.30A	237.30B/174.30A	----	214.80 + 36.10	.6188	----	----	----	----	11 UNCH
4500	178.00	178.00	232.00B/168.90A	232.00B/168.90A	----	208.90 + 35.50	.6091	----	----	35	----	1231 - 1
4505	187.50	187.50	228.90B/166.60A	228.90B/166.60A	----	206.00 + 35.30	.6042	----	----	10	----	19 - 3
4510	----	----	224.90B/164.00A	224.90B/164.00A	----	203.20 + 35.10	.5993	----	----	----	----	8 UNCH
4515	----	----	221.90B/161.30A	221.90B/161.30A	----	200.30 + 34.70	.5943	----	----	----	----	10 UNCH
4520	----	----	219.90B/158.90A	219.90B/158.90A	----	197.40 + 34.40	.5894	----	----	----	----	29 UNCH
4525	----	----	216.00B/156.20A	216.00B/156.20A	----	194.60 + 34.10	.5845	----	----	----	----	10 UNCH
4530	----	----	213.10B/153.90A	213.10B/153.90A	----	191.80 + 33.80	.5796	----	----	----	----	13 UNCH
4535	157.30	157.30	210.60B/151.80A	210.60B/151.80A	----	189.00 + 33.40	.5746	----	----	1	----	12 + 1
4540	154.80	154.80	208.20B/149.10A	208.20B/149.10A	----	186.20 + 33.00	.5696	----	----	11	----	38 - 1
4545	185.20	185.20	204.70B/147.30A	204.70B/147.30A	----	183.50 + 32.70	.5646	----	----	1	----	11 - 1
4550	150.00	150.00	202.80B/144.70A	202.80B/144.70A	----	180.80 + 32.40	.5596	----	----	2	----	348 + 2
4555	----	----	199.50B/142.30A	199.50B/142.30A	----	178.10 + 32.00	.5546	----	----	----	----	6 UNCH
4560	143.00	143.00	197.20B/140.30A	197.20B/140.30A	----	175.40 + 31.70	.5496	----	----	1	----	366 UNCH
4565	159.80	159.80	193.90B/138.10A	193.90B/138.10A	----	172.80 + 31.30	.5446	----	----	15	----	18 + 14
4570	----	----	191.50B/135.80A	191.50B/135.80A	----	170.20 + 31.00	.5396	----	----	----	----	165 UNCH
4575	154.00	154.00	188.80B/133.60A	188.80B/133.60A	----	167.60 + 30.60	.5345	----	----	10	----	43 UNCH
4580	157.60	157.60	185.90B/131.70A	185.90B/131.70A	----	165.10 + 30.30	.5295	----	----	4	----	209 UNCH
4585	134.20	134.20	183.40B/129.40A	183.40B/129.40A	----	162.60 + 30.00	.5244	----	----	1	----	7 + 1
4590	----	----	180.80B/127.40A	180.80B/127.40A	----	160.10 + 29.60	.5194	----	----	1	----	76 + 1
4595	----	----	178.00B/125.10A	178.00B/125.10A	----	157.60 + 29.30	.5143	----	----	----	----	40 UNCH
4600	130.00	130.00	175.50B/123.30A	175.50B/123.30A	----	155.20 + 28.90	.5093	----	----	217	----	602 + 140
4605	----	----	173.00B/121.30A	173.00B/121.30A	----	152.90 + 28.70	.5042	----	----	----	----	6 UNCH
4610	152.20	152.20	170.40B/119.10A	170.40B/119.10A	----	150.50 + 28.30	.4992	----	----	3	----	11 UNCH
4615	----	----	167.80B/117.50A	167.80B/117.50A	----	148.20 + 28.10	.4942	----	----	----	----	39 UNCH
4620	----	----	165.50B/115.20A	165.50B/115.20A	----	145.90 + 27.70	.4891	----	----	----	----	13 UNCH
4625	----	----	162.90B/113.20A	162.90B/113.20A	----	143.60 + 27.40	.4841	----	----	4	----	42 + 4
4630	122.30	122.30	160.60B/111.50A	160.60B/111.50A	----	141.40 + 27.10	.4791	----	----	4	----	19 + 1
4640	----	----	155.50B/107.70A	155.50B/107.70A	----	137.00 + 26.50	.4691	----	----	----	----	10 UNCH
4645	----	----	153.90B/106.00A	153.90B/106.00A	----	134.90 + 26.20	.4642	----	----	----	----	1 UNCH
4650	110.80	110.80	151.70B/104.10A	151.70B/104.10A	----	132.80 + 25.90	.4592	----	----	112	----	1015 + 40
4655	----	----	149.20B/102.50A	149.20B/102.50A	----	130.70 + 25.60	.4543	----	----	----	----	33 UNCH
4660	----	----	147.00B/100.70A	147.00B/100.70A	----	128.60 + 25.30	.4493	----	----	----	----	31 UNCH
4665	----	----	144.80B/99.00A	144.80B/99.00A	----	126.60 + 25.00	.4445	----	----	----	----	24 UNCH
4670	----	----	142.60B/97.40A	142.60B/97.40A	----	124.60 + 24.80	.4396	----	----	----	----	80 UNCH
4675	----	----	140.40B/95.80A	140.40B/95.80A	----	122.60 + 24.50	.4347	----	----	3	----	82 - 2
4680	122.10	122.10	138.30B/94.30A	138.30B/94.30A	----	120.60 + 24.10	.4298	----	----	3	----	37 UNCH
4685	----	----	136.10B/92.70A	136.10B/92.70A	----	118.70 + 23.90	.4250	----	----	----	----	202 UNCH
4690	----	----	134.00B/91.00A	134.00B/91.00A	----	116.80 + 23.60	.4202	----	----	----	----	41 UNCH
4695	----	----	132.00B/89.40A	132.00B/89.40A	----	114.90 + 23.30	.4154	----	----	----	----	8 UNCH
4700	94.00	94.00	130.10B/88.00A	130.10B/88.00A	----	113.00 + 22.90	.4106	----	----	118	100	4885 + 181
4705	102.80	102.80	127.90B/86.40A	127.90B/86.40A	----	111.20 + 22.70	.4058	----	----	12	----	123 + 9
4710	----	----	125.90B/85.00A	125.90B/85.00A	----	109.40 + 22.40	.4011	----	----	----	----	88 UNCH
4715	----	----	124.00B/83.50A	124.00B/83.50A	----	107.60 + 22.10	.3964	----	----	----	----	2 UNCH
4720	----	----	121.90B/82.10A	121.90B/82.10A	----	105.90 + 21.90	.3918	----	----	----	----	160 UNCH
4725	----	----	120.10B/80.80A	120.10B/80.80A	----	104.20 + 21.60	.3872	----	----	----	----	123 UNCH
4730	91.00	91.00	118.20B/79.40A	118.20B/79.40A	----	102.40 + 21.20	.3825	----	----	1	----	75 + 1
4735	----	----	116.40B/78.00A	116.40B/78.00A	----	100.80 + 21.00	.3779	----	----	----	----	44 UNCH
4740	----	----	114.50B/76.60A	114.50B/76.60A	----	99.10 + 20.70	.3733	----	----	----	----	23 UNCH
4745	----	----	112.70B/75.30A	112.70B/75.30A	----	97.50 + 20.50	.3688	----	----	----	----	89 UNCH
4750	86.00	86.00	111.10B/73.90A	111.10B/73.90A	----	95.90 + 20.20	.3643	----	----	2	----	609 - 1
4755	----	----	109.10B/72.80A	109.10B/72.80A	----	94.30 + 19.90	.3599	----	----	----	----	58 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4760	----	----	107.40B/71.60A	107.40B/71.60A	----	92.70 + 19.60	.3554	----	----	2	----	47 + 2
4765	----	----	105.70B/70.30A	105.70B/70.30A	----	91.10 + 19.30	.3509	----	----	----	----	11 UNCH
4770	----	----	104.10B/68.90A	104.10B/68.90A	----	89.60 + 19.10	.3465	----	----	1	----	264 UNCH
4775	----	----	102.30B/67.90A	102.30B/67.90A	----	88.10 + 18.80	.3422	----	----	----	----	134 UNCH
4780	75.00	75.00	100.70B/66.60A	100.70B/66.60A	----	86.60 + 18.50	.3378	----	----	102	----	120 + 102
4785	80.00	80.00	99.00B/65.60A	99.00B/65.60A	----	85.20 + 18.30	.3336	----	----	1	----	175 UNCH
4790	----	----	97.50B/64.40A	97.50B/64.40A	----	83.70 + 18.00	.3292	----	----	----	----	33 UNCH
4795	----	----	95.80B/63.20A	95.80B/63.20A	----	82.30 + 17.70	.3250	----	----	----	----	127 UNCH
4800	64.00	64.00	94.60B/62.10A	94.60B/62.10A	----	80.90 + 17.50	.3208	----	----	455	----	3028 + 235
4805	80.80	80.80	92.80B/61.20A	92.80B/61.20A	----	79.50 + 17.20	.3166	----	----	2	----	16 + 1
4810	72.00	72.00	91.30B/60.00A	91.30B/60.00A	----	78.20 + 17.00	.3125	----	----	3	----	20 + 2
4815	----	----	89.80B/59.00A	89.80B/59.00A	----	76.80 + 16.60	.3083	----	----	----	----	55 UNCH
4820	80.60	80.60	88.40B/57.90A	88.40B/57.90A	----	75.50 + 16.40	.3043	----	----	10	----	146 + 9
4825	----	----	87.00B/56.90A	87.00B/56.90A	----	74.20 + 16.10	.3003	----	----	----	----	342 UNCH
4830	----	----	85.50B/56.00A	85.50B/56.00A	----	72.90 + 15.90	.2962	----	----	----	----	74 UNCH
4835	----	----	84.20B/55.00A	84.20B/55.00A	----	71.70 + 15.70	.2923	----	----	----	----	37 UNCH
4840	----	----	82.70B/54.00A	82.70B/54.00A	----	70.40 + 15.40	.2883	----	----	----	----	25 UNCH
4845	----	----	81.40B/53.20A	81.40B/53.20A	----	69.20 + 15.10	.2844	----	----	----	----	6 UNCH
4850	----	----	80.10B/52.10A	80.10B/52.10A	----	68.00 + 14.90	.2806	----	----	65	----	273 + 8
4855	58.10	58.10	78.70B/51.30A	78.70B/51.30A	----	66.80 NEW	.2767	----	----	10	----	10 + 10
4860	----	----	77.40B/50.40A	77.40B/50.40A	----	65.70 + 14.50	.2730	----	----	----	----	30 UNCH
4865	----	----	76.20B/49.50A	76.20B/49.50A	----	64.60 + 14.30	.2693	----	----	----	----	14 UNCH
4870	71.30	71.30	75.00B/48.70A	75.00B/48.70A	----	63.50 + 14.10	.2657	----	----	1	----	51 UNCH
4875	70.20	70.20	73.80B/47.80A	73.80B/47.80A	----	62.40 + 13.80	.2620	----	----	1	----	177 UNCH
4880	----	----	72.60B/47.00A	72.60B/47.00A	----	61.40 + 13.70	.2585	----	----	----	----	142 UNCH
4885	68.00	68.00	71.40B/46.10A	71.40B/46.10A	----	60.30 + 13.40	.2549	----	----	1	----	51 + 1
4890	----	----	70.30B/45.30A	70.30B/45.30A	----	59.30 + 13.20	.2514	----	----	----	----	10 UNCH
4895	51.50	51.50	69.10B/44.60A	69.10B/44.60A	----	58.30 + 13.10	.2480	----	----	6	----	65 + 1
4900	46.50	46.50	68.00B/43.70A	68.00B/43.70A	----	57.30 + 12.90	.2445	----	----	75	----	1155 - 33
4905	----	----	66.80B/42.90A	66.80B/42.90A	----	56.40 + 12.70	.2412	----	----	----	----	14 UNCH
4910	48.30	48.30	65.70B/42.20A	65.70B/42.20A	----	55.40 + 12.50	.2378	----	----	6	----	18 + 4
4915	----	----	64.60B/41.50A	64.60B/41.50A	----	54.50 + 12.40	.2346	----	----	----	----	40 UNCH
4920	60.20	60.20	63.50B/40.80A	63.50B/40.80A	----	53.60 + 12.20	.2313	----	----	2	----	25 + 2
4925	----	----	62.50B/40.10A	62.50B/40.10A	----	52.70 + 12.00	.2281	----	----	4	----	312 + 4
4930	58.20	58.20	61.50B/39.40A	61.50B/39.40A	----	51.80 + 11.80	.2249	----	----	2	----	45 - 1
4935	57.40	57.40	60.40B/38.70A	60.40B/38.70A	----	50.90 + 11.60	.2217	----	----	8	----	13 + 8
4940	57.80	57.80	59.40B/38.00A	59.40B/38.00A	----	50.10 + 11.50	.2187	----	----	3	----	49 + 3
4945	----	----	58.50B/37.40A	58.50B/37.40A	----	49.20 + 11.30	.2155	----	----	----	----	83 UNCH
4950	55.00	55.00	57.50B/36.80A	57.50B/36.80A	----	48.40 + 11.10	.2125	----	----	417	----	696 + 164
4955	----	----	56.60B/36.30A	56.60B/36.30A	----	47.60 + 11.00	.2096	----	----	----	----	22 UNCH
4960	----	----	55.60B/35.50A	55.60B/35.50A	----	46.80 + 10.80	.2066	----	----	----	----	34 - 3
4965	----	----	54.70B/34.90A	54.70B/34.90A	----	46.00 + 10.60	.2036	----	----	----	----	23 UNCH
4970	----	----	53.80B/34.30A	53.80B/34.30A	----	45.20 + 10.40	.2007	----	----	----	----	17 UNCH
4975	----	----	52.90B/33.70A	52.90B/33.70A	----	44.40 + 10.20	.1977	----	----	5	----	13 + 5
4980	----	----	52.10B/33.10A	52.10B/33.10A	----	43.70 + 10.10	.1950	----	----	----	----	14 UNCH
4985	----	----	51.20B/32.70A	51.20B/32.70A	----	43.00 + 10.00	.1923	----	----	----	----	15 UNCH
4990	39.50	39.50	50.40B/32.00A	50.40B/32.00A	----	42.20 + 9.80	.1894	----	----	5	----	12 + 3
4995	38.80	38.80	49.60B/31.50A	49.60B/31.50A	----	41.50 + 9.60	.1867	----	----	2	----	8 UNCH
5000	35.30	35.30	48.70B/31.00A	48.70B/31.00A	----	40.80 + 9.50	.1840	----	----	581	----	2832 - 106
5005	37.50	37.50	48.00B/30.40A	48.00B/30.40A	----	40.20 + 9.40	.1816	----	----	2	----	15 UNCH
5010	44.50	44.50	47.20B/29.80A	47.20B/29.80A	----	39.50 + 9.20	.1789	----	----	1	----	3 UNCH
5015	43.70	43.70	46.40B/29.40A	46.40B/29.40A	----	38.80 + 9.00	.1762	----	----	6	----	24 + 2
5020	43.10	43.10	45.60B/28.80A	45.60B/28.80A	----	38.20 + 8.90	.1738	----	----	36	----	60 + 28
5025	42.30	42.30	44.90B/28.30A	44.90B/28.30A	----	37.50 + 8.70	.1711	----	----	13	----	236 + 3
5030	42.90	42.90	44.10B/27.90A	44.10B/27.90A	----	36.90 + 8.60	.1687	----	----	8	----	210 + 2
5035	41.00	41.00	43.50B/27.40A	43.50B/27.40A	----	36.30 + 8.50	.1663	----	----	7	----	73 UNCH
5040	----	----	42.70B/27.00A	42.70B/27.00A	----	35.70 + 8.40	.1639	----	----	1	----	34 + 1
5045	36.30	36.30	42.10B/26.50A	42.10B/26.50A	----	35.10 + 8.20	.1616	----	----	1	----	34 UNCH
5050	31.00	31.00	41.40B/26.00A	41.40B/26.00A	----	34.50 + 8.10	.1592	----	----	217	----	423 - 8
5055	----	----	40.70B/25.70A	40.70B/25.70A	----	34.00 + 8.00	.1571	----	----	----	----	7 UNCH
5060	----	----	40.00B/25.30A	40.00B/25.30A	----	33.40 + 7.80	.1547	----	----	2	----	36 + 2
5065	----	----	39.40B/24.80A	39.40B/24.80A	----	32.90 + 7.80	.1526	----	----	2	----	44 + 1
5070	----	----	38.70B/24.40A	38.70B/24.40A	----	32.30 + 7.60	.1502	----	----	----	----	61 UNCH
5075	37.30	37.30	38.10B/24.00A	38.10B/24.00A	----	31.80 + 7.50	.1481	----	----	2	----	308 + 2
5080	----	----	37.50B/23.70A	37.50B/23.70A	----	31.30 + 7.40	.1460	----	----	1	----	24 UNCH
5085	36.00	36.00	36.90B/23.30A	36.90B/23.30A	----	30.80 + 7.30	.1440	----	----	8	----	169 + 8
5090	----	----	36.30B/22.90A	36.30B/22.90A	----	30.30 + 7.10	.1419	----	----	----	----	7 UNCH
5095	34.90	34.90	35.70B/22.50A	35.70B/22.50A	----	29.80 + 7.00	.1398	----	----	1	----	6 + 1
5100	28.30	28.30	35.20B/22.30A	35.20B/22.30A	----	29.30 + 6.90	.1378	----	----	602	----	5117 + 88
5105	34.00	34.00	34.60B/21.80A	34.60B/21.80A	----	28.90 + 6.90	.1360	----	----	1	----	8 + 1
5110	32.10	32.10	34.00B/21.50A	34.00B/21.50A	----	28.40 + 6.70	.1339	----	----	1	----	12 + 1
5115	32.90	32.90	33.50B/21.20A	33.50B/21.20A	----	28.00 + 6.70	.1322	----	----	1	----	14 UNCH
5120	31.50	31.50	33.00B/20.90A	33.00B/20.90A	----	27.50 + 6.50	.1301	----	----	1	----	361 + 1
5125	31.20	31.20	32.50B/20.50A	32.50B/20.50A	----	27.10 + 6.40	.1284	----	----	13	----	351 + 2
5130	----	----	32.00B/20.20A	32.00B/20.20A	----	26.70 + 6.40	.1266	----	----	----	----	13 UNCH
5135	30.00	30.00	31.50B/30.00	31.50B/20.00A	----	26.30 + 6.30	.1249	----	----	1	----	25 + 1
5140	26.20	26.20	31.00B/25.90	31.00B/19.70A	----	25.90 + 6.20	.1231	----	----	12	----	30 + 5
5145	----	----	30.50B/----	30.50B/19.40A	----	25.50 + 6.10	.1214	----	----	----	----	12 UNCH
5150	----	----	30.00B/19.00A	30.00B/19.00A	----	25.10 + 6.00	.1197	----	----	----	----	123 UNCH
5155	27.00	27.00	29.60B/27.00	29.60B/18.80A	----	24.70 + 5.90	.1179	----	----	2	----	25 UNCH
5160	----	----	29.10B/----	29.10B/18.50A	----	24.30 + 5.80	.1162	----	----	----	----	16 UNCH
5165	----	----	28.70B/----	28.70B/18.20A	----	24.00 + 5.80	.1148	----	----	----	----	24 UNCH
5170	----	----	28.20B/----	28.20B/18.00A	----	23.60 + 5.60	.1131	----	----	----	----	12 UNCH
5175	----	----	27.80B/----	27.80B/17.70A	----	23.30 + 5.60	.1117	----	----	----	----	362 UNCH
5180	----	----	27.40B/----	27.40B/17.40A	----	22.90 + 5.50	.1100	----	----	----	----	1 UNCH
5185	----	----	26.90B/----	26.90B/17.20A	----	22.60 + 5.40	.1086	----	----	----	----	2 UNCH
5190	----	----	26.50B/----	26.50B/17.00A	----	22.20 + 5.30	.1069	----	----	----	----	33 UNCH
5195	----	----	26.10B/----	26.10B/16.70A	----	21.90 + 5.30	.1055	----	----	----	----	42 UNCH
5200	16.50	16.50	25.70B/16.50	25.70B/16.40A	----	21.60 + 5.20	.1042	----	----	459	----	3846 + 195
5205	----	----	25.30B/----	25.30B/16.20A	----	21.30 + 5.10	.1028	----	----	1	----	6 UNCH
5210	----	----	24.90B/----	24.90B/16.00A	----	21.00 + 5.10	.1014	----	----	----	----	8 UNCH
5215	----	----	24.60B/----	24.60B/15.80A	----	20.70 + 5.00	.1000	----	----	----	----	15 UNCH
5220	----	----	24.20B/----	24.20B/15.60A	----	20.40 + 4.90	.0987	----	----	----	----	291 UNCH
5225	22.60	22.60	23.80B/22.60	23.80B/15.40A	----	20.10 + 4.90	.0973	----	----	2	----	57 + 2
5230	----	----	23.50B/----	23.50B/15.20A	----	19.80 + 4.80	.0960	----	----	----	----	11 UNCH
5235	----	----	23.20B/----	23.20B/14.90A	----	19.50 + 4.70	.0946	----	----	----	----	20 UNCH
5240	21.60	21.60	22.80B/21.60	22.80B/14.80A	----	19.20 + 4.60	.0933	----	----	2	----	36 + 2
5245	----	----	22.50B/----	22.50B/14.60A	----	19.00 + 4.60	.0923	----	----	----	----	17 UNCH
5250	----	----	22.20B/----	22.20B/14.40A	----	18.70 + 4.50	.0909	----	----	51	----	766 + 30
5255	----	----	21.80B/----	21.80B/14.20A	----	18.50 + 4.50	.0899	----	----	----	----	905 UNCH
5260	20.40	20.40	21.50B/20.40	21.50B/14.00A	----	18.20 + 4.40	.0886	----	----	2	----	36 + 2
5265	17.70	17.70	21.20B/17.70	21.20B/13.80A	----	18.00 + 4.40	.0876	----	----	5	----	18 + 5
5270	19.80	19.80	20.90B/19.80	20.90B/13.60A	----	17.70 + 4.30	.0863	----	----	1	----	152 - 1
5275	19.50	19.50	20.60B/19.50	20.60B/13.60A	----	17.50 + 4.30	.0853	----	----	1	----	16 UNCH
5280	----	----	20.30B/----	20.30B/13.40A	----	17.30 + 4.20	.0843	----	----	----	----	207 UNCH
5285	19.30	19.30	20.00B/19.30	20.00B/13.30A	----	17.00 + 4.10	.0830	----	----	1	----	32 UNCH
5290	18.70	18.70	19.70B/18.70	19.70B/13.10A	----	16.80 + 4.10	.0820	----	----	18	----	24 + 2
5295	----	----	19.40B/----	19.40B/13.00A	----	16.60 + 4.10	.0810	----	----	1	----	6 UNCH
5300	18.20	18.20	19.20B/17.10	19.20B/12.80A	----	16.40 + 4.00	.0801	----	----	109	----	1170 - 10
5305	----	----	18.80B/----	18.80B/12.70A	----	16.20 + 4.00	.0791	----	----	----	----	17 UNCH
5310	18.40	18.40	18.60B/17.70	18.60B/12.50A	----	16.00 + 3.90	.0781	----	----	6	----	105 - 2
5315	17.50	17.50	18.40B/17.50	18.40B/12.40A	----	15.70 NEW	.0768	----	----	1	----	1 + 1
5320	----	----	18.10B/----	18.10B/12.30A	----	15.50 + 3.70	.0759	----	----	----	----	16 UNCH
5325	17.00	17.00	17.80B/17.00	17.80B/12.10A	----	15.40 + 3.80	.0752	----	----	1	----	28 + 1
5330	17.50	17.50	17.70B/16.80	17.70B/12.00A	----	15.20 + 3.70	.0743	----	----	6	----	21 + 3
5335	16.60	16.60	17.40B/16.60	17.40B/11.80A	----	15.00 + 3.70	.0733	----	----	1	----	2 + 1
5340	----	----	17.20B/----	17.20B/11.70A	----	14.80 NEW	.0724	----	----	1	----	1 + 1
5345	----	----	17.00B/----	17.00B/11.60A	----	14.60 + 3.50	.0715	----	----	----	----	27 UNCH
5350	----	----	16.70B/----	16.70B/11.40A	----	14.40 + 3.50	.0705	----	----	----	----	8011 UNCH
5355	----	----	16.50B/----	16.50B/11.30A	----	14.30 + 3.50	.0699	----	----	----	----	1 UNCH
5360	----	----	16.30B/----	16.30B/11.20A	----	14.10 + 3.40	.0690	----	----	----	----	114 UNCH
5365	16.00	16.00	16.10B/16.00	16.10B/11.10A	----	13.90 + 3.40	.0681	----	----	4	----	9 + 3
5370	----	----	15.90B/----	15.90B/10.90A	----	13.80 + 3.40	.0675	----	----	----	----	8008 UNCH
5375	15.60	15.60	15.60/15.60	15.60/10.80A	----	13.60 + 3.30	.0666	----	----	5	----	256 UNCH
5380	15.40	15.40	15.40/15.40	15.40/10.70A	----	13.40 + 3.20	.0656	----	----	5	----	43 + 5
5395	----	----	14.80B/----	14.80B/10.40A	----	13.00 + 3.20	.0636	----	----	----	----	4 UNCH
5400	13.80	13.80	14.60B/13.30	14.60B/10.30A	----	12.80 + 3.10	.0627	----	----	237	----	2427 + 19
5405	----	----	14.50B/----	14.50B/10.20A	----	12.70 + 3.10	.0621	----	----	----	----	7 UNCH
5410	----	----	14.30B/----	14.30B/10.10A	----	12.50 + 3.00	.0612	----	----	----	----	19 UNCH
5415	14.10	14.10	14.10/14.10	14.10/10.00A	----	12.40 NEW	.0606	----	----	1	----	1 + 1
5420	----	----	13.90B/----	13.90B/9.90A	----	12.30 + 3.00	.0601	----	----	----	----	8 UNCH
5425	----	----	13.80B/----	13.80B/9.80A	----	12.10 + 2.90	.0592	----	----	----	----	21 UNCH
5430	13.60	13.60	13.60/13.60	13.60/9.70A	----	12.00 + 2.90	.0586	----	----	1	----	18 + 1
5435	----	----	13.40B/----	13.40B/9.60A	----	11.90 + 2.90	.0581	----	----	----	----	50 UNCH
5440	----	----	13.30B/----	13.30B/9.50A	----	11.70 + 2.80	.0572	----	----	----	----	105 UNCH
5445	----	----	13.10B/----	13.10B/9.40A	----	11.60 + 2.80	.0567	----	----	----	----	10 UNCH
5450	8.80	8.80	13.00B/8.80	13.00B/8.80	----	11.50 + 2.80	.0561	----	----	20	----	226 - 20

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5455	----	----	12.80B/----	12.80B/9.20A	----	11.40 + 2.70	.0556	----	----	----	----	22 UNCH
5460	----	----	12.70B/----	12.70B/9.10A	----	11.30 + 2.70	.0550	----	----	----	----	12 UNCH
5465	----	----	12.50B/----	12.50B/9.00A	----	11.10 + 2.60	.0542	----	----	----	----	42 UNCH
5470	----	----	12.40B/----	12.40B/9.00A	----	11.00 + 2.60	.0536	----	----	----	----	14 UNCH
5475	----	----	12.20B/----	12.20B/8.90A	----	10.90 + 2.60	.0531	----	----	----	----	7 UNCH
5480	----	----	12.10B/----	12.10B/8.80A	----	10.80 + 2.60	.0526	----	----	----	----	14 UNCH
5485	----	----	12.00B/----	12.00B/8.70A	----	10.70 + 2.60	.0521	----	----	----	----	19 UNCH
5490	----	----	11.80B/----	11.80B/8.60A	----	10.60 + 2.50	.0515	----	----	----	----	2 UNCH
5495	----	----	11.70B/----	11.70B/8.60A	----	10.50 + 2.50	.0510	----	----	----	----	4 UNCH
5500	8.80	8.80	11.60B/8.80	11.60B/8.50A	----	10.40 + 2.50	.0505	----	----	508	----	2098 + 227
5505	----	----	11.40B/----	11.40B/8.40A	----	10.30 + 2.50	.0500	----	----	----	----	13 UNCH
5510	----	----	11.30B/----	11.30B/8.30A	----	10.20 + 2.40	.0495	----	----	----	----	9 UNCH
5515	----	----	11.20B/----	11.20B/8.30A	----	10.10 + 2.40	.0490	----	----	----	----	41 UNCH
5520	----	----	11.10B/----	11.10B/8.20A	----	10.00 + 2.40	.0485	----	----	----	----	4 UNCH
5525	----	----	10.90B/----	10.90B/8.10A	----	9.90 + 2.40	.0480	----	----	----	----	2236 UNCH
5530	----	----	10.80B/----	10.80B/8.10A	----	9.80 + 2.30	.0475	----	----	----	----	1 UNCH
5535	----	----	10.70B/----	10.70B/8.00A	----	9.70 + 2.30	.0470	----	----	----	----	12 UNCH
5540	----	----	10.60B/----	10.60B/7.90A	----	9.60 + 2.30	.0465	----	----	----	----	9 UNCH
5545	----	----	10.50B/----	10.50B/7.90A	----	9.50 + 2.20	.0460	----	----	----	----	18 UNCH
5550	8.00	8.00	10.40B/8.00	10.40B/7.80A	----	9.40 + 2.20	.0455	----	----	1	----	128 UNCH
5555	----	----	10.30B/----	10.30B/7.70A	----	9.30 + 2.20	.0450	----	----	----	----	1 UNCH
5560	----	----	10.20B/----	10.20B/7.70A	----	9.20 + 2.10	.0445	----	----	----	----	3 UNCH
5565	----	----	10.00B/----	10.00B/7.60A	----	9.20 + 2.20	.0444	----	----	----	----	37 UNCH
5570	----	----	9.90B/----	9.90B/7.50A	----	9.10 + 2.20	.0439	----	----	----	----	21 UNCH
5575	----	----	9.80B/----	9.80B/7.50A	----	9.00 + 2.10	.0434	----	----	----	----	4 UNCH
5580	----	----	9.70B/----	9.70B/7.40A	----	8.90 + 2.10	.0429	----	----	----	----	34 UNCH
5590	----	----	9.60B/----	9.60B/7.30A	----	8.80 + 2.10	.0423	----	----	----	----	2 UNCH
5595	----	----	9.50B/----	9.50B/7.20A	----	8.70 + 2.10	.0418	----	----	----	----	28 UNCH
5600	8.80	8.80	9.40B/8.80	9.40B/7.10A	----	8.60 + 2.00	.0413	----	----	25	----	1085 - 7
5605	----	----	9.30B/----	9.30B/7.10A	----	8.50 + 2.00	.0409	----	----	----	----	7 UNCH
5610	----	----	9.20B/----	9.20B/7.10A	----	8.50 + 2.00	.0407	----	----	----	----	11 UNCH
5615	----	----	9.10B/----	9.10B/7.00A	----	8.40 + 2.00	.0403	----	----	----	----	3 UNCH
5620	----	----	9.00B/----	9.00B/7.00A	----	8.30 + 1.90	.0398	----	----	----	----	37 UNCH
5625	----	----	8.90B/----	8.90B/6.90A	----	8.30 + 2.00	.0397	----	----	----	----	5 UNCH
5630	----	----	8.90B/----	8.90B/6.90A	----	8.20 + 1.90	.0392	----	----	----	----	15 UNCH
5635	----	----	8.80B/----	8.80B/6.80A	----	8.10 + 1.90	.0387	----	----	----	----	2 UNCH
5640	----	----	8.70B/----	8.70B/6.80A	----	8.10 + 1.90	.0386	----	----	----	----	9 UNCH
5650	8.20	8.20	8.50B/8.20	8.50B/6.70A	----	7.90 + 1.80	.0377	----	----	1	----	602 UNCH
5660	----	----	8.40B/----	8.40B/6.60A	----	7.80 + 1.80	.0371	----	----	----	----	34 UNCH
5670	----	----	8.20B/----	8.20B/6.50A	----	7.70 + 1.80	.0366	----	----	----	----	10 UNCH
5675	----	----	8.20B/----	8.20B/6.40A	----	7.60 + 1.80	.0361	----	----	----	----	3 UNCH
5680	----	----	8.10B/----	8.10B/6.40A	----	7.60 + 1.80	.0360	----	----	----	----	4 UNCH
5690	----	----	7.90B/----	7.90B/6.30A	----	7.50 + 1.80	.0354	----	----	----	----	16 UNCH
5700	7.40	7.40	7.80B/7.40	7.80B/6.20A	----	7.30 + 1.70	.0346	----	----	1	----	1692 + 1
5710	----	----	7.70B/----	7.70B/6.10A	----	7.20 + 1.70	.0340	----	----	----	----	7 UNCH
5720	----	----	7.50B/----	7.50B/6.10A	----	7.10 + 1.60	.0335	----	----	----	----	19 UNCH
5725	----	----	7.50B/----	7.50B/6.00A	----	7.10 + 1.70	.0334	----	----	----	----	1 UNCH
5730	----	----	7.40B/----	7.40B/6.00A	----	7.00 + 1.60	.0329	----	----	----	----	15 UNCH
5750	----	----	7.20B/----	7.20B/5.80A	----	6.80 + 1.60	.0319	----	----	1	----	829 - 1
5775	----	----	6.90B/----	6.90B/5.70A	----	6.60 + 1.50	.0308	----	----	----	----	3 UNCH
5800	5.60	5.60	6.70B/5.60	6.70B/5.50A	----	6.40 + 1.50	.0297	----	----	3	----	1052 + 2
5825	----	----	6.40B/----	6.40B/5.40A	----	6.20 + 1.40	.0286	----	----	----	----	135 UNCH
5850	----	----	6.20B/----	6.20B/5.20A	----	6.00 + 1.40	.0275	----	----	----	----	166 UNCH
5875	----	----	6.00B/----	6.00B/5.10A	----	5.80 + 1.30	.0265	----	----	----	----	26 UNCH
5900	----	----	5.80B/----	5.80B/5.00A	----	5.70 + 1.30	.0258	----	----	----	----	1490 UNCH
5925	----	----	5.60B/----	5.60B/4.80A	----	5.50 + 1.20	.0249	----	----	----	----	14 UNCH
5950	----	----	5.40B/----	5.40B/4.70A	----	5.30 + 1.10	.0239	----	----	----	----	12 UNCH
6000	----	----	5.30B/----	5.30B/4.50A	----	5.10 + 1.10	.0227	----	----	20	----	3816 - 6
6100	----	----	4.70B/----	4.70B/4.20A	----	4.60 + 1.00	.0200	----	----	----	----	816 UNCH
6200	3.30	3.30	4.20B/3.30	4.20B/3.30	----	4.20 + 0.80	.0179	----	----	23	----	1425 - 4
6250	----	----	4.00B/----	4.00B/3.80A	----	4.10 + 0.90	.0172	----	----	----	----	4 UNCH
6300	----	----	3.90B/----	3.90B/3.70A	----	4.00 + 0.90	.0166	----	----	1	----	86 - 1
6400	----	----	3.60B/----	3.60B/3.40A	----	3.70 + 0.80	.0151	----	----	----	----	54 UNCH
6500	3.30	3.30	3.40B/3.20	3.40B/3.20	----	3.50 + 0.70	.0139	----	----	10	----	905 + 1
6600	----	----	3.10B/----	3.10B/3.10A	----	3.30 + 0.70	.0129	----	----	----	----	207 UNCH
6700	----	----	3.00B/----	3.00B/2.90A	----	3.10 + 0.60	.0119	----	----	----	----	332 UNCH
6800	----	----	2.80B/----	2.80B/2.80A	----	2.90 + 0.60	.0109	----	----	----	----	38 UNCH
6900	2.50	2.50	2.60B/2.50	2.60B/2.50	----	2.80 + 0.60	.0103	----	----	15	----	31 - 2
7000	2.40	2.40	2.60/2.40	2.60/2.40	----	2.60 + 0.50	.0095	----	----	167	----	1041 + 132
7500	----	----	1.80B/----	1.80B/1.90A	----	1.90 + 0.30	.0065	----	----	----	----	801 UNCH
8000	1.30	1.30	1.30/1.30	1.30/1.30	----	1.40 + 0.20	.0046	----	----	15	----	634 UNCH
8500	1.20	1.20	1.20/1.00A	1.20/1.00A	----	1.00 + 0.10	.0032	----	----	13	----	86 - 4
9000	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80 + 0.20	.0024	----	----	1	----	18 + 1
9500	----	----	----	0.40B/0.80A	----	0.70 + 0.20	.0020	----	----	----	----	312 UNCH
10000	0.50	0.50	0.60/0.50	0.60/0.50	----	0.60 + 0.20	.0017	----	----	34	----	146 + 34
TOTAL										5289	100	87138 + 1562
SEP26												
3875	----	----	----	----	----	766.90 + 57.60	.9255	----	----	----	----	1 UNCH
3995	----	----	680.50B/----	680.50B/619.00A	----	656.10 + 55.80	.8958	----	----	----	----	10 UNCH
4085	----	----	599.90B/----	599.90B/540.10A	----	575.80 + 53.70	.8661	----	----	----	----	37 UNCH
4130	----	----	560.70B/----	560.70B/501.90A	----	536.90 + 52.50	.8481	----	----	----	----	10 UNCH
4185	----	----	514.50B/----	514.50B/456.70A	----	490.70 + 50.80	.8235	----	----	----	----	40 UNCH
4200	----	----	----	376.00B/575.40A	----	478.40 + 50.40	.8162	----	----	----	----	1 UNCH
4220	----	----	485.70B/----	485.70B/428.90A	----	462.10 + 49.70	.8059	----	----	----	----	162 UNCH
4290	----	----	430.10B/----	430.10B/375.80A	----	407.30 + 47.20	.7668	----	----	----	----	6 UNCH
4295	----	----	426.20B/----	426.20B/372.20A	----	403.50 + 47.00	.7638	----	----	----	----	50 UNCH
4300	----	----	422.40B/----	422.40B/368.50A	----	399.70 + 46.70	.7608	----	----	----	----	18 UNCH
4320	----	----	407.30B/----	407.30B/348.90A	----	384.80 + 46.00	.7483	----	----	----	----	162 UNCH
4375	----	----	335.00B/----	335.00B/312.00A	----	345.30 + 43.60	.7122	----	----	----	----	1 UNCH
4390	----	----	356.40B/----	356.40B/301.30A	----	334.90 + 42.90	.7017	----	----	----	----	202 UNCH
4400	331.60	331.60	349.40B/331.60	349.40B/295.60A	----	328.10 + 42.50	.6947	----	----	4	----	6 + 2
4410	----	----	342.50B/----	342.50B/280.30A	----	321.40 + 42.10	.6876	----	----	----	----	1 UNCH
4425	----	----	334.80B/----	334.80B/271.20A	----	311.50 + 41.40	.6767	----	----	----	----	1 UNCH
4450	----	----	318.30B/----	318.30B/256.30A	----	295.40 + 40.20	.6583	----	----	----	----	1 UNCH
4480	----	----	298.90B/----	298.90B/239.20A	----	276.70 + 38.70	.6356	----	----	----	----	1 UNCH
4485	----	----	295.80B/----	295.80B/236.40A	----	273.70 + 38.50	.6317	----	----	----	----	1 UNCH
4495	----	----	290.60B/229.30A	290.60B/229.30A	----	267.70 + 38.00	.6240	----	----	----	----	110 UNCH
4500	230.00	230.00	287.60B/224.30A	287.60B/224.30A	----	264.70 + 37.70	.6201	----	----	2	----	83 UNCH
4505	----	----	284.40B/224.00A	284.40B/224.00A	----	261.80 + 37.50	.6162	----	----	----	----	21 UNCH
4510	----	----	280.40B/221.50A	280.40B/221.50A	----	258.90 + 37.30	.6123	----	----	----	----	2 UNCH
4515	----	----	277.40B/----	277.40B/219.20A	----	256.00 + 37.00	.6084	----	----	----	----	2 UNCH
4520	----	----	274.40B/215.90A	274.40B/215.90A	----	253.10 + 36.70	.6045	----	----	----	----	2 UNCH
4530	----	----	268.90B/208.90A	268.90B/208.90A	----	247.40 + 36.20	.5966	----	----	----	----	7 UNCH
4535	----	----	266.00B/----	266.00B/208.60A	----	244.60 + 36.00	.5926	----	----	----	----	7 UNCH
4540	----	----	263.00B/205.80A	263.00B/205.80A	----	241.80 + 35.70	.5887	----	----	----	----	7 UNCH
4545	----	----	260.30B/203.10A	260.30B/203.10A	----	239.00 + 35.40	.5847	----	----	----	----	8 UNCH
4550	----	----	258.00B/197.30A	258.00B/197.30A	----	236.30 + 35.20	.5807	----	----	4	----	279 + 4
4555	----	----	255.50B/196.00A	255.50B/196.00A	----	233.60 + 35.00	.5767	----	----	----	----	7 UNCH
4560	----	----	252.50B/193.60A	252.50B/193.60A	----	230.90 + 34.70	.5727	----	----	----	----	22 UNCH
4565	----	----	249.40B/191.20A	249.40B/191.20A	----	228.20 + 34.40	.5687	----	----	----	----	6 UNCH
4570	----	----	247.10B/188.80A	247.10B/188.80A	----	225.50 + 34.10	.5647	----	----	----	----	19 UNCH
4575	----	----	244.30B/187.60A	244.30B/187.60A	----	222.90 + 33.90	.5607	----	----	----	----	62 UNCH
4580	----	----	241.20B/185.30A	241.20B/185.30A	----	220.30 + 33.60	.5567	----	----	----	----	3 UNCH
4585	----	----	238.80B/183.00A	238.80B/183.00A	----	217.70 + 33.30	.5526	----	----	----	----	22 UNCH
4590	----	----	236.10B/181.20A	236.10B/181.20A	----	215.20 + 33.10	.5486	----	----	----	----	16 UNCH
4595	----	----	233.10B/178.00A	233.10B/178.00A	----	212.60 + 32.80	.5446	----	----	----	----	7 UNCH
4600	----	----	230.10B/176.20A	230.10B/176.20A	----	210.10 + 32.60	.5405	----	----	10	----	176 + 10
4605	----	----	228.10B/173.90A	228.10B/173.90A	----	207.60 + 32.30	.5365	----	----	----	----	47 UNCH
4610	----	----	225.50B/171.40A	225.50B/171.40A	----	205.10 + 32.00	.5325	----	----	----	----	7 UNCH
4615	----	----	223.00B/169.50A	223.00B/169.50A	----	202.70 + 31.80	.5284	----	----	----	----	2 UNCH
4620	----	----	220.30B/166.90A	220.30B/166.90A	----	200.20 + 31.50	.5244	----	----	----	----	3 UNCH
4625	208.20	208.20	217.70B/164.80A	217.70B/164.80A	----	197.80 + 31.20	.5204	----	----	5	----	7 + 5
4630	184.40	184.40	215.30B/162.90A	215.30B/162.90A	----	195.50 + 31.00	.5163	----	----	7	----	15 + 7
4640	----	----	210.40B/158.80A	210.40B/158.80A	----	190.70 + 30.40	.5083	----	----	14	----	11 - 5
4645	----	----	207.80B/157.20A	207.80B/157.20A	----	188.40 + 30.20	.5042	----	----	----	----	7 UNCH
4650	----	----	205.40B/154.70A	205.40B/154.70A	----	186.10 + 29.90	.5002	----	----	7	----	90 + 7
4655	----	----	203.10B/153.20A	203.10B/153.20A	----	183.90 + 29.70	.4962	----	----	----	----	2 UNCH
4660	183.10	183.10	200.40B/150.90A	200.40B/150.90A	----	181.60 + 29.40	.4922	----	----	2	----	12 + 2
4665	----	----	198.20B/148.90A	198.20B/148.90A	----	179.40 + 29.10	.4882	----	----	----	----	4 UNCH
4675	----	----	193.60B/145.10A	193.60B/145.10A	----	175.00 + 28.60	.4802	----	----	----	----	4 UNCH
4680	----	----	191.20B/143.20A	191.20B/143.20A	----	172.80 + 28.30	.4763	----	----	----	----	1 UNCH
4690	----	----	186.70B/139.70A	186.70B/139.70A	----	168.50 + 27.70	.4683	----	----	----	----	2 UNCH
4700	155.20	155.20	182.20B/136.70A	182.20B/136.70A	----	164.40 + 27.30	.4604	----	----	12	----	374 + 10
4705	----	----	180.00B/134.10A	180.00B/134.10A	----	162.30 + 27.00	.4565	----	----	----	----	10 UNCH
4710	----	----	177.90B/132.10A	177.90B/132.10A	----	160.30 + 26.80	.4526	----	----	----	----	1 UNCH
4720	----	----	173.50B/129.20A	173.50B/129.20A	----	156.30 + 26.20	.4448	----	----	----	----	45 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4725	----	----	171.50B/127.60A	171.50B/127.60A	----	154.30 + 25.90	.4409	----	----	----	----	12 UNCH
4730	----	----	169.40B/126.20A	169.40B/126.20A	----	152.40 + 25.70	.4370	----	----	----	----	11 UNCH
4740	----	----	165.30B/122.20A	165.30B/122.20A	----	148.50 + 25.20	.4293	----	----	----	----	3 UNCH
4745	148.50	148.50	163.30B/120.60A	163.30B/120.60A	----	146.60 + 24.90	.4254	----	----	2	----	7 + 2
4750	137.60	137.60	161.50B/119.40A	161.50B/119.40A	----	144.80 + 24.70	.4217	----	----	1	----	657 + 1
4755	----	----	159.40B/118.10A	159.40B/118.10A	----	142.90 + 24.40	.4178	----	----	----	----	10 UNCH
4760	----	----	157.30B/116.20A	157.30B/116.20A	----	141.10 + 24.10	.4140	----	----	----	----	23 UNCH
4770	----	----	153.50B/113.60A	153.50B/113.60A	----	137.50 + 23.60	.4065	----	----	----	----	3 UNCH
4775	----	----	151.80B/----	151.80B/112.40A	----	135.70 + 23.30	.4027	----	----	----	----	268 UNCH
4780	----	----	149.80B/110.20A	149.80B/110.20A	----	134.00 + 23.10	.3990	----	----	----	----	10 UNCH
4785	----	----	147.90B/108.90A	147.90B/108.90A	----	132.30 + 22.90	.3953	----	----	----	----	5 UNCH
4790	----	----	146.10B/107.00A	146.10B/107.00A	----	130.60 + 22.60	.3917	----	----	----	----	6 UNCH
4795	----	----	144.30B/105.50A	144.30B/105.50A	----	128.90 + 22.40	.3880	----	----	----	----	4 UNCH
4800	134.80	134.80	142.50B/104.60A	142.50B/104.60A	----	127.20 + 22.10	.3843	----	----	16	----	1148 - 3
4805	----	----	140.80B/102.70A	140.80B/102.70A	----	125.60 + 21.90	.3807	----	----	----	----	2 UNCH
4810	----	----	139.00B/101.80A	139.00B/101.80A	----	124.00 + 21.70	.3771	----	----	----	----	4 UNCH
4815	----	----	137.30B/100.00A	137.30B/100.00A	----	122.40 + 21.40	.3735	----	----	----	----	12 UNCH
4825	112.90	112.90	134.00B/97.70A	134.00B/97.70A	----	119.20 + 20.90	.3663	----	----	16	----	368 UNCH
4835	----	----	130.40B/94.80A	130.40B/94.80A	----	116.10 + 20.40	.3592	----	----	----	----	1 UNCH
4840	----	----	128.80B/93.20A	128.80B/93.20A	----	114.60 + 20.20	.3557	----	----	----	----	41 UNCH
4850	----	----	125.60B/91.50A	125.60B/91.50A	----	111.70 + 19.80	.3489	----	----	1	----	74 - 1
4860	----	----	122.40B/89.00A	122.40B/89.00A	----	108.80 + 19.40	.3420	----	----	----	----	2 UNCH
4870	----	----	119.20B/86.30A	119.20B/86.30A	----	106.00 + 19.00	.3353	----	----	----	----	2 UNCH
4875	----	----	117.90B/85.20A	117.90B/85.20A	----	104.60 + 18.70	.3319	----	----	----	----	30 UNCH
4880	----	----	116.40B/83.70A	116.40B/83.70A	----	103.20 + 18.50	.3286	----	----	----	----	8 UNCH
4885	----	----	114.70B/82.80A	114.70B/82.80A	----	101.90 + 18.30	.3253	----	----	----	----	2 UNCH
4900	84.70	84.70	110.70B/79.50A	110.70B/79.50A	----	97.90 + 17.70	.3155	----	----	19	----	466 + 13
4905	----	----	109.10B/78.60A	109.10B/78.60A	----	96.70 + 17.60	.3124	----	----	----	----	21 UNCH
4915	----	----	106.50B/76.50A	106.50B/76.50A	----	94.20 + 17.20	.3061	----	----	----	----	50 UNCH
4920	----	----	105.00B/75.40A	105.00B/75.40A	----	92.90 + 17.00	.3029	----	----	----	----	66 UNCH
4925	----	----	103.80B/74.30A	103.80B/74.30A	----	91.70 + 16.80	.2998	----	----	----	----	102 UNCH
4930	----	----	102.20B/73.80A	102.20B/73.80A	----	90.50 + 16.60	.2967	----	----	----	----	2 UNCH
4935	----	----	100.90B/72.80A	100.90B/72.80A	----	89.40 + 16.50	.2937	----	----	----	----	1 UNCH
4945	----	----	98.30B/70.80A	98.30B/70.80A	----	87.10 + 16.20	.2877	----	----	----	----	1 UNCH
4950	81.60	81.60	97.40B/69.10A	97.40B/69.10A	----	85.90 + 16.00	.2846	----	----	70	----	335 + 50
4955	----	----	95.80B/----	95.80B/69.00A	----	84.80 + 15.80	.2817	----	----	----	----	1 UNCH
4960	----	----	94.80B/67.30A	94.80B/67.30A	----	83.70 + 15.70	.2788	----	----	----	----	48 UNCH
4965	----	----	93.60B/66.40A	93.60B/66.40A	----	82.60 + 15.50	.2759	----	----	----	----	5 UNCH
4970	----	----	92.60B/65.60A	92.60B/65.60A	----	81.60 + 15.40	.2731	----	----	----	----	1 UNCH
4975	----	----	91.40B/64.60A	91.40B/64.60A	----	80.50 + 15.20	.2702	----	----	----	----	327 UNCH
4980	----	----	90.20B/----	90.20B/64.60A	----	79.50 + 15.10	.2674	----	----	----	----	3 UNCH
4985	----	----	89.00B/63.40A	89.00B/63.40A	----	78.40 + 14.90	.2645	----	----	----	----	1 UNCH
5000	62.00	62.00	85.70B/60.90A	85.70B/60.90A	----	75.40 + 14.40	.2562	----	----	50	----	916 - 2
5005	----	----	84.60B/59.70A	84.60B/59.70A	----	74.40 + 14.20	.2535	----	----	----	----	3 UNCH
5010	----	----	83.50B/58.80A	83.50B/58.80A	----	73.40 + 14.00	.2507	----	----	----	----	10 UNCH
5050	----	----	75.40B/52.90A	75.40B/52.90A	----	66.10 + 12.80	.2300	----	----	50	----	391 + 49
5055	----	----	74.40B/52.10A	74.40B/52.10A	----	65.30 + 12.70	.2277	----	----	----	----	5 UNCH
5060	65.30	65.30	73.50B/51.60A	73.50B/51.60A	----	64.40 NEW	.2251	----	----	5	----	5 + 5
5070	----	----	71.60B/50.30A	71.60B/50.30A	----	62.80 + 12.20	.2204	----	----	----	----	8 UNCH
5075	----	----	70.70B/----	70.70B/49.90A	----	61.90 + 12.00	.2178	----	----	----	----	1 UNCH
5080	61.90	61.90	69.80B/61.90	69.80B/49.40A	----	61.10 + 11.80	.2155	----	----	2	----	11 + 2
5090	----	----	68.00B/47.90A	68.00B/47.90A	----	59.60 + 11.60	.2109	----	----	----	----	3 UNCH
5095	----	----	67.20B/----	67.20B/47.70A	----	58.80 + 11.40	.2086	----	----	----	----	15 UNCH
5100	60.00	60.00	66.30B/46.60A	66.30B/46.60A	----	58.10 + 11.40	.2064	----	----	18	----	412 + 16
5105	----	----	65.50B/45.80A	65.50B/45.80A	----	57.30 + 11.20	.2041	----	----	----	----	4 UNCH
5110	----	----	64.60B/45.30A	64.60B/45.30A	----	56.60 + 11.10	.2019	----	----	----	----	1 UNCH
5120	----	----	63.00B/44.10A	63.00B/44.10A	----	55.10 + 10.80	.1974	----	----	----	----	3 UNCH
5130	----	----	61.50B/----	61.50B/43.20A	----	53.80 + 10.60	.1933	----	----	----	----	4 UNCH
5140	----	----	59.90B/42.00A	59.90B/42.00A	----	52.40 + 10.30	.1891	----	----	----	----	4 UNCH
5150	----	----	58.40B/40.90A	58.40B/40.90A	----	51.10 + 10.10	.1850	----	----	51	----	439 + 49
5155	----	----	57.70B/----	57.70B/40.60A	----	50.50 + 10.10	.1831	----	----	2	----	2 + 1
5160	----	----	57.00B/----	57.00B/40.00A	----	49.80 + 9.90	.1810	----	----	----	----	2 UNCH
5165	50.00	50.00	56.20B/50.00	56.20B/39.60A	----	49.20 + 9.80	.1791	----	----	9	----	24 + 9
5170	----	----	55.50B/----	55.50B/39.00A	----	48.60 + 9.70	.1771	----	----	----	----	7 UNCH
5175	----	----	54.90B/----	54.90B/38.50A	----	48.00 + 9.60	.1752	----	----	----	----	15 UNCH
5190	48.00	48.00	52.80B/44.80	52.80B/37.20A	----	46.20 + 9.30	.1695	----	----	57	----	10004 UNCH
5195	----	----	52.20B/----	52.20B/36.60A	----	45.60 + 9.20	.1676	----	----	----	----	50 UNCH
5200	47.20	47.20	51.50B/42.80	51.50B/36.10A	----	45.10 + 9.10	.1659	----	----	60	----	10019 + 1
5215	----	----	49.60B/----	49.60B/34.80A	----	43.40 + 8.80	.1605	----	----	----	----	7 UNCH
5230	----	----	47.80B/----	47.80B/33.50A	----	41.80 + 8.40	.1553	----	----	----	----	402 UNCH
5235	----	----	47.20B/----	47.20B/33.20A	----	41.30 + 8.40	.1536	----	----	----	----	1 UNCH
5240	----	----	46.70B/----	46.70B/32.80A	----	40.80 + 8.30	.1520	----	----	----	----	2 UNCH
5245	37.70	37.70	46.10B/37.70	46.10B/32.50A	----	40.30 + 8.20	.1503	----	----	2	----	23 + 2
5250	38.20	38.20	45.50B/38.20	45.50B/32.00A	----	39.80 + 8.10	.1487	----	----	14	----	645 + 10
5270	----	----	43.40B/----	43.40B/30.80A	----	38.00 + 7.80	.1426	----	----	----	----	5 UNCH
5275	----	----	42.90B/----	42.90B/30.20A	----	37.50 + 7.70	.1409	----	----	----	----	200 UNCH
5290	----	----	41.30B/----	41.30B/29.10A	----	36.20 + 7.50	.1365	----	----	----	----	9 UNCH
5295	----	----	40.80B/----	40.80B/28.80A	----	35.80 + 7.40	.1351	----	----	----	----	8 UNCH
5300	----	----	40.40B/----	40.40B/28.50A	----	35.40 + 7.40	.1337	----	----	1	----	1009 UNCH
5305	35.60	35.60	39.90B/35.60	39.90B/28.40A	----	34.90 NEW	.1321	----	----	11	----	11 + 11
5310	----	----	39.40B/----	39.40B/27.70A	----	34.50 + 7.10	.1307	----	----	----	----	6 UNCH
5315	----	----	38.90B/----	38.90B/27.60A	----	34.10 + 7.10	.1293	----	----	----	----	5 UNCH
5325	31.00	31.00	38.00B/31.00	38.00B/27.10A	----	33.30 NEW	.1266	----	----	1	----	1 + 1
5330	----	----	37.60B/----	37.60B/26.70A	----	33.00 + 6.90	.1255	----	----	----	----	20 UNCH
5335	----	----	37.10B/----	37.10B/26.40A	----	32.60 + 6.80	.1241	----	----	----	----	4 UNCH
5340	----	----	36.70B/----	36.70B/26.10A	----	32.20 + 6.70	.1227	----	----	----	----	7 UNCH
5350	33.50	33.50	35.90B/33.50	35.90B/25.50A	----	31.50 + 6.60	.1202	----	----	51	----	351 + 50
5355	----	----	35.40B/----	35.40B/25.10A	----	31.10 + 6.50	.1189	----	----	----	----	6 UNCH
5365	----	----	34.60B/----	34.60B/24.70A	----	30.40 + 6.40	.1164	----	----	----	----	22 UNCH
5370	----	----	34.20B/----	34.20B/24.50A	----	30.10 + 6.30	.1153	----	----	----	----	18 UNCH
5375	----	----	33.80B/----	33.80B/24.20A	----	29.70 + 6.20	.1140	----	----	----	----	5 UNCH
5380	----	----	33.40B/----	33.40B/23.70A	----	29.40 + 6.20	.1129	----	----	----	----	2 UNCH
5395	----	----	32.30B/----	32.30B/23.20A	----	28.40 + 6.00	.1093	----	----	----	----	4 UNCH
5400	29.20	29.20	31.90B/29.20	31.90B/22.90A	----	28.10 + 5.90	.1082	----	----	1	----	2276 UNCH
5420	----	----	30.50B/----	30.50B/22.00A	----	26.90 + 5.70	.1039	----	----	----	----	83 UNCH
5425	----	----	30.20B/----	30.20B/21.50A	----	26.60 + 5.60	.1028	----	----	----	----	50 UNCH
5440	----	----	29.20B/----	29.20B/21.10A	----	25.80 + 5.50	.0999	----	----	14	----	15 + 14
5450	26.20	26.20	28.60B/26.20	28.60B/20.60A	----	25.20 + 5.30	.0977	----	----	1	----	29 UNCH
5455	----	----	28.20B/----	28.20B/20.60A	----	25.00 + 5.30	.0969	----	----	14	----	39 + 14
5460	----	----	28.00B/----	28.00B/20.60A	----	24.70 + 5.20	.0959	----	----	----	----	2 UNCH
5470	----	----	27.30B/----	27.30B/20.30A	----	24.20 + 5.20	.0940	----	----	----	----	3 UNCH
5475	----	----	27.00B/----	27.00B/20.30A	----	24.00 + 5.20	.0932	----	----	----	----	26 UNCH
5490	25.10	25.10	26.20B/25.10	26.20B/19.90A	----	23.20 + 5.00	.0903	----	----	1	----	1 UNCH
5500	21.50	21.50	25.60B/21.50	25.60B/19.50A	----	22.80 + 4.90	.0887	----	----	20	----	3164 - 20
5505	----	----	25.40B/----	25.40B/19.30A	----	22.50 + 4.80	.0877	----	----	----	----	3 UNCH
5510	24.10	24.10	25.10B/24.10	25.10B/19.10A	----	22.30 NEW	.0869	----	----	1	----	1 + 1
5515	----	----	24.80B/----	24.80B/18.70A	----	22.10 + 4.80	.0861	----	----	----	----	4 UNCH
5520	----	----	24.60B/----	24.60B/18.80A	----	21.90 + 4.80	.0854	----	----	----	----	1 UNCH
5525	----	----	24.30B/----	24.30B/18.60A	----	21.70 + 4.70	.0846	----	----	----	----	6 UNCH
5535	22.90	22.90	23.80B/22.90	23.80B/18.20A	----	21.20 NEW	.0828	----	----	1	----	1 + 1
5540	----	----	23.60B/----	23.60B/18.00A	----	21.00 + 4.50	.0820	----	----	----	----	19 UNCH
5550	----	----	23.10B/----	23.10B/17.70A	----	20.60 + 4.50	.0805	----	----	----	----	45 UNCH
5555	----	----	22.90B/----	22.90B/17.50A	----	20.40 + 4.40	.0797	----	----	----	----	5 UNCH
5560	21.70	21.70	22.60B/21.70	22.60B/17.30A	----	20.30 NEW	.0792	----	----	2	----	2 + 2
5570	----	----	22.20B/----	22.20B/17.00A	----	19.90 + 4.40	.0777	----	----	----	----	1 UNCH
5575	----	----	22.00B/----	22.00B/16.90A	----	19.70 + 4.30	.0770	----	----	----	----	1 UNCH
5590	19.80	19.80	21.30B/19.70	21.30B/16.40A	----	19.20 + 4.20	.0750	----	----	12	----	31 + 2
5595	----	----	21.10B/----	21.10B/16.20A	----	19.00 + 4.20	.0743	----	----	----	----	4 UNCH
5600	18.10	18.10	20.90B/16.70	20.90B/16.10A	----	18.80 + 4.10	.0735	----	----	30	----	915 - 23
5605	----	----	20.70B/----	20.70B/16.00A	----	18.60 + 4.00	.0728	----	----	----	----	3 UNCH
5620	----	----	20.10B/----	20.10B/15.60A	----	18.20 + 4.00	.0711	----	----	----	----	20 UNCH
5625	----	----	19.90B/----	19.90B/15.40A	----	18.00 + 3.90	.0704	----	----	----	----	2 UNCH
5645	----	----	19.20B/----	19.20B/14.90A	----	17.40 + 3.80	.0680	----	----	----	----	5 UNCH
5650	----	----	19.00B/----	19.00B/14.80A	----	17.20 + 3.70	.0673	----	----	----	----	744 UNCH
5655	----	----	18.80B/----	18.80B/14.70A	----	17.10 + 3.70	.0668	----	----	----	----	4 UNCH
5665	----	----	18.50B/----	18.50B/14.50A	----	16.80 + 3.60	.0657	----	----	----	----	3 UNCH
5675	----	----	18.20B/----	18.20B/14.20A	----	16.50 + 3.50	.0645	----	----	----	----	8 UNCH
5690	----	----	17.70B/----	17.70B/13.90A	----	16.10 + 3.40	.0629	----	----	----	----	3 UNCH
5700	----	----	17.40B/----	17.40B/13.70A	----	15.90 + 3.40	.0620	----	----	2	----	1012 + 1
5710	----	----	17.10B/----	17.10B/13.50A	----	15.60 + 3.30	.0609	----	----	----	----	2 UNCH
5730	----	----	16.50B/----	16.50B/13.10A	----	15.10 + 3.20	.0589	----	----	----	----	2 UNCH
5750	12.10	12.10	16.00B/12.10	16.00B/12.10	----	14.70 + 3.20	.0572	----	----	2	----	193 UNCH
5760	----	----	15.70B/----	15.70B/12.60A	----	14.40 + 3.00	.0561	----	----	----	----	1 UNCH
5770	----	----	15.50B/----	15.50B/12.40A	----	14.20 + 3.00	.0553	----	----	----	----	2 UNCH
5775	----	----	15.30B/----	15.30B/12.30A	----	14.10 + 3.00	.0549	----	----	----	----	162 UNCH
5800	----	----	14.70B/----	14.70B/11.90A	----	13.60 + 2.90	.0528	----	----	----	----	646 UNCH
5850	10.60	10.60	13.70B/10.60	13.70B/10.60	----	12.70 + 2.70	.0491	----	----	2	----	450 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5900	----	----	12.70B/----	12.70B/10.50A	----	11.90 + 2.50	.0458	----	----	----	----	818 UNCH
5950	----	----	11.90B/----	11.90B/9.90A	----	11.20 + 2.30	.0428	----	----	----	----	51 UNCH
6000	9.10	9.10	11.20B/9.10	11.20B/9.10	----	10.60 + 2.20	.0403	----	----	11	----	1340 - 6
6075	----	----	10.20B/----	10.20B/8.80A	----	9.70 + 1.90	.0366	----	----	----	----	1 UNCH
6100	----	----	9.90B/----	9.90B/8.60A	----	9.50 + 1.90	.0356	----	----	1	----	186 + 1
6200	7.40	7.40	8.90B/7.40	8.90B/7.40	----	8.60 + 1.70	.0318	----	----	3	----	245 + 1
6300	----	----	8.10B/----	8.10B/7.20A	----	7.90 + 1.60	.0288	----	----	----	----	159 UNCH
6400	----	----	7.40B/----	7.40B/6.80A	----	7.40 + 1.50	.0265	----	----	----	----	222 UNCH
6500	----	----	6.90B/----	6.90B/6.40A	----	6.90 + 1.30	.0243	----	----	----	----	533 UNCH
6600	----	----	6.40B/----	6.40B/6.10A	----	6.50 + 1.20	.0225	----	----	----	----	21 UNCH
6650	----	----	6.20B/----	6.20B/6.00A	----	6.30 + 1.10	.0216	----	----	----	----	9 UNCH
6750	----	----	5.80B/----	5.80B/5.70A	----	6.00 + 1.00	.0202	----	----	----	----	11 UNCH
6775	----	----	5.70B/----	5.70B/5.70A	----	5.90 + 1.00	.0198	----	----	----	----	1 UNCH
6800	----	----	5.70B/----	5.70B/5.60A	----	5.80 + 1.00	.0194	----	----	----	----	170 UNCH
7000	5.40	5.40	5.40/5.40	5.40/5.10A	----	5.30 + 1.00	.0172	----	----	1	----	101 - 1
8000	----	----	----	3.10B/3.80A	----	3.60 + 0.40	.0103	----	----	----	----	126 UNCH
TOTAL										695		45480 + 297
OCT26												
3600	----	----	1,057.80B/----	1057.80B/997.20A	----	1034.90 + 59.20	.9506	----	----	----	----	12 UNCH
3900	----	----	#776.60B/----	776.60B/717.30A	----	753.70 + 55.90	.8972	----	----	----	----	40 UNCH
4300	----	----	444.80B/----	444.80B/394.70A	----	424.00 + 45.30	.7352	----	----	----	----	102 UNCH
4400	----	----	378.20B/----	378.20B/315.70A	----	355.90 + 41.70	.6751	----	----	----	----	8 UNCH
4405	----	----	374.90B/----	374.90B/312.70A	----	352.60 + 41.40	.6720	----	----	----	----	2 UNCH
4450	305.50	305.50	345.80B/305.50	345.80B/286.50A	----	324.40 + 39.50	.6429	----	----	5	----	5 UNCH
4480	----	----	327.30B/----	327.30B/269.90A	----	306.50 + 38.30	.6230	----	----	----	----	1 UNCH
4490	----	----	321.30B/261.10A	321.30B/261.10A	----	300.60 + 37.80	.6163	----	----	----	----	10 UNCH
4500	----	----	316.20B/257.20A	316.20B/257.20A	----	294.90 + 37.40	.6096	----	----	----	----	33 UNCH
4515	----	----	306.60B/249.50A	306.60B/249.50A	----	286.40 + 36.70	.5994	----	----	----	----	1 UNCH
4535	----	----	295.80B/239.30A	295.80B/239.30A	----	275.30 + 35.70	.5857	----	----	----	----	5 UNCH
4540	----	----	293.20B/236.90A	293.20B/236.90A	----	272.60 + 35.50	.5823	----	----	----	----	6 UNCH
4545	----	----	290.50B/234.40A	290.50B/234.40A	----	269.90 + 35.30	.5788	----	----	----	----	2 UNCH
4550	----	----	287.80B/----	287.80B/232.40A	----	267.20 + 35.00	.5754	----	----	----	----	1 UNCH
4560	----	----	282.30B/223.80A	282.30B/223.80A	----	262.00 + 34.60	.5685	----	----	----	----	7 UNCH
4565	----	----	279.70B/222.40A	279.70B/222.40A	----	259.30 + 34.30	.5650	----	----	----	----	13 UNCH
4570	----	----	277.00B/219.20A	277.00B/219.20A	----	256.70 + 34.10	.5616	----	----	----	----	5 UNCH
4575	----	----	274.00B/217.80A	274.00B/217.80A	----	254.20 + 33.90	.5581	----	----	----	----	3 UNCH
4580	----	----	271.70B/215.50A	271.70B/215.50A	----	251.60 + 33.60	.5547	----	----	----	----	70 UNCH
4585	----	----	268.90B/215.10A	268.90B/215.10A	----	249.10 + 33.40	.5512	----	----	----	----	1 UNCH
4590	----	----	266.20B/212.20A	266.20B/212.20A	----	246.60 + 33.20	.5477	----	----	----	----	9 UNCH
4595	----	----	263.80B/209.30A	263.80B/209.30A	----	244.10 + 33.00	.5443	----	----	----	----	3 UNCH
4600	----	----	261.20B/207.20A	261.20B/207.20A	----	241.60 + 32.70	.5408	----	----	----	----	108 UNCH
4605	----	----	258.70B/203.10A	258.70B/203.10A	----	239.10 + 32.50	.5373	----	----	----	----	9 UNCH
4610	----	----	256.20B/202.10A	256.20B/202.10A	----	236.70 + 32.30	.5338	----	----	----	----	15 UNCH
4615	----	----	253.70B/200.00A	253.70B/200.00A	----	234.30 + 32.10	.5304	----	----	----	----	9 UNCH
4620	----	----	251.10B/198.70A	251.10B/198.70A	----	231.90 + 31.80	.5269	----	----	----	----	15 UNCH
4625	211.60	211.60	248.70B/194.90A	248.70B/194.90A	----	229.50 + 31.60	.5234	----	----	33	----	38 + 33
4630	202.00	202.00	246.20B/192.70A	246.20B/192.70A	----	227.10 + 31.30	.5200	----	----	51	----	54 + 51
4635	----	----	243.70B/190.50A	243.70B/190.50A	----	224.80 + 31.10	.5165	----	----	3	----	9 + 3
4640	----	----	241.20B/189.40A	241.20B/189.40A	----	222.50 + 30.90	.5130	----	----	----	----	5 UNCH
4645	----	----	238.90B/187.80A	238.90B/187.80A	----	220.20 + 30.70	.5096	----	----	----	----	1 UNCH
4650	----	----	236.80B/185.70A	236.80B/185.70A	----	217.90 + 30.40	.5061	----	----	313	----	406 + 134
4655	217.30	217.30	234.10B/182.40A	234.10B/182.40A	----	215.70 + 30.20	.5027	----	----	3	----	6 + 3
4660	----	----	231.80B/181.40A	231.80B/181.40A	----	213.40 NEW	.4992	----	----	3	----	3 + 3
4670	----	----	227.20B/177.80A	227.20B/177.80A	----	209.00 + 29.50	.4924	----	----	----	----	4 UNCH
4675	----	----	224.90B/175.70A	224.90B/175.70A	----	206.80 + 29.30	.4889	----	----	----	----	3 UNCH
4690	----	----	218.10B/170.20A	218.10B/170.20A	----	200.40 + 28.60	.4787	----	----	----	----	4 UNCH
4695	----	----	215.90B/168.40A	215.90B/168.40A	----	198.30 + 28.40	.4753	----	----	----	----	2 UNCH
4700	----	----	213.80B/166.70A	213.80B/166.70A	----	196.20 + 28.20	.4719	----	----	----	----	169 UNCH
4710	----	----	209.50B/162.60A	209.50B/162.60A	----	192.00 + 27.60	.4651	----	----	----	----	2 UNCH
4715	----	----	207.30B/160.90A	207.30B/160.90A	----	190.00 + 27.40	.4618	----	----	----	----	2 UNCH
4725	----	----	203.00B/157.40A	203.00B/157.40A	----	186.00 + 27.00	.4550	----	----	----	----	1 UNCH
4730	----	----	200.90B/155.60A	200.90B/155.60A	----	184.00 + 26.70	.4517	----	----	----	----	2 UNCH
4735	----	----	198.90B/155.00A	198.90B/155.00A	----	182.10 + 26.60	.4484	----	----	----	----	1 UNCH
4750	----	----	192.80B/149.00A	192.80B/149.00A	----	176.30 + 25.90	.4384	----	----	----	----	36 UNCH
4755	----	----	190.80B/147.30A	190.80B/147.30A	----	174.40 + 25.60	.4351	----	----	----	----	76 UNCH
4760	----	----	188.70B/145.60A	188.70B/145.60A	----	172.50 + 25.40	.4318	----	----	----	----	1 UNCH
4765	----	----	186.80B/143.90A	186.80B/143.90A	----	170.70 + 25.20	.4286	----	----	----	----	21 UNCH
4775	----	----	182.90B/140.90A	182.90B/140.90A	----	167.00 + 24.70	.4220	----	----	----	----	25 UNCH
4785	----	----	179.10B/137.60A	179.10B/137.60A	----	163.40 + 24.30	.4156	----	----	----	----	3 UNCH
4790	----	----	177.10B/135.90A	177.10B/135.90A	----	161.70 + 24.10	.4124	----	----	----	----	7 UNCH
4795	----	----	175.40B/134.80A	175.40B/134.80A	----	159.90 + 23.80	.4091	----	----	----	----	3 UNCH
4800	----	----	173.50B/133.20A	173.50B/133.20A	----	158.20 + 23.70	.4060	----	----	----	----	499 UNCH
4805	----	----	171.70B/131.60A	171.70B/131.60A	----	156.50 + 23.40	.4028	----	----	----	----	1 UNCH
4810	----	----	169.80B/129.90A	169.80B/129.90A	----	154.80 + 23.20	.3996	----	----	----	----	3 UNCH
4815	----	----	168.10B/128.90A	168.10B/128.90A	----	153.10 + 23.00	.3965	----	----	----	----	36 UNCH
4820	----	----	166.30B/127.40A	166.30B/127.40A	----	151.40 + 22.70	.3933	----	----	----	----	3 UNCH
4825	----	----	164.60B/125.90A	164.60B/125.90A	----	149.80 + 22.60	.3902	----	----	----	----	105 UNCH
4830	----	----	162.80B/124.70A	162.80B/124.70A	----	148.10 + 22.30	.3870	----	----	----	----	1 UNCH
4835	----	----	161.10B/123.20A	161.10B/123.20A	----	146.50 + 22.10	.3840	----	----	----	----	2 UNCH
4840	----	----	159.40B/121.60A	159.40B/121.60A	----	144.90 + 21.90	.3809	----	----	----	----	1 UNCH
4845	----	----	157.70B/120.60A	157.70B/120.60A	----	143.30 + 21.60	.3778	----	----	----	----	2 UNCH
4850	----	----	156.00B/118.90A	156.00B/118.90A	----	141.80 + 21.50	.3748	----	----	----	----	54 UNCH
4860	----	----	152.70B/116.40A	152.70B/116.40A	----	138.70 + 21.10	.3687	----	----	----	----	100 UNCH
4865	----	----	151.10B/115.30A	151.10B/115.30A	----	137.20 + 20.90	.3657	----	----	----	----	2 UNCH
4870	----	----	149.30B/113.80A	149.30B/113.80A	----	135.60 + 20.60	.3626	----	----	----	----	1 UNCH
4880	----	----	146.30B/111.30A	146.30B/111.30A	----	132.70 + 20.20	.3567	----	----	----	----	1 UNCH
4885	----	----	144.80B/110.00A	144.80B/110.00A	----	131.20 + 20.00	.3538	----	----	----	----	50 UNCH
4900	----	----	140.30B/106.40A	140.30B/106.40A	----	127.00 + 19.50	.3451	----	----	2	----	1431 UNCH
4905	----	----	138.60B/104.90A	138.60B/104.90A	----	125.60 + 19.30	.3422	----	----	----	----	20 UNCH
4910	----	----	137.00B/104.10A	137.00B/104.10A	----	124.20 + 19.10	.3393	----	----	----	----	1 UNCH
4925	----	----	132.80B/100.40A	132.80B/100.40A	----	120.20 + 18.60	.3309	----	----	----	----	20 UNCH
4935	----	----	130.00B/98.20A	130.00B/98.20A	----	117.60 + 18.30	.3253	----	----	----	----	5 UNCH
4945	----	----	127.20B/96.10A	127.20B/96.10A	----	115.00 + 17.90	.3198	----	----	----	----	3 UNCH
4950	----	----	125.90B/94.90A	125.90B/94.90A	----	113.80 + 17.80	.3171	----	----	----	----	875 UNCH
4970	----	----	120.40B/91.10A	120.40B/91.10A	----	108.90 + 17.20	.3064	----	----	1	----	1 UNCH
4975	----	----	119.10B/89.80A	119.10B/89.80A	----	107.70 + 17.00	.3037	----	----	----	----	1 UNCH
5000	----	----	113.00B/84.90A	113.00B/84.90A	----	102.00 + 16.30	.2909	----	----	2	50	1493 + 50
5025	----	----	106.90B/80.30A	106.90B/80.30A	----	96.60 + 15.60	.2784	----	----	----	----	2 UNCH
5045	----	----	102.50B/76.90A	102.50B/76.90A	----	92.40 + 14.90	.2687	----	----	----	----	9 UNCH
5050	----	----	101.50B/76.00A	101.50B/76.00A	----	91.40 + 14.80	.2664	----	----	212	----	259 + 200
5075	----	----	96.10B/71.90A	96.10B/71.90A	----	86.50 + 14.00	.2547	----	----	----	----	4 UNCH
5080	----	----	95.10B/71.10A	95.10B/71.10A	----	85.60 + 13.90	.2525	----	----	----	----	4 UNCH
5085	----	----	94.10B/70.30A	94.10B/70.30A	----	84.70 + 13.80	.2503	----	----	----	----	3 UNCH
5100	----	----	91.30B/68.10A	91.30B/68.10A	----	82.00 + 13.40	.2437	----	----	1	----	789 - 1
5125	----	----	86.30B/64.40A	86.30B/64.40A	----	77.60 + 12.60	.2329	----	----	----	----	1 UNCH
5140	75.40	75.40	83.60B/62.60A	83.60B/62.60A	----	75.20 NEW	.2268	----	----	5	----	5 + 5
5150	----	----	81.90B/61.00A	81.90B/61.00A	----	73.60 + 12.00	.2227	----	----	----	----	36 UNCH
5155	----	----	81.10B/60.50A	81.10B/60.50A	----	72.80 + 11.90	.2207	----	----	----	----	3 UNCH
5160	----	----	80.10B/60.00A	80.10B/60.00A	----	72.00 + 11.70	.2187	----	----	----	----	1 UNCH
5170	65.10	65.10	78.50B/58.60A	78.50B/58.60A	----	70.50 + 11.50	.2148	----	----	21	----	30 + 21
5195	----	----	74.50B/55.50A	74.50B/55.50A	----	66.90 + 10.90	.2054	----	----	----	----	20 UNCH
5200	----	----	73.90B/54.90A	73.90B/54.90A	----	66.20 + 10.80	.2036	----	----	----	----	1663 UNCH
5205	----	----	72.90B/54.40A	72.90B/54.40A	----	65.50 + 10.70	.2017	----	----	----	----	1 UNCH
5250	----	----	66.60B/49.50A	66.60B/49.50A	----	59.60 + 9.80	.1860	----	----	----	----	575 UNCH
5255	----	----	65.70B/49.10A	65.70B/49.10A	----	59.00 + 9.70	.1844	----	----	----	----	1 UNCH
5270	57.40	57.40	63.70B/47.60A	63.70B/47.60A	----	57.20 NEW	.1795	----	----	6	----	6 + 6
5300	58.00	58.00	60.00B/44.60A	60.00B/44.60A	----	53.70 + 8.80	.1699	----	----	4	----	1006 + 3
5305	----	----	59.30B/44.30A	59.30B/44.30A	----	53.20 + 8.80	.1685	----	----	----	----	1 UNCH
5310	----	----	58.70B/43.90A	58.70B/43.90A	----	52.70 + 8.70	.1670	----	----	----	----	2 UNCH
5315	----	----	58.10B/43.40A	58.10B/43.40A	----	52.10 + 8.60	.1654	----	----	----	----	4 UNCH
5320	51.40	51.40	57.50B/43.00A	57.50B/43.00A	----	51.60 NEW	.1640	----	----	2	----	2 + 2
5325	----	----	56.90B/----	56.90B/42.60A	----	51.10 + 8.50	.1626	----	----	----	----	9 UNCH
5350	----	----	54.10B/----	54.10B/40.60A	----	48.50 + 8.00	.1553	----	----	----	----	4 UNCH
5355	----	----	53.60B/----	53.60B/40.20A	----	48.00 + 7.90	.1539	----	----	----	----	5 UNCH
5365	----	----	52.50B/----	52.50B/39.40A	----	47.10 + 7.80	.1513	----	----	----	----	1 UNCH
5395	----	----	49.50B/----	49.50B/37.20A	----	44.40 + 7.40	.1434	----	----	----	----	2 UNCH
5400	41.00	41.00	49.00B/36.60A	49.00B/36.60A	----	43.90 + 7.20	.1421	----	----	5	----	651 UNCH
5410	----	----	48.00B/----	48.00B/36.60A	----	43.10 + 7.20	.1397	----	----	----	----	1 UNCH
5420	----	----	47.10B/----	47.10B/35.90A	----	42.30 + 7.10	.1373	----	----	----	----	2 UNCH
5435	----	----	45.70B/----	45.70B/34.90A	----	41.10 + 6.90	.1337	----	----	----	----	226 UNCH
5440	----	----	45.30B/----	45.30B/34.50A	----	40.70 + 6.80	.1326	----	----	----	----	5 UNCH
5450	----	----	44.40B/----	44.40B/33.80A	----	39.90 + 6.70	.1302	----	----	----	----	67 UNCH
5455	----	----	44.00B/----	44.00B/33.60A	----	39.60 + 6.70	.1293	----	----	----	----	175 UNCH
5460	----	----	43.60B/----	43.60B/33.40A	----	39.20 + 6.60	.1281	----	----	----	----	2 UNCH
5475	----	----	42.40B/----	42.40B/32.30A	----	38.10 + 6.40	.1248	----	----	----	----	1 UNCH
5480	----	----	41.90B/----	41.90B/32.20A	----	37.80 + 6.40	.1238	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5485	----	----	41.50B/----	41.50B/31.90A	----	37.50 + 6.40	.1229	----	----	----	----	25 UNCH
5500	----	----	40.40B/----	40.40B/31.10A	----	36.50 + 6.30	.1198	----	----	14	50	4634 + 55
5545	----	----	37.20B/----	37.20B/28.60A	----	33.70 + 5.80	.1112	----	----	----	----	5 UNCH
5550	----	----	36.90B/----	36.90B/28.50A	----	33.40 + 5.80	.1103	----	----	----	----	280 UNCH
5575	----	----	35.20B/----	35.20B/27.20A	----	32.10 + 5.70	.1061	----	----	----	----	3 UNCH
5590	----	----	34.20B/----	34.20B/26.50A	----	31.30 + 5.50	.1036	----	----	----	----	7 UNCH
5600	----	----	33.60B/----	33.60B/26.10A	----	30.70 + 5.40	.1017	----	----	1	----	230 UNCH
5610	----	----	33.00B/----	33.00B/25.50A	----	30.20 + 5.30	.1002	----	----	----	----	1 UNCH
5615	----	----	32.70B/----	32.70B/25.60A	----	30.00 + 5.30	.0995	----	----	----	----	5 UNCH
5640	----	----	31.30B/----	31.30B/25.10A	----	28.70 + 5.00	.0954	----	----	----	----	2 UNCH
5650	----	----	30.80B/----	30.80B/24.70A	----	28.30 + 5.00	.0941	----	----	----	----	401 UNCH
5655	----	----	30.50B/----	30.50B/24.80A	----	28.00 + 4.90	.0932	----	----	----	----	2 UNCH
5660	----	----	30.20B/----	30.20B/24.60A	----	27.80 + 4.90	.0925	----	----	----	----	1 UNCH
5675	----	----	29.50B/----	29.50B/23.90A	----	27.10 + 4.70	.0903	----	----	----	----	3 UNCH
5700	----	----	28.20B/----	28.20B/23.00A	----	26.00 + 4.50	.0868	----	----	----	----	206 UNCH
5710	----	----	27.80B/----	27.80B/22.70A	----	25.60 + 4.40	.0855	----	----	----	----	5 UNCH
5720	----	----	27.30B/----	27.30B/22.30A	----	25.20 + 4.40	.0842	----	----	----	----	87 UNCH
5750	----	----	26.00B/----	26.00B/21.40A	----	24.10 + 4.20	.0805	----	----	----	----	854 UNCH
5775	----	----	25.00B/----	25.00B/20.60A	----	23.20 + 4.00	.0776	----	----	----	----	52 UNCH
5800	----	----	24.10B/----	24.10B/19.90A	----	22.30 + 3.80	.0747	----	----	----	----	543 UNCH
5825	----	----	23.20B/----	23.20B/19.20A	----	21.60 + 3.80	.0722	----	----	----	----	1 UNCH
5850	----	----	22.30B/----	22.30B/18.60A	----	20.80 + 3.60	.0696	----	----	----	----	3 UNCH
5875	----	----	21.50B/----	21.50B/18.00A	----	20.20 + 3.50	.0675	----	----	----	----	2 UNCH
5900	----	----	20.80B/----	20.80B/17.50A	----	19.50 + 3.40	.0652	----	----	13	----	290 + 13
5925	----	----	20.10B/----	20.10B/16.90A	----	18.90 + 3.30	.0631	----	----	----	----	2 UNCH
5950	----	----	19.50B/----	19.50B/16.40A	----	18.30 + 3.10	.0610	----	----	----	----	2 UNCH
6000	----	----	18.20B/----	18.20B/15.60A	----	17.30 + 3.00	.0575	----	----	14	----	4369 UNCH
6100	----	----	16.20B/----	16.20B/14.00A	----	15.50 + 2.60	.0511	----	----	----	----	67 UNCH
6200	----	----	14.50B/----	14.50B/12.70A	----	14.10 + 2.40	.0460	----	----	----	----	38 UNCH
6300	----	----	13.10B/----	13.10B/11.70A	----	12.90 + 2.10	.0417	----	----	----	----	883 UNCH
6400	----	----	12.00B/----	12.00B/10.90A	----	12.00 + 2.00	.0382	----	----	----	----	1910 UNCH
6500	11.00	11.00	11.10B/11.00	11.10B/10.10A	----	11.20 + 1.80	.0352	----	----	2	----	4037 UNCH
6800	----	----	9.20B/----	9.20B/8.80A	----	9.30 + 1.30	.0282	----	----	----	----	1425 UNCH
6900	----	----	8.60B/----	8.60B/8.50A	----	8.90 + 1.30	.0265	----	----	----	----	1 UNCH
7000	----	----	8.20B/----	8.20B/8.10A	----	8.50 + 1.20	.0250	----	----	----	----	1646 UNCH
7500	----	----	6.60B/----	6.60B/7.00A	----	7.00 + 1.00	.0193	----	----	----	----	1 UNCH
8000	----	----	5.60B/----	5.60B/6.10A	----	6.10 + 0.90	.0159	----	----	----	----	218 UNCH
8500	----	----	5.00B/----	5.00B/5.40A	----	5.40 + 0.70	.0134	----	----	----	----	208 UNCH
9000	----	----	4.40B/----	4.40B/4.80A	----	4.90 + 0.70	.0116	----	----	----	----	86 UNCH
9500	----	----	----	3.80B/4.20A	----	4.40 + 0.60	.0101	----	----	----	----	19 UNCH
13000	2.00	2.00	2.00/*2.00	2.00/2.00	----	1.80 UNCH	.0036	----	----	1	----	41 + 1
TOTAL										717	100	34265 + 582
NOV26												
4000	----	----	----	600.20B/812.90A	----	710.20 + 54.50	.8542	----	----	----	----	1 UNCH
4100	----	----	----	515.30B/732.60A	----	627.30 + 52.40	.8193	----	----	----	----	1 UNCH
4275	----	----	----	378.00B/602.40A	----	493.30 + 47.40	.7434	----	----	----	----	38 UNCH
4300	----	----	----	359.90B/585.20A	----	475.40 + 46.50	.7311	----	----	----	----	1 UNCH
4375	----	----	444.50B/----	444.50B/391.30A	----	424.10 + 43.90	.6922	----	----	----	----	38 UNCH
4400	----	----	428.80B/----	428.80B/375.80A	----	407.80 + 43.00	.6786	----	----	----	----	4 UNCH
4440	----	----	402.80B/----	402.80B/346.30A	----	382.50 + 41.50	.6563	----	----	----	----	1 UNCH
4455	----	----	393.50B/----	393.50B/337.70A	----	373.30 + 41.00	.6478	----	----	----	----	0 UNCH
4500	----	----	366.10B/----	366.10B/311.60A	----	346.50 + 39.10	.6218	----	----	----	----	28 UNCH
4575	----	----	324.30B/267.30A	324.30B/267.30A	----	304.80 + 35.90	.5773	----	----	----	----	1 UNCH
4585	----	----	318.60B/262.50A	318.60B/262.50A	----	299.50 + 35.40	.5713	----	----	----	----	1 UNCH
4595	----	----	313.30B/255.90A	313.30B/255.90A	----	294.30 + 35.00	.5652	----	----	----	----	1 UNCH
4600	----	----	310.90B/254.50A	310.90B/254.50A	----	291.70 + 34.70	.5622	----	----	----	----	5 UNCH
4650	----	----	285.70B/232.80A	285.70B/232.80A	----	266.90 + 32.50	.5320	----	----	----	----	30 UNCH
4700	----	----	261.90B/212.20A	261.90B/212.20A	----	243.90 + 30.30	.5018	----	----	----	----	10 UNCH
4750	----	----	239.70B/193.20A	239.70B/193.20A	----	222.60 + 28.20	.4721	----	----	----	----	1 UNCH
4775	----	----	229.40B/184.20A	229.40B/184.20A	----	212.70 + 27.20	.4574	----	----	----	----	31 UNCH
4800	----	----	218.80B/175.30A	218.80B/175.30A	----	203.20 + 26.30	.4430	----	----	----	----	16 UNCH
4850	----	----	200.00B/159.50A	200.00B/159.50A	----	185.70 + 24.80	.4150	----	----	----	----	25 UNCH
4900	----	----	182.70B/144.50A	182.70B/144.50A	----	169.40 + 23.30	.3880	----	----	----	----	451 UNCH
4915	----	----	177.80B/140.80A	177.80B/140.80A	----	164.70 + 22.80	.3800	----	----	----	----	1 UNCH
4925	----	----	174.60B/138.00A	174.60B/138.00A	----	161.60 + 22.40	.3747	----	----	----	----	1 UNCH
4935	----	----	171.40B/135.30A	171.40B/135.30A	----	158.60 + 22.10	.3695	----	----	----	----	25 UNCH
4950	----	----	166.70B/131.40A	166.70B/131.40A	----	154.10 + 21.50	.3617	----	----	----	----	150 UNCH
4970	----	----	160.60B/126.60A	160.60B/126.60A	----	148.30 + 20.70	.3515	----	----	----	----	10 UNCH
5000	----	----	151.90B/119.40A	151.90B/119.40A	----	140.00 + 19.60	.3365	----	----	----	----	96 UNCH
5020	----	----	146.40B/115.10A	146.40B/115.10A	----	134.70 + 18.90	.3268	----	----	----	----	30 UNCH
5050	----	----	138.50B/108.90A	138.50B/108.90A	----	127.20 + 17.80	.3126	----	----	----	----	100 UNCH
5060	----	----	135.90B/106.40A	135.90B/106.40A	----	124.80 + 17.50	.3080	----	----	----	----	2 UNCH
5080	----	----	131.00B/102.70A	131.00B/102.70A	----	120.10 + 16.80	.2989	----	----	----	----	4 UNCH
5085	----	----	129.80B/101.90A	129.80B/101.90A	----	118.90 + 16.60	.2966	----	----	----	----	4 UNCH
5120	----	----	121.70B/95.20A	121.70B/95.20A	----	111.30 + 15.50	.2815	----	----	----	----	50 UNCH
5150	----	----	115.10B/89.90A	115.10B/89.90A	----	105.30 + 14.80	.2691	----	----	----	----	100 UNCH
5175	----	----	109.90B/----	109.90B/86.50A	----	100.50 + 14.10	.2591	----	----	----	----	12 UNCH
5180	----	----	109.00B/85.10A	109.00B/85.10A	----	99.60 + 14.00	.2571	----	----	----	----	5 UNCH
5185	----	----	107.90B/84.40A	107.90B/84.40A	----	98.70 + 13.90	.2552	----	----	----	----	1 UNCH
5200	----	----	105.00B/81.90A	105.00B/81.90A	----	96.00 + 13.60	.2495	----	----	----	----	31 UNCH
5230	----	----	99.40B/77.50A	99.40B/77.50A	----	90.90 + 12.90	.2384	----	----	----	----	5 UNCH
5250	----	----	95.90B/74.60A	95.90B/74.60A	----	87.70 + 12.50	.2313	----	----	----	----	11 UNCH
5275	----	----	91.70B/71.40A	91.70B/71.40A	----	83.80 + 12.00	.2226	----	----	----	----	1 UNCH
5285	----	----	90.00B/----	90.00B/70.60A	----	82.40 + 11.90	.2194	----	----	----	----	1 UNCH
5300	----	----	87.60B/68.30A	87.60B/68.30A	----	80.20 + 11.60	.2144	----	----	----	----	395 UNCH
5325	----	----	83.80B/----	83.80B/65.70A	----	76.80 + 11.20	.2065	----	----	----	----	1 UNCH
5330	----	----	83.00B/64.80A	83.00B/64.80A	----	76.10 + 11.10	.2049	----	----	----	----	1 UNCH
5370	----	----	77.30B/----	77.30B/60.60A	----	71.10 + 10.50	.1931	----	----	----	----	5 UNCH
5400	----	----	73.40B/----	73.40B/57.50A	----	67.60 + 10.10	.1847	----	----	----	----	17 UNCH
5420	----	----	70.90B/----	70.90B/55.80A	----	65.40 + 9.90	.1794	----	----	----	----	14 UNCH
5450	----	----	67.40B/----	67.40B/52.90A	----	62.20 + 9.50	.1716	----	----	----	----	454 UNCH
5460	----	----	66.20B/----	66.20B/51.90A	----	61.20 + 9.40	.1691	----	----	----	----	10 UNCH
5500	----	----	61.90B/----	61.90B/48.70A	----	57.40 + 9.00	.1596	----	----	----	----	86 UNCH
5530	----	----	58.90B/----	58.90B/46.60A	----	54.70 + 8.60	.1528	----	----	----	----	1 UNCH
5535	----	----	58.40B/----	58.40B/46.10A	----	54.20 + 8.50	.1516	----	----	----	----	1 UNCH
5540	----	----	58.00B/----	58.00B/45.80A	----	53.80 + 8.50	.1505	----	----	----	----	1 UNCH
5545	----	----	57.50B/----	57.50B/45.50A	----	53.40 + 8.50	.1495	----	----	----	----	1 UNCH
5550	----	----	57.00B/----	57.00B/45.00A	----	53.00 + 8.40	.1484	----	----	----	----	3 UNCH
5555	----	----	56.50B/----	56.50B/44.70A	----	52.50 + 8.30	.1472	----	----	----	----	3 UNCH
5560	----	----	56.10B/----	56.10B/44.30A	----	52.10 + 8.20	.1462	----	----	----	----	4 UNCH
5565	----	----	55.60B/----	55.60B/44.00A	----	51.70 + 8.20	.1452	----	----	----	----	8 UNCH
5570	----	----	55.10B/----	55.10B/43.60A	----	51.30 + 8.20	.1441	----	----	----	----	20 UNCH
5575	----	----	54.70B/----	54.70B/43.30A	----	50.90 + 8.10	.1431	----	----	----	----	84 UNCH
5600	----	----	52.60B/----	52.60B/43.30A	----	49.00 + 7.90	.1382	----	----	----	----	44 UNCH
5650	----	----	48.60B/----	48.60B/40.90A	----	45.40 + 7.40	.1288	----	----	----	----	1 UNCH
5655	----	----	48.20B/----	48.20B/40.70A	----	45.10 + 7.40	.1279	----	----	----	----	1 UNCH
5660	----	----	47.80B/----	47.80B/40.30A	----	44.70 + 7.30	.1269	----	----	----	----	1 UNCH
5665	----	----	47.50B/----	47.50B/40.10A	----	44.40 + 7.30	.1261	----	----	----	----	1 UNCH
5670	----	----	47.10B/----	47.10B/39.80A	----	44.10 + 7.30	.1253	----	----	----	----	2 UNCH
5675	----	----	46.70B/----	46.70B/39.50A	----	43.70 + 7.10	.1243	----	----	----	----	2 UNCH
5680	----	----	46.40B/----	46.40B/39.20A	----	43.40 + 7.10	.1235	----	----	----	----	39 UNCH
5685	----	----	46.00B/----	46.00B/39.00A	----	43.10 + 7.10	.1227	----	----	----	----	5 UNCH
5690	----	----	45.70B/----	45.70B/38.70A	----	42.80 + 7.10	.1218	----	----	----	----	18 UNCH
5695	----	----	45.30B/----	45.30B/38.40A	----	42.50 + 7.00	.1210	----	----	----	----	15 UNCH
5700	----	----	45.00B/----	45.00B/38.10A	----	42.20 + 7.00	.1202	----	----	----	----	53 UNCH
5710	----	----	44.30B/----	44.30B/37.60A	----	41.50 + 6.80	.1184	----	----	----	----	1 UNCH
5800	----	----	38.40B/----	38.40B/33.10A	----	36.60 + 6.20	.1051	----	----	----	----	80 UNCH
5825	----	----	37.10B/----	37.10B/32.00A	----	35.30 + 5.90	.1016	----	----	----	----	2 UNCH
5900	----	----	33.40B/----	33.40B/29.60A	----	32.00 + 5.40	.0923	----	----	----	----	1 UNCH
5925	----	----	32.30B/----	32.30B/28.80A	----	31.00 + 5.30	.0895	----	----	----	----	4 UNCH
5975	----	----	30.20B/----	30.20B/27.20A	----	29.20 + 5.00	.0843	----	----	----	----	3 UNCH
6000	----	----	29.30B/----	29.30B/26.50A	----	28.30 + 4.80	.0818	----	----	----	----	331 UNCH
6100	----	----	24.30B/----	24.30B/23.90A	----	25.30 + 4.30	.0730	----	----	----	----	1 UNCH
6200	----	----	21.60B/----	21.60B/21.70A	----	22.90 + 4.00	.0658	----	----	----	----	1 UNCH
6400	----	----	17.50B/----	17.50B/18.40A	----	19.20 + 3.30	.0544	----	----	----	----	14 UNCH
6500	14.80	14.80	16.00B/14.80	16.00B/14.80	----	17.80 + 3.00	.0500	----	----	1	----	1156 + 1
8000	----	----	----	8.30B/10.10A	----	10.20 + 1.70	.0240	----	----	----	----	928 UNCH
9000	----	----	----	6.70B/8.50A	----	8.50 + 1.30	.0182	----	----	----	----	951 UNCH
20000	----	----	----	0.90B/1.70A	----	1.40 + 0.20	.0023	----	----	----	----	165 UNCH
TOTAL										1		6253 + 1
DEC26												
2500	----	----	#2,175.40B/----	#2175.40B/2131.00A	----	2159.50 + 62.50	.9961	953	----	1010	----	421 UNCH
3550	----	----	----	----	----	1124.60 + 59.50	.9368	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1105.80 + 59.30	.9341	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1077.70 + 59.00	.9296	----	----	----	----	1 UNCH
3800	----	----	914.70B/----	914.70B/859.30A	----	894.80 + 56.50	.8925	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
3900	----	----	----	685.70B/921.40A	----	806.90 + 55.00	.8678	----	----	----	----	2 UNCH
4060	----	----	693.90B/----	693.90B/640.90A	----	673.60 + 52.00	.8179	----	----	----	----	100 UNCH
4100	----	----	662.00B/----	662.00B/609.70A	----	641.90 + 51.10	.8033	----	----	----	----	48 UNCH
4160	----	----	615.50B/----	615.50B/564.40A	----	595.80 + 49.70	.7797	----	----	----	----	100 UNCH
4175	----	----	604.10B/----	604.10B/553.40A	----	584.50 + 49.30	.7735	----	----	----	----	37 UNCH
4200	----	----	585.40B/----	585.40B/535.20A	----	566.00 + 48.70	.7630	----	----	----	----	150 UNCH
4250	----	----	550.00B/----	550.00B/498.40A	----	529.80 + 47.20	.7411	----	----	----	----	293 UNCH
4255	----	----	545.20B/----	545.20B/496.50A	----	526.30 + 47.10	.7388	----	----	----	----	50 UNCH
4300	----	----	514.70B/----	514.70B/461.20A	----	494.90 + 45.60	.7179	----	----	----	----	436 UNCH
4315	----	----	475.70B/----	475.70B/451.50A	----	484.80 + 45.30	.7108	----	----	----	----	1 UNCH
4320	----	----	499.80B/----	499.80B/448.20A	----	481.40 + 45.10	.7083	----	----	----	----	100 UNCH
4350	----	----	483.00B/----	483.00B/429.10A	----	461.50 + 44.10	.6937	----	----	----	----	206 UNCH
4375	----	----	466.40B/----	466.40B/413.60A	----	445.30 + 43.30	.6813	----	----	----	----	61 UNCH
4400	----	----	450.20B/----	450.20B/389.70A	----	429.50 + 42.40	.6686	----	----	----	----	2 UNCH
4425	----	----	434.40B/----	434.40B/375.50A	----	414.00 + 41.50	.6557	----	----	----	----	8 UNCH
4450	----	----	419.00B/----	419.00B/361.40A	----	399.00 + 40.60	.6426	----	----	----	----	87 UNCH
4465	----	----	409.90B/----	409.90B/353.10A	----	390.10 + 40.00	.6347	----	----	----	----	93 UNCH
4475	----	----	403.90B/----	403.90B/347.60A	----	384.30 + 39.70	.6294	----	----	----	----	15 UNCH
4485	----	----	398.00B/----	398.00B/342.20A	----	378.50 + 39.30	.6240	----	----	----	----	3 UNCH
4490	----	----	395.10B/----	395.10B/339.60A	----	375.70 + 39.20	.6213	----	----	----	----	7 UNCH
4500	----	----	389.20B/----	389.20B/334.30A	----	370.00 + 38.80	.6160	----	----	----	----	770 UNCH
4525	----	----	375.10B/317.90A	375.10B/317.90A	----	356.10 + 37.90	.6025	----	----	----	----	20 UNCH
4540	----	----	367.40B/310.30A	367.40B/310.30A	----	347.90 + 37.20	.5943	----	----	----	----	9 UNCH
4550	----	----	361.70B/----	361.70B/305.80A	----	342.60 + 36.90	.5889	----	----	----	----	14 UNCH
4560	----	----	356.40B/----	356.40B/300.90A	----	337.30 + 36.60	.5834	----	----	----	----	1 UNCH
4565	----	----	353.70B/298.10A	353.70B/298.10A	----	334.70 + 36.40	.5807	----	----	----	----	93 UNCH
4570	----	----	350.80B/----	350.80B/296.00A	----	332.10 + 36.20	.5779	----	----	----	----	5 UNCH
4575	----	----	348.30B/----	348.30B/293.60A	----	329.50 + 36.00	.5752	----	----	----	----	1 UNCH
4580	----	----	345.60B/290.90A	345.60B/290.90A	----	326.90 + 35.80	.5724	----	----	----	----	150 UNCH
4585	----	----	343.00B/288.40A	343.00B/288.40A	----	324.30 + 35.60	.5697	----	----	----	----	325 UNCH
4590	----	----	340.50B/----	340.50B/286.90A	----	321.80 + 35.50	.5669	----	----	----	----	18 UNCH
4600	----	----	335.30B/281.40A	335.30B/281.40A	----	316.70 + 35.00	.5614	----	----	18	----	359 - 15
4605	----	----	332.60B/279.20A	332.60B/279.20A	----	314.20 + 34.90	.5587	----	----	----	----	5 UNCH
4610	----	----	330.00B/276.90A	330.00B/276.90A	----	311.80 + 34.80	.5559	----	----	----	----	3 UNCH
4615	----	----	327.50B/274.60A	327.50B/274.60A	----	309.30 + 34.60	.5532	----	----	----	----	41 UNCH
4620	----	----	325.00B/272.40A	325.00B/272.40A	----	306.80 + 34.30	.5504	----	----	----	----	5 UNCH
4625	----	----	322.40B/270.10A	322.40B/270.10A	----	304.40 + 34.20	.5477	----	----	----	----	71 UNCH
4630	----	----	319.90B/267.90A	319.90B/267.90A	----	302.00 + 34.00	.5449	----	----	----	----	3 UNCH
4640	----	----	315.50B/----	315.50B/263.50A	----	297.20 + 33.70	.5394	----	----	----	----	103 UNCH
4650	----	----	310.60B/257.00A	310.60B/257.00A	----	292.40 + 33.20	.5339	----	----	78	----	331 + 32
4675	----	----	298.80B/246.60A	298.80B/246.60A	----	280.90 + 32.40	.5201	----	----	77	----	87 + 29
4680	----	----	296.40B/244.40A	296.40B/244.40A	----	278.60 + 32.20	.5174	----	----	----	----	42 UNCH
4700	270.00	270.00	287.10B/236.30A	287.10B/236.30A	----	269.70 + 31.50	.5065	----	----	337	----	511 + 305
4705	----	----	284.90B/234.30A	284.90B/234.30A	----	267.50 NEW	.5037	----	----	1	----	1 + 1
4725	----	----	275.80B/225.60A	275.80B/225.60A	----	258.90 + 30.60	.4929	----	----	16	----	143 + 16
4730	272.00	272.00	273.60B/225.30A	273.60B/225.30A	----	256.70 + 30.40	.4902	----	----	10	----	12 + 10
4750	----	----	265.00B/216.60A	265.00B/216.60A	----	248.40 + 29.70	.4794	----	----	2	----	241 + 1
4765	----	----	258.70B/210.70A	258.70B/210.70A	----	242.30 + 29.10	.4714	----	----	----	----	17 UNCH
4775	----	----	254.50B/208.40A	254.50B/208.40A	----	238.30 + 28.70	.4660	----	----	----	----	2 UNCH
4780	----	----	252.40B/205.30A	252.40B/205.30A	----	236.40 + 28.60	.4634	----	----	----	----	3 UNCH
4790	----	----	248.40B/202.70A	248.40B/202.70A	----	232.50 + 28.20	.4581	----	----	----	----	1 UNCH
4795	----	----	246.30B/201.00A	246.30B/201.00A	----	230.50 + 28.00	.4555	----	----	----	----	9 UNCH
4800	202.00	202.00	244.30B/199.30A	244.30B/199.30A	----	228.60 + 27.80	.4528	----	----	15	----	626 - 10
4810	----	----	240.40B/195.90A	240.40B/195.90A	----	224.80 + 27.40	.4476	----	----	----	----	60 UNCH
4815	----	----	238.40B/194.40A	238.40B/194.40A	----	223.00 + 27.30	.4450	----	----	----	----	6 UNCH
4820	----	----	236.50B/192.60A	236.50B/192.60A	----	221.10 + 27.10	.4424	----	----	----	----	91 UNCH
4825	----	----	234.40B/191.10A	234.40B/191.10A	----	219.30 + 26.90	.4398	----	----	----	----	104 UNCH
4835	----	----	230.70B/188.10A	230.70B/188.10A	----	215.60 + 26.50	.4346	----	----	----	----	127 UNCH
4850	----	----	225.10B/183.30A	225.10B/183.30A	----	210.30 + 26.00	.4270	----	----	----	----	292 UNCH
4875	----	----	215.90B/175.70A	215.90B/175.70A	----	201.60 + 25.10	.4143	----	----	----	----	2 UNCH
4880	----	----	214.20B/174.60A	214.20B/174.60A	----	199.90 + 24.90	.4118	----	----	----	----	4 UNCH
4895	----	----	208.90B/169.70A	208.90B/169.70A	----	194.90 + 24.30	.4043	----	----	----	----	200 UNCH
4900	198.40	198.40	207.20B/168.40A	207.20B/168.40A	----	193.30 + 24.20	.4018	----	----	40	----	373 + 15
4905	----	----	205.50B/167.00A	205.50B/167.00A	----	191.70 + 24.00	.3994	----	----	----	----	10 UNCH
4910	----	----	203.80B/165.60A	203.80B/165.60A	----	190.10 + 23.80	.3969	----	----	----	----	18 UNCH
4925	----	----	199.10B/161.60A	199.10B/161.60A	----	185.30 + 23.20	.3896	----	----	----	----	242 UNCH
4950	----	----	190.70B/154.10A	190.70B/154.10A	----	177.60 + 22.30	.3776	----	----	----	----	103 UNCH
4955	----	----	189.10B/152.80A	189.10B/152.80A	----	176.10 + 22.20	.3752	----	----	----	----	10 UNCH
4960	----	----	187.50B/151.50A	187.50B/151.50A	----	174.70 + 22.10	.3729	----	----	----	----	10 UNCH
4975	----	----	183.00B/148.40A	183.00B/148.40A	----	170.30 + 21.50	.3658	----	----	----	----	50 UNCH
5000	150.70	150.70	175.70B/141.00A	175.70B/141.00A	----	163.20 + 20.70	.3543	----	----	56	50	2718 + 8
5005	----	----	174.10B/140.20A	174.10B/140.20A	----	161.90 + 20.60	.3521	----	----	----	----	4 UNCH
5020	----	----	169.50B/136.70A	169.50B/136.70A	----	157.80 + 20.10	.3453	----	----	----	----	1 UNCH
5025	----	----	168.40B/135.90A	168.40B/135.90A	----	156.50 + 19.90	.3431	----	----	----	----	243 UNCH
5045	----	----	162.70B/131.00A	162.70B/131.00A	----	151.30 + 19.30	.3343	----	----	----	----	1 UNCH
5050	----	----	161.60B/129.70A	161.60B/129.70A	----	150.00 + 19.20	.3321	----	----	----	----	119 UNCH
5055	----	----	159.90B/128.70A	159.90B/128.70A	----	148.80 + 19.10	.3300	----	----	----	----	1 UNCH
5070	----	----	156.40B/125.50A	156.40B/125.50A	----	145.10 + 18.70	.3236	----	----	----	----	13 UNCH
5075	----	----	155.00B/124.30A	155.00B/124.30A	----	143.80 + 18.50	.3214	----	----	----	----	31 UNCH
5090	----	----	151.20B/121.50A	151.20B/121.50A	----	140.30 + 18.10	.3152	----	----	----	----	17 UNCH
5100	147.00	147.00	148.60B/119.10A	148.60B/119.10A	----	137.90 + 17.80	.3110	----	----	3	----	362 UNCH
5115	----	----	144.70B/116.40A	144.70B/116.40A	----	134.50 + 17.50	.3049	----	----	----	----	1 UNCH
5125	----	----	142.50B/114.30A	142.50B/114.30A	----	132.30 + 17.30	.3009	----	----	----	----	70 UNCH
5150	----	----	136.90B/109.70A	136.90B/109.70A	----	126.90 + 16.70	.2910	----	----	----	----	22 UNCH
5155	----	----	135.70B/108.60A	135.70B/108.60A	----	125.80 + 16.50	.2891	----	----	----	----	4 UNCH
5160	----	----	134.30B/107.70A	134.30B/107.70A	----	124.80 + 16.40	.2872	----	----	----	----	1 UNCH
5170	----	----	132.30B/106.00A	132.30B/106.00A	----	122.70 + 16.20	.2833	----	----	----	----	4 UNCH
5175	----	----	131.20B/105.00A	131.20B/105.00A	----	121.70 + 16.10	.2814	----	----	----	----	101 UNCH
5195	----	----	126.90B/101.70A	126.90B/101.70A	----	117.80 + 15.70	.2741	----	----	----	----	5 UNCH
5200	----	----	125.80B/100.70A	125.80B/100.70A	----	116.80 + 15.50	.2722	----	----	----	----	1330 UNCH
5220	----	----	121.90B/97.60A	121.90B/97.60A	----	113.00 + 15.10	.2649	----	----	----	----	6 UNCH
5225	----	----	120.80B/96.70A	120.80B/96.70A	----	112.10 NEW	.2632	----	----	----	10	10 + 10
5245	----	----	117.00B/93.70A	117.00B/93.70A	----	108.50 + 14.60	.2562	----	----	----	----	10 UNCH
5250	----	----	116.00B/92.70A	116.00B/92.70A	----	107.60 + 14.50	.2545	----	----	2	----	409 + 2
5255	----	----	115.00B/92.20A	115.00B/92.20A	----	106.70 + 14.40	.2527	----	----	----	----	1 UNCH
5265	----	----	113.20B/----	113.20B/91.40A	----	105.00 + 14.20	.2494	----	----	----	----	5 UNCH
5270	----	----	112.20B/89.80A	112.20B/89.80A	----	104.20 + 14.20	.2477	----	----	----	----	1 UNCH
5275	----	----	111.50B/----	111.50B/89.70A	----	103.30 + 14.00	.2460	----	----	----	----	24 UNCH
5280	----	----	110.40B/----	110.40B/88.50A	----	102.50 + 14.00	.2444	----	----	----	----	1 UNCH
5285	----	----	109.50B/87.60A	109.50B/87.60A	----	101.60 + 13.80	.2427	----	----	----	----	1 UNCH
5290	----	----	108.60B/87.00A	108.60B/87.00A	----	100.80 + 13.70	.2411	----	----	----	----	2 UNCH
5295	----	----	107.70B/----	107.70B/86.40A	----	100.00 + 13.60	.2394	----	----	----	----	2 UNCH
5300	----	----	107.00B/85.60A	107.00B/85.60A	----	99.20 + 13.50	.2378	----	----	----	----	750 UNCH
5305	----	----	106.10B/----	106.10B/85.00A	----	98.40 + 13.40	.2362	----	----	----	----	6 UNCH
5310	----	----	105.20B/----	105.20B/84.30A	----	97.60 + 13.30	.2346	----	----	----	----	4 UNCH
5315	----	----	104.40B/83.40A	104.40B/83.40A	----	96.90 + 13.30	.2331	----	----	----	----	4 UNCH
5320	----	----	103.50B/----	103.50B/82.90A	----	96.10 + 13.20	.2315	----	----	----	----	5 UNCH
5325	----	----	102.70B/82.10A	102.70B/82.10A	----	95.30 + 13.10	.2299	----	----	----	----	6 UNCH
5330	----	----	101.90B/----	101.90B/81.70A	----	94.60 + 13.10	.2285	----	----	----	----	6 UNCH
5335	----	----	101.10B/----	101.10B/81.00A	----	93.80 + 12.90	.2269	----	----	----	----	21 UNCH
5340	----	----	100.30B/----	100.30B/80.30A	----	93.10 + 12.90	.2254	----	----	----	----	7 UNCH
5345	----	----	99.50B/----	99.50B/79.70A	----	92.30 + 12.70	.2238	----	----	----	----	5 UNCH
5350	----	----	98.70B/78.80A	98.70B/78.80A	----	91.60 + 12.70	.2223	----	----	----	----	466 UNCH
5355	----	----	97.90B/----	97.90B/78.30A	----	90.90 + 12.60	.2209	----	----	----	----	4 UNCH
5360	----	----	97.20B/----	97.20B/77.70A	----	90.10 + 12.40	.2193	----	----	----	----	107 UNCH
5365	----	----	96.30B/77.00A	96.30B/77.00A	----	89.40 + 12.30	.2178	----	----	----	----	22 UNCH
5370	----	----	95.50B/----	95.50B/76.60A	----	88.70 + 12.30	.2164	----	----	----	----	38 UNCH
5375	----	----	94.70B/----	94.70B/75.80A	----	88.00 + 12.20	.2149	----	----	----	----	2 UNCH
5380	----	----	94.10B/----	94.10B/75.40A	----	87.30 + 12.10	.2135	----	----	----	----	3 UNCH
5385	----	----	93.10B/----	93.10B/74.80A	----	86.70 + 12.10	.2121	----	----	----	----	2 UNCH
5390	----	----	92.60B/----	92.60B/74.10A	----	86.00 + 12.00	.2107	----	----	----	----	203 UNCH
5395	----	----	91.90B/----	91.90B/74.00A	----	85.30 + 11.80	.2092	----	----	----	----	3 UNCH
5400	----	----	91.20B/----	91.20B/72.90A	----	84.60 + 11.70	.2078	----	----	----	----	583 UNCH
5450	----	----	84.30B/----	84.30B/67.50A	----	78.30 + 10.90	.1943	----	----	----	----	288 UNCH
5460	----	----	83.00B/----	83.00B/66.50A	----	77.10 + 10.70	.1917	----	----	----	----	200 UNCH
5465	----	----	82.40B/----	82.40B/66.10A	----	76.60 + 10.70	.1906	----	----	----	----	53 UNCH
5475	----	----	81.10B/----	81.10B/65.10A	----	75.40 + 10.50	.1880	----	----	----	----	572 UNCH
5480	----	----	80.40B/----	80.40B/64.70A	----	74.80 + 10.40	.1867	----	----	----	----	50 UNCH
5500	----	----	78.20B/----	78.20B/62.70A	----	72.60 + 10.10	.1818	----	----	30	----	3240 UNCH
5505	----	----	77.50B/----	77.50B/62.30A	----	72.00 + 10.00	.1806	----	----	----	----	3 UNCH
5525	----	----	75.20B/----	75.20B/60.50A	----	69.90 + 9.70	.1759	----	----	----	----	80 UNCH
5550	----	----	72.40B/----	72.40B/58.40A	----	67.40 + 9.40	.1702	----	----	----	250	406 + 200
5570	----	----	70.30B/----	70.30B/56.80A	----	65.40 + 9.10	.1658	----	----	----	----	198 UNCH
5575	----	----	69.80B/----	69.80B/56.40A	----	64.90 + 9.00	.1646	----	----	----	----	10 UNCH
5600	----	----	67.30B/----	67.30B/54.40A	----	62.60 + 8.70	.1594	----	----	----	150	2802 + 150
5650	----	----	62.50B/----	62.50B/50.80A	----	58.40 + 8.10	.1496	----	----	----	----	306 UNCH
5660	----	----	61.60B/----	61.60B/50.30A	----	57.50 + 7.90	.1476	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5665	----	----	61.20B/----	61.20B/49.80A	----	57.10 + 7.90	.1466	----	----	----	----	1 UNCH
5670	----	----	60.70B/----	60.70B/49.50A	----	56.80 + 7.90	.1458	----	----	----	----	2 UNCH
5675	----	----	60.30B/----	60.30B/49.20A	----	56.40 + 7.90	.1449	----	----	----	----	18 UNCH
5680	----	----	59.90B/----	59.90B/48.90A	----	56.00 + 7.80	.1440	----	----	----	----	21 UNCH
5685	----	----	59.50B/----	59.50B/48.50A	----	55.60 + 7.70	.1430	----	----	----	----	18 UNCH
5690	----	----	59.00B/----	59.00B/48.20A	----	55.20 + 7.70	.1421	----	----	----	----	27 UNCH
5695	53.00	53.00	58.60B/53.00	58.60B/47.90A	----	54.80 NEW	.1412	----	----	1	----	1 + 1
5700	52.50	52.50	58.30B/52.50	58.30B/47.90A	----	54.50 + 7.60	.1404	----	----	50	----	354 - 21
5705	----	----	57.90B/----	57.90B/47.60A	----	54.10 + 7.50	.1395	----	----	----	----	5 UNCH
5710	----	----	57.40B/----	57.40B/47.60A	----	53.70 + 7.40	.1386	----	----	----	----	5 UNCH
5750	----	----	54.40B/----	54.40B/47.00A	----	51.00 + 7.20	.1320	----	----	----	----	315 UNCH
5770	----	----	52.90B/----	52.90B/45.80A	----	49.70 + 7.00	.1288	----	----	----	----	8 UNCH
5775	----	----	52.60B/----	52.60B/45.50A	----	49.30 + 6.90	.1279	----	----	----	----	2 UNCH
5800	49.90	49.90	50.90B/49.90	50.90B/44.10A	----	47.80 + 6.70	.1242	----	----	21	10	2088 + 26
5810	----	----	50.20B/----	50.20B/43.60A	----	47.20 + 6.70	.1227	----	----	----	----	56 UNCH
5825	----	----	49.30B/----	49.30B/42.80A	----	46.30 + 6.60	.1205	----	----	----	----	4 UNCH
5850	----	----	47.70B/----	47.70B/41.30A	----	44.90 + 6.40	.1171	----	----	----	----	51 UNCH
5875	----	----	46.20B/----	46.20B/39.80A	----	43.60 + 6.30	.1138	----	----	----	----	9 UNCH
5900	----	----	44.80B/----	44.80B/38.70A	----	42.30 + 6.10	.1105	----	----	----	300	1552 + 300
5950	----	----	40.70B/----	40.70B/36.70A	----	39.90 + 5.80	.1044	----	----	----	----	27 UNCH
6000	35.00	35.00	39.10B/34.70A	39.10B/34.70A	----	37.70 + 5.60	.0988	----	----	8	200	6986 + 2
6100	----	----	34.60B/----	34.60B/31.80A	----	33.90 + 5.20	.0889	----	----	21	----	145 + 15
6150	----	----	32.70B/----	32.70B/30.40A	----	32.20 + 4.90	.0845	----	----	----	----	29 UNCH
6200	----	----	30.10B/----	30.10B/29.00A	----	30.70 + 4.80	.0804	----	----	----	----	3207 UNCH
6250	----	----	27.90B/----	27.90B/27.70A	----	29.30 + 4.60	.0767	----	----	----	----	76 UNCH
6300	----	----	26.50B/----	26.50B/26.60A	----	28.00 + 4.40	.0732	----	----	----	----	837 UNCH
6400	----	----	24.00B/----	24.00B/24.60A	----	25.70 + 4.10	.0669	----	----	15	300	971 + 285
6500	21.90	21.90	21.90/21.90	21.90/21.90	----	23.80 + 3.80	.0616	----	----	1	60	6939 + 59
6750	----	----	18.00B/----	18.00B/19.70A	----	20.20 + 3.20	.0513	----	----	----	----	105 UNCH
6775	----	----	17.70B/----	17.70B/19.50A	----	20.00 + 3.30	.0506	----	----	----	----	164 UNCH
6800	----	----	17.40B/----	17.40B/19.20A	----	19.70 + 3.20	.0497	----	----	----	----	1817 UNCH
6900	----	----	16.40B/----	16.40B/18.30A	----	18.70 + 3.00	.0468	----	----	----	----	71 UNCH
7000	----	----	15.60B/----	15.60B/17.40A	----	17.90 + 2.90	.0443	----	----	42	----	5017 + 42
7130	----	----	14.60B/----	14.60B/16.60A	----	17.00 + 2.80	.0414	----	----	----	----	200 UNCH
7175	----	----	14.40B/----	14.40B/16.40A	----	16.70 + 2.70	.0405	----	----	----	----	125 UNCH
7250	----	----	14.00B/----	14.00B/16.00A	----	16.20 + 2.50	.0390	----	----	----	----	108 UNCH
7500	----	----	----	12.70B/14.90A	----	15.00 + 2.30	.0351	----	----	----	----	121 UNCH
8000	----	----	----	11.10B/13.30A	----	13.40 + 2.10	.0297	----	----	400	----	1984 - 68
8125	----	----	----	11.00B/13.00A	----	13.10 + 2.10	.0286	----	----	----	----	801 UNCH
8500	----	----	----	10.20B/12.30A	----	12.20 + 1.90	.0257	----	----	----	----	170 UNCH
8630	----	----	----	10.00B/12.00A	----	12.00 + 1.90	.0250	----	----	----	----	400 UNCH
8725	----	----	----	9.80B/11.90A	----	11.80 + 1.80	.0244	----	----	----	----	250 UNCH
8775	----	----	----	9.80B/11.80A	----	11.70 + 1.80	.0241	----	----	----	----	25 UNCH
9000	11.00	11.00	11.00/11.00	11.00/10.90A	----	11.40 + 1.60	.0230	----	----	73	----	265 - 23
9500	----	----	----	8.60B/10.70A	----	11.00 + 1.30	.0212	----	----	607	----	637 + 194
9900	----	----	10.00B/----	10.00B/10.10A	----	10.50 + 1.00	.0197	----	----	----	----	17 UNCH
10000	8.70	8.70	10.80/8.50	10.80/8.50	----	10.40 + 0.90	.0194	----	----	343	----	11042 + 235
11000	----	----	8.00B/----	8.00B/8.70A	----	8.40 + 0.70	.0151	----	----	807	----	1022 + 360
13000	----	----	6.00B/----	6.00B/5.60A	----	6.10 + 0.50	.0103	----	----	341	----	625 - 59
15000	4.30	4.30	5.00/*4.00	5.00/*4.00	----	5.10 + 0.60	.0081	----	----	204	----	23999 + 202
17000	----	----	----	3.00B/3.90A	----	4.40 + 1.10	.0067	----	----	----	----	27 UNCH
19000	----	----	----	1.40B/3.10A	----	3.00 + 0.70	.0046	----	----	----	----	6 UNCH
20000	2.00	2.00	2.10/2.00	2.10/2.00	----	2.10 + 0.10	.0033	----	----	77	----	26508 + 75
21000	----	----	----	----/16.90A	----	1.70 + 0.10	.0027	----	----	----	----	31 UNCH
24000	----	----	----	----/1.50A	----	1.00 UNCH	.0016	----	----	----	----	34 UNCH
TOTAL										4706	1,330	123253 + 2379
JAN27												
4190	----	----	----	476.00B/758.90A	----	620.80 + 50.40	.7655	----	----	----	----	1 UNCH
4290	----	----	511.20B/----	511.20B/515.20A	----	549.70 + 47.70	.7248	----	----	----	----	1 UNCH
4300	----	----	512.60B/----	512.60B/508.90A	----	542.90 + 47.40	.7204	----	----	----	----	1 UNCH
4400	----	----	495.10B/----	495.10B/445.80A	----	477.20 + 44.10	.6758	----	----	----	----	1 UNCH
4500	----	----	433.70B/----	433.70B/384.30A	----	417.00 + 40.60	.6284	----	----	----	----	2 UNCH
4575	----	----	394.30B/----	394.30B/344.00A	----	375.40 + 37.70	.5914	----	----	----	----	1 UNCH
4600	----	----	380.80B/----	380.80B/331.70A	----	362.30 + 36.80	.5790	----	----	----	----	4 UNCH
4650	----	----	354.80B/----	354.80B/307.80A	----	337.10 + 34.90	.5539	----	----	----	----	3 UNCH
4700	----	----	330.70B/277.70A	330.70B/277.70A	----	313.40 + 33.10	.5288	----	----	----	----	2 UNCH
4710	----	----	325.90B/273.50A	325.90B/273.50A	----	308.80 + 32.70	.5238	----	----	----	----	3 UNCH
4750	----	----	307.70B/257.40A	307.70B/257.40A	----	291.10 + 31.20	.5039	----	----	----	----	8 UNCH
4760	----	----	303.20B/253.50A	303.20B/253.50A	----	286.80 + 30.90	.4989	----	----	----	----	101 UNCH
4765	----	----	300.90B/251.40A	300.90B/251.40A	----	284.70 + 30.70	.4964	----	----	----	----	6 UNCH
4800	----	----	285.90B/238.40A	285.90B/238.40A	----	270.20 + 29.50	.4793	----	----	----	----	13 UNCH
4850	----	----	265.70B/220.70A	265.70B/220.70A	----	250.80 + 27.90	.4552	----	----	1	----	1 UNCH
4875	----	----	256.10B/212.30A	256.10B/212.30A	----	241.50 + 27.00	.4433	----	----	----	----	4 UNCH
4900	----	----	246.80B/204.30A	246.80B/204.30A	----	232.60 + 26.30	.4316	----	----	1	----	31 UNCH
4935	----	----	234.20B/193.50A	234.20B/193.50A	----	220.60 + 25.20	.4155	----	----	----	----	1 UNCH
4945	----	----	230.90B/190.50A	230.90B/190.50A	----	217.30 + 24.90	.4110	----	----	----	----	1 UNCH
4960	----	----	225.80B/186.20A	225.80B/186.20A	----	212.50 + 24.50	.4043	----	----	----	----	1 UNCH
5000	----	----	212.70B/176.20A	212.70B/176.20A	----	200.00 + 23.30	.3867	----	----	----	----	30 UNCH
5050	----	----	197.40B/163.10A	197.40B/163.10A	----	185.40 + 21.90	.3653	----	----	----	----	100 UNCH
5075	----	----	189.90B/157.10A	189.90B/157.10A	----	178.50 + 21.20	.3550	----	----	----	----	2 UNCH
5100	----	----	182.90B/151.20A	182.90B/151.20A	----	171.80 + 20.50	.3448	----	----	----	----	1 UNCH
5130	----	----	175.10B/----	175.10B/144.60A	----	164.20 + 19.70	.3329	----	----	----	----	1 UNCH
5195	----	----	158.80B/----	158.80B/131.20A	----	148.80 + 18.00	.3082	----	----	----	----	5 UNCH
5200	----	----	157.20B/----	157.20B/129.90A	----	147.70 + 17.90	.3064	----	----	----	1100	3 - 1100
5250	----	----	146.20B/----	146.20B/120.80A	----	137.00 + 16.70	.2886	----	----	----	----	7 UNCH
5300	----	----	135.70B/----	135.70B/112.30A	----	127.20 + 15.60	.2718	----	----	----	----	1 UNCH
5350	----	----	125.90B/----	125.90B/104.60A	----	118.10 + 14.50	.2558	----	----	----	----	3 UNCH
5380	----	----	120.40B/----	120.40B/99.40A	----	113.10 + 13.90	.2467	----	----	----	----	3 UNCH
5400	----	----	117.00B/----	117.00B/96.60A	----	109.90 + 13.60	.2408	----	----	----	----	6 UNCH
5450	----	----	108.80B/----	108.80B/90.60A	----	102.30 + 12.70	.2267	----	----	----	----	6 UNCH
5500	----	----	101.30B/----	101.30B/84.30A	----	95.40 + 11.90	.2135	----	----	----	----	58 UNCH
5550	----	----	94.40B/----	94.40B/78.80A	----	89.10 + 11.20	.2012	----	----	----	----	4 UNCH
5555	----	----	93.80B/----	93.80B/78.70A	----	88.50 + 11.10	.2001	----	----	----	----	2 UNCH
5600	----	----	88.20B/----	88.20B/74.00A	----	83.30 + 10.50	.1897	----	----	----	----	226 UNCH
5700	----	----	77.20B/----	77.20B/64.90A	----	73.20 + 9.40	.1690	----	----	----	----	3 UNCH
5750	----	----	72.40B/----	72.40B/61.00A	----	68.80 + 8.90	.1598	----	----	----	----	2 UNCH
5820	----	----	66.30B/----	66.30B/56.30A	----	63.20 + 8.30	.1478	----	----	----	----	6 UNCH
5850	----	----	63.90B/----	63.90B/54.40A	----	61.00 + 8.00	.1430	----	----	----	----	3 UNCH
5900	----	----	60.10B/----	60.10B/53.70A	----	57.60 + 7.70	.1355	----	----	----	----	6 UNCH
6000	50.00	50.00	53.40B/50.00	53.40B/48.20A	----	51.60 + 7.00	.1221	----	----	1	----	284 + 1
6025	----	----	52.00B/----	52.00B/47.00A	----	50.20 + 6.80	.1189	----	----	----	----	1 UNCH
6250	----	----	40.50B/----	40.50B/37.60A	----	40.10 + 5.70	.0955	----	----	----	----	1 UNCH
6300	----	----	38.50B/----	38.50B/36.80A	----	38.30 + 5.50	.0913	----	----	----	----	3 UNCH
6500	----	----	28.80B/----	28.80B/31.90A	----	32.20 + 4.90	.0766	----	----	----	----	5 UNCH
20000	3.00	3.00	3.00/2.40	3.00/2.40	----	3.60 + 0.60	.0052	----	----	5	----	129 + 4
TOTAL										8	1,100	1087 - 1095
FEB27												
4630	----	----	383.10B/----	383.10B/331.60A	----	367.10 + 37.00	.5638	----	----	----	----	1 UNCH
4640	----	----	378.10B/----	378.10B/327.50A	----	362.20 + 36.70	.5591	----	----	----	----	5 UNCH
4650	----	----	373.10B/----	373.10B/323.00A	----	357.30 + 36.30	.5543	----	----	----	----	6 UNCH
4675	----	----	360.70B/----	360.70B/312.60A	----	345.40 + 35.50	.5425	----	----	----	----	1 UNCH
4700	----	----	348.70B/----	348.70B/300.90A	----	333.70 + 34.50	.5307	----	----	----	----	1 UNCH
4750	----	----	327.70B/----	327.70B/279.30A	----	311.40 + 32.50	.5074	----	----	300	50	386 + 350
4785	----	----	312.50B/263.90A	312.50B/263.90A	----	296.50 + 31.10	.4911	----	----	----	----	100 UNCH
4850	----	----	286.00B/240.50A	286.00B/240.50A	----	270.60 + 28.60	.4615	----	----	----	----	36 UNCH
5000	----	----	232.50B/194.10A	232.50B/194.10A	----	219.20 + 24.00	.3967	----	----	600	100	702 + 551
5100	----	----	202.10B/168.30A	202.10B/168.30A	----	190.50 + 21.40	.3570	----	----	----	----	148 UNCH
5175	----	----	182.20B/151.30A	182.20B/151.30A	----	171.60 + 19.60	.3292	----	----	----	----	125 UNCH
5200	----	----	175.70B/146.20A	175.70B/146.20A	----	165.80 + 19.10	.3204	----	----	378	----	381 + 378
5250	----	----	164.30B/136.40A	164.30B/136.40A	----	154.70 + 17.90	.3033	----	----	300	50	352 + 330
5300	----	----	153.30B/127.30A	153.30B/127.30A	----	144.40 + 16.80	.2869	----	----	----	----	50 UNCH
5375	----	----	138.40B/----	138.40B/115.30A	----	130.50 + 15.30	.2641	----	----	----	----	1 UNCH
5400	----	----	133.80B/111.30A	133.80B/111.30A	----	126.20 + 14.80	.2569	----	----	441	----	452 + 441
5450	----	----	125.00B/----	125.00B/104.40A	----	118.00 + 13.80	.2429	----	----	----	----	10 UNCH
5500	----	----	116.90B/----	116.90B/97.80A	----	110.50 + 12.80	.2298	----	----	----	----	18 UNCH
5520	----	----	113.90B/----	113.90B/95.30A	----	107.70 + 12.50	.2248	----	----	----	----	300 UNCH
5530	----	----	112.30B/----	112.30B/94.10A	----	106.30 + 12.30	.2223	----	----	----	----	100 UNCH
5550	----	----	109.30B/----	109.30B/91.90A	----	103.60 + 12.00	.2175	----	----	----	----	82 UNCH
5600	----	----	102.40B/----	102.40B/86.30A	----	97.20 + 11.20	.2058	----	----	----	----	8 UNCH
5700	----	----	90.30B/----	90.30B/76.60A	----	85.90 + 9.80	.1847	----	----	----	----	1 UNCH
5900	----	----	71.40B/----	71.40B/61.30A	----	68.20 + 8.00	.1499	----	----	----	----	7 UNCH
6000	----	----	63.80B/----	63.80B/57.30A	----	61.30 + 7.40	.1357	----	----	----	----	3035 UNCH
6025	----	----	62.20B/----	62.20B/56.60A	----	59.70 + 7.20	.1324	----	----	----	----	4 UNCH
6100	----	----	57.40B/----	57.40B/52.80A	----	55.40 + 6.90	.1233	----	----	----	----	4 UNCH
6300	----	----	46.40B/----	46.40B/43.30A	----	46.20 + 6.30	.1032	----	----	----	----	1 UNCH
6500	----	----	38.40B/----	38.40B/39.10A	----	39.40 + 5.70	.0878	----	----	----	----	2910 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
6900	----	----	----	25.20B/31.00A	----	30.40 + 4.60	.0667	----	----	----	----	533 UNCH
7000	----	----	----	23.50B/29.60A	----	28.80 + 4.30	.0628	----	----	----	----	497 UNCH
7100	----	----	----	22.10B/28.30A	----	27.40 + 4.00	.0594	----	----	----	----	9 UNCH
7700	20.90	20.90	20.90/*20.90	20.90/*20.90	----	22.00 NEW	.0454	----	----	1	----	1 + 1
7900	----	----	----	16.00B/22.30A	----	20.90 + 2.90	.0423	----	----	----	----	500 UNCH
8000	----	----	----	15.30B/21.80A	----	20.40 + 2.80	.0410	----	----	----	----	695 UNCH
TOTAL										2020	200	11462 + 2051
MAR27												
4610	----	----	430.90B/----	430.90B/382.60A	----	413.20 + 35.10	.5878	----	----	----	----	2 UNCH
4650	----	----	410.10B/----	410.10B/363.60A	----	392.90 + 33.70	.5700	----	----	----	----	1 UNCH
4660	----	----	405.20B/----	405.20B/358.90A	----	387.90 + 33.30	.5656	----	----	----	----	2 UNCH
4670	347.00	347.00	400.00B/347.00	400.00B/347.00	----	383.10 + 33.10	.5611	----	----	2	----	3 + 2
4675	----	----	397.50B/----	397.50B/349.30A	----	380.70 + 33.00	.5589	----	----	----	----	2 UNCH
4680	----	----	395.00B/345.40A	395.00B/345.40A	----	378.30 + 32.80	.5566	----	----	----	----	2 UNCH
4710	----	----	380.50B/----	380.50B/332.20A	----	364.20 + 32.10	.5433	----	----	----	----	21 UNCH
4785	----	----	345.70B/297.90A	345.70B/297.90A	----	331.40 + 30.80	.5102	----	----	----	----	0 UNCH
4800	338.30	338.30	340.70B/294.00A	340.70B/294.00A	----	325.20 + 30.50	.5037	----	----	3	----	6 + 3
4820	----	----	332.10B/284.50A	332.10B/284.50A	----	317.10 + 30.30	.4950	----	----	----	----	20 UNCH
4995	----	----	264.70B/225.30A	264.70B/225.30A	----	253.70 + 27.00	.4224	----	----	----	----	2 UNCH
5000	----	----	263.10B/223.80A	263.10B/223.80A	----	252.10 + 26.90	.4204	----	----	----	----	102 UNCH
5010	----	----	259.60B/----	259.60B/222.60A	----	248.80 + 26.60	.4165	----	----	----	----	1 UNCH
5200	----	----	203.40B/171.90A	203.40B/171.90A	----	194.10 + 21.10	.3457	----	----	----	----	3 UNCH
5220	187.30	187.30	198.40B/167.60A	198.40B/167.60A	----	189.00 NEW	.3388	----	----	12	----	12 + 12
5350	143.00	143.00	167.70B/141.80A	167.70B/141.80A	----	159.50 NEW	.2965	----	----	2	----	2 + 2
5400	----	----	157.40B/133.20A	157.40B/133.20A	----	149.60 + 16.00	.2816	----	----	----	----	11 UNCH
5450	----	----	147.90B/----	147.90B/125.50A	----	140.30 + 14.90	.2673	----	----	----	----	3 UNCH
5500	----	----	139.20B/----	139.20B/117.90A	----	131.70 + 13.90	.2537	----	----	----	----	535 UNCH
5550	----	----	130.60B/----	130.60B/111.00A	----	123.80 + 13.00	.2409	----	----	----	----	1 UNCH
5600	----	----	123.00B/----	123.00B/104.70A	----	116.50 + 12.20	.2288	----	----	----	----	10 UNCH
5635	100.80	100.80	118.00B/100.50	118.00B/100.50	----	111.70 NEW	.2208	----	----	2	----	2 + 2
5650	98.70	98.70	115.90B/98.70	115.90B/98.70	----	109.70 + 11.50	.2174	----	----	1	----	16 UNCH
5700	----	----	109.10B/----	109.10B/93.40A	----	103.50 + 10.80	.2067	----	----	----	----	10 UNCH
5790	----	----	98.50B/----	98.50B/84.90A	----	93.40 + 9.70	.1888	----	----	----	----	50 UNCH
5820	----	----	95.20B/----	95.20B/82.30A	----	90.40 + 9.40	.1834	----	----	----	----	2 UNCH
5850	----	----	92.30B/----	92.30B/79.40A	----	87.50 + 9.10	.1781	----	----	----	----	253 UNCH
5900	----	----	87.20B/----	87.20B/75.50A	----	83.00 + 8.60	.1698	----	----	----	----	11 UNCH
5950	----	----	82.60B/----	82.60B/71.70A	----	78.80 + 8.20	.1619	----	----	----	----	6 UNCH
5975	----	----	80.50B/----	80.50B/69.90A	----	76.80 + 7.90	.1581	----	----	----	----	3 UNCH
6000	----	----	78.40B/----	78.40B/68.20A	----	74.90 + 7.70	.1545	----	----	----	----	2 UNCH
6250	----	----	61.30B/----	61.30B/58.20A	----	59.40 + 6.20	.1240	----	----	----	----	10 UNCH
6500	----	----	47.10B/----	47.10B/46.50A	----	48.40 + 5.10	.1014	----	----	----	----	526 UNCH
TOTAL										22		1632 + 21
APR27												
5000	----	----	----/*249.70A	279.80B/*249.70A	----	270.80 - 11.10	.4278	----	----	----	----	100 UNCH
5060	----	----	----/*232.10A	#259.90B/*232.10A	----	251.60 - 11.00	.4054	----	----	----	----	25 UNCH
5600	----	----	----/*124.60A	#135.50B/*124.60A	----	132.10 - 4.00	.2433	----	----	----	----	300 UNCH
5800	----	----	#108.40B/*98.70	#108.40B/*98.70A	----	106.10 - 0.70	.2014	----	----	----	----	50 UNCH
5900	----	----	97.40B/*92.20A	97.40B/*92.20A	----	95.60 + 0.80	.1837	----	----	----	----	1 UNCH
6000	----	----	87.70B/*83.90A	87.70B/*83.90A	----	86.50 + 2.20	.1679	----	----	----	----	151 UNCH
TOTAL												627 0
JUN27												
5085	----	----	----	#130.00B/465.40A	----	293.80 - 32.10	.4245	----	----	----	----	150 UNCH
7000	----	----	----	----/131.00A	----	46.60 - 6.80	.0885	----	----	----	----	3 UNCH
7500	----	----	----	----/*129.80A	----	33.60 - 4.60	.0642	----	----	----	----	450 UNCH
8000	----	----	----	----	----	26.00 - 3.60	.0493	----	----	----	----	2 UNCH
9000	----	----	----	----	----	18.80 - 2.90	.0341	----	----	----	----	0 UNCH
10000	----	----	----	----	----	16.40 - 2.90	.0279	----	----	----	----	3 UNCH
TOTAL												608 0
DEC27												
4860	----	----	----	----	----	519.50 - 41.90	.5510	----	----	----	----	100 UNCH
5000	----	----	----	----	----	462.40 - 44.60	.5092	----	----	----	----	50 UNCH
5650	----	----	----	----	----	273.50 - 36.10	.3432	----	----	----	----	200 UNCH
5700	----	----	----	----	----	262.90 - 35.10	.3326	----	----	----	----	150 UNCH
5800	----	----	----	----	----	242.90 - 33.20	.3121	----	----	----	----	200 UNCH
5880	----	----	----	----	----	228.10 - 31.80	.2967	----	----	----	----	125 UNCH
6300	----	----	----	----	----	165.30 - 25.60	.2270	----	----	----	----	18 UNCH
7500	----	----	----	----	----	73.10 - 17.20	.1103	----	----	----	----	170 UNCH
7800	----	----	----	----	----	61.40 - 16.40	.0938	----	----	----	----	284 UNCH
10000	----	----	----	----	----	24.10 - 14.50	.0375	----	----	----	----	103 UNCH
10500	----	----	----	----	----	21.50 - 13.30	.0330	----	----	----	----	10 UNCH
TOTAL												1410 0
DEC28												
5750	----	----	----	----	----	458.00 - 63.80	.4192	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
JUN26												
4400	----	----	----	----	----	0.80 - 4.40	.0099	----	----	----	----	1 UNCH
4430	----	----	----	----	----	1.30 - 6.70	.0185	----	----	----	----	1 UNCH
4500	7.00	7.00	#7.00/*7.00	#7.00/*7.00	----	4.90 NEW	.0892	----	----	1	----	1 + 1
4540	----	----	----	----	----	64.10 + 31.90	.7898	----	----	----	----	1 UNCH
4580	30.00	30.00	#30.00/*30.00	#30.00/*30.00	----	36.90 NEW	.5820	----	----	1	----	1 + 1
4600	----	----	----	----	----	26.50 + 14.20	.4598	----	----	----	----	4 UNCH
4605	15.70	15.70	#15.70/*15.70	#15.70/15.50A	----	24.20 NEW	.4292	----	----	1	----	1 + 1
TOTAL										3		10 + 3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
JUN26												
3800	----	----	----	0.90B/3.30A	----	1.50 - 0.80	.0094	----	----	----	----	1 UNCH
3800	----	----	----	----/*0.40A	----	0.10 - 0.20	.0004	----	----	----	----	2 UNCH
3900	----	----	----	----/*0.50A	----	0.20 - 0.30	.0010	----	----	----	----	19 UNCH
4000	----	----	----/*4.60A	3.30B/*4.60A	----	2.90 - 1.80	.0206	----	----	----	----	1 UNCH
4000	1.70	1.70	1.70/*1.70	1.80B/*1.70	----	1.30 - 1.10	.0100	----	----	12	----	15 + 12
4000	----	----	----/*0.60A	0.40B/*0.60A	----	0.30 - 0.40	.0018	----	----	----	----	6 UNCH
4075	----	----	----/*5.00A	5.00B/*5.00A	----	4.10 - 2.40	.0300	----	----	----	----	2 UNCH
4100	----	----	----/*2.70A	3.00B/*2.70A	----	2.10 - 1.70	.0175	----	----	----	----	7 UNCH
4150	----	----	----/*3.40A	4.20B/*3.40A	----	2.80 - 2.20	.0240	----	----	----	----	4 UNCH
4150	----	----	----/*6.60A	8.70B/*6.60A	----	6.00 - 3.60	.0449	----	----	----	----	1 UNCH
4175	----	----	----/*0.90A	1.20B/*0.90A	----	0.80 - 1.00	.0066	----	----	----	----	1 UNCH
4200	4.40	4.40	4.40/*4.30A	6.30B/*4.30A	----	3.80 - 3.00	.0335	----	----	8	----	12 + 8
4200	----	----	----/*1.00A	1.50B/*1.00A	----	0.90 - 1.20	.0078	----	----	----	----	2 UNCH
4225	----	----	----/*4.90A	7.50B/*4.90A	----	4.40 - 3.50	.0394	----	----	4	----	4 UNCH
4225	----	----	----/*1.20A	1.80B/*1.20A	----	1.10 - 1.30	.0099	----	----	----	----	20 UNCH
4250	----	----	----/*5.60A	8.80B/*5.60A	----	5.20 - 4.10	.0470	----	----	1	----	0 - 1
4250	1.50	1.50	1.50/*1.40A	2.30B/*1.40A	----	1.30 - 1.60	.0123	----	----	1	----	3 UNCH
4250	----	----	----/*10.40A	14.90B/*10.40A	----	10.50 - 6.30	.0793	----	----	----	----	1 UNCH
4275	----	----	----/*11.90A	19.10B/*11.90A	----	12.20 - 6.90	.0919	----	----	----	----	1 UNCH
4275	18.10	18.10	#18.10/*18.10	25.80B/*18.10	----	18.60 NEW	.1199	----	----	10	----	10 + 10
4275	----	----	----/*6.50A	10.70B/*6.50A	----	6.20 - 4.80	.0564	----	----	2	----	5 + 2
4275	----	----	----/*1.60A	2.90B/*1.60A	----	1.50 - 2.00	.0149	----	----	----	----	12 UNCH
4295	----	----	----/*1.80A	3.50B/*1.80A	----	1.80 - 2.30	.0185	----	----	----	----	2 UNCH
4300	----	----	----/*13.70A	21.70B/*13.70A	----	14.10 - 7.80	.1060	----	----	----	----	23 UNCH
4300	----	----	----/*1.90A	3.70B/*1.90A	----	1.80 - 2.40	.0188	----	----	----	----	8 UNCH
4300	----	----	----/*7.40A	12.80B/*7.40A	----	7.40 - 5.70	.0677	----	----	1	----	2 - 1
4310	----	----	----/*2.10A	4.10B/*2.10A	----	2.00 - 2.60	.0212	----	----	----	----	2 UNCH
4325	----	----	----/*15.80A	25.30B/*15.80A	----	16.40 - 8.90	.1226	----	----	----	----	1 UNCH
4325	----	----	----/*2.30A	4.80B/*2.30A	----	2.20 - 3.10	.0241	----	----	----	----	62 UNCH
4325	----	----	16.10B/*8.60A	16.10B/*8.60A	----	8.80 - 6.80	.0810	----	----	----	----	4 UNCH
4335	----	----	----/*2.50A	5.40B/*2.50A	----	2.40 - 3.40	.0268	----	----	----	----	12 UNCH
4340	----	----	----/*2.60A	5.70B/*2.60A	----	2.50 - 3.60	.0282	----	----	----	----	2 UNCH
4350	11.70	11.70	19.50B/*10.10A	19.50B/*10.10A	----	10.50 NEW	.0970	----	----	19	----	19 + 19
4350	----	----	29.70B/*18.40A	29.70B/*18.40A	----	19.20 - 10.20	.1421	----	----	----	----	3 UNCH
4350	----	----	----/*2.80A	6.40B/*2.80A	----	2.80 - 3.90	.0320	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED JUN26		GOLD WEEKLY WEDNESDAY OPTION WEEK3										
4375	----	----	36.10B/*21.40A	36.10B/*21.40A	----	22.50 - 11.90	.1644	----	----	5	----	12 UNCH
4375	----	----	23.70B/*12.00A	23.70B/*12.00A	----	12.80 - 9.80	.1174	----	----	----	----	100 UNCH
4375	3.50	3.50	3.50/*3.50	8.60B/*3.50	----	3.50 - 5.10	.0418	----	----	2	----	38 UNCH
4380	3.90	3.90	#3.90/*3.60A	9.00B/*3.60A	----	3.70 - 5.30	.0444	----	----	1	----	3 + 1
4390	----	----	10.30B/*3.90A	10.30B/*3.90A	----	4.00 - 6.00	.0490	----	----	----	----	2 UNCH
4400	----	----	28.70B/*14.40A	28.70B/*14.40A	----	15.50 - 11.90	.1413	----	----	4	----	2 - 3
4400	----	----	227.80B/135.30A	227.80B/135.30A	----	197.40 + 53.90	.9440	----	----	1	----	1 UNCH
4400	----	----	236.70B/153.60A	236.70B/153.60A	----	208.40 + 48.70	.8584	----	----	----	----	1 UNCH
4400	4.40	4.40	11.80B/*4.30A	11.80B/*4.30A	----	4.50 - 6.70	.0558	----	----	3	----	64 - 1
4405	5.30	5.30	#12.50B/*4.50A	12.50B/*4.50A	----	4.70 NEW	.0588	----	----	2	----	0 UNCH
4410	8.40	8.40	13.20B/*4.60A	13.20B/*4.60A	----	5.00 - 7.50	.0628	----	----	3	----	4 + 3
4415	----	----	14.00B/*4.90A	14.00B/*4.90A	----	5.30 - 7.90	.0669	----	----	----	----	1 UNCH
4420	----	----	#208.70B/118.60	#208.70B/118.60A	----	178.50 + 52.20	.9287	----	----	----	----	1 UNCH
4420	8.90	8.90	14.80B/*5.10A	14.80B/*5.10A	----	5.60 - 8.30	.0711	----	----	3	----	4 + 3
4425	----	----	48.10B/*28.80A	48.10B/*28.80A	----	31.30 - 16.00	.2196	----	----	5	----	5 UNCH
4425	----	----	214.90B/134.80A	214.90B/134.80A	----	186.90 + 46.40	.8292	----	----	----	----	1 UNCH
4425	----	----	203.10B/114.50A	203.10B/114.50A	----	173.80 + 51.70	.9244	----	----	2	----	2 UNCH
4425	----	----	34.80B/*17.30A	34.80B/*17.30A	----	19.00 - 14.20	.1705	----	----	----	----	1 UNCH
4425	7.10	7.10	15.70B/*5.40A	15.70B/*5.40A	----	5.90 - 8.80	.0754	----	----	6	----	78 UNCH
4430	10.00	10.00	16.80B/*5.60	16.80B/*5.60	----	6.20 - 9.40	.0798	----	----	3	----	3 + 2
4430	----	----	#198.80B/110.50	#198.80B/110.50A	----	169.20 + 51.30	.9200	----	----	----	----	1 UNCH
4435	10.30	10.30	#17.70B/*6.00A	17.70B/*6.00A	----	6.60 NEW	.0853	----	----	11	----	11 + 11
4440	----	----	18.90B/*6.30A	18.90B/*6.30A	----	7.00 - 10.40	.0908	----	----	2	----	9 + 2
4445	11.90	11.90	#19.90B/*6.70A	19.90B/*6.70A	----	7.40 NEW	.0965	----	----	3	----	3 + 3
4450	56.40	56.40	57.80B/*33.60A	57.80B/*33.60A	----	36.90 - 18.40	.2522	----	----	1	----	17 + 1
4450	----	----	#205.60B/----	#205.60B/138.00A	----	179.60 + 42.00	.7473	----	----	----	----	58 UNCH
4450	----	----	42.10B/*21.10A	42.10B/*21.10A	----	23.40 - 16.70	.2052	----	----	----	150	225 + 150
4450	12.20	12.20	21.10B/*7.00A	21.10B/*7.00A	----	7.90 - 11.60	.1031	----	----	70	300	258 - 9
4450	----	----	180.90B/95.10A	180.90B/95.10A	----	150.80 + 48.90	.8967	----	----	----	----	4 UNCH
4455	10.90	10.90	22.60B/*7.40A	22.60B/*7.40A	----	8.40 - 12.20	.1099	----	----	2	----	29 + 2
4455	----	----	#175.80B/91.30A	#175.80B/91.30A	----	146.30 + 48.30	.8899	----	----	----	----	2 UNCH
4460	----	----	#171.30B/87.70A	#171.30B/87.70A	----	141.90 + 47.70	.8830	----	----	----	----	29 UNCH
4460	16.90	16.90	23.70B/*7.80A	23.70B/*7.80A	----	8.90 - 12.90	.1168	----	----	1	----	28 + 1
4465	10.70	10.70	25.30B/*8.30A	25.30B/*8.30A	----	9.50 - 13.60	.1247	----	----	1	----	27 UNCH
4465	108.00	108.00	#166.70B/84.30A	#166.70B/84.30A	----	137.40 + 46.90	.8751	----	----	1	----	28 + 1
4470	11.40	11.40	#26.70B/*8.80A	26.70B/*8.80A	----	10.10 NEW	.1327	----	----	10	----	10 + 10
4475	----	----	65.60B/*39.20A	65.60B/*39.20A	----	43.40 - 21.00	.2881	----	----	----	----	1 UNCH
4475	----	----	50.80B/*25.60A	50.80B/*25.60A	----	28.60 - 19.70	.2446	----	----	1	----	4 - 1
4475	----	----	28.30B/*9.30A	28.30B/*9.30A	----	10.70 - 15.20	.1410	----	----	----	----	8 UNCH
4475	----	----	157.90B/77.20A	157.90B/77.20A	----	128.70 + 45.50	.8588	----	----	----	----	3 UNCH
4480	----	----	#153.10B/74.00A	#153.10B/74.00A	----	124.40 + 44.70	.8497	----	----	----	----	1 UNCH
4480	29.80	29.80	#30.00B/*9.90A	30.00B/*9.90A	----	11.40 - 16.00	.1501	----	----	1	----	1 UNCH
4485	----	----	#31.80B/*10.40A	31.80B/*10.40A	----	12.20 - 16.70	.1602	----	----	----	----	33 UNCH
4490	----	----	#144.30B/67.50A	#144.30B/67.50A	----	115.90 + 42.90	.8301	----	----	----	----	1 UNCH
4500	----	----	61.20B/*31.30A	61.20B/*31.30A	----	35.00 - 22.90	.2896	----	----	1	----	1 UNCH
4500	----	----	153.30B/85.20A	153.30B/85.20A	----	127.90 + 37.70	.7100	----	----	----	----	4 UNCH
4500	38.00	38.00	38.00/*12.20A	38.00/*12.20A	----	14.70 - 19.40	.1921	----	----	83	150	166 + 5
4500	----	----	135.70B/61.30A	135.70B/61.30A	----	107.70 + 41.20	.8077	----	----	2	----	3 UNCH
4510	----	----	#127.00B/55.50A	#127.00B/55.50A	----	99.60 + 39.20	.7832	----	----	----	----	1 UNCH
4515	----	----	#122.90B/52.70A	#122.90B/52.70A	----	95.70 + 38.20	.7701	----	----	----	----	3 UNCH
4520	----	----	#118.70B/50.10A	#118.70B/50.10A	----	91.90 + 37.20	.7568	----	----	----	----	1 UNCH
4520	20.90	20.90	46.50B/*15.80A	46.50B/*15.80A	----	18.90 - 23.40	.2430	----	----	2	----	2 UNCH
4525	----	----	90.10B/*54.00A	90.10B/*54.00A	----	59.70 - 26.50	.3688	----	----	----	----	6 UNCH
4525	----	----	#150.60B/89.20A	#150.60B/89.20A	----	127.60 + 34.10	.6307	----	----	----	----	3 UNCH
4525	----	----	114.60B/47.60A	114.60B/47.60A	----	88.10 + 36.10	.7428	----	----	4	----	7 + 2
4525	----	----	72.80B/*37.80A	72.80B/*37.80A	----	42.70 NEW	.3396	----	----	1	----	1 + 1
4525	22.90	22.90	48.70B/*16.30	48.70B/*16.30	----	20.10 - 24.50	.2570	----	----	6	----	63 + 6
4530	----	----	#110.60B/*45.10	#110.60B/45.10A	----	84.40 + 35.00	.7280	----	----	----	----	10 UNCH
4535	100.00	100.00	#106.50B/*42.80	#106.50B/42.80A	----	80.80 + 34.00	.7125	----	----	1	----	1 UNCH
4540	----	----	#102.90B/40.40A	#102.90B/40.40A	----	77.20 + 32.80	.6965	----	----	----	----	30 UNCH
4545	39.30	39.30	#59.70B/*21.00A	59.70B/*21.00A	----	25.80 NEW	.3195	----	----	1	----	1 + 1
4550	----	----	----/*63.00A	97.80B/*63.00A	----	69.50 - 29.30	.4124	----	----	----	----	2 UNCH
4550	----	----	86.10B/*45.60A	86.10B/*45.60A	----	51.70 NEW	.3935	----	----	1	----	1 + 1
4550	50.00	50.00	62.60B/*22.00	62.60B/*22.00	----	27.40 - 30.00	.3363	----	----	12	----	12 + 9
4550	45.70	45.70	95.30B/36.20A	95.30B/36.20A	----	70.40 + 30.60	.6635	----	----	56	50	106 + 94
4555	----	----	#91.50B/*34.30A	#91.50B/34.30A	----	67.10 + 29.50	.6462	----	----	----	----	0 UNCH
4560	----	----	#68.30B/*25.00A	68.30B/*25.00A	----	30.90 NEW	.3713	----	----	1	----	1 + 1
4560	35.50	35.50	#87.60B/*32.30A	#87.60B/32.30A	----	63.90 NEW	.6285	----	----	6	----	6 + 6
4565	----	----	#84.50B/30.40A	#84.50B/30.40A	----	60.80 + 27.20	.6104	----	----	----	----	2 UNCH
4570	----	----	#81.20B/28.80A	#81.20B/28.80A	----	57.70 + 26.00	.5919	----	----	----	----	49 UNCH
4575	----	----	100.00B/*54.90A	100.00B/54.90A	----	62.20 - 33.30	.4504	----	----	----	----	7 UNCH
4575	----	----	101.80B/49.90A	101.80B/49.90A	----	80.20 + 27.20	.5492	----	----	----	----	9 UNCH
4575	42.00	42.00	78.20B/*29.70A	78.20B/*29.70A	----	36.80 - 35.70	.4264	----	----	11	----	18 + 7
4575	35.00	35.00	77.80B/27.00A	77.80B/27.00A	----	54.80 + 24.90	.5733	----	----	42	----	83 + 35
4580	31.60	31.60	#81.60B/*31.50A	81.60B/*31.50A	----	39.00 NEW	.4454	----	----	1	----	1 + 1
4580	----	----	#74.60B/25.40A	#74.60B/25.40A	----	52.00 + 23.80	.5544	----	----	2	----	5 UNCH
4585	----	----	#71.50B/24.10A	#71.50B/24.10A	----	49.30 + 22.70	.5352	----	----	----	----	32 UNCH
4590	----	----	#68.60B/22.50A	#68.60B/22.50A	----	46.60 + 21.60	.5160	----	----	2	----	53 + 2
4595	----	----	#65.60B/21.20A	#65.60B/21.20A	----	44.10 + 20.50	.4966	----	----	1	----	7 + 1
4600	----	----	----/*84.20A	125.40B/*84.20A	----	92.60 - 35.10	.5031	----	----	----	----	2 UNCH
4600	----	----	87.30B/41.00A	87.30B/41.00A	----	67.20 + 23.70	.4908	----	----	----	----	116 UNCH
4600	33.80	33.80	62.50B/19.90A	62.50B/19.90A	----	41.60 + 19.40	.4773	----	----	69	200	400 + 160
4600	39.80	39.80	96.10B/*39.10A	96.10B/*39.10A	----	48.60 - 41.20	.5225	----	----	23	----	17 + 14
4605	----	----	#59.70B/18.90A	#59.70B/18.90A	----	39.30 + 18.40	.4580	----	----	----	----	1 UNCH
4615	33.00	33.00	#54.50B/*16.60A	#54.50B/16.60A	----	34.90 NEW	.4198	----	----	20	----	20 + 20
4620	50.00	50.00	#51.70B/15.70A	#51.70B/15.70A	----	32.90 + 15.50	.4011	----	----	4	----	4 + 2
4625	----	----	#92.30B/49.00A	#92.30B/49.00A	----	74.00 + 22.60	.4506	----	----	----	----	6 UNCH
4625	52.00	52.00	115.90B/50.20A	115.90B/50.20A	----	62.90 - 46.00	.6173	----	----	8	----	7 + 4
4625	45.90	45.90	74.80B/33.50A	74.80B/33.50A	----	55.80 + 20.30	.4325	----	----	4	----	34 UNCH
4625	49.00	49.00	49.30B/14.60A	49.30B/14.60A	----	30.90 + 14.60	.3824	----	----	13	----	74 + 2
4630	20.70	20.70	#46.70B/*13.60A	#46.70B/13.60A	----	29.00 + 13.70	.3641	----	----	22	----	20 + 18
4640	22.70	22.70	#42.10B/12.10A	#42.10B/12.10A	----	25.60 + 12.10	.3290	----	----	13	----	18 + 13
4650	68.10	68.10	#80.30B/41.70A	#80.30B/41.70A	----	63.60 + 19.90	.4057	----	----	1	----	10 + 1
4650	13.20	13.20	37.80B/10.40A	37.80B/10.40A	----	22.50 + 10.60	.2955	----	----	56	----	34 + 22
4655	12.00	12.00	#36.00B/*9.70A	#36.00B/9.70A	----	21.10 NEW	.2796	----	----	1	----	1 + 1
4665	----	----	#31.80B/*8.60A	#31.80B/8.60A	----	18.50 NEW	.2494	----	----	2	----	2 + 2
4675	29.90	29.90	52.80B/22.30A	52.80B/22.30A	----	37.50 + 14.30	.3225	----	----	9	----	4 + 2
4675	9.10	9.10	28.60B/7.50A	28.60B/7.50A	----	16.20 + 7.50	.2215	----	----	19	----	19 + 7
4675	----	----	159.50B/80.50A	159.50B/80.50A	----	98.20 - 53.00	.7783	----	----	----	----	1 UNCH
4695	----	----	#22.50B/*5.80A	#22.50B/5.80A	----	12.40 NEW	.1729	----	----	4	----	2 + 2
4700	25.30	25.30	43.90B/18.00A	43.90B/18.00A	----	30.50 + 11.80	.2736	----	----	4	----	26 + 1
4700	10.50	10.50	21.30B/5.40A	21.30B/5.40A	----	11.60 + 5.20	.1622	----	----	8	----	105 + 3
4700	----	----	183.00B/98.10A	183.00B/98.10A	----	118.60 - 55.30	.8376	----	----	1	----	1 UNCH
4710	----	----	#19.00B/*4.80A	#19.00B/4.80A	----	10.20 NEW	.1430	----	----	2	----	2 + 2
4715	----	----	#17.70B/*4.60A	#17.70B/4.60A	----	9.50 NEW	.1336	----	----	2	----	2 + 2
4725	----	----	36.20B/14.60A	36.20B/14.60A	----	24.70 + 9.70	.2298	----	----	8	----	6 + 2
4725	10.80	10.80	15.80B/4.10A	15.80B/4.10A	----	8.40 + 3.70	.1178	----	----	8	----	16 + 5
4725	----	----	206.60B/118.10A	206.60B/118.10A	----	140.30 - 56.90	.8820	----	----	----	----	1 UNCH
4730	----	----	#14.90B/*3.80A	#14.90B/3.80A	----	7.80 NEW	.1097	----	----	2	----	2 + 2
4750	26.10	26.10	44.20B/21.20A	44.20B/21.20A	----	33.30 + 11.10	.2475	----	----	11	----	11 + 10
4775	21.40	21.40	37.70B/18.00A	37.70B/18.00A	----	28.20 + 9.50	.2157	----	----	49	----	50 + 49
4775	196.80	196.80	260.40B/*176.80	260.40B/176.80A	----	198.00 - 54.10	.8411	----	----	1	----	3 + 1
4775	----	----	24.30B/9.70A	24.30B/9.70A	----	16.10 + 6.30	.1585	----	----	4	----	3 + 2
4775	----	----	8.40B/2.40A	8.40B/2.40A	----	4.50 + 1.90	.0614	----	----	----	----	2 UNCH
4800	----	----	#32.40B/15.20A	32.40B/15.20A	----	23.80 + 8.00	.1869	----	----	----	----	2 UNCH
4800	----	----	6.20B/1.90A	6.20B/1.90A	----	3.30 + 1.30	.0440	----	----	----	----	9 UNCH
4800	----	----	283.90B/*197.30	283.90B/197.30A	----	219.90 - 55.30	.8684	----	----	----	----	2 UNCH
4800	10.00	10.00	19.90B/10.00	19.90B/8.00A	----	13.10 + 5.20	.1312	----	----	3	----	5 + 2
4825	----	----	16.40B/----	16.40B/6.70A	----	10.70 + 4.20	.1085	----	----	----	----	2 UNCH
4825	1.70	1.70	4.70B/1.70	4.70B/1.50A	----	2.50 + 1.00	.0322	----	----	1	----	3 UNCH
4850	----	----	13.30B/----	13.30B/5.60A	----	8.80 + 3.50	.0899	----	----	----	----	1 UNCH
4850	----	----	3.50B/----	3.50B/1.30A	----	2.00 + 0.80	.0247	----	----	----	----	1 UNCH
4875	----	----	19.90B/9.40A	19.90B/9.40A	----	14.80 + 5.00	.1219	----	----	----	----	1 UNCH
4875	----	----	2.40B/----	2.40B/1.10A	----	1.60 + 0.60	.0189	----	----	----	----	2 UNCH
4900	----	----	16.90B/8.10A	16.90B/8.10A	----	12.70 + 4.30	.1057	----	----	----	----	2 UNCH
4900	5.70	5.70	9.00B/5.70	9.00B/4.10A	----	6.10 + 2.40	.0624	----	----	10	----	17 + 10
4900	----	----	1.80B/----	1.80B/0.90A	----	1.30 + 0.50	.0147	----	----	----	----	4 UNCH
4925	1.00	1.00	1.40B/1.00	1.40B/0.80A	----	1.00 NEW	.0109	----	----	5	----	5 + 5
4950	10.00	10.00	12.20B/10.00	12.20B/6.50A	----	9.50 NEW	.0800	----	----	1	----	1 + 1
4950	----	----	6.20B/----	6.20B/3.20A	----	4.30 + 1.60	.0437	----	----	----	----	3 UNCH
4950	----	----	1.00B/----	1.00B/*0.70A	----	0.90 + 0.30	.0093	----	----	----	----	2 UNCH
5000	10.00	10.00	#10.00/10.00	#10.00/5.20A	----	7.20 + 2.40	.0609	----	----	1	----	3 + 1
5000	----	----	4.20B/----	4.20B/2.50A	----	3.20 + 1.10	.0318	----	----	----	----	2 UNCH
5000	0.30	0.30	0.70B/*0.30	0.70B/*0.30	----	0.70 + 0.30	.0066	----	----	10	----	11 + 10
5025	----	----	3.50B/----	3.50B/2.30A	----	2.80 + 0.90	.0275	----	----	----	----	2 UNCH
5050	----	----	0.50B/----	0.50B/*0.30A	----	0.50 + 0.20	.0043	----	----	----	----	2 UNCH
5075	----	----	2.50B/----	2.50B/1.90A	----	2.20 + 0.70	.0210	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED JUN26		GOLD WEEKLY WEDNESDAY OPTION WEEK1										
5150	----	----	----	0.20B/*0.30A	----	0.40 + 0.20	.0029	----	----	----	----	2 UNCH
TOTAL										837	850	3206+ 775

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE JUN26		GOLD WEEKLY TUESDAY OPTION Week1										
3250	----	----	----	----/8.50A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3500	----	----	----	----/*0.80A	----	0.20 - 0.30	.0010	----	----	----	----	2 UNCH
3500	----	----	----	----/8.70A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3600	----	----	----	0.10B/3.40A	----	2.00 - 0.60	.0100	----	----	----	----	3 UNCH
3700	----	----	----	0.20B/*1.00A	----	0.40 - 0.30	.0024	----	----	----	----	3 UNCH
3800	----	----	----	0.40B/3.30A	----	2.00 - 0.40	.0118	----	----	----	----	1 UNCH
3900	----	----	----	----/*0.60A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
4000	----	----	----	----/0.70A	----	0.10 - 0.30	.0001	----	----	----	----	2 UNCH
4000	1.10	1.10	1.10/*1.10	1.30B/*1.10	----	1.00 - 0.80	.0079	----	----	2	----	5 + 2
4075	----	----	----/*5.40A	4.20B/*5.40A	----	4.10 - 1.90	.0299	----	----	----	----	10 UNCH
4100	----	----	----/*0.60A	0.30B/*0.60A	----	0.20 - 0.50	.0012	----	----	----	----	2 UNCH
4100	----	----	----/*2.30A	2.30B/*2.30A	----	1.60 - 1.30	.0138	----	----	----	----	12 UNCH
4100	----	----	----/*9.30A	8.60B/*9.30A	----	7.30 - 2.80	.0484	----	----	----	----	3 UNCH
4125	----	----	----/*6.60A	5.70B/*6.60A	----	5.00 - 2.50	.0375	----	----	----	----	10 UNCH
4125	----	----	----/*10.30A	10.00B/*10.30A	----	8.10 - 3.30	.0541	----	----	----	----	1 UNCH
4150	1.10	1.10	1.10/*0.40A	1.10/*0.40A	----	0.30 - 0.70	.0020	----	----	4	----	6 + 2
4150	----	----	----/*2.80A	3.30B/*2.80A	----	2.20 - 1.80	.0196	----	----	----	----	10 UNCH
4150	----	----	----/*7.40A	7.00B/*7.40A	----	5.60 - 2.90	.0425	----	----	----	----	1 UNCH
4175	----	----	----/*0.50A	0.60B/*0.50A	----	0.30 - 0.90	.0022	----	----	1	----	3 UNCH
4175	----	----	----/*10.80A	13.20B/*10.80A	----	10.20 - 4.50	.0687	----	----	----	----	2 UNCH
4175	----	----	----/*3.20A	4.00B/*3.20A	----	2.50 - 2.10	.0227	----	----	----	----	1 UNCH
4175	----	----	----/*8.30A	8.30B/*8.30A	----	6.40 - 3.30	.0489	----	----	----	----	1 UNCH
4200	----	----	----/*9.10A	9.50B/*9.10A	----	7.20 - 3.90	.0556	----	----	11	----	13 + 10
4200	0.50	0.50	0.50/*0.50	0.80B/*0.50	----	0.40 - 0.90	.0031	----	----	11	----	13 + 11
4200	----	----	----/*3.60A	4.70B/*3.60A	----	3.00 - 2.50	.0276	----	----	----	----	2 UNCH
4200	----	----	----/*12.10A	14.90B/*12.10A	----	11.50 - 5.30	.0776	----	----	----	----	1 UNCH
4225	----	----	----/*0.60A	1.10B/*0.60A	----	0.50 - 1.10	.0041	----	----	1	----	5 UNCH
4225	----	----	----/*4.20A	5.90B/*4.20A	----	3.60 - 2.90	.0335	----	----	10	----	13 + 10
4230	----	----	----/*0.60A	1.10B/*0.60A	----	0.50 - 1.10	.0042	----	----	----	----	2 UNCH
4250	10.50	10.50	10.50/*10.00A	12.70B/*10.00A	----	9.60 - 5.10	.0745	----	----	11	----	13 + 9
4250	----	----	378.80B/296.00A	378.80B/296.00A	----	352.20 + 55.50	.9250	----	----	----	----	1 UNCH
4250	----	----	----/*0.70A	1.40B/*0.70A	----	0.60 - 1.30	.0053	----	----	1	----	1 UNCH
4250	----	----	----/*4.80A	7.10B/*4.80A	----	4.30 - 3.50	.0404	----	----	1	----	5 + 1
4250	----	----	----/*15.20A	19.70B/*15.20A	----	14.80 - 7.10	.0997	----	----	----	----	1 UNCH
4275	----	----	----/*11.30A	15.00B/*11.30A	----	11.20 - 5.80	.0868	----	----	----	----	3 UNCH
4275	----	----	----/*0.90A	1.80B/*0.90A	----	0.70 - 1.60	.0066	----	----	----	----	14 UNCH
4275	----	----	----/*5.50A	8.80B/*5.50A	----	5.20 - 4.10	.0493	----	----	10	----	17 + 10
4275	----	----	----/*17.20A	22.90B/*17.20A	----	16.90 - 8.20	.1133	----	----	----	----	3 UNCH
4295	----	----	----/*1.00A	2.30B/*1.00A	----	0.90 - 1.80	.0089	----	----	2	----	2 UNCH
4300	----	----	----/*12.90A	17.70B/*12.90A	----	13.10 - 6.70	.1011	----	----	----	----	52 UNCH
4300	----	----	----/*1.10A	2.40B/*1.10A	----	0.90 - 2.00	.0090	----	----	10	----	50 - 3
4300	----	----	334.30B/251.70A	334.30B/251.70A	----	305.70 + 53.80	.8985	----	----	----	----	1 UNCH
4300	----	----	----/*6.30A	10.80B/*6.30A	----	6.20 - 5.00	.0594	----	----	2	----	4 UNCH
4305	----	----	#319.90B/220.30	#319.90B/220.30A	----	288.90 + 58.60	.9898	----	----	----	----	1 UNCH
4325	----	----	----/*1.20A	3.30B/*1.20A	----	1.20 - 2.40	.0128	----	----	3	----	4 - 3
4325	----	----	----/*7.40A	13.30B/*7.40A	----	7.30 - 6.10	.0709	----	----	1	----	16 + 1
4325	----	----	----/*22.10A	31.00B/*22.10A	----	22.20 - 10.60	.1465	----	----	----	----	1 UNCH
4335	----	----	#288.50B/191.50	#288.50B/191.50A	----	259.20 NEW	.9856	----	----	1	----	1 + 1
4345	----	----	----/*1.50A	4.40B/*1.50A	----	1.50 - 2.90	.0168	----	----	----	----	4 UNCH
4350	----	----	----/*17.10A	25.20B/*17.10A	----	17.80 - 9.40	.1359	----	----	----	----	2 UNCH
4350	4.20	4.20	4.20/*1.50A	4.40B/*1.50A	----	1.60 - 3.00	.0181	----	----	2	----	15 UNCH
4350	----	----	274.60B/177.30A	274.60B/177.30A	----	244.50 + 57.50	.9817	----	----	----	----	1 UNCH
4350	9.00	9.00	16.50B/*8.60A	16.50B/*8.60A	----	8.80 - 7.40	.0859	----	----	2	----	41 - 1
4360	----	----	----/*1.70A	5.00B/*1.70A	----	1.70 - 3.50	.0199	----	----	----	----	4 UNCH
4375	----	----	----/*2.00A	6.00B/*2.00A	----	2.00 - 4.10	.0243	----	----	----	----	4 UNCH
4375	----	----	20.20B/*10.20A	20.20B/*10.20A	----	10.80 - 9.00	.1052	----	----	1	----	76 - 1
4375	----	----	250.00B/154.40A	250.00B/154.40A	----	219.90 + 56.50	.9756	----	----	----	----	0 UNCH
4380	----	----	----/*2.10A	6.40B/*2.10A	----	2.10 - 4.30	.0258	----	----	2	----	2 UNCH
4385	----	----	6.90B/*2.20A	6.90B/*2.20A	----	2.20 - 4.60	.0274	----	----	----	----	1 UNCH
4395	----	----	----/*2.40A	7.70B/*2.40A	----	2.40 - 5.30	.0308	----	----	----	----	1 UNCH
4400	4.20	4.20	8.40B/*2.60A	8.40B/*2.60A	----	2.60 - 5.50	.0337	----	----	5	----	117 UNCH
4400	----	----	----/*23.60A	36.70B/*23.60A	----	24.00 - 13.50	.1810	----	----	----	----	182 UNCH
4400	----	----	----/*32.90A	48.60B/*32.90A	----	34.00 - 15.70	.2144	----	----	----	----	1 UNCH
4400	----	----	24.90B/*12.50A	24.90B/*12.50A	----	13.30 - 10.90	.1287	----	----	----	----	152 UNCH
4400	----	----	226.00B/131.70A	226.00B/131.70A	----	195.50 + 55.00	.9662	----	----	----	----	2 UNCH
4405	----	----	#221.00B/127.40	#221.00B/127.40A	----	190.70 NEW	.9643	----	----	1	----	1 + 1
4410	2.90	2.90	9.50B/*2.80A	9.50B/*2.80A	----	2.90 - 6.30	.0385	----	----	1	----	1 UNCH
4415	----	----	10.30B/*3.00A	10.30B/*3.00A	----	3.10 NEW	.0416	----	----	12	----	4 + 4
4420	5.20	5.20	10.90B/*3.10A	10.90B/*3.10A	----	3.30 - 7.10	.0448	----	----	6	----	12 + 6
4425	----	----	----/*27.20A	43.80B/*27.20A	----	28.20 - 16.00	.2094	----	----	----	----	24 UNCH
4425	----	----	201.30B/110.60A	201.30B/110.60A	----	171.40 + 53.00	.9518	----	----	1	----	1 + 1
4425	----	----	223.60B/----	223.60B/152.40A	----	196.00 + 44.50	.7901	----	----	----	----	1 UNCH
4425	4.00	4.00	11.70B/*3.30A	11.70B/*3.30A	----	3.50 - 7.60	.0480	----	----	8	----	29 + 7
4425	----	----	30.70B/*15.00A	30.70B/*15.00A	----	16.40 - 13.20	.1570	----	----	2	----	42 - 1
4430	----	----	12.50B/*3.50A	12.50B/*3.50A	----	3.70 NEW	.0514	----	----	1	----	1 + 1
4435	----	----	13.30B/*3.70A	13.30B/*3.70A	----	3.90 - 8.70	.0549	----	----	----	----	3 UNCH
4435	----	----	#191.70B/102.40	#191.70B/102.40A	----	161.90 + 52.00	.9450	----	----	----	----	2 UNCH
4440	----	----	14.30B/*3.90A	14.30B/*3.90A	----	4.20 - 9.20	.0595	----	----	1	----	1 UNCH
4445	----	----	15.30B/*4.10A	15.30B/*4.10A	----	4.50 NEW	.0644	----	----	1	----	1 + 1
4450	----	----	177.50B/90.50A	177.50B/90.50A	----	147.80 + 50.20	.9305	----	----	----	----	44 UNCH
4450	----	----	38.00B/*18.60A	38.00B/*18.60A	----	20.40 - 15.80	.1915	----	----	----	----	173 UNCH
4450	----	----	16.50B/*4.40A	16.50B/*4.40A	----	4.80 - 10.50	.0693	----	----	2	----	20 - 1
4455	----	----	17.50B/*4.60A	17.50B/*4.60A	----	5.20 - 11.10	.0755	----	----	----	----	2 UNCH
4455	----	----	#172.20B/86.80A	#172.20B/86.80A	----	143.10 NEW	.9244	----	----	1	----	1 + 1
4460	12.00	12.00	18.80B/*4.90A	18.80B/*4.90A	----	5.60 NEW	.0818	----	----	1	----	1 + 1
4465	----	----	20.10B/*5.20A	20.10B/*5.20A	----	6.00 - 12.50	.0883	----	----	11	----	5 + 4
4470	----	----	#158.70B/75.60A	#158.70B/75.60A	----	129.40 + 47.20	.9049	----	----	----	----	5 UNCH
4475	14.20	14.20	23.00B/*5.90A	23.00B/*5.90A	----	6.90 - 14.20	.1028	----	----	2	----	55 - 2
4475	----	----	----/37.80A	61.00B/37.80A	----	39.80 - 21.50	.2795	----	----	1	----	0 - 1
4475	----	----	----/*50.30A	74.50B/*50.30A	----	52.20 - 23.00	.3064	----	----	----	----	1 UNCH
4475	24.80	24.80	46.40B/*22.50A	46.40B/*22.50A	----	25.20 - 18.90	.2313	----	----	1	----	21 UNCH
4480	6.20	6.20	24.60B/*6.20	24.60B/*6.20	----	7.50 NEW	.1119	----	----	4	----	4 + 4
4485	----	----	#144.70B/65.40A	#144.70B/65.40A	----	116.00 + 44.60	.8796	----	----	----	----	40 UNCH
4485	9.70	9.70	26.20B/*6.70	26.20B/*6.70	----	8.00 NEW	.1202	----	----	10	----	4 + 4
4490	8.70	8.70	28.00B/*7.20A	28.00B/*7.20A	----	8.70 NEW	.1307	----	----	2	----	2 + 2
4495	9.40	9.40	29.80B/*7.60A	29.80B/*7.60A	----	9.40 NEW	.1413	----	----	5	----	3 + 3
4500	57.50	57.50	131.20B/55.70A	131.20B/55.70A	----	103.10 + 41.80	.8476	----	----	8	----	133 - 4
4500	----	----	165.30B/----	165.30B/104.70A	----	140.10 + 36.00	.6793	----	----	----	----	2 UNCH
4500	----	----	150.30B/81.60A	150.30B/81.60A	----	124.10 + 38.30	.7220	----	----	1	----	5 UNCH
4500	9.90	9.90	31.90B/*8.20	31.90B/*8.20	----	10.10 - 18.90	.1522	----	----	28	----	36 + 20
4500	----	----	----/44.50A	71.40B/44.50A	----	47.30 - 24.40	.3202	----	----	----	----	8 UNCH
4500	----	----	----/*57.40A	85.50B/*57.40A	----	60.50 - 25.40	.3426	----	----	----	----	1 UNCH
4500	31.00	31.00	56.40B/*27.80A	56.40B/*27.80A	----	31.20 - 22.30	.2776	----	----	1	----	18 UNCH
4505	17.00	17.00	34.00B/*8.70	34.00B/*8.70	----	10.90 NEW	.1643	----	----	6	----	5 + 5
4510	14.00	14.00	36.00B/*9.50	36.00B/*9.50	----	11.70 NEW	.1766	----	----	3	----	3 + 3
4510	51.00	51.00	#122.20B/50.00A	#122.20B/50.00A	----	94.70 + 39.60	.8232	----	----	2	----	4 UNCH
4515	----	----	#118.90B/47.20A	#118.90B/47.20A	----	90.60 + 38.40	.8090	----	----	4	----	1 - 1
4515	----	----	38.30B/*10.20A	38.30B/*10.20A	----	12.70 - 22.10	.1908	----	----	3	----	13 + 1
4520	15.60	15.60	40.60B/*11.00A	40.60B/*11.00A	----	13.60 NEW	.2045	----	----	1	----	1 + 1
4525	15.20	15.20	43.20B/*11.60A	43.20B/*11.60A	----	14.70 - 24.50	.2200	----	----	5	----	110 UNCH
4525	121.80	121.80	147.70B/90.50A	147.70B/90.50A	----	123.90 + 33.20	.6357	----	----	2	----	0 - 2
4525	----	----	----/52.00A	82.00B/52.00A	----	56.00 - 27.40	.3637	----	----	----	----	6 UNCH
4525	----	----	68.20B/*34.00A	68.20B/*34.00A	----	38.50 - 25.90	.3298	----	----	----	----	2 UNCH
4525	----	----	109.90B/42.10A	109.90B/42.10A	----	82.70 + 36.10	.7798	----	----	2	----	21 UNCH
4525	----	----	----/*65.90A	96.70B/*65.90A	----	70.00 NEW	.3808	----	----	1	----	1 + 1
4530	16.30	16.30	45.80B/*12.50A	45.80B/*12.50A	----	15.90 - 25.60	.2364	----	----	7	----	11 + 5
4530	----	----	#106.30B/39.70A	#106.30B/39.70A	----	78.80 + 34.90	.7634	----	----	6	----	5 UNCH
4535	----	----	#101.40B/37.30A	#101.40B/37.30A	----	75.10 + 33.70	.7467	----	----	----	----	2 UNCH
4535	19.60	19.60	48.50B/*13.50A	48.50B/*13.50A	----	17.10 NEW	.2531	----	----	1	----	1 + 1
4540	15.70	15.70	51.30B/*14.40A	51.30B/*14.40A	----	18.40 - 28.10	.2707	----	----	7	----	5 + 4
4540	----	----	#96.70B/35.00A	#96.70B/35.00A	----	71.40 + 32.50	.7291	----	----	----	----	1 UNCH
4545	22.90	22.90	54.20B/*15.40A	54.20B/*15.40A	----	19.80 NEW	.2892	----	----	2	----	2 + 2
4545	----	----	#93.50B/33.10A	#93.50B/33.10A	----	67.80 + 31.20	.7106	----	----	----	----	5 UNCH
4550	----	----	131.20B/78.30A	131.20B/78.30A	----	109.00 + 30.40	.5899	----	----	----	----	1 UNCH
4550	----	----	----/60.60A	93.40B/60.60A	----	66.10 - 30.10	.4096	----	----	1	----	102 + 1
4550	58.00	58.00	58.00/*16.60A	58.00/*16.60A	----	21.30 - 30.60	.3084	----	----	28	----	42 + 12
4550	----	----	----/*75.10A	108.50B/*75.10A	----	80.80 - 29.60	.4202	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4550	----	----	81.20B/*41.60A	81.20B/*41.60A	----	47.30 - 29.60	.3871	----	----	----	----	5 UNCH
4550	36.40	36.40	90.20B/31.00A	90.20B/31.00A	----	64.30 + 30.00	.6914	----	----	34	----	71 - 2
4555	----	----	#85.70B/29.00A	#85.70B/29.00A	----	60.90 + 28.70	.6715	----	----	----	----	5 UNCH
4555	18.50	18.50	59.80B/*17.80A	59.80B/*17.80A	----	22.90 NEW	.3283	----	----	2	----	2 + 2
4560	----	----	#81.40B/27.00A	#81.40B/27.00A	----	57.60 + 27.40	.6509	----	----	----	----	5 UNCH
4560	20.00	20.00	63.10B/*19.10A	63.10B/*19.10A	----	24.60 NEW	.3489	----	----	1	----	1 + 1
4565	----	----	#78.80B/25.20A	#78.80B/25.20A	----	54.40 + 26.20	.6297	----	----	----	----	1 UNCH
4565	----	----	66.40B/*20.50A	66.40B/*20.50A	----	26.40 NEW	.3701	----	----	11	----	11 + 11
4570	24.30	24.30	69.50B/*21.90A	69.50B/*21.90A	----	28.30 NEW	.3918	----	----	8	----	8 + 8
4570	----	----	#74.80B/23.70A	#74.80B/23.70A	----	51.30 + 24.90	.6080	----	----	----	----	12 UNCH
4575	----	----	----/70.40A	107.30B/70.40A	----	77.40 - 32.70	.4565	----	----	1	----	2 + 1
4575	34.00	34.00	71.50B/22.10A	71.50B/22.10A	----	48.30 + 23.60	.5859	----	----	4	----	9 + 2
4575	25.70	25.70	73.10B/*23.40A	73.10B/*23.40A	----	30.30 - 36.90	.4139	----	----	30	----	30 + 29
4575	----	----	115.90B/67.30A	115.90B/67.30A	----	95.40 + 27.80	.5430	----	----	----	----	1 UNCH
4575	----	----	97.60B/46.40A	97.60B/46.40A	----	75.60 + 27.00	.5518	----	----	4	----	129 + 2
4575	----	----	95.60B/50.00A	95.60B/50.00A	----	57.60 - 33.50	.4479	----	----	----	----	5 UNCH
4580	----	----	#68.20B/20.60A	#68.20B/20.60A	----	45.40 NEW	.5634	----	----	5	----	5 + 5
4580	25.40	25.40	76.60B/*25.00A	76.60B/*25.00A	----	32.40 NEW	.4364	----	----	2	----	2 + 2
4585	27.10	27.10	80.20B/*26.80A	80.20B/*26.80A	----	34.60 NEW	.4592	----	----	136	----	133 + 133
4585	42.00	42.00	#64.50B/18.80A	#64.50B/18.80A	----	42.60 + 21.10	.5406	----	----	4	----	4 + 4
4590	----	----	83.90B/*28.40A	83.90B/*28.40A	----	37.00 NEW	.4823	----	----	11	----	11 + 11
4590	22.90	22.90	#61.20B/17.80A	#61.20B/17.80A	----	40.00 + 20.00	.5175	----	----	6	----	4 + 2
4595	35.20	35.20	#58.50B/16.50A	#58.50B/16.50A	----	37.40 + 18.80	.4944	----	----	4	----	23 + 3
4595	32.00	32.00	87.80B/*30.40A	87.80B/*30.40A	----	39.40 NEW	.5054	----	----	1	----	1 + 1
4600	----	----	91.70B/*32.40A	91.70B/*32.40A	----	42.00 - 42.90	.5286	----	----	3	----	24 + 1
4600	----	----	82.90B/37.70A	82.90B/37.70A	----	62.60 + 23.30	.4891	----	----	----	----	7 UNCH
4600	57.20	57.20	101.70B/57.20	101.70B/57.20	----	83.00 + 25.30	.4956	----	----	1	----	198 + 1
4600	22.00	22.00	56.00B/15.30A	56.00B/15.30A	----	35.00 + 17.70	.4712	----	----	16	----	69 + 6
4600	----	----	----/*96.60A	137.10B/*96.60A	----	105.80 - 33.30	.4998	----	----	----	----	1 UNCH
4600	68.00	68.00	#116.80B/68.00	#116.80B/68.00	----	98.80 + 27.10	.4994	----	----	6	----	7 - 1
4605	35.70	35.70	95.70B/*34.40A	95.70B/*34.40A	----	44.70 NEW	.5516	----	----	5	----	4 + 4
4605	29.20	29.20	#53.00B/14.20A	#53.00B/14.20A	----	32.70 NEW	.4482	----	----	3	----	3 + 3
4610	23.00	23.00	#50.20B/13.20A	#50.20B/13.20A	----	30.50 + 15.50	.4253	----	----	2	----	3 + 2
4615	32.30	32.30	#47.40B/12.20A	#47.40B/12.20A	----	28.50 NEW	.4030	----	----	27	----	25 + 25
4620	23.30	23.30	#44.70B/11.20A	#44.70B/11.20A	----	26.50 NEW	.3807	----	----	1	----	1 + 1
4620	50.90	50.90	108.00B/*41.20A	108.00B/*41.20A	----	53.50 NEW	.6191	----	----	1	----	1 + 1
4625	----	----	88.80B/----	88.80B/49.40A	----	71.80 NEW	.4488	----	----	1	----	1 + 1
4625	100.50	100.50	103.90B/88.00	103.90B/62.80A	----	87.70 + 25.20	.4602	----	----	6	----	5 + 3
4625	----	----	69.70B/30.60A	69.70B/30.60A	----	51.20 + 19.60	.4265	----	----	----	----	152 UNCH
4625	----	----	130.10B/72.30A	130.10B/72.30A	----	83.20 - 40.90	.5732	----	----	----	----	2 UNCH
4625	11.60	11.60	42.30B/10.30A	42.30B/10.30A	----	24.60 + 12.60	.3588	----	----	29	----	40 + 21
4635	35.10	35.10	#37.80B/8.80A	#37.80B/8.80A	----	21.20 + 10.80	.3171	----	----	1	----	2 + 1
4635	50.30	50.30	121.10B/*48.90A	121.10B/*48.90A	----	63.20 - 49.70	.6827	----	----	48	----	49 + 48
4640	17.00	17.00	#35.70B/8.10A	#35.70B/8.10A	----	19.70 NEW	.2974	----	----	2	----	1 + 1
4645	57.30	57.30	129.90B/*54.40A	129.90B/*54.40A	----	70.30 NEW	.7212	----	----	3	----	3 + 3
4645	15.70	15.70	#33.50B/7.50A	#33.50B/7.50A	----	18.30 NEW	.2786	----	----	4	----	4 + 4
4650	15.00	15.00	31.40B/6.90A	31.40B/6.90A	----	16.90 + 8.60	.2599	----	----	4	----	15 UNCH
4650	----	----	134.40B/57.70A	134.40B/57.70A	----	73.90 - 52.00	.7399	----	----	----	----	1 UNCH
4650	----	----	76.90B/----	76.90B/42.00A	----	61.60 + 20.40	.4030	----	----	1	----	1 UNCH
4650	----	----	92.30B/----	92.30B/54.60A	----	77.30 + 23.00	.4216	----	----	----	----	1 UNCH
4650	----	----	58.00B/24.60A	58.00B/24.60A	----	41.60 NEW	.3663	----	----	1	----	1 + 1
4655	----	----	#29.60B/6.30A	#29.60B/6.30A	----	15.70 NEW	.2428	----	----	6	----	2 + 2
4665	11.50	11.50	#25.60B/5.50A	#25.60B/5.50A	----	13.40 NEW	.2100	----	----	1	----	1 + 1
4670	10.60	10.60	#23.90B/5.10A	#23.90B/5.10A	----	12.40 + 6.10	.1950	----	----	1	----	2 + 1
4675	----	----	157.50B/74.20A	157.50B/74.20A	----	93.50 - 54.90	.8186	----	----	----	----	2 UNCH
4675	8.00	8.00	22.90B/4.70A	22.90B/4.70A	----	11.50 + 5.70	.1812	----	----	4	----	6 + 2
4675	----	----	----/*136.80A	187.40B/*136.80A	----	149.60 - 39.60	.6154	----	----	----	----	1 UNCH
4675	----	----	47.90B/19.60A	47.90B/19.60A	----	33.40 + 13.30	.3097	----	----	4	----	7 + 2
4675	----	----	169.50B/100.50A	169.50B/100.50A	----	115.40 - 47.10	.6900	----	----	----	----	1 UNCH
4680	17.50	17.50	#21.30B/4.40A	#21.30B/4.40A	----	10.60 NEW	.1676	----	----	27	----	25 + 25
4685	7.20	7.20	#20.00B/4.10A	#20.00B/4.10A	----	9.80 + 4.70	.1552	----	----	10	----	21 + 1
4690	12.00	12.00	#18.80B/3.80A	#18.80B/3.80A	----	9.10 NEW	.1439	----	----	16	----	16 + 16
4695	7.60	7.60	#17.60B/3.60A	#17.60B/3.60A	----	8.40 NEW	.1329	----	----	31	----	1 + 1
4700	6.50	6.50	16.30B/3.30A	16.30B/3.30A	----	7.80 + 3.70	.1230	----	----	2	----	20 + 2
4700	----	----	181.10B/92.70A	181.10B/92.70A	----	114.80 NEW	.8768	----	----	1	----	1 + 1
4700	46.10	46.10	56.90B/46.10	56.90B/30.10A	----	44.50 + 15.50	.3168	----	----	5	----	18 + 2
4700	46.00	46.00	71.50B/46.00	71.50B/41.20A	----	58.90 + 18.50	.3472	----	----	1	----	2 + 1
4700	----	----	39.10B/15.80A	39.10B/15.80A	----	26.80 + 10.90	.2589	----	----	2	----	9 + 2
4700	----	----	190.60B/116.90A	190.60B/116.90A	----	133.70 - 49.60	.7407	----	----	----	----	1 UNCH
4705	9.50	9.50	#15.30B/3.20A	#15.30B/3.20A	----	7.20 NEW	.1134	----	----	35	----	26 + 26
4710	8.80	8.80	#14.10B/3.00A	#14.10B/3.00A	----	6.70 NEW	.1050	----	----	13	----	12 + 12
4720	3.10	3.10	#12.30B/2.60A	#12.30B/2.60A	----	5.70 NEW	.0889	----	----	13	----	13 + 13
4725	----	----	48.50B/----	48.50B/25.40A	----	37.50 + 13.30	.2774	----	----	2	----	2 + 1
4725	----	----	11.50B/2.40A	11.50B/2.40A	----	5.30 + 2.30	.0821	----	----	----	----	4 UNCH
4725	135.20	135.20	205.20B/112.80A	205.20B/112.80A	----	137.30 - 58.20	.9177	----	----	1	----	2 + 1
4725	----	----	31.80B/----	31.80B/12.70A	----	21.40 + 8.80	.2141	----	----	----	----	3 UNCH
4730	----	----	#10.50B/2.30A	#10.50B/2.30A	----	4.90 NEW	.0756	----	----	1	----	1 + 1
4735	6.00	6.00	#9.90B/2.20A	#9.90B/2.20A	----	4.60 NEW	.0703	----	----	8	----	8 + 8
4750	----	----	25.70B/----	25.70B/10.30A	----	17.00 + 6.90	.1753	----	----	----	----	2 UNCH
4750	----	----	229.60B/135.50A	229.60B/135.50A	----	160.60 - 59.10	.9445	----	----	----	----	1 UNCH
4750	----	----	7.80B/1.80A	7.80B/1.80A	----	3.70 + 1.50	.0553	----	----	6	----	9 + 3
4750	----	----	41.20B/----	41.20B/21.60A	----	31.50 + 11.30	.2413	----	----	----	----	22 UNCH
4770	1.40	1.40	#5.90B/1.40	#5.90B/1.40	----	2.80 NEW	.0404	----	----	2	----	2 + 2
4775	----	----	5.50B/1.40A	5.50B/1.40A	----	2.60 + 0.90	.0371	----	----	----	----	3 UNCH
4775	----	----	20.80B/----	20.80B/8.30A	----	13.60 + 5.50	.1432	----	----	4	----	26 + 2
4775	----	----	254.20B/157.60A	254.20B/157.60A	----	184.50 - 59.70	.9627	----	----	----	----	2 UNCH
4775	----	----	47.60B/----	47.60B/26.70A	----	37.80 + 12.30	.2478	----	----	----	----	4 UNCH
4790	1.50	1.50	#4.40B/*1.20A	#4.40B/1.20A	----	2.10 NEW	.0291	----	----	1	----	1 + 1
4800	----	----	279.00B/180.90A	279.00B/180.90A	----	208.80 - 60.00	.9754	----	----	----	----	2 UNCH
4800	----	----	3.80B/1.10A	3.80B/1.10A	----	1.80 + 0.50	.0245	----	----	----	----	6 UNCH
4800	8.00	8.00	16.80B/8.00	16.80B/6.80A	----	11.00 + 4.50	.1172	----	----	6	----	34 + 6
4800	----	----	29.60B/----	29.60B/15.60A	----	22.40 + 8.20	.1808	----	----	----	----	8 UNCH
4825	9.60	9.60	13.50B/9.60	13.50B/5.60A	----	8.90 + 3.60	.0957	----	----	1	----	1 + 1
4825	----	----	24.90B/----	24.90B/13.20A	----	19.00 + 7.10	.1562	----	----	----	----	2 UNCH
4825	----	----	----/205.00A	280.60B/205.00A	----	233.30 - 60.20	.9832	----	----	----	----	1 UNCH
4825	1.00	1.00	2.70B/0.90A	2.70B/0.90A	----	1.30 NEW	.0167	----	----	5	----	5 + 5
4850	----	----	31.00B/----	31.00B/17.40A	----	24.20 + 8.00	.1712	----	----	----	----	1 UNCH
4850	----	----	1.90B/0.70A	1.90B/0.70A	----	1.00 + 0.20	.0120	----	----	----	----	4 UNCH
4850	----	----	21.00B/----	21.00B/11.10A	----	16.30 + 6.20	.1356	----	----	----	----	6 UNCH
4875	----	----	17.70B/----	17.70B/9.40A	----	13.90 NEW	.1170	----	----	2	----	2 + 2
4875	----	----	1.50B/*0.50A	1.50B/*0.50A	----	0.70 + 0.10	.0079	----	----	----	----	1 UNCH
4875	----	----	26.80B/----	26.80B/15.10A	----	21.00 + 7.00	.1511	----	----	----	----	4 UNCH
4900	----	----	7.30B/----	7.30B/3.50A	----	5.00 + 1.90	.0535	----	----	----	----	8 UNCH
4900	----	----	1.10B/----	1.10B/*0.50A	----	0.50 UNCH	.0053	----	----	----	----	4 UNCH
4900	11.00	11.00	15.00B/11.00	15.00B/8.10A	----	11.90 + 4.60	.1011	----	----	1	----	5 + 1
4950	----	----	4.90B/----	4.90B/2.60A	----	3.60 + 1.30	.0377	----	----	----	----	1 UNCH
4950	----	----	0.70B/----	0.70B/*0.30A	----	0.30 UNCH	.0028	----	----	----	----	2 UNCH
4950	----	----	10.70B/----	10.70B/7.00A	----	8.80 + 3.30	.0757	----	----	----	----	2 UNCH
4950	----	----	17.40B/----	17.40B/10.00A	----	13.90 + 4.70	.1039	----	----	----	----	2 UNCH
4975	----	----	9.20B/----	9.20B/6.30A	----	7.60 + 2.80	.0656	----	----	----	----	4 UNCH
5000	----	----	7.80B/----	7.80B/5.80A	----	6.60 + 2.40	.0571	----	----	----	----	3 UNCH
5000	----	----	2.90B/----	2.90B/2.10A	----	2.60 + 0.90	.0267	----	----	----	----	1 UNCH
5000	----	----	0.40B/----	0.40B/*0.20A	----	0.20 UNCH	.0016	----	----	----	----	8 UNCH
5000	----	----	13.30B/----	13.30B/9.00A	----	10.80 + 3.70	.0817	----	----	----	----	3 UNCH
5025	----	----	#11.60B/----	11.60B/8.10A	----	9.60 NEW	.0728	----	----	2	----	2 + 2
5050	----	----	3.70B/----	3.70B/4.90A	----	4.80 + 1.70	.0420	----	----	----	----	4 UNCH
5075	----	----	----	----/*0.30A	----	0.10 UNCH	.0004	----	----	----	----	1 UNCH
5100	----	----	1.40B/----	1.40B/1.50A	----	1.50 + 0.50	.0145	----	----	----	----	1 UNCH
5200	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
5200	----	----	----	3.10B/4.90A	----	4.70 NEW	.0351	----	----	2	----	2 + 2
5250	----	----	----	0.80B/3.20A	----	1.50 + 0.50	.0131	----	----	----	----	1 UNCH
5250	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5250	----	----	0.80B/----	0.80B/1.10A	----	0.70 + 0.10	.0062	----	----	----	----	2 UNCH
5500	----	----	----	0.20B/1.00A	----	0.30 + 0.10	.0022	----	----	----	----	1 UNCH
5500	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5500	----	----	----	0.50B/3.20A	----	2.30 + 0.70	.0153	----	----	----	----	3 UNCH
5600	----	----	----	----/2.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL										932		3506 + 622

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU — GOLD WEEKLY THURSDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
MAY26														
4175	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4200	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4210	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4220	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4245	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4260	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4265	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4280	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4290	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	232.40	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4305	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4315	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4320	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4325	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4330	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----	192.40	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4345	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4355	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4360	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4365	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4370	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4380	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4380	----	----	----	----	----	152.40	UNCH	----	----	----	----	----	0	UNCH
4385	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4390	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4395	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	132.40	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	127.40	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	122.40	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	117.40	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	112.40	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	107.40	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	102.40	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	97.40	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	92.40	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	87.40	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	82.40	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----	77.40	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	72.40	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	67.40	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	62.40	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	57.40	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	52.40	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	47.40	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	42.40	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	37.40	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	32.40	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	27.40	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	22.40	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	17.40	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	12.40	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	7.40	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	2.40	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	2.60	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	7.60	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	12.60	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	17.60	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	22.60	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	27.60	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	32.60	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	37.60	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	42.60	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	47.60	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	57.60	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	67.60	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	77.60	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	97.60	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	102.60	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	107.60	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	117.60	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	142.60	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	167.60	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	217.60	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	242.60	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	267.60	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
JUN26														
3500	----	----	----	0.10B/*1.00A	----	0.50	- 0.30	.0025	----	----	----	----	2	UNCH
3800	----	----	----	----/*0.50A	----	0.30	- 0.20	.0015	----	----	----	----	3	UNCH
4000	----	----	----/*0.80A	0.60B/*0.80A	----	0.60	- 0.50	.0039	----	----	----	----	4	UNCH
4050	----	----	----/*0.90A	0.80B/*0.90A	----	0.70	- 0.60	.0050	----	----	----	----	2	UNCH
4050	6.60	6.60	#6.60/*6.30A	6.60/*6.30A	----	4.30	NEW	.0301	----	----	1	----	1 +	1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
JUN26												
4075	----	----	----/*1.00A	1.00B/*1.00A	----	0.80 - 0.70	.0059	----	----	----	----	1 UNCH
4075	----	----	----/*2.90A	3.10B/*2.90A	----	2.40 - 1.70	.0189	----	----	----	----	1 UNCH
4100	----	----	----/*3.20A	3.60B/*3.20A	----	2.70 - 1.90	.0216	----	----	----	----	2 UNCH
4100	0.90	0.90	0.90/*0.90	1.10B/*0.90	----	0.80 NEW	.0062	----	----	1	----	1 + 1
4150	----	----	----/*1.30A	1.50B/*1.30A	----	1.10 - 1.00	.0091	----	----	----	----	1 UNCH
4175	----	----	----/*4.50A	6.20B/*4.50A	----	4.10 - 2.70	.0342	----	----	----	----	1 UNCH
4175	----	----	----/*1.40A	1.80B/*1.40A	----	1.20 - 1.20	.0103	----	----	----	----	12 UNCH
4190	1.50	1.50	#1.50/*1.50	#2.00B/*1.50	----	1.30 NEW	.0115	----	----	1	----	1 + 1
4200	----	----	----/*5.10A	7.10B/*5.10A	----	4.70 - 3.10	.0397	----	----	1	----	1 UNCH
4200	----	----	----/*1.60A	2.20B/*1.60A	----	1.40 - 1.40	.0125	----	----	1	----	103 - 1
4225	3.30	3.30	3.30/*1.80A	3.30/*1.80A	----	1.60 - 1.70	.0149	----	----	1	----	16 - 1
4225	13.10	13.10	13.10/*10.90A	14.00B/*10.90A	----	10.00 - 5.50	.0733	----	----	1	----	4 + 1
4225	----	----	----/*5.80A	8.30B/*5.80A	----	5.40 - 3.70	.0462	----	----	4	----	6 + 4
4250	----	----	----/*12.30A	16.40B/*12.30A	----	11.60 - 6.30	.0848	----	----	----	----	1 UNCH
4250	----	----	----/*6.60A	10.10B/*6.60A	----	6.30 - 4.30	.0544	----	----	----	----	1 UNCH
4265	2.70	2.70	#2.70/*2.30A	#3.90B/*2.30A	----	2.10 NEW	.0208	----	----	1	----	1 + 1
4275	----	----	----/*14.00A	18.90B/*14.00A	----	13.50 - 7.10	.0981	----	----	----	----	2 UNCH
4275	2.60	2.60	2.60/*2.40A	4.30B/*2.40A	----	2.30 - 2.40	.0230	----	----	1	----	167 UNCH
4300	2.80	2.80	2.80/*2.80	5.40B/*2.80	----	2.70 - 3.10	.0281	----	----	1	----	110 + 1
4300	----	----	----/*8.60A	14.60B/*8.60A	----	8.70 - 6.00	.0761	----	----	----	----	31 UNCH
4300	16.30	16.30	16.30/*16.00A	22.30B/*16.00A	----	15.70 - 8.20	.1132	----	----	11	----	11 + 10
4305	2.60	2.60	#2.60/*2.60	#5.60B/*2.60	----	2.80 NEW	.0294	----	----	2	----	2 + 2
4315	2.60	2.60	#2.60/*2.60	#6.20B/*2.60	----	3.10 NEW	.0328	----	----	1	----	1 + 1
4325	----	----	----/*18.20A	26.20B/*18.20A	----	18.30 - 9.50	.1307	----	----	----	----	5 UNCH
4325	10.80	10.80	17.70B/*9.90A	17.70B/*9.90A	----	10.30 NEW	.0903	----	----	1	----	1 + 1
4325	4.40	4.40	4.80/*3.40A	6.80B/*3.40A	----	3.30 - 3.80	.0355	----	----	130	----	91 - 62
4350	----	----	21.30B/*11.50A	21.30B/*11.50A	----	12.30 NEW	.1076	----	----	3	----	3 + 3
4350	----	----	----/*4.10A	8.90B/*4.10A	----	4.10 - 4.80	.0455	----	----	----	----	85 UNCH
4375	----	----	252.90B/160.10A	252.90B/160.10A	----	222.90 + 54.30	.9416	----	----	----	----	1 UNCH
4375	----	----	#270.30B/----	#270.30B/194.70A	----	242.60 + 47.90	.8258	----	----	----	----	9 UNCH
4375	----	----	11.60B/*4.90A	11.60B/*4.90A	----	5.10 - 6.20	.0582	----	----	3	----	15 + 2
4375	----	----	----/*24.20A	36.40B/*24.20A	----	25.00 - 12.60	.1737	----	----	----	----	4 UNCH
4400	----	----	229.10B/138.90A	229.10B/138.90A	----	199.30 + 52.60	.9248	----	----	----	----	2 UNCH
4400	----	----	31.00B/*16.50A	31.00B/*16.50A	----	17.80 - 12.40	.1531	----	----	----	----	3 UNCH
4400	----	----	15.10B/*6.10A	15.10B/*6.10A	----	6.40 - 8.00	.0749	----	----	1	----	19 - 1
4425	7.80	7.80	19.60B/*7.60	19.60B/*7.60	----	8.20 - 10.30	.0977	----	----	2	----	10 UNCH
4425	----	----	#228.40B/----	#228.40B/158.20A	----	201.90 + 43.80	.7712	----	----	----	----	1 UNCH
4425	----	----	206.10B/118.60A	206.10B/118.60A	----	176.10 + 50.20	.9021	----	----	----	----	2 UNCH
4425	45.00	45.00	45.00/*32.30A	50.50B/*32.30A	----	34.20 - 16.70	.2283	----	----	1	----	1 UNCH
4450	----	----	----/*37.60A	58.90B/*37.60A	----	40.10 - 18.90	.2605	----	----	1	----	6 + 1
4450	----	----	182.40B/99.70A	182.40B/99.70A	----	153.60 + 47.40	.8715	----	----	----	----	29 UNCH
4450	----	----	196.30B/120.60A	196.30B/120.60A	----	169.00 + 43.40	.7830	----	----	----	----	4 UNCH
4450	----	----	25.60B/*9.70A	25.60B/*9.70A	----	10.70 - 13.10	.1283	----	----	1	----	69 UNCH
4460	20.80	20.80	#20.80/*10.60A	#28.40B/*10.60A	----	12.00 NEW	.1435	----	----	1	----	1 + 1
4475	----	----	160.40B/82.30A	160.40B/82.30A	----	132.10 + 44.10	.8315	----	----	----	----	8 UNCH
4475	16.60	16.60	33.20B/*12.00	33.20B/*12.00	----	14.10 - 16.60	.1683	----	----	28	----	39 + 24
4475	33.00	33.00	53.90B/*28.80A	53.90B/*28.80A	----	31.70 - 19.90	.2553	----	----	10	----	11 + 10
4480	25.40	25.40	#25.40/*13.10A	#34.80B/*13.10A	----	15.00 NEW	.1781	----	----	1	----	1 + 1
4500	91.70	91.70	138.70B/66.40A	138.70B/66.40A	----	111.70 + 40.10	.7806	----	----	1	----	4 UNCH
4500	116.20	116.20	156.70B/89.70A	156.70B/89.70A	----	131.30 + 37.70	.7005	----	----	1	----	1 - 1
4500	----	----	42.70B/*16.00A	42.70B/*16.00A	----	18.70 - 20.50	.2192	----	----	4	----	33 UNCH
4500	----	----	#171.50B/----	#171.50B/111.40A	----	147.50 + 36.50	.6660	----	----	----	----	2 UNCH
4500	----	----	78.80B/*50.70A	78.80B/*50.70A	----	54.70 - 23.90	.3335	----	----	11	----	17 + 11
4525	28.20	28.20	54.00B/*21.00A	54.00B/*21.00A	----	24.80 - 25.00	.2815	----	----	3	----	42 - 1
4525	----	----	138.50B/76.50A	138.50B/76.50A	----	114.20 + 34.50	.6528	----	----	----	----	6 UNCH
4525	----	----	119.60B/52.90A	119.60B/52.90A	----	92.70 + 35.60	.7183	----	----	----	----	5 UNCH
4525	----	----	75.80B/*41.40A	75.80B/*41.40A	----	46.20 - 26.20	.3468	----	----	----	----	38 UNCH
4525	54.60	54.60	90.40B/*54.60	90.40B/*54.60	----	63.50 NEW	.3735	----	----	20	----	20 + 20
4530	29.80	29.80	#29.80/*22.00A	#56.60B/*22.00A	----	26.20 NEW	.2952	----	----	1	----	1 + 1
4545	50.20	50.20	#50.20/*25.90A	#64.70B/*25.90A	----	30.80 NEW	.3384	----	----	2	----	1 + 1
4550	75.60	75.60	75.60/*67.80A	100.60B/*67.80A	----	73.60 NEW	.4154	----	----	1	----	1 + 1
4550	47.50	47.50	67.60B/*26.90A	67.60B/*26.90A	----	32.50 - 29.80	.3536	----	----	11	----	112 + 2
4550	83.40	83.40	100.10B/41.30A	100.10B/41.30A	----	75.50 + 30.80	.6461	----	----	1	----	11 UNCH
4550	----	----	89.10B/*49.30A	89.10B/*49.30A	----	55.40 - 29.50	.3983	----	----	----	----	80 UNCH
4550	----	----	#138.10B/----	#138.10B/85.80A	----	116.50 + 31.20	.5840	----	----	----	----	4 UNCH
4555	----	----	----	#70.50B/*28.60A	----	34.30 NEW	.3692	----	----	1	----	1 + 1
4560	40.90	40.90	#40.90/*30.10A	#73.20B/*30.10A	----	36.10 NEW	.3850	----	----	2	----	2 + 2
4570	44.00	44.00	#44.00/*33.40A	#79.60B/*33.40A	----	40.10 NEW	.4175	----	----	2	----	2 + 2
4575	69.60	69.60	84.70/31.90A	84.70/31.90A	----	60.20 + 25.80	.5657	----	----	6	----	11 + 1
4575	59.10	59.10	82.60B/*34.90A	82.60B/*34.90A	----	42.20 - 34.80	.4340	----	----	11	----	194 + 5
4575	----	----	#123.20B/----	#123.20B/74.90A	----	102.70 + 28.40	.5410	----	----	----	----	1 UNCH
4575	68.40	68.40	105.50B/54.30A	105.50B/54.30A	----	83.90 NEW	.5473	----	----	4	----	4 + 4
4580	44.80	44.80	#44.80/*44.80	#86.30B/*36.80A	----	44.40 NEW	.4508	----	----	2	----	2 + 2
4600	----	----	91.00B/45.20A	91.00B/45.20A	----	71.00 + 24.20	.4921	----	----	----	----	3 UNCH
4600	46.90	46.90	100.20B/*44.40A	100.20B/*44.40A	----	54.00 - 39.70	.5187	----	----	2	----	10 UNCH
4600	----	----	----/*89.00A	129.40B/*89.00A	----	97.10 - 34.70	.5020	----	----	----	----	2 UNCH
4600	89.00	89.00	#109.10B/89.00	#109.10B/64.90A	----	90.10 + 25.70	.4974	----	----	2	----	16 UNCH
4600	68.90	68.90	68.90/24.30A	68.90/24.30A	----	47.00 + 20.90	.4811	----	----	1	----	51 UNCH
4600	84.20	84.20	119.30B/*69.00A	119.30B/*69.00A	----	78.00 NEW	.5075	----	----	20	----	20 + 20
4620	55.30	55.30	#57.20B/*39.50	#57.20B/*19.60A	----	38.10 NEW	.4137	----	----	2	----	1 + 1
4625	----	----	78.40B/37.30A	78.40B/37.30A	----	59.60 + 21.00	.4369	----	----	2	----	2 UNCH
4625	42.00	42.00	54.80B/18.40A	54.80B/18.40A	----	36.10 + 16.50	.3972	----	----	2	----	41 + 2
4625	----	----	119.40B/55.80A	119.40B/55.80A	----	68.10 - 44.00	.6026	----	----	----	----	2 UNCH
4630	36.10	36.10	#36.10/*36.10	#52.30B/*17.40A	----	34.10 NEW	.3807	----	----	2	----	2 + 2
4635	30.50	30.50	#30.50/*30.50	#50.00B/*16.40A	----	32.30 NEW	.3648	----	----	3	----	3 + 3
4645	----	----	----	#45.50B/*14.50A	----	28.90 NEW	.3338	----	----	2	----	2 + 2
4650	18.20	18.20	43.40B/13.70A	43.40B/13.70A	----	27.30 + 12.60	.3188	----	----	44	----	108 - 40
4650	----	----	140.20B/69.50A	140.20B/69.50A	----	84.20 - 48.00	.6810	----	----	1	----	2 + 1
4650	----	----	#84.40B/----	#84.40B/48.20A	----	68.40 NEW	.4117	----	----	1	----	1 + 1
4650	38.30	38.30	66.20B/30.80A	66.20B/30.80A	----	49.60 + 18.00	.3832	----	----	38	----	52 + 37
4655	----	----	----	#41.30B/*13.00A	----	25.70 NEW	.3038	----	----	1	----	1 + 1
4660	12.40	12.40	#39.30B/*12.40	#39.30B/*12.20A	----	24.30 NEW	.2897	----	----	4	----	4 + 4
4670	----	----	----	#35.50B/*10.90A	----	21.60 NEW	.2623	----	----	50	----	50 + 50
4675	10.30	10.30	33.70B/10.20A	33.70B/10.20A	----	20.40 + 9.50	.2495	----	----	21	----	45 + 9
4675	----	----	56.00B/25.30A	56.00B/25.30A	----	41.00 + 15.20	.3323	----	----	4	----	37 + 2
4675	48.00	48.00	#73.80B/48.00	#73.80B/41.40A	----	59.30 NEW	.3709	----	----	12	----	12 + 12
4685	26.20	26.20	#26.20/*26.20	#30.20B/*9.10A	----	18.10 NEW	.2248	----	----	1	----	1 + 1
4690	24.80	24.80	#24.80/*24.70	#28.50B/*8.50A	----	17.00 NEW	.2128	----	----	2	----	2 + 2
4700	26.30	26.30	46.90B/20.70A	46.90B/20.70A	----	33.80 + 12.80	.2853	----	----	16	----	21 + 16
4700	14.30	14.30	26.10B/7.60A	26.10B/7.60A	----	15.10 + 6.90	.1911	----	----	15	----	21 + 13
4700	----	----	#64.20B/----	#64.20B/35.40A	----	51.10 + 16.30	.3318	----	----	2	----	287 + 2
4715	18.90	18.90	#18.90/*18.90	#21.90B/*6.30A	----	12.60 NEW	.1616	----	----	1	----	1 + 1
4720	----	----	----	#20.90B/*6.00A	----	11.90 NEW	.1530	----	----	4	----	2 + 2
4725	----	----	#55.50B/----	#55.50B/30.30A	----	44.00 + 14.40	.2953	----	----	2	----	12 + 2
4725	13.60	13.60	19.90B/5.70A	19.90B/5.70A	----	11.20 + 5.10	.1445	----	----	9	----	9 + 7
4725	----	----	39.20B/17.00A	39.20B/17.00A	----	27.70 + 10.60	.2426	----	----	6	----	6 + 2
4750	27.00	27.00	47.80B/27.00	47.80B/25.90A	----	37.70 + 12.60	.2612	----	----	14	----	21 + 12
4750	12.90	12.90	15.00B/4.40A	15.00B/4.40A	----	8.30 + 3.70	.1081	----	----	2	----	2 UNCH
4750	----	----	----/*178.80A	239.70B/*178.80A	----	194.50 - 47.90	.7383	----	----	----	----	2 UNCH
4750	----	----	32.50B/----	32.50B/14.00A	----	22.60 + 8.70	.2046	----	----	----	----	2 UNCH
4775	26.70	26.70	41.10B/26.70	41.10B/22.20A	----	32.30 NEW	.2301	----	----	87	----	87 + 87
4775	----	----	11.30B/3.40A	11.30B/3.40A	----	6.20 + 2.70	.0806	----	----	----	----	150 UNCH
4775	----	----	26.80B/----	26.80B/11.60A	----	18.50 + 7.20	.1718	----	----	4	----	5 + 2
4800	4.00	4.00	8.60B/4.00	8.60B/2.70A	----	4.70 + 2.00	.0604	----	----	3	----	6 + 2
4800	----	----	280.30B/185.60A	280.30B/185.60A	----	211.60 - 58.60	.9394	----	----	----	----	1 UNCH
4800	----	----	35.20B/----	35.20B/19.00A	----	27.60 + 9.60	.2017	----	----	----	----	286 UNCH
4800	----	----	22.20B/----	22.20B/9.70A	----	15.20 + 5.90	.1439	----	----	1	----	16 UNCH
4825	4.70	4.70	6.60B/4.70	6.60B/2.20A	----	3.60 + 1.40	.0455	----	----	1	----	2 + 1
4825	----	----	30.20B/----	30.20B/16.30A	----	23.60 + 8.40	.1764	----	----	----	----	21 UNCH
4825	13.60	13.60	18.20B/13.60	18.20B/8.10A	----	12.50 NEW	.1202	----	----	1	----	1 + 1
4850	----	----	5.20B/----	5.20B/1.80A	----	2.80 + 1.10	.0346	----	----	----	----	1 UNCH
4850	----	----	15.10B/----	15.10B/6.80A	----	10.30 + 3.90	.1003	----	----	----	----	10 UNCH
4850	----	----	25.70B/----	25.70B/14.10A	----	20.20 + 7.30	.1540	----	----	----	----	1 UNCH
4875	----	----	22.00B/----	22.00B/12.20A	----	17.40 + 6.30	.1346	----	----	----	----	19 UNCH
4900	----	----	18.80B/----	18.80B/10.70A	----	15.10 + 5.50	.1180	----	----	----	----	1 UNCH
4900	----	----	2.80B/----	2.80B/1.40A	----	1.70 + 0.50	.0200	----	----	----	----	4 UNCH
4900	----	----	10.30B/----	10.30B/5.00A	----	7.20 + 2.70	.0707	----	----	----	----	3 UNCH
4925	----	----	16.20B/----	16.20B/9.20A	----	13.20 + 4.80	.1038	----	----	----	----	14 UNCH
4925	----	----	2.20B/----	2.20B/1.20A	----	1.40 + 0.40	.0159	----	----	----	----	2 UNCH
4950	----	----	7.30B/----	7.30B/3.80A	----	5.20 + 1.90	.0508	----	----	----	----	2 UNCH
4975	----	----	#12.00B/----	#12.00B/8.10A	----	10.30 + 3.70	.0813	----	----	----	----	2 UNCH
5000	----	----	#10.40B/----	#10.40B/7.30A	----	9.10 + 3.20	.0719	----	----	----	----	2 UNCH
5000	----	----	1.10B/----	1.10B/0.90A	----	0.90 + 0.30	.0091	----	----	----	----	2 UNCH
5025	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.30	.0078	----	----	1	----	1 UNCH
5125	----	----	0.50B/----	0.50B/*0.60A	----	0.50 + 0.20	.0042	----	----	1	----	1 UNCH
5400	----	----	----	----/*0.60A	----	0.10 UNCH	.0001	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
TOTAL										682		3003 + 312
JUL26												
3800	----	----	----	#0.10B/*16.60A	----	5.60 NEW	.0277	----	----	1	----	1 + 1
4250	----	----	----	#26.20B/*26.50A	----	24.40 NEW	.1342	----	----	1	----	1 + 1
4275	----	----	----	#29.90B/*29.40A	----	27.10 NEW	.1485	----	----	1	----	1 + 1
4300	----	----	----	#34.00B/*32.40A	----	30.20 NEW	.1645	----	----	1	----	1 + 1
TOTAL										4		4 + 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
JUN26												
3250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
3500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
3500	----	----	----	----/*0.70A	----	0.20 - 0.10	.0010	----	----	----	----	1 UNCH
3600	----	----	----	0.60B/*1.30A	----	0.80 - 0.30	.0044	----	----	----	----	1 UNCH
3700	----	----	----/*1.40A	1.00B/*1.40A	----	1.00 - 0.50	.0059	----	----	----	----	1 UNCH
3700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
3750	----	----	----/*1.50A	1.10B/*1.50A	----	1.20 - 0.50	.0072	----	----	----	----	6 UNCH
3800	----	----	----/*1.60A	1.40B/*1.60A	----	1.40 - 0.60	.0087	----	----	----	----	32 UNCH
3800	----	----	----	0.40B/*1.00A	----	0.50 - 0.30	.0031	----	----	----	----	9 UNCH
3800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3900	----	----	----	0.60B/*1.20A	----	0.70 - 0.40	.0048	----	----	----	----	2 UNCH
3900	----	----	----/*4.00A	2.70B/*4.00A	----	2.90 - 1.40	.0185	----	----	----	----	3 UNCH
3900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3900	----	----	----/*2.10A	2.00B/*2.10A	----	1.80 - 0.90	.0121	----	----	----	----	4 UNCH
4000	----	----	----/*1.40A	1.10B/*1.40A	----	1.00 - 0.70	.0077	----	----	----	----	27 UNCH
4000	----	----	----/*2.90A	2.90B/*2.90A	----	2.50 - 1.40	.0181	----	----	----	----	102 UNCH
4000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	39 UNCH
4000	----	----	----/*4.90A	4.50B/*4.90A	----	4.40 - 1.30	.0289	----	----	----	----	6 UNCH
4100	----	----	9.10B/*8.20A	9.10B/*8.20A	----	6.60 - 2.00	.0450	----	----	----	----	6 UNCH
4100	----	----	----/*4.20A	4.60B/*4.20A	----	3.80 - 2.20	.0292	----	----	----	----	1 UNCH
4100	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	43 UNCH
4100	----	----	----/*1.80A	2.00B/*1.80A	----	1.60 - 1.10	.0135	----	----	----	----	20 UNCH
4120	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4125	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	----	----	----	----	----	3 UNCH
4130	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	.0000	----	----	----	----	1 UNCH
4150	----	----	----/*5.20A	7.10B/*5.20A	----	4.80 - 2.80	.0378	----	----	1	----	2 + 1
4150	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.40	.0000	----	----	----	----	3 UNCH
4150	----	----	11.90B/*9.90A	11.90B/*9.90A	----	8.00 - 3.40	.0558	----	----	----	----	7 UNCH
4165	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.40	.0000	----	----	----	----	1 UNCH
4175	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.50	.0000	----	----	----	----	7 UNCH
4175	----	----	----/*5.80A	8.20B/*5.80A	----	5.50 - 3.20	.0437	----	----	----	----	1 UNCH
4175	----	----	----/*2.60A	3.20B/*2.60A	----	2.30 - 1.90	.0209	----	----	----	----	1 UNCH
4175	----	----	13.40B/*10.10A	13.40B/*10.10A	----	8.90 - 4.20	.0626	----	----	----	----	1 UNCH
4180	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.50	.0000	----	----	----	----	1 UNCH
4190	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	.0000	----	----	2	----	2 + 2
4200	----	----	15.40B/*10.90A	15.40B/*10.90A	----	9.90 - 5.30	.0703	----	----	----	----	22 UNCH
4200	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.60	.0001	----	----	1	----	28 UNCH
4200	----	----	----/*6.60A	9.50B/*6.60A	----	6.30 - 3.70	.0505	----	----	1	----	3 UNCH
4200	----	----	----/*2.90A	3.90B/*2.90A	----	2.70 - 2.10	.0250	----	----	----	----	2 UNCH
4225	----	----	----/*0.30A	0.50B/*0.30A	----	0.10 - 0.80	.0002	----	----	----	----	8 UNCH
4225	----	----	----/*7.50A	11.10B/*7.50A	----	7.20 - 4.30	.0582	----	----	----	----	28 UNCH
4225	----	----	----/*3.40A	5.20B/*3.40A	----	3.10 - 2.60	.0294	----	----	----	----	2 UNCH
4235	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 0.80	.0003	----	----	2	----	2 UNCH
4240	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 NEW	.0004	----	----	1	----	1 + 1
4250	----	----	----/*8.50A	12.20B/*8.50A	----	8.40 - 5.00	.0680	----	----	1	----	5 UNCH
4250	0.20	0.20	0.20/*0.20	0.70B/*0.20	----	0.10 - 1.00	.0006	----	----	11	----	35 + 5
4250	----	----	----/*3.90A	6.20B/*3.90A	----	3.60 - 3.10	.0349	----	----	----	----	2 UNCH
4255	----	----	----/*0.20A	0.80B/*0.20A	----	0.20 - 0.90	.0013	----	----	----	----	11 UNCH
4260	----	----	----/*0.20A	0.90B/*0.20A	----	0.20 - 0.90	.0013	----	----	----	----	1 UNCH
4265	----	----	----/*0.20A	0.90B/*0.20A	----	0.20 - 1.00	.0014	----	----	1	----	7 + 1
4270	0.20	0.20	0.20/*0.20	1.00B/*0.20	----	0.20 - 1.10	.0014	----	----	2	----	4 UNCH
4275	0.70	0.70	0.70/*0.10A	1.00B/*0.10A	----	0.20 - 1.10	.0014	----	----	2	----	12 UNCH
4275	----	----	----/*9.60A	14.10B/*9.60A	----	9.80 - 5.80	.0794	----	----	----	----	3 UNCH
4275	----	----	----/*4.50A	7.40B/*4.50A	----	4.30 - 3.70	.0423	----	----	1	----	77 UNCH
4280	0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.20 - 1.20	.0014	----	----	5	----	6 + 5
4285	----	----	----/*0.30A	1.20B/*0.30A	----	0.20 - 1.20	.0015	----	----	----	----	6 UNCH
4290	----	----	----/*0.30A	1.20B/*0.30A	----	0.20 - 1.30	.0015	----	----	----	----	3 UNCH
4295	0.20	0.20	0.20/*0.20	1.30B/*0.20	----	0.20 - 1.40	.0015	----	----	5	----	10 + 5
4300	----	----	28.10B/*18.10A	28.10B/*18.10A	----	17.70 - 9.10	.1223	----	----	----	----	10 UNCH
4300	0.60	0.60	0.60/*0.20	1.30B/*0.20	----	0.20 - 1.40	.0015	----	----	4	----	78 UNCH
4300	8.00	8.00	8.00/*5.30A	9.30B/*5.30A	----	5.10 - 4.50	.0510	----	----	2	----	9 UNCH
4300	----	----	18.80B/*11.00A	18.80B/*11.00A	----	11.40 - 6.90	.0924	----	----	1	----	27 UNCH
4300	----	----	323.40B/223.80A	323.40B/223.80A	----	293.20 + 59.20	.9984	----	----	----	----	1 UNCH
4305	----	----	----/*0.30A	1.40B/*0.30A	----	0.30 - 1.40	.0024	----	----	----	----	1 UNCH
4310	----	----	----/*0.30A	1.40B/*0.30A	----	0.30 - 1.50	.0025	----	----	----	----	12 UNCH
4315	0.20	0.20	0.20/*0.20	1.50B/*0.20	----	0.30 - 1.60	.0025	----	----	2	----	70 + 1
4320	----	----	----/*0.30A	1.70B/*0.30A	----	0.30 - 1.70	.0026	----	----	----	----	1 UNCH
4325	0.30	0.30	0.30/*0.20	1.70B/*0.20	----	0.30 - 1.80	.0026	----	----	11	----	17 UNCH
4325	----	----	----/*6.20A	11.40B/*6.20A	----	6.10 - 5.50	.0619	----	----	----	----	1 UNCH
4325	----	----	22.20B/*12.70A	22.20B/*12.70A	----	13.50 - 8.00	.1087	----	----	1	----	37 UNCH
4330	0.30	0.30	0.30/*0.20	1.90B/*0.20	----	0.40 - 1.80	.0036	----	----	2	----	13 + 2
4335	0.60	0.60	0.60/*0.20	2.10B/*0.20	----	0.40 - 1.90	.0037	----	----	4	----	10 + 3
4340	1.60	1.60	1.60/*0.20	2.30B/*0.20	----	0.40 - 2.10	.0038	----	----	8	----	8 + 3
4345	----	----	----/*0.40A	2.40B/*0.40A	----	0.40 - 2.20	.0038	----	----	----	----	2 UNCH
4350	0.60	0.60	0.60/*0.40	2.60B/*0.40	----	0.50 - 2.20	.0049	----	----	9	----	144 + 6
4350	----	----	26.30B/*14.90A	26.30B/*14.90A	----	15.90 - 9.40	.1272	----	----	2	----	36 + 2
4350	----	----	279.90B/189.00A	279.90B/189.00A	----	250.20 + 53.80	.9239	----	----	----	----	2 UNCH
4350	----	----	14.70B/*7.30A	14.70B/*7.30A	----	7.40 - 6.70	.0758	----	----	1	----	6 UNCH
4355	----	----	----/*0.50A	2.80B/*0.50A	----	0.50 - 2.40	.0050	----	----	1	----	2 UNCH
4360	0.30	0.30	0.60/*0.30	3.00B/*0.30	----	0.50 - 2.60	.0051	----	----	6	----	5 + 4
4365	----	----	----/*0.50A	3.20B/*0.50A	----	0.50 - 2.80	.0053	----	----	----	----	14 UNCH
4370	2.00	2.00	2.00/*0.60	3.50B/*0.60	----	0.60 - 2.90	.0065	----	----	8	----	39 + 8
4375	----	----	31.20B/*17.60A	31.20B/*17.60A	----	18.80 - 11.10	.1489	----	----	----	----	36 UNCH
4375	210.30	210.30	249.10B/151.50A	249.10B/151.50A	----	218.50 NEW	.9933	----	----	1	----	1 + 1
4375	----	----	18.30B/*8.70A	18.30B/*8.70A	----	9.10 - 8.30	.0936	----	----	----	----	39 UNCH
4375	----	----	43.20B/*26.70A	43.20B/*26.70A	----	28.40 - 12.50	.1857	----	----	----	----	0 UNCH
4375	3.00	3.00	3.00/*0.60A	3.70B/*0.60A	----	0.60 - 3.10	.0066	----	----	156	----	75 - 82
4380	0.60	0.60	0.60/*0.60	4.00B/*0.60	----	0.60 - 3.40	.0068	----	----	1	----	8 UNCH
4385	----	----	4.30B/*0.70A	4.30B/*0.70A	----	0.70 - 3.50	.0081	----	----	----	----	2 UNCH
4390	1.90	1.90	1.90/*0.60	4.40B/*0.60	----	0.70 - 3.80	.0083	----	----	4	----	23 + 1
4395	----	----	#228.90B/132.90	#228.90B/132.90A	----	198.70 + 56.50	.9902	----	----	----	----	1 UNCH
4395	1.20	1.20	4.90B/*0.80	4.90B/*0.80	----	0.80 - 4.00	.0097	----	----	4	----	11 + 2
4400	----	----	37.10B/*20.70A	37.10B/*20.70A	----	22.40 - 13.00	.1746	----	----	----	----	25 UNCH
4400	----	----	242.50B/----	242.50B/167.90A	----	215.10 + 47.50	.8250	----	----	----	----	14 UNCH
4400	----	----	224.00B/128.30A	224.00B/128.30A	----	193.80 + 56.30	.9900	----	----	----	----	1 UNCH
4400	10.10	10.10	22.50B/*10.10	22.50B/*10.10	----	11.30 - 10.10	.1160	----	----	1	----	27 + 1
4400	----	----	233.50B/147.20A	233.50B/147.20A	----	204.20 + 50.50	.8837	----	----	----	----	4 UNCH
4400	2.80	2.80	3.50/*0.90	5.20B/*0.90	----	0.80 - 4.40	.0099	----	----	237	----	518 + 33
4405	----	----	----/*0.90A	5.50B/*0.90A	----	0.90 - 4.70	.0114	----	----	1	----	2 UNCH
4410	----	----	----/*1.00A	5.90B/*1.00A	----	0.90 - 5.10	.0117	----	----	----	----	3 UNCH
4410	----	----	#214.10B/119.50	#214.10B/119.50A	----	183.90 + 55.60	.9882	----	----	----	----	1 UNCH
4415	2.90	2.90	2.90/*1.10A	6.40B/*1.10A	----	1.00 - 5.40	.0133	----	----	1	----	2 + 1
4420	2.80	2.80	7.00B/*1.20A	7.00B/*1.20A	----	1.10 - 5.80	.0150	----	----	3	----	5 + 3
4420	----	----	#204.70B/110.60	#204.70B/110.60A	----	174.00 + 54.80	.9849	----	----	----	----	3 UNCH
4425	----	----	43.90B/*24.40A	43.90B/*24.40A	----	26.60 - 15.30	.2036	----	----	----	----	11 UNCH
4425	----	----	27.90B/*12.90A	27.90B/*12.90A	----	14.20 - 12.30	.1442	----	----	2	----	75 + 2
4425	----	----	210.90B/127.80A	210.90B/127.80A	----	182.00 + 48.20	.8555	----	----	26	----	36 - 2
4425	3.70	3.70	7.50B/*1.20	7.50B/*1.20	----	1.20 - 6.20	.0167	----	----	181	----	123 - 102
4430	----	----	#194.90B/102.00	#194.90B/102.00A	----	164.20 + 53.90	.9814	----	----	----	----	0 UNCH
4430	3.00	3.00	8.20B/*1.30	8.20B/*1.30	----	1.30 - 6.70	.0185	----	----	20	----	16 + 12
4435	1.50	1.50	8.90B/*1.50	8.90B/*1.50	----	1.40 - 7.20	.0204	----	----	10	----	11 + 9
4440	5.50	5.50	9.60B/*1.40	9.60B/*1.40	----	1.50 - 7.70	.0223	----	----	4	----	5 + 2
4445	----	----	#180.20B/89.40A	#180.20B/89.40A	----	149.60 + 52.30	.9741	----	----	----	----	1 UNCH
4445	2.10	2.10	10.60B/*1.80A	10.60B/*1.80A	----	1.70 NEW	.0258	----	----	3	----	3 + 3
4450	----	----	175.30B/85.30A	175.30B/85.30A	----	144.80 + 51.70	.9719	----	----	----	----	4 UNCH
4450	6.90	6.90	11.40B/*1.90A	11.40B/*1.90A	----	1.80 - 8.90	.0279	----	----	15	----	53 + 5
4450	----	----	51.90B/*28.90A	51.90B/*28.90A	----	31.70 - 17.80	.2368	----	----	----	----	91 UNCH
4450	----	----	201.10B/----	201.10B/132.40A	----	174.50 + 42.70	.7627	----	----	----	----	12 UNCH
4450	----	----	189.10B/109.80A	189.10B/109.80A	----	160.70 + 45.60	.8216	----	----	----	----	8 UNCH
4450	----	----	35.00B/*15.90A	35.00B/*15.90A	----	17.80 - 15.00	.1780	----	----	3	----	19 + 3
4455	2.10	2.10	12.40B/*2.10	12.40B/*2.10	----	2.00 - 9.50	.0316	----	----	10	----	17 + 10
4455	----	----	#170.10B/81.40A	#170.10B/81.40A	----	140.00 + 51.10	.9682	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK1										
4460	10.40	10.40	13.40B/*2.20A	13.40B/*2.20A	----	2.20 NEW	.0355	----	----	12	----	8 + 8
4460	----	----	#164.70B/77.50A	#164.70B/77.50A	----	135.10 + 50.30	.9644	----	----	----	----	1 UNCH
4465	7.20	7.20	14.60B/*2.40A	14.60B/*2.40A	----	2.40 - 11.00	.0395	----	----	4	----	6 + 4
4470	----	----	15.80B/*2.50A	15.80B/*2.50A	----	2.70 - 11.80	.0451	----	----	3	----	18 + 3
4470	141.00	141.00	#156.40B/69.90A	#156.40B/69.90A	----	125.60 + 48.70	.9548	----	----	5	----	20 UNCH
4475	----	----	61.10B/*34.30A	61.10B/*34.30A	----	37.80 - 20.50	.2742	----	----	----	----	16 UNCH
4475	----	----	181.10B/----	181.10B/116.30A	----	155.60 + 40.00	.7253	----	----	----	----	4 UNCH
4475	----	----	150.80B/66.30A	150.80B/66.30A	----	120.90 + 47.90	.9504	----	----	----	----	46 UNCH
4475	----	----	43.40B/*19.60A	43.40B/*19.60A	----	22.30 - 18.20	.2184	----	----	1	----	3 - 1
4475	7.30	7.30	17.10B/*2.70A	17.10B/*2.70A	----	2.90 - 12.70	.0495	----	----	12	----	128 + 2
4480	----	----	#146.00B/62.60A	#146.00B/62.60A	----	116.20 + 47.00	.9444	----	----	2	----	4 + 1
4480	----	----	18.70B/*3.00A	18.70B/*3.00A	----	3.20 - 13.60	.0555	----	----	9	----	15 + 9
4485	10.20	10.20	20.20B/*3.20A	20.20B/*3.20A	----	3.60 - 14.60	.0631	----	----	24	----	27 + 17
4485	----	----	#142.10B/59.30A	#142.10B/59.30A	----	111.60 + 46.10	.9367	----	----	----	----	3 UNCH
4490	76.40	76.40	#136.50B/56.00A	136.50B/56.00A	----	106.90 + 44.90	.9288	----	----	2	----	9 - 1
4490	10.00	10.00	21.80B/*3.50A	21.80B/*3.50A	----	4.00 - 15.60	.0711	----	----	8	----	20 + 3
4495	----	----	#131.80B/52.70A	131.80B/52.70A	----	102.40 + 43.90	.9206	----	----	----	----	29 UNCH
4495	12.30	12.30	23.70B/*3.80A	23.70B/*3.80A	----	4.40 - 16.70	.0793	----	----	27	----	13 + 12
4500	21.00	21.00	25.50B/*4.20A	25.50B/*4.20A	----	4.90 - 17.80	.0892	----	----	170	----	111 + 36
4500	56.00	56.00	85.40B/*54.80A	85.40B/*54.80A	----	59.90 - 22.50	.3417	----	----	2	----	2 + 1
4500	62.00	62.00	70.10B/40.40A	70.10B/40.40A	----	44.90 - 23.50	.3152	----	----	1	----	14 - 1
4500	----	----	162.30B/99.20A	162.30B/99.20A	----	137.80 + 37.10	.6843	----	----	----	----	10 UNCH
4500	----	----	53.30B/*24.50A	53.30B/*24.50A	----	28.00 - 21.70	.2661	----	----	2	----	107 + 2
4500	----	----	#175.70B/112.90	#175.70B/112.90A	----	152.70 + 38.00	.6576	----	----	----	----	2 UNCH
4500	52.00	52.00	127.60B/49.50A	127.60B/49.50A	----	97.90 + 42.80	.9106	----	----	8	----	79 UNCH
4505	----	----	#122.50B/46.20A	122.50B/46.20A	----	93.40 + 41.60	.9004	----	----	3	----	11 + 3
4505	10.60	10.60	27.50B/*4.50A	27.50B/*4.50A	----	5.40 NEW	.0995	----	----	12	----	6 + 6
4510	----	----	#117.40B/42.40A	117.40B/42.40A	----	89.00 + 40.40	.8884	----	----	15	----	17 + 13
4510	11.00	11.00	29.70B/*4.90A	29.70B/*4.90A	----	6.00 NEW	.1114	----	----	3	----	2 + 2
4515	10.00	10.00	31.90B/*5.30A	31.90B/*5.30A	----	6.70 - 21.50	.1250	----	----	5	----	13 + 3
4515	90.00	90.00	#113.80B/39.80A	113.80B/39.80A	----	84.60 + 39.00	.8748	----	----	11	----	14 + 11
4520	50.50	50.50	#108.60B/36.90A	108.60B/36.90A	----	80.40 + 37.70	.8608	----	----	1	----	49 + 1
4520	18.00	18.00	34.40B/*5.80A	34.40B/*5.80A	----	7.40 - 22.90	.1390	----	----	8	----	13 + 2
4525	14.70	14.70	36.60B/*6.50A	36.60B/*6.50A	----	8.20 - 24.30	.1547	----	----	36	----	28 + 22
4525	----	----	64.40B/*30.50A	64.40B/*30.50A	----	35.10 - 25.40	.3207	----	----	2	----	8 + 1
4525	51.00	51.00	104.80B/34.40A	104.80B/34.40A	----	76.20 + 36.30	.8451	----	----	56	----	51 - 3
4530	51.00	51.00	#99.70B/32.00A	99.70B/32.00A	----	72.10 + 34.90	.8279	----	----	63	----	68 + 1
4530	20.50	20.50	39.50B/*7.00A	39.50B/*7.00A	----	9.10 - 25.70	.1719	----	----	7	----	7 + 6
4535	29.20	29.20	42.00B/*7.80A	42.00B/*7.80A	----	10.10 - 27.10	.1907	----	----	6	----	6 + 3
4535	92.10	92.10	#96.30B/29.90A	96.30B/29.90A	----	68.00 + 33.40	.8091	----	----	14	----	14 + 6
4540	9.50	9.50	44.90B/*8.30A	44.90B/*8.30A	----	11.10 - 28.70	.2100	----	----	27	----	25 + 24
4540	31.60	31.60	#90.80B/27.70A	90.80B/27.70A	----	64.10 + 31.90	.7898	----	----	2	----	17 + 1
4545	38.60	38.60	#86.80B/25.80A	86.80B/25.80A	----	60.30 + 30.40	.7681	----	----	8	----	56 + 4
4545	20.20	20.20	47.20B/*9.10A	47.20B/*9.10A	----	12.30 - 30.20	.2318	----	----	7	----	41 + 6
4550	----	----	#143.00B/86.40A	#143.00B/86.40A	----	122.30 + 32.90	.5800	----	----	----	----	1 UNCH
4550	----	----	77.60B/*37.60A	77.60B/*37.60A	----	43.60 - 29.50	.3808	----	----	1	----	2 + 1
4550	----	----	95.10B/56.30A	95.10B/56.30A	----	62.80 - 29.60	.4065	----	----	----	----	25 UNCH
4550	----	----	110.60B/52.10A	110.60B/52.10A	----	86.60 + 31.10	.6189	----	----	----	----	3 UNCH
4550	----	----	128.40B/71.00A	128.40B/71.00A	----	105.70 + 30.90	.5929	----	----	----	----	108 UNCH
4550	37.20	37.20	50.30B/*9.60	50.30B/*9.60	----	13.60 - 31.70	.2548	----	----	146	----	216 + 81
4550	25.00	25.00	82.50B/23.80A	82.50B/23.80A	----	56.60 + 28.90	.7450	----	----	234	----	226 - 25
4555	70.30	70.30	#78.90B/21.60A	78.90B/21.60A	----	53.00 + 27.30	.7207	----	----	20	----	14 + 11
4555	39.20	39.20	53.60B/*10.70A	53.60B/*10.70A	----	15.00 - 33.30	.2791	----	----	34	----	21 + 18
4560	29.50	29.50	#76.00/19.90A	76.00/19.90A	----	49.50 + 25.70	.6952	----	----	35	----	27 + 22
4560	29.00	29.00	56.90B/*11.70A	56.90B/*11.70A	----	16.50 NEW	.3046	----	----	138	40	131 + 131
4565	25.00	25.00	#71.70B/18.40A	71.70B/18.40A	----	46.10 + 24.20	.6686	----	----	8	----	5 + 2
4565	31.30	31.30	60.20B/*13.00A	60.20B/*13.00A	----	18.10 NEW	.3312	----	----	47	----	24 + 24
4570	15.40	15.40	63.60B/*14.10A	63.60B/*14.10A	----	19.90 NEW	.3593	----	----	19	----	18 + 18
4570	----	----	#66.90B/16.80A	66.90B/16.80A	----	42.90 + 22.60	.6406	----	----	1	----	2 + 1
4575	22.70	22.70	64.00B/15.50A	64.00B/15.50A	----	39.80 + 21.10	.6117	----	----	64	----	123 + 31
4575	----	----	----/66.00A	105.40B/66.00A	----	73.60 - 32.70	.4553	----	----	----	----	5 UNCH
4575	56.40	56.40	94.30B/42.10A	94.30B/42.10A	----	71.80 + 27.00	.5543	----	----	5	----	7 + 2
4575	108.30	108.30	112.90B/60.60A	112.90B/60.60A	----	91.60 + 27.80	.5442	----	----	5	----	5 - 1
4575	36.20	36.20	67.40B/*15.20	67.40B/*15.20	----	21.80 - 39.50	.3881	----	----	40	----	33 + 9
4575	----	----	91.90B/46.50A	91.90B/46.50A	----	53.80 NEW	.4454	----	----	2	----	2 + 2
4580	16.00	16.00	#59.80B/14.00A	59.80B/14.00A	----	36.90 + 19.70	.5819	----	----	15	----	26 + 3
4580	24.70	24.70	71.00B/*17.00A	71.00B/*17.00A	----	23.90 NEW	.4179	----	----	29	----	24 + 24
4585	11.80	11.80	#56.40B/11.60	56.40B/11.60	----	34.00 + 18.20	.5519	----	----	62	----	29 + 17
4585	----	----	74.90B/*18.40A	74.90B/*18.40A	----	26.00 NEW	.4480	----	----	2	----	2 + 2
4590	29.50	29.50	78.90B/*19.90A	78.90B/*19.90A	----	28.40 NEW	.4787	----	----	35	----	18 + 18
4590	11.50	11.50	#53.00B/11.50	53.00B/11.50	----	31.40 + 16.80	.5212	----	----	24	----	16 + 11
4595	41.60	41.60	#49.80B/10.60A	49.80B/10.60A	----	28.80 + 15.40	.4904	----	----	32	----	28 + 21
4595	28.30	28.30	82.90B/*21.70A	82.90B/*21.70A	----	30.80 NEW	.5094	----	----	8	----	6 + 6
4600	50.00	50.00	79.10B/33.60A	79.10B/33.60A	----	58.70 + 22.90	.4875	----	----	19	----	50 + 15
4600	96.00	96.00	96.00/*93.60A	135.60B/*93.60A	----	103.10 NEW	.5005	----	----	1	----	1 + 1
4600	----	----	113.90B/65.40A	113.90B/65.40A	----	96.10 + 27.40	.4989	----	----	----	----	1 UNCH
4600	----	----	----/76.70A	119.10B/76.70A	----	85.80 - 35.80	.5050	----	----	----	----	1 UNCH
4600	75.10	75.10	98.60B/51.20A	98.60B/51.20A	----	78.80 + 24.70	.4945	----	----	2	----	153 + 2
4600	27.40	27.40	87.00B/*23.40A	87.00B/*23.40A	----	33.50 - 46.40	.5401	----	----	34	----	21 + 15
4600	10.10	10.10	47.00B/9.50A	47.00B/9.50A	----	26.50 + 14.20	.4597	----	----	173	25	133 + 42
4605	26.20	26.20	#44.10B/8.60A	44.10B/8.60A	----	24.20 + 12.90	.4291	----	----	4	----	3 + 2
4605	28.30	28.30	91.20B/*25.30A	91.20B/*25.30A	----	36.20 NEW	.5707	----	----	1	----	1 + 1
4610	24.30	24.30	#41.40B/7.80A	41.40B/7.80A	----	22.10 + 11.70	.3991	----	----	15	----	9 + 8
4610	30.00	30.00	95.40B/*27.00	95.40B/*27.00	----	39.10 NEW	.6007	----	----	15	----	10 + 10
4615	31.90	31.90	99.70B/*29.80A	99.70B/*29.80A	----	42.20 NEW	.6298	----	----	9	----	8 + 8
4615	25.40	25.40	#38.70B/7.00A	38.70B/7.00A	----	20.20 + 10.70	.3700	----	----	5	----	5 + 4
4620	----	----	104.20B/*32.20A	104.20B/*32.20A	----	45.40 - 50.90	.6582	----	----	1	----	2 - 1
4620	14.50	14.50	#35.90B/6.40A	35.90B/6.40A	----	18.40 + 9.60	.3417	----	----	3	----	9 + 2
4625	9.30	9.30	35.10/5.80A	35.10/5.80A	----	16.70 + 8.60	.3142	----	----	77	40	69 - 47
4625	111.00	111.00	111.00/*105.90A	150.20B/*105.90A	----	116.50 NEW	.5411	----	----	1	----	1 + 1
4625	----	----	126.90B/68.30A	126.90B/68.30A	----	79.40 - 41.40	.5789	----	----	----	----	1 UNCH
4625	73.50	73.50	108.50B/*34.70A	108.50B/*34.70A	----	48.70 - 51.90	.6857	----	----	10	----	5 + 1
4630	7.80	7.80	#31.10B/5.30A	31.10B/5.30A	----	15.20 + 7.80	.2883	----	----	7	----	18 + 3
4630	50.60	50.60	113.30B/*37.80A	113.30B/*37.80A	----	52.20 NEW	.7115	----	----	2	----	2 + 2
4635	86.00	86.00	117.60B/*40.50A	117.60B/*40.50A	----	55.70 NEW	.7370	----	----	3	----	1 + 1
4635	6.50	6.50	#28.90B/4.80A	28.90B/4.80A	----	13.70 + 6.90	.2629	----	----	70	----	28 + 27
4640	10.00	10.00	#26.70B/4.40A	26.70B/4.40A	----	12.40 + 6.10	.2394	----	----	1	----	4 + 1
4645	5.50	5.50	#24.70B/4.00A	24.70B/4.00A	----	11.30 + 5.50	.2182	----	----	18	----	13 + 11
4650	5.10	5.10	22.90B/3.70A	22.90B/3.70A	----	10.20 + 4.90	.1976	----	----	108	----	92 UNCH
4650	----	----	54.70B/21.20A	54.70B/21.20A	----	37.90 + 15.70	.3568	----	----	3	----	10 + 3
4650	48.00	48.00	131.60B/*48.00	131.60B/*48.00	----	67.20 - 55.70	.8023	----	----	1	----	7 + 1
4650	----	----	74.50B/36.20A	74.50B/36.20A	----	57.20 + 19.00	.3966	----	----	----	----	7 UNCH
4650	----	----	146.40B/81.70A	146.40B/81.70A	----	94.90 - 44.80	.6429	----	----	----	----	1 UNCH
4660	14.90	14.90	#19.40B/3.10A	19.40B/3.10A	----	8.30 + 3.80	.1608	----	----	117	----	60 + 57
4665	3.50	3.50	#17.80B/2.90A	17.80B/2.90A	----	7.50 + 3.30	.1447	----	----	12	----	10 + 9
4670	3.10	3.10	#16.40B/2.70A	16.40B/2.70A	----	6.80 + 2.90	.1304	----	----	12	----	11 + 9
4670	----	----	150.70B/*63.10A	150.70B/*63.10A	----	83.70 - 57.70	.8694	----	----	----	----	2 UNCH
4675	----	----	63.70B/30.20A	63.70B/30.20A	----	48.30 + 16.50	.3503	----	----	----	----	1 UNCH
4675	5.50	5.50	15.10B/2.50A	15.10B/2.50A	----	6.10 + 2.50	.1165	----	----	24	----	29 + 18
4675	22.40	22.40	44.70B/16.70A	44.70B/16.70A	----	30.00 + 12.60	.2974	----	----	9	----	10 + 6
4675	----	----	155.30B/67.20A	155.30B/67.20A	----	88.10 - 58.00	.8833	----	----	----	----	4 UNCH
4680	----	----	160.20B/*70.90A	160.20B/*70.90A	----	92.50 NEW	.8956	----	----	2	----	2 + 2
4680	3.80	3.80	#13.80B/2.30A	13.80B/2.30A	----	5.50 NEW	.1043	----	----	40	----	38 + 38
4685	8.60	8.60	#12.60B/2.10A	12.60B/2.10A	----	5.00 NEW	.0937	----	----	14	----	11 + 11
4690	----	----	#11.60B/1.90A	11.60B/1.90A	----	4.50 + 1.70	.0836	----	----	2	----	13 + 2
4695	7.20	7.20	#10.40B/1.80A	10.40B/1.80A	----	4.10 NEW	.0751	----	----	1	----	1 + 1
4700	----	----	179.60B/86.80A	179.60B/86.80A	----	110.70 - 59.30	.9329	----	----	----	----	3 UNCH
4700	1.90	1.90	9.90B/1.60A	9.90B/1.60A	----	3.70 + 1.20	.0670	----	----	42	----	150 + 24
4700	33.00	33.00	54.60B/25.20A	54.60B/25.20A	----	40.60 + 14.20	.3067	----	----	7	----	12 - 7
4700	----	----	----/131.70A	191.30B/131.70A	----	147.40 - 46.40	.6928	----	----	----	----	5 UNCH
4700	----	----	188.50B/113.10A	188.50B/113.10A	----	130.50 - 50.60	.7553	----	----	----	----	1 UNCH
4700	15.20	15.20	36.10B/13.20A	36.10B/13.20A	----	23.60 + 10.00	.2444	----	----	4	----	10 + 3
4705	----	----	184.50B/*90.50A	184.50B/*90.50A	----	115.30 - 59.50	.9394	----	----	----	----	1 UNCH
4710	----	----	#8.00B/1.30A	8.00B/1.30A	----	3.10 NEW	.0543	----	----	3	----	1 + 1
4720	----	----	#6.70B/1.10A	6.70B/1.10A	----	2.60 + 0.70	.0440	----	----	43	----	22 + 20
4725	----	----	46.20B/21.00A	46.20B/21.00A	----	33.90 + 12.00	.2662	----	----	3	----	6 UNCH
4725	3.10	3.10	6.00B/1.00A	6.00B/1.00A	----	2.30 + 0.50	.0384	----	----	11	----	87 + 6
4725	----	----	211.10B/132.30A	211.10B/132.30A	----	150.40 - 52.70	.8013	----	----	----	----	1 UNCH
4725	21.40	21.40	28.90B/10.60A	28.90B/10.60A	----	18.50 + 7.80	.1984	----	----	62	----	62 + 60
4725	----	----	204.10B/108.70A	204.10B/108.70A	----	134.30 - 60.00	.9614	----	----	----	----	1 UNCH
4730	----	----	#5.60B/1.00A	5.60B/1.00A	----	2.10 + 0.50	.0344	----	----	1	----	2 + 1
4735	1.00	1.00	#5.00B/0.90A	5.00B/0.90A	----	2.00 + 0.50	.0320	----	----	1	----	2 + 1
4750	3.70	3.70	3.90B/0.80A	3.90B/0.80A	----	1.50 + 0.20	.0227	----	----	1	----	8 UNCH
4750	----	----	39.00B/17.50A	39.00B/17.50A	----	28.30 + 10.20	.2297	----	----	1	----	6 + 1
4750	----	----	228.80B/130.50A	228.80B/130.50A	----	158.50 - 60.30	.9772	----	----	----	----	2 UNCH
4750	9.00	9.00	24.00/8.30A	24.00/8.30A	----	14.50 + 6.10	.1598	----	----	17	----	33 - 10
4750	----	----	234.20B/150.70A	234.20B/150.70A	----	171.40 - 54.40	.8399	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4										
JUN26												
4750	----	----	52.90B/27.00A	52.90B/27.00A	----	39.90 + 11.80	.2682	----	----	----	----	3 UNCH
4775	1.70	1.70	2.50B/*0.50A	2.50B/*0.50A	----	1.00 UNCH	.0136	----	----	1	----	2 + 1
4775	----	----	----/*200.80A	264.30B/*200.80A	----	215.80 - 50.40	.7627	----	----	----	----	1 UNCH
4775	----	----	18.30B/6.60A	18.30B/6.60A	----	11.50 + 4.80	.1287	----	----	----	----	1 UNCH
4780	2.10	2.10	#2.20B/*0.50A	2.20B/*0.50A	----	0.90 UNCH	.0120	----	----	1	----	1 + 1
4785	217.20	217.20	#217.20/*163.90	240.30B/*163.90A	----	192.80 NEW	.9882	----	----	1	----	1 + 1
4785	1.00	1.00	#1.90B/*0.40A	1.90B/*0.40A	----	0.90 UNCH	.0117	----	----	2	----	2 + 2
4795	1.90	1.90	#1.90/*0.40A	1.90/*0.40A	----	0.70 NEW	.0088	----	----	1	----	1 + 1
4800	----	----	39.60B/19.60A	39.60B/19.60A	----	29.40 + 8.80	.2090	----	----	----	----	2 UNCH
4800	----	----	----/177.60A	229.60B/177.60A	----	207.60 - 60.70	.9913	----	----	----	----	1 UNCH
4800	----	----	27.40B/12.10A	27.40B/12.10A	----	19.70 + 7.30	.1686	----	----	4	----	4 + 2
4800	7.00	7.00	14.60B/7.00	14.60B/5.40A	----	9.10 + 3.70	.1031	----	----	3	----	105 + 3
4800	----	----	1.50B/*0.40A	1.50B/*0.40A	----	0.70 - 0.10	.0086	----	----	----	----	58 UNCH
4810	1.50	1.50	#1.60/*0.40A	1.60/*0.40A	----	0.60 NEW	.0070	----	----	50	----	50 + 50
4820	0.30	0.30	#1.00B/*0.30	1.00B/*0.30	----	0.50 NEW	.0056	----	----	1	----	1 + 1
4825	0.30	0.30	0.90B/*0.20	0.90B/*0.20	----	0.50 - 0.10	.0055	----	----	5	----	6 + 5
4825	----	----	11.60B/----	11.60B/4.50A	----	7.30 + 2.90	.0830	----	----	----	----	1 UNCH
4830	0.20	0.20	#0.80B/*0.20	0.80B/*0.20	----	0.40 NEW	.0043	----	----	1	----	1 + 1
4835	0.20	0.20	#0.70B/*0.20	0.70B/*0.20	----	0.40 NEW	.0042	----	----	1	----	1 + 1
4840	244.30	244.30	#269.50B/*217.3	269.50B/*217.30A	----	247.30 NEW	.9958	----	----	1	----	1 + 1
4845	0.20	0.20	#0.80/*0.20	0.80/*0.20	----	0.40 NEW	.0040	----	----	3	----	2 + 2
4850	0.20	0.20	0.70/*0.20	0.70/*0.20	----	0.30 - 0.20	.0029	----	----	6	----	18 + 5
4850	----	----	19.20B/----	19.20B/8.70A	----	13.90 + 5.20	.1230	----	----	1	----	12 + 1
4850	----	----	9.30B/----	9.30B/3.70A	----	5.90 + 2.30	.0671	----	----	----	----	3 UNCH
4850	----	----	29.80B/14.70A	29.80B/14.70A	----	22.20 + 7.00	.1632	----	----	----	----	11 UNCH
4855	0.20	0.20	0.50B/*0.20	0.50B/*0.20	----	0.30 NEW	.0029	----	----	10	----	10 + 10
4860	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.30 NEW	.0028	----	----	11	----	11 + 11
4875	----	----	7.50B/----	7.50B/3.10A	----	4.90 + 1.90	.0552	----	----	----	----	1 UNCH
4875	----	----	25.60B/12.60A	25.60B/12.60A	----	19.30 + 6.20	.1439	----	----	----	----	1 UNCH
4875	12.00	12.00	16.20B/12.00	16.20B/7.50A	----	11.70 + 4.30	.1048	----	----	2	----	3 + 2
4875	----	----	0.40B/*0.20A	0.40B/*0.20A	----	0.20 - 0.10	.0017	----	----	----	----	128 UNCH
4875	----	----	354.90B/259.50A	354.90B/259.50A	----	286.70 - 58.60	.9446	----	----	----	----	1 UNCH
4880	----	----	#0.40B/*0.20A	0.40B/*0.20A	----	0.20 NEW	.0017	----	----	1	----	1 + 1
4895	0.40	0.40	#0.40/*0.20A	0.40/*0.20A	----	0.20 NEW	.0016	----	----	5	----	5 + 5
4900	----	----	----/282.80A	356.40B/282.80A	----	310.80 NEW	.9550	----	----	1	----	1 + 1
4900	----	----	13.50B/----	13.50B/6.60A	----	10.00 + 3.70	.0901	----	----	----	----	5 UNCH
4900	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.10 - 0.10	.0007	----	----	5	----	54 + 5
4900	----	----	6.00B/----	6.00B/2.70A	----	4.00 + 1.40	.0448	----	----	1	----	5 + 1
4900	----	----	----/279.90A	347.70B/279.90A	----	307.10 - 60.70	.9993	----	----	1	----	2 UNCH
4905	0.20	0.20	#0.20/0.20	0.20/0.20	----	0.10 NEW	.0006	----	----	5	----	5 + 5
4925	----	----	----	----/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	5 UNCH
4925	----	----	11.40B/----	11.40B/5.70A	----	8.50 + 3.10	.0771	----	----	----	----	7 UNCH
4935	----	----	----	----/0.20A	----	0.10 - 0.10	.0002	----	----	----	----	26 UNCH
4950	----	----	3.80B/----	3.80B/2.10A	----	2.90 + 1.00	.0314	----	----	----	----	5 UNCH
4950	----	----	9.90B/----	9.90B/5.00A	----	7.30 + 2.60	.0664	----	----	----	----	11 UNCH
4950	----	----	16.50B/8.50A	16.50B/8.50A	----	12.70 + 4.00	.0979	----	----	----	----	1 UNCH
4950	----	----	----	----/0.40A	----	0.10 UNCH	.0001	----	----	----	----	32 UNCH
4975	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	2	----	5 UNCH
4975	5.00	5.00	8.30B/5.00	8.30B/4.40A	----	6.30 NEW	.0573	----	----	5	----	5 + 5
5000	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	31 UNCH
5000	----	----	7.10B/----	7.10B/4.10A	----	5.50 + 1.90	.0498	----	----	10	----	11 + 10
5000	----	----	2.40B/----	2.40B/1.70A	----	2.20 + 0.70	.0229	----	----	----	----	32 UNCH
5000	----	----	12.40B/----	12.40B/8.10A	----	9.70 + 2.80	.0759	----	----	----	----	1 UNCH
5025	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5025	----	----	5.90B/----	5.90B/3.70A	----	4.80 + 1.60	.0434	----	----	----	----	4 UNCH
5050	----	----	4.70B/----	4.70B/3.30A	----	4.30 + 1.50	.0385	----	----	----	----	11 UNCH
5050	10.00	10.00	10.00/10.00	10.00/6.70A	----	7.50 + 1.90	.0592	----	----	2	----	3 + 2
5050	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.40	.0162	----	----	----	----	5 UNCH
5050	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
5075	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5100	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5100	----	----	3.70B/----	3.70B/2.80A	----	3.40 + 1.20	.0300	----	----	----	----	6 UNCH
5125	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5150	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
5150	----	----	1.00B/----	1.00B/1.10A	----	1.00 + 0.20	.0093	----	----	----	----	1 UNCH
5175	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5200	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5225	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5250	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5250	----	----	----	0.60B/1.00A	----	0.70 + 0.10	.0060	----	----	----	----	4 UNCH
5250	----	----	----	2.10B/3.60A	----	3.40 + 0.30	.0259	----	----	----	----	1 UNCH
5275	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5300	----	----	----	0.10B/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5300	----	----	----	0.50B/0.90A	----	0.60 + 0.10	.0049	----	----	----	----	5 UNCH
5325	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5350	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5400	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
5500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5750	----	----	----	0.30B/1.00A	----	0.40 + 0.10	.0027	----	----	----	----	3 UNCH
5750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
6000	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
TOTAL										3520	105	6913 + 1089

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK5										
MAY26												
4350	----	----	----	----	----	0.00 - 0.90	----	----	----	----	----	0 - 1
4470	77.70	77.70	77.70/*54.50A	77.70/*54.50A	----	123.00 + 53.80	----	----	----	1	----	0 - 1
4500	50.90	50.90	50.90/*50.90	50.90/50.90	----	93.00 + 47.80	----	----	----	1	----	0 - 1
4515	----	----	----	----	----	78.00 + 43.00	----	1	----	----	----	0 - 1
4530	4.90	4.90	#4.90/*0.50	#4.90/*0.50	----	0.00 NEW	----	----	----	4	----	0 UNCH
TOTAL										6		0 - 4
JUN26												
4550	55.10	55.10	#55.10/*55.10	#55.10/55.10	----	81.00 NEW	.6317	----	----	2	----	2 + 2
4675	----	----	----	----	----	25.30 + 11.30	.2752	----	----	----	----	4 UNCH
TOTAL										2		6 + 2

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
MAY26												
6400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7210	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7230	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	2.912 UNCH	----	----	----	----	----	0 UNCH
7320	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7330	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	2.412 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	1.912 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7430	----	----	----	----	----	1.612 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	1.412 UNCH	----	----	----	----	----	0 UNCH
7480	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7490	----	----	----	----	----	1.012 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.912 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week4										
MAY26												
7510	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7510	----	----	----	----	----	0.812	UNCH	----	----	----	----	----	0 UNCH
7530	----	----	----	----	----	0.612	UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.412	UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7560	----	----	----	----	----	0.312	UNCH	----	----	----	----	----	0 UNCH
7580	----	----	----	----	----	0.112	UNCH	----	----	----	----	----	0 UNCH
7590	----	----	----	----	----	0.012	UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.088	UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7620	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7680	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	1.088	UNCH	----	----	----	----	----	0 UNCH
7710	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7710	----	----	----	----	----	1.188	UNCH	----	----	----	----	----	0 UNCH
8300	----	----	----	----	----	7.088	UNCH	----	----	----	----	----	0 UNCH
8400	----	----	----	----	----	8.088	UNCH	----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	9.088	UNCH	----	----	----	----	----	0 UNCH
8800	----	----	----	----	----	12.088	UNCH	----	----	----	----	----	0 UNCH
TOTAL												0	0 0
JUN26												
5500	----	----	----	0.001B/0.214A	----	0.032 -	0.003	.0074	----	----	----	----	5 UNCH
6000	----	----	----	----/0.084A	----	0.008 -	0.005	.0019	----	----	----	----	1 UNCH
6500	----	----	----	0.003B/*0.125A	----	0.050 -	0.019	.0150	----	----	----	----	1 UNCH
6900	----	----	----/*0.215A	0.101B/*0.215A	----	0.151 -	0.076	.0540	----	----	----	----	1 UNCH
7000	----	----	----/*0.273A	0.204B/*0.273A	----	0.203 -	0.103	.0752	----	----	----	----	1 UNCH
7000	----	----	----/*1.000A	1.015B/*1.000A	----	0.952 -	0.155	.1991	----	----	----	----	1 UNCH
7050	----	----	----/*0.300A	0.238B/*0.300A	----	0.237 -	0.121	.0891	----	----	----	----	1 UNCH
7100	----	----	----/*0.373A	0.322B/*0.373A	----	0.280 -	0.138	.1063	----	----	----	----	2 UNCH
7200	----	----	----/1.634A	1.627B/1.634A	----	1.470 -	0.184	.2828	----	----	----	----	1 UNCH
7200	----	----	----/*0.498A	0.499B/*0.498A	----	0.396 -	0.177	.1514	----	----	----	----	1 UNCH
7250	----	----	----/1.813A	1.786B/1.813A	----	1.635 -	0.188	.3066	----	----	----	----	1 UNCH
7300	----	----	----/1.391A	1.473B/1.391A	----	1.259 -	0.221	.2984	----	----	----	----	4 UNCH
7350	----	----	----/3.069A	3.256B/3.069A	----	3.060 -	0.270	.7466	----	----	----	----	1 UNCH
7400	----	----	2.437B/2.317A	2.437B/2.317A	----	2.218 -	0.195	.3820	----	----	----	----	1 UNCH
7400	0.840	0.840	1.096B/0.840	1.096B/0.840	----	0.826	NEW	.2972	----	----	5	----	5 + 5
7550	----	----	----/2.490A	2.793B/2.490A	----	2.659 -	0.282	.5407	----	----	----	----	2 UNCH
7550	----	----	2.559B/2.351A	2.559B/2.351A	----	2.285 -	0.245	.4592	----	----	----	----	2 UNCH
7600	----	----	----/1.363A	1.723B/1.363A	----	1.530 -	0.298	.4962	----	----	----	----	1 UNCH
7600	----	----	----/2.551A	2.717B/2.551A	----	2.543 -	0.244	.4925	----	----	----	----	25 UNCH
7700	----	----	3.001B/2.489A	3.001B/2.489A	----	2.658 -	0.221	.4628	----	----	----	----	104 UNCH
7750	----	----	----	2.559B/2.807A	----	2.571 -	0.221	.6569	----	----	----	----	1 UNCH
7800	----	----	2.569B/2.144A	2.569B/2.144A	----	2.288 -	0.214	.4143	----	----	----	----	6 UNCH
7850	----	----	----/3.438A	3.285B/3.438A	----	3.301 -	0.181	.7424	----	----	----	----	2 UNCH
7900	----	----	2.184B/1.857A	2.184B/1.857A	----	1.966 -	0.205	.3686	----	----	----	----	2 UNCH
7900	----	----	----	3.385B/3.860A	----	3.695 -	0.160	.7789	----	----	----	----	1 UNCH
7950	----	----	----/0.509A	0.601B/0.509A	----	0.482 -	0.175	.1887	----	----	----	----	2 UNCH
8000	----	----	----/0.431A	0.515B/0.431A	----	0.407 -	0.154	.1607	----	----	----	----	8 UNCH
8000	----	----	----/1.055A	1.251B/1.055A	----	1.062 -	0.207	.2710	----	----	3	----	8 UNCH
8000	2.000	2.000	2.000/1.610A	2.000/1.610A	----	1.688 -	0.196	.3264	----	----	3	----	2 + 2
8050	----	----	----/0.394A	0.400B/0.394A	----	0.343 -	0.134	.1363	----	----	----	----	1 UNCH
8100	----	----	----/1.400A	1.580B/1.400A	----	1.448	NEW	.2878	----	----	3	----	3 + 3
8200	----	----	----/1.224A	1.341B/1.224A	----	1.243 -	0.176	.2530	----	----	----	----	7 UNCH
8200	----	----	----/0.250A	0.225B/0.250A	----	0.207 -	0.097	.0822	----	----	----	----	1 UNCH
8300	----	----	----/0.627A	0.635B/0.627A	----	0.569 -	0.133	.1562	----	----	----	----	4 UNCH
8850	----	----	----	0.008B/*0.118A	----	0.041 -	0.036	.0133	----	----	----	----	1 UNCH
9500	----	----	----	0.047B/*0.157A	----	0.114 -	0.014	.0283	----	----	----	----	1 UNCH
TOTAL											14	0	211 + 10
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
JUN26												
5250	----	----	----	----/0.235A	----	0.001 -	0.002	.0002	----	----	----	----	15 UNCH
5750	----	----	----	----/0.292A	----	0.001	UNCH	----	----	----	----	----	1 UNCH
6000	----	----	----	0.010B/*0.147A	----	0.084 -	0.024	.0204	----	----	----	----	2 UNCH
6000	----	----	----	----	----	15.875 -	0.037	.0000	----	----	----	----	0 UNCH
6500	----	----	----	----/0.084A	----	0.003 -	0.008	.0005	----	----	----	----	13 UNCH
6750	----	----	----	----/*0.043A	----	0.016 -	0.027	.0044	----	----	----	----	2 UNCH
6900	----	----	----/*0.043A	0.001B/*0.043A	----	0.040 -	0.041	.0133	----	----	----	----	1 UNCH
7000	0.049	0.049	0.049/*0.017	0.049/*0.017	----	0.056 -	0.049	.0212	----	----	3	----	7 + 3
7010	----	----	----/*0.052A	0.004B/*0.052A	----	0.058 -	0.050	.0222	----	----	----	----	1 UNCH
7050	----	----	----/*0.058A	0.010B/*0.058A	----	0.064 -	0.058	.0260	----	----	----	----	1 UNCH
7100	----	----	----/*0.068A	0.027B/*0.068A	----	0.073 -	0.072	.0318	----	----	----	----	1 UNCH
7200	----	----	----/*0.101A	0.122B/*0.101A	----	0.103 -	0.113	.0518	----	----	----	----	3 UNCH
7250	0.160	0.160	0.200/*0.131A	0.200/*0.131A	----	0.132 -	0.137	.0704	----	----	22	----	12 - 11
7300	----	----	1.121B/0.985A	1.121B/0.985A	----	0.864 -	0.235	.2611	----	----	----	----	1 UNCH
7300	0.277	0.277	0.277/*0.135A	0.277/*0.135A	----	0.174 -	0.163	.0972	----	----	11	----	11 + 8
7350	0.200	0.200	0.217/*0.200	0.338B/*0.200	----	0.231 -	0.195	.1339	----	----	12	----	15 + 12
7400	0.460	0.460	0.472B/*0.238A	0.472B/*0.238A	----	0.306 -	0.232	.1824	----	----	4	----	7 + 3
7410	----	----	----/*0.307A	0.494B/*0.307A	----	0.324 -	0.240	.1938	----	----	----	----	2 UNCH
7430	----	----	----/*0.343A	0.576B/*0.343A	----	0.363 -	0.256	.2184	----	----	----	----	6 UNCH
7450	----	----	2.516B/1.170A	2.516B/1.170A	----	1.781 -	0.309	.7543	----	----	----	----	5 UNCH
7450	----	----	----/*0.373A	0.656B/*0.373A	----	0.407 -	0.272	.2456	----	----	----	----	1 UNCH
7480	0.640	0.640	0.785B/*0.443A	0.785B/*0.443A	----	0.483	NEW	.2911	----	----	2	----	2 + 2
7490	----	----	#2.182B/0.957A	2.182B/0.957A	----	1.486 -	0.339	.6924	----	----	----	----	2 UNCH
7490	0.503	0.503	0.834B/*0.465A	0.834B/*0.465A	----	0.511 -	0.303	.3075	----	----	13	----	65 - 8
7500	0.746	0.746	0.887B/*0.472	0.887B/*0.472	----	0.541 -	0.310	.3246	----	----	55	----	49 + 37
7500	----	----	2.114B/0.912A	2.114B/0.912A	----	1.416 -	0.347	.6753	----	----	----	----	8 UNCH
7510	----	----	0.937B/*0.512A	0.937B/*0.512A	----	0.573 -	0.317	.3423	----	----	----	----	1 UNCH
7520	0.620	0.620	0.984B/*0.537A	0.984B/*0.537A	----	0.606 -	0.324	.3605	----	----	10	----	12 + 10
7530	----	----	1.043B/*0.563A	1.043B/*0.563A	----	0.642	NEW	.3793	----	----	3	----	3 + 3
7550	----	----	1.100B/*0.618A	1.100B/*0.618A	----	0.718	NEW	.4183	----	----	1	----	1 + 1
7560	0.850	0.850	1.125B/*0.648A	1.125B/*0.648A	----	0.759	NEW	.4383	----	----	1	----	1 + 1
7560	0.900	0.900	#1.646B/0.657A	1.646B/0.657A	----	1.034	NEW	.5616	----	----	1	----	1 + 1
7570	----	----	#1.575B/0.623A	1.575B/0.623A	----	0.977 -	0.386	.5412	----	----	----	----	3 UNCH
7590	1.059	1.059	#1.438B/0.559A	1.438B/0.559A	----	0.870	NEW	.4998	----	----	1	----	1 + 1
7590	0.900	0.900	1.331B/*0.747A	1.331B/*0.747A	----	0.895	NEW	.5001	----	----	2	----	2 + 2
7600	1.150	1.150	1.500/0.523A	1.500/0.523A	----	0.820 -	0.394	.4789	----	----	23	----	17 + 10
7600	----	----	2.414B/1.734A	2.414B/1.734A	----	1.981 -	0.315	.5026	----	----	----	----	1 UNCH
7600	1.255	1.255	1.401B/0.783A	1.401B/0.783A	----	0.945	NEW	.5210	----	----	3	----	3 + 3
7650	0.351	0.351	1.150B/0.351	1.150B/0.351	----	0.601	NEW	.3762	----	----	1	----	1 + 1
7690	----	----	2.112B/*1.170A	2.112B/*1.170A	----	1.487 -	0.343	.6995	----	----	----	----	1 UNCH
7700	0.320	0.320	0.929B/0.275A	0.929B/0.275A	----	0.432 -	0.376	.2828	----	----	9	----	12 + 5
7700	1.555	1.555	2.191B/1.221A	2.191B/1.221A	----	1.557	NEW	.7171	----	----	3	----	3 + 3
7750	----	----	2.627B/1.497A	2.627B/1.497A	----	1.933 -	0.309	.7944	----	----	----	----	1 UNCH
7750	0.269	0.269	0.708B/0.207A	0.708B/0.207A	----	0.309	NEW	.2055	----	----	205	----	51 + 51
7780	0.652	0.652	0.652/*0.178A	0.652/*0.178A	----	0.252	NEW	.1675	----	----	15	----	15 + 15
7800	0.287	0.287	0.520B/*0.160A	0.520B/*0.160A	----	0.221 -	0.308	.1459	----	----	3	----	6 - 2
7850	0.300	0.300	0.375B/*0.124A	0.375B/*0.124A	----	0.160 -	0.268	.1027	----	----	202	----	54 + 38
7880	0.320	0.320	0.320/*0.113A	0.320/*0.113A	----	0.133	NEW	.0833	----	----	2	----	2 + 2
7900	0.110	0.110	0.110/*0.106A	0.262B/*0.106A	----	0.118 -	0.230	.0725	----	----	1	----	4 + 1
7950	----	----	4.556B/3.023A	4.556B/3.023A	----	3.714 -	0.156	.9477	----	----	----	----	7 UNCH
8000	----	----	5.042B/3.444A	5.042B/3.444A	----	4.194 -	0.126	.9618	----	----	----	----	3 UNCH
8000	0.130	0.130	0.130/*0.078A	0.130/*0.078A	----	0.070 -	0.163	.0381	----	----	2	----	11 + 1
8000	----	----	2.018B/1.740A	2.018B/1.740A	----	1.826 -	0.189	.3361	----	----	----	----	1 UNCH
8000	----	----	----/1.267A	1.497B/1.267A	----	1.283 -	0.332	.2943	----	----	----	----	16 UNCH
8050	----	----	----/*0.074A	0.071B/*0.074A	----	0.057 -	0.136	.0290	----	----	----	----	2 UNCH
8100	0.043	0.043	0.060B/*0.043	0.060B/*0.043	----	0.048 -	0.113	.0227	----	----	1	----	7 - 1
8100	----	----	----/0.541A	0.643B/0.541A	----	0.573 -	0.196	.1818	----	----	----	----	1 UNCH
8200	----	----	7.042B/5.276A	7.042B/5.276A	----	6.160 -	0.041	.9850	----	----	----	----	1 UNCH
8350	----	----	----/*0.044A	0.001B/*0.044A	----	0.028 -	0.046	.0096	----	----	----	----	1 UNCH
8400	----	----	8.960B/7.919A	8.960B/7.919A	----	8.405 -	0.065	.9072	----	----	----	----	20 UNCH
8500	----	----	#10.035B/8.213A	#10.035B/8.213A	----	9.138 +	0.012	.9956	----	----	----	----	1 UNCH
8500	----	----	----/0.583A	0.563B/0.583A	----	0.533 -	0.185	.1344	----	----	----	----	16 UNCH
8600	----	----	----	----/*0.038A	----	0.008 -	0.018	.0020	----	----	----	----	1 UNCH
8700	----	----	----	----/*0.052A	----	0.004 -	0.012	.0008	----	----	----	----	1 UNCH
8800	----	----	----/*0.168A	0.095B/*0.168A	----	0.127 -	0.051	.0400	----	----	----	----	13 UNCH
9050	----	----	----	----/0.068A	----	0.001 -	0.003	.0000	----	----	----	----	1 UNCH
9200	----	----	----/*0.251A	0.177B/0.251A	----	0.217 -	0.044	.0532	----	----	----	----	7 UNCH
9500	----	----	----	----/0.090A	----	0.001	UNCH	----	----	----	----	----	1 UNCH
10250	----	----	----	----/0.297A	----	0.001	UNCH	----	----	----	----	----	1 UNCH
TOTAL											611	0	541 + 192
SO CALL		COMEX SILVER OPTIONS										
JUL26												
2700	----	----	49.663B/48.127A	49.663B/48.127A	----	48.875 -	0.037	.0000	----	----	----	----	1 UNCH
4000	----	----	36.715B/35.119A	36.715B/35.119A	----	35.875 -	0.037	.9970	1	----	1	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
4500	----	----	31.669B/30.124A	31.669B/30.124A	----	30.879 - 0.040	.9949	----	----	----	----	2 UNCH
4600	----	----	30.760B/29.079A	30.760B/29.079A	----	29.881 - 0.040	.9944	----	----	----	----	28 UNCH
4700	----	----	----	----	----	28.883 - 0.041	.9938	----	----	----	----	0 UNCH
4750	----	----	----	----	----	28.384 - 0.041	.9935	----	----	----	----	0 UNCH
4825	----	----	28.425B/26.878A	28.425B/26.878A	----	27.636 - 0.041	.9929	----	----	----	----	3 UNCH
4900	----	----	27.677B/26.130A	27.677B/26.130A	----	26.888 - 0.042	.9924	----	----	----	----	1 UNCH
4925	----	----	27.478B/25.890A	27.478B/25.890A	----	26.639 - 0.042	.9922	----	----	----	----	16 UNCH
5000	----	----	26.810B/25.055A	26.810B/25.055A	----	25.892 - 0.042	.9915	----	----	----	----	306 UNCH
5025	----	----	26.431B/24.885A	26.431B/24.885A	----	25.643 - 0.042	.9913	----	----	----	----	4 UNCH
5050	----	----	26.182B/24.636A	26.182B/24.636A	----	25.394 - 0.042	.9910	----	----	----	----	2 UNCH
5100	----	----	25.814B/24.062A	25.814B/24.062A	----	24.896 - 0.042	.9904	----	----	----	----	133 UNCH
5150	----	----	25.236B/23.650A	25.236B/23.650A	----	24.399 - 0.042	.9899	----	----	----	----	6 UNCH
5200	----	----	24.751B/23.079A	24.751B/23.079A	----	23.901 - 0.043	.9892	----	----	----	----	40 UNCH
5225	----	----	24.490B/22.905A	24.490B/22.905A	----	23.653 - 0.043	.9889	----	----	----	----	9 UNCH
5250	----	----	24.192B/22.647A	24.192B/22.647A	----	23.404 - 0.044	.9885	----	----	----	----	2 UNCH
5275	----	----	23.944B/22.399A	23.944B/22.399A	----	23.156 - 0.044	.9882	----	----	----	----	1 UNCH
5300	----	----	23.745B/22.160A	23.745B/22.160A	----	22.907 - 0.045	.9878	----	----	----	----	7 UNCH
5350	----	----	23.328B/21.579A	23.328B/21.579A	----	22.411 - 0.045	.9869	----	----	----	----	157 UNCH
5375	----	----	22.951B/21.407A	22.951B/21.407A	----	22.163 - 0.045	.9865	----	----	----	----	1 UNCH
5400	----	----	22.752B/21.169A	22.752B/21.169A	----	21.915 - 0.046	.9862	----	----	----	----	21 UNCH
5425	----	----	22.517B/20.821A	22.517B/20.821A	----	21.667 - 0.046	.9855	----	----	----	----	42 UNCH
5450	----	----	22.207B/20.664A	22.207B/20.664A	----	21.419 - 0.047	.9851	----	----	----	----	1 UNCH
5500	----	----	21.841B/20.094A	21.841B/20.094A	----	20.924 - 0.048	.9841	----	----	----	----	496 UNCH
5550	----	----	21.217B/19.676A	21.217B/19.676A	----	20.429 - 0.049	.9828	----	----	----	----	3 UNCH
5600	----	----	20.853B/19.104A	20.853B/19.104A	----	19.935 - 0.050	.9816	----	----	----	----	106 UNCH
5650	----	----	20.310B/18.603A	20.310B/18.603A	----	19.442 - 0.051	.9800	----	----	----	----	43 UNCH
5675	----	----	20.064B/18.355A	20.064B/18.355A	----	19.195 - 0.053	.9793	----	----	----	----	25 UNCH
5700	----	----	19.819B/18.125A	19.819B/18.125A	----	18.949 - 0.053	.9784	----	----	----	----	26 UNCH
5750	----	----	19.376B/17.634A	19.376B/17.634A	----	18.457 - 0.055	.9766	----	----	----	----	164 UNCH
5775	----	----	19.045B/17.465A	19.045B/17.465A	----	18.212 - 0.055	.9757	----	----	----	----	1 UNCH
5800	----	----	18.804B/17.229A	18.804B/17.229A	----	17.966 - 0.057	.9746	----	----	----	----	16 UNCH
5900	----	----	17.826B/16.256A	17.826B/16.256A	----	16.988 - 0.061	.9699	----	----	----	----	10 UNCH
5925	----	----	17.582B/16.013A	17.582B/16.013A	----	16.744 - 0.063	.9686	----	----	----	----	10 UNCH
5950	----	----	17.488B/15.666A	17.488B/15.666A	----	16.501 - 0.064	.9673	----	----	----	----	6 UNCH
5975	----	----	17.244B/15.350A	17.244B/15.350A	----	16.257 - 0.066	.9657	----	----	----	----	20 UNCH
6000	----	----	17.000B/15.108A	17.000B/15.108A	----	16.015 - 0.067	.9642	----	----	----	----	547 UNCH
6050	----	----	16.514B/14.628A	16.514B/14.628A	----	15.531 - 0.070	.9609	----	----	----	----	58 UNCH
6075	----	----	16.271B/14.382A	16.271B/14.382A	----	15.290 - 0.071	.9590	----	----	----	----	1 UNCH
6100	----	----	16.028B/14.143A	16.028B/14.143A	----	15.049 - 0.073	.9571	----	----	----	----	10 UNCH
6200	----	----	15.066B/13.204A	15.066B/13.204A	----	14.092 - 0.081	.9482	----	----	----	----	101 UNCH
6250	----	----	14.588B/12.729A	14.588B/12.729A	----	13.617 - 0.086	.9430	----	----	----	----	1 UNCH
6300	----	----	14.114B/12.273A	14.114B/12.273A	----	13.146 - 0.090	.9373	----	----	----	----	3 UNCH
6350	----	----	13.643B/11.810A	13.643B/11.810A	----	12.678 - 0.096	.9310	----	----	----	----	2 UNCH
6450	----	----	12.710B/10.906A	12.710B/10.906A	----	11.755 - 0.106	.9162	----	----	----	----	1 UNCH
6500	----	----	12.244B/10.463A	12.244B/10.463A	----	11.300 - 0.112	.9078	----	----	----	----	181 UNCH
6600	----	----	11.340B/9.582A	11.340B/9.582A	----	10.408 - 0.124	.8882	----	----	----	----	56 UNCH
6650	----	----	10.896B/9.159A	10.896B/9.159A	----	9.970 - 0.132	.8772	----	----	----	----	102 UNCH
6750	----	----	10.027B/8.339A	10.027B/8.339A	----	9.117 - 0.145	.8524	----	----	----	----	24 UNCH
6800	----	----	9.612B/7.942A	9.612B/7.942A	----	8.703 - 0.152	.8384	----	----	----	----	251 UNCH
6825	----	----	9.401B/7.747A	9.401B/7.747A	----	8.499 - 0.155	.8312	----	----	----	----	6 UNCH
6850	----	----	9.194B/7.562A	9.194B/7.562A	----	8.297 - 0.159	.8236	----	----	----	----	1 UNCH
6875	----	----	8.990B/7.372A	8.990B/7.372A	----	8.097 - 0.163	.8159	----	----	----	----	17 UNCH
6900	----	----	8.787B/7.185A	8.787B/7.185A	----	7.900 - 0.166	.8079	----	----	----	----	99 UNCH
6950	----	----	8.388B/6.817A	8.388B/6.817A	----	7.512 - 0.173	.7912	----	----	----	----	26 UNCH
6975	----	----	8.196B/6.637A	8.196B/6.637A	----	7.322 - 0.177	.7825	----	----	----	----	1 UNCH
7000	----	----	7.999B/6.461A	7.999B/6.461A	----	7.135 - 0.180	.7736	----	----	2	----	151 - 2
7025	----	----	7.807B/6.287A	7.807B/6.287A	----	6.951 - 0.183	.7645	----	----	----	----	125 UNCH
7050	----	----	7.619B/6.116A	7.619B/6.116A	----	6.769 - 0.186	.7552	----	----	----	----	1 UNCH
7100	----	----	7.257B/5.783A	7.257B/5.783A	----	6.414 - 0.192	.7359	----	----	3	----	12 + 2
7150	----	----	6.890B/5.463A	6.890B/5.463A	----	6.070 - 0.198	.7159	----	----	----	----	100 UNCH
7200	----	----	6.542B/5.155A	6.542B/5.155A	----	5.739 - 0.203	.6952	----	----	2	----	14 + 2
7225	----	----	6.373B/5.003A	6.373B/5.003A	----	5.578 - 0.205	.6847	----	----	----	----	1 UNCH
7250	----	----	6.205B/4.851A	6.205B/4.851A	----	5.420 - 0.207	.6740	----	----	----	----	169 UNCH
7300	----	----	5.883B/4.523A	5.883B/4.523A	----	5.113 - 0.211	.6523	----	----	----	----	106 UNCH
7325	----	----	5.721B/4.387A	5.721B/4.387A	----	4.965 - 0.212	.6413	----	----	----	----	113 UNCH
7350	----	----	5.570B/4.253A	5.570B/4.253A	----	4.820 - 0.213	.6302	----	----	----	----	5 UNCH
7400	4.000	4.000	5.275B/3.997A	5.275B/3.997A	----	4.539 - 0.214	.6078	----	----	15	----	33 + 11
7425	----	----	5.131B/3.873A	5.131B/3.873A	----	4.403 - 0.215	.5965	----	----	----	----	7 UNCH
7450	----	----	4.986B/3.762A	4.986B/3.762A	----	4.271 - 0.215	.5853	----	----	----	----	17 UNCH
7475	----	----	4.844B/3.637A	4.844B/3.637A	----	4.142 - 0.215	.5739	----	----	----	----	14 UNCH
7500	3.978	3.978	4.698B/3.521A	4.698B/3.521A	----	4.016 - 0.215	.5626	----	----	17	----	307 - 5
7525	4.200	4.200	4.579B/3.411A	4.579B/3.411A	----	3.893 - 0.215	.5513	----	----	1	----	5 + 1
7550	----	----	4.450B/3.302A	4.450B/3.302A	----	3.773 - 0.215	.5401	----	----	----	----	8 UNCH
7575	3.632	3.632	4.335B/3.197A	4.335B/3.197A	----	3.657 - 0.214	.5288	----	----	10	----	38 + 5
7600	3.844	3.844	4.220B/3.094A	4.220B/3.094A	----	3.543 - 0.214	.5176	----	----	14	----	168 - 1
7625	----	----	4.098B/2.994A	4.098B/2.994A	----	3.433 - 0.212	.5065	----	----	----	----	18 UNCH
7650	----	----	3.978B/2.897A	3.978B/2.897A	----	3.326 - 0.211	.4954	----	----	1	----	40 UNCH
7675	3.385	3.385	3.860B/2.802A	3.860B/2.802A	----	3.221 - 0.210	.4845	----	----	1	----	22 UNCH
7700	3.300	3.300	3.749B/2.707A	3.749B/2.707A	----	3.120 - 0.209	.4736	----	----	30	----	246 + 22
7725	----	----	3.635B/2.618A	3.635B/2.618A	----	3.022 - 0.207	.4628	----	----	----	----	15 UNCH
7750	3.241	3.241	3.535B/2.532A	3.535B/2.532A	----	2.926 - 0.205	.4521	----	----	2	----	170 UNCH
7775	----	----	3.420B/2.455A	3.420B/2.455A	----	2.834 - 0.203	.4416	----	----	----	----	8 UNCH
7800	3.200	3.200	3.329B/2.373A	3.329B/2.373A	----	2.744 - 0.201	.4312	----	----	9	----	87 + 5
7825	3.156	3.156	3.214B/2.293A	3.214B/2.293A	----	2.656 - 0.199	.4209	----	----	1	----	2 + 1
7850	----	----	3.115B/2.221A	3.115B/2.221A	----	2.572 - 0.197	.4108	----	----	----	----	23 UNCH
7900	2.794	2.794	2.946B/2.072A	2.946B/2.072A	----	2.410 - 0.193	.3909	----	----	14	----	123 + 6
7925	2.194	2.194	2.839B/2.003A	2.839B/2.003A	----	2.333 - 0.190	.3812	----	----	1	----	7 UNCH
7950	2.064	2.064	2.749B/1.936A	2.749B/1.936A	----	2.258 - 0.188	.3717	----	----	4	----	9 + 4
7975	----	----	2.664B/1.872A	2.664B/1.872A	----	2.186 - 0.186	.3623	----	----	----	----	2 UNCH
8000	2.300	2.300	2.615/1.800	2.615/1.800	----	2.116 - 0.183	.3531	----	----	128	----	863 + 18
8025	2.260	2.260	2.498B/1.749A	2.498B/1.749A	----	2.048 - 0.181	.3441	----	----	2	----	18 UNCH
8050	2.217	2.217	2.427B/1.691A	2.427B/1.691A	----	1.982 - 0.179	.3352	----	----	5	----	48 + 3
8075	2.039	2.039	2.345B/1.633	2.345B/1.633	----	1.919 - 0.177	.3266	----	----	2	----	11 UNCH
8100	2.156	2.156	2.296B/1.584A	2.296B/1.584A	----	1.857 - 0.175	.3180	----	----	110	----	169 + 84
8125	----	----	2.201B/1.532A	2.201B/1.532A	----	1.798 - 0.172	.3097	----	----	----	----	1 UNCH
8150	----	----	2.140B/1.482A	2.140B/1.482A	----	1.740 - 0.170	.3015	----	----	----	----	35 UNCH
8175	----	----	2.067B/1.431A	2.067B/1.431A	----	1.685 - 0.168	.2936	----	----	----	----	2 UNCH
8200	1.686	1.686	2.021B/1.380	2.021B/1.380	----	1.631 - 0.166	.2858	----	----	41	----	272 + 6
8225	----	----	1.938B/1.340A	1.938B/1.340A	----	1.579 - 0.164	.2781	----	----	----	----	4 UNCH
8250	1.660	1.660	1.901B/1.298A	1.901B/1.298A	----	1.529 - 0.161	.2707	----	----	2	----	111 - 1
8275	1.620	1.620	1.821B/1.256A	1.821B/1.256A	----	1.481 - 0.159	.2635	----	----	4	----	8 UNCH
8300	1.389	1.389	1.780B/1.212A	1.780B/1.212A	----	1.434 - 0.157	.2564	----	----	29	----	524 + 17
8325	1.345	1.345	1.705B/1.174A	1.705B/1.174A	----	1.389 - 0.155	.2495	----	----	9	----	11 UNCH
8350	1.493	1.493	1.665B/1.138A	1.665B/1.138A	----	1.345 - 0.153	.2427	----	----	7	----	29 - 1
8375	1.449	1.449	1.616B/1.101A	1.616B/1.101A	----	1.303 - 0.151	.2361	----	----	5	----	55 - 3
8400	1.297	1.297	1.569B/1.067A	1.569B/1.067A	----	1.262 - 0.149	.2297	----	----	9	----	79 - 3
8425	1.360	1.360	1.513B/1.034A	1.513B/1.034A	----	1.223 - 0.147	.2235	----	----	3	----	44 - 2
8450	1.304	1.304	1.467B/1.000A	1.467B/1.000A	----	1.186 - 0.144	.2175	----	----	1	----	38 UNCH
8475	1.190	1.190	1.412B/0.970A	1.412B/0.970A	----	1.149 - 0.142	.2116	----	----	6	----	5 - 4
8500	1.200	1.200	1.381B/0.939A	1.381B/0.939A	----	1.114 - 0.140	.2058	----	----	135	----	1044 - 1
8525	1.140	1.140	1.331B/0.911A	1.331B/0.911A	----	1.080 - 0.138	.2003	----	----	7	----	23 + 2
8550	----	----	1.301B/0.884A	1.301B/0.884A	----	1.048 - 0.135	.1949	----	----	----	----	195 UNCH
8575	----	----	1.245B/0.856A	1.245B/0.856A	----	1.016 - 0.133	.1896	----	----	----	----	7 UNCH
8600	1.033	1.033	1.227B/0.830A	1.227B/0.830A	----	0.986 - 0.131	.1845	----	----	6	----	438 + 5
8625	----	----	1.170B/0.804A	1.170B/0.804A	----	0.957 - 0.128	.1796	----	----	----	----	14 UNCH
8650	----	----	1.143B/0.780A	1.143B/0.780A	----	0.928 - 0.127	.1747	----	----	----	----	49 UNCH
8675	----	----	1.108B/0.756A	1.108B/0.756A	----	0.901 - 0.125	.1700	----	----	----	----	25 UNCH
8700	0.920	0.920	1.083B/0.733A	1.083B/0.733A	----	0.875 - 0.122	.1655	----	----	50	----	229 + 36
8725	----	----	1.034B/0.712A	1.034B/0.712A	----	0.850 - 0.120	.1611	----	----	----	----	4 UNCH
8750	0.870	0.870	1.020B/0.691A	1.020B/0.691A	----	0.826 - 0.117	.1569	----	----	5	----	112 + 5
8775	----	----	0.979B/0.670A	0.979B/0.670A	----	0.802 - 0.116	.1527	----	----	----	----	15 UNCH
8800	0.811	0.811	0.959B/0.651A	0.959B/0.651A	----	0.779 - 0.114	.1486	----	----	10	----	266 + 1
8825	----	----	0.921B/0.632A	0.921B/0.632A	----	0.758 - 0.111	.1448	----	----	----	----	4 UNCH
8850	----	----	0.895B/0.614A	0.895B/0.614A	----	0.737 - 0.109	.1411	----	----	----	----	7 UNCH
8875	----	----	0.869B/0.596A	0.869B/0.596A	----	0.716 - 0.108	.1373	----	----	----	----	1 UNCH
8900	0.570	0.570	0.854B/0.570	0.854B/0.570	----	0.697 - 0.106	.1338	----	----	21	----	151 - 2
8925	0.754	0.754	0.817B/0.563A	0.817B/0.563A	----	0.678 - 0.104	.1304	----	----	7	----	10 - 4
8950	----	----	0.794B/0.547A	0.794B/0.547A	----	0.659 - 0.103	.1269	----	----	----	----	32 UNCH
8975	0.748	0.748	0.769B/0.532A	0.769B/0.532A	----	0.642 - 0.101	.1238	----	----	1	----	8 + 1
9000	0.780	0.780	0.790/0.517A	0.790/0.517A	----	0.625 - 0.100	.1206	----	----	370	----	1764 + 57
9025	----	----	0.738B/0.504A	0.738B/0.504A	----	0.608 - 0.099	.1175	----	----	----	----	11 UNCH
9050	----	----	0.718B/0.491A	0.718B/0.491A	----	0.592 - 0.097	.1145	----	----	1	----	23 + 1
9075	----	----	0.694B/0.479A	0.694B/0.479A	----	0.577 - 0.096	.1117	----	----	----	----	7 UNCH
9100	0.560	0.560	0.679B/0.467A	0.679B/0.467A	----	0.562 - 0.095	.1089	----	----	11	----	55 - 2
9125	0.501	0.501	0.657B/0.455A	0.657B/0.455A	----	0.547 - 0.094	.1061	----	----	2	----	14 + 2
9150	0.484	0.484	0.643B/0.444A	0.643B/0.444A	----	0.533 - 0.093	.1035	----	----	2	----	21 + 2
9175	0.491	0.491	0.624B/0.434A	0.624B/0.434A	----	0.520 - 0.092	.1010	----	----	2	----	14 + 2
9200	----	----	0.604B/0.423A	0.604B/0.423A	----	0.507 - 0.090	.0985	----	----	2	----	76 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
9225	0.451	0.451	0.590B/0.413A	0.590B/0.413A	----	0.494 - 0.090	.0961	----	----	2	----	11 + 2
9250	----	----	0.575B/0.404A	0.575B/0.404A	----	0.482 - 0.088	.0938	----	----	----	----	27 UNCH
9275	----	----	0.561B/0.394A	0.561B/0.394A	----	0.470 - 0.087	.0915	----	----	----	----	4 UNCH
9300	0.422	0.422	0.546B/0.386A	0.546B/0.386A	----	0.459 - 0.086	.0893	----	----	3	----	540 + 1
9325	----	----	----/0.377A	0.532B/0.377A	----	0.448 - 0.084	.0872	----	----	----	----	2 UNCH
9350	0.474	0.474	0.474/0.369A	0.520B/0.369A	----	0.437 - 0.083	.0851	----	----	1	----	22 UNCH
9375	0.469	0.469	0.510B/0.361A	0.510B/0.361A	----	0.427 - 0.081	.0832	----	----	5	----	22 UNCH
9400	----	----	0.497B/0.353A	0.497B/0.353A	----	0.416 - 0.080	.0811	----	----	7	----	45 UNCH
9425	----	----	0.486B/0.345A	0.486B/0.345A	----	0.407 - 0.077	.0793	----	----	----	----	8 UNCH
9450	0.339	0.339	0.476B/0.338A	0.476B/0.338A	----	0.397 - 0.076	.0774	----	----	1	----	84 - 1
9475	----	----	0.464B/0.345A	0.464B/0.345A	----	0.388 - 0.074	.0756	----	----	----	----	6 UNCH
9500	0.419	0.419	0.487/0.340A	0.487/0.340A	----	0.379 - 0.072	.0739	----	----	65	----	852 + 33
9525	----	----	0.443B/0.331A	0.443B/0.331A	----	0.371 - 0.069	.0723	----	----	----	----	25 UNCH
9550	----	----	0.431B/0.327A	0.431B/0.327A	----	0.363 - 0.067	.0707	----	----	----	----	7 UNCH
9575	----	----	0.421B/0.318A	0.421B/0.318A	----	0.355 - 0.065	.0691	----	----	----	----	1 UNCH
9600	----	----	0.411B/0.314A	0.411B/0.314A	----	0.347 - 0.063	.0675	----	----	----	----	166 UNCH
9625	----	----	----/0.308A	0.401B/0.308A	----	0.339 - 0.062	.0660	----	----	----	----	7 UNCH
9650	----	----	----/0.302A	0.391B/0.302A	----	0.332 - 0.061	.0646	----	----	----	----	4 UNCH
9675	----	----	----/0.297A	0.385B/0.297A	----	0.325 - 0.060	.0632	----	----	----	----	8 UNCH
9700	----	----	----/0.292A	0.375B/0.292A	----	0.319 - 0.059	.0619	----	----	----	----	141 UNCH
9725	----	----	----/0.285A	0.366B/0.285A	----	0.312 - 0.060	.0606	----	----	----	----	3 UNCH
9750	----	----	----/0.280A	0.359B/0.280A	----	0.306 - 0.060	.0593	----	----	----	----	109 UNCH
9775	----	----	----/0.275A	0.353B/0.275A	----	0.300 - 0.060	.0581	----	----	----	----	31 UNCH
9800	----	----	----/0.270A	0.341B/0.270A	----	0.294 - 0.061	.0569	----	----	----	----	264 UNCH
9825	----	----	----/0.266A	0.338B/0.266A	----	0.288 - 0.061	.0557	----	----	----	----	6 UNCH
9850	----	----	----/0.260A	0.328B/0.260A	----	0.282 - 0.061	.0545	----	----	----	----	38 UNCH
9875	----	----	----/0.256A	0.320B/0.256A	----	0.276 - 0.061	.0533	----	----	----	----	1 UNCH
9900	----	----	----/0.252A	0.313B/0.252A	----	0.271 - 0.060	.0523	----	----	----	----	32 UNCH
9925	----	----	----/0.247A	0.304B/0.247A	----	0.266 - 0.059	.0513	----	----	----	----	15 UNCH
9950	----	----	----/0.244A	0.298B/0.244A	----	0.260 - 0.059	.0501	----	----	----	----	11 UNCH
9975	----	----	----/0.239A	0.292B/0.239A	----	0.255 - 0.058	.0491	----	----	----	----	4 UNCH
10000	0.270	0.270	0.286B/0.222	0.286B/0.222	----	0.250 - 0.058	.0481	----	----	512	----	2128 + 179
10025	----	----	----/0.231A	0.284B/0.231A	----	0.246 - 0.056	.0473	----	----	----	----	2 UNCH
10050	----	----	----/0.227A	0.278B/0.227A	----	0.241 - 0.055	.0463	----	----	----	----	2 UNCH
10075	----	----	----/0.222A	0.268B/0.222A	----	0.236 - 0.055	.0453	----	----	----	----	21 UNCH
10100	----	----	----/0.218A	0.263B/0.218A	----	0.232 - 0.053	.0445	----	----	----	----	112 UNCH
10125	----	----	----/0.214A	0.259B/0.214A	----	0.228 - 0.052	.0437	----	----	----	----	3 UNCH
10150	----	----	----/0.212A	0.255B/0.212A	----	0.223 - 0.052	.0427	----	----	----	----	30 UNCH
10175	----	----	----/0.207A	0.249B/0.207A	----	0.219 - 0.051	.0419	----	----	----	----	1 UNCH
10200	0.220	0.220	0.220/0.204A	0.244B/0.204A	----	0.215 - 0.050	.0411	----	----	2	----	123 - 1
10250	----	----	----/0.197A	0.234B/0.197A	----	0.208 - 0.048	.0397	----	----	----	----	21 UNCH
10275	----	----	----/0.194A	0.228B/0.194A	----	0.204 - 0.048	.0389	----	----	----	----	8 UNCH
10300	0.208	0.208	0.226B/0.192A	0.226B/0.192A	----	0.201 - 0.047	.0382	----	----	10	----	13 + 7
10325	----	----	----/0.187A	0.221B/0.187A	----	0.197 - 0.047	.0375	----	----	----	----	1 UNCH
10375	----	----	----/0.183A	0.214B/0.183A	----	0.191 - 0.045	.0362	----	----	----	----	20 UNCH
10400	----	----	----/0.180A	0.210B/0.180A	----	0.187 - 0.046	.0355	----	----	----	----	15 UNCH
10425	----	----	----/0.177A	0.204B/0.177A	----	0.184 - 0.045	.0348	----	----	----	----	2 UNCH
10450	----	----	----/0.176A	0.203B/0.176A	----	0.181 - 0.045	.0342	----	----	----	----	25 UNCH
10475	----	----	----/0.173A	0.199B/0.173A	----	0.178 - 0.045	.0336	----	----	----	----	26 UNCH
10500	----	----	----/0.170A	0.193B/0.170A	----	0.176 - 0.043	.0332	----	----	3	----	619 - 1
10525	----	----	----/0.165A	0.189B/0.165A	----	0.173 - 0.043	.0326	----	----	----	----	2 UNCH
10550	----	----	----/0.163A	0.186B/0.163A	----	0.170 - 0.043	.0320	----	----	----	----	10 UNCH
10575	----	----	----/0.161A	0.183B/0.161A	----	0.168 - 0.042	.0315	----	----	----	----	1 UNCH
10600	----	----	----/0.159A	0.182B/0.159A	----	0.165 - 0.042	.0309	----	----	----	----	54 UNCH
10625	----	----	----/0.158A	0.178B/0.158A	----	0.163 - 0.041	.0305	----	----	----	----	2 UNCH
10650	----	----	----/0.156A	0.176B/0.156A	----	0.160 - 0.041	.0299	----	----	----	----	2 UNCH
10675	----	----	----/0.152A	0.174B/0.152A	----	0.158 - 0.041	.0295	----	----	----	----	10 UNCH
10700	----	----	----/0.151A	0.172B/0.151A	----	0.155 - 0.041	.0289	----	----	5	----	69 UNCH
10725	----	----	----/0.149A	0.170B/0.149A	----	0.153 - 0.040	.0285	----	----	----	----	4 UNCH
10750	----	----	----/0.147A	0.168B/0.147A	----	0.151 - 0.040	.0281	----	----	1	----	60 UNCH
10775	----	----	----/0.145A	0.166B/0.145A	----	0.149 - 0.039	.0277	----	----	----	----	9 UNCH
10800	----	----	----/0.143A	0.165B/0.143A	----	0.146 - 0.039	.0271	----	----	4	----	35 UNCH
10875	----	----	----/0.138A	0.160B/0.138A	----	0.140 - 0.037	.0259	----	----	----	----	15 UNCH
10900	----	----	----/0.136A	0.158B/0.136A	----	0.138 - 0.037	.0255	----	----	----	----	6 UNCH
10925	----	----	----/0.134A	0.157B/0.134A	----	0.136 - 0.036	.0251	----	----	----	----	1 UNCH
10950	----	----	----/0.132A	0.155B/0.132A	----	0.134 - 0.036	.0247	----	----	----	----	1 UNCH
10975	----	----	----/0.130A	0.154B/0.130A	----	0.132 - 0.036	.0243	----	----	----	----	1 UNCH
11000	0.130	0.130	0.130/0.129A	0.152B/0.129A	----	0.130 - 0.035	.0239	----	----	19	----	1330 - 16
11025	----	----	----/0.129A	0.151B/0.129A	----	0.129 - 0.034	.0236	----	----	----	----	13 UNCH
11050	----	----	----/0.126A	0.149B/0.126A	----	0.127 - 0.034	.0232	----	----	----	----	8 UNCH
11075	----	----	----/0.125A	0.148B/0.125A	----	0.125 - 0.034	.0229	----	----	----	----	2 UNCH
11100	----	----	----/0.123A	0.147B/0.123A	----	0.124 - 0.033	.0226	----	----	----	----	15 UNCH
11125	----	----	----/0.121A	0.145B/0.121A	----	0.122 - 0.032	.0222	----	----	----	----	5 UNCH
11150	----	----	----/0.120A	0.144B/0.120A	----	0.121 - 0.031	.0220	----	----	----	----	2 UNCH
11175	----	----	----/0.120A	0.143B/0.120A	----	0.119 - 0.031	.0216	----	----	----	----	2 UNCH
11200	----	----	----/0.117A	0.142B/0.117A	----	0.118 - 0.030	.0214	----	----	----	----	16 UNCH
11225	----	----	----/0.116A	0.140B/0.116A	----	0.116 - 0.030	.0210	----	----	----	----	6 UNCH
11250	----	----	----/0.115A	0.139B/0.115A	----	0.115 - 0.030	.0208	----	----	----	----	12 UNCH
11275	----	----	----/0.114A	0.138B/0.114A	----	0.113 - 0.030	.0204	----	----	----	----	2 UNCH
11300	----	----	----/0.113A	0.137B/0.113A	----	0.112 - 0.029	.0202	----	----	----	----	52 UNCH
11325	----	----	----/0.110A	0.135B/0.110A	----	0.111 - 0.028	.0200	----	----	----	----	2 UNCH
11350	----	----	----/0.109A	0.134B/0.109A	----	0.110 - 0.027	.0197	----	----	----	----	2 UNCH
11400	----	----	----/0.107A	0.132B/0.107A	----	0.107 - 0.027	.0192	----	----	----	----	21 UNCH
11425	----	----	----/0.105A	0.131B/0.105A	----	0.106 - 0.026	.0189	----	----	----	----	10 UNCH
11450	----	----	----/0.104A	0.130B/0.104A	----	0.105 - 0.026	.0187	----	----	----	----	4 UNCH
11500	0.128	0.128	0.128/0.103A	0.128/0.103A	----	0.102 - 0.025	.0182	----	----	21	----	1228 - 20
11550	----	----	0.126B/0.100A	0.126B/0.100A	----	0.100 - 0.024	.0177	----	----	----	----	6 UNCH
11575	----	----	0.125B/0.098A	0.125B/0.098A	----	0.099 - 0.024	.0175	----	----	----	----	12 UNCH
11600	----	----	0.124B/0.097A	0.124B/0.097A	----	0.098 - 0.023	.0173	----	----	----	----	10 UNCH
11625	----	----	0.123B/0.096A	0.123B/0.096A	----	0.097 - 0.023	.0171	----	----	----	----	3 UNCH
11650	0.122	0.122	0.122/*0.095A	0.122/*0.095A	----	0.096 - 0.022	.0169	----	----	1	----	25 + 1
11675	----	----	0.121B/*0.094A	0.121B/*0.094A	----	0.095 - 0.022	.0167	----	----	----	----	23 UNCH
11700	----	----	0.120B/*0.093A	0.120B/*0.093A	----	0.094 - 0.021	.0165	----	----	----	----	23 UNCH
11725	----	----	0.119B/*0.092A	0.119B/*0.092A	----	0.093 - 0.021	.0163	----	----	----	----	22 UNCH
11750	----	----	0.118B/*0.091A	0.118B/*0.091A	----	0.092 - 0.021	.0161	----	----	----	----	23 UNCH
11775	----	----	0.117B/0.090A	0.117B/0.090A	----	0.091 - 0.020	.0159	----	----	----	----	23 UNCH
11800	----	----	0.116B/*0.089A	0.116B/*0.089A	----	0.090 - 0.020	.0157	----	----	----	----	3 UNCH
11875	----	----	0.114B/*0.087A	0.114B/*0.087A	----	0.087 - 0.019	.0151	----	----	----	----	2 UNCH
11900	----	----	0.113B/*0.086A	0.113B/*0.086A	----	0.086 - 0.019	.0149	----	----	----	----	2 UNCH
11925	0.112	0.112	0.112/*0.085A	0.112/*0.085A	----	0.085 - 0.019	.0147	----	----	1	----	2 + 1
11950	----	----	0.111B/*0.084A	0.111B/*0.084A	----	0.084 - 0.018	.0146	----	----	----	----	1 UNCH
12000	----	----	0.109B/0.082A	0.109B/0.082A	----	0.082 - 0.018	.0142	----	----	4	----	545 - 1
12150	0.104	0.104	0.105B/*0.078A	0.105B/*0.078A	----	0.077 - 0.016	.0132	----	----	1	----	1 UNCH
12200	----	----	0.103B/*0.078A	0.103B/*0.078A	----	0.076 - 0.015	.0130	----	----	----	----	14 UNCH
12225	----	----	0.102B/*0.077A	0.102B/*0.077A	----	0.075 - 0.015	.0128	----	----	----	----	16 UNCH
12250	----	----	0.101B/*0.075A	0.101B/*0.075A	----	0.074 - 0.015	.0126	----	----	----	----	8 UNCH
12275	----	----	0.101B/*0.076A	0.101B/*0.076A	----	0.073 - 0.015	.0124	----	----	----	----	1 UNCH
12300	0.065	0.065	0.100B/*0.065	0.100B/*0.065	----	0.073 - 0.014	.0124	----	----	1	----	13 UNCH
12325	----	----	0.099B/*0.073A	0.099B/*0.073A	----	0.072 - 0.014	.0122	----	----	----	----	1 UNCH
12375	----	----	0.098B/*0.073A	0.098B/*0.073A	----	0.070 - 0.014	.0119	----	----	----	----	2 UNCH
12400	----	----	0.097B/*0.071A	0.097B/*0.071A	----	0.070 - 0.013	.0118	----	----	----	----	1 UNCH
12425	----	----	0.096B/*0.072A	0.096B/*0.072A	----	0.069 - 0.013	.0117	----	----	----	----	3 UNCH
12450	----	----	0.095B/*0.071A	0.095B/*0.071A	----	0.068 - 0.013	.0115	----	----	----	----	1 UNCH
12475	----	----	0.095B/*0.069A	0.095B/*0.069A	----	0.068 - 0.012	.0114	----	----	----	----	3 UNCH
12500	----	----	0.094B/*0.070A	0.094B/0.070A	----	0.067 - 0.013	.0113	----	----	----	----	101 UNCH
12575	----	----	0.092B/*0.068A	0.092B/*0.068A	----	0.065 - 0.012	.0109	----	----	----	----	2 UNCH
12600	----	----	0.091B/*0.066A	0.091B/*0.066A	----	0.064 - 0.012	.0107	----	----	----	----	6 UNCH
12700	0.083	0.083	0.088B/*0.065A	0.088B/*0.065A	----	0.062 - 0.011	.0103	----	----	2	----	74 + 2
12725	----	----	0.088B/*0.065A	0.088B/0.065A	----	0.061 - 0.011	.0102	----	----	----	----	2 UNCH
12800	----	----	0.086B/*0.063A	0.086B/0.063A	----	0.059 - 0.011	.0098	----	----	----	----	1 UNCH
13000	0.057	0.057	0.080B/0.055A	0.080B/0.055A	----	0.055 - 0.009	.0090	----	----	30	----	2657 - 17
14000	0.045	0.045	0.055B/0.044A	0.055B/0.044A	----	0.038 - 0.006	.0060	----	----	6	----	861 UNCH
14700	----	----	0.039B/----	0.039B/0.036A	----	0.030 - 0.005	.0046	----	----	----	----	11 UNCH
15000	0.043	0.043	0.043/0.034A	0.043/0.034A	----	0.027 - 0.005	.0041	----	----	1	----	802 UNCH
16000	----	----	----	0.015B/0.029A	----	0.020 - 0.006	.0029	----	----	42	----	3797 UNCH
17000	----	----	----	0.007B/0.024A	----	0.015 - 0.007	.0021	----	----	----	----	22 UNCH
18000	----	----	----/*0.012A	0.006B/*0.012A	----	0.012 - 0.007	.0016	----	----	----	----	258 UNCH
19000	----	----	----	----/0.026A	----	0.010 - 0.008	.0013	----	----	----	----	79 UNCH
20000	0.015	0.015	0.015/0.015	0.015/0.015	----	0.008 - 0.009	.0010	----	----	7	----	1220 + 2
21000	----	----	----	----/0.040A	----	0.007 - 0.008	.0009	----	----	6	----	427 UNCH
24000	----	----	----	0.001B/0.020A	----	0.005 - 0.006	.0006	----	----	----	----	131 UNCH
25000	----	----	----	----/0.019A	----	0.005 - 0.005	.0006	----	----	21	----	407 - 1
27000	----	----	----/*0.004A	----/*0.004A	----	0.004 - 0.004	.0004	----	----	3	----	6 + 1
30000	----	----	----	----/0.014A	----	0.003 - 0.004	.0003	----	----	----	----	54 UNCH
32000	----	----	----	----/0.295A	----	0.003 - 0.004	.0003	----	----	----	----	4 UNCH
35000	----	----	----	----/0.007A	----	0.003 - 0.003	.0003	----	----	----	----	108 UNCH
TOTAL										1910	0	32816 + 442

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
5000	----	----	26.769B/26.260A	26.769B/26.260A	----	26.498 - 0.046	.9812	----	----	----	----	2 UNCH
5400	----	----	22.866B/22.362A	22.866B/22.362A	----	22.589 - 0.060	.9671	----	----	----	----	2 UNCH
5500	21.433	21.433	21.899B/21.397A	21.899B/21.397A	----	21.625 - 0.063	.9619	----	----	2	----	3 + 2
6300	----	----	14.500B/14.093A	14.500B/14.093A	----	14.269 - 0.106	.8805	----	----	----	----	7 UNCH
6450	----	----	13.197B/12.849A	13.197B/12.849A	----	13.003 - 0.121	.8544	----	----	----	----	1 UNCH
6500	----	----	12.784B/12.445A	12.784B/12.445A	----	12.593 - 0.126	.8447	----	----	----	----	2 UNCH
6600	----	----	11.980B/11.618A	11.980B/11.618A	----	11.795 - 0.134	.8240	----	----	----	----	2 UNCH
6800	----	----	10.587B/10.128A	10.587B/10.128A	----	10.292 - 0.143	.7770	----	----	1	----	7 UNCH
6875	----	----	10.089B/9.605A	10.089B/9.605A	----	9.764 - 0.145	.7576	----	----	----	----	5 UNCH
7000	8.600	8.600	9.250B/8.500	9.250B/8.500	----	8.928 - 0.147	.7236	----	----	3	----	135 + 3
7025	----	----	9.089B/8.620A	9.089B/8.620A	----	8.767 - 0.148	.7167	----	----	----	----	5 UNCH
7050	----	----	8.930B/8.456A	8.930B/8.456A	----	8.609 - 0.147	.7096	----	----	----	----	4 UNCH
7100	----	----	8.585B/8.148A	8.585B/8.148A	----	8.298 - 0.148	.6954	----	----	----	----	2 UNCH
7200	----	----	8.017B/7.563A	8.017B/7.563A	----	7.702 - 0.151	.6664	----	----	----	----	1 UNCH
7250	----	----	7.733B/7.283A	7.733B/7.283A	----	7.417 - 0.153	.6517	----	----	----	----	3 UNCH
7300	7.157	7.157	7.456B/7.001A	7.456B/7.001A	----	7.139 - 0.157	.6370	----	----	3	----	3 - 1
7400	6.500	6.500	7.195B/6.250A	7.195B/6.250A	----	6.611 - 0.165	.6073	----	----	3	----	5 - 2
7425	----	----	7.061B/6.036A	7.061B/6.036A	----	6.485 - 0.166	.5999	----	----	----	----	14 UNCH
7450	----	----	6.650B/5.923A	6.650B/5.923A	----	6.362 - 0.166	.5925	----	----	----	----	2 UNCH
7475	----	----	6.600B/5.807A	6.600B/5.807A	----	6.241 - 0.166	.5851	----	----	----	----	6 UNCH
7500	----	----	6.671B/5.696A	6.671B/5.696A	----	6.123 - 0.164	.5777	----	----	----	----	248 UNCH
7550	----	----	6.205B/5.479A	6.205B/5.479A	----	5.894 - 0.160	.5629	----	----	----	----	4 UNCH
7575	----	----	6.158B/5.375A	6.158B/5.375A	----	5.783 - 0.157	.5556	----	----	----	----	1 UNCH
7600	5.730	5.730	6.194B/5.273A	6.194B/5.273A	----	5.674 - 0.154	.5483	----	----	15	----	78 + 11
7625	5.625	5.625	6.080B/5.165A	6.080B/5.165A	----	5.568 - 0.150	.5411	----	----	1	----	18 UNCH
7650	----	----	5.870B/5.067A	5.870B/5.067A	----	5.463 - 0.147	.5339	----	----	----	----	1 UNCH
7700	----	----	5.651B/4.862A	5.651B/4.862A	----	5.259 - 0.143	.5196	----	----	----	----	69 UNCH
7725	----	----	5.545B/4.778A	5.545B/4.778A	----	5.160 - 0.141	.5125	----	----	----	----	7 UNCH
7750	----	----	5.443B/4.685A	5.443B/4.685A	----	5.062 - 0.140	.5055	----	----	----	----	7 UNCH
7800	4.500	4.500	5.250B/4.500	5.250B/4.500	----	4.873 - 0.137	.4916	----	----	42	----	215 + 2
7825	----	----	5.153B/4.429A	5.153B/4.429A	----	4.781 - 0.136	.4847	----	----	----	----	1 UNCH
7850	4.809	4.809	5.147B/4.332A	5.147B/4.332A	----	4.690 - 0.135	.4779	----	----	5	----	20 + 5
7900	----	----	4.954B/4.168A	4.954B/4.168A	----	4.515 - 0.132	.4645	----	----	----	----	45 UNCH
7925	----	----	4.866B/4.074A	4.866B/4.074A	----	4.430 - 0.130	.4579	----	----	----	----	2 UNCH
7950	----	----	4.691B/4.013A	4.691B/4.013A	----	4.346 - 0.130	.4514	----	----	----	----	17 UNCH
8000	4.180	4.180	4.588B/3.857A	4.588B/3.857A	----	4.184 - 0.127	.4385	----	----	31	----	609 + 2
8025	----	----	4.446B/3.782A	4.446B/3.782A	----	4.106 - 0.126	.4321	----	----	----	----	1 UNCH
8050	----	----	4.416B/3.711A	4.416B/3.711A	----	4.029 - 0.125	.4258	----	----	----	----	6 UNCH
8075	----	----	4.341B/3.640A	4.341B/3.640A	----	3.954 - 0.124	.4196	----	----	----	----	1 UNCH
8100	4.146	4.146	4.271B/3.567A	4.271B/3.567A	----	3.880 - 0.123	.4135	----	----	4	----	35 + 3
8125	----	----	4.093B/3.506A	4.093B/3.506A	----	3.808 - 0.122	.4074	----	----	----	----	1 UNCH
8150	----	----	4.172B/3.444A	4.172B/3.444A	----	3.737 - 0.122	.4014	----	----	----	----	60 UNCH
8175	----	----	4.077B/3.379A	4.077B/3.379A	----	3.668 - 0.121	.3955	----	----	----	----	2 UNCH
8200	3.846	3.846	4.018B/3.298A	4.018B/3.298A	----	3.600 - 0.120	.3897	----	----	3	----	10 + 2
8225	----	----	3.929B/3.250A	3.929B/3.250A	----	3.534 - 0.119	.3839	----	----	----	----	4 UNCH
8250	----	----	3.878B/3.179A	3.878B/3.179A	----	3.468 - 0.119	.3782	----	----	----	----	247 UNCH
8300	3.570	3.570	3.714B/3.062A	3.714B/3.062A	----	3.341 - 0.117	.3670	----	----	4	----	57 + 4
8325	----	----	3.648B/3.016A	3.648B/3.016A	----	3.279 - 0.117	.3615	----	----	----	----	1 UNCH
8350	----	----	3.606B/2.947A	3.606B/2.947A	----	3.218 - 0.116	.3560	----	----	----	----	3 UNCH
8375	----	----	3.537B/2.902A	3.537B/2.902A	----	3.158 - 0.115	.3507	----	----	----	----	1 UNCH
8400	3.314	3.314	3.449B/2.837A	3.449B/2.837A	----	3.098 - 0.115	.3453	----	----	12	----	37 + 12
8425	3.364	3.364	3.389B/2.784A	3.389B/2.784A	----	3.040 - 0.114	.3400	----	----	1	----	1 UNCH
8450	----	----	3.348B/2.730A	3.348B/2.730A	----	2.983 - 0.113	.3348	----	----	----	----	22 UNCH
8475	----	----	3.265B/2.688A	3.265B/2.688A	----	2.928 - 0.111	.3298	----	----	----	----	2 UNCH
8500	3.078	3.078	3.228B/2.630A	3.228B/2.630A	----	2.873 - 0.111	.3247	----	----	9	----	141 + 2
8550	2.818	2.818	3.095B/2.537A	3.095B/2.537A	----	2.768 - 0.109	.3148	----	----	3	----	24 + 3
8600	2.861	2.861	2.983B/2.441A	2.983B/2.441A	----	2.668 - 0.106	.3053	----	----	9	----	206 + 3
8650	----	----	2.880B/2.359A	2.880B/2.359A	----	2.574 - 0.103	.2961	----	----	----	----	2 UNCH
8675	----	----	2.851B/2.320A	2.851B/2.320A	----	2.528 - 0.103	.2916	----	----	----	----	1 UNCH
8700	2.670	2.670	2.801B/2.269A	2.801B/2.269A	----	2.484 - 0.101	.2873	----	----	22	----	46 + 15
8750	----	----	2.703B/2.191A	2.703B/2.191A	----	2.398 - 0.099	.2787	----	----	----	----	45 UNCH
8775	----	----	2.637B/2.161A	2.637B/2.161A	----	2.357 - 0.097	.2745	----	----	----	----	2 UNCH
8800	----	----	2.611B/2.116A	2.611B/2.116A	----	2.316 - 0.096	.2704	----	----	14	----	20 + 12
8825	----	----	2.548B/2.076A	2.548B/2.076A	----	2.276 - 0.095	.2663	----	----	----	----	10 UNCH
8850	----	----	2.505B/2.041A	2.505B/2.041A	----	2.237 - 0.094	.2623	----	----	----	----	10 UNCH
8875	----	----	2.479B/2.004A	2.479B/2.004A	----	2.199 - 0.093	.2584	----	----	----	----	2 UNCH
8900	----	----	2.437B/1.968A	2.437B/1.968A	----	2.161 - 0.093	.2545	----	----	----	----	19 UNCH
8925	----	----	2.396B/1.940A	2.396B/1.940A	----	2.124 - 0.092	.2507	----	----	----	----	3 UNCH
8950	----	----	2.354B/1.900A	2.354B/1.900A	----	2.088 - 0.091	.2469	----	----	----	----	7 UNCH
8975	----	----	2.314B/1.874A	2.314B/1.874A	----	2.052 - 0.091	.2432	----	----	----	----	1 UNCH
9000	2.026	2.026	2.275B/1.838A	2.275B/1.838A	----	2.017 - 0.090	.2395	----	----	3	----	932 - 2
9025	2.300	2.300	2.300/1.811A	2.300/1.811A	----	1.983 - 0.089	.2359	----	----	1	----	4 + 1
9050	----	----	2.199B/1.779A	2.199B/1.779A	----	1.949 - 0.089	.2324	----	----	----	----	12 UNCH
9075	----	----	2.154B/1.745A	2.154B/1.745A	----	1.916 - 0.089	.2289	----	----	----	----	2 UNCH
9100	----	----	2.120B/1.721A	2.120B/1.721A	----	1.883 - 0.089	.2254	----	----	----	90	34 - 57
9150	----	----	2.053B/1.658A	2.053B/1.658A	----	1.820 - 0.088	.2187	----	----	----	----	11 UNCH
9175	----	----	2.020B/1.637A	2.020B/1.637A	----	1.790 - 0.087	.2155	----	----	----	----	1 UNCH
9200	----	----	1.988B/1.604A	1.988B/1.604A	----	1.760 - 0.087	.2123	----	----	----	----	9 UNCH
9225	----	----	1.958B/1.577A	1.958B/1.577A	----	1.731 - 0.087	.2091	----	----	----	----	1 UNCH
9250	----	----	1.926B/1.550A	1.926B/1.550A	----	1.702 - 0.087	.2060	----	----	----	----	174 UNCH
9275	----	----	1.896B/1.527A	1.896B/1.527A	----	1.674 - 0.086	.2029	----	----	----	----	2 UNCH
9300	1.693	1.693	1.867B/1.502A	1.867B/1.502A	----	1.647 - 0.086	.2000	----	----	6	----	7 + 1
9350	----	----	1.810B/1.454A	1.810B/1.454A	----	1.595 - 0.084	.1942	----	----	----	----	1 UNCH
9375	1.760	1.760	1.782B/1.433A	1.782B/1.433A	----	1.569 - 0.084	.1913	----	----	1	----	0 - 1
9400	----	----	1.755B/1.409A	1.755B/1.409A	----	1.544 - 0.084	.1885	----	----	----	----	133 UNCH
9450	1.554	1.554	1.702B/1.365A	1.702B/1.365A	----	1.496 - 0.083	.1831	----	----	1	----	8 - 1
9475	1.530	1.530	1.676B/1.344A	1.676B/1.344A	----	1.473 - 0.082	.1805	----	----	1	----	28 - 1
9500	----	----	1.652B/1.321A	1.652B/1.321A	----	1.451 - 0.081	.1780	----	----	----	----	141 UNCH
9550	1.620	1.620	1.621B/1.288A	1.621B/1.288A	----	1.407 - 0.080	.1730	----	----	18	----	19 + 18
9575	1.556	1.556	1.577B/1.264A	1.577B/1.264A	----	1.386 - 0.079	.1706	----	----	1	----	2 + 1
9600	----	----	1.554B/1.245A	1.554B/1.245A	----	1.365 - 0.079	.1682	----	----	----	----	2 UNCH
9625	1.464	1.464	1.530B/1.227A	1.530B/1.227A	----	1.345 - 0.078	.1658	----	----	26	----	26 + 25
9700	----	----	1.465B/1.176A	1.465B/1.176A	----	1.286 - 0.076	.1590	----	----	----	----	100 UNCH
9725	----	----	1.443B/1.162A	1.443B/1.162A	----	1.268 - 0.075	.1569	----	----	----	----	1 UNCH
9750	----	----	1.422B/1.144A	1.422B/1.144A	----	1.249 - 0.075	.1547	----	----	----	----	19 UNCH
9775	----	----	1.402B/1.130A	1.402B/1.130A	----	1.231 - 0.074	.1526	----	----	----	----	1 UNCH
9850	1.142	1.142	1.343B/1.081A	1.343B/1.081A	----	1.180 - 0.071	.1465	----	----	1	----	16 UNCH
9875	----	----	1.324B/1.067A	1.324B/1.067A	----	1.163 - 0.071	.1445	----	----	----	----	5 UNCH
9900	----	----	1.305B/1.048A	1.305B/1.048A	----	1.147 - 0.070	.1426	----	----	----	----	7 UNCH
9925	----	----	1.287B/1.038A	1.287B/1.038A	----	1.131 - 0.069	.1407	----	----	----	----	5 UNCH
9950	1.089	1.089	1.269B/1.016A	1.269B/1.016A	----	1.115 - 0.069	.1388	----	----	1	----	3 UNCH
9975	1.157	1.157	1.252B/1.004A	1.252B/1.004A	----	1.100 NEW	.1370	----	----	10	----	10 + 10
10000	1.130	1.130	1.235B/0.990A	1.235B/0.990A	----	1.084 - 0.068	.1351	----	----	1	----	524 UNCH
10025	----	----	1.218B/0.976A	1.218B/0.976A	----	1.070 - 0.067	.1334	----	----	----	----	1 UNCH
10075	1.030	1.030	1.185B/0.954A	1.185B/0.954A	----	1.041 NEW	.1299	----	----	15	----	15 + 15
10100	----	----	1.170B/0.938A	1.170B/0.938A	----	1.027 - 0.065	.1282	----	----	----	----	3 UNCH
10150	----	----	1.139B/0.914A	1.139B/0.914A	----	0.999 - 0.064	.1249	----	----	----	----	8 UNCH
10175	0.964	0.964	1.123B/0.904A	1.123B/0.904A	----	0.986 NEW	.1233	----	----	1	----	1 + 1
10200	----	----	1.109B/0.892A	1.109B/0.892A	----	0.973 - 0.063	.1217	----	----	----	----	33 UNCH
10250	----	----	1.080B/0.870A	1.080B/0.870A	----	0.948 - 0.061	.1187	----	----	----	----	3 UNCH
10275	0.915	0.915	1.066B/0.859A	1.066B/0.859A	----	0.935 - 0.062	.1171	----	----	1	----	21 - 1
10300	----	----	1.052B/0.845A	1.052B/0.845A	----	0.923 - 0.061	.1156	----	----	----	----	32 UNCH
10325	----	----	1.038B/0.833A	1.038B/0.833A	----	0.911 - 0.061	.1142	----	----	----	----	11 UNCH
10350	1.030	1.030	1.030/0.823A	1.030/0.823A	----	0.899 - 0.060	.1127	----	----	1	----	6 + 1
10375	0.868	0.868	1.012B/0.813A	1.012B/0.813A	----	0.888 - 0.060	.1113	----	----	1	----	1 UNCH
10400	1.000	1.000	1.000/0.803A	1.000/0.803A	----	0.877 - 0.059	.1100	----	----	4	----	6 + 3
10475	----	----	0.962B/0.774A	0.962B/0.774A	----	0.844 - 0.058	.1059	----	----	----	----	6 UNCH
10500	0.942	0.942	0.951/0.764A	0.951/0.764A	----	0.833 - 0.058	.1046	----	----	2	36	116 + 36
10600	0.924	0.924	0.924/0.728A	0.924/0.728A	----	0.793 NEW	.0996	----	----	3	----	3 + 3
10650	----	----	0.882B/0.714A	0.882B/0.714A	----	0.774 - 0.057	.0973	----	----	----	----	1 UNCH
10675	----	----	0.871B/0.702A	0.871B/0.702A	----	0.765 - 0.056	.0961	----	----	----	----	4 UNCH
10700	0.862	0.862	0.862/0.695A	0.862/0.695A	----	0.756 - 0.056	.0950	----	----	1	----	2 + 1
10725	----	----	0.850B/0.686A	0.850B/0.686A	----	0.747 - 0.056	.0939	----	----	----	----	1 UNCH
10775	----	----	0.830B/0.670A	0.830B/0.670A	----	0.730 - 0.055	.0917	----	----	----	----	3 UNCH
10800	----	----	0.820B/0.663A	0.820B/0.663A	----	0.721 - 0.056	.0906	----	----	----	----	5 UNCH
10825	----	----	0.811B/0.657A	0.811B/0.657A	----	0.713 - 0.055	.0896	----	----	----	----	2 UNCH
10875	----	----	0.792B/0.642A	0.792B/0.642A	----	0.697 - 0.055	.0876	----	----	----	----	5 UNCH
10900	----	----	0.783B/0.635A	0.783B/0.635A	----	0.689 - 0.055	.0866	----	----	----	----	6 UNCH
10925	----	----	0.774B/0.627A	0.774B/0.627A	----	0.681 - 0.055	.0856	----	----	----	----	4 UNCH
10950	----	----	0.765B/0.621A	0.765B/0.621A	----	0.673 - 0.055	.0846	----	----	----	----	1 UNCH
10975	----	----	0.756B/0.614A	0.756B/0.614A	----	0.666 - 0.055	.0837	----	----	----	----	7 UNCH
11000	0.680	0.680	0.748B/0.608A	0.748B/0.608A	----	0.658 - 0.055	.0827	----	----	2	----	589 + 1
11075	----	----	0.722B/0.589A	0.722B/0.589A	----	0.637 - 0.054	.0800	----	----	----	----	3 UNCH
11100	----	----	0.714B/0.583A	0.714B/0.583A	----	0.630 - 0.054	.0791	----	----	----	----	25 UNCH
11150	----	----	0.698B/0.570A	0.698B/0.570A	----	0.616 - 0.053	.0774	----	----	----	----	9 UNCH
11200	----	----	0.683B/0.558A	0.683B/0.558A	----	0.603 - 0.052	.0757	----	----	----	----	2 UNCH
11225	----	----	0.675B/0.554A	0.675B/0.554A	----	0.597 - 0.051	.0749	----	----	----	----	1 UNCH
11250	----	----	0.668B/0.548A	0.668B/0.548A	----	0.590 - 0.051	.0741	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
11275	----	----	0.661B/0.542A	0.661B/0.542A	----	0.584 - 0.051	.0733	----	----	----	----	7 UNCH
11300	----	----	0.654B/0.536A	0.654B/0.536A	----	0.578 - 0.050	.0725	----	----	----	----	1 UNCH
11400	----	----	0.626B/0.516A	0.626B/0.516A	----	0.554 - 0.048	.0695	----	----	----	----	2 UNCH
11475	----	----	0.606B/0.504A	0.606B/0.504A	----	0.538 - 0.045	.0674	----	----	----	----	1 UNCH
11500	----	----	0.600B/0.517A	0.600B/0.517A	----	0.533 - 0.044	.0667	----	----	----	----	130 UNCH
11575	----	----	0.581B/0.490A	0.581B/0.490A	----	0.517 - 0.044	.0647	----	----	----	----	1 UNCH
11650	----	----	0.564B/0.475A	0.564B/0.475A	----	0.503 - 0.042	.0629	----	----	----	----	2 UNCH
11700	----	----	0.553B/0.493A	0.553B/0.493A	----	0.494 - 0.041	.0617	----	----	----	----	2 UNCH
11850	----	----	0.520B/0.468A	0.520B/0.468A	----	0.467 - 0.043	.0582	----	----	----	----	1 UNCH
12000	----	----	0.490B/0.441A	0.490B/0.441A	----	0.442 - 0.046	.0550	----	----	----	----	43 UNCH
12025	----	----	0.486B/0.438A	0.486B/0.438A	----	0.438 - 0.046	.0544	----	----	----	----	52 UNCH
12050	----	----	----/0.434A	0.458B/0.434A	----	0.434 - 0.047	.0539	----	----	----	----	208 UNCH
12100	----	----	----/0.429A	0.449B/0.429A	----	0.426 - 0.048	.0529	----	----	----	----	1 UNCH
12300	----	----	----/0.401A	0.413B/0.401A	----	0.395 - 0.054	.0490	----	----	----	----	34 UNCH
12500	----	----	----/0.375A	0.378B/0.375A	----	0.368 - 0.055	.0455	----	----	----	----	148 UNCH
12550	----	----	----/0.369A	0.371B/0.369A	----	0.361 - 0.055	.0446	----	----	----	----	2 UNCH
12700	----	----	----/0.352A	0.350B/0.352A	----	0.343 - 0.052	.0423	----	----	----	----	1 UNCH
12725	----	----	----/0.350A	0.347B/0.350A	----	0.340 - 0.052	.0420	----	----	----	----	1 UNCH
12775	----	----	----/0.344A	0.340B/0.344A	----	0.334 - 0.051	.0412	----	----	----	----	13 UNCH
12800	----	----	----/0.341A	0.338B/0.341A	----	0.331 - 0.051	.0408	----	----	----	----	2 UNCH
13000	0.298	0.298	0.298/*0.298	0.314B/*0.298	----	0.310 - 0.045	.0381	----	----	1	----	3816 - 1
14000	0.225	0.225	0.225/*0.220	0.225/*0.220	----	0.228 - 0.024	.0277	----	----	3	----	22 + 1
15000	----	----	----	0.145B/0.186A	----	0.175 - 0.009	.0209	----	----	----	----	96 UNCH
16000	----	----	----	0.103B/0.151A	----	0.138 UNCH	.0162	----	----	----	----	9 UNCH
17000	0.110	0.110	0.110/0.099A	0.110/0.099A	----	0.112 + 0.007	.0130	----	----	15	----	3179 UNCH
18000	----	----	----	0.043B/0.107A	----	0.092 + 0.012	.0105	----	----	----	----	8 UNCH
19000	----	----	----	0.024B/*0.099A	----	0.077 + 0.015	.0087	----	----	----	----	2 UNCH
20000	----	----	----	0.011B/3.195A	----	0.065 + 0.017	.0072	----	----	----	----	245 UNCH
25000	----	----	----	----/3.064A	----	0.031 + 0.016	.0033	----	----	----	----	21 UNCH
27000	----	----	----	----/3.058A	----	0.024 + 0.014	.0025	----	----	----	----	6 UNCH
30000	----	----	----	----/3.053A	----	0.017 + 0.012	.0017	----	----	----	----	14 UNCH
32000	----	----	----	0.004B/3.050A	----	0.013 + 0.009	.0013	----	----	----	----	3 UNCH
35000	----	----	----	0.003B/0.020A	----	0.010 + 0.007	.0010	----	----	----	----	4 UNCH
TOTAL										308	126	13839 + 132
SEP26												
5025	----	----	----	#26.029B/26.575A	----	26.375 - 0.044	.9643	----	----	----	----	1 UNCH
5050	----	----	----	#25.787B/26.338A	----	26.134 - 0.044	.9632	----	----	----	----	1 UNCH
5100	----	----	----	25.298B/25.866A	----	25.653 - 0.045	.9610	----	----	----	----	1 UNCH
5900	----	----	----	17.786B/18.580A	----	18.247 - 0.064	.8991	----	----	----	----	2 UNCH
6000	----	----	----	16.895B/17.734A	----	17.382 - 0.064	.8866	----	----	----	----	7 UNCH
6700	----	----	12.118B/11.793A	12.118B/11.793A	----	11.909 - 0.085	.7652	----	----	----	----	1 UNCH
7000	----	----	10.152B/9.887A	10.152B/9.887A	----	9.990 - 0.083	.6973	----	----	----	----	268 UNCH
7125	----	----	9.432B/9.182A	9.432B/9.182A	----	9.274 - 0.080	.6676	----	----	----	----	75 UNCH
7300	----	----	8.499B/7.895A	8.499B/7.895A	----	8.360 - 0.073	.6255	----	----	----	----	145 UNCH
7400	----	----	8.006B/7.801A	8.006B/7.801A	----	7.883 - 0.070	.6015	----	----	----	----	104 UNCH
7500	----	----	7.795B/7.344A	7.795B/7.344A	----	7.437 - 0.067	.5778	----	----	----	----	27 UNCH
7550	----	----	7.322B/7.139A	7.322B/7.139A	----	7.224 - 0.067	.5661	----	----	----	----	2 UNCH
7575	----	----	7.214B/7.032A	7.214B/7.032A	----	7.121 NEW	.5603	----	----	3	----	3 + 3
7700	----	----	6.696B/6.536A	6.696B/6.536A	----	6.626 - 0.065	.5317	----	----	----	----	1 UNCH
7900	----	----	----/5.823A	5.949B/5.823A	----	5.905 - 0.069	.4880	----	----	----	----	8 UNCH
8000	----	----	----/5.497A	5.641B/5.497A	----	5.574 - 0.071	.4671	----	----	6	----	260 + 2
8025	----	----	----/5.420A	5.527B/5.420A	----	5.494 - 0.072	.4620	----	----	----	----	1 UNCH
8100	----	----	----/5.187A	5.289B/5.187A	----	5.260 - 0.075	.4468	----	----	----	----	25 UNCH
8200	----	----	----/4.910A	5.010B/4.910A	----	4.965 - 0.078	.4273	----	----	3	----	38 + 3
8250	----	----	----/4.777A	4.847B/4.777A	----	4.824 NEW	.4177	----	----	1	----	1 + 1
8300	----	----	----/4.643A	4.708B/4.643A	----	4.688 - 0.080	.4084	----	----	----	----	2 UNCH
8400	----	----	----/4.388A	4.465B/4.388A	----	4.428 - 0.083	.3903	----	----	----	----	10 UNCH
8500	----	----	----/4.166A	4.200B/4.166A	----	4.186 - 0.083	.3729	----	----	----	----	249 UNCH
8600	----	----	----/3.953A	3.986B/3.953A	----	3.960 - 0.082	.3563	----	----	----	----	76 UNCH
8675	----	----	----/3.799A	3.804B/3.799A	----	3.802 - 0.080	.3444	----	----	----	----	5 UNCH
8700	----	----	----/3.749A	3.751B/3.749A	----	3.752 - 0.078	.3406	----	----	----	----	104 UNCH
8800	----	----	----/3.560A	3.549B/3.560A	----	3.558 - 0.074	.3256	----	----	----	----	13 UNCH
8900	----	----	----/3.377A	3.359B/3.377A	----	3.377 - 0.071	.3113	----	----	----	----	4 UNCH
8925	----	----	----/3.338A	3.312B/3.338A	----	3.333 - 0.070	.3078	----	----	----	----	2 UNCH
8950	----	----	----/3.296A	3.267B/3.296A	----	3.290 - 0.070	.3044	----	----	----	----	2 UNCH
9000	3.100	3.100	3.211/3.100	3.211/3.100	----	3.205 - 0.070	.2977	----	----	86	----	224 - 15
9025	----	----	----/3.169A	3.138B/3.169A	----	3.164 - 0.069	.2944	----	----	----	----	4 UNCH
9100	----	----	----/3.049A	3.016B/3.049A	----	3.043 - 0.070	.2846	----	----	----	----	12 UNCH
9150	----	----	----/2.980A	2.947B/2.980A	----	2.966 NEW	.2783	----	----	16	----	16 + 16
9200	----	----	----/2.908A	2.857B/2.908A	----	2.890 - 0.072	.2721	----	----	----	----	4 UNCH
9300	----	----	----/2.770A	2.710B/2.770A	----	2.747 NEW	.2603	----	----	----	28	28 + 28
9400	----	----	----/2.643A	2.573B/2.643A	----	2.612 - 0.077	.2490	----	----	----	----	20 UNCH
9500	2.600	2.600	2.600/2.513A	2.600/2.513A	----	2.486 - 0.079	.2383	----	----	19	----	325 + 19
9600	----	----	----/2.400A	2.323B/2.400A	----	2.368 - 0.081	.2282	----	----	----	----	37 UNCH
9750	----	----	----/2.243A	2.165B/2.243A	----	2.204 - 0.084	.2139	----	----	----	----	23 UNCH
9800	----	----	----/2.203A	2.101B/2.203A	----	2.153 - 0.084	.2094	----	----	----	----	130 UNCH
9900	----	----	----/2.109A	2.002B/2.109A	----	2.055 - 0.086	.2007	----	----	----	----	85 UNCH
10000	1.950	1.950	2.086B/1.904A	2.086B/1.904A	----	1.964 - 0.086	.1925	----	----	3	----	424 UNCH
10025	----	----	----/2.002A	1.885B/2.002A	----	1.942 - 0.087	.1905	----	----	----	----	1 UNCH
10050	----	----	----/1.977A	1.862B/1.977A	----	1.920 NEW	.1886	----	----	3	----	3 + 3
10100	----	----	----/1.938A	1.818B/1.938A	----	1.878 - 0.087	.1847	----	----	----	----	54 UNCH
10200	----	----	----/1.859A	1.734B/1.859A	----	1.797 - 0.087	.1773	----	----	----	----	54 UNCH
10300	----	----	----/1.785A	1.658B/1.785A	----	1.721 - 0.087	.1703	----	----	----	----	52 UNCH
10500	----	----	----/1.654A	1.513B/1.654A	----	1.582 - 0.086	.1573	----	----	----	----	233 UNCH
10800	----	----	----	1.328B/1.507A	----	1.402 - 0.082	.1403	----	----	----	----	2 UNCH
11000	1.238	1.238	1.238/1.238	1.238/1.238	----	1.298 - 0.078	.1302	----	----	2	----	244 + 1
11100	----	----	----	1.165B/1.371A	----	1.250 - 0.076	.1256	----	----	----	----	3 UNCH
11300	----	----	----	1.045B/1.293A	----	1.162 - 0.070	.1170	----	----	----	----	60 UNCH
11500	----	----	----/1.037A	1.013B/1.037A	----	1.082 - 0.064	.1091	----	----	----	----	101 UNCH
12000	----	----	----/0.896A	0.950B/0.896A	----	0.914 - 0.047	.0924	----	----	----	----	128 UNCH
12500	----	----	----/0.776A	0.803B/0.776A	----	0.781 - 0.029	.0790	----	----	----	----	96 UNCH
12800	----	----	----/0.714A	0.725B/0.714A	----	0.713 - 0.019	.0722	----	----	----	----	1 UNCH
13000	----	----	----/0.678A	0.680B/0.678A	----	0.673 - 0.013	.0681	----	----	----	----	204 UNCH
14000	0.460	0.460	0.460/*0.460	0.501B/*0.460	----	0.516 + 0.014	.0520	----	----	1	----	239 + 1
15000	----	----	0.453B/----	0.453B/0.431A	----	0.408 + 0.010	.0409	----	----	----	----	426 UNCH
16000	----	----	----	0.293B/0.355A	----	0.317 + 0.009	.0318	----	----	----	----	16 UNCH
17000	----	----	----	0.230B/0.296A	----	0.249 + 0.006	.0251	----	----	----	----	27 UNCH
18000	----	----	----	0.181B/*0.252A	----	0.199 + 0.005	.0201	----	----	----	----	5 UNCH
19000	----	----	----	0.147B/*0.217A	----	0.161 + 0.005	.0162	----	----	----	----	14 UNCH
20000	----	----	----	0.118B/0.189A	----	0.131 + 0.003	.0132	----	----	----	----	311 UNCH
21000	----	----	----	0.095B/*0.169A	----	0.109 + 0.003	.0110	----	----	----	----	1 UNCH
23000	----	----	----	0.061B/*0.135A	----	0.078 + 0.003	.0078	----	----	----	----	44 UNCH
25000	----	----	----	0.040B/3.290A	----	0.069 + 0.002	.0067	----	----	----	----	39 UNCH
26000	----	----	----	0.001B/3.243A	----	0.066 + 0.002	.0063	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/3.142A	----	0.062 + 0.002	.0056	----	----	----	----	18 UNCH
35000	----	----	----	----/0.051A	----	0.033 UNCH	.0030	----	----	----	----	27 UNCH
TOTAL										143	28	5174 + 62
OCT26												
7000	----	----	----/11.401A	11.462B/11.401A	----	11.391 - 0.104	.6998	----	----	----	----	2 UNCH
7100	----	----	----/10.844A	10.894B/10.844A	----	10.823 - 0.105	.6792	----	----	----	----	1 UNCH
7500	----	----	----/8.737A	8.870B/8.737A	----	8.813 - 0.136	.5964	----	----	----	----	2 UNCH
7650	----	----	8.385B/7.832A	8.385B/7.832A	----	8.165 - 0.147	.5659	----	----	----	----	1 UNCH
7775	----	----	----/7.583A	7.764B/7.583A	----	7.673 NEW	.5411	----	----	2	----	2 + 2
7875	----	----	----/7.261A	7.387B/7.261A	----	7.307 - 0.128	.5218	----	----	----	----	2 UNCH
8000	----	----	7.069B/6.635A	7.069B/6.635A	----	6.879 - 0.116	.4985	----	----	----	----	38 UNCH
8075	----	----	----/6.603A	6.722B/6.603A	----	6.636 - 0.112	.4849	----	----	----	----	1 UNCH
8275	----	----	----/5.998A	6.096B/5.998A	----	6.032 - 0.109	.4502	----	----	----	----	2 UNCH
8500	----	----	5.597B/5.231A	5.597B/5.231A	----	5.427 - 0.099	.4138	----	----	----	----	16 UNCH
8550	----	----	5.459B/5.124A	5.459B/5.124A	----	5.303 - 0.093	.4061	----	----	----	----	1 UNCH
8700	----	----	5.109B/4.771A	5.109B/4.771A	----	4.951 - 0.076	.3839	----	----	----	----	4 UNCH
9000	----	----	4.468B/4.171A	4.468B/4.171A	----	4.330 - 0.052	.3432	----	----	----	----	1 UNCH
9100	----	----	4.297B/3.993A	4.297B/3.993A	----	4.146 - 0.050	.3307	----	----	----	----	23 UNCH
9500	----	----	3.626B/3.367A	3.626B/3.367A	----	3.503 - 0.063	.2857	----	----	8	----	124 + 2
9900	----	----	3.095B/2.869A	3.095B/2.869A	----	2.984 - 0.082	.2478	----	----	----	----	1 UNCH
10000	2.870	2.870	2.983B/2.761A	2.983B/2.761A	----	2.870 - 0.085	.2392	----	----	6	----	90 - 3
10500	----	----	2.481B/2.291A	2.481B/2.291A	----	2.379 - 0.087	.2017	----	----	----	----	1 UNCH
10825	----	----	----/2.083A	2.172B/2.083A	----	2.121 - 0.080	.1813	----	----	----	----	1 UNCH
10850	----	----	2.196B/2.029A	2.196B/2.029A	----	2.103 - 0.079	.1799	----	----	----	----	1 UNCH
10875	----	----	2.172B/2.047A	2.172B/2.047A	----	2.086 - 0.078	.1785	----	----	----	----	1 UNCH
10900	----	----	2.160B/1.995A	2.160B/1.995A	----	2.068 - 0.078	.1771	----	----	----	----	1 UNCH
10925	----	----	----/1.995A	2.099B/1.995A	----	2.051 - 0.077	.1757	----	----	----	----	3 UNCH
10950	----	----	2.123B/1.961A	2.123B/1.961A	----	2.034 - 0.076	.1743	----	----	----	----	3 UNCH
10975	----	----	2.099B/1.974A	2.099B/1.974A	----	2.017 - 0.075	.1729	----	----	----	----	4 UNCH
11000	----	----	2.090B/1.931A	2.090B/1.931A	----	2.000 - 0.075	.1716	----	----	----	----	11 UNCH
11025	----	----	2.067B/1.940A	2.067B/1.940A	----	1.984 - 0.074	.1703	----	----	----	----	7 UNCH
11050	----	----	2.057B/1.898A	2.057B/1.898A	----	1.968 - 0.073	.1690	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
OCT26												
11100	----	----	2.025B/1.867A	2.025B/1.867A	----	1.936 -	0.071 .1664	----	----	----	----	2 UNCH
11500	----	----	1.782B/1.647A	1.782B/1.647A	----	1.701 -	0.069 .1472	----	----	----	----	9 UNCH
11700	----	----	1.674B/1.550A	1.674B/1.550A	----	1.588 -	0.082 .1381	----	----	----	----	2 UNCH
12000	----	----	----/1.418A	1.523B/1.418A	----	1.434 -	0.101 .1257	----	----	----	----	76 UNCH
12675	----	----	----/1.210A	1.259B/1.210A	----	1.205 -	0.072 .1056	----	----	----	----	7 UNCH
12700	----	----	----/1.171A	1.249B/1.171A	----	1.198 -	0.071 .1050	----	----	----	----	7 UNCH
12725	----	----	----/1.205A	1.242B/1.205A	----	1.191 -	0.070 .1043	----	----	----	----	7 UNCH
12750	----	----	----/1.158A	1.232B/1.158A	----	1.184 -	0.069 .1037	----	----	----	----	7 UNCH
12775	----	----	----/1.152A	1.225B/1.152A	----	1.177 -	0.068 .1031	----	----	----	----	7 UNCH
12800	----	----	----/1.171A	1.217B/1.171A	----	1.171 -	0.066 .1025	----	----	----	----	7 UNCH
12825	----	----	----/1.163A	1.208B/1.163A	----	1.164 -	0.066 .1019	----	----	----	----	7 UNCH
13000	----	----	----/1.112A	1.149B/1.112A	----	1.119 -	0.061 .0978	----	----	----	----	92 UNCH
14000	----	----	----/0.879A	0.893B/0.879A	----	0.895 -	0.059 .0780	----	----	----	----	2 UNCH
15000	----	----	----/0.715A	0.697B/0.715A	----	0.715 -	0.050 .0624	----	----	----	----	180 UNCH
16000	----	----	----	0.530B/0.623A	----	0.567 -	0.011 .0499	----	----	5	----	35 UNCH
17000	----	----	----	0.432B/0.530A	----	0.454 -	0.007 .0402	----	----	----	----	120 UNCH
18000	----	----	----	0.357B/0.456A	----	0.370 +	0.005 .0329	----	----	----	----	340 UNCH
20000	----	----	0.252B/----	0.252B/0.355A	----	0.259 +	0.017 .0231	----	----	----	----	183 UNCH
TOTAL										21	0	1444 + 1
NOV26												
6500	----	----	----/15.309A	15.271B/15.309A	----	15.245 -	0.102 .7788	----	----	----	----	1 UNCH
7000	----	----	----/12.281A	12.219B/12.281A	----	12.182 -	0.106 .6897	----	----	----	----	14 UNCH
7100	----	----	----	11.635B/11.756A	----	11.646 -	0.098 .6712	----	----	----	----	14 UNCH
7500	----	----	----	9.725B/9.919A	----	9.741 -	0.080 .5973	----	----	----	----	1 UNCH
7900	----	----	----	8.111B/8.387A	----	8.187 -	0.101 .5271	----	----	----	----	16 UNCH
8000	----	----	----	7.796B/8.049A	----	7.847 -	0.108 .5105	----	----	----	----	10 UNCH
8200	----	----	----	7.118B/7.431A	----	7.217 -	0.120 .4787	----	----	----	----	6 UNCH
9000	----	----	----	5.120B/5.494A	----	5.263 -	0.117 .3702	----	----	----	----	60 UNCH
9550	----	----	----	4.145B/4.545A	----	4.306 -	0.116 .3116	----	----	----	----	3 UNCH
9800	----	----	----	3.781B/4.191A	----	3.947 -	0.121 .2887	----	----	----	----	3 UNCH
10000	----	----	----	3.544B/3.956A	----	3.687 -	0.127 .2718	----	----	----	----	24 UNCH
11000	----	----	----	2.507B/2.957A	----	2.691 -	0.144 .2041	----	----	----	----	94 UNCH
12000	----	----	----	1.862B/2.293A	----	2.039 -	0.137 .1573	----	----	----	----	13 UNCH
12500	----	----	----	1.594B/2.084A	----	1.797 -	0.127 .1394	----	----	----	----	10 UNCH
13000	----	----	----	1.349B/1.905A	----	1.595 -	0.114 .1243	----	----	----	----	1 UNCH
14000	----	----	----/1.319A	1.244B/1.319A	----	1.279 -	0.087 .1002	----	----	----	----	2 UNCH
15000	----	----	----/1.105A	1.033B/1.105A	----	1.047 -	0.060 .0823	----	----	----	----	6 UNCH
16000	----	----	----	0.837B/0.941A	----	0.871 -	0.039 .0686	----	----	----	----	14 UNCH
17000	----	----	----	0.691B/0.810A	----	0.735 -	0.025 .0580	----	----	----	----	2 UNCH
20000	----	----	----	0.432B/0.556A	----	0.474 -	0.015 .0373	----	----	----	----	33 UNCH
21000	----	----	----	0.374B/0.505A	----	0.419 -	0.017 .0329	----	----	----	----	1 UNCH
30000	----	----	----	0.128B/0.253A	----	0.153 -	0.007 .0121	----	----	----	----	6 UNCH
TOTAL											0	334 0
DEC26												
3875	----	----	----	----	----	38.526 -	0.032 .9839	----	----	----	----	1 UNCH
5000	----	----	----	7.842B/44.936A	----	27.752 -	0.045 .9381	----	----	----	----	30 UNCH
5250	----	----	----	5.574B/42.659A	----	25.505 -	0.069 .9199	----	----	----	----	50 UNCH
5500	----	----	----	2.982B/41.260A	----	23.336 -	0.074 .8978	----	----	----	----	1 UNCH
6500	----	----	----	15.733B/15.962A	----	15.788 -	0.084 .7669	----	----	----	----	600 UNCH
6900	----	----	----	13.305B/13.641A	----	13.388 -	0.086 .7007	----	----	----	----	1 UNCH
6950	----	----	----	13.028B/13.373A	----	13.115 -	0.087 .6921	----	----	----	----	220 UNCH
7000	----	----	----	12.710B/13.110A	----	12.848 -	0.088 .6836	----	----	----	----	120 UNCH
7025	----	----	----	12.623B/12.981A	----	12.717 -	0.088 .6793	----	----	----	----	1 UNCH
7075	----	----	----	12.313B/12.704A	----	12.458 -	0.090 .6708	----	----	----	----	5 UNCH
7100	----	----	----	12.230B/12.603A	----	12.331 -	0.090 .6665	----	----	----	----	15 UNCH
7375	----	----	----/10.788A	10.852B/10.788A	----	11.025 -	0.098 .6197	----	----	----	----	2 UNCH
7500	----	----	----	10.439B/10.784A	----	10.484 -	0.103 .5987	----	----	----	----	18 UNCH
7575	----	----	10.516B/----	10.516B/10.469A	----	10.174 -	0.105 .5863	----	----	----	----	1 UNCH
7750	----	----	----	9.290B/9.801A	----	9.494 -	0.110 .5579	----	----	----	----	2 UNCH
7800	----	----	----	9.145B/9.620A	----	9.310 -	0.112 .5500	----	----	----	----	37 UNCH
7925	----	----	----	8.652B/9.186A	----	8.869 -	0.115 .5306	----	----	----	----	2 UNCH
8000	----	----	----	8.395B/8.946A	----	8.617 -	0.116 .5192	----	----	----	----	134 UNCH
8100	----	----	----	8.064B/8.617A	----	8.295 -	0.118 .5044	----	----	----	----	1 UNCH
8200	----	----	----	7.753B/8.312A	----	7.989 -	0.118 .4900	----	----	----	----	21 UNCH
8400	----	----	----	7.172B/7.752A	----	7.419 -	0.119 .4623	----	----	----	----	50 UNCH
8500	----	----	----	6.902B/7.519A	----	7.154 -	0.119 .4491	----	----	----	----	165 UNCH
8550	----	----	----	6.772B/7.393A	----	7.026 -	0.119 .4426	----	----	----	----	25 UNCH
8600	----	----	----	6.685B/7.271A	----	6.902 -	0.118 .4362	----	----	----	----	47 UNCH
8800	----	----	----	6.207B/6.772A	----	6.433 -	0.115 .4118	----	----	----	----	5 UNCH
8900	----	----	----	5.984B/6.589A	----	6.215 -	0.114 .4002	----	----	----	----	27 UNCH
8950	----	----	----	5.837B/6.485A	----	6.109 -	0.114 .3945	----	----	----	----	1 UNCH
9000	----	----	----	5.732B/6.383A	----	6.006 -	0.113 .3889	----	----	----	----	249 UNCH
9050	----	----	----	5.667B/6.283A	----	5.906 -	0.112 .3834	----	----	----	----	100 UNCH
9100	----	----	----	5.530B/6.183A	----	5.808 -	0.111 .3780	----	----	----	----	16 UNCH
9300	----	----	----	5.154B/5.811A	----	5.437 -	0.109 .3574	----	----	----	----	15 UNCH
9500	----	----	----	4.808B/5.473A	----	5.098 -	0.107 .3381	----	----	----	----	10 UNCH
9700	----	----	----	4.494B/5.158A	----	4.788 -	0.106 .3200	----	----	----	----	1 UNCH
9800	----	----	----	4.345B/5.012A	----	4.642 -	0.106 .3115	----	----	----	----	74 UNCH
9900	----	----	----	4.204B/4.872A	----	4.503 -	0.106 .3032	----	----	----	----	5 UNCH
10000	----	----	----	4.066B/4.737A	----	4.369 -	0.107 .2952	----	----	10	----	855 UNCH
10025	----	----	----	4.068B/4.705A	----	4.337 -	0.106 .2933	----	----	----	----	3 UNCH
10500	----	----	----	3.470B/4.141A	----	3.778 -	0.110 .2591	----	----	2	----	103 + 2
10600	----	----	----	3.364B/4.032A	----	3.673 -	0.111 .2526	----	----	----	----	6 UNCH
10800	----	----	----	3.167B/3.832A	----	3.475 -	0.114 .2402	----	----	----	----	5 UNCH
11000	----	----	----	3.013B/3.652A	----	3.292 -	0.117 .2286	----	----	1	----	210 UNCH
11350	----	----	----	2.691B/3.380A	----	3.003 -	0.122 .2100	----	----	----	----	5 UNCH
11400	----	----	----	2.653B/3.318A	----	2.965 -	0.122 .2076	----	----	----	----	1 UNCH
11600	----	----	----	2.510B/3.193A	----	2.818 -	0.125 .1980	----	----	----	----	1 UNCH
11800	----	----	----	2.373B/3.055A	----	2.682 -	0.128 .1891	----	----	----	----	27 UNCH
12000	----	----	----	2.247B/2.925A	----	2.555 -	0.130 .1807	----	----	13	----	570 + 3
12200	----	----	----	2.126B/2.802A	----	2.436 -	0.132 .1728	----	----	----	----	1 UNCH
12300	----	----	----	2.070B/2.743A	----	2.380 -	0.132 .1690	----	----	----	----	2 UNCH
12500	----	----	----	1.967B/2.633A	----	2.272 -	0.134 .1618	----	----	2	----	47 + 2
12800	----	----	----	1.820B/2.482A	----	2.125 -	0.134 .1518	----	----	----	----	2 UNCH
13000	2.100	2.100	2.100/2.100	2.100/2.100	----	2.034 -	0.134 .1456	----	----	21	----	384 - 1
13500	----	----	----	1.498B/2.228A	----	1.830 -	0.132 .1316	----	----	----	----	6 UNCH
14000	----	----	----	1.295B/2.063A	----	1.656 -	0.126 .1195	----	----	----	----	96 UNCH
14200	----	----	----	1.219B/2.004A	----	1.594 -	0.123 .1152	----	----	----	----	1 UNCH
15000	----	----	----/1.458A	1.317B/1.458A	----	1.375 -	0.111 .0997	----	----	23	----	1834 - 20
16000	----	----	----/1.249A	1.107B/1.249A	----	1.161 -	0.092 .0845	----	----	1	----	1609 UNCH
17000	----	----	----	0.930B/1.093A	----	0.993 -	0.075 .0724	----	----	----	----	50 UNCH
18000	----	----	----	0.793B/0.967A	----	0.859 -	0.062 .0627	----	----	----	----	83 UNCH
19000	----	----	----	0.684B/0.856A	----	0.751 -	0.052 .0548	----	----	----	----	1 UNCH
20000	----	----	----	0.597B/0.773A	----	0.661 -	0.048 .0482	----	----	----	----	441 UNCH
21000	----	----	----	0.520B/0.700A	----	0.587 -	0.048 .0428	----	----	----	----	5 UNCH
22000	----	----	----	0.461B/0.641A	----	0.525 -	0.051 .0383	----	----	----	----	1 UNCH
23000	----	----	----	0.408B/0.588A	----	0.472 -	0.058 .0344	----	----	----	----	35 UNCH
25000	----	----	----/0.427A	0.328B/0.427A	----	0.393 -	0.069 .0285	----	----	----	----	240 UNCH
26000	----	----	----	0.294B/0.465A	----	0.367 -	0.066 .0265	----	----	----	----	3 UNCH
30000	----	----	----	0.198B/0.367A	----	0.263 -	0.050 .0189	----	----	----	----	110 UNCH
32000	----	----	----	0.164B/0.330A	----	0.231 -	0.045 .0165	----	----	----	----	1 UNCH
40000	----	----	----	0.080B/0.212A	----	0.170 -	0.034 .0117	----	----	----	----	25 UNCH
90000	----	----	----	0.007B/0.400A	----	0.067 -	0.014 .0041	----	----	----	----	2 UNCH
10000(	----	----	----	0.005B/0.104A	----	0.064 -	0.013 .0038	----	----	----	----	5 UNCH
TOTAL										73	0	8822 - 14
JAN27												
7550	----	----	----	11.216B/11.786A	----	11.480 -	0.099 .6052	----	----	1	----	2 + 1
7650	----	----	11.263B/----	11.263B/11.516A	----	11.074 -	0.098 .5901	----	----	----	----	5 UNCH
8300	----	----	----	8.436B/9.356A	----	8.840 -	0.096 .4989	----	----	----	----	22 UNCH
9000	----	----	----	6.618B/7.578A	----	7.063 -	0.100 .4165	----	----	----	----	1 UNCH
9525	----	----	----	5.585B/6.590A	----	6.043 -	0.108 .3651	----	----	----	----	2 UNCH
10000	----	----	----	4.823B/5.799A	----	5.290 -	0.117 .3252	----	----	1	----	6 + 1
11000	----	----	----	3.617B/4.617A	----	4.087 -	0.132 .2583	----	----	----	----	21 UNCH
12500	----	----	----	2.485B/3.405A	----	2.902 -	0.134 .1886	----	----	----	----	1 UNCH
13000	----	----	----	2.175B/3.115A	----	2.618 -	0.130 .1712	----	----	----	----	7 UNCH
14000	----	----	----	1.758B/2.662A	----	2.168 -	0.123 .1431	----	----	----	----	1 UNCH
14500	----	----	----	1.526B/2.497A	----	1.966 -	0.115 .1306	----	----	----	----	400 UNCH
15000	----	----	----	1.355B/2.344A	----	1.790 -	0.109 .1196	----	----	----	----	401 UNCH
TOTAL										2	0	869 + 2
FEB27												
7200	----	----	----	13.280B/14.097A	----	13.643 -	0.099 .6576	----	----	----	----	2 UNCH
7500	----	----	----/12.262A	11.966B/12.262A	----	12.308 -	0.104 .6140	----	----	----	----	1 UNCH
8500	----	----	----	8.476B/9.495A	----	8.941 -	0.114 .4834	----	----	----	----	4 UNCH
9000	----	----	----	7.231B/8.274A	----	7.724 -	0.115 .4293	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 44

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
FEB27												
9500	----	----	----	6.221B/7.275A	----	6.727 - 0.114	.3823	----	----	----	----	4 UNCH
30000	----	----	----	0.400B/0.656A	----	0.503 - 0.080	.0319	----	----	----	----	1 UNCH
TOTAL											0	13 0
MAR27												
8000	----	----	----	10.609B/11.648A	----	11.034 - 0.103	.5502	----	----	----	----	201 UNCH
8775	----	----	----	8.390B/9.455A	----	8.822 - 0.100	.4622	----	----	----	----	3 UNCH
9000	----	----	----	7.808B/8.935A	----	8.304 - 0.100	.4398	----	----	----	----	37 UNCH
9200	----	----	----	7.428B/8.512A	----	7.882 - 0.101	.4211	----	----	----	----	25 UNCH
10000	----	----	----	5.940B/7.088A	----	6.487 - 0.109	.3561	----	----	----	----	2 UNCH
11000	----	----	----	4.633B/5.806A	----	5.202 - 0.120	.2926	----	----	----	----	1 UNCH
13000	----	----	----	3.020B/4.092A	----	3.525 - 0.137	.2052	----	----	----	----	105 UNCH
14000	----	----	----	2.448B/3.526A	----	2.972 - 0.139	.1750	----	----	----	----	105 UNCH
15000	----	----	----	2.055B/3.080A	----	2.542 - 0.138	.1510	----	----	----	----	25 UNCH
16000	----	----	----	1.695B/2.772A	----	2.200 - 0.137	.1316	----	----	----	----	27 UNCH
25000	----	----	----/0.920A	0.764B/0.920A	----	0.880 - 0.106	.0535	----	----	----	----	1 UNCH
30000	----	----	----/0.681A	0.516B/0.681A	----	0.626 - 0.088	.0380	----	----	----	----	7 UNCH
TOTAL											0	539 0
APR27												
8525	----	----	----	9.859B/10.984A	----	10.366 - 0.096	.5040	----	----	----	----	3 UNCH
TOTAL											0	3 0
MAY27												
11000	----	----	----	----	----	7.403 - 0.088	.3485	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	59.200 - 0.034	.9970	----	----	----	----	1 UNCH
10000	----	----	----	----	----	10.287 - 0.097	.4335	----	----	----	----	1 UNCH
10300	----	----	----	----	----	9.796 - 0.097	.4156	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	41.402 - 0.055	.9305	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.504 - 0.086	.2383	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUL26												
2000	----	----	----	----/0.007A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
2400	----	----	----	----/0.297A	----	0.001 UNCH	.0000	----	----	----	----	10 UNCH
2650	----	----	----	----/0.032A	----	0.001 UNCH	.0000	----	----	----	----	6 UNCH
2900	----	----	----	----/0.035A	----	0.002 UNCH	.0002	----	----	----	----	2 UNCH
3000	----	----	----	----/0.010A	----	0.003 UNCH	.0003	----	----	----	----	6 UNCH
3025	----	----	----	----/0.037A	----	0.003 UNCH	.0003	----	----	----	----	1 UNCH
3175	----	----	----	----/0.040A	----	0.004 UNCH	.0005	----	----	----	----	10 UNCH
3275	----	----	----	----/0.042A	----	0.004 - 0.001	.0005	----	----	----	----	1 UNCH
3350	----	----	----	----/0.043A	----	0.005 - 0.001	.0006	----	----	----	----	2 UNCH
3400	----	----	----	----/0.045A	----	0.006 - 0.001	.0008	----	----	----	----	55 UNCH
3475	----	----	----	----/0.046A	----	0.007 - 0.001	.0009	----	----	----	----	5 UNCH
3500	----	----	----	----/*0.012A	----	0.008 - 0.001	.0010	----	----	----	----	4 UNCH
3600	----	----	----	----/*0.018A	----	0.010 - 0.001	.0013	----	----	----	----	12 UNCH
3700	----	----	----	----/0.020A	----	0.012 - 0.002	.0016	----	----	----	----	94 UNCH
3800	----	----	----	0.013B/*0.020A	----	0.015 - 0.002	.0020	----	----	----	----	25 UNCH
3825	----	----	----	----/0.057A	----	0.016 - 0.001	.0022	----	----	----	----	8 UNCH
3850	----	----	----	----/0.057A	----	0.016 - 0.002	.0022	----	----	----	----	3 UNCH
3900	----	----	----	----/*0.020A	----	0.018 - 0.002	.0025	----	----	----	----	11 UNCH
3950	----	----	----/*0.020A	----/*0.020A	----	0.020 - 0.001	.0028	----	----	----	----	1 UNCH
4000	0.020	0.020	0.020/0.020	0.020/0.020	----	0.021 - 0.002	.0029	----	----	15	----	98 + 13
4075	----	----	----	----/0.064A	----	0.022 - 0.003	.0031	----	----	----	----	16 UNCH
4100	----	----	----	----/0.065A	----	0.023 - 0.003	.0033	----	----	----	----	6 UNCH
4175	----	----	----	----/0.067A	----	0.024 - 0.005	.0035	----	----	----	----	9 UNCH
4200	----	----	----/*0.026A	0.023B/*0.026A	----	0.025 - 0.004	.0036	----	----	----	----	27 UNCH
4225	----	----	----	----/0.068A	----	0.025 - 0.005	.0037	----	----	----	----	1 UNCH
4250	----	----	----	----/0.069A	----	0.026 - 0.005	.0038	----	----	----	----	21 UNCH
4300	----	----	----	0.010B/*0.034A	----	0.027 - 0.005	.0040	----	----	----	----	98 UNCH
4325	----	----	----	----/0.072A	----	0.028 - 0.005	.0042	----	----	----	----	17 UNCH
4375	----	----	----	----/0.073A	----	0.029 - 0.006	.0044	----	----	----	----	32 UNCH
4400	----	----	----	----/0.074A	----	0.029 - 0.006	.0044	----	----	----	----	34 UNCH
4450	----	----	----	----/0.076A	----	0.030 - 0.007	.0047	----	----	----	----	4 UNCH
4475	----	----	----	----/0.077A	----	0.031 - 0.006	.0048	----	----	----	----	16 UNCH
4500	----	----	----	0.020B/0.041A	----	0.032 - 0.006	.0050	----	----	----	----	302 UNCH
4575	----	----	----	----/0.080A	----	0.033 - 0.007	.0053	----	----	----	----	75 UNCH
4600	----	----	----	0.016B/*0.053A	----	0.034 - 0.007	.0055	----	----	----	----	101 UNCH
4650	----	----	----	0.018B/*0.055A	----	0.035 - 0.007	.0057	----	----	----	----	40 UNCH
4675	----	----	----	0.022B/*0.052A	----	0.036 - 0.007	.0059	----	----	----	----	12 UNCH
4700	----	----	----	0.023B/0.053A	----	0.037 - 0.007	.0061	----	----	----	----	154 UNCH
4725	----	----	----	0.024B/*0.054A	----	0.038 - 0.006	.0063	----	----	----	----	3 UNCH
4750	----	----	----	0.024B/*0.055A	----	0.038 - 0.007	.0064	----	----	----	----	55 UNCH
4775	----	----	----	0.024B/*0.056A	----	0.039 - 0.007	.0066	----	----	----	----	8 UNCH
4800	----	----	----	0.025B/0.057A	----	0.040 - 0.007	.0068	----	----	----	----	15 UNCH
4825	----	----	----	0.026B/*0.058A	----	0.041 - 0.006	.0070	----	----	----	----	26 UNCH
4850	----	----	----	0.027B/*0.059A	----	0.042 - 0.006	.0072	----	----	----	----	2 UNCH
4875	----	----	----	0.028B/*0.060A	----	0.042 - 0.007	.0073	----	----	----	----	23 UNCH
4900	----	----	----	0.030B/0.061A	----	0.043 - 0.007	.0075	----	----	----	----	170 UNCH
4975	----	----	----	0.035B/*0.063A	----	0.046 - 0.007	.0082	----	----	----	----	2 UNCH
5000	0.048	0.048	0.048/*0.045A	0.048/*0.045A	----	0.047 - 0.007	.0084	----	----	2	----	957 UNCH
5025	----	----	----	0.037B/*0.065A	----	0.048 - 0.007	.0086	----	----	----	----	1 UNCH
5050	----	----	----	0.038B/*0.066A	----	0.049 - 0.008	.0089	----	----	----	----	16 UNCH
5075	----	----	----	0.039B/*0.065A	----	0.050 - 0.008	.0091	----	----	----	----	11 UNCH
5100	----	----	----	0.040B/*0.065A	----	0.052 - 0.007	.0095	----	----	----	----	178 UNCH
5150	----	----	----	0.043B/*0.070A	----	0.054 - 0.008	.0100	----	----	----	----	5 UNCH
5175	----	----	----	0.046B/*0.064A	----	0.055 - 0.009	.0103	----	----	----	----	5 UNCH
5200	0.070	0.070	0.070/*0.066A	0.070/*0.066A	----	0.057 - 0.008	.0107	----	----	1	----	109 UNCH
5225	----	----	----	0.049B/*0.068A	----	0.058 - 0.009	.0109	----	----	----	----	9 UNCH
5250	----	----	----	0.051B/*0.069A	----	0.060 - 0.009	.0114	----	----	----	----	225 UNCH
5275	----	----	----/*0.069A	0.051B/*0.069A	----	0.061 - 0.010	.0116	----	----	----	----	2 UNCH
5300	----	----	----/*0.071A	0.055B/*0.071A	----	0.063 - 0.009	.0121	----	----	----	----	124 UNCH
5325	----	----	----/*0.073A	0.057B/*0.073A	----	0.065 - 0.010	.0125	----	----	----	----	11 UNCH
5350	----	----	----/*0.074A	0.059B/*0.074A	----	0.067 - 0.010	.0129	----	----	----	----	26 UNCH
5375	----	----	----/*0.077A	0.061B/*0.077A	----	0.069 - 0.010	.0134	----	----	----	----	17 UNCH
5400	----	----	----/*0.079A	0.063B/*0.079A	----	0.070 - 0.011	.0137	----	----	----	----	76 UNCH
5425	----	----	----/*0.081A	0.065B/*0.081A	----	0.073 - 0.011	.0143	----	----	----	----	49 UNCH
5450	----	----	----/*0.083A	0.066B/*0.083A	----	0.075 - 0.011	.0148	----	----	----	----	38 UNCH
5475	----	----	----/*0.086A	0.070B/*0.086A	----	0.077 - 0.012	.0153	----	----	----	----	53 UNCH
5500	0.095	0.095	0.095/*0.070	0.095/*0.070	----	0.079 - 0.013	.0158	----	----	26	----	1010 + 5
5525	----	----	----/*0.091A	0.074B/*0.091A	----	0.082 - 0.013	.0164	----	----	----	----	87 UNCH
5550	----	----	----/*0.093A	0.078B/*0.093A	----	0.085 - 0.013	.0171	----	----	----	----	18 UNCH
5575	----	----	----/*0.096A	0.081B/*0.096A	----	0.087 - 0.015	.0176	----	----	----	----	4 UNCH
5600	----	----	----/*0.099A	0.084B/*0.099A	----	0.090 - 0.015	.0183	----	----	1	----	46 UNCH
5625	0.102	0.102	0.104/*0.090A	0.104/*0.090A	----	0.094 - 0.015	.0191	----	----	8	----	31 + 1
5650	----	----	----/*0.105A	0.091B/*0.105A	----	0.097 - 0.016	.0198	----	----	----	----	30 UNCH
5675	----	----	----/*0.109A	0.095B/*0.109A	----	0.100 - 0.017	.0206	----	----	----	----	45 UNCH
5700	----	----	----/*0.113A	0.100B/*0.113A	----	0.104 - 0.018	.0214	----	----	----	----	309 UNCH
5725	----	----	----/*0.110A	0.103B/*0.110A	----	0.108 - 0.019	.0223	----	----	----	----	4 UNCH
5750	0.109	0.109	0.110B/*0.109	0.110B/*0.109	----	0.112 - 0.020	.0232	----	----	4	----	52 UNCH
5775	----	----	----/*0.119A	0.113B/*0.119A	----	0.116 - 0.021	.0242	----	----	----	----	3 UNCH
5800	----	----	----/*0.123A	0.118B/*0.123A	----	0.121 - 0.021	.0252	----	----	----	----	28 UNCH
5825	----	----	----/*0.129A	0.123B/*0.129A	----	0.125 - 0.023	.0262	----	----	----	----	4 UNCH
5850	----	----	----/*0.134A	0.129B/*0.134A	----	0.131 - 0.023	.0275	----	----	----	----	114 UNCH
5875	----	----	----/*0.139A	0.137B/*0.139A	----	0.136 - 0.025	.0286	----	----	----	----	4 UNCH
5900	----	----	----/*0.144A	0.144B/*0.144A	----	0.142 - 0.026	.0299	----	----	----	----	11 UNCH
5925	----	----	----/*0.150A	0.150B/*0.150A	----	0.148 - 0.027	.0312	----	----	----	----	2 UNCH
5950	----	----	----/*0.155A	0.158B/*0.155A	----	0.154 - 0.029	.0326	----	----	----	----	3 UNCH
5975	----	----	----/*0.164A	0.166B/*0.164A	----	0.161 - 0.030	.0341	----	----	----	----	10 UNCH
6000	0.198	0.198	0.198/0.170	0.198/0.170	----	0.168 - 0.031	.0356	----	----	31	----	784 UNCH
6050	----	----	----/*0.188A	0.192B/*0.188A	----	0.183 - 0.035	.0389	----	----	----	----	22 UNCH
6075	----	----	----/*0.197A	0.204B/*0.197A	----	0.192 - 0.036	.0408	----	----	----	----	1 UNCH
6100	0.205	0.205	0.205/*0.204A	0.215B/*0.204A	----	0.201 - 0.038	.0428	----	----	5	----	300 - 1
6125	----	----	----/*0.214A	0.226B/*0.214A	----	0.211 - 0.039	.0449	----	----	----	----	1 UNCH
6150	----	----	----/*0.223A	0.239B/*0.223A	----	0.221 - 0.041	.0470	----	----	----	----	25 UNCH
6175	0.234	0.234	0.234/*0.234	0.252B/*0.234	----	0.231 - 0.044	.0492	----	----	1	----	16 UNCH
6200	0.264	0.264	0.266B/*0.246A	0.266B/*0.246A	----	0.243 - 0.046	.0516	----	----	7	----	186 - 6
6225	0.274	0.274	0.290/*0.258A	0.290/*0.258A	----	0.255 - 0.048	.0541	----	----	2	----	4 + 1
6250	0.290	0.290	0.341/*0.260	0.341/*0.260	----	0.268 - 0.050	.0568	----	----	12	----	29 + 5
6275	0.285	0.285	0.290/*0.282A	0.314B/*0.282A	----	0.281 - 0.053	.0595	----	----	4	----	11 + 1
6300	----	----	----/*0.296A	0.331B/*0.296A	----	0.296 - 0.055	.0625	----	----	10	----	317 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
6325	0.316	0.316	0.316/*0.315A	0.367B/*0.315A	----	0.311 - 0.057	.0656	----	----	1	----	27 UNCH
6350	0.345	0.345	0.388B/*0.330A	0.388B/*0.330A	----	0.327 - 0.060	.0688	----	----	1	----	136 UNCH
6375	----	----	0.409B/*0.348A	0.409B/*0.348A	----	0.345 - 0.062	.0723	----	----	----	----	13 UNCH
6400	----	----	0.430B/*0.366A	0.430B/*0.366A	----	0.363 - 0.065	.0759	----	----	3	----	212 + 1
6425	----	----	0.453B/*0.384A	0.453B/*0.384A	----	0.382 - 0.068	.0796	----	----	----	----	21 UNCH
6450	----	----	0.478B/*0.402A	0.478B/*0.402A	----	0.403 - 0.070	.0837	----	----	3	----	34 UNCH
6475	----	----	0.503B/*0.423A	0.503B/*0.423A	----	0.425 - 0.073	.0879	----	----	----	----	7 UNCH
6500	0.500	0.500	0.550/0.437A	0.550/0.437A	----	0.447 - 0.077	.0921	----	----	84	----	1156 + 21
6525	0.537	0.537	0.559B/*0.463A	0.559B/*0.463A	----	0.472 - 0.079	.0967	----	----	1	----	6 + 1
6550	0.567	0.567	0.591B/*0.490A	0.591B/*0.490A	----	0.497 - 0.083	.1014	----	----	2	----	84 UNCH
6575	0.580	0.580	0.622B/*0.500	0.622B/*0.500	----	0.525 - 0.085	.1065	----	----	11	----	29 + 11
6600	0.593	0.593	0.662/*0.541A	0.662/*0.541A	----	0.553 - 0.089	.1116	----	----	3	----	61 - 1
6625	0.655	0.655	0.690B/*0.571A	0.690B/*0.571A	----	0.583 - 0.092	.1170	----	----	1	----	8 UNCH
6650	0.705	0.705	0.728B/0.600A	0.728B/0.600A	----	0.615 - 0.095	.1226	----	----	1	----	133 - 1
6675	0.690	0.690	0.768B/0.630A	0.768B/0.630A	----	0.649 - 0.098	.1286	----	----	2	----	11 + 2
6700	0.725	0.725	0.808B/0.664A	0.808B/0.664A	----	0.684 - 0.102	.1346	----	----	4	----	81 + 4
6725	----	----	0.854B/0.698A	0.854B/0.698A	----	0.721 - 0.106	.1409	----	----	----	----	3 UNCH
6750	----	----	0.901B/0.735A	0.901B/0.735A	----	0.760 - 0.109	.1475	----	----	----	----	49 UNCH
6775	----	----	0.947B/0.773A	0.947B/0.773A	----	0.802 - 0.112	.1544	----	----	1	----	14 - 1
6800	0.865	0.865	1.006B/0.812A	1.006B/0.812A	----	0.845 - 0.115	.1614	----	----	109	----	383 + 36
6825	----	----	1.050B/0.854A	1.050B/0.854A	----	0.890 - 0.119	.1687	----	----	----	----	7 UNCH
6850	----	----	1.111B/0.897A	1.111B/0.897A	----	0.938 - 0.122	.1762	----	----	----	----	17 UNCH
6875	----	----	1.175B/0.944A	1.175B/0.944A	----	0.987 - 0.127	.1839	----	----	----	----	113 UNCH
6900	1.133	1.133	1.236B/0.989	1.236B/0.989	----	1.040 - 0.129	.1920	----	----	18	----	155 - 4
6925	----	----	1.293B/1.042A	1.293B/1.042A	----	1.094 - 0.134	.2002	----	----	----	----	46 UNCH
6950	1.308	1.308	1.367B/1.094A	1.367B/1.094A	----	1.151 - 0.137	.2086	----	----	3	----	120 UNCH
6975	----	----	1.429B/1.148A	1.429B/1.148A	----	1.211 - 0.140	.2173	----	----	2	----	10 UNCH
7000	1.300	1.300	1.508B/1.200	1.508B/1.200	----	1.273 - 0.144	.2262	----	----	96	----	1088 + 6
7025	----	----	1.582B/1.264A	1.582B/1.264A	----	1.338 - 0.147	.2353	----	----	----	----	210 UNCH
7050	1.450	1.450	1.652B/1.326A	1.652B/1.326A	----	1.406 - 0.150	.2447	----	----	6	----	11 - 1
7075	----	----	1.733B/1.390A	1.733B/1.390A	----	1.476 - 0.153	.2542	----	----	----	----	7 UNCH
7100	1.546	1.546	1.826B/1.457A	1.826B/1.457A	----	1.550 - 0.156	.2640	----	----	3	----	74 UNCH
7125	1.681	1.681	1.905B/1.528A	1.905B/1.528A	----	1.626 - 0.159	.2738	----	----	1	----	12 + 1
7150	----	----	2.004B/1.599A	2.004B/1.599A	----	1.705 - 0.162	.2839	----	----	----	----	112 UNCH
7175	----	----	2.088B/1.673A	2.088B/1.673A	----	1.787 - 0.164	.2942	----	----	----	----	33 UNCH
7200	2.080	2.080	2.193B/1.751A	2.193B/1.751A	----	1.873 - 0.166	.3046	----	----	23	----	165 + 20
7225	----	----	2.290B/1.832A	2.290B/1.832A	----	1.961 - 0.169	.3151	----	----	----	----	4 UNCH
7250	2.095	2.095	2.394B/1.911	2.394B/1.911	----	2.053 - 0.170	.3258	----	----	9	----	199 - 3
7275	2.169	2.169	2.496B/2.000A	2.496B/2.000A	----	2.147 - 0.172	.3366	----	----	1	----	4 + 1
7300	2.366	2.366	2.611B/2.088A	2.611B/2.088A	----	2.245 - 0.174	.3476	----	----	9	----	77 + 1
7325	----	----	2.718B/2.179A	2.718B/2.179A	----	2.346 - 0.175	.3586	----	----	1	----	14 UNCH
7350	----	----	2.834B/2.275A	2.834B/2.275A	----	2.450 - 0.176	.3697	----	----	----	----	10 UNCH
7375	2.602	2.602	2.955B/2.372A	2.955B/2.372A	----	2.557 - 0.178	.3808	----	----	2	----	120 UNCH
7400	2.674	2.674	3.079B/2.471A	3.079B/2.471A	----	2.668 - 0.178	.3920	----	----	6	----	138 + 2
7425	2.816	2.816	3.201B/2.577A	3.201B/2.577A	----	2.782 - 0.178	.4033	----	----	1	----	27 UNCH
7450	2.931	2.931	3.331B/2.680A	3.331B/2.680A	----	2.899 - 0.179	.4146	----	----	1	----	97 - 1
7475	----	----	3.455B/2.791A	3.455B/2.791A	----	3.019 - 0.179	.4259	----	----	----	----	13 UNCH
7500	3.250	3.250	3.603B/2.902A	3.603B/2.902A	----	3.143 - 0.178	.4372	----	----	10	----	208 - 3
7525	3.640	3.640	3.735B/3.016A	3.735B/3.016A	----	3.269 - 0.179	.4485	----	----	2	----	26 UNCH
7550	3.658	3.658	3.871B/3.107	3.871B/3.107	----	3.399 - 0.178	.4598	----	----	3	----	38 + 1
7575	3.564	3.564	4.022B/3.257A	4.022B/3.257A	----	3.532 - 0.177	.4710	----	----	8	----	28 + 5
7600	3.735	3.735	4.171B/3.377A	4.171B/3.377A	----	3.668 - 0.176	.4822	----	----	1	----	45 + 1
7625	3.654	3.654	4.319B/3.506A	4.319B/3.506A	----	3.807 - 0.176	.4933	----	----	1	----	39 - 1
7650	----	----	4.471B/3.632A	4.471B/3.632A	----	3.949 - 0.174	.5044	----	----	----	----	67 UNCH
7675	----	----	4.627B/3.767A	4.627B/3.767A	----	4.094 - 0.173	.5154	----	----	----	----	37 UNCH
7700	----	----	4.784B/3.899A	4.784B/3.899A	----	4.243 - 0.171	.5263	----	----	4	----	241 + 3
7725	4.655	4.655	4.942B/4.040A	4.942B/4.040A	----	4.394 - 0.169	.5370	----	----	1	----	36 + 1
7750	----	----	5.081B/4.180A	5.081B/4.180A	----	4.548 - 0.168	.5477	----	----	----	----	24 UNCH
7775	----	----	5.237B/4.319A	5.237B/4.319A	----	4.704 - 0.166	.5582	----	----	----	----	5 UNCH
7800	----	----	5.415B/4.465A	5.415B/4.465A	----	4.864 - 0.164	.5687	----	----	----	----	110 UNCH
7825	----	----	5.557B/4.617A	5.557B/4.617A	----	5.026 - 0.162	.5790	----	----	----	----	27 UNCH
7850	----	----	5.742B/4.764A	5.742B/4.764A	----	5.191 - 0.160	.5891	----	----	----	----	35 UNCH
7875	----	----	5.911B/4.920A	5.911B/4.920A	----	5.358 - 0.158	.5991	----	----	----	----	26 UNCH
7900	5.450	5.450	6.090B/5.072A	6.090B/5.072A	----	5.528 - 0.156	.6089	----	----	5	----	33 + 5
7925	----	----	6.269B/5.235A	6.269B/5.235A	----	5.700 - 0.154	.6186	----	----	----	----	2 UNCH
7950	----	----	6.453B/5.396A	6.453B/5.396A	----	5.875 - 0.151	.6282	----	----	----	----	4 UNCH
7975	----	----	6.642B/5.560A	6.642B/5.560A	----	6.052 - 0.149	.6375	----	----	----	----	5 UNCH
8000	----	----	6.828B/5.726A	6.828B/5.726A	----	6.232 - 0.146	.6467	----	----	----	----	273 UNCH
8050	----	----	7.208B/6.066A	7.208B/6.066A	----	6.597 - 0.142	.6646	----	----	----	----	1 UNCH
8075	----	----	7.401B/6.239A	7.401B/6.239A	----	6.783 - 0.139	.6733	----	----	----	----	10 UNCH
8100	----	----	7.598B/6.414A	7.598B/6.414A	----	6.971 - 0.137	.6818	----	----	----	----	48 UNCH
8125	----	----	7.804B/6.593A	7.804B/6.593A	----	7.161 - 0.135	.6901	----	----	----	----	7 UNCH
8150	----	----	7.994B/6.820A	7.994B/6.820A	----	7.353 - 0.133	.6983	----	----	----	----	2 UNCH
8175	----	----	8.195B/7.001A	8.195B/7.001A	----	7.547 - 0.130	.7063	----	----	----	----	4 UNCH
8200	----	----	8.399B/7.185A	8.399B/7.185A	----	7.742 - 0.129	.7141	----	----	----	----	23 UNCH
8225	----	----	8.603B/7.371A	8.603B/7.371A	----	7.940 - 0.126	.7217	----	----	----	----	17 UNCH
8250	----	----	8.819B/7.558A	8.819B/7.558A	----	8.139 - 0.124	.7291	----	----	----	----	90 UNCH
8275	----	----	9.013B/7.749A	9.013B/7.749A	----	8.340 - 0.122	.7364	----	----	----	----	15 UNCH
8300	----	----	9.237B/7.940A	9.237B/7.940A	----	8.543 - 0.120	.7435	----	----	----	----	130 UNCH
8325	----	----	9.446B/8.134A	9.446B/8.134A	----	8.747 - 0.118	.7504	----	----	----	----	1 UNCH
8350	----	----	9.646B/8.329A	9.646B/8.329A	----	8.953 - 0.115	.7571	----	----	----	----	20 UNCH
8375	----	----	9.876B/8.526A	9.876B/8.526A	----	9.161 - 0.113	.7637	----	----	----	----	4 UNCH
8400	----	----	10.091B/8.725A	10.091B/8.725A	----	9.370 - 0.110	.7701	----	----	----	----	13 UNCH
8425	----	----	10.308B/8.924A	10.308B/8.924A	----	9.580 - 0.109	.7763	----	----	----	----	4 UNCH
8450	----	----	10.526B/9.127A	10.526B/9.127A	----	9.792 - 0.106	.7823	----	----	----	----	33 UNCH
8475	----	----	10.745B/9.331A	10.745B/9.331A	----	10.005 - 0.104	.7883	----	----	----	----	1 UNCH
8500	10.300	10.300	11.000/9.537A	11.000/9.537A	----	10.219 - 0.102	.7940	----	----	3	----	168 UNCH
8525	----	----	11.188B/9.743A	11.188B/9.743A	----	10.435 - 0.100	.7996	----	----	----	----	4 UNCH
8550	----	----	11.410B/9.951A	11.410B/9.951A	----	10.652 - 0.097	.8049	----	----	----	----	37 UNCH
8575	----	----	11.634B/10.160A	11.634B/10.160A	----	10.870 - 0.095	.8103	----	----	----	----	1 UNCH
8600	----	----	11.845B/10.371A	11.845B/10.371A	----	11.089 - 0.093	.8153	----	----	----	----	75 UNCH
8625	----	----	12.071B/10.583A	12.071B/10.583A	----	11.309 - 0.091	.8203	----	----	----	----	7 UNCH
8650	----	----	12.311B/10.796A	12.311B/10.796A	----	11.531 - 0.088	.8252	----	----	----	----	1 UNCH
8675	----	----	12.525B/11.011A	12.525B/11.011A	----	11.753 - 0.087	.8298	----	----	----	----	1 UNCH
8700	----	----	12.754B/11.225A	12.754B/11.225A	----	11.976 - 0.085	.8343	----	----	----	----	11 UNCH
8725	----	----	12.983B/11.443A	12.983B/11.443A	----	12.201 - 0.082	.8387	----	----	----	----	1 UNCH
8800	----	----	13.675B/12.107A	13.675B/12.107A	----	12.879 - 0.076	.8512	----	----	----	----	59 UNCH
8850	----	----	14.140B/12.549A	14.140B/12.549A	----	13.335 - 0.072	.8588	----	----	----	----	1 UNCH
8900	----	----	14.608B/12.996A	14.608B/12.996A	----	13.794 - 0.069	.8660	----	----	----	----	2 UNCH
8975	----	----	15.314B/13.674A	15.314B/13.674A	----	14.488 - 0.063	.8761	----	----	----	----	2 UNCH
9000	----	----	15.550B/13.902A	15.550B/13.902A	----	14.721 - 0.061	.8792	----	----	----	----	320 UNCH
9025	----	----	15.787B/14.129A	15.787B/14.129A	----	14.954 - 0.060	.8823	----	----	----	----	1 UNCH
9175	----	----	17.217B/15.506A	17.217B/15.506A	----	16.363 - 0.053	.8989	----	----	----	----	1 UNCH
9200	----	----	17.456B/15.740A	17.456B/15.740A	----	16.600 - 0.052	.9013	----	----	----	----	11 UNCH
9250	----	----	17.937B/16.206A	17.937B/16.206A	----	17.074 - 0.050	.9061	----	----	----	----	1 UNCH
9275	----	----	18.173B/16.441A	18.173B/16.441A	----	17.312 - 0.048	.9084	----	----	----	----	1 UNCH
9300	----	----	18.416B/16.680A	18.416B/16.680A	----	17.550 - 0.047	.9105	----	----	----	----	5 UNCH
9400	----	----	19.381B/17.621A	19.381B/17.621A	----	18.506 - 0.041	.9188	----	----	----	----	1 UNCH
9450	----	----	19.866B/18.096A	19.866B/18.096A	----	18.986 - 0.037	.9225	----	----	----	----	12 UNCH
9500	----	----	20.352B/18.572A	20.352B/18.572A	----	19.468 - 0.032	.9260	----	----	----	----	217 UNCH
9600	----	----	21.327B/19.529A	21.327B/19.529A	----	20.434 - 0.025	.9323	----	----	----	----	50 UNCH
9775	----	----	23.039B/21.215A	23.039B/21.215A	----	22.135 - 0.021	.9417	----	----	----	----	5 UNCH
9900	----	----	24.260B/22.427A	24.260B/22.427A	----	23.355 - 0.020	.9475	----	----	----	----	6 UNCH
9950	----	----	24.750B/22.913A	24.750B/22.913A	----	23.843 - 0.020	.9497	----	----	----	----	5 UNCH
10000	----	----	25.240B/23.400A	25.240B/23.400A	----	24.333 - 0.018	.9517	----	----	----	----	225 UNCH
10275	----	----	27.957B/26.103A	27.957B/26.103A	----	27.034 - 0.008	.9610	----	----	----	----	7 UNCH
10500	----	----	30.174B/28.327A	30.174B/28.327A	----	29.254 - 0.003	.9667	----	----	----	----	3 UNCH
10600	----	----	31.142B/29.327A	31.142B/29.327A	----	30.242 - 0.002	.9689	----	----	----	----	9 UNCH
10800	----	----	33.127B/31.302A	33.127B/31.302A	----	32.222 + 0.001	.9728	----	----	----	----	1 UNCH
11000	----	----	35.105B/33.331A	35.105B/33.331A	----	34.206 + 0.007	.9760	----	----	----	----	250 UNCH
11300	----	----	37.956B/36.362A	37.956B/36.362A	----	37.186 + 0.013	.9797	----	----	----	----	10 UNCH
11500	----	----	39.913B/38.356A	39.913B/38.356A	----	39.176 + 0.017	.9817	----	----	----	----	1 UNCH
12000	----	----	44.899B/43.337A	44.899B/43.337A	----	44.155 + 0.024	.9857	----	----	1	----	20 + 1
13000	----	----	54.875B/53.342A	54.875B/53.342A	----	54.132 + 0.033	.9909	----	----	----	----	1 UNCH
TOTAL										577	0	15668 + 124
AUG26												
3300	----	----	----	----/0.225A	----	0.038 - 0.001	.0039	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/*0.062A	----	0.052 + 0.006	.0063	----	----	----	----	1 UNCH
4000	----	----	----	0.001B/0.068A	----	0.055 + 0.008	.0068	----	----	----	----	1 UNCH
4175	----	----	----	0.001B/*0.082A	----	0.061 + 0.004	.0078	----	----	----	----	1 UNCH
4300	----	----	----	0.001B/*0.091A	----	0.066 UNCH	.0087	----	----	----	----	1 UNCH
4350	----	----	----	0.001B/*0.095A	----	0.068 - 0.001	.0091	----	----	----	----	1 UNCH
4375	----	----	----	0.001B/*0.097A	----	0.070 - 0.001	.0094	----	----	----	----	160 UNCH
4400	----	----	----	0.028B/*0.099A	----	0.071 - 0.002	.0096	----	----	----	----	1 UNCH
4450	----	----	----	0.030B/*0.098A	----	0.074 - 0.003	.0100	----	----	----	----	1 UNCH
4500	----	----	----	0.036B/0.098A	----	0.077 - 0.005	.0106	----	----	----	----	7 UNCH
4600	----	----	----	0.049B/*0.113A	----	0.083 - 0.008	.0116	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO PUT	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
AUG26		COMEX SILVER OPTIONS										
4625	----	----	----	0.051B/*0.116A	----	0.085 - 0.009	.0119	----	----	----	----	1 UNCH
4700	----	----	----	0.058B/*0.121A	----	0.091 - 0.011	.0129	----	----	----	----	9 UNCH
4775	----	----	----	0.065B/*0.129A	----	0.098 - 0.013	.0141	----	----	----	----	2 UNCH
4800	----	----	----	0.068B/0.132A	----	0.101 - 0.014	.0145	----	----	----	----	10 UNCH
4825	----	----	----	0.072B/*0.134A	----	0.103 - 0.015	.0149	----	----	----	----	1 UNCH
5000	0.130	0.130	0.130/0.130	0.130/0.130	----	0.127 - 0.020	.0187	----	----	10	----	46 UNCH
5275	----	----	----	0.165B/*0.220A	----	0.183 - 0.029	.0272	----	----	----	----	1 UNCH
5300	----	----	----	0.172B/*0.228A	----	0.190 - 0.029	.0283	----	----	----	----	2 UNCH
5400	----	----	----	0.204B/*0.258A	----	0.220 - 0.032	.0327	----	----	----	----	4 UNCH
5425	----	----	----	0.213B/*0.266A	----	0.229 - 0.032	.0340	----	----	----	----	1 UNCH
5500	----	----	----	0.244B/*0.292A	----	0.256 - 0.035	.0379	----	----	----	----	165 UNCH
5600	----	----	----	0.289B/*0.336A	----	0.299 - 0.037	.0440	----	----	----	----	1 UNCH
5675	----	----	----/*0.372A	0.333B/*0.372A	----	0.336 - 0.039	.0492	----	----	----	----	9 UNCH
5700	----	----	----/*0.383A	0.346B/*0.383A	----	0.349 - 0.040	.0510	----	----	----	----	7 UNCH
5750	----	----	----/*0.384A	0.393B/*0.384A	----	0.377 - 0.042	.0549	----	----	----	----	2 UNCH
5775	----	----	----/*0.397A	0.405B/*0.397A	----	0.392 - 0.042	.0570	----	----	----	----	2 UNCH
5800	0.394	0.394	0.394/*0.394	0.424B/*0.394	----	0.408 - 0.043	.0591	----	----	4	----	13 UNCH
5850	----	----	----/*0.443A	0.463B/*0.443A	----	0.441 - 0.044	.0636	----	----	----	----	7 UNCH
5875	----	----	----/*0.460A	0.481B/*0.460A	----	0.458 - 0.045	.0659	----	----	----	----	4 UNCH
5900	----	----	----/*0.476A	0.503B/*0.476A	----	0.477 - 0.045	.0684	----	----	----	----	8 UNCH
5925	----	----	----/*0.494A	0.519B/*0.494A	----	0.496 - 0.046	.0709	----	----	----	----	6 UNCH
5950	----	----	----/*0.514A	0.547B/*0.514A	----	0.515 - 0.048	.0734	----	----	----	----	10 UNCH
6000	----	----	----/*0.552A	0.607B/*0.552A	----	0.557 - 0.050	.0789	----	----	----	36	287 UNCH
6025	0.641	0.641	0.641/*0.573A	0.641/*0.573A	----	0.579 - 0.051	.0817	----	----	2	----	2 - 2
6050	----	----	0.658B/*0.594A	0.658B/*0.594A	----	0.602 - 0.053	.0847	----	----	----	----	25 UNCH
6100	----	----	0.713B/*0.644A	0.713B/*0.644A	----	0.650 - 0.056	.0908	----	----	----	----	59 UNCH
6125	----	----	0.742B/*0.676A	0.742B/*0.676A	----	0.676 - 0.058	.0940	----	----	----	----	5 UNCH
6150	----	----	0.772B/*0.703A	0.772B/*0.703A	----	0.702 - 0.060	.0973	----	----	1	----	29 + 1
6175	----	----	0.803B/*0.730A	0.803B/*0.730A	----	0.730 - 0.062	.1007	----	----	----	----	12 UNCH
6200	----	----	0.836B/*0.751A	0.836B/*0.751A	----	0.758 - 0.065	.1042	----	----	2	90	127 - 89
6225	----	----	0.870B/0.785A	0.870B/0.785A	----	0.788 - 0.067	.1078	----	----	----	----	10 UNCH
6250	----	----	0.905B/*0.810A	0.905B/*0.810A	----	0.819 - 0.070	.1116	----	----	----	----	113 UNCH
6275	----	----	0.941B/*0.838A	0.941B/*0.838A	----	0.851 - 0.072	.1154	----	----	----	----	2 UNCH
6300	0.937	0.937	0.979B/*0.877A	0.979B/*0.877A	----	0.884 - 0.075	.1193	----	----	2	----	152 UNCH
6325	----	----	1.018B/*0.915A	1.018B/*0.915A	----	0.918 - 0.079	.1233	----	----	----	----	1 UNCH
6350	----	----	1.064B/*0.953A	1.064B/*0.953A	----	0.954 - 0.081	.1275	----	----	----	----	34 UNCH
6375	----	----	1.101B/*0.989A	1.101B/*0.989A	----	0.991 - 0.084	.1318	----	----	----	----	1 UNCH
6400	1.019	1.019	1.144B/*1.019	1.144B/*1.019	----	1.030 - 0.087	.1362	----	----	4	----	97 + 2
6425	1.100	1.100	1.190B/*1.067A	1.190B/*1.067A	----	1.070 - 0.090	.1407	----	----	2	----	9 + 2
6450	----	----	1.242B/*1.106A	1.242B/*1.106A	----	1.112 - 0.092	.1454	----	----	----	----	36 UNCH
6475	----	----	1.289B/*1.149A	1.289B/1.149A	----	1.156 - 0.094	.1502	----	----	----	----	1 UNCH
6500	1.199	1.199	1.337B/1.187	1.337B/1.187	----	1.201 - 0.096	.1550	----	----	9	----	195 + 1
6525	1.293	1.293	1.394B/1.245A	1.394B/1.245A	----	1.247 - 0.099	.1600	----	----	1	----	2 UNCH
6550	----	----	1.440B/1.286A	1.440B/1.286A	----	1.296 - 0.100	.1652	----	----	----	----	1 UNCH
6575	----	----	1.495B/*1.340A	1.495B/1.340A	----	1.346 - 0.103	.1704	----	----	----	----	51 UNCH
6600	1.429	1.429	1.560B/1.382A	1.560B/1.382A	----	1.398 - 0.104	.1757	----	----	50	----	115 + 49
6625	----	----	1.619B/1.435A	1.619B/1.435A	----	1.452 - 0.106	.1812	----	----	----	----	2 UNCH
6650	----	----	1.680B/1.492A	1.680B/1.492A	----	1.508 - 0.107	.1868	----	----	----	----	10 UNCH
6675	----	----	1.750B/1.547A	1.750B/1.547A	----	1.566 - 0.109	.1926	----	----	----	----	1 UNCH
6700	----	----	1.823B/1.607A	1.823B/1.607A	----	1.626 - 0.110	.1984	----	----	----	----	25 UNCH
6725	----	----	1.873B/1.665A	1.873B/1.665A	----	1.688 - 0.111	.2043	----	----	----	----	11 UNCH
6750	----	----	1.953B/1.728A	1.953B/1.728A	----	1.752 - 0.112	.2104	----	----	----	----	7 UNCH
6775	----	----	2.016B/1.800A	2.016B/1.800A	----	1.819 - 0.112	.2166	----	----	----	----	16 UNCH
6800	----	----	2.100B/1.861A	2.100B/1.861A	----	1.887 - 0.114	.2228	----	----	14	----	162 + 10
6825	----	----	2.176B/1.927A	2.176B/1.927A	----	1.958 - 0.114	.2292	----	----	----	----	10 UNCH
6850	----	----	2.266B/1.995A	2.266B/1.995A	----	2.031 - 0.114	.2356	----	----	----	----	2 UNCH
6875	----	----	2.341B/2.079A	2.341B/2.079A	----	2.106 - 0.115	.2422	----	----	----	----	2 UNCH
6900	----	----	2.421B/2.142A	2.421B/2.142A	----	2.183 - 0.116	.2488	----	----	----	----	21 UNCH
6950	----	----	2.598B/2.300A	2.598B/2.300A	----	2.344 - 0.117	.2623	----	----	----	----	32 UNCH
6975	2.635	2.635	2.677B/2.371A	2.677B/2.371A	----	2.428 - 0.117	.2692	----	----	7	----	8 + 3
7000	2.560	2.560	2.778B/2.439A	2.778B/2.439A	----	2.515 - 0.116	.2761	----	----	51	----	410 + 22
7050	----	----	2.977B/2.651A	2.977B/2.651A	----	2.693 - 0.117	.2901	----	----	----	----	13 UNCH
7075	----	----	3.060B/2.736A	3.060B/2.736A	----	2.786 - 0.117	.2972	----	----	----	----	12 UNCH
7100	----	----	3.182B/2.834A	3.182B/2.834A	----	2.880 - 0.118	.3044	----	----	----	----	22 UNCH
7125	----	----	3.269B/2.929A	3.269B/2.929A	----	2.977 - 0.118	.3116	----	----	----	----	20 UNCH
7150	----	----	3.388B/3.027A	3.388B/3.027A	----	3.076 - 0.118	.3188	----	----	----	----	5 UNCH
7175	----	----	3.486B/3.126A	3.486B/3.126A	----	3.177 - 0.119	.3261	----	----	----	----	10 UNCH
7200	----	----	3.598B/3.215A	3.598B/3.215A	----	3.280 - 0.119	.3334	----	----	----	----	101 UNCH
7225	----	----	3.684B/3.331A	3.684B/3.331A	----	3.385 - 0.120	.3407	----	----	----	----	11 UNCH
7250	3.373	3.373	3.828B/3.373	3.828B/3.373	----	3.492 - 0.122	.3480	----	----	26	----	35 + 26
7275	----	----	3.939B/3.545A	3.939B/3.545A	----	3.601 - 0.124	.3554	----	----	----	----	10 UNCH
7300	3.838	3.838	4.075B/3.648A	4.075B/3.648A	----	3.712 - 0.126	.3628	----	----	1	----	111 UNCH
7325	----	----	4.174B/3.769A	4.174B/3.769A	----	3.825 - 0.129	.3702	----	----	----	----	1 UNCH
7350	----	----	4.315B/3.883A	4.315B/3.883A	----	3.941 - 0.130	.3776	----	----	----	----	8 UNCH
7400	----	----	4.578B/4.118A	4.578B/4.118A	----	4.179 - 0.134	.3924	----	----	----	----	25 UNCH
7425	----	----	4.694B/4.241A	4.694B/4.241A	----	4.302 - 0.135	.3999	----	----	1	----	2 + 1
7450	----	----	4.832B/4.365A	4.832B/4.365A	----	4.427 - 0.136	.4073	----	----	----	----	1 UNCH
7475	----	----	4.962B/4.491A	4.962B/4.491A	----	4.555 - 0.135	.4147	----	----	----	----	6 UNCH
7500	----	----	5.109B/4.613A	5.109B/4.613A	----	4.686 - 0.133	.4221	----	----	1	----	112 UNCH
7525	----	----	5.244B/4.750A	5.244B/4.750A	----	4.819 - 0.131	.4295	----	----	----	----	11 UNCH
7550	----	----	5.395B/4.875A	5.395B/4.875A	----	4.954 - 0.129	.4368	----	----	----	----	18 UNCH
7575	----	----	5.526B/5.013A	5.526B/5.013A	----	5.092 - 0.126	.4441	----	----	----	----	2 UNCH
7600	----	----	5.662B/5.139A	5.662B/5.139A	----	5.232 - 0.123	.4514	----	----	----	----	6 UNCH
7625	----	----	5.820B/5.283A	5.820B/5.283A	----	5.375 - 0.119	.4587	----	----	16	----	16 + 15
7650	----	----	5.981B/5.415A	5.981B/5.415A	----	5.519 - 0.116	.4659	----	----	16	----	32 + 16
7675	----	----	6.113B/5.563A	6.113B/5.563A	----	5.665 - 0.114	.4731	----	----	----	----	44 UNCH
7700	----	----	6.265B/5.701A	6.265B/5.701A	----	5.812 - 0.112	.4802	----	----	----	----	163 UNCH
7725	----	----	6.326B/5.852A	6.326B/5.852A	----	5.962 - 0.110	.4873	----	----	----	----	56 UNCH
7750	----	----	6.585B/5.992A	6.585B/5.992A	----	6.113 - 0.109	.4943	----	----	----	----	1 UNCH
7775	----	----	6.744B/6.147A	6.744B/6.147A	----	6.266 - 0.108	.5012	----	----	----	----	1 UNCH
7800	----	----	6.905B/6.286A	6.905B/6.286A	----	6.421 - 0.107	.5082	----	----	14	----	28 + 3
7825	----	----	7.023B/6.450A	7.023B/6.450A	----	6.578 - 0.105	.5150	----	----	----	----	1 UNCH
7850	----	----	7.197B/6.591A	7.197B/6.591A	----	6.736 - 0.104	.5218	----	----	----	----	18 UNCH
7875	----	----	7.324B/6.760A	7.324B/6.760A	----	6.896 - 0.103	.5285	----	----	----	----	1 UNCH
7900	----	----	7.522B/6.950A	7.522B/6.950A	----	7.058 - 0.102	.5352	----	----	----	----	9 UNCH
7925	----	----	7.669B/7.105A	7.669B/7.105A	----	7.222 - 0.100	.5418	----	----	----	----	2 UNCH
7950	----	----	7.861B/7.268A	7.861B/7.268A	----	7.387 - 0.099	.5484	----	----	----	----	61 UNCH
7975	----	----	7.934B/7.416A	7.934B/7.416A	----	7.554 - 0.098	.5549	----	----	----	----	2 UNCH
8000	7.589	7.589	8.105B/7.577A	8.105B/7.577A	----	7.723 - 0.096	.5613	----	----	5	----	295 - 1
8025	----	----	8.261B/7.752A	8.261B/7.752A	----	7.894 - 0.094	.5676	----	----	----	----	1 UNCH
8100	----	----	8.819B/8.261A	8.819B/8.261A	----	8.414 - 0.092	.5863	----	----	----	----	10 UNCH
8125	----	----	8.839B/8.434A	8.839B/8.434A	----	8.591 - 0.091	.5923	----	----	----	----	1 UNCH
8150	----	----	9.171B/8.594A	9.171B/8.594A	----	8.769 - 0.090	.5983	----	----	----	----	14 UNCH
8175	----	----	9.133B/8.785A	9.133B/8.785A	----	8.949 - 0.089	.6042	----	----	----	----	1 UNCH
8200	----	----	9.540B/8.943A	9.540B/8.943A	----	9.130 - 0.088	.6101	----	----	----	----	10 UNCH
8225	----	----	9.471B/9.142A	9.471B/9.142A	----	9.312 - 0.088	.6158	----	----	----	----	4 UNCH
8250	----	----	9.903B/9.305A	9.903B/9.305A	----	9.495 - 0.088	.6216	----	----	----	----	10 UNCH
8275	----	----	9.842B/9.501A	9.842B/9.501A	----	9.680 - 0.087	.6272	----	----	----	----	5 UNCH
8300	----	----	10.029B/9.666A	10.029B/9.666A	----	9.866 - 0.086	.6328	----	----	----	----	1 UNCH
8325	----	----	10.215B/9.880A	10.215B/9.880A	----	10.053 - 0.085	.6383	----	----	----	----	5 UNCH
8400	----	----	10.785B/10.473A	10.785B/10.473A	----	10.619 - 0.083	.6545	----	----	----	----	1 UNCH
8425	----	----	11.040B/10.698A	11.040B/10.698A	----	10.809 - 0.083	.6597	----	----	----	----	1 UNCH
8475	----	----	11.376B/11.049A	11.376B/11.049A	----	11.194 - 0.081	.6700	----	----	----	----	1 UNCH
8500	----	----	11.824B/11.228A	11.824B/11.228A	----	11.389 - 0.079	.6751	----	----	----	----	22 UNCH
8600	----	----	12.413B/12.064A	12.413B/12.064A	----	12.179 - 0.075	.6945	----	----	----	----	3 UNCH
8650	----	----	12.761B/12.276A	12.761B/12.276A	----	12.583 - 0.072	.7036	----	----	----	----	1 UNCH
8700	----	----	13.162B/12.868A	13.162B/12.868A	----	12.991 - 0.069	.7125	----	----	----	----	2 UNCH
8825	----	----	14.212B/13.898A	14.212B/13.898A	----	14.028 - 0.063	.7335	----	----	----	----	4 UNCH
8850	----	----	14.424B/14.103A	14.424B/14.103A	----	14.238 - 0.062	.7375	----	----	----	----	1 UNCH
8900	----	----	14.830B/14.518A	14.830B/14.518A	----	14.660 - 0.060	.7453	----	----	----	----	24 UNCH
9000	----	----	15.681B/15.362A	15.681B/15.362A	----	15.511 - 0.058	.7602	----	----	1	----	63 UNCH
9025	----	----	15.895B/15.577A	15.895B/15.577A	----	15.726 - 0.057	.7638	----	----	----	----	4 UNCH
9150	----	----	17.003B/16.650A	17.003B/16.650A	----	16.808 - 0.056	.7811	----	----	----	----	4 UNCH
9175	----	----	17.215B/16.881A	17.215B/16.881A	----	17.027 - 0.055	.7843	----	----	----	----	1 UNCH
9200	----	----	17.454B/17.098A	17.454B/17.098A	----	17.246 - 0.055	.7875	----	----	----	----	1 UNCH
9225	----	----	17.538B/17.312A	17.538B/17.312A	----	17.466 - 0.054	.7907	----	----	----	----	1 UNCH
9275	----	----	17.983B/17.740A	17.983B/17.740A	----	17.907 - 0.054	.7968	----	----	----	----	5 UNCH
9300	----	----	18.199B/17.975A	18.199B/17.975A	----	18.129 - 0.054	.7998	----	----	----	----	1 UNCH
9325	----	----	----/18.202A	18.401B/18.202A	----	18.351 - 0.053	.8027	----	----	----	----	11 UNCH
9350	----	----	----/18.404A	18.612B/18.404A	----	18.574 - 0.053	.8056	----	----	----	----	4 UNCH
9500	----	----	20.003B/19.744A	20.003B/19.744A	----	19.925 - 0.049	.8218	----	----	----	----	31 UNCH
9975	----	----	24.366B/24.146A	24.366B/24.146A	----	24.307 - 0.036	.8628	----	----	----	----	1 UNCH
10000	----	----	24.594B/24.387A	24.594B/24.387A	----	24.541 - 0.035	.8647	----	----	----	----	7 UNCH
10025	----	----	24.835B/24.611A	24.835B/24.611A	----	24.776 - 0.034	.8664	----	----	----	----	1 UNCH
10175	----	----	26.253B/26.014A	26.253B/26.014A	----	26.187 - 0.031	.8765	----	----	----	----	15 UNCH
TOTAL										240	126	4120 + 59
SEP26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 47

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
2500	----	----	----	----/0.383A	----	0.003 - 0.001	.0003	----	----	----	----	60 UNCH
3000	----	----	----	----/0.292A	----	0.013 - 0.001	.0015	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/0.216A	----	0.038 - 0.003	.0043	----	----	----	----	74 UNCH
4000	----	----	----	0.045B/*0.128A	----	0.086 - 0.006	.0098	----	----	----	----	45 UNCH
4500	----	----	----	0.107B/*0.195A	----	0.164 - 0.010	.0189	----	----	1	----	11 + 1
4525	----	----	----	0.111B/*0.200A	----	0.169 - 0.010	.0195	----	----	----	----	3 UNCH
4800	----	----	----	0.171B/*0.262A	----	0.234 - 0.013	.0272	----	----	----	----	2 UNCH
5000	----	----	----	0.231B/*0.322A	----	0.295 - 0.016	.0345	----	----	----	----	237 UNCH
5100	----	----	----	0.272B/*0.358A	----	0.332 - 0.017	.0388	----	----	----	----	1 UNCH
5200	----	----	----	0.318B/*0.399A	----	0.374 - 0.018	.0437	----	----	----	----	1 UNCH
5400	----	----	----	0.431B/*0.503A	----	0.476 - 0.022	.0553	----	----	----	----	2 UNCH
5475	----	----	----	0.480B/*0.550A	----	0.522 - 0.023	.0605	----	----	----	----	3 UNCH
5500	----	----	----	0.499B/*0.567A	----	0.539 - 0.023	.0624	----	----	----	----	232 UNCH
5600	----	----	----	0.583B/*0.636A	----	0.611 - 0.025	.0702	----	----	----	----	3 UNCH
5700	----	----	----/*0.716A	0.677B/*0.716A	----	0.694 - 0.028	.0791	----	----	----	----	7 UNCH
5750	----	----	----/*0.760A	0.718B/*0.760A	----	0.741 - 0.028	.0839	----	----	----	----	1 UNCH
5800	----	----	----/*0.807A	0.735B/*0.807A	----	0.792 - 0.030	.0891	----	----	----	----	8 UNCH
5850	----	----	----/*0.856A	0.768B/*0.856A	----	0.849 - 0.032	.0948	----	----	----	----	1 UNCH
5900	----	----	----/*0.909A	0.828B/*0.909A	----	0.909 - 0.033	.1006	----	----	----	----	50 UNCH
6000	----	----	----/1.027A	0.955B/1.027A	----	1.039 - 0.035	.1131	----	----	----	----	861 UNCH
6050	----	----	----/*1.108A	0.954B/*1.108A	----	1.110 - 0.035	.1198	----	----	4	----	19 + 4
6100	----	----	----	1.053B/1.348A	----	1.186 NEW	.1268	----	----	4	----	4 + 4
6200	----	----	----	1.290B/1.470A	----	1.350 - 0.037	.1416	----	----	----	----	40 UNCH
6300	----	----	----/*1.548A	1.430B/1.548A	----	1.535 - 0.040	.1577	----	----	----	----	5 UNCH
6400	----	----	----	1.648B/1.869A	----	1.742 - 0.045	.1751	----	----	----	----	4 UNCH
6425	----	----	----	1.706B/1.925A	----	1.798 - 0.046	.1796	----	----	----	----	3 UNCH
6450	----	----	----	1.763B/1.983A	----	1.855 - 0.047	.1842	----	----	----	----	1 UNCH
6500	----	----	----	1.904B/2.083A	----	1.975 - 0.049	.1936	----	----	----	----	152 UNCH
6550	----	----	----	2.024B/2.231A	----	2.103 - 0.050	.2034	----	----	----	----	15 UNCH
6700	----	----	----	2.468B/2.657A	----	2.529 - 0.054	.2345	----	----	----	----	5 UNCH
6750	----	----	----	2.638B/2.812A	----	2.686 - 0.055	.2453	----	----	----	----	1 UNCH
6800	2.771	2.771	2.771/2.771	2.811B/2.771	----	2.851 - 0.056	.2563	----	----	2	----	14 + 2
6850	----	----	----	2.988B/3.146A	----	3.024 - 0.055	.2676	----	----	----	----	2 UNCH
6900	----	----	----	3.167B/3.324A	----	3.205 - 0.055	.2790	----	----	16	----	24 UNCH
7000	3.590	3.590	3.670B/3.580A	3.670B/3.580A	----	3.590 - 0.053	.3023	----	----	55	----	132 - 7
7025	----	----	----	3.670B/3.804A	----	3.691 - 0.052	.3082	----	----	----	----	1 UNCH
7100	----	----	----	3.995B/4.113A	----	4.007 - 0.050	.3261	----	----	----	----	18 UNCH
7125	----	----	----	4.108B/4.222A	----	4.116 - 0.049	.3321	----	----	----	----	25 UNCH
7175	----	----	----	4.328B/4.441A	----	4.341 - 0.047	.3441	----	----	----	----	20 UNCH
7200	----	----	----	4.447B/4.530A	----	4.457 - 0.046	.3501	----	----	----	----	77 UNCH
7300	----	----	----	4.931B/5.002A	----	4.940 - 0.042	.3742	----	----	----	----	171 UNCH
7400	----	----	----	5.441B/5.522A	----	5.456 - 0.039	.3981	----	----	----	----	26 UNCH
7500	----	----	----	5.996B/6.050A	----	6.003 - 0.036	.4219	----	----	----	----	17 UNCH
7550	----	----	----	6.277B/6.324A	----	6.287 - 0.036	.4336	----	----	----	----	44 UNCH
7600	----	----	----/6.605A	6.557B/6.605A	----	6.578 - 0.035	.4452	----	----	----	----	26 UNCH
7650	----	----	----/6.891A	6.860B/6.891A	----	6.875 - 0.035	.4566	----	----	----	----	5 UNCH
7700	----	----	----/7.184A	7.165B/7.184A	----	7.178 - 0.035	.4679	----	----	----	----	9 UNCH
7775	----	----	----/7.637A	7.627B/7.637A	----	7.643 - 0.035	.4846	----	----	----	----	5 UNCH
7800	----	----	----/7.789A	7.786B/7.789A	----	7.801 - 0.035	.4901	----	----	----	----	26 UNCH
7900	----	----	----/8.419A	8.422B/8.419A	----	8.444 - 0.037	.5117	----	----	----	----	1 UNCH
8000	----	----	----/9.047A	9.101B/9.047A	----	9.105 - 0.040	.5326	----	----	----	----	93 UNCH
8100	----	----	----/9.765A	9.788B/9.765A	----	9.785 - 0.043	.5528	----	----	----	----	1 UNCH
8200	----	----	----/10.440A	10.496B/10.440A	----	10.483 - 0.046	.5724	----	----	----	----	1 UNCH
8300	----	----	----/11.172A	11.214B/11.172A	----	11.199 - 0.049	.5913	----	----	----	----	1 UNCH
8400	----	----	----/11.887A	11.963B/11.887A	----	11.932 - 0.051	.6094	----	----	----	----	42 UNCH
8500	----	----	----/12.598A	12.715B/12.598A	----	12.683 - 0.052	.6268	----	----	----	----	228 UNCH
8700	----	----	14.298B/14.142A	14.298B/14.142A	----	14.236 - 0.047	.6591	----	----	----	----	101 UNCH
9000	----	----	16.715B/16.555A	16.715B/16.555A	----	16.670 - 0.038	.7020	----	----	----	----	74 UNCH
9300	----	----	19.249B/19.075A	19.249B/19.075A	----	19.194 - 0.042	.7394	----	----	----	----	1 UNCH
9400	----	----	20.117B/19.952A	20.117B/19.952A	----	20.053 - 0.045	.7507	----	----	----	----	15 UNCH
10150	----	----	----/26.606A	25.914B/26.606A	----	26.737 - 0.054	.8187	----	----	----	----	1 UNCH
10300	----	----	----	27.284B/28.875A	----	28.113 - 0.055	.8294	----	----	----	----	1 UNCH
11000	----	----	----	33.868B/35.401A	----	34.659 - 0.044	.8695	----	----	----	----	1 UNCH
TOTAL										82	0	3076 + 4
OCT26												
2675	----	----	----	----/3.145A	----	0.056 - 0.005	.0044	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.092 - 0.008	.0078	----	----	----	----	1 UNCH
4000	----	----	----	0.076B/*0.193A	----	0.163 - 0.014	.0155	----	----	----	----	3 UNCH
4500	----	----	----	0.167B/*0.297A	----	0.249 - 0.019	.0250	----	----	----	----	3 UNCH
5000	----	----	----	0.346B/*0.480A	----	0.413 - 0.029	.0422	----	----	----	----	6 UNCH
5050	----	----	----	0.370B/*0.505A	----	0.436 - 0.030	.0446	----	----	----	----	1 UNCH
5150	----	----	----	0.429B/*0.560A	----	0.488 - 0.032	.0498	----	----	----	----	5 UNCH
6300	1.963	1.963	2.072B/*1.958A	2.072B/*1.958A	----	1.956 - 0.089	.1697	----	----	6	----	15 + 6
6500	----	----	2.605B/*2.459A	2.605B/2.459A	----	2.472 - 0.079	.2037	----	----	----	----	174 UNCH
6625	----	----	2.970B/*2.856A	2.970B/*2.856A	----	2.840 - 0.075	.2264	----	----	----	----	1 UNCH
6700	----	----	3.247B/*3.063A	3.247B/*3.063A	----	3.078 - 0.075	.2405	----	----	----	----	1 UNCH
6725	----	----	3.305B/*3.171A	3.305B/*3.171A	----	3.161 - 0.075	.2453	----	----	----	----	1 UNCH
6750	----	----	3.422B/3.231A	3.422B/3.231A	----	3.245 - 0.075	.2501	----	----	----	----	1 UNCH
6800	----	----	3.609B/3.405A	3.609B/3.405A	----	3.419 - 0.075	.2598	----	----	----	----	2 UNCH
6850	----	----	3.800B/3.587A	3.800B/3.587A	----	3.599 - 0.075	.2696	----	----	----	----	1 UNCH
7000	----	----	4.414B/4.170A	4.414B/4.170A	----	4.181 - 0.076	.2999	----	----	----	----	89 UNCH
7025	----	----	4.486B/*4.285A	4.486B/4.285A	----	4.285 - 0.076	.3050	----	----	----	----	1 UNCH
7050	----	----	4.631B/4.378A	4.631B/4.378A	----	4.390 - 0.076	.3101	----	----	----	----	1 UNCH
7225	----	----	5.377B/5.170A	5.377B/5.170A	----	5.172 - 0.081	.3463	----	----	----	----	87 UNCH
7300	----	----	5.835B/5.521A	5.835B/5.521A	----	5.532 - 0.086	.3619	----	----	----	----	8 UNCH
7350	----	----	6.092B/5.770A	6.092B/5.770A	----	5.780 - 0.089	.3723	----	----	----	----	1 UNCH
7500	----	----	6.908B/6.554A	6.908B/6.554A	----	6.560 - 0.107	.4033	----	----	----	----	28 UNCH
7600	----	----	7.489B/7.108A	7.489B/7.108A	----	7.111 - 0.117	.4237	----	----	----	----	13 UNCH
7700	----	----	8.076B/7.684A	8.076B/7.684A	----	7.692 - 0.117	.4438	----	----	----	----	1 UNCH
7775	----	----	8.440B/8.170A	8.440B/8.170A	----	8.145 NEW	.4585	----	----	2	----	2 + 2
7950	----	----	9.674B/9.228A	9.674B/9.228A	----	9.253 - 0.091	.4919	----	----	----	----	10 UNCH
8000	----	----	9.999B/9.552A	9.999B/9.552A	----	9.581 - 0.086	.5011	----	----	----	----	10 UNCH
8200	----	----	11.399B/10.894A	11.399B/10.894A	----	10.934 - 0.081	.5367	----	----	----	----	6 UNCH
8375	----	----	12.503B/12.148A	12.503B/12.148A	----	12.172 - 0.078	.5660	----	----	----	----	1 UNCH
8400	----	----	12.832B/12.306A	12.832B/12.306A	----	12.352 - 0.077	.5700	----	----	----	----	6 UNCH
9100	----	----	17.774B/----	17.774B/17.845A	----	17.752 - 0.020	.6689	----	----	----	----	1 UNCH
10000	----	----	----/25.441A	25.440B/25.441A	----	25.406 - 0.055	.7604	----	----	----	----	40 UNCH
TOTAL										8	0	528 + 8
NOV26												
4500	----	----	----	0.254B/*0.420A	----	0.268 - 0.017	.0264	----	----	----	----	1 UNCH
4550	----	----	----	0.273B/*0.440A	----	0.290 - 0.018	.0284	----	----	----	----	1 UNCH
4800	----	----	----	0.384B/*0.557A	----	0.418 - 0.024	.0397	----	----	----	----	1 UNCH
5000	----	----	----	0.511B/*0.677A	----	0.552 - 0.028	.0511	----	----	----	----	12 UNCH
5200	----	----	----	0.673B/*0.825A	----	0.718 - 0.034	.0647	----	----	----	----	1 UNCH
5400	----	----	----	0.872B/*1.007A	----	0.923 - 0.038	.0808	----	----	----	----	9 UNCH
5600	----	----	----	1.064B/*1.234A	----	1.171 - 0.041	.0995	----	----	----	----	12 UNCH
5950	----	----	----	1.686B/2.039A	----	1.736 - 0.047	.1391	----	----	----	----	1 UNCH
6000	----	----	----	1.763B/2.067A	----	1.834 - 0.048	.1456	----	----	----	----	3 UNCH
6425	----	----	----	2.683B/3.193A	----	2.876 - 0.069	.2083	----	----	----	----	1 UNCH
6700	----	----	----	3.602B/4.129A	----	3.782 - 0.085	.2553	----	----	----	----	50 UNCH
7000	----	----	----	4.824B/5.305A	----	4.990 - 0.078	.3098	----	----	----	----	41 UNCH
7025	----	----	----	4.928B/5.442A	----	5.101 - 0.076	.3145	----	----	----	----	6 UNCH
7400	----	----	----	6.789B/7.267A	----	6.945 - 0.052	.3840	----	----	----	----	24 UNCH
7500	----	----	----	7.369B/7.807A	----	7.492 - 0.052	.4023	----	----	----	----	7 UNCH
7700	----	----	----	8.538B/8.951A	----	8.652 - 0.059	.4381	----	----	----	----	50 UNCH
8500	----	----	----	13.951B/14.224A	----	14.028 - 0.095	.5650	----	----	----	----	60 UNCH
9000	----	----	----	17.789B/18.031A	----	17.848 - 0.088	.6293	----	----	----	----	5 UNCH
9050	----	----	----	18.182B/18.400A	----	18.245 - 0.087	.6351	----	----	----	----	3 UNCH
10000	----	----	----	26.123B/26.270A	----	26.173 - 0.096	.7278	----	----	----	----	1 UNCH
11000	----	----	----/35.160A	35.060B/35.160A	----	35.090 - 0.112	.7955	----	----	----	----	1 UNCH
TOTAL											0	290 0
DEC26												
1500	----	----	----	----/0.050A	----	0.002 UNCH	.0001	----	----	----	----	180 UNCH
2000	----	----	----	----/0.100A	----	0.007 - 0.002	.0006	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.575A	----	0.019 - 0.001	.0017	----	----	----	----	32 UNCH
3000	----	----	----	0.001B/3.722A	----	0.047 + 0.005	.0043	----	----	----	----	93 UNCH
3100	----	----	----	0.001B/3.756A	----	0.055 + 0.006	.0050	----	----	----	----	1 UNCH
3150	----	----	----	0.001B/0.660A	----	0.060 + 0.004	.0055	----	----	----	----	1 UNCH
3500	----	----	----	0.062B/*0.241A	----	0.102 - 0.017	.0093	----	----	----	----	45 UNCH
3850	----	----	----	0.122B/*0.316A	----	0.170 - 0.018	.0153	----	----	----	----	1 UNCH
3925	----	----	----	0.138B/*0.336A	----	0.188 - 0.018	.0169	----	----	----	----	1 UNCH
4000	----	----	----	0.155B/0.357A	----	0.209 - 0.016	.0187	----	----	----	----	75 UNCH
4500	----	----	----	0.330B/*0.550A	----	0.403 - 0.013	.0349	----	----	----	----	35 UNCH
4600	----	----	----	0.379B/*0.602A	----	0.458 - 0.009	.0394	----	----	----	----	4 UNCH
4800	----	----	----	0.502B/*0.724A	----	0.585 - 0.003	.0494	----	----	----	----	241 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
5000	----	----	----	0.660B/0.877A	----	0.743 - 0.019	.0615	----	----	----	----	377 UNCH
5250	----	----	----	0.915B/*1.117A	----	0.991 - 0.043	.0797	----	----	----	----	50 UNCH
5300	----	----	----	0.948B/*1.171A	----	1.048 - 0.044	.0837	----	----	----	----	250 UNCH
5400	----	----	----	1.043B/*1.289A	----	1.172 - 0.046	.0924	----	----	----	----	100 UNCH
5500	----	----	----	1.188B/*1.417A	----	1.309 - 0.048	.1017	----	----	----	----	229 UNCH
5600	----	----	----	1.247B/*1.574A	----	1.462 - 0.049	.1118	----	----	----	----	8 UNCH
5650	----	----	----	1.180B/1.969A	----	1.544 - 0.050	.1171	----	----	----	----	12 UNCH
5800	----	----	----	1.492B/2.224A	----	1.816 - 0.053	.1341	----	----	----	----	2 UNCH
5950	----	----	----	1.920B/2.333A	----	2.129 - 0.055	.1527	----	----	----	----	5 UNCH
6000	2.325	2.325	2.326B/*2.325	2.326B/*2.325	----	2.243 - 0.055	.1592	----	----	1	----	136 UNCH
6200	----	----	----	2.437B/3.173A	----	2.749 - 0.056	.1869	----	----	----	----	13 UNCH
6300	----	----	----	2.727B/3.474A	----	3.034 - 0.056	.2017	----	----	----	----	25 UNCH
6500	----	----	----	3.383B/4.131A	----	3.670 - 0.057	.2326	----	----	----	----	738 UNCH
6650	----	----	----	3.924B/4.674A	----	4.208 - 0.056	.2569	----	----	----	----	5 UNCH
6725	----	----	----	4.216B/4.935A	----	4.497 - 0.056	.2693	----	----	----	----	4 UNCH
6750	----	----	----	4.314B/5.064A	----	4.596 - 0.056	.2735	----	----	----	----	6 UNCH
6800	----	----	----	4.518B/5.267A	----	4.799 - 0.057	.2819	----	----	----	----	79 UNCH
6850	----	----	----	4.725B/5.477A	----	5.008 - 0.057	.2903	----	----	----	----	78 UNCH
6900	----	----	----	4.941B/5.359A	----	5.222 - 0.058	.2988	----	----	----	----	1 UNCH
6950	----	----	----	5.164B/5.913A	----	5.443 - 0.059	.3073	----	----	----	----	121 UNCH
7000	----	----	----	5.389B/6.138A	----	5.669 - 0.060	.3159	----	----	----	28	230 UNCH
7075	----	----	----	5.737B/6.454A	----	6.020 - 0.061	.3287	----	----	----	----	20 UNCH
7100	----	----	----	5.864B/6.607A	----	6.140 - 0.062	.3330	----	----	----	----	2 UNCH
7200	----	----	----	6.359B/7.095A	----	6.633 - 0.064	.3500	----	----	----	----	14 UNCH
7250	----	----	----	6.615B/7.346A	----	6.887 - 0.066	.3586	----	----	----	----	48 UNCH
7500	----	----	----	7.973B/8.687A	----	8.240 - 0.074	.4007	----	----	----	----	22 UNCH
7550	----	----	----	8.254B/8.969A	----	8.526 - 0.076	.4090	----	----	----	----	1 UNCH
7800	----	----	----	9.761B/10.454A	----	10.026 - 0.083	.4495	----	----	----	----	20 UNCH
7850	----	----	----	10.078B/10.764A	----	10.340 - 0.084	.4573	----	----	----	----	10 UNCH
7875	----	----	----	10.236B/10.918A	----	10.499 - 0.084	.4612	----	----	----	----	1 UNCH
7900	----	----	----	10.398B/11.078A	----	10.658 - 0.085	.4650	----	----	----	----	19 UNCH
8000	----	----	----	11.048B/11.720A	----	11.307 - 0.087	.4803	----	----	----	----	58 UNCH
8100	----	----	----	11.718B/12.377A	----	11.972 - 0.089	.4951	----	----	----	----	1 UNCH
8200	----	----	----	12.399B/13.049A	----	12.652 - 0.090	.5095	----	----	----	----	35 UNCH
8350	----	----	----	13.453B/14.086A	----	13.700 - 0.090	.5304	----	----	----	----	9 UNCH
8400	----	----	----	13.811B/14.439A	----	14.056 - 0.090	.5372	----	----	----	----	50 UNCH
8500	----	----	----	14.550B/15.154A	----	14.779 - 0.089	.5504	----	----	----	----	166 UNCH
8550	----	----	----	14.906B/15.474A	----	15.145 - 0.089	.5569	----	----	----	----	25 UNCH
8600	----	----	----	15.289B/15.884A	----	15.514 - 0.088	.5632	----	----	----	----	2 UNCH
8800	----	----	----	16.790B/17.374A	----	17.019 - 0.086	.5877	----	----	----	----	12 UNCH
8900	----	----	----	17.561B/18.092A	----	17.788 - 0.085	.5993	----	----	----	----	30 UNCH
9000	----	----	----	18.384B/18.896A	----	18.568 - 0.083	.6106	----	----	----	----	3 UNCH
9050	----	----	----	18.779B/19.253A	----	18.961 - 0.082	.6160	----	----	----	----	100 UNCH
9500	----	----	----	22.429B/22.889A	----	22.599 - 0.077	.6614	----	----	----	----	2 UNCH
9850	----	----	----/25.427A	25.372B/25.427A	----	25.532 - 0.076	.6922	----	----	----	----	8 UNCH
9950	----	----	----	26.221B/26.645A	----	26.385 - 0.076	.7003	----	----	----	----	1 UNCH
10025	----	----	----	26.871B/27.247A	----	27.028 - 0.076	.7062	----	----	----	----	3 UNCH
10125	----	----	----	27.734B/28.136A	----	27.890 - 0.076	.7139	----	----	----	----	1 UNCH
10700	----	----	----	32.794B/33.152A	----	32.942 - 0.082	.7532	----	----	----	----	5 UNCH
10800	----	----	----	33.696B/34.004A	----	33.835 - 0.083	.7593	----	----	----	----	2 UNCH
11000	----	----	----	35.500B/35.789A	----	35.633 - 0.085	.7709	----	----	----	----	2 UNCH
11500	----	----	----	40.060B/40.314A	----	40.185 - 0.091	.7968	----	----	----	----	1 UNCH
12000	----	----	----	24.013B/61.805A	----	44.807 - 0.096	.8189	----	----	----	----	1 UNCH
12100	----	----	----	24.860B/62.274A	----	45.738 - 0.097	.8229	----	----	----	----	1 UNCH
12300	----	----	----	26.673B/64.410A	----	47.608 - 0.098	.8305	----	----	----	----	1 UNCH
15000	----	----	----	53.309B/90.046A	----	73.457 - 0.066	.8999	----	----	----	----	1 UNCH
19000	----	----	----	93.712B/128.562A	----	112.816 + 0.003	.9451	----	----	----	----	1 UNCH
TOTAL										1	28	3866 0
JAN27												
3800	----	----	----	0.133B/*0.387A	----	0.262 - 0.014	.0202	----	----	----	----	1 UNCH
6500	----	----	----	3.632B/4.662A	----	4.073 - 0.077	.2326	----	----	----	----	2 UNCH
6925	----	----	----	5.343B/6.388A	----	5.759 - 0.080	.2972	----	----	----	----	24 UNCH
7000	----	----	----	5.683B/6.733A	----	6.096 - 0.080	.3089	----	----	----	----	35 UNCH
7100	----	----	----	6.145B/7.206A	----	6.565 - 0.078	.3245	----	----	----	----	20 UNCH
7125	----	----	----	6.268B/7.328A	----	6.686 - 0.077	.3284	----	----	----	----	1 UNCH
8600	----	----	----	15.394B/16.314A	----	15.797 - 0.066	.5379	----	----	----	----	1 UNCH
8850	----	----	----	17.250B/18.132A	----	17.647 - 0.069	.5667	----	----	----	----	9 UNCH
TOTAL											0	93 0
FEB27												
6500	----	----	----	4.090B/5.198A	----	4.569 - 0.055	.2399	----	----	----	----	1 UNCH
8150	----	----	----	12.859B/13.898A	----	13.304 - 0.082	.4735	----	----	----	----	10 UNCH
8225	----	----	----	13.366B/14.398A	----	13.811 - 0.082	.4829	----	----	----	----	10 UNCH
8250	----	----	----	13.528B/14.616A	----	13.982 - 0.082	.4860	----	----	----	----	10 UNCH
TOTAL											0	31 0
MAR27												
5500	----	----	----	1.585B/2.713A	----	2.160 - 0.050	.1270	----	----	----	----	1 UNCH
6000	----	----	----	2.864B/3.938A	----	3.352 - 0.063	.1814	----	----	----	----	50 UNCH
6500	----	----	----	4.533B/5.712A	----	5.039 - 0.080	.2458	----	----	----	----	20 UNCH
6825	----	----	----	5.887B/7.122A	----	6.407 - 0.087	.2904	----	----	----	----	2 UNCH
7500	----	----	----	9.382B/10.548A	----	9.862 - 0.080	.3838	----	----	----	----	3 UNCH
8100	----	----	----	13.100B/14.281A	----	13.559 - 0.072	.4614	----	----	----	----	6 UNCH
8300	----	----	----	14.454B/15.618A	----	14.905 - 0.071	.4851	----	----	----	----	50 UNCH
8500	----	----	----	15.856B/17.004A	----	16.302 - 0.070	.5078	----	----	----	----	3 UNCH
8975	----	----	----	19.349B/20.409A	----	19.797 - 0.070	.5570	----	----	----	----	1 UNCH
10500	----	----	----	31.782B/32.583A	----	32.221 - 0.083	.6770	----	----	----	----	10 UNCH
TOTAL											0	146 0
APR27												
4000	----	----	----	0.374B/*0.706A	----	0.542 - 0.020	.0348	----	----	----	----	1 UNCH
8725	----	----	----	17.719B/*18.892A	----	18.259 - 0.062	.5157	----	----	----	----	1 UNCH
TOTAL											0	2 0
DEC27												
7175	----	----	----	----	----	12.511 - 0.070	.3132	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
JUN26												
7350	----	----	4.036B/2.696A	4.036B/2.696A	----	3.276 - 0.244	.7175	----	----	----	----	11 UNCH
7400	----	----	3.658B/2.331A	3.658B/2.331A	----	2.928 - 0.257	.6782	----	----	----	----	6 UNCH
7500	2.418	2.418	2.960B/1.804A	2.960B/1.804A	----	2.297 - 0.279	.5919	----	----	6	----	21 + 1
7550	----	----	2.641B/1.579A	2.641B/1.579A	----	2.017 - 0.286	.5461	----	----	----	----	15 UNCH
7600	1.814	1.814	2.343B/1.374A	2.343B/1.374A	----	1.762 - 0.290	.4995	----	----	4	----	13 + 2
7650	1.989	1.989	2.158B/1.192A	2.158B/1.192A	----	1.532 NEW	.4531	----	----	2	----	2 + 2
7700	1.305	1.305	1.900B/1.041A	1.900B/1.041A	----	1.327 - 0.288	.4077	----	----	1	----	13 UNCH
7800	----	----	1.456B/0.775A	1.456B/0.775A	----	0.988 - 0.273	.3232	----	----	18	----	16 + 15
7850	----	----	1.266B/0.673A	1.266B/0.673A	----	0.852 - 0.261	.2854	----	----	----	----	2 UNCH
7900	1.063	1.063	1.095B/0.581A	1.095B/0.581A	----	0.734 NEW	.2508	----	----	4	----	4 + 4
7950	0.797	0.797	0.942B/0.506A	0.942B/0.506A	----	0.633 - 0.232	.2197	----	----	1	----	11 + 1
8000	0.580	0.580	0.812B/0.440A	0.812B/0.440A	----	0.547 - 0.217	.1920	----	----	8	----	14 + 6
8100	0.310	0.310	0.598B/*0.310	0.598B/*0.310	----	0.412 - 0.185	.1464	----	----	95	----	97 - 14
8150	0.418	0.418	0.513B/*0.299A	0.513B/*0.299A	----	0.360 NEW	.1280	----	----	1	----	1 + 1
8200	----	----	----/*0.266A	0.440B/*0.266A	----	0.315 - 0.155	.1119	----	----	----	----	1 UNCH
8300	----	----	----/*0.218A	0.325B/*0.218A	----	0.245 - 0.129	.0862	----	----	30	----	132 - 30
8400	----	----	----/*0.171A	0.239B/*0.171A	----	0.194 - 0.107	.0672	----	----	----	----	1 UNCH
8500	0.120	0.120	0.178B/*0.120	0.178B/*0.120	----	0.156 - 0.090	.0529	----	----	1	----	11 + 1
8600	0.105	0.105	0.105/*0.094	0.131B/*0.094	----	0.128 - 0.074	.0423	----	----	80	----	81 + 78
9000	0.080	0.080	0.080/*0.069A	0.080/*0.069A	----	0.061 - 0.030	.0182	----	----	93	----	99 - 13
9500	----	----	----	0.023B/*0.051A	----	0.026 - 0.011	.0068	----	----	30	----	130 - 30
11500	----	----	----	0.001B/*0.010A	----	0.001 - 0.001	.0001	----	----	----	----	1 UNCH
TOTAL										374	0	682 + 24
SO1 PUT		SILVER OPTIONS										
JUN26												
6100	----	----	----/*0.050A	0.012B/*0.050A	----	0.031 - 0.033	.0078	----	----	----	----	2 UNCH
6400	----	----	----/*0.075A	0.033B/*0.075A	----	0.054 - 0.048	.0156	----	----	----	----	6 UNCH
6500	----	----	----/*0.090A	0.046B/*0.090A	----	0.067 - 0.055	.0202	----	----	----	----	8 UNCH
6600	----	----	----/*0.109A	0.072B/*0.109A	----	0.085 - 0.064	.0266	----	----	----	----	1 UNCH
6700	0.095	0.095	0.095/*0.095	0.102B/*0.095	----	0.110 - 0.077	.0357	----	----	2	----	10 + 1
6800	----	----	----/*0.150A	0.156B/*0.150A	----	0.153 - 0.085	.0505	----	----	----	----	1 UNCH
6900	----	----	----/*0.218A	0.221B/*0.218A	----	0.211 - 0.099	.0706	----	----	----	----	2 UNCH
6950	----	----	----/*0.249A	0.270B/*0.249A	----	0.248 - 0.107	.0833	----	----	----	----	2 UNCH
7000	----	----	----/*0.289A	0.330B/*0.289A	----	0.292 - 0.116	.0981	----	----	----	----	27 UNCH
7100	----	----	----/*0.390A	0.475B/*0.390A	----	0.405 - 0.137	.1354	----	----	1	----	29 + 1
7150	----	----	----/*0.460A	0.564B/*0.460A	----	0.476 - 0.150	.1582	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO1 PUT		SILVER OPTIONS										
JUN26												
7200	0.510	0.510	0.510/*0.510	0.674B/*0.510	----	0.560 - 0.164	.1843	----	----	5	----	19 + 5
7250	0.740	0.740	0.804B/0.632A	0.804B/0.632A	----	0.658 - 0.178	.2136	----	----	7	----	5 + 4
7300	0.900	0.900	0.958B/0.730A	0.958B/0.730A	----	0.771 - 0.193	.2463	----	----	7	----	14 + 2
7350	----	----	1.140B/0.843A	1.140B/0.843A	----	0.903 - 0.207	.2824	----	----	5	----	15 + 4
7400	0.937	0.937	1.336B/0.937	1.336B/0.937	----	1.054 - 0.220	.3216	----	----	5	----	6 + 5
7450	----	----	1.553B/1.117A	1.553B/1.117A	----	1.227 - 0.232	.3637	----	----	----	----	2 UNCH
7500	----	----	1.803B/1.281A	1.803B/1.281A	----	1.422 - 0.242	.4079	----	----	9	----	13 + 9
7550	----	----	2.079B/1.466A	2.079B/1.466A	----	1.642 - 0.249	.4538	----	----	----	----	17 UNCH
7600	2.102	2.102	2.386B/1.670A	2.386B/1.670A	----	1.886 - 0.254	.5004	----	----	13	----	8 + 1
7650	1.905	1.905	2.627B/1.895A	2.627B/1.895A	----	2.156 - 0.254	.5468	----	----	4	----	3 + 2
7700	2.655	2.655	2.977B/2.138A	2.977B/2.138A	----	2.451 - 0.251	.5922	----	----	1	----	13 UNCH
7750	2.850	2.850	3.341B/2.405A	3.341B/2.405A	----	2.770 NEW	.6357	----	----	1	----	1 + 1
8000	4.230	4.230	5.402B/4.100A	5.402B/4.100A	----	4.670 - 0.179	.8079	----	----	2	----	3 + 2
8600	----	----	11.137B/9.381A	11.137B/9.381A	----	10.247 - 0.037	.9576	----	----	----	----	1 UNCH
TOTAL										62	0	211 + 37
SO2 CALL		SILVER OPTIONS										
JUN26												
7500	----	----	3.339B/2.654A	3.339B/2.654A	----	3.005 - 0.260	.5725	----	----	1	----	11 + 1
7600	2.460	2.460	2.974B/2.214A	2.974B/2.214A	----	2.502 NEW	.5082	----	----	2	----	2 + 2
7700	2.235	2.235	2.504B/1.859A	2.504B/1.859A	----	2.067 NEW	.4450	----	----	14	----	10 + 10
7900	----	----	1.700B/1.299A	1.700B/1.299A	----	1.395 NEW	.3295	----	----	1	----	1 + 1
8000	1.500	1.500	1.500/1.078A	1.500/1.078A	----	1.146 - 0.231	.2802	----	----	1	----	6 UNCH
8050	1.020	1.020	1.020/0.985A	1.249B/0.985A	----	1.039 NEW	.2578	----	----	2	----	2 + 2
8100	----	----	----/0.899A	1.124B/0.899A	----	0.943 - 0.208	.2370	----	----	----	----	1 UNCH
8200	----	----	----/0.756A	0.911B/0.756A	----	0.778 - 0.186	.1998	----	----	----	----	15 UNCH
8250	0.810	0.810	0.819B/0.702A	0.819B/0.702A	----	0.709 NEW	.1835	----	----	5	----	5 + 5
8700	----	----	----/0.358A	0.324B/0.358A	----	0.328 - 0.096	.0872	----	----	----	----	1 UNCH
9000	----	----	----/*0.254A	0.199B/0.254A	----	0.216 - 0.063	.0564	----	----	----	----	5 UNCH
10000	----	----	----	0.035B/0.124A	----	0.056 - 0.019	.0138	----	----	----	----	2 UNCH
TOTAL										26	0	61 + 21
SO2 PUT		SILVER OPTIONS										
JUN26												
5250	----	----	----	----/0.050A	----	0.009 - 0.008	.0020	----	----	----	----	2 UNCH
6750	----	----	----/*0.377A	0.309B/*0.377A	----	0.318 - 0.116	.0868	----	----	----	----	1 UNCH
6800	----	----	----/*0.422A	0.381B/*0.422A	----	0.361 - 0.125	.0980	----	----	----	----	0 UNCH
6900	----	----	----/*0.532A	0.523B/*0.532A	----	0.468 - 0.144	.1251	----	----	----	----	1 UNCH
7300	----	----	1.583B/*1.365A	1.583B/*1.365A	----	1.342 - 0.199	.3045	----	----	----	----	2 UNCH
7700	----	----	3.565B/3.008A	3.565B/3.008A	----	3.191 - 0.233	.5549	----	----	----	----	1 UNCH
TOTAL											0	7 0
SO4 CALL		SILVER OPTIONS										
JUN26												
7800	----	----	----/*2.905A	#3.406B/*2.905A	----	3.035 - 1.301	.4570	----	----	----	----	2 UNCH
8000	----	----	----/*2.286A	#2.615B/*2.286A	----	2.350 - 1.470	.3775	----	----	----	----	4 UNCH
8200	----	----	----/*1.813A	#2.030B/*1.813A	----	1.823 - 1.537	.3081	----	----	----	----	1 UNCH
8300	----	----	----/*1.621A	#1.760B/*1.621A	----	1.608 - 1.527	.2776	----	----	----	----	1 UNCH
9000	----	----	----/0.802A	#0.731B/0.802A	----	0.717 - 0.579	.1340	----	----	----	----	2 UNCH
TOTAL											0	10 0
SO4 PUT		SILVER OPTIONS										
JUN26												
7000	----	----	----/*1.365A	#1.248B/*1.365A	----	1.257 - 0.376	.2155	----	----	----	----	1 UNCH
7100	----	----	----/*1.616A	#1.543B/*1.616A	----	1.511 - 0.460	.2500	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO5 CALL		SILVER OPTIONS										
MAY26												
7220	----	----	#4.635B/2.782A	#4.635B/2.782A	----	3.675 - 0.114	----	2	----	----	----	0 - 2
7280	----	----	#4.035B/2.175A	#4.035B/2.175A	----	3.075 - 0.146	----	2	----	2	----	0 - 1
7470	----	----	#2.139B/0.440A	2.139B/0.440A	----	1.175 - 0.438	----	1	----	----	----	0 - 1
7500	1.515	1.515	1.840B/*0.295A	1.840B/*0.295A	----	0.875 - 0.529	----	9	----	3	----	0 - 10
7550	----	----	1.344B/*0.149A	1.344B/*0.149A	----	0.375 - 0.717	----	8	----	----	----	0 - 8
7580	----	----	#1.050B/*0.102A	1.050B/*0.102A	----	0.075 NEW	----	1	----	1	----	0 UNCH
7600	0.295	0.295	0.858B/*0.075	0.858B/*0.075	----	0.000 - 0.830	----	----	----	11	----	0 - 29
7640	----	----	#0.735B/*0.064A	0.735B/*0.064A	----	0.000 - 0.656	----	----	----	1	----	0 - 10
7650	0.120	0.120	0.666B/*0.062A	0.666B/*0.062A	----	0.000 - 0.617	----	----	----	17	----	0 - 28
7680	----	----	0.535B/*0.057A	0.535B/*0.057A	----	0.000 - 0.513	----	----	----	----	----	0 - 4
7700	0.601	0.601	0.601/*0.020	0.601/*0.020	----	0.000 - 0.452	----	----	----	32	----	0 - 19
7710	0.193	0.193	0.193/*0.050A	0.367B/*0.050A	----	0.000 NEW	----	----	----	9	----	0 UNCH
7750	0.040	0.040	0.040/*0.040	0.237B/*0.040	----	0.000 - 0.328	----	----	----	1	----	0 - 18
7780	----	----	----/*0.047A	0.199B/*0.047A	----	0.000 - 0.270	----	----	----	----	----	0 - 1
7800	0.100	0.100	0.100/*0.002	0.158B/*0.002	----	0.000 - 0.237	----	----	----	2	----	0 - 12
7820	0.023	0.023	0.023/*0.009	0.089B/*0.009	----	0.000 - 0.208	----	----	----	8	----	0 - 6
7850	----	----	----/*0.042A	0.039B/*0.042A	----	0.000 - 0.172	----	----	----	----	----	0 - 10
7900	0.136	0.136	0.136/*0.040A	0.136/*0.040A	----	0.000 - 0.126	----	----	----	1	----	0 - 6
7910	----	----	----/0.039A	0.004B/0.039A	----	0.000 - 0.119	----	----	----	----	----	0 - 1
7950	----	----	----/*0.038A	0.002B/*0.038A	----	0.000 - 0.094	----	----	----	----	----	0 - 2
8000	----	----	----/*0.020A	0.001B/*0.020A	----	0.000 - 0.072	----	----	----	----	----	0 - 48
8100	----	----	----/*0.037A	----/*0.037A	----	0.000 - 0.046	----	----	----	----	----	0 - 1
8130	----	----	----/0.034A	0.003B/0.034A	----	0.000 - 0.041	----	----	----	----	----	0 - 1
8150	----	----	----/*0.034A	----/*0.034A	----	0.000 - 0.038	----	----	----	----	----	0 - 30
8200	----	----	----/*0.021A	----/*0.021A	----	0.000 - 0.031	----	----	----	----	----	0 - 32
8250	----	----	----	----/*0.040A	----	0.000 - 0.023	----	----	----	----	----	0 - 5
8300	----	----	----	----/*0.039A	----	0.000 - 0.018	----	----	----	----	----	0 - 1
8400	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.011	----	----	----	1	----	0 - 3
8500	----	----	----	----/0.052A	----	0.000 - 0.007	----	----	----	----	----	0 - 43
8600	----	----	----	----/0.045A	----	0.000 - 0.005	----	----	----	----	----	0 - 3
8700	----	----	----	----/0.043A	----	0.000 - 0.004	----	----	----	----	----	0 - 2
8800	----	----	----	----/0.042A	----	0.000 - 0.003	----	----	----	----	----	0 - 2
8850	----	----	0.012B/----	0.012B/*0.040A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
9500	----	----	----	----/0.041A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
TOTAL										89	0	0 - 344
SO5 PUT		SILVER OPTIONS										
MAY26												
6200	----	----	----	----/*0.041A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
6700	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.002	----	----	----	10	----	0 - 30
6750	----	----	----	----/*0.037A	----	0.000 - 0.003	----	----	----	----	----	0 - 1
6800	----	----	----	----/*0.037A	----	0.000 - 0.005	----	----	----	----	----	0 - 2
6850	----	----	----	----/*0.039A	----	0.000 - 0.007	----	----	----	----	----	0 - 1
6900	0.010	0.010	0.010/*0.002	0.010/*0.002	----	0.000 - 0.011	----	----	----	18	----	0 - 20
6950	----	----	----	----/*0.040A	----	0.000 - 0.017	----	----	----	----	----	0 - 1
7000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.025	----	----	----	2	----	0 - 15
7100	----	----	----	----/*0.047A	----	0.000 - 0.045	----	----	----	----	----	0 - 1
7150	----	----	----/*0.048A	----/*0.048A	----	0.000 - 0.056	----	----	----	----	----	0 - 13
7180	----	----	----/*0.049A	0.001B/*0.049A	----	0.000 - 0.064	----	----	----	----	----	0 - 10
7200	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.070	----	----	----	2	----	0 - 112
7210	----	----	----/*0.050A	0.001B/*0.050A	----	0.000 - 0.074	----	----	----	----	----	0 - 1
7250	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.091	----	----	----	2	----	0 - 4
7300	0.109	0.109	0.109/*0.051A	0.109/*0.051A	----	0.000 - 0.124	----	----	----	55	----	0 - 107
7350	----	----	----/*0.057A	0.030B/*0.057A	----	0.000 - 0.173	----	----	----	----	----	0 - 2
7370	----	----	----/*0.058A	0.037B/*0.058A	----	0.000 - 0.199	----	----	----	----	----	0 - 1
7390	----	----	----/*0.060A	0.054B/*0.060A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7400	0.170	0.170	0.255/*0.062A	0.255/*0.062A	----	0.000 - 0.246	----	----	----	20	----	0 - 32
7430	----	----	----/*0.064A	0.094B/*0.064A	----	0.000 - 0.304	----	----	----	1	----	0 - 2
7450	----	----	----/*0.067A	0.120B/*0.067A	----	0.000 - 0.349	----	----	----	----	----	0 - 6
7480	0.070	0.070	0.195B/*0.070	0.195B/*0.070	----	0.000 NEW	----	----	----	1	----	0 UNCH
7500	0.425	0.425	0.425/*0.010	0.425/*0.010	----	0.000 - 0.492	----	----	----	103	----	0 - 88
7510	----	----	----/*0.078A	0.343B/*0.078A	----	0.000 - 0.526	----	----	----	----	----	0 - 1
7520	0.006	0.006	0.006/*0.006	0.349B/*0.006	----	0.000 - 0.561	----	----	----	1	----	0 - 1
7530	----	----	----/*0.087A	0.431B/*0.087A	----	0.000 - 0.599	----	----	----	4	----	0 - 11
7540	0.280	0.280	0.508B/*0.093A	0.508B/*0.093A	----	0.000 - 0.639	----	----	----	1	----	0 - 1
7550	0.625	0.625	0.625/*0.104A	0.625/*0.104A	----	0.000 - 0.680	----	----	----	12	----	0 - 7
7580	----	----	0.865B/*0.120A	0.865B/*0.120A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7600	0.600	0.600	1.063B/*0.105	1.063B/*0.105	----	0.125 - 0.793	----	26	----	10	----	0 - 24
7610	----	----	1.157B/*0.158A	1.157B/*0.158A	----	0.225 - 0.746	----	5	----	----	----	0 - 5
7630	----	----	1.352B/*0.200A	1.352B/*0.200A	----	0.425 - 0.659	----	15	----	----	----	0 - 15
7640	----	----	1.453B/*0.224A	1.453B/*0.224A	----	0.525 - 0.619	----	10	----	----	----	0 - 10
7650	----	----	1.553B/*0.252A	1.553B/*0.252A	----	0.625 - 0.580	----	16	----	----	----	0 - 16
7660	----	----	1.649B/*0.287A	1.649B/*0.287A	----	0.725 - 0.544	----	5	----	----	----	0 - 5
7670	----	----	1.750B/*0.320A	1.750B/*0.320A	----	0.825 - 0.509	----	15	----	----	----	0 - 15
7700	----	----	2.062B/*0.454A	2.062B/*0.454A	----	1.125 - 0.415	----	22	----	----	----	0 - 22
7750	----	----	2.558B/0.858A	2.558B/0.858A	----	1.625 - 0.290	----	2	----	----	----	0 - 2
7870	----	----	3.762B/*1.907A	3.762B/*1.907A	----	2.825 - 0.114	----	6	----	----	----	0 - 6
7950	----	----	4.563B/2.686A	4.563B/2.686A	----	3.625 - 0.057	----	1	----	1	----	0 - 1
8000	----	----	5.051B/3.180A	5.051B/3.180A	----	4.125 - 0.035	----	2	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO5 PUT		SILVER OPTIONS										
MAY26												
8100	----	----	6.067B/4.173A	6.067B/4.173A	----	5.125 - 0.008	----	1	----	----	----	0 - 1
8170	----	----	6.766B/*4.868A	6.766B/*4.868A	----	5.825 + 0.003	----	1	----	----	----	0 - 1
8300	----	----	#8.052B/6.164A	#8.052B/6.164A	----	7.125 + 0.020	----	2	----	----	----	0 - 2
8400	----	----	#9.067B/7.162A	#9.067B/7.162A	----	8.125 + 0.027	----	5	----	----	----	0 - 5
8500	----	----	#10.053B/8.161A	#10.053B/8.161A	----	9.125 + 0.030	----	4	----	----	----	0 - 4
8600	----	----	#11.053B/9.160A	11.053B/9.160A	----	10.125 + 0.032	----	1	----	----	----	0 - 1
TOTAL										246	0	0 - 610
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
5250	----	----	----	0.001B/0.125A	----	0.003 - 0.002	.0008	----	----	----	----	5 UNCH
6250	0.270	0.270	#0.280B/*0.230A	0.280B/*0.230A	----	0.756 NEW	.1077	----	----	4	----	4 + 4
6700	----	----	----/0.510A	0.399B/0.510A	----	0.454 - 0.089	.1055	----	----	----	----	1 UNCH
6800	----	----	----/*0.093A	0.041B/*0.093A	----	0.061 - 0.087	.0223	----	----	----	----	1 UNCH
6800	----	----	----/*0.352A	0.286B/*0.352A	----	0.278 - 0.113	.0822	----	----	----	----	3 UNCH
6900	----	----	----/*0.114A	0.061B/*0.114A	----	0.086 - 0.106	.0333	----	----	----	----	1 UNCH
7000	----	----	----/*0.155A	0.119B/*0.155A	----	0.124 - 0.130	.0505	----	----	----	----	3 UNCH
7100	0.202	0.202	0.202/*0.202	0.230B/*0.202	----	0.185 - 0.159	.0781	----	----	3	----	5 UNCH
7200	----	----	----/*0.316A	0.376B/*0.316A	----	0.282 - 0.195	.1211	----	----	----	----	2 UNCH
7300	----	----	----/*0.474A	0.607B/*0.474A	----	0.438 - 0.231	.1858	----	----	----	----	4 UNCH
7400	----	----	----/0.691A	0.928B/0.691A	----	0.675 - 0.262	.2746	----	----	----	----	25 UNCH
7430	----	----	#3.095B/1.779A	#3.095B/1.779A	----	2.341 - 0.306	.6940	----	----	----	----	12 UNCH
7430	----	----	1.059B/*0.765A	1.059B/*0.765A	----	0.766 - 0.269	.3059	----	----	----	----	15 UNCH
7550	----	----	1.664B/1.137A	1.664B/1.137A	----	1.238 - 0.279	.4455	----	----	----	----	10 UNCH
7590	1.476	1.476	#1.835B/*1.293A	1.835B/*1.293A	----	1.436 NEW	.4944	----	----	10	----	10 + 10
7600	----	----	1.882B/1.335A	1.882B/1.335A	----	1.488 - 0.273	.5067	----	----	----	----	0 UNCH
7600	----	----	1.942B/1.010A	1.942B/1.010A	----	1.363 - 0.310	.4932	----	----	----	----	10 UNCH
7650	----	----	2.452B/1.860A	2.452B/1.860A	----	2.003 - 0.307	.4695	----	----	----	----	1 UNCH
7700	----	----	1.517B/0.699A	1.517B/0.699A	----	0.956 - 0.286	.3754	----	----	----	----	1 UNCH
7810	----	----	#1.044B/0.471A	#1.044B/0.471A	----	0.634 - 0.245	.2641	----	----	----	----	1 UNCH
7820	----	----	#1.007B/0.457A	#1.007B/0.457A	----	0.610 - 0.242	.2552	----	----	----	----	1 UNCH
7900	----	----	1.438B/1.121A	1.438B/1.121A	----	1.161 - 0.269	.3080	----	----	----	----	1 UNCH
8000	0.400	0.400	0.506B/0.251A	0.506B/0.251A	----	0.305 - 0.175	.1319	----	----	3	----	7 + 3
8000	1.709	1.709	1.709/1.473A	1.710B/1.473A	----	1.497 NEW	.3125	----	----	1	----	1 + 1
8070	0.220	0.220	#0.220/*0.205A	#0.382B/*0.205A	----	0.233 NEW	.1005	----	----	10	----	10 + 10
8100	----	----	----/*0.192A	0.339B/*0.192A	----	0.207 - 0.146	.0891	----	----	----	----	1 UNCH
8100	----	----	6.141B/4.677A	6.141B/4.677A	----	5.330 - 0.109	.9108	----	----	----	----	4 UNCH
8160	----	----	#6.721B/*5.192A	6.721B/*5.192A	----	5.889 - 0.093	.9293	----	----	----	----	1 UNCH
8250	0.225	0.225	0.225/*0.100	0.225/*0.100	----	0.122 - 0.109	.0505	----	----	25	----	25 + 23
8350	----	----	----/*0.114A	0.119B/*0.114A	----	0.089 - 0.091	.0354	----	----	----	----	1 UNCH
8500	----	----	----/*0.087A	0.054B/*0.087A	----	0.059 - 0.071	.0218	----	----	----	----	4 UNCH
8750	----	----	----/*0.066A	0.023B/*0.066A	----	0.036 - 0.051	.0116	----	----	----	----	1 UNCH
8800	----	----	----	----/30.942A	----	12.154 - 0.010	.9895	----	----	----	----	1 UNCH
9750	----	----	----	----/*0.044A	----	0.005 - 0.012	.0010	----	----	----	----	5 UNCH
TOTAL										56	0	177 + 51
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
JUN26												
5250	----	----	----	----/0.127A	----	0.004 - 0.002	.0011	----	----	----	----	5 UNCH
6500	----	----	----	----/*0.096A	----	0.010 - 0.014	.0027	----	----	----	----	3 UNCH
6750	----	----	----	0.003B/*0.115A	----	0.029 - 0.032	.0098	----	----	----	----	1 UNCH
6800	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.037 - 0.036	.0130	----	----	6	----	10 + 6
6900	----	----	----	0.017B/*0.128A	----	0.059 - 0.048	.0223	----	----	----	----	9 UNCH
7000	----	----	----/*0.150A	0.039B/*0.150A	----	0.095 - 0.063	.0382	----	----	----	----	1 UNCH
7100	----	----	----/*0.205A	0.112B/*0.205A	----	0.153 - 0.083	.0645	----	----	----	----	3 UNCH
7150	----	----	----/*0.224A	0.144B/*0.224A	----	0.194 - 0.094	.0832	----	----	----	----	1 UNCH
7200	----	----	----/*0.254A	0.222B/*0.254A	----	0.247 - 0.104	.1069	----	----	----	----	1 UNCH
7300	----	----	----/1.710A	1.770B/1.710A	----	1.626 - 0.208	.3220	----	----	----	----	1 UNCH
7320	----	----	----/2.923A	2.407B/2.923A	----	3.107 NEW	.8126	----	----	2	----	2 + 2
7500	----	----	----/0.857A	1.100B/0.857A	----	0.956 - 0.150	.3785	----	----	----	----	2 UNCH
7500	1.700	1.700	1.830B/1.403A	1.830B/1.403A	----	1.831 NEW	.6214	----	----	1	----	1 + 1
7600	----	----	1.606B/1.219A	1.606B/1.219A	----	1.409 - 0.145	.5086	----	----	----	----	20 UNCH
7650	----	----	----/3.217A	3.140B/3.217A	----	3.173 - 0.227	.5175	----	----	----	----	1 UNCH
7700	----	----	2.035B/1.547A	2.035B/1.547A	----	1.703 - 0.266	.4300	----	----	----	----	9 UNCH
7750	0.485	0.485	0.873B/0.485	0.873B/0.485	----	0.697 - 0.160	.3036	----	----	3	----	5 + 3
7750	----	----	2.457B/2.090A	2.457B/2.090A	----	2.134 - 0.259	.4262	----	----	----	----	1 UNCH
7800	----	----	----/3.281A	3.393B/3.281A	----	3.489 - 0.204	.6383	----	----	----	----	1 UNCH
7800	----	----	0.713B/0.452A	0.713B/0.452A	----	0.561 - 0.147	.2507	----	----	100	----	114 + 88
7830	0.300	0.300	#0.602B/*0.300	0.602B/*0.300	----	0.491 - 0.152	.2220	----	----	7	----	17 + 7
7900	----	----	----/0.324A	0.431B/0.324A	----	0.361 NEW	.1653	----	----	100	----	100 + 100
7990	----	----	----/*4.252A	2.839B/*4.252A	----	4.268 - 0.103	.8884	----	----	----	----	1 UNCH
8000	0.310	0.310	0.310/*0.138A	0.310/*0.138A	----	0.235 - 0.138	.1067	----	----	3	----	21 + 1
8000	----	----	----/4.348A	2.846B/4.348A	----	4.358 - 0.101	.8932	----	----	----	----	9 UNCH
8100	----	----	----/0.660A	0.744B/0.660A	----	0.688 - 0.156	.2012	----	----	----	----	11 UNCH
8200	----	----	----/*0.146A	0.085B/*0.146A	----	0.109 - 0.095	.0455	----	----	----	----	4 UNCH
8250	----	----	----/*0.134A	0.088B/*0.134A	----	0.093 - 0.085	.0376	----	----	----	----	2 UNCH
8350	----	----	----/0.120A	0.042B/0.120A	----	0.070 - 0.067	.0265	----	----	----	----	1 UNCH
8500	----	----	----	----/39.948A	----	9.171 - 0.012	.9832	----	----	----	----	1 UNCH
8500	----	----	----	0.006B/*0.102A	----	0.049 - 0.050	.0167	----	----	----	----	4 UNCH
8500	----	----	----/0.299A	0.242B/0.299A	----	0.287 - 0.072	.0876	----	----	----	----	3 UNCH
9000	----	----	----	0.079B/*0.173A	----	0.128 - 0.028	.0369	----	----	----	----	3 UNCH
9700	----	----	----	0.008B/*0.110A	----	0.073 - 0.009	.0179	----	----	----	----	11 UNCH
TOTAL										222	0	379 + 208

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
JUN26												
450	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
500	----	----	----	----/*0.0040A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
500	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
575	----	----	----	0.0045B/*0.0095	----	0.0070 UNCH	.0380	----	----	----	----	1 UNCH
580	----	----	----	----/*0.0080A	----	0.0020 - 0.0010	.0141	----	----	----	----	1 UNCH
595	----	----	----	----/*0.0045A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
600	----	----	0.4315B/0.3800A	0.4315B/0.3800A	----	0.3895 - 0.0370	.0000	----	----	----	----	1 UNCH
610	----	----	0.3320B/0.2805A	0.3320B/0.2805A	----	0.2895 - 0.0375	.9987	----	----	----	----	1 UNCH
613	----	----	----	----/0.0055A	----	0.0005 - 0.0010	.0035	----	----	----	----	1 UNCH
616	----	----	----	----/0.0060A	----	0.0010 - 0.0015	.0105	----	----	1	----	1 UNCH
618	----	----	----	----/*0.0060A	----	0.0015 - 0.0015	.0168	----	----	----	----	10 UNCH
620	----	----	----	----/0.0065A	----	0.0020 - 0.0015	.0240	----	----	----	----	0 UNCH
623	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0030 NEW	.0398	----	----	1	----	1 + 1
625	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0045 - 0.0025	.0618	----	----	1	----	16 + 1
629	----	----	----/*0.0110A	0.0060B/*0.0110	----	0.0090 NEW	.1298	----	----	1	----	1 + 1
630	0.0100	0.0100	0.0120/*0.0090	0.0120/*0.0090	----	0.0105 NEW	.1528	----	----	58	----	40 + 40
630	----	----	----/0.1710A	0.2055B/0.1710A	----	0.1730 - 0.0350	.6251	----	----	----	----	7 UNCH
630	----	----	0.0865B/*0.0750	0.0865B/*0.0750	----	0.0840 + 0.0020	.3744	----	----	----	----	7 UNCH
632	0.0130	0.0130	0.0130/*0.0125	0.0130/*0.0125	----	0.0145 NEW	.2105	----	----	4	----	3 + 3
633	0.0165	0.0165	0.0165/*0.0145	0.0165/*0.0145	----	0.0170 NEW	.2447	----	----	3	----	3 + 3
634	0.0150	0.0150	0.0170/*0.0150	0.0170/*0.0150	----	0.0195 - 0.0015	.2802	----	----	4	----	4 + 3
635	0.0240	0.0240	0.0240/*0.0190A	0.0240/*0.0190A	----	0.0230 NEW	.3220	----	----	2	----	2 + 2
635	----	----	0.1100B/*0.0935	0.1100B/*0.0935	----	0.1055 + 0.0040	.4390	----	----	----	----	56 UNCH
635	----	----	0.0735B/*0.0605	0.0735B/*0.0605	----	0.0715 + 0.0035	.4210	----	----	----	----	1 UNCH
636	----	----	----/*0.0210A	0.0240B/*0.0210	----	0.0265 UNCH	.3644	----	----	----	----	1 UNCH
637	----	----	----/*0.0235A	0.0285B/*0.0235	----	0.0305 + 0.0010	.4091	----	----	----	----	2 UNCH
639	0.0395	0.0395	0.0395/0.0355A	0.0675B/0.0355A	----	0.0385 NEW	.4978	----	----	8	----	8 + 8
640	----	----	0.0450B/*0.0330	0.0450B/*0.0330	----	0.0450 + 0.0050	.5486	----	----	----	----	1 UNCH
640	0.0290	0.0290	0.0320/0.0290	0.0610B/0.0290	----	0.0340 - 0.0320	.4512	----	----	3	----	6 + 1
640	----	----	----/0.1175A	0.1500B/0.1175A	----	0.1195 - 0.0310	.4948	----	----	----	----	1 UNCH
641	0.0260	0.0260	0.0260/0.0260	0.0550B/0.0260	----	0.0295 NEW	.4048	----	----	25	----	25 + 25
642	----	----	----/0.0250A	0.0495B/0.0250A	----	0.0260 - 0.0290	.3616	----	----	----	----	1 UNCH
643	----	----	0.0660B/*0.0460	0.0660B/*0.0460	----	0.0635 + 0.0095	.6805	----	----	----	----	1 UNCH
645	0.0600	0.0600	0.0820B/*0.0565	0.0820B/*0.0565	----	0.0780 NEW	.7545	----	----	5	----	5 + 5
650	----	----	----/*0.0095A	0.0160B/*0.0095	----	0.0075 - 0.0155	.1091	----	----	----	----	5 UNCH
650	----	----	----/0.0795A	0.1050B/0.0795A	----	0.0800 - 0.0255	.3697	----	----	----	----	7 UNCH
650	----	----	----/0.0480A	0.0670B/0.0480A	----	0.0470 NEW	.3128	----	----	2	----	2 + 2
650	----	----	0.1970B/*0.1700	0.1970B/*0.1700	----	0.1905 + 0.0110	.6298	----	----	----	----	3 UNCH
660	----	----	----/*0.0055A	0.0010B/*0.0055	----	0.0010 - 0.0055	.0118	----	----	----	----	2 UNCH
665	----	----	----	----/*0.0050A	----	0.0005 - 0.0030	.0020	----	----	----	----	24 UNCH
675	----	----	----	----/*0.0045A	----	0.0005 - 0.0005	.0000	----	----	----	----	1 UNCH
690	----	----	----/*0.0070A	0.0025B/*0.0070	----	0.0035 NEW	.0275	----	----	2	----	2 + 2
725	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 51

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK2										
JUN26												
775	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										120		303 + 97
HWR THU		COPPER WEEKLY THURSDAY OPT Week4										
MAY26												
629	----	----	----	----	----	0.1360 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.1260 UNCH	----	----	----	----	----	0 UNCH
632	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
633	----	----	----	----	----	0.0960 UNCH	----	----	----	----	----	0 UNCH
634	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0760 UNCH	----	----	----	----	----	0 UNCH
636	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0560 UNCH	----	----	----	----	----	0 UNCH
638	----	----	----	----	----	0.0460 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0260 UNCH	----	----	----	----	----	0 UNCH
643	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
JUN26												
500	0.0035	0.0035	#0.0035/*0.0035	#0.0035/*0.0035	----	0.0005 UNCH	.0002	----	----	1	----	1 + 1
575	----	----	----	----/*0.0070A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
600	----	----	----	0.0250B/*0.0290	----	0.0265 - 0.0020	.1303	----	----	----	----	1 UNCH
615	----	----	----	0.0075B/0.0130A	----	0.0100 - 0.0025	.0881	----	----	----	----	15 UNCH
620	----	----	0.0680B/*0.0640	0.0680B/*0.0640	----	0.0670 - 0.0005	.2835	----	----	----	----	1 UNCH
625	----	----	0.0555B/*0.0485	0.0555B/*0.0485	----	0.0540 UNCH	.2927	----	----	----	----	20 UNCH
625	----	----	0.0845B/*0.0785	0.0845B/*0.0785	----	0.0835 + 0.0010	.3346	----	----	----	----	2 UNCH
630	----	----	----/0.1585A	0.1930B/0.1585A	----	0.1600 - 0.0355	.6390	----	----	----	----	1 UNCH
630	----	----	----/*0.0310A	0.0345B/*0.0310	----	0.0375 + 0.0015	.2964	----	----	----	----	8 UNCH
630	----	----	----/0.1510A	0.1605B/0.1510A	----	0.1265 - 0.0355	.7034	----	----	----	----	8 UNCH
635	----	----	0.0965B/*0.0810	0.0965B/*0.0810	----	0.0920 + 0.0035	.4334	----	----	----	----	20 UNCH
635	----	----	----/0.1650A	0.1940B/0.1650A	----	0.1650 - 0.0325	.5546	----	----	----	----	1 UNCH
640	0.1200	0.1200	0.1230B/*0.1020	0.1230B/*0.1020	----	0.1170 + 0.0065	.5077	----	----	4	----	78 UNCH
640	0.1085	0.1085	0.1100/0.1045A	0.1365B/0.1045A	----	0.1060 - 0.0305	.4919	----	----	23	----	42 + 5
645	----	----	----/0.0845A	0.1115B/0.0845A	----	0.0845 - 0.0280	.4192	----	----	----	----	9 UNCH
665	----	----	----/0.0120A	0.0110B/0.0120A	----	0.0080 - 0.0100	.0749	----	----	----	----	15 UNCH
700	----	----	----/*0.0205A	0.0160B/*0.0205	----	0.0160 - 0.0075	.0803	----	----	----	----	1 UNCH
TOTAL										28		224 + 6
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week1										
JUN26												
450	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
500	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
550	----	----	----	0.0005B/0.0085A	----	0.0020 UNCH	.0110	----	----	----	----	1 UNCH
590	----	----	----	0.0115B/*0.0145	----	0.0125 - 0.0020	.0701	----	----	----	----	1 UNCH
595	----	----	----	0.0045B/*0.0105	----	0.0075 - 0.0015	.0509	----	----	----	----	1 UNCH
610	----	----	----	----/*0.0070A	----	0.0015 - 0.0015	.0147	----	----	----	----	2 UNCH
610	----	----	----/*0.0170A	0.0140B/*0.0170	----	0.0160 - 0.0020	.1128	----	----	----	----	1 UNCH
615	----	----	----/*0.0215A	0.0210B/*0.0215	----	0.0220 - 0.0015	.1520	----	----	----	----	1 UNCH
618	----	----	----	0.0025B/*0.0095	----	0.0045 - 0.0020	.0494	----	----	1	----	1 UNCH
620	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0055 - 0.0025	.0624	----	----	1	----	1 UNCH
620	----	----	----/*0.0285A	0.0300B/*0.0285	----	0.0305 - 0.0010	.2033	----	----	----	----	1 UNCH
624	----	----	----	0.0070B/*0.0130	----	0.0100 NEW	.1128	----	----	1	----	1 + 1
625	----	----	----/0.1780A	0.2125B/0.1780A	----	0.1810 - 0.0375	.7317	----	----	----	----	1 UNCH
630	----	----	----/0.1050A	0.1460B/0.1050A	----	0.1090 - 0.0390	.7756	----	----	----	----	4 UNCH
630	----	----	----/0.1455A	0.1810B/0.1455A	----	0.1470 - 0.0355	.6561	----	----	----	----	1 UNCH
634	0.0275	0.0275	0.0300B/*0.0270	0.0300B/*0.0270	----	0.0315 UNCH	.3348	----	----	1	----	1 + 1
635	----	----	0.1175B/*0.1000	0.1175B/*0.1000	----	0.1120 + 0.0045	.4412	----	----	----	----	31 UNCH
635	0.0300	0.0300	0.0300/*0.0295A	0.0335B/*0.0295	----	0.0350 NEW	.3659	----	----	1	----	1 + 1
640	----	----	----/0.1240A	0.1565B/0.1240A	----	0.1260 - 0.0305	.4961	----	----	----	----	20 UNCH
640	----	----	0.1075B/*0.0885	0.1075B/*0.0885	----	0.1030 + 0.0065	.5112	----	----	----	----	6 UNCH
640	----	----	----/0.0455A	0.0730B/0.0455A	----	0.0465 - 0.0320	.4658	----	----	----	----	5 UNCH
646	----	----	----/0.0265A	0.0425B/0.0265A	----	0.0250 - 0.0235	.2786	----	----	----	----	3 UNCH
650	----	----	----/0.0850A	0.1115B/0.0850A	----	0.0860 - 0.0260	.3768	----	----	----	----	10 UNCH
650	----	----	----/0.0545A	0.0750B/0.0545A	----	0.0540 - 0.0235	.3281	----	----	----	----	2 UNCH
652	----	----	----/0.0155A	0.0210B/0.0155A	----	0.0125 - 0.0160	.1453	----	----	----	----	1 UNCH
660	----	----	----/0.0085A	0.0050B/0.0085A	----	0.0040 - 0.0085	.0465	----	----	----	----	15 UNCH
670	----	----	----	0.0005B/*0.0065	----	0.0010 - 0.0035	.0100	----	----	----	----	5 UNCH
670	----	----	----/0.0185A	0.0225B/0.0185A	----	0.0160 - 0.0100	.1152	----	----	----	----	47 UNCH
685	----	----	----	----/*0.0060A	----	0.0005 - 0.0005	.0001	----	----	----	----	3 UNCH
750	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
TOTAL										5		205 + 3
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
465	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
470	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
490	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	7 UNCH
500	0.0010	0.0010	#0.0010/*0.0010	#0.0010/*0.0010	----	0.0005 NEW	.0024	----	----	26	----	26 + 26
500	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
555	----	----	----	----/*0.0050A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
570	----	----	----	0.0055B/*0.0100	----	0.0060 - 0.0010	.0323	----	----	----	----	1 UNCH
585	----	----	----	0.0030B/*0.0090	----	0.0050 - 0.0020	.0325	----	----	----	----	4 UNCH
595	----	----	0.4825B/0.4320A	0.4825B/0.4320A	----	0.4400 - 0.0375	.9921	----	----	----	----	5 UNCH
595	----	----	----	----/*0.0065A	----	0.0010 - 0.0010	.0078	----	----	----	----	5 UNCH
600	----	----	0.4330B/0.3825A	0.4330B/0.3825A	----	0.3905 - 0.0380	.9873	----	----	----	----	1 UNCH
600	----	----	----	0.0090B/*0.0135	----	0.0110 - 0.0020	.0732	----	----	----	----	2 UNCH
605	----	----	----/*0.0160A	0.0125B/*0.0160	----	0.0145 - 0.0020	.0963	----	----	----	----	4 UNCH
606	----	----	----	0.0010B/*0.0075	----	0.0025 - 0.0015	.0227	----	----	----	----	1 UNCH
610	----	----	0.3350B/0.2845A	0.3350B/0.2845A	----	0.2930 - 0.0385	.9626	----	----	----	----	8 UNCH
614	----	----	----	0.0020B/*0.0100	----	0.0060 - 0.0015	.0573	----	----	----	----	1 UNCH
618	----	----	----	0.0050B/0.0130A	----	0.0090 - 0.0020	.0872	----	----	----	----	15 UNCH
619	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0100 NEW	.0969	----	----	1	----	1 + 1
620	----	----	0.2405B/0.1920A	0.2405B/0.1920A	----	0.2005 - 0.0385	.8899	----	----	----	----	1 UNCH
625	----	----	----/*0.0190A	0.0150B/*0.0190	----	0.0185 - 0.0020	.1754	----	----	----	----	160 UNCH
636	----	----	0.0490B/*0.0420	0.0490B/*0.0420	----	0.0505 + 0.0025	.4169	----	----	----	----	1 UNCH
639	0.0635	0.0635	0.0635/0.0615A	0.0905B/0.0615A	----	0.0630 NEW	.5017	----	----	2	----	2 + 2
640	0.0650	0.0650	0.0650/0.0575A	0.0845B/0.0575A	----	0.0585 - 0.0310	.4744	----	----	2	----	2 UNCH
640	----	----	0.1160B/*0.0955	0.1160B/*0.0955	----	0.1110 + 0.0070	.5092	----	----	----	----	1 UNCH
641	0.0740	0.0740	0.0760B/*0.0615	0.0760B/*0.0615	----	0.0750 NEW	.5524	----	----	1	----	1 + 1
642	----	----	----/0.0495A	0.0735B/0.0495A	----	0.0495 - 0.0290	.4203	----	----	----	----	2 UNCH
650	----	----	----/0.0265A	0.0380B/0.0265A	----	0.0245 - 0.0200	.2333	----	----	----	----	15 UNCH
660	----	----	----/0.0135A	0.0125B/0.0135A	----	0.0095 - 0.0105	.0939	----	----	----	----	8 UNCH
660	----	----	----/0.0365A	0.0505B/0.0365A	----	0.0355 - 0.0170	.2196	----	----	----	----	5 UNCH
662	----	----	----/0.0120A	0.0075B/0.0120A	----	0.0075 - 0.0100	.0748	----	----	----	----	15 UNCH
675	----	----	----/*0.0065A	0.0010B/*0.0065	----	0.0025 - 0.0045	.0224	----	----	1	----	1 - 1
705	----	----	----	----/0.0050A	----	0.0005 UNCH	.0001	----	----	----	----	7 UNCH
710	----	----	----	----/*0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
725	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	7 UNCH
725	----	----	----/*0.0095A	0.0055B/*0.0095	----	0.0065 - 0.0035	.0336	----	----	----	----	14 UNCH
750	----	----	----	----/*0.0040A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
800	----	----	----	----/*0.0040A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
TOTAL										33		347 + 29
JUL26												
460	----	----	----	----/*0.0065A	----	0.0005 UNCH	.0007	----	----	----	----	23 UNCH
510	----	----	----	0.0010B/0.0090A	----	0.0030 - 0.0005	.0111	----	----	----	----	19 UNCH
565	----	----	----	0.0115B/*0.0155	----	0.0125 - 0.0020	.0505	----	----	----	----	6 UNCH
568	----	----	----	0.0130B/*0.0170	----	0.0140 - 0.0020	.0561	----	----	----	----	6 UNCH
581	----	----	----	0.0215B/*0.0245	----	0.0225 - 0.0015	.0873	----	----	----	----	1 UNCH
585	----	----	----/0.6265A	#0.6450B/0.6265	----	0.6230 - 0.0380	.9008	----	----	----	----	6 UNCH
585	----	----	----	0.0255B/*0.0275	----	0.0255 - 0.0020	.0985	----	----	----	----	6 UNCH
592	----	----	----/*0.0345A	0.0335B/*0.0345	----	0.0330 - 0.0020	.1241	----	----	----	----	1 UNCH
600	----	----	----/0.4970A	0.5130B/0.4970A	----	0.4920 - 0.0380	.8387	----	----	----	----	12 UNCH
600	----	----	----/*0.0445A	0.0455B/*0.0445	----	0.0445 - 0.0015	.1605	----	----	----	----	1 UNCH
611	----	----	0.0690B/*0.0650	0.0690B/*0.0650	----	0.0665 - 0.0015	.2234	----	----	----	----	22 UNCH
612	----	----	----/0.4105A	#0.4235B/0.4105	----	0.3965 - 0.0375	.7692	----	----	----	----	5 UNCH
612	----	----	0.0720B/*0.0670	0.0720B/*0.0670	----	0.0690 - 0.0010	.2299	----	----	----	----	6 UNCH
613	----	----	0.0740B/*0.0695	0.0740B/*0.0695	----	0.0715 - 0.0010	.2365	----	----	----	----	3 UNCH
621	----	----	----/0.3400A	0.3500B/0.3400A	----	0.3325 - 0.0365	.7058	----	----	----	----	1 UNCH
622	----	----	0.1020B/*0.0935	0.1020B/*0.0935	----	0.0980 + 0.0005	.3006	----	----	----	----	5 UNCH
625	----	----	----/0.3050A	0.3400B/0.3050A	----	0.3065 - 0.0355	.6755	----	----	----	----	22 UNCH
630	----	----	----/0.2750A	0.3080B/0.2750A	----	0.2760 - 0.0340	.6360	----	----	----	----	5 UNCH
635	----	----	0.1570B/*0.1405	0.1570B/*0.1405	----	0.1490 + 0.0035	.4037	----	----	----	----	5 UNCH
645	----	----	0.2280B/0.1955A	0.2280B/0.1955A	----	0.1970 - 0.0300	.5134	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUL26												
650	----	----	0.2045B/0.1735A	0.2045B/0.1735A	----	0.1750 - 0.0285	.4731	----	----	----	----	5 UNCH
675	----	----	----/0.0940A	0.1130B/0.0940A	----	0.0935 - 0.0205	.2945	----	----	----	----	1 UNCH
680	----	----	----/0.0830A	0.1000B/0.0830A	----	0.0820 - 0.0190	.2649	----	----	----	----	1 UNCH
700	----	----	----/0.0505A	0.0595B/0.0505A	----	0.0490 - 0.0125	.1706	----	----	----	----	5 UNCH
710	----	----	----/0.0400A	0.0460B/0.0400A	----	0.0380 - 0.0105	.1360	----	----	----	----	5 UNCH
720	----	----	----/0.0325A	0.0350B/0.0325A	----	0.0300 - 0.0085	.1092	----	----	----	----	0 UNCH
TOTAL												173
AUG26												
599	----	----	----	----	----	0.5865 - 0.0355	.7448	----	----	----	----	10 UNCH
630	----	----	----/0.3980A	0.4260B/0.3980A	----	0.3980 - 0.0305	.5975	----	----	----	----	13 UNCH
630	----	----	0.2570B/----	0.2570B/0.2485A	----	0.2500 + 0.0055	.4008	----	----	----	----	15 UNCH
640	----	----	----/0.3490A	0.3740B/0.3490A	----	0.3480 - 0.0290	.5480	----	----	----	----	1 UNCH
650	----	----	----/0.3050A	0.3270B/0.3050A	----	0.3035 - 0.0270	.4992	----	----	----	----	14 UNCH
TOTAL												53
SEP26												
750	----	----	----/0.1375A	0.1430B/0.1375A	----	0.1340 - 0.0140	.2273	----	----	----	----	2 UNCH
TOTAL												2
HX CALL		COMEX COPPER OPTIONS										
JUL26												
500	----	----	----/1.4025A	1.4080B/1.4025A	----	1.3900 - 0.0370	.9907	----	----	----	----	9 UNCH
510	----	----	----	----	----	1.2905 - 0.0370	.9885	----	----	----	----	1 UNCH
520	----	----	----	----	----	1.1910 - 0.0370	.9860	----	----	----	----	2 UNCH
525	----	----	----	----	----	1.1410 - 0.0370	.9839	----	----	----	----	1 UNCH
530	----	----	----/1.1050A	1.1100B/1.1050A	----	1.0915 - 0.0370	.9832	----	----	----	----	6 UNCH
540	----	----	----/1.0060A	1.0110B/1.0060A	----	0.9925 - 0.0375	.9783	----	----	----	----	18 UNCH
545	----	----	----	----	----	0.9430 - 0.0380	.9757	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.8940 - 0.0380	.9712	----	----	----	----	4 UNCH
555	----	----	----/0.8585A	0.8640B/0.8585A	----	0.8450 - 0.0385	.9664	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.7960 - 0.0390	.9614	----	----	----	----	1 UNCH
570	----	----	----/0.6995A	0.7315B/0.6995A	----	0.7000 - 0.0390	.9455	----	----	----	----	157 UNCH
574	----	----	----/0.6695A	0.7000B/0.6695A	----	0.6620 - 0.0390	.9367	----	----	----	----	5 UNCH
575	----	----	----/0.6595A	0.6735B/0.6595A	----	0.6525 - 0.0390	.9345	----	----	----	----	19 UNCH
580	----	----	----/0.6125A	0.6370B/0.6125A	----	0.6055 - 0.0395	.9216	----	----	----	----	123 UNCH
585	----	----	----/0.5555A	0.5940B/0.5555A	----	0.5595 - 0.0390	.9052	----	----	----	----	318 UNCH
590	----	----	----/0.5210A	0.5455B/0.5210A	----	0.5145 - 0.0390	.8855	----	----	----	----	103 UNCH
591	----	----	----/0.5135A	0.5360B/0.5135A	----	0.5055 - 0.0395	.8815	----	----	----	----	3 UNCH
593	----	----	----/0.4960A	0.5180B/0.4960A	----	0.4880 - 0.0390	.8722	----	----	----	----	1 UNCH
594	----	----	----/0.4870A	0.5090B/0.4870A	----	0.4795 - 0.0390	.8681	----	----	----	----	2 UNCH
595	----	----	----/0.4775A	0.5010B/0.4775A	----	0.4705 - 0.0395	.8628	----	----	----	----	29 UNCH
597	----	----	----/0.4615A	0.4830B/0.4615A	----	0.4535 - 0.0390	.8521	----	----	----	----	1 UNCH
598	----	----	----/0.4530A	0.4745B/0.4530A	----	0.4450 - 0.0395	.8467	----	----	----	----	1 UNCH
599	----	----	----/0.4445A	0.4655B/0.4445A	----	0.4370 - 0.0390	.8413	----	----	----	----	2 UNCH
600	----	----	----/0.4235A	0.4675B/0.4235A	----	0.4285 - 0.0390	.8348	----	----	----	----	543 UNCH
602	----	----	----/0.4190A	0.4405B/0.4190A	----	0.4120 - 0.0390	.8229	----	----	----	----	83 UNCH
603	----	----	----/0.4115A	0.4320B/0.4115A	----	0.4040 - 0.0390	.8164	----	----	----	----	3 UNCH
605	----	----	----/0.3945A	0.4150B/0.3945A	----	0.3880 - 0.0385	.8034	----	----	----	----	41 UNCH
610	----	----	----/0.3450A	0.3750B/0.3450A	----	0.3495 - 0.0380	.7679	----	----	----	----	231 UNCH
615	0.3190	0.3190	0.3190/0.3070A	0.3505B/0.3070A	----	0.3135 - 0.0370	.7291	----	----	2	----	1407 - 2
620	----	----	----/0.2745A	0.3145B/0.2745A	----	0.2795 - 0.0360	.6874	----	----	----	----	186 UNCH
625	0.2515	0.2515	0.2515/0.2410A	0.2815B/0.2410A	----	0.2475 - 0.0350	.6428	----	----	2	----	359 UNCH
630	0.2340	0.2340	0.2340/0.2125A	0.2505B/0.2125A	----	0.2185 - 0.0335	.5968	----	----	44	----	356 - 40
635	----	----	0.2260B/0.1860A	0.2260B/0.1860A	----	0.1920 - 0.0320	.5498	----	----	----	----	201 UNCH
640	0.1820	0.1820	0.2010B/0.1620A	0.2010B/0.1620A	----	0.1675 - 0.0305	.5029	----	----	39	----	1432 - 2
645	0.1735	0.1735	0.1785/0.1410A	0.1785/0.1410A	----	0.1455 - 0.0295	.4566	----	----	30	----	522 + 15
650	0.1540	0.1540	0.1565B/0.1220A	0.1565B/0.1220A	----	0.1260 - 0.0275	.4118	----	----	521	----	1394 - 389
655	0.1360	0.1360	0.1365B/0.1050A	0.1365B/0.1050A	----	0.1085 - 0.0260	.3689	----	----	16	----	364 - 2
660	0.0980	0.0980	0.1195B/0.0900A	0.1195B/0.0900A	----	0.0935 - 0.0240	.3288	----	----	22	----	1328 - 10
665	0.1010	0.1010	0.1065/0.0780A	0.1065/0.0780A	----	0.0800 - 0.0225	.2911	----	----	3	----	139 + 1
670	0.0755	0.0755	0.0895B/0.0660A	0.0895B/0.0660A	----	0.0685 - 0.0205	.2567	----	----	64	----	699 UNCH
675	0.0660	0.0660	0.0785B/0.0565A	0.0785B/0.0565A	----	0.0590 - 0.0180	.2262	----	----	98	----	2127 + 66
679	----	----	----/*0.0505A	0.0680B/0.0505A	----	0.0520 - 0.0165	.2034	----	----	----	----	15 UNCH
680	----	----	0.0680B/0.0490A	0.0680B/0.0490A	----	0.0505 - 0.0160	.1982	----	----	----	----	232 UNCH
681	0.0515	0.0515	0.0535/*0.0480A	0.0645B/0.0480A	----	0.0490 - 0.0155	.1931	----	----	8	----	12 + 8
684	0.0475	0.0475	0.0540/*0.0435A	0.0585B/0.0435A	----	0.0450 - 0.0145	.1789	----	----	17	----	45 + 17
685	0.0460	0.0460	0.0585B/0.0420	0.0585B/0.0420	----	0.0435 - 0.0140	.1738	----	----	30	----	156 + 26
686	0.0450	0.0450	0.0500/*0.0410A	0.0550B/0.0410A	----	0.0425 - 0.0135	.1699	----	----	20	----	42 + 20
689	0.0410	0.0410	0.0460/*0.0375A	0.0515B/0.0375A	----	0.0390 - 0.0125	.1572	----	----	35	----	60 + 32
690	0.0395	0.0395	0.0510B/0.0370A	0.0510B/0.0370A	----	0.0380 - 0.0120	.1534	----	----	47	----	551 + 30
691	0.0395	0.0395	0.0495B/*0.0360	0.0495B/0.0360A	----	0.0370 - 0.0115	.1496	----	----	24	----	44 + 24
694	0.0355	0.0355	0.0455B/*0.0325	0.0455B/0.0325A	----	0.0340 - 0.0105	.1385	----	----	13	----	17 + 10
695	0.0345	0.0345	0.0440B/0.0315	0.0440B/0.0315	----	0.0330 - 0.0105	.1348	----	----	22	----	145 + 8
700	0.0295	0.0295	0.0385B/0.0270	0.0385B/0.0270	----	0.0285 - 0.0095	.1179	----	----	55	----	1009 - 24
705	0.0265	0.0265	0.0290/0.0240A	0.0325B/0.0240A	----	0.0250 - 0.0080	.1041	----	----	16	----	67 + 10
710	0.0230	0.0230	0.0250/0.0215A	0.0285B/0.0215A	----	0.0220 - 0.0070	.0920	----	----	3	----	677 + 2
715	----	----	----/0.0195A	0.0250B/0.0195A	----	0.0190 - 0.0065	.0803	----	----	----	----	188 UNCH
720	0.0175	0.0175	0.0175/0.0170A	0.0220B/0.0170A	----	0.0170 - 0.0055	.0717	----	----	19	----	292 + 11
725	----	----	----/0.0155A	0.0195B/0.0155A	----	0.0150 - 0.0050	.0634	----	----	----	----	1416 UNCH
730	0.0145	0.0145	0.0145/0.0140A	0.0175B/0.0140A	----	0.0135 - 0.0045	.0569	----	----	15	----	280 + 9
735	----	----	----/0.0130A	0.0155B/0.0130A	----	0.0125 - 0.0035	.0521	----	----	----	----	84 UNCH
740	----	----	----/*0.0120A	0.0140B/*0.0120	----	0.0115 - 0.0030	.0475	----	----	3	----	307 - 3
750	0.0115	0.0115	0.0115/0.0100A	0.0115/0.0100A	----	0.0100 - 0.0020	.0404	----	----	14	----	1265 + 10
760	----	----	----/*0.0085A	0.0095B/*0.0085	----	0.0085 - 0.0015	.0339	----	----	3	----	67 UNCH
770	0.0075	0.0075	0.0075/*0.0075	0.0080B/*0.0075	----	0.0075 - 0.0010	.0292	----	----	1	----	29 + 1
775	0.0070	0.0070	0.0070/0.0070	0.0075B/0.0070	----	0.0065 - 0.0015	.0256	----	----	2	----	110 + 1
780	----	----	----/0.0070A	0.0070B/0.0070A	----	0.0060 - 0.0015	.0235	----	----	----	----	41 UNCH
800	0.0060	0.0060	0.0060/0.0060	0.0060/0.0060	----	0.0050 - 0.0005	.0186	----	----	2	----	2386 - 1
825	----	----	----	0.0040B/0.0055A	----	0.0040 - 0.0005	.0141	----	----	----	----	13 UNCH
850	----	----	----	----/*0.0040A	----	0.0035 - 0.0005	.0116	----	----	----	----	330 UNCH
875	----	----	----/*0.0025A	----/*0.0025A	----	0.0030 - 0.0005	.0095	----	----	----	----	6 UNCH
900	----	----	----	0.0015B/0.0045A	----	0.0030 - 0.0005	.0089	----	----	----	----	2151 UNCH
925	----	----	----	----/0.0045A	----	0.0030 - 0.0005	.0084	----	----	----	----	16 UNCH
950	----	----	----	----/0.0045A	----	0.0030 - 0.0005	.0079	----	----	----	----	52 UNCH
975	----	----	----	----/0.0040A	----	0.0020 - 0.0005	.0054	----	----	----	----	18 UNCH
1000	----	----	----	0.0005B/0.0040A	----	0.0015 UNCH	.0040	----	----	----	----	6 UNCH
TOTAL										1190		24467 - 172
AUG26												
500	----	----	----/1.4850A	1.4560B/1.4850A	----	1.4545 - 0.0375	.9719	----	----	----	----	8 UNCH
550	----	----	----	----	----	0.9755 - 0.0370	.9181	----	----	----	----	3 UNCH
580	----	----	----/0.7190A	0.7430B/0.7190A	----	0.7135 - 0.0375	.8376	----	----	----	----	253 UNCH
585	----	----	----/0.7070A	0.6745B/0.7070A	----	0.6735 - 0.0370	.8193	----	----	----	----	11 UNCH
590	----	----	----/0.6680A	0.6355B/0.6680A	----	0.6345 - 0.0365	.7992	----	----	----	----	17 UNCH
595	----	----	----	----	----	0.5970 - 0.0360	.7780	----	----	----	----	1 UNCH
600	----	----	----/0.5570A	0.5700B/0.5570A	----	0.5605 - 0.0355	.7555	----	----	----	----	4 UNCH
610	----	----	----/0.4895A	0.5250B/0.4895A	----	0.4920 - 0.0345	.7072	----	----	----	----	2 UNCH
615	----	----	----/0.4580A	0.4920B/0.4580A	----	0.4600 - 0.0335	.6820	----	----	----	----	2 UNCH
620	----	----	----/0.4280A	0.4605B/0.4280A	----	0.4295 - 0.0330	.6559	----	----	----	----	28 UNCH
625	----	----	----/0.3970A	0.4305B/0.3970A	----	0.4005 - 0.0320	.6295	----	----	----	----	96 UNCH
630	----	----	----/0.3685A	0.4025B/0.3685A	----	0.3730 - 0.0310	.6026	----	----	----	----	57 UNCH
635	----	----	0.3790B/0.3430A	0.3790B/0.3430A	----	0.3470 - 0.0300	.5758	----	----	----	----	3 UNCH
640	----	----	0.3540B/0.3185A	0.3540B/0.3185A	----	0.3225 - 0.0290	.5489	----	----	----	----	161 UNCH
645	----	----	0.3285B/0.2960A	0.3285B/0.2960A	----	0.2995 - 0.0280	.5222	----	----	----	----	3 UNCH
650	0.2795	0.2795	0.3060B/0.2735A	0.3060B/0.2735A	----	0.2775 - 0.0270	.4958	----	----	40	----	798 - 20
655	----	----	0.2850B/0.2535A	0.2850B/0.2535A	----	0.2575 - 0.0255	.4700	----	----	----	----	461 UNCH
660	----	----	0.2645B/0.2345A	0.2645B/0.2345A	----	0.2385 - 0.0245	.4447	----	----	----	----	110 UNCH
665	----	----	0.2455B/0.2180A	0.2455B/0.2180A	----	0.2205 - 0.0235	.4200	----	----	----	----	1 UNCH
670	0.2270	0.2270	0.2275B/0.2015A	0.2275B/0.2015A	----	0.2040 - 0.0220	.3963	----	----	2	----	412 + 1
675	----	----	0.2105B/0.1860A	0.2105B/0.1860A	----	0.1885 - 0.0210	.3732	----	----	----	----	1354 UNCH
680	----	----	----/0.1720A	0.1940B/0.1720A	----	0.1740 - 0.0200	.3510	----	----	----	----	120 UNCH
685	----	----	----/0.1595A	0.1795B/0.1595A	----	0.1610 - 0.0185	.3300	----	----	2	----	4 + 2
690	----	----	0.1665B/0.1470A	0.1665B/0.1470A	----	0.1485 - 0.0175	.3096	----	----	----	----	223 UNCH
695	----	----	0.1540B/0.1355A	0.1540B/0.1355A	----	0.1375 - 0.0160	.2907	----	----	2	----	4 + 2
700	0.1285	0.1285	0.1425B/0.1250A	0.1425B/0.1250A	----	0.1270 - 0.0150	.2724	----	----	612	180	3256 + 76
705	----	----	----/0.1155A	0.1315B/0.1155A	----	0.1175 NEW	.2553	----	----	1	----	1 + 1
710	----	----	0.1220B/0.1065A	0.1220B/0.1065A	----	0.1085 - 0.0130	.2389	----	----	----	----	103 UNCH
715	----	----	0.1125B/0.0985A	0.1125B/0.0985A	----	0.1005 NEW	.2238	----	----	1	----	1 + 1
720	----	----	----/0.0905A	0.1040B/0.0905A	----	0.0930 - 0.0110	.2094	----	----	----	----	6 UNCH
725	----	----	0.0970B/0.0840A	0.0970B/0.0840A	----	0.0860 - 0.0100	.1957	----	----	2	----	1327 + 2
730	----	----	----/0.0775A	0.0890B/0.0775A	----	0.0795 - 0.0095	.1829	----	----	----	----	3 UNCH
735	----	----	----/0.0720A	0.0820B/0.0720A	----	0.0740 - 0.0085	.1715	----	----	----	----	1 UNCH
740	----	----	----/0.0665A	0.0760B/0.0665A	----	0.0685 - 0.0080	.1602	----	----	----	----	1 UNCH
750	0.0600	0.0600	0.0665B/0.0575A	0.0665B/0.0575A	----	0.0590 - 0.0070	.1401	----	----	279	----	732 + 158
775	0.0430	0.0430	0.0460/0.0410A	0.0460/0.0410A	----	0.0420 - 0.0045	.1021	----	----	31	----	159 - 3
800	0.0325	0.0325	0.0330B/0.0300	0.0330B/0.0300	----	0.0305 - 0.0030	.0752	----	----	21	----	405 UNCH
825	----	----	----/0.0225A	0.0245B/0.0225A	----	0.0230 - 0.0015	.0569	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
850	----	----	----/0.0180A	0.0190B/0.0180A	----	0.0180 - 0.0010	.0443	----	----	----	----	13 UNCH
875	----	----	----	0.0145B/0.0145A	----	0.0145 UNCH	.0353	----	----	----	----	14 UNCH
900	0.0145	0.0145	0.0145/0.0125A	0.0145/0.0125A	----	0.0120 + 0.0005	.0288	----	----	1	----	141 UNCH
925	----	----	----	0.0090B/0.0105A	----	0.0105 + 0.0010	.0246	----	----	----	----	2 UNCH
950	----	----	----	0.0080B/0.0100A	----	0.0090 + 0.0010	.0208	----	----	----	----	62 UNCH
975	----	----	----	0.0020B/0.0105A	----	0.0065 + 0.0005	.0153	----	----	----	----	59 UNCH
TOTAL									180	994		10427 + 220
SEP26												
495	----	----	----	----	----	1.5120 - 0.0365	.9560	----	----	----	----	2 UNCH
500	----	----	----/1.4980A	1.4620B/1.4980A	----	1.4640 - 0.0365	.9518	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.3685 - 0.0370	.9417	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.1380 - 0.0375	.9062	----	----	----	----	1 UNCH
565	----	----	----	----	----	0.8810 - 0.0415	.8370	----	----	----	----	1 UNCH
575	----	----	----/0.8405A	0.8020B/0.8405A	----	0.8020 - 0.0425	.8063	----	----	----	----	100 UNCH
590	----	----	----/0.6905A	0.7145B/0.6905A	----	0.6920 - 0.0400	.7545	----	----	----	----	5 UNCH
595	----	----	----/0.6565A	0.6940B/0.6565A	----	0.6575 - 0.0390	.7356	----	----	----	----	5 UNCH
600	----	----	0.6625B/0.6200A	0.6625B/0.6200A	----	0.6240 - 0.0380	.7164	----	----	----	----	222 UNCH
610	----	----	----/0.5610A	0.5960B/0.5610A	----	0.5610 - 0.0360	.6760	----	----	----	----	31 UNCH
615	----	----	----/0.5320A	0.5655B/0.5320A	----	0.5315 - 0.0345	.6553	----	----	----	----	9 UNCH
620	----	----	0.5385B/0.5010A	0.5385B/0.5010A	----	0.5030 - 0.0340	.6342	----	----	----	----	187 UNCH
625	----	----	0.5115B/0.4735A	0.5115B/0.4735A	----	0.4760 - 0.0330	.6131	----	----	----	----	632 UNCH
630	----	----	----/0.4475A	0.4815B/0.4475A	----	0.4500 - 0.0325	.5919	----	----	----	----	51 UNCH
635	----	----	----/0.4230A	0.4565B/0.4230A	----	0.4255 - 0.0315	.5706	----	----	----	----	66 UNCH
640	----	----	0.4350B/0.3990A	0.4350B/0.3990A	----	0.4020 - 0.0310	.5495	----	----	1	----	1052 UNCH
645	----	----	0.4110B/0.3775A	0.4110B/0.3775A	----	0.3795 - 0.0305	.5285	----	----	----	----	200 UNCH
650	----	----	0.3890B/0.3560A	0.3890B/0.3560A	----	0.3585 - 0.0295	.5079	----	----	----	----	331 UNCH
655	----	----	0.3675B/0.3370A	0.3675B/0.3370A	----	0.3385 - 0.0285	.4876	----	----	----	----	24 UNCH
660	----	----	----/0.3175A	0.3470B/0.3175A	----	0.3195 - 0.0275	.4677	----	----	----	----	104 UNCH
665	----	----	----/0.3000A	0.3275B/0.3000A	----	0.3015 - 0.0265	.4482	----	----	----	----	2 UNCH
670	0.2865	0.2865	0.3110B/0.2820A	0.3110B/0.2820A	----	0.2850 - 0.0250	.4294	----	----	1	----	128 + 1
675	----	----	0.2940B/0.2660A	0.2940B/0.2660A	----	0.2685 - 0.0245	.4108	----	----	----	100	594 - 6
680	0.2530	0.2530	0.2775B/0.2505A	0.2775B/0.2505A	----	0.2535 - 0.0230	.3929	----	----	26	----	1393 + 1
685	0.2400	0.2400	0.2400/0.2370A	0.2610B/0.2370A	----	0.2390 - 0.0220	.3755	----	----	1	----	31 + 1
690	0.2310	0.2310	0.2475B/0.2230A	0.2475B/0.2230A	----	0.2255 - 0.0210	.3587	----	----	2	----	455 UNCH
695	0.2170	0.2170	0.2170/0.2105A	0.2325B/0.2105A	----	0.2125 - 0.0200	.3424	----	----	18	----	20 + 18
700	0.2215	0.2215	0.2260/0.1955	0.2260/0.1955	----	0.2005 - 0.0190	.3268	----	----	94	----	10664 + 10
705	----	----	0.2075B/0.1865A	0.2075B/0.1865A	----	0.1890 - 0.0180	.3117	----	----	----	----	402 UNCH
710	----	----	0.1960B/0.1755A	0.1960B/0.1755A	----	0.1780 - 0.0170	.2970	----	----	----	----	1000 UNCH
715	----	----	----/0.1665A	0.1835B/0.1665A	----	0.1675 - 0.0165	.2828	----	----	----	----	1 UNCH
720	----	----	----/0.1565A	0.1730B/0.1565A	----	0.1575 - 0.0160	.2691	----	----	----	----	7 UNCH
725	----	----	----/0.1475A	0.1635B/0.1475A	----	0.1485 - 0.0150	.2562	----	----	----	----	133 UNCH
730	----	----	----/0.1390A	0.1535B/0.1390A	----	0.1395 - 0.0145	.2435	----	----	----	----	1 UNCH
740	----	----	0.1375B/0.1230A	0.1375B/0.1230A	----	0.1235 - 0.0135	.2200	----	----	----	----	950 UNCH
750	----	----	----/0.1095A	0.1215B/0.1095A	----	0.1095 - 0.0125	.1986	----	----	----	----	235 UNCH
775	----	----	----/0.0815A	0.0915B/0.0815A	----	0.0805 - 0.0110	.1526	----	----	----	----	9180 UNCH
800	----	----	----/0.0625A	0.0670B/0.0625A	----	0.0605 - 0.0085	.1183	----	----	----	----	1000 UNCH
825	0.0475	0.0475	0.0475/0.0475	0.0515B/0.0475	----	0.0465 - 0.0065	.0927	----	----	10	----	131 UNCH
850	----	----	----/0.0385A	0.0400B/0.0385A	----	0.0370 - 0.0040	.0744	----	----	----	----	2 UNCH
875	----	----	----/0.0310A	0.0315B/0.0310A	----	0.0300 - 0.0020	.0605	----	----	----	----	1 UNCH
900	----	----	----	0.0240B/0.0265A	----	0.0230 - 0.0015	.0473	----	----	----	----	79 UNCH
975	----	----	0.0125B/----	0.0125B/0.0170A	----	0.0110 - 0.0005	.0235	----	----	----	----	14 UNCH
TOTAL									100	153		29453 + 25
OCT26												
500	----	----	----	----	----	1.5610 - 0.0360	.9408	----	----	----	----	2 UNCH
575	----	----	----	----	----	0.9185 - 0.0355	.7991	----	----	----	----	2 UNCH
600	----	----	----/0.7430A	0.7760B/0.7430A	----	0.7440 - 0.0350	.7221	----	----	----	----	40 UNCH
605	----	----	----/0.7115A	0.7435B/0.7115A	----	0.7120 - 0.0350	.7053	----	----	----	----	2 UNCH
615	----	----	----/0.6515A	0.6820B/0.6515A	----	0.6510 - 0.0345	.6712	----	----	----	----	5 UNCH
620	----	----	----/0.6225A	0.6525B/0.6225A	----	0.6225 - 0.0335	.6537	----	----	----	----	1 UNCH
625	----	----	----/0.5950A	0.6235B/0.5950A	----	0.5945 - 0.0330	.6361	----	----	----	----	16 UNCH
650	----	----	----/0.4680A	0.4985B/0.4680A	----	0.4700 - 0.0295	.5476	----	----	1	----	107 + 1
665	----	----	----/0.4055A	0.4330B/0.4055A	----	0.4070 - 0.0265	.4959	----	----	----	----	1 UNCH
670	----	----	----/0.3865A	0.4125B/0.3865A	----	0.3875 - 0.0260	.4790	----	----	----	----	1 UNCH
675	----	----	----/0.3680A	0.3925B/0.3680A	----	0.3690 - 0.0255	.4625	----	----	----	----	77 UNCH
690	----	----	----/0.3180A	0.3395B/0.3180A	----	0.3185 - 0.0230	.4150	----	----	----	----	1 UNCH
700	----	----	----/0.2930A	0.3035B/0.2930A	----	0.2885 - 0.0215	.3851	----	----	----	----	151 UNCH
720	----	----	----/0.2405A	0.2485B/0.2405A	----	0.2360 - 0.0190	.3297	----	----	----	----	3 UNCH
730	----	----	----/0.2185A	0.2245B/0.2185A	----	0.2135 - 0.0175	.3045	----	----	----	----	3 UNCH
740	----	----	----/0.1930A	0.2050B/0.1930A	----	0.1930 - 0.0165	.2807	----	----	----	----	10 UNCH
750	----	----	----/0.1785A	0.1830B/0.1785A	----	0.1745 - 0.0150	.2586	----	----	----	----	63 UNCH
775	----	----	----/0.1400A	0.1410B/0.1400A	----	0.1360 - 0.0120	.2100	----	----	----	----	84 UNCH
800	0.1070	0.1070	0.1070/0.1070	0.1120B/0.1070	----	0.1070 - 0.0105	.1707	----	----	250	----	252 + 250
825	----	----	----/0.0870A	0.0875B/0.0870A	----	0.0850 - 0.0080	.1391	----	----	----	----	1 UNCH
850	----	----	----/0.0705A	0.0690B/0.0705A	----	0.0680 - 0.0070	.1137	----	----	----	----	30 UNCH
875	----	----	----/0.0580A	0.0550B/0.0580A	----	0.0550 - 0.0060	.0935	----	----	----	----	3 UNCH
900	----	----	----/0.0490A	0.0440B/0.0490A	----	0.0450 - 0.0050	.0775	----	----	----	----	3 UNCH
975	----	----	----	0.0240B/0.0310A	----	0.0265 - 0.0030	.0465	----	----	----	----	7 UNCH
TOTAL										251		865 + 251
NOV26												
535	----	----	----	----	----	1.2680 - 0.0350	.8697	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.1860 - 0.0355	.8491	----	----	----	----	1 UNCH
580	----	----	----	----	----	0.9255 - 0.0345	.7627	----	----	----	----	2 UNCH
585	----	----	----/0.8920A	0.9215B/0.8920A	----	0.8915 - 0.0345	.7487	----	----	----	----	1 UNCH
595	----	----	----/0.8275A	0.8555B/0.8275A	----	0.8265 - 0.0340	.7198	----	----	----	----	2 UNCH
600	----	----	----/0.7970A	0.8240B/0.7970A	----	0.7955 - 0.0335	.7049	----	----	----	----	2 UNCH
610	----	----	----/0.7375A	0.7635B/0.7375A	----	0.7360 - 0.0325	.6747	----	----	----	----	14 UNCH
640	----	----	----/0.5810A	0.6015B/0.5810A	----	0.5780 - 0.0290	.5817	----	----	----	----	1 UNCH
650	----	----	----/0.5355A	0.5580B/0.5355A	----	0.5320 - 0.0280	.5507	----	----	----	----	1 UNCH
655	----	----	----/0.5140A	0.5350B/0.5140A	----	0.5100 - 0.0275	.5354	----	----	----	----	1 UNCH
660	----	----	----/0.4930A	0.5130B/0.4930A	----	0.4890 - 0.0270	.5202	----	----	----	----	1 UNCH
665	----	----	----/0.4730A	0.4915B/0.4730A	----	0.4690 - 0.0260	.5052	----	----	----	----	1 UNCH
670	----	----	----/0.4535A	0.4710B/0.4535A	----	0.4495 - 0.0255	.4904	----	----	----	----	14 UNCH
675	----	----	----/0.4350A	0.4520B/0.4350A	----	0.4310 - 0.0245	.4759	----	----	----	----	62 UNCH
680	----	----	----/0.4170A	0.4330B/0.4170A	----	0.4125 - 0.0245	.4614	----	----	----	----	1 UNCH
695	----	----	----/0.3670A	0.3800B/0.3670A	----	0.3625 - 0.0225	.4198	----	----	----	----	1 UNCH
700	----	----	----/0.3520A	0.3630B/0.3520A	----	0.3470 - 0.0220	.4065	----	----	----	----	27 UNCH
705	----	----	----/0.3370A	0.3475B/0.3370A	----	0.3325 - 0.0210	.3935	----	----	----	----	1 UNCH
725	----	----	----/0.2835A	0.2910B/0.2835A	----	0.2790 - 0.0185	.3441	----	----	----	----	48 UNCH
740	----	----	----/0.2490A	0.2545B/0.2490A	----	0.2440 - 0.0175	.3100	----	----	----	----	1 UNCH
750	----	----	----/0.2285A	0.2325B/0.2285A	----	0.2235 - 0.0160	.2890	----	----	----	----	26 UNCH
800	----	----	----/0.1490A	0.1480B/0.1490A	----	0.1435 - 0.0125	.2008	----	----	----	----	1 UNCH
850	----	----	----/0.1000A	0.0950B/0.1000A	----	0.0950 - 0.0090	.1402	----	----	----	----	2 UNCH
900	----	----	----/0.0710A	0.0630B/0.0710A	----	0.0650 - 0.0070	.0994	----	----	----	----	1 UNCH
975	----	----	----	0.0360B/0.0465A	----	0.0395 - 0.0045	.0621	----	----	----	----	4 UNCH
TOTAL												217
DEC26												
520	----	----	----	----	----	1.4135 - 0.0350	.8802	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.3720 - 0.0350	.8715	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.2910 - 0.0345	.8527	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.1745 - 0.0340	.8213	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.1370 - 0.0340	.8099	----	----	----	----	1 UNCH
565	----	----	----	----	----	1.0650 - 0.0335	.7863	----	----	----	----	45 UNCH
575	----	----	----	----	----	0.9960 - 0.0330	.7612	----	----	----	----	123 UNCH
585	----	----	----/0.9350A	0.9550B/0.9350A	----	0.9305 - 0.0325	.7350	----	----	----	----	1 UNCH
590	----	----	----/0.9035A	0.9230B/0.9035A	----	0.8990 - 0.0320	.7217	----	----	----	----	200 UNCH
595	----	----	----/0.8730A	0.8920B/0.8730A	----	0.8680 - 0.0320	.7081	----	----	----	----	163 UNCH
600	----	----	----/0.8430A	0.8615B/0.8430A	----	0.8380 - 0.0315	.6944	----	----	----	----	495 UNCH
610	----	----	----/0.7860A	0.8030B/0.7860A	----	0.7805 - 0.0310	.6665	----	----	----	----	200 UNCH
620	----	----	----/0.7320A	0.7475B/0.7320A	----	0.7260 - 0.0300	.6383	----	----	----	----	366 UNCH
625	----	----	----/0.7065A	0.7210B/0.7065A	----	0.7000 - 0.0295	.6242	----	----	----	----	39 UNCH
630	----	----	----/0.6815A	0.6950B/0.6815A	----	0.6745 - 0.0295	.6100	----	----	----	----	391 UNCH
635	----	----	----/0.6570A	0.6700B/0.6570A	----	0.6500 - 0.0290	.5958	----	----	----	----	1 UNCH
640	----	----	----/0.6335A	0.6455B/0.6335A	----	0.6260 - 0.0285	.5816	----	----	----	----	29 UNCH
650	0.6185	0.6185	0.6185/0.5885A	0.6185/0.5885A	----	0.5805 - 0.0275	.5534	----	----	4	----	749 + 4
660	----	----	----/0.5460A	0.5550B/0.5460A	----	0.5380 - 0.0265	.5256	----	----	----	----	300 UNCH
670	----	----	----/0.5065A	0.5135B/0.5065A	----	0.4985 - 0.0250	.4984	----	----	----	----	4 UNCH
675	----	----	----/0.4880A	0.4940B/0.4880A	----	0.4795 - 0.0245	.4850	----	----	----	----	17 UNCH
680	----	----	----/0.4700A	0.4750B/0.4700A	----	0.4615 - 0.0240	.4719	----	----	----	----	3 UNCH
690	----	----	----/0.4355A	0.4395B/0.4355A	----	0.4270 - 0.0225	.4462	----	----	----	----	1 UNCH
700	----	----	----/0.4030A	0.4060B/0.4030A	----	0.3945 - 0.0220	.4212	----	----	----	----	909 UNCH
705	----	----	----/0.3880A	0.3900B/0.3880A	----	0.3795 - 0.0210	.4091	----	----	----	----	2 UNCH
725	----	----	----/0.3325A	0.3325B/0.3325A	----	0.3240 - 0.0190	.3630	----	----	----	----	129 UNCH
730	----	----	----/0.3200A	0.3195B/0.3200A	----	0.3115 - 0.0185	.3522	----	----	----	----	4 UNCH
750	----	----	----/0.2745A	0.2720B/0.2745A	----	0.2660 - 0.0160	.3112	----	----	----	----	426 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
775	----	----	----/0.2270A	0.2220B/0.2270A	----	0.2180 - 0.0140	.2653	----	----	----	----	211 UNCH
800	----	----	----/0.1880A	0.1810B/0.1880A	----	0.1800 - 0.0120	.2262	----	----	----	----	162 UNCH
825	----	----	----/0.1565A	0.1480B/0.1565A	----	0.1490 - 0.0105	.1927	----	----	----	----	49 UNCH
850	----	----	----/0.1315A	0.1215B/0.1315A	----	0.1240 - 0.0095	.1644	----	----	----	----	304 UNCH
900	0.0920	0.0920	0.0920/0.0920	0.0920/0.0920	----	0.0880 - 0.0070	.1210	----	----	12	----	657 + 12
925	----	----	----	0.0695B/0.0835A	----	0.0750 - 0.0060	.1045	----	----	----	----	6 UNCH
950	----	----	----	0.0580B/0.0730A	----	0.0645 - 0.0055	.0908	----	----	----	----	104 UNCH
975	----	----	----	0.0490B/0.0650A	----	0.0555 - 0.0050	.0789	----	----	----	----	13 UNCH
1000	----	----	----	0.0415B/0.0580A	----	0.0485 - 0.0045	.0693	----	----	----	----	5 UNCH
TOTAL										16		6236 + 16
JAN27												
500	----	----	----	----	----	1.6905 - 0.0310	.9008	----	----	----	----	1 UNCH
900	----	----	----	----/231.0178A	----	0.1390 - 0.0065	.1623	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----	----	0.8725 - 0.0235	.6516	----	----	----	----	1 UNCH
TOTAL												1
MAR27												
680	----	----	----	----/154.3355A	----	0.6395 - 0.0185	.5155	----	----	----	----	30 UNCH
950	----	----	----	----/154.0160A	----	0.1580 - 0.0070	.1626	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUL26												
330	----	----	----	----/0.0035A	----	0.0005 UNCH	.0000	----	----	----	----	84 UNCH
350	----	----	----	----/0.0030A	----	0.0005 UNCH	.0001	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
380	----	----	----	----/0.0035A	----	0.0005 UNCH	.0007	----	----	----	----	2 UNCH
390	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0012	----	----	----	----	6 UNCH
395	----	----	----	----/0.0035A	----	0.0010 UNCH	.0023	----	----	----	----	1 UNCH
400	----	----	----	----/*0.0025A	----	0.0010 UNCH	.0024	----	----	----	----	566 UNCH
405	----	----	----	----/*0.0025A	----	0.0010 - 0.0005	.0025	----	----	----	----	1 UNCH
415	----	----	----	----/0.0025A	----	0.0015 UNCH	.0037	----	----	----	----	52 UNCH
420	----	----	----	----/0.0020A	----	0.0015 UNCH	.0038	----	----	----	----	4 UNCH
425	----	----	----	----/0.0025A	----	0.0015 UNCH	.0039	----	----	----	----	51 UNCH
430	----	----	----	----/0.0015A	----	0.0015 UNCH	.0040	----	----	----	----	10 UNCH
435	----	----	----	----/*0.0025A	----	0.0015 UNCH	.0041	----	----	----	----	5 UNCH
440	----	----	----	----/0.0030A	----	0.0015 UNCH	.0042	----	----	----	----	4 UNCH
445	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0043	----	----	----	----	3 UNCH
450	----	----	----/0.0015A	----/0.0015A	----	0.0015 - 0.0005	.0044	----	----	----	----	1909 UNCH
455	----	----	----	----/0.0020A	----	0.0015 - 0.0005	.0045	----	----	----	----	14 UNCH
460	----	----	----/*0.0020A	----/0.0020A	----	0.0015 - 0.0010	.0047	----	----	----	----	6 UNCH
465	----	----	----	----/*0.0035A	----	0.0015 - 0.0010	.0048	----	----	----	----	1 UNCH
470	----	----	----	----/*0.0035A	----	0.0020 - 0.0005	.0063	----	----	----	----	3 UNCH
475	----	----	----	----/0.0040A	----	0.0020 - 0.0005	.0065	----	----	----	----	512 UNCH
480	----	----	----	0.0010B/0.0035A	----	0.0020 - 0.0005	.0067	----	----	----	----	78 UNCH
485	----	----	----	----/*0.0045A	----	0.0020 - 0.0005	.0069	----	----	----	----	2 UNCH
490	----	----	----	----/*0.0045A	----	0.0020 - 0.0005	.0071	----	----	----	----	542 UNCH
495	----	----	----	----/*0.0050A	----	0.0025 UNCH	.0089	----	----	----	----	104 UNCH
500	----	----	----	----/*0.0025A	----	0.0025 UNCH	.0092	----	----	----	----	3303 UNCH
505	----	----	----	0.0005B/*0.0060	----	0.0030 UNCH	.0110	----	----	----	----	3 UNCH
510	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0030 UNCH	.0114	----	----	2	----	215 + 2
515	----	----	----/*0.0030A	0.0010B/*0.0030	----	0.0030 - 0.0005	.0118	----	----	----	----	6 UNCH
520	----	----	----	0.0035B/*0.0035	----	0.0035 UNCH	.0139	----	----	1	----	376 - 1
525	----	----	----	0.0040B/0.0040A	----	0.0040 UNCH	.0160	----	----	----	----	653 UNCH
530	----	----	----	0.0045B/*0.0045	----	0.0040 - 0.0005	.0167	----	----	2	----	3199 UNCH
533	----	----	----	0.0050B/*0.0050	----	0.0045 - 0.0005	.0187	----	----	----	----	1 UNCH
534	----	----	----	0.0050B/*0.0050	----	0.0045 - 0.0005	.0189	----	----	----	----	2 UNCH
535	----	----	----	0.0050B/*0.0055	----	0.0045 - 0.0005	.0190	----	----	----	----	4 UNCH
536	----	----	0.0055B/----	0.0055B/*0.0055	----	0.0045 - 0.0005	.0192	----	----	----	----	5 UNCH
538	----	----	----	0.0055B/*0.0055	----	0.0050 - 0.0005	.0212	----	----	----	----	3 UNCH
539	----	----	0.0060B/----	0.0060B/*0.0055	----	0.0050 - 0.0005	.0213	----	----	----	----	2 UNCH
540	----	----	----/*0.0055A	0.0060B/*0.0055	----	0.0050 - 0.0010	.0215	----	----	1	----	910 UNCH
541	----	----	0.0065B/----	0.0065B/*0.0060	----	0.0050 - 0.0010	.0217	----	----	----	----	2 UNCH
542	----	----	0.0065B/----	0.0065B/*0.0060	----	0.0050 - 0.0010	.0219	----	----	----	----	2 UNCH
543	----	----	----/*0.0060A	0.0065B/*0.0060	----	0.0055 - 0.0010	.0238	----	----	----	----	4 UNCH
545	----	----	0.0070B/*0.0060	0.0070B/*0.0060	----	0.0055 - 0.0010	.0242	----	----	----	----	5 UNCH
546	----	----	----/*0.0065A	0.0070B/*0.0065	----	0.0055 - 0.0015	.0244	----	----	----	----	3 UNCH
547	----	----	0.0075B/*0.0065	0.0075B/*0.0065	----	0.0060 - 0.0010	.0263	----	----	----	----	9 UNCH
548	----	----	----/*0.0065A	0.0075B/*0.0065	----	0.0060 - 0.0015	.0265	----	----	----	----	17 UNCH
549	----	----	----/*0.0070A	0.0075B/*0.0070	----	0.0060 - 0.0015	.0268	----	----	----	----	1 UNCH
550	0.0090	0.0090	0.0090/*0.0070A	0.0090/*0.0070A	----	0.0065 - 0.0015	.0287	----	----	33	----	1055 UNCH
551	----	----	----/*0.0070A	0.0080B/*0.0070	----	0.0065 - 0.0015	.0290	----	----	----	----	2 UNCH
552	----	----	----/*0.0075A	0.0085B/*0.0075	----	0.0065 - 0.0020	.0292	----	----	----	----	2 UNCH
553	----	----	----/*0.0075A	0.0085B/*0.0075	----	0.0070 - 0.0015	.0312	----	----	----	----	2 UNCH
554	----	----	----/*0.0075A	0.0090B/*0.0075	----	0.0070 - 0.0020	.0315	----	----	----	----	50 UNCH
555	----	----	0.0095B/*0.0080	0.0095B/*0.0080	----	0.0075 - 0.0015	.0334	----	----	----	----	96 UNCH
556	----	----	----/*0.0080A	0.0095B/*0.0080	----	0.0075 - 0.0020	.0338	----	----	----	----	65 UNCH
557	----	----	0.0100B/*0.0085	0.0100B/*0.0085	----	0.0080 - 0.0015	.0357	----	----	----	----	1 UNCH
558	----	----	----/*0.0085A	0.0100B/*0.0085	----	0.0080 - 0.0020	.0361	----	----	1	----	104 UNCH
559	----	----	0.0105B/*0.0090	0.0105B/*0.0090	----	0.0085 - 0.0015	.0381	----	----	----	----	9 UNCH
560	----	----	0.0110B/*0.0090	0.0110B/*0.0090	----	0.0085 - 0.0020	.0385	----	----	14	----	317 + 10
561	----	----	----/*0.0095A	0.0110B/*0.0095	----	0.0090 - 0.0020	.0405	----	----	----	----	7 UNCH
562	----	----	0.0115B/*0.0095	0.0115B/*0.0095	----	0.0095 - 0.0015	.0425	----	----	----	----	2 UNCH
563	----	----	0.0120B/*0.0100	0.0120B/*0.0100	----	0.0095 - 0.0020	.0429	----	----	----	----	17 UNCH
564	----	----	0.0125B/*0.0100	0.0125B/*0.0100	----	0.0100 - 0.0020	.0450	----	----	----	----	5 UNCH
565	----	----	0.0125B/*0.0105	0.0125B/*0.0105	----	0.0105 - 0.0015	.0470	----	----	----	----	19 UNCH
566	----	----	0.0130B/*0.0110	0.0130B/*0.0110	----	0.0105 - 0.0020	.0475	----	----	----	----	14 UNCH
567	----	----	0.0135B/*0.0115	0.0135B/*0.0115	----	0.0110 - 0.0020	.0496	----	----	----	----	14 UNCH
568	----	----	0.0140B/*0.0115	0.0140B/*0.0115	----	0.0115 - 0.0020	.0517	----	----	----	----	7 UNCH
569	----	----	0.0145B/*0.0120	0.0145B/*0.0120	----	0.0120 - 0.0020	.0538	----	----	----	----	12 UNCH
570	0.0120	0.0120	0.0150B/*0.0120	0.0150B/*0.0120	----	0.0120 - 0.0025	.0544	----	----	4	----	310 - 1
571	----	----	0.0155B/*0.0130	0.0155B/*0.0130	----	0.0125 - 0.0025	.0565	----	----	----	----	19 UNCH
572	----	----	0.0160B/*0.0135	0.0160B/*0.0135	----	0.0130 - 0.0025	.0587	----	----	----	----	5 UNCH
573	----	----	0.0165B/*0.0140	0.0165B/*0.0140	----	0.0135 - 0.0025	.0609	----	----	----	----	18 UNCH
574	----	----	0.0170B/*0.0145	0.0170B/*0.0145	----	0.0140 - 0.0025	.0631	----	----	1	----	16 - 1
575	0.0175	0.0175	0.0175/*0.0145	0.0175/*0.0145	----	0.0145 - 0.0025	.0653	----	----	15	----	271 - 2
576	----	----	0.0180B/*0.0155	0.0180B/*0.0155	----	0.0150 - 0.0025	.0676	----	----	----	----	24 UNCH
577	----	----	0.0185B/*0.0160	0.0185B/*0.0160	----	0.0155 - 0.0025	.0699	----	----	----	----	6 UNCH
578	----	----	0.0195B/*0.0165	0.0195B/*0.0165	----	0.0165 - 0.0020	.0736	----	----	----	----	41 UNCH
579	----	----	0.0200B/*0.0170	0.0200B/*0.0170	----	0.0170 - 0.0025	.0759	----	----	----	----	21 UNCH
580	----	----	0.0205B/*0.0170	0.0205B/*0.0170	----	0.0175 - 0.0025	.0783	----	----	2	----	1975 UNCH
581	----	----	0.0215B/*0.0185	0.0215B/*0.0185	----	0.0185 - 0.0025	.0821	----	----	14	----	25 + 10
582	----	----	0.0225B/*0.0190	0.0225B/*0.0190	----	0.0190 - 0.0025	.0845	----	----	----	----	48 UNCH
583	0.0200	0.0200	0.0230B/*0.0200	0.0230B/*0.0200	----	0.0195 - 0.0030	.0869	----	----	4	----	47 + 3
584	0.0210	0.0210	0.0240B/*0.0205	0.0240B/*0.0205	----	0.0205 - 0.0025	.0908	----	----	4	----	9 + 2
585	0.0235	0.0235	0.0250B/*0.0210	0.0250B/*0.0210	----	0.0215 - 0.0025	.0947	----	----	20	----	916 - 2
586	0.0245	0.0245	0.0260B/*0.0220	0.0260B/*0.0220	----	0.0225 - 0.0025	.0985	----	----	3	----	49 + 2
587	0.0255	0.0255	0.0265B/*0.0230	0.0265B/*0.0230	----	0.0230 - 0.0025	.1011	----	----	3	----	15 + 3
588	0.0265	0.0265	0.0280/*0.0235	0.0280/*0.0235	----	0.0240 - 0.0025	.1051	----	----	20	----	29 + 19
589	0.0275	0.0275	0.0290/*0.0245	0.0290/*0.0245	----	0.0255 - 0.0020	.1103	----	----	21	----	44 + 15
590	0.0285	0.0285	0.0305/*0.0255	0.0305/*0.0255	----	0.0265 - 0.0025	.1143	----	----	14	----	974 + 2
591	0.0295	0.0295	0.0315/*0.0265	0.0315/*0.0265	----	0.0275 - 0.0025	.1183	----	----	8	----	25 + 8
592	0.0305	0.0305	0.0320B/*0.0275	0.0320B/*0.0275	----	0.0285 - 0.0025	.1224	----	----	4	----	11 + 4
593	0.0285	0.0285	0.0335B/*0.0285	0.0335B/*0.0285	----	0.0300 - 0.0025	.1277	----	----	16	----	40 + 15
594	0.0295	0.0295	0.0350B/*0.0295	0.0350B/*0.0295	----	0.0310 - 0.0025	.1318	----	----	6	----	8 + 6
595	0.0310	0.0310	0.0365B/*0.0310	0.0365B/*0.0310	----	0.0325 - 0.0025	.1371	----	----	9	----	202 + 3
596	0.0320	0.0320	0.0380B/*0.0320	0.0380B/*0.0320	----	0.0340 - 0.0025	.1424	----	----	1	----	5 + 1
597	----	----	0.0395B/*0.0335	0.0395B/*0.0335	----	0.0355 - 0.0020	.1478	----	----	----	----	34 UNCH
598	----	----	0.0415B/*0.0350	0.0415B/*0.0350	----	0.0370 - 0.0025	.1532	----	----	----	----	21 UNCH
599	----	----	0.0430B/*0.0365	0.0430B/*0.0365	----	0.0385 - 0.0025	.1586	----	----	----	----	51 UNCH
600	0.0400	0.0400	0.0450B/*0.0375	0.0450B/*0.0375	----	0.0405 - 0.0020	.1650	----	----	10	----	911 + 1
601	----	----	0.0465B/*0.0390	0.0465B/*0.0390	----	0.0420 - 0.0020	.1705	----	----	----	----	25 UNCH
602	0.0440	0.0440	0.0490B/*0.0405	0.0490B/*0.0405	----	0.0440 - 0.0020	.1770	----	----	4	----	23 UNCH
603	----	----	0.0510B/*0.0425	0.0510B/*0.0425	----	0.0460 - 0.0015	.1835	----	----	----	----	17 UNCH
605	----	----	0.0545B/*0.0460	0.0545B/*0.0460	----	0.0500 - 0.0015	.1965	----	----	3	----	225 UNCH
610	----	----	0.0680B/*0.0550	0.0680B/*0.0550	----	0.0615 - 0.0010	.2319	----	----	9	----	567 + 5
615	----	----	0.0810B/*0.0670	0.0810B/*0.0670	----	0.0750 UNCH	.2708	----	----	1	----	174 + 1
620	0.0890	0.0890	0.0985B/*0.0805	0.0985B/*0.0805	----	0.0905 + 0.0005	.3124	----	----	6	----	332 + 1
625	----	----	0.1175B/*0.0975	0.1175B/*0.0975	----	0.1090 + 0.0020	.3571	----	----	----	----	148 UNCH
630	0.1305	0.1305	0.1400B/*0.1160	0.1400B/*0.1160	----	0.1295 + 0.0030	.4030	----	----	269	----	350 - 66
635	0.1530	0.1530	0.1640B/*0.1370	0.1640B/*0.1370	----	0.1530 + 0.0050	.4500	----	----	11	----	242 + 10
640	0.1745	0.1745	0.1905B/*0.1605	0.1905B/*0.1605	----	0.1785 + 0.0065	.4969	----	----	39	----	159 + 26
645	0.2015	0.2015	0.2190B/*0.1865	0.2190B/*0.1865	----	0.2065 + 0.0080	.5432	----	----	35	----	111 + 13
650	0.2500	0.2500	0.2500/*0.2160A	0.2500/*0.2160A	----	0.2370 + 0.0095	.5880	----	----	1	----	124 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
655	0.2780	0.2780	0.2815B/0.2470A	0.2815B/0.2470A	----	0.2695 + 0.0110	.6310	----	----	5	----	49 UNCH
660	0.2950	0.2950	0.3160B/0.2810A	0.3160B/0.2810A	----	0.3040 + 0.0130	.6711	----	----	1	----	11 + 1
665	----	----	0.3510B/0.3180A	0.3510B/0.3180A	----	0.3405 + 0.0145	.7088	----	----	----	----	2 UNCH
670	----	----	0.3920B/0.3530A	0.3920B/0.3530A	----	0.3790 + 0.0170	.7432	----	----	----	----	60 UNCH
675	----	----	0.4235B/0.3910A	0.4235B/0.3910A	----	0.4190 + 0.0190	.7737	----	----	----	----	26 UNCH
700	----	----	0.6405B/----	0.6405B/0.6185A	----	0.6385 + 0.0280	.8819	----	----	----	----	2 UNCH
705	----	----	0.6795B/----	0.6795B/0.6575A	----	0.6850 + 0.0295	.8958	----	----	----	----	1 UNCH
TOTAL										617		23309 + 90
AUG26												
330	----	----	----	----/0.0055A	----	0.0005 UNCH	.0005	----	----	----	----	3 UNCH
405	----	----	----	----/*0.0060A	----	0.0025 - 0.0005	.0056	----	----	----	----	3 UNCH
420	----	----	----	0.0005B/0.0065A	----	0.0030 - 0.0005	.0069	----	----	----	----	1 UNCH
440	----	----	----	0.0015B/*0.0075	----	0.0040 - 0.0010	.0096	----	----	----	----	5 UNCH
450	----	----	----	0.0025B/*0.0080	----	0.0050 - 0.0010	.0120	----	----	----	----	8 UNCH
460	----	----	----	0.0030B/*0.0090	----	0.0060 - 0.0005	.0146	----	----	----	----	3 UNCH
465	----	----	----	0.0035B/*0.0095	----	0.0060 - 0.0010	.0150	----	----	----	----	1 UNCH
470	----	----	----	0.0040B/*0.0100	----	0.0065 - 0.0010	.0164	----	----	----	----	3 UNCH
475	----	----	----	0.0045B/0.0105A	----	0.0070 - 0.0010	.0178	----	----	----	----	15 UNCH
480	----	----	----	0.0050B/0.0110	----	0.0075 - 0.0015	.0193	----	----	----	----	8 UNCH
485	----	----	----	0.0060B/0.0115	----	0.0085 - 0.0010	.0218	----	----	----	----	1 UNCH
500	----	----	----	0.0095B/0.0115	----	0.0105 - 0.0010	.0279	----	----	----	----	11 UNCH
505	----	----	----	0.0110B/0.0125	----	0.0115 - 0.0010	.0307	----	----	----	----	1 UNCH
510	----	----	----	0.0120B/0.0135	----	0.0130 - 0.0005	.0346	----	----	----	----	2 UNCH
520	----	----	----/*0.0155A	0.0160B/0.0155	----	0.0155 - 0.0005	.0418	----	----	----	----	308 UNCH
525	----	----	0.0180B/----	0.0180B/0.0175	----	0.0175 UNCH	.0470	----	----	----	----	1 UNCH
530	----	----	0.0200B/----	0.0200B/0.0195	----	0.0195 UNCH	.0523	----	----	----	----	43 UNCH
535	----	----	0.0225B/----	0.0225B/0.0220	----	0.0215 - 0.0005	.0578	----	----	----	----	9 UNCH
540	----	----	0.0250B/----	0.0250B/0.0245	----	0.0240 - 0.0005	.0644	----	----	1	----	9 UNCH
545	----	----	0.0285B/*0.0275	0.0285B/0.0275	----	0.0275 - 0.0005	.0730	----	----	----	----	3 UNCH
550	0.0320	0.0320	0.0325B/*0.0315	0.0325B/0.0315	----	0.0310 - 0.0005	.0817	----	----	1	----	157 + 1
555	----	----	0.0370B/*0.0355	0.0370B/0.0355	----	0.0350 - 0.0010	.0914	----	----	----	----	11 UNCH
560	----	----	0.0425B/*0.0400	0.0425B/0.0400	----	0.0400 - 0.0010	.1029	----	----	6	----	64 - 4
565	----	----	0.0485B/*0.0455	0.0485B/*0.0455	----	0.0455 - 0.0010	.1154	----	----	1	----	3 UNCH
570	0.0550	0.0550	0.0555B/0.0520A	0.0555B/0.0520A	----	0.0520 - 0.0015	.1295	----	----	11	----	171 + 9
575	0.0595	0.0595	0.0630B/*0.0590	0.0630B/*0.0590	----	0.0595 - 0.0010	.1451	----	----	7	----	115 + 6
580	0.0675	0.0675	0.0725B/*0.0675	0.0725B/*0.0675	----	0.0680 - 0.0010	.1621	----	----	5	----	375 + 2
585	----	----	0.0825B/*0.0765	0.0825B/*0.0765	----	0.0775 - 0.0010	.1805	----	----	----	----	65 UNCH
590	----	----	0.0935B/*0.0865	0.0935B/*0.0865	----	0.0885 - 0.0005	.2006	----	----	4	----	19 + 1
595	----	----	0.1065B/*0.0980	0.1065B/*0.0980	----	0.1005 UNCH	.2217	----	----	----	----	1 UNCH
600	----	----	0.1210B/*0.1105	0.1210B/*0.1105	----	0.1140 + 0.0005	.2442	----	----	8	----	818 - 3
605	----	----	0.1365B/*0.1250	0.1365B/*0.1250	----	0.1290 + 0.0015	.2679	----	----	----	----	322 UNCH
610	0.1445	0.1445	0.1540B/*0.1400	0.1540B/*0.1400	----	0.1455 + 0.0020	.2926	----	----	24	----	381 + 1
615	----	----	0.1715B/*0.1570	0.1715B/*0.1570	----	0.1630 NEW	.3178	----	----	1	----	1 + 1
620	----	----	0.1910B/*0.1750	0.1910B/*0.1750	----	0.1825 + 0.0035	.3439	----	----	----	----	29 UNCH
625	----	----	0.2130B/0.1950A	0.2130B/0.1950A	----	0.2030 + 0.0045	.3703	----	----	----	----	6 UNCH
630	----	----	0.2365B/0.2160A	0.2365B/0.2160A	----	0.2255 + 0.0055	.3971	----	----	----	----	5 UNCH
635	----	----	0.2600B/0.2385A	0.2600B/0.2385A	----	0.2490 + 0.0060	.4240	----	----	----	----	10 UNCH
640	----	----	0.2875B/0.2630A	0.2875B/0.2630A	----	0.2745 + 0.0075	.4509	----	----	----	----	257 UNCH
650	----	----	0.3415B/0.3150A	0.3415B/0.3150A	----	0.3290 + 0.0095	.5040	----	----	----	----	50 UNCH
660	----	----	0.4030B/0.3740A	0.4030B/0.3740A	----	0.3890 + 0.0115	.5550	----	----	----	----	2 UNCH
670	----	----	0.4695B/0.4365A	0.4695B/0.4365A	----	0.4540 + 0.0140	.6035	----	----	----	----	310 UNCH
TOTAL										69		3610 + 14
SEP26												
400	----	----	----	0.0020B/*0.0105	----	0.0055 - 0.0005	.0103	----	----	----	----	1 UNCH
440	----	----	----	0.0050B/*0.0145	----	0.0095 - 0.0005	.0189	----	----	----	----	4 UNCH
445	----	----	----	0.0055B/0.0150A	----	0.0100 - 0.0010	.0201	----	----	----	----	5 UNCH
450	----	----	----	0.0065B/0.0155A	----	0.0105 - 0.0010	.0214	----	----	----	----	805 UNCH
460	----	----	----	0.0090B/0.0165A	----	0.0120 - 0.0010	.0248	----	----	----	----	12 UNCH
470	----	----	----/*0.0140A	0.0115B/*0.0140	----	0.0140 - 0.0010	.0292	----	----	----	----	3 UNCH
475	----	----	----	0.0125B/0.0180A	----	0.0150 - 0.0010	.0315	----	----	----	----	71 UNCH
480	----	----	----	0.0140B/0.0190A	----	0.0160 - 0.0010	.0339	----	----	----	----	7 UNCH
485	----	----	----	0.0155B/0.0205A	----	0.0175 - 0.0005	.0370	----	----	----	----	1 UNCH
490	----	----	----	0.0170B/0.0220A	----	0.0190 - 0.0005	.0403	----	----	----	----	11 UNCH
500	0.0235	0.0235	0.0240/*0.0235	0.0240/*0.0235	----	0.0225 - 0.0005	.0479	----	----	3	----	629 + 2
510	----	----	----	0.0265B/*0.0295	----	0.0275 - 0.0005	.0581	----	----	----	----	2 UNCH
515	----	----	----	0.0300B/*0.0325	----	0.0300 - 0.0010	.0633	----	----	----	----	1 UNCH
520	----	----	0.0345B/----	0.0345B/*0.0345	----	0.0335 - 0.0005	.0700	----	----	----	----	7 UNCH
525	----	----	0.0385B/----	0.0385B/*0.0380	----	0.0370 - 0.0010	.0769	----	----	----	----	327 UNCH
530	----	----	0.0440B/----	0.0440B/*0.0425	----	0.0410 - 0.0015	.0845	----	----	----	----	2 UNCH
535	----	----	0.0490B/*0.0470	0.0490B/0.0470A	----	0.0460 - 0.0015	.0935	----	----	----	----	350 UNCH
540	----	----	0.0545B/0.0520A	0.0545B/0.0520A	----	0.0510 - 0.0020	.1026	----	----	----	----	403 UNCH
545	----	----	0.0610B/0.0580A	0.0610B/0.0580A	----	0.0570 - 0.0025	.1131	----	----	----	----	1 UNCH
550	0.0640	0.0640	0.0680B/0.0640	0.0680B/0.0640	----	0.0635 - 0.0030	.1241	----	----	8	----	327 UNCH
560	----	----	0.0845B/0.0795A	0.0845B/0.0795A	----	0.0785 - 0.0050	.1488	----	----	----	----	5 UNCH
565	----	----	0.0940B/0.0885A	0.0940B/0.0885A	----	0.0875 - 0.0055	.1627	----	----	----	----	2 UNCH
570	----	----	0.1040B/0.0980A	0.1040B/0.0980A	----	0.0975 - 0.0060	.1776	----	----	----	----	124 UNCH
575	----	----	0.1170B/0.1080A	0.1170B/0.1080A	----	0.1085 - 0.0060	.1934	----	----	----	----	406 UNCH
580	----	----	0.1290B/0.1195A	0.1290B/0.1195A	----	0.1200 - 0.0060	.2097	----	----	----	----	686 UNCH
585	----	----	0.1415B/0.1335A	0.1415B/0.1335A	----	0.1330 - 0.0050	.2271	----	----	----	----	8 UNCH
590	----	----	0.1575B/0.1460A	0.1575B/0.1460A	----	0.1470 - 0.0040	.2452	----	----	----	----	369 UNCH
595	----	----	0.1715B/0.1625A	0.1715B/0.1625A	----	0.1625 - 0.0025	.2641	----	----	----	----	8 UNCH
600	0.1850	0.1850	0.1905B/0.1770A	0.1905B/0.1770A	----	0.1785 - 0.0020	.2833	----	----	10	740	1608 + 441
610	0.2180	0.2180	0.2275B/0.2130A	0.2275B/0.2130A	----	0.2150 + 0.0005	.3237	----	----	100	----	1200 + 100
615	----	----	0.2470B/0.2330A	0.2470B/0.2330A	----	0.2350 + 0.0015	.3444	----	----	----	----	1 UNCH
620	----	----	0.2705B/0.2530A	0.2705B/0.2530A	----	0.2565 + 0.0025	.3655	----	----	----	----	1002 UNCH
625	----	----	0.2930B/0.2745A	0.2930B/0.2745A	----	0.2790 + 0.0035	.3866	----	----	----	----	1151 UNCH
630	----	----	0.3160B/0.2975A	0.3160B/0.2975A	----	0.3025 + 0.0035	.4078	----	----	25	----	59 + 25
635	0.3295	0.3295	0.3430B/0.3210A	0.3430B/0.3210A	----	0.3275 + 0.0045	.4291	----	----	7	----	503 + 7
640	0.3545	0.3545	0.3700B/0.3465A	0.3700B/0.3465A	----	0.3540 + 0.0055	.4502	----	----	132	----	410 + 20
645	----	----	0.3955B/0.3730A	0.3955B/0.3730A	----	0.3810 + 0.0060	.4712	----	----	----	----	37 UNCH
650	----	----	0.4240B/0.4005A	0.4240B/0.4005A	----	0.4095 + 0.0065	.4918	----	----	----	----	83 UNCH
655	----	----	0.4520B/0.4305A	0.4520B/0.4305A	----	0.4395 + 0.0080	.5121	----	----	----	----	53 UNCH
660	----	----	0.4840B/0.4600A	0.4840B/0.4600A	----	0.4700 + 0.0085	.5320	----	----	----	----	1 UNCH
670	----	----	0.5495B/0.5215A	0.5495B/0.5215A	----	0.5345 + 0.0110	.5703	----	----	----	----	210 UNCH
685	----	----	0.6485B/0.6225A	0.6485B/0.6225A	----	0.6380 + 0.0145	.6242	----	----	----	----	11 UNCH
695	----	----	0.7215B/----	0.7215B/0.6975A	----	0.7105 + 0.0160	.6573	----	----	----	----	2 UNCH
700	----	----	0.7585B/----	0.7585B/0.7340A	----	0.7480 + 0.0170	.6729	----	----	----	----	7 UNCH
725	----	----	0.9550B/----	0.9550B/0.9260A	----	0.9445 + 0.0210	.7435	----	----	----	----	2 UNCH
TOTAL									740	285		10917 + 595
OCT26												
300	----	----	----	----/0.0080A	----	0.0015 UNCH	.0023	----	----	----	----	1 UNCH
375	----	----	----	0.0040B/*0.0125	----	0.0065 - 0.0005	.0102	----	----	----	----	2 UNCH
400	----	----	----	0.0040B/*0.0150	----	0.0090 - 0.0005	.0146	----	----	----	----	1 UNCH
450	----	----	----	0.0120B/*0.0205	----	0.0160 - 0.0010	.0279	----	----	----	----	1 UNCH
470	----	----	----	0.0175B/0.0255A	----	0.0210 - 0.0010	.0373	----	----	----	----	1 UNCH
475	----	----	----	0.0165B/*0.0295	----	0.0225 - 0.0010	.0401	----	----	----	----	3 UNCH
500	----	----	----	0.0285B/*0.0395	----	0.0330 - 0.0015	.0589	----	----	----	----	20 UNCH
530	----	----	----	0.0555B/*0.0645	----	0.0580 - 0.0020	.0984	----	----	----	----	1 UNCH
570	----	----	----	0.1250B/0.1300A	----	0.1250 - 0.0015	.1866	----	----	----	----	4 UNCH
600	----	----	0.2175B/----	0.2175B/0.2115A	----	0.2105 - 0.0010	.2776	----	----	----	----	13 UNCH
605	----	----	0.2360B/----	0.2360B/0.2290A	----	0.2285 UNCH	.2944	----	----	----	----	1 UNCH
745	----	----	1.0960B/----	1.0960B/1.0715A	----	1.0875 + 0.0190	.7302	----	----	----	----	1 UNCH
750	----	----	1.1250B/----	1.1250B/1.1225A	----	1.1280 + 0.0195	.7411	----	----	----	----	5 UNCH
TOTAL												54
NOV26												
400	----	----	----	0.0070B/*0.0205	----	0.0130 - 0.0010	.0193	----	----	----	----	10 UNCH
475	----	----	----	0.0275B/*0.0395	----	0.0325 - 0.0015	.0513	----	----	----	----	2 UNCH
480	----	----	----	0.0300B/*0.0420	----	0.0355 - 0.0010	.0557	----	----	----	----	2 UNCH
500	----	----	----	0.0450B/0.0560A	----	0.0495 - 0.0010	.0760	----	----	----	----	16 UNCH
520	----	----	----	0.0665B/*0.0765	----	0.0700 - 0.0010	.1035	----	----	----	----	4 UNCH
550	----	----	----	0.1180B/0.1250A	----	0.1190 - 0.0010	.1612	----	----	----	----	1 UNCH
560	----	----	----	0.1405B/0.1470A	----	0.1415 UNCH	.1848	----	----	----	----	1 UNCH
590	----	----	0.2295B/----	0.2295B/0.2325A	----	0.2275 + 0.0005	.2651	----	----	----	----	1 UNCH
645	----	----	0.4720B/----	0.4720B/0.4680A	----	0.4675 + 0.0060	.4334	----	----	----	----	1 UNCH
735	----	----	1.0640B/----	1.0640B/1.0470A	----	1.0585 + 0.0170	.6786	----	----	----	----	2 UNCH
TOTAL												40
DEC26												
380	----	----	----	0.0045B/0.0245A	----	0.0140 - 0.0005	.0187	----	----	----	----	2 UNCH
385	----	----	----	0.0055B/*0.0250	----	0.0150 - 0.0005	.0201	----	----	----	----	1 UNCH
395	----	----	----	0.0070B/0.0265A	----	0.0165 - 0.0005	.0224	----	----	----	----	3 UNCH
400	----	----	----	0.0080B/*0.0275	----	0.0170 - 0.0010	.0234	----	----	----	----	18 UNCH
420	----	----	----	0.0120B/*0.0315	----	0.0210 - 0.0010	.0296	----	----	----	----	2 UNCH
460	----	----	----	0.0260B/*0.0445	----	0.0345 - 0.0010	.0497	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
475	----	----	----	0.0350B/*0.0530	----	0.0435 - 0.0005	.0619	----	----	----	----	76 UNCH
480	----	----	----	0.0390B/0.0565A	----	0.0470 - 0.0005	.0666	----	----	----	----	12 UNCH
490	----	----	----	0.0475B/*0.0650	----	0.0550 - 0.0005	.0770	----	----	----	----	5 UNCH
500	----	----	----	0.0575B/0.0745A	----	0.0650 - 0.0005	.0893	----	----	----	----	104 UNCH
520	----	----	----	0.0845B/*0.1000	----	0.0910 - 0.0005	.1193	----	----	----	----	2 UNCH
525	----	----	----	0.0930B/*0.1080	----	0.0990 UNCH	.1280	----	----	----	----	1 UNCH
540	----	----	----	0.1220B/0.1355A	----	0.1270 UNCH	.1569	----	----	----	----	3 UNCH
545	----	----	----	0.1330B/0.1460A	----	0.1375 UNCH	.1672	----	----	----	----	1 UNCH
550	----	----	----	0.1445B/0.1575A	----	0.1490 + 0.0005	.1782	----	----	----	----	79 UNCH
560	----	----	----	0.1705B/0.1830A	----	0.1745 + 0.0010	.2013	----	----	----	----	300 UNCH
570	----	----	----	0.1995B/0.2110A	----	0.2030 + 0.0015	.2257	----	----	----	----	5 UNCH
575	----	----	----	0.2150B/0.2265A	----	0.2180 + 0.0015	.2382	----	----	----	----	20 UNCH
580	----	----	----	0.2315B/0.2425A	----	0.2345 + 0.0020	.2513	----	----	----	----	23 UNCH
600	----	----	0.3055B/----	0.3055B/0.3150A	----	0.3070 + 0.0030	.3051	----	----	----	----	178 UNCH
630	----	----	0.4395B/----	0.4395B/0.4455A	----	0.4395 + 0.0050	.3895	----	----	----	----	18 UNCH
650	----	----	0.5435B/----	0.5435B/0.5470A	----	0.5430 + 0.0070	.4461	----	----	----	----	4 UNCH
665	----	----	0.6290B/----	0.6290B/0.6305A	----	0.6285 + 0.0090	.4876	----	----	----	----	1 UNCH
750	----	----	1.2165B/----	1.2165B/1.2065A	----	1.2160 + 0.0185	.6883	----	----	----	----	1 UNCH
TOTAL												861
JAN27												
400	----	----	----	----	----	0.0265 + 0.0010	.0310	----	----	----	----	8 UNCH
800	----	----	----	----	----	1.6065 + 0.0230	.7262	----	----	----	----	1 UNCH
TOTAL												9
FEB27												
400	----	----	----	----	----	0.0360 + 0.0010	.0381	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0145 UNCH	.0123	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
610	----	----	0.3310B/0.2785A	0.3310B/0.2785A	----	0.2890 - 0.0375	----	5	----	----	----	0 - 5
615	----	----	0.2815B/0.2285A	0.2815B/0.2285A	----	0.2390 - 0.0375	----	1	----	----	----	0 - 1
625	----	----	0.1820B/0.1285A	0.1820B/0.1285A	----	0.1390 - 0.0380	----	1	----	----	----	0 - 1
630	0.1000	0.1000	0.1330B/0.0790A	0.1330B/0.0790A	----	0.0890 - 0.0405	----	11	----	3	----	0 - 13
633	----	----	#0.1040B/0.0495	0.1040B/0.0495A	----	0.0590 - 0.0440	----	1	----	----	----	0 - 1
635	----	----	----/0.0320A	0.0855B/0.0320A	----	0.0390 - 0.0475	----	2	----	----	----	0 - 2
637	----	----	----/0.0190A	0.0680B/0.0190A	----	0.0190 - 0.0515	----	----	----	----	----	0 UNCH
638	----	----	----/0.0145A	0.0595B/0.0145A	----	0.0090 - 0.0540	----	1	----	----	----	0 - 1
639	----	----	----/*0.0085A	0.0515B/*0.0085	----	0.0000 - 0.0560	----	----	----	----	----	0 - 1
640	0.0050	0.0050	0.0050/*0.0020	0.0445B/*0.0020	----	0.0000 - 0.0495	----	----	----	51	----	0 - 173
641	----	----	----/*0.0050A	0.0375B/*0.0050	----	0.0000 - 0.0435	----	----	----	----	----	0 - 1
642	0.0015	0.0015	0.0015/*0.0010	0.0315B/*0.0010	----	0.0000 - 0.0380	----	----	----	5	----	0 - 5
643	0.0180	0.0180	0.0180/*0.0045A	0.0260B/*0.0045	----	0.0000 NEW	----	----	----	15	----	0 UNCH
645	0.0060	0.0060	0.0060/*0.0040	0.0160B/*0.0040	----	0.0000 - 0.0250	----	----	----	25	----	0 - 91
646	0.0050	0.0050	0.0050/*0.0045A	0.0120B/*0.0045	----	0.0000 NEW	----	----	----	1	----	0 UNCH
650	0.0075	0.0075	0.0075/*0.0040A	0.0075/*0.0040A	----	0.0000 - 0.0125	----	----	----	5	----	0 - 30
655	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0070	----	----	----	----	----	0 - 12
660	----	----	----/*0.0035A	----/*0.0035A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 252
665	----	----	----	----/*0.0035A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 100
670	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 17
680	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
TOTAL										105		0 - 709
JUN26												
550	----	----	----	----	----	0.9510 - 0.0365	.9828	----	----	----	----	1 UNCH
620	0.2475	0.2475	0.2475/0.2310A	0.2475/0.2310A	----	0.2345 - 0.0380	.7544	----	----	1	----	4 + 1
630	----	----	----/0.1290A	0.1250B/0.1290A	----	0.1330 - 0.0355	.6858	----	----	----	----	3 UNCH
630	----	----	----/0.1645A	0.1995B/0.1645A	----	0.1670 - 0.0345	.6313	----	----	2	----	4 + 2
635	----	----	----/0.0995A	0.1320B/0.0995A	----	0.1020 - 0.0330	.5870	----	----	----	----	1 UNCH
640	0.0800	0.0800	0.0800/0.0750A	0.1030B/0.0750A	----	0.0765 - 0.0295	.4830	----	----	2	----	18 + 2
645	----	----	----/0.0550A	0.0775B/0.0550A	----	0.0555 - 0.0260	.3818	----	----	----	----	1 UNCH
645	----	----	----/0.0905A	0.1195B/0.0905A	----	0.0920 - 0.0280	.4256	----	----	----	----	16 UNCH
650	0.0500	0.0500	0.0500/0.0400A	0.0565B/0.0400A	----	0.0390 - 0.0220	.2892	----	----	150	----	152 + 150
650	----	----	----/0.0735A	0.0980B/0.0735A	----	0.0735 - 0.0255	.3607	----	----	----	----	1 UNCH
650	----	----	----/0.1555A	0.1795B/0.1555A	----	0.1565 - 0.0270	.4674	----	----	----	----	1 UNCH
655	----	----	----/0.0285A	0.0395B/0.0285A	----	0.0270 - 0.0175	.2114	----	----	----	----	2 UNCH
660	----	----	----/0.0210A	0.0265B/0.0210A	----	0.0185 - 0.0135	.1503	----	----	----	----	1 UNCH
670	----	----	----/0.0120A	0.0095B/0.0120A	----	0.0090 - 0.0070	.0744	----	----	----	----	117 UNCH
675	----	----	----/*0.0095A	0.0050B/*0.0095	----	0.0060 - 0.0050	.0499	----	----	----	----	5 UNCH
680	----	----	----/*0.0075A	0.0025B/*0.0075	----	0.0040 - 0.0040	.0331	----	----	----	----	1 UNCH
680	----	----	----/0.0200A	0.0240B/0.0200A	----	0.0175 - 0.0105	.1054	----	----	2	----	3 + 2
690	----	----	----	0.0005B/*0.0060	----	0.0020 - 0.0020	.0158	----	----	----	----	1 UNCH
690	----	----	----/0.0140A	0.0140B/0.0140A	----	0.0115 - 0.0065	.0698	----	----	----	----	4 UNCH
700	----	----	----	----/*0.0055A	----	0.0010 - 0.0010	.0075	----	----	----	----	2 UNCH
700	----	----	----/*0.0105A	0.0085B/*0.0105	----	0.0075 - 0.0045	.0457	----	----	----	----	1 UNCH
700	----	----	----/*0.0385A	0.0430B/*0.0385	----	0.0370 - 0.0105	.1453	----	----	----	----	2 UNCH
725	----	----	----	0.0015B/*0.0075	----	0.0030 - 0.0020	.0176	----	----	----	----	1 UNCH
750	----	----	----	----/0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
750	----	----	----	0.0115B/*0.0140	----	0.0100 - 0.0035	.0419	----	----	----	----	1 UNCH
TOTAL										157		344 + 157
HXE PUT		COPPER OPTIONS										
MAY26												
580	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
600	0.0060	0.0060	0.0060/*0.0035A	0.0060/*0.0035A	----	0.0000 - 0.0005	----	----	----	5	----	0 - 21
605	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 23
610	----	----	----	----/0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 23
615	----	----	----	----/*0.0035A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
620	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
625	----	----	----	----/*0.0040A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
626	----	----	----	----/*0.0040A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 1
627	----	----	----	----/0.0040A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 2
630	----	----	----	----/*0.0040A	----	0.0000 - 0.0035	----	----	----	1	----	0 - 27
631	----	----	----	----/*0.0045A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 1
632	----	----	----/*0.0045A	0.0005B/*0.0045	----	0.0000 - 0.0055	----	----	----	----	----	0 - 1
634	0.0035	0.0035	0.0035/*0.0035	0.0035/*0.0035	----	0.0000 - 0.0085	----	----	----	2	----	0 - 1
635	----	----	----/*0.0035A	0.0015B/*0.0035	----	0.0000 - 0.0105	----	----	----	----	----	0 - 25
636	0.0085	0.0085	0.0085/*0.0040A	0.0085/*0.0040A	----	0.0000 - 0.0125	----	----	----	2	----	0 - 2
637	0.0015	0.0015	0.0015/*0.0015	0.0055B/*0.0015	----	0.0000 - 0.0145	----	----	----	2	----	0 - 3
638	0.0125	0.0125	0.0125/*0.0050A	0.0125/*0.0050A	----	0.0000 NEW	----	----	----	50	----	0 UNCH
640	0.0055	0.0055	0.0245B/*0.0055	0.0245B/*0.0055	----	0.0110 - 0.0125	----	27	----	1	----	0 - 26
642	----	----	0.0430B/*0.0145	0.0430B/*0.0145	----	0.0310 - 0.0010	----	3	----	----	----	0 - 3
665	----	----	0.2715B/0.2200A	0.2715B/0.2200A	----	0.2610 + 0.0350	----	1	----	1	----	0 - 1
TOTAL										64		0 - 182
JUN26												
500	----	----	----	----/0.0075A	----	0.0005 UNCH	.0023	----	----	----	----	26 UNCH
560	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0040 + 0.0020	.0174	----	----	10	----	11 + 10
600	----	----	----	0.0025B/*0.0085	----	0.0060 - 0.0015	.0438	----	----	----	----	105 UNCH
600	----	----	----/*0.0165A	0.0135B/*0.0165	----	0.0150 - 0.0020	.0909	----	----	----	----	11 UNCH
600	----	----	0.0375B/*0.0360	0.0375B/*0.0360	----	0.0355 - 0.0015	.1421	----	----	----	----	1 UNCH
610	----	----	----	0.0075B/*0.0125	----	0.0100 - 0.0020	.0791	----	----	----	----	15 UNCH
610	----	----	----/*0.0255A	0.0265B/*0.0255	----	0.0260 - 0.0025	.1513	----	----	----	----	5 UNCH
615	0.0145	0.0145	0.0145/*0.0145	0.0145/*0.0145	----	0.0140 NEW	.1121	----	----	5	----	5 + 5
620	0.0215	0.0215	0.0220/*0.0200A	0.0220/*0.0200A	----	0.0205 - 0.0015	.1615	----	----	5	----	34 - 5
620	----	----	----/*0.0420A	0.0460B/*0.0420	----	0.0460 - 0.0010	.2451	----	----	----	----	10 UNCH
625	0.0260	0.0260	0.0285B/*0.0260	0.0285B/*0.0260	----	0.0300 - 0.0005	.2282	----	----	5	----	8 + 5
625	----	----	0.0615B/*0.0540	0.0615B/*0.0540	----	0.0605 + 0.0005	.3040	----	----	----	----	2 UNCH
635	----	----	0.1050B/*0.0870	0.1050B/*0.0870	----	0.0995 + 0.0045	.4367	----	----	----	----	5 UNCH
640	----	----	0.0890B/*0.0715	0.0890B/*0.0715	----	0.0875 NEW	.5167	----	----	1	----	1 + 1
TOTAL										26		239 + 16

ALUMINIUM OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 57

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUL26												
1390	----	----	58.50B/43.30A	58.50B/43.30A	----	47.30 - 5.80	.4922	----	----	----	----	4 UNCH
1440	----	----	36.30B/28.60A	36.30B/28.60A	----	29.90 - 3.50	.3471	----	----	----	----	1 UNCH
1450	----	----	33.00B/26.50A	33.00B/26.50A	----	27.40 - 3.10	.3225	----	----	----	----	5 UNCH
1500	----	----	20.70B/18.70A	20.70B/18.70A	----	18.20 - 1.80	.2232	----	----	----	----	10 UNCH
1550	----	----	----	13.60B/13.80A	----	12.70 - 1.10	.1572	----	----	----	----	76 UNCH
1600	----	----	----	9.10B/10.60A	----	9.10 - 0.80	.1125	----	----	----	----	85 UNCH
1720	----	----	----	3.00B/*6.40A	----	4.40 - 0.30	.0533	----	----	----	----	6 UNCH
1800	----	----	----	1.10B/*5.10A	----	2.60 - 0.20	.0316	----	----	----	----	49 UNCH
TOTAL												236 0
AUG26												
1500	----	----	43.30B/38.10A	43.30B/38.10A	----	38.80 - 2.50	.3136	----	----	----	----	10 UNCH
1550	----	----	33.30B/30.70A	33.30B/30.70A	----	30.50 - 1.80	.2520	----	----	----	----	10 UNCH
1600	----	----	26.10B/25.20A	26.10B/25.20A	----	24.50 - 1.30	.2045	----	----	----	----	100 UNCH
1700	----	----	----	16.70B/17.70A	----	16.40 - 0.90	.1380	----	----	----	----	20 UNCH
1800	----	----	----	10.70B/13.00A	----	11.30 - 0.60	.0955	----	----	----	----	100 UNCH
1900	----	----	----	6.80B/10.00A	----	7.90 - 0.40	.0670	----	----	----	----	400 UNCH
TOTAL												640 0
SEP26												
1275	160.00	160.00	167.50B/144.80A	167.50B/144.80A	----	153.00 - 7.60	.7118	----	----	1	----	1 + 1
1300	----	----	151.10B/130.50A	151.10B/130.50A	----	137.80 - 6.90	.6712	----	----	----	----	1 UNCH
1400	----	----	98.50B/86.00A	98.50B/86.00A	----	88.90 - 4.60	.5052	----	----	----	----	75 UNCH
1450	----	----	79.20B/70.10A	79.20B/70.10A	----	71.60 - 3.50	.4294	----	----	----	----	50 UNCH
1575	----	----	46.50B/43.70A	46.50B/43.70A	----	43.40 - 1.80	.2825	----	----	----	----	25 UNCH
1600	42.00	42.00	42.00/40.20A	42.00/40.20A	----	39.50 - 1.70	.2600	----	----	2	----	153 + 2
1625	----	----	38.10B/37.00A	38.10B/37.00A	----	36.20 - 1.40	.2400	----	----	----	----	20 UNCH
1665	----	----	----	32.70B/32.70A	----	31.50 - 1.20	.2112	----	----	----	----	9 UNCH
1700	----	----	----	28.70B/29.50A	----	28.00 - 1.10	.1893	----	----	----	----	60 UNCH
1800	22.00	22.00	22.00/22.00	22.00/22.00	----	20.50 - 0.80	.1407	----	----	4	----	15 + 4
1875	----	----	----	15.70B/18.80A	----	16.50 - 0.60	.1140	----	----	----	----	25 UNCH
1885	----	----	----	15.10B/18.40A	----	16.00 - 0.60	.1107	----	----	----	----	100 UNCH
1900	----	----	----	14.40B/17.70A	----	15.40 - 0.50	.1065	----	----	----	----	22 UNCH
2000	----	----	----	10.20B/14.40A	----	11.80 - 0.40	.0820	----	----	----	----	50 UNCH
2100	----	----	----	7.20B/12.10A	----	9.50 - 0.30	.0656	----	----	----	----	30 UNCH
2200	----	----	----	5.10B/10.40A	----	7.70 - 0.20	.0529	----	----	----	----	5 UNCH
2400	----	----	----	2.30B/*8.20A	----	5.30 - 0.20	.0360	----	----	----	----	15 UNCH
2550	----	----	----	1.10B/*7.20A	----	4.10 - 0.10	.0276	----	----	----	----	50 UNCH
TOTAL										7		706 + 7
DEC26												
1800	----	----	----	----	----	39.70 - 3.30	.2102	----	----	----	----	50 UNCH
2000	----	----	----	----	----	25.40 - 2.30	.1381	----	----	----	----	1 UNCH
3000	----	----	----	----	----	6.00 - 0.60	.0324	----	----	----	----	1 UNCH
TOTAL												52 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUL26												
1200	----	----	4.40B/----	4.40B/6.80A	----	4.60 + 1.10	.0672	----	----	----	----	4 UNCH
1250	----	----	10.40B/----	10.40B/10.70A	----	10.70 + 2.10	.1393	----	----	----	----	20 UNCH
1280	----	----	15.90B/----	15.90B/14.50A	----	16.10 + 2.90	.1973	----	----	----	----	1 UNCH
1285	----	----	17.00B/----	17.00B/15.20A	----	17.10 + 3.00	.2079	----	----	----	----	9 UNCH
1300	----	----	20.80B/----	20.80B/17.80A	----	20.50 + 3.60	.2423	----	----	----	----	165 UNCH
1350	----	----	39.10B/30.40A	39.10B/30.40A	----	36.30 + 5.80	.3809	----	----	----	----	10 UNCH
1400	----	----	67.30B/51.10A	67.30B/51.10A	----	61.20 + 8.50	.5390	----	----	----	----	31 UNCH
1450	----	----	104.20B/80.60A	104.20B/80.60A	----	95.40 + 10.70	.6774	----	----	----	----	30 UNCH
TOTAL												270 0
AUG26												
1200	----	----	13.00B/----	13.00B/14.00A	----	14.50 + 2.60	.1369	----	----	----	----	20 UNCH
1400	----	----	90.00B/75.60A	90.00B/75.60A	----	85.00 + 8.70	.5115	----	----	----	----	1 UNCH
TOTAL												21 0
SEP26												
1200	----	----	22.60B/----	22.60B/23.10A	----	24.80 + 4.40	.1785	----	----	----	----	5 UNCH
1250	32.00	32.00	36.50B/32.00	36.50B/32.00	----	38.40 + 5.60	.2491	----	----	3	----	10 + 3
1300	----	----	55.90B/----	55.90B/50.10A	----	56.40 + 6.80	.3285	----	----	----	----	43 UNCH
1375	----	----	95.10B/----	95.10B/84.30A	----	92.40 + 8.60	.4539	----	----	----	----	100 UNCH
1460	----	----	151.50B/----	151.50B/136.10A	----	146.20 + 10.40	.5844	----	----	----	----	75 UNCH
1465	----	----	155.20B/----	155.20B/139.40A	----	149.70 + 10.40	.5912	----	----	----	----	150 UNCH
1550	----	----	221.70B/201.00A	221.70B/201.00A	----	214.70 + 11.60	.6928	----	----	----	----	100 UNCH
1575	----	----	242.60B/220.70A	242.60B/220.70A	----	235.30 + 11.90	.7172	----	----	----	----	25 UNCH
1650	----	----	308.00B/283.10A	308.00B/283.10A	----	299.60 + 12.40	.7784	----	----	----	----	50 UNCH
1925	----	----	564.90B/535.00A	564.90B/535.00A	----	554.70 + 13.30	.9000	----	----	----	----	75 UNCH
TOTAL										3		633 + 3
DEC26												
1300	----	----	----	----	----	88.60 + 4.10	.3344	----	----	----	----	100 UNCH
1400	----	----	----	----	----	136.30 + 5.60	.4494	----	----	----	----	150 UNCH
1500	----	----	----	----	----	199.60 + 7.00	.5563	----	----	----	----	40 UNCH
TOTAL												290 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
MAY26												
1375	5.40	5.40	9.60B/*2.50A	9.60B/*2.50A	----	0.00 NEW	----	----	----	14	----	0 UNCH
1400	11.90	11.90	11.90/*2.50A	11.90/*2.50A	----	0.00 NEW	----	----	----	13	----	0 UNCH
1405	8.00	8.00	#10.00B/*2.50A	10.00B/*2.50A	----	0.00 NEW	----	----	----	7	----	0 UNCH
1410	8.40	8.40	8.40/*2.50A	8.40/*2.50A	----	0.00 NEW	----	----	----	15	----	0 UNCH
1415	5.20	5.20	5.20/*2.50A	5.80B/*2.50A	----	0.00 NEW	----	----	----	7	----	0 UNCH
TOTAL										56		0 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week5										
MAY26												
1850	----	----	----	----/*1.40A	----	0.00 - 0.90	----	----	----	----	----	0 - 7
1950	----	----	37.00B/12.00A	37.00B/12.00A	----	20.50 - 12.00	----	2	----	----	----	0 - 2
2000	----	----	----/*1.40A	----/*1.40A	----	0.00 - 2.00	----	----	----	----	----	0 - 11
TOTAL												0 - 20
JUN26												
1900	----	----	29.70B/21.60A	29.70B/21.60A	----	25.30 - 3.80	.3623	----	----	----	----	2 UNCH
1925	----	----	42.50B/31.30A	42.50B/31.30A	----	36.50 - 4.10	.4708	----	----	----	----	26 UNCH
1950	----	----	33.20B/25.40A	33.20B/25.40A	----	29.80 - 2.10	.4210	----	----	----	----	2 UNCH
1950	----	----	58.00B/43.70A	58.00B/43.70A	----	50.30 - 4.20	.5789	----	----	----	----	53 UNCH
1950	42.00	42.00	48.50B/40.00A	48.50B/40.00A	----	44.50 NEW	.4512	----	----	10	----	10 + 10
2000	13.60	13.60	13.60/12.90A	15.80B/12.90A	----	14.60 - 2.00	.2360	----	----	1	----	41 + 1
2100	----	----	----	2.50B/4.30A	----	3.40 - 0.80	.0582	----	----	----	----	100 UNCH
2300	----	----	----	----/*2.10A	----	0.20 - 0.20	.0028	----	----	----	----	100 UNCH
TOTAL										11		334 + 11
PO CALL		PLATINUM OPTIONS										
JUL26												
1500	----	----	441.50B/415.90A	441.50B/415.90A	----	429.50 + 2.20	.9990	----	----	----	----	50 UNCH
1680	----	----	----	----	----	251.90 + 1.40	.9615	----	----	----	----	50 UNCH
1700	----	----	244.40B/220.20A	244.40B/220.20A	----	233.00 + 1.20	.9490	----	----	----	----	1 UNCH
1800	----	----	154.50B/134.10A	154.50B/134.10A	----	144.50 - 0.50	.8273	----	----	----	----	113 UNCH
1850	----	----	115.20B/98.10A	115.20B/98.10A	----	107.00 - 1.30	.7217	----	----	----	----	1 UNCH
1900	----	----	81.80B/68.80A	81.80B/68.80A	----	76.00 - 1.70	.5943	----	----	----	----	3 UNCH
1925	----	----	67.80B/56.80A	67.80B/56.80A	----	63.00 NEW	.5274	----	----	2	----	2 + 2
1935	----	----	62.70B/52.50A	62.70B/52.50A	----	58.20 - 2.00	.5006	----	----	----	----	23 UNCH
1945	----	----	57.90B/48.40A	57.90B/48.40A	----	53.70 - 2.00	.4739	----	----	----	----	1 UNCH
1950	----	----	55.60B/46.50A	55.60B/46.50A	----	51.50 - 2.10	.4607	----	----	----	----	1 UNCH
1960	----	----	51.20B/42.80A	51.20B/42.80A	----	47.30 - 2.20	.4344	----	----	----	----	3 UNCH
1965	----	----	49.10B/41.00A	49.10B/41.00A	----	45.40 - 2.20	.4217	----	----	----	----	56 UNCH
1970	----	----	47.10B/39.30A	47.10B/39.30A	----	43.40 - 2.30	.4087	----	----	----	----	2 UNCH
1975	----	----	45.10B/37.70A	45.10B/37.70A	----	41.60 - 2.30	.3962	----	----	----	----	11 UNCH
1980	----	----	43.20B/36.10A	43.20B/36.10A	----	39.80 - 2.30	.3836	----	----	----	----	2 UNCH
2000	30.00	30.00	40.00/30.00	40.00/30.00	----	33.30 - 2.40	.3356	----	----	15	----	303 + 13
2005	----	----	34.60B/29.30A	34.60B/29.30A	----	31.80 - 2.40	.3241	----	----	----	----	15 UNCH
2010	----	----	33.00B/28.00A	33.00B/28.00A	----	30.40 - 2.40	.3129	----	----	----	----	15 UNCH
2015	----	----	31.60B/26.90A	31.60B/26.90A	----	29.00 - 2.40	.3017	----	----	----	----	15 UNCH
2020	----	----	----/25.70A	30.10B/25.70A	----	27.70 - 2.40	.2910	----	----	----	----	15 UNCH
2025	----	----	----/24.70A	28.80B/24.70A	----	26.50 - 2.30	.2807	----	----	----	----	15 UNCH
2030	----	----	----/23.60A	27.50B/23.60A	----	25.30 - 2.30	.2705	----	----	----	----	15 UNCH
2035	----	----	----/22.60A	26.20B/22.60A	----	24.20 - 2.20	.2608	----	----	----	----	15 UNCH
2050	----	----	----/19.90A	22.80B/19.90A	----	21.10 - 2.10	.2328	----	----	----	----	1 UNCH
2065	20.90	20.90	20.90/17.60A	20.90/17.60A	----	18.50 NEW	.2079	----	----	4	----	4 + 4
2085	----	----	----/14.90A	16.30B/14.90A	----	15.50 - 1.60	.1781	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
2090	----	----	----/14.30A	15.60B/14.30A	----	14.90 - 1.40	.1717	----	----	----	----	34 UNCH
2095	----	----	----/13.70A	14.80B/13.70A	----	14.20 - 1.40	.1648	----	----	----	----	45 UNCH
2100	13.00	13.00	14.50B/13.00	14.50B/13.00	----	13.60 - 1.30	.1585	----	----	50	----	400 - 26
2105	----	----	----/12.60A	13.50B/12.60A	----	13.00 - 1.30	.1523	----	----	----	----	30 UNCH
2110	----	----	----/12.10A	12.80B/12.10A	----	12.50 - 1.20	.1468	----	----	----	----	31 UNCH
2115	----	----	----/11.70A	12.20B/11.70A	----	12.00 - 1.10	.1413	----	----	----	----	30 UNCH
2120	----	----	----/11.20A	11.60B/11.20A	----	11.50 - 1.00	.1359	----	----	----	----	15 UNCH
2125	----	----	----/10.80A	11.00B/10.80A	----	11.00 - 1.00	.1306	----	----	----	----	15 UNCH
2150	----	----	----/8.90A	8.60B/8.90A	----	8.80 - 0.80	.1065	----	----	----	----	18 UNCH
2160	----	----	----/8.20A	7.70B/8.20A	----	8.10 - 0.70	.0985	----	----	----	----	1 UNCH
2170	----	----	----/7.70A	6.90B/7.70A	----	7.40 - 0.60	.0906	----	----	----	----	4 UNCH
2200	----	----	----	5.00B/6.30A	----	5.70 - 0.50	.0709	----	----	----	----	461 UNCH
2250	----	----	----	2.80B/4.70A	----	3.90 - 0.20	.0488	----	----	----	----	117 UNCH
2275	----	----	----	2.10B/4.20A	----	3.30 - 0.20	.0411	----	----	----	----	10 UNCH
2300	----	----	----	1.60B/3.80A	----	2.80 - 0.20	.0347	----	----	----	----	255 UNCH
2350	----	----	----	0.80B/*3.30A	----	2.10 - 0.10	.0256	----	----	----	----	160 UNCH
2400	----	----	----	0.40B/*1.70A	----	1.60 - 0.10	.0191	----	----	----	----	904 UNCH
2450	----	----	----	0.10B/*2.70A	----	1.20 - 0.10	.0142	----	----	----	----	50 UNCH
2480	----	----	----	----/*2.50A	----	1.00 - 0.10	.0117	----	----	----	----	50 UNCH
2500	----	----	----	----/2.40A	----	0.90 - 0.10	.0105	----	----	----	----	649 UNCH
2600	----	----	----	----/2.10A	----	0.60 - 0.10	.0067	----	----	----	----	360 UNCH
2650	----	----	----	----/*2.00A	----	0.50 - 0.10	.0054	----	----	----	----	1 UNCH
2700	----	----	----	----/*1.90A	----	0.40 - 0.10	.0043	----	----	----	----	111 UNCH
2800	----	----	----	----/1.80A	----	0.30 UNCH	.0030	----	----	----	----	350 UNCH
2850	----	----	----	----/1.80A	----	0.20 - 0.10	.0020	----	----	----	----	58 UNCH
2900	----	----	----	----/*1.70A	----	0.20 UNCH	.0020	----	----	----	----	183 UNCH
3000	----	----	----	----/1.70A	----	0.10 - 0.10	.0010	----	----	----	----	574 UNCH
3100	----	----	----	----/1.60A	----	0.10 UNCH	.0004	----	----	----	----	159 UNCH
3200	----	----	----	----/2.70A	----	0.10 UNCH	.0001	----	----	----	----	18 UNCH
3300	----	----	----	----/*2.60A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
3400	----	----	----	----/2.60A	----	0.10 UNCH	.0000	----	----	----	----	32 UNCH
3500	----	----	----	----/2.60A	----	0.10 UNCH	.0000	----	----	----	----	274 UNCH
3600	----	----	----	----/*2.50A	----	0.10 UNCH	.0000	----	----	----	----	300 UNCH
3800	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3900	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
4000	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
TOTAL										71		6732 - 7
AUG26												
1950	----	----	106.90B/96.50A	106.90B/96.50A	----	101.40 - 1.90	.5261	----	----	----	----	3 UNCH
2000	----	----	85.40B/77.00A	85.40B/77.00A	----	81.20 - 1.90	.4495	----	----	----	----	1 UNCH
2050	----	----	67.70B/61.20A	67.70B/61.20A	----	64.70 - 1.60	.3790	----	----	----	----	30 UNCH
2100	----	----	53.30B/48.60A	53.30B/48.60A	----	50.90 - 1.70	.3151	----	----	----	----	52 UNCH
2150	----	----	41.80B/38.70A	41.80B/38.70A	----	40.00 - 1.70	.2595	----	----	----	----	1 UNCH
2175	----	----	----/34.50A	37.10B/34.50A	----	35.60 - 1.60	.2354	----	----	----	----	30 UNCH
2200	----	----	----/30.90A	32.80B/30.90A	----	31.90 - 1.30	.2139	----	----	----	----	15 UNCH
2250	----	----	----/24.80A	25.90B/24.80A	----	25.60 - 0.90	.1762	----	----	----	----	60 UNCH
2275	----	----	----/22.30A	22.90B/22.30A	----	22.80 - 0.90	.1592	----	----	----	----	30 UNCH
2300	----	----	----/20.10A	20.40B/20.10A	----	20.40 - 0.80	.1442	----	----	----	----	352 UNCH
2350	----	----	----/16.40A	16.10B/16.40A	----	16.40 - 0.60	.1183	----	----	----	----	15 UNCH
2400	----	----	----/13.60A	12.70B/13.60A	----	13.20 - 0.50	.0970	----	----	----	----	84 UNCH
2500	----	----	----	8.00B/9.70A	----	9.00 - 0.20	.0673	----	----	----	----	194 UNCH
2600	----	----	----	5.10B/7.40A	----	6.40 - 0.20	.0481	----	----	----	----	545 UNCH
2750	----	----	----	2.90B/5.50A	----	4.00 - 0.20	.0301	----	----	----	----	105 UNCH
3000	----	----	----	1.20B/*4.00A	----	1.90 - 0.10	.0143	----	----	----	----	54 UNCH
TOTAL												1571 0
SEP26												
2100	----	----	85.90B/81.00A	85.90B/81.00A	----	83.70 - 0.70	.3747	----	----	----	----	36 UNCH
TOTAL												36 0
OCT26												
1720	----	----	----	----	----	287.40 + 1.20	.7670	----	----	----	----	1 UNCH
1800	----	----	241.70B/228.20A	241.70B/228.20A	----	236.20 + 0.90	.6912	----	----	----	----	1 UNCH
1900	180.00	180.00	187.00B/176.80A	187.00B/176.80A	----	182.10 - 0.30	.5908	----	----	2	----	11 UNCH
2000	----	----	143.60B/136.50A	143.60B/136.50A	----	139.50 - 1.30	.4924	----	----	----	----	4 UNCH
2050	----	----	125.80B/120.00A	125.80B/120.00A	----	122.30 - 1.40	.4467	----	----	----	----	6 UNCH
2100	----	----	110.20B/105.50A	110.20B/105.50A	----	107.40 - 1.30	.4042	----	----	----	----	3 UNCH
2125	----	----	103.10B/99.00A	103.10B/99.00A	----	100.60 - 1.30	.3841	----	----	----	----	12 UNCH
2135	----	----	100.40B/96.60A	100.40B/96.60A	----	98.00 - 1.30	.3763	----	----	----	----	12 UNCH
2200	----	----	84.50B/81.60A	84.50B/81.60A	----	82.70 - 1.20	.3286	----	----	----	----	136 UNCH
2250	----	----	73.90B/71.90A	73.90B/71.90A	----	72.50 - 1.10	.2953	----	----	----	----	1 UNCH
2300	----	----	----/63.20A	64.60B/63.20A	----	63.50 - 1.10	.2649	----	----	----	----	7 UNCH
2375	----	----	----/52.10A	52.70B/52.10A	----	52.00 - 1.10	.2243	----	----	----	----	50 UNCH
2400	----	----	----/48.90A	49.20B/48.90A	----	48.70 - 1.00	.2121	----	----	----	----	467 UNCH
2500	----	----	----/38.00A	37.40B/38.00A	----	37.40 - 0.80	.1693	----	----	----	----	366 UNCH
2600	----	----	----	28.40B/29.90A	----	29.10 - 0.40	.1357	----	----	----	----	23 UNCH
2635	----	----	----	25.80B/27.60A	----	26.70 - 0.30	.1257	----	----	----	----	200 UNCH
2650	----	----	----	24.80B/26.60A	----	25.80 - 0.30	.1218	----	----	----	----	25 UNCH
2700	----	----	----	21.70B/23.90A	----	22.90 - 0.10	.1094	----	----	----	----	371 UNCH
2800	----	----	----	16.60B/19.40A	----	18.10 - 0.10	.0883	----	----	----	----	39 UNCH
2850	----	----	----	14.60B/17.60A	----	16.10 - 0.20	.0793	----	----	----	----	155 UNCH
2900	----	----	----	12.90B/16.10A	----	14.40 - 0.10	.0716	----	----	----	----	210 UNCH
2950	----	----	----	11.40B/14.80A	----	12.90 - 0.10	.0646	----	----	----	----	55 UNCH
3000	----	----	----	10.10B/13.60A	----	11.50 - 0.20	.0581	----	----	----	----	355 UNCH
3200	----	----	----	6.40B/10.50A	----	7.70 - 0.10	.0397	----	----	----	----	10 UNCH
3500	----	----	----	3.60B/8.00A	----	4.60 - 0.10	.0240	----	----	----	----	10 UNCH
4000	----	----	----	1.50B/*6.10A	----	2.80 - 0.10	.0141	----	----	----	----	5 UNCH
TOTAL										2		2535 0
JAN27												
2360	----	----	----	----	----	119.80 + 0.40	.3379	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUL26												
1400	----	----	----	----/*1.40A	----	0.10 UNCH	.0000	----	----	----	----	150 UNCH
1500	----	----	----	----/*1.60A	----	0.10 UNCH	.0009	----	----	----	----	153 UNCH
1550	----	----	----	----/*1.80A	----	0.30 - 0.10	.0045	----	----	----	----	200 UNCH
1590	----	----	----	----/2.10A	----	0.60 - 0.20	.0089	----	----	----	----	10 UNCH
1600	----	----	----	----/*2.20A	----	0.70 - 0.30	.0104	----	----	----	----	324 UNCH
1630	----	----	----	0.10B/*1.60A	----	1.20 - 0.40	.0174	----	----	----	----	25 UNCH
1635	----	----	----	0.30B/2.70A	----	1.30 - 0.40	.0187	----	----	----	----	10 UNCH
1650	----	----	----	0.70B/*3.00A	----	1.70 - 0.50	.0241	----	----	----	----	1 UNCH
1680	----	----	----	1.80B/*3.80A	----	2.80 - 0.80	.0384	----	----	----	----	50 UNCH
1700	----	----	----/*4.60A	3.00B/*4.60A	----	3.80 - 1.00	.0509	----	----	----	----	278 UNCH
1710	----	----	----/*5.10A	3.80B/*5.10A	----	4.40 - 1.20	.0583	----	----	----	----	1 UNCH
1725	----	----	----/*6.00A	5.20B/*6.00A	----	5.60 - 1.30	.0721	----	----	----	----	100 UNCH
1750	----	----	----/8.10A	8.20B/8.10A	----	7.90 - 1.70	.0982	----	----	----	----	61 UNCH
1800	18.00	18.00	18.00/14.60A	18.00/14.60A	----	15.20 - 2.70	.1726	----	----	15	----	391 UNCH
1805	----	----	----/15.50A	17.90B/15.50A	----	16.20 - 2.80	.1818	----	----	----	----	45 UNCH
1810	----	----	----/16.40A	19.10B/16.40A	----	17.30 - 2.80	.1917	----	----	----	----	15 UNCH
1815	21.10	21.10	21.10/17.30A	21.10/17.30A	----	18.30 - 3.00	.2010	----	----	15	----	45 + 15
1820	----	----	----/18.30A	21.60B/18.30A	----	19.50 - 3.00	.2114	----	----	----	----	30 UNCH
1825	19.30	19.30	19.30/19.30	22.90B/19.30	----	20.70 - 3.10	.2217	----	----	15	----	100 + 15
1830	----	----	----/20.40A	24.30B/20.40A	----	22.00 - 3.10	.2326	----	----	----	----	15 UNCH
1835	----	----	----/21.60A	25.80B/21.60A	----	23.30 - 3.20	.2435	----	----	----	----	15 UNCH
1840	----	----	----/22.80A	27.30B/22.80A	----	24.70 - 3.30	.2548	----	----	----	----	15 UNCH
1850	----	----	----/25.30A	30.50B/25.30A	----	27.70 - 3.40	.2781	----	----	----	----	40 UNCH
1900	----	----	50.90B/42.00A	50.90B/42.00A	----	46.60 - 3.80	.4055	----	----	----	200	445 + 200
1920	62.00	62.00	62.00/50.70A	62.00/50.70A	----	56.00 NEW	.4591	----	----	2	----	2 + 2
1950	----	----	78.60B/65.90A	78.60B/65.90A	----	72.00 - 4.30	.5392	----	----	----	----	8 UNCH
1980	----	----	----	----	----	90.20 - 4.50	.6162	----	----	----	----	48 UNCH
1990	----	----	----	----	----	96.80 - 4.60	.6407	----	----	----	----	23 UNCH
2000	----	----	112.70B/96.20A	112.70B/96.20A	----	103.60 - 4.60	.6642	----	----	----	----	53 UNCH
2015	----	----	----	----	----	114.40 - 4.60	.6981	----	----	----	----	25 UNCH
2030	----	----	----	----	----	125.60 - 4.50	.7294	----	----	----	----	23 UNCH
2035	----	----	----	----	----	129.50 - 4.50	.7391	----	----	----	----	46 UNCH
2075	----	----	173.60B/152.80A	173.60B/152.80A	----	162.20 - 3.90	.8075	----	----	----	----	1 UNCH
2085	----	----	----	----	----	170.80 - 3.70	.8217	----	----	----	----	1 UNCH
2100	----	----	195.60B/173.80A	195.60B/173.80A	----	183.90 - 3.50	.8414	----	----	----	----	225 UNCH
2130	----	----	----	----	----	210.70 - 3.10	.8746	----	----	----	----	23 UNCH
2135	----	----	----	----	----	215.30 - 3.00	.8792	----	----	----	----	190 UNCH
2165	----	----	----	----	----	242.90 - 2.80	.9057	----	----	----	----	20 UNCH
2350	----	----	435.50B/410.50A	435.50B/410.50A	----	422.10 - 2.30	.9743	----	----	----	----	5 UNCH
2400	----	----	485.10B/460.10A	485.10B/460.10A	----	471.60 - 2.20	.9807	----	----	----	----	300 UNCH
TOTAL									200	47		3512 + 232

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
AUG26													
1600	----	----	----/*7.90A	5.90B/*7.90A	----	7.20 - 1.00	.0589	----	----	----	----	1	UNCH
1800	----	----	----/37.40A	40.80B/37.40A	----	39.10 - 2.50	.2439	----	----	----	----	1	UNCH
2000	----	----	138.10B/125.60A	138.10B/125.60A	----	130.70 - 4.60	.5503	----	----	----	----	1	UNCH
TOTAL												3	0
SEP26													
1850	----	----	----/83.30A	88.10B/83.30A	----	85.40 - 2.80	.3461	----	----	----	----	16	UNCH
TOTAL												16	0
OCT26													
1300	----	----	----	2.80B/*7.40A	----	5.10 - 0.20	.0274	----	----	----	----	4	UNCH
1500	----	----	----	14.70B/18.10A	----	16.30 - 0.80	.0816	----	----	----	----	21	UNCH
1600	----	----	----/31.10A	29.00B/31.10A	----	29.90 - 1.30	.1369	----	----	----	----	28	UNCH
1700	----	----	----/52.80A	52.80B/52.80A	----	53.00 - 1.50	.2147	----	----	----	----	50	UNCH
1720	----	----	----/58.40A	58.90B/58.40A	----	59.00 - 1.50	.2326	----	----	----	----	2	UNCH
1820	----	----	----/93.50A	96.60B/93.50A	----	95.30 - 2.00	.3283	----	----	----	----	5	UNCH
1850	----	----	----/106.30A	110.40B/106.30A	----	108.30 - 2.30	.3583	----	----	----	----	200	UNCH
1950	----	----	163.70B/156.70A	163.70B/156.70A	----	159.00 - 3.60	.4589	----	----	----	----	50	UNCH
2000	----	----	194.40B/186.00A	194.40B/186.00A	----	188.80 - 3.90	.5072	----	----	----	----	1	UNCH
2100	----	----	262.60B/251.60A	262.60B/251.60A	----	255.80 - 4.00	.5954	----	----	----	----	100	UNCH
2130	----	----	----	----	----	277.50 - 3.90	.6194	----	----	----	----	41	UNCH
2135	----	----	----	----	----	281.20 - 3.90	.6233	----	----	----	----	12	UNCH
2140	----	----	----	----	----	284.90 - 3.90	.6272	----	----	----	----	12	UNCH
2400	----	----	504.30B/488.10A	504.30B/488.10A	----	494.90 - 3.60	.7875	----	----	----	----	200	UNCH
2500	----	----	593.10B/575.60A	593.10B/575.60A	----	583.00 - 3.40	.8304	----	----	----	----	1	UNCH
TOTAL												727	0
JAN27													
1500	----	----	----	----	----	58.40 - 0.80	.1549	----	----	----	----	40	UNCH
1800	----	----	----	----	----	152.30 - 1.40	.3294	----	----	----	----	1	UNCH
1900	----	----	----	----	----	200.40 - 1.70	.3969	----	----	----	----	100	UNCH
2000	----	----	----	----	----	255.60 - 1.80	.4636	----	----	----	----	200	UNCH
TOTAL												341	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 60

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUL26 CALL			
OG	4750	0	766
OG	4805	0	75
OG	5000	0	50
OG	5150	0	2375
OG	5350	0	140
TOTALS		0	3406
AUG26 CALL			
OG	4700	0	100
TOTALS		0	100
OCT26 CALL			
OG	5000	0	50
OG	5500	0	50
TOTALS		0	100
DEC26 CALL			
OG	5000	0	50
OG	5225	0	10
OG	5550	0	250
OG	5600	0	150
OG	5800	0	10
OG	5900	0	300
OG	6000	0	200
OG	6400	0	300
OG	6500	0	60
TOTALS		0	1330
JAN27 CALL			
OG	5200	0	1100
TOTALS		0	1100
FEB27 CALL			
OG	4750	0	50
OG	5000	0	100
OG	5250	0	50
TOTALS		0	200
OG PUT	COMEX GOLD OPTIONS		
JUL26 PUT			
OG	4400	0	766
OG	4500	0	2425
OG	4550	0	100
OG	4600	0	200
OG	4650	0	200
TOTALS		0	3691
AUG26 PUT			
OG	3900	0	140
TOTALS		0	140
DEC26 PUT			
OG	3900	0	30
OG	3950	0	500
OG	4000	0	150
OG	4320	0	75
OG	4365	0	200
OG	4500	0	50
OG	4550	0	10
OG	4580	0	100
OG	4600	0	70
TOTALS		0	1185
JAN27 PUT			
OG	4425	0	1500
TOTALS		0	1500
MAR27 PUT			
OG	3600	0	70
OG	4200	0	50
TOTALS		0	120
SO CALL	COMEX SILVER OPTIONS		
AUG26 CALL			
SO	9100	0	90
SO	10500	0	36
TOTALS		0	126
SEP26 CALL			
SO	9300	0	28
TOTALS		0	28
SO PUT	COMEX SILVER OPTIONS		
AUG26 PUT			
SO	6000	0	36
SO	6200	0	90
TOTALS		0	126
DEC26 PUT			
SO	7000	0	28
TOTALS		0	28
HX CALL	COMEX COPPER OPTIONS		
AUG26 CALL			
HX	700	0	180
TOTALS		0	180
SEP26 CALL			
HX	675	0	100
TOTALS		0	100
HX PUT	COMEX COPPER OPTIONS		
SEP26 PUT			
HX	600	0	740
TOTALS		0	740
PO PUT	PLATINUM OPTIONS		
JUL26 PUT			
PO	1900	0	200
TOTALS		0	200
OG1 CALL	GOLD OPTIONS		
JUN26 CALL			
OG1	4800	0	200
TOTALS		0	200
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK1		
JUN26 PUT			
G1M	4560	0	40
TOTALS		0	40
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK1		
JUN26 PUT			
G1W	4450	0	300

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

G1W	4500	0	150
TOTALS		0	450

GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK1
JUN26 CALL

G1W	4550	0	50
G1W	4600	0	200
TOTALS		0	250

GMW MON GOLD WEEKLY MONDAY OPTION WEEK1
JUN26 CALL

G1M	4600	0	25
G1M	4625	0	40
TOTALS		0	65

GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK2
JUN26 PUT

G2W	4450	0	150
TOTALS		0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.