

PG64

BULLETIN #113@

METALS OPTION PRODUCTS

Mon, Jun 15, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN
AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS,
CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY
R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN
THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU
DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/12	06/15											
ECG11 OP		06/12	06/15											
ECG13 OP		06/12	06/15											
ECG15 OP		06/12	06/15											
ECG16 OP		06/12	06/15											
ECGC OOF		06/12	06/15											
ECHG OOF		06/12	06/15											
ECSI OOF		06/12	06/15											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/26													
FSO OPT	06/30													
GMW MON	06/29			07/06										
GWR THU	06/18			07/16										
GWT TUE	06/30			07/07										
GWV WED	06/24			07/08										
HMW MON	06/29													
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU	06/18			07/09										
HWT TUE	06/30													
HWW WED	06/24													
HX CALL				07/01										
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE PUT	06/26			07/17										
LHO OPT	06/30			07/17										
MMG MON	06/22			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
OG2 CALL	06/12			07/10										
OG2 PUT	06/12			07/10										
OG3 CALL				07/17										
OG3 PUT				07/17										
OG4 CALL	06/26			07/24										
OG4 PUT	06/26			07/24										
OMG OPT				06/25	07/28	08/26	09/24		11/24					
PAO CALL				06/17	07/15	08/19			11/18					
PAO PUT				06/17	07/15	08/19			11/18			02/17		
PLW OOF	06/26											02/17		
PO CALL				06/17	07/15	08/19	09/16			12/16				
PO PUT				06/17	07/15	08/19	09/16			12/16				
RWS THU	06/18			07/16										
SMW MON	06/29													
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO2 CALL	06/12			07/10										
SO2 PUT	06/12			07/10										
SO3 CALL				07/17										
SO3 PUT				07/17										
SO4 CALL	06/26													
SO4 PUT	06/26													
SWW WED	06/24													
TWS TUE	06/30			07/01										

GOLD OPTIONS ON FUTURES															
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT	MICRO GOLD OPTIONS														
JUL26															
3400	----		----	----	----	----		951.60 + 12.50	----	----	----	----	----	1	UNCH
3460	----		----	----	----	----		891.70 + 12.40	----	----	----	----	----	1	UNCH
4100	----		----	----	----	----		260.00 + 87.90	----	----	----	----	----	1	UNCH
4200	----		----	----	----	----		20.10 - 43.70	----	----	----	----	----	2	UNCH
4215	----		----	----	----	----	-----/189.00A	159.30 + 65.60	----	----	----	----	----	1	UNCH
4275	----		----	----	----	----		37.40 - 62.30	----	----	----	----	----	0	UNCH
4300	51.00	51.00		51.00/*51.00	51.00/51.00	----		45.60 - 68.90	----	----	----	1	----	1	+
4400	----		----	----	----	----		94.60 - 91.10	----	----	----	----	----	1	UNCH
4400	----		----	----	----	----		46.20 + 21.60	----	----	----	----	----	1	UNCH
4500	----		----	----	165.00B/----	----		167.80 - 04.10	----	----	----	----	----	3	UNCH
4550	----		----	----	----	----		210.70 - 07.50	----	----	----	----	----	1	UNCH
4600	----		----	----	----	----		256.40 - 09.50	----	----	----	----	----	2	UNCH
4700	----		----	----	----	----		4.00 + 1.30	----	----	----	----	----	2	UNCH
4800	----		----	----	----	----		2.30 + 0.50	----	----	----	----	----	2	UNCH
5000	----		----	----	----	----		1.00 UNCH	----	----	----	----	----	3	UNCH
5300	----		----	----	----	----		0.50 UNCH	----	----	----	----	----	3	UNCH
5500	----		----	----	----	----		0.20 - 0.10	----	----	----	----	----	2	UNCH
TOTAL												1		27+	1
AUG26															
3500	----		----	----	----	----		4.20 - 3.50	----	----	----	----	----	1	UNCH
3700	----		----	----	----	----		8.20 - 8.40	----	----	----	----	----	2	UNCH
3900	----		----	----	----	----		18.60 - 18.80	----	----	----	----	----	5	UNCH
3950	22.00	22.00		#22.00/*22.00	#22.00/*22.00	----		23.20 NEW	----	----	----	1	----	1	+
4000	----		----	----	----	----		29.00 - 27.00	----	----	----	----	----	4	UNCH
4100	----		----	----	----	----		45.30 - 37.60	----	----	----	----	----	1	UNCH
4200	211.00	211.00		#211.00/*211.00	#211.00/*211.00	----		221.40 NEW	----	----	----	1	----	1	+
4210	----		----	----	----	----		73.40 - 51.70	----	----	----	----	----	1	UNCH
4400	----		----	----	----	----		156.70 - 76.90	----	----	----	----	----	12	UNCH
4400	----		----	----	----	----		108.50 + 35.50	----	----	----	----	----	1	UNCH
4535	----		----	----	----	----		62.10 + 21.60	----	----	----	----	----	2	UNCH
4550	----		----	----	----	----		256.00 - 92.10	----	----	----	----	----	2	UNCH
4600	----		----	----	----	----		47.00 + 16.50	----	----	----	----	----	1	UNCH
TOTAL												2		34+	2
SEP26															
4230	----		----	----	----	----	-----/300.00A	257.60 + 60.60	----	----	----	----	----	2	UNCH
TOTAL														2	0
OCT26															
4680	----		----	----	----	----		96.30 + 23.60	----	----	----	----	----	1	UNCH
TOTAL														1	0
DEC26															
3250	----		----	----	----	----		17.30 - 6.80	----	----	----	----	----	1	UNCH
4000	110.00	110.00		110.00/*110.00	110.00/110.00	----		105.00 - 36.40	----	----	----	1	----	1	-
4700	----		----	----	----	----		152.40 + 29.60	----	----	----	----	----	10	UNCH
TOTAL												1		12-	1
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG4 PUT	GOLD OPTIONS														
JUN26															
3250	----		----	----/*0.60A	----/*0.60A	----		0.30 - 0.40	.0014	----	----	1	----	22	UNCH
3500	----		----	----/*0.80A	0.40B/*0.80A	----		0.60 - 0.70	.0035	----	----	1	----	19	UNCH
3600	----		----	----/*0.70A	0.60B/*0.70A	----		0.80 - 1.10	.0051	----	----	----	----	96	UNCH
3700	----		----	----/*1.00A	1.30B/*1.00A	----		1.10 - 1.90	.0078	----	----	1	----	30	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT
IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

BULLETIN #113@				METALS OPTION PRODUCTS								Mon, Jun 15, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 PUT	GOLD OPTIONS															
JUN26																
3725	1.00	1.00		#1.00/*1.00	1.50B/*1.00	----		1.20	NEW	.0087	----	1	----	1 +	1	
3750	2.00	2.00		2.00/*1.20A	2.00/*1.20A	----		1.30	- 2.60	.0096	----	4	----	17 -	1	
3775	----	----		----/*1.30A	2.10B/*1.30A	----		1.50	- 3.10	.0113	----	1	----	3	UNCH	
3800	1.80	1.80		2.20/*1.50	2.40B/*1.50	----		1.60	- 3.70	.0124	----	4	----	30 -	2	
3850	----	----		----/*1.80A	3.50B/*1.80A	----		2.10	- 5.10	.0169	----	1	----	6 +	1	
3875	2.60	2.60		2.60/*1.90	4.10B/*1.90	----		2.40	- 6.10	.0196	----	6	----	7 -	2	
3900	4.70	4.70		4.70/*2.30A	4.90B/*2.30A	----		2.70	- 7.30	.0225	----	14	----	24 +	1	
3925	----	----		----/*2.60A	5.80B/*2.60A	----		3.10	- 8.70	.0264	----	----	----	3	UNCH	
3950	4.00	4.00		4.00/*3.00A	7.20B/*3.00A	----		3.70	- 10.20	.0317	----	4	----	7 -	1	
3975	----	----		----/*3.40A	8.70B/*3.40A	----		4.30	- 12.10	.0374	----	----	----	8	UNCH	
4000	5.50	5.50		5.80/*4.00A	10.50B/*4.00A	----		5.00	- 14.30	.0442	----	19	----	30 +	4	
4025	5.90	5.90		5.90/*4.70A	12.40B/*4.70A	----		6.00	- 16.70	.0533	----	11	----	10 +	9	
4050	9.30	9.30		10.00/*5.50A	15.00B/*5.50A	----		7.10	- 19.60	.0637	----	5	----	61 +	3	
4075	15.60	15.60		15.60/*6.80A	18.10B/*6.80A	----		8.60	- 22.70	.0772	----	8	----	7 +	3	
4100	18.90	18.90		19.60/8.10A	21.80B/8.10A	----		10.40	- 26.20	.0932	----	17	----	124 +	5	
4125	----	----		----/9.80A	25.90B/9.80A	----		12.70	- 30.10	.1130	----	2	----	9 +	2	
4150	27.10	27.10		27.10/12.00A	31.20B/12.00A	----		15.40	- 34.50	.1361	----	46	----	160 +	41	
4175	20.60	20.60		20.60/14.70A	37.30B/14.70A	----		18.70	- 39.30	.1634	----	34	----	38 +	34	
4200	28.80	28.80		28.80/17.90A	44.60B/17.90A	----		22.80	- 44.60	.1958	----	8	----	73 +	6	
4225	29.30	29.30		29.30/21.70A	52.80B/21.70A	----		27.70	- 50.30	.2330	----	11	----	15 +	7	
4250	41.00	41.00		41.00/26.50A	61.80B/26.50A	----		33.70	- 56.30	.2756	----	21	----	42 +	10	
4275	46.90	46.90		46.90/32.10A	72.80B/32.10A	----		40.90	- 62.40	.3233	----	8	----	53 +	8	
4300	50.00	50.00		53.50/38.80A	85.00B/38.80A	----		49.40	- 68.60	.3753	----	48	----	52 +	35	
4325	58.50	58.50		63.70/46.00	98.40B/46.00	----		59.40	- 74.50	.4308	----	74	----	25 +	18	
4350	78.70	78.70		78.70/56.00A	113.30B/56.00A	----		71.00	- 80.00	.4882	----	18	----	31 +	10	
4375	----	----		----/66.80A	129.40B/66.80A	----		84.20	- 85.00	.5459	----	----	----	15	UNCH	
4400	----	----		----/79.20A	146.90B/79.20A	----		98.80	- 89.70	.6023	----	----	----	5	UNCH	
4425	----	----		----/93.00A	165.60B/93.00A	----		114.90	- 93.80	.6560	----	----	----	4	UNCH	
4450	----	----		----/108.20A	185.40B/108.20A	----		132.40	- 97.30	.7058	----	----	----	9	UNCH	
4475	194.00	194.00		194.00/125.00A	206.00B/125.00A	----		151.10	- 00.40	.7510	----	79	----	298 +	3	
4500	----	----		----/143.00A	227.60B/143.00A	----		170.80	- 03.00	.7910	----	----	----	10	UNCH	
4525	----	----		----/162.10A	249.70B/162.10A	----		191.60	- 05.00	.8260	----	----	----	3	UNCH	
4550	----	----		----/182.20A	272.30B/182.20A	----		213.10	- 06.70	.8554	----	----	----	33	UNCH	
4600	----	----		----/225.10A	318.90B/225.10A	----		258.10	- 09.10	.9006	----	----	----	7	UNCH	
4700	----	----		----/317.70A	415.40B/317.70A	----		353.00	- 11.20	.9513	----	----	----	1	UNCH	
4725	----	----		----/341.70A	439.90B/341.70A	----		377.30	- 11.50	.9586	----	----	----	1	UNCH	
TOTAL												447		1389 +	195	
JUL26																
3600	----	----		----	#5.40B/*4.90A	----		5.00	NEW	.0267	----	1	----	1 +	1	
3750	9.20	9.20		#9.20/*9.10	#9.70B/*8.10A	----		9.00	NEW	.0488	----	3	----	3 +	3	
3850	13.10	13.10		#13.10/*13.10	#15.20B/*12.50A	----		13.80	NEW	.0743	----	2	----	2 +	2	
3900	15.00	15.00		#15.00/*15.00	#19.10B/*15.00	----		17.10	NEW	.0914	----	2	----	2 +	2	
3950	22.20	22.20		#22.20/*22.20	#24.20B/*19.10A	----		21.40	NEW	.1129	----	2	----	2 +	2	
4000	----	----		----	#30.60B/*23.70A	----		26.80	NEW	.1390	----	1	----	1 +	1	
TOTAL												11		11 +	11	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 CALL	GOLD OPTIONS															
JUN26																
3800	----	----		----	----	----		552.90	+ 09.20	.9875	----	1	----	1	UNCH	
4000	----	----		392.60B/----	392.60B/300.30A	----		356.30	+ 98.50	.9556	----	1	----	2	UNCH	
4075	----	----		320.30B/----	320.30B/233.90A	----		284.90	+ 90.00	.9225	----	----	----	1	UNCH	
4100	----	----		296.90B/----	296.90B/212.90A	----		261.80	+ 86.50	.9065	----	4	----	6 -	2	
4125	----	----		273.50B/----	273.50B/192.50A	----		239.10	+ 82.60	.8866	----	----	----	1	UNCH	
4150	----	----		250.80B/----	250.80B/172.90A	----		216.80	+ 78.20	.8636	----	----	----	2	UNCH	
4175	----	----		228.50B/----	228.50B/154.30A	----		195.20	+ 73.50	.8363	----	----	----	4	UNCH	
4200	----	----		206.80B/----	206.80B/136.60A	----		174.30	+ 68.20	.8039	----	----	----	4	UNCH	
4225	----	----		185.80B/----	185.80B/120.00A	----		154.20	+ 62.40	.7667	----	1	----	14	UNCH	
4250	----	----		165.50B/----	165.50B/104.60A	----		135.20	+ 56.40	.7240	----	----	----	35	UNCH	
4275	----	----		146.20B/----	146.20B/90.20A	----		117.40	+ 50.20	.6764	----	1	----	34 +	1	
4300	104.00	104.00		128.00B/102.60	128.00B/77.40A	----		101.00	+ 44.10	.6243	----	6	----	68 -	1	
4325	----	----		111.00B/----	111.00B/66.10A	----		86.00	+ 38.20	.5689	----	5	----	33	UNCH	
4350	69.70	69.70		95.20B/65.80	95.20B/55.60A	----		72.60	+ 32.70	.5114	----	19	----	43 +	7	
4375	56.60	56.60		80.80B/55.70	80.80B/46.70A	----		60.80	+ 27.60	.4537	----	14	----	19 -	2	
4400	46.40	46.40		68.20B/46.40	68.20B/39.00A	----		50.50	+ 23.00	.3974	----	62	----	59 +	17	
4425	44.10	44.10		56.90B/44.10	56.90B/32.90A	----		41.60	+ 18.90	.3436	----	6	----	27 -	4	
4450	36.50	36.50		47.10B/32.00	47.10B/26.80A	----		34.10	+ 15.30	.2939	----	24	----	25 +	11	
4475	29.80	29.80		38.80B/25.20	38.80B/22.20A	----		27.80	+ 12.30	.2487	----	20	----	27 +	2	
4500	21.00	21.00		31.80/18.40	31.80/18.40	----		22.60	+ 9.70	.2087	----	300	----	276 +	217	
4525	19.00	19.00		25.80B/14.90A	25.80B/14.90A	----		18.30	+ 7.60	.1737	----	70	----	63 +	43	
4550	14.00	14.00		21.00/13.30	21.00/12.00A	----		14.90	+ 6.00	.1442	----	29				



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64				
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG2 CALL		GOLD OPTIONS																				
JUN26																						
4400	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4405	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4410	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4415	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4425	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4430	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4440	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4450	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4455	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4460	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4465	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4500	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4510	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4525	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4550	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4575	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4585	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4650	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
4725	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
5600	----	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH			
TOTAL																0	UNCH					
JUL26																						
4000	----	----	----	392.10B/----	392.10B/322.70A	----	----	----	----	----	366.10	+ 90.90	.9001	----	----	----	----	2	UNCH			
4100	----	----	----	301.30B/----	301.30B/239.40A	----	----	----	----	----	277.50	+ 79.40	.8337	----	----	----	----	1	UNCH			
4125	----	----	----	279.70B/----	279.70B/220.10A	----	----	----	----	----	256.50	+ 76.00	.8116	----	----	----	----	1	UNCH			
4150	----	----	----	258.50B/----	258.50B/201.70A	----	----	----	----	----	236.10	+ 72.30	.7874	----	----	----	----	4	UNCH			
4175	----	----	----	238.10B/----	238.10B/184.20A	----	----	----	----	----	216.30	+ 68.40	.7608	----	----	----	----	1	UNCH			
4200	----	----	----	218.30B/----	218.30B/167.40A	----	----	----	----	----	197.20	+ 64.20	.7314	----	----	----	----	2	UNCH			
4225	122.00	122.00	122.00	199.70B/122.00	199.70B/122.00	----	----	----	----	----	179.00	+ 59.90	.6998	----	----	2	----	32	UNCH			
4250	----	----	----	180.90B/----	180.90B/135.90A	----	----	----	----	----	161.70	+ 55.50	.6659	----	----	----	----	3	UNCH			
4275	----	----	----	163.50B/----	163.50B/120.60A	----	----	----	----	----	145.40	+ 51.00	.6299	----	----	----	----	13	UNCH			
4300	----	----	----	147.10B/----	147.10B/107.80A	----	----	----	----	----	130.10	+ 46.50	.5922	----	----	----	----	3	UNCH			
4325	----	----	----	131.60B/----	131.60B/95.80A	----	----	----	----	----	115.90	+ 42.10	.5533	----	----	----	----	1	UNCH			
4350	----	----	----	121.90B/----	121.90B/84.60A	----	----	----	----	----	102.80	+ 38.00	.5137	----	----	----	----	3	UNCH			
4375	----	----	----	109.60B/----	109.60B/74.70A	----	----	----	----	----	90.80	+ 34.00	.4739	----	----	----	----	8	UNCH			
4400	----	----	----	97.40B/----	97.40B/65.90A	----	----	----	----	----	79.90	+ 30.40	.4346	----	5	----	5	+	2			
4450	----	----	----	75.20B/----	75.20B/50.60A	----	----	----	----	----	61.30	+ 23.90	.3594	----	1	----	49	UNCH				
4475	54.50	54.50	54.50	65.80B/53.40	65.80B/44.20A	----	----	----	----	----	53.50	+ 21.10	.3243	----	5	----	7	+	3			
4500	----	----	----	57.30B/----	57.30B/38.60A	----	----	----	----	----	46.50	+ 18.40	.2911	----	66	----	47	+	36			
4525	38.00	38.00	38.00	49.80B/38.00	49.80B/33.70A	----	----	----	----	----	40.40	+ 16.00	.2603	----	3	----	9	UNCH				
4550	30.00	30.00	30.00	43.30B/30.00	43.30B/29.40A	----	----	----	----	----	35.00	+ 13.80	.2317	----	7	----	9	+	3			
4575	----	----	----	37.30B/----	37.30B/25.60A	----	----	----	----	----	30.30	+ 11.80	.2056	----	----	----	3	UNCH				
4600	25.10	25.10	25.10	32.40B/25.10	32.40B/22.30A	----	----	----	----	----	26.30	+ 10.10	.1822	----	47	----	34	+	19			
4625	22.30	22.30	22.30	27.90B/22.30	27.90B/19.40A	----	----	----	----	----	22.80	NEW	.1611	----	5	----	5	+	5			
4650	----	----	----	24.20B/----	24.20B/16.90A	----	----	----	----	----	19.90	+ 7.50	.1427	----	6	----	6	+	3			
4675	----	----	----	21.10B/----	21.10B/14.80A	----	----	----	----	----	17.30	+ 6.30	.1259	----	1	----	4	+	1			
4700	14.90	14.90	14.90	18.30B/14.90	18.30B/13.00A	----	----	----	----	----	15.20	+ 5.50	.1117	----	62	----	44	+	39			
4725	----	----	----	16.00B/----	16.00B/11.40A	----	----	----	----	----	13.40	+ 4.80	.0992	----	----	----	5	UNCH				
4750	----	----	----	14.00B/----	14.00B/10.10A	----	----	----	----	----	11.80	+ 4.10	.0880	----	----	----	4	UNCH				
4775	----	----	----	12.30B/----	12.30B/9.10A	----	----	----	----	----	10.40	+ 3.50	.0780	----	----	----	1	UNCH				
4800	8.80	8.80	8.80	10.90B/8.80	10.90B/8.80	----	----	----	----	----	9.30	+ 3.10	.0699	----	36	----	38	+	27			
4825	----	----	----	9.60B/----	9.60B/7.90A	----	----	----	----	----	8.30	+ 2.70	.0624	----	----	----	2	UNCH				
4850	----	----	----	8.50B/----	8.50B/6.90A	----	----	----	----	----	7.50	+ 2.50	.0563	----	----	----	5	UNCH				
4875	----	----	----	7.60B/----	7.60B/6.30A	----	----	----	----	----	6.70	+ 2.10	.0504	----	----	----	4	UNCH				
4900	----	----	----	6.80B/----	6.80B/5.70A	----	----	----	----	----	6.10	+ 1.90	.0457	----	1	----	7	+	1			
4925	----	----	----	6.10B/----	6.10B/5.20A	----	----	----	----	----	5.50	+ 1.70	.0411	----	----	----	3	UNCH				
4950	----	----	----	5.50B/----	5.50B/4.80A	----	----	----	----	----	5.10	+ 1.60	.0378	----	----	----	60	UNCH				
4975	----	----	----	4.90B/----	4.90B/4.40A	----	----	----	----	----	4.60	+ 1.30	.0341	----	----	----	2	UNCH				
5000	----	----	----	4.40B/----	4.40B/4.00A	----	----	----	----	----	4.30	+ 1.30	.0315	----	1	----	68	UNCH				
5025	----	----	----	3.90B/----	3.90B/3.70A	----	----	----	----	----	3.90	+ 1.10	.0286	----	----	----	2	UNCH				
5050	----	----	----	3.50B/----	3.50B/3.50A	----	----	----	----	----	3.60	+ 1.00	.0262	----	----	----	3	UNCH				
5100	----	----	----	2.80B/----	2.80B/3.00A	----	----	----	----	----	3.10	+ 0.80	.0223	----	50	----	50	+	49			
5200	2.70	2.70	2.70	2.70/2.70	2.70/2.50A	----	----	----	----	----	2.40	+ 0.50	.0167	----	1	----	6	+	1			
5250	----	----	----	----	1.70B/2.30A	----	----	----	----	----	2.10	+ 0.40	.0144	----	----	----	4	UNCH				
5400	----	----	----	----	1.00B/2.00A	----	----	----	----	----	1.50	UNCH	.0098	----	----	----	2	UNCH				
5750	----	----	----	----	0.40B/1.50A	----	----	----	----	----	0.90	- 0.40	.0052	----	1	----	2	+	1			
TOTAL																300	----	564	+	190		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																				
JUL26																						
2000	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	28	UNCH			
2275	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	23	UNCH			
2300	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	137	UNCH			
2350	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH			
2400	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH			
2500	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	218	UNCH			
2550	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	40	UNCH			
2575	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH			
2600	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	26	UNCH			
2605	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH			
2620	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH			
2650	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	149	UNCH			
2670	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	20	UNCH			
2675	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	77	UNCH			
2680	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH			
2700	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	10	UNCH			
2705	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH			
2710	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	12	UNCH			
2725	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	178	UNCH			
2730	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH			
2750	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	121	UNCH			
2775	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	5	UNCH			
2785	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	2	UNCH			
2800	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	16	UNCH			
2805	----	----	----	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	----	1	UNCH			
2850	----	----	----	----	----	----	----	----	----	----	0.10	- 0.										



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



PG64 BULLETIN #113@				METALS OPTION PRODUCTS								Mon, Jun 15, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
OG PUT JUL26	COMEX GOLD OPTIONS															
3155	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.10 - 0.30	.0004	----	----	----	----	1	UNCH
3160	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.10 - 0.30	.0004	----	----	----	----	13	UNCH
3165	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.10 - 0.30	.0004	----	----	----	----	1	UNCH
3170	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.10 - 0.30	.0004	----	----	----	----	1	UNCH
3175	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	11	UNCH
3180	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	2	UNCH
3185	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	21	UNCH
3195	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	10	UNCH
3200	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	230	UNCH
3210	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	6	UNCH
3220	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	1	UNCH
3225	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	124	UNCH
3230	----	----	----	*/0.30A	0.10B/	*0.30A	----	----	0.20 - 0.30	.0009	----	----	----	----	14	UNCH
3250	----	----	----	*/0.20A	0.20B/	*0.20A	----	----	0.20 - 0.30	.0009	----	----	----	----	210	UNCH
3270	----	----	----	*/0.20A	0.20B/	*0.20A	----	----	0.20 - 0.40	.0010	----	----	----	----	100	UNCH
3275	----	----	----	*/0.20A	0.20B/	*0.20A	----	----	0.20 - 0.40	.0010	----	----	----	----	11	UNCH
3280	----	----	----	*/0.20A	0.20B/	*0.20A	----	----	0.20 - 0.40	.0010	----	----	----	----	26	UNCH
3285	----	----	----	*/0.20A	0.20B/	*0.20A	----	----	0.20 - 0.40	.0010	----	----	----	----	1	UNCH
3290	----	----	----	*/0.20A	0.20B/	*0.20A	----	----	0.20 - 0.40	.0010	----	----	----	----	29	UNCH
3300	0.10	0.10	0.10	*/0.10	0.20B/	*0.10	----	----	0.20 - 0.40	.0010	----	----	1	----	187	UNCH
3310	----	----	----	*/0.20A	0.20B/	*0.20A	----	----	0.20 - 0.40	.0010	----	----	----	----	1	UNCH
3320	----	----	----	*/0.30A	0.20B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	28	UNCH
3325	----	----	----	*/0.30A	0.20B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	173	UNCH
3330	----	----	----	*/0.30A	0.20B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	1	UNCH
3335	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	87	UNCH
3340	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	1	UNCH
3345	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	3	UNCH
3350	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	155	UNCH
3355	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.20 - 0.50	.0010	----	----	----	----	79	UNCH
3360	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.20 - 0.50	.0011	----	----	----	----	5	UNCH
3370	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.20 - 0.50	.0011	----	----	----	----	10	UNCH
3375	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	----	----	57	UNCH
3380	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	----	----	4	UNCH
3385	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	----	----	26	UNCH
3390	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	----	----	59	UNCH
3395	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	----	----	32	UNCH
3400	0.40	0.40	0.40	*/0.30A	0.40/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	27	----	117 +	23
3405	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	----	----	9	UNCH
3410	----	----	----	*/0.30A	0.30B/	*0.30A	----	----	0.30 - 0.50	.0016	----	----	----	----	21	UNCH
3415	----	----	----	*/0.40A	0.30B/	*0.40A	----	----	0.30 - 0.50	.0016	----	----	----	----	15	UNCH
3420	----	----	----	*/0.40A	0.30B/	*0.40A	----	----	0.30 - 0.60	.0017	----	----	----	----	17	UNCH
3425	----	----	----	*/0.40A	0.30B/	*0.40A	----	----	0.30 - 0.60	.0017	----	----	----	----	58	UNCH
3435	----	----	----	*/0.40A	0.30B/	*0.40A	----	----	0.30 - 0.60	.0017	----	----	----	----	6	UNCH
3440	----	----	----	*/0.40A	0.30B/	*0.40A	----	----	0.30 - 0.60	.0017	----	----	----	----	7	UNCH
3445	----	----	----	*/0.40A	0.30B/	*0.40A	----	----	0.30 - 0.60	.0017	----	----	----	----	3	UNCH
3450	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.30 - 0.60	.0017	----	----	----	----	175	UNCH
3455	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.60	.0022	----	----	----	----	14	UNCH
3460	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.60	.0023	----	----	----	----	12	UNCH
3465	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.60	.0023	----	----	----	----	145	UNCH
3470	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.60	.0023	----	----	----	----	7	UNCH
3475	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.60	.0023	----	----	----	----	143	UNCH
3480	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.60	.0023	----	----	----	----	112	UNCH
3485	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.60	.0023	----	----	----	----	12	UNCH
3490	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.70	.0023	----	----	----	----	7	UNCH
3495	----	----	----	*/0.40A	0.40B/	*0.40A	----	----	0.40 - 0.70	.0024	----	----	----	----	6	UNCH
3500	1.00	1.00	1.00	*/0.30	1.00/	*0.30	----	----	0.40 - 0.70	.0024	----	----	31	----	443 -	1
3505	0.50	0.50	0.50	*/0.50	0.50/	*0.50	----	----	0.40 - 0.70	.0024	----	----	2	----	9	UNCH
3510	0.50	0.50	0.50	*/0.50	0.50/	*0.50	----	----	0.40 - 0.70	.0024	----	----	1	----	12 -	1
3515	----	----	----	*/0.50A	0.40B/	*0.50A	----	----	0.50 - 0.70	.0030	----	----	----	----	9	UNCH
3520	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.70	.0030	----	----	----	----	8	UNCH
3525	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.70	.0030	----	----	----	----	19	UNCH
3530	0.40	0.40	0.50B/	*0.40	0.50B/	*0.40	----	----	0.50 - 0.70	.0030	----	----	1	----	168 +	1
3535	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.70	.0030	----	----	----	----	41	UNCH
3540	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.80	.0030	----	----	----	----	4	UNCH
3545	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.80	.0031	----	----	----	----	257	UNCH
3550	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.80	.0031	----	----	----	----	182	UNCH
3555	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.80	.0031	----	----	----	----	5	UNCH
3560	----	----	----	*/0.60A	0.50B/	*0.60A	----	----	0.50 - 0.90	.0031	----	----	----	----	1	UNCH
3565	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.90	.0031	----	----	----	----	5	UNCH
3570	----	----	----	*/0.50A	0.50B/	*0.50A	----	----	0.50 - 0.90	.0032	----	----	----	----	17	UNCH
3575	----	----	----	*/0.60A	0.50B/	*0.60A	----	----	0.60 - 0.80	.0038	----	----	----	----	15	UNCH
3580	----	----	----	*/0.60A	0.60B/	*0.60A	----	----	0.60 - 0.90	.0038	----	----	----	----	21	UNCH
3585	----	----	----	*/0.60A	0.60B/	*0.60A	----	----	0.60 - 0.90	.0038	----	----	----	----	25	UNCH
3590	----	----	----	*/0.60A	0.60B/	*0.60A	----	----	0.60 - 0.90	.0038	----	----	----	----	17	UNCH
3595	----	----	----	*/0.60A	0.60B/	*0.60A	----	----	0.60 - 0.90	.0038	----	----	----	----	15	UNCH
3600	1.10	1.10	1.10	*/0.50	1.10/	*0.50	----	----	0.60 - 1.00	.0039	----	----	15	----	462 -	9
3605	----	----	----	*/0.60A	0.60B/	*0.60A	----	----	0.60 - 1.00	.0039	----	----	----	----	20	UNCH
3610	0.60	0.60	0.60	*/0.60	0.60/	*0.60	----	----	0.60 - 1.00	.0039	----	----	6	----	24 +	5
3615	----	----	----	*/0.60A	0.60B/	*0.60A	----	----	0.60 - 1.10	.0040	----	----	----	----	14	UNCH
3620	----	----	----	*/0.70A	0.60B/	*0.70A	----	----	0.70 - 1.00	.0046	----	----	----	----	20	UNCH
3625	----	----	----	*/0.70A	0.60B/	*0.70A	----	----	0.70 - 1.00	.0046	----	----	----	----	134	UNCH
3630	----	----	----	*/0.70A	0.70B/	*0.70A	----	----	0.70 - 1.10	.0046	----	----	----	----	114	UNCH
3635	----	----	----	*/0.60A	0.70B/	*0.60A	----	----	0.70 - 1.10	.0047	----	----	----	----	20	UNCH
3640	----	----	----	*/0.70A	0.70B/	*0.70A	----	----	0.70 - 1.20	.0047	----	----	----	----	8	UNCH
3645	----	----	----	*/0.70A	0.70B/	*0.70A	----	----	0.70 - 1.20	.0047	----	----	----	----	17	UNCH
3650	----	----	----	*/0.70A	0.70B/	*0.70A	----	----	0.70 - 1.20	.0048	----	----	----	----	141	UNCH
3655	----	----	----	*/0.70A	0.70B/	*0.70A	----	----	0.80 - 1.20	.0054	----	----	----	----	31	UNCH
3660	----	----	----	*/0.70A	0.80B/	*0.70A	----	----	0.80 - 1.20	.0054	----	----	----	----	52	UNCH
3665	----	----	----	*/0.70A	0.80B/	*0.70A	----	----	0.80 - 1.30	.0055	----	----	----	----	22	UNCH
3670	----	----	----	*/0.70A	0.80B/	*0.70A	----	----	0.80 - 1.30	.0055	----	----	----	----	124	UNCH
3675	----	----	----	*/0.70A	0.90B/	*0.70A	----	----	0.80 - 1.40	.0055	----	----	----	----	141	UNCH
3680	----	----	----	*/0.70A	0.90B/	*0.70A	----	----	0.80 - 1.40	.0056	----	----	----	----	17	UNCH
3685	0.80	0.80	0.80	*/0.80	0.90B/	*0.80	----	----	0.90 - 1.40	.0062	----	----	1	----	67 +	1
3690	----	----	----	*/0.80A	1.00B/	*0.80A	----	----	0.90 - 1.40	.0063	----	----	----	----	68	UNCH
3695	0.80	0.80	0.80	*/0.80	1.00B/	*0.80										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

PG64 BULLETIN #113@			METALS OPTION PRODUCTS										Mon, Jun 15, 2026			PG64	
GLOBEX OPEN		OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	OPEN	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS															
JUL26																	
3910	2.00	2.00		2.10/*1.90A	4.30B/*1.90A	----		2.30	- 6.80	.0198	----	----	14	----	88	- 4	
3915	2.10	2.10		2.90/*2.00A	4.50B/*2.00A	----		2.40	- 7.10	.0207	----	----	5	----	34	+ 3	
3920	2.10	2.10		2.20/*2.00A	4.70B/*2.00A	----		2.50	- 7.30	.0216	----	----	2	----	141	- 2	
3925	2.20	2.20		2.20/*2.10A	4.90B/*2.10A	----		2.50	- 7.60	.0218	----	----	1	----	147	UNCH	
3930	5.20	5.20		5.20/*2.10A	5.20/*2.10A	----		2.60	- 7.90	.0228	----	----	6	----	86	- 1	
3935	2.50	2.50		2.50/*2.20A	5.30B/*2.20A	----		2.70	- 8.20	.0237	----	----	1	----	72	+ 1	
3940	3.00	3.00		3.00/*2.20A	5.50B/*2.20A	----		2.80	- 8.40	.0246	----	----	1	----	111	UNCH	
3945	----	----		----/*2.30A	5.80B/*2.30A	----		2.80	- 8.80	.0249	----	----	----	----	78	UNCH	
3950	4.10	4.10		4.10/*2.40A	6.00B/*2.40A	----		2.90	- 9.10	.0258	----	----	89	----	745	- 1	
3955	----	----		----/*2.40A	6.30B/*2.40A	----		3.00	- 9.50	.0268	----	----	----	----	162	UNCH	
3960	3.40	3.40		3.40/*2.50A	6.50B/*2.50A	----		3.10	- 9.80	.0278	----	----	21	----	215	+ 1	
3965	----	----		----/*2.60A	6.80B/*2.60A	----		3.20	- 10.20	.0288	----	----	2	----	176	UNCH	
3970	3.70	3.70		3.70/*2.60A	7.10B/*2.60A	----		3.30	- 10.50	.0298	----	----	1	----	119	UNCH	
3975	2.80	2.80		2.80/*2.70A	7.40B/*2.70A	----		3.40	- 10.90	.0308	----	----	3	----	77	- 2	
3980	----	----		----/*2.80A	7.70B/*2.80A	----		3.50	- 11.30	.0319	----	----	----	----	262	UNCH	
3985	4.10	4.10		4.10/*2.90A	8.00B/*2.90A	----		3.60	- 11.80	.0329	----	----	288	----	435	+ 115	
3990	8.20	8.20		8.20/*3.00A	8.40B/*3.00A	----		3.80	- 12.10	.0347	----	----	3	----	141	+ 1	
3995	4.10	4.10		4.10/*3.10A	8.70B/*3.10A	----		3.90	- 12.50	.0358	----	----	10	----	47	- 3	
4000	9.90	9.90		9.90/*3.20A	9.90/*3.20A	----		4.00	- 13.00	.0369	----	----	439	----	3311	- 120	
4005	3.40	3.40		3.40/*3.30A	9.50B/*3.30A	----		4.20	- 13.40	.0387	----	----	1	----	201	UNCH	
4010	3.60	3.60		3.60/*3.40A	9.90B/*3.40A	----		4.30	- 13.90	.0399	----	----	3	----	83	UNCH	
4015	6.20	6.20		6.20/*3.50A	10.30B/*3.50A	----		4.50	- 14.40	.0417	----	----	27	----	93	- 11	
4020	5.20	5.20		5.20/*3.60A	10.70B/*3.60A	----		4.60	- 14.90	.0429	----	----	10	----	177	- 4	
4025	5.50	5.50		5.50/*3.70A	11.10B/*3.70A	----		4.80	- 15.40	.0448	----	----	25	----	140	+ 4	
4030	4.10	4.10		4.10/*3.90A	11.60B/*3.90A	----		5.00	- 15.90	.0467	----	----	2	----	81	UNCH	
4035	6.00	6.00		6.00/*4.00A	12.00B/*4.00A	----		5.20	- 16.40	.0486	----	----	2	----	44	- 1	
4040	7.00	7.00		7.00/*4.20A	12.40B/*4.20A	----		5.40	- 17.00	.0506	----	----	9	----	49	+ 7	
4045	----	----		----/*4.30A	13.00B/*4.30A	----		5.60	- 17.50	.0526	----	----	----	----	51	UNCH	
4050	19.00	19.00		19.00/*4.50A	19.00/*4.50A	----		5.80	- 18.10	.0546	----	----	64	----	576	- 13	
4055	4.90	4.90		4.90/*4.70A	14.00B/*4.70A	----		6.00	- 18.70	.0566	----	----	1	----	84	+ 1	
4060	13.80	13.80		13.80/*4.80A	14.60B/*4.80A	----		6.30	- 19.30	.0593	----	----	15	----	153	+ 1	
4065	----	----		----/*5.00A	15.10B/*5.00A	----		6.50	- 19.90	.0614	----	----	----	----	165	UNCH	
4070	7.20	7.20		7.90/*5.20A	15.80B/*5.20A	----		6.80	- 20.50	.0642	----	----	7	----	54	+ 5	
4075	9.10	9.10		9.30/*5.40A	16.40B/*5.40A	----		7.00	- 21.40	.0664	----	----	4	----	129	+ 1	
4080	8.40	8.40		8.40/*5.60A	17.00B/*5.60A	----		7.30	- 22.00	.0692	----	----	4	----	119	+ 1	
4085	8.80	8.80		8.80/*5.80A	17.70B/*5.80A	----		7.60	- 22.70	.0721	----	----	2	----	27	+ 1	
4090	8.60	8.60		9.00/*6.10A	18.40B/*6.10A	----		7.90	- 23.40	.0750	----	----	8	----	82	- 2	
4095	8.20	8.20		8.20/*6.30A	19.00B/*6.30A	----		8.30	- 24.10	.0786	----	----	3	----	54	UNCH	
4100	17.00	17.00		17.30/*6.60A	19.90B/*6.60A	----		8.60	- 24.90	.0816	----	----	337	----	1496	+ 6	
4105	13.20	13.20		13.20/*6.90A	20.60B/*6.90A	----		9.00	- 25.60	.0853	----	----	2	----	61	- 1	
4110	9.90	9.90		9.90/*7.20A	21.40B/*7.20A	----		9.40	- 26.30	.0890	----	----	6	----	75	UNCH	
4115	17.70	17.70		17.70/*7.50A	22.30B/*7.50A	----		9.80	- 27.10	.0927	----	----	5	----	51	- 1	
4120	11.90	11.90		11.90/*7.80A	23.10B/*7.80A	----		10.20	- 28.00	.0965	----	----	12	----	112	UNCH	
4125	10.90	10.90		10.90/8.10A	24.00B/8.10A	----		10.60	- 28.80	.1003	----	----	13	----	324	+ 10	
4130	15.60	15.60		15.60/8.40A	24.90B/8.40A	----		11.10	- 29.60	.1047	----	----	4	----	159	+ 3	
4135	22.00	22.00		22.00/8.80A	25.90B/8.80A	----		11.50	- 30.60	.1087	----	----	10	----	52	+ 6	
4140	----	----		----/9.20A	27.00B/9.20A	----		12.00	- 31.50	.1132	----	----	1	----	66	UNCH	
4145	10.70	10.70		10.70/9.60A	27.90B/9.60A	----		12.60	- 32.30	.1184	----	----	4	----	299	+ 1	
4150	40.70	40.70		40.70/10.00A	40.70/10.00A	----		13.10	- 33.30	.1230	----	----	44	----	784	+ 4	
4155	11.60	11.60		15.20/10.40A	30.00B/10.40A	----		13.70	- 34.20	.1283	----	----	101	----	452	+ 99	
4160	14.30	14.30		14.30/10.80A	31.40B/10.80A	----		14.30	- 35.10	.1336	----	----	3	----	281	+ 1	
4165	14.50	14.50		14.80/11.30A	32.50B/11.30A	----		14.90	- 36.10	.1390	----	----	30	----	130	+ 8	
4170	15.20	15.20		16.50/11.80A	33.50B/11.80A	----		15.50	- 37.30	.1444	----	----	81	----	247	+ 50	
4175	16.40	16.40		17.80/12.40A	35.00B/12.40A	----		16.20	- 38.30	.1504	----	----	91	----	155	+ 19	
4180	17.50	17.50		17.50/12.90	36.30B/12.90	----		16.90	- 39.30	.1564	----	----	62	----	78	+ 39	
4185	14.90	14.90		14.90/13.50A	37.70B/13.50A	----		17.70	- 40.30	.1630	----	----	2	----	170	UNCH	
4190	15.60	15.60		16.50/14.10A	38.80B/14.10A	----		18.40	- 41.50	.1692	----	----	5	----	150	UNCH	
4195	----	----		----/14.70A	40.50B/14.70A	----		19.20	- 42.60	.1760	----	----	64	----	75	- 22	
4200	34.80	34.80		35.90/15.30A	41.80B/15.30A	----		20.10	- 43.70	.1832	----	----	212	----	1809	- 48	
4205	21.10	21.10		21.10/16.00A	43.30B/16.00A	----		20.90	- 44.90	.1901	----	----	8	----	106	- 1	
4210	30.20	30.20		30.20/16.70A	45.10B/16.70A	----		21.80	- 46.00	.1974	----	----	2	----	126	UNCH	
4215	----	----		----/17.40A	46.50B/17.40A	----		22.80	- 47.10	.2053	----	----	7	----	87	UNCH	
4220	29.50	29.50		29.50/18.00A	48.00B/18.00A	----		23.80	- 48.30	.2132	----	----	7	----	272	UNCH	
4225	----	----		----/18.90A	49.90B/18.90A	----		24.80	- 49.50								

2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT		COMEX GOLD OPTIONS																
JUL26																		
4595	----	----	----	----/218.00A	313.10B/218.00A	----			251.70 - 09.40	.9104	----	----	----	----		143	UNCH	
4600	247.10	247.10		247.10/222.50A	318.00B/222.50A	----			256.40 - 09.50	.9136	----	----	65	----		1451	UNCH	
4605				----/227.00A	322.80B/227.00A	----			261.10 - 09.60	.9168	----	----		----		87	UNCH	
4610				----/231.60A	327.50B/231.60A	----			265.70 - 09.90	.9200	----	----		----		120	UNCH	
4615				----/236.20A	332.40B/236.20A	----			270.50 - 09.90	.9231	----	----		----		56	UNCH	
4620				----/240.70A	337.00B/240.70A	----			275.20 - 10.00	.9262	----	----		----		51	UNCH	
4625				----/245.20A	341.90B/245.20A	----			279.90 - 10.20	.9292	----	----		----		175	UNCH	
4630				----/249.80A	346.80B/249.80A	----			284.60 - 10.40	.9315	----	----		----		16	UNCH	
4635				----/254.50A	351.70B/254.50A	----			289.40 - 10.40	.9345	----	----		----		168	UNCH	
4640				----/259.10A	356.50B/259.10A	----			294.20 - 10.50	.9368	----	----		----		157	UNCH	
4645				----/263.90A	361.20B/263.90A	----			298.90 - 10.70	.9390	----	----		----		29	UNCH	
4650				----/268.50A	366.00B/268.50A	----			303.70 - 10.80	.9412	----	----		----		452	UNCH	
4655				----/273.20A	371.00B/273.20A	----			308.50 - 10.80	.9433	----	----		----		13	UNCH	
4660				----/277.90A	375.90B/277.90A	----			313.30 - 10.90	.9455	----	----		----		100	UNCH	
4665				----/282.70A	380.80B/282.70A	----			318.20 - 10.90	.9476	----	----		----		24	UNCH	
4670				----/287.30A	385.60B/287.30A	----			323.00 - 11.00	.9497	----	----		----		101	UNCH	
4675				----/292.10A	390.40B/292.10A	----			327.80 - 11.20	.9510	----	----		----		171	UNCH	
4680				----/296.90A	395.40B/296.90A	----			332.70 - 11.20	.9530	----	----		----		163	UNCH	
4685				----/301.70A	400.30B/301.70A	----			337.50 - 11.30	.9543	----	----		----		8	UNCH	
4690				----/306.50A	405.20B/306.50A	----			342.40 - 11.30	.9563	----	----		----		60	UNCH	
4695				----/311.30A	410.10B/311.30A	----			347.20 - 11.40	.9575	----	----		----		202	UNCH	
4700	373.00	373.00		373.00/316.10A	414.90B/316.10A	----			352.10 - 11.40	.9587	----	----	4	----		767	UNCH	
4705				----/320.90A	419.90B/320.90A	----			357.00 - 11.50	.9607	----	----		----		30	UNCH	
4710				----/325.60A	424.80B/325.60A	----			361.90 - 11.50	.9619	----	----		----		127	UNCH	
4715				----/330.40A	429.70B/330.40A	----			366.70 - 11.60	.9630	----	----		1		121	UNCH	
4720				----/335.40A	433.00B/335.40A	----			371.60 - 11.70	.9642	----	----	1			60	UNCH	
4725				----/340.20A	438.00B/340.20A	----			376.50 - 11.70	.9653	----	----				227	UNCH	
4730				----/345.10A	442.90B/345.10A	----			381.40 - 11.80	.9664	----	----				72	UNCH	
4735				----/349.90A	447.70B/349.90A	----			386.30 - 11.80	.9675	----	----				37	UNCH	
4740				----/354.80A	452.80B/354.80A	----			391.20 - 11.90	.9686	----	----				119	UNCH	
4745						----			396.10 - 11.90	.9697	----	----				140	UNCH	
4750				----/365.50A	437.80B/365.50A	----			401.10 - 11.90	.9707	----	----				776	UNCH	
4755						----			406.00 - 11.90	.9710	----	----		5		14	UNCH	
4760	381.00	381.00		383.00/378.00	383.00/378.00	----			410.90 - 12.00	.9721	----	----				68	- 2	
4765						----			415.80 - 12.00	.9731	----	----				307	UNCH	
4770						----			420.80 - 12.00	.9741	----	----				11	UNCH	
4775						----			425.70 - 12.00	.9743	----	----				56	UNCH	
4780						----			430.60 - 12.10	.9753	----	----				39	UNCH	
4785						----			435.60 - 12.10	.9763	----	----				118	UNCH	
4790						----			440.50 - 12.10	.9765	----	----				3	UNCH	
4795						----			445.40 - 12.10	.9775	----	----				80	UNCH	
4800				----/414.60A	487.20B/414.60A	----			450.40 - 12.10	.9777	----	----				1252	UNCH	
4805						----			455.30 - 12.10	.9787	----	----				22	UNCH	
4810						----			460.30 - 12.10	.9788	----	----				11	UNCH	
4815						----			465.20 - 12.20	.9798	----	----				28	UNCH	
4820						----			470.20 - 12.10	.9799	----	----				207	UNCH	
4825						----			475.10 - 12.20	.9809	----	----				33	UNCH	
4830						----			480.10 - 12.20	.9810	----	----				5	UNCH	
4835						----			485.00 - 12.30	.9820	----	----				24	UNCH	
4840						----			490.00 - 12.20	.9821	----	----				10	UNCH	
4845						----			494.90 - 12.30	.9830	----	----				53	UNCH	
4850						----			499.90 - 12.30	.9831	----	----				300	UNCH	
4855						----			504.80 - 12.40	.9833	----	----				11	UNCH	
4860						----			509.80 - 12.30	.9842	----	----				8	UNCH	
4865						----			514.80 - 12.30	.9843	----	----				30	UNCH	
4870						----			519.70 - 12.40	.9844	----	----				319	UNCH	
4875						----			524.70 - 12.40	.9853	----	----				71	UNCH	
4880						----			529.70 - 12.40	.9854	----	----				41	UNCH	
4885						----			534.60 - 12.40	.9855	----	----				12	UNCH	
4890						----			539.60 - 12.40	.9863	----	----				9	UNCH	
4895						----			544.60 - 12.40	.9864	----	----				48	UNCH	
4900						----			549.50 - 12.50	.9865	----	----				260	UNCH	
4905						----			554.50 - 12.50	.9874	----	----				53	UNCH	
4910						----			559.50 - 12.50	.9875	----	----				4	UNCH	
4915						----			564.40 - 12.50	.9876	----	----				118	UNCH	
4920						----			569.40 - 12.50	.9876	----	----				22	UNCH	
4925						----			574.40 - 12.50	.9885	----	----				11	UNCH	
4930						----			579.40 - 12.50	.9886	----	----				52	UNCH	
4935						----			584.30 - 12.60	.9886	----	----				4	UNCH	
4940						----			589.30 - 12.60	.9887	----	----				1	UNCH	
4950						----			599.30 - 12.50	.9896	----	----				110	UNCH	
4975						----			624.20 - 12.60	.9907	----	----				2	UNCH	
4980						----			629.20 - 12.60	.9907	----	----				5	UNCH	
4985						----			634.10 - 12.70	.9908	----	----				103	UNCH	
4990						----			639.10 - 12.60	.9908	----	----				2	UNCH	
4995						----			644.10 - 12.60	.9909	----	----				12	UNCH	
5000	680.00	680.00		686.10B/612.60A	686.10B/612.60A	----			649.10 - 12.60	.9917	----	----	1			542	+ 1	
5005						----			654.10 - 12.60</									

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
COMEX GOLD OPTIONS														
AUG26														
2400	----	----	----	----	0.10B/0.50A	----	----	0.30 - 0.20	.0010	----	----	----	----	12
2425	----	----	----	----	0.20B/0.50A	----	----	0.30 - 0.20	.0010	----	----	----	----	1
2450	0.50	0.50		0.50/0.50	0.50/0.50	----	----	0.40 - 0.20	.0013	----	----	1	----	57 -
2475	----	----	----	----	0.20B/0.60A	----	----	0.40 - 0.20	.0013	----	----	----	----	5
2500	0.40	0.40		0.40/0.40	0.40/0.40	----	----	0.40 - 0.20	.0014	----	----	1	----	274
2540	----	----	----	----/*0.60A	0.30B/*0.60A	----	----	0.50 - 0.20	.0017	----	----	----	----	1
2550	----	----	----	----	0.30B/0.70A	----	----	0.50 - 0.20	.0017	----	----	----	----	1
2560	----	----	----	----	0.30B/0.70A	----	----	0.50 - 0.20	.0017	----	----	----	----	2
2570	----	----	----	----	0.30B/0.70A	----	----	0.50 - 0.20	.0017	----	----	----	----	10
2580	----	----	----	----	0.30B/0.70A	----	----	0.50 - 0.20	.0018	----	----	----	----	1
2590	----	----	----	----/*0.70A	0.30B/*0.70A	----	----	0.60 - 0.20	.0021	----	----	----	----	2
2600	----	----	----	----/*0.70A	0.30B/0.70A	----	----	0.60 - 0.20	.0021	----	----	----	----	8
2615	----	----	----	----/*0.70A	0.40B/*0.70A	----	----	0.60 - 0.20	.0021	----	----	----	----	1
2625	----	----	----	/0.70A	0.40B/0.70A	----	----	0.60 - 0.20	.0021	----	----	----	----	3
2630	0.40	0.40		0.40/*0.40	0.40/*0.40	----	----	0.60 NEW	.0021	----	----	2	----	2 +
2640	----	----	----	----/*0.70A	0.40B/*0.70A	----	----	0.60 - 0.20	.0021	----	----	----	----	1
2650	----	----	----	----/*0.70A	0.40B/*0.70A	----	----	0.60 - 0.30	.0022	----	----	----	----	2
2665	----	----	----	----/*0.70A	0.50B/*0.70A	----	----	0.60 - 0.30	.0022	----	----	----	----	1
2685	----	----	----	----/*0.70A	0.50B/*0.70A	----	----	0.60 - 0.30	.0022	----	----	----	----	1
2690	----	----	----	----/*0.70A	0.50B/*0.70A	----	----	0.60 - 0.30	.0022	----	----	----	----	1
2700	----	----	----	----/*0.80A	0.50B/*0.80A	----	----	0.70 - 0.30	.0026	----	----	----	----	42
2730	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	0.70 - 0.30	.0026	----	----	----	----	3
2735	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	0.70 - 0.40	.0026	----	----	----	----	1
2740	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	0.70 - 0.40	.0026	----	----	----	----	3
2745	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	0.70 - 0.40	.0026	----	----	----	----	2
2750	----	----	----	----/*0.80A	0.60B/*0.80A	----	----	0.70 - 0.40	.0026	----	----	----	----	4
2795	----	----	----	----/*0.90A	0.70B/*0.90A	----	----	0.80 - 0.40	.0031	----	----	----	----	6
2800	----	----	----	----/*0.90A	0.70B/*0.90A	----	----	0.80 - 0.40	.0031	----	----	----	----	76
2810	----	----	----	----/*0.90A	0.70B/*0.90A	----	----	0.80 - 0.50	.0031	----	----	----	----	5
2840	----	----	----	----/*1.00A	0.70B/*1.00A	----	----	0.80 - 0.60	.0032	----	----	----	----	2
2860	----	----	----	----/*1.00A	0.80B/*1.00A	----	----	0.80 - 0.60	.0032	----	----	----	----	1
2875	----	----	----	----/*1.00A	0.80B/*1.00A	----	----	0.80 - 0.70	.0032	----	----	----	----	4
2890	----	----	----	----/*1.10A	0.90B/*1.10A	----	----	0.90 - 0.60	.0036	----	----	----	----	1
2900	----	----	----	----/*1.10A	0.90B/*1.10A	----	----	0.90 - 0.70	.0037	----	----	8	----	38 +
2910	----	----	----	----/*1.10A	0.90B/*1.10A	----	----	0.90 - 0.70	.0037	----	----	----	----	1
2940	----	----	----	----/*1.20A	1.10B/*1.20A	----	----	1.00 - 0.70	.0041	----	----	----	----	2
2950	----	----	----	----/*1.20A	1.10B/*1.20A	----	----	1.00 - 0.80	.0041	----	----	----	----	17
2965	----	----	----	----/*1.20A	1.10B/*1.20A	----	----	1.00 - 0.80	.0042	----	----	----	----	2
2975	----	----	----	----/*1.20A	1.20B/*1.20A	----	----	1.00 - 0.90	.0042	----	----	----	----	2
2980	1.30	1.30		1.30/*1.30	1.30/*1.30	----	----	1.00 - 0.90	.0042	----	----	7	----	8 +
2990	----	----	----	----/*1.30A	1.20B/*1.30A	----	----	1.10 - 0.80	.0046	----	----	----	----	1
2995	----	----	----	----/*1.30A	1.20B/*1.30A	----	----	1.10 - 0.90	.0046	----	----	----	----	2
3000	1.10	1.10		1.10/*1.10	1.20B/*1.10	----	----	1.10 - 0.90	.0047	----	----	47	----	334 +
3005	----	----	----	----/*1.30A	1.20B/*1.30A	----	----	1.10 - 0.90	.0047	----	----	----	----	5
3010	----	----	----	----/*1.30A	1.30B/*1.30A	----	----	1.10 - 0.90	.0047	----	----	----	----	43
3015	----	----	----	----/*1.30A	1.30B/*1.30A	----	----	1.10 - 1.00	.0047	----	----	----	----	1
3025	----	----	----	----/*1.40A	1.30B/*1.40A	----	----	1.10 - 1.00	.0048	----	----	----	----	10
3040	----	----	----	----/*1.40A	1.40B/*1.40A	----	----	1.20 - 1.00	.0052	----	----	----	----	1
3045	----	----	----	----/*1.40A	1.40B/*1.40A	----	----	1.20 - 1.00	.0052	----	----	----	----	10
3050	----	----	----	----/*1.40A	1.40B/*1.40A	----	----	1.20 - 1.00	.0052	----	----	----	----	1
3065	----	----	----	----/*1.50A	1.40B/*1.50A	----	----	1.30 - 1.00	.0056	----	----	----	----	1
3080	----	----	----	----/*1.50A	1.50B/*1.50A	----	----	1.30 - 1.10	.0057	----	----	----	----	1
3090	----	----	----	----/*1.50A	1.50B/*1.50A	----	----	1.30 - 1.10	.0058	----	----	----	----	1
3095	----	----	----	----/*1.60A	1.60B/*1.60A	----	----	1.40 - 1.00	.0061	----	----	----	----	1
3100	----	----	----	----/*1.60A	1.60B/*1.60A	----	----	1.40 - 1.10	.0062	----	----	----	----	271
3105	----	----	----	----/*1.60A	1.60B/*1.60A	----	----	1.40 - 1.10	.0062	----	----	----	----	14
3110	----	----	----	----/*1.60A	1.60B/*1.60A	----	----	1.40 - 1.10	.0062	----	----	----	----	15
3115	----	----	----	----/*1.60A	1.70B/*1.60A	----	----	1.40 - 1.10	.0062	----	----	----	----	1
3120	----	----	----	----/*1.60A	1.70B/*1.60A	----	----	1.50 - 1.10	.0066	----	----	----	----	29
3125	----	----	----	----/*1.60A	1.70B/*1.60A	----	----	1.50 - 1.10	.0067	----	----	----	----	1
3130	----	----	----	----/*1.70A	1.70B/*1.70A	----	----	1.50 - 1.10	.0067	----	----	----	----	5
3145	----	----	----	----/*1.70A	1.80B/*1.70A	----	----	1.50 - 1.20	.0068	----	----	----	----	1
3150	----	----	----	----/*1.70A	1.80B/*1.70A	----	----	1.60 - 1.10	.0072	----	----	----	----	14
3155	----	----	----	----/*1.70A	1.80B/*1.70A	----	----	1.60 - 1.20	.0072	----	----	----	----	3
3160	----	----	----	----/*1.80A	1.90B/*1.80A	----	----	1.60 - 1.20	.0072	----	----	----	----	1
3165	----	----	----	----/*1.80A	1.90B/*1.80A	----	----	1.60 - 1.20	.0073	----	----	----	----	139
3170	----	----	----	----/*1.80A	1.90B/*1.80A	----	----	1.70 - 1.20	.0077	----	----	----	----	2
3175	----	----	----	----/*1.80A	1.90B/*1.80A	----	----	1.70 - 1.20	.0077	----	----	----	----	1
3180	----	----	----	----/*1.80A	2.00B/*1.80A	----	----	1.70 - 1.20	.0077	----	----	----	----	26
3185	----	----	----	----/*1.90A	2.00B/*1.90A	----	----	1.70 - 1.30	.0078	----	----	----	----	1
3190	----	----	----	----/*1.90A	2.00B/*1.90A	----	----	1.70 - 1.30	.0078	----	----	----	----	883
3195	----	----	----	----/*1.90A	2.10B/*1.90A	----	----	1.80 - 1.30	.0082	----	----	----	----	9
3200	2.30	2.30		2.30/*1.90A	2.30/*1.90A	----	----	1.80 - 1.30	.0082	----	----	1	----	475 +
3215	----	----	----	----/*2.00A	2.20B/*2.00A	----	----	1.90 - 1.30	.0087	----	----	----	----	1
3225	2.10	2.10		2.10/*2.00	2.20B/*2.00	----	----	1.90 - 1.40	.0088	----	----	3	----	10 +
3235	----	----	----	----/*2.10A	2.30B/*2.10A	----	----	2.00 - 1.40	.0092	----	----	----	----	20
3240	----	----	----	----/*2.10A	2.30B/*2.10A	----	----	2.00 - 1.50	.0093	----	----	----	----	1
3250	----	----	----	----/*2.10A	2.40B/*2.10A	----	----	2.10 - 1.50	.0097	----	----	----	----	500
3260	----	----	----	----/*2.20A	2.60B/*2.20A	----	----	2.10 - 1.60	.0098	----	----	----	----	33
3270	----	----	----	----/*2.20A	2.50B/*2.20A	----	----	2.20 - 1.60.						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS															
AUG26																
3575	----	----	----	---/*4.90A	7.00B/*4.90A	----	----	----	5.30 - 4.80	.0272	----	----	----	----	39	UNCH
3580	5.20	5.20	----	5.20/*5.00A	7.20B/*5.00A	----	----	----	5.40 - 4.90	.0278	----	----	3	----	25	+
3585	----	----	----	---/*5.10A	7.30B/*5.10A	----	----	----	5.40 - 5.10	.0279	----	----	----	----	50	UNCH
3590	----	----	----	---/*5.10A	7.50B/*5.10A	----	----	----	5.50 - 5.20	.0285	----	----	----	----	3	UNCH
3595	----	----	----	---/*5.20A	7.70B/*5.20A	----	----	----	5.60 - 5.30	.0290	----	----	----	----	8	UNCH
3600	6.70	6.70	----	6.70/*5.30	7.80B/*5.30	----	----	----	5.70 - 5.40	.0295	----	129	----	----	2601	+
3605	----	----	----	---/*5.40A	7.90B/*5.40A	----	----	----	5.80 - 5.50	.0301	----	----	----	----	5	UNCH
3610	5.60	5.60	----	5.60/*5.50A	8.10B/*5.50A	----	----	----	5.90 - 5.70	.0306	----	3	----	----	51	+
3615	----	----	----	---/*5.60A	8.30B/*5.60A	----	----	----	6.00 - 5.80	.0312	----	----	----	----	16	UNCH
3620	----	----	----	---/*5.70A	8.40B/*5.70A	----	----	----	6.10 - 5.90	.0318	----	----	----	----	4	UNCH
3625	7.30	7.30	----	7.40/*5.80A	8.60B/*5.80A	----	----	----	6.20 - 6.00	.0323	----	105	----	----	123	+
3630	----	----	----	---/*5.80A	8.80B/*5.80A	----	----	----	6.40 - 6.10	.0333	----	75	----	----	83	+
3635	----	----	----	---/*5.90A	9.00B/*5.90A	----	----	----	6.50 - 6.20	.0338	----	----	----	----	1	UNCH
3640	----	----	----	---/*6.00A	9.20B/*6.00A	----	----	----	6.60 - 6.40	.0344	----	----	----	----	69	UNCH
3645	----	----	----	---/6.20A	9.30B/6.20A	----	----	----	6.70 - 6.50	.0350	----	----	----	----	21	UNCH
3650	8.00	8.00	----	8.00/6.30A	9.70B/6.30A	----	----	----	6.80 - 6.70	.0355	----	81	----	----	133	+
3655	6.50	6.50	----	6.50/6.40	9.80B/6.40	----	----	----	7.00 - 6.80	.0365	----	5	----	----	59	+
3660	6.60	6.60	----	6.60/6.50A	9.90B/6.50A	----	----	----	7.10 - 7.00	.0371	----	2	----	----	13	+
3665	----	----	----	---/6.60A	10.20B/6.60A	----	----	----	7.20 - 7.10	.0377	----	----	----	----	2	UNCH
3670	6.90	6.90	----	6.90/6.70A	10.40B/6.70A	----	----	----	7.30 - 7.40	.0383	----	----	----	----	3	+
3675	7.80	7.80	----	7.80/6.80A	10.60B/6.80A	----	----	----	7.50 - 7.50	.0393	----	61	----	----	47	+
3680	8.20	8.20	----	8.20/7.00A	10.80B/7.00A	----	----	----	7.60 - 7.70	.0399	----	1	----	----	14	+
3685	----	----	----	---/7.10A	11.10B/7.10A	----	----	----	7.80 - 7.80	.0408	----	----	----	----	1	UNCH
3690	----	----	----	---/7.20A	11.30B/7.20A	----	----	----	7.90 - 8.00	.0415	----	----	----	----	15	UNCH
3695	7.50	7.50	----	8.30/7.30A	11.50B/7.30A	----	----	----	8.10 - 8.20	.0425	----	2	----	----	3	+
3700	8.80	8.80	----	8.80/7.50A	11.80B/7.50A	----	----	----	8.20 - 8.40	.0431	----	288	----	----	1726	+
3705	8.80	8.80	----	8.80/7.60A	12.10B/7.60A	----	----	----	8.40 - 8.50	.0441	----	1	----	----	27	UNCH
3710	8.30	8.30	----	8.30/7.70A	12.40B/7.70A	----	----	----	8.50 - 8.80	.0447	----	3	----	----	3	+
3715	----	----	----	---/7.90A	12.60B/7.90A	----	----	----	8.70 - 8.90	.0457	----	----	----	----	52	UNCH
3720	----	----	----	---/8.00A	12.80B/8.00A	----	----	----	8.90 - 9.10	.0467	----	3	----	----	97	+
3725	9.10	9.10	----	9.10/8.20A	13.10B/8.20A	----	----	----	9.00 - 9.30	.0474	----	1	----	----	74	+
3730	----	----	----	---/8.30A	13.40B/8.30A	----	----	----	9.20 - 9.50	.0484	----	----	----	----	14	UNCH
3735	9.50	9.50	----	9.50/8.50A	13.70B/8.50A	----	----	----	9.40 - 9.70	.0495	----	8	----	----	39	+
3740	----	----	----	---/8.60A	14.10B/8.60A	----	----	----	9.60 - 9.90	.0505	----	1	----	----	14	UNCH
3745	----	----	----	---/8.80A	14.30B/8.80A	----	----	----	9.80 - 10.10	.0515	----	----	----	----	3	UNCH
3750	13.00	13.00	----	13.00/9.00A	14.70B/9.00A	----	----	----	10.00 - 10.30	.0526	----	74	----	----	1190	-
3755	----	----	----	---/9.10A	15.00B/9.10A	----	----	----	10.20 - 10.50	.0536	----	----	----	----	10	UNCH
3760	----	----	----	---/9.30A	15.30B/9.30A	----	----	----	10.40 - 10.70	.0547	----	----	----	----	15	UNCH
3765	11.10	11.10	----	11.10/9.50A	15.70B/9.50A	----	----	----	10.60 - 10.90	.0558	----	2	----	----	101	+
3770	----	----	----	---/9.70A	16.00B/9.70A	----	----	----	10.80 - 11.20	.0568	----	----	----	----	14	UNCH
3775	11.70	11.70	----	11.70/9.90A	16.30B/9.90A	----	----	----	11.00 - 11.40	.0579	----	57	----	----	98	+
3780	12.00	12.00	----	12.00/10.10A	16.70B/10.10A	----	----	----	11.20 - 11.70	.0590	----	2	----	----	49	+
3785	11.60	11.60	----	11.60/10.30A	17.10B/10.30A	----	----	----	11.50 - 11.90	.0605	----	1	----	----	11	+
3790	12.00	12.00	----	12.50/10.50A	17.40B/10.50A	----	----	----	11.70 - 12.10	.0616	----	17	----	----	22	+
3795	12.50	12.50	----	12.70/10.70A	17.80B/10.70A	----	----	----	12.00 - 12.30	.0630	----	3	----	----	36	+
3800	14.40	14.40	----	14.40/10.90A	18.20B/10.90A	----	----	----	12.20 - 12.60	.0641	----	94	----	----	1912	-
3805	13.20	13.20	----	13.20/11.10A	18.60B/11.10A	----	----	----	12.50 - 12.90	.0656	----	3	----	----	14	+
3810	13.50	13.50	----	13.50/11.30A	19.00B/11.30A	----	----	----	12.70 - 13.20	.0667	----	2	----	----	78	UNCH
3815	13.50	13.50	----	13.50/11.50A	19.40B/11.50A	----	----	----	13.00 - 13.40	.0682	----	3	----	----	155	+
3820	14.30	14.30	----	14.30/11.80A	19.80B/11.80A	----	----	----	13.30 - 13.70	.0697	----	3	----	----	110	UNCH
3825	13.40	13.40	----	13.50/12.00A	20.30B/12.00A	----	----	----	13.50 - 14.00	.0709	----	96	----	----	81	-
3830	16.00	16.00	----	16.00/12.30A	20.70B/12.30A	----	----	----	13.80 - 14.30	.0724	----	26	----	----	50	+
3835	----	----	----	---/12.50A	21.20B/12.50A	----	----	----	14.10 - 14.60	.0739	----	----	----	----	58	UNCH
3840	----	----	----	---/12.80A	21.60B/12.80A	----	----	----	14.40 - 14.80	.0754	----	----	----	----	28	UNCH
3845	15.00	15.00	----	15.30/13.00A	22.10B/13.00A	----	----	----	14.70 - 15.20	.0770	----	3	----	----	56	-
3850	21.30	21.30	----	21.30/13.30A	22.60B/13.30A	----	----	----	15.00 - 15.50	.0785	----	41	----	----	2267	-
3855	16.30	16.30	----	16.80/13.60A	23.10B/13.60A	----	----	----	15.40 - 15.70	.0804	----	3	----	----	10	-
3860	16.40	16.40	----	16.40/13.90A	23.60B/13.90A	----	----	----	15.70 - 16.00	.0819	----	1	----	----	1	+
3865	----	----	----	---/14.20A	24.10B/14.20A	----	----	----	16.00 - 16.40	.0835	----	----	----	----	3	UNCH
3870	17.10	17.10	----	17.10/14.40A	24.60B/14.40A	----	----	----	16.40 - 16.70	.0854	----	1	----	----	21	-
3875	14.90	14.90	----	14.90/14.80A	25.20B/14.80A	----	----	----	16.70 - 17.00	.0870	----	3	----	----	44	-
3880	15.60	15.60	----	15.60/15.10A	25.70B/15.10A	----	----	----	17.10 - 17.30	.0889	----	2	----	----	93	-
3885	----	----	----	---/15.40A	26.20B/15.40A	----	----	----	17.50 - 17.70	.0909	----	1	----	----	98	UNCH
3890	----	----	----	---/15.70A	26.80B/15.70A	----	----	----	17.90 - 18.00	.0928	----	1	----	----	86	-
3895	20.30	20.30	----	22.00/16.10A	27.30B/16.10A	----	----	----	18.20 - 18.40	.0944	----	2	----	----	28	+
3900	26.60	26.60	----	26.60/16.40A	28.00B/16.40A	----	----	----	18.60 - 18.80	.0964	----	148	----	----	3364	+
3905	19.90	19.90	----	19.90/16.80A	28.50B/16.80A	----	----	----	19.10 - 19.00	.0987	----	2	----	----	28	UNCH
3910	20.70	20.70	----	20.70/17.10A	29.20B/17.10A	----	----	----	19.50 - 19.40	.1007	----	4	----	----	113	-
3915	----	----	----	---/17.50A	29.80B/17.50A	----	----	----	19.90 - 19.80	.1027	----	10	----	----	74	+
3920	21.20	21.20	----	21.20/17.90A	30.50B/17.90A	----	----	----	20.30 - 20.20	.1047	----	1	----	----	136	-
3925	31.50	31.50	----	31.50/18.20A	31.50B/18.20A	----	----	----	20.80 - 20.60	.1070	----	69	----	----	173	+
3930	----	----	----	---/18.60A	31.80B/18.60A	----	----	----	21.30 - 20.90	.1093	----	----	----	----	65	UNCH
3935	29.10	29.10	----	29.10/19.00A	32.50B/19.00A	----	----	----	21.70 - 21.40	.1114	----	8	----	----	128	+
3940	22.20	22.20	----	23.10/19.50A	33.20B/19.50A	----	----	----	22.20 - 21.80	.1137	----	5	----	----	37	+
3945	30.80	30.80	----	30.80/19.90A	33.90B/19.90A	----	----	----	22.70 - 22.20	.1161	----	6	----	----	8	+
3950	20.90	20.90	----	24.20/20.30A	34.70B/20.30A	----	----	----	23.20 - 22.60	.1185	----	64	----	----	371	+
3955	24.70	24.70	----	24.70/20.80A	35.30B/20.80A	----	----	----	23.70 - 23.00	.1209	----	2	----	----	15	UNCH
3960	21.80	21.80	----	21.80/21.20A	36.10B/21.20A	----	----	----	24.30 - 23.30	.1236	----	5	----	----	64	-
3965	22.30	22.30	----	22.30/21.70A	37.00B/21.70A	----	----	----	24.80 - 23.80	.1260	----	1	----	----	46	-
3970	----	----	----	---/22.20A	37.60B/22.20A	----	----	----	25.40 - 24.30	.1287	----	----	----	----	21	UNCH
3975	38.00	38.00	----	38.00/22.70A	38.50B/22.70A	----	----	----	25.90 - 24.80	.1311	----	3	----	----	343	+
3980	23.80	23.80	----	23.80/23.20A	39.30B/23.20A	----	----	----	26.50 - 25.20	.1339	----	1	----	----	283	UNCH
3985	----	----	----	---/23.70A	40.20B/23.70A	----	----	----	27.10 - 25.70	.1366	----	----	----	----	4	UNCH
3990	25.80	25.80	----	25.80/24.20A	41.00B/24.20A	----	----	----	27.70 - 26.10	.1394	----	8	----	----	153	+
3995	----	----	----	---/24.80A	42.00B/24.80A	----	----	----	28.40 - 26.50	.1424	----	3	----	----	47	-
4000	41.80	41.80	----	41.80/25.30	42.90B/25.30	----	----	----	29.00 - 27.00	.1452	----	273	----	50	4880	+
4005	35.00	35.00	----	35.00/25.90A	43.80B/25.90A	----	----	----	29.60 - 27.50	.1480	----	3	----	----	10	+

PG64 BULLETIN #113@			METALS OPTION PRODUCTS										Mon, Jun 15, 2026			PG64	
GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT COMEX GOLD OPTIONS																	
AUG26																	
4260	----	----	----/78.90A	121.80B/78.90A	----		90.70 - 58.60	.3744	----	----	----	----	51	UNCH			
4265	----	----	----/80.50A	124.10B/80.50A	----		92.60 - 59.30	.3802	----	----	1	----	10	UNCH			
4270	104.30	104.30	104.30/82.20A	126.40B/82.20A	----		94.50 - 60.00	.3860	----	----	15	----	310	UNCH			
4275	106.10	106.10	106.10/84.00A	128.80B/84.00A	----		96.50 - 60.70	.3919	----	----	8	----	98	-	6		
4280	89.20	89.20	90.90/85.70A	131.10B/85.70A	----		98.50 - 61.30	.3978	----	----	41	----	377	+	7		
4285	104.00	104.00	104.60/87.50A	133.50B/87.50A	----		100.50 - 62.00	.4037	----	----	3	----	194	+	3		
4290	----	----	----/89.20A	136.00B/89.20A	----		102.60 - 62.70	.4097	----	----	----	----	86	UNCH			
4295	108.90	108.90	108.90/91.10A	138.50B/91.10A	----		104.70 - 63.40	.4156	----	----	2	----	29	+	2		
4300	134.00	134.00	134.00/92.90A	141.00B/92.90A	----		106.80 - 64.10	.4216	----	----	365	----	1315	+	169		
4305	122.70	122.70	122.70/94.80A	143.50B/94.80A	----		109.00 - 64.80	.4277	----	----	2	----	519	-	2		
4310	122.70	122.70	122.70/96.80A	145.80B/96.80A	----		111.20 - 65.30	.4337	----	----	1	----	21	UNCH			
4315	137.20	137.20	137.20/98.70A	148.70B/98.70A	----		113.40 - 66.10	.4398	----	----	11	----	30	+	5		
4320	127.40	127.40	127.40/100.80A	151.30B/100.80A	----		115.70 - 66.70	.4459	----	----	11	----	64	+	7		
4325	142.20	142.20	142.20/102.80A	153.90B/102.80A	----		118.00 - 67.40	.4520	----	----	34	----	446	+	11		
4330	130.90	130.90	130.90/104.90A	157.10B/104.90A	----		120.40 - 68.00	.4581	----	----	1	----	142	-	1		
4335	140.00	140.00	140.00/107.00A	159.40B/107.00A	----		122.70 - 68.70	.4642	----	----	1	----	11	+	1		
4340	142.50	142.50	142.50/109.10A	162.10B/109.10A	----		125.10 - 69.30	.4703	----	----	10	----	76	+	2		
4345	138.30	138.30	138.30/111.20A	165.00B/111.20A	----		127.60 - 69.90	.4765	----	----	9	----	38	+	3		
4350	156.30	156.30	156.30/113.40A	167.80B/113.40A	----		130.10 - 70.60	.4826	----	----	143	50	1242	+	9		
4355	143.30	143.30	143.30/115.70A	170.60B/115.70A	----		132.60 - 71.20	.4888	----	----	4	----	138	+	1		
4360	128.50	128.50	128.50/117.90A	173.50B/117.90A	----		135.10 - 71.80	.4949	----	----	8	----	93	+	3		
4365	134.90	134.90	134.90/120.40A	176.50B/120.40A	----		137.70 - 72.50	.5011	----	----	3	----	119	UNCH			
4370	126.70	126.70	129.20/122.80A	179.50B/122.80A	----		140.30 - 73.10	.5072	----	----	15	----	13	+	11		
4375	138.40	138.40	138.40/125.10A	182.40B/125.10A	----		143.00 - 73.70	.5133	----	----	16	----	102	+	12		
4380	147.70	147.70	147.70/127.50A	185.10B/127.50A	----		145.60 - 74.50	.5195	----	----	55	----	67	+	46		
4385	145.20	145.20	145.20/130.00A	188.50B/130.00A	----		148.40 - 75.10	.5256	----	----	3	----	16	UNCH			
4390	----	----	----/132.40A	191.50B/132.40A	----		151.10 - 75.70	.5317	----	----	1	----	48	+	1		
4395	138.80	138.80	142.20/135.00A	194.60B/135.00A	----		153.90 - 76.30	.5378	----	----	18	----	48	+	14		
4400	183.00	183.00	183.00/137.50A	197.90B/137.50A	----		156.70 - 76.90	.5438	----	----	59	----	2000	-	4		
4405	144.10	144.10	145.60/140.10A	201.10B/140.10A	----		159.60 - 77.50	.5498	----	----	9	----	67	+	2		
4410	----	----	----/142.70A	204.30B/142.70A	----		162.40 - 78.20	.5559	----	----	----	----	356	UNCH			
4415	----	----	----/145.50A	207.60B/145.50A	----		165.40 - 78.60	.5619	----	----	----	----	151	UNCH			
4420	----	----	----/148.10A	210.90B/148.10A	----		168.30 - 79.20	.5679	----	----	----	----	27	UNCH			
4425	154.10	154.10	154.10/150.80A	214.20B/150.80A	----		171.30 - 79.80	.5738	----	----	10	----	127	-	1		
4430	156.40	156.40	156.40/153.60A	217.50B/153.60A	----		174.30 - 80.40	.5798	----	----	4	----	49	-	4		
4435	161.80	161.80	161.80/156.40A	220.90B/156.40A	----		177.40 - 80.90	.5857	----	----	5	----	39	UNCH			
4440	----	----	----/159.20A	224.30B/159.20A	----		180.50 - 81.50	.5915	----	----	----	----	97	UNCH			
4445	----	----	----/162.00A	227.70B/162.00A	----		183.60 - 81.90	.5974	----	----	----	----	9	UNCH			
4450	168.70	168.70	168.70/164.70A	231.20B/164.70A	----		186.70 - 82.50	.6032	----	----	4	----	1180	-	3		
4455	----	----	----/167.70A	234.70B/167.70A	----		189.90 - 83.00	.6090	----	----	----	----	273	UNCH			
4460	220.60	220.60	221.90/170.80A	238.20B/170.80A	----		193.10 - 83.60	.6147	----	----	19	----	35	-	2		
4465	----	----	----/173.70A	241.80B/173.70A	----		196.40 - 84.10	.6204	----	----	----	----	57	UNCH			
4470	181.70	181.70	182.20/176.00A	245.30B/176.00A	----		199.60 - 84.70	.6260	----	----	9	----	118	UNCH			
4475	----	----	----/179.10A	248.90B/179.10A	----		202.90 - 85.10	.6316	----	----	----	----	232	UNCH			
4480	----	----	----/182.90A	252.60B/182.90A	----		206.30 - 85.50	.6373	----	----	----	----	141	UNCH			
4485	----	----	----/186.00A	256.20B/186.00A	----		209.60 - 86.10	.6428	----	----	----	----	42	UNCH			
4490	----	----	----/188.90A	259.90B/188.90A	----		213.00 - 86.60	.6483	----	----	1	----	20	-	1		
4495	----	----	----/192.30A	263.60B/192.30A	----		216.50 - 87.00	.6536	----	----	----	----	48	UNCH			
4500	----	----	----/195.50A	267.40B/195.50A	----		219.90 - 87.60	.6591	----	----	2	----	1997	+	1		
4505	----	----	----/198.80A	271.10B/198.80A	----		223.40 - 87.90	.6645	----	----	----	----	47	UNCH			
4510	----	----	----/202.00A	274.90B/202.00A	----		226.90 - 88.40	.6696	----	----	----	----	56	UNCH			
4515	----	----	----/205.30A	278.70B/205.30A	----		230.40 - 89.00	.6750	----	----	4	----	50	-	1		
4520	----	----	----/208.40A	282.60B/208.40A	----		234.00 - 89.40	.6801	----	----	----	----	266	UNCH			
4525	----	----	----/212.00A	286.30B/212.00A	----		237.60 - 89.90	.6853	----	----	2	----	244	+	2		
4530	----	----	----/215.30A	290.20B/215.30A	----		241.20 - 90.30	.6904	----	----	4	----	34	-	1		
4535	----	----	----/218.80A	294.10B/218.80A	----		244.90 - 90.70	.6954	----	----	----	----	71	UNCH			
4540	----	----	----/222.00A	298.10B/222.00A	----		248.50 - 91.30	.7004	----	----	1	----	68	-	1		
4545	----	----	----/225.80A	302.10B/225.80A	----		252.20 - 91.70	.7053	----	----	----	----	41	UNCH			
4550	----	----	----/229.20A	306.00B/229.20A	----		256.00 - 92.10	.7102	----	----	14	----	278	+	13		
4555	----	----	----/232.60A	310.00B/232.60A	----		259.70 - 92.50	.7150	----	----	----	----	124	UNCH			
4560	----	----	----/236.40A	314.00B/236.40A	----		263.50 - 92.90	.7197	----	----	----	----	221	UNCH			
4565	----	----	----/240.00A	318.10B/240.00A	----		267.30 - 93.20	.7245	----	----	----	----	20	UNCH			
4570	----	----	----/243.60A	322.10B/243.60A	----		271.10 - 93.60	.7292	----	----	----	----	84	UNCH			
4575	----	----	----/246.90A														

BULLETIN #113@		METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS																
AUG26																	
5000	----	----	----	----/620.40A	718.00B/620.40A	----			656.60 - 09.60	.9395	----	----	1	----	335	UNCH	
5005	----	----	----	----/625.30A	722.90B/625.30A	----			661.50 - 09.50	.9402	----	----	----	----	0	UNCH	
5010	----	----	----	----/630.10A	727.90B/630.10A	----			666.30 - 09.60	.9409	----	----	----	----	1	UNCH	
5025	----	----	----	----/644.50A	742.70B/644.50A	----			680.90 - 09.80	.9438	----	----	25	----	25	UNCH	
5030	----	----	----	----/649.40A	747.50B/649.40A	----			685.80 - 09.80	.9444	----	----	----	----	3	UNCH	
5040	----	----	----	----/659.10A	757.30B/659.10A	----			695.50 - 09.90	.9458	----	----	----	----	4	UNCH	
5045	----	----	----	----/664.00A	#762.10B/664.00A	----			700.40 - 09.90	.9469	----	----	----	----	31	UNCH	
5050	----	----	----	----/668.70A	#767.20B/668.70A	----			705.20 - 10.00	.9475	----	----	----	----	351	UNCH	
5070	----	----	----	----/688.20A	#786.80B/688.20A	----			724.70 - 10.20	.9502	----	----	----	----	17	UNCH	
5080	----	----	----	----/698.00A	756.10B/698.00A	----			734.50 - 10.30	.9519	----	----	----	----	3	UNCH	
5085	----	----	----	----/702.80A	761.00B/702.80A	----			739.40 - 10.30	.9525	----	----	----	----	10	UNCH	
5100	----	----	----	----	----	----			754.10 - 10.40	.9544	----	----	----	----	85	UNCH	
5120	----	----	----	----	----	----			773.70 - 10.60	.9569	----	----	----	----	2	UNCH	
5180	----	----	----	----	----	----			832.60 - 10.90	.9628	----	----	----	----	1	UNCH	
5200	----	----	----	----	----	----			852.30 - 11.00	.9647	----	----	----	----	114	UNCH	
5265	----	----	----	----	----	----			916.50 - 11.30	.9698	----	----	----	----	1	UNCH	
5300	----	----	----	----	----	----			951.10 - 11.50	.9723	----	----	----	----	3	UNCH	
5355	----	----	----	----	----	----			1005.60 - 11.70	.9755	----	----	----	----	1	UNCH	
5400	----	----	----	----	----	----			1050.30 - 11.80	.9776	----	----	----	----	77	UNCH	
5460	----	----	----	----	----	----			1109.90 - 11.90	.9802	----	----	----	----	1	UNCH	
5500	----	----	----	----	----	----			1149.70 - 12.00	.9816	----	----	----	----	4	UNCH	
5530	----	----	----	----	----	----			1179.50 - 12.20	.9824	----	----	----	----	1	UNCH	
5575	----	----	----	----	----	----			1224.30 - 12.30	.9837	----	----	----	----	2	UNCH	
TOTAL													5746	270	67893+	961	
SEP26																	
2000	----	----	----	----/*0.60A	0.50B/*1.00A	----			0.40 - 0.20	.0010	----	----	----	----	1	UNCH	
2350	----	----	----	----/*1.00A	0.60B/*1.10A	----			0.70 - 0.40	.0021	----	----	----	----	37	UNCH	
2375	----	----	----	----/*1.10A	0.60B/*1.10A	----			0.80 - 0.40	.0023	----	----	----	----	5	UNCH	
2400	----	----	----	----/*1.30A	0.90B/*1.30A	----			0.80 - 0.40	.0024	----	----	----	----	1	UNCH	
2500	----	----	----	----/*1.40A	1.00B/*1.40A	----			1.00 - 0.50	.0031	----	----	----	----	36	UNCH	
2575	----	----	----	----/*1.50A	1.10B/*1.50A	----			1.10 - 0.60	.0035	----	----	----	----	6	UNCH	
2600	----	----	----	----/*1.70A	1.40B/*1.70A	----			1.20 - 0.60	.0038	----	----	----	----	3	UNCH	
2705	----	----	----	----/*1.80A	1.50B/*1.80A	----			1.50 - 0.70	.0049	----	----	----	----	4	UNCH	
2740	----	----	----	----	----	----			1.60 - 0.70	.0053	----	----	----	----	2	UNCH	
2800	2.00	2.00	----	2.00/*2.00	2.00/*2.00	----			1.80 - 0.80	.0061	----	----	1	----	12 +	1	
2825	1.90	1.90	----	1.90/*1.90	1.90/*1.90	----			1.90 - NEW	.0065	----	----	1	----	1	+	
2845	----	----	----	----/*2.10A	1.90B/*2.10A	----			2.00 - 0.90	.0068	----	----	----	----	1	UNCH	
2850	----	----	----	----/*2.10A	1.90B/*2.10A	----			2.00 - 0.90	.0068	----	----	----	----	4	UNCH	
2855	----	----	----	----/*2.20A	2.00B/*2.20A	----			2.00 - 0.90	.0069	----	----	----	----	1	UNCH	
2860	----	----	----	----/2.20A	2.00B/2.20A	----			2.00 - 1.00	.0069	----	----	6	----	31 +	6	
2865	----	----	----	----/*2.20A	2.00B/*2.20A	----			2.00 - 1.00	.0069	----	----	----	----	15	UNCH	
2900	----	----	----	----/*2.30A	2.20B/*2.30A	----			2.20 - 1.00	.0077	----	----	----	----	46	UNCH	
2915	----	----	----	----/*2.40A	2.20B/*2.40A	----			2.30 - 1.00	.0080	----	----	----	----	2	UNCH	
2920	----	----	----	----/*2.40A	2.30B/*2.40A	----			2.30 - 1.10	.0081	----	----	----	----	5	UNCH	
2950	----	----	----	----/*2.60A	2.40B/*2.60A	----			2.40 - 1.20	.0085	----	----	----	----	1	UNCH	
3000	----	----	----	----/2.80A	2.70B/2.80A	----			2.70 - 1.30	.0097	----	----	6	----	17 -	1	
3045	----	----	----	----/*3.00A	3.00B/*3.00A	----			3.00 - 1.50	.0109	----	----	----	----	25	UNCH	
3055	----	----	----	----/*3.10A	3.10B/*3.10A	----			3.10 - 1.50	.0113	----	----	----	----	5	UNCH	
3100	3.50	3.50	----	3.50/*3.40A	3.50/*3.40A	----			3.40 - 1.70	.0125	----	----	2	----	37	UNCH	
3145	----	----	----	----/*3.70A	3.90B/*3.70A	----			3.70 - 2.00	.0139	----	----	----	----	2	UNCH	
3150	----	----	----	----/*3.80A	4.00B/*3.80A	----			3.80 - 1.90	.0142	----	----	----	----	2	UNCH	
3200	----	----	----	----/*4.20A	4.60B/*4.20A	----			4.20 - 2.30	.0160	----	----	1	----	27 +	1	
3240	----	----	----	----/*4.60A	5.10B/*4.60A	----			4.60 - 2.60	.0177	----	----	----	----	1	UNCH	
3250	5.00	5.00	----	5.00/*4.70A	5.30B/*4.70A	----			4.70 - 2.70	.0181	----	----	1	----	7 +	1	
3270	----	----	----	----/*4.90A	5.50B/*4.90A	----			5.00 - 2.80	.0193	----	----	----	----	15	UNCH	
3280	----	----	----	----/*5.00A	5.70B/*5.00A	----			5.10 - 2.90	.0197	----	----	----	----	1	UNCH	
3300	----	----	----	----/*5.20A	6.10B/*5.20A	----			5.30 - 3.10	.0207	----	----	2	----	21 -	2	
3335	----	----	----	----/*5.70A	6.70B/*5.70A	----			5.80 - 3.50	.0228	----	----	----	----	1	UNCH	
3345	----	----	----	----/*5.80A	6.90B/*5.80A	----			6.00 - 3.50	.0236	----	----	----	----	1	UNCH	
3350	----	----	----	----/5.90A	7.10B/5.90A	----			6.10 - 3.60	.0239	----	----	----	----	28	UNCH	
3370	----	----	----	----/6.20A	7.50B/6.20A	----			6.40 - 3.80	.0253	----	----	----	----	5	UNCH	
3385	----	----	----	----/6.50A	7.80B/6.50A	----			6.60 - 4.10	.0262	----	----	----	----	1	UNCH	
3395	----	----	----	----/6.60A	8.10B/6.60A	----			6.80 - 4.20	.0270	----	----	----	----	3	UNCH	
3400	----	----	----	----/6.70A	8.20B/6.70A	----			6.90 - 4.30	.0274	----	----	----	----	79	UNCH	
3405	----	----	----	----/6.80A	8.30B/6.80A	----			7.00 - 4.30	.0278	----	----	----	----	24	UNCH	
3420	----	----	----	----/7.10A	8.70B/7.10A	----			7.30 - 4.60	.0291	----	----	----	----	1	UNCH	
3430	----	----	----	----/7.20A	9.00B/7.20A	----			7.50 - 4.70	.0299	----	----	----	----	1	UNCH	
3445	----	----	----	----/7.50A	9.40B/7.50A	----			7.80 - 5.00	.0312	----	----	----	----	1	UNCH	
3450	----	----	----	----/7.60A	9.60B/7.60A	----			7.90 - 5.10	.0316	----	----	----	----	28	UNCH	
3455	----	----	----	----/7.70A	9.70B/7.70A	----			8.00 - 5.20	.0321	----	----	----	----	9	UNCH	
3475	----	----	----	----/8.20A	10.40B/8.20A	----			8.50 - 5.50	.0341	----	----	----	----	1	UNCH	
3480	----	----	----	----/8.30A	10.50B/8.30A	----			8.60 - 5.60	.0346	----	----	----	----	781	UNCH	
3485	----	----	----	----/8.40A	10.70B/8.40A	----			8.80 - 5.60	.0353	----	----	----	----	46	UNCH	
3495	----	----	----	----/8.60A	11.10B/8.60A	----			9.00 - 5.90	.0362	----	----	----	----	1	UNCH	
3500	----	----	----	----/8.70A	11.30B/8.70A	----			9.10 - 6.00	.0367	----	----	10	----	886	UNCH	
3505	----	----	----	----/8.90A	11.40B/8.90A	----			9.30 - 6.10	.0374	----	----	----	----	18 +	10	
3515	----	----	----	----/9.10A	11.90B/9.10A	----			9.50 - 6.40	.0383	----	----	----	----	26	UNCH	
3520	----	----	----	----/9.20A	12.00B/9.20A	----			9.70 - 6.40	.0391	----	----	----	----	49	UNCH	
3525	----	----	----	----/9.40A	12.20B/9.40A	----			9.80 - 6.60	.0396	----	----	----	----	2	UNCH	
3530	----	----	----	----/9.50A	12.40B/9.50A	----			10.00 - 6.60	.0403	----	----	----	----	2	UNCH	
3535	----	----	----	----/9.70A	12.60B/9.70A	----			10.10 - 6.80	.0408	----	----	----	----	1	UNCH	
3540	----	----	----	----/9.80A	12.80B/9.80A	----			10.30 - 6.90	.0416	----	----	----	----	7	UNCH	
3545	----	----	----	----/9.90A	13.00B/9.90A	----			10.40 - 7.10	.0420	----	----	----	----	7	UNCH	
3550	----	----	----	----/10.10A	13.30B/10.10A	----			10.60 - 7.10	.0428	----	----	----	----	34	UNCH	
3555	----	----	----	----/10.20A	13.50B/10.20A	----			10.80 - 7.20	.0436	----	----	----	----	6	UNCH	
3560	----	----	----	----/10.40A	13.80B/10.40A	----			10.90 - 7.40	.0441	----	----	----	----	3	UNCH	
3565	----	----	----	----/10.50A	13.90B/10.50A	----			11.10 - 7.50	.0449	----	----	----	----	8	UNCH	
3570	11.00	11.00	----	11.00/10.70A	14.10B/10.70A	----			11.30 - 7.60	.0456	----	----	3	----	1	UNCH	
3575	----	----	----	----/10.90A	14.40B/10.90A	----			11.40 - 7.80	.0461	----	----	----	----	46	UNCH	
3580	----	----	----	----/11.00A	14.60B/11.00A	----			11.60 - 8.00	.0469	----	----	----	----	5	UNCH	
3585	----	----	----	----/11.20A	14.90B/11.20A	----			11.80 - 8.10	.0477	----	----	----	----	250	UNCH	
3590	----	----	----	----/11.30A	15.10B/11.30A	----			12.00 - 8.20	.0485	----	----	----	----	5	UNCH	
3595	----	----	----	----/11.50A	15.40B/11.50A	----			12.20 - 8.30	.0493	----	----	----	----	6	UNCH	
3600	----	----	----	----/11.70A	15.70B/11.70A	----			12.40 - 8.50	.0501	----	----	21	----	365 +	10	
3605	----	----	----	----/11.90A	15.90B/11.90A	----			12.60 - 8.60	.0509	----	----	----	----	19	UNCH	
3610	----	----	----	----/12.10A	16.20B/12.10A	----			12								

PG64		BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT SEP26		COMEX GOLD OPTIONS																						
3835	----	----	----	----	---/24.80A	35.60B/24.80A	----	----	27.10	- 18.70	.1066	----	----	----	----	3	UNCH							
3840	----	----	----	----	---/25.20A	36.10B/25.20A	----	----	27.60	- 19.00	.1084	----	----	----	----	104	UNCH							
3845	----	----	----	----	---/25.60A	36.90B/25.60A	----	----	28.00	- 19.40	.1100	----	----	----	----	2	UNCH							
3850	----	----	----	----	---/26.00A	37.60B/26.00A	----	----	28.50	- 19.70	.1118	----	----	1	----	61	UNCH							
3860	----	----	----	----	---/26.90A	38.80B/26.90A	----	----	29.60	- 20.20	.1157	----	----	----	----	3	UNCH							
3865	----	----	----	----	---/27.40A	39.60B/27.40A	----	----	30.10	- 20.50	.1175	----	----	----	----	1	UNCH							
3870	----	----	----	----	---/27.90A	40.10B/27.90A	----	----	30.60	- 20.90	.1193	----	----	----	----	1	UNCH							
3875	----	----	----	----	---/28.40A	40.80B/28.40A	----	----	31.20	- 21.10	.1214	----	----	----	----	193	UNCH							
3880	----	----	----	----	---/28.80A	41.60B/28.80A	----	----	31.70	- 21.50	.1232	----	----	1	----	36	UNCH							
3885	----	----	----	----	---/29.30A	42.50B/29.30A	----	----	32.30	- 21.80	.1253	----	----	----	----	101	UNCH							
3890	----	----	----	----	---/29.80A	43.10B/29.80A	----	----	32.80	- 22.20	.1272	----	----	----	----	8	UNCH							
3895	----	----	----	----	---/30.40A	44.00B/30.40A	----	----	33.40	- 22.50	.1293	----	----	----	----	34	UNCH							
3900	31.30	31.30			35.00/30.80A	44.90B/30.80A	----	----	34.00	- 22.80	.1313	----	----	14	----	737	- 1							
3905	----	----	----	----	---/31.40A	45.40B/31.40A	----	----	34.60	- 23.10	.1335	----	----	----	----	4	UNCH							
3910	----	----	----	----	---/32.00A	46.40B/32.00A	----	----	35.20	- 23.50	.1356	----	----	----	----	4	UNCH							
3915	----	----	----	----	---/32.50A	47.20B/32.50A	----	----	35.90	- 23.80	.1379	----	----	----	----	8	UNCH							
3920	50.10	50.10			50.10/33.10A	50.10/33.10A	----	----	36.50	- 24.20	.1400	----	1	----	----	26	UNCH							
3925	----	----	----	----	---/33.60A	49.10B/33.60A	----	----	37.20	- 24.50	.1423	----	----	----	----	18	UNCH							
3930	----	----	----	----	---/34.30A	49.70B/34.30A	----	----	37.80	- 24.90	.1445	----	----	----	----	10	UNCH							
3935	----	----	----	----	---/34.90A	50.60B/34.90A	----	----	38.50	- 25.20	.1468	----	----	----	----	1	UNCH							
3940	----	----	----	----	---/35.50A	51.50B/35.50A	----	----	39.20	- 25.50	.1492	----	1	----	----	18	+							
3945	----	----	----	----	---/36.20A	52.40B/36.20A	----	----	39.90	- 25.90	.1516	----	----	----	170	484	- 170							
3950	----	----	----	----	---/36.80A	53.40B/36.80A	----	----	40.60	- 26.30	.1540	----	5	----	----	375	+							
3955	----	----	----	----	---/37.40A	54.20B/37.40A	----	----	41.30	- 26.70	.1563	----	----	----	----	31	UNCH							
3960	----	----	----	----	---/38.10A	55.20B/38.10A	----	----	42.10	- 27.00	.1589	----	----	----	----	1	UNCH							
3965	----	----	----	----	---/38.70A	56.10B/38.70A	----	----	42.80	- 27.40	.1613	----	----	----	----	11	UNCH							
3970	40.40	40.40			40.40/39.40A	57.10B/39.40A	----	----	43.60	- 27.80	.1639	----	----	2	----	8	+							
3975	----	----	----	----	---/40.10A	58.00B/40.10A	----	----	44.40	- 28.10	.1665	----	12	----	----	52	+							
3980	----	----	----	----	---/40.80A	59.20B/40.80A	----	----	45.10	- 28.60	.1690	----	----	----	----	27	UNCH							
3985	----	----	----	----	---/41.50A	60.10B/41.50A	----	----	46.00	- 28.90	.1718	----	----	----	----	14	UNCH							
3990	43.70	43.70			43.70/42.20A	61.20B/42.20A	----	----	46.80	- 29.30	.1744	----	1	----	----	6	UNCH							
3995	----	----	----	----	---/43.00A	62.30B/43.00A	----	----	47.60	- 29.80	.1770	----	----	----	----	12	UNCH							
4000	60.00	60.00			63.00/43.70A	63.40B/43.70A	----	----	48.50	- 30.10	.1799	----	111	90	1491	- 10								
4005	----	----	----	----	---/44.50A	64.40B/44.50A	----	----	49.30	- 30.60	.1825	----	----	----	----	330	UNCH							
4010	----	----	----	----	---/45.30A	65.50B/45.30A	----	----	50.20	- 31.00	.1854	----	----	----	----	1	UNCH							
4015	----	----	----	----	---/46.10A	66.60B/46.10A	----	----	51.10	- 31.40	.1882	----	----	----	----	30	UNCH							
4020	----	----	----	----	---/46.90A	67.90B/46.90A	----	----	52.00	- 31.80	.1911	----	----	----	----	15	UNCH							
4025	----	----	----	----	---/47.70A	68.90B/47.70A	----	----	52.90	- 32.20	.1940	----	----	----	----	11	UNCH							
4030	----	----	----	----	---/48.50A	70.00B/48.50A	----	----	53.90	- 32.60	.1970	----	----	----	----	16	UNCH							
4035	----	----	----	----	---/49.40A	71.20B/49.40A	----	----	54.80	- 33.10	.1999	----	----	----	----	1	UNCH							
4040	----	----	----	----	---/50.30A	72.40B/50.30A	----	----	55.80	- 33.50	.2030	----	----	----	----	19	UNCH							
4045	----	----	----	----	---/51.20A	73.80B/51.20A	----	----	56.80	- 33.90	.2060	----	----	----	----	2	UNCH							
4050	53.20	53.20			53.20/52.00A	74.90B/52.00A	----	----	57.80	- 34.30	.2091	----	7	----	----	226	UNCH							
4055	----	----	----	----	---/53.00A	76.30B/53.00A	----	----	58.80	- 34.80	.2122	----	----	----	----	106	UNCH							
4060	----	----	----	----	---/53.90A	77.40B/53.90A	----	----	59.80	- 35.30	.2153	----	----	----	----	15	UNCH							
4065	----	----	----	----	---/54.80A	78.70B/54.80A	----	----	60.90	- 35.70	.2185	----	----	----	----	27	UNCH							
4070	----	----	----	----	---/55.80A	80.10B/55.80A	----	----	62.00	- 36.10	.2218	----	----	----	----	14	UNCH							
4075	----	----	----	----	---/56.70A	81.40B/56.70A	----	----	63.10	- 36.50	.2251	----	7	----	----	201	+							
4080	----	----	----	----	---/57.70A	82.60B/57.70A	----	----	64.20	- 37.00	.2284	----	----	----	----	355	UNCH							
4085	----	----	----	----	---/58.80A	84.10B/58.80A	----	----	65.30	- 37.50	.2317	----	----	----	----	78	UNCH							
4090	----	----	----	----	---/59.80A	85.50B/59.80A	----	----	66.40	- 38.00	.2350	----	----	----	----	59	UNCH							
4095	----	----	----	----	---/60.80A	87.00B/60.80A	----	----	67.60	- 38.40	.2384	----	----	----	----	2	UNCH							
4100	72.80	72.80			72.80/61.90A	88.20B/61.90A	----	----	68.80	- 38.90	.2419	----	3	----	----	334	- 1							
4105	----	----	----	----	---/63.00A	89.90B/63.00A	----	----	70.00	- 39.40	.2453	----	----	----	----	2	UNCH							
4110	----	----	----	----	---/64.00A	91.40B/64.00A	----	----	71.20	- 39.90	.2488	----	----	----	----	55	UNCH							
4115	----	----	----	----	---/65.20A	92.80B/65.20A	----	----	72.40	- 40.40	.2523	----	----	100	----	142	+							
4120	----	----	----	----	---/66.30A	94.40B/66.30A	----	----	73.70	- 40.80	.2559	----	----	----	----	1	UNCH							
4125	----	----	----	----	---/67.40A	95.90B/67.40A	----	----	75.00	- 41.30	.2596	----	----	----	----	11	UNCH							
4130	----	----	----	----	---/68.60A	97.50B/68.60A	----	----	76.30	- 41.80	.2632	----	----	----	----	23	UNCH							
4135	----	----	----	----	---/69.80A	99.10B/69.80A	----	----	77.60	- 42.30	.2669	----	----	----	----	4	UNCH							
4140	----	----	----	----	---/71.00A	100.70B/71.00A	----	----	78.90	- 42.80	.2705	----	----	----	----	8	UNCH							
4145	----	----	----	----	---/72.10A	102.30B/72.10A	----	----	80.30	- 43.30	.2743	----	----	----	----	26	UNCH							
4150	83.50	83.50			83.50/73.40A	103.90B/73.40A	----	----	81.70	- 43.80	.2781	----	7	----	----	48	+							
4155	----	----	----	----	---/74.60A	105.80B/74.60A	----	----	83.10	- 44.30	.2819	----	----	----	----	2	UNCH							
4160	----	----	----	----	---/76.00A	107.30B/76.0																		

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT		COMEX GOLD OPTIONS																
SEP26																		
4540	----	----	----	----/240.50A	307.60B/240.50A	----	----	----	264.40 - 82.90	.6224	----	----	----	----	----	4	UNCH	
4545	----	----	----	----/243.60A	311.20B/243.60A	----	----	----	267.70 - 83.40	.6267	----	----	----	----	----	15	UNCH	
4550	----	----	----	----/247.30A	314.80B/247.30A	----	----	----	271.10 - 83.80	.6309	----	----	----	----	----	513	UNCH	
4555	270.00	270.00	270.00	270.00/250.60A	318.40B/250.60A	----	----	----	274.40 - 84.20	.6351	----	----	----	8	----	107	-	
4560	----	----	----	----/253.70A	322.00B/253.70A	----	----	----	277.80 - 84.60	.6391	----	----	----	----	----	36	UNCH	
4565	----	----	----	----/256.90A	325.70B/256.90A	----	----	----	281.30 - 84.90	.6433	----	----	----	----	----	85	UNCH	
4570	282.70	282.70	282.70	282.70/260.30A	329.30B/260.30A	----	----	----	284.70 - 85.40	.6473	----	----	----	7	----	26	UNCH	
4575	----	----	----	285.50/263.60A	333.00B/263.60A	----	----	----	288.20 - 85.70	.6514	----	----	----	----	7	53	-	
4580	----	----	----	----/267.00A	336.70B/267.00A	----	----	----	291.70 - 86.00	.6554	----	----	----	----	----	1	UNCH	
4585	----	----	----	----/270.20A	340.40B/270.20A	----	----	----	295.20 - 86.50	.6595	----	----	----	----	----	71	UNCH	
4595	----	----	----	----/276.90A	348.00B/276.90A	----	----	----	302.20 - 87.20	.6674	----	----	----	----	----	32	UNCH	
4600	----	----	----	----/280.20A	351.80B/280.20A	----	----	----	305.80 - 87.60	.6713	----	----	----	----	----	130	UNCH	
4605	----	----	----	----/283.60A	355.60B/283.60A	----	----	----	309.40 - 88.00	.6751	----	----	----	----	----	54	UNCH	
4610	----	----	----	----/287.00A	359.40B/287.00A	----	----	----	313.00 - 88.40	.6790	----	----	----	----	----	5	UNCH	
4615	----	----	----	----/290.50A	363.20B/290.50A	----	----	----	316.60 - 88.70	.6828	----	----	----	----	----	14	UNCH	
4620	----	----	----	----/294.00A	367.10B/294.00A	----	----	----	320.30 - 89.00	.6867	----	----	----	----	----	438	UNCH	
4625	----	----	----	----/297.60A	371.00B/297.60A	----	----	----	324.00 - 89.40	.6904	----	----	----	----	----	112	UNCH	
4630	----	----	----	----/301.20A	374.90B/301.20A	----	----	----	327.60 - 89.80	.6942	----	----	----	----	----	32	UNCH	
4635	----	----	----	----/304.50A	378.80B/304.50A	----	----	----	331.40 - 90.00	.6978	----	----	----	----	----	1	UNCH	
4640	----	----	----	----/308.30A	382.70B/308.30A	----	----	----	335.10 - 90.40	.7016	----	----	----	----	----	6	UNCH	
4645	----	----	----	----/311.70A	386.60B/311.70A	----	----	----	338.80 - 90.80	.7052	----	----	----	----	----	1	UNCH	
4650	----	----	----	----/315.50A	390.60B/315.50A	----	----	----	342.60 - 91.10	.7088	----	----	----	----	----	13	UNCH	
4655	----	----	----	----/319.10A	394.60B/319.10A	----	----	----	346.40 - 91.30	.7123	----	----	----	----	----	14	UNCH	
4660	----	----	----	----/322.70A	398.60B/322.70A	----	----	----	350.20 - 91.70	.7159	----	----	----	----	----	7	UNCH	
4665	----	----	----	----/326.50A	402.60B/326.50A	----	----	----	354.00 - 92.00	.7194	----	----	----	----	----	2	UNCH	
4670	----	----	----	----/330.10A	406.60B/330.10A	----	----	----	357.80 - 92.40	.7229	----	----	----	----	----	26	UNCH	
4675	----	----	----	----/333.80A	410.70B/333.80A	----	----	----	361.70 - 92.60	.7263	----	----	----	----	----	7	UNCH	
4685	----	----	----	----/341.30A	418.80B/341.30A	----	----	----	369.50 - 93.20	.7332	----	----	----	----	----	8	UNCH	
4690	----	----	----	----/345.10A	422.90B/345.10A	----	----	----	373.40 - 93.60	.7364	----	----	----	----	----	2	UNCH	
4695	----	----	----	----/348.80A	427.00B/348.80A	----	----	----	377.30 - 93.80	.7398	----	----	----	----	----	2	UNCH	
4700	----	----	----	----/352.60A	431.10B/352.60A	----	----	----	381.20 - 94.20	.7430	----	----	----	----	----	139	UNCH	
4705	----	----	----	----/356.50A	435.30B/356.50A	----	----	----	385.20 - 94.50	.7462	----	----	----	----	----	13	UNCH	
4710	----	----	----	----/360.30A	439.40B/360.30A	----	----	----	389.20 - 94.70	.7494	----	----	----	----	----	1	UNCH	
4720	----	----	----	----/368.00A	447.80B/368.00A	----	----	----	397.20 - 95.20	.7558	----	----	----	----	----	4	UNCH	
4725	----	----	----	----/371.90A	452.00B/371.90A	----	----	----	401.20 - 95.60	.7588	----	----	----	----	----	7	UNCH	
4730	----	----	----	----/375.80A	456.20B/375.80A	----	----	----	405.20 - 95.90	.7620	----	----	----	----	----	7	UNCH	
4735	----	----	----	----/379.70A	460.40B/379.70A	----	----	----	409.30 - 96.10	.7650	----	----	----	----	----	100	UNCH	
4740	----	----	----	----/383.70A	464.60B/383.70A	----	----	----	413.30 - 96.40	.7680	----	----	----	----	----	2	UNCH	
4750	----	----	----	----/391.60A	473.10B/391.60A	----	----	----	421.50 - 96.90	.7740	----	----	----	----	----	175	UNCH	
4755	----	----	----	----/395.50A	477.40B/395.50A	----	----	----	425.60 - 97.20	.7770	----	----	----	----	----	10	UNCH	
4760	----	----	----	----/399.50A	481.70B/399.50A	----	----	----	429.70 - 97.40	.7798	----	----	----	----	----	109	UNCH	
4770	----	----	----	----/407.50A	490.30B/407.50A	----	----	----	438.00 - 98.00	.7855	----	----	----	----	----	1	UNCH	
4775	----	----	----	----/411.60A	494.60B/411.60A	----	----	----	442.20 - 98.20	.7883	----	----	----	----	----	130	UNCH	
4780	----	----	----	----/415.70A	498.90B/415.70A	----	----	----	446.40 - 98.40	.7910	----	----	----	----	----	3	UNCH	
4795	----	----	----	----/427.90A	512.00B/427.90A	----	----	----	459.00 - 99.10	.7991	----	----	----	----	----	6	UNCH	
4800	----	----	----	----/432.10A	516.40B/432.10A	----	----	----	463.30 - 99.30	.8016	----	----	----	----	----	474	UNCH	
4805	----	----	----	----/436.20A	520.80B/436.20A	----	----	----	467.50 - 99.60	.8041	----	----	----	----	----	9	UNCH	
4825	----	----	----	----/452.80A	538.40B/452.80A	----	----	----	484.60 - 00.40	.8142	----	----	----	----	----	2	UNCH	
4830	----	----	----	----/457.10A	542.90B/457.10A	----	----	----	488.90 - 00.60	.8166	----	----	----	----	----	10	UNCH	
4835	----	----	----	----/461.20A	547.30B/461.20A	----	----	----	493.20 - 00.80	.8191	----	----	----	----	----	30	UNCH	
4855	----	----	----	----/478.30A	565.20B/478.30A	----	----	----	510.60 - 01.60	.8284	----	----	----	----	----	14	UNCH	
4860	----	----	----	----/482.60A	569.70B/482.60A	----	----	----	515.00 - 01.70	.8306	----	----	----	----	----	11	UNCH	
4875	----	----	----	----/495.40A	583.30B/495.40A	----	----	----	528.20 - 02.30	.8373	----	----	----	----	----	8	UNCH	
4885	----	----	----	----/504.20A	592.30B/504.20A	----	----	----	537.00 - 02.70	.8415	----	----	----	----	----	4	UNCH	
4895	----	----	----	----/512.90A	601.40B/512.90A	----	----	----	545.90 - 03.00	.8454	----	----	----	----	----	1	UNCH	
4900	----	----	----	----/517.20A	606.00B/517.20A	----	----	----	550.40 - 03.10	.8476	----	----	----	----	----	30	UNCH	
4915	----	----	----	----/530.40A	619.70B/530.40A	----	----	----	563.80 - 03.60	.8534	----	----	----	----	----	1	UNCH	
4930	----	----	----	----/543.70A	633.50B/543.70A	----	----	----	577.30 - 04.10	.8590	----	----	----	----	----	20	UNCH	
4950	----	----	----	----/561.50A	652.00B/561.50A	----	----	----	595.40 - 04.60	.8661	----	----	----	----	----	1	UNCH	
4955	----	----	----	----/566.00A	656.70B/566.00A	----	----	----	599.90 - 04.80	.8680	----	----	----	----	----	1	UNCH	
4975	----	----	----	----/584.00A	675.30B/584.00A	----	----	----	618.20 - 05.40	.8745	----	----	----	----	----	220	UNCH	
5000	----	----	----	----/606.70A	698.80B/606.70A	----	----	----	641.20 - 05.90	.8823	----	----	----	----	----	13	UNCH	
5005	----	----	----	----/611.30A	703.50B/611.30A	----	----	----	645.80 - 06.10	.8839	----	----	----	----	----	3	UNCH	
5020	----	----	----	----/625.00A	717.60B/625.00A	----	----	----	659.70 - 06.40	.8881	----	----	----	----	----	3	UNCH	
5060	----	----	----	----/662.00A	755.50B/662.00A	----	----	----	697.10 - 07.10	.8990	----	----	----	----	----	4	UNCH	
5100	----	----	----	----/699.30A	793.70B/699.30A	----	----	----	734.80 - 07.80	.9085								

BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																				
OCT26																						
4615	----	----	----	----	/321.50A	387.50B/321.50A	----	----	----	345.40 - 84.90	.6489	----	----	----	----	----	8	UNCH				
4620	----	----	----	----	/324.60A	391.20B/324.60A	----	----	----	348.90 - 85.20	.6522	----	----	----	----	----	4	UNCH				
4625	----	----	----	----	/328.10A	394.90B/328.10A	----	----	----	352.50 - 85.50	.6555	----	----	----	----	----	43	UNCH				
4630	----	----	----	----	/331.70A	398.60B/331.70A	----	----	----	356.00 - 85.80	.6588	----	----	----	----	----	7	UNCH				
4635	----	----	----	----	/334.90A	402.40B/334.90A	----	----	----	359.60 - 86.10	.6621	----	----	----	----	----	7	UNCH				
4640	----	----	----	----	/338.00A	406.10B/338.00A	----	----	----	363.10 - 86.50	.6654	----	----	----	----	----	23	UNCH				
4645	----	----	----	----	/341.90A	409.90B/341.90A	----	----	----	366.70 - 86.80	.6686	----	----	----	----	----	7	UNCH				
4650	----	----	----	----	/345.40A	413.70B/345.40A	----	----	----	370.30 - 87.10	.6718	----	----	----	----	----	135	UNCH				
4655	----	----	----	----	/348.40A	417.50B/348.40A	----	----	----	374.00 - 87.40	.6750	----	----	----	----	----	3	UNCH				
4660	----	----	----	----	/351.90A	421.40B/351.90A	----	----	----	377.60 - 87.70	.6783	----	----	----	----	----	3	UNCH				
4670	----	----	----	----	/359.20A	429.10B/359.20A	----	----	----	385.00 - 88.30	.6845	----	----	----	----	----	4	UNCH				
4675	----	----	----	----	/362.90A	432.90B/362.90A	----	----	----	388.60 - 88.70	.6876	----	----	----	----	----	6	UNCH				
4680	----	----	----	----	/366.50A	436.80B/366.50A	----	----	----	392.40 - 88.90	.6908	----	----	----	----	----	1	UNCH				
4690	----	----	----	----	/373.60A	444.70B/373.60A	----	----	----	399.80 - 89.50	.6968	----	----	----	----	----	3	UNCH				
4700	----	----	----	----	/381.00A	452.50B/381.00A	----	----	----	407.40 - 90.00	.7028	----	----	----	----	----	85	UNCH				
4715	----	----	----	----	/392.10A	464.50B/392.10A	----	----	----	418.80 - 90.90	.7117	----	----	----	----	----	3	UNCH				
4750	----	----	----	----	/418.20A	492.80B/418.20A	----	----	----	445.90 - 92.80	.7316	----	----	1	----	----	174	UNCH				
4755	----	----	----	----	/422.00A	496.90B/422.00A	----	----	----	449.90 - 93.00	.7343	----	----	----	----	----	168	UNCH				
4775	----	----	----	----	/437.60A	513.40B/437.60A	----	----	----	465.80 - 94.00	.7451	----	----	----	----	----	26	UNCH				
4780	----	----	----	----	/441.40A	517.50B/441.40A	----	----	----	469.80 - 94.20	.7478	----	----	----	----	----	1	UNCH				
4800	----	----	----	----	/457.00A	534.30B/457.00A	----	----	----	485.90 - 95.20	.7580	----	----	1	----	----	100	-				
4805	----	----	----	----	/461.00A	538.50B/461.00A	----	----	----	490.00 - 95.40	.7605	----	----	----	----	----	1	UNCH				
4810	----	----	----	----	/464.90A	542.70B/464.90A	----	----	----	494.10 - 95.60	.7630	----	----	----	----	----	8	UNCH				
4815	----	----	----	----	/469.00A	546.90B/469.00A	----	----	----	498.20 - 95.80	.7654	----	----	----	----	----	39	UNCH				
4820	----	----	----	----	/473.00A	551.20B/473.00A	----	----	----	502.30 - 96.00	.7679	----	----	----	----	----	2	UNCH				
4835	----	----	----	----	/485.00A	564.00B/485.00A	----	----	----	514.70 - 96.70	.7750	----	----	----	----	----	3	UNCH				
4845	----	----	----	----	/493.20A	572.60B/493.20A	----	----	----	523.00 - 97.10	.7797	----	----	----	----	----	20	UNCH				
4850	----	----	----	----	/497.20A	576.90B/497.20A	----	----	----	527.20 - 97.30	.7820	----	----	----	----	----	81	UNCH				
4875	----	----	----	----	/517.90A	598.50B/517.90A	----	----	----	548.20 - 98.30	.7932	----	----	----	----	----	1	UNCH				
4880	----	----	----	----	/522.00A	602.90B/522.00A	----	----	----	552.40 - 98.50	.7955	----	----	----	----	----	5	UNCH				
4900	----	----	----	----	/538.70A	620.50B/538.70A	----	----	----	569.50 - 99.20	.8039	----	----	----	----	----	72	UNCH				
4910	----	----	----	----	/547.20A	629.30B/547.20A	----	----	----	578.10 - 99.60	.8079	----	----	----	----	----	1	UNCH				
4920	----	----	----	----	/555.60A	638.20B/555.60A	----	----	----	586.70 - 00.00	.8119	----	----	----	----	----	1	UNCH				
4925	----	----	----	----	/559.80A	642.60B/559.80A	----	----	----	591.00 - 00.20	.8140	----	----	----	----	----	25	UNCH				
4935	----	----	----	----	/568.30A	651.50B/568.30A	----	----	----	599.70 - 00.50	.8179	----	----	----	----	----	5	UNCH				
4965	----	----	----	----	/593.90A	678.40B/593.90A	----	----	----	625.90 - 01.50	.8290	----	----	----	----	----	13	UNCH				
4980	----	----	----	----	/607.20A	692.00B/607.20A	----	----	----	639.20 - 01.90	.8344	----	----	----	----	----	1	UNCH				
5000	----	----	----	----	/624.40A	710.10B/624.40A	----	----	----	656.90 - 02.50	.8413	----	----	----	----	----	48	UNCH				
5010	----	----	----	----	/633.20A	719.30B/633.20A	----	----	----	665.90 - 02.70	.8446	----	----	----	----	----	1	UNCH				
5050	----	----	----	----	/668.90A	756.00B/668.90A	----	----	----	701.90 - 03.70	.8571	----	----	----	----	----	25	UNCH				
5150	----	----	----	----	/759.60A	849.30B/759.60A	----	----	----	793.70 - 05.80	.8836	----	----	----	----	----	1	UNCH				
5200	----	----	----	----	/806.10A	896.60B/806.10A	----	----	----	840.40 - 06.70	.8946	----	----	----	----	----	100	UNCH				
5230	----	----	----	----	/834.30A	925.20B/834.30A	----	----	----	868.60 - 07.20	.9007	----	----	----	----	----	1	UNCH				
5250	----	----	----	----	/853.00A	944.30B/853.00A	----	----	----	887.50 - 07.40	.9044	----	----	----	----	----	76	UNCH				
5285	----	----	----	----	/886.10A	977.80B/886.10A	----	----	----	920.70 - 07.90	.9107	----	----	----	----	----	1	UNCH				
5300	----	----	----	----	/900.40A	992.30B/900.40A	----	----	----	935.00 - 08.10	.9133	----	----	----	----	----	9	UNCH				
5425	----	----	----	----	/1,020.10A	1113.30B/1020.10A	----	----	----	1055.00 - 09.50	.9309	----	----	----	----	----	1	UNCH				
5455	----	----	----	----	/1,048.80A	1142.60B/1048.80A	----	----	----	1084.10 - 09.70	.9342	----	----	----	----	----	40	UNCH				
5495	----	----	----	----	/1,087.80A	1181.70B/1087.80A	----	----	----	1122.90 - 10.10	.9385	----	----	----	----	----	1	UNCH				
5500	----	----	----	----	/1,092.50A	1186.60B/1092.50A	----	----	----	1127.80 - 10.10	.9390	----	----	----	----	----	1	UNCH				
5600	----	----	----	----	/1,190.10A	1284.80B/1190.10A	----	----	----	1225.50 - 10.70	.9480	----	----	----	----	----	1	UNCH				
5700	----	----	----	----	----	----	----	----	----	1323.70 - 11.20	.9551	----	----	----	----	----	1	UNCH				
TOTAL																488	400	12344	-	171		
NOV26																						
2100	----	----	----	----	0.90B/2.30A	----	----	----	----	0.90 - 0.20	.0022	----	----	----	----	----	1	UNCH				
2200	1.60	1.60	----	1.60	/1.60	1.60	----	----	----	1.20 - NEW	.0030	----	----	2	----	----	2	+				
2750	----	----	----	----	4.00B/5.20A	4.00B/5.20A	----	----	----	4.60 - 1.70	.0122	----	----	----	----	----	1	UNCH				
2800	----	----	----	----	4.60B/5.60A	4.60B/5.60A	----	----	----	5.10 - 1.80	.0137	----	----	----	----	----	16	UNCH				
2900	----	----	----	----	5.60B/6.70A	5.60B/6.70A	----	----	----	6.20 - 2.40	.0169	----	----	----	----	----	1	UNCH				
3000	----	----	----	----	7.00B/7.80A	7.00B/7.80A	----	----	----	7.60 - 3.10	.0211	----	----	----	----	----	93	UNCH				
3120	----	----	----	----	9.30B/10.00A	9.30B/10.00A	----	----	----	9.70 - 4.20	.0275	----	----	----	----	----	10	UNCH				
3180	----	----	----	----	10.90B/11.10A	10.90B/11.10A	----	----	----	10.90 - 5.00	.0312	----	----	----	----	----	10	UNCH				
3200	----	----	----	----	11.70B/11.70A	11.50B/11.70A	----	----	----	11.40 - 5.20	.0327	----	----	----	----	----	94	UNCH				
3215	----	----	----	----	12.00B/12.20A	12.00B/12.20A	----	----	----	11.80 - 5.40	.0339	----	----	----	----	----	1	UNCH				
3225	----	----	----	----	12.50A/12.50A	12.30B/12.50A	----	----	----	12.00 - 5.60	.0345	----	----	----	----	----	1	UNCH				
3235	----	----	----	----	12.70A/12.70A	12.60B/12.70A	----	----	----	12.30 - 5.70	.0354	----	----	----	----	----	1	UNCH				
3250	----	----	----	----	13.10A/13.10A	13.10B/13.10A	----	----	----	12.70 - 5.90	.0366	----	----	----	----	----	18	UNCH				
3255	----	----	----	----	13.00A/13.00A	13.30B/13.00A	----	----	----	12.90 - 6.00	.0372	----	----	----	----	----	18	UNCH				
3300	----	----	----	----	14.40A/14.40A	15.00B/14.40A	----	----	----	14.20 - 6.80	.0411	----	----	----	----	----	57	UNCH				
3310	----	----	----	----	14.90A/14.90A	15.40B/14.90A	----	----	----	14.60 - 6.90	.0422	----	----	----	----	----	1	UNCH				
3320	----	----	----	----	15.40A/15.40A	15.80B/15.40A	----	----	----	14.90 - 7.10	.0432	----	----	----	----	----	16	UNCH				
3350	----	----	----	----	16.10A/16.10A	17.10B/16.10A	----	----	----	16.00 - 7.70	.0464	----	----	----	----	----	180	UNCH				
3410	----	----	----	----	18.90A/18.90A	20.20B/18.90A	----	----	----	18.50 - 8.90	.0537	----	----	2	----	----	2	UNCH				
3455	----	----	----	----	21.10A/21.10A	23.30B/21.10A	----	----	----	20.70 - 10.00	.0599	----	----	----	----	----	1	UNCH				
3475	----	----	----	----</																		

PG64		BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST					
OG PUT		COMEX GOLD OPTIONS																						
NOV26																								
4450	----	----	----	----	/238.10A	286.90B/238.10A	----	254.90	- 69.20	.4958	----	----	----	----	----	----	39	UNCH						
4470	----	----	----	----	/248.40A	298.60B/248.40A	----	265.80	- 70.70	.5092	----	----	----	----	----	----	1	UNCH						
4485	----	----	----	----	/256.20A	307.60B/256.20A	----	274.30	- 71.70	.5191	----	----	----	----	----	----	1	UNCH						
4490	----	----	----	----	/258.90A	310.70B/258.90A	----	277.10	- 72.10	.5224	----	----	----	----	----	----	1	UNCH						
4500	280.30	280.30		280.30/264.30A	316.80B/264.30A	----	282.80	- 72.80	.5290	----	----	----	----	1	----	----	98	UNCH						
4510	----	----	----	/270.00A	323.00B/270.00A	----	288.60	- 73.60	.5356	----	----	----	----	----	----	----	11	UNCH						
4530	----	----	----	/280.90A	335.50B/280.90A	----	300.50	- 74.90	.5487	----	----	----	----	----	----	----	40	UNCH						
4535	----	----	----	/284.10A	338.80B/284.10A	----	303.50	- 75.20	.5519	----	----	----	----	----	----	----	10	UNCH						
4540	----	----	----	/286.90A	342.00B/286.90A	----	306.50	- 75.60	.5551	----	----	----	----	----	----	----	6	UNCH						
4555	----	----	----	/295.60A	351.60B/295.60A	----	315.70	- 76.50	.5648	----	----	----	----	----	----	----	1	UNCH						
4580	----	----	----	/310.50A	367.00B/310.50A	----	331.30	- 78.20	.5806	----	----	----	----	----	----	----	10	UNCH						
4590	----	----	----	/316.30A	373.70B/316.30A	----	337.70	- 78.80	.5869	----	----	----	----	----	----	----	1	UNCH						
4600	----	----	----	/322.50A	380.50B/322.50A	----	344.10	- 79.50	.5931	----	----	----	----	----	----	----	72	UNCH						
4610	----	----	----	/328.80A	387.40B/328.80A	----	350.60	- 80.10	.5993	----	----	----	----	----	----	----	4	UNCH						
4640	----	----	----	/347.70A	408.40B/347.70A	----	370.50	- 82.00	.6175	----	----	----	----	----	----	----	90	UNCH						
4645	----	----	----	/350.90A	411.70B/350.90A	----	373.90	- 82.30	.6205	----	----	----	----	----	----	----	1	UNCH						
4650	----	----	----	/354.70A	415.40B/354.70A	----	377.30	- 82.60	.6235	----	----	----	----	----	----	----	78	UNCH						
4655	----	----	----	/358.00A	418.80B/358.00A	----	380.70	- 82.90	.6264	----	----	----	----	----	----	----	1	UNCH						
4700	----	----	----	/388.30A	451.80B/388.30A	----	412.00	- 85.50	.6524	----	----	----	----	----	----	----	58	UNCH						
4710	----	----	----	/395.50A	459.50B/395.50A	----	419.10	- 86.10	.6581	----	----	----	----	----	----	----	1	UNCH						
4725	----	----	----	/405.90A	470.80B/405.90A	----	429.90	- 87.00	.6664	----	----	----	----	----	----	----	2	UNCH						
4750	----	----	----	/423.40A	489.80B/423.40A	----	448.20	- 88.30	.6800	----	----	----	----	----	----	----	10	UNCH						
4755	----	----	----	/426.90A	493.80B/426.90A	----	451.90	- 88.50	.6826	----	----	----	----	----	----	----	1	UNCH						
4800	----	----	----	/459.80A	529.20B/459.80A	----	485.70	- 90.90	.7059	----	----	----	----	----	----	----	12	UNCH						
4820	----	----	----	/474.80A	545.20B/474.80A	----	501.10	- 91.90	.7157	----	----	----	----	----	----	----	1	UNCH						
4840	----	----	----	/489.90A	561.20B/489.90A	----	516.70	- 92.80	.7254	----	----	----	----	----	----	----	2	UNCH						
4845	----	----	----	/493.50A	565.30B/493.50A	----	520.60	- 93.00	.7277	----	----	----	----	----	----	----	10	UNCH						
4850	----	----	----	/497.40A	569.60B/497.40A	----	524.60	- 93.20	.7301	----	----	----	----	----	----	----	8	UNCH						
4900	----	----	----	/536.40A	611.10B/536.40A	----	564.60	- 95.40	.7525	----	----	----	----	----	----	----	12	UNCH						
4915	----	----	----	/548.40A	623.50B/548.40A	----	576.90	- 96.00	.7588	----	----	----	----	----	----	----	3	UNCH						
4935	----	----	----	/564.70A	640.50B/564.70A	----	593.40	- 96.70	.7671	----	----	----	----	----	----	----	25	UNCH						
4950	----	----	----	/577.10A	653.30B/577.10A	----	605.80	- 97.30	.7731	----	----	----	----	----	----	----	11	UNCH						
4960	----	----	----	/585.10A	662.20B/585.10A	----	614.20	- 97.60	.7771	----	----	----	----	----	----	----	2	UNCH						
5000	----	----	----	/618.20A	696.90B/618.20A	----	648.00	- 98.90	.7922	----	----	----	----	----	----	----	254	UNCH						
5020	----	----	----	/635.00A	714.40B/635.00A	----	665.10	- 99.50	.7993	----	----	----	----	----	----	----	30	UNCH						
5055	----	----	----	/664.80A	745.40B/664.80A	----	695.30	- 00.60	.8112	----	----	----	----	----	----	----	8	UNCH						
5200	----	----	----	/791.90A	876.80B/791.90A	----	824.10	- 04.20	.8533	----	----	----	----	----	----	----	81	UNCH						
5395	----	----	----	/971.10A	1060.00B/971.10A	----	1004.50	- 07.30	.8944	----	----	----	----	----	----	----	6	UNCH						
5400	----	----	----	/975.80A	1064.70B/975.80A	----	1009.20	- 07.40	.8951	----	----	----	----	----	----	----	6	UNCH						
5760	----	----	----	/1,320.60A	1413.40B/1320.60A	----	1355.30	- 10.60	.9378	----	----	----	----	----	----	----	1	UNCH						
5975	----	----	----	----	----	----	1566.20	- 11.70	.9518	----	----	----	----	----	----	----	1	UNCH						
6000	----	----	----	----	----	----	1590.90	- 11.70	.9532	----	----	----	----	----	----	----	1	UNCH						
TOTAL																154		4583+	149					
DEC26																								
1350	----	----	----	----	----	----	----	0.10	UNCH	.0002	----	----	----	----	----	----	17	UNCH						
1375	----	----	----	----	----	----	----	0.20	UNCH	.0004	----	----	----	----	----	----	1	UNCH						
1400	----	----	----	----	----	----	----	0.20	UNCH	.0004	----	----	----	----	----	----	1	UNCH						
1500	----	----	----	----	----	----	----	0.30	- 0.10	.0006	----	----	----	----	----	----	1	UNCH						
1600	----	----	----	----	----	----	----	0.30B/1.20A	----	----	----	----	----	----	----	----	192	UNCH						
1700	----	----	----	----	----	----	----	0.40B/1.40A	----	----	----	----	----	----	----	----	200	UNCH						
1845	----	----	----	----	----	----	----	0.70B/1.80A	----	----	----	----	----	----	----	----	60	UNCH						
1900	----	----	----	----	----	----	----	0.90B/1.90A	----	----	----	----	----	----	----	----	5	UNCH						
2000	----	----	----	----	----	----	----	1.10B/2.20A	----	----	----	----	----	----	----	----	2	UNCH						
2200	----	----	----	----	----	----	----	2.00B/3.00A	----	----	----	----	----	----	----	----	4	UNCH						
2400	----	----	----	----	----	----	----	3.10B/4.00A	----	----	----	----	----	----	----	----	1	UNCH						
2450	----	----	----	----	----	----	----	3.40B/4.30A	----	----	----	----	----	----	----	----	4	UNCH						
2490	----	----	----	----	----	----	----	3.70B/4.60A	----	----	----	----	----	----	----	----	1	UNCH						
2500	----	----	----	----	----	----	----	3.80B/4.60A	----	----	----	----	----	----	----	----	203	UNCH						
2660	----	----	----	----	----	----	----	4.50	- 1.10	.0103	----	----	----	----	----	----	4	UNCH						
2750	----	----	----	----	----	----	----	5.90	- 1.50	.0139	----	----	----	----	----	----	1	UNCH						
2795	----	----	----	----	----	----	----	6.80	- 1.80	.0164	----	----	----	----	----	----	10	UNCH						
2800	----	----	----	----	----	----	----	7.30	- 2.10	.0178	----	----	----	----	----	----	20	UNCH						
2900	----	----	----	----	----	----	----	7.40	- 2.00	.0181	----	----	----	----	----	----	30	UNCH						
2925	----	----	----	----	----	----	----	8.80	- 2.60	.0219	----	----	----	----	----	----	300	UNCH						
2975	----	----	----	----	----	----	----	9.20	- 2.80	.0231	----	----	----	----	----	----	900	UNCH						
3000	----	----	----	----	----	----	----	10.00	- 3.20	.0253	----	----	----	----	----	----	1981	UNCH						
3025	----	----	----	----	----	----	----	10.30B/10.60A	----	----	----	----	----	----	----	----	2	UNCH						
3075	----	----	----	----	----	----	----	10.50	- 3.40	.0267	----	----	----	----	----	----	3	UNCH						
3100	----	----	----	----	----	----	----	11.00	- 3.60	.0281	----	----	----	----	----	----	5	-	5	</				

PG64		BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG PUT		COMEX GOLD OPTIONS																						
DEC26																								
4050	----	----	----	/111.40A	135.00B/111.40A	----	118.10 - 39.70	.2615	----	----	----	----	217	UNCH										
4060	----	----	----	/113.90A	138.10B/113.90A	----	120.90 - 40.30	.2664	----	----	----	----	100	UNCH										
4070	----	----	----	/116.60A	141.20B/116.60A	----	123.70 - 41.00	.2714	----	----	----	----	8	UNCH										
4090	----	----	----	/122.20A	147.60B/122.20A	----	129.60 - 42.30	.2816	----	----	----	----	1	UNCH										
4100	----	----	----	/124.70A	150.90B/124.70A	----	132.60 - 43.00	.2868	----	----	----	----	390	UNCH										
4115	----	----	----	/129.50A	155.90B/129.50A	----	137.20 - 44.10	.2946	----	----	----	----	1	UNCH										
4130	----	----	----	/133.70A	161.30B/133.70A	----	142.00 - 45.20	.3026	----	----	----	----	30	UNCH										
4150	----	----	----	/139.80A	168.70B/139.80A	----	148.60 - 46.60	.3134	----	----	----	----	93	UNCH										
4160	----	----	----	/142.80A	172.20B/142.80A	----	151.90 - 47.40	.3188	----	----	----	----	252	UNCH										
4165	----	----	----	/144.60A	173.90B/144.60A	----	153.60 - 47.80	.3215	----	----	----	----	28	UNCH										
4170	----	----	----	/146.20A	176.30B/146.20A	----	155.40 - 48.10	.3243	----	----	----	----	5	UNCH										
4175	----	----	----	/147.90A	178.30B/147.90A	----	157.10 - 48.50	.3271	----	----	----	----	144	UNCH										
4200	173.00	173.00	173.00/155.80A		188.00B/155.80A	----	166.10 - 50.30	.3411	----	10	1344	UNCH												
4205	----	----	----	/158.00A	189.80B/158.00A	----	167.90 - 50.70	.3439	----	----	----	----	20	UNCH										
4210	----	----	----	/159.80A	192.40B/159.80A	----	169.80 - 51.00	.3468	----	----	----	----	26	UNCH										
4215	----	----	----	/161.50A	194.50B/161.50A	----	171.70 - 51.30	.3497	----	----	----	----	14	UNCH										
4225	----	----	----	/165.20A	198.60B/165.20A	----	175.50 - 52.10	.3554	----	----	----	----	35	UNCH										
4230	----	----	----	/167.00A	200.30B/167.00A	----	177.40 - 52.50	.3583	----	----	----	----	150	UNCH										
4235	----	----	----	/168.80A	203.00B/168.80A	----	179.30 - 52.90	.3612	----	----	----	----	10	UNCH										
4245	----	----	----	/172.40A	207.30B/172.40A	----	183.30 - 53.50	.3670	----	----	----	----	13	UNCH										
4250	----	----	----	/174.40A	209.50B/174.40A	----	185.30 - 53.90	.3699	----	----	----	----	488	UNCH										
4265	----	----	----	/180.00A	216.20B/180.00A	----	191.40 - 55.00	.3787	----	----	----	----	10	UNCH										
4290	----	----	----	/190.20A	227.80B/190.20A	----	201.90 - 56.80	.3935	----	----	----	----	1	UNCH										
4300	----	----	----	/193.40A	232.40B/193.40A	----	206.20 - 57.60	.3995	----	3	2563	+	3											
4305	----	----	----	/196.10A	234.70B/196.10A	----	208.40 - 57.90	.4025	----	----	----	----	5	UNCH										
4320	----	----	----	/202.40A	241.10B/202.40A	----	215.10 - 59.00	.4115	----	----	----	----	124	UNCH										
4325	----	----	----	/204.10A	243.40B/204.10A	----	217.30 - 59.40	.4145	----	----	----	----	559	UNCH										
4340	----	----	----	/210.90A	250.90B/210.90A	----	224.20 - 60.50	.4236	----	----	----	----	82	UNCH										
4350	----	----	----	/215.20A	256.90B/215.20A	----	228.90 - 61.10	.4296	----	----	----	----	165	UNCH										
4360	----	----	----	/219.70A	261.00B/219.70A	----	233.60 - 61.90	.4357	----	----	----	----	1	UNCH										
4365	----	----	----	/221.80A	263.60B/221.80A	----	236.00 - 62.30	.4388	----	----	----	----	195	UNCH										
4375	----	----	----	/226.60A	268.80B/226.60A	----	240.90 - 62.90	.4448	----	1	118	+	1											
4385	----	----	----	/231.00A	274.20B/231.00A	----	245.80 - 63.60	.4509	----	----	----	----	75	UNCH										
4390	----	----	----	/233.40A	276.80B/233.40A	----	248.30 - 64.00	.4540	----	----	----	----	200	UNCH										
4400	----	----	----	/238.10A	282.10B/238.10A	----	253.40 - 64.50	.4601	----	----	----	----	417	UNCH										
4425	----	----	----	/250.20A	295.90B/250.20A	----	266.30 - 66.20	.4753	----	----	----	----	9	UNCH										
4430	----	----	----	/252.80A	298.80B/252.80A	----	268.90 - 66.60	.4783	----	----	----	----	37	UNCH										
4435	----	----	----	/255.30A	301.50B/255.30A	----	271.60 - 66.80	.4814	----	----	----	----	14	UNCH										
4440	----	----	----	/257.90A	304.40B/257.90A	----	274.30 - 67.20	.4844	----	----	----	----	6	UNCH										
4450	----	----	----	/262.70A	309.60B/262.70A	----	279.60 - 67.90	.4904	----	1	269	UNCH												
4460	----	----	----	/268.00A	315.90B/268.00A	----	285.10 - 68.40	.4965	----	----	----	----	17	UNCH										
4470	----	----	----	/273.00A	322.00B/273.00A	----	290.60 - 69.10	.5025	----	----	----	----	1	UNCH										
4475	----	----	----	/275.80A	324.70B/275.80A	----	293.40 - 69.50	.5055	----	----	----	----	9	UNCH										
4480	----	----	----	/278.40A	327.90B/278.40A	----	296.20 - 69.70	.5085	----	----	----	----	1	UNCH										
4490	----	----	----	/283.60A	333.60B/283.60A	----	301.90 - 70.30	.5145	----	----	----	----	17	UNCH										
4500	----	----	----	/288.90A	339.70B/288.90A	----	307.60 - 71.00	.5204	----	----	1226	UNCH												
4510	----	----	----	/294.60A	345.80B/294.60A	----	313.40 - 71.50	.5264	----	----	----	----	2	UNCH										
4515	----	----	----	/297.40A	348.90B/297.40A	----	316.30 - 71.90	.5293	----	----	----	----	247	UNCH										
4520	----	----	----	/300.20A	352.00B/300.20A	----	319.20 - 72.20	.5323	----	----	----	----	25	UNCH										
4525	----	----	----	/303.00A	355.20B/303.00A	----	322.10 - 72.60	.5352	----	----	----	----	240	UNCH										
4530	----	----	----	/305.80A	358.30B/305.80A	----	325.10 - 72.80	.5382	----	----	----	----	23	UNCH										
4535	----	----	----	/308.60A	361.40B/308.60A	----	328.10 - 73.10	.5411	----	----	----	----	102	UNCH										
4540	----	----	----	/311.50A	364.60B/311.50A	----	331.10 - 73.40	.5440	----	----	----	----	1	UNCH										
4545	----	----	----	/314.30A	367.80B/314.30A	----	334.10 - 73.70	.5469	----	----	----	----	45	UNCH										
4550	----	----	----	/317.20A	371.00B/317.20A	----	337.10 - 74.10	.5499	----	----	----	----	19	UNCH										
4555	----	----	----	/320.10A	374.20B/320.10A	----	340.10 - 74.40	.5528	----	----	----	----	50	UNCH										
4570	----	----	----	/328.80A	383.90B/328.80A	----	349.30 - 75.30	.5614	----	----	----	----	11	UNCH										
4575	----	----	----	/331.80A	387.20B/331.80A	----	352.40 - 75.60	.5643	----	----	----	----	5	UNCH										
4580	----	----	----	/334.80A	390.50B/334.80A	----	355.60 - 75.80	.5672	----	----	----	----	150	UNCH										
4585	----	----	----	/337.40A	393.80B/337.40A	----	358.70 - 76.20	.5700	----	----	----	----	325	UNCH										
4590	----	----	----	/340.70A	397.10B/340.70A	----	361.80 - 76.50	.5729	----	----	----	----	3	UNCH										
4600	----	----	----	/346.60A	402.20B/346.60A	----	368.20 - 77.00	.5786	----	----	----	----	963	UNCH										
4605	----	----	----	/349.90A	405.60B/349.90A	----	371.40 - 77.30	.5813	----	----	----	----	5	UNCH										
4610	----	----	----	/352.90A	409.00B/352.90A	----	374.60 - 77.60	.5842	----	----	----	----	3	UNCH										
4620	----	----	----	/359.40A	415.80B/359.40A	----	381.00 - 78.30	.5898	----	----	----	----	53	UNCH										
4625	----	----	----	/362.20A	419.20B/362.20A	----	384.30 - 78.50	.5926	----	----	----	----	56	UNCH										
4630	----	----	----	/365.50A	422.70B/365.50A	----	387.50 - 78.90	.5953	----	----	----	----	3	UNCH										
4640	----	----	----	/371.80A	429.60B/371.80A	----	394.10 - 79.40	.6009	----	----	----	----	104	UNCH										
4650	----	----	----	/378.00A	436.60B/378.00A	----	400.70 - 80.10	.6063	----	----	----	----	118	UNCH										
4655	----	----	----	/381.40A	440.10B/381.40A	----	404.10 - 80.20	.6091	----	----	----	----	1	UNCH										
4660	----	----	----	/384.50A	443.60B/384.50A	----	407.40 - 80.60	.6117	----	----	----	----	7	UNCH										
4665	----	----	----	/387.90A	447.10B/387.90A	----	410.80 - 80.80	.6144	----	----	----	----	70	UNCH										
4675	----	----	----	/394.90A	454.50B/394.90A	----	41																	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																	
JAN27																			
3300				---/25.70A	22.00B/25.70A	---			24.20 - 8.10	.0571					1	UNCH			
3500	36.00	36.00		36.90/36.00	40.60B/36.00	---			37.50 - 14.20	.0874			2		3	UNCH			
3520				---/38.80A	42.60B/38.80A	---			39.30 - 14.80	.0912					1	UNCH			
3600				---/46.70A	51.60B/46.70A	---			47.20 - 17.60	.1081					14	UNCH			
3680				---/55.90A	65.10B/55.90A	---			56.70 - 20.60	.1278					1	UNCH			
3700				---/58.30A	68.20B/58.30A	---			59.40 - 21.40	.1332					2	UNCH			
3800				---/71.90A	85.30B/71.90A	---			74.70 - 25.80	.1631					17	UNCH			
3850				---/80.30A	95.30B/80.30A	---			83.70 - 28.20	.1799					230	UNCH			
3900	93.70	93.70		94.10/89.70A	106.40B/89.70A	---			93.70 - 30.80	.1980			2		2	- 1			
3925				---/94.50A	112.30B/94.50A	---			99.00 - 32.20	.2075					1	UNCH			
3980				---/106.60A	126.30B/106.60A	---			111.80 - 35.40	.2296					1	UNCH			
4000	113.00	113.00		113.00/111.20A	131.90B/111.20A	---			116.80 - 36.60	.2380			1		105	- 1			
4025				---/117.30A	138.90B/117.30A	---			123.40 - 38.00	.2488					2	UNCH			
4070				---/129.10A	152.70B/129.10A	---			135.90 - 40.90	.2689					1	UNCH			
4100				---/137.50A	162.40B/137.50A	---			144.80 - 42.90	.2828					20	UNCH			
4200				---/169.10A	198.40B/169.10A	---			178.20 - 49.60	.3320					7	UNCH			
4220				---/176.00A	206.40B/176.00A	---			185.60 - 50.90	.3423					1	UNCH			
4250				---/186.80A	218.60B/186.80A	---			197.10 - 53.00	.3579					1	UNCH			
4255				---/188.80A	220.90B/188.80A	---			199.10 - 53.30	.3605					19	UNCH			
4300				---/206.20A	240.30B/206.20A	---			217.50 - 56.40	.3845					1	UNCH			
4350				---/227.20A	263.60B/227.20A	---			239.40 - 59.80	.4116					1	UNCH			
4375				---/238.10A	275.90B/238.10A	---			251.00 - 61.40	.4253					15	UNCH			
4400				---/249.60A	288.40B/249.60A	---			262.90 - 63.10	.4391					1	UNCH			
4445	284.90	284.90		285.50/270.80A	312.00B/270.80A	---			285.40 NEW	.4639			2		2	+			
4455				---/275.90A	317.40B/275.90A	---			290.60 - 66.60	.4695					1	UNCH			
4500				---/298.70A	342.30B/298.70A	---			314.60 - 69.50	.4942					10	UNCH			
4505	304.30	304.30		304.30/301.60A	345.10B/301.60A	---			317.30 NEW	.4969			14		14	+			
4575				---/339.70A	386.80B/339.70A	---			357.40 - 74.00	.5347					1	UNCH			
4585				---/345.50A	393.40B/345.50A	---			363.30 - 74.70	.5400					1	UNCH			
4600				---/354.50A	402.00B/354.50A	---			372.40 - 75.50	.5479					3	UNCH			
4610				---/360.40A	409.20B/360.40A	---			378.50 - 76.00	.5532					1	UNCH			
4620				---/366.30A	415.60B/366.30A	---			384.60 - 76.70	.5584					1	UNCH			
4630				---/372.30A	422.20B/372.30A	---			390.90 - 77.10	.5636					1	UNCH			
4650				---/384.40A	435.40B/384.40A	---			403.50 - 78.20	.5739					2	UNCH			
4660				---/390.50A	442.00B/390.50A	---			409.90 - 78.80	.5791					4	UNCH			
4665				---/393.60A	445.40B/393.60A	---			413.10 - 79.10	.5816					4	UNCH			
4700				---/415.70A	467.80B/415.70A	---			436.00 - 80.90	.5991					1	UNCH			
4710				---/422.10A	470.50B/422.10A	---			442.60 - 81.40	.6041					4	UNCH			
4760				---/455.30A	486.50B/455.30A	---			476.70 - 83.90	.6283					100	UNCH			
4800				---/482.40A	515.10B/482.40A	---			504.90 - 85.80	.6468					6	UNCH			
4805				---/485.90A	518.60B/485.90A	---			508.50 - 86.00	.6491					1	UNCH			
4820				---/496.30A	529.70B/496.30A	---			519.30 - 86.60	.6559					6	UNCH			
4860				---/524.80A	559.40B/524.80A	---			548.60 - 88.40	.6734					1	UNCH			
4880				---/539.30A	574.50B/539.30A	---			563.50 - 89.30	.6820					1	UNCH			
4960				---/599.10A	610.30B/599.10A	---			624.90 - 92.40	.7142					42	UNCH			
4980				---/614.40A	613.40B/614.40A	---			640.70 - 93.10	.7218					9	UNCH			
4990					538.00B/749.70A				648.60 - 93.50	.7256					1	UNCH			
4995					541.90B/753.60A				652.60 - 93.60	.7274					1	UNCH			
5000					545.90B/757.60A				656.60 - 93.80	.7292					2	UNCH			
5050					586.20B/797.70A				697.00 - 95.40	.7470					100	UNCH			
5085					615.00B/826.20A				725.80 - 96.50	.7587					2	UNCH			
5150					669.70B/880.10A				780.30 - 98.40	.7791					2	UNCH			
5235				---/952.40A	743.10B/952.40A	---			853.30 - 00.60	.8031					2	UNCH			
5245				---/961.10A	751.80B/961.10A	---			862.10 - 00.80	.8058					2	UNCH			
5300				---/1,008.90A	800.50B/1008.90A	---			910.40 - 02.10	.8195					44	UNCH			
TOTAL																25	899+		14
FEB27																			
2800				---/13.20A	8.60B/13.20A	---			11.20 - 2.80	.0240					10	UNCH			
3000				---/*18.20A	13.40B/18.20A				16.40 - 5.10	.0357					1	UNCH			
3100				---/*21.70A	16.80B/21.70A				19.80 - 6.60	.0434					7	UNCH			
3160				---/24.20A	19.30B/24.20A				22.20 - 7.70	.0488					2	UNCH			
3200				---/26.00A	21.20B/26.00A				24.00 - 8.50	.0528					1	UNCH			
3400				---/36.10A	37.70B/36.10A				36.00 - 13.10	.0788					11	UNCH			
3500				---/44.60A	47.60B/44.60A				44.50 - 16.00	.0964					11	UNCH			
3600	65.00	65.00		65.00/63.00A	71.80B/63.00A	---			55.30 - 19.20	.1178			1		62	UNCH			
3660				---/74.80A	87.30B/74.80A	---			63.20 - 21.30	.1327					1	UNCH			
3750				---/98.50A	114.70B/98.50A				77.10 - 24.70	.1581					1	UNCH			
3880				---/113.90A	132.60B/113.90A				102.30 - 30.40	.2012					2	UNCH			
3950				---/121.10A	140.90B/121.10A				118.80 - 33.70	.2277					2	UNCH			
3980				---/126.10A	146.70B/126.10A				126.50 - 35.20	.2396					1	UNCH			
4000				---/127.40A	148.40B/127.40A				131.90 - 36.30	.2478					61	UNCH			
4005				---/132.70A	154.10B/132.70A				133.20 - 36.60	.2498					13	UNCH			
4025				---/139.50A	162.00B/139.50A				138.80 - 37.70	.2582					35	UNCH			
4050				---/145.20A	168.40B/145.20A				146.10 - 39.10	.2689					100	UNCH			
4070				---/146.60A	170.30B/146.60A				152.20 - 40.10	.2777					2	UNCH			
4075				---/154.00A	178.80B/154.00A				153.70 - 40.40	.2799					5	UNCH			
4100				---/187.00A	216.10B/187.00A				161.60 - 41.90	.2910					571	UNCH			
4200				---/188.7															

PG64	BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST											
OG PUT	COMEX GOLD OPTIONS																								
MAR27																									
4525	----	----	----	/337.60A	368.60B/337.60A	----	----	349.50 - 67.70	.4825	----	----	----	----	11				UNCH							
4650	----	----	----	/407.70A	443.30B/407.70A	----	----	422.50 - 73.60	.5411	----	----	----	----	3				UNCH							
4660	----	----	----	/413.70A	449.30B/413.70A	----	----	428.70 - 74.00	.5456	----	----	----	----	25				UNCH							
4680	----	----	----	/425.70A	462.50B/425.70A	----	----	441.20 - 74.90	.5546	----	----	----	----	1				UNCH							
4700	----	----	----	/437.90A	475.60B/437.90A	----	----	453.90 - 75.80	.5636	----	----	----	----	9				UNCH							
4710	----	----	----	/444.10A	482.00B/444.10A	----	----	460.30 - 76.30	.5680	----	----	----	----	4				UNCH							
4720	----	----	----	/450.20A	488.30B/450.20A	----	----	466.80 - 76.70	.5725	----	----	----	----	2				UNCH							
4740	----	----	----	/462.90A	501.60B/462.90A	----	----	479.80 - 77.60	.5812	----	----	----	----	3				UNCH							
4750	----	----	----	/469.20A	508.70B/469.20A	----	----	486.40 - 78.10	.5855	----	----	----	----	15				UNCH							
4810	----	----	----	/508.40A	544.40B/508.40A	----	----	526.80 - 80.80	.6111	----	----	----	----	22				UNCH							
4850	----	----	----	/535.40A	543.70B/535.40A	----	----	554.50 - 82.70	.6275	----	----	----	----	6				UNCH							
4900	----	----	----	----	439.20B/730.80A	----	----	589.90 - 85.10	.6475	----	----	----	----	2				UNCH							
4905	----	----	----	----	442.80B/734.50A	----	----	593.50 - 85.40	.6495	----	----	----	----	2				UNCH							
5000	----	----	----	----	511.80B/805.60A	----	----	663.40 - 89.90	.6854	----	----	----	----	75				UNCH							
TOTAL														270				2056	0						
APR27																									
3460	----	----	----	/54.60A	54.00B/54.60A	----	----	53.30 - 14.20	.1009	----	----	----	----	1				UNCH							
3500	----	----	----	/60.10A	58.90B/60.10A	----	----	57.60 - 15.30	.1084	----	----	----	----	1				UNCH							
3545	----	----	----	/65.40A	68.10B/65.40A	----	----	62.90 - 16.70	.1176	----	----	----	----	10				UNCH							
3565	----	----	----	/67.90A	71.10B/67.90A	----	----	65.40 - 17.40	.1219	----	----	----	----	20				UNCH							
3590	----	----	----	/71.00A	74.90B/71.00A	----	----	68.70 - 18.20	.1274	----	----	----	----	10				UNCH							
3595	----	----	----	/71.30A	75.80B/71.30A	----	----	69.30 - 18.50	.1285	----	----	----	----	10				UNCH							
3600	----	----	----	/71.80A	76.50B/71.80A	----	----	70.00 - 18.60	.1297	----	----	----	----	1				UNCH							
3700	----	----	----	/83.70A	94.00B/83.70A	----	----	85.20 - 22.60	.1545	----	----	----	----	2				UNCH							
3750	----	----	----	/92.30A	103.90B/92.30A	----	----	94.00 - 24.70	.1683	----	----	----	----	25				UNCH							
3800	----	----	----	/101.80A	114.50B/101.80A	----	----	103.60 - 27.10	.1830	----	----	----	----	1				UNCH							
3900	----	----	----	/123.40A	138.90B/123.40A	----	----	125.70 - 32.30	.2153	----	----	----	----	1				UNCH							
4000	----	----	----	/148.80A	167.50B/148.80A	----	----	151.90 - 37.90	.2512	----	----	----	----	1				UNCH							
4100	----	----	----	/178.30A	200.40B/178.30A	----	----	182.50 - 43.90	.2904	----	----	----	----	6				UNCH							
4200	----	----	----	/212.60A	238.00B/212.60A	----	----	218.00 - 49.80	.3323	----	----	----	----	1				UNCH							
4300	----	----	----	/250.90A	280.70B/250.90A	----	----	258.50 - 55.70	.3763	----	----	----	----	151				UNCH							
4350	----	----	----	/272.10A	303.60B/272.10A	----	----	280.60 - 58.70	.3989	----	----	----	----	1				UNCH							
4400	----	----	----	/294.20A	327.90B/294.20A	----	----	304.10 - 61.50	.4217	----	----	----	----	1				UNCH							
4500	----	----	----	/342.90A	377.20B/342.90A	----	----	354.90 - 66.80	.4675	----	----	----	----	1				UNCH							
4540	----	----	----	/367.50A	400.50B/367.50A	----	----	376.60 - 68.90	.4857	----	----	----	----	1				UNCH							
4900	----	----	----	/587.10A	573.80B/587.10A	----	----	606.20 - 84.70	.6360	----	----	----	----	2				UNCH							
4905	----	----	----	----	411.90B/799.60A	----	----	609.80 - 84.90	.6379	----	----	----	----	2				UNCH							
5000	----	----	----	----	480.60B/869.30A	----	----	679.60 - 88.20	.6719	----	----	----	----	100				UNCH							
5060	----	----	----	----	525.90B/914.70A	----	----	725.30 - 90.10	.6919	----	----	----	----	25				UNCH							
5200	----	----	----	----	636.70B/1024.50A	----	----	836.40 - 94.20	.7344	----	----	----	----	15				UNCH							
TOTAL														389				189	0						
MAY27																									
4640	435.80	435.80		#435.80/*435.80	#435.80/*435.80	----	----	440.30 NEW	.5086	----	----	1	----	1 +				1							
TOTAL												1	----	1 +				1							
JUN27																									
2800	----	----	----	/20.00A	0.10B/20.00A	----	----	10.00 - 18.00	.0214	----	----	----	----	6				UNCH							
3625	----	----	----	----	0.10B/182.90A	----	----	91.10 - 76.10	.1465	----	----	----	----	450				UNCH							
4900	----	----	----	----	222.50B/1002.80A	----	----	645.40 - 46.60	.5901	----	----	----	----	1				UNCH							
4905	----	----	----	----	226.00B/1006.30A	----	----	648.80 - 46.70	.5917	----	----	----	----	1				UNCH							
5085	----	----	----	----	356.80B/1132.60A	----	----	779.70 - 46.40	.6462	----	----	----	----	150				UNCH							
TOTAL														608				0							
DEC27																									
3700	----	----	----	----	----	----	----	167.60 - 24.00	.1862	----	----	----	----	100				UNCH							
3715	----	----	----	----	----	----	----	170.70 - 24.40	.1894	----	----	----	----	150				UNCH							
3820	----	----	----	----	----	----	----	194.30 - 27.20	.2126	----	----	----	----	50				UNCH							
4130	----	----	----	----	----	----	----	280.20 - 36.70	.2920	----	----	----	----	168				UNCH							
4500	----	----	----	----	----	----	----	425.10 - 49.80	.4055	----	----	----	----	270				UNCH							
4630	----	----	----	----	----	----	----	488.90 - 54.60	.4480	----	----	----	----	284				UNCH							
4860	----	----	----	----	----	----	----	618.30 - 62.90	.5210	----	----	----	----	100				UNCH							
5000	----	----	----	----	----	----	----	706.80 - 67.70	.5628	----	----	----	----	50				UNCH							
5650	----	----	----	----	----	----	----	1190.50 - 86.20	.7198	----	----	----	----	200				UNCH							
5880	----	----	----	----	----	----	----	1382.10 - 91.30	.7614	----	----	----	----	200				UNCH							
TOTAL														1572				0							
JAN28																									
5000	----	----	----	----	----	----	----	702.60 - 65.80	.5471	----	----	----	----	1				UNCH							
5100	----	----	----	----	----	----	----	768.50 - 69.00	.5748	----	----	----	----	1				UNCH							
TOTAL														2				0							
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST											
OG CALL	COMEX GOLD OPTIONS																								
JUL26																									

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL	COMEX GOLD OPTIONS											
JUL26												
4165	195.30	195.30	235.70B/195.30	235.70B/157.70A	----	201.30 + 76.50	.8607	----	----	1	----	15 -
4170	----	----	231.20B/----	231.20B/154.00A	----	197.00 + 75.50	.8553	----	----	1	----	22 -
4175	180.00	180.00	226.80B/180.00	226.80B/150.30A	----	192.70 + 74.50	.8493	----	----	10	----	48 -
4180	208.40	208.40	222.30B/208.40	222.30B/146.60A	----	188.40 + 73.50	.8432	----	----	1	----	92 UNCH
4185	----	----	217.80B/----	217.80B/143.00A	----	184.10 + 72.40	.8366	----	----	----	----	72 UNCH
4190	----	----	213.40B/----	213.40B/139.40A	----	179.90 + 71.30	.8305	----	----	----	----	66 UNCH
4195	----	----	209.10B/----	209.10B/135.80A	----	175.70 + 70.20	.8237	----	----	----	----	15 UNCH
4200	145.00	145.00	204.80B/145.00	204.80B/132.40A	----	171.50 + 69.00	.8165	----	215	----	1090 +	148 UNCH
4205	----	----	200.40B/----	200.40B/128.90A	----	167.40 + 67.80	.8096	----	----	----	----	27 UNCH
4210	----	----	196.20B/----	196.20B/125.50A	----	163.30 + 66.70	.8022	----	----	----	----	34 UNCH
4215	----	----	191.80B/----	191.80B/122.10A	----	159.30 + 65.60	.7944	----	----	----	----	159 UNCH
4220	150.40	150.40	187.60B/150.40	187.60B/118.80A	----	155.20 + 64.30	.7864	----	15	----	60 UNCH	
4225	127.00	127.00	183.40B/127.00	183.40B/115.60A	----	151.30 + 63.20	.7784	----	10	----	176 UNCH	
4230	----	----	179.20B/----	179.20B/112.40A	----	147.30 + 61.90	.7704	----	1	----	39 UNCH	
4235	----	----	175.20B/----	175.20B/109.20A	----	143.40 + 60.70	.7618	----	----	----	10 UNCH	
4240	140.00	140.00	171.00B/140.00	171.00B/106.10A	----	139.60 + 59.50	.7529	----	2	----	67 UNCH	
4245	----	----	166.90B/----	166.90B/103.00A	----	135.80 + 58.10	.7438	----	----	----	61 UNCH	
4250	122.10	122.10	162.90B/122.10	162.90B/100.00A	----	132.00 + 56.80	.7347	----	66	----	782 -	
4255	----	----	159.00B/----	159.00B/97.40A	----	128.30 + 55.50	.7252	----	----	----	20 UNCH	
4260	----	----	155.00B/----	155.00B/94.50A	----	124.60 + 54.20	.7157	----	----	----	46 UNCH	
4265	----	----	151.10B/----	151.10B/91.40A	----	121.00 + 53.00	.7057	----	----	----	23 UNCH	
4270	107.80	107.80	147.20B/107.80	147.20B/88.60A	----	117.40 + 51.60	.6957	----	1	----	54 -	
4275	93.40	93.40	143.40B/93.40	143.40B/85.10A	----	113.90 + 50.40	.6853	----	3	----	137 UNCH	
4280	----	----	139.60B/----	139.60B/82.90A	----	110.50 + 49.10	.6749	----	----	----	23 UNCH	
4285	----	----	135.80B/----	135.80B/80.30A	----	107.10 + 47.80	.6642	----	----	----	17 UNCH	
4290	126.00	126.00	132.10B/112.90	132.10B/78.00A	----	103.70 + 46.50	.6532	----	2	----	61 +	
4295	----	----	128.50B/----	128.50B/75.20A	----	100.40 + 45.20	.6421	----	3	----	62 -	
4300	85.90	85.90	124.90B/80.10	124.90B/72.70A	----	97.20 + 43.90	.6309	----	125	1231	13 -	
4305	78.30	78.30	121.40B/78.30	121.40B/70.30A	----	94.00 + 42.60	.6194	----	1	----	13 +	
4310	84.40	84.40	117.90B/75.70	117.90B/67.90A	----	90.90 + 41.40	.6078	----	11	----	39 -	
4315	----	----	114.40B/----	114.40B/65.60A	----	87.90 + 40.20	.5961	----	----	----	37 UNCH	
4320	72.30	72.30	111.00B/70.60	111.00B/63.40A	----	84.90 + 38.80	.5843	----	3	----	19 +	
4325	70.10	70.10	107.70B/69.10	107.70B/61.20A	----	82.00 + 37.60	.5723	----	12	----	138 UNCH	
4330	71.40	71.40	104.40B/70.20	104.40B/59.10A	----	79.10 + 36.30	.5602	----	4	----	80 +	
4335	63.60	63.60	101.10B/63.60	101.10B/57.00A	----	76.30 + 35.10	.5481	----	4	----	54 +	
4340	63.00	63.00	98.00B/63.00	98.00B/55.00A	----	73.60 + 34.00	.5358	----	3	----	38 +	
4345	53.50	53.50	95.50/53.50	95.50/53.00A	----	70.90 + 32.80	.5235	----	9	----	59 +	
4350	56.60	56.60	91.70B/56.60	91.70B/51.30A	----	68.40 + 31.70	.5112	----	201	2518	9 -	
4355	65.90	65.90	88.60B/60.70	88.60B/49.30A	----	65.80 + 30.50	.4988	----	8	----	68 UNCH	
4360	65.90	65.90	85.80B/65.90	85.80B/47.50A	----	63.40 + 29.50	.4865	----	14	816	10 -	
4365	62.30	62.30	82.80B/55.60	82.80B/45.70A	----	61.00 + 28.40	.4741	----	5	88	+	
4370	60.20	60.20	80.00B/60.20	80.00B/44.00A	----	58.70 + 27.30	.4618	----	1	71	UNCH	
4375	57.60	57.60	77.30B/57.60	77.30B/42.40A	----	56.40 + 26.30	.4494	----	278	700	1240 -	
4380	55.70	55.70	74.60B/53.20	74.60B/41.00A	----	54.30 + 25.30	.4373	----	4	----	106 UNCH	
4385	52.10	52.10	71.90B/52.10	71.90B/39.30A	----	52.10 + 24.30	.4251	----	7	----	43 +	
4390	54.80	54.80	69.30B/48.10	69.30B/37.80A	----	50.10 + 23.40	.4131	----	36	----	123 +	
4395	53.40	53.40	66.90B/48.80	66.90B/36.50A	----	48.10 + 22.50	.4011	----	12	----	28 +	
4400	36.30	36.30	64.50B/36.30	64.50B/35.00A	----	46.20 + 21.60	.3893	----	531	4873	109 -	
4405	38.40	38.40	62.20B/37.70	62.20B/33.60A	----	44.30 + 20.60	.3775	----	9	----	38 -	
4410	44.70	44.70	59.90B/43.80	59.90B/32.30A	----	42.50 + 19.70	.3659	----	11	61	+	
4415	42.60	42.60	57.60B/42.60	57.60B/31.20A	----	40.80 + 18.90	.3546	----	9	91	UNCH	
4420	44.70	44.70	55.50B/43.00	55.50B/29.70A	----	39.10 + 18.10	.3433	----	14	108	+	
4425	24.60	24.60	53.30B/24.60	53.30B/24.60	----	37.50 + 17.30	.3323	----	44	273	33 -	
4430	41.40	41.40	51.30B/36.90	51.30B/27.50A	----	36.00 + 16.70	.3216	----	7	151	-	
4435	36.80	36.80	50.00/33.40	50.00/26.60A	----	34.50 + 15.90	.3110	----	8	54	UNCH	
4440	27.30	27.30	47.30B/27.30	47.30B/25.30A	----	33.00 + 15.20	.3004	----	19	39	+	
4445	34.20	34.20	45.50B/30.60	45.50B/24.30A	----	31.60 + 14.50	.2901	----	6	53	UNCH	
4450	30.00	30.00	43.70B/26.00	43.70B/23.40A	----	30.30 + 13.90	.2802	----	247	1731	36 +	
4455	40.10	40.10	41.80/28.10	41.80/22.50A	----	29.00 + 13.30	.2704	----	12	23	-	
4460	30.10	30.10	40.20B/27.10	40.20B/21.70A	----	27.80 + 12.70	.2610	----	6	30	+	
4465	37.70	37.70	38.60B/29.30	38.60B/20.70A	----	26.60 + 12.10	.2516	----	2	59	-	
4470	27.50	27.50	37.00B/24.50	37.00B/20.00A	----	25.40 + 11.50	.2422	----	80	141	+	
4475	19.80	19.80	35.40B/19.80	35.40B/19.20A	----	24.30 + 11.00	.2334	----	109	277	65 -	
4480	28.00	28.00	34.00B/28.00	34.00B/18.50A	----	23.30 + 10.50	.2250	----	16	407	11 -	
4485	24.70	24.70	32.50B/23.10	32.50B/17.60A	----	22.30 + 10.00	.2166	----	3	236	+	
4490	24.00	24.00	31.10B/21.60	31.10B/16.90A	----	21.30 + 9.50	.2083	----	10	60	-	
4495	19.80	19.80	29.80B/19.80	29.80B/16.30A	----	20.40 + 9.10	.2006	----	5	85	UNCH	
4500	17.90	17.90	28.60B/16.40	28.60B/15.70A	----	19.50 + 8.60	.1929	----	750	700	4187 -	
4505	17.50	17.50	27.40B/17.50	27.40B/15.10A	----	18.60 + 8.20	.1852	----	8	100	+	
4510	16.00	16.00	26.20B/14.40A	26.20B/14.40A	----	17.80 + 7.80	.1781	----	11	101	-	
4515	21.90	21.90	25.10B/16.50	25.10B/13.80A	----	17.00 + 7.40	.1710	----	4	297	-	
4520	13.60	13.60	23.90B/13.60	23.90B/13.20A	----	16.30 + 7.10	.1645	----	12	212	-	
4525	14.50	14.50	22.90B/13.00	22.90B/12.60A	----	15.60 + 6.70	.1581	----	4	218	+	
4530	16.10	16.10	21.90B/15.40	21.90B/12.00A	----	14.90 + 6.40	.1517	----	15	669	10 -	
4535	14.60	14.60	21.00B/14.60	21.00B/11.50A	----	14.30 + 6.10	.1460	----	11	192	UNCH	
4540	13.80	13.80	20.10B/13.80	20.10B/10.80A	----	13.70 + 5.80	.1403	----	7	91	+	
4545	18.10	18.10	19.20B/12.90									

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																
JUL26																	
4850	2.10	2.10		2.30/1.70A	2.30/1.70A	----		1.80	+ 0.30	.0167	----	----	99	----	----	1555	- 32
4855	----	----		2.30B/----	2.30B/1.70A	----		1.80	+ 0.30	.0166	----	----	1	----	----	250	- 1
4860	1.60	1.60		2.20B/1.60	2.20B/1.60	----		1.70	+ 0.30	.0157	----	----	1	----	----	110	- 1
4865	2.10	2.10		2.20B/1.60A	2.20B/1.60A	----		1.70	+ 0.30	.0156	----	----	2	----	----	119	+ 1
4870	2.00	2.00		2.10/2.00	2.10/1.60A	----		1.70	+ 0.30	.0155	----	----	3	----	----	159	+ 1
4875	----	----		2.10B/----	2.10B/1.60A	----		1.60	+ 0.20	.0146	----	----	12	----	----	162	+ 12
4880	1.80	1.80		2.00B/1.50A	2.00B/1.50A	----		1.60	+ 0.20	.0145	----	----	63	----	----	444	- 14
4885	1.80	1.80		2.00B/1.50A	2.00B/1.50A	----		1.60	+ 0.30	.0144	----	----	1	----	----	82	+ 1
4890	----	----		2.00B/----	2.00B/1.50A	----		1.50	+ 0.20	.0136	----	----	----	----	----	99	UNCH
4895	1.70	1.70		1.90B/1.70	1.90B/1.50A	----		1.50	+ 0.20	.0135	----	----	1	----	----	74	UNCH
4900	1.50	1.50		1.90/1.20	1.90/1.20	----		1.50	+ 0.20	.0134	----	----	589	----	----	2355	- 47
4905	1.70	1.70		1.80B/1.40A	1.80B/1.40A	----		1.40	+ 0.10	.0125	----	----	1	----	----	39	+ 1
4910	----	----		1.80B/----	1.80B/1.30A	----		1.40	+ 0.10	.0124	----	----	----	----	----	190	UNCH
4915	1.60	1.60		1.80B/1.60	1.80B/1.40A	----		1.40	+ 0.20	.0124	----	----	35	----	----	99	UNCH
4920	1.40	1.40		1.70B/1.30A	1.70B/1.30A	----		1.40	+ 0.20	.0123	----	----	1	----	----	369	+ 1
4925	----	----		1.70B/----	1.70B/1.30A	----		1.30	+ 0.10	.0114	----	----	30	----	----	204	+ 30
4930	----	----		1.70B/----	1.70B/1.30A	----		1.30	+ 0.10	.0114	----	----	----	----	----	107	UNCH
4935	----	----		1.60B/----	1.60B/1.30A	----		1.30	+ 0.10	.0113	----	----	----	----	----	645	UNCH
4940	----	----		1.60B/----	1.60B/1.20A	----		1.30	+ 0.10	.0112	----	----	21	----	----	334	+ 21
4945	----	----		1.60B/----	1.60B/1.20A	----		1.20	UNCH	.0104	----	----	----	----	----	61	UNCH
4950	1.40	1.40		1.50B/1.20A	1.50B/1.20A	----		1.20	+ 0.10	.0103	----	----	63	----	----	726	+ 7
4955	1.50	1.50		1.50/1.10A	1.50/1.10A	----		1.20	+ 0.10	.0103	----	----	4	----	----	93	+ 3
4960	1.50	1.50		1.50/1.10A	1.50/1.10A	----		1.20	+ 0.10	.0102	----	----	33	----	----	253	+ 30
4965	1.40	1.40		1.50B/1.10A	1.50B/1.10A	----		1.20	+ 0.10	.0101	----	----	39	----	----	253	+ 35
4970	1.40	1.40		1.40/1.10A	1.40/1.10A	----		1.10	UNCH	.0094	----	----	24	----	----	89	+ 22
4975	1.30	1.30		1.40B/1.10A	1.40B/1.10A	----		1.10	UNCH	.0093	----	----	1	----	----	79	UNCH
4980	1.40	1.40		1.40/1.10A	1.40/1.10A	----		1.10	UNCH	.0092	----	----	10	----	----	76	+ 5
4985	1.30	1.30		1.40B/1.10A	1.40B/1.10A	----		1.10	UNCH	.0092	----	----	10	----	----	104	+ 8
4990	1.20	1.20		1.30B/1.10	1.30B/1.10	----		1.10	+ 0.10	.0091	----	----	9	----	----	147	+ 3
4995	1.30	1.30		1.30/1.10A	1.30/1.10A	----		1.10	+ 0.10	.0091	----	----	12	----	----	1057	+ 2
5000	1.00	1.00		1.30/1.00	1.30/1.00	----		1.00	UNCH	.0083	----	----	40	----	----	4071	+ 15
5005	1.30	1.30		1.30/1.10A	1.30/1.10A	----		1.00	UNCH	.0083	----	----	14	----	----	75	+ 11
5010	1.20	1.20		1.20/1.00A	1.20/1.00A	----		1.00	UNCH	.0082	----	----	6	----	----	58	+ 4
5015	1.20	1.20		1.20/1.10	1.20/1.10	----		1.00	UNCH	.0082	----	----	10	----	----	113	+ 9
5020	1.20	1.20		1.20/0.90A	1.20/0.90A	----		1.00	UNCH	.0081	----	----	5	----	----	34	+ 5
5025	1.20	1.20		1.20/1.10	1.20/1.10	----		1.00	UNCH	.0081	----	----	3	----	----	313	- 1
5030	----	----		1.10B/----	1.10B/1.00A	----		1.00	UNCH	.0080	----	----	----	----	----	215	UNCH
5035	----	----		1.10B/----	1.10B/1.10A	----		1.00	UNCH	.0080	----	----	----	----	----	103	UNCH
5040	0.90	0.90		1.10B/0.90	1.10B/0.90	----		0.90	- 0.10	.0072	----	----	2	----	----	27	UNCH
5045	----	----		1.10B/----	1.10B/1.00A	----		0.90	UNCH	.0072	----	----	4	----	----	17	- 1
5050	----	----		1.10B/----	1.10B/1.00A	----		0.90	UNCH	.0071	----	----	2	----	----	504	- 1
5055	----	----		1.00B/----	1.00B/1.00A	----		0.90	UNCH	.0071	----	----	----	----	----	31	UNCH
5060	----	----		1.00B/0.80A	1.00B/0.80A	----		0.90	UNCH	.0071	----	----	----	----	----	37	UNCH
5065	----	----		1.00B/----	1.00B/1.00A	----		0.90	UNCH	.0070	----	----	----	----	----	183	UNCH
5070	----	----		1.00B/0.80A	1.00B/0.80A	----		0.90	UNCH	.0070	----	----	----	----	----	38	UNCH
5075	----	----		1.00B/0.80A	1.00B/0.80A	----		0.90	UNCH	.0070	----	----	----	----	----	149	UNCH
5080	----	----		----	0.90B/0.90A	----		0.90	UNCH	.0069	----	----	----	----	----	121	UNCH
5085	----	----		----/0.80A	0.90B/0.80A	----		0.80	- 0.10	.0062	----	----	----	----	----	53	UNCH
5090	0.90	0.90		0.90/0.90	0.90/0.90	----		0.80	- 0.10	.0062	----	----	1	----	----	388	UNCH
5095	----	----		----/0.80A	0.90B/0.80A	----		0.80	- 0.10	.0061	----	----	----	----	----	290	UNCH
5100	0.70	0.70		0.90B/*0.70	0.90B/*0.70	----		0.80	UNCH	.0061	----	----	1	----	----	1440	- 1
5105	1.10	1.10		1.10/1.10	1.10/0.90A	----		0.80	UNCH	.0061	----	----	1	----	----	107	UNCH
5110	----	----		0.90B/0.70A	0.90B/0.70A	----		0.80	UNCH	.0060	----	----	----	----	----	409	UNCH
5115	----	----		----	0.80B/0.80A	----		0.80	UNCH	.0060	----	----	----	----	----	37	UNCH
5120	----	----		----	0.80B/0.80A	----		0.80	UNCH	.0060	----	----	----	----	----	63	UNCH
5125	----	----		----/0.70A	0.80B/0.70A	----		0.80	UNCH	.0059	----	----	----	----	----	265	UNCH
5130	----	----		----/0.70A	0.80B/0.70A	----		0.80	UNCH	.0059	----	----	----	----	----	43	UNCH
5135	----	----		----	0.80B/0.80A	----		0.80	UNCH	.0059	----	----	----	----	----	174	UNCH
5140	----	----		----/0.70A	0.80B/0.70A	----		0.80	UNCH	.0059	----	----	----	----	----	72	UNCH
5145	----	----		----	0.80B/0.80A	----		0.80	UNCH	.0058	----	----	----	----	----	84	UNCH
5150	----	----		----	0.80B/0.80A	----		0.70	- 0.10	.0052	----	----	----	----	----	1424	UNCH
5155	----	----		----/0.60A	0.70B/0.60A	----		0.70	UNCH	.0051	----	----	----	----	----	22	UNCH
5160	----	----		----	0.70B/0.80A	----		0.70	UNCH	.0051	----	----	1	----	----	72	- 1
5165	----	----		----/0.60A	0.70B/0.60A	----		0.70	UNCH	.0051	----	----	----	----	----	23	UNCH
5170	----	----		----/0.60A	0.70B/0.60A	----		0.70	UNCH	.0051	----	----	----	----	----	16	UNCH
5175	0.60	0.60		0.70B/*0.60	0.70B/0.60	----		0.70	UNCH	.0050	----	----	2	----	----	97	UNCH
5180	----	----		----/0.60A	0.70B/0.60A	----		0.70	UNCH	.0050	----	----	----	----	----	31	UNCH
5185	0.60	0.60		0.60/0.60	0.70B/0.60	----		0.70	UNCH	.0050	----	----	1	----	----	154	- 1
5190	----	----		----	0.70B/0.80A	----		0.70	UNCH	.0050	----	----	----	----	----	23	UNCH

PG64		BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST									
OG CALL		COMEX GOLD OPTIONS																						
JUL26																								
5535	----	----	----	----	----	0.20B/0.30A	----	----	0.20 - 0.10	.0012	----	----	----	----	15	UNCH								
5540	----	----	----	----	----	0.20B/0.30A	----	----	0.10 - 0.10	.0006	----	----	----	----	16	UNCH								
5545	----	----	----	----	----	0.20B/0.30A	----	----	0.10 - 0.10	.0006	----	----	----	----	16	UNCH								
5550	----	----	----	----	----	0.20B/0.30A	----	----	0.10 - 0.10	.0005	----	----	----	----	192	UNCH								
5555	----	----	----	----	----	0.20B/0.30A	----	----	0.10 - 0.10	.0005	----	----	----	----	35	UNCH								
5560	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0005	----	----	----	----	17	UNCH								
5565	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0005	----	----	----	----	12	UNCH								
5570	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0005	----	----	----	----	4	UNCH								
5575	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0004	----	----	----	----	31	UNCH								
5580	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0004	----	----	----	----	7	UNCH								
5585	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0004	----	----	----	----	12	UNCH								
5590	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0004	----	----	----	----	5	UNCH								
5595	----	----	----	----	----	0.20B/*0.20A	----	----	0.10 - 0.10	.0004	----	----	----	----	19	UNCH								
5600	0.30	0.30			0.30/*0.20	0.30/0.20	----	----	0.10 - 0.10	.0003	----	----	3	----	2177 -	3								
5605	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 - 0.10	.0003	----	----	----	----	42	UNCH								
5610	----	----	----	----	----	0.20B/0.20A	----	----	0.10 - 0.10	.0003	----	----	----	----	11	UNCH								
5615	----	----	----	----	----	0.10B/0.20A	----	----	0.10 - 0.10	.0003	----	----	----	----	1	UNCH								
5620	----	----	----	----	----	0.10B/0.20A	----	----	0.10 - 0.10	.0003	----	----	----	----	6	UNCH								
5625	0.20	0.20			0.20/*0.20	0.20/0.20	----	----	0.10 - 0.10	.0003	----	1	----	13	UNCH									
5630	----	----	----	----	----	0.10B/0.20A	----	----	0.10 - 0.10	.0002	----	----	----	4	UNCH									
5635	----	----	----	----	----	0.10B/0.20A	----	----	0.10 - 0.10	.0002	----	----	----	12	UNCH									
5640	----	----	----	----	----	0.20B/0.20A	----	----	0.10 - 0.10	.0002	----	----	----	8	UNCH									
5650	----	----	----	----	----	0.10B/0.20A	----	----	0.10 - 0.10	.0002	----	----	----	406	UNCH									
5660	----	----	----	----	----	0.10B/0.20A	----	----	0.10 - 0.10	.0002	----	----	----	8	UNCH									
5670	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0002	----	----	----	11	UNCH									
5675	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0002	----	----	----	7	UNCH									
5680	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	16	UNCH									
5690	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	21	UNCH									
5700	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	986	UNCH									
5710	0.20	0.20			0.20/*0.20	0.20/0.20	----	----	0.10 UNCH	.0001	----	15	----	37 +	15									
5720	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	17	UNCH									
5725	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	56	UNCH									
5730	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	10	UNCH									
5740	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	9	UNCH									
5750	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0001	----	----	----	1059	UNCH									
5760	----	----	----	----	----	0.10B/0.20A	----	----	0.10 UNCH	.0000	----	----	----	168	UNCH									
5770	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	.0000	----	----	----	4	UNCH									
5775	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	.0000	----	----	----	215	UNCH									
5780	----	----	----	----	----	---/0.30A	----	----	0.10 UNCH	.0000	----	----	----	6	UNCH									
5790	----	----	----	----	----	---/0.30A	----	----	0.10 UNCH	.0000	----	----	----	9	UNCH									
5800	----	----	----	----	----	0.10B/*0.20A	----	----	0.10 UNCH	.0000	----	2	----	804	UNCH									
5810	----	----	----	----	----	---/0.30A	----	----	0.10 UNCH	.0000	----	----	----	11	UNCH									
5820	----	----	----	----	----	---/0.30A	----	----	0.10 UNCH	.0000	----	----	----	208	UNCH									
5825	----	----	----	----	----	---/0.30A	----	----	0.10 UNCH	.0000	----	----	----	19	UNCH									
5830	----	----	----	----	----	---/0.30A	----	----	0.10 UNCH	.0000	----	----	----	1	UNCH									
5840	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	103	UNCH									
5850	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	116	UNCH									
5860	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	208	UNCH									
5870	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	17	UNCH									
5875	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	27	UNCH									
5880	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	11	UNCH									
5890	----	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	9	UNCH									
5900	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	438	UNCH									
5910	----	----	----	----	----	---/*0.10A	----	----	0.10 UNCH	.0000	----	----	----	6	UNCH									
5920	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	19	UNCH									
5925	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	15	UNCH									
5930	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	7	UNCH									
5940	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	4	UNCH									
5950	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	74	UNCH									
5960	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	21	UNCH									
5970	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	65	UNCH									
5980	----	----	----	----	----	---/0.30A	----	----	0.10 UNCH	.0000	----	----	----	3	UNCH									
5990	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	86	UNCH									
6000	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	4	----	2165 +	2									
6025	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	44	UNCH									
6050	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	.0000	----	----	----	55	UNCH									
6075	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	755	UNCH									
6100	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	294	UNCH									
6125	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	70	UNCH									
6150	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	882	UNCH									
6175	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	37	UNCH									
6200	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	570	UNCH									
6225	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	20	UNCH									
6250	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	392	UNCH									
6275	----	----	----	----	----	---/0.20A	----	----	0.10 UNCH	----	----	----	----	3	UNCH									
6300	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	178	----	336	UNCH									
6325	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	29	UNCH									
6350	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	21	UNCH									
6375	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	37	UNCH									
6400	----	----	----	----	----	---/0.10A	----	----	0.10 UNCH	----	----	----	----	111	UNCH									
642																								



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

PG64 BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64
GLOBEX OPEN		OPEN	OUTCRY OPEN	RANGE		GLOBEX HIGH/LOW	OPEN	OUTCRY HIGH/LOW	RANGE		OPEN	OUTCRY CLOSE	RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																						
AUG26																								
4435	97.20	97.20				111.30B/97.20		111.30B/76.60A		----					94.30 + 31.50	.4132	----	----	8	----	29 -	4		
4440	104.10	104.10				109.10B/96.30		109.10B/75.00A		----					92.40 + 30.90	.4073	----	----	16	----	51 +	11		
4445	102.00	102.00				106.90B/98.70		106.90B/73.60A		----					90.50 + 30.40	.4015	----	----	9	----	21 +	5		
4450	93.70	93.70				104.90B/93.70		104.90B/72.00A		----					88.70 + 29.90	.3957	----	----	11	----	706 -	7		
4455	89.00	89.00				102.80B/89.00		102.80B/70.40A		----					86.90 + 29.40	.3899	----	----	7	----	33 +	4		
4460	90.00	90.00				100.70B/90.00		100.70B/68.90A		----					85.10 + 28.80	.3842	----	----	6	----	52 +	1		
4465	95.80	95.80				98.70B/95.80		98.70B/67.40A		----					83.40 + 28.30	.3785	----	----	4	----	53 -	2		
4470	91.10	91.10				96.80B/91.10		96.80B/66.00A		----					81.70 + 27.80	.3729	----	----	7	----	527 +	2		
4475	85.00	85.00				94.80B/77.70		94.80B/64.60A		----					80.00 + 27.30	.3672	----	169	----	295 +	90			
4480	91.50	91.50				92.90B/78.50		92.90B/63.20A		----					78.30 + 26.80	.3616	----	14	----	546 -	8			
4485	----	----				91.00B/----		91.00B/61.90A		----					76.70 + 26.30	.3561	----	1	----	35 +	1			
4490	86.10	86.10				89.10B/86.10		89.10B/60.50A		----					75.10 + 25.80	.3506	----	2	----	43	UNCH			
4495	76.10	76.10				87.30B/76.10		87.30B/59.30A		----					73.60 + 25.40	.3453	----	3	----	6 +	3			
4500	65.40	65.40				85.50B/60.50		85.50B/58.00A		----					72.00 + 24.80	.3398	----	700	50	2508 +	257			
4505	----	----				83.80B/----		83.80B/56.70A		----					70.50 + 24.40	.3344	----	----	5	----	38	UNCH		
4510	80.80	80.80				82.00B/80.80		82.00B/55.70A		----					69.10 + 24.00	.3293	----	5	----	55 +	4			
4515	----	----				80.30B/----		80.30B/54.30A		----					67.60 + 23.40	.3239	----	1	----	31	UNCH			
4520	66.60	66.60				78.70B/66.30		78.70B/53.10A		----					66.20 + 23.00	.3188	----	8	----	65 +	6			
4525	65.20	65.20				77.00B/64.90		77.00B/52.10A		----					64.80 + 22.50	.3136	----	3	----	426	UNCH			
4530	69.40	69.40				75.40B/69.40		75.40B/50.80A		----					63.40 + 22.10	.3085	----	1	----	47 +	1			
4535	72.00	72.00				73.80B/62.20		73.80B/49.70A		----					62.10 + 21.60	.3035	----	3	----	60 +	1			
4540	----	----				72.30B/----		72.30B/48.70A		----					60.80 + 21.10	.2986	----	2	----	59	UNCH			
4545	----	----				70.70B/----		70.70B/47.80A		----					59.50 + 20.70	.2936	----	----	3	----	20	UNCH		
4550	53.10	53.10				69.30B/50.80		69.30B/46.60A		----					58.20 + 20.20	.2887	----	164	----	724 -	14			
4555	59.90	59.90				67.80B/59.30		67.80B/45.60A		----					57.00 + 19.90	.2839	----	12	----	98	UNCH			
4560	----	----				66.30B/----		66.30B/44.60A		----					55.80 + 19.50	.2792	----	----	12	----	380	UNCH		
4565	56.80	56.80				64.90B/53.50		64.90B/43.80A		----					54.60 + 19.10	.2745	----	15	----	36 +	6			
4570	60.20	60.20				63.50B/55.60		63.50B/42.90A		----					53.40 + 18.70	.2698	----	11	----	185 +	8			
4575	56.50	56.50				62.20B/49.30		62.20B/42.00A		----					52.30 + 18.30	.2652	----	38	----	75 +	10			
4580	52.50	52.50				60.80B/52.40		60.80B/40.90A		----					51.20 + 18.00	.2608	----	135	----	312 +	77			
4585	----	----				59.50B/----		59.50B/40.00A		----					50.10 + 17.60	.2563	----	----	3	----	175	UNCH		
4590	49.30	49.30				58.20B/49.10		58.20B/39.20A		----					49.00 + 17.20	.2518	----	3	----	81	UNCH			
4595	48.30	48.30				57.00B/48.00		57.00B/38.30A		----					48.00 + 16.90	.2475	----	6	----	61 -	1			
4600	42.50	42.50				55.80B/40.00		55.80B/37.60A		----					47.00 + 16.50	.2433	----	727	----	1518 +	285			
4605	----	----				54.50B/----		54.50B/36.70A		----					46.00 + 16.20	.2391	----	----	6	----	17	UNCH		
4610	45.20	45.20				53.40B/45.00		53.40B/36.10A		----					45.00 + 15.80	.2349	----	6	----	59 -	3			
4615	51.30	51.30				52.20B/44.00		52.20B/35.10A		----					44.00 + 15.40	.2307	----	6	----	57 +	5			
4620	50.20	50.20				51.10B/41.70		51.10B/34.60A		----					43.10 + 15.10	.2267	----	147	----	58 +	28			
4625	42.40	42.40				50.00B/42.20		50.00B/33.70A		----					42.20 + 14.80	.2228	----	93	----	417 +	9			
4630	41.50	41.50				48.90B/41.30		48.90B/33.00A		----					41.30 + 14.50	.2188	----	4	----	26	UNCH			
4635	----	----				47.80B/----		47.80B/32.30A		----					40.40 + 14.10	.2149	----	----	22	----	28	UNCH		
4640	----	----				46.80B/----		46.80B/31.70A		----					39.50 + 13.80	.2110	----	22	----	34 +	14			
4645	----	----				45.80B/----		45.80B/30.90A		----					38.70 + 13.50	.2073	----	----	35	----	19	UNCH		
4650	32.00	32.00				44.80B/32.00		44.80B/30.30A		----					37.80 + 13.20	.2034	----	35	----	771 +	15			
4655	----	----				43.80B/----		43.80B/29.70A		----					37.00 + 12.90	.1998	----	1	----	38 -	1			
4660	----	----				42.90B/----		42.90B/29.00A		----					36.20 + 12.60	.1962	----	8	----	41 +	2			
4665	----	----				42.00B/----		42.00B/28.40A		----					35.50 + 12.40	.1928	----	----	1	----	48	UNCH		
4670	31.20	31.20				41.10B/31.20		41.10B/27.80A		----					34.70 + 12.10	.1892	----	6	----	85 +	2			
4675	39.40	39.40				40.20B/34.60		40.20B/27.30A		----					34.00 + 11.80	.1859	----	7	----	125 +	7			
4680	----	----				39.30B/----		39.30B/26.60A		----					33.30 + 11.60	.1826	----	2	----	55	UNCH			
4685	----	----				38.50B/----		38.50B/26.10A		----					32.60 + 11.40	.1793	----	----	7	----	219	UNCH		
4690	----	----				37.70B/----		37.70B/25.50A		----					31.90 + 11.10	.1760	----	5	----	56 +	5			
4695	31.30	31.30				36.90B/31.20		36.90B/25.00A		----					31.20 + 10.80	.1727	----	2	----	15 -	1			
4700	28.00	28.00				36.10B/28.00		36.10B/24.50A		----					30.50 + 10.60	.1695	----	604	50	5075 +	160			
4705	----	----				35.30B/----		35.30B/23.90A		----					29.90 + 10.40	.1665	----	----	7	----	127	UNCH		
4710	29.40	29.40				34.60B/29.30		34.60B/23.50A		----					29.30 + 10.20	.1636	----	7	----	90 -	2			
4715	----	----				33.80B/----		33.80B/23.00A		----					28.60 + 9.90	.1603	----	----	5	----	11	UNCH		
4720	----	----				33.10B/----		33.10B/22.50A		----					28.00 + 9.60	.1574	----	5	----	167 +	5			
4725	27.60	27.60				32.40B/27.60		32.40B/22.10A		----					27.50 + 9									

PG64		BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE		GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW		OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS																						
AUG26																								
5120	----	----	----	----		8.20B/----		8.20B/6.20A	----		7.20	+	2.00	.0427	----	----	----	----	----	----	367	UNCH		
5125	----	----	----	----		8.10B/----		8.10B/6.10A	----		7.20	+	2.10	.0425	----	----	----	----	----	----	350	UNCH		
5130	----	----	----	----		8.00B/----		8.00B/6.10A	----		7.10	+	2.00	.0419	----	----	----	----	----	----	13	UNCH		
5135	7.50	7.50	7.50	7.50		7.90B/7.50		7.90B/6.00A	----		7.00	+	2.00	.0413	----	----	----	5	----	----	34	+	3	
5140	6.70	6.70	6.70	6.70		7.80B/6.50		7.80B/5.90A	----		6.90	+	1.90	.0407	----	----	----	6	----	----	33	+	2	
5145	----	----	----	----		7.70B/----		7.70B/5.90A	----		6.80	+	1.90	.0402	----	----	----	----	----	----	21	UNCH		
5150	6.10	6.10	6.10	6.10		7.60B/6.10		7.60B/5.80A	----		6.70	+	1.90	.0396	----	----	7	----	----	----	130	+	2	
5155	----	----	----	----		7.50B/----		7.50B/5.70A	----		6.60	+	1.80	.0390	----	----	----	----	----	----	30	UNCH		
5160	----	----	----	----		7.40B/----		7.40B/5.70A	----		6.60	+	1.90	.0388	----	----	----	----	----	----	16	UNCH		
5165	----	----	----	----		7.30B/----		7.30B/5.60A	----		6.50	+	1.80	.0382	----	----	----	----	----	----	20	UNCH		
5170	----	----	----	----		7.20B/----		7.20B/5.60A	----		6.40	+	1.80	.0377	----	----	----	----	----	----	13	UNCH		
5175	----	----	----	----		7.10B/----		7.10B/5.50A	----		6.30	+	1.70	.0371	----	----	----	----	----	----	370	UNCH		
5180	----	----	----	----		7.10B/----		7.10B/5.40A	----		6.30	+	1.80	.0369	----	----	----	----	----	----	1	UNCH		
5185	----	----	----	----		7.00B/----		7.00B/5.40A	----		6.20	+	1.70	.0364	----	----	----	----	----	----	2	UNCH		
5190	6.00	6.00	6.00	6.00		6.90B/5.80		6.90B/5.30A	----		6.10	+	1.70	.0358	----	----	5	----	----	----	39	+	5	
5195	----	----	----	----		6.80B/----		6.80B/5.30A	----		6.00	+	1.60	.0352	----	----	----	----	----	----	42	UNCH		
5200	5.10	5.10	5.10	5.10		6.70B/5.10		6.70B/5.10	----		6.00	+	1.70	.0351	----	----	101	----	----	----	3166	-	20	
5205	----	----	----	----		6.60B/----		6.60B/5.10A	----		5.90	+	1.60	.0345	----	----	----	----	----	----	6	UNCH		
5210	----	----	----	----		6.50B/----		6.50B/5.10A	----		5.80	+	1.50	.0340	----	----	----	----	----	----	8	UNCH		
5215	5.20	5.20	5.20	5.20		6.50B/5.00A		6.50B/5.00A	----		5.80	+	1.60	.0338	----	----	1	----	----	----	15	UNCH		
5220	6.10	6.10	6.10	6.10		6.40B/6.10		6.40B/5.00A	----		5.70	+	1.50	.0333	----	----	1	----	----	----	292	+	1	
5225	5.50	5.50	5.50	5.50		6.30B/5.40		6.30B/4.90A	----		5.60	+	1.50	.0327	----	----	5	----	----	----	62	+	2	
5230	----	----	----	----		6.30B/----		6.30B/4.90A	----		5.60	+	1.50	.0326	----	----	----	----	----	----	13	UNCH		
5235	----	----	----	----		6.20B/----		6.20B/4.80A	----		5.50	+	1.40	.0320	----	----	----	----	----	----	15	UNCH		
5240	5.40	5.40	5.40	5.40		6.10B/5.20		6.10B/4.80A	----		5.50	+	1.50	.0319	----	----	6	----	----	----	38	+	2	
5245	5.10	5.10	5.10	5.10		6.10B/5.10		6.10B/4.70A	----		5.40	+	1.40	.0314	----	----	1	----	----	----	18	+	1	
5250	4.90	4.90	4.90	4.90		6.00B/4.90		6.00B/4.70A	----		5.30	+	1.40	.0308	----	----	10	----	----	----	713	+	10	
5255	5.20	5.20	5.20	5.20		5.90B/5.00		5.90B/4.70A	----		5.30	+	1.40	.0307	----	----	5	----	----	----	904	UNCH		
5260	4.90	4.90	4.90	4.90		5.80B/4.90		5.80B/4.60A	----		5.20	+	1.30	.0302	----	----	8	----	----	----	35	UNCH		
5265	----	----	----	----		5.80B/----		5.80B/4.60A	----		5.20	+	1.40	.0301	----	----	----	----	----	----	18	UNCH		
5270	----	----	----	----		5.70B/----		5.70B/4.50A	----		5.10	+	1.30	.0295	----	----	----	----	----	----	152	UNCH		
5275	----	----	----	----		5.70B/----		5.70B/4.50A	----		5.10	+	1.30	.0294	----	----	----	----	----	----	24	UNCH		
5280	----	----	----	----		5.60B/----		5.60B/4.40A	----		5.00	+	1.30	.0289	----	----	----	----	----	----	210	UNCH		
5285	----	----	----	----		5.50B/----		5.50B/4.40A	----		5.00	+	1.30	.0288	----	----	----	----	----	----	31	UNCH		
5290	----	----	----	----		5.50B/----		5.50B/4.40A	----		4.90	+	1.20	.0282	----	----	----	----	----	----	25	UNCH		
5295	----	----	----	----		5.40B/----		5.40B/4.30A	----		4.90	+	1.30	.0281	----	----	----	----	----	----	11	UNCH		
5300	5.30	5.30	5.30	5.30		5.40B/5.30		5.40B/4.30A	----		4.80	+	1.20	.0276	----	----	21	----	----	----	1219	+	19	
5305	----	----	----	----		5.30B/----		5.30B/4.20A	----		4.80	+	1.20	.0275	----	----	4	----	----	----	17	UNCH		
5310	4.50	4.50	4.50	4.50		5.30B/4.50		5.30B/4.10A	----		4.70	+	1.20	.0270	----	----	1	----	----	----	105	UNCH		
5315	4.40	4.40	4.40	4.40		5.20B/4.40		5.20B/4.20A	----		4.70	+	1.20	.0269	----	----	1	----	----	----	16	UNCH		
5320	----	----	----	----		5.20B/----		5.20B/4.10A	----		4.60	+	1.10	.0264	----	----	----	----	----	----	23	UNCH		
5325	----	----	----	----		5.10B/----		5.10B/4.00A	----		4.60	+	1.10	.0263	----	----	----	----	----	----	44	UNCH		
5330	4.50	4.50	4.50	4.50		5.10B/4.40		5.10B/4.10A	----		4.50	+	1.10	.0258	----	----	5	----	----	----	22	+	1	
5335	----	----	----	----		5.00B/----		5.00B/4.00A	----		4.50	+	1.10	.0257	----	----	----	----	----	----	3	UNCH		
5340	----	----	----	----		5.00B/----		5.00B/4.00A	----		4.50	+	1.10	.0256	----	----	----	----	----	----	1	UNCH		
5345	4.40	4.40	4.40	4.40		4.90B/4.20		4.90B/4.00A	----		4.40	+	1.10	.0251	----	----	6	----	----	----	29	UNCH		
5350	----	----	----	----		4.90B/----		4.90B/3.90A	----		4.40	+	1.10	.0250	----	----	----	----	----	----	8002	UNCH		
5355	----	----	----	----		4.80B/----		4.80B/3.90A	----		4.30	+	1.00	.0245	----	----	----	----	----	----	1	UNCH		
5360	----	----	----	----		4.80B/----		4.80B/3.80A	----		4.30	+	1.00	.0244	----	----	----	----	----	----	125	UNCH		
5365	----	----	----	----		4.70B/----		4.70B/3.80A	----		4.30	+	1.10	.0243	----	----	----	----	----	----	65	UNCH		
5370	----	----	----	----		4.70B/----		4.70B/3.80A	----		4.20	+	1.00	.0238	----	----	----	----	----	----	8010	UNCH		
5375	----	----	----	----		4.60B/----		4.60B/3.80A	----		4.20	+	1.00	.0237	----	----	----	----	----	----	255	UNCH		
5380	4.50	4.50	4.50	4.50		4.60B/4.50		4.60B/3.80A	----		4.10	+	0.90	.0232	----	----	1	----	----	----	44	+	1	
5390	----	----	----	----		4.50B/----		4.50B/3.70A	----		4.10	+	1.00	.0231	----	----	----	----	----	----	2	UNCH		
5395	----	----	----	----		4.40B/----		4.40B/3.70A	----		4.00	+	0.90	.0226	----	----	----	----	----	----	10	UNCH		
5400	4.00	4.00	4.00	4.00		4.40B/4.00		4.40B/3.60A	----		4.00	+	0.90	.0225	----	----	500	----	----	----	2559	+	32	
5405	3.80	3.80	3.80	3.80		4.40B/3.80		4.40B/3.60A	----		4.00	+	0.90	.0224	----	----	3	----	----	----	10	+	3	
5410	3.80	3.80	3.80	3.80		4.30B/3.70		4.30B/3.60A	----		3.90	+	0.90	.0219	----	----	6	----	----	----	27	+	4	
5415	----	----	----	----		4.30B/----		4.30B/3.60A	----		3.90	+	0.90	.0219	----	----	----	----	----	----	1	UNCH		
5420	----																							

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS																	
AUG26																		
8500	0.40	0.40		0.40/*0.40	0.40/0.40		----			0.30	UNCH	.0010	----	----	1	----	114 +	
9000	----	----		----	0.20B/0.40A		----			0.20	UNCH	.0007	----	----	----	123	UNCH	
9500	----	----		----	----/0.40A		----			0.20	UNCH	.0006	----	----	----	316	UNCH	
10000	----	----		----	0.10B/0.40A		----			0.10	UNCH	.0003	----	----	----	266	UNCH	
TOTAL														13290	100	108896+	3654	
SEP26																		
3875	----	----		570.10B/----	570.10B/485.60A		----			535.30	+ 91.90	.8772	----	----	----	----	1	UNCH
3995	----	----		465.40B/----	465.40B/388.00A		----			432.20	+ 83.10	.8214	----	----	----	10	UNCH	
4000	----	----		461.20B/----	461.20B/384.20A		----			428.10	+ 82.80	.8186	----	----	----	5	UNCH	
4070	----	----		403.70B/----	403.70B/331.80A		----			371.90	+ 76.70	.7765	----	----	----	1	UNCH	
4075	----	----		399.70B/----	399.70B/328.20A		----			368.10	+ 76.30	.7733	----	----	----	7	UNCH	
4085	----	----		391.70B/----	391.70B/321.00A		----			360.30	+ 75.30	.7667	----	----	----	37	UNCH	
4095	----	----		383.90B/----	383.90B/314.00A		----			352.70	+ 74.40	.7599	----	----	----	5	UNCH	
4100	330.00	330.00		379.90B/330.00	379.90B/310.50A		----			348.90	+ 73.90	.7564	----	3	----	6	UNCH	
4110	----	----		372.20B/----	372.20B/303.50A		----			341.40	+ 72.90	.7495	----	----	----	2	UNCH	
4115	----	----		368.30B/----	368.30B/300.00A		----			337.70	+ 72.50	.7460	----	----	----	14	UNCH	
4125	352.40	352.40		360.70B/352.40	360.70B/293.30A		----			330.20	+ 71.40	.7387	----	5	----	15 +	5	
4130	----	----		356.80B/----	356.80B/289.90A		----			326.60	+ 71.00	.7351	----	----	----	20	UNCH	
4140	----	----		349.20B/----	349.20B/283.20A		----			319.30	+ 70.10	.7278	----	----	----	8	UNCH	
4150	----	----		341.70B/----	341.70B/276.50A		----			312.10	+ 69.00	.7202	----	----	----	231	UNCH	
4160	----	----		334.40B/----	334.40B/270.00A		----			305.00	+ 68.00	.7126	----	----	----	1	UNCH	
4165	----	----		330.80B/----	330.80B/266.80A		----			301.40	+ 67.40	.7087	----	1	----	11	UNCH	
4175	----	----		323.50B/----	323.50B/260.40A		----			294.40	+ 66.40	.7009	----	----	----	1	UNCH	
4180	----	----		319.80B/----	319.80B/257.20A		----			291.00	+ 65.90	.6969	----	----	----	2	UNCH	
4185	----	----		316.30B/----	316.30B/253.40A		----			287.50	+ 65.30	.6929	----	----	----	40	UNCH	
4190	----	----		312.70B/----	312.70B/250.90A		----			284.10	+ 64.90	.6889	----	----	----	3	UNCH	
4195	----	----		309.00B/----	309.00B/247.90A		----			280.70	+ 64.20	.6848	----	----	----	1	UNCH	
4200	----	----		305.60B/----	305.60B/244.80A		----			277.30	+ 63.70	.6807	----	----	----	10	UNCH	
4205	----	----		302.10B/----	302.10B/241.80A		----			274.00	+ 63.20	.6766	----	1	----	2	UNCH	
4210	----	----		298.60B/----	298.60B/238.80A		----			270.60	+ 62.60	.6725	----	----	----	1	UNCH	
4220	----	----		291.70B/----	291.70B/232.70A		----			264.10	+ 61.60	.6641	----	----	----	164	UNCH	
4225	----	----		288.30B/----	288.30B/229.80A		----			260.80	+ 61.10	.6599	----	----	----	20	UNCH	
4240	----	----		278.20B/----	278.20B/221.10A		----			251.20	+ 59.60	.6471	----	----	----	12	UNCH	
4250	----	----		271.50B/----	271.50B/215.40A		----			244.90	+ 58.50	.6385	----	----	----	22	UNCH	
4255	----	----		268.30B/----	268.30B/212.60A		----			241.80	+ 57.90	.6341	----	----	----	1	UNCH	
4260	----	----		265.00B/----	265.00B/209.20A		----			238.70	+ 57.30	.6297	----	----	----	32	UNCH	
4265	----	----		261.70B/----	261.70B/206.50A		----			235.60	+ 56.70	.6253	----	----	----	11	UNCH	
4270	220.00	220.00		258.50B/220.00	258.50B/203.80A		----			232.60	+ 56.20	.6209	----	3	----	2 -	2	
4275	----	----		255.40B/----	255.40B/201.00A		----			229.50	+ 55.50	.6165	----	----	----	1	UNCH	
4280	----	----		252.20B/----	252.20B/198.10A		----			226.60	+ 55.10	.6121	----	----	----	1	UNCH	
4285	----	----		249.00B/----	249.00B/196.00A		----			223.60	+ 54.50	.6076	----	----	----	4	UNCH	
4290	----	----		245.90B/----	245.90B/193.10A		----			220.60	+ 53.80	.6031	----	----	----	5	UNCH	
4295	----	----		242.80B/----	242.80B/190.40A		----			217.70	+ 53.30	.5986	----	----	----	51	UNCH	
4300	210.90	210.90		239.70B/210.90	239.70B/187.90A		----			214.80	+ 52.80	.5940	----	5	----	132	UNCH	
4310	----	----		233.60B/----	233.60B/182.80A		----			209.10	+ 51.60	.5849	----	----	----	2	UNCH	
4315	----	----		230.60B/----	230.60B/180.30A		----			206.30	+ 51.10	.5804	----	----	----	40	UNCH	
4320	----	----		227.50B/----	227.50B/178.10A		----			203.50	+ 50.50	.5758	----	----	----	162	UNCH	
4325	----	----		224.70B/----	224.70B/175.30A		----			200.80	+ 50.00	.5712	----	----	----	50	UNCH	
4330	----	----		221.80B/----	221.80B/172.90A		----			198.10	+ 49.50	.5666	----	----	----	4	UNCH	
4340	----	----		216.00B/----	216.00B/168.00A		----			192.70	+ 48.40	.5573	----	----	----	1	UNCH	
4345	----	----		212.90B/----	212.90B/165.70A		----			190.00	+ 47.80	.5527	----	----	----	2	UNCH	
4350	179.50	179.50		210.10B/179.50	210.10B/163.40A		----			187.40	+ 47.30	.5480	----	99	----	117 +	85	
4355	----	----		207.30B/----	207.30B/160.90A		----			184.80	+ 46.80	.5434	----	----	----	1	UNCH	
4360	----	----		204.50B/----	204.50B/158.60A		----			182.20	+ 46.30	.5387	----	----	----	24	UNCH	
4365	----	----		201.90B/----	201.90B/156.60A		----			179.70	+ 45.80	.5341	----	----	----	7	UNCH	
4370	----	----		199.10B/----	199.10B/154.60A		----			177.20	+ 45.30	.5294	----	----	----	2	UNCH	
4375	----	----		196.30B/----	196.30B/152.10A		----			174.70	+ 44.80	.5247	----	----	----	7	UNCH	
4380	----	----		193.70B/----	193.70B/149.90A		----			172.20	+ 44.20	.5201	----	----	----	3	UNCH	
4385	----	----		191.00B/----	191.00B/147.50A		----			169.80	+ 43.80	.5154	----	----	----	3	UNCH	
4390	----	----		188.50B/----	188.50B/145.60A		----			167.40	+ 43.30	.5108	----	----	----	214	UNCH	
4395	----	----		185.90B/----	185.90B/143.30A		----			165.00	+ 42.80	.5061	----	----	----	14	UNCH	
4400	151.50	151.50		183.20B/151.50	183.20B/141.20A		----			162.60	+ 42.20	.5014	----	109	----	185 -	50	
4410	----	----		178.10B/----	178.10B/137.10A		----			158.00	+ 41.30	.4921	----	39	----	41 +	38	
4415	----	----		175.60B/----	175.60B/135.20A		----			155.70	+ 40.80	.4875	----	----	50	58 +	50	
4420	----	----		173.30B/----	173.30B/133.60A		----			153.50	+ 40.40	.4829	----					



BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
OG CALL	COMEX GOLD OPTIONS																
SEP26																	
4795	----	----	54.508/----	54.508/41.70A	----	47.90 + 13.70	.1994	----	----	----	----	4	UNCH				
4800	44.80	44.80	53.708/44.70	53.708/41.10A	----	47.20 + 13.50	.1969	----	----	142	----	1239 -	46				
4805	----	----	52.808/----	52.808/40.50A	----	46.50 + 13.30	.1943	----	----	----	----	7	UNCH				
4810	----	----	52.008/----	52.008/39.90A	----	45.70 + 13.00	.1916	----	----	----	----	11	UNCH				
4815	----	----	51.208/----	51.208/39.40A	----	45.00 + 12.80	.1891	----	----	----	----	28	UNCH				
4820	----	----	50.408/----	50.408/38.70A	----	44.30 + 12.60	.1866	----	----	----	----	4	UNCH				
4825	----	----	49.608/----	49.608/38.20A	----	43.70 + 12.50	.1843	----	----	----	364	UNCH					
4830	----	----	48.908/----	48.908/37.40A	----	43.00 + 12.30	.1819	----	1	1	15 +	1	UNCH				
4835	39.60	39.60	48.108/39.60	48.108/37.10A	----	42.30 + 12.00	.1794	----	10	10	10 +	9	UNCH				
4840	41.70	41.70	47.308/41.70	47.308/36.50A	----	41.70 + 11.90	.1771	----	4	4	48 +	1	UNCH				
4845	----	----	46.608/----	46.608/35.90A	----	41.00 + 11.60	.1746	----	----	----	4	UNCH					
4850	----	----	45.908/----	45.908/35.60A	----	40.40 + 11.40	.1724	----	6	6	118 +	5	UNCH				
4855	42.90	42.90	45.208/42.90	45.208/35.00A	----	39.80 + 11.30	.1702	----	20	20	23 +	20	UNCH				
4860	----	----	44.508/----	44.508/34.50A	----	39.20 + 11.10	.1679	----	----	----	4	UNCH					
4870	----	----	43.208/----	43.208/33.50A	----	38.00 + 10.70	.1635	----	1	1	4 +	1	UNCH				
4875	----	----	42.508/----	42.508/32.90A	----	37.40 + 10.50	.1613	----	----	----	179	UNCH					
4880	----	----	41.908/----	41.908/32.50A	----	36.90 + 10.40	.1593	----	1	1	15	UNCH					
4885	----	----	41.208/----	41.208/32.00A	----	36.30 + 10.20	.1571	----	2	2	55 +	2	UNCH				
4890	----	----	40.608/----	40.608/31.50A	----	35.80 + 10.10	.1551	----	----	----	201	UNCH					
4895	----	----	40.008/----	40.008/31.00A	----	35.30 + 9.90	.1532	----	----	----	19	UNCH					
4900	34.50	34.50	39.408/34.50	39.408/30.50A	----	34.70 + 9.70	.1510	----	61	61	522 +	38	UNCH				
4905	----	----	38.808/----	38.808/30.10A	----	34.20 + 9.60	.1491	----	----	----	26	UNCH					
4910	37.30	37.30	38.208/37.30	38.208/29.70A	----	33.70 + 9.40	.1471	----	1	1	4 +	1	UNCH				
4915	----	----	37.608/----	37.608/29.20A	----	33.20 + 9.30	.1452	----	----	----	67	UNCH					
4920	----	----	37.108/----	37.108/28.80A	----	32.70 + 9.10	.1433	----	----	----	69	UNCH					
4925	----	----	36.508/----	36.508/28.30A	----	32.20 + 8.90	.1413	----	----	----	116	UNCH					
4930	----	----	36.008/----	36.008/27.90A	----	31.80 + 8.80	.1397	----	----	----	4	UNCH					
4935	33.90	33.90	35.408/33.90	35.408/27.60A	----	31.30 + 8.70	.1378	----	20	20	20 +	18	UNCH				
4940	30.10	30.10	34.908/30.10	34.908/27.10A	----	30.80 + 8.50	.1359	----	10	10	18 +	10	UNCH				
4945	33.20	33.20	34.408/33.20	34.408/26.70A	----	30.40 + 8.40	.1342	----	10	10	15 +	10	UNCH				
4950	----	----	33.908/----	33.908/26.40A	----	30.00 + 8.30	.1326	----	6	6	313 +	4	UNCH				
4955	----	----	33.408/----	33.408/26.00A	----	29.50 + 8.10	.1307	----	----	----	1	UNCH					
4960	27.40	27.40	32.908/27.40	32.908/25.60A	----	29.10 + 8.00	.1290	----	101	101	148 +	99	UNCH				
4965	28.80	28.80	32.408/28.80	32.408/25.30A	----	28.70 + 7.90	.1274	----	31	31	40 +	31	UNCH				
4970	----	----	31.908/----	31.908/24.90A	----	28.30 + 7.80	.1258	----	----	----	53	UNCH					
4975	----	----	31.508/----	31.508/24.50A	----	27.90 + 7.60	.1242	----	----	----	332	UNCH					
4980	29.90	29.90	31.008/29.90	31.008/24.20A	----	27.50 + 7.50	.1226	----	3	3	11 +	3	UNCH				
4985	----	----	30.608/----	30.608/23.90A	----	27.10 + 7.40	.1210	----	----	----	1	UNCH					
4995	----	----	29.708/----	29.708/23.20A	----	26.30 + 7.10	.1178	----	----	----	2	UNCH					
5000	24.00	24.00	29.308/23.80	29.308/22.90A	----	26.00 + 7.10	.1164	----	95	95	1128 +	29	UNCH				
5005	----	----	28.908/----	28.908/22.60A	----	25.60 + 6.90	.1149	----	----	----	3	UNCH					
5010	----	----	28.408/----	28.408/22.20A	----	25.20 + 6.80	.1133	----	----	----	10	UNCH					
5015	----	----	28.008/----	28.008/21.90A	----	24.90 + 6.70	.1120	----	----	----	4	UNCH					
5030	24.50	24.50	26.908/23.50	26.908/21.10A	----	23.90 + 6.40	.1078	----	4	4	9	UNCH					
5040	----	----	26.108/----	26.108/20.50A	----	23.20 + 6.10	.1049	----	----	----	3	UNCH					
5045	----	----	25.808/----	25.808/20.20A	----	22.90 + 6.10	.1037	----	----	----	3	UNCH					
5050	----	----	25.408/----	25.408/19.90A	----	22.60 + 6.00	.1024	----	----	----	405	UNCH					
5055	----	----	25.108/----	25.108/19.70A	----	22.30 + 5.90	.1011	----	----	----	6	UNCH					
5060	----	----	24.708/----	24.708/19.40A	----	22.00 + 5.80	.0999	----	----	----	9	UNCH					
5070	----	----	24.108/----	24.108/18.90A	----	21.40 + 5.60	.0973	----	----	----	8	UNCH					
5075	----	----	23.708/----	23.708/18.70A	----	21.20 + 5.60	.0964	----	----	----	4	UNCH					
5080	----	----	23.408/----	23.408/18.40A	----	20.90 + 5.50	.0951	----	----	----	14	UNCH					
5085	----	----	23.108/----	23.108/18.20A	----	20.60 + 5.40	.0939	----	----	----	8	UNCH					
5090	----	----	22.808/----	22.808/18.00A	----	20.30 + 5.30	.0926	----	----	----	3	UNCH					
5095	----	----	22.508/----	22.508/17.70A	----	20.10 + 5.20	.0917	----	----	----	16	UNCH					
5100	----	----	22.208/----	22.208/17.50A	----	19.80 + 5.10	.0904	----	1	1	431	UNCH					
5105	----	----	21.908/----	21.908/17.30A	----	19.60 + 5.10	.0895	----	----	5	5	UNCH					
5110	----	----	21.608/----	21.608/17.10A	----	19.30 + 5.00	.0883	----	----	----	7	UNCH					
5115	----	----	21.308/----	21.308/16.90A	----	19.10 + 4.90	.0873	----	----	----	11	UNCH					
5120	----	----	21.008/----	21.008/16.80A	----	18.80 + 4.80	.0861	----	----	----	6	UNCH					
5130	----	----	20.508/----	20.508/16.40A	----	18.40 + 4.70	.0843	----	----	----	4	UNCH					
5135	----	----	20.208/----	20.208/16.20A	----	18.10 + 4.60	.0831	----	----	----	17	UNCH					
5140	----	----	20.008/----	20.008/16.00A	----	17.90 + 4.50	.0821	----	----	----	4	UNCH					
5145	----	----	19.708/----	19.708/15.80A	----	17.70 + 4.50	.0812	----	----	----	2	UNCH					
5150	----	----	19.508/----	19.508/15.60A	----	17.50 + 4.40	.0803	----	----	----	362	UNCH					
5155	----	----	19.208/----	19.208/15.40A	----	17.30 + 4.40	.0794	----	----	----	2	UNCH					
5160	----	----	19.008/----	19.008/15.30A	----	17.00 + 4.20	.0782	----	----	----	22	UNCH					
5165	----	----	18.808/----	18.808/15.10A	----	16.80 + 4.20	.0773	----	----	----	24	UNCH					
5170	----	----	18.508/----	18.508/14.90A	----	16.60 + 4.10	.0764	----	----	----	9	UNCH					
5175	----	----	18.308/----	18.308/14.70A	----	16.40 + 4.10	.0755	----	----	----	15	UNCH					
5180	----	----	18.108/----	18.108/14.60A	----	16.20 + 4.00	.0747	----	----	----	9	UNCH					
5185	----	----	17.808/----	17.808/14.40A	----	16.00 + 3.90	.0738	----	----	----	5	UNCH					
5190	17.10	17.10	17.608/15.60	17.608/14.30A	----	15.90 + 4.00	.0732	----	24	24	10000	UNCH					
5195	----	----	17.408/----	17.408/14.10A	----	15.70 + 3.90	.0723	----	----	49	50	UNCH					
5200	16.10	16.10	17.30/15.40	17.30/13.90A	----	15.50 + 3.80	.0715	----	----	----	10068 +	2	UNCH				
5205	----	----	17.008/----	17.008/13.80A	----	15.30 + 3.80	.0706	----	----	----	3	UNCH					
5215	----	----	16.608/----	16.608/13.50A	----	15.00 + 3.70	.0692	----	----	----	10	UNCH					
5230	----	----	16.008/----	16.008/13.10A	----	14.50 + 3.60	.0669	----	----	----	404	UNCH					
5235	----	----	15.808/----	15.808/12.90A	----	14.30 + 3.50	.0660	----	----	----	1	UNCH					
5240	----	----	15.708/----	15.708/12.80A	----	14.10 + 3.40	.0652	----	----	----	2	UNCH					
5245	----	----	15.508/----	15.508/12.60A	----	14.00 + 3.40	.0646	----	----	----	24	UNCH					
5250	14.00	14.00	15.308/14.00	15.308/12.50A	----	13.80 + 3.30	.0638	----	39	39	650 +	1	UNCH				
5255	----	----	15.108/----	15.108/12.30A	----	13.70 + 3.30	.0632	----	----	----	4	UNCH					
5265	12.70	12.70	14.808/12.70	14.808/12.10A	----	13.40 + 3.20	.0619	----	1	1	3 +	1	UNCH				
5270	13.10	13.10	14.608/12.70	14.608/12.00A	----	13.20 + 3.10	.0610	----	2	2	7	UNCH					
5275	13.40	13.40	14.508/13.40	14.508/11.80A	----	13.10 + 3.10	.0605	----	4	4	205 +	4	UNCH				
5290	12.50	12.50	14.008/12.50	14.008/11.40A	----	12.70 + 3.00	.0586	----	10	10	9	UNCH					
5295	----	----	13.808/----	13.808/11.30A	----	12.50 + 2.90	.0578	----	----	10	10	UNCH					
5300	12.50	12.50	13.708/12.50	13.708/11.20A	----	12.40 + 2.90	.0573	----	10	10	1214 -	2	UNCH				
5305	----	----	13.508/----	13.508/11.10A	----	12.30 + 2.90	.0568	----	----	----	11	UNCH					
5310	12.30	12.30	13.408/12.30	13.408/11.00A	----	12.20 + 2.90	.0563	----	1	1	7 +	1	UNCH				
5315	12.10	12.10	13.308/12.10	13.308/10.90A	----	12.00 + 2.80	.0555	----	1	1	5	UNCH					
5320	12.80	12.80	13.108/12.80	13.108/10.90A	----	11.90 NEW	.0550	----	5	5	5 +	5	UNCH				
5325	----	----	13.008/----	13.008/10.80A	----	11.80 + 2.70	.0545	----	----	----	4	UNCH					
5330	11.80	11.80	12.808/11.80	12.808/10.70A	----	11.70 + 2.70	.0540	----	1	1	20	UNCH					
5335	12.40	12.40	12.708/11.70	12.708/10.60A	----	11.60 + 2.70	.0535	----	2	2	4	UNCH					
5340	----	----	12.608/----	12.608/10.50A	----	11.40 + 2.60	.0527	----	----	----	8	UNCH					
5350	----	----	12.308/----	12.308/10.30A	----	11.20 + 2.60	.0517	----	----	----	317	UNCH					
5355	11.90	11.90	12.208/11.90	12.208/10.20A	----	11.10 + 2.50	.0512	----	1	1	24 -	1	UNCH				
5360	11.60	11.60	12.108/11.60	12.108/10.10A	----	11.00 NEW	.0507	----	6	6	6 +	6	UNCH				
5365	----	----	12.008/----	12.008/10.00A	----	10.90 + 2.50	.0502	----	----	----	22	UNCH					
5370	11.60	11.60	11.908/11.60	11.908/10.00A	----	10.80 + 2.50	.0498	----	1</								

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS																	
SEP26																		
5610	----	----		7.90B/----	7.90B/6.80A	----	----		7.30 + 1.50	.0328	----	----	----	----		2		
5615	----	----		7.80B/----	7.80B/6.70A	----	----		7.20 + 1.50	.0324	----	----	----	----		1		
5620	----	----		7.80B/----	7.80B/6.70A	----	----		7.20 + 1.50	.0323	----	----	----	----		20		
5625	----	----		7.70B/----	7.70B/6.60A	----	----		7.10 + 1.40	.0319	----	----	----	----		7		
5635	----	----		7.60B/----	7.60B/6.50A	----	----		7.00 + 1.40	.0314	----	----	----	----		11		
5645	----	----		7.50B/----	7.50B/6.50A	----	----		6.90 + 1.40	.0309	----	----	----	----		6		
5650	----	----		7.40B/----	7.40B/6.40A	----	----		6.90 + 1.40	.0308	----	----	----	----		744		
5655	----	----		7.40B/----	7.40B/6.40A	----	----		6.90 + 1.40	.0307	----	----	----	----		4		
5660	----	----		7.30B/----	7.30B/6.30A	----	----		6.80 + 1.40	.0303	----	----	----	----		1		
5665	----	----		7.30B/----	7.30B/6.30A	----	----		6.80 + 1.40	.0303	----	----	----	----		3		
5670	----	----		7.20B/----	7.20B/6.30A	----	----		6.70 + 1.30	.0299	----	----	----	----		2		
5675	----	----		7.20B/----	7.20B/6.20A	----	----		6.70 + 1.40	.0298	----	----	----	----		9		
5680	----	----		7.10B/----	7.10B/6.20A	----	----		6.60 + 1.30	.0294	----	----	----	----		5		
5690	----	----		7.00B/----	7.00B/6.10A	----	----		6.60 + 1.40	.0292	----	----	----	----		7		
5700	----	----		7.00B/----	7.00B/6.10A	----	----		6.50 + 1.30	.0288	----	----	----	----		1012		
5710	----	----		6.90B/----	6.90B/6.10A	----	----		6.40 + 1.30	.0283	----	----	----	----		3		
5725	----	----		6.70B/----	6.70B/6.00A	----	----		6.30 + 1.30	.0278	----	----	----	----		6		
5730	----	----		6.70B/----	6.70B/5.90A	----	----		6.20 + 1.20	.0274	----	----	----	----		3		
5740	----	----		6.60B/----	6.60B/5.90A	----	----		6.20 + 1.20	.0273	----	----	----	----		2		
5750	----	----		6.50B/----	6.50B/5.80A	----	----		6.10 + 1.20	.0268	----	----	----	----		196		
5760	----	----		6.40B/----	6.40B/5.80A	----	----		6.00 + 1.20	.0263	----	----	----	----		1		
5770	----	----		6.40B/----	6.40B/5.70A	----	----		6.00 + 1.20	.0262	----	----	----	----		1		
5775	----	----		6.30B/----	6.30B/5.70A	----	----		5.90 + 1.10	.0258	----	----	----	----		167		
5800	----	----		6.10B/----	6.10B/5.50A	----	----		5.80 + 1.20	.0252	----	----	----	----		639		
5825	----	----		5.90B/----	5.90B/5.40A	----	----		5.60 + 1.10	.0243	----	----	1	----		25 +		
5850	----	----		5.80B/----	5.80B/5.20A	----	----		5.50 + 1.10	.0237	----	----	----	----		456		
5875	----	----		5.60B/----	5.60B/5.10A	----	----		5.30 + 1.00	.0228	----	----	----	----		3		
5900	5.40	5.40		5.40/5.40	5.40/5.00A	----	----		5.20 + 1.00	.0222	----	----	2	----		840 +		
5925	----	----		5.30B/----	5.30B/4.90A	----	----		5.00 + 0.90	.0214	----	----	----	----		7		
5950	5.30	5.30		5.30/5.30	5.30/4.80A	----	----		5.00 + 0.90	.0211	----	----	1	----		52 +		
6000	4.90	4.90		4.90/4.90	4.90/4.70A	----	----		4.90 + 0.90	.0204	----	----	6	----		1305 -		
6050	----	----		4.70B/----	4.70B/4.50A	----	----		4.60 + 0.80	.0191	----	----	----	----		6		
6075	4.80	4.80		4.80/4.80	4.80/4.40A	----	----		4.50 + 0.80	.0186	----	----	1	----		3 +		
6100	----	----		4.50B/----	4.50B/4.30A	----	----		4.30 + 0.70	.0178	----	----	----	----		180		
6200	4.30	4.30		4.30/4.30	4.30/4.10A	----	----		4.10 + 0.70	.0165	----	----	1	----		253 +		
6250	----	----		4.10B/----	4.10B/4.00A	----	----		3.90 + 0.60	.0156	----	----	----	----		10		
6300	----	----		4.00B/----	4.00B/3.90A	----	----		3.80 + 0.60	.0151	----	----	----	----		167		
6400	3.60	3.60		3.70B/3.60	3.70B/3.60	----	----		3.60 + 0.50	.0140	----	----	1	----		228 +		
6500	----	----		3.50B/----	3.50B/3.40A	----	----		3.40 + 0.50	.0130	----	----	----	----		548		
6550	----	----		3.40B/----	3.40B/3.30A	----	----		3.30 + 0.40	.0125	----	----	----	----		3		
6600	----	----		3.30B/----	3.30B/3.20A	----	----		3.20 + 0.40	.0120	----	----	----	----		49		
6650	----	----		3.20B/----	3.20B/3.10A	----	----		3.10 + 0.40	.0115	----	----	----	----		8		
6700	----	----		3.10B/----	3.10B/3.20A	----	----		3.10 + 0.40	.0114	----	----	----	----		1		
6750	----	----		3.00B/----	3.00B/3.20A	----	----		2.90 + 0.30	.0107	----	----	----	----		11		
6775	----	----		3.00B/----	3.00B/3.20A	----	----		2.90 + 0.30	.0106	----	----	----	----		100		
6800	----	----		3.00B/----	3.00B/3.10A	----	----		2.90 + 0.30	.0105	----	----	----	----		170		
7000	----	----		2.70B/----	2.70B/2.90A	----	----		2.70 + 0.30	.0095	----	----	----	----		247		
8000	1.70	1.70		1.70/1.70	1.70/1.70	----	----		1.70 + 0.10	.0053	----	----	7	----		310 +		
TOTAL															1355	150	52688 +	520
OCT26																		
3600	----	----		832.90B/----	832.90B/744.80A	----	----		797.90 + 01.10	.9274	----	----	----	----		12		
3900	----	----		562.40B/----	562.40B/486.80A	----	----		530.10 + 86.20	.8347	----	----	----	----		40		
4000	----	----		479.70B/----	479.70B/410.20A	----	----		448.90 + 79.00	.7863	----	----	----	----		1		
4085	----	----		413.60B/----	413.60B/350.10A	----	----		384.50 + 72.00	.7372	----	----	----	----		1		
4100	343.60	343.60		402.60B/343.60	402.60B/340.00A	----	----		373.70 + 70.80	.7279	----	----	3	----		3		
4130	----	----		380.50B/----	380.50B/320.40A	----	----		352.50 + 68.30	.7084	----	----	----	----		1		
4135	----	----		377.00B/----	377.00B/317.20A	----	----		349.00 + 67.80	.7051	----	----	----	----		1		
4150	----	----		366.30B/----	366.30B/307.70A	----	----		338.70 + 66.50	.6950	----	----	----	----		4		
4165	----	----		355.90B/----	355.90B/297.90A	----	----		328.60 + 65.20	.6847	----	----	40	----		41		
4180	----	----		345.40B/----	345.40B/289.20A	----	----		318.70 + 64.00	.6743	----	----	----	----		1		
4185	----	----		341.90B/----	341.90B/286.20A	----	----		315.40 + 63.50	.6708	----	----	----	----		1		
4190	----	----		338.60B/----	338.60B/282.80A	----	----		312.10 + 63.00	.6673	----	----	----	----		1		
4195	----	----		335.30B/----	335.30B/279.80A	----	----		308.90 + 62.60	.6637	----	----	----	----		3		
4200	----	----		332.00B/----	332.00B/276.90A	----	----		305.70 + 62.20	.6601	----	----	----	----		57		
4205	----	----		328.50B/----	328.50B/273.90A	----	----		302.50 + 61.70	.6565	----	----	----	----		1		
4210	----	----		325.20B/----	325.20B/271.40A	----	----		299.30 + 61.20	.6530	----	----	----	----		1		
4220	----	----		318.60B/----	318.60B/265.70A	----	----		293.00 + 60.30	.6457	----	----	----	----		1		
4235	----	----		308.90B/----	308.90B/257.20A	----	----		283.70 + 58.80	.6347	----	----	----	----		1		
4275	----	----		284.00B/----	284.00B/234.10A	----	----		259.90 + 55.10	.6046	----	----	----	----		5		
4300	243.60	243.60		269.20B/238.00	269.20B/221.20A	----	----		245.80 + 52.80	.5855	----	----	33	----		135 +		
4320	----	----		257.40B/----	257.40B/211.30A	----	----		234.90 + 51.00	.5700	----	----	----	----		1		
4325	----	----		254.60B/----	254.60B/209.40A	----	----		232.30 + 50.60	.5662	----	----	----	----		10		
4330	----	----		251.80B/----	251.80B/206.50A	----	----		229.70 + 50.20	.5623	----	----	----	----		19		
4335	----	----		249.10B/----	249.10B/204.10A	----	----		227.10 + 49.80	.5584	----	----	----	----		1		
4340	----	----		246.50B/----	246.50B/202.10A	----	----		224.50 + 49.40	.5545	----	----	----	----		4		
4345	214.00	214.00		243.60B/214.00	243.60B/199.70A	----	----		221.90 + NEW	.5506	----	----	20	----		20 +		
4350	----	----		240.90B/----	240.90B/197.10A	----	----		219.40 + 48.60	.5467	----	----	2	----		29 -		
4355	----	----																

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
OCT26															
4730	----	----	----	94.00B/----	94.00B/76.60A	----	----	84.70 + 20.90	.2774	----	----	----	----	3	UNCH
4735	----	----	----	92.80B/----	92.80B/75.70A	----	----	83.60 + 20.60	.2746	----	----	----	----	1	UNCH
4740	----	----	----	91.70B/----	91.70B/74.70A	----	----	82.50 + 20.30	.2717	----	----	----	----	1	UNCH
4750	----	----	----	89.30B/----	89.30B/72.70A	----	----	80.40 + 19.80	.2662	----	----	----	----	933	UNCH
4755	----	----	----	88.20B/----	88.20B/71.80A	----	----	79.40 + 19.60	.2635	----	----	----	----	79	UNCH
4760	----	----	----	87.00B/----	87.00B/70.90A	----	----	78.40 + 19.30	.2608	----	----	----	----	1	UNCH
4765	----	----	----	85.90B/----	85.90B/70.10A	----	----	77.40 + 19.10	.2581	----	----	----	----	22	UNCH
4775	----	----	----	83.80B/----	83.80B/68.30A	----	----	75.40 + 18.60	.2527	----	----	----	----	25	UNCH
4785	71.30	71.30	----	81.60B/66.60A	81.60B/66.60A	----	----	73.50 + 18.10	.2475	----	----	2	----	5	UNCH
4790	----	----	----	80.60B/----	80.60B/65.60A	----	----	72.60 + 17.90	.2450	----	----	----	----	26	UNCH
4795	----	----	----	79.50B/----	79.50B/64.80A	----	----	71.60 + 17.60	.2423	----	----	----	----	3	UNCH
4800	----	----	----	78.50B/----	78.50B/63.90A	----	----	70.70 + 17.40	.2398	----	----	42	----	585	+
4805	----	----	----	77.50B/----	77.50B/63.20A	----	----	69.80 + 17.20	.2373	----	----	----	----	11	UNCH
4810	----	----	----	76.50B/----	76.50B/62.40A	----	----	68.90 + 16.90	.2348	----	----	----	----	10	UNCH
4815	----	----	----	75.60B/----	75.60B/61.60A	----	----	68.10 + 16.80	.2325	----	----	----	----	36	UNCH
4820	----	----	----	74.60B/----	74.60B/60.80A	----	----	67.20 + 16.50	.2300	----	----	----	----	6	UNCH
4825	----	----	----	73.60B/----	73.60B/60.00A	----	----	66.40 + 16.40	.2276	----	----	----	----	115	UNCH
4830	----	----	----	72.70B/----	72.70B/59.30A	----	----	65.50 + 16.10	.2252	----	----	----	----	2	UNCH
4835	----	----	----	71.80B/----	71.80B/58.50A	----	----	64.70 + 15.90	.2228	----	----	----	----	3	UNCH
4840	----	----	----	70.90B/----	70.90B/57.80A	----	----	63.90 + 15.70	.2205	----	----	----	----	1	UNCH
4845	----	----	----	70.00B/----	70.00B/57.00A	----	----	63.10 + 15.50	.2182	----	----	----	----	14	UNCH
4850	----	----	----	69.10B/----	69.10B/56.30A	----	----	62.30 + 15.30	.2159	----	----	----	----	58	UNCH
4860	----	----	----	67.40B/----	67.40B/54.90A	----	----	60.70 + 14.90	.2113	----	----	----	----	101	UNCH
4865	----	----	----	66.50B/----	66.50B/54.20A	----	----	60.00 + 14.70	.2092	----	----	----	----	2	UNCH
4870	----	----	----	65.70B/----	65.70B/53.50A	----	----	59.20 + 14.50	.2069	----	----	----	----	1	UNCH
4880	----	----	----	64.00B/----	64.00B/52.20A	----	----	57.70 + 14.10	.2025	----	----	----	----	4	UNCH
4885	----	----	----	63.20B/----	63.20B/51.50A	----	----	57.00 + 13.90	.2004	----	----	----	----	55	UNCH
4895	----	----	----	61.70B/----	61.70B/50.30A	----	----	55.60 + 13.60	.1962	----	----	----	----	1	UNCH
4900	56.50	56.50	----	60.90B/56.50	60.90B/49.60A	----	----	54.90 + 13.40	.1941	----	----	105	----	1517	+
4905	----	----	----	60.10B/----	60.10B/49.00A	----	----	54.20 + 13.20	.1920	----	----	----	----	25	UNCH
4910	----	----	----	59.40B/----	59.40B/48.40A	----	----	53.60 + 13.10	.1901	----	----	----	----	1	UNCH
4915	----	----	----	58.60B/----	58.60B/47.90A	----	----	52.90 + 12.90	.1880	----	----	----	----	7	UNCH
4920	----	----	----	57.90B/----	57.90B/47.30A	----	----	52.30 + 12.70	.1861	----	----	----	----	30	UNCH
4925	----	----	----	57.20B/----	57.20B/46.60A	----	----	51.60 + 12.50	.1840	----	----	----	----	21	UNCH
4935	----	----	----	55.80B/----	55.80B/45.60A	----	----	50.30 + 12.20	.1801	----	----	----	----	5	UNCH
4945	----	----	----	54.40B/----	54.40B/44.50A	----	----	49.10 + 11.90	.1763	----	----	----	----	3	UNCH
4950	----	----	----	53.70B/----	53.70B/43.80A	----	----	48.50 + 11.70	.1745	----	----	1	----	1784	+
4965	----	----	----	51.80B/----	51.80B/42.30A	----	----	46.80 + 11.30	.1691	----	----	----	----	6	UNCH
4970	----	----	----	51.20B/----	51.20B/41.80A	----	----	46.20 + 11.10	.1672	----	----	1	----	1	UNCH
4975	----	----	----	50.50B/----	50.50B/41.30A	----	----	45.60 + 10.90	.1654	----	----	1	----	0	-
4985	----	----	----	49.30B/----	49.30B/40.40A	----	----	44.50 + 10.70	.1619	----	----	----	----	2	UNCH
5000	----	----	----	47.50B/----	47.50B/38.80A	----	----	42.90 + 10.20	.1568	----	----	226	----	1628	+
5025	----	----	----	44.80B/----	44.80B/36.70A	----	----	40.40 + 9.60	.1487	----	----	----	----	4	UNCH
5030	----	----	----	44.20B/----	44.20B/36.20A	----	----	40.00 + 9.60	.1473	----	----	200	----	205	+
5040	----	----	----	43.20B/----	43.20B/35.30A	----	----	39.00 + 9.30	.1441	----	----	----	----	2	UNCH
5045	----	----	----	42.70B/----	42.70B/35.10A	----	----	38.60 + 9.20	.1427	----	----	----	----	9	UNCH
5050	38.20	38.20	----	42.20B/38.20	42.20B/34.70A	----	----	38.10 + 9.00	.1411	----	----	205	----	459	+
5055	----	----	----	41.70B/----	41.70B/34.30A	----	----	37.70 + 9.00	.1397	----	----	----	----	4	UNCH
5065	33.00	33.00	----	40.70B/33.00	40.70B/33.00	----	----	36.80 + 8.70	.1368	----	----	1	----	5	-
5075	----	----	----	39.70B/----	39.70B/32.80A	----	----	36.00 + 8.50	.1341	----	----	----	----	4	UNCH
5080	----	----	----	39.30B/----	39.30B/32.40A	----	----	35.60 + 8.40	.1327	----	----	----	----	4	UNCH
5085	----	----	----	38.80B/----	38.80B/31.80A	----	----	35.20 + 8.30	.1313	----	----	----	----	3	UNCH
5100	----	----	----	37.50B/----	37.50B/30.80A	----	----	34.00 + 8.00	.1273	----	----	13	----	760	-
5105	----	----	----	37.10B/----	37.10B/30.60A	----	----	33.60 + 7.90	.1259	----	----	----	----	3	UNCH
5110	33.50	33.50	----	36.60B/33.50	36.60B/30.30A	----	----	33.20 + NEW	.1246	----	----	3	----	3	+
5120	----	----	----	35.80B/----	35.80B/29.60A	----	----	32.50 + 7.60	.1222	----	----	----	----	1	UNCH
5125	----	----	----	35.40B/----	35.40B/29.10A	----	----	32.10 + 7.50	.1208	----	----	----	----	3	UNCH
5130	----	----	----	35.00B/----	35.00B/29.00A	----	----	31.80 + 7.40	.1197	----	----	----	----	5	UNCH
5140	----	----	----	34.20B/----	34.20B/28.40A	----	----	31.10 + 7.20	.1173	----	----	----	----	3	UNCH
5150	----	----	----	33.40B/----	33.40B/27.60A	----	----	30.40 + 7.00	.1149	----	----	----	----	615	UNCH
5155	----	----	----	33.10B/----	33.10B/27.30A	----	----	30.10 + 7.00	.1138	----	----	----	----	8	UNCH
5160	----	----	----	32.70B/----	32.70B/27.00A	----	----	29.80 + 6.90	.1127	----	----	----	----	8	UNCH
5170	----	----	----	32.00B/----	32.00B/26.60A	----	----	29.10 + 6.70	.1104	----	----	----	----	27	UNCH
5180	----	----	----	31.30B/----	31.30B/25.90A	----	----	28.50 + 6.50	.1082	----	----	----	----	10	UNCH
5185	----	----	----	30.90B/----	30.90B/25.80A	----	----	28.20 + 6.50	.1072	----	----	345	----	3	UNCH
5195	----	----	----	30.30B/----	30.30B/25.20A	----	----	27.60 + 6.30	.1050	----	----	345	----	365	+
5200	----	----	----	29.90B/----	29.90B/24.90A	----	----	27.30 + 6.20	.1040	----	----	12	----	1565	UNCH
5205	----	----	----	29.60B/----	29.60B/24.70A	----	----	27.00 + 6.10	.1029	----	----	----	----	1	UNCH
5225	----	----	----	28.40B/----	28.40B/23.70A	----	----	25.90 + 5.80	.0990	----	----	----	----	2	UNCH
5250	----	----	----	26.90B/----	26.90B/22.50A	----	----	24.60 + 5.50	.0943	----	----	----	----	527	UNCH
5255	----	----	----	26.60B/----	26.60B/22.30A	----	----	24.40 + 5.50	.0935	----	----	----	----	1	UNCH
5270	----	----	----	25.80B/----	25.80B/21.70A	----	----	23.60 + 5.20	.0907	----	----	----	----	6	UNCH
5275	22.80	22.80	----	25.50B/22.80	25.50B/21.50A	----	----	23.40 + NEW	.0899	----	----	20	----	20	+
5300	----	----	----	24.30B/----	24.30B/20.90A	----	----	22.20 + 4.80	.0856	----	----	45	----	1007	UNCH
5305	----	----	----	24.00B/----	24.00B/20.80A	----	----	22.00 + 4.80	.0848	----	----	----	----	1	UNCH
5310	----	----	----	23.80B/----	23.80B/20.60A	----	----	21.80 + 4.70	.0840	----	----	----	----	4	UNCH
5315	----	----	----	23.50B/----	23.50B/20.40A	----	----	21.60 + 4.70	.0833	----	----	----	----	14	UNCH
5320	----	----	----	23.30B/----	23.30B/20.20A	----	----	21.40 + 4.70	.0825	----	----	----	----	2	UNCH
5325	----	----	----	23.10B/----	23.10B/20.00A	----	----	21.20 + 4.60	.0818	----	----	----	----	9	UNCH
5340	----	----	----	22.40B/----	22.40B/19.50A	----	----	20.60 + 4.40	.0795	----	----	----	----	1	UNCH
5345	----	----	----	22.20B/----	22.20B/19.30A	----	----	20.40 + 4.40	.0788	----	----	----	----	157	UNCH
5350	----	----	----	22.00B/----	22.00B/19.10A	----	----	20.20 + 4.30	.0781	----	----	----	----	4	UNCH
5355	----	----	----	21.80B/----	21.80B/19.00A	----	----	20.00 + 4.30	.0773	----	----	----	----	17	UNCH
5365	----	----	----	21.40B/----	21.40B/18.70A	----	----	19.80 + 4.10	.0759	----	----	----	----	1	UNCH
5390	----	----	----	20.40B/----	20.40B/17.90A	----	----	18.60 + 4.00	.0727	----	----	----	----	3	UNCH
5395	----	----	----	20.20B/----	20.20B/17.70A	----	----	18.60 + 3.90	.0720	----	----	----	----	15	UNCH
5400	----	----	----	20.00B/----	20.00B/17.50A	----	----	18.40 + 3.80	.0713	----	----	----	----	655	UNCH
5410	----	----	----	19.60B/----	19.60B/17.30A	----	----	18.10 + 3.80	.0701	----	----	----	----	1	UNCH
5420	----	----	----	19.30B/----	19.30B/17.00A	----	----	17.80 + 3.70	.0689	----	----	----	----	2	UNCH
5435	----	----	----	18.80B/----	18.80B/16.60A	----	----	17.30 + 3.50	.0671	----	----	----	----	230	UNCH
5440	----	----	----	18.60B/----	18.60B/16.40A	----	----	17.20 + 3.50	.0666	----	----	----	----	5	UNCH
5450	----	----	----	18.30B/----	18.30B/16.10A	----	----	16.90 + 3.50	.0655	----	----	----	----	67	UNCH
5455	----	----	----	18.10B/----	18.10B/16.00A	----	----	16.80 + 3.50	.0650	----	----	----	----	175	UNCH
5460	----	----	----	18.00B/----	18.00B/15.90A	----	----	16.60 + 3.40	.0643	----	----	----	----	2	UNCH
5475	----	----	----	17.50B/----	17.50B/15.50A	----	----	16.20 + 3.30	.0628	----	----	----	----	1	UNCH
5480	----	----	----	17.40B/----	17.40B/15.40A	----	----	16.10 +							

BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW		OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
OG CALL																	
OCT26																	
13000	1.00	1.00		1.00/*1.00	1.00/1.00	----				0.90 + 0.10	.0020	----	----	291	----	753 +	286
TOTAL														4501	200	41662 +	4028
NOV26																	
3390	----	----		#1,069.90B/----	#1069.90B/980.60A	----				1034.70 + 05.50	.9477	----	----	----	----	1	UNCH
3700	----	----		#780.80B/----	780.80B/700.50A	----				747.40 + 95.20	.8876	----	----	----	----	3	UNCH
3800	----	----		692.10B/----	692.10B/616.50A	----				659.90 + 90.40	.8573	----	----	----	----	3	UNCH
4000	----	----		526.50B/----	526.50B/462.00A	----				496.90 + 78.00	.7759	----	----	----	----	2	UNCH
4100	----	----		450.90B/----	450.90B/392.80A	----				423.20 + 70.70	.7239	----	----	----	----	3	UNCH
4200	----	----		381.30B/----	381.30B/328.10A	----				355.80 + 62.80	.6653	----	----	----	----	3	UNCH
4225	----	----		364.90B/----	364.90B/313.80A	----				340.10 + 60.90	.6498	----	----	----	----	1	UNCH
4250	----	----		349.00B/----	349.00B/299.30A	----				324.80 + 58.90	.6339	----	----	----	----	0	UNCH
4275	----	----		333.40B/----	333.40B/285.90A	----				310.00 + 57.00	.6178	----	----	----	----	38	UNCH
4300	281.10	281.10		318.30B/281.10	318.30B/272.00A	----				295.60 + 54.90	.6014	----	----	2	----	11	UNCH
4375	----	----		276.70B/----	276.70B/234.50A	----				255.40 + 49.10	.5515	----	----	----	----	38	UNCH
4380	----	----		274.00B/----	274.00B/232.40A	----				252.90 + 48.70	.5481	----	----	----	----	2	UNCH
4400	----	----		263.40B/----	263.40B/222.70A	----				243.00 + 47.20	.5346	----	----	----	----	56	UNCH
4410	----	----		258.30B/----	258.30B/218.70A	----				238.20 + 46.50	.5279	----	----	----	----	2	UNCH
4420	----	----		253.20B/----	253.20B/214.40A	----				233.40 + 45.70	.5211	----	----	----	----	1	UNCH
4440	----	----		243.20B/----	243.20B/205.80A	----				224.10 + 44.20	.5077	----	----	----	----	1	UNCH
4500	----	----		215.40B/----	215.40B/181.50A	----				198.00 + 39.90	.4678	----	----	----	----	31	UNCH
4525	----	----		204.60B/----	204.60B/172.30A	----				187.90 + 38.20	.4514	----	----	----	----	7	UNCH
4535	----	----		200.30B/----	200.30B/169.00A	----				184.00 + 37.50	.4450	----	----	----	----	5	UNCH
4550	----	----		194.10B/----	194.10B/163.60A	----				178.30 + 36.50	.4353	----	----	355	----	40 +	35
4555	----	----		192.20B/----	192.20B/162.10A	----				176.40 + 36.10	.4321	----	----	----	----	5	UNCH
4575	----	----		184.20B/----	184.20B/155.40A	----				169.10 + 34.90	.4194	----	----	----	----	1	UNCH
4585	----	----		180.30B/----	180.30B/151.90A	----				165.50 + 34.20	.4131	----	----	----	----	1	UNCH
4590	----	----		178.40B/----	178.40B/150.60A	----				163.70 + 33.80	.4100	----	----	----	----	15	UNCH
4595	----	----		176.50B/----	176.50B/148.80A	----				162.00 + 33.50	.4069	----	----	----	----	1	UNCH
4600	159.20	159.20		174.60B/159.20	174.60B/147.30A	----				160.30 + 33.20	.4038	----	----	405	----	79 +	74
4630	----	----		163.90B/----	163.90B/138.30A	----				150.30 + 31.40	.3855	----	----	----	----	1	UNCH
4650	----	----		157.00B/----	157.00B/132.30A	----				143.90 + 30.10	.3734	----	----	----	----	32	UNCH
4700	----	----		140.90B/----	140.90B/118.90A	----				129.20 + 27.30	.3446	----	----	----	----	12	UNCH
4750	----	----		126.50B/----	126.50B/106.80A	----				115.80 + 24.50	.3171	----	----	----	----	4	UNCH
4775	----	----		119.80B/----	119.80B/101.10A	----				109.70 + 23.20	.3040	----	----	----	----	30	UNCH
4800	----	----		113.50B/----	113.50B/95.80A	----				103.80 + 21.90	.2912	----	----	20	----	34	UNCH
4850	----	----		101.80B/----	101.80B/86.00A	----				93.10 + 19.60	.2671	----	----	----	----	25	UNCH
4900	----	----		91.40B/----	91.40B/77.40A	----				83.60 + 17.50	.2447	----	----	----	----	452	UNCH
4915	----	----		88.50B/----	88.50B/75.00A	----				81.00 + 16.90	.2384	----	----	----	----	1	UNCH
4925	----	----		86.70B/----	86.70B/73.40A	----				79.30 + 16.60	.2343	----	----	----	----	1	UNCH
4935	----	----		84.80B/----	84.80B/71.90A	----				77.60 + 16.20	.2301	----	----	----	----	25	UNCH
4950	----	----		82.20B/----	82.20B/69.60A	----				75.20 + 15.60	.2242	----	----	----	----	150	UNCH
4970	----	----		78.80B/----	78.80B/66.80A	----				72.10 + 15.00	.2164	----	----	----	----	12	UNCH
5000	63.00	63.00		73.90B/62.80A	73.90B/62.80A	----				67.70 + 14.00	.2052	----	----	24	----	89 -	22
5005	----	----		73.10B/----	73.10B/62.20A	----				67.00 + 13.90	.2034	----	----	----	----	2	UNCH
5020	----	----		70.90B/----	70.90B/60.30A	----				65.00 + 13.50	.1982	----	----	----	----	30	UNCH
5050	----	----		66.60B/----	66.60B/56.70A	----				61.10 + 12.50	.1879	----	----	----	----	100	UNCH
5060	----	----		65.20B/----	65.20B/55.60A	----				59.90 + 12.30	.1847	----	----	----	----	2	UNCH
5080	----	----		62.60B/----	62.60B/53.50A	----				57.50 + 11.70	.1783	----	----	----	----	4	UNCH
5085	----	----		61.90B/----	61.90B/52.90A	----				56.90 + 11.50	.1767	----	----	----	----	4	UNCH
5100	----	----		60.10B/----	60.10B/51.30A	----				55.20 + 11.10	.1721	----	----	----	----	2387	UNCH
5120	----	----		57.70B/----	57.70B/49.40A	----				53.00 + 10.60	.1661	----	----	----	----	50	UNCH
5145	----	----		54.90B/----	54.90B/47.10A	----				50.40 + 10.00	.1589	----	----	----	----	3	UNCH
5150	----	----		54.40B/----	54.40B/46.70A	----				49.90 + 9.90	.1575	----	----	----	----	100	UNCH
5175	----	----		51.70B/----	51.70B/44.40A	----				47.50 + 9.40	.1508	----	----	----	----	12	UNCH
5180	----	----		51.20B/----	51.20B/44.00A	----				47.10 + 9.40	.1496	----	----	----	----	5	UNCH
5185	----	----		50.70B/----	50.70B/43.60A	----				46.60 + 9.20	.1482	----	----	----	----	1	UNCH
5200	45.90	45.90		49.30B/45.80	49.30B/42.20A	----				45.30 + 9.00	.1445	----	----	4	----	2377	UNCH
5250	----	----		44.60B/----	44.60B/40.10A	----				41.10 + 8.00	.1325	----	----	----	----	11	UNCH
5275	----	----		42.50B/----	42.50B/38.40A	----				39.30 + 7.70	.1271	----	----	----	----	1	UNCH
5285	----	----		41.70B/----	41.70B/37.70A	----				38.50 + 7.50	.1248	----	----	----	----	2	UNCH
5300	----	----		40.60B/----	40.60B/36.80A	----				37.50 + 7.30	.1218	----	----	----	----	395	UNCH
5325	----	----		38.10B/----	38.10B/35.20A	----				35.80 + 6.90	.1167	----	----	----	----	4	UNCH
5330	----	----		37.60B/----	37.60B/35.00A	----				35.50 + 6.90	.1158	----	----	----	----	1	UNCH
5370	----	----		35.10B/----	35.10B/32.70A	----				33.00 + 6.30	.1083	----	----	----	----</		

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
DEC26															
4425	----	----	----	275.00B/----	275.00B/237.30A	----	----	255.70 + 46.20	.5209	----	----	----	----	8	UNCH
4430	----	----	----	272.60B/----	272.60B/235.10A	----	----	253.40 + 45.90	.5179	----	----	----	----	6	UNCH
4450	----	----	----	262.90B/----	262.90B/226.80A	----	----	244.40 + 44.70	.5058	----	----	----	----	87	UNCH
4460	----	----	----	258.20B/----	258.20B/222.40A	----	----	240.00 + 44.10	.4998	----	----	----	----	10	UNCH
4465	----	----	----	255.90B/----	255.90B/220.60A	----	----	237.80 + 43.70	.4968	----	----	----	----	103	UNCH
4475	----	----	----	251.20B/----	251.20B/216.60A	----	----	233.40 + 43.00	.4907	----	----	----	----	11	UNCH
4485	----	----	----	246.70B/----	246.70B/212.30A	----	----	229.20 + 42.50	.4848	----	----	----	----	3	UNCH
4490	----	----	----	244.50B/----	244.50B/210.90A	----	----	227.10 + 42.20	.4818	----	----	----	----	7	UNCH
4500	228.00	228.00	228.00	240.60B/227.00	240.60B/206.80A	----	----	222.90 + 41.50	.4758	----	----	59	----	976	-
4525	----	----	----	229.40B/----	229.40B/197.50A	----	----	212.80 + 40.00	.4610	----	----	----	----	26	UNCH
4530	----	----	----	227.20B/----	227.20B/195.60A	----	----	210.80 + 39.70	.4581	----	----	----	----	3	UNCH
4535	----	----	----	225.10B/----	225.10B/193.70A	----	----	208.80 + 39.40	.4551	----	----	----	----	1	UNCH
4540	----	----	----	223.20B/----	223.20B/191.90A	----	----	206.90 + 39.10	.4522	----	----	----	----	9	UNCH
4545	----	----	----	221.10B/----	221.10B/190.30A	----	----	205.00 + 38.80	.4493	----	----	----	----	45	UNCH
4550	----	----	----	219.00B/----	219.00B/188.30A	----	----	203.00 + 38.40	.4464	----	----	25	----	29	+
4560	----	----	----	214.90B/----	214.90B/184.90A	----	----	199.30 + 37.90	.4406	----	----	----	----	1	UNCH
4565	----	----	----	212.90B/----	212.90B/183.10A	----	----	197.40 + 37.60	.4377	----	----	----	----	93	UNCH
4570	----	----	----	210.90B/----	210.90B/181.30A	----	----	195.50 + 37.30	.4348	----	----	----	----	19	UNCH
4575	----	----	----	208.90B/----	208.90B/179.60A	----	----	193.70 + 37.00	.4320	----	----	----	----	6	UNCH
4580	----	----	----	207.00B/----	207.00B/177.90A	----	----	191.90 + 36.70	.4291	----	----	----	----	151	UNCH
4585	----	----	----	205.30B/----	205.30B/176.20A	----	----	190.10 + 36.40	.4263	----	----	----	----	325	UNCH
4590	----	----	----	203.10B/----	203.10B/174.50A	----	----	188.30 + 36.10	.4234	----	----	----	----	21	UNCH
4595	----	----	----	201.20B/----	201.20B/172.90A	----	----	186.50 + 35.80	.4206	----	----	----	----	2	UNCH
4600	----	----	----	199.70B/----	199.70B/171.20A	----	----	184.70 + 35.40	.4177	----	----	150	----	826	-
4605	----	----	----	197.40B/----	197.40B/169.70A	----	----	183.00 + 35.20	.4150	----	----	----	----	5	UNCH
4610	----	----	----	195.60B/----	195.60B/167.90A	----	----	181.20 + 34.80	.4121	----	----	----	----	3	UNCH
4615	----	----	----	193.70B/----	193.70B/166.30A	----	----	179.50 + 34.50	.4093	----	----	----	----	41	UNCH
4620	----	----	----	192.00B/----	192.00B/164.70A	----	----	177.80 + 34.20	.4065	----	----	----	----	5	UNCH
4625	----	----	----	190.10B/----	190.10B/163.20A	----	----	176.10 + 33.90	.4038	----	----	----	----	71	UNCH
4630	----	----	----	188.30B/----	188.30B/161.60A	----	----	174.40 + 33.60	.4010	----	----	----	----	3	UNCH
4635	----	----	----	186.50B/----	186.50B/160.20A	----	----	172.80 + 33.40	.3982	----	----	----	----	2	UNCH
4640	----	----	----	184.80B/----	184.80B/158.70A	----	----	171.10 + 33.10	.3955	----	----	----	----	103	UNCH
4645	----	----	----	182.90B/----	182.90B/157.20A	----	----	169.50 + 32.80	.3927	----	----	----	----	2	UNCH
4650	----	----	----	181.50B/----	181.50B/155.50A	----	----	167.90 + 32.50	.3900	----	----	10	----	330	UNCH
4660	----	----	----	177.80B/----	177.80B/152.60A	----	----	164.70 + 32.00	.3846	----	----	----	----	4	UNCH
4670	----	----	----	174.60B/----	174.60B/149.60A	----	----	161.50 + 31.30	.3792	----	----	----	----	7	UNCH
4675	----	----	----	172.80B/----	172.80B/148.30A	----	----	160.00 + 31.10	.3765	----	----	----	----	80	UNCH
4680	----	----	----	171.20B/----	171.20B/146.90A	----	----	158.40 + 30.80	.3738	----	----	----	----	17	UNCH
4700	----	----	----	165.00B/----	165.00B/141.20A	----	----	152.40 + 29.60	.3633	----	----	48	----	617	UNCH
4705	----	----	----	162.60B/----	162.60B/139.90A	----	----	151.00 + 29.40	.3607	----	----	----	----	1	UNCH
4710	----	----	----	161.70B/----	161.70B/138.50A	----	----	149.50 + 29.10	.3581	----	----	----	----	8	UNCH
4720	----	----	----	158.60B/----	158.60B/136.00A	----	----	146.60 + 28.50	.3529	----	----	----	----	17	UNCH
4725	----	----	----	157.10B/----	157.10B/134.70A	----	----	145.20 + 28.30	.3504	----	----	----	----	143	UNCH
4730	----	----	----	155.50B/----	155.50B/133.30A	----	----	143.80 + 28.00	.3479	----	----	----	----	18	UNCH
4750	----	----	----	149.70B/----	149.70B/128.40A	----	----	138.40 + 27.00	.3379	----	----	10	----	248	UNCH
4765	----	----	----	145.40B/----	145.40B/124.70A	----	----	134.40 + 26.20	.3304	----	----	----	----	17	UNCH
4775	----	----	----	142.70B/----	142.70B/122.30A	----	----	131.80 + 25.70	.3256	----	----	----	----	3	UNCH
4780	----	----	----	141.20B/----	141.20B/121.30A	----	----	130.60 + 25.50	.3232	----	----	----	----	3	UNCH
4790	----	----	----	138.60B/----	138.60B/118.90A	----	----	128.00 + 24.90	.3183	----	----	----	----	17	UNCH
4795	----	----	----	137.30B/----	137.30B/117.80A	----	----	126.80 + 24.70	.3160	----	----	----	----	9	UNCH
4800	----	----	----	136.10B/----	136.10B/116.50A	----	----	125.60 + 24.50	.3136	----	----	189	38	2063	+
4810	----	----	----	133.30B/----	133.30B/114.40A	----	----	123.20 + 24.00	.3090	----	----	----	----	63	UNCH
4815	----	----	----	132.00B/----	132.00B/113.30A	----	----	122.00 + 23.70	.3066	----	----	----	----	11	UNCH
4820	----	----	----	130.70B/----	130.70B/112.30A	----	----	120.80 + 23.50	.3043	----	----	----	----	91	UNCH
4825	----	----	----	129.40B/----	129.40B/111.20A	----	----	119.70 + 23.30	.3021	----	----	----	----	104	UNCH
4835	----	----	----	127.10B/----	127.10B/109.20A	----	----	117.40 + 22.80	.2975	----	----	----	----	127	UNCH
4845	123.00	123.00	123.00	124.50B/123.00	124.50B/107.00A	----	----	115.10 NEW	.2930	----	----	12	----	12	+
4850	----	----	----	123.40B/----	123.40B/106.00A	----	----	114.00 + 22.10	.2908	----	----	----	----	301	UNCH
4875	----	----	----	117.20B/----	117.20B/101.20A	----	----	108.70 + 21.00	.2799	----	----	----	----	3	UNCH
4880	----	----	----	116.40B/----	116.40B/100.20A	----	----	107.70 + 20.90	.2778	----	----	----	----	3	UNCH
4890	----	----	----	114.20B/----	114.20B/98.40A	----	----	105.60 + 20.40	.2735	----	----	----	----	9	UNCH
4895	----	----	----	113.20B/----	113.20B/97.50A	----	----	104.60 + 20.20	.2715	----	----	----	----	200	UNCH
4900	----	----	----	112.10B/----	112.10B/96.50A	----	----	103.60 + 20.00	.2694	----	----	48	200	500	+
4905	----	----	----	111.00B/----	111.00B/95.50A	----	----	102.60 + 19.70	.2673	----	----	----	----	18	UNCH
4910	----	----	----	109.90B/----	109.90B/94.80A	----	----	101.70 + 19.60	.2653	----	----	----	----	10	UNCH
4925	----	----	----	106.90B/----	106.90B/92.10A	----	----	98.80 + 19.00	.2592	----	----	----	----	242	UNCH
4930	----	----	----	105.80B/----	105.80B/91.20A	----	----	97.90 + 18.80	.2573	----	----	----	----	6	UNCH
4950	----	----	----	101.90B/----	101.90B/87.80A	----	----	94.20 + 17.90	.2493	----	----	----	----	104	UNCH
4955	----	----	----	100.90B/----	100.90B/87.00A	----	----	93.30 + 17.70	.2474	----	----	----	----	10	UNCH
4960	----	----	----	99.90B/----	99.90B/86.20A	----	----	92.50 + 17.60	.2456	----	----	----	----	10	UNCH
4975	----	----	----	97.10B/----	97.10B/83.90A	----	----	89.90 + 17.00	.2399	----	----	----	----	50	UNCH
5000	85.70	85.70	85.70	93.00/79.90A	93.00/79.90A	----	----	85.80 + 16.10	.2308	----	----	167	----	3426	-
5005	----	----	----	91.80B/----	91.80B/79.40A	----	----	85.00 + 15.90	.2290	----	----	----	----	65	UNCH
5020	----	----	----	89.20B/----	89.20B/77.30A	----	----	82.60 + 15.40	.2236	----	----	----	----	3	UNCH
5025	----	----	----	88.40B/----	88.40B/76.50A	----	----	81.90 + 15.30	.2220	----	----	----	----	243	UNCH
5030	----	----	----	87.30B/----	87.30B/75.90A	----	----	81.10 + 15.10	.2202	----	----	----	----	1	UNCH
5045	----	----	----	84.90B/----	84.90B/73.90A	----	----	78.90 + 14.60	.2151	----	----	----	----	1	UNCH
5050	----	----	----	84.30B/----	84.30B/73.30A	----	----	78.20 + 14.50	.2135	----	----	11	----	124	+
5055	----	----	----	83.70B/----	83.70B/72.50A	----	----	77.50 + 14.30	.2119	----	----	----	----	3	UNCH
5070	----	----	----	81.30B/----	81.30B/70.80A	----	----	75.40 + 13.90	.2070	----	----	----	----	13	UNCH
5075	----	----	----	80.60B/----	80.60B/70.10A	----	----	74.70 + 13.70	.2054	----	----	----	----	66	UNCH
5090	----	----	----	78.30B/----	78.30B/68.20A	----	----	72.70 + 13.30	.2006	----	----	----	----	17	UNCH
5100	----	----	----	77.10B/----	77.10B/67.00A	----	----	71.40 + 13.00	.1976	----	----	3	----	330	-
5105	----	----	----	76.30B/----	76.30B/66.50A	----	----	70.80 + 12.90	.1961	----	----	----	----	3	UNCH
5115	----	----	----	74.60B/----	74.60B/65.30A	----	----	69.50 + 12.60	.1930	----	----	----	----	1	UNCH
5125	----	----	----	73.50B/----	73.50B/64.20A	----	----	68.30 + 12.30	.1901	----	----	----	----	70	UNCH
5150	----	----	----	70.20B/----	70.20B/61.60A	----	----	65.30 + 11.70	.1829	----	----	----	----	32	UNCH
5155	----	----	----	69.60B/----	69.60B/61.00A	----	----	64.70 + 11.50	.1814	----	----	----	----	4	UNCH
5160	----	----	----	68.70B/----	68.70B/60.50A	----	----	64.20 + 11.50	.1802	----	----	----	----	4	UNCH
5170	----	----	----	67.80B/----	67.80B/59.40A	----	----	63.10 + 11.20	.1774	----	----	----	----	4	UNCH
5175	61.40	61.40	61.40	67.20B/61.40	67.20B/58.90A	----	----	62.50 + 11.10	.1760	----	----	1	----	102	+
5195	----	----	----	64.70B/----	64.70B/57.00A	----	----	60.40 + 10.70	.1708	----	----	----	----	5	UNCH
5200	63.90	63.90	63.90	64.40B/63.90	64.40B/56.40A	----	----	59.90 + 10.60	.1695	----	----				

PG64		BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG CALL		COMEX GOLD OPTIONS																						
DEC26																								
5505	----	----			38.00B/----	38.00B/36.40A	----			37.10 + 6.10	.1092	----	----	----	----		3	UNCH						
5525	----	----			37.20B/----	37.20B/35.50A	----			36.00 + 5.90	.1062	----	----	----	----		80	UNCH						
5550	----	----			36.10B/----	36.10B/34.40A	----			34.80 + 5.70	.1027	----	----	3	----		406	UNCH						
5570	----	----			35.10B/----	35.10B/33.70A	----			33.90 + 5.60	.1001	----	----	----	----		198	UNCH						
5575	----	----			34.90B/----	34.90B/33.20A	----			33.70 + 5.60	.0995	----	----	----	----		10	UNCH						
5600	32.00	32.00			33.60B/32.00	33.60B/32.00	----			32.60 + 5.40	.0964	----	----	5	----		2801	UNCH						
5650	----	----			31.50B/----	31.50B/30.30A	----			30.50 + 5.00	.0904	----	----	1	----		307 +	1						
5660	----	----			31.00B/----	31.00B/29.90A	----			30.10 + 4.90	.0892	----	----	----	----		1	UNCH						
5665	----	----			30.80B/----	30.80B/29.80A	----			29.90 + 4.80	.0886	----	----	----	----		1	UNCH						
5670	----	----			30.60B/----	30.60B/29.60A	----			29.80 + 4.90	.0883	----	----	----	----		2	UNCH						
5675	----	----			30.40B/----	30.40B/29.40A	----			29.60 + 4.90	.0877	----	----	----	----		18	UNCH						
5680	----	----			30.20B/----	30.20B/29.30A	----			29.40 + 4.80	.0871	----	----	----	----		21	UNCH						
5685	----	----			29.90B/----	29.90B/29.30A	----			29.20 + 4.80	.0866	----	----	----	----		18	UNCH						
5690	----	----			29.70B/----	29.70B/29.10A	----			29.00 + 4.70	.0860	----	----	----	----		27	UNCH						
5695	----	----			29.60B/----	29.60B/28.90A	----			28.90 + 4.80	.0856	----	----	----	----		2	UNCH						
5700	----	----			29.50B/----	29.50B/28.70A	----			28.70 + 4.70	.0850	----	----	----	----		355	UNCH						
5705	----	----			29.30B/----	29.30B/28.50A	----			28.50 + 4.60	.0845	----	----	----	----		5	UNCH						
5710	----	----			29.10B/----	29.10B/28.30A	----			28.30 + 4.60	.0839	----	----	----	----		5	UNCH						
5750	----	----			26.80B/----	26.80B/27.00A	----			27.00 + 4.30	.0801	----	----	----	----		343	UNCH						
5770	----	----			26.20B/----	26.20B/26.40A	----			26.40 + 4.20	.0782	----	----	----	----		8	UNCH						
5775	----	----			26.10B/----	26.10B/26.30A	----			26.20 + 4.10	.0777	----	----	----	----		2	UNCH						
5780	----	----			25.80B/----	25.80B/26.10A	----			26.10 + 4.20	.0773	----	----	----	----		2	UNCH						
5800	----	----			25.30B/----	25.30B/25.50A	----			25.50 + 4.00	.0756	----	----	----	----		2190	UNCH						
5810	----	----			25.00B/----	25.00B/25.30A	----			25.20 + 4.00	.0747	----	----	----	----		56	UNCH						
5825	----	----			24.40B/----	24.40B/24.80A	----			24.80 + 3.90	.0735	----	----	----	----		4	UNCH						
5850	----	----			23.90B/----	23.90B/24.20A	----			24.10 + 3.80	.0714	----	----	----	----		51	UNCH						
5875	----	----			23.00B/----	23.00B/23.50A	----			23.50 + 3.70	.0695	----	----	----	----		9	UNCH						
5900	----	----			22.50B/----	22.50B/22.90A	----			22.90 + 3.60	.0677	----	----	----	----		1512	UNCH						
5950	----	----			21.60B/----	21.60B/21.80A	----			21.80 + 3.40	.0643	----	----	----	----		27	UNCH						
6000	----	----			20.50B/----	20.50B/20.80A	----			20.70 + 3.20	.0609	----	----	1	----		7292 +	1						
6100	----	----			18.60B/----	18.60B/19.10A	----			18.90 + 2.90	.0553	----	----	----	----		150	UNCH						
6150	----	----			17.80B/----	17.80B/18.30A	----			18.10 + 2.70	.0528	----	----	----	----		40	UNCH						
6200	----	----			17.10B/----	17.10B/17.60A	----			17.40 + 2.60	.0506	----	----	----	----		3207	UNCH						
6250	----	----			16.40B/----	16.40B/17.00A	----			16.80 + 2.50	.0486	----	----	----	----		76	UNCH						
6300	----	----			15.70B/----	15.70B/16.40A	----			16.10 + 2.30	.0464	----	----	----	----		837	UNCH						
6400	----	----			14.80B/----	14.80B/15.40A	----			15.10 + 2.10	.0431	----	----	----	----		972	UNCH						
6500	14.30	14.30			14.30/14.30	14.30/14.30	----			14.20 + 2.00	.0401	----	----	1	----		7276 -	1						
6750	----	----			12.00B/----	12.00B/13.00A	----			12.50 + 1.60	.0343	----	----	----	----		105	UNCH						
6775	----	----			12.00B/----	12.00B/12.90A	----			12.30 + 1.50	.0337	----	----	----	----		164	UNCH						
6800	----	----			11.70B/----	11.70B/12.80A	----			12.20 + 1.50	.0333	----	----	----	----		1817	UNCH						
6900	----	----			11.20B/----	11.20B/12.30A	----			11.70 + 1.40	.0316	----	----	----	----		101	UNCH						
7000	----	----			11.40B/----	11.40B/11.90A	----			11.30 + 1.20	.0301	----	----	78	----		5345 -	78						
7100	----	----			10.50B/----	10.50B/11.50A	----			11.00 + 1.20	.0289	----	----	----	----		2	UNCH						
7130	----	----			10.40B/----	10.40B/11.40A	----			10.90 + 1.20	.0286	----	----	----	----		200	UNCH						
7150	----	----			10.20B/----	10.20B/11.30A	----			10.80 + 1.10	.0282	----	----	----	----		1	UNCH						
7175	----	----			10.20B/----	10.20B/11.20A	----			10.70 + 1.10	.0279	----	----	----	----		125	UNCH						
7200	----	----			10.10B/----	10.10B/11.10A	----			10.70 + 1.20	.0278	----	----	----	----		1	UNCH						
7250	----	----			9.90B/----	9.90B/11.00A	----			10.50 + 1.10	.0271	----	----	78	----		226 -	24						
7500	----	----			9.30B/----	9.30B/10.30A	----			10.00 + 1.00	.0250	----	----	101	----		259 +	95						
8000	8.00	8.00			8.20B/8.00	8.20B/8.00	----			9.10 + 0.80	.0215	----	----	7	----		2254	UNCH						
8125	----	----			----	8.10B/9.10A	----			8.90 + 0.70	.0208	----	----	----	----		801	UNCH						
8500	----	----			----	7.50B/8.60A	----			8.30 + 0.40	.0187	----	----	----	----		257	UNCH						
8630	----	----			----	7.40B/8.50A	----			8.10 + 0.30	.0181	----	----	----	----		400	UNCH						
8725	----	----			----	7.40B/8.40A	----			8.00 + 0.30	.0177	----	----	----	----		250	UNCH						
8775	----	----			----	7.20B/8.30A	----			8.00 + 0.40	.0176	----	----	----	----		25	UNCH						
9000	----	----			----	7.20B/8.00A	----			7.70 + 0.30	.0167	----	----	1	----		268 +	1						
9500	----	----			----	6.40B/7.50A	----			7.30 + 0.30	.0152	----	----	----	----		637	UNCH						
9900	----	----			----	6.00B/7.10A	----			6.90 + 0.30	.0140	----	----	----	----		17	UNCH						
10000	6.90	6.90			7.30/6.90	7.30/6.90	----			6.80 + 0.40	.0137	----	----	103	----		10236 +	25						
11000	----	----			----	5.20B/6.30A	----			6.00 + 0.50	.0115	----	----	3	----		837	UNCH						
13000	----	----			----	3.30B/4.70A	----			4.30 + 0.50	.0078	----	----	----	----		625	UNCH						
15000	2.80	2.80			3.00/2.80	3.00/2.80	----			3.10 + 0.10	.0054	----	----	32	----		25492 +	31						
17000	----	----			----	1.40B/2.80A	----			2.30 + 0.10	.0039	----	----	----	----		28	UNCH						
19000	----	----			----	0.90B/2.20A	----			1.60 UNCH	.0027	----	----	----	----		207	UNCH						
20000	1.00	1.00			1.40/1.00	1.40/1.00	----			1.30 UNCH	.0022	----	----	20	----		27198 +	1						
21000	----	----			----	----/1.20A	----			1.20 UNCH	.0020	----	----	----	----		31	UNCH						
24000	----	----			----	0.20B/1.00A	----			0.90 UNCH	.0015	----	----	----	----		76	UNCH						
TOTAL														1314		238	130966 +	315						
JAN27																								
4000	----	----			----	457.50B/666.10A	----			558.80 NEW	.7579	----	----	30	----		30 +	30						
4190	----	----			452.20B/----	452.20B/418.50A	----			429.20 + 64.20	.6688	----	----	----	----		1	UNCH						
4290	----	----			390.00B/----	390.00B/348.40A	----			369.20 + 57.30	.6165	----	----	----	----		1	UNCH						
4300	----	----			384.10B/----	384.10B/342.90A	----			363.60 + 56.60	.6111	----	----	----	----		3	UNCH						
4400	----	----			331.00B/----	331.00B/297.30A	----			310.40 + 49.80	.5564	----	----	30	----		30 +	29						
4500	----	----			281.80B/----	281.80B/247.90A	----			263.50 + 43.40	.5013	----	----	----	----		12	UNCH						
4570	----	----			251.20B/----	251.20B/220.40A	----			234.40 + 39.20	.4635	----	----	----	----		1	UNCH						
4575	----	----			249.10B/----	249.10B/218.70A	----			232.40 + 38.90	.4608	----	----	----	----		1	UNCH						
4600	----	----			238.80B/----	238.80B/209.50A	----			222.80 + 37.50	.4476	----	----	----	----		4	UNCH						
4650	----	----			219.70B/----	219.70B/192.50A	----			204.60 + 34.70	.4217	----	----	----	----		3	UNCH						
4695	----	----			203.60B/----	203.60B/178.20A	----			189.40 + 32.30	.3990	----	----	----	----		3	UNCH						
4700	----	----			201.80B/----	201.80B/176.70A	----			187.80 + 32.10	.3965	----	----	----	----		2	UNCH						
4710	----	----			198.50B/----	198.50B/173.80A	----			184.60 + 31.60	.3916	----	----	----	----		3	UNCH						
4725	----	----			193.30B/----	193.30B/169.40A	----			179.90 NEW	.3842	----	----	8	----		8 +	8						
4740	----	----			188.40B/----	188.40B/165.20A	----			175.30 + 30.10	.3770	----	----	----	----		4	UNCH						
4750	----	----			185.20B/----	185.20B/162.3																		

PG64	BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
OG CALL	COMEX GOLD OPTIONS																							
DEC27																								
6300	----	----	----	----	----	----	111.30 + 18.20	.1733	----	----	----	----	18	UNCH										
7500	----	----	----	----	----	----	52.90 + 8.90	.0865	----	----	----	----	170	UNCH										
7800	----	----	----	----	----	----	46.10 + 7.70	.0753	----	----	----	----	284	UNCH										
10000	----	----	----	----	----	----	27.40 + 4.10	.0412	----	----	----	----	103	UNCH										
10500	----	----	----	----	----	----	24.70 + 3.70	.0367	----	----	----	----	10	UNCH										
TOTAL													1485						0					
DEC28																								
5000	----	----	----	----	----	----	561.10 + 55.90	.5110	----	----	----	----	50	UNCH										
5750	----	----	----	----	----	----	348.90 + 39.10	.3590	----	----	----	----	100	UNCH										
TOTAL													150						0					
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE																							
JUN26																								
4000	2.30	2.30		#2.30/*2.30	#2.30/*2.30	----	1.70 NEW	.0172	----	----	1	----	1 +	1										
4045	----	----	----	----	----	----	0.00 - 1.10	----	----	----	----	----	0 -	1										
4100	----	----	----	----	----	----	0.00 - 3.30	----	----	----	----	----	0 -	1										
4175	----	----	----	----	----	----	0.00 - 12.70	----	----	----	----	----	0 -	1										
4275	27.30	27.30		#27.30/*27.30	#27.30/*27.30	----	25.40 NEW	.2730	----	----	1	----	1 +	1										
4330	----	----	----	----	----	----	21.60 + 14.80	1.0000	2	----	----	----	0 -	2										
4400	----	----	----	----	----	----	33.70 + 17.00	.3579	----	----	----	----	3	UNCH										
TOTAL											2	----	5 -	3										
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK4																							
JUN26																								
3250	----	----	----	----	----/*0.50A	----	0.10 - 0.20	.0000	----	----	----	----	1	UNCH										
3500	----	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	17	UNCH										
3500	----	----	----	----	----/*0.70A	----	0.20 - 0.50	.0012	----	----	----	----	4	UNCH										
3600	----	----	----	----	----/0.60A	----	0.10 - 0.10	----	----	----	----	----	33	UNCH										
3600	----	----	----	----/*0.70A	0.20B/*0.70A	----	0.40 - 0.80	.0026	----	----	----	----	68	UNCH										
3700	----	----	----	----	----/0.70A	----	0.10 - 0.20	----	----	----	----	----	35	UNCH										
3700	1.00	1.00		1.00/*0.40	1.00/*0.40	----	0.70 - 1.40	.0049	----	----	10	----	23 +	7										
3750	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	----	----	----	----	----	11	UNCH										
3750	0.50	0.50		0.50/*0.50	0.70B/*0.50	----	0.90 - 1.90	.0066	----	----	1	----	204	UNCH										
3765	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	----	----	----	----	----	1	UNCH										
3785	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	----	----	----	----	----	2	UNCH										
3800	0.20	0.20		0.20/*0.20	0.20/*0.20	----	0.10 - 0.50	----	----	----	6	----	72	UNCH										
3800	----	----	----	----/*1.00A	1.10B/*1.00A	----	1.10 - 2.70	.0086	----	----	----	----	159	UNCH										
3810	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.50	----	----	----	----	----	20	UNCH										
3825	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.60	----	----	----	----	----	3	UNCH										
3825	----	----	----	----/*1.10A	1.40B/*1.10A	----	1.20 - 3.30	.0096	----	----	----	----	6	UNCH										
3850	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.80	.0000	----	----	----	----	15	UNCH										
3850	----	----	----	----/*1.20A	1.70B/*1.20A	----	1.30 - 3.90	.0108	----	----	----	----	7	UNCH										
3865	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.90	.0000	----	----	----	----	20	UNCH										
3870	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.90	.0000	----	----	----	----	3	UNCH										
3875	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 1.00	.0000	----	----	----	----	13	UNCH										
3875	----	----	----	----/*1.40A	2.20B/*1.40A	----	1.50 - 4.70	.0127	----	----	----	----	11	UNCH										
3880	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 1.00	.0000	----	----	----	----	1	UNCH										
3900	----	----	----	----/*0.30A	----/*0.30A	----	0.10 - 1.20	.0000	----	----	----	----	121	UNCH										
3900	----	----	----	----/*1.60A	2.80B/*1.60A	----	1.70 - 5.60	.0148	----	----	1	----	28	UNCH										
3915	----	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 1.40	.0000	----	----	----	----	1	UNCH										
3920	----	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 1.50	.0000	----	----	----	----	2	UNCH										
3925	----	----	----	----/*1.70A	3.50B/*1.70A	----	2.00 - 6.70	.0178	----	----	----	----	1	UNCH										
3925	----	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 1.60	.0001	----	----	----	----	2	UNCH										
3925	----	----	----	#429.30B/----	#429.30B/368.40A	----	428.30 + 06.10	.9820	----	----	----	----	1	UNCH										
3930	----	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 1.70	.0001	----	----	----	----	2	UNCH										
3945	----	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 2.00	.0002	----	----	----	----	1	UNCH										
3950	2.30	2.30		2.30/*2.00A	4.50B/*2.00A	----	2.30 - 8.00	.0210	----	----	1	----	9 +	1										
3950	----	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 2.10	.0002	----	----	----	----	11	UNCH										
3950	----	----	----	340.90B/----	340.90B/472.90A	----	401.70 + 10.80	.9998	----	----	----	----	4	UNCH										
3955	----	----	----	----/*0.30A	0.50B/*0.30A	----	0.20 - 2.10	.0006	----	----	----	----	3	UNCH										
3960	----	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 2.20	.0006	----	----	----	----	6	UNCH										
3965	----	----	----	----/*0.30A	0.50B/*0.30A	----	0.20 - 2.40	.0006	----	----	----	----	9	UNCH										
3970	----	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 2.50	.0006	----	----	----	----	7	UNCH										
3975	2.60	2.60		2.60/*2.30A	5.80B/*2.30A	----	2.70 - 9.60	.0252	----	----	6	----	2 +	1										
3975	----	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 2.60	.0006	----	----	----	----	2	UNCH										
3980	----	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 2.80	.0006	----	----	----	----	2	UNCH										
3985	----	----	----	----/*0.30A	0.70B/*0.30A	----	0.30 - 2.90	.0010	----	----	----	----	1	UNCH										
3990	----	----	----	----/*0.30A	0.70B/*0.30A	----	0.30 - 3.00	.0010	----	----	----	----	3	UNCH										
3995	----	----	----	----/*0.30A	0.80B/*0.30A	----	0.30 - 3.20	.0011	----	----	----	----	4	UNCH										
4000	305.00	305.00		386.50B/305.00	386.50B/305.00	----	351.90 + 09.50	.9989	----	----	5	----	5	UNCH										
4000	----	----	----	----/*0.40A	0.80B/*0.40A	----	0.30 - 3.40	.0011																

PG64 BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE		OUTCRY RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GWW WED				GOLD WEEKLY WEDNESDAY OPTION WEEK3																
JUN26																				
4225	5.10	5.10		5.10/*2.30		21.60B/*2.30	----				3.90	- 40.60	.0489	----	----	15	----		67 -	7
4225	----	----		----/16.20A		45.40B/16.20A	----				21.40	- 49.30	.2058	----	----	----	----		4	UNCH
4230	----	----		----/*2.60A		22.90B/*2.60A	----				4.20	- 42.50	.0540	----	----	----	----		2	UNCH
4235	----	----		#156.90B/----		#156.90B/82.20A	----				121.20	+ 68.40	.9394	----	----	----	----		4	UNCH
4235	12.10	12.10		12.10/*2.70A		24.20B/*2.70A	----				4.60	- 44.40	.0605	----	----	3	----		7 +	1
4240	134.90	134.90		#152.20B/134.90		#152.20B/78.80A	----				116.60	+ 66.40	.9327	----	----	1	----		2	UNCH
4240	4.20	4.20		4.20/*3.00A		25.70B/*3.00A	----				5.00	- 46.40	.0672	----	----	1	----		3 +	1
4245	----	----		----/*3.20A		27.60B/*3.20A	----				5.40	- 48.50	.0743	----	----	----	----		3	UNCH
4245	----	----		#147.40B/----		#147.40B/75.50A	----				112.00	+ 64.30	.9256	----	----	----	----		1	UNCH
4250	----	----		----/20.30A		54.50B/20.30A	----				26.90	- 55.80	.2514	----	----	----	----		1	UNCH
4250	----	----		142.70B/----		142.70B/72.30A	----				107.50	+ 62.20	.9171	----	----	----	----		145	UNCH
4250	----	----		159.60B/----		159.60B/97.30A	----				128.40	+ 56.80	.7483	----	----	----	----		7	UNCH
4250	26.50	26.50		26.50/*3.40		29.30B/*3.40	----				5.90	- 50.60	.0828	----	----	39	----		33 +	14
4255	----	----		#138.10B/----		#138.10B/68.90A	----				103.10	+ 60.10	.9071	----	----	----	----		1	UNCH
4255	5.30	5.30		#5.30/*3.80A		31.10B/*3.80A	----				6.50	NEW	.0928	----	----	3	----		3 +	3
4260	4.70	4.70		#6.00/*4.10A		33.00B/*4.10A	----				7.10	NEW	.1031	----	----	11	----		3 +	3
4260	----	----		#133.40B/----		#133.40B/65.80A	----				98.70	+ 58.00	.8967	----	----	----	----		51	UNCH
4265	10.90	10.90		#10.90/*4.50A		35.00B/*4.50A	----				7.70	NEW	.1139	----	----	3	----		3 +	3
4265	----	----		#128.70B/----		#128.70B/62.90A	----				94.30	+ 55.70	.8860	----	----	----	----		2	UNCH
4270	5.80	5.80		#10.20/*4.90A		37.10B/*4.90A	----				8.40	NEW	.1262	----	----	4	----		2 +	2
4270	----	----		#124.30B/----		#124.30B/59.70A	----				90.00	+ 53.50	.8736	----	----	----	----		3	UNCH
4275	----	----		119.70B/----		119.70B/57.00A	----				85.80	+ 51.30	.8598	----	----	3	----		12 -	2
4275	----	----		139.70B/----		139.70B/82.80A	----				110.10	+ 50.00	.6964	----	----	----	----		8	UNCH
4275	----	----		----/25.40A		65.40B/25.40A	----				33.60	- 62.60	.3033	----	----	5	----		14 +	3
4275	6.50	6.50		10.40/*5.30A		39.30B/*5.30A	----				9.20	- 61.50	.1400	----	----	21	----		10 +	4
4280	8.50	8.50		#8.50/*5.80A		41.30B/*5.80A	----				10.10	NEW	.1553	----	----	2	----		2 +	2
4280	----	----		#115.20B/----		#115.20B/54.10A	----				81.70	+ 49.10	.8446	----	----	----	----		3	UNCH
4285	10.30	10.30		#10.30/*6.40A		43.90B/*6.40A	----				11.00	NEW	.1711	----	----	1	----		1 +	1
4285	----	----		#110.80B/----		#110.80B/51.40A	----				77.60	+ 46.80	.8288	----	----	2	----		2	UNCH
4290	----	----		#106.40B/----		#106.40B/48.90A	----				73.60	+ 44.50	.8115	----	----	2	----		2	UNCH
4290	8.90	8.90		#9.40/*6.90A		46.40B/*6.90A	----				12.00	NEW	.1883	----	----	11	----		10 +	10
4295	22.70	22.70		#22.70/*7.60A		48.70B/*7.60A	----				13.10	NEW	.2070	----	----	2	----		1	UNCH
4295	----	----		#102.10B/----		#102.10B/46.40A	----				69.70	+ 42.30	.7928	----	----	----	----		2	UNCH
4300	----	----		120.90B/----		120.90B/69.90A	----				93.30	+ 43.30	.6385	----	----	----	----		108	UNCH
4300	----	----		----/31.60A		77.50B/31.60A	----				41.80	- 69.30	.3612	----	----	13	----		18 +	6
4300	47.00	47.00		47.00/*8.30A		51.10B/*8.30A	----				14.30	- 72.70	.2271	----	----	198	----		98 +	71
4300	91.10	91.10		97.90B/52.00		97.90B/44.10A	----				65.90	+ 40.10	.7728	----	----	68	----		140 -	43
4305	----	----		#93.70B/----		#93.70B/41.80A	----				62.20	+ 37.90	.7514	----	----	2	----		1 -	2
4310	----	----		----/*9.90A		57.20B/*9.90A	----				17.00	NEW	.2711	----	----	1	----		1 +	1
4315	----	----		#85.50B/----		#85.50B/37.50A	----				55.10	NEW	.7049	----	----	4	----		2 +	2
4320	----	----		#81.50B/----		#81.50B/35.50A	----				51.70	+ 31.40	.6800	----	----	4	----		2 +	1
4320	----	----		----/*11.90A		63.10B/*11.90A	----				20.10	NEW	.3198	----	----	2	----		0	UNCH
4325	35.20	35.20		35.20/13.00A		66.30B/13.00A	----				21.80	- 83.40	.3457	----	----	23	----		18 +	4
4325	54.00	54.00		77.60B/54.00		77.60B/33.80A	----				48.40	+ 29.30	.6541	----	----	4	----		51 -	1
4325	----	----		103.50B/----		103.50B/58.90A	----				78.10	+ 36.80	.5762	----	----	----	----		27	UNCH
4330	14.90	14.90		#18.40/*14.20A		68.90B/*14.20A	----				23.70	NEW	.3729	----	----	2	----		2 +	2
4330	----	----		#73.80B/----		#73.80B/31.90A	----				45.30	+ 27.40	.6269	----	----	4	----		4 +	1
4335	17.00	17.00		#29.20/*15.30A		72.20B/*15.30A	----				25.60	NEW	.4005	----	----	9	----		6 +	6
4335	----	----		#70.00B/----		#70.00B/29.90A	----				42.20	+ 25.40	.5993	----	----	4	----		2	UNCH
4340	----	----		#66.40B/----		#66.40B/27.60A	----				39.40	+ 23.60	.5706	----	----	5	----		3 +	1
4345	----	----		#62.90B/----		#62.90B/25.50A	----				36.60	+ 21.80	.5417	----	----	4	----		3 -	2
4345	34.50	34.50		#34.70/*18.20A		79.30B/*18.20A	----				30.00	NEW	.4581	----	----	2	----		2 +	2
4350	70.00	70.00		87.30B/70.00		87.30B/48.30A	----				64.50	+ 30.70	.5110	----	----	7	----		3	UNCH
4350	----	----		----/48.10A		106.10B/48.10A	----				62.90	- 82.00	.4887	----	----	3	----		4 +	3
4350	----	----		59.40B/----		59.40B/23.50A	----				34.00	+ 20.10	.5124	----	----	33	----		34 +	22
4350	43.00	43.00		43.00/19.70A		82.80B/19.70A	----				32.40	- 92.70	.4874	----	----	5	----		9 +	2
4355	----	----		#56.10B/----		#56.10B/21.50A	----				31.50	+ 18.40	.4831	----	----	4	----		8 +	2
4360	32.60	32.60		#32.60/*23.10A		90.00B/*23.10A	----				37.60	NEW	.5460	----	----	15	----		15 +	15
4360	----	----		#52.80B/----		#52.80B/19.80A	----				29.20	+ 16.90	.4539	----	----	----	----		5	UNCH
4365	40.90	40.90		#40.90/*25.00A		94.00B/*25.00A	----				40.40	NEW	.5749	----	----	5	----		4 +	4
4365	38.50	38.50		#49.70B/18.20A		#49.70B/18.20A	----				27.00	+ 15.50	.4250	----	----	8	----		8 +	1
4370	36.40	36.40		#46.60B/*16.60A		#46.60B/16.60A	----													

BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
GWW WED JUN26	GOLD WEEKLY WEDNESDAY OPTION WEEK4																					
4800	----	----	----	2.30B/----	2.30B/1.80A	----	----	----	1.90 + 0.40	.0185	----	----	----	----	5	UNCH						
4825	----	----	----	2.00B/----	2.00B/1.60A	----	----	----	1.60 + 0.30	.0154	----	----	----	----	1	UNCH						
4825	----	----	----	----	----	----	----	----	0.10 - 0.10	.0000	----	----	----	----	1	UNCH						
4850	1.90	1.90		1.90/1.40	1.90/1.40	----	----	----	1.40 + 0.20	.0132	----	----	4	----	4 +	2						
4875	----	----	----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH						
4875	1.50	1.50		1.50/1.50	1.50/1.30A	----	----	----	1.20 + 0.10	.0111	----	----	1	----	2 +	1						
4900	----	----	----	1.30B/----	1.30B/1.20A	----	----	----	1.10 + 0.10	.0100	----	----	----	----	8	UNCH						
4900	----	----	----	0.20B/----	0.20B/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH						
4925	----	----	----	1.20B/----	1.20B/1.10A	----	----	----	1.00 UNCH	.0089	----	----	----	----	2	UNCH						
4925	----	----	----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH						
4950	----	----	----	1.10B/----	1.10B/1.10A	----	----	----	0.90 UNCH	.0078	----	----	----	----	1	UNCH						
4950	----	----	----	----	----	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH						
4975	----	----	----	1.00B/----	1.00B/1.00A	----	----	----	0.80 - 0.10	.0068	----	----	----	----	1	UNCH						
5000	----	----	----	----	0.10B/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH						
5025	----	----	----	----	0.80B/0.90A	----	----	----	0.70 - 0.10	.0057	----	----	----	----	1	UNCH						
TOTAL													2422	100	5567+	551						
JUL26																						
3250	----	----	----	----/*0.80A	0.20B/*0.80A	----	----	----	0.30 - 0.60	.0016	----	----	----	----	1	UNCH						
3500	----	----	----	----/*1.20A	0.70B/*1.20A	----	----	----	0.90 - 1.10	.0055	----	----	----	----	2	UNCH						
3700	----	----	----	----/*3.00A	3.10B/*3.00A	----	----	----	3.30 - 4.20	.0213	----	----	----	----	1	UNCH						
3700	----	----	----	----/*1.90A	1.60B/*1.90A	----	----	----	1.90 - 2.80	.0132	----	----	----	----	4	UNCH						
3725	----	----	----	----/*3.20A	3.60B/*3.20A	----	----	----	3.60 - 4.80	.0235	----	----	----	----	1	UNCH						
3750	----	----	----	----/*3.40A	4.00B/*3.40A	----	----	----	3.90 - 5.60	.0259	----	----	----	----	1	UNCH						
3750	----	----	----	----/*2.20A	2.00B/*2.20A	----	----	----	2.20 - 3.80	.0159	----	----	1	----	32 -	1						
3775	2.80	2.80		#2.80/*2.30A	2.80/*2.30A	----	----	----	2.50 NEW	.0183	----	----	6	----	6 +	6						
3800	----	----	----	----/*2.50A	2.90B/*2.50A	----	----	----	2.70 - 5.20	.0202	----	----	----	----	4	UNCH						
3825	----	----	----	----/*2.70A	3.40B/*2.70A	----	----	----	3.10 - 6.00	.0234	----	----	----	----	1	UNCH						
3825	----	----	----	----/*4.60A	6.40B/*4.60A	----	----	----	5.40 - 8.40	.0367	----	----	----	----	3	UNCH						
3850	5.10	5.10		5.10/*5.10	7.50B/*5.10	----	----	----	6.00 - 9.70	.0412	----	----	1	----	2 +	1						
3850	----	----	----	----/*3.10A	4.10B/*3.10A	----	----	----	3.40 - 7.10	.0262	----	----	----	----	1	UNCH						
3875	----	----	----	----/*3.40A	4.90B/*3.40A	----	----	----	3.90 - 8.20	.0303	----	----	----	----	4	UNCH						
3900	7.70	7.70		7.70/*6.50	11.90B/*6.50	----	----	----	7.70 - 12.60	.0532	----	13	----	----	13 +	12						
3900	----	----	----	----/*3.80A	6.00B/*3.80A	----	----	----	4.40 - 9.60	.0346	----	----	----	----	105	UNCH						
3925	8.80	8.80		8.80/*7.30A	13.50B/*7.30A	----	----	----	8.80 - 14.30	.0608	----	9	----	----	10 +	9						
3925	----	----	----	----/*4.40A	8.50B/*4.40A	----	----	----	5.10 - 11.10	.0403	----	----	----	----	2	UNCH						
3950	9.70	9.70		#9.70/*8.40	14.80B/*8.40	----	----	----	10.00 NEW	.0692	----	6	----	----	6 +	6						
3950	----	----	----	----/*5.00A	9.60B/*5.00A	----	----	----	5.90 - 12.90	.0470	----	----	----	----	23	UNCH						
3975	10.00	10.00		#10.00/*9.90	17.20B/*9.90	----	----	----	11.50 NEW	.0793	----	3	----	----	3 +	3						
3975	5.80	5.80		5.80/*5.70	11.70B/*5.70	----	----	----	6.90 - 14.90	.0550	----	3	----	----	3 +	2						
4000	11.20	11.20		#11.20/*10.80	20.50B/*10.80	----	----	----	13.20 NEW	.0908	----	3	----	----	3 +	3						
4000	12.00	12.00		12.00/*6.90A	12.80B/*6.90A	----	----	----	8.00 - 17.20	.0641	----	2	----	----	154 +	2						
4025	16.00	16.00		#16.00/*13.10A	23.60B/*13.10A	----	----	----	15.20 NEW	.1039	----	1	----	----	1 +	1						
4025	----	----	----	----/*7.80A	15.10B/*7.80A	----	----	----	9.40 - 19.80	.0753	----	----	----	----	1	UNCH						
4050	----	----	----	----/*14.60A	27.20B/*14.60A	----	----	----	17.50 - 26.00	.1188	----	1	----	----	1	UNCH						
4050	12.00	12.00		12.00/*9.10A	19.10B/*9.10A	----	----	----	11.10 - 22.60	.0885	----	1	----	----	6	UNCH						
4075	----	----	----	314.40B/----	314.40B/248.30A	----	----	----	289.40 + 87.00	.8956	----	1	----	----	0 -	1						
4075	21.40	21.40		#21.40/*17.20A	31.30B/*17.20A	----	----	----	20.20 NEW	.1359	----	1	----	----	1 +	1						
4075	12.60	12.60		12.60/*10.60A	22.50B/*10.60A	----	----	----	13.10 - 25.70	.1040	----	1	----	----	6 +	1						
4100	----	----	----	291.10B/----	291.10B/227.40A	----	----	----	266.80 + 83.60	.8775	----	2	----	----	0 -	2						
4100	----	----	----	----/*19.80A	36.00B/*19.80A	----	----	----	23.40 - 32.30	.1554	----	1	----	----	1	UNCH						
4100	----	----	----	----/*12.90A	26.50B/12.90A	----	----	----	15.50 - 29.20	.1220	----	----	----	----	151	UNCH						
4125	----	----	----	268.50B/----	268.50B/207.20A	----	----	----	244.70 + 79.80	.8563	----	1	----	----	0 -	1						
4125	19.40	19.40		19.40/*15.20A	31.20B/15.20A	----	----	----	18.40 - 32.90	.1432	----	1	----	----	7	UNCH						
4150	----	----	----	----/*17.90A	36.70B/17.90A	----	----	----	21.90 - 37.00	.1678	----	----	----	----	3	UNCH						
4150	----	----	----	246.40B/----	246.40B/187.80A	----	----	----	223.20 + 75.70	.8317	----	----	----	----	1	UNCH						
4175	----	----	----	----/*21.20A	43.00B/21.20A	----	----	----	26.10 - 41.40	.1961	----	----	----	----	2	UNCH						
4200	35.20	35.20		35.20/*25.10A	50.00B/25.10A	----	----	----	31.00 - 46.20	.2279	----	26	----	----	114 +	12						
4225	----	----	----	----/*29.70A	57.90B/29.70A	----	----	----	36.70 - 51.40	.2632	----	----	----	----	2	UNCH						
4250	----	----	----	164.60B/----	164.60B/119.20A	----	----	----	144.80 + 55.90	.6974	----	----	----	----	1	UNCH						
4275	69.00	69.00		#69.00/*53.80A	90.20B/*53.80A	----	----	----	64.50 NEW	.3644	----	1	----	----	1 +	1						
4275	----	----	----	151.30B/----	151.30B/104.70A	----	----	----	127.60 + 50.50	.6548	----	----	----	----	1	UNCH						
4300	76.90	76.90		#78.20/*61.70A	101.70B/*61.70A	----	----	----	74.00 NEW	.4037	----	5	----	----	5 +	5						
4300	----	----	----	----/*48.80A	88.20B/48.80A	----	----	----	60.20 - 67.40	.3904	----	----	----	----	1	UNCH						
4300	----	----	----	136.20B/----	136.20B/91.30A	----	----	----	111.70 + 45.20	.6091	----	----	----	----	7	UNCH						
4325	86.60	86.60		#88.60/*70.80A	114.20B/*70.80A	----	----	----	84.60 NEW	.4445	----	4	----	----	4 +	4						
4325	----	----	----	119.70B/----	119.70B/79.70A	----	----	----	97.10 + 40.00	.5613	----	1	----	----	7	UNCH						
4350	----	----	----	----/*67.00A	113.00B/67.00A	----	----	----	82.20 - 77.50	.4873	----	----	----	----	1	UNCH						
4350	99.90	99.90		105.10B/99.90	105.10B/68.90A	----	----	----	83.80 + 35.10	.5122	----	1	----	----	0 -	1						
4375	84.50	84.50		#104.60B/*84.50	#104.60B/72.60A	----	----	----	85.80 NEW	.4714	----	1	----	----	1 +	1						
4375	----	----	----	91.10B/----	91.10B/59.30A	----	----	----	71.90 + 30.50	.4629	----	----	----	----	1	UNCH						
4400	87.30	87.30		#92.50B/*86.30	#92.50B/63.30A	----	----	----	74.90 NEW	.4300	----	2	----	----	2 +	2						
4400	----	----	----	78.80B/----	78.80B/50.80A	----	----	----	61.20 + 26.10	.4142	----	3	----	----	12	UNCH						
4400	----	----	----	----/*91.10A	142.50B/91.10A	----	----	----	109.60 - 86.40	.5853	----	----	----	----	1	UNCH						
4425	----	----	----	67.40B/----	67.40B/43.40A	----	----	----	51.90 + 22.30	.3674	----	----	----	----	2	UNCH						
4450	53.50	53.50		57.30B/53.50	57.30B/36.90A	----	----	----	43.70 + 18.70	.3229	----	1	----	----	2	UNCH						
4475	----	----	----	48.40B/----	48.40B/31.20A	----	----	----	36.60 + 15.40	.2813	----	2	----	----	3 +	2						
4500	----	----	----	----/*52.80B/----	----/*52.80B/35.80A	----	----	----	41.90 NEW	.2794	----	1	----	----	1 +	1						
4500	----	----	----	40.60B/----	40.60B/26.30A	----	----	----	30.60 + 12.70	.2435	----	----	----	----	3	UNCH						
4525	----	----	----	34.00B/----	34.00B/22.10A	----	----	----	25.50 + 10.30	.2093	----	----	----	----	13	UNCH						
4550	----	----	----	28.40B/----	28.40B/18.50A	----	----	----	21.30 + 8.40	.1793	----	----	----	----	2	UNCH						
4575	----	----	----	23.70B/----	23.70B/15.60A	----	----	----	17.80 + 6.80	.1531	----	----	----	----	15	UNCH						
4575	25.60	25.60		#25.60/*23.70A	#33.50B/*23.70A	----	----	----	26.70 NEW	.1927	----	2	----	----	2 +	2						
4600	----	----	----	#28.90B/----	#28.90B/19.70A	----	----	----	23.00 NEW	.1694	----	2	----	----	2 +	2						
4600	----	----	----	19.80B/----	19.80B/13.00A	----	----	----	14.90 + 5.50	.1305	----	2	----	----	9	UNCH						
4650	----	----	----	#13.90B/----	13.90B/9.20A	----	----	----	10.70 + 3.70	.0956	----	3	----	----	4 +	3						
4675	----	----	----	#11.80B/----	11.80B/8.30A	----	----	----	9.10 + 3.10	.0818	----	----	----	----	1	UNCH						
4700	----	----	----	#15.80B/----	#15.80B/11.00A	----	----	----	13.00 NEW	.1009	----	2	----	----	2 +	2						
4700	----	----	----	#10.00B/----	10.00B/7.20A	----	----	----	7.90 + 2.60	.0710	----	4	----	----	5 +	3						
4750	6.00	6.00		#7.30B/6.00	7.30B/5.40A	----	----	----	6.00 NEW	.0537	----	3	----	----	3 +	3						
4775	----	----	----	#6.30B/----	6.30B/4.70A	----	----	----	5.20 + 1.70	.0465	----	----	----	----	1	UNCH						
4800	----	----	----	#9.10B/----	#9.10B/7.20A	----	----	----	7.80 NEW	.0616	----	1	----	----	1 +	1						
4800	----	----	----	#5.40B/----	5.40B/4.20A	----	----	----	4.60 + 1.50	.0408	----	----	----	----	1	UNCH						
4825	----	----	----	#4.70B/----	4.70B/3.70A	----	----	----	4.10 + 1.20	.0361	----	----	----	----	2	UNCH						
4850	----	----	----	#4.0																		

GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN		
		OPEN	RANGE	HIGH/LOW		HIGH/LOW		CLOSE		RANGE		& PT.CHGE.			CISES	OUTCRY	VOLUME	VOLUME	INTEREST		
GOLD WEEKLY TUESDAY OPTION week3																					
JUN26																					
3865	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.30	----	----	----	----	2	UNCH	
3870	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.30	----	----	----	----	1	UNCH	
3875	----	----	----	/*1.10A	----	/*1.10A	----	----	----	----	----	1.20	-	3.70	.0102	----	----	----	6	UNCH	
3875	3.60	3.60	3.60	/*2.90A	4.20B	/*2.90A	4.20B	4.20B	4.20B	4.20B	4.20B	3.50	-	7.30	.0277	----	5	----	9	+	
3875	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.30	----	----	----	----	1	UNCH	
3880	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.30	----	----	----	----	5	UNCH	
3890	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.40	----	----	----	----	1	UNCH	
3900	7.30	7.30	7.30	/*3.40A	7.30	/*3.40A	7.30	7.30	7.30	7.30	7.30	4.00	-	8.60	.0320	----	2	----	120	-	
3900	----	----	----	/*1.20A	2.00B	/*1.20A	2.00B	2.00B	2.00B	2.00B	2.00B	1.30	-	4.60	.0114	----	----	----	27	UNCH	
3900	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.40	----	----	----	----	43	UNCH	
3915	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.60	----	----	----	----	1	UNCH	
3925	----	----	----	/*3.80A	7.40B	/*3.80A	7.40B	7.40B	7.40B	7.40B	7.40B	4.60	-	10.00	.0371	----	----	----	1	UNCH	
3925	----	----	----	/*1.40A	2.50B	/*1.40A	2.50B	2.50B	2.50B	2.50B	2.50B	1.50	-	5.60	.0136	----	----	----	6	UNCH	
3925	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.60	----	----	----	----	2	UNCH	
3930	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.70	----	----	----	----	2	UNCH	
3940	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.80	----	----	----	----	2	UNCH	
3945	----	----	----	/*0.20A	----	/*0.20A	----	----	----	----	----	0.10	-	0.90	----	----	----	----	15	UNCH	
3950	----	----	----	/*1.60A	3.30B	/*1.60A	3.30B	3.30B	3.30B	3.30B	3.30B	1.80	-	6.80	.0167	----	----	----	15	UNCH	
3950	9.60	9.60	9.60	/*4.30A	9.60	/*4.30A	9.60	9.60	9.60	9.60	9.60	5.30	-	11.70	.0432	----	26	----	31	+	
3950	0.30	0.30	0.30	/*0.10A	0.30	/*0.10A	0.30	0.30	0.30	0.30	0.30	0.10	-	0.90	----	2	----	66	+	2	
3955	----	----	----	/*0.20A	0.10B	/*0.20A	0.10B	0.10B	0.10B	0.10B	0.10B	0.10	-	1.00	----	----	----	12	UNCH		
3960	0.40	0.40	0.40	/*0.20A	0.40	/*0.20A	0.40	0.40	0.40	0.40	0.40	0.10	-	1.10	----	1	----	2	UNCH		
3965	----	----	----	/*0.10A	0.10B	/*0.10A	0.10B	0.10B	0.10B	0.10B	0.10B	0.10	-	1.10	----	----	----	2	UNCH		
3970	----	----	----	/*0.20A	0.30B	/*0.20A	0.30B	0.30B	0.30B	0.30B	0.30B	0.10	-	1.20	----	----	----	2	UNCH		
3975	2.70	2.70	2.70	/*1.80	4.20B	/*1.80	4.20B	4.20B	4.20B	4.20B	4.20B	2.10	-	8.40	.0200	3	----	6	+	3	
3975	----	----	----	/*0.20A	0.30B	/*0.20A	0.30B	0.30B	0.30B	0.30B	0.30B	0.10	-	1.30	----	----	----	11	UNCH		
3975	----	----	----	/*5.10A	9.90B	/*5.10A	9.90B	9.90B	9.90B	9.90B	9.90B	6.20	-	13.60	.0508	----	----	8	UNCH		
3980	----	----	----	/*0.20A	0.30B	/*0.20A	0.30B	0.30B	0.30B	0.30B	0.30B	0.10	-	1.40	----	----	----	2	UNCH		
3985	0.30	0.30	0.30	/*0.20A	0.30	/*0.20A	0.30	0.30	0.30	0.30	0.30	0.10	-	1.50	----	4	----	35	+	4	
3990	----	----	----	/*0.20A	0.30B	/*0.20A	0.30B	0.30B	0.30B	0.30B	0.30B	0.10	-	1.60	----	----	----	2	UNCH		
3995	----	----	----	/*0.20A	0.40B	/*0.20A	0.40B	0.40B	0.40B	0.40B	0.40B	0.10	-	1.70	----	----	----	21	UNCH		
4000	12.00	12.00	12.00	/*5.60	12.10B	/*5.60	12.10B	12.10B	12.10B	12.10B	12.10B	7.30	-	15.70	.0599	21	----	64	+	9	
4000	----	----	----	/*2.10A	5.50B	/*2.10A	5.50B	5.50B	5.50B	5.50B	5.50B	2.50	-	10.20	.0245	1	----	6	UNCH		
4000	0.10	0.10	0.10	/*0.10	0.40B	/*0.10	0.40B	0.40B	0.40B	0.40B	0.40B	0.10	-	1.90	----	1	----	39	UNCH		
4005	----	----	----	/*0.20A	0.50B	/*0.20A	0.50B	0.50B	0.50B	0.50B	0.50B	0.10	-	2.00	----	----	----	18	UNCH		
4010	0.30	0.30	0.30	/*0.20A	0.60B	/*0.20A	0.60B	0.60B	0.60B	0.60B	0.60B	0.10	-	2.20	----	1	----	3	+	1	
4015	----	----	----	/*0.20A	0.60B	/*0.20A	0.60B	0.60B	0.60B	0.60B	0.60B	0.10	-	2.30	----	----	----	3	UNCH		
4020	----	----	----	/*0.20A	0.70B	/*0.20A	0.70B	0.70B	0.70B	0.70B	0.70B	0.10	-	2.50	----	----	----	4	UNCH		
4025	----	----	----	/*0.20A	0.80B	/*0.20A	0.80B	0.80B	0.80B	0.80B	0.80B	0.10	-	2.70	----	----	----	162	UNCH		
4025	----	----	----	/*2.40A	7.10B	/*2.40A	7.10B	7.10B	7.10B	7.10B	7.10B	3.00	-	12.50	.0301	----	----	102	UNCH		
4025	----	----	----	#364.00B/-	#364.00B/264.60A	#364.00B/264.60A	#364.00B/264.60A	#364.00B/264.60A	#364.00B/264.60A	#364.00B/264.60A	#364.00B/264.60A	326.70	+	10.20	1.0000	----	----	1	UNCH		
4025	----	----	----	/*7.00A	14.60B	/*7.00A	14.60B	14.60B	14.60B	14.60B	14.60B	8.50	-	18.30	.0700	----	----	12	UNCH		
4025	----	----	----	365.50B/-	365.50B/272.70A	365.50B/272.70A	365.50B/272.70A	365.50B/272.70A	365.50B/272.70A	365.50B/272.70A	365.50B/272.70A	329.40	+	00.30	.9697	----	----	1	UNCH		
4030	----	----	----	/*0.10A	0.80B	/*0.10A	0.80B	0.80B	0.80B	0.80B	0.80B	0.10	-	2.90	----	----	----	7	UNCH		
4035	----	----	----	/*0.20A	0.90B	/*0.20A	0.90B	0.90B	0.90B	0.90B	0.90B	0.10	-	3.10	----	----	----	5	UNCH		
4040	----	----	----	/*0.20A	0.90B	/*0.20A	0.90B	0.90B	0.90B	0.90B	0.90B	0.10	-	3.30	----	----	----	3	UNCH		
4045	----	----	----	/*0.20A	1.00B	/*0.20A	1.00B	1.00B	1.00B	1.00B	1.00B	0.10	-	3.50	----	----	----	1	UNCH		
4050	----	----	----	#339.00B/-	339.00B/240.10A	#339.00B/240.10A	339.00B/240.10A	339.00B/240.10A	339.00B/240.10A	339.00B/240.10A	339.00B/240.10A	301.70	+	09.10	1.0000	----	----	1	UNCH		
4050	----	----	----	/*0.10A	1.10B	/*0.10A	1.10B	1.10B	1.10B	1.10B	1.10B	0.10	-	3.80	----	1	----	54	-	1	
4050	2.80	2.80	2.80	/*2.80	9.00B	/*2.80	9.00B	9.00B	9.00B	9.00B	9.00B	3.60	-	15.20	.0369	5	----	7	+	2	
4050	14.30	14.30	14.30	/*8.20A	17.70B	/*8.20A	17.70B	17.70B	17.70B	17.70B	17.70B	10.00	-	21.20	.0824	1	----	20	-	1	
4055	----	----	----	/*0.20A	1.20B	/*0.20A	1.20B	1.20B	1.20B	1.20B	1.20B	0.10	-	4.10	----	----	----	6	UNCH		
4060	0.10	0.10	0.10	/*0.10	1.20B	/*0.10	1.20B	1.20B	1.20B	1.20B	1.20B	0.10	-	4.30	----	5	----	8	+	5	
4065	----	----	----	/*0.20A	1.30B	/*0.20A	1.30B	1.30B	1.30B	1.30B	1.30B	0.10	-	4.70	.0000	----	----	6	UNCH		
4070	0.20	0.20	0.20	/*0.10	1.50B	/*0.10	1.50B	1.50B	1.50B	1.50B	1.50B	0.10	-	5.00	.0000	13	----	16	+	13	
4075	----	----	----	/*9.70A	20.80B	/*9.70A	20.80B	20.80B	20.80B	20.80B	20.80B	11.80	-	24.50	.0971	----	----	34	UNCH		
4075	----	----	----	313.10B/-	313.10B/246.50A	313.10B/246.50A	313.10B/246.50A	313.10B/246.50A	313.10B/246.50A	313.10B/246.50A	313.10B/246.50A	288.10	+	88.20	.9025	----	----	1	UNCH		
40																					

PG64 BULLETIN #113@										METALS OPTION PRODUCTS										Mon, Jun 15, 2026 PG64			
GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA		EXER	OPEN	GLOBEX®	PNT	OPEN			
OPEN		OPEN	RANGE	HIGH/LOW		HIGH/LOW		CLOSE		RANGE		& PT.CHGE.				CISES	OUTCRY	VOLUME	VOLUME	INTEREST			
GOLD WEEKLY TUESDAY OPTION week3																							
JUN26																							
4255	8.70	8.70		8.70/*1.20A		23.80B/*1.20A		----		2.40 - 49.50		.0221		----		----	----	4	----	5 +	3		
4255	----	----		#135.40B/----		#135.40B/62.20A		----		99.00 + 63.30		.9778		----		----	23	23	----	24 +	23		
4260				#130.50B/----		#130.50B/58.90A		----		94.30 + 60.80		.9730		----		----	2	28	----	28	UNCH		
4260	2.80	2.80		3.30/*1.30A		25.40B/*1.30A		----		2.70 NEW		.0269		----		----	13	12	----	12 +	12		
4265				#125.70B/----		#125.70B/55.70A		----		89.60 + 58.20		.9677		----		----	4	5	----	5	----		
4265	12.30	12.30		12.30/*1.40A		27.30B/*1.40A		----		3.00 NEW		.0322		----		----	10	9	----	9 +	9		
4270	3.50	3.50		3.60/*1.60A		29.40B/*1.60A		----		3.30 NEW		.0380		----		----	14	12	----	12 +	12		
4270	110.00	110.00		#120.90B/110.00		#120.90B/52.70A		----		84.90 + 55.40		.9619		----		----	2	4	----	4 +	1		
4275				135.90B/----		135.90B/79.00A		----		106.10 NEW		.7100		----		----	3	----	3	----	3		
4275	43.50	43.50		48.80/38.80A		73.90B/38.80A		----		48.20 - 62.20		.3395		----		----	10	21	----	21 +	1		
4275				146.20B/----		146.20B/99.70A		----		124.70 + 50.50		.6600		----		----	----	9	----	9	UNCH		
4275	30.90	30.90		30.90/22.10A		60.70B/22.10A		----		29.60 - 62.40		.2897		----		----	8	9	----	9 +	6		
4275	13.50	13.50		15.10/*1.80		31.50B/*1.80		----		3.70 - 60.10		.0458		----		115	75	----	75 +	47			
4275	----	----		116.10B/----		116.10B/49.80A		----		80.30 + 52.70		.9541		----		----	4	10	----	10 -	2		
4280	----	----		#111.40B/----		#111.40B/47.00A		----		75.80 + 50.00		.9441		----		----	5	6	----	6 +	1		
4280	22.00	22.00		33.00/*2.00		33.80B/*2.00		----		4.20 NEW		.0558		----		----	143	71	----	71 +	71		
4285	15.10	15.10		15.10/*2.20A		36.10B/*2.20A		----		4.80 NEW		.0680		----		----	29	24	----	24 +	24		
4285				#106.70B/----		#106.70B/44.30A		----		71.40 + 47.30		.9318		----		----	----	3	----	3	UNCH		
4290	28.40	28.40		28.40/*2.50A		38.60B/*2.50A		----		5.40 NEW		.0815		----		----	41	19	----	19 +	19		
4290	55.60	55.60		#102.00B/55.60		#102.00B/41.80A		----		67.00 + 44.50		.9184		----		----	5	16	----	16 -	4		
4295	----	----		#97.40B/----		#97.40B/39.30A		----		62.70 + 41.70		.9022		----		----	4	7	----	7 +	1		
4295	8.70	8.70		8.70/*2.80A		40.70B/*2.80A		----		6.10 NEW		.0977		----		----	48	30	----	30 +	30		
4300	128.00	128.00		133.20B/128.00		133.20B/86.50A		----		108.70 + 45.00		.6127		----		----	1	92	----	92 +	1		
4300	----	----		----/27.90A		73.20B/27.90A		----		37.30 - 69.80		.3508		----		----	----	3	----	3	UNCH		
4300	----	----		----/46.00A		85.30B/46.00A		----		57.20 - 67.60		.3869		----		----	----	77	----	77	UNCH		
4300	42.00	42.00		92.80B/42.00		92.80B/37.00A		----		58.50 + 38.90		.8832		----		----	24	80	----	80 -	1		
4300	18.50	18.50		18.50/*3.20A		43.60B/*3.20A		----		6.90 - 73.90		.1167		----		335	239	----	239 +	174			
4305	79.60	79.60		#88.30B/79.60		#88.30B/34.50A		----		54.50 + 36.20		.8599		----		----	33	46	----	46 +	32		
4305	11.10	11.10		11.10/*3.60A		46.00B/*3.60A		----		7.90 NEW		.1400		----		----	29	16	----	16 +	16		
4310	80.10	80.10		#83.80B/71.30		#83.80B/32.70A		----		50.50 + 33.50		.8348		----		----	18	8	----	8 -	1		
4310	22.20	22.20		22.20/*4.00A		49.10B/*4.00A		----		8.90 NEW		.1651		----		----	34	16	----	16 +	16		
4315	58.00	58.00		#79.40B/58.00		#79.40B/30.60A		----		46.70 + 30.90		.8054		----		----	15	30	----	30 +	6		
4315	13.30	13.30		13.30/*4.60A		52.40B/*4.60A		----		10.10 NEW		.1944		----		----	9	7	----	7 +	7		
4320	6.60	6.60		15.50/*5.30A		55.10B/*5.30A		----		11.40 NEW		.2269		----		----	58	39	----	39 +	39		
4320	38.50	38.50		#75.10B/28.40A		#75.10B/28.40A		----		43.00 + 28.30		.7730		----		----	14	17	----	17 +	10		
4325	----	----		116.60B/----		116.60B/74.40A		----		94.00 + 39.70		.5631		----		----	----	12	----	12	UNCH		
4325	----	----		----/54.30A		97.90B/54.30A		----		67.40 - 73.00		.4365		----		----	----	1	----	1	UNCH		
4325	59.00	59.00		99.40B/59.00		99.40B/55.10A		----		73.30 + 35.90		.5816		----		----	5	7	----	7 +	1		
4325	48.20	48.20		51.00/35.20A		86.90B/35.20A		----		46.80 - 76.70		.4181		----		----	2	3	----	3 +	1		
4325	35.00	35.00		70.90B/25.40A		70.90B/25.40A		----		39.50 + 25.80		.7367		----		----	65	57	----	57 -	30		
4325	12.00	12.00		16.10/*6.00A		58.30B/*6.00A		----		12.90 - 86.90		.2632		----		----	50	42	----	42 +	35		
4330	31.00	31.00		31.00/*6.80A		61.70B/*6.80A		----		14.60 NEW		.3030		----		----	116	90	----	90 +	90		
4330	33.10	33.10		#66.70B/22.90A		#66.70B/22.90A		----		36.20 + 23.50		.6969		----		----	12	6	----	6 +	5		
4335	33.40	33.40		#62.70B/20.40A		#62.70B/20.40A		----		33.00 NEW		.6549		----		----	4	4	----	4 +	4		
4335	15.10	15.10		19.70/*7.80A		65.40B/*7.80A		----		16.40 NEW		.3450		----		----	27	19	----	19 +	19		
4340	----	----		#58.70B/----		#58.70B/18.20A		----		30.00 + 19.10		.6104		----		----	10	6	----	6 +	5		
4340	21.40	21.40		25.50/*8.80A		69.00B/*8.80A		----		18.40 NEW		.3895		----		----	60	23	----	23 +	23		
4345	35.50	35.50		37.00/*9.90A		72.60B/*9.90A		----		20.50 NEW		.4355		----		----	16	16	----	16 +	16		
4345	23.90	23.90		#54.80B/16.30A		#54.80B/16.30A		----		27.10 + 17.00		.5644		----		----	23	6	----	6 +	1		
4350	----	----		----/63.90A		111.60B/63.90A		----		79.10 - 78.10		.4876		----		----	----	1	----	1	UNCH		
4350	71.50	71.50		101.80B/71.50		101.80B/63.90A		----		80.70 + 34.60		.5119		----		----	5	53	----	53 -	4		
4350	58.10	58.10		59.60/43.90A		101.90B/43.90A		----		58.20 NEW		.4889		----		----	9	8	----	8 +	1		
4350	69.00	69.00		83.00B/54.20		83.00B/45.00A		----		59.80 + 29.50		.5108		----		----	22	22	----	22 +	8		
4350	28.10	28.10		51.30B/14.30A		51.30B/14.30A		----		24.50 + 15.10		.5171		----		333	337	----	337 +	300			
4350	27.80	27.80		29.00/*11.20A		76.30B/*11.20A		----		22.90 - 97.60		.4878		----		448	354	----	341	341			
4355	31.00	31.00		31.00/*12.60A		80.40B/*12.60A		----		25.50 NEW		.5302		----		----	21	11	----	11 +	11		
4355	----	----		#47.60B/----		#47.60B/12.70A		----		22.10 + 13.40		.4697		----		----	8	6	----	6 +	1		
4360	18.00	18.00		#44.10B/11.20A		#44.10B/11.20A		----		19.80 + 11.80		.4228		----		----	35	13	----	13 +	3		
4360	30.50	30.50		30.50/*14.10A		84.10B/*14.10A		----		28.20 NEW		.5771		----		----	23	15	----	15 +	15		
4365	32.80	32.80		32.80/*15.80A		88.40B/*15.80A		----		31.10 NEW		.6227		----		----	17	5	----	5 +	5		
4365	23.00	23.00		#40.80B/9.80A		#40.80B/9.80A		----		17.70 + 10.30		.3772		----		----	13	12	----	12 +	9		
4370	28.50	28.50		#37.70B/8.60A		#37.70B/8.60A		----		15.80 + 8.90		.3336		----		----	18	12	----	12 +	10		
4370	21.90	21.90		25.00/*17.70A		92.20B/*17.70A		----		34.20 NEW		.6663		----		----	14	11	----	11 +	11		
4375	60.50	60.50		68.60B/43.30		68.60B/36.70A		----		48.20 + 23.80		.4397		----		----	8	8	----	8 +	7		
4375	62.00	62.00		87.90B/59.60		87.90B/54.50A		----		68.80 + 29.80		.4606		----		----	12	21	----	21	UNCH		
4375	109.00	109.00		109.00/74.80A		123.00B/74.80A		----		92.10 - 82.90		.5389		----		----	5	14	----	14 +	1		
4375	57.50	57.50		58.50/54.40A		118.80B/54.40A		----		71.60 - 88.80		.5600		----		----	5	4	----	4 +	3		
4375	26.90	26.90		34.60B/7.60A		34.60B/7.60A		----		14.10 + 7.70		.2928		----		----	47	74	----	74 +	15		
4375	22.20	22.20		30.30/19.70A		96.40B/19.70A		----		37.50 - 05.00		.7071		----		----	30	33	----	33 +	19		
4380	28.40	28.40		28.40/*21.80A		100.90B/*21.80A		----		40.90 NEW		.7454		----		----	6	2	----	2 +	3		
4380	20.30	20.30		#31.60B/6.60A		#31.60B/6.60A		----		12.50 + 6.60		.2544		----		----	13	12	----	12 +	3		
4385	30.00	30.00		30.00/*24.20A		105.20B/*24.20A		----		44.40 NEW		.7813		----		----	2	2	----	2 +	2		
4385	27.50	27.50		#28.90B/5.80A		#28.90B/5.80A		----		11.00 + 5.50		.2186		----		----	31	20	----	20 +	16		
4390	16.70	16.70		#26.50B/5.00		#26.50B/5.00		----		9.70 + 4.60		.1867		----		----	22	47	----	47 +	12		
4390	----	----		----/*26.60A		109.60B/*26.60A		----		48.10 NEW		.8132		----		----	1	1	----	1 +	1		
4395	21.30	21.30		#24.10B/4.40A		#24.10B/4.40A		----		8.60 + 3.90		.1590		----		----	11	29	----	29 +	5		
4400	13																						

PG64

BULLETIN #113@

METALS OPTION PRODUCTS

Mon, Jun 15, 2026

PG64

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWT TUE JUN26																
GOLD WEEKLY TUESDAY OPTION week3																
4550	----	----	----	----/161.70A	262.60B/161.70A	----	----	----	199.00 - 12.80	.9985	----	----	----	----	103	UNCH
4550	1.50	1.50	----	1.60B/*0.20	1.60B/*0.20	----	----	----	0.60 - 0.10	.0014	----	----	26	----	33	+
4555	0.30	0.30	----	1.40B/*0.20A	1.40B/*0.20A	----	----	----	0.50 NEW	.0011	----	----	3	----	3	+
4560	1.00	1.00	----	1.30B/*0.20	1.30B/*0.20	----	----	----	0.50 NEW	.0010	----	----	9	----	8	+
4565	0.70	0.70	----	1.30B/*0.30A	1.30B/*0.30A	----	----	----	0.50 NEW	.0010	----	----	15	----	10	+
4570	0.70	0.70	----	1.10B/*0.30A	1.10B/*0.30A	----	----	----	0.50 NEW	.0010	----	----	21	----	18	+
4575	17.00	17.00	----	21.60B/17.00	21.60B/13.60A	----	----	----	16.20 + 6.40	.1447	----	----	7	----	13	+
4575	6.20	6.20	----	10.30B/5.80A	10.30B/5.80A	----	----	----	6.80 + 2.50	.0788	----	----	20	----	20	+
4575	----	----	----	----/187.30A	270.80B/187.30A	----	----	----	223.90 - 12.80	.9990	----	----	----	----	2	UNCH
4575	0.60	0.60	----	1.10B/*0.20	1.10B/*0.20	----	----	----	0.50 UNCH	.0009	----	----	20	----	23	+
4580	0.60	0.60	----	1.00B/*0.30A	1.00B/*0.30A	----	----	----	0.40 NEW	.0006	----	----	27	----	27	+
4585	----	----	----	0.80B/0.30A	0.80B/0.30A	----	----	----	0.40 - 0.10	.0006	----	----	----	----	3	UNCH
4590	0.30	0.30	----	0.50B/*0.20A	0.50B/*0.20A	----	----	----	0.40 - 0.10	.0006	----	----	15	----	21	+
4600	17.10	17.10	----	18.00B/17.10	18.00B/11.40A	----	----	----	13.50 + 5.20	.1225	----	----	4	----	16	+
4600	6.80	6.80	----	8.10B/4.70A	8.10B/4.70A	----	----	----	5.40 + 1.90	.0624	----	----	75	----	122	+
4600	----	----	----	----/219.80A	315.50B/219.80A	----	----	----	253.60 - 10.90	.9374	----	----	----	----	1	UNCH
4600	0.10	0.10	----	0.40B/*0.10	0.40B/*0.10	----	----	----	0.40 - 0.10	.0006	----	----	3	----	214	UNCH
4605	0.20	0.20	----	0.50/*0.20	0.50/*0.20	----	----	----	0.40 UNCH	.0005	----	----	13	----	13	+
4615	0.40	0.40	----	0.40/*0.20A	0.40/*0.20A	----	----	----	0.30 - 0.10	.0003	----	----	5	----	8	+
4620	0.30	0.30	----	0.30/*0.20A	0.30/*0.20A	----	----	----	0.30 NEW	.0003	----	----	1	----	1	+
4625	----	----	----	6.40B/----	6.40B/3.90A	----	----	----	4.30 + 1.30	.0494	----	----	----	----	11	UNCH
4625	11.50	11.50	----	15.00B/9.20	15.00B/9.20	----	----	----	11.30 + 4.20	.1038	----	----	31	----	28	+
4625	----	----	----	----/*0.20A	0.30B/*0.20A	----	----	----	0.30 - 0.10	.0003	----	----	----	----	9	UNCH
4630	0.40	0.40	----	0.40/*0.20A	0.40/*0.20A	----	----	----	0.30 NEW	.0003	----	----	44	----	44	+
4645	----	----	----	----/*0.20A	0.30B/*0.20A	----	----	----	0.20 - 0.20	.0001	----	----	----	----	14	UNCH
4650	8.60	8.60	----	12.50B/8.10A	12.50B/8.10A	----	----	----	9.50 + 3.50	.0880	----	----	30	----	32	+
4650	----	----	----	5.10B/----	5.10B/3.30A	----	----	----	3.50 + 1.00	.0397	----	----	1	----	18	UNCH
4650	----	----	----	----/262.20A	345.60B/262.20A	----	----	----	298.60 - 12.80	.9999	----	----	----	----	1	UNCH
4650	0.20	0.20	----	0.20/*0.10	0.30B/*0.10	----	----	----	0.20 - 0.10	.0001	----	----	9	----	11	+
4655	----	----	----	----/*0.20A	0.20B/*0.20A	----	----	----	0.20 - 0.10	.0001	----	----	----	----	6	UNCH
4665	0.10	0.10	----	0.10/*0.10	0.20B/*0.10	----	----	----	0.20 NEW	.0001	----	----	5	----	5	+
4675	----	----	----	----/290.70A	388.80B/290.70A	----	----	----	326.20 - 11.90	.9675	----	----	----	----	1	UNCH
4675	----	----	----	10.50B/----	10.50B/7.20A	----	----	----	8.10 + 2.90	.0753	----	----	48	----	53	+
4675	----	----	----	4.20B/----	4.20B/2.80A	----	----	----	2.90 + 0.70	.0323	----	----	----	----	4	UNCH
4675	0.20	0.20	----	0.20/*0.20	0.20/*0.20	----	----	----	0.10 - 0.20	.0000	----	----	2	----	21	+
4680	0.10	0.10	----	0.10/*0.10	0.20B/*0.10	----	----	----	0.10 NEW	.0000	----	----	5	----	5	+
4700	----	----	----	8.80B/----	8.80B/6.50A	----	----	----	6.90 + 2.50	.0643	----	----	97	----	42	+
4700	----	----	----	3.40B/----	3.40B/2.40A	----	----	----	2.50 + 0.60	.0271	----	----	1	----	43	+
4700	0.10	0.10	----	0.20B/*0.10	0.20B/*0.10	----	----	----	0.10 - 0.20	.0000	----	----	10	----	26	+
4725	----	----	----	7.50B/----	7.50B/5.60A	----	----	----	6.00 + 2.10	.0556	----	----	1	----	2	+
4725	----	----	----	2.90B/----	2.90B/2.00A	----	----	----	2.10 + 0.40	.0224	----	----	----	----	2	UNCH
4725	0.10	0.10	----	0.10/*0.10	0.10/*0.10	----	----	----	0.10 - 0.10	----	----	----	5	----	10	+
4750	----	----	----	6.40B/----	6.40B/4.80A	----	----	----	5.20 NEW	.0481	----	----	1	----	1	+
4750	----	----	----	2.40B/----	2.40B/1.80A	----	----	----	1.80 + 0.30	.0187	----	----	----	----	4	UNCH
4750	0.10	0.10	----	0.10/*0.10	0.10/*0.10	----	----	----	0.10 - 0.10	----	----	----	5	----	32	+
4775	----	----	----	5.50B/----	5.50B/4.30A	----	----	----	4.60 + 1.70	.0421	----	----	----	----	1	UNCH
4775	----	----	----	2.00B/----	2.00B/1.60A	----	----	----	1.60 + 0.20	.0162	----	----	----	----	4	UNCH
4775	0.30	0.30	----	0.30/*0.10A	0.30/*0.10A	----	----	----	0.10 NEW	----	----	----	59	----	59	+
4800	4.50	4.50	----	5.00/4.50	5.00/3.80A	----	----	----	4.00 + 1.40	.0365	----	----	23	----	84	-
4800	----	----	----	1.70B/----	1.70B/1.40A	----	----	----	1.40 + 0.20	.0138	----	----	----	----	3	UNCH
4800	0.10	0.10	----	0.10/*0.10	0.10/*0.10	----	----	----	0.10 - 0.10	----	----	----	1	----	10	+
4825	----	----	----	4.10B/----	4.10B/3.30A	----	----	----	3.60 + 1.30	.0324	----	----	2	----	6	+
4825	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
4850	----	----	----	1.30B/----	1.30B/*1.10A	----	----	----	1.20 + 0.10	.0111	----	----	----	----	4	UNCH
4850	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	6	UNCH
4875	----	----	----	1.20B/----	1.20B/1.10A	----	----	----	1.10 + 0.10	.0099	----	----	----	----	7	UNCH
4875	----	----	----	3.10B/----	3.10B/2.80A	----	----	----	3.00 + 1.20	.0263	----	----	1	----	4	UNCH
4875	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
4900	----	----	----	1.00B/----	1.00B/1.10A	----	----	----	0.90 UNCH	.0080	----	----	----	----	2	UNCH
4900	----	----	----	2.70B/----	2.70B/2.60A	----	----	----	2.70 + 1.00	.0234	----	----	----	----	6	UNCH
4900	0.10	0.10	----	0.10/*0.10	0.10/*0.10	----	----	----	0.10 UNCH	----	----	----	1	----	6	+
4925	----	----	----	2.40B/----	2.40B/2.40A	----	----	----	2.50 + 1.00	.0213	----	----	----	----	17	UNCH
4950	----	----	----	2.20B/----	2.20B/2.20A	----	----	----	2.30 + 0.90	.0193	----	----	----	----	20	UNCH
4950	----	----	----	----	0.80B/0.90A	----	----	----	0.80 UNCH	.0067	----	----	2	----	3	UNCH
4950	----	----	----	----/0.20A	----/0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
4975	----	----	----	0.70B/0.90A	0.70B/0.90A	----	----	----	0.70 NEW	.0058	----	----	1	----	1	+
4975	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH
5000	2.00	2.00	----	2.00/2.00	2.00/2.00	----	----	----	2.00 NEW	.0163	----	----	1	----	1	+
5000	----	----	----	----	0.60B/*0.80A	----	----	----	0.60 - 0.10	.0049	----	----	----	----	6	UNCH
5000	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	3	UNCH
5025	----	----	----	0.50B/*0.80A	0.50B/*0.80A	----	----	----	0.50 - 0.10	.0040	----	----	2	----	3	-
5050	----	----	----	0.50B/0.80A	0.50B/0.80A	----	----	----	0.40 - 0.10	.0032	----	----	----	----	1	UNCH
5050	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	4	UNCH
5100	----	----	----	1.30B/----	1.30B/1.60A	----	----	----	1.60 + 0.70	.0122	----	----	----	----	17	UNCH
5200	----	----	----	----/0.80A	----/0.80A	----	----	----	0.20 - 0.10	.0014	----	----	2	----	2	UNCH
5250	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
5400	----	----	----	----/*0.60A	----/*0.60A	----	----	----	0.10 UNCH	.0001	----	----	----	----	10	UNCH
5400	----	----	----	----/*1,012.10A	1095.10B/*1012.10A	----	----	----	1048.50 - 12.70	1.0000	----	----	----	----	0	UNCH
5500	----	----	----	----/0.60A	----/0.60A	----	----	----	0.10 UNCH	.0000	----	----	----	----	6	UNCH
5500	----	----	----	----/*1,112.10A	1195.10B/*1112.10A	----	----	----	1148.50 - 12.70	1.0000	----	----	----	----	0	UNCH
TOTAL 5483 30 8829+ 3247																
JUL26																
3300	----	----	----	----	0.30B/2.90A	----	----	----	0.70 - 0.50	.0038	----	----	----	----	1	UNCH
3400	----	----	----	----	0.60B/3.30A	----	----	----	1.20 - 0.70	.0067	----	----	----	----	1	UNCH
3500	----	----	----	----	1.00B/3.70A	----	----	----	1.90 - 1.20	.0108	----	----	----	----	1	UNCH
3725	----	----	----	----/*3.00A	3.10B/*3.00A	----	----	----	3.20 - 4.70	.0214	----	----	----	----	3	UNCH
3750	----	----	----	----/*3.20A	3.60B/*3.20A	----	----	----	3.50 - 5.30	.0238	----	----	----	----	4	UNCH
3775	----	----	----	----/*3.50A	4.20B/*3.50A	----	----	----	3.90 - 6.10	.0267	----	----	----	----	1	UNCH
3800	----	----	----	----/*3.80A	4.90B/*3.80A	----	----	----	4.30 - 7.00	.0298	----	----	----	----	50	UNCH
3850	4.60	4.60	----	4.60/*4.60	6.80B/*4.60	----	----	----	5.40 - 9.20	.0381	----	----	1	----	3	+
3875	5.20	5.20	----	5.20/*5.10	9.20B/*5.10	----	----	----	6.10 - 10.60	.0432	----	----	4	----	5	+
3900	6.40	6.40	----	7.00/*5.80	10.90B/*5.80	----	----	----	7.00 - 12.00	.0497	----	----	5	----	9	+
3925	7.70	7.70	----	7.70/*6.70A	12.40B/*6.70A	----	----	----	8.00 - 13.70	.0569	----	----	8	----	8	+
3950	8.10	8.10	----	8.10/*7.60A	13.70B/*7.60A	----	----	----	9.20 - 15.60	.0653	----	----	9	----	9	+
3975	9.10	9.10	----	9.30/*8.90	15.90B/*8.90	----	----	----	10.50 - 17.80	.0747	----	----	11	----	14	+

GLOBEX			OPEN			OUTCRY			GLOBEX			OPEN			OUTCRY			SETT.PRICE			DELTA			EXER			OPEN			GLOBEX®			PNT			OPEN					
OPEN			OPEN			RANGE			HIGH/LOW			HIGH/LOW			CLOSE			RANGE			& PT.CHGE.						CISES			OUTCRY			VOLUME			VOLUME			INTEREST		
GWR THU GOLD WEEKLY THURSDAY OPTION week3																																									
JUN26																																									

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU GOLD WEEKLY THURSDAY OPTION week3																
JUN26																
4605	3.30	3.30		#3.30/*1.80A	#3.30/*1.80A	----			2.10	NEW	.0202	----	1	----	1 +	
4610	1.80	1.80		#1.80/*1.70A	#3.10B/*1.70A	----			2.00	NEW	.0190	----	1	----	1 +	
4625	2.60	2.60		2.70B/1.50A	2.70B/1.50A	----			1.80 + 0.40		.0164	----	1	----	37 +	
4630	2.30	2.30		#2.30/*1.50A	#2.50B/*1.50A	----			1.70	NEW	.0153	----	3	----	3 +	
4640	1.50	1.50		#1.50/*1.40A	#2.30B/*1.40A	----			1.60	NEW	.0140	----	3	----	3 +	
4650	----	----		2.10B/----	2.10B/1.30A	----			1.50 + 0.30		.0127	----	3	----	19 +	
4650	----	----		-----/368.00A	222.10B/368.00A	----			299.80 - 12.40		.9872	----	----	----	1 UNCH	
4675	----	----		1.60B/----	1.60B/1.20A	----			1.20 + 0.20		.0095	----	1	----	20 -	
4700	1.40	1.40		1.50/*0.80A	1.50/*0.80A	----			1.10 + 0.20		.0082	----	16	----	727 -	
4725	----	----		1.10B/----	1.10B/0.90A	----			0.90 + 0.10		.0062	----	----	----	14 UNCH	
4750	----	----		0.90B/----	0.90B/0.80A	----			0.80 + 0.10		.0052	----	21	----	92 +	
4750	----	----		-----/466.00A	324.10B/466.00A	----			399.10 - 12.60		.9947	----	----	----	2 UNCH	
4775	----	----		0.80B/----	0.80B/0.80A	----			0.70 + 0.10		.0043	----	64	----	152 +	
4800	0.70	0.70		0.70/0.70	0.70/0.70	----			0.60 UNCH		.0035	----	109	----	795 +	
4825	0.50	0.50		0.50/0.50	0.50/0.50	----			0.60 + 0.10		.0033	----	10	----	43 +	
4850	0.60	0.60		0.60/*0.60	0.60/0.60	----			0.50 UNCH		.0026	----	14	----	14 +	
4875	----	----			0.40B/0.60A	----			0.50 + 0.10		.0024	----	----	----	24 UNCH	
4900	0.60	0.60		0.60/*0.40A	0.60/*0.40A	----			0.50 + 0.10		.0023	----	25	----	28 +	
4900	----	----		-----/612.60A	475.90B/612.60A	----			548.80 - 12.60		.9976	----	----	----	1 UNCH	
4925	----	----			0.30B/*0.50A	----			0.40 UNCH		.0018	----	----	----	15 UNCH	
4975	0.50	0.50		0.50/*0.50	0.50/*0.50	----			0.40 + 0.10		.0016	----	48	----	50 +	
5000	----	----			0.10B/*0.40A	----			0.30 UNCH		.0011	----	----	----	4 UNCH	
5500	----	----		----	-----/12.40A	----			0.10 UNCH		----	----	----	----	35 UNCH	
TOTAL													2579	400	9668 +	
JUL26																
3250	----	----		-----/*0.90A	0.30B/*0.90A	----			0.50 - 0.60		.0026	----	----	----	1 UNCH	
3250	----	----		----	0.50B/4.00A	----			1.40 - 0.40		.0066	----	----	----	2 UNCH	
3500	----	----		-----/*1.90A	1.40B/*1.90A	----			2.10 - 1.70		.0118	----	----	----	11 UNCH	
3600	----	----		-----/*2.50A	2.20B/*2.50A	----			2.60 - 2.90		.0157	----	----	----	1 UNCH	
3600	----	----		-----/*1.70A	1.20B/*1.70A	----			1.50 - 2.00		.0097	----	4	----	15 +	
3700	2.10	2.10		2.10/*2.00	2.10/*2.00	----			2.00 - 3.40		.0139	----	2	----	3 UNCH	
3700	----	----		-----/*3.20A	3.50B/*3.20A	----			3.50 - 4.80		.0224	----	----	----	6 UNCH	
3725	----	----		-----/*3.50A	4.00B/*3.50A	----			3.80 - 5.40		.0246	----	----	----	1 UNCH	
3750	----	----		-----/*2.50A	2.50B/*2.50A	----			2.50 - 4.40		.0178	----	----	----	5 UNCH	
3750	----	----		-----/*3.80A	4.60B/*3.80A	----			4.20 - 6.10		.0275	----	1	----	6 +	
3775	3.10	3.10		3.10/*2.70A	3.10/*2.70A	----			2.80 - 5.00		.0202	----	1	----	4 +	
3775	----	----		-----/*4.20A	5.30B/*4.20A	----			4.60 - 7.00		.0304	----	----	----	2 UNCH	
3800	----	----		-----/*4.60A	6.10B/*4.60A	----			5.20 - 7.90		.0345	----	----	----	2 UNCH	
3800	----	----		-----/*2.90A	3.40B/*2.90A	----			3.10 - 5.80		.0227	----	1	----	6 UNCH	
3825	4.00	4.00		4.00/*3.20A	4.20B/*3.20A	----			3.50 - 6.70		.0259	----	1	----	7 +	
3825	----	----		-----/*5.10A	7.10B/*5.10A	----			5.80 - 8.90		.0388	----	----	----	1 UNCH	
3850	5.60	5.60		5.60/*5.50A	9.50B/*5.50A	----			6.50 NEW		.0437	----	1	----	1 +	
3850	----	----		-----/*3.60A	4.90B/*3.60A	----			3.90 - 7.70		.0292	----	----	----	30 UNCH	
3875	6.50	6.50		6.50/*6.20A	10.80B/*6.20A	----			7.40 - 11.50		.0498	----	1	----	4 UNCH	
3875	----	----		-----/*4.00A	5.90B/*4.00A	----			4.50 - 8.90		.0339	----	----	----	2 UNCH	
3900	8.10	8.10		8.10/*7.20A	12.50B/*7.20A	----			8.40 - 13.00		.0566	----	4	----	56 +	
3900	----	----		-----/*4.40A	8.50B/*4.40A	----			5.10 - 10.30		.0388	----	1	----	2 -	
3925	8.30	8.30		8.50/*8.10A	14.10B/*8.10A	----			9.60 - 14.70		.0646	----	6	----	6 +	
3925	----	----		-----/*5.20A	9.70B/*5.20A	----			5.90 - 11.80		.0451	----	----	----	1 UNCH	
3950	9.50	9.50		9.50/*9.40	16.20B/*9.40	----			10.90 - 16.60		.0734	----	2	----	12 +	
3950	5.70	5.70		5.70/*5.70	10.70B/*5.70	----			6.80 - 13.70		.0522	----	1	----	52 UNCH	
3975	11.20	11.20		11.20/*10.80A	18.50B/*10.80A	----			12.50 - 18.70		.0838	----	4	----	4 +	
3975	6.80	6.80		6.80/*6.60A	12.50B/*6.60A	----			7.90 - 15.70		.0607	----	5	----	3 -	
4000	----	----		-----/*12.40A	22.00B/*12.40A	----			14.30 - 21.10		.0955	----	1	----	26 UNCH	
4000	8.00	8.00		8.30/7.80A	15.30B/7.80A	----			9.20 - 18.10		.0707	----	11	----	55 +	
4025	17.30	17.30		17.30/*13.80A	25.20B/*13.80A	----			16.40 - 23.70		.1089	----	1	----	2 +	
4025	----	----		-----/*9.10A	18.10B/*9.10A	----			10.70 - 20.70		.0822	----	----	----	8 UNCH	
4050	----	----		-----/*16.10A	28.90B/*16.10A	----			18.80 - 26.60		.1240	----	----	----	10 UNCH	
4050	10.50	10.50		13.50/10.40A	21.40B/10.40A	----			12.60 - 23.60		.0962	----	2	----	54 -	
4075	15.10	15.10		15.10/12.60A	24.80B/12.60A	----			14.80 - 26.80		.1123	----	2	----	52 -	
4075	----	----		-----/*18.30A	33.20B/*18.30A	----			21.70 - 29.60		.1415	----	----	----	1 UNCH	
4100	----	----		-----/14.60A	29.00B/14.60A	----			17.50 - 30.20		.1312	----	6	----	6 UNCH	
4100	31.00	31.00		31.00/*21.20A	38.00B/*21.20A	----			25.00 - 32.90		.1610	----	17	----	16 +	
4125	----	----		-----/*24.30A	43.20B/*24.30A	----			28.80 - 36.40		.1828	----	----	----	2 UNCH	
4125	19.80	19.80		19.80/17.10A	33.80B/17.10A	----			20.60 - 34.00		.1526	----	1	----	14 -	
4150	34.50	34.50		34.50/*27.90A	49.60B/*27.90A	----			33.20 - 40.10		.2072	----	2	----	4 UNCH	
4150	----	----		-----/20.20A	39.30B/20.20A	----			24.30 - 38.00		.1772	----	1	----	9 +	
4175	----	----		-----/*32.10A	56.50B/*32.10A	----			38.30 - 43.90		.2342	----	----	----	2 UNCH	
4175	----	----		-----/23.70A	45.70B/23.70A	----			28.70 - 42.30		.2053	----	----	----	10 UNCH	
4175	----	----		227.20B/----	227.20B/171.80A	----			205.00 + 70.30		.7942	----	5	----	21 UNCH	
4200	----	----		-----/*37.00A	63.90B/*37.00A	----			44.10 - 48.00		.2638	----	4	----	21 +	
4200	----	----		206.50B/----	206.50B/154.00A	----			185.20 + 65.70		.7630	----	5	----	15 +	
4200	----	----		-----/28.00A	53.10B/28.00A	----			33.80 - 47.00		.2366	----	----	----	15 UNCH	
4200	----	----		-----/*48.50A	74.50B/*48.50A	----			54.30 NEW		.2842	----	1	----	1 +	
4225	----	----		186.60B/----	186.60B/137.80A	----			166.30 + 60.90		.7279	----	----	----	1 UNCH	
4225	----	----		-----/*42.50A	72.40B/*42.50A	----			50.70 - 52.40		.2958	----	----	----	1 UNCH	
4225	----	----		-----/32.90A	61.20B/32.90A	----			39.90 - 51.70		.2716	----	----	----	16 UNCH	
4250	----	----		-----/*48.90A	81.90B/*48.90A	----			58.20 NEW		.3303	----	1	----	1 +	
4250	----	----		167.60B/----	167.60B/122.30A	----			148.30 + 55.90		.6897	----	----	----	63 UNCH	
4250	46.60	46.60		46.60/38.50A	70.50B/38.50A	----			46.90 - 56.60		.3098	----	1	----	25 UNCH	
4250	----	----		181.80B/----	181.80B/137.90A	----			159.60 + 55.60		.6691	----	----	----	6 UNCH	
4275	----	----		156.70B/----	156.70B/106.50A	----			1							

BULLETIN #113@				METALS OPTION PRODUCTS								Mon, Jun 15, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWR THU JUL26	GOLD WEEKLY THURSDAY OPTION week2															
4725	----	----	----	14.80B/----	14.80B/10.40A	----	----	----	12.30 + 4.30	.0937	----	----	----	----	2	UNCH
4750	----	----	----	8.40B/----	8.40B/6.30A	----	----	----	6.80 + 2.20	.0590	----	----	----	----	2	UNCH
4750	8.40	8.40	----	#12.90B/8.40	12.90B/8.40	----	----	----	10.80 + 3.70	.0828	----	----	17	----	10	-
4775	----	----	----	7.30B/----	7.30B/5.50A	----	----	----	6.00 + 1.90	.0518	----	----	----	----	3	UNCH
4775	----	----	----	11.30B/----	11.30B/8.60A	----	----	----	9.50 + 3.20	.0733	----	----	----	----	2	UNCH
4800	----	----	----	#10.00B/----	10.00B/7.90A	----	----	----	8.40 + 2.70	.0650	----	----	----	----	4	UNCH
4800	----	----	----	6.40B/----	6.40B/4.90A	----	----	----	5.30 + 1.70	.0456	----	----	----	----	7	UNCH
4825	----	----	----	#8.90B/----	8.90B/7.00A	----	----	----	7.50 + 2.40	.0580	----	----	----	----	3	UNCH
4850	----	----	----	#7.80B/----	7.80B/6.30A	----	----	----	6.70 + 2.10	.0518	----	----	----	----	1	UNCH
4850	----	----	----	4.70B/----	4.70B/3.90A	----	----	----	4.20 + 1.20	.0357	----	----	----	----	3	UNCH
4875	----	----	----	6.90B/----	6.90B/5.70A	----	----	----	6.00 + 1.80	.0464	----	----	----	----	42	UNCH
4900	----	----	----	3.70B/----	3.70B/3.10A	----	----	----	3.40 + 1.00	.0285	----	----	1	----	12	+
4925	3.20	3.20	----	3.30B/3.20	3.30B/3.00A	----	----	----	3.10 + 0.90	.0257	----	----	2	----	5	UNCH
4925	----	----	----	#5.50B/----	5.50B/4.60A	----	----	----	4.90 + 1.40	.0377	----	----	----	----	30	UNCH
4950	2.90	2.90	----	3.00B/2.90	3.00B/2.80A	----	----	----	2.80 + 0.70	.0230	----	----	1	----	2	UNCH
4950	----	----	----	4.90B/----	4.90B/4.20A	----	----	----	4.50 + 1.30	.0343	----	----	----	----	5	UNCH
4975	----	----	----	2.70B/----	2.70B/2.60A	----	----	----	2.50 + 0.60	.0204	----	----	----	----	1	UNCH
5000	----	----	----	2.50B/----	2.50B/2.50A	----	----	----	2.30 + 0.50	.0186	----	----	1	----	2	+
5100	2.90	2.90	----	#2.90/2.90	2.90/2.70A	----	----	----	2.80 NEW	.0205	----	----	1	----	1	+
5200	----	----	----	1.30B/----	1.30B/1.60A	----	----	----	1.30 + 0.20	.0096	----	----	1	----	1	UNCH
5250	2.20	2.20	----	#2.20/2.20	2.20/2.10A	----	----	----	2.00 NEW	.0138	----	----	1	----	1	+
5300	1.90	1.90	----	#2.00/*1.90	2.00/*1.90	----	----	----	1.90 NEW	.0127	----	----	2	----	2	+
5500	----	----	----	----	0.60B/1.20A	----	----	----	0.80 UNCH	.0051	----	----	----	----	2	UNCH
TOTAL													205		1368	+
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON JUN26	GOLD WEEKLY MONDAY OPTION WEEK3															
3000	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3250	----	----	----	----/*0.60A	----/*0.60A	----	----	----	0.20 - 0.60	.0011	----	----	----	----	5	UNCH
3250	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3500	----	----	----	----/*1.00A	0.50B/*1.00A	----	----	----	0.50 - 1.10	.0032	----	----	----	----	1	UNCH
3500	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3500	----	----	----	----	----/*0.50A	----	----	----	0.20 - 0.30	.0010	----	----	----	----	8	UNCH
3600	----	----	----	#788.90B/----	#788.90B/689.10A	----	----	----	751.60 + 12.80	----	----	----	----	----	0	UNCH
3600	----	----	----	----/*0.60A	----/*0.60A	----	----	----	0.40 - 0.30	.0023	----	----	----	----	4	UNCH
3600	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3600	----	----	----	----/*1.20A	0.70B/*1.20A	----	----	----	0.70 - 1.60	.0049	----	----	----	----	1	UNCH
3700	----	----	----	----/*1.50A	1.10B/*1.50A	----	----	----	1.20 - 2.40	.0088	----	----	----	----	4	UNCH
3700	----	----	----	----/*0.70A	0.20B/*0.70A	----	----	----	0.50 - 0.70	.0033	----	----	----	----	20	UNCH
3700	----	----	----	----	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3750	----	----	----	----/*1.70A	1.40B/*1.70A	----	----	----	1.60 - 3.10	.0121	----	----	----	----	3	UNCH
3750	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3750	----	----	----	----/*0.60A	0.50B/*0.60A	----	----	----	0.50 - 1.10	.0035	----	----	----	----	17	UNCH
3765	----	----	----	----/*0.20A	----/*0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3775	----	----	----	----/*0.70A	0.40B/*0.70A	----	----	----	0.60 - 1.30	.0044	----	----	----	----	1	UNCH
3785	----	----	----	----	----/*0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3800	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3800	----	----	----	----/*2.00A	1.90B/*2.00A	----	----	----	2.10 - 4.10	.0162	----	----	----	----	4	UNCH
3800	----	----	----	----/*0.70A	0.50B/*0.70A	----	----	----	0.60 - 1.60	.0046	----	----	----	----	24	UNCH
3825	----	----	----	----/*0.70A	0.60B/*0.70A	----	----	----	0.70 - 1.90	.0055	----	----	----	----	2	UNCH
3850	----	----	----	----/*0.80A	0.80B/*0.80A	----	----	----	0.70 - 2.40	.0057	----	----	----	----	2	UNCH
3850	----	----	----	----/*2.40A	2.70B/*2.40A	----	----	----	2.60 - 5.80	.0209	----	----	----	----	7	UNCH
3850	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3860	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3870	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3875	----	----	----	----/*0.90A	1.10B/*0.90A	----	----	----	0.80 - 3.00	.0068	----	----	----	----	14	UNCH
3875	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3875	----	----	----	----/*2.60A	3.40B/*2.60A	----	----	----	3.00 - 6.80	.0244	----	----	----	----	2	UNCH
3885	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3885	----	----	----	#503.90B/----	#503.90B/404.10A	----	----	----	466.60 + 12.70	----	1	----	----	----	0	-
3890	----	----	----	----/0.20A	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3900	----	----	----	----/*1.00A	1.40B/*1.00A	----	----	----	0.90 - 3.70	.0079	----	----	----	----	12	UNCH
3900	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3900	4.80	4.80	----	4.80/*2.90A	4.80/*2.90A	----	----	----	3.40 - 8.00	.0280	----	----	2	----	12	+
3910	----	----	----	----/*0.10A	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3915	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3920	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3925	----	----	----	----/*3.30A	5.20B/*3.30A	----	----	----	3.90 - 9.50	.0326	----	----	----	----	2	UNCH
3925	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3930	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3935	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3940	----	----	----	----	----/*0.10A	----	----	----	0.00 - 0.10	----	----	----	----	----	0	-
3945	----	----	----	----	----/0.20A	----	----	----	0.00 - 0.20	----	----	----	----	----	0	-
3950	3.30	3.30	----	3.30/*1.20A	3.30/*1.20A	----	----	----	1.20 - 5.70	.0114	----	----	3	----	34	+
3950	----	----	----	----/0.10A	----/0.10A	----	----	----	0.00 - 0.20	----	----	----	----	----	0	-
3950	----	----														



CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY



BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK4														
JUN26															
4125	4.10	4.10		6.20/*3.70A	14.80B/*3.70A	----			5.20 - 23.80	.0591	----	----	9	----	19 +
4125	17.90	17.90		18.60/12.00A	26.70B/12.00A	----			14.80 - 31.50	.1258	----	----	4	----	17 +
4130	----	----		#259.00B/----	#259.00B/160.10A	----			221.60 + 07.10	----	11	----	----	----	0 -
4130	----	----		----/*0.20A	0.90B/*0.20A	----			0.00 - 5.80	----	----	----	----	----	0 -
4135	0.60	0.60		0.60/*0.20A	1.00B/*0.20A	----			0.00 - 6.30	----	----	----	3	----	0 -
4140	5.20	5.20		5.20/*0.10A	5.20/*0.10A	----			0.00 - 6.90	----	----	----	4	----	0 -
4145	----	----		#244.00B/----	244.00B/145.70A	----			206.60 + 05.30	----	1	----	----	----	0 -
4145	----	----		----/*0.20A	1.30B/*0.20A	----			0.00 - 7.60	----	----	----	1	----	0 -
4150	----	----		----/14.30A	32.00B/14.30A	----			17.80 - 35.70	.1496	----	----	----	----	2 -
4150	5.20	5.20		5.20/*5.00A	18.80B/*5.00A	----			6.70 - 28.60	.0769	----	----	2	----	17 -
4150	203.90	203.90		251.20B/203.90	251.20B/188.50A	----			219.20 NEW	.8500	----	----	10	----	10 +
4150	----	----		243.30B/----	243.30B/160.90A	----			208.20 + 84.20	.9229	----	----	----	----	0 -
4150	----	----		238.80B/----	238.80B/141.00A	----			201.60 + 04.60	----	5	----	----	----	0 -
4150	1.00	1.00		1.40B/*0.10	1.40B/*0.10	----			0.00 - 8.30	----	----	----	20	----	0 -
4155	1.80	1.80		1.80/*0.20A	1.80/*0.20A	----			0.00 - 9.00	----	----	----	3	----	0 -
4155	----	----		#233.80B/----	233.80B/136.30A	----			196.60 + 03.80	----	19	----	----	----	0 -
4160	----	----		#229.00B/----	229.00B/131.60A	----			191.60 + 03.00	----	2	----	----	----	0 -
4160	2.70	2.70		2.70/*0.10	2.70/*0.10	----			0.00 - 9.80	----	----	----	7	----	0 -
4165	218.90	218.90		#224.00B/218.90	224.00B/126.90A	----			186.60 + 02.10	----	4	----	----	----	0 -
4165	1.80	1.80		1.90B/*0.20A	1.90B/*0.20A	----			0.00 - 10.70	----	----	----	1	----	0 -
4170	1.80	1.80		1.80/*0.20A	2.10B/*0.20A	----			0.00 - 11.70	----	----	----	1	----	0 -
4175	1.50	1.50		2.80/*0.10	2.80/*0.10	----			0.00 - 12.70	----	----	----	23	----	0 -
4175	----	----		219.80B/----	219.80B/141.30A	----			185.20 + 78.70	.8995	----	----	----	----	1 -
4175	7.30	7.30		----/17.30A	37.60B/17.30A	----			21.50 - 40.30	.1776	----	----	----	----	3 -
4175	----	----		7.30/*6.50A	23.60B/*6.50A	----			8.70 - 34.10	.1002	----	----	9	----	29 +
4180	199.00	199.00		214.10B/----	214.10B/117.80A	----			176.60 + 00.20	----	50	----	----	----	0 -
4180	2.30	2.30		#209.00B/199.00	209.00B/113.20A	----			171.60 + 99.10	----	7	----	2	----	0 -
4185	----	----		2.80/*0.10A	2.80/*0.10A	----			0.00 - 13.80	----	----	----	2	----	0 -
4190	3.50	3.50		----/*0.10A	3.00B/*0.10A	----			0.00 - 14.90	----	----	----	----	----	0 -
4190	115.80	115.80		3.50/*0.10A	3.50/*0.10A	----			0.00 - 16.10	----	----	----	2	----	0 -
4195	2.50	2.50		#199.00B/115.80	199.00B/104.30A	----			161.60 + 96.70	----	5	----	2	----	0 -
4200	135.00	135.00		2.50/*0.10	3.70B/*0.10	----			0.00 - 17.50	----	----	----	5	----	0 -
4200	13.80	13.80		197.00B/135.00	197.00B/122.80A	----			162.90 + 72.60	.8691	----	----	2	----	6 +
4200	----	----		13.80/*8.30A	29.80B/*8.30A	----			11.40 - 40.20	.1307	----	41	----	303 +	5 -
4200	3.00	3.00		189.10B/----	189.10B/95.50A	----			151.60 + 93.90	----	62	9	----	0 -	62 -
4200	----	----		4.40/*0.10A	4.40/*0.10A	----			0.00 - 18.90	----	----	34	----	0 -	190 -
4200	----	----		207.70B/----	207.70B/151.00A	----			177.40 + 67.40	.7894	----	----	----	17	UNCH
4200	----	----		----/20.90A	44.50B/20.90A	----			26.00 - 45.30	.2101	----	----	----	5	UNCH
4205	4.20	4.20		4.50B/*0.10	4.50B/*0.10	----			0.00 - 20.40	----	----	4	----	0 -	3 -
4205	----	----		#184.00B/----	184.00B/91.30A	----			146.60 + 92.40	----	2	3	----	0 -	4 -
4210	----	----		----/*0.20A	5.00B/*0.20A	----			0.00 - 22.00	----	----	----	----	----	0 -
4210	125.90	125.90		#179.00B/125.90	179.00B/87.10A	----			141.60 + 90.80	----	9	4	----	0 -	8 -
4215	----	----		#174.00B/----	174.00B/83.00A	----			136.60 + 89.00	----	5	----	5	----	0 -
4215	----	----		----/*0.20A	5.60B/*0.20A	----			0.00 - 23.80	----	----	2	----	0 -	2 -
4220	----	----		----/*0.20A	6.40B/*0.20A	----			0.00 - 25.60	----	----	1	----	0 -	51 -
4220	----	----		#169.00B/----	169.00B/79.00A	----			131.60 + 87.20	----	5	----	----	0 -	5 -
4225	15.70	15.70		16.20/10.90A	37.20B/10.90A	----			14.90 - 47.00	.1688	----	42	----	48 +	39 -
4225	----	----		164.00B/----	164.00B/75.00A	----			126.60 + 85.20	----	43	2	----	0 -	44 -
4225	----	----		187.00B/----	187.00B/133.50A	----			157.80 + 62.10	.7528	----	----	2	3	UNCH
4225	4.80	4.80		7.60/*0.10	7.60/*0.10	----			0.00 - 27.60	----	----	7	----	0 -	69 -
4225	----	----		174.60B/----	174.60B/105.50A	----			141.40 + 65.70	.8309	----	----	----	2	UNCH
4225	----	----		----/25.10A	52.30B/25.10A	----			31.30 - 50.60	.2468	----	----	----	17	UNCH
4230	2.00	2.00		2.00/*0.20A	8.20B/*0.20A	----			0.00 - 29.80	----	----	8	----	0 -	27 -
4230	----	----		#159.00B/----	159.00B/71.10A	----			121.60 + 83.00	----	32	----	2	----	0 -
4235	90.00	90.00		#154.00B/90.00	154.00B/67.30A	----			116.60 + 80.70	----	24	2	----	0 -	32 -
4235	0.20	0.20		0.20/*0.20	9.10B/*0.20	----			0.00 - 32.10	----	----	4	----	0 -	25 -
4240	135.00	135.00		#149.00B/118.60	149.00B/63.60A	----			111.60 + 78.30	----	25	5	----	0 -	27 -
4240	7.00	7.00		7.00/*0.20	10.30B/*0.20	----			0.00 - 34.50	----	----	23	----	0 -	9 -
4245	7.00	7.00		7.00/*0.20A	11.50B/*0.20A	----			0.00 - 37.10	----	19	19	----	0 -	7 -
4245	----	----		#144.00B/----	144.00B/60.10A	----			106.60 + 75.70	----	19	----	----	0 -	19 -
4250	11.80	11.80		12.00/*0.10A	12.80B/*0.10A	----			0.00 - 39.90	----	----	43	----	0 -	126 -
4250	82.00	82.00		139.00B/82.00	139.00B/56.60A	----			101.60 + 72.90	----	111	31	----	0 -	120 -
4250	----	----		167.00B/----	167.00B/117.80A	----			139.20 + 56.50	.7114	----	----	----	1	UNCH
4250	----	----		----/30.10A	61.10B/30.10A	----			37.70 - 56.20	.2882	----	----	----	30	UNCH
4250	----	----		152.90B/----	152.90B/89.60A	----			121.00 + 58.30	.7835	----	1	----	99	UNCH
4250	21.60	21.60		21.60/14.20A	46.30B/14.20A	----			19.50 - 54.40	.2162	----	8	----	22 +	8 -
4255	0.30	0.30		0.30/*0.20A	14.20B/*0.20A	----			0.00 NEW	----	----	3	----	0 -	UNCH
4255	----	----		#134.00B/----	134.00B/53.10A	----			96.60 + 70.10	----	13	24	----	0 -	24 -
4260	70.00	70.00		#129.10B/70.00	129.10B/50.10A	----			91.60 + 67.10	----	69	27	----	0 -	78 -
4260	11.10	11.10		11.30/*0.10	16.00B/*0.10	----			0.00 - 45.70	----	----	62	----	0 -	1 -
4265	----	----		#124.10B/----	124.10B/46.90A	----			86.60 + 64.00	----	5	5	----	0 -	9 -
4265	10.40	10.40		10.40/*0.20A	17.70B/*0.20A	----			0.00 NEW	----	----	7	----	0 -	UNCH
4270	16.20	16.20		17.20/*0.20	19.60B/*0.20	----			0.00 NEW	----	----	18	----	0 -	UNCH
4275	----	----		114.10B/----	114.10B/40.10A	----			76.60 + 57.60	----	72	5	----	0 -	72 -
4275	12.40	12.40		13.00/*0.20A	21.20B/*0.20A	----			0.00 - 55.20	----	----	69	----	0 -	41 -
4275	----	----		132.30B/----	132.30B/74.40A	----			101.90 + 50.50	.7268	----	2	----	9	UNCH
4275	33.20	33.20		33.20/18.40A	56.80B/18.40A	----			25.40 - 62.20	.2729	----	5	----	55 +	3 -
4275	----	----		148.10B/----	148.10B/96.30A	----			121.70 + 50.70	.6660	----	----	2	----	UNCH
4280	55.30	55.30		#109.10B/55.30	109.10B/38.00A	----			71.60 + 54.20	----	21	12	----	0 -	22 -
4280	20.00	20.00		20.00/*0.10	23.00B/*0.10	----			0.00 - 58.60	----	----	62	----	0 -	3 -
4285	100.00	100.00		#104.20B/100.00	104.20B/35.20A	----			66.60 + 50.70	----	5	9	----	0 -	10 -
4285	17.00	17.00		17.00/*0.20A	25.90B/*0.20A	----			0.00 - 62.10	----	----	8	----	0 -	1 -
4290	95.00	95.00		#99.20B/95.00	99.20B/32.70A	----			61.60 + 47.00	----	7	5	----	0 -	7 -
4290	5.10	5.10		5.10/*0.10A	28.40B/*0.10A	----			0.00 - 65.70	----	----	8	----	0 -	UNCH
4295	34.00	34.00		#94.20B/34.00	94.20B/29.80A	----			56.60 + 43.30	----	54	20	----	0 -	66 -
4295	----	----		----/*0.10A	31.10B/*0.10A	----			0.00 - 69.50	----	----	4	----	0 -	1 -
4300	87.10	87.10		112.90B/87.10	112.90B/62.10A	----			84.40 + 42.70	.6611	----	5	----	21 +	2 -
4300	45.00	45.00		89.30B/36.30	89.30B/28.00A	----			51.60 + 39.50	----	97	35	----	0 -	113 -
4300	----	----		130.10B/----	130.10B/83.30A	----			105.60 + 45.00	.6169	----	----	10	UNCH	----
4300	52.10	52.10		52.10/23.90A	68.80B/23.90A	----			32.90 - 69.90	.3387	----	16	----	61 +	3 -
4300	19.70	19.70		28.30/*0.10	33.60B/*0.10	----			0.00 - 73.30	----	----	213	----	0 -	66 -
4300	----	----		----/43.00A	82.20B/43.00A	----			54.00 - 67.70	.3827	----	----	115	UNCH	----
4305															

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN	
		OPEN	RANGE	HIGH/LOW		HIGH/LOW		CLOSE		RANGE		& PT. CHGE.			CISES	OUTCRY	VOLUME	VOLUME	INTEREST	
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3																		
JUN26																				
4385	13.60	13.60		15.30/*7.50A		100.70B/*7.50A	----			33.40	NEW	----		30	----		31	----	0	UNCH
4390	5.40	5.40		#12.50/*0.10		12.50/*0.10	----			0.00	- 2.20	----					31	----	0	- 4
4390	13.40	13.40		13.40/*11.00A		105.30B/*11.00A	----			38.40	NEW	----		6	----		6	----	0	UNCH
4395	9.70	9.70		10.50B/*0.20A		10.50B/*0.20A	----			0.00	- 2.00	----					109	----	0	- 7
4400	60.00	60.00		72.30B/56.00		72.30B/43.90A	----			54.80	+ 24.40	.4051	----				60	----	70	+ 32
4400	3.40	3.40		10.00/*0.10		10.00/*0.10	----			0.00	- 1.90	----					325	70	0	- 126
4400	22.10	22.10		23.90/*17.10A		114.70B/*17.10A	----			48.40	- 14.60	----		94	----		5	----	0	- 93
4400	106.70	106.70		116.70/62.10A		133.90B/62.10A	----			82.00	- 95.70	.6419	----				26	----	6	- 6
4400	34.00	34.00		51.20B/26.50A		51.20B/26.50A	----			33.70	+ 17.00	.3578	----				71	----	356	+ 29
4400	----	----		---/84.50A		141.70B/84.50A	----			103.10	- 88.30	.5945	----				----	----	13	UNCH
4405	5.10	5.10		8.00B/*0.10		8.00B/*0.10	----			0.00	- 1.70	----					34	----	0	- 4
4410	7.00	7.00		7.00/*0.10A		7.00/*0.10A	----			0.00	- 1.60	----					42	----	0	- 16
4415	3.00	3.00		6.00B/*0.10		6.00B/*0.10	----			0.00	- 1.40	----					41	----	0	- 30
4420	4.40	4.40		5.40/*0.10		5.40/*0.10	----			0.00	- 1.30	----					28	----	0	- 4
4420	----	----		---/*33.00A		133.60B/*33.00A	----			68.40	NEW	----		18	----		27	----	0	UNCH
4425	3.00	3.00		5.00/*0.10		5.00/*0.10	----			0.00	- 1.20	----					57	----	0	- 10
4425	----	----		---/37.60A		138.40B/37.60A	----			73.40	- 14.00	----			35	----	----	----	0	- 35
4425	43.10	43.10		61.00B/43.10		61.00B/37.00A	----			45.60	+ 20.20	.3542	----				35	----	35	+ 27
4425	24.50	24.50		40.40B/20.20A		40.40B/20.20A	----			25.90	+ 12.80	.2895	----				6	----	74	UNCH
4430	3.10	3.10		4.00B/*0.10A		4.00B/*0.10A	----			0.00	- 1.10	----					37	----	0	- 1
4435	3.90	3.90		3.90/*0.10		3.90/*0.10	----			0.00	- 1.00	----					28	----	0	- 54
4440	2.00	2.00		3.30B/*0.10		3.30B/*0.10	----			0.00	- 0.90	----					29	----	0	- 3
4445	1.70	1.70		3.00B/*0.10A		3.00B/*0.10A	----			0.00	- 0.80	----					7	----	0	- 7
4450	2.50	2.50		2.70B/*0.10A		2.70B/*0.10A	----			0.00	- 0.80	----					65	----	0	- 77
4450	----	----		---/61.70A		163.00B/61.70A	----			98.40	- 13.50	----		94	----		----	----	0	- 94
4450	20.70	20.70		31.50B/15.40A		31.50B/15.40A	----			19.70	+ 9.30	.2295	----				14	----	762	+ 2
4450	----	----		51.10B/----		51.10B/31.10A	----			37.80	+ 16.70	.3067	----				43	----	62	+ 21
4450	----	----		---/113.10A		178.90B/113.10A	----			136.10	- 95.90	.6929	----				----	----	2	UNCH
4450	146.70	146.70		146.70/92.70A		175.00B/92.70A	----			118.10	- 03.30	.7702	----				14	----	2	- 6
4455	1.10	1.10		2.20B/*0.20		2.20B/*0.20	----			0.00	- 0.70	----					4	----	0	- 12
4455	----	----		---/*66.60A		167.90B/*66.60A	----			103.40	- 13.50	----		1	----		----	----	0	- 1
4460	0.60	0.60		2.20B/*0.10A		2.20B/*0.10A	----			0.00	- 0.60	----					1	----	0	- 12
4470	1.60	1.60		1.80B/*0.10		1.80B/*0.10	----			0.00	NEW	----					5	----	0	UNCH
4475	----	----		---/86.30A		187.70B/86.30A	----			123.40	- 13.30	----		16	----		----	----	0	- 16
4475	1.10	1.10		1.60B/*0.10A		1.60B/*0.10A	----			0.00	- 0.50	----					11	----	0	- 95
4475	33.50	33.50		42.40B/32.30		42.40B/26.00A	----			31.20	+ 13.60	.2631	----				11	----	18	- 6
4475	17.30	17.30		24.30B/11.70A		24.30B/11.70A	----			15.00	+ 6.70	.1797	----				3	----	23	- 1
4475	----	----		---/110.40A		197.00B/110.40A	----			138.30	- 06.00	.8200	----				----	----	1	UNCH
4480	----	----		1.40B/*0.20A		1.40B/*0.20A	----			0.00	- 0.50	----					----	----	0	- 3
4480	129.10	129.10		133.20/*91.20A		192.60B/*91.20A	----			128.40	NEW	----		1	----		2	----	0	UNCH
4485	----	----		1.20B/*0.10A		1.20B/*0.10A	----			0.00	- 0.40	----					----	----	0	- 1
4490	----	----		1.10B/*0.10A		1.10B/*0.10A	----			0.00	- 0.40	----					----	----	0	- 3
4495	----	----		0.90B/*0.10A		0.90B/*0.10A	----			0.00	- 0.40	----					----	----	0	- 4
4500	118.00	118.00		118.00/111.10A		212.40B/111.10A	----			148.40	- 13.10	----		18	----		2	----	0	- 19
4500	0.80	0.80		0.90/*0.10		0.90/*0.10	----			0.00	- 0.30	----					17	----	0	- 37
4500	13.00	13.00		18.50B/9.10A		18.50B/9.10A	----			11.40	+ 4.80	.1392	----				53	----	330	+ 11
4500	24.50	24.50		35.10B/21.60A		35.10B/21.60A	----			25.60	+ 11.00	.2237	----				7	----	13	- 3
4500	----	----		---/148.50A		219.80B/148.50A	----			173.90	- 01.60	.7759	----				----	----	60	UNCH
4500	----	----		---/129.80A		219.70B/129.80A	----			159.70	- 07.90	.8606	----				----	----	12	UNCH
4505	----	----		/*0.20A		0.30B/*0.20A	----			0.00	- 0.30	----					----	----	0	- 5
4510	----	----		---/0.20A		0.30B/0.20A	----			0.00	- 0.30	----					----	----	0	- 1
4515	0.20	0.20		0.20/0.20		0.20/0.20	----			0.00	- 0.30	----					1	----	0	- 1
4520	0.20	0.20		0.20/*0.10A		0.20/*0.10A	----			0.00	- 0.30	----					1	----	0	- 5
4525	0.20	0.20		0.20/0.10A		0.20/0.10A	----			0.00	- 0.20	----					1	----	0	- 12
4525	----	----		---/167.40A		241.30B/167.40A	----			194.30	- 03.70	.8101	----				----	----	2	UNCH
4525	11.70	11.70		14.20B/7.10A		14.20B/7.10A	----			8.70	+ 3.30	.1072	----				200	----	220	+ 200
4525	----	----		---/150.70A		242.90B/150.70A	----			182.00	- 09.30	.8925	----				----	----	1	UNCH
4525	----	----		28.80B/----		28.80B/17.80A	----			21.10	+ 8.90	.1895	----				----	----	4	UNCH
4530	183.40	183.40		183.40/*141.10A		240.30B/*141.10A	----			178.40	NEW	----		1	----		2	----	0	UNCH
4535	0.20	0.20		0.20/*0.20		0.20/0.20	----			0.00	NEW	----					1	----	0	UNCH
4545	0.20	0.20		0.20/*0.20		0.20/0.20	----			0.00	NEW	----					1	----	0	UNCH
4550	----	----		---/161.10A		260.50B/161.10A	----			198.40	- 12.90	----		24	----		----	----	0	- 24
4550																				

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64																																												
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																																													
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK1																																																													
JUL26																																																														
3775	3.80	3.80		3.80/*3.00A	3.80/*3.00A	----				3.20 - 5.90	.0229	----	----	1	----		3 +	1																																												
3800	----	----		----/*3.40A	4.30B/*3.40A	----				3.60 - 6.70	.0260	----	----	26	----		25 +	21																																												
3850	----	----		----/*4.00A	6.00B/*4.00A	----				4.60 - 8.80	.0337	----	----	----	----		3	UNCH																																												
3875	----	----		----/*4.80A	7.20B/*4.80A	----				5.30 - 10.00	.0390	----	----	----	----		2	UNCH																																												
3900	----	----		----/*5.40A	10.00B/*5.40A	----				6.10 - 11.40	.0449	----	----	----	----		63	UNCH																																												
3925	6.30	6.30		6.30/*6.20	11.00B/*6.20	----				7.00 - 13.10	.0517	----	----	2	----		3 +	2																																												
3950	7.90	7.90		7.90/*6.80	12.70B/*6.80	----				8.10 - 14.90	.0598	----	----	5	----		60 +	5																																												
3975	8.30	8.30		8.40/*7.80	15.20B/*7.80	----				9.40 - 17.00	.0692	----	----	6	----		81 +	6																																												
4000	9.60	9.60		9.60/*9.40A	17.10B/*9.40A	----				10.90 NEW	.0801	----	----	1	----		1 +	1																																												
4050	15.60	15.60		15.60/*12.60A	23.80B/*12.60A	----				14.70 - 24.70	.1069	----	----	1	----		1	UNCH																																												
4075	----	----		#321.00B/----	321.00B/258.30A	----				293.30 + 84.90	.8762	----	----	----	----		10	UNCH																																												
4075	16.80	16.80		16.80/*14.40A	27.70B/*14.40A	----				17.10 NEW	.1233	----	----	1	----		1 +	1																																												
4100	21.20	21.20		21.20/*16.70A	32.10B/*16.70A	----				20.00 NEW	.1425	----	----	1	----		1 +	1																																												
4150	----	----		----/*22.70A	43.00B/*22.70A	----				27.40 - 38.70	.1891	----	----	1	----		4 +	1																																												
4175	----	----		----/*26.60A	49.60B/*26.60A	----				32.10 - 42.80	.2169	----	----	----	----		1	UNCH																																												
4200	----	----		----/*31.00A	57.00B/*31.00A	----				37.50 - 47.30	.2476	----	----	----	----		1	UNCH																																												
4225	----	----		#193.60B/----	193.60B/146.30A	----				170.10 + 60.60	.7179	----	----	----	----		1	UNCH																																												
4250	----	----		#174.80B/----	174.80B/130.80A	----				152.40 + 55.80	.6813	----	----	----	----		14	UNCH																																												
4300	----	----		#140.00B/----	140.00B/102.10A	----				119.90 + 45.80	.6004	----	----	----	----		1	UNCH																																												
4325	----	----		#124.20B/----	124.20B/89.60A	----				105.40 NEW	.5571	----	----	1	----		1 +	1																																												
4350	----	----		#113.00B/----	113.00B/78.40A	----				92.20 + 36.40	.5128	----	----	----	----		2	UNCH																																												
4375	----	----		#99.20B/----	99.20B/67.70A	----				80.20 + 32.10	.4683	----	----	----	----		38	UNCH																																												
4425	----	----		#75.70B/----	75.70B/50.70A	----				59.90 + 24.50	.3818	----	----	----	----		10	UNCH																																												
4450	----	----		#65.40B/----	65.40B/43.30A	----				51.40 + 21.20	.3410	----	----	----	----		1	UNCH																																												
4525	----	----		#41.30B/----	41.30B/27.10A	----				31.90 + 12.90	.2342	----	----	----	----		2	UNCH																																												
4550	----	----		#34.90B/----	34.90B/23.20A	----				27.10 + 10.80	.2045	----	----	----	----		2	UNCH																																												
4600	19.90	19.90		#25.20B/19.90	25.20B/17.10A	----				19.70 NEW	.1551	----	----	2	----		2 +	2																																												
4625	16.40	16.40		#21.50B/16.40	21.50B/14.50A	----				16.90 + 6.40	.1351	----	----	5	----		6 +	5																																												
4750	----	----		#10.00B/----	10.00B/7.50A	----				8.30 + 2.90	.0689	----	----	----	----		2	UNCH																																												
4775	----	----		#8.60B/----	#8.60B/6.40A	----				7.30 + 2.50	.0606	----	----	----	----		5	UNCH																																												
4800	4.50	4.50		#7.50B/4.50	#7.50B/4.50	----				6.40 + 2.20	.0532	----	----	3	----		5 +	3																																												
4900	----	----		#4.40B/----	#4.40B/3.10A	----				4.00 + 1.30	.0330	----	----	----	----		32	UNCH																																												
5000	2.90	2.90		#2.90/2.90	#2.90/2.70A	----				2.60 NEW	.0211	----	----	1	----		1 +	1																																												
5100	2.40	2.40		#2.40/*2.40	#2.40/2.20A	----				1.80 NEW	.0142	----	----	1	----		1 +	1																																												
TOTAL														69			400 +	62																																												
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																																													
FMG OPT	MICRO GOLD WEEKLY FRI OPTION WEEK4																																																													
JUN26																																																														
3850	----	----		----	----	----				2.10 - 5.10	.0169	----	----	----	----		1	UNCH																																												
4250	----	----		----	----	----				0.00 UNCH	----	----	----	----	----		0	UNCH																																												
TOTAL																	1	UNCH																																												
SILVER OPTIONS ON FUTURES																																																														
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST																																													
RWS THU	SILVER WEEKLY THURSDAY OPTION week3																																																													
JUN26																																																														
5500	----	----		----	----/0.075A	----				0.009 - 0.023	.0012	----	----	----	----		130	UNCH																																												
5750	----	----		----/*0.083A	----	----				0.023 - 0.038	.0040	----	----	----	----		3	UNCH																																												
5900	----	----		----/*0.050A	0.025B/*0.050A	----				0.039 - 0.055	.0078	----	----	----	----		11	UNCH																																												
6000	----	----		----/*0.096A	0.003B/*0.096A	----				0.058 - 0.071	.0126	----	----	----	----		164	UNCH																																												
6100	0.060	0.060		0.060/*0.060	0.060/*0.060	----				0.066 - 0.114	.0158	----	----	1	----		3 -	1																																												
6150	----	----		----/*0.099A	0.011B/*0.099A	----				0.071 - 0.142	.0179	----	----	----	----		1	UNCH									</																																			

BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3													
JUN26														
6200	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.030	----	----	----	1	----	0 -	13	
6250	----	----	----	----/*0.050A	----	0.000 - 0.042	----	----	----	----	----	0 -	1	
6270	----	----	----	----/*0.049A	----	0.000 - 0.048	----	----	----	----	----	0 -	1	
6300	----	----	-----/0.183A	0.105B/0.183A	----	0.113 - 0.423	.0433	----	----	----	----	3	UNCH	
6300	0.330	0.330	0.330/*0.300	0.341B/*0.300	----	0.325 - NEW	.0927	----	----	120	----	120 +	120	
6340	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.000 - 0.077	----	----	1	----	----	0 -	1	
6350	0.210	0.210	0.210/*0.206A	0.210/*0.206A	----	0.139 - NEW	.0534	----	1	----	----	1 +	1	
6350	----	----	----/*0.056A	----/*0.056A	----	0.000 - 0.082	----	----	----	----	----	0 -	4	
6370	----	----	----/*0.059A	----/*0.059A	----	0.000 - 0.094	----	----	----	----	----	0	UNCH	
6400	0.005	0.005	0.005/*0.005	0.005/*0.005	----	0.000 - 0.115	----	----	1	----	----	0 -	3	
6400	----	----	7.280B/----	7.280B/5.911A	----	6.180 + 2.092	----	1	----	----	----	0 -	1	
6450	----	----	----/*0.067A	0.001B/*0.067A	----	0.000 - 0.160	----	----	----	----	----	0 -	1	
6500	0.035	0.035	0.035/*0.010	0.035/*0.010	----	0.000 - 0.221	----	----	2	----	----	0 -	7	
6500	----	----	6.278B/----	6.278B/4.959A	----	5.180 + 1.985	----	1	----	----	----	0 -	1	
6550	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.000 - 0.289	----	----	1	----	----	0 -	3	
6600	0.468	0.468	0.468/*0.356A	0.468/*0.356A	----	0.378 - 0.873	.1426	----	3	----	----	15	UNCH	
6600	----	----	5.587B/----	5.587B/4.567A	----	4.555 + 1.332	.8572	----	----	----	----	1	UNCH	
6600	----	----	----/*0.071A	0.001B/*0.071A	----	0.000 - 0.375	----	----	----	----	----	0 -	6	
6600	----	----	5.282B/----	5.282B/4.041A	----	4.180 + 1.831	----	1	----	----	----	0 -	1	
6640	----	----	#4.886B/----	#4.886B/3.690A	----	3.780 + 1.744	----	1	----	----	----	0 -	1	
6650	----	----	----/*0.068A	0.002B/*0.068A	----	0.000 - 0.488	----	----	1	----	----	0 -	1	
6670	----	----	----/*0.016A	0.002B/*0.016A	----	0.000 - 0.541	----	----	----	----	----	0 -	3	
6700	0.100	0.100	0.100/*0.060A	0.100/*0.060A	----	0.000 - 0.632	----	----	6	----	----	0 -	7	
6700	----	----	----/0.478A	0.703B/0.478A	----	0.549 - NEW	.2018	----	13	----	----	13 +	13	
6700	----	----	4.290B/----	4.290B/3.195A	----	3.180 + 1.575	----	5	----	----	----	0 -	5	
6710	----	----	#4.184B/----	#4.184B/3.110A	----	3.080 + 1.541	----	4	----	----	----	0 -	4	
6720	----	----	----/*0.058A	0.007B/*0.058A	----	0.000 - 0.700	----	----	----	----	----	0 -	6	
6730	----	----	#3.982B/----	#3.982B/2.954A	----	2.880 + 1.470	----	20	----	----	----	0 -	20	
6750	3.550	3.550	3.787B/3.550	3.787B/2.753A	----	2.680 + 1.392	----	22	----	3	----	0 -	24	
6750	0.070	0.070	0.070/*0.020	0.070/*0.020	----	0.000 - 0.814	----	----	2	----	----	0 -	10	
6760	----	----	#3.692B/----	#3.692B/2.674A	----	2.580 + 1.351	----	1	----	----	----	0 -	1	
6760	----	----	----/*0.058A	0.010B/*0.058A	----	0.000 - 0.855	----	----	----	----	----	0 -	5	
6780	----	----	#3.487B/----	#3.487B/2.474A	----	2.380 + 1.262	----	1	----	----	----	0 -	1	
6790	----	----	----/*0.059A	0.042B/*0.059A	----	0.000 - 0.991	----	----	----	----	----	0 -	1	
6800	3.400	3.400	3.400/2.272A	3.400/2.272A	----	2.180 + 1.166	----	15	----	15	----	0 -	19	
6800	----	----	----/0.655A	1.026B/0.655A	----	0.791 - 1.302	.2779	----	----	----	----	1	UNCH	
6800	0.125	0.125	0.125/*0.055A	0.127B/*0.055A	----	0.000 - 1.040	----	----	2	----	----	0 -	4	
6810	----	----	#3.188B/----	#3.188B/2.174A	----	2.080 + 1.115	----	12	----	----	----	0 -	12	
6850	0.350	0.350	0.350/*0.059A	0.350/*0.059A	----	0.000 - NEW	----	----	5	----	----	0	UNCH	
6850	----	----	2.792B/----	2.792B/1.773A	----	1.680 + 0.893	----	3	----	----	----	0 -	3	
6880	0.430	0.430	0.430/*0.049A	0.430/*0.049A	----	0.000 - NEW	----	----	1	----	----	0	UNCH	
6900	----	----	2.303B/----	2.303B/1.276A	----	1.180 + 0.575	----	24	----	----	----	0 -	24	
6900	0.505	0.505	0.505/*0.050A	0.505/*0.050A	----	0.000 - 1.631	----	----	7	----	----	0 -	5	
6920	0.420	0.420	0.450/*0.051A	0.450/*0.051A	----	0.000 - NEW	----	----	4	----	----	0	UNCH	
6950	----	----	----/*0.050A	0.489B/*0.050A	----	0.000 - NEW	----	----	1	----	----	0	UNCH	
6950	----	----	1.814B/----	1.814B/0.782A	----	0.680 + 0.215	----	1	----	----	----	0 -	1	
6970	----	----	#1.624B/----	#1.624B/0.593A	----	0.480 + 0.061	----	1	----	----	----	0 -	1	
6980	1.000	1.000	#1.528B/0.500A	#1.528B/0.500A	----	0.380 - 0.018	----	----	5	----	----	0 -	5	
6990	----	----	#1.437B/----	#1.437B/0.413A	----	0.280 - 0.098	----	1	----	----	----	0 -	1	
7000	0.670	0.670	1.345B/0.255	1.345B/0.255	----	0.180 - 0.180	----	8	----	19	----	0 -	14	
7000	0.692	0.692	0.692/*0.049A	0.713B/*0.049A	----	0.000 - 2.385	----	----	32	----	----	0 -	1	
7000	2.700	2.700	#3.061B/2.700	#3.061B/2.700	----	2.688 + 0.676	.5662	----	1	----	----	3	UNCH	
7030	0.120	0.120	0.120/*0.064A	0.690B/*0.064A	----	0.120 - NEW	----	1	----	1	----	0	UNCH	
7050	0.420	0.420	0.420/*0.055	0.745B/*0.055	----	0.320 - 2.489	----	37	----	34	----	0 -	10	
7050	----	----	2.204B/----	2.204B/1.468A	----	1.501 + 0.400	.4781	----	----	----	----	10	UNCH	
7050	0.750	0.750	0.912B/*0.051A	0.912B/*0.051A	----	0.000 - 0.283	----	----	2	----	----	0 -	1	
7070	----	----	#0.756B/*0.048A	0.756B/*0.048A	----	0.000 - 0.259	----	----	----	----	----	0 -	3	
7100	0.400	0.400	0.573B/*0.020	0.573B/*0.020	----	0.000 - 0.229	----	----	17	----	----	0 -	8	
7100	0.350	0.350	0.705/*0.233A	1.188B/*0.233A	----	0.820 - NEW	----	1	----	5	----	0	UNCH	
7120	0.423	0.423	0.423/*0.306A	1.375B/*0.306A	----	1.020 - NEW	----	1	----	1	----	0	UNCH	
7140	0.350	0.350	#0.373B/*0.001A	0.373B/*0.001A	----	0.000 - 0.196	----	----	1	----	----	0 -	1	
7150	0.215	0.215	0.330B/*0.050A	0.330B/*0.050A	----	0.000 - NEW	----	----	3	----	----	0	UNCH	
7170	----	----	#0.245B/*0.046A	0.245B/*0.046A	----	0.000 - NEW	----	----	1	----	----	0	UNCH	
7180	0.202	0.202	0.213B/*0.045A	0.213B/*0.045A	----	0.000 - NEW	----	----	1	----	----	0	UNCH	
7190	----	----	----/*0.808A	2.053B/*0.808A	----	1.720 - 2.371	----	1	----	----	----	0 -	1	
7200	0.211	0.211	0.250/*0.009	0.250/*0.009	----	0.000 - 0.162	----	----	4	----	----	0 -	5	
7200	1.138	1.138	1.447B/0.918A	1.447B/0.918A	----	0.934 + 0.191	.3331	----	49	----	----	50 +	49	
7200	----	----	----/2.169A	2.955B/2.169A	----	2.753 - 2.012	.6668	----	----	----	----	5	UNCH	
7250	----	----	1.251B/----	1.251B/0.755A	----	0.791 + 0.139	.2905	----	----	----	----	16	UNCH	
7300	1.010	1.010	1.074B/0.661A	1.074B/0.661A	----	0.668 - NEW	.2515	----	2	----	----	2 +	2	
7300	0.150	0.150	0.150/*0.020	0.150/*0.020	----	0.000 - NEW	----	----	10	----	----	0	UNCH	
7400	0.060	0.060	0.100/*0.020	0.100/*0.020	----	0.000 - 0.106	----	----	43	----	----	0 -	10	
7400	4.357	4.357	4.357/3.558A	4.601B/3.558A	----	4.292 - 2.176	.8145	----	1	----	----	1	UNCH	
7400	0.680	0.680	0.784B/0.478A	0.784B/0.478A	----	0.474 - NEW	.1854	----	13	----	----	13 +	13	
7490	----	----	----/*3.6.3											



BULLETIN #113@				METALS OPTION PRODUCTS					Mon, Jun 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
JUL26													
6300	7.582	7.582	8.5658/7.582	8.5658/6.938A	----	7.453 + 1.695	.9142	----	----	3	----	4 -	2
6325	----	----	8.3328/----	8.3328/6.756A	----	7.222 + 1.667	.9080	----	----	----	----	1	UNCH
6350	----	----	8.0928/----	8.0928/6.523A	----	6.993 + 1.638	.9015	----	----	----	----	3	UNCH
6375	----	----	7.8628/----	7.8628/6.320A	----	6.766 + 1.607	.8946	----	----	----	----	2	UNCH
6400	7.335	7.335	7.6358/7.335	7.6358/6.119A	----	6.540 + 1.574	.8873	----	----	2	----	60	UNCH
6425	----	----	7.4068/----	7.4068/5.921A	----	6.317 + 1.541	.8792	----	----	----	----	8	UNCH
6450	----	----	7.1818/----	7.1818/5.726A	----	6.095 + 1.506	.8708	----	----	----	----	24	UNCH
6475	----	----	6.9508/----	6.9508/5.534A	----	5.876 + 1.469	.8616	----	----	----	----	6	UNCH
6500	6.500	6.500	6.7318/6.500	6.7318/5.338A	----	5.660 + 1.432	.8520	----	----	1	----	265 -	1
6525	----	----	6.5098/----	6.5098/5.144A	----	5.446 + 1.393	.8417	----	----	----	----	47	UNCH
6550	----	----	6.2898/----	6.2898/4.957A	----	5.235 + 1.353	.8307	----	----	1	----	20 +	1
6575	----	----	6.0728/----	6.0728/4.771A	----	5.027 + 1.311	.8190	----	----	1	----	7	UNCH
6600	4.804	4.804	5.8578/4.804	5.8578/4.586A	----	4.823 + 1.270	.8066	----	----	1	----	66 -	1
6625	----	----	5.6438/----	5.6438/4.408A	----	4.622 + 1.226	.7935	----	----	----	----	9	UNCH
6650	----	----	5.4368/----	5.4368/4.233A	----	4.425 + 1.183	.7799	----	----	2	----	177	UNCH
6675	----	----	5.2278/----	5.2278/4.061A	----	4.232 + 1.138	.7654	----	----	----	----	129	UNCH
6700	----	----	5.0248/----	5.0248/3.894A	----	4.042 + 1.092	.7504	----	----	9	----	36 +	6
6725	4.400	4.400	4.8258/4.400	4.8258/3.730A	----	3.857 + 1.046	.7347	----	----	1	----	36	UNCH
6750	4.250	4.250	4.6338/4.250	4.6338/3.572A	----	3.676 + 1.000	.7183	----	----	1	----	40	UNCH
6775	----	----	4.4388/----	4.4388/3.206A	----	3.499 + 0.952	.7014	----	----	----	----	2	UNCH
6800	3.123	3.123	4.2518/3.123	4.2518/3.063A	----	3.327 + 0.905	.6839	----	----	12	----	275 -	4
6825	3.720	3.720	4.0688/3.720	4.0688/2.924A	----	3.160 + 0.858	.6659	----	----	1	----	11	1
6850	----	----	3.8858/----	3.8858/2.791A	----	2.997 + 0.811	.6473	----	----	----	----	37	UNCH
6875	3.402	3.402	3.7078/3.402	3.7078/2.664A	----	2.840 + 0.764	.6283	----	----	3	----	75 +	3
6900	3.000	3.000	3.5368/2.750	3.5368/2.540A	----	2.688 + 0.718	.6089	----	----	13	----	171 -	9
6925	----	----	3.3688/----	3.3688/2.420A	----	2.542 + 0.673	.5891	----	----	----	----	35	UNCH
6950	----	----	3.2028/----	3.2028/2.307A	----	2.400 + 0.627	.5691	----	----	----	----	41	UNCH
6975	----	----	3.0428/----	3.0428/2.206A	----	2.265 + 0.584	.5489	----	----	----	----	34	UNCH
7000	2.000	2.000	2.8998/2.000	2.8998/2.000	----	2.135 + 0.542	.5285	----	----	112	10	405 +	1
7025	2.200	2.200	2.7738/1.962A	2.7738/1.962A	----	2.011 + 0.501	.5081	----	----	54	----	141 +	41
7050	2.139	2.139	2.6298/1.847A	2.6298/1.847A	----	1.892 + 0.461	.4878	----	----	2	----	8 +	1
7075	2.364	2.364	2.4918/1.736A	2.4918/1.736A	----	1.779 + 0.423	.4675	----	----	1	----	53	UNCH
7100	1.899	1.899	2.3628/1.631A	2.3628/1.631A	----	1.672 + 0.387	.4474	----	----	24	----	130 -	6
7125	----	----	2.2308/----	2.2308/1.536A	----	1.570 + 0.353	.4276	----	----	1	----	7 +	1
7150	----	----	2.1078/----	2.1078/1.439A	----	1.473 + 0.319	.4081	----	----	----	----	107	UNCH
7175	----	----	1.9918/----	1.9918/1.353A	----	1.382 + 0.289	.3890	----	----	1	----	21	UNCH
7200	1.488	1.488	1.8818/1.267A	1.8818/1.267A	----	1.295 + 0.258	.3702	----	----	64	----	298 -	10
7225	1.545	1.545	1.7718/1.187A	1.7718/1.187A	----	1.214 + 0.231	.3520	----	----	1	----	15	UNCH
7250	1.448	1.448	1.6708/1.114A	1.6708/1.114A	----	1.138 + 0.205	.3344	----	----	56	----	209 +	28
7275	----	----	1.5748/----	1.5748/1.043A	----	1.066 + 0.181	.3173	----	----	----	----	7	UNCH
7300	1.241	1.241	1.4818/0.977A	1.4818/0.977A	----	0.999 + 0.158	.3008	----	----	30	----	105 -	3
7325	1.240	1.240	1.3958/0.917A	1.3958/0.917A	----	0.936 + 0.137	.2850	----	----	3	----	113 -	3
7350	0.865	0.865	1.3118/0.865	1.3118/0.860A	----	0.877 + 0.118	.2697	----	----	3	----	11	UNCH
7375	1.186	1.186	1.2318/0.801A	1.2318/0.801A	----	0.821 + 0.099	.2550	----	----	9	----	75 +	1
7400	0.955	0.955	1.1618/0.754A	1.1618/0.754A	----	0.770 + 0.083	.2412	----	----	59	----	119 +	43
7425	----	----	1.0938/----	1.0938/0.710A	----	0.722 + 0.068	.2279	----	----	----	----	14	UNCH
7450	----	----	1.0278/----	1.0278/0.656A	----	0.677 + 0.053	.2153	----	----	1	----	87 -	1
7475	0.895	0.895	0.9678/0.616A	0.9678/0.616A	----	0.636 + 0.041	.2034	----	----	3	----	78	UNCH
7500	0.692	0.692	0.9098/0.579A	0.9098/0.579A	----	0.597 + 0.029	.1921	----	----	221	----	495 -	36
7525	----	----	0.8568/----	0.8568/0.545A	----	0.561 + 0.019	.1814	----	----	----	----	10	UNCH
7550	0.712	0.712	0.8068/0.513A	0.8068/0.513A	----	0.527 + 0.009	.1712	----	----	38	----	72 +	15
7575	0.700	0.700	0.7608/0.483A	0.7608/0.483A	----	0.496	UNCH .1617	----	----	1	----	54 -	1
7600	0.713	0.713	0.7228/0.456A	0.7228/0.456A	----	0.468 + 0.007	.1529	----	----	77	----	178 -	5
7625	----	----	0.6798/0.431A	0.6798/0.431A	----	0.441 + 0.014	.1445	----	----	----	----	20	UNCH
7650	0.620	0.620	0.6448/0.409A	0.6448/0.409A	----	0.416 + 0.021	.1365	----	----	14	----	46 +	12
7675	0.399	0.399	0.6118/0.389A	0.6118/0.389A	----	0.393 + 0.027	.1291	----	----	1	----	20	UNCH
7700	0.515	0.515	0.5768/0.368A	0.5768/0.368A	----	0.372 + 0.031	.1222	----	----	47	----	514 +	17
7725	0.500	0.500	0.5508/0.350A	0.5508/0.350A	----	0.352 + 0.036	.1157	----	----	2	----	17 +	2
7750	0.352	0.352	0.5138/0.333A	0.5138/0.333A	----	0.334 + 0.040	.1097	----	----	5	----	147	UNCH
7775	----	----	0.4948/0.321A	0.4948/0.321A	----	0.317 + 0.044	.1040	----	----	----	----	18	UNCH
7800	0.402	0.402	0.4648/0.304A	0.4648/0.304A	----	0.301 + 0.047	.0986	----	----	4	----	325 +	1
7825	0.414	0.414	0.455/0.293A	0.455/0.293A	----	0.286 + 0.050	.0936	----	----	37	----	38 +	36
7850	0.323	0.323	0.4208/0.280A	0.4208/0.280A	----	0.273 + 0.052	.0891	----	----	4	----	53	UNCH
7875	0.282	0.282	0.4008/0.267A	0.4008/0.267A	----	0.260 + 0.055	.0846	----	----	2	----	14	UNCH
7900	0.351	0.351	0.3828/0.253	0.3828/0.253	----	0.249 + 0.056	.0807	----	----	9	----	128 +	5
7925	----	----	0.3648/0.245A	0.3648/0.245A	----	0.238 + 0.058	.0769	----	----	----	----	7	UNCH
7950	0.283	0.283	0.3478/0.235A	0.3478/0.235A	----	0.228 + 0.059	.0734	----	----	7	----	30 +	7
7975	----	----	0.3318/0.225A	0.3318/0.225A	----	0.218 + 0.061	.0700	----	----	----	----	6	UNCH
8000	0.251	0.251	0.342/0.217A	0.342/0.217A	----	0.209 + 0.062	.0668	----	----	124	----	831 -	53
8025	0.254	0.254	0.3018/0.209A	0.3018/0.209A	----	0.201 + 0.063	.0639	----	----	1	----	20 +	1
8050	----	----	0.2888/0.201A	0.2888/0.201A	----	0.1							

	BULLETIN #113@				METALS OPTION PRODUCTS						Mon, Jun 15, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL	COMEX SILVER OPTIONS														
JUL26															
9750	----	----	----	/0.071A	0.047B/0.071A	----	----	----	0.050 -	0.041 .0108	----	----	----	----	108
9775	----	----	----	/0.071A	0.046B/0.071A	----	----	----	0.050 -	0.040 .0107	----	----	----	----	31
9800	----	----	----	/0.070A	0.046B/0.070A	----	----	----	0.049 -	0.040 .0104	----	----	----	80	264
9825	----	----	----	/0.069A	0.045B/0.069A	----	----	----	0.048 -	0.040 .0102	----	----	----	----	5
9850	----	----	----	/0.068A	0.044B/0.068A	----	----	----	0.047 -	0.040 .0100	----	----	----	----	38
9875	----	----	----	/0.068A	0.043B/0.068A	----	----	----	0.046 -	0.040 .0097	----	----	----	----	1
9900	----	----	----	/0.067A	0.043B/0.067A	----	----	----	0.046 -	0.039 .0097	----	----	----	----	33
9925	----	----	----	/0.066A	0.042B/0.066A	----	----	----	0.045 -	0.039 .0094	----	----	----	----	15
9950	----	----	----	/0.065A	0.041B/0.065A	----	----	----	0.044 -	0.040 .0092	----	----	----	----	9
9975	----	----	----	/0.066A	0.041B/0.066A	----	----	----	0.044 -	0.039 .0091	----	----	----	----	4
10000	----	----	----	/0.064A	0.058B/0.064A	----	----	----	0.043 -	0.039 .0089	----	----	5	10	2096
10025	----	----	----	/0.065A	0.039B/0.065A	----	----	----	0.042 -	0.039 .0087	----	----	----	----	2
10050	----	----	----	/0.064A	0.039B/0.064A	----	----	----	0.042 -	0.038 .0086	----	----	----	----	2
10075	----	----	----	/0.064A	0.038B/0.064A	----	----	----	0.041 -	0.038 .0084	----	----	----	----	21
10100	----	----	----	/0.063A	0.037B/0.063A	----	----	----	0.040 -	0.038 .0082	----	----	----	----	627
10125	----	----	----	/0.063A	0.037B/0.063A	----	----	----	0.040 -	0.038 .0081	----	----	----	----	3
10150	----	----	----	/0.062A	0.036B/0.062A	----	----	----	0.039 -	0.038 .0079	----	----	----	----	30
10175	----	----	----	/0.062A	0.036B/0.062A	----	----	----	0.038 -	0.038 .0077	----	----	----	----	1
10200	----	----	----	/0.061A	0.035B/0.061A	----	----	----	0.038 -	0.037 .0076	----	----	----	----	122
10250	----	----	----	/0.060A	0.034B/0.060A	----	----	----	0.037 -	0.036 .0074	----	----	----	----	21
10275	----	----	----	/0.060A	0.033B/0.060A	----	----	----	0.036 -	0.037 .0072	----	----	----	----	8
10300	0.048	0.048		0.048/0.045	0.051B/0.045	----	----	----	0.036 -	0.036 .0071	----	----	2	----	23
10325	----	----	----	/0.059A	0.032B/0.059A	----	----	----	0.035 -	0.036 .0069	----	----	----	----	1
10375	----	----	----	/0.058A	0.031B/0.058A	----	----	----	0.034 -	0.036 .0067	----	----	----	----	20
10400	----	----	----	/0.058A	0.031B/0.058A	----	----	----	0.033 -	0.036 .0065	----	----	----	----	15
10425	----	----	----	/0.057A	0.030B/0.057A	----	----	----	0.033 -	0.035 .0064	----	----	----	----	2
10450	----	----	----	/0.057A	0.030B/0.057A	----	----	----	0.032 -	0.035 .0062	----	----	----	----	26
10475	----	----	----	/0.056A	0.029B/0.056A	----	----	----	0.032 -	0.035 .0062	----	----	----	----	26
10500	0.030	0.030		0.045B/*0.030	0.045B/*0.030	----	----	----	0.031 -	0.035 .0060	----	----	34	----	604 -
10525	----	----	----	/0.055A	0.028B/0.055A	----	----	----	0.031 -	0.034 .0060	----	----	----	----	1
10550	----	----	----	/0.055A	0.028B/0.055A	----	----	----	0.030 -	0.035 .0058	----	----	----	----	10
10575	----	----	----	/0.055A	0.027B/0.055A	----	----	----	0.030 -	0.034 .0057	----	----	----	----	1
10600	----	----	----	/0.054A	0.027B/0.054A	----	----	----	0.029 -	0.034 .0055	----	----	----	----	53
10625	----	----	----	/0.054A	0.026B/0.054A	----	----	----	0.029 -	0.034 .0055	----	----	----	----	2
10650	----	----	----	/0.053A	0.026B/0.053A	----	----	----	0.029 -	0.033 .0055	----	----	----	----	2
10675	----	----	----	/0.053A	0.025B/0.053A	----	----	----	0.028 -	0.033 .0053	----	----	----	----	10
10700	----	----	----	/0.053A	0.025B/0.053A	----	----	----	0.028 -	0.033 .0053	----	----	----	----	87
10725	----	----	----	/0.052A	0.025B/0.052A	----	----	----	0.027 -	0.033 .0051	----	----	----	----	4
10750	----	----	----	/0.052A	0.024B/0.052A	----	----	----	0.027 -	0.032 .0051	----	----	----	----	60
10775	----	----	----	/0.051A	0.024B/0.051A	----	----	----	0.027 -	0.032 .0050	----	----	----	----	9
10800	----	----	----	/0.051A	0.023B/0.051A	----	----	----	0.026 -	0.032 .0048	----	----	----	----	36
10875	----	----	----	/0.050A	0.022B/0.050A	----	----	----	0.025 -	0.031 .0046	----	----	----	----	14
10900	----	----	----	/0.050A	0.022B/0.050A	----	----	----	0.025 -	0.031 .0046	----	----	----	----	6
10925	----	----	----	/0.050A	0.021B/0.050A	----	----	----	0.024 -	0.031 .0044	----	----	----	----	1
10950	----	----	----	/0.049A	0.021B/0.049A	----	----	----	0.024 -	0.031 .0044	----	----	----	----	2
10975	----	----	----	/0.048A	0.021B/0.048A	----	----	----	0.024 -	0.030 .0044	----	----	----	----	1
11000	0.025	0.025		0.030/0.023A	0.030/0.023A	----	----	----	0.023 -	0.030 .0042	----	----	15	----	1313 +
11025	----	----	----	/0.048A	0.020B/0.048A	----	----	----	0.023 -	0.030 .0042	----	----	----	----	12
11050	----	----	----	/0.048A	0.020B/0.048A	----	----	----	0.023 -	0.029 .0041	----	----	----	----	8
11075	----	----	----	/0.048A	0.019B/0.048A	----	----	----	0.022 -	0.030 .0040	----	----	----	----	2
11100	----	----	----	/0.047A	0.019B/0.047A	----	----	----	0.022 -	0.029 .0040	----	----	----	----	15
11125	----	----	----	/0.047A	0.018B/0.047A	----	----	----	0.022 -	0.029 .0039	----	----	----	----	7
11150	----	----	----	/0.047A	0.018B/0.047A	----	----	----	0.021 -	0.029 .0038	----	----	----	----	2
11175	----	----	----	/0.047A	0.018B/0.047A	----	----	----	0.021 -	0.029 .0037	----	----	----	----	2
11200	----	----	----	/0.046A	0.017B/0.046A	----	----	----	0.021 -	0.028 .0037	----	----	----	----	15
11225	----	----	----	/0.046A	0.017B/0.046A	----	----	----	0.020 -	0.029 .0035	----	----	----	----	8
11250	----	----	----	/0.046A	0.017B/0.046A	----	----	----	0.020 -	0.028 .0035	----	----	----	----	12
11275	----	----	----	/0.045A	0.016B/0.045A	----	----	----	0.020 -	0.028 .0035	----	----	----	----	2
11300	----	----	----	/0.045A	0.016B/0.045A	----	----	----	0.020 -	0.027 .0035	----	----	----	----	52
11325	----	----	----	/0.045A	0.016B/0.045A	----	----	----	0.019 -	0.028 .0033	----	----	----	----	2
11350	----	----	----	/0.045A	0.015B/*0.033A	----	----	----	0.019 -	0.028 .0033	----	----	----	----	2
11400	----	----	----	/0.045A	0.015B/0.045A	----	----	----	0.019 -	0.027 .0033	----	----	----	----	21
11425	----	----	----	/0.044A	0.015B/0.044A	----	----	----	0.018 -	0.027 .0031	----	----	----	----	10
11450	----	----	----	/0.044A	0.014B/0.044A	----	----	----	0.018 -	0.027 .0031	----	----	----	----	4
11500	0.045	0.045		0.045/*0.017	0.045/*0.017	----	----	----	0.018 -	0.026 .0031	----	----	11	----	1228
11550	----	----	----	----	0.013B/0.044A	----	----	----	0.017 -	0.026 .0029	----	----	----	----	5
11575	----	----	----	----	0.013B/0.044A	----	----	----	0.017 -	0.026 .0029	----	----	----	----	11
11600	----	----	----	----	0.012B/0.044A	----	----	----	0.017 -	0.025 .0029	----	----	----	----	10
11625	----	----	----	----	0.011B/0.043A	----	----	----	0.016 -	0.026 .0027	----	----	----	----	3
11650	----	----	----	/0.041A	0.024B/0.041A	----	----	----	0.016 -	0.026 .0027	----	----	----	----	25
11675	----	----	----	/0.040A	0.010B										



	BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026		PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS																
AUG26																	
6750	----	----	----	6.691B/----	6.691B/5.642A	----	5.745	+	0.842	.6550	----	----	----	----	11	UNCH	
6775	----	----	----	6.530B/----	6.530B/5.527A	----	5.598	+	0.819	.6453	----	----	----	----	13	UNCH	
6800	6.247	6.247	6.247	6.376B/6.201	6.376B/5.397A	----	5.455	+	0.797	.6355	----	----	3	----	22	-	
6825	5.736	5.736	5.736	6.221B/5.736	6.221B/5.269A	----	5.314	+	0.774	.6257	----	----	1	----	1	-	
6850	----	----	----	6.072B/----	6.072B/5.143A	----	5.176	+	0.752	.6159	----	----	----	----	4	UNCH	
6875	----	----	----	5.923B/----	5.923B/5.017A	----	5.042	+	0.731	.6060	----	----	----	----	10	UNCH	
6900	5.500	5.500	5.500	5.778B/4.864A	5.778B/4.864A	----	4.910	+	0.710	.5961	----	----	3	----	16	-	
6925	4.790	4.790	4.790	5.636B/4.790	5.636B/4.741A	----	4.782	+	0.690	.5862	----	----	1	----	14	UNCH	
6950	----	----	----	5.493B/----	5.493B/4.600A	----	4.656	+	0.669	.5763	----	----	----	----	6	UNCH	
6975	4.530	4.530	4.530	5.394B/4.492A	5.394B/4.492A	----	4.534	+	0.650	.5663	----	----	3	----	1	-	
7000	4.900	4.900	4.900	5.260B/4.371A	5.260B/4.371A	----	4.414	+	0.630	.5565	----	----	8	----	124	-	
7025	----	----	----	5.128B/----	5.128B/4.259A	----	4.298	+	0.612	.5466	----	----	----	----	7	UNCH	
7050	----	----	----	5.001B/----	5.001B/4.148A	----	4.184	+	0.593	.5368	----	----	----	----	11	UNCH	
7100	4.522	4.522	4.522	4.753B/3.933A	4.753B/3.933A	----	3.966	+	0.558	.5173	----	----	4	----	16	+	
7125	----	----	----	4.633B/----	4.633B/3.823A	----	3.860	+	0.540	.5077	----	----	----	----	2	UNCH	
7150	----	----	----	4.514B/----	4.514B/3.713A	----	3.758	+	0.524	.4981	----	----	----	----	6	UNCH	
7175	3.968	3.968	3.968	4.400B/3.612A	4.400B/3.612A	----	3.658	+	0.508	.4886	----	----	12	----	12	+	
7200	3.652	3.652	3.652	4.287B/3.508A	4.287B/3.508A	----	3.561	+	0.492	.4792	----	----	101	----	169	+	
7225	3.788	3.788	3.788	4.179B/3.430A	4.179B/3.430A	----	3.467	+	0.477	.4699	----	----	1	----	7	+	
7250	3.691	3.691	3.691	4.071B/3.338A	4.071B/3.338A	----	3.375	+	0.462	.4607	----	----	8	----	11	+	
7275	----	----	----	3.966B/----	3.966B/3.249A	----	3.285	+	0.447	.4516	----	----	----	----	2	UNCH	
7300	3.478	3.478	3.478	3.858B/3.159A	3.858B/3.159A	----	3.198	+	0.433	.4426	----	----	2	----	10	+	
7325	----	----	----	3.764B/----	3.764B/3.065A	----	3.113	+	0.419	.4337	----	----	----	----	1	UNCH	
7350	----	----	----	3.665B/----	3.665B/2.997A	----	3.030	+	0.404	.4250	----	----	5	----	6	+	
7400	----	----	----	3.479B/----	3.479B/2.830A	----	2.872	+	0.378	.4078	----	----	6	----	35	+	
7425	----	----	----	3.384B/----	3.384B/2.767A	----	2.796	+	0.366	.3994	----	----	----	----	14	UNCH	
7450	3.075	3.075	3.075	3.299B/2.694A	3.299B/2.694A	----	2.722	+	0.353	.3911	----	----	4	----	5	+	
7475	----	----	----	3.210B/----	3.210B/2.622A	----	2.650	+	0.341	.3830	----	----	----	----	7	UNCH	
7500	2.889	2.889	2.889	3.127B/2.531A	3.127B/2.531A	----	2.580	+	0.329	.3750	----	----	211	----	366	+	
7525	----	----	----	3.049B/----	3.049B/2.487A	----	2.512	+	0.317	.3671	----	----	----	----	12	UNCH	
7550	2.909	2.909	2.909	2.970B/2.392A	2.970B/2.392A	----	2.446	+	0.306	.3593	----	----	9	----	20	+	
7575	----	----	----	2.894B/----	2.894B/2.355A	----	2.381	+	0.294	.3517	----	----	----	----	2	UNCH	
7600	----	----	----	2.819B/----	2.819B/2.285A	----	2.319	+	0.283	.3442	----	----	50	----	210	+	
7625	----	----	----	2.747B/----	2.747B/2.236A	----	2.258	+	0.273	.3369	----	----	1	----	18	UNCH	
7650	----	----	----	2.676B/----	2.676B/2.177A	----	2.199	+	0.262	.3296	----	----	8	----	11	+	
7675	----	----	----	2.608B/----	2.608B/2.122A	----	2.142	+	0.253	.3226	----	----	----	----	3	UNCH	
7700	2.301	2.301	2.301	2.540B/2.060A	2.540B/2.060A	----	2.086	+	0.243	.3156	----	----	28	----	141	+	
7725	----	----	----	2.475B/----	2.475B/2.013A	----	2.032	+	0.233	.3088	----	----	----	----	7	UNCH	
7750	2.060	2.060	2.060	2.413B/1.957A	2.413B/1.957A	----	1.980	+	0.225	.3021	----	----	2	----	521	+	
7775	2.214	2.214	2.214	2.351B/1.888A	2.351B/1.888A	----	1.929	+	0.216	.2956	----	----	1	----	2	+	
7800	2.053	2.053	2.053	2.291B/1.840A	2.291B/1.840A	----	1.880	+	0.208	.2892	----	----	22	----	309	+	
7825	----	----	----	2.235B/----	2.235B/1.818A	----	1.832	+	0.199	.2829	----	----	----	----	4	UNCH	
7850	----	----	----	2.177B/----	2.177B/1.773A	----	1.786	+	0.192	.2768	----	----	----	----	16	UNCH	
7875	2.000	2.000	2.000	2.136B/1.731A	2.136B/1.731A	----	1.741	+	0.184	.2709	----	----	2	----	3	+	
7900	2.083	2.083	2.083	2.083B/1.663A	2.083B/1.663A	----	1.698	+	0.178	.2650	----	----	23	----	75	+	
7925	----	----	----	2.017B/----	2.017B/1.646A	----	1.655	+	0.170	.2593	----	----	----	----	2	UNCH	
7950	----	----	----	1.968B/----	1.968B/1.605A	----	1.615	+	0.165	.2537	----	----	----	----	19	UNCH	
7975	----	----	----	1.918B/----	1.918B/1.566A	----	1.575	+	0.158	.2482	----	----	----	----	4	UNCH	
8000	1.900	1.900	1.900	1.900B/1.507A	1.900B/1.507A	----	1.537	+	0.153	.2429	----	----	70	----	1116	+	
8025	----	----	----	1.825B/----	1.825B/1.470A	----	1.500	+	0.147	.2377	----	----	----	----	2	UNCH	
8050	----	----	----	1.780B/----	1.780B/1.435A	----	1.464	+	0.142	.2327	----	----	----	----	13	UNCH	
8075	1.727	1.727	1.727	1.737B/1.401A	1.737B/1.401A	----	1.429	+	0.136	.2277	----	----	2	----	4	-	
8100	----	----	----	1.696B/----	1.696B/1.368A	----	1.395	+	0.131	.2228	----	----	----	----	39	UNCH	
8125	----	----	----	1.654B/----	1.654B/1.336A	----	1.362	+	0.126	.2181	----	----	----	----	13	UNCH	
8150	1.593	1.593	1.593	1.616B/1.305A	1.616B/1.305A	----	1.330	+	0.121	.2135	----	----	1	----	52	UNCH	
8175	----	----	----	1.577B/----	1.577B/1.275A	----	1.299	+	0.116	.2090	----	----	----	----	5	UNCH	
8200	1.342	1.342	1.342	1.541B/1.246A	1.541B/1.246A	----	1.269	+	0.112	.2046	----	----	6	----	65	UNCH	
8225	----	----	----	1.504B/----	1.504B/1.219A	----	1.240	+	0.107	.2003	----	----	----	----	10	UNCH	
8250	----	----	----	1.470B/----	1.470B/1.192A	----	1.212	+	0.103	.1961	----	----	----	----	270	UNCH	
8275	----	----	----	1.435B/----	1.435B/1.167A	----	1.184	+	0.098	.1920	----	----	----	----	2	UNCH	
8300	----	----	----	1.402B/----	1.402B/1.141A	----	1.158	+	0.095	.1881	----	----	10	----	129	+	
8325	----	----	----	1.370B/----	1.370B/1.114A	----	1.132	+	0.091	.1842	----	----	----	----	3	UNCH	
8350	----	----	----	1.338B/----	1.338B/1.089A	----	1.107	+	0.087	.1804	----	----	----	----	29	UNCH	
8375	1.223	1.223	1.223	1.308B/1.065A	1.308B/1.065A	----	1.083	+	0.083	.1767	----	----	1	----	2	+	
8400	1.124	1.124	1.124	1.279B/1.051A	1.279B/1.051A	----	1.059	+	0.079	.1731	----	----	105	----	174	+	
8425	----	----	----	1.250B/----	1.250B/1.029A	----	1.036	+	0.076	.1695	----	----	----	----	2	UNCH	
8450	----	----	----	1.222B/----	1.222B/1.007A	----	1.014	+	0.073	.1661	----	----	----	----	10	UNCH	
8475	----	----	----														



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

PG64	BULLETIN #113@				METALS OPTION PRODUCTS						Mon, Jun 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
AUG26														
10375	----	----	0.317B/----	0.317B/0.320A	----	0.296 -	0.012 .0475	----	----	----	----	1	UNCH	
10400	----	----	0.316B/----	0.316B/0.316A	----	0.293 -	0.011 .0469	----	----	----	----	37	UNCH	
10475	----	----	0.305B/----	0.305B/0.307A	----	0.283 -	0.012 .0452	----	----	----	----	6	UNCH	
10500	----	----	0.301B/----	0.301B/0.300A	----	0.280 -	0.012 .0447	----	----	----	----	175	UNCH	
10600	----	----	0.287B/----	0.287B/0.287A	----	0.268 -	0.012 .0426	----	----	----	----	5	UNCH	
10650	----	----	0.276B/----	0.276B/0.285A	----	0.262 -	0.012 .0416	----	----	----	----	1	UNCH	
10675	----	----	0.276B/----	0.276B/0.282A	----	0.260 -	0.012 .0412	----	----	----	----	4	UNCH	
10700	----	----	0.270B/----	0.270B/0.279A	----	0.257 -	0.012 .0407	----	----	----	----	3	UNCH	
10725	----	----	0.269B/----	0.269B/0.276A	----	0.254 -	0.012 .0402	----	----	----	----	1	UNCH	
10775	----	----	----	0.260B/0.271A	----	0.249 -	0.012 .0393	----	----	----	----	3	UNCH	
10800	----	----	----	0.257B/0.268A	----	0.246 -	0.012 .0388	----	----	----	----	5	UNCH	
10825	----	----	----	0.254B/0.266A	----	0.244 -	0.012 .0384	----	----	----	----	2	UNCH	
10875	----	----	----	0.251B/0.261A	----	0.238 -	0.013 .0374	----	----	----	----	5	UNCH	
10900	----	----	----	0.246B/0.258A	----	0.236 -	0.012 .0371	----	----	----	----	7	UNCH	
10925	----	----	----	0.245B/0.256A	----	0.233 -	0.013 .0366	----	----	----	----	4	UNCH	
10950	----	----	----	0.240B/0.253A	----	0.231 -	0.012 .0362	----	----	----	----	1	UNCH	
10975	----	----	----	0.237B/0.251A	----	0.228 -	0.013 .0357	----	----	----	----	10	UNCH	
11000	0.240	0.240	0.240/0.235	0.240/0.235	----	0.226 -	0.013 .0354	----	----	7	----	554 +	1	
11075	----	----	----	0.227B/0.241A	----	0.219 -	0.013 .0342	----	----	----	----	3	UNCH	
11100	----	----	----	0.224B/0.239A	----	0.217 -	0.012 .0338	----	----	----	----	25	UNCH	
11150	----	----	----	0.219B/0.235A	----	0.212 -	0.013 .0330	----	----	----	----	9	UNCH	
11200	----	----	----	0.214B/0.230A	----	0.208 -	0.013 .0323	----	----	----	----	7	UNCH	
11225	----	----	----	0.212B/0.228A	----	0.205 -	0.014 .0319	----	----	----	----	1	UNCH	
11250	----	----	----	0.210B/0.226A	----	0.203 -	0.014 .0315	----	----	----	----	3	UNCH	
11275	----	----	----	0.207B/0.224A	----	0.201 -	0.013 .0312	----	----	----	----	7	UNCH	
11300	----	----	----	0.205B/0.222A	----	0.199 -	0.013 .0309	----	----	----	----	1	UNCH	
11325	----	----	----	0.203B/0.220A	----	0.197 -	0.013 .0305	----	----	----	----	6	UNCH	
11350	----	----	----	0.201B/0.218A	----	0.195 -	0.013 .0302	----	----	----	----	1	UNCH	
11400	----	----	----	0.196B/0.214A	----	0.191 -	0.013 .0295	----	----	----	----	2	UNCH	
11475	----	----	----	0.190B/0.209A	----	0.185 -	0.014 .0286	----	----	----	----	2	UNCH	
11500	----	----	----	0.188B/0.207A	----	0.183 -	0.014 .0282	----	----	----	----	130	UNCH	
11575	----	----	----	0.183B/0.201A	----	0.177 -	0.014 .0273	----	----	----	----	1	UNCH	
11650	----	----	----	0.177B/0.194A	----	0.172 -	0.014 .0264	----	----	----	----	2	UNCH	
11700	----	----	----	0.172B/0.193A	----	0.168 -	0.015 .0258	----	----	----	----	7	UNCH	
11725	----	----	----	0.171B/0.191A	----	0.167 -	0.014 .0256	----	----	----	----	4	UNCH	
11850	----	----	----	0.162B/0.182A	----	0.158 -	0.015 .0242	----	----	----	----	1	UNCH	
12000	----	----	----	0.153B/0.172A	----	0.149 -	0.015 .0227	----	----	----	----	44	UNCH	
12025	----	----	----	0.150B/0.171A	----	0.148 -	0.015 .0225	----	----	----	----	52	UNCH	
12050	----	----	----	0.150B/0.169A	----	0.146 -	0.015 .0222	----	----	----	----	208	UNCH	
12100	0.168	0.168	0.168/0.164A	0.168/0.164A	----	0.144 -	0.014 .0219	----	----	2	----	5 -	2	
12200	----	----	----	0.140B/0.163A	----	0.138 -	0.015 .0209	----	----	----	----	1	UNCH	
12275	----	----	----	0.136B/0.158A	----	0.134 -	0.015 .0203	----	----	----	----	1	UNCH	
12300	----	----	----	0.134B/0.154A	----	0.133 -	0.015 .0201	----	----	----	----	34	UNCH	
12500	0.128	0.128	0.128/0.128	0.128/0.128	----	0.124 -	0.014 .0186	----	----	1	----	158 +	1	
12525	0.143	0.143	0.143/0.143	0.143/0.143	----	0.123 NEW	0.015 .0185	----	----	3	----	3 +	3	
12550	----	----	----	0.121B/0.146A	----	0.121 -	0.015 .0182	----	----	----	----	2	UNCH	
12700	----	----	----	0.114B/0.135A	----	0.115 -	0.015 .0172	----	----	----	----	1	UNCH	
12725	----	----	----	0.113B/0.138A	----	0.114 -	0.015 .0170	----	----	----	----	2	UNCH	
12775	----	----	----	0.111B/0.136A	----	0.112 -	0.015 .0167	----	----	----	----	13	UNCH	
12800	----	----	----	0.109B/0.135A	----	0.111 -	0.015 .0166	----	----	----	----	3	UNCH	
13000	0.120	0.120	0.131/0.099	0.131/0.099	----	0.104 -	0.015 .0154	----	----	6	----	3598	UNCH	
14000	----	----	----	0.063B/0.098A	----	0.077 -	0.013 .0111	----	----	----	----	24	UNCH	
15000	0.061	0.061	0.064/0.061	0.064/0.061	----	0.058 -	0.012 .0082	----	----	2	----	116	UNCH	
16000	----	----	----	0.030B/0.061A	----	0.044 -	0.011 .0061	----	----	----	----	9	UNCH	
17000	----	----	----	0.024B/0.051A	----	0.035 -	0.010 .0048	----	----	----	----	2961	UNCH	
18000	----	----	----	0.015B/0.044A	----	0.028 -	0.009 .0037	----	----	----	----	8	UNCH	
19000	----	----	----	----/*0.042A	----	0.021 -	0.007 .0028	----	----	----	----	2	UNCH	
20000	----	----	----	0.002B/2.360A	----	0.016 -	0.006 .0021	----	----	----	----	245	UNCH	
25000	----	----	----	----/2.348A	----	0.004 -	0.002 .0005	----	----	----	----	21	UNCH	
27000	----	----	----	----/2.346A	----	0.002 -	0.002 .0002	----	----	----	----	5	UNCH	
30000	----	----	----	----/2.344A	----	0.001 -	0.001 .0001	----	----	----	----	15	UNCH	
32000	----	----	----	----/0.039A	----	0.001 -	0.001 .0000	----	----	----	----	3	UNCH	
35000	----	----	----	----/0.009A	----	0.001	UNCH .0000	----	----	----	----	6	UNCH	
TOTAL										1110	0	17452 +	413	
SEP26														
5025	----	----	#21.838B/----	21.838B/20.266A	----	20.696 +	1.981 .9543	----	----	----	----	1	UNCH	
5050	----	----	#21.596B/----	21.596B/20.034A	----	20.457 +	1.972 .9527	----	----	----	----	1	UNCH	
5100	----	----	21.122B/----	21.122B/19.571A	----	19.980 +	1.954 .9496	----	----	----	----	1	UNCH	
5900	----	----	13.902B/----	13.902B/12.697A	----	12.764 +	1.480 .8539	----	----	----	----	2	UNCH	
6000	----	----	13.075B/----	13.075B/11.932A	----	11.944 +	1.397 .8344	----	----	----	----	7	UNCH	
6175	----	----	11.698B/----	11.698B/10.595A	----	10.591 +	1.263 .7950	----	----	----	----	1	UNCH	
6250	----	----	11.129B/----	11.129B/10.049A	----	10.045 +	1.208 .7762	----	----	----	----	1	UNCH	
6275	----	----	10.941B/----	10.941B/9.871A	----	9.867 +	1.190 .7697	----	----	----	----	1	UNCH	
6300	----	----	10.760B/----	10.760B/9.695A	----	9.691 +	1.172 .7632	----	----	----	----	4	UNCH	
6450	----	----	9.693B/----	9.693B/8.687A	----	8.681 +	1.061 .7222	----	----	----	----	5	UNCH	
6500	9.000	9.000	9.355B/8.368A	9.355B/8.368A	----	8.361 +	1.022 .7080	----	----	1	----	6	UNCH	
6600	----	----	8.704B/----	8.704B/7.759A	----	7.747 +	0.946 .6789	----	----	----	----	1	UNCH	
6700	----	----	8.088B/----	8.088B/7.186A	----	7.169 +	0.870 .6491	----	----	----	----	2	UNCH	
6800	----	----	7.506B/----	7.506B/6.651A	----	6.628 +	0.797 .6190	----	----	----	----	2	UNCH	
6900	----	----	6.963B/----	6.963B/6.097A	----	6.123 +	0.728 .5887	----	----	----	----	1	UNCH	
6950	----	----	6.748B/											



BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
SEP26															
9525	----	----	1.179B/----	1.179B/1.044A	----	1.031	NEW .1307	----	----	1	----	1 +	1		
9600	----	----	1.133B/----	1.133B/1.005A	----	0.991 +	0.054 .1258	----	----	----	----	37	UNCH		
9750	----	----	1.048B/----	1.048B/0.935A	----	0.919 +	0.046 .1169	----	----	----	----	24	UNCH		
9800	----	----	1.021B/----	1.021B/0.916A	----	0.898 +	0.048 .1142	----	----	----	----	97	UNCH		
9900	----	----	0.972B/----	0.972B/0.872A	----	0.859 +	0.054 .1091	----	----	----	----	84	UNCH		
10000	0.921	0.921	0.930/0.837A	0.930/0.837A	----	0.821 +	0.055 .1043	----	43	----	----	421 -	7		
10025	----	----	0.914B/----	0.914B/0.828A	----	0.811 +	0.053 .1030	----	----	----	----	1	UNCH		
10050	----	----	0.904B/----	0.904B/0.819A	----	0.802 +	0.052 .1019	----	----	----	----	3	UNCH		
10100	0.852	0.852	0.882B/0.801A	0.882B/0.801A	----	0.783 +	0.047 .0995	----	1	----	----	55	UNCH		
10125	----	----	0.872B/----	0.872B/0.793A	----	0.774 +	0.045 .0984	----	----	----	----	1	UNCH		
10150	----	----	0.862B/----	0.862B/0.784A	----	0.764 +	0.041 .0972	----	----	----	----	1	UNCH		
10200	----	----	0.838B/----	0.838B/0.767A	----	0.747 +	0.037 .0950	----	----	----	----	54	UNCH		
10300	----	----	0.803B/----	0.803B/0.736A	----	0.714 +	0.029 .0908	----	----	----	----	52	UNCH		
10475	----	----	0.739B/----	0.739B/0.684A	----	0.663 +	0.023 .0842	----	----	----	----	1	UNCH		
10500	----	----	0.731B/----	0.731B/0.678A	----	0.656 +	0.022 .0833	----	21	----	----	256 +	21		
10800	----	----	0.631B/----	0.631B/0.612A	----	0.585 +	0.023 .0740	----	----	----	----	2	UNCH		
11000	----	----	0.579B/----	0.579B/0.570A	----	0.544 +	0.025 .0686	----	2	----	----	251	UNCH		
11100	----	----	0.559B/----	0.559B/0.560A	----	0.525 +	0.025 .0661	----	----	----	----	3	UNCH		
11300	----	----	0.517B/----	0.517B/0.521A	----	0.489 +	0.023 .0614	----	----	----	----	60	UNCH		
11500	0.460	0.460	0.471B/0.460	0.471B/0.460	----	0.455 +	0.020 .0570	----	3	----	----	112 +	2		
12000	----	----	0.396B/----	0.396B/0.411A	----	0.387 +	0.014 .0481	----	----	----	----	130	UNCH		
12500	----	----	0.337B/----	0.337B/0.355A	----	0.338 +	0.015 .0415	----	----	----	----	98	UNCH		
12700	----	----	0.316B/----	0.316B/0.348A	----	0.321 +	0.016 .0392	----	----	----	----	1	UNCH		
12775	----	----	0.309B/----	0.309B/0.341A	----	0.315 +	0.016 .0384	----	----	----	----	2	UNCH		
12800	----	----	0.307B/----	0.307B/0.339A	----	0.314 +	0.017 .0383	----	----	----	----	1	UNCH		
13000	----	----	0.289B/----	0.289B/0.321A	----	0.299 +	0.017 .0363	----	----	----	----	205	UNCH		
13500	----	----	0.249B/----	0.249B/0.282A	----	0.265 +	0.017 .0318	----	----	----	----	7	UNCH		
14000	----	----	----	0.221B/0.245A	----	0.237 +	0.016 .0282	----	----	----	----	231	UNCH		
15000	----	----	----	0.166B/0.204A	----	0.192 +	0.010 .0224	----	----	----	----	353	UNCH		
16000	----	----	----	0.123B/0.168A	----	0.159 +	0.007 .0183	----	----	----	----	30	UNCH		
17000	0.143	0.143	0.144/0.135A	0.144/0.135A	----	0.133 +	0.004 .0151	----	6	----	----	33 +	6		
18000	----	----	----	0.071B/0.125A	----	0.113 +	0.002 .0126	----	----	----	----	5	UNCH		
19000	----	----	----	0.050B/0.110A	----	0.096	UNCH .0106	----	----	----	----	14	UNCH		
20000	0.083	0.083	0.083/*0.080	0.083/0.080	----	0.083	UNCH .0091	----	4	----	----	315 +	4		
21000	----	----	----	0.026B/0.083A	----	0.072 -	0.001 .0078	----	----	----	----	11	UNCH		
23000	----	----	----	0.010B/0.069A	----	0.056 -	0.001 .0060	----	----	----	----	44	UNCH		
25000	----	----	----	0.003B/0.059A	----	0.045 -	0.002 .0047	----	----	----	----	77	UNCH		
26000	----	----	----	0.001B/0.055A	----	0.041 -	0.002 .0043	----	----	----	----	1	UNCH		
30000	----	----	----	----/0.057A	----	0.023 -	0.002 .0024	----	----	----	----	18	UNCH		
35000	----	----	----	----/2.388A	----	0.008 -	0.001 .0008	----	----	853	0	6584 +	335		
TOTAL										853	0	6584 +	335		
OCT26															
6850	----	----	8.546B/----	8.546B/7.932A	----	7.744 +	0.752 .6184	----	----	----	----	20	UNCH		
6925	----	----	8.153B/----	8.153B/8.077A	----	7.382 +	0.710 .5994	----	----	----	----	1	UNCH		
7000	----	----	7.751B/----	7.751B/7.153A	----	7.034 +	0.663 .5805	----	----	----	----	17	UNCH		
7100	----	----	7.341B/----	7.341B/6.643A	----	6.595 +	0.600 .5556	----	----	----	----	1	UNCH		
7200	7.000	7.000	7.000/6.229A	7.000/6.229A	----	6.182	NEW .5311	----	1	----	----	1 +	1		
7250	----	----	6.730B/----	6.730B/6.037A	----	5.985 +	0.508 .5191	----	----	----	----	19	UNCH		
7500	----	----	5.780B/----	5.780B/5.169A	----	5.105 +	0.407 .4617	----	----	----	----	2	UNCH		
7650	----	----	5.276B/----	5.276B/4.720A	----	4.653 +	0.369 .4297	----	----	----	----	2	UNCH		
7700	----	----	5.123B/----	5.123B/4.575A	----	4.514 +	0.353 .4195	----	----	----	----	1	UNCH		
7775	----	----	4.899B/----	4.899B/4.387A	----	4.314 +	0.326 .4046	----	----	----	----	2	UNCH		
7825	----	----	4.758B/----	4.758B/4.261A	----	4.187 +	0.307 .3949	----	----	----	----	1	UNCH		
7875	----	----	4.621B/----	4.621B/4.133A	----	4.065 +	0.290 .3855	----	----	----	----	2	UNCH		
8000	----	----	4.285B/----	4.285B/3.842A	----	3.779 +	0.263 .3629	----	----	----	----	124	UNCH		
8075	----	----	4.105B/----	4.105B/3.684A	----	3.621 +	0.262 .3501	----	----	----	----	1	UNCH		
8200	----	----	3.817B/----	3.817B/3.426A	----	3.376 +	0.272 .3298	----	----	----	----	1	UNCH		
8275	----	----	3.668B/----	3.668B/3.287A	----	3.240 +	0.281 .3183	----	----	----	----	2	UNCH		
8400	----	----	3.422B/----	3.422B/3.068A	----	3.028 +	0.284 .3001	----	----	----	----	1	UNCH		
8425	----	----	3.380B/----	3.380B/3.032A	----	2.988 +	0.282 .2966	----	----	----	----	1	UNCH		
8450	----	----	3.326B/----	3.326B/2.985A	----	2.948 +	0.279 .2931	----	----	----	----	20	UNCH		
8500	----	----	3.240B/----	3.240B/2.905A	----	2.871 +	0.271 .2864	----	----	----	----	16	UNCH		
8550	----	----	3.153B/----	3.153B/2.830A	----	2.796 +	0.260 .2798	----	----	----	----	1	UNCH		
8700	----	----	2.911B/----	2.911B/2.612A	----	2.586 +	0.216 .2610	----	----	----	----	8	UNCH		
8750	----	----	2.820B/----	2.820B/2.547A	----	2.520 +	0.198 .2551	----	----	----	----	1	UNCH		
8900	----	----	2.623B/----	2.623B/2.359A	----	2.335 +	0.148 .2382	----	----	----	----	12	UNCH		
9000	----	----	2.495B/----	2.495B/2.248A	----	2.222 +	0.119 .2277	----	----	----	----	40	UNCH		
9100	----	----	2.377B/----	2.377B/2.139A	----	2.116 +	0.095 .2177	----	----	----	----	39	UNCH		
9150	----	----	2.319B/----	2.319B/2.093A	----	2.066 +	0.085 .2130	----	----	----	----	2	UNCH		
9200	----	----	2.250B/----	2.250B/2.041A	----	2.018 +	0.077 .2084	----	----	----	----	1	UNCH		
9500	----	----	1.948B/----	1.948B/1.778A	----	1.771 +	0.064 .1840	----	----	----	----	129	UNCH		
9600	----	----	1.861B/----	1.861B/1.701A	----	1.699 +	0.066 .1768	----	----	----	----	5	UNCH		
9700	----	----	1.783B/----	1.783B/1.629A	----	1.632 +	0.069 .1700	----	----	----	----	85	UNCH		
9875	----	----	1.651B/----	1.651B/1.514A	----	1.520 +	0.070 .1587	----	----	----	----	1	UNCH		
9900	----	----	1.628B/----	1.628B/1.499A	----	1.504 +	0.069 .1571	----	----	----	----	1	UNCH		
10000	1.600	1.600	1.600/1.441A	1.600/1.441A	----	1.443 +	0.065 .1510	----	10	----	----	100 +	2		
10100	----	----	1.496B/----	1.496B/1.385A	----	1.384 +	0.061 .1452	----	----	----	----	1	UNCH		
10275	----	----	1.399B/----	1.399B/1.294A	----	1.287 +	0.054 .1355	----	----	----	----	1	UNCH		



BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
NOV26															
7600	----	----	5.830B/----	5.830B/6.383A	----	6.133 + 0.956	.4673	----	----	----	----	45	UNCH		
7900	----	----	4.983B/----	4.983B/5.582A	----	5.276 + 0.824	.4162	----	----	----	----	16	UNCH		
8000	----	----	4.752B/----	4.752B/5.328A	----	5.022 + 0.783	.4003	----	----	----	----	10	UNCH		
8200	----	----	4.300B/----	4.300B/4.882A	----	4.555 + 0.704	.3702	----	----	----	----	6	UNCH		
8600	----	----	3.541B/----	3.541B/4.097A	----	3.770 + 0.570	.3167	----	----	----	----	20	UNCH		
9000	----	----	2.944B/----	2.944B/3.501A	----	3.149 + 0.464	.2716	----	----	----	----	60	UNCH		
9550	----	----	2.309B/----	2.309B/2.793A	----	2.500 + 0.356	.2215	----	----	----	----	3	UNCH		
9800	----	----	2.080B/----	2.080B/2.551A	----	2.266 + 0.319	.2027	----	----	----	----	3	UNCH		
10000	----	----	1.917B/----	1.917B/2.388A	----	2.100 + 0.292	.1890	----	----	----	----	24	UNCH		
11000	----	----	1.301B/----	1.301B/1.843A	----	1.496 + 0.207	.1373	----	----	----	----	94	UNCH		
12000	----	----	1.167B/----	1.167B/1.216A	----	1.128 + 0.164	.1041	----	----	----	----	13	UNCH		
12500	1.000	1.000	1.025/1.000	1.025/1.000	----	0.997 + 0.152	.0919	----	----	4	----	14 +	4		
13000	----	----	0.804B/----	0.804B/0.971A	----	0.889 + 0.143	.0818	----	----	----	----	2	UNCH		
14000	----	----	0.700B/----	0.700B/0.792A	----	0.725 + 0.133	.0663	----	----	----	----	2	UNCH		
15000	----	----	----	0.473B/0.663A	----	0.607 + 0.125	.0551	----	----	----	----	6	UNCH		
16000	----	----	----	0.375B/0.571A	----	0.521 + 0.120	.0468	----	----	----	----	14	UNCH		
17000	----	----	----	0.298B/0.498A	----	0.455 + 0.113	.0405	----	----	----	----	2	UNCH		
20000	----	----	----	0.164B/0.356A	----	0.332 + 0.109	.0286	----	----	----	----	33	UNCH		
21000	----	----	----	0.180B/0.325A	----	0.306 + 0.107	.0260	----	----	----	----	1	UNCH		
25000	0.180	0.180	0.190/*0.180	0.190/*0.180	----	0.245 + 0.112	.0199	----	----	45	----	58 +	45		
30000	----	----	----	0.036B/0.163A	----	0.116 + 0.058	.0098	----	----	----	----	3	UNCH		
TOTAL										54	0	460 +	49		
DEC26															
3875	----	----	----	----	----	32.758 + 2.201	.9757	----	----	----	----	1	UNCH		
5000	----	----	----	7.248B/38.819A	----	22.243 + 1.995	.9110	----	----	----	----	30	UNCH		
5250	----	----	----	5.337B/36.427A	----	20.099 + 1.923	.8849	----	----	----	----	50	UNCH		
5500	----	----	----	3.614B/34.761A	----	18.066 + 1.837	.8533	----	----	----	----	1	UNCH		
6500	----	----	11.191B/----	11.191B/12.027A	----	11.369 + 1.412	.6818	----	----	----	----	605	UNCH		
6900	----	----	9.556B/----	9.556B/9.862A	----	9.416 + 1.246	.6045	----	----	----	----	1	UNCH		
6950	----	----	8.901B/----	8.901B/9.684A	----	9.198 + 1.225	.5949	----	----	----	----	220	UNCH		
7000	----	----	8.678B/----	8.678B/9.471A	----	8.986 + 1.204	.5855	----	----	----	----	120	UNCH		
7025	----	----	8.569B/----	8.569B/9.439A	----	8.882 + 1.193	.5808	----	----	----	----	1	UNCH		
7075	----	----	8.354B/----	8.354B/9.228A	----	8.677 + 1.171	.5714	----	----	----	----	5	UNCH		
7100	----	----	8.250B/----	8.250B/9.056A	----	8.577 + 1.161	.5667	----	----	----	----	15	UNCH		
7200	----	----	7.850B/----	7.850B/8.668A	----	8.187 + 1.116	.5483	----	----	----	----	1	UNCH		
7375	----	----	7.200B/----	7.200B/8.069A	----	7.553 + 1.041	.5172	----	----	----	----	2	UNCH		
7500	----	----	6.776B/----	6.776B/7.612A	----	7.136 + 0.990	.4958	----	----	----	----	28	UNCH		
7575	----	----	6.536B/----	6.536B/7.391A	----	6.900 + 0.962	.4833	----	----	----	----	1	UNCH		
7600	----	----	6.444B/----	6.444B/7.294A	----	6.823 + 0.952	.4792	----	----	----	----	1	UNCH		
7700	----	----	6.145B/----	6.145B/7.022A	----	6.528 + 0.907	.4631	----	----	20	----	20 +	20		
7800	----	----	5.861B/----	5.861B/6.717A	----	6.248 + 0.883	.4475	----	----	----	----	38	UNCH		
7900	----	----	5.593B/----	5.593B/6.462A	----	5.984 + 0.851	.4325	----	----	----	----	1	UNCH		
7925	----	----	5.529B/----	5.529B/6.398A	----	5.920 + 0.843	.4288	----	----	----	----	2	UNCH		
7950	----	----	5.465B/----	5.465B/6.333A	----	5.857 + 0.836	.4251	----	----	----	----	1	UNCH		
8000	----	----	5.342B/----	5.342B/5.447A	----	5.733 + 0.820	.4179	----	----	----	----	158	UNCH		
8100	----	----	5.099B/----	5.099B/5.956A	----	5.496 + 0.791	.4038	----	----	----	----	1	UNCH		
8200	----	----	4.872B/----	4.872B/5.718A	----	5.270 + 0.761	.3903	----	----	----	----	21	UNCH		
8400	----	----	4.457B/----	4.457B/5.282A	----	4.854 + 0.707	.3646	----	----	----	----	50	UNCH		
8500	----	----	4.800B/----	4.800B/4.887A	----	4.662 + 0.681	.3525	----	----	----	----	197	UNCH		
8550	----	----	4.177B/----	4.177B/5.018A	----	4.569 + 0.668	.3466	----	----	----	----	25	UNCH		
8600	----	----	4.088B/----	4.088B/4.926A	----	4.479 + 0.656	.3408	----	----	----	----	47	UNCH		
8800	----	----	3.756B/----	3.756B/4.558A	----	4.141 + 0.610	.3187	----	----	----	----	5	UNCH		
8900	----	----	3.603B/----	3.603B/4.398A	----	3.984 + 0.587	.3083	----	----	----	----	30	UNCH		
8950	----	----	3.529B/----	3.529B/4.321A	----	3.909 + 0.577	.3033	----	----	----	----	1	UNCH		
9000	----	----	3.458B/----	3.458B/4.246A	----	3.835 + 0.566	.2983	----	----	----	----	166	UNCH		
9050	----	----	3.388B/----	3.388B/4.195A	----	3.764 + 0.557	.2935	----	----	----	----	100	UNCH		
9100	----	----	3.320B/----	3.320B/4.118A	----	3.694 + 0.547	.2888	----	----	----	----	16	UNCH		
9300	----	----	3.064B/----	3.064B/3.849A	----	3.430 + 0.509	.2706	----	----	----	----	15	UNCH		
9500	----	----	2.833B/----	2.833B/3.596A	----	3.190 + 0.474	.2538	----	----	466	106	575 +	565		
9700	----	----	2.619B/----	2.619B/3.382A	----	2.973 + 0.444	.2383	----	----	----	----	1	UNCH		
9800	----	----	2.522B/----	2.522B/3.288A	----	2.871 + 0.428	.2310	----	----	----	----	76	UNCH		
9900	----	----	2.429B/----	2.429B/3.185A	----	2.774 + 0.414	.2240	----	----	----	----	5	UNCH		
10000	----	----	2.339B/----	2.339B/3.089A	----	2.682 + 0.400	.2173	----	----	----	----	858	UNCH		
10025	----	----	2.319B/----	2.319B/3.067A	----	2.659 + 0.397	.2156	----	----	----	----	3	UNCH		
10300	----	----	2.097B/----	2.097B/2.811A	----	2.428 + 0.361	.1985	----	----	----	----	1	UNCH		
10500	----	----	1.955B/----	1.955B/2.654A	----	2.278 + 0.339	.1872	----	----	466	106	708 +	506		
10600	----	----	1.887B/----	1.887B/2.614A	----	2.207 + 0.327	.1818	----	----	----	----	6	UNCH		
10700	----	----	1.825B/----	1.825B/2.540A	----	2.140 + 0.317	.1767	----	----	----	----	100	UNCH		
10800	----	----	1.765B/2.471A	1.765B/2.471A	----	2.075 + 0.307	.1717	----	----	----	----	5	UNCH		
11000	1.700	1.700	1.701B/*1.700	1.701B/1.700	----	1.954 + 0.287	.1624	----	----	56	----	266 +	56		
11350	----	----	1.474B/2.158A	1.474B/2.158A	----	1.766 + 0.258	.1476	----	----	----	----	5	UNCH		
11400	----	----	1.451B/2.139A	1.451B/2.139A	----	1.742 + 0.255	.1457	----	----	----	----	1	UNCH		
11600	----	----	1.355B/2.010A	1.355B/2.010A	----	1.648 + 0.239	.1383	----	----	----	----	1	UNCH		
11800	----	----	1.235B/1.999A	1.235B/1.999A	----	1.562 + 0.226	.1314	----	----	----	----	29	UNCH		
12000	----	----	1.142B/1.935A	1.142B/1.935A	----	1.483 + 0.214	.1250	----	----	----	----	585	UNCH		
12200	----	----	1.055B/1.872A	1.055B/1.872A	----	1.410 + 0.203	.1191	----	----	----	----	1	UNCH		
12300	----	----	1.012B/1.838A	1.012B/1.838A	----	1.376 + 0.199	.1163	----	----	----	----	2	UNCH		
12500	----	----	1.375B/----	1.375B/1.623A	----	1.311 + 0.189	.1109	----	----						



BULLETIN #113@				METALS OPTION PRODUCTS								Mon, Jun 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO CALL	COMEX SILVER OPTIONS															
MAR27																
10000	----	----	----	3.813B/5.071A	----	4.427 + 0.563	.2851	----	----	----	----	5	UNCH			
10500	----	----	----	3.306B/4.456A	----	3.906 + 0.499	.2549	----	----	----	----	10	UNCH			
11000	----	----	----	2.889B/4.086A	----	3.470 + 0.445	.2289	----	----	----	----	1	UNCH			
13000	----	----	----	1.764B/2.803A	----	2.285 + 0.294	.1552	----	----	----	----	175	UNCH			
14000	----	----	----	1.320B/2.496A	----	1.907 + 0.246	.1308	----	----	----	----	175	UNCH			
15000	----	----	----	0.978B/2.164A	----	1.615 + 0.207	.1115	----	----	----	----	53	UNCH			
16000	----	----	1.254B/----	1.254B/1.537A	----	1.385 + 0.176	.0961	----	----	----	----	27	UNCH			
17000	----	----	----	1.004B/1.397A	----	1.202 + 0.150	.0838	----	----	----	----	4	UNCH			
20000	1.000	1.000	1.000/1.000	1.000/1.000	----	0.840 + 0.102	.0588	----	----	1	----	10 +	1			
25000	----	----	----	0.330B/0.719A	----	0.532 + 0.062	.0371	----	----	----	----	6	UNCH			
30000	----	----	----	0.184B/0.581A	----	0.383 + 0.042	.0265	----	----	----	----	7	UNCH			
TOTAL										1	0	809 +	1			
APR27																
8525	----	----	6.738B/----	6.738B/8.197A	----	7.411 + 0.849	.4248	----	----	----	----	11	UNCH			
13000	----	----	----	2.135B/3.279A	----	3.744 + 1.209	.2111	----	----	----	----	1	UNCH			
TOTAL											0	12	0			
MAY27																
11000	----	----	----	0.001B/11.525A	----	5.795 - 0.578	.3027	----	----	----	----	1	UNCH			
TOTAL											0	1	0			
JUL27																
2000	----	----	----	----	----	53.329 + 2.421	.9747	----	----	----	----	1	UNCH			
10000	----	----	----	----	----	7.819 + 1.613	.3761	----	----	----	----	1	UNCH			
10300	----	----	----	----	----	7.575 + 1.701	.3627	----	----	----	----	1	UNCH			
TOTAL											0	3	0			
DEC27																
4000	----	----	----	----	----	36.654 + 3.239	.8982	----	----	----	----	1	UNCH			
20000	----	----	----	----	----	5.521 + 1.227	.2196	----	----	----	----	25	UNCH			
TOTAL											0	26	0			
SO PUT	COMEX SILVER OPTIONS															
JUL26																
2000	----	----	----	-----/0.007A	----	0.001	UNCH	----	----	----	----	6	UNCH			
2400	----	----	----	-----/0.239A	----	0.001	UNCH	----	----	----	----	10	UNCH			
2650	----	----	----	-----/0.023A	----	0.001	UNCH	----	----	----	----	6	UNCH			
2700	----	----	----	-----/0.023A	----	0.001	UNCH	----	----	----	----	2	UNCH			
2900	----	----	----	-----/0.024A	----	0.001 - 0.001	.0000	----	----	----	----	2	UNCH			
3000	----	----	----	0.001B/0.009A	----	0.001 - 0.002	.0000	----	----	----	----	12	UNCH			
3025	----	----	----	-----/0.024A	----	0.001 - 0.003	.0000	----	----	----	----	1	UNCH			
3175	----	----	----	-----/0.025A	----	0.001 - 0.004	.0000	----	----	----	----	10	UNCH			
3275	----	----	----	-----/0.025A	----	0.001 - 0.005	.0001	----	----	----	----	1	UNCH			
3350	----	----	----	-----/0.026A	----	0.002 - 0.004	.0002	----	----	----	----	2	UNCH			
3400	----	----	----	-----/0.026A	----	0.002 - 0.005	.0002	----	----	----	----	55	UNCH			
3475	----	----	----	-----/0.027A	----	0.002 - 0.006	.0002	----	----	----	----	5	UNCH			
3500	----	----	----	-----/0.027A	----	0.002 - 0.006	.0002	----	----	----	----	6	UNCH			
3600	----	----	----	-----/0.027A	----	0.003 - 0.007	.0004	----	----	----	----	21	UNCH			
3700	----	----	----	-----/0.028A	----	0.003 - 0.009	.0004	----	----	----	----	95	UNCH			
3800	----	----	----	-----/0.029A	----	0.004 - 0.009	.0005	----	----	----	----	25	UNCH			
3825	----	----	----	-----/0.029A	----	0.004 - 0.010	.0005	----	----	----	----	8	UNCH			
3850	----	----	----	-----/0.029A	----	0.004 - 0.010	.0006	----	----	----	----	3	UNCH			
3900	----	----	----	-----/0.029A	----	0.005 - 0.011	.0007	----	----	----	----	12	UNCH			
3950	----	----	----	-----/0.030A	----	0.005 - 0.012	.0007	----	----	----	----	1	UNCH			
4000	----	----	----	-----/0.020A	----	0.006 - 0.012	.0009	----	----	3	----	103 +	3			
4075	----	----	----	-----/0.031A	----	0.006 - 0.014	.0009	----	----	----	----	16	UNCH			
4100	----	----	----	-----/0.031A	----	0.006 - 0.014	.0009	----	----	----	----	6	UNCH			
4175	----	----	----	-----/0.032A	----	0.007 - 0.015	.0011	----	----	----	----	9	UNCH			
4200	----	----	----	-----/0.029A	----	0.007 - 0.016	.0011	----	----	----	----	28	UNCH			
4225	----	----	----	-----/0.033A	----	0.008 - 0.015	.0013	----	----	----	----	1	UNCH			
4250	----	----	----	-----/0.033A	----	0.008 - 0.016	.0013	----	----	----	----	21	UNCH			
4300	----	----	----	-----/0.034A	----	0.008 - 0.017	.0013	----	----	----	----	98	UNCH			
4325	----	----	----	-----/0.034A	----	0.009 - 0.017	.0015	----	----	----	----	17	UNCH			
4350	----	----	----	-----/0.034A	----	0.009 - 0.018	.0015	----	----	----	----	3	UNCH			
4375	----	----	----	-----/0.035A	----	0.009 - 0.018	.0015	----	----	----	----	32	UNCH			
4400	----	----	----	-----/0.035A	----	0.010 - 0.018	.0017	----	----	----	----	33	UNCH			
4425	----	----	----	-----/0.036A	----	0.010 - 0.019	.0017	----	----	----	----	1	UNCH			
4450	----	----	----	-----/0.036A	----	0.010 - 0.020	.0018	----	----	----	----	4	UNCH			
4475	----	----	----	-----/0.037A	----	0.011 - 0.020	.0019	----	----	----	----	19	UNCH			
4500	----	----	----	-----/0.038A	----	0.011 - 0.021	.0020	----	----	----	----	289	UNCH			
4575	----	----	----	-----/0.039A	----	0.012 - 0.022	.0022	----	----	----	----	75	UNCH			
4600	----	----	----	-----/0.040A	----	0.013 - 0.022	.0024	----	----	----	----	101	UNCH			
4625	----	----	----	-----/0.041A	----	0.013 - 0.023	.0024	----	----	----	----	11	UNCH			
4650	----	----	----	-----/0.041A	----	0.014 - 0.023	.0026	----	----	----	----	40	UNCH			
4675	----	----	----	-----/0.042A	----	0.014 - 0.025	.0027	----	----	----	----	12	UNCH			
4700	----	----	-----/0.031A	-----/0.031A	----	0.015 - 0.025	.0029	----	----	----	----	172	UNCH			
4725	----	----	----	-----/0.041A	----	0.015 - 0.026	.0029	----	----	----	----	3	UNCH			
4750	----	----	-----/0.041A	-----/0.041A	----	0.016 - 0.026	.0031	----	----	----	----	55	UNCH			
4775	----	----	-----/0.038A	0.002B/0.038A	----	0.016 - 0.027	.0032	----	----	----	----	8	UNCH			
4800	----	----	----/*0.038A	0.002B/0.038A	----	0.017 - 0.028	.0034	----	----	----	----	21	UNCH			
4825	----	----	----/*0.038A	0.003B/0.038A	----	0.018 - 0.028	.0036	----	----	----	----	26	UNCH			
4850	----	----	----/*0.038A	0.003B/0.038A	----	0.018 - 0.030	.0036	----	----	----	----	2	UNCH			
4875	----	----	----/*0.038A	0.004B/0.038A	----	0.019 - 0.030	.0039	----	----	----	----	23	UNCH			
4900	----	----	----/*0.030A	0.010B/*0.030A	----	0.020 - 0.031	.0041	----	----	----	----	170	UNCH			
4950	0.017	0.017	0.017/*0.017	0.017/*0.017	----	0.021 - 0.033	.0044	----	----	2	----	6	UNCH			
4975	----	----	-----/0.041A	0.007B/0.041A	----	0.022 - 0.034	.0046	----	----	----	----	3	UNCH			
5000	0.030	0.030	0.030/*0.019A	0.030/*0.019A	----	0.023 - 0.035	.0049	----	----	9	----	974 -	1			
5025	----	----	-----/0.042A	0.009B/0.042A	----	0.024 - 0.036	.0051	----	----	----	----	2	UNCH			
5050	----	----	-----/0.043A	0.021B/0.043A	----	0.026 - 0.036	.0056	----	----	----	----	17	UNCH			
5075	----	----	-----/0.044A	0.011B/0.044A	----	0.027 - 0.037	.0058	----	----	----	----	7	UNCH			
5100	----	----	----/*0.025A	0.012B/*0.025A	----	0.028 - 0.039	.0061	----	----	----	----	177	UNCH			
5125	----	----	----/0.046A	0.026B/0.046A	----	0.030 - 0.039	.0066	----	----	----	----	1	UNCH			
5150	----	----	----/0.048A	0.027B/0.048A	----	0.031 - 0.041	.0069	----	----	----	----	7	UNCH			
5175	----	----	----/0.049A													



	BULLETIN #113@				METALS OPTION PRODUCTS				Mon, Jun 15, 2026				PG64		
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO PUT	COMEX SILVER OPTIONS														
JUL26															
6275	0.382	0.382	0.382/0.233A	0.4158/0.233A	----	0.260	- 0.485	.0801	----	----	8	----	24	+	1
6300	0.488	0.488	0.488/0.248A	0.488/0.248A	----	0.278	- 0.511	.0857	----	----	101	----	224	-	34
6325	0.459	0.459	0.459/0.264A	0.4698/0.264A	----	0.298	- 0.538	.0919	----	----	3	----	37	+	2
6350	0.464	0.464	0.464/0.282A	0.5048/0.282A	----	0.319	- 0.567	.0984	----	----	3	----	145	-	1
6375	----	----	-----/0.300A	0.5418/0.300A	----	0.341	- 0.599	.1052	----	----	----	----	35	UNCH	
6400	0.490	0.490	0.490/0.320	0.5798/0.320	----	0.365	- 0.631	.1126	----	----	33	----	326	+	23
6425	----	----	-----/0.343A	0.6208/0.343A	----	0.392	- 0.664	.1207	----	----	----	----	66	UNCH	
6450	0.615	0.615	0.615/0.367A	0.6668/0.367A	----	0.420	- 0.699	.1291	----	----	4	----	77	-	1
6475	----	----	-----/0.393A	0.7158/0.393A	----	0.451	- 0.735	.1382	----	----	----	----	33	UNCH	
6500	0.625	0.625	0.642/0.421A	0.7658/0.421A	----	0.484	- 0.773	.1479	----	----	107	----	810	+	15
6525	0.734	0.734	0.742/0.451A	0.8178/0.451A	----	0.520	- 0.812	.1582	----	----	3	----	23	UNCH	
6550	0.679	0.679	0.679/0.483A	0.8738/0.483A	----	0.559	- 0.852	.1692	----	----	9	----	118	+	1
6575	----	----	-----/0.520A	0.9348/0.520A	----	0.601	- 0.893	.1809	----	----	----	----	19	UNCH	
6600	0.999	0.999	0.999/0.555	1.0008/0.555	----	0.647	- 0.935	.1933	----	----	97	----	174	-	26
6625	0.938	0.938	0.938/0.594A	1.0678/0.594A	----	0.696	- 0.978	.2064	----	----	1	----	68	+	1
6650	0.785	0.785	0.785/0.631A	1.1388/0.631A	----	0.748	- 1.022	.2200	----	----	12	----	226	+	11
6675	0.805	0.805	0.805/0.675A	1.2128/0.675A	----	0.805	- 1.066	.2345	----	----	1	----	21	UNCH	
6700	1.028	1.028	1.028/0.722A	1.2928/0.722A	----	0.865	- 1.112	.2495	----	----	39	----	105	+	6
6725	----	----	-----/0.774A	1.3708/0.774A	----	0.929	- 1.159	.2652	----	----	----	----	11	UNCH	
6750	1.288	1.288	1.288/0.828A	1.4628/0.828A	----	0.998	- 1.205	.2815	----	----	4	----	46	-	3
6775	0.999	0.999	1.001/0.888A	1.5598/0.888A	----	1.071	- 1.252	.2985	----	----	2	----	20	UNCH	
6800	1.306	1.306	1.315/0.949A	1.6628/0.949A	----	1.149	- 1.299	.3160	----	----	107	----	532	+	19
6825	----	----	-----/1.013A	1.7628/1.013A	----	1.231	- 1.346	.3340	----	----	25	----	48	-	25
6850	1.110	1.110	1.110/1.083A	1.8678/1.083A	----	1.319	- 1.393	.3526	----	----	2	----	54	+	1
6875	----	----	-----/1.153A	1.9828/1.153A	----	1.411	- 1.440	.3716	----	----	1	----	189	-	1
6900	1.310	1.310	1.521/1.232A	2.1008/1.232A	----	1.509	- 1.486	.3910	----	----	5	----	184	+	3
6925	1.472	1.472	1.472/1.313A	2.2308/1.313A	----	1.612	- 1.532	.4108	----	----	1	----	40	-	1
6950	1.568	1.568	1.568/1.399A	2.3668/1.399A	----	1.721	- 1.576	.4308	----	----	1	----	99	-	1
6975	2.176	2.176	2.176/1.493A	2.5098/1.493A	----	1.835	- 1.620	.4510	----	----	3	----	28	UNCH	
7000	2.175	2.175	2.311/1.587A	2.6568/1.587A	----	1.955	- 1.662	.4714	----	----	21	----	1287	-	3
7025	2.367	2.367	2.400/1.688A	2.8098/1.688A	----	2.080	- 1.703	.4918	----	----	26	----	204	-	4
7050	2.460	2.460	2.460/1.795A	2.9188/1.795A	----	2.212	- 1.742	.5121	----	----	2	----	15	+	1
7075	2.490	2.490	2.490/1.906A	3.0678/1.906A	----	2.348	- 1.780	.5324	----	----	1	----	10	+	1
7100	2.436	2.436	2.436/2.019A	3.0788/2.019A	----	2.491	- 1.816	.5525	----	----	1	----	54	+	1
7125	2.568	2.568	2.568/2.145A	3.2448/2.145A	----	2.639	- 1.851	.5723	----	----	2	----	14	+	2
7150	2.317	2.317	2.317/2.273A	3.4138/2.273A	----	2.792	- 1.884	.5918	----	----	2	----	178	+	1
7175	----	----	-----/2.405A	3.5858/2.405A	----	2.950	- 1.915	.6109	----	----	----	----	34	UNCH	
7200	3.179	3.179	3.179/2.540A	3.7598/2.540A	----	3.114	- 1.944	.6297	----	----	6	----	153	+	3
7225	----	----	-----/2.687A	3.9438/2.687A	----	3.282	- 1.973	.6479	----	----	----	----	7	UNCH	
7250	----	----	-----/2.834A	4.1338/2.834A	----	3.456	- 1.998	.6655	----	----	2	----	200	UNCH	
7275	----	----	-----/3.014A	4.3228/3.014A	----	3.634	- 2.022	.6826	----	----	----	----	6	UNCH	
7300	----	----	-----/3.170A	4.5128/3.170A	----	3.816	- 2.045	.6991	----	----	----	----	60	UNCH	
7325	----	----	-----/3.334A	4.7078/3.334A	----	4.003	- 2.066	.7149	----	----	1	----	14	UNCH	
7350	----	----	-----/3.504A	4.9118/3.504A	----	4.194	- 2.085	.7302	----	----	1	----	10	-	1
7375	----	----	-----/3.682A	5.1228/3.682A	----	4.388	- 2.104	.7448	----	----	----	----	125	UNCH	
7400	----	----	-----/3.852A	5.3348/3.852A	----	4.587	- 2.119	.7587	----	----	----	----	125	UNCH	
7425	----	----	-----/4.034A	5.5528/4.034A	----	4.788	- 2.135	.7719	----	----	----	----	29	UNCH	
7450	----	----	-----/4.216A	5.7688/4.216A	----	4.993	- 2.149	.7846	----	----	2	----	97	UNCH	
7475	----	----	-----/4.406A	5.9898/4.406A	----	5.202	- 2.161	.7964	----	----	----	----	28	UNCH	
7500	----	----	-----/4.600A	6.2128/4.600A	----	5.413	- 2.173	.8078	----	----	----	----	194	UNCH	
7525	----	----	-----/4.800A	6.4408/4.800A	----	5.627	- 2.183	.8185	----	----	----	----	27	UNCH	
7550	----	----	-----/5.000A	6.6648/5.000A	----	5.843	- 2.193	.8287	----	----	----	----	41	UNCH	
7575	----	----	-----/5.202A	6.8938/5.202A	----	6.062	- 2.202	.8382	----	----	----	----	27	UNCH	
7600	6.358	6.358	6.358/5.406A	7.1228/5.406A	----	6.283	- 2.210	.8470	----	----	1	----	47	-	1
7625	----	----	-----/5.614A	7.3548/5.614A	----	6.506	- 2.217	.8554	----	----	----	----	61	UNCH	
7650	----	----	-----/5.825A	7.5898/5.825A	----	6.731	- 2.223	.8634	----	----	----	----	66	UNCH	
7675	----	----	-----/6.039A	7.8238/6.039A	----	6.958	- 2.229	.8708	----	----	----	----	37	UNCH	
7700	----	----	-----/6.263A	8.0568/6.263A	----	7.186	- 2.234	.8776	----	----	----	----	238	UNCH	
7725	----	----	-----/6.474A	8.2948/6.474A	----	7.416	- 2.239	.8842	----	----	----	----	36	UNCH	
7750	----	----	-----/6.702A	8.5298/6.702A	----	7.648	- 2.242	.8902	----	----	----	----	25	UNCH	
7775	----	----	-----/6.919A	8.7698/6.919A	----	7.881	- 2.245	.8959	----	----	----	----	6	UNCH	
7800	----	----	-----/7.149A	9.0068/7.149A	----	8.115	- 2.249	.9012	----	----	----	----	102	UNCH	
7825	----	----	-----/7.371A	9.2478/7.371A	----	8.350	- 2.252	.9063	----	----	----	----	27	UNCH	
7850	----	----	-----/7.593A	9.4878/7.593A	----	8.586	- 2.254	.9108	----	----	----	----	35	UNCH	
7875	----	----	-----/7.824A	9.7288/7.824A	----	8.823	- 2.257	.9152	----	----	----	----	26	UNCH	
7900	----	----	-----/8.057A	9.9708/8.057A	----	9.062	- 2.258	.9191	----	----	----	----	29	UNCH	
7925	----	----	-----/8.287A	10.2128/8.287A	----	9.300	- 2.260	.9230	----	----	----	----	2	UNCH	
7950	----	----	-----/8.521A	10.3978/8.521A	----	9.540	- 2.261	.9265	----	----	----	----	4	UNCH	
7975	----														



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SO PUT	COMEX SILVER OPTIONS																		
AUG26																			
4375	----	----	----	----/*0.098A	0.0788/0.098A	----	----	0.062	-	0.062	.0102	----	----	160	UNCH				
4450	----	----	----	----/*0.104A	0.0698/0.104A	----	----	0.069	-	0.069	.0114	----	----	3	UNCH				
4500	0.084	0.084		0.084/0.083A	0.084/0.083A	----	----	0.075	-	0.072	.0124	----	1	14 +	1				
4600	----	----	----	----/*0.120A	0.0888/0.120A	----	----	0.086	-	0.083	.0144	----	----	5	UNCH				
4625	----	----	----	----/*0.122A	0.0918/0.122A	----	----	0.090	-	0.086	.0150	----	----	1	UNCH				
4700	----	----	----	----/*0.131A	0.1028/0.131A	----	----	0.100	-	0.095	.0168	----	----	9	UNCH				
4750	----	----	----	----/*0.139A	0.1118/0.139A	----	----	0.109	-	0.101	.0184	----	----	5	UNCH				
4775	----	----	----	----/*0.142A	0.1178/0.142A	----	----	0.113	-	0.105	.0191	----	----	3	UNCH				
4800	0.140	0.140		0.140/0.140	0.1508/0.140	----	----	0.117	-	0.109	.0198	----	2	19	UNCH				
4825	----	----	----	----/*0.145A	0.1258/0.145A	----	----	0.122	-	0.112	.0207	----	----	1	UNCH				
4900	0.153	0.153		0.153/*0.153	0.1588/0.153	----	----	0.137	-	0.125	.0233	----	1	4 -	1				
5000	0.215	0.215		0.215/0.162A	0.215/0.162A	----	----	0.155	-	0.149	.0267	5	----	108 -	1				
5050	----	----	----	----/*0.186A	0.1768/0.186A	----	----	0.166	-	0.162	.0287	----	----	1	UNCH				
5075	----	----	----	----/0.190A	0.2108/0.190A	----	----	0.171	-	0.169	.0296	----	----	2	UNCH				
5100	----	----	----	----/0.196A	0.1908/0.196A	----	----	0.177	-	0.176	.0308	----	----	63	UNCH				
5125	0.234	0.234		0.234/0.183A	0.234/0.183A	----	----	0.183	-	0.183	.0319	2	----	3	UNCH				
5150	0.198	0.198		0.198/0.198	0.2648/0.198	----	----	0.189	-	0.191	.0330	1	----	3 -	1				
5200	----	----	----	----/0.203A	0.2218/0.203A	----	----	0.202	-	0.207	.0354	----	----	226	UNCH				
5225	----	----	----	----/0.213A	0.2858/0.213A	----	----	0.209	-	0.215	.0367	----	----	3	UNCH				
5250	----	----	----	----/0.220A	0.2958/0.220A	----	----	0.216	-	0.224	.0381	----	----	16	UNCH				
5275	----	----	----	----/0.228A	0.3078/0.228A	----	----	0.223	-	0.234	.0394	----	----	1	UNCH				
5300	----	----	----	----/0.236A	0.3158/0.236A	----	----	0.231	-	0.243	.0409	----	----	33	UNCH				
5325	----	----	----	----/0.245A	0.3268/0.245A	----	----	0.239	-	0.252	.0424	----	----	3	UNCH				
5350	----	----	----	----/0.254A	0.3408/0.254A	----	----	0.247	-	0.263	.0439	----	----	2	UNCH				
5375	----	----	----	----/0.263A	0.3548/0.263A	----	----	0.256	-	0.273	.0456	----	----	2	UNCH				
5400	0.370	0.370		0.370/0.273	0.370/0.273	----	----	0.265	-	0.284	.0472	5	----	10 -	2				
5425	----	----	----	----/0.283A	0.3848/0.283A	----	----	0.275	-	0.295	.0491	----	----	5	UNCH				
5450	----	----	----	----/0.294A	0.3988/0.294A	----	----	0.285	-	0.306	.0509	----	----	2	UNCH				
5475	----	----	----	----/0.305A	0.4148/0.305A	----	----	0.296	-	0.318	.0529	----	----	2	UNCH				
5500	0.430	0.430		0.430/0.315A	0.430/0.315A	----	----	0.307	-	0.330	.0549	2	----	210 -	2				
5550	----	----	----	----/0.340A	0.4638/0.340A	----	----	0.330	-	0.356	.0592	----	----	1	UNCH				
5575	----	----	----	----/0.354A	0.4858/0.354A	----	----	0.343	-	0.370	.0615	----	----	4	UNCH				
5600	0.400	0.400		0.400/0.366A	0.5108/0.366A	----	----	0.357	-	0.383	.0640	16	----	20 -	13				
5625	----	----	----	----/0.382A	0.5338/0.382A	----	----	0.371	-	0.397	.0665	----	----	22	UNCH				
5650	----	----	----	----/0.397A	0.5508/0.397A	----	----	0.386	-	0.412	.0691	----	----	9	UNCH				
5675	----	----	----	----/0.411A	0.5728/0.411A	----	----	0.401	-	0.428	.0718	----	----	11	UNCH				
5700	0.525	0.525		0.525/0.429A	0.6068/0.429A	----	----	0.417	-	0.444	.0746	16	----	24 -	4				
5725	----	----	----	----/0.446A	0.6328/0.446A	----	----	0.435	-	0.459	.0777	----	----	2	UNCH				
5750	----	----	----	----/0.464A	0.6598/0.464A	----	----	0.453	-	0.476	.0808	10	----	41 +	10				
5775	----	----	----	----/0.483A	0.6878/0.483A	----	----	0.472	-	0.493	.0841	----	----	5	UNCH				
5800	----	----	----	----/0.499A	0.6988/0.499A	----	----	0.492	-	0.510	.0875	16	----	37	UNCH				
5825	----	----	----	----/0.519A	0.7278/0.519A	----	----	0.513	-	0.528	.0910	----	----	3	UNCH				
5850	----	----	----	----/0.540A	0.7588/0.540A	----	----	0.536	-	0.546	.0948	10	----	21 +	10				
5875	----	----	----	----/0.562A	0.7958/0.562A	----	----	0.559	-	0.565	.0986	----	----	5	UNCH				
5900	----	----	----	----/0.582A	0.8298/0.582A	----	----	0.583	-	0.584	.1026	17	----	23 +	9				
5925	----	----	----	----/0.611A	0.8788/0.611A	----	----	0.609	-	0.604	.1068	----	----	10	UNCH				
5950	----	----	----	----/0.633A	0.9128/0.633A	----	----	0.636	-	0.624	.1111	----	----	12	UNCH				
5975	----	----	----	----/0.657A	0.9518/0.657A	----	----	0.665	-	0.644	.1157	----	----	3	UNCH				
6000	0.942	0.942		0.942/0.685A	0.9878/0.685A	----	----	0.695	-	0.665	.1204	21	40	266 -	25				
6025	----	----	----	----/0.717A	1.0308/0.717A	----	----	0.726	-	0.686	.1252	----	----	2	UNCH				
6050	0.814	0.814		0.814/0.743A	1.0668/0.743A	----	----	0.759	-	0.708	.1303	40	----	118	UNCH				
6075	----	----	----	----/0.776A	1.1098/0.776A	----	----	0.793	-	0.730	.1355	----	----	1	UNCH				
6100	0.800	0.800		0.800/0.800	1.1548/0.800	----	----	0.829	-	0.753	.1409	3	----	154	UNCH				
6125	----	----	----	----/0.845A	1.2028/0.845A	----	----	0.867	-	0.775	.1466	1	----	5 -	1				
6150	----	----	----	----/0.882A	1.2518/0.882A	----	----	0.907	-	0.798	.1524	10	----	387 +	8				
6175	1.000	1.000		1.000/0.921A	1.3028/0.921A	----	----	0.948	-	0.821	.1584	1	----	22	UNCH				
6200	0.954	0.954		0.954/0.954	1.3558/0.954	----	----	0.992	-	0.844	.1646	17	100	580 -	67				
6225	1.030	1.030		1.030/1.003A	1.4108/1.003A	----	----	1.037	-	0.868	.1710	1	----	16 +	1				
6250	1.126	1.126		1.127/1.048A	1.4798/1.048A	----	----	1.084	-	0.893	.1775	38	----	210 -	5				
6275	----	----	----	----/1.095A	1.5408/1.095A	----	----	1.133	-	0.918	.1842	----	----	162	UNCH				
6300	1.220	1.220		1.220/1.143A	1.6048/1.143A	----	----	1.185	-	0.942	.1912	15	100	506 -	65				
6325	----	----	----	----/1.194A	1.6658/1.194A	----	----	1.239	-	0.966	.1984	----	----	3	UNCH				
6350	----	----	----	----/1.245A	1.7318/1.245A	----	----	1.295	-	0.991	.2057	9	----	89 +	9				
6375	1.397	1.397		1.397/1.300A	1.7998/1.300A	----	----	1.353	-	1.016	.2132	3	----	4 +	3				
6400	----	----	----	----/1.358A	1.8658/1.358A	----	----	1.414	-	1.041	.2209	11	----	165 -	2				
6425	----	----	----	----/1.417A	1.9418/1.417A	----	----	1.477	-	1.066	.2288	----	----	11	UNCH				
6450	----	----	----	----/1.479A	2.0128/1.479A	----	----	1.543	-	1.091	.2369	9	----	55 +	9				
6475	----	----	----	----/1.539A	2.0928/1.539A	----	----	1.611	-	1.117	.2451	----	----	2	UNCH				
6500	2.024	2.024		2.024/1.605A	2.1718/1.605A	----	----	1.682	-	1.142	.2535	253	----	329 +	90				
6525	----	----	----	----/1.675A	2.2498/1.675A</														

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO PUT	COMEX SILVER OPTIONS																		
AUG26																			
8275	----	----	----	----/12.329A	13.840B/12.329A	----	13.183	- 2.125	.8078	----	----	----	----	----	7	UNCH			
8300	----	----	----	----/12.547A	14.064B/12.547A	----	13.405	- 2.130	.8117	----	----	----	----	----	1	UNCH			
8325	----	----	----	----/12.768A	14.290B/12.768A	----	13.629	- 2.134	.8157	----	----	----	----	----	5	UNCH			
8375	----	----	----	----/13.207A	14.743B/13.207A	----	14.078	- 2.141	.8231	----	----	----	----	----	2	UNCH			
8400	----	----	----	----/13.419A	14.970B/13.419A	----	14.304	- 2.145	.8267	----	----	----	1	----	2	+			
8425	----	----	----	----/13.638A	15.198B/13.638A	----	14.530	- 2.148	.8303	----	----	----	----	----	1	UNCH			
8475	----	----	----	----/14.091A	15.656B/14.091A	----	14.985	- 2.154	.8370	----	----	----	----	----	1	UNCH			
8500	----	----	----	----/14.307A	15.886B/14.307A	----	15.214	- 2.156	.8402	----	----	----	----	----	21	UNCH			
8600	----	----	----	----/15.206A	16.812B/15.206A	----	16.135	- 2.164	.8523	----	----	----	----	----	3	UNCH			
8650	----	----	----	----/15.664A	17.278B/15.664A	----	16.597	- 2.173	.8581	----	----	----	----	----	1	UNCH			
8700	----	----	----	----/16.126A	17.746B/16.126A	----	17.063	- 2.176	.8634	----	----	----	----	----	2	UNCH			
8825	----	----	----	----/17.279A	18.930B/17.279A	----	18.233	- 2.187	.8758	----	----	----	----	----	4	UNCH			
8850	----	----	----	----/17.511A	19.168B/17.511A	----	18.468	- 2.189	.8780	----	----	----	----	----	1	UNCH			
8900	----	----	----	----/17.970A	19.646B/17.970A	----	18.940	- 2.191	.8824	----	----	----	----	----	24	UNCH			
9000	----	----	----	----/18.905A	20.606B/18.905A	----	19.888	- 2.196	.8906	----	----	----	----	----	63	UNCH			
9025	----	----	----	----/19.135A	20.846B/19.135A	----	20.126	- 2.197	.8925	----	----	----	----	----	4	UNCH			
9150	----	----	----	----/20.316A	22.052B/20.316A	----	21.319	- 2.204	.9015	----	----	----	----	----	4	UNCH			
9175	----	----	----	----/20.558A	22.294B/20.558A	----	21.559	- 2.205	.9032	----	----	----	----	----	1	UNCH			
9200	----	----	----	----/20.790A	22.536B/20.790A	----	21.799	- 2.206	.9048	----	----	----	----	----	1	UNCH			
9225	----	----	----	----/21.028A	22.779B/21.028A	----	22.039	- 2.207	.9064	----	----	----	----	----	1	UNCH			
9275	----	----	----	----/21.507A	23.332B/21.507A	----	22.520	- 2.208	.9094	----	----	----	----	----	5	UNCH			
9300	----	----	----	----/21.748A	23.573B/21.748A	----	22.761	- 2.209	.9109	----	----	----	----	----	1	UNCH			
9325	----	----	----	----/21.983A	23.750B/21.983A	----	23.002	- 2.210	.9123	----	----	----	----	----	11	UNCH			
9350	----	----	----	----/22.222A	23.993B/22.222A	----	23.243	- 2.211	.9137	----	----	----	----	----	4	UNCH			
9500	----	----	----	----/23.662A	25.455B/23.662A	----	24.696	- 2.214	.9213	----	----	----	----	----	32	UNCH			
9975	----	----	----	----/28.277A	30.115B/28.277A	----	29.324	- 2.229	.9407	----	----	----	----	----	1	UNCH			
10000	----	----	----	----/28.512A	30.361B/28.512A	----	29.568	- 2.230	.9416	----	----	----	----	----	7	UNCH			
10025	----	----	----	----/28.772A	30.608B/28.772A	----	29.813	- 2.230	.9424	----	----	----	----	----	1	UNCH			
10175	----	----	----	----/30.239A	32.087B/30.239A	----	31.283	- 2.234	.9472	----	----	----	----	----	15	UNCH			
11000	----	----	----	----/38.378A	39.504B/38.378A	----	39.424	- 2.237	.9645	----	----	----	----	----	5	UNCH			
12000	----	----	----	----	----	----	49.344	- 2.238	.9772	----	----	----	----	----	6	UNCH			
TOTAL													769	240	7648	+			
SEP26																			
2500	----	----	----	-----/0.292A	----	----	0.009	- 0.006	.0010	----	----	----	----	----	60	UNCH			
3000	----	----	----	0.001B/0.207A	----	----	0.029	- 0.017	.0033	----	----	----	----	----	22	UNCH			
3250	----	----	----	0.018B/0.090A	----	----	0.043	- 0.024	.0050	----	----	----	----	----	1	UNCH			
3475	----	----	----	0.034B/0.094A	----	----	0.056	- 0.031	.0068	----	----	----	----	----	1	UNCH			
3500	----	----	----	0.036B/0.096A	----	----	0.058	- 0.032	.0070	----	----	----	----	----	74	UNCH			
3950	----	----	----	/*0.136A	0.079B/0.136A	----	0.097	- 0.053	.0124	----	----	----	----	----	1	UNCH			
4000	----	----	----	/*0.106A	0.085B/*0.106A	----	0.103	- 0.056	.0132	----	----	----	----	----	47	UNCH			
4100	----	----	----	/*0.153A	0.098B/0.153A	----	0.114	- 0.064	.0148	----	----	----	----	----	2	UNCH			
4200	----	----	----	/*0.166A	0.113B/0.166A	----	0.127	- 0.074	.0167	----	----	----	----	----	1	UNCH			
4250	----	----	----	/0.173A	0.122B/0.173A	----	0.134	- 0.080	.0177	----	----	----	----	----	1	UNCH			
4400	----	----	----	/0.196A	0.153B/0.196A	----	0.156	- 0.102	.0211	----	----	----	----	----	1	UNCH			
4500	0.170	0.170	0.170	/0.170	0.172B/0.170	----	0.174	- 0.119	.0237	----	----	----	1	----	16	-			
4525	----	----	----	/*0.205A	0.178B/0.205A	----	0.178	- 0.125	.0244	----	----	----	----	----	2	UNCH			
4600	----	----	----	/*0.222A	0.196B/0.222A	----	0.194	- 0.140	.0267	----	----	----	----	----	3	UNCH			
4700	----	----	----	/*0.243A	0.223B/0.243A	----	0.216	- 0.163	.0301	----	----	----	----	----	16	UNCH			
4725	----	----	----	/*0.255A	0.231B/0.255A	----	0.223	- 0.169	.0311	----	----	----	----	----	1	UNCH			
4800	----	----	----	/0.275A	0.257B/0.275A	----	0.243	- 0.189	.0341	----	----	----	----	----	19	UNCH			
5000	----	----	----	/0.342A	0.341B/0.342A	----	0.311	- 0.248	.0440	----	----	22	----	355	UNCH				
5100	----	----	----	/0.383A	0.393B/0.383A	----	0.354	- 0.281	.0502	----	----	----	----	4	UNCH				
5200	----	----	----	/0.432A	0.454B/0.432A	----	0.405	- 0.317	.0573	----	----	22	----	26	-				
5250	----	----	----	/0.460A	0.487B/0.460A	----	0.434	- 0.338	.0613	----	----	----	----	15	UNCH				
5350	----	----	----	/0.522A	0.563B/0.522A	----	0.500	- 0.389	.0703	----	----	----	----	5	UNCH				
5375	----	----	----	/0.540A	0.584B/0.540A	----	0.518	- 0.402	.0727	----	----	----	----	1	UNCH				
5400	----	----	----	/0.558A	0.650B/0.558A	----	0.537	- 0.416	.0752	----	----	----	----	3	UNCH				
5450	----	----	----	/0.597A	0.724B/0.597A	----	0.576	- 0.444	.0804	----	----	1	----	0	-				
5475	----	----	----	/0.617A	0.752B/0.617A	----	0.596	- 0.459	.0831	----	----	----	----	3	UNCH				
5500	0.596	0.596	0.596	/0.596	0.781B/0.596	----	0.617	- 0.473	.0859	----	----	43	40	256	+				
5575	----	----	----	/0.702A	0.874B/0.702A	----	0.686	- 0.517	.0948	----	----	----	----	2	UNCH				
5600	0.720	0.720	0.720	/0.720	0.908B/0.720	----	0.712	- 0.532	.0981	----	----	1	----	20	+				
5625	----	----	----	/0.755A	0.942B/0.755A	----	0.739	- 0.547	.1015	----	----	----	----	1	UNCH				
5700	----	----	----	/0.840A	1.053B/0.840A	----	0.828	- 0.595	.1124	----	----	----	----	21	UNCH				
5725	----	----	----	/0.871A	1.092B/0.871A	----	0.860	- 0.612	.1162	----	----	----	----	3	UNCH				
5750	----	----	----	/0.903A	1.133B/0.903A	----	0.893	- 0.630	.1201	----	----	----	----	1	UNCH				
5800	----	----	----	/0.970A	1.218B/0.970A	----	0.963	- 0.666	.1284	----	----	----	----	31	UNCH				
5900	----	----	----	/1.109A	1.411B/1.109A	----	1.114	- 0.746	.1459	----	----	----	----	51	UNCH				
5950	----	----	----	/1.192A	1.517B/1.192A	----	1.198	- 0.787	.1553	----	----	----	----	4	UNCH				
5975	----	----	----	/1.237A	1.567B/1.237A	----	1.243	- 0.807	.1603	----	----	----	----	10	UNCH				
6000	1.500	1.500	1.500	/1.500	1.624B/1.500	----	1.290	- 0.827	.1654	----	----	483	----	623	-				
6025	----	----	----	/1.330A	1.683B/1.330A	----	1.338	- 0.848	.1705	----	----	----	----	1	UNCH				
6050	----	----	----	/1.379A	1.750B/1.379A	----	1.390	- 0.867	.1759	----	----	----	----	19	UNCH				
6100	1.507	1.507	1.507	/1.507	1.877B/1.483A	----	1.498	- 0.906	.1871	----	----	1	----	84	+				
6200	1.891	1.891	1.891	/1.891	1.713A	----	1.743	- 0.979	.2110	----	----	13	----	139	+				
6300	----	----	----	/1.973A	2.461B/1.973A	----	2.022	- 1.052	.2366	----	----	----	----	39	UNCH				
6400	2.432	2.432	2.432	/2.432	2.268A	----	2.335	- 1.125	.2636	----	----	40	----	50	+				
6425	----	----	----	/2.347A	2.891B/2.347A	----	2.418	- 1.144	.2705	----	----	----	----	1	UNCH				
6450	----	----	----	/2.428A	2.983B/2.428A	----	2.504	- 1.162	.2775	----	----	----	----	1	UNCH				
6500	2.650	2.650	2.650	/2.650	2.597A	----	2.681	- 1.200	.2917	----	----	19	----	191	+				
6525	2.802	2.802	2.802	/2.802	2.685A	----	2.773	- NEW	.2989	----	----	1	----	1	+				
6550	----	----	----	/2.772A	3.375B/2.772A	----	2.867	- 1.238	.3062	----	----	----	----	15	UNCH				
6600	3.139	3.139	3.139	/3.139	2.948A	----	3.062	- 1.276	.3208	----	----	33	----	33	+				
6625	3.229	3.229	3.229	/3.229	3.040A	----	3.163	- NEW	.3282	----	----	14	----	14	+				
6700	----	----	----	/3.326A	4.031B/3.326A	----	3.479	- 1.351	.3506	----	----	----	----	200	555	+			
6750	----	----	----	/3.529A	4.266B/3.529A	----	3.701	- 1.388	.3656	----	----	----	----	1	UNCH				
6800	----	----	----	/3.740A	4.511B/3.740A	----	3.931	- 1.424	.3807	----	----	----	----	2	UNCH				
6850	----	----	----	/3.960A	4.764B/3.960A	----	4.172	- 1.459	.3959	----	----	----	----	2	UNCH				
6900	----	----	----	/4.185A	5.026B/4.185A	----	4.421	- 1.493	.4110	----	----	----	----	24	UNCH				
6975	----	----	----	/4.546A	5.434B/4.546A	----	4.812	- 1.541	.4336	----	----	----	----	15	UNCH				
7000	5.170	5.170	5.170	/5.170	4.670A	----	4.946	- 1.557	.4411	----	----	33	----	180	-				
7050	----	----	----	/4.926A	5.862B/4.926A	----	5.223	- 1.586	.4561	----	----	----	----	2	UNCH				
7075	----	----	----	/5.064A	6.008B/5.064A	----	5.3.5												



PRELIMINARY



	BULLETIN #113@				METALS OPTION PRODUCTS				Mon, Jun 15, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
OCT26														
5925	----	----	----/1.614A	1.672B/1.614A	----	1.646 - 0.862	.1709	----	----	----	----	1	UNCH	
5950	----	----	----/1.665A	1.724B/1.665A	----	1.704 - 0.875	.1757	----	----	----	----	5	UNCH	
6000	1.834	1.834	1.838B/1.773A	1.838B/1.773A	----	1.826 - 0.901	.1855	----	----	6	----	62	UNCH	
6025	----	----	----/1.830A	1.890B/1.830A	----	1.889 - 0.915	.1905	----	----	----	----	1	UNCH	
6100	2.069	2.069	2.078B/2.008A	2.078B/2.008A	----	2.084 - 0.958	.2057	----	----	6	----	14	+	
6150	----	----	----/2.136A	2.204B/2.136A	----	2.218 - NEW	.2160	----	----	1	----	1	+	
6250	----	----	----/2.411A	2.481B/2.411A	----	2.495 - 1.068	.2371	----	----	----	----	5	UNCH	
6275	----	----	----/2.485A	2.563B/2.485A	----	2.567 - NEW	.2425	----	----	1	----	1	+	
6300	----	----	----/2.563A	2.648B/2.563A	----	2.641 - 1.109	.2480	----	----	----	----	15	UNCH	
6350	2.735	2.735	2.805B/2.719A	2.805B/2.719A	----	2.792 - NEW	.2591	----	----	1	----	1	+	
6375	2.814	2.814	2.886B/2.799A	2.886B/2.799A	----	2.871 - NEW	.2647	----	----	1	----	1	+	
6400	----	----	----/2.881A	2.969B/2.881A	----	2.951 - 1.194	.2704	----	----	----	----	5	UNCH	
6500	----	----	----/3.234A	3.322B/3.234A	----	3.293 - 1.276	.2938	----	----	----	----	182	UNCH	
6600	----	----	----/3.622A	3.720B/3.622A	----	3.780 - 1.348	.3182	----	----	----	----	31	UNCH	
6625	3.699	3.699	3.799B/3.699	3.799B/3.699	----	3.787 - 1.363	.3245	----	----	1	----	33	+	
6650	----	----	----/3.827A	3.931B/3.827A	----	3.885 - 1.379	.3307	----	----	----	----	36	UNCH	
6700	----	----	----/4.027A	4.143B/4.027A	----	4.103 - 1.409	.3433	----	----	----	----	70	UNCH	
6725	----	----	----/4.150A	4.233B/4.150A	----	4.216 - 1.423	.3496	----	----	----	----	1	UNCH	
6750	----	----	----/4.238A	4.379B/4.238A	----	4.331 - 1.437	.3559	----	----	----	----	2	UNCH	
6800	----	----	----/4.458A	4.612B/4.458A	----	4.567 - 1.465	.3686	----	----	----	----	15	UNCH	
6850	----	----	----/4.698A	4.854B/4.698A	----	4.812 - 1.492	.3813	----	----	----	----	1	UNCH	
6900	----	----	----/4.936A	5.104B/4.936A	----	5.065 - 1.519	.3940	----	----	----	----	10	UNCH	
6950	----	----	----/5.176A	5.361B/5.176A	----	5.325 - 1.548	.4066	----	----	----	----	1	UNCH	
7000	----	----	----/5.426A	5.627B/5.426A	----	5.591 - 1.580	.4191	----	----	----	----	97	UNCH	
7025	----	----	----/5.584A	5.759B/5.584A	----	5.726 - 1.596	.4254	----	----	----	----	1	UNCH	
7050	----	----	----/5.692A	5.900B/5.692A	----	5.864 - 1.611	.4316	----	----	----	----	1	UNCH	
7075	----	----	----/5.846A	6.041B/5.846A	----	6.003 - 1.627	.4378	----	----	----	----	1	UNCH	
7225	----	----	----/6.669A	6.906B/6.669A	----	6.871 - 1.721	.4745	----	----	----	----	88	UNCH	
7250	----	----	----/6.792A	7.061B/6.792A	----	7.022 - 1.735	.4805	----	----	----	----	1	UNCH	
7275	----	----	----/6.959A	7.166B/6.959A	----	7.174 - 1.749	.4865	----	----	----	----	1	UNCH	
7300	----	----	----/7.084A	7.366B/7.084A	----	7.329 - 1.761	.4924	----	----	----	----	8	UNCH	
7350	----	----	----/7.386A	7.678B/7.386A	----	7.642 - 1.785	.5041	----	----	----	----	1	UNCH	
7500	----	----	----/8.311A	8.671B/8.311A	----	8.622 - 1.836	.5380	----	----	----	----	28	UNCH	
7600	----	----	----/8.954A	9.372B/8.954A	----	9.308 - 1.860	.5595	----	----	----	----	13	UNCH	
7650	----	----	----/9.296A	9.722B/9.296A	----	9.659 - 1.873	.5700	----	----	----	----	1	UNCH	
7700	----	----	----/9.642A	10.060B/9.642A	----	10.016 - 1.889	.5802	----	----	----	----	1	UNCH	
7775	----	----	----/10.172A	10.589B/10.172A	----	10.560 - 1.917	.5951	----	----	----	----	2	UNCH	
7950	----	----	----/11.464A	12.516B/11.464A	----	11.873 - 1.972	.6279	----	----	----	----	10	UNCH	
8000	----	----	----/11.836A	12.159B/11.836A	----	12.258 - 1.979	.6367	----	----	----	----	10	UNCH	
8200	----	----	----/13.515A	13.738B/13.515A	----	13.841 - 1.969	.6698	----	----	----	----	6	UNCH	
8375	----	----	----/15.114A	14.601B/15.114A	----	15.271 - 1.958	.6960	----	----	----	----	1	UNCH	
8400	----	----	----/15.116A	15.352B/15.116A	----	15.478 - 1.959	.6996	----	----	----	----	6	UNCH	
9100	----	----	----/21.302A	20.756B/21.302A	----	21.520 - 2.148	.7819	----	----	----	----	1	UNCH	
10000	----	----	----	20.030B/38.051A	----	29.797 - 2.178	.8486	----	----	----	----	40	UNCH	
TOTAL										19	0	858	+	
NOV26														
4500	----	----	----/0.499A	0.296B/0.499A	----	0.431 - 0.138	.0436	----	----	----	----	1	UNCH	
4550	----	----	----/*0.520A	0.319B/0.520A	----	0.459 - 0.144	.0463	----	----	----	----	1	UNCH	
4800	----	----	----/*0.658A	0.465B/0.658A	----	0.622 - 0.189	.0619	----	----	----	----	1	UNCH	
5000	----	----	----/*0.807A	0.618B/0.807A	----	0.793 - 0.232	.0776	----	----	----	----	12	UNCH	
5200	----	----	----/0.986A	0.822B/0.986A	----	1.012 - 0.285	.0967	----	----	----	----	1	UNCH	
5400	----	----	----/1.512A	0.798B/1.512A	----	1.292 - 0.346	.1197	----	----	----	----	8	UNCH	
5500	----	----	----/1.600A	0.976B/1.600A	----	1.459 - 0.380	.1328	----	----	----	----	45	UNCH	
5600	----	----	----/1.645A	1.487B/1.645A	----	1.645 - 0.417	.1468	----	----	----	----	9	UNCH	
5950	----	----	----/2.486A	1.905B/2.486A	----	2.471 - 0.561	.2037	----	----	----	----	1	UNCH	
6000	----	----	----/2.616A	2.027B/2.616A	----	2.613 - 0.583	.2127	----	----	----	----	1	UNCH	
6425	----	----	----/4.006A	3.327B/4.006A	----	4.084 - 0.785	.2959	----	----	----	----	1	UNCH	
6500	----	----	----/4.296A	3.609B/4.296A	----	4.395 - 0.821	.3114	----	----	----	----	41	UNCH	
6675	----	----	----/5.043A	4.329B/5.043A	----	5.183 - 0.903	.3482	----	----	----	----	20	UNCH	
6700	----	----	----/5.156A	4.439B/5.156A	----	5.305 - 0.912	.3535	----	----	----	----	50	UNCH	
7000	----	----	----/6.623A	5.921B/6.623A	----	6.892 - 1.020	.4163	----	----	----	----	41	UNCH	
7025	----	----	----/6.776A	6.058B/6.776A	----	7.033 - 1.030	.4214	----	----	----	----	6	UNCH	
7400	----	----	----/8.963A	8.311B/8.963A	----	9.308 - 1.191	.4955	----	----	----	----	24	UNCH	
7500	----	----	----/9.621A	8.987B/9.621A	----	9.961 - 1.236	.5142	----	----	----	----	7	UNCH	
7700	----	----	----/10.967A	10.285B/10.967A	----	11.320 - 1.325	.5499	----	----	----	----	50	UNCH	
8500	----	----	----/17.032A	16.328B/17.032A	----	17.361 - 1.637	.6704	----	----	----	----	60	UNCH	
9000	----	----	----/21.192A	20.510B/21.192A	----	21.517 - 1.775	.7280	----	----	----	----	5	UNCH	
10000	----	----	----/30.084A	29.169B/30.084A	----	30.391 - 1.950	.8106	----	----	----	----	1	UNCH	
11000	----	----	----	26.406B/51.536A	----	39.724 - 2.041	.8624	----	----	----	----	1	UNCH	
TOTAL											0	387	0	
DEC26														
1500	----	----	----	----/2.652A	----	0.002 - UNCH	.0002	----	----	----	----	180	UNCH	
2000	----	----	----	----/2.665A	----	0.007 - 0.003	.0007	----	----	----	----	10	UNCH	
2500	----	----	----	0.001B/2.726A	----	0.025 - 0.009	.0025	----	----	----	----	32	UNCH	
3000	----	----	----	0.001B/2.875A	----	0.066 - 0.022	.0065	----	----	----	----	93	UNCH	
3100	----	----	----	0.001B/2.911A	----	0.078 - 0.026	.0076	----	----	----	----	1	UNCH	
3150	----	----	----	0.010B/0.227A	----	0.085 - 0.028	.0083	----	----	----	----	1	UNCH	
3500	----	----	----	0.045B/0.282A	----	0.147 - 0.047	.0142	----	----	----	----	45	UNCH	
3850	----	----	----	0.113B										

	BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST					
SO PUT				COMEX SILVER OPTIONS																
DEC26																				
11000	----	----	----	----	23.867B/54.886A	----	----	40.114 - 1.957	.8372	----	----	----	----		2	UNCH				
11500	----	----	----	----	28.298B/59.875A	----	----	44.821 - 2.002	.8577	----	----	----	----		1	UNCH				
12000	----	----	----	----	32.977B/64.533A	----	----	49.581 - 2.039	.8746	----	----	----	----		1	UNCH				
12100	----	----	----	----	33.919B/65.381A	----	----	50.539 - 2.045	.8776	----	----	----	----		1	UNCH				
12300	----	----	----	----	35.905B/67.394A	----	----	52.459 - 2.057	.8834	----	----	----	----		1	UNCH				
TOTAL												8	0		3827 +	6				
JAN27																				
3800	----	----	----	----	0.107B/0.458A	----	----	0.447 + 0.068	.0339	----	----	----	----		1	UNCH				
5000	1.142	1.142		1.142/1.142	1.142/1.142	----	----	1.576 + 0.119	.1098	----	----	3	----		4 +	3				
6000	----	----	----	----/3.634A	2.581B/3.634A	----	----	4.167 + 0.117	.2382	----	----	----	----		5	UNCH				
6500	----	----	----	----/5.504A	4.337B/5.504A	----	----	5.421 - 0.780	.3112	----	----	----	----		1	UNCH				
6925	----	----	----	----/7.528A	6.312B/7.528A	----	----	7.296 - 1.189	.3861	----	----	----	----		24	UNCH				
7000	----	----	----	----/7.932A	6.710B/7.932A	----	----	7.690 - 1.239	.3995	----	----	----	----		25	UNCH				
7100	----	----	----	----/8.485A	7.281B/8.485A	----	----	8.236 - 1.302	.4172	----	----	----	----		20	UNCH				
7125	----	----	----	----/8.627A	7.386B/8.627A	----	----	8.376 - 1.317	.4217	----	----	----	----		1	UNCH				
8600	----	----	----	----/18.891A	18.497B/18.891A	----	----	19.088 - 1.449	.6262	----	----	----	----		1	UNCH				
8850	----	----	----	----/20.576A	20.579B/20.576A	----	----	21.249 - 1.359	.6483	----	----	----	----		9	UNCH				
TOTAL												3	0		91 +	3				
FEB27																				
6500	----	----	----	----/6.038A	4.799B/6.038A	----	----	5.996 - 0.714	.3152	----	----	----	----		1	UNCH				
6700	----	----	----	----/6.973A	5.705B/6.973A	----	----	6.813 - 0.942	.3477	----	----	----	----		10	UNCH				
8150	----	----	----	----/16.045A	14.865B/16.045A	----	----	15.953 - 1.535	.5653	----	----	----	----		10	UNCH				
8225	----	----	----	----/16.607A	15.235B/16.607A	----	----	16.549 - 1.520	.5737	----	----	----	----		10	UNCH				
8250	----	----	----	----/16.788A	15.664B/16.788A	----	----	16.750 - 1.514	.5764	----	----	----	----		10	UNCH				
8900	----	----	----	----/21.872A	21.320B/21.872A	----	----	22.212 - 1.313	.6369	----	----	----	----		3	UNCH				
TOTAL													0		44	0				
MAR27																				
4500	----	----	----	----/*1.062A	0.646B/1.062A	----	----	0.913 - 0.190	.0680	----	----	----	----		2	UNCH				
5400	----	----	----	----/*2.760A	1.658B/2.760A	----	----	2.446 - 0.417	.1565	----	----	----	----		7	UNCH				
5500	----	----	----	----/2.972A	1.900B/2.972A	----	----	2.696 - 0.448	.1691	----	----	----	----		41	UNCH				
6000	----	----	----	----/4.462A	3.322B/4.462A	----	----	4.259 - 0.618	.2396	----	----	----	----		50	UNCH				
6300	----	----	----	----/5.658A	4.393B/5.658A	----	----	5.464 - 0.729	.2858	----	----	----	----		1	UNCH				
6500	----	----	----	----/6.530A	5.239B/6.530A	----	----	6.378 - 0.801	.3173	----	----	----	----		20	UNCH				
6825	----	----	----	----/8.167A	6.794B/8.167A	----	----	8.040 - 0.918	.3683	----	----	----	----		2	UNCH				
7000	----	----	----	----/9.087A	7.722B/9.087A	----	----	9.019 - 0.980	.3954	----	----	----	----		3	UNCH				
7500	----	----	----	----/12.112A	10.818B/12.112A	----	----	12.111 - 1.144	.4684	----	----	----	----		3	UNCH				
8100	----	----	----	----/16.251A	14.993B/16.251A	----	----	16.304 - 1.314	.5451	----	----	----	----		6	UNCH				
8300	----	----	----	----/17.739A	16.491B/17.739A	----	----	17.797 - 1.365	.5679	----	----	----	----		50	UNCH				
8500	----	----	----	----/19.258A	18.030B/19.258A	----	----	19.330 - 1.413	.5894	----	----	----	----		3	UNCH				
8975	----	----	----	----/23.021A	22.087B/23.021A	----	----	23.111 - 1.514	.6354	----	----	----	----		1	UNCH				
10500	----	----	----	----/36.041A	34.637B/36.041A	----	----	36.185 - 1.756	.7445	----	----	----	----		10	UNCH				
TOTAL													0		199	0				
APR27																				
4000	----	----	----	----/*3.526A	0.343B/0.792A	----	----	1.249 + 0.543	.0670	----	----	----	----		1	UNCH				
5600	----	----	----	----/21.229A	2.356B/3.526A	----	----	4.599 + 0.891	.2062	----	----	----	----		10	UNCH				
7925	15.000	15.000		15.000/14.940	15.000/14.940	----	----	14.938 NEW	.5139	----	----	2	----		2 +	2				
8725	----	----	----	----	19.735B/21.229A	----	----	21.409 - 1.301	.5909	----	----	----	----		3	UNCH				
TOTAL												2	0		16 +	2				
MAY27																				
6500	----	----	----	----	0.001B/9.000A	----	----	7.222 - 1.431	.3145	----	----	----	----		10	UNCH				
TOTAL													0		10	0				
DEC27																				
7175	----	----	----	----	----	----	----	12.784 - 1.462	.3741	----	----	----	----		25	UNCH				
TOTAL													0		25	0				
SO2 CALL				SILVER OPTIONS																
JUN26																				
6300	----	----	----	----	----	----	----	4.974 UNCH	----	----	----	----	----		0	UNCH				
6400	----	----	----	----	----	----	----	3.974 UNCH	----	----	----	----	----		0	UNCH				
6500	----	----	----	----	----	----	----	2.974 UNCH	----	----	----	----	----		0	UNCH				
6520	----	----	----	----	----	----	----	2.774 UNCH	----	----	----	----	----		0	UNCH				
6550	----	----	----	----	----	----	----	2.474 UNCH	----	----	----	----	----		0	UNCH				
6600	----	----	----	----	----	----	----	1.974 UNCH	----	----	----	----	----		0	UNCH				
6610	----	----	----	----	----	----	----	1.874 UNCH	----	----	----	----	----		0	UNCH				
6620	----	----	----	----	----	----	----	1.774 UNCH	----	----	----	----	----		0	UNCH				
6640	----	----	----	----	----	----	----	1.574 UNCH	----	----	----	----	----		0	UNCH				
6650	----	----	----	----	----	----	----	1.474 UNCH	----	----	----	----	----		0	UNCH				
6690	----	----	----	----	----	----	----	1.074 UNCH	----	----	----	----	----		0	UNCH				
6700	----	----	----	----	----	----	----	0.974 UNCH	----	----	----	----	----		0	UNCH				
6710	----	----	----	----	----	----	----	0.874 UNCH	----	----	----	----	----		0	UNCH				
6720	----	----	----	----	----	----	----	0.774 UNCH	----	----	----	----	----		0	UNCH				
6740	----	----	----	----	----	----	----	0.574 UNCH	----	----	----	----	----		0	UNCH				
6750	----	----	----	----	----	----	----	0.474 UNCH	----	----	----	----	----		0	UNCH				
6760	----	----	----	----	----	----	----	0.374 UNCH	----	----	----	----	----		0	UNCH				
6800	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0	UNCH				
6820	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0	UNCH				
6850	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0	UNCH				
6900	----	----	----	----	----	----	----	0.000 UNCH	----	----	----	----	----		0	UNCH				
7000	----	----	----	----	----	----	----	0.000 UNCH	----</											



PG64	BULLETIN #113@				METALS OPTION PRODUCTS					Mon, Jun 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S02 PUT JUN26	SILVER OPTIONS													
7400	----	----	----	----	----	6.026	UNCH	----	----	----	----	0	UNCH	
7450	----	----	----	----	----	6.526	UNCH	----	----	----	----	0	UNCH	
7490	----	----	----	----	----	6.926	UNCH	----	----	----	----	0	UNCH	
7500	----	----	----	----	----	7.026	UNCH	----	----	----	----	0	UNCH	
7700	----	----	----	----	----	9.026	UNCH	----	----	----	----	0	UNCH	
TOTAL											0	0	0	
JUL26														
6000	----	----	----/0.493A	0.381B/0.493A	----	0.392	- 0.487	.0850	----	----	----	1	UNCH	
6400	----	----	----/0.954A	0.988B/0.954A	----	0.850	- 0.968	.1759	----	----	----	4	UNCH	
6500	----	----	----/1.145A	1.235B/1.145A	----	1.045	- 1.104	.2102	----	1	----	2 +	1	
6550	0.948	0.948	0.948/*0.948	1.332B/*0.948	----	1.158	- 1.173	.2291	----	15	----	25 +	15	
6600	----	----	----/1.365A	1.521B/1.365A	----	1.283	- 1.241	.2492	----	----	----	14	UNCH	
6700	----	----	----/1.625A	1.859B/1.625A	----	1.572	- 1.374	.2927	----	----	----	49	UNCH	
6750	----	----	----/1.795A	2.009B/1.795A	----	1.736	- 1.439	.3159	----	----	----	1	UNCH	
6950	----	----	----/2.505A	2.894B/2.505A	----	2.538	- 1.674	.4155	----	----	----	5	UNCH	
7000	3.064	3.064	3.064/2.645A	3.189B/2.645A	----	2.775	- 1.727	.4414	----	2	----	2 +	1	
TOTAL										18	0	103 +	17	
S03 CALL	SILVER OPTIONS													
JUL26														
6500	----	----	----	0.044B/16.808A	----	7.040	+ 1.313	.7667	----	----	----	1	UNCH	
6650	----	----	----	0.045B/11.902A	----	5.974	+ 1.169	.7096	----	----	----	6	UNCH	
6800	----	----	#4.512B/----	#4.512B/5.157A	----	5.016	+ 1.025	.6464	----	----	----	2	UNCH	
7000	----	----	#4.518B/----	#4.518B/4.109A	----	3.921	+ 0.839	.5570	----	----	----	1	UNCH	
7300	----	----	#3.091B/----	#3.091B/2.864A	----	2.664	+ 0.580	.4257	----	----	----	6	UNCH	
7500	2.450	2.450	#2.450/2.264A	#2.450/2.264A	----	2.057	+ 0.427	.3486	----	2	----	4 +	2	
7800	----	----	#1.573B/----	#1.573B/1.612A	----	1.417	+ 0.237	.2550	----	----	----	2	UNCH	
8000	----	----	#1.194B/----	#1.194B/1.303A	----	1.123	+ 0.142	.2072	----	----	----	3	UNCH	
TOTAL										2	0	25 +	2	
S03 PUT	SILVER OPTIONS													
JUL26														
6000	----	----	----/*0.637A	0.552B/*0.637A	----	0.533	- 0.457	.1030	----	----	----	2	UNCH	
6300	----	----	----/*1.027A	1.051B/*1.027A	----	0.921	- 0.724	.1698	----	----	----	1	UNCH	
6600	----	----	----/*1.705A	1.879B/*1.705A	----	1.618	- 1.012	.2704	----	----	----	7	UNCH	
6650	----	----	----/*1.874A	2.014B/*1.874A	----	1.773	- 1.060	.2902	----	----	----	6	UNCH	
TOTAL											0	16	0	
S04 CALL	SILVER OPTIONS													
JUN26														
6500	6.225	6.225	#7.224B/6.225	7.224B/6.191A	----	6.201	+ 1.508	.8580	----	1	----	2	UNCH	
6750	----	----	#5.101B/----	#5.101B/4.187A	----	4.183	+ 1.087	.7393	----	----	----	1	UNCH	
6950	----	----	#3.624B/----	#3.624B/2.828A	----	2.852	NEW	.6055	----	1	----	1 +	1	
7000	----	----	#3.299B/----	#3.299B/2.525A	----	2.567	NEW	.5685	----	4	----	4 +	4	
7200	2.201	2.201	#2.234B/1.622A	#2.234B/1.622A	----	1.634	NEW	.4189	----	1	----	1 +	1	
7350	----	----	#1.605B/----	1.605B/1.149A	----	1.140	+ 0.185	.3174	----	----	----	2	UNCH	
7500	----	----	1.139B/----	1.139B/0.809A	----	0.793	+ 0.079	.2340	----	----	----	3	UNCH	
7600	----	----	0.904B/----	0.904B/0.647A	----	0.626	+ 0.033	.1895	----	----	----	0	UNCH	
7700	----	----	0.718B/----	0.718B/0.528A	----	0.499	+ 0.001	.1534	----	----	----	3	UNCH	
7800	----	----	0.578B/----	0.578B/0.435A	----	0.403	+ 0.020	.1248	----	----	----	1	UNCH	
8000	----	----	0.383B/----	0.383B/0.321A	----	0.275	+ 0.041	.0846	----	----	----	6	UNCH	
8200	----	----	0.264B/----	0.264B/0.250A	----	0.201	+ 0.047	.0602	----	----	----	1	UNCH	
8300	----	----	----	0.198B/0.235A	----	0.176	+ 0.048	.0518	----	----	----	1	UNCH	
9000	----	----	----	0.080B/0.145A	----	0.088	- 0.042	.0224	----	----	----	1	UNCH	
TOTAL										7	0	27 +	6	
S04 PUT	SILVER OPTIONS													
JUN26														
5250	----	----	----/*0.082A	0.002B/*0.082A	----	0.040	- 0.050	.0090	----	----	----	36	UNCH	
6200	----	----	----/*0.256A	0.215B/0.256A	----	0.232	- 0.374	.0666	----	----	----	3	UNCH	
6400	----	----	----/*0.346A	0.420B/*0.346A	----	0.379	- 0.587	.1099	----	----	----	3	UNCH	
6500	0.450	0.450	0.450/0.439A	0.557B/0.439A	----	0.494	NEW	.1419	----	5	----	5 +	5	
6700	----	----	----/0.742A	1.034B/0.742A	----	0.851	NEW	.2322	----	2	----	2 +	2	
6900	----	----	----/1.217A	1.763B/1.217A	----	1.446	+ 1.419	.3585	----	----	----	3	UNCH	
6950	----	----	----/1.372A	1.991B/1.372A	----	1.641	+ 1.508	.3944	----	----	----	5	UNCH	
7100	----	----	----/1.951A	2.808B/1.951A	----	2.348	+ 1.751	.5068	----	----	----	1	UNCH	
7400	----	----	----/3.678A	4.590B/3.678A	----	4.295	+ 2.086	.7124	----	----	----	1	UNCH	
TOTAL										7	0	59 +	7	
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK													
JUN26														
4750	----	----	----	----/0.093A	----	0.010	- 0.014	.0019	----	----	----	1	UNCH	
5000	----	----	----	----/0.073A	----	0.019	- 0.020	.0040	----	----	----	1	UNCH	
5200	----	----	----	----/0.214A	----	0.001	- 0.007	----	----	----	----	3	UNCH	
5250	----	----	----	----/0.210A	----	0.001	- 0.007	----	----	----	----	5	UNCH	
5250	----	----	----	0.001B/0.085A	----	0.033	- 0.030	.0074	----	----	----	1	UNCH	
5400	----	----	----	0.003B/*0.091A	----	0.045	- 0.040	.0106	----	----	----	5	UNCH	
5600	----	----	----/*0.074A	0.001	----	0.001	- 0.019	----	----	----	----	1	UNCH	
5700	----	----	----/*0.065A	0.001	----	0.001	- 0.028	.0000	----	----	----	1	UNCH	
5750	----	----	----/*0.067A	0.001	----	0.001	- 0.034	.0000	----	----	----	10	UNCH	
5800	----	----	----/*0.068A	0.001	----	0.001	- 0.041	.0000	----	----	----	3	UNCH	
6000	----	----	----/*0.070A	0.001B/*0.070A	----	0.004	- 0.085	.0004	----	----	----	1	UNCH	
6100	0.141	0.141	0.141/*0.141	0.150B/*0.141	----	0.149	NEW	.0455	----	2	----	2 +	2	
6200	----	----	----/0.212A	0.133B/0.212A	----	0.186	- 0.360	.0585	----	----	----	10	UNCH	
6200	----	----	----/*0.085A	0.001B/*0.085A	----	0.013	- 0.161	.0022	----	----	----	5	UNCH	
6250	----	----	----/0.238A	0.245B/0.238A	----	0.210	- 0.408	.0668	----	----	----	1	UNCH	
6300	----	----	----/*0.083A	0.003B/*0.083A	----	0.023	- 0.222	.0049	----	----	----	3	UNCH	
6300	----	----	----/0.266A	0.240B/0.266A	----	0.238	- 0.463	.0765	----	----	----	17	UNCH	
6350	----	----	----/*0.086A	0.007B/*0.086A	----	0.031	- 0.262	.0074	----	----	----	2	UNCH	
6400	----	----	7.538B/----	7.538B/6.463A	----	6.486	+ 1.614	.8988	----	----	----	0	UNCH	
6400	----	----	----/0.305A	0.324B/0.305A	----	0.311	- 0.591	.1011	----	----	----	0	UNCH	
6400	----	----	----/*0.092A	0.012B/*0.092A	----	0.043	- 0.308	.0114	----	----	----	2	UNCH	
6450	----	----	----/*0.100A	0.020B/*0.100A	----	0.059	- 0.365	.0171	----	----	----	1	UNCH	
6500	0.413	0.413	0.413/0.389A											

PG64	BULLETIN #113@			METALS OPTION PRODUCTS							Mon, Jun 15, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK													
JUN26														
7750	----	----	0.406B/0.295A	0.406B/0.295A	----	0.274 - 0.041	.0952	----	----	----	----	2	UNCH	
7800	----	----	----/0.081A	0.020B/0.081A	----	0.019 NEW	.0041	----	----	2	----	2 +	2	
8050	----	----		0.180B/0.213A	----	0.159 - 0.050	.0521	----	----	4	----	4	UNCH	
8100	----	----	----/0.196A	0.161B/0.196A	----	0.147 - 0.050	.0476	----	----	1	----	1	UNCH	
8150	----	----	----/0.184A	0.144B/0.184A	----	0.137 - 0.050	.0438	----	----		----	0	UNCH	
8200	----	----		0.001B/0.072A	----	0.002 - 0.029	.0001	----	----	10	----	10	UNCH	
8350	----	----		0.098B/0.155A	----	0.107 - 0.047	.0324	----	----	9	----	9	UNCH	
8400	----	----	----/0.147A	0.089B/0.147A	----	0.102 - 0.046	.0304	----	----	4	----	4	UNCH	
8500	----	----	----/0.135A	0.076B/0.135A	----	0.092 - 0.045	.0267	----	----		----	0	UNCH	
8500	----	----		----/0.070A	----	0.001 - 0.016	.0000	----	----	2	----	2	UNCH	
8700	----	----		----/0.074A	----	0.001 - 0.011	----	----	----	2	----	2	UNCH	
8700	----	----	----/0.120A	0.057B/0.120A	----	0.078 - 0.043	.0213	----	----	4	----	4	UNCH	
TOTAL										286	0	527 +	264	
JUL26														
6700	----	----	----/*1.132A	1.305B/1.132A	----	1.203 - 1.293	.2671	----	----	----	----	3	UNCH	
TOTAL											0	3	0	
TWS TUE	SILVER WEEKLY TUESDAY OPTION Week3													
JUN26														
5250	----	----	----	----/0.230A	----	0.001 - 0.003	----	----	----	----	----	5	UNCH	
5600	----	----	----/*0.130A	0.046B/*0.130A	----	0.092 - 0.142	.0228	----	----	2	----	2	UNCH	
5750	----	----		----/0.090A	----	0.001 - 0.018	----	----	----	2	----	2	UNCH	
5900	----	----		----/*0.100A	----	0.001 - 0.030	----	----	----	3	----	3	UNCH	
5960	----	----		----/0.071A	----	0.001 - 0.038	----	----	----	1	----	1	UNCH	
6050	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.001 - 0.052	----	----	2	1 -	2			
6100	----	----	----/*0.063A	----/*0.063A	----	0.001 - 0.064	----	----	----	1	----	1	UNCH	
6300	----	----	----/0.393A	0.399B/0.393A	----	0.371 - 0.586	.1010	----	----	2	----	2	UNCH	
6350	----	----	----/*0.064A	0.001B/*0.064A	----	0.001 - 0.182	----	----	----	35	----	35	UNCH	
6350	0.210	0.210	0.210/*0.210	0.210/*0.210	----	0.213 NEW	.0737	----	1	1 +	1			
6400	----	----	----/*0.073A	0.001B/*0.073A	----	0.001 - 0.229	.0000	----	----	5	----	5	UNCH	
6450	----	----	----/*0.069A	0.001B/*0.069A	----	0.003 - 0.288	.0001	----	----	1	----	1	UNCH	
6500	----	----	----/*0.069A	0.001B/*0.069A	----	0.005 - 0.363	.0002	----	----	1	----	1	UNCH	
6520	----	----	#6.113B/----	#6.113B/4.884A	----	4.986 + 1.809	.9995	----	----	1	----	1	UNCH	
6590	----	----	#5.415B/----	#5.415B/4.271A	----	4.295 + 1.663	.9981	----	----	1	----	1	UNCH	
6600	0.001	0.001	0.001/*0.001	0.015B/*0.001	----	0.018 - 0.566	.0023	----	1	1	----	1	UNCH	
6600	----	----	5.325B/----	5.325B/4.172A	----	4.197 + 1.639	.9976	----	----	1	----	1	UNCH	
6600	----	----	----/0.842A	0.943B/0.842A	----	0.793 - 0.985	.2029	----	----	2	----	2	UNCH	
6650	----	----	----/*0.087A	0.023B/*0.087A	----	0.032 - 0.699	.0059	----	----	36	----	36	UNCH	
6680	----	----	----/*0.093A	0.053B/*0.093A	----	0.046 - 0.786	.0106	----	----	8	----	8	UNCH	
6700	0.151	0.151	0.271/*0.075	0.271/*0.075	----	0.057 - 0.849	.0148	----	5	6 +	5			
6700	----	----	4.346B/----	4.346B/3.210A	----	3.237 + 1.357	.9851	----	----	4	----	4	UNCH	
6700	----	----	#4.803B/----	#4.803B/3.856A	----	3.844 + 1.140	.7777	----	----	1	----	1	UNCH	
6740	----	----	#3.957B/----	#3.957B/2.838A	----	2.867 + 1.224	.9711	----	----	3	----	3	UNCH	
6750	----	----	3.861B/----	3.861B/2.746A	----	2.777 + 1.190	.9666	----	----	1	----	1	UNCH	
6750	0.298	0.298	0.298/*0.115A	0.298/*0.115A	----	0.097 NEW	.0334	----	1	1 +	1			
6800	----	----	#4.463B/----	#4.463B/4.534A	----	4.013 + 0.928	.6926	----	----	1	----	1	UNCH	
6800	----	----	3.387B/----	3.387B/2.300A	----	2.339 + 1.013	.9318	----	----	1	----	1	UNCH	
6810	0.146	0.146	0.160/*0.145A	0.302B/*0.145A	----	0.173 NEW	.0769	----	2	1 +	1			
6850	----	----	#2.921B/----	2.921B/1.880A	----	1.915 + 0.816	.8796	----	----	1	----	1	UNCH	
6880	2.200	2.200	#2.645B/1.643A	#2.645B/1.643A	----	1.675 + 0.698	.8359	----	4	10	----	10	UNCH	
6900	0.255	0.255	0.255/*0.206A	0.666B/*0.206A	----	0.343 NEW	.1992	----	15	15 +	15			
6950	1.040	1.040	#2.047B/1.040	2.047B/1.040	----	1.171 NEW	.6910	----	1	1 +	1			
6950	----	----	----/*0.277A	0.877B/*0.277A	----	0.491 NEW	.3089	----	1	1 +	1			
7000	----	----	----/1.953A	2.251B/1.953A	----	2.077 - 1.614	.4352	----	----	1	----	1	UNCH	
7000	1.700	1.700	1.700/0.788A	1.700/0.788A	----	0.869 + 0.267	.5559	----	3	3	----	3	UNCH	
7000	0.495	0.495	0.705/*0.372A	1.153B/*0.372A	----	0.689 NEW	.4440	----	16	10 +	10			
7050	0.920	0.920	1.291B/0.545	1.291B/0.545	----	0.624 NEW	.4115	----	11	7 +	7			
7050	0.600	0.600	0.600/*0.515A	1.181B/*0.515A	----	0.944 NEW	.5884	----	2	2 +	2			
7070	0.537	0.537	#1.161B/0.488A	#1.161B/0.488A	----	0.542 NEW	.3560	----	4	4 +	4			
7070	0.596	0.596	0.596/*0.586A	1.248B/*0.586A	----	1.062 NEW	.6439	----	1	1 +	1			
7100	0.738	0.738	0.747/*0.699A	1.485B/*0.699A	----	1.255 NEW	.7209	----	4	3 +	3			
7100	----	----	1.033B/0.395A	1.033B/0.395A	----	0.435 NEW	.2791	----	1	1 +	1			
7100	----	----	#2.630B/----	#2.630B/2.436A	----	2.286 + 0.480	.4970	----	----	2	----	2	UNCH	
7110	0.940	0.940	#0.977B/0.368A	#0.977B/0.368A	----	0.404 NEW	.2557	----	1	1 +	1			
7130	1.000	1.000	1.000/*0.836A	1.732B/*0.836A	----	1.466 NEW	.7873	----	2	2 +	2			
7150	0.246	0.246	0.774B/0.246	0.774B/0.246	----	0.296 NEW	.1741	----	1	1 +	1			
7180	0.215	0.215	#0.215/*0.215	#0.643B/*0.215	----	0.233 NEW	.1267	----	1	1 +	1			
7250	0.110	0.110	0.404B/0.110	0.404B/0.110	----	0.131 - 0.103	.0554	----	5	6 +	1			
7250	----	----	----/1.651A	2.808B/1.651A	----	2.451 - 2.307	.9445	----	----	30	----	30	UNCH	
7280	0.300	0.300	#0.332B/*0.127A	#0.332B/*0.127A	----	0.101 NEW	.0374	----	2	2 +	2			
7300	----	----	----/2.042A	3.282B/2.042A	----	2.905 - 2.321	.9713	----	----	1	----	1	UNCH	
7320	0.070	0.070	#0.070/*0.070	#0.249B/*0.070	----	0.073 NEW	.0223	----	1	1 +	1			
7400	----	----	----/0.101A	0.136B/0.101A	----	0.041 - 0.119	.0083	----	----	2	----	2	UNCH	
7450	----	----	----/0.082A	0.094B/0.082A	----	0.029 - 0.117	.0045	----	----	1	----	1	UNCH	
7500	----	----	----/4.980A	4.774B/4.980A	----	5.263 - 2.115	.7397	----	----	1	----	1	UNCH	
7500	----	----	1.179B/----	1.179B/1.161A	----	0.980 + 0.114	.2602	----	----	1	----	1	UNCH	
7500	----	----	----/3.827A	5.240B/3.827A	----	4.841 - 2.318	.9974	----	----	2	----	2	UNCH	
7600	----	----	----/*0.065A	0.010B/0.065A	----	0.009 - 0.095	.0005	----	----	2	----	2	UNCH	
7650	----	----	----/5.275A	6.735B/5.275A	----	6.325 - 2.283	.9997	----	1	0 -	1			
7750	----	----		0.020B/0.062A	----	0.002 - 0.055	.0000	----	----	12	----	12	UNCH	
7950	----	----	----/9.313A	9.391B/9.313A	----	9.321 - 2.227	.0000	----	----	2	----	2	UNCH	
8000	0.003	0.003	0.003/*0.003	0.003/*0.003	----	0.001 NEW	----	----	1	1 +	1			
8000	----	----		0.358B/0.512A	----	0.380 - 0.028	.1077	----	----	1	----	1	UNCH	
8000	0.158	0.158	0.158/*0.158	0.161B/0.158	----	0.146 NEW	.0495	----	1	1 +	1			
8150	----	----	----/11.310A	11.393B/11.310A	----	11.320 - 2.215	.0000	----	----	1	----	1	UNCH	
10000	----	----		0.001B/0.087A	----	0.022 - 0.029	.0045	----	----	2	----	2	UNCH	
TOTAL										91	0	265 +	61	

COPPER OPTIONS ON FUTURES													
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HMW MON JUN26	COPPER WEEKLY MONDAY OPTION WEEK5												
525	----	----	----	----	/0.0085A	0.0005	UNCH	.0002	----	----	----	10	UNCH
575	----	----	----	----	/0.0050A	0.0000	- 0.0005	----	----	----	----	0	- 1
590	----	----	0.6495B/----	0.6495B/0.5820A	----	0.5960	+ 0.0505	----	1	----	----	0	- 1
610	----	----	----	----	/*0.0050A	0.0000	- 0.0005	----	----	----	----	0	- 15
614	----	----	----	----	/*0.0050A	0.0000	- 0.0005	----	----	----	----	0	- 1
615	----	----	----	----	/*0.0050A	0.0000	- 0.0005	----	----	----	----	0	- 10
620	----	----	----	----	/*0.0050A	0.0000	- 0.0005	----	----	----	----	0	- 10
624	----	----	#0.3100B/----	#0.3100B/0.2415	----	0.2560	+ 0.0495	----	1	----	----	0	- 1
625	----	----	----/*0.0190A	0.0140B/*0.0190	----	0.0130	- 0.0180	.1050	----	----	----	3	UNCH
625	----	----	----	----/*0.0050A	----	0.0000	- 0.0020	----	----	----	----	0	- 2
627	----	----	----	----/*0.0050A	----	0.0000	- 0.0030	----	----	----	----	0	- 1
630	----	----	0.2500B/----	0.2500B/0.1815A	----	0.1960	+ 0.0450	----	7	----	----	0	- 7
630	----	----	----/*0.0415A	0.0395B/*0.0415	----	0.0350	- 0.0245	.1874	----	----	----	6	UNCH
630	----	----	----/*0.0050A	----/*0.0050A	----	0.0000	- 0.0060	----	----	----	----	0	- 12
635	----	----	----/*0.0055A	----/*0.0055A	----	0.0000	- 0.0140	----	----	----	----	0	- 57
637	----	----	#0.1805B/----	#0.1805B/0.1120	----	0.1260	+ 0.0315	----	20	----	----	0	- 20
639	----	----	----/*0.0080A	0.0005B/*0.0080	----	0.0000	- 0.0250	----	----	----	----	0	- 1
640	0.0470	0.0470	0.0480B/*0.0470	0.0480B/*0.0470	----	0.0405	NEW	.2980	----	3	----	3	+ 3
640	0.0905	0.0905	0.1515B/0.0905	0.1515B/0.0825A	----	0.0960	+ 0.0225	----	1	1	----	0	- 1
640	----	----	----/*0.0640A	0.0660B/*0.0640	----	0.0580	- 0.0345	.2866	----	----	----	1	UNCH
640	0.0075	0.0075	0.0075/*0.0025	0.0075/*0.0025	----	0.0000	- 0.0285	----	----	2	----	0	- 2
642	----	----	----/*0.0080A	0.0020B/*0.0080	----	0.0000	- 0.0360	----	----	----	----	0	- 2
645	0.0550	0.0550	0.1050B/0.0385A	0.1050B/0.0385A	----	0.0460	+ 0.0010	----	1	1	----	0	- 1
645	----	----	----/*0.0080A	0.0070B/*0.0080	----	0.0000	- 0.0500	----	----	----	----	0	- 1
647	0.0670	0.0670	#0.0875B/0.0265	#0.0875B/0.0265	----	0.0260	- 0.0105	----	----	1	----	0	- 1
648	0.0035	0.0035	0.0035/*0.0035	0.0170B/*0.0035	----	0.0000	NEW	----	----	1	----	0	UNCH
649	0.0150	0.0150	0.0150/*0.0085A	0.0215B/*0.0085	----	0.0000	- 0.0745	----	----	1	----	0	- 2
650	----	----	0.1220B/----	0.1220B/0.0805A	----	0.0780	- 0.0005	.4971	----	2	----	5	UNCH
650	0.0475	0.0475	0.0630B/0.0110A	0.0630B/0.0110A	----	0.0000	- 0.0265	----	----	4	----	0	- 8
650	0.0360	0.0360	0.0360/*0.0100A	0.0360/*0.0100A	----	0.0040	- 0.0775	----	3	3	----	0	- 3
651	0.0255	0.0255	#0.0335B/*0.014	0.0335B/*0.0145	----	0.0140	NEW	----	----	4	----	0	UNCH
653	0.0010	0.0010	#0.0420B/*0.001	0.0420B/*0.0010	----	0.0000	NEW	----	----	1	----	0	UNCH
654	0.0015	0.0015	#0.0360B/*0.001	0.0360B/*0.0015	----	0.0000	NEW	----	----	2	----	0	UNCH
655	0.0100	0.0100	0.0300B/*0.0080	0.0300B/0.0080A	----	0.0000	NEW	----	----	1	----	0	UNCH
656	----	----	#0.0250B/0.0080	0.0250B/0.0080A	----	0.0000	- 0.0125	----	----	----	----	0	UNCH
658	----	----	#0.0160B/*0.008	0.0160B/0.0080A	----	0.0000	- 0.0095	----	----	----	----	0	- 2
660	0.0100	0.0100	0.0115B/*0.0080	0.0115B/0.0080A	----	0.0000	NEW	----	----	1	----	0	UNCH
665	0.0075	0.0075	0.0075/*0.0060A	0.0075/*0.0060A	----	0.0000	NEW	----	----	10	----	0	UNCH



BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026			PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
COPPER WEEKLY WEDNESDAY OPTION WEEK														
HWW WED JUL26														
592	----	----	----	0.0070B/*0.0145	----	0.0100 - 0.0040	.0490	----	----	----	----	1	UNCH	
600	----	----	0.5435B/----	0.5435B/0.5775A	----	0.5720 + 0.0460	.9298	----	----	----	----	12	UNCH	
600	----	----	----/*0.0180A	0.0120B/*0.0180	----	0.0145 - 0.0060	.0698	----	----	----	----	2	UNCH	
608	----	----	----/*0.0240A	0.0185B/*0.0240	----	0.0200 - 0.0090	.0956	----	----	----	----	39	UNCH	
610	----	----	----/*0.0255A	0.0210B/*0.0255	----	0.0215 - 0.0105	.1028	----	----	----	----	2	UNCH	
611	----	----	----/*0.0265A	0.0220B/*0.0265	----	0.0225 - 0.0110	.1073	----	----	----	----	22	UNCH	
612	----	----	0.4640B/----	0.4640B/0.4765A	----	0.4615 + 0.0405	.8879	----	----	----	----	5	UNCH	
612	----	----	----/*0.0275A	0.0230B/*0.0275	----	0.0235 - 0.0115	.1117	----	----	----	----	6	UNCH	
613	----	----	----/*0.0290A	0.0245B/*0.0290	----	0.0245 - 0.0125	.1162	----	----	----	----	3	UNCH	
620	0.0385	0.0385	0.0385/*0.0380A	0.0385/*0.0380A	----	0.0335 - 0.0170	.1541	----	----	1	----	21	+	
621	----	----	0.3850B/----	0.3850B/0.4020A	----	0.3835 + 0.0345	.8393	----	----	----	----	1	UNCH	
622	----	----	----/0.0410A	0.0385B/0.0410A	----	0.0370 - 0.0180	.1676	----	----	----	----	7	UNCH	
625	----	----	0.3520B/----	0.3520B/0.3710A	----	0.3505 + 0.0320	.8109	----	----	----	----	22	UNCH	
630	----	----	0.3210B/----	0.3210B/0.3075A	----	0.3115 + 0.0285	.7715	----	----	----	----	5	UNCH	
634	----	----	----/0.0680A	0.0680B/0.0680A	----	0.0640 - 0.0265	.2630	----	----	----	----	1	UNCH	
635	0.0760	0.0760	0.0760/0.0650	0.0760/0.0650	----	0.0670 - 0.0270	.2724	----	----	18	----	25	+	
636	----	----	0.2680B/----	0.2680B/0.2890A	----	0.2680 + 0.0240	.7177	----	----	----	----	4	UNCH	
650	----	----	0.2230B/----	0.2230B/0.1800A	----	0.1815 + 0.0135	.5743	----	----	----	----	5	UNCH	
650	----	----	----/0.1220A	0.1300B/0.1220A	----	0.1230 - 0.0390	.4253	----	----	----	----	11	UNCH	
670	----	----	----/0.2245A	0.2435B/0.2245A	----	0.2375 - 0.0495	.6337	----	----	----	----	19	UNCH	
680	----	----	----/0.2925A	0.3170B/0.2925A	----	0.3100 - 0.0520	.7200	----	----	----	----	20	UNCH	
690	----	----	0.0640B/----	0.0640B/0.0510A	----	0.0490 - 0.0015	.2088	----	----	----	----	25	UNCH	
700	----	----	0.0450B/----	0.0450B/0.0385A	----	0.0350 - 0.0015	.1544	----	----	----	----	6	UNCH	
710	----	----	0.0310B/----	0.0310B/0.0285A	----	0.0250 - 0.0020	.1132	----	----	----	----	5	UNCH	
715	----	----	0.0260B/----	0.0260B/0.0250A	----	0.0215 - 0.0020	.0978	----	----	----	----	1	UNCH	
800	----	----	----	0.0005B/0.0120A	----	0.0020 - 0.0005	.0088	----	----	----	----	26	UNCH	
TOTAL										19		363	+	
AUG26														
559	----	----	----	0.0170B/*0.0325	----	0.0245 - 0.0040	.0692	----	----	----	----	1	UNCH	
599	----	----	----	----	----	0.6425 + 0.0345	.8151	----	----	----	----	10	UNCH	
606	----	----	----/0.0985A	0.0890B/0.0985A	----	0.0920 - 0.0210	.2137	----	----	----	----	1	UNCH	
630	----	----	0.4645B/----	0.4645B/0.4260A	----	0.4245 + 0.0205	.6652	----	----	----	----	4	UNCH	
630	----	----	----/0.1700A	0.1680B/0.1700A	----	0.1670 - 0.0315	.3335	----	----	----	----	3	UNCH	
640	----	----	0.4035B/----	0.4035B/0.3705A	----	0.3670 + 0.0170	.6097	----	----	----	----	1	UNCH	
650	----	----	0.3490B/----	0.3490B/0.3205A	----	0.3160 + 0.0140	.5537	----	----	----	----	14	UNCH	
TOTAL												34		
SEP26														
550	----	----	----	0.0245B/*0.0410	----	0.0320 - 0.0080	.0727	----	----	----	----	1	UNCH	
650	----	----	0.4665B/----	0.4665B/0.4385A	----	0.4345 + 0.0160	.5912	----	----	----	----	1	UNCH	
750	----	----	0.1345B/----	0.1345B/0.1335A	----	0.1250 + 0.0010	.2297	----	----	----	----	2	UNCH	
850	----	----	----	0.0330B/0.0455A	----	0.0365 - 0.0015	.0771	----	----	----	----	1	UNCH	
TOTAL												5		
COMEX COPPER OPTIONS														
HX CALL JUL26														
500	----	----	----	----	----	1.4965 + 0.0510	.9967	----	----	----	----	7	UNCH	
525	----	----	----	----	----	1.2465 + 0.0510	.9961	----	----	----	----	1	UNCH	
530	----	----	----	----	----	1.1965 + 0.0510	.9942	----	----	----	----	6	UNCH	
540	----	----	----	----	----	1.0970 + 0.0515	.9937	----	----	----	----	18	UNCH	
545	----	----	----	----	----	1.0470 + 0.0510	.9934	----	----	----	----	1	UNCH	
550	----	----	----	----	----	0.9975 + 0.0515	.9912	----	----	----	----	2	UNCH	
555	----	----	----	----	----	0.9475 + 0.0515	.9907	----	----	----	----	116	UNCH	
560	----	----	----	----	----	0.8975 + 0.0515	.9902	----	----	----	----	2	UNCH	
570	----	----	----	----	----	0.7980 + 0.0515	.9869	----	----	----	----	157	UNCH	
574	----	----	----	----	----	0.7580 + 0.0510	.9863	----	----	----	----	5	UNCH	
575	----	----	----	----	----	0.7480 + 0.0505	.9861	----	----	----	----	18	UNCH	
580	----	----	----	----	----	0.6985 + 0.0505	.9829	----	----	----	----	123	UNCH	
585	----	----	----	----	----	0.6490 + 0.0500	.9794	----	----	----	----	318	UNCH	
590	----	----	----	----	----	0.5995 + 0.0485	.9755	----	----	----	----	103	UNCH	
591	----	----	----	----	----	0.5900 + 0.0485	.9727	----	----	----	----	3	UNCH	
593	----	----	----	----	----	0.5705 + 0.0485	.9696	----	----	----	----	1	UNCH	
594	----	----	----	----	----	0.5610 + 0.0485	.9691	----	----	----	----	2	UNCH	
595	----	----	----	----	----	0.5510 + 0.0480	.9663	----	----	----	----	29	UNCH	
597	----	----	----	----	----	0.5320 + 0.0475	.9606	----	----	----	----	1	UNCH	
598	----	----	----	----	----	0.5225 + 0.0475	.9578	----	----	----	----	1	UNCH	
599	----	----	----	----	----	0.5130 + 0.0475	.9571	----	----	----	----	2	UNCH	
600	----	----	0.5300B/----	0.5300B/0.4890A	----	0.5030 + 0.0465	.9542	----	----	5	----	542	-	
602	----	----	0.4630B/----	0.4630B/0.4975A	----	0.4835 + 0.0455	.9505	----	----	----	----	83	UNCH	
603	----	----	0.4630B/----	0.4630B/0.4880A	----	0.4740 + 0.0450	.9474	----	----	----	----	3	UNCH	
605	----	----	0.4720B/----	0.4720B/0.4565A	----	0.4545 + 0.0440	.9456	----	----	----	----	41	UNCH	
610	----	----	0.4170B/----	0.4170B/0.3975A	----	0.4065 + 0.0400	.9312	----	----	8	----	214	-	
615	----	----	0.3760B/----	0.3760B/0.3475A	----	0.3595 + 0.0360	.9085	----	----	----	----	465	UNCH	
620	----	----	0.3250B/----	0.3250B/0.3070A	----	0.3145 + 0.0315	.8796	----	----	----	----	187	UNCH	
625	----	----	0.2875B/----	0.2875B/0.2605A	----	0.2710 + 0.0260	.8389	----	----	----	----	386	UNCH	
630	----	----	0.2490B/----	0.2490B/0.2200A	----	0.2305 + 0.0205	.7892	----	----	----	----	456	UNCH	
635	----	----	0.2495B/----	0.2495B/0.1840A	----	0.1925 + 0.0145	.7288	----	----	----	----	224	UNCH	
640	----	----	0.2130B/----	0.2130B/0.1500A	----	0.1585 + 0.0090	.6580	----	----	10	----	1406	UNCH	
645	0.1750	0.1750	0.1795B/0.1200A	0.1795B/0.1200A	----	0.1280 + 0.0035	.5813	----	----	7	----	564	-	
650	0.1365	0.1365	0.1540B/0.0925A	0.1540B/0.0925A	----	0.1020 - 0.0010	.5012	----	----	97	----	1011	-	
655	0.1050	0.1050	0.1295/0.0725A	0.1295/0.0725A	----	0.0800 - 0.0045	.4221	----	----	238	----	450	+	
660	0.1075	0.1075	0.1075/0.0560A	0.1075/0.0560A	----	0.0620 - 0.0070	.3478	----	----	90	300	692	-	
665	0.0580	0.0580	0.0860B/0.0435A	0.0860B/0.0435A	----	0.0480 - 0.0085	.2819	----	----	31	----	291	+	
670	0.0700	0.0700	0.0700/0.											

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
HX CALL	COMEX COPPER OPTIONS															
AUG26																
630	----	----	0.4420B/----	0.4420B/0.3965A	----	0.4020 + 0.0240	.6775	----	----	----	----	58	UNCH			
635	----	----	0.4095B/----	0.4095B/0.3660A	----	0.3715 + 0.0220	.6476	----	----	----	----	22	UNCH			
640	----	----	0.3790B/----	0.3790B/0.3395A	----	0.3430 + 0.0205	.6172	----	----	----	----	158	UNCH			
645	----	----	0.3500B/----	0.3500B/0.3095A	----	0.3160 + 0.0185	.5864	----	----	----	----	5	UNCH			
650	0.3090	0.3090	0.3290B/0.2840A	0.3290B/0.2840A	----	0.2905 + 0.0165	.5556	----	----	6	----	457 +	1			
655	----	----	0.3040B/----	0.3040B/0.2610A	----	0.2670 + 0.0145	.5249	----	----	1	----	242 +	1			
660	0.2635	0.2635	0.2800B/0.2395A	0.2800B/0.2395A	----	0.2450 + 0.0130	.4947	----	----	75	300	464 +	309			
665	----	----	0.2580B/----	0.2580B/0.2195A	----	0.2245 + 0.0110	.4650	----	----	1	----	26 +	1			
670	0.2375	0.2375	0.2375/0.2005A	0.2375/0.2005A	----	0.2055 + 0.0095	.4361	----	----	27	----	433 +	17			
675	0.1980	0.1980	0.2175B/0.1830A	0.2175B/0.1830A	----	0.1880 + 0.0085	.4082	----	----	41	----	1357 +	5			
680	----	----	0.1995B/----	0.1995B/0.1680A	----	0.1715 + 0.0070	.3811	----	----	14	----	140 +	10			
685	----	----	0.1830B/----	0.1830B/0.1545A	----	0.1565 + 0.0060	.3552	----	----	----	----	8	UNCH			
690	----	----	0.1675B/----	0.1675B/0.1400A	----	0.1425 + 0.0045	.3303	----	----	----	----	248	UNCH			
695	----	----	0.1530B/----	0.1530B/0.1295A	----	0.1300 + 0.0040	.3070	----	----	----	----	10	UNCH			
700	0.1205	0.1205	0.1400B/0.1205	0.1400B/0.1150A	----	0.1185 + 0.0035	.2848	----	3	----	----	3321	UNCH			
705	----	----	0.1275B/----	0.1275B/0.1070A	----	0.1075 + 0.0030	.2634	----	----	----	----	10	UNCH			
710	0.0990	0.0990	0.1160B/0.0945A	0.1160B/0.0945A	----	0.0975 + 0.0020	.2432	----	23	----	----	318 +	17			
715	----	----	0.1055B/----	0.1055B/0.0875A	----	0.0890 + 0.0020	.2251	----	----	----	----	3	UNCH			
720	----	----	0.0960B/----	0.0960B/0.0800A	----	0.0805 + 0.0015	.2071	----	----	1	----	13	UNCH			
725	0.0845	0.0845	0.0870B/0.0705A	0.0870B/0.0705A	----	0.0735 + 0.0015	.1914	----	33	----	----	1005 +	2			
730	0.0810	0.0810	0.0835/0.0655A	0.0835/0.0655A	----	0.0670 + 0.0010	.1765	----	7	----	----	10 +	3			
735	0.0700	0.0700	0.0720B/0.0605A	0.0720B/0.0605A	----	0.0610 + 0.0010	.1627	----	2	----	----	8 -	1			
740	0.0565	0.0565	0.0655B/0.0545A	0.0655B/0.0545A	----	0.0555 + 0.0005	.1497	----	8	----	----	573 +	7			
750	0.0460	0.0460	0.0540B/0.0450A	0.0540B/0.0450A	----	0.0460 UNCH	.1267	----	21	----	----	1553 +	14			
770	----	----	#0.0380B/*0.031	#0.0380B/*0.031	----	0.0325 UNCH	.0919	----	1	----	----	1 +	1			
775	----	----	0.0350B/0.0290A	0.0350B/0.0290A	----	0.0300 UNCH	.0852	----	----	----	----	173	UNCH			
800	0.0205	0.0205	0.0230B/0.0185	0.0230B/0.0185	----	0.0205 + 0.0005	.0589	----	17	----	----	474 +	12			
825	----	----	0.0155B/----	0.0155B/0.0145A	----	0.0140 - 0.0005	.0407	----	2	----	----	26 +	1			
850	----	----	0.0105B/0.0110A	0.0105B/0.0110A	----	0.0100 - 0.0005	.0291	----	1	----	----	20	UNCH			
875	0.0085	0.0085	0.0085/0.0085	0.0085/0.0085	----	0.0075 - 0.0005	.0216	----	30	----	----	62 +	27			
900	0.0075	0.0075	0.0075/0.0070	0.0075/0.0070	----	0.0060 - 0.0005	.0169	----	2	----	----	134 -	1			
925	----	----	0.0010B/0.0100A	0.0010B/0.0100A	----	0.0050 - 0.0005	.0138	----	----	----	----	3	UNCH			
950	----	----	0.0030B/0.0090A	0.0030B/0.0090A	----	0.0040 - 0.0005	.0109	----	----	----	----	63	UNCH			
975	----	----	----	----/0.0050A	----	0.0035 UNCH	.0093	----	----	----	----	62	UNCH			
TOTAL									300	318		11886 +	424			
SEP26																
495	----	----	----	----	----	1.6125 + 0.0500	.9760	----	----	----	----	2	UNCH			
500	----	----	----	----	----	1.5635 + 0.0500	.9735	----	----	----	----	5	UNCH			
510	----	----	----	----	----	1.4660 + 0.0500	.9681	----	----	----	----	2	UNCH			
535	----	----	----	----	----	1.2270 + 0.0505	.9418	----	----	----	----	1	UNCH			
565	----	----	----	----	----	0.9540 + 0.0430	.8877	----	----	----	----	1	UNCH			
575	----	----	----	----	----	0.8685 + 0.0385	.8616	----	----	----	----	100	UNCH			
595	----	----	----	----	----	0.7090 + 0.0310	.7959	----	----	----	----	5	UNCH			
600	----	----	----	----	----	0.6720 + 0.0295	.7765	----	----	----	----	221	UNCH			
610	----	----	0.6450B/----	0.6450B/0.6000A	----	0.6015 + 0.0260	.7358	----	----	----	----	31	UNCH			
615	----	----	0.6105B/----	0.6105B/0.5675A	----	0.5685 + 0.0245	.7143	----	----	----	----	9	UNCH			
620	----	----	0.5775B/----	0.5775B/0.5320A	----	0.5365 + 0.0225	.6920	----	----	----	----	187	UNCH			
625	----	----	0.5455B/----	0.5455B/0.5020A	----	0.5060 + 0.0205	.6695	----	----	----	----	631	UNCH			
630	----	----	0.5150B/----	0.5150B/0.4780A	----	0.4765 + 0.0185	.6465	----	----	----	----	51	UNCH			
635	----	----	0.4860B/----	0.4860B/0.4485A	----	0.4485 + 0.0165	.6232	----	----	----	----	90	UNCH			
640	----	----	0.4580B/----	0.4580B/0.4185A	----	0.4220 + 0.0150	.5998	----	----	----	----	1085	UNCH			
645	----	----	0.4310B/----	0.4310B/0.3945A	----	0.3965 + 0.0130	.5764	----	----	----	----	200	UNCH			
650	0.4000	0.4000	0.4115B/0.3710A	0.4115B/0.3710A	----	0.3725 + 0.0115	.5531	----	2	----	----	383	UNCH			
655	----	----	0.3875B/----	0.3875B/0.3510A	----	0.3500 + 0.0105	.5300	----	----	----	----	25	UNCH			
660	0.3575	0.3575	0.3645B/0.3305A	0.3645B/0.3305A	----	0.3285 + 0.0090	.5072	----	1	----	----	105 -	1			
665	----	----	0.3430B/----	0.3430B/0.3075A	----	0.3085 + 0.0085	.4848	----	----	----	----	82	UNCH			
670	----	----	0.3225B/----	0.3225B/0.2865A	----	0.2895 + 0.0075	.4629	----	----	----	----	281	UNCH			
675	----	----	0.3025B/----	0.3025B/0.2690A	----	0.2715 + 0.0065	.4415	----	----	----	----	507	UNCH			
680	----	----	0.2835B/----	0.2835B/0.2515A	----	0.2545 + 0.0060	.4207	----	----	----	----	1465	UNCH			
685	----	----	0.2665B/----	0.2665B/0.2395A	----	0.2385 + 0.0055	.4005	----	27	----	----	79 +	24			
690	0.2400	0.2400	0.2500B/0.2210A	0.2500B/0.2210A	----	0.2235 + 0.0050	.3810	----	2	----	----	979	UNCH			
695	----	----	0.2350B/----	0.2350B/0.2110A	----	0.2090 + 0.0040	.3619	----	----	----	----	100	UNCH			
700	----	----	0.2205B/----	0.2205B/0.1940A	----	0.1955 + 0.0035	.3435	----	1	----	----	12298 +	1			
705	----	----	0.2060B/----	0.2060B/0.1815A	----	0.1825 + 0.0025	.3256	----	----	----	----	464	UNCH			
710	----	----	0.1930B/----	0.1930B/0.1690A	----	0.1705 + 0.0020	.3085	----	----	----	----	491	UNCH			
715	----	----	0.1810B/----	0.1810B/0.1610A	----	0.1595 + 0.0015	.2923	----	----	----	----	96	UNCH			
720	----	----	0.1690B/----	0.1690B/0.1500A	----	0.1490 + 0.0010	.2766	----	----	----	----	154	UNCH			
725	----	----	0.1580B/----	0.1580B/0.1395A	----	0.1390 + 0.0005	.2615	----	----	----	----	231	UNCH			
730	----	----	0.1480B/----	0.1480B/0.1315A	----	0.1295 UNCH	.2469	----	----	----	----	120	UNCH			
735	----	----	0.1385B/----	0.1385B/0.1225A	----	0.1210 UNCH	.2333	----	----	----	----	1	UNCH			
740	----	----	0.1295B/0.1125A	0.1295B/0.1125A	----	0.1130 - 0.0005	.2203	----	----	----	----	1213	UNCH			
750	----	----	0.1125B/0.0985A	0.1125B/0.0985A	----	0.0985 - 0.0010	.1961	----	1	----	----	735 +	1			
760	----	----	0.0985B/----	0.0985B/0.0875A	----	0.0855 - 0.0020	.1740	----	----	----	----	168	UNCH			
775	----	----	0.08													



PG64	BULLETIN #113@										METALS OPTION PRODUCTS				Mon, Jun 15, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
HX CALL	COMEX COPPER OPTIONS																		
NOV26																			
740	----	----	0.2605B/----	0.2605B/0.2485A	----	0.2430 + 0.0065	.3212	----	----	----	----	55	UNCH						
750	----	----	0.2375B/----	0.2375B/0.2270A	----	0.2210 + 0.0055	.2980	----	----	----	----	26	UNCH						
800	----	----	0.1450B/----	0.1450B/0.1445A	----	0.1380 + 0.0020	.2023	----	----	----	----	1	UNCH						
850	----	----	0.0880B/----	0.0880B/0.0950A	----	0.0875 + 0.0005	.1364	----	----	----	----	2	UNCH						
900	----	----	----	0.0545B/0.0660A	----	0.0570 - 0.0005	.0928	----	----	----	----	1	UNCH						
975	----	----	----	0.0275B/0.0425A	----	0.0320 - 0.0005	.0542	----	----	----	----	4	UNCH						
TOTAL												323							
DEC26																			
525	----	----	----	----	----	1.4505 + 0.0465	.9015	----	----	----	----	123	UNCH						
535	----	----	----	----	----	1.3645 + 0.0445	.8849	----	----	----	----	1	UNCH						
550	----	----	----	----	----	1.2405 + 0.0420	.8563	----	----	----	----	2	UNCH						
555	----	----	----	----	----	1.2005 + 0.0410	.8459	----	----	----	----	1	UNCH						
565	----	----	----	----	----	1.1230 + 0.0390	.8232	----	----	----	----	45	UNCH						
575	----	----	----	----	----	1.0490 + 0.0375	.7991	----	----	----	----	123	UNCH						
585	----	----	----	----	----	0.9775 + 0.0345	.7732	----	----	----	----	1	UNCH						
590	----	----	----	----	----	0.9435 + 0.0335	.7599	----	----	----	----	200	UNCH						
595	----	----	0.9425B/----	0.9425B/0.9100A	----	0.9100 + 0.0325	.7462	----	----	----	----	163	UNCH						
600	----	----	0.9090B/----	0.9090B/0.8780A	----	0.8775 + 0.0310	.7322	----	----	----	----	618	UNCH						
610	----	----	0.8450B/----	0.8450B/0.8165A	----	0.8150 + 0.0285	.7034	----	----	----	----	200	UNCH						
620	----	----	0.7840B/----	0.7840B/0.7590A	----	0.7560 + 0.0255	.6739	----	----	----	----	366	UNCH						
625	----	----	0.7550B/----	0.7550B/0.7310A	----	0.7280 + 0.0245	.6590	----	----	----	----	38	UNCH						
630	----	----	0.7270B/----	0.7270B/0.7045A	----	0.7005 + 0.0230	.6440	----	----	----	----	310	UNCH						
635	----	----	0.6995B/----	0.6995B/0.6785A	----	0.6740 + 0.0215	.6289	----	----	----	----	1	UNCH						
640	----	----	0.6730B/----	0.6730B/0.6535A	----	0.6485 + 0.0205	.6139	----	----	----	----	29	UNCH						
650	----	----	0.6225B/----	0.6225B/0.6055A	----	0.6000 + 0.0185	.5837	----	----	----	----	369	UNCH						
655	----	----	0.5995B/----	0.5995B/0.5825A	----	0.5770 + 0.0175	.5688	----	----	----	----	10	UNCH						
660	----	----	0.5825B/----	0.5825B/0.5605A	----	0.5545 + 0.0165	.5538	----	----	----	----	300	UNCH						
670	----	----	0.5385B/----	0.5385B/0.5190A	----	0.5120 + 0.0150	.5244	----	----	----	----	4	UNCH						
675	----	----	0.5180B/----	0.5180B/0.4990A	----	0.4915 + 0.0140	.5099	----	----	----	----	17	UNCH						
680	----	----	0.4975B/----	0.4975B/0.4795A	----	0.4720 + 0.0135	.4956	----	----	----	----	663	UNCH						
690	----	----	0.4585B/----	0.4585B/0.4435A	----	0.4355 + 0.0130	.4677	----	----	----	----	1	UNCH						
700	----	----	0.4225B/----	0.4225B/0.4095A	----	0.4010 + 0.0120	.4406	----	----	----	----	1783	UNCH						
705	----	----	0.4055B/----	0.4055B/0.3935A	----	0.3845 + 0.0110	.4273	----	----	----	----	2	UNCH						
710	----	----	0.3895B/----	0.3895B/0.3780A	----	0.3690 + 0.0110	.4144	----	----	----	----	50	UNCH						
725	----	----	0.3425B/----	0.3425B/0.3355A	----	0.3260 + 0.0100	.3772	----	----	----	----	124	UNCH						
730	----	----	0.3280B/----	0.3280B/0.3220A	----	0.3125 + 0.0090	.3653	----	----	----	----	4	UNCH						
740	----	----	0.3005B/----	0.3005B/0.2975A	----	0.2875 NEW	.3424	----	----	19	200	219 +	219						
750	----	----	0.2750B/----	0.2750B/0.2745A	----	0.2645 + 0.0085	.3207	----	----	19	200	591 +	210						
775	----	----	0.2205B/----	0.2205B/0.2250A	----	0.2150 + 0.0080	.2714	----	----	----	----	211	UNCH						
800	----	----	0.1755B/----	0.1755B/0.1855A	----	0.1750 + 0.0075	.2289	----	----	224	----	378 +	224						
825	----	----	0.1415B/----	0.1415B/0.1540A	----	0.1430 + 0.0060	.1929	----	----	----	----	64	UNCH						
850	0.1325	0.1325	0.1325/0.1290A	0.1325/0.1290A	----	0.1170 + 0.0035	.1623	----	----	239	----	161 -	78						
900	----	----	----	0.0755B/0.0935A	----	0.0825 + 0.0025	.1181	----	----	----	----	645	UNCH						
925	----	----	----	0.0615B/0.0805A	----	0.0695 + 0.0015	.1009	----	----	----	----	6	UNCH						
950	----	----	----	0.0500B/0.0705A	----	0.0595 + 0.0015	.0872	----	----	----	----	114	UNCH						
975	----	----	----	0.0410B/0.0620A	----	0.0515 + 0.0010	.0759	----	----	----	----	14	UNCH						
1000	----	----	----	0.0335B/0.0550A	----	0.0445 + 0.0005	.0660	----	----	----	----	7	UNCH						
TOTAL									400	501		7958+	575						
JAN27																			
500	----	----	----	----	----	1.7715 + 0.0530	.9269	----	----	----	----	1	UNCH						
690	----	----	0.5410B/----	0.5410B/0.5445A	----	0.5305 + 0.0180	.5016	----	----	----	----	1	UNCH						
900	----	----	----	0.1110B/0.1295A	----	0.1210 + 0.0030	.1519	----	----	----	----	1	UNCH						
TOTAL												3							
FEB27																			
620	----	----	0.9200B/----	0.9200B/0.9155A	----	0.9045 + 0.0285	.6804	----	----	----	----	1	UNCH						
750	----	----	0.3910B/----	0.3910B/0.4085A	----	0.3910 + 0.0135	.3799	----	----	----	----	117	UNCH						
850	----	----	----	0.1955B/0.2225A	----	0.2050 + 0.0060	.2252	----	----	----	----	60	UNCH						
TOTAL												178							
MAR27																			
660	----	----	0.7505B/----	0.7505B/0.7630A	----	0.7445 + 0.0235	.5819	----	----	----	----	12	UNCH						
680	----	----	0.6645B/----	0.6645B/0.6800A	----	0.6605 + 0.0215	.5361	----	----	----	----	30	UNCH						
700	----	----	0.5870B/----	0.5870B/0.6040A	----	0.5850 + 0.0190	.4922	----	----	----	----	101	UNCH						
950	----	----	----	0.1195B/0.1560A	----	0.1430 + 0.0040	.1549	----	----	----	----	3	UNCH						
TOTAL												146							
HX PUT	COMEX COPPER OPTIONS																		
JUL26																			
330	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	84	UNCH						
350	----	----	----	----/0.0015A	----	0.0005 UNCH	----	----	----	----	----	5	UNCH						
360	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	1	UNCH						
380	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	2	UNCH						
390	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	6	UNCH						
395	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	1	UNCH						
400	----	----	----	----/0.0020A	----	0.0005 UNCH	----	----	----	----	----	566	UNCH						
405	----	----	----	----/0.0025A	----	0.0005 UNCH	----	----	----	----	----	1	UNCH						
415	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	52	UNCH						
420	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	4	UNCH						
425	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	51	UNCH						
430	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	10	UNCH						
435	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	5	UNCH						
440	----	----	----	----/0.0025A	----	0.0005 UNCH	.0001	----	----	----	----	4	UNCH						
445	----	----	----	----/0.0025A	----	0.0005 UNCH	.0001	----	----	----	----	3	UNCH						
450	----	----	----	----/0.0005A	----	0.0005 UNCH	.0002	----	----	----	----	1906	UNCH						
455	----	----	----	----/0.0010A	----	0.0005 UNCH	.0003	----	----	----	----	14	UNCH						
460	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0005	----	----	----	----	6	UNCH						
465	----	----	----	----/0.0025A	----	0.0005 UNCH	.0007	----	----	----	----	1	UNCH						
470	----	----	----	----/0.0025A	----	0													

BULLETIN #113@				METALS OPTION PRODUCTS										Mon, Jun 15, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
HX PUT JUL26	COMEX COPPER OPTIONS																	
569	----	----	----	----/0.0040A	----	0.0025 + 0.0005	.0128	----	----	----	----	11	UNCH					
570	----	----	----	----/0.0040A	----	0.0025	UNCH .0130	----	----	----	----	306	UNCH					
571	----	----	----	----/0.0040A	----	0.0025	UNCH .0131	----	----	----	----	27	UNCH					
572	----	----	----	----/0.0040A	----	0.0025	UNCH .0133	----	----	----	----	5	UNCH					
573	0.0030	0.0030	0.0030/0.0030	0.0030/0.0030	----	0.0025	UNCH .0134	----	----	1	----	21	- 1					
574	----	----	----	----/0.0035A	----	0.0025	UNCH .0136	----	----	----	----	26	UNCH					
575	----	----	----	----/0.0035A	----	0.0025 - 0.0005	.0138	----	----	----	----	269	UNCH					
576	----	----	----	----/0.0035A	----	0.0025 - 0.0005	.0139	----	----	----	----	33	UNCH					
577	----	----	----	----/0.0040A	----	0.0025 - 0.0005	.0141	----	----	----	----	6	UNCH					
578	----	----	----	----/0.0040A	----	0.0030 - 0.0005	.0166	----	----	----	----	40	UNCH					
579	0.0050	0.0050	0.0050/*0.0035A	0.0050/*0.0035A	----	0.0030 - 0.0005	.0168	----	----	1	----	52	UNCH					
580	0.0030	0.0030	0.0035/*0.0025	0.0035/*0.0025	----	0.0030 - 0.0005	.0170	----	----	26	----	1922	+ 3					
581	----	----	----	----/0.0045A	----	0.0030 - 0.0010	.0172	----	----	----	----	25	UNCH					
582	----	----	----	----/0.0045A	----	0.0030 - 0.0010	.0174	----	----	----	----	65	UNCH					
583	----	----	----	----/*0.0045A	----	0.0030 - 0.0015	.0177	----	----	----	----	55	UNCH					
584	----	----	----	----/0.0050A	----	0.0035 - 0.0010	.0202	----	----	----	----	28	UNCH					
585	----	----	----/*0.0040A	----/*0.0040A	----	0.0035 - 0.0015	.0205	----	----	843	----	866	UNCH					
586	----	----	----/*0.0050A	----/*0.0050A	----	0.0035 - 0.0015	.0208	----	----	----	----	42	UNCH					
587	0.0045	0.0045	0.0045/*0.0045	0.0050B/*0.0045	----	0.0035 - 0.0020	.0211	----	3	----	----	15	- 3					
588	----	----	----/*0.0050A	0.0055B/*0.0050	----	0.0040 - 0.0015	.0237	----	----	----	----	40	UNCH					
589	----	----	----/*0.0050A	0.0055B/*0.0050	----	0.0040 - 0.0020	.0241	----	----	----	----	45	UNCH					
590	----	----	----/*0.0055A	0.0060B/*0.0055	----	0.0040 - 0.0025	.0244	----	1	----	----	1117	- 1					
591	----	----	----/*0.0055A	0.0065B/*0.0055	----	0.0045 - 0.0025	.0272	----	----	----	----	26	UNCH					
592	----	----	----/*0.0055A	0.0070B/*0.0055	----	0.0045 - 0.0025	.0276	----	----	----	----	20	UNCH					
593	0.0070	0.0070	0.0070/*0.0060A	0.0075B/*0.0060	----	0.0050 - 0.0025	.0303	----	1	----	----	102	UNCH					
594	----	----	----/*0.0060A	0.0075B/*0.0060	----	0.0050 - 0.0030	.0308	----	----	----	----	22	UNCH					
595	----	----	----/*0.0065A	0.0080B/*0.0065	----	0.0055 - 0.0030	.0336	----	----	----	----	278	UNCH					
596	----	----	----/*0.0065A	0.0085B/*0.0065	----	0.0060 - 0.0035	.0364	----	----	----	----	13	UNCH					
597	----	----	----/*0.0070A	0.0090B/*0.0070	----	0.0065 - 0.0035	.0393	----	----	----	----	73	UNCH					
598	----	----	----/*0.0070A	0.0095B/*0.0070	----	0.0070 - 0.0035	.0421	----	----	----	----	59	UNCH					
599	----	----	----/*0.0075A	0.0100B/*0.0075	----	0.0070 - 0.0040	.0428	----	----	----	----	100	UNCH					
600	0.0120	0.0120	0.0130/*0.0080	0.0130/*0.0080	----	0.0075 - 0.0045	.0457	----	57	200	----	1981	+ 93					
601	----	----	----/*0.0080A	0.0105B/*0.0080	----	0.0080 - 0.0045	.0486	----	----	----	----	40	UNCH					
602	----	----	----/*0.0080A	0.0115B/*0.0080	----	0.0080 - 0.0055	.0494	----	----	----	----	28	UNCH					
603	----	----	----/*0.0085A	0.0115B/*0.0085	----	0.0085 - 0.0060	.0525	----	1	----	----	37	- 1					
605	0.0105	0.0105	0.0105/*0.0090A	0.0130B/*0.0090	----	0.0085 - 0.0075	.0543	----	10	----	----	243	- 10					
610	0.0130	0.0130	0.0135/*0.0115	0.0165B/*0.0115	----	0.0105 - 0.0110	.0687	----	88	----	----	736	+ 68					
615	0.0160	0.0160	0.0165/*0.0145A	0.0210B/*0.0145	----	0.0140 - 0.0150	.0914	----	69	----	----	214	- 15					
620	0.0230	0.0230	0.0260B/*0.0190	0.0260B/*0.0190	----	0.0185 - 0.0200	.1203	----	47	----	----	525	+ 6					
625	0.0315	0.0315	0.0315/*0.0250A	0.0340B/*0.0250	----	0.0255 - 0.0250	.1610	----	33	----	----	821	+ 18					
630	0.0425	0.0425	0.0450B/*0.0345	0.0450B/*0.0345	----	0.0345 - 0.0310	.2107	----	110	----	----	423	+ 25					
635	0.0660	0.0660	0.0660/*0.0465A	0.0660/*0.0465A	----	0.0465 - 0.0370	.2711	----	68	----	----	365	- 22					
640	0.0665	0.0665	0.0700/*0.0615A	0.0755B/*0.0615	----	0.0625 - 0.0420	.3418	----	12	----	----	776	+ 1					
645	0.0820	0.0820	0.0860/*0.0815A	0.0965B/*0.0815	----	0.0820 - 0.0475	.4186	----	67	----	----	243	+ 50					
650	0.1105	0.1105	0.1250/0.1040A	0.1250/0.1040A	----	0.1060 - 0.0520	.4987	----	41	150	----	352	+ 26					
655	0.1390	0.1390	0.1500B/0.1240A	0.1500B/0.1240A	----	0.1340 - 0.0555	.5778	----	9	----	----	178	UNCH					
660	0.1715	0.1715	0.1715/0.1585A	0.1780B/0.1585A	----	0.1660 - 0.0580	.6521	----	1	----	----	127	UNCH					
665	----	----	----/0.1940A	0.2135B/0.1940A	----	0.2020 - 0.0595	.7180	----	----	----	----	27	UNCH					
670	----	----	----/0.2280A	0.2530B/0.2280A	----	0.2415 - 0.0595	.7731	----	----	----	----	76	UNCH					
675	----	----	----/0.2640A	0.2850B/0.2640A	----	0.2835 - 0.0590	.8183	----	----	----	----	26	UNCH					
690	----	----	----/0.4255A	0.3765B/0.4255A	----	0.4195 - 0.0570	.9024	----	----	----	----	1	UNCH					
700	----	----	----/0.5170A	0.4575B/0.5170A	----	0.5150 - 0.0550	.9322	----	----	----	----	1	UNCH					
705	----	----	----/0.5625A	0.5315B/0.5625A	----	0.5635 - 0.0545	.9424	----	----	----	----	1	UNCH					
TOTAL									2036	687		27218	+					
AUG26																		
330	----	----	----	----/0.0050A	----	0.0005	UNCH .0000	----	----	----	----	3	UNCH					
405	----	----	----	----/0.0055A	----	0.0005 - 0.0005	.0010	----	----	----	----	3	UNCH					
420	----	----	----	----/0.0055A	----	0.0010	UNCH .0026	----	----	----	----	1	UNCH					
440	----	----	----	----/0.0060A	----	0.0015	UNCH .0040	----	----	----	----	5	UNCH					
450	----	----	----	----/0.0065A	----	0.0015 - 0.0005	.0043	----	----	----	----	11	UNCH					
460	----	----	----	----/0.0065A	----	0.0020 - 0.0005	.0057	----	----	----	----	3	UNCH					
465	----	----	----	----/0.0070A	----	0.0025	UNCH .0070	----	----	----	----	1	UNCH					
470	----	----	----	----/0.0070A	----	0.0025 - 0.0005	.0072	----	----	----	----	3	UNCH					
475	----	----	----	----/0.0070A	----	0.0025 - 0.0005	.0074	----	----	----	----	15	UNCH					
480	----	----	----	----/0.0075A	----	0.0030 - 0.0005	.0088	----	----	----	----	8	UNCH					
485	----	----	----	----/0.0065A	----	0.0035	UNCH .0102	----	----	----	----	2	UNCH					
490	----	----	----	0.0025B/0.0080A	----	0.0035 - 0.0005	.0105	----	----	----	----	2	UNCH					
495	----	----	----	0.0020B/0.0085A	----	0.0040 - 0.0005	.0121	----	----	----	----	1	UNCH					
500	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0045 - 0.0005	.0136	----	1	----	----	21	- 1					
505	----	----	----	----/0.0090A	----	0.0050 - 0.0005	.0153	----	----	----	----	2	UNCH					
510	----	----	----	0.0005B/0.0095A	----	0.0055 - 0.0005	.0169	----	----	----	----	14	UNCH					
520	----	----	----	0.0050B/0.0110A	----	0.0070 - 0.0005	.0217	----	----	----	----	330	UNCH					
525	----	----	----	0.0070B/*0.0085	----	0.0080 - 0.0005	.0248	----	----	----	----	17	UNCH					
530	0.0090	0.0090	0.0090/*0.0090	0.0090/*0.0090	----	0.0090 - 0.0010	.0279	----	2	----	----	48	+ 1					
535	----	----	----/0.0100A	0.0095B/0.0100A	----	0.0095 - 0.0015	.0301	----	----	----	----	20	UNCH					
540	----	----	----/*0.0110A	0.0110B/*0.0110	----	0.0100 - 0.0025	.0324	----	----	----	----							

PG64	BULLETIN #113@										METALS OPTION PRODUCTS					Mon, Jun 15, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
HX PUT SEP26	COMEX COPPER OPTIONS																		
605	----		----	----/*0.1315A	0.1340B/*0.1315	----	----	0.1305 - 0.0240	.2432	----	----	----	----		1	UNCH			
610	----		----	----/*0.1460A	0.1505B/*0.1460	----	----	0.1455 - 0.0260	.2639	----	----	----	----		912	UNCH			
615	0.1610	0.1610		0.1665B/*0.1610	0.1665B/*0.1610	----	----	0.1620 - 0.0280	.2855	----	----	2	----		3 +	1			
620	0.1790	0.1790		0.1860B/0.1780A	0.1860B/0.1780A	----	----	0.1800 - 0.0295	.3077	----	----	41	----		1351 +	40			
625	----			----/0.1965A	0.2050B/0.1965A	----	----	0.1990 - 0.0315	.3303	----	----	----	----		1183	UNCH			
630	0.2250	0.2250		0.2250/0.2160A	0.2260B/0.2160A	----	----	0.2195 - 0.0330	.3533	----	----	11	----		69 +	10			
635	----			----/0.2360A	0.2495B/0.2360A	----	----	0.2415 - 0.0350	.3766	----	----	----	----		566	UNCH			
640	0.2695	0.2695		0.2695/0.2590A	0.2720B/0.2590A	----	----	0.2645 - 0.0365	.3999	----	----	32	----		394 -	2			
645	----			----/0.2820A	0.2970B/0.2820A	----	----	0.2890 - 0.0385	.4233	----	----	4	----		86	UNCH			
650	----			----/0.3065A	0.3230B/0.3065A	----	----	0.3145 - 0.0400	.4466	----	----	1	----		83 +	1			
655	----			----/0.3320A	0.3510B/0.3320A	----	----	0.3415 - 0.0415	.4697	----	----	----	----		53	UNCH			
670	----			----/0.4150A	0.4400B/0.4150A	----	----	0.4300 - 0.0445	.5368	----	----	----	----		211	UNCH			
685	----			----/0.5085A	0.5340B/0.5085A	----	----	0.5285 - 0.0460	.5992	----	----	----	----		14	UNCH			
695	----			----/0.5775A	0.6040B/0.5775A	----	----	0.5985 - 0.0475	.6379	----	----	----	----		2	UNCH			
700	----			----/0.6175A	0.6410B/0.6175A	----	----	0.6345 - 0.0485	.6562	----	----	----	----		7	UNCH			
710	----			----/0.6900A	0.7160B/0.6900A	----	----	0.7090 - 0.0495	.6912	----	----	----	----		1	UNCH			
725	----			----/0.8040A	0.8345B/0.8040A	----	----	0.8265 - 0.0510	.7383	----	----	----	----		2	UNCH			
TOTAL												118			13305 +	53			
OCT26																			
300	----			----/0.0095A	----	----	----	0.0020 + 0.0010	.0028	----	----	----	----		1	UNCH			
320	----			----/0.0095A	----	----	----	0.0030 + 0.0010	.0043	----	----	----	----		3	UNCH			
345	----			----/0.0110A	----	----	----	0.0055 + 0.0015	.0076	----	----	----	----		1	UNCH			
375	----			0.0040B/0.01115A	----	----	----	0.0080 + 0.0025	.0115	----	----	----	----		2	UNCH			
400	----			----/0.0095A	----	----	----	0.0080 + 0.0015	.0128	----	----	----	----		1	UNCH			
430	----			0.0005B/0.0150A	----	----	----	0.0080 + 0.0005	.0146	----	----	----	----		10	UNCH			
450	----			0.0005B/0.0170A	----	----	----	0.0090	UNCH	.0175	----	----	----		1	UNCH			
470	----			0.0065B/*0.0160	----	----	----	0.0115 - 0.0005	.0231	----	----	----	----		1	UNCH			
475	----			0.0075B/*0.0170	----	----	----	0.0120 - 0.0010	.0244	----	----	----	----		3	UNCH			
500	----			0.0140B/*0.0235	----	----	----	0.0185 - 0.0015	.0378	----	----	----	----		28	UNCH			
530	----			0.0305B/*0.0390	----	----	----	0.0340 - 0.0050	.0670	----	----	----	----		1	UNCH			
535	----			----/*0.0425A	0.0345B/*0.0425	----	----	0.0380 - 0.0055	.0740	----	----	----	----		3	UNCH			
550	----			----/*0.0570A	0.0505B/*0.0570	----	----	0.0530 - 0.0080	.0989	----	----	----	----		2	UNCH			
560	----			----/*0.0690A	0.0640B/*0.0690	----	----	0.0655 - 0.0110	.1187	----	----	----	----		1	UNCH			
570	----			----/*0.0845A	0.0805B/*0.0845	----	----	0.0810 - 0.0140	.1417	----	----	----	----		5	UNCH			
590	----			----/*0.1245A	0.1235B/*0.1245	----	----	0.1225 - 0.0200	.1972	----	----	----	----		2	UNCH			
600	----			----/*0.1500A	0.1505B/*0.1500	----	----	0.1485 - 0.0230	.2288	----	----	----	----		13	UNCH			
605	----			----/*0.1640A	0.1655B/*0.1640	----	----	0.1630 - 0.0250	.2454	----	----	----	----		1	UNCH			
610	----			----/*0.1790A	0.1820B/*0.1790	----	----	0.1785 - 0.0265	.2626	----	----	----	----		5	UNCH			
630	----			----/0.2505A	0.2570B/0.2505A	----	----	0.2525 - 0.0320	.3359	----	----	----	----		1	UNCH			
650	----			----/0.3370A	0.3495B/0.3370A	----	----	0.3440 - 0.0370	.4122	----	----	----	----		10	UNCH			
655	----			----/0.3615A	0.3765B/0.3615A	----	----	0.3695 - 0.0380	.4313	----	----	----	----		1	UNCH			
700	----			----/0.6230A	0.6445B/0.6230A	----	----	0.6405 - 0.0460	.5931	----	----	----	----		24	UNCH			
745	----			----/0.9535A	0.9805B/0.9535A	----	----	0.9745 - 0.0510	.7228	----	----	----	----		1	UNCH			
750	----			----/0.9925A	1.0205B/0.9925A	----	----	1.0150 - 0.0510	.7345	----	----	----	----		5	UNCH			
TOTAL															126				
NOV26																			
400	----			0.0005B/0.0175A	----	----	----	0.0075	UNCH	.0122	----	----	----		10	UNCH			
475	----			0.0120B/0.0295A	----	----	----	0.0205 - 0.0015	.0358	----	----	----	----		2	UNCH			
480	----			0.0140B/*0.0310	----	----	----	0.0220 - 0.0020	.0385	----	----	----	----		2	UNCH			
500	----			0.0240B/*0.0405	----	----	----	0.0315 - 0.0030	.0542	----	----	----	----		12	UNCH			
520	----			0.0400B/*0.0550	----	----	----	0.0460 - 0.0050	.0765	----	----	----	----		4	UNCH			
550	----			----/*0.0900A	0.0790B/*0.0900	----	----	0.0825 - 0.0100	.1264	----	----	----	----		1	UNCH			
560	----			----/*0.1065A	0.0965B/*0.1065	----	----	0.0990 - 0.0130	.1471	----	----	----	----		1	UNCH			
590	----			----/*0.1745A	0.1685B/*0.1745	----	----	0.1685 - 0.0215	.2238	----	----	----	----		1	UNCH			
645	----			----/0.3805A	0.3865B/0.3805A	----	----	0.3825 - 0.0345	.3984	----	----	----	----		1	UNCH			
700	----			----/0.6900A	0.7090B/0.6900A	----	----	0.7025 - 0.0425	.5722	----	----	----	----		24	UNCH			
735	----			----/0.9325A	0.9535B/0.9325A	----	----	0.9500 - 0.0475	.6664	----	----	----	----		2	UNCH			
TOTAL															60				
DEC26																			
380	----			0.0005B/0.0205A	----	----	----	0.0085	UNCH	.0124	----	----	----		2	UNCH			
385	----			0.0005B/0.0210A	----	----	----	0.0090	UNCH	.0132	----	----	----		1	UNCH			
395	----			0.0005B/0.0225A	----	----	----	0.0100	UNCH	.0149	----	----	----		3	UNCH			
400	----			0.0005B/0.0230A	----	----	----	0.0105	UNCH	.0158	----	----	----		18	UNCH			
420	----			0.0015B/0.0260A	----	----	----	0.0140 + 0.0005	.0213	----	----	----	----		2	UNCH			
460	----			0.0100B/0.0350A	----	----	----	0.0225 - 0.0005	.0356	----	----	----	----		2	UNCH			
475	----			0.0160B/*0.0405	----	----	----	0.0280 - 0.0015	.0443	----	----	----	----		76	UNCH			
480	----			0.0300B/0.0425A	----	----	----	0.0305 - 0.0020	.0481	----	----	----	----		12	UNCH			
490	----			0.0240B/*0.0480	----	----	----	0.0360 - 0.0030	.0562	----	----	----	----		5	UNCH			
500	0.0500	0.0500		0.0500/*0.0500	0.0500/*0.0500	----	----	0.0425 - 0.0045	.0657	----	----	3	----		182	UNCH			
520	----			0.0520B/*0.0730	----	----	----	0.0615 - 0.0070	.0910	----	----	----	----		2	UNCH			
525	----			0.0585B/*0.0790	----	----	----	0.0670 - 0.0085	.0981	----	----	----	----		1	UNCH			
540	----			0.0815B/*0.0990	----	----	----	0.0880 - 0.0110	.1235	----	----	----	----		3	UNCH			
545	----			----/*0.1070A	0.0905B/*0.1070	----	----	0.0965 - 0.0120	.1332	----	----	----	----		1	UNCH			
550	----			----/*0.1155A	0.1000B/*0.1155	----	----	0.1055 - 0.0125	.1432	----	----	----	----		84	UNCH			
560	----			----/*0.1350A	0.1215B/*0.1350	----	----	0.1255 - 0.0145	.1647	----	----	----	----		300	UNCH			
565	----			----/*0.1460A	0.1330B/*0.1460	----	----	0.1370 - 0.0155	.1763	----	----	----	----		10	UNCH			
570	----			----/*0.1575A															

BULLETIN #113@										METALS OPTION PRODUCTS					Mon, Jun 15, 2026			PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
HXE CALL COPPER OPTIONS																		
JUL26																		
690	----	----	----	#0.1280B/----	#0.1280B/0.1095	----				0.1070 + 0.0010	.2971	----	----	----	----		300	UNCH
750	----	----	----	0.0215B/----	0.0215B/0.0220A	----				0.0175 - 0.0015	.0663	----	----	----	----		1	UNCH
TOTAL														2			1211	
HXE PUT COPPER OPTIONS																		
JUN26																		
500	----	----	----	----	----/0.0080A	----				0.0005 UNCH	.0000	----	----	----	----		26	UNCH
525	----	----	----	----	----/0.0080A	----				0.0005 UNCH	.0002	----	----	----	----		10	UNCH
600	0.0095	0.0095		0.0095/*0.0095	0.0095/*0.0095	----				0.0055 - 0.0055	.0335	----	----	1	----		2	+
605	0.0115	0.0115		0.0115/*0.0115	0.0115/*0.0115	----				0.0075 NEW	.0455	----	----	1	----		1	+
620	----	----	----	----/*0.0200A	0.0200B/*0.0200	----				0.0185 - 0.0140	.1073	----	----	----	----		50	UNCH
625	----	----	----	----/*0.0290A	0.0265B/*0.0290	----				0.0245 - 0.0170	.1390	----	----	----	----		35	UNCH
630	----	----	----	----	----	----				0.0000 UNCH	----	----	----	----	----		0	UNCH
635	----	----	----	----	----	----				0.0000 UNCH	----	----	----	----	----		0	UNCH
635	----	----	----	----/*0.0445A	0.0455B/*0.0445	----				0.0415 - 0.0265	.2231	----	----	----	----		1	UNCH
655	----	----	----	----	----	----				0.1050 UNCH	----	----	----	----	----		0	UNCH
TOTAL														2			125+	2
JUL26																		
550	----	----	----	----	0.0020B/*0.0100	----				0.0045 - 0.0015	.0186	----	----	----	----		30	UNCH
575	----	----	----	----	0.0085B/*0.0150	----				0.0105 - 0.0035	.0437	----	----	----	----		1	UNCH
585	----	----	----	----/*0.0195A	0.0140B/*0.0195	----				0.0160 - 0.0050	.0645	----	----	----	----		45	UNCH
600	----	----	----	----/*0.0315A	0.0275B/*0.0315	----				0.0280 - 0.0105	.1081	----	----	----	----		1	UNCH
620	----	----	----	----/*0.0840A	0.0850B/*0.0840	----				0.0810 - 0.0235	.2357	----	----	----	----		3	UNCH
625	----	----	----	----/0.0750A	0.0760B/0.0750A	----				0.0720 - 0.0245	.2398	----	----	----	----		30	UNCH
630	----	----	----	----/0.0885A	0.0910B/0.0885A	----				0.0860 - 0.0270	.2752	----	----	----	----		1	UNCH
650	0.1925	0.1925		0.1925/*0.1880A	0.2020B/*0.1880	----				0.1930 - 0.0395	.4404	----	----	50	----		51	+
TOTAL														50			162+	50
ALUMINIUM OPTIONS ON FUTURES																		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
PLATINUM OPTIONS ON FUTURES																		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST	
NYMEX PALLADIUM OPTIONS																		
PAO CALL																		
JUL26																		
1270	89.00	89.00		#97.30/89.00	#97.30/89.00	----				92.40 + 56.00	.9929	----	----	4	----		4	UNCH
1350	----	----	----	30.90B/----	30.90B/13.30A	----				24.70 + 18.70	.6323	----	----	----	----		1	UNCH
1375	----	----	----	14.20B/----	14.20B/9.00A	----				11.70 NEW	.3626	----	----	2	----		2	+
1390	----	----	----	7.50B/----	7.50B/7.60A	----				7.00 + 4.40	.2218	----	----	----	----		14	UNCH
1400	----	----	----	4.50B/----	4.50B/6.80A	----				5.10 + 3.00	.1556	----	----	----	----		76	UNCH
1410	----	----	----	2.40B/----	2.40B/6.30A	----				3.70 NEW	.1068	----	----	2	----		2	+
1440	----	----	----	----	----/4.90A	----				1.40 + 0.30	.0316	----	----	----	----		1	UNCH
1450	----	----	----	----	----/4.70A	----				1.00 + 0.10	.0204	----	----	----	----		5	UNCH
1500	----	----	----	----	----/4.10A	----				0.20 - 0.30	.0023	----	----	----	----		10	UNCH
1550	----	----	----	----	----/3.70A	----				0.10 - 0.20	.0001	----	----	----	----		75	UNCH
1600	----	----	----	----	----/3.50A	----				0.10 UNCH	----	----	----	----	----		135	UNCH
1720	----	----	----	----	----/3.40A	----				0.10 UNCH	----	----	----	----	----		6	UNCH
1800	----	----	----	----	----/3.40A	----				0.10 UNCH	----	----	----	----	----		49	UNCH
TOTAL														8			380	+
AUG26																		
1450	----	----	----	34.50B/----	34.50B/29.80A	----				34.60 + 12.90	.3269	----	----	----	----		10	UNCH
1500	20.00	20.00		24.20B/20.00	24.20B/20.00	----				25.20 + 8.70	.2472	----	----	1	----		11	+
1550	----	----	----	17.30B/----	17.30B/18.60A	----				18.90 + 6.30	.1888	----	----	----	----		10	UNCH
1600	----	----	----	12.50B/----	12.50B/15.30A	----				14.50 + 4.70	.1459	----	----	----	----		100	UNCH
1700	----	----	----	6.20B/----	6.20B/10.80A	----				8.80 + 2.80	.0891	----	----	----	----		20	UNCH
1800	----	----	----	----	2.50B/8.30A	----				5.30 + 1.50	.0543	----	----	----	----		100	UNCH
1900	----	----	----	----	0.50B/6.90A	----				3.30 + 0.80	.0340	----	----	----	----		400	UNCH
TOTAL														1			651	+
SEP26																		
1300	----	----	----	130.40B/----	130.40B/104.20A	----				126.00 + 38.50	.6391	----	----	----	----		1	UNCH
1345	----	----	----	106.50B/----	106.50B/86.30A	----				103.50 + 32.20	.5631	----	----	----	----		1	UNCH
1400	----	----	----	82.70B/----	82.70B/69.20A	----				81.40 + 25.30	.4743	----	----	----	----		245	UNCH
1450	----	----	----	66.00B/----	66.00B/57.30A	----				65.70 + 20.10	.4019	----	----	----	----		50	UNCH
1500	56.30	56.30		56.80/55.00	56.80/47.80A	----				53.50 + 16.20	.3394	----	----	26	----		161	+
1575	----	----	----	38.70B/----	38.70B/36.70A	----				39.80 + 12.10	.2631	----	----	----	----		25	UNCH
1600	36.00	36.00		36.00/36.00	36.00/33.70A	----				36.20 + 11.00	.2418	----	----	1	----		361	UNCH
1625	----	----	----	31.40B/----	31.40B/31.00A	----				32.90 + 10.00	.2222	----	----	----	----		20	UNCH
1665	----	----	----	26.60B/----	26.60B/27.30A	----				28.40 + 8.70	.1945	----	----	----	----		9	UNCH
1700	----	----	----	23.00B/----	23.00B/24.60A	----				24.90 + 7.60	.1728	----	----	----	----		65	UNCH
1800	----	----	----	15.20B/----	15.20B/18.90A	----				17.60 + 5.20	.1253	----	----	----	----		123	UNCH
1875	----	----	----	11.10B/----	11.10B/15.90A	----				13.90 + 3.90	.1000	----	----	----	----		25	UNCH
1885	----	----	----	10.70B/----	10.70B/15.60A	----				13.50 + 3.80	.0972	----	----	----	----		100	UNCH
1900	----	----	----	10.00B/----	10.00B/15.10A	----				12.90 + 3.60	.0930	----	----	----	----		15	UNCH
2000	----	----	----	----	6.50B/12.60A	----				9.70 + 2.50	.0704	----	----	----	----		50	UNCH
2100	----	----	----	----	4.20B/10.90A	----				7.60 + 1.90	.0550	----	----	----	----		30	UNCH
2200	----	----	----	----	2.50B/9.70A	----				6.00 + 1.40	.0434	----	----	----	----		5	UNCH
2400	----	----	----	----	0.30B/8.10A	----				3.90 + 0.80	.0281	----	----	----	----		15	UNCH
2550	----	----	----	----	----/7.30A	----				2.90 + 0.60	.0208	----	----	----	----		50	UNCH
TOTAL														27			1351	+
DEC26																		
1775	----	----	----	----	----	----				52.40 + 14.40	.2446	----	----	----	----			

BULLETIN #113@				METALS OPTION PRODUCTS								Mon, Jun 15, 2026				PG64			
GLOBEX OPEN		OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW		OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PAO PUT		NYMEX PALLADIUM OPTIONS																	
SEP26																			
1575	----	----	----	/246.20A	287.70B/246.20A	----			251.80	- 58.00	.7367	----	----	----	----	----	25	UNCH	
1650	----	----	----	/309.80A	354.80B/309.80A	----			316.60	- 61.00	.7953	----	----	----	----	----	50	UNCH	
1925	----	----	----	/563.90A	615.30B/563.90A	----			572.70	- 67.00	.9131	----	----	----	----	----	75	UNCH	
TOTAL														50			1170	+	
DEC26																			
1300	----	----	----		----	----			101.10	- 28.90	.3584	----	----	----	----	----	100	UNCH	
1400	----	----	----		----	----			151.70	- 36.60	.4706	----	----	----	----	----	150	UNCH	
1500	----	----	----		----	----			216.20	- 43.50	.5738	----	----	----	----	----	40	UNCH	
TOTAL																	290		
MAR27																			
1350	----	----	----		----	----			157.40	- 30.10	.3935	----	----	----	----	----	75	UNCH	
TOTAL																	75		
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week4																	
JUN26																			
1850	25.10	25.10		41.00B/23.50	41.00B/23.10A	----			25.20	NEW	.3181	----	----	----	7	----	7	+	
1850	----	----		----	----	----			137.80	UNCH	----	----	----	----	7	----	0	UNCH	
TOTAL																	7	+	
PO CALL		PLATINUM OPTIONS																	
JUL26																			
1500	----	----		321.00B/----	321.00B/243.40A	----			272.90	+ 60.50	1.0000	----	----	----	----	----	50	UNCH	
1680	----	----		----	----	----			95.30	+ 46.00	.9571	----	----	----	----	----	50	UNCH	
1700	----	----		122.60B/----	122.60B/59.00A	----			77.40	+ 40.80	.9126	----	----	----	----	----	1	UNCH	
1725	----	----		99.00B/----	99.00B/43.10A	----			56.80	+ 32.80	.8171	----	----	----	----	----	50	UNCH	
1735	----	----		21.10B/----	21.10B/37.60A	----			49.20	+ 29.30	.7654	----	----	----	----	----	1	UNCH	
1750	----	----		76.40B/----	76.40B/30.30A	----			38.70	+ 23.80	.6730	----	----	----	----	----	9	UNCH	
1760	----	----		33.10B/----	33.10B/26.00A	----			32.50	+ 20.40	.6022	----	----	----	----	----	1	UNCH	
1790	15.00	15.00		30.00/15.00	30.00/15.00	----			18.20	NEW	.3784	----	----	5	----	3	+		
1800	----	----		37.10B/----	37.10B/14.00A	----			14.80	+ 10.00	.3111	----	----	----	----	113	UNCH		
1815	----	----		28.10B/----	28.10B/11.50A	----			10.80	+ 7.40	.2251	----	----	----	----	6	UNCH		
1830	10.00	10.00		20.60B/10.00	20.60B/8.80A	----			7.80	+ 5.40	.1577	----	----	1	----	2	+		
1850	6.00	6.00		12.70B/6.00	12.70B/6.00	----			5.00	+ 3.40	.0942	----	----	25	----	26	+		
1875	7.00	7.00		7.00/7.00	7.00/4.90A	----			2.90	NEW	.0480	----	----	1	----	1	+		
1900	6.60	6.60		6.60/*3.00A	6.60/3.00A	----			1.70	+ 0.90	.0240	----	----	20	----	57	+		
1925	4.00	4.00		4.00/4.00	4.00/3.50A	----			1.00	+ 0.40	.0118	----	----	20	----	22	+		
1930	----	----		1.20B/----	1.20B/3.30A	----			1.00	+ 0.40	.0115	----	----	----	----	26	UNCH		
1935	----	----		0.90B/----	0.90B/3.20A	----			0.90	+ 0.40	.0099	----	----	----	----	33	UNCH		
1945	----	----		----	0.50B/3.10A	----			0.70	+ 0.20	.0072	----	----	----	----	1	UNCH		
1950	----	----		----	0.30B/3.00A	----			0.70	+ 0.20	.0069	----	----	----	----	2	UNCH		
1960	----	----		----	----	----			0.60	+ 0.10	.0055	----	----	----	----	3	UNCH		
1965	----	----		----	----	----			0.50	+ 0.10	.0044	----	----	----	----	56	UNCH		
1970	----	----		----	----	----			0.50	+ 0.10	.0043	----	----	----	----	2	UNCH		
1975	----	----		----	----	----			0.50	+ 0.10	.0042	----	----	----	----	11	UNCH		
1980	----	----		----	----	----			0.40	UNCH	.0032	----	----	----	----	2	UNCH		
1995	----	----		----	----	----			0.30	- 0.10	.0021	----	----	----	----	15	UNCH		
2000	----	----		----	----	----			0.30	- 0.10	.0021	----	----	----	----	518	UNCH		
2005	----	----		----	----	----			0.30	- 0.10	.0020	----	----	----	----	15	UNCH		
2010	----	----		----	----	----			0.30	UNCH	.0020	----	----	----	----	15	UNCH		
2015	----	----		----	----	----			0.20	- 0.10	.0012	----	----	----	----	15	UNCH		
2020	----	----		----	----	----			0.20	- 0.10	.0012	----	----	----	----	15	UNCH		
2025	----	----		----	----	----			0.20	- 0.10	.0011	----	----	----	----	37	UNCH		
2030	----	----		----	----	----			0.20	UNCH	.0011	----	----	----	----	15	UNCH		
2035	----	----		----	----	----			0.10	- 0.10	.0004	----	----	----	----	15	UNCH		
2050	----	----		----	----	----			0.10	- 0.10	.0002	----	----	----	----	6	UNCH		
2065	----	----		----	----	----			0.10	UNCH	.0001	----	----	----	----	4	UNCH		
2085	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	31	UNCH		
2090	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	34	UNCH		
2095	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	45	UNCH		
2100	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	389	UNCH		
2105	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	30	UNCH		
2110	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	31	UNCH		
2115	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	30	UNCH		
2120	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	15	UNCH		
2125	----	----		----	----	----			0.10	UNCH	.0000	----	----	----	----	15	UNCH		
2150	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	18	UNCH		
2160	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	1	UNCH		
2170	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	4	UNCH		
2200	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	456	UNCH		
2250	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	117	UNCH		
2275	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	20	UNCH		
2300	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	255	UNCH		
2350	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	160	UNCH		
2400	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	904	UNCH		
2450	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	50	UNCH		
2480	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	50	UNCH		
2500	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	649	UNCH		
2600	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	360	UNCH		
2650	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	1	UNCH		
2700	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	111	UNCH		
2800	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	350	UNCH		
2850	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	58	UNCH		
2900	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	183	UNCH		
3000	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	574	UNCH		
3100	----	----		----	----	----			0.10	UNCH	----	----	----	----	----	159	UNCH		
3200	----	----		----	----	----			0.10										

PG64 BULLETIN #113@				METALS OPTION PRODUCTS							Mon, Jun 15, 2026				PG64	
	LOBEX OPEN	OPEN OPEN	OUTCRY RANGE	LOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	LOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
PO CALL	PLATINUM OPTIONS															
OCT26																
2200	----	----	----	41.50B/----	41.50B/38.10A	----	----	36.30 + 8.70	.1900	----	----	----	----	136		UNCH
2250	----	----	----	35.50B/----	35.50B/33.10A	----	----	31.10 + 7.60	.1660	----	----	----	----	1		UNCH
2300	----	----	----	30.30B/----	30.30B/28.90A	----	----	26.70 + 6.80	.1451	----	----	----	----	7		UNCH
2375	----	----	----	23.70B/----	23.70B/23.60A	----	----	21.10 + 5.50	.1179	----	----	----	----	50		UNCH
2400	21.00	21.00		21.80B/21.00	21.80B/21.00	----	----	19.50 + 5.10	.1100	----	----	1	----	527		UNCH
2500	----	----	----	15.40B/----	15.40B/17.20A	----	----	14.40 + 3.80	.0837	----	----	----	----	365		UNCH
2600	----	----	----	10.80B/----	10.80B/13.70A	----	----	10.80 + 2.80	.0642	----	----	----	----	23		UNCH
2635	----	----	----	9.50B/----	9.50B/12.70A	----	----	9.80 + 2.50	.0587	----	----	----	----	200		UNCH
2650	----	----	----	9.00B/----	9.00B/12.30A	----	----	9.40 + 2.30	.0565	----	----	----	----	25		UNCH
2700	----	----	----	7.50B/----	7.50B/11.20A	----	----	8.30 + 2.10	.0501	----	----	----	----	406		UNCH
2800	----	----	----	5.20B/----	5.20B/9.50A	----	----	6.40 + 1.60	.0392	----	----	----	----	39		UNCH
2850	----	----	----	4.40B/----	4.40B/8.90A	----	----	5.60 + 1.40	.0346	----	----	----	----	155		UNCH
2900	----	----	----	----	3.70B/8.30A	----	----	4.90 + 1.20	.0305	----	----	----	----	210		UNCH
2950	----	----	----	----	3.30B/7.90A	----	----	4.30 + 1.00	.0270	----	----	----	----	55		UNCH
3000	----	----	----	----	2.60B/7.50A	----	----	3.80 + 0.90	.0240	----	----	----	----	348		UNCH
3200	----	----	----	----	1.20B/6.40A	----	----	2.40 + 0.60	.0154	----	----	----	----	10		UNCH
3500	----	----	----	----	0.10B/5.40A	----	----	1.30 + 0.30	.0084	----	----	----	----	10		UNCH
4000	----	----	----	----	----/4.50A	----	----	0.80 + 0.20	.0049	----	----	----	----	5		UNCH
TOTAL												12		2847	+	5
JAN27																
2360	----	----	----	----	----	----	----	59.60 + 11.10	.2217	----	----	----	----	100		UNCH
TOTAL														100		0
PO PUT	PLATINUM OPTIONS															
JUL26																
1400	----	----	----	----	----/1.90A	----	----	0.10 UNCH	----	----	----	----	----	150		UNCH
1500	----	----	----	----	----/2.00A	----	----	0.10 - 0.20	----	----	----	----	----	153		UNCH
1550	----	----	----	----	----/2.00A	----	----	0.10 - 1.20	.0000	----	----	----	----	200		UNCH
1590	----	----	----	----/2.20A	----/2.20A	----	----	0.10 - 3.00	.0006	----	----	----	----	10		UNCH
1600	----	----	----	----/2.30A	0.20B/2.30A	----	----	0.20 - 3.60	.0015	----	----	----	----	320		UNCH
1630	----	----	----	----/2.50A	----/2.50A	----	----	0.50 - 6.30	.0055	----	----	----	----	25		UNCH
1635	----	----	----	----/2.60A	0.30B/2.60A	----	----	0.60 - 6.80	.0070	----	----	----	----	10		UNCH
1650	----	----	----	----/2.80A	1.40B/2.80A	----	----	1.00 - 8.80	.0135	----	----	----	----	5		UNCH
1680	----	----	----	----/*3.30A	4.60B/3.30A	----	----	2.50 - 14.60	.0428	----	----	----	----	50		UNCH
1690	----	----	----	----/3.60A	6.40B/3.60A	----	----	3.40 - 17.10	.0617	----	----	----	----	6		UNCH
1700	----	----	----	----/3.90A	8.90B/3.90A	----	----	4.60 - 19.80	.0873	----	----	----	----	227		UNCH
1710	----	----	----	----/4.40A	11.80B/4.40A	----	----	6.10 - 22.80	.1198	----	----	----	----	1		UNCH
1725	----	----	----	----/5.30A	17.50B/5.30A	----	----	9.00 - 27.80	.1828	----	----	----	----	100		UNCH
1730	----	----	----	----/5.70A	19.60B/5.70A	----	----	10.10 - 29.60	.2071	----	----	----	----	6		UNCH
1750	----	----	----	----/7.80A	29.80B/7.80A	----	----	15.90 - 36.80	.3269	----	----	----	50	61		UNCH
1800	----	----	----	----/19.20A	64.70B/19.20A	----	----	42.00 - 50.60	.6888	----	----	----	----	391		UNCH
1805	----	----	----	----/21.00A	29.90B/21.00A	----	----	45.50 - 51.50	.7198	----	----	----	----	45		UNCH
1810	----	----	----	----/23.10A	30.70B/23.10A	----	----	49.20 - 52.40	.7483	----	----	----	----	15		UNCH
1815	----	----	----	----/25.40A	31.50B/25.40A	----	----	53.00 - 53.20	.7748	----	----	----	----	45		UNCH
1820	----	----	----	----/27.70A	31.10B/27.70A	----	----	56.90 - 53.90	.7993	----	----	----	----	31		UNCH
1825	----	----	----	----/30.20A	86.20B/30.20A	----	----	60.90 - 54.60	.8218	----	----	----	----	100		UNCH
1830	----	----	----	----/32.80A	29.70B/32.80A	----	----	65.00 - 55.20	.8422	----	----	----	----	15		UNCH
1835	----	----	----	----	----	----	----	69.20 - 55.70	.8605	----	----	----	----	15		UNCH
1840	----	----	----	----	----	----	----	73.50 - 56.20	.8768	----	----	----	----	15		UNCH
1850	----	----	----	----/44.80A	109.20B/44.80A	----	----	82.20 - 57.20	.9057	----	----	----	----	77		UNCH
1860	----	----	----	----	----	----	----	91.20 - 57.90	.9280	----	----	----	----	32		UNCH
1870	----	----	----	----	----	----	----	100.40 - 58.50	.9453	----	----	----	----	1		UNCH
1900	----	----	----	----/84.50A	157.80B/84.50A	----	----	128.90 - 59.60	.9759	----	----	----	----	595		UNCH
1920	----	----	----	----	----	----	----	148.30 - 60.00	.9851	----	----	----	----	2		UNCH
1950	----	----	----	----/131.20A	207.50B/131.20A	----	----	177.90 - 60.30	.9930	----	----	----	----	8		UNCH
1980	----	----	----	----	----	----	----	207.60 - 60.50	.9967	----	----	----	----	48		UNCH
1990	----	----	----	----	----	----	----	217.50 - 60.60	.9969	----	----	----	----	23		UNCH
2000	----	----	----	----/180.20A	257.40B/180.20A	----	----	227.50 - 60.60	.9979	----	----	----	----	53		UNCH
2015	----	----	----	----	----	----	----	242.40 - 60.60	.9987	----	----	----	----	25		UNCH
2035	----	----	----	----	----	----	----	262.30 - 60.60	.9995	----	----	----	----	46		UNCH
2075	----	----	----	----/254.70A	332.40B/254.70A	----	----	302.30 - 60.50	.9999	----	----	----	----	1		UNCH
2085	----	----	----	----	----	----	----	312.30 - 60.50	.9999	----	----	----	----	1		UNCH
2100	----	----	----	----/279.60A	357.40B/279.60A	----	----	327.30 - 60.50	1.0000	----	----	----	----	25		UNCH
2130	----	----	----	----	----	----	----	357.30 - 60.50	1.0000	----	----	----	----	23		UNCH
2135	----	----	----	----	----	----	----	362.30 - 60.50	1.0000	----	----	----	----	190		UNCH
2165	----	----	----	----	----	----	----	392.30 - 60.50	1.0000	----	----	----	----	20		UNCH
2350	----	----	----	----/529.20A	607.30B/529.20A	----	----	577.20 - 60.60	1.0000	----	----	----	----	3		UNCH
TOTAL											50			3169		0
AUG26																
1600	----	----	----	----/10.00A	15.60B/10.00A	----	----	12.60 - 13.00	.1256	----	----	----	200	201		UNCH
1725	----	----	----	----/*31.50A	54.30B/31.50A	----	----	44.10 - 28.30	.3387	----	----	----	----	30		UNCH
1750	----	----	----	----/39.20A	66.40B/39.20A	----	----	54.60 - 31.20	.3926	----	----	----	----	105		UNCH
1800	----	----	----	----/59.10A	94.70B/59.10A	----	----	80.00 - 36.40	.5014	----	----	----	----	15		UNCH
1850	----	----	----	----/84.30A	128.20B/84.30A	----	----	110.70 - 41.40	.6041	----	----	----	----	200		UNCH
2000	----	----	----	----/188.90A	252.80B/188.90A	----	----	228.40 - 52.40	.8256	----	----	----	----	1		UNCH
TOTAL											200			552		0
SEP26																
1550	----	----	----	----/*19.10A	25.50B/*19.10A	----	----	22.10 - 13.90	.1478	----	----	----	----	5		UNCH
1850	----	----	----	----/121.50A	16											

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
JUL26	CALL			
OG		4375	0	700
OG		4500	0	700
OG		5200	0	340
TOTALS			0	1740
AUG26 CALL				
OG	CALL	4500	0	50
OG		4700	0	50
TOTALS			0	100
SEP26 CALL				
OG	CALL	4415	0	50
OG		4730	0	100
TOTALS			0	150
OCT26 CALL				
OG	CALL	4500	0	200
TOTALS			0	200
DEC26 CALL				
OG	CALL	4800	0	38
OG		4900	0	200
TOTALS			0	238
OG PUT COMEX GOLD OPTIONS				
AUG26	PUT			
OG		4000	0	50
OG		4150	0	170
OG		4350	0	50
TOTALS			0	270
SEP26 PUT				
OG	PUT	3700	0	340
OG		3945	0	170
OG		4000	0	90
OG		4115	0	100
TOTALS			0	700
OCT26 PUT				
OG	PUT	4100	0	400
TOTALS			0	400
DEC26 PUT				
OG	PUT	3500	0	445
OG		3700	0	50
TOTALS			0	495
MAR27 PUT				
OG	PUT	3600	0	270
TOTALS			0	270
SO CALL COMEX SILVER OPTIONS				
JUL26	CALL			
SO		7000	0	10
SO		8500	0	20
SO		9800	0	80
SO		10000	0	10
TOTALS			0	120
DEC26 CALL				
SO	CALL	9500	0	106
SO		10500	0	106
TOTALS			0	212
SO PUT COMEX SILVER OPTIONS				
AUG26	PUT			
SO		6000	0	40
SO		6200	0	100
SO		6300	0	100
TOTALS			0	240
SEP26 PUT				
SO	PUT	5500	0	40
SO		6700	0	200
TOTALS			0	240
HX CALL COMEX COPPER OPTIONS				
JUL26	CALL			
HX		660	0	300
TOTALS			0	300
AUG26 CALL				
HX	CALL	660	0	300
TOTALS			0	300
DEC26 CALL				
HX	CALL	740	0	200
HX		750	0	200
TOTALS			0	400
HX PUT COMEX COPPER OPTIONS				
JUL26	PUT			
HX		500	0	843
HX		585	0	843
HX		600	0	200
HX		650	0	150
TOTALS			0	2036
DEC26 PUT				
HX	PUT	580	0	200
HX		590	0	200
TOTALS			0	400
PO PUT PLATINUM OPTIONS				
JUL26	PUT			
PO		1750	0	50
TOTALS			0	50
AUG26 PUT				
PO	PUT	1600	0	200
TOTALS			0	200
PAO PUT NYMEX PALLADIUM OPTIONS				
SEP26	PUT			
PAO		1200	0	50
TOTALS			0	50
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3				
JUN26	CALL			
G3M		4400	0	70
TOTALS			0	70
GWW WED GOLD WEEKLY WEDNESDAY OPTION WEEK3				
JUN26	CALL			
G3W		4450	0	100

PRELIMINARY

PG64	BULLETIN #113@		METALS OPTION PRODUCTS	Mon, Jun 15, 2026	PG64
	TOTALS		100		
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3			
JUN26	PUT				
G3M		4325	0	70	
TOTALS			0	70	
GWR THU		GOLD WEEKLY THURSDAY OPTION week3			
JUN26	CALL				
G3R		4500	0	200	
G3R		4550	0	200	
TOTALS			0	400	
GWT TUE		GOLD WEEKLY TUESDAY OPTION week3			
JUN26	PUT				
G3T		4330	0	30	
TOTALS			0	30	