METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/09	06/10											
ECG11 OP		06/09	06/10											
ECG13 OP		06/09	06/10											
ECG15 OP		06/09	06/10											
ECG16 OP		06/09	06/10											
ECGC OOF		06/09	06/10											
ECHG OOF		06/09	06/10											
ECSI OOF		06/09	06/10											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/12													
FSO OPT	06/30													
GMW MON	06/29			07/06										
GWR THU	06/18			07/09										
GWT TUE	06/30			07/07										
GWW WED	06/24			07/01										
HMW MON	06/29													
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU	06/18			07/09										
HWT TUE	06/23													
HWW WED	06/24			07/01	08/05	09/02								
HX CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			07/17										
HXE PUT	06/26			07/10										
LHO OPT	06/30			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG2 CALL	06/12			07/10										
OG2 PUT	06/12			07/10										
OG3 CALL				07/17										
OG3 PUT				07/17										
OG4 CALL	06/26													
OG4 PUT	06/26													
OMG OPT				06/25	07/28		09/24		11/24					
PAO CALL				06/17	07/15	08/19			11/18					
PAO PUT				06/17	07/15	08/19			11/18					
PLW OOF	06/12													
PO CALL				06/17	07/15	08/19	09/16			12/16				
PO PUT				06/17	07/15	08/19	09/16			12/16				
RWS THU	06/18			07/09										
SMW MON	06/29													
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
SO2 CALL	06/12			07/10										
SO2 PUT	06/12			07/10										
SO3 CALL				07/17										
SO3 PUT				07/17										
SO4 CALL	06/26													
SO4 PUT	06/26													
SWW WED	06/24													
TWS TUE	06/30													
WMG WED	06/17													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
JUN26												
4300	----	----	----	----	----	0.00 - 21.80	----	----	----	----	----	0 - 1
4350	----	----	----	----/60.00A	----	0.00 - 6.70	----	----	----	----	----	0 - 2
4415	----	----	----	----	----	0.00 - 1.20	----	----	----	----	----	0 - 1
4600	----	----	----	----	----	1.30 - 1.00	.0120	----	----	----	----	0 UNCH
TOTAL												0 - 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUL26												
3400	----	----	----	----	----	735.60 - 51.60	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	676.40 - 51.20	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	131.00 + 74.80	----	----	----	----	----	2 UNCH
4275	----	----	----	----	----	180.10 + 96.60	----	----	----	----	----	1 UNCH
4300	----	----	#95.40B/----	#95.40B/----	----	198.70 + 03.80	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	281.70 + 28.10	----	----	----	----	----	1 UNCH
4500	----	----	----	0.70B/----	----	374.10 + 43.00	----	----	----	----	----	4 UNCH
4500	11.00	11.00	11.00/*11.00	11.00/*11.00	----	7.80 - 10.00	----	----	----	1	----	0 - 1
4550	----	----	----	----	----	422.00 + 47.00	----	----	----	----	----	1 UNCH
4600	----	----	----	5.10B/71.00A	----	4.40 - 3.60	----	----	----	----	----	2 UNCH
4600	----	----	----	----	----	470.60 + 49.40	----	----	----	----	----	2 UNCH
4700	----	----	----	----	----	2.90 - 1.20	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	2.10 - 0.40	----	----	----	----	----	2 UNCH
5000	----	----	----	0.70B/----	----	1.30 UNCH	----	----	----	----	----	3 UNCH
5300	----	----	----	----	----	0.70 + 0.10	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	0.50 + 0.10	----	----	----	----	----	2 UNCH
TOTAL										1		28 - 1
AUG26												
3500	15.00	15.00	#15.00/*15.00	#15.00/*15.00	----	17.90 NEW	----	----	----	1	----	1 + 1
3700	----	----	----	----	----	35.50 + 16.10	----	----	----	----	----	2 UNCH
3900	54.70	54.70	#54.70/54.70	#54.70/54.70	----	70.80 NEW	----	----	----	1	----	1 + 1
4210	----	----	----	----	----	191.90 + 78.70	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	319.90 + 12.00	----	----	----	----	----	12 UNCH
4400	----	----	----	----	----	54.20 - 40.60	----	----	----	----	----	1 UNCH
4535	----	----	----	----	----	31.20 - 22.70	----	----	----	----	----	2 UNCH
4550	----	----	----	----	----	444.50 + 31.40	----	----	----	----	----	2 UNCH
4995	----	----	----	----	----	7.00 - 2.10	----	----	----	----	----	0 UNCH
TOTAL										2		22 + 2
OCT26												
4680	----	----	----	----	----	59.10 - 26.90	----	----	----	----	----	1 UNCH
TOTAL												1 0
DEC26												
3250	----	----	----	----	----	33.40 + 9.30	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	101.50 - 36.30	----	----	----	----	----	10 UNCH
TOTAL												11 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
JUN26												
3250	----	----	#2.50B/----	#2.50B/1.60A	----	2.00 + 0.90	.0103	----	----	1	----	5 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
JUN26												
3500	2.50	2.50	#7.00B/2.50	#7.00B/2.50	----	4.60 + 2.10	.0269	----	----	3	----	9 + 1
3600	7.10	7.10	#11.20B/7.10	#11.20B/4.40A	----	7.30 + 3.70	.0435	----	----	69	----	96 UNCH
3700	10.00	10.00	#18.10B/9.50	#18.10B/5.80A	----	12.00 + 6.70	.0718	----	----	47	----	30 - 25
3750	15.40	15.40	#23.00B/15.40	#23.00B/7.10A	----	15.50 + 9.00	.0923	----	----	3	----	16 - 2
3800	18.20	18.20	#29.50B/18.20	#29.50B/8.90A	----	19.80 + 11.70	.1174	----	----	10	----	17 + 8
3850	----	----	----	#36.00B/*11.10A	----	25.40 NEW	.1491	----	----	2	----	2 + 2
3900	25.20	25.20	#46.20B/25.20	#46.20B/13.60A	----	32.60 + 19.80	.1883	----	----	17	----	16 + 15
3925	33.00	33.00	#51.00B/*33.00	#51.00B/*15.40A	----	36.80 NEW	.2108	----	----	2	----	2 + 2
3950	40.30	40.30	#57.90B/37.10	#57.90B/18.00A	----	41.70 + 25.40	.2359	----	----	9	----	7 + 5
3975	27.70	27.70	#64.70B/27.70	#64.70B/20.20A	----	47.10 + 28.70	.2632	----	----	8	----	8 + 7
4000	36.50	36.50	#72.80B/36.50	#72.80B/22.80A	----	53.20 + 32.30	.2928	----	----	32	----	26 + 3
4050	36.10	36.10	#89.80B/36.10	#89.80B/29.00A	----	67.70 + 40.70	.3592	----	----	17	----	10 + 4
4075	----	----	#99.00B/----	#99.00B/33.10A	----	76.20 + 45.50	.3958	----	----	2	----	2 + 1
4100	60.00	60.00	#113.30/60.00	#113.30/37.70A	----	85.70 + 50.80	.4343	----	----	8	----	18 UNCH
4125	92.80	92.80	#122.30B/92.80	#122.30B/42.40A	----	96.10 + 56.30	.4744	----	----	7	----	6 UNCH
4150	----	----	#135.50B/----	#135.50B/48.20A	----	107.50 + 62.10	.5158	----	----	5	----	15 + 2
4175	----	----	#149.70B/----	#149.70B/54.80A	----	120.20 + 68.50	.5579	----	----	8	----	4 + 1
4200	85.40	85.40	#165.10B/85.40	#165.10B/62.60A	----	134.00 + 75.10	.6000	----	----	20	----	23 + 1
4225	106.00	106.00	#181.60B/106.00	#181.60B/71.60A	----	149.10 + 82.10	.6411	----	----	3	----	8 UNCH
4250	----	----	#199.20B/----	#199.20B/80.40A	----	165.40 + 89.20	.6808	----	----	1	----	26 UNCH
4275	----	----	#217.70B/----	#217.70B/91.90A	----	182.90 + 96.40	.7182	----	----	----	----	45 UNCH
4300	----	----	#237.50B/----	#237.50B/107.60A	----	201.30 + 03.30	.7531	----	----	1	----	17 UNCH
4325	171.40	171.40	#257.60B/171.40	#257.60B/121.60A	----	220.80 + 10.10	.7852	----	----	1	----	7 UNCH
4350	216.00	216.00	#278.70B/216.00	#278.70B/135.90A	----	241.00 + 16.30	.8140	----	----	1	----	21 + 1
4375	----	----	#300.20B/----	#300.20B/152.40A	----	262.00 + 22.00	.8397	----	----	----	----	15 UNCH
4400	----	----	#322.40B/----	#322.40B/169.60A	----	283.70 + 27.30	.8622	----	----	----	----	3 UNCH
4425	----	----	#344.90B/----	#344.90B/188.00A	----	305.90 + 31.80	.8815	----	----	3	----	2 - 1
4450	----	----	#368.00B/----	#368.00B/207.40A	----	328.70 + 35.80	.8979	----	----	3	----	9 UNCH
4475	----	----	#391.40B/----	#391.40B/227.30A	----	351.80 + 39.20	.9124	----	----	----	----	281 UNCH
4500	----	----	#415.20B/----	#415.20B/248.80A	----	375.20 + 41.90	.9243	----	----	----	----	12 UNCH
4525	----	----	#439.00B/----	#439.00B/270.80A	----	399.00 + 44.30	.9348	----	----	----	----	3 UNCH
4550	----	----	#463.20B/----	#463.20B/292.70A	----	422.90 + 46.10	.9431	----	----	----	----	33 UNCH
4600	----	----	#467.60B/----	#467.60B/339.40A	----	471.30 + 48.80	.9561	----	----	----	----	7 UNCH
4700	----	----	----	----	----	569.50 + 51.60	.9721	----	----	----	----	1 UNCH
4725	----	----	----	----	----	594.20 + 51.90	.9748	----	----	----	----	1 UNCH
TOTAL										283		803 + 26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
JUN26												
3800	----	----	----/*320.70A	462.40B/*320.70A	----	352.70 NEW	.8822	----	----	1	----	1 + 1
4000	----	----	----/*164.90A	284.90B/*164.90A	----	186.30 NEW	.7067	----	----	1	----	1 + 1
4100	157.00	157.00	157.00/*103.80A	200.10B/*103.80A	----	118.90 NEW	.5652	----	----	3	----	3 + 3
4150	----	----	----/*78.80A	161.40B/*78.80A	----	90.90 NEW	.4837	----	----	4	----	4 + 4
4175	97.30	97.30	97.30/*68.10A	143.30B/*68.10A	----	78.50 NEW	.4416	----	----	9	----	3 + 3
4200	103.00	103.00	103.00/*58.60A	128.40B/*58.60A	----	67.40 - 77.80	.3995	----	----	22	----	9 + 8
4250	75.00	75.00	84.70/*42.70A	104.00B/*42.70A	----	48.90 NEW	.3187	----	----	127	----	50 + 50
4275	64.70	64.70	73.70/*36.20A	90.20B/*36.20A	----	41.40 NEW	.2813	----	----	34	----	32 + 32
4300	55.50	55.50	62.00/*30.60A	75.50B/*30.60A	----	34.90 - 49.50	.2464	----	----	94	----	56 + 55
4325	----	----	----/*25.80A	64.20B/*25.80A	----	29.30 - 42.90	.2143	----	----	4	----	5 + 2
4350	41.80	41.80	41.80/*21.70A	54.40B/*21.70A	----	24.60 - 36.60	.1856	----	----	31	----	27 + 24
4375	30.00	30.00	30.00/*18.20A	45.40B/*18.20A	----	20.60 - 30.90	.1598	----	----	11	----	9 + 7
4400	32.60	32.60	35.00/*15.30A	37.50B/*15.30A	----	17.30 - 25.70	.1374	----	----	48	----	56 + 38
4425	21.80	21.80	22.30/*12.90A	30.90B/*12.90A	----	14.60 NEW	.1181	----	----	9	----	9 + 9
4450	----	----	----/*10.90A	25.20B/*10.90A	----	12.40 - 17.10	.1017	----	----	8	----	12 + 7
4475	15.90	15.90	19.40B/*9.20A	19.40B/*9.20A	----	10.50 - 13.80	.0872	----	----	5	----	11 UNCH
4500	13.50	13.50	16.10B/*7.80A	16.10B/*7.80A	----	9.00 - 11.00	.0753	----	----	8	----	37 + 4
4525	10.40	10.40	10.60/*6.70A	13.40B/*6.70A	----	7.70 - 8.70	.0649	----	----	36	----	24 + 6
4550	7.20	7.20	7.20/*5.70A	11.10B/*5.70A	----	6.70 - 6.90	.0565	----	----	2	----	13 + 2
4575	7.80	7.80	7.90/*5.00A	9.30B/*5.00A	----	5.90 - 5.30	.0496	----	----	5	----	34 + 5
4600	8.40	8.40	8.40/*4.50A	8.40/*4.50A	----	5.20 - 4.10	.0436	----	----	10	----	82 - 2
4625	----	----	----/*3.90A	6.80B/*3.90A	----	4.60 - 3.20	.0385	----	----	----	----	2 UNCH
4650	5.20	5.20	5.20/*3.30A	5.70B/*3.30A	----	4.10 - 2.50	.0341	----	----	13	----	19 + 13
4675	4.90	4.90	5.00/*3.40A	5.10B/*3.40A	----	3.70 - 1.90	.0305	----	----	21	----	26 + 21
4700	----	----	----/*3.10A	4.40B/*3.10A	----	3.40 - 1.40	.0277	----	----	8	----	91 - 1
4725	----	----	----/*2.90A	3.90B/*2.90A	----	3.10 - 1.10	.0250	----	----	----	----	5 UNCH
4750	----	----	----/*2.60A	3.60B/*2.60A	----	2.90 - 0.80	.0230	----	----	----	----	27 UNCH
4775	----	----	3.30B/*2.50A	3.30B/*2.50A	----	2.70 - 0.50	.0212	----	----	----	----	2 UNCH
4800	----	----	----/*2.30A	2.90B/*2.30A	----	2.50 - 0.40	.0194	----	----	2	----	55 UNCH
4825	----	----	2.70B/*2.20A	2.70B/*2.20A	----	2.30 - 0.30	.0177	----	----	----	----	12 UNCH
4850	----	----	2.50B/*2.00A	2.50B/*2.00A	----	2.20 - 0.20	.0166	----	----	7	----	28 + 6
4875	----	----	2.30B/*1.90A	2.30B/*1.90A	----	2.10 - 0.10	.0156	----	----	----	----	4 UNCH
4900	2.50	2.50	2.50/*1.80A	2.50/*1.80A	----	2.00 UNCH	.0146	----	----	1	----	29 UNCH
4950	----	----	1.80B/----	1.80B/*1.70A	----	1.80 + 0.10	.0128	----	----	----	----	4 UNCH
4975	----	----	1.70B/----	1.70B/*1.60A	----	1.80 + 0.20	.0126	----	----	----	----	1 UNCH
5000	----	----	----	1.50B/*1.60A	----	1.70 + 0.20	.0117	----	----	----	----	11 UNCH
5050	----	----	----	1.30B/*1.50A	----	1.60 + 0.20	.0107	----	----	----	----	10 UNCH
5200	----	----	----	0.80B/1.40A	----	1.40 + 0.30	.0086	----	----	----	----	20 UNCH
5250	----	----	----	0.70B/1.30A	----	1.30 + 0.30	.0078	----	----	----	----	1 UNCH
5300	----	----	----	0.60B/1.40A	----	1.10 + 0.20	.0065	----	----	----	----	9 UNCH
5400	----	----	----	0.40B/1.20A	----	0.90 + 0.20	.0052	----	----	----	----	1 UNCH
5500	----	----	----	0.30B/1.10A	----	0.80 + 0.20	.0044	----	----	----	----	1 UNCH
5750	----	----	----	----/1.00A	----	0.60 + 0.10	.0030	----	----	----	----	1 UNCH
TOTAL										524		837 + 298

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
JUL26												
3000	3.00	3.00	#3.50B/*3.00	#3.50B/3.00	----	3.10 NEW	.0126	----	----	1	----	1 + 1
3250	7.60	7.60	#7.60/7.60	#7.60/5.00A	----	6.20 NEW	.0269	----	----	1	----	1 + 1
3600	17.90	17.90	#26.20B/17.90	#26.20B/11.80A	----	20.20 NEW	.0895	----	----	3	----	3 + 3
3700	26.30	26.30	#37.70B/26.30	#37.70B/15.70A	----	28.80 + 14.10	.1264	----	----	5	----	5 + 4
3750	33.00	33.00	#45.10B/33.00	#45.10B/18.60A	----	34.50 + 17.10	.1500	----	----	6	----	9 - 1
3800	51.60	51.60	#53.80B/51.60	#53.80B/21.60A	----	41.40 + 20.60	.1778	----	----	5	----	7 + 4
3875	49.00	49.00	#65.30B/*49.00	#65.30B/*31.90A	----	54.50 NEW	.2280	----	----	3	----	3 + 3
3900	52.00	52.00	#76.40B/45.00	#76.40B/31.30A	----	59.70 + 29.70	.2471	----	----	10	----	109 + 7
3950	----	----	#90.70B/----	#90.70B/37.80A	----	71.80 + 35.50	.2895	----	----	----	----	21 UNCH
3975	----	----	#98.60B/----	#98.60B/41.50A	----	78.60 + 38.70	.3125	----	----	3	----	9 + 1
4000	98.00	98.00	#107.20B/98.00	#107.20B/45.80A	----	86.10 + 42.10	.3368	----	----	4	----	205 + 2
4025	----	----	#116.50B/----	#116.50B/50.20A	----	94.20 + 45.70	.3622	----	----	1	----	2 + 1
4050	----	----	#126.40B/----	#126.40B/55.20A	----	103.00 + 49.50	.3887	----	----	----	----	22 UNCH
4100	----	----	#145.00B/----	#145.00B/66.90A	----	122.80 + 57.80	.4444	----	----	5	----	109 - 2
4150	----	----	#168.10B/----	#168.10B/80.80A	----	145.70 + 66.80	.5028	----	----	1	----	7 + 1
4175	----	----	#177.60B/----	#177.60B/88.80A	----	158.30 NEW	.5324	----	----	1	----	1 + 1
4200	155.00	155.00	#191.80B/155.00	#191.80B/97.60A	----	171.80 + 76.30	.5621	----	----	6	----	5 + 4
4275	----	----	#239.30B/----	#239.30B/128.50A	----	217.20 + 91.50	.6490	----	----	----	----	1 UNCH
4325	----	----	#274.80B/----	#274.80B/162.10A	----	251.40 NEW	.7028	----	----	2	----	2 + 2
4350	----	----	#293.50B/----	#293.50B/176.20A	----	269.70 NEW	.7277	----	----	2	----	0 UNCH
4375	----	----	#313.10B/----	#313.10B/191.30A	----	288.80 + 10.70	.7511	----	----	----	----	1 UNCH
4650	----	----	#529.60B/----	#529.60B/404.70A	----	529.30 + 42.70	.9137	----	----	----	----	1 UNCH
4725	----	----	#512.60B/----	#512.60B/473.10A	----	600.60 + 46.20	.9344	----	----	----	----	1 UNCH
TOTAL										59		525 + 32

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
JUL26												
4300	81.50	81.50	81.50/*61.70A	116.30B/*61.70A	----	67.70 NEW	.3226	----	----	10	----	10 + 10
4375	49.30	49.30	49.30/*43.90A	83.10B/*43.90A	----	47.80 NEW	.2480	----	----	2	----	2 + 2
4400	57.00	57.00	57.00/*39.00	73.80B/*39.00	----	42.50 NEW	.2260	----	----	3	----	3 + 3
4425	----	----	----/*34.80A	65.30B/*34.80A	----	37.90 - 33.70	.2059	----	----	----	----	1 UNCH
4475	33.90	33.90	33.90/*27.50A	51.10B/*27.50A	----	30.10 NEW	.1699	----	----	1	----	1 + 1
4500	32.70	32.70	32.70/*24.50A	44.90B/*24.50A	----	26.80 - 23.20	.1540	----	----	8	----	13 - 1
4550	33.80	33.80	34.70B/*19.50A	34.70B/*19.50A	----	21.40 - 17.70	.1265	----	----	6	----	10 UNCH
4600	22.20	22.20	22.50/*15.70A	27.10B/*15.70A	----	17.20 - 13.50	.1040	----	----	3	----	1 UNCH
4625	18.80	18.80	18.80/*14.00A	22.20B/*14.00A	----	15.50 NEW	.0946	----	----	3	----	3 + 3
4675	11.90	11.90	11.90/*11.60A	17.60B/*11.60A	----	12.60 NEW	.0781	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG3 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
4700	----	----	----/*10.50A	15.00B/*10.50A	----	11.40 - 7.60	.0711	----	----	----	----	1 UNCH
4775	10.70	10.70	10.70/*8.20A	10.70/*8.20A	----	8.70 - 4.90	.0547	----	----	1	----	1 UNCH
4800	----	----	----/*7.60A	8.90B/*7.60A	----	8.00 - 4.20	.0503	----	----	----	----	1 UNCH
4900	----	----	----/*5.60A	6.00B/*5.60A	----	5.90 - 2.40	.0369	----	----	1	----	4 UNCH
5000	----	----	----/*4.40A	4.30B/*4.40A	----	4.50 - 1.50	.0278	----	----	----	----	2 UNCH
TOTAL										39		54 + 19

OG2 PUT — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3250	----	----	0.20B/----	0.20B/*0.20A	----	0.10 UNCH	.0000	----	----	3	----	11 UNCH
3500	0.60	0.60	1.00/*0.30	1.00/0.30	----	0.50 + 0.10	.0009	----	----	20	----	64 - 1
3600	1.00	1.00	1.30B/0.60	1.30B/0.60	----	0.80 + 0.30	.0021	----	----	16	----	62 + 12
3700	1.20	1.20	2.20B/0.80	2.20B/0.80	----	1.20 + 0.40	.0042	----	----	23	----	62 + 22
3750	2.20	2.20	#2.90/1.20	2.90/1.20	----	1.50 + 0.50	.0062	----	----	32	----	52 + 13
3800	2.50	2.50	#4.00/1.40	4.00/1.40	----	2.00 + 0.80	.0098	----	----	147	----	95 + 29
3850	2.70	2.70	#5.00/*2.70	#5.10B/*1.90A	----	2.80 NEW	.0164	----	----	23	----	20 + 20
3860	3.00	3.00	#3.00/*3.00	#5.40B/*2.00A	----	3.00 NEW	.0183	----	----	1	----	1 + 1
3900	4.60	4.60	#9.10B/2.50A	#9.10B/2.50A	----	4.30 + 2.20	.0302	----	----	216	----	124 + 29
3920	----	----	----	#10.20B/*2.90A	----	5.30 NEW	.0398	----	----	4	----	4 + 4
3925	7.80	7.80	#10.80B/*7.80	#10.80B/*3.00A	----	5.60 NEW	.0428	----	----	13	----	11 + 11
3930	5.70	5.70	#12.20B/4.00	#12.20B/3.00A	----	5.80 NEW	.0451	----	----	43	----	21 + 21
3935	5.40	5.40	#13.00B/3.30	#13.00B/3.10A	----	6.20 NEW	.0489	----	----	45	----	17 + 17
3940	6.10	6.10	#13.60/3.50	#13.60/3.10A	----	6.50 NEW	.0521	----	----	62	----	34 + 34
3945	6.20	6.20	#14.30B/3.60	#14.30B/3.20A	----	6.80 + 4.20	.0554	----	----	44	----	36 + 16
3950	5.10	5.10	#15.10/4.10	#15.10/3.30A	----	7.20 + 4.50	.0595	----	----	54	----	35 + 27
3955	6.30	6.30	#15.70B/3.80	#15.70B/3.40A	----	7.60 NEW	.0638	----	----	54	----	13 + 13
3960	6.90	6.90	#16.40B/6.30	#16.40B/3.50A	----	8.00 + 5.10	.0681	----	----	22	----	8 + 6
3965	9.50	9.50	#17.20B/6.60	#17.20B/3.50A	----	8.40 + 5.40	.0726	----	----	13	----	10 + 4
3970	4.60	4.60	#18.00B/4.60	#18.00B/3.60A	----	8.90 + 5.80	.0779	----	----	117	----	111 + 110
3975	9.70	9.70	#18.90/8.20	#18.90/3.70A	----	9.40 NEW	.0834	----	----	48	----	31 + 31
3980	4.60	4.60	#19.90B/4.60	#19.90B/3.80A	----	9.90 + 6.70	.0890	----	----	43	----	32 + 11
3985	5.00	5.00	#20.90B/5.00	#20.90B/3.90A	----	10.40 + 7.10	.0948	----	----	22	----	20 + 12
3990	8.30	8.30	#21.80B/5.10	#21.80B/3.90A	----	11.00 + 7.50	.1014	----	----	132	----	113 + 112
3995	10.90	10.90	#22.80B/9.30	#22.80B/4.00A	----	11.50 + 7.90	.1075	----	----	20	----	20 + 2
4000	5.00	5.00	#23.80B/5.00	#23.80B/4.10A	----	12.20 + 8.50	.1152	----	----	2347	----	328 - 89
4005	12.00	12.00	#24.80B/10.50	#24.80B/4.20A	----	12.80 + 9.00	.1224	----	----	22	----	13 + 11
4010	11.90	11.90	#26.00B/7.80	#26.00B/4.30A	----	13.50 NEW	.1305	----	----	55	----	24 + 24
4015	8.10	8.10	#27.10B/8.10	#27.10B/4.40A	----	14.20 + 10.10	.1388	----	----	29	----	10 + 9
4020	8.50	8.50	#28.30B/8.50	#28.30B/4.50A	----	15.00 + 10.80	.1480	----	----	25	----	10 + 3
4025	11.40	11.40	#29.40B/11.40	#29.40B/4.70A	----	15.80 + 11.40	.1574	----	----	29	----	22 + 17
4030	16.00	16.00	#30.80B/16.00	#30.80B/4.90A	----	16.60 + 12.10	.1670	----	----	32	----	39 + 24
4035	15.60	15.60	#32.20B/8.70	#32.20B/5.10A	----	17.50 + 12.80	.1775	----	----	23	----	16 + 12
4040	10.40	10.40	#33.60B/10.40	#33.60B/5.20A	----	18.40 + 13.50	.1883	----	----	41	----	34 + 31
4045	18.90	18.90	#35.20B/18.90	#35.20B/5.40A	----	19.40 + 14.40	.2000	----	----	6	----	3 UNCH
4050	8.00	8.00	#36.70B/8.00	#36.70B/5.60A	----	20.40 + 15.20	.2119	----	----	1917	----	226 + 143
4055	19.30	19.30	#38.30B/19.30	#38.30B/5.90A	----	21.50 + 16.10	.2246	----	----	6	----	5 + 3
4060	15.90	15.90	#39.90B/15.90	#39.90B/6.00A	----	22.60 + 17.00	.2377	----	----	43	----	30 + 28
4065	17.30	17.30	#41.60B/15.20	#41.60B/6.30A	----	23.80 NEW	.2516	----	----	16	----	4 + 4
4070	16.60	16.60	#43.50B/12.60	#43.50B/6.50A	----	25.00 + 18.90	.2658	----	----	43	----	37 + 29
4075	14.10	14.10	#45.10B/12.40	#45.10B/6.80A	----	26.30 + 20.00	.2807	----	----	7	----	40 + 1
4080	23.60	23.60	#46.60B/17.90	#46.60B/7.00A	----	27.70 + 21.10	.2965	----	----	19	----	9 + 8
4085	18.50	18.50	#48.60B/18.50	#48.60B/7.40A	----	29.20 + 22.30	.3129	----	----	8	----	7 + 6
4090	22.30	22.30	#50.80B/15.70	#50.80B/7.70A	----	30.70 + 23.60	.3296	----	----	25	----	13 + 9
4095	22.80	22.80	#53.00B/16.50	#53.00B/8.00A	----	32.30 + 24.90	.3470	----	----	12	----	9 + 6
4100	17.50	17.50	#55.60B/17.50	#55.60B/8.20A	----	33.90 + 26.10	.3647	----	----	539	50	743 + 152
4105	24.60	24.60	#57.70B/17.80	#57.70B/8.70A	----	35.70 + 27.60	.3832	----	----	7	----	8 + 7
4110	26.80	26.80	#60.10B/21.40	#60.10B/9.20A	----	37.50 + 29.00	.4020	----	----	10	----	6 + 3
4115	25.00	25.00	#62.70B/25.00	#62.70B/9.60A	----	39.40 + 30.60	.4214	----	----	33	----	15 + 13
4120	26.10	26.10	#65.40B/26.10	#65.40B/10.10A	----	41.40 + 32.20	.4411	----	----	1	----	4 UNCH
4125	29.50	29.50	#68.10B/22.50	#68.10B/10.40A	----	43.50 + 33.80	.4613	----	----	45	----	32 + 23
4130	29.00	29.00	#71.00B/29.00	#71.00B/11.10A	----	45.70 + 35.60	.4817	----	----	7	----	6 + 2
4135	31.90	31.90	#73.90B/25.50	#73.90B/11.40A	----	47.90 + 37.30	.5023	----	----	17	----	9 + 4
4140	31.80	31.80	#76.90B/31.80	#76.90B/11.80A	----	50.30 + 39.20	.5231	----	----	6	----	6 + 3
4145	40.50	40.50	#79.90B/40.50	#79.90B/12.30A	----	52.80 + 41.20	.5440	----	----	2	----	6 - 1
4150	15.80	15.80	#83.40B/15.80	#83.40B/12.90A	----	55.30 + 43.20	.5651	----	----	310	----	232 + 88
4155	50.70	50.70	#86.50B/50.70	#86.50B/13.80A	----	58.00 + 45.30	.5859	----	----	5	----	9 + 5
4160	38.20	38.20	#89.80B/38.20	#89.80B/14.50A	----	60.70 + 47.40	.6069	----	----	9	----	7 + 4
4165	----	----	#93.40B/----	#93.40B/15.00A	----	63.60 + 49.60	.6274	----	----	1	----	3 UNCH
4170	22.00	22.00	#97.10B/22.00	#97.10B/15.70A	----	66.50 + 51.80	.6479	----	----	28	----	21 + 10
4175	58.50	58.50	#101.10B/58.50	#101.10B/16.50A	----	69.60 + 54.20	.6678	----	----	108	----	95 + 70
4180	35.60	35.60	#104.40B/35.60	#104.40B/17.20A	----	72.70 + 56.50	.6876	----	----	7	----	8 + 5
4185	56.00	56.00	#108.20B/56.00	#108.20B/18.00A	----	76.00 + 59.00	.7064	----	----	5	----	17 + 3
4190	----	----	#112.10B/----	#112.10B/19.00A	----	79.30 + 61.50	.7252	----	----	6	----	38 + 2
4195	52.90	52.90	#116.00B/40.30	#116.00B/20.00A	----	82.70 + 64.00	.7433	----	----	3	----	9 + 1
4200	33.00	33.00	#120.60B/33.00	#120.60B/20.80A	----	86.30 + 66.60	.7602	----	----	525	----	441 - 146
4205	54.00	54.00	#124.20B/52.50	#124.20B/22.30A	----	89.90 + 69.20	.7769	----	----	2	----	21 UNCH
4210	40.00	40.00	#128.20B/40.00	#128.20B/23.40A	----	93.60 + 71.80	.7928	----	----	3	----	3 + 1
4215	130.70	130.70	#132.50B/130.70	#132.50B/24.50A	----	97.40 + 74.50	.8078	----	----	1	----	11 UNCH
4220	----	----	#136.60B/----	#136.60B/25.70A	----	101.30 + 77.30	.8218	----	----	----	----	4 UNCH
4225	38.70	38.70	#141.70B/38.70	#141.70B/27.10A	----	105.20 + 79.90	.8356	----	----	3	----	170 - 1
4230	109.80	109.80	#145.50B/109.80	#145.50B/28.50A	----	109.20 + 82.60	.8485	----	----	9	----	12 + 2
4235	----	----	#150.00B/----	#150.00B/29.90A	----	113.30 + 85.30	.8603	----	----	----	----	19 UNCH
4240	----	----	#154.40B/----	#154.40B/32.60A	----	117.50 + 88.10	.8711	----	----	3	----	12 + 1
4245	----	----	#158.80B/----	#158.80B/34.00A	----	121.70 NEW	.8816	----	----	1	----	1 + 1
4250	59.10	59.10	#163.80B/59.10	#163.80B/36.00A	----	125.90 + 93.40	.8918	----	----	14	----	288 - 2
4255	----	----	#168.00B/----	#168.00B/37.70A	----	130.30 + 96.10	.9002	----	----	----	----	2 UNCH
4260	----	----	#172.80B/----	#172.80B/39.60A	----	134.70 + 98.80	.9083	----	----	----	----	1 UNCH
4265	----	----	#177.40B/----	#177.40B/41.50A	----	139.10 + 01.40	.9162	----	----	----	----	1 UNCH
4270	----	----	#182.30B/----	#182.30B/43.60A	----	143.50 + 03.80	.9238	----	----	1	----	24 UNCH
4275	----	----	#187.00B/----	#187.00B/45.70A	----	148.10 + 06.50	.9295	----	----	6	----	111 - 3
4280	64.00	64.00	#191.50B/64.00	#191.50B/50.40A	----	152.60 + 08.90	.9359	----	----	2	----	7 UNCH
4285	115.20	115.20	#196.50B/115.20	#196.50B/50.30A	----	157.20 + 11.30	.9412	----	----	4	----	2 - 2
4290	84.00	84.00	#201.30B/84.00	#201.30B/52.60A	----	161.80 + 13.60	.9464	----	----	2	----	2 UNCH
4300	67.50	67.50	#210.90B/66.50	#210.90B/60.30A	----	171.10 + 18.10	.9553	----	----	50	----	369 - 13
4305	104.30	104.30	#215.60B/103.00	#215.60B/71.60A	----	175.80 + 20.20	.9591	----	----	5	----	35 - 1
4310	----	----	#220.60B/----	#220.60B/74.90A	----	180.50 + 22.30	.9628	----	----	----	----	4 UNCH
4325	192.60	192.60	#235.30B/192.60	#235.30B/83.40A	----	194.80 + 28.00	.9714	----	----	4	----	51 UNCH
4330	----	----	#240.20B/----	#240.20B/88.00A	----	199.70 + 29.90	.9730	----	----	3	----	4 + 2
4335	----	----	#245.10B/----	#245.10B/91.60A	----	204.50 + 31.50	.9753	----	----	----	----	4 UNCH
4345	----	----	#255.00B/----	#255.00B/98.90A	----	214.20 + 34.60	.9788	----	----	----	----	2 UNCH
4350	210.00	210.00	#259.90B/210.00	#259.90B/99.80A	----	219.00 + 36.00	.9809	----	----	11	----	133 - 2
4355	----	----	#264.80B/----	#264.80B/106.60A	----	223.90 + 37.30	.9822	----	----	----	----	3 UNCH
4360	----	----	#269.80B/----	#269.80B/110.60A	----	228.80 + 38.60	.9833	----	----	----	----	17 UNCH
4365	----	----	#274.70B/----	#274.70B/114.70A	----	233.70 + 39.80	.9845	----	----	----	----	3 UNCH
4375	181.70	181.70	#284.60B/181.70	#284.60B/119.80A	----	243.50 + 41.90	.9866	----	----	1	----	118 - 1
4380	----	----	#289.60B/----	#289.60B/127.20A	----	248.40 + 42.80	.9876	----	----	----	----	1 UNCH
4390	----	----	#299.50B/----	#299.50B/135.90A	----	258.30 + 44.50	.9888	----	----	1	----	1 UNCH
4395	----	----	#304.50B/----	#304.50B/140.40A	----	263.20 + 45.30	.9898	----	----	----	----	2 UNCH
4400	212.00	212.00	#309.40B/210.90	#309.40B/142.90A	----	268.20 + 46.00	.9900	----	----	7	----	330 - 5
4405	----	----	#314.40B/----	#314.40B/149.30A	----	273.10 + 46.60	.9908	----	----	----	----	2 UNCH
4415	----	----	#324.30B/----	#324.30B/158.40A	----	283.00 + 47.70	.9918	----	----	----	----	4 UNCH
4425	275.50	275.50	#334.30B/275.50	#334.30B/165.60A	----	293.00 + 48.70	.9921	----	----	2	----	123 - 1
4445	----	----	#354.20B/----	#354.20B/206.90A	----	312.80 + 50.10	.9938	----	----	----	----	2 UNCH
4450	274.60	274.60	#359.20B/274.60	#359.20B/212.40A	----	317.80 + 50.40	.9939	----	----	3	----	123 UNCH
4465	----	----	#374.10B/----	#374.10B/227.00A	----	332.70 NEW	.9948	----	----	1	----	1 + 1
4475	----	----	#384.10B/----	#384.10B/236.80A	----	342.60 + 51.40	.9955	----	----	----	----	81 UNCH
4480	----	----	#389.10B/----	#389.10B/345.50A	----	347.60 NEW	.9956	----	----	4	----	4 + 4
4500	----	----	#409.00B/----	#409.00B/294.70A	----	367.50 + 52.10	.9963	----	----	----	----	123 UNCH
4510	327.60	327.60	#327.60/327.60	#327.60/327.60	----	377.50 + 52.30	.9964	----	----	1	----	0 - 1
4525	----	----	#428.70B/----	#428.70B/320.30A	----	392.40 + 52.50	.9971	----	----	----	----	65 UNCH
4550	----	----	#453.70B/----	#453.70B/344.60A	----	417.30 + 52.70	.9977	----	----	----	----	64 UNCH
4575	----	----	#473.80B/----	#473.80B/372.90A	----	442.30 + 53.00	.9978	----	----	1	----	8 - 1
4600	----	----	#503.60B/----	#503.60B/396.70A	----	467.20 + 53.00	.9984	----	----	----	----	90 UNCH
4650	----	----	#450.70B/----	#450.70B/503.20A	----	517.10 + 53.10	.9989	----	----	----	----	0 UNCH
4675	----	----	#573.60B/----	#573.60B/472.60A	----	542.10 + 53.20	.9989	----	----	----	----	2 UNCH
4700	----	----	#598.60B/----	#598.60B/497.60A	----	567.00 + 53.20	.9993	----	----	----	----	41 UNCH
4800	----	----	#601.20B/----	#601.20B/650.00A	----	666.90 + 53.20	.9997	----	----	----	----	1 UNCH
10000	----	----	#5,788.10B/----	#5788.10B/5720.60A	----	5866.80 + 53.20	1.0000	75	----	175	----	25 + 25
TOTAL										7916	50	6128 + 1087
JUL26												
3250	4.70	4.70	#5.50/4.70	#5.50/4.10A	----	4.90 + 1.50	.0223	----	----	3	----	22 + 3
3500	10.40	10.40	#14.10B/10.40	#14.10B/7.20A	----	11.20 + 4.80	.0534	----	----	40	----	24 + 16

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
JUL26												
3600	20.50	20.50	#21.10B/20.50	#21.10B/9.80A	----	16.00 + 7.50	.0769	----	----	1	----	5 + 1
3700	21.10	21.10	#31.30B/17.10	#31.30B/12.90A	----	23.40 + 11.70	.1119	----	----	56	----	43 + 29
3750	21.40	21.40	#38.00B/21.40	#38.00B/14.50A	----	28.30 + 14.40	.1345	----	----	7	----	8 + 7
3800	28.00	28.00	#46.10B/25.40	#46.10B/17.50A	----	34.40 + 17.80	.1618	----	----	103	----	148 + 92
3900	51.20	51.20	#67.20B/48.50	#67.20B/25.30A	----	51.20 + 26.90	.2324	----	----	3	----	145 UNCH
3950	31.80	31.80	#80.60B/31.80	#80.60B/31.00A	----	62.40 + 32.80	.2764	----	----	3	----	12 + 1
3975	62.20	62.20	#88.30B/62.20	#88.30B/34.40A	----	68.90 NEW	.3006	----	----	1	----	1 + 1
4000	76.00	76.00	#96.60B/76.00	#96.60B/37.80A	----	76.00 + 39.70	.3264	----	----	19	----	44 + 14
4025	----	----	#105.60B/----	#105.60B/41.90A	----	83.80 + 43.50	.3535	----	----	----	----	3 UNCH
4050	65.30	65.30	#115.30B/65.30	#115.30B/46.40A	----	92.20 + 47.40	.3819	----	----	2	----	3 + 1
4075	----	----	#122.30B/----	#122.30B/51.60A	----	101.50 + 51.80	.4116	----	----	----	----	50 UNCH
4100	79.20	79.20	#133.30B/79.20	#133.30B/57.10A	----	111.50 + 56.20	.4423	----	----	1	----	56 UNCH
4125	89.70	89.70	#141.40B/88.50	#141.40B/63.40A	----	122.40 + 61.00	.4739	----	----	14	----	13 + 12
4150	126.00	126.00	#153.20B/126.00	#153.20B/70.30A	----	134.10 + 65.90	.5062	----	----	12	----	15 + 10
4175	----	----	#166.10B/----	#166.10B/77.90A	----	146.70 + 71.00	.5387	----	----	2	----	52 UNCH
4200	160.40	160.40	#177.50B/160.40	#177.50B/86.20A	----	160.20 + 76.30	.5713	----	----	13	----	56 - 12
4225	----	----	#190.20B/----	#190.20B/95.50A	----	174.70 + 81.70	.6037	----	----	----	----	5 UNCH
4250	----	----	#209.80B/----	#209.80B/105.80A	----	190.00 + 87.10	.6354	----	----	1	----	56 UNCH
4275	----	----	#227.30B/----	#227.30B/116.80A	----	206.30 + 92.70	.6661	----	----	5	----	30 + 3
4300	----	----	#245.20B/----	#245.20B/137.40A	----	223.50 + 98.20	.6957	----	----	----	----	1 UNCH
4325	----	----	#264.00B/----	#264.00B/150.80A	----	241.50 + 03.50	.7236	----	----	----	----	1 UNCH
4350	----	----	#279.10B/----	#279.10B/165.10A	----	260.40 + 08.80	.7499	----	----	----	----	2 UNCH
4400	----	----	#320.30B/----	#320.30B/196.60A	----	300.20 + 18.40	.7967	----	----	----	----	50 UNCH
4450	----	----	#362.40B/----	#362.40B/231.80A	----	342.30 + 26.50	.8359	----	----	----	----	1 UNCH
4475	----	----	#384.60B/----	#384.60B/250.70A	----	364.10 + 29.90	.8530	----	----	----	----	3 UNCH
4500	----	----	#406.90B/----	#406.90B/270.40A	----	386.40 + 33.20	.8681	----	----	----	----	103 UNCH
4525	----	----	#429.70B/----	#429.70B/290.60A	----	408.90 + 36.00	.8818	----	----	----	----	1 UNCH
4550	----	----	#452.80B/----	#452.80B/311.50A	----	431.80 + 38.60	.8937	----	----	----	----	3 UNCH
4575	----	----	#477.60B/----	#477.60B/333.00A	----	455.00 + 40.90	.9046	----	----	----	----	1 UNCH
TOTAL										286		957 + 178

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
JUN26												
500	----	----	----/*3,706.20A	3641.80B/*3706.20A	----	3633.40 - 53.00	1.0000	75	----	175	----	25 + 25
4055	160.60	160.60	160.60/*75.20A	218.20B/*75.20A	----	99.80 NEW	.7752	----	----	1	----	1 + 1
4075	----	----	----/*62.50A	199.30B/*62.50A	----	84.60 NEW	.7191	----	----	3	----	3 + 3
4100	81.30	81.30	81.30/*48.50A	175.80B/*48.50A	----	67.20 NEW	.6352	----	----	17	----	13 + 13
4110	70.50	70.50	70.50/*42.90A	166.60B/*42.90A	----	60.80 NEW	.5978	----	----	3	----	3 + 3
4115	47.00	47.00	47.00/*40.30A	162.10B/*40.30A	----	57.70 NEW	.5785	----	----	5	----	3 + 3
4125	42.40	42.40	42.40/*35.60A	153.00B/*35.60A	----	51.80 NEW	.5386	----	----	203	----	203 + 203
4130	49.50	49.50	49.50/*33.50A	148.50B/*33.50A	----	49.00 NEW	.5182	----	----	3	----	3 + 3
4135	37.80	37.80	37.80/*31.40A	144.00B/*31.40A	----	46.20 NEW	.4975	----	----	7	----	7 + 7
4140	45.30	45.30	45.30/*29.30A	139.50B/*29.30A	----	43.60 NEW	.4767	----	----	6	----	6 + 6
4145	59.90	59.90	59.90/*27.50A	135.10B/*27.50A	----	41.10 NEW	.4558	----	----	5	----	4 + 4
4150	74.00	74.00	74.00/*25.80A	130.70B/*25.80A	----	38.60 NEW	.4348	----	----	76	----	38 + 38
4155	53.20	53.20	53.20/*24.10A	126.40B/*24.10A	----	36.30 NEW	.4139	----	----	10	----	6 + 6
4160	42.90	42.90	44.00/*22.40A	122.10B/*22.40A	----	34.00 NEW	.3930	----	----	56	----	42 + 42
4165	52.40	52.40	52.40/*20.90A	117.80B/*20.90A	----	31.90 NEW	.3725	----	----	6	----	5 + 5
4170	45.00	45.00	45.00/*19.40A	113.50B/*19.40A	----	29.80 NEW	.3519	----	----	8	----	7 + 7
4175	42.40	42.40	42.40/*18.10A	109.30B/*18.10A	----	27.90 NEW	.3321	----	----	59	----	46 + 46
4180	44.00	44.00	61.00/*16.80A	105.20B/*16.80A	----	26.00 NEW	.3123	----	----	19	----	8 + 8
4185	49.60	49.60	49.60/*15.70A	101.10B/*15.70A	----	24.30 NEW	.2934	----	----	25	----	10 + 10
4190	50.60	50.60	50.60/*14.50A	97.00B/*14.50A	----	22.60 NEW	.2747	----	----	29	----	16 + 16
4195	33.20	33.20	33.20/*13.50A	93.00B/*13.50A	----	21.00 NEW	.2565	----	----	3	----	3 + 3
4200	43.00	43.00	47.90/*12.50A	89.00B/*12.50A	----	19.60 NEW	.2396	----	----	91	----	55 + 55
4205	43.50	43.50	43.50/*11.60A	85.20B/*11.60A	----	18.20 NEW	.2230	----	----	18	----	8 + 8
4210	33.40	33.40	33.40/*10.70A	81.40B/*10.70A	----	16.90 NEW	.2071	----	----	28	----	23 + 23
4215	31.20	31.20	31.20/*9.40	77.60B/*9.40	----	15.70 NEW	.1921	----	----	21	----	8 + 8
4220	48.00	48.00	48.00/*9.00A	73.90B/*9.00A	----	14.60 NEW	.1781	----	----	41	----	17 + 17
4225	35.10	35.10	35.10/*8.50A	70.20B/*8.50A	----	13.50 NEW	.1642	----	----	16	----	11 + 11
4230	16.00	16.00	16.00/*7.90A	66.70B/*7.90A	----	12.50 NEW	.1514	----	----	6	----	6 + 6
4235	21.50	21.50	21.50/*7.30A	63.20B/*7.30A	----	11.60 NEW	.1396	----	----	10	----	8 + 8
4240	28.30	28.30	28.30/*6.80A	65.80B/*6.80A	----	10.80 NEW	.1288	----	----	50	----	37 + 37
4245	18.60	18.60	18.60/*6.30A	58.40B/*6.30A	----	10.00 NEW	.1183	----	----	19	----	14 + 14
4250	28.30	28.30	30.70/*5.80A	55.40B/*5.80A	----	9.20 - 59.70	.1080	----	----	162	----	112 + 105
4255	12.10	12.10	12.10/*5.40A	56.00B/*5.40A	----	8.60 NEW	.0997	----	----	21	----	10 + 10
4260	15.80	15.80	20.00/*5.00A	52.90B/*5.00A	----	8.00 NEW	.0916	----	----	31	----	18 + 18
4265	10.30	10.30	10.30/*4.60A	49.80B/*4.60A	----	7.40 NEW	.0837	----	----	6	----	5 + 5
4270	14.00	14.00	14.00/*4.30A	47.50B/*4.30A	----	6.80 - 49.20	.0760	----	----	25	----	18 + 17
4275	8.10	8.10	8.10/*3.90A	45.10B/*3.90A	----	6.40 - 46.60	.0703	----	----	63	----	48 + 44
4280	15.80	15.80	15.80/*3.60A	42.30B/*3.60A	----	5.90 - 44.20	.0639	----	----	23	----	16 + 14
4285	8.10	8.10	8.10/*3.40A	39.60B/*3.40A	----	5.50 - 41.80	.0586	----	----	15	----	16 + 14
4290	9.40	9.40	9.40/*3.10A	37.20B/*3.10A	----	5.10 - 39.50	.0535	----	----	12	----	10 + 8
4295	36.00	36.00	36.00/*2.90A	36.00/*2.90A	----	4.70 - 37.20	.0485	----	----	11	----	7 + 6
4300	18.00	18.00	20.80/*2.60A	32.20B/*2.60A	----	4.40 - 35.00	.0445	----	----	414	----	335 + 290
4305	6.50	6.50	6.50/*2.40A	31.20B/*2.40A	----	4.10 - 32.90	.0407	----	----	18	----	34 + 4
4310	7.20	7.20	7.20/*2.30A	28.90B/*2.30A	----	3.80 - 30.80	.0370	----	----	10	----	10 + 9
4315	9.50	9.50	9.50/*2.10A	26.90B/*2.10A	----	3.60 - 28.80	.0344	----	----	18	----	39 + 6
4320	5.90	5.90	5.90/*2.00	24.80B/*2.00	----	3.40 - 26.80	.0318	----	----	40	----	40 + 28
4325	6.30	6.30	6.30/*1.80A	23.30B/*1.80A	----	3.10 - 25.10	.0284	----	----	27	----	42 - 3
4330	10.00	10.00	10.00/*1.60	21.70B/*1.60	----	3.00 - 23.20	.0269	----	----	14	----	13 + 11
4335	3.70	3.70	3.70/*1.60	19.80B/*1.60	----	2.80 - 21.60	.0246	----	----	4	----	26 + 1
4340	4.10	4.10	4.10/*1.50A	18.30B/*1.50A	----	2.60 - 20.10	.0224	----	----	13	----	7 UNCH
4345	14.00	14.00	14.00/*1.50A	17.00B/*1.50A	----	2.50 - 18.50	.0210	----	----	4	----	24 - 1
4350	15.00	15.00	15.00/*1.20	15.60B/*1.20	----	2.30 - 17.20	.0189	----	----	639	----	606 + 565
4355	3.30	3.30	3.30/*1.30A	14.30B/*1.30A	----	2.20 - 15.80	.0177	----	----	18	----	8 + 6
4360	9.60	9.60	9.60/*1.30A	12.90B/*1.30A	----	2.10 - 14.50	.0165	----	----	36	----	23 + 14
4365	2.80	2.80	2.80/*1.20A	11.70B/*1.20A	----	2.00 - 13.40	.0154	----	----	14	----	43 + 11
4370	5.00	5.00	5.60/*1.10A	10.60B/*1.10A	----	1.90 - 12.30	.0143	----	----	19	----	19 + 7
4375	4.50	4.50	4.50/*0.80	9.80B/*0.80	----	1.80 - 11.20	.0133	----	----	57	----	153 + 7
4380	8.00	8.00	8.00/*1.10	8.80B/*1.10	----	1.70 - 10.30	.0123	----	----	20	----	15 + 13
4385	8.20	8.20	8.20/*1.00	8.20/*1.00	----	1.70 - 9.40	.0120	----	----	21	----	11 + 8
4390	6.20	6.20	6.20/*1.00	6.90B/*1.00	----	1.60 - 8.60	.0111	----	----	21	----	25 + 13
4395	4.60	4.60	4.60/*0.90A	6.70B/*0.90A	----	1.50 - 7.90	.0101	----	----	12	----	10 + 9
4400	6.30	6.30	6.30/*0.90	6.30/*0.90	----	1.50 - 7.10	.0099	----	----	334	----	394 + 184
4405	2.50	2.50	2.50/*0.90A	5.60B/*0.90A	----	1.40 - 6.50	.0091	----	----	13	----	13 + 10
4410	2.00	2.00	2.20/*0.90A	5.10B/*0.90A	----	1.40 - 5.90	.0089	----	----	9	----	14 + 9
4415	2.00	2.00	2.00/*0.80	4.70B/*0.80	----	1.30 - 5.40	.0081	----	----	33	----	33 + 30
4420	3.00	3.00	3.00/*0.90A	4.20B/*0.90A	----	1.30 - 4.90	.0079	----	----	16	----	20 + 8
4425	1.90	1.90	2.40/*0.90A	3.90B/*0.90A	----	1.30 - 4.40	.0078	----	----	23	----	93 + 3
4430	1.80	1.80	1.80/*0.90A	3.50B/*0.90A	----	1.20 - 4.00	.0070	----	----	13	----	13 + 10
4435	1.30	1.30	1.30/*0.80	3.20B/*0.80	----	1.20 - 3.60	.0069	----	----	27	----	27 + 22
4440	1.60	1.60	1.60/*0.90A	2.90B/*0.90A	----	1.10 - 3.40	.0062	----	----	9	----	13 + 6
4445	2.20	2.20	2.20/*0.90	2.60B/*0.90	----	1.10 - 3.00	.0061	----	----	11	----	13 + 9
4450	2.80	2.80	2.80/*0.80	2.80/*0.80	----	1.10 - 2.70	.0060	----	----	44	----	126 + 10
4455	1.20	1.20	1.20/*0.90	2.10B/*0.90	----	1.00 - 2.50	.0053	----	----	8	----	20 + 8
4460	1.10	1.10	1.10/*0.80A	1.90B/*0.80A	----	1.00 - 2.30	.0052	----	----	7	----	7 + 5
4465	1.40	1.40	1.40/*0.80A	1.80B/*0.80A	----	1.00 - 2.00	.0051	----	----	3	----	3 - 1
4470	1.00	1.00	1.00/*0.80A	1.70B/*0.80A	----	0.90 - 1.90	.0045	----	----	4	----	19 + 2
4475	----	----	----/*0.80A	2.00B/*0.80A	----	0.90 - 1.70	.0044	----	----	----	----	120 UNCH
4480	----	----	----/*0.80A	1.40B/*0.80A	----	0.90 - 1.50	.0043	----	----	----	----	3 UNCH
4485	1.10	1.10	1.10/*0.80A	1.40B/*0.80A	----	0.90 - 1.40	.0043	----	----	11	----	16 + 9
4490	----	----	----/*0.80A	1.30B/*0.80A	----	0.80 - 1.30	.0037	----	----	----	----	4 UNCH
4495	----	----	----/*0.70A	1.30B/*0.70A	----	0.80 - 1.20	.0036	----	----	1	----	1 UNCH
4500	1.10	1.10	1.20/*0.70	1.20/*0.70	----	0.80 - 1.00	.0036	----	----	134	----	290 - 66
4505	0.90	0.90	#0.90/*0.70A	1.20B/*0.70A	----	0.80 NEW	.0035	----	----	1	----	1 + 1
4510	----	----	----/*0.70A	1.10B/*0.70A	----	0.80 - 0.80	.0035	----	----	----	----	3 UNCH
4520	1.00	1.00	1.00/*0.70A	1.00/*0.70A	----	0.70 - 0.70	.0029	----	----	1	----	5 UNCH
4525	0.80	0.80	0.80/*0.70	1.00B/*0.70	----	0.70 - 0.70	.0029	----	----	72	----	177 - 16
4530	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.60	.0028	----	----	1	----	1 UNCH
4535	0.70	0.70	0.70/*0.60A	0.90B/*0.60A	----	0.70 - 0.50	.0028	----	----	4	----	4 + 3
4540	----	----	----/*0.60A	0.90B/*0.60A	----	0.70 - 0.40	.0027	----	----	----	----	2 UNCH
4545	----	----	----/*0.60A	0.80B/*0.60A	----	0.70 - 0.40	.0027	----	----	----	----	11 UNCH
4550	0.50	0.50	0.50/*0.50	0.80B/*0.50	----	0.60 - 0.40	.0022	----	----	5	----	446 - 2
4555	----	----	----/*0.60A	0.80B/*0.60A	----	0.60 - 0.40	.0022	----	----	----	----	6 UNCH
4565	0.60	0.60	0.60/*0.60	0.70B/*0.60	----	0.60 - 0.30	.0022	----	----	4	----	9 UNCH
4570	0.60	0.60	0.60/*0.60	0.70B/*0.60	----	0.60 - 0.20	.0021	----	----	5	----	17 + 5
4575	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.20	.0021	----	----	----	----	199 UNCH
4580	0.60	0.60	0.60/*0.50A	0.70B/*0.50A	----	0.60 - 0.20	.0021	----	----	5	----	26 + 5
4585	----	----	----/*0.50A	0.70B/*0.50A	----	0.60 - 0.10	.0020	----	----	----	----	11 UNCH
4590	----	----	----/*0.50A	0.60B/*0.50A	----	0.60 - 0.10	.0020	----	----	----	----	12 UNCH
4595	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.20	.0016	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4600	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.50 - 0.10	.0016	----	----	1	----	219 - 1
4625	----	----	----/*0.40A	0.50B/*0.40A	----	0.50 UNCH	.0015	----	----	----	----	77 UNCH
4630	0.30	0.30	#0.30/*0.30	0.50B/*0.30	----	0.50 UNCH	.0015	----	----	2	----	2 UNCH
4645	----	----	----/*0.30A	0.30B/*0.30A	----	0.50 UNCH	.0014	----	----	----	----	1 UNCH
4650	0.20	0.20	0.20/0.20	0.30B/0.20	----	0.40 UNCH	.0011	----	----	1	----	436 - 1
4675	----	----	----/*0.30A	0.30B/*0.30A	----	0.40 UNCH	.0010	----	----	----	----	102 UNCH
4695	----	----	----	0.20B/*0.30A	----	0.30 UNCH	.0007	----	----	----	----	4 UNCH
4700	----	----	----/*0.20A	0.20B/*0.20A	----	0.30 UNCH	.0007	----	----	----	----	75 UNCH
4705	----	----	----/*0.20A	0.20B/*0.20A	----	0.30 UNCH	.0007	----	----	----	----	2 UNCH
4725	----	----	----	0.30B/*0.30A	----	0.30 UNCH	.0006	----	----	----	----	73 UNCH
4750	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0004	----	----	----	----	38 UNCH
4775	----	----	----	----/0.40A	----	0.20 UNCH	.0003	----	----	----	----	16 UNCH
4800	1.00	1.00	1.00/*0.30A	1.00/*0.30A	----	0.20 UNCH	.0003	----	----	3	----	38 - 2
4825	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	17 UNCH
4850	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	36 UNCH
4875	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
4900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	2	----	17 - 2
4925	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
4950	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.10 UNCH	.0000	----	----	1	----	12 UNCH
4975	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
5000	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5025	----	----	----	----/0.60A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5050	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	5	----	16 + 1
5100	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5300	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	1	----	10 + 1
TOTAL										3621		5788 + 2128
JUL26												
4000	----	----	----/*194.50A	306.00B/*194.50A	----	208.90 NEW	.6728	----	----	1	----	1 + 1
4175	----	----	----/*94.40A	172.10B/*94.40A	----	105.10 NEW	.4604	----	----	1	----	1 + 1
4200	----	----	----/*84.30A	155.80B/*84.30A	----	93.70 NEW	.4278	----	----	2	----	2 + 2
4250	----	----	----/*66.60A	125.60B/*66.60A	----	73.60 NEW	.3638	----	----	2	----	2 + 2
4275	----	----	----/*58.90A	117.00B/*58.90A	----	65.00 - 60.00	.3331	----	----	----	----	1 UNCH
4300	53.20	53.20	53.20/*52.00A	104.20B/*52.00A	----	57.20 NEW	.3035	----	----	1	----	1 + 1
4325	62.90	62.90	62.90/*45.80A	92.10B/*45.80A	----	50.30 - 49.20	.2756	----	----	1	----	1 UNCH
4375	----	----	----/*35.50A	71.40B/*35.50A	----	38.80 - 39.00	.2249	----	----	1	----	6 - 1
4400	47.00	47.00	47.00/*31.20A	62.40B/*31.20A	----	34.10 NEW	.2025	----	----	6	----	6 + 6
4450	29.20	29.20	29.20/*24.00A	47.20B/*24.00A	----	26.40 NEW	.1634	----	----	8	----	5 + 5
4475	----	----	----/*21.10A	40.90B/*21.10A	----	23.20 - 22.80	.1463	----	----	2	----	2 + 1
4500	----	----	----/*18.60A	35.50B/*18.60A	----	20.50 - 19.70	.1313	----	----	3	----	6 + 3
4525	23.70	23.70	23.70/*16.40A	30.70B/*16.40A	----	18.10 - 16.80	.1175	----	----	4	----	9 + 3
4550	----	----	----/*14.50A	26.40B/*14.50A	----	16.10 - 14.20	.1056	----	----	2	----	7 + 2
4575	----	----	----/*12.90A	21.50B/*12.90A	----	14.30 - 11.90	.0948	----	----	1	----	3 + 1
4600	17.60	17.60	17.60/*11.40A	18.60B/*11.40A	----	12.70 - 10.00	.0850	----	----	7	----	15 + 3
4650	----	----	----/*9.20A	13.80B/*9.20A	----	10.20 - 7.10	.0691	----	----	2	----	4 UNCH
4675	----	----	----/*8.20A	12.20B/*8.20A	----	9.20 - 5.90	.0625	----	----	3	----	3 UNCH
4700	10.00	10.00	10.00/*7.40A	10.00/*7.40A	----	8.30 - 5.00	.0566	----	----	2	----	3 + 2
4725	----	----	----/*6.70A	8.60B/*6.70A	----	7.50 - 4.20	.0512	----	----	3	----	3 UNCH
4750	----	----	----/*6.10A	7.50B/*6.10A	----	6.80 - 3.60	.0465	----	----	3	----	3 + 1
4800	7.30	7.30	7.30/*5.20A	7.30/*5.20A	----	5.70 - 2.70	.0389	----	----	1	----	11 - 1
4825	----	----	----/*5.00A	5.50B/*5.00A	----	5.20 - 2.30	.0355	----	----	----	----	1 UNCH
4850	----	----	----/*4.60A	4.90B/*4.60A	----	4.80 - 2.00	.0326	----	----	----	----	2 UNCH
4875	----	----	----/*4.30A	4.50B/*4.30A	----	4.50 - 1.70	.0304	----	----	----	----	3 UNCH
4900	----	----	----/*4.00A	4.10B/*4.00A	----	4.20 - 1.50	.0282	----	----	----	----	6 UNCH
4925	----	----	----/*3.80A	3.90B/*3.80A	----	3.90 - 1.30	.0261	----	----	----	----	3 UNCH
4950	3.80	3.80	3.80/*3.40A	3.80/*3.40A	----	3.70 - 1.10	.0245	----	----	1	----	52 UNCH
4975	----	----	----/*3.60A	3.40B/*3.60A	----	3.50 - 0.90	.0230	----	----	----	----	2 UNCH
5000	----	----	----/*3.40A	3.20B/*3.40A	----	3.30 - 0.80	.0216	----	----	1	----	56 - 1
5025	----	----	----/*3.50A	3.00B/*3.50A	----	3.10 - 0.70	.0202	----	----	1	----	0 - 1
5100	----	----	----/*2.80A	2.40B/*2.80A	----	2.70 - 0.50	.0171	----	----	----	----	1 UNCH
5200	----	----	----	1.80B/*2.70A	----	2.40 - 0.20	.0146	----	----	4	----	5 + 4
5250	----	----	----/*2.20A	1.60B/*2.20A	----	2.30 - 0.10	.0137	----	----	----	----	4 UNCH
5400	----	----	----	1.80B/4.10A	----	2.10 UNCH	.0116	----	----	----	----	2 UNCH
5750	----	----	----	0.60B/4.30A	----	2.10 + 0.20	.0099	----	----	----	----	1 UNCH
TOTAL										63		233 + 34

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	23 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	137 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	3	----	218 + 3
2550	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	40 UNCH
2575	----	----	----	----/0.30A	----	0.10 UNCH	.0002	----	----	----	----	4 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	.0002	----	----	----	----	26 UNCH
2605	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0003	----	----	1	----	1 + 1
2620	----	----	----	----/0.40A	----	0.10 UNCH	.0003	----	----	----	----	1 UNCH
2650	----	----	----	0.10B/0.10A	----	0.20 + 0.10	.0008	----	----	----	----	149 UNCH
2670	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.20 + 0.10	.0008	----	----	5	----	20 + 5
2675	0.10	0.10	0.10/0.10	0.10/0.10	----	0.20 + 0.10	.0008	----	----	5	----	77 + 5
2680	----	----	----	0.10B/0.10A	----	0.20 + 0.10	.0008	----	----	----	----	10 UNCH
2700	----	----	0.20B/----	0.20B/0.10A	----	0.30 + 0.20	.0012	----	----	----	----	10 UNCH
2705	----	----	0.20B/----	0.20B/0.40A	----	0.30 + 0.20	.0012	----	----	----	----	1 UNCH
2710	----	----	0.20B/----	0.20B/0.30A	----	0.30 + 0.20	.0012	----	----	----	----	12 UNCH
2725	0.10	0.10	0.20B/0.10	0.20B/0.10	----	0.30 + 0.20	.0012	----	----	10	----	178 + 10
2730	----	----	0.20B/----	0.20B/0.30A	----	0.30 + 0.20	.0012	----	----	----	----	1 UNCH
2750	0.10	0.10	0.30B/0.10	0.30B/0.10	----	0.30 + 0.20	.0012	----	----	10	----	121 + 10
2775	0.10	0.10	0.30B/*0.10	0.30B/0.10	----	0.40 + 0.30	.0016	----	----	5	----	6 + 5
2785	----	----	0.30B/----	0.30B/0.40A	----	0.40 + 0.30	.0016	----	----	----	----	2 UNCH
2800	0.10	0.10	0.40B/0.10	0.40B/0.10	----	0.40 + 0.30	.0016	----	----	7	----	16 + 5
2805	----	----	0.30B/----	0.30B/0.40A	----	0.40 + 0.30	.0017	----	----	----	----	1 UNCH
2850	0.40	0.40	0.40/0.40	0.40/0.40	----	0.50 + 0.40	.0021	----	----	5	----	10 UNCH
2860	----	----	0.40B/----	0.40B/0.40A	----	0.50 + 0.40	.0021	----	----	----	----	6 UNCH
2885	----	----	0.50B/----	0.50B/0.40A	----	0.60 + 0.50	.0026	----	----	----	----	14 UNCH
2890	0.50	0.50	0.50/*0.40A	0.50/0.40A	----	0.60 + 0.50	.0026	----	----	5	----	65 UNCH
2895	----	----	0.50B/----	0.50B/0.40A	----	0.60 + 0.50	.0026	----	----	----	----	18 UNCH
2900	0.50	0.50	0.50/0.40A	0.50/0.40A	----	0.60 + 0.50	.0026	----	----	7	----	26 + 2
2905	----	----	0.50B/----	0.50B/0.40A	----	0.60 + 0.50	.0026	----	----	----	----	19 UNCH
2915	----	----	0.60B/----	0.60B/0.50A	----	0.70 + 0.50	.0030	----	----	----	----	2 UNCH
2920	0.50	0.50	0.60B/0.50	0.60B/0.50	----	0.70 + 0.50	.0030	----	----	4	----	5 - 3
2945	----	----	0.70B/----	0.70B/0.50A	----	0.70 + 0.50	.0031	----	----	----	----	2 UNCH
2950	----	----	0.70B/----	0.70B/0.50A	----	0.70 + 0.50	.0031	----	----	----	----	36 UNCH
2960	----	----	0.70B/----	0.70B/0.50A	----	0.80 + 0.60	.0035	----	----	----	----	1 UNCH
2975	----	----	0.80B/----	0.80B/0.60A	----	0.80 + 0.50	.0036	----	----	----	----	1 UNCH
2985	0.70	0.70	0.80B/0.70	0.80B/0.60A	----	0.80 + 0.50	.0036	----	----	1	----	22 + 1
2990	0.70	0.70	0.80B/0.70	0.80B/0.60A	----	0.90 NEW	.0040	----	----	10	----	10 + 10
2995	0.70	0.70	0.80B/0.70	0.80B/0.60A	----	0.90 + 0.60	.0040	----	----	17	----	25 + 9
3000	0.70	0.70	1.30/0.70	1.30/0.60A	----	0.90 + 0.60	.0040	----	----	14	----	100 + 1
3010	----	----	0.90B/----	0.90B/0.60A	----	0.90 + 0.60	.0041	----	----	----	----	1 UNCH
3015	----	----	0.90B/----	0.90B/0.60A	----	0.90 + 0.60	.0041	----	----	----	----	5 UNCH
3025	----	----	1.00B/----	1.00B/0.70A	----	1.00 + 0.70	.0045	----	----	----	----	1 UNCH
3030	0.80	0.80	1.00B/0.70	1.00B/0.70	----	1.00 NEW	.0045	----	----	19	----	18 + 18
3035	----	----	1.00B/----	1.00B/0.70A	----	1.00 + 0.70	.0046	----	----	----	----	10 UNCH
3050	1.00	1.00	1.00/1.00	1.00/0.70A	----	1.10 + 0.70	.0050	----	----	11	----	15 - 3
3060	----	----	1.10B/----	1.10B/0.70A	----	1.10 + 0.70	.0051	----	----	----	----	28 UNCH
3100	1.10	1.10	1.30B/1.10	1.30B/0.80A	----	1.20 + 0.70	.0057	----	----	3	----	82 UNCH
3105	----	----	1.30B/----	1.30B/0.80A	----	1.20 + 0.70	.0057	----	----	----	----	1 UNCH
3110	----	----	1.30B/----	1.30B/0.90A	----	1.30 + 0.80	.0061	----	----	----	----	5 UNCH
3115	----	----	1.30B/----	1.30B/0.90A	----	1.30 + 0.80	.0062	----	----	----	----	1 UNCH
3120	----	----	1.40B/----	1.40B/0.90A	----	1.30 + 0.80	.0062	----	----	----	----	2 UNCH
3125	----	----	1.40B/----	1.40B/0.90A	----	1.30 + 0.80	.0062	----	----	----	----	44 UNCH
3130	----	----	1.40B/----	1.40B/0.90A	----	1.30 + 0.70	.0063	----	----	----	----	4 UNCH
3135	----	----	1.40B/----	1.40B/0.90A	----	1.40 + 0.80	.0067	----	----	----	----	9 UNCH
3140	1.10	1.10	1.50B/0.90A	1.50B/0.90A	----	1.40 + 0.80	.0067	----	----	11	----	21 + 10
3145	1.10	1.10	1.50B/1.10	1.50B/1.00A	----	1.40 NEW	.0068	----	----	15	----	15 + 15
3150	----	----	1.50B/----	1.50B/1.00A	----	1.40 + 0.80	.0068	----	----	----	----	12 UNCH
3155	----	----	1.60B/----	1.60B/1.00A	----	1.40 + 0.80	.0068	----	----	----	----	1 UNCH
3165	----	----	1.60B/----	1.60B/1.00A	----	1.50 + 0.90	.0073	----	----	----	----	1 UNCH
3170	----	----	1.60B/----	1.60B/1.00A	----	1.50 + 0.80	.0074	----	----	----	----	1 UNCH
3175	1.20	1.20	1.70B/1.00A	1.70B/1.00A	----	1.50 + 0.80	.0074	----	----	10	----	11 + 10
3180	----	----	1.70B/----	1.70B/1.10A	----	1.50 + 0.80	.0074	----	----	2	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3185	----	----	1.70B/----	1.70B/1.10A	----	1.60 + 0.90	.0079	----	----	----	----	22 UNCH
3195	1.30	1.30	1.80B/1.30	1.80B/1.10A	----	1.60 + 0.90	.0080	----	----	10	----	10 + 9
3200	1.20	1.20	1.90B/1.20	1.90B/1.10A	----	1.60 + 0.90	.0080	----	----	13	----	222 + 9
3210	----	----	1.90B/----	1.90B/1.20A	----	1.70 + 0.90	.0085	----	----	----	----	6 UNCH
3220	----	----	2.00B/----	2.00B/1.20A	----	1.70 + 0.90	.0086	----	----	----	----	1 UNCH
3225	1.60	1.60	2.00B/1.60	2.00B/1.20A	----	1.70 + 0.90	.0087	----	----	1	----	124 - 1
3230	----	----	2.20B/----	2.20B/1.20A	----	1.80 + 1.00	.0091	----	----	----	----	1 UNCH
3250	----	----	2.30B/----	2.30B/1.30A	----	1.90 + 1.00	.0098	----	----	30	----	206 + 30
3270	----	----	2.40B/----	2.40B/1.40A	----	2.00 + 1.00	.0104	----	----	140	----	100 + 39
3275	1.50	1.50	2.60B/1.50	2.60B/1.40A	----	2.00 + 1.00	.0105	----	----	1	----	11 + 1
3280	2.20	2.20	2.60B/2.20	2.60B/1.40A	----	2.00 + 1.00	.0105	----	----	1	----	25 UNCH
3285	----	----	2.60B/----	2.60B/1.40A	----	2.10 + 1.10	.0110	----	----	----	----	1 UNCH
3290	2.00	2.00	2.70B/2.00	2.70B/1.50A	----	2.10 + 1.10	.0111	----	----	9	----	29 + 7
3300	1.90	1.90	2.80B/1.50	2.80B/1.50	----	2.10 + 1.00	.0112	----	----	152	----	183 - 73
3310	----	----	2.90B/----	2.90B/1.50A	----	2.20 + 1.10	.0118	----	----	----	----	1 UNCH
3320	----	----	3.00B/----	3.00B/1.60A	----	2.30 + 1.10	.0123	----	----	----	----	28 UNCH
3325	2.20	2.20	3.10B/2.20	3.10B/1.60A	----	2.30 + 1.10	.0124	----	----	66	----	172 - 12
3330	----	----	3.20B/----	3.20B/1.60A	----	2.30 + 1.10	.0125	----	----	----	----	1 UNCH
3335	----	----	3.20B/----	3.20B/1.60A	----	2.40 + 1.20	.0130	----	----	----	----	87 UNCH
3340	----	----	3.30B/----	3.30B/1.70A	----	2.40 + 1.10	.0131	----	----	----	----	1 UNCH
3345	2.70	2.70	3.30B/2.70	3.30B/1.70A	----	2.50 NEW	.0136	----	----	3	----	3 + 3
3350	2.30	2.30	3.50/1.80	3.50/1.70A	----	2.50 + 1.20	.0137	----	----	191	----	156 - 34
3355	2.20	2.20	3.40B/2.20	3.40B/1.70A	----	2.50 + 1.20	.0137	----	----	28	----	79 - 10
3360	----	----	3.50B/----	3.50B/1.80A	----	2.60 + 1.30	.0143	----	----	----	----	6 UNCH
3370	----	----	3.70B/----	3.70B/1.80A	----	2.70 + 1.30	.0149	----	----	----	----	9 UNCH
3375	2.70	2.70	3.70B/2.70	3.70B/1.80A	----	2.70 + 1.30	.0150	----	----	62	----	56 - 10
3380	----	----	3.80B/----	3.80B/1.90A	----	2.80 + 1.30	.0155	----	----	----	----	4 UNCH
3385	----	----	3.90B/----	3.90B/1.90A	----	2.80 + 1.30	.0156	----	----	20	----	26 UNCH
3390	3.40	3.40	4.00B/3.40	4.00B/1.90A	----	2.90 + 1.40	.0161	----	----	42	----	57 - 11
3395	2.70	2.70	4.10B/2.70	4.10B/2.00A	----	2.90 + 1.40	.0162	----	----	2	----	32 UNCH
3400	----	----	4.20B/----	4.20B/2.00A	----	3.00 + 1.40	.0168	----	----	2	----	94 UNCH
3405	----	----	4.30B/----	4.30B/2.00A	----	3.00 + 1.40	.0169	----	----	----	----	10 UNCH
3410	3.00	3.00	4.40B/3.00	4.40B/2.00A	----	3.10 + 1.50	.0174	----	----	11	----	21 + 1
3415	4.40	4.40	4.40/4.40	4.40/2.10A	----	3.10 + 1.40	.0176	----	----	11	----	12 UNCH
3420	4.50	4.50	4.50/4.50	4.50/2.10A	----	3.20 + 1.50	.0181	----	----	11	----	17 + 1
3425	4.80	4.80	4.80/4.80	4.80/2.10A	----	3.30 + 1.60	.0187	----	----	1	----	58 + 1
3435	----	----	4.80B/----	4.80B/2.10A	----	3.40 + 1.60	.0194	----	----	----	----	6 UNCH
3440	----	----	4.90B/----	4.90B/2.10A	----	3.40 + 1.60	.0195	----	----	----	----	7 UNCH
3445	3.40	3.40	5.00B/3.40	5.00B/2.10A	----	3.50 + 1.60	.0201	----	----	2	----	3 UNCH
3450	3.70	3.70	5.30/3.70	5.30/2.20A	----	3.60 + 1.70	.0206	----	----	116	----	202 + 58
3455	3.40	3.40	5.20B/3.40	5.20B/2.20A	----	3.60 + 1.70	.0208	----	----	2	----	14 + 2
3460	----	----	5.30B/----	5.30B/2.30A	----	3.70 + 1.70	.0214	----	----	1	----	11 UNCH
3465	5.50	5.50	5.60/5.50	5.60/2.30A	----	3.80 + 1.80	.0220	----	----	3	----	144 + 2
3470	5.70	5.70	5.70/5.70	5.70/2.30A	----	3.90 + 1.90	.0225	----	----	1	----	7 + 1
3475	3.60	3.60	5.70B/3.60	5.70B/2.40A	----	4.00 + 1.90	.0231	----	----	11	----	134 + 1
3480	4.30	4.30	5.80B/3.70	5.80B/2.40A	----	4.00 + 1.90	.0233	----	----	30	----	105 + 2
3485	6.00	6.00	6.00/6.00	6.00/2.50A	----	4.10 + 1.90	.0239	----	----	11	----	11 + 1
3490	3.80	3.80	6.20/3.80	6.20/2.50A	----	4.20 NEW	.0245	----	----	6	----	6 + 6
3495	4.20	4.20	6.20B/4.20	6.20B/2.60A	----	4.30 + 2.10	.0251	----	----	11	----	6 - 5
3500	3.80	3.80	6.30B/3.20	6.30B/2.60A	----	4.40 + 2.10	.0257	----	----	112	----	598 + 6
3505	6.60	6.60	6.60/6.60	6.60/2.60A	----	4.50 + 2.20	.0264	----	----	1	----	9 UNCH
3510	4.60	4.60	6.60B/4.10	6.60B/2.70A	----	4.60 + 2.20	.0270	----	----	5	----	13 + 1
3515	----	----	6.80B/----	6.80B/2.70A	----	4.70 + 2.30	.0276	----	----	----	----	8 UNCH
3520	4.30	4.30	6.90B/4.30	6.90B/2.80A	----	4.80 + 2.30	.0283	----	----	3	----	8 + 3
3525	4.40	4.40	7.10/4.40	7.10/2.80A	----	4.90 + 2.40	.0289	----	----	12	----	19 + 11
3530	4.90	4.90	7.30B/4.90	7.30B/2.90A	----	5.00 + 2.40	.0296	----	----	1	----	169 + 1
3535	----	----	7.40B/----	7.40B/2.90A	----	5.10 + 2.50	.0302	----	----	----	----	41 UNCH
3540	4.70	4.70	7.60B/4.70	7.60B/3.00A	----	5.20 NEW	.0309	----	----	1	----	1 + 1
3545	----	----	7.80B/----	7.80B/3.00A	----	5.30 + 2.60	.0315	----	----	----	----	257 UNCH
3550	5.60	5.60	8.00B/5.60	8.00B/3.10A	----	5.40 + 2.60	.0322	----	----	45	----	181 - 1
3555	5.20	5.20	8.20B/5.20	8.20B/3.10A	----	5.60 + 2.80	.0333	----	----	5	----	5 + 4
3565	5.40	5.40	8.60B/5.40	8.60B/3.20A	----	5.80 + 2.90	.0347	----	----	2	----	5 + 1
3570	5.50	5.50	8.80B/5.50	8.80B/3.30A	----	5.90 + 2.90	.0354	----	----	3	----	3 + 3
3575	5.70	5.70	9.10B/5.70	9.10B/3.30A	----	6.10 + 3.10	.0366	----	----	4	----	7 + 1
3580	6.30	6.30	9.30B/5.90	9.30B/3.40A	----	6.20 + 3.10	.0373	----	----	6	----	13 + 1
3585	7.10	7.10	9.50B/7.10	9.50B/3.50A	----	6.40 + 3.30	.0384	----	----	1	----	14 + 1
3590	----	----	9.70B/----	9.70B/3.50A	----	6.50 + 3.30	.0392	----	----	----	----	14 UNCH
3595	----	----	10.00B/----	10.00B/3.60A	----	6.70 + 3.40	.0403	----	----	----	----	9 UNCH
3600	4.20	4.20	10.20B/4.10	10.20B/3.70A	----	6.80 + 3.50	.0411	----	----	117	----	492 - 50
3605	7.70	7.70	10.40B/7.70	10.40B/3.70A	----	7.00 + 3.60	.0423	----	----	1	----	13 UNCH
3610	5.30	5.30	10.70B/5.10	10.70B/3.80A	----	7.10 + 3.60	.0430	----	----	5	----	11 + 3
3615	5.50	5.50	11.00B/5.50	11.00B/3.80A	----	7.30 + 3.80	.0442	----	----	4	----	9 + 3
3620	6.90	6.90	11.20B/5.00	11.20B/3.90A	----	7.50 + 3.90	.0454	----	----	14	----	20 + 7
3625	5.10	5.10	11.50B/5.10	11.50B/3.90A	----	7.60 + 3.90	.0462	----	----	3	----	109 + 1
3630	7.60	7.60	11.80B/5.30	11.80B/4.00A	----	7.80 + 4.10	.0475	----	----	104	----	114 + 101
3635	7.00	7.00	12.20B/6.90	12.20B/4.00A	----	8.00 + 4.20	.0487	----	----	7	----	15 + 7
3640	5.50	5.50	12.40B/5.50	12.40B/4.00A	----	8.20 + 4.30	.0499	----	----	1	----	8 + 1
3645	5.20	5.20	12.70B/5.20	12.70B/4.10A	----	8.40 + 4.50	.0512	----	----	12	----	16 + 11
3650	5.10	5.10	13.10B/5.00	13.10B/4.20A	----	8.60 + 4.60	.0525	----	----	72	----	139 + 45
3655	8.60	8.60	13.30B/8.10	13.30B/4.20A	----	8.80 + 4.70	.0537	----	----	14	----	27 + 6
3660	6.50	6.50	13.70B/6.50	13.70B/4.30A	----	9.00 + 4.80	.0550	----	----	10	----	52 + 7
3665	8.70	8.70	14.00B/8.70	14.00B/4.40A	----	9.20 + 4.90	.0563	----	----	15	----	21 + 15
3670	8.70	8.70	14.40B/8.70	14.40B/4.40A	----	9.50 + 5.10	.0581	----	----	13	----	125 + 12
3675	7.00	7.00	14.80B/7.00	14.80B/4.60A	----	9.70 + 5.30	.0594	----	----	19	----	141 - 4
3680	9.30	9.30	15.10B/7.20	15.10B/4.60A	----	9.90 + 5.40	.0607	----	----	2	----	8 + 2
3685	8.80	8.80	15.60B/8.80	15.60B/4.70A	----	10.20 + 5.60	.0625	----	----	53	----	66 + 49
3690	8.90	8.90	15.90B/6.90	15.90B/4.80A	----	10.40 + 5.70	.0639	----	----	14	----	68 + 13
3695	9.10	9.10	16.30B/7.10	16.30B/4.90A	----	10.70 + 5.90	.0656	----	----	19	----	160 + 16
3700	8.90	8.90	16.80B/7.10	16.80B/5.00A	----	11.00 + 6.10	.0674	----	----	311	----	757 + 50
3705	11.10	11.10	17.20B/7.10	17.20B/5.10A	----	11.20 + 6.20	.0688	----	----	2	----	28 + 2
3710	7.60	7.60	17.60B/7.40	17.60B/5.20A	----	11.50 + 6.40	.0707	----	----	2	----	3 + 2
3715	8.60	8.60	18.10B/8.20	18.10B/5.30A	----	11.80 + 6.60	.0725	----	----	3	----	31 + 1
3720	7.70	7.70	18.40B/7.70	18.40B/5.40A	----	12.10 + 6.80	.0744	----	----	10	----	30 + 10
3725	6.90	6.90	19.00B/6.90	19.00B/5.50A	----	12.40 + 7.00	.0762	----	----	18	----	135 UNCH
3730	12.60	12.60	19.40B/9.30	19.40B/5.70A	----	12.70 + 7.20	.0781	----	----	10	----	25 + 5
3735	11.40	11.40	19.90B/8.30	19.90B/5.80A	----	13.00 + 7.40	.0800	----	----	8	----	47 + 6
3740	11.50	11.50	20.40B/8.80	20.40B/5.90A	----	13.40 + 7.70	.0823	----	----	5	----	38 + 3
3745	12.30	12.30	20.90B/10.00	20.90B/6.00A	----	13.70 + 7.80	.0843	----	----	7	----	23 + 1
3750	11.50	11.50	21.50B/8.90	21.50B/6.10A	----	14.10 + 8.10	.0866	----	----	318	----	1398 + 136
3755	10.60	10.60	22.00B/9.30	22.00B/6.30A	----	14.40 + 8.30	.0886	----	----	13	----	26 + 9
3760	11.00	11.00	22.60B/9.40	22.60B/6.40A	----	14.80 + 8.60	.0909	----	----	6	----	15 + 6
3765	14.30	14.30	23.20B/14.30	23.20B/6.50A	----	15.20 + 8.80	.0933	----	----	4	----	38 + 1
3770	15.40	15.40	23.70B/9.70	23.70B/6.70A	----	15.60 + 9.10	.0957	----	----	15	----	133 - 4
3775	14.00	14.00	24.30B/9.90	24.30B/6.90A	----	16.00 + 9.40	.0982	----	----	11	----	96 + 7
3780	14.10	14.10	24.90B/10.10	24.90B/7.00A	----	16.40 + 9.60	.1006	----	----	7	----	30 + 4
3785	14.60	14.60	25.50B/10.40	25.50B/7.10A	----	16.90 + 10.00	.1034	----	----	17	----	17 + 5
3790	16.30	16.30	26.10B/16.30	26.10B/7.30A	----	17.30 + 10.20	.1059	----	----	4	----	53 + 3
3795	14.80	14.80	26.80B/11.00	26.80B/7.50A	----	17.70 + 10.50	.1084	----	----	7	----	57 + 6
3800	7.70	7.70	27.50B/7.70	27.50B/7.60A	----	18.20 + 10.80	.1113	----	----	461	----	2006 - 52
3805	19.30	19.30	28.20B/12.10	28.20B/7.80A	----	18.70 + 11.20	.1142	----	----	18	----	29 + 15
3810	12.20	12.20	28.90B/12.20	28.90B/7.90A	----	19.20 + 11.50	.1172	----	----	2	----	61 UNCH
3815	15.10	15.10	29.60B/12.30	29.60B/8.20A	----	19.70 + 11.80	.1201	----	----	26	----	35 + 12
3820	17.10	17.10	30.40B/12.80	30.40B/8.30A	----	20.20 + 12.20	.1231	----	----	13	----	27 + 11
3825	15.80	15.80	31.10B/15.80	31.10B/8.50A	----	20.70 + 12.50	.1261	----	----	53	----	85 + 15
3830	17.80	17.80	31.90B/15.40	31.90B/8.70A	----	21.30 + 12.90	.1295	----	----	3	----	30 + 3
3835	13.60	13.60	32.70B/13.60	32.70B/8.90A	----	21.80 + 13.20	.1326	----	----	23	----	36 + 21
3840	18.90	18.90	33.50B/13.60	33.50B/9.10A	----	22.40 + 13.60	.1360	----	----	14	----	54 + 10
3845	18.10	18.10	34.20B/17.10	34.20B/9.30A	----	23.00 + 14.00	.1394	----	----	4	----	19 + 1
3850	14.00	14.00	35.10B/14.00	35.10B/9.60A	----	23.60 + 14.40	.1429	----	----	265	----	347 + 105
3855	22.40	22.40	36.00B/15.30	36.00B/9.70A	----	24.20 + 14.80	.1464	----	----	5	----	76 + 4
3860	15.70	15.70	36.90B/15.70	36.90B/10.10A	----	24.80 + 15.20	.1499	----	----	2	----	59 + 1
3865	20.60	20.60	37.70B/20.60	37.70B/10.30A	----	25.50 + 15.70	.1538	----	----	2	----	109 + 1
3870	20.30	20.30	38.60B/17.10	38.60B/10.50A	----	26.10 + 16.00	.1574	----	----	17	----	25 + 3
3875	20.80	20.80	39.60B/19.00	39.60B/10.70A	----	26.80 + 16.50	.1613	----	----	8	----	126 + 4
3880	19.50	19.50	40.50B/19.50	40.50B/11.00A	----	27.50 + 17.00	.1653	----	----	21	----	43 - 1
3885	17.40	17.40	41.50B/17.40	41.50B/11.20A	----	28.20 + 17.40	.1692	----	----	7	----	56 - 1
3890	23.40	23.40	42.60B/23.40	42.60B/11.40A	----	29.00 + 17.90	.1736	----	----	34	----	139 + 19
3895	22.40	22.40	43.60B/22.40	43.60B/11.80A	----	29.70 + 18.40	.1776	----	----	3	----	27 - 2
3900	16.10	16.10	44.60B/16.10	44.60B/12.00A	----	30.50 + 18.90	.1820	----	----	1502	450	1556 + 637
3905	25.30	25.30	45.60B/25.30	45.60B/12.30A	----	31.30 + 19.40	.1864	----	----	15	----	48 + 13
3910	23.70	23.70	46.70B/23.70	46.70B/12.60A	----	32.10 + 19.90	.1909	----	----	8	----	90 - 3
3915	26.20	26.20	47.90B/25.20	47.90B/13.00A	----	32.90 + 20.40	.1953	----	----	8	----	31 + 2
3920	30.00	30.00	48.90B/27.70	48.90B/13.20A	----	33.80 + 21.00	.2001	----	----	128	----	146 + 54
3925	21.90	21.90	50.10B/21.90	50.10B/13.50A	----	34.60 + 21.50	.2047	----	----	16	----	146 - 10
3930	22.60	22.60	51.20B/22.60	51.20B/13.90A	----	35.50 + 22.10	.2096	----	----	10	----	49 + 1
3935	31.90	31.90	52.50B/29.50	52.50B/14.20A	----	36.40 + 22.70	.2145	----	----	6	----	78 - 2
3940	27.30	27.30	53.70B/27.30	53.70B/14.50A	----	37.40 + 23.30	.2197	----	----	5	----	101 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3945	33.50	33.50	55.00B/31.10	55.00B/14.90A	----	38.30 + 23.90	.2246	----	----	10	----	79 - 1
3950	21.80	21.80	56.20B/21.50	56.20B/15.40A	----	39.30 + 24.50	.2299	----	----	391	----	826 - 2
3955	23.50	23.50	57.50B/23.50	57.50B/15.60A	----	40.30 + 25.10	.2352	----	----	6	----	152 - 2
3960	25.70	25.70	58.80B/25.70	58.80B/16.00A	----	41.30 + 25.70	.2406	----	----	10	----	134 + 6
3965	35.80	35.80	60.20B/34.40	60.20B/16.40A	----	42.40 + 26.40	.2462	----	----	10	----	179 UNCH
3970	33.70	33.70	61.50B/29.20	61.50B/17.00A	----	43.50 + 27.10	.2519	----	----	8	----	69 + 1
3975	32.50	32.50	62.80B/32.50	62.80B/17.30A	----	44.60 + 27.80	.2576	----	----	36	----	77 + 20
3980	36.50	36.50	64.30B/29.50	64.30B/17.80A	----	45.70 + 28.50	.2633	----	----	11	----	258 - 5
3985	38.60	38.60	65.70B/37.20	65.70B/18.20A	----	46.90 + 29.20	.2693	----	----	94	----	307 - 29
3990	39.60	39.60	67.20B/39.60	67.20B/18.70A	----	48.10 + 29.90	.2754	----	----	17	----	162 + 4
3995	40.80	40.80	68.70B/40.80	68.70B/19.20A	----	49.30 + 30.70	.2815	----	----	18	----	52 - 6
4000	18.70	18.70	70.20B/18.70	70.20B/18.70	----	50.50 + 31.40	.2876	----	----	2360	100	4528 + 31
4005	41.30	41.30	71.80B/35.10	71.80B/20.10A	----	51.80 + 32.20	.2940	----	----	33	----	188 + 4
4010	29.60	29.60	73.40B/29.60	73.40B/20.70A	----	53.10 + 33.00	.3004	----	----	29	----	84 + 3
4015	51.30	51.30	75.00B/45.50	75.00B/21.20A	----	54.40 + 33.70	.3069	----	----	63	----	129 + 36
4020	54.80	54.80	76.70B/39.10	76.70B/21.80A	----	55.80 + 34.60	.3136	----	----	10	----	181 - 1
4025	32.20	32.20	78.40B/32.20	78.40B/22.40A	----	57.20 + 35.40	.3203	----	----	41	----	122 + 6
4030	50.10	50.10	80.10B/49.00	80.10B/23.00A	----	58.60 + 36.20	.3271	----	----	6	----	75 - 3
4035	51.50	51.50	81.90B/37.40	81.90B/23.50A	----	60.10 + 37.10	.3341	----	----	16	----	44 + 1
4040	52.90	52.90	83.70B/50.10	83.70B/24.10A	----	61.60 + 38.00	.3412	----	----	5	----	45 - 1
4045	53.60	53.60	85.50B/40.00	85.50B/24.80A	----	63.10 + 38.90	.3483	----	----	11	----	50 + 6
4050	54.60	54.60	87.20B/41.80	87.20B/25.60A	----	64.70 + 39.80	.3555	----	----	544	----	579 - 92
4055	57.00	57.00	88.80B/53.80	88.80B/26.10A	----	66.30 + 40.70	.3629	----	----	12	----	83 + 1
4060	52.30	52.30	90.80B/52.30	90.80B/26.90A	----	67.90 + 41.60	.3702	----	----	33	----	87 - 6
4065	55.80	55.80	92.90B/47.10	92.90B/27.50A	----	69.60 + 42.60	.3778	----	----	8	----	165 - 2
4070	65.70	65.70	94.80B/54.20	94.80B/28.30A	----	71.30 + 43.60	.3854	----	----	7	----	41 + 1
4075	54.00	54.00	96.90B/47.50	96.90B/29.20A	----	73.10 + 44.60	.3931	----	----	17	----	81 - 3
4080	50.00	50.00	99.00B/50.00	99.00B/29.80A	----	74.90 + 45.60	.4009	----	----	21	----	128 - 1
4085	54.80	54.80	100.90B/54.80	100.90B/30.60A	----	76.70 + 46.60	.4087	----	----	6	----	26 - 1
4090	54.70	54.70	103.10B/53.80	103.10B/31.40A	----	78.60 + 47.70	.4167	----	----	21	----	76 + 4
4095	73.60	73.60	105.30B/52.80	105.30B/32.30A	----	80.50 + 48.80	.4247	----	----	12	----	54 + 2
4100	43.00	43.00	108.00B/41.80	108.00B/33.10A	----	82.40 + 49.80	.4328	----	----	1692	100	1571 - 226
4105	77.00	77.00	109.90B/77.00	109.90B/34.00A	----	84.40 + 50.90	.4410	----	----	5	----	46 - 2
4110	65.70	65.70	112.20B/57.50	112.20B/35.00A	----	86.40 + 52.00	.4492	----	----	10	----	67 - 1
4115	64.30	64.30	114.80B/58.60	114.80B/36.00A	----	88.50 + 53.10	.4575	----	----	5	----	22 - 1
4120	81.50	81.50	117.40B/79.80	117.40B/36.80A	----	90.60 + 54.20	.4659	----	----	12	----	112 + 4
4125	80.00	80.00	119.90B/70.00	119.90B/38.00A	----	92.80 + 55.40	.4744	----	----	246	----	314 + 152
4130	60.20	60.20	122.30B/59.90	122.30B/39.10A	----	95.00 + 56.60	.4828	----	----	147	----	172 - 9
4135	88.10	88.10	124.90B/87.90	124.90B/40.00A	----	97.30 + 57.80	.4914	----	----	5	----	46 + 1
4140	58.30	58.30	127.90B/58.30	127.90B/41.10A	----	99.60 + 59.00	.5000	----	----	59	----	69 + 30
4145	61.10	61.10	130.50B/56.80	130.50B/42.40A	----	101.90 + 60.20	.5086	----	----	60	----	294 + 12
4150	53.30	53.30	133.40B/53.30	133.40B/43.50A	----	104.30 + 61.50	.5172	----	----	237	300	861 + 321
4155	80.60	80.60	136.10B/70.20	136.10B/44.80A	----	106.80 + 62.80	.5259	----	----	62	----	356 + 18
4160	60.00	60.00	139.00B/60.00	139.00B/46.00A	----	109.30 + 64.10	.5346	----	----	106	----	286 - 17
4165	90.80	90.80	141.70B/90.80	141.70B/47.30A	----	111.80 + 65.30	.5433	----	----	4	----	124 UNCH
4170	66.70	66.70	144.70B/66.70	144.70B/48.50A	----	114.40 + 66.60	.5521	----	----	62	----	236 + 57
4175	100.00	100.00	147.60B/77.50	147.60B/49.90A	----	117.00 + 67.90	.5608	----	----	79	----	132 + 1
4180	86.00	86.00	150.70B/85.10	150.70B/51.40A	----	119.70 + 69.30	.5695	----	----	21	----	48 - 7
4185	90.50	90.50	153.80B/90.50	153.80B/52.70A	----	122.50 + 70.70	.5782	----	----	130	----	150 + 101
4190	88.90	88.90	156.90B/83.10	156.90B/54.20A	----	125.20 + 72.00	.5869	----	----	51	----	148 + 3
4195	83.50	83.50	160.00B/83.50	160.00B/55.70A	----	128.10 + 73.40	.5956	----	----	16	----	96 + 4
4200	71.50	71.50	163.20B/71.50	163.20B/57.10A	----	131.00 + 74.80	.6043	----	----	592	----	1806 - 137
4205	93.10	93.10	166.50B/89.60	166.50B/58.80A	----	133.90 + 76.20	.6129	----	----	12	----	102 + 7
4210	95.20	95.20	169.70B/95.20	169.70B/60.40A	----	136.90 + 77.60	.6214	----	----	2	----	97 - 1
4215	89.90	89.90	173.10B/83.80	173.10B/62.10A	----	139.90 + 79.00	.6300	----	----	23	----	79 - 8
4220	92.40	92.40	176.30B/85.90	176.30B/63.70A	----	143.00 + 80.50	.6385	----	----	7	----	271 - 3
4225	99.30	99.30	179.80B/91.40	179.80B/65.60A	----	146.10 + 81.90	.6470	----	----	56	----	207 + 26
4230	----	----	183.30B/----	183.30B/67.20A	----	149.30 + 83.30	.6553	----	----	20	----	82 + 4
4235	----	----	186.70B/----	186.70B/69.00A	----	152.50 + 84.80	.6635	----	----	1	----	69 UNCH
4240	87.00	87.00	190.30B/87.00	190.30B/71.00A	----	155.80 + 86.30	.6716	----	----	8	----	139 UNCH
4245	----	----	193.90B/----	193.90B/73.20A	----	159.20 + 87.80	.6798	----	----	----	----	55 UNCH
4250	82.50	82.50	197.50B/82.50	197.50B/75.80A	----	162.50 + 89.20	.6878	----	----	410	----	1338 - 27
4255	151.60	151.60	201.10B/151.60	201.10B/77.00A	----	166.00 + 90.80	.6958	----	----	1	----	51 - 1
4260	119.90	119.90	204.80B/119.90	204.80B/79.30A	----	169.40 + 92.20	.7036	----	----	13	----	97 UNCH
4265	122.80	122.80	208.60B/122.80	208.60B/81.00A	----	172.90 + 93.60	.7113	----	----	11	----	219 - 3
4270	168.80	168.80	212.30B/167.80	212.30B/83.50A	----	176.50 + 95.20	.7188	----	----	37	----	219 + 33
4275	125.80	125.80	216.10B/125.80	216.10B/85.80A	----	180.10 + 96.60	.7264	----	----	6	----	134 - 4
4280	115.80	115.80	220.00B/115.70	220.00B/88.30A	----	183.80 + 98.20	.7339	----	----	13	----	164 + 8
4285	145.70	145.70	223.80B/145.70	223.80B/91.70A	----	187.40 + 99.50	.7411	----	----	2	----	187 UNCH
4290	177.00	177.00	227.80B/155.30	227.80B/93.20A	----	191.20 + 01.00	.7481	----	----	7	----	96 - 3
4295	195.60	195.60	231.70B/195.60	231.70B/95.80A	----	194.90 + 02.40	.7553	----	----	3	----	139 - 3
4300	118.00	118.00	235.70B/118.00	235.70B/98.80A	----	198.70 + 03.80	.7622	----	----	128	----	2125 - 39
4305	230.00	230.00	239.70B/230.00	239.70B/101.40A	----	202.60 + 05.30	.7688	----	----	9	----	117 UNCH
4310	191.00	191.00	243.80B/191.00	243.80B/103.90A	----	206.50 + 06.70	.7754	----	----	1	----	99 - 1
4315	----	----	247.80B/----	247.80B/106.50A	----	210.40 + 08.00	.7820	----	----	7	----	119 + 5
4320	----	----	251.90B/----	251.90B/109.40A	----	214.30 + 09.30	.7882	----	----	----	----	129 UNCH
4325	----	----	256.10B/----	256.10B/112.00A	----	218.30 + 10.70	.7948	----	----	3	----	132 UNCH
4330	----	----	260.20B/----	260.20B/114.70A	----	222.30 + 12.00	.8006	----	----	----	----	203 UNCH
4335	----	----	264.40B/----	264.40B/123.80A	----	226.40 + 13.30	.8068	----	----	----	----	194 UNCH
4340	----	----	268.60B/----	268.60B/126.70A	----	230.40 + 14.50	.8126	----	----	11	----	185 - 10
4345	----	----	272.90B/----	272.90B/129.70A	----	234.60 + 15.80	.8184	----	----	1	----	66 UNCH
4350	150.00	150.00	277.10B/150.00	277.10B/132.80A	----	238.70 + 17.00	.8238	----	----	99	----	1696 - 22
4355	----	----	281.50B/----	281.50B/135.90A	----	242.90 + 18.20	.8296	----	----	1	----	176 - 1
4360	204.10	204.10	285.90B/202.50	285.90B/139.10A	----	247.10 + 19.40	.8345	----	----	13	----	862 - 9
4365	----	----	290.10B/----	290.10B/142.30A	----	251.30 + 20.50	.8399	----	----	----	----	89 UNCH
4370	204.70	204.70	294.60B/204.70	294.60B/145.60A	----	255.60 + 21.70	.8447	----	----	3	----	173 - 2
4375	----	----	298.90B/----	298.90B/149.00A	----	259.90 + 22.80	.8496	----	----	----	----	103 UNCH
4380	----	----	303.40B/----	303.40B/152.30A	----	264.20 + 23.90	.8545	----	----	3	----	179 - 2
4385	----	----	307.80B/----	307.80B/155.70A	----	268.50 + 25.00	.8593	----	----	----	----	81 UNCH
4390	----	----	312.40B/----	312.40B/159.30A	----	272.90 + 26.10	.8637	----	----	1	----	138 UNCH
4395	----	----	316.80B/----	316.80B/162.30A	----	277.30 + 27.10	.8680	----	----	----	----	149 UNCH
4400	219.00	219.00	321.20B/216.10	321.20B/165.90A	----	281.70 + 28.10	.8719	----	----	88	----	2399 - 1
4405	----	----	325.80B/----	325.80B/169.40A	----	286.20 + 29.20	.8762	----	----	----	----	33 UNCH
4410	----	----	330.40B/----	330.40B/173.10A	----	290.60 + 30.10	.8800	----	----	----	----	66 UNCH
4415	----	----	334.90B/----	334.90B/177.00A	----	295.10 + 31.00	.8837	----	----	----	----	103 UNCH
4420	----	----	339.50B/----	339.50B/180.80A	----	299.60 + 31.90	.8875	----	----	----	----	129 UNCH
4425	226.30	226.30	344.10B/226.30	344.10B/184.60A	----	304.20 + 32.80	.8913	----	----	3	----	344 - 1
4430	----	----	348.70B/----	348.70B/188.50A	----	308.70 + 33.60	.8945	----	----	----	----	244 UNCH
4435	----	----	353.40B/----	353.40B/192.40A	----	313.30 + 34.40	.8976	----	----	----	----	99 UNCH
4440	----	----	358.00B/----	358.00B/196.30A	----	317.90 + 35.20	.9013	----	----	----	----	238 UNCH
4445	----	----	362.70B/----	362.70B/200.30A	----	322.50 + 36.00	.9039	----	----	2	----	159 UNCH
4450	----	----	367.40B/----	367.40B/204.30A	----	327.10 + 36.70	.9071	----	----	6	----	1098 - 3
4455	----	----	372.00B/----	372.00B/208.40A	----	331.80 + 37.50	.9096	----	----	----	----	123 UNCH
4460	248.00	248.00	376.70B/240.00	376.70B/212.50A	----	336.40 + 38.10	.9127	----	----	5	----	275 - 5
4465	----	----	381.40B/----	381.40B/216.60A	----	341.10 + 38.80	.9152	----	----	----	----	145 UNCH
4470	----	----	386.20B/----	386.20B/220.80A	----	345.80 + 39.50	.9177	----	----	----	----	271 UNCH
4475	----	----	390.90B/----	390.90B/225.00A	----	350.50 + 40.10	.9202	----	----	----	----	272 UNCH
4480	----	----	395.60B/----	395.60B/229.20A	----	355.20 + 40.80	.9227	----	----	2	----	510 - 2
4485	341.70	341.70	400.40B/341.70	400.40B/233.50A	----	359.90 + 41.40	.9251	----	----	1	----	115 UNCH
4490	303.50	303.50	405.20B/303.50	405.20B/237.80A	----	364.70 + 42.00	.9269	----	----	7	----	102 - 3
4495	----	----	409.90B/----	409.90B/242.10A	----	369.40 + 42.50	.9294	----	----	3	----	105 UNCH
4500	288.00	288.00	414.70B/288.00	414.70B/246.50A	----	374.10 + 43.00	.9318	----	----	9	----	2254 - 3
4505	----	----	419.50B/----	419.50B/250.90A	----	378.90 + 43.60	.9336	----	----	----	----	66 UNCH
4510	329.80	329.80	424.30B/329.80	424.30B/255.20A	----	383.60 + 44.00	.9353	----	----	1	----	65 UNCH
4515	----	----	429.10B/----	429.10B/259.70A	----	388.40 + 44.50	.9377	----	----	----	----	16 UNCH
4520	----	----	433.90B/----	433.90B/264.20A	----	393.20 + 45.00	.9395	----	----	----	----	157 UNCH
4525	----	----	438.80B/----	438.80B/268.60A	----	398.00 + 45.40	.9412	----	----	1	----	151 - 1
4530	----	----	443.70B/----	443.70B/273.10A	----	402.70 + 45.70	.9429	----	----	----	----	73 UNCH
4535	----	----	448.40B/----	448.40B/277.70A	----	407.50 + 46.00	.9446	----	----	1	----	21 UNCH
4540	----	----	412.80B/----	412.80B/282.20A	----	412.30 + 46.30	.9463	----	----	1	----	121 UNCH
4545	----	----	417.60B/----	417.60B/286.80A	----	417.20 + 46.70	.9480	----	----	----	----	44 UNCH
4550	----	----	458.60B/----	458.60B/291.30A	----	422.00 + 47.00	.9497	----	----	1	----	453 UNCH
4555	----	----	427.30B/----	427.30B/295.90A	----	426.80 + 47.20	.9507	----	----	----	----	40 UNCH
4560	----	----	432.10B/----	432.10B/300.50A	----	431.60 + 47.40	.9524	----	----	6	----	96 UNCH
4565	----	----	429.10B/----	429.10B/305.20A	----	436.50 + 47.80	.9534	----	----	----	----	134 UNCH
4570	----	----	434.10B/----	434.10B/310.10A	----	441.40 + 48.10	.9551	----	----	2	----	133 UNCH
4575	----	----	438.90B/----	438.90B/314.80A	----	446.20 + 48.30	.9560	----	----	2	----	45 UNCH
4580	----	----	443.60B/----	443.60B/319.40A	----	451.10 + 48.50	.9570	----	----	----	----	42 UNCH
4585	----	----	448.60B/----	448.60B/324.00A	----	456.00 + 48.80	.9580	----	----	2	----	27 UNCH
4590	----	----	453.40B/----	453.40B/328.80A	----	460.90 + 49.10	.9596	----	----	1	----	41 + 1
4595	----	----	458.30B/----	458.30B/332.20A	----	465.70 + 49.20	.9605	----	----	----	----	143 UNCH
4600	406.60	406.60	507.40B/367.10A	507.40B/367.10A	----	470.60 + 49.40	.9615	----	----	13	----	1458 - 2
4605	----	----	468.10B/----	468.10B/371.80A	----	475.50 + 49.60	.9624	----	----	----	----	88 UNCH
4610	----	----	472.90B/----	472.90B/376.60A	----	480.40 + 49.80	.9633	----	----	----	----	120 UNCH
4615	----	----	477.80B/----	477.80B/381.50A	----	485.30 + 50.00	.9643	----	----	----	----	56 UNCH
4620	450.00	450.00	482.60B/450.00	482.60B/386.20A	----	490.20 + 50.20	.9652	----	----	1	----	51 UNCH
4625	----	----	487.60B/----	487.60B/391.00A	----	495.10 + 50.30	.9661	----	----	1	----	175 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4630	----	----	492.40B/----	492.40B/395.20A	----	500.00 + 50.40	.9670	----	----	1	----	17 UNCH
4635	----	----	497.40B/----	497.40B/400.60A	----	504.90 + 50.60	.9679	----	----	----	----	168 UNCH
4640	----	----	502.20B/----	502.20B/405.50A	----	509.80 + 50.70	.9687	----	----	1	----	157 UNCH
4645	----	----	494.10B/----	494.10B/----	----	514.80 + 50.90	.9690	----	----	----	----	29 UNCH
4650	----	----	556.50B/----	556.50B/450.00A	----	519.70 + 51.00	.9698	----	----	6	----	478 - 3
4655	----	----	503.90B/----	503.90B/----	----	524.60 + 51.10	.9707	----	----	----	----	13 UNCH
4660	----	----	499.90B/----	499.90B/----	----	529.50 + 51.10	.9709	----	----	----	----	100 UNCH
4665	----	----	503.50B/----	503.50B/----	----	534.50 + 51.30	.9717	----	----	----	----	24 UNCH
4670	----	----	----	----	----	539.40 + 51.40	.9726	----	----	----	----	101 UNCH
4675	----	----	----	----	----	544.30 + 51.40	.9728	----	----	----	----	171 UNCH
4680	----	----	----	----	----	549.30 + 51.50	.9736	----	----	2	----	163 - 2
4685	----	----	----	----	----	554.20 + 51.60	.9738	----	----	----	----	8 UNCH
4690	----	----	----	----	----	559.20 + 51.70	.9746	----	----	----	----	60 UNCH
4695	----	----	----	----	----	564.10 + 51.70	.9748	----	----	----	----	202 UNCH
4700	560.80	560.80	606.00B/560.80	606.00B/499.00A	----	569.10 + 51.90	.9756	----	----	1	----	769 UNCH
4705	----	----	----	----	----	574.00 + 51.90	.9764	----	----	----	----	30 UNCH
4710	----	----	----	----	----	579.00 + 52.00	.9765	----	----	----	----	127 UNCH
4715	----	----	----	----	----	583.90 + 52.00	.9767	----	----	2	----	121 - 1
4720	----	----	----	----	----	588.90 + 52.10	.9775	----	----	2	----	60 - 1
4725	----	----	----	----	----	593.80 + 52.10	.9776	----	----	3	----	227 - 1
4730	----	----	----	----	----	598.80 + 52.20	.9784	----	----	1	----	72 UNCH
4735	----	----	----	----	----	603.70 + 52.20	.9785	----	----	1	----	37 - 1
4740	----	----	----	----	----	608.70 + 52.30	.9793	----	----	----	----	119 UNCH
4745	----	----	----	----	----	613.60 + 52.20	.9794	----	----	----	----	140 UNCH
4750	601.40	601.40	655.60B/601.40	655.60B/548.50A	----	618.60 + 52.30	.9802	----	----	1	----	777 - 1
4755	----	----	----	----	----	623.50 + 52.30	.9803	----	----	----	----	14 UNCH
4760	----	----	----	----	----	628.50 + 52.40	.9804	----	----	----	----	70 UNCH
4765	----	----	----	----	----	633.50 + 52.40	.9812	----	----	----	----	307 UNCH
4770	----	----	----	----	----	638.40 + 52.40	.9813	----	----	----	----	11 UNCH
4775	----	----	----	----	----	643.40 + 52.50	.9814	----	----	----	----	56 UNCH
4780	----	----	----	----	----	648.30 + 52.40	.9822	----	----	----	----	39 UNCH
4785	----	----	----	----	----	653.30 + 52.50	.9823	----	----	----	----	118 UNCH
4790	----	----	----	----	----	658.30 + 52.60	.9824	----	----	----	----	3 UNCH
4795	----	----	----	----	----	663.20 + 52.50	.9831	----	----	----	----	80 UNCH
4800	----	----	705.30B/----	705.30B/598.10A	----	668.20 + 52.60	.9832	----	----	----	----	1252 UNCH
4805	----	----	----	----	----	673.20 + 52.60	.9833	----	----	----	----	22 UNCH
4810	----	----	----	----	----	678.10 + 52.60	.9841	----	----	----	----	11 UNCH
4815	----	----	----	----	----	683.10 + 52.60	.9841	----	----	1	----	28 UNCH
4820	----	----	----	----	----	688.10 + 52.70	.9842	----	----	----	----	207 UNCH
4825	----	----	----	----	----	693.10 + 52.70	.9850	----	----	----	----	33 UNCH
4830	----	----	----	----	----	698.00 + 52.70	.9850	----	----	1	----	5 UNCH
4835	----	----	----	----	----	703.00 + 52.70	.9851	----	----	----	----	24 UNCH
4840	----	----	----	----	----	708.00 + 52.80	.9852	----	----	----	----	10 UNCH
4845	----	----	----	----	----	712.90 + 52.70	.9859	----	----	----	----	53 UNCH
4850	----	----	----	----	----	717.90 + 52.70	.9860	----	----	----	----	300 UNCH
4855	----	----	----	----	----	722.90 + 52.80	.9861	----	----	1	----	11 UNCH
4860	----	----	----	----	----	727.90 + 52.80	.9861	----	----	----	----	8 UNCH
4865	----	----	----	----	----	732.80 + 52.80	.9868	----	----	1	----	30 UNCH
4870	----	----	----	----	----	737.80 + 52.80	.9869	----	----	1	----	319 UNCH
4875	----	----	----	----	----	742.80 + 52.80	.9870	----	----	1	----	71 UNCH
4880	----	----	----	----	----	747.80 + 52.90	.9870	----	----	----	----	41 UNCH
4885	----	----	----	----	----	752.70 + 52.80	.9871	----	----	----	----	12 UNCH
4890	----	----	----	----	----	757.70 + 52.80	.9878	----	----	----	----	9 UNCH
4895	----	----	----	----	----	762.70 + 52.90	.9879	----	----	----	----	48 UNCH
4900	----	----	----	----	----	767.70 + 52.90	.9879	----	----	----	----	260 UNCH
4905	----	----	----	----	----	772.70 + 52.90	.9880	----	----	----	----	53 UNCH
4910	----	----	----	----	----	777.60 + 52.80	.9880	----	----	----	----	4 UNCH
4915	----	----	----	----	----	782.60 + 52.90	.9887	----	----	----	----	118 UNCH
4920	----	----	----	----	----	787.60 + 52.90	.9888	----	----	----	----	22 UNCH
4925	----	----	----	----	----	792.60 + 52.90	.9888	----	----	----	----	11 UNCH
4930	----	----	----	----	----	797.60 + 53.00	.9889	----	----	----	----	52 UNCH
4935	----	----	----	----	----	802.50 + 52.90	.9890	----	----	----	----	4 UNCH
4940	----	----	----	----	----	807.50 + 52.90	.9896	----	----	----	----	1 UNCH
4950	----	----	----	----	----	817.50 + 53.00	.9897	----	----	----	----	110 UNCH
4975	----	----	----	----	----	842.40 + 53.00	.9906	----	----	----	----	2 UNCH
4980	----	----	----	----	----	847.40 + 53.00	.9906	----	----	----	----	5 UNCH
4985	----	----	----	----	----	852.40 + 53.00	.9907	----	----	----	----	103 UNCH
4990	----	----	----	----	----	857.40 + 53.00	.9907	----	----	----	----	2 UNCH
4995	----	----	----	----	----	862.40 + 53.10	.9908	----	----	----	----	12 UNCH
5000	----	----	904.70B/----	904.70B/797.00A	----	867.30 + 53.00	.9908	----	----	----	----	540 UNCH
5005	----	----	----	----	----	872.30 + 53.00	.9908	----	----	----	----	12 UNCH
5010	----	----	----	----	----	877.30 + 53.00	.9915	----	----	----	----	8 UNCH
5015	----	----	----	----	----	882.30 + 53.00	.9915	----	----	----	----	19 UNCH
5020	----	----	----	----	----	887.30 + 53.00	.9916	----	----	----	----	5 UNCH
5025	----	----	----	----	----	892.30 + 53.10	.9916	----	----	----	----	150 UNCH
5030	----	----	----	----	----	897.30 + 53.10	.9917	----	----	----	----	8 UNCH
5035	----	----	----	----	----	902.30 + 53.10	.9917	----	----	----	----	37 UNCH
5040	----	----	----	----	----	907.20 + 53.00	.9917	----	----	----	----	10 UNCH
5045	----	----	----	----	----	912.20 + 53.00	.9918	----	----	----	----	5 UNCH
5050	----	----	----	----	----	917.20 + 53.10	.9918	----	----	----	----	79 UNCH
5055	----	----	----	----	----	922.20 + 53.10	.9924	----	----	----	----	3 UNCH
5065	----	----	----	----	----	932.20 + 53.10	.9925	----	----	----	----	11 UNCH
5070	----	----	----	----	----	937.20 + 53.10	.9925	----	----	2	----	0 - 2
5075	----	----	----	----	----	942.20 + 53.10	.9926	----	----	----	----	6 UNCH
5080	----	----	----	----	----	947.20 + 53.10	.9926	----	----	----	----	2 UNCH
5085	----	----	----	----	----	952.10 + 53.10	.9926	----	----	----	----	11 UNCH
5090	----	----	----	----	----	957.10 + 53.10	.9927	----	----	----	----	6 UNCH
5095	----	----	----	----	----	962.10 + 53.10	.9927	----	----	----	----	42 UNCH
5100	----	----	----	----	----	967.10 + 53.10	.9927	----	----	----	----	107 UNCH
5105	----	----	----	----	----	972.10 + 53.10	.9934	----	----	----	----	22 UNCH
5110	----	----	----	----	----	977.10 + 53.10	.9934	----	----	----	----	16 UNCH
5115	----	----	----	----	----	982.10 + 53.10	.9934	----	----	----	----	37 UNCH
5120	----	----	----	----	----	987.10 + 53.10	.9934	----	----	----	----	13 UNCH
5125	----	----	----	----	----	992.10 + 53.20	.9935	----	----	----	----	37 UNCH
5130	----	----	----	----	----	997.10 + 53.20	.9935	----	----	----	----	25 UNCH
5135	----	----	----	----	----	1002.10 + 53.20	.9935	----	----	----	----	19 UNCH
5140	----	----	----	----	----	1007.00 + 53.10	.9935	----	----	----	----	21 UNCH
5145	----	----	----	----	----	1012.00 + 53.10	.9936	----	----	----	----	3 UNCH
5150	----	----	----	----	----	1017.00 + 53.10	.9936	----	----	----	----	235 UNCH
5155	----	----	----	----	----	1022.00 + 53.10	.9936	----	----	----	----	43 UNCH
5160	----	----	----	----	----	1027.00 + 53.10	.9937	----	----	----	----	44 UNCH
5170	----	----	----	----	----	1037.00 + 53.20	.9943	----	----	----	----	53 UNCH
5175	----	----	----	----	----	1042.00 + 53.20	.9943	----	----	----	----	61 UNCH
5180	----	----	----	----	----	1047.00 + 53.20	.9943	----	----	----	----	12 UNCH
5185	----	----	----	----	----	1052.00 + 53.20	.9944	----	----	----	----	103 UNCH
5190	----	----	----	----	----	1057.00 + 53.20	.9944	----	----	----	----	19 UNCH
5200	----	----	----	----	----	1067.00 + 53.20	.9944	----	----	----	----	54 UNCH
5225	----	----	----	----	----	1091.90 + 53.10	.9945	----	----	----	----	42 UNCH
5230	----	----	----	----	----	1096.90 + 53.20	.9951	----	----	----	----	2 UNCH
5235	----	----	----	----	----	1101.90 + 53.20	.9952	----	----	----	----	23 UNCH
5245	----	----	----	----	----	1111.90 + 53.20	.9952	----	----	----	----	2 UNCH
5250	----	----	----	----	----	1116.90 + 53.20	.9952	----	----	----	----	14 UNCH
5255	----	----	----	----	----	1121.90 + 53.20	.9952	----	----	----	----	14 UNCH
5285	----	----	----	----	----	1151.80 + 53.10	.9953	----	----	----	----	2 UNCH
5290	----	----	----	----	----	1156.80 + 53.10	.9954	----	----	----	----	4 UNCH
5295	----	----	----	----	----	1161.80 + 53.10	.9960	----	----	----	----	2 UNCH
5300	----	----	----	----	----	1166.80 + 53.10	.9960	----	----	----	----	67 UNCH
5315	----	----	----	----	----	1181.80 + 53.10	.9960	10	----	----	----	0 - 10
5325	----	----	----	----	----	1191.80 + 53.10	.9961	----	----	----	----	2 UNCH
5350	----	----	----	----	----	1216.80 + 53.20	.9961	----	----	----	----	0 UNCH
5375	----	----	----	----	----	1241.80 + 53.20	.9968	----	----	----	----	8 UNCH
5390	----	----	----	----	----	1256.70 + 53.10	.9968	5	----	----	----	0 - 5
5400	----	----	----	----	----	1266.70 + 53.10	.9969	----	----	----	----	2 UNCH
5440	----	----	----	----	----	1306.70 + 53.10	.9976	----	----	----	----	1 UNCH
5475	----	----	----	----	----	1341.70 + 53.10	.9976	----	----	----	----	6 UNCH
5500	----	----	----	----	----	1366.70 + 53.10	.9977	----	----	----	----	1 UNCH
5505	----	----	----	----	----	1371.70 + 53.10	.9983	----	----	----	----	0 UNCH
5510	----	----	----	----	----	1376.70 + 53.10	.9983	----	----	----	----	0 UNCH
6000	----	----	----	----	----	1866.70 NEW	1.0000	25	----	50	----	0 UNCH
7000	----	----	----	----	----	2866.70 + 53.10	1.0000	110	----	185	----	0 UNCH
8000	----	----	----	----	----	3866.70 + 53.10	1.0000	26	----	47	----	0 UNCH
TOTAL										14187	950	65733 + 1692
AUG26												
1995	----	----	#0.20B/----	#0.20B/0.60A	----	0.30 + 0.20	.0009	----	----	----	----	10 UNCH
2000	----	----	0.20B/----	0.20B/0.50A	----	0.30 + 0.20	.0009	----	----	----	----	10 UNCH
2300	0.80	0.80	0.80/0.80	0.80/0.80	----	0.80 + 0.40	.0025	----	----	2	----	48 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
2325	----	----	0.80B/----	0.80B/0.90A	----	0.90 + 0.50	.0028	----	----	----	----	1 UNCH
2350	----	----	0.90B/----	0.90B/0.90A	----	1.00 + 0.50	.0031	----	----	----	----	26 UNCH
2375	----	----	1.00B/----	1.00B/1.00A	----	1.00 + 0.50	.0032	----	----	----	----	7 UNCH
2400	----	----	1.00B/----	1.00B/1.00A	----	1.10 + 0.50	.0035	----	----	----	----	12 UNCH
2425	----	----	1.10B/----	1.10B/1.10A	----	1.20 + 0.60	.0038	----	----	----	----	1 UNCH
2450	----	----	1.20B/----	1.20B/1.10A	----	1.20 + 0.50	.0039	----	----	----	----	58 UNCH
2475	----	----	1.30B/----	1.30B/1.20A	----	1.30 + 0.60	.0042	----	----	----	----	5 UNCH
2500	1.50	1.50	1.50/1.00	1.50/1.00	----	1.40 + 0.60	.0046	----	----	31	----	273 + 1
2560	----	----	1.60B/----	1.60B/1.40A	----	1.60 + 0.70	.0053	----	----	----	----	2 UNCH
2570	----	----	1.60B/----	1.60B/1.50A	----	1.60 + 0.60	.0054	----	----	----	----	9 UNCH
2580	----	----	1.70B/----	1.70B/1.50A	----	1.70 + 0.70	.0057	----	----	----	----	1 UNCH
2590	----	----	1.70B/----	1.70B/1.50A	----	1.70 + 0.70	.0057	----	----	----	----	2 UNCH
2600	----	----	1.80B/----	1.80B/1.50A	----	1.80 + 0.70	.0060	----	----	----	----	8 UNCH
2615	----	----	1.80B/----	1.80B/1.60A	----	1.80 + 0.70	.0061	----	----	----	----	1 UNCH
2625	----	----	1.90B/----	1.90B/1.60A	----	1.90 + 0.80	.0064	----	----	----	----	3 UNCH
2640	----	----	2.00B/----	2.00B/1.60A	----	1.90 + 0.70	.0065	----	----	----	----	1 UNCH
2665	----	----	2.10B/----	2.10B/1.80A	----	2.10 + 0.80	.0072	----	----	----	----	1 UNCH
2685	----	----	2.20B/----	2.20B/1.80A	----	2.10 + 0.70	.0073	----	----	----	----	1 UNCH
2690	----	----	2.30B/----	2.30B/1.80A	----	2.20 + 0.80	.0076	----	----	----	----	1 UNCH
2700	----	----	2.30B/----	2.30B/1.90A	----	2.20 + 0.80	.0076	----	----	2	----	3 + 2
2730	----	----	2.50B/----	2.50B/2.00A	----	2.40 + 0.80	.0084	----	----	----	----	3 UNCH
2735	----	----	2.50B/----	2.50B/2.00A	----	2.40 + 0.80	.0084	----	----	----	----	1 UNCH
2740	----	----	2.60B/----	2.60B/2.00A	----	2.40 + 0.80	.0085	----	----	----	----	2 UNCH
2745	----	----	2.60B/----	2.60B/2.00A	----	2.50 + 0.90	.0088	----	----	----	----	2 UNCH
2750	----	----	2.60B/----	2.60B/2.10A	----	2.50 + 0.80	.0088	----	----	----	----	4 UNCH
2795	2.60	2.60	2.90B/2.60	2.90B/2.30A	----	2.70 NEW	.0097	----	----	5	----	5 + 5
2800	3.00	3.00	3.00/3.00	3.00/2.30A	----	2.80 + 0.90	.0100	----	----	5	----	76 + 5
2810	2.70	2.70	3.10B/2.70	3.10B/2.30A	----	2.80 NEW	.0101	----	----	5	----	5 + 5
2840	2.80	2.80	3.30B/2.80	3.30B/2.50A	----	3.00 NEW	.0109	----	----	2	----	2 + 2
2860	----	----	3.50B/----	3.50B/2.60A	----	3.20 + 1.10	.0116	----	----	----	----	1 UNCH
2875	----	----	3.70B/----	3.70B/2.60A	----	3.30 + 1.10	.0121	----	----	----	----	3 UNCH
2890	2.90	2.90	3.80B/2.90	3.80B/2.70A	----	3.40 NEW	.0125	----	----	1	----	1 + 1
2900	3.00	3.00	3.90B/3.00	3.90B/2.80A	----	3.50 + 1.20	.0129	----	----	22	----	29 + 21
2910	----	----	4.00B/----	4.00B/2.80A	----	3.50 + 1.10	.0130	----	----	----	----	1 UNCH
2940	----	----	4.30B/----	4.30B/3.00A	----	3.80 + 1.20	.0142	----	----	----	----	2 UNCH
2950	3.80	3.80	4.40B/3.70	4.40B/3.00A	----	3.90 + 1.30	.0146	----	----	4	----	7 - 1
2965	----	----	4.60B/----	4.60B/3.10A	----	4.00 + 1.30	.0151	----	----	----	----	2 UNCH
2975	----	----	4.70B/----	4.70B/3.20A	----	4.10 + 1.40	.0155	----	----	----	----	2 UNCH
2980	----	----	4.80B/----	4.80B/3.20A	----	4.10 + 1.30	.0156	----	----	----	----	1 UNCH
3000	3.30	3.30	5.00B/3.30	5.00B/3.30	----	4.30 + 1.40	.0164	----	----	99	----	333 + 13
3005	----	----	5.10B/----	5.10B/3.40A	----	4.40 + 1.50	.0168	----	----	----	----	5 UNCH
3010	----	----	5.10B/----	5.10B/3.40A	----	4.40 + 1.50	.0169	----	----	40	----	41 + 40
3015	----	----	5.20B/----	5.20B/3.50A	----	4.50 + 1.50	.0172	----	----	----	----	1 UNCH
3025	4.40	4.40	5.40B/4.40	5.40B/3.50A	----	4.60 + 1.60	.0177	----	----	5	----	10 + 5
3040	----	----	5.60B/----	5.60B/3.60A	----	4.70 + 1.60	.0182	----	----	----	----	1 UNCH
3065	----	----	6.00B/----	6.00B/3.80A	----	5.00 + 1.70	.0195	----	----	----	----	1 UNCH
3080	----	----	6.20B/----	6.20B/4.00A	----	5.20 + 1.80	.0203	----	----	----	----	1 UNCH
3090	----	----	6.40B/----	6.40B/4.00A	----	5.40 + 1.90	.0211	----	----	----	----	1 UNCH
3095	----	----	6.50B/----	6.50B/4.00A	----	5.40 + 1.80	.0212	----	----	----	----	1 UNCH
3100	5.90	5.90	6.60B/4.40	6.60B/4.00A	----	5.50 + 1.90	.0216	----	----	8	----	260 + 1
3105	----	----	6.70B/----	6.70B/4.00A	----	5.60 + 2.00	.0220	----	----	----	----	14 UNCH
3110	----	----	6.80B/----	6.80B/4.10A	----	5.70 + 2.00	.0224	----	----	----	----	15 UNCH
3115	----	----	6.90B/----	6.90B/4.10A	----	5.70 + 2.00	.0225	----	----	----	----	1 UNCH
3120	4.60	4.60	7.00B/4.60	7.00B/4.10A	----	5.80 + 2.00	.0229	----	----	5	----	29 UNCH
3125	----	----	7.10B/----	7.10B/4.10A	----	5.90 + 2.10	.0233	----	----	----	----	1 UNCH
3130	----	----	7.20B/----	7.20B/4.10A	----	6.00 + 2.10	.0237	----	----	----	----	5 UNCH
3145	7.10	7.10	7.50B/7.10	7.50B/4.20A	----	6.20 + 2.20	.0246	----	----	1	----	1 UNCH
3150	5.00	5.00	7.60B/5.00	7.60B/4.30A	----	6.30 + 2.20	.0250	----	----	2	----	14 + 2
3155	----	----	7.70B/----	7.70B/4.30A	----	6.40 + 2.20	.0254	----	----	----	----	3 UNCH
3160	----	----	7.90B/----	7.90B/4.40A	----	6.50 + 2.30	.0258	----	----	----	----	1 UNCH
3165	5.20	5.20	8.20/5.20	8.20/4.40A	----	6.60 + 2.30	.0262	----	----	15	----	139 - 1
3170	----	----	8.10B/----	8.10B/4.50A	----	6.70 + 2.40	.0266	----	----	----	----	2 UNCH
3175	----	----	8.20B/----	8.20B/4.60A	----	6.80 + 2.40	.0271	----	----	----	----	1 UNCH
3180	5.30	5.30	8.30B/5.30	8.30B/4.60A	----	6.80 + 2.30	.0272	----	----	1	----	26 UNCH
3185	----	----	8.50B/----	8.50B/4.70A	----	6.90 + 2.40	.0276	----	----	----	----	1 UNCH
3190	----	----	8.60B/----	8.60B/4.70A	----	7.00 + 2.40	.0280	----	----	----	----	883 UNCH
3195	----	----	8.70B/----	8.70B/4.80A	----	7.10 + 2.50	.0285	----	----	----	----	9 UNCH
3200	5.60	5.60	8.90B/5.60	8.90B/4.90A	----	7.20 + 2.50	.0289	----	----	87	----	478 - 36
3215	----	----	9.30B/----	9.30B/5.10A	----	7.50 NEW	.0302	----	----	1	----	1 + 1
3225	----	----	9.60B/----	9.60B/5.20A	----	7.70 NEW	.0311	----	----	9	----	9 + 9
3235	----	----	9.90B/----	9.90B/5.30A	----	7.90 + 2.80	.0319	----	----	----	----	20 UNCH
3250	10.20	10.20	10.40B/10.20	10.40B/5.60A	----	8.20 + 2.90	.0333	----	----	57	----	490 - 34
3260	----	----	10.80B/----	10.80B/5.70A	----	8.50 + 3.10	.0345	----	----	----	----	31 UNCH
3280	----	----	11.40B/----	11.40B/6.10A	----	9.00 + 3.40	.0366	----	----	----	----	31 UNCH
3295	----	----	11.90B/----	11.90B/6.30A	----	9.40 + 3.60	.0384	----	----	----	----	11 UNCH
3300	7.50	7.50	12.10B/7.50	12.10B/6.40A	----	9.50 + 3.60	.0388	----	----	133	----	246 + 1
3305	----	----	12.30B/----	12.30B/6.40A	----	9.70 + 3.70	.0396	----	----	----	----	1 UNCH
3310	----	----	12.50B/----	12.50B/6.50A	----	9.80 + 3.70	.0401	----	----	----	----	20 UNCH
3320	----	----	12.90B/----	12.90B/6.70A	----	10.10 + 3.90	.0414	----	----	----	----	8 UNCH
3330	----	----	13.40B/----	13.40B/6.90A	----	10.40 + 4.00	.0427	----	----	----	----	4 UNCH
3335	10.20	10.20	13.60B/10.20	13.60B/6.90A	----	10.60 NEW	.0434	----	----	1	----	1 + 1
3340	----	----	13.80B/----	13.80B/6.90A	----	10.70 + 4.10	.0440	----	----	----	----	4 UNCH
3345	10.00	10.00	14.00B/10.00	14.00B/7.10A	----	10.90 NEW	.0448	----	----	1	----	1 + 1
3350	8.60	8.60	14.20B/8.60	14.20B/7.10A	----	11.10 + 4.30	.0456	----	----	6	----	480 + 1
3365	8.90	8.90	14.90B/8.90	14.90B/7.40A	----	11.60 + 4.50	.0477	----	----	1	----	0 - 1
3370	----	----	15.20B/----	15.20B/7.50A	----	11.80 + 4.60	.0485	----	----	----	----	4 UNCH
3375	----	----	15.40B/----	15.40B/7.60A	----	12.00 + 4.70	.0493	----	----	----	----	16 UNCH
3380	----	----	15.60B/----	15.60B/7.70A	----	12.10 + 4.70	.0499	----	----	1	----	1 UNCH
3390	9.50	9.50	16.10B/9.50	16.10B/7.90A	----	12.50 + 4.90	.0515	----	----	2	----	2 UNCH
3395	12.90	12.90	16.40B/12.90	16.40B/8.00A	----	12.70 + 5.00	.0524	----	----	8	----	3 - 4
3400	11.60	11.60	16.70B/9.50	16.70B/8.10A	----	12.90 + 5.10	.0532	----	----	216	----	441 + 120
3405	12.50	12.50	17.00B/12.50	17.00B/8.20A	----	13.10 + 5.20	.0541	----	----	4	----	24 - 2
3410	----	----	17.30B/----	17.30B/8.30A	----	13.30 + 5.30	.0549	----	----	1	----	27 - 1
3415	12.50	12.50	17.50B/12.50	17.50B/8.50A	----	13.60 NEW	.0560	----	----	5	----	5 + 5
3420	12.70	12.70	17.80B/12.70	17.80B/8.60A	----	13.80 NEW	.0569	----	----	5	----	5 + 5
3425	11.10	11.10	18.10B/11.10	18.10B/8.70A	----	14.00 + 5.70	.0578	----	----	1	----	2 + 1
3430	13.20	13.20	18.60B/10.60	18.60B/8.60A	----	14.20 + 5.80	.0586	----	----	8	----	28 + 8
3435	11.30	11.30	18.90B/11.30	18.90B/8.70A	----	14.50 NEW	.0598	----	----	1	----	1 + 1
3445	13.30	13.30	19.50B/13.30	19.50B/8.90A	----	14.90 NEW	.0616	----	----	17	----	17 + 17
3450	14.20	14.20	19.80B/14.20	19.80B/9.00A	----	15.20 + 6.30	.0627	----	----	18	----	21 + 15
3460	14.80	14.80	20.60B/14.80	20.60B/9.30A	----	15.70 + 6.50	.0648	----	----	1	----	2 + 1
3465	14.90	14.90	20.90B/14.90	20.90B/9.40A	----	16.00 + 6.70	.0659	----	----	1	----	7 + 1
3470	----	----	21.20B/----	21.20B/9.50A	----	16.20 + 6.70	.0669	----	----	----	----	1 UNCH
3475	15.50	15.50	21.50B/15.40	21.50B/9.70A	----	16.50 NEW	.0680	----	----	7	----	7 + 7
3480	15.80	15.80	22.00B/15.80	22.00B/9.80A	----	16.80 NEW	.0692	----	----	1	----	1 + 1
3485	15.20	15.20	22.30B/15.20	22.30B/10.00A	----	17.10 + 7.20	.0704	----	----	8	----	8 + 7
3490	13.00	13.00	22.70B/13.00	22.70B/10.10A	----	17.30 NEW	.0714	----	----	5	----	5 + 5
3495	13.80	13.80	23.10B/13.80	23.10B/10.20A	----	17.60 + 7.40	.0726	----	----	26	----	27 + 26
3500	15.20	15.20	23.80/13.50	23.80/10.40A	----	17.90 + 7.50	.0738	----	----	124	----	1076 + 34
3505	17.00	17.00	23.90B/17.00	23.90B/10.60A	----	18.20 + 7.70	.0750	----	----	1	----	2 + 1
3510	----	----	24.30B/----	24.30B/10.70A	----	18.50 + 7.80	.0762	----	----	----	----	50 UNCH
3515	16.40	16.40	24.70B/16.40	24.70B/10.90A	----	18.90 NEW	.0777	----	----	6	----	6 + 6
3520	12.90	12.90	25.10B/12.90	25.10B/11.00A	----	19.20 + 8.20	.0790	----	----	12	----	223 + 12
3525	15.40	15.40	25.60B/15.40	25.60B/11.20A	----	19.50 + 8.30	.0802	----	----	9	----	71 + 9
3530	13.50	13.50	26.00B/13.50	26.00B/11.40A	----	19.80 NEW	.0815	----	----	3	----	3 + 3
3535	15.70	15.70	26.40B/15.70	26.40B/11.60A	----	20.20 + 8.70	.0830	----	----	9	----	10 + 9
3540	17.50	17.50	26.90B/17.50	26.90B/11.70A	----	20.50 NEW	.0842	----	----	17	----	17 + 17
3545	21.50	21.50	27.30B/18.00	27.30B/11.90A	----	20.90 + 9.00	.0858	----	----	12	----	21 + 12
3550	17.70	17.70	27.80B/12.00A	27.80B/12.00A	----	21.20 + 9.10	.0870	----	----	6	----	158 + 5
3560	----	----	28.60B/----	28.60B/12.40A	----	22.00 + 9.60	.0901	----	----	----	----	11 UNCH
3565	19.90	19.90	29.20B/19.90	29.20B/12.60A	----	22.30 + 9.70	.0914	----	----	1	----	2 + 1
3570	23.90	23.90	29.80B/23.90	29.80B/12.80A	----	22.70 + 9.90	.0930	----	----	2	----	34 + 2
3575	19.60	19.60	30.30B/17.60	30.30B/13.10A	----	23.10 + 10.10	.0945	----	----	7	----	19 + 6
3580	19.60	19.60	30.80B/19.60	30.80B/13.30A	----	23.50 + 10.30	.0961	----	----	2	----	3 + 2
3585	----	----	31.30B/----	31.30B/13.50A	----	23.90 + 10.50	.0977	----	----	----	----	50 UNCH
3590	21.90	21.90	31.80B/21.90	31.80B/13.60A	----	24.30 NEW	.0993	----	----	1	----	1 + 1
3595	23.60	23.60	32.40B/22.30	32.40B/13.90A	----	24.80 NEW	.1011	----	----	2	----	2 + 2
3600	20.30	20.30	32.90B/20.30	32.90B/14.10A	----	25.20 + 11.10	.1027	----	----	98	----	1750 - 11
3605	----	----	33.40B/----	33.40B/14.30A	----	25.60 + 11.30	.1043	----	----	----	----	1 UNCH
3610	26.80	26.80	34.10B/26.80	34.10B/14.50A	----	26.10 + 11.60	.1062	----	----	79	----	50 + 47
3615	21.80	21.80	34.60B/21.80	34.60B/14.80A	----	26.50 + 11.80	.1078	----	----	3	----	4 + 2
3620	----	----	35.20B/----	35.20B/15.00A	----	27.00 + 12.00	.1097	----	----	----	----	1 UNCH
3625	19.60	19.60	35.80B/19.60	35.80B/15.20A	----	27.40 NEW	.1114	----	----	17	----	17 + 17
3630	----	----	36.40B/15.40A	36.40B/15.40A	----	27.90 + 12.40	.1133	----	----	----	----	8 UNCH
3640	24.20	24.20	37.70B/24.20	37.70B/16.00A	----	28.90 + 12.90	.1171	----	----	1	----	2 UNCH
3645	----	----	38.30B/----	38.30B/16.20A	----	29.40 + 13.20	.1190	----	----	53	----	72 + 51
3650	23.30	23.30	39.00B/16.40A	39.00B/16.40A	----	29.90 + 13.40	.1209	----	----	21	----	82 + 15

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3655	30.30	30.30	39.60B/30.30	39.60B/16.70A	----	30.40 + 13.70	.1228	----	----	1	----	58 + 1
3660	39.10	39.10	40.30B/39.10	40.30B/17.00A	----	31.00 + 14.00	.1250	----	----	1	----	11 + 1
3665	22.50	22.50	41.00B/17.20A	41.00B/17.20A	----	31.50 + 14.20	.1270	----	----	1	----	2 - 1
3675	29.70	29.70	42.30B/29.70	42.30B/17.80A	----	32.60 + 14.80	.1311	----	----	2	----	28 UNCH
3680	34.20	34.20	43.10B/18.00A	43.10B/18.00A	----	33.20 + 15.10	.1333	----	----	5	----	6 + 5
3690	----	----	44.50B/----	44.50B/18.70A	----	34.30 + 15.60	.1376	----	----	----	----	12 UNCH
3695	----	----	45.30B/----	45.30B/19.00A	----	34.90 + 15.90	.1398	----	----	----	----	1 UNCH
3700	21.10	21.10	46.50/19.30A	46.50/19.30A	----	35.50 + 16.10	.1421	----	----	857	----	909 + 543
3705	34.50	34.50	46.80B/19.60A	46.80B/19.60A	----	36.20 + 16.50	.1445	----	----	1	----	22 UNCH
3715	26.60	26.60	48.50B/20.20A	48.50B/20.20A	----	37.40 + 17.10	.1491	----	----	7	----	36 UNCH
3720	34.00	34.00	49.30B/20.50A	49.30B/20.50A	----	38.10 + 17.40	.1516	----	----	43	----	73 + 27
3725	28.80	28.80	50.10B/20.90A	50.10B/20.90A	----	38.70 + 17.70	.1539	----	----	41	----	64 + 21
3730	30.60	30.60	50.90B/21.30A	50.90B/21.30A	----	39.40 + 18.00	.1564	----	----	2	----	13 + 2
3735	30.60	30.60	51.80B/21.60A	51.80B/21.60A	----	40.10 + 18.40	.1589	----	----	3	----	32 + 1
3740	----	----	52.60B/21.90A	52.60B/21.90A	----	40.80 + 18.70	.1615	----	----	2	----	5 - 2
3745	39.40	39.40	53.60B/22.30A	53.60B/22.30A	----	41.50 + 19.00	.1640	----	----	1	----	3 + 1
3750	29.30	29.30	54.50B/29.00	54.50B/22.80A	----	42.20 + 19.40	.1666	----	----	206	----	259 + 97
3755	----	----	55.30B/23.10A	55.30B/23.10A	----	43.00 + 19.80	.1694	----	----	2	----	2 + 1
3760	33.10	33.10	56.30B/23.50A	56.30B/23.50A	----	43.70 + 20.10	.1719	----	----	3	----	4 + 2
3765	----	----	57.20B/23.80A	57.20B/23.80A	----	44.50 + 20.50	.1747	----	----	8	----	101 - 8
3770	----	----	58.10B/24.20A	58.10B/24.20A	----	45.30 + 20.90	.1775	----	----	----	----	14 UNCH
3775	----	----	59.10B/24.60A	59.10B/24.60A	----	46.10 + 21.30	.1804	----	----	76	----	23 - 55
3780	36.90	36.90	60.10B/25.00A	60.10B/25.00A	----	46.90 + 21.60	.1832	----	----	26	----	27 UNCH
3785	----	----	61.10B/25.50A	61.10B/25.50A	----	47.70 + 22.00	.1860	----	----	----	----	2 UNCH
3790	----	----	62.10B/25.90A	62.10B/25.90A	----	48.50 + 22.40	.1889	----	----	----	----	17 UNCH
3795	54.30	54.30	63.10B/26.30A	63.10B/26.30A	----	49.40 + 22.80	.1919	----	----	14	----	34 + 4
3800	40.50	40.50	64.10B/26.80A	64.10B/26.80A	----	50.20 + 23.20	.1948	----	----	991	----	1344 + 376
3805	----	----	65.20B/27.20A	65.20B/27.20A	----	51.10 + 23.60	.1979	----	----	1	----	8 + 1
3810	45.00	45.00	66.30B/27.70A	66.30B/27.70A	----	52.00 + 24.00	.2010	----	----	18	----	75 + 18
3815	51.80	51.80	67.40B/28.20A	67.40B/28.20A	----	52.90 + 24.40	.2041	----	----	9	----	152 - 7
3820	----	----	68.40B/28.70A	68.40B/28.70A	----	53.80 + 24.80	.2072	----	----	4	----	75 + 3
3825	39.00	39.00	69.60B/29.20A	69.60B/29.20A	----	54.70 + 25.20	.2104	----	----	23	----	74 + 2
3830	52.00	52.00	70.70B/29.70A	70.70B/29.70A	----	55.70 + 25.70	.2137	----	----	2	----	3 + 1
3835	----	----	72.00B/30.20A	72.00B/30.20A	----	56.70 + 26.20	.2170	----	----	78	----	59 + 41
3840	57.30	57.30	73.10B/30.80A	73.10B/30.80A	----	57.60 + 26.60	.2202	----	----	1	----	15 UNCH
3845	----	----	74.30B/31.40A	74.30B/31.40A	----	58.60 + 27.00	.2235	----	----	52	----	58 + 44
3850	38.50	38.50	75.50B/31.80A	75.50B/31.80A	----	59.70 + 27.60	.2270	----	----	548	----	2279 + 268
3855	----	----	76.80B/32.40A	76.80B/32.40A	----	60.70 + 28.00	.2304	----	----	----	----	7 UNCH
3860	74.00	74.00	78.00B/33.00A	78.00B/33.00A	----	61.70 + 28.40	.2338	----	----	1	----	2 + 1
3865	----	----	79.30B/33.50A	79.30B/33.50A	----	62.80 + 29.00	.2374	----	----	----	----	2 UNCH
3870	----	----	80.60B/34.10A	80.60B/34.10A	----	63.90 + 29.50	.2410	----	----	1	----	17 - 1
3875	49.60	49.60	81.80B/34.70A	81.80B/34.70A	----	65.00 + 30.00	.2445	----	----	78	----	51 - 23
3880	47.40	47.40	83.10B/35.40A	83.10B/35.40A	----	66.10 + 30.40	.2482	----	----	14	----	353 + 13
3885	63.80	63.80	84.50B/36.00A	84.50B/36.00A	----	67.30 + 31.00	.2519	----	----	6	----	94 - 2
3890	49.10	49.10	85.80B/36.70A	85.80B/36.70A	----	68.40 + 31.50	.2556	----	----	14	----	87 + 9
3895	62.50	62.50	87.20B/37.40A	87.20B/37.40A	----	69.60 + 32.00	.2594	----	----	2	----	16 + 2
3900	41.90	41.90	89.40/38.00A	89.40/38.00A	----	70.80 + 32.60	.2632	----	----	351	260	3320 - 48
3905	69.30	69.30	90.00B/38.70A	90.00B/38.70A	----	72.00 + 33.10	.2670	----	----	3	----	28 + 3
3910	68.60	68.60	91.50B/39.40A	91.50B/39.40A	----	73.30 + 33.70	.2710	----	----	6	----	104 + 1
3915	66.60	66.60	92.90B/40.10A	92.90B/40.10A	----	74.50 + 34.20	.2748	----	----	4	----	60 UNCH
3920	72.90	72.90	94.40B/40.80A	94.40B/40.80A	----	75.80 + 34.80	.2788	----	----	1	----	80 UNCH
3925	79.20	79.20	95.90B/41.50A	95.90B/41.50A	----	77.10 + 35.40	.2828	----	----	13	----	118 - 1
3930	73.20	73.20	97.40B/42.20A	97.40B/42.20A	----	78.40 + 35.90	.2869	----	----	1	----	63 + 1
3935	57.50	57.50	99.00B/43.00A	99.00B/43.00A	----	79.80 + 36.60	.2910	----	----	111	----	112 + 87
3940	77.80	77.80	100.50B/43.70A	100.50B/43.70A	----	81.10 + 37.10	.2951	----	----	5	----	33 UNCH
3945	65.20	65.20	102.10B/44.50A	102.10B/44.50A	----	82.50 + 37.70	.2993	----	----	4	----	3 UNCH
3950	68.40	68.40	103.70B/45.40A	103.70B/45.40A	----	83.90 + 38.30	.3035	----	----	183	----	312 - 21
3955	81.70	81.70	105.30B/46.20A	105.30B/46.20A	----	85.30 + 38.90	.3077	----	----	3	----	15 UNCH
3960	80.90	80.90	107.00B/47.00A	107.00B/47.00A	----	86.80 + 39.60	.3121	----	----	38	----	55 + 27
3965	82.40	82.40	108.70B/47.80A	108.70B/47.80A	----	88.20 + 40.20	.3163	----	----	7	----	47 UNCH
3970	74.90	74.90	110.40B/48.70A	110.40B/48.70A	----	89.70 + 40.80	.3207	----	----	4	----	15 + 2
3975	----	----	112.10B/49.60A	112.10B/49.60A	----	91.20 + 41.40	.3251	----	----	36	----	330 + 32
3980	77.20	77.20	113.90B/50.50A	113.90B/50.50A	----	92.80 + 42.10	.3296	----	----	42	----	2284 + 21
3985	83.20	83.20	115.60B/51.50A	115.60B/51.50A	----	94.30 + 42.70	.3340	----	----	2	----	3 - 1
3990	80.00	80.00	117.40B/52.40A	117.40B/52.40A	----	95.90 + 43.40	.3386	----	----	7	----	50 + 3
3995	----	----	119.20B/----	119.20B/53.50A	----	97.50 + 44.10	.3431	----	----	70	----	50 + 33
4000	62.50	62.50	121.10B/54.30A	121.10B/54.30A	----	99.20 + 44.80	.3478	----	----	1349	----	3437 + 60
4005	74.00	74.00	122.90B/74.00	122.90B/55.40A	----	100.80 + 45.50	.3523	----	----	2	----	7 - 1
4010	87.80	87.80	124.80B/87.80	124.80B/56.50A	----	102.50 + 46.20	.3570	----	----	55	----	96 - 14
4015	87.70	87.70	126.70B/87.70	126.70B/57.30A	----	104.20 + 46.90	.3617	----	----	2	----	5 + 2
4020	----	----	128.60B/----	128.60B/58.40A	----	105.90 + 47.60	.3664	----	----	2	----	8 + 1
4025	84.90	84.90	130.60B/84.90	130.60B/59.50A	----	107.70 + 48.30	.3712	----	----	16	----	320 + 6
4030	104.60	104.60	132.60B/104.60	132.60B/60.60A	----	109.50 + 49.10	.3760	----	----	22	----	78 + 12
4035	97.80	97.80	134.60B/97.80	134.60B/61.70A	----	111.30 + 49.80	.3809	----	----	11	----	37 + 1
4040	96.20	96.20	136.60B/96.20	136.60B/62.60A	----	113.10 + 50.50	.3857	----	----	6	----	32 - 1
4045	109.60	109.60	138.70B/109.60	138.70B/63.80A	----	114.90 + 51.20	.3906	----	----	20	----	41 + 5
4050	101.50	101.50	140.80B/101.50	140.80B/64.90A	----	116.80 + 52.00	.3955	----	----	53	----	430 - 2
4055	100.90	100.90	142.60B/100.90	142.60B/66.10A	----	118.70 + 52.70	.4005	----	----	23	----	59 + 16
4060	102.50	102.50	144.70B/91.50	144.70B/67.40A	----	120.70 + 53.50	.4055	----	----	9	----	14 - 2
4065	91.90	91.90	146.70B/91.90	146.70B/68.40A	----	122.60 + 54.30	.4105	----	----	1	----	14 UNCH
4070	101.00	101.00	148.90B/101.00	148.90B/69.80A	----	124.60 + 55.00	.4155	----	----	6	----	63 - 2
4075	121.10	121.10	151.30B/103.10	151.30B/71.00A	----	126.60 + 55.80	.4206	----	----	6	----	554 UNCH
4080	107.70	107.70	153.40B/107.70	153.40B/72.30A	----	128.70 + 56.60	.4257	----	----	15	----	29 + 4
4085	----	----	155.70B/----	155.70B/73.60A	----	130.70 + 57.40	.4308	----	----	----	----	349 UNCH
4090	111.00	111.00	158.00B/100.00	158.00B/74.90A	----	132.80 + 58.20	.4359	----	----	3	----	205 UNCH
4095	115.30	115.30	160.40B/113.20	160.40B/76.20A	----	135.00 + 59.00	.4411	----	----	122	----	120 + 34
4100	104.00	104.00	162.80B/95.00	162.80B/77.60A	----	137.10 + 59.80	.4462	----	----	823	----	1461 + 107
4105	112.90	112.90	165.10B/112.90	165.10B/79.00A	----	139.30 + 60.60	.4514	----	----	27	----	19 - 4
4110	----	----	167.60B/----	167.60B/80.30A	----	141.50 + 61.40	.4566	----	----	49	----	60 + 32
4115	130.30	130.30	170.40B/130.30	170.40B/81.90A	----	143.80 + 62.30	.4619	----	----	1	----	64 + 1
4120	110.50	110.50	172.50B/110.50	172.50B/83.20A	----	146.00 + 63.10	.4671	----	----	24	----	140 - 1
4125	----	----	174.60B/----	174.60B/84.70A	----	148.30 + 63.90	.4724	----	----	43	----	45 - 5
4130	111.00	111.00	177.90B/111.00	177.90B/86.30A	----	150.60 + 64.70	.4777	----	----	12	----	17 - 2
4135	103.10	103.10	180.60B/101.90	180.60B/87.90A	----	153.00 + 65.60	.4830	----	----	12	----	69 + 2
4140	153.10	153.10	183.00B/150.50	183.00B/89.40A	----	155.40 + 66.50	.4883	----	----	44	----	57 + 14
4145	119.50	119.50	185.70B/119.50	185.70B/90.90A	----	157.80 + 67.30	.4936	----	----	30	----	61 + 14
4150	125.50	125.50	188.40B/124.00	188.40B/92.50A	----	160.20 + 68.10	.4989	----	----	589	----	2246 + 84
4155	----	----	191.10B/----	191.10B/94.30A	----	162.70 + 69.00	.5042	----	----	1	----	66 + 1
4160	----	----	193.90B/----	193.90B/95.90A	----	165.20 + 69.90	.5096	----	----	1	----	59 - 1
4165	125.20	125.20	196.60B/125.20	196.60B/97.50A	----	167.70 + 70.70	.5149	----	----	9	----	119 + 2
4170	145.00	145.00	199.40B/145.00	199.40B/99.30A	----	170.30 + 71.60	.5202	----	----	15	----	100 + 11
4175	143.20	143.20	202.20B/143.20	202.20B/101.30A	----	172.90 + 72.50	.5256	----	----	23	----	41 - 1
4180	148.60	148.60	205.00B/146.50	205.00B/102.80A	----	175.50 + 73.30	.5310	----	----	16	----	136 + 2
4185	----	----	207.80B/----	207.80B/105.00A	----	178.20 + 74.30	.5363	----	----	----	----	54 UNCH
4190	138.40	138.40	210.70B/138.40	210.70B/106.80A	----	180.90 + 75.20	.5416	----	----	126	----	646 - 112
4195	155.10	155.10	213.70B/155.10	213.70B/108.30A	----	183.60 + 76.00	.5470	----	----	52	----	223 - 42
4200	140.70	140.70	216.60B/133.00	216.60B/110.40A	----	186.30 + 76.90	.5523	----	----	215	----	1559 - 70
4205	143.00	143.00	219.60B/143.00	219.60B/112.40A	----	189.10 + 77.80	.5576	----	----	36	----	347 - 3
4210	173.20	173.20	222.60B/173.20	222.60B/114.30A	----	191.90 + 78.70	.5629	----	----	33	----	37 + 14
4215	----	----	225.60B/----	225.60B/116.30A	----	194.70 + 79.60	.5683	----	----	21	----	28 + 6
4220	145.00	145.00	228.60B/140.10	228.60B/118.30A	----	197.60 + 80.50	.5736	----	----	73	----	60 - 32
4225	140.00	140.00	231.70B/140.00	231.70B/120.30A	----	200.50 + 81.40	.5789	----	----	59	----	57 - 17
4230	144.80	144.80	234.80B/144.80	234.80B/122.30A	----	203.40 + 82.30	.5841	----	----	4	----	41 UNCH
4235	159.90	159.90	238.00B/154.00	238.00B/124.40A	----	206.40 + 83.20	.5893	----	----	4	----	10 + 1
4240	154.50	154.50	241.10B/148.60	241.10B/126.50A	----	209.30 + 84.00	.5946	----	----	10	----	46 + 1
4245	158.90	158.90	244.30B/152.00	244.30B/129.00A	----	212.40 + 85.00	.5998	----	----	4	----	258 UNCH
4250	154.40	154.40	247.60B/154.40	247.60B/131.10A	----	215.40 + 85.90	.6051	----	----	182	----	1545 UNCH
4255	160.00	160.00	250.80B/160.00	250.80B/133.00A	----	218.50 + 86.80	.6102	----	----	2	----	893 UNCH
4260	----	----	254.00B/----	254.00B/135.30A	----	221.60 + 87.70	.6153	----	----	9	----	51 UNCH
4265	160.90	160.90	257.20B/160.90	257.20B/137.50A	----	224.70 + 88.60	.6205	----	----	1	----	9 UNCH
4270	----	----	260.70B/----	260.70B/139.80A	----	227.90 + 89.50	.6256	----	----	----	----	276 UNCH
4275	164.20	164.20	263.90B/164.20	263.90B/142.40A	----	231.10 + 90.40	.6307	----	----	175	----	104 - 107
4280	222.00	222.00	267.50B/222.00	267.50B/144.80A	----	234.30 + 91.30	.6357	----	----	18	----	377 - 10
4285	----	----	270.70B/----	270.70B/147.20A	----	237.50 + 92.10	.6408	----	----	1	----	186 - 1
4290	200.00	200.00	274.30B/200.00	274.30B/149.50A	----	240.80 + 93.10	.6458	----	----	4	----	86 UNCH
4295	----	----	277.80B/----	277.80B/154.10A	----	244.10 + 94.00	.6507	----	----	1	----	29 - 1
4300	180.00	180.00	281.30B/180.00	281.30B/157.90A	----	247.50 + 94.90	.6557	----	----	242	----	1184 - 74
4305	242.70	242.70	284.80B/242.70	284.80B/160.80A	----	250.80 + 95.70	.6606	----	----	1	----	522 UNCH
4310	----	----	288.40B/----	288.40B/163.90A	----	254.20 + 96.60	.6654	----	----	----	----	20 UNCH
4315	----	----	292.00B/----	292.00B/165.90A	----	257.70 + 97.60	.6702	----	----	----	----	25 UNCH
4320	----	----	295.60B/----	295.60B/166.80A	----	261.10 + 98.40	.6751	----	----	3	----	57 - 2
4325	----	----	299.20B/----	299.20B/170.10A	----	264.60 + 99.40	.6798	----	----	94	----	419 - 53
4330	----	----	302.80B/----	302.80B/171.60A	----	268.10 + 00.20	.6846	----	----	----	----	143 UNCH
4335	----	----	306.50B/----	306.50B/181.40A	----	271.60 + 01.10	.6892	----	----	----	----	10 UNCH
4340	251.40	251.40	310.20B/251.40	310.20B/176.70A	----	275.20 + 02.00	.6938	----	----	1	----	74 - 1
4345	----	----	313.90B/----	313.90B/187.00A	----	278.80 + 02.90	.6984	----	----	23	----	35 + 20
4350	230.00	230.00	317.70B/230.00	317.70B/182.30A	----	282.40 + 03.70	.7030	----	----	51	----	1261 - 21

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4355	----	----	321.40B/----	321.40B/185.20A	----	286.00 + 04.50	.7074	----	----	----	----	137 UNCH
4360	----	----	325.20B/----	325.20B/188.00A	----	289.70 + 05.40	.7118	----	----	3	----	88 UNCH
4365	226.50	226.50	329.00B/226.50	329.00B/190.90A	----	293.40 + 06.30	.7163	----	----	2	----	120 UNCH
4370	258.00	258.00	332.80B/258.00	332.80B/201.70A	----	297.10 + 07.10	.7207	----	----	3	----	2 - 1
4375	----	----	336.60B/----	336.60B/202.60A	----	300.80 + 07.90	.7249	----	----	16	----	85 - 2
4380	----	----	340.50B/----	340.50B/207.60A	----	304.60 + 08.80	.7294	----	----	----	----	21 UNCH
4385	----	----	344.40B/----	344.40B/211.10A	----	308.40 + 09.60	.7336	----	----	----	----	15 UNCH
4390	268.00	268.00	348.30B/268.00	348.30B/213.80A	----	312.20 + 10.40	.7377	----	----	2	----	48 UNCH
4395	----	----	352.30B/----	352.30B/216.90A	----	316.00 + 11.20	.7419	----	----	----	----	34 UNCH
4400	257.60	257.60	356.20B/239.50	356.20B/220.10A	----	319.90 + 12.00	.7459	----	----	66	----	2038 - 8
4405	----	----	360.20B/----	360.20B/223.30A	----	323.80 + 12.80	.7500	----	----	1	----	65 - 1
4410	----	----	364.20B/----	364.20B/226.50A	----	327.70 + 13.60	.7540	----	----	3	----	356 UNCH
4415	----	----	368.20B/----	368.20B/229.80A	----	331.60 + 14.30	.7578	----	----	----	----	151 UNCH
4420	----	----	372.30B/----	372.30B/233.00A	----	335.50 + 15.10	.7619	----	----	1	----	28 - 1
4425	----	----	376.30B/----	376.30B/236.30A	----	339.50 + 15.80	.7657	----	----	14	----	125 + 4
4430	----	----	380.40B/----	380.40B/239.70A	----	343.50 + 16.60	.7695	----	----	----	----	53 UNCH
4435	----	----	384.50B/----	384.50B/243.10A	----	347.50 + 17.40	.7733	----	----	2	----	40 - 1
4440	----	----	388.60B/----	388.60B/246.50A	----	351.50 + 18.10	.7769	----	----	1	----	97 UNCH
4445	305.00	305.00	392.80B/305.00	392.80B/250.40A	----	355.60 + 18.90	.7807	----	----	1	----	9 UNCH
4450	----	----	396.90B/----	396.90B/253.30A	----	359.60 + 19.50	.7842	----	----	239	----	1184 + 192
4455	----	----	401.20B/----	401.20B/256.90A	----	363.70 + 20.20	.7878	----	----	1	----	273 - 1
4460	----	----	405.30B/----	405.30B/260.40A	----	367.80 + 20.90	.7913	----	----	----	----	37 UNCH
4465	----	----	409.60B/----	409.60B/263.90A	----	371.90 + 21.60	.7947	----	----	7	----	57 - 2
4470	----	----	413.80B/----	413.80B/267.40A	----	376.10 + 22.30	.7982	----	----	1	----	118 UNCH
4475	----	----	417.90B/----	417.90B/271.10A	----	380.20 + 22.90	.8015	----	----	3	----	234 + 1
4480	----	----	422.30B/----	422.30B/274.60A	----	384.40 + 23.60	.8048	----	----	1	----	141 UNCH
4485	----	----	426.40B/----	426.40B/278.40A	----	388.60 + 24.20	.8081	----	----	2	----	42 - 1
4490	----	----	430.70B/----	430.70B/282.00A	----	392.80 + 24.80	.8114	----	----	----	----	21 UNCH
4495	----	----	435.00B/----	435.00B/285.70A	----	397.10 + 25.40	.8144	----	----	1	----	48 UNCH
4500	345.00	345.00	439.30B/345.00	439.30B/289.50A	----	401.30 + 26.00	.8177	----	----	14	----	2105 - 3
4505	----	----	443.80B/----	443.80B/293.20A	----	405.60 + 26.60	.8207	----	----	2	----	47 - 1
4510	----	----	448.00B/----	448.00B/297.00A	----	409.80 + 27.10	.8237	----	----	----	----	56 UNCH
4515	359.00	359.00	452.50B/359.00	452.50B/300.30A	----	414.10 + 27.60	.8267	----	----	7	----	52 - 3
4520	362.20	362.20	456.70B/362.20	456.70B/304.40A	----	418.40 + 28.20	.8296	----	----	1	----	266 - 1
4525	----	----	461.10B/----	461.10B/308.30A	----	422.70 + 28.70	.8323	----	----	234	----	243 - 14
4530	----	----	465.50B/----	465.50B/312.20A	----	427.10 + 29.40	.8353	----	----	8	----	36 UNCH
4535	----	----	470.00B/----	470.00B/316.00A	----	431.40 + 29.90	.8380	----	----	----	----	71 UNCH
4540	----	----	474.50B/----	474.50B/320.00A	----	435.80 + 30.40	.8410	----	----	1	----	73 UNCH
4545	----	----	478.80B/----	478.80B/323.90A	----	440.20 + 31.00	.8437	----	----	6	----	41 - 6
4550	433.00	433.00	483.40B/433.00	483.40B/327.90A	----	444.50 + 31.40	.8463	----	----	5	----	265 - 2
4555	----	----	487.80B/----	487.80B/331.80A	----	449.00 + 32.00	.8487	----	----	----	----	124 UNCH
4560	----	----	492.20B/----	492.20B/335.60A	----	453.40 + 32.50	.8514	----	----	----	----	221 UNCH
4565	----	----	496.70B/----	496.70B/340.00A	----	457.80 + 32.90	.8537	----	----	----	----	20 UNCH
4570	----	----	501.20B/----	501.20B/344.00A	----	462.30 + 33.40	.8564	----	----	----	----	84 UNCH
4575	----	----	505.70B/----	505.70B/348.10A	----	466.70 + 33.80	.8587	----	----	----	----	74 UNCH
4580	502.30	502.30	510.20B/502.30	510.20B/352.20A	----	471.20 + 34.30	.8611	----	----	3	----	208 - 1
4585	----	----	514.70B/----	514.70B/356.80A	----	475.70 + 34.70	.8634	----	----	----	----	7 UNCH
4590	----	----	519.30B/----	519.30B/360.70A	----	480.20 + 35.20	.8657	----	----	----	----	41 UNCH
4595	----	----	523.90B/----	523.90B/365.10A	----	484.70 + 35.60	.8680	----	----	----	----	169 UNCH
4600	----	----	528.40B/----	528.40B/369.30A	----	489.20 + 36.00	.8704	----	----	2	----	703 - 1
4605	----	----	533.00B/----	533.00B/373.50A	----	493.70 + 36.30	.8724	----	----	----	----	82 UNCH
4610	----	----	537.70B/----	537.70B/377.60A	----	498.30 + 36.80	.8747	----	----	----	----	52 UNCH
4615	----	----	542.20B/----	542.20B/381.80A	----	502.80 + 37.20	.8766	----	----	----	----	4 UNCH
4620	----	----	546.80B/----	546.80B/386.10A	----	507.40 + 37.60	.8789	----	----	----	----	41 UNCH
4625	----	----	551.50B/----	551.50B/390.40A	----	511.90 + 37.90	.8809	----	----	4	----	341 UNCH
4630	----	----	556.10B/----	556.10B/394.60A	----	516.50 + 38.30	.8829	----	----	----	----	53 UNCH
4635	----	----	560.60B/----	560.60B/398.90A	----	521.10 + 38.70	.8848	----	----	----	----	129 UNCH
4640	----	----	565.20B/----	565.20B/403.20A	----	525.70 + 39.00	.8868	----	----	----	----	310 UNCH
4645	----	----	570.00B/----	570.00B/407.60A	----	530.30 + 39.40	.8887	----	----	----	----	135 UNCH
4650	567.60	567.60	574.50B/567.60	574.50B/411.90A	----	534.90 + 39.70	.8906	----	----	1	----	444 UNCH
4655	----	----	579.30B/----	579.30B/416.20A	----	539.50 + 40.00	.8922	----	----	----	----	30 UNCH
4660	----	----	584.00B/----	584.00B/420.50A	----	544.10 + 40.30	.8942	----	----	3	----	29 - 3
4665	----	----	588.50B/----	588.50B/425.00A	----	548.80 + 40.70	.8957	----	----	----	----	4 UNCH
4670	----	----	593.20B/----	593.20B/429.40A	----	553.40 + 41.00	.8977	----	----	----	----	53 UNCH
4675	----	----	597.90B/----	597.90B/433.70A	----	558.10 + 41.40	.8992	----	----	4	----	14 - 1
4680	----	----	602.60B/----	602.60B/438.10A	----	562.70 + 41.60	.9008	----	----	----	----	33 UNCH
4685	----	----	607.30B/----	607.30B/442.60A	----	567.40 + 41.90	.9027	----	----	----	----	224 UNCH
4690	----	----	612.00B/----	612.00B/447.00A	----	572.10 + 42.20	.9042	----	----	----	----	10 UNCH
4695	----	----	#616.70B/----	#616.70B/451.50A	----	576.80 + 42.50	.9058	----	----	----	----	5 UNCH
4700	----	----	621.40B/----	621.40B/456.00A	----	581.50 + 42.80	.9073	----	----	2	----	1050 - 1
4705	----	----	#626.30B/----	#626.30B/460.50A	----	586.10 + 43.00	.9089	----	----	----	----	151 UNCH
4710	----	----	630.90B/----	630.90B/464.90A	----	590.90 + 43.40	.9100	----	----	----	----	10 UNCH
4715	----	----	#635.60B/----	#635.60B/469.50A	----	595.60 + 43.60	.9115	----	----	----	----	1 UNCH
4720	----	----	640.40B/----	640.40B/473.90A	----	600.30 + 43.80	.9131	----	----	----	----	13 UNCH
4725	----	----	645.10B/----	645.10B/478.50A	----	605.00 + 44.10	.9146	----	----	----	----	60 UNCH
4730	----	----	649.90B/----	649.90B/483.00A	----	609.70 + 44.30	.9157	----	----	----	----	56 UNCH
4735	----	----	#654.60B/----	#654.60B/487.60A	----	614.50 + 44.60	.9172	----	----	----	----	59 UNCH
4740	----	----	659.40B/----	659.40B/492.20A	----	619.20 + 44.70	.9184	----	----	----	----	38 UNCH
4745	----	----	#664.20B/----	#664.20B/496.70A	----	623.90 + 44.90	.9199	----	----	----	----	44 UNCH
4750	----	----	669.10B/----	669.10B/501.20A	----	628.70 + 45.20	.9210	----	----	----	----	182 UNCH
4755	----	----	#673.70B/----	#673.70B/505.90A	----	633.50 + 45.40	.9225	----	----	----	----	25 UNCH
4760	----	----	678.50B/----	678.50B/510.50A	----	638.20 + 45.60	.9236	----	----	----	----	7 UNCH
4765	----	----	#683.30B/----	#683.30B/515.10A	----	643.00 + 45.80	.9247	----	----	1	----	8 UNCH
4770	----	----	688.10B/----	688.10B/519.70A	----	647.80 + 46.00	.9258	----	----	1	----	260 UNCH
4775	----	----	692.90B/----	692.90B/524.30A	----	652.50 + 46.10	.9269	----	----	----	----	171 UNCH
4780	----	----	697.70B/----	697.70B/529.00A	----	657.30 + 46.30	.9280	----	----	----	----	19 UNCH
4785	----	----	#702.50B/----	#702.50B/533.60A	----	662.10 + 46.50	.9295	----	----	----	----	18 UNCH
4790	----	----	#707.30B/----	#707.30B/538.30A	----	666.90 + 46.60	.9306	----	----	----	----	53 UNCH
4795	----	----	#712.10B/----	#712.10B/542.90A	----	671.70 + 46.80	.9313	----	----	----	----	128 UNCH
4800	----	----	712.40B/----	712.40B/547.60A	----	676.50 + 47.00	.9323	----	----	----	----	965 UNCH
4805	----	----	#677.90B/----	#677.90B/552.30A	----	681.30 + 47.10	.9334	----	----	----	----	9 UNCH
4810	----	----	#682.90B/----	#682.90B/556.90A	----	686.10 + 47.30	.9345	----	----	----	----	5 UNCH
4815	----	----	#687.70B/----	#687.70B/561.70A	----	690.90 + 47.40	.9355	----	----	----	----	3 UNCH
4820	----	----	#692.50B/----	#692.50B/566.40A	----	695.70 + 47.50	.9366	----	----	----	----	4 UNCH
4825	----	----	697.10B/----	697.10B/571.00A	----	700.60 + 47.70	.9373	----	----	----	----	30 UNCH
4830	----	----	#701.90B/----	#701.90B/575.80A	----	705.40 + 47.80	.9383	----	----	----	----	4 UNCH
4835	----	----	#706.90B/----	#706.90B/580.50A	----	710.20 + 47.90	.9394	----	----	----	----	36 UNCH
4840	----	----	#711.60B/----	#711.60B/585.20A	----	715.10 + 48.10	.9400	----	----	----	----	5 UNCH
4850	----	----	721.40B/----	721.40B/592.90A	----	724.70 + 48.30	.9417	----	----	----	----	156 UNCH
4855	----	----	#726.10B/----	#726.10B/626.30A	----	729.60 + 48.50	.9428	----	----	----	----	11 UNCH
4860	----	----	#730.90B/----	#730.90B/631.10A	----	734.40 + 48.50	.9434	----	----	----	----	9 UNCH
4865	----	----	#736.00B/----	#736.00B/635.90A	----	739.30 + 48.70	.9441	----	----	----	----	12 UNCH
4870	----	----	#740.80B/----	#740.80B/640.60A	----	744.10 + 48.70	.9451	----	----	----	----	29 UNCH
4875	----	----	745.60B/----	745.60B/645.40A	----	749.00 + 48.90	.9457	----	----	----	----	82 UNCH
4880	----	----	#750.30B/----	#750.30B/650.20A	----	753.90 + 49.00	.9464	----	----	----	----	127 UNCH
4885	----	----	#755.40B/----	#755.40B/655.00A	----	758.70 + 49.10	.9474	----	----	----	----	8 UNCH
4890	----	----	#760.00B/----	#760.00B/659.80A	----	763.60 + 49.20	.9480	----	----	----	----	6 UNCH
4895	----	----	#765.10B/----	#765.10B/664.60A	----	768.50 + 49.30	.9486	----	----	----	----	6 UNCH
4900	----	----	805.00B/----	805.00B/669.50A	----	773.30 + 49.40	.9492	----	----	----	----	431 UNCH
4905	----	----	#774.60B/----	#774.60B/674.20A	----	778.20 + 49.50	.9502	----	----	----	----	29 UNCH
4910	----	----	#779.70B/----	#779.70B/678.40A	----	783.10 + 49.60	.9509	----	----	----	----	23 UNCH
4920	----	----	#789.20B/----	#789.20B/688.80A	----	792.80 + 49.70	.9521	----	----	----	----	3 UNCH
4925	----	----	794.10B/----	794.10B/693.60A	----	797.70 + 49.80	.9527	----	----	4	----	53 - 4
4930	----	----	#799.20B/----	#799.20B/698.40A	----	802.60 + 49.90	.9533	----	----	----	----	11 UNCH
4950	----	----	818.70B/----	818.70B/717.80A	----	822.20 + 50.20	.9556	----	----	----	----	31 UNCH
4955	----	----	#823.40B/----	#823.40B/722.70A	----	827.10 + 50.30	.9562	----	----	----	----	1 UNCH
4965	----	----	#833.20B/----	#833.20B/732.40A	----	836.90 + 50.40	.9574	----	----	----	----	1 UNCH
4980	----	----	#847.90B/----	#847.90B/----	----	851.60 + 50.60	.9591	----	----	----	----	1 UNCH
5000	----	----	867.70B/----	867.70B/----	----	871.30 + 50.90	.9609	----	----	----	----	331 UNCH
5005	----	----	----	----	----	876.20 NEW	.9615	----	----	4	----	4 + 4
5010	----	----	----	----	----	881.10 + 50.90	.9616	----	----	----	----	1 UNCH
5025	----	----	----	----	----	895.90 + 51.10	.9633	----	----	----	----	25 UNCH
5030	----	----	----	----	----	900.80 + 51.20	.9634	----	----	----	----	1 UNCH
5040	----	----	----	----	----	910.60 + 51.20	.9645	----	----	2	----	6 + 2
5045	----	----	----	----	----	915.60 + 51.30	.9651	----	----	----	----	31 UNCH
5050	----	----	----	----	----	920.50 + 51.30	.9652	----	----	4	----	351 UNCH
5070	----	----	----	----	----	940.20 + 51.40	.9670	----	----	----	----	17 UNCH
5080	----	----	----	----	----	950.10 + 51.50	.9676	----	----	----	----	3 UNCH
5085	----	----	----	----	----	955.00 + 51.50	.9681	----	----	----	----	10 UNCH
5100	----	----	----	----	----	969.80 + 51.60	.9693	----	----	----	----	85 UNCH
5120	----	----	----	----	----	989.60 + 51.70	.9706	----	----	----	----	2 UNCH
5180	----	----	----	----	----	1049.00 + 52.00	.9743	----	----	----	----	1 UNCH
5200	1103.70	1103.70	1,103.70/1,103.	1103.70/1103.70	----	1068.80 + 52.00	.9750	----	----	1	----	114 UNCH
5265	----	----	----	----	----	1133.40 + 52.30	.9777	----	----	----	----	1 UNCH
5300	----	----	----	----	----	1168.20 + 52.40	.9790	----	----	----	----	3 UNCH
5355	----	----	----	----	----	1222.90 + 52.50	.9809	----	----	----	----	1 UNCH
5400	----	----	----	----	----	1267.70 + 52.50	.9827	----	----	----	----	77 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
5460	----	----	----	----	----	1327.50 + 52.60	.9841	----	----	----	----	1 UNCH
5500	----	----	----	----	----	1367.40 + 52.70	.9849	----	----	----	----	4 UNCH
5530	----	----	----	----	----	1397.30 + 52.70	.9856	----	----	----	----	1 UNCH
5575	----	----	----	----	----	1442.20 + 52.80	.9859	----	----	----	----	2 UNCH
TOTAL										10980	260	61693 + 2042
SEP26												
2000	----	----	----	0.60B/0.90A	----	0.70 + 0.10	.0018	----	----	----	----	1 UNCH
2350	----	----	1.60B/----	1.60B/1.70A	----	1.70 + 0.40	.0049	----	----	----	----	37 UNCH
2375	----	----	1.70B/----	1.70B/1.80A	----	1.80 + 0.40	.0052	----	----	----	----	5 UNCH
2400	----	----	1.80B/----	1.80B/1.90A	----	1.90 + 0.40	.0055	----	----	----	----	1 UNCH
2500	2.40	2.40	2.40/2.40	2.40/2.20A	----	2.40 + 0.50	.0071	----	----	19	----	55 UNCH
2575	----	----	#2.90B/----	2.90B/2.60A	----	2.90 + 0.70	.0087	----	----	----	----	1 UNCH
2600	----	----	3.10B/----	3.10B/2.70A	----	3.10 + 0.80	.0093	----	----	----	----	3 UNCH
2705	3.70	3.70	#4.00B/3.70	4.00B/3.30A	----	3.90 NEW	.0120	----	----	4	----	4 + 4
2740	----	----	4.40B/----	4.40B/3.60A	----	4.10 + 1.00	.0128	----	----	----	----	1 UNCH
2800	5.10	5.10	5.10/4.00A	5.10/4.00A	----	4.70 + 1.20	.0149	----	----	1	----	11 + 1
2845	5.30	5.30	5.60B/5.30	5.60B/4.40A	----	5.20 NEW	.0167	----	----	2	----	1 + 1
2850	----	----	5.70B/----	5.70B/4.50A	----	5.20 + 1.30	.0167	----	----	1	----	4 - 1
2855	----	----	5.80B/----	5.80B/4.50A	----	5.30 + 1.40	.0170	----	----	----	----	1 UNCH
2860	----	----	5.90B/----	5.90B/4.60A	----	5.30 + 1.30	.0171	----	----	----	----	23 UNCH
2865	----	----	6.00B/----	6.00B/4.60A	----	5.40 + 1.40	.0174	----	----	----	----	15 UNCH
2900	----	----	6.50B/----	6.50B/4.90A	----	5.80 + 1.50	.0189	----	----	40	----	47 + 40
2915	----	----	6.80B/----	6.80B/5.10A	----	6.00 + 1.50	.0196	----	----	----	----	2 UNCH
2920	----	----	6.90B/----	6.90B/5.10A	----	6.10 + 1.60	.0199	----	----	----	----	5 UNCH
3000	----	----	8.40B/----	8.40B/6.10A	----	7.30 + 1.90	.0242	----	----	2	----	12 UNCH
3045	----	----	9.40B/----	9.40B/6.70A	----	8.20 + 2.20	.0273	----	----	----	----	25 UNCH
3055	----	----	9.70B/----	9.70B/6.80A	----	8.40 + 2.30	.0280	----	----	----	----	5 UNCH
3100	8.70	8.70	10.90B/8.70	10.90B/7.40A	----	9.30 + 2.50	.0313	----	----	11	----	36 + 11
3145	----	----	12.20B/----	12.20B/8.10A	----	10.50 + 3.10	.0355	----	----	----	----	15 UNCH
3150	----	----	12.40B/----	12.40B/8.20A	----	10.60 + 3.10	.0359	----	----	----	----	2 UNCH
3200	----	----	14.20B/----	14.20B/9.10A	----	12.00 + 3.60	.0409	----	----	10	----	26 + 10
3240	----	----	16.10B/----	16.10B/9.90A	----	13.40 NEW	.0457	----	----	1	----	1 + 1
3250	----	----	16.40B/----	16.40B/10.10A	----	13.80 NEW	.0471	----	----	5	----	5 + 5
3270	----	----	17.50B/----	17.50B/10.60A	----	14.50 + 4.70	.0496	----	----	----	----	15 UNCH
3300	18.10	18.10	18.90B/17.50	18.90B/11.30A	----	15.80 + 5.30	.0540	----	----	16	----	23 + 8
3345	17.60	17.60	21.50B/17.60	21.50B/12.50A	----	17.90 NEW	.0612	----	----	1	----	1 + 1
3385	16.30	16.30	24.30B/16.30	24.30B/13.70A	----	20.00 NEW	.0683	----	----	1	----	1 + 1
3395	----	----	25.10B/----	25.10B/14.10A	----	20.60 NEW	.0703	----	----	3	----	3 + 3
3400	18.60	18.60	25.30B/18.60	25.30B/13.90A	----	20.90 + 7.50	.0713	----	----	2	----	51 UNCH
3445	19.30	19.30	28.80B/19.30	28.80B/15.50A	----	23.80 NEW	.0809	----	----	1	----	1 + 1
3450	----	----	29.50B/----	29.50B/15.70A	----	24.20 + 8.90	.0822	----	----	----	----	1 UNCH
3475	----	----	31.70B/----	31.70B/16.80A	----	26.00 + 9.70	.0881	----	----	----	----	2 UNCH
3480	20.10	20.10	32.10B/20.10	32.10B/17.00A	----	26.40 + 9.80	.0894	----	----	1	----	781 + 1
3495	----	----	33.60B/----	33.60B/17.70A	----	27.60 + 10.40	.0933	----	----	----	----	1 UNCH
3500	23.00	23.00	34.10B/22.00	34.10B/17.90A	----	28.00 + 10.50	.0946	----	----	313	----	821 - 125
3505	21.40	21.40	34.60B/21.40	34.60B/18.10A	----	28.40 NEW	.0959	----	----	6	----	6 + 6
3515	----	----	35.60B/----	35.60B/18.60A	----	29.30 + 11.10	.0987	----	----	----	----	35 UNCH
3520	22.50	22.50	36.10B/22.50	36.10B/18.90A	----	29.70 NEW	.1000	----	----	2	----	2 + 2
3525	----	----	36.70B/----	36.70B/19.10A	----	30.10 + 11.40	.1014	----	----	----	----	2 UNCH
3530	----	----	37.20B/----	37.20B/19.30A	----	30.60 + 11.60	.1029	----	----	----	----	1 UNCH
3535	----	----	37.80B/----	37.80B/19.60A	----	31.00 + 11.80	.1042	----	----	----	----	1 UNCH
3545	24.20	24.20	38.90B/24.20	38.90B/20.10A	----	32.00 + 12.30	.1073	----	----	1	----	7 + 1
3550	----	----	39.50B/----	39.50B/20.40A	----	32.40 + 12.40	.1087	----	----	----	----	6 UNCH
3555	----	----	40.10B/----	40.10B/20.70A	----	32.90 + 12.60	.1102	----	----	----	----	6 UNCH
3560	36.40	36.40	40.70B/36.40	40.70B/21.10A	----	33.40 NEW	.1118	----	----	1	----	1 + 1
3565	----	----	41.30B/----	41.30B/21.30A	----	33.90 + 13.00	.1134	----	----	----	----	1 UNCH
3570	----	----	41.90B/----	41.90B/21.60A	----	34.40 + 13.20	.1149	----	----	----	----	3 UNCH
3575	----	----	42.50B/----	42.50B/21.80A	----	34.90 + 13.40	.1165	----	----	----	----	46 UNCH
3580	26.40	26.40	43.20B/26.40	43.20B/22.20A	----	35.50 NEW	.1183	----	----	3	----	3 + 3
3585	----	----	43.80B/----	43.80B/22.50A	----	36.00 + 13.90	.1199	----	----	----	----	1 UNCH
3590	----	----	44.40B/----	44.40B/22.90A	----	36.50 + 14.10	.1215	----	----	----	----	3 UNCH
3595	36.10	36.10	45.10B/36.10	45.10B/23.20A	----	37.10 + 14.40	.1233	----	----	1	----	5 UNCH
3600	35.50	35.50	45.70B/35.50	45.70B/23.40A	----	37.60 + 14.60	.1249	----	----	342	----	341 - 42
3605	28.70	28.70	46.40B/28.70	46.40B/23.80A	----	38.20 + 14.90	.1267	----	----	10	----	19 + 10
3610	29.00	29.00	47.10B/29.00	47.10B/24.10A	----	38.80 + 15.10	.1285	----	----	1	----	9 + 1
3615	36.80	36.80	47.80B/36.80	47.80B/24.50A	----	39.40 NEW	.1303	----	----	1	----	1 + 1
3620	31.20	31.20	48.50B/31.20	48.50B/24.70A	----	39.90 NEW	.1320	----	----	1	----	1 + 1
3625	37.90	37.90	49.20B/37.90	49.20B/25.10A	----	40.50 + 15.80	.1338	----	----	1	----	7 UNCH
3635	35.50	35.50	50.70B/35.50	50.70B/25.80A	----	41.80 + 16.40	.1377	----	----	13	----	13 + 8
3650	----	----	52.90B/----	52.90B/26.90A	----	43.70 + 17.20	.1434	----	----	2	----	67 + 2
3660	35.40	35.40	54.50B/35.40	54.50B/27.80A	----	45.00 NEW	.1473	----	----	1	----	1 + 1
3665	----	----	55.30B/----	55.30B/28.10A	----	45.60 + 17.90	.1492	----	----	----	----	1 UNCH
3670	----	----	56.10B/----	56.10B/28.40A	----	46.30 + 18.20	.1513	----	----	----	----	3 UNCH
3675	43.20	43.20	57.00B/43.20	57.00B/29.10A	----	47.00 + 18.50	.1534	----	----	1	----	11 + 1
3680	----	----	57.80B/----	57.80B/29.40A	----	47.70 + 18.80	.1554	----	----	----	----	3 UNCH
3685	44.10	44.10	58.60B/44.10	58.60B/29.80A	----	48.40 + 19.10	.1575	----	----	5	----	5 + 4
3690	47.30	47.30	59.50B/46.60	59.50B/30.20A	----	49.20 + 19.50	.1598	----	----	9	----	68 + 7
3700	42.30	42.30	61.30B/42.30	61.30B/31.10A	----	50.60 + 20.00	.1640	----	----	128	----	213 + 43
3715	43.70	43.70	64.00B/43.70	64.00B/32.60A	----	52.90 + 21.00	.1707	----	----	25	----	29 + 15
3720	48.90	48.90	65.00B/48.90	65.00B/32.90A	----	53.70 + 21.30	.1730	----	----	2	----	52 + 2
3735	----	----	67.80B/----	67.80B/34.50A	----	56.20 + 22.40	.1801	----	----	----	----	5 UNCH
3740	----	----	68.80B/----	68.80B/35.50A	----	57.00 + 22.70	.1824	----	----	----	----	1 UNCH
3750	51.50	51.50	70.90B/46.00	70.90B/36.20A	----	58.70 + 23.40	.1873	----	----	32	----	136 + 7
3755	----	----	71.80B/----	71.80B/37.00A	----	59.60 + 23.70	.1898	----	----	----	----	456 UNCH
3765	----	----	74.00B/----	74.00B/38.00A	----	61.30 + 24.40	.1947	----	----	1	----	2 + 1
3770	----	----	75.10B/----	75.10B/38.70A	----	62.30 NEW	.1974	----	----	1	----	1 + 1
3775	----	----	76.10B/----	76.10B/39.20A	----	63.20 + 25.20	.1999	----	----	----	----	1 UNCH
3780	----	----	77.20B/----	77.20B/39.80A	----	64.10 + 25.50	.2025	----	----	1	----	3 + 1
3790	----	----	79.70B/----	79.70B/40.90A	----	66.00 + 26.30	.2077	----	----	5	----	5 + 3
3795	----	----	81.10B/----	81.10B/41.60A	----	67.00 + 26.70	.2105	----	----	----	----	1 UNCH
3800	52.90	52.90	81.70B/52.90	81.70B/42.20A	----	68.00 + 27.10	.2132	----	----	129	----	490 + 3
3815	----	----	85.70B/----	85.70B/44.10A	----	71.10 + 28.30	.2215	----	----	----	----	1 UNCH
3820	----	----	86.50B/----	86.50B/44.70A	----	72.10 + 28.70	.2243	----	----	----	----	1 UNCH
3825	----	----	88.00B/----	88.00B/45.20A	----	73.20 + 29.10	.2272	----	----	22	----	34 + 21
3830	----	----	89.20B/----	89.20B/46.10A	----	74.20 + 29.50	.2300	----	----	----	----	50 UNCH
3835	----	----	90.50B/----	90.50B/46.70A	----	75.30 NEW	.2329	----	----	1	----	1 + 1
3840	----	----	91.50B/----	91.50B/47.40A	----	76.40 + 30.30	.2358	----	----	2	----	4 + 2
3845	----	----	92.90B/----	92.90B/48.00A	----	77.60 + 30.80	.2389	----	----	----	----	1 UNCH
3850	59.90	59.90	94.10B/59.90	94.10B/48.60A	----	78.70 + 31.20	.2418	----	----	33	----	66 - 1
3860	81.20	81.20	97.20B/81.20	97.20B/50.20A	----	81.00 + 32.10	.2478	----	----	1	----	2 UNCH
3865	----	----	98.10B/----	98.10B/51.10A	----	82.20 NEW	.2509	----	----	1	----	1 + 1
3870	----	----	99.50B/----	99.50B/51.80A	----	83.40 NEW	.2540	----	----	1	----	1 + 1
3875	----	----	101.40B/----	101.40B/52.40A	----	84.60 + 33.50	.2571	----	----	----	----	16 UNCH
3880	101.80	101.80	102.30B/101.80	102.30B/53.30A	----	85.90 + 34.00	.2604	----	----	1	----	36 UNCH
3885	86.20	86.20	104.00B/86.20	104.00B/54.10A	----	87.10 + 34.40	.2635	----	----	2	----	9 + 2
3890	----	----	105.50B/----	105.50B/54.90A	----	88.40 + 34.90	.2667	----	----	----	----	2 UNCH
3895	----	----	106.90B/----	106.90B/55.70A	----	89.70 + 35.40	.2700	----	----	6	----	33 + 3
3900	74.20	74.20	108.10B/74.20	108.10B/56.30A	----	91.00 + 35.90	.2733	----	----	186	----	634 + 45
3905	102.00	102.00	109.90B/102.00	109.90B/57.50A	----	92.30 NEW	.2765	----	----	2	----	2 + 2
3910	94.00	94.00	111.10B/94.00	111.10B/60.40A	----	93.60 + 36.80	.2798	----	----	1	----	3 UNCH
3915	95.00	95.00	112.90B/95.00	112.90B/61.10A	----	95.00 + 37.40	.2832	----	----	1	----	8 + 1
3920	91.30	91.30	114.20B/91.30	114.20B/60.10A	----	96.30 + 37.80	.2865	----	----	3	----	26 + 3
3925	80.20	80.20	116.00B/80.20	116.00B/60.70A	----	97.70 + 38.30	.2899	----	----	44	----	18 + 12
3930	89.20	89.20	117.60B/89.20	117.60B/62.30A	----	99.10 + 38.80	.2933	----	----	11	----	9 + 3
3940	92.50	92.50	120.80B/92.50	120.80B/66.00A	----	102.00 + 39.90	.3003	----	----	2	----	17 + 2
3945	----	----	122.30B/----	122.30B/67.00A	----	103.50 + 40.50	.3038	----	----	----	310	484 + 50
3950	----	----	124.10B/----	124.10B/65.50A	----	105.00 + 41.00	.3074	----	----	2	----	309 - 2
3955	98.50	98.50	125.80B/98.50	125.80B/69.00A	----	106.50 NEW	.3109	----	----	32	----	31 + 31
3960	101.00	101.00	127.50B/101.00	127.50B/68.50A	----	108.00 NEW	.3145	----	----	1	----	1 + 1
3965	103.10	103.10	129.00B/103.10	129.00B/71.20A	----	109.50 + 42.60	.3181	----	----	1	----	11 + 1
3970	----	----	130.90B/----	130.90B/71.80A	----	111.10 + 43.20	.3217	----	----	----	----	5 UNCH
3975	97.30	97.30	132.50B/97.30	132.50B/70.50A	----	112.70 + 43.80	.3254	----	----	5	----	48 + 3
3980	103.90	103.90	134.30B/103.90	134.30B/74.20A	----	114.30 + 44.30	.3291	----	----	4	----	10 + 3
3985	85.80	85.80	136.10B/85.80	136.10B/75.10A	----	115.90 + 44.90	.3328	----	----	15	----	14 + 13
3990	----	----	137.90B/----	137.90B/76.20A	----	117.50 + 45.40	.3365	----	----	6	----	6 + 5
3995	----	----	139.70B/----	139.70B/77.40A	----	119.20 + 46.00	.3402	----	----	3	----	10 + 1
4000	101.90	101.90	141.60B/101.90	141.60B/78.90A	----	120.80 + 46.50	.3440	----	----	67	420	1509 - 66
4005	----	----	143.50B/----	143.50B/80.00A	----	122.50 + 47.10	.3478	----	----	----	----	330 UNCH
4010	110.90	110.90	145.40B/110.90	145.40B/81.10A	----	124.30 NEW	.3516	----	----	1	----	1 + 1
4015	107.40	107.40	147.50B/107.40	147.50B/82.30A	----	126.00 + 48.30	.3554	----	----	1	----	30 + 1
4020	----	----	149.20B/----	149.20B/83.30A	----	127.80 + 48.90	.3593	----	----	1	----	15 UNCH
4025	----	----	151.40B/----	151.40B/81.80A	----	129.60 + 49.60	.3632	----	----	----	----	11 UNCH
4030	----	----	153.40B/----	153.40B/86.00A	----	131.40 + 50.20	.3671	----	----	11	----	16 - 5
4035	115.20	115.20	155.30B/115.20	155.30B/87.10A	----	133.20 NEW	.3710	----	----	1	----	1 + 1
4040	----	----	157.20B/----	157.20B/88.50A	----	135.00 + 51.30	.3750	----	----	----	----	19 UNCH
4045	118.40	118.40	159.50B/118.40	159.50B/90.00A	----	136.90 + 52.00	.3789	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4050	111.50	111.50	161.50B/111.50	161.50B/88.00A	----	138.80 + 52.60	.3829	----	----	40	----	230 - 6
4055	----	----	163.40B/----	163.40B/92.60A	----	140.70 + 53.20	.3869	----	----	----	----	105 UNCH
4060	----	----	165.60B/----	165.60B/93.90A	----	142.60 + 53.80	.3909	----	----	----	----	15 UNCH
4065	----	----	167.90B/----	167.90B/95.40A	----	144.60 + 54.50	.3950	----	----	----	----	27 UNCH
4070	126.90	126.90	170.10B/126.90	170.10B/96.60A	----	146.60 + 55.10	.3991	----	----	2	----	14 + 1
4075	126.90	126.90	172.30B/126.90	172.30B/94.70A	----	148.60 + 55.80	.4031	----	----	1	----	119 + 1
4080	128.60	128.60	174.50B/128.60	174.50B/96.20A	----	150.60 + 56.40	.4072	----	----	3	----	356 - 2
4085	----	----	176.70B/----	176.70B/97.60A	----	152.70 + 57.10	.4113	----	----	----	----	76 UNCH
4090	122.50	122.50	179.00B/122.50	179.00B/98.90A	----	154.70 + 57.70	.4154	----	----	4	----	42 + 1
4095	143.60	143.60	181.30B/143.60	181.30B/100.40A	----	156.80 + 58.30	.4196	----	----	1	----	2 + 1
4100	137.90	137.90	183.60B/137.90	183.60B/101.80A	----	158.90 + 59.00	.4237	----	----	5	----	253 + 1
4105	----	----	185.90B/----	185.90B/103.40A	----	161.10 + 59.70	.4279	----	----	1	----	2 + 1
4110	153.50	153.50	188.30B/153.50	188.30B/104.90A	----	163.20 + 60.30	.4321	----	----	1	----	0 - 1
4115	----	----	190.60B/----	190.60B/106.40A	----	165.40 + 61.00	.4362	----	----	----	----	28 UNCH
4120	----	----	193.00B/----	193.00B/108.00A	----	167.60 + 61.70	.4404	----	----	----	----	1 UNCH
4125	135.50	135.50	195.50B/135.50	195.50B/109.50A	----	169.90 + 62.40	.4447	----	----	2	----	10 + 1
4130	136.40	136.40	197.90B/136.40	197.90B/111.10A	----	172.10 + 63.00	.4489	----	----	4	----	23 + 2
4135	----	----	200.40B/----	200.40B/112.70A	----	174.40 + 63.70	.4531	----	----	----	----	4 UNCH
4140	----	----	202.90B/----	202.90B/114.50A	----	176.70 + 64.40	.4574	----	----	7	----	8 + 7
4145	----	----	205.20B/----	205.20B/116.10A	----	179.00 + 65.10	.4616	----	----	----	----	26 UNCH
4150	170.60	170.60	207.90B/170.60	207.90B/117.70A	----	181.40 + 65.80	.4659	----	----	15	----	35 - 6
4155	----	----	210.30B/----	210.30B/119.40A	----	183.80 + 66.50	.4701	----	----	----	----	2 UNCH
4160	----	----	212.90B/----	212.90B/121.20A	----	186.20 + 67.20	.4744	----	----	2	----	28 + 1
4165	----	----	215.50B/----	215.50B/122.90A	----	188.60 + 67.90	.4787	----	----	10	----	37 + 10
4170	----	----	218.30B/----	218.30B/124.70A	----	191.00 + 68.60	.4830	----	----	1	----	3 + 1
4175	183.20	183.20	220.90B/183.20	220.90B/126.50A	----	193.50 + 69.30	.4872	----	----	9	----	10 + 7
4180	----	----	223.60B/----	223.60B/128.30A	----	196.00 + 70.00	.4915	----	----	20	----	22 + 19
4185	188.50	188.50	226.30B/188.50	226.30B/130.10A	----	198.50 + 70.70	.4958	----	----	3	----	82 + 3
4190	----	----	229.00B/----	229.00B/132.00A	----	201.10 + 71.50	.5001	----	----	----	----	2 UNCH
4195	192.10	192.10	231.80B/192.10	231.80B/133.90A	----	203.60 + 72.20	.5044	----	----	2	----	2 + 1
4200	167.20	167.20	234.40B/165.90	234.40B/135.80A	----	206.20 + 72.90	.5087	----	----	43	----	737 + 15
4205	----	----	237.20B/----	237.20B/137.80A	----	208.90 + 73.70	.5130	----	----	1	----	11 + 1
4210	199.80	199.80	240.00B/199.80	240.00B/139.60A	----	211.50 + 74.40	.5172	----	----	1	----	10 + 1
4215	----	----	242.90B/----	242.90B/141.60A	----	214.20 + 75.10	.5215	----	----	----	----	50 UNCH
4220	----	----	245.70B/----	245.70B/143.50A	----	216.90 + 75.90	.5258	----	----	----	----	117 UNCH
4225	189.00	189.00	248.60B/189.00	248.60B/145.50A	----	219.60 + 76.60	.5301	----	----	1	----	10 + 1
4230	----	----	251.50B/----	251.50B/147.70A	----	222.30 + 77.30	.5344	----	----	----	----	38 UNCH
4235	194.10	194.10	254.60B/194.10	254.60B/149.70A	----	225.10 + 78.10	.5386	----	----	7	----	8 + 7
4240	196.50	196.50	257.70B/196.50	257.70B/151.80A	----	227.90 + 78.80	.5429	----	----	1	----	107 + 1
4245	----	----	260.60B/----	260.60B/153.90A	----	230.70 + 79.60	.5471	----	----	1	----	1 UNCH
4250	----	----	263.60B/----	263.60B/156.20A	----	233.50 + 80.30	.5514	----	----	34	----	702 UNCH
4255	----	----	266.70B/----	266.70B/158.20A	----	236.40 + 81.00	.5556	----	----	6	----	12 UNCH
4260	207.10	207.10	269.60B/207.10	269.60B/160.40A	----	239.30 + 81.80	.5598	----	----	1	----	102 + 1
4265	----	----	272.70B/----	272.70B/162.60A	----	242.20 + 82.50	.5641	----	----	----	----	4 UNCH
4270	212.50	212.50	275.80B/212.50	275.80B/164.90A	----	245.10 + 83.30	.5682	----	----	1	----	46 + 1
4275	----	----	278.90B/----	278.90B/167.20A	----	248.10 + 84.10	.5724	----	----	----	----	109 UNCH
4280	----	----	282.00B/----	282.00B/169.50A	----	251.10 + 84.80	.5766	----	----	----	----	1 UNCH
4285	----	----	285.30B/----	285.30B/171.80A	----	254.10 + 85.60	.5808	----	----	----	----	13 UNCH
4290	----	----	288.50B/----	288.50B/174.10A	----	257.10 + 86.30	.5850	----	----	----	----	13 UNCH
4295	----	----	291.70B/----	291.70B/176.50A	----	260.20 + 87.10	.5891	----	----	1	----	5 - 1
4300	214.80	214.80	294.80B/214.80	294.80B/178.80A	----	263.30 + 87.90	.5932	----	----	33	----	929 - 26
4305	----	----	298.00B/----	298.00B/181.30A	----	266.40 + 88.60	.5974	----	----	4	----	15 UNCH
4310	----	----	301.30B/----	301.30B/183.70A	----	269.50 + 89.40	.6014	----	----	----	----	1 UNCH
4315	----	----	304.80B/----	304.80B/186.30A	----	272.70 + 90.20	.6055	----	----	----	----	70 UNCH
4320	----	----	307.90B/----	307.90B/195.70A	----	275.80 + 90.80	.6096	----	----	----	----	171 UNCH
4325	----	----	311.20B/----	311.20B/198.80A	----	279.00 + 91.60	.6136	----	----	6	----	57 - 4
4330	----	----	314.80B/----	314.80B/201.40A	----	282.30 + 92.40	.6176	----	----	----	----	3 UNCH
4340	----	----	321.40B/----	321.40B/206.60A	----	288.80 + 93.90	.6257	----	----	----	----	52 UNCH
4345	----	----	325.00B/----	325.00B/208.60A	----	292.10 + 94.60	.6296	----	----	----	----	19 UNCH
4350	228.00	228.00	328.40B/228.00	328.40B/211.90A	----	295.40 + 95.40	.6335	----	----	3	----	140 UNCH
4355	----	----	331.90B/----	331.90B/214.60A	----	298.70 + 96.00	.6374	----	----	----	----	7 UNCH
4360	----	----	335.20B/----	335.20B/217.00A	----	302.10 + 96.80	.6414	----	----	----	----	77 UNCH
4365	----	----	338.70B/----	338.70B/220.10A	----	305.40 + 97.50	.6453	----	----	----	----	6 UNCH
4370	----	----	342.10B/----	342.10B/222.80A	----	308.80 + 98.20	.6491	----	----	----	----	2 UNCH
4375	----	----	346.00B/----	346.00B/225.60A	----	312.20 + 98.90	.6530	----	----	----	----	66 UNCH
4380	----	----	349.40B/----	349.40B/228.40A	----	315.70 + 99.60	.6568	----	----	----	----	95 UNCH
4385	----	----	352.80B/----	352.80B/227.60A	----	319.20 + 00.40	.6606	----	----	----	----	2 UNCH
4390	301.00	301.00	356.40B/301.00	356.40B/233.30A	----	322.60 + 01.00	.6643	----	----	1	----	59 + 1
4395	----	----	360.00B/----	360.00B/236.40A	----	326.10 + 01.70	.6681	----	----	----	----	52 UNCH
4400	296.40	296.40	363.90B/296.40	363.90B/239.10A	----	329.70 + 02.40	.6718	----	----	6	----	974 - 5
4405	----	----	367.30B/----	367.30B/242.00A	----	333.20 + 03.10	.6755	----	----	----	----	56 UNCH
4410	291.00	291.00	371.30B/291.00	371.30B/245.80A	----	336.80 + 03.80	.6791	----	----	1	----	7 + 1
4415	----	----	375.00B/----	375.00B/248.80A	----	340.40 + 04.40	.6828	----	----	----	----	3 UNCH
4420	----	----	378.70B/----	378.70B/251.80A	----	344.00 + 05.10	.6864	----	----	----	----	4 UNCH
4425	----	----	382.40B/----	382.40B/254.20A	----	347.60 + 05.70	.6900	----	----	----	----	208 UNCH
4430	339.00	339.00	386.20B/339.00	386.20B/257.90A	----	351.30 + 06.40	.6936	----	----	1	----	12 + 1
4435	----	----	389.90B/----	389.90B/261.00A	----	354.90 + 07.00	.6971	----	----	----	----	2 UNCH
4440	----	----	393.70B/----	393.70B/264.10A	----	358.60 + 07.70	.7005	----	----	5	----	8 - 1
4445	----	----	397.50B/----	397.50B/267.20A	----	362.30 + 08.30	.7040	----	----	5	----	5 UNCH
4450	----	----	401.30B/----	401.30B/269.90A	----	366.00 + 08.90	.7076	----	----	----	----	458 UNCH
4455	----	----	405.20B/----	405.20B/273.50A	----	369.80 + 09.60	.7109	----	----	----	----	4 UNCH
4465	----	----	412.80B/----	412.80B/279.90A	----	377.30 + 10.80	.7177	----	----	----	----	2 UNCH
4470	----	----	416.80B/----	416.80B/283.20A	----	381.10 + 11.40	.7211	----	----	----	----	5 UNCH
4475	----	----	420.70B/----	420.70B/286.00A	----	384.90 + 12.00	.7243	----	----	2	----	40 + 2
4480	339.00	339.00	424.50B/339.00	424.50B/307.90A	----	388.80 + 12.70	.7276	----	----	1	----	7 + 1
4485	----	----	428.40B/----	428.40B/311.60A	----	392.60 + 13.20	.7309	----	----	5	----	6 UNCH
4490	345.00	345.00	432.50B/345.00	432.50B/314.80A	----	396.50 + 13.80	.7341	----	----	1	----	51 + 1
4495	----	----	436.50B/----	436.50B/318.70A	----	400.40 + 14.50	.7373	----	----	----	----	4 UNCH
4500	350.00	350.00	440.30B/350.00	440.30B/321.70A	----	404.20 + 15.00	.7405	----	----	1	----	635 UNCH
4505	----	----	444.30B/----	444.30B/325.80A	----	408.20 + 15.60	.7435	----	----	----	----	3 UNCH
4510	----	----	448.30B/----	448.30B/329.70A	----	412.10 + 16.20	.7467	----	----	----	----	11 UNCH
4515	----	----	452.50B/----	452.50B/332.30A	----	416.00 + 16.70	.7497	----	----	----	----	3 UNCH
4520	----	----	456.50B/----	456.50B/335.70A	----	420.00 + 17.40	.7529	----	----	----	----	118 UNCH
4525	----	----	460.60B/----	460.60B/339.30A	----	423.90 + 17.80	.7560	----	----	----	----	50 UNCH
4530	----	----	464.50B/----	464.50B/343.10A	----	427.90 + 18.40	.7588	----	----	----	----	24 UNCH
4540	----	----	472.70B/----	472.70B/350.90A	----	435.90 + 19.50	.7648	----	----	----	----	4 UNCH
4545	386.50	386.50	476.80B/386.50	476.80B/353.90A	----	440.00 + 20.10	.7677	----	----	14	----	15 - 6
4550	----	----	480.90B/----	480.90B/357.60A	----	444.00 + 20.50	.7705	----	----	----	----	513 UNCH
4555	----	----	485.20B/----	485.20B/362.00A	----	448.10 + 21.10	.7733	----	----	----	----	108 UNCH
4560	----	----	489.20B/----	489.20B/366.20A	----	452.20 + 21.60	.7762	----	----	----	----	36 UNCH
4565	----	----	493.40B/----	493.40B/368.80A	----	456.30 + 22.10	.7790	----	----	----	----	85 UNCH
4570	----	----	497.60B/----	497.60B/372.80A	----	460.40 + 22.60	.7818	----	----	----	----	30 UNCH
4575	----	----	501.80B/----	501.80B/376.60A	----	464.50 + 23.00	.7844	----	----	2	----	60 + 2
4580	----	----	506.00B/----	506.00B/381.40A	----	468.70 + 23.60	.7871	----	----	----	----	1 UNCH
4585	----	----	510.20B/----	510.20B/384.00A	----	472.80 + 24.00	.7897	----	----	----	----	71 UNCH
4595	----	----	518.70B/----	518.70B/392.40A	----	481.20 + 25.00	.7949	----	----	----	----	32 UNCH
4600	----	----	523.10B/----	523.10B/396.30A	----	485.40 + 25.40	.7975	----	----	----	----	130 UNCH
4605	----	----	527.20B/----	527.20B/399.50A	----	489.60 + 25.90	.8001	----	----	----	----	54 UNCH
4610	----	----	531.50B/----	531.50B/404.10A	----	493.90 + 26.40	.8025	----	----	----	----	5 UNCH
4615	----	----	535.80B/----	535.80B/408.60A	----	498.10 + 26.80	.8049	----	----	----	----	14 UNCH
4620	----	----	540.10B/----	540.10B/411.30A	----	502.40 + 27.30	.8075	----	----	----	----	438 UNCH
4625	----	----	544.40B/----	544.40B/416.10A	----	506.60 + 27.70	.8099	----	----	----	----	112 UNCH
4630	----	----	548.90B/----	548.90B/420.50A	----	510.90 + 28.20	.8122	----	----	----	----	32 UNCH
4635	----	----	553.30B/----	553.30B/424.50A	----	515.20 + 28.70	.8146	----	----	----	----	1 UNCH
4640	----	----	557.40B/----	557.40B/427.80A	----	519.50 + 29.10	.8168	----	----	----	----	6 UNCH
4645	----	----	562.00B/----	562.00B/432.50A	----	523.80 + 29.60	.8191	----	----	----	----	1 UNCH
4650	----	----	566.30B/----	566.30B/436.60A	----	528.10 + 30.00	.8213	----	----	1	----	12 - 1
4655	----	----	570.60B/----	570.60B/440.70A	----	532.50 + 30.50	.8237	----	----	----	----	14 UNCH
4660	----	----	574.90B/----	574.90B/444.30A	----	536.80 + 30.80	.8258	----	----	----	----	7 UNCH
4665	----	----	579.30B/----	579.30B/448.40A	----	541.20 + 31.30	.8281	----	----	----	----	2 UNCH
4670	----	----	583.80B/----	583.80B/452.50A	----	545.50 + 31.60	.8303	----	----	----	----	26 UNCH
4675	----	----	588.30B/----	588.30B/456.50A	----	549.90 + 32.00	.8324	----	----	----	----	7 UNCH
4685	----	----	597.00B/----	597.00B/464.90A	----	558.70 + 32.70	.8366	----	----	----	----	8 UNCH
4690	----	----	601.60B/----	601.60B/469.50A	----	563.10 + 33.00	.8385	----	----	----	----	2 UNCH
4695	----	----	605.90B/----	605.90B/473.70A	----	567.50 + 33.30	.8406	----	----	----	----	2 UNCH
4700	----	----	610.50B/----	610.50B/477.80A	----	571.90 + 33.70	.8427	----	----	----	----	139 UNCH
4705	----	----	615.00B/----	615.00B/482.10A	----	576.30 + 34.00	.8446	----	----	----	----	13 UNCH
4710	----	----	619.50B/----	619.50B/486.20A	----	580.70 + 34.30	.8467	----	----	----	----	1 UNCH
4720	----	----	628.50B/----	628.50B/494.70A	----	589.60 + 34.90	.8507	----	----	----	----	4 UNCH
4725	----	----	633.00B/----	633.00B/498.50A	----	594.10 + 35.30	.8525	----	----	----	----	7 UNCH
4730	540.20	540.20	637.50B/540.20	637.50B/503.20A	----	598.50 + 35.60	.8544	----	----	2	----	7 UNCH
4735	----	----	#642.10B/----	#642.10B/507.50A	----	603.00 + 35.90	.8562	----	----	----	----	100 UNCH
4740	----	----	646.40B/----	646.40B/511.80A	----	607.50 + 36.20	.8580	----	----	----	----	2 UNCH
4750	----	----	655.60B/----	655.60B/520.00A	----	616.50 + 36.80	.8617	----	----	----	----	175 UNCH
4755	----	----	#660.20B/----	#660.20B/524.80A	----	621.00 + 37.10	.8633	----	----	----	----	10 UNCH
4760	----	----	664.60B/----	664.60B/529.10A	----	625.50 + 37.40	.8651	----	----	----	----	109 UNCH
4770	----	----	673.90B/----	673.90B/537.80A	----	634.60 + 38.00	.8685	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4775	----	----	678.50B/----	678.50B/542.20A	----	639.10 + 38.20	.8701	----	----	----	----	130 UNCH
4780	----	----	683.10B/----	683.10B/546.60A	----	643.70 + 38.50	.8716	----	----	----	----	3 UNCH
4795	----	----	#696.90B/----	#696.90B/559.80A	----	657.40 + 39.30	.8766	----	----	----	----	6 UNCH
4800	----	----	701.60B/----	701.60B/564.20A	----	662.00 + 39.60	.8781	----	----	1	----	474 - 1
4805	----	----	#706.10B/----	#706.10B/568.70A	----	666.60 + 39.80	.8797	----	----	----	----	9 UNCH
4825	----	----	724.70B/----	724.70B/586.00A	----	685.10 + 40.80	.8853	----	----	----	----	2 UNCH
4830	----	----	#729.30B/----	#729.30B/591.00A	----	689.70 + 41.00	.8868	----	----	----	----	10 UNCH
4835	----	----	#734.00B/----	#734.00B/594.90A	----	694.30 + 41.20	.8880	----	----	----	----	30 UNCH
4855	----	----	#752.70B/----	#752.70B/613.00A	----	712.90 + 42.10	.8933	----	----	----	----	14 UNCH
4860	----	----	#757.40B/----	#757.40B/618.00A	----	717.60 + 42.30	.8948	----	----	----	----	11 UNCH
4875	----	----	771.50B/----	771.50B/631.70A	----	731.60 + 42.90	.8985	----	----	----	----	8 UNCH
4885	----	----	#781.00B/----	#781.00B/640.80A	----	741.00 + 43.30	.9009	----	----	----	----	4 UNCH
4895	----	----	#790.20B/----	#790.20B/650.00A	----	750.40 + 43.60	.9031	----	----	----	----	1 UNCH
4900	----	----	795.10B/----	795.10B/654.60A	----	755.10 + 43.80	.9043	----	----	----	----	30 UNCH
4915	----	----	#809.30B/----	#809.30B/668.40A	----	769.30 + 44.40	.9076	----	----	----	----	1 UNCH
4930	----	----	#823.60B/----	#823.60B/682.20A	----	783.50 + 45.00	.9109	----	----	----	----	20 UNCH
4950	----	----	842.50B/----	842.50B/700.90A	----	802.40 + 45.50	.9151	----	----	----	----	1 UNCH
4955	----	----	#847.20B/----	#847.20B/705.50A	----	807.20 + 45.70	.9160	----	----	----	----	1 UNCH
4975	----	----	866.30B/----	866.30B/724.20A	----	826.20 + 46.30	.9198	----	----	----	----	220 UNCH
5000	----	----	890.50B/----	890.50B/747.80A	----	850.10 + 46.90	.9241	----	----	----	----	13 UNCH
5005	----	----	#895.10B/----	#895.10B/751.80A	----	854.90 + 47.10	.9250	----	----	----	----	3 UNCH
5020	----	----	#909.60B/----	#909.60B/766.70A	----	869.30 + 47.40	.9276	----	----	----	----	3 UNCH
5060	----	----	#907.60B/----	#907.60B/804.70A	----	907.80 + 48.20	.9337	----	----	----	----	4 UNCH
5100	----	----	945.80B/----	945.80B/842.90A	----	946.50 + 48.90	.9391	----	----	----	----	28 UNCH
5105	----	----	#951.10B/----	#951.10B/847.70A	----	951.40 + 49.10	.9400	----	----	----	----	2 UNCH
5150	----	----	#994.40B/----	#994.40B/891.10A	----	995.10 + 49.70	.9454	----	----	----	----	2 UNCH
5200	----	----	1,043.60B/----	1043.60B/939.40A	----	1043.90 + 50.40	.9505	----	----	----	----	45 UNCH
5230	----	----	#1,103.10B/----	#1103.10B/968.70A	----	1073.20 + 50.60	.9533	----	----	----	----	400 UNCH
5300	----	----	#1,137.80B/----	#1137.80B/1151.00A	----	1142.00 + 51.40	.9591	----	----	----	----	300 UNCH
5400	----	----	#1,135.50B/----	#1135.50B/1249.70A	----	1240.60 + 52.10	.9655	----	----	----	----	100 UNCH
5420	----	----	#1,155.30B/----	#1155.30B/1269.50A	----	1260.40 + 52.30	.9665	----	----	----	----	80 UNCH
5450	----	----	#1,184.90B/----	#1184.90B/1299.10A	----	1290.10 + 52.40	.9684	----	----	----	----	1 UNCH
5500	----	----	#1,234.30B/----	#1234.30B/1348.60A	----	1339.60 + 52.60	.9706	----	----	----	----	3 UNCH
6000	----	----	#1,731.40B/----	#1731.40B/1846.10A	----	1837.50 + 53.80	.9843	----	----	----	----	2 UNCH
TOTAL										1957	730	20497 + 217
OCT26												
1500	----	----	----	----/0.70A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
2000	----	----	----	1.00B/1.50A	----	1.30 + 0.20	.0031	----	----	----	----	3 UNCH
2200	----	----	----	#1.70B/2.10A	----	2.00 + 0.30	.0051	----	----	----	----	1 UNCH
2500	----	----	#3.50B/----	3.50B/3.50A	----	3.70 + 0.70	.0101	----	----	----	----	2 UNCH
2675	----	----	#5.40B/----	5.40B/4.90A	----	5.30 + 1.00	.0150	----	----	----	----	75 UNCH
2700	----	----	5.70B/----	5.70B/5.10A	----	5.60 + 1.10	.0159	----	----	----	----	3 UNCH
2800	----	----	7.20B/----	7.20B/6.20A	----	7.00 + 1.50	.0202	----	----	----	----	10 UNCH
2900	----	----	9.20B/----	9.20B/7.60A	----	8.80 + 2.20	.0258	----	----	----	----	2 UNCH
3000	----	----	12.00B/----	12.00B/9.40A	----	11.00 + 2.90	.0326	----	----	67	----	69 + 67
3050	----	----	13.60B/----	13.60B/10.40A	----	12.40 + 3.40	.0369	----	----	----	----	0 UNCH
3100	----	----	15.60B/----	15.60B/11.30A	----	14.00 + 3.90	.0418	----	----	40	----	21 + 20
3125	----	----	16.60B/----	16.60B/11.90A	----	14.90 + 4.30	.0446	----	----	----	----	100 UNCH
3155	----	----	17.90B/----	17.90B/12.70A	----	16.00 + 4.70	.0479	----	----	----	----	1 UNCH
3190	----	----	19.80B/----	19.80B/13.70A	----	17.50 + 5.20	.0524	----	----	6	----	6 - 4
3200	----	----	20.20B/----	20.20B/13.90A	----	17.90 + 5.40	.0537	----	----	----	----	394 UNCH
3240	----	----	22.50B/----	22.50B/15.10A	----	19.80 + 6.10	.0594	----	----	----	----	5 UNCH
3300	21.50	21.50	26.60B/21.50	26.60B/17.20A	----	23.10 + 7.30	.0692	----	----	1	----	420 + 1
3340	----	----	29.60B/----	29.60B/18.20A	----	25.60 + 8.20	.0765	----	----	----	----	9 UNCH
3360	----	----	31.20B/----	31.20B/19.10A	----	27.00 + 8.80	.0805	----	----	----	----	1 UNCH
3380	----	----	33.20B/----	33.20B/20.00A	----	28.50 + 9.40	.0848	----	----	----	----	1 UNCH
3385	----	----	33.60B/----	33.60B/20.30A	----	28.80 + 9.40	.0857	----	----	----	----	1 UNCH
3390	----	----	34.10B/----	34.10B/20.50A	----	29.20 + 9.60	.0869	----	----	----	----	4 UNCH
3400	----	----	35.00B/----	35.00B/21.00A	----	30.00 + 9.90	.0891	----	----	----	----	150 UNCH
3430	----	----	38.00B/----	38.00B/22.60A	----	32.50 + 10.90	.0962	----	----	----	----	1 UNCH
3480	----	----	43.50B/----	43.50B/25.30A	----	37.20 + 12.70	.1092	----	----	----	----	12 UNCH
3500	40.00	40.00	45.90B/40.00	45.90B/26.60A	----	39.20 + 13.40	.1148	----	----	44	----	897 + 14
3510	----	----	47.20B/----	47.20B/27.30A	----	40.30 + 13.80	.1177	----	----	----	----	1 UNCH
3520	----	----	48.60B/----	48.60B/28.00A	----	41.40 + 14.20	.1207	----	----	----	----	12 UNCH
3525	----	----	49.10B/----	49.10B/28.30A	----	41.90 + 14.40	.1221	----	----	----	----	25 UNCH
3530	----	----	49.80B/----	49.80B/28.70A	----	42.50 + 14.60	.1237	----	----	----	----	5 UNCH
3550	----	----	52.60B/----	52.60B/30.20A	----	44.90 + 15.50	.1301	----	----	9	----	34 + 9
3560	----	----	54.10B/----	54.10B/30.90A	----	46.10 + 16.00	.1333	----	----	----	----	2 UNCH
3565	----	----	54.70B/----	54.70B/31.40A	----	46.70 + 16.20	.1349	----	----	----	----	1 UNCH
3570	----	----	55.30B/----	55.30B/31.80A	----	47.40 + 16.50	.1367	----	----	----	----	1 UNCH
3585	----	----	57.60B/----	57.60B/33.10A	----	49.30 + 17.10	.1418	----	----	----	----	41 UNCH
3600	40.00	40.00	60.10B/40.00	60.10B/34.40A	----	51.40 + 18.00	.1472	----	----	90	----	287 + 56
3615	----	----	62.70B/----	62.70B/35.90A	----	53.50 + 18.70	.1526	----	----	----	----	1 UNCH
3620	----	----	63.50B/----	63.50B/36.30A	----	54.20 NEW	.1545	----	----	4	----	4 + 4
3635	----	----	66.10B/----	66.10B/37.70A	----	56.40 + 19.70	.1602	----	----	----	----	1 UNCH
3650	----	----	68.80B/----	68.80B/39.20A	----	58.80 + 20.70	.1662	----	----	----	----	1 UNCH
3655	56.50	56.50	69.70B/56.50	69.70B/39.70A	----	59.60 NEW	.1682	----	----	10	----	10 + 10
3660	----	----	70.70B/----	70.70B/40.30A	----	60.40 + 21.20	.1702	----	----	----	----	10 UNCH
3665	----	----	71.60B/----	71.60B/40.80A	----	61.20 + 21.50	.1722	----	----	----	----	5 UNCH
3670	----	----	72.60B/----	72.60B/41.50A	----	62.00 + 21.80	.1742	----	----	----	----	20 UNCH
3680	----	----	74.50B/----	74.50B/42.60A	----	63.70 + 22.40	.1785	----	----	----	----	5 UNCH
3695	62.90	62.90	77.50B/62.90	77.50B/44.30A	----	66.30 + 23.30	.1849	----	----	10	----	10 + 9
3700	51.40	51.40	78.50B/51.40	78.50B/44.90A	----	67.20 + 23.70	.1871	----	----	128	----	245 + 39
3715	----	----	81.70B/----	81.70B/46.70A	----	70.00 + 24.70	.1938	----	----	----	----	196 UNCH
3750	----	----	89.40B/----	89.40B/51.30A	----	76.80 + 27.10	.2102	----	----	1	----	43 UNCH
3770	----	----	94.20B/----	94.20B/53.90A	----	81.00 + 28.60	.2200	----	----	----	----	3 UNCH
3780	----	----	96.60B/----	96.60B/55.40A	----	83.20 + 29.40	.2251	----	----	2	----	3 + 2
3785	----	----	97.90B/----	97.90B/56.20A	----	84.30 + 29.70	.2276	----	----	----	----	1 UNCH
3800	96.80	96.80	101.80B/96.80	101.80B/58.30A	----	87.70 + 30.90	.2354	----	----	55	----	49 - 24
3805	----	----	103.00B/----	103.00B/59.20A	----	88.80 + 31.30	.2380	----	----	----	----	15 UNCH
3815	----	----	105.80B/----	105.80B/62.60A	----	91.20 + 32.10	.2433	----	----	----	----	9 UNCH
3820	----	----	107.00B/----	107.00B/63.60A	----	92.40 + 32.50	.2460	----	----	----	----	1 UNCH
3850	80.00	80.00	115.60B/80.00	115.60B/68.70A	----	99.90 + 35.00	.2626	----	----	5	----	107 + 5
3865	----	----	119.90B/----	119.90B/71.50A	----	103.80 + 36.30	.2712	----	----	----	----	2 UNCH
3870	----	----	121.40B/----	121.40B/72.40A	----	105.20 + 36.80	.2741	----	----	4	----	5 + 4
3875	----	----	123.10B/----	123.10B/73.50A	----	106.50 + 37.10	.2770	----	----	----	----	14 UNCH
3885	----	----	126.20B/----	126.20B/75.20A	----	109.30 + 38.10	.2829	----	----	----	----	5 UNCH
3890	----	----	127.70B/----	127.70B/76.20A	----	110.70 + 38.50	.2859	----	----	----	----	2 UNCH
3895	----	----	129.40B/----	129.40B/77.30A	----	112.10 + 38.90	.2889	----	----	----	----	2 UNCH
3900	87.80	87.80	131.00B/85.40	131.00B/78.50A	----	113.60 + 39.40	.2919	----	----	17	----	133 + 4
3920	----	----	137.50B/----	137.50B/82.50A	----	119.50 + 41.20	.3042	----	----	1	----	29 + 1
3925	----	----	139.30B/----	139.30B/83.80A	----	121.10 + 41.80	.3074	----	----	----	----	15 UNCH
3930	----	----	140.80B/----	140.80B/84.70A	----	122.60 + 42.20	.3105	----	----	----	----	2 UNCH
3940	----	----	144.30B/----	144.30B/87.20A	----	125.70 + 43.10	.3168	----	----	----	----	65 UNCH
3950	----	----	148.00B/----	148.00B/89.30A	----	129.00 + 44.20	.3232	----	----	----	----	2 UNCH
3960	----	----	151.50B/----	151.50B/91.80A	----	132.20 + 45.10	.3297	----	----	----	----	1 UNCH
3965	----	----	153.30B/----	153.30B/93.10A	----	133.90 + 45.60	.3330	----	----	----	----	1 UNCH
3970	114.00	114.00	155.20B/114.00	155.20B/94.20A	----	135.60 NEW	.3363	----	----	2	----	2 + 2
3975	----	----	157.10B/----	157.10B/95.50A	----	137.30 + 46.60	.3396	----	----	----	----	5 UNCH
3980	119.30	119.30	158.90B/119.30	158.90B/96.70A	----	139.00 + 47.10	.3429	----	----	4	----	4 + 3
3985	----	----	160.90B/----	160.90B/98.10A	----	140.80 + 47.70	.3462	----	----	----	----	1 UNCH
4000	98.60	98.60	166.90B/98.60	166.90B/98.40A	----	146.10 + 49.20	.3563	----	----	52	----	977 - 14
4025	----	----	176.90B/----	176.90B/108.90A	----	155.40 + 51.90	.3735	----	----	----	----	10 UNCH
4030	----	----	178.80B/----	178.80B/108.10A	----	157.30 + 52.40	.3770	----	----	----	----	2 UNCH
4045	----	----	185.30B/----	185.30B/112.40A	----	163.20 + 54.10	.3875	----	----	----	----	1 UNCH
4050	----	----	187.50B/----	187.50B/113.80A	----	165.20 + 54.70	.3910	----	----	1	----	32 UNCH
4055	----	----	189.70B/----	189.70B/115.40A	----	167.20 + 55.20	.3945	----	----	----	----	7 UNCH
4065	----	----	194.10B/----	194.10B/117.40A	----	171.20 + 56.30	.4016	----	----	----	----	1 UNCH
4070	----	----	196.20B/----	196.20B/118.50A	----	173.30 + 56.90	.4052	----	----	----	----	31 UNCH
4075	----	----	198.60B/----	198.60B/121.00A	----	175.40 + 57.50	.4088	----	----	1	----	3 + 1
4085	194.40	194.40	203.00B/194.40	203.00B/127.10A	----	179.60 NEW	.4160	----	----	1	----	1 + 1
4090	----	----	205.50B/----	205.50B/124.80A	----	181.80 + 59.30	.4196	----	----	----	----	10 UNCH
4095	----	----	207.90B/----	207.90B/126.30A	----	183.90 + 59.80	.4232	----	----	----	----	20 UNCH
4100	----	----	210.30B/----	210.30B/127.90A	----	186.10 + 60.40	.4269	----	----	2	----	709 - 1
4110	----	----	214.80B/----	214.80B/131.30A	----	190.60 + 61.60	.4342	----	----	1	----	20 + 1
4115	161.60	161.60	217.40B/161.60	217.40B/132.90A	----	192.80 + 62.20	.4378	----	----	1	----	2 + 1
4130	----	----	224.50B/----	224.50B/138.10A	----	199.60 + 63.90	.4488	----	----	----	----	3 UNCH
4140	----	----	229.50B/----	229.50B/141.60A	----	204.30 + 65.10	.4562	----	----	----	----	28 UNCH
4150	----	----	234.60B/----	234.60B/145.20A	----	209.10 + 66.30	.4636	----	----	8	----	46 + 6
4160	----	----	239.90B/----	239.90B/149.00A	----	213.90 + 67.50	.4711	----	----	----	----	21 UNCH
4170	186.20	186.20	245.10B/186.20	245.10B/152.70A	----	218.80 + 68.70	.4785	----	----	1	----	2 + 1
4175	187.30	187.30	247.80B/187.30	247.80B/159.40A	----	221.30 NEW	.4822	----	----	3	----	3 + 3
4180	----	----	250.40B/----	250.40B/161.30A	----	223.80 + 69.90	.4859	----	----	----	----	1 UNCH
4185	----	----	253.40B/----	253.40B/158.60A	----	226.40 + 70.60	.4896	----	----	----	----	100 UNCH
4190	----	----	255.90B/----	255.90B/160.40A	----	228.90 + 71.10	.4933	----	----	----	----	1 UNCH
4195	----	----	258.60B/----	258.60B/162.40A	----	231.50 + 71.70	.4971	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4200	220.80	220.80	261.40B/220.80	261.40B/164.50A	----	234.10 + 72.40	.5008	----	----	1	----	324 - 1
4205	----	----	264.20B/----	264.20B/166.60A	----	236.80 + 73.10	.5045	----	----	----	----	2 UNCH
4210	----	----	267.00B/----	267.00B/168.60A	----	239.40 + 73.60	.5082	----	----	----	----	1 UNCH
4220	199.40	199.40	272.60B/199.40	272.60B/172.80A	----	244.80 + 74.90	.5156	----	----	5	----	15 + 5
4225	----	----	275.60B/----	275.60B/174.80A	----	247.50 + 75.50	.5193	----	----	----	----	38 UNCH
4230	240.10	240.10	278.50B/240.10	278.50B/177.00A	----	250.30 + 76.20	.5230	----	----	1	----	51 UNCH
4235	----	----	281.40B/----	281.40B/179.20A	----	253.10 + 76.90	.5267	----	----	----	----	2 UNCH
4240	----	----	284.20B/----	284.20B/181.30A	----	255.90 + 77.50	.5304	----	----	----	----	1 UNCH
4245	246.10	246.10	287.20B/246.10	287.20B/183.60A	----	258.70 + 78.20	.5340	----	----	9	----	9 + 8
4250	208.60	208.60	290.20B/208.60	290.20B/185.70A	----	261.50 + 78.80	.5377	----	----	4	----	337 - 1
4260	----	----	296.10B/----	296.10B/190.30A	----	267.30 + 80.10	.5450	----	----	----	----	5 UNCH
4265	----	----	299.10B/----	299.10B/192.50A	----	270.20 + 80.80	.5487	----	----	----	----	200 UNCH
4270	----	----	302.30B/----	302.30B/194.80A	----	273.10 + 81.40	.5523	----	----	----	----	230 UNCH
4275	----	----	305.20B/----	305.20B/197.20A	----	276.00 + 82.00	.5559	----	----	----	----	1 UNCH
4280	----	----	308.40B/----	308.40B/199.50A	----	279.00 + 82.70	.5596	----	----	1	----	199 UNCH
4290	----	----	314.50B/----	314.50B/204.30A	----	285.00 + 84.00	.5668	----	----	----	----	1 UNCH
4300	----	----	321.00B/----	321.00B/209.20A	----	291.00 + 85.20	.5739	----	----	11	----	978 + 7
4310	----	----	327.40B/----	327.40B/214.00A	----	297.20 + 86.60	.5810	----	----	----	----	2 UNCH
4325	----	----	337.10B/----	337.10B/221.60A	----	306.50 + 88.50	.5917	----	----	----	----	7 UNCH
4330	----	----	340.40B/----	340.40B/226.30A	----	309.70 + 89.20	.5952	----	----	1	----	3 UNCH
4340	----	----	347.00B/----	347.00B/235.60A	----	316.00 + 90.40	.6022	----	----	----	----	1 UNCH
4345	----	----	350.20B/----	350.20B/239.20A	----	319.20 + 91.00	.6057	----	----	----	----	26 UNCH
4350	341.80	341.80	353.70B/341.80	353.70B/243.00A	----	322.50 + 91.70	.6091	----	----	3	----	606 UNCH
4355	346.50	346.50	357.10B/346.50	357.10B/244.40A	----	325.70 + 92.30	.6126	----	----	1	----	11 UNCH
4360	----	----	360.30B/----	360.30B/247.10A	----	329.00 + 93.00	.6160	----	----	1	----	3 UNCH
4365	----	----	363.70B/----	363.70B/250.60A	----	332.30 + 93.60	.6194	----	----	1	----	34 UNCH
4370	----	----	367.30B/----	367.30B/254.20A	----	335.60 + 94.30	.6229	----	----	1	----	3 + 1
4375	----	----	370.60B/----	370.60B/256.40A	----	338.90 + 94.90	.6262	----	----	----	----	13 UNCH
4380	----	----	374.20B/----	374.20B/258.30A	----	342.20 + 95.50	.6296	----	----	1	----	3 + 1
4385	----	----	377.50B/----	377.50B/262.80A	----	345.60 + 96.10	.6330	----	----	----	----	2 UNCH
4390	----	----	381.00B/----	381.00B/265.60A	----	349.00 + 96.80	.6363	----	----	2	----	32 - 1
4400	331.50	331.50	388.40B/331.50	388.40B/271.30A	----	355.80 + 98.00	.6429	----	----	12	----	603 UNCH
4405	----	----	391.70B/----	391.70B/274.20A	----	359.20 + 98.60	.6462	----	----	2	----	4 UNCH
4410	----	----	395.40B/----	395.40B/276.50A	----	362.70 + 99.20	.6495	----	----	----	----	50 UNCH
4415	----	----	398.90B/----	398.90B/280.10A	----	366.10 + 99.80	.6527	----	----	----	----	5 UNCH
4420	----	----	402.50B/----	402.50B/283.10A	----	369.60 + 00.40	.6560	----	----	----	----	12 UNCH
4425	----	----	406.20B/----	406.20B/285.40A	----	373.10 + 01.00	.6593	----	----	----	----	16 UNCH
4430	----	----	409.80B/----	409.80B/289.10A	----	376.70 + 01.60	.6624	----	----	----	----	5 UNCH
4440	----	----	417.10B/----	417.10B/295.10A	----	383.80 + 02.80	.6687	----	----	----	----	5 UNCH
4445	----	----	420.80B/----	420.80B/298.20A	----	387.30 + 03.30	.6719	----	----	2	----	2 UNCH
4450	----	----	424.50B/----	424.50B/300.80A	----	390.90 + 03.90	.6750	----	----	----	----	65 UNCH
4455	----	----	428.20B/----	428.20B/304.50A	----	394.50 + 04.50	.6781	----	----	----	----	2 UNCH
4460	----	----	431.90B/----	431.90B/307.50A	----	398.20 + 05.10	.6811	----	----	----	----	2 UNCH
4465	----	----	435.70B/----	435.70B/310.00A	----	401.80 + 05.60	.6843	----	----	----	----	78 UNCH
4470	----	----	439.40B/----	439.40B/313.80A	----	405.50 NEW	.6873	----	----	1	----	1 + 1
4475	----	----	443.20B/----	443.20B/317.00A	----	409.20 + 06.80	.6902	----	----	1	----	3 UNCH
4480	----	----	447.00B/----	447.00B/320.20A	----	412.90 + 07.40	.6933	----	----	1	----	4 + 1
4485	----	----	450.80B/----	450.80B/323.50A	----	416.60 + 07.90	.6963	----	----	----	----	3 UNCH
4490	----	----	454.60B/----	454.60B/326.70A	----	420.30 + 08.50	.6992	----	----	----	----	12 UNCH
4495	----	----	458.40B/----	458.40B/330.00A	----	424.00 + 09.00	.7021	----	----	----	----	4 UNCH
4500	----	----	462.30B/----	462.30B/332.70A	----	427.80 + 09.50	.7050	----	----	1	----	218 - 1
4510	----	----	470.00B/----	470.00B/339.90A	----	435.40 + 10.60	.7109	----	----	----	----	1 UNCH
4520	----	----	477.80B/----	477.80B/364.50A	----	443.00 + 11.70	.7165	----	----	----	----	2 UNCH
4525	----	----	481.60B/----	481.60B/368.30A	----	446.80 + 12.20	.7193	----	----	----	----	1 UNCH
4530	----	----	485.50B/----	485.50B/370.50A	----	450.70 + 12.70	.7221	----	----	----	----	4 UNCH
4535	----	----	489.60B/----	489.60B/374.10A	----	454.60 + 13.30	.7248	----	----	----	----	2 UNCH
4540	----	----	493.40B/----	493.40B/378.60A	----	458.40 + 13.70	.7276	----	----	----	----	3 UNCH
4545	----	----	497.40B/----	497.40B/381.90A	----	462.30 + 14.20	.7302	----	----	----	----	5 UNCH
4550	----	----	501.40B/----	501.40B/385.50A	----	466.30 + 14.80	.7330	----	----	----	----	6 UNCH
4555	418.70	418.70	505.50B/418.70	505.50B/388.20A	----	470.20 + 15.30	.7356	----	----	9	----	8 - 4
4560	----	----	509.40B/----	509.40B/391.80A	----	474.10 + 15.70	.7383	----	----	----	----	78 UNCH
4565	----	----	513.40B/----	513.40B/396.90A	----	478.10 + 16.30	.7410	----	----	----	----	16 UNCH
4570	----	----	517.40B/----	517.40B/399.90A	----	482.00 + 16.70	.7436	----	----	----	----	9 UNCH
4580	----	----	525.50B/----	525.50B/406.40A	----	490.00 + 17.70	.7486	----	----	----	----	6 UNCH
4585	----	----	529.60B/----	529.60B/410.00A	----	494.00 + 18.20	.7512	----	----	----	----	13 UNCH
4590	----	----	533.70B/----	533.70B/415.10A	----	498.00 + 18.60	.7537	----	----	----	----	3 UNCH
4595	----	----	537.80B/----	537.80B/417.80A	----	502.10 + 19.10	.7563	----	----	----	----	8 UNCH
4600	----	----	541.90B/----	541.90B/421.40A	----	506.10 + 19.50	.7587	----	----	10	----	341 + 8
4605	----	----	546.00B/----	546.00B/425.80A	----	510.20 + 20.00	.7611	----	----	----	----	5 UNCH
4610	----	----	550.10B/----	550.10B/428.70A	----	514.20 + 20.40	.7636	----	----	----	----	13 UNCH
4615	----	----	554.30B/----	554.30B/433.30A	----	518.30 + 20.90	.7660	----	----	----	----	8 UNCH
4620	----	----	558.50B/----	558.50B/437.10A	----	522.40 + 21.30	.7684	----	----	----	----	4 UNCH
4625	----	----	562.60B/----	562.60B/440.90A	----	526.50 + 21.80	.7707	----	----	----	----	43 UNCH
4630	----	----	566.80B/----	566.80B/444.90A	----	530.60 + 22.20	.7731	----	----	----	----	7 UNCH
4635	----	----	571.00B/----	571.00B/447.60A	----	534.80 + 22.70	.7754	----	----	----	----	7 UNCH
4640	----	----	575.20B/----	575.20B/452.40A	----	538.90 + 23.00	.7776	----	----	----	----	23 UNCH
4645	----	----	579.40B/----	579.40B/455.40A	----	543.10 + 23.50	.7800	----	----	----	----	7 UNCH
4650	----	----	583.60B/----	583.60B/460.70A	----	547.20 + 23.90	.7823	----	----	----	----	135 UNCH
4655	----	----	587.90B/----	587.90B/464.60A	----	551.40 + 24.30	.7844	----	----	----	----	3 UNCH
4660	----	----	592.00B/----	592.00B/468.20A	----	555.60 + 24.70	.7866	----	----	----	----	3 UNCH
4670	----	----	600.60B/----	600.60B/475.80A	----	564.00 + 25.50	.7911	----	----	----	----	6 UNCH
4675	----	----	604.80B/----	604.80B/480.30A	----	568.20 + 25.90	.7931	----	----	----	----	9 UNCH
4680	----	----	609.20B/----	609.20B/483.60A	----	572.40 + 26.20	.7952	----	----	----	----	1 UNCH
4690	----	----	617.80B/----	617.80B/491.70A	----	580.90 + 27.00	.7995	----	----	----	----	3 UNCH
4700	----	----	626.50B/----	626.50B/499.70A	----	589.50 + 27.80	.8036	----	----	----	----	84 UNCH
4715	----	----	639.40B/----	639.40B/511.90A	----	602.30 + 28.80	.8095	----	----	----	----	3 UNCH
4750	629.60	629.60	670.20B/629.60	670.20B/540.60A	----	632.70 + 31.10	.8229	----	----	1	----	174 - 1
4755	----	----	#674.60B/----	#674.60B/545.30A	----	637.00 + 31.40	.8248	----	----	----	----	168 UNCH
4775	----	----	692.20B/----	692.20B/561.30A	----	654.60 + 32.60	.8318	----	----	----	----	26 UNCH
4780	----	----	696.80B/----	696.80B/565.70A	----	659.00 + 32.90	.8336	----	----	----	----	1 UNCH
4800	----	----	714.50B/----	714.50B/582.60A	----	676.80 + 34.10	.8403	----	----	2	----	101 UNCH
4805	----	----	#719.00B/----	#719.00B/587.40A	----	681.20 + 34.30	.8419	----	----	----	----	1 UNCH
4810	----	----	723.50B/----	723.50B/590.80A	----	685.70 + 34.60	.8435	----	----	----	----	8 UNCH
4815	----	----	#728.00B/----	#728.00B/595.30A	----	690.10 + 34.80	.8453	----	----	----	----	39 UNCH
4820	----	----	#732.50B/----	#732.50B/599.40A	----	694.60 + 35.10	.8468	----	----	----	----	2 UNCH
4835	----	----	#746.10B/----	#746.10B/612.70A	----	708.10 + 35.90	.8514	----	----	----	----	3 UNCH
4845	----	----	#755.10B/----	#755.10B/621.00A	----	717.10 + 36.40	.8543	----	----	----	----	20 UNCH
4850	----	----	759.70B/----	759.70B/625.50A	----	721.60 + 36.60	.8559	----	----	----	----	81 UNCH
4875	----	----	782.60B/----	782.60B/648.40A	----	744.30 + 37.70	.8631	----	----	----	----	1 UNCH
4880	----	----	#787.10B/----	#787.10B/652.80A	----	748.80 + 37.90	.8644	----	----	----	----	5 UNCH
4900	----	----	805.50B/----	805.50B/669.80A	----	767.10 + 38.80	.8697	----	----	----	----	72 UNCH
4910	----	----	#814.90B/----	#814.90B/679.40A	----	776.30 + 39.20	.8724	----	----	----	----	1 UNCH
4920	----	----	#824.00B/----	#824.00B/687.30A	----	785.50 + 39.60	.8750	----	----	----	----	1 UNCH
4925	----	----	828.60B/----	828.60B/692.70A	----	790.10 + 39.80	.8761	----	----	----	----	25 UNCH
4935	----	----	#837.90B/----	#837.90B/701.80A	----	799.40 + 40.30	.8785	----	----	----	----	5 UNCH
4965	----	----	#865.90B/----	#865.90B/728.90A	----	827.20 + 41.40	.8856	----	----	----	----	13 UNCH
4980	----	----	#879.90B/----	#879.90B/742.40A	----	841.20 + 41.90	.8888	----	----	----	----	1 UNCH
5000	----	----	898.70B/----	898.70B/759.60A	----	859.90 + 42.60	.8930	----	----	----	----	47 UNCH
5010	----	----	#908.10B/----	#908.10B/769.80A	----	869.30 + 42.90	.8951	----	----	----	----	1 UNCH
5050	----	----	#943.80B/----	#943.80B/806.30A	----	906.90 + 44.00	.9029	----	----	----	----	25 UNCH
5150	----	----	#1,039.00B/----	#1039.00B/900.60A	----	1002.10 + 46.50	.9196	----	----	----	----	1 UNCH
5200	----	----	1,048.40B/----	1048.40B/948.00A	----	1050.10 + 47.40	.9264	----	----	----	----	100 UNCH
5230	----	----	#1,077.80B/----	#1077.80B/976.70A	----	1079.10 + 48.00	.9302	----	----	----	----	1 UNCH
5250	----	----	#1,096.90B/----	#1096.90B/995.00A	----	1098.40 + 48.20	.9326	----	----	----	----	75 UNCH
5300	1097.60	1097.60	#1,145.40B/1,09	#1145.40B/1043.70A	----	1146.90 + 49.00	.9377	----	----	1	----	9 UNCH
5425	----	----	#1,267.60B/----	#1267.60B/1165.00A	----	1268.90 + 50.30	.9492	----	----	----	----	1 UNCH
5455	----	----	#1,293.40B/----	#1293.40B/1194.20A	----	1298.30 + 50.60	.9516	----	----	----	----	40 UNCH
5495	----	----	#1,332.60B/----	#1332.60B/1233.90A	----	1337.60 + 50.90	.9545	----	----	----	----	1 UNCH
5500	----	----	#1,337.60B/----	#1337.60B/1238.10A	----	1342.50 + 50.90	.9549	----	----	----	----	1 UNCH
5600	----	----	----	----	----	1441.20 + 51.70	.9602	----	----	----	----	1 UNCH
5700	----	----	----	----	----	1540.10 + 52.20	.9651	----	----	----	----	1 UNCH
TOTAL										657		11816 + 244
NOV26												
2100	----	----	#1.70B/----	#1.70B/3.20A	----	1.70 + 0.40	.0041	----	----	----	----	1 UNCH
2750	----	----	8.50B/----	8.50B/9.10A	----	9.10 + 2.30	.0232	----	----	----	----	1 UNCH
2800	10.00	10.00	10.00/10.00	10.00/9.90A	----	10.00 + 2.60	.0257	----	----	4	----	16 + 4
2900	----	----	12.30B/----	12.30B/11.80A	----	12.40 + 3.40	.0322	----	----	----	----	1 UNCH
3000	----	----	15.70B/----	15.70B/14.30A	----	15.40 + 4.30	.0403	----	----	----	----	93 UNCH
3120	----	----	21.10B/----	21.10B/18.20A	----	19.90 + 5.60	.0526	----	----	----	----	10 UNCH
3180	----	----	24.60B/----	24.60B/20.50A	----	22.80 + 6.50	.0603	----	----	----	----	10 UNCH
3200	----	----	25.90B/----	25.90B/21.40A	----	23.80 + 6.80	.0630	----	----	1	----	95 + 1
3215	----	----	26.90B/----	26.90B/22.10A	----	24.70 + 7.10	.0653	----	----	----	----	1 UNCH
3225	----	----	27.10B/----	27.10B/22.40A	----	25.20 + 7.20	.0667	----	----	----	----	1 UNCH
3235	----	----	27.70B/----	27.70B/23.00A	----	25.80 + 7.40	.0682	----	----	----	----	1 UNCH
3250	----	----	28.30B/----	28.30B/23.50A	----	26.70 + 7.60	.0706	----	----	----	----	18 UNCH
3255	----	----	28.50B/----	28.50B/24.00A	----	27.10 + 7.80	.0715	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3300	----	----	31.90B/----	31.90B/25.70A	----	30.10 + 8.80	.0793	----	----	----	----	47 UNCH
3310	----	----	32.80B/----	32.80B/26.10A	----	30.80 + 9.00	.0811	----	----	----	----	1 UNCH
3320	----	----	33.70B/----	33.70B/26.90A	----	31.50 + 9.20	.0829	----	----	----	----	16 UNCH
3350	----	----	36.80B/----	36.80B/28.80A	----	33.90 + 10.00	.0890	----	----	----	----	180 UNCH
3410	----	----	44.80B/----	44.80B/31.20A	----	39.30 NEW	.1023	----	----	2	----	2 + 2
3455	----	----	50.10B/----	50.10B/34.50A	----	43.90 + 13.40	.1134	----	----	----	----	1 UNCH
3475	----	----	52.60B/----	52.60B/36.00A	----	46.20 + 14.20	.1188	----	----	----	----	2 UNCH
3500	----	----	56.10B/----	56.10B/38.10A	----	49.20 + 15.30	.1259	----	----	----	----	687 UNCH
3520	----	----	58.50B/----	58.50B/39.90A	----	51.70 + 16.20	.1317	----	----	----	----	1 UNCH
3535	----	----	60.70B/----	60.70B/40.60A	----	53.60 + 16.80	.1361	----	----	----	----	1 UNCH
3600	----	----	71.60B/----	71.60B/45.60A	----	63.00 + 20.10	.1574	----	----	----	----	613 UNCH
3605	----	----	72.00B/----	72.00B/46.20A	----	63.80 + 20.40	.1591	----	----	----	----	1 UNCH
3690	----	----	88.60B/----	88.60B/56.20A	----	78.20 + 24.90	.1908	----	----	11	----	11 + 10
3700	----	----	90.70B/----	90.70B/57.60A	----	80.10 + 25.50	.1948	----	----	----	----	1 UNCH
3725	----	----	96.30B/----	96.30B/61.40A	----	85.00 + 27.00	.2052	----	----	----	----	1 UNCH
3740	----	----	99.80B/----	99.80B/63.40A	----	88.10 + 28.00	.2116	----	----	----	----	21 UNCH
3750	92.10	92.10	102.00B/92.10	102.00B/65.20A	----	90.20 + 28.60	.2160	----	----	1	----	348 UNCH
3780	----	----	108.70B/----	108.70B/69.80A	----	96.90 + 30.70	.2296	----	----	----	----	1 UNCH
3800	103.60	103.60	115.00B/101.70	115.00B/73.20A	----	101.50 + 32.00	.2389	----	----	15	----	36 + 2
3820	----	----	120.30B/----	120.30B/76.90A	----	106.50 + 33.50	.2486	----	----	----	----	20 UNCH
3825	----	----	121.70B/----	121.70B/77.70A	----	107.70 NEW	.2510	----	----	29	----	29 + 29
3850	112.00	112.00	128.60B/112.00	128.60B/82.50A	----	114.20 NEW	.2635	----	----	1	----	1 + 1
3875	----	----	136.00B/----	136.00B/87.60A	----	121.10 + 37.80	.2764	----	----	----	----	24 UNCH
3900	----	----	143.80B/----	143.80B/93.00A	----	128.40 + 39.90	.2898	----	----	3	----	8 + 1
3925	----	----	151.90B/----	151.90B/98.60A	----	136.10 + 42.10	.3036	----	----	29	----	31 + 29
3945	----	----	158.30B/----	158.30B/103.30A	----	142.50 + 43.80	.3148	----	----	----	----	1 UNCH
3980	----	----	172.30B/----	172.30B/112.30A	----	154.30 + 47.00	.3350	----	----	----	----	1 UNCH
3990	----	----	176.00B/----	176.00B/114.90A	----	157.80 + 48.00	.3409	----	----	11	----	12 + 11
3995	----	----	178.00B/----	178.00B/116.40A	----	159.60 + 48.50	.3438	----	----	----	----	2 UNCH
4000	----	----	179.10B/----	179.10B/117.70A	----	161.40 + 48.90	.3468	----	----	----	----	5 UNCH
4025	----	----	188.50B/----	188.50B/124.80A	----	170.70 + 51.40	.3618	----	----	----	----	3 UNCH
4050	----	----	199.30B/----	199.30B/132.40A	----	180.40 + 53.90	.3772	----	----	----	----	5 UNCH
4065	----	----	205.60B/----	205.60B/137.00A	----	186.40 + 55.40	.3865	----	----	----	----	1 UNCH
4070	----	----	207.90B/----	207.90B/138.60A	----	188.40 + 55.90	.3896	----	----	----	----	25 UNCH
4100	----	----	221.30B/----	221.30B/144.50A	----	201.00 + 58.90	.4084	----	----	9	----	7 + 2
4135	----	----	237.80B/----	237.80B/156.50A	----	216.50 + 62.60	.4308	----	----	----	----	22 UNCH
4160	----	----	250.50B/----	250.50B/165.50A	----	228.10 + 65.30	.4469	----	----	----	----	1 UNCH
4170	----	----	255.00B/----	255.00B/169.20A	----	232.90 + 66.40	.4534	----	----	----	----	1 UNCH
4180	----	----	260.20B/----	260.20B/177.60A	----	237.70 + 67.50	.4599	----	----	----	----	1 UNCH
4185	231.70	231.70	262.60B/231.70	262.60B/175.00A	----	240.20 NEW	.4632	----	----	1	----	1 + 1
4200	----	----	270.70B/----	270.70B/180.90A	----	247.60 + 69.60	.4729	----	----	4	----	11 + 4
4205	----	----	273.60B/----	273.60B/187.60A	----	250.10 + 70.20	.4762	----	----	2	----	1 UNCH
4215	258.30	258.30	279.40B/258.30	279.40B/191.80A	----	255.20 + 71.30	.4827	----	----	5	----	5 UNCH
4250	----	----	298.80B/----	298.80B/201.70A	----	273.60 + 75.20	.5055	----	----	2	----	567 UNCH
4265	----	----	307.40B/----	307.40B/208.40A	----	281.80 + 76.90	.5152	----	----	----	----	1 UNCH
4275	----	----	313.10B/----	313.10B/216.40A	----	287.30 + 78.00	.5216	----	----	----	----	23 UNCH
4290	----	----	322.00B/----	322.00B/219.80A	----	295.80 + 79.70	.5313	----	----	----	----	1 UNCH
4300	302.00	302.00	327.90B/302.00	327.90B/226.20A	----	301.50 + 80.80	.5377	----	----	4	----	100 - 4
4320	----	----	338.70B/----	338.70B/234.00A	----	313.20 + 83.10	.5504	----	----	----	----	43 UNCH
4330	----	----	344.80B/----	344.80B/238.80A	----	319.10 + 84.20	.5567	----	----	----	----	2 UNCH
4335	----	----	347.90B/----	347.90B/241.40A	----	322.10 + 84.80	.5599	----	----	----	----	1 UNCH
4340	----	----	351.10B/----	351.10B/243.90A	----	325.10 + 85.30	.5630	----	----	----	----	6 UNCH
4350	----	----	357.30B/----	357.30B/253.50A	----	331.20 + 86.40	.5693	----	----	----	----	5 UNCH
4375	----	----	373.40B/----	373.40B/265.30A	----	346.70 + 89.20	.5848	----	----	----	----	1 UNCH
4380	----	----	376.60B/----	376.60B/267.90A	----	349.90 + 89.80	.5879	----	----	----	----	20 UNCH
4390	----	----	383.20B/----	383.20B/273.00A	----	356.20 + 90.90	.5940	----	----	----	----	1 UNCH
4395	----	----	386.50B/----	386.50B/278.60A	----	359.40 + 91.40	.5970	----	----	----	----	1 UNCH
4400	----	----	389.80B/----	389.80B/278.50A	----	362.70 + 92.00	.6000	----	----	2	----	6 UNCH
4405	----	----	393.20B/----	393.20B/281.30A	----	365.90 + 92.60	.6031	----	----	----	----	1 UNCH
4425	----	----	406.70B/----	406.70B/292.50A	----	379.10 + 94.80	.6150	----	----	----	----	72 UNCH
4430	----	----	410.20B/----	410.20B/295.40A	----	382.40 + 95.30	.6180	----	----	----	----	10 UNCH
4435	----	----	413.70B/----	413.70B/301.00A	----	385.70 + 95.80	.6209	----	----	----	----	7 UNCH
4450	----	----	424.10B/----	424.10B/309.70A	----	395.90 + 97.50	.6296	----	----	----	----	39 UNCH
4470	----	----	438.20B/----	438.20B/321.60A	----	409.60 NEW	.6411	----	----	1	----	1 + 1
4485	----	----	448.90B/----	448.90B/330.70A	----	420.10 + 01.10	.6495	----	----	----	----	1 UNCH
4490	----	----	452.60B/----	452.60B/333.70A	----	423.60 + 01.60	.6524	----	----	----	----	1 UNCH
4500	----	----	459.80B/----	459.80B/339.90A	----	430.70 + 02.60	.6579	----	----	1	----	97 + 1
4510	----	----	467.10B/----	467.10B/346.10A	----	437.80 + 03.50	.6633	----	----	----	----	11 UNCH
4530	----	----	481.70B/----	481.70B/358.80A	----	452.30 + 05.50	.6742	----	----	----	----	40 UNCH
4535	----	----	485.60B/----	485.60B/362.00A	----	455.90 + 05.90	.6768	----	----	----	----	10 UNCH
4540	----	----	489.40B/----	489.40B/365.30A	----	459.60 + 06.40	.6795	----	----	----	----	6 UNCH
4555	----	----	500.50B/----	500.50B/375.00A	----	470.70 + 07.80	.6873	----	----	----	----	1 UNCH
4580	----	----	502.80B/----	502.80B/391.30A	----	489.40 + 10.10	.7000	----	----	----	----	10 UNCH
4590	----	----	500.20B/----	500.20B/442.10A	----	497.00 + 11.00	.7049	----	----	----	----	1 UNCH
4600	----	----	500.70B/----	500.70B/449.50A	----	504.70 + 12.00	.7099	----	----	----	----	72 UNCH
4610	----	----	500.90B/----	500.90B/456.70A	----	512.40 + 12.90	.7147	----	----	----	----	4 UNCH
4640	----	----	497.20B/----	497.20B/478.90A	----	535.80 + 15.60	.7288	----	----	----	----	90 UNCH
4645	----	----	500.30B/----	500.30B/482.60A	----	539.70 + 16.00	.7311	----	----	----	----	1 UNCH
4650	----	----	499.60B/----	499.60B/486.40A	----	543.70 + 16.50	.7334	----	----	----	----	78 UNCH
4655	----	----	500.60B/----	500.60B/490.20A	----	547.70 + 17.00	.7356	----	----	----	----	1 UNCH
4700	----	----	497.70B/----	497.70B/630.30A	----	583.90 + 20.80	.7552	----	----	----	----	58 UNCH
4710	----	----	505.90B/----	505.90B/637.60A	----	592.00 + 21.50	.7595	----	----	----	----	1 UNCH
4725	----	----	518.40B/----	518.40B/648.80A	----	604.30 + 22.70	.7657	----	----	----	----	2 UNCH
4750	----	----	539.50B/----	539.50B/667.70A	----	625.10 + 24.60	.7755	----	----	----	----	15 UNCH
4755	----	----	543.70B/----	543.70B/671.50A	----	629.20 + 24.80	.7775	----	----	----	----	1 UNCH
4800	----	----	582.30B/----	582.30B/706.30A	----	667.20 + 27.90	.7941	----	----	----	----	12 UNCH
4820	----	----	599.70B/----	599.70B/721.90A	----	684.40 + 29.30	.8012	----	----	----	----	1 UNCH
4840	----	----	617.20B/----	617.20B/737.80A	----	701.60 + 30.50	.8078	----	----	----	----	2 UNCH
4845	----	----	621.60B/----	621.60B/741.80A	----	706.00 + 30.80	.8096	----	----	----	----	10 UNCH
4850	----	----	626.00B/----	626.00B/745.80A	----	710.30 + 31.10	.8112	----	----	----	----	8 UNCH
4900	----	----	670.50B/----	670.50B/786.10A	----	754.20 + 33.90	.8267	----	----	----	----	12 UNCH
4915	----	----	#684.00B/----	#684.00B/798.40A	----	767.50 + 34.60	.8311	----	----	----	----	3 UNCH
4935	----	----	#702.10B/----	#702.10B/814.90A	----	785.20 + 35.40	.8366	----	----	----	----	25 UNCH
4950	----	----	715.70B/----	715.70B/827.40A	----	798.60 + 36.10	.8408	----	----	----	----	11 UNCH
4960	----	----	#724.90B/----	#724.90B/835.70A	----	807.60 + 36.50	.8436	----	----	----	----	2 UNCH
5000	810.50	810.50	840.00/810.50	840.00/810.50	----	843.50 + 37.90	.8541	----	----	2	----	254 - 1
5020	----	----	#779.20B/----	#779.20B/886.30A	----	861.70 + 38.70	.8592	----	----	----	----	30 UNCH
5055	----	----	#811.10B/----	#811.10B/916.30A	----	893.60 + 39.80	.8673	----	----	----	----	8 UNCH
5200	----	----	945.80B/----	945.80B/1045.70A	----	1028.20 + 43.90	.8963	----	----	----	----	81 UNCH
5395	----	----	----	----	----	1213.80 + 47.50	.9243	----	----	----	----	6 UNCH
5400	----	----	----	----	----	1218.60 + 47.60	.9250	----	----	----	----	6 UNCH
5760	----	----	----	----	----	1570.00 + 51.30	.9540	----	----	----	----	1 UNCH
5975	----	----	----	----	----	1782.60 + 52.60	.9639	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1807.40 + 52.70	.9650	----	----	----	----	1 UNCH
TOTAL										140		4338 + 94
DEC26												
1350	0.50	0.50	#0.50/*0.50	#0.50/0.50	----	0.10 UNCH	.0002	----	----	1	----	17 + 1
1375	----	----	----	----/1.40A	----	0.20 + 0.10	.0004	----	----	----	----	1 UNCH
1400	0.60	0.60	#0.60/*0.60	#0.60/0.60	----	0.20 UNCH	.0004	----	----	1	----	1 + 1
1500	----	----	----	0.20B/0.90A	----	0.40 + 0.10	.0008	----	----	----	----	1 UNCH
1600	----	----	0.70B/----	0.70B/1.30A	----	0.70 + 0.10	.0014	----	----	----	----	190 UNCH
1700	----	----	1.00B/----	1.00B/1.60A	----	1.10 + 0.20	.0023	----	----	----	----	200 UNCH
1845	----	----	----	1.60B/2.50A	----	2.00 + 0.40	.0040	----	----	----	----	60 UNCH
1900	2.10	2.10	#2.10/*2.10	#2.10/2.10	----	2.30 + 0.50	.0047	----	----	1	----	5 + 1
2000	----	----	----	2.20B/3.20A	----	2.80 + 0.60	.0058	----	----	----	----	2 UNCH
2200	3.70	3.70	#3.70/3.70	#3.70/3.70	----	4.00 + 0.80	.0087	----	----	2	----	4 + 2
2400	----	----	#5.30B/----	#5.30B/6.00A	----	5.70 + 1.10	.0130	----	----	----	----	1 UNCH
2450	----	----	#5.80B/----	#5.80B/6.40A	----	6.30 + 1.20	.0145	----	----	----	----	4 UNCH
2490	----	----	6.30B/----	6.30B/6.90A	----	6.80 + 1.30	.0157	----	----	----	----	1 UNCH
2500	----	----	#6.50B/----	#6.50B/6.90A	----	6.90 + 1.30	.0160	----	----	10	----	181 + 10
2660	----	----	#9.10B/----	#9.10B/9.00A	----	9.30 + 1.70	.0222	----	----	----	----	4 UNCH
2750	----	----	#11.10B/----	11.10B/10.50A	----	11.10 + 2.20	.0268	----	----	----	----	1 UNCH
2800	----	----	12.50B/----	12.50B/11.30A	----	12.20 + 2.50	.0297	----	----	----	----	20 UNCH
2900	----	----	#15.70B/----	15.70B/13.70A	----	15.00 + 3.40	.0368	----	----	----	----	30 UNCH
2925	----	----	#16.70B/----	16.70B/14.30A	----	15.80 + 3.60	.0388	----	----	----	----	300 UNCH
2975	----	----	18.80B/----	18.80B/15.80A	----	17.60 + 4.20	.0433	----	----	----	500	900 + 500
3000	16.70	16.70	20.00B/16.50A	20.00B/16.50A	----	18.60 + 4.50	.0458	----	----	705	----	2062 + 700
3025	----	----	21.30B/----	21.30B/17.30A	----	19.70 + 4.80	.0485	----	----	----	----	2 UNCH
3075	----	----	24.10B/----	24.10B/19.30A	----	22.10 + 5.50	.0543	----	----	----	----	3 UNCH
3100	----	----	25.60B/----	25.60B/20.20A	----	23.40 + 5.90	.0575	----	----	6	----	10 + 6
3160	----	----	29.70B/----	29.70B/23.10A	----	27.00 + 7.10	.0660	----	----	----	----	2 UNCH
3175	----	----	30.80B/----	30.80B/23.70A	----	28.00 + 7.50	.0683	----	----	----	----	1 UNCH
3200	----	----	32.80B/----	32.80B/24.90A	----	29.70 NEW	.0723	----	----	6	----	6 + 6
3250	----	----	37.00B/----	37.00B/27.30A	----	33.40 + 9.30	.0809	----	----	----	----	18 UNCH
3300	36.20	36.20	41.80B/36.00	41.80B/30.10A	----	37.60 + 10.70	.0905	----	----	386	----	572 - 3
3375	----	----	50.30B/----	50.30B/35.00A	----	44.70 NEW	.1065	----	----	----	250	250 + 250

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3400	46.50	46.50	53.30B/46.50	53.30B/36.90A	----	47.40 + 13.80	.1124	----	----	2	----	1088 + 2
3425	----	----	56.60B/----	56.60B/39.00A	----	50.30 + 14.70	.1187	----	----	----	----	350 UNCH
3450	----	----	60.00B/----	60.00B/41.00A	----	53.20 + 15.50	.1251	----	----	----	----	201 UNCH
3460	----	----	61.50B/----	61.50B/41.80A	----	54.50 + 16.00	.1278	----	----	----	----	20 UNCH
3475	----	----	63.70B/----	63.70B/43.30A	----	56.40 + 16.50	.1319	----	----	----	----	152 UNCH
3500	49.40	49.40	67.50B/49.40	67.50B/44.10A	----	59.80 + 17.60	.1391	----	----	43	----	1573 + 10
3550	57.00	57.00	75.90B/57.00	75.90B/49.20A	----	67.00 + 19.70	.1542	----	----	20	----	28 + 10
3560	----	----	77.50B/----	77.50B/50.40A	----	68.60 + 20.20	.1575	----	----	----	----	6 UNCH
3565	----	----	78.40B/----	78.40B/50.90A	----	69.40 + 20.50	.1591	----	----	----	----	2 UNCH
3590	----	----	83.00B/----	83.00B/53.80A	----	73.50 + 21.70	.1674	----	----	----	----	1 UNCH
3600	64.50	64.50	85.30B/63.00	85.30B/55.10A	----	75.20 + 22.20	.1708	----	----	21	----	584 - 8
3610	----	----	87.00B/----	87.00B/56.30A	----	76.90 + 22.70	.1743	----	----	----	----	3 UNCH
3650	----	----	95.20B/----	95.20B/61.50A	----	84.30 + 24.90	.1888	----	----	----	----	220 UNCH
3660	----	----	97.40B/----	97.40B/62.80A	----	86.20 + 25.50	.1926	----	----	----	----	5 UNCH
3670	----	----	99.50B/----	99.50B/64.30A	----	88.20 + 26.10	.1964	----	----	----	----	1 UNCH
3685	90.90	90.90	102.90B/90.90	102.90B/66.40A	----	91.30 + 27.00	.2023	----	----	1	----	2 + 1
3690	92.00	92.00	104.00B/92.00	104.00B/67.10A	----	92.30 + 27.30	.2042	----	----	1	----	2 + 1
3695	93.00	93.00	105.20B/93.00	105.20B/67.90A	----	93.40 NEW	.2063	----	----	1	----	1 + 1
3700	87.00	87.00	106.60B/87.00	106.60B/68.70A	----	94.40 + 27.90	.2082	----	----	16	----	907 - 11
3705	95.10	95.10	107.50B/95.10	107.50B/69.40A	----	95.50 NEW	.2103	----	----	2	----	2 + 2
3710	93.60	93.60	108.70B/93.60	108.70B/70.20A	----	96.60 + 28.50	.2123	----	----	9	----	85 + 4
3715	92.20	92.20	109.90B/92.20	109.90B/71.00A	----	97.70 NEW	.2144	----	----	8	----	8 + 8
3720	93.20	93.20	111.20B/93.20	111.20B/71.90A	----	98.80 + 29.10	.2164	----	----	16	----	16 + 16
3725	96.90	96.90	112.40B/96.90	112.40B/72.60A	----	99.90 + 29.40	.2185	----	----	33	----	33 + 27
3730	101.30	101.30	113.70B/100.90	113.70B/73.40A	----	101.00 NEW	.2206	----	----	55	----	55 + 55
3735	102.40	102.40	114.90B/102.00	114.90B/74.20A	----	102.20 NEW	.2227	----	----	52	----	52 + 52
3740	97.50	97.50	116.20B/97.50	116.20B/75.00A	----	103.30 + 30.40	.2248	----	----	29	----	29 + 28
3745	104.70	104.70	117.40B/104.60	117.40B/76.00A	----	104.50 NEW	.2270	----	----	13	----	13 + 13
3750	106.00	106.00	118.70B/106.00	118.70B/76.80A	----	105.70 + 31.10	.2291	----	----	7	----	173 + 7
3755	103.80	103.80	120.00B/103.80	120.00B/77.60A	----	106.90 + 31.40	.2313	----	----	4	----	4 + 4
3760	104.80	104.80	121.30B/104.80	121.30B/78.50A	----	108.10 + 31.80	.2335	----	----	2	----	186 + 2
3765	108.80	108.80	122.70B/108.80	122.70B/79.30A	----	109.30 NEW	.2357	----	----	1	----	1 + 1
3770	110.00	110.00	124.10B/110.00	124.10B/80.20A	----	110.50 NEW	.2379	----	----	1	----	1 + 1
3775	111.40	111.40	125.40B/111.40	125.40B/81.10A	----	111.80 NEW	.2401	----	----	1	----	1 + 1
3780	112.50	112.50	126.70B/112.50	126.70B/82.00A	----	113.00 + 33.10	.2423	----	----	1	----	2 + 1
3785	----	----	128.10B/----	128.10B/82.90A	----	114.30 + 33.50	.2446	----	----	----	----	10 UNCH
3800	103.00	103.00	132.50B/103.00	132.50B/85.80A	----	118.10 + 34.50	.2514	----	----	40	----	375 - 3
3805	110.00	110.00	133.90B/110.00	133.90B/86.70A	----	119.50 + 34.90	.2537	----	----	5	----	16 + 5
3810	----	----	135.30B/----	135.30B/87.70A	----	120.80 + 35.30	.2560	----	----	----	----	56 UNCH
3850	----	----	147.40B/----	147.40B/95.90A	----	131.90 + 38.20	.2751	----	----	----	----	56 UNCH
3880	----	----	157.00B/----	157.00B/102.40A	----	140.70 + 40.50	.2899	----	----	----	----	1 UNCH
3900	----	----	164.00B/----	164.00B/107.00A	----	146.90 + 42.10	.3000	----	----	14	----	1210 - 1
3920	----	----	171.00B/----	171.00B/111.90A	----	153.30 + 43.70	.3103	----	----	----	----	51 UNCH
3925	----	----	172.80B/----	172.80B/113.20A	----	155.00 + 44.20	.3129	----	----	----	----	256 UNCH
3930	----	----	174.60B/----	174.60B/114.30A	----	156.60 + 44.60	.3155	----	----	----	----	2 UNCH
3950	143.50	143.50	182.10B/143.50	182.10B/119.40A	----	163.40 + 46.30	.3262	----	----	2	----	514 - 1
3965	----	----	187.70B/----	187.70B/123.50A	----	168.60 + 47.60	.3342	----	----	----	----	50 UNCH
3975	----	----	191.40B/----	191.40B/126.20A	----	172.10 + 48.40	.3396	----	----	----	----	193 UNCH
3980	150.70	150.70	193.50B/150.70	193.50B/127.50A	----	173.90 + 48.80	.3423	----	----	8	----	275 UNCH
3995	----	----	199.40B/----	199.40B/131.90A	----	179.40 + 50.10	.3506	----	----	----	----	1 UNCH
4000	159.50	159.50	201.60B/159.50	201.60B/133.20A	----	181.30 + 50.60	.3534	----	----	66	----	2655 + 13
4025	----	----	211.90B/----	211.90B/140.60A	----	190.80 + 52.80	.3673	----	----	----	----	801 UNCH
4050	----	----	222.40B/----	222.40B/148.40A	----	200.80 + 55.20	.3815	----	----	----	----	217 UNCH
4060	----	----	227.00B/----	227.00B/151.60A	----	204.90 + 56.10	.3873	----	----	----	----	100 UNCH
4070	----	----	231.50B/----	231.50B/154.80A	----	209.00 + 57.00	.3930	----	----	----	----	8 UNCH
4090	----	----	240.60B/----	240.60B/161.50A	----	217.50 + 58.90	.4046	----	----	----	----	1 UNCH
4100	----	----	245.20B/----	245.20B/165.00A	----	221.90 + 59.90	.4105	----	----	----	----	396 UNCH
4115	----	----	252.40B/----	252.40B/170.30A	----	228.60 NEW	.4193	----	----	1	----	1 + 1
4130	----	----	259.40B/----	259.40B/175.70A	----	235.40 + 62.80	.4281	----	----	----	----	30 UNCH
4150	----	----	269.30B/----	269.30B/183.20A	----	244.70 + 64.70	.4400	----	----	----	----	93 UNCH
4160	----	----	274.70B/----	274.70B/187.00A	----	249.50 + 65.70	.4459	----	----	----	----	252 UNCH
4165	----	----	276.80B/----	276.80B/189.00A	----	252.00 + 66.30	.4489	----	----	----	----	28 UNCH
4170	----	----	279.40B/----	279.40B/190.80A	----	254.40 + 66.80	.4519	----	----	1	----	2 UNCH
4175	227.30	227.30	281.90B/226.90	281.90B/192.80A	----	256.80 + 67.20	.4549	----	----	85	----	134 + 58
4200	239.00	239.00	295.70B/239.00	295.70B/203.00A	----	269.40 + 69.80	.4698	----	----	4	----	1345 + 1
4205	----	----	297.90B/----	297.90B/205.00A	----	272.00 + 70.40	.4728	----	----	----	----	20 UNCH
4215	----	----	303.30B/----	303.30B/214.10A	----	277.10 + 71.30	.4787	----	----	----	----	14 UNCH
4225	----	----	308.60B/----	308.60B/213.50A	----	282.40 + 72.40	.4846	----	----	----	----	35 UNCH
4230	----	----	311.20B/----	311.20B/215.70A	----	285.10 + 72.90	.4876	----	----	----	----	150 UNCH
4235	----	----	314.10B/----	314.10B/217.90A	----	287.70 + 73.40	.4906	----	----	----	----	10 UNCH
4245	----	----	319.60B/----	319.60B/222.30A	----	293.10 + 74.40	.4965	----	----	----	----	13 UNCH
4250	----	----	322.60B/----	322.60B/224.40A	----	295.90 + 75.00	.4995	----	----	----	----	488 UNCH
4265	----	----	331.10B/----	331.10B/231.50A	----	304.10 + 76.50	.5083	----	----	----	----	10 UNCH
4290	----	----	345.60B/----	345.60B/242.70A	----	318.20 + 79.10	.5230	----	----	----	----	1 UNCH
4300	295.30	295.30	351.50B/295.30	351.50B/247.60A	----	324.00 + 80.20	.5288	----	----	2	550	2629 + 308
4320	----	----	363.50B/----	363.50B/257.20A	----	335.70 + 82.30	.5404	----	----	----	----	124 UNCH
4325	----	----	366.70B/----	366.70B/266.00A	----	338.60 + 82.80	.5433	----	----	----	----	559 UNCH
4340	----	----	375.90B/----	375.90B/274.10A	----	347.50 + 84.30	.5519	----	----	----	----	82 UNCH
4350	----	----	382.40B/----	382.40B/272.40A	----	353.60 + 85.50	.5577	----	----	3	----	164 + 3
4360	----	----	388.50B/----	388.50B/283.90A	----	359.70 + 86.50	.5634	----	----	----	----	1 UNCH
4365	----	----	391.80B/----	391.80B/287.20A	----	362.70 + 87.00	.5662	----	----	----	----	195 UNCH
4375	----	----	398.10B/----	398.10B/292.00A	----	368.90 + 88.00	.5719	----	----	----	----	117 UNCH
4385	----	----	404.60B/----	404.60B/301.20A	----	375.20 + 89.10	.5775	----	----	----	----	75 UNCH
4390	----	----	408.00B/----	408.00B/301.90A	----	378.30 + 89.60	.5803	----	----	----	----	200 UNCH
4400	----	----	414.60B/----	414.60B/310.10A	----	384.60 + 90.60	.5859	----	----	----	----	448 UNCH
4425	----	----	431.20B/----	431.20B/324.10A	----	400.70 + 93.10	.5997	----	----	----	----	9 UNCH
4430	----	----	434.70B/----	434.70B/327.00A	----	404.00 + 93.60	.6024	----	----	----	----	37 UNCH
4435	----	----	438.10B/----	438.10B/327.10A	----	407.30 + 94.10	.6051	----	----	----	----	14 UNCH
4440	----	----	441.60B/----	441.60B/332.70A	----	410.60 + 94.60	.6079	----	----	----	----	6 UNCH
4450	----	----	448.30B/----	448.30B/338.50A	----	417.20 + 95.60	.6132	----	----	----	----	269 UNCH
4460	----	----	455.30B/----	455.30B/344.30A	----	423.90 + 96.50	.6186	----	----	----	----	17 UNCH
4470	----	----	462.30B/----	462.30B/350.30A	----	430.70 + 97.50	.6239	----	----	----	----	1 UNCH
4475	----	----	465.80B/----	465.80B/353.30A	----	434.10 + 98.00	.6266	----	----	----	----	9 UNCH
4480	----	----	469.30B/----	469.30B/356.40A	----	437.50 + 98.40	.6292	----	----	----	----	1 UNCH
4490	----	----	476.30B/----	476.30B/362.40A	----	444.30 + 99.30	.6344	----	----	----	----	17 UNCH
4500	387.60	387.60	483.60B/387.60	483.60B/368.60A	----	451.30 + 00.30	.6396	----	----	1	----	1223 UNCH
4510	----	----	490.70B/----	490.70B/374.70A	----	458.30 + 01.20	.6447	----	----	----	----	2 UNCH
4515	----	----	494.50B/----	494.50B/377.90A	----	461.80 + 01.60	.6473	----	----	----	----	247 UNCH
4520	----	----	497.80B/----	497.80B/380.90A	----	465.30 + 02.00	.6498	----	----	----	----	25 UNCH
4525	----	----	501.50B/----	501.50B/384.20A	----	468.80 + 02.40	.6523	----	----	----	----	240 UNCH
4530	----	----	505.30B/----	505.30B/387.30A	----	472.40 + 02.90	.6548	----	----	----	----	23 UNCH
4535	----	----	508.80B/----	508.80B/390.50A	----	476.00 + 03.40	.6573	----	----	----	----	102 UNCH
4540	----	----	512.50B/----	512.50B/393.60A	----	479.60 + 03.80	.6598	----	----	----	----	1 UNCH
4545	----	----	516.10B/----	516.10B/396.90A	----	483.20 + 04.30	.6623	----	----	----	----	45 UNCH
4550	----	----	520.10B/----	520.10B/400.10A	----	486.80 + 04.70	.6647	----	----	----	----	19 UNCH
4555	----	----	523.50B/----	523.50B/403.40A	----	490.40 + 05.10	.6672	----	----	----	----	50 UNCH
4570	----	----	534.70B/----	534.70B/413.20A	----	501.30 + 06.40	.6744	----	----	----	----	11 UNCH
4575	----	----	538.70B/----	538.70B/416.50A	----	505.00 + 06.80	.6769	----	----	----	----	5 UNCH
4580	----	----	542.30B/----	542.30B/419.80A	----	508.70 + 07.30	.6792	----	----	----	----	150 UNCH
4585	----	----	546.00B/----	546.00B/423.10A	----	512.40 + 07.70	.6816	----	----	----	----	325 UNCH
4590	----	----	549.80B/----	549.80B/426.50A	----	516.10 + 08.10	.6839	----	----	----	----	3 UNCH
4600	440.00	440.00	557.70B/439.00	557.70B/433.20A	----	523.60 + 09.00	.6886	----	----	6	----	963 - 6
4605	----	----	561.30B/----	561.30B/436.60A	----	527.40 + 09.40	.6909	----	----	----	----	5 UNCH
4610	----	----	565.10B/----	565.10B/440.00A	----	531.10 + 09.80	.6932	----	----	----	----	3 UNCH
4620	----	----	572.90B/----	572.90B/463.50A	----	538.70 + 10.70	.6977	----	----	----	----	53 UNCH
4625	----	----	576.80B/----	576.80B/467.20A	----	542.50 + 11.10	.7000	----	----	----	----	56 UNCH
4630	----	----	580.60B/----	580.60B/470.60A	----	546.30 + 11.50	.7022	----	----	----	----	3 UNCH
4640	----	----	588.40B/----	588.40B/477.90A	----	554.00 + 12.30	.7067	----	----	----	----	104 UNCH
4650	----	----	596.30B/----	596.30B/484.90A	----	561.70 + 13.10	.7110	----	----	----	----	118 UNCH
4655	----	----	600.30B/----	600.30B/488.60A	----	565.60 + 13.50	.7132	----	----	----	----	1 UNCH
4660	----	----	604.30B/----	604.30B/491.70A	----	569.50 + 14.00	.7154	----	----	----	----	7 UNCH
4665	----	----	608.20B/----	608.20B/495.30A	----	573.40 + 14.40	.7175	----	----	----	----	70 UNCH
4675	----	----	616.50B/----	616.50B/503.20A	----	581.20 + 15.10	.7218	----	----	----	----	10 UNCH
4680	----	----	620.50B/----	620.50B/506.90A	----	585.10 + 15.50	.7238	----	----	----	----	60 UNCH
4700	----	----	636.30B/----	636.30B/521.60A	----	601.00 + 17.10	.7320	----	----	----	----	512 UNCH
4710	----	----	#644.30B/----	#644.30B/528.90A	----	609.00 + 17.90	.7361	----	----	----	----	1 UNCH
4715	----	----	#648.50B/----	#648.50B/532.80A	----	613.00 + 18.20	.7381	----	----	----	----	15 UNCH
4725	----	----	656.90B/----	656.90B/540.20A	----	621.00 + 18.90	.7420	----	----	----	----	127 UNCH
4750	----	----	677.30B/----	677.30B/559.20A	----	641.40 + 20.80	.7516	----	----	----	----	63 UNCH
4790	----	----	#710.80B/----	#710.80B/590.30A	----	674.40 + 23.60	.7663	----	----	----	----	60 UNCH
4795	----	----	#715.00B/----	#715.00B/594.40A	----	678.60 + 24.00	.7680	----	----	----	----	1 UNCH
4800	----	----	719.10B/----	719.10B/598.20A	----	682.70 + 24.20	.7698	----	----	----	----	332 UNCH
4810	----	----	#727.70B/----	#727.70B/606.20A	----	691.10 + 24.90	.7733	----	----	----	----	56 UNCH
4815	----	----	#731.90B/----	#731.90B/610.20A	----	695.30 + 25.20	.7749	----	----	----	----	10 UNCH
4820	----	----	#736.20B/----	#736.20B/614.20A	----	699.50 + 25.50	.7767	----	----	----	----	21 UNCH
4825	----	----	740.10B/----	740.10B/617.40A	----	703.80 + 25.90	.7783	----	----	----	----	112 UNCH
4830	----	----	#744.70B/----	#744.70B/621.40A	----	708.00 + 26.20	.7800	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4835	----	----	#748.90B/----	#748.90B/626.20A	----	712.20 + 26.50	.7816	----	----	----	----	125 UNCH
4850	----	----	761.80B/----	761.80B/637.60A	----	725.00 + 27.40	.7865	----	----	----	----	13 UNCH
4875	----	----	783.40B/----	783.40B/657.90A	----	746.50 + 28.90	.7945	----	----	----	----	16 UNCH
4880	----	----	#787.70B/----	#787.70B/662.20A	----	750.80 + 29.20	.7959	----	----	----	----	12 UNCH
4900	----	----	805.00B/----	805.00B/678.70A	----	768.10 + 30.30	.8020	----	----	----	----	111 UNCH
4925	----	----	826.90B/----	826.90B/699.50A	----	789.90 + 31.60	.8092	----	----	4	----	240 + 4
4930	----	----	#831.30B/----	#831.30B/703.70A	----	794.30 + 31.90	.8107	----	----	----	----	1 UNCH
4935	----	----	#835.50B/----	#835.50B/707.90A	----	798.70 + 32.20	.8120	----	----	----	----	2 UNCH
4940	----	----	#840.20B/----	#840.20B/712.50A	----	803.00 + 32.30	.8134	----	----	----	----	29 UNCH
4950	----	----	849.10B/----	849.10B/720.50A	----	811.80 + 32.80	.8162	----	----	----	----	24 UNCH
4975	----	----	871.30B/----	871.30B/741.60A	----	834.00 + 34.10	.8229	----	----	----	----	43 UNCH
4980	----	----	#875.60B/----	#875.60B/746.10A	----	838.40 + 34.30	.8241	----	----	----	----	5 UNCH
4995	----	----	#889.00B/----	#889.00B/758.70A	----	851.70 + 34.90	.8279	----	----	----	----	32 UNCH
5000	803.00	803.00	893.50B/803.00	893.50B/763.70A	----	856.20 + 35.20	.8292	----	----	5	----	449 + 4
5020	----	----	#911.40B/----	#911.40B/780.30A	----	874.10 + 36.00	.8342	----	----	----	----	8 UNCH
5025	----	----	916.10B/----	916.10B/784.60A	----	878.60 + 36.30	.8355	----	----	----	----	210 UNCH
5035	----	----	#925.00B/----	#925.00B/793.30A	----	887.60 + 36.70	.8378	----	----	----	----	8 UNCH
5050	----	----	#938.50B/----	#938.50B/806.80A	----	901.10 + 37.30	.8414	----	----	----	----	201 UNCH
5070	----	----	#956.70B/----	#956.70B/823.80A	----	919.10 + 38.00	.8460	----	----	----	----	1 UNCH
5075	----	----	#961.40B/----	#961.40B/828.20A	----	923.70 + 38.20	.8471	----	----	----	----	100 UNCH
5095	----	----	#979.50B/----	#979.50B/846.50A	----	941.80 + 38.90	.8515	----	----	----	----	6 UNCH
5100	----	----	984.10B/----	984.10B/850.30A	----	946.40 + 39.10	.8526	----	----	----	----	6 UNCH
5195	----	----	#1,071.90B/----	#1071.90B/936.10A	----	1033.60 + 42.00	.8717	----	----	----	----	5 UNCH
5200	934.10	934.10	1,076.40B/934.1	1076.40B/934.10	----	1038.30 + 42.20	.8726	----	----	5	----	33 - 5
5250	----	----	#1,123.10B/----	#1123.10B/985.90A	----	1084.80 + 43.50	.8814	----	----	----	----	126 UNCH
5290	----	----	#1,149.30B/----	#1149.30B/1023.40A	----	1122.30 + 44.40	.8878	----	----	----	----	1 UNCH
5295	----	----	#1,154.00B/----	#1154.00B/1028.40A	----	1127.00 + 44.50	.8886	----	----	----	----	1 UNCH
5360	----	----	#1,215.60B/----	#1215.60B/1088.90A	----	1188.30 + 45.70	.8981	----	----	----	----	100 UNCH
5370	----	----	#1,225.10B/----	#1225.10B/1098.30A	----	1197.80 + 45.90	.8995	----	----	----	----	20 UNCH
5375	----	----	#1,229.60B/----	#1229.60B/1102.90A	----	1202.60 + 46.10	.9001	----	----	----	----	34 UNCH
5400	----	----	#1,253.70B/----	#1253.70B/1126.20A	----	1226.30 + 46.40	.9033	----	----	----	----	102 UNCH
5415	----	----	#1,268.00B/----	#1268.00B/1140.60A	----	1240.60 + 46.70	.9053	----	----	----	----	4 UNCH
5460	----	----	#1,281.10B/----	#1281.10B/1182.40A	----	1283.60 + 47.30	.9107	----	----	----	----	200 UNCH
5465	----	----	#1,285.90B/----	#1285.90B/1187.70A	----	1288.40 + 47.40	.9112	----	----	----	----	50 UNCH
5480	----	----	#1,300.30B/----	#1300.30B/1201.90A	----	1302.80 + 47.60	.9128	----	----	----	----	50 UNCH
5500	----	----	#1,319.30B/----	#1319.30B/1221.10A	----	1322.00 + 47.90	.9149	----	----	----	----	31 UNCH
5525	----	----	#1,343.80B/----	#1343.80B/1244.10A	----	1346.10 + 48.20	.9176	----	----	----	----	80 UNCH
5600	----	----	#1,411.20B/----	#1411.20B/1316.70A	----	1418.60 + 49.10	.9247	----	----	----	----	252 UNCH
5900	----	----	#1,704.10B/----	#1704.10B/1608.00A	----	1711.80 + 51.70	.9456	----	----	----	----	125 UNCH
6000	----	----	#1,802.70B/----	#1802.70B/----	----	1810.30 + 52.50	.9505	----	----	----	----	40 UNCH
6500	----	----	----	----	----	2306.40 + 54.20	.9664	----	----	----	----	4 UNCH
TOTAL										1709	1,300	33640 + 2083
JAN27												
2625	----	----	----	7.50B/12.60A	----	10.50 + 2.90	.0232	----	----	----	----	4 UNCH
2700	----	----	#9.10B/----	9.10B/14.20A	----	11.90 + 3.40	.0267	----	----	----	----	21 UNCH
2800	----	----	11.90B/----	11.90B/16.80A	----	14.40 + 4.10	.0326	----	----	----	----	12 UNCH
3000	21.80	21.80	21.80/21.80	21.80/21.80	----	23.40 + 6.70	.0521	----	----	3	----	38 UNCH
3250	----	----	39.50B/----	39.50B/34.90A	----	39.80 + 11.30	.0874	----	----	----	----	2 UNCH
3300	----	----	46.40B/----	46.40B/39.20A	----	43.90 + 12.40	.0963	----	----	----	----	1 UNCH
3500	----	----	73.90B/----	73.90B/51.30A	----	67.50 + 18.40	.1434	----	----	----	----	2 UNCH
3520	----	----	77.30B/----	77.30B/53.40A	----	70.40 + 19.10	.1491	----	----	----	----	1 UNCH
3600	----	----	91.90B/----	91.90B/63.10A	----	83.70 + 22.80	.1737	----	----	----	----	13 UNCH
3680	----	----	109.10B/----	109.10B/74.60A	----	99.40 + 27.20	.2016	----	----	----	----	1 UNCH
3700	----	----	114.40B/----	114.40B/77.90A	----	103.70 NEW	.2090	----	----	1	----	1 + 1
3800	123.20	123.20	139.70B/123.20	139.70B/95.80A	----	128.00 + 34.90	.2492	----	----	16	----	17 + 16
3825	----	----	147.30B/----	147.30B/100.90A	----	134.70 + 36.50	.2599	----	----	1	----	0 - 1
3850	----	----	155.10B/----	155.10B/106.40A	----	141.80 + 38.30	.2710	----	----	----	----	230 UNCH
3900	----	----	171.30B/----	171.30B/117.80A	----	156.90 + 42.00	.2939	----	----	----	----	3 UNCH
3980	----	----	200.20B/----	200.20B/138.80A	----	183.90 + 48.40	.3326	----	----	----	----	1 UNCH
4000	175.00	175.00	208.00B/175.00	208.00B/144.60A	----	191.20 + 50.00	.3426	----	----	2	----	106 + 1
4025	----	----	217.90B/----	217.90B/151.90A	----	200.60 + 52.10	.3554	----	----	----	----	2 UNCH
4070	----	----	237.00B/----	237.00B/166.20A	----	218.50 + 56.00	.3787	----	----	----	----	1 UNCH
4100	----	----	249.00B/----	249.00B/176.30A	----	231.20 + 58.70	.3946	----	----	1	----	20 + 1
4200	----	----	297.30B/----	297.30B/213.90A	----	277.30 + 67.90	.4486	----	----	----	----	4 UNCH
4250	----	----	325.00B/----	325.00B/234.80A	----	302.60 NEW	.4758	----	----	1	----	1 + 1
4255	----	----	327.90B/----	327.90B/236.90A	----	305.30 + 73.10	.4785	----	----	----	----	19 UNCH
4300	----	----	#349.70B/----	#349.70B/257.40A	----	329.50 + 77.30	.5029	----	----	----	----	1 UNCH
4350	----	----	#379.20B/----	#379.20B/281.30A	----	358.00 + 82.10	.5297	----	----	----	----	1 UNCH
4375	----	----	#394.30B/----	#394.30B/293.90A	----	372.70 + 84.30	.5429	----	----	----	----	15 UNCH
4400	----	----	#409.80B/----	#409.80B/307.00A	----	387.90 + 86.70	.5559	----	----	----	----	1 UNCH
4455	----	----	#445.50B/----	#445.50B/337.70A	----	422.50 + 91.80	.5840	----	----	----	----	1 UNCH
4500	408.50	408.50	#475.60B/408.50	#475.60B/375.30A	----	452.00 + 95.70	.6064	----	----	5	----	10 + 5
4575	----	----	#528.30B/----	#528.30B/421.20A	----	503.70 + 02.20	.6418	----	----	----	----	1 UNCH
4585	----	----	#535.50B/----	#535.50B/427.60A	----	510.80 + 03.00	.6464	----	----	----	----	1 UNCH
4600	----	----	#546.50B/----	#546.50B/437.20A	----	521.60 + 04.30	.6531	----	----	----	----	3 UNCH
4610	----	----	#553.80B/----	#553.80B/443.70A	----	528.80 + 05.10	.6576	----	----	----	----	1 UNCH
4620	----	----	#561.40B/----	#561.40B/450.30A	----	536.10 + 05.90	.6621	----	----	----	----	1 UNCH
4630	----	----	#568.60B/----	#568.60B/456.90A	----	543.40 + 06.70	.6664	----	----	----	----	1 UNCH
4650	----	----	#583.50B/----	#583.50B/470.20A	----	558.10 + 08.20	.6750	----	----	----	----	2 UNCH
4660	----	----	#591.20B/----	#591.20B/477.00A	----	565.60 + 09.00	.6793	----	----	----	----	4 UNCH
4665	----	----	#594.90B/----	#594.90B/480.40A	----	569.30 + 09.40	.6814	----	----	----	----	4 UNCH
4700	----	----	#618.40B/----	#618.40B/541.60A	----	595.80 + 12.00	.6958	----	----	----	----	1 UNCH
4710	----	----	#619.50B/----	#619.50B/548.90A	----	603.50 + 12.80	.6998	----	----	----	----	4 UNCH
4760	----	----	#619.60B/----	#619.60B/586.20A	----	642.50 + 16.40	.7193	----	----	----	----	100 UNCH
4800	----	----	615.60B/----	615.60B/616.70A	----	674.30 + 19.00	.7340	----	----	----	----	6 UNCH
4805	----	----	612.30B/----	612.30B/620.40A	----	678.30 + 19.30	.7359	----	----	----	----	1 UNCH
4820	----	----	576.60B/----	576.60B/771.10A	----	690.40 + 20.30	.7412	----	----	----	----	6 UNCH
4860	----	----	609.60B/----	609.60B/801.20A	----	723.10 + 22.80	.7548	----	----	----	----	1 UNCH
4880	----	----	626.40B/----	626.40B/816.30A	----	739.60 + 23.90	.7614	----	----	----	----	1 UNCH
4960	----	----	694.60B/----	694.60B/878.80A	----	807.00 + 28.40	.7859	----	----	----	----	42 UNCH
4980	----	----	712.00B/----	712.00B/894.70A	----	824.10 + 29.50	.7917	----	----	----	----	9 UNCH
4990	----	----	720.70B/----	720.70B/902.70A	----	832.70 + 30.00	.7945	----	----	----	----	1 UNCH
4995	----	----	725.10B/----	725.10B/906.70A	----	837.00 + 30.20	.7960	----	----	----	----	1 UNCH
5000	----	----	729.50B/----	729.50B/910.80A	----	841.30 + 30.50	.7973	----	----	----	----	2 UNCH
5050	----	----	773.60B/----	773.60B/951.30A	----	884.70 + 32.80	.8106	----	----	----	----	100 UNCH
5085	----	----	#804.90B/----	#804.90B/980.20A	----	915.50 + 34.40	.8193	----	----	----	----	2 UNCH
5150	----	----	#863.60B/----	#863.60B/1034.50A	----	973.40 + 37.10	.8345	----	----	----	----	2 UNCH
5235	----	----	#941.20B/----	#941.20B/1107.00A	----	1050.40 + 40.20	.8519	----	----	----	----	2 UNCH
5245	----	----	#950.30B/----	#950.30B/1115.80A	----	1059.50 + 40.50	.8538	----	----	----	----	2 UNCH
5300	----	----	#1,000.50B/----	#1000.50B/1163.60A	----	1110.20 + 42.30	.8635	----	----	----	----	44 UNCH
TOTAL										30		874 + 24
FEB27												
2800	15.00	15.00	#15.00/15.00	#15.00/15.00	----	15.80 + 5.50	.0348	----	----	4	----	10 + 4
3000	----	----	#23.60B/----	#23.60B/28.70A	----	25.50 NEW	.0550	----	----	1	----	1 + 1
3160	----	----	#36.90B/----	36.90B/34.30A	----	36.70 + 10.30	.0777	----	----	----	----	2 UNCH
3200	----	----	#40.30B/----	40.30B/37.30A	----	40.10 NEW	.0844	----	----	1	----	1 + 1
3400	----	----	#67.10B/----	#67.10B/50.40A	----	62.00 + 16.10	.1260	----	----	----	----	11 UNCH
3500	68.00	68.00	#83.10B/68.00	#83.10B/59.30A	----	76.70 NEW	.1524	----	----	10	----	10 + 10
3600	----	----	#102.50B/----	#102.50B/72.50A	----	94.40 NEW	.1829	----	----	22	----	22 + 22
3660	----	----	#115.90B/----	#115.90B/81.80A	----	106.70 + 27.10	.2033	----	----	----	----	1 UNCH
3800	----	----	#153.30B/----	#153.30B/108.20A	----	141.30 NEW	.2569	----	----	2	----	0 UNCH
3880	148.00	148.00	#178.50B/148.00	#178.50B/126.80A	----	165.10 NEW	.2912	----	----	2	----	2 + 2
4000	----	----	#223.60B/----	#223.60B/160.00A	----	207.10 + 50.70	.3468	----	----	3	----	61 UNCH
4025	----	----	#232.80B/----	#232.80B/167.80A	----	216.80 + 52.70	.3589	----	----	----	----	35 UNCH
4050	----	----	#243.60B/----	#243.60B/178.50A	----	226.90 + 54.80	.3712	----	----	----	----	100 UNCH
4070	----	----	#253.10B/----	#253.10B/182.70A	----	235.20 + 56.50	.3811	----	----	----	----	2 UNCH
4075	238.80	238.80	#255.50B/238.80	#255.50B/187.10A	----	237.30 NEW	.3836	----	----	5	----	5 + 5
4100	196.00	196.00	#264.80B/196.00	#264.80B/193.10A	----	248.10 + 59.00	.3961	----	----	2	----	570 - 1
4200	228.50	228.50	#312.10B/228.50	#312.10B/228.50	----	294.80 + 67.70	.4471	----	----	2	----	50 UNCH
4330	----	----	#383.60B/----	#383.60B/292.80A	----	364.20 + 79.20	.5134	----	----	----	----	6 UNCH
4370	----	----	#407.60B/----	#407.60B/313.00A	----	387.50 + 82.80	.5333	----	----	----	----	1 UNCH
4400	----	----	#426.00B/----	#426.00B/328.70A	----	405.50 + 85.30	.5481	----	----	1	----	53 UNCH
4440	----	----	#451.40B/----	#451.40B/351.50A	----	430.30 + 88.80	.5674	----	----	----	----	1 UNCH
4500	----	----	#491.10B/----	#491.10B/389.40A	----	469.10 + 93.80	.5957	----	----	----	----	2 UNCH
4600	----	----	#561.20B/----	#561.20B/450.70A	----	537.70 + 01.70	.6403	----	----	----	----	17 UNCH
4630	----	----	#583.10B/----	#583.10B/470.10A	----	559.20 + 04.00	.6529	----	----	----	----	9 UNCH
4635	----	----	#586.80B/----	#586.80B/473.30A	----	562.80 + 04.40	.6550	----	----	----	----	2 UNCH
4650	----	----	#597.80B/----	#597.80B/483.20A	----	573.80 + 05.50	.6612	----	----	----	----	1 UNCH
4655	----	----	#601.50B/----	#601.50B/486.60A	----	577.40 + 05.80	.6632	----	----	----	----	1 UNCH
4660	----	----	#605.30B/----	#605.30B/489.90A	----	581.10 + 06.20	.6652	----	----	----	----	435 UNCH
4665	----	----	#609.00B/----	#609.00B/493.30A	----	584.80 + 06.60	.6673	----	----	----	----	3 UNCH
4680	----	----	#620.30B/----	#620.30B/503.40A	----	595.90 + 07.60	.6733	----	----	----	----	3 UNCH
4750	----	----	#665.30B/----	#665.30B/595.50A	----	649.10 + 12.50	.7001	----	----	----	----	1 UNCH
4755	----	----	#668.10B/----	#668.10B/599.20A	----	653.00 + 12.90	.7020	----	----	----	----	1 UNCH
4775	----	----	#665.70B/----	#665.70B/614.00A	----	668.60 + 14.20	.7093	----	----	----	----	1 UNCH
4785	----	----	#665.20B/----	#665.20B/621.60A	----	676.40 + 14.80	.7128	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
4800	----	----	#665.20B/----	#665.20B/633.00A	----	688.20 + 15.80	.7182	----	----	----	----	60 UNCH
4805	----	----	#665.60B/----	#665.60B/636.80A	----	692.20 + 16.10	.7199	----	----	----	----	2 UNCH
4835	----	----	#663.20B/----	#663.20B/659.70A	----	716.10 + 17.90	.7302	----	----	----	----	1 UNCH
4840	----	----	#663.20B/----	#663.20B/663.50A	----	720.20 + 18.30	.7318	----	----	----	----	1 UNCH
4845	----	----	#660.10B/----	#660.10B/667.40A	----	724.20 + 18.60	.7335	----	----	----	----	3 UNCH
4855	----	----	----	599.30B/834.40A	----	732.30 + 19.20	.7368	----	----	----	----	3 UNCH
4900	----	----	----	636.20B/868.60A	----	769.00 + 21.80	.7512	----	----	----	----	4 UNCH
4905	----	----	----	640.30B/872.50A	----	773.20 + 22.10	.7528	----	----	----	----	4 UNCH
4950	----	----	----	#677.90B/907.40A	----	810.60 + 24.60	.7663	----	----	----	----	1 UNCH
4955	----	----	----	#682.10B/911.40A	----	814.80 + 24.90	.7677	----	----	----	----	1 UNCH
5000	----	----	----	#720.40B/947.00A	----	852.80 + 27.20	.7804	----	----	----	----	10 UNCH
5005	----	----	----	#724.60B/951.00A	----	857.10 + 27.50	.7818	----	----	----	----	2 UNCH
5050	----	----	----	#763.50B/987.20A	----	895.70 + 29.70	.7938	----	----	----	----	4 UNCH
5055	----	----	----	#767.80B/991.40A	----	900.00 + 29.90	.7950	----	----	----	----	4 UNCH
5100	----	----	#807.30B/----	#807.30B/1028.30A	----	939.10 + 32.00	.8062	----	----	----	----	2 UNCH
5150	----	----	#851.50B/----	#851.50B/1069.90A	----	983.10 + 34.20	.8179	----	----	----	----	1 UNCH
5175	----	----	#873.90B/----	#873.90B/1091.00A	----	1005.30 + 35.30	.8233	----	----	----	----	125 UNCH
5200	----	----	#896.30B/----	#896.30B/1112.20A	----	1027.60 + 36.30	.8287	----	----	----	----	1 UNCH
5250	----	----	941.50B/----	941.50B/1155.00A	----	1072.70 + 38.30	.8387	----	----	----	----	15 UNCH
5340	----	----	#1,023.20B/----	#1023.20B/1233.40A	----	1155.00 + 41.40	.8545	----	----	----	----	1 UNCH
5520	----	----	#1,188.20B/----	#1188.20B/1396.10A	----	1323.80 + 46.70	.8791	----	----	----	----	300 UNCH
5530	----	----	#1,197.50B/----	#1197.50B/1405.40A	----	1333.20 + 46.80	.8802	----	----	----	----	100 UNCH
5550	----	----	#1,216.10B/----	#1216.10B/1424.20A	----	1352.30 + 47.40	.8825	----	----	----	----	65 UNCH
5565	----	----	1,230.00B/----	1230.00B/1438.30A	----	1366.60 + 47.70	.8841	----	----	----	----	50 UNCH
TOTAL										55		2280 + 44
MAR27												
3500	----	----	#88.40B/----	#88.40B/64.50A	----	81.10 + 18.70	.1525	----	----	----	----	1 UNCH
3600	----	----	#108.20B/----	#108.20B/78.30A	----	98.90 + 22.00	.1815	----	----	----	----	875 UNCH
3750	----	----	#145.00B/----	#145.00B/104.50A	----	132.20 + 28.60	.2325	----	----	----	----	10 UNCH
3850	----	----	#174.70B/----	#174.70B/126.30A	----	159.60 + 34.30	.2713	----	----	----	----	21 UNCH
3900	----	----	#191.30B/----	#191.30B/138.70A	----	175.10 + 37.60	.2921	----	----	----	----	11 UNCH
4000	----	----	#228.50B/----	#228.50B/166.90A	----	210.00 + 45.10	.3361	----	----	----	----	6 UNCH
4070	----	----	#257.40B/----	#257.40B/189.30A	----	237.80 + 51.30	.3684	----	----	----	----	2 UNCH
4200	----	----	#315.00B/----	#315.00B/237.60A	----	297.10 + 64.20	.4306	----	----	----	----	575 UNCH
4325	----	----	#369.00B/----	#369.00B/297.70A	----	363.10 + 76.60	.4907	----	----	----	----	10 UNCH
4370	----	----	#394.80B/----	#394.80B/319.30A	----	388.80 + 80.40	.5120	----	----	----	----	250 UNCH
4500	----	----	#475.30B/----	#475.30B/391.20A	----	468.10 + 88.90	.5714	----	----	----	----	6 UNCH
4525	----	----	#491.50B/----	#491.50B/405.60A	----	484.20 + 90.30	.5824	----	----	----	----	11 UNCH
4650	----	----	#521.80B/----	#521.80B/481.90A	----	568.70 + 98.10	.6353	----	----	----	----	3 UNCH
4660	----	----	#521.30B/----	#521.30B/488.30A	----	575.80 + 98.80	.6393	----	----	----	----	25 UNCH
4680	----	----	#516.50B/----	#516.50B/501.30A	----	590.00 + 00.30	.6474	----	----	----	----	1 UNCH
4700	----	----	#520.40B/----	#520.40B/514.50A	----	604.30 + 01.70	.6553	----	----	----	----	16 UNCH
4710	----	----	#515.40B/----	#515.40B/521.20A	----	611.50 + 02.40	.6592	----	----	----	----	4 UNCH
4720	----	----	----	515.30B/527.90A	----	618.80 + 03.20	.6631	----	----	----	----	2 UNCH
4740	----	----	----	515.50B/541.50A	----	633.50 + 04.70	.6707	----	----	----	----	3 UNCH
4750	----	----	----	516.80B/548.30A	----	640.80 + 05.40	.6745	----	----	----	----	15 UNCH
4810	----	----	----	526.10B/829.40A	----	685.90 + 09.90	.6965	----	----	----	----	22 UNCH
4850	----	----	----	#557.10B/858.40A	----	716.70 + 12.80	.7105	----	----	----	----	6 UNCH
4900	----	----	----	#596.70B/895.30A	----	755.90 + 16.30	.7273	----	----	----	----	2 UNCH
4905	----	----	----	#600.70B/899.10A	----	759.90 + 16.60	.7290	----	----	----	----	2 UNCH
5000	----	----	----	#678.50B/971.60A	----	836.90 + 22.30	.7582	----	----	----	----	75 UNCH
TOTAL												1954 0
APR27												
3460	----	----	#90.20B/----	#90.20B/67.60A	----	83.70 + 19.80	.1496	----	----	----	----	1 UNCH
3500	----	----	#97.60B/----	#97.60B/73.00A	----	90.70 + 21.70	.1604	----	----	----	----	1 UNCH
3545	99.80	99.80	#106.70B/99.80	#106.70B/79.40A	----	99.10 NEW	.1732	----	----	10	----	10 + 10
3590	113.40	113.40	#116.50B/113.40	#116.50B/86.40A	----	108.20 NEW	.1867	----	----	10	----	10 + 10
3595	114.50	114.50	#117.60B/114.50	#117.60B/87.30A	----	109.30 NEW	.1882	----	----	10	----	10 + 10
3600	----	----	#118.70B/----	#118.70B/88.10A	----	110.30 + 26.60	.1898	----	----	----	----	1 UNCH
3700	----	----	#143.50B/----	#143.50B/106.10A	----	133.60 + 31.70	.2227	----	----	1	----	2 + 1
3800	----	----	#172.30B/----	#172.30B/127.50A	----	160.80 + 37.00	.2590	----	----	----	----	1 UNCH
3900	----	----	#205.50B/----	#205.50B/152.70A	----	192.30 + 42.50	.2983	----	----	----	----	1 UNCH
4000	----	----	#243.30B/----	#243.30B/182.10A	----	228.50 + 48.60	.3403	----	----	----	----	1 UNCH
4100	----	----	#282.10B/----	#282.10B/216.00A	----	269.50 + 55.40	.3844	----	----	----	----	1 UNCH
4200	----	----	#331.20B/----	#331.20B/254.70A	----	315.50 + 63.20	.4297	----	----	----	----	1 UNCH
4300	----	----	#370.10B/----	#370.10B/298.20A	----	366.60 + 72.10	.4755	----	----	----	----	151 UNCH
4350	----	----	#398.20B/----	#398.20B/322.10A	----	394.10 + 76.90	.4981	----	----	----	----	1 UNCH
4400	----	----	#427.50B/----	#427.50B/355.10A	----	422.80 + 81.60	.5204	----	----	----	----	1 UNCH
4500	----	----	#489.60B/----	#489.60B/409.70A	----	483.90 + 90.90	.5639	----	----	----	----	1 UNCH
4540	----	----	#515.70B/----	#515.70B/432.70A	----	509.60 + 94.40	.5806	----	----	----	----	1 UNCH
4900	----	----	----	#559.60B/971.80A	----	771.50 + 18.20	.7115	----	----	----	----	2 UNCH
4905	----	----	----	#563.60B/975.50A	----	775.50 + 18.50	.7130	----	----	----	----	2 UNCH
5000	----	----	----	#641.10B/1046.20A	----	852.00 + 22.40	.7410	----	----	----	----	100 UNCH
5060	----	----	----	#691.40B/1092.10A	----	901.50 + 24.50	.7574	----	----	----	----	25 UNCH
5200	----	----	----	#812.40B/1202.80A	----	1019.90 + 28.30	.7921	----	----	----	----	15 UNCH
TOTAL										31		339 + 31
JUN27												
2800	----	----	----	0.10B/298.30A	----	29.70 - 6.30	.0507	----	----	----	----	6 UNCH
3625	----	----	----	5.10B/226.00A	----	173.60 - 5.40	.2225	----	----	----	----	450 UNCH
4900	----	----	----	#365.60B/1191.60A	----	854.60 + 83.50	.6284	----	----	----	----	1 UNCH
4905	----	----	----	#369.50B/1195.20A	----	858.30 + 83.70	.6297	----	----	----	----	1 UNCH
5085	----	----	----	#517.60B/1328.10A	----	993.90 + 89.20	.6748	----	----	----	----	150 UNCH
TOTAL												608 0
DEC27												
3700	----	----	----	----	----	215.00 + 34.00	.2332	----	----	----	----	100 UNCH
3715	----	----	----	----	----	218.90 + 34.50	.2369	----	----	----	----	150 UNCH
3820	----	----	----	----	----	248.00 + 38.50	.2642	----	----	----	----	50 UNCH
4130	----	----	----	----	----	352.30 + 52.00	.3551	----	----	----	----	168 UNCH
4500	----	----	----	----	----	522.40 + 70.50	.4781	----	----	----	----	270 UNCH
4630	----	----	----	----	----	595.30 + 77.20	.5210	----	----	----	----	284 UNCH
4860	----	----	----	----	----	740.30 + 88.60	.5927	----	----	----	----	100 UNCH
5000	----	----	----	----	----	837.80 + 95.20	.6324	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1355.80 + 20.60	.7748	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1556.90 + 27.70	.8108	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	829.00 + 92.70	.6146	----	----	----	----	1 UNCH
5100	----	----	----	----	----	900.80 + 97.00	.6407	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
2000	----	----	----/*2,097.00A	2200.70B/*2097.00A	----	?133.30 - 53.10	1.0000	161	----	282	----	0 UNCH
3300	----	----	----	----	----	834.70 - 52.10	.9887	----	----	----	----	2 UNCH
3400	----	----	----/694.90A	803.10B/694.90A	----	735.60 - 51.60	.9830	----	----	----	----	20 UNCH
3500	----	----	----/597.20A	710.10B/597.20A	----	637.00 - 51.00	.9740	----	----	----	----	5 UNCH
3600	----	----	----/501.00A	644.20B/501.00A	----	539.50 - 49.50	.9586	----	----	----	----	24 UNCH
3650	----	----	----/453.80A	595.30B/453.80A	----	491.40 - 48.40	.9472	----	----	----	----	10 UNCH
3670	----	----	----/435.30A	575.90B/435.30A	----	472.20 - 47.90	.9416	----	----	----	----	3 UNCH
3700	454.20	454.20	456.90/407.50A	546.80B/407.50A	----	443.80 - 46.90	.9322	----	----	8	----	118 - 1
3735	----	----	----/375.70A	513.00B/375.70A	----	410.90 - 45.50	.9196	----	----	----	----	1 UNCH
3775	430.00	430.00	430.00/340.10A	474.60B/340.10A	----	373.90 - 43.50	.9014	----	----	3	----	3 - 1
3800	----	----	----/318.30A	453.70B/318.30A	----	351.10 - 42.10	.8883	----	----	----	----	2056 UNCH
3825	----	----	----/296.90A	445.30B/296.90A	----	328.70 - 40.40	.8735	----	----	----	----	3 UNCH
3850	----	----	----/276.00A	422.40B/276.00A	----	306.50 - 38.60	.8567	----	----	----	----	65 UNCH
3860	----	----	----/267.60A	412.80B/267.60A	----	297.80 - 37.70	.8497	----	----	----	----	1 UNCH
3865	----	----	----/263.50A	408.10B/263.50A	----	293.40 - 37.30	.8458	----	----	----	----	7 UNCH
3875	----	----	----/255.30A	398.60B/255.30A	----	284.80 - 36.40	.8383	----	----	----	----	25 UNCH
3900	315.20	315.20	315.20/235.30A	375.00B/235.30A	----	263.50 - 34.00	.8176	----	----	7	----	21 + 3
3905	----	----	----/231.30A	370.30B/231.30A	----	259.30 NEW	.8131	----	----	1	----	1 + 1
3925	----	----	----/215.80A	351.60B/215.80A	----	242.70 - 31.30	.7949	----	----	----	----	35 UNCH
3950	----	----	----/196.90A	331.70B/196.90A	----	222.40 - 28.40	.7696	----	----	----	----	821 UNCH
3960	----	----	----/189.50A	319.30B/189.50A	----	214.40 - 27.20	.7590	----	----	----	----	1 UNCH
3975	----	----	----/178.70A	305.70B/178.70A	----	202.70 NEW	.7420	----	----	1	----	1 + 1
3990	180.60	180.60	180.60/168.10A	292.10B/168.10A	----	191.20 NEW	.7242	----	----	10	----	10 + 10
4000	231.00	231.00	236.20/161.20A	288.10B/161.20A	----	183.70 - 21.40	.7119	----	----	9	----	39 + 5
4005	181.10	181.10	181.10/157.80A	278.70B/157.80A	----	179.90 NEW	.7056	----	----	10	----	10 + 10
4010	177.40	177.40	177.40/154.40A	274.30B/154.40A	----	176.30 NEW	.6991	----	----	13	----	13 + 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4020	----	----	----/148.10A	265.50B/148.10A	----	169.00 - 18.30	.6860	----	----	1	----	2 + 1
4025	151.50	151.50	155.70/144.80A	261.10B/144.80A	----	165.40 NEW	.6792	----	----	11	----	11 + 11
4030	148.10	148.10	148.10/141.60A	256.70B/141.60A	----	161.80 - 16.60	.6724	----	----	11	----	12 + 11
4035	165.30	165.30	165.30/*138.40A	252.30B/*138.40A	----	158.30 NEW	.6654	----	----	1	----	1 + 1
4040	----	----	----/135.20A	248.00B/135.20A	----	154.80 - 14.90	.6584	----	----	----	----	1 UNCH
4045	----	----	----/*132.10A	243.70B/*132.10A	----	151.30 NEW	.6513	----	----	1	----	1 + 1
4050	157.00	157.00	157.00/129.00A	239.40B/129.00A	----	147.90 NEW	.6440	----	----	9	----	9 + 9
4060	150.70	150.70	150.70/122.90A	231.00B/122.90A	----	141.10 NEW	.6293	----	----	1	----	1 + 1
4070	----	----	----/116.90A	222.50B/116.90A	----	134.50 - 09.30	.6142	----	----	----	----	1 UNCH
4075	----	----	----/114.00A	218.30B/114.00A	----	131.30 - 08.30	.6064	----	----	----	----	6 UNCH
4085	149.60	149.60	149.60/*108.30A	210.00B/*108.30A	----	124.90 NEW	.5908	----	----	2	----	2 + 2
4090	155.60	155.60	155.60/105.40A	205.90B/105.40A	----	121.80 NEW	.5828	----	----	10	----	10 + 10
4095	126.60	126.60	126.60/*102.70A	201.80B/*102.70A	----	118.70 - 04.20	.5748	----	----	2	----	5 + 1
4100	118.70	118.70	118.70/100.00A	199.00B/100.00A	----	115.70 - 03.10	.5667	----	----	26	----	218 + 24
4105	118.60	118.60	118.60/*97.40A	193.70B/*97.40A	----	112.70 - 02.00	.5585	----	----	2	----	2 + 1
4110	141.30	141.30	141.30/*94.60A	189.70B/*94.60A	----	109.70 - 00.90	.5503	----	----	10	----	13 + 9
4115	137.90	137.90	137.90/*92.10A	185.70B/*92.10A	----	106.80 - 99.80	.5420	----	----	11	----	12 + 11
4120	134.60	134.60	134.60/*89.60A	181.80B/*89.60A	----	103.90 NEW	.5336	----	----	3	----	3 + 3
4125	97.20	97.20	97.20/*87.20A	177.80B/*87.20A	----	101.10 NEW	.5252	----	----	17	----	17 + 17
4130	107.00	107.00	107.00/*84.70A	174.00B/*84.70A	----	98.30 - 96.30	.5167	----	----	6	----	6 + 4
4135	104.10	104.10	104.10/*82.20A	170.20B/*82.20A	----	95.60 NEW	.5082	----	----	3	----	3 + 3
4140	101.30	101.30	101.30/*79.90A	166.30B/*79.90A	----	92.90 - 93.90	.4996	----	----	10	----	11 + 10
4145	98.50	98.50	98.50/*77.60A	163.30B/*77.60A	----	90.20 - 92.70	.4909	----	----	17	----	44 + 15
4150	108.00	108.00	108.00/*75.30A	160.00B/*75.30A	----	87.60 - 91.50	.4823	----	----	120	----	130 + 92
4155	93.00	93.00	93.00/*73.10A	155.00B/*73.10A	----	85.10 - 90.20	.4736	----	----	5	----	6 + 4
4160	88.70	88.70	90.30/*70.80A	151.30B/*70.80A	----	82.60 - 88.90	.4649	----	----	45	----	39 + 31
4165	87.80	87.80	87.80/*68.80A	147.70B/*68.80A	----	80.10 - 87.60	.4562	----	----	4	----	8 + 3
4170	85.20	85.20	86.20/*66.60A	144.00B/*66.60A	----	77.70 - 86.30	.4475	----	----	7	----	12 + 6
4175	94.50	94.50	94.50/*64.60A	140.50B/*64.60A	----	75.40 - 84.90	.4388	----	----	25	----	19 + 17
4180	102.30	102.30	102.30/*62.60A	140.30B/*62.60A	----	73.10 - 83.60	.4301	----	----	104	----	88 + 88
4185	91.30	91.30	95.40/*60.80A	143.30B/*60.80A	----	70.80 - 82.30	.4213	----	----	76	----	68 + 67
4190	94.00	94.00	94.00/*58.90A	134.70B/*58.90A	----	68.60 - 80.90	.4126	----	----	60	----	48 + 36
4195	73.10	73.10	73.10/*56.90A	131.20B/*56.90A	----	66.50 - 79.50	.4040	----	----	3	----	13 + 3
4200	118.00	118.00	118.00/55.10A	127.90B/55.10A	----	64.30 - 78.20	.3952	----	----	457	----	286 + 248
4205	99.40	99.40	99.40/*53.40A	124.40B/*53.40A	----	62.30 NEW	.3867	----	----	10	----	10 + 10
4210	92.90	92.90	92.90/*51.60A	121.00B/*51.60A	----	60.30 - 75.30	.3781	----	----	16	----	20 + 10
4215	75.90	75.90	75.90/*50.00A	120.40B/*50.00A	----	58.30 - 73.90	.3695	----	----	22	----	33 + 7
4220	88.50	88.50	88.50/*48.30A	117.00B/*48.30A	----	56.40 - 72.50	.3610	----	----	8	----	8 + 7
4225	88.70	88.70	88.80/*46.70A	115.10B/*46.70A	----	54.50 - 71.10	.3525	----	----	10	----	16 + 5
4230	82.40	82.40	86.20/*45.20A	111.70B/*45.20A	----	52.70 - 69.60	.3442	----	----	19	----	10 + 9
4235	81.00	81.00	93.70/*43.70A	109.30B/*43.70A	----	51.00 - 68.10	.3361	----	----	15	----	11 + 10
4240	81.00	81.00	94.50/*42.20A	106.10B/*42.20A	----	49.30 - 66.60	.3279	----	----	75	----	63 + 21
4245	78.80	78.80	88.30/*40.90A	102.50B/*40.90A	----	47.60 - 65.10	.3197	----	----	39	----	33 + 32
4250	85.50	85.50	85.70/*39.40A	99.60B/*39.40A	----	46.00 - 63.60	.3117	----	----	552	275	536 + 217
4255	76.20	76.20	76.20/*38.00A	95.80B/*38.00A	----	44.40 - 62.20	.3037	----	----	15	----	20 + 12
4260	80.70	80.70	80.70/*36.80A	94.00B/*36.80A	----	42.90 - 60.70	.2960	----	----	68	----	58 + 56
4265	58.90	58.90	58.90/*35.50A	93.40B/*35.50A	----	41.40 - 59.20	.2882	----	----	22	----	20 + 16
4270	51.80	51.80	52.50/*34.30A	90.00B/*34.30A	----	40.00 - 57.70	.2807	----	----	24	----	48 + 4
4275	55.10	55.10	55.10/*33.10A	87.10B/*33.10A	----	38.60 - 56.30	.2732	----	----	10	----	92 + 3
4280	53.30	53.30	56.30/*31.90A	85.20B/*31.90A	----	37.20 - 54.80	.2657	----	----	15	----	19 + 8
4285	54.20	54.20	54.60/*30.80A	82.00B/*30.80A	----	35.90 - 53.40	.2584	----	----	13	----	16 + 7
4290	49.70	49.70	52.70/*29.70A	79.30B/*29.70A	----	34.70 - 51.90	.2515	----	----	28	----	42 + 23
4295	54.00	54.00	54.00/*28.60A	76.70B/*28.60A	----	33.40 - 50.50	.2443	----	----	44	----	56 + 39
4300	65.40	65.40	65.40/*27.60	74.30B/*27.60	----	32.20 - 49.10	.2373	----	----	580	20	491 + 287
4305	44.90	44.90	44.90/*26.70A	71.90B/*26.70A	----	31.10 - 47.60	.2307	----	----	16	----	11 + 1
4310	47.60	47.60	47.60/*25.70A	69.30B/*25.70A	----	30.00 - 46.20	.2241	----	----	45	----	29 + 23
4315	41.90	41.90	41.90/*24.80A	67.10B/*24.80A	----	28.90 - 44.90	.2176	----	----	4	----	28 + 3
4320	40.40	40.40	40.40/*23.90A	64.80B/*23.90A	----	27.90 - 43.50	.2113	----	----	8	----	10 + 1
4325	53.90	53.90	53.90/*23.10A	63.20B/*23.10A	----	26.80 - 42.30	.2048	----	----	10	----	62 + 3
4330	44.10	44.10	44.10/*22.20A	61.50B/*22.20A	----	25.90 - 40.90	.1989	----	----	21	----	20 + 7
4335	25.30	25.30	25.30/*21.40A	59.20B/*21.40A	----	24.90 - 39.70	.1927	----	----	2	----	11 + 2
4340	47.50	47.50	47.50/*20.60A	57.20B/*20.60A	----	24.00 - 38.40	.1869	----	----	28	----	34 + 23
4345	43.80	43.80	43.80/*19.90A	55.20B/*19.90A	----	23.10 - 37.20	.1811	----	----	15	----	51 + 15
4350	44.60	44.60	44.60/*19.20A	53.00B/*19.20A	----	22.30 - 35.90	.1758	----	----	352	160	448 + 332
4355	35.00	35.00	35.00/*18.50A	51.20B/*18.50A	----	21.40 - 34.80	.1700	----	----	48	----	63 + 27
4360	41.90	41.90	41.90/*17.80A	49.50B/*17.80A	----	20.70 - 33.50	.1651	----	----	57	----	840 + 40
4365	19.60	19.60	19.60/*17.20A	47.40B/*17.20A	----	19.90 - 32.40	.1597	----	----	4	----	83 + 3
4370	31.40	31.40	37.50/*16.60A	45.80B/*16.60A	----	19.20 - 31.20	.1548	----	----	47	----	64 + 13
4375	37.70	37.70	37.70/*15.90A	44.00B/*15.90A	----	18.50 - 30.10	.1500	----	----	74	----	265 + 56
4380	24.70	24.70	27.40/*15.40A	42.40B/*15.40A	----	17.80 - 29.00	.1451	----	----	58	----	62 + 55
4385	----	----	----/*14.80A	40.80B/*14.80A	----	17.10 - 28.00	.1403	----	----	----	----	17 UNCH
4390	22.20	22.20	22.40/*14.30A	38.90B/*14.30A	----	16.50 - 26.90	.1359	----	----	17	----	51 + 3
4395	16.20	16.20	16.20/*13.70A	37.80B/*13.70A	----	15.90 - 25.80	.1316	----	----	1	----	13 + 1
4400	32.00	32.00	32.70/*13.20A	36.40B/*13.20A	----	15.40 - 24.70	.1277	----	----	1151	----	3238 + 594
4405	22.90	22.90	22.90/*12.80A	34.60B/*12.80A	----	14.80 - 23.80	.1234	----	----	6	----	15 - 1
4410	29.00	29.00	29.00/*12.30A	33.30B/*12.30A	----	14.30 - 22.80	.1196	----	----	35	----	61 - 7
4415	21.00	21.00	21.00/*11.90A	31.90B/*11.90A	----	13.80 - 21.90	.1159	----	----	10	----	52 + 8
4420	25.90	25.90	25.90/*11.40A	30.70B/*11.40A	----	13.30 - 21.00	.1121	----	----	24	----	75 + 15
4425	22.70	22.70	24.20/*11.10A	29.70B/*11.10A	----	12.80 - 20.20	.1084	----	----	199	----	197 + 106
4430	16.00	16.00	16.40/*10.60A	28.40B/*10.60A	----	12.40 - 19.30	.1052	----	----	71	----	141 + 28
4435	17.50	17.50	17.50/*10.30A	27.20B/*10.30A	----	12.00 - 18.50	.1020	----	----	42	----	49 - 24
4440	16.90	16.90	16.90/*10.00A	26.10B/*10.00A	----	11.50 - 17.80	.0983	----	----	6	----	33 + 4
4445	15.50	15.50	16.10/*9.60A	25.10B/*9.60A	----	11.20 - 16.90	.0957	----	----	26	----	51 UNCH
4450	20.00	20.00	20.00/*9.30A	24.00B/*9.30A	----	10.80 - 16.20	.0926	----	----	325	----	778 + 59
4455	15.00	15.00	15.00/*8.90A	22.90B/*8.90A	----	10.50 - 15.40	.0900	----	----	5	----	26 + 4
4460	14.00	14.00	14.00/*8.60A	22.00B/*8.60A	----	10.10 - 14.80	.0869	----	----	9	----	25 + 9
4465	----	----	----/*8.30A	21.10B/*8.30A	----	9.80 - 14.10	.0844	----	----	----	----	47 UNCH
4470	19.00	19.00	19.00/*8.00A	19.90B/*8.00A	----	9.50 - 13.40	.0819	----	----	37	----	75 + 27
4475	13.80	13.80	18.50/*7.70A	19.30B/*7.70A	----	9.20 - 12.80	.0794	----	----	114	----	239 + 65
4480	10.80	10.80	10.80/*7.40A	18.20B/*7.40A	----	8.90 - 12.20	.0770	----	----	20	----	388 + 6
4485	10.90	10.90	10.90/*7.20A	17.40B/*7.20A	----	8.60 - 11.60	.0745	----	----	15	----	223 + 3
4490	10.70	10.70	10.70/*6.90A	16.90B/*6.90A	----	8.40 - 11.00	.0727	----	----	7	----	42 + 6
4495	11.30	11.30	11.30/*6.70A	16.10B/*6.70A	----	8.10 - 10.40	.0703	----	----	5	----	64 + 5
4500	11.90	11.90	13.50/*6.40	15.50B/*6.40	----	7.80 - 10.00	.0679	----	----	1676	60	2886 + 926
4505	9.70	9.70	9.70/*6.30A	14.80B/*6.30A	----	7.60 - 9.40	.0661	----	----	7	----	87 + 7
4510	13.20	13.20	14.20/*6.10A	14.20/*6.10A	----	7.40 - 8.90	.0643	----	----	12	----	102 - 3
4515	11.90	11.90	11.90/*5.90A	13.60B/*5.90A	----	7.10 - 8.50	.0620	----	----	19	----	307 + 10
4520	9.20	9.20	9.60/*5.70A	13.10B/*5.70A	----	6.90 - 8.00	.0602	----	----	29	----	207 - 14
4525	6.90	6.90	6.90/*5.50A	12.50B/*5.50A	----	6.70 - 7.60	.0585	----	----	3	----	220 - 1
4530	9.50	9.50	9.50/*5.30A	11.90B/*5.30A	----	6.50 - 7.20	.0568	----	----	28	----	208 - 19
4535	----	----	----/*5.20A	11.50B/*5.20A	----	6.30 - 6.90	.0551	----	----	2	----	188 + 2
4540	5.40	5.40	5.40/*5.00A	11.00B/*5.00A	----	6.10 - 6.60	.0534	----	----	3	----	90 - 1
4545	7.40	7.40	7.40/*4.90A	10.60B/*4.90A	----	5.90 - 6.30	.0517	----	----	103	----	151 - 56
4550	10.00	10.00	10.30B/*4.70A	10.30B/*4.70A	----	5.70 - 6.00	.0500	----	----	101	----	651 - 20
4555	4.80	4.80	4.80/*4.60A	9.90B/*4.60A	----	5.60 - 5.70	.0490	----	----	1	----	43 - 1
4560	4.80	4.80	4.80/*4.50A	9.60B/*4.50A	----	5.40 - 5.50	.0473	----	----	5	----	119 + 1
4565	4.50	4.50	4.50/*4.30A	9.20B/*4.30A	----	5.30 - 5.20	.0463	----	----	9	----	149 + 8
4570	9.00	9.00	9.50/*4.20A	9.50/*4.20A	----	5.10 - 5.00	.0447	----	----	12	----	65 - 3
4575	8.00	8.00	8.60B/*4.10A	8.60B/*4.10A	----	5.00 - 4.70	.0437	----	----	31	----	151 - 19
4580	6.80	6.80	8.30B/*4.00A	8.30B/*4.00A	----	4.90 - 4.40	.0427	----	----	44	----	112 - 3
4585	6.90	6.90	8.10B/*3.80A	8.10B/*3.80A	----	4.80 - 4.20	.0417	----	----	10	----	78 UNCH
4590	6.30	6.30	7.80B/*3.70A	7.80B/*3.70A	----	4.60 - 4.00	.0401	----	----	20	----	60 + 13
4595	----	----	----/*3.60A	7.60B/*3.60A	----	4.50 - 3.80	.0392	----	----	45	----	78 + 38
4600	6.70	6.70	7.30B/*3.50	7.30B/*3.50	----	4.40 - 3.60	.0382	----	----	862	40	2124 - 290
4605	5.70	5.70	5.70/*3.40A	7.10B/*3.40A	----	4.30 - 3.40	.0373	----	----	1	----	131 + 1
4610	5.00	5.00	5.20/*3.30A	6.90B/*3.30A	----	4.20 - 3.20	.0364	----	----	14	----	116 - 5
4615	5.50	5.50	5.50/*3.20A	6.70B/*3.20A	----	4.10 - 3.00	.0355	----	----	6	----	127 + 5
4620	6.00	6.00	6.00/*3.10A	6.50B/*3.10A	----	4.00 - 2.80	.0346	----	----	6	----	79 + 3
4625	6.20	6.20	6.30B/*3.00A	6.30B/*3.00A	----	3.90 - 2.70	.0337	----	----	55	----	220 + 28
4630	4.60	4.60	5.00/*2.90A	6.10B/*2.90A	----	3.80 - 2.60	.0328	----	----	9	----	94 UNCH
4635	4.60	4.60	4.60/*2.90A	6.00B/*2.90A	----	3.70 - 2.40	.0319	----	----	6	----	142 + 4
4640	----	----	----/*2.80A	5.80B/*2.80A	----	3.60 - 2.30	.0310	----	----	60	----	239 + 18
4645	4.50	4.50	4.50/*2.70A	5.60B/*2.70A	----	3.60 - 2.10	.0308	----	----	21	----	71 + 6
4650	5.00	5.00	5.70/*2.60A	5.70/*2.60A	----	3.50 - 2.00	.0300	----	----	38	----	1292 - 4
4655	5.10	5.10	5.10/*2.60A	5.30B/*2.60A	----	3.40 - 2.00	.0291	----	----	17	----	53 + 4
4660	3.90	3.90	3.90/*2.50A	5.20B/*2.50A	----	3.40 - 1.80	.0289	----	----	10	----	106 UNCH
4665	2.50	2.50	5.10B/*2.40	5.10B/*2.40	----	3.30 - 1.70	.0280	----	----	2	----	328 + 2
4670	4.50	4.50	5.00B/*2.40A	5.00B/*2.40A	----	3.20 - 1.70	.0272	----	----	9	----	134 - 2
4675	4.00	4.00	4.90B/*2.30	4.90B/*2.30	----	3.20 - 1.50	.0270	----	----	27	----	207 - 8
4680	3.90	3.90	4.70B/*2.30A	4.70B/*2.30A	----	3.10 - 1.50	.0262	----	----	4	----	237 + 3
4685	3.90	3.90	4.60B/*2.20	4.60B/*2.20	----	3.10 - 1.40	.0260	----	----	8	----	62 UNCH
4690	4.30	4.30	4.50B/*2.20	4.50B/*2.20	----	3.00 - 1.30	.0252	----	----	7	----	94 + 6
4695	3.40	3.40	4.70B/*2.10	4.70B/*2.10	----	3.00 - 1.20	.0251	----	----	10	----	72 + 10
4700	3.40	3.40	4.60B/*2.10	4.60B/*2.10	----	2.90 - 1.20	.0242	----	----	1559	----	3109 + 411
4705	3.40	3.40	4.20B/*2.00	4.20B/*2.00	----	2.80 - 1.20	.0234	----	----	16	----	68 + 12
4710	3.40	3.40	4.10B/*2.00	4.10B/*2.00	----	2.80 - 1.10	.0233	----	----	20	----	215 + 20
4715	3.40	3.40	4.00B/*2.00	4.00B/*2.00	----	2.80 - 1.00	.0231	----	----	7	----	25 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4720	2.10	2.10	3.90B/*1.90	3.90B/*1.90	----	2.70 - 1.00	.0224	----	----	8	----	112 + 8
4725	4.00	4.00	4.00/*1.90A	4.00/*1.90A	----	2.70 - 0.90	.0222	----	----	139	----	341 + 66
4730	3.00	3.00	3.80B/*1.90	3.80B/*1.90	----	2.60 - 0.90	.0214	----	----	33	----	277 + 33
4735	2.00	2.00	3.70B/*1.80	3.70B/*1.80	----	2.60 - 0.80	.0213	----	----	20	----	100 + 12
4740	3.10	3.10	3.60B/*1.80A	3.60B/*1.80A	----	2.50 - 0.80	.0205	----	----	14	----	32 + 5
4745	3.00	3.00	3.60B/*1.80A	3.60B/*1.80A	----	2.50 - 0.70	.0204	----	----	3	----	222 + 2
4750	3.20	3.20	3.60/*1.80	3.60/*1.80	----	2.40 - 0.80	.0196	----	----	754	----	2410 - 138
4755	2.90	2.90	3.40B/*1.70A	3.40B/*1.70A	----	2.40 - 0.70	.0195	----	----	3	----	88 + 1
4760	2.90	2.90	3.40B/*1.70A	3.40B/*1.70A	----	2.40 - 0.60	.0194	----	----	8	----	73 + 6
4765	2.80	2.80	3.30B/*1.70A	3.30B/*1.70A	----	2.30 - 0.70	.0187	----	----	2	----	198 + 2
4770	2.80	2.80	3.20B/*1.70A	3.20B/*1.70A	----	2.30 - 0.60	.0185	----	----	5	----	111 + 4
4775	2.40	2.40	3.10B/*1.60A	3.10B/*1.60A	----	2.30 - 0.50	.0184	----	----	165	----	375 + 133
4780	3.50	3.50	3.50/*1.60A	3.50/*1.60A	----	2.20 - 0.60	.0177	----	----	6	----	73 UNCH
4785	2.30	2.30	3.10B/*1.60A	3.10B/*1.60A	----	2.20 - 0.50	.0176	----	----	5	----	84 UNCH
4790	2.60	2.60	3.10B/*1.60A	3.10B/*1.60A	----	2.20 - 0.40	.0175	----	----	4	----	82 + 4
4795	2.50	2.50	2.90B/*1.50A	2.90B/*1.50A	----	2.10 - 0.50	.0168	----	----	9	----	811 + 8
4800	2.30	2.30	3.10B/*1.50A	3.10B/*1.50A	----	2.10 - 0.40	.0167	----	----	350	----	3587 + 42
4805	2.50	2.50	2.80B/*1.50A	2.80B/*1.50A	----	2.10 - 0.40	.0166	----	----	13	----	309 + 1
4810	2.10	2.10	2.80B/*1.50A	2.80B/*1.50A	----	2.00 - 0.40	.0159	----	----	5	----	86 + 2
4815	2.40	2.40	2.70B/*1.50A	2.70B/*1.50A	----	2.00 - 0.40	.0158	----	----	16	----	64 + 8
4820	2.40	2.40	2.60B/*1.40A	2.60B/*1.40A	----	2.00 - 0.30	.0157	----	----	6	----	70 + 5
4825	2.00	2.00	2.70B/*1.40A	2.70B/*1.40A	----	1.90 - 0.40	.0150	----	----	21	----	737 + 6
4830	2.30	2.30	2.70B/*1.40A	2.70B/*1.40A	----	1.90 - 0.40	.0149	----	----	15	----	159 + 1
4835	2.30	2.30	2.50B/*1.40A	2.50B/*1.40A	----	1.90 - 0.30	.0148	----	----	22	----	95 + 22
4840	2.10	2.10	2.50B/*1.40A	2.50B/*1.40A	----	1.90 - 0.30	.0147	----	----	21	----	220 - 5
4845	2.20	2.20	2.50B/*1.30A	2.50B/*1.30A	----	1.80 - 0.30	.0140	----	----	7	----	139 + 5
4850	1.90	1.90	2.40B/*1.30A	2.40B/*1.30A	----	1.80 - 0.30	.0140	----	----	27	----	1631 - 26
4855	1.90	1.90	2.40B/*1.30A	2.40B/*1.30A	----	1.80 - 0.30	.0139	----	----	9	----	251 + 9
4860	2.10	2.10	2.40B/*1.30A	2.40B/*1.30A	----	1.80 - 0.20	.0138	----	----	15	----	115 + 15
4865	2.10	2.10	2.30B/*1.30A	2.30B/*1.30A	----	1.70 - 0.30	.0131	----	----	20	----	118 + 6
4870	1.80	1.80	2.30B/*1.30A	2.30B/*1.30A	----	1.70 - 0.30	.0130	----	----	12	----	157 + 12
4875	1.80	1.80	2.30B/*1.30A	2.30B/*1.30A	----	1.70 - 0.20	.0130	----	----	5	----	150 - 1
4880	2.10	2.10	2.30B/*1.30	2.30B/*1.30	----	1.70 - 0.20	.0129	----	----	7	----	186 UNCH
4885	----	----	2.20B/*1.30A	2.20B/*1.30A	----	1.70 - 0.20	.0129	----	----	----	----	81 UNCH
4890	2.00	2.00	2.20B/*1.30	2.20B/*1.30	----	1.60 - 0.20	.0122	----	----	3	----	90 + 3
4895	1.70	1.70	2.10B/*1.30A	2.10B/*1.30A	----	1.60 - 0.20	.0121	----	----	10	----	74 + 3
4900	1.60	1.60	2.10/*1.30	2.10/*1.30	----	1.60 - 0.20	.0121	----	----	171	----	2501 + 51
4905	1.90	1.90	2.00/*1.30A	2.00/*1.30A	----	1.60 - 0.10	.0120	----	----	3	----	35 + 3
4910	1.90	1.90	2.00B/*1.30A	2.00B/*1.30A	----	1.60 - 0.10	.0119	----	----	2	----	188 + 1
4915	2.10	2.10	2.10/*1.30A	2.10/*1.30A	----	1.50 - 0.20	.0113	----	----	12	----	98 + 7
4920	1.90	1.90	1.90/*1.30A	1.90/*1.30A	----	1.50 - 0.20	.0112	----	----	1	----	367 + 1
4925	1.60	1.60	1.90B/*1.20A	1.90B/*1.20A	----	1.50 - 0.10	.0112	----	----	2	----	174 UNCH
4930	1.70	1.70	1.90B/*1.20A	1.90B/*1.20A	----	1.50 - 0.10	.0111	----	----	1	----	107 + 1
4935	1.80	1.80	2.00B/*1.30A	2.00B/*1.30A	----	1.50 - 0.10	.0111	----	----	1	----	644 + 1
4940	1.50	1.50	1.90B/*1.30A	1.90B/*1.30A	----	1.40 - 0.20	.0104	----	----	5	----	313 + 5
4945	1.50	1.50	1.80B/*1.30A	1.80B/*1.30A	----	1.40 - 0.10	.0103	----	----	6	----	61 + 5
4950	1.50	1.50	1.80B/*1.20A	1.80B/*1.20A	----	1.40 - 0.10	.0103	----	----	14	----	594 - 3
4955	1.70	1.70	1.80B/*1.20A	1.80B/*1.20A	----	1.40 - 0.10	.0102	----	----	2	----	90 + 1
4960	1.70	1.70	1.80B/*1.20A	1.80B/*1.20A	----	1.40 - 0.10	.0102	----	----	3	----	216 UNCH
4965	----	----	1.80B/*1.20A	1.80B/*1.20A	----	1.40 - 0.10	.0102	----	----	----	----	218 UNCH
4970	1.60	1.60	1.70B/*1.10A	1.70B/*1.10A	----	1.40 UNCH	.0101	----	----	3	----	67 - 2
4975	----	----	1.70B/*1.20A	1.70B/*1.20A	----	1.30 - 0.10	.0095	----	----	----	----	79 UNCH
4980	----	----	1.70B/*1.30A	1.70B/*1.30A	----	1.30 - 0.10	.0094	----	----	----	----	71 UNCH
4985	2.00	2.00	2.00/1.30A	2.00/1.30A	----	1.30 - 0.10	.0094	----	----	3	----	96 - 3
4990	1.50	1.50	1.60B/*1.20A	1.60B/*1.20A	----	1.30 - 0.10	.0093	----	----	1	----	144 + 1
4995	1.40	1.40	1.60B/*1.20A	1.60B/*1.20A	----	1.30 UNCH	.0093	----	----	11	----	1055 - 1
5000	1.60	1.60	1.90/1.20	1.90/1.20	----	1.30 UNCH	.0093	----	----	120	----	4248 - 6
5005	----	----	1.50B/*1.10A	1.50B/*1.10A	----	1.30 UNCH	.0092	----	----	----	----	64 UNCH
5010	----	----	1.50B/*1.00A	1.50B/*1.00A	----	1.20 - 0.10	.0086	----	----	----	----	54 UNCH
5015	----	----	1.60B/----	1.60B/1.30A	----	1.20 - 0.10	.0085	----	----	----	----	104 UNCH
5020	----	----	1.50B/*1.00A	1.50B/*1.00A	----	1.20 UNCH	.0085	----	----	----	----	29 UNCH
5025	1.30	1.30	1.50B/1.30	1.50B/1.30	----	1.20 UNCH	.0085	----	----	1	----	314 + 1
5030	----	----	1.40B/----	1.40B/1.30A	----	1.20 UNCH	.0084	----	----	----	----	215 UNCH
5035	----	----	1.50B/----	1.50B/1.30A	----	1.20 UNCH	.0084	----	----	----	----	103 UNCH
5040	----	----	1.40B/*1.00A	1.40B/*1.00A	----	1.20 UNCH	.0084	----	----	----	----	27 UNCH
5045	----	----	1.40B/----	1.40B/1.30A	----	1.20 UNCH	.0083	----	----	----	----	18 UNCH
5050	1.20	1.20	1.40B/1.20	1.40B/1.20	----	1.20 + 0.10	.0083	----	----	6	----	515 UNCH
5055	----	----	1.40B/----	1.40B/1.20A	----	1.10 UNCH	.0077	----	----	----	----	31 UNCH
5060	----	----	1.20B/----	1.20B/*1.10A	----	1.10 UNCH	.0076	----	----	----	----	37 UNCH
5065	----	----	1.20B/----	1.20B/1.20A	----	1.10 UNCH	.0076	----	----	1	----	183 UNCH
5070	----	----	1.20B/----	1.20B/1.10A	----	1.10 UNCH	.0076	----	----	----	----	38 UNCH
5075	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0076	----	----	----	----	149 UNCH
5080	----	----	1.30B/----	1.30B/1.20A	----	1.10 + 0.10	.0075	----	----	----	----	121 UNCH
5085	----	----	1.10B/----	1.10B/1.00A	----	1.10 + 0.10	.0075	----	----	----	----	53 UNCH
5090	----	----	1.10B/----	1.10B/*1.00A	----	1.10 + 0.10	.0075	----	----	----	----	389 UNCH
5095	1.00	1.00	1.10B/*1.00	1.10B/*1.00	----	1.10 + 0.10	.0074	----	----	1	----	290 + 1
5100	1.00	1.00	1.20B/*0.90A	1.20B/*0.90A	----	1.10 + 0.10	.0074	----	----	2	----	1437 - 1
5105	1.00	1.00	1.20B/*1.00	1.20B/*1.00	----	1.00 UNCH	.0068	----	----	2	----	107 UNCH
5110	0.80	0.80	1.10B/*0.80	1.10B/*0.80	----	1.00 UNCH	.0068	----	----	1	----	409 + 1
5115	----	----	1.10B/----	1.10B/1.10A	----	1.00 + 0.10	.0068	----	----	----	----	37 UNCH
5120	----	----	1.00B/----	1.00B/1.10A	----	1.00 + 0.10	.0067	----	----	1	----	63 UNCH
5125	----	----	1.00B/----	1.00B/*0.90A	----	1.00 + 0.10	.0067	----	----	----	----	265 UNCH
5130	----	----	1.00B/----	1.00B/*0.90A	----	1.00 + 0.10	.0067	----	----	----	----	43 UNCH
5135	0.90	0.90	1.20B/*0.90	1.20B/*0.90	----	1.00 + 0.10	.0067	----	----	1	----	175 + 1
5140	----	----	1.00B/----	1.00B/*0.90A	----	1.00 + 0.10	.0066	----	----	----	----	72 UNCH
5145	----	----	1.00B/----	1.00B/1.00A	----	1.00 + 0.10	.0066	----	----	----	----	82 UNCH
5150	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.10	.0066	----	----	----	----	1432 UNCH
5155	----	----	1.00B/*0.80A	1.00B/*0.80A	----	1.00 + 0.10	.0066	----	----	----	----	22 UNCH
5160	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.20	.0065	----	----	----	----	73 UNCH
5165	----	----	1.00B/----	1.00B/0.90A	----	0.90 + 0.10	.0059	----	----	----	----	23 UNCH
5170	----	----	1.00B/----	1.00B/*0.80A	----	0.90 + 0.10	.0059	----	----	----	----	16 UNCH
5175	----	----	1.10B/----	1.10B/1.00A	----	0.90 + 0.10	.0059	----	----	----	----	97 UNCH
5180	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.10	.0059	----	----	----	----	31 UNCH
5185	----	----	0.90B/----	0.90B/*0.80A	----	0.90 + 0.10	.0059	----	----	----	----	155 UNCH
5190	----	----	0.90B/----	0.90B/1.00A	----	0.90 + 0.10	.0058	----	----	----	----	23 UNCH
5195	----	----	0.90B/----	0.90B/1.00A	----	0.90 + 0.10	.0058	----	----	----	----	36 UNCH
5200	----	----	1.00B/----	1.00B/0.90A	----	0.90 + 0.10	.0058	----	----	8	----	2937 UNCH
5205	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.10	.0058	----	----	----	----	50 UNCH
5210	----	----	0.90B/----	0.90B/0.80A	----	0.90 + 0.20	.0058	----	----	----	----	48 UNCH
5215	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.20	.0057	----	----	----	----	48 UNCH
5220	----	----	0.90B/----	0.90B/0.80A	----	0.90 + 0.20	.0057	----	----	----	----	43 UNCH
5225	----	----	0.90B/----	0.90B/0.90A	----	0.90 + 0.20	.0057	----	----	----	----	88 UNCH
5230	----	----	0.90B/----	0.90B/0.90A	----	0.80 + 0.10	.0051	----	----	----	----	90 UNCH
5235	----	----	1.00B/----	1.00B/0.90A	----	0.80 + 0.10	.0051	----	----	----	----	35 UNCH
5240	----	----	0.90B/----	0.90B/0.90A	----	0.80 + 0.10	.0051	----	----	----	----	115 UNCH
5245	----	----	0.90B/----	0.90B/0.90A	----	0.80 + 0.10	.0051	----	----	----	----	71 UNCH
5250	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.10	.0051	----	----	----	----	825 UNCH
5255	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.10	.0050	----	----	----	----	21 UNCH
5260	----	----	0.80B/----	0.80B/0.90A	----	0.80 + 0.10	.0050	----	----	----	----	150 UNCH
5265	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.20	.0050	----	----	----	----	14 UNCH
5270	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.20	.0050	----	----	----	----	29 UNCH
5275	----	----	0.80B/----	0.80B/0.70A	----	0.80 + 0.20	.0050	----	----	----	----	25 UNCH
5280	----	----	0.80B/----	0.80B/0.80A	----	0.80 + 0.20	.0050	----	----	----	----	44 UNCH
5285	----	----	0.80B/----	0.80B/0.70A	----	0.80 + 0.20	.0049	----	----	----	----	15 UNCH
5290	----	----	0.90B/----	0.90B/0.80A	----	0.80 + 0.20	.0049	----	----	----	----	54 UNCH
5295	----	----	0.80B/----	0.80B/*0.60A	----	0.70 + 0.10	.0044	----	----	----	----	86 UNCH
5300	0.70	0.70	0.80B/0.70	0.80B/0.70	----	0.70 + 0.10	.0044	----	----	1	----	2108 + 1
5305	0.80	0.80	0.80/0.80	0.80/0.80	----	0.70 + 0.10	.0043	----	----	112	----	124 - 30
5310	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.10	.0043	----	----	----	----	28 UNCH
5315	----	----	0.80B/----	0.80B/0.80A	----	0.70 + 0.10	.0043	----	----	2	----	35 UNCH
5320	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.10	.0043	----	----	----	----	57 UNCH
5325	----	----	0.70B/----	0.70B/*0.60A	----	0.70 + 0.10	.0043	----	----	----	----	172 UNCH
5330	----	----	0.70B/----	0.70B/0.80A	----	0.70 + 0.10	.0043	----	----	----	----	23 UNCH
5335	----	----	0.80B/----	0.80B/0.70A	----	0.70 + 0.10	.0043	----	----	----	----	14 UNCH
5340	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.20	.0043	----	----	----	----	31 UNCH
5345	----	----	0.70B/----	0.70B/0.60A	----	0.70 + 0.20	.0042	----	----	----	----	35 UNCH
5350	----	----	0.70B/----	0.70B/0.60A	----	0.70 + 0.20	.0042	----	----	----	----	792 UNCH
5355	----	----	0.70B/----	0.70B/0.70A	----	0.70 + 0.20	.0042	----	----	----	----	71 UNCH
5360	0.60	0.60	0.70B/0.60	0.70B/0.60	----	0.60 + 0.10	.0037	----	----	1	----	336 - 1
5365	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0037	----	----	----	----	139 UNCH
5370	----	----	0.70B/----	0.70B/0.60A	----	0.60 + 0.10	.0036	----	----	----	----	27 UNCH
5375	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0036	----	----	----	----	23 UNCH
5380	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0036	----	----	----	----	18 UNCH
5385	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0036	----	----	----	----	18 UNCH
5390	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0036	----	----	----	----	33 UNCH
5395	----	----	0.70B/----	0.70B/0.60A	----	0.60 + 0.10	.0036	----	----	----	----	27 UNCH
5400	1.20	1.20	1.20/0.60	1.20/0.60	----	0.60 + 0.10	.0036	----	----	4	----	3376 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 22

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5405	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0036	----	----	----	----	19 UNCH
5410	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0036	----	----	----	----	23 UNCH
5415	----	----	0.60B/----	0.60B/0.60A	----	0.60 + 0.10	.0035	----	----	----	----	18 UNCH
5420	----	----	0.60B/----	0.60B/0.70A	----	0.60 + 0.10	.0035	----	----	----	----	29 UNCH
5425	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.60 + 0.10	.0035	----	----	1	----	34 UNCH
5430	0.50	0.50	0.60B/*0.50	0.60B/*0.50	----	0.50 UNCH	.0030	----	----	10	----	21 + 10
5435	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0030	----	----	----	----	7 UNCH
5440	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0030	----	----	----	----	26 UNCH
5445	0.50	0.50	0.60B/0.50	0.60B/0.50	----	0.50 UNCH	.0030	----	----	8	----	32 + 8
5450	0.50	0.50	0.60B/0.50	0.60B/0.50	----	0.50 + 0.10	.0030	----	----	16	----	1160 - 11
5455	----	----	0.60B/----	0.60B/0.60A	----	0.50 + 0.10	.0030	----	----	----	----	36 UNCH
5460	----	----	0.50B/----	0.50B/0.50A	----	0.50 + 0.10	.0029	----	----	----	----	27 UNCH
5465	0.50	0.50	0.60B/0.50	0.60B/0.50	----	0.50 + 0.10	.0029	----	----	15	----	35 + 15
5470	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0029	----	----	----	----	28 UNCH
5475	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0029	----	----	----	----	207 UNCH
5480	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0029	----	----	----	----	5 UNCH
5485	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0029	----	----	----	----	16 UNCH
5490	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0029	----	----	----	----	19 UNCH
5495	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0029	----	----	----	----	8 UNCH
5500	----	----	0.50B/----	0.50B/0.60A	----	0.50 + 0.10	.0029	----	----	----	----	2877 UNCH
5505	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	15 UNCH
5510	----	----	0.50B/----	0.50B/0.50A	----	0.40 UNCH	.0023	----	----	----	----	27 UNCH
5515	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	18 UNCH
5520	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	38 UNCH
5525	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	91 UNCH
5530	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	30 UNCH
5535	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	15 UNCH
5540	----	----	----	0.40B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	16 UNCH
5545	----	----	----	0.40B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	16 UNCH
5550	0.50	0.50	0.50/*0.20	0.50/*0.20	----	0.40 UNCH	.0023	----	----	4	----	192 - 3
5555	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	35 UNCH
5560	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	18 UNCH
5565	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0023	----	----	----	----	12 UNCH
5570	----	----	----	0.40B/0.60A	----	0.40 UNCH	.0023	----	----	----	----	4 UNCH
5575	----	----	----	0.40B/0.50A	----	0.40 UNCH	.0023	----	----	----	----	31 UNCH
5580	----	----	0.40B/----	0.40B/0.60A	----	0.40 + 0.10	.0023	----	----	----	----	7 UNCH
5585	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	12 UNCH
5590	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	5 UNCH
5595	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	19 UNCH
5600	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 UNCH	.0017	----	----	10	----	2219 - 10
5605	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 UNCH	.0017	----	----	10	----	42 + 10
5610	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	11 UNCH
5615	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	1 UNCH
5620	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	6 UNCH
5625	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	13 UNCH
5630	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	4 UNCH
5635	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	12 UNCH
5640	----	----	0.40B/----	0.40B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	8 UNCH
5650	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 UNCH	.0017	----	----	5	----	406 + 4
5660	0.40	0.40	0.40/0.40	0.40/0.40	----	0.30 UNCH	.0017	----	----	1	----	8 + 1
5670	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	11 UNCH
5675	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0017	----	----	----	----	7 UNCH
5680	0.30	0.30	0.30/0.30	0.30/0.30	----	0.30 UNCH	.0016	----	----	11	----	16 + 10
5690	----	----	----	----/0.50A	----	0.20 - 0.10	.0011	----	----	----	----	21 UNCH
5700	----	----	----	----/0.50A	----	0.20 - 0.10	.0011	----	----	----	----	989 UNCH
5710	----	----	----	----/0.50A	----	0.20 - 0.10	.0011	----	----	----	----	22 UNCH
5720	----	----	----	----/0.50A	----	0.20 - 0.10	.0011	----	----	----	----	17 UNCH
5725	----	----	----	----/0.50A	----	0.20 - 0.10	.0011	----	----	----	----	56 UNCH
5730	----	----	----	----/0.50A	----	0.20 - 0.10	.0011	----	----	----	----	10 UNCH
5740	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	9 UNCH
5750	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	1059 UNCH
5760	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	168 UNCH
5770	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	4 UNCH
5775	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	215 UNCH
5780	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	6 UNCH
5790	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	9 UNCH
5800	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	804 UNCH
5810	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	11 UNCH
5820	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	208 UNCH
5825	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	19 UNCH
5830	----	----	----	----/0.40A	----	0.20 - 0.10	.0011	----	----	----	----	1 UNCH
5840	----	----	----	----/0.40A	----	0.10 - 0.20	.0005	----	----	----	----	103 UNCH
5850	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0005	----	----	----	----	111 UNCH
5860	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0005	----	----	----	----	208 UNCH
5870	----	----	----	----/0.40A	----	0.10 - 0.20	.0004	----	----	----	----	17 UNCH
5875	----	----	----	----/0.40A	----	0.10 - 0.20	.0004	----	----	----	----	22 UNCH
5880	----	----	----	----/0.40A	----	0.10 - 0.20	.0004	----	----	----	----	11 UNCH
5890	----	----	----	----/0.40A	----	0.10 - 0.10	.0004	----	----	----	----	9 UNCH
5900	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0004	----	----	----	----	438 UNCH
5910	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	6 UNCH
5920	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	19 UNCH
5925	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0003	----	----	10	----	15 + 10
5930	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0003	----	----	3	----	7 + 3
5940	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0003	----	----	2	----	4 + 2
5950	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0003	----	----	25	----	74 + 23
5960	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0002	----	----	5	----	21 + 5
5970	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0002	----	----	10	----	65 + 10
5980	----	----	----	----/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
5990	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0002	----	----	10	----	86 + 10
6000	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0002	----	----	51	----	2184 + 33
6025	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0002	----	----	10	----	44 + 10
6050	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0001	----	----	15	----	55 + 10
6075	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 - 0.10	.0001	----	----	37	----	755 + 37
6100	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0001	----	----	1	----	294 + 1
6125	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.10	.0001	----	----	11	----	70 UNCH
6150	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0000	----	----	----	----	882 UNCH
6175	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
6200	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	1	----	570 UNCH
6225	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
6250	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	392 UNCH
6275	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
6300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	336 UNCH
6325	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	29 UNCH
6350	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
6375	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	37 UNCH
6400	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	111 UNCH
6425	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	17 UNCH
6450	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	48 UNCH
6475	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
6500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	669 UNCH
6525	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	162 UNCH
6550	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
6575	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
6600	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	27 UNCH
6650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	16 UNCH
6675	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
6700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	137 UNCH
6775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
6800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	202 UNCH
6825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
6850	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	201 UNCH
6875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
6900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
6925	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
6950	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
6975	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
7000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1470 UNCH
7025	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
7075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
7100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
7125	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7175	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
7225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
7250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
JUL26														
7275	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	14	UNCH
7300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	50	UNCH
7350	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
7400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
7425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	19	UNCH
7450	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	28	UNCH
7475	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	9	UNCH
7500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	297	UNCH
7525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	34	UNCH
7550	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	50	UNCH
7575	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
7600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
7625	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
7700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
7725	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	17	UNCH
7750	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
7775	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
7800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
7825	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	18	UNCH
7875	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	166	UNCH
7900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
8000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	----	----	----	2	----	1116	UNCH
8100	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
8200	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	----	----	----	2	----	3	UNCH
8300	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
8500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	40	UNCH
8600	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
8700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	24	UNCH
8800	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
9000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	340	UNCH
9200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
9300	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	4	UNCH
9400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	141	UNCH
9500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	66	UNCH
9900	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
10000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	275	UNCH
10100	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	12	UNCH
10500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
10700	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
11000	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	103	UNCH
11200	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	13	UNCH
11500	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10	UNCH	----	----	----	13	----	47	UNCH
11600	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	----	----	----	15	----	50	UNCH
12000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	----	----	----	25	----	222	UNCH
TOTAL											13443	555	99131 +	4647
AUG26														
3200	----	----	----/897.80A	1010.60B/897.80A	----	938.00	- 50.60	.9707	----	----	----	----	11	UNCH
3300	----	----	----/801.10A	945.30B/801.10A	----	840.40	- 49.40	.9606	----	----	----	----	80	UNCH
3305	----	----	----/796.30A	939.60B/796.30A	----	835.60	- 49.30	.9598	----	----	----	----	20	UNCH
3325	----	----	----/777.20A	920.10B/777.20A	----	816.20	- 49.00	.9572	----	----	----	----	15	UNCH
3350	----	----	----/753.20A	895.70B/753.20A	----	792.00	- 48.70	.9538	----	----	----	----	178	UNCH
3400	----	----	----/705.80A	847.00B/705.80A	----	743.90	- 47.80	.9461	----	----	----	----	420	UNCH
3500	----	----	----/612.60A	750.40B/612.60A	----	649.10	- 45.30	.9254	----	----	----	----	46	UNCH
3505	----	----	----/608.10A	745.60B/608.10A	----	644.50	- 45.00	.9241	----	----	----	----	4	UNCH
3520	----	----	----/594.30A	731.20B/594.30A	----	630.40	- 44.70	.9202	----	----	----	----	65	UNCH
3550	596.90	596.90	596.90/567.10A	702.60B/567.10A	----	602.60	- 43.60	.9120	----	----	14	----	311 +	1
3600	569.90	569.90	569.90/522.40A	672.60B/522.40A	----	556.60	- 41.70	.8963	----	----	70	----	1045	UNCH
3610	538.00	538.00	538.00/513.60A	670.70B/513.60A	----	547.50	- 41.20	.8928	----	----	3	----	6	UNCH
3650	----	----	----/478.60A	635.10B/478.60A	----	511.50	- 39.30	.8781	----	----	----	----	4	UNCH
3660	498.00	498.00	498.00/470.00A	625.60B/470.00A	----	502.60	- 38.70	.8740	----	----	1	----	25	UNCH
3685	476.90	476.90	476.90/448.60A	602.10B/448.60A	----	480.40	- 37.40	.8636	----	----	1	----	1	UNCH
3700	484.20	484.20	484.20/435.90A	588.10B/435.90A	----	467.30	- 36.50	.8569	----	----	2	----	40	UNCH
3715	----	----	----/423.40A	574.10B/423.40A	----	454.20	- 35.60	.8499	----	----	----	----	30	UNCH
3720	444.30	444.30	444.30/419.20A	569.40B/419.20A	----	449.90	- 35.20	.8474	----	----	1	----	1	UNCH
3735	----	----	----/406.90A	555.50B/406.90A	----	436.90	- 34.30	.8400	----	----	----	----	1	UNCH
3750	----	----	----/394.50A	541.70B/394.50A	----	424.10	- 33.30	.8323	----	----	----	----	8	UNCH
3775	----	----	----/374.30A	518.80B/374.30A	----	403.00	- 31.40	.8185	----	----	----	----	4	UNCH
3780	----	----	----/370.30A	514.20B/370.30A	----	398.80	- 31.10	.8157	----	----	37	----	37 +	27
3790	----	----	----/362.50A	505.10B/362.50A	----	390.50	- 30.30	.8100	----	----	----	----	67	UNCH
3800	394.20	394.20	394.20/354.60A	496.10B/354.60A	----	382.30	- 29.40	.8040	----	----	2	----	303	UNCH
3820	----	----	----/338.90A	478.10B/338.90A	----	365.90	- 27.80	.7916	----	----	----	----	3	UNCH
3840	359.00	359.00	359.00/323.60A	460.20B/323.60A	----	349.80	- 26.00	.7787	----	----	1	----	1	UNCH
3850	----	----	----/316.10A	451.30B/316.10A	----	341.90	- 25.00	.7718	----	----	----	----	12	UNCH
3885	----	----	----/290.20A	420.70B/290.20A	----	314.60	- 21.60	.7469	----	----	----	----	2	UNCH
3890	----	----	----/286.80A	416.40B/286.80A	----	310.80	- 21.10	.7433	----	----	----	----	2	UNCH
3900	----	----	----/279.40A	407.70B/279.40A	----	303.20	- 20.00	.7356	----	----	----	----	149	UNCH
3920	316.90	316.90	316.90/265.30A	390.70B/265.30A	----	288.30	- 17.70	.7200	----	----	1	----	1	UNCH
3925	----	----	----/261.80A	386.40B/261.80A	----	284.60	- 17.20	.7160	----	----	----	----	10	UNCH
3950	----	----	----/244.90A	365.40B/244.90A	----	266.50	- 14.20	.6953	----	----	----	----	106	UNCH
3955	----	----	----/241.60A	361.30B/241.60A	----	262.90	- 13.60	.6911	----	----	----	----	7	UNCH
3975	----	----	----/228.40A	344.90B/228.40A	----	248.90	- 11.10	.6737	----	----	----	----	200	UNCH
3995	----	----	----/215.60A	329.10B/215.60A	----	235.30	- 08.40	.6557	----	----	----	----	30	UNCH
4000	254.20	254.20	254.20/212.50A	325.10B/212.50A	----	231.90	- 07.80	.6510	----	----	1	----	722	UNCH
4005	----	----	----/209.40A	320.70B/209.40A	----	228.60	- 07.00	.6464	----	----	----	----	1	UNCH
4015	----	----	----/203.30A	312.80B/203.30A	----	222.00	- 05.70	.6370	----	----	----	----	12	UNCH
4025	----	----	----/197.20A	305.40B/197.20A	----	215.60	- 04.20	.6275	----	----	----	----	174	UNCH
4045	----	----	----/185.40A	289.90B/185.40A	----	202.90	- 01.30	.6082	----	----	----	----	30	UNCH
4050	----	----	----/182.40A	286.10B/182.40A	----	199.80	- 00.50	.6032	----	----	----	----	100	UNCH
4055	236.60	236.60	236.60/179.50A	282.40B/179.50A	----	196.70	- 99.80	.5983	----	----	13	----	100	UNCH
4070	226.40	226.40	226.40/171.20A	270.80B/171.20A	----	187.70	NEW	.5833	----	----	6	----	6 +	6
4075	----	----	----/168.40A	267.00B/168.40A	----	184.70	- 96.70	.5782	----	----	1	----	4 +	1
4080	----	----	----/165.70A	263.30B/165.70A	----	181.80	- 95.80	.5731	----	----	----	----	1	UNCH
4090	160.00	160.00	160.00/160.00	256.10B/160.00	----	176.00	- 94.30	.5629	----	----	3	----	3 +	2
4095	210.00	210.00	210.00/157.80A	252.40B/157.80A	----	173.10	NEW	.5577	----	----	15	----	15 +	15
4100	205.00	205.00	205.00/155.20A	249.30B/155.20A	----	170.30	- 92.70	.5525	----	----	25	----	89 +	14
4110	193.30	193.30	193.30/150.00A	242.20B/150.00A	----	164.70	- 91.10	.5421	----	----	1	----	19	UNCH
4115	151.20	151.20	151.20/*147.50A	238.20B/147.50A	----	162.00	- 90.20	.5369	----	----	1	----	3 +	1
4125	----	----	----/142.40A	231.30B/142.40A	----	156.60	NEW	.5264	----	----	----	400	400 +	400
4130	----	----	----/140.00A	227.80B/140.00A	----	153.90	NEW	.5211	----	----	1	----	1 +	1
4135	----	----	----/*137.60A	230.10B/*137.60A	----	151.30	- 86.90	.5158	----	----	----	----	20	UNCH
4140	155.70	155.70	155.70/*135.10A	221.00B/*135.10A	----	148.70	- 86.00	.5105	----	----	1	----	2 +	1
4145	136.60	136.60	136.60/*132.80A	217.70B/*132.80A	----	146.10	NEW	.5052	----	----	1	----	1 +	1
4150	163.00	163.00	163.00/130.50A	219.70B/130.50A	----	143.60	- 84.30	.4998	----	----	504	----	551 +	410
4160	----	----	----/*125.80A	211.40B/*125.80A	----	138.60	- 82.60	.4892	----	----	----	----	9	UNCH
4165	----	----	----/*123.60A	205.10B/*123.60A	----	136.20	- 81.70	.4838	----	----	20	----	21 +	20
4170	----	----	----/*121.40A	201.70B/*121.40A	----	133.80	NEW	.4785	----	----	10	----	10 +	10
4180	----	----	----/*117.00A	196.40B/*117.00A	----	129.00	NEW	.4678	----	----	14	----	10 +	10
4185	152.80	152.80	152.80/*114.90A	193.30B/*114.90A	----	126.70	NEW	.4625	----	----	3	----	2 +	2
4190	133.70	133.70	133.70/*112.80A	190.50B/*112.80A	----	124.40	NEW	.4571	----	----	18	----	18 +	18
4195	----	----	----/*110.70A	187.40B/*110.70A	----	122.10	- 76.50	.4518	----	----	----	----	3	UNCH
4200	156.60	156.60	169.30/108.70A	184.70B/108.70A	----	119.90	- 75.60	.4465	----	----	494	175	550 +	476
4205	150.00	150.00	151.00/*106.70A	182.10B/*106.70A	----	117.70	NEW	.4412	----	----	4	----	4 +	4
4210	150.00	150.00	154.00/*104.70A	178.70B/*104.70A	----	115.50	NEW	.4358	----	----	9	----	7 +	7
4215	150.10	150.10	151.50/*102.70A	175.90B/*102.70A	----	113.30	- 73.00	.4305	----	----	30	----	15 +	14
4220	139.30	139.30	142.00/*100.80A	172.70B/*100.80A	----	111.20	- 72.00	.4252	----	----	46	----	45 +	29
4225	141.50	141.50	151.00/98.90A	170.20B/98.90A	----	109.10	- 71.20	.4199	----	----	12	----	109 +	7
4230	145.90	145.90	152.00/*97.00A	166.90B/*97.00A	----	107.10	NEW	.4147	----	----	8	----	6 +	6
4235	136.10	136.10	136.10/*95.20A	163.90B/*95.20A	----	105.10	- 69.30	.4094	----	----	83	----	80 +	79
4240	129.00	129.00	149.00/*93.40A	161.20B/*93.40A	----	103.10	NEW	.4042	----	----	2	----	2 +	2
4245	139.80	139.80	139.80/*91.60A	158.20B/*91.60A	----	101.10	NEW	.3990	----	----	44	----	37 +	37
4250	143.00	143.00	143.00/89.80A	156.70B/89.80A	----	99.10	- 66.70	.3937	----	----	116	----	162 +	87
4255	----	----	----/*88.10A	153.10B/*88.10A	----	97.20	- 65.80	.3885	----	----	----	----	1	UNCH
4260	119.20	119.20	135.60/*86.40A	150.70B/*86.40A	----	95.40	NEW	.3834	----	----	3	----	1 +	1
4265	129.60	129.60	129.60/*84.70A	148.20B/*84.70A	----	93.50	- 63.90	.3783	----	----	8	----	83 +	1
4270	116.30	116.30	121.00/*83.10A	145.60B/*83.10A	----	91.70	- 63.00	.3732	----	----	3	----	7 +	1
4275	124.20	124.20	128.40/*81.50A	143.40B/*81.50A	----	89.90	- 62.10	.3681	----	----	29	----	44 +	5
4280	126.40	126.40	126.40/*79.90A	140.80B/*79.90A	----	88.20	NEW	.3631	----	----	2	----	2 +	2
4285	119.60	119.60	119.60/*78.30A	138.20B/*78.30A	----	86.40	- 60.30	.3580	----	----	12	----	21 +	12
4290	103.40	103.40	105.30/*76.80A	135.60B/*76.80A	----	84.70	- 59.40	.3530	----	----	4	----	3	UNCH
4295	103.30	103.30	103.30/*75.30A	133.20B/*75.30A	----	83.10	- 58.50	.3481	----	----	2	----	26 +	1
4300	113.10	113.10	113.10/73.80A	130.70B/73.80A	----	81.40	- 57.60	.3431	----	----	585	----	699 +	332
4305	----	----	----/*72.30A	128.60B/*72.30A	----	79.80	- 56.70	.3382	----	----	3	----	7 +	3
4310	----	----	----/*70.90A	126.20B/*70.90A	----	78.20	- 55.90	.3333	----	----	20	----	21 +	20
4315	95.80	95.80	95.80/*69.50A	123.70B/*69.50A	----	76.70	- 54.90	.3286	----	----	2	----	7 +	2
4320	82.00	82.00	82.00/*68.10A	121.50B/*68.10A	----	75.10	- 54.10	.3237	----	----	1	----	15 +	1
4325	93.00	93.00	93.00/*66.70A	118.90B/*66.70A	----	73.60	- 53.20	.3190	----	----	14	----	56 -	2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4330	101.00	101.00	101.00/*65.40A	116.90B/*65.40A	----	72.10 - 52.30	.3142	----	----	4	----	303 + 2
4335	76.10	76.10	76.10/*64.10A	114.60B/*64.10A	----	70.70 - 51.40	.3096	----	----	20	----	21 + 20
4340	----	----	----/*62.70A	112.40B/*62.70A	----	69.30 - 50.50	.3050	----	----	1	----	5 UNCH
4345	----	----	----/*61.50A	111.30B/*61.50A	----	67.90 - 49.70	.3004	----	----	----	----	1 UNCH
4350	88.00	88.00	90.00/*60.30A	109.10B/*60.30A	----	66.50 - 48.80	.2958	----	----	150	20	1141 + 43
4355	75.10	75.10	75.10/*59.00A	105.60B/*59.00A	----	65.20 - 47.90	.2914	----	----	6	----	17 + 4
4360	80.20	80.20	80.20/*57.80A	104.90B/*57.80A	----	63.90 - 47.10	.2870	----	----	2	----	6 UNCH
4365	78.60	78.60	78.60/*56.60A	103.00B/*56.60A	----	62.60 - 46.20	.2826	----	----	6	----	4 + 3
4370	----	----	----/*55.50A	100.80B/*55.50A	----	61.30 - 45.40	.2781	----	----	----	----	14 UNCH
4375	65.90	65.90	65.90/*54.40A	98.80B/*54.40A	----	60.10 - 44.50	.2739	----	----	9	----	57 + 8
4380	71.80	71.80	71.80/*53.30A	97.00B/*53.30A	----	58.80 - 43.80	.2695	----	----	4	----	6 + 4
4385	----	----	----/*52.10A	94.80B/*52.10A	----	57.60 - 43.00	.2652	----	----	----	----	101 UNCH
4390	62.00	62.00	62.00/*51.00A	92.90B/*51.00A	----	56.50 - 42.10	.2612	----	----	1	----	13 UNCH
4395	69.70	69.70	69.70/*50.00A	91.10B/*50.00A	----	55.30 - 41.40	.2569	----	----	9	----	15 + 2
4400	75.90	75.90	75.90/49.10A	89.20B/49.10A	----	54.20 - 40.60	.2529	----	----	649	75	1273 + 392
4405	62.00	62.00	62.00/*48.00A	87.40B/*48.00A	----	53.10 - 39.80	.2489	----	----	29	----	15 + 13
4410	57.20	57.20	57.20/*47.10A	85.60B/*47.10A	----	52.00 - 39.00	.2448	----	----	1	----	2 UNCH
4415	----	----	----/*46.10A	83.80B/*46.10A	----	51.00 - 38.20	.2410	----	----	----	----	6 UNCH
4420	61.10	61.10	61.10/*45.10A	82.10B/*45.10A	----	49.90 - 37.50	.2370	----	----	4	----	61 + 4
4425	60.70	60.70	60.70/*44.20A	80.40B/*44.20A	----	48.90 - 36.70	.2332	----	----	2	----	177 UNCH
4430	58.50	58.50	58.50/*43.30A	78.70B/*43.30A	----	47.90 - 35.90	.2294	----	----	106	----	99 + 91
4435	59.40	59.40	59.40/*42.40A	76.90B/*42.40A	----	46.90 - 35.20	.2256	----	----	25	----	28 + 1
4440	50.60	50.60	50.60/*41.60A	75.40B/*41.60A	----	46.00 - 34.40	.2220	----	----	7	----	33 - 1
4445	49.60	49.60	49.60/*40.70A	73.80B/*40.70A	----	45.00 - 33.80	.2182	----	----	2	----	13 + 1
4450	56.60	56.60	56.60/*39.90A	72.30B/*39.90A	----	44.10 - 33.00	.2147	----	----	147	----	535 + 131
4455	47.10	47.10	47.60/*39.10A	70.80B/*39.10A	----	43.20 - 32.30	.2111	----	----	12	----	21 + 5
4460	54.00	54.00	54.00/*38.30A	69.30B/*38.30A	----	42.30 - 31.60	.2075	----	----	27	----	49 + 21
4465	47.00	47.00	47.00/*37.50A	67.80B/*37.50A	----	41.50 - 30.90	.2042	----	----	2	----	54 UNCH
4470	44.80	44.80	44.80/*36.70A	66.40B/*36.70A	----	40.60 - 30.30	.2007	----	----	501	----	522 + 458
4475	58.50	58.50	58.50/*36.00A	64.80B/*36.00A	----	39.80 - 29.60	.1974	----	----	79	----	102 + 24
4480	49.70	49.70	49.70/*35.20A	63.60B/*35.20A	----	39.00 - 29.00	.1941	----	----	532	----	549 + 504
4485	49.40	49.40	49.50/*34.50A	62.10B/*34.50A	----	38.20 - 28.40	.1908	----	----	8	----	29 + 8
4490	48.80	48.80	50.60/*33.80A	60.80B/*33.80A	----	37.40 - 27.80	.1876	----	----	17	----	42 + 17
4495	44.70	44.70	44.70/*33.10A	59.50B/*33.10A	----	36.70 - 27.20	.1845	----	----	5	----	8 + 5
4500	46.50	46.50	49.70/32.50A	58.50B/32.50A	----	35.90 - 26.70	.1813	----	----	241	----	1524 + 26
4505	44.00	44.00	44.00/*31.80A	57.10B/*31.80A	----	35.20 - 26.10	.1783	----	----	5	----	32 + 3
4510	48.70	48.70	50.20/*31.10A	55.90B/*31.10A	----	34.50 - 25.50	.1753	----	----	25	----	28 + 17
4515	----	----	----/*30.50A	54.60B/*30.50A	----	33.80 - 24.90	.1723	----	----	4	----	18 + 1
4520	41.50	41.50	42.00/*29.90A	53.30B/*29.90A	----	33.10 - 24.40	.1693	----	----	18	----	55 + 13
4525	34.00	34.00	34.00/*29.30A	52.30B/*29.30A	----	32.50 - 23.80	.1666	----	----	38	400	426 + 373
4530	34.40	34.40	34.40/*28.70A	51.20B/*28.70A	----	31.80 - 23.30	.1636	----	----	18	----	39 + 18
4535	33.30	33.30	33.30/*28.10A	50.10B/*28.10A	----	31.20 - 22.70	.1609	----	----	19	----	57 + 7
4540	38.60	38.60	38.60/*27.60A	49.00B/*27.60A	----	30.50 - 22.20	.1580	----	----	15	----	58 + 3
4545	32.00	32.00	32.00/*27.00A	48.00B/*27.00A	----	29.90 - 21.70	.1553	----	----	14	----	19 - 2
4550	36.10	36.10	36.10/*26.50A	46.90B/*26.50A	----	29.30 - 21.20	.1526	----	----	137	----	541 + 84
4555	39.80	39.80	39.80/*25.90A	45.70B/*25.90A	----	28.80 - 20.60	.1503	----	----	1	----	29 + 1
4560	----	----	----/*25.40A	44.90B/*25.40A	----	28.20 - 20.20	.1476	----	----	2	----	377 UNCH
4565	29.70	29.70	29.70/*24.90A	43.90B/*24.90A	----	27.70 - 19.70	.1453	----	----	7	----	31 + 4
4570	38.50	38.50	38.50/*24.40A	42.90B/*24.40A	----	27.10 - 19.30	.1426	----	----	16	----	177 + 6
4575	29.20	29.20	29.20/*24.00A	42.00B/*24.00A	----	26.60 - 18.80	.1403	----	----	40	----	84 + 21
4580	37.20	37.20	37.40/*23.50A	40.90B/*23.50A	----	26.10 - 18.30	.1379	----	----	5	----	222 + 1
4585	----	----	----/*23.00A	40.00B/*23.00A	----	25.60 - 17.90	.1356	----	----	----	----	175 UNCH
4590	32.20	32.20	32.20/*22.60A	39.20B/*22.60A	----	25.10 - 17.50	.1333	----	----	6	----	78 UNCH
4595	----	----	----/*22.10A	38.40B/*22.10A	----	24.60 - 17.10	.1310	----	----	----	----	46 UNCH
4600	31.00	31.00	31.00/*21.70A	37.50B/*21.70A	----	24.10 - 16.70	.1287	----	----	449	----	1425 + 77
4605	----	----	----/*21.30A	36.70B/*21.30A	----	23.70 - 16.30	.1267	----	----	----	----	17 UNCH
4610	30.20	30.20	30.20/*20.90A	35.80B/*20.90A	----	23.20 - 15.90	.1244	----	----	8	----	31 - 1
4615	23.20	23.20	23.20/*20.50A	35.00B/*20.50A	----	22.80 - 15.50	.1224	----	----	1	----	40 UNCH
4620	26.80	26.80	26.80/*20.10A	34.20B/*20.10A	----	22.30 - 15.20	.1201	----	----	4	----	30 + 2
4625	28.70	28.70	30.50/*19.70A	33.50B/*19.70A	----	21.90 - 14.80	.1182	----	----	73	----	104 + 24
4630	----	----	----/*19.30A	32.80B/*19.30A	----	21.50 - 14.40	.1162	----	----	1	----	25 UNCH
4635	26.30	26.30	26.30/*18.90A	32.10B/*18.90A	----	21.10 - 14.00	.1143	----	----	1	----	27 UNCH
4640	22.30	22.30	22.30/*18.60A	31.50B/*18.60A	----	20.70 - 13.70	.1123	----	----	15	----	20 + 9
4645	24.30	24.30	24.30/*18.20A	30.70B/*18.20A	----	20.30 - 13.30	.1104	----	----	1	----	3 - 1
4650	24.90	24.90	26.00/*17.90A	30.00B/*17.90A	----	19.90 - 13.00	.1085	----	----	132	----	744 + 37
4655	25.50	25.50	25.50/*17.50A	29.40B/*17.50A	----	19.60 - 12.60	.1069	----	----	3	----	34 - 3
4660	23.80	23.80	23.80/*17.20A	28.70B/*17.20A	----	19.20 - 12.30	.1050	----	----	2	----	35 UNCH
4665	----	----	----/*16.90A	28.10B/*16.90A	----	18.90 - 12.00	.1034	----	----	----	----	37 UNCH
4670	----	----	----/*16.60A	27.40B/*16.60A	----	18.50 - 11.70	.1015	----	----	4	----	81 + 4
4675	22.50	22.50	22.50/*16.30A	26.90B/*16.30A	----	18.20 - 11.40	.0999	----	----	5	----	117 - 3
4680	22.10	22.10	22.10/*16.00A	26.30B/*16.00A	----	17.90 - 11.00	.0984	----	----	1	----	47 UNCH
4685	21.60	21.60	21.60/*15.70A	25.80B/*15.70A	----	17.50 - 10.80	.0965	----	----	11	----	218 + 2
4690	21.20	21.20	21.30/*15.40A	25.20B/*15.40A	----	17.20 - 10.50	.0949	----	----	6	----	47 + 5
4695	20.70	20.70	20.80/*15.10A	24.70B/*15.10A	----	16.90 - 10.20	.0934	----	----	8	----	15 + 1
4700	18.80	18.80	19.60/*14.80A	24.20B/*14.80A	----	16.60 - 10.00	.0919	----	----	749	40	4991 - 582
4705	20.40	20.40	20.40/*14.60A	23.70B/*14.60A	----	16.30 - 9.70	.0903	----	----	15	----	126 - 3
4710	19.70	19.70	19.70/*14.30A	23.20B/*14.30A	----	16.10 - 9.40	.0892	----	----	3	----	109 + 3
4715	----	----	----/*14.10A	22.70B/*14.10A	----	15.80 - 9.10	.0877	----	----	----	----	10 UNCH
4720	19.30	19.30	19.30/*13.80A	22.20B/*13.80A	----	15.50 - 8.90	.0861	----	----	7	----	162 + 1
4725	18.60	18.60	18.60/*13.60A	21.80B/*13.60A	----	15.20 - 8.70	.0846	----	----	9	----	141 - 6
4730	18.30	18.30	18.30/*13.30A	21.30B/*13.30A	----	15.00 - 8.40	.0835	----	----	1	----	78 UNCH
4735	17.30	17.30	17.30/*13.10A	20.90B/*13.10A	----	14.70 - 8.20	.0820	----	----	9	----	59 + 6
4740	----	----	----/*12.90A	20.40B/*12.90A	----	14.50 - 8.00	.0809	----	----	7	----	26 - 1
4745	14.00	14.00	14.00/*12.70A	20.00B/*12.70A	----	14.20 - 7.80	.0794	----	----	1	----	85 UNCH
4750	17.00	17.00	17.00/*12.40A	19.60B/*12.40A	----	14.00 - 7.60	.0783	----	----	91	----	646 - 3
4755	16.10	16.10	16.10/*12.20A	19.10B/*12.20A	----	13.70 - 7.40	.0768	----	----	1	----	67 - 1
4760	16.40	16.40	16.40/*12.00A	18.80B/*12.00A	----	13.50 - 7.20	.0757	----	----	5	----	49 - 1
4765	----	----	----/*11.80A	18.30B/*11.80A	----	13.30 - 7.00	.0746	----	----	----	----	10 UNCH
4770	----	----	----/*11.60A	18.10B/*11.60A	----	13.10 - 6.80	.0735	----	----	14	----	318 UNCH
4775	15.00	15.00	15.00/*11.50A	17.40B/*11.50A	----	12.90 - 6.60	.0724	----	----	18	----	334 - 1
4780	----	----	----/*11.20A	17.00B/*11.20A	----	12.70 - 6.40	.0713	----	----	3	----	124 UNCH
4785	14.50	14.50	14.50/*11.10A	16.70B/*11.10A	----	12.40 - 6.30	.0698	----	----	17	----	175 UNCH
4790	11.40	11.40	11.40/*10.90A	16.40B/*10.90A	----	12.20 - 6.20	.0688	----	----	2	----	34 + 1
4795	14.00	14.00	14.00/*10.70A	15.90B/*10.70A	----	12.10 - 5.90	.0681	----	----	8	----	326 UNCH
4800	13.70	13.70	13.70/*10.50A	15.70B/*10.50A	----	11.90 - 5.80	.0670	----	----	389	----	3762 + 51
4805	----	----	----/*10.40A	15.50B/*10.40A	----	11.70 - 5.70	.0659	----	----	1	----	23 UNCH
4810	13.80	13.80	13.80/*10.20A	15.10B/*10.20A	----	11.50 - 5.50	.0649	----	----	4	----	39 - 1
4815	13.10	13.10	13.10/*10.00A	14.80B/*10.00A	----	11.30 - 5.40	.0638	----	----	5	----	63 - 1
4820	----	----	----/*9.90A	14.60B/*9.90A	----	11.10 - 5.30	.0628	----	----	22	----	156 - 7
4825	13.00	13.00	13.00/*9.70A	14.30B/*9.70A	----	11.00 - 5.10	.0621	----	----	17	----	352 + 4
4830	9.80	9.80	9.90/*9.60A	14.10B/*9.60A	----	10.80 - 5.00	.0611	----	----	3	----	77 UNCH
4835	10.40	10.40	10.40/*9.40A	13.80B/*9.40A	----	10.60 - 4.90	.0600	----	----	66	----	86 + 48
4840	----	----	----/*9.30A	13.60B/*9.30A	----	10.50 - 4.70	.0594	----	----	----	----	28 UNCH
4845	----	----	----/*9.20A	13.40B/*9.20A	----	10.30 - 4.70	.0583	----	----	----	----	22 UNCH
4850	----	----	----/*9.00A	13.20B/*9.00A	----	10.20 - 4.50	.0577	----	----	49	----	327 + 24
4855	----	----	----/*8.90A	12.90B/*8.90A	----	10.00 - 4.40	.0566	----	----	----	----	12 UNCH
4860	----	----	----/*8.80A	12.70B/*8.80A	----	9.90 - 4.30	.0560	----	----	----	----	34 UNCH
4865	----	----	----/*8.60A	12.50B/*8.60A	----	9.80 - 4.10	.0554	----	----	----	----	38 UNCH
4870	9.40	9.40	9.40/*8.50A	12.30B/*8.50A	----	9.60 - 4.10	.0544	----	----	6	----	70 + 6
4875	12.20	12.20	12.50/*8.40A	12.50/*8.40A	----	9.50 - 3.90	.0537	----	----	84	----	250 + 64
4880	----	----	----/*8.30A	11.90B/*8.30A	----	9.40 - 3.80	.0531	----	----	----	----	144 UNCH
4885	10.80	10.80	10.80/*8.10A	11.60B/*8.10A	----	9.20 - 3.80	.0521	----	----	1	----	54 + 1
4890	10.20	10.20	10.20/*8.00A	11.40B/*8.00A	----	9.10 - 3.60	.0515	----	----	11	----	59 + 1
4895	8.60	8.60	8.60/*7.90A	11.20B/*7.90A	----	9.00 - 3.50	.0509	----	----	13	----	78 + 13
4900	11.50	11.50	11.50/*7.80A	11.50/*7.80A	----	8.90 - 3.40	.0503	----	----	92	----	1231 + 20
4905	----	----	----/*7.70A	10.90B/*7.70A	----	8.70 - 3.40	.0493	----	----	----	----	15 UNCH
4910	----	----	----/*7.60A	10.90B/*7.60A	----	8.60 - 3.30	.0487	----	----	----	----	16 UNCH
4915	----	----	----/*7.50A	10.70B/*7.50A	----	8.50 - 3.20	.0481	----	----	----	----	43 UNCH
4920	----	----	----/*7.40A	10.40B/*7.40A	----	8.40 - 3.10	.0475	----	----	1	----	29 UNCH
4925	9.50	9.50	10.60B/*7.30A	10.60B/*7.30A	----	8.30 - 3.00	.0469	----	----	167	----	407 + 74
4930	----	----	----/*7.20A	10.10B/*7.20A	----	8.20 - 2.90	.0463	----	----	1	----	48 UNCH
4935	----	----	----/*7.10A	10.00B/*7.10A	----	8.10 - 2.90	.0457	----	----	----	----	21 UNCH
4940	9.90	9.90	9.90/*7.00A	9.90/*7.00A	----	8.00 - 2.80	.0451	----	----	3	----	53 + 2
4945	----	----	----/*6.90A	9.60B/*6.90A	----	7.90 - 2.70	.0446	----	----	----	----	86 UNCH
4950	----	----	----/*6.80A	9.50B/*6.80A	----	7.80 - 2.60	.0440	----	----	32	----	718 - 1
4955	8.90	8.90	8.90/*6.80A	9.40B/*6.80A	----	7.70 - 2.60	.0434	----	----	1	----	30 + 1
4960	----	----	----/*6.70A	9.30B/*6.70A	----	7.60 - 2.50	.0428	----	----	1	----	41 - 1
4965	----	----	----/*6.60A	9.10B/*6.60A	----	7.50 - 2.50	.0423	----	----	----	----	28 UNCH
4970	----	----	----/*6.60A	9.20B/*6.60A	----	7.40 - 2.40	.0417	----	----	----	----	25 UNCH
4975	9.10	9.10	9.10/*6.40A	9.10/*6.40A	----	7.30 - 2.40	.0411	----	----	3	----	18 + 1
4980	----	----	----/*6.40A	9.00B/*6.40A	----	7.20 - 2.30	.0406	----	----	3	----	20 UNCH
4985	----	----	----/*6.30A	8.60B/*6.30A	----	7.20 - 2.20	.0404	----	----	----	----	15 UNCH
4990	----	----	----/*6.20A	8.50B/*6.20A	----	7.10 - 2.10	.0399	----	----	1	----	24 - 1
4995	7.70	7.70	7.70/*6.20A	8.40B/*6.20A	----	7.00 - 2.10	.0393	----	----	1	----	11 + 1
5000	7.60	7.60	8.10/*6.10	8.30B/*6.10	----	6.90 - 2.10	.0388	----	----	1350	----	2810 - 625
5005	----	----	----/*6.10A	8.20B/*6.10A	----	6.80 - 2.00	.0382	----	----	----	----	25 UNCH
5010	7.70	7.70	7.70/*6.10A	8.10B/*6.10A	----	6.80 - 1.90	.0381	----	----	1	----	3 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5015	----	----	----/*6.00A	8.00B/*6.00A	----	6.70 - 1.90	.0375	----	----	----	----	33 UNCH
5020	----	----	----/*5.80A	7.90B/*5.80A	----	6.60 - 1.90	.0370	----	----	1	----	99 UNCH
5025	----	----	----/*5.90A	7.80B/*5.90A	----	6.50 - 1.80	.0364	----	----	----	----	276 UNCH
5030	7.30	7.30	7.30/*5.80A	7.70B/*5.80A	----	6.50 - 1.70	.0363	----	----	35	----	225 - 7
5035	----	----	----/*5.70A	7.60B/*5.70A	----	6.40 - 1.70	.0358	----	----	----	----	73 UNCH
5040	7.20	7.20	7.20/*5.70A	7.50B/*5.70A	----	6.30 - 1.70	.0352	----	----	1	----	34 UNCH
5045	----	----	----/*5.60A	7.30B/*5.60A	----	6.20 - 1.70	.0347	----	----	----	----	36 UNCH
5050	7.20	7.20	7.30B/*5.60A	7.30B/*5.60A	----	6.20 - 1.60	.0346	----	----	17	----	432 + 1
5055	----	----	----/*5.50A	7.20B/*5.50A	----	6.10 - 1.60	.0340	----	----	----	----	21 UNCH
5060	6.60	6.60	6.60/*5.40A	7.10B/*5.40A	----	6.00 - 1.60	.0335	----	----	1	----	45 UNCH
5065	----	----	----/*5.40A	7.00B/*5.40A	----	6.00 - 1.50	.0334	----	----	----	----	45 UNCH
5070	----	----	----/*5.30A	6.90B/*5.30A	----	5.90 - 1.50	.0329	----	----	----	----	59 UNCH
5075	----	----	----/*5.30A	6.90B/*5.30A	----	5.80 - 1.50	.0323	----	----	----	----	308 UNCH
5080	5.70	5.70	5.70/*5.20A	6.80B/*5.20A	----	5.80 - 1.40	.0322	----	----	6	----	26 UNCH
5085	----	----	----/*5.20A	6.70B/*5.20A	----	5.70 - 1.40	.0317	----	----	----	----	170 UNCH
5090	----	----	----/*5.10A	6.70B/*5.10A	----	5.70 - 1.30	.0316	----	----	----	----	11 UNCH
5095	----	----	----/*5.10A	6.60B/*5.10A	----	5.60 - 1.30	.0311	----	----	----	----	10 UNCH
5100	5.80	5.80	5.80/*5.00A	6.40B/*5.00A	----	5.50 - 1.40	.0306	----	----	23	----	4584 - 2
5105	----	----	----/*5.00A	6.40B/*5.00A	----	5.50 - 1.30	.0305	----	----	----	----	17 UNCH
5110	----	----	----/*4.90A	6.40B/*4.90A	----	5.40 - 1.30	.0300	----	----	----	----	12 UNCH
5115	----	----	----/*4.80A	6.30B/*4.80A	----	5.40 - 1.20	.0299	----	----	----	----	18 UNCH
5120	----	----	----/*4.70A	6.20B/*4.70A	----	5.30 - 1.20	.0293	----	----	----	----	367 UNCH
5125	----	----	----/*4.70A	6.20B/*4.70A	----	5.30 - 1.20	.0292	----	----	----	----	350 UNCH
5130	----	----	----/*4.80A	6.10B/*4.80A	----	5.20 - 1.20	.0287	----	----	----	----	13 UNCH
5135	5.40	5.40	5.40/*4.70A	6.00B/*4.70A	----	5.20 - 1.10	.0286	----	----	1	----	31 UNCH
5140	----	----	----/*4.70A	5.90B/*4.70A	----	5.10 - 1.10	.0281	----	----	----	----	31 UNCH
5145	----	----	----/*4.60A	5.90B/*4.60A	----	5.10 - 1.10	.0280	----	----	----	----	21 UNCH
5150	6.00	6.00	6.00/*4.60	6.00/*4.60	----	5.00 - 1.10	.0275	----	----	4	----	141 - 4
5155	----	----	----/*4.60A	5.80B/*4.60A	----	5.00 - 1.00	.0275	----	----	----	----	30 UNCH
5160	----	----	----/*4.50A	5.70B/*4.50A	----	4.90 - 1.10	.0270	----	----	----	----	16 UNCH
5165	----	----	----/*4.60A	5.60B/*4.60A	----	4.90 - 1.00	.0269	----	----	----	----	20 UNCH
5170	----	----	----/*4.50A	5.60B/*4.50A	----	4.80 - 1.00	.0264	----	----	----	----	12 UNCH
5175	----	----	----/*4.30A	5.60B/*4.30A	----	4.80 - 1.00	.0263	----	----	----	----	372 UNCH
5180	----	----	----/*4.40A	5.50B/*4.40A	----	4.70 - 1.00	.0258	----	----	----	----	1 UNCH
5185	----	----	----/*4.40A	5.50B/*4.40A	----	4.70 - 1.00	.0257	----	----	----	----	2 UNCH
5190	----	----	----/*4.30A	5.40B/*4.30A	----	4.70 - 0.90	.0256	----	----	----	----	33 UNCH
5195	----	----	----/*4.30A	5.30B/*4.30A	----	4.60 - 1.00	.0251	----	----	----	----	42 UNCH
5200	5.80	5.80	5.80/*4.20	5.80/*4.20	----	4.60 - 0.90	.0251	----	----	635	----	3141 - 125
5205	----	----	----/*4.20A	5.20B/*4.20A	----	4.60 - 0.80	.0250	----	----	----	----	6 UNCH
5210	----	----	----/*4.20A	5.20B/*4.20A	----	4.50 - 0.90	.0245	----	----	----	----	8 UNCH
5215	----	----	----/*4.10A	5.10B/*4.10A	----	4.50 - 0.80	.0244	----	----	----	----	15 UNCH
5220	4.10	4.10	4.10/*4.00A	5.10B/*4.00A	----	4.50 - 0.80	.0244	----	----	1	----	291 UNCH
5225	----	----	----/*4.10A	5.00B/*4.10A	----	4.40 - 0.80	.0239	----	----	----	----	60 UNCH
5230	----	----	----/*4.10A	5.00B/*4.10A	----	4.40 - 0.80	.0238	----	----	2	----	13 UNCH
5235	4.10	4.10	4.10/*4.10	5.00B/*4.10	----	4.40 - 0.70	.0237	----	----	5	----	15 - 5
5240	----	----	----/*4.00A	4.90B/*4.00A	----	4.30 - 0.80	.0232	----	----	----	----	36 UNCH
5245	----	----	----/*4.00A	4.80B/*4.00A	----	4.30 - 0.70	.0232	----	----	----	----	17 UNCH
5250	6.50	6.50	6.50/*4.00A	6.50/*4.00A	----	4.30 - 0.70	.0231	----	----	2	----	703 - 2
5255	----	----	----/*3.90A	4.80B/*3.90A	----	4.20 - 0.80	.0226	----	----	3	----	904 UNCH
5260	4.00	4.00	4.00/*3.90A	4.80B/*3.90A	----	4.20 - 0.70	.0226	----	----	6	----	35 UNCH
5265	----	----	----/*3.70A	4.70B/*3.70A	----	4.20 - 0.70	.0225	----	----	----	----	18 UNCH
5270	----	----	----/*3.90A	4.60B/*3.90A	----	4.20 - 0.60	.0224	----	----	8	----	152 - 8
5275	----	----	----/*3.80A	4.60B/*3.80A	----	4.10 - 0.70	.0220	----	----	----	----	17 UNCH
5280	4.80	4.80	4.80/*3.80A	4.80/*3.80A	----	4.10 - 0.70	.0219	----	----	17	----	210 + 1
5285	3.90	3.90	3.90/*3.80A	4.60B/*3.80A	----	4.10 - 0.60	.0218	----	----	1	----	31 - 1
5290	----	----	----/*3.80A	4.50B/*3.80A	----	4.00 - 0.70	.0214	----	----	1	----	24 UNCH
5295	3.80	3.80	3.80/*3.70A	4.50B/*3.70A	----	4.00 - 0.60	.0213	----	----	5	----	11 + 5
5300	4.60	4.60	4.60/*3.70A	4.60/*3.70A	----	4.00 - 0.60	.0212	----	----	27	----	1199 - 5
5305	----	----	----/*3.70A	4.40B/*3.70A	----	4.00 - 0.60	.0212	----	----	----	----	17 UNCH
5310	----	----	----/*3.50A	4.40B/*3.50A	----	3.90 - 0.60	.0207	----	----	----	----	105 UNCH
5315	3.70	3.70	3.70/*3.60A	4.30B/*3.60A	----	3.90 - 0.60	.0207	----	----	11	----	16 + 11
5320	----	----	----/*3.70A	4.30B/*3.70A	----	3.90 - 0.60	.0206	----	----	8	----	23 - 1
5325	3.70	3.70	3.70/*3.50A	4.30B/*3.50A	----	3.80 - 0.60	.0201	----	----	5	----	42 + 5
5330	----	----	----/*3.60A	4.20B/*3.60A	----	3.80 - 0.60	.0201	----	----	----	----	21 UNCH
5335	----	----	----/*3.50A	4.20B/*3.50A	----	3.80 - 0.60	.0200	----	----	----	----	2 UNCH
5340	----	----	----/*3.50A	4.20B/*3.50A	----	3.80 - 0.50	.0200	----	----	1	----	1 UNCH
5345	3.60	3.60	3.60/*3.50A	4.10B/*3.50A	----	3.70 - 0.60	.0195	----	----	5	----	29 + 5
5350	----	----	----/*3.50A	4.10B/*3.50A	----	3.70 - 0.60	.0195	----	----	24	----	8002 - 9
5355	----	----	----/*3.40A	4.10B/*3.40A	----	3.70 - 0.50	.0194	----	----	----	----	1 UNCH
5360	----	----	----/*3.30A	4.10B/*3.30A	----	3.60 - 0.60	.0189	----	----	----	----	125 UNCH
5365	----	----	----/*3.40A	4.00B/*3.40A	----	3.60 - 0.60	.0189	----	----	----	----	9 UNCH
5370	3.80	3.80	3.80/*3.40A	4.00B/*3.40A	----	3.60 - 0.60	.0188	----	----	10	----	8018 + 10
5375	----	----	----/*3.40A	4.00B/*3.40A	----	3.60 - 0.50	.0188	----	----	----	----	255 UNCH
5380	----	----	----/*3.40A	3.90B/*3.40A	----	3.50 - 0.60	.0183	----	----	----	----	43 UNCH
5395	3.90	3.90	3.90/*3.30A	3.90/*3.30A	----	3.50 - 0.50	.0182	----	----	8	----	10 UNCH
5400	3.60	3.60	3.60/*3.00A	3.80B/*3.00A	----	3.40 - 0.60	.0177	----	----	91	----	2535 + 42
5405	----	----	----/*3.30A	3.80B/*3.30A	----	3.40 - 0.60	.0177	----	----	----	----	7 UNCH
5410	----	----	----/*3.30A	3.90B/*3.30A	----	3.40 - 0.50	.0177	----	----	----	----	23 UNCH
5415	----	----	----/*3.30A	3.80B/*3.30A	----	3.40 - 0.50	.0176	----	----	----	----	1 UNCH
5420	----	----	----/*3.30A	3.70B/*3.30A	----	3.30 - 0.60	.0172	----	----	----	----	8 UNCH
5425	----	----	----/*3.00A	3.70B/*3.00A	----	3.30 - 0.60	.0171	----	----	----	----	21 UNCH
5430	----	----	----/*3.20A	3.70B/*3.20A	----	3.30 - 0.60	.0171	----	----	----	----	12 UNCH
5435	----	----	----/*3.20A	3.70B/*3.20A	----	3.30 - 0.50	.0170	----	----	----	----	50 UNCH
5440	----	----	----/*3.20A	3.60B/*3.20A	----	3.30 - 0.50	.0170	----	----	----	----	105 UNCH
5445	3.20	3.20	3.20/*3.10A	3.60B/*3.10A	----	3.30 - 0.50	.0169	----	----	5	----	17 + 5
5450	5.00	5.00	5.00/*3.20A	5.00/*3.20A	----	3.20 - 0.60	.0165	----	----	3	----	221 - 2
5455	----	----	----/*3.10A	3.60B/*3.10A	----	3.20 - 0.50	.0165	----	----	----	----	20 UNCH
5460	----	----	----/*3.10A	3.50B/*3.10A	----	3.20 - 0.50	.0164	----	----	----	----	12 UNCH
5465	----	----	----/*3.10A	3.50B/*3.10A	----	3.20 - 0.50	.0164	----	----	----	----	42 UNCH
5470	----	----	----/*3.10A	3.50B/*3.10A	----	3.20 - 0.50	.0163	----	----	----	----	14 UNCH
5475	----	----	----/*3.00A	3.50B/*3.00A	----	3.20 - 0.40	.0163	----	----	----	----	6 UNCH
5480	----	----	----/*3.10A	3.40B/*3.10A	----	3.20 - 0.40	.0163	----	----	----	----	14 UNCH
5485	----	----	----/*3.00A	3.40B/*3.00A	----	3.10 - 0.50	.0158	----	----	----	----	19 UNCH
5490	----	----	----/*3.00A	3.40B/*3.00A	----	3.10 - 0.50	.0158	----	----	----	----	2 UNCH
5495	----	----	----/*3.00A	3.40B/*3.00A	----	3.10 - 0.50	.0157	----	----	----	----	19 UNCH
5500	3.10	3.10	3.10/*3.00A	3.50B/*3.00A	----	3.10 - 0.40	.0157	----	----	11	----	2341 - 7
5505	----	----	----/*3.00A	3.30B/*3.00A	----	3.10 - 0.40	.0157	----	----	----	----	13 UNCH
5510	----	----	----/*2.80A	3.30B/*2.80A	----	3.10 - 0.40	.0156	----	----	----	----	9 UNCH
5515	----	----	----/*3.00A	3.40B/*3.00A	----	3.10 - 0.40	.0156	----	----	----	----	41 UNCH
5520	----	----	----/*2.90A	3.20B/*2.90A	----	3.10 - 0.40	.0156	----	----	----	----	5 UNCH
5525	----	----	----/*2.80A	3.30B/*2.80A	----	3.10 - 0.30	.0155	----	----	----	----	2236 UNCH
5530	----	----	----/*2.90A	3.20B/*2.90A	----	3.00 - 0.40	.0151	----	----	----	----	1 UNCH
5535	----	----	----/*2.90A	3.30B/*2.90A	----	3.00 - 0.40	.0151	----	----	----	----	12 UNCH
5540	----	----	----/*2.90A	3.20B/*2.90A	----	3.00 - 0.40	.0150	----	----	----	----	9 UNCH
5545	3.20	3.20	3.20/*2.80A	3.20/*2.80A	----	3.00 - 0.40	.0150	----	----	22	----	35 + 18
5550	----	----	----/*2.90A	3.20B/*2.90A	----	3.00 - 0.30	.0149	----	----	----	----	128 UNCH
5555	----	----	----/*2.80A	3.10B/*2.80A	----	3.00 - 0.30	.0149	----	----	----	----	1 UNCH
5560	----	----	----/*2.80A	3.10B/*2.80A	----	3.00 - 0.30	.0149	----	----	----	----	3 UNCH
5565	----	----	----/*2.80A	3.10B/*2.80A	----	3.00 - 0.30	.0148	----	----	----	----	35 UNCH
5570	----	----	----/*2.80A	3.10B/*2.80A	----	3.00 - 0.30	.0148	----	----	----	----	20 UNCH
5575	----	----	----/*2.80A	3.00B/*2.80A	----	3.00 - 0.30	.0148	----	----	----	----	4 UNCH
5580	----	----	----/*2.80A	3.00B/*2.80A	----	2.90 - 0.30	.0144	----	----	----	----	55 UNCH
5590	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.30	.0143	----	----	----	----	2 UNCH
5595	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.30	.0143	----	----	----	----	32 UNCH
5600	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.30	.0142	----	----	16	----	1064 - 16
5605	----	----	----/*2.50A	2.90B/*2.50A	----	2.90 - 0.30	.0142	----	----	----	----	7 UNCH
5610	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.20	.0142	----	----	----	----	45 UNCH
5615	----	----	----/*2.70A	3.00B/*2.70A	----	2.90 - 0.20	.0141	----	----	----	----	3 UNCH
5620	----	----	----/*2.60A	2.90B/*2.60A	----	2.90 - 0.20	.0141	----	----	----	----	30 UNCH
5625	----	----	----/*2.60A	2.90B/*2.60A	----	2.80 - 0.30	.0137	----	----	1	----	4 - 1
5630	----	----	----/*2.60A	2.90B/*2.60A	----	2.80 - 0.30	.0137	----	----	----	----	15 UNCH
5635	----	----	----/*2.60A	2.90B/*2.60A	----	2.80 - 0.30	.0136	----	----	----	----	2 UNCH
5640	----	----	----/*2.60A	2.80B/*2.60A	----	2.80 - 0.30	.0136	----	----	----	----	9 UNCH
5650	----	----	----/*2.60A	2.80B/*2.60A	----	2.80 - 0.20	.0135	----	----	1	----	600 - 1
5660	----	----	----/*2.40A	2.80B/*2.40A	----	2.80 - 0.20	.0135	----	----	----	----	33 UNCH
5670	----	----	----/*2.50A	2.80B/*2.50A	----	2.70 - 0.30	.0130	----	----	----	----	10 UNCH
5675	----	----	----/*2.50A	2.70B/*2.50A	----	2.70 - 0.30	.0130	----	----	----	----	3 UNCH
5680	----	----	----/*2.50A	2.70B/*2.50A	----	2.70 - 0.20	.0130	----	----	----	----	6 UNCH
5690	----	----	----/*2.50A	2.70B/*2.50A	----	2.70 - 0.20	.0129	----	----	1	----	17 + 1
5700	----	----	----/*2.40A	2.70B/*2.40A	----	2.70 - 0.20	.0129	----	----	----	----	1699 UNCH
5710	----	----	----/*2.40A	2.60B/*2.40A	----	2.70 - 0.20	.0128	----	----	----	----	7 UNCH
5720	----	----	----/*2.40A	2.60B/*2.40A	----	2.60 - 0.20	.0124	----	----	----	----	19 UNCH
5725	----	----	----/*2.40A	2.60B/*2.40A	----	2.60 - 0.20	.0124	----	----	----	----	1 UNCH
5730	----	----	----/*2.40A	2.60B/*2.40A	----	2.60 - 0.20	.0123	----	----	----	----	15 UNCH
5750	----	----	----/*2.30A	2.50B/*2.30A	----	2.60 - 0.20	.0122	----	----	----	----	829 UNCH
5775	2.30	2.30	2.30/*2.30	2.40B/*2.30	----	2.50 - 0.20	.0117	----	----	10	----	12 + 9
5800	2.40	2.40	2.40/*2.00	2.40/*2.00	----	2.50 - 0.20	.0116	----	----	9	----	1065 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 26

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5825	2.50	2.50	2.50/*2.20	2.50/*2.20	----	2.40 - 0.20	.0111	----	----	5	----	137 + 3
5850	2.50	2.50	2.50/*2.30A	2.50/*2.30A	----	2.30 - 0.20	.0107	----	----	1	----	167 + 1
5875	----	----	----/*2.30A	2.20B/*2.30A	----	2.30 - 0.20	.0106	----	----	----	----	26 UNCH
5900	----	----	----/*2.30A	2.20B/*2.30A	----	2.20 - 0.20	.0101	----	----	----	----	1485 UNCH
5925	----	----	----/*2.30A	2.10B/*2.30A	----	2.20 - 0.20	.0100	----	----	----	----	14 UNCH
5950	----	----	----/*2.10A	2.00B/*2.10A	----	2.10 - 0.30	.0096	----	----	----	----	25 UNCH
6000	2.20	2.20	2.40/*1.70A	2.40/*1.70A	----	2.00 - 0.30	.0090	----	----	19	----	3504 + 3
6100	2.00	2.00	2.00/*1.90A	2.00/*1.90A	----	1.80 - 0.30	.0080	----	----	1	----	809 UNCH
6200	----	----	----	1.70B/*1.90A	----	1.70 - 0.20	.0074	----	----	1	----	1422 - 1
6250	2.00	2.00	2.00/*1.70A	2.00/*1.70A	----	1.60 - 0.30	.0069	----	----	1	----	7 - 1
6300	----	----	----/*1.70A	1.60B/*1.70A	----	1.50 - 0.30	.0065	----	----	----	----	91 UNCH
6400	1.30	1.30	1.30/*1.30	1.50B/*1.30	----	1.40 - 0.20	.0059	----	----	2	----	55 UNCH
6500	1.30	1.30	1.30/*1.30	1.40B/*1.30	----	1.30 - 0.20	.0054	----	----	43	----	812 - 28
6600	1.10	1.10	1.10/*1.10	1.30B/*1.10	----	1.20 - 0.20	.0049	----	----	1	----	209 UNCH
6700	1.20	1.20	1.20/1.20	1.20/1.20	----	1.10 - 0.10	.0045	----	----	1	----	332 UNCH
6800	1.10	1.10	1.10/*1.10	1.10/*1.10	----	1.00 - 0.10	.0040	----	----	1	----	41 + 1
6900	----	----	----	1.00B/1.10A	----	0.90 - 0.10	.0036	----	----	----	----	33 UNCH
7000	0.80	0.80	0.80/*0.80	0.90B/*0.80	----	0.90 UNCH	.0035	----	----	50	----	982 UNCH
7500	0.50	0.50	0.50/*0.50	0.60B/*0.50	----	0.60 UNCH	.0022	----	----	31	----	828 UNCH
8000	----	----	----	0.40B/*0.40A	----	0.50 + 0.10	.0018	----	----	44	----	678 + 44
8500	----	----	----	0.20B/0.60A	----	0.40 + 0.10	.0013	----	----	----	----	113 UNCH
9000	----	----	----	0.10B/0.50A	----	0.30 + 0.10	.0010	----	----	----	----	123 UNCH
9500	----	----	----	----/0.40A	----	0.20 UNCH	.0006	----	----	----	----	316 UNCH
10000	----	----	----	----/0.20A	----	0.20 + 0.10	.0006	----	----	----	----	266 UNCH
TOTAL										10543	1,110	97019 + 3589
SEP26												
3875	----	----	----/*346.40A	451.50B/*346.40A	----	370.60 - 19.90	.7411	----	----	----	----	1 UNCH
3995	----	----	----/*266.20A	357.90B/*266.20A	----	285.90 - 07.30	.6579	----	----	----	----	10 UNCH
4085	----	----	----/*213.70A	294.10B/*213.70A	----	229.90 - 96.20	.5868	----	----	----	----	37 UNCH
4095	265.90	265.90	287.40B/*208.40	287.40B/*208.40A	----	224.10 NEW	.5785	----	----	5	----	5 + 5
4100	262.70	262.70	283.30B/*205.70	283.30B/*205.70A	----	221.30 NEW	.5744	----	----	6	----	6 + 6
4130	----	----	----/*190.20A	263.60B/*190.20A	----	204.60 - 90.20	.5492	----	----	----	----	10 UNCH
4140	----	----	----/*185.20A	263.30B/*185.20A	----	199.30 NEW	.5407	----	----	7	----	7 + 7
4165	----	----	----/*173.10A	258.00B/*173.10A	----	186.30 NEW	.5194	----	----	11	----	11 + 11
4175	190.40	190.40	190.40/*168.50A	251.70B/*168.50A	----	181.30 NEW	.5109	----	----	1	----	1 + 1
4180	187.00	187.00	187.00/*166.10A	248.50B/*166.10A	----	178.80 NEW	.5066	----	----	2	----	2 + 2
4185	----	----	----/*163.90A	245.40B/*163.90A	----	176.40 - 82.50	.5023	----	----	----	----	40 UNCH
4190	192.30	192.30	192.30/*161.60A	242.70B/*161.60A	----	173.90 NEW	.4980	----	----	3	----	3 + 3
4200	175.60	175.60	175.60/*157.30A	236.20B/*157.30A	----	169.20 - 80.30	.4894	----	----	4	----	4 + 3
4205	----	----	----/*154.10A	233.20B/*154.10A	----	166.80 NEW	.4851	----	----	1	----	1 + 1
4220	----	----	----/*147.60A	224.20B/*147.60A	----	159.90 - 77.40	.4723	----	----	----	----	165 UNCH
4225	177.90	177.90	177.90/*145.50A	225.90B/*145.50A	----	157.70 - 76.60	.4680	----	----	25	----	24 + 22
4240	165.60	165.60	165.60/*139.40A	216.50B/*139.40A	----	151.00 - 74.50	.4552	----	----	1	----	12 + 1
4250	154.40	154.40	154.40/*135.70A	210.90B/*135.70A	----	146.80 NEW	.4468	----	----	1	----	1 + 1
4260	----	----	----/*131.80A	205.30B/*131.80A	----	142.60 NEW	.4383	----	----	15	----	15 + 15
4265	159.00	159.00	159.00/*129.80A	198.70B/*129.80A	----	140.50 - 70.70	.4340	----	----	1	----	11 UNCH
4270	----	----	----/*128.00A	196.00B/*128.00A	----	138.50 - 69.90	.4299	----	----	----	----	1 UNCH
4275	----	----	----/*126.20A	193.30B/*126.20A	----	136.50 - 69.20	.4257	----	----	----	----	1 UNCH
4285	----	----	----/*122.40A	188.00B/*122.40A	----	132.50 - 67.70	.4173	----	----	----	----	3 UNCH
4290	----	----	----/*120.70A	185.40B/*120.70A	----	130.60 - 66.90	.4132	----	----	----	----	4 UNCH
4295	129.00	129.00	129.00/*118.90A	187.50B/*118.90A	----	128.70 - 66.20	.4090	----	----	1	----	51 + 1
4300	146.60	146.60	153.40/*117.20A	184.30B/*117.20A	----	126.80 - 65.40	.4049	----	----	130	----	125 + 106
4315	----	----	----/*112.10A	177.30B/*112.10A	----	121.30 - 63.10	.3926	----	----	----	----	40 UNCH
4320	----	----	----/*110.40A	175.00B/*110.40A	----	119.50 - 62.40	.3886	----	----	----	----	162 UNCH
4325	142.10	142.10	142.10/*108.80A	171.80B/*108.80A	----	117.70 NEW	.3845	----	----	50	----	50 + 50
4345	----	----	----/*102.60A	162.90B/*102.60A	----	110.90 - 58.60	.3686	----	----	----	----	2 UNCH
4350	----	----	----/*101.00A	160.50B/*101.00A	----	109.20 - 58.00	.3646	----	----	14	----	15 + 14
4360	126.00	126.00	126.00/*98.00A	155.90B/*98.00A	----	105.90 - 56.50	.3567	----	----	1	----	24 + 1
4370	----	----	----/*95.10A	151.40B/*95.10A	----	102.80 - 55.00	.3490	----	----	----	----	2 UNCH
4375	110.60	110.60	110.60/*93.70A	149.30B/*93.70A	----	101.20 - 54.40	.3452	----	----	1	----	4 UNCH
4380	114.30	114.30	114.30/*92.30A	147.20B/*92.30A	----	99.70 NEW	.3414	----	----	2	----	2 + 2
4385	----	----	----/*90.90A	145.00B/*90.90A	----	98.20 - 52.90	.3376	----	----	----	----	2 UNCH
4390	135.00	135.00	135.00/*89.50A	142.80B/*89.50A	----	96.70 - 52.30	.3338	----	----	2	----	214 UNCH
4395	----	----	----/*88.20A	140.70B/*88.20A	----	95.20 - 51.60	.3300	----	----	----	----	14 UNCH
4400	92.80	92.80	96.40/*86.90A	138.60B/*86.90A	----	93.80 - 50.90	.3264	----	----	12	----	118 - 5
4410	----	----	----/*84.30A	134.60B/*84.30A	----	91.00 - 49.50	.3191	----	----	----	----	3 UNCH
4415	----	----	----/*83.10A	132.50B/*83.10A	----	89.60 - 48.90	.3154	----	----	----	----	7 UNCH
4420	----	----	----/*81.80A	130.50B/*81.80A	----	88.20 - 48.20	.3118	----	----	----	----	7 UNCH
4425	----	----	----/*80.60A	128.60B/*80.60A	----	86.90 - 47.50	.3082	----	----	18	----	20 + 17
4430	----	----	----/*79.30A	125.50B/*79.30A	----	85.50 - 47.00	.3046	----	----	----	----	1 UNCH
4435	96.70	96.70	96.70/*78.10A	123.60B/*78.10A	----	84.20 NEW	.3011	----	----	1	----	1 + 1
4440	82.50	82.50	82.50/*77.00A	122.70B/*77.00A	----	83.00 - 45.60	.2977	----	----	3	----	9 + 2
4450	----	----	----/*74.70A	117.90B/*74.70A	----	80.40 - 44.40	.2906	----	----	11	----	25 + 10
4460	----	----	----/*72.50A	115.50B/*72.50A	----	78.00 - 43.10	.2839	----	----	----	----	1 UNCH
4465	----	----	----/*71.40A	112.60B/*71.40A	----	76.80 - 42.50	.2805	----	----	----	----	7 UNCH
4475	----	----	----/*69.20A	110.20B/*69.20A	----	74.50 - 41.30	.2739	----	----	2	----	38 + 2
4480	----	----	----/*68.20A	108.50B/*68.20A	----	73.30 - 40.70	.2706	----	----	----	----	2 UNCH
4485	84.00	84.00	84.00/*67.20A	106.80B/*67.20A	----	72.20 - 40.10	.2674	----	----	1	----	2 UNCH
4490	----	----	----/*66.10A	105.10B/*66.10A	----	71.10 - 39.50	.2642	----	----	----	----	2 UNCH
4495	----	----	----/*65.10A	103.40B/*65.10A	----	70.00 - 38.90	.2610	----	----	----	----	108 UNCH
4500	92.80	92.80	92.80/*64.20A	101.90B/*64.20A	----	68.90 - 38.40	.2578	----	----	40	----	366 + 23
4505	77.40	77.40	77.40/*63.20A	100.20B/*63.20A	----	67.90 - 37.70	.2547	----	----	1	----	23 + 1
4510	----	----	----/*62.20A	98.70B/*62.20A	----	66.80 - 37.20	.2515	----	----	----	----	2 UNCH
4515	80.00	80.00	80.00/*61.30A	97.20B/*61.30A	----	65.80 - 36.60	.2485	----	----	1	----	3 + 1
4520	----	----	----/*60.40A	95.60B/*60.40A	----	64.70 - 36.10	.2453	----	----	----	----	49 UNCH
4525	77.50	77.50	77.50/*59.40A	94.10B/*59.40A	----	63.70 - 35.50	.2423	----	----	2	----	9 + 2
4530	74.10	74.10	74.10/*58.50A	92.60B/*58.50A	----	62.80 - 34.90	.2395	----	----	7	----	17 UNCH
4535	75.20	75.20	75.20/*57.60A	91.20B/*57.60A	----	61.80 - 34.40	.2365	----	----	8	----	10 - 4
4540	----	----	----/*56.80A	89.70B/*56.80A	----	60.80 - 33.90	.2334	----	----	----	----	7 UNCH
4545	----	----	----/*55.90A	88.30B/*55.90A	----	59.90 - 33.30	.2306	----	----	----	----	60 UNCH
4550	71.00	71.00	71.00/*55.10A	86.90B/*55.10A	----	59.00 - 32.80	.2278	----	----	5	----	278 - 2
4555	----	----	----/*54.20A	85.50B/*54.20A	----	58.10 - 32.30	.2250	----	----	----	----	100 UNCH
4560	----	----	----/*53.40A	84.10B/*53.40A	----	57.20 - 31.80	.2221	----	----	----	----	29 UNCH
4565	----	----	----/*52.60A	82.80B/*52.60A	----	56.30 - 31.30	.2193	----	----	----	----	21 UNCH
4570	----	----	----/*51.80A	81.50B/*51.80A	----	55.40 - 30.90	.2165	----	----	----	----	19 UNCH
4575	----	----	----/*51.00A	80.20B/*51.00A	----	54.60 - 30.30	.2139	----	----	----	----	69 UNCH
4580	----	----	----/*50.30A	78.90B/*50.30A	----	53.80 - 29.80	.2113	----	----	----	----	3 UNCH
4585	----	----	----/*49.50A	77.70B/*49.50A	----	53.00 - 29.30	.2087	----	----	----	----	32 UNCH
4590	----	----	----/*48.80A	75.60B/*48.80A	----	52.20 - 28.90	.2061	----	----	----	----	13 UNCH
4595	----	----	----/*48.00A	72.50B/*48.00A	----	51.40 - 28.40	.2035	----	----	----	----	33 UNCH
4600	63.50	63.50	65.00/*46.70	73.60B/*46.70	----	50.60 - 28.00	.2009	----	----	146	----	539 + 113
4605	53.90	53.90	53.90/*46.60A	72.70B/*46.60A	----	49.80 - 27.60	.1983	----	----	1	----	41 + 1
4610	----	----	----/*45.90A	69.10B/*45.90A	----	49.10 - 27.10	.1959	----	----	----	----	7 UNCH
4615	----	----	----/*45.20A	69.80B/*45.20A	----	48.40 - 26.60	.1935	----	----	----	----	4 UNCH
4620	----	----	----/*44.50A	68.50B/*44.50A	----	47.60 - 26.20	.1909	----	----	----	----	4 UNCH
4625	----	----	----/*43.80A	65.70B/*43.80A	----	46.90 - 25.70	.1885	----	----	----	----	7 UNCH
4630	53.10	53.10	53.10/*43.20A	64.50B/*43.20A	----	46.20 - 25.20	.1862	----	----	3	----	15 UNCH
4635	----	----	----/*42.60A	63.70B/*42.60A	----	45.50 - 24.80	.1838	----	----	----	----	1 UNCH
4640	----	----	----/*41.90A	62.70B/*41.90A	----	44.90 - 24.30	.1816	----	----	----	----	12 UNCH
4645	----	----	----/*41.30A	61.70B/*41.30A	----	44.20 - 23.90	.1793	----	----	----	----	7 UNCH
4650	----	----	----/*40.70A	60.70B/*40.70A	----	43.60 - 23.40	.1771	----	----	----	----	188 UNCH
4655	----	----	----/*40.10A	59.60B/*40.10A	----	42.90 - 23.00	.1748	----	----	----	----	2 UNCH
4660	----	----	----/*39.50A	58.60B/*39.50A	----	42.30 - 22.60	.1727	----	----	----	----	312 UNCH
4665	43.70	43.70	43.70/*38.90A	57.70B/*38.90A	----	41.60 - 22.30	.1703	----	----	20	----	24 + 19
4670	----	----	----/*38.30A	56.80B/*38.30A	----	41.00 - 21.90	.1682	----	----	----	----	2 UNCH
4675	38.90	38.90	38.90/*37.80A	55.80B/*37.80A	----	40.40 - 21.50	.1661	----	----	11	----	19 + 10
4680	----	----	----/*37.20A	54.90B/*37.20A	----	39.80 - 21.20	.1640	----	----	----	----	1 UNCH
4690	----	----	----/*36.20A	53.00B/*36.20A	----	38.70 - 20.50	.1600	----	----	----	----	2 UNCH
4700	44.80	44.80	44.80/*35.10A	51.60B/*35.10A	----	37.50 - 19.90	.1558	----	----	43	----	595 - 9
4705	----	----	----/*34.60A	50.80B/*34.60A	----	37.00 - 19.50	.1539	----	----	----	----	10 UNCH
4710	----	----	----/*34.10A	49.90B/*34.10A	----	36.40 - 19.20	.1518	----	----	----	----	1 UNCH
4715	----	----	----/*33.60A	48.90B/*33.60A	----	35.90 - 18.90	.1500	----	----	----	----	100 UNCH
4720	34.70	34.70	34.70/*33.10A	48.30B/*33.10A	----	35.30 - 18.60	.1479	----	----	4	----	47 + 2
4725	----	----	----/*32.70A	47.40B/*32.70A	----	34.80 - 18.30	.1460	----	----	----	----	13 UNCH
4730	----	----	----/*32.20A	46.80B/*32.20A	----	34.30 - 17.90	.1442	----	----	----	----	10 UNCH
4735	----	----	----/*31.70A	46.00B/*31.70A	----	33.80 - 17.60	.1424	----	----	----	----	352 UNCH
4740	----	----	----/*31.30A	45.30B/*31.30A	----	33.30 - 17.30	.1405	----	----	5	----	4 - 1
4745	----	----	----/*30.90A	44.60B/*30.90A	----	32.80 - 17.00	.1387	----	----	5	----	7 UNCH
4750	----	----	----/*30.30A	43.80B/*30.30A	----	32.30 - 16.70	.1369	----	----	5	----	679 + 5
4755	----	----	----/*30.00A	43.20B/*30.00A	----	31.90 - 16.40	.1353	----	----	----	----	14 UNCH
4760	----	----	----/*29.60A	42.40B/*29.60A	----	31.40 - 16.10	.1335	----	----	1	----	28 + 1
4770	----	----	----/*28.80A	41.20B/*28.80A	----	30.50 - 15.60	.1301	----	----	----	----	3 UNCH
4775	35.00	35.00	35.00/*28.40A	40.40B/*28.40A	----	30.10 - 15.30	.1286	----	----	2	----	271 + 2
4780	----	----	----/*28.00A	39.80B/*28.00A	----	29.70 - 15.00	.1270	----	----	1	----	10 UNCH
4785	30.90	30.90	30.90/*27.60A	39.00B/*27.60A	----	29.20 - 14.80	.1252	----	----	6	----	6 UNCH
4790	----	----	----/*27.20A	38.60B/*27.20A	----	28.80 - 14.50	.1237	----	----	20	----	26 + 20

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4795	----	----	----/*26.80A	37.30B/*26.80A	----	28.40 - 14.30	.1221	----	----	----	----	4 UNCH
4800	35.00	35.00	35.00/*26.50A	37.30B/*26.50A	----	28.00 - 14.00	.1206	----	----	92	----	1284 + 25
4805	----	----	----/*26.10A	38.10B/*26.10A	----	27.60 - 13.80	.1190	----	----	----	----	6 UNCH
4810	27.60	27.60	27.70/*25.70A	36.20B/*25.70A	----	27.30 - 13.50	.1178	----	----	5	----	11 + 5
4815	----	----	----/*25.40A	35.30B/*25.40A	----	26.90 - 13.30	.1162	----	----	----	----	12 UNCH
4820	----	----	----/*25.00A	34.50B/*25.00A	----	26.50 - 13.10	.1147	----	----	----	----	4 UNCH
4825	----	----	----/*24.40A	34.20B/*24.40A	----	26.20 - 12.80	.1135	----	----	1	----	367 UNCH
4830	----	----	----/*24.40A	34.10B/*24.40A	----	25.80 - 12.60	.1120	----	----	----	----	14 UNCH
4835	----	----	----/*24.00A	33.50B/*24.00A	----	25.50 - 12.40	.1107	----	----	----	----	1 UNCH
4840	----	----	----/*23.70A	33.00B/*23.70A	----	25.10 - 12.20	.1092	----	----	----	----	47 UNCH
4850	----	----	----/*23.10A	32.70B/*23.10A	----	24.50 - 11.70	.1067	----	----	4	----	108 UNCH
4860	----	----	----/*22.50A	31.70B/*22.50A	----	23.80 - 11.40	.1040	----	----	----	----	3 UNCH
4870	----	----	----/*21.90A	30.80B/*21.90A	----	23.20 - 11.00	.1016	----	----	----	----	3 UNCH
4875	27.00	27.00	27.00/*21.60A	30.30B/*21.60A	----	22.90 - 10.80	.1003	----	----	15	----	179 + 15
4880	----	----	----/*21.30A	29.80B/*21.30A	----	22.60 - 10.60	.0991	----	----	1	----	15 + 1
4885	----	----	----/*21.10A	29.30B/*21.10A	----	22.30 - 10.40	.0979	----	----	----	----	52 UNCH
4895	----	----	----/*20.50A	28.50B/*20.50A	----	21.80 - 10.00	.0958	----	----	----	----	11 UNCH
4900	25.00	25.00	25.00/*20.30A	28.10B/*20.30A	----	21.50 - 9.80	.0946	----	----	6	35	484 - 16
4905	----	----	----/*19.90A	27.70B/*19.90A	----	21.20 - 9.70	.0934	----	----	1	----	25 UNCH
4915	----	----	----/*19.50A	27.10B/*19.50A	----	20.70 - 9.30	.0913	----	----	----	----	50 UNCH
4920	----	----	----/*19.30A	26.40B/*19.30A	----	20.40 - 9.20	.0901	----	----	----	----	68 UNCH
4925	----	----	----/*19.00A	26.20B/*19.00A	----	20.20 - 8.90	.0892	----	----	----	----	116 UNCH
4930	----	----	----/*18.80A	25.60B/*18.80A	----	19.90 - 8.80	.0880	----	----	----	----	2 UNCH
4935	----	----	----/*18.60A	25.40B/*18.60A	----	19.70 - 8.60	.0871	----	----	----	----	1 UNCH
4940	----	----	----/*18.30A	25.00B/*18.30A	----	19.40 - 8.50	.0860	----	----	10	----	8 - 2
4945	----	----	----/*18.10A	24.60B/*18.10A	----	19.20 - 8.30	.0851	----	----	----	----	5 UNCH
4950	18.80	18.80	18.80/*17.90A	24.20B/*17.90A	----	18.90 - 8.20	.0839	----	----	51	----	304 + 24
4955	----	----	----/*17.60A	23.90B/*17.60A	----	18.70 - 8.00	.0830	----	----	1	----	1 UNCH
4960	----	----	----/*17.40A	23.50B/*17.40A	----	18.50 - 7.90	.0822	----	----	----	----	48 UNCH
4965	18.20	18.20	18.20/*17.20A	23.00B/*17.20A	----	18.30 - 7.70	.0813	----	----	2	----	9 UNCH
4970	----	----	----/*17.00A	22.90B/*17.00A	----	18.00 - 7.60	.0801	----	----	----	----	51 UNCH
4975	----	----	----/*16.80A	22.50B/*16.80A	----	17.80 - 7.50	.0792	----	----	----	----	331 UNCH
4980	19.10	19.10	19.10/*16.60A	22.20B/*16.60A	----	17.60 - 7.30	.0784	----	----	1	----	8 + 1
4985	----	----	----/*16.40A	21.70B/*16.40A	----	17.40 - 7.20	.0775	----	----	----	----	1 UNCH
4995	16.10	16.10	16.10/*15.50A	21.40B/*15.50A	----	17.00 NEW	.0758	----	----	1	----	1 + 1
5000	20.80	20.80	21.60/*15.80A	21.60/*15.80A	----	16.80 - 6.80	.0750	----	----	40	210	1014 - 8
5005	----	----	----/*15.70A	20.80B/*15.70A	----	16.60 - 6.70	.0741	----	----	----	----	3 UNCH
5010	----	----	----/*15.50A	20.40B/*15.50A	----	16.40 - 6.60	.0733	----	----	----	----	10 UNCH
5015	----	----	----/*15.30A	20.10B/*15.30A	----	16.20 - 6.50	.0724	----	----	----	----	4 UNCH
5030	15.90	15.90	16.00/*14.80A	19.30B/*14.80A	----	15.60 - 6.20	.0699	----	----	2	----	9 UNCH
5040	15.20	15.20	15.20/*14.50A	18.60B/*14.50A	----	15.30 NEW	.0685	----	----	3	----	3 + 3
5045	----	----	----/*14.30A	18.50B/*14.30A	----	15.10 - 5.90	.0677	----	----	----	----	3 UNCH
5050	15.70	15.70	15.70/*14.10A	18.10B/*14.10A	----	14.90 - 5.80	.0669	----	----	4	----	406 + 2
5055	15.60	15.60	15.60/*14.00A	18.00B/*14.00A	----	14.80 - 5.60	.0663	----	----	1	----	6 + 1
5060	16.60	16.60	16.60/*13.80A	17.80B/*13.80A	----	14.60 - 5.60	.0655	----	----	4	----	9 + 4
5070	----	----	----/*13.50A	17.30B/*13.50A	----	14.30 - 5.40	.0642	----	----	----	----	8 UNCH
5075	----	----	----/*13.40A	17.10B/*13.40A	----	14.10 - 5.30	.0633	----	----	----	----	4 UNCH
5080	14.80	14.80	14.80/*13.20A	16.80B/*13.20A	----	14.00 - 5.20	.0628	----	----	1	----	14 UNCH
5085	14.50	14.50	14.50/*13.10A	16.50B/*13.10A	----	13.80 - 5.20	.0620	----	----	3	----	8 + 3
5090	----	----	----/*13.00A	16.30B/*13.00A	----	13.70 - 5.00	.0615	----	----	----	----	3 UNCH
5095	15.30	15.30	15.30/*12.80A	16.10B/*12.80A	----	13.50 - 5.00	.0607	----	----	1	----	16 + 1
5100	14.30	14.30	14.30/*12.70A	15.90B/*12.70A	----	13.40 - 4.90	.0602	----	----	63	----	429 - 19
5105	14.50	14.50	14.50/*12.50A	15.80B/*12.50A	----	13.20 - 4.90	.0594	----	----	1	----	5 + 1
5110	13.80	13.80	13.80/*12.40A	15.60B/*12.40A	----	13.10 - 4.80	.0589	----	----	1	----	7 + 1
5115	13.60	13.60	13.60/*12.30A	15.40B/*12.30A	----	13.00 NEW	.0584	----	----	11	----	11 + 11
5120	----	----	----/*12.20A	15.10B/*12.20A	----	12.80 - 4.60	.0576	----	----	----	----	6 UNCH
5130	13.20	13.20	13.20/*12.00A	14.70B/*12.00A	----	12.60 - 4.40	.0566	----	----	1	----	4 UNCH
5135	----	----	----/*11.90A	14.60B/*11.90A	----	12.40 - 4.40	.0558	----	----	----	----	5 UNCH
5140	12.90	12.90	12.90/*11.70A	14.30B/*11.70A	----	12.30 - 4.30	.0553	----	----	1	----	4 UNCH
5145	13.30	13.30	13.30/*11.60A	14.30B/*11.60A	----	12.20 NEW	.0549	----	----	2	----	2 + 2
5150	12.80	12.80	12.80/*11.50A	14.10B/*11.50A	----	12.00 - 4.20	.0541	----	----	2	----	362 + 1
5155	----	----	----/*11.40A	13.80B/*11.40A	----	11.90 - 4.10	.0536	----	----	2	----	2 UNCH
5160	----	----	----/*11.30A	13.80B/*11.30A	----	11.80 - 4.10	.0531	----	----	----	----	22 UNCH
5165	----	----	----/*11.20A	13.60B/*11.20A	----	11.70 - 4.00	.0526	----	----	----	----	24 UNCH
5170	----	----	----/*11.10A	13.50B/*11.10A	----	11.60 - 3.90	.0522	----	----	----	----	8 UNCH
5175	12.50	12.50	12.50/*11.00A	13.20B/*11.00A	----	11.40 - 3.90	.0514	----	----	2	----	15 UNCH
5180	12.40	12.40	12.40/*10.80A	13.20B/*10.80A	----	11.30 - 3.80	.0509	----	----	2	----	9 + 2
5185	----	----	----/*10.70A	12.90B/*10.70A	----	11.20 - 3.80	.0504	----	----	----	----	5 UNCH
5190	10.90	10.90	10.90/*10.60A	13.00B/*10.60A	----	11.10 - 3.70	.0500	----	----	1	----	10000 UNCH
5195	12.00	12.00	12.00/*10.50A	12.70B/*10.50A	----	11.00 - 3.70	.0495	----	----	9	----	50 UNCH
5200	12.00	12.00	12.70/*10.40A	12.70/*10.40A	----	10.90 - 3.60	.0491	----	----	10	----	10066 - 2
5205	11.80	11.80	11.80/*10.30A	12.40B/*10.30A	----	10.80 - 3.50	.0486	----	----	2	----	3 + 2
5215	----	----	----/*10.10A	12.10B/*10.10A	----	10.60 - 3.40	.0477	----	----	----	----	10 UNCH
5230	----	----	----/*9.90A	11.80B/*9.90A	----	10.30 - 3.30	.0463	----	----	----	----	402 UNCH
5235	----	----	----/*9.80A	11.70B/*9.80A	----	10.20 - 3.30	.0459	----	----	----	----	1 UNCH
5240	----	----	----/*9.70A	11.50B/*9.70A	----	10.10 - 3.20	.0454	----	----	----	----	2 UNCH
5245	11.50	11.50	11.50/*9.50	11.50/*9.50	----	10.00 - 3.20	.0450	----	----	3	----	24 + 1
5250	11.80	11.80	11.80/*9.30A	11.80/*9.30A	----	9.90 - 3.20	.0445	----	----	5	----	651 + 2
5255	----	----	----/*9.30A	11.20B/*9.30A	----	9.80 - 3.10	.0441	----	----	----	----	4 UNCH
5270	----	----	----/*9.20A	10.90B/*9.20A	----	9.60 - 2.90	.0431	----	----	----	----	7 UNCH
5275	----	----	----/*9.10A	10.80B/*9.10A	----	9.50 - 2.90	.0426	----	----	----	----	201 UNCH
5290	----	----	----/*8.90A	10.50B/*8.90A	----	9.30 - 2.70	.0416	----	----	----	----	9 UNCH
5295	10.00	10.00	10.00/*8.80A	10.40B/*8.80A	----	9.20 - 2.70	.0412	----	----	10	----	10 + 2
5300	----	----	----/*8.70A	10.30B/*8.70A	----	9.10 - 2.70	.0408	----	----	----	----	1215 UNCH
5305	----	----	----/*8.60A	10.20B/*8.60A	----	9.00 - 2.70	.0403	----	----	----	----	11 UNCH
5310	----	----	----/*8.60A	10.10B/*8.60A	----	9.00 - 2.50	.0402	----	----	----	----	6 UNCH
5315	----	----	----/*8.50A	10.00B/*8.50A	----	8.90 - 2.50	.0398	----	----	----	----	5 UNCH
5325	----	----	----/*8.40A	9.80B/*8.40A	----	8.80 - 2.40	.0393	----	----	----	----	1 UNCH
5330	----	----	----/*8.30A	9.70B/*8.30A	----	8.70 - 2.40	.0388	----	----	----	----	20 UNCH
5335	----	----	----/*8.20A	9.70B/*8.20A	----	8.60 - 2.40	.0384	----	----	----	----	4 UNCH
5340	----	----	----/*8.20A	9.60B/*8.20A	----	8.50 - 2.40	.0380	----	----	----	----	7 UNCH
5350	----	----	----/*8.10A	9.40B/*8.10A	----	8.40 - 2.30	.0375	----	----	----	----	316 UNCH
5355	7.70	7.70	7.70/*7.60A	9.30B/*7.60A	----	8.30 - 2.30	.0370	----	----	2	----	25 + 2
5365	----	----	----/*7.90A	9.20B/*7.90A	----	8.20 - 2.20	.0365	----	----	----	----	22 UNCH
5370	----	----	----/*7.80A	9.10B/*7.80A	----	8.10 - 2.20	.0361	----	----	----	----	18 UNCH
5375	7.80	7.80	7.80/*7.40A	9.10B/*7.40A	----	8.10 - 2.10	.0360	----	----	2	----	7 + 2
5380	----	----	----/*7.70A	9.00B/*7.70A	----	8.00 - 2.10	.0356	----	----	----	----	2 UNCH
5395	----	----	----/*7.50A	8.80B/*7.50A	----	7.80 - 2.00	.0347	----	----	----	----	4 UNCH
5400	----	----	----/*7.50A	8.70B/*7.50A	----	7.80 - 1.90	.0346	----	----	11	50	2293 + 5
5420	----	----	----/*7.30A	8.40B/*7.30A	----	7.60 - 1.80	.0336	----	----	----	----	83 UNCH
5425	----	----	----/*7.20A	8.40B/*7.20A	----	7.50 - 1.80	.0332	----	----	----	----	50 UNCH
5435	----	----	----/*7.00A	8.30B/*7.00A	----	7.40 - 1.80	.0327	----	----	----	----	3 UNCH
5440	----	----	----/*7.10A	8.20B/*7.10A	----	7.30 - 1.80	.0323	----	----	----	----	15 UNCH
5450	----	----	----/*7.00A	8.10B/*7.00A	----	7.20 - 1.80	.0318	----	----	----	----	29 UNCH
5455	----	----	----/*6.80A	8.00B/*6.80A	----	7.20 - 1.70	.0317	----	----	----	----	39 UNCH
5460	----	----	----/*6.90A	8.00B/*6.90A	----	7.10 - 1.70	.0313	----	----	----	----	2 UNCH
5470	----	----	----/*6.80A	7.80B/*6.80A	----	7.10 - 1.60	.0312	----	----	----	----	3 UNCH
5475	----	----	----/*6.80A	7.80B/*6.80A	----	7.00 - 1.60	.0308	----	----	----	----	27 UNCH
5490	----	----	----/*6.70A	7.60B/*6.70A	----	6.90 - 1.50	.0302	----	----	----	----	1 UNCH
5500	7.60	7.60	7.60/*6.60A	7.60/*6.60A	----	6.80 - 1.50	.0298	----	----	14	----	2855 - 9
5505	----	----	----/*6.40A	7.50B/*6.40A	----	6.80 - 1.50	.0297	----	----	----	----	5 UNCH
5510	----	----	----/*6.40A	7.40B/*6.40A	----	6.70 - 1.50	.0293	----	----	----	----	1 UNCH
5515	----	----	----/*6.50A	7.40B/*6.50A	----	6.70 - 1.40	.0293	----	----	----	----	4 UNCH
5520	----	----	----/*6.40A	7.30B/*6.40A	----	6.60 - 1.50	.0289	----	----	----	----	1 UNCH
5525	----	----	----/*6.40A	7.30B/*6.40A	----	6.60 - 1.40	.0288	----	----	----	----	7 UNCH
5530	6.50	6.50	6.50/*6.20A	7.20B/*6.20A	----	6.60 - 1.40	.0287	----	----	2	----	4 UNCH
5535	----	----	----/*6.20A	7.20B/*6.20A	----	6.50 - 1.40	.0283	----	----	----	----	1 UNCH
5540	----	----	----/*6.30A	7.10B/*6.30A	----	6.50 - 1.40	.0283	----	----	----	----	19 UNCH
5550	----	----	----/*6.20A	7.00B/*6.20A	----	6.40 - 1.40	.0278	----	----	----	----	47 UNCH
5555	----	----	----/*6.10A	7.00B/*6.10A	----	6.40 - 1.30	.0278	----	----	----	----	5 UNCH
5560	----	----	----/*6.00A	6.90B/*6.00A	----	6.40 - 1.30	.0277	----	----	----	----	2 UNCH
5570	----	----	----/*6.10A	6.90B/*6.10A	----	6.30 - 1.20	.0273	----	----	----	----	1 UNCH
5575	----	----	----/*6.00A	6.80B/*6.00A	----	6.30 - 1.20	.0272	----	----	1	----	2 + 1
5590	----	----	----/*5.90A	6.70B/*5.90A	----	6.20 - 1.10	.0267	----	----	----	----	26 UNCH
5595	6.80	6.80	6.80/*5.80A	6.80/*5.80A	----	6.10 - 1.20	.0263	----	----	5	----	9 + 5
5600	7.10	7.10	7.10/*5.90A	7.10/*5.90A	----	6.10 - 1.10	.0263	----	----	2	----	922 - 1
5605	----	----	----/*5.80A	6.60B/*5.80A	----	6.10 - 1.10	.0262	----	----	----	----	3 UNCH
5620	----	----	----/*5.70A	6.40B/*5.70A	----	6.00 - 1.10	.0257	----	----	----	----	20 UNCH
5625	6.90	6.90	6.90/*5.70A	6.90/*5.70A	----	5.90 - 1.10	.0253	----	----	2	----	7 + 2
5635	----	----	----/*5.70A	6.30B/*5.70A	----	5.90 - 1.00	.0252	----	----	----	----	10 UNCH
5645	----	----	----/*5.70A	6.20B/*5.70A	----	5.80 - 1.00	.0248	----	----	----	----	5 UNCH
5650	----	----	----/*5.50A	6.20B/*5.50A	----	5.80 - 1.00	.0247	----	----	----	----	744 UNCH
5655	----	----	----/*5.50A	6.20B/*5.50A	----	5.80 - 1.00	.0247	----	----	----	----	4 UNCH
5665	----	----	----/*5.50A	6.10B/*5.50A	----	5.70 - 1.00	.0243	----	----	----	----	3 UNCH
5675	----	----	----/*5.50A	6.10B/*5.50A	----	5.60 - 1.00	.0238	----	----	----	----	8 UNCH
5690	----	----	----/*5.30A	6.00B/*5.30A	----	5.60 - 0.90	.0237	----	----	----	----	3 UNCH
5700	6.00	6.00	6.10/*5.30A	6.10/*5.30A	----	5.50 - 0.90	.0233	----	----	3	----	1011 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5710	----	----	----/*5.40A	5.80B/*5.40A	----	5.50 - 0.90	.0232	----	----	----	----	2 UNCH
5730	----	----	----/*5.20A	5.70B/*5.20A	----	5.30 - 1.00	.0224	----	----	----	----	2 UNCH
5750	----	----	----/*5.20A	5.60B/*5.20A	----	5.20 - 1.00	.0219	----	----	2	----	196 + 2
5760	----	----	----/*5.10A	5.60B/*5.10A	----	5.20 - 0.90	.0218	----	----	----	----	1 UNCH
5770	----	----	----/*5.10A	5.50B/*5.10A	----	5.10 - 0.90	.0214	----	----	----	----	2 UNCH
5775	----	----	----/*5.10A	5.50B/*5.10A	----	5.10 - 0.90	.0213	----	----	----	----	162 UNCH
5800	5.50	5.50	5.50/*5.00A	5.50/*5.00A	----	5.00 - 0.90	.0208	----	----	20	----	638 + 20
5825	5.40	5.40	5.40/*4.90A	5.40/*4.90A	----	4.90 NEW	.0203	----	----	9	----	9 + 9
5850	5.30	5.30	5.30/*4.80A	5.30/*4.80A	----	4.80 - 0.80	.0198	----	----	6	----	455 + 4
5875	5.20	5.20	5.20/*4.70A	5.20/*4.70A	----	4.70 NEW	.0193	----	----	3	----	3 + 3
5900	5.00	5.00	5.10/*4.80A	5.10/*4.80A	----	4.60 - 0.70	.0188	----	----	12	----	838 + 7
5925	5.00	5.00	5.00/*4.60A	5.00/*4.60A	----	4.50 NEW	.0183	----	----	7	----	7 + 7
5950	----	----	----/*4.50A	4.70B/*4.50A	----	4.40 - 0.70	.0179	----	----	----	----	51 UNCH
6000	4.70	4.70	4.70/*4.50A	4.70/*4.50A	----	4.30 - 0.60	.0172	----	----	4	----	1315 + 1
6050	----	----	----/*4.30A	4.40B/*4.30A	----	4.20 - 0.50	.0167	----	----	----	----	6 UNCH
6075	----	----	----/*4.30A	4.30B/*4.30A	----	4.10 - 0.50	.0162	----	----	----	----	1 UNCH
6100	----	----	----/*4.10A	4.20B/*4.10A	----	4.00 - 0.60	.0158	----	----	----	----	180 UNCH
6200	4.10	4.10	4.20/*3.80A	4.20/*3.80A	----	3.80 - 0.50	.0147	----	----	3	----	251 + 3
6250	----	----	----/*3.90A	3.80B/*3.90A	----	3.70 - 0.50	.0142	----	----	----	----	10 UNCH
6300	----	----	----/*3.80A	3.70B/*3.80A	----	3.60 - 0.50	.0137	----	----	----	----	160 UNCH
6400	----	----	----/*3.30A	3.50B/*3.30A	----	3.40 - 0.40	.0127	----	----	----	----	223 UNCH
6500	3.00	3.00	3.00/*3.00	3.30B/*3.00	----	3.30 - 0.30	.0121	----	----	2	----	536 - 1
6550	3.10	3.10	3.10/*3.10	3.20B/*3.10	----	3.20 - 0.30	.0116	----	----	1	----	2 + 1
6600	----	----	----	3.10B/*3.40A	----	3.20 - 0.20	.0115	----	----	----	----	49 UNCH
6650	3.20	3.20	3.20/3.20	3.20/3.20	----	3.10 - 0.30	.0111	----	----	1	----	8 + 1
6700	----	----	----	2.90B/*3.30A	----	3.10 - 0.20	.0110	----	----	----	----	1 UNCH
6750	----	----	----	2.80B/*3.20A	----	3.00 - 0.20	.0105	----	----	----	----	11 UNCH
6775	----	----	----	2.80B/3.20A	----	3.00 - 0.10	.0105	----	----	99	----	100 + 98
6800	----	----	----	2.70B/*3.10A	----	3.00 - 0.10	.0104	----	----	----	----	169 UNCH
7000	----	----	----	2.40B/3.00A	----	2.80 UNCH	.0094	----	----	----	----	251 UNCH
8000	----	----	----	1.60B/2.20A	----	1.60 - 0.20	.0050	----	----	99	----	292 + 88
TOTAL										1359	295	49321+ 777
OCT26												
3600	----	----	----/579.20A	702.10B/579.20A	----	609.90 - 35.40	.8507	----	----	----	----	12 UNCH
3900	----	----	----/*352.30A	451.40B/*352.30A	----	374.20 - 13.60	.7056	----	----	----	----	40 UNCH
4150	----	----	----/*208.70A	293.70B/*208.70A	----	221.70 NEW	.5338	----	----	1	----	1 + 1
4165	----	----	----/*201.50A	284.20B/*201.50A	----	214.10 NEW	.5227	----	----	41	----	41 + 41
4180	----	----	----/*194.60A	275.20B/*194.60A	----	206.70 NEW	.5115	----	----	2	----	1 + 1
4195	226.30	226.30	226.30/*188.00A	266.20B/*188.00A	----	199.50 NEW	.5004	----	----	3	----	3 + 3
4200	206.00	206.00	206.00/*185.80A	263.30B/*185.80A	----	197.20 NEW	.4967	----	----	6	----	6 + 6
4210	239.60	239.60	239.60/*181.50A	257.50B/*181.50A	----	192.50 NEW	.4893	----	----	1	----	1 + 1
4235	----	----	----/*171.00A	243.40B/*171.00A	----	181.40 NEW	.4708	----	----	1	----	1 + 1
4275	209.60	209.60	209.60/*155.30A	221.90B/*155.30A	----	164.60 - 70.90	.4415	----	----	2	----	5 + 1
4300	202.00	202.00	202.00/*146.10A	214.10B/*146.10A	----	154.90 - 67.60	.4236	----	----	4	----	104 + 2
4320	----	----	----/*139.30A	203.90B/*139.30A	----	147.40 - 65.00	.4094	----	----	----	----	1 UNCH
4325	165.50	165.50	169.60/*137.20A	201.50B/*137.20A	----	145.50 NEW	.4058	----	----	10	----	10 + 10
4335	166.80	166.80	166.80/*134.10A	197.40B/*134.10A	----	141.90 NEW	.3988	----	----	1	----	1 + 1
4340	----	----	----/*132.20A	194.40B/*132.20A	----	140.20 - 62.50	.3953	----	----	----	----	4 UNCH
4350	----	----	----/*129.00A	190.40B/*129.00A	----	136.70 - 61.20	.3884	----	----	----	----	30 UNCH
4355	----	----	----/*127.40A	188.20B/*127.40A	----	135.00 - 60.60	.3849	----	----	1	----	24 UNCH
4360	150.00	150.00	150.00/*126.10A	185.90B/*126.10A	----	133.30 NEW	.3815	----	----	1	----	1 + 1
4365	----	----	----/*124.20A	183.70B/*124.20A	----	131.60 - 59.40	.3781	----	----	----	----	34 UNCH
4380	149.60	149.60	149.60/*119.90A	177.00B/*119.90A	----	126.70 - 57.50	.3679	----	----	1	----	2 + 1
4385	----	----	----/*118.30A	174.80B/*118.30A	----	125.10 - 56.80	.3646	----	----	----	----	80 UNCH
4395	----	----	----/*115.50A	170.50B/*115.50A	----	121.90 - 55.70	.3579	----	----	----	----	1 UNCH
4400	----	----	----/*113.90A	168.40B/*113.90A	----	120.40 - 55.00	.3546	----	----	----	----	125 UNCH
4405	----	----	----/*112.50A	166.40B/*112.50A	----	118.90 - 54.40	.3513	----	----	----	----	2 UNCH
4425	----	----	----/*106.90A	158.30B/*106.90A	----	112.90 - 52.00	.3383	----	----	----	----	35 UNCH
4435	----	----	----/*104.20A	154.40B/*104.20A	----	110.10 - 50.80	.3320	----	----	1	----	25 UNCH
4445	----	----	----/*101.70A	150.40B/*101.70A	----	107.30 - 49.60	.3257	----	----	----	----	1 UNCH
4450	----	----	----/*100.40A	148.50B/*100.40A	----	105.90 - 49.10	.3225	----	----	----	----	8 UNCH
4470	----	----	----/*95.40A	141.20B/*95.40A	----	100.60 - 46.80	.3103	----	----	----	----	3 UNCH
4480	----	----	----/*93.00A	136.50B/*93.00A	----	98.10 - 45.70	.3043	----	----	----	----	2 UNCH
4490	----	----	----/*90.60A	134.20B/*90.60A	----	95.60 - 44.60	.2984	----	----	----	----	13 UNCH
4500	98.00	98.00	98.00/*88.30A	130.80B/*88.30A	----	93.20 - 43.50	.2926	----	----	179	----	181 + 173
4505	----	----	----/*87.30A	129.00B/*87.30A	----	92.00 - 42.90	.2897	----	----	----	----	20 UNCH
4515	----	----	----/*85.00A	125.80B/*85.00A	----	89.70 - 41.90	.2840	----	----	----	----	4 UNCH
4520	----	----	----/*84.00A	124.20B/*84.00A	----	88.50 - 41.40	.2811	----	----	----	----	3 UNCH
4525	----	----	----/*82.90A	122.60B/*82.90A	----	87.40 - 40.80	.2783	----	----	----	----	26 UNCH
4535	88.10	88.10	88.50/*80.80A	119.30B/*80.80A	----	85.20 - 39.80	.2728	----	----	3	----	5 UNCH
4540	97.30	97.30	97.30/*79.80A	117.90B/*79.80A	----	84.10 - 39.30	.2701	----	----	6	----	3 - 6
4545	----	----	----/*78.90A	116.30B/*78.90A	----	83.10 - 38.70	.2675	----	----	2	----	4 + 2
4550	----	----	----/*77.80A	114.80B/*77.80A	----	82.00 - 38.30	.2647	----	----	1	----	43 + 1
4560	----	----	----/*75.80A	111.90B/*75.80A	----	79.90 - 37.30	.2594	----	----	----	----	7 UNCH
4565	----	----	----/*74.80A	110.40B/*74.80A	----	78.90 - 36.80	.2567	----	----	----	----	13 UNCH
4570	----	----	----/*74.10A	108.90B/*74.10A	----	77.90 - 36.40	.2541	----	----	----	----	17 UNCH
4575	----	----	----/*73.20A	107.50B/*73.20A	----	76.90 - 35.90	.2516	----	----	----	----	5 UNCH
4580	----	----	----/*72.20A	106.00B/*72.20A	----	76.00 - 35.40	.2491	----	----	----	----	76 UNCH
4585	----	----	----/*71.80A	104.60B/*71.80A	----	75.00 - 34.90	.2465	----	----	----	----	1 UNCH
4590	----	----	----/*70.60A	103.40B/*70.60A	----	74.10 - 34.40	.2441	----	----	----	----	9 UNCH
4595	----	----	----/*69.60A	101.90B/*69.60A	----	73.10 - 34.00	.2415	----	----	----	----	6 UNCH
4600	----	----	----/*68.30A	100.70B/*68.30A	----	72.20 - 33.50	.2391	----	----	6	----	528 + 4
4605	----	----	----/*67.90A	99.30B/*67.90A	----	71.30 - 33.10	.2366	----	----	----	----	6 UNCH
4610	----	----	----/*67.00A	98.00B/*67.00A	----	70.40 - 32.60	.2342	----	----	----	----	12 UNCH
4615	----	----	----/*66.10A	93.80B/*66.10A	----	69.50 - 32.20	.2318	----	----	----	----	8 UNCH
4620	----	----	----/*65.30A	92.70B/*65.30A	----	68.60 - 31.80	.2294	----	----	----	----	9 UNCH
4625	----	----	----/*64.50A	91.50B/*64.50A	----	67.80 - 31.30	.2271	----	----	----	----	32 UNCH
4630	----	----	----/*63.80A	90.20B/*63.80A	----	66.90 - 31.00	.2247	----	----	----	----	54 UNCH
4635	----	----	----/*62.90A	89.10B/*62.90A	----	66.10 - 30.50	.2224	----	----	----	----	8 UNCH
4640	----	----	----/*62.20A	87.90B/*62.20A	----	65.30 - 30.10	.2202	----	----	1	----	5 UNCH
4645	----	----	----/*61.40A	86.70B/*61.40A	----	64.40 - 29.70	.2178	----	----	----	----	1 UNCH
4650	66.50	66.50	66.50/*60.60A	85.60B/*60.60A	----	63.60 - 29.30	.2155	----	----	207	----	514 + 61
4655	----	----	----/*59.90A	84.40B/*59.90A	----	62.90 - 28.80	.2135	----	----	----	----	5 UNCH
4660	----	----	----/*59.10A	83.30B/*59.10A	----	62.10 - 28.40	.2112	----	----	----	----	3 UNCH
4670	----	----	----/*57.70A	81.20B/*57.70A	----	60.50 - 27.70	.2068	----	----	----	----	4 UNCH
4675	----	----	----/*57.00A	82.40B/*57.00A	----	59.80 - 27.30	.2047	----	----	1	----	5 + 1
4680	----	----	----/*56.30A	81.40B/*56.30A	----	59.10 - 26.90	.2027	----	----	1	----	1 UNCH
4690	----	----	----/*55.00A	79.30B/*55.00A	----	57.60 - 26.20	.1984	----	----	----	----	23 UNCH
4695	----	----	----/*54.30A	75.70B/*54.30A	----	56.90 - 25.80	.1964	----	----	----	----	2 UNCH
4700	----	----	----/*53.60A	77.30B/*53.60A	----	56.20 - 25.50	.1943	----	----	72	----	234 + 7
4710	----	----	----/*52.30A	75.20B/*52.30A	----	54.80 - 24.80	.1903	----	----	----	----	3 UNCH
4715	----	----	----/*51.70A	72.00B/*51.70A	----	54.20 - 24.40	.1884	----	----	----	----	2 UNCH
4720	----	----	----/*51.10A	73.20B/*51.10A	----	53.50 - 24.10	.1864	----	----	----	----	1 UNCH
4725	----	----	----/*50.40A	72.30B/*50.40A	----	52.80 - 23.80	.1844	----	----	102	----	100 + 98
4730	----	----	----/*49.90A	71.10B/*49.90A	----	52.20 - 23.40	.1825	----	----	----	----	2 UNCH
4735	----	----	----/*49.30A	69.80B/*49.30A	----	51.60 - 23.10	.1807	----	----	----	----	1 UNCH
4740	----	----	----/*48.70A	69.00B/*48.70A	----	50.90 - 22.80	.1787	----	----	----	----	1 UNCH
4750	59.70	59.70	59.70/*47.50A	67.50B/*47.50A	----	49.70 - 22.20	.1750	----	----	155	----	822 + 125
4755	----	----	----/*47.00A	64.80B/*47.00A	----	49.10 - 21.80	.1732	----	----	----	----	79 UNCH
4760	----	----	----/*46.50A	64.00B/*46.50A	----	48.50 - 21.60	.1714	----	----	----	----	1 UNCH
4765	----	----	----/*45.90A	63.20B/*45.90A	----	47.90 - 21.30	.1696	----	----	2	----	22 UNCH
4775	----	----	----/*44.90A	61.50B/*44.90A	----	46.80 - 20.60	.1662	----	----	----	----	25 UNCH
4785	----	----	----/*43.80A	60.00B/*43.80A	----	45.70 - 20.10	.1628	----	----	----	----	5 UNCH
4790	----	----	----/*43.30A	59.20B/*43.30A	----	45.20 - 19.70	.1612	----	----	----	----	26 UNCH
4795	----	----	----/*42.80A	58.10B/*42.80A	----	44.60 - 19.50	.1594	----	----	----	----	3 UNCH
4800	----	----	----/*42.40A	57.60B/*42.40A	----	44.10 - 19.20	.1578	----	----	34	----	548 + 19
4805	----	----	----/*41.90A	56.90B/*41.90A	----	43.60 - 19.00	.1562	----	----	----	----	11 UNCH
4810	----	----	----/*41.60A	55.90B/*41.60A	----	43.10 - 18.70	.1546	----	----	----	----	9 UNCH
4815	----	----	----/*41.20A	55.50B/*41.20A	----	42.50 - 18.50	.1529	----	----	----	----	36 UNCH
4820	----	----	----/*40.70A	54.70B/*40.70A	----	42.00 - 18.30	.1513	----	----	----	----	4 UNCH
4825	----	----	----/*40.40A	53.90B/*40.40A	----	41.60 - 17.90	.1499	----	----	----	----	117 UNCH
4830	----	----	----/*39.80A	53.20B/*39.80A	----	41.10 - 17.70	.1483	----	----	1	----	2 + 1
4835	----	----	----/*39.40A	52.70B/*39.40A	----	40.60 - 17.50	.1468	----	----	----	----	3 UNCH
4840	----	----	----/*38.90A	52.00B/*38.90A	----	40.10 - 17.30	.1452	----	----	----	----	1 UNCH
4845	44.20	44.20	44.20/*38.60A	51.20B/*38.60A	----	39.70 - 17.00	.1439	----	----	2	----	4 + 2
4850	----	----	----/*38.00A	50.60B/*38.00A	----	39.20 - 16.80	.1423	----	----	1	----	58 + 1
4860	----	----	----/*37.30A	49.50B/*37.30A	----	38.30 - 16.30	.1394	----	----	1	----	101 UNCH
4865	----	----	----/*36.70A	48.50B/*36.70A	----	37.90 - 16.10	.1381	----	----	----	----	2 UNCH
4870	----	----	----/*36.30A	48.00B/*36.30A	----	37.40 - 15.90	.1365	----	----	----	----	1 UNCH
4880	----	----	----/*35.60A	47.00B/*35.60A	----	36.60 - 15.40	.1339	----	----	----	----	4 UNCH
4885	----	----	----/*35.20A	46.20B/*35.20A	----	36.20 - 15.20	.1325	----	----	----	----	55 UNCH
4895	----	----	----/*34.30A	45.10B/*34.30A	----	35.40 - 14.80	.1299	----	----	----	----	1 UNCH
4900	----	----	----/*34.10A	46.20B/*34.10A	----	35.00 - 14.60	.1286	----	----	1	----	1440 - 1
4905	----	----	----/*33.70A	43.20B/*33.70A	----	34.60 - 14.40	.1273	----	----	----	----	22 UNCH
4910	----	----	----/*33.30A	42.60B/*33.30A	----	34.20 - 14.20	.1259	----	----	----	----	1 UNCH
4915	----	----	----/*33.00A	42.10B/*33.00A	----	33.80 - 14.00	.1246	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4925	37.70	37.70	37.70/*32.30A	41.10B/*32.30A	----	33.10 - 13.60	.1222	----	----	10	----	21 + 1
4935	----	----	----/*31.50A	40.10B/*31.50A	----	32.40 - 13.20	.1199	----	----	----	----	5 UNCH
4945	----	----	----/*30.80A	39.80B/*30.80A	----	31.70 - 12.80	.1175	----	----	----	----	3 UNCH
4950	----	----	----/*30.70A	39.30B/*30.70A	----	31.30 - 12.70	.1162	----	----	----	----	1623 UNCH
4965	34.70	34.70	35.00/*29.70A	38.40B/*29.70A	----	30.30 NEW	.1128	----	----	6	----	6 + 6
4970	----	----	----/*29.20A	38.10B/*29.20A	----	30.00 - 12.00	.1118	----	----	1	----	1 UNCH
4975	----	----	----/*28.90A	37.20B/*28.90A	----	29.70 - 11.80	.1107	----	----	----	----	1 UNCH
4985	33.20	33.20	33.20/*28.20	36.30B/*28.20	----	29.10 - 11.40	.1086	----	----	3	----	2 - 1
5000	32.60	32.60	32.60/*26.60	35.40B/*26.60	----	28.20 - 10.90	.1055	----	----	187	----	1394 - 55
5025	----	----	----/*26.20A	33.00B/*26.20A	----	26.70 - 10.30	.1004	----	----	----	----	2 UNCH
5030	----	----	----/*25.90A	32.60B/*25.90A	----	26.50 - 10.00	.0996	----	----	----	----	5 UNCH
5045	----	----	----/*25.10A	31.30B/*25.10A	----	25.70 - 9.60	.0968	----	----	----	----	9 UNCH
5050	31.20	31.20	31.20/*25.00A	31.20/*25.00A	----	25.40 - 9.50	.0957	----	----	1	----	260 - 1
5055	----	----	----/*24.60A	31.00B/*24.60A	----	25.10 - 9.40	.0947	----	----	----	----	4 UNCH
5065	----	----	----/*24.20A	30.20B/*24.20A	----	24.60 - 9.20	.0930	----	----	----	----	5 UNCH
5075	----	----	----/*23.70A	29.60B/*23.70A	----	24.20 - 8.80	.0914	----	----	----	----	4 UNCH
5080	----	----	----/*23.60A	29.00B/*23.60A	----	23.90 - 8.80	.0904	----	----	----	----	4 UNCH
5085	----	----	----/*23.30A	28.70B/*23.30A	----	23.70 - 8.60	.0897	----	----	----	----	3 UNCH
5100	----	----	----/*22.60A	27.70B/*22.60A	----	23.00 - 8.30	.0872	----	----	----	----	772 UNCH
5125	----	----	----/*21.60A	26.20B/*21.60A	----	21.90 - 7.80	.0832	----	----	----	----	1 UNCH
5140	----	----	----/*21.00A	25.30B/*21.00A	----	21.20 - 7.50	.0808	----	----	----	----	5 UNCH
5150	----	----	----/*20.50A	24.90B/*20.50A	----	20.80 - 7.40	.0793	----	----	----	----	615 UNCH
5155	----	----	----/*20.50A	24.80B/*20.50A	----	20.60 - 7.30	.0786	----	----	----	----	3 UNCH
5160	22.20	22.20	22.20/*20.30A	24.30B/*20.30A	----	20.40 - 7.20	.0779	----	----	8	----	8 + 7
5170	----	----	----/*19.90A	23.80B/*19.90A	----	20.10 - 6.90	.0767	----	----	----	----	30 UNCH
5180	----	----	----/*19.60A	23.30B/*19.60A	----	19.70 - 6.80	.0752	----	----	----	----	10 UNCH
5185	----	----	----/*19.40A	23.10B/*19.40A	----	19.50 - 6.70	.0745	----	----	----	----	3 UNCH
5195	----	----	----/*19.10A	22.70B/*19.10A	----	19.20 - 6.50	.0733	----	----	----	----	20 UNCH
5200	23.50	23.50	23.50/*18.90A	23.50/*18.90A	----	19.00 - 6.40	.0726	----	----	3	----	1564 + 3
5205	----	----	----/*18.70A	21.90B/*18.70A	----	18.80 - 6.40	.0719	----	----	----	----	1 UNCH
5225	----	----	----/*18.10A	21.60B/*18.10A	----	18.20 - 6.00	.0696	----	----	----	----	2 UNCH
5250	19.20	19.20	19.20/*17.40A	20.10B/*17.40A	----	17.40 - 5.60	.0666	----	----	50	----	527 - 50
5255	----	----	----/*17.20A	19.90B/*17.20A	----	17.30 - 5.50	.0662	----	----	----	----	1 UNCH
5270	----	----	----/*16.80A	19.40B/*16.80A	----	16.90 - 5.30	.0647	----	----	----	----	6 UNCH
5300	----	----	----/*16.00A	18.20B/*16.00A	----	16.10 - 4.90	.0616	----	----	44	----	1007 + 4
5305	----	----	----/*15.90A	18.20B/*15.90A	----	15.90 - 4.90	.0609	----	----	----	----	1 UNCH
5310	----	----	----/*15.50A	17.80B/*15.50A	----	15.80 - 4.80	.0605	----	----	----	----	2 UNCH
5315	----	----	----/*15.60A	17.90B/*15.60A	----	15.70 - 4.70	.0601	----	----	----	----	14 UNCH
5320	----	----	----/*15.50A	17.60B/*15.50A	----	15.60 - 4.60	.0597	----	----	----	----	2 UNCH
5325	----	----	----/*15.40A	17.40B/*15.40A	----	15.40 - 4.60	.0590	----	----	----	----	9 UNCH
5345	----	----	----/*14.90A	16.70B/*14.90A	----	14.90 - 4.40	.0571	----	----	----	----	157 UNCH
5350	----	----	----/*14.80A	16.80B/*14.80A	----	14.80 - 4.40	.0567	----	----	----	----	4 UNCH
5355	----	----	----/*14.80A	16.40B/*14.80A	----	14.70 - 4.30	.0563	----	----	----	----	5 UNCH
5365	----	----	----/*14.60A	16.20B/*14.60A	----	14.50 - 4.20	.0555	----	----	----	----	1 UNCH
5390	----	----	----/*14.00A	15.60B/*14.00A	----	13.90 - 4.00	.0532	----	----	----	----	3 UNCH
5395	----	----	----/*13.90A	15.40B/*13.90A	----	13.80 - 4.00	.0528	----	----	----	----	2 UNCH
5400	----	----	----/*13.80A	15.30B/*13.80A	----	13.70 - 3.90	.0524	----	----	1	----	653 - 1
5410	----	----	----/*13.60A	15.10B/*13.60A	----	13.50 - 3.80	.0517	----	----	----	----	1 UNCH
5420	----	----	----/*13.40A	14.80B/*13.40A	----	13.30 - 3.80	.0509	----	----	----	----	2 UNCH
5435	----	----	----/*13.20A	14.50B/*13.20A	----	13.00 - 3.60	.0497	----	----	----	----	230 UNCH
5440	----	----	----/*13.00A	14.40B/*13.00A	----	12.90 - 3.60	.0493	----	----	----	----	5 UNCH
5450	----	----	----/*12.90A	14.10B/*12.90A	----	12.70 - 3.60	.0486	----	----	----	----	67 UNCH
5455	----	----	----/*12.80A	14.00B/*12.80A	----	12.60 - 3.50	.0482	----	----	----	----	175 UNCH
5460	----	----	----/*12.70A	13.90B/*12.70A	----	12.50 - 3.50	.0478	----	----	----	----	2 UNCH
5475	----	----	----/*12.50A	13.60B/*12.50A	----	12.30 - 3.30	.0469	----	----	----	----	1 UNCH
5480	----	----	----/*12.40A	13.50B/*12.40A	----	12.20 - 3.30	.0466	----	----	----	----	2 UNCH
5485	----	----	----/*12.30A	13.40B/*12.30A	----	12.10 - 3.30	.0462	----	----	----	----	25 UNCH
5500	13.90	13.90	13.90/*12.10A	13.90/*12.10A	----	11.80 - 3.20	.0451	----	----	146	----	2158 + 27
5545	----	----	----/*11.40A	12.30B/*11.40A	----	11.20 - 2.90	.0426	----	----	----	----	5 UNCH
5550	----	----	----/*11.40A	12.30B/*11.40A	----	11.10 - 2.90	.0422	----	----	----	----	280 UNCH
5570	----	----	----/*11.00A	11.90B/*11.00A	----	10.90 - 2.70	.0413	----	----	----	----	1 UNCH
5575	----	----	----/*11.00A	11.80B/*11.00A	----	10.80 - 2.70	.0410	----	----	----	----	3 UNCH
5590	----	----	----/*10.80A	11.60B/*10.80A	----	10.70 - 2.50	.0404	----	----	----	----	7 UNCH
5600	11.70	11.70	11.70/*10.70A	11.70/*10.70A	----	10.60 - 2.50	.0400	----	----	11	----	232 - 1
5610	----	----	----/*10.60A	11.40B/*10.60A	----	10.40 - 2.50	.0393	----	----	----	----	1 UNCH
5615	----	----	----/*10.50A	11.30B/*10.50A	----	10.40 - 2.40	.0392	----	----	----	----	5 UNCH
5640	----	----	----/*10.30A	11.00B/*10.30A	----	10.10 - 2.30	.0380	----	----	----	----	2 UNCH
5650	----	----	----/*10.10A	10.80B/*10.10A	----	10.00 - 2.30	.0376	----	----	----	----	416 UNCH
5655	----	----	----/*10.10A	10.80B/*10.10A	----	10.00 - 2.20	.0375	----	----	----	----	2 UNCH
5660	----	----	----/*10.00A	10.70B/*10.00A	----	9.90 - 2.20	.0371	----	----	----	----	1 UNCH
5675	----	----	----/*9.90A	10.50B/*9.90A	----	9.80 - 2.10	.0367	----	----	----	----	3 UNCH
5700	----	----	----/*9.70A	10.30B/*9.70A	----	9.50 - 2.10	.0355	----	----	----	----	206 UNCH
5710	----	----	----/*9.60A	10.20B/*9.60A	----	9.40 - 2.00	.0351	----	----	----	----	5 UNCH
5720	----	----	----/*9.50A	10.10B/*9.50A	----	9.30 - 2.00	.0347	----	----	----	----	87 UNCH
5750	----	----	----/*9.20A	9.80B/*9.20A	----	9.00 - 1.90	.0335	----	----	----	----	1604 UNCH
5775	----	----	----/*9.00A	9.50B/*9.00A	----	8.80 - 1.80	.0326	----	----	----	----	52 UNCH
5800	----	----	----/*8.80A	9.30B/*8.80A	----	8.60 - 1.80	.0318	----	----	----	----	541 UNCH
5825	----	----	----/*8.60A	9.10B/*8.60A	----	8.40 - 1.70	.0309	----	----	----	----	2 UNCH
5850	----	----	----/*8.40A	8.90B/*8.40A	----	8.20 - 1.70	.0301	----	----	----	----	3 UNCH
5875	----	----	----/*8.40A	8.70B/*8.40A	----	8.10 - 1.60	.0296	----	----	----	----	16 UNCH
5900	----	----	----/*8.30A	8.50B/*8.30A	----	7.90 - 1.50	.0288	----	----	22	----	282 + 22
5925	----	----	----/*8.10A	8.30B/*8.10A	----	7.80 - 1.40	.0283	----	----	----	----	2 UNCH
5950	----	----	----/*8.00A	8.20B/*8.00A	----	7.70 - 1.30	.0278	----	----	----	----	2 UNCH
6000	8.30	8.30	8.30/*7.70A	8.30/*7.70A	----	7.50 - 1.20	.0268	----	----	62	----	3200 + 2
6100	----	----	----/*7.10A	7.20B/*7.10A	----	7.10 - 1.00	.0249	----	----	----	----	66 UNCH
6200	----	----	----/*6.70A	6.80B/*6.70A	----	6.90 - 0.60	.0237	----	----	----	----	38 UNCH
6300	----	----	----/*6.30A	6.40B/*6.30A	----	6.60 - 0.50	.0223	----	----	----	----	883 UNCH
6400	----	----	----/*6.40A	6.10B/*6.40A	----	6.30 - 0.40	.0209	----	----	----	----	1910 UNCH
6500	6.30	6.30	6.40/*5.30	6.40/*5.30	----	6.00 - 0.40	.0196	----	----	8	----	4060 + 8
6800	----	----	----/*5.50A	5.10B/*5.50A	----	5.20 - 0.40	.0164	----	----	----	----	1452 UNCH
6900	----	----	----/*5.30A	4.90B/*5.30A	----	5.00 - 0.40	.0156	----	----	13	----	14 + 13
7000	5.00	5.00	5.00/*5.00	5.00/*5.00	----	4.80 - 0.40	.0148	----	----	29	----	1697 + 26
7500	----	----	----/*4.30A	3.90B/*4.30A	----	4.00 - 0.40	.0117	----	----	----	----	1 UNCH
8000	----	----	----	3.10B/*3.70A	----	3.40 - 0.30	.0095	----	----	58	----	349 + 58
8500	----	----	----	2.50B/*3.30A	----	2.80 - 0.30	.0076	----	----	41	----	249 + 41
9000	2.20	2.20	2.20/*2.10	2.20/*2.10	----	2.40 - 0.20	.0063	----	----	36	----	131 + 34
9500	----	----	----	1.80B/2.60A	----	2.00 - 0.20	.0051	----	----	26	----	345 + 26
13000	----	----	----	0.50B/*1.10A	----	0.90 UNCH	.0020	----	----	----	----	467 UNCH
TOTAL										1620		36084 + 727
NOV26												
3900	----	----	----/*400.10A	418.40B/*400.10A	----	419.90 NEW	.7071	----	----	3	----	3 + 3
4000	----	----	----/*337.10A	397.10B/*337.10A	----	353.90 - 04.60	.6500	----	----	6	----	2 + 1
4100	----	----	----/*280.40A	335.90B/*280.40A	----	294.50 - 94.50	.5883	----	----	6	----	3 + 2
4185	280.50	280.50	280.50/*237.60A	317.50B/*237.60A	----	249.60 NEW	.5335	----	----	1	----	1 + 1
4200	----	----	----/*230.80A	308.90B/*230.80A	----	242.20 NEW	.5238	----	----	6	----	3 + 3
4275	----	----	----/*198.30A	269.20B/*198.30A	----	207.70 - 75.50	.4751	----	----	----	----	38 UNCH
4300	196.80	196.80	196.80/*188.80A	256.60B/*188.80A	----	197.10 - 72.70	.4591	----	----	7	----	3 - 1
4375	----	----	----/*161.60A	223.20B/*161.60A	----	168.10 - 64.20	.4120	----	----	----	----	38 UNCH
4380	----	----	----/*159.80A	220.60B/*159.80A	----	166.30 - 63.70	.4089	----	----	----	----	2 UNCH
4400	175.00	175.00	175.00/*153.20A	210.90B/*153.20A	----	159.30 - 61.50	.3968	----	----	1	----	5 + 1
4410	187.00	187.00	187.00/*149.90A	206.40B/*149.90A	----	155.90 NEW	.3907	----	----	2	----	2 + 2
4440	----	----	----/*140.60A	195.00B/*140.60A	----	146.20 - 57.10	.3731	----	----	----	----	1 UNCH
4500	----	----	----/*123.40A	167.80B/*123.40A	----	128.30 - 51.00	.3390	----	----	----	----	29 UNCH
4525	----	----	----/*116.90A	159.00B/*116.90A	----	121.50 - 48.60	.3254	----	----	----	----	7 UNCH
4535	135.00	135.00	135.00/*114.40A	155.50B/*114.40A	----	118.90 NEW	.3201	----	----	5	----	5 + 5
4575	----	----	----/*104.80A	142.50B/*104.80A	----	109.00 - 44.00	.2994	----	----	----	----	1 UNCH
4585	----	----	----/*102.70A	139.70B/*102.70A	----	106.70 - 43.00	.2945	----	----	----	----	1 UNCH
4590	----	----	----/*101.60A	137.80B/*101.60A	----	105.60 - 42.50	.2921	----	----	----	----	15 UNCH
4595	----	----	----/*100.50A	136.30B/*100.50A	----	104.40 - 42.10	.2895	----	----	----	----	1 UNCH
4600	----	----	----/*99.20A	134.80B/*99.20A	----	103.30 - 41.70	.2871	----	----	----	----	5 UNCH
4650	----	----	----/*89.20A	120.60B/*89.20A	----	92.80 - 37.10	.2637	----	----	----	----	32 UNCH
4700	91.50	91.50	91.50/*80.20A	108.30B/*80.20A	----	83.40 - 32.90	.2419	----	----	1	----	12 + 1
4750	----	----	----/*72.20A	96.90B/*72.20A	----	75.00 - 29.20	.2217	----	----	1	----	4 UNCH
4775	74.00	74.00	74.00/*68.60A	91.70B/*68.60A	----	71.20 - 27.50	.2123	----	----	1	----	30 - 1
4800	----	----	----/*65.10A	86.80B/*65.10A	----	67.60 - 25.90	.2033	----	----	----	----	34 UNCH
4850	----	----	----/*58.90A	77.80B/*58.90A	----	61.00 - 22.80	.1863	----	----	----	----	25 UNCH
4900	61.20	61.20	61.20/*53.40A	69.70B/*53.40A	----	55.20 - 20.20	.1708	----	----	1	----	452 + 1
4915	----	----	----/*51.90A	67.50B/*51.90A	----	53.60 - 19.40	.1665	----	----	----	----	1 UNCH
4925	----	----	----/*51.10A	66.10B/*51.10A	----	52.60 - 18.90	.1637	----	----	----	----	1 UNCH
4935	----	----	----/*50.20A	64.70B/*50.20A	----	51.60 - 18.50	.1610	----	----	----	----	25 UNCH
4950	----	----	----/*48.90A	62.70B/*48.90A	----	50.10 - 17.90	.1569	----	----	----	----	150 UNCH
4970	----	----	----/*47.30A	59.80B/*47.30A	----	48.10 - 17.20	.1514	----	----	2	----	12 + 2
5000	52.90	52.90	52.90/*44.90A	56.40B/*44.90A	----	45.30 - 16.10	.1437	----	----	3	----	111 + 1
5020	----	----	----/*43.40A	53.00B/*43.40A	----	43.50 - 15.50	.1386	----	----	----	----	30 UNCH
5050	----	----	----/*41.20A	50.00B/*41.20A	----	41.10 - 14.40	.1318	----	----	----	----	100 UNCH
5060	----	----	----/*40.60A	49.00B/*40.60A	----	40.30 - 14.10	.1295	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
5080	----	----	----/*39.20A	47.10B/*39.20A	----	38.80 - 13.50	.1251	----	----	----	----	4 UNCH
5085	----	----	----/*38.90A	46.70B/*38.90A	----	38.40 - 13.40	.1240	----	----	----	----	4 UNCH
5100	37.20	37.20	37.20/*36.90	45.40B/*36.90	----	37.40 NEW	.1210	----	----	2413	----	2387 + 2387
5120	----	----	----/*36.60A	39.70B/*36.60A	----	36.00 - 12.40	.1169	----	----	----	----	50 UNCH
5150	----	----	----/*34.80A	37.60B/*34.80A	----	34.00 - 11.60	.1111	----	----	----	----	100 UNCH
5175	----	----	----/*33.40A	36.40B/*33.40A	----	32.40 - 11.10	.1064	----	----	----	----	12 UNCH
5180	----	----	----/*33.10A	36.20B/*33.10A	----	32.10 - 11.00	.1055	----	----	----	----	5 UNCH
5185	----	----	----/*32.80A	35.70B/*32.80A	----	31.80 - 10.90	.1046	----	----	----	----	1 UNCH
5200	----	----	----/*32.00A	35.00B/*32.00A	----	31.00 - 10.50	.1021	----	----	2405	----	2377 + 2346
5230	----	----	----/*30.50A	33.10B/*30.50A	----	29.30 - 9.90	.0970	----	----	5	----	0 - 5
5250	----	----	----/*29.60A	32.00B/*29.60A	----	28.30 - 9.50	.0939	----	----	----	----	11 UNCH
5275	----	----	----/*29.10A	30.60B/*29.10A	----	27.10 - 9.00	.0902	----	----	2	----	1 - 1
5285	31.00	31.00	31.00/*28.60A	31.00/*28.60A	----	26.60 - 8.90	.0887	----	----	1	----	2 + 1
5300	----	----	----/*27.90A	29.30B/*27.90A	----	25.90 - 8.70	.0865	----	----	----	----	395 UNCH
5325	----	----	----/*27.00A	27.90B/*27.00A	----	24.90 - 8.20	.0833	----	----	2	----	1 - 1
5330	----	----	----/*26.90A	27.70B/*26.90A	----	24.70 - 8.10	.0826	----	----	----	----	1 UNCH
5370	----	----	----/*25.40A	24.90B/*25.40A	----	23.10 - 7.50	.0776	----	----	----	----	5 UNCH
5400	----	----	----/*24.40A	23.70B/*24.40A	----	22.00 - 7.10	.0741	----	----	----	----	17 UNCH
5420	----	----	----/*23.60A	23.00B/*23.60A	----	21.30 - 6.90	.0718	----	----	----	----	14 UNCH
5450	----	----	----/*22.90A	21.90B/*22.90A	----	20.40 - 6.50	.0688	----	----	----	----	454 UNCH
5460	----	----	----/*22.50A	21.60B/*22.50A	----	20.10 - 6.40	.0678	----	----	----	----	10 UNCH
5500	20.00	20.00	20.00/*20.00	20.10B/*20.00	----	18.90 - 6.00	.0639	----	----	2	----	96 UNCH
5530	----	----	----/*20.70A	19.30B/*20.70A	----	18.10 - 5.70	.0613	----	----	----	----	1 UNCH
5535	----	----	----/*20.50A	19.10B/*20.50A	----	18.00 - 5.70	.0609	----	----	----	----	1 UNCH
5540	----	----	----/*20.50A	19.00B/*20.50A	----	17.90 - 5.60	.0606	----	----	----	----	1 UNCH
5545	----	----	----/*20.30A	18.90B/*20.30A	----	17.80 - 5.50	.0602	----	----	----	----	1 UNCH
5550	----	----	----/*20.10A	18.70B/*20.10A	----	17.70 - 5.50	.0598	----	----	----	----	3 UNCH
5555	----	----	----/*20.10A	18.60B/*20.10A	----	17.50 - 5.50	.0592	----	----	----	----	3 UNCH
5560	----	----	----/*19.90A	18.50B/*19.90A	----	17.40 - 5.40	.0589	----	----	----	----	4 UNCH
5565	----	----	----/*19.80A	18.30B/*19.80A	----	17.30 - 5.40	.0585	----	----	----	----	8 UNCH
5570	----	----	----/*19.70A	18.20B/*19.70A	----	17.20 - 5.30	.0582	----	----	----	----	20 UNCH
5575	----	----	----/*19.50A	18.00B/*19.50A	----	17.10 - 5.30	.0578	----	----	----	----	86 UNCH
5600	22.20	22.20	22.20/*19.10A	22.20/*19.10A	----	16.50 - 5.10	.0558	----	----	1	----	43 - 1
5650	----	----	----/*18.10A	16.40B/*18.10A	----	15.60 - 4.70	.0526	----	----	----	----	1 UNCH
5655	----	----	----/*18.10A	16.30B/*18.10A	----	15.50 - 4.60	.0523	----	----	----	----	1 UNCH
5660	----	----	----/*17.90A	16.20B/*17.90A	----	15.40 - 4.60	.0520	----	----	----	----	1 UNCH
5665	----	----	----/*17.90A	16.10B/*17.90A	----	15.30 - 4.60	.0516	----	----	----	----	1 UNCH
5670	----	----	----/*17.70A	16.00B/*17.70A	----	15.20 - 4.50	.0513	----	----	----	----	2 UNCH
5675	----	----	----/*17.70A	15.90B/*17.70A	----	15.10 - 4.50	.0510	----	----	----	----	2 UNCH
5680	----	----	----/*17.50A	15.80B/*17.50A	----	15.00 - 4.50	.0506	----	----	----	----	39 UNCH
5685	----	----	----/*17.50A	15.70B/*17.50A	----	14.90 - 4.50	.0503	----	----	----	----	5 UNCH
5690	----	----	----/*17.30A	15.60B/*17.30A	----	14.80 - 4.50	.0499	----	----	----	----	18 UNCH
5695	----	----	----/*17.30A	15.50B/*17.30A	----	14.80 - 4.40	.0499	----	----	----	----	15 UNCH
5700	----	----	----/*17.30A	15.60B/*17.30A	----	14.70 - 4.30	.0495	----	----	----	----	54 UNCH
5710	----	----	----/*17.10A	15.30B/*17.10A	----	14.50 - 4.30	.0489	----	----	----	----	1 UNCH
5800	----	----	----/*15.70A	13.90B/*15.70A	----	13.20 - 3.80	.0442	----	----	----	----	80 UNCH
5825	----	----	----/*15.30A	13.60B/*15.30A	----	12.90 - 3.70	.0431	----	----	----	----	2 UNCH
5900	----	----	----/*14.40A	12.30B/*14.40A	----	12.00 - 3.40	.0399	----	----	----	----	1 UNCH
5925	----	----	----/*14.10A	11.90B/*14.10A	----	11.70 - 3.30	.0388	----	----	----	----	4 UNCH
5975	----	----	----/*13.60A	11.40B/*13.60A	----	11.30 - 3.00	.0372	----	----	----	----	3 UNCH
6000	----	----	----/*13.30A	11.10B/*13.30A	----	11.00 - 3.00	.0362	----	----	2	----	363 + 2
6100	----	----	----/*12.40A	10.30B/*12.40A	----	10.20 - 2.60	.0332	----	----	----	----	1 UNCH
6200	----	----	----	9.40B/*11.90A	----	9.40 - 2.40	.0304	----	----	----	----	1 UNCH
6400	----	----	----	8.20B/*10.70A	----	8.30 - 2.00	.0262	----	----	----	----	15 UNCH
6500	----	----	----	7.80B/*10.30A	----	7.90 - 1.90	.0246	----	----	1	----	1163 UNCH
8000	----	----	----/*6.80A	4.60B/*6.80A	----	6.00 - 1.10	.0152	----	----	2	----	939 + 2
9000	----	----	----/5.20A	3.50B/5.20A	----	4.80 - 0.80	.0113	----	----	2	----	966 + 2
20000	----	----	----	0.10B/1.30A	----	0.80 - 0.10	.0014	----	----	----	----	165 UNCH
TOTAL										4884		11147+ 4753
DEC26												
2500	----	----	----	----	----	1694.50 - 55.10	.9852	----	----	135	----	515 + 5
3550	----	----	----/674.60A	793.80B/674.60A	----	704.30 - 34.10	.8426	----	----	----	----	2 UNCH
3570	----	----	----/658.40A	776.00B/658.40A	----	687.60 - 33.10	.8361	----	----	----	----	1 UNCH
3600	----	----	----/634.40A	749.50B/634.40A	----	662.90 - 31.50	.8259	----	----	----	----	1 UNCH
3800	----	----	----/484.40A	584.80B/484.40A	----	507.90 - 18.90	.7450	----	----	----	----	4 UNCH
3900	----	----	----/417.00A	508.70B/417.00A	----	437.80 - 11.20	.6963	----	----	----	----	2 UNCH
3995	----	----	----/*358.90A	441.80B/*358.90A	----	376.40 NEW	.6456	----	----	1	----	1 + 1
4000	372.00	372.00	372.00/356.00A	438.40B/356.00A	----	373.40 NEW	.6428	----	----	1	----	1 + 1
4060	----	----	----/*321.90A	397.90B/*321.90A	----	337.70 - 97.10	.6089	----	----	----	----	100 UNCH
4085	312.70	312.70	313.00/*308.60A	382.50B/*308.60A	----	323.50 NEW	.5944	----	----	2	----	1 + 1
4100	----	----	----/*300.70A	373.20B/*300.70A	----	315.20 - 93.30	.5857	----	----	----	----	48 UNCH
4160	----	----	----/*270.80A	353.60B/*270.80A	----	283.60 - 87.40	.5502	----	----	----	----	100 UNCH
4175	----	----	----/*263.60A	344.70B/*263.60A	----	276.10 - 85.90	.5413	----	----	----	----	37 UNCH
4200	----	----	----/*252.00A	332.50B/*252.00A	----	264.00 - 83.30	.5264	----	----	----	----	150 UNCH
4245	----	----	----/*231.90A	305.10B/*231.90A	----	243.30 - 78.70	.4996	----	----	48	----	50 + 48
4250	269.00	269.00	269.00/*229.40A	302.40B/*229.40A	----	241.00 - 78.20	.4967	----	----	3	----	295 + 2
4255	----	----	----/*227.80A	299.70B/*227.80A	----	238.90 - 77.60	.4937	----	----	----	----	50 UNCH
4300	271.00	271.00	271.00/*209.20A	276.30B/*209.20A	----	219.80 - 73.00	.4673	----	----	56	60	466 + 30
4315	----	----	----/*203.80A	268.90B/*203.80A	----	213.70 - 71.40	.4586	----	----	----	----	1 UNCH
4320	----	----	----/*201.90A	266.40B/*201.90A	----	211.70 - 70.90	.4557	----	----	----	----	100 UNCH
4350	----	----	----/*190.80A	252.00B/*190.80A	----	200.00 - 67.70	.4385	----	----	3	----	210 + 3
4360	----	----	----/*187.30A	247.30B/*187.30A	----	196.20 - 66.70	.4328	----	----	----	----	1 UNCH
4375	----	----	----/*182.00A	240.40B/*182.00A	----	190.70 - 65.10	.4243	----	----	----	----	65 UNCH
4400	----	----	----/*173.60A	233.60B/*173.60A	----	181.70 - 62.60	.4103	----	----	200	----	203 + 200
4425	----	----	----/*165.50A	222.90B/*165.50A	----	173.10 - 60.10	.3965	----	----	----	----	8 UNCH
4430	----	----	----/*164.00A	220.80B/*164.00A	----	171.40 - 59.60	.3938	----	----	----	----	6 UNCH
4450	----	----	----/*157.80A	212.50B/*157.80A	----	164.90 - 57.60	.3830	----	----	----	----	87 UNCH
4460	----	----	----/*154.80A	208.60B/*154.80A	----	161.70 - 56.70	.3776	----	----	----	----	10 UNCH
4465	----	----	----/*153.40A	206.40B/*153.40A	----	160.10 - 56.20	.3750	----	----	----	----	103 UNCH
4475	----	----	----/*150.40A	202.70B/*150.40A	----	157.00 - 55.30	.3697	----	----	----	----	11 UNCH
4485	----	----	----/*147.50A	198.90B/*147.50A	----	154.00 - 54.40	.3645	----	----	----	----	3 UNCH
4490	----	----	----/*146.10A	197.00B/*146.10A	----	152.50 - 53.90	.3619	----	----	----	----	7 UNCH
4500	171.00	171.00	171.00/*142.60A	193.10B/142.60A	----	149.50 - 53.00	.3567	----	----	53	----	810 + 38
4525	----	----	----/*136.60A	184.00B/*136.60A	----	142.40 - 50.80	.3440	----	----	----	----	26 UNCH
4530	----	----	----/*135.60A	182.30B/*135.60A	----	141.00 - 50.30	.3415	----	----	----	----	3 UNCH
4540	----	----	----/*132.70A	180.60B/*132.70A	----	138.30 - 49.40	.3366	----	----	----	----	9 UNCH
4545	----	----	----/*131.50A	179.00B/*131.50A	----	136.90 - 49.10	.3340	----	----	----	----	45 UNCH
4550	----	----	----/*130.30A	177.10B/*130.30A	----	135.60 - 48.60	.3316	----	----	----	----	14 UNCH
4560	----	----	----/*129.10A	173.80B/*129.10A	----	133.00 - 47.70	.3268	----	----	----	----	1 UNCH
4565	----	----	----/*126.50A	172.10B/*126.50A	----	131.70 - 47.30	.3244	----	----	----	----	93 UNCH
4570	----	----	----/*125.30A	170.40B/*125.30A	----	130.40 - 46.90	.3219	----	----	----	----	19 UNCH
4575	----	----	----/*124.30A	168.80B/*124.30A	----	129.10 - 46.50	.3195	----	----	----	----	4 UNCH
4580	----	----	----/*122.90A	167.20B/*122.90A	----	127.90 - 46.00	.3172	----	----	----	----	150 UNCH
4585	----	----	----/*121.50A	165.60B/*121.50A	----	126.60 - 45.70	.3148	----	----	----	----	325 UNCH
4590	----	----	----/*120.60A	164.00B/*120.60A	----	125.40 - 45.20	.3125	----	----	----	----	18 UNCH
4600	----	----	----/*117.60A	160.80B/*117.60A	----	123.00 - 44.40	.3078	----	----	92	----	818 + 48
4605	----	----	----/*117.30A	159.10B/*117.30A	----	121.80 - 43.90	.3055	----	----	----	----	5 UNCH
4610	----	----	----/*116.20A	157.60B/*116.20A	----	120.60 - 43.60	.3032	----	----	----	----	3 UNCH
4615	----	----	----/*115.10A	156.10B/*115.10A	----	119.50 - 43.10	.3010	----	----	----	----	41 UNCH
4620	----	----	----/*113.90A	154.60B/*113.90A	----	118.30 - 42.70	.2987	----	----	----	----	5 UNCH
4625	----	----	----/*112.80A	153.10B/*112.80A	----	117.20 - 42.30	.2965	----	----	----	----	71 UNCH
4630	----	----	----/*111.80A	151.60B/*111.80A	----	116.10 - 41.80	.2943	----	----	----	----	3 UNCH
4640	----	----	----/*109.60A	148.60B/*109.60A	----	113.80 - 41.10	.2898	----	----	----	----	103 UNCH
4650	----	----	----/*107.30A	145.80B/*107.30A	----	111.70 - 40.20	.2855	----	----	----	----	333 UNCH
4660	126.00	126.00	127.00/*105.60A	142.90B/*105.60A	----	109.50 - 39.50	.2811	----	----	3	----	6 + 3
4675	----	----	----/*102.60A	137.50B/*102.60A	----	106.40 - 38.30	.2748	----	----	----	----	80 UNCH
4680	115.30	115.30	115.30/*101.80A	136.50B/*101.80A	----	105.40 - 37.90	.2727	----	----	35	----	17 - 25
4700	101.10	101.10	101.10/*97.30A	132.10B/*97.30A	----	101.50 - 36.30	.2645	----	----	63	----	604 + 60
4705	----	----	----/*98.00A	129.40B/*98.00A	----	100.50 - 36.00	.2625	----	----	----	----	1 UNCH
4725	----	----	----/*93.60A	124.40B/*93.60A	----	96.80 - 34.50	.2546	----	----	----	----	143 UNCH
4730	----	----	----/*92.70A	123.20B/*92.70A	----	95.90 - 34.10	.2527	----	----	----	----	18 UNCH
4750	101.50	101.50	101.50/*89.50A	119.60B/*89.50A	----	92.40 - 32.70	.2451	----	----	1	----	243 UNCH
4765	----	----	----/*87.00A	114.80B/*87.00A	----	89.80 - 31.70	.2394	----	----	----	----	17 UNCH
4775	100.40	100.40	100.40/*86.10A	112.60B/*86.10A	----	88.20 - 30.90	.2358	----	----	3	----	3 + 1
4780	----	----	----/*84.60A	111.50B/*84.60A	----	87.40 - 30.60	.2341	----	----	----	----	3 UNCH
4790	----	----	----/*83.00A	109.30B/*83.00A	----	85.80 - 29.90	.2305	----	----	----	----	17 UNCH
4795	----	----	----/*82.30A	108.20B/*82.30A	----	85.00 - 29.60	.2287	----	----	----	----	9 UNCH
4800	95.00	95.00	95.00/*81.10A	108.40B/*81.10A	----	84.20 - 29.30	.2269	----	----	1113	----	1855 + 890
4810	101.00	101.00	102.00/*80.10A	105.10B/*80.10A	----	82.70 - 28.70	.2235	----	----	6	----	63 + 3
4815	94.50	94.50	94.50/*77.70	105.30B/*77.70	----	82.00 - 28.30	.2219	----	----	10	----	11 + 5
4820	----	----	----/*78.60A	103.50B/*78.60A	----	81.20 - 28.00	.2201	----	----	----	----	91 UNCH
4825	----	----	----/*77.90A	102.50B/*77.90A	----	80.50 - 27.70	.2185	----	----	----	----	104 UNCH
4835	----	----	----/*76.50A	100.50B/*76.50A	----	79.10 - 27.10	.2152	----	----	----	----	127 UNCH
4850	87.00	87.00	88.00/*74.40A	98.30B/*74.40A	----	77.00 - 26.20	.2104	----	----	2	----	301 - 1
4875	----	----	----/*71.80A	93.00B/*71.80A	----	73.60 - 24.80	.2024	----	----	----	----	2 UNCH
4880	83.00	83.00	83.00/*70.60A	92.10B/*70.60A	----	73.00 - 24.50	.2010	----	----	1	----	3 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4890	----	----	----/*69.40A	89.80B/*69.40A	----	71.70 - 24.00	.1979	----	----	----	----	9 UNCH
4895	----	----	----/*68.80A	90.20B/*68.80A	----	71.10 - 23.70	.1965	----	----	----	----	200 UNCH
4900	----	----	----/*68.20A	89.20B/*68.20A	----	70.50 - 23.40	.1950	----	----	----	----	373 UNCH
4905	----	----	----/*67.60A	87.20B/*67.60A	----	69.90 - 23.10	.1936	----	----	----	----	10 UNCH
4910	----	----	----/*67.10A	86.40B/*67.10A	----	69.30 - 22.90	.1921	----	----	----	----	18 UNCH
4925	----	----	----/*65.30A	84.20B/*65.30A	----	67.50 - 22.10	.1878	----	----	----	----	242 UNCH
4950	----	----	----/*62.70A	80.00B/*62.70A	----	64.70 - 20.90	.1809	----	----	----	----	103 UNCH
4955	----	----	----/*62.20A	80.20B/*62.20A	----	64.10 - 20.70	.1795	----	----	----	----	10 UNCH
4960	----	----	----/*61.70A	79.50B/*61.70A	----	63.60 - 20.40	.1782	----	----	----	----	10 UNCH
4975	----	----	----/*60.20A	77.30B/*60.20A	----	62.00 - 19.80	.1743	----	----	----	----	50 UNCH
5000	65.00	65.00	69.50/58.00A	73.00B/58.00A	----	59.50 - 18.60	.1680	----	----	1091	----	3430 + 990
5005	----	----	----/*57.50A	73.00B/*57.50A	----	59.00 - 18.40	.1668	----	----	----	----	4 UNCH
5020	----	----	----/*56.10A	71.00B/*56.10A	----	57.50 - 17.80	.1630	----	----	----	----	1 UNCH
5025	----	----	----/*55.70A	69.70B/*55.70A	----	57.00 - 17.60	.1618	----	----	----	----	243 UNCH
5045	----	----	----/*53.80A	66.80B/*53.80A	----	55.20 - 16.80	.1572	----	----	----	----	1 UNCH
5050	----	----	----/*53.20A	67.20B/*53.20A	----	54.70 - 16.70	.1559	----	----	----	----	121 UNCH
5055	----	----	----/*52.80A	66.60B/*52.80A	----	54.20 - 16.50	.1547	----	----	----	----	1 UNCH
5070	----	----	----/*51.60A	62.10B/*51.60A	----	52.90 - 15.90	.1514	----	----	----	----	13 UNCH
5075	----	----	----/*51.20A	61.60B/*51.20A	----	52.50 - 15.70	.1503	----	----	----	----	66 UNCH
5090	----	----	----/*50.10A	60.00B/*50.10A	----	51.20 - 15.20	.1470	----	----	----	----	17 UNCH
5100	----	----	----/*49.30A	59.00B/*49.30A	----	50.40 - 14.90	.1449	----	----	----	----	375 UNCH
5115	----	----	----/*48.20A	57.40B/*48.20A	----	49.20 - 14.40	.1418	----	----	----	----	1 UNCH
5125	----	----	----/*47.50A	56.50B/*47.50A	----	48.40 - 14.00	.1397	----	----	----	----	71 UNCH
5150	----	----	----/*45.80A	54.00B/*45.80A	----	46.50 - 13.30	.1347	----	----	----	----	32 UNCH
5155	----	----	----/*45.50A	53.60B/*45.50A	----	46.10 - 13.20	.1337	----	----	----	----	4 UNCH
5160	----	----	----/*45.10A	53.20B/*45.10A	----	45.70 - 13.10	.1327	----	----	----	----	1 UNCH
5170	----	----	----/*44.50A	52.30B/*44.50A	----	45.00 - 12.70	.1308	----	----	----	----	4 UNCH
5175	----	----	----/*44.20A	51.90B/*44.20A	----	44.60 - 12.70	.1298	----	----	----	----	101 UNCH
5195	----	----	----/*42.90A	48.70B/*42.90A	----	43.20 - 12.10	.1260	----	----	----	----	5 UNCH
5200	47.60	47.60	47.60/*42.60A	48.90B/*42.60A	----	42.90 - 12.00	.1252	----	----	1	----	1345 + 1
5215	----	----	----/*41.60A	47.60B/*41.60A	----	41.90 - 11.60	.1225	----	----	----	----	1 UNCH
5220	----	----	----/*41.30A	47.30B/*41.30A	----	41.60 - 11.40	.1217	----	----	----	----	7 UNCH
5225	----	----	----/*41.00A	46.80B/*41.00A	----	41.30 - 11.30	.1209	----	----	----	----	11 UNCH
5230	----	----	----/*40.70A	46.40B/*40.70A	----	41.00 - 11.20	.1201	----	----	----	----	1 UNCH
5235	----	----	----/*40.40A	46.00B/*40.40A	----	40.60 - 11.10	.1191	----	----	----	----	1 UNCH
5240	----	----	----/*40.10A	45.60B/*40.10A	----	40.30 - 11.00	.1182	----	----	----	----	1 UNCH
5245	----	----	----/*39.80A	45.30B/*39.80A	----	40.00 - 10.90	.1174	----	----	----	----	11 UNCH
5250	----	----	----/*39.50A	45.30B/*39.50A	----	39.70 - 10.80	.1166	----	----	----	----	963 UNCH
5255	----	----	----/*39.20A	44.40B/*39.20A	----	39.40 - 10.70	.1158	----	----	----	----	3 UNCH
5260	----	----	----/*38.90A	44.00B/*38.90A	----	39.10 - 10.50	.1150	----	----	----	----	2 UNCH
5265	----	----	----/*38.60A	43.70B/*38.60A	----	38.80 - 10.40	.1141	----	----	----	----	7 UNCH
5270	----	----	----/*38.40A	43.30B/*38.40A	----	38.50 - 10.30	.1133	----	----	----	----	2 UNCH
5275	----	----	----/*38.10A	42.90B/*38.10A	----	38.20 - 10.20	.1125	----	----	----	----	24 UNCH
5280	----	----	----/*37.80A	42.60B/*37.80A	----	38.00 - 10.10	.1119	----	----	----	----	13 UNCH
5285	----	----	----/*37.50A	42.20B/*37.50A	----	37.70 - 10.00	.1111	----	----	----	----	1 UNCH
5290	----	----	----/*37.30A	41.80B/*37.30A	----	37.40 - 9.90	.1103	----	----	----	----	2 UNCH
5295	----	----	----/*37.00A	41.50B/*37.00A	----	37.10 - 9.80	.1095	----	----	----	----	2 UNCH
5300	----	----	----/*36.70A	41.50B/*36.70A	----	36.80 - 9.70	.1087	----	----	1	----	1140 - 1
5305	----	----	----/*36.50A	40.80B/*36.50A	----	36.60 - 9.60	.1081	----	----	----	----	6 UNCH
5310	----	----	----/*36.20A	40.40B/*36.20A	----	36.30 - 9.50	.1073	----	----	----	----	4 UNCH
5315	----	----	----/*36.10A	40.10B/*36.10A	----	36.00 - 9.50	.1065	----	----	----	----	4 UNCH
5320	----	----	----/*35.70A	39.80B/*35.70A	----	35.80 - 9.30	.1058	----	----	----	----	5 UNCH
5325	----	----	----/*35.60A	39.40B/*35.60A	----	35.50 - 9.20	.1051	----	----	----	----	6 UNCH
5330	----	----	----/*35.20A	39.10B/*35.20A	----	35.30 - 9.10	.1044	----	----	----	----	6 UNCH
5335	----	----	----/*35.10A	38.80B/*35.10A	----	35.00 - 9.10	.1036	----	----	----	----	21 UNCH
5340	----	----	----/*34.70A	38.90B/*34.70A	----	34.80 - 8.90	.1030	----	----	----	----	7 UNCH
5345	----	----	----/*34.50A	38.20B/*34.50A	----	34.50 - 8.90	.1023	----	----	----	----	5 UNCH
5350	----	----	----/*34.40A	37.80B/*34.40A	----	34.30 - 8.80	.1017	----	----	----	----	467 UNCH
5355	----	----	----/*34.00A	37.50B/*34.00A	----	34.00 - 8.70	.1009	----	----	----	----	4 UNCH
5360	----	----	----/*33.90A	37.20B/*33.90A	----	33.80 - 8.60	.1003	----	----	----	----	107 UNCH
5365	----	----	----/*33.60A	36.90B/*33.60A	----	33.60 - 8.50	.0997	----	----	----	----	22 UNCH
5370	----	----	----/*33.50A	36.60B/*33.50A	----	33.30 - 8.50	.0989	----	----	----	----	38 UNCH
5375	----	----	----/*33.10A	36.30B/*33.10A	----	33.10 - 8.40	.0983	----	----	----	----	2 UNCH
5380	----	----	----/*33.00A	36.40B/*33.00A	----	32.90 - 8.30	.0977	----	----	----	----	3 UNCH
5385	----	----	----/*32.80A	35.80B/*32.80A	----	32.60 - 8.20	.0969	----	----	----	----	2 UNCH
5390	----	----	----/*32.50A	35.50B/*32.50A	----	32.40 - 8.10	.0963	----	----	----	----	203 UNCH
5395	----	----	----/*32.40A	35.20B/*32.40A	----	32.20 - 8.00	.0957	----	----	----	----	3 UNCH
5400	----	----	----/*32.20A	35.30B/*32.20A	----	32.00 - 8.00	.0951	----	----	1	----	544 UNCH
5450	----	----	----/*30.10A	32.30B/*30.10A	----	29.90 - 7.30	.0892	----	----	----	----	288 UNCH
5460	----	----	----/*29.80A	31.80B/*29.80A	----	29.50 - 7.20	.0880	----	----	----	----	200 UNCH
5465	----	----	----/*29.60A	31.50B/*29.60A	----	29.30 - 7.10	.0874	----	----	----	----	53 UNCH
5475	----	----	----/*29.20A	31.10B/*29.20A	----	29.00 - 6.90	.0865	----	----	----	----	572 UNCH
5480	----	----	----/*29.00A	30.80B/*29.00A	----	28.80 - 6.90	.0859	----	----	----	----	50 UNCH
5500	31.00	31.00	31.00/*28.00	31.00/*28.00	----	28.10 - 6.60	.0839	----	----	1600	----	3162 - 305
5505	----	----	----/*28.20A	29.70B/*28.20A	----	27.90 - 6.60	.0833	----	----	----	----	3 UNCH
5525	----	----	----/*27.50A	28.80B/*27.50A	----	27.20 - 6.40	.0813	----	----	----	----	80 UNCH
5550	----	----	----/*26.70A	27.80B/*26.70A	----	26.40 - 6.10	.0789	----	----	----	----	406 UNCH
5570	----	----	----/*26.20A	27.00B/*26.20A	----	25.80 - 5.90	.0771	----	----	----	----	198 UNCH
5575	----	----	----/*25.90A	26.90B/*25.90A	----	25.60 - 5.90	.0765	----	----	----	----	10 UNCH
5600	----	----	----/*25.30A	26.20B/*25.30A	----	24.90 - 5.60	.0744	----	----	----	----	2801 UNCH
5650	----	----	----/*24.00A	24.20B/*24.00A	----	23.50 - 5.30	.0702	----	----	----	----	306 UNCH
5660	----	----	----/*23.70A	24.10B/*23.70A	----	23.30 - 5.10	.0696	----	----	----	----	1 UNCH
5665	----	----	----/*23.60A	23.80B/*23.60A	----	23.20 - 5.10	.0692	----	----	----	----	1 UNCH
5670	----	----	----/*23.50A	23.70B/*23.50A	----	23.00 - 5.10	.0687	----	----	----	----	2 UNCH
5675	----	----	----/*23.40A	23.70B/*23.40A	----	22.90 - 5.00	.0684	----	----	----	----	18 UNCH
5680	----	----	----/*23.30A	23.40B/*23.30A	----	22.80 - 5.00	.0681	----	----	----	----	21 UNCH
5685	----	----	----/*23.10A	23.20B/*23.10A	----	22.70 - 4.90	.0677	----	----	----	----	18 UNCH
5690	----	----	----/*23.00A	23.20B/*23.00A	----	22.60 - 4.90	.0674	----	----	----	----	27 UNCH
5695	----	----	----/*22.90A	22.90B/*22.90A	----	22.40 - 4.90	.0669	----	----	----	----	1 UNCH
5700	----	----	----/*22.70A	22.80B/*22.70A	----	22.30 - 4.80	.0666	----	----	----	----	355 UNCH
5705	----	----	----/*22.60A	22.70B/*22.60A	----	22.20 - 4.80	.0662	----	----	----	----	5 UNCH
5710	----	----	----/*22.50A	22.50B/*22.50A	----	22.10 - 4.70	.0659	----	----	----	----	5 UNCH
5750	----	----	----/*21.50A	21.60B/*21.50A	----	21.20 - 4.50	.0632	----	----	11	----	326 + 11
5770	----	----	----/*21.00A	21.20B/*21.00A	----	20.80 - 4.30	.0619	----	----	----	----	8 UNCH
5775	----	----	----/*20.90A	21.10B/*20.90A	----	20.70 - 4.30	.0616	----	----	----	----	2 UNCH
5780	----	----	----/*20.80A	20.90B/*20.80A	----	20.60 - 4.30	.0613	----	----	----	----	2 UNCH
5800	20.40	20.40	20.40/*20.40	20.70B/*20.40	----	20.20 - 4.10	.0600	----	----	1049	----	1872 - 216
5810	----	----	----/*20.30A	20.30B/*20.30A	----	20.10 - 4.00	.0596	----	----	----	----	56 UNCH
5825	----	----	----/*20.00A	20.10B/*20.00A	----	19.80 - 3.90	.0587	----	----	----	----	4 UNCH
5850	----	----	----/*19.60A	19.50B/*19.60A	----	19.30 - 3.80	.0572	----	----	----	----	51 UNCH
5875	----	----	----/*19.20A	19.10B/*19.20A	----	18.90 - 3.60	.0559	----	----	----	----	9 UNCH
5900	19.80	19.80	19.80/*18.80A	19.80/*18.80A	----	18.50 - 3.40	.0547	----	----	58	----	1513 - 8
5950	----	----	----/*18.00A	17.70B/*18.00A	----	17.80 - 3.00	.0524	----	----	----	----	27 UNCH
6000	18.10	18.10	18.10/*17.40A	18.10/*17.40A	----	17.10 - 2.70	.0501	----	----	511	----	7114 + 197
6100	17.60	17.60	17.60/*16.40A	17.60/*16.40A	----	15.90 - 2.20	.0462	----	----	2	----	150 UNCH
6150	----	----	----/*15.90A	15.00B/*15.90A	----	15.40 - 2.20	.0445	----	----	----	----	26 UNCH
6200	----	----	----/*15.40A	14.40B/*15.40A	----	15.00 - 2.10	.0431	----	----	----	----	3207 UNCH
6250	----	----	----/*15.00A	14.00B/*15.00A	----	14.50 - 2.10	.0415	----	----	----	----	76 UNCH
6300	----	----	----/*14.60A	13.50B/*14.60A	----	14.10 - 2.00	.0401	----	----	----	----	837 UNCH
6400	----	----	----/*14.00A	12.70B/*14.00A	----	13.50 - 1.50	.0379	----	----	----	----	971 UNCH
6500	13.70	13.70	13.70/*12.60	13.70/*12.60	----	12.90 - 1.20	.0358	----	----	394	----	7192 - 132
6750	----	----	----/*12.10A	10.70B/*12.10A	----	11.70 - 0.80	.0315	----	----	----	----	105 UNCH
6775	----	----	----/*12.00A	10.60B/*12.00A	----	11.60 - 0.80	.0311	----	----	----	----	164 UNCH
6800	----	----	----/*11.90A	10.50B/*11.90A	----	11.50 - 0.80	.0308	----	----	----	----	1817 UNCH
6900	----	----	----/*11.50A	10.10B/*11.50A	----	11.10 - 0.80	.0294	----	----	----	----	79 UNCH
7000	----	----	----/*11.20A	9.80B/*11.20A	----	10.80 - 0.70	.0282	----	----	692	----	5343 + 434
7100	----	----	----/*10.90A	9.50B/*10.90A	----	10.50 - 0.70	.0271	----	----	----	----	1 UNCH
7130	----	----	----/*10.80A	9.40B/*10.80A	----	10.40 - 0.70	.0268	----	----	----	----	200 UNCH
7150	----	----	----/*10.70A	9.40B/*10.70A	----	10.30 - 0.70	.0265	----	----	----	----	1 UNCH
7175	----	----	----/*10.60A	9.30B/*10.60A	----	10.20 - 0.70	.0262	----	----	----	----	125 UNCH
7200	----	----	----/*10.60A	9.20B/*10.60A	----	10.20 - 0.60	.0261	----	----	----	----	1 UNCH
7250	----	----	----/*10.40A	9.10B/*10.40A	----	10.00 - 0.70	.0255	----	----	11	----	111 + 3
7500	9.50	9.50	9.50/*9.50	9.50/*9.50	----	9.30 - 0.70	.0231	----	----	1	----	124 UNCH
8000	----	----	----	8.30B/8.90A	----	8.30 - 0.60	.0197	----	----	592	----	2254 - 21
8125	----	----	----	7.40B/*8.70A	----	8.10 - 0.60	.0190	----	----	----	----	801 UNCH
8500	----	----	----	7.00B/8.30A	----	7.70 - 0.50	.0175	----	----	2	----	257 + 1
8630	----	----	----	6.80B/*8.10A	----	7.50 - 0.50	.0169	----	----	----	----	400 UNCH
8725	----	----	----	6.60B/*8.00A	----	7.50 - 0.40	.0167	----	----	----	----	250 UNCH
8775	----	----	----	6.60B/*7.90A	----	7.40 - 0.50	.0164	----	----	----	----	25 UNCH
9000	----	----	----	7.00B/7.70A	----	7.30 - 0.40	.0159	----	----	----	----	267 UNCH
9500	----	----	----/7.20A	5.60B/7.20A	----	7.00 - 0.30	.0147	----	----	----	----	637 UNCH
9900	----	----	----/*6.90A	5.20B/*6.90A	----	6.80 - 0.20	.0139	----	----	----	----	17 UNCH
10000	7.00	7.00	7.00/5.90	7.00/5.90	----	6.70 - 0.20	.0136	----	----	138	----	10061 + 131
11000	----	----	----/*6.10A	4.50B/*6.10A	----	6.00 - 0.20	.0116	----	----	----	----	837 UNCH
13000	----	----	----	2.50B/*4.70A	----	4.30 - 0.20	.0079	----	----	2	----	626 + 1
15000	2.90	2.90	2.90/*2.80	2.90/*2.80	----	2.80 - 0.10	.0050	----	----	119	----	25375 + 98
17000	----	----	----	1.10B/2.90A	----	1.90 - 0.10	.0034	----	----	----	----	28 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
19000	----	----	----	0.70B/2.40A	----	1.30 - 0.10	.0023	----	----	----	----	207 UNCH
20000	0.80	0.80	1.20/*0.80	1.20/*0.80	----	1.10 - 0.10	.0019	----	----	24	----	26905 + 11
21000	----	----	----	----/22.40A	----	1.00 - 0.10	.0017	----	----	----	----	31 UNCH
24000	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.80 - 0.10	.0013	----	----	10	----	76 + 10
TOTAL										8141	60	128919+ 2517
JAN27												
4190	----	----	----/*298.30A	378.50B/*298.30A	----	309.20 - 87.30	.5523	----	----	----	----	1 UNCH
4290	----	----	----/*253.90A	323.10B/*253.90A	----	262.40 - 77.80	.4979	----	----	----	----	1 UNCH
4300	266.50	266.50	266.50/*249.80A	317.90B/*249.80A	----	258.00 - 76.90	.4925	----	----	1	----	2 + 1
4400	----	----	----/*211.50A	269.40B/*211.50A	----	217.80 - 67.50	.4395	----	----	----	----	1 UNCH
4500	----	----	----/*178.70A	231.70B/*178.70A	----	183.40 - 58.50	.3892	----	----	----	----	2 UNCH
4575	----	----	----/*157.20A	203.70B/*157.20A	----	161.20 - 52.10	.3538	----	----	----	----	1 UNCH
4600	----	----	----/*150.40A	197.10B/*150.40A	----	154.40 - 50.00	.3425	----	----	----	----	4 UNCH
4650	----	----	----/*138.10A	180.70B/*138.10A	----	141.60 - 46.10	.3207	----	----	----	----	3 UNCH
4695	----	----	----/*127.70A	167.00B/*127.70A	----	131.10 - 42.70	.3020	----	----	----	----	3 UNCH
4700	145.00	145.00	145.00/*126.70A	165.60B/*126.70A	----	130.00 - 42.40	.3000	----	----	1	----	2 - 1
4710	----	----	----/*125.00A	162.70B/*125.00A	----	127.80 - 41.60	.2960	----	----	----	----	3 UNCH
4740	----	----	----/*118.50A	153.40B/*118.50A	----	121.40 - 39.50	.2843	----	----	----	----	4 UNCH
4750	----	----	----/*116.40A	150.80B/*116.40A	----	119.30 - 38.90	.2804	----	----	1	----	9 + 1
4760	----	----	----/*114.60A	149.10B/*114.60A	----	117.30 - 38.20	.2766	----	----	----	----	101 UNCH
4765	----	----	----/*113.40A	146.50B/*113.40A	----	116.30 - 37.90	.2747	----	----	----	----	6 UNCH
4775	----	----	----/*111.90A	144.30B/*111.90A	----	114.40 NEW	.2711	----	----	1	----	1 + 1
4800	114.00	114.00	114.00/*107.10A	138.20B/*107.10A	----	109.70 - 35.50	.2620	----	----	4	----	15 + 2
4805	----	----	----/*106.20A	136.60B/*106.20A	----	108.70 - 35.30	.2602	----	----	----	----	1 UNCH
4835	----	----	----/*101.30A	129.90B/*101.30A	----	103.40 - 33.40	.2497	----	----	----	----	2 UNCH
4850	----	----	----/*98.80A	126.50B/*98.80A	----	100.80 - 32.50	.2446	----	----	----	----	2 UNCH
4875	----	----	----/*94.70A	120.80B/*94.70A	----	96.70 - 31.00	.2364	----	----	----	----	4 UNCH
4900	----	----	----/*90.70A	115.60B/*90.70A	----	92.80 - 29.60	.2284	----	----	----	----	31 UNCH
4935	----	----	----/*86.20A	109.80B/*86.20A	----	87.70 - 27.60	.2178	----	----	----	----	1 UNCH
4945	----	----	----/*84.50A	107.90B/*84.50A	----	86.20 - 27.20	.2147	----	----	----	----	1 UNCH
4960	----	----	----/*82.90A	104.10B/*82.90A	----	84.20 - 26.30	.2104	----	----	----	----	1 UNCH
5000	100.00	100.00	100.00/*77.90A	100.00/*77.90A	----	78.90 - 24.40	.1992	----	----	1	----	30 UNCH
5005	----	----	----/*77.30A	96.70B/*77.30A	----	78.30 - 24.10	.1978	----	----	----	----	1 UNCH
5050	----	----	----/*72.20A	89.20B/*72.20A	----	72.90 - 22.10	.1860	----	----	----	----	100 UNCH
5075	----	----	----/*69.60A	85.50B/*69.60A	----	70.00 - 21.10	.1797	----	----	----	----	2 UNCH
5100	----	----	----/*67.00A	82.00B/*67.00A	----	67.40 - 20.00	.1738	----	----	----	----	1 UNCH
5130	----	----	----/*64.40A	77.90B/*64.40A	----	64.30 - 18.80	.1668	----	----	----	----	1 UNCH
5195	----	----	----/*58.60A	68.60B/*58.60A	----	58.40 - 16.40	.1531	----	----	----	----	5 UNCH
5200	----	----	----/*58.20A	68.10B/*58.20A	----	57.90 - 16.30	.1520	----	----	----	----	3 UNCH
5230	----	----	----/*56.00A	65.00B/*56.00A	----	55.50 - 15.20	.1463	----	----	----	----	1 UNCH
5250	----	----	----/*54.60A	63.00B/*54.60A	----	53.90 - 14.70	.1425	----	----	----	----	7 UNCH
5300	----	----	----/*51.10A	58.50B/*51.10A	----	50.40 - 13.10	.1339	----	----	----	----	1 UNCH
5350	----	----	----/*47.70A	50.90B/*47.70A	----	47.30 - 11.60	.1261	----	----	----	----	3 UNCH
5380	----	----	----/*46.00A	48.60B/*46.00A	----	45.60 - 10.80	.1217	----	----	----	----	3 UNCH
5400	----	----	----/*44.80A	47.20B/*44.80A	----	44.50 - 10.40	.1189	----	----	----	----	53 UNCH
5450	----	----	----/*42.30A	43.90B/*42.30A	----	42.00 - 9.20	.1124	----	----	----	----	6 UNCH
5500	----	----	----/*39.80A	40.90B/*39.80A	----	39.80 - 8.10	.1066	----	----	1	----	60 UNCH
5550	----	----	----/*37.50A	38.20B/*37.50A	----	37.70 - 7.10	.1010	----	----	----	----	4 UNCH
5555	----	----	----/*37.30A	38.00B/*37.30A	----	37.50 - 7.00	.1005	----	----	----	----	2 UNCH
5600	----	----	----/*36.20A	35.80B/*36.20A	----	35.50 - 6.50	.0954	----	----	1	----	226 UNCH
5700	----	----	----/*33.80A	31.50B/*33.80A	----	31.60 - 5.50	.0853	----	----	----	----	3 UNCH
5750	----	----	----/*32.40A	28.40B/*32.40A	----	29.80 - 5.10	.0806	----	----	----	----	2 UNCH
5820	----	----	----/*30.50A	24.90B/*30.50A	----	27.60 - 4.60	.0748	----	----	----	----	6 UNCH
5850	----	----	----/*29.70A	23.80B/*29.70A	----	26.80 - 4.40	.0727	----	----	----	----	3 UNCH
5900	----	----	----/*28.70A	22.50B/*28.70A	----	25.50 - 4.00	.0691	----	----	----	----	6 UNCH
6000	----	----	----/*26.60A	20.30B/*26.60A	----	23.20 - 3.50	.0628	----	----	----	----	289 UNCH
6025	----	----	----	19.80B/*26.10A	----	22.70 - 3.40	.0614	----	----	----	----	1 UNCH
6250	----	----	----	16.30B/*22.70A	----	19.00 - 2.60	.0509	----	----	----	----	1 UNCH
6300	20.10	20.10	20.10/*20.10	20.10/*20.10	----	18.40 - 2.50	.0491	----	----	1	----	4 + 1
6500	----	----	----	13.70B/*20.00A	----	16.40 - 2.00	.0431	----	----	----	----	5 UNCH
20000	----	----	----	0.80B/3.20A	----	2.20 - 0.10	.0036	----	----	----	----	129 UNCH
TOTAL										12		1160+ 5
FEB27												
4390	----	----	----/*233.60A	289.30B/*233.60A	----	239.60 NEW	.4517	----	----	1	----	1 + 1
4400	257.00	257.00	257.00/*230.00A	285.90B/*230.00A	----	235.80 - 68.50	.4468	----	----	1	----	1 UNCH
4440	----	----	----/*216.20A	267.80B/*216.20A	----	221.30 NEW	.4275	----	----	1	----	1 + 1
4475	----	----	----/*204.70A	262.60B/*204.70A	----	209.20 - 62.20	.4109	----	----	----	----	2 UNCH
4500	254.00	254.00	254.00/*196.90A	254.00/*196.90A	----	201.00 - 60.20	.3993	----	----	2	----	101 + 1
4630	----	----	----/*160.40A	203.20B/*160.40A	----	163.20 - 50.00	.3422	----	----	----	----	1 UNCH
4640	----	----	----/*157.90A	200.00B/*157.90A	----	160.60 - 49.30	.3381	----	----	----	----	5 UNCH
4650	----	----	----/*155.40A	196.80B/*155.40A	----	158.10 - 48.50	.3340	----	----	----	----	6 UNCH
4675	----	----	----/*149.30A	190.80B/*149.30A	----	151.90 - 46.80	.3239	----	----	----	----	1 UNCH
4700	----	----	----/*143.60A	181.80B/*143.60A	----	146.00 - 45.00	.3141	----	----	----	----	1 UNCH
4750	----	----	----/*132.80A	169.10B/*132.80A	----	134.90 - 41.60	.2952	----	----	----	----	386 UNCH
4785	----	----	----/*125.80A	159.60B/*125.80A	----	127.70 - 39.40	.2826	----	----	----	----	100 UNCH
4800	----	----	----/*122.90A	154.30B/*122.90A	----	124.70 - 38.50	.2773	----	----	----	----	1 UNCH
4850	149.90	149.90	149.90/*113.80A	149.90/*113.80A	----	115.40 - 35.40	.2604	----	----	1	----	36 UNCH
5000	----	----	----/*91.00A	111.30B/*91.00A	----	91.90 - 27.40	.2155	----	----	2	----	704 + 2
5030	----	----	----/*87.20A	106.70B/*87.20A	----	87.90 - 25.90	.2075	----	----	----	----	1 UNCH
5050	94.00	94.00	94.00/*84.70A	104.00B/*84.70A	----	85.30 - 25.00	.2023	----	----	12	----	112 + 12
5100	----	----	----/*78.90A	94.60B/*78.90A	----	79.30 - 22.80	.1900	----	----	----	----	148 UNCH
5175	----	----	----/*71.80A	84.40B/*71.80A	----	71.30 - 19.60	.1731	----	----	----	----	126 UNCH
5200	----	----	----/*69.50A	81.10B/*69.50A	----	68.80 - 18.70	.1678	----	----	----	----	191 UNCH
5250	----	----	----/*65.10A	74.60B/*65.10A	----	64.30 - 16.90	.1580	----	----	----	----	352 UNCH
5300	64.40	64.40	64.40/*61.20A	69.50B/*61.20A	----	60.30 - 15.10	.1490	----	----	3	----	622 + 1
5350	----	----	----/*57.90A	64.90B/*57.90A	----	56.80 - 13.50	.1409	----	----	----	----	10 UNCH
5375	----	----	----/*56.40A	62.80B/*56.40A	----	55.20 - 12.70	.1371	----	----	----	----	1 UNCH
5400	----	----	----/*53.90A	54.50B/*53.90A	----	53.70 - 12.00	.1335	----	----	----	----	233 UNCH
5450	----	----	----/*50.80A	50.60B/*50.80A	----	50.90 - 10.70	.1268	----	----	----	----	10 UNCH
5500	----	----	----/*48.10A	48.70B/*48.10A	----	48.50 - 9.30	.1208	----	----	----	----	18 UNCH
5520	----	----	----/*47.00A	47.80B/*47.00A	----	47.60 - 8.80	.1185	----	----	----	----	300 UNCH
5530	----	----	----/*46.50A	47.50B/*46.50A	----	47.20 - 8.60	.1174	----	----	----	----	100 UNCH
5550	----	----	----/*45.50A	46.50B/*45.50A	----	46.30 - 8.20	.1152	----	----	----	----	82 UNCH
5600	----	----	----/*43.10A	43.80B/*43.10A	----	44.40 - 7.00	.1102	----	----	----	----	8 UNCH
5700	----	----	----/*39.70A	38.70B/*39.70A	----	41.00 - 5.00	.1013	----	----	----	----	1 UNCH
5800	----	----	----/*37.90A	34.40B/*37.90A	----	37.80 - 3.60	.0931	----	----	----	----	1 UNCH
5900	----	----	----/*35.00A	27.90B/*35.00A	----	34.40 - 3.10	.0848	----	----	----	----	7 UNCH
6000	----	----	----/*32.60A	24.90B/*32.60A	----	31.50 - 2.50	.0777	----	----	----	----	2865 UNCH
6025	----	----	----/*32.00A	24.30B/*32.00A	----	30.80 - 2.40	.0760	----	----	----	----	4 UNCH
6100	----	----	----/*30.60A	22.70B/*30.60A	----	28.80 - 2.20	.0711	----	----	----	----	4 UNCH
6300	----	----	----	19.30B/*27.10A	----	24.50 - 1.50	.0604	----	----	----	----	1 UNCH
6500	----	----	----	16.70B/*24.50A	----	21.10 - 1.00	.0518	----	----	----	----	2910 UNCH
6900	----	----	----	13.30B/*21.10A	----	16.10 - 0.50	.0392	----	----	----	----	533 UNCH
7000	----	----	----	12.70B/20.40A	----	15.20 - 0.40	.0368	----	----	----	----	487 UNCH
7100	----	----	----	12.20B/*19.80A	----	14.40 - 0.20	.0347	----	----	----	----	9 UNCH
7700	----	----	----	10.00B/*17.40A	----	10.70 UNCH	.0252	----	----	----	----	1 UNCH
7900	----	----	----	9.50B/*16.80A	----	9.90 UNCH	.0230	----	----	----	----	500 UNCH
8000	----	----	----	9.20B/*16.50A	----	9.60 + 0.10	.0222	----	----	----	----	695 UNCH
TOTAL										23		11679+ 18
MAR27												
4400	----	----	----/*262.30A	318.80B/*262.30A	----	267.70 NEW	.4683	----	----	----	160	160 + 160
4610	----	----	----/*192.40A	242.30B/*192.40A	----	196.10 - 59.60	.3756	----	----	----	----	2 UNCH
4650	----	----	----/*181.40A	228.30B/*181.40A	----	184.60 - 56.90	.3593	----	----	----	----	1 UNCH
4660	----	----	----/*178.80A	224.90B/*178.80A	----	181.80 - 56.20	.3552	----	----	----	----	2 UNCH
4670	----	----	----/*176.10A	221.60B/*176.10A	----	179.00 - 55.60	.3512	----	----	----	----	3 UNCH
4675	----	----	----/*174.90A	218.00B/*174.90A	----	177.70 - 55.20	.3492	----	----	----	----	2 UNCH
4680	----	----	----/*173.50A	218.20B/*173.50A	----	176.30 - 54.90	.3472	----	----	----	----	2 UNCH
4710	----	----	----/*166.10A	206.70B/*166.10A	----	168.40 - 52.70	.3355	----	----	----	----	21 UNCH
4800	----	----	----/*145.70A	179.70B/*145.70A	----	146.70 - 46.00	.3019	----	----	----	----	6 UNCH
4820	----	----	----/*141.70A	174.40B/*141.70A	----	142.20 - 44.60	.2948	----	----	----	----	20 UNCH
4995	----	----	----/*110.70A	134.20B/*110.70A	----	109.00 - 33.60	.2386	----	----	----	----	2 UNCH
5000	120.00	120.00	120.00/*109.90A	133.10B/*109.90A	----	108.20 - 33.30	.2371	----	----	1	----	104 UNCH
5105	----	----	----/*95.40A	115.00B/*95.40A	----	93.60 - 28.20	.2097	----	----	----	----	1 UNCH
5200	----	----	----/*84.50A	99.10B/*84.50A	----	83.80 - 24.00	.1895	----	----	----	----	17 UNCH
5220	----	----	----/*82.30A	96.30B/*82.30A	----	81.90 - 23.30	.1856	----	----	----	----	12 UNCH
5285	----	----	----/*79.80A	86.90B/*79.80A	----	76.00 - 21.10	.1733	----	----	----	----	2 UNCH
5300	----	----	----/*78.40A	85.20B/*78.40A	----	74.60 - 20.70	.1704	----	----	----	----	2 UNCH
5305	77.70	77.70	87.00/*77.70	87.00/*77.70	----	74.20 NEW	.1696	----	----	2	----	2 + 2
5350	----	----	----/*74.00A	79.80B/*74.00A	----	70.10 - 19.40	.1612	----	----	----	----	2 UNCH
5400	----	----	----/*70.00A	74.80B/*70.00A	----	65.70 - 18.40	.1523	----	----	----	----	11 UNCH
5450	----	----	----/*66.30A	70.30B/*66.30A	----	61.40 - 17.50	.1436	----	----	----	----	3 UNCH
5500	----	----	----/*61.40A	59.80B/*61.40A	----	57.40 - 16.70	.1353	----	----	----	----	534 UNCH
5510	----	----	----/*59.00A	57.80B/*59.00A	----	56.60 - 16.50	.1337	----	----	----	----	2 UNCH
5550	----	----	----/*56.50A	54.90B/*56.50A	----	53.60 - 15.90	.1275	----	----	----	----	1 UNCH
5600	----	----	----/*53.60A	51.80B/*53.60A	----	50.50 - 15.00	.1207	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAR27												
5635	----	----	----/*51.90A	50.90B/*51.90A	----	48.40 - 14.40	.1162	----	----	----	----	2 UNCH
5650	----	----	----/*51.30A	50.30B/*51.30A	----	47.60 - 14.10	.1144	----	----	----	----	16 UNCH
5700	----	----	----/*49.00A	47.90B/*49.00A	----	45.00 - 13.30	.1085	----	----	1	----	11 + 1
5790	----	----	----/*45.30A	43.10B/*45.30A	----	40.80 - 12.00	.0990	----	----	----	----	50 UNCH
5820	----	----	----/*44.10A	41.80B/*44.10A	----	39.60 - 11.60	.0962	----	----	----	----	2 UNCH
5850	----	----	----/*43.00A	40.30B/*43.00A	----	38.40 - 11.20	.0934	----	----	----	----	253 UNCH
5900	----	----	----/*43.10A	38.30B/*43.10A	----	36.50 - 10.70	.0890	----	----	----	----	11 UNCH
5950	----	----	----/*43.00A	36.10B/*43.00A	----	34.80 - 10.10	.0849	----	----	2	----	10 + 2
5975	----	----	----/*42.60A	35.00B/*42.60A	----	34.00 - 9.80	.0830	----	----	1	----	5 + 1
6000	----	----	----/*42.40A	32.40B/*42.40A	----	33.20 - 9.60	.0811	----	----	----	----	2 UNCH
6250	----	----	----	23.00B/*36.60A	----	26.90 - 7.60	.0657	----	----	----	----	10 UNCH
6300	----	----	----	22.00B/*35.60A	----	25.90 - 7.30	.0632	----	----	----	----	170 UNCH
6500	24.00	24.00	24.00/*24.00	24.00/*24.00	----	22.50 - 6.20	.0546	----	----	1	----	527 + 1
TOTAL										8	160	1993 + 167
APR27												
4400	335.00	335.00	337.00/*279.90A	337.00/*279.90A	----	284.40 NEW	.4733	----	----	3	----	3 + 3
4600	257.00	257.00	257.00/*211.70A	263.30B/*211.70A	----	215.30 NEW	.3888	----	----	10	----	5 + 5
4765	----	----	----/*168.80A	208.10B/*168.80A	----	171.40 - 43.70	.3272	----	----	----	----	2 UNCH
4925	----	----	----/*136.00A	163.60B/*136.00A	----	137.90 NEW	.2754	----	----	1	----	1 + 1
5000	----	----	----/*123.40A	147.30B/*123.40A	----	124.70 - 32.90	.2537	----	----	----	----	100 UNCH
5060	----	----	----/*116.00A	135.60B/*116.00A	----	115.10 - 31.00	.2375	----	----	----	----	25 UNCH
5130	----	----	----/*106.20A	123.30B/*106.20A	----	104.80 - 29.10	.2197	----	----	----	----	18 UNCH
5180	----	----	----/*99.90A	115.20B/*99.90A	----	98.10 - 27.90	.2079	----	----	----	----	18 UNCH
5200	110.00	110.00	110.00/*96.20A	112.20B/*96.20A	----	95.50 NEW	.2032	----	----	1	----	1 + 1
5220	110.00	110.00	110.00/*93.90A	110.00/*93.90A	----	93.00 NEW	.1988	----	----	1	----	1 + 1
5230	97.10	97.10	97.10/*92.80A	107.90B/*92.80A	----	91.70 - 26.90	.1965	----	----	1	----	3 + 1
5250	108.00	108.00	108.00/*91.90A	108.00/*91.90A	----	89.30 NEW	.1921	----	----	2	----	2 + 2
5300	----	----	----/*86.70A	97.20B/*86.70A	----	83.50 - 25.50	.1815	----	----	----	----	25 UNCH
5400	----	----	----/*80.50A	85.90B/*80.50A	----	73.10 - 23.80	.1620	----	----	----	----	1 UNCH
5430	----	----	----/*78.00A	82.90B/*78.00A	----	70.30 - 23.30	.1566	----	----	----	----	2 UNCH
5550	----	----	----/*69.20A	72.00B/*69.20A	----	60.50 - 21.00	.1373	----	----	----	----	1 UNCH
5570	----	----	----/*67.90A	70.10B/*67.90A	----	59.20 NEW	.1345	----	----	1	----	1 + 1
5600	----	----	----/*64.20A	65.40B/*64.20A	----	57.20 - 19.90	.1304	----	----	----	----	300 UNCH
5625	----	----	----/*60.70A	58.30B/*60.70A	----	55.70 - 19.30	.1272	----	----	----	----	2 UNCH
5700	----	----	----/*57.00A	54.70B/*57.00A	----	51.70 - 17.30	.1185	----	----	----	----	2 UNCH
5800	----	----	----/*52.20A	50.90B/*52.20A	----	47.90 - 14.00	.1095	----	----	----	----	50 UNCH
5820	----	----	----/*51.40A	49.80B/*51.40A	----	47.30 - 13.30	.1079	----	----	----	----	1 UNCH
5900	----	----	----/*48.30A	45.70B/*48.30A	----	45.50 - 10.20	.1028	----	----	----	----	1 UNCH
5950	----	----	----/*46.50A	43.50B/*46.50A	----	44.80 - 8.10	.1004	----	----	----	----	1 UNCH
6000	45.00	45.00	45.00/*45.00	45.00/*45.00	----	44.30 - 6.00	.0983	----	----	10	----	169 + 10
TOTAL										30		735 + 25
JUN27												
5085	----	----	----	42.80B/*306.30A	----	218.70 - 66.60	.3185	----	----	----	----	150 UNCH
7000	----	----	----	0.10B/305.30A	----	47.90 - 38.60	.0847	----	----	----	----	3 UNCH
7500	----	----	----	0.10B/294.00A	----	37.70 - 31.80	.0666	----	----	----	----	450 UNCH
8000	----	----	----	0.10B/286.30A	----	30.90 - 26.90	.0541	----	----	----	----	2 UNCH
10000	----	----	----/19.00A	12.00B/19.00A	----	19.00 - 17.00	.0312	----	----	----	----	4 UNCH
TOTAL												609 0
DEC27												
4860	----	----	----	----	----	288.90 - 67.70	.3968	----	----	----	----	100 UNCH
5000	----	----	----	----	----	250.90 - 61.40	.3574	----	----	----	----	50 UNCH
5650	----	----	----	----	----	135.80 - 38.30	.2178	----	----	----	----	200 UNCH
5700	----	----	----	----	----	129.90 - 36.80	.2098	----	----	----	----	150 UNCH
5800	----	----	----	----	----	118.90 - 34.20	.1945	----	----	----	----	200 UNCH
5880	----	----	----	----	----	110.90 - 32.30	.1832	----	----	----	----	125 UNCH
6300	----	----	----	----	----	78.70 - 23.80	.1352	----	----	----	----	18 UNCH
7500	----	----	----	----	----	37.00 - 11.00	.0661	----	----	----	----	170 UNCH
7800	----	----	----	----	----	32.40 - 9.30	.0577	----	----	----	----	284 UNCH
10000	----	----	----	24.00B/----	----	20.00 - 4.00	.0324	----	----	----	----	103 UNCH
10500	----	----	----	----	----	18.10 - 3.50	.0290	----	----	----	----	10 UNCH
TOTAL												1410 0
DEC28												
5750	----	----	----	----	----	279.30 - 54.20	.3133	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
JUN26												
3250	----	----	#1.80B/----	#1.80B/1.40A	----	1.60 + 0.70	.0084	----	----	----	----	1 UNCH
3500	4.00	4.00	#5.30B/4.00	#5.30B/3.00A	----	4.00 + 2.00	.0237	----	----	3	----	4 + 3
3500	1.90	1.90	#2.40/1.70	#2.40/1.40A	----	1.70 NEW	.0100	----	----	5	----	5 + 5
3600	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3600	2.70	2.70	#3.50B/2.40	#3.50B/2.00A	----	2.50 NEW	.0162	----	----	31	----	31 + 31
3600	5.60	5.60	#8.80B/4.30	#8.80B/3.90A	----	6.20 + 3.40	.0381	----	----	14	----	65 + 13
3700	8.70	8.70	#14.80B/6.80	#14.80B/5.30A	----	9.90 + 5.70	.0624	----	----	7	----	10 + 7
3700	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 16
3700	3.90	3.90	#6.20B/3.80	#6.20B/2.80A	----	4.00 + 1.90	.0286	----	----	9	----	34 + 9
3750	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.10	----	----	----	6	----	0 - 5
3750	3.40	3.40	#8.60B/3.40	#8.60B/3.20A	----	5.30 + 2.80	.0395	----	----	6	----	8 + 6
3750	9.80	9.80	#19.80/8.40	#19.80/6.30A	----	12.70 NEW	.0806	----	----	206	----	203 + 203
3800	0.20	0.20	0.50/0.10A	0.50/0.10A	----	0.00 - 0.10	----	----	----	18	----	0 - 20
3800	12.90	12.90	#24.60B/12.10	#24.60B/7.10A	----	16.40 + 10.00	.1041	----	----	153	----	154 + 152
3800	8.00	8.00	#12.10B/7.30	#12.10B/3.80A	----	7.20 + 4.10	.0554	----	----	5	----	53 + 2
3850	13.50	13.50	#16.40B/*13.50	#16.40B/*4.60A	----	9.90 NEW	.0783	----	----	10	----	10 + 10
3850	0.30	0.30	#0.30/*0.10A	#0.60B/*0.10A	----	0.00 UNCH	----	----	----	1	----	0 UNCH
3875	----	----	----	#19.30B/*5.10A	----	11.80 NEW	.0940	----	----	12	----	12 + 12
3900	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 0.40	----	----	----	11	----	0 - 88
3900	21.40	21.40	#40.60B/21.40	#40.60B/11.20A	----	27.90 + 17.50	.1737	----	----	22	----	26 + 20
3900	8.70	8.70	#23.50B/8.70	#23.50B/5.50A	----	14.00 + 8.90	.1122	----	----	68	----	118 + 43
3930	1.20	1.20	#1.20/*0.10A	1.20/*0.10A	----	0.00 - 0.50	----	----	----	3	----	0 - 85
3935	0.50	0.50	#1.10B/*0.10	1.10B/*0.10	----	0.00 - 0.50	----	----	----	2	----	0 - 1
3950	12.80	12.80	#32.60B/12.80	#32.60B/7.20A	----	20.00 + 13.30	.1601	----	----	2	----	8 + 2
3950	1.30	1.30	#1.30/*0.10	1.30/*0.10	----	0.00 - 0.60	----	----	----	12	----	0 - 1
3950	20.30	20.30	#51.40B/20.30	#51.40B/14.10A	----	36.30 NEW	.2219	----	----	1	----	1 + 1
3965	0.80	0.80	#1.40B/0.30	1.40B/0.30	----	0.00 NEW	----	----	----	5	----	0 UNCH
3970	0.10	0.10	#1.50B/*0.10	1.50B/*0.10	----	0.00 - 0.80	----	----	----	2	----	0 - 2
3975	25.50	25.50	#37.70B/25.50	#37.70B/8.20A	----	23.90 + 16.20	.1903	----	----	2	----	1 - 1
3975	39.50	39.50	#58.00B/39.10	#58.00B/17.20A	----	41.40 + 26.20	.2500	----	----	3	----	4 + 1
3975	0.10	0.10	#1.60B/*0.10	1.60B/*0.10	----	0.00 - 0.80	----	----	----	1	----	0 - 1
3980	1.90	1.90	#1.90/*0.10	1.90/*0.10	----	0.00 - 0.90	----	----	----	4	----	0 - 7
3985	1.00	1.00	#1.70B/*0.10	1.70B/*0.10	----	0.00 - 0.90	----	----	----	2	----	0 - 7
3990	1.30	1.30	#1.80B/*0.10	1.80B/*0.10	----	0.00 - 0.90	----	----	----	5	----	0 - 41
3995	1.50	1.50	#1.90B/*0.10A	1.90B/*0.10A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4000	1.60	1.60	2.50/*0.10A	2.50/*0.10A	----	0.00 - 1.00	----	----	----	23	----	0 - 31
4000	255.00	255.00	255.00/*136.00A	276.50B/*136.00A	----	161.60 NEW	.7750	----	----	5	----	5 + 5
4000	41.40	41.40	#66.00B/27.60	#66.00B/19.30A	----	47.20 + 29.80	.2808	----	----	10	----	10 + 6
4000	24.60	24.60	#43.90B/18.50	#43.90B/9.40A	----	28.40 + 19.50	.2247	----	----	566	----	225 + 215
4005	1.00	1.00	#2.30B/*0.10	2.30B/*0.10	----	0.00 - 1.00	----	----	----	12	----	0 - 5
4010	2.40	2.40	#2.40/*0.20A	2.40/*0.20A	----	0.00 NEW	----	----	----	7	----	0 UNCH
4015	1.00	1.00	#2.60B/*0.20A	2.60B/*0.20A	----	0.00 - 1.10	----	----	----	2	----	0 - 5
4020	2.70	2.70	2.80B/*0.10A	2.80B/*0.10A	----	0.00 - 1.10	----	----	----	1	----	0 - 3
4025	22.00	22.00	#51.40B/22.00	#51.40B/10.90A	----	33.70 + 23.30	.2641	----	----	4	----	5 + 4
4025	35.40	35.40	#73.60B/35.40	#73.60B/22.00A	----	53.70 + 33.80	.3144	----	----	8	----	11 + 8
4025	0.70	0.70	3.10B/*0.10	3.10B/*0.10	----	0.00 - 1.20	----	----	----	23	----	0 - 1
4030	1.10	1.10	3.30B/*0.10	3.30B/*0.10	----	0.00 - 1.20	----	----	----	9	----	0 - 2
4035	1.70	1.70	3.60B/*0.10	3.60B/*0.10	----	0.00 NEW	----	----	----	2	----	0 UNCH
4040	3.20	3.20	3.90B/*0.10A	3.90B/*0.10A	----	0.00 - 1.30	----	----	----	8	----	0 - 5
4045	1.50	1.50	4.20B/*0.10A	4.20B/*0.10A	----	0.00 - 1.30	----	----	----	13	----	0 - 3
4050	----	----	#82.70B/----	#82.70B/25.00A	----	61.00 + 38.20	.3506	----	----	----	----	3 UNCH
4050	3.30	3.30	4.60B/*0.10A	4.60B/*0.10A	----	0.00 - 1.40	----	----	----	36	----	0 - 52
4050	39.90	39.90	#59.60B/34.80	#59.60B/14.10A	----	40.00 + 27.90	.3087	----	----	62	----	63 + 61
4055	3.90	3.90	5.00B/*0.10A	5.00B/*0.10A	----	0.00 - 1.40	----	----	----	18	----	0 - 16
4060	3.80	3.80	5.50/*0.10	5.50/*0.10	----	0.00 - 1.50	----	----	----	16	----	0 - 5
4065	5.70	5.70	5.90B/*0.20A	5.90B/*0.20A	----	0.00 - 1.60	----	----	----	25	----	0 - 57
4070	1.80	1.80	6.40B/*0.10A	6.40B/*0.10A	----	0.00 - 1.60	----	----	----	13	----	0 - 6
4075	29.80	29.80	#68.30B/29.80	#68.30B/17.80A	----	47.30 + 33.00	.3584	----	----	3	----	6 + 2
4075	----	----	#91.40B/----	#91.40B/28.50A	----	69.20 + 43.00	.3895	----	----	----	----	2 UNCH
4075	1.90	1.90	7.10B/*0.20A	7.10B/*0.20A	----	0.00 - 1.70	----	----	----	23	----	0 - 4
4080	6.20	6.20	#7.80B/*0.20A	#7.80B/*0.20A	----	0.00 - 1.80	----	----	----	24	----	0 - 2
4085	5.00	5.00	#8.40B/*0.20A	#8.40B/*0.20A	----	0.00 - 1.80	----	----	----	40	----	0 - 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED JUN26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
4090	8.50	8.50	#9.20B/*0.20A	#9.20B/*0.20A	----	0.00 - 1.90	----	----	----	31	----	0 - 6
4095	5.90	5.90	#10.10B/*0.10	#10.10B/*0.10	----	0.00 - 2.00	----	----	----	17	----	0 - 2
4100	77.60	77.60	110.00/*34.00A	142.90B/*34.00A	----	33.30 NEW	----	19	----	75	----	0 UNCH
4100	3.70	3.70	11.10/*0.10	11.10/*0.10	----	0.00 - 2.10	----	----	----	251	----	0 - 61
4100	55.00	55.00	#102.40B/54.00	#102.40B/32.50A	----	78.50 + 48.30	.4309	----	----	18	----	21 + 16
4100	40.00	40.00	#79.40B/35.80	#79.40B/19.30A	----	55.90 + 39.00	.4130	----	----	23	----	18 + 16
4100	----	----	----/*72.30A	185.30B/*72.30A	----	89.20 NEW	.5867	----	----	3	----	3 + 3
4105	5.50	5.50	#11.70B/*0.30A	#11.70B/*0.30A	----	0.00 - 2.20	----	----	----	15	----	0 - 24
4110	7.20	7.20	#13.00B/*0.30A	#13.00B/*0.30A	----	0.00 - 2.30	----	----	----	34	----	0 - 5
4110	55.80	55.80	79.00/*24.20A	133.30B/*24.20A	----	23.30 NEW	----	1	----	2	----	0 UNCH
4115	14.40	14.40	#14.40/*0.30A	#14.40/*0.30A	----	0.00 - 2.40	----	----	----	56	----	0 - 11
4120	53.60	53.60	55.40/*14.20A	123.90B/*14.20A	----	13.30 NEW	----	2	----	3	----	0 UNCH
4120	15.00	15.00	#15.30B/*0.20	#15.30B/*0.20	----	0.00 - 2.50	----	----	----	134	----	0 - 8
4125	54.00	54.00	#114.50B/54.00	#114.50B/37.00A	----	88.80 NEW	.4742	----	----	2	----	1 + 1
4125	19.30	19.30	19.30/*9.80A	119.20B/*9.80A	----	8.30 NEW	----	1	----	1	----	0 UNCH
4125	6.10	6.10	#16.60B/*0.10A	#16.60B/*0.10A	----	0.00 - 2.60	----	----	----	134	----	0 - 8
4125	56.20	56.20	#91.70B/46.70	#91.70B/22.90A	----	66.00 + 45.90	.4718	----	----	16	----	87 - 7
4125	63.50	63.50	63.50/*59.40A	163.90B/*59.40A	----	74.30 NEW	.5279	----	----	40	----	40 + 40
4130	46.40	46.40	48.30/*5.50A	114.50B/*5.50A	----	3.30 NEW	----	6	----	8	----	0 UNCH
4130	7.00	7.00	#18.10B/*0.40A	#18.10B/*0.40A	----	0.00 - 2.80	----	----	----	559	----	0 - 1
4135	4.20	4.20	4.30/*1.80A	109.90B/*1.80A	----	0.00 NEW	----	----	----	2	----	0 UNCH
4135	7.60	7.60	#19.60B/*0.70A	#19.60B/*0.70A	----	1.70 - 1.20	----	16	----	61	----	0 - 12
4140	16.00	16.00	#21.30B/1.00A	#21.30B/1.00A	----	6.70 + 3.60	----	79	----	278	----	0 - 10
4140	13.70	13.70	16.10/*0.30A	105.20B/*0.30A	----	0.00 NEW	----	----	----	20	----	0 UNCH
4145	10.20	10.20	#23.20B/1.60A	#23.20B/1.60A	----	11.70 + 8.40	----	17	----	19	----	0 - 13
4145	15.10	15.10	16.00/*0.40A	100.70B/*0.40A	----	0.00 NEW	----	----	----	20	----	0 UNCH
4150	8.00	8.00	#25.10B/2.00	#25.10B/2.00	----	16.70 + 13.20	----	107	----	393	----	0 - 47
4150	58.60	58.60	60.20/*0.10A	96.10B/*0.10A	----	0.00 NEW	----	----	----	84	----	0 UNCH
4150	----	----	#127.70B/----	#127.70B/42.50A	----	100.40 + 60.40	.5190	----	----	----	----	1 UNCH
4150	60.70	60.70	64.80/*48.50A	143.20B/*48.50A	----	60.90 NEW	.4665	----	----	7	----	7 + 7
4150	58.00	58.00	#105.70B/57.00	#105.70B/27.10A	----	77.60 + 53.60	.5333	----	----	44	----	20 + 1
4155	31.60	31.60	49.90/*0.20	91.60B/*0.20	----	0.00 NEW	----	----	----	33	----	0 UNCH
4155	17.50	17.50	#27.30B/2.50A	#27.30B/2.50A	----	21.70 + 18.00	----	20	----	45	----	0 - 3
4160	16.60	16.60	#31.40B/2.90A	#31.40B/2.90A	----	26.70 + 22.70	----	68	----	70	----	0 - 43
4160	28.80	28.80	32.50/*0.10A	87.20B/*0.10A	----	0.00 NEW	----	----	----	52	----	0 UNCH
4165	25.70	25.70	25.70/*0.10A	82.80B/*0.10A	----	0.00 NEW	----	----	----	18	----	0 UNCH
4165	18.50	18.50	#35.70B/3.60A	#35.70B/3.60A	----	31.70 + 27.50	----	43	----	133	----	0 - 11
4170	18.80	18.80	#40.30B/4.20A	#40.30B/4.20A	----	36.70 + 32.20	----	21	----	33	----	0 - 9
4170	28.00	28.00	28.00/*0.10	78.50B/*0.10	----	0.00 NEW	----	----	----	201	----	0 UNCH
4175	22.30	22.30	30.00/*0.10A	74.20B/*0.10A	----	0.00 NEW	----	----	----	143	----	0 UNCH
4175	----	----	#142.20B/----	#142.20B/48.90A	----	113.10 + 67.10	.5645	----	----	----	----	2 UNCH
4175	10.10	10.10	#44.70B/5.10A	#44.70B/5.10A	----	41.70 + 36.80	----	107	----	419	----	0 - 7
4175	54.50	54.50	54.50/*38.90A	123.50B/*38.90A	----	49.20 NEW	.4042	----	----	11	----	11 + 11
4175	41.00	41.00	#121.40B/41.00	#121.40B/32.30A	----	90.90 + 62.20	.5955	----	----	3	----	4 + 3
4180	63.10	63.10	70.00B/*0.10A	70.00B/*0.10A	----	0.00 NEW	----	----	----	351	----	0 UNCH
4180	10.30	10.30	#49.40B/7.00	#49.40B/6.10A	----	46.70 + 41.50	----	78	----	186	----	0 - 11
4185	20.80	20.80	#54.20B/7.30	#54.20B/6.40A	----	51.70 + 46.00	----	62	----	95	----	0 - 20
4185	24.40	24.40	25.40/*0.10	65.80B/*0.10	----	0.00 NEW	----	----	----	235	----	0 UNCH
4190	27.00	27.00	#59.00B/11.60	#59.00B/6.90A	----	56.70 + 50.60	----	20	----	34	----	0 - 10
4190	28.60	28.60	31.50/*0.10	62.30B/*0.10	----	0.00 NEW	----	----	----	217	----	0 UNCH
4195	33.60	33.60	58.30B/*0.10A	58.30B/*0.10A	----	0.00 NEW	----	----	----	58	----	0 UNCH
4195	14.30	14.30	#63.80B/14.30	#63.80B/7.40A	----	61.70 + 55.10	----	25	----	31	----	0 - 23
4200	33.60	33.60	54.40B/*0.10	54.40B/*0.10	----	0.00 - 93.60	----	----	----	897	----	0 - 1
4200	18.00	18.00	#68.80B/13.00	#68.80B/7.80A	----	66.70 + 59.50	----	111	----	249	----	0 - 48
4200	75.00	75.00	#138.40B/73.00	#138.40B/39.60A	----	106.00 + 71.70	.6562	----	----	4	----	26 - 3
4200	65.00	65.00	65.00/*30.90A	104.80B/*30.90A	----	39.30 NEW	.3435	----	----	32	----	30 + 30
4205	33.30	33.30	50.10B/*0.10A	50.10B/*0.10A	----	0.00 NEW	----	----	----	40	----	0 UNCH
4205	20.00	20.00	#73.60B/20.00	#73.60B/8.70A	----	71.70 + 63.90	----	10	----	14	----	0 - 9
4210	31.00	31.00	46.40B/*0.10A	46.40B/*0.10A	----	0.00 - 84.90	----	----	----	294	----	0 - 1
4210	16.80	16.80	#78.50B/16.80	#78.50B/9.40A	----	76.70 + 68.20	----	8	----	20	----	0 - 5
4215	29.80	29.80	45.00/*0.10A	45.00/*0.10A	----	0.00 NEW	----	----	----	97	----	0 UNCH
4215	27.00	27.00	#83.50B/21.00	#83.50B/10.80A	----	81.70 + 72.50	----	8	----	8	----	0 - 8
4220	27.70	27.70	29.10/*0.10	42.20B/*0.10	----	0.00 NEW	----	----	----	353	----	0 UNCH
4220	26.00	26.00	#88.50B/24.20	#88.50B/11.70A	----	86.70 + 76.70	----	53	----	128	----	0 - 43
4225	66.20	66.20	#156.80B/66.20	#156.80B/47.10A	----	122.70 + 81.50	.7134	----	----	3	----	74 UNCH
4225	28.20	28.20	28.20/*24.20	87.40B/*24.20	----	31.00 NEW	.2863	----	----	18	----	16 + 16
4225	28.40	28.40	30.00/*0.10A	39.50B/*0.10A	----	0.00 NEW	----	----	----	153	----	0 UNCH
4225	25.00	25.00	#93.40B/21.00	#93.40B/12.10A	----	91.70 + 80.80	----	53	----	36	----	0 - 67
4230	----	----	#98.40B/----	#98.40B/13.60A	----	96.70 + 84.80	----	7	----	5	----	0 - 7
4230	37.50	37.50	37.50/*0.10A	37.50/*0.10A	----	0.00 NEW	----	----	----	228	----	0 UNCH
4235	28.90	28.90	#103.40B/25.00	#103.40B/14.80A	----	101.70 + 88.70	----	8	----	9	----	0 - 7
4235	33.00	33.00	33.00/*0.10A	33.00/*0.10A	----	0.00 NEW	----	----	----	26	----	0 UNCH
4240	25.00	25.00	#108.40B/25.00	#108.40B/15.50A	----	106.70 + 92.60	----	19	----	43	----	0 - 16
4240	27.00	27.00	27.00/*0.10A	32.40B/*0.10A	----	0.00 NEW	----	----	----	400	----	0 UNCH
4245	101.30	101.30	#113.40B/101.30	#113.40B/16.80A	----	111.70 + 96.40	----	15	----	3	----	0 - 18
4245	26.00	26.00	31.00/*0.10A	31.90B/*0.10A	----	0.00 NEW	----	----	----	130	----	0 UNCH
4250	24.80	24.80	24.80/*0.10	32.10B/*0.10	----	0.00 NEW	----	----	----	639	----	0 UNCH
4250	44.00	44.00	#118.40B/31.00	#118.40B/18.20A	----	116.70 + 00.10	----	105	----	68	----	0 - 130
4250	----	----	#192.70B/----	#192.70B/74.10A	----	159.20 + 89.30	.6966	----	----	----	----	1 UNCH
4250	----	----	----/*36.60A	96.20B/*36.60A	----	42.60 NEW	.3030	----	----	2	----	2 + 2
4250	----	----	#176.50B/----	#176.50B/58.90A	----	140.90 + 91.60	.7649	----	----	----	----	19 UNCH
4250	55.60	55.60	55.60/*19.00A	73.20B/*19.00A	----	24.30 NEW	.2348	----	----	53	----	53 + 53
4255	----	----	#123.60B/----	#123.60B/20.70A	----	121.70 + 03.80	----	7	----	1	----	0 - 7
4255	23.00	23.00	23.00/*0.20A	30.20B/*0.20A	----	0.00 - 49.30	----	----	----	26	----	0 - 3
4260	41.20	41.20	#128.70B/41.20	#128.70B/22.20A	----	126.70 + 07.30	----	14	----	12	----	0 - 20
4260	5.20	5.20	5.20/*0.20A	30.00B/*0.20A	----	0.00 NEW	----	----	----	121	----	0 UNCH
4265	38.00	38.00	#133.70B/38.00	#133.70B/24.00A	----	131.70 + 10.80	----	4	----	6	----	0 - 7
4265	30.00	30.00	30.00/*0.10A	30.00/*0.10A	----	0.00 - 42.30	----	----	----	92	----	0 - 6
4270	6.80	6.80	12.00/*0.20A	25.10B/*0.20A	----	0.00 - 38.90	----	----	----	15	----	0 - 5
4270	----	----	#138.70B/----	#138.70B/25.80A	----	136.70 + 14.20	----	14	----	4	----	0 - 15
4275	52.00	52.00	#143.70B/52.00	#143.70B/28.20A	----	141.70 + 17.40	----	120	----	63	----	0 - 145
4275	19.00	19.00	19.00/*0.10	25.50B/*0.10	----	0.00 - 35.70	----	----	----	55	----	0 - 70
4275	42.00	42.00	47.50/*14.80A	62.70B/*14.80A	----	18.90 NEW	.1896	----	----	19	----	11 + 11
4275	----	----	#211.80B/----	#211.80B/84.80A	----	177.00 + 97.00	.7360	----	----	----	----	11 UNCH
4275	----	----	#197.40B/----	#197.40B/68.00A	----	160.50 + 01.50	.8101	----	----	----	----	5 UNCH
4280	16.00	16.00	16.00/*0.10	24.10B/*0.10	----	0.00 - 32.60	----	----	----	67	----	0 - 8
4280	62.00	62.00	#148.30B/62.00	#148.30B/31.00A	----	146.70 + 20.50	----	77	----	46	----	0 - 61
4285	9.50	9.50	9.50/*0.10A	21.40B/*0.10A	----	0.00 - 29.70	----	----	----	42	----	0 - 9
4285	----	----	#153.30B/----	#153.30B/37.60A	----	151.70 + 23.40	----	4	----	5	----	0 - 3
4290	----	----	#158.30B/----	#158.30B/37.90A	----	156.70 + 26.20	----	9	----	7	----	0 - 9
4290	22.50	22.50	22.50/*0.10A	22.50/*0.10A	----	0.00 - 26.90	----	----	----	19	----	0 - 14
4295	----	----	#163.30B/----	#163.30B/46.80A	----	161.70 + 28.80	----	21	----	4	----	0 - 20
4295	10.00	10.00	10.00/*0.10	16.60B/*0.10	----	0.00 - 24.30	----	----	----	7	----	0 - 3
4300	77.00	77.00	#168.40B/66.30A	#168.40B/66.30A	----	166.70 + 31.30	----	103	----	31	----	0 - 110
4300	9.00	9.00	9.00/*0.10	14.70B/*0.10	----	0.00 - 21.80	----	----	----	201	----	0 - 67
4300	----	----	#231.60B/----	#231.60B/101.50A	----	196.00 + 04.60	.7721	----	----	----	----	12 UNCH
4300	27.30	27.30	27.30/*25.40A	68.60B/*25.40A	----	29.50 NEW	.2275	----	----	3	----	2 + 2
4300	26.60	26.60	27.30/*11.50A	48.60B/*11.50A	----	14.70 NEW	.1516	----	----	21	----	13 + 13
4300	----	----	#219.10B/----	#219.10B/86.10A	----	181.30 + 10.90	.8481	----	----	----	----	27 UNCH
4305	8.80	8.80	8.80/*0.10A	12.40B/*0.10A	----	0.00 - 19.60	----	----	----	21	----	0 - 4
4305	----	----	#173.30B/----	#173.30B/70.60A	----	171.70 + 33.50	----	7	----	2	----	0 - 6
4310	----	----	#178.30B/----	#178.30B/74.80A	----	176.70 + 35.60	----	10	----	6	----	0 - 11
4310	9.00	9.00	10.00/*0.10	10.60B/*0.10	----	0.00 - 17.50	----	----	----	29	----	0 - 21
4315	3.30	3.30	3.30/*0.10A	9.00B/*0.10A	----	0.00 - 15.60	----	----	----	10	----	0 - 16
4315	104.60	104.60	#183.30B/79.20A	#183.30B/79.20A	----	181.70 + 37.50	----	21	----	7	----	0 - 23
4320	----	----	#188.30B/----	#188.30B/83.70A	----	186.70 + 39.20	----	56	----	8	----	0 - 59
4320	3.00	3.00	3.00/*0.10A	7.50B/*0.10A	----	0.00 - 13.90	----	----	----	15	----	0 - 13
4325	169.00	169.00	#193.40B/169.00	#193.40B/88.20A	----	191.70 + 40.80	----	109	----	2	----	0 - 109
4325	4.00	4.00	4.00/*0.10	6.50B/*0.10	----	0.00 - 12.30	----	----	----	61	----	0 - 50
4325	38.60	38.60	38.60/*21.10A	58.30B/*21.10A	----	24.40 NEW	.1948	----	----	12	----	10 + 10
4325	23.00	23.00	23.00/*8.90A	38.10B/*8.90A	----	11.40 - 33.60	.1200	----	----	16	----	7 + 3
4325	150.00	150.00	#241.70B/142.00	#241.70B/100.50A	----	203.00 + 19.40	.8797	----	----	10	----	25 + 5
4330	----	----	#198.30B/----	#198.30B/92.80A	----	196.70 + 42.20	----	43	----	3	----	0 - 45
4330	2.10	2.10	2.10/*0.10A	5.00B/*0.10A	----	0.00 - 10.90	----	----	----	15	----	0 - 16
4335	----	----	#203.30B/----	#203.30B/97.50A	----	201.70 + 43.40	----	5	----	4	----	0 - 8
4335	4.00	4.00	4.20/*0.10A	4.20/*0.10A	----	0.00 - 9.70	----	----	----	33	----	0 - 19
4340	----	----	----/*0.10A	3.30B/*0.10A	----	0.00 - 8.60	----	----	----	1	----	0 - 9
4340	141.00	141.00	#208.30B/102.20	#208.30B/102.20A	----	206.70 + 44.50	----	64	----	6	----	0 - 67
4345	----	----	#213.30B/----	#213.30B/106.90A	----	211.70 + 45.50	----	8	----	3	----	0 - 9
4345	1.70	1.70	1.70/*0.10A	3.50B/*0.10A	----	0.00 - 7.60	----	----	----	7	----	0 - 30
4350	189.70	189.70	#218.30B/189.70	#218.30B/111.70A	----	216.70 + 46.40	----	50	----	4	----	0 - 54
4350	4.00	4.00	4.00/*0.10	4.00/*0.10	----	0.00 - 6.70	----	----	----	91	----	0 - 109
4350	259.90	259.90	#273.60B/259.90	#273.60B/130.00A	----	236.60 + 18.40	.8335	----	----	1	----	1 UNCH
4350	215.00	215.00	#264.80B/215.00	#264.80B/116.70A	----	225.50 + 26.90	.9050	----	----	3	----	7 UNCH
4350	----	----	----/*17.30A	47.80B/*17.30A	----	20.20 - 34.50	.1661	----	----	3	----	2 + 2
4350	15.00	15.00	15.00/*6.90A	29.10B/*6.90A	----	8.90 NEW	.0948	----	----	42	----	11 + 11
4355	----	----	#223.30B/----	#223.30B/116.50A	----	221.70 + 47.30	----	3	----	1	----	0 - 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED JUN26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
4355	0.30	0.30	0.40/*0.10A	2.60B/*0.10A	----	0.00 - 5.80	----	----	----	9	----	0 - 21
4360	1.40	1.40	1.40/*0.10A	2.20B/*0.10A	----	0.00 - 5.00	----	----	----	12	----	0 - 30
4360	154.30	154.30	#228.30B/121.30	#228.30B/121.30A	----	226.70 + 48.10	----	44	----	3	----	0 - 45
4365	----	----	#233.30B/----	#233.30B/126.20A	----	231.70 + 48.70	----	3	----	----	----	0 - 3
4365	1.00	1.00	1.00/*0.10	1.80B/*0.10	----	0.00 - 4.40	----	----	----	20	----	0 - 13
4370	1.10	1.10	1.10/*0.10	1.40B/*0.10	----	0.00 - 3.90	----	----	----	10	----	0 - 34
4370	----	----	#238.30B/----	#238.30B/131.10A	----	236.70 + 49.20	----	4	----	----	----	0 - 4
4375	----	----	#243.40B/----	#243.40B/136.00A	----	241.70 + 49.70	----	119	----	2	----	0 - 119
4375	0.60	0.60	0.60/*0.10	1.20B/*0.10	----	0.00 - 3.40	----	----	----	6	----	0 - 80
4375	28.30	28.30	28.30/*14.30A	39.30B/*14.30A	----	16.70 NEW	.1409	----	----	1	----	1 + 1
4375	11.70	11.70	11.70/*5.30A	21.70B/*5.30A	----	7.00 - 19.80	.0748	----	----	15	----	12 + 11
4375	----	----	#288.40B/----	#288.40B/134.70A	----	248.60 + 33.20	.9249	----	----	----	----	16 UNCH
4380	----	----	#248.30B/----	#248.30B/140.90A	----	246.70 + 50.10	----	3	----	----	----	0 - 3
4380	0.60	0.60	0.80/*0.10A	0.90B/*0.10A	----	0.00 - 3.00	----	----	----	8	----	0 - 8
4385	----	----	#253.30B/----	#253.30B/145.80A	----	251.70 + 50.50	----	3	----	4	----	0 - 5
4385	0.70	0.70	0.90/*0.10	0.90/*0.10	----	0.00 - 2.60	----	----	----	10	----	0 - 41
4390	----	----	#258.30B/----	#258.30B/150.70A	----	256.70 + 50.80	----	4	----	1	----	0 - 4
4390	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 2.30	----	----	----	----	----	0 - 7
4395	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 2.00	----	----	----	1	----	0 - 9
4400	0.80	0.80	0.80/*0.10	0.80/*0.10	----	0.00 - 1.80	----	----	----	9	----	0 - 49
4400	183.40	183.40	#268.40B/160.60	#268.40B/160.60A	----	266.70 + 51.30	----	131	----	5	----	0 - 135
4400	27.70	27.70	27.90/*11.80A	31.60B/*11.80A	----	13.80 - 23.20	.1190	----	----	226	----	500 + 220
4400	----	----	#318.50B/----	#318.50B/163.90A	----	280.20 + 29.70	.8806	----	----	----	----	3 UNCH
4400	----	----	#312.30B/----	#312.30B/154.20A	----	272.10 + 38.30	.9402	----	----	----	----	6 UNCH
4400	12.60	12.60	12.60/*4.00A	15.80B/*4.00A	----	5.60 - 14.60	.0596	----	----	11	----	5 - 1
4405	----	----	#273.30B/----	#273.30B/165.60A	----	271.70 + 51.50	----	1	----	----	----	0 - 1
4405	----	----	----/*0.20A	0.40B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 11
4410	0.60	0.60	0.60/*0.20A	0.60/*0.20A	----	0.00 - 1.40	----	----	----	2	----	0 - 13
4410	----	----	#278.30B/----	#278.30B/170.50A	----	276.70 + 51.70	----	1	----	1	----	0 - 1
4415	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 15
4420	----	----	----/*0.20A	----/*0.20A	----	0.00 - 1.10	----	----	----	----	----	0 - 15
4425	----	----	#293.30B/----	#293.30B/185.40A	----	291.70 + 52.10	----	9	----	----	----	0 - 9
4425	0.40	0.40	0.40/*0.20A	0.40/*0.20A	----	0.00 - 1.00	----	----	----	4	----	0 - 31
4425	276.50	276.50	#336.50B/276.50	#336.50B/175.00A	----	296.00 + 42.40	.9522	----	----	1	----	12 + 1
4425	6.30	6.30	6.60/*3.10A	10.30B/*3.10A	----	4.50 - 10.60	.0475	----	----	17	----	15 + 10
4430	----	----	#298.30B/----	#298.30B/190.40A	----	296.70 + 52.20	----	3	----	1	----	0 - 3
4430	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.00 - 0.90	----	----	----	1	----	0 - 15
4435	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 14
4440	1.00	1.00	1.00/*0.10A	1.00/*0.10A	----	0.00 - 0.70	----	----	----	2	----	0 - 15
4445	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 34
4450	0.20	0.20	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.60	----	----	----	3	----	0 - 203
4450	----	----	#318.40B/----	#318.40B/210.30A	----	316.70 + 52.50	----	230	----	----	----	0 - 230
4450	----	----	----/*8.20A	20.30B/*8.20A	----	9.60 - 14.80	.0852	----	----	----	----	2 UNCH
4450	6.80	6.80	6.80/*2.40A	8.40B/*2.40A	----	3.70 - 7.50	.0385	----	----	17	----	200 + 14
4450	249.00	249.00	#316.90B/249.00	#316.90B/196.90A	----	320.20 + 45.50	.9613	----	----	1	----	17 UNCH
4455	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4455	----	----	#323.30B/----	#323.30B/215.30A	----	321.70 + 52.60	----	1	----	----	----	0 - 1
4460	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 24
4465	----	----	#333.30B/----	#333.30B/225.30A	----	331.70 + 52.70	----	1	----	1	----	0 - 1
4465	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.40	----	----	----	5	----	0 - 10
4470	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 28
4475	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.40	----	----	----	2	----	0 - 35
4475	----	----	#343.30B/----	#343.30B/235.20A	----	341.70 + 52.70	----	58	----	----	----	0 - 58
4475	----	----	----/*6.60A	15.50B/*6.60A	----	8.10 - 11.70	.0724	----	----	1	----	1 UNCH
4475	----	----	#340.90B/----	#340.90B/219.50A	----	344.60 + 47.80	.9681	----	----	----	----	51 UNCH
4475	4.70	4.70	4.70/*1.90	6.20B/*1.90	----	3.10 - 5.30	.0317	----	----	5	----	9 + 2
4480	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.30	----	----	----	2	----	0 - 7
4480	----	----	#348.30B/----	#348.30B/240.20A	----	346.70 + 52.80	----	4	----	4	----	0 - 4
4485	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 34
4490	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
4500	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 105
4500	----	----	#368.30B/----	#368.30B/260.20A	----	366.70 + 52.90	----	15	----	----	----	0 - 15
4500	----	----	----/*5.60A	12.80B/*5.60A	----	6.90 - 9.10	.0619	----	----	1	----	2 UNCH
4500	3.40	3.40	3.70/*1.60A	4.40B/*1.60A	----	2.60 - 3.60	.0261	----	----	13	----	16 + 11
4505	----	----	#373.30B/----	#373.30B/265.20A	----	371.70 + 52.90	----	20	----	----	----	0 - 20
4505	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.20	----	----	----	1	----	0 - 3
4510	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4515	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4520	----	----	#388.30B/----	#388.30B/280.20A	----	386.70 + 53.00	----	1	----	----	----	0 - 1
4520	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4525	319.00	319.00	#393.30B/284.00	#393.30B/284.00	----	391.70 + 53.00	----	13	----	23	----	0 - 23
4525	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 36
4525	----	----	----/*5.20A	10.40B/*5.20A	----	5.90 - 7.00	.0530	----	----	1	----	2 + 1
4525	3.10	3.10	3.10/*1.40A	3.40B/*1.40A	----	2.20 - 2.50	.0216	----	----	20	----	19 + 10
4525	320.00	320.00	#320.00/288.90A	#320.00/288.90A	----	393.70 + 50.50	.9782	----	----	23	----	34 + 22
4530	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4535	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4540	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4545	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4550	----	----	#418.30B/----	#418.30B/310.20A	----	416.70 + 53.00	----	3	----	----	----	0 - 3
4550	0.10	0.10	0.20/*0.10	0.20/*0.10	----	0.00 - 0.10	----	----	----	5	----	0 - 21
4550	----	----	#344.40B/----	#344.40B/516.40A	----	418.40 + 51.30	.9816	----	----	----	----	6 UNCH
4550	----	----	#461.10B/----	#461.10B/290.40A	----	421.40 + 47.60	.9540	----	----	----	----	3 UNCH
4550	2.60	2.60	2.60/*1.20A	2.80B/*1.20A	----	1.90 - 1.80	.0182	----	----	21	----	48 + 21
4550	8.30	8.30	8.60B/*4.40A	8.60B/*4.40A	----	5.10 - 5.40	.0457	----	----	1	----	2 UNCH
4555	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4560	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4565	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4575	----	----	#443.30B/----	#443.30B/335.10A	----	441.70 + 53.00	----	9	----	----	----	0 - 9
4575	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4575	----	----	----/*4.00A	7.10B/*4.00A	----	4.40 - 4.10	.0394	----	----	----	----	2 UNCH
4575	2.20	2.20	2.20/*1.10	2.40B/*1.10	----	1.60 - 1.30	.0150	----	----	15	----	48 + 12
4580	----	----	#448.30B/----	#448.30B/340.10A	----	446.70 + 53.00	----	4	----	----	----	0 - 4
4580	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
4585	----	----	#453.30B/----	#453.30B/345.10A	----	451.70 + 53.00	----	----	----	----	----	0 UNCH
4595	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 128
4600	----	----	----/*3.50A	5.80B/*3.50A	----	3.90 - 3.10	.0346	----	----	----	----	5 UNCH
4600	----	----	#395.00B/----	#395.00B/565.70A	----	467.80 + 52.00	.9879	----	----	----	----	2 UNCH
4600	2.00	2.00	2.00/*1.00A	2.10B/*1.00A	----	1.30 - 1.00	.0120	----	----	22	----	252 + 21
4610	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4615	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4620	365.00	365.00	#488.30B/365.00	#488.30B/365.00	----	486.70 + 53.00	----	1	----	3	----	0 - 2
4625	----	----	#493.30B/----	#493.30B/385.10A	----	491.70 + 53.00	----	----	----	----	----	0 UNCH
4625	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 151
4625	4.40	4.40	4.40/*3.10A	4.90B/*3.10A	----	3.40 - 2.30	.0300	----	----	1	----	4 + 1
4625	1.80	1.80	1.80/*1.00A	1.90B/*1.00A	----	1.20 - 0.70	.0108	----	----	29	----	52 + 29
4645	----	----	#513.30B/----	#513.30B/405.10A	----	511.70 + 53.00	----	----	----	----	----	0 UNCH
4650	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 10
4650	----	----	#518.30B/----	#518.30B/410.10A	----	516.70 + 53.00	----	----	----	1	----	0 - 1
4650	2.40	2.40	2.40/*2.40	4.30B/*2.40	----	3.10 - 1.60	.0270	----	----	1	----	6 + 1
4650	1.60	1.60	1.70B/*1.00A	1.70B/*1.00A	----	1.00 - 0.60	.0088	----	----	13	----	20 + 13
4675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4675	1.40	1.40	1.50B/1.10A	1.50B/1.10A	----	0.90 - 0.50	.0077	----	----	5	----	57 + 5
4675	----	----	----/*2.70A	3.70B/*2.70A	----	2.70 - 1.20	.0234	----	----	----	----	7 UNCH
4700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
4700	2.50	2.50	2.50/*2.50	3.20B/*2.50	----	2.50 - 0.80	.0213	----	----	1	----	13 + 1
4700	----	----	#496.80B/----	#496.80B/662.30A	----	567.30 + 52.70	.9933	----	----	----	----	1 UNCH
4700	----	----	----/1.10A	1.30B/1.10A	----	0.80 - 0.50	.0067	----	----	----	----	6 UNCH
4710	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4725	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4725	----	----	2.90B/*2.10A	2.90B/*2.10A	----	2.30 - 0.50	.0193	----	----	----	----	3 UNCH
4725	----	----	1.20B/----	1.20B/1.20A	----	0.70 - 0.40	.0057	----	----	----	----	3 UNCH
4750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
4750	----	----	2.50B/*2.10A	2.50B/*2.10A	----	2.10 - 0.20	.0174	----	----	----	----	2 UNCH
4750	----	----	1.10B/----	1.10B/1.10A	----	0.70 - 0.30	.0055	----	----	----	----	14 UNCH
4765	----	----	#633.30B/----	#633.30B/525.10A	----	631.70 + 53.00	----	----	----	----	----	0 UNCH
4770	----	----	#638.30B/----	#638.30B/530.10A	----	636.70 + 53.00	----	1	----	----	----	0 - 1
4775	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4775	571.10	571.10	#643.30B/571.10	#643.30B/535.10A	----	641.70 + 53.00	----	1	----	1	----	0 - 1
4775	----	----	2.30B/*1.80A	2.30B/*1.80A	----	1.90 - 0.10	.0156	----	----	----	----	1 UNCH
4775	----	----	1.00B/----	1.00B/1.10A	----	0.60 - 0.30	.0046	----	----	----	----	50 UNCH
4780	----	----	#648.30B/----	#648.30B/540.10A	----	646.70 + 53.00	----	----	----	----	----	0 UNCH
4800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4800	----	----	#668.30B/----	#668.30B/560.10A	----	666.70 + 53.00	----	1	----	----	----	0 - 1
4800	----	----	2.10B/----	2.10B/*1.70A	----	1.80 + 0.10	.0145	----	----	----	----	5 UNCH
4800	----	----	----	0.80B/1.10A	----	0.60 - 0.30	.0045	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
JUN26												
4810	----	----	#678.30B/----	#678.30B/570.10A	----	676.70 + 53.00	----	----	----	----	----	0 UNCH
4815	----	----	#683.30B/----	#683.30B/575.10A	----	681.70 + 53.00	----	----	----	----	----	0 UNCH
4825	----	----	----	0.10B/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 4
4825	----	----	1.90B/----	1.90B/*1.80A	----	1.60 + 0.10	.0128	----	----	----	----	1 UNCH
4825	----	----	----	0.60B/1.00A	----	0.50 - 0.30	.0037	----	----	----	----	1 UNCH
4835	----	----	#703.30B/----	#703.30B/595.10A	----	701.70 + 53.00	----	----	----	----	----	0 UNCH
4850	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4850	----	----	1.70B/----	1.70B/*1.40A	----	1.50 + 0.20	.0118	----	----	----	----	2 UNCH
4865	----	----	#733.30B/----	#733.30B/625.10A	----	731.70 + 53.00	----	----	----	----	----	0 UNCH
4875	1.80	1.80	1.80/1.70A	1.80/1.70A	----	1.40 NEW	.0109	----	----	1	----	1 + 1
4875	----	----	----	0.40B/1.10A	----	0.50 - 0.10	.0035	----	----	----	----	1 UNCH
4900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
4900	----	----	1.40B/----	1.40B/*1.60A	----	1.40 + 0.40	.0106	----	----	----	----	8 UNCH
4900	----	----	----	0.40B/1.40A	----	0.40 - 0.20	.0027	----	----	----	----	3 UNCH
4925	----	----	1.30B/----	1.30B/1.60A	----	1.30 + 0.40	.0098	----	----	----	----	2 UNCH
4925	----	----	----	0.20B/1.20A	----	0.40 - 0.10	.0027	----	----	----	----	3 UNCH
4950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4950	----	----	1.20B/----	1.20B/1.70A	----	1.20 + 0.40	.0089	----	----	----	----	1 UNCH
4950	----	----	----	----/1.20A	----	0.40 - 0.10	.0026	----	----	----	----	1 UNCH
4975	----	----	1.10B/----	1.10B/1.60A	----	1.20 + 0.50	.0087	----	----	----	----	1 UNCH
5000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5000	----	----	----	----/1.10A	----	0.30 - 0.10	.0019	----	----	----	----	3 UNCH
5025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5025	----	----	0.90B/----	0.90B/1.50A	----	1.10 + 0.50	.0078	----	----	----	----	1 UNCH
5075	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5300	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										12169		3224 - 3134
JUL26												
3250	4.30	4.30	#4.30/2.90A	#4.30/2.90A	----	3.00 UNCH	.0148	----	----	2	----	2 + 2
3700	14.50	14.50	#22.30B/14.50	#22.30B/10.80A	----	15.50 NEW	.0861	----	----	3	----	3 + 3
3750	18.10	18.10	#27.80B/18.10	#27.80B/12.40A	----	19.50 NEW	.1077	----	----	2	----	2 + 2
3900	29.70	29.70	#53.70B/29.70	#53.70B/18.70A	----	38.70 NEW	.2053	----	----	101	----	101 + 101
3950	44.00	44.00	#65.70B/44.00	#65.70B/23.30A	----	48.40 NEW	.2515	----	----	23	----	23 + 23
3975	47.90	47.90	#72.90B/47.90	#72.90B/26.20A	----	54.10 NEW	.2775	----	----	1	----	1 + 1
4000	63.30	63.30	#80.80B/63.30	#80.80B/29.40A	----	60.30 NEW	.3054	----	----	150	----	150 + 150
4050	70.20	70.20	#99.20B/70.20	#99.20B/37.30A	----	75.10 NEW	.3676	----	----	1	----	1 + 1
4075	----	----	----/*131.90A	227.40B/*131.90A	----	141.90 NEW	.5978	----	----	3	----	1 + 1
4075	73.80	73.80	#105.70B/58.60	#105.70B/41.90A	----	83.70 NEW	.4016	----	----	4	----	4 + 4
4100	78.70	78.70	#115.80B/78.70	#115.80B/46.20A	----	93.30 NEW	.4373	----	----	1	----	1 + 1
4100	----	----	----/*120.20A	207.60B/*120.20A	----	126.60 NEW	.5621	----	----	4	----	2 + 2
4125	89.50	89.50	#122.10B/74.90	#122.10B/51.90A	----	103.90 NEW	.4744	----	----	3	----	1 + 1
4125	----	----	----/*105.80A	188.40B/*105.80A	----	112.20 NEW	.5250	----	----	1	----	1 + 1
4150	----	----	#130.10B/----	#130.10B/58.30A	----	115.50 + 62.70	.5125	----	----	2	----	3 UNCH
4175	----	----	#143.60B/----	#143.60B/65.40A	----	128.40 NEW	.5510	----	----	1	----	1 + 1
4200	----	----	#158.30B/----	#158.30B/73.70A	----	142.40 + 75.30	.5891	----	----	----	----	100 UNCH
4300	----	----	----/*38.20A	82.10B/*38.20A	----	42.80 - 50.90	.2702	----	----	1	----	7 + 1
4300	----	----	#231.90B/----	#231.90B/117.50A	----	209.20 + 02.00	.7292	----	----	----	----	1 UNCH
4350	----	----	#266.40B/----	#266.40B/145.30A	----	247.80 + 13.90	.7875	----	----	----	----	1 UNCH
4375	----	----	----/*24.20A	53.60B/*24.20A	----	26.90 - 33.60	.1863	----	----	----	----	1 UNCH
4400	----	----	#308.70B/----	#308.70B/177.80A	----	289.30 + 24.20	.8361	----	----	----	----	1 UNCH
4400	31.80	31.80	31.80/*20.80A	45.50B/*20.80A	----	23.00 NEW	.1633	----	----	10	----	10 + 10
4425	----	----	----/*17.90A	38.30B/*17.90A	----	19.70 - 24.30	.1430	----	----	----	----	2 UNCH
4450	23.40	23.40	23.40/*15.50A	32.10B/*15.50A	----	16.90 NEW	.1250	----	----	2	----	2 + 2
4500	----	----	----/*11.60A	21.30B/*11.60A	----	12.50 - 14.10	.0953	----	----	1	----	2 + 1
4525	----	----	----/*10.10A	15.00B/*10.10A	----	10.80 - 11.70	.0833	----	----	----	----	14 UNCH
4550	----	----	----/*8.90A	12.60B/*8.90A	----	9.40 - 9.60	.0731	----	----	----	----	1 UNCH
4575	----	----	----/*7.80A	10.80B/*7.80A	----	8.30 - 7.80	.0647	----	----	----	----	13 UNCH
4600	----	----	----/*7.00A	9.30B/*7.00A	----	7.30 - 6.30	.0571	----	----	----	----	1 UNCH
4650	7.90	7.90	#7.90/*5.70A	7.90/*5.70A	----	5.80 NEW	.0453	----	----	1	----	1 + 1
4900	----	----	----/*2.40A	2.10B/*2.40A	----	2.60 - 0.20	.0188	----	----	----	----	1 UNCH
5000	----	----	----/*1.90A	1.50B/*1.90A	----	2.10 + 0.10	.0145	----	----	----	----	8 UNCH
TOTAL										317		463 + 309

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
JUN26												
3000	0.80	0.80	#0.80/*0.60A	#0.80/0.60A	----	0.60 NEW	.0027	----	----	4	----	2 + 2
3500	1.80	1.80	#1.80/1.10A	#1.80/1.10A	----	1.20 + 0.60	.0069	----	----	6	----	7 + 6
3500	----	----	#8.50B/----	#8.50B/4.70A	----	6.50 + 3.20	.0355	----	----	----	----	1 UNCH
3500	3.90	3.90	#4.60B/2.70A	#4.60B/2.70A	----	3.40 NEW	.0207	----	----	1	----	1 + 1
3600	5.00	5.00	#7.60/4.80	#7.60/3.50A	----	5.40 + 2.80	.0341	----	----	17	----	15 + 12
3600	2.30	2.30	#2.80B/1.60A	#2.80B/1.60A	----	1.80 + 0.80	.0116	----	----	11	----	12 + 11
3600	----	----	#13.30B/----	#13.30B/5.90A	----	9.60 + 5.00	.0537	----	----	----	----	1 UNCH
3700	4.00	4.00	#4.60B/2.30A	#4.60B/2.30A	----	3.00 NEW	.0217	----	----	21	----	19 + 19
3700	8.40	8.40	#13.00B/5.90	#13.00B/4.80A	----	8.80 + 5.00	.0572	----	----	10	----	11 + 10
3700	16.30	16.30	#21.10B/14.40	#21.10B/8.50A	----	14.60 + 7.90	.0827	----	----	3	----	5 + 2
3750	4.00	4.00	#6.50B/3.80	#6.50B/2.80A	----	4.00 + 1.90	.0305	----	----	11	----	26 + 11
3750	10.70	10.70	#17.00B/10.70	#17.00B/5.70A	----	11.30 + 6.60	.0742	----	----	1	----	6 + 1
3750	----	----	#26.50B/----	#26.50B/9.40A	----	18.10 + 10.00	.1028	----	----	----	----	1 UNCH
3800	7.20	7.20	#9.30B/3.50	#9.30B/3.30A	----	5.50 + 2.90	.0439	----	----	106	----	100 + 98
3800	----	----	#33.20B/----	#33.20B/11.30A	----	22.80 + 12.90	.1286	----	----	1	----	2 + 1
3800	16.00	16.00	#22.30B/9.00	#22.30B/6.70A	----	14.70 + 8.90	.0969	----	----	9	----	10 + 8
3850	10.50	10.50	#13.20B/*10.50	#13.20B/*3.90A	----	7.80 NEW	.0645	----	----	12	----	12 + 12
3900	6.30	6.30	#19.40B/6.30	#19.40B/4.70A	----	11.20 + 7.10	.0953	----	----	4	----	42 UNCH
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3900	24.60	24.60	#37.90B/21.80	#37.90B/10.10A	----	25.10 + 15.80	.1641	----	----	27	----	27 + 24
3900	28.10	28.10	#51.80B/28.00	#51.80B/17.40A	----	36.30 + 20.90	.1993	----	----	107	----	121 + 107
3930	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3945	16.40	16.40	#26.10B/*16.40	#26.10B/*5.90A	----	15.70 NEW	.1353	----	----	15	----	15 + 15
3950	36.80	36.80	#47.70B/36.80	#47.70B/12.80A	----	33.00 + 21.00	.2123	----	----	8	----	10 + 7
3950	14.80	14.80	#27.80B/8.60	#27.80B/5.80A	----	16.30 + 10.90	.1406	----	----	63	----	60 + 59
3950	39.00	39.00	#63.10B/39.00	#63.10B/20.90A	----	46.00 + 26.70	.2464	----	----	5	----	11 + 5
3955	18.20	18.20	#28.00B/*18.20	#28.00B/*6.20A	----	16.90 NEW	.1460	----	----	10	----	10 + 10
3960	24.80	24.80	#29.00B/*24.80	#29.00B/*6.40A	----	17.60 NEW	.1519	----	----	1	----	1 + 1
3975	----	----	#33.00B/----	#33.00B/6.70A	----	19.70 + 13.50	.1702	----	----	----	----	11 UNCH
3975	48.10	48.10	#70.80B/46.80	#70.80B/23.30A	----	51.70 NEW	.2730	----	----	5	----	5 + 5
3975	----	----	#54.30B/----	#54.30B/15.10A	----	37.90 + 24.20	.2409	----	----	----	----	1 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	45.50	45.50	#78.30B/45.50	#78.30B/26.20A	----	58.20 + 33.80	.3020	----	----	37	----	40 + 37
4000	8.00	8.00	#39.00B/8.00	#39.00B/7.70A	----	23.90 + 16.70	.2055	----	----	40	----	61 + 31
4000	----	----	#61.40B/----	#61.40B/17.50A	----	43.50 + 27.90	.2725	----	----	----	----	4 UNCH
4025	20.10	20.10	#45.90B/18.20	#45.90B/9.00A	----	28.90 + 20.50	.2465	----	----	93	----	93 + 90
4025	53.20	53.20	#86.60B/53.20	#86.60B/29.40A	----	65.40 NEW	.3330	----	----	11	----	11 + 11
4025	45.70	45.70	#69.50B/45.70	#69.50B/20.10A	----	49.90 + 32.00	.3073	----	----	1	----	3 + 1
4035	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4040	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4045	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	56.50	56.50	#96.00B/56.50	#96.00B/33.40A	----	73.30 + 42.20	.3658	----	----	20	----	21 + 19
4050	28.30	28.30	#53.80B/27.60	#53.80B/10.60A	----	35.00 + 25.10	.2940	----	----	5	----	45 UNCH
4050	44.30	44.30	#78.60B/44.30	#78.60B/22.90A	----	57.20 + 36.60	.3450	----	----	2	----	5 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4055	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4060	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	39.40	39.40	#62.80B/39.40	#62.80B/13.70A	----	42.20 + 30.40	.3475	----	----	7	----	17 + 3
4075	----	----	#103.00B/----	#103.00B/37.30A	----	82.20 NEW	.4005	----	----	2	----	2 + 2
4075	----	----	#87.40B/----	#87.40B/26.20A	----	65.40 + 41.70	.3856	----	----	----	----	2 UNCH
4080	----	----	----	#64.80B/*17.80A	----	43.80 NEW	.3589	----	----	1	----	1 + 1
4080	----	----	----	----	----	206.40 UNCH	----	----	----	----	----	0 UNCH
4085	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	41.20	41.20	#73.70B/41.20	#73.70B/16.20A	----	50.70 + 36.60	.4066	----	----	67	----	60 + 49
4100	75.00	75.00	#113.80B/75.00	#113.80B/42.10A	----	91.90 + 52.30	.4368	----	----	3	----	3 + 1
4100	----	----	#98.40B/----	#98.40B/30.20A	----	74.70 + 47.30	.4288	----	----	4	----	12 + 3
4100	109.90	109.90	109.90/*109.90	209.80B/*109.90	----	125.20 NEW	.5626	----	----	3	----	3 + 3
4110	----	----	----	#172.50B/*61.50A	----	77.90 NEW	.5680	----	----	1	----	1 + 1
4110	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	59.00	59.00	#86.00B/48.70	#86.00B/19.40A	----	60.80 + 43.90	.4706	----	----	4	----	21 + 1
4125	----	----	#110.40B/----	#110.40B/34.20A	----	85.10 + 53.40	.4740	----	----	6	----	9 UNCH
4125	----	----	#120.70B/----	#120.70B/47.50A	----	102.60 + 57.90	.4744	----	----	----	----	2 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 37

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWT TUE JUN26		GOLD WEEKLY TUESDAY OPTION Week5												
4125	113.50	113.50	113.50/*98.60	190.30B/*98.60	----	110.90	NEW	.5250	----	----	6	----	3 +	3
4130	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4135	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4140	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4150	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4150	103.80	103.80	103.80/*85.70A	171.50B/*85.70A	----	97.60	NEW	.4864	----	----	9	----	6 +	6
4150	----	----	#123.80B/----	#123.80B/39.50A	----	96.70	+ 60.00	.5208	----	----	----	----	1	UNCH
4150	----	----	#100.40B/----	#100.40B/23.30A	----	72.50	+ 52.00	.5377	----	----	10	----	95 +	8
4150	----	----	#131.90B/----	#131.90B/53.60A	----	114.30	+ 63.80	.5130	----	----	----	----	43	UNCH
4150	83.70	83.70	83.70/*42.00	139.60B/*42.00	----	55.80	NEW	.4621	----	----	143	----	52 +	52
4155	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4160	54.50	54.50	#54.50/*39.10A	#131.80B/*39.10A	----	51.00	NEW	.4349	----	----	1	----	1 +	1
4160	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4170	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4175	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4175	----	----	#116.00B/----	#116.00B/28.00A	----	86.00	+ 61.20	.6054	----	----	----	----	9	UNCH
4175	----	----	#138.20B/----	#138.20B/45.80A	----	109.50	+ 67.00	.5683	----	----	----	----	3	UNCH
4175	105.00	105.00	108.00/*75.00A	153.60B/*75.00A	----	85.30	NEW	.4473	----	----	6	----	3 +	3
4180	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4190	64.80	64.80	#126.30B/*64.80	#126.30B/*36.50A	----	94.90	NEW	.6455	----	----	14	----	14 +	14
4190	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4195	69.30	69.30	#129.90B/*69.30	#129.90B/*40.20A	----	98.00	NEW	.6586	----	----	1	----	1 +	1
4195	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4200	63.70	63.70	#133.60B/47.80	#133.60B/33.60A	----	101.20	+ 71.00	.6715	----	----	20	----	63 -	2
4200	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4200	46.60	46.60	46.60/*26.30A	100.50B/*26.30A	----	34.50	NEW	.3283	----	----	44	----	43 +	43
4200	108.00	108.00	108.00/*65.10A	136.60B/*65.10A	----	74.10	NEW	.4082	----	----	7	----	6 +	6
4200	----	----	#160.30B/----	#160.30B/68.30A	----	140.70	+ 76.30	.5912	----	----	3	----	5 +	1
4200	----	----	#154.30B/----	#154.30B/52.90A	----	123.70	+ 74.50	.6156	----	----	----	----	2	UNCH
4205	74.20	74.20	#137.20B/*74.20	#137.20B/*43.50A	----	104.50	NEW	.6841	----	----	1	----	1 +	1
4205	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4210	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4220	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4225	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4225	----	----	#152.50B/----	#152.50B/40.50A	----	118.20	+ 81.40	.7324	----	----	9	----	13 +	5
4225	159.90	159.90	#176.20B/79.90	#176.20B/77.50A	----	155.60	NEW	.6297	----	----	3	----	1 +	1
4225	64.90	64.90	64.90/*56.40A	120.50B/*56.40A	----	64.00	NEW	.3697	----	----	2	----	1 +	1
4225	----	----	#171.40B/----	#171.40B/61.10A	----	139.20	+ 82.20	.6617	----	----	----	----	20	UNCH
4225	51.30	51.30	51.30/*20.10A	83.50B/*20.10A	----	26.60	NEW	.2674	----	----	3	----	3 +	3
4230	46.20	46.20	#46.20/*19.00A	#78.60B/*19.00A	----	25.20	NEW	.2559	----	----	5	----	1 +	1
4230	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4235	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4240	49.20	49.20	#49.20/*17.00A	#72.90B/*17.00A	----	22.60	NEW	.2338	----	----	2	----	0	UNCH
4240	----	----	----	----	----	46.40	UNCH	----	----	----	----	----	0	UNCH
4240	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4245	41.40	41.40	#41.40/*16.10A	#68.70B/*16.10A	----	21.40	NEW	.2233	----	----	1	----	1 +	1
4245	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250	106.20	106.20	#172.80B/106.20	#172.80B/48.90A	----	136.80	+ 92.00	.7870	----	----	2	----	22 +	1
4250	30.40	30.40	30.40/*15.30A	71.30B/*15.30A	----	20.20	- 60.90	.2128	----	----	6	----	7 +	6
4250	101.00	101.00	#189.60B/101.00	#189.60B/70.50A	----	156.00	+ 90.10	.7053	----	----	1	----	13	UNCH
4250	----	----	----/*33.30A	94.10B/*33.30A	----	39.50	NEW	.2943	----	----	2	----	2 +	2
4250	52.00	52.00	52.00/*48.70A	105.50B/*48.70A	----	55.00	NEW	.3323	----	----	2	----	1 +	1
4250	----	----	#193.00B/----	#193.00B/87.50A	----	171.50	+ 89.40	.6671	----	----	1	----	1 -	1
4255	----	----	----	#176.90B/*60.70A	----	140.80	NEW	.7970	----	----	2	----	2 +	2
4255	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4260	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4265	21.30	21.30	#21.30/*13.00A	#57.60B/*13.00A	----	17.10	NEW	.1841	----	----	1	----	1 +	1
4265	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4270	20.20	20.20	#20.20/*12.30A	#54.70B/*12.30A	----	16.20	NEW	.1754	----	----	2	----	2 +	2
4270	----	----	----	----	----	16.40	UNCH	----	----	----	----	----	0	UNCH
4270	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----	----	----	11.40	UNCH	----	----	----	----	----	0	UNCH
4275	----	----	----/*11.60A	57.40B/*11.60A	----	15.30	- 50.40	.1667	----	----	5	----	4 +	3
4275	----	----	#194.10B/----	#194.10B/59.10A	----	156.90	+ 02.60	.8331	----	----	----	----	28	UNCH
4275	----	----	#209.00B/----	#209.00B/81.00A	----	174.10	+ 98.00	.7459	----	----	----	----	3	UNCH
4275	----	----	----/*41.90A	96.90B/*41.90A	----	47.10	NEW	.2966	----	----	2	----	2 +	2
4275	----	----	#210.80B/----	#210.80B/98.50A	----	188.50	+ 96.00	.7028	----	----	----	----	20	UNCH
4280	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4280	----	----	----	----	----	6.40	UNCH	----	----	----	----	----	0	UNCH
4285	----	----	----	#45.90B/*10.30A	----	13.70	NEW	.1507	----	----	4	----	0	UNCH
4285	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4285	----	----	----	----	----	1.40	UNCH	----	----	----	----	----	0	UNCH
4290	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4290	----	----	----	----	----	3.60	UNCH	----	----	----	----	----	0	UNCH
4295	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4295	----	----	----	----	----	8.60	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	13.60	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	#229.60B/----	#229.60B/118.40A	----	206.60	+ 02.50	.7364	----	----	----	----	100	UNCH
4300	53.00	53.00	53.00/*35.80	82.60B/*35.80	----	40.20	- 50.30	.2631	----	----	102	----	92 -	9
4300	89.00	89.00	#216.30B/89.00	#216.30B/79.50A	----	178.20	+ 12.50	.8706	----	----	7	----	69 -	2
4300	----	----	#229.00B/----	#229.00B/98.10A	----	193.30	+ 05.70	.7827	----	----	----	----	2	UNCH
4300	27.60	27.60	27.60/*8.80A	44.40B/*8.80A	----	11.60	- 40.50	.1292	----	----	70	----	71 +	60
4305	12.10	12.10	#12.10/*8.30A	#36.30B/*8.30A	----	11.00	NEW	.1228	----	----	5	----	5 +	5
4305	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4305	----	----	----	----	----	18.60	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	#34.20B/*7.90A	----	10.40	NEW	.1165	----	----	5	----	5 +	5
4310	----	----	----	----	----	23.60	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4315	10.80	10.80	#10.80/*7.50A	#33.00B/*7.50A	----	9.80	NEW	.1102	----	----	1	----	1 +	1
4315	----	----	----	----	----	28.60	UNCH	----	----	----	----	----	0	UNCH
4315	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4320	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4320	----	----	----	----	----	33.60	UNCH	----	----	----	----	----	0	UNCH
4325	----	----	#239.30B/----	#239.30B/95.90A	----	200.40	+ 21.40	.9005	----	----	----	----	7	UNCH
4325	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4325	----	----	----	----	----	38.60	UNCH	----	----	----	----	----	0	UNCH
4325	50.70	50.70	51.80/*30.60A	70.00B/*30.60A	----	34.20	NEW	.2319	----	----	7	----	3 +	3
4325	----	----	#249.10B/----	#249.10B/131.90A	----	225.60	+ 08.70	.7675	----	----	----	----	1	UNCH
4325	9.70	9.70	9.70/*6.60A	33.60B/*6.60A	----	8.80	NEW	.0992	----	----	5	----	4 +	4
4325	----	----	#250.00B/----	#250.00B/111.80A	----	213.50	+ 13.00	.8155	----	----	----	----	2	UNCH
4325	----	----	----/*18.60A	54.60B/*18.60A	----	22.00	- 39.90	.1841	----	----	4	----	4 +	2
4330	----	----	----	----	----	43.60	UNCH	----	----	----	----	----	0	UNCH
4330	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----	48.60	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----	53.60	UNCH	----	----	----	----	----	0	UNCH
4345	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4345	----	----	----	----	----	58.60	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	63.60	UNCH	----	----	----	----	----	0	UNCH
4350	11.00	11.00	11.00/*5.10A	24.40B/*5.10A	----	6.80	- 23.90	.0767	----	----	12	----	16 +	6
4350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4350	43.10	43.10	44.70/*26.10A	61.50B/*26.10A	----	29.10	- 38.40	.2036	----	----	6	----	5	UNCH
4350	172.10	172.10	#263.10B/171.90	#263.10B/112.50A	----	223.40	+ 29.10	.9231	----	----	5	----	13 -	2
4350	195.00	195.00	#269.40B/195.00	#269.40B/146.60A	----	245.50	+ 14.50	.7958	----	----	3	----	3 -	1
4350	----	----	----/*15.30A	44.50B/*15.30A	----	18.00	- 33.20	.1552	----	----	2	----	3 +	2
4355	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4355	----	----	----	----	----	68.60	UNCH	----	----	----	----	----	0	UNCH
4360	----	----	----	----	----	73.60	UNCH	----	----	----	----	----	0	UNCH
4360	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4365	----	----	----	----	----	78.60	UNCH	----	----	----	----	----	0	UNCH
4365	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4370	----	----	----	----	----	83.60	UNCH	----	----	----	----	----	0	UNCH
4370	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	8.40	8.40	8.40/*4.00A	17.60B/*4.00A	----	5.20	- 17.70	.0585	----	----	55	----	54 +	50
4375	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	88.60	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	#287.00B/----	#287.00B/130.90A	----	246.80	+ 35.40	.9413	----	----	----	----	13	UNCH
4375	----	----	----/*12.30A	36.10B/*12.30A	----	14.80	- 27.00	.1306	----	----	----	----	1	UNCH
4375	----	----	#290.30B/----	#290.30B/162.50A	----	266.10	+ 19.90	.8212	----	----	1	----	13	UNCH
4375	29.60	29.60	29.60/*22.20A	51.70B/*22.20A	----	24.80	- 32.90	.1783	----	----	2	----	13 +	1
4375	----	----	#294.00B/----	#294.00B/143.30A	----	256.30	+ 26.00	.8691	----	----	----	----	0	UNCH
4380	----	----	----	----	----	93.60	UNCH	----	----	----	----	----	0	UNCH
4380	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GWT TUE JUN26		GOLD WEEKLY TUESDAY OPTION Week2												
4385	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4385	----	----	----	----	----	98.60	UNCH	----	----	----	----	----	0	UNCH
4390	3.80	3.80	#3.80/*3.60A	#11.80B/*3.60A	----	4.50	NEW	.0503	----	----	30	----	30 +	30
4390	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4390	----	----	----	----	----	103.60	UNCH	----	----	----	----	----	0	UNCH
4395	----	----	----	----	----	108.60	UNCH	----	----	----	----	----	0	UNCH
4395	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	113.60	UNCH	----	----	----	----	----	0	UNCH
4400	203.60	203.60	#311.20B/203.60	#311.20B/151.00A	----	270.70	+ 40.40	.9543	----	----	1	----	184	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	24.90	24.90	24.90/*10.30A	28.70B/*10.30A	----	12.30	NEW	.1102	----	----	6	----	2 +	2
4400	----	----	#317.00B/----	#317.00B/161.20A	----	278.70	+ 31.30	.8894	----	----	----	----	1	UNCH
4400	6.90	6.90	6.90/*3.20A	12.30B/*3.20A	----	4.10	- 12.70	.0455	----	----	12	----	22 -	3
4400	----	----	#312.00B/----	#312.00B/179.60A	----	287.40	+ 24.90	.8440	----	----	3	----	2 -	2
4405	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	118.60	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	123.60	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	128.60	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	#8.30B/*2.80A	----	3.50	NEW	.0381	----	----	5	----	5 +	5
4420	----	----	----	----	----	133.60	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	#325.80B/----	#325.80B/172.30A	----	294.90	+ 44.20	.9639	----	----	----	----	33	UNCH
4425	----	----	----	----	----	138.60	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----/*2.20A	8.60B/*2.20A	----	3.30	- 8.90	.0359	----	----	3	----	8 +	1
4425	13.70	13.70	13.70/*8.50A	22.60B/*8.50A	----	10.10	- 17.20	.0920	----	----	5	----	4 +	2
4425	----	----	----/*16.20A	36.30B/*16.20A	----	18.00	- 23.60	.1354	----	----	----	----	2	UNCH
4425	----	----	#334.10B/----	#334.10B/197.60A	----	309.30	+ 29.40	.8641	----	----	----	----	1	UNCH
4430	----	----	----	----	----	143.60	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	148.60	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	158.60	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	163.60	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	#319.50B/----	#319.50B/194.70A	----	319.30	+ 46.90	.9711	----	----	----	----	2	UNCH
4450	4.50	4.50	4.50/*1.90A	6.20B/*1.90A	----	2.70	- 6.20	.0287	----	----	2	----	76 +	1
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	15.60	15.60	15.60/*13.80A	30.60B/*13.80A	----	15.40	NEW	.1179	----	----	21	----	21 +	21
4450	----	----	#364.00B/----	#364.00B/200.60A	----	324.80	+ 39.40	.9217	----	----	----	----	1	UNCH
4450	10.70	10.70	10.70/*7.00A	18.10B/*7.00A	----	8.50	NEW	.0780	----	----	1	----	1 +	1
4450	----	----	#356.60B/----	#356.60B/216.80A	----	331.60	+ 33.20	.8816	----	----	2	----	1 -	2
4455	----	----	----	----	----	168.60	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	173.60	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	188.60	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----/*1.60A	4.20B/*1.60A	----	2.30	- 4.10	.0237	----	----	1	----	16	UNCH
4475	9.70	9.70	9.70/*5.80A	13.20B/*5.80A	----	7.10	- 10.50	.0656	----	----	1	----	4	UNCH
4475	----	----	#387.80B/----	#387.80B/221.70A	----	348.50	+ 42.50	.9341	----	----	----	----	3	UNCH
4475	13.50	13.50	13.50/*12.00A	25.10B/*12.00A	----	13.20	- 16.30	.1026	----	----	1	----	9 +	1
4480	----	----	----	----	----	193.60	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	198.60	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	203.60	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	208.60	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	213.60	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	2.20	2.20	2.20/*1.50A	3.10B/*1.50A	----	1.90	- 2.80	.0191	----	----	4	----	293 +	1
4500	----	----	#399.70B/----	#399.70B/263.60A	----	368.40	+ 50.20	.9808	----	----	----	----	10	UNCH
4500	----	----	----/*4.80A	10.60B/*4.80A	----	6.00	- 8.10	.0556	----	----	----	----	9	UNCH
4500	19.00	19.00	19.00/*10.30A	19.00/*10.30A	----	11.40	- 13.30	.0895	----	----	26	----	41 +	19
4500	----	----	#411.80B/----	#411.80B/243.70A	----	372.40	+ 44.90	.9441	----	----	----	----	3	UNCH
4510	----	----	----	----	----	223.60	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	228.60	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	233.60	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	238.60	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----/*1.30A	2.40B/*1.30A	----	1.60	- 1.90	.0156	----	----	----	----	5	UNCH
4525	----	----	#424.50B/----	#424.50B/324.70A	----	393.10	+ 51.10	.9842	----	----	----	----	6	UNCH
4525	----	----	----/*8.90A	15.30B/*8.90A	----	9.80	- 10.90	.0778	----	----	----	----	5	UNCH
4525	----	----	#393.30B/----	#393.30B/278.90A	----	401.00	+ 42.10	.9217	----	----	----	----	6	UNCH
4525	----	----	----/*4.00A	8.60B/*4.00A	----	5.20	- 6.10	.0479	----	----	----	----	2	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	263.60	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----/*7.70A	13.20B/*7.70A	----	8.60	- 8.80	.0686	----	----	20	----	25 +	20
4550	----	----	#393.00B/----	#393.00B/300.90A	----	424.70	+ 44.10	.9310	----	----	----	----	5	UNCH
4550	1.60	1.60	1.60/*1.10A	2.10B/*1.10A	----	1.40	- 1.20	.0132	----	----	3	----	9 -	1
4550	----	----	#454.00B/----	#454.00B/348.20A	----	417.90	+ 51.80	.9866	----	----	1	----	103 +	1
4550	----	----	#419.90B/----	#419.90B/289.30A	----	420.80	+ 48.50	.9585	----	----	----	----	1	UNCH
4550	----	----	----/*4.00A	7.10B/*4.00A	----	4.50	- 4.50	.0413	----	----	----	----	5	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	288.60	UNCH	----	----	----	----	----	0	UNCH
4575	1.10	1.10	1.10/*1.10	1.80B/*1.10	----	1.30	- 0.80	.0118	----	----	1	----	7	UNCH
4575	----	----	#369.30B/----	#369.30B/442.70A	----	442.80	+ 52.30	.9881	----	----	----	----	2	UNCH
4575	3.00	3.00	3.00/*2.90	5.70B/*2.90	----	4.00	- 3.30	.0363	----	----	2	----	4 +	2
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	308.60	UNCH	----	----	----	----	----	0	UNCH
4600	8.00	8.00	8.00/*6.00A	9.50B/*6.00A	----	6.60	- 5.80	.0530	----	----	2	----	14 +	1
4600	----	----	----/*1.10A	1.50B/*1.10A	----	1.10	- 0.60	.0098	----	----	2	----	214 +	1
4600	----	----	#439.10B/----	#439.10B/366.40A	----	469.80	+ 50.70	.9683	----	----	----	----	1	UNCH
4600	4.50	4.50	4.50/*2.30	4.80B/*2.30	----	3.50	- 2.40	.0315	----	----	2	----	42	UNCH
4620	----	----	----	----	----	333.60	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	338.60	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----/*1.00A	1.30B/*1.00A	----	1.10	- 0.30	.0093	----	----	----	----	9	UNCH
4625	8.00	8.00	8.70B/*5.30A	8.70B/*5.30A	----	5.90	- 4.60	.0472	----	----	21	----	22 +	21
4625	----	----	----/*3.00A	4.10B/*3.00A	----	3.10	- 1.70	.0276	----	----	----	----	10	UNCH
4645	1.40	1.40	#1.40/*1.00A	#1.40/*1.00A	----	1.00	NEW	.0083	----	----	11	----	11 +	11
4650	1.20	1.20	1.20/1.00A	1.20/1.00A	----	1.00	- 0.10	.0082	----	----	1	----	3 -	1
4650	7.80	7.80	7.80/*4.70A	7.80/*4.70A	----	5.30	- 3.70	.0423	----	----	28	----	30 +	28
4650	----	----	#445.80B/----	#445.80B/513.50A	----	517.50	+ 52.90	.9917	----	----	----	----	1	UNCH
4650	3.30	3.30	3.40/*2.70A	3.50B/*2.70A	----	2.70	- 1.30	.0239	----	----	5	----	14 +	5
4675	----	----	1.10B/----	1.10B/1.00A	----	1.00	UNCH	.0079	----	----	----	----	19	UNCH
4675	----	----	----	----	----	543.60	+ 52.00	.9795	----	----	----	----	1	UNCH
4675	----	----	----/*4.20A	6.00B/*4.20A	----	4.70	- 3.00	.0375	----	----	----	----	3	UNCH
4675	2.70	2.70	2.70/*2.50A	3.10B/*2.50A	----	2.30	- 1.00	.0204	----	----	1	----	2 +	1
4700	1.10	1.10	1.10/1.10	1.10/1.00A	----	0.90	UNCH	.0069	----	----	2	----	24	UNCH
4700	----	----	----/*2.30A	2.70B/*2.30A	----	2.00	- 0.80	.0176	----	----	----	----	42	UNCH
4725	----	----	----/*3.70A	4.80B/*3.70A	----	3.90	- 2.00	.0307	----	----	----	----	1	UNCH
4725	----	----	0.90B/----	0.90B/1.00A	----	0.90	+ 0.10	.0067	----	----	----	----	5	UNCH
4725	----	----	----/*2.00A	2.50B/*2.00A	----	1.80	- 0.70	.0156	----	----	----	----	1	UNCH
4750	----	----	----	0.70B/1.00A	----	0.80	+ 0.10	.0058	----	----	----	----	27	UNCH
4750	1.90	1.90	1.90/*1.70	2.20B/*1.70	----	1.60	- 0.60	.0138	----	----	2	----	4 +	2
4775	----	----	----/*3.50A	3.80B/*3.50A	----	3.30	- 1.30	.0255	----	----	----	----	1	UNCH
4775	----	----	2.00B/*1.60A	2.00B/*1.60A	----	1.50	- 0.40	.0127	----	----	----	----	4	UNCH
4800	----	----	----	0.50B/0.90A	----	0.70	+ 0.10	.0048	----	----	----	----	9	UNCH
4800	----	----	----/*3.30A	3.50B/*3.30A	----	3.10	- 1.00	.0237	----	----	----	----	108	UNCH
4800	----	----	1.80B/----	1.80B/*1.70A	----	1.40	- 0.30	.0116	----	----	----	----	3	UNCH
4825	----	----	----	0.50B/0.90A	----	0.70	+ 0.20	.0046	----	----	----	----	2	UNCH
4825	----	----	----/*3.10A	3.00B/*3.10A	----	2.80	- 0.90	.0213	----	----	----	----	5	UNCH
4850	----	----	----	0.30B/0.90A	----	0.60	+ 0.10	.0039	----	----	----	----	6	UNCH
4850	----	----	----	1.50B/1.70A	----	1.20	- 0.30	.0097	----	----	----	----	4	UNCH
4875	----	----	----	0.40B/0.80A	----	0.60	+ 0.20	.0038	----	----	----	----	2	UNCH
4875	----	----	----	1.40B/1.60A	----	1.10	- 0.30	.0088	----	----	----	----	7	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	1.30B/*1.50A	----	1.10	- 0.20	.0085	----	----	----	----	2	UNCH
4900	----	----	----	0.40B/0.80A	----	0.60	+ 0.20	.0037	----	----	----	----	5	UNCH
4900	----	----	----/*2.70A	2.30B/*2.70A	----	2.30	- 0.50	.0169	----	----	----	----	5	UNCH
4925	----	----	----	2.00B/*2.60A	----	2.10	- 0.50	.0154	----	----	----	----	17	UNCH
4950	----	----	----	0.30B/0.70A	----	0.50	+ 0.20	.0029	----	----	----	----	2	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
JUN26												
4950	----	----	----	1.00B/1.50A	----	1.00 - 0.20	.0075	----	----	----	----	3 UNCH
4950	----	----	----	1.70B/*2.40A	----	2.00 - 0.40	.0145	----	----	----	----	20 UNCH
4975	----	----	----	----/0.70A	----	0.40 + 0.20	.0023	----	----	----	----	4 UNCH
5000	----	----	----	----/0.60A	----	0.40 + 0.20	.0023	----	----	----	----	3 UNCH
5000	----	----	----	0.90B/1.40A	----	0.80 - 0.20	.0059	----	----	4	----	6 + 3
5025	----	----	----	0.80B/1.40A	----	0.80 - 0.10	.0058	----	----	----	----	4 UNCH
5050	----	----	----	----/0.60A	----	0.30 + 0.10	.0016	----	----	----	----	4 UNCH
5050	----	----	----	0.70B/1.30A	----	0.70 - 0.10	.0050	----	----	----	----	1 UNCH
5100	1.70	1.70	1.70/1.70	1.70/1.70	----	1.60 - 0.20	.0107	----	----	12	----	17 UNCH
5200	----	----	----	0.40B/1.20A	----	0.40 UNCH	.0027	----	----	----	----	2 UNCH
5250	----	----	----	----/0.70A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
5400	----	----	----	----/1.00A	----	0.30 UNCH	.0018	----	----	----	----	10 UNCH
5500	----	----	----	----/1.00A	----	0.20 UNCH	.0012	----	----	4	----	6 + 3
TOTAL										1625		3692 + 1147
JUL26												
3850	----	----	----	#42.40B/*28.50A	----	38.00 NEW	.1853	----	----	2	----	2 + 2
3900	----	----	----	#52.50B/*34.80A	----	46.60 NEW	.2234	----	----	2	----	2 + 2
TOTAL										4		4 + 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
JUN26												
3500	2.20	2.20	#2.90B/1.70A	#2.90B/1.70A	----	2.00 + 0.90	.0120	----	----	59	----	63 + 59
3500	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.10 - 0.10	----	----	----	1	----	3 + 1
3600	0.50	0.50	0.60/0.20	0.60/0.20	----	0.10 - 0.20	.0000	----	----	38	----	54 + 37
3600	3.50	3.50	#5.30/2.30	#5.30/2.30	----	3.20 + 1.60	.0207	----	----	31	----	55 + 30
3700	5.50	5.50	#8.70B/4.70	#8.70B/3.30A	----	5.40 + 2.80	.0373	----	----	40	----	91 + 28
3700	0.80	0.80	1.00B/*0.10	1.00B/*0.10	----	0.30 NEW	.0001	----	----	123	----	110 + 110
3750	6.70	6.70	#11.60B/4.70	#11.60B/3.80A	----	7.10 + 3.90	.0504	----	----	26	----	29 + 23
3750	0.90	0.90	1.30B/*0.20	1.30B/*0.20	----	0.40 - 0.20	.0002	----	----	21	----	18 + 17
3800	7.50	7.50	#15.70B/6.40	#15.70B/4.50A	----	9.60 + 5.60	.0695	----	----	89	----	76 + 67
3800	0.90	0.90	1.80B/0.50	1.80B/0.50	----	0.60 - 0.10	.0006	----	----	91	----	71 + 47
3850	1.60	1.60	#2.50B/*0.80A	#2.50B/*0.80A	----	1.00 NEW	.0017	----	----	48	----	44 + 44
3850	----	----	----	#20.70B/*5.70A	----	13.00 NEW	.0955	----	----	14	----	14 + 14
3860	1.10	1.10	#1.10/*1.10	#2.70B/*0.90A	----	1.10 NEW	.0020	----	----	1	----	1 + 1
3865	1.10	1.10	#2.00/*1.10	#2.80B/*0.90A	----	1.10 NEW	.0021	----	----	4	----	2 + 2
3870	2.00	2.00	#2.10/*0.90	#2.90B/*0.90	----	1.20 NEW	.0024	----	----	3	----	2 + 2
3875	----	----	----	#24.10B/*6.40A	----	15.20 NEW	.1121	----	----	54	----	54 + 54
3875	0.90	0.90	#2.20/*0.90	#3.00B/*0.90	----	1.20 NEW	.0025	----	----	9	----	6 + 6
3880	2.40	2.40	#2.40/*2.40	#3.10B/*1.00A	----	1.30 NEW	.0029	----	----	1	----	1 + 1
3890	1.10	1.10	#2.60/*1.10	#3.40B/*1.00A	----	1.50 NEW	.0037	----	----	6	----	3 + 3
3900	18.70	18.70	#28.80B/10.50	#28.80B/7.00A	----	17.90 + 11.40	.1319	----	----	26	----	64 + 6
3900	2.60	2.60	3.80B/1.00	3.80B/1.00	----	1.60 + 0.50	.0043	----	----	66	----	52 + 50
3900	233.70	233.70	233.70/*194.90A	341.50B/*194.90A	----	234.90 NEW	.9956	----	----	1	----	1 + 1
3905	2.60	2.60	#3.90B/*1.10A	#3.90B/*1.10A	----	1.70 NEW	.0048	----	----	5	----	5 + 5
3915	----	----	----	#4.30B/*1.20A	----	1.90 NEW	.0059	----	----	1	----	1 + 1
3920	----	----	----	#4.50B/*1.20A	----	2.00 NEW	.0065	----	----	2	----	2 + 2
3925	15.60	15.60	#32.40B/*15.60	#32.40B/*8.10A	----	21.10 NEW	.1548	----	----	5	----	5 + 5
3925	2.60	2.60	#2.60/*2.60	#4.70B/*1.30A	----	2.10 NEW	.0072	----	----	1	----	1 + 1
3930	2.80	2.80	#4.90B/1.30A	#4.90B/1.30A	----	2.30 NEW	.0084	----	----	13	----	3 + 3
3935	2.90	2.90	#5.20B/1.40A	#5.20B/1.40A	----	2.40 NEW	.0091	----	----	46	----	17 + 17
3940	3.00	3.00	#5.50B/1.40A	#5.50B/1.40A	----	2.60 NEW	.0104	----	----	18	----	8 + 8
3945	3.10	3.10	#5.90B/1.50	#5.90B/1.50	----	2.70 NEW	.0113	----	----	19	----	6 + 6
3950	15.20	15.20	#38.70B/15.20	#38.70B/9.10A	----	24.80 + 16.30	.1810	----	----	17	----	10 + 9
3950	3.50	3.50	#6.30B/1.40	#6.30B/1.40	----	2.90 + 1.40	.0128	----	----	34	----	35 + 14
3955	2.80	2.80	#6.80B/1.60	#6.80B/1.60	----	3.10 NEW	.0143	----	----	36	----	12 + 12
3960	3.40	3.40	#7.20B/1.70A	#7.20B/1.70A	----	3.30 + 1.80	.0160	----	----	19	----	23 + 3
3965	182.70	182.70	182.70/*134.60A	277.40B/*134.60A	----	171.80 NEW	.9821	----	----	1	----	1 + 1
3965	1.60	1.60	#7.70B/1.60	#7.70B/1.60	----	3.50 + 1.90	.0178	----	----	46	----	23 + 13
3970	3.20	3.20	#8.30B/1.80A	#8.30B/1.80A	----	3.70 + 2.10	.0197	----	----	24	----	13 + 6
3975	23.50	23.50	#44.60B/23.50	#44.60B/10.40A	----	29.10 + 19.40	.2108	----	----	96	----	91 + 87
3975	4.10	4.10	#8.80B/1.90	#8.80B/1.90	----	4.00 + 2.30	.0223	----	----	37	----	23 + 16
3980	3.50	3.50	#9.40B/3.40	#9.40B/2.00A	----	4.30 NEW	.0252	----	----	17	----	12 + 12
3985	4.20	4.20	#10.10B/2.00A	#10.10B/2.00A	----	4.60 NEW	.0282	----	----	29	----	17 + 17
3990	5.50	5.50	#10.80B/3.70	#10.80B/2.20A	----	4.90 NEW	.0314	----	----	36	----	16 + 16
3995	5.00	5.00	#11.50B/2.30A	#11.50B/2.30A	----	5.30 + 3.40	.0356	----	----	29	----	17 + 11
4000	13.00	13.00	#51.10B/13.00	#51.10B/11.90A	----	34.10 + 22.90	.2445	----	----	218	----	113 + 12
4000	3.90	3.90	#12.50/2.40	#12.50/2.40	----	5.60 + 3.60	.0393	----	----	157	----	171 + 92
4005	4.50	4.50	#13.10B/4.50	#13.10B/2.50A	----	6.10 NEW	.0447	----	----	2	----	2 + 2
4010	6.40	6.40	#14.00B/2.60A	#14.00B/2.60A	----	6.50 NEW	.0497	----	----	19	----	11 + 11
4015	6.50	6.50	#14.90B/4.70	#14.90B/2.80A	----	7.00 NEW	.0558	----	----	19	----	13 + 13
4020	3.50	3.50	#15.90B/3.50	#15.90B/2.90A	----	7.50 NEW	.0623	----	----	34	----	15 + 15
4025	5.50	5.50	#17.00B/3.10A	#17.00B/3.10A	----	8.10 NEW	.0699	----	----	32	----	11 + 11
4025	33.60	33.60	#58.50B/33.60	#58.50B/14.60A	----	39.90 + 26.90	.2823	----	----	73	----	70 + 69
4030	4.00	4.00	#18.00B/4.00	#18.00B/3.30A	----	8.70 NEW	.0781	----	----	25	----	9 + 9
4035	9.40	9.40	#19.20B/8.00	#19.20B/3.40A	----	9.30 + 6.70	.0867	----	----	16	----	12 + 11
4040	8.20	8.20	#20.40B/8.20	#20.40B/3.60A	----	10.00 + 7.30	.0966	----	----	7	----	6 + 5
4045	10.30	10.30	#21.70B/4.10	#21.70B/3.60A	----	10.70 NEW	.1071	----	----	34	----	14 + 14
4050	41.40	41.40	#67.00B/38.00	#67.00B/16.90A	----	46.70 + 31.50	.3244	----	----	34	----	32 + 25
4050	8.20	8.20	#23.10B/8.20	#23.10B/3.80A	----	11.50 + 8.50	.1190	----	----	112	----	72 + 61
4060	6.50	6.50	#26.10B/5.20	#26.10B/3.90A	----	13.20 NEW	.1455	----	----	13	----	8 + 8
4065	5.60	5.60	#27.70B/5.60	#27.70B/4.00A	----	14.10 NEW	.1602	----	----	13	----	11 + 11
4070	7.50	7.50	#29.40B/7.50	#29.40B/4.10A	----	15.00 NEW	.1758	----	----	130	----	91 + 91
4075	42.60	42.60	#76.00B/37.20	#76.00B/19.80A	----	54.40 + 36.70	.3703	----	----	7	----	49 - 2
4075	113.60	113.60	113.60/*94.00A	211.10B/*94.00A	----	112.70 NEW	.6294	----	----	2	----	2 + 2
4075	11.70	11.70	#31.20B/11.70	#31.20B/4.20A	----	16.10 + 12.40	.1936	----	----	13	----	6 UNCH
4080	7.00	7.00	#32.90B/7.00	#32.90B/4.30A	----	17.20 + 13.30	.2123	----	----	14	----	16 + 13
4085	64.20	64.20	64.20/*42.30A	161.80B/*42.30A	----	66.70 NEW	.7673	----	----	1	----	1 + 1
4090	14.40	14.40	#36.50B/14.40	#36.50B/4.80A	----	19.60 NEW	.2537	----	----	10	----	8 + 8
4090	----	----	----/*39.50A	157.10B/*39.50A	----	62.90 NEW	.7461	----	----	7	----	7 + 7
4095	10.10	10.10	#38.80B/10.10	#38.80B/5.00A	----	21.00 + 16.50	.2771	----	----	10	----	2 + 1
4100	56.60	56.60	#87.10B/39.60	#87.10B/22.90A	----	63.40 + 42.60	.4202	----	----	42	----	89 + 19
4100	57.50	57.50	57.50/*34.00A	147.90B/*34.00A	----	55.70 NEW	.6985	----	----	83	----	43 + 43
4100	15.00	15.00	#42.10/7.90	#42.10/5.20A	----	22.40 + 17.70	.3014	----	----	125	----	57 + 28
4105	33.70	33.70	33.70/*31.40A	143.30B/*31.40A	----	52.20 NEW	.6727	----	----	1	----	1 + 1
4105	11.50	11.50	#43.50B/11.50	#43.50B/5.50A	----	23.90 NEW	.3272	----	----	18	----	18 + 18
4110	----	----	#45.60B/----	#45.60B/5.80A	----	25.60 + 20.40	.3548	----	----	----	----	1 UNCH
4110	37.50	37.50	37.50/*29.00A	138.80B/*29.00A	----	48.90 NEW	.6451	----	----	10	----	7 + 7
4115	13.20	13.20	#48.40B/13.20	#48.40B/6.00A	----	27.40 NEW	.3836	----	----	17	----	15 + 15
4115	34.20	34.20	35.50/*26.70A	134.20B/*26.70A	----	45.70 NEW	.6163	----	----	2	----	1 + 1
4120	59.00	59.00	59.00/*24.50A	129.70B/*24.50A	----	42.50 NEW	.5867	----	----	51	----	23 + 23
4120	30.40	30.40	#51.20B/25.00	#51.20B/6.30A	----	29.20 + 23.40	.4132	----	----	52	----	15 + 13
4125	37.00	37.00	37.10/*22.50A	125.30B/*22.50A	----	39.60 NEW	.5557	----	----	8	----	3 + 3
4125	19.30	19.30	#54.30B/13.60	#54.30B/6.40A	----	31.30 + 25.20	.4442	----	----	70	----	57 - 26
4125	50.00	50.00	#99.60B/48.10	#99.60B/26.50A	----	73.60 + 49.10	.4730	----	----	246	----	249 + 237
4130	36.10	36.10	36.10/*20.50A	120.80B/*20.50A	----	36.70 NEW	.5241	----	----	82	----	20 + 20
4130	30.00	30.00	#57.30B/30.00	#57.30B/7.10A	----	33.40 + 27.00	.4758	----	----	14	----	12 + 10
4135	20.00	20.00	#60.50B/20.00	#60.50B/7.40A	----	35.70 NEW	.5079	----	----	4	----	3 + 3
4135	----	----	----/*18.80A	116.50B/*18.80A	----	34.00 NEW	.4919	----	----	10	----	5 + 5
4140	37.80	37.80	39.00/*17.00A	112.10B/*17.00A	----	31.40 NEW	.4594	----	----	8	----	5 + 5
4140	7.70	7.70	#63.80B/7.60A	#63.80B/7.60A	----	38.10 + 31.00	.5404	----	----	31	----	12 + 11
4145	37.90	37.90	37.90/*15.50A	107.80B/*15.50A	----	28.90 NEW	.4268	----	----	73	----	23 + 23
4145	----	----	#67.40B/----	#67.40B/7.90A	----	40.60 + 33.10	.5731	----	----	2	----	4 + 2
4150	36.90	36.90	40.00/*14.10A	103.50B/*14.10A	----	26.60 NEW	.3946	----	----	27	----	22 + 22
4150	43.00	43.00	#113.30B/43.00	#113.30B/31.60A	----	85.20 + 56.30	.5279	----	----	26	----	36 + 17
4150	78.20	78.20	78.20/*55.80A	148.30B/*55.80A	----	68.50 NEW	.4718	----	----	2	----	1 + 1
4150	25.30	25.30	#71.00B/16.00	#71.00B/8.40A	----	43.30 + 35.40	.6053	----	----	281	----	123 + 50
4155	----	----	#74.80B/----	#74.80B/9.00A	----	46.10 NEW	.6372	----	----	15	----	8 + 8
4155	80.40	80.40	80.40/*12.80A	99.80B/*12.80A	----	24.40 NEW	.3627	----	----	15	----	15 + 15
4160	31.60	31.60	31.60/*11.50A	95.70B/*11.50A	----	22.40 NEW	.3319	----	----	11	----	10 + 10
4160	26.20	26.20	#78.40B/20.00	#78.40B/9.50A	----	49.10 + 40.20	.6680	----	----	12	----	4 + 2
4165	18.50	18.50	22.80/*10.00	91.00B/*10.00	----	20.50 NEW	.3021	----	----	18	----	16 + 16
4165	35.40	35.40	#82.50B/35.40	#82.50B/9.90A	----	52.20 + 42.80	.6978	----	----	5	----	4 + 2
4170	26.90	26.90	26.90/*9.40A	87.50B/*9.40A	----	18.70 NEW	.2733	----	----	11	----	7 + 7
4170	32.40	32.40	#86.50B/32.40	#86.50B/10.40A	----	55.40 + 45.50	.7266	----	----	6	----	9 + 5
4175	49.60	49.60	49.60/*8.50A	82.90B/*8.50A	----	17.00 NEW	.2457	----	----	52	----	39 + 39
4175	35.40	35.40	#90.80B/26.80	#90.80B/11.30A	----	58.70 + 48.20	.7542	----	----	158	----	122 + 89
4175	55.90	55.90	55.90/*45.90A	129.00B/*45.90A	----	56.70 NEW	.4161	----	----	9	----	9 + 9
4175	56.50	56.50	#128.50B/56.50	#128.50B/37.00A	----	98.30 + 64.10	.5836	----	----	5	----	4 + 1
4180	27.00	27.00	#94.90B/27.00	#94.90B/12.10A	----	62.10 + 51.10	.7804	----	----	42	----	18 + 16
4180	43.60	43.60	43.60/*7.70A	80.10B/*7.70A	----	15.40 NEW	.2194	----	----	39	----	33 + 33
4185	36.00	36.00	36.00/*6.90	75.10B/*6.90	----	13.90 NEW	.1947	----	----	7	----	3 + 3
4185	30.70	30.70	#99.20B/30.70	#99.20B/12.80A	----	65.60 NEW	.8052	----	----	10	----	5 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
JUN26												
4190	17.50	17.50	17.50/*6.20A	72.10B/*6.20A	----	12.60 NEW	.1724	----	----	19	----	14 + 14
4190	22.90	22.90	#103.50B/22.90	#103.50B/13.80A	----	69.30 + 56.90	.8275	----	----	3	----	5 + 2
4195	26.50	26.50	#108.00B/26.50	#108.00B/14.70A	----	73.10 + 60.00	.8480	----	----	8	----	6 + 4
4195	38.70	38.70	38.70/*5.60A	67.60B/*5.60A	----	11.40 NEW	.1519	----	----	12	----	12 + 12
4200	48.90	48.90	48.90/*37.50A	110.70B/*37.50A	----	46.30 NEW	.3611	----	----	3	----	3 + 3
4200	68.80	68.80	#145.00B/68.80	#145.00B/43.50A	----	113.00 + 72.60	.6386	----	----	629	----	121 + 75
4200	41.00	41.00	64.70B/*5.00A	64.70B/*5.00A	----	10.20 NEW	.1322	----	----	505	----	153 + 153
4200	35.10	35.10	#112.50B/34.00	#112.50B/15.40A	----	76.90 + 63.10	.8677	----	----	40	----	24 UNCH
4205	35.70	35.70	#117.20B/35.70	#117.20B/16.50A	----	80.90 + 66.20	.8846	----	----	2	----	4 + 2
4205	31.40	31.40	31.40/*4.50A	60.40B/*4.50A	----	9.20 NEW	.1152	----	----	21	----	21 + 21
4210	31.00	31.00	31.90/*4.10	57.90B/*4.10	----	8.30 NEW	.1002	----	----	33	----	19 + 19
4210	----	----	#121.60B/----	#121.60B/17.50A	----	85.00 NEW	.8997	----	----	2	----	2 + 2
4215	44.50	44.50	#126.40B/44.50	#126.40B/18.60A	----	89.20 + 72.70	.9130	----	----	7	----	7 + 4
4215	27.00	27.00	28.70/*3.70A	57.90B/*3.70A	----	7.50 NEW	.0869	----	----	32	----	26 + 26
4220	32.10	32.10	32.10/*3.40A	52.50B/*3.40A	----	6.70 NEW	.0744	----	----	39	----	27 + 27
4220	----	----	#131.10B/----	#131.10B/19.60A	----	93.40 + 75.90	.9255	----	----	2	----	3 UNCH
4225	56.00	56.00	#135.90B/46.00	#135.90B/20.30A	----	97.70 + 79.10	.9363	----	----	29	----	33 - 6
4225	58.00	58.00	58.00/*30.40A	93.60B/*30.40A	----	37.50 NEW	.3087	----	----	278	----	240 + 240
4225	97.30	97.30	#162.90B/97.30	#162.90B/51.20A	----	129.20 + 81.50	.6911	----	----	2	----	181 UNCH
4225	15.90	15.90	15.90/*3.00A	51.80B/*3.00A	----	6.00 NEW	.0636	----	----	40	----	34 + 34
4230	18.30	18.30	21.80/*2.70A	52.50B/*2.70A	----	5.40 NEW	.0545	----	----	31	----	21 + 21
4230	----	----	#140.70B/----	#140.70B/22.20A	----	102.10 + 82.40	.9454	----	----	----	----	5 UNCH
4235	19.70	19.70	19.70/*2.40A	51.30B/*2.40A	----	4.90 NEW	.0469	----	----	19	----	15 + 15
4235	36.20	36.20	#145.50B/36.20	#145.50B/23.00A	----	106.60 NEW	.9530	----	----	4	----	2 + 2
4240	----	----	#150.30B/----	#150.30B/24.40A	----	111.10 + 88.90	.9600	----	----	----	----	7 UNCH
4240	18.10	18.10	18.10/*2.20A	49.20B/*2.20A	----	4.40 NEW	.0399	----	----	53	----	20 + 20
4245	14.00	14.00	14.00/*2.00A	44.80B/*2.00A	----	4.00 NEW	.0343	----	----	26	----	10 + 10
4245	----	----	#155.10B/----	#155.10B/26.90A	----	115.70 + 92.10	.9656	----	----	----	----	3 UNCH
4250	63.60	63.60	64.20/*24.50A	79.10B/*24.50A	----	30.10 NEW	.2599	----	----	203	----	201 + 201
4250	80.00	80.00	#182.00B/80.00	#182.00B/60.70A	----	146.80 + 90.60	.7398	----	----	6	----	230 - 3
4250	19.90	19.90	33.00/*1.80A	50.40B/*1.80A	----	3.60 - 57.90	.0291	----	----	90	----	50 + 47
4250	100.50	100.50	#160.00B/100.50	#160.00B/28.50A	----	120.30 + 95.20	.9708	----	----	16	----	99 - 3
4255	5.20	5.20	5.20/*1.70A	46.10B/*1.70A	----	3.30 NEW	.0252	----	----	4	----	2 + 2
4255	114.80	114.80	#164.90B/114.80	#164.90B/30.30A	----	125.00 + 98.40	.9747	----	----	4	----	6 + 2
4260	16.50	16.50	16.50/*1.50A	40.20B/*1.50A	----	3.00 NEW	.0216	----	----	21	----	10 + 10
4260	31.50	31.50	#169.70B/31.50	#169.70B/31.50	----	129.70 + 01.40	.9783	----	----	3	----	4 + 1
4265	4.10	4.10	4.10/*1.40A	37.90B/*1.40A	----	2.70 NEW	.0182	----	----	11	----	9 + 9
4265	----	----	#174.70B/----	#174.70B/34.10A	----	134.40 NEW	.9817	----	----	1	----	1 + 1
4270	----	----	#179.60B/----	#179.60B/36.10A	----	139.10 + 07.20	.9847	----	----	----	----	3 UNCH
4270	9.00	9.00	11.00/*1.30A	38.60B/*1.30A	----	2.40 - 45.90	.0151	----	----	21	----	5 + 5
4275	46.80	46.80	46.80/*19.60A	69.30B/*19.60A	----	24.10 NEW	.2164	----	----	107	----	102 + 102
4275	183.90	183.90	#202.20B/183.90	#202.20B/71.20A	----	165.70 + 99.70	.7833	----	----	2	----	12 - 1
4275	----	----	#184.50B/----	#184.50B/38.50A	----	143.90 + 10.10	.9869	----	----	1	----	39 UNCH
4275	9.70	9.70	10.00/*1.10A	36.90B/*1.10A	----	2.20 - 43.00	.0130	----	----	51	----	39 + 34
4280	----	----	#189.40B/----	#189.40B/46.20A	----	148.70 + 12.80	.9888	----	----	----	----	6 UNCH
4280	20.80	20.80	20.80/*1.10A	33.80B/*1.10A	----	2.00 NEW	.0111	----	----	9	----	5 + 5
4285	20.50	20.50	20.50/*1.00A	31.10B/*1.00A	----	1.90 - 37.60	.0100	----	----	33	----	14 + 13
4285	----	----	#194.40B/----	#194.40B/48.60A	----	153.60 + 15.50	.9899	----	----	----	----	21 UNCH
4290	12.10	12.10	15.20/*1.00A	28.50B/*1.00A	----	1.70 - 35.00	.0083	----	----	24	----	15 + 12
4290	----	----	#199.30B/----	#199.30B/50.90A	----	158.40 + 18.10	.9916	----	----	----	----	3 UNCH
4295	----	----	#204.30B/----	#204.30B/48.60A	----	163.30 + 20.60	.9925	----	----	----	----	4 UNCH
4295	15.10	15.10	15.10/*0.90A	26.20B/*0.90A	----	1.60 NEW	.0074	----	----	31	----	19 + 19
4300	32.40	32.40	32.40/*15.70A	55.50B/*15.70A	----	19.30 - 44.40	.1786	----	----	22	----	17 + 14
4300	----	----	#223.30B/----	#223.30B/91.70A	----	185.80 + 08.50	.8211	----	----	10	----	54 - 3
4300	16.00	16.00	16.00/*0.80	25.30B/*0.80	----	1.50 - 30.10	.0065	----	----	60	----	21 + 18
4300	----	----	#209.20B/----	#209.20B/74.40A	----	168.20 + 23.00	.9934	----	----	----	----	94 UNCH
4305	5.50	5.50	5.50/*0.80A	22.60B/*0.80A	----	1.40 - 27.80	.0057	----	----	4	----	7 + 4
4305	----	----	#214.20B/----	#214.20B/78.10A	----	173.10 + 25.30	.9942	----	----	1	----	1 UNCH
4310	----	----	#219.10B/----	#219.10B/81.90A	----	178.00 + 27.40	.9949	----	----	----	----	4 UNCH
4310	5.10	5.10	5.10/*0.80A	21.20B/*0.80A	----	1.30 NEW	.0050	----	----	15	----	7 + 7
4315	4.80	4.80	4.80/*0.70A	19.10B/*0.70A	----	1.20 - 23.60	.0043	----	----	33	----	18 + 17
4315	----	----	#224.10B/----	#224.10B/85.80A	----	182.90 + 29.50	.9956	----	----	1	----	2 UNCH
4320	----	----	#229.00B/----	#229.00B/89.90A	----	187.80 + 31.40	.9962	----	----	4	----	5 + 4
4320	11.40	11.40	11.40/*0.70A	17.00B/*0.70A	----	1.10 - 21.70	.0037	----	----	16	----	5 + 4
4325	----	----	#245.20B/----	#245.20B/106.50A	----	207.00 + 16.70	.8536	----	----	1	----	21 - 1
4325	12.50	12.50	12.50/*12.50	44.60B/*12.50	----	15.40 - 36.30	.1461	----	----	107	----	106 + 105
4325	2.60	2.60	2.60/*0.60A	15.00B/*0.60A	----	1.10 - 19.80	.0036	----	----	5	----	7 + 1
4325	129.00	129.00	#234.00B/129.00	#234.00B/94.00A	----	192.80 + 33.30	.9963	----	----	5	----	20 UNCH
4330	3.80	3.80	3.80/*0.60A	14.00B/*0.60A	----	1.00 NEW	.0030	----	----	2	----	2 + 2
4330	----	----	#239.00B/----	#239.00B/98.10A	----	197.70 + 34.90	.9969	----	----	----	----	52 UNCH
4335	2.40	2.40	2.40/*0.60A	12.40B/*0.60A	----	1.00 - 16.60	.0029	----	----	9	----	9 + 7
4335	----	----	#243.90B/----	#243.90B/102.40A	----	202.70 + 36.50	.9970	----	----	----	----	1 UNCH
4340	----	----	#248.90B/----	#248.90B/106.70A	----	207.60 + 37.90	.9975	----	----	----	----	3 UNCH
4340	5.50	5.50	6.50/*0.50A	11.50B/*0.50A	----	0.90 - 15.20	.0024	----	----	10	----	5 + 3
4345	----	----	#253.90B/----	#253.90B/111.10A	----	212.60 + 39.30	.9976	----	----	----	----	1 UNCH
4345	2.70	2.70	2.70/*0.50A	10.10B/*0.50A	----	0.90 - 13.80	.0024	----	----	6	----	6 + 3
4350	179.00	179.00	#267.80B/179.00	#267.80B/122.40A	----	228.90 + 23.90	.8808	----	----	2	----	14 - 2
4350	21.40	21.40	23.70/*9.90A	35.10B/*9.90A	----	12.30 - 29.10	.1189	----	----	134	----	111 + 110
4350	188.80	188.80	#258.90B/188.80	#258.90B/115.50A	----	217.50 + 40.50	.9980	----	----	3	----	35 UNCH
4350	7.00	7.00	7.00/*0.30	9.20B/*0.30	----	0.80 - 12.60	.0019	----	----	21	----	32 - 3
4355	2.20	2.20	2.20/*0.50A	8.10B/*0.50A	----	0.80 - 11.30	.0019	----	----	6	----	7 + 6
4355	129.50	129.50	#263.80B/120.00	#263.80B/120.00A	----	222.50 + 41.80	.9980	----	----	3	----	4 - 1
4360	6.00	6.00	6.00/*0.50A	7.40B/*0.50A	----	0.70 NEW	.0015	----	----	3	----	2 + 2
4360	172.90	172.90	#268.80B/172.90	#268.80B/124.60A	----	227.40 + 42.80	.9984	----	----	2	----	52 UNCH
4365	0.90	0.90	0.90/*0.40A	6.40B/*0.40A	----	0.70 - 9.20	.0014	----	----	7	----	13 + 5
4370	3.60	3.60	3.60/*0.40A	6.10B/*0.40A	----	0.70 - 8.30	.0014	----	----	1	----	2 + 1
4375	----	----	#290.90B/----	#290.90B/139.80A	----	251.50 + 30.20	.9023	----	----	1	----	24 - 1
4375	15.00	15.00	15.00/*8.00A	27.10B/*8.00A	----	10.00 - 22.80	.0974	----	----	94	----	100 + 74
4375	0.80	0.80	0.80/*0.30A	5.30B/*0.30A	----	0.60 - 7.50	.0011	----	----	12	----	13 + 6
4375	----	----	#283.80B/----	#283.80B/138.50A	----	242.30 + 45.60	.9988	----	----	----	----	10 UNCH
4380	1.50	1.50	1.50/*0.20	4.90B/*0.20	----	0.60 - 6.70	.0011	----	----	7	----	27 + 5
4385	0.60	0.60	0.90/*0.40A	4.30B/*0.40A	----	0.60 - 6.00	.0010	----	----	8	----	9 + 8
4390	----	----	----/*0.30A	3.80B/*0.30A	----	0.50 - 5.50	.0007	----	----	----	----	3 UNCH
4395	253.30	253.30	#303.70B/253.30	#303.70B/157.50A	----	262.20 + 48.20	.9992	----	----	1	----	1 UNCH
4400	14.50	14.50	14.60/*6.50A	20.70B/*6.50A	----	8.10 - 17.50	.0794	----	----	31	----	19 + 14
4400	----	----	#314.50B/----	#314.50B/158.70A	----	274.60 + 35.50	.9204	----	----	----	----	12 UNCH
4400	----	----	#308.70B/----	#308.70B/162.30A	----	267.20 + 48.70	.9992	----	----	----	----	59 UNCH
4400	2.10	2.10	2.10/*0.10	3.00B/*0.10	----	0.50 - 4.40	.0007	----	----	28	----	50 + 18
4410	0.70	0.70	0.70/*0.30A	2.40B/*0.30A	----	0.40 - 3.60	.0005	----	----	11	----	12 + 10
4415	0.60	0.60	0.60/*0.30A	2.10B/*0.30A	----	0.40 - 3.20	.0005	----	----	1	----	36 UNCH
4420	0.20	0.20	0.20/*0.20	1.80B/*0.20	----	0.40 - 2.90	.0004	----	----	6	----	7 - 1
4420	----	----	#328.70B/----	#328.70B/181.70A	----	287.10 + 50.20	.9995	----	----	----	----	22 UNCH
4425	----	----	#338.30B/----	#338.30B/178.80A	----	298.20 + 39.90	.9350	----	----	----	----	47 UNCH
4425	15.50	15.50	15.50/*5.00	15.70B/*5.00	----	6.60 - 13.20	.0647	----	----	48	----	232 + 31
4425	0.40	0.40	0.40/*0.20A	1.70B/*0.20A	----	0.40 - 2.60	.0004	----	----	6	----	51 + 1
4425	320.00	320.00	#333.70B/320.00	#333.70B/186.60A	----	292.10 + 50.50	.9995	----	----	1	----	1 UNCH
4430	0.60	0.60	0.60/*0.20A	1.50B/*0.20A	----	0.30 - 2.50	.0003	----	----	1	----	2 UNCH
4430	----	----	#338.70B/----	#338.70B/191.50A	----	297.00 NEW	.9997	----	----	1	----	1 + 1
4440	0.60	0.60	0.60/*0.20	1.20B/*0.20	----	0.30 - 2.00	.0002	----	----	10	----	33 + 10
4445	0.20	0.20	0.20/*0.20	1.10B/*0.20	----	0.30 - 1.90	.0002	----	----	10	----	13 + 10
4450	----	----	#362.40B/----	#362.40B/200.10A	----	322.00 + 43.40	.9462	----	----	----	----	25 UNCH
4450	10.60	10.60	11.10B/*4.00A	11.10B/*4.00A	----	5.50 - 9.70	.0536	----	----	11	----	56 UNCH
4450	0.70	0.70	0.70/*0.20	1.00B/*0.20	----	0.30 - 1.70	.0002	----	----	10	----	57 + 7
4450	----	----	#358.60B/----	#358.60B/247.80A	----	317.00 + 51.40	.9997	----	----	----	----	6 UNCH
4455	----	----	----/*0.20A	0.90B/*0.20A	----	0.30 - 1.60	.0002	----	----	----	----	4 UNCH
4460	0.20	0.20	0.20/*0.20	0.90B/*0.20	----	0.20 - 1.50	.0001	----	----	6	----	13 + 6
4465	----	----	----/*0.10A	0.90B/*0.10A	----	0.20 - 1.40	.0001	----	----	----	----	51 UNCH
4470	----	----	----/*0.30A	0.80B/*0.30A	----	0.20 - 1.30	.0001	----	----	----	----	6 UNCH
4470	----	----	#378.60B/----	#378.60B/267.70A	----	336.90 + 51.80	.9999	----	----	----	----	22 UNCH
4475	----	----	#346.40B/----	#346.40B/222.20A	----	346.10 + 46.10	.9554	----	----	----	----	13 UNCH
4475	6.40	6.40	7.10/*3.30	8.70B/*3.30	----	4.60 - 7.00	.0444	----	----	8	----	22 + 5
4475	----	----	#383.60B/----	#383.60B/272.70A	----	341.90 + 51.90	.9999	----	----	----	----	24 UNCH
4475	0.20	0.20	0.20/*0.20	0.80B/*0.20	----	0.20 - 1.20	.0001	----	----	10	----	74 + 8
4480	1.10	1.10	1.10/*0.10A	1.10/*0.10A	----	0.20 - 1.10	.0001	----	----	1	----	13 + 1
4485	0.20	0.20	#0.20/*0.20	0.70B/*0.20	----	0.20 NEW	.0001	----	----	10	----	10 + 10
4490	0.70	0.70	#0.70/*0.20A	0.70/*0.20A	----	0.20 - 1.00	.0001	----	----	6	----	7 + 4
4495	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.90	.0001	----	----	1	----	2 UNCH
4500	----	----	#370.50B/----	#370.50B/245.10A	----	370.40 + 48.10	.9626	----	----	10	----	40 - 6
4500	6.50	6.50	6.50/*3.10	7.00B/*3.10	----	3.90 - 4.90	.0372	----	----	827	----	945 + 647
4500	----	----	----/*0.20A	0.70B/*0.20A	----	0.20 - 0.90	.0001	----	----	----	----	37 UNCH
4500	312.00	312.00	#408.60B/297.60	#408.60B/297.60A	----	366.90 + 52.20	.9999	----	----	1	----	36 UNCH
4505	----	----	----/*0.30A	0.60B/*0.30A	----	0.10 - 0.90	.0000	----	----	----	----	1 UNCH
4510	0.20	0.20	0.20/*0.20	0.50B/*0.20	----	0.10 - 0.80	.0000	----	----	5	----	11 + 5
4520	0.10	0.10	#0.10/*0.10	0.20B/*0.10	----	0.10 NEW	.0000	----	----	5	----	5 + 5
4525	----	----	#342.40B/----	#342.40B/268.40A	----	394.90 + 49.70	.9680	----	----	----	----	27 UNCH
4525	4.40	4.40	4.90/*2.40	5.40B/*2.40	----	3.40 - 3.40	.0318	----	----	6	----	51 + 5
4525	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.70	.0000	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
JUN26												
4525	----	----	#433.60B/----	#433.60B/322.60A	----	391.80 + 52.40	1.0000	----	----	----	----	41 UNCH
4530	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.70	.0000	----	----	----	----	2 UNCH
4535	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 0.60	.0000	----	----	----	----	1 UNCH
4540	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 0.60	.0000	----	----	----	----	2 UNCH
4545	----	----	#453.50B/----	#453.50B/403.30A	----	411.80 + 52.50	1.0000	----	----	----	----	1 UNCH
4550	3.70	3.70	3.70/*2.00	4.40B/*2.00	----	2.90 - 2.40	.0268	----	----	4	----	17 - 2
4550	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.50	.0000	----	----	----	----	14 UNCH
4550	----	----	#458.50B/----	#458.50B/346.50A	----	416.80 + 52.60	1.0000	----	----	1	----	80 UNCH
4555	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.50	----	----	----	----	----	2 UNCH
4560	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.50	----	----	----	----	----	1 UNCH
4575	3.10	3.10	3.70B/*1.80A	3.70B/*1.80A	----	2.60 - 1.60	.0235	----	----	2	----	17 + 1
4575	----	----	#391.30B/----	#391.30B/----	----	444.00 + 51.40	.9764	----	----	----	----	3 UNCH
4575	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	----	----	----	----	----	10 UNCH
4600	----	----	----	----	----	468.70 + 52.00	.9795	----	----	----	----	2 UNCH
4600	2.30	2.30	3.20B/*1.60A	3.20B/*1.60A	----	2.30 - 1.10	.0204	----	----	3	----	32 UNCH
4600	----	----	#508.50B/----	#508.50B/397.50A	----	466.80 + 52.80	1.0000	----	----	1	----	21 UNCH
4600	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	1	----	43 UNCH
4610	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	----	----	----	----	----	5 UNCH
4620	420.00	420.00	#528.50B/*418.2	#528.50B/418.20A	----	486.80 NEW	1.0000	1	----	4	----	0 UNCH
4625	----	----	2.80B/*1.40A	2.80B/*1.40A	----	2.00 - 0.70	.0174	----	----	----	----	37 UNCH
4625	----	----	----	----/*0.30A	----	0.10 - 0.20	----	----	----	----	----	43 UNCH
4625	----	----	#533.50B/----	#533.50B/478.60A	----	491.80 + 52.90	1.0000	1	----	----	----	0 - 1
4650	----	----	2.50B/*1.30A	2.50B/*1.30A	----	1.80 - 0.40	.0154	----	----	1	----	25 - 1
4650	----	----	----	----	----	518.30 + 52.80	.9845	----	----	----	----	1 UNCH
4650	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	100 UNCH
4675	----	----	2.30B/*1.10A	2.30B/*1.10A	----	1.70 - 0.10	.0141	----	----	----	----	20 UNCH
4675	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	37 UNCH
4700	1.40	1.40	2.10B/*1.40	2.10B/*1.40	----	1.50 UNCH	.0122	----	----	502	----	742 - 244
4700	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	605 UNCH
4725	1.60	1.60	1.90B/1.30	1.90B/1.30	----	1.40 + 0.20	.0111	----	----	3	----	14 UNCH
4725	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4750	----	----	----	----	----	617.60 + 53.20	.9905	----	----	----	----	2 UNCH
4750	----	----	1.80B/----	1.80B/1.40A	----	1.20 + 0.10	.0094	----	----	----	----	77 UNCH
4750	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4775	----	----	1.60B/----	1.60B/1.30A	----	1.20 + 0.20	.0091	----	----	----	----	91 UNCH
4775	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
4800	1.10	1.10	1.90/1.10	1.90/1.10	----	1.10 + 0.10	.0082	----	----	506	----	699 - 286
4800	0.30	0.30	0.30/*0.30	0.30/*0.20A	----	0.10 UNCH	----	----	----	1	----	8 UNCH
4805	664.50	664.50	#713.60B/*664.5	#713.60B/657.50A	----	671.80 NEW	1.0000	1	----	1	----	0 UNCH
4815	680.50	680.50	#723.60B/*680.5	#723.60B/667.50A	----	681.80 NEW	1.0000	1	----	1	----	0 UNCH
4825	----	----	1.40B/----	1.40B/1.20A	----	1.10 + 0.10	.0080	----	----	----	----	23 UNCH
4825	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	1 UNCH
4835	709.30	709.30	#743.60B/*709.3	#743.60B/687.50A	----	701.80 NEW	1.0000	1	----	1	----	0 UNCH
4850	----	----	1.30B/----	1.30B/1.10A	----	1.10 + 0.10	.0078	----	----	----	----	1 UNCH
4850	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	11 - 1
4865	724.40	724.40	#773.60B/*724.4	#773.60B/717.60A	----	731.80 NEW	1.0000	1	----	1	----	0 UNCH
4870	744.60	744.60	#778.60B/*744.4	#778.60B/722.60A	----	736.80 NEW	1.0000	3	----	3	----	0 UNCH
4875	----	----	1.20B/----	1.20B/1.20A	----	1.00 + 0.10	.0069	----	----	----	----	19 UNCH
4900	----	----	0.90B/----	0.90B/1.20A	----	0.90 + 0.10	.0062	----	----	----	----	8 UNCH
4900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	5	----	9 + 4
4925	----	----	0.90B/----	0.90B/1.20A	----	0.90 + 0.20	.0060	----	----	----	----	14 UNCH
4950	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4975	----	----	----	0.60B/1.10A	----	0.80 + 0.20	.0051	----	----	----	----	2 UNCH
5000	----	----	----	0.60B/1.10A	----	0.70 + 0.10	.0044	----	----	1	----	4 UNCH
TOTAL										9193		10973 + 3981
JUL26												
3250	----	----	#5.20B/----	#5.20B/3.90A	----	3.90 + 0.30	.0187	----	----	----	----	1 UNCH
3500	9.40	9.40	#13.40B/9.40	#13.40B/7.50A	----	10.00 + 3.70	.0494	----	----	2	----	5 + 2
3600	----	----	#15.50B/----	#15.50B/7.00A	----	10.80 + 5.30	.0586	----	----	12	----	13 + 12
3600	11.20	11.20	#20.00B/11.20	#20.00B/10.60A	----	14.80 NEW	.0731	----	----	7	----	7 + 7
3700	15.20	15.20	#24.00B/15.20	#24.00B/10.10A	----	16.70 NEW	.0904	----	----	1	----	1 + 1
3700	21.40	21.40	#29.70B/19.10	#29.70B/14.40A	----	22.10 NEW	.1081	----	----	4	----	4 + 4
3750	23.50	23.50	#36.20B/23.50	#36.20B/14.60A	----	27.00 NEW	.1310	----	----	2	----	2 + 2
3800	----	----	#37.00B/----	#37.00B/13.50A	----	26.40 + 14.70	.1399	----	----	----	----	3 UNCH
3850	----	----	----	#42.80B/*18.00A	----	33.10 NEW	.1726	----	----	1	----	1 + 1
3875	----	----	----	#54.70B/*24.80A	----	44.80 NEW	.2095	----	----	1	----	1 + 1
3900	35.00	35.00	#55.80B/35.00	#55.80B/19.10A	----	41.50 + 23.70	.2119	----	----	3	----	4 + 3
3900	45.50	45.50	#65.20B/45.50	#65.20B/24.50A	----	49.50 NEW	.2292	----	----	46	----	46 + 46
3950	59.80	59.80	#68.50B/59.80	#68.50B/24.10A	----	51.70 + 29.50	.2579	----	----	3	----	51 + 3
3975	49.90	49.90	#75.70B/49.90	#75.70B/26.80A	----	57.70 NEW	.2837	----	----	2	----	2 + 2
4000	----	----	#84.30B/----	#84.30B/30.20A	----	64.30 + 36.50	.3113	----	----	12	----	15 + 6
4000	55.30	55.30	#94.40B/44.90	#94.40B/36.50A	----	74.00 + 39.10	.3241	----	----	30	----	30 + 15
4025	----	----	#103.30B/----	#103.30B/40.50A	----	81.60 + 42.80	.3515	----	----	----	----	1 UNCH
4025	56.50	56.50	#92.40B/56.50	#92.40B/33.80A	----	71.60 NEW	.3407	----	----	3	----	3 + 3
4050	61.00	61.00	#101.90B/61.00	#101.90B/38.90A	----	79.60 + 44.50	.3718	----	----	53	----	53 + 52
4075	67.30	67.30	#108.40B/63.10	#108.40B/43.60A	----	88.30 + 48.90	.4045	----	----	47	----	51 + 47
4075	----	----	#119.50B/----	#119.50B/51.00A	----	99.20 + 51.10	.4105	----	----	----	----	1 UNCH
4100	83.30	83.30	#119.50B/68.00	#119.50B/49.30A	----	97.90 + 53.60	.4388	----	----	4	----	9 + 2
4100	100.20	100.20	#130.30B/100.10	#130.30B/55.30A	----	109.20 + 55.70	.4418	----	----	7	----	8 + 7
4125	94.90	94.90	#129.10B/94.90	#129.10B/54.80A	----	108.30 + 58.50	.4744	----	----	3	----	14 + 2
4125	----	----	#142.30B/----	#142.30B/62.90A	----	120.00 + 60.50	.4740	----	----	----	----	1 UNCH
4150	----	----	#133.10B/----	#133.10B/60.30A	----	119.80 + 63.80	.5110	----	----	----	----	8 UNCH
4150	----	----	#146.30B/----	#146.30B/68.30A	----	131.70 + 65.50	.5069	----	----	3	----	4 + 1
4175	----	----	#146.60B/----	#146.60B/68.10A	----	132.40 + 69.50	.5481	----	----	4	----	3 UNCH
4175	----	----	#158.30B/----	#158.30B/75.70A	----	144.30 + 70.80	.5401	----	----	2	----	2 UNCH
4200	----	----	----/*71.30A	138.30B/*71.30A	----	79.50 NEW	.4143	----	----	12	----	12 + 12
4200	----	----	#161.30B/----	#161.30B/75.30A	----	146.10 + 75.50	.5851	----	----	1	----	0 - 1
4200	147.10	147.10	#175.30B/129.50	#175.30B/84.10A	----	157.90 + 76.30	.5733	----	----	5	----	14 - 5
4225	----	----	#187.90B/----	#187.90B/93.30A	----	172.40 + 81.90	.6063	----	----	1	----	1 UNCH
4250	138.00	138.00	#197.60B/127.90	#197.60B/94.20A	----	176.90 + 88.20	.6569	----	----	11	----	22 - 10
4250	----	----	----/*54.30A	111.40B/*54.30A	----	60.40 - 64.70	.3425	----	----	----	----	1 UNCH
4275	69.10	69.10	69.10/*47.10A	102.90B/*47.10A	----	52.30 NEW	.3085	----	----	1	----	1 + 1
4275	----	----	#215.40B/----	#215.40B/105.30A	----	193.80 + 94.50	.6909	----	----	1	----	5 UNCH
4300	173.50	173.50	#234.20B/170.80	#234.20B/120.40A	----	211.60 + 00.70	.7230	----	----	3	----	2 - 3
4300	60.10	60.10	60.10/*40.80A	88.20B/*40.80A	----	45.20 - 52.20	.2764	----	----	14	----	14 + 12
4300	70.10	70.10	70.10/*50.00A	98.90B/*50.00A	----	55.30 NEW	.2997	----	----	2	----	2 + 2
4325	36.90	36.90	36.90/*35.30A	76.90B/*35.30A	----	39.00 NEW	.2465	----	----	1	----	1 + 1
4350	43.60	43.60	43.60/*30.40A	66.90B/*30.40A	----	33.60 - 40.40	.2188	----	----	1	----	3 + 1
4350	----	----	#268.50B/----	#268.50B/148.20A	----	249.90 + 12.40	.7806	----	----	1	----	2 - 1
4350	----	----	#277.20B/----	#277.20B/159.20A	----	258.60 + 09.50	.7542	----	----	1	----	1 UNCH
4350	----	----	----/*38.60A	77.70B/*38.60A	----	42.50 - 43.20	.2450	----	----	1	----	2 + 1
4375	38.50	38.50	38.50/*26.20A	57.40B/*26.20A	----	28.90 - 35.10	.1935	----	----	1	----	2 + 1
4375	----	----	#289.20B/----	#289.20B/163.80A	----	270.20 + 17.70	.8059	----	----	----	----	1 UNCH
4400	----	----	#310.40B/----	#310.40B/180.40A	----	291.10 + 22.70	.8286	----	----	----	----	8 UNCH
4400	37.10	37.10	37.10/*22.50A	48.90B/*22.50A	----	24.90 - 30.20	.1708	----	----	1	----	6 + 1
4400	42.30	42.30	42.30/*29.70A	58.80B/*29.70A	----	32.50 - 33.70	.1976	----	----	15	----	17 + 15
4425	----	----	----/*19.40A	41.60B/*19.40A	----	21.50 - 25.60	.1506	----	----	----	----	2 UNCH
4425	----	----	#332.30B/----	#332.30B/198.10A	----	312.70 + 27.20	.8489	----	----	2	----	3 UNCH
4425	37.10	37.10	37.10/*26.00A	51.00B/*26.00A	----	28.50 NEW	.1771	----	----	2	----	2 + 2
4450	----	----	#354.70B/----	#354.70B/216.80A	----	334.70 + 31.20	.8669	----	----	----	----	10 UNCH
4450	----	----	----/*16.70A	35.30B/*16.70A	----	18.60 - 21.60	.1326	----	----	----	----	16 UNCH
4450	----	----	#361.00B/----	#361.00B/225.90A	----	340.90 + 27.20	.8408	----	----	----	----	2 UNCH
4450	----	----	----/*22.90A	44.10B/*22.90A	----	25.00 - 25.50	.1585	----	----	----	----	2 UNCH
4475	----	----	----/*14.50A	29.80B/*14.50A	----	16.10 - 18.10	.1166	----	----	----	----	6 UNCH
4475	----	----	#377.40B/----	#377.40B/236.30A	----	357.20 + 34.80	.8829	----	----	----	----	1 UNCH
4475	----	----	----/*20.10A	38.00B/*20.10A	----	21.90 - 22.00	.1414	----	----	----	----	2 UNCH
4500	20.10	20.10	20.10/*12.60A	25.00B/*12.60A	----	14.00 - 15.00	.1027	----	----	1	----	6 + 1
4500	----	----	#400.30B/----	#400.30B/256.60A	----	380.10 + 37.90	.8968	----	----	----	----	53 UNCH
4500	----	----	----/*17.70A	32.70B/*17.70A	----	19.30 - 18.80	.1265	----	----	15	----	15 + 14
4525	16.70	16.70	16.70/*10.90A	19.40B/*10.90A	----	12.20 - 12.50	.0905	----	----	1	----	14 UNCH
4525	----	----	#420.00B/----	#420.00B/277.70A	----	403.30 + 40.50	.9090	----	----	----	----	1 UNCH
4525	----	----	----/*15.70A	28.00B/*15.70A	----	17.00 - 16.00	.1130	----	----	----	----	11 UNCH
4550	----	----	----/*9.60A	16.60B/*9.60A	----	10.70 - 10.20	.0800	----	----	----	----	30 UNCH
4550	----	----	#417.20B/----	#417.20B/299.30A	----	426.80 + 42.70	.9196	----	----	----	----	7 UNCH
4575	----	----	#413.30B/----	#413.30B/321.40A	----	450.40 + 44.50	.9283	----	----	----	----	1 UNCH
4575	----	----	----/*8.40A	13.60B/*8.40A	----	9.50 - 8.30	.0712	----	----	----	----	1 UNCH
4575	14.00	14.00	14.00/*12.20A	20.00B/*12.20A	----	13.40 - 11.40	.0908	----	----	1	----	1 UNCH
4600	----	----	----/*7.40A	11.60B/*7.40A	----	8.40 - 6.80	.0632	----	----	----	----	21 UNCH
4625	6.90	6.90	6.90/*6.60A	10.10B/*6.60A	----	7.50 - 5.50	.0565	----	----	1	----	1 UNCH
4625	12.40	12.40	#12.40/*9.50A	13.60B/*9.50A	----	10.70 NEW	.0734	----	----	3	----	3 + 3
4650	----	----	----/*5.80A	7.90B/*5.80A	----	6.70 - 4.50	.0505	----	----	----	----	24 UNCH
4675	----	----	----/*5.30A	6.80B/*5.30A	----	6.00 - 3.70	.0452	----	----	----	----	2 UNCH
4700	----	----	----/*4.90A	5.90B/*4.90A	----	5.40 - 3.00	.0406	----	----	----	----	2 UNCH
4700	----	----	----/*7.20A	8.70B/*7.20A	----	7.80 - 4.70	.0540	----	----	----	----	1 UNCH
4725	----	----	----/*4.40A	5.30B/*4.40A	----	4.90 - 2.50	.0367	----	----	----	----	2 UNCH
4725	----	----	----/*6.50A	7.70B/*6.50A	----	7.10 - 3.90	.0492	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
4750	6.90	6.90	#6.90/*6.10A	6.90/*6.10A	----	6.40 NEW	.0444	----	----	20	----	20 + 20
4775	----	----	----/*3.50A	4.00B/*3.50A	----	4.10 - 1.60	.0304	----	----	----	----	3 UNCH
4775	----	----	----/*5.60A	5.90B/*5.60A	----	5.80 - 2.80	.0403	----	----	----	----	1 UNCH
4800	----	----	----/*3.80A	3.60B/*3.80A	----	3.80 - 1.30	.0280	----	----	----	----	7 UNCH
4800	6.90	6.90	#6.90/*5.10A	6.90/*5.10A	----	5.40 NEW	.0373	----	----	1	----	1 + 1
4850	----	----	----/*3.50A	2.90B/*3.50A	----	3.20 - 0.80	.0233	----	----	----	----	4 UNCH
4850	----	----	----/*4.30A	4.30B/*4.30A	----	4.50 - 1.70	.0310	----	----	----	----	1 UNCH
4875	----	----	----/*3.30A	2.60B/*3.30A	----	3.00 - 0.60	.0216	----	----	----	----	1 UNCH
4875	5.10	5.10	5.10/*3.80A	5.10/*3.80A	----	4.20 - 1.40	.0288	----	----	37	----	42 + 37
4900	----	----	----/*3.10A	2.30B/*3.10A	----	2.80 - 0.50	.0200	----	----	----	----	12 UNCH
4925	----	----	----	2.10B/*3.00A	----	2.60 - 0.40	.0185	----	----	----	----	2 UNCH
4925	4.40	4.40	#4.40/*3.50A	4.40/*3.50A	----	3.60 NEW	.0245	----	----	30	----	30 + 30
4950	----	----	----	1.90B/*2.80A	----	2.50 - 0.20	.0175	----	----	----	----	2 UNCH
4950	3.80	3.80	3.80/*3.10A	3.80/*3.10A	----	3.40 - 0.90	.0229	----	----	4	----	5 + 4
5000	----	----	----	1.60B/*2.60A	----	2.20 - 0.10	.0152	----	----	----	----	1 UNCH
5200	----	----	----	0.80B/2.50A	----	1.50 + 0.10	.0096	----	----	----	----	1 UNCH
5500	----	----	----	0.40B/3.70A	----	1.10 + 0.10	.0062	----	----	----	----	2 UNCH
TOTAL										443		840 + 358

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3000	----	----	----	0.10B/*0.20A	----	0.10 UNCH	.0003	----	----	----	----	3 UNCH
3250	3.00	3.00	#3.00/*2.40	#3.00/2.40	----	2.50 NEW	.0126	----	----	2	----	2 + 2
3250	0.30	0.30	0.40B/*0.30	0.40B/0.30	----	0.30 NEW	.0011	----	----	1	----	1 + 1
3500	----	----	#3.90B/----	#3.90B/2.30A	----	2.80 + 1.20	.0175	----	----	5	----	6 + 5
3500	----	----	1.30B/----	1.30B/0.80A	----	0.70 NEW	.0038	----	----	16	----	16 + 16
3600	----	----	#6.50B/----	#6.50B/3.20A	----	4.50 + 2.30	.0294	----	----	2	----	3 + 2
3600	----	----	#2.20B/----	#2.20B/1.20A	----	1.10 + 0.40	.0069	----	----	----	----	1 UNCH
3600	6.60	6.60	#12.50B/6.60	#12.50B/5.20A	----	8.80 NEW	.0504	----	----	1	----	1 + 1
3700	----	----	#19.70B/----	#19.70B/7.80A	----	13.50 + 7.40	.0784	----	----	----	----	2 UNCH
3700	3.00	3.00	#3.50B/1.70A	#3.50B/1.70A	----	2.00 + 0.80	.0143	----	----	8	----	13 + 5
3700	6.90	6.90	#11.30B/6.90	#11.30B/4.20A	----	7.50 + 4.20	.0506	----	----	2	----	7 + 2
3750	3.40	3.40	#4.60B/2.10A	#4.60B/2.10A	----	2.70 + 1.10	.0207	----	----	11	----	15 + 7
3750	10.40	10.40	#14.90B/10.40	#14.90B/5.10A	----	9.80 + 5.70	.0669	----	----	1	----	15 + 1
3800	10.30	10.30	#19.80B/10.30	#19.80B/6.00A	----	12.80 + 7.70	.0882	----	----	10	----	8 + 6
3800	4.10	4.10	#6.40B/2.60A	#6.40B/2.60A	----	3.80 + 1.80	.0311	----	----	23	----	45 + 8
3800	16.00	16.00	#31.40B/16.00	#31.40B/10.30A	----	21.40 NEW	.1238	----	----	3	----	3 + 3
3850	----	----	----	#24.60B/*7.70A	----	16.90 NEW	.1167	----	----	1	----	1 + 1
3875	----	----	----	#28.30B/*8.50A	----	19.50 NEW	.1343	----	----	1	----	1 + 1
3885	4.70	4.70	#12.60B/*4.60	#12.60B/*3.60A	----	7.20 NEW	.0647	----	----	32	----	32 + 32
3900	20.80	20.80	#34.20B/20.70	#34.20B/9.00A	----	22.50 + 14.40	.1543	----	----	2	----	8 + 1
3900	24.10	24.10	#49.30B/24.10	#49.30B/15.60A	----	34.60 + 20.70	.1947	----	----	12	----	12 + 11
3900	7.80	7.80	#15.30B/4.60	#15.30B/3.90A	----	8.10 + 5.00	.0738	----	----	61	----	90 + 57
3925	13.00	13.00	#17.50B/*13.00	#17.50B/*4.40A	----	10.00 NEW	.0927	----	----	2	----	2 + 2
3930	9.70	9.70	#18.40B/*5.60	#18.40B/4.30A	----	10.40 NEW	.0968	----	----	4	----	4 + 4
3935	12.00	12.00	#19.10B/*12.00	#19.10B/4.40A	----	10.90 NEW	.1015	----	----	5	----	3 + 3
3940	19.30	19.30	#19.90B/*19.30	#19.90B/4.50A	----	11.30 NEW	.1058	----	----	1	----	1 + 1
3945	15.80	15.80	#20.70B/*15.80	#20.70B/4.60A	----	11.80 NEW	.1107	----	----	2	----	2 + 2
3950	----	----	#44.60B/----	#44.60B/11.60A	----	30.00 + 19.50	.2028	----	----	2	----	3 + 2
3950	7.00	7.00	#22.20B/7.00	#22.20B/4.60A	----	12.30 + 8.20	.1157	----	----	68	----	60 + 34
3950	40.00	40.00	#60.70B/38.60	#60.70B/19.50A	----	44.10 + 26.50	.2422	----	----	6	----	7 + 6
3955	13.30	13.30	#23.80/*13.20	#23.80/4.70A	----	12.90 NEW	.1214	----	----	9	----	9 + 9
3960	17.10	17.10	#23.40B/*17.10	#23.40B/4.80A	----	13.40 NEW	.1265	----	----	1	----	1 + 1
3965	14.00	14.00	#24.30B/*14.00	#24.30B/5.00A	----	14.00 NEW	.1324	----	----	3	----	3 + 3
3970	14.60	14.60	#25.30B/*14.60	#25.30B/5.20A	----	14.60 NEW	.1383	----	----	3	----	3 + 3
3975	7.50	7.50	#27.80/7.50	#27.80/5.30A	----	15.30 + 10.50	.1449	----	----	40	----	40 + 39
3975	43.60	43.60	#68.10B/43.60	#68.10B/22.00A	----	49.70 + 29.80	.2691	----	----	3	----	4 + 3
3975	31.20	31.20	#50.90B/31.20	#50.90B/13.20A	----	34.70 NEW	.2318	----	----	1	----	1 + 1
3980	17.20	17.20	#27.30/*17.20	#27.30/5.50A	----	15.90 NEW	.1510	----	----	6	----	6 + 6
3985	12.10	12.10	#28.40B/*12.10	#28.40B/5.70A	----	16.60 NEW	.1578	----	----	13	----	13 + 13
3990	28.50	28.50	#29.50B/*28.50	#29.50B/5.80A	----	17.40 NEW	.1652	----	----	1	----	1 + 1
3995	13.00	13.00	#30.70B/*13.00	#30.70B/6.10A	----	18.10 NEW	.1722	----	----	10	----	10 + 10
4000	10.60	10.60	#33.40/10.60	#33.40/6.20A	----	18.90 + 13.30	.1798	----	----	64	----	106 + 34
4000	35.50	35.50	#57.20B/35.40	#57.20B/15.90A	----	40.10 + 26.30	.2641	----	----	8	----	12 - 1
4000	46.40	46.40	#75.60B/46.40	#75.60B/24.80A	----	56.00 + 33.50	.2983	----	----	3	----	5 + 3
4005	23.20	23.20	#33.20B/*23.20	#33.20B/6.40A	----	19.80 NEW	.1881	----	----	4	----	4 + 4
4010	19.90	19.90	#35.00/*19.90	#35.00/6.70A	----	20.60 NEW	.1959	----	----	6	----	6 + 6
4015	22.10	22.10	#36.90B/*21.30	#36.90B/6.90A	----	21.60 NEW	.2049	----	----	7	----	7 + 7
4020	28.60	28.60	#37.10B/*28.60	#37.10B/7.00A	----	22.50 NEW	.2134	----	----	3	----	3 + 3
4025	30.30	30.30	#65.10B/30.30	#65.10B/17.90A	----	46.30 NEW	.2998	----	----	44	----	44 + 44
4025	16.30	16.30	#39.70B/16.30	#39.70B/7.30A	----	23.50 + 16.90	.2226	----	----	35	----	44 + 34
4025	53.20	53.20	#84.00B/53.20	#84.00B/27.90A	----	63.10 + 37.50	.3298	----	----	2	----	4 + 2
4030	23.10	23.10	#41.10B/*21.60	#41.10B/7.60A	----	24.50 NEW	.2319	----	----	6	----	6 + 6
4035	22.80	22.80	#42.60B/*22.80	#42.60B/7.70A	----	25.60 NEW	.2417	----	----	4	----	4 + 4
4040	24.20	24.20	#44.20B/*24.20	#44.20B/8.10A	----	26.70 NEW	.2517	----	----	4	----	4 + 4
4045	24.60	24.60	#44.80B/*24.60	#44.80B/8.20A	----	27.90 NEW	.2622	----	----	3	----	3 + 3
4050	15.10	15.10	#46.50B/15.10	#46.50B/8.50A	----	29.10 + 21.30	.2729	----	----	10	----	10 + 8
4050	----	----	----/*89.10A	220.50B/*89.10A	----	112.40 NEW	.7269	----	----	5	----	5 + 5
4050	45.00	45.00	#74.00B/39.40	#74.00B/20.70A	----	53.40 + 35.00	.3389	----	----	6	----	4 - 5
4050	63.00	63.00	#93.40B/63.00	#93.40B/31.30A	----	70.90 NEW	.3632	----	----	3	----	3 + 3
4060	29.40	29.40	#50.10B/*29.40	#50.10B/9.10A	----	31.70 NEW	.2953	----	----	3	----	3 + 3
4065	25.20	25.20	#52.00B/*25.20	#52.00B/9.50A	----	33.10 NEW	.3070	----	----	3	----	3 + 3
4070	25.10	25.10	#54.00B/*25.10	#54.00B/9.80A	----	34.50 NEW	.3189	----	----	3	----	3 + 3
4075	47.80	47.80	#82.50B/45.10	#82.50B/23.80A	----	61.50 + 40.20	.3811	----	----	5	----	7 - 1
4075	27.70	27.70	#55.50B/27.70	#55.50B/11.40A	----	36.00 + 26.70	.3312	----	----	4	----	8 + 2
4075	68.50	68.50	#100.10B/68.50	#100.10B/35.40A	----	79.50 + 46.50	.3986	----	----	4	----	5 + 4
4080	24.70	24.70	#57.40B/*24.70	#57.40B/11.80A	----	37.50 NEW	.3437	----	----	14	----	11 + 11
4085	33.10	33.10	#59.50B/*33.10	#59.50B/12.20A	----	39.10 NEW	.3566	----	----	2	----	2 + 2
4090	24.60	24.60	#61.80B/*24.60	#61.80B/12.60A	----	40.70 NEW	.3696	----	----	7	----	7 + 7
4095	34.00	34.00	#63.90B/*34.00	#63.90B/13.20A	----	42.50 NEW	.3832	----	----	6	----	6 + 6
4100	27.50	27.50	#93.60B/27.50	#93.60B/27.40A	----	70.70 + 45.90	.4263	----	----	13	----	48 + 7
4100	----	----	----/*59.20A	174.30B/*59.20A	----	77.50 NEW	.6031	----	----	1	----	1 + 1
4100	57.30	57.30	#110.80B/57.30	#110.80B/40.00A	----	89.10 + 51.70	.4358	----	----	7	----	40 + 2
4100	24.00	24.00	#66.40B/23.00	#66.40B/13.40A	----	44.20 + 32.90	.3967	----	----	97	----	101 + 45
4105	27.80	27.80	#68.70B/*27.80	#68.70B/14.30A	----	46.10 NEW	.4107	----	----	4	----	4 + 4
4110	----	----	----/*53.90A	165.40B/*53.90A	----	71.30 NEW	.5749	----	----	5	----	5 + 5
4110	43.30	43.30	#71.10B/*41.20	#71.10B/14.60A	----	48.00 NEW	.4249	----	----	4	----	4 + 4
4115	39.80	39.80	#73.60B/*39.80	#73.60B/15.30A	----	50.00 NEW	.4393	----	----	3	----	3 + 3
4120	22.30	22.30	#76.20B/22.30	#76.20B/15.60A	----	52.10 + 38.90	.4539	----	----	3	----	2 + 1
4125	----	----	#116.70B/----	#116.70B/45.10A	----	99.50 + 56.90	.4744	----	----	----	----	1 UNCH
4125	32.40	32.40	#78.90B/32.40	#78.90B/16.20A	----	54.20 + 40.50	.4686	----	----	7	----	12 + 7
4125	----	----	#105.80B/----	#105.80B/31.70A	----	81.10 + 52.20	.4738	----	----	----	----	5 UNCH
4130	----	----	----/*44.60A	147.80B/*44.60A	----	59.70 NEW	.5162	----	----	10	----	5 + 5
4130	43.80	43.80	#81.60B/*37.10	#81.60B/17.00A	----	56.40 NEW	.4836	----	----	2	----	2 + 2
4135	45.90	45.90	#84.40B/*45.90	#84.40B/17.50A	----	58.70 NEW	.4986	----	----	5	----	5 + 5
4140	41.50	41.50	#87.30B/*41.50	#87.30B/18.20A	----	61.00 NEW	.5138	----	----	1	----	1 + 1
4150	65.60	65.60	#118.90B/65.60	#118.90B/36.40A	----	92.70 + 59.00	.5229	----	----	11	----	14 + 6
4150	52.30	52.30	#93.30B/37.80	#93.30B/19.60A	----	66.00 + 49.20	.5443	----	----	20	----	40 + 2
4150	----	----	----/*63.40A	149.40B/*63.40A	----	76.00 NEW	.4767	----	----	1	----	1 + 1
4150	47.80	47.80	47.80/*36.20A	130.70B/*36.20A	----	49.30 NEW	.4555	----	----	2	----	2 + 2
4160	62.00	62.00	#99.70B/*47.90	#99.70B/21.20A	----	71.20 NEW	.5750	----	----	2	----	2 + 2
4175	31.00	31.00	#109.70B/31.00	#109.70B/23.80A	----	79.70 + 58.90	.6206	----	----	23	----	75 + 11
4175	----	----	#142.70B/----	#142.70B/58.10A	----	123.60 + 68.80	.5548	----	----	----	----	2 UNCH
4175	44.80	44.80	45.20/*27.50A	110.30B/*27.50A	----	38.00 NEW	.3791	----	----	51	----	49 + 49
4175	81.50	81.50	#134.10B/66.50	#134.10B/42.70A	----	105.60 + 66.20	.5729	----	----	40	----	21 + 16
4180	34.60	34.60	#113.30B/*34.60	#113.30B/24.80A	----	82.70 NEW	.6356	----	----	1	----	1 + 1
4180	34.30	34.30	#34.30/*25.90A	106.30B/*25.90A	----	36.00 NEW	.3642	----	----	1	----	1 + 1
4185	----	----	#116.60B/----	#116.60B/25.80A	----	85.70 + 63.10	.6506	----	----	----	----	4 UNCH
4190	52.00	52.00	#52.00/*23.10A	98.50B/*23.10A	----	32.20 NEW	.3347	----	----	7	----	4 + 4
4200	----	----	----/*44.40A	113.80B/*44.40A	----	53.30 NEW	.3772	----	----	1	----	1 + 1
4200	43.30	43.30	57.30/*20.50A	90.90B/*20.50A	----	28.70 NEW	.3061	----	----	9	----	8 + 8
4200	38.90	38.90	#128.00B/38.80	#128.00B/29.10A	----	95.40 + 69.70	.6937	----	----	18	----	200 - 11
4200	115.80	115.80	115.80/*62.30A	131.90B/*62.30A	----	70.70 NEW	.4042	----	----	17	----	17 + 17
4200	83.10	83.10	#150.20B/83.10	#150.20B/49.30A	----	119.90 + 74.00	.6224	----	----	4	200	206 + 158
4200	----	----	#157.60B/----	#157.60B/65.70A	----	137.30 + 75.10	.5953	----	----	----	----	5 UNCH
4205	42.60	42.60	#42.60/*19.30A	87.30B/*19.30A	----	27.10 NEW	.2923	----	----	1	----	1 + 1
4210	51.90	51.90	#51.90/*18.30A	83.60B/*18.30A	----	25.50 NEW	.2785	----	----	1	----	1 + 1
4215	60.80	60.80	#139.60B/*60.80	#139.60B/32.90A	----	105.70 NEW	.7347	----	----	1	----	1 + 1
4215	47.00	47.00	#47.00/*17.10A	79.90B/*17.10A	----	24.00 NEW	.2651	----	----	3	----	3 + 3
4220	61.50	61.50	#143.50B/*61.50	#143.50B/34.10A	----	109.30 NEW	.7476	----	----	2	----	2 + 2
4220	47.70	47.70	#47.70/*16.20A	76.40B/*16.20A	----	22.60 NEW	.2522	----	----	6	----	2 + 2
4225	48.00	48.00	#147.60B/46.00	#147.60B/35.60A	----	113.00 + 81.10	.7600	----	----	38	----	56 + 14

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK3										
4225	72.00	72.00	72.00/*15.10A	72.90B/*15.10A	----	21.30 - 72.00	.2398	----	----	48	----	41 + 29
4225	----	----	#167.70B/----	#167.70B/57.40A	----	135.60 + 82.10	.6705	----	----	----	----	3 UNCH
4225	57.20	57.20	57.20/*53.60A	117.70B/*53.60A	----	60.80 NEW	.3645	----	----	1	----	1 + 1
4225	----	----	#173.50B/----	#173.50B/74.80A	----	152.30 + 81.80	.6350	----	----	----	----	1 UNCH
4230	41.40	41.40	#41.40/*14.30A	76.80B/*14.30A	----	20.00 NEW	.2275	----	----	1	----	1 + 1
4235	----	----	----/*13.30A	71.80B/*13.30A	----	18.80 NEW	.2157	----	----	10	----	2 + 2
4240	34.60	34.60	#37.90/*12.60A	68.50B/*12.60A	----	17.70 NEW	.2045	----	----	12	----	11 + 11
4245	21.20	21.20	#21.90/*11.80A	65.10B/*11.80A	----	16.60 NEW	.1934	----	----	7	----	7 + 7
4250	30.00	30.00	33.20/*11.10A	66.90B/*11.10A	----	15.60 - 60.30	.1830	----	----	10	----	8 + 7
4250	86.50	86.50	#168.60B/86.50	#168.60B/43.50A	----	132.30 + 92.70	.8168	----	----	5	----	137 - 3
4250	----	----	----/*30.30A	89.00B/*30.30A	----	36.10 NEW	.2838	----	----	1	----	1 + 1
4250	----	----	#186.20B/----	#186.20B/66.80A	----	152.70 + 90.40	.7158	----	----	----	----	10 UNCH
4250	47.00	47.00	47.00/*46.00A	107.20B/*46.00A	----	52.00 NEW	.3261	----	----	1	----	1 + 1
4250	----	----	#190.40B/----	#190.40B/84.40A	----	168.50 + 88.80	.6733	----	----	----	----	30 UNCH
4255	32.60	32.60	#32.60/*10.40A	60.50B/*10.40A	----	14.70 NEW	.1732	----	----	10	----	10 + 10
4260	30.50	30.50	#30.50/*9.80A	55.80B/*9.80A	----	13.80 NEW	.1636	----	----	1	----	1 + 1
4265	25.60	25.60	#25.60/*9.20A	54.50B/*9.20A	----	12.90 NEW	.1539	----	----	5	----	3 + 3
4275	----	----	----/*8.10A	52.30B/*8.10A	----	11.40 - 48.90	.1370	----	----	----	----	2 UNCH
4275	----	----	#206.00B/----	#206.00B/77.30A	----	171.10 + 98.80	.7573	----	----	----	----	52 UNCH
4275	----	----	----/*39.40A	94.10B/*39.40A	----	44.30 NEW	.2897	----	----	2	----	2 + 2
4275	----	----	#190.60B/----	#190.60B/53.20A	----	153.00 + 04.10	.8627	----	----	----	----	20 UNCH
4275	----	----	----/*24.80A	75.90B/*24.80A	----	29.50 NEW	.2423	----	----	5	----	5 + 5
4280	14.00	14.00	#14.00/*7.70A	49.40B/*7.70A	----	10.70 NEW	.1291	----	----	1	----	1 + 1
4280	----	----	#195.20B/----	#195.20B/59.20A	----	157.30 + 06.30	.8707	----	----	----	----	2 UNCH
4295	----	----	#209.10B/----	#209.10B/69.00A	----	170.50 + 12.70	.8918	----	----	----	----	1 UNCH
4300	15.80	15.80	15.80/*5.70	39.20B/*5.70	----	8.30 - 38.40	.1011	----	----	46	----	36 + 35
4300	155.00	155.00	#226.40B/155.00	#226.40B/94.50A	----	190.60 + 07.00	.7948	----	----	10	----	74 - 10
4300	----	----	#213.60B/----	#213.60B/71.70A	----	175.00 + 14.80	.8987	----	----	----	----	75 UNCH
4300	35.50	35.50	35.50/*20.20A	61.40B/*20.20A	----	24.00 - 46.00	.2048	----	----	6	----	6 + 5
4300	169.50	169.50	#227.40B/169.50	#227.40B/112.00A	----	204.10 + 02.50	.7439	----	----	1	----	115 UNCH
4310	----	----	----/*5.30A	34.60B/*5.30A	----	7.40 NEW	.0899	----	----	3	----	3 + 3
4320	6.60	6.60	#6.60/*4.70A	30.40B/*4.70A	----	6.50 NEW	.0791	----	----	6	----	3 + 3
4325	----	----	#247.80B/----	#247.80B/108.20A	----	211.10 + 14.60	.8272	----	----	----	----	0 UNCH
4325	----	----	#237.40B/----	#237.40B/86.30A	----	197.80 + 24.10	.9247	----	----	----	----	105 UNCH
4325	----	----	----/*16.40A	50.90B/*16.40A	----	19.60 NEW	.1724	----	----	2	----	2 + 2
4325	11.10	11.10	11.10/*4.50A	28.40B/*4.50A	----	6.20 - 28.90	.0751	----	----	4	----	7 + 4
4325	----	----	#246.90B/----	#246.90B/125.30A	----	223.30 + 09.00	.7752	----	----	----	----	1 UNCH
4325	46.00	46.00	46.80/*28.50A	67.70B/*28.50A	----	31.90 NEW	.2243	----	----	13	----	7 + 7
4330	11.50	11.50	#11.50/*4.20A	26.30B/*4.20A	----	5.80 NEW	.0703	----	----	4	----	4 + 4
4340	10.20	10.20	#10.20/*3.80A	22.90B/*3.80A	----	5.20 NEW	.0626	----	----	23	----	23 + 23
4345	9.20	9.20	#9.20/*3.60A	21.40B/*3.60A	----	4.90 NEW	.0588	----	----	6	----	6 + 6
4350	254.30	254.30	#269.80B/254.30	#269.80B/123.50A	----	232.50 + 21.70	.8553	----	----	1	----	2 UNCH
4350	37.00	37.00	37.00/*24.10A	58.10B/*24.10A	----	27.10 - 37.60	.1962	----	----	1	----	3 + 1
4350	14.00	14.00	14.00/*3.40A	19.90B/*3.40A	----	4.60 - 21.20	.0552	----	----	49	----	100 + 42
4350	241.00	241.00	#261.40B/241.00	#261.40B/103.20A	----	221.20 + 31.90	.9447	----	----	3	----	58 UNCH
4350	15.80	15.80	15.80/*13.40A	40.90B/*13.40A	----	16.00 NEW	.1444	----	----	17	----	15 + 15
4350	----	----	#267.40B/----	#267.40B/140.00A	----	243.40 + 15.20	.8033	----	----	----	----	8 UNCH
4360	12.00	12.00	#12.80/*3.10A	17.10B/*3.10A	----	4.10 NEW	.0488	----	----	15	----	11 + 11
4375	----	----	----/*2.70A	13.50B/*2.70A	----	3.50 - 15.00	.0411	----	----	4	----	82 UNCH
4375	----	----	#285.70B/----	#285.70B/122.10A	----	245.10 + 38.10	.9587	----	----	5	----	56 - 5
4375	19.40	19.40	19.60/*10.80A	32.60B/*10.80A	----	13.10 - 25.10	.1206	----	----	41	----	60 + 30
4375	----	----	#292.60B/----	#292.60B/140.20A	----	254.60 + 27.90	.8791	----	----	1	----	1 + 1
4375	----	----	#288.50B/----	#288.50B/155.80A	----	264.30 + 21.00	.8290	----	----	----	----	1 UNCH
4375	32.40	32.40	32.40/*20.50A	49.00B/*20.50A	----	22.90 NEW	.1705	----	----	29	----	29 + 29
4380	----	----	----/*2.60A	12.40B/*2.60A	----	3.40 - 13.90	.0395	----	----	4	----	3 + 1
4385	8.30	8.30	#8.30/*2.40A	11.50B/*2.40A	----	3.20 NEW	.0371	----	----	11	----	11 + 11
4395	4.80	4.80	#4.80/*1.90A	9.70B/*1.90A	----	2.90 NEW	.0332	----	----	1	----	1 + 1
4400	----	----	#315.70B/----	#315.70B/158.40A	----	277.30 + 33.20	.8989	----	----	----	----	1 UNCH
4400	16.00	16.00	16.10/*8.90A	25.80B/*8.90A	----	10.80 NEW	.1008	----	----	46	----	39 + 39
4400	----	----	----/*17.40A	41.10B/*17.40A	----	19.40 - 26.80	.1480	----	----	4	----	1 UNCH
4400	----	----	----/*1.80A	9.20B/*1.80A	----	2.80 - 10.20	.0318	----	----	3	----	84 UNCH
4400	----	----	#305.10B/----	#305.10B/142.70A	----	269.40 + 42.80	.9680	----	----	1	----	94 + 1
4400	----	----	#310.30B/----	#310.30B/172.90A	----	285.70 + 26.10	.8516	----	----	----	----	13 UNCH
4410	----	----	----/*1.60A	7.80B/*1.60A	----	2.50 - 8.80	.0281	----	----	----	----	2 UNCH
4415	6.00	6.00	#6.00/*1.80A	7.40B/*1.80A	----	2.40 NEW	.0268	----	----	25	----	25 + 25
4425	1.60	1.60	1.60/*1.60	6.30B/*1.60	----	2.30 - 6.90	.0252	----	----	1	----	8 UNCH
4425	----	----	#325.00B/----	#325.00B/164.60A	----	293.80 + 46.10	.9747	----	----	----	----	36 UNCH
4425	13.00	13.00	13.10/*7.30A	20.10B/*7.30A	----	9.00 - 15.40	.0846	----	----	59	----	53 + 49
4425	21.10	21.10	21.10/*14.70	34.20B/*14.70	----	16.50 NEW	.1283	----	----	4	----	4 + 4
4430	2.50	2.50	#2.50/*1.50A	5.80B/*1.50A	----	2.20 NEW	.0239	----	----	1	----	1 + 1
4435	5.00	5.00	#5.00/*1.50A	5.30B/*1.50A	----	2.10 NEW	.0227	----	----	51	----	51 + 51
4440	4.90	4.90	#4.90/*1.40	5.00B/*1.40	----	2.00 - 5.40	.0215	----	----	3	----	3 + 1
4450	10.40	10.40	10.40/*6.10A	14.50B/*6.10A	----	7.60 - 11.70	.0716	----	----	520	----	505 + 500
4450	----	----	#354.40B/----	#354.40B/187.50A	----	318.50 + 48.60	.9799	----	----	----	----	94 UNCH
4450	3.20	3.20	3.20/*1.30A	4.10B/*1.30A	----	1.90 - 4.50	.0200	----	----	2	----	76 UNCH
4450	22.00	22.00	22.00/*12.70A	28.20B/*12.70A	----	14.10 - 18.20	.1114	----	----	40	----	41 + 39
4450	----	----	#355.30B/----	#355.30B/210.10A	----	330.30 + 34.60	.8882	----	----	----	----	2 UNCH
4450	----	----	#363.20B/----	#363.20B/198.30A	----	324.00 + 41.30	.9281	----	----	----	----	1 UNCH
4455	----	----	----/*1.10A	3.80B/*1.10A	----	1.80 - 4.20	.0189	----	----	----	----	11 UNCH
4460	2.40	2.40	#2.40/*1.00A	3.50B/*1.00A	----	1.80 NEW	.0186	----	----	1	----	1 + 1
4475	7.90	7.90	9.40/*5.10	11.40B/*5.10	----	6.40 - 8.90	.0604	----	----	13	----	15 UNCH
4475	----	----	#374.50B/----	#374.50B/238.20A	----	343.20 + 50.10	.9837	----	----	----	----	16 UNCH
4475	13.00	13.00	13.00/*10.70A	23.20B/*10.70A	----	12.00 - 14.90	.0962	----	----	2	----	25 UNCH
4475	1.40	1.40	1.40/*1.20A	2.70B/*1.20A	----	1.60 - 3.00	.0162	----	----	3	----	95 - 1
4475	----	----	#387.30B/----	#387.30B/219.80A	----	347.80 + 44.10	.9393	----	----	----	----	1 UNCH
4480	1.00	1.00	1.00/*0.90A	2.50B/*0.90A	----	1.60 - 2.70	.0160	----	----	1	----	3 + 1
4485	1.60	1.60	#1.60/*0.90A	2.40B/*0.90A	----	1.50 NEW	.0149	----	----	1	----	1 + 1
4495	1.50	1.50	#1.50/*1.10A	2.10B/*1.10A	----	1.40 NEW	.0137	----	----	1	----	1 + 1
4500	----	----	#399.30B/----	#399.30B/299.30A	----	368.00 + 51.20	.9863	----	----	----	----	20 UNCH
4500	2.50	2.50	2.50/*1.10A	2.50/*1.10A	----	1.40 - 1.90	.0136	----	----	10	----	35 - 5
4500	7.70	7.70	7.70/*4.20	9.20B/*4.20	----	5.50 - 6.60	.0517	----	----	136	----	138 + 125
4500	10.30	10.30	10.30/*9.20A	17.40B/*9.20A	----	10.30 - 12.10	.0835	----	----	1	----	16 + 1
4500	----	----	#379.10B/----	#379.10B/251.10A	----	376.50 + 40.80	.9161	----	----	----	----	60 UNCH
4500	----	----	#371.20B/----	#371.20B/242.00A	----	371.90 + 46.40	.9481	----	----	----	----	12 UNCH
4505	----	----	----/*1.10A	2.00B/*1.10A	----	1.40 - 1.70	.0134	----	----	----	----	5 UNCH
4510	1.30	1.30	#1.30/*1.00A	1.90B/*1.00A	----	1.30 NEW	.0124	----	----	1	----	1 + 1
4515	1.80	1.80	#1.80/*1.00A	1.80/*1.00A	----	1.30 NEW	.0123	----	----	1	----	1 + 1
4525	6.10	6.10	6.50/*3.90	7.30B/*3.90	----	4.80 - 4.80	.0447	----	----	16	----	16 + 16
4525	----	----	#395.20B/----	#395.20B/264.90A	----	396.10 + 48.10	.9550	----	----	----	----	1 UNCH
4525	----	----	----/*1.00A	1.70B/*1.00A	----	1.20 - 1.20	.0112	----	----	2	----	9 UNCH
4525	----	----	#378.70B/----	#378.70B/272.70A	----	400.10 + 43.20	.9269	----	----	----	----	2 UNCH
4525	----	----	----/*8.00A	13.80B/*8.00A	----	8.90 - 9.70	.0727	----	----	----	----	4 UNCH
4550	5.10	5.10	5.10/*3.60A	6.00B/*3.60A	----	4.20 - 3.50	.0387	----	----	516	----	689 - 312
4550	----	----	#449.00B/----	#449.00B/348.70A	----	417.60 + 52.30	.9901	----	----	----	----	24 UNCH
4550	0.80	0.80	1.40B/*0.80	1.40B/*0.80	----	1.10 - 0.70	.0098	----	----	8	----	111 + 3
4575	----	----	#422.80B/----	#422.80B/340.90A	----	445.00 NEW	.9660	----	----	1	----	1 + 1
4575	3.90	3.90	4.60/*2.50	4.90B/*2.50	----	3.70 - 2.50	.0338	----	----	22	----	36 + 22
4575	----	----	----/*0.90A	1.20B/*0.90A	----	1.00 - 0.40	.0086	----	----	2	----	69 UNCH
4575	----	----	#473.90B/----	#473.90B/373.50A	----	442.50 + 52.60	.9914	----	----	1	----	6 + 1
4600	----	----	#447.30B/----	#447.30B/----	----	469.60 + 51.30	.9701	----	----	----	----	1 UNCH
4600	7.30	7.30	10.00/*5.20A	10.00/*5.20A	----	6.00 - 4.90	.0493	----	----	4	----	47 + 1
4600	----	----	#397.50B/----	#397.50B/463.20A	----	467.40 + 52.80	.9933	----	----	----	----	2 UNCH
4600	1.00	1.00	1.40/*0.80A	1.40/*0.80A	----	0.80 - 0.30	.0066	----	----	30	----	162 - 12
4600	4.00	4.00	4.00/*2.40	4.10B/*2.40	----	3.30 - 1.70	.0297	----	----	11	----	79 + 11
4605	----	----	#402.50B/----	#402.50B/467.90A	----	472.40 + 52.90	.9934	----	----	----	----	1 UNCH
4625	----	----	----	0.90B/0.90A	----	0.70 - 0.20	.0056	----	----	----	----	15 UNCH
4625	3.30	3.30	3.30/*2.50	3.50B/*2.50	----	2.90 - 1.20	.0259	----	----	6	----	12 + 6
4625	----	----	----/*4.60A	6.50B/*4.60A	----	5.30 - 3.90	.0435	----	----	----	----	1 UNCH
4650	6.10	6.10	6.10/*4.10A	6.10/*4.10A	----	4.80 - 3.10	.0391	----	----	1	----	23 UNCH
4650	3.10	3.10	3.70/*1.60	3.70/*1.60	----	2.60 - 0.80	.0229	----	----	763	----	548 - 208
4650	----	----	0.80B/----	0.80B/*0.80A	----	0.60 - 0.10	.0046	----	----	----	----	41 UNCH
4675	----	----	0.70B/----	0.70B/*0.70A	----	0.60 UNCH	.0044	----	----	----	----	12 UNCH
4675	----	----	----/*3.70A	5.10B/*3.70A	----	4.30 - 2.50	.0349	----	----	----	----	12 UNCH
4675	2.50	2.50	2.90/*2.30A	2.90/*2.30A	----	2.40 NEW	.0207	----	----	4	----	4 + 4
4700	----	----	#598.60B/----	#598.60B/497.90A	----	567.00 + 53.10	.9964	----	----	----	----	5 UNCH
4700	----	----	----	0.50B/0.90A	----	0.50 UNCH	.0036	----	----	----	----	151 UNCH
4700	----	----	----/*3.70A	4.40B/*3.70A	----	3.90 - 2.00	.0314	----	----	----	----	1 UNCH
4700	2.70	2.70	2.70/*1.70A	2.70/*1.70A	----	2.20 UNCH	.0187	----	----	1	----	5 + 1
4725	----	----	----	0.30B/0.90A	----	0.40 UNCH	.0028	----	----	----	----	6 UNCH
4725	----	----	----/*3.30A	4.20B/*3.30A	----	3.60 - 1.50	.0287	----	----	----	----	1 UNCH
4725	----	----	2.20B/----	2.20B/*1.90A	----	2.00 + 0.10	.0168	----	----	----	----	3 UNCH
4750	1.50	1.50	2.00B/*1.50	2.00B/*1.50	----	1.80 + 0.20	.0149	----	----	1	----	2 UNCH
4750	----	----	----	0.20B/0.80A	----	0.40 UNCH	.0027	----	----	----	----	6 UNCH
4750	----	----	----/*3.30A	3.30B/*3.30A	----	3.30 - 1.20	.0261	----	----	----	----	1 UNCH
4775	----	----	----	----	----	642.90 + 53.30	.9861	----	----	----	----	1 UNCH
4775	3.70	3.70	3.70/*3.10A	3.70/*3.10A	----	3.10 NEW	.0241	----	----	2	----	2 + 2
4775	1.70	1.70	1.80B/*1.40	1.80B/*1.40	----	1.70 + 0.30	.0138	----	----	2	----	4 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK4										
JUN26												
4800	----	----	1.70B/----	1.70B/1.70A	----	1.50 + 0.30	.0121	----	----	----	----	6 UNCH
4800	----	----	----	----/0.70A	----	0.30 + 0.10	.0019	----	----	----	----	5 UNCH
4800	3.40	3.40	3.40/*3.00A	3.40/*3.00A	----	2.90 NEW	.0223	----	----	20	----	20 + 20
4825	1.40	1.40	1.60B/*1.40	1.60B/*1.40	----	1.40 + 0.40	.0111	----	----	1	----	4 + 1
4850	----	----	0.30B/----	0.30B/*0.50A	----	0.20 UNCH	.0012	----	----	1	----	12 UNCH
4850	----	----	1.40B/----	1.40B/1.70A	----	1.30 + 0.40	.0102	----	----	----	----	16 UNCH
4850	----	----	----/*2.80A	2.40B/*2.80A	----	2.50 - 0.40	.0189	----	----	----	----	1 UNCH
4875	----	----	1.30B/----	1.30B/1.60A	----	1.20 + 0.40	.0092	----	----	----	----	5 UNCH
4875	----	----	----	----/0.60A	----	0.20 + 0.10	.0011	----	----	----	----	3 UNCH
4900	----	----	#699.60B/----	#699.60B/751.50A	----	766.70 + 53.10	.9997	----	----	----	----	1 UNCH
4900	----	----	----	----/0.60A	----	0.10 UNCH	.0005	----	----	----	----	4 UNCH
4900	----	----	----/*2.40A	2.00B/*2.40A	----	2.30 - 0.20	.0168	----	----	----	----	1 UNCH
4925	----	----	----	----/0.50A	----	0.10 UNCH	.0004	----	----	----	----	7 UNCH
4950	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	11 UNCH
4950	----	----	0.90B/----	0.90B/1.40A	----	0.90 + 0.20	.0067	----	----	----	----	1 UNCH
4950	----	----	----/*2.00A	1.60B/*2.00A	----	2.00 - 0.10	.0144	----	----	----	----	1 UNCH
4975	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0002	----	----	----	----	5 UNCH
5000	----	----	0.70B/----	0.70B/1.40A	----	0.90 + 0.30	.0064	----	----	----	----	1 UNCH
5000	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
5000	----	----	----	1.50B/*2.00A	----	1.80 UNCH	.0126	----	----	----	----	1 UNCH
5025	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
5050	----	----	----	0.50B/1.30A	----	0.80 + 0.30	.0055	----	----	----	----	3 UNCH
5050	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
5100	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
5250	----	----	----	0.30B/1.10A	----	0.40 + 0.10	.0026	----	----	----	----	1 UNCH
5750	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL										3836	200	6854 + 1586
JUL26												
3900	34.10	34.10	#56.90B/*21.50A	#56.90B/21.50A	----	44.70 NEW	.2194	----	----	63	----	63 + 63
3975	45.20	45.20	#76.60B/*29.60A	#76.60B/29.60A	----	61.10 NEW	.2895	----	----	75	----	75 + 75
4075	150.20	150.20	#150.20/*140.00	233.20B/*140.00A	----	150.40 NEW	.5924	----	----	10	----	10 + 10
4200	112.90	112.90	#170.30B/*78.50	#170.30B/78.50A	----	150.50 NEW	.5802	----	----	1	----	1 + 1
TOTAL										149		149 + 149

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK2										
JUN26												
4100	50.10	50.10	#50.10/50.10	#50.10/50.10	----	33.90 + 26.10	.3647	----	----	2	----	3 + 2
4250	20.10	20.10	#20.10/*20.10	#20.10/*20.10	----	9.20 NEW	.1080	----	----	1	----	1 + 1
4400	221.00	221.00	#221.00/221.00	#221.00/221.00	----	268.20 + 46.00	.9900	----	----	3	----	0 - 3
4675	----	----	----	----	----	0.40 UNCH	.0010	----	----	----	----	7 UNCH
TOTAL										6		11 0

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
JUN26												
5500	----	----	#0.261B/0.184A	#0.261B/0.184A	----	0.196 - 0.044	.0514	----	----	----	125	130 + 125
5700	0.031	0.031	0.045B/*0.031	0.045B/*0.031	----	0.019 NEW	.0010	----	----	1	----	1 + 1
5750	----	----	#0.512B/0.296A	#0.512B/0.296A	----	0.352 - 0.046	.0959	----	----	----	----	3 UNCH
5900	0.225	0.225	#0.225/*0.083A	#0.225/0.083A	----	0.048 NEW	.0055	----	----	21	----	21 + 21
6000	0.250	0.250	#0.280/0.077	#0.280/0.077	----	0.079 - 0.135	.0134	----	----	85	----	20 - 55
6000	0.723	0.723	#0.976B/0.538A	#0.976B/0.538A	----	0.660 NEW	.1791	----	----	64	100	129 + 129
6100	0.410	0.410	#0.410/0.136A	#0.410/0.136A	----	0.134 - 0.159	.0326	----	----	1	----	21 UNCH
6200	0.250	0.250	#0.573B/0.192A	#0.573B/0.192A	----	0.232 - 0.179	.0775	----	----	6	----	21 + 5
6200	1.000	1.000	#1.588B/0.888A	#1.588B/0.888A	----	1.102 NEW	.2855	----	----	1	----	1 + 1
6250	----	----	#1.783B/1.003A	#1.783B/1.003A	----	1.250 + 0.022	.3179	----	----	----	----	3 UNCH
6290	0.300	0.300	#0.864B/0.276A	#0.864B/0.276A	----	0.393 NEW	.1624	----	----	4	----	2 + 2
6300	0.825	0.825	#0.923/0.288A	#0.923/0.288A	----	0.416 - 0.172	.1751	----	----	16	----	22 + 6
6300	----	----	#1.997B/1.135A	#1.997B/1.135A	----	1.415 + 0.037	.3524	----	----	----	----	1 UNCH
6320	----	----	#0.983B/0.314A	#0.983B/0.314A	----	0.465 - 0.167	.2025	----	----	----	----	2 UNCH
6350	0.480	0.480	#1.111B/0.364A	#1.111B/0.364A	----	0.548 - 0.158	.2488	----	----	1	----	1 UNCH
6360	----	----	#1.157B/0.382A	#1.157B/0.382A	----	0.578 - 0.154	.2655	----	----	----	----	2 UNCH
6370	1.121	1.121	#1.201B/0.399A	#1.201B/0.399A	----	0.609 NEW	.2828	----	----	6	----	1 + 1
6400	2.187	2.187	#2.491B/1.452A	#2.491B/1.452A	----	1.803 + 0.076	.4266	----	----	7	----	10 - 2
6400	0.500	0.500	#1.362B/0.463A	#1.362B/0.463A	----	0.711 - 0.137	.3387	----	----	10	----	28 + 8
6400	0.700	0.700	2.124B/*0.700	2.124B/*0.700	----	1.451 NEW	.6612	----	----	3	----	2 + 2
6400	----	----	3.150B/*2.068A	3.150B/*2.068A	----	2.542 NEW	.5733	----	----	5	----	5 + 5
6450	1.150	1.150	1.150/*0.635A	1.743B/*0.635A	----	1.151 NEW	.5580	----	----	4	----	2 + 2
6500	1.150	1.150	#1.838B/0.734A	#1.838B/0.734A	----	1.150 - 0.068	.5519	----	----	3	----	7 UNCH
6500	0.720	0.720	0.720/*0.474A	1.398B/*0.474A	----	0.890 NEW	.4480	----	----	10	----	9 + 9
6540	----	----	#2.122B/0.887A	#2.122B/0.887A	----	1.371 - 0.031	.6391	----	----	----	----	5 UNCH
6550	0.698	0.698	0.698/*0.352A	1.156B/*0.352A	----	0.670 - 0.521	.3397	----	----	2	----	3 + 2
6580	0.580	0.580	0.987B/*0.290A	0.987B/*0.290A	----	0.557 NEW	.2792	----	----	2	----	1 + 1
6580	----	----	#2.427B/1.062A	#2.427B/1.062A	----	1.617 + 0.010	.7207	----	----	----	----	5 UNCH
6590	----	----	----/*0.272A	0.935B/*0.272A	----	0.523 NEW	.2602	----	----	2	----	0 UNCH
6600	0.410	0.410	0.886B/*0.256A	0.886B/*0.256A	----	0.490 NEW	.2418	----	----	13	----	8 + 8
6600	1.648	1.648	2.058B/*1.200	2.058B/*1.200	----	1.562 NEW	.4163	----	----	30	----	26 + 26
6600	----	----	#3.575B/2.309A	#3.575B/2.309A	----	2.821 + 0.169	.5836	----	----	----	----	1 UNCH
6620	----	----	----/*0.227A	0.792B/*0.227A	----	0.429 NEW	.2072	----	----	2	----	2 + 2
6640	0.400	0.400	0.400/*0.201A	0.705B/*0.201A	----	0.374 NEW	.1756	----	----	4	----	3 + 3
6650	0.569	0.569	0.665B/*0.130	0.665B/*0.130	----	0.349 - 0.411	.1611	----	----	6	----	15 + 6
6700	----	----	#3.461B/1.818A	#3.461B/1.818A	----	2.501 + 0.147	.8996	----	----	----	----	8 UNCH
6700	0.250	0.250	0.481B/*0.100	0.481B/*0.100	----	0.242 NEW	.1004	----	----	12	----	9 + 9
6740	----	----	----/*0.121A	0.366B/*0.121A	----	0.177 NEW	.0654	----	----	2	----	1 + 1
6750	0.189	0.189	0.342B/*0.113A	0.342B/*0.113A	----	0.163 NEW	.0583	----	----	3	----	3 + 3
6750	1.105	1.105	1.410B/*0.851A	1.410B/*0.851A	----	1.039 NEW	.3061	----	----	2	----	2 + 2
6800	0.100	0.100	0.100/*0.096A	0.237B/*0.096A	----	0.108 - 0.245	.0319	----	----	3	----	46 UNCH
6800	----	----	#4.417B/2.558A	#4.417B/2.558A	----	3.368 + 0.255	.9680	----	----	----	----	2 UNCH
6800	----	----	#5.053B/3.538A	#5.053B/3.538A	----	4.159 + 0.270	.7268	----	----	----	----	10 UNCH
6800	0.971	0.971	1.232B/*0.743A	1.232B/*0.743A	----	0.901 NEW	.2731	----	----	3	----	3 + 3
6810	0.110	0.110	0.110/*0.091A	0.220B/*0.091A	----	0.100 NEW	.0284	----	----	3	----	3 + 3
6840	----	----	----/*0.083A	0.175B/*0.083A	----	0.077 NEW	.0191	----	----	1	----	1 + 1
6850	----	----	#4.907B/2.973A	#4.907B/2.973A	----	3.831 + 0.301	.9831	----	----	----	----	1 UNCH
6900	----	----	#5.405B/3.412A	#5.405B/3.412A	----	4.306 + 0.340	.9915	----	----	----	----	1 UNCH
6900	----	----	----/*0.070A	0.110B/*0.070A	----	0.046 - 0.160	.0084	----	----	----	----	4 UNCH
6900	0.813	0.813	0.933B/*0.564A	0.933B/*0.564A	----	0.675 NEW	.2143	----	----	1	----	1 + 1
6940	0.130	0.130	#0.130/*0.066A	0.130/*0.066A	----	0.033 - 0.133	.0048	----	----	1	----	3 + 1
6950	----	----	----/*0.064A	0.068B/*0.064A	----	0.030 - 0.128	.0041	----	----	----	----	1 UNCH
6950	----	----	#5.902B/3.863A	#5.902B/3.863A	----	4.790 + 0.373	.9958	----	----	----	----	1 UNCH
6960	0.117	0.117	#0.117/*0.063A	0.117/*0.063A	----	0.028 NEW	.0037	----	----	1	----	1 + 1
7000	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.020 - 0.101	.0020	----	----	14	----	15 + 11
7000	----	----	0.701B/*0.435A	0.701B/*0.435A	----	0.504 NEW	.1658	----	----	13	----	13 + 13
7000	----	----	#6.743B/4.998A	#6.743B/4.998A	----	5.760 + 0.356	.8341	----	----	----	----	1 UNCH
7020	0.092	0.092	#0.092/*0.056A	0.092/*0.056A	----	0.016 NEW	.0014	----	----	1	----	1 + 1
7030	0.089	0.089	#0.089/*0.052A	0.089/*0.052A	----	0.015 NEW	.0012	----	----	1	----	1 + 1
7040	----	----	----/*0.051A	0.030B/*0.051A	----	0.014 - 0.084	.0011	----	----	----	----	20 UNCH
7100	----	----	----/*0.044A	0.010B/*0.044A	----	0.008 - 0.064	.0004	----	----	----	----	5 UNCH
7100	----	----	0.524B/*0.335A	0.524B/*0.335A	----	0.377 - 0.110	.1271	----	----	----	----	1 UNCH
7100	----	----	#7.645B/5.814A	#7.645B/5.814A	----	6.633 + 0.390	.8728	----	----	----	----	4 UNCH
7200	0.326	0.326	0.391B/*0.262A	0.391B/*0.262A	----	0.284 NEW	.0971	----	----	1	----	1 + 1
7200	0.050	0.050	0.050/*0.034A	0.050/*0.034A	----	0.004 - 0.039	.0001	----	----	1	----	0 - 1
7200	----	----	#8.578B/6.675A	#8.578B/6.675A	----	7.540 + 0.418	.9028	----	----	----	----	4 UNCH
7250	----	----	0.337B/*0.236A	0.337B/*0.236A	----	0.247 - 0.072	.0848	----	----	----	----	6 UNCH
7300	----	----	#9.532B/7.569A	#9.532B/7.569A	----	8.471 + 0.440	.9257	----	----	----	----	1 UNCH
7300	----	----	#9.396B/----	#9.396B/7.813A	----	8.261 + 0.478	.0000	----	----	----	----	4 UNCH
7300	----	----	0.290B/*0.211A	0.290B/*0.211A	----	0.216 - 0.061	.0742	----	----	----	----	18 UNCH
7350	----	----	#10.014B/8.026A	#10.014B/8.026A	----	8.943 + 0.448	.9349	----	----	----	----	22 UNCH
7400	----	----	#10.395B/----	#10.395B/8.811A	----	9.261 + 0.488	.0000	----	----	----	----	20 UNCH
7400	----	----	#10.504B/8.491A	#10.504B/8.491A	----	9.420 + 0.456	.9429	----	----	----	----	1 UNCH
7400	0.168	0.168	0.215B/*0.143	0.215B/*0.143	----	0.166 NEW	.0570	----	----	41	----	41 + 41
7450	----	----	#10.964B/8.956A	#10.964B/8.956A	----	9.900 + 0.463	.9499	----	----	----	----	2 UNCH
7500	----	----	#11.449B/9.426A	#11.449B/9.426A	----	10.382 + 0.468	.9562	----	----	----	----	1 UNCH
7500	----	----	----/*0.139A	0.157B/*0.139A	----	0.128 - 0.033	.0437	----	----	----	----	3 UNCH
7500	----	----	----	----/0.066A	----	0.001 - 0.008	----	----	----	----	----	2 UNCH
7550	----	----	#11.900B/----	#11.900B/10.307A	----	10.761 + 0.495	.0000	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
JUN26												
7550	0.126	0.126	0.134B/*0.120A	0.134B/*0.120A	----	0.113 -	0.027 .0384	----	----	3	----	4 - 2
7550	----	----	----	----/0.077A	----	0.001 -	0.006 ----	----	----	----	----	2 UNCH
7600	----	----	#12.401B/----	#12.401B/10.807A	----	11.260 +	0.496 .0000	----	----	----	----	25 UNCH
7600	----	----	----	----/0.081A	----	0.001 -	0.005 ----	----	----	----	----	1 UNCH
7700	----	----	----	0.082B/*0.096A	----	0.077 -	0.018 .0258	----	----	1	----	80 + 1
7800	----	----	----	0.059B/*0.081A	----	0.060 -	0.016 .0199	----	----	----	----	9 UNCH
7850	----	----	----	0.046B/*0.076A	----	0.054 -	0.014 .0177	----	----	----	----	55 UNCH
7900	----	----	----	0.040B/*0.071A	----	0.048 -	0.013 .0156	----	----	----	----	2 UNCH
8000	----	----	----	0.028B/*0.064A	----	0.040 -	0.011 .0127	----	----	2	----	58 - 2
8000	----	----	----	----/0.160A	----	0.001	UNCH ----	----	----	----	----	8 UNCH
8100	----	----	----	0.021B/0.062A	----	0.033 -	0.010 .0103	----	----	----	----	0 UNCH
8200	----	----	----	0.017B/*0.058A	----	0.029 -	0.008 .0088	----	----	----	----	7 UNCH
8250	----	----	----	0.015B/*0.056A	----	0.027 -	0.008 .0081	----	----	----	----	2 UNCH
8300	----	----	----	----/0.190A	----	0.001	UNCH ----	----	----	----	----	4 UNCH
8600	----	----	----	#19.805B/23.796A	----	21.270 +	0.495 .9948	----	----	----	----	1 UNCH
9500	----	----	----	----/0.220A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
TOTAL										419	225	1066 + 397
JUL26												
5250	----	----	----/*0.365A	#0.308B/0.365A	----	0.350	NEW .0682	----	----	5	----	5 + 5
6000	----	----	#1.461B/1.299A	#1.461B/1.299A	----	1.330	NEW .2395	----	----	5	----	5 + 5
6550	3.605	3.605	#3.605/*3.605	#3.605/*3.605	----	5.938	NEW .4645	----	----	6	----	6 + 6
7100	----	----	----/*1.242A	1.178B/*1.242A	----	1.227	NEW .2602	----	----	5	----	5 + 5
7350	----	----	----	0.643B/*0.902A	----	0.799 -	0.058 .1816	----	----	----	----	4 UNCH
7600	----	----	----/*0.525A	0.438B/*0.525A	----	0.530 -	0.004 .1260	----	----	----	----	2 UNCH
8100	----	----	----	0.186B/*0.311A	----	0.258 +	0.014 .0634	----	----	----	----	4 UNCH
8400	----	----	----	0.096B/*0.249A	----	0.182 +	0.010 .0445	----	----	----	----	2 UNCH
9500	----	----	----	0.003B/0.151A	----	0.069 -	0.001 .0158	----	----	----	----	2 UNCH
TOTAL										21	0	35 + 21
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK4										
JUN26												
5250	----	----	----	#0.170B/0.215A	----	0.125 -	0.046 .0325	----	----	----	----	0 UNCH
5800	0.150	0.150	#0.358B/*0.143A	#0.358B/0.143A	----	0.183	NEW .0598	----	----	10	----	10 + 10
6000	----	----	#0.631B/0.280A	#0.631B/0.280A	----	0.338 -	0.092 .1176	----	----	----	----	5 UNCH
6100	----	----	#1.329B/0.899A	#1.329B/0.899A	----	1.045 -	0.005 .2502	----	----	----	----	4 UNCH
6200	----	----	#1.109B/0.504A	#1.109B/0.504A	----	0.654 -	0.085 .2288	----	----	----	----	1 UNCH
6250	----	----	#1.276B/0.594A	#1.276B/0.594A	----	0.773 -	0.075 .2675	----	----	----	----	1 UNCH
6300	----	----	#2.086B/1.387A	#2.086B/1.387A	----	1.639 +	0.064 .3649	----	----	----	----	3 UNCH
6400	----	----	2.630B/*1.489A	2.630B/*1.489A	----	2.001 -	0.521 .5909	----	----	----	----	1 UNCH
6600	----	----	#3.036B/1.750A	#3.036B/1.750A	----	2.281 +	0.111 .6265	----	----	----	----	1 UNCH
6600	----	----	#3.583B/2.592A	#3.583B/2.592A	----	3.054 +	0.213 .5701	----	----	----	----	15 UNCH
6700	----	----	#3.800B/2.364A	#3.800B/2.364A	----	2.955 +	0.192 .7256	----	----	----	----	5 UNCH
6700	0.673	0.673	1.041B/*0.494A	1.041B/*0.494A	----	0.696 -	0.307 .2743	----	----	2	----	3 + 2
6750	----	----	#4.221B/2.682A	#4.221B/2.682A	----	3.328 +	0.233 .7690	----	----	----	----	10 UNCH
6780	0.520	0.520	#0.766B/*0.336	0.766B/*0.336	----	0.504	NEW .2073	----	----	2	----	1 + 1
6800	----	----	#5.058B/3.912A	#5.058B/3.912A	----	4.370 +	0.313 .6986	----	----	----	----	1 UNCH
6800	----	----	#4.658B/3.023A	#4.658B/3.023A	----	3.722 +	0.271 .8074	----	----	----	----	1 UNCH
6850	1.050	1.050	1.184B/*0.800A	1.184B/*0.800A	----	0.984	NEW .2731	----	----	2	----	0 UNCH
6900	----	----	0.488B/*0.249A	0.488B/*0.249A	----	0.305 -	0.163 .1303	----	----	1	----	2 UNCH
6900	----	----	#5.567B/3.771A	#5.567B/3.771A	----	4.563 +	0.337 .8696	----	----	----	----	5 UNCH
7000	1.300	1.300	#1.300/*1.149A	1.300/*1.149A	----	1.201	NEW .2752	----	----	1	----	1 + 1
7000	----	----	#6.510B/4.594A	#6.510B/4.594A	----	5.458 +	0.388 .9138	----	----	----	----	1 UNCH
7000	----	----	#6.762B/5.309A	#6.762B/5.309A	----	5.933 +	0.393 .7999	----	----	----	----	8 UNCH
7000	0.229	0.229	0.323B/*0.185A	0.323B/*0.185A	----	0.200	NEW .0861	----	----	1	----	1 + 1
7050	----	----	#6.990B/5.028A	#6.990B/5.028A	----	5.920 +	0.408 .9300	----	----	----	----	10 UNCH
7100	----	----	----/*0.136A	0.191B/*0.136A	----	0.133 -	0.076 .0567	----	----	----	----	2 UNCH
7190	----	----	#8.354B/*6.299A	#8.354B/6.299A	----	7.251	NEW .9611	----	----	1	----	1 + 1
7200	----	----	#8.587B/6.928A	#8.587B/6.928A	----	7.670 +	0.444 .8703	----	----	----	----	5 UNCH
7200	----	----	----/*0.103A	0.115B/*0.103A	----	0.090 -	0.052 .0374	----	----	----	----	5 UNCH
7200	----	----	----/*0.411A	0.455B/*0.411A	----	0.418 -	0.055 .1296	----	----	----	----	1 UNCH
7250	----	----	----/*0.379A	0.394B/*0.379A	----	0.372 -	0.046 .1162	----	----	----	----	6 UNCH
7400	0.074	0.074	0.074/*0.063A	0.074/*0.063A	----	0.045 -	0.027 .0173	----	----	1	----	3 + 1
7400	----	----	#10.471B/8.720A	#10.471B/8.720A	----	9.517 +	0.472 .9156	----	----	----	----	1 UNCH
7500	----	----	----/*0.052A	0.016B/*0.052A	----	0.033 -	0.020 .0121	----	----	----	----	1 UNCH
7650	0.190	0.190	0.190/*0.150A	0.190/*0.150A	----	0.163 -	0.013 .0514	----	----	4	----	16 + 4
7650	----	----	----	0.005B/*0.042A	----	0.020 -	0.014 .0068	----	----	----	----	10 UNCH
8000	----	----	----	0.018B/0.143A	----	0.096 -	0.009 .0289	----	----	----	----	13 UNCH
8000	----	----	----	----/0.035A	----	0.006 -	0.006 .0017	----	----	----	----	14 UNCH
8050	----	----	----	----/0.064A	----	0.006 -	0.005 .0017	----	----	----	----	1 UNCH
8050	----	----	----	0.013B/*0.137A	----	0.090 -	0.009 .0269	----	----	----	----	6 UNCH
8250	----	----	----	0.002B/0.121A	----	0.073 -	0.010 .0210	----	----	----	----	31 UNCH
8350	----	----	----/*0.070A	0.002B/*0.070A	----	0.067 -	0.011 .0189	----	----	----	----	24 UNCH
8400	0.060	0.060	0.060/*0.053	0.060/*0.053	----	0.064 -	0.011 .0178	----	----	14	----	2 - 12
8500	----	----	----	#18.942B/22.685A	----	20.305 +	0.489 .9838	----	----	----	----	1 UNCH
8500	----	----	----	----/0.108A	----	0.002 -	0.002 .0004	----	----	----	----	14 UNCH
8700	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.053 -	0.014 .0138	----	----	3	----	1 - 3
8800	----	----	----	#21.928B/25.678A	----	23.294 +	0.486 .9871	----	----	----	----	1 UNCH
9200	----	----	----	----/0.175A	----	0.001 -	0.001 .0000	----	----	----	----	5 UNCH
TOTAL										42	0	254 + 6
SO CALL		COMEX SILVER OPTIONS										
JUL26												
2700	----	----	----/37.396A	36.663B/37.396A	----	37.740 -	0.500 .0000	----	----	----	----	1 UNCH
4000	----	----	----/24.402A	23.698B/24.402A	----	24.755 -	0.504 .9943	----	----	----	----	2 UNCH
4500	----	----	----/18.848A	19.735B/18.848A	----	19.793 -	0.510 .9861	----	----	----	----	3 UNCH
4600	----	----	----/17.867A	19.043B/17.867A	----	18.805 -	0.512 .9836	----	----	----	----	2 UNCH
4825	----	----	17.624B/15.459A	17.624B/15.459A	----	16.591 -	0.517 .9755	----	----	----	----	3 UNCH
4900	----	----	16.880B/14.735A	16.880B/14.735A	----	15.857 -	0.519 .9718	----	----	----	----	1 UNCH
4925	----	----	16.640B/14.494A	16.640B/14.494A	----	15.613 -	0.519 .9706	----	----	----	----	16 UNCH
5000	----	----	15.905B/13.775A	15.905B/13.775A	----	14.882 -	0.521 .9662	----	----	----	----	306 UNCH
5025	----	----	15.659B/13.536A	15.659B/13.536A	----	14.640 -	0.520 .9646	----	----	----	----	4 UNCH
5050	----	----	15.414B/13.298A	15.414B/13.298A	----	14.397 -	0.521 .9630	----	----	----	----	2 UNCH
5100	----	----	14.926B/12.823A	14.926B/12.823A	----	13.913 -	0.522 .9593	----	----	----	----	5 UNCH
5150	----	----	14.439B/12.350A	14.439B/12.350A	----	13.431 -	0.522 .9553	----	----	----	----	6 UNCH
5200	----	----	13.953B/11.880A	13.953B/11.880A	----	12.950 -	0.523 .9508	----	----	----	----	40 UNCH
5225	----	----	13.711B/11.646A	13.711B/11.646A	----	12.711 -	0.523 .9483	----	----	----	----	9 UNCH
5250	----	----	13.456B/11.413A	13.456B/11.413A	----	12.472 -	0.523 .9458	----	----	----	----	2 UNCH
5275	----	----	13.219B/11.181A	13.219B/11.181A	----	12.234 -	0.523 .9432	----	----	----	----	1 UNCH
5300	----	----	12.978B/10.950A	12.978B/10.950A	----	11.996 -	0.524 .9404	----	----	----	----	7 UNCH
5350	----	----	12.498B/10.488A	12.498B/10.488A	----	11.523 -	0.523 .9343	----	----	----	----	157 UNCH
5375	----	----	12.261B/10.261A	12.261B/10.261A	----	11.287 -	0.524 .9310	----	----	----	----	1 UNCH
5400	----	----	12.023B/10.033A	12.023B/10.033A	----	11.052 -	0.524 .9276	----	----	----	----	21 UNCH
5425	----	----	11.784B/9.807A	11.784B/9.807A	----	10.819 -	0.523 .9240	----	----	----	----	42 UNCH
5450	----	----	11.547B/9.581A	11.547B/9.581A	----	10.585 -	0.523 .9203	----	----	----	----	1 UNCH
5500	----	----	11.081B/9.134A	11.081B/9.134A	----	10.122 -	0.522 .9120	----	----	----	----	496 UNCH
5550	----	----	10.611B/8.693A	10.611B/8.693A	----	9.663 -	0.520 .9030	----	----	----	----	3 UNCH
5600	----	----	10.148B/8.257A	10.148B/8.257A	----	9.208 -	0.519 .8930	----	----	----	----	106 UNCH
5650	----	----	9.685B/7.831A	9.685B/7.831A	----	8.759 -	0.516 .8820	----	----	----	----	43 UNCH
5675	----	----	9.456B/7.619A	9.456B/7.619A	----	8.536 -	0.515 .8762	----	----	----	----	25 UNCH
5700	----	----	9.229B/7.409A	9.229B/7.409A	----	8.315 -	0.513 .8701	----	----	2	----	28 + 2
5750	----	----	8.780B/6.995A	8.780B/6.995A	----	7.877 -	0.510 .8569	----	----	----	----	164 UNCH
5775	----	----	8.559B/6.791A	8.559B/6.791A	----	7.661 -	0.508 .8498	----	----	----	----	1 UNCH
5800	----	----	8.334B/6.585A	8.334B/6.585A	----	7.447 -	0.505 .8424	----	----	2	----	18 + 2
5900	----	----	7.468B/5.805A	7.468B/5.805A	----	6.609 -	0.495 .8097	----	----	----	----	10 UNCH
5925	----	----	7.255B/5.615A	7.255B/5.615A	----	6.405 -	0.491 .8006	----	----	----	----	10 UNCH
5950	----	----	7.044B/5.428A	7.044B/5.428A	----	6.203 -	0.488 .7912	----	----	----	----	6 UNCH
5975	----	----	6.836B/5.245A	6.836B/5.245A	----	6.004 -	0.484 .7814	----	----	----	----	20 UNCH
6000	----	----	6.627B/5.053A	6.627B/5.053A	----	5.808 -	0.480 .7713	----	----	4	----	549 UNCH
6050	----	----	6.220B/4.700A	6.220B/4.700A	----	5.423 -	0.471 .7501	----	----	----	----	58 UNCH
6075	----	----	6.019B/4.539A	6.019B/4.539A	----	5.235 -	0.465 .7389	----	----	----	----	1 UNCH
6100	----	----	5.824B/4.371A	5.824B/4.371A	----	5.050 -	0.460 .7273	----	----	----	----	12 UNCH
6175	----	----	5.245B/3.841A	5.245B/3.841A	----	4.514 -	0.441 .6906	----	----	----	----	1 UNCH
6200	----	----	5.059B/3.683A	5.059B/3.683A	----	4.342 -	0.434 .6777	----	----	1	----	102 + 1
6250	----	----	4.697B/3.358A	4.697B/3.358A	----	4.009 -	0.419 .6510	----	----	----	----	2 UNCH
6275	----	----	4.520B/3.217A	4.520B/3.217A	----	3.848 -	0.411 .6372	----	----	----	----	2 UNCH
6300	----	----	4.347B/3.073A	4.347B/3.073A	----	3.691 -	0.402 .6232	----	----	2	----	8 + 2
6325	----	----	4.177B/2.941A	4.177B/2.941A	----	3.538 -	0.393 .6089	----	----	----	----	1 UNCH
6350	3.067	3.067	4.012B/2.805A	4.012B/2.805A	----	3.388 -	0.384 .5944	----	----	1	----	2 UNCH
6375	3.269	3.269	3.885B/2.676A	3.885B/2.676A	----	3.243	NEW .5797	----	----	1	----	1 + 1
6400	2.850	2.850	3.727B/2.543A	3.727B/2.543A	----	3.101 -	0.365 .5648	----	----	16	----	7 + 7
6425	2.873	2.873	3.571B/2.428A	3.571B/2.428A	----	2.963	NEW .5499	----	----	3	----	3 + 3
6450	2.550	2.550	3.413B/2.311A	3.413B/2.311A	----	2.829 -	0.346 .5347	----	----	39	----	18 + 17
6475	2.571	2.571	3.268B/2.185A	3.268B/2.185A	----	2.700	NEW .5196	----	----	5	----	3 + 3
6500	2.900	2.900	3.125B/2.047	3.125B/2.047	----	2.574 -	0.325 .5043	----	----	168	----	265 + 9
6525	2.328	2.328	2.986B/*1.968A	2.986B/*1.968A	----	2.452 -	0.316 .4890	----	----	3	----	48 UNCH
6550	2.211	2.211	2.852B/*1.864A	2.852B/*1.864A	----	2.334 -	0.306 .4737	----	----	9	----	18 + 3
6575	1.950	1.950	2.720B/*1.766A	2.720B/*1.766A	----	2.221 -	0.295 .4585	----	----	8	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
6600	2.201	2.201	2.593B/*1.669A	2.593B/*1.669A	----	2.111 - 0.286	.4433	----	----	16	----	68 - 1
6650	1.841	1.841	2.352B/*1.487A	2.352B/*1.487A	----	1.903 - 0.267	.4131	----	----	6	----	108 + 5
6675	----	----	2.237B/*1.403A	2.237B/*1.403A	----	1.806 - 0.256	.3982	----	----	----	----	6 UNCH
6700	1.767	1.767	2.127B/*1.324A	2.127B/*1.324A	----	1.713 - 0.246	.3836	----	----	46	----	36 + 19
6725	1.388	1.388	2.020B/*1.248A	2.020B/*1.248A	----	1.624 - 0.236	.3691	----	----	1	----	4 + 1
6750	1.622	1.622	1.919B/*1.176A	1.919B/*1.176A	----	1.539 - 0.226	.3549	----	----	10	----	34 + 10
6775	----	----	1.821B/*1.108A	1.821B/*1.108A	----	1.458 - 0.215	.3410	----	----	1	----	3 UNCH
6800	1.250	1.250	1.727B/1.045	1.727B/1.045	----	1.381 - 0.205	.3274	----	----	73	----	265 - 2
6825	0.985	0.985	1.669/*0.985	1.669/*0.985	----	1.308 - 0.194	.3141	----	----	9	----	11 + 4
6850	1.370	1.370	1.568/*0.929A	1.568/*0.929A	----	1.239 - 0.183	.3012	----	----	38	----	27 - 9
6875	----	----	1.469B/*0.877A	1.469B/*0.877A	----	1.173 - 0.173	.2885	----	----	----	----	56 UNCH
6900	1.111	1.111	1.400/*0.800	1.400/*0.800	----	1.110 - 0.163	.2762	----	----	70	----	165 + 30
6925	----	----	1.316B/*0.781A	1.316B/*0.781A	----	1.051 - 0.153	.2644	----	----	----	----	34 UNCH
6950	0.811	0.811	1.245B/*0.738A	1.245B/*0.738A	----	0.994 - 0.144	.2528	----	----	7	----	36 - 5
6975	----	----	1.176B/*0.698A	1.176B/*0.698A	----	0.941 - 0.135	.2417	----	----	----	----	34 UNCH
7000	0.840	0.840	1.114B/0.661A	1.114B/0.661A	----	0.890 - 0.127	.2309	----	----	186	----	324 + 8
7025	----	----	1.052B/*0.625A	1.052B/*0.625A	----	0.843 - 0.118	.2206	----	----	1	----	132 UNCH
7050	0.690	0.690	0.994B/*0.591A	0.994B/*0.591A	----	0.797 - 0.111	.2105	----	----	4	----	6 UNCH
7075	0.598	0.598	0.939B/*0.560A	0.939B/*0.560A	----	0.755 - 0.102	.2010	----	----	17	----	85 + 3
7100	0.794	0.794	0.890B/*0.531A	0.890B/*0.531A	----	0.714 - 0.096	.1917	----	----	143	----	185 + 98
7125	----	----	0.839B/*0.504A	0.839B/*0.504A	----	0.676 - 0.089	.1829	----	----	1	----	2 + 1
7150	----	----	0.790B/*0.478A	0.790B/*0.478A	----	0.640 - 0.083	.1744	----	----	----	----	109 UNCH
7175	----	----	0.745B/*0.454A	0.745B/*0.454A	----	0.606 - 0.077	.1663	----	----	----	----	6 UNCH
7200	0.484	0.484	0.704B/*0.431A	0.704B/*0.431A	----	0.573 - 0.072	.1584	----	----	53	----	165 + 4
7225	----	----	0.665B/*0.410A	0.665B/*0.410A	----	0.543 - 0.067	.1510	----	----	----	----	7 UNCH
7250	0.500	0.500	0.629B/*0.390A	0.629B/*0.390A	----	0.515 - 0.061	.1439	----	----	34	----	191 + 11
7275	0.410	0.410	0.594B/*0.372A	0.594B/*0.372A	----	0.488 - 0.057	.1371	----	----	1	----	5 - 1
7300	0.460	0.460	0.570/*0.355A	0.570/*0.355A	----	0.462 - 0.053	.1306	----	----	23	----	107 + 8
7325	0.319	0.319	0.532B/*0.315	0.532B/*0.315	----	0.438 - 0.049	.1244	----	----	14	----	123 - 5
7350	0.351	0.351	0.505B/*0.323A	0.505B/*0.323A	----	0.416 - 0.045	.1186	----	----	13	----	16 - 3
7375	0.389	0.389	0.476B/*0.309A	0.476B/*0.309A	----	0.395 - 0.042	.1131	----	----	7	----	20 - 6
7400	0.400	0.400	0.456B/*0.295A	0.456B/*0.295A	----	0.375 - 0.038	.1077	----	----	17	----	59 - 5
7425	----	----	0.430B/*0.282A	0.430B/*0.282A	----	0.356 - 0.036	.1027	----	----	----	----	13 UNCH
7450	----	----	0.411B/*0.265A	0.411B/*0.265A	----	0.338 - 0.033	.0978	----	----	16	----	89 + 16
7475	----	----	0.392B/*0.255A	0.392B/*0.255A	----	0.322 - 0.030	.0934	----	----	----	----	78 UNCH
7500	0.300	0.300	0.370B/*0.247A	0.370B/*0.247A	----	0.306 - 0.028	.0890	----	----	145	----	506 - 13
7525	----	----	0.353B/*0.236A	0.353B/*0.236A	----	0.291 - 0.026	.0849	----	----	----	----	8 UNCH
7550	0.328	0.328	0.336B/*0.226A	0.336B/*0.226A	----	0.278 - 0.023	.0812	----	----	19	----	58 + 15
7575	----	----	0.319B/*0.216A	0.319B/*0.216A	----	0.265 - 0.021	.0775	----	----	----	----	56 UNCH
7600	----	----	0.302B/*0.207A	0.302B/*0.207A	----	0.252 - 0.019	.0739	----	----	57	----	182 + 15
7625	0.247	0.247	0.289B/*0.195A	0.289B/*0.195A	----	0.241 - 0.017	.0707	----	----	2	----	19 + 1
7650	0.220	0.220	0.275B/*0.190A	0.275B/*0.190A	----	0.230 - 0.016	.0675	----	----	21	----	47 + 1
7675	0.216	0.216	0.261B/*0.179A	0.261B/*0.179A	----	0.220 - 0.014	.0646	----	----	1	----	20 UNCH
7700	0.210	0.210	0.248B/*0.173A	0.248B/*0.173A	----	0.210 - 0.013	.0617	----	----	13	----	385 + 6
7725	----	----	0.238B/*0.166A	0.238B/*0.166A	----	0.201 - 0.011	.0591	----	----	----	----	14 UNCH
7750	0.200	0.200	0.226B/*0.161A	0.226B/*0.161A	----	0.192 - 0.010	.0565	----	----	32	----	150 - 10
7775	----	----	0.217B/*0.155A	0.217B/*0.155A	----	0.184 - 0.009	.0541	----	----	----	----	10 UNCH
7800	----	----	0.208B/*0.148A	0.208B/*0.148A	----	0.176 - 0.008	.0518	----	----	----	----	315 UNCH
7825	----	----	0.199B/*0.142A	0.199B/*0.142A	----	0.169 - 0.007	.0497	----	----	----	----	3 UNCH
7850	0.141	0.141	0.188B/*0.140A	0.188B/*0.140A	----	0.162 - 0.006	.0476	----	----	1	----	53 UNCH
7875	0.179	0.179	0.181B/*0.133A	0.181B/*0.133A	----	0.156 - 0.005	.0458	----	----	1	----	13 + 1
7900	----	----	0.173B/*0.129A	0.173B/*0.129A	----	0.150 - 0.004	.0440	----	----	19	----	124 - 12
7925	----	----	0.166B/*0.126A	0.166B/*0.126A	----	0.144 - 0.003	.0422	----	----	----	----	6 UNCH
7950	----	----	0.160B/*0.119A	0.160B/*0.119A	----	0.139 - 0.002	.0406	----	----	10	----	19 - 7
7975	----	----	0.154B/*0.117A	0.154B/*0.117A	----	0.134 - 0.001	.0391	----	----	----	----	3 UNCH
8000	0.123	0.123	0.152/*0.115	0.152/*0.115	----	0.129 - 0.001	.0376	----	----	103	----	888 + 2
8025	----	----	0.144B/*0.112A	0.144B/*0.112A	----	0.125 UNCH	.0363	----	----	----	----	19 UNCH
8050	----	----	0.139B/*0.108A	0.139B/*0.108A	----	0.121 + 0.001	.0351	----	----	----	----	30 UNCH
8075	----	----	0.135B/*0.105A	0.135B/*0.105A	----	0.117 + 0.001	.0338	----	----	----	----	11 UNCH
8100	----	----	0.131B/*0.101A	0.131B/*0.101A	----	0.113 + 0.001	.0326	----	----	4	----	156 - 4
8125	----	----	0.127B/*0.099A	0.127B/*0.099A	----	0.109 + 0.001	.0314	----	----	----	----	2 UNCH
8150	----	----	0.123B/*0.096A	0.123B/*0.096A	----	0.106 + 0.002	.0304	----	----	----	----	23 UNCH
8175	----	----	0.119B/*0.093A	0.119B/*0.093A	----	0.103 + 0.002	.0295	----	----	1	----	6 UNCH
8200	0.101	0.101	0.117B/0.091A	0.117B/0.091A	----	0.100 + 0.002	.0285	----	----	2	----	210 - 1
8225	----	----	0.113B/*0.089A	0.113B/*0.089A	----	0.098 + 0.003	.0278	----	----	----	----	6 UNCH
8250	----	----	0.110B/*0.087A	0.110B/*0.087A	----	0.095 + 0.003	.0269	----	----	----	----	157 UNCH
8275	----	----	0.106B/*0.084A	0.106B/*0.084A	----	0.093 + 0.003	.0262	----	----	----	----	8 UNCH
8300	----	----	0.104B/*0.083A	0.104B/*0.083A	----	0.091 + 0.003	.0255	----	----	14	----	525 - 14
8325	----	----	0.101B/*0.081A	0.101B/*0.081A	----	0.089 + 0.003	.0249	----	----	----	----	15 UNCH
8350	----	----	0.100B/*0.079A	0.100B/*0.079A	----	0.087 + 0.003	.0242	----	----	----	----	19 UNCH
8375	----	----	0.096B/*0.076A	0.096B/*0.076A	----	0.085 + 0.003	.0236	----	----	----	----	55 UNCH
8400	----	----	0.094B/*0.075A	0.094B/*0.075A	----	0.083 + 0.003	.0229	----	----	----	----	151 UNCH
8425	----	----	0.091B/*0.072A	0.091B/*0.072A	----	0.081 + 0.003	.0223	----	----	----	----	45 UNCH
8450	----	----	0.092B/*0.070A	0.092B/*0.070A	----	0.079 + 0.002	.0217	----	----	----	----	35 UNCH
8475	0.079	0.079	0.087B/*0.063	0.087B/*0.063	----	0.077 + 0.002	.0210	----	----	2	----	6 UNCH
8500	0.064	0.064	0.086B/*0.056	0.086B/*0.056	----	0.076 + 0.002	.0207	----	----	18	----	1115 - 15
8525	----	----	0.087B/*0.065A	0.087B/*0.065A	----	0.074 + 0.001	.0201	----	----	----	----	41 UNCH
8550	----	----	0.083B/*0.064A	0.083B/*0.064A	----	0.072 + 0.001	.0195	----	----	----	----	194 UNCH
8575	----	----	0.085B/*0.062A	0.085B/*0.062A	----	0.070 UNCH	.0189	----	----	----	----	8 UNCH
8600	0.090	0.090	0.090/*0.062A	0.090/*0.062A	----	0.069 UNCH	.0185	----	----	7	----	452 - 2
8625	----	----	0.080B/*0.061A	0.080B/*0.061A	----	0.067 - 0.001	.0179	----	----	----	----	15 UNCH
8650	----	----	0.081B/*0.060A	0.081B/*0.060A	----	0.065 - 0.002	.0174	----	----	----	----	44 UNCH
8675	----	----	0.081B/*0.057A	0.081B/*0.057A	----	0.064 - 0.002	.0170	----	----	----	----	23 UNCH
8700	----	----	0.076B/*0.057A	0.076B/*0.057A	----	0.062 - 0.003	.0165	----	----	1	----	240 UNCH
8725	----	----	0.079B/*0.056A	0.079B/*0.056A	----	0.061 - 0.003	.0161	----	----	----	----	5 UNCH
8750	----	----	0.076B/*0.055A	0.076B/*0.055A	----	0.059 - 0.004	.0156	----	----	----	----	107 UNCH
8775	----	----	0.075B/*0.054A	0.075B/*0.054A	----	0.058 - 0.004	.0152	----	----	----	----	15 UNCH
8800	----	----	0.074B/0.053A	0.074B/0.053A	----	0.057 - 0.004	.0149	----	----	2	----	260 UNCH
8825	----	----	0.070B/0.053A	0.070B/0.053A	----	0.055 - 0.006	.0144	----	----	----	----	3 UNCH
8850	----	----	0.072B/*0.051A	0.072B/*0.051A	----	0.054 - 0.006	.0141	----	----	----	----	13 UNCH
8875	----	----	0.071B/0.051A	0.071B/0.051A	----	0.053 - 0.006	.0138	----	----	----	----	13 UNCH
8900	----	----	0.069B/0.049A	0.069B/0.049A	----	0.052 - 0.006	.0135	----	----	----	----	151 UNCH
8925	----	----	0.069B/0.048A	0.069B/0.048A	----	0.051 - 0.007	.0131	----	----	----	----	13 UNCH
8950	----	----	----/*0.046A	0.049B/*0.046A	----	0.050 - 0.007	.0128	----	----	----	----	39 UNCH
8975	----	----	----	0.048B/0.059A	----	0.049 - 0.007	.0125	----	----	----	----	17 UNCH
9000	0.071	0.071	0.071/*0.044A	0.071/*0.044A	----	0.048 - 0.007	.0123	----	----	5	----	1724 UNCH
9025	----	----	0.066B/----	0.066B/0.058A	----	0.047 - 0.008	.0120	----	----	----	----	16 UNCH
9050	----	----	0.065B/----	0.065B/0.057A	----	0.047 - 0.007	.0119	----	----	----	----	22 UNCH
9075	----	----	----	0.044B/0.057A	----	0.046 - 0.008	.0116	----	----	----	----	9 UNCH
9100	----	----	----	0.044B/0.056A	----	0.045 - 0.008	.0113	----	----	----	----	56 UNCH
9125	----	----	----	0.044B/0.055A	----	0.045 - 0.007	.0112	----	----	----	----	17 UNCH
9150	----	----	0.062B/----	0.062B/0.055A	----	0.044 - 0.008	.0110	----	----	----	----	21 UNCH
9175	----	----	----	0.042B/0.057A	----	0.044 - 0.007	.0109	----	----	----	----	14 UNCH
9200	----	----	----	0.041B/0.056A	----	0.043 - 0.008	.0106	----	----	2	----	70 - 2
9225	----	----	----	0.041B/0.055A	----	0.043 - 0.007	.0106	----	----	----	----	11 UNCH
9250	----	----	----	0.040B/0.055A	----	0.043 - 0.006	.0105	----	----	----	----	30 UNCH
9275	----	----	----	0.040B/0.055A	----	0.042 - 0.007	.0102	----	----	----	----	4 UNCH
9300	----	----	0.056B/----	0.056B/0.054A	----	0.042 - 0.006	.0102	----	----	----	----	538 UNCH
9325	----	----	0.055B/----	0.055B/0.054A	----	0.042 - 0.006	.0101	----	----	----	----	4 UNCH
9350	----	----	----	0.038B/0.053A	----	0.042 - 0.005	.0101	----	----	----	----	22 UNCH
9375	----	----	0.054B/----	0.054B/0.053A	----	0.041 - 0.006	.0098	----	----	----	----	23 UNCH
9400	----	----	0.052B/----	0.052B/0.053A	----	0.041 - 0.005	.0097	----	----	----	----	33 UNCH
9425	0.043	0.043	0.043/0.037A	0.045B/0.037A	----	0.041 - 0.005	.0097	----	----	1	----	9 + 1
9450	----	----	----	0.036B/0.052A	----	0.041 - 0.004	.0096	----	----	----	----	84 UNCH
9475	----	----	----	0.036B/0.052A	----	0.041 - 0.004	.0096	----	----	----	----	6 UNCH
9500	0.045	0.045	0.049B/*0.024	0.049B/*0.024	----	0.040 - 0.004	.0093	----	----	14	----	852 - 2
9525	----	----	----	0.035B/0.052A	----	0.040 - 0.004	.0093	----	----	----	----	24 UNCH
9550	----	----	0.049B/----	0.049B/0.053A	----	0.040 - 0.003	.0092	----	----	----	----	7 UNCH
9575	----	----	----	0.034B/0.052A	----	0.040 - 0.003	.0092	----	----	----	----	1 UNCH
9600	----	----	0.049B/----	0.049B/0.052A	----	0.040 - 0.003	.0091	----	----	----	----	161 UNCH
9625	----	----	----	0.034B/0.050A	----	0.040 - 0.002	.0091	----	----	----	----	7 UNCH
9650	----	----	0.047B/----	0.047B/0.052A	----	0.040 - 0.002	.0090	----	----	----	----	4 UNCH
9675	----	----	----	0.033B/0.051A	----	0.039 - 0.002	.0088	----	----	----	----	8 UNCH
9700	----	----	----	0.032B/0.048A	----	0.039 - 0.002	.0088	----	----	----	----	142 UNCH
9725	----	----	----	0.032B/0.047A	----	0.039 - 0.001	.0087	----	----	----	----	3 UNCH
9750	----	----	----/0.034A	0.033B/0.034A	----	0.039 - 0.001	.0087	----	----	----	----	109 UNCH
9775	----	----	----	0.031B/0.046A	----	0.039 - 0.001	.0086	----	----	----	----	31 UNCH
9800	----	----	----/0.032A	0.031B/0.032A	----	0.039 UNCH	.0086	----	----	----	----	264 UNCH
9825	----	----	----	0.030B/0.049A	----	0.038 - 0.001	.0084	----	----	----	----	5 UNCH
9850	----	----	----	0.027B/0.051A	----	0.038 UNCH	.0083	----	----	----	----	38 UNCH
9875	----	----	----	0.027B/0.052A	----	0.038 UNCH	.0083	----	----	----	----	1 UNCH
9900	----	----	----/0.031A	0.027B/0.031A	----	0.038 UNCH	.0082	----	----	----	----	33 UNCH
9925	----	----	----	0.026B/0.051A	----	0.038 + 0.001	.0082	----	----	----	----	15 UNCH
9950	0.032	0.032	0.032/0.030A	0.032/0.030A	----	0.038 + 0.001	.0082	----	----	1	----	9 UNCH
9975	----	----	----	0.026B/0.051A	----	0.037 + 0.001	.0079	----	----	----	----	4 UNCH
10000	----	----	0.038B/----	0.038B/0.043A	----	0.037 + 0.001	.0079	----	----	----	----	2097 UNCH
10025	----	----	----	0.025B/0.050A	----	0.037 + 0.001	.0079	----	----	----	----	2 UNCH
10050	----	----	----	0.025B/0.050A	----	0.037 + 0.002	.0078	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 47

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
10075	0.029	0.029	0.029/0.029	0.029/0.029	----	0.037 + 0.002	.0078	----	----	2	----	21 UNCH
10100	----	----	----/0.030A	0.024B/0.030A	----	0.036 + 0.001	.0076	----	----	----	----	628 UNCH
10125	----	----	----	0.024B/0.049A	----	0.036 + 0.002	.0075	----	----	----	----	3 UNCH
10150	----	----	----	0.024B/0.048A	----	0.036 + 0.002	.0075	----	----	----	----	30 UNCH
10175	----	----	----	0.023B/0.048A	----	0.036 + 0.002	.0075	----	----	----	----	1 UNCH
10200	----	----	----	0.023B/0.048A	----	0.035 + 0.002	.0073	----	----	----	----	122 UNCH
10250	----	----	----	0.022B/0.052A	----	0.035 + 0.002	.0072	----	----	----	----	21 UNCH
10275	----	----	----	0.022B/0.053A	----	0.035 + 0.003	.0072	----	----	----	----	8 UNCH
10300	----	----	----	0.032B/0.052A	----	0.035 + 0.003	.0071	----	----	----	----	23 UNCH
10325	----	----	----	0.021B/0.053A	----	0.034 + 0.002	.0069	----	----	----	----	1 UNCH
10375	----	----	----	0.021B/0.052A	----	0.034 + 0.003	.0069	----	----	----	----	20 UNCH
10400	----	----	0.033B/----	0.033B/0.053A	----	0.034 + 0.003	.0069	----	----	----	----	15 UNCH
10425	----	----	----	0.020B/0.053A	----	0.033 + 0.003	.0067	----	----	----	----	2 UNCH
10450	----	----	----	0.006B/0.057A	----	0.033 + 0.003	.0066	----	----	----	----	26 UNCH
10475	----	----	----	0.006B/0.057A	----	0.033 + 0.003	.0066	----	----	----	----	26 UNCH
10500	----	----	----	0.005B/*0.037A	----	0.033 + 0.004	.0066	----	----	----	----	612 UNCH
10525	----	----	----	0.005B/0.056A	----	0.033 + 0.004	.0065	----	----	----	----	2 UNCH
10550	----	----	----	0.005B/0.055A	----	0.032 + 0.003	.0064	----	----	----	----	10 UNCH
10575	----	----	----	----/0.055A	----	0.032 + 0.003	.0063	----	----	----	----	1 UNCH
10600	----	----	----	----/0.054A	----	0.032 + 0.004	.0063	----	----	----	----	53 UNCH
10625	----	----	----	----/0.054A	----	0.032 + 0.004	.0063	----	----	----	----	2 UNCH
10650	----	----	----	----/0.053A	----	0.031 + 0.003	.0061	----	----	----	----	2 UNCH
10675	----	----	----	----/0.053A	----	0.031 + 0.003	.0061	----	----	----	----	10 UNCH
10700	----	----	----	----/0.052A	----	0.031 + 0.004	.0060	----	----	----	----	85 UNCH
10725	----	----	----	----/0.052A	----	0.031 + 0.004	.0060	----	----	----	----	4 UNCH
10750	----	----	----	----/0.052A	----	0.030 + 0.003	.0058	----	----	----	----	60 UNCH
10775	----	----	----	----/0.051A	----	0.030 + 0.003	.0058	----	----	----	----	9 UNCH
10800	----	----	----	----/0.051A	----	0.030 + 0.004	.0058	----	----	----	----	36 UNCH
10875	----	----	----	----/0.050A	----	0.029 + 0.003	.0056	----	----	----	----	15 UNCH
10900	----	----	----	----/0.049A	----	0.029 + 0.004	.0055	----	----	----	----	6 UNCH
10925	----	----	----	----/0.049A	----	0.029 + 0.004	.0055	----	----	----	----	1 UNCH
10950	----	----	----	----/0.049A	----	0.029 + 0.004	.0055	----	----	----	----	2 UNCH
10975	----	----	----	----/0.048A	----	0.028 + 0.003	.0053	----	----	----	----	1 UNCH
11000	0.025	0.025	0.025/*0.025	0.025/*0.025	----	0.028 + 0.004	.0053	----	----	1	----	1297 UNCH
11025	----	----	----	----/0.047A	----	0.028 + 0.004	.0053	----	----	----	----	13 UNCH
11050	----	----	----	----/0.047A	----	0.028 + 0.004	.0053	----	----	----	----	8 UNCH
11075	----	----	----	----/0.047A	----	0.028 + 0.004	.0052	----	----	----	----	2 UNCH
11100	----	----	----	----/0.047A	----	0.027 + 0.003	.0051	----	----	----	----	15 UNCH
11125	----	----	----	----/0.046A	----	0.027 + 0.004	.0050	----	----	----	----	7 UNCH
11150	----	----	----	----/0.046A	----	0.027 + 0.004	.0050	----	----	----	----	2 UNCH
11175	----	----	----	----/0.046A	----	0.027 + 0.004	.0050	----	----	----	----	2 UNCH
11200	----	----	----	----/0.045A	----	0.027 + 0.004	.0050	----	----	----	----	15 UNCH
11225	----	----	----	----/0.045A	----	0.026 + 0.003	.0048	----	----	----	----	8 UNCH
11250	----	----	----	----/0.045A	----	0.026 + 0.004	.0048	----	----	----	----	12 UNCH
11275	----	----	----	----/0.045A	----	0.026 + 0.004	.0048	----	----	----	----	2 UNCH
11300	----	----	----	----/0.044A	----	0.026 + 0.004	.0048	----	----	----	----	52 UNCH
11325	----	----	----	----/0.044A	----	0.026 + 0.004	.0047	----	----	----	----	2 UNCH
11350	----	----	----	----/0.040A	----	0.025 + 0.003	.0046	----	----	----	----	2 UNCH
11400	----	----	----	----/0.044A	----	0.025 + 0.004	.0045	----	----	----	----	21 UNCH
11425	----	----	----	----/0.043A	----	0.025 + 0.004	.0045	----	----	----	----	10 UNCH
11450	----	----	----	----/0.040A	----	0.025 + 0.004	.0045	----	----	----	----	4 UNCH
11500	----	----	----	0.011B/*0.027A	----	0.024 + 0.003	.0043	----	----	----	----	1228 UNCH
11550	----	----	----	----/0.042A	----	0.024 + 0.004	.0043	----	----	----	----	6 UNCH
11575	----	----	----	----/0.042A	----	0.024 + 0.004	.0043	----	----	----	----	11 UNCH
11600	----	----	----	----/0.042A	----	0.024 + 0.004	.0043	----	----	----	----	10 UNCH
11625	----	----	----	----/0.041A	----	0.023 + 0.003	.0041	----	----	----	----	3 UNCH
11650	----	----	----	----/0.041A	----	0.023 + 0.003	.0041	----	----	----	----	25 UNCH
11675	----	----	----	----/0.041A	----	0.023 + 0.003	.0041	----	----	----	----	23 UNCH
11700	----	----	----	----/0.041A	----	0.023 + 0.004	.0041	----	----	----	----	23 UNCH
11725	----	----	----	----/0.041A	----	0.023 + 0.004	.0041	----	----	----	----	22 UNCH
11750	----	----	----	----/0.041A	----	0.023 + 0.004	.0040	----	----	----	----	23 UNCH
11775	----	----	----	----/0.040A	----	0.022 + 0.003	.0039	----	----	----	----	23 UNCH
11800	----	----	----	----/0.040A	----	0.022 + 0.003	.0039	----	----	----	----	3 UNCH
11875	----	----	----	----/0.040A	----	0.022 + 0.004	.0038	----	----	----	----	2 UNCH
11900	----	----	----	----/0.042A	----	0.022 + 0.004	.0038	----	----	----	----	2 UNCH
11925	----	----	----	----/0.041A	----	0.022 + 0.004	.0038	----	----	----	----	2 UNCH
11950	----	----	----	----/0.040A	----	0.021 + 0.003	.0036	----	----	----	----	1 UNCH
12000	----	----	----	0.010B/0.025A	----	0.021 + 0.003	.0036	----	----	----	----	544 UNCH
12150	----	----	----	----/0.069A	----	0.020 + 0.003	.0034	----	----	----	----	1 UNCH
12200	----	----	----	----/0.070A	----	0.019 + 0.003	.0032	----	----	----	----	14 UNCH
12225	----	----	----	----/0.140A	----	0.019 + 0.003	.0032	----	----	----	----	16 UNCH
12250	----	----	----	----/0.141A	----	0.019 + 0.003	.0032	----	----	----	----	8 UNCH
12275	----	----	----	----/0.142A	----	0.019 + 0.003	.0032	----	----	----	----	1 UNCH
12300	----	----	----	----/0.142A	----	0.018 + 0.002	.0031	----	----	----	----	13 UNCH
12325	----	----	----	----/0.143A	----	0.018 + 0.003	.0030	----	----	----	----	1 UNCH
12375	----	----	----	----/0.144A	----	0.018 + 0.003	.0030	----	----	----	----	2 UNCH
12425	----	----	----	----/0.145A	----	0.017 + 0.002	.0029	----	----	----	----	3 UNCH
12450	----	----	----	----/0.146A	----	0.017 + 0.002	.0029	----	----	----	----	1 UNCH
12475	----	----	----	----/0.146A	----	0.017 + 0.002	.0028	----	----	----	----	3 UNCH
12500	----	----	----	0.006B/*0.020A	----	0.017 + 0.003	.0028	----	----	----	----	100 UNCH
12575	----	----	----	----/0.149A	----	0.016 + 0.002	.0027	----	----	----	----	2 UNCH
12600	----	----	----	----/0.149A	----	0.016 + 0.002	.0027	----	----	----	----	6 UNCH
12700	----	----	----	----/0.156A	----	0.015 + 0.002	.0025	----	----	----	----	74 UNCH
12725	----	----	----	----/0.154A	----	0.015 + 0.002	.0025	----	----	----	----	2 UNCH
12800	----	----	----	----/0.154A	----	0.015 + 0.002	.0025	----	----	----	----	1 UNCH
13000	----	----	----	----/0.046A	----	0.014 + 0.002	.0023	----	----	----	----	2659 UNCH
14000	----	----	----	0.001B/0.014A	----	0.009 + 0.001	.0014	----	----	----	----	856 UNCH
14700	----	----	----	----/0.186A	----	0.007 + 0.001	.0010	----	----	----	----	11 UNCH
15000	----	----	----	----/0.012A	----	0.006 + 0.001	.0009	----	----	----	----	817 UNCH
16000	----	----	----	----/0.010A	----	0.004 UNCH	.0005	----	----	----	----	3800 UNCH
17000	----	----	----	----/0.208A	----	0.003 + 0.001	.0004	----	----	----	----	22 UNCH
18000	----	----	----	----/0.218A	----	0.002 UNCH	.0002	----	----	----	----	259 UNCH
19000	----	----	----	----/0.224A	----	0.001 UNCH	.0001	----	----	----	----	79 UNCH
20000	----	----	----	----/0.007A	----	0.001 UNCH	.0000	----	----	----	----	1220 UNCH
21000	----	----	----	----/0.217A	----	0.001 UNCH	.0000	----	----	----	----	427 UNCH
24000	----	----	----	----/0.229A	----	0.001 UNCH	----	----	----	----	----	132 UNCH
25000	----	----	----	----/0.234A	----	0.001 UNCH	----	----	----	----	----	407 UNCH
27000	----	----	----	----/0.235A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
30000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	54 UNCH
32000	----	----	----	----/0.238A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
35000	----	----	----	----/*0.001A	----	0.001 UNCH	----	----	----	----	----	108 UNCH
TOTAL										1572	0	35329 + 191
AUG26												
4000	----	----	----/*25.051A	21.965B/*25.051A	----	25.269 NEW	.9819	----	----	2	----	2 + 2
5000	----	----	16.584B/14.607A	16.584B/14.607A	----	15.655 - 0.482	.9240	----	----	----	----	8 UNCH
5400	----	----	12.938B/11.155A	12.938B/11.155A	----	12.088 - 0.434	.8656	----	----	----	----	3 UNCH
5500	----	----	12.070B/10.342A	12.070B/10.342A	----	11.244 - 0.418	.8459	----	----	----	----	2 UNCH
6000	7.700	7.700	8.100B/6.695A	8.100B/6.695A	----	7.448 - 0.308	.7140	----	----	1	----	10 + 1
6200	----	----	6.742B/5.482A	6.742B/5.482A	----	6.174 - 0.257	.6477	----	----	----	----	1 UNCH
6300	5.067	5.067	6.172B/4.844A	6.172B/4.844A	----	5.597 - 0.231	.6128	----	----	5	----	12 + 4
6325	----	----	6.022B/4.717A	6.022B/4.717A	----	5.459 - 0.225	.6039	----	----	----	----	1 UNCH
6400	4.453	4.453	5.590B/4.344A	5.590B/4.344A	----	5.060 - 0.207	.5771	----	----	1	----	4 + 1
6425	4.932	4.932	5.452B/4.232A	5.452B/4.232A	----	4.933 NEW	.5682	----	----	1	----	1 + 1
6450	----	----	5.316B/4.115A	5.316B/4.115A	----	4.807 - 0.195	.5592	----	----	----	----	1 UNCH
6500	3.980	3.980	5.055B/3.888A	5.055B/3.888A	----	4.565 - 0.183	.5412	----	----	17	----	16 + 12
6525	4.444	4.444	4.923B/3.785A	4.923B/3.785A	----	4.448 NEW	.5323	----	----	2	----	2 + 2
6550	----	----	4.801B/*3.682A	4.801B/*3.682A	----	4.333 - 0.171	.5233	----	----	----	----	2 UNCH
6600	----	----	4.557B/*3.481A	4.557B/*3.481A	----	4.111 - 0.159	.5055	----	----	2	----	10 UNCH
6650	----	----	4.324B/*3.286A	4.324B/*3.286A	----	3.898 - 0.149	.4879	----	----	----	----	1 UNCH
6675	----	----	4.211B/*3.193A	4.211B/*3.193A	----	3.796 - 0.143	.4791	----	----	----	----	1 UNCH
6700	3.900	3.900	4.102B/*3.103A	4.102B/*3.103A	----	3.696 - 0.138	.4704	----	----	2	30	41 + 31
6725	3.325	3.325	3.995B/*3.025A	3.995B/*3.025A	----	3.599 - 0.132	.4618	----	----	2	----	2 + 1
6750	3.234	3.234	3.889B/*2.936A	3.889B/*2.936A	----	3.503 - 0.128	.4532	----	----	5	----	6 + 5
6775	3.310	3.310	3.784B/*2.860A	3.784B/*2.860A	----	3.411 - 0.122	.4448	----	----	11	----	12 + 11
6800	2.927	2.927	3.685B/*2.768A	3.685B/*2.768A	----	3.320 - 0.117	.4364	----	----	4	----	11 + 3
6825	----	----	3.588B/*2.706A	3.588B/*2.706A	----	3.232 - 0.112	.4280	----	----	----	----	1 UNCH
6850	----	----	3.491B/*2.622A	3.491B/*2.622A	----	3.146 - 0.107	.4198	----	----	----	----	4 UNCH
6875	2.774	2.774	3.406B/*2.547A	3.406B/*2.547A	----	3.062 - 0.103	.4116	----	----	5	----	9 + 2
6900	2.968	2.968	3.310B/*2.482A	3.310B/*2.482A	----	2.981 - 0.098	.4036	----	----	4	----	7 + 1
6925	----	----	3.220B/*2.411A	3.220B/*2.411A	----	2.902 - 0.093	.3956	----	----	2	----	3 + 1
6950	----	----	3.135B/*2.341A	3.135B/*2.341A	----	2.825 - 0.089	.3878	----	----	----	----	5 UNCH
6975	----	----	3.052B/*2.276A	3.052B/*2.276A	----	2.750 - 0.084	.3800	----	----	----	----	1 UNCH
7000	2.752	2.752	2.975B/*2.212A	2.975B/*2.212A	----	2.677 - 0.080	.3724	----	----	14	----	128 - 4
7025	----	----	2.893B/*2.157A	2.893B/*2.157A	----	2.606 - 0.076	.3648	----	----	1	----	5 UNCH
7050	----	----	2.816B/*2.090A	2.816B/*2.090A	----	2.536 - 0.073	.3574	----	----	----	----	6 UNCH
7100	----	----	2.670B/*1.977A	2.670B/*1.977A	----	2.404 - 0.065	.3429	----	----	----	----	6 UNCH
7125	2.074	2.074	2.598B/*1.928A	2.598B/*1.928A	----	2.341 - 0.061	.3358	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
7150	2.260	2.260	2.529B/*1.875A	2.529B/*1.875A	----	2.279 - 0.058	.3288	----	----	1	----	4 + 1
7200	2.200	2.200	2.393B/*1.770A	2.393B/*1.770A	----	2.161 - 0.051	.3153	----	----	24	----	69 + 3
7225	1.998	1.998	2.330B/*1.722A	2.330B/*1.722A	----	2.104 - 0.048	.3086	----	----	6	----	6 + 5
7250	----	----	2.276B/*1.676A	2.276B/*1.676A	----	2.049 - 0.045	.3021	----	----	----	----	4 UNCH
7275	1.968	1.968	2.233B/*1.630A	2.233B/*1.630A	----	1.996 NEW	.2958	----	----	2	----	2 + 2
7300	----	----	2.150B/*1.586A	2.150B/*1.586A	----	1.944 - 0.039	.2895	----	----	----	----	8 UNCH
7325	----	----	2.094B/*1.548A	2.094B/*1.548A	----	1.893 - 0.037	.2833	----	----	----	----	1 UNCH
7350	1.816	1.816	2.037B/*1.504A	2.037B/*1.504A	----	1.844 - 0.034	.2773	----	----	2	----	1 UNCH
7400	----	----	1.932B/*1.427A	1.932B/*1.427A	----	1.751 - 0.029	.2657	----	----	----	----	22 UNCH
7425	----	----	1.882B/*1.388A	1.882B/*1.388A	----	1.706 - 0.027	.2600	----	----	----	----	14 UNCH
7450	----	----	1.834B/*1.331A	1.834B/*1.331A	----	1.662 - 0.025	.2544	----	----	----	----	2 UNCH
7475	----	----	1.800B/*1.293A	1.800B/*1.293A	----	1.620 - 0.023	.2490	----	----	----	----	6 UNCH
7500	1.560	1.560	1.751B/*1.260A	1.751B/*1.260A	----	1.578 - 0.022	.2436	----	----	146	----	219 - 36
7525	1.485	1.485	1.703/*1.227A	1.703/*1.227A	----	1.538 - 0.020	.2383	----	----	2	----	13 UNCH
7550	1.301	1.301	1.662B/*1.218A	1.662B/*1.218A	----	1.499 - 0.018	.2332	----	----	3	----	16 - 1
7575	1.296	1.296	1.613B/*1.161A	1.613B/*1.161A	----	1.462 - 0.016	.2283	----	----	1	----	1 - 1
7600	1.485	1.485	1.569B/*1.131A	1.569B/*1.131A	----	1.425 - 0.015	.2233	----	----	6	----	178 - 1
7625	----	----	1.526B/*1.103A	1.526B/*1.103A	----	1.389 - 0.014	.2185	----	----	----	----	18 UNCH
7650	----	----	1.489B/*1.076A	1.489B/*1.076A	----	1.355 - 0.012	.2139	----	----	----	----	3 UNCH
7675	----	----	1.450B/*1.049A	1.450B/*1.049A	----	1.321 - 0.012	.2092	----	----	----	----	3 UNCH
7700	1.346	1.346	1.417B/*1.022A	1.417B/*1.022A	----	1.288 - 0.011	.2047	----	----	4	----	100 + 1
7725	----	----	1.376B/*0.996A	1.376B/*0.996A	----	1.256 - 0.010	.2003	----	----	----	----	7 UNCH
7750	1.049	1.049	1.348B/*0.971A	1.348B/*0.971A	----	1.226 - 0.009	.1961	----	----	1	----	527 + 1
7775	1.058	1.058	1.312B/*0.946A	1.312B/*0.946A	----	1.196 NEW	.1919	----	----	1	----	1 + 1
7800	1.115	1.115	1.282B/*0.923A	1.282B/*0.923A	----	1.167 - 0.007	.1878	----	----	18	----	294 + 4
7825	----	----	1.246B/*0.901A	1.246B/*0.901A	----	1.138 - 0.007	.1837	----	----	----	----	2 UNCH
7850	1.012	1.012	1.215B/*0.879A	1.215B/*0.879A	----	1.111 - 0.006	.1798	----	----	5	----	17 - 5
7875	----	----	1.184B/*0.858A	1.184B/*0.858A	----	1.084 - 0.006	.1760	----	----	----	----	1 UNCH
7900	1.086	1.086	1.159B/*0.838A	1.159B/*0.838A	----	1.059 - 0.004	.1723	----	----	4	----	68 + 2
7925	----	----	1.127B/*0.818A	1.127B/*0.818A	----	1.034 - 0.004	.1687	----	----	----	----	2 UNCH
7950	----	----	1.100B/*0.805A	1.100B/*0.805A	----	1.009 - 0.004	.1650	----	----	----	----	17 UNCH
7975	0.965	0.965	1.073B/*0.788A	1.073B/*0.788A	----	0.986 - 0.003	.1616	----	----	1	----	2 UNCH
8000	0.797	0.797	1.054B/*0.769A	1.054B/*0.769A	----	0.963 - 0.002	.1582	----	----	82	----	1195 - 33
8025	----	----	1.023B/*0.752A	1.023B/*0.752A	----	0.940 - 0.003	.1549	----	----	----	----	2 UNCH
8050	0.887	0.887	0.999B/*0.727A	0.999B/*0.727A	----	0.919 - 0.002	.1517	----	----	5	----	13 + 5
8075	----	----	0.974B/*0.718A	0.974B/*0.718A	----	0.898 - 0.001	.1485	----	----	----	----	5 UNCH
8100	0.770	0.770	0.955B/*0.702A	0.955B/*0.702A	----	0.877 - 0.001	.1454	----	----	13	----	48 + 6
8125	----	----	0.930B/*0.687A	0.930B/*0.687A	----	0.858 UNCH	.1425	----	----	----	----	12 UNCH
8150	0.797	0.797	0.910B/*0.672A	0.910B/*0.672A	----	0.838 - 0.001	.1395	----	----	3	----	62 UNCH
8175	----	----	0.890B/*0.658A	0.890B/*0.658A	----	0.820 UNCH	.1367	----	----	----	----	5 UNCH
8200	0.604	0.604	0.870B/*0.604	0.870B/*0.604	----	0.802 + 0.001	.1339	----	----	2	----	66 UNCH
8225	0.700	0.700	0.847B/*0.617A	0.847B/*0.617A	----	0.784 + 0.001	.1311	----	----	1	----	10 - 1
8250	----	----	0.827B/*0.618A	0.827B/*0.618A	----	0.767 + 0.001	.1285	----	----	----	----	271 UNCH
8275	0.696	0.696	0.809B/*0.605A	0.809B/*0.605A	----	0.750 + 0.001	.1259	----	----	1	----	2 + 1
8300	----	----	0.793B/*0.580A	0.793B/*0.580A	----	0.734 + 0.001	.1234	----	----	3	----	122 - 3
8325	----	----	0.773B/*0.568A	0.773B/*0.568A	----	0.719 + 0.002	.1210	----	----	----	----	3 UNCH
8350	0.671	0.671	0.756B/*0.567A	0.756B/*0.567A	----	0.703 + 0.002	.1185	----	----	1	----	29 UNCH
8375	----	----	0.739B/*0.556A	0.739B/*0.556A	----	0.689 + 0.003	.1162	----	----	----	----	1 UNCH
8400	----	----	0.723B/*0.545A	0.723B/*0.545A	----	0.674 + 0.003	.1139	----	----	3	----	74 - 3
8425	----	----	0.706B/*0.535A	0.706B/*0.535A	----	0.660 + 0.003	.1116	----	----	----	----	2 UNCH
8450	----	----	0.692B/*0.522A	0.692B/*0.522A	----	0.647 + 0.004	.1095	----	----	5	----	18 - 5
8475	----	----	0.676B/*0.510A	0.676B/*0.510A	----	0.633 + 0.004	.1073	----	----	----	----	2 UNCH
8500	0.575	0.575	0.665B/*0.495A	0.665B/*0.495A	----	0.621 + 0.005	.1053	----	----	11	----	425 + 10
8550	----	----	0.634B/*0.482A	0.634B/*0.482A	----	0.596 + 0.006	.1013	----	----	5	----	19 - 5
8575	----	----	0.620B/*0.467A	0.620B/*0.467A	----	0.584 + 0.006	.0994	----	----	----	----	51 UNCH
8600	----	----	0.609B/*0.466A	0.609B/*0.466A	----	0.573 + 0.007	.0975	----	----	12	----	204 - 6
8625	----	----	0.594B/*0.451A	0.594B/*0.451A	----	0.562 + 0.008	.0957	----	----	----	----	2 UNCH
8650	----	----	0.583B/*0.442A	0.583B/*0.442A	----	0.552 + 0.009	.0941	----	----	----	----	4 UNCH
8675	----	----	0.573B/*0.440A	0.573B/*0.440A	----	0.541 + 0.010	.0923	----	----	----	----	41 UNCH
8700	----	----	0.560B/*0.426A	0.560B/*0.426A	----	0.528 + 0.008	.0903	----	----	11	84	134 + 86
8725	----	----	0.549B/*0.426A	0.549B/*0.426A	----	0.521 + 0.011	.0889	----	----	----	----	1 UNCH
8750	----	----	0.538B/*0.418A	0.538B/*0.418A	----	0.514 + 0.015	.0876	----	----	17	----	44 - 1
8775	----	----	0.527B/*0.410A	0.527B/*0.410A	----	0.506 + 0.017	.0862	----	----	----	----	73 UNCH
8800	----	----	0.515B/*0.404A	0.515B/*0.404A	----	0.497 + 0.018	.0847	----	----	----	----	23 UNCH
8825	----	----	0.505B/*0.400A	0.505B/*0.400A	----	0.488 + 0.019	.0832	----	----	----	----	11 UNCH
8850	----	----	0.496B/*0.387A	0.496B/*0.387A	----	0.478 + 0.018	.0816	----	----	17	----	9 - 1
8875	----	----	0.488B/*0.382A	0.488B/*0.382A	----	0.470 + 0.019	.0802	----	----	----	----	2 UNCH
8900	----	----	0.476B/*0.379A	0.476B/*0.379A	----	0.461 + 0.019	.0788	----	----	14	----	20 UNCH
8925	----	----	0.467B/*0.373A	0.467B/*0.373A	----	0.453 + 0.020	.0774	----	----	----	----	3 UNCH
8950	----	----	0.456B/*0.400A	0.456B/*0.400A	----	0.445 + 0.020	.0761	----	----	----	----	8 UNCH
8975	----	----	0.451B/*0.394A	0.451B/*0.394A	----	0.438 + 0.022	.0748	----	----	----	----	3 UNCH
9000	0.345	0.345	0.450/*0.345	0.450/*0.345	----	0.431 + 0.023	.0736	----	----	29	----	1172 - 5
9025	----	----	0.433B/*0.382A	0.433B/*0.382A	----	0.424 + 0.023	.0724	----	----	----	----	4 UNCH
9050	----	----	0.425B/*0.376A	0.425B/*0.376A	----	0.417 + 0.024	.0712	----	----	5	----	9 - 5
9075	----	----	0.419B/*0.371A	0.419B/*0.371A	----	0.411 + 0.025	.0702	----	----	----	----	2 UNCH
9100	----	----	0.410B/*0.329A	0.410B/*0.329A	----	0.405 + 0.026	.0691	----	----	----	----	31 UNCH
9150	----	----	0.395B/*0.355A	0.395B/*0.355A	----	0.392 + 0.027	.0669	----	----	5	----	6 - 5
9175	----	----	0.389B/*0.351A	0.389B/*0.351A	----	0.386 + 0.027	.0658	----	----	----	----	2 UNCH
9200	----	----	0.382B/*0.346A	0.382B/*0.346A	----	0.379 + 0.026	.0647	----	----	15	----	43 + 2
9225	----	----	0.374B/*0.342A	0.374B/*0.342A	----	0.372 + 0.025	.0635	----	----	----	----	1 UNCH
9250	----	----	0.368B/*0.337A	0.368B/*0.337A	----	0.365 + 0.024	.0624	----	----	----	----	174 UNCH
9275	----	----	0.363B/*0.333A	0.363B/*0.333A	----	0.358 + 0.023	.0612	----	----	----	----	2 UNCH
9300	----	----	0.355B/*0.329A	0.355B/*0.329A	----	0.352 + 0.022	.0602	----	----	15	----	18 + 4
9325	----	----	0.349B/----	0.349B/*0.325A	----	0.346 + 0.021	.0592	----	----	----	----	1 UNCH
9350	----	----	0.342B/----	0.342B/*0.320A	----	0.340 + 0.020	.0582	----	----	----	----	1 UNCH
9400	----	----	0.332B/----	0.332B/*0.311A	----	0.330 + 0.020	.0564	----	----	----	----	133 UNCH
9450	----	----	0.321B/----	0.321B/*0.302A	----	0.319 + 0.018	.0546	----	----	----	----	8 UNCH
9475	----	----	0.316B/----	0.316B/*0.298A	----	0.315 + 0.018	.0538	----	----	----	----	29 UNCH
9500	----	----	0.311B/----	0.311B/*0.294A	----	0.310 + 0.017	.0530	----	----	8	----	363 + 8
9550	----	----	0.301B/----	0.301B/*0.286A	----	0.301 + 0.016	.0514	----	----	----	----	18 UNCH
9575	----	----	0.296B/----	0.296B/*0.282A	----	0.297 + 0.016	.0507	----	----	----	----	2 UNCH
9600	0.316	0.316	0.316/0.316	0.316/*0.278A	----	0.293 + 0.015	.0500	----	----	1	----	3 UNCH
9625	----	----	0.287B/----	0.287B/*0.275A	----	0.289 + 0.015	.0493	----	----	----	----	27 UNCH
9700	----	----	0.274B/----	0.274B/*0.264A	----	0.278 + 0.014	.0473	----	----	----	----	101 UNCH
9725	----	----	0.270B/----	0.270B/*0.261A	----	0.274 + 0.013	.0466	----	----	----	----	1 UNCH
9750	----	----	0.266B/*0.257A	0.266B/*0.257A	----	0.270 + 0.012	.0459	----	----	----	----	19 UNCH
9775	----	----	0.262B/*0.254A	0.262B/*0.254A	----	0.267 + 0.012	.0453	----	----	----	----	1 UNCH
9800	----	----	0.258B/*0.251A	0.258B/*0.251A	----	0.263 + 0.011	.0446	----	----	----	----	26 UNCH
9850	----	----	0.248B/*0.245A	0.248B/*0.245A	----	0.257 + 0.011	.0435	----	----	----	----	16 UNCH
9875	----	----	0.247B/*0.242A	0.247B/*0.242A	----	0.253 + 0.009	.0429	----	----	----	----	5 UNCH
9900	----	----	----/*0.239A	0.241B/*0.239A	----	0.250 + 0.009	.0423	----	----	----	----	9 UNCH
9925	----	----	----/*0.236A	0.237B/*0.236A	----	0.247 + 0.009	.0418	----	----	----	----	5 UNCH
9950	----	----	----/*0.205A	0.234B/*0.205A	----	0.243 + 0.007	.0411	----	----	----	----	3 UNCH
9975	----	----	0.234B/*0.231A	0.234B/*0.231A	----	0.240 + 0.007	.0406	----	----	----	----	10 UNCH
10000	0.217	0.217	0.230B/*0.203A	0.230B/*0.203A	----	0.237 + 0.006	.0400	----	----	16	----	504 - 11
10025	----	----	----/*0.199A	0.224B/*0.199A	----	0.234 + 0.006	.0395	----	----	----	----	2 UNCH
10075	----	----	----/*0.220A	0.218B/*0.220A	----	0.228 + 0.004	.0385	----	----	----	----	15 UNCH
10100	----	----	----/*0.218A	0.215B/*0.218A	----	0.225 + 0.004	.0379	----	----	----	----	2 UNCH
10125	----	----	----/*0.216A	0.212B/*0.216A	----	0.222 + 0.003	.0374	----	----	----	----	1 UNCH
10150	----	----	----	0.212B/*0.216A	----	0.220 + 0.004	.0370	----	----	----	----	9 UNCH
10175	----	----	----/*0.189A	0.206B/*0.189A	----	0.217 + 0.003	.0365	----	----	----	----	4 UNCH
10200	----	----	----/*0.209A	0.203B/*0.209A	----	0.214 + 0.002	.0360	----	----	----	----	34 UNCH
10225	----	----	----	0.201B/*0.209A	----	0.212 + 0.003	.0356	----	----	----	----	1 UNCH
10250	----	----	----	0.198B/*0.207A	----	0.209 + 0.002	.0351	----	----	----	----	2 UNCH
10275	----	----	----/*0.202A	0.196B/*0.202A	----	0.207 + 0.002	.0347	----	----	----	----	21 UNCH
10300	----	----	----/*0.200A	0.193B/*0.200A	----	0.204 + 0.002	.0342	----	----	----	----	33 UNCH
10325	----	----	----/*0.198A	0.191B/*0.198A	----	0.202 + 0.002	.0338	----	----	----	----	11 UNCH
10350	----	----	----/*0.196A	0.188B/*0.196A	----	0.200 + 0.002	.0335	----	----	----	----	6 UNCH
10375	----	----	----/*0.194A	0.186B/*0.194A	----	0.198 + 0.003	.0331	----	----	----	----	1 UNCH
10400	----	----	----/*0.192A	0.187B/*0.192A	----	0.195 + 0.002	.0326	----	----	----	----	25 UNCH
10475	----	----	----	0.177B/*0.189A	----	0.189 + 0.002	.0315	----	----	----	----	6 UNCH
10500	----	----	----	0.174B/*0.187A	----	0.187 + 0.003	.0312	----	----	----	----	175 UNCH
10600	----	----	----	0.170B/*0.180A	----	0.179 + 0.003	.0297	----	----	----	----	5 UNCH
10650	----	----	----	0.162B/*0.177A	----	0.176 + 0.004	.0292	----	----	----	----	1 UNCH
10675	----	----	----	0.161B/*0.175A	----	0.174 + 0.004	.0288	----	----	----	----	4 UNCH
10700	----	----	----	0.159B/*0.172A	----	0.172 + 0.004	.0285	----	----	----	----	3 UNCH
10725	----	----	----	0.156B/*0.172A	----	0.170 + 0.004	.0281	----	----	----	----	1 UNCH
10775	----	----	----	0.153B/*0.169A	----	0.167 + 0.005	.0276	----	----	----	----	3 UNCH
10800	----	----	----	0.151B/*0.167A	----	0.165 + 0.005	.0272	----	----	----	----	5 UNCH
10825	----	----	----	0.149B/*0.166A	----	0.164 + 0.005	.0270	----	----	----	----	2 UNCH
10875	----	----	----	0.147B/*0.163A	----	0.160 + 0.005	.0263	----	----	----	----	5 UNCH
10900	----	----	----	0.146B/*0.162A	----	0.159 + 0.006	.0261	----	----	----	----	7 UNCH
10925	----	----	----	0.144B/*0.159A	----	0.157 + 0.005	.0258	----	----	----	----	4 UNCH
10950	----	----	----	0.142B/*0.157A	----	0.156 + 0.006	.0256	----	----	----	----	1 UNCH
10975	----	----	----	0.140B/*0.157A	----	0.154 + 0.006	.0252	----	----	----	----	10 UNCH
11000	----	----	----	0.139B/*0.156A	----	0.153 + 0.006	.0250	----	----	10	----	574 UNCH
11075	----	----	----	0.133B/*0.151A	----	0.148 + 0.006	.0242	----	----	----	----	3 UNCH
11100	----	----	----	0.131B/*0.150A	----	0.147 + 0.007	.0240	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
11150	----	----	----	0.129B/*0.148A	----	0.144 + 0.007	.0235	----	----	----	----	9 UNCH
11200	----	----	----	0.127B/*0.146A	----	0.141 + 0.006	.0230	----	----	----	----	2 UNCH
11225	----	----	----	0.126B/*0.145A	----	0.140 + 0.007	.0228	----	----	----	----	1 UNCH
11250	----	----	----	0.123B/*0.144A	----	0.139 + 0.007	.0226	----	----	----	----	3 UNCH
11275	----	----	----	0.122B/*0.142A	----	0.137 + 0.007	.0223	----	----	----	----	7 UNCH
11300	----	----	----	0.122B/*0.141A	----	0.136 + 0.007	.0221	----	----	----	----	1 UNCH
11325	----	----	----	0.118B/*0.141A	----	0.135 + 0.007	.0219	----	----	----	----	6 UNCH
11350	----	----	----	0.118B/*0.139A	----	0.134 + 0.007	.0217	----	----	----	----	1 UNCH
11400	----	----	----	0.116B/*0.138A	----	0.131 + 0.007	.0212	----	----	----	----	2 UNCH
11475	----	----	----	0.112B/*0.135A	----	0.128 + 0.007	.0206	----	----	----	----	2 UNCH
11500	----	----	----	0.111B/*0.134A	----	0.127 + 0.007	.0205	----	----	----	----	130 UNCH
11575	----	----	----	0.106B/*0.130A	----	0.123 + 0.006	.0198	----	----	----	----	1 UNCH
11650	----	----	----	0.103B/*0.128A	----	0.120 + 0.006	.0192	----	----	----	----	2 UNCH
11700	----	----	----	0.103B/*0.126A	----	0.118 + 0.006	.0189	----	----	----	----	2 UNCH
11850	----	----	----	0.095B/*0.121A	----	0.112 + 0.004	.0179	----	----	----	----	1 UNCH
12000	0.100	0.100	0.104/*0.100	0.104/*0.100	----	0.107 + 0.002	.0170	----	----	2	----	44 + 1
12025	----	----	----	0.090B/*0.116A	----	0.106 + 0.002	.0168	----	----	----	----	52 UNCH
12050	----	----	----	0.092B/*0.114A	----	0.105 + 0.001	.0166	----	----	----	----	208 UNCH
12100	----	----	----	0.087B/*0.113A	----	0.103 UNCH	.0163	----	----	----	----	3 UNCH
12300	----	----	----	0.080B/*0.108A	----	0.097 - 0.003	.0152	----	----	----	----	34 UNCH
12500	----	----	----	0.075B/*0.102A	----	0.091 - 0.007	.0142	----	----	----	----	148 UNCH
12550	----	----	----	0.074B/*0.101A	----	0.090 - 0.007	.0140	----	----	----	----	2 UNCH
12700	----	----	----	0.070B/*0.098A	----	0.086 - 0.010	.0133	----	----	----	----	1 UNCH
12725	----	----	----	0.070B/*0.097A	----	0.085 - 0.011	.0132	----	----	----	----	1 UNCH
12775	----	----	----	0.067B/*0.096A	----	0.084 - 0.012	.0130	----	----	----	----	13 UNCH
12800	----	----	----/*0.095A	0.067B/*0.095A	----	0.083 - 0.013	.0129	----	----	----	----	2 UNCH
13000	----	----	----/*0.091A	0.083B/*0.091A	----	0.079 - 0.016	.0122	----	----	----	----	3598 UNCH
14000	----	----	----	0.050B/*0.074A	----	0.061 - 0.013	.0091	----	----	----	----	22 UNCH
15000	----	----	----	0.035B/0.064A	----	0.049 - 0.010	.0071	----	----	----	----	116 UNCH
16000	----	----	----	0.030B/*0.055A	----	0.039 - 0.008	.0056	----	----	----	----	9 UNCH
17000	----	----	----	0.024B/*0.045A	----	0.032 - 0.007	.0045	----	----	----	----	2961 UNCH
18000	----	----	----	----/0.197A	----	0.027 - 0.006	.0037	----	----	----	----	8 UNCH
19000	----	----	----	----/0.193A	----	0.021 - 0.005	.0028	----	----	----	----	2 UNCH
20000	----	----	----	0.001B/*0.040A	----	0.016 - 0.004	.0022	----	----	----	----	245 UNCH
25000	----	----	----	0.001B/0.222A	----	0.004 - 0.002	.0005	----	----	----	----	21 UNCH
27000	----	----	----	----/0.240A	----	0.003 - 0.001	.0004	----	----	----	----	6 UNCH
30000	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.002 - 0.001	.0002	----	----	1	----	15 + 1
32000	----	----	----	----/0.268A	----	0.002 UNCH	.0002	----	----	----	----	3 UNCH
35000	----	----	----	----/0.007A	----	0.001 - 0.001	.0001	----	----	----	----	6 UNCH
TOTAL										622	114	16413 + 91
SEP26												
5025	----	----	16.557B/14.760A	16.557B/14.760A	----	15.716 - 0.447	.8952	----	----	----	----	1 UNCH
5050	----	----	16.333B/14.548A	16.333B/14.548A	----	15.498 - 0.444	.8917	----	----	----	----	1 UNCH
5100	----	----	15.888B/14.127A	15.888B/14.127A	----	15.066 - 0.433	.8845	----	----	----	----	1 UNCH
5900	----	----	9.518B/8.235A	9.518B/8.235A	----	8.925 - 0.288	.7177	----	----	----	----	2 UNCH
6000	----	----	8.846B/7.631A	8.846B/7.631A	----	8.290 - 0.268	.6908	----	----	----	----	7 UNCH
6175	----	----	7.759B/6.556A	7.759B/6.556A	----	7.261 - 0.238	.6417	----	----	----	----	1 UNCH
6250	----	----	7.388B/6.152A	7.388B/6.152A	----	6.852 - 0.225	.6201	----	----	----	----	1 UNCH
6275	----	----	7.248B/6.028A	7.248B/6.028A	----	6.720 - 0.221	.6129	----	----	----	----	1 UNCH
6450	----	----	6.329B/5.216A	6.329B/5.216A	----	5.858 NEW	.5624	----	----	5	----	5 + 5
6500	5.000	5.000	6.086B/4.996A	6.086B/4.996A	----	5.631 - 0.169	.5480	----	----	3	----	6 + 1
6600	----	----	5.622B/*4.602A	5.622B/*4.602A	----	5.201 - 0.143	.5196	----	----	----	----	1 UNCH
6700	4.730	4.730	5.200/*4.220	5.200/*4.220	----	4.803 - 0.116	.4917	----	----	8	----	2 + 1
6800	----	----	4.796B/*3.886A	4.796B/*3.886A	----	4.435 - 0.092	.4647	----	----	----	----	2 UNCH
6900	----	----	4.428B/*3.575A	4.428B/*3.575A	----	4.096 - 0.070	.4385	----	----	----	----	1 UNCH
6950	----	----	4.255B/*3.429A	4.255B/*3.429A	----	3.937 - 0.060	.4258	----	----	----	----	1 UNCH
6975	4.244	4.244	4.244/*3.359A	4.244/*3.359A	----	3.859 NEW	.4195	----	----	1	----	1 + 1
7000	3.600	3.600	4.089B/3.290A	4.089B/3.290A	----	3.784 - 0.052	.4133	----	----	2	----	271 + 2
7100	----	----	3.774B/*3.030A	3.774B/*3.030A	----	3.497 - 0.037	.3892	----	----	----	----	2 UNCH
7125	----	----	3.702B/*2.963A	3.702B/*2.963A	----	3.428 - 0.035	.3833	----	----	----	----	75 UNCH
7150	3.692	3.692	3.692/*2.903A	3.692/*2.903A	----	3.362 NEW	.3776	----	----	3	----	3 + 3
7200	2.800	2.800	3.491B/*2.787A	3.491B/*2.787A	----	3.233 - 0.027	.3662	----	----	1	----	5 UNCH
7300	----	----	3.228B/*2.571A	3.228B/*2.571A	----	2.991 - 0.019	.3444	----	----	5	----	147 UNCH
7350	3.095	3.095	3.105B/*2.471A	3.105B/*2.471A	----	2.878 NEW	.3339	----	----	1	----	1 + 1
7400	----	----	2.987B/*2.375A	2.987B/*2.375A	----	2.770 - 0.012	.3237	----	----	----	----	104 UNCH
7450	----	----	2.871B/*2.284A	2.871B/*2.284A	----	2.667 - 0.008	.3139	----	----	----	----	4 UNCH
7500	2.300	2.300	2.763B/*2.196A	2.763B/*2.196A	----	2.568 - 0.005	.3043	----	----	49	----	91 + 47
7525	----	----	2.711B/*2.162A	2.711B/*2.162A	----	2.520 - 0.004	.2996	----	----	----	----	0 UNCH
7550	2.500	2.500	2.660B/*2.113A	2.660B/*2.113A	----	2.473 - 0.003	.2950	----	----	1	----	7 + 1
7575	----	----	2.609B/*2.081A	2.609B/*2.081A	----	2.428 - 0.001	.2904	----	----	----	----	4 UNCH
7600	2.401	2.401	2.560B/*2.042A	2.560B/*2.042A	----	2.383 UNCH	.2860	----	----	1	----	1 + 1
7650	----	----	2.466B/*1.966A	2.466B/*1.966A	----	2.297 + 0.003	.2773	----	----	----	----	15 UNCH
7700	----	----	2.375B/*1.893A	2.375B/*1.893A	----	2.214 + 0.005	.2688	----	----	----	----	8 UNCH
7750	----	----	2.289B/*1.825A	2.289B/*1.825A	----	2.135 + 0.008	.2606	----	----	----	----	15 UNCH
7800	1.900	1.900	2.206B/*1.759A	2.206B/*1.759A	----	2.059 + 0.010	.2527	----	----	1	----	1 + 1
7900	----	----	2.051B/*1.636A	2.051B/*1.636A	----	1.918 + 0.015	.2376	----	----	----	----	12 UNCH
8000	1.600	1.600	1.909B/1.500	1.909B/1.500	----	1.789 + 0.019	.2236	----	----	15	----	324 + 9
8025	----	----	1.875B/*1.499A	1.875B/*1.499A	----	1.758 + 0.019	.2202	----	----	----	----	1 UNCH
8075	----	----	1.810B/*1.448A	1.810B/*1.448A	----	1.699 + 0.021	.2137	----	----	----	----	30 UNCH
8100	----	----	1.780B/*1.424A	1.780B/*1.424A	----	1.671 + 0.023	.2105	----	----	----	----	235 UNCH
8200	----	----	1.659B/*1.331A	1.659B/*1.331A	----	1.562 + 0.025	.1983	----	----	----	----	38 UNCH
8250	----	----	1.598B/*1.288A	1.598B/*1.288A	----	1.512 + 0.028	.1925	----	----	----	----	1 UNCH
8275	1.519	1.519	1.591/*1.267A	1.591/*1.267A	----	1.487 NEW	.1897	----	----	2	----	2 + 2
8300	----	----	1.544B/*1.247A	1.544B/*1.247A	----	1.463 + 0.029	.1869	----	----	----	----	2 UNCH
8400	----	----	1.445B/*1.170A	1.445B/*1.170A	----	1.372 + 0.031	.1763	----	----	----	----	10 UNCH
8475	1.403	1.403	1.403/*1.117A	1.403/*1.117A	----	1.309 NEW	.1689	----	----	1	----	1 + 1
8500	1.300	1.300	1.352B/*1.100A	1.352B/*1.100A	----	1.288 + 0.033	.1664	----	----	21	----	299 + 2
8600	----	----	1.268B/*1.036A	1.268B/*1.036A	----	1.211 + 0.035	.1572	----	----	----	----	76 UNCH
8675	----	----	1.209B/*0.991A	1.209B/*0.991A	----	1.157 + 0.036	.1507	----	----	----	----	5 UNCH
8700	----	----	1.190B/*0.977A	1.190B/*0.977A	----	1.140 + 0.036	.1487	----	----	----	----	104 UNCH
8800	----	----	1.119B/*0.923A	1.119B/*0.923A	----	1.075 + 0.038	.1407	----	----	----	----	12 UNCH
8900	----	----	1.053B/*0.874A	1.053B/*0.874A	----	1.015 + 0.039	.1333	----	----	----	----	4 UNCH
8925	----	----	1.038B/*0.862A	1.038B/*0.862A	----	1.001 + 0.039	.1315	----	----	----	----	2 UNCH
8950	----	----	1.022B/*0.851A	1.022B/*0.851A	----	0.987 + 0.039	.1298	----	----	----	----	2 UNCH
8975	0.845	0.845	1.007B/*0.839A	1.007B/*0.839A	----	0.973 + 0.039	.1281	----	----	2	----	2 UNCH
9000	0.800	0.800	0.992B/0.800	0.992B/0.800	----	0.960 + 0.039	.1264	----	----	36	----	279 + 13
9025	----	----	0.978B/*0.818A	0.978B/*0.818A	----	0.947 + 0.039	.1248	----	----	----	----	4 UNCH
9100	0.844	0.844	0.936B/*0.786A	0.936B/*0.786A	----	0.910 + 0.040	.1201	----	----	1	----	10 + 1
9125	0.817	0.817	0.923B/*0.776A	0.923B/*0.776A	----	0.898 NEW	.1185	----	----	1	----	1 + 1
9150	----	----	0.909B/*0.767A	0.909B/*0.767A	----	0.886 + 0.040	.1170	----	----	----	----	16 UNCH
9200	----	----	0.884B/*0.748A	0.884B/*0.748A	----	0.863 + 0.040	.1141	----	----	1	----	6 + 1
9300	----	----	0.839B/*0.713A	0.839B/*0.713A	----	0.818 + 0.039	.1084	----	----	3	----	33 + 3
9400	0.701	0.701	0.794B/*0.679A	0.794B/*0.679A	----	0.777 + 0.038	.1031	----	----	1	----	21 + 1
9500	----	----	0.768B/*0.654A	0.768B/*0.654A	----	0.739 + 0.037	.0982	----	----	13	----	416 - 9
9600	----	----	0.713B/*0.624A	0.713B/*0.624A	----	0.704 + 0.036	.0936	----	----	----	----	37 UNCH
9750	----	----	0.660B/*0.587A	0.660B/*0.587A	----	0.656 + 0.035	.0873	----	----	1	----	24 + 1
9800	----	----	0.643B/*0.574A	0.643B/*0.574A	----	0.640 + 0.035	.0853	----	----	----	----	97 UNCH
9900	----	----	0.612B/*0.548A	0.612B/*0.548A	----	0.611 + 0.035	.0814	----	----	----	----	85 UNCH
10000	0.560	0.560	0.583B/*0.529A	0.583B/0.529A	----	0.584 + 0.037	.0779	----	----	2	----	374 UNCH
10025	----	----	0.576B/0.525A	0.576B/0.525A	----	0.578 + 0.039	.0771	----	----	----	----	1 UNCH
10050	----	----	0.569B/*0.519A	0.569B/*0.519A	----	0.572 + 0.040	.0762	----	----	----	----	3 UNCH
10100	----	----	0.556B/*0.508A	0.556B/*0.508A	----	0.559 + 0.040	.0745	----	----	----	----	55 UNCH
10125	----	----	0.549B/*0.502A	0.549B/*0.502A	----	0.553 + 0.041	.0737	----	----	----	----	1 UNCH
10150	0.512	0.512	0.543B/*0.498A	0.543B/*0.498A	----	0.547 NEW	.0729	----	----	1	----	1 + 1
10200	----	----	0.531B/*0.490A	0.531B/*0.490A	----	0.536 + 0.042	.0714	----	----	----	----	54 UNCH
10300	----	----	0.507B/----	0.507B/*0.473A	----	0.514 + 0.042	.0685	----	----	----	----	52 UNCH
10475	0.447	0.447	0.469B/*0.447	0.469B/*0.445A	----	0.479 NEW	.0638	----	----	1	----	1 + 1
10500	----	----	0.464B/----	0.464B/*0.440A	----	0.474 + 0.038	.0631	----	----	----	----	234 UNCH
10800	----	----	0.404B/----	0.404B/*0.396A	----	0.422 + 0.028	.0561	----	----	----	----	2 UNCH
11000	----	----	0.372B/*0.370A	0.372B/*0.370A	----	0.392 + 0.021	.0520	----	----	6	----	251 + 6
11100	----	----	----/*0.358A	0.358B/*0.358A	----	0.378 + 0.019	.0501	----	----	----	----	3 UNCH
11300	----	----	----	0.332B/*0.337A	----	0.353 + 0.016	.0467	----	----	----	----	60 UNCH
11500	----	----	----	0.308B/*0.319A	----	0.331 + 0.015	.0436	----	----	----	----	110 UNCH
12000	----	----	----	0.259B/*0.278A	----	0.284 + 0.015	.0371	----	----	----	----	128 UNCH
12500	----	----	----	0.220B/*0.245A	----	0.246 + 0.012	.0319	----	----	----	----	96 UNCH
12700	----	----	----	0.208B/*0.236A	----	0.234 + 0.012	.0302	----	----	----	----	1 UNCH
12775	----	----	----	0.203B/*0.232A	----	0.229 + 0.011	.0296	----	----	----	----	2 UNCH
12800	----	----	----	0.202B/*0.230A	----	0.228 + 0.011	.0294	----	----	----	----	1 UNCH
13000	----	----	----	0.191B/0.219A	----	0.216 + 0.009	.0278	----	----	----	----	205 UNCH
14000	----	----	----	0.146B/*0.184A	----	0.173 + 0.005	.0218	----	----	----	----	231 UNCH
15000	0.133	0.133	0.146B/*0.133	0.146B/*0.133	----	0.144 + 0.004	.0178	----	----	4	----	353 - 1
16000	----	----	----	0.091B/*0.134A	----	0.122 + 0.003	.0148	----	----	----	----	17 UNCH
17000	----	----	----	0.073B/*0.120A	----	0.105 + 0.003	.0125	----	----	----	----	27 UNCH
18000	----	----	----	0.060B/*0.105A	----	0.091 + 0.003	.0107	----	----	----	----	5 UNCH
19000	----	----	----	0.047B/*0.094A	----	0.079 + 0.002	.0092	----	----	----	----	14 UNCH
20000	----	----	----	0.038B/*0.085A	----	0.069 + 0.002	.0079	----	----	----	----	311 UNCH
21000	----	----	----	0.030B/*0.079A	----	0.061 + 0.001	.0069	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
23000	----	----	----	0.020B/*0.067A	----	0.049 + 0.001	.0055	----	----	----	----	44 UNCH
25000	----	----	----	----/0.074A	----	0.040 + 0.001	.0044	----	----	----	----	77 UNCH
26000	----	----	----	----/0.267A	----	0.038 + 0.001	.0041	----	----	----	----	1 UNCH
30000	----	----	----	----/0.259A	----	0.022 UNCH	.0024	----	----	----	----	18 UNCH
35000	----	----	----	----/0.259A	----	0.008 UNCH	.0009	----	----	----	----	28 UNCH
TOTAL										193	0	5751 + 97
OCT26												
6850	----	----	5.738B/*4.979A	5.738B/*4.979A	----	5.438 - 0.085	.4874	----	----	----	----	20 UNCH
6925	----	----	5.368B/*4.872A	5.368B/*4.872A	----	5.185 - 0.076	.4705	----	----	----	----	1 UNCH
7000	4.999	4.999	5.201B/*4.517A	5.201B/*4.517A	----	4.945 - 0.079	.4540	----	----	15	----	17 + 14
7100	----	----	4.865B/*4.227A	4.865B/*4.227A	----	4.642 - 0.101	.4328	----	----	----	----	1 UNCH
7250	----	----	4.421B/*3.848A	4.421B/*3.848A	----	4.223 - 0.147	.4023	----	----	----	----	19 UNCH
7500	----	----	----/*3.299A	3.766B/*3.299A	----	3.612 - 0.187	.3555	----	----	----	----	2 UNCH
7650	----	----	----/*3.019A	3.431B/*3.019A	----	3.294 - 0.154	.3299	----	----	----	----	2 UNCH
7775	----	----	3.179B/*2.808A	3.179B/*2.808A	----	3.057 - 0.091	.3101	----	----	----	----	2 UNCH
7825	----	----	3.083B/*2.732A	3.083B/*2.732A	----	2.968 - 0.062	.3025	----	----	----	----	1 UNCH
7875	----	----	2.993B/*2.650A	2.993B/*2.650A	----	2.883 - 0.034	.2952	----	----	----	----	2 UNCH
8000	2.674	2.674	2.796B/*2.466A	2.796B/*2.466A	----	2.678 + 0.013	.2774	----	----	2	----	112 + 2
8075	----	----	2.658B/*2.366A	2.658B/*2.366A	----	2.561 + 0.022	.2672	----	----	----	----	1 UNCH
8275	----	----	2.369B/*2.124A	2.369B/*2.124A	----	2.279 + 0.008	.2419	----	----	----	----	2 UNCH
8400	----	----	2.222B/*1.987A	2.222B/*1.987A	----	2.133 + 0.002	.2280	----	----	----	----	1 UNCH
8425	----	----	2.176B/*1.965A	2.176B/*1.965A	----	2.108 + 0.004	.2255	----	----	----	----	1 UNCH
8450	----	----	2.158B/*1.935A	2.158B/*1.935A	----	2.083 + 0.006	.2230	----	----	----	----	20 UNCH
8500	----	----	2.103B/*1.889A	2.103B/*1.889A	----	2.036 + 0.013	.2182	----	----	----	----	12 UNCH
8550	----	----	2.040B/*1.839A	2.040B/*1.839A	----	1.992 + 0.021	.2137	----	----	----	----	1 UNCH
8700	----	----	1.888B/*1.707A	1.888B/*1.707A	----	1.866 + 0.046	.2007	----	----	----	----	4 UNCH
8750	----	----	1.837B/*1.666A	1.837B/*1.666A	----	1.824 + 0.052	.1964	----	----	----	----	1 UNCH
8900	----	----	1.701B/*1.546A	1.701B/*1.546A	----	1.686 + 0.048	.1831	----	----	----	----	9 UNCH
9000	----	----	1.617B/*1.476A	1.617B/*1.476A	----	1.585 + 0.029	.1738	----	----	1	----	40 + 1
9100	----	----	1.538B/*1.410A	1.538B/*1.410A	----	1.488 + 0.007	.1648	----	----	----	----	24 UNCH
9150	----	----	1.497B/*1.379A	1.497B/*1.379A	----	1.444 - 0.001	.1606	----	----	----	----	2 UNCH
9200	----	----	1.464B/*1.344A	1.464B/*1.344A	----	1.406 - 0.005	.1568	----	----	1	----	1 UNCH
9500	----	----	----/*1.175A	1.267B/*1.175A	----	1.219 - 0.059	.1374	----	----	----	----	129 UNCH
9600	----	----	----/*1.126A	1.210B/*1.126A	----	1.192 - 0.049	.1336	----	----	----	----	5 UNCH
9700	----	----	----/*1.081A	1.156B/*1.081A	----	1.150 - 0.027	.1288	----	----	----	----	70 UNCH
9875	----	----	1.068B/*1.007A	1.068B/*1.007A	----	1.060 + 0.013	.1195	----	----	----	----	1 UNCH
9900	----	----	1.056B/*0.993A	1.056B/*0.993A	----	1.047 + 0.017	.1182	----	----	----	----	1 UNCH
10000	----	----	1.012B/*0.959A	1.012B/*0.959A	----	1.000 + 0.034	.1133	----	----	----	----	96 UNCH
10100	----	----	0.968B/----	0.968B/*0.923A	----	0.957 + 0.046	.1087	----	----	----	----	1 UNCH
10275	----	----	0.898B/----	0.898B/*0.862A	----	0.890 + 0.058	.1014	----	----	----	----	1 UNCH
10300	----	----	0.888B/----	0.888B/*0.854A	----	0.881 + 0.059	.1004	----	----	----	----	7 UNCH
10325	----	----	0.879B/----	0.879B/*0.844A	----	0.873 + 0.060	.0995	----	----	----	----	1 UNCH
10350	----	----	0.869B/----	0.869B/*0.840A	----	0.864 + 0.060	.0986	----	----	----	----	2 UNCH
10375	----	----	0.860B/----	0.860B/*0.831A	----	0.856 + 0.061	.0977	----	----	----	----	3 UNCH
10400	----	----	0.853B/----	0.853B/*0.820A	----	0.848 + 0.061	.0968	----	----	----	----	5 UNCH
10425	----	----	0.843B/----	0.843B/*0.818A	----	0.840 + 0.061	.0959	----	----	----	----	4 UNCH
10450	----	----	0.836B/----	0.836B/*0.809A	----	0.832 + 0.061	.0950	----	----	----	----	4 UNCH
10475	----	----	0.826B/----	0.826B/*0.802A	----	0.825 + 0.061	.0942	----	----	----	----	5 UNCH
10500	----	----	0.817B/----	0.817B/*0.790A	----	0.817 + 0.061	.0933	----	----	----	----	4 UNCH
10525	----	----	0.808B/----	0.808B/*0.787A	----	0.810 + 0.061	.0925	----	----	----	----	3 UNCH
10550	----	----	0.801B/----	0.801B/*0.776A	----	0.803 + 0.060	.0917	----	----	----	----	4 UNCH
10575	----	----	0.791B/----	0.791B/*0.772A	----	0.796 + 0.060	.0909	----	----	----	----	4 UNCH
10600	----	----	0.785B/----	0.785B/*0.763A	----	0.789 + 0.059	.0901	----	----	----	----	5 UNCH
10625	----	----	0.776B/----	0.776B/*0.759A	----	0.783 + 0.060	.0894	----	----	----	----	5 UNCH
10650	----	----	0.769B/----	0.769B/*0.754A	----	0.776 + 0.059	.0886	----	----	----	----	5 UNCH
10675	----	----	0.760B/----	0.760B/*0.744A	----	0.769 + 0.057	.0878	----	----	----	----	4 UNCH
10700	0.800	0.800	0.800/0.800	0.800/*0.736A	----	0.763 + 0.057	.0871	----	----	1	----	4 + 1
10725	----	----	0.747B/----	0.747B/*0.731A	----	0.757 + 0.056	.0864	----	----	----	----	2 UNCH
10750	----	----	0.740B/----	0.740B/*0.724A	----	0.751 + 0.056	.0857	----	----	----	----	10 UNCH
10775	----	----	0.714B/----	0.714B/*0.721A	----	0.745 + 0.055	.0850	----	----	----	----	1 UNCH
10800	----	----	0.726B/----	0.726B/*0.712A	----	0.739 + 0.054	.0843	----	----	----	----	1 UNCH
10825	----	----	0.718B/----	0.718B/*0.706A	----	0.733 + 0.053	.0836	----	----	----	----	2 UNCH
10850	----	----	0.711B/----	0.711B/*0.701A	----	0.727 + 0.051	.0830	----	----	----	----	1 UNCH
10875	----	----	0.705B/----	0.705B/*0.696A	----	0.721 + 0.050	.0823	----	----	----	----	1 UNCH
10900	----	----	0.698B/----	0.698B/*0.688A	----	0.716 + 0.050	.0817	----	----	----	----	1 UNCH
10925	----	----	0.690B/----	0.690B/*0.683A	----	0.710 + 0.048	.0810	----	----	----	----	3 UNCH
10950	----	----	0.684B/----	0.684B/*0.676A	----	0.705 + 0.047	.0804	----	----	----	----	3 UNCH
10975	----	----	0.678B/----	0.678B/*0.673A	----	0.700 + 0.047	.0798	----	----	----	----	4 UNCH
11000	----	----	0.671B/----	0.671B/*0.664A	----	0.695 + 0.046	.0792	----	----	----	----	11 UNCH
11025	----	----	0.664B/----	0.664B/*0.661A	----	0.689 + 0.044	.0785	----	----	----	----	7 UNCH
11050	----	----	0.658B/----	0.658B/*0.655A	----	0.683 + 0.044	.0778	----	----	----	----	10 UNCH
11100	----	----	0.648B/----	0.648B/*0.643A	----	0.671 + 0.044	.0765	----	----	----	----	2 UNCH
11300	----	----	0.600B/----	0.600B/*0.597A	----	0.626 + 0.042	.0715	----	----	----	----	1 UNCH
11500	----	----	0.559B/----	0.559B/*0.574A	----	0.585 + 0.040	.0669	----	----	----	----	9 UNCH
11700	----	----	0.522B/----	0.522B/*0.597A	----	0.549 + 0.039	.0628	----	----	----	----	2 UNCH
12000	----	----	----	0.394B/*0.554A	----	0.501 + 0.036	.0573	----	----	----	----	76 UNCH
12500	----	----	----	0.326B/*0.495A	----	0.436 + 0.033	.0497	----	----	----	----	15 UNCH
12675	----	----	----	0.306B/*0.477A	----	0.416 + 0.032	.0474	----	----	----	----	7 UNCH
12700	----	----	----	0.303B/*0.475A	----	0.413 + 0.032	.0471	----	----	----	----	7 UNCH
12725	----	----	----	0.300B/*0.472A	----	0.410 + 0.031	.0467	----	----	----	----	7 UNCH
12750	----	----	----	0.298B/*0.470A	----	0.408 + 0.032	.0465	----	----	----	----	7 UNCH
12775	----	----	----	0.295B/*0.467A	----	0.405 + 0.031	.0461	----	----	----	----	7 UNCH
12800	----	----	----	0.292B/*0.465A	----	0.402 + 0.031	.0458	----	----	----	----	7 UNCH
12825	----	----	----	0.290B/*0.462A	----	0.400 + 0.031	.0455	----	----	----	----	7 UNCH
13000	----	----	----	0.272B/*0.447A	----	0.382 + 0.030	.0435	----	----	----	----	92 UNCH
14000	----	----	----	0.195B/*0.372A	----	0.301 + 0.025	.0340	----	----	----	----	2 UNCH
15000	----	----	0.238B/----	0.238B/*0.319A	----	0.242 + 0.021	.0272	----	----	1	----	179 UNCH
16000	----	----	----	0.099B/*0.279A	----	0.199 + 0.017	.0222	----	----	----	----	35 UNCH
17000	----	----	----	0.074B/0.248A	----	0.167 + 0.015	.0185	----	----	----	----	120 UNCH
18000	----	----	----	0.053B/0.224A	----	0.143 + 0.013	.0157	----	----	----	----	340 UNCH
20000	----	----	----	0.026B/0.188A	----	0.111 + 0.011	.0119	----	----	1	----	191 + 1
TOTAL										22	0	1841 + 19
NOV26												
6500	----	----	----/7.500A	7.393B/7.500A	----	7.588 - 0.367	.5744	----	----	----	----	1 UNCH
7000	5.620	5.620	5.620/*5.500	5.620/*5.500	----	5.722 - 0.459	.4701	----	----	5	----	15 + 1
7100	----	----	----/*5.432A	5.159B/*5.432A	----	5.415 - 0.498	.4510	----	----	----	----	14 UNCH
7500	----	----	----/*4.433A	4.090B/*4.433A	----	4.366 - 0.695	.3811	----	----	----	----	1 UNCH
7900	----	----	----/*3.662A	3.277B/*3.662A	----	3.558 - 0.895	.3221	----	----	----	----	16 UNCH
8000	----	----	----/*3.498A	3.102B/*3.498A	----	3.386 - 0.940	.3089	----	----	----	----	10 UNCH
8200	----	----	----/*3.197A	2.783B/*3.197A	----	3.073 - 1.014	.2843	----	----	----	----	6 UNCH
8600	----	----	----/*2.698A	2.265B/*2.698A	----	2.549 - 1.106	.2416	----	----	----	----	20 UNCH
9000	----	----	----/*2.304A	1.849B/*2.304A	----	2.136 - 1.134	.2064	----	----	----	----	60 UNCH
9550	----	----	----/*1.887A	1.426B/*1.887A	----	1.703 - 1.095	.1679	----	----	----	----	3 UNCH
9800	----	----	----/*1.748A	1.276B/*1.748A	----	1.546 - 1.057	.1535	----	----	----	----	3 UNCH
10000	----	----	----/*1.669A	1.176B/*1.669A	----	1.434 - 1.021	.1430	----	----	----	----	24 UNCH
11000	----	----	----/*1.049A	0.950B/*1.049A	----	1.019 - 0.794	.1033	----	----	----	----	94 UNCH
12000	----	----	----/*0.825A	0.661B/*0.825A	----	0.759 - 0.570	.0775	----	----	----	----	13 UNCH
12500	----	----	----/*0.740A	0.553B/*0.740A	----	0.664 - 0.479	.0679	----	----	----	----	10 UNCH
13000	----	----	----/*0.669A	0.522B/*0.669A	----	0.585 - 0.405	.0599	----	----	----	----	1 UNCH
14000	----	----	----/*0.567A	0.385B/*0.567A	----	0.465 - 0.297	.0476	----	----	----	----	2 UNCH
15000	----	----	----/*0.487A	0.262B/*0.487A	----	0.379 - 0.227	.0387	----	----	----	----	6 UNCH
16000	----	----	----/*0.427A	0.198B/*0.427A	----	0.317 - 0.178	.0322	----	----	----	----	14 UNCH
17000	----	----	----/*0.380A	0.150B/*0.380A	----	0.271 - 0.145	.0273	----	----	----	----	2 UNCH
20000	----	----	----	0.070B/0.287A	----	0.179 - 0.102	.0178	----	----	----	----	33 UNCH
21000	----	----	----	0.054B/0.266A	----	0.160 - 0.093	.0158	----	----	----	----	1 UNCH
25000	----	----	----	0.013B/0.209A	----	0.108 - 0.066	.0104	----	----	----	----	13 UNCH
30000	----	----	----	0.001B/1.268A	----	0.048 - 0.034	.0048	----	----	----	----	6 UNCH
TOTAL										5	0	368 + 1
DEC26												
3875	----	----	----	----	----	27.348 - 0.501	.9613	----	----	----	----	1 UNCH
5000	----	----	----	----/41.632A	----	17.437 - 0.411	.8566	----	----	----	----	30 UNCH
5250	----	----	----/*15.310A	14.069B/*15.310A	----	15.515 - 0.355	.8190	----	----	----	----	50 UNCH
5500	----	----	----/13.554A	13.533B/13.554A	----	13.733 - 0.281	.7762	----	----	----	----	1 UNCH
6500	8.390	8.390	8.390/7.810	8.390/7.810	----	8.197 + 0.066	.5774	----	----	7	----	605 + 5
6900	----	----	----	6.334B/6.799A	----	6.684 + 0.130	.4999	----	----	----	----	1 UNCH
6950	----	----	----	6.165B/6.640A	----	6.520 + 0.134	.4908	----	----	----	----	220 UNCH
7000	----	----	----	6.001B/6.484A	----	6.360 + 0.137	.4818	----	----	----	----	120 UNCH
7025	----	----	----	5.921B/6.408A	----	6.282 + 0.138	.4773	----	----	----	----	1 UNCH
7075	----	----	----	5.764B/6.264A	----	6.130 + 0.140	.4685	----	----	----	----	5 UNCH
7100	----	----	----	5.688B/6.189A	----	6.056 + 0.142	.4642	----	----	----	----	15 UNCH
7375	----	----	----	4.923B/*5.465A	----	5.308 + 0.149	.4189	----	----	----	----	2 UNCH
7500	----	----	----	4.618B/*5.174A	----	5.007 + 0.155	.3998	----	----	----	----	18 UNCH
7575	----	----	----	4.442B/*5.014A	----	4.837 + 0.160	.3888	----	----	----	----	1 UNCH
7750	----	----	----	4.058B/*4.656A	----	4.467 + 0.175	.3642	----	----	----	----	2 UNCH
7800	----	----	----	3.957B/*4.561A	----	4.367 + 0.178	.3575	----	----	----	----	37 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
7900	----	----	----	3.770B/*4.377A	----	4.177 NEW	.3445	----	----	1	----	1 + 1
7925	----	----	----	3.724B/*4.332A	----	4.131 + 0.189	.3414	----	----	----	----	2 UNCH
7950	----	----	----	3.673B/*4.289A	----	4.085 NEW	.3382	----	----	1	----	1 + 1
8000	----	----	----	3.589B/4.204A	----	3.996 + 0.194	.3320	----	----	10	----	154 + 10
8100	----	----	----	3.418B/*4.040A	----	3.825 + 0.199	.3200	----	----	----	----	1 UNCH
8200	----	----	----	3.258B/*3.884A	----	3.663 + 0.203	.3085	----	----	----	----	21 UNCH
8400	----	----	----	2.964B/*3.598A	----	3.363 + 0.203	.2868	----	----	----	----	50 UNCH
8500	----	----	----	2.819B/*3.465A	----	3.225 + 0.200	.2766	----	----	----	----	197 UNCH
8550	----	----	----	2.764B/*3.402A	----	3.159 + 0.198	.2717	----	----	----	----	25 UNCH
8600	----	----	----	2.702B/*3.341A	----	3.094 + 0.195	.2668	----	----	----	----	47 UNCH
8800	----	----	----	2.456B/*3.109A	----	2.854 + 0.181	.2486	----	----	----	----	5 UNCH
8900	----	----	----	2.348B/*3.002A	----	2.744 + 0.172	.2401	----	----	----	----	30 UNCH
8950	----	----	----	2.297B/*2.950A	----	2.691 + 0.166	.2359	----	----	----	----	1 UNCH
9000	----	----	----	2.248B/*2.902A	----	2.640 + 0.160	.2319	----	----	10	30	162 - 25
9050	----	----	----	2.199B/*2.851A	----	2.590 + 0.154	.2280	----	----	----	----	100 UNCH
9100	----	----	----	2.163B/*2.806A	----	2.542 + 0.148	.2242	----	----	----	----	16 UNCH
9300	----	----	----	1.973B/*2.627A	----	2.363 + 0.118	.2098	----	----	----	----	15 UNCH
9500	----	----	----	1.823B/*2.465A	----	2.202 + 0.087	.1966	----	----	----	----	10 UNCH
9700	----	----	----	1.667B/*2.317A	----	2.056 + 0.064	.1845	----	----	----	----	1 UNCH
9800	----	----	----	1.610B/*2.249A	----	1.988 + 0.057	.1789	----	----	----	----	74 UNCH
9900	----	----	----	1.546B/*2.184A	----	1.921 + 0.053	.1733	----	----	----	----	5 UNCH
10000	1.800	1.800	1.800/*1.427	1.800/*1.427	----	1.857 + 0.052	.1680	----	----	3	----	856 + 1
10025	----	----	----	1.463B/*2.106A	----	1.841 + 0.051	.1666	----	----	----	----	3 UNCH
10300	----	----	----	1.309B/*1.965A	----	1.683 NEW	.1533	----	----	1	----	1 + 1
10500	----	----	----	1.224B/*1.896A	----	1.581 + 0.051	.1445	----	----	1	----	202 UNCH
10600	----	----	----	1.151B/*1.862A	----	1.533 + 0.051	.1404	----	----	----	----	6 UNCH
10700	----	----	----	1.092B/*1.828A	----	1.488 + 0.052	.1364	----	----	----	----	100 UNCH
10800	----	----	----	1.038B/*1.797A	----	1.445 + 0.053	.1327	----	----	----	----	5 UNCH
11000	----	----	----	1.139B/*1.381A	----	1.365 + 0.055	.1256	----	----	----	----	210 UNCH
11350	----	----	----	1.127B/*1.270A	----	1.241 + 0.058	.1145	----	----	----	----	5 UNCH
11400	----	----	----	1.102B/*1.253A	----	1.225 + 0.059	.1131	----	----	----	----	1 UNCH
11600	----	----	----	1.031B/*1.198A	----	1.164 + 0.061	.1076	----	----	----	----	1 UNCH
11800	----	----	----	0.969B/*1.147A	----	1.109 + 0.065	.1025	----	----	----	----	29 UNCH
12000	----	----	----	0.941B/*1.093A	----	1.058 + 0.068	.0978	----	----	----	----	586 UNCH
12200	----	----	----	0.849B/*1.062A	----	1.011 + 0.071	.0935	----	----	----	----	1 UNCH
12300	----	----	----	0.827B/*1.041A	----	0.989 + 0.072	.0914	----	----	----	----	2 UNCH
12500	----	----	----	0.773B/1.000A	----	0.947 + 0.075	.0875	----	----	2	----	49 UNCH
12800	----	----	----	0.704B/*0.945A	----	0.891 + 0.080	.0822	----	----	----	----	2 UNCH
13000	----	----	----	0.660B/*0.910A	----	0.857 + 0.083	.0790	----	----	----	----	387 UNCH
13500	----	----	----	0.574B/*0.834A	----	0.782 + 0.091	.0719	----	----	----	----	6 UNCH
14000	----	----	----	0.500B/*0.769A	----	0.718 + 0.097	.0658	----	----	----	----	97 UNCH
14200	----	----	----	0.468B/*0.745A	----	0.696 + 0.100	.0636	----	----	----	----	1 UNCH
15000	0.536	0.536	0.536/*0.536	0.536/*0.536	----	0.617 + 0.107	.0560	----	----	2	----	1722 - 1
16000	----	----	0.450B/----	0.450B/*0.591A	----	0.538 + 0.111	.0484	----	----	----	----	1612 UNCH
17000	0.407	0.407	0.407/*0.407	0.407/*0.407	----	0.473 + 0.111	.0423	----	----	1	----	50 UNCH
18000	----	----	0.359B/----	0.359B/*0.478A	----	0.415 + 0.104	.0369	----	----	----	----	121 UNCH
19000	----	----	----	0.140B/0.437A	----	0.360 + 0.090	.0320	----	----	----	----	1 UNCH
20000	----	----	----	0.201B/0.402A	----	0.307 + 0.071	.0275	----	----	----	----	444 UNCH
21000	----	----	----	0.086B/0.374A	----	0.255 + 0.047	.0231	----	----	----	----	5 UNCH
22000	----	----	----	0.067B/0.349A	----	0.210 + 0.025	.0193	----	----	----	----	1 UNCH
23000	----	----	----	0.051B/0.328A	----	0.188 + 0.023	.0172	----	----	----	----	35 UNCH
25000	----	----	----	0.026B/0.295A	----	0.153 + 0.019	.0140	----	----	----	----	239 UNCH
26000	----	----	----	0.017B/0.281A	----	0.144 + 0.019	.0130	----	----	----	----	3 UNCH
30000	----	----	----	0.002B/0.238A	----	0.102 + 0.014	.0092	----	----	----	----	110 UNCH
32000	----	----	----	0.004B/0.227A	----	0.089 + 0.012	.0080	----	----	----	----	1 UNCH
40000	----	----	----	0.050B/1.500A	----	0.067 + 0.009	.0057	----	----	----	----	25 UNCH
90000	----	----	----	----/0.400A	----	0.027 + 0.004	.0020	----	----	----	----	2 UNCH
100000	----	----	----	----/0.123A	----	0.026 + 0.003	.0019	----	----	----	----	5 UNCH
TOTAL										39	30	8953 - 7
JAN27												
7550	----	----	----	5.256B/*6.131A	----	5.784 - 0.206	.4208	----	----	----	----	4 UNCH
7650	----	----	----	5.018B/*5.905A	----	5.550 - 0.195	.4071	----	----	----	----	5 UNCH
8000	----	----	----	4.285B/*5.199A	----	4.824 - 0.164	.3628	----	----	----	----	2 UNCH
8300	----	----	----	3.751B/*4.685A	----	4.304 - 0.145	.3294	----	----	----	----	22 UNCH
8500	----	----	----	3.454B/*4.384A	----	3.999 - 0.137	.3091	----	----	----	----	1 UNCH
8700	----	----	----	3.166B/*4.108A	----	3.724 - 0.129	.2905	----	----	----	----	1 UNCH
9000	----	----	----	2.813B/*3.744A	----	3.356 - 0.120	.2650	----	----	----	----	1 UNCH
9525	----	----	----	2.289B/3.208A	----	2.817 - 0.106	.2267	----	----	----	----	1 UNCH
10000	----	----	----	1.914B/*2.823A	----	2.423 - 0.094	.1978	----	----	----	----	11 UNCH
11000	----	----	----	1.330B/*2.239A	----	1.807 - 0.063	.1511	----	----	----	----	21 UNCH
12500	----	----	----	1.096B/*1.359A	----	1.237 - 0.009	.1056	----	----	----	----	1 UNCH
13000	----	----	----	0.967B/*1.255A	----	1.107 + 0.008	.0948	----	----	----	----	7 UNCH
14000	----	----	----	0.721B/*1.071A	----	0.906 + 0.039	.0779	----	----	----	----	1 UNCH
14500	----	----	----	0.635B/*0.996A	----	0.828 + 0.052	.0712	----	----	----	----	400 UNCH
15000	----	----	----	0.556B/*0.932A	----	0.762 + 0.064	.0655	----	----	----	----	402 UNCH
TOTAL											0	880 0
FEB27												
6700	----	----	----/*8.708A	8.411B/*8.708A	----	8.915 NEW	.5613	----	----	8	----	8 + 8
7500	----	----	----	5.889B/*6.837A	----	6.468 - 0.253	.4403	----	----	----	----	1 UNCH
8500	----	----	----	3.925B/*4.935A	----	4.501 - 0.225	.3263	----	----	----	----	4 UNCH
9000	----	----	----	3.253B/4.264A	----	3.812 - 0.235	.2827	----	----	----	----	1 UNCH
9500	----	----	----	2.707B/*3.723A	----	3.266 - 0.226	.2465	----	----	----	----	4 UNCH
30000	----	----	----	0.034B/0.418A	----	0.228 - 0.043	.0179	----	----	----	----	1 UNCH
TOTAL										8	0	19 + 8
MAR27												
8000	----	----	----	5.247B/*6.325A	----	5.873 - 0.267	.3918	----	----	1	----	201 UNCH
8500	----	----	----	4.375B/*5.468A	----	4.997 - 0.272	.3419	----	----	----	----	2 UNCH
8775	----	----	----	3.973B/*5.070A	----	4.592 - 0.280	.3179	----	----	----	----	3 UNCH
9000	----	----	----	3.678B/*4.775A	----	4.293 - 0.287	.2998	----	----	1	----	55 - 1
9200	----	----	----	3.425B/*4.534A	----	4.048 - 0.293	.2848	----	----	----	----	25 UNCH
9500	----	----	----	3.105B/*4.205A	----	3.714 - 0.299	.2639	----	----	----	----	50 UNCH
10000	----	----	----	2.661B/*3.735A	----	3.237 - 0.301	.2335	----	----	----	----	5 UNCH
10500	----	----	----/*2.860A	2.270B/*2.860A	----	2.844 NEW	.2076	----	----	10	----	10 + 10
11000	----	----	----	1.974B/*3.012A	----	2.522 - 0.266	.1858	----	----	----	----	1 UNCH
13000	----	----	----	1.040B/*2.277A	----	1.699 - 0.089	.1272	----	----	----	----	105 UNCH
14000	----	----	----	1.200B/*1.526A	----	1.448 - 0.006	.1085	----	----	----	----	105 UNCH
15000	----	----	----	0.976B/*1.334A	----	1.253 + 0.055	.0939	----	----	----	----	25 UNCH
16000	----	----	----	0.787B/*1.197A	----	1.092 + 0.086	.0819	----	----	----	----	27 UNCH
17000	----	----	----	0.850B/1.076A	----	0.950 + 0.084	.0715	----	----	----	----	3 UNCH
20000	----	----	----	0.600B/0.829A	----	0.613 - 0.034	.0472	----	----	----	----	9 UNCH
25000	----	----	----	0.172B/0.619A	----	0.368 - 0.119	.0285	----	----	----	----	6 UNCH
30000	----	----	----	0.078B/0.499A	----	0.289 - 0.128	.0218	----	----	----	----	7 UNCH
TOTAL										12	0	639 + 9
APR27												
8525	----	----	----	4.924B/*6.104A	----	5.580 - 0.342	.3593	----	----	----	----	9 UNCH
13000	2.100	2.100	#2.100/*2.100	2.100/*2.100	----	2.164 NEW	.1493	----	----	1	----	1 + 1
TOTAL										1	0	10 + 1
MAY27												
11000	----	----	----	0.001B/11.658A	----	5.942 + 1.211	.3037	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----/*46.630A	----/*46.630A	----	47.640 - 0.529	.9947	----	----	----	----	1 UNCH
10000	----	----	----	----	----	5.210 - 0.174	.3026	----	----	----	----	1 UNCH
10300	----	----	----	----	----	4.928 - 0.166	.2875	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	30.515 - 0.467	.8955	----	----	----	----	1 UNCH
20000	----	----	----	----	----	3.739 - 0.103	.1738	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUL26												
2000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
2400	----	----	----	----/0.236A	----	0.001 UNCH	.0000	----	----	----	----	10 UNCH
2650	----	----	----	----/0.027A	----	0.001 UNCH	.0000	----	----	----	----	6 UNCH
2700	----	----	----	----/0.028A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
2900	----	----	----	----/0.030A	----	0.001 - 0.001	.0001	----	----	----	----	2 UNCH
3000	----	----	----	0.001B/0.009A	----	0.002 - 0.001	.0003	----	----	5	----	9 + 3
3025	----	----	----	----/0.033A	----	0.003 UNCH	.0004	----	----	----	----	1 UNCH
3175	----	----	----	----/0.030A	----	0.005 - 0.001	.0007	----	----	----	----	10 UNCH
3275	----	----	----	0.007B/0.027A	----	0.006 - 0.002	.0009	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO PUT JUL26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
		COMEX SILVER OPTIONS										
3350	----	----	----	0.009B/0.025A	----	0.008 - 0.002	.0012	----	----	----	----	2 UNCH
3400	----	----	----	0.010B/0.025A	----	0.009 - 0.003	.0014	----	----	----	----	55 UNCH
3475	----	----	----	0.012B/0.025A	----	0.012 - 0.002	.0019	----	----	----	----	5 UNCH
3500	0.020	0.020	0.020/0.020	0.020/0.020	----	0.012 - 0.003	.0019	----	----	2	----	6 + 2
3600	----	----	----	0.016B/0.028A	----	0.015 - 0.003	.0024	----	----	----	----	12 UNCH
3700	----	----	----	0.019B/0.031A	----	0.018 - 0.004	.0030	----	----	----	----	95 UNCH
3800	----	----	----	0.022B/0.033A	----	0.022 - 0.005	.0037	----	----	----	----	25 UNCH
3825	----	----	----	0.024B/0.034A	----	0.023 - 0.005	.0039	----	----	----	----	8 UNCH
3850	----	----	----	0.025B/0.035A	----	0.024 - 0.005	.0041	----	----	----	----	3 UNCH
3900	----	----	----	0.027B/0.037A	----	0.027 - 0.005	.0046	----	----	1	----	12 UNCH
3950	----	----	----	0.030B/0.039A	----	0.029 - 0.006	.0050	----	----	----	----	1 UNCH
4000	----	----	0.041B/0.037A	0.041B/0.037A	----	0.032 - 0.006	.0056	----	----	4	----	100 UNCH
4075	----	----	----	0.039B/0.044A	----	0.036 - 0.007	.0064	----	----	----	----	16 UNCH
4100	----	----	----/*0.044A	0.042B/0.044A	----	0.038 - 0.007	.0068	----	----	----	----	6 UNCH
4175	----	----	----/*0.049A	0.049B/0.049A	----	0.043 - 0.007	.0078	----	----	----	----	9 UNCH
4200	----	----	----/0.049A	0.049B/0.049A	----	0.044 - 0.008	.0080	----	----	----	----	28 UNCH
4225	----	----	----/*0.052A	0.053B/0.052A	----	0.046 - 0.008	.0084	----	----	----	----	1 UNCH
4250	----	----	----/*0.053A	0.056B/0.053A	----	0.048 - 0.009	.0088	----	----	----	----	21 UNCH
4300	----	----	----/*0.056A	0.061B/0.056A	----	0.052 - 0.009	.0097	----	----	----	----	98 UNCH
4325	----	----	----/*0.057A	0.064B/0.057A	----	0.054 - 0.010	.0101	----	----	----	----	17 UNCH
4375	----	----	----/*0.060A	0.069B/0.060A	----	0.058 - 0.011	.0110	----	----	----	----	32 UNCH
4400	----	----	0.074B/0.062A	0.074B/0.062A	----	0.060 - 0.011	.0114	----	----	----	----	32 UNCH
4425	----	----	0.077B/*0.064A	0.077B/0.064A	----	0.063 - 0.011	.0120	----	----	----	----	1 UNCH
4450	----	----	0.081B/*0.065A	0.081B/0.065A	----	0.065 - 0.012	.0125	----	----	----	----	4 UNCH
4475	----	----	0.085B/*0.067A	0.085B/0.067A	----	0.068 - 0.012	.0131	----	----	----	----	16 UNCH
4500	0.100	0.100	0.100/0.069A	0.100/0.069A	----	0.071 - 0.012	.0138	----	----	20	----	290 - 12
4575	----	----	0.102B/0.076A	0.102B/0.076A	----	0.079 - 0.014	.0156	----	----	----	----	75 UNCH
4600	----	----	0.113B/0.069A	0.113B/0.069A	----	0.082 - 0.015	.0163	----	----	----	----	101 UNCH
4625	0.119	0.119	0.125/*0.071A	0.125/0.071A	----	0.086 NEW	.0171	----	----	10	----	9 + 9
4650	----	----	0.124B/*0.074A	0.124B/0.074A	----	0.089 - 0.015	.0178	----	----	----	----	40 UNCH
4675	----	----	0.130B/0.077A	0.130B/0.077A	----	0.093 - 0.015	.0187	----	----	----	----	12 UNCH
4700	----	----	0.138B/0.079A	0.138B/0.079A	----	0.097 - 0.016	.0196	----	----	20	----	172 + 18
4725	----	----	0.142B/0.082A	0.142B/0.082A	----	0.100 - 0.017	.0203	----	----	----	----	3 UNCH
4750	0.140	0.140	0.151B/0.086A	0.151B/0.086A	----	0.105 - 0.017	.0214	----	----	2	----	54 UNCH
4775	----	----	0.155B/0.089A	0.155B/0.089A	----	0.109 - 0.017	.0223	----	----	----	----	8 UNCH
4800	----	----	0.162B/0.092A	0.162B/0.092A	----	0.113 - 0.018	.0233	----	----	----	----	21 UNCH
4825	----	----	0.169B/0.096A	0.169B/0.096A	----	0.118 - 0.019	.0244	----	----	----	----	26 UNCH
4850	----	----	0.176B/0.100A	0.176B/0.100A	----	0.123 - 0.019	.0256	----	----	----	----	2 UNCH
4875	----	----	0.184B/0.104A	0.184B/0.104A	----	0.128 - 0.020	.0267	----	----	----	----	23 UNCH
4900	----	----	0.193B/0.108A	0.193B/0.108A	----	0.134 - 0.019	.0281	----	----	----	----	170 UNCH
4950	0.128	0.128	0.210B/0.113A	0.210B/0.113A	----	0.145 - 0.021	.0307	----	----	5	----	6 + 5
4975	0.173	0.173	0.219B/0.123A	0.219B/0.123A	----	0.151 - 0.022	.0321	----	----	2	----	2 UNCH
5000	0.210	0.210	0.242/0.123A	0.242/0.123A	----	0.158 - 0.022	.0337	----	----	116	----	978 - 1
5025	----	----	0.240B/0.128A	0.240B/0.128A	----	0.165 - 0.022	.0353	----	----	----	----	1 UNCH
5050	----	----	0.251B/0.138A	0.251B/0.138A	----	0.172 - 0.023	.0369	----	----	----	----	16 UNCH
5075	0.202	0.202	0.267B/0.139A	0.267B/0.139A	----	0.180 - 0.023	.0388	----	----	6	----	7 - 4
5100	----	----	0.276B/0.145A	0.276B/0.145A	----	0.188 - 0.023	.0406	----	----	----	----	177 UNCH
5125	0.208	0.208	0.288B/0.152A	0.288B/0.152A	----	0.196 NEW	.0425	----	----	1	----	1 + 1
5150	----	----	0.306B/0.160A	0.306B/0.160A	----	0.205 - 0.024	.0446	----	----	----	----	5 UNCH
5175	----	----	0.316B/0.165A	0.316B/0.165A	----	0.215 - 0.024	.0469	----	----	----	----	5 UNCH
5200	0.277	0.277	0.335B/0.177A	0.335B/0.177A	----	0.224 - 0.025	.0490	----	----	62	----	147 + 38
5225	0.209	0.209	0.348B/0.182A	0.348B/0.182A	----	0.235 - 0.025	.0515	----	----	1	----	10 + 1
5250	0.364	0.364	0.367/0.189A	0.367/0.189A	----	0.246 - 0.025	.0541	----	----	17	----	225 UNCH
5275	0.199	0.199	0.384B/0.199	0.384B/0.199	----	0.257 - 0.025	.0567	----	----	1	----	3 UNCH
5300	0.320	0.320	0.401B/0.211	0.401B/0.211	----	0.269 - 0.025	.0594	----	----	4	----	141 UNCH
5325	----	----	0.423B/0.222A	0.423B/0.222A	----	0.282 - 0.025	.0624	----	----	----	----	11 UNCH
5350	----	----	0.440B/0.226A	0.440B/0.226A	----	0.296 - 0.025	.0656	----	----	----	----	26 UNCH
5375	0.320	0.320	0.463B/0.237A	0.463B/0.237A	----	0.310 - 0.025	.0688	----	----	5	----	25 + 3
5400	0.314	0.314	0.482B/0.248A	0.482B/0.248A	----	0.325 - 0.025	.0723	----	----	7	----	88 + 1
5425	0.406	0.406	0.509B/0.260A	0.509B/0.260A	----	0.341 - 0.024	.0759	----	----	3	----	49 - 2
5450	0.357	0.357	0.534B/0.275A	0.534B/0.275A	----	0.357 - 0.025	.0796	----	----	3	600	39 - 600
5475	----	----	0.562B/0.292A	0.562B/0.292A	----	0.375 - 0.024	.0837	----	----	----	----	54 UNCH
5500	0.450	0.450	0.588B/0.303A	0.588B/0.303A	----	0.394 - 0.023	.0879	----	----	139	80	1093 + 125
5525	----	----	0.618B/0.322A	0.618B/0.322A	----	0.413 - 0.023	.0922	----	----	----	----	89 UNCH
5550	----	----	0.646B/0.335A	0.646B/0.335A	----	0.434 - 0.022	.0969	----	----	15	----	34 + 15
5575	----	----	0.680B/0.351A	0.680B/0.351A	----	0.456 - 0.021	.1018	----	----	----	----	7 UNCH
5600	0.470	0.470	0.713B/0.372A	0.713B/0.372A	----	0.479 - 0.020	.1069	----	----	24	----	61 + 6
5625	0.465	0.465	0.753B/0.390	0.753B/0.390	----	0.503 - 0.019	.1122	----	----	3	----	29 + 1
5650	----	----	0.783B/0.410A	0.783B/0.410A	----	0.529 - 0.017	.1178	----	----	----	----	42 UNCH
5675	0.615	0.615	0.827B/0.425A	0.827B/0.425A	----	0.556 - 0.016	.1237	----	----	4	----	47 - 1
5700	0.748	0.748	0.865B/0.454A	0.865B/0.454A	----	0.584 - 0.015	.1298	----	----	13	----	341 + 9
5725	----	----	0.886B/0.473A	0.886B/0.473A	----	0.615 - 0.013	.1364	----	----	1	----	5 UNCH
5750	0.650	0.650	0.960/0.506A	0.960/0.506A	----	0.646 - 0.011	.1430	----	----	54	----	79 + 37
5775	----	----	0.976B/0.531A	0.976B/0.531A	----	0.680 - 0.009	.1501	----	----	----	----	3 UNCH
5800	0.770	0.770	1.042/0.558A	1.042/0.558A	----	0.715 - 0.007	.1574	----	----	16	----	50 + 4
5825	----	----	1.094B/0.585A	1.094B/0.585A	----	0.752 - 0.005	.1651	----	----	----	----	4 UNCH
5850	0.955	0.955	1.141B/0.614A	1.141B/0.614A	----	0.792 - 0.001	.1732	----	----	8	----	139 + 3
5875	1.051	1.051	1.195B/0.649A	1.195B/0.649A	----	0.833 + 0.001	.1815	----	----	1	----	5 + 1
5900	0.850	0.850	1.278/0.684A	1.278/0.684A	----	0.876 + 0.004	.1902	----	----	20	----	27 + 1
5925	1.153	1.153	1.306B/0.721A	1.306B/0.721A	----	0.922 + 0.008	.1993	----	----	1	----	6 + 1
5950	1.097	1.097	1.386B/0.755A	1.386B/0.755A	----	0.970 + 0.011	.2086	----	----	11	----	19 + 6
5975	1.269	1.269	1.434B/0.796A	1.434B/0.796A	----	1.021 + 0.015	.2184	----	----	5	----	9 - 4
6000	1.019	1.019	1.520B/0.816A	1.520B/0.816A	----	1.074 + 0.019	.2285	----	----	435	600	1249 - 559
6025	1.218	1.218	1.573B/0.881A	1.573B/0.881A	----	1.130 + 0.024	.2390	----	----	3	----	8 UNCH
6050	0.938	0.938	1.650B/0.928A	1.650B/0.928A	----	1.188 + 0.028	.2498	----	----	62	----	57 + 34
6075	1.710	1.710	1.726B/0.977A	1.726B/0.977A	----	1.250 + 0.034	.2610	----	----	1	----	14 UNCH
6100	1.650	1.650	1.830/1.015	1.830/1.015	----	1.315 + 0.039	.2726	----	----	66	----	357 + 28
6125	1.516	1.516	1.891B/1.086A	1.891B/1.086A	----	1.382 + 0.044	.2844	----	----	1	----	2 UNCH
6150	----	----	1.979B/1.143A	1.979B/1.143A	----	1.453 + 0.051	.2967	----	----	6	----	18 - 6
6175	----	----	2.072B/1.202A	2.072B/1.202A	----	1.528 + 0.058	.3093	----	----	----	----	16 UNCH
6200	1.515	1.515	2.182/1.266A	2.182/1.266A	----	1.606 + 0.065	.3222	----	----	115	----	152 - 1
6225	1.834	1.834	2.264B/1.332A	2.264B/1.332A	----	1.687 + 0.072	.3354	----	----	62	----	236 + 60
6250	1.657	1.657	2.368B/1.402A	2.368B/1.402A	----	1.772 + 0.080	.3489	----	----	12	----	57 + 7
6275	1.900	1.900	2.473B/1.472A	2.473B/1.472A	----	1.861 + 0.088	.3627	----	----	8	----	21 + 1
6300	1.920	1.920	2.580B/1.548A	2.580B/1.548A	----	1.953 + 0.097	.3767	----	----	123	100	241 - 63
6325	----	----	2.697B/1.628A	2.697B/1.628A	----	2.050 + 0.106	.3910	----	----	2	----	31 + 2
6350	2.300	2.300	2.815B/1.711A	2.815B/1.711A	----	2.150 + 0.115	.4055	----	----	7	----	152 - 1
6375	2.515	2.515	2.937B/1.799A	2.937B/1.799A	----	2.254 + 0.125	.4202	----	----	2	----	32 + 1
6400	2.270	2.270	3.064B/1.889A	3.064B/1.889A	----	2.362 + 0.134	.4350	----	----	48	----	297 + 6
6425	2.572	2.572	3.192B/1.984A	3.192B/1.984A	----	2.474 + 0.144	.4500	----	----	41	----	65 + 37
6450	2.868	2.868	3.326B/2.083A	3.326B/2.083A	----	2.590 + 0.154	.4651	----	----	28	----	76 + 23
6475	2.994	2.994	3.466B/2.186A	3.466B/2.186A	----	2.710 + 0.164	.4803	----	----	12	----	34 + 11
6500	2.720	2.720	3.609B/2.292A	3.609B/2.292A	----	2.834 + 0.174	.4956	----	----	93	76	855 - 96
6525	2.786	2.786	3.750B/2.402A	3.750B/2.402A	----	2.962 + 0.184	.5109	----	----	1	----	22 UNCH
6550	2.882	2.882	3.904B/2.517A	3.904B/2.517A	----	3.093 + 0.193	.5262	----	----	21	----	119 - 5
6575	3.020	3.020	4.001B/2.636A	4.001B/2.636A	----	3.229 + 0.203	.5414	----	----	2	----	19 - 1
6600	3.600	3.600	4.164B/2.759A	4.164B/2.759A	----	3.369 + 0.213	.5566	----	----	20	----	216 - 14
6625	----	----	4.334B/2.884A	4.334B/2.884A	----	3.513 + 0.223	.5718	----	----	----	----	65 UNCH
6650	----	----	4.498B/3.018A	4.498B/3.018A	----	3.661 + 0.233	.5868	----	----	----	----	215 UNCH
6675	----	----	4.649B/3.154A	4.649B/3.154A	----	3.813 + 0.243	.6016	----	----	----	----	22 UNCH
6700	3.923	3.923	4.835B/3.294A	4.835B/3.294A	----	3.970 + 0.253	.6163	----	----	13	----	164 - 12
6725	----	----	5.000B/3.478A	5.000B/3.478A	----	4.130 + 0.263	.6307	----	----	----	----	6 UNCH
6750	----	----	5.180B/3.625A	5.180B/3.625A	----	4.295 + 0.274	.6449	----	----	----	----	43 UNCH
6775	----	----	5.363B/3.780A	5.363B/3.780A	----	4.464 + 0.284	.6589	----	----	----	----	19 UNCH
6800	4.566	4.566	5.550B/3.919A	5.550B/3.919A	----	4.637 + 0.295	.6725	----	----	16	----	541 - 10
6825	----	----	5.743B/4.096A	5.743B/4.096A	----	4.814 + 0.306	.6858	----	----	----	----	70 UNCH
6850	----	----	5.934B/4.250A	5.934B/4.250A	----	4.994 + 0.316	.6987	----	----	----	----	54 UNCH
6875	4.885	4.885	6.130B/4.425A	6.130B/4.425A	----	5.178 + 0.327	.7113	----	----	1	----	190 - 1
6900	5.075	5.075	6.329B/4.602A	6.329B/4.602A	----	5.365 + 0.337	.7236	----	----	21	----	194 - 11
6925	----	----	6.531B/4.778A	6.531B/4.778A	----	5.555 + 0.346	.7355	----	----	1	----	42 - 1
6950	----	----	6.736B/4.957A	6.736B/4.957A	----	5.748 + 0.355	.7471	----	----	1	----	108 - 1
6975	----	----	6.943B/5.141A	6.943B/5.141A	----	5.945 + 0.365	.7582	----	----	----	----	28 UNCH
7000	6.000	6.000	7.153/5.325A	7.153/5.325A	----	6.144 + 0.374	.7690	----	----	5	----	1315 - 4
7025	----	----	7.363B/5.515A	7.363B/5.515A	----	6.346 + 0.382	.7792	----	----	1	----	208 UNCH
7050	6.287	6.287	7.579B/5.708A	7.579B/5.708A	----	6.550 + 0.389	.7893	----	----	3	----	14 - 1
7075	----	----	7.795B/5.904A	7.795B/5.904A	----	6.757 + 0.397	.7988	----	----	----	----	9 UNCH
7100	6.821	6.821	8.009B/6.101A	8.009B/6.101A	----	6.966 + 0.404	.8081	----	----	1	----	53 UNCH
7125	----	----	8.233B/6.303A	8.233B/6.303A	----	7.178 + 0.411	.8170	----	----	----	----	12 UNCH
7150	8.150	8.150	8.455B/6.507A	8.455B/6.507A	----	7.391 + 0.417	.8255	----	----	3	----	177 - 1
7175	----	----	8.678B/6.714A	8.678B/6.714A	----	7.607 + 0.423	.8336	----	----	----	----	34 UNCH
7200	8.500	8.500	8.903B/6.921A	8.903B/6.921A	----	7.825 + 0.429	.8415	----	----	5	----	154 UNCH
7225	----	----	9.130B/7.137A	9.130B/7.137A	----	8.044 + 0.433	.8489	----	----	----	----	7 UNCH
7250	8.327	8.327	9.357B/7.348A	9.357B/7.348A	----	8.265 + 0.438	.8559	----	----	1	----	200 - 1
7275	----	----	9.587B/7.558A	9.587B/7.558A	----	8.488 + 0.443	.8627	----	----	----	----	6 UNCH
7300	----	----	9.818B/7.783A	9.818B/7.783A	----	8.712 + 0.447	.8693	----	----	----	----	61 UNCH
7325	----	----	10.048B/8.000A	10.048B/8.000A	----	8.938 + 0.451	.8755	----	----	----	----	14 UNCH
7350	----	----	10.281B/8.215A	10.281B/8.215A	----	9.165 + 0.454	.8813	----	----	----	----	11 UNCH
7375	----	----	10.515B/8.446A	10.515B/8.446A	----	9.394 + 0.458	.8868	----	----	1	----	126 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
JUL26													
7400	----	----	10.749B/8.666A	10.749B/8.666A	----	9.624	+ 0.462	.8921	----	----	----	----	125 UNCH
7425	----	----	10.986B/8.888A	10.986B/8.888A	----	9.855	+ 0.465	.8972	----	----	----	----	29 UNCH
7450	----	----	11.221B/9.119A	11.221B/9.119A	----	10.087	+ 0.468	.9021	----	----	----	----	97 UNCH
7475	----	----	11.458B/9.348A	11.458B/9.348A	----	10.320	+ 0.470	.9065	----	----	----	----	28 UNCH
7500	----	----	11.696B/9.578A	11.696B/9.578A	----	10.554	+ 0.472	.9109	----	----	----	----	195 UNCH
7525	----	----	11.935B/9.805A	11.935B/9.805A	----	10.789	+ 0.475	.9150	----	----	----	----	28 UNCH
7550	----	----	12.174B/10.037A	12.174B/10.037A	----	11.025	+ 0.477	.9187	----	----	----	----	41 UNCH
7575	----	----	12.414B/10.277A	12.414B/10.277A	----	11.262	+ 0.479	.9224	----	----	----	----	27 UNCH
7600	----	----	12.654B/10.508A	12.654B/10.508A	----	11.499	+ 0.481	.9260	----	----	----	----	50 UNCH
7625	----	----	12.895B/10.746A	12.895B/10.746A	----	11.738	+ 0.483	.9292	----	----	----	----	62 UNCH
7650	----	----	13.137B/10.982A	13.137B/10.982A	----	11.977	+ 0.485	.9324	----	----	----	----	66 UNCH
7675	----	----	13.379B/11.219A	13.379B/11.219A	----	12.216	+ 0.486	.9353	----	----	----	----	37 UNCH
7700	12.400	12.400	13.577B/11.456A	13.577B/11.456A	----	12.456	+ 0.487	.9381	----	----	1	----	239 UNCH
7725	----	----	13.823B/11.695A	13.823B/11.695A	----	12.697	+ 0.489	.9408	----	----	----	----	36 UNCH
7750	----	----	14.066B/11.934A	14.066B/11.934A	----	12.938	+ 0.490	.9434	----	----	----	----	25 UNCH
7775	----	----	14.309B/12.173A	14.309B/12.173A	----	13.180	+ 0.492	.9458	----	----	----	----	6 UNCH
7800	----	----	14.551B/12.413A	14.551B/12.413A	----	13.422	+ 0.493	.9481	----	----	----	----	103 UNCH
7825	----	----	14.798B/12.651A	14.798B/12.651A	----	13.665	+ 0.494	.9502	----	----	----	----	27 UNCH
7850	----	----	15.042B/12.893A	15.042B/12.893A	----	13.908	+ 0.495	.9523	----	----	----	----	35 UNCH
7875	----	----	15.288B/13.125A	15.288B/13.125A	----	14.151	+ 0.496	.9541	----	----	----	----	26 UNCH
7900	----	----	15.533B/13.366A	15.533B/13.366A	----	14.395	+ 0.497	.9559	----	----	----	----	29 UNCH
7925	----	----	15.778B/13.610A	15.778B/13.610A	----	14.639	+ 0.497	.9577	----	----	----	----	2 UNCH
7950	----	----	16.024B/13.853A	16.024B/13.853A	----	14.884	+ 0.499	.9593	----	----	----	----	4 UNCH
7975	----	----	16.270B/14.097A	16.270B/14.097A	----	15.128	+ 0.499	.9608	----	----	----	----	5 UNCH
8000	15.750	15.750	16.514B/14.350A	16.514B/14.350A	----	15.373	+ 0.499	.9623	----	----	30	----	226 - 26
8050	----	----	17.004B/14.829A	17.004B/14.829A	----	15.865	+ 0.501	.9648	----	----	----	----	1 UNCH
8075	----	----	#17.250B/15.074	#17.250B/15.074A	----	16.110	+ 0.501	.9661	----	----	----	----	10 UNCH
8100	----	----	#17.497B/15.318	#17.497B/15.318A	----	16.357	+ 0.502	.9673	----	----	----	----	48 UNCH
8125	----	----	#17.744B/15.570	#17.744B/15.570A	----	16.603	+ 0.502	.9685	----	----	----	----	7 UNCH
8150	----	----	#17.816B/16.037	#17.816B/16.037A	----	16.850	+ 0.503	.9695	----	----	----	----	2 UNCH
8175	----	----	#18.062B/16.283	#18.062B/16.283A	----	17.096	+ 0.502	.9704	----	----	----	----	4 UNCH
8200	----	----	#18.308B/16.494	#18.308B/16.494A	----	17.343	+ 0.503	.9714	----	----	----	----	23 UNCH
8225	----	----	#18.555B/16.741	#18.555B/16.741A	----	17.591	+ 0.504	.9721	----	----	----	----	17 UNCH
8250	----	----	#18.900B/16.893	#18.900B/16.893A	----	17.838	+ 0.503	.9730	----	----	----	----	90 UNCH
8275	----	----	#19.045B/17.234	#19.045B/17.234A	----	18.086	+ 0.504	.9737	----	----	----	----	15 UNCH
8300	----	----	#19.395B/17.387	#19.395B/17.387A	----	18.333	+ 0.503	.9744	----	----	----	----	129 UNCH
8325	----	----	#19.547B/17.764	#19.547B/17.764A	----	18.581	+ 0.504	.9750	----	----	----	----	1 UNCH
8350	----	----	#19.793B/17.976	#19.793B/17.976A	----	18.829	+ 0.504	.9757	----	----	----	----	20 UNCH
8375	----	----	#20.043B/18.259	#20.043B/18.259A	----	19.077	+ 0.504	.9763	----	----	----	----	4 UNCH
8400	----	----	#20.284B/18.471	#20.284B/18.471A	----	19.325	+ 0.503	.9770	----	----	----	----	13 UNCH
8425	----	----	#20.542B/18.754	#20.542B/18.754A	----	19.573	+ 0.503	.9776	----	----	----	----	4 UNCH
8450	----	----	#20.354B/18.919	#20.354B/18.919A	----	19.821	+ 0.503	.9782	----	----	----	----	33 UNCH
8475	----	----	#20.429B/19.250	#20.429B/19.250A	----	20.069	+ 0.502	.9788	----	----	----	----	1 UNCH
8500	----	----	#20.898B/19.367	#20.898B/19.367A	----	20.317	+ 0.502	.9792	----	----	----	----	167 UNCH
8525	----	----	#20.925B/19.710	#20.925B/19.710A	----	20.565	+ 0.501	.9798	----	----	----	----	4 UNCH
8550	----	----	#21.351B/19.911	#21.351B/19.911A	----	20.814	+ 0.502	.9804	----	----	----	----	37 UNCH
8575	----	----	#21.421B/20.207	#21.421B/20.207A	----	21.062	+ 0.501	.9810	----	----	----	----	1 UNCH
8600	----	----	#21.891B/20.360	#21.891B/20.360A	----	21.310	+ 0.500	.9814	----	----	----	----	75 UNCH
8625	----	----	#22.092B/20.703	#22.092B/20.703A	----	21.558	+ 0.500	.9820	----	----	----	----	7 UNCH
8650	----	----	#22.166B/20.952	#22.166B/20.952A	----	21.806	+ 0.499	.9825	----	----	----	----	1 UNCH
8675	----	----	#22.415B/21.259	#22.415B/21.259A	----	22.055	+ 0.499	.9829	----	----	----	----	1 UNCH
8700	----	----	#22.842B/21.451	#22.842B/21.451A	----	22.303	+ 0.498	.9834	----	----	----	----	11 UNCH
8725	----	----	#22.912B/----	#22.912B/23.614A	----	22.552	+ 0.498	.9838	----	----	----	----	1 UNCH
8800	----	----	#23.874B/----	#23.874B/24.109A	----	23.297	+ 0.496	.9850	----	----	----	----	59 UNCH
8850	----	----	#24.155B/----	#24.155B/24.858A	----	23.795	+ 0.496	.9858	----	----	----	----	1 UNCH
8900	----	----	#24.653B/----	#24.653B/25.358A	----	24.292	+ 0.495	.9864	----	----	----	----	2 UNCH
8975	----	----	#25.400B/----	#25.400B/26.105A	----	25.039	+ 0.494	.9873	----	----	----	----	2 UNCH
9000	----	----	25.871B/----	25.871B/26.102A	----	25.288	+ 0.494	.9876	----	----	----	----	320 UNCH
9025	----	----	#25.898B/----	#25.898B/26.604A	----	25.537	+ 0.494	.9879	----	----	----	----	1 UNCH
9175	----	----	#27.392B/----	#27.392B/28.100A	----	27.034	+ 0.495	.9890	----	----	----	----	1 UNCH
9200	----	----	#27.824B/----	#27.824B/28.150A	----	27.283	+ 0.494	.9893	----	----	----	----	11 UNCH
9250	----	----	#28.139B/----	#28.139B/28.848A	----	27.782	+ 0.495	.9894	----	----	----	----	1 UNCH
9275	----	----	#28.389B/----	#28.389B/29.097A	----	28.032	+ 0.495	.9897	----	----	----	----	1 UNCH
9300	----	----	#28.645B/----	#28.645B/29.347A	----	28.281	+ 0.495	.9897	----	----	----	----	5 UNCH
9400	----	----	#29.635B/----	#29.635B/30.344A	----	29.280	+ 0.496	.9902	----	----	----	----	1 UNCH
9450	----	----	#30.316B/----	#30.316B/30.643A	----	29.779	+ 0.496	.9903	----	----	----	----	12 UNCH
9500	----	----	#30.856B/----	#30.856B/31.091A	----	30.279	+ 0.498	.9906	----	----	----	----	217 UNCH
9600	----	----	#31.854B/----	#31.854B/32.089A	----	31.278	+ 0.499	.9908	----	----	----	----	50 UNCH
9775	----	----	#33.376B/----	#33.376B/34.088A	----	33.026	+ 0.500	.9913	----	----	----	----	5 UNCH
9900	----	----	#34.806B/----	#34.806B/35.135A	----	34.275	+ 0.501	.9917	----	----	----	----	6 UNCH
9950	----	----	#35.123B/----	#35.123B/35.833A	----	34.775	+ 0.502	.9918	----	----	----	----	5 UNCH
10000	----	----	35.846B/----	35.846B/36.083A	----	35.274	+ 0.502	.9920	----	----	----	----	225 UNCH
10275	----	----	#38.551B/----	#38.551B/38.881A	----	38.021	+ 0.502	.9927	----	----	----	----	7 UNCH
10500	----	----	40.614B/----	40.614B/41.331A	----	40.269	+ 0.503	.9933	2	----	----	----	1 - 2
10600	42.300	42.300	#42.300/41.000	#42.300/41.000	----	41.268	+ 0.503	.9936	----	----	5	----	4 - 5
10800	----	----	#43.617B/----	#43.617B/44.333A	----	43.266	+ 0.502	.9941	1	----	----	----	0 - 1
11000	----	----	#45.828B/----	45.828B/46.078A	----	45.265	+ 0.503	.9946	68	----	----	----	136 - 68
11300	----	----	#48.794B/----	#48.794B/49.125A	----	48.263	+ 0.502	.9952	----	----	----	----	10 UNCH
12000	----	----	----	#54.627B/56.927A	----	55.260	+ 0.500	.9963	----	----	----	----	0 UNCH
13000	----	----	----	#64.626B/66.926A	----	65.260	+ 0.500	.9977	----	----	----	----	0 UNCH
TOTAL											1892	1456	17629 - 1015
AUG26													
2125	----	----	----	----/0.265A	----	0.006	- 0.001	.0007	----	----	----	----	3 UNCH
2300	----	----	----	----/0.240A	----	0.009	- 0.001	.0011	----	----	----	----	1 UNCH
2800	----	----	----	0.006B/0.039A	----	0.022	- 0.002	.0028	----	----	----	----	1 UNCH
3000	----	----	----	0.013B/0.045A	----	0.029	- 0.003	.0038	----	----	----	----	1 UNCH
3300	----	----	----	0.030B/0.057A	----	0.046	- 0.004	.0063	----	----	----	----	2 UNCH
3500	----	----	----	0.047B/0.069A	----	0.062	NEW	.0086	----	----	50	----	50 + 50
3900	----	----	----/0.105A	0.098B/0.105A	----	0.107	- 0.004	.0156	----	----	----	----	1 UNCH
4000	----	----	----/0.117A	0.119B/0.117A	----	0.122	- 0.004	.0179	----	----	----	----	4 UNCH
4175	----	----	----/*0.145A	0.156B/0.145A	----	0.154	- 0.004	.0230	----	----	----	----	1 UNCH
4200	----	----	0.166B/*0.149A	0.166B/0.149A	----	0.160	- 0.003	.0239	----	----	----	----	2 UNCH
4300	----	----	0.193B/*0.167A	0.193B/0.167A	----	0.183	- 0.002	.0275	----	----	----	----	1 UNCH
4350	----	----	0.208B/*0.178A	0.208B/0.178A	----	0.196	- 0.001	.0296	----	----	----	----	1 UNCH
4375	0.230	0.230	0.230/*0.182A	0.230/0.182A	----	0.203	UNCH	.0307	----	----	2	----	160 UNCH
4450	----	----	0.245B/*0.203A	0.245B/0.203A	----	0.225	+ 0.001	.0342	----	----	----	----	1 UNCH
4500	0.255	0.255	0.305/0.213A	0.305/0.213A	----	0.241	+ 0.002	.0367	----	----	21	----	21 + 12
4600	----	----	0.325B/*0.237A	0.325B/0.237A	----	0.278	+ 0.005	.0424	----	----	----	----	5 UNCH
4625	----	----	0.336B/*0.244A	0.336B/0.244A	----	0.288	+ 0.006	.0440	----	----	----	----	1 UNCH
4700	----	----	0.380B/*0.271A	0.380B/0.271A	----	0.320	+ 0.008	.0490	----	----	----	----	9 UNCH
4750	----	----	0.407B/*0.292A	0.407B/0.292A	----	0.345	+ 0.011	.0527	----	----	----	----	5 UNCH
4775	----	----	0.434B/0.303A	0.434B/0.303A	----	0.357	+ 0.011	.0546	----	----	----	----	2 UNCH
4800	0.367	0.367	0.450B/0.314A	0.450B/0.314A	----	0.371	+ 0.013	.0567	----	----	5	----	19 - 1
4825	----	----	0.468B/0.325A	0.468B/0.325A	----	0.384	+ 0.014	.0587	----	----	----	----	1 UNCH
4900	----	----	0.525B/0.363A	0.525B/0.363A	----	0.430	+ 0.019	.0656	----	----	----	----	4 UNCH
5000	0.548	0.548	0.615B/0.420A	0.615B/0.420A	----	0.499	+ 0.026	.0758	----	----	44	----	100 + 16
5050	0.628	0.628	0.664B/0.452A	0.664B/0.452A	----	0.539	NEW	.0816	----	----	1	----	1 + 1
5075	----	----	0.691B/0.471A	0.691B/0.471A	----	0.559	+ 0.032	.0845	----	----	----	----	2 UNCH
5100	----	----	0.719B/0.485A	0.719B/0.485A	----	0.581	+ 0.035	.0877	----	----	2	----	3 UNCH
5125	0.552	0.552	0.747B/0.501A	0.747B/0.501A	----	0.604	+ 0.038	.0909	----	----	2	----	3 + 2
5150	----	----	0.777B/0.521A	0.777B/0.521A	----	0.627	+ 0.040	.0942	----	----	2	----	3 + 2
5200	0.700	0.700	0.840B/0.564A	0.840B/0.564A	----	0.677	+ 0.046	.1012	----	----	20	----	216 + 8
5225	0.816	0.816	0.873B/0.587A	0.873B/0.587A	----	0.704	NEW	.1049	----	----	1	----	1 + 1
5250	0.750	0.750	0.915/0.610A	0.915/0.610A	----	0.731	+ 0.052	.1087	----	----	15	----	16 + 1
5275	----	----	0.937B/0.635A	0.937B/0.635A	----	0.760	+ 0.055	.1126	----	----	----	----	1 UNCH
5300	0.926	0.926	0.978B/0.660A	0.978B/0.660A	----	0.790	+ 0.059	.1167	----	----	8	----	31 + 6
5325	0.741	0.741	1.016B/0.685A	1.016B/0.685A	----	0.821	+ 0.062	.1209	----	----	1	----	3 + 1
5350	0.712	0.712	1.056B/0.712	1.056B/0.712	----	0.853	+ 0.066	.1252	----	----	1	----	2 + 1
5375	----	----	1.087B/0.741A	1.087B/0.741A	----	0.887	+ 0.070	.1296	----	----	----	----	1 UNCH
5400	0.804	0.804	1.131B/0.771A	1.131B/0.771A	----	0.922	+ 0.074	.1342	----	----	2	----	8 + 2
5425	0.964	0.964	1.171B/0.801A	1.171B/0.801A	----	0.958	+ 0.078	.1389	----	----	5	----	5 + 3
5450	0.813	0.813	1.214B/0.813	1.214B/0.813	----	0.995	+ 0.081	.1437	----	----	1	----	2 + 1
5475	0.892	0.892	1.262B/0.867A	1.262B/0.867A	----	1.034	NEW	.1487	----	----	1	----	1 + 1
5500	0.940	0.940	1.334/0.903A	1.334/0.903A	----	1.075	+ 0.091	.1539	----	----	39	----	210 + 22
5550	----	----	1.412B/0.974A	1.412B/0.974A	----	1.160	+ 0.099	.1645	----	----	----	----	1 UNCH
5575	----	----	1.465B/1.014A	1.465B/1.014A	----	1.205	+ 0.104	.1701	----	----	1	----	2 + 1
5600	1.241	1.241	1.530B/1.051A	1.530B/1.051A	----	1.252	+ 0.109	.1758	----	----	8	----	28 - 1
5625	----	----	1.578B/1.093A	1.578B/1.093A	----	1.301	+ 0.115	.1817	----	----	----	----	2 UNCH
5650	1.456	1.456	1.637B/1.135A	1.637B/1.135A	----	1.351	+ 0.119	.1876	----	----	4	----	8 UNCH
5675	----	----	1.698B/1.180A	1.698B/1.180A	----	1.403	+ 0.125	.1938	----	----	1	----	11 + 1
5700	----	----	1.767B/1.225A	1.767B/1.225A	----	1.457	+ 0.130	.2000	----	----	11	----	19 + 10
5725	1.583	1.583	1.828B/1.274A	1.828B/1.274A	----	1.513	NEW	.2065	----	----	2	----	2 + 2
5750	----	----	1.891B/1.324A	1.891B/1.324A	----	1.570	+ 0.141	.2130	----	----	----	----	20 UNCH
5775	----	----	1.965B/1.376A	1.965B/1.376A	----	1.630	+ 0.146	.2197	----	----	----	----	2 UNCH
5800	1.524	1.524	2.043B/1.402	2.043B/1.402	----	1.692	+ 0.153	.2265	----	----	10	----	42 + 2
5825	1.828	1.828	2.115/1.485A	2.115/1.485A	----	1.755	NEW	.2335	----	----	3	----	3 + 3
5850	1.606	1.606	2.190/1.542A	2.190/1.542A	----	1.821	+ 0.164	.2406	----	----	2	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
5875	1.666	1.666	2.267B/1.601A	2.267B/1.601A	----	1.889 + 0.170	.2478	----	----	1	----	5 + 1
5900	2.021	2.021	2.346B/1.660A	2.346B/1.660A	----	1.959 + 0.176	.2552	----	----	5	----	12 + 2
5925	----	----	2.430B/1.724A	2.430B/1.724A	----	2.031 + 0.181	.2626	----	----	----	----	8 UNCH
5950	----	----	2.512B/1.789A	2.512B/1.789A	----	2.106 + 0.188	.2703	----	----	----	----	12 UNCH
5975	----	----	2.601B/1.856A	2.601B/1.856A	----	2.182 + 0.194	.2780	----	----	2	----	3 + 2
6000	2.100	2.100	2.752/1.925A	2.752/1.925A	----	2.261 + 0.200	.2858	----	----	198	42	251 - 19
6025	2.375	2.375	2.782B/1.997A	2.782B/1.997A	----	2.343 + 0.207	.2938	----	----	2	----	2 - 1
6050	2.482	2.482	2.889B/2.070A	2.889B/2.070A	----	2.426 + 0.212	.3018	----	----	5	----	120 + 4
6075	----	----	2.982B/2.146A	2.982B/2.146A	----	2.512 + 0.218	.3100	----	----	----	----	1 UNCH
6100	2.650	2.650	3.085B/2.225A	3.085B/2.225A	----	2.601 + 0.225	.3182	----	----	27	----	152 - 26
6125	2.740	2.740	3.180B/2.305A	3.180B/2.305A	----	2.692 + 0.232	.3266	----	----	1	----	6 UNCH
6150	----	----	3.292B/2.387A	3.292B/2.387A	----	2.785 + 0.238	.3350	----	----	1	----	378 + 1
6175	----	----	3.391B/2.474A	3.391B/2.474A	----	2.881 + 0.244	.3435	----	----	----	----	16 UNCH
6200	----	----	3.507B/2.561A	3.507B/2.561A	----	2.979 + 0.250	.3521	----	----	2	----	634 UNCH
6225	3.130	3.130	3.603B/2.652A	3.603B/2.652A	----	3.080 + 0.257	.3607	----	----	1	----	15 - 1
6250	----	----	3.734B/2.744A	3.734B/2.744A	----	3.184 + 0.264	.3695	----	----	1	----	223 - 1
6275	----	----	3.832B/2.840A	3.832B/2.840A	----	3.290 + 0.270	.3782	----	----	----	----	13 UNCH
6300	3.122	3.122	3.970B/2.936A	3.970B/2.936A	----	3.398 + 0.276	.3870	----	----	27	----	565 - 5
6325	----	----	4.074B/3.038A	4.074B/3.038A	----	3.509 + 0.282	.3959	----	----	----	----	3 UNCH
6350	----	----	4.217B/3.141A	4.217B/3.141A	----	3.623 + 0.289	.4048	----	----	11	----	81 + 4
6375	----	----	4.326B/3.245A	4.326B/3.245A	----	3.739 + 0.295	.4137	----	----	----	----	1 UNCH
6400	3.780	3.780	4.476B/3.354A	4.476B/3.354A	----	3.858 + 0.301	.4227	----	----	10	----	175 + 2
6425	----	----	4.589B/3.466A	4.589B/3.466A	----	3.979 + 0.307	.4316	----	----	----	----	10 UNCH
6450	----	----	4.733B/3.573A	4.733B/3.573A	----	4.103 + 0.313	.4406	----	----	----	----	45 UNCH
6475	----	----	4.862B/3.694A	4.862B/3.694A	----	4.230 + 0.319	.4496	----	----	----	----	2 UNCH
6500	4.216	4.216	4.994B/3.812A	4.994B/3.812A	----	4.359 + 0.325	.4586	----	----	14	----	241 - 4
6525	4.220	4.220	5.134B/3.925A	5.134B/3.925A	----	4.490 + 0.331	.4675	----	----	1	----	2 UNCH
6550	----	----	5.281B/4.049A	5.281B/4.049A	----	4.625 + 0.337	.4765	----	----	----	----	10 UNCH
6575	----	----	5.430B/4.175A	5.430B/4.175A	----	4.761 + 0.342	.4854	----	----	1	----	41 UNCH
6600	----	----	5.579B/4.303A	5.579B/4.303A	----	4.900 + 0.348	.4943	----	----	12	----	182 - 5
6625	5.131	5.131	5.714B/4.435A	5.714B/4.435A	----	5.042 + 0.354	.5031	----	----	1	----	21 + 1
6650	5.534	5.534	5.869B/4.568A	5.869B/4.568A	----	5.186 + 0.359	.5119	----	----	2	----	15 UNCH
6675	5.044	5.044	6.028B/4.704A	6.028B/4.704A	----	5.333 + 0.365	.5207	----	----	1	----	2 UNCH
6700	----	----	6.203B/4.843A	6.203B/4.843A	----	5.482 + 0.370	.5293	----	----	----	----	92 UNCH
6725	----	----	6.325B/4.985A	6.325B/4.985A	----	5.634 + 0.376	.5380	----	----	----	----	11 UNCH
6750	----	----	6.486B/5.128A	6.486B/5.128A	----	5.787 + 0.381	.5465	----	----	----	----	2 UNCH
6775	----	----	6.659B/5.274A	6.659B/5.274A	----	5.944 + 0.386	.5550	----	----	----	----	16 UNCH
6800	----	----	6.829B/5.425A	6.829B/5.425A	----	6.102 + 0.391	.5634	----	----	----	----	243 UNCH
6825	----	----	6.991B/5.577A	6.991B/5.577A	----	6.263 + 0.396	.5718	----	----	----	----	35 UNCH
6850	----	----	7.169B/5.769A	7.169B/5.769A	----	6.426 + 0.401	.5800	----	----	----	----	6 UNCH
6875	----	----	7.345B/5.920A	7.345B/5.920A	----	6.592 + 0.406	.5882	----	----	----	----	130 UNCH
6900	----	----	7.523B/6.086A	7.523B/6.086A	----	6.759 + 0.410	.5962	----	----	2	----	86 - 1
6925	----	----	7.686B/6.251A	7.686B/6.251A	----	6.929 + 0.415	.6042	----	----	1	----	10 - 1
6950	----	----	7.885B/6.412A	7.885B/6.412A	----	7.101 + 0.419	.6120	----	----	----	----	53 UNCH
6975	----	----	8.050B/6.581A	8.050B/6.581A	----	7.275 + 0.424	.6198	----	----	----	----	11 UNCH
7000	----	----	8.258B/6.747A	8.258B/6.747A	----	7.451 + 0.428	.6274	----	----	9	----	427 + 2
7025	----	----	8.423B/6.928A	8.423B/6.928A	----	7.629 + 0.432	.6349	----	----	----	----	25 UNCH
7050	----	----	8.612B/7.092A	8.612B/7.092A	----	7.809 + 0.436	.6424	----	----	----	----	36 UNCH
7075	----	----	8.804B/7.272A	8.804B/7.272A	----	7.991 + 0.440	.6497	----	----	----	----	25 UNCH
7100	----	----	8.996B/7.443A	8.996B/7.443A	----	8.175 + 0.444	.6569	----	----	----	----	36 UNCH
7125	----	----	9.188B/7.622A	9.188B/7.622A	----	8.360 + 0.447	.6640	----	----	----	----	20 UNCH
7150	----	----	9.383B/7.804A	9.383B/7.804A	----	8.548 + 0.451	.6710	----	----	----	----	9 UNCH
7175	----	----	9.573B/7.986A	9.573B/7.986A	----	8.737 + 0.454	.6778	----	----	----	----	10 UNCH
7200	----	----	9.807B/8.167A	9.807B/8.167A	----	8.928 + 0.458	.6845	----	----	----	----	115 UNCH
7225	----	----	9.972B/8.352A	9.972B/8.352A	----	9.120 + 0.461	.6912	----	----	----	----	11 UNCH
7250	----	----	10.218B/8.542A	10.218B/8.542A	----	9.314 + 0.464	.6977	----	----	----	----	76 UNCH
7275	----	----	10.377B/8.729A	10.377B/8.729A	----	9.510 + 0.467	.7040	----	----	----	----	10 UNCH
7300	----	----	10.618B/8.920A	10.618B/8.920A	----	9.707 + 0.469	.7103	----	----	----	----	111 UNCH
7325	----	----	10.787B/9.111A	10.787B/9.111A	----	9.906 + 0.472	.7165	----	----	----	----	2 UNCH
7350	----	----	10.994B/9.306A	10.994B/9.306A	----	10.106 + 0.475	.7225	----	----	----	----	17 UNCH
7375	----	----	11.203B/9.497A	11.203B/9.497A	----	10.308 + 0.478	.7284	----	----	----	----	1 UNCH
7400	----	----	11.426B/9.696A	11.426B/9.696A	----	10.510 + 0.479	.7341	----	----	----	----	32 UNCH
7425	----	----	11.624B/9.892A	11.624B/9.892A	----	10.715 + 0.482	.7398	----	----	----	----	16 UNCH
7450	----	----	11.836B/10.094A	11.836B/10.094A	----	10.920 + 0.484	.7454	----	----	----	----	1 UNCH
7475	----	----	12.049B/10.295A	12.049B/10.295A	----	11.127 + 0.486	.7508	----	----	----	----	6 UNCH
7500	----	----	12.312B/10.496A	12.312B/10.496A	----	11.335 + 0.488	.7562	----	----	1	----	132 UNCH
7525	----	----	12.478B/10.701A	12.478B/10.701A	----	11.544 + 0.489	.7614	----	----	----	----	11 UNCH
7550	----	----	12.696B/10.906A	12.696B/10.906A	----	11.754 + 0.491	.7666	----	----	----	----	18 UNCH
7575	----	----	12.913B/11.112A	12.913B/11.112A	----	11.965 + 0.492	.7715	----	----	----	----	2 UNCH
7600	----	----	13.130B/11.320A	13.130B/11.320A	----	12.178 + 0.494	.7765	----	----	----	----	8 UNCH
7625	----	----	13.350B/11.528A	13.350B/11.528A	----	12.391 + 0.495	.7813	----	----	----	----	16 UNCH
7650	----	----	13.584B/11.738A	13.584B/11.738A	----	12.606 + 0.496	.7859	----	----	----	----	42 UNCH
7675	----	----	13.805B/11.949A	13.805B/11.949A	----	12.821 + 0.497	.7906	----	----	----	----	45 UNCH
7700	----	----	14.061B/12.161A	14.061B/12.161A	----	13.038 + 0.498	.7951	----	----	----	----	164 UNCH
7725	----	----	14.273B/12.373A	14.273B/12.373A	----	13.255 + 0.499	.7995	----	----	----	----	56 UNCH
7750	----	----	14.467B/12.586A	14.467B/12.586A	----	13.474 + 0.500	.8037	----	----	----	----	1 UNCH
7775	----	----	14.684B/12.797A	14.684B/12.797A	----	13.693 + 0.501	.8079	----	----	----	----	1 UNCH
7800	----	----	14.922B/13.019A	14.922B/13.019A	----	13.913 + 0.502	.8120	----	----	----	----	29 UNCH
7825	----	----	15.135B/13.236A	15.135B/13.236A	----	14.134 + 0.502	.8161	----	----	----	----	1 UNCH
7850	----	----	15.369B/13.454A	15.369B/13.454A	----	14.356 + 0.503	.8200	----	----	----	----	17 UNCH
7875	----	----	15.596B/13.673A	15.596B/13.673A	----	14.579 + 0.504	.8238	----	----	----	----	1 UNCH
7900	----	----	15.824B/13.894A	15.824B/13.894A	----	14.802 + 0.504	.8275	----	----	1	----	11 - 1
7925	----	----	16.054B/14.110A	16.054B/14.110A	----	15.026 + 0.505	.8311	----	----	----	----	3 UNCH
7950	----	----	16.308B/14.337A	16.308B/14.337A	----	15.251 + 0.505	.8348	----	----	----	----	61 UNCH
7975	----	----	16.512B/14.559A	16.512B/14.559A	----	15.477 + 0.506	.8382	----	----	----	----	2 UNCH
8000	----	----	16.769B/14.780A	16.769B/14.780A	----	15.703 + 0.506	.8416	----	----	8	----	297 - 2
8025	----	----	16.975B/15.001A	16.975B/15.001A	----	15.930 + 0.507	.8449	----	----	----	----	1 UNCH
8050	----	----	17.205B/15.231A	17.205B/15.231A	----	16.158 + 0.508	.8481	----	----	----	----	1 UNCH
8100	----	----	17.670B/15.683A	17.670B/15.683A	----	16.615 + 0.508	.8544	----	----	----	----	10 UNCH
8125	----	----	17.903B/15.910A	17.903B/15.910A	----	16.845 + 0.509	.8573	----	----	----	----	1 UNCH
8150	----	----	18.136B/16.132A	18.136B/16.132A	----	17.075 + 0.509	.8603	----	----	----	----	14 UNCH
8175	----	----	18.372B/16.366A	18.372B/16.366A	----	17.305 + 0.509	.8631	----	----	----	----	1 UNCH
8200	----	----	18.605B/16.597A	18.605B/16.597A	----	17.536 + 0.509	.8659	----	----	----	----	10 UNCH
8225	----	----	18.840B/16.824A	18.840B/16.824A	----	17.768 + 0.510	.8687	----	----	----	----	4 UNCH
8250	----	----	19.075B/17.044A	19.075B/17.044A	----	18.000 + 0.510	.8713	----	----	----	----	10 UNCH
8275	----	----	19.311B/17.281A	19.311B/17.281A	----	18.233 + 0.511	.8739	----	----	----	----	5 UNCH
8300	----	----	19.547B/17.512A	19.547B/17.512A	----	18.466 + 0.511	.8765	----	----	----	----	1 UNCH
8325	----	----	#19.784B/17.749	#19.784B/17.749A	----	18.700 + 0.511	.8788	----	----	----	----	5 UNCH
8400	----	----	#20.497B/18.442	#20.497B/18.442A	----	19.404 + 0.513	.8859	----	----	----	----	1 UNCH
8425	----	----	#20.733B/18.675	#20.733B/18.675A	----	19.639 + 0.513	.8882	----	----	----	----	1 UNCH
8475	----	----	#21.210B/19.144	#21.210B/19.144A	----	20.111 + 0.514	.8925	----	----	----	----	1 UNCH
8500	----	----	#21.449B/19.383	#21.449B/19.383A	----	20.348 + 0.514	.8945	----	----	----	----	21 UNCH
8600	----	----	#22.409B/20.322	#22.409B/20.322A	----	21.297 + 0.516	.9023	----	----	----	----	3 UNCH
8650	----	----	#22.888B/20.790	#22.888B/20.790A	----	21.776 + 0.519	.9058	----	----	----	----	1 UNCH
8700	----	----	#23.370B/21.271	#23.370B/21.271A	----	22.251 + 0.518	.9096	----	----	----	----	2 UNCH
8825	----	----	#24.580B/22.467	#24.580B/22.467A	----	23.457 + 0.527	.9166	----	----	----	----	4 UNCH
8850	----	----	#24.821B/22.715	#24.821B/22.715A	----	23.698 + 0.528	.9182	----	----	----	----	1 UNCH
8900	----	----	#25.306B/23.195	#25.306B/23.195A	----	24.180 + 0.529	.9211	----	----	----	----	24 UNCH
9000	----	----	#26.300B/24.113	#26.300B/24.113A	----	25.147 + 0.532	.9262	----	----	----	----	63 UNCH
9025	----	----	#26.522B/24.400	#26.522B/24.400A	----	25.390 + 0.533	.9274	----	----	----	----	4 UNCH
9150	----	----	#27.742B/25.609	#27.742B/25.609A	----	26.606 + 0.536	.9330	----	----	----	----	4 UNCH
9175	----	----	#27.979B/25.852	#27.979B/25.852A	----	26.849 + 0.536	.9340	----	----	----	----	1 UNCH
9200	----	----	#28.231B/26.095	#28.231B/26.095A	----	27.091 + 0.535	.9352	----	----	----	----	1 UNCH
9225	----	----	#28.476B/26.338	#28.476B/26.338A	----	27.334 + 0.534	.9363	----	----	----	----	1 UNCH
9275	----	----	#28.957B/26.825	#28.957B/26.825A	----	27.820 + 0.532	.9386	----	----	----	----	5 UNCH
9300	----	----	#29.202B/27.068	#29.202B/27.068A	----	28.063 + 0.531	.9396	----	----	----	----	1 UNCH
9325	----	----	#29.447B/27.307	#29.447B/27.307A	----	28.307 + 0.530	.9406	----	----	----	----	11 UNCH
9350	----	----	#29.694B/27.554	#29.694B/27.554A	----	28.551 + 0.530	.9417	----	----	----	----	4 UNCH
9500	----	----	#31.168B/28.992	#31.168B/28.992A	----	30.018 + 0.526	.9469	----	----	----	----	32 UNCH
9975	----	----	#35.853B/33.681	#35.853B/33.681A	----	34.693 + 0.516	.9593	----	----	----	----	1 UNCH
10000	----	----	#36.100B/33.925	#36.100B/33.925A	----	34.940 + 0.516	.9598	----	----	----	----	7 UNCH
10025	----	----	#36.347B/34.172	#36.347B/34.172A	----	35.186 + 0.515	.9603	----	----	----	----	1 UNCH
10175	----	----	#37.755B/35.648	#37.755B/35.648A	----	36.668 + 0.513	.9633	----	----	----	----	15 UNCH
11000	----	----	----	#43.091B/47.635A	----	44.851 NEW	.9748	----	----	2	----	2 + 2
12000	----	----	#55.488B/----	#55.488B/54.737A	----	54.809 + 0.512	.9829	----	----	----	----	6 UNCH
TOTAL										615	42	7179 + 101
SEP26												
2500	----	----	----	0.005B/0.054A	----	0.011 - 0.001	.0014	----	----	----	----	60 UNCH
3000	----	----	----	0.032B/0.075A	----	0.045 - 0.001	.0056	----	----	----	----	22 UNCH
3250	----	----	----	0.055B/0.096A	----	0.076 - 0.001	.0093	----	----	----	----	1 UNCH
3475	----	----	----	0.081B/0.115A	----	0.104 NEW	.0130	----	----	1	----	1 + 1
3500	----	----	----	0.084B/0.118A	----	0.107 + 0.001	.0134	----	----	----	----	74 UNCH
3950	----	----	----	0.179B/0.188A	----	0.192 + 0.007	.0248	----	----	----	----	1 UNCH
4000	----	----	0.197B/----	0.197B/0.198A	----	0.204 + 0.008	.0264	----	----	1	----	47 + 1
4100	----	----	0.230B/*0.219A	0.230B/0.219A	----	0.232 NEW	.0302	----	----	2	----	2 + 2
4200	----	----	0.272B/*0.247A	0.272B/0.247A	----	0.265 + 0.013	.0346	----	----	----	----	1 UNCH
4250	----	----	0.289B/0.261A	0.289B/0.261A	----	0.283 NEW	.0370	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
4400	----	----	0.367B/0.318A	0.367B/0.318A	----	0.345 + 0.019	.0451	----	----	----	----	1 UNCH
4500	0.385	0.385	0.430B/0.358A	0.430B/0.358A	----	0.395 + 0.023	.0516	----	----	2	----	16 + 2
4525	----	----	0.445B/0.369A	0.445B/0.369A	----	0.409 + 0.024	.0534	----	----	----	----	2 UNCH
4600	0.541	0.541	0.541/0.409A	0.541/0.409A	----	0.454 + 0.028	.0591	----	----	1	----	2 + 1
4750	0.667	0.667	0.667/0.502A	0.667/0.502A	----	0.562 NEW	.0724	----	----	1	----	1 + 1
4800	----	----	0.681B/0.535A	0.681B/0.535A	----	0.604 + 0.039	.0775	----	----	----	----	3 UNCH
5000	----	----	0.917B/0.705A	0.917B/0.705A	----	0.809 + 0.056	.1012	----	----	----	----	249 UNCH
5100	----	----	1.062B/0.812A	1.062B/0.812A	----	0.936 + 0.074	.1152	----	----	----	----	1 UNCH
5200	----	----	1.228B/0.934A	1.228B/0.934A	----	1.080 + 0.097	.1307	----	----	----	----	28 UNCH
5350	----	----	1.518B/1.153A	1.518B/1.153A	----	1.336 NEW	.1570	----	----	5	----	5 + 5
5375	----	----	1.572B/1.194A	1.572B/1.194A	----	1.383 + 0.114	.1617	----	----	----	----	1 UNCH
5400	----	----	1.627B/1.237A	1.627B/1.237A	----	1.432 + 0.118	.1665	----	----	----	----	3 UNCH
5475	----	----	1.803B/1.372A	1.803B/1.372A	----	1.586 + 0.142	.1814	----	----	----	----	3 UNCH
5500	1.630	1.630	1.867B/1.420A	1.867B/1.420A	----	1.639 + 0.145	.1865	----	----	16	----	240 + 8
5575	----	----	2.065B/1.574A	2.065B/1.574A	----	1.811 + 0.151	.2026	----	----	----	----	2 UNCH
5600	----	----	2.135B/1.628A	2.135B/1.628A	----	1.872 + 0.154	.2082	----	----	8	----	12 + 8
5700	----	----	2.432B/1.863A	2.432B/1.863A	----	2.135 + 0.172	.2314	----	----	1	----	21 + 1
5725	----	----	2.512B/1.924A	2.512B/1.924A	----	2.205 + 0.177	.2374	----	----	1	----	3 + 1
5750	----	----	2.591B/1.990A	2.591B/1.990A	----	2.278 + 0.184	.2436	----	----	----	----	1 UNCH
5800	----	----	2.757B/2.125A	2.757B/2.125A	----	2.429 + 0.196	.2561	----	----	2	----	33 + 2
5825	----	----	2.844B/2.196A	2.844B/2.196A	----	2.508 + 0.203	.2625	----	----	----	----	2 UNCH
5850	2.520	2.520	2.934B/2.268A	2.934B/2.268A	----	2.588 + 0.208	.2689	----	----	1	----	0 - 1
5900	----	----	3.118B/2.418A	3.118B/2.418A	----	2.755 + 0.219	.2820	----	----	----	----	51 UNCH
5950	3.245	3.245	3.312B/2.576A	3.312B/2.576A	----	2.931 + 0.229	.2954	----	----	3	----	4 + 3
6000	3.400	3.400	3.514B/2.743A	3.514B/2.743A	----	3.114 + 0.238	.3090	----	----	71	----	752 - 42
6025	----	----	3.618B/2.829A	3.618B/2.829A	----	3.209 + 0.242	.3158	----	----	----	----	1 UNCH
6050	----	----	3.724B/2.917A	3.724B/2.917A	----	3.306 + 0.247	.3228	----	----	----	----	19 UNCH
6100	----	----	3.943B/3.099A	3.943B/3.099A	----	3.507 + 0.255	.3368	----	----	----	----	82 UNCH
6200	----	----	4.412B/3.490A	4.412B/3.490A	----	3.935 + 0.273	.3652	----	----	----	----	137 UNCH
6300	----	----	4.911B/3.915A	4.911B/3.915A	----	4.397 + 0.291	.3940	----	----	----	----	30 UNCH
6400	----	----	5.444B/4.374A	5.444B/4.374A	----	4.894 + 0.313	.4229	----	----	----	----	12 UNCH
6425	----	----	5.582B/4.494A	5.582B/4.494A	----	5.024 + 0.319	.4301	----	----	3	----	1 - 2
6450	----	----	5.722B/4.616A	5.722B/4.616A	----	5.155 + 0.325	.4374	----	----	----	----	1 UNCH
6500	5.300	5.300	6.021B/4.867A	6.021B/4.867A	----	5.425 + 0.338	.4517	----	----	11	----	160 + 3
6550	----	----	6.317B/5.127A	6.317B/5.127A	----	5.703 + 0.351	.4660	----	----	----	----	15 UNCH
6700	----	----	7.160B/5.954A	7.160B/5.954A	----	6.585 + 0.391	.5080	----	----	----	----	355 UNCH
6750	----	----	7.485B/6.246A	7.485B/6.246A	----	6.894 + 0.403	.5216	----	----	----	----	1 UNCH
6800	----	----	7.818B/6.546A	7.818B/6.546A	----	7.211 + 0.415	.5350	----	----	1	----	24 - 1
6850	----	----	8.158B/6.853A	8.158B/6.853A	----	7.535 + 0.427	.5483	----	----	1	----	2 UNCH
6900	----	----	8.504B/7.228A	8.504B/7.228A	----	7.866 + 0.438	.5612	----	----	----	----	24 UNCH
6975	----	----	9.035B/7.720A	9.035B/7.720A	----	8.375 + 0.451	.5802	----	----	----	----	15 UNCH
7000	----	----	9.216B/7.883A	9.216B/7.883A	----	8.548 + 0.456	.5864	----	----	----	----	201 UNCH
7025	----	----	9.397B/8.051A	9.397B/8.051A	----	8.722 + 0.459	.5925	----	----	----	----	0 UNCH
7050	----	----	9.581B/8.218A	9.581B/8.218A	----	8.898 + 0.463	.5986	----	----	----	----	2 UNCH
7075	----	----	9.765B/8.390A	9.765B/8.390A	----	9.076 + 0.467	.6046	----	----	----	----	2 UNCH
7100	----	----	9.952B/8.562A	9.952B/8.562A	----	9.255 + 0.470	.6105	----	----	----	----	18 UNCH
7125	----	----	10.139B/8.736A	10.139B/8.736A	----	9.435 + 0.472	.6164	----	----	----	----	25 UNCH
7175	----	----	10.518B/9.087A	10.518B/9.087A	----	9.800 + 0.478	.6279	----	----	----	----	20 UNCH
7200	----	----	10.710B/9.267A	10.710B/9.267A	----	9.985 + 0.480	.6335	----	----	----	----	77 UNCH
7300	----	----	11.489B/9.995A	11.489B/9.995A	----	10.738 + 0.489	.6553	----	----	----	----	171 UNCH
7400	----	----	12.287B/10.746A	12.287B/10.746A	----	11.511 + 0.496	.6760	----	----	----	----	26 UNCH
7450	----	----	12.693B/11.128A	12.693B/11.128A	----	11.905 + 0.500	.6859	----	----	----	----	1 UNCH
7500	----	----	13.103B/11.517A	13.103B/11.517A	----	12.303 + 0.502	.6954	----	----	----	----	18 UNCH
7550	----	----	13.516B/11.905A	13.516B/11.905A	----	12.706 + 0.505	.7048	----	----	----	----	44 UNCH
7600	----	----	13.934B/12.307A	13.934B/12.307A	----	13.113 + 0.508	.7138	----	----	----	----	26 UNCH
7650	----	----	14.356B/12.704A	14.356B/12.704A	----	13.524 + 0.511	.7225	----	----	----	----	16 UNCH
7700	----	----	14.781B/13.114A	14.781B/13.114A	----	13.938 + 0.513	.7309	----	----	----	----	9 UNCH
7775	----	----	15.424B/13.730A	15.424B/13.730A	----	14.567 + 0.517	.7431	----	----	----	----	5 UNCH
7800	----	----	15.640B/13.938A	15.640B/13.938A	----	14.778 + 0.518	.7471	----	----	----	----	26 UNCH
7900	----	----	16.511B/14.776A	16.511B/14.776A	----	15.632 + 0.523	.7621	----	----	----	----	1 UNCH
8000	----	----	17.394B/15.634A	17.394B/15.634A	----	16.498 + 0.527	.7761	----	----	----	----	93 UNCH
8100	----	----	18.281B/16.491A	18.281B/16.491A	----	17.375 + 0.531	.7892	----	----	----	----	1 UNCH
8200	----	----	19.183B/17.366A	19.183B/17.366A	----	18.261 + 0.534	.8015	----	----	----	----	1 UNCH
8300	----	----	20.093B/18.251A	20.093B/18.251A	----	19.158 + 0.538	.8128	----	----	----	----	1 UNCH
8400	----	----	#21.010B/19.145	#21.010B/19.145A	----	20.062 + 0.540	.8234	----	----	----	----	42 UNCH
8500	----	----	#21.934B/20.054	#21.934B/20.054A	----	20.974 + 0.542	.8333	----	----	----	----	227 UNCH
8700	----	----	#23.801B/21.874	#23.801B/21.874A	----	22.817 + 0.545	.8511	----	----	----	----	101 UNCH
9000	----	----	26.636B/24.677A	26.636B/24.677A	----	25.625 + 0.547	.8733	----	----	----	----	74 UNCH
9300	----	----	#29.506B/27.511	#29.506B/27.511A	----	28.473 + 0.547	.8914	----	----	----	----	1 UNCH
9400	----	----	#30.468B/28.463	#30.468B/28.463A	----	29.429 + 0.547	.8966	----	----	----	----	15 UNCH
10150	----	----	#37.768B/35.689	#37.768B/35.689A	----	36.679 + 0.549	.9268	----	----	----	----	1 UNCH
10300	----	----	#39.237B/37.152	#39.237B/37.152A	----	38.142 + 0.549	.9313	----	----	----	----	1 UNCH
11000	----	----	#46.126B/44.021	#46.126B/44.021A	----	45.009 + 0.529	.9478	----	----	----	----	1 UNCH
TOTAL										133	0	3772 - 6
OCT26												
2675	----	----	----	0.001B/3.312A	----	0.034 - 0.030	.0039	----	----	----	----	8 UNCH
3000	0.100	0.100	#0.100/*0.100	0.100/0.100	----	0.050 NEW	.0060	----	----	9	----	9 + 9
3250	----	----	----	0.034B/0.173A	----	0.080 - 0.050	.0096	----	----	----	----	1 UNCH
4000	----	----	----	0.218B/0.336A	----	0.265 - 0.049	.0311	----	----	----	----	3 UNCH
4500	----	----	----	0.510B/0.557A	----	0.539 - 0.015	.0613	----	----	----	----	3 UNCH
5000	----	----	1.162B/0.980A	1.162B/0.980A	----	1.059 + 0.052	.1135	----	----	----	----	5 UNCH
5050	----	----	1.240B/1.044A	1.240B/1.044A	----	1.132 + 0.062	.1203	----	----	----	----	1 UNCH
5150	----	----	1.453B/1.186A	1.453B/1.186A	----	1.289 + 0.078	.1347	----	----	----	----	5 UNCH
5750	----	----	3.016B/2.500A	3.016B/2.500A	----	2.734 + 0.197	.2479	----	----	----	----	1 UNCH
5800	----	----	3.195B/2.623A	3.195B/2.623A	----	2.902 + 0.209	.2592	----	----	----	----	4 UNCH
5825	----	----	3.314B/2.708A	3.314B/2.708A	----	2.989 + 0.216	.2649	----	----	----	----	1 UNCH
5925	----	----	3.698B/3.039A	3.698B/3.039A	----	3.354 + 0.240	.2882	----	----	----	----	1 UNCH
6000	3.530	3.530	4.006B/3.330A	4.006B/3.330A	----	3.644 + 0.255	.3059	----	----	17	----	62 + 2
6100	3.950	3.950	4.438B/3.680A	4.438B/3.680A	----	4.050 + 0.269	.3300	----	----	5	----	8 + 5
6250	----	----	5.150B/4.367A	5.150B/4.367A	----	4.694 + 0.273	.3665	----	----	----	----	5 UNCH
6300	----	----	5.402B/4.548A	5.402B/4.548A	----	4.920 + 0.273	.3789	----	----	----	----	15 UNCH
6400	----	----	5.935B/5.066A	5.935B/5.066A	----	5.398 + 0.282	.4037	----	----	----	----	5 UNCH
6500	----	----	6.485B/5.533A	6.485B/5.533A	----	5.913 + 0.305	.4286	----	----	----	----	176 UNCH
6600	----	----	7.076B/----	7.076B/6.124A	----	6.467 + 0.343	.4532	----	----	----	----	31 UNCH
6625	----	----	7.218B/6.251A	7.218B/6.251A	----	6.611 + 0.353	.4593	----	----	----	----	32 UNCH
6650	----	----	7.378B/6.359A	7.378B/6.359A	----	6.757 + 0.364	.4653	----	----	----	----	36 UNCH
6700	----	----	7.688B/----	7.688B/6.696A	----	7.055 + 0.384	.4773	----	----	----	----	70 UNCH
6725	----	----	7.636B/----	7.636B/6.885A	----	7.207 + 0.394	.4833	----	----	----	----	1 UNCH
6750	----	----	8.001B/6.937A	8.001B/6.937A	----	7.360 + 0.402	.4892	----	----	----	----	1 UNCH
6800	----	----	8.319B/----	8.319B/7.289A	----	7.673 + 0.418	.5008	----	----	----	----	15 UNCH
6850	----	----	8.651B/----	8.651B/7.590A	----	7.993 + 0.432	.5123	----	----	----	----	1 UNCH
6900	----	----	8.982B/7.851A	8.982B/7.851A	----	8.319 + 0.440	.5236	----	----	----	----	10 UNCH
6950	----	----	9.326B/----	9.326B/8.229A	----	8.650 + 0.441	.5347	----	----	----	----	1 UNCH
7000	----	----	9.667B/8.549A	9.667B/8.549A	----	8.987 + 0.437	.5456	----	----	----	----	97 UNCH
7025	----	----	9.839B/----	9.839B/8.739A	----	9.158 + 0.434	.5510	----	----	----	----	1 UNCH
7050	----	----	10.022B/8.886A	10.022B/8.886A	----	9.329 + 0.428	.5563	----	----	----	----	1 UNCH
7075	----	----	10.191B/----	10.191B/9.148A	----	9.502 + 0.423	.5616	----	----	----	----	1 UNCH
7225	----	----	11.062B/10.179A	11.062B/10.179A	----	10.565 + 0.378	.5924	----	----	----	----	88 UNCH
7250	----	----	10.955B/10.181A	10.955B/10.181A	----	10.746 + 0.370	.5973	----	----	----	----	1 UNCH
7275	----	----	11.282B/10.488A	11.282B/10.488A	----	10.928 + 0.363	.6022	----	----	----	----	1 UNCH
7300	----	----	11.624B/10.614A	11.624B/10.614A	----	11.112 + 0.356	.6071	----	----	----	----	9 UNCH
7350	----	----	11.781B/10.897A	11.781B/10.897A	----	11.481 + 0.343	.6166	----	----	----	----	1 UNCH
7500	----	----	13.167B/12.142A	13.167B/12.142A	----	12.615 + 0.331	.6441	----	----	----	----	28 UNCH
7600	----	----	13.965B/12.871A	13.965B/12.871A	----	13.392 + 0.348	.6614	----	----	----	----	13 UNCH
7650	----	----	14.018B/----	14.018B/13.505A	----	13.786 + 0.364	.6697	----	----	----	----	1 UNCH
7700	----	----	14.421B/----	14.421B/13.906A	----	14.185 + 0.387	.6778	----	----	----	----	1 UNCH
7775	----	----	15.014B/----	15.014B/14.508A	----	14.790 + 0.428	.6895	----	----	----	----	2 UNCH
7950	----	----	16.487B/----	16.487B/15.714A	----	16.228 + 0.517	.7153	----	----	----	----	10 UNCH
8000	----	----	16.905B/----	16.905B/16.354A	----	16.644 + 0.531	.7222	----	----	----	----	10 UNCH
8200	----	----	18.600B/----	18.600B/18.048A	----	18.331 + 0.534	.7487	----	----	----	----	6 UNCH
8375	----	----	20.143B/----	20.143B/19.580A	----	19.851 + 0.521	.7690	----	----	----	----	1 UNCH
8400	----	----	20.362B/----	20.362B/19.797A	----	20.073 + 0.522	.7717	----	----	----	----	6 UNCH
9100	----	----	----	11.973B/40.845A	----	26.385 + 0.526	.8349	----	----	----	----	1 UNCH
10000	----	----	----	20.502B/48.893A	----	34.855 + 0.554	.8865	----	----	----	----	40 UNCH
TOTAL										31	0	830 + 16
NOV26												
4500	----	----	----/0.745A	0.663B/0.745A	----	0.728 - 0.753	.0736	----	----	----	----	1 UNCH
4550	----	----	----/0.788A	0.662B/0.788A	----	0.776 - 0.739	.0781	----	----	----	----	1 UNCH
4800	----	----	----/1.346A	0.771B/1.346A	----	1.067 - 0.642	.1040	----	----	----	----	1 UNCH
5000	----	----	----/1.584A	1.377B/1.584A	----	1.367 - 0.544	.1292	----	----	----	----	12 UNCH
5200	----	----	----/1.856A	1.576B/1.856A	----	1.743 - 0.432	.1588	----	----	----	----	1 UNCH
5400	----	----	----/2.287A	2.054B/2.287A	----	2.207 - 0.314	.1925	----	----	----	----	8 UNCH
5600	----	----	----/2.817A	2.653B/2.817A	----	2.771 - 0.193	.2302	----	----	----	----	9 UNCH
5950	----	----	----	3.920B/4.025A	----	4.019 - 0.003	.3032	----	----	----	----	1 UNCH
6000	----	----	----	4.133B/4.226A	----	4.226 + 0.020	.3141	----	----	----	----	1 UNCH
6425	----	----	6.252B/----	6.252B/6.181A	----	6.263 + 0.142	.4086	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
NOV26												
6500	6.290	6.290	6.674B/6.290	6.674B/6.290	----	6.674 + 0.149	.4252	----	----	15	----	41 + 15
6675	----	----	7.710B/----	7.710B/7.581A	----	7.686 + 0.141	.4631	----	----	----	----	20 UNCH
6700	----	----	7.861B/----	7.861B/7.727A	----	7.837 + 0.138	.4684	----	----	----	----	50 UNCH
7000	----	----	9.824B/9.617A	9.824B/9.617A	----	9.755 + 0.057	.5295	----	----	----	----	41 UNCH
7025	----	----	9.970B/9.786A	9.970B/9.786A	----	9.924 + 0.048	.5343	----	----	----	----	6 UNCH
7400	----	----	----/12.431A	12.677B/12.431A	----	12.595 - 0.126	.6020	----	----	----	----	24 UNCH
7500	----	----	----/13.178A	13.468B/13.178A	----	13.348 - 0.178	.6185	----	----	----	----	7 UNCH
7700	----	----	----/14.713A	15.030B/14.713A	----	14.898 - 0.281	.6493	----	----	----	----	50 UNCH
8500	----	----	----/21.338A	21.731B/21.338A	----	21.558 - 0.569	.7480	----	----	----	----	60 UNCH
9000	----	----	----/25.755A	26.194B/25.755A	----	25.986 - 0.607	.7932	----	----	----	----	5 UNCH
10000	----	----	----	15.009B/55.271A	----	35.217 - 0.482	.8566	----	----	----	----	1 UNCH
11000	----	----	----	25.271B/64.218A	----	44.754 - 0.239	.8964	----	----	----	----	1 UNCH
TOTAL										15	0	342 + 15
DEC26												
1500	----	----	----	----/0.030A	----	0.002 UNCH	.0002	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/3.523A	----	0.011 UNCH	.0012	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.666A	----	0.039 + 0.002	.0041	----	----	----	----	32 UNCH
3000	----	----	----	0.011B/0.252A	----	0.102 + 0.005	.0105	----	----	----	----	93 UNCH
3100	----	----	----	0.028B/0.272A	----	0.121 + 0.006	.0124	----	----	----	----	1 UNCH
3150	----	----	----	0.036B/0.283A	----	0.131 + 0.006	.0135	----	----	----	----	1 UNCH
3500	----	----	----	0.123B/0.374A	----	0.227 + 0.011	.0230	----	----	----	----	45 UNCH
3850	----	----	----	0.271B/0.507A	----	0.374 + 0.018	.0371	----	----	----	----	1 UNCH
3925	----	----	----	0.315B/0.543A	----	0.417 + 0.020	.0411	----	----	----	----	1 UNCH
4000	----	----	----	0.357B/0.581A	----	0.466 + 0.022	.0455	----	----	----	----	74 UNCH
4500	----	----	----	0.692B/0.939A	----	0.921 + 0.045	.0843	----	----	----	----	34 UNCH
4600	----	----	----	0.580B/1.444A	----	1.045 + 0.053	.0943	----	----	----	----	4 UNCH
4800	----	----	----	0.945B/1.657A	----	1.336 + 0.074	.1169	----	----	----	----	241 UNCH
5000	1.800	1.800	1.800/1.799	1.800/1.797A	----	1.692 + 0.104	.1429	----	----	15	----	371 - 4
5250	----	----	----	1.950B/2.372A	----	2.247 + 0.159	.1805	----	----	----	----	50 UNCH
5300	----	----	----	2.080B/2.497A	----	2.374 + 0.173	.1887	----	----	----	----	250 UNCH
5400	----	----	----	2.361B/2.761A	----	2.645 + 0.202	.2056	----	----	----	----	100 UNCH
5500	----	----	----	2.665B/3.052A	----	2.940 + 0.233	.2233	----	----	----	----	229 UNCH
5600	----	----	----	2.974B/3.367A	----	3.259 + 0.267	.2416	----	----	----	----	8 UNCH
5650	----	----	3.170B/----	3.170B/3.534A	----	3.428 + 0.285	.2510	----	----	----	----	12 UNCH
5800	----	----	3.710B/----	3.710B/4.073A	----	3.972 + 0.340	.2800	----	----	----	----	2 UNCH
5950	----	----	4.361B/----	4.361B/4.645A	----	4.575 + 0.397	.3099	----	----	----	----	5 UNCH
6000	----	----	4.584B/----	4.584B/4.856A	----	4.789 + 0.416	.3200	----	----	----	----	136 UNCH
6200	----	----	5.507B/----	5.507B/5.769A	----	5.710 + 0.489	.3609	----	----	----	----	13 UNCH
6300	----	----	6.023B/----	6.023B/6.267A	----	6.210 + 0.523	.3814	----	----	----	----	25 UNCH
6500	7.351	7.351	7.351/7.351	7.351/7.327A	----	7.285 + 0.581	.4221	----	----	1	----	746 + 1
6650	----	----	8.058B/----	8.058B/8.191A	----	8.156 + 0.614	.4520	----	----	----	----	5 UNCH
6700	----	----	8.368B/----	8.368B/8.487A	----	8.458 + 0.622	.4618	----	----	----	----	32 UNCH
6725	----	----	8.525B/----	8.525B/8.638A	----	8.611 + 0.626	.4666	----	----	----	----	4 UNCH
6750	----	----	8.683B/----	8.683B/8.792A	----	8.766 + 0.630	.4714	----	----	----	----	6 UNCH
6800	----	----	8.967B/----	8.967B/9.104A	----	9.079 + 0.636	.4809	----	----	----	----	79 UNCH
6850	----	----	9.292B/----	9.292B/9.419A	----	9.398 + 0.641	.4903	----	----	----	----	78 UNCH
6900	----	----	9.638B/----	9.638B/9.733A	----	9.722 + 0.645	.4996	----	----	----	----	1 UNCH
6950	----	----	9.995B/----	9.995B/10.037A	----	10.051 + 0.649	.5087	----	----	----	----	22 UNCH
7000	----	----	10.334B/----	10.334B/10.366A	----	10.386 + 0.652	.5177	----	----	----	----	228 UNCH
7075	----	----	10.853B/----	10.853B/10.870A	----	10.896 + 0.655	.5310	----	----	----	----	20 UNCH
7100	----	----	11.028B/----	11.028B/11.044A	----	11.069 + 0.657	.5353	----	----	----	----	2 UNCH
7200	----	----	11.714B/----	11.714B/11.736A	----	11.770 + 0.660	.5523	----	----	----	----	14 UNCH
7250	----	----	12.077B/----	12.077B/12.090A	----	12.127 + 0.661	.5606	----	----	----	----	48 UNCH
7500	----	----	13.937B/----	13.937B/13.911A	----	13.972 + 0.671	.5997	----	----	----	----	22 UNCH
7550	----	----	14.323B/----	14.323B/14.289A	----	14.351 + 0.673	.6071	----	----	----	----	1 UNCH
7800	----	----	16.312B/----	16.312B/16.217A	----	16.297 + 0.695	.6420	----	----	----	----	20 UNCH
7850	----	----	16.684B/----	16.684B/16.611A	----	16.695 + 0.699	.6485	----	----	----	----	10 UNCH
7875	----	----	16.883B/----	16.883B/16.807A	----	16.895 + 0.701	.6518	----	----	----	----	1 UNCH
7900	----	----	17.116B/----	17.116B/17.006A	----	17.095 + 0.703	.6550	----	----	----	----	19 UNCH
8000	----	----	17.933B/----	17.933B/17.620A	----	17.903 + 0.710	.6675	----	----	----	----	57 UNCH
8100	----	----	18.722B/----	18.722B/18.626A	----	18.721 + 0.715	.6795	----	----	----	----	1 UNCH
8200	----	----	19.590B/----	19.590B/19.460A	----	19.548 + 0.718	.6910	----	----	----	----	35 UNCH
8350	----	----	20.823B/----	20.823B/20.701A	----	20.804 + 0.719	.7075	----	----	----	----	9 UNCH
8400	----	----	21.287B/----	21.287B/21.125A	----	21.227 + 0.719	.7128	----	----	----	----	50 UNCH
8500	----	----	22.146B/----	22.146B/21.971A	----	22.079 + 0.716	.7229	----	----	----	----	166 UNCH
8550	----	----	22.548B/----	22.548B/22.396A	----	22.508 + 0.715	.7279	----	----	----	----	25 UNCH
8600	----	----	23.012B/----	23.012B/22.826A	----	22.938 + 0.712	.7327	----	----	----	----	2 UNCH
8800	----	----	24.741B/----	24.741B/24.573A	----	24.678 + 0.697	.7510	----	----	----	----	12 UNCH
8900	----	----	25.623B/----	25.623B/25.438A	----	25.558 + 0.688	.7595	----	----	----	----	30 UNCH
9000	----	----	26.540B/----	26.540B/26.319A	----	26.445 + 0.677	.7676	----	----	----	----	3 UNCH
9050	----	----	26.958B/----	26.958B/26.762A	----	26.891 + 0.671	.7715	----	----	----	----	100 UNCH
9500	----	----	30.631B/----	30.631B/30.812A	----	30.963 + 0.605	.8029	----	----	----	----	2 UNCH
9850	----	----	----	8.655B/59.306A	----	34.187 + 0.572	.8235	----	----	----	----	8 UNCH
9950	----	----	----	9.550B/60.401A	----	35.114 + 0.570	.8290	----	----	----	----	1 UNCH
10025	----	----	----	10.238B/61.132A	----	35.811 + 0.569	.8329	----	----	----	----	3 UNCH
10125	----	----	----	11.145B/62.135A	----	36.744 + 0.569	.8380	----	----	----	----	1 UNCH
10700	----	----	----	16.859B/67.386A	----	42.164 + 0.570	.8632	----	----	----	----	5 UNCH
10800	----	----	----	17.871B/68.277A	----	43.115 + 0.570	.8669	----	----	----	----	2 UNCH
11000	----	----	----	19.950B/69.984A	----	45.023 + 0.571	.8740	----	----	----	----	2 UNCH
11500	----	----	----	25.333B/74.278A	----	49.828 + 0.576	.8894	----	----	----	----	1 UNCH
12000	----	----	----	30.842B/78.478A	----	54.671 + 0.580	.9018	----	----	----	----	1 UNCH
12100	----	----	----	31.966B/79.307A	----	55.644 + 0.582	.9041	----	----	----	----	1 UNCH
12300	----	----	----	34.205B/81.068A	----	57.592 + 0.583	.9082	----	----	----	----	1 UNCH
TOTAL										16	0	3794 - 3
JAN27												
3800	----	----	----	0.273B/0.609A	----	0.482 + 0.021	.0420	----	----	----	----	1 UNCH
5000	----	----	----	1.644B/2.181A	----	1.854 + 0.083	.1448	----	----	----	----	1 UNCH
6000	----	----	----	4.786B/5.355A	----	5.071 + 0.235	.3118	----	----	----	----	5 UNCH
6500	----	----	#7.349B/----	7.349B/7.797A	----	7.558 + 0.227	.4059	----	----	----	----	2 UNCH
6925	----	----	#9.922B/----	9.922B/10.325A	----	10.140 + 0.250	.4818	----	----	----	----	24 UNCH
7000	10.850	10.850	#10.850/10.850	10.850/10.811A	----	10.633 + 0.257	.4944	----	----	5	----	25 - 5
7100	----	----	#11.144B/----	11.144B/11.481A	----	11.304 + 0.266	.5108	----	----	----	----	20 UNCH
7125	----	----	11.270B/----	11.270B/11.648A	----	11.474 + 0.268	.5148	----	----	----	----	1 UNCH
8600	----	----	#22.883B/----	#22.883B/22.978A	----	22.950 + 0.389	.6998	----	----	----	----	1 UNCH
8850	----	----	#25.006B/----	25.006B/25.103A	----	25.095 + 0.397	.7220	----	----	----	----	9 UNCH
TOTAL										5	0	89 - 5
FEB27												
6500	----	----	----	7.843B/8.382A	----	8.090 + 0.205	.4037	----	----	----	----	1 UNCH
6700	9.243	9.243	#9.243/9.243	9.243/9.243	----	9.270 NEW	.4380	----	----	10	----	10 + 10
8150	----	----	#19.581B/----	#19.581B/19.844A	----	19.709 + 0.301	.6375	----	----	----	----	10 UNCH
8225	----	----	#20.148B/----	#20.148B/20.441A	----	20.314 + 0.301	.6455	----	----	----	----	10 UNCH
8250	----	----	#20.404B/----	#20.404B/20.642A	----	20.517 + 0.301	.6481	----	----	----	----	10 UNCH
8900	----	----	#25.882B/----	#25.882B/26.055A	----	25.951 + 0.288	.7086	----	----	----	----	3 UNCH
TOTAL										10	0	44 + 10
MAR27												
4500	----	----	----	0.823B/2.046A	----	1.397 - 0.065	.1028	----	----	----	----	2 UNCH
5500	----	----	----	#3.530B/4.277A	----	3.880 + 0.071	.2347	----	----	----	----	1 UNCH
6000	----	----	----	#5.647B/6.322A	----	5.934 + 0.149	.3175	----	----	----	----	50 UNCH
6300	----	----	----	#7.143B/7.813A	----	7.433 + 0.157	.3683	----	----	----	----	1 UNCH
6500	----	----	----	8.308B/8.907A	----	8.547 + 0.163	.4017	----	----	----	----	20 UNCH
6825	----	----	----	#10.256B/10.801A	----	10.534 + 0.181	.4536	----	----	----	----	2 UNCH
7000	----	----	----	#11.411B/11.930A	----	11.679 NEW	.4798	----	----	1	----	1 + 1
7500	----	----	#14.994B/----	#14.994B/15.399A	----	15.188 + 0.229	.5485	----	----	1	----	3 UNCH
8100	----	----	#19.579B/----	#19.579B/19.959A	----	19.783 + 0.252	.6182	----	----	----	----	6 UNCH
8300	----	----	#21.250B/----	#21.250B/21.555A	----	21.392 + 0.251	.6385	----	----	----	----	50 UNCH
8500	----	----	#22.900B/----	#22.900B/23.122A	----	23.033 + 0.248	.6574	----	----	----	----	3 UNCH
8975	----	----	#26.885B/----	#26.885B/27.163A	----	27.037 + 0.236	.6976	----	----	----	----	1 UNCH
10500	----	----	#40.554B/----	#40.554B/40.635A	----	40.606 + 0.240	.7918	----	----	----	----	10 UNCH
TOTAL										2	0	150 + 1
APR27												
4000	----	----	----	0.711B/1.060A	----	0.865 - 0.097	.0640	----	----	----	----	1 UNCH
5600	----	----	----	4.148B/4.941A	----	4.506 + 0.075	.2492	----	----	----	----	10 UNCH
8725	----	----	#24.835B/----	#24.835B/24.925A	----	24.984 + 0.165	.6573	----	----	----	----	3 UNCH
TOTAL											0	14 0
DEC27												
7175	----	----	----	----	----	15.549 + 0.208	.4295	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO2 CALL		SILVER OPTIONS										
JUN26												
6500	0.995	0.995	1.779B/*0.700	1.779B/*0.700	----	1.152 NEW	.4684	----	----	4	----	4 + 4
6600	0.690	0.690	1.220B/*0.450	1.220B/*0.450	----	0.734 - 0.439	.3203	----	----	13	----	14 + 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
JUN26												
6700	0.410	0.410	0.782B/*0.295A	0.782B/*0.295A	----	0.448 - 0.339	.1979	----	----	1	----	7 UNCH
6750	0.400	0.400	0.620B/*0.220	0.620B/*0.220	----	0.346 NEW	.1505	----	----	3	----	3 + 3
6800	0.450	0.450	0.491B/*0.189A	0.491B/*0.189A	----	0.265 - 0.245	.1121	----	----	10	----	14 + 5
6820	----	----	----/*0.176A	0.431B/*0.176A	----	0.239 - 0.227	.0995	----	----	----	----	1 UNCH
6840	----	----	----/*0.159A	0.387B/*0.159A	----	0.214 - 0.211	.0877	----	----	----	----	4 UNCH
6850	0.214	0.214	0.390B/*0.160A	0.390B/*0.160A	----	0.203 - 0.203	.0825	----	----	3	----	11 + 2
6860	----	----	----/*0.150A	0.350B/*0.150A	----	0.192 - 0.196	.0773	----	----	----	----	1 UNCH
6870	----	----	----/*0.147A	0.331B/*0.147A	----	0.182 - 0.188	.0726	----	----	----	----	4 UNCH
6880	----	----	----/*0.143A	0.314B/*0.143A	----	0.173 NEW	.0682	----	----	1	----	1 + 1
6900	0.211	0.211	0.300B/*0.128A	0.300B/*0.128A	----	0.155 - 0.167	.0599	----	----	11	----	13 - 1
6950	0.200	0.200	0.263/*0.107A	0.263/*0.107A	----	0.118 - 0.137	.0429	----	----	2	----	12 UNCH
6990	----	----	----/*0.096A	0.173B/*0.096A	----	0.095 - 0.116	.0328	----	----	----	----	1 UNCH
7000	0.099	0.099	0.170B/*0.070	0.170B/*0.070	----	0.090 - 0.111	.0306	----	----	7	----	30 + 3
7020	----	----	----/*0.086A	0.147B/*0.086A	----	0.081 - 0.102	.0268	----	----	----	----	20 UNCH
7030	----	----	----/*0.082A	0.138B/*0.082A	----	0.077 - 0.098	.0251	----	----	----	----	2 UNCH
7050	----	----	----/*0.077A	0.130B/*0.077A	----	0.069 - 0.090	.0218	----	----	----	----	7 UNCH
7060	----	----	----/*0.075A	0.117B/*0.075A	----	0.065 - 0.087	.0202	----	----	----	----	1 UNCH
7070	----	----	----/*0.075A	0.111B/*0.075A	----	0.062 - 0.083	.0190	----	----	----	----	1 UNCH
7080	----	----	----/*0.072A	0.105B/*0.072A	----	0.059 - 0.079	.0178	----	----	----	----	3 UNCH
7090	----	----	----/*0.069A	0.096B/*0.069A	----	0.055 - 0.077	.0163	----	----	----	----	4 UNCH
7100	----	----	----/*0.067A	0.092B/*0.067A	----	0.052 - 0.074	.0152	----	----	----	----	14 UNCH
7110	----	----	----/*0.064A	0.082B/*0.064A	----	0.050 - 0.070	.0143	----	----	----	----	3 UNCH
7150	----	----	----/*0.056A	0.058B/*0.056A	----	0.039 - 0.061	.0104	----	----	----	----	15 UNCH
7200	0.008	0.008	0.042B/*0.008	0.042B/*0.008	----	0.029 - 0.051	.0071	----	----	1	----	47 UNCH
7230	0.020	0.020	#0.020/*0.020	0.036B/*0.020	----	0.025 NEW	.0058	----	----	2	----	2 + 2
7250	----	----	----/*0.045A	0.031B/*0.045A	----	0.022 - 0.042	.0049	----	----	----	----	14 UNCH
7300	0.048	0.048	0.048/*0.040A	0.048/*0.040A	----	0.017 - 0.034	.0034	----	----	1	----	8 UNCH
7400	----	----	----/*0.033A	0.005B/*0.033A	----	0.010 - 0.024	.0016	----	----	----	----	47 UNCH
7450	----	----	----	0.003B/*0.031A	----	0.007 - 0.020	.0010	----	----	----	----	1 UNCH
7500	----	----	----	0.003B/*0.029A	----	0.006 - 0.016	.0008	----	----	----	----	22 UNCH
7600	----	----	----	----/*0.027A	----	0.004 - 0.012	.0004	----	----	----	----	6 UNCH
7650	----	----	----	----/*0.025A	----	0.003 - 0.010	.0003	----	----	----	----	8 UNCH
7700	----	----	----	----/*0.024A	----	0.002 - 0.010	.0001	----	----	----	----	8 UNCH
7750	----	----	----	----/*0.023A	----	0.002 - 0.008	.0001	----	----	----	----	1 UNCH
7800	----	----	----	----/*0.023A	----	0.002 - 0.007	.0001	----	----	----	----	103 UNCH
7850	----	----	----	----/*0.023A	----	0.001 - 0.007	.0000	----	----	----	----	4 UNCH
7900	----	----	----	----/*0.023A	----	0.001 - 0.006	.0000	----	----	----	----	1 UNCH
8000	----	----	----	----/*0.023A	----	0.001 - 0.005	.0000	----	----	----	----	14 UNCH
8050	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.001 - 0.004	.0000	----	----	2	----	2 UNCH
8100	----	----	----	----/*0.023A	----	0.001 - 0.004	----	----	----	----	----	5 UNCH
8200	----	----	----	----/*0.024A	----	0.001 - 0.003	----	----	----	----	----	15 UNCH
8250	----	----	0.008B/----	0.008B/*0.026A	----	0.001 - 0.003	----	----	----	----	----	6 UNCH
8300	----	----	----	----/0.030A	----	0.001 - 0.002	----	----	----	----	----	2 UNCH
8400	----	----	----	----/0.031A	----	0.001 - 0.002	----	----	----	----	----	2 UNCH
8500	----	----	----	----/0.032A	----	0.001 - 0.001	----	----	----	----	----	10 UNCH
8700	----	----	----	----/0.035A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
9000	----	----	----	----/0.191A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
10000	----	----	----	----/0.213A	----	0.001 UNCH	----	----	----	----	----	2 UNCH
TOTAL										61	0	526 + 31
JUL26												
6500	----	----	----/*3.444A	3.671B/*3.444A	----	3.880 NEW	.5373	----	----	2	----	2 + 2
6600	3.366	3.366	#3.366/*3.021A	3.501B/*3.021A	----	3.397 NEW	.4944	----	----	36	----	32 + 32
6650	3.138	3.138	#3.138/*2.860A	3.223B/*2.860A	----	3.172 NEW	.4730	----	----	6	----	6 + 6
7000	----	----	----/*1.760A	1.895B/*1.760A	----	1.898 - 0.174	.3307	----	----	4	----	5 + 4
7500	1.137	1.137	1.137/*1.137	1.137/*0.955A	----	0.876 NEW	.1787	----	----	3	----	3 + 3
7850	----	----	----	0.524B/*0.678A	----	0.539 - 0.011	.1159	----	----	----	----	2 UNCH
8000	----	----	----	0.326B/*0.558A	----	0.448 + 0.001	.0973	----	----	----	----	13 UNCH
TOTAL										51	0	63 + 47
SO2 PUT		SILVER OPTIONS										
JUN26												
5250	----	----	----/0.048A	0.024B/0.048A	----	0.027 - 0.030	.0031	----	----	----	----	2 UNCH
5500	0.082	0.082	#0.100/*0.064A	#0.100/0.064A	----	0.047 - 0.048	.0074	----	----	11	----	17 + 11
5700	0.140	0.140	0.154B/*0.089A	0.154B/0.089A	----	0.078 NEW	.0162	----	----	2	----	2 + 2
5800	0.085	0.085	#0.228B/0.085	#0.228B/0.085	----	0.105 - 0.083	.0250	----	----	10	----	28 + 7
5900	0.291	0.291	#0.345B/0.135A	#0.345B/0.135A	----	0.144 NEW	.0392	----	----	9	----	9 + 9
6000	0.469	0.469	#0.470B/0.168A	#0.470B/0.168A	----	0.204 - 0.115	.0630	----	----	23	----	32 - 10
6050	0.380	0.380	#0.525/*0.201A	#0.525/*0.201A	----	0.245 NEW	.0801	----	----	2	----	2 + 2
6100	0.350	0.350	#0.661B/0.236A	#0.661B/0.236A	----	0.296 - 0.128	.1020	----	----	32	----	21 + 11
6200	0.329	0.329	#0.878B/0.327A	#0.878B/0.327A	----	0.437 - 0.134	.1640	----	----	15	----	32 + 7
6220	0.820	0.820	#0.926B/0.359A	#0.926B/0.359A	----	0.474 - 0.132	.1800	----	----	1	----	2 + 1
6250	0.950	0.950	#1.033B/0.398A	#1.033B/0.398A	----	0.534 - 0.131	.2063	----	----	4	----	14 - 4
6300	----	----	#1.212B/0.481A	#1.212B/0.481A	----	0.652 - 0.124	.2569	----	----	----	----	10 UNCH
6350	----	----	#1.431B/0.577A	#1.431B/0.577A	----	0.796 NEW	.3161	----	----	1	----	1 + 1
6400	0.665	0.665	#1.687B/0.665	#1.687B/0.665	----	0.969 - 0.089	.3829	----	----	4	----	8 + 3
6420	0.871	0.871	#1.794B/0.755A	#1.794B/0.755A	----	1.047 NEW	.4115	----	----	1	----	1 + 1
6440	1.354	1.354	#1.907B/0.814A	#1.907B/0.814A	----	1.130 - 0.068	.4407	----	----	1	----	91 UNCH
6470	1.469	1.469	#1.972B/0.911A	#1.972B/0.911A	----	1.265 NEW	.4858	----	----	1	----	1 + 1
6500	1.467	1.467	#2.195B/1.022A	#2.195B/1.022A	----	1.412 - 0.027	.5315	----	----	2	----	16 UNCH
6550	----	----	#2.529B/1.224A	#2.529B/1.224A	----	1.686 + 0.015	.6073	----	----	----	----	3 UNCH
6600	----	----	#2.920B/1.453A	#2.920B/1.453A	----	1.994 + 0.061	.6796	----	----	----	----	32 UNCH
6650	----	----	#3.276B/1.715A	#3.276B/1.715A	----	2.336 + 0.111	.7451	----	----	----	----	6 UNCH
6680	----	----	#3.488B/1.943A	#3.488B/1.943A	----	2.555 + 0.141	.7803	----	----	----	----	1 UNCH
6700	3.680	3.680	#3.800/2.069A	#3.800/2.069A	----	2.707 + 0.161	.8020	----	----	4	----	12 + 1
6730	----	----	#3.910B/2.274A	#3.910B/2.274A	----	2.943 + 0.191	.8316	----	----	----	----	3 UNCH
6740	----	----	#3.998B/2.341A	#3.998B/2.341A	----	3.024 + 0.201	.8408	----	----	----	----	1 UNCH
6750	----	----	#4.085B/2.409A	#4.085B/2.409A	----	3.105 + 0.210	.8494	----	----	----	----	2 UNCH
6760	----	----	#4.179B/2.478A	#4.179B/2.478A	----	3.187 + 0.219	.8579	----	----	----	----	2 UNCH
6790	----	----	#4.442B/2.696A	#4.442B/2.696A	----	3.439 + 0.247	.8807	----	----	----	----	2 UNCH
6800	----	----	#4.535B/2.767A	#4.535B/2.767A	----	3.525 + 0.256	.8878	----	----	1	----	11 UNCH
6820	----	----	#4.721B/2.918A	#4.721B/2.918A	----	3.698 + 0.273	.9004	----	----	----	----	1 UNCH
6850	----	----	#5.012B/3.153A	#5.012B/3.153A	----	3.962 + 0.297	.9174	----	----	----	----	5 UNCH
6890	----	----	#5.388B/3.475A	#5.388B/3.475A	----	4.323 + 0.327	.9359	----	----	----	----	2 UNCH
6900	3.880	3.880	#5.483B/3.558A	#5.483B/3.558A	----	4.414 + 0.333	.9401	----	----	4	----	33 + 1
7000	----	----	#6.459B/4.428A	#6.459B/4.428A	----	5.349 + 0.389	.9693	----	----	2	----	107 UNCH
7050	----	----	#6.947B/4.881A	#6.947B/4.881A	----	5.828 + 0.410	.9781	----	----	----	----	10 UNCH
7100	----	----	#7.442B/5.348A	#7.442B/5.348A	----	6.311 + 0.426	.9847	----	----	----	----	3 UNCH
7150	----	----	#7.937B/5.818A	#7.937B/5.818A	----	6.798 + 0.439	.9895	----	----	----	----	1 UNCH
7200	----	----	#8.432B/6.299A	#8.432B/6.299A	----	7.288 + 0.450	.9928	----	----	----	----	18 UNCH
7240	----	----	#8.830B/6.684A	#8.830B/6.684A	----	7.682 NEW	.9947	----	----	1	----	1 + 1
7250	----	----	#8.931B/6.782A	#8.931B/6.782A	----	7.781 + 0.459	.9950	----	----	----	----	1 UNCH
7300	----	----	#9.433B/7.269A	#9.433B/7.269A	----	8.276 + 0.466	.9965	----	----	----	----	2 UNCH
7350	----	----	#9.930B/7.760A	#9.930B/7.760A	----	8.772 + 0.472	.9976	----	----	----	----	2 UNCH
7400	----	----	#10.429B/8.254A	#10.429B/8.254A	----	9.268 + 0.476	.9983	----	----	----	----	13 UNCH
7450	----	----	#10.356B/----	#10.356B/10.579A	----	9.766 + 0.481	.9989	----	----	----	----	51 UNCH
7490	----	----	----	#9.007B/12.405A	----	10.165 NEW	.9991	----	----	1	----	1 + 1
7500	----	----	#10.653B/----	#10.653B/11.282A	----	10.264 + 0.484	.9991	----	----	----	----	4 UNCH
7700	----	----	#12.646B/----	#12.646B/13.287A	----	12.261 + 0.492	.9998	----	----	----	----	1 UNCH
8000	----	----	----	#14.080B/17.495A	----	15.260 + 0.497	.0000	----	----	----	----	0 UNCH
8250	----	----	#18.133B/----	#18.133B/18.787A	----	17.760 + 0.498	.0000	1	----	----	----	0 - 1
TOTAL										132	0	620 + 45
JUL26												
6000	2.000	2.000	#2.000/1.572A	#2.000/1.572A	----	1.766 NEW	.2650	----	----	1	----	1 + 1
6300	----	----	#2.928B/2.482A	#2.928B/2.482A	----	2.773 + 0.148	.3784	----	----	----	----	5 UNCH
6400	----	----	#3.346B/2.871A	#3.346B/2.871A	----	3.202 + 0.172	.4200	----	----	----	----	4 UNCH
6500	----	----	----/3.301A	3.466B/3.301A	----	3.674 + 0.198	.4626	----	----	----	----	2 UNCH
6550	3.679	3.679	#3.679/*3.559A	#3.679/3.559A	----	3.926 NEW	.4840	----	----	10	----	10 + 10
6600	3.857	3.857	#3.857/3.773A	#3.946B/3.773A	----	4.188 NEW	.5055	----	----	14	----	14 + 14
6750	----	----	----	#4.051B/5.019A	----	5.042 + 0.266	.5692	----	----	----	----	1 UNCH
6950	----	----	----	#5.093B/8.248A	----	6.331 + 0.321	.6501	----	----	----	----	5 UNCH
7000	----	----	----	#5.440B/8.592A	----	6.679 + 0.335	.6691	----	----	----	----	1 UNCH
TOTAL										25	0	43 + 25
SO3 CALL		SILVER OPTIONS										
JUL26												
6500	4.200	4.200	#4.200/*3.799A	4.362B/*3.799A	----	4.306 NEW	.5397	----	----	1	----	1 + 1
7000	2.368	2.368	#2.368/*2.116A	2.368/*2.116A	----	2.409 NEW	.3594	----	----	1	----	1 + 1
TOTAL										2	0	2 + 2
SO3 PUT		SILVER OPTIONS										
JUL26												
6600	4.242	4.242	#4.829B/4.134A	#4.829B/4.134A	----	4.646 NEW	.4981	----	----	7	----	7 + 7
TOTAL										7	0	7 + 7
SO4 CALL		SILVER OPTIONS										
JUN26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO4 CALL		SILVER OPTIONS										
JUN26												
6500	2.550	2.550	3.414B/*2.521A	3.414B/*2.521A	----	2.946 NEW	.5330	----	----	2	----	2 + 2
6750	1.560	1.560	#2.142B/*1.560	2.142B/*1.560	----	1.851 NEW	.3904	----	----	1	----	1 + 1
6900	1.100	1.100	1.568B/*1.100	1.568B/*1.100	----	1.370 - 0.157	.3121	----	----	1	----	0 - 1
7350	----	----	----/*0.500A	0.567B/*0.500A	----	0.536 - 0.047	.1429	----	----	----	----	2 UNCH
7500	----	----	----/*0.399A	0.400B/*0.399A	----	0.397 - 0.031	.1088	----	----	----	----	3 UNCH
7600	----	----	----/*0.345A	0.316B/*0.345A	----	0.327 - 0.025	.0908	----	----	----	----	1 UNCH
7700	----	----	----	0.251B/*0.301A	----	0.273 - 0.020	.0763	----	----	----	----	3 UNCH
7800	----	----	----	0.201B/*0.259A	----	0.229 - 0.018	.0643	----	----	----	----	1 UNCH
8000	0.140	0.140	0.230/*0.140	0.230/*0.140	----	0.167 - 0.015	.0468	----	----	5	----	4 + 3
8200	----	----	----	0.081B/*0.172A	----	0.127 - 0.015	.0352	----	----	----	----	1 UNCH
8300	----	----	----	0.065B/*0.160A	----	0.113 - 0.014	.0310	----	----	----	----	1 UNCH
9000	----	----	----	0.007B/*0.112A	----	0.061 - 0.014	.0153	----	----	----	----	1 UNCH
TOTAL										9	0	20 + 5
SO4 PUT		SILVER OPTIONS										
JUN26												
5250	----	----	#0.301B/0.272A	#0.301B/0.272A	----	0.243 - 0.042	.0523	----	----	----	----	36 UNCH
6200	----	----	#1.968B/1.317A	#1.968B/1.317A	----	1.558 + 0.063	.3041	----	----	----	----	3 UNCH
6400	----	----	#2.818B/1.918A	#2.818B/1.918A	----	2.286 + 0.139	.4098	----	----	----	----	3 UNCH
6900	----	----	#5.891B/4.549A	#5.891B/4.549A	----	5.158 + 0.353	.6877	----	----	----	----	3 UNCH
6950	----	----	#6.287B/4.893A	#6.287B/4.893A	----	5.523 + 0.370	.7117	----	----	----	----	5 UNCH
7100	----	----	#7.537B/5.974A	#7.537B/5.974A	----	6.689 + 0.416	.7760	----	----	----	----	1 UNCH
TOTAL											0	51 0
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
5250	----	----	----/0.249A	#0.239B/0.249A	----	0.256 - 0.023	.0552	----	----	----	----	1 UNCH
5250	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 - 0.035	----	----	----	40	----	0 - 80
5250	----	----	----/0.096A	0.089B/0.096A	----	0.080 - 0.037	.0205	----	----	----	----	5 UNCH
5500	----	----	----	----/0.074A	----	0.000 - 0.039	----	----	----	----	----	0 - 2
5600	0.211	0.211	#0.261B/0.172A	#0.261B/0.172A	----	0.174 NEW	.0503	----	----	1	----	1 + 1
5700	0.243	0.243	#0.348B/0.209A	#0.348B/0.209A	----	0.226 NEW	.0668	----	----	1	----	1 + 1
5700	0.040	0.040	#0.040/0.040	#0.040/0.040	----	0.000 - 0.045	----	----	----	1	----	0 - 1
5750	0.462	0.462	#0.462/0.230A	#0.462/0.230A	----	0.258 NEW	.0769	----	----	10	----	10 + 10
5800	----	----	----/*0.044A	0.001B/0.044A	----	0.000 NEW	----	----	----	1	----	0 UNCH
5800	0.341	0.341	#0.480/0.258A	#0.480/0.258A	----	0.297 NEW	.0890	----	----	3	----	3 + 3
6000	----	----	#0.810B/0.426A	#0.810B/0.426A	----	0.525 - 0.040	.1576	----	----	----	----	1 UNCH
6000	0.060	0.060	0.080/*0.001	0.080/*0.001	----	0.000 - 0.083	----	----	----	13	----	0 - 3
6100	----	----	0.128B/*0.038A	0.128B/0.038A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6180	----	----	#0.247B/*0.040A	#0.247B/*0.040A	----	0.000 - 0.167	----	----	----	----	----	0 - 200
6200	0.250	0.250	#0.300B/*0.001	#0.300B/*0.001	----	0.000 - 0.184	----	----	----	58	----	0 - 111
6200	----	----	#1.897B/1.293A	#1.897B/1.293A	----	1.514 + 0.056	.3171	----	----	----	----	10 UNCH
6250	----	----	#2.097B/1.429A	#2.097B/1.429A	----	1.671 + 0.067	.3444	----	----	----	----	4 UNCH
6300	----	----	#1.782B/0.952A	#1.782B/0.952A	----	1.223 + 0.025	.3400	----	----	----	----	3 UNCH
6300	1.750	1.750	#2.313B/1.520	#2.313B/1.520	----	1.843 NEW	.3730	----	----	24	----	10 + 10
6300	0.475	0.475	#0.555B/*0.033A	#0.555B/*0.033A	----	0.000 NEW	----	----	----	14	----	0 UNCH
6350	----	----	2.264B/*0.906A	2.264B/*0.906A	----	1.240 NEW	----	1	----	2	----	0 UNCH
6350	0.650	0.650	#0.748B/*0.034A	#0.748B/*0.034A	----	0.000 - 0.399	----	----	----	9	----	0 - 3
6380	----	----	#0.892B/*0.038A	#0.892B/*0.038A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6400	----	----	#2.807B/1.921A	#2.807B/1.921A	----	2.239 NEW	.4338	----	----	1	----	1 + 1
6400	----	----	3.510B/*2.579A	3.510B/*2.579A	----	2.978 NEW	.5661	----	----	1	----	1 + 1
6400	1.005	1.005	#1.005/*0.001	#1.005/*0.001	----	0.000 - 0.521	----	----	----	28	----	0 - 15
6400	1.010	1.010	1.774B/*0.542	1.774B/*0.542	----	0.740 NEW	----	1	----	2	----	0 UNCH
6430	0.500	0.500	1.492B/*0.400A	1.492B/*0.400A	----	0.440 NEW	----	16	----	17	----	0 UNCH
6440	----	----	#1.206B/*0.044A	#1.206B/*0.044A	----	0.000 - 0.643	----	----	----	----	----	0 - 3
6450	----	----	----/*0.292A	1.307B/*0.292A	----	0.240 - 1.177	----	2	----	3	----	0 - 1
6450	----	----	#2.538B/1.425A	#2.538B/1.425A	----	1.817 + 0.086	.4649	----	----	----	----	1 UNCH
6450	0.100	0.100	#1.254B/*0.049A	#1.254B/*0.049A	----	0.000 - 0.678	----	----	----	1	----	0 - 10
6460	----	----	#1.281B/*0.053A	#1.281B/*0.053A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6490	----	----	#1.454B/0.086A	#1.454B/0.086A	----	0.160 - 0.670	----	1	----	----	----	0 - 1
6500	0.550	0.550	0.650/*0.080A	1.018B/*0.080A	----	0.000 - 1.112	----	----	----	17	----	0 - 1
6500	----	----	#2.841B/1.621A	#2.841B/1.621A	----	2.060 + 0.112	.5090	----	----	----	----	5 UNCH
6500	1.000	1.000	#1.529B/0.113A	#1.529B/0.113A	----	0.260 - 0.612	----	45	----	4	----	0 - 46
6530	0.150	0.150	0.170/*0.076A	0.860B/*0.076A	----	0.000 NEW	----	----	----	25	----	0 UNCH
6550	----	----	#3.031B/1.842A	#3.031B/1.842A	----	2.325 + 0.138	.5532	----	----	----	----	5 UNCH
6550	----	----	----/*0.054A	0.753B/*0.054A	----	0.000 - 0.848	----	----	----	4	----	0 - 2
6550	----	----	#1.929B/0.365A	#1.929B/0.365A	----	0.760 - 0.348	----	1	----	----	----	0 - 1
6560	----	----	----/*0.051A	0.693B/*0.051A	----	0.000 - 0.800	----	----	----	2	----	0 - 2
6590	0.200	0.200	0.200/*0.040A	0.542B/*0.040A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6600	----	----	#2.366B/0.603A	#2.366B/0.603A	----	1.260 - 0.126	----	4	----	1	----	0 - 5
6600	----	----	#3.365B/2.083A	#3.365B/2.083A	----	2.614 + 0.167	.5970	----	----	----	----	1 UNCH
6600	0.466	0.466	0.520/*0.005	0.520/*0.005	----	0.000 - 0.626	----	----	----	16	----	0 - 2
6610	0.204	0.204	0.204/*0.034A	0.461B/*0.034A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6620	----	----	----/*0.036A	0.423B/*0.036A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6650	----	----	#3.718B/2.348A	#3.718B/2.348A	----	2.925 + 0.196	.6393	----	----	----	----	1 UNCH
6650	----	----	#2.826B/1.009A	#2.826B/1.009A	----	1.760 + 0.055	----	2	----	----	----	0 - 2
6650	0.350	0.350	0.350/*0.034A	0.350/*0.034A	----	0.000 NEW	----	----	----	11	----	0 UNCH
6660	1.200	1.200	#2.920B/1.076A	#2.920B/1.076A	----	1.860 + 0.087	----	2	----	2	----	0 - 2
6670	----	----	----/*0.032A	0.270B/*0.032A	----	0.000 - 0.383	----	----	----	----	----	0 - 1
6700	----	----	#4.088B/2.690A	#4.088B/2.690A	----	3.257 + 0.225	.6799	----	----	----	----	1 UNCH
6700	2.100	2.100	#3.316B/1.399A	#3.316B/1.399A	----	2.260 + 0.198	----	11	----	1	----	0 - 12
6700	----	----	----/*0.032A	0.213B/*0.032A	----	0.000 - 0.302	----	----	----	6	----	0 - 1
6750	0.053	0.053	0.053/*0.040A	0.128B/*0.040A	----	0.000 - 0.197	----	----	----	6	----	0 - 14
6770	0.006	0.006	0.006/*0.006	0.109B/*0.006	----	0.000 - 0.164	----	----	----	1	----	0 - 3
6800	0.177	0.177	0.244/*0.038A	0.244/*0.038A	----	0.000 - 0.123	----	----	----	27	----	0 - 5
6800	----	----	#4.322B/2.302A	#4.322B/2.302A	----	3.260 + 0.377	----	5	----	1	----	0 - 6
6810	0.025	0.025	0.025/*0.025	0.069B/*0.025	----	0.000 NEW	----	----	----	1	----	0 UNCH
6820	----	----	----/*0.039A	0.060B/*0.039A	----	0.000 - 0.101	----	----	----	----	----	0 - 1
6830	----	----	#4.623B/2.582A	#4.623B/2.582A	----	3.560 + 0.409	----	2	----	----	----	0 - 2
6850	----	----	#4.823B/2.769A	#4.823B/2.769A	----	3.760 + 0.426	----	1	----	----	----	0 - 1
6850	----	----	----/*0.037A	0.035B/*0.037A	----	0.000 - 0.075	----	----	----	2	----	0 - 6
6900	----	----	#5.316B/3.263A	#5.316B/3.263A	----	4.260 + 0.457	----	1	----	----	----	0 - 1
6960	----	----	----	0.001B/*0.035A	----	0.000 - 0.022	----	----	----	----	----	0 - 1
6990	----	----	----	0.001B/0.034A	----	0.000 - 0.016	----	----	----	----	----	0 - 1
7000	0.710	0.710	0.951B/*0.710	0.951B/*0.710	----	0.811 NEW	.2202	----	----	3	----	3 + 3
7000	0.468	0.468	0.528B/*0.317A	0.528B/*0.317A	----	0.370 NEW	.1363	----	----	99	----	27 + 27
7000	----	----	----	0.001B/*0.034A	----	0.000 - 0.014	----	----	----	----	----	0 - 7
7000	----	----	#6.630B/4.821A	#6.630B/4.821A	----	5.627 + 0.374	.8636	----	----	----	----	2 UNCH
7000	----	----	#6.320B/4.252A	#6.320B/4.252A	----	5.260 + 0.487	----	2	----	----	----	0 - 2
7010	----	----	----	0.001B/*0.034A	----	0.000 - 0.012	----	----	----	----	----	0 - 4
7010	----	----	#6.427B/4.352A	#6.427B/4.352A	----	5.360 + 0.488	----	1	----	----	----	0 - 1
7050	----	----	----	0.001B/0.064A	----	0.000 - 0.008	----	----	----	----	----	0 - 2
7050	----	----	#7.088B/5.234A	#7.088B/5.234A	----	6.069 + 0.392	.8836	----	----	----	----	1 UNCH
7100	----	----	----	----/0.058A	----	0.000 - 0.004	----	----	----	----	----	0 - 5
7100	----	----	#7.328B/5.249A	#7.328B/5.249A	----	6.260 + 0.496	----	1	----	----	----	0 - 1
7120	----	----	----	----/0.067A	----	0.000 - 0.003	----	----	----	----	----	0 - 20
7150	----	----	0.317B/*0.208A	0.317B/*0.208A	----	0.224 - 0.080	.0846	----	----	----	----	5 UNCH
7150	----	----	#8.033B/6.098A	#8.033B/6.098A	----	6.980 + 0.421	.9153	----	----	----	----	1 UNCH
7150	----	----	----	----/0.067A	----	0.000 - 0.002	----	----	----	----	----	0 - 1
7190	----	----	#8.228B/6.146A	#8.228B/6.146A	----	7.160 + 0.499	----	----	----	1	----	0 - 1
7200	----	----	0.265B/*0.182A	0.265B/*0.182A	----	0.190 - 0.068	.0719	----	----	----	----	1 UNCH
7200	----	----	----	----/0.074A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
7210	----	----	#8.429B/6.346A	#8.429B/6.346A	----	7.360 + 0.499	----	2	----	----	----	0 - 2
7220	----	----	#8.528B/6.446A	#8.528B/6.446A	----	7.460 + 0.499	----	20	----	----	----	0 - 20
7240	----	----	#8.728B/6.646A	#8.728B/6.646A	----	7.660 + 0.499	----	----	----	1	----	0 - 1
7260	----	----	----	----/*0.030A	----	0.000 - 0.001	----	----	----	----	----	0 - 10
7350	----	----	----/*0.129A	0.155B/*0.129A	----	0.118 - 0.044	.0445	----	----	----	----	1 UNCH
7400	----	----	#10.329B/8.245A	#10.329B/8.245A	----	9.260 + 0.499	----	2	----	----	----	0 - 2
7400	----	----	----	----/0.067A	----	0.000 - 0.001	----	----	----	----	----	0 - 20
7450	----	----	----	0.294B/*0.342A	----	0.299 - 0.036	.0897	----	----	----	----	1 UNCH
7490	----	----	#11.229B/9.144A	#11.229B/9.144A	----	10.160 + 0.499	----	----	----	1	----	0 - 1
7500	----	----	----	----/0.058A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7500	----	----	----	0.255B/*0.303A	----	0.270 NEW	.0813	----	----	1	----	1 + 1
7650	----	----	----	----/0.044A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
7750	0.160	0.160	0.201/*0.160	0.201/*0.160	----	0.169 NEW	.0511	----	----	9	----	9 + 9
7900	----	----	----	----/0.044A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7950	----	----	----	----/0.043A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8000	----	----	----	----/0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
8050	----	----	----	0.048B/0.166A	----	0.108 - 0.018	.0318	----	----	----	----	4 UNCH
8100	----	----	----	0.040B/*0.158A	----	0.102 - 0.017	.0298	----	----	----	----	2 UNCH
8150	----	----	----	0.033B/*0.153A	----	0.096 - 0.017	.0279	----	----	----	----	4 UNCH
8150	----	----	----	----/*0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8200	----	----	----	0.005B/*0.045A	----	0.013 - 0.007	.0040	----	----	----	----	10 UNCH
8350	----	----	----	0.013B/0.137A	----	0.079 - 0.016	.0222	----	----	----	----	12 UNCH
8400	----	----	----	0.007B/0.133A	----	0.076 - 0.016	.0211	----	----	----	----	8 UNCH
8500	----	----	----	0.002B/0.052A	----	0.009 - 0.004	.0025	----	----	----	----	2 UNCH
8500	----	----	----	0.002B/0.125A	----	0.070 - 0.016	.0191	----	----	----	----	8 UNCH
8700	----	----	----	0.002B/0.119A	----	0.062 - 0.016	.0163	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
9000	----	----	----	0.002B/*0.105A	----	0.056 NEW	.0137	----	----	1	----	1 + 1
TOTAL										484	0	172 - 595
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
JUN26												
5250	----	----	----	0.035B/0.108A	----	0.059 - 0.044	.0151	----	----	----	----	5 UNCH
5600	----	----	#0.569B/----	#0.569B/0.601A	----	0.531 - 0.037	.1112	----	----	----	----	2 UNCH
5900	0.350	0.350	#0.467B/0.250	#0.467B/0.250	----	0.318 NEW	.1020	----	----	3	----	1 + 1
6200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6300	----	----	#2.369B/1.921A	#2.369B/1.921A	----	2.059 + 0.135	.3612	----	----	----	----	2 UNCH
6400	----	----	#2.051B/1.154A	#2.051B/1.154A	----	1.432 + 0.038	.4162	----	----	----	----	5 UNCH
6500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	0.240 UNCH	----	----	----	----	----	0 UNCH
6550	----	----	----	----	----	0.260 UNCH	----	----	----	----	----	0 UNCH
6600	----	----	----	----	----	0.760 UNCH	----	----	----	----	----	0 UNCH
6650	----	----	----	----	----	1.260 UNCH	----	----	----	----	----	0 UNCH
6670	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6670	----	----	----	----	----	1.460 UNCH	----	----	----	----	----	0 UNCH
6700	----	----	1.169B/*0.690A	1.169B/*0.690A	----	0.851 NEW	.3000	----	----	1	----	1 + 1
6700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6700	----	----	----	----	----	1.760 UNCH	----	----	----	----	----	0 UNCH
6730	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6740	----	----	----	----	----	2.160 UNCH	----	----	----	----	----	0 UNCH
6750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6750	----	----	----	----	----	2.260 UNCH	----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	2.760 UNCH	----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6800	0.616	0.616	0.821B/*0.501A	0.821B/*0.501A	----	0.597 - 0.230	.2227	----	----	1	----	2 + 1
6850	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	3.760 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	4.260 UNCH	----	----	----	----	----	0 UNCH
6980	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	4.760 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----/*0.283A	0.375B/*0.283A	----	0.290 - 0.128	.1145	----	----	----	----	4 UNCH
7000	----	----	#6.428B/----	#6.428B/5.824A	----	6.053 + 0.381	.7181	----	----	----	----	1 UNCH
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7030	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	5.260 UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7100	0.900	0.900	#1.011B/*0.900	1.011B/*0.900	----	1.044 NEW	.2413	----	----	2	----	2 + 2
7100	----	----	----	----	----	5.760 UNCH	----	----	----	----	----	0 UNCH
7190	----	----	----	----	----	6.660 UNCH	----	----	----	----	----	0 UNCH
7240	----	----	----	----	----	7.160 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	#8.913B/6.990A	#8.913B/6.990A	----	7.879 + 0.448	.9521	----	----	----	----	30 UNCH
7270	----	----	----	----	----	7.460 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	7.760 UNCH	----	----	----	----	----	0 UNCH
7300	8.064	8.064	#9.348B/7.460A	#9.348B/7.460A	----	8.360 + 0.457	.9595	----	----	1	----	1 UNCH
7300	----	----	----/*0.139A	0.093B/*0.139A	----	0.104 - 0.044	.0404	----	----	1	----	1 UNCH
7390	----	----	----	----	----	8.660 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	8.760 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	0.050B/*0.112A	----	0.076 NEW	.0289	----	----	1	----	1 + 1
7450	----	----	----	0.031B/*0.103A	----	0.066 - 0.023	.0247	----	----	----	----	1 UNCH
7500	----	----	----	#8.919B/12.597A	----	10.262 + 0.470	.8751	----	----	----	----	1 UNCH
7500	----	----	#11.321B/9.362A	#11.321B/9.362A	----	10.312 + 0.481	.9789	----	----	----	----	2 UNCH
7500	----	----	----/*0.503A	0.417B/*0.503A	----	0.484 - 0.040	.1247	----	----	----	----	1 UNCH
7550	----	----	----	----	----	10.260 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	10.760 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	11.260 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	10.408B/14.256A	----	11.789 + 0.490	.9878	----	----	----	----	1 UNCH
7750	----	----	----	0.004B/*0.069A	----	0.023 - 0.009	.0080	----	----	----	----	10 UNCH
7800	----	----	----	----	----	12.760 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	#13.373B/17.245A	----	14.767 + 0.496	.9960	----	----	----	----	2 UNCH
8000	----	----	----	0.159B/*0.284A	----	0.213 - 0.007	.0571	----	----	----	----	1 UNCH
8150	----	----	----	#15.362B/19.240A	----	16.762 + 0.498	.9981	----	----	----	----	1 UNCH
10000	----	----	----	----/0.123A	----	0.037 - 0.014	.0076	----	----	----	----	2 UNCH
TOTAL										10	0	80 + 6

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
JUN26												
575	----	----	----	----/0.0075A	----	0.0010 - 0.0010	.0067	----	----	----	----	1 UNCH
590	----	----	0.4435B/*0.3065	0.4435B/*0.3065	----	0.3710 - 0.0555	.9694	----	----	----	----	1 UNCH
610	----	----	0.0220B/0.0190A	0.0220B/0.0190A	----	0.0215 + 0.0020	.1717	----	----	----	----	15 UNCH
614	----	----	#0.0350B/0.0235	#0.0350B/0.0235	----	0.0295 + 0.0035	.2308	----	----	----	----	1 UNCH
615	----	----	0.0390B/0.0250A	0.0390B/0.0250A	----	0.0315 + 0.0035	.2464	----	----	----	----	10 UNCH
620	----	----	0.0610B/0.0355A	0.0610B/0.0355A	----	0.0460 + 0.0060	.3425	----	----	----	----	10 UNCH
625	0.0980	0.0980	0.1365B/0.0940A	0.1365B/0.0940A	----	0.1085 + 0.0090	.4668	----	----	1	----	3 + 1
627	----	----	#0.0980B/0.0575	#0.0980B/0.0575	----	0.0750 + 0.0120	.5017	----	----	----	----	1 UNCH
630	----	----	#0.1725B/0.1290	#0.1725B/0.1290	----	0.1445 + 0.0125	.4592	----	----	----	----	1 UNCH
630	----	----	0.1125B/0.0690A	0.1125B/0.0690A	----	0.0910 + 0.0155	.5726	----	----	----	----	12 UNCH
630	----	----	0.1010B/*0.0385	0.1010B/*0.0385	----	0.0580 - 0.0395	.4272	----	----	----	----	7 UNCH
635	----	----	0.1645B/0.0930A	0.1645B/0.0930A	----	0.1230 + 0.0220	.6825	----	----	----	----	57 UNCH
640	----	----	#0.2310B/0.1760	#0.2310B/0.1760	----	0.1990 + 0.0180	.5611	----	----	----	----	1 UNCH
640	----	----	----/*0.0185A	0.0525B/*0.0185	----	0.0265 - 0.0270	.2230	----	----	----	----	1 UNCH
650	----	----	----/*0.0355A	0.0660B/*0.0355	----	0.0395 - 0.0265	.2211	----	----	----	----	5 UNCH
650	----	----	0.3025B/0.1940A	0.3025B/0.1940A	----	0.2440 + 0.0390	.9025	----	----	----	----	3 UNCH
650	----	----	----/*0.0135A	0.0240B/*0.0135	----	0.0110 - 0.0160	.0973	----	----	----	----	7 UNCH
657	----	----	----/*0.0090A	0.0125B/*0.0090	----	0.0055 NEW	.0488	----	----	1	----	1 + 1
680	----	----	----/*0.0160A	0.0160B/*0.0160	----	0.0120 - 0.0080	.0689	----	----	----	----	25 UNCH
705	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										2		163 + 2
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
JUN26												
500	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
585	----	----	----	0.0080B/0.0150A	----	0.0080 - 0.0020	.0527	----	----	----	----	1 UNCH
600	----	----	0.0275B/----	0.0275B/0.0245A	----	0.0210 - 0.0020	.1352	----	----	----	----	2 UNCH
610	----	----	----	0.0025B/0.0105A	----	0.0020 - 0.0040	.0091	----	----	----	----	10 UNCH
610	----	----	0.0530B/0.0390A	0.0530B/0.0390A	----	0.0395 UNCH	.2380	----	----	----	----	15 UNCH
615	----	----	0.0715B/0.0505A	0.0715B/0.0505A	----	0.0535 + 0.0015	.3059	----	----	----	----	10 UNCH
619	0.0230	0.0230	0.0320/0.0155A	0.0320/0.0155A	----	0.0125 NEW	.1354	----	----	2	----	2 + 2
619	0.0415	0.0415	0.1610B/*0.0415	0.1610B/*0.0415	----	0.0895 NEW	.8645	----	----	2	----	2 + 2
620	----	----	0.0305B/0.0165A	0.0305B/0.0165A	----	0.0150 - 0.0040	.1700	----	----	----	----	11 UNCH
620	----	----	0.0950B/0.0640A	0.0950B/0.0640A	----	0.0710 + 0.0035	.3820	----	----	----	----	10 UNCH
622	----	----	0.0415B/0.0190A	0.0415B/0.0190A	----	0.0210 - 0.0020	.2529	----	----	----	----	1 UNCH
624	----	----	0.0550B/0.0230A	0.0550B/0.0230A	----	0.0280 + 0.0005	.3497	----	----	----	----	10 UNCH
625	----	----	0.0620B/0.0250A	0.0620B/0.0250A	----	0.0325 + 0.0025	.4040	----	----	----	----	21 UNCH
625	0.0890	0.0890	0.1230B/0.0815A	0.1230B/0.0815A	----	0.0930 + 0.0065	.4639	----	----	1	----	4 + 1
626	----	----	0.0695B/0.0270A	0.0695B/0.0270A	----	0.0370 + 0.0040	.4587	----	----	----	----	1 UNCH
627	0.0320	0.0320	0.0960B/*0.0110	0.0960B/*0.0110	----	0.0390 NEW	.4855	----	----	15	----	15 + 15
628	0.0285	0.0285	0.0890B/*0.0190	0.0890B/*0.0190	----	0.0345 NEW	.4306	----	----	15	----	15 + 15
629	0.0240	0.0240	0.0825B/*0.0165	0.0825B/*0.0165	----	0.0300 NEW	.3763	----	----	15	----	15 + 15
630	----	----	0.1035B/0.0405A	0.1035B/0.0405A	----	0.0595 + 0.0125	.6734	----	----	----	----	45 UNCH
630	0.0450	0.0450	0.0760B/*0.0060	0.0760B/*0.0060	----	0.0265 - 0.0425	.3265	----	----	37	----	35 + 34
631	0.0180	0.0180	0.0695B/*0.0125	0.0695B/*0.0125	----	0.0230 NEW	.2787	----	----	8	----	8 + 8
632	0.0605	0.0605	0.0635B/*0.0040	0.0635B/*0.0040	----	0.0195 NEW	.2325	----	----	5	----	5 + 5
633	----	----	#0.1310B/0.0535	#0.1310B/0.0535	----	0.0800 + 0.0185	.8052	----	----	----	----	1 UNCH
633	----	----	0.0580B/*0.0130	0.0580B/*0.0130	----	0.0170 - 0.0365	.1947	----	----	----	----	1 UNCH
634	----	----	#0.1405B/0.0585	#0.1405B/0.0585	----	0.0875 + 0.0205	.8404	----	----	----	----	1 UNCH
635	----	----	0.1500B/0.0635A	0.1500B/0.0635A	----	0.0955 + 0.0230	.8695	----	----	----	----	22 UNCH
635	----	----	0.1775B/0.1280A	0.1775B/0.1280A	----	0.1495 + 0.0150	.6264	----	----	----	----	2 UNCH
635	----	----	0.1115B/*0.0550	0.1115B/*0.0550	----	0.0665 - 0.0405	.3733	----	----	----	----	1 UNCH
640	----	----	0.1990B/0.0940A	0.1990B/0.0940A	----	0.1385 + 0.0315	.9600	----	----	----	----	78 UNCH
640	----	----	----/*0.0100A	0.0260B/*0.0100	----	0.0055 - 0.0235	.0399	----	----	----	----	44 UNCH
640	0.0800	0.0800	0.0885B/*0.0400	0.0885B/*0.0400	----	0.0510 - 0.0355	.3014	----	----	15	----	36 + 15
645	----	----	----/*0.0095A	0.0110B/*0.0095	----	0.0025 - 0.0165	.0111	----	----	----	----	9 UNCH
645	----	----	0.2715B/0.1875A	0.2715B/0.1875A	----	0.2220 + 0.0250	.7603	----	----	----	----	2 UNCH
645	----	----	0.0695B/*0.0345	0.0695B/*0.0345	----	0.0390 - 0.0300	.2394	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week2										
JUN26												
650	0.2060	0.2060	0.2985B/0.1730A	0.2985B/0.1730A	----	0.2340 + 0.0450	.9975	----	----	1	----	61 - 1
650	----	----	----/*0.0280A	0.0540B/*0.0280	----	0.0300 - 0.0250	.1885	----	----	----	----	1 UNCH
655	----	----	----	0.0005B/*0.0085	----	0.0005 - 0.0055	.0002	----	----	----	----	20 UNCH
656	----	----	----	----/*0.0085A	----	0.0005 - 0.0050	.0001	----	----	----	----	10 UNCH
660	----	----	----/*0.0205A	0.0310B/*0.0205	----	0.0180 - 0.0170	.1154	----	----	----	----	4 UNCH
670	----	----	----/*0.0150A	0.0175B/*0.0150	----	0.0110 - 0.0115	.0702	----	----	----	----	1 UNCH
680	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
680	----	----	----/*0.0135A	0.0095B/*0.0135	----	0.0070 - 0.0085	.0437	----	----	----	----	0 UNCH
690	----	----	----	0.0050B/0.0125A	----	0.0045 - 0.0060	.0273	----	----	----	----	2 UNCH
695	----	----	----	0.0035B/0.0115A	----	0.0035 - 0.0055	.0210	----	----	----	----	2 UNCH
700	----	----	----	----/0.0080A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
700	----	----	----	0.0020B/0.0115A	----	0.0025 - 0.0045	.0150	----	----	----	----	2 UNCH
710	----	----	----	----/0.0105A	----	0.0015 - 0.0030	.0087	----	----	----	----	1 UNCH
TOTAL										116		562 + 111
JUL26												
500	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0010 NEW	.0045	----	----	7	----	7 + 7
550	----	----	----	0.0095B/0.0220A	----	0.0125 NEW	.0487	----	----	1	----	1 + 1
640	----	----	#0.2570B/0.2010	#0.2570B/0.2010	----	0.2240 + 0.0165	.5489	----	----	----	----	18 UNCH
640	----	----	0.1965B/*0.1320	0.1965B/*0.1320	----	0.1515 - 0.0390	.4505	----	----	----	----	1 UNCH
660	----	----	#0.4025B/0.3265	#0.4025B/0.3265	----	0.3590 + 0.0260	.7042	----	----	----	----	20 UNCH
715	----	----	----/*0.0320A	0.0330B/*0.0320	----	0.0280 NEW	.0991	----	----	1	----	1 + 1
TOTAL										9		48 + 9
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
JUN26												
550	----	----	----	----/0.0080A	----	0.0005 UNCH	.0003	----	----	----	----	1 UNCH
590	----	----	0.0275B/----	0.0275B/0.0255A	----	0.0225 UNCH	.1201	----	----	----	----	1 UNCH
590	----	----	----	0.0040B/0.0120A	----	0.0060 - 0.0005	.0442	----	----	----	----	1 UNCH
610	----	----	0.0755B/----	0.0755B/0.0570A	----	0.0595 + 0.0045	.2827	----	----	----	----	1 UNCH
610	----	----	0.0335B/----	0.0335B/0.0245A	----	0.0265 + 0.0020	.1947	----	----	----	----	15 UNCH
615	----	----	0.0490B/0.0325A	0.0490B/0.0325A	----	0.0390 + 0.0055	.2712	----	----	----	----	10 UNCH
615	----	----	0.2155B/*0.1150	0.2155B/*0.1150	----	0.1560 - 0.0495	.7286	----	----	----	----	9 UNCH
620	----	----	0.1180B/0.0860A	0.1180B/0.0860A	----	0.0950 + 0.0085	.4030	----	----	----	----	16 UNCH
620	----	----	0.0715B/0.0435A	0.0715B/0.0435A	----	0.0550 + 0.0075	.3600	----	----	----	----	10 UNCH
625	----	----	0.1000B/0.0595A	0.1000B/0.0595A	----	0.0760 + 0.0110	.4590	----	----	----	----	1 UNCH
625	----	----	----	----	----	0.0720 UNCH	----	----	----	----	----	0 UNCH
627	----	----	----	----	----	0.0520 UNCH	----	----	----	----	----	0 UNCH
630	----	----	0.1760B/0.1250A	0.1760B/0.1250A	----	0.1435 + 0.0130	.5332	----	----	----	----	2 UNCH
630	----	----	0.1220B/0.0795A	0.1220B/0.0795A	----	0.1020 + 0.0160	.5606	----	----	----	----	2 UNCH
630	----	----	----	----	----	0.0220 UNCH	----	----	----	----	----	0 UNCH
633	----	----	----	----	----	0.0080 UNCH	----	----	----	----	----	0 UNCH
634	----	----	----	----	----	0.0180 UNCH	----	----	----	----	----	0 UNCH
635	----	----	0.2100B/0.1495A	0.2100B/0.1495A	----	0.1730 + 0.0160	.5968	----	----	----	----	1 UNCH
635	----	----	0.1715B/0.1040A	0.1715B/0.1040A	----	0.1325 + 0.0210	.6579	----	----	----	----	31 UNCH
635	----	----	----	----	----	0.0280 UNCH	----	----	----	----	----	0 UNCH
636	----	----	----	----	----	0.0380 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0480 UNCH	----	----	----	----	----	0 UNCH
638	----	----	----	----	----	0.0580 UNCH	----	----	----	----	----	0 UNCH
639	----	----	----	----	----	0.0680 UNCH	----	----	----	----	----	0 UNCH
639	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	0.0655B/*0.0255	0.0655B/*0.0255	----	0.0350 - 0.0285	.2564	----	----	----	----	20 UNCH
640	----	----	----	----	----	0.0780 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0980 UNCH	----	----	----	----	----	0 UNCH
643	----	----	----	----	----	0.1080 UNCH	----	----	----	----	----	0 UNCH
645	----	----	0.0485B/*0.0195	0.0485B/*0.0195	----	0.0240 - 0.0230	.1847	----	----	----	----	1 UNCH
650	----	----	----/*0.0145A	0.0340B/*0.0145	----	0.0160 - 0.0190	.1278	----	----	----	----	10 UNCH
652	----	----	----	----	----	0.1980 UNCH	----	----	----	----	----	0 UNCH
660	----	----	----/*0.0135A	0.0155B/*0.0135	----	0.0080 - 0.0115	.0633	----	----	----	----	1 UNCH
670	0.0220	0.0220	0.0220/*0.0220	0.0320B/*0.0220	----	0.0210 NEW	.1141	----	----	1	----	1 + 1
675	----	----	----	0.0030B/0.0110A	----	0.0025 - 0.0060	.0190	----	----	----	----	7 UNCH
680	----	----	----	0.0010B/0.0100A	----	0.0015 - 0.0040	.0112	----	----	----	----	4 UNCH
690	----	----	----	----/0.0100A	----	0.0005 - 0.0020	.0025	----	----	----	----	51 UNCH
695	----	----	----	----/0.0095A	----	0.0005 - 0.0010	.0013	----	----	----	----	48 UNCH
700	----	----	----	----/0.0085A	----	0.0005 - 0.0005	.0006	----	----	----	----	33 UNCH
735	----	----	----	0.0020B/0.0105A	----	0.0045 - 0.0025	.0204	----	----	----	----	1 UNCH
TOTAL										1		278 + 1
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
500	----	----	----	----/0.0095A	----	0.0005 UNCH	.0002	----	----	----	----	26 UNCH
570	----	----	----	----/0.0075A	----	0.0020 - 0.0010	.0131	----	----	----	----	1 UNCH
580	----	----	#0.0200B/----	#0.0200B/0.0225	----	0.0170 - 0.0020	.0867	----	----	----	----	1 UNCH
585	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
600	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
605	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
610	----	----	0.0410B/0.0295A	0.0410B/0.0295A	----	0.0340 + 0.0025	.2214	----	----	----	----	15 UNCH
615	----	----	----	0.0005B/0.0065A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 10
615	----	----	0.0580B/0.0395A	0.0580B/0.0395A	----	0.0470 + 0.0055	.2919	----	----	----	----	11 UNCH
620	0.0945	0.0945	#0.1270B/0.0925	#0.1270B/0.0925	----	0.1030 NEW	.4078	----	----	1	----	1 + 1
620	0.0100	0.0100	0.0100/0.0060A	0.0100/0.0060A	----	0.0000 NEW	----	----	----	20	----	0 UNCH
620	----	----	0.0810B/0.0515A	0.0810B/0.0515A	----	0.0635 + 0.0080	.3728	----	----	----	----	10 UNCH
622	0.0200	0.0200	#0.0200/0.0070A	0.0200/0.0070A	----	0.0000 - 0.0085	----	----	----	2	----	0 - 1
623	0.0440	0.0440	0.1165B/*0.0340	0.1165B/*0.0340	----	0.0370 NEW	----	10	----	10	----	0 UNCH
624	----	----	#0.0260B/0.0075	0.0260B/0.0075A	----	0.0000 - 0.0120	----	----	----	----	----	0 - 10
625	----	----	#0.1545B/0.1110	#0.1545B/0.1110	----	0.1260 + 0.0125	.4686	----	----	----	----	1 UNCH
625	----	----	0.1090B/0.0680A	0.1090B/0.0680A	----	0.0845 + 0.0115	.4618	----	----	----	----	3 UNCH
626	----	----	0.0385B/0.0085A	0.0385B/0.0085A	----	0.0000 - 0.0165	----	----	----	----	----	0 - 10
627	----	----	0.0815B/*0.0120	0.0815B/*0.0120	----	0.0000 - 0.0715	----	----	----	----	----	0 UNCH
628	0.0560	0.0560	0.0560/0.0105A	0.0560/0.0105A	----	0.0130 - 0.0090	.0000	----	----	2	----	0 - 2
629	0.0115	0.0115	0.0610B/0.0115	0.0610B/0.0115	----	0.0230 - 0.0025	.0000	1	----	1	----	0 - 1
629	0.0020	0.0020	0.0655B/*0.0020	0.0655B/*0.0020	----	0.0000 - 0.0575	----	----	----	5	----	0 - 5
630	----	----	#0.1835B/0.1325	#0.1835B/0.1325	----	0.1520 + 0.0155	.5297	----	----	----	----	1 UNCH
630	----	----	0.0700B/0.0145A	0.0700B/0.0145A	----	0.0330 + 0.0035	----	1	----	----	----	0 - 1
630	----	----	0.1335B/0.0885A	0.1335B/0.0885A	----	0.1100 + 0.0150	.5535	----	----	----	----	1 UNCH
630	0.0005	0.0005	0.0585B/*0.0005	0.0585B/*0.0005	----	0.0000 NEW	----	----	----	3	----	0 UNCH
632	0.0240	0.0240	0.0875B/0.0210A	0.0875B/0.0210A	----	0.0530 + 0.0150	----	1	----	1	----	0 - 1
633	----	----	0.0385B/*0.0075	0.0385B/*0.0075	----	0.0000 - 0.0355	----	----	----	----	----	0 UNCH
635	----	----	0.1155B/0.0350A	0.1155B/0.0350A	----	0.0830 + 0.0280	----	11	----	----	----	0 - 11
635	----	----	0.0275B/*0.0075	0.0275B/*0.0075	----	0.0000 - 0.0270	----	----	----	1	----	0 - 18
636	----	----	#0.1255B/0.0415	#0.1255B/0.0415	----	0.0930 + 0.0315	----	15	----	----	----	0 - 15
637	----	----	#0.1350B/0.0485	#0.1350B/0.0485	----	0.1030 + 0.0350	----	15	----	----	----	0 - 15
637	----	----	0.0205B/*0.0070	0.0205B/*0.0070	----	0.0000 - 0.0200	----	----	----	----	----	0 - 15
638	----	----	#0.1450B/0.0560	#0.1450B/0.0560	----	0.1130 + 0.0375	----	10	----	----	----	0 - 10
638	----	----	----/*0.0070A	0.0165B/*0.0070	----	0.0000 - 0.0175	----	----	----	----	----	0 - 10
639	0.1025	0.1025	#0.1550B/0.0640	#0.1550B/0.0640	----	0.1230 + 0.0400	----	1	----	1	----	0 - 1
639	----	----	----/*0.0070A	0.0125B/*0.0070	----	0.0000 - 0.0150	----	----	----	----	----	0 - 1
640	0.1120	0.1120	0.1650B/0.0730A	0.1650B/0.0730A	----	0.1330 + 0.0425	----	4	----	1	----	0 - 5
640	----	----	----/*0.0060A	0.0090B/*0.0060	----	0.0000 - 0.0125	----	----	----	----	----	0 - 3
642	----	----	----/*0.0070A	0.0035B/*0.0070	----	0.0000 NEW	----	----	----	1	----	0 UNCH
647	----	----	----	----/0.0065A	----	0.0000 - 0.0035	----	----	----	----	----	0 - 3
650	----	----	----/*0.0185A	0.0425B/*0.0185	----	0.0225 - 0.0210	.1594	----	----	----	----	1 UNCH
650	----	----	----	----/*0.0055A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 20
654	----	----	----	----/0.0065A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 10
660	0.0135	0.0135	0.0135/*0.0135	0.0215B/*0.0135	----	0.0130 NEW	.0916	----	----	1	----	1 + 1
660	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 4
665	----	----	----/*0.0300A	0.0455B/*0.0300	----	0.0300 - 0.0170	.1517	----	----	----	----	22 UNCH
665	----	----	#0.4530B/0.3315	#0.4530B/0.3315	----	0.3925 + 0.0445	.9326	----	----	----	----	40 UNCH
665	----	----	----	----/*0.0005A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 6
670	----	----	#0.5020B/0.3765	#0.5020B/0.3765	----	0.4400 + 0.0460	.9479	----	----	----	----	65 UNCH
680	----	----	----	----/0.0055A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
695	----	----	----	----/*0.0075A	----	0.0015 - 0.0025	.0098	----	----	----	----	23 UNCH
695	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
700	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
725	----	----	----	----/0.0065A	----	0.0005 UNCH	.0003	----	----	----	----	14 UNCH
TOTAL										50		237 - 228
JUL26												
460	----	----	----	----/0.0085A	----	0.0005 UNCH	.0007	----	----	----	----	23 UNCH
510	----	----	----	----/0.0105A	----	0.0030 - 0.0005	.0116	----	----	----	----	19 UNCH
565	----	----	----	0.0165B/0.0200A	----	0.0155 - 0.0010	.0644	----	----	----	----	6 UNCH
568	----	----	0.0190B/----	0.0190B/0.0225A	----	0.0175 - 0.0010	.0721	----	----	----	----	6 UNCH
581	----	----	0.0325B/----	0.0325B/0.0320A	----	0.0285 UNCH	.1137	----	----	----	----	1 UNCH
585	----	----	0.0380B/----	0.0380B/0.0360A	----	0.0335 + 0.0005	.1312	----	----	----	----	6 UNCH
585	----	----	----/0.5120A	0.5590B/0.5120A	----	0.5100 - 0.0550	.8683	----	----	----	----	6 UNCH
592	----	----	0.0505B/----	0.0505B/0.0445A	----	0.0435 + 0.0005	.1654	----	----	----	----	1 UNCH
600	0.0500	0.0500	0.0685B/0.0500	0.0685B/0.0500	----	0.0585 + 0.0015	.2130	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 61

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUL26												
600	----	----	----/0.3390A	0.4305B/0.3390A	----	0.3855 - 0.0540	.7864	----	----	----	----	12 UNCH
608	----	----	0.0935B/0.0745A	0.0935B/0.0745A	----	0.0785 + 0.0035	.2702	----	----	----	----	39 UNCH
610	0.0800	0.0800	0.1005B/0.0795A	0.1005B/0.0795A	----	0.0840 NEW	.2855	----	----	2	----	2 + 2
611	----	----	0.1050B/0.0820A	0.1050B/0.0820A	----	0.0870 + 0.0045	.2934	----	----	----	----	22 UNCH
612	----	----	0.1080B/0.0850A	0.1080B/0.0850A	----	0.0900 + 0.0045	.3014	----	----	----	----	6 UNCH
612	----	----	----/0.2985A	0.3375B/0.2985A	----	0.2970 - 0.0510	.6980	----	----	----	----	5 UNCH
613	----	----	0.1125B/0.0875A	0.1125B/0.0875A	----	0.0930 + 0.0045	.3094	----	----	----	----	3 UNCH
620	----	----	0.1425B/0.1090A	0.1425B/0.1090A	----	0.1180 + 0.0070	.3695	----	----	----	----	20 UNCH
621	----	----	----/0.2080A	0.2755B/0.2080A	----	0.2395 - 0.0475	.6210	----	----	----	----	1 UNCH
622	----	----	0.1520B/0.1160A	0.1520B/0.1160A	----	0.1260 + 0.0080	.3874	----	----	----	----	5 UNCH
625	----	----	0.2695B/0.1875A	0.2695B/0.1875A	----	0.2165 - 0.0460	.5847	----	----	----	----	22 UNCH
630	----	----	0.2380B/0.1645A	0.2380B/0.1645A	----	0.1900 - 0.0445	.5387	----	----	----	----	5 UNCH
634	----	----	0.2170B/0.1650A	0.2170B/0.1650A	----	0.1830 + 0.0120	.4976	----	----	----	----	1 UNCH
635	----	----	0.2225B/0.1705A	0.2225B/0.1705A	----	0.1885 + 0.0125	.5067	----	----	----	----	5 UNCH
636	----	----	0.2110B/0.1400A	0.2110B/0.1400A	----	0.1615 - 0.0425	.4835	----	----	----	----	4 UNCH
650	----	----	0.3210B/0.2515A	0.3210B/0.2515A	----	0.2810 + 0.0185	.6374	----	----	----	----	11 UNCH
650	----	----	0.1480B/0.0945A	0.1480B/0.0945A	----	0.1085 - 0.0370	.3620	----	----	----	----	5 UNCH
670	----	----	0.4400B/0.3930A	0.4400B/0.3930A	----	0.4325 + 0.0290	.7748	----	----	----	----	19 UNCH
680	----	----	0.5455B/0.4795A	0.5455B/0.4795A	----	0.5170 + 0.0340	.8248	----	----	----	----	20 UNCH
690	----	----	----/*0.0325A	0.0480B/*0.0325	----	0.0345 - 0.0165	.1356	----	----	----	----	11 UNCH
700	----	----	----/*0.0260A	0.0365B/*0.0260	----	0.0265 - 0.0125	.1057	----	----	----	----	6 UNCH
710	----	----	----/*0.0220A	0.0280B/*0.0220	----	0.0205 - 0.0100	.0825	----	----	----	----	5 UNCH
TOTAL										3		299 + 3
AUG26												
559	----	----	0.0590B/----	0.0590B/0.0640A	----	0.0580 + 0.0015	.1379	----	----	----	----	1 UNCH
599	----	----	----	----	----	0.4920 - 0.0470	.6977	----	----	----	----	10 UNCH
606	----	----	0.1970B/----	0.1970B/0.1765A	----	0.1815 + 0.0095	.3358	----	----	----	----	1 UNCH
630	----	----	0.3165B/----	0.3165B/0.2780A	----	0.2920 + 0.0150	.4610	----	----	----	----	3 UNCH
630	----	----	0.3615B/0.2945A	0.3615B/0.2945A	----	0.3195 - 0.0400	.5376	----	----	----	----	4 UNCH
640	----	----	----/0.2550A	0.3135B/0.2550A	----	0.2760 - 0.0375	.4861	----	----	----	----	1 UNCH
650	----	----	----/0.2205A	0.2710B/0.2205A	----	0.2380 - 0.0345	.4367	----	----	----	----	14 UNCH
TOTAL												34
SEP26												
550	----	----	----	0.0675B/0.0745A	----	0.0700 + 0.0025	.1336	----	----	----	----	1 UNCH
650	----	----	----/*0.3235A	0.3810B/*0.3235	----	0.3435 NEW	.4926	----	----	1	----	1 + 1
660	----	----	0.5205B/0.4680A	0.5205B/0.4680A	----	0.4920 + 0.0230	.5450	----	----	----	----	0 UNCH
750	----	----	----/*0.0995A	0.1130B/*0.0995	----	0.1010 - 0.0205	.1873	----	----	----	----	2 UNCH
850	----	----	----/*0.0385A	0.0320B/*0.0385	----	0.0320 NEW	.0666	----	----	1	----	1 + 1
TOTAL										2		5 + 2
HX CALL		COMEX COPPER OPTIONS										
JUL26												
500	----	----	----	----	----	1.2680 - 0.0555	.9939	----	----	----	----	7 UNCH
525	----	----	----	----	----	1.0190 - 0.0560	.9868	----	----	----	----	1 UNCH
530	----	----	----	----	----	0.9695 - 0.0560	.9862	----	----	----	----	6 UNCH
540	----	----	----	----	----	0.8705 - 0.0565	.9809	----	----	----	----	18 UNCH
545	----	----	----	----	----	0.8210 - 0.0565	.9761	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.7720 - 0.0565	.9729	----	----	----	----	2 UNCH
555	----	----	----	----	----	0.7230 - 0.0570	.9657	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.6750 - 0.0565	.9582	----	----	----	----	2 UNCH
570	----	----	----/0.5265A	0.6055B/0.5265A	----	0.5790 - 0.0570	.9379	----	----	----	----	157 UNCH
574	----	----	----/0.5085A	0.5800B/0.5085A	----	0.5410 - 0.0575	.9260	----	----	----	----	5 UNCH
575	----	----	----/0.4995A	0.5705B/0.4995A	----	0.5320 - 0.0570	.9234	----	----	----	----	18 UNCH
580	----	----	----/0.4540A	0.5240B/0.4540A	----	0.4855 - 0.0575	.9063	----	----	----	----	123 UNCH
585	----	----	----/0.3850A	0.4925B/0.3850A	----	0.4405 - 0.0570	.8837	----	----	----	----	318 UNCH
590	----	----	----/0.3670A	0.4340B/0.3670A	----	0.3965 - 0.0570	.8573	----	----	----	----	103 UNCH
591	----	----	----/0.3930A	0.4250B/0.3930A	----	0.3880 - 0.0570	.8510	----	----	----	----	3 UNCH
593	----	----	----/0.3770A	0.4075B/0.3770A	----	0.3710 - 0.0565	.8385	----	----	----	----	1 UNCH
594	----	----	----/0.3690A	0.3990B/0.3690A	----	0.3625 - 0.0565	.8321	----	----	----	----	2 UNCH
595	----	----	----/0.3265A	0.3905B/0.3265A	----	0.3545 - 0.0560	.8245	----	----	----	----	29 UNCH
597	----	----	----/0.3460A	0.3735B/0.3460A	----	0.3380 - 0.0560	.8104	----	----	----	----	1 UNCH
598	----	----	----/0.3385A	0.3800B/0.3385A	----	0.3300 - 0.0555	.8027	----	----	----	----	1 UNCH
599	----	----	----/0.3310A	0.3715B/0.3310A	----	0.3220 - 0.0555	.7950	----	----	----	----	2 UNCH
600	----	----	----/0.2640A	0.3660B/0.2640A	----	0.3140 - 0.0555	.7872	----	----	4	----	537 UNCH
602	----	----	----/0.2735A	0.3320B/0.2735A	----	0.2990 - 0.0545	.7705	----	----	----	----	83 UNCH
603	----	----	----/0.2670A	0.3385B/0.2670A	----	0.2910 - 0.0545	.7617	----	----	----	----	3 UNCH
605	----	----	----/0.2305A	0.3090B/0.2305A	----	0.2765 - 0.0535	.7439	----	----	----	----	41 UNCH
610	----	----	0.3025B/0.1980A	0.3025B/0.1980A	----	0.2405 - 0.0525	.6955	----	----	4	----	229 UNCH
615	----	----	0.2655B/0.1655A	0.2655B/0.1655A	----	0.2080 - 0.0500	.6433	----	----	----	----	465 UNCH
620	----	----	0.2335B/0.1400A	0.2335B/0.1400A	----	0.1780 - 0.0480	.5878	----	----	5	----	187 + 5
625	0.1600	0.1600	0.2020B/0.1165A	0.2020B/0.1165A	----	0.1510 - 0.0455	.5305	----	----	18	----	390 + 8
630	----	----	0.1785B/0.0965A	0.1785B/0.0965A	----	0.1270 - 0.0425	.4730	----	----	----	----	420 UNCH
635	0.1415	0.1415	0.1530B/0.0800A	0.1530B/0.0800A	----	0.1065 - 0.0390	.4170	----	----	28	----	222 + 22
640	0.1175	0.1175	0.1295B/0.0655A	0.1295B/0.0655A	----	0.0885 - 0.0360	.3635	----	----	12	----	1427 + 5
645	----	----	0.1090B/*0.0535	0.1090B/*0.0535	----	0.0730 - 0.0330	.3135	----	----	----	----	543 UNCH
650	0.0680	0.0680	0.0920B/*0.0435	0.0920B/*0.0435	----	0.0605 - 0.0295	.2688	----	----	6	----	974 + 1
655	0.0580	0.0580	0.0800B/*0.0365	0.0800B/*0.0365	----	0.0500 - 0.0260	.2289	----	----	4	----	419 UNCH
660	0.0520	0.0520	0.0675B/*0.0305	0.0675B/*0.0305	----	0.0415 - 0.0230	.1944	----	----	5	----	910 - 1
665	----	----	0.0570B/*0.0265	0.0570B/*0.0265	----	0.0345 - 0.0200	.1646	----	----	----	80	139 + 58
670	0.0380	0.0380	0.0485B/*0.0220	0.0485B/*0.0220	----	0.0290 - 0.0175	.1399	----	----	13	----	484 + 8
675	0.0360	0.0360	0.0415B/*0.0190	0.0415B/*0.0190	----	0.0250 - 0.0145	.1206	----	----	20	----	738 - 2
679	0.0285	0.0285	0.0365B/*0.0175	0.0365B/*0.0175	----	0.0220 - 0.0130	.1064	----	----	17	----	35 + 6
680	0.0260	0.0260	0.0350B/*0.0175	0.0350B/*0.0175	----	0.0215 - 0.0125	.1037	----	----	7	----	291 + 4
681	0.0255	0.0255	0.0335B/*0.0170	0.0335B/*0.0170	----	0.0210 - 0.0120	.1011	----	----	1	----	62 + 1
684	0.0235	0.0235	0.0310B/*0.0155	0.0310B/*0.0155	----	0.0195 - 0.0110	.0933	----	----	2	----	51 + 1
685	0.0230	0.0230	0.0230/*0.0155A	0.0290B/*0.0155	----	0.0190 - 0.0105	.0908	----	----	2	----	377 UNCH
686	----	----	----/*0.0155A	0.0290B/*0.0155	----	0.0185 - 0.0105	.0883	----	----	----	----	83 UNCH
689	----	----	0.0275B/*0.0145	0.0275B/*0.0145	----	0.0170 - 0.0095	.0810	----	----	----	----	108 UNCH
690	----	----	0.0270B/*0.0140	0.0270B/*0.0140	----	0.0170 - 0.0090	.0802	----	----	----	----	606 UNCH
691	----	----	0.0260B/*0.0140	0.0260B/*0.0140	----	0.0165 - 0.0090	.0779	----	----	----	----	122 UNCH
694	----	----	0.0240B/*0.0135	0.0240B/*0.0135	----	0.0155 - 0.0080	.0725	----	----	----	----	62 UNCH
695	0.0210	0.0210	0.0235B/*0.0130	0.0235B/*0.0130	----	0.0150 - 0.0080	.0703	----	----	6	----	177 + 6
699	----	----	0.0215B/*0.0125	0.0215B/*0.0125	----	0.0140 - 0.0070	.0646	----	----	----	----	60 UNCH
700	0.0140	0.0140	0.0215B/0.0125A	0.0215B/0.0125A	----	0.0140 - 0.0065	.0640	----	----	21	----	1333 - 20
701	----	----	0.0205B/*0.0120	0.0205B/*0.0120	----	0.0135 - 0.0065	.0619	----	----	----	----	48 UNCH
704	----	----	0.0195B/*0.0115	0.0195B/*0.0115	----	0.0130 - 0.0060	.0588	----	----	----	----	88 UNCH
705	0.0155	0.0155	0.0190B/*0.0115	0.0190B/*0.0115	----	0.0130 - 0.0055	.0583	----	----	1	----	129 + 1
709	----	----	----/*0.0110A	0.0175B/0.0110A	----	0.0120 - 0.0055	.0533	----	----	----	----	31 UNCH
710	----	----	0.0175B/*0.0110	0.0175B/0.0110A	----	0.0120 - 0.0050	.0529	----	----	1	----	357 - 1
715	----	----	----/*0.0105A	0.0155B/0.0105A	----	0.0115 - 0.0040	.0494	----	----	----	80	173 + 80
720	0.0120	0.0120	0.0120/*0.0095A	0.0140B/*0.0095	----	0.0105 - 0.0040	.0445	----	----	17	----	359 - 13
725	0.0125	0.0125	0.0125/*0.0090A	0.0135B/0.0090A	----	0.0100 - 0.0035	.0415	----	----	1	----	1298 + 1
730	0.0095	0.0095	0.0095/0.0090A	0.0125B/0.0090A	----	0.0095 - 0.0030	.0386	----	----	3	----	211 - 3
735	----	----	----/0.0085A	0.0115B/0.0085A	----	0.0090 - 0.0025	.0359	----	----	----	----	128 UNCH
740	----	----	----/0.0080A	0.0105B/0.0080A	----	0.0085 - 0.0025	.0334	----	----	----	----	288 UNCH
750	----	----	----/0.0075A	0.0095B/0.0075A	----	0.0075 - 0.0025	.0286	----	----	----	----	1102 UNCH
760	----	----	----/0.0065A	0.0085B/0.0065A	----	0.0065 - 0.0025	.0243	----	----	----	----	140 UNCH
770	----	----	----/0.0060A	0.0075B/0.0060A	----	0.0060 - 0.0020	.0217	----	----	----	----	34 UNCH
775	----	----	----/0.0055A	0.0075B/0.0055A	----	0.0055 - 0.0025	.0197	----	----	----	----	123 UNCH
780	----	----	----/0.0055A	0.0070B/0.0055A	----	0.0050 - 0.0025	.0179	----	----	----	----	53 UNCH
800	----	----	----/0.0045A	0.0055B/0.0045A	----	0.0040 - 0.0020	.0137	----	----	----	----	2383 UNCH
825	----	----	----/0.0040A	0.0035B/0.0040A	----	0.0030 - 0.0015	.0098	----	----	----	----	13 UNCH
850	----	----	----/0.0030A	----/0.0030A	----	0.0025 - 0.0010	.0077	----	----	----	----	336 UNCH
875	----	----	----	----/0.0050A	----	0.0020 - 0.0010	.0059	----	----	----	----	4 UNCH
900	----	----	----	----/0.0030A	----	0.0015 - 0.0010	.0043	----	----	----	----	2131 UNCH
925	----	----	----	----/0.0035A	----	0.0015 - 0.0005	.0041	----	----	----	----	16 UNCH
950	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0027	----	----	----	----	52 UNCH
975	----	----	----	----/*0.0015A	----	0.0010 - 0.0005	.0025	----	----	----	----	18 UNCH
1000	----	----	----	----/0.0010A	----	0.0005 - 0.0005	.0013	----	----	----	----	8 UNCH
TOTAL									160	198		22017 + 167
AUG26												
500	----	----	----	----	----	1.3345 - 0.0560	.9700	----	----	----	----	8 UNCH
550	----	----	----/0.8540A	0.9125B/0.8540A	----	0.8605 - 0.0550	.9020	----	----	----	----	3 UNCH
580	----	----	----/0.5605A	0.6555B/0.5605A	----	0.6085 - 0.0520	.8015	----	----	----	----	253 UNCH
585	----	----	----/0.5225A	0.6165B/0.5225A	----	0.5705 - 0.0510	.7792	----	----	----	----	11 UNCH
590	----	----	----/0.4875A	0.5785B/0.4875A	----	0.5335 - 0.0505	.7559	----	----	1	----	18 + 1
595	----	----	----/0.4560A	0.5470B/0.4560A	----	0.4985 - 0.0495	.7313	----	----	1	----	2 + 1
600	----	----	0.5195B/0.4240A	0.5195B/0.4240A	----	0.4645 - 0.0485	.7059	----	----	----	----	4 UNCH
610	----	----	0.4520B/0.3640A	0.4520B/0.3640A	----	0.4015 - 0.0465	.6516	----	----	----	----	4 UNCH
615	----	----	0.4225B/0.3320A	0.4225B/0.3320A	----	0.3720 - 0.0455	.6233	----	----	----	----	2 UNCH
620	----	----	0.3930B/0.3050A	0.3930B/0.3050A	----	0.3445 - 0.0440	.5949	----	----	----	----	28 UNCH
625	----	----	0.3635B/0.2815A	0.3635B/0.2815A	----	0.3190 - 0.0425	.5662	----	----	----	84	96 UNCH
630	----	----	0.3420B/0.2580A	0.3420B/0.2580A	----	0.2945 - 0.0410	.5376	----	----	----	----	57 UNCH
635	----	----	0.3180B/0.2370A	0.3180B/0.2370A	----	0.2720 - 0.0395	.5092	----	----	----	----	22 UNCH
640	----	----	0.2950B/0.2175A	0.2950B/0.2175A	----	0.2510 - 0.0375	.4814	----	----	----	----	157 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
645	----	----	0.2730B/0.2005A	0.2730B/0.2005A	----	0.2315 - 0.0355	.4542	----	----	----	----	3 UNCH
650	0.2180	0.2180	0.2525B/0.1835A	0.2525B/0.1835A	----	0.2130 - 0.0345	.4276	----	----	12	----	459 + 1
655	----	----	0.2325B/0.1680A	0.2325B/0.1680A	----	0.1965 - 0.0325	.4021	----	----	----	----	241 UNCH
660	0.1965	0.1965	0.2150B/0.1550A	0.2150B/0.1550A	----	0.1805 - 0.0310	.3772	----	----	10	----	121 + 1
665	----	----	0.1980B/0.1420A	0.1980B/0.1420A	----	0.1660 - 0.0295	.3535	----	----	----	----	20 UNCH
670	0.1335	0.1335	0.1830B/0.1290A	0.1830B/0.1290A	----	0.1525 - 0.0285	.3308	----	----	2	----	408 + 2
675	----	----	0.1680B/0.1180A	0.1680B/0.1180A	----	0.1400 - 0.0275	.3091	----	----	4	168	1330 + 1
680	0.1360	0.1360	0.1555B/0.1085A	0.1555B/0.1085A	----	0.1280 - 0.0270	.2880	----	----	11	----	128 + 1
685	----	----	0.1455B/0.0995A	0.1455B/0.0995A	----	0.1175 - 0.0255	.2685	----	----	----	----	4 UNCH
690	----	----	0.1340B/0.0910A	0.1340B/0.0910A	----	0.1075 - 0.0250	.2498	----	----	----	----	208 UNCH
695	----	----	0.1235B/0.0835A	0.1235B/0.0835A	----	0.0985 - 0.0240	.2323	----	----	----	----	9 UNCH
700	0.0965	0.0965	0.1140B/0.0755A	0.1140B/0.0755A	----	0.0900 - 0.0235	.2155	----	----	762	----	3358 - 113
705	----	----	0.1055B/0.0705A	0.1055B/0.0705A	----	0.0825 - 0.0220	.2001	----	----	2	----	10 + 2
710	0.0825	0.0825	0.0870/0.0635A	0.0965B/0.0635A	----	0.0755 - 0.0210	.1856	----	----	22	----	265 + 7
715	----	----	----/0.0585A	0.0890B/0.0585A	----	0.0690 - 0.0200	.1718	----	----	----	----	3 UNCH
720	0.0615	0.0615	0.0615/0.0540A	0.0820B/0.0540A	----	0.0630 - 0.0190	.1589	----	----	1	----	13 - 1
725	0.0655	0.0655	0.0760B/0.0495A	0.0760B/0.0495A	----	0.0580 - 0.0175	.1476	----	----	354	84	1247 - 118
730	----	----	0.0700B/0.0455A	0.0700B/0.0455A	----	0.0535 - 0.0160	.1372	----	----	----	----	4 UNCH
735	0.0615	0.0615	0.0645B/0.0420A	0.0645B/0.0420A	----	0.0490 - 0.0150	.1269	----	----	2	----	9 + 2
740	----	----	----/*0.0395A	0.0590B/*0.0395	----	0.0450 - 0.0140	.1176	----	----	----	----	556 UNCH
750	0.0430	0.0430	0.0435/0.0340A	0.0500B/0.0340A	----	0.0385 - 0.0120	.1017	----	----	5	----	1552 - 1
775	0.0310	0.0310	0.0310/0.0235A	0.0345B/0.0235A	----	0.0265 - 0.0085	.0715	----	----	3	----	172 + 3
800	0.0210	0.0210	0.0210/*0.0170	0.0235B/*0.0170	----	0.0190 - 0.0060	.0516	----	----	4	----	463 + 1
825	----	----	----/*0.0135A	0.0170B/*0.0135	----	0.0140 - 0.0050	.0381	----	----	----	----	25 UNCH
850	----	----	----/*0.0105A	0.0130B/*0.0105	----	0.0110 - 0.0035	.0295	----	----	----	----	20 UNCH
875	0.0110	0.0110	0.0110/*0.0085	0.0110/*0.0085	----	0.0090 - 0.0030	.0237	----	----	2	----	35 + 2
900	----	----	----/0.0090A	0.0080B/0.0090A	----	0.0075 - 0.0025	.0194	----	----	----	----	135 UNCH
925	----	----	----	0.0060B/0.0105A	----	0.0065 - 0.0020	.0164	----	----	----	----	3 UNCH
950	0.0060	0.0060	0.0060/*0.0060	0.0060/*0.0060	----	0.0050 - 0.0020	.0126	----	----	1	----	63 UNCH
975	----	----	----	0.0010B/0.0065A	----	0.0045 - 0.0015	.0111	----	----	----	----	62 UNCH
TOTAL									336	1199		11591 - 208
SEP26												
495	----	----	----	----	----	1.3930 - 0.0545	.9516	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.3450 - 0.0550	.9463	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.2510 - 0.0545	.9346	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.0235 - 0.0550	.8918	----	----	----	----	1 UNCH
565	----	----	----	----	----	0.7760 - 0.0525	.8084	----	----	----	----	1 UNCH
575	----	----	----/0.6575A	0.6580B/0.6575A	----	0.7015 - 0.0505	.7730	----	----	----	----	100 UNCH
590	----	----	0.6535B/0.5595A	0.6535B/0.5595A	----	0.5980 - 0.0480	.7144	----	----	----	----	0 UNCH
595	----	----	0.6195B/0.5290A	0.6195B/0.5290A	----	0.5660 - 0.0470	.6937	----	----	----	----	5 UNCH
600	----	----	0.5870B/0.4955A	0.5870B/0.4955A	----	0.5350 - 0.0460	.6724	----	----	----	----	221 UNCH
610	----	----	0.5255B/0.4455A	0.5255B/0.4455A	----	0.4765 - 0.0440	.6290	----	----	----	----	31 UNCH
615	----	----	0.4970B/0.4195A	0.4970B/0.4195A	----	0.4490 - 0.0435	.6069	----	----	----	----	9 UNCH
620	----	----	0.4690B/0.3900A	0.4690B/0.3900A	----	0.4230 - 0.0425	.5847	----	----	----	----	187 UNCH
625	----	----	0.4430B/0.3670A	0.4430B/0.3670A	----	0.3985 - 0.0410	.5625	----	----	----	----	631 UNCH
630	----	----	0.4235B/0.3505A	0.4235B/0.3505A	----	0.3750 - 0.0400	.5404	----	----	----	----	51 UNCH
635	----	----	0.3995B/0.3290A	0.3995B/0.3290A	----	0.3530 - 0.0385	.5185	----	----	----	----	82 UNCH
640	----	----	0.3770B/0.3055A	0.3770B/0.3055A	----	0.3325 - 0.0370	.4970	----	----	----	----	1052 UNCH
645	----	----	0.3555B/0.2870A	0.3555B/0.2870A	----	0.3130 - 0.0355	.4759	----	----	1	----	200 UNCH
650	----	----	0.3340B/0.2695A	0.3340B/0.2695A	----	0.2945 - 0.0340	.4553	----	----	----	----	365 UNCH
655	----	----	0.3145B/0.2575A	0.3145B/0.2575A	----	0.2770 - 0.0330	.4351	----	----	----	----	25 UNCH
660	0.2370	0.2370	0.2960B/0.2370	0.2960B/0.2370	----	0.2605 - 0.0320	.4155	----	----	1	----	106 + 1
665	----	----	0.2785B/0.2275A	0.2785B/0.2275A	----	0.2450 - 0.0305	.3965	----	----	27	----	56 + 27
670	----	----	0.2625B/0.2110A	0.2625B/0.2110A	----	0.2305 - 0.0290	.3781	----	----	----	----	293 UNCH
675	----	----	0.2470B/0.1970A	0.2470B/0.1970A	----	0.2165 - 0.0285	.3602	----	----	----	----	505 UNCH
680	0.2300	0.2300	0.2320B/0.1845	0.2320B/0.1845	----	0.2030 - 0.0275	.3428	----	----	2	----	1412 + 1
685	----	----	0.2185B/0.1770A	0.2185B/0.1770A	----	0.1900 - 0.0275	.3257	----	----	----	----	55 UNCH
690	----	----	0.2055B/0.1625A	0.2055B/0.1625A	----	0.1780 - 0.0265	.3094	----	----	----	----	989 UNCH
695	----	----	0.1930B/0.1565A	0.1930B/0.1565A	----	0.1670 - 0.0255	.2939	----	----	----	----	57 UNCH
700	0.1505	0.1505	0.1540/0.1410	0.1815B/0.1410	----	0.1560 - 0.0255	.2786	----	----	60	----	12369 + 49
705	----	----	----/0.1340A	0.1705B/0.1340A	----	0.1460 - 0.0250	.2641	----	----	----	----	402 UNCH
710	----	----	----/0.1250A	0.1595B/0.1250A	----	0.1365 - 0.0240	.2501	----	----	----	----	491 UNCH
715	----	----	----/0.1215A	0.1495B/0.1215A	----	0.1280 - 0.0230	.2370	----	----	----	----	96 UNCH
720	----	----	----/0.1130A	0.1405B/0.1130A	----	0.1195 - 0.0230	.2241	----	----	----	----	74 UNCH
725	----	----	----/0.1035A	0.1320B/0.1035A	----	0.1120 - 0.0220	.2122	----	----	----	----	231 UNCH
730	----	----	----/0.0990A	0.1240B/0.0990A	----	0.1045 - 0.0215	.2004	----	----	----	----	7 UNCH
735	----	----	----/0.0940A	0.1165B/0.0940A	----	0.0980 - 0.0210	.1897	----	----	----	----	1 UNCH
740	----	----	----/*0.0845A	0.1095B/*0.0845	----	0.0915 - 0.0205	.1790	----	----	----	----	1213 UNCH
750	----	----	----/0.0755A	0.0965B/0.0755A	----	0.0805 - 0.0190	.1602	----	----	----	----	240 UNCH
760	----	----	----/*0.0700A	0.0850B/*0.0700	----	0.0705 - 0.0180	.1428	----	----	----	----	168 UNCH
775	----	----	----/0.0575A	0.0705B/0.0575A	----	0.0585 - 0.0160	.1209	----	----	50	----	9234 + 42
790	----	----	----/*0.0485A	0.0585B/*0.0485	----	0.0485 - 0.0145	.1022	----	----	----	----	76 UNCH
800	----	----	----/0.0435A	0.0520B/0.0435A	----	0.0430 - 0.0130	.0916	----	----	1	----	1438 UNCH
810	----	----	----/*0.0395A	0.0460B/*0.0395	----	0.0385 - 0.0115	.0825	----	----	----	----	1 UNCH
825	----	----	----/0.0335A	0.0385B/0.0335A	----	0.0320 - 0.0105	.0697	----	----	----	----	131 UNCH
850	----	----	----/*0.0270A	0.0300B/0.0270A	----	0.0245 - 0.0080	.0541	----	----	1	----	1 - 1
875	----	----	----/*0.0235A	0.0215B/0.0235A	----	0.0190 - 0.0065	.0424	----	----	----	----	3 UNCH
900	----	----	----	0.0165B/0.0205A	----	0.0150 - 0.0055	.0336	----	----	----	----	579 UNCH
925	----	----	----	0.0125B/0.0180A	----	0.0120 - 0.0045	.0270	----	----	1	----	1 UNCH
950	----	----	----	0.0095B/0.0160A	----	0.0095 - 0.0040	.0215	----	----	----	----	1 UNCH
975	----	----	----	0.0075B/0.0145A	----	0.0080 - 0.0035	.0180	----	----	----	----	17 UNCH
TOTAL										144		33217 + 119
OCT26												
500	----	----	----	----	----	1.4405 - 0.0570	.9327	----	----	----	----	2 UNCH
575	----	----	----/0.7690A	0.7550B/0.7690A	----	0.8140 - 0.0500	.7699	----	----	----	----	2 UNCH
600	----	----	0.6990B/0.6110A	0.6990B/0.6110A	----	0.6485 - 0.0460	.6854	----	----	----	----	40 UNCH
605	----	----	0.6675B/0.5825A	0.6675B/0.5825A	----	0.6185 - 0.0450	.6674	----	----	----	----	2 UNCH
615	----	----	0.6080B/0.5285A	0.6080B/0.5285A	----	0.5615 - 0.0435	.6308	----	----	----	----	5 UNCH
620	----	----	0.5795B/0.5035A	0.5795B/0.5035A	----	0.5350 - 0.0425	.6123	----	----	----	----	1 UNCH
625	----	----	0.5520B/0.4790A	0.5520B/0.4790A	----	0.5090 - 0.0420	.5937	----	----	----	----	5 UNCH
640	----	----	0.4825B/0.4120A	0.4825B/0.4120A	----	0.4380 - 0.0390	.5381	----	----	----	----	1 UNCH
650	----	----	0.4365B/0.3725A	0.4365B/0.3725A	----	0.3960 - 0.0365	.5019	----	----	----	----	106 UNCH
655	----	----	0.4155B/0.3540A	0.4155B/0.3540A	----	0.3760 - 0.0355	.4841	----	----	----	----	1 UNCH
660	----	----	0.3950B/0.3365A	0.3950B/0.3365A	----	0.3575 - 0.0340	.4668	----	----	----	----	1 UNCH
665	----	----	0.3755B/0.3200A	0.3755B/0.3200A	----	0.3395 - 0.0330	.4497	----	----	----	----	1 UNCH
670	----	----	0.3570B/0.3040A	0.3570B/0.3040A	----	0.3225 - 0.0315	.4330	----	----	----	----	1 UNCH
675	----	----	0.3390B/0.2890A	0.3390B/0.2890A	----	0.3060 - 0.0305	.4165	----	----	----	----	77 UNCH
690	----	----	0.2910B/0.2480A	0.2910B/0.2480A	----	0.2620 - 0.0275	.3700	----	----	----	----	2 UNCH
700	----	----	0.2625B/0.2240A	0.2625B/0.2240A	----	0.2355 - 0.0260	.3409	----	----	----	----	151 UNCH
710	----	----	----/0.2015A	0.2360B/0.2015A	----	0.2120 - 0.0245	.3136	----	----	----	----	150 UNCH
720	----	----	----/0.1815A	0.2130B/0.1815A	----	0.1905 - 0.0230	.2880	----	----	----	----	6 UNCH
725	----	----	----/0.1720A	0.2010B/0.1720A	----	0.1805 - 0.0225	.2757	----	----	----	----	26 UNCH
730	----	----	----/0.1640A	0.1910B/0.1640A	----	0.1715 - 0.0215	.2643	----	----	----	----	3 UNCH
740	----	----	----/0.1480A	0.1710B/0.1480A	----	0.1540 - 0.0205	.2420	----	----	----	----	10 UNCH
750	----	----	----/0.1330A	0.1540B/0.1330A	----	0.1385 - 0.0195	.2215	----	----	----	----	63 UNCH
775	----	----	----/0.1030A	0.1180B/0.1030A	----	0.1060 - 0.0175	.1767	----	----	----	----	84 UNCH
800	----	----	----/0.0810A	0.0910B/0.0810A	----	0.0810 - 0.0155	.1402	----	----	----	----	327 UNCH
825	----	----	----/0.0645A	0.0705B/0.0645A	----	0.0625 - 0.0130	.1115	----	----	----	----	1 UNCH
850	----	----	----/*0.0525A	0.0550B/0.0525A	----	0.0490 - 0.0105	.0894	----	----	----	----	30 UNCH
875	----	----	----/0.0435A	0.0440B/0.0435A	----	0.0385 - 0.0090	.0717	----	----	----	----	3 UNCH
900	----	----	----/0.0365A	0.0350B/0.0365A	----	0.0310 - 0.0075	.0584	----	----	----	----	3 UNCH
975	----	----	----	0.0190B/0.0250A	----	0.0175 - 0.0045	.0335	----	----	----	----	8 UNCH
TOTAL												1112
NOV26												
535	----	----	----	----	----	1.1525 - 0.0565	.8543	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.0730 - 0.0555	.8311	----	----	----	----	1 UNCH
580	----	----	----/0.7815A	0.8680B/0.7815A	----	0.8205 - 0.0515	.7357	----	----	----	----	2 UNCH
585	----	----	0.8415B/0.7505A	0.8415B/0.7505A	----	0.7880 - 0.0505	.7202	----	----	----	----	1 UNCH
595	----	----	0.7770B/0.6910A	0.7770B/0.6910A	----	0.7260 - 0.0490	.6889	----	----	----	----	2 UNCH
600	----	----	0.7460B/0.6625A	0.7460B/0.6625A	----	0.6965 - 0.0480	.6728	----	----	----	----	2 UNCH
610	----	----	0.6870B/0.6090A	0.6870B/0.6090A	----	0.6405 - 0.0460	.6402	----	----	----	----	14 UNCH
640	----	----	0.5380B/0.4690A	0.5380B/0.4690A	----	0.4950 - 0.0395	.5420	----	----	----	----	1 UNCH
650	----	----	0.4930B/0.4295A	0.4930B/0.4295A	----	0.4535 - 0.0370	.5101	----	----	----	----	1 UNCH
655	----	----	0.4720B/0.4105A	0.4720B/0.4105A	----	0.4335 - 0.0365	.4944	----	----	1	----	1 - 1
660	----	----	0.4515B/0.3925A	0.4515B/0.3925A	----	0.4145 - 0.0355	.4790	----	----	----	----	20 UNCH
670	----	----	0.4130B/0.3590A	0.4130B/0.3590A	----	0.3790 - 0.0330	.4489	----	----	----	----	14 UNCH
675	----	----	----/0.3435A	0.3945B/0.3435A	----	0.3620 - 0.0325	.4342	----	----	----	----	58 UNCH
680	----	----	----/0.3285A	0.3775B/0.3285A	----	0.3460 - 0.0315	.4199	----	----	----	----	4 UNCH
695	----	----	----/0.2870A	0.3295B/0.2870A	----	0.3015 - 0.0290	.3787	----	----	----	----	1 UNCH
700	----	----	----/0.2740A	0.3145B/0.2740A	----	0.2875 - 0.0285	.3654	----	----	----	----	27 UNCH
705	----	----	----/0.2620A	0.3005B/0.2620A	----	0.2745 - 0.0280	.3526	----	----	----	----	1 UNCH
725	----	----	----/0.2190A	0.2505B/0.2190A	----	0.2280 - 0.0250	.3048	----	----	----	----	48 UNCH
740	----	----	----/0.1910A	0.2170B/0.1910A	----	0.1980 - 0.0235	.2722	----	----	----	----	20 UNCH
750	----	----	----/0.1750A	0.1975B/0.1750A	----	0.1800 - 0.0225	.2521	----	----	----	----	26 UNCH
800	----	----	----/0.1135A	0.1220B/0.1135A	----	0.1135 - 0.0170	.1710	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 63

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
NOV26												
850	----	----	----/0.0775A	0.0775B/0.0775A	----	0.0725 - 0.0125	.1156	----	----	----	----	2 UNCH
900	----	----	----/0.0560A	0.0500B/0.0560A	----	0.0480 - 0.0090	.0794	----	----	----	----	1 UNCH
975	----	----	----	0.0265B/0.0380A	----	0.0275 - 0.0060	.0471	----	----	----	----	4 UNCH
TOTAL										1		253 - 1
DEC26												
525	----	----	----	----	----	1.2525 - 0.0575	.8604	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.1730 - 0.0565	.8393	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.0595 - 0.0540	.8042	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.0230 - 0.0540	.7918	----	----	----	----	1 UNCH
565	----	----	----/0.9145A	0.9045B/0.9145A	----	0.9530 - 0.0525	.7655	----	----	----	----	45 UNCH
575	----	----	----/0.8505A	0.9290B/0.8505A	----	0.8860 - 0.0510	.7381	----	----	----	----	123 UNCH
585	----	----	----/0.7900A	0.8710B/0.7900A	----	0.8230 - 0.0495	.7095	----	----	----	----	1 UNCH
590	----	----	----/0.7605A	0.8395B/0.7605A	----	0.7925 - 0.0490	.6949	----	----	----	----	200 UNCH
595	----	----	----/0.7325A	0.8085B/0.7325A	----	0.7630 - 0.0480	.6803	----	----	----	----	163 UNCH
600	----	----	----/0.7050A	0.7785B/0.7050A	----	0.7345 - 0.0470	.6653	----	----	----	----	618 UNCH
610	----	----	----/0.6525A	0.7210B/0.6525A	----	0.6795 - 0.0460	.6353	----	----	----	----	200 UNCH
620	----	----	----/0.6030A	0.6670B/0.6030A	----	0.6280 - 0.0445	.6050	----	----	----	----	366 UNCH
625	----	----	----/0.5800A	0.6415B/0.5800A	----	0.6035 - 0.0435	.5899	----	----	----	----	38 UNCH
630	----	----	----/0.5570A	0.6165B/0.5570A	----	0.5800 - 0.0425	.5748	----	----	----	----	310 UNCH
635	----	----	----/0.5355A	0.5940B/0.5355A	----	0.5575 - 0.0415	.5597	----	----	----	----	1 UNCH
640	----	----	0.5775B/0.5145A	0.5775B/0.5145A	----	0.5350 - 0.0410	.5448	----	----	----	----	29 UNCH
650	----	----	0.5330B/0.4745A	0.5330B/0.4745A	----	0.4935 - 0.0390	.5153	----	----	----	----	373 UNCH
655	----	----	----/0.4560A	0.5120B/0.4560A	----	0.4740 - 0.0380	.5009	----	----	----	----	10 UNCH
660	----	----	----/0.4380A	0.4910B/0.4380A	----	0.4550 - 0.0365	.4866	----	----	----	----	300 UNCH
670	----	----	----/0.4040A	0.4525B/0.4040A	----	0.4190 - 0.0350	.4587	----	----	----	----	4 UNCH
675	----	----	----/0.3880A	0.4350B/0.3880A	----	0.4020 - 0.0340	.4451	----	----	----	----	17 UNCH
680	----	----	----/0.3725A	0.4175B/0.3725A	----	0.3855 - 0.0330	.4317	----	----	----	----	663 UNCH
690	----	----	----/0.3435A	0.3840B/0.3435A	----	0.3550 - 0.0310	.4059	----	----	----	----	1 UNCH
700	----	----	----/0.3170A	0.3535B/0.3170A	----	0.3265 - 0.0295	.3810	----	----	----	----	1783 UNCH
705	----	----	----/0.3045A	0.3385B/0.3045A	----	0.3130 - 0.0290	.3690	----	----	----	----	2 UNCH
710	----	----	----/0.2925A	0.3250B/0.2925A	----	0.3000 - 0.0285	.3572	----	----	----	----	50 UNCH
725	----	----	----/0.2590A	0.2855B/0.2590A	----	0.2645 - 0.0265	.3237	----	----	----	----	124 UNCH
730	----	----	----/0.2490A	0.2730B/0.2490A	----	0.2540 - 0.0255	.3133	----	----	----	----	4 UNCH
750	----	----	----/0.2125A	0.2290B/0.2125A	----	0.2150 - 0.0235	.2739	----	----	----	----	381 UNCH
775	----	----	----/0.1750A	0.1830B/0.1750A	----	0.1750 - 0.0205	.2310	----	----	----	----	211 UNCH
800	----	----	----/0.1450A	0.1480B/0.1450A	----	0.1425 - 0.0185	.1943	----	----	----	----	154 UNCH
825	----	----	----/0.1210A	0.1205B/0.1210A	----	0.1170 - 0.0160	.1638	----	----	----	----	64 UNCH
850	----	----	----/0.1025A	0.0985B/0.1025A	----	0.0985 - 0.0140	.1400	----	----	----	----	239 UNCH
900	----	----	----/0.0760A	0.0665B/0.0760A	----	0.0735 - 0.0110	.1057	----	----	----	----	645 UNCH
925	----	----	----/0.0665A	0.0545B/0.0665A	----	0.0625 - 0.0095	.0910	----	----	----	----	6 UNCH
950	----	----	----/0.0590A	0.0450B/0.0590A	----	0.0530 - 0.0090	.0782	----	----	----	----	114 UNCH
975	----	----	----/0.0530A	0.0370B/0.0530A	----	0.0460 - 0.0075	.0683	----	----	----	----	14 UNCH
1000	----	----	----	0.0305B/0.0475A	----	0.0395 - 0.0070	.0592	----	----	----	----	7 UNCH
TOTAL												7387
JAN27												
500	----	----	----	----	----	1.5610 - 0.0570	.8983	----	----	----	----	1 UNCH
690	----	----	----/*0.4325A	0.4585B/*0.4325	----	0.4400 NEW	.4435	----	----	1	----	1 + 1
900	----	----	----/0.1100A	0.0965B/0.1100A	----	0.1010 - 0.0120	.1313	----	----	----	----	1 UNCH
TOTAL										1		3 + 1
FEB27												
620	----	----	----/0.7540A	0.8000B/0.7540A	----	0.7715 - 0.0420	.6237	----	----	----	----	1 UNCH
750	----	----	----/0.3280A	0.3310B/0.3280A	----	0.3255 - 0.0245	.3345	----	----	----	----	117 UNCH
850	----	----	----/*0.1790A	0.1665B/*0.1790	----	0.1715 - 0.0160	.1965	----	----	----	----	60 UNCH
TOTAL												178
MAR27												
660	0.6700	0.6700	0.6700/*0.6260A	0.6700/*0.6260A	----	0.6320 NEW	.5283	----	----	12	----	12 + 12
680	----	----	----/*0.5555A	0.5715B/*0.5555	----	0.5585 - 0.0330	.4840	----	----	----	----	30 UNCH
700	----	----	----/*0.4925A	0.5025B/*0.4925	----	0.4935 - 0.0305	.4420	----	----	----	----	72 UNCH
950	----	----	----/0.1290A	0.1030B/0.1290A	----	0.1200 - 0.0115	.1355	----	----	----	----	3 UNCH
TOTAL										12		117 + 12
HX PUT		COMEX COPPER OPTIONS										
JUL26												
330	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	84 UNCH
350	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
360	----	----	----	----/0.0075A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
380	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
390	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
395	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	566 UNCH
405	----	----	----	----/0.0025A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
415	----	----	----	----/0.0025A	----	0.0005 UNCH	.0002	----	----	----	----	52 UNCH
420	----	----	----	----/0.0025A	----	0.0005 UNCH	.0003	----	----	----	----	4 UNCH
425	----	----	----	----/0.0030A	----	0.0005 UNCH	.0004	----	----	----	----	51 UNCH
430	----	----	----	----/0.0030A	----	0.0005 UNCH	.0006	----	----	----	----	10 UNCH
435	----	----	----	----/0.0030A	----	0.0005 UNCH	.0008	----	----	----	----	5 UNCH
440	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0011	----	----	----	----	4 UNCH
445	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0016	----	----	----	----	3 UNCH
450	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0030	----	----	----	----	1906 UNCH
455	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0031	----	----	----	----	14 UNCH
460	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0032	----	----	----	----	6 UNCH
465	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0033	----	----	----	----	1 UNCH
470	----	----	----	----/0.0035A	----	0.0010 - 0.0010	.0034	----	----	----	----	3 UNCH
475	----	----	----	----/0.0040A	----	0.0010 - 0.0010	.0035	----	----	----	----	512 UNCH
480	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0052	----	----	----	----	78 UNCH
485	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0054	----	----	----	----	2 UNCH
490	----	----	----	----/0.0040A	----	0.0015 - 0.0010	.0055	----	----	----	----	542 UNCH
495	----	----	----	----/0.0045A	----	0.0015 - 0.0010	.0058	----	----	----	----	104 UNCH
500	----	----	----	----/0.0045A	----	0.0015 - 0.0010	.0060	----	----	----	----	3218 UNCH
505	----	----	----	----/0.0050A	----	0.0020 - 0.0010	.0079	----	----	----	----	3 UNCH
510	----	----	----	----/0.0050A	----	0.0020 - 0.0010	.0082	----	----	----	----	214 UNCH
515	----	----	----	----/0.0055A	----	0.0025 - 0.0010	.0103	----	----	----	----	6 UNCH
520	----	----	----	----/0.0060A	----	0.0025 - 0.0010	.0108	----	----	----	----	371 UNCH
525	----	----	----/0.0035A	0.0025B/0.0035A	----	0.0030 - 0.0010	.0131	----	----	1	----	650 - 1
530	----	----	----/0.0035A	0.0045B/0.0035A	----	0.0030 - 0.0015	.0137	----	----	----	----	3198 UNCH
533	----	----	----/0.0040A	0.0050B/0.0040A	----	0.0035 - 0.0015	.0159	----	----	----	----	1 UNCH
534	----	----	----/0.0040A	0.0050B/0.0040A	----	0.0035 - 0.0015	.0161	----	----	----	----	2 UNCH
535	----	----	0.0055B/0.0040A	0.0055B/0.0040A	----	0.0035 - 0.0015	.0162	----	----	1	----	4 UNCH
536	----	----	----/0.0045A	0.0055B/0.0045A	----	0.0035 - 0.0020	.0164	----	----	----	----	5 UNCH
538	----	----	0.0060B/0.0045A	0.0060B/0.0045A	----	0.0040 - 0.0015	.0186	----	----	----	----	3 UNCH
539	----	----	0.0060B/0.0045A	0.0060B/0.0045A	----	0.0040 - 0.0015	.0188	----	----	----	----	3 UNCH
540	----	----	----/0.0045A	0.0060B/0.0045A	----	0.0040 - 0.0020	.0190	----	----	----	----	908 UNCH
541	----	----	0.0065B/0.0050A	0.0065B/0.0050A	----	0.0045 - 0.0015	.0210	----	----	----	----	2 UNCH
542	----	----	0.0065B/0.0050A	0.0065B/0.0050A	----	0.0045 - 0.0015	.0212	----	----	----	----	2 UNCH
543	----	----	0.0070B/0.0050A	0.0070B/0.0050A	----	0.0045 - 0.0020	.0214	----	----	----	----	4 UNCH
544	----	----	0.0070B/0.0050A	0.0070B/0.0050A	----	0.0045 - 0.0020	.0217	----	----	----	----	5 UNCH
545	----	----	0.0075B/0.0050A	0.0075B/0.0050A	----	0.0050 - 0.0015	.0237	----	----	----	----	5 UNCH
546	----	----	0.0075B/0.0055A	0.0075B/0.0055A	----	0.0050 - 0.0020	.0240	----	----	----	----	3 UNCH
547	----	----	0.0080B/0.0055A	0.0080B/0.0055A	----	0.0050 - 0.0020	.0243	----	----	----	----	9 UNCH
548	----	----	0.0080B/0.0055A	0.0080B/0.0055A	----	0.0055 - 0.0015	.0264	----	----	----	----	17 UNCH
549	----	----	0.0085B/0.0060A	0.0085B/0.0060A	----	0.0055 - 0.0020	.0267	----	----	----	----	1 UNCH
550	0.0085	0.0085	0.0085/0.0060A	0.0085/0.0060A	----	0.0055 - 0.0020	.0269	----	----	3	----	1049 + 3
551	----	----	0.0090B/0.0060A	0.0090B/0.0060A	----	0.0060 - 0.0020	.0291	----	----	----	----	2 UNCH
552	----	----	0.0095B/0.0065A	0.0095B/0.0065A	----	0.0060 - 0.0020	.0294	----	----	----	----	5 UNCH
553	----	----	0.0095B/0.0065A	0.0095B/0.0065A	----	0.0065 - 0.0020	.0316	----	----	----	----	2 UNCH
554	----	----	0.0100B/0.0070A	0.0100B/0.0070A	----	0.0065 - 0.0020	.0320	----	----	----	----	50 UNCH
555	----	----	0.0105B/0.0070A	0.0105B/0.0070A	----	0.0070 - 0.0020	.0342	----	----	----	----	95 UNCH
556	----	----	0.0110B/0.0070A	0.0110B/0.0070A	----	0.0070 - 0.0020	.0345	----	----	----	----	59 UNCH
557	----	----	0.0110B/0.0075A	0.0110B/0.0075A	----	0.0075 - 0.0020	.0368	----	----	----	----	1 UNCH
558	----	----	0.0115B/0.0075A	0.0115B/0.0075A	----	0.0080 - 0.0015	.0390	----	----	----	----	104 UNCH
559	----	----	0.0120B/0.0080A	0.0120B/0.0080A	----	0.0080 - 0.0020	.0395	----	----	----	----	18 UNCH
560	----	----	0.0125B/0.0080A	0.0125B/0.0080A	----	0.0085 - 0.0020	.0417	----	----	----	----	313 UNCH
561	----	----	0.0130B/0.0085A	0.0130B/0.0085A	----	0.0090 - 0.0015	.0440	----	----	----	----	7 UNCH
562	----	----	0.0135B/0.0085A	0.0135B/0.0085A	----	0.0090 - 0.0020	.0445	----	----	----	----	2 UNCH
563	----	----	0.0140B/0.0090A	0.0140B/0.0090A	----	0.0095 - 0.0020	.0469	----	----	----	----	17 UNCH
564	----	----	0.0145B/0.0095A	0.0145B/0.0095A	----	0.0100 - 0.0020	.0492	----	----	----	----	13 UNCH
565	----	----	0.0150B/0.0095A	0.0150B/0.0095A	----	0.0105 - 0.0015	.0515	----	----	----	----	10 UNCH
566	0.0130	0.0130	0.0160B/0.0100A	0.0160B/0.0100A	----	0.0105 - 0.0020	.0522	----	----	2	----	14 UNCH
567	----	----	0.0165B/0.0105A	0.0165B/0.0105A	----	0.0110 - 0.0020	.0546	----	----	----	----	14 UNCH
568	----	----	0.0170B/0.0105A	0.0170B/0.0105A	----	0.0115 - 0.0020	.0570	----	----	----	----	7 UNCH
569	----	----	0.0175B/0.0110A	0.0175B/0.0110A	----	0.0120 - 0.0020	.0595	----	----	----	----	11 UNCH
570	0.0195	0.0195	0.0195/0.0110	0.0195/0.0110	----	0.0125 - 0.0020	.0620	----	----	3	----	308 UNCH
571	----	----	0.0195B/0.0115A	0.0195B/0.0115A	----	0.0130 - 0.0025	.0645	----	----	----	----	27 UNCH
572	----	----	0.0200B/0.0125A	0.0200B/0.0125A	----	0.0135 - 0.0025	.0670	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
573	----	----	0.0210B/0.0125A	0.0210B/0.0125A	----	0.0140 - 0.0025	.0696	----	----	----	----	22 UNCH
574	0.0180	0.0180	0.0220B/0.0130A	0.0220B/0.0130A	----	0.0150 - 0.0020	.0739	----	----	10	----	26 + 10
575	0.0175	0.0175	0.0230B/0.0135A	0.0230B/0.0135A	----	0.0155 - 0.0025	.0765	----	----	1	----	269 - 1
576	0.0195	0.0195	0.0240B/0.0140A	0.0240B/0.0140A	----	0.0160 - 0.0025	.0792	----	----	9	----	33 + 9
577	----	----	0.0250B/0.0150A	0.0250B/0.0150A	----	0.0165 - 0.0030	.0819	----	----	----	----	6 UNCH
578	0.0230	0.0230	0.0260B/0.0155A	0.0260B/0.0155A	----	0.0175 - 0.0025	.0863	----	----	1	----	40 UNCH
579	0.0225	0.0225	0.0270B/0.0160A	0.0270B/0.0160A	----	0.0180 - 0.0030	.0891	----	----	5	----	33 + 5
580	0.0215	0.0215	0.0285B/0.0170A	0.0285B/0.0170A	----	0.0190 - 0.0025	.0935	----	----	4	----	1921 + 1
581	----	----	0.0295B/0.0170A	0.0295B/0.0170A	----	0.0200 - 0.0025	.0980	----	----	----	----	25 UNCH
582	0.0255	0.0255	0.0310B/0.0180A	0.0310B/0.0180A	----	0.0210 - 0.0025	.1025	----	----	16	----	66 + 16
583	----	----	0.0320B/0.0185A	0.0320B/0.0185A	----	0.0215 - 0.0030	.1055	----	----	----	----	55 UNCH
584	----	----	0.0335B/0.0195A	0.0335B/0.0195A	----	0.0225 - 0.0030	.1101	----	----	----	----	9 UNCH
585	0.0255	0.0255	0.0350B/0.0205A	0.0350B/0.0205A	----	0.0240 - 0.0025	.1161	----	----	14	----	865 UNCH
586	----	----	0.0365B/0.0215A	0.0365B/0.0215A	----	0.0250 - 0.0025	.1208	----	----	----	----	42 UNCH
587	----	----	0.0385B/0.0220A	0.0385B/0.0220A	----	0.0260 - 0.0025	.1255	----	----	----	----	18 UNCH
588	----	----	0.0400B/0.0230A	0.0400B/0.0230A	----	0.0275 - 0.0020	.1316	----	----	----	----	39 UNCH
589	----	----	0.0415B/0.0240A	0.0415B/0.0240A	----	0.0285 - 0.0025	.1364	----	----	----	----	45 UNCH
590	0.0370	0.0370	0.0435B/0.0250A	0.0435B/0.0250A	----	0.0300 - 0.0020	.1426	----	----	255	----	1164 + 208
591	----	----	0.0455B/0.0260A	0.0455B/0.0260A	----	0.0315 - 0.0020	.1488	----	----	----	----	25 UNCH
592	0.0360	0.0360	0.0470B/0.0280A	0.0470B/0.0280A	----	0.0330 - 0.0015	.1551	----	----	10	----	20 + 7
593	0.0365	0.0365	0.0490B/0.0285A	0.0490B/0.0285A	----	0.0345 - 0.0015	.1614	----	----	10	----	84 + 10
594	----	----	0.0515B/0.0300A	0.0515B/0.0300A	----	0.0360 - 0.0015	.1678	----	----	----	----	22 UNCH
595	0.0530	0.0530	0.0540B/0.0315A	0.0540B/0.0315A	----	0.0380 - 0.0010	.1754	----	----	11	----	279 - 1
596	----	----	0.0560B/0.0335A	0.0560B/0.0335A	----	0.0395 - 0.0010	.1818	----	----	----	----	12 UNCH
597	----	----	0.0585B/0.0350A	0.0585B/0.0350A	----	0.0415 - 0.0010	.1895	----	----	----	----	52 UNCH
598	----	----	0.0605B/0.0370A	0.0605B/0.0370A	----	0.0435 - 0.0005	.1972	----	----	----	----	42 UNCH
599	0.0475	0.0475	0.0630B/0.0375A	0.0630B/0.0375A	----	0.0455 - 0.0005	.2049	----	----	14	----	95 + 8
600	0.0545	0.0545	0.0665B/0.0385	0.0665B/0.0385	----	0.0475 - 0.0005	.2127	----	----	450	----	1899 + 292
601	0.0525	0.0525	0.0680B/0.0405A	0.0680B/0.0405A	----	0.0500 UNCH	.2215	----	----	1	----	40 - 1
602	----	----	0.0705B/0.0430A	0.0705B/0.0430A	----	0.0520 UNCH	.2293	----	----	----	----	26 UNCH
603	----	----	0.0735B/0.0445A	0.0735B/0.0445A	----	0.0545 + 0.0005	.2382	----	----	----	----	37 UNCH
605	----	----	0.0810B/0.0485A	0.0810B/0.0485A	----	0.0595 + 0.0010	.2560	----	----	1	----	244 - 1
610	0.0935	0.0935	0.0980B/0.0590A	0.0980B/0.0590A	----	0.0740 + 0.0030	.3043	----	----	313	----	680 - 127
615	0.0860	0.0860	0.1175B/0.0730A	0.1175B/0.0730A	----	0.0910 + 0.0045	.3566	----	----	15	----	224 + 3
620	0.1100	0.1100	0.1420B/0.0890A	0.1420B/0.0890A	----	0.1110 + 0.0070	.4121	----	----	45	----	480 - 21
625	0.1520	0.1520	0.1680B/0.1085A	0.1680B/0.1085A	----	0.1340 + 0.0095	.4693	----	----	17	----	790 + 9
630	0.1495	0.1495	0.1970B/0.1300A	0.1970B/0.1300A	----	0.1600 + 0.0125	.5269	----	----	40	----	382 + 18
635	0.1800	0.1800	0.2300B/0.1580A	0.2300B/0.1580A	----	0.1890 + 0.0155	.5828	----	----	13	----	389 UNCH
640	0.2130	0.2130	0.2655B/0.1855A	0.2655B/0.1855A	----	0.2210 + 0.0185	.6363	----	----	2	----	294 UNCH
645	----	----	0.3040B/0.2215A	0.3040B/0.2215A	----	0.2560 + 0.0225	.6864	----	----	----	----	189 UNCH
650	0.2640	0.2640	0.3415/0.2525A	0.3415/0.2525A	----	0.2930 + 0.0255	.7311	----	----	2	----	327 - 2
655	----	----	0.3750B/0.2885A	0.3750B/0.2885A	----	0.3325 + 0.0290	.7710	----	----	----	----	178 UNCH
660	----	----	0.4185B/0.3270A	0.4185B/0.3270A	----	0.3740 + 0.0320	.8055	----	----	----	----	127 UNCH
665	----	----	0.4445B/0.3700A	0.4445B/0.3700A	----	0.4170 + 0.0350	.8352	----	----	----	----	27 UNCH
670	----	----	0.4905B/----	0.4905B/0.4320A	----	0.4615 + 0.0375	.8599	----	----	14	----	76 + 13
675	----	----	0.5370B/----	0.5370B/0.4745A	----	0.5075 + 0.0405	.8793	----	----	----	----	26 UNCH
690	----	----	0.6380B/----	0.6380B/0.6085A	----	0.6490 + 0.0455	.9197	----	----	----	----	1 UNCH
700	----	----	----	0.6765B/0.7015A	----	0.7460 + 0.0480	.9358	----	----	----	----	1 UNCH
705	----	----	----	0.6890B/0.7485A	----	0.7950 + 0.0490	.9416	----	----	----	----	1 UNCH
TOTAL										1283		26477 + 457
AUG26												
330	----	----	----	----/0.0055A	----	0.0005 UNCH	.0002	----	----	----	----	3 UNCH
405	----	----	----	----/0.0055A	----	0.0020 UNCH	.0048	----	----	----	----	3 UNCH
420	----	----	----	----/0.0065A	----	0.0025 UNCH	.0062	----	----	----	----	1 UNCH
440	----	----	----	----/0.0075A	----	0.0035 - 0.0005	.0091	----	----	----	----	5 UNCH
450	----	----	----	----/0.0085A	----	0.0045 - 0.0005	.0117	----	----	----	----	11 UNCH
460	----	----	----	0.0010B/0.0095A	----	0.0055 UNCH	.0144	----	----	----	----	3 UNCH
465	----	----	----	0.0010B/0.0100A	----	0.0060 UNCH	.0158	----	----	----	----	1 UNCH
470	----	----	----	0.0020B/0.0105A	----	0.0065 UNCH	.0173	----	----	----	----	3 UNCH
475	----	----	----	0.0025B/0.0110A	----	0.0070 UNCH	.0189	----	----	----	----	15 UNCH
480	----	----	----	0.0030B/0.0120A	----	0.0075 - 0.0005	.0205	----	----	----	----	8 UNCH
485	0.0095	0.0095	0.0095/*0.0090	0.0095/0.0090	----	0.0080 - 0.0005	.0222	----	----	2	----	2 + 1
490	----	----	----	0.0085B/0.0105A	----	0.0090 - 0.0005	.0250	----	----	----	----	2 UNCH
495	0.0085	0.0085	0.0085/*0.0085	0.0095B/*0.0085	----	0.0100 UNCH	.0278	----	----	1	----	1 + 1
500	----	----	----	0.0105B/0.0115A	----	0.0105 - 0.0005	.0298	----	----	----	----	21 UNCH
505	----	----	----/0.0120A	0.0120B/0.0120A	----	0.0120 - 0.0005	.0339	----	----	----	----	2 UNCH
510	----	----	----	0.0130B/0.0135A	----	0.0130 - 0.0005	.0371	----	----	2	----	12 UNCH
520	----	----	----/0.0165A	0.0170B/0.0165A	----	0.0165 - 0.0005	.0470	----	----	----	----	309 UNCH
525	----	----	0.0200B/0.0180A	0.0200B/0.0180A	----	0.0185 - 0.0005	.0527	----	----	----	----	17 UNCH
530	----	----	0.0230B/0.0200A	0.0230B/0.0200A	----	0.0210 - 0.0005	.0595	----	----	----	----	45 UNCH
535	----	----	0.0270B/0.0225A	0.0270B/0.0225A	----	0.0235 - 0.0005	.0666	----	----	----	----	12 UNCH
540	----	----	0.0310B/0.0255A	0.0310B/0.0255A	----	0.0270 - 0.0005	.0756	----	----	2	----	24 + 2
545	0.0315	0.0315	0.0355B/0.0290A	0.0355B/0.0290A	----	0.0310 UNCH	.0858	----	----	1	----	6 UNCH
550	0.0355	0.0355	0.0415B/0.0335A	0.0415B/0.0335A	----	0.0360 + 0.0005	.0978	----	----	20	100	355 + 83
555	----	----	0.0480B/0.0380A	0.0480B/0.0380A	----	0.0415 + 0.0010	.1109	----	----	----	----	11 UNCH
560	----	----	0.0550B/0.0440A	0.0550B/0.0440A	----	0.0480 + 0.0015	.1256	----	----	202	----	279 + 133
565	----	----	0.0635B/0.0505A	0.0635B/0.0505A	----	0.0550 + 0.0015	.1413	----	----	----	----	8 UNCH
570	----	----	0.0730B/0.0570A	0.0730B/0.0570A	----	0.0635 + 0.0025	.1591	----	----	----	----	163 UNCH
575	0.0810	0.0810	0.0835B/0.0655A	0.0835B/0.0655A	----	0.0725 + 0.0030	.1778	----	----	60	----	189 + 27
580	0.0740	0.0740	0.0960B/0.0740	0.0960B/0.0740	----	0.0830 + 0.0035	.1983	----	----	15	----	1356 + 3
585	0.0915	0.0915	0.1095B/0.0855A	0.1095B/0.0855A	----	0.0950 + 0.0045	.2206	----	----	20	----	128 + 20
590	----	----	0.1240B/0.0980A	0.1240B/0.0980A	----	0.1080 + 0.0050	.2438	----	----	2	----	153 UNCH
595	----	----	0.1410B/0.1115A	0.1410B/0.1115A	----	0.1225 + 0.0060	.2685	----	----	----	----	3 UNCH
600	----	----	0.1590B/0.1255A	0.1590B/0.1255A	----	0.1380 + 0.0065	.2939	----	----	559	----	1458 + 446
605	0.1480	0.1480	0.1790B/0.1410A	0.1790B/0.1410A	----	0.1555 + 0.0075	.3207	----	----	4	----	368 + 4
610	----	----	0.1995B/0.1585A	0.1995B/0.1585A	----	0.1745 + 0.0085	.3482	----	----	----	----	536 UNCH
615	----	----	0.2225B/0.1790A	0.2225B/0.1790A	----	0.1955 + 0.0100	.3764	----	----	1	----	13 + 1
620	0.2390	0.2390	0.2465B/0.1995A	0.2465B/0.1995A	----	0.2175 + 0.0110	.4049	----	----	2	----	241 UNCH
625	----	----	0.2725B/0.2210A	0.2725B/0.2210A	----	0.2415 + 0.0125	.4336	----	----	60	----	102 + 60
630	----	----	0.2990B/0.2445A	0.2990B/0.2445A	----	0.2670 + 0.0140	.4622	----	----	1	----	26 - 1
635	0.2820	0.2820	0.3260B/0.2695A	0.3260B/0.2695A	----	0.2945 + 0.0160	.4906	----	----	12	----	67 + 3
640	0.3095	0.3095	0.3590B/0.2950A	0.3590B/0.2950A	----	0.3230 + 0.0175	.5184	----	----	1	----	297 UNCH
645	0.3390	0.3390	0.3890B/0.3240A	0.3890B/0.3240A	----	0.3535 + 0.0195	.5456	----	----	1	----	40 UNCH
650	----	----	0.4195B/0.3535A	0.4195B/0.3535A	----	0.3850 + 0.0210	.5722	----	----	----	----	59 UNCH
655	----	----	0.4550B/0.3840A	0.4550B/0.3840A	----	0.4180 + 0.0230	.5977	----	----	----	----	13 UNCH
660	----	----	0.4885B/0.4165A	0.4885B/0.4165A	----	0.4520 + 0.0245	.6225	----	----	----	----	12 UNCH
665	----	----	0.5240B/0.4545A	0.5240B/0.4545A	----	0.4870 + 0.0255	.6462	----	----	----	----	4 UNCH
670	----	----	0.5675B/0.4885A	0.5675B/0.4885A	----	0.5235 + 0.0270	.6690	----	----	----	----	311 UNCH
675	----	----	0.6010B/0.5240A	0.6010B/0.5240A	----	0.5605 + 0.0275	.6907	----	----	----	----	2 UNCH
TOTAL									100	968		6700 + 783
SEP26												
335	----	----	----	----/0.0100A	----	0.0015 UNCH	.0028	----	----	----	----	3 UNCH
400	----	----	----	----/0.0130A	----	0.0045 - 0.0005	.0092	----	----	----	----	4 UNCH
440	----	----	----	0.0020B/0.0160A	----	0.0085 - 0.0010	.0183	----	----	----	----	4 UNCH
445	----	----	----	0.0020B/0.0170A	----	0.0090 - 0.0010	.0196	----	----	----	----	5 UNCH
450	----	----	----	0.0025B/0.0180A	----	0.0100 - 0.0005	.0218	----	----	----	----	805 UNCH
460	----	----	----	0.0080B/0.0160A	----	0.0115 - 0.0005	.0254	----	----	----	----	12 UNCH
470	----	----	----	0.0100B/0.0185A	----	0.0135 UNCH	.0302	----	----	----	----	3 UNCH
475	----	----	----	0.0115B/0.0195A	----	0.0150 UNCH	.0334	----	----	----	----	61 UNCH
480	----	----	----	0.0130B/0.0205A	----	0.0160 UNCH	.0360	----	----	----	----	7 UNCH
485	----	----	----	0.0145B/0.0220A	----	0.0180 + 0.0005	.0402	----	----	----	----	1 UNCH
490	----	----	----	0.0165B/0.0240A	----	0.0195 + 0.0005	.0438	----	----	----	----	11 UNCH
500	----	----	----	0.0220B/0.0275A	----	0.0240 + 0.0005	.0535	----	----	----	----	691 UNCH
510	----	----	----	0.0280B/0.0330A	----	0.0295 + 0.0005	.0652	----	----	----	----	7 UNCH
515	----	----	----	0.0320B/0.0365A	----	0.0325 + 0.0005	.0716	----	----	----	----	1 UNCH
520	----	----	0.0365B/----	0.0365B/0.0405A	----	0.0365 + 0.0005	.0795	----	----	----	----	7 UNCH
525	----	----	0.0425B/----	0.0425B/0.0440A	----	0.0410 + 0.0005	.0882	----	----	----	----	329 UNCH
530	0.0470	0.0470	0.0485B/0.0470	0.0485B/0.0470	----	0.0455 UNCH	.0971	----	----	2	----	5 + 1
535	----	----	0.0545B/----	0.0545B/0.0545A	----	0.0515 + 0.0005	.1080	----	----	----	----	350 UNCH
540	----	----	0.0615B/----	0.0615B/0.0595A	----	0.0575 + 0.0005	.1190	----	----	----	----	403 UNCH
545	----	----	0.0700B/----	0.0700B/0.0660A	----	0.0645 + 0.0005	.1312	----	----	----	----	3 UNCH
550	0.0750	0.0750	0.0790B/0.0750	0.0790B/0.0725A	----	0.0725 + 0.0010	.1447	----	----	100	----	404 + 69
555	----	----	0.0890B/----	0.0890B/0.0815A	----	0.0815 + 0.0015	.1593	----	----	----	----	1 UNCH
560	----	----	0.1000B/----	0.1000B/0.0905A	----	0.0915 + 0.0020	.1748	----	----	----	----	5 UNCH
565	----	----	0.1120B/----	0.1120B/0.1005A	----	0.1025 + 0.0030	.1913	----	----	1	----	2 + 1
570	----	----	0.1255B/----	0.1255B/0.1115A	----	0.1145 + 0.0040	.2086	----	----	1	----	125 + 1
575	0.1300	0.1300	0.1445B/0.1220A	0.1445B/0.1220A	----	0.1275 + 0.0045	.2267	----	----	36	----	1671 + 16
580	----	----	0.1600B/0.1350A	0.1600B/0.1350A	----	0.1415 + 0.0055	.2456	----	----	77	----	844 + 29
585	----	----	0.1725B/----	0.1725B/0.1505A	----	0.1570 + 0.0065	.2653	----	----	----	----	54 UNCH
590	----	----	0.1950B/0.1645A	0.1950B/0.1645A	----	0.1730 + 0.0070	.2853	----	----	----	----	382 UNCH
595	----	----	0.2100B/0.1815A	0.2100B/0.1815A	----	0.1905 + 0.0080	.3060	----	----	----	----	8 UNCH
600	0.2280	0.2280	0.2350B/0.1990A	0.2350B/0.1990A	----	0.2095 + 0.0095	.3273	----	----	118	----	2340 + 63
610	0.2535	0.2535	0.2795B/0.2375A	0.2795B/0.2375A	----	0.2505 + 0.0110	.3707	----	----	101	----	854 + 70
615	----	----	0.2990B/0.2585A	0.2990B/0.2585A	----	0.2730 + 0.0125	.3928	----	----	----	----	2 UNCH
620	----	----	0.3290B/0.2805A	0.3290B/0.2805A	----	0.2965 + 0.0130	.4150	----	----	28	----	1081 + 26
625	----	----	0.3555B/0.3040A	0.3555B/0.3040A	----	0.3215 + 0.0140	.4372	----	----	----	----	1183 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 65

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
SEP26												
630	----	----	0.3785B/0.3285A	0.3785B/0.3285A	----	0.3480 + 0.0155	.4593	----	----	----	----	59 UNCH
635	----	----	0.4085B/0.3540A	0.4085B/0.3540A	----	0.3755 + 0.0165	.4812	----	----	----	----	539 UNCH
640	----	----	0.4390B/0.3810A	0.4390B/0.3810A	----	0.4045 + 0.0180	.5027	----	----	----	----	396 UNCH
645	----	----	0.4670B/0.4090A	0.4670B/0.4090A	----	0.4345 + 0.0195	.5238	----	----	----	----	43 UNCH
650	----	----	0.4995B/0.4380A	0.4995B/0.4380A	----	0.4660 + 0.0210	.5445	----	----	----	----	82 UNCH
655	----	----	0.5320B/0.4680A	0.5320B/0.4680A	----	0.4985 + 0.0225	.5646	----	----	----	----	53 UNCH
670	----	----	0.6420B/0.5650A	0.6420B/0.5650A	----	0.6005 + 0.0255	.6216	----	----	----	----	211 UNCH
685	----	----	0.7500B/0.6750A	0.7500B/0.6750A	----	0.7095 + 0.0280	.6740	----	----	----	----	14 UNCH
695	----	----	0.8285B/0.7485A	0.8285B/0.7485A	----	0.7855 + 0.0290	.7058	----	----	----	----	2 UNCH
700	----	----	0.8690B/0.7865A	0.8690B/0.7865A	----	0.8250 + 0.0305	.7212	----	----	----	----	7 UNCH
710	----	----	0.9365B/0.8640A	0.9365B/0.8640A	----	0.9045 + 0.0310	.7497	----	----	----	----	1 UNCH
725	----	----	----	----	----	1.0290 + 0.0330	.7875	----	----	----	----	2 UNCH
TOTAL										464		13077 + 276
OCT26												
300	----	----	----	----/0.0105A	----	0.0010 - 0.0005	.0017	----	----	----	----	1 UNCH
320	----	----	----	----/0.0110A	----	0.0020 - 0.0005	.0033	----	----	----	----	3 UNCH
345	----	----	----	----/0.0125A	----	0.0040 - 0.0005	.0064	----	----	----	----	1 UNCH
375	----	----	----	0.0040B/0.0145A	----	0.0060 - 0.0005	.0101	----	----	----	----	2 UNCH
400	----	----	----	0.0010B/0.0100A	----	0.0085 UNCH	.0147	----	----	----	----	1 UNCH
430	----	----	----	0.0035B/0.0205A	----	0.0125 UNCH	.0224	----	----	----	----	10 UNCH
450	----	----	----	0.0110B/0.0210A	----	0.0165 UNCH	.0302	----	----	----	----	1 UNCH
470	----	----	----	0.0170B/0.0260A	----	0.0225 + 0.0010	.0414	----	----	----	----	1 UNCH
475	----	----	----	0.0190B/0.0275A	----	0.0240 + 0.0010	.0444	----	----	----	----	3 UNCH
500	----	----	----	0.0330B/0.0390A	----	0.0365 + 0.0020	.0670	----	----	----	----	28 UNCH
530	----	----	0.0655B/----	0.0655B/0.0665A	----	0.0655 + 0.0035	.1133	----	----	----	----	1 UNCH
535	----	----	0.0740B/----	0.0740B/0.0720A	----	0.0725 + 0.0040	.1235	----	----	----	----	3 UNCH
550	----	----	0.1010B/----	0.1010B/0.0955A	----	0.0975 + 0.0050	.1581	----	----	----	----	2 UNCH
560	----	----	0.1235B/----	0.1235B/0.1140A	----	0.1185 + 0.0065	.1849	----	----	----	----	1 UNCH
570	----	----	0.1500B/----	0.1500B/0.1365A	----	0.1430 + 0.0080	.2143	----	----	----	----	5 UNCH
590	----	----	0.2150B/----	0.2150B/0.1925A	----	0.2030 + 0.0110	.2792	----	----	----	----	2 UNCH
600	----	----	0.2545B/0.2250A	0.2545B/0.2250A	----	0.2390 + 0.0125	.3143	----	----	----	----	13 UNCH
605	----	----	0.2755B/0.2435A	0.2755B/0.2435A	----	0.2585 + 0.0135	.3322	----	----	----	----	1 UNCH
610	----	----	0.2975B/0.2630A	0.2975B/0.2630A	----	0.2790 + 0.0140	.3504	----	----	----	----	5 UNCH
630	0.3940	0.3940	0.3960B/0.3510A	0.3960B/0.3510A	----	0.3725 NEW	.4245	----	----	1	----	1 + 1
650	----	----	0.5110B/0.4540A	0.5110B/0.4540A	----	0.4820 + 0.0215	.4977	----	----	----	----	10 UNCH
655	----	----	0.5420B/0.4830A	0.5420B/0.4830A	----	0.5120 + 0.0230	.5155	----	----	----	----	1 UNCH
700	----	----	0.8535B/0.7805A	0.8535B/0.7805A	----	0.8180 + 0.0330	.6588	----	----	----	----	24 UNCH
745	----	----	1.1535B/1.1280A	1.1535B/1.1280A	----	1.1750 + 0.0385	.7681	----	----	----	----	1 UNCH
750	----	----	----/1.1690A	1.1625B/1.1690A	----	1.2170 + 0.0390	.7781	----	----	----	----	5 UNCH
TOTAL										1		126 + 1
NOV26												
400	----	----	----	0.0030B/0.0215A	----	0.0115 - 0.0010	.0184	----	----	----	----	10 UNCH
475	----	----	----	0.0265B/0.0420A	----	0.0325 - 0.0015	.0544	----	----	----	----	2 UNCH
480	----	----	----	0.0300B/0.0445A	----	0.0355 - 0.0015	.0592	----	----	----	----	2 UNCH
500	----	----	----	0.0480B/0.0595A	----	0.0515 - 0.0005	.0829	----	----	----	----	12 UNCH
520	----	----	----	0.0740B/0.0815A	----	0.0750 + 0.0005	.1149	----	----	----	----	4 UNCH
550	----	----	0.1345B/----	0.1345B/0.1325A	----	0.1305 + 0.0035	.1807	----	----	----	----	1 UNCH
560	----	----	0.1605B/----	0.1605B/0.1550A	----	0.1545 + 0.0040	.2065	----	----	----	----	1 UNCH
590	----	----	0.2635B/----	0.2635B/0.2440A	----	0.2490 + 0.0085	.2949	----	----	----	----	1 UNCH
645	----	----	0.5365B/0.4900A	0.5365B/0.4900A	----	0.5105 + 0.0200	.4737	----	----	----	----	1 UNCH
700	----	----	0.9005B/0.8335A	0.9005B/0.8335A	----	0.8685 + 0.0300	.6342	----	----	----	----	24 UNCH
735	----	----	1.1740B/1.0925A	1.1740B/1.0925A	----	1.1350 + 0.0345	.7169	----	----	----	----	2 UNCH
TOTAL												60
DEC26												
380	----	----	----	0.0010B/0.0245A	----	0.0120 - 0.0010	.0175	----	----	----	----	2 UNCH
385	----	----	----	0.0010B/0.0255A	----	0.0125 - 0.0010	.0184	----	----	----	----	1 UNCH
395	----	----	----	0.0030B/0.0270A	----	0.0140 - 0.0010	.0209	----	----	----	----	3 UNCH
400	----	----	----	0.0035B/0.0280A	----	0.0150 - 0.0010	.0224	----	----	----	----	18 UNCH
420	----	----	----	0.0080B/0.0315A	----	0.0190 - 0.0010	.0290	----	----	----	----	2 UNCH
460	----	----	----	0.0230B/0.0455A	----	0.0330 - 0.0010	.0510	----	----	----	----	2 UNCH
475	----	----	----	0.0330B/0.0540A	----	0.0420 - 0.0015	.0642	----	----	----	----	76 UNCH
480	----	----	----	0.0370B/0.0580A	----	0.0460 - 0.0010	.0696	----	----	----	----	12 UNCH
490	----	----	----	0.0465B/0.0665A	----	0.0550 - 0.0010	.0817	----	----	----	----	5 UNCH
500	----	----	----	0.0585B/0.0765A	----	0.0655 - 0.0005	.0954	----	----	----	----	104 UNCH
520	----	----	----	0.0900B/0.1030A	----	0.0940 + 0.0005	.1295	----	----	----	----	2 UNCH
525	----	----	----	0.1000B/0.1110A	----	0.1025 + 0.0010	.1391	----	----	----	----	1 UNCH
540	----	----	0.1325B/----	0.1325B/0.1390A	----	0.1330 + 0.0025	.1715	----	----	----	----	3 UNCH
545	----	----	0.1450B/----	0.1450B/0.1500A	----	0.1445 + 0.0030	.1831	----	----	----	----	1 UNCH
550	----	----	0.1585B/----	0.1585B/0.1615A	----	0.1570 + 0.0040	.1953	----	----	----	----	79 UNCH
560	----	----	0.1870B/----	0.1870B/0.1875A	----	0.1840 + 0.0050	.2207	----	----	----	----	300 UNCH
565	0.2150	0.2150	0.2150/0.2150	0.2150/0.2015A	----	0.1990 NEW	.2340	----	----	10	----	10 + 10
570	----	----	0.2195B/----	0.2195B/0.2160A	----	0.2145 + 0.0065	.2475	----	----	1	----	6 + 1
575	----	----	0.2365B/----	0.2365B/0.2315A	----	0.2310 + 0.0070	.2614	----	----	----	----	21 UNCH
580	----	----	0.2555B/----	0.2555B/0.2480A	----	0.2485 + 0.0080	.2756	----	----	----	----	22 UNCH
600	----	----	0.3365B/----	0.3365B/0.3220A	----	0.3265 + 0.0110	.3342	----	----	1	----	241 UNCH
630	----	----	0.4855B/----	0.4855B/0.4570A	----	0.4685 + 0.0155	.4247	----	----	----	----	18 UNCH
650	----	----	0.6005B/----	0.6005B/0.5630A	----	0.5795 + 0.0195	.4842	----	----	----	----	12 UNCH
670	----	----	0.7270B/----	0.7270B/0.6805A	----	0.7025 + 0.0235	.5408	----	----	----	----	1 UNCH
750	----	----	1.3265B/1.2495A	1.3265B/1.2495A	----	1.2890 + 0.0350	.7256	----	----	----	----	1 UNCH
TOTAL										12		943 + 11
JAN27												
400	----	----	----	0.0045B/0.0360A	----	0.0195 - 0.0010	.0262	----	----	----	----	8 UNCH
800	----	----	1.6485B/----	1.6485B/1.6375A	----	1.6760 + 0.0400	.7648	----	----	----	----	1 UNCH
TOTAL												9
FEB27												
400	----	----	----	0.0070B/0.0440A	----	0.0255 UNCH	.0316	----	----	----	----	2 UNCH
650	----	----	#0.6405B/----	#0.6405B/0.6285	----	0.6335 + 0.0210	.4509	----	----	----	----	60 UNCH
TOTAL												62
MAR27												
275	----	----	----	0.0060B/0.0255A	----	0.0080 - 0.0005	.0082	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
JUN26												
550	----	----	----	----	----	0.8310 - 0.0560	.9779	----	----	----	----	1 UNCH
620	----	----	0.1615B/*0.0630	0.1615B/*0.0630	----	0.0975 - 0.0525	.7171	----	----	----	----	2 UNCH
625	----	----	----/*0.0395A	0.1030B/*0.0395	----	0.0660 NEW	.5614	----	----	10	----	10 + 10
630	----	----	0.0910B/*0.0260	0.0910B/*0.0260	----	0.0430 - 0.0405	.3941	----	----	1	----	11 UNCH
635	----	----	0.0635B/*0.0170	0.0635B/*0.0170	----	0.0275 - 0.0320	.2530	----	----	10	----	3 - 10
640	----	----	----/*0.0140A	0.0410B/*0.0140	----	0.0165 - 0.0250	.1472	----	----	----	----	3 UNCH
645	----	----	----/*0.0090A	0.0255B/*0.0090	----	0.0100 - 0.0185	.0817	----	----	----	----	150 UNCH
646	----	----	----/*0.0085A	0.0210B/*0.0085	----	0.0090 - 0.0175	.0720	----	----	----	----	2 UNCH
650	0.0075	0.0075	0.0075/*0.0075	0.0150B/*0.0075	----	0.0055 - 0.0140	.0402	----	----	1	----	82 UNCH
650	----	----	0.1205B/*0.0715	0.1205B/*0.0715	----	0.0840 - 0.0310	.3344	----	----	----	----	1 UNCH
654	----	----	----/*0.0075A	0.0065B/*0.0075	----	0.0035 - 0.0105	.0227	----	----	1	----	0 - 1
655	----	----	----/*0.0080A	0.0055B/*0.0080	----	0.0030 - 0.0095	.0188	----	----	----	----	1 UNCH
660	----	----	----	0.0005B/*0.0075	----	0.0015 - 0.0060	.0078	----	----	----	----	33 UNCH
663	----	----	----	0.0010B/*0.0065	----	0.0010 - 0.0045	.0046	----	----	----	----	2 UNCH
665	----	----	----	----/*0.0075A	----	0.0005 - 0.0040	.0016	----	----	----	----	10 UNCH
670	----	----	----	----/*0.0065A	----	0.0005 - 0.0020	.0004	----	----	----	----	1 UNCH
680	----	----	----	----/0.0060A	----	0.0005 UNCH	.0000	----	----	----	----	17 UNCH
685	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	15 UNCH
690	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
700	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
700	----	----	----/*0.0195A	0.0230B/*0.0195	----	0.0180 - 0.0090	.0807	----	----	----	----	2 UNCH
705	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
710	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
725	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
750	----	----	----	0.0060B/0.0130A	----	0.0070 - 0.0030	.0283	----	----	----	----	3 UNCH
TOTAL										23		367 - 1
JUL26												
640	----	----	0.2580B/*0.1925	0.2580B/*0.1925	----	0.2145 - 0.0365	.4719	----	----	----	----	1 UNCH
655	----	----	0.1670B/*0.1180	0.1670B/*0.1180	----	0.1330 - 0.0290	.3615	----	----	----	----	1 UNCH
660	----	----	0.1505B/*0.1050	0.1505B/*0.1050	----	0.1185 - 0.0270	.3305	----	----	----	----	1 UNCH
680	----	----	0.0955B/*0.0670	0.0955B/*0.0670	----	0.0735 - 0.0215	.2245	----	----	----	150	150 UNCH
715	----	----	----/*0.0320A	0.0430B/*0.0320	----	0.0325 - 0.0130	.1091	----	----	----	150	0 - 150
750	----	----	----/*0.0190A	0.0195B/*0.0190	----	0.0160 - 0.0065	.0552	----	----	----	----	1 UNCH
TOTAL									300			154 - 150
HXE PUT		COPPER OPTIONS										
JUN26												
500	----	----	----	----/0.0090A	----	0.0005 UNCH	.0022	----	----	----	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
JUN26												
600	----	----	----	0.0010B/0.0085A	----	0.0025 - 0.0015	.0158	----	----	----	----	11 UNCH
600	----	----	#0.0515B/----	0.0515B/0.0425A	----	0.0425 + 0.0005	.1825	----	----	----	----	1 UNCH
605	----	----	----	0.0060B/0.0110A	----	0.0055 - 0.0010	.0410	----	----	----	----	10 UNCH
610	----	----	0.0135B/----	0.0135B/0.0140A	----	0.0105 - 0.0010	.0878	----	----	----	----	22 UNCH
614	0.0105	0.0105	#0.0235B/0.0105	#0.0235B/0.0105	----	0.0165 NEW	.1470	----	----	1	----	1 + 1
620	0.0400	0.0400	0.0475B/0.0235A	0.0475B/0.0235A	----	0.0305 + 0.0025	.2828	----	----	2	----	31 UNCH
620	----	----	#0.1170B/0.0870	#0.1170B/0.0870	----	0.0950 + 0.0075	.3525	----	----	----	----	50 UNCH
625	----	----	0.0770B/0.0380A	0.0770B/0.0380A	----	0.0490 + 0.0065	.4384	----	----	----	----	35 UNCH
625	----	----	#0.1410B/0.1035	#0.1410B/0.1035	----	0.1145 + 0.0095	.4044	----	----	----	----	35 UNCH
630	0.0965	0.0965	0.1140B/0.0565A	0.1140B/0.0565A	----	0.0760 + 0.0145	.6058	----	----	45	----	37 - 26
635	----	----	0.1570B/0.0800A	0.1570B/0.0800A	----	0.1105 + 0.0230	.7469	----	----	----	----	12 UNCH
635	----	----	#0.1935B/0.1435	#0.1935B/0.1435	----	0.1625 + 0.0145	.5126	----	----	----	----	1 UNCH
640	----	----	0.2030B/0.1110A	0.2030B/0.1110A	----	0.1495 + 0.0300	.8527	----	----	----	----	1 UNCH
655	----	----	0.3495B/0.2250A	0.3495B/0.2250A	----	0.2860 + 0.0455	.9810	----	----	----	----	1 UNCH
TOTAL										48		274 - 25
JUL26												
550	----	----	----	#0.0165B/0.0220	----	0.0185 UNCH	.0635	----	----	----	----	30 UNCH
575	----	----	#0.0415B/----	#0.0415B/0.0405	----	0.0385 + 0.0015	.1274	----	----	----	----	1 UNCH
585	----	----	#0.0595B/----	#0.0595B/0.0535	----	0.0535 + 0.0030	.1693	----	----	----	----	45 UNCH
600	----	----	#0.0995B/----	#0.0995B/0.0830	----	0.0870 + 0.0075	.2513	----	----	----	----	1 UNCH
625	----	----	#0.2050B/0.1640	#0.2050B/0.1640	----	0.1785 + 0.0140	.4250	----	----	----	----	30 UNCH
630	0.2235	0.2235	#0.2325B/0.1865	#0.2325B/0.1865	----	0.2030 NEW	.4623	----	----	2	----	1 + 1
TOTAL										2		108 + 1

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUL26												
1270	----	----	25.50B/*15.90A	25.50B/*15.90A	----	19.60 + 2.10	.3771	----	----	----	----	4 UNCH
1350	----	----	----	3.50B/7.50A	----	4.90 - 0.50	.1058	----	----	----	----	1 UNCH
1390	----	----	----	0.30B/6.00A	----	2.80 - 0.50	.0580	----	----	----	----	14 UNCH
1400	----	----	----	----/5.80A	----	2.50 - 0.50	.0509	----	----	----	----	76 UNCH
1440	----	----	----	----/5.00A	----	1.60 - 0.50	.0305	----	----	----	----	1 UNCH
1450	----	----	----	----/4.90A	----	1.50 - 0.50	.0279	----	----	----	----	5 UNCH
1500	----	----	----	----/4.50A	----	1.00 - 0.50	.0170	----	----	----	----	10 UNCH
1550	----	----	----	----/1.20A	----	0.80 - 0.40	.0122	----	----	----	----	75 UNCH
1600	----	----	----	----/3.90A	----	0.40 - 0.30	.0059	----	----	----	----	135 UNCH
1720	----	----	----	----/3.60A	----	0.10 - 0.20	.0011	----	----	----	----	6 UNCH
1800	----	----	----	----/3.50A	----	0.10 UNCH	.0002	----	----	----	----	49 UNCH
TOTAL												376 0
AUG26												
1450	----	----	12.70B/----	12.70B/14.00A	----	13.80 + 1.20	.1546	----	----	----	----	10 UNCH
1500	----	----	----	8.70B/11.50A	----	10.50 + 0.90	.1178	----	----	----	----	20 UNCH
1550	----	----	----	5.80B/9.70A	----	8.00 + 0.60	.0901	----	----	----	----	10 UNCH
1600	----	----	----	3.70B/8.50A	----	6.30 + 0.40	.0706	----	----	----	----	100 UNCH
1700	----	----	----	1.10B/6.90A	----	4.00 + 0.10	.0444	----	----	----	----	20 UNCH
1800	----	----	----	----/6.00A	----	2.60 UNCH	.0286	----	----	----	----	100 UNCH
1900	----	----	----	----/5.40A	----	1.70 UNCH	.0186	----	----	----	----	400 UNCH
TOTAL												660 0
SEP26												
1300	----	----	69.20B/*54.50A	69.20B/*54.50A	----	64.10 + 6.30	.4369	----	----	----	----	1 UNCH
1345	----	----	54.40B/*43.70A	54.40B/*43.70A	----	51.10 + 5.20	.3661	----	----	----	----	1 UNCH
1400	25.00	25.00	40.60B/*25.00	40.60B/*25.00	----	39.10 + 4.10	.2934	----	----	15	----	105 + 15
1450	----	----	31.30B/27.40A	31.30B/27.40A	----	31.20 + 3.50	.2407	----	----	----	----	50 UNCH
1500	20.00	20.00	24.40B/20.00	24.40B/20.00	----	25.20 + 3.00	.1984	----	----	22	----	150 + 22
1575	----	----	17.20B/----	17.20B/17.90A	----	18.90 + 2.50	.1511	----	----	----	----	25 UNCH
1600	----	----	15.30B/----	15.30B/16.80A	----	17.30 + 2.40	.1387	----	----	----	----	221 UNCH
1625	----	----	----	13.70B/15.70A	----	15.90 + 2.20	.1276	----	----	----	----	20 UNCH
1665	----	----	----	11.40B/14.40A	----	13.90 + 2.00	.1119	----	----	----	----	9 UNCH
1700	----	----	----	9.80B/13.40A	----	12.50 + 1.80	.1006	----	----	----	----	65 UNCH
1800	----	----	9.50B/----	9.50B/11.30A	----	9.40 + 1.30	.0753	----	----	----	----	87 UNCH
1875	----	----	----	4.40B/10.10A	----	7.80 + 1.00	.0620	----	----	----	----	25 UNCH
1885	----	----	----	4.10B/10.00A	----	7.60 + 1.00	.0604	----	----	----	----	100 UNCH
1900	----	----	----	3.80B/9.80A	----	7.40 + 1.00	.0586	----	----	----	----	15 UNCH
2000	----	----	----	2.20B/8.80A	----	5.80 + 0.80	.0457	----	----	----	----	50 UNCH
2100	----	----	----	0.90B/8.00A	----	4.60 + 0.60	.0361	----	----	----	----	30 UNCH
2200	----	----	----	----/7.40A	----	3.80 + 0.50	.0295	----	----	----	----	5 UNCH
2400	----	----	----	----/6.50A	----	2.60 + 0.30	.0199	----	----	----	----	15 UNCH
2550	----	----	----	----/6.10A	----	2.00 + 0.30	.0152	----	----	----	----	50 UNCH
TOTAL										37		1024 + 37
DEC26												
1775	----	----	----	----	----	30.20 + 2.20	.1669	----	----	----	----	100 UNCH
1800	----	----	----	----	----	29.20 + 2.10	.1605	----	----	----	----	50 UNCH
2000	----	----	----	----	----	24.80 + 1.70	.1279	----	----	----	----	1 UNCH
3000	----	----	----	----	----	7.20 + 0.40	.0373	----	----	----	----	1 UNCH
TOTAL												152 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUL26												
1200	----	----	24.00B/13.50A	24.00B/13.50A	----	13.80 - 7.10	.2578	----	----	----	----	4 UNCH
1250	----	----	54.40B/26.70A	54.40B/26.70A	----	32.00 - 12.40	.5121	----	----	----	----	13 UNCH
1280	----	----	----/40.50A	37.80B/40.50A	----	50.50 - 14.90	.6733	----	----	----	----	1 UNCH
1285	----	----	----/43.40A	37.10B/43.40A	----	54.10 - 15.10	.6968	----	----	----	----	9 UNCH
1300	----	----	96.30B/52.80A	96.30B/52.80A	----	65.50 - 15.80	.7606	----	----	----	----	45 UNCH
1350	----	----	142.70B/92.10A	142.70B/92.10A	----	109.00 - 16.70	.8941	----	----	----	----	10 UNCH
1400	----	----	191.10B/137.90A	191.10B/137.90A	----	156.50 - 16.80	.9490	----	----	----	----	31 UNCH
1450	----	----	240.40B/186.20A	240.40B/186.20A	----	205.50 - 16.70	.9720	----	----	----	----	30 UNCH
TOTAL												143 0
AUG26												
1200	----	----	49.30B/35.70A	49.30B/35.70A	----	38.40 - 6.50	.3532	----	----	----	----	36 UNCH
1400	----	----	202.90B/157.40A	202.90B/157.40A	----	172.30 - 14.70	.7936	----	----	----	----	1 UNCH
TOTAL												37 0
SEP26												
1000	----	----	----	7.20B/13.10A	----	8.40 - 1.20	.0807	----	----	----	----	100 UNCH
1200	----	----	71.40B/58.50A	71.40B/58.50A	----	61.20 - 6.50	.3789	----	----	----	----	105 UNCH
1250	----	----	101.70B/82.30A	101.70B/82.30A	----	86.90 - 8.30	.4738	----	----	----	----	4 UNCH
1300	----	----	136.70B/111.10A	136.70B/111.10A	----	117.90 - 9.90	.5628	----	----	----	----	18 UNCH
1355	----	----	----	----	----	157.10 - 11.30	.6481	----	----	----	----	21 UNCH
1360	----	----	----	----	----	160.90 - 11.40	.6551	----	----	----	----	12 UNCH
1375	----	----	196.10B/162.50A	196.10B/162.50A	----	172.50 - 11.60	.6752	----	----	----	----	100 UNCH
1460	----	----	----	----	----	242.80 - 12.90	.7681	----	----	----	----	75 UNCH
1465	----	----	----	----	----	247.20 - 12.90	.7728	----	----	----	----	150 UNCH
1550	----	----	353.20B/308.40A	353.20B/308.40A	----	323.30 - 13.60	.8348	----	----	----	----	100 UNCH
1575	----	----	376.70B/331.10A	376.70B/331.10A	----	346.40 - 13.70	.8486	----	----	----	----	25 UNCH
1650	----	----	448.20B/400.60A	448.20B/400.60A	----	416.80 - 14.20	.8823	----	----	----	----	50 UNCH
1925	----	----	716.60B/665.90A	716.60B/665.90A	----	683.50 - 15.40	.9445	----	----	----	----	75 UNCH
TOTAL												835 0
DEC26												
1300	----	----	----	----	----	152.10 - 8.00	.4911	----	----	----	----	100 UNCH
1400	----	----	----	----	----	215.60 - 9.70	.6034	----	----	----	----	150 UNCH
1500	----	----	----	----	----	291.40 - 11.00	.6948	----	----	----	----	40 UNCH
TOTAL												290 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week2										
JUN26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 67

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week2										
JUN26												
1850	----	----	#198.60B/131.00	#198.60B/131.00	----	159.20 + 19.60	.9996	----	----	----	----	7 UNCH
1950	----	----	----	----/2.30A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
2100	----	----	----	----/2.10A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
TOTAL												43 0
PO CALL		PLATINUM OPTIONS										
JUL26												
1500	----	----	222.70B/*155.60	222.70B/*155.60	----	191.80 - 20.60	.9819	----	----	----	----	50 UNCH
1680	----	----	----/*26.40A	39.90B/*26.40A	----	41.80 - 16.40	.5611	----	----	----	----	50 UNCH
1700	----	----	50.30B/*19.50A	50.30B/*19.50A	----	31.40 - 15.40	.4666	----	----	----	----	1 UNCH
1750	----	----	26.30B/*8.90A	26.30B/*8.90A	----	13.30 - 11.90	.2447	----	----	----	----	4 UNCH
1800	----	----	----/*4.80A	11.50B/*4.80A	----	4.90 - 7.40	.1014	----	----	----	----	113 UNCH
1815	----	----	----/*4.20A	8.60B/*4.20A	----	3.70 - 6.10	.0771	----	----	----	----	6 UNCH
1850	----	----	----/*3.50A	3.90B/*3.50A	----	2.10 - 3.60	.0428	----	----	----	----	1 UNCH
1900	----	----	----	1.00B/*3.00A	----	1.20 - 1.30	.0223	----	----	----	----	56 UNCH
1925	----	----	----	----/*2.80A	----	1.00 - 0.70	.0176	----	----	----	----	2 UNCH
1930	----	----	----	----/*2.80A	----	1.00 - 0.50	.0173	----	----	----	----	26 UNCH
1935	----	----	----	----/*2.80A	----	1.00 - 0.40	.0170	----	----	----	----	33 UNCH
1945	----	----	----	----/2.70A	----	0.90 - 0.30	.0151	----	----	----	----	1 UNCH
1950	----	----	----	----/2.70A	----	0.90 - 0.20	.0149	----	----	----	----	2 UNCH
1960	----	----	----	----/2.60A	----	0.90 - 0.10	.0144	----	----	----	----	3 UNCH
1965	----	----	----	----/2.60A	----	0.90 UNCH	.0142	----	----	----	----	56 UNCH
1970	----	----	----	----/2.60A	----	0.90 + 0.10	.0140	----	----	----	----	2 UNCH
1975	----	----	----	----/2.60A	----	0.80 UNCH	.0125	----	----	----	----	11 UNCH
1980	----	----	----	----/2.50A	----	0.80 + 0.10	.0123	----	----	----	----	2 UNCH
1995	----	----	----	----/2.50A	----	0.80 + 0.20	.0119	----	----	----	----	15 UNCH
2000	----	----	----	0.50B/2.50A	----	0.80 + 0.30	.0117	----	----	----	----	518 UNCH
2005	----	----	----	----/2.50A	----	0.80 + 0.30	.0116	----	----	----	----	15 UNCH
2010	----	----	----	----/2.40A	----	0.70 + 0.30	.0102	----	----	----	----	15 UNCH
2015	----	----	----	----/2.40A	----	0.70 + 0.30	.0100	----	----	----	----	15 UNCH
2020	----	----	----	----/2.40A	----	0.60 + 0.20	.0087	----	----	----	----	15 UNCH
2025	----	----	----	----/2.40A	----	0.60 + 0.20	.0086	----	----	----	----	37 UNCH
2030	----	----	----	----/2.40A	----	0.60 + 0.30	.0085	----	----	----	----	15 UNCH
2035	----	----	----	----/2.40A	----	0.50 + 0.20	.0071	----	----	----	----	15 UNCH
2050	----	----	----	----/2.30A	----	0.40 + 0.20	.0056	----	----	----	----	6 UNCH
2065	----	----	----	----/2.30A	----	0.30 + 0.10	.0042	----	----	----	----	4 UNCH
2085	----	----	----	----/2.30A	----	0.20 + 0.10	.0027	----	----	----	----	31 UNCH
2090	----	----	----	----/2.30A	----	0.20 + 0.10	.0027	----	----	----	----	34 UNCH
2095	----	----	----	----/2.30A	----	0.20 + 0.10	.0027	----	----	----	----	45 UNCH
2100	----	----	----	----/2.30A	----	0.20 + 0.10	.0027	----	----	----	----	389 UNCH
2105	----	----	----	----/2.20A	----	0.20 + 0.10	.0026	----	----	----	----	30 UNCH
2110	----	----	----	----/2.20A	----	0.20 + 0.10	.0026	----	----	----	----	31 UNCH
2115	----	----	----	----/2.20A	----	0.10 UNCH	.0013	----	----	----	----	30 UNCH
2120	----	----	----	----/2.20A	----	0.10 UNCH	.0012	----	----	----	----	15 UNCH
2125	----	----	----	----/2.20A	----	0.10 UNCH	.0011	----	----	----	----	15 UNCH
2150	----	----	----	----/2.20A	----	0.10 UNCH	.0006	----	----	----	----	18 UNCH
2160	----	----	----	----/2.20A	----	0.10 UNCH	.0005	----	----	----	----	1 UNCH
2170	----	----	----	----/2.20A	----	0.10 UNCH	.0004	----	----	----	----	4 UNCH
2200	----	----	----	----/2.10A	----	0.10 UNCH	.0002	----	----	----	----	456 UNCH
2250	----	----	----	----/2.10A	----	0.10 UNCH	.0000	----	----	----	----	117 UNCH
2275	----	----	----	----/2.10A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2300	----	----	----	----/2.10A	----	0.10 UNCH	.0000	----	----	----	----	255 UNCH
2350	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	160 UNCH
2400	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	904 UNCH
2450	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
2480	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
2500	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	649 UNCH
2600	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	360 UNCH
2650	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2700	----	----	----	----/2.00A	----	0.10 UNCH	----	----	----	----	----	111 UNCH
2800	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
2850	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	58 UNCH
2900	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	183 UNCH
3000	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	574 UNCH
3100	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	159 UNCH
3200	----	----	----	----/3.60A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3300	----	----	----	----/3.60A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
3400	----	----	----	----/3.60A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
3500	----	----	----	----/3.60A	----	0.10 UNCH	----	----	----	----	----	274 UNCH
3600	----	----	----	----/3.60A	----	0.10 UNCH	----	----	----	----	----	300 UNCH
3800	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3900	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
4000	----	----	----	----/1.90A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
TOTAL												7083 0
AUG26												
1800	29.10	29.10	50.60B/*27.90	50.60B/*27.90	----	37.80 - 11.60	.3296	----	----	30	----	43 + 30
1950	----	----	----/*11.20A	17.40B/*11.20A	----	12.50 - 6.00	.1304	----	----	----	----	3 UNCH
1975	----	----	----/*9.70A	14.40B/*9.70A	----	10.50 - 5.30	.1113	----	----	----	----	51 UNCH
2000	----	----	----/*8.50A	11.90B/*8.50A	----	8.80 - 4.60	.0948	----	----	----	----	1 UNCH
2050	----	----	----/*6.80A	8.00B/*6.80A	----	6.30 - 3.60	.0693	----	----	----	----	30 UNCH
2100	----	----	----/*5.70A	5.20B/*5.70A	----	4.70 - 2.60	.0521	----	----	----	----	52 UNCH
2150	----	----	----/*5.00A	3.30B/*5.00A	----	3.60 - 2.00	.0399	----	----	----	----	1 UNCH
2175	----	----	----/*4.70A	2.60B/*4.70A	----	3.20 - 1.70	.0353	----	----	----	----	30 UNCH
2200	----	----	----	2.00B/*4.50A	----	2.90 - 1.50	.0318	----	----	----	----	15 UNCH
2250	----	----	----	1.10B/*4.10A	----	2.30 - 1.30	.0250	----	----	----	----	60 UNCH
2275	----	----	----	0.70B/*4.00A	----	2.10 - 1.20	.0227	----	----	----	----	30 UNCH
2300	----	----	----	0.40B/*3.80A	----	1.90 - 1.10	.0204	----	----	----	----	158 UNCH
2350	----	----	----	----/*3.60A	----	1.60 - 0.90	.0169	----	----	----	----	15 UNCH
2400	----	----	----	----/*3.40A	----	1.40 - 0.80	.0145	----	----	----	----	84 UNCH
2500	----	----	----	----/3.10A	----	1.00 - 0.60	.0101	----	----	----	----	153 UNCH
2600	----	----	----	----/2.90A	----	0.80 - 0.40	.0078	----	----	----	----	545 UNCH
2750	----	----	----	----/2.60A	----	0.50 - 0.30	.0048	----	----	----	----	105 UNCH
3000	----	----	----	----/2.40A	----	0.20 - 0.20	.0019	----	----	----	----	54 UNCH
TOTAL										30		1430 + 30
SEP26												
2100	----	----	----/*16.10A	19.80B/*16.10A	----	17.50 - 4.10	.1275	----	----	----	----	38 UNCH
TOTAL												38 0
OCT26												
1700	120.00	120.00	140.30B/*109.40	140.30B/*109.40	----	125.90 NEW	.5469	----	----	3	----	3 + 3
1720	----	----	----/*101.90A	126.30B/*101.90	----	117.40 - 11.00	.5211	----	----	----	----	1 UNCH
1775	----	----	108.10B/*83.90A	108.10B/*83.90A	----	96.80 - 9.80	.4532	----	----	----	----	15 UNCH
1800	80.00	80.00	99.10B/*76.00	99.10B/*76.00	----	88.70 - 9.40	.4243	----	----	9	----	1 - 3
1900	59.00	59.00	59.00/*54.20A	69.60B/*54.20A	----	62.40 - 8.30	.3219	----	----	10	----	25 + 10
1930	----	----	----/*48.90A	62.60B/*48.90A	----	56.20 - 7.90	.2955	----	----	----	----	1 UNCH
2000	----	----	----/*38.70A	48.70B/*38.70A	----	43.80 - 7.00	.2405	----	----	----	----	6 UNCH
2050	----	----	----/*32.90A	40.50B/*32.90A	----	36.70 - 6.10	.2071	----	----	----	----	6 UNCH
2100	----	----	----/*27.90A	33.60B/*27.90A	----	30.80 - 5.20	.1781	----	----	----	----	3 UNCH
2125	----	----	----/*25.80A	30.60B/*25.80A	----	28.20 - 4.80	.1651	----	----	----	----	12 UNCH
2135	----	----	----/*25.00A	29.40B/*25.00A	----	27.20 - 4.70	.1600	----	----	----	----	12 UNCH
2200	----	----	----/*20.40A	22.90B/*20.40A	----	21.70 - 3.70	.1312	----	----	----	----	136 UNCH
2250	----	----	----/*17.50A	18.80B/*17.50A	----	18.30 - 3.00	.1127	----	----	----	----	1 UNCH
2300	----	----	----/*15.20A	15.40B/*15.20A	----	15.40 - 2.60	.0966	----	----	----	----	7 UNCH
2375	----	----	----/*12.40A	11.30B/*12.40A	----	11.90 - 2.20	.0766	----	----	----	----	50 UNCH
2400	----	----	----/*11.70A	10.20B/*11.70A	----	11.00 - 2.10	.0712	----	----	20	----	527 + 20
2500	9.00	9.00	9.50/*9.00	9.50/*9.00	----	8.10 - 1.70	.0535	----	----	5	----	365 - 5
2600	----	----	----	4.20B/*8.10A	----	6.20 - 1.40	.0414	----	----	----	----	23 UNCH
2635	----	----	----	3.60B/*7.70A	----	5.70 - 1.30	.0381	----	----	----	----	200 UNCH
2650	----	----	----	3.30B/*7.60A	----	5.50 - 1.20	.0368	----	----	----	----	25 UNCH
2700	----	----	----	2.60B/*7.20A	----	4.80 - 1.10	.0323	----	----	20	----	406 + 20
2800	----	----	----	1.50B/*6.50A	----	3.70 - 0.90	.0251	----	----	----	----	39 UNCH
2850	----	----	----	1.10B/*6.30A	----	3.20 - 0.80	.0219	----	----	----	----	155 UNCH
2900	----	----	----	0.80B/*6.00A	----	2.80 - 0.70	.0193	----	----	----	----	210 UNCH
2950	----	----	----	0.50B/*5.80A	----	2.50 - 0.60	.0172	----	----	----	----	55 UNCH
3000	----	----	----	0.30B/*5.60A	----	2.20 - 0.50	.0152	----	----	----	----	348 UNCH
3200	----	----	----	----/*5.00A	----	1.40 - 0.30	.0098	----	----	----	----	10 UNCH
3500	----	----	----	----/4.40A	----	0.80 - 0.20	.0056	----	----	----	----	10 UNCH
4000	----	----	----	----/3.90A	----	0.50 - 0.10	.0033	----	----	----	----	5 UNCH
TOTAL										67		2657 + 45
JAN27												
2360	----	----	----	----	----	45.60 - 4.50	.1835	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUL26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
JUL26												
1400	----	----	----	----/2.30A	----	0.10 UNCH	.0003	----	----	----	----	150 UNCH
1500	----	----	1.80B/----	1.80B/3.60A	----	1.00 + 0.10	.0180	----	----	----	----	153 UNCH
1550	----	----	6.40B/----	6.40B/5.40A	----	3.50 + 0.40	.0612	----	----	----	----	200 UNCH
1590	----	----	13.30B/----	13.30B/8.40A	----	7.60 + 0.80	.1284	----	----	----	----	10 UNCH
1600	13.00	13.00	15.80B/12.00	15.80B/9.40A	----	8.90 + 1.00	.1498	----	----	3	200	320 - 2
1630	----	----	25.90B/----	25.90B/13.40A	----	14.30 + 1.80	.2336	----	----	----	----	25 UNCH
1635	----	----	28.00B/----	28.00B/14.30A	----	15.50 + 2.00	.2508	----	----	----	----	10 UNCH
1650	----	----	34.90B/----	34.90B/17.20A	----	19.70 + 2.70	.3076	----	----	----	----	5 UNCH
1680	----	----	44.30B/25.40A	44.30B/25.40A	----	30.90 + 4.20	.4388	----	----	----	----	50 UNCH
1690	----	----	45.10B/29.00A	45.10B/29.00A	----	35.50 + 4.80	.4857	----	----	----	----	6 UNCH
1700	----	----	65.00B/33.00A	65.00B/33.00A	----	40.50 + 5.30	.5333	----	----	----	----	227 UNCH
1710	----	----	44.70B/37.50A	44.70B/37.50A	----	46.00 + 5.90	.5808	----	----	----	----	1 UNCH
1725	----	----	83.90B/44.90A	83.90B/44.90A	----	55.10 + 6.90	.6500	----	----	----	----	100 UNCH
1750	----	----	104.80B/59.00A	104.80B/59.00A	----	72.40 + 8.90	.7552	----	----	----	----	61 UNCH
1800	----	----	150.80B/93.80A	150.80B/93.80A	----	114.00 + 13.30	.8985	----	----	----	----	391 UNCH
1805	----	----	----	----	----	118.50 + 13.70	.9068	----	----	----	----	45 UNCH
1810	----	----	----	----	----	123.10 + 14.20	.9163	----	----	----	----	15 UNCH
1815	----	----	----	----	----	127.70 + 14.60	.9228	----	----	----	----	45 UNCH
1820	----	----	----	----	----	132.40 + 15.00	.9291	----	----	----	----	31 UNCH
1825	----	----	174.90B/113.90A	174.90B/113.90A	----	137.10 + 15.40	.9354	----	----	----	----	100 UNCH
1830	----	----	----	----	----	141.80 + 15.70	.9415	----	----	----	----	15 UNCH
1835	----	----	----	----	----	146.60 + 16.10	.9459	----	----	----	----	15 UNCH
1840	----	----	----	----	----	151.40 + 16.40	.9503	----	----	----	----	15 UNCH
1850	----	----	199.50B/135.50A	199.50B/135.50A	----	161.10 + 17.10	.9571	----	----	----	----	77 UNCH
1860	----	----	----	----	----	170.80 + 17.70	.9636	----	----	----	----	32 UNCH
1870	----	----	----	----	----	180.60 + 18.30	.9682	----	----	----	----	1 UNCH
1900	----	----	249.00B/181.90A	249.00B/181.90A	----	210.20 + 19.50	.9776	----	----	----	----	595 UNCH
1920	----	----	----	----	----	230.00 + 19.90	.9820	----	----	----	----	2 UNCH
1950	----	----	298.80B/230.40A	298.80B/230.40A	----	259.90 + 20.50	.9850	----	----	----	----	8 UNCH
1980	----	----	----	----	----	289.80 + 20.80	.9876	----	----	----	----	48 UNCH
1990	----	----	----	----	----	299.80 + 20.90	.9879	----	----	----	----	23 UNCH
2000	----	----	348.70B/279.70A	348.70B/279.70A	----	309.80 + 21.00	.9882	----	----	----	----	53 UNCH
2015	----	----	----	----	----	324.60 + 20.90	.9899	----	----	----	----	25 UNCH
2030	----	----	----	----	----	339.50 + 20.90	.9914	23	----	----	----	0 - 23
2035	----	----	----	----	----	344.50 + 20.90	.9928	----	----	----	----	46 UNCH
2075	----	----	#423.60B/354.20	#423.60B/354.20	----	384.30 + 20.90	.9958	----	----	----	----	1 UNCH
2085	----	----	----	----	----	394.20 + 20.80	.9972	----	----	----	----	1 UNCH
2100	----	----	#448.50B/379.10	#448.50B/379.10	----	409.20 + 20.80	.9973	199	----	----	----	25 - 199
2130	----	----	----	----	----	439.10 + 20.70	.9990	----	----	----	----	23 UNCH
2135	----	----	----	----	----	444.10 + 20.70	.9991	----	----	----	----	190 UNCH
2165	----	----	----	----	----	474.10 + 20.70	.9995	----	----	----	----	20 UNCH
2350	----	----	#698.40B/628.60	#698.40B/628.60	----	659.10 + 20.70	1.0000	2	----	----	----	3 - 2
2400	----	----	#748.40B/678.50	#748.40B/678.50	----	709.10 + 20.70	1.0000	300	----	----	----	0 - 300
TOTAL									200	3		3163 - 526
AUG26												
1600	----	----	#38.40B/----	#38.40B/25.40A	----	29.30 + 4.70	.2499	----	----	----	----	201 UNCH
1725	----	----	#101.70B/70.60A	#101.70B/70.60A	----	81.50 + 8.80	.5144	----	----	----	----	30 UNCH
1750	----	----	#118.50B/83.90A	#118.50B/83.90A	----	95.70 + 9.10	.5689	----	----	----	----	105 UNCH
1800	----	----	#155.80B/114.30	#155.80B/114.30	----	128.60 + 10.30	.6702	----	----	----	----	15 UNCH
1850	----	----	#197.20B/149.20	#197.20B/149.20	----	166.90 + 12.40	.7538	----	----	----	----	200 UNCH
2000	----	----	#334.80B/274.10	#334.80B/274.10	----	299.10 + 17.30	.9051	----	----	----	----	1 UNCH
TOTAL												552 0
SEP26												
1850	----	----	#219.60B/177.90	#219.60B/177.90	----	194.00 + 11.80	.6690	----	----	----	----	16 UNCH
TOTAL												16 0
OCT26												
1300	----	----	7.90B/----	7.90B/11.00A	----	8.90 + 1.40	.0591	----	----	----	----	4 UNCH
1450	30.80	30.80	30.80/30.80	30.80/25.80A	----	26.70 NEW	.1541	----	----	2	----	2 + 2
1500	----	----	42.00B/----	42.00B/35.20A	----	37.50 + 4.60	.2026	----	----	----	----	20 UNCH
1600	----	----	79.40B/----	79.40B/63.60A	----	69.40 + 7.00	.3212	----	----	----	----	28 UNCH
1700	----	----	132.80B/----	132.80B/107.10A	----	117.00 + 10.20	.4528	----	----	----	----	79 UNCH
1720	----	----	145.20B/----	145.20B/117.60A	----	128.40 + 10.80	.4786	----	----	----	----	2 UNCH
1750	----	----	164.80B/134.40A	164.80B/134.40A	----	146.40 + 11.50	.5163	----	----	----	----	175 UNCH
1800	----	----	199.60B/165.10A	199.60B/165.10A	----	179.10 + 12.40	.5753	----	----	----	----	75 UNCH
1820	----	----	----	----	----	192.90 + 12.60	.5975	----	----	----	----	5 UNCH
1850	----	----	237.00B/198.60A	237.00B/198.60A	----	214.50 + 13.10	.6293	----	----	----	----	275 UNCH
1865	----	----	----	----	----	225.50 + 13.10	.6444	----	----	----	----	1 UNCH
1900	----	----	276.70B/234.70A	276.70B/234.70A	----	252.10 + 13.50	.6778	----	----	----	----	225 UNCH
1950	----	----	318.20B/272.80A	318.20B/272.80A	----	291.70 + 14.20	.7210	----	----	----	----	50 UNCH
2000	----	----	360.90B/312.60A	360.90B/312.60A	----	332.90 + 15.00	.7592	----	----	----	----	1 UNCH
2100	----	----	450.00B/396.40A	450.00B/396.40A	----	419.20 + 16.70	.8215	----	----	----	----	100 UNCH
2130	----	----	----	----	----	446.00 + 17.20	.8372	----	----	----	----	41 UNCH
2135	----	----	----	----	----	450.50 + 17.30	.8397	----	----	----	----	12 UNCH
2140	----	----	----	----	----	455.00 + 17.40	.8419	----	----	----	----	12 UNCH
2400	----	----	#733.30B/671.20	#733.30B/671.20	----	698.30 + 20.00	.9285	----	----	----	----	200 UNCH
2500	----	----	#831.10B/767.40	#831.10B/767.40	----	795.30 + 20.40	.9462	----	----	----	----	1 UNCH
TOTAL										2		1308 + 2
JAN27												
1500	70.00	70.00	75.00/70.00	75.00/70.00	----	74.80 + 5.00	.2498	----	----	20	----	50 + 10
1800	----	----	----	----	----	223.00 + 10.50	.5142	----	----	----	----	1 UNCH
1900	----	----	----	----	----	291.70 + 12.20	.5909	----	----	----	----	100 UNCH
2000	----	----	----	----	----	366.50 + 13.70	.6578	----	----	----	----	200 UNCH
TOTAL										20		351 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 69

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUL26 CALL			
OG	4250	0	275
OG	4300	0	20
OG	4350	0	160
OG	4500	0	60
OG	4600	0	40
TOTALS		0	555
AUG26 CALL			
OG	4125	0	400
OG	4200	0	175
OG	4350	0	20
OG	4400	0	75
OG	4525	0	400
OG	4700	0	40
TOTALS		0	1110
SEP26 CALL			
OG	4900	0	35
OG	5000	0	210
OG	5400	0	50
TOTALS		0	295
DEC26 CALL			
OG	4300	0	60
TOTALS		0	60
MAR27 CALL			
OG	4400	0	160
TOTALS		0	160
OG PUT	COMEX GOLD OPTIONS		
JUL26 PUT			
OG	3900	0	450
OG	4000	0	100
OG	4100	0	100
OG	4150	0	300
TOTALS		0	950
AUG26 PUT			
OG	3900	0	260
TOTALS		0	260
SEP26 PUT			
OG	3945	0	310
OG	4000	0	420
TOTALS		0	730
DEC26 PUT			
OG	2975	0	500
OG	3375	0	250
OG	4300	0	550
TOTALS		0	1300
SO CALL	COMEX SILVER OPTIONS		
AUG26 CALL			
SO	6700	0	30
SO	8700	0	84
TOTALS		0	114
DEC26 CALL			
SO	9000	0	30
TOTALS		0	30
SO PUT	COMEX SILVER OPTIONS		
JUL26 PUT			
SO	5450	0	600
SO	5500	0	80
SO	6000	0	600
SO	6300	0	100
SO	6500	0	76
TOTALS		0	1456
AUG26 PUT			
SO	6000	0	42
TOTALS		0	42
HX CALL	COMEX COPPER OPTIONS		
JUL26 CALL			
HX	665	0	80
HX	715	0	80
TOTALS		0	160
AUG26 CALL			
HX	625	0	84
HX	675	0	168
HX	725	0	84
TOTALS		0	336
HX PUT	COMEX COPPER OPTIONS		
AUG26 PUT			
HX	550	0	100
TOTALS		0	100
PO PUT	PLATINUM OPTIONS		
JUL26 PUT			
PO	1600	0	200
TOTALS		0	200
OG2 PUT	GOLD OPTIONS		
JUN26 PUT			
OG2	4100	0	50
TOTALS		0	50
HXE CALL	COPPER OPTIONS		
JUL26 CALL			
H2E	680	0	150
H2E	715	0	150
TOTALS		0	300
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
JUL26 CALL			
HRO	120000	0	75
TOTALS		0	75
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
AUG26 PUT			
HRO	115000	0	100
TOTALS		0	100
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK4		
JUN26 PUT			
G4M	4200	0	200

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

TOTALS		0	200

COO OPT COBALT METAL (FASTMARKETS) APO

OCT26 CALL			
COO	2500	0	7
TOTALS		0	7
NOV26 CALL			
COO	2500	0	7
TOTALS		0	7
DEC26 CALL			
COO	2500	0	7
TOTALS		0	7

RWS THU SILVER WEEKLY THURSDAY OPTION Week3

JUN26 PUT			
R3S	5500	0	125
R3S	6000	0	100
TOTALS		0	225

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.