METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/08	06/09											
ECG11 OP		06/08	06/09											
ECG13 OP		06/08	06/09											
ECG15 OP		06/08	06/09											
ECG16 OP		06/08	06/09											
ECGC OOF		06/08	06/09											
ECHG OOF		06/08	06/09											
ECSI OOF		06/08	06/09											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/12													
FSO OPT	06/30													
GMW MON	06/29													
GWR THU	06/18			07/09										
GWT TUE	06/30													
GWW WED	06/24			07/01										
HMW MON	06/29													
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU	06/18			07/02										
HWT TUE	06/23													
HWW WED	06/24			07/01	08/05	09/02								
HX CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			07/17										
HXE PUT	06/26			07/10										
LHO OPT	06/30			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
MMG MON	06/08													
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG2 CALL	06/12			07/10										
OG2 PUT	06/12			07/10										
OG3 CALL				07/17										
OG3 PUT				07/17										
OG4 CALL	06/26													
OG4 PUT	06/26													
OMG OPT				06/25	07/28		09/24		11/24					
PAO CALL				06/17	07/15	08/19			11/18					
PAO PUT				06/17	07/15	08/19			11/18					
PLW OOF	06/12													
PO CALL				06/17	07/15	08/19	09/16			12/16				
PO PUT				06/17	07/15	08/19	09/16			12/16				
RWS THU	06/18			07/02										
SMW MON	06/22													
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
SO2 CALL	06/12			07/10										
SO2 PUT	06/12			07/10										
SO4 CALL	06/26													
SO4 PUT	06/26													
SWW WED	06/24													
TWS TUE	06/30													
WMG WED	06/17													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK2										
JUN26												
4300	30.00	30.00	#30.00/*30.00	#30.00/*30.00	----	21.80 NEW	.3945	----	----	1	----	1 + 1
4350	29.90	29.90	#29.90/*28.00	#29.90/*28.00	----	6.70 NEW	.0976	----	----	2	----	2 + 2
4415	----	----	----	----	----	1.20 - 12.20	.0068	----	----	----	----	1 UNCH
4600	5.00	5.00	#5.00/*4.00	#5.00/*4.00	----	2.30 NEW	.0275	----	----	14	----	0 UNCH
TOTAL										17		4 + 3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUL26												
3400	----	----	----	----	----	887.20 - 76.70	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	827.60 - 76.60	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	56.20 + 22.10	----	----	----	----	----	2 UNCH
4275	----	----	----	----	----	83.50 + 31.00	----	----	----	----	----	1 UNCH
4300	----	----	----	54.00B/----	----	94.90 + 34.20	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	153.60 + 48.40	----	----	----	----	----	1 UNCH
4500	240.00	240.00	#240.00/240.00	#240.00/240.00	----	231.10 + 60.90	----	----	----	1	----	4 - 1
4500	----	----	----	----/36.00A	----	17.80 - 16.00	----	----	----	----	----	1 UNCH
4550	----	----	----	----	----	275.00 + 65.40	----	----	----	----	----	1 UNCH
4600	8.00	8.00	8.00/*8.00	8.00/*8.00	----	8.00 - 7.80	----	----	----	1	----	2 - 1
4600	----	----	----	----	----	321.20 + 69.20	----	----	----	----	----	2 UNCH
4700	----	----	----	----	----	4.10 - 3.50	----	----	----	----	----	2 UNCH
4800	----	----	----	2.50B/----	----	2.50 - 1.80	----	----	----	----	----	2 UNCH
5000	----	----	----	0.50B/----	----	1.30 - 0.60	----	----	----	----	----	3 UNCH
5300	----	----	----	----	----	0.60 - 0.30	----	----	----	----	----	3 UNCH
5500	----	----	----	----	----	0.40 - 0.20	----	----	----	----	----	2 UNCH
TOTAL										2		29 - 2
AUG26												
3700	----	----	----	----	----	19.40 + 6.10	----	----	----	----	----	2 UNCH
4210	----	----	----	----	----	113.20 + 29.80	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	94.80 - 31.30	----	----	----	----	----	1 UNCH
4400	----	----	----	----	----	207.90 + 45.40	----	----	----	----	----	12 UNCH
4535	----	----	----	----	----	53.90 - 20.90	----	----	----	----	----	2 UNCH
4550	----	----	----	----	----	313.10 + 56.90	----	----	----	----	----	2 UNCH
4995	11.00	11.00	11.00/11.00	11.00/11.00	----	9.10 - 3.10	----	----	----	1	----	0 - 1
TOTAL										1		20 - 1
OCT26												
4680	----	----	----	----	----	86.00 - 20.90	----	----	----	----	----	1 UNCH
TOTAL												1 0
DEC26												
3250	----	----	----	----	----	24.10 + 4.00	----	----	----	----	----	1 UNCH
4700	----	----	----	----	----	137.80 - 25.20	----	----	----	----	----	10 UNCH
TOTAL												11 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
JUN26												
3250	----	----	----/*0.90A	0.90B/0.90A	----	1.10 + 0.10	.0054	----	----	----	----	4 UNCH
3500	----	----	2.90B/1.70A	2.90B/1.70A	----	2.50 + 0.60	.0140	----	----	----	----	8 UNCH
3600	----	----	4.20B/2.30A	4.20B/2.30A	----	3.60 + 1.00	.0210	----	----	----	----	96 UNCH
3700	3.30	3.30	6.50B/3.10	6.50B/3.10	----	5.30 + 1.70	.0322	----	----	21	----	55 - 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG4 PUT — GOLD OPTIONS
JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	----	----	#8.20B/3.70A	#8.20B/3.70A	----	6.50 + 2.20	.0402	----	----	----	----	18 UNCH
3800	----	----	10.30B/4.40A	10.30B/4.40A	----	8.10 + 2.90	.0508	----	----	----	----	9 UNCH
3900	----	----	#16.40B/6.40A	#16.40B/6.40A	----	12.80 + 4.90	.0819	----	----	----	----	1 UNCH
3950	9.40	9.40	#20.80B/*7.90A	#20.80B/*7.90A	----	16.30 + 6.40	.1046	----	----	2	----	2 + 1
3975	16.30	16.30	#23.40B/*8.90A	#23.40B/*8.90A	----	18.40 NEW	.1182	----	----	1	----	1 + 1
4000	----	----	#26.40B/10.00A	#26.40B/10.00A	----	20.90 + 8.40	.1338	----	----	1	----	23 + 1
4050	14.50	14.50	#33.50B/12.80A	#33.50B/12.80A	----	27.00 + 10.90	.1713	----	----	6	----	6 + 5
4075	----	----	#38.00B/14.60A	#38.00B/14.60A	----	30.70 + 12.30	.1934	----	----	----	----	1 UNCH
4100	----	----	#43.00B/16.60A	#43.00B/16.60A	----	34.90 + 13.90	.2180	----	----	----	----	18 UNCH
4125	----	----	#48.80B/19.00A	#48.80B/19.00A	----	39.80 + 15.70	.2456	----	----	5	----	6 + 5
4150	----	----	#55.30B/22.00A	#55.30B/22.00A	----	45.40 + 17.80	.2761	----	----	3	----	13 + 2
4175	----	----	#62.80B/25.40A	#62.80B/25.40A	----	51.70 + 19.90	.3093	----	----	----	----	3 UNCH
4200	67.50	67.50	#71.10B/29.30A	#71.10B/29.30A	----	58.90 + 22.30	.3455	----	----	16	----	22 + 6
4225	57.50	57.50	#80.40B/33.90A	#80.40B/33.90A	----	67.00 + 24.90	.3843	----	----	1	----	8 UNCH
4250	66.00	66.00	#90.60B/39.20A	#90.60B/39.20A	----	76.20 + 27.80	.4257	----	----	1	----	26 UNCH
4275	73.00	73.00	#102.40B/45.40A	#102.40B/45.40A	----	86.50 + 30.90	.4691	----	----	2	----	45 + 1
4300	----	----	#115.10B/52.50A	#115.10B/52.50A	----	98.00 + 34.20	.5139	----	----	----	----	17 UNCH
4325	----	----	#128.70B/60.70A	#128.70B/60.70A	----	110.70 + 37.50	.5594	----	----	3	----	7 + 2
4350	----	----	#144.10B/70.10A	#144.10B/70.10A	----	124.70 + 41.00	.6049	----	----	----	----	20 UNCH
4375	----	----	#160.10B/80.70A	#160.10B/80.70A	----	140.00 + 44.60	.6493	----	----	----	----	15 UNCH
4400	----	----	#175.80B/92.70A	#175.80B/92.70A	----	156.40 + 47.90	.6920	----	----	1	----	3 UNCH
4425	----	----	#193.80B/105.90	#193.80B/105.90A	----	174.10 + 51.30	.7321	----	----	1	----	3 UNCH
4450	----	----	#213.20B/120.50	#213.20B/120.50A	----	192.90 + 54.50	.7690	----	----	----	----	9 UNCH
4475	159.70	159.70	#233.80B/136.40	#233.80B/136.40A	----	212.60 + 57.40	.8024	----	----	64	----	281 + 62
4500	----	----	#254.70B/153.50	#254.70B/153.50A	----	233.30 + 60.20	.8319	----	----	----	----	12 UNCH
4525	----	----	#276.40B/171.80	#276.40B/171.80A	----	254.70 + 62.70	.8579	----	----	----	----	3 UNCH
4550	----	----	#298.40B/191.30	#298.40B/191.30A	----	276.80 + 64.90	.8796	----	----	----	----	33 UNCH
4600	----	----	#344.60B/233.30	#344.60B/233.30A	----	322.50 + 68.50	.9145	----	----	----	----	7 UNCH
4700	----	----	#411.90B/323.90	#411.90B/323.90A	----	417.90 + 72.90	.9549	----	----	----	----	1 UNCH
4725	----	----	#436.00B/347.50	#436.00B/347.50A	----	442.30 + 73.70	.9607	----	----	----	----	1 UNCH
TOTAL										128		777 + 73

OG4 CALL — GOLD OPTIONS
JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	----	----	213.30B/*135.90	213.30B/*135.90A	----	145.20 NEW	.6540	----	----	1	----	1 + 1
4300	----	----	136.50B/*79.20A	136.50B/*79.20A	----	84.40 - 42.70	.4856	----	----	----	----	1 UNCH
4325	----	----	119.80B/*67.50A	119.80B/*67.50A	----	72.20 - 39.30	.4401	----	----	3	----	3 + 1
4350	----	----	104.20B/*56.90A	104.20B/*56.90A	----	61.20 - 35.90	.3946	----	----	2	----	3 + 2
4375	----	----	89.70B/*47.70A	89.70B/*47.70A	----	51.50 - 32.40	.3502	----	----	----	----	2 UNCH
4400	65.80	65.80	76.70B/*39.80A	76.70B/*39.80A	----	43.00 - 28.90	.3075	----	----	18	----	18 + 16
4450	33.50	33.50	54.80B/*27.30A	54.80B/*27.30A	----	29.50 - 22.40	.2305	----	----	4	----	5 + 4
4475	44.80	44.80	45.80B/*22.60A	45.80B/*22.60A	----	24.30 - 19.40	.1971	----	----	6	----	11 + 4
4500	36.00	36.00	38.00B/*18.60A	38.00B/*18.60A	----	20.00 - 16.70	.1677	----	----	11	----	33 + 9
4525	19.80	19.80	31.40B/*15.30A	31.40B/*15.30A	----	16.40 - 14.30	.1416	----	----	6	----	18 + 5
4550	----	----	25.90B/*12.60A	25.90B/*12.60A	----	13.60 - 12.00	.1200	----	----	----	----	11 UNCH
4575	11.20	11.20	11.20/*10.50A	21.20B/*10.50A	----	11.20 - 10.10	.1009	----	----	4	----	29 - 4
4600	15.00	15.00	17.40B/*8.80A	17.40B/*8.80A	----	9.30 - 8.50	.0851	----	----	64	----	84 + 46
4625	----	----	----/*7.40A	14.50B/*7.40A	----	7.80 - 7.00	.0721	----	----	----	----	2 UNCH
4650	----	----	----/*6.40A	11.90B/*6.40A	----	6.60 - 5.80	.0613	----	----	3	----	6 + 3
4675	----	----	----/*5.50A	9.80B/*5.50A	----	5.60 - 4.80	.0523	----	----	----	----	5 UNCH
4700	7.70	7.70	8.20B/*4.80A	8.20B/*4.80A	----	4.80 - 4.00	.0448	----	----	3	----	92 + 2
4725	6.00	6.00	6.80B/*4.20A	6.80B/*4.20A	----	4.20 - 3.30	.0390	----	----	1	----	5 + 1
4750	----	----	----/*3.80A	5.80B/*3.80A	----	3.70 - 2.70	.0342	----	----	1	----	27 - 1
4775	----	----	----/*3.40A	5.00B/*3.40A	----	3.20 - 2.30	.0295	----	----	----	----	2 UNCH
4800	5.20	5.20	5.20/*3.10A	5.20/*3.10A	----	2.90 - 1.90	.0264	----	----	3	----	55 + 1
4825	----	----	----/*2.80A	3.70B/*2.80A	----	2.60 - 1.60	.0234	----	----	----	----	12 UNCH
4850	3.40	3.40	3.40/*2.60A	3.40/*2.60A	----	2.40 - 1.30	.0213	----	----	1	----	22 UNCH
4875	----	----	----/*2.40A	2.90B/*2.40A	----	2.20 - 1.10	.0193	----	----	----	----	4 UNCH
4900	----	----	----/*2.20A	2.60B/*2.20A	----	2.00 - 1.00	.0173	----	----	----	----	29 UNCH
4950	----	----	----/*2.00A	2.10B/*2.00A	----	1.70 - 0.70	.0143	----	----	----	----	4 UNCH
4975	----	----	----/*1.80A	1.90B/*1.80A	----	1.60 - 0.60	.0133	----	----	----	----	1 UNCH
5000	----	----	----/*1.70A	1.70B/*1.70A	----	1.50 - 0.60	.0123	----	----	----	----	11 UNCH
5050	----	----	----/*1.70A	1.40B/*1.70A	----	1.40 - 0.40	.0110	----	----	----	----	10 UNCH
5200	----	----	----	0.80B/1.40A	----	1.10 - 0.20	.0079	----	----	1	----	20 UNCH
5250	----	----	----	0.70B/*1.20A	----	1.00 - 0.10	.0070	----	----	1	----	1 UNCH
5300	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.90 - 0.10	.0062	----	----	6	----	9 - 1
5400	----	----	----	0.40B/*1.10A	----	0.70 - 0.10	.0046	----	----	----	----	1 UNCH
5500	----	----	----	0.30B/*1.00A	----	0.60 - 0.10	.0038	----	----	----	----	1 UNCH
5750	----	----	----	----/*0.80A	----	0.50 UNCH	.0028	----	----	----	----	1 UNCH
TOTAL										139		539 + 89

OG3 PUT — GOLD OPTIONS
JUL26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3700	----	----	#16.30B/*9.10A	#16.30B/*9.10A	----	14.70 + 4.50	.0688	----	----	----	----	1 UNCH
3750	----	----	#19.40B/*10.80A	#19.40B/*10.80A	----	17.40 NEW	.0817	----	----	15	----	10 + 10
3800	17.90	17.90	#23.30B/*12.70A	#23.30B/*12.70A	----	20.80 NEW	.0976	----	----	3	----	3 + 3
3900	22.20	22.20	#34.10B/*18.40A	#34.10B/*18.40A	----	30.00 NEW	.1393	----	----	102	----	102 + 102
3950	----	----	#41.70B/*22.20A	#41.70B/*22.20A	----	36.30 NEW	.1665	----	----	21	----	21 + 21
3975	25.10	25.10	#45.60B/*24.60A	#45.60B/*24.60A	----	39.90 + 12.90	.1818	----	----	8	----	8 UNCH
4000	43.90	43.90	#50.50B/*27.20A	#50.50B/*27.20A	----	44.00 + 14.20	.1986	----	----	203	----	203 + 202
4025	34.20	34.20	#55.70B/*30.10A	#55.70B/*30.10A	----	48.50 NEW	.2167	----	----	1	----	1 + 1
4050	37.90	37.90	#61.20B/*33.30A	#61.20B/*33.30A	----	53.50 NEW	.2362	----	----	23	----	22 + 22
4100	53.00	53.00	#74.30B/*41.10A	#74.30B/*41.10A	----	65.00 NEW	.2794	----	----	116	----	111 + 111
4150	79.90	79.90	#88.70B/*50.50A	#88.70B/*50.50A	----	78.90 NEW	.3281	----	----	6	----	6 + 6
4200	----	----	#107.30B/*61.90	#107.30B/*61.90A	----	95.50 + 27.40	.3820	----	----	----	----	1 UNCH
4275	----	----	#137.40B/*84.00	#137.40B/*84.00A	----	125.70 + 33.30	.4704	----	----	----	----	1 UNCH
4375	----	----	#188.90B/*124.5	#188.90B/*124.50A	----	178.10 NEW	.5942	----	----	1	----	1 + 1
4650	----	----	#399.80B/*304.0	#399.80B/*304.00A	----	386.60 NEW	.8538	----	----	1	----	1 + 1
4725	----	----	#468.00B/*367.0	#468.00B/*367.00A	----	454.40 NEW	.8925	----	----	1	----	1 + 1
TOTAL										501		493 + 481

OG3 CALL — GOLD OPTIONS
JUL26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4425	71.20	71.20	#103.20B/*67.60	#103.20B/*67.60A	----	71.60 NEW	.3455	----	----	1	----	1 + 1
4500	56.00	56.00	#73.70B/*47.10A	#73.70B/*47.10A	----	50.00 - 21.70	.2646	----	----	20	----	14 + 13
4550	----	----	#58.30B/*36.90A	58.30B/*36.90A	----	39.10 NEW	.2180	----	----	16	----	10 + 10
4600	32.50	32.50	#45.80B/*28.80A	45.80B/*28.80A	----	30.70 NEW	.1786	----	----	1	----	1 + 1
4700	----	----	----/*17.70A	27.90B/*17.70A	----	19.00 - 8.90	.1181	----	----	1	----	1 UNCH
4775	11.90	11.90	#11.90/*11.90	19.50B/*11.90	----	13.60 NEW	.0871	----	----	1	----	1 + 1
4800	----	----	----/*11.10A	16.90B/*11.10A	----	12.20 - 5.40	.0787	----	----	1	----	1 UNCH
4900	10.70	10.70	10.70/*7.60A	10.70/*7.60A	----	8.30 - 3.20	.0543	----	----	1	----	4 + 1
5000	----	----	----/*5.70A	7.10B/*5.70A	----	6.00 - 1.90	.0390	----	----	1	----	2 UNCH
TOTAL										43		35 + 27

OG2 PUT — GOLD OPTIONS
JUN26

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	----	----/*0.30A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
3500	----	----	----	0.30B/*0.30A	----	0.40 + 0.10	.0010	----	----	----	----	65 UNCH
3600	----	----	0.70B/*0.40A	0.70B/*0.40A	----	0.50 UNCH	.0016	----	----	----	----	50 UNCH
3700	0.80	0.80	1.10B/0.50A	1.10B/0.50A	----	0.80 + 0.10	.0031	----	----	1	----	40 UNCH
3750	0.90	0.90	1.40B/*0.60A	1.40B/*0.60A	----	1.00 + 0.20	.0043	----	----	2	----	39 + 1
3800	1.20	1.20	1.90B/0.70A	1.90B/0.70A	----	1.20 + 0.20	.0057	----	----	5	----	66 + 5
3900	1.40	1.40	3.20B/1.00A	3.20B/1.00A	----	2.10 + 0.60	.0125	----	----	16	----	95 - 1
3945	2.60	2.60	#4.30B/*1.20A	4.30B/*1.20A	----	2.60 NEW	.0172	----	----	21	----	20 + 20
3950	1.50	1.50	#4.40B/*1.20	4.40B/*1.20	----	2.70 + 0.90	.0181	----	----	8	----	8 + 7
3960	2.90	2.90	#4.80B/*1.30A	4.80B/*1.30A	----	2.90 NEW	.0199	----	----	2	----	2 + 2
3965	2.80	2.80	#4.90B/*1.30A	4.90B/*1.30A	----	3.00 NEW	.0208	----	----	6	----	6 + 6
3970	----	----	5.00B/*1.30A	5.00B/*1.30A	----	3.10 + 1.10	.0218	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
JUN26												
3980	3.00	3.00	5.30B/*1.40A	5.30B/*1.40A	----	3.20 + 1.10	.0231	----	----	1	----	21 UNCH
3985	----	----	5.50B/*1.40A	5.50B/*1.40A	----	3.30 + 1.20	.0241	----	----	----	----	8 UNCH
3990	3.80	3.80	#5.70B/*1.40A	5.70B/*1.40A	----	3.50 NEW	.0258	----	----	1	----	1 + 1
3995	3.50	3.50	#5.80B/*1.50A	5.80B/*1.50A	----	3.60 NEW	.0269	----	----	18	----	18 + 18
4000	2.30	2.30	6.00/1.50A	6.00/1.50A	----	3.70 + 1.40	.0280	----	----	55	----	417 + 4
4005	3.60	3.60	#6.30B/*1.50A	6.30B/*1.50A	----	3.80 NEW	.0291	----	----	2	----	2 + 2
4015	3.90	3.90	#6.70B/*1.60A	6.70B/*1.60A	----	4.10 NEW	.0321	----	----	1	----	1 + 1
4020	----	----	#7.00B/*1.60A	7.00B/*1.60A	----	4.20 + 1.70	.0333	----	----	----	----	7 UNCH
4025	4.40	4.40	7.70/*1.70A	7.70/*1.70A	----	4.40 + 1.80	.0353	----	----	2	----	5 + 2
4030	----	----	7.60B/*1.70A	7.60B/*1.70A	----	4.50 + 1.80	.0366	----	----	----	----	15 UNCH
4035	8.30	8.30	#8.30/*1.70A	8.30/*1.70A	----	4.70 + 2.00	.0386	----	----	1	----	4 + 1
4040	----	----	#8.10B/*1.80A	8.10B/*1.80A	----	4.90 + 2.10	.0407	----	----	----	----	3 UNCH
4045	8.90	8.90	#8.90/*1.80A	8.90/*1.80A	----	5.00 + 2.10	.0421	----	----	1	----	3 + 1
4050	2.00	2.00	8.80B/1.80A	8.80B/1.80A	----	5.20 + 2.20	.0443	----	----	3	----	83 UNCH
4055	5.50	5.50	#9.10B/*1.90A	9.10B/*1.90A	----	5.40 + 2.30	.0465	----	----	1	----	2 + 1
4060	5.60	5.60	#9.60/*1.90A	9.60/*1.90A	----	5.60 NEW	.0488	----	----	2	----	2 + 2
4070	3.10	3.10	#10.00B/*2.00A	10.00B/*2.00A	----	6.10 + 2.70	.0543	----	----	7	----	8 + 3
4075	3.20	3.20	10.40B/2.10A	10.40B/2.10A	----	6.30 + 2.80	.0568	----	----	3	----	39 + 2
4080	7.00	7.00	#10.80B/*2.20A	10.80B/*2.20A	----	6.60 NEW	.0601	----	----	1	----	1 + 1
4085	12.10	12.10	#12.10/*2.20A	12.10/*2.20A	----	6.90 NEW	.0635	----	----	1	----	1 + 1
4090	6.70	6.70	#11.70B/*2.30A	11.70B/*2.30A	----	7.10 + 3.30	.0662	----	----	2	----	4 + 2
4095	----	----	12.20B/*2.30A	12.20B/*2.30A	----	7.40 + 3.50	.0698	----	----	----	----	3 UNCH
4100	3.30	3.30	13.10B/2.40A	13.10B/2.40A	----	7.80 + 3.70	.0741	----	----	72	----	591 - 23
4105	6.30	6.30	#13.00B/*2.50A	13.00B/*2.50A	----	8.10 NEW	.0778	----	----	1	----	1 + 1
4110	6.20	6.20	#13.50B/*2.50A	13.50B/*2.50A	----	8.50 + 4.10	.0824	----	----	2	----	3 + 2
4115	7.50	7.50	#14.10B/*2.60A	14.10B/*2.60A	----	8.80 NEW	.0864	----	----	2	----	2 + 2
4120	5.00	5.00	#15.00B/*2.70A	15.00B/*2.70A	----	9.20 NEW	.0911	----	----	4	----	4 + 4
4125	3.00	3.00	15.60B/2.80A	15.60B/2.80A	----	9.70 + 4.80	.0968	----	----	2	----	9 + 2
4130	7.80	7.80	#16.40B/*2.80A	16.40B/*2.80A	----	10.10 NEW	.1018	----	----	4	----	4 + 4
4135	5.70	5.70	#17.10B/*3.00A	17.10B/*3.00A	----	10.60 NEW	.1077	----	----	6	----	5 + 5
4140	9.40	9.40	#17.50B/*3.00A	17.50B/*3.00A	----	11.10 NEW	.1137	----	----	3	----	3 + 3
4145	9.60	9.60	#18.60B/*3.20A	18.60B/*3.20A	----	11.60 + 5.90	.1199	----	----	3	----	7 + 1
4150	5.50	5.50	20.00/3.20A	20.00/3.20A	----	12.10 + 6.20	.1262	----	----	42	----	144 + 35
4155	9.80	9.80	#20.30B/*3.40A	20.30B/*3.40A	----	12.70 + 6.50	.1334	----	----	1	----	4 UNCH
4160	8.80	8.80	#20.80B/*3.50A	20.80B/*3.50A	----	13.30 + 6.90	.1408	----	----	3	----	3 + 2
4165	7.60	7.60	#21.80B/*3.60A	21.80B/*3.60A	----	14.00 NEW	.1490	----	----	5	----	3 + 3
4170	14.90	14.90	#22.70B/*3.80A	22.70B/*3.80A	----	14.70 + 7.70	.1575	----	----	11	----	11 + 10
4175	9.90	9.90	24.20B/3.90A	24.20B/3.90A	----	15.40 + 8.10	.1661	----	----	9	----	25 + 7
4180	14.80	14.80	#25.00B/*4.10A	25.00B/*4.10A	----	16.20 + 8.60	.1755	----	----	2	----	3 + 2
4185	8.60	8.60	#26.40B/*4.20A	26.40B/*4.20A	----	17.00 + 9.10	.1852	----	----	2	----	14 + 2
4190	----	----	#27.70B/*4.40A	#27.70B/*4.40A	----	17.80 + 9.50	.1951	----	----	2	----	36 + 2
4195	12.20	12.20	#28.80B/*4.60A	#28.80B/*4.60A	----	18.70 + 10.00	.2058	----	----	2	----	8 + 1
4200	8.00	8.00	#30.90/4.80A	#30.90/4.80A	----	19.70 + 10.60	.2174	----	----	1009	----	587 + 341
4205	6.30	6.30	#31.60B/*5.00A	#31.60B/*5.00A	----	20.70 + 11.20	.2291	----	----	10	----	21 + 2
4210	19.90	19.90	#32.90B/*5.20A	#32.90B/*5.20A	----	21.80 + 11.80	.2417	----	----	1	----	2 + 1
4215	8.10	8.10	#34.50B/*5.50A	#34.50B/*5.50A	----	22.90 + 12.50	.2545	----	----	9	----	11 + 5
4220	7.50	7.50	#36.00B/*5.80A	#36.00B/*5.80A	----	24.00 NEW	.2676	----	----	5	----	4 + 4
4225	7.70	7.70	#39.00/6.00A	#39.00/6.00A	----	25.30 + 13.80	.2819	----	----	31	150	171 + 24
4230	8.10	8.10	#39.30B/*6.30A	#39.30B/*6.30A	----	26.60 NEW	.2965	----	----	12	----	10 + 10
4235	8.80	8.80	#41.00B/*6.60A	#41.00B/*6.60A	----	28.00 + 15.40	.3117	----	----	6	----	19 + 5
4240	----	----	#42.90B/*7.00A	#42.90B/*7.00A	----	29.40 NEW	.3272	----	----	13	----	11 + 11
4250	16.60	16.60	#46.50B/7.80A	#46.50B/7.80A	----	32.50 + 17.90	.3602	----	----	104	----	290 + 6
4255	28.90	28.90	#48.40B/*8.20A	#48.40B/*8.20A	----	34.20 + 18.80	.3775	----	----	1	----	2 + 1
4260	15.30	15.30	#50.50B/*8.60A	#50.50B/*8.60A	----	35.90 NEW	.3951	----	----	2	----	1 + 1
4265	----	----	#52.80B/*9.40A	#52.80B/*9.40A	----	37.70 NEW	.4132	----	----	20	----	1 + 1
4270	17.80	17.80	#55.10B/*10.00A	#55.10B/*10.00A	----	39.70 + 21.80	.4319	----	----	42	----	24 + 23
4275	29.50	29.50	#57.40B/10.60A	#57.40B/10.60A	----	41.60 + 22.80	.4508	----	----	54	----	114 + 32
4280	60.00	60.00	#60.10B/*11.20A	#60.10B/*11.20A	----	43.70 + 23.90	.4701	----	----	4	----	7 + 1
4285	45.30	45.30	#62.50B/*11.90A	#62.50B/*11.90A	----	45.90 + 25.00	.4897	----	----	4	----	4 + 2
4290	41.00	41.00	#65.10B/*12.60A	#65.10B/*12.60A	----	48.20 + 26.20	.5095	----	----	2	----	2 + 1
4300	31.00	31.00	#71.30B/14.20A	#71.30B/14.20A	----	53.00 + 28.60	.5496	----	----	558	----	382 - 28
4305	75.40	75.40	#75.40/*15.10A	#75.40/*15.10A	----	55.60 + 29.90	.5697	----	----	31	----	36 + 31
4310	48.90	48.90	#76.80B/*16.00A	#76.80B/*16.00A	----	58.20 + 31.20	.5900	----	----	2	----	4 + 1
4325	32.30	32.30	#86.80B/19.30A	#86.80B/19.30A	----	66.80 + 35.20	.6497	----	----	8	----	51 + 3
4330	44.00	44.00	#89.60B/*20.50A	#89.60B/*20.50A	----	69.80 NEW	.6694	----	----	4	----	2 + 2
4335	43.30	43.30	#91.80B/*21.80A	#91.80B/*21.80A	----	73.00 + 38.00	.6883	----	----	1	----	4 + 1
4345	----	----	#99.00B/*24.70A	#99.00B/*24.70A	----	79.60 + 40.80	.7252	----	----	----	----	2 UNCH
4350	45.90	45.90	#104.70B/26.30A	#104.70B/26.30A	----	83.00 + 42.20	.7425	----	----	19	----	135 UNCH
4355	----	----	#106.50B/*27.90	#106.50B/*27.90A	----	86.60 + 43.70	.7598	----	----	----	----	3 UNCH
4360	31.00	31.00	#110.60B/*29.70	#110.60B/*29.70A	----	90.20 + 45.10	.7764	----	----	2	----	17 + 2
4365	45.30	45.30	#114.50B/*31.60	#114.50B/*31.60A	----	93.90 + 46.50	.7916	----	----	2	----	3 + 1
4375	----	----	#124.40B/35.70A	#124.40B/35.70A	----	101.60 + 49.20	.8216	----	----	5	----	119 + 1
4380	----	----	#126.80B/*37.80	#126.80B/*37.80A	----	105.60 + 50.60	.8349	----	----	----	----	1 UNCH
4390	----	----	#135.30B/*42.60	#135.30B/*42.60A	----	113.80 NEW	.8593	----	----	1	----	1 + 1
4395	----	----	#139.50B/*45.10	#139.50B/*45.10A	----	117.90 + 54.50	.8703	----	----	2	----	2 + 1
4400	58.60	58.60	#145.10B/47.70A	#145.10B/47.70A	----	122.20 + 55.80	.8813	----	----	7	----	335 - 3
4405	----	----	#148.00B/*50.50	#148.00B/*50.50A	----	126.50 NEW	.8911	----	----	2	----	2 + 2
4415	----	----	#157.20B/*56.20	#157.20B/*56.20A	----	135.30 NEW	.9083	----	----	4	----	4 + 4
4425	137.10	137.10	#166.70B/62.40A	#166.70B/62.40A	----	144.30 + 61.40	.9229	----	----	6	----	124 UNCH
4445	----	----	#184.90B/*76.40	#184.90B/*76.40A	----	162.70 NEW	.9463	----	----	2	----	2 + 2
4450	116.50	116.50	#189.40B/80.10A	#189.40B/80.10A	----	167.40 + 65.90	.9507	----	----	5	----	123 - 3
4475	----	----	#212.30B/100.00	#212.30B/100.00A	----	191.20 + 69.30	.9682	----	----	----	----	81 UNCH
4500	----	----	#236.40B/121.50	#236.40B/121.50A	----	215.40 + 71.80	.9794	----	----	----	----	123 UNCH
4510	----	----	#227.40B/*130.5	#227.40B/*130.50A	----	225.20 + 72.60	.9823	----	----	----	----	1 UNCH
4525	----	----	#260.00B/144.30	#260.00B/144.30A	----	239.90 + 73.50	.9852	----	----	2	----	65 - 1
4550	----	----	#285.20B/168.00	#285.20B/168.00A	----	264.60 + 74.70	.9902	----	----	----	----	64 UNCH
4575	----	----	#304.90B/192.10	#304.90B/192.10A	----	289.30 + 75.40	.9928	----	----	----	----	9 UNCH
4600	----	----	#331.00B/220.30	#331.00B/220.30A	----	314.20 + 76.00	.9950	----	----	----	----	90 UNCH
4650	----	----	#289.10B/----	#289.10B/361.40A	----	364.00 + 76.60	.9972	----	----	1	----	0 - 1
4675	----	----	#314.70B/----	#314.70B/386.10A	----	388.90 + 76.70	.9973	----	----	----	----	2 UNCH
4700	----	----	#429.30B/321.00	#429.30B/321.00A	----	413.80 + 76.70	.9982	----	----	----	----	41 UNCH
4800	----	----	#441.20B/----	#441.20B/512.90A	----	513.70 + 76.90	.9991	----	----	----	----	1 UNCH
4950	----	----	#590.90B/----	#590.90B/668.50A	----	663.60 + 77.00	1.0000	----	----	----	----	0 UNCH
10000	----	----	----/*5,617.70A	#5628.20B/*5617.70A	----	5713.60 + 77.00	1.0000	65	----	105	----	0 UNCH
TOTAL										2439	150	5041+ 634
JUL26												
3250	----	----	#2.80B/----	#2.80B/2.40A	----	3.40 + 1.00	.0147	----	----	----	----	19 UNCH
3500	----	----	#6.20B/*4.00A	#6.20B/4.00A	----	6.40 + 2.00	.0303	----	----	----	----	8 UNCH
3600	----	----	#9.10B/5.10A	#9.10B/5.10A	----	8.50 + 2.70	.0417	----	----	3	----	4 + 3
3700	----	----	#13.10B/6.80A	#13.10B/6.80A	----	11.70 + 3.90	.0587	----	----	3	----	14 UNCH
3750	----	----	#16.00B/8.10A	#16.00B/8.10A	----	13.90 + 4.70	.0703	----	----	1	----	1 UNCH
3800	10.50	10.50	#19.10B/9.70A	#19.10B/9.70A	----	16.60 + 5.70	.0845	----	----	2	----	56 + 1
3900	15.40	15.40	#28.20B/14.10A	#28.20B/14.10A	----	24.30 + 8.50	.1235	----	----	45	----	145 + 40
3950	----	----	#34.70B/*17.20A	#34.70B/*17.20A	----	29.60 + 10.40	.1496	----	----	----	----	11 UNCH
4000	----	----	#42.30B/21.20A	#42.30B/21.20A	----	36.30 + 12.70	.1812	----	----	2	----	30 - 1
4025	36.90	36.90	#47.00B/*23.60A	#47.00B/*23.60A	----	40.30 + 14.00	.1994	----	----	1	----	3 + 1
4050	----	----	#51.90B/26.40A	#51.90B/26.40A	----	44.80 + 15.50	.2193	----	----	1	----	2 + 1
4075	----	----	#57.50B/29.60A	#57.50B/29.60A	----	49.70 + 17.00	.2406	----	----	1	----	50 UNCH
4100	----	----	#63.70B/33.20A	#63.70B/33.20A	----	55.30 + 18.80	.2640	----	----	----	----	56 UNCH
4125	----	----	#70.50B/37.30A	#70.50B/37.30A	----	61.40 + 20.60	.2888	----	----	----	----	1 UNCH
4150	----	----	#78.20B/41.90A	#78.20B/41.90A	----	68.20 + 22.60	.3154	----	----	----	----	5 UNCH
4175	64.90	64.90	#86.60B/47.20A	#86.60B/47.20A	----	75.70 + 24.60	.3437	----	----	3	----	52 - 3
4200	92.30	92.30	#95.50B/53.00A	#95.50B/53.00A	----	83.90 + 26.70	.3734	----	----	10	----	68 + 10
4225	106.20	106.20	#106.20/59.50A	#106.20/59.50A	----	93.00 + 28.90	.4047	----	----	1	----	5 UNCH
4250	----	----	#113.60B/66.70A	#113.60B/66.70A	----	102.90 + 31.00	.4371	----	----	1	----	56 UNCH
4275	114.50	114.50	#125.00B/74.70A	#125.00B/74.70A	----	113.60 + 33.20	.4705	----	----	12	----	27 + 9
4300	----	----	#136.40B/83.60A	#136.40B/83.60A	----	125.30 + 35.50	.5045	----	----	----	----	1 UNCH
4325	----	----	#149.90B/93.50A	#149.90B/93.50A	----	138.00 NEW	.5390	----	----	1	----	1 + 1
4350	----	----	#164.20B/104.40	#164.20B/104.40A	----	151.60 + 40.50	.5735	----	----	1	----	2 + 1
4400	----	----	#196.00B/128.00	#196.00B/128.00A	----	181.80 + 46.20	.6407	----	----	----	----	50 UNCH
4450	----	----	#231.20B/155.30	#231.20B/155.30A	----	215.80 + 51.50	.7032	----	----	1	----	1 UNCH
4475	----	----	#248.90B/170.50	#248.90B/170.50A	----	234.20 + 54.00	.7321	----	----	----	----	3 UNCH
4500	----	----	#268.50B/186.20	#268.50B/186.20A	----	253.20 + 56.20	.7589	----	----	----	----	103 UNCH
4525	----	----	#289.60B/203.90	#289.60B/203.90A	----	272.90 + 58.30	.7843	----	----	----	----	1 UNCH
4550	----	----	#309.10B/221.00	#309.10B/221.00A	----	293.20 + 60.20	.8076	----	----	----	----	3 UNCH
4575	----	----	#331.50B/239.20	#331.50B/239.20A	----	314.10 + 62.10	.8291	----	----	----	----	1 UNCH
TOTAL										89		779+ 63

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
JUN26												
500	----	----	----	3773.20B/*3866.90A	----	3786.40 - 77.00	1.0000	65	----	105	----	0 UNCH
4250	82.70	82.70	142.20B/*60.10A	142.20B/*60.10A	----	68.90 NEW	.6396	----	----	11	----	7 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 CALL — GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4270	53.00	53.00	#124.10B/*48.90	124.10B/*48.90A	----	56.00 NEW	.5679	----	----	3	----	1 + 1
4275	84.30	84.30	119.70B/*46.30A	119.70B/*46.30A	----	53.00 NEW	.5490	----	----	5	----	4 + 4
4280	49.00	49.00	#115.40B/*43.80	115.40B/*43.80A	----	50.10 NEW	.5297	----	----	2	----	2 + 2
4285	44.70	44.70	#111.00B/*41.30	111.00B/*41.30A	----	47.30 NEW	.5101	----	----	2	----	2 + 2
4290	46.20	46.20	#106.80B/*38.90	106.80B/*38.90A	----	44.60 NEW	.4903	----	----	2	----	2 + 2
4295	41.30	41.30	#102.50B/*36.50	102.50B/*36.50A	----	41.90 NEW	.4703	----	----	1	----	1 + 1
4300	46.80	46.80	98.30B/*34.10A	98.30B/*34.10A	----	39.40 - 48.30	.4502	----	----	58	----	45 + 44
4305	----	----	#94.20B/*31.90A	94.20B/*31.90A	----	37.00 NEW	.4301	----	----	30	----	30 + 30
4310	43.60	43.60	#90.20B/*29.80A	90.20B/*29.80A	----	34.60 NEW	.4098	----	----	1	----	1 + 1
4315	45.00	45.00	#86.30B/*27.60A	86.30B/*27.60A	----	32.40 - 44.40	.3898	----	----	3	----	33 + 2
4320	57.80	57.80	#82.30B/*25.80A	82.30B/*25.80A	----	30.20 - 43.20	.3697	----	----	18	----	12 + 7
4325	52.10	52.10	78.50B/*24.00A	78.50B/*24.00A	----	28.20 - 41.80	.3501	----	----	18	----	45 + 7
4330	30.50	30.50	#74.60B/*22.20A	74.60B/*22.20A	----	26.20 NEW	.3304	----	----	3	----	2 + 2
4335	60.00	60.00	#71.80B/*20.60A	71.80B/*20.60A	----	24.40 - 39.00	.3115	----	----	19	----	25 + 15
4340	23.50	23.50	#68.30B/*19.00	68.30B/*19.00	----	22.70 - 37.50	.2931	----	----	6	----	7 + 3
4345	46.30	46.30	#65.00B/*17.60A	65.00B/*17.60A	----	21.00 - 36.20	.2746	----	----	16	----	25 + 16
4350	42.10	42.10	62.90/*16.30A	62.90/*16.30A	----	19.50 - 34.70	.2573	----	----	90	----	41 + 18
4355	33.50	33.50	#58.00B/*15.00A	58.00B/*15.00A	----	18.00 - 33.30	.2400	----	----	6	----	2 + 1
4360	----	----	#54.80B/*13.80A	54.80B/*13.80A	----	16.60 - 31.90	.2234	----	----	4	----	9 + 4
4365	14.90	14.90	#51.50B/*12.70A	51.50B/*12.70A	----	15.40 - 30.40	.2082	----	----	35	----	32 + 27
4370	39.60	39.60	#48.60B/*11.70A	48.60B/*11.70A	----	14.20 - 29.10	.1932	----	----	18	----	12 + 10
4375	30.40	30.40	45.70B/*10.50	45.70B/*10.50	----	13.00 - 27.80	.1782	----	----	133	----	146 - 46
4380	11.80	11.80	#42.80B/*9.90A	42.80B/*9.90A	----	12.00 NEW	.1650	----	----	2	----	2 + 2
4385	34.00	34.00	#40.00B/*9.20A	40.00B/*9.20A	----	11.10 NEW	.1527	----	----	4	----	3 + 3
4390	10.10	10.10	37.40B/*8.30A	37.40B/*8.30A	----	10.20 - 23.70	.1406	----	----	2	----	12 + 2
4395	----	----	#35.00B/*7.80A	35.00B/*7.80A	----	9.40 NEW	.1295	----	----	3	----	1 + 1
4400	23.10	23.10	32.70B/*7.10A	32.70B/*7.10A	----	8.60 - 21.20	.1186	----	----	70	----	210 - 20
4405	15.90	15.90	#30.30B/*6.50A	30.30B/*6.50A	----	7.90 - 20.00	.1087	----	----	1	----	3 - 1
4410	12.70	12.70	#28.30B/*6.00A	28.30B/*6.00A	----	7.30 - 18.80	.1000	----	----	4	----	5 + 4
4415	----	----	#26.00B/*5.50A	26.00B/*5.50A	----	6.70 NEW	.0915	----	----	4	----	3 + 3
4420	----	----	#24.20B/*5.00A	24.20B/*5.00A	----	6.20 - 16.60	.0841	----	----	1	----	12 + 1
4425	23.20	23.20	23.20/*4.60	23.20/*4.60	----	5.70 - 15.60	.0769	----	----	64	----	90 + 48
4430	10.50	10.50	#20.60B/*4.30A	20.60B/*4.30A	----	5.20 - 14.60	.0698	----	----	5	----	3 - 1
4435	----	----	#19.00B/*3.90A	19.00B/*3.90A	----	4.80 - 13.70	.0639	----	----	----	----	5 UNCH
4440	6.60	6.60	17.40B/*3.60A	17.40B/*3.60A	----	4.50 - 12.70	.0592	----	----	2	----	7 UNCH
4445	10.50	10.50	#16.10B/*3.30A	16.10B/*3.30A	----	4.10 - 11.90	.0536	----	----	4	----	4 + 3
4450	12.00	12.00	14.80B/*3.00A	14.80B/*3.00A	----	3.80 - 11.10	.0491	----	----	31	----	116 + 16
4455	----	----	----/*2.80A	13.50B/*2.80A	----	3.50 - 10.40	.0448	----	----	1	----	12 + 1
4460	----	----	----/*2.60A	12.40B/*2.60A	----	3.30 - 9.60	.0416	----	----	----	----	2 UNCH
4465	----	----	----/*2.40A	11.30B/*2.40A	----	3.00 - 9.00	.0375	----	----	7	----	4 + 3
4470	7.00	7.00	7.00/*2.20A	10.40B/*2.20A	----	2.80 - 8.30	.0345	----	----	7	----	17 + 5
4475	6.50	6.50	6.50/*2.00A	9.50B/*2.00A	----	2.60 - 7.70	.0317	----	----	29	----	120 + 22
4480	2.60	2.60	2.70/*1.90A	8.80B/*1.90A	----	2.40 - 7.20	.0289	----	----	3	----	3 + 2
4485	5.10	5.10	5.10/*1.80A	7.90B/*1.80A	----	2.30 - 6.60	.0272	----	----	3	----	7 + 3
4490	----	----	----/*1.70A	7.20B/*1.70A	----	2.10 - 6.10	.0245	----	----	----	----	4 UNCH
4495	----	----	----/*1.60A	6.60B/*1.60A	----	2.00 NEW	.0230	----	----	1	----	1 + 1
4500	6.00	6.00	6.20B/*1.50A	6.20B/*1.50A	----	1.80 - 5.30	.0204	----	----	237	----	356 - 22
4510	1.30	1.30	1.30/*1.30	5.20B/*1.30	----	1.60 - 4.50	.0176	----	----	1	----	3 + 1
4520	3.30	3.30	3.30/*1.20A	4.30B/*1.20A	----	1.40 - 3.80	.0149	----	----	4	----	5 UNCH
4525	3.80	3.80	3.90B/*1.10A	3.90B/*1.10A	----	1.40 - 3.50	.0146	----	----	1	----	193 UNCH
4530	----	----	----/*1.10A	3.60B/*1.10A	----	1.30 - 3.20	.0134	----	----	----	----	1 UNCH
4535	----	----	----/*1.10A	3.30B/*1.10A	----	1.20 - 3.00	.0122	----	----	----	----	1 UNCH
4540	1.80	1.80	1.80/*1.00A	3.10B/*1.00A	----	1.10 - 2.80	.0110	----	----	1	----	2 + 1
4545	2.00	2.00	2.20/*1.00A	2.80B/*1.00A	----	1.10 - 2.50	.0108	----	----	11	----	11 + 9
4550	2.00	2.00	2.00/*1.00A	2.50B/*1.00A	----	1.00 - 2.30	.0097	----	----	512	----	448 - 330
4555	2.20	2.20	2.20/*0.90	2.30B/*0.90	----	1.00 - 2.10	.0095	----	----	6	----	6 + 4
4565	----	----	----/*0.90A	2.00B/*0.90A	----	0.90 - 1.80	.0083	----	----	----	----	9 UNCH
4570	----	----	----/*0.80A	1.90B/*0.80A	----	0.80 - 1.70	.0072	----	----	----	----	12 UNCH
4575	2.00	2.00	2.00/*0.80A	2.00/*0.80A	----	0.80 - 1.50	.0071	----	----	1	----	199 UNCH
4580	----	----	----/*0.80A	1.60B/*0.80A	----	0.80 - 1.40	.0070	----	----	----	----	21 UNCH
4585	1.20	1.20	1.20/*0.70A	1.40B/*0.70A	----	0.70 - 1.30	.0060	----	----	10	----	11 + 8
4590	----	----	----/*0.70A	1.30B/*0.70A	----	0.70 - 1.20	.0059	----	----	----	----	12 UNCH
4595	----	----	----/*0.70A	1.20B/*0.70A	----	0.70 - 1.10	.0058	----	----	----	----	10 UNCH
4600	1.00	1.00	1.00/*0.60A	1.20B/*0.60A	----	0.60 - 1.00	.0049	----	----	4	----	220 - 3
4625	0.70	0.70	0.70/*0.50A	0.80B/*0.50A	----	0.50 - 0.70	.0038	----	----	6	----	77 - 4
4630	----	----	----/*0.50A	0.70B/*0.50A	----	0.50 NEW	.0037	----	----	2	----	2 + 2
4645	----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.40	.0036	----	----	----	----	1 UNCH
4650	0.20	0.20	0.20/*0.20	0.50B/*0.20	----	0.40 - 0.50	.0028	----	----	505	----	437 - 368
4675	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.30	.0026	----	----	----	----	102 UNCH
4695	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.30	.0018	----	----	----	----	4 UNCH
4700	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.30	.0018	----	----	----	----	75 UNCH
4705	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0018	----	----	----	----	2 UNCH
4725	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0017	----	----	----	----	73 UNCH
4750	----	----	----	0.10B/0.40A	----	0.20 - 0.20	.0010	----	----	----	----	38 UNCH
4775	----	----	----	----/0.50A	----	0.20 - 0.10	.0010	----	----	----	----	16 UNCH
4800	----	----	----	----/0.50A	----	0.20 - 0.10	.0009	----	----	----	----	40 UNCH
4825	----	----	----	----/0.50A	----	0.10 - 0.10	.0004	----	----	----	----	17 UNCH
4850	----	----	----	----/0.50A	----	0.10 - 0.10	.0002	----	----	----	----	36 UNCH
4875	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
4900	----	----	----	0.10B/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	19 UNCH
4925	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH
4950	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	12 UNCH
4975	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
5000	----	----	----	----/0.40A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5025	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5050	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
5100	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
5300	----	----	----	----/11.70A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
TOTAL										2138		3660 - 444
JUL26												
4275	167.40	167.40	176.80B/*120.60	176.80B/*120.60A	----	125.00 NEW	.5287	----	----	1	----	1 + 1
4325	120.00	120.00	144.50B/*94.20A	144.50B/*94.20A	----	99.50 NEW	.4602	----	----	1	----	1 + 1
4375	----	----	116.10B/*73.50A	116.10B/*73.50A	----	77.80 NEW	.3916	----	----	7	----	7 + 7
4475	45.40	45.40	71.20B/*43.30A	71.20B/*43.30A	----	46.00 NEW	.2671	----	----	1	----	1 + 1
4500	54.30	54.30	62.40B/*37.70A	62.40B/*37.70A	----	40.20 NEW	.2403	----	----	4	----	3 + 3
4525	36.50	36.50	54.50B/*32.80A	54.50B/*32.80A	----	34.90 - 18.50	.2149	----	----	1	----	6 UNCH
4550	----	----	47.40B/*28.70A	47.40B/*28.70A	----	30.30 - 16.60	.1917	----	----	2	----	5 + 2
4575	----	----	41.50B/*24.90A	41.50B/*24.90A	----	26.20 - 14.80	.1702	----	----	1	----	2 + 1
4600	33.90	33.90	36.30B/*21.50	36.30B/*21.50	----	22.70 - 13.10	.1509	----	----	10	----	12 + 10
4650	----	----	----/*16.50A	27.10B/*16.50A	----	17.30 - 10.00	.1190	----	----	1	----	4 + 1
4675	----	----	24.00B/*14.40A	24.00B/*14.40A	----	15.10 - 8.80	.1055	----	----	----	----	3 UNCH
4700	----	----	----/*12.60A	20.70B/*12.60A	----	13.30 - 7.60	.0939	----	----	----	----	1 UNCH
4725	----	----	----/*11.10A	18.10B/*11.10A	----	11.70 - 6.60	.0835	----	----	----	----	3 UNCH
4750	----	----	----/*9.80A	15.40B/*9.80A	----	10.40 - 5.70	.0747	----	----	----	----	2 UNCH
4800	11.70	11.70	11.70/*7.90A	12.20B/*7.90A	----	8.40 - 4.10	.0606	----	----	4	----	12 - 1
4825	----	----	----/*7.10A	11.10B/*7.10A	----	7.50 - 3.60	.0543	----	----	----	----	1 UNCH
4850	----	----	----/*6.40A	8.80B/*6.40A	----	6.80 - 3.10	.0492	----	----	2	----	2 UNCH
4875	----	----	----/*5.90A	7.90B/*5.90A	----	6.20 - 2.70	.0448	----	----	----	----	3 UNCH
4900	7.30	7.30	7.30/*5.10A	7.30/*5.10A	----	5.70 - 2.30	.0410	----	----	2	----	6 UNCH
4925	6.80	6.80	6.80/*5.20A	6.80/*5.20A	----	5.20 - 2.00	.0373	----	----	5	----	3 - 2
4950	----	----	----/*4.50A	5.90B/*4.50A	----	4.80 - 1.80	.0343	----	----	1	----	52 UNCH
4975	5.60	5.60	5.60/*4.50A	5.60/*4.50A	----	4.40 - 1.60	.0314	----	----	2	----	2 UNCH
5000	----	----	----/*4.20A	4.90B/*4.20A	----	4.10 - 1.40	.0290	----	----	----	----	57 UNCH
5025	----	----	----/*3.80A	4.40B/*3.80A	----	3.80 - 1.30	.0268	----	----	----	----	1 UNCH
5100	3.60	3.60	3.60/*3.40A	3.70B/*3.40A	----	3.20 NEW	.0220	----	----	1	----	1 + 1
5200	----	----	----/*2.90A	2.60B/*2.90A	----	2.60 - 0.60	.0172	----	----	----	----	1 UNCH
5250	----	----	----/*2.70A	2.30B/*2.70A	----	2.40 - 0.50	.0156	----	----	----	----	4 UNCH
5400	2.20	2.20	2.20/*2.10A	2.20/*2.10A	----	2.10 - 0.20	.0127	----	----	1	----	2 + 1
5750	----	----	----	0.70B/3.80A	----	1.90 + 0.20	.0097	----	----	----	----	1 UNCH
TOTAL										47		199 + 26

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
2300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	137 UNCH
2350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	215 UNCH
2550	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2575	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	26 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
2620	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2650	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	149 UNCH
2670	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2675	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	72 UNCH
2680	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2700	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2705	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2710	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	5	----	12 + 5
2725	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	15	----	168 + 15
2730	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2750	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	10	----	111 + 10
2775	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2785	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
2800	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0001	----	----	----	----	11 UNCH
2805	----	----	----	0.10B/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2850	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0002	----	----	----	----	10 UNCH
2860	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0003	----	----	----	----	6 UNCH
2885	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0004	----	----	----	----	14 UNCH
2890	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0004	----	----	----	----	65 UNCH
2895	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0004	----	----	----	----	18 UNCH
2900	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0004	----	----	----	----	24 UNCH
2905	----	----	0.20B/----	0.20B/0.30A	----	0.10 UNCH	.0004	----	----	----	----	19 UNCH
2915	----	----	0.20B/----	0.20B/0.30A	----	0.20 + 0.10	.0009	----	----	----	----	2 UNCH
2920	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	8 UNCH
2945	----	----	0.30B/----	0.30B/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	2 UNCH
2950	----	----	0.30B/----	0.30B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	36 UNCH
2960	----	----	0.30B/----	0.30B/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
2975	0.50	0.50	0.50/0.50	0.50/0.30A	----	0.30 + 0.10	.0013	----	----	1	----	1 UNCH
2985	----	----	0.40B/----	0.40B/0.40A	----	0.30 + 0.10	.0013	----	----	----	----	21 UNCH
2995	----	----	0.40B/----	0.40B/0.40A	----	0.30 + 0.10	.0014	----	----	----	----	16 UNCH
3000	0.60	0.60	0.60/0.60	0.60/0.30A	----	0.30 UNCH	.0014	----	----	1	----	99 UNCH
3010	----	----	0.40B/----	0.40B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	1 UNCH
3015	----	----	0.40B/----	0.40B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	5 UNCH
3025	----	----	0.40B/----	0.40B/0.40A	----	0.30 UNCH	.0014	----	----	----	----	1 UNCH
3035	----	----	0.50B/----	0.50B/*0.40A	----	0.30 UNCH	.0014	----	----	----	----	10 UNCH
3050	----	----	0.50B/----	0.50B/0.40A	----	0.40 + 0.10	.0018	----	----	----	----	18 UNCH
3060	0.40	0.40	0.50B/*0.40	0.50B/0.40	----	0.40 + 0.10	.0019	----	----	4	----	28 + 4
3100	----	----	0.60B/----	0.60B/0.50A	----	0.50 + 0.10	.0024	----	----	----	----	82 UNCH
3105	----	----	0.60B/----	0.60B/0.50A	----	0.50 + 0.10	.0024	----	----	----	----	1 UNCH
3110	----	----	0.60B/----	0.60B/0.50A	----	0.50 + 0.10	.0024	----	----	----	----	5 UNCH
3115	----	----	0.60B/----	0.60B/0.50A	----	0.50 + 0.10	.0024	----	----	----	----	1 UNCH
3120	----	----	0.70B/----	0.70B/0.50A	----	0.50 + 0.10	.0024	----	----	----	----	2 UNCH
3125	----	----	0.70B/----	0.70B/0.50A	----	0.50 UNCH	.0024	----	----	----	----	44 UNCH
3130	----	----	0.70B/----	0.70B/0.50A	----	0.60 + 0.10	.0028	----	----	----	----	4 UNCH
3135	----	----	0.70B/----	0.70B/0.50A	----	0.60 + 0.10	.0029	----	----	----	----	9 UNCH
3140	----	----	0.70B/----	0.70B/0.50A	----	0.60 + 0.10	.0029	----	----	----	----	11 UNCH
3150	----	----	0.70B/----	0.70B/0.50A	----	0.60 + 0.10	.0029	----	----	----	----	12 UNCH
3155	----	----	0.80B/----	0.80B/0.50A	----	0.60 + 0.10	.0029	----	----	----	----	1 UNCH
3165	----	----	0.80B/----	0.80B/0.60A	----	0.60 + 0.10	.0029	----	----	----	----	1 UNCH
3170	----	----	0.80B/----	0.80B/0.60A	----	0.70 + 0.10	.0034	----	----	----	----	1 UNCH
3175	----	----	0.80B/----	0.80B/0.60A	----	0.70 + 0.10	.0034	----	----	----	----	1 UNCH
3180	----	----	0.90B/----	0.90B/0.60A	----	0.70 + 0.10	.0034	----	----	----	----	2 UNCH
3185	----	----	0.90B/----	0.90B/0.60A	----	0.70 + 0.10	.0034	----	----	----	----	22 UNCH
3195	----	----	0.90B/0.50A	0.90B/0.50A	----	0.70 + 0.10	.0035	----	----	----	----	1 UNCH
3200	0.50	0.50	0.90B/0.50	0.90B/0.50	----	0.70 + 0.10	.0035	----	----	3	----	213 UNCH
3210	----	----	1.00B/0.60A	1.00B/0.60A	----	0.80 + 0.10	.0039	----	----	----	----	6 UNCH
3220	----	----	1.00B/0.60A	1.00B/0.60A	----	0.80 + 0.10	.0040	----	----	----	----	1 UNCH
3225	----	----	1.00B/0.60A	1.00B/0.60A	----	0.80 + 0.10	.0040	----	----	----	----	125 UNCH
3230	1.10	1.10	1.10/1.10	1.10/0.70A	----	0.80 + 0.10	.0040	----	----	1	----	1 + 1
3250	----	----	1.10B/0.70A	1.10B/0.70A	----	0.90 + 0.10	.0045	----	----	22	----	176 + 10
3270	----	----	1.20B/0.70A	1.20B/0.70A	----	1.00 + 0.20	.0051	----	----	----	----	61 UNCH
3275	----	----	1.20B/0.70A	1.20B/0.70A	----	1.00 + 0.20	.0051	----	----	----	----	10 UNCH
3280	----	----	1.20B/0.70A	1.20B/0.70A	----	1.00 + 0.10	.0051	----	----	----	----	25 UNCH
3285	----	----	1.20B/0.70A	1.20B/0.70A	----	1.00 + 0.10	.0051	----	----	----	----	1 UNCH
3290	----	----	1.30B/0.80A	1.30B/0.80A	----	1.00 + 0.10	.0052	----	----	----	----	22 UNCH
3300	1.10	1.10	1.30B/0.80A	1.30B/0.80A	----	1.10 + 0.20	.0057	----	----	24	----	256 + 16
3310	----	----	1.40B/0.80A	1.40B/0.80A	----	1.10 + 0.10	.0057	----	----	----	----	1 UNCH
3320	1.20	1.20	1.40B/0.80A	1.40B/0.80A	----	1.20 + 0.20	.0062	----	----	1	----	28 UNCH
3325	----	----	1.40B/0.80A	1.40B/0.80A	----	1.20 + 0.20	.0062	----	----	----	----	184 UNCH
3330	----	----	1.50B/0.90A	1.50B/0.90A	----	1.20 + 0.20	.0063	----	----	----	----	1 UNCH
3335	----	----	1.50B/0.90A	1.50B/0.90A	----	1.20 + 0.20	.0063	----	----	----	----	87 UNCH
3340	----	----	1.50B/0.90A	1.50B/0.90A	----	1.30 + 0.20	.0068	----	----	----	----	1 UNCH
3350	----	----	1.60B/0.90A	1.60B/0.90A	----	1.30 + 0.20	.0069	----	----	----	----	190 UNCH
3355	----	----	1.60B/0.90A	1.60B/0.90A	----	1.30 + 0.20	.0069	----	----	----	----	89 UNCH
3360	----	----	1.60B/0.90A	1.60B/0.90A	----	1.30 + 0.20	.0069	----	----	----	----	6 UNCH
3370	----	----	1.70B/1.00A	1.70B/1.00A	----	1.40 + 0.20	.0074	----	----	----	----	9 UNCH
3375	----	----	1.70B/1.00A	1.70B/1.00A	----	1.40 + 0.20	.0075	----	----	----	----	66 UNCH
3380	----	----	1.80B/1.00A	1.80B/1.00A	----	1.50 + 0.30	.0080	----	----	----	----	4 UNCH
3385	----	----	1.80B/1.00A	1.80B/1.00A	----	1.50 + 0.30	.0080	----	----	----	----	26 UNCH
3390	1.00	1.00	1.80B/1.00	1.80B/1.00	----	1.50 + 0.20	.0081	----	----	1	----	68 + 1
3395	----	----	1.90B/1.00A	1.90B/1.00A	----	1.50 + 0.20	.0081	----	----	----	----	32 UNCH
3400	1.30	1.30	1.90B/1.00A	1.90B/1.00A	----	1.60 + 0.30	.0086	----	----	31	----	94 + 30
3405	----	----	2.00B/1.10A	2.00B/1.10A	----	1.60 + 0.30	.0086	----	----	----	----	10 UNCH
3410	1.10	1.10	2.00B/1.00	2.00B/1.00	----	1.60 + 0.30	.0087	----	----	14	----	20 + 14
3415	1.10	1.10	2.00B/1.00	2.00B/1.00	----	1.70 + 0.40	.0092	----	----	11	----	12 + 11
3420	1.00	1.00	2.10B/1.00	2.10B/1.00	----	1.70 + 0.30	.0092	----	----	10	----	16 + 10
3425	----	----	2.10B/1.10A	2.10B/1.10A	----	1.70 + 0.30	.0093	----	----	----	----	57 UNCH
3435	----	----	2.20B/1.10A	2.20B/1.10A	----	1.80 + 0.40	.0098	----	----	----	----	6 UNCH
3440	1.20	1.20	2.30B/1.20	2.30B/1.20	----	1.80 + 0.40	.0099	----	----	1	----	7 UNCH
3445	----	----	2.30B/1.20A	2.30B/1.20A	----	1.90 + 0.40	.0104	----	----	----	----	3 UNCH
3450	----	----	2.40B/1.20A	2.40B/1.20A	----	1.90 + 0.40	.0105	----	----	----	----	144 UNCH
3455	----	----	2.40B/1.20A	2.40B/1.20A	----	1.90 + 0.40	.0105	----	----	----	----	12 UNCH
3460	1.30	1.30	2.50B/1.20A	2.50B/1.20A	----	2.00 + 0.50	.0110	----	----	2	----	11 + 1
3465	----	----	2.50B/1.30A	2.50B/1.30A	----	2.00 + 0.50	.0111	----	----	----	----	142 UNCH
3470	----	----	2.60B/1.30A	2.60B/1.30A	----	2.00 + 0.40	.0112	----	----	----	----	6 UNCH
3475	2.00	2.00	2.60B/1.30A	2.60B/1.30A	----	2.10 + 0.50	.0117	----	----	1	----	133 UNCH
3480	1.40	1.40	2.70B/1.30A	2.70B/1.30A	----	2.10 + 0.50	.0117	----	----	25	----	103 - 20
3485	----	----	2.70B/1.30A	2.70B/1.30A	----	2.20 + 0.60	.0123	----	----	----	----	10 UNCH
3495	----	----	2.80B/1.40A	2.80B/1.40A	----	2.20 + 0.50	.0124	----	----	----	----	11 UNCH
3500	1.50	1.50	2.90B/1.40A	2.90B/1.40A	----	2.30 + 0.60	.0129	----	----	62	----	592 + 2
3505	----	----	3.00B/1.40A	3.00B/1.40A	----	2.30 + 0.60	.0130	----	----	----	----	9 UNCH
3510	----	----	3.00B/1.40A	3.00B/1.40A	----	2.40 + 0.60	.0135	----	----	----	----	12 UNCH
3515	----	----	3.10B/1.40A	3.10B/1.40A	----	2.40 + 0.60	.0136	----	----	----	----	8 UNCH
3520	----	----	3.20B/1.50A	3.20B/1.50A	----	2.50 + 0.70	.0142	----	----	----	----	5 UNCH
3525	----	----	3.20B/1.50A	3.20B/1.50A	----	2.50 + 0.70	.0142	----	----	----	----	8 UNCH
3530	----	----	3.30B/1.50A	3.30B/1.50A	----	2.60 + 0.70	.0148	----	----	----	----	168 UNCH
3535	1.70	1.70	3.40B/1.50A	3.40B/1.50A	----	2.60 + 0.70	.0149	----	----	6	----	41 + 5
3545	----	----	3.50B/1.60A	3.50B/1.60A	----	2.70 + 0.80	.0155	----	----	----	----	257 UNCH
3550	----	----	3.60B/1.60A	3.60B/1.60A	----	2.80 + 0.80	.0161	----	----	----	----	182 UNCH
3555	----	----	3.60B/1.60A	3.60B/1.60A	----	2.80 + 0.80	.0162	----	----	----	----	1 UNCH
3565	----	----	3.80B/1.70A	3.80B/1.70A	----	2.90 + 0.90	.0168	----	----	----	----	4 UNCH
3575	----	----	3.90B/1.70A	3.90B/1.70A	----	3.00 + 0.90	.0175	----	----	1	----	6 + 1
3580	----	----	4.00B/1.70A	4.00B/1.70A	----	3.10 + 1.00	.0181	----	----	----	----	12 UNCH
3585	----	----	4.10B/1.80A	4.10B/1.80A	----	3.10 + 0.90	.0182	----	----	----	----	13 UNCH
3590	----	----	4.20B/1.80A	4.20B/1.80A	----	3.20 + 1.00	.0188	----	----	----	----	14 UNCH
3595	----	----	4.20B/1.80A	4.20B/1.80A	----	3.30 + 1.10	.0193	----	----	----	----	9 UNCH
3600	3.40	3.40	4.30B/1.90A	4.30B/1.90A	----	3.30 + 1.00	.0195	----	----	122	----	542 - 69
3605	----	----	4.40B/1.90A	4.40B/1.90A	----	3.40 + 1.10	.0201	----	----	----	----	13 UNCH
3610	----	----	4.50B/1.90A	4.50B/1.90A	----	3.50 + 1.20	.0207	----	----	----	----	8 UNCH
3615	----	----	4.60B/1.90A	4.60B/1.90A	----	3.50 + 1.10	.0208	----	----	----	----	6 UNCH
3620	----	----	4.70B/2.00A	4.70B/2.00A	----	3.60 + 1.20	.0214	----	----	----	----	13 UNCH
3625	----	----	4.80B/2.00A	4.80B/2.00A	----	3.70 + 1.20	.0220	----	----	----	----	108 UNCH
3630	----	----	4.90B/2.00A	4.90B/2.00A	----	3.70 + 1.20	.0221	----	----	----	----	13 UNCH
3635	----	----	5.00B/2.00A	5.00B/2.00A	----	3.80 + 1.30	.0227	----	----	----	----	8 UNCH
3640	----	----	5.10B/2.10A	5.10B/2.10A	----	3.90 + 1.30	.0234	----	----	----	----	7 UNCH
3645	----	----	5.20B/2.10A	5.20B/2.10A	----	3.90 + 1.30	.0235	----	----	----	----	5 UNCH
3650	----	----	5.30B/2.20A	5.30B/2.20A	----	4.00 + 1.30	.0241	----	----	21	----	94 UNCH
3655	3.30	3.30	5.40B/2.20A	5.40B/2.20A	----	4.10 + 1.40	.0248	----	----	2	----	21 - 2
3660	3.40	3.40	5.50B/2.20A	5.50B/2.20A	----	4.20 + 1.40	.0254	----	----	11	----	45 - 10
3665	----	----	5.60B/2.30A	5.60B/2.30A	----	4.30 + 1.50	.0260	----	----	----	----	6 UNCH
3670	----	----	5.70B/2.30A	5.70B/2.30A	----	4.40 + 1.50	.0267	----	----	1	----	113 + 1
3675	----	----	5.80B/2.30A	5.80B/2.30A	----	4.40 + 1.50	.0269	----	----	21	----	145 UNCH
3680	----	----	6.00B/2.40A	6.00B/2.40A	----	4.50 + 1.50	.0275	----	----	----	----	6 UNCH
3685	----	----	6.10B/2.40A	6.10B/2.40A	----	4.60 + 1.60	.0282	----	----	----	----	17 UNCH
3690	----	----	6.20B/2.40A	6.20B/2.40A	----	4.70 + 1.60	.0288	----	----	----	----	55 UNCH
3695	----	----	6.30B/2.50A	6.30B/2.50A	----	4.80 + 1.70	.0295	----	----	----	----	144 UNCH
3700	3.10	3.10	6.50B/2.50A	6.50B/2.50A	----	4.90 + 1.70	.0302	----	----	160	----	707 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3705	----	----	6.60B/2.60A	6.60B/2.60A	----	5.00 + 1.80	.0309	----	----	----	----	26 UNCH
3710	----	----	6.70B/2.60A	6.70B/2.60A	----	5.10 + 1.80	.0315	----	----	----	----	1 UNCH
3715	5.10	5.10	6.90B/2.70A	6.90B/2.70A	----	5.20 + 1.90	.0322	----	----	1	----	30 UNCH
3720	5.10	5.10	7.00B/2.70A	7.00B/2.70A	----	5.30 + 1.90	.0329	----	----	1	----	20 + 1
3725	5.60	5.60	7.20B/2.70A	7.20B/2.70A	----	5.40 + 1.90	.0336	----	----	6	----	135 UNCH
3730	----	----	7.30B/2.80A	7.30B/2.80A	----	5.50 + 2.00	.0343	----	----	----	----	20 UNCH
3735	----	----	7.50B/2.80A	7.50B/2.80A	----	5.60 + 2.00	.0351	----	----	----	----	41 UNCH
3740	5.80	5.80	7.70B/2.90A	7.70B/2.90A	----	5.70 + 2.00	.0358	----	----	1	----	35 UNCH
3745	----	----	7.80B/2.90A	7.80B/2.90A	----	5.90 + 2.20	.0370	----	----	----	----	22 UNCH
3750	6.20	6.20	8.00B/3.00A	8.00B/3.00A	----	6.00 + 2.20	.0377	----	----	747	----	1262 + 274
3755	6.10	6.10	8.20B/3.10A	8.20B/3.10A	----	6.10 + 2.20	.0385	----	----	1	----	17 + 1
3760	----	----	8.30B/3.10A	8.30B/3.10A	----	6.20 + 2.30	.0392	----	----	8	----	9 + 6
3765	6.30	6.30	8.50B/3.20A	8.50B/3.20A	----	6.40 + 2.40	.0404	----	----	1	----	37 UNCH
3770	6.30	6.30	8.70B/3.20A	8.70B/3.20A	----	6.50 + 2.40	.0412	----	----	1	----	137 + 1
3775	6.50	6.50	8.90B/3.30A	8.90B/3.30A	----	6.60 + 2.40	.0420	----	----	2	----	89 + 1
3780	4.10	4.10	9.10B/3.40A	9.10B/3.40A	----	6.80 + 2.50	.0433	----	----	6	----	26 + 4
3785	6.80	6.80	9.30B/3.40A	9.30B/3.40A	----	6.90 + 2.60	.0441	----	----	2	----	12 + 1
3790	7.10	7.10	9.50B/3.50A	9.50B/3.50A	----	7.10 + 2.70	.0453	----	----	2	----	50 UNCH
3795	7.10	7.10	9.70B/3.60A	9.70B/3.60A	----	7.20 + 2.70	.0461	----	----	1	----	51 + 1
3800	3.80	3.80	10.00B/3.60A	10.00B/3.60A	----	7.40 + 2.80	.0474	----	----	801	----	2058 + 547
3805	7.70	7.70	10.20B/3.70A	10.20B/3.70A	----	7.50 + 2.80	.0483	----	----	5	----	14 + 5
3810	5.20	5.20	10.40B/3.80A	10.40B/3.80A	----	7.70 + 2.90	.0496	----	----	21	----	61 + 1
3815	----	----	10.70B/3.80A	10.70B/3.80A	----	7.90 + 3.00	.0509	----	----	----	----	23 UNCH
3820	8.10	8.10	10.90B/3.90A	10.90B/3.90A	----	8.00 + 3.00	.0518	----	----	1	----	16 + 1
3825	8.20	8.20	11.20B/4.00A	11.20B/4.00A	----	8.20 + 3.10	.0531	----	----	5	----	70 UNCH
3830	8.50	8.50	11.40B/4.00A	11.40B/4.00A	----	8.40 + 3.20	.0544	----	----	3	----	27 UNCH
3835	----	----	11.70B/4.10A	11.70B/4.10A	----	8.60 + 3.30	.0558	----	----	----	----	15 UNCH
3840	7.70	7.70	11.90B/4.20A	11.90B/4.20A	----	8.80 + 3.40	.0572	----	----	4	----	44 + 4
3845	8.30	8.30	12.20B/4.30A	12.20B/4.30A	----	9.00 + 3.40	.0586	----	----	1	----	18 + 1
3850	4.60	4.60	12.50B/4.40A	12.50B/4.40A	----	9.20 + 3.50	.0600	----	----	16	----	242 - 3
3855	9.50	9.50	12.80B/4.50A	12.80B/4.50A	----	9.40 + 3.60	.0614	----	----	1	----	72 + 1
3860	9.50	9.50	13.10B/4.60A	13.10B/4.60A	----	9.60 + 3.70	.0628	----	----	1	----	58 UNCH
3865	5.00	5.00	13.40B/4.60A	13.40B/4.60A	----	9.80 + 3.70	.0642	----	----	1	----	108 + 1
3870	12.50	12.50	13.70B/4.70A	13.70B/4.70A	----	10.10 + 3.90	.0661	----	----	7	----	22 + 1
3875	12.90	12.90	14.00B/4.80A	14.00B/4.80A	----	10.30 + 3.90	.0676	----	----	7	----	122 UNCH
3880	----	----	14.30B/4.90A	14.30B/4.90A	----	10.50 + 4.00	.0691	----	----	18	----	44 - 2
3885	13.20	13.20	14.60B/5.00A	14.60B/5.00A	----	10.80 + 4.10	.0710	----	----	3	----	57 + 3
3890	7.00	7.00	15.00B/5.20A	15.00B/5.20A	----	11.10 + 4.30	.0730	----	----	15	----	120 + 11
3895	----	----	15.30B/5.20A	15.30B/5.20A	----	11.30 + 4.30	.0745	----	----	----	----	29 UNCH
3900	5.90	5.90	15.80/5.40A	15.80/5.40A	----	11.60 + 4.40	.0765	----	----	211	----	919 + 76
3905	12.00	12.00	16.00B/5.50A	16.00B/5.50A	----	11.90 + 4.60	.0785	----	----	1	----	35 + 1
3910	12.20	12.20	16.40B/5.60A	16.40B/5.60A	----	12.20 + 4.70	.0805	----	----	2	----	93 UNCH
3915	11.70	11.70	16.80B/5.80A	16.80B/5.80A	----	12.50 + 4.80	.0826	----	----	1	----	29 + 1
3920	6.70	6.70	17.20B/5.80A	17.20B/5.80A	----	12.80 + 4.90	.0846	----	----	5	----	92 + 1
3925	11.40	11.40	17.60B/6.00A	17.60B/6.00A	----	13.10 + 5.10	.0867	----	----	11	----	156 + 1
3930	13.70	13.70	18.00B/6.20A	18.00B/6.20A	----	13.40 + 5.20	.0888	----	----	1	----	48 UNCH
3935	9.20	9.20	18.50B/6.30A	18.50B/6.30A	----	13.70 + 5.30	.0910	----	----	2	----	80 + 2
3940	7.30	7.30	18.90B/6.40A	18.90B/6.40A	----	14.10 + 5.50	.0935	----	----	5	----	104 + 3
3945	7.50	7.50	19.40B/6.60	19.40B/6.60	----	14.40 + 5.60	.0957	----	----	12	----	80 + 6
3950	6.90	6.90	19.90B/6.70A	19.90B/6.70A	----	14.80 + 5.80	.0983	----	----	26	----	828 + 1
3955	13.90	13.90	20.40B/6.90A	20.40B/6.90A	----	15.20 + 6.00	.1009	----	----	6	----	154 - 1
3960	7.30	7.30	20.90B/7.00A	20.90B/7.00A	----	15.60 + 6.10	.1036	----	----	10	----	128 + 4
3965	10.70	10.70	21.40B/7.20A	21.40B/7.20A	----	16.00 + 6.30	.1062	----	----	2	----	179 + 2
3970	14.10	14.10	22.00B/7.40A	22.00B/7.40A	----	16.40 + 6.50	.1089	----	----	5	----	68 - 1
3975	16.60	16.60	22.50B/7.60A	22.50B/7.60A	----	16.80 + 6.70	.1116	----	----	3	----	57 + 1
3980	22.00	22.00	23.10B/7.80A	23.10B/7.80A	----	17.20 + 6.80	.1144	----	----	6	----	263 + 4
3985	17.90	17.90	23.70B/7.90A	23.70B/7.90A	----	17.70 + 7.10	.1176	----	----	70	----	336 - 31
3990	9.30	9.30	24.30B/8.10A	24.30B/8.10A	----	18.20 + 7.30	.1208	----	----	178	----	158 + 85
3995	18.30	18.30	24.90B/8.30A	24.90B/8.30A	----	18.60 + 7.40	.1236	----	----	1	----	58 + 1
4000	12.80	12.80	25.50B/8.60A	25.50B/8.60A	----	19.10 + 7.70	.1268	----	----	789	----	4497 - 90
4005	10.00	10.00	26.20B/8.80A	26.20B/8.80A	----	19.60 + 7.90	.1301	----	----	8	----	184 UNCH
4010	10.30	10.30	26.70B/9.00A	26.70B/9.00A	----	20.10 + 8.10	.1334	----	----	17	----	81 - 3
4015	10.60	10.60	27.40B/9.20A	27.40B/9.20A	----	20.70 + 8.40	.1371	----	----	9	----	93 + 6
4020	10.90	10.90	28.00B/9.40A	28.00B/9.40A	----	21.20 + 8.50	.1405	----	----	21	----	182 + 17
4025	10.10	10.10	28.80B/9.60A	28.80B/9.60A	----	21.80 + 8.80	.1443	----	----	28	----	116 - 2
4030	11.50	11.50	29.70B/9.90A	29.70B/9.90A	----	22.40 + 9.10	.1481	----	----	4	----	78 + 2
4035	15.10	15.10	30.40B/10.20A	30.40B/10.20A	----	23.00 + 9.30	.1519	----	----	10	----	43 + 8
4040	14.80	14.80	31.00B/10.40A	31.00B/10.40A	----	23.60 + 9.50	.1558	----	----	8	----	46 + 1
4045	12.40	12.40	31.90B/10.80A	31.90B/10.80A	----	24.20 + 9.70	.1597	----	----	3	----	44 + 1
4050	13.50	13.50	33.00/11.00A	33.00/11.00A	----	24.90 + 10.10	.1640	----	----	59	----	671 - 13
4055	13.10	13.10	33.70B/11.30A	33.70B/11.30A	----	25.60 + 10.40	.1683	----	----	6	----	82 + 3
4060	14.70	14.70	34.50B/11.60A	34.50B/11.60A	----	26.30 + 10.60	.1727	----	----	13	----	93 + 7
4065	13.80	13.80	35.40B/12.00A	35.40B/12.00A	----	27.00 + 10.90	.1771	----	----	3	----	167 + 2
4070	14.20	14.20	36.30B/12.20A	36.30B/12.20A	----	27.70 + 11.20	.1815	----	----	13	----	40 - 1
4075	14.60	14.60	37.20B/12.60A	37.20B/12.60A	----	28.50 + 11.50	.1863	----	----	15	----	84 + 1
4080	34.60	34.60	38.20B/13.00A	38.20B/13.00A	----	29.30 + 11.80	.1911	----	----	16	----	129 + 13
4085	19.00	19.00	39.20B/13.30A	39.20B/13.30A	----	30.10 + 12.10	.1960	----	----	7	----	27 - 5
4090	19.60	19.60	40.20B/13.70A	40.20B/13.70A	----	30.90 + 12.40	.2009	----	----	13	----	72 + 13
4095	38.50	38.50	41.30B/14.00A	41.30B/14.00A	----	31.70 + 12.70	.2059	----	----	1	----	52 + 1
4100	23.00	23.00	42.40B/14.40A	42.40B/14.40A	----	32.60 + 13.10	.2112	----	----	598	----	1797 - 194
4105	17.20	17.20	43.40B/14.90A	43.40B/14.90A	----	33.50 + 13.50	.2166	----	----	4	----	48 + 4
4110	22.30	22.30	44.50B/15.40A	44.50B/15.40A	----	34.40 + 13.80	.2220	----	----	5	----	68 - 1
4115	21.50	21.50	45.70B/15.80A	45.70B/15.80A	----	35.40 + 14.20	.2277	----	----	2	----	23 - 1
4120	42.40	42.40	46.90B/16.20A	46.90B/16.20A	----	36.40 + 14.60	.2335	----	----	1	----	108 UNCH
4125	19.50	19.50	48.00B/16.80A	48.00B/16.80A	----	37.40 + 15.00	.2393	----	----	86	----	162 + 60
4130	21.90	21.90	49.40B/17.40A	49.40B/17.40A	----	38.40 + 15.40	.2451	----	----	29	----	181 + 3
4135	----	----	50.60B/17.90A	50.60B/17.90A	----	39.50 + 15.80	.2513	----	----	----	----	45 UNCH
4140	39.20	39.20	51.80B/18.40A	51.80B/18.40A	----	40.60 + 16.30	.2575	----	----	4	----	39 + 1
4145	21.90	21.90	53.30B/19.00A	53.30B/19.00A	----	41.70 + 16.70	.2638	----	----	8	----	282 + 3
4150	29.00	29.00	54.50B/19.60A	54.50B/19.60A	----	42.80 + 17.10	.2701	----	----	250	----	540 - 42
4155	27.10	27.10	56.00B/20.10A	56.00B/20.10A	----	44.00 + 17.50	.2767	----	----	59	----	338 + 14
4160	28.10	28.10	57.60B/20.80A	57.60B/20.80A	----	45.20 + 18.00	.2834	----	----	135	----	303 + 14
4165	31.90	31.90	58.90B/21.40A	58.90B/21.40A	----	46.50 + 18.50	.2903	----	----	5	----	124 - 3
4170	37.80	37.80	60.40B/22.00A	60.40B/22.00A	----	47.80 + 19.00	.2973	----	----	15	----	179 - 1
4175	38.80	38.80	61.80B/22.70A	61.80B/22.70A	----	49.10 + 19.50	.3043	----	----	9	----	131 + 2
4180	43.40	43.40	64.40/23.40A	64.40/23.40A	----	50.40 + 20.00	.3114	----	----	7	----	55 + 1
4185	45.00	45.00	65.10B/24.10A	65.10B/24.10A	----	51.80 + 20.50	.3187	----	----	5	----	49 UNCH
4190	36.60	36.60	67.80/24.90A	67.80/24.90A	----	53.20 + 21.00	.3261	----	----	19	----	145 - 2
4195	54.00	54.00	68.40B/25.60A	68.40B/25.60A	----	54.70 + 21.60	.3337	----	----	5	----	92 - 1
4200	38.00	38.00	70.10B/26.40A	70.10B/26.40A	----	56.20 + 22.10	.3413	----	----	1203	----	1943 + 49
4205	37.00	37.00	71.90B/27.20A	71.90B/27.20A	----	57.70 + 22.60	.3491	----	----	8	----	95 - 3
4210	----	----	73.70B/28.10A	73.70B/28.10A	----	59.30 + 23.20	.3570	----	----	1	----	98 + 1
4215	35.60	35.60	75.50B/28.90A	75.50B/28.90A	----	60.90 + 23.80	.3650	----	----	27	----	87 + 15
4220	44.70	44.70	77.50B/29.80A	77.50B/29.80A	----	62.50 + 24.30	.3730	----	----	12	----	274 - 2
4225	38.00	38.00	79.20B/30.80A	79.20B/30.80A	----	64.20 + 24.90	.3813	----	----	39	----	181 + 9
4230	43.80	43.80	81.10B/31.70A	81.10B/31.70A	----	66.00 + 25.50	.3896	----	----	8	----	78 + 1
4235	40.50	40.50	82.20B/32.70A	82.20B/32.70A	----	67.70 + 26.10	.3980	----	----	9	----	69 + 1
4240	48.50	48.50	84.50B/33.70A	84.50B/33.70A	----	69.50 + 26.60	.4065	----	----	9	----	139 - 3
4245	39.60	39.60	86.10B/34.80A	86.10B/34.80A	----	71.40 + 27.30	.4152	----	----	5	----	55 UNCH
4250	45.00	45.00	89.00/35.90A	89.00/35.90A	----	73.30 + 27.90	.4239	----	----	365	----	1365 - 76
4255	63.20	63.20	90.40B/37.00A	90.40B/37.00A	----	75.20 + 28.40	.4327	----	----	12	----	52 + 6
4260	52.40	52.40	92.70B/38.10A	92.70B/38.10A	----	77.20 + 29.10	.4416	----	----	11	----	97 - 6
4265	45.80	45.80	94.90B/39.30A	94.90B/39.30A	----	79.30 + 29.70	.4506	----	----	22	----	222 UNCH
4270	43.40	43.40	97.80B/40.60A	97.80B/40.60A	----	81.30 + 30.30	.4596	----	----	9	----	186 - 1
4275	72.00	72.00	100.20B/41.80A	100.20B/41.80A	----	83.50 + 31.00	.4687	----	----	6	----	138 - 1
4280	55.10	55.10	102.60B/43.10A	102.60B/43.10A	----	85.60 + 31.50	.4779	----	----	14	----	156 - 3
4285	59.50	59.50	105.10B/44.50A	105.10B/44.50A	----	87.90 + 32.20	.4871	----	----	61	----	187 - 20
4290	63.00	63.00	107.80B/45.90A	107.80B/45.90A	----	90.20 + 32.90	.4964	----	----	25	----	99 + 12
4295	58.30	58.30	110.30B/47.40A	110.30B/47.40A	----	92.50 + 33.50	.5058	----	----	16	----	142 + 3
4300	59.70	59.70	115.00/48.90A	115.00/48.90A	----	94.90 + 34.20	.5152	----	----	254	----	2164 - 51
4305	57.50	57.50	115.70B/50.40A	115.70B/50.40A	----	97.30 + 34.90	.5246	----	----	7	----	117 + 1
4310	60.00	60.00	118.30B/51.90A	118.30B/51.90A	----	99.80 + 35.60	.5341	----	----	8	----	100 - 1
4315	63.40	63.40	121.30B/53.50A	121.30B/53.50A	----	102.40 + 36.30	.5435	----	----	8	----	114 + 4
4320	62.90	62.90	124.00B/55.20A	124.00B/55.20A	----	105.00 + 37.10	.5530	----	----	3	----	129 + 1
4325	66.50	66.50	127.00B/56.90A	127.00B/56.90A	----	107.60 + 37.70	.5624	----	----	5	----	132 - 1
4330	108.70	108.70	129.90B/58.60A	129.90B/58.60A	----	110.30 + 38.50	.5719	----	----	2	----	203 + 1
4335	77.10	77.10	132.90B/60.50A	132.90B/60.50A	----	113.10 + 39.20	.5813	----	----	3	----	194 UNCH
4340	79.30	79.30	135.90B/62.30A	135.90B/62.30A	----	115.90 + 40.00	.5907	----	----	3	----	195 UNCH
4345	68.80	68.80	138.50B/64.20A	138.50B/64.20A	----	118.80 + 40.80	.6001	----	----	2	----	66 UNCH
4350	72.60	72.60	142.30B/66.20A	142.30B/66.20A	----	121.70 + 41.50	.6095	----	----	99	----	1718 - 3
4355	83.20	83.20	145.30B/68.10A	145.30B/68.10A	----	124.70 + 42.20	.6188	----	----	6	----	177 - 2
4360	88.30	88.30	148.80B/70.20A	148.80B/70.20A	----	127.70 + 43.00	.6281	----	----	12	----	871 - 6
4365	83.10	83.10	151.30B/72.40A	151.30B/72.40A	----	130.80 + 43.70	.6372	----	----	2	----	89 UNCH
4370	131.50	131.50	155.00B/74.50A	155.00B/74.50A	----	133.90 + 44.40	.6464	----	----	2	----	175 UNCH
4375	92.70	92.70	158.40B/76.70A	158.40B/76.70A	----	137.10 + 45.10	.6555	----	----	6	----	103 - 3
4380	82.80	82.80	161.90B/79.00A	161.90B/79.00A	----	140.30 + 45.80	.6645	----	----	6	----	181 + 2
4385	144.80	144.80	165.20B/81.20A	165.20B/81.20A	----	143.50 + 46.40	.6734	----	----	1	----	81 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4390	107.00	107.00	168.60B/83.80A	168.60B/83.80A	----	146.80 + 47.10	.6823	----	----	2	----	138 - 2
4395	----	----	172.10B/86.10A	172.10B/86.10A	----	150.20 + 47.80	.6912	----	----	----	----	149 UNCH
4400	130.90	130.90	177.20/88.60A	177.20/88.60A	----	153.60 + 48.40	.6999	----	----	118	----	2400 - 65
4405	178.00	178.00	178.70B/91.20A	178.70B/91.20A	----	157.00 + 49.00	.7083	----	----	1	----	33 - 1
4410	----	----	182.40B/93.70A	182.40B/93.70A	----	160.50 + 49.70	.7168	----	----	----	----	66 UNCH
4415	----	----	185.60B/96.40A	185.60B/96.40A	----	164.10 + 50.40	.7250	----	----	----	----	103 UNCH
4420	----	----	190.30B/99.20A	190.30B/99.20A	----	167.70 + 51.10	.7331	----	----	1	----	129 + 1
4425	127.50	127.50	194.70B/102.00A	194.70B/102.00A	----	171.40 + 51.80	.7410	----	----	4	----	345 - 4
4430	----	----	197.80B/104.80A	197.80B/104.80A	----	175.10 + 52.50	.7489	----	----	8	----	244 + 2
4435	----	----	201.80B/107.70A	201.80B/107.70A	----	178.90 + 53.20	.7565	----	----	1	----	99 UNCH
4440	----	----	205.60B/109.20A	205.60B/109.20A	----	182.70 + 53.90	.7640	----	----	----	----	238 UNCH
4445	----	----	209.50B/113.60A	209.50B/113.60A	----	186.50 + 54.50	.7715	----	----	----	----	159 UNCH
4450	138.40	138.40	214.10B/116.60A	214.10B/116.60A	----	190.40 + 55.20	.7787	----	----	11	----	1101 - 2
4455	147.80	147.80	217.50B/119.70A	217.50B/119.70A	----	194.30 + 55.80	.7859	----	----	2	----	123 - 1
4460	----	----	222.10B/122.90A	222.10B/122.90A	----	198.30 + 56.50	.7927	----	----	----	----	280 UNCH
4465	----	----	225.70B/126.10A	225.70B/126.10A	----	202.30 + 57.10	.7994	----	----	----	----	145 UNCH
4470	----	----	230.30B/129.40A	230.30B/129.40A	----	206.30 + 57.70	.8062	----	----	----	----	271 UNCH
4475	----	----	233.40B/132.80A	233.40B/132.80A	----	210.40 + 58.30	.8125	----	----	22	----	272 - 22
4480	----	----	238.50B/136.10A	238.50B/136.10A	----	214.40 + 58.80	.8189	----	----	7	----	512 - 6
4485	----	----	242.20B/139.60A	242.20B/139.60A	----	218.50 + 59.30	.8252	----	----	----	----	115 UNCH
4490	----	----	246.30B/143.10A	246.30B/143.10A	----	222.70 + 59.90	.8310	----	----	----	----	105 UNCH
4495	----	----	249.70B/146.60A	249.70B/146.60A	----	226.90 + 60.40	.8373	----	----	----	----	105 UNCH
4500	157.50	157.50	255.30B/150.20A	255.30B/150.20A	----	231.10 + 60.90	.8427	----	----	25	----	2257 - 12
4505	----	----	258.60B/153.80A	258.60B/153.80A	----	235.30 + 61.30	.8485	----	----	----	----	66 UNCH
4510	----	----	262.00B/157.50A	262.00B/157.50A	----	239.60 + 61.80	.8539	----	----	----	----	65 UNCH
4515	----	----	266.30B/161.20A	266.30B/161.20A	----	243.90 + 62.30	.8592	----	----	----	----	16 UNCH
4520	----	----	272.10B/165.00A	272.10B/165.00A	----	248.20 + 62.70	.8645	----	----	----	----	157 UNCH
4525	----	----	276.50B/168.80A	276.50B/168.80A	----	252.60 + 63.20	.8693	----	----	----	----	152 UNCH
4530	----	----	280.20B/172.70A	280.20B/172.70A	----	257.00 + 63.60	.8740	----	----	----	----	73 UNCH
4535	----	----	284.70B/176.60A	284.70B/176.60A	----	261.50 + 64.10	.8782	----	----	----	----	21 UNCH
4540	----	----	289.50B/180.60A	289.50B/180.60A	----	266.00 + 64.60	.8824	----	----	----	----	121 UNCH
4545	277.00	277.00	293.70B/184.50A	293.70B/184.50A	----	270.50 + 65.00	.8865	----	----	1	----	44 - 1
4550	217.60	217.60	299.20B/188.60A	299.20B/188.60A	----	275.00 + 65.40	.8906	----	----	9	----	453 - 5
4555	239.30	239.30	302.60B/192.60A	302.60B/192.60A	----	279.60 + 65.90	.8942	----	----	1	----	40 UNCH
4560	----	----	307.90B/196.70A	307.90B/196.70A	----	284.20 + 66.40	.8976	----	----	2	----	96 UNCH
4565	----	----	312.50B/200.80A	312.50B/200.80A	----	288.70 + 66.70	.9011	----	----	2	----	134 UNCH
4570	226.00	226.00	317.10B/205.00A	317.10B/205.00A	----	293.30 + 67.10	.9046	----	----	1	----	133 - 1
4575	----	----	320.80B/209.20A	320.80B/209.20A	----	297.90 + 67.50	.9080	----	----	----	----	45 UNCH
4580	----	----	325.40B/213.40A	325.40B/213.40A	----	302.60 + 67.90	.9114	----	----	----	----	42 UNCH
4585	----	----	330.20B/217.70A	330.20B/217.70A	----	307.20 + 68.20	.9142	----	----	----	----	27 UNCH
4590	----	----	334.50B/222.00A	334.50B/222.00A	----	311.80 + 68.50	.9176	----	----	----	----	40 UNCH
4595	----	----	339.20B/226.30A	339.20B/226.30A	----	316.50 + 68.80	.9203	----	----	----	----	143 UNCH
4600	305.50	305.50	344.60B/230.60A	344.60B/230.60A	----	321.20 + 69.20	.9230	----	----	2	----	1460 UNCH
4605	----	----	348.60B/235.00A	348.60B/235.00A	----	325.90 + 69.50	.9258	----	----	----	----	88 UNCH
4610	----	----	353.10B/239.40A	353.10B/239.40A	----	330.60 + 69.70	.9284	----	----	----	----	120 UNCH
4615	----	----	358.10B/243.80A	358.10B/243.80A	----	335.30 + 70.00	.9311	----	----	----	----	56 UNCH
4620	----	----	362.80B/248.30A	362.80B/248.30A	----	340.00 + 70.20	.9338	----	----	----	----	51 UNCH
4625	----	----	367.60B/252.80A	367.60B/252.80A	----	344.80 + 70.50	.9357	----	----	1	----	176 UNCH
4630	----	----	372.10B/257.30A	372.10B/257.30A	----	349.60 + 70.80	.9377	----	----	1	----	17 UNCH
4635	----	----	377.10B/261.80A	377.10B/261.80A	----	354.30 + 70.90	.9403	----	----	----	----	168 UNCH
4640	----	----	381.90B/266.30A	381.90B/266.30A	----	359.10 + 71.20	.9423	----	----	----	----	157 UNCH
4645	364.00	364.00	386.70B/270.90A	386.70B/270.90A	----	363.90 + 71.40	.9442	----	----	3	----	29 UNCH
4650	340.00	340.00	391.50B/275.50A	391.50B/275.50A	----	368.70 + 71.60	.9461	----	----	2	----	481 UNCH
4655	----	----	396.30B/280.10A	396.30B/280.10A	----	373.50 + 71.80	.9472	----	----	1	----	13 UNCH
4660	----	----	401.10B/284.70A	401.10B/284.70A	----	378.40 + 72.10	.9491	----	----	1	----	100 - 1
4665	----	----	406.00B/289.30A	406.00B/289.30A	----	383.20 + 72.20	.9510	----	----	----	----	24 UNCH
4670	----	----	410.80B/294.00A	410.80B/294.00A	----	388.00 + 72.40	.9521	----	----	1	----	101 UNCH
4675	----	----	415.60B/298.60A	415.60B/298.60A	----	392.90 + 72.60	.9539	----	----	1	----	171 UNCH
4680	----	----	381.20B/303.30A	381.20B/303.30A	----	397.80 + 72.90	.9550	----	----	----	----	165 UNCH
4685	----	----	386.00B/308.00A	386.00B/308.00A	----	402.60 + 73.00	.9561	----	----	----	----	8 UNCH
4690	----	----	390.80B/312.70A	390.80B/312.70A	----	407.50 + 73.20	.9579	----	----	----	----	60 UNCH
4695	----	----	395.70B/317.40A	395.70B/317.40A	----	412.40 + 73.40	.9590	----	----	----	----	202 UNCH
4700	387.00	387.00	435.20B/322.10A	435.20B/322.10A	----	417.20 + 73.50	.9601	----	----	2	----	769 UNCH
4705	----	----	405.30B/326.90A	405.30B/326.90A	----	422.10 + 73.60	.9611	----	----	----	----	30 UNCH
4710	----	----	410.20B/331.60A	410.20B/331.60A	----	427.00 + 73.80	.9622	----	----	----	----	127 UNCH
4715	----	----	415.10B/336.40A	415.10B/336.40A	----	431.90 + 73.90	.9632	----	----	----	----	122 UNCH
4720	----	----	419.90B/341.20A	419.90B/341.20A	----	436.80 + 74.00	.9642	----	----	----	----	61 UNCH
4725	----	----	424.80B/346.00A	424.80B/346.00A	----	441.70 + 74.10	.9652	----	----	----	----	228 UNCH
4730	----	----	429.60B/350.80A	429.60B/350.80A	----	446.60 + 74.20	.9662	----	----	2	----	72 - 1
4735	----	----	434.50B/355.60A	434.50B/355.60A	----	451.50 + 74.30	.9672	----	----	----	----	38 UNCH
4740	----	----	439.40B/360.40A	439.40B/360.40A	----	456.40 + 74.40	.9682	----	----	1	----	119 UNCH
4745	----	----	444.30B/365.20A	444.30B/365.20A	----	461.40 + 74.60	.9692	----	----	----	----	140 UNCH
4750	----	----	484.20B/370.10A	484.20B/370.10A	----	466.30 + 74.70	.9694	----	----	2	----	778 UNCH
4755	----	----	454.00B/374.90A	454.00B/374.90A	----	471.20 + 74.70	.9704	----	----	----	----	14 UNCH
4760	----	----	456.90B/379.70A	456.90B/379.70A	----	476.10 + 74.80	.9713	----	----	----	----	70 UNCH
4765	----	----	461.80B/384.60A	461.80B/384.60A	----	481.10 + 74.90	.9715	----	----	----	----	307 UNCH
4770	----	----	466.80B/389.40A	466.80B/389.40A	----	486.00 + 74.90	.9725	----	----	----	----	11 UNCH
4775	----	----	465.50B/394.30A	465.50B/394.30A	----	490.90 + 75.00	.9734	----	----	----	----	56 UNCH
4780	----	----	469.80B/399.20A	469.80B/399.20A	----	495.90 + 75.10	.9736	----	----	3	----	39 UNCH
4785	----	----	470.60B/404.10A	470.60B/404.10A	----	500.80 + 75.10	.9745	----	----	----	----	118 UNCH
4790	----	----	475.50B/408.90A	475.50B/408.90A	----	505.70 + 75.10	.9754	----	----	----	----	3 UNCH
4795	----	----	----	----	----	510.70 + 75.20	.9756	----	----	----	----	80 UNCH
4800	----	----	533.50B/420.60A	533.50B/420.60A	----	515.60 + 75.20	.9765	----	----	----	----	1252 UNCH
4805	----	----	----	----	----	520.60 + 75.30	.9767	----	----	----	----	22 UNCH
4810	----	----	----	----	----	525.50 + 75.30	.9776	----	----	----	----	11 UNCH
4815	----	----	----	----	----	530.50 + 75.40	.9777	----	----	----	----	28 UNCH
4820	----	----	----	----	----	535.40 + 75.40	.9786	----	----	----	----	207 UNCH
4825	----	----	----	----	----	540.40 + 75.50	.9787	----	----	----	----	33 UNCH
4830	----	----	----	----	----	545.30 + 75.50	.9789	----	----	----	----	5 UNCH
4835	----	----	----	----	----	550.30 + 75.60	.9798	----	----	----	----	24 UNCH
4840	----	----	----	----	----	555.20 + 75.60	.9799	----	----	----	----	10 UNCH
4845	----	----	----	----	----	560.20 + 75.70	.9808	----	----	----	----	53 UNCH
4850	----	----	----	----	----	565.20 + 75.80	.9809	----	----	----	----	300 UNCH
4855	----	----	----	----	----	570.10 + 75.80	.9810	----	----	----	----	11 UNCH
4860	----	----	----	----	----	575.10 + 75.90	.9819	----	----	3	----	8 UNCH
4865	----	----	----	----	----	580.00 + 75.90	.9820	----	----	----	----	30 UNCH
4870	----	----	----	----	----	585.00 + 75.90	.9821	----	----	----	----	319 UNCH
4875	----	----	----	----	----	590.00 + 76.00	.9829	----	----	----	----	71 UNCH
4880	----	----	----	----	----	594.90 + 76.00	.9830	----	----	----	----	41 UNCH
4885	----	----	----	----	----	599.90 + 76.00	.9831	----	----	----	----	12 UNCH
4890	----	----	----	----	----	604.90 + 76.10	.9840	----	----	----	----	9 UNCH
4895	----	----	----	----	----	609.80 + 76.10	.9841	----	----	----	----	48 UNCH
4900	----	----	----	----	----	614.80 + 76.10	.9842	----	----	----	----	260 UNCH
4905	----	----	----	----	----	619.80 + 76.20	.9850	----	----	----	----	53 UNCH
4910	----	----	----	----	----	624.80 + 76.20	.9851	----	----	----	----	4 UNCH
4915	----	----	----	----	----	629.70 + 76.20	.9851	----	----	----	----	118 UNCH
4920	----	----	----	----	----	634.70 + 76.20	.9852	----	----	----	----	22 UNCH
4925	----	----	----	----	----	639.70 + 76.30	.9860	----	----	----	----	11 UNCH
4930	----	----	----	----	----	644.60 + 76.20	.9861	----	----	----	----	52 UNCH
4935	----	----	----	----	----	649.60 + 76.20	.9862	----	----	----	----	4 UNCH
4940	----	----	----	----	----	654.60 + 76.30	.9863	----	----	----	----	1 UNCH
4950	----	----	----	----	----	664.50 + 76.30	.9871	----	----	----	----	110 UNCH
4975	----	----	----	----	----	689.40 + 76.40	.9882	----	----	----	----	2 UNCH
4980	622.40	622.40	622.40/622.40	622.40/622.40	----	694.40 + 76.40	.9883	----	----	1	----	5 - 1
4985	----	----	----	----	----	699.40 + 76.40	.9883	----	----	----	----	103 UNCH
4990	----	----	----	----	----	704.40 + 76.50	.9884	----	----	----	----	2 UNCH
4995	----	----	----	----	----	709.30 + 76.40	.9892	----	----	----	----	12 UNCH
5000	----	----	732.00B/618.40A	732.00B/618.40A	----	714.30 + 76.40	.9892	----	----	5	----	540 + 5
5005	----	----	----	----	----	719.30 + 76.50	.9893	----	----	----	----	12 UNCH
5010	----	----	----	----	----	724.30 + 76.50	.9893	----	----	----	----	8 UNCH
5015	----	----	----	----	----	729.30 + 76.50	.9894	----	----	----	----	19 UNCH
5020	----	----	----	----	----	734.30 + 76.50	.9902	----	----	----	----	5 UNCH
5025	----	----	----	----	----	739.20 + 76.50	.9902	----	----	----	----	150 UNCH
5030	----	----	----	----	----	744.20 + 76.50	.9903	----	----	----	----	8 UNCH
5035	----	----	----	----	----	749.20 + 76.50	.9903	----	----	----	----	37 UNCH
5040	----	----	----	----	----	754.20 + 76.50	.9904	----	----	----	----	10 UNCH
5045	----	----	----	----	----	759.20 + 76.60	.9904	----	----	----	----	5 UNCH
5050	----	----	----	----	----	764.10 + 76.50	.9912	----	----	----	----	79 UNCH
5055	----	----	----	----	----	769.10 + 76.50	.9912	----	----	----	----	3 UNCH
5065	----	----	----	----	----	779.10 + 76.60	.9913	----	----	----	----	11 UNCH
5070	----	----	----	----	----	784.10 NEW	.9913	----	----	2	----	2 + 2
5075	----	----	----	----	----	789.10 + 76.60	.9914	----	----	----	----	6 UNCH
5080	----	----	----	----	----	794.10 + 76.60	.9921	----	----	2	----	2 - 2
5085	----	----	----	----	----	799.00 + 76.50	.9922	----	----	----	----	11 UNCH
5090	----	----	----	----	----	804.00 + 76.60	.9922	----	----	----	----	6 UNCH
5095	----	----	----	----	----	809.00 + 76.60	.9922	----	----	----	----	42 UNCH
5100	----	----	----	----	----	814.00 + 76.60	.9923	----	----	----	----	107 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5105	----	----	----	----	----	819.00 + 76.60	.9923	----	----	----	----	22 UNCH
5110	----	----	----	----	----	824.00 + 76.60	.9924	----	----	----	----	16 UNCH
5115	----	----	----	----	----	829.00 + 76.60	.9931	----	----	----	----	37 UNCH
5120	----	----	----	----	----	834.00 + 76.70	.9931	----	----	----	----	13 UNCH
5125	----	----	----	----	----	838.90 + 76.60	.9931	----	----	----	----	37 UNCH
5130	----	----	----	----	----	843.90 + 76.60	.9932	----	----	----	----	25 UNCH
5135	----	----	----	----	----	848.90 + 76.60	.9932	----	----	----	----	19 UNCH
5140	----	----	----	----	----	853.90 + 76.60	.9932	----	----	----	----	21 UNCH
5145	----	----	----	----	----	858.90 + 76.60	.9933	----	----	----	----	3 UNCH
5150	----	----	----	----	----	863.90 + 76.60	.9933	----	----	----	----	235 UNCH
5155	----	----	----	----	----	868.90 + 76.70	.9933	----	----	----	----	43 UNCH
5160	----	----	----	----	----	873.90 + 76.70	.9941	----	----	----	----	44 UNCH
5170	----	----	----	----	----	883.80 + 76.60	.9941	----	----	----	----	53 UNCH
5175	----	----	----	----	----	888.80 + 76.60	.9941	----	----	----	----	61 UNCH
5180	----	----	----	----	----	893.80 + 76.60	.9942	----	----	----	----	12 UNCH
5185	----	----	----	----	----	898.80 + 76.70	.9942	----	----	----	----	103 UNCH
5190	----	----	----	----	----	903.80 + 76.70	.9942	----	----	----	----	19 UNCH
5200	----	----	----	----	----	913.80 + 76.70	.9943	----	----	----	----	54 UNCH
5225	----	----	----	----	----	938.80 + 76.80	.9951	----	----	----	----	42 UNCH
5230	----	----	----	----	----	943.70 + 76.70	.9951	----	----	----	----	2 UNCH
5235	----	----	----	----	----	948.70 + 76.70	.9951	----	----	----	----	23 UNCH
5245	----	----	----	----	----	958.70 + 76.70	.9952	----	----	----	----	2 UNCH
5250	----	----	----	----	----	963.70 + 76.70	.9952	----	----	----	----	14 UNCH
5255	----	----	----	----	----	968.70 + 76.70	.9952	----	----	----	----	14 UNCH
5285	----	----	----	----	----	998.70 + 76.80	.9960	----	----	----	----	2 UNCH
5290	----	----	----	----	----	1003.70 + 76.80	.9961	----	----	----	----	4 UNCH
5295	----	----	----	----	----	1008.70 + 76.80	.9961	----	----	----	----	2 UNCH
5300	----	----	----	----	----	1013.70 + 76.80	.9961	1	----	----	----	67 - 1
5315	----	----	----	----	----	1028.70 + 76.90	.9961	----	----	----	----	10 UNCH
5325	----	----	----	----	----	1038.70 + 76.90	.9962	----	----	----	----	2 UNCH
5350	----	----	----	----	----	1063.60 + 76.80	.9969	8	----	----	----	0 - 8
5375	----	----	----	----	----	1088.60 + 76.90	.9970	----	----	----	----	8 UNCH
5390	----	----	----	----	----	1103.60 + 76.90	.9971	----	----	----	----	5 UNCH
5400	----	----	1,131.10B/1,017	1131.10B/1017.40A	----	1113.60 + 76.90	.9971	601	----	----	----	2 - 601
5440	----	----	----	----	----	1153.60 + 76.90	.9972	----	----	----	----	1 UNCH
5475	----	----	----	----	----	1188.60 + 76.90	.9980	1	----	----	----	6 - 1
5500	----	----	----	----	----	1213.60 + 77.00	.9980	2	----	----	----	1 - 2
5505	----	----	----	----	----	1218.60 + 77.00	.9980	1	----	----	----	0 - 1
5510	----	----	----	----	----	1223.60 + 77.00	.9980	1	----	----	----	0 - 1
7000	----	----	----	----	----	2713.60 + 77.00	1.0000	25	----	50	----	0 UNCH
8000	----	----	----	----	----	3713.60 NEW	1.0000	25	----	50	----	0 UNCH
TOTAL										7772		64041 + 52
AUG26												
1995	----	----	----	----/0.40A	----	0.10 UNCH	.0003	----	----	----	----	10 UNCH
2000	----	----	----	0.10B/0.40A	----	0.10 UNCH	.0003	----	----	----	----	10 UNCH
2300	----	----	----	0.40B/0.60A	----	0.40 UNCH	.0013	----	----	----	----	46 UNCH
2325	----	----	0.50B/----	0.50B/0.60A	----	0.40 UNCH	.0013	----	----	----	----	1 UNCH
2350	----	----	0.60B/----	0.60B/0.60A	----	0.50 + 0.10	.0016	----	----	----	----	26 UNCH
2375	----	----	0.60B/----	0.60B/0.60A	----	0.50 UNCH	.0016	----	----	----	----	7 UNCH
2400	----	----	0.70B/----	0.70B/0.70A	----	0.60 + 0.10	.0019	----	----	----	----	12 UNCH
2425	----	----	0.70B/----	0.70B/0.70A	----	0.60 UNCH	.0019	----	----	----	----	1 UNCH
2450	1.10	1.10	1.10/1.10	1.10/0.80A	----	0.70 + 0.10	.0023	----	----	6	----	58 UNCH
2475	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0023	----	----	----	----	5 UNCH
2500	----	----	0.90B/----	0.90B/0.90A	----	0.80 + 0.10	.0026	----	----	----	----	272 UNCH
2560	0.90	0.90	1.10B/*0.90	1.10B/0.90	----	0.90 UNCH	.0030	----	----	2	----	2 + 2
2570	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.10	.0033	----	----	----	----	9 UNCH
2580	----	----	1.20B/----	1.20B/1.00A	----	1.00 + 0.10	.0033	----	----	----	----	1 UNCH
2590	----	----	1.20B/----	1.20B/1.10A	----	1.00 + 0.10	.0034	----	----	----	----	2 UNCH
2600	----	----	1.20B/----	1.20B/1.10A	----	1.10 + 0.10	.0037	----	----	----	----	8 UNCH
2615	----	----	1.30B/----	1.30B/1.10A	----	1.10 + 0.10	.0037	----	----	----	----	1 UNCH
2625	----	----	1.30B/----	1.30B/1.10A	----	1.10 UNCH	.0037	----	----	----	----	3 UNCH
2640	----	----	1.30B/----	1.30B/1.20A	----	1.20 + 0.10	.0040	----	----	----	----	1 UNCH
2665	----	----	1.50B/----	1.50B/1.20A	----	1.30 + 0.10	.0044	----	----	----	----	1 UNCH
2685	----	----	1.50B/----	1.50B/1.30A	----	1.40 + 0.10	.0047	----	----	----	----	1 UNCH
2690	----	----	1.50B/----	1.50B/1.30A	----	1.40 + 0.10	.0048	----	----	----	----	1 UNCH
2700	----	----	1.50B/----	1.50B/1.30A	----	1.40 + 0.10	.0048	----	----	----	----	1 UNCH
2730	----	----	1.70B/----	1.70B/1.40A	----	1.60 + 0.20	.0055	----	----	----	----	3 UNCH
2735	----	----	1.70B/1.40A	1.70B/1.40A	----	1.60 + 0.10	.0055	----	----	----	----	1 UNCH
2740	----	----	1.70B/1.40A	1.70B/1.40A	----	1.60 + 0.10	.0055	----	----	----	----	2 UNCH
2745	----	----	1.70B/1.40A	1.70B/1.40A	----	1.60 + 0.10	.0055	----	----	----	----	2 UNCH
2750	----	----	1.80B/1.40A	1.80B/1.40A	----	1.70 + 0.20	.0058	----	----	----	----	4 UNCH
2800	----	----	1.90B/1.60A	1.90B/1.60A	----	1.90 + 0.20	.0066	----	----	----	----	71 UNCH
2860	----	----	2.20B/1.80A	2.20B/1.80A	----	2.10 + 0.20	.0075	----	----	----	----	1 UNCH
2875	----	----	2.30B/1.80A	2.30B/1.80A	----	2.20 + 0.30	.0079	----	----	----	----	3 UNCH
2900	----	----	2.50B/1.90A	2.50B/1.90A	----	2.30 + 0.30	.0083	----	----	----	----	8 UNCH
2910	----	----	2.50B/2.00A	2.50B/2.00A	----	2.40 + 0.30	.0087	----	----	----	----	1 UNCH
2940	----	----	2.70B/2.10A	2.70B/2.10A	----	2.60 + 0.40	.0094	----	----	----	----	2 UNCH
2950	----	----	2.80B/2.10A	2.80B/2.10A	----	2.60 + 0.40	.0095	----	----	----	----	8 UNCH
2965	----	----	2.90B/2.20A	2.90B/2.20A	----	2.70 + 0.40	.0099	----	----	----	----	2 UNCH
2975	----	----	3.00B/2.20A	3.00B/2.20A	----	2.70 + 0.30	.0100	----	----	----	----	2 UNCH
2980	----	----	3.00B/2.20A	3.00B/2.20A	----	2.80 + 0.40	.0103	----	----	----	----	1 UNCH
3000	----	----	3.20B/2.30A	3.20B/2.30A	----	2.90 + 0.40	.0108	----	----	----	----	320 UNCH
3005	----	----	3.10B/2.40A	3.10B/2.40A	----	2.90 + 0.40	.0108	----	----	----	----	5 UNCH
3010	----	----	3.10B/2.40A	3.10B/2.40A	----	2.90 + 0.40	.0109	----	----	----	----	1 UNCH
3015	----	----	3.20B/2.40A	3.20B/2.40A	----	3.00 + 0.40	.0112	----	----	----	----	1 UNCH
3025	----	----	3.30B/2.40A	3.30B/2.40A	----	3.00 + 0.40	.0113	----	----	----	----	5 UNCH
3040	----	----	3.40B/2.50A	3.40B/2.50A	----	3.10 + 0.40	.0117	----	----	----	----	1 UNCH
3065	----	----	3.60B/2.60A	3.60B/2.60A	----	3.30 + 0.40	.0126	----	----	----	----	1 UNCH
3080	----	----	3.70B/2.70A	3.70B/2.70A	----	3.40 + 0.50	.0130	----	----	----	----	1 UNCH
3090	----	----	3.90B/2.70A	3.90B/2.70A	----	3.50 + 0.50	.0134	----	----	----	----	1 UNCH
3095	----	----	3.80B/2.70A	3.80B/2.70A	----	3.60 + 0.60	.0138	----	----	----	----	1 UNCH
3100	----	----	4.00B/2.70A	4.00B/2.70A	----	3.60 + 0.50	.0138	----	----	----	----	259 UNCH
3105	----	----	4.00B/2.80A	4.00B/2.80A	----	3.60 + 0.50	.0139	----	----	1	----	14 + 1
3110	----	----	4.10B/2.80A	4.10B/2.80A	----	3.70 + 0.60	.0143	----	----	----	----	15 UNCH
3115	----	----	4.10B/2.90A	4.10B/2.90A	----	3.70 + 0.60	.0143	----	----	----	----	1 UNCH
3120	----	----	4.10B/2.90A	4.10B/2.90A	----	3.80 + 0.60	.0147	----	----	----	----	29 UNCH
3125	----	----	4.20B/2.90A	4.20B/2.90A	----	3.80 + 0.60	.0147	----	----	----	----	1 UNCH
3130	----	----	4.30B/3.00A	4.30B/3.00A	----	3.90 + 0.70	.0151	----	----	----	----	5 UNCH
3145	----	----	4.40B/3.10A	4.40B/3.10A	----	4.00 + 0.70	.0156	----	----	----	----	1 UNCH
3150	----	----	4.50B/3.10A	4.50B/3.10A	----	4.10 + 0.70	.0159	----	----	----	----	12 UNCH
3155	----	----	4.50B/3.10A	4.50B/3.10A	----	4.20 + 0.80	.0163	----	----	----	----	3 UNCH
3160	----	----	4.60B/3.20A	4.60B/3.20A	----	4.20 + 0.80	.0164	----	----	----	----	1 UNCH
3165	4.20	4.20	4.70B/3.20A	4.70B/3.20A	----	4.30 + 0.80	.0167	----	----	12	----	140 - 1
3170	----	----	4.80B/3.20A	4.80B/3.20A	----	4.30 + 0.80	.0168	----	----	----	----	2 UNCH
3175	----	----	4.80B/3.20A	4.80B/3.20A	----	4.40 + 0.90	.0172	----	----	----	----	1 UNCH
3180	----	----	4.90B/3.30A	4.90B/3.30A	----	4.50 + 0.90	.0176	----	----	----	----	26 UNCH
3185	----	----	4.90B/3.30A	4.90B/3.30A	----	4.50 + 0.90	.0176	----	----	----	----	1 UNCH
3190	----	----	5.00B/3.30A	5.00B/3.30A	----	4.60 + 1.00	.0180	----	----	----	----	883 UNCH
3195	----	----	5.10B/3.40A	5.10B/3.40A	----	4.60 + 0.90	.0181	----	----	----	----	9 UNCH
3200	----	----	5.10B/3.40A	5.10B/3.40A	----	4.70 + 1.00	.0185	----	----	1	----	514 + 1
3235	----	----	5.70B/3.70A	5.70B/3.70A	----	5.10 + 1.10	.0202	----	----	----	----	20 UNCH
3250	4.10	4.10	5.90B/3.80A	5.90B/3.80A	----	5.30 + 1.20	.0211	----	----	4	----	524 - 2
3260	----	----	6.20B/3.80A	6.20B/3.80A	----	5.40 + 1.20	.0216	----	----	----	----	31 UNCH
3280	----	----	6.40B/4.00A	6.40B/4.00A	----	5.60 + 1.20	.0226	----	----	----	----	31 UNCH
3295	----	----	6.70B/4.10A	6.70B/4.10A	----	5.80 + 1.20	.0235	----	----	1	----	11 + 1
3300	6.10	6.10	6.80B/4.20A	6.80B/4.20A	----	5.90 + 1.30	.0239	----	----	3	----	245 - 3
3305	----	----	6.90B/4.20A	6.90B/4.20A	----	6.00 + 1.30	.0243	----	----	----	----	1 UNCH
3310	----	----	7.00B/4.30A	7.00B/4.30A	----	6.10 + 1.40	.0248	----	----	----	----	20 UNCH
3320	----	----	7.20B/4.30A	7.20B/4.30A	----	6.20 + 1.40	.0253	----	----	----	----	8 UNCH
3330	6.10	6.10	7.40B/4.40A	7.40B/4.40A	----	6.40 + 1.50	.0261	----	----	2	----	4 + 2
3340	6.30	6.30	7.60B/4.50A	7.60B/4.50A	----	6.60 NEW	.0270	----	----	4	----	4 + 4
3350	----	----	7.80B/4.60A	7.80B/4.60A	----	6.80 + 1.70	.0278	----	----	1	----	479 UNCH
3365	----	----	8.10B/4.80A	8.10B/4.80A	----	7.10 + 1.80	.0291	----	----	----	----	1 UNCH
3370	6.80	6.80	8.20B/4.80A	8.20B/4.80A	----	7.20 + 1.80	.0296	----	----	3	----	4 + 3
3375	----	----	8.40B/4.90A	8.40B/4.90A	----	7.30 + 1.90	.0300	----	----	----	----	16 UNCH
3380	----	----	8.50B/5.00A	8.50B/5.00A	----	7.40 + 1.90	.0304	----	----	----	----	1 UNCH
3390	7.00	7.00	8.70B/5.10A	8.70B/5.10A	----	7.60 + 2.00	.0313	----	----	2	----	2 + 1
3395	----	----	8.90B/5.10A	8.90B/5.10A	----	7.70 + 2.00	.0318	----	----	----	----	7 UNCH
3400	6.50	6.50	9.00B/5.20A	9.00B/5.20A	----	7.80 + 2.00	.0322	----	----	7	----	321 + 1
3405	7.40	7.40	9.10B/5.20A	9.10B/5.20A	----	7.90 + 2.10	.0327	----	----	2	----	26 + 2
3410	----	----	9.30B/5.30A	9.30B/5.30A	----	8.00 + 2.10	.0332	----	----	----	----	28 UNCH
3425	----	----	9.70B/5.50A	9.70B/5.50A	----	8.30 + 2.20	.0345	----	----	----	----	1 UNCH
3430	----	----	9.80B/5.60A	9.80B/5.60A	----	8.40 + 2.20	.0350	----	----	----	----	20 UNCH
3450	----	----	10.40B/5.80A	10.40B/5.80A	----	8.90 + 2.40	.0372	----	----	1	----	6 - 1
3460	----	----	10.70B/6.00A	10.70B/6.00A	----	9.20 + 2.50	.0385	----	----	----	----	1 UNCH
3465	----	----	10.90B/6.00A	10.90B/6.00A	----	9.30 + 2.50	.0390	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3470	----	----	11.10B/6.10A	11.10B/6.10A	----	9.50 + 2.60	.0398	----	----	----	----	1 UNCH
3485	----	----	11.60B/6.30A	11.60B/6.30A	----	9.90 + 2.70	.0416	----	----	----	----	1 UNCH
3495	----	----	11.90B/6.50A	11.90B/6.50A	----	10.20 + 2.80	.0429	----	----	----	----	1 UNCH
3500	9.30	9.30	12.50/6.60A	12.50/6.60A	----	10.40 + 2.90	.0437	----	----	381	----	1042 + 240
3505	----	----	12.30B/6.70A	12.30B/6.70A	----	10.50 + 2.90	.0442	----	----	----	----	1 UNCH
3510	----	----	12.50B/6.80A	12.50B/6.80A	----	10.70 + 3.00	.0450	----	----	----	----	50 UNCH
3520	----	----	12.90B/6.90A	12.90B/6.90A	----	11.00 + 3.10	.0464	----	----	----	----	211 UNCH
3525	----	----	13.10B/7.00A	13.10B/7.00A	----	11.20 + 3.20	.0472	----	----	----	----	62 UNCH
3535	----	----	13.50B/7.20A	13.50B/7.20A	----	11.50 + 3.30	.0486	----	----	----	----	1 UNCH
3545	----	----	13.90B/7.40A	13.90B/7.40A	----	11.90 + 3.50	.0502	----	----	----	----	9 UNCH
3550	11.90	11.90	14.10B/7.50A	14.10B/7.50A	----	12.10 + 3.60	.0511	----	----	1	----	153 + 1
3560	----	----	14.50B/7.70A	14.50B/7.70A	----	12.40 + 3.60	.0525	----	----	----	----	11 UNCH
3565	----	----	14.80B/7.80A	14.80B/7.80A	----	12.60 + 3.70	.0534	----	----	----	----	1 UNCH
3570	----	----	15.00B/7.90A	15.00B/7.90A	----	12.80 + 3.80	.0542	----	----	----	----	32 UNCH
3575	----	----	15.20B/8.00A	15.20B/8.00A	----	13.00 + 3.80	.0551	----	----	----	----	13 UNCH
3580	----	----	15.50B/8.10A	15.50B/8.10A	----	13.20 + 3.90	.0560	----	----	----	----	1 UNCH
3585	----	----	15.70B/8.20A	15.70B/8.20A	----	13.40 + 4.00	.0569	----	----	----	----	50 UNCH
3600	9.00	9.00	16.50B/8.60A	16.50B/8.60A	----	14.10 + 4.30	.0598	----	----	38	900	1761 + 924
3605	----	----	16.70B/8.70A	16.70B/8.70A	----	14.30 + 4.30	.0607	----	----	----	----	1 UNCH
3610	----	----	17.00B/8.80A	17.00B/8.80A	----	14.50 + 4.40	.0616	----	----	----	----	3 UNCH
3615	11.00	11.00	17.30B/9.00A	17.30B/9.00A	----	14.70 + 4.40	.0625	----	----	1	----	2 + 1
3620	----	----	17.60B/9.10A	17.60B/9.10A	----	15.00 + 4.60	.0637	----	----	----	----	1 UNCH
3630	----	----	18.10B/9.40A	18.10B/9.40A	----	15.50 + 4.80	.0658	----	----	----	----	8 UNCH
3640	----	----	18.70B/9.60A	18.70B/9.60A	----	16.00 + 5.00	.0680	----	----	----	----	2 UNCH
3645	----	----	19.00B/9.80A	19.00B/9.80A	----	16.20 + 5.00	.0689	----	----	----	----	21 UNCH
3650	11.10	11.10	19.30B/10.00A	19.30B/10.00A	----	16.50 + 5.10	.0702	----	----	8	----	67 + 7
3655	12.10	12.10	19.60B/10.10A	19.60B/10.10A	----	16.70 + 5.20	.0711	----	----	1	----	57 - 1
3660	----	----	20.00B/10.20A	20.00B/10.20A	----	17.00 + 5.30	.0724	----	----	----	----	10 UNCH
3665	----	----	20.30B/10.40A	20.30B/10.40A	----	17.30 + 5.40	.0736	----	----	----	----	3 UNCH
3675	----	----	21.00B/10.70A	21.00B/10.70A	----	17.80 + 5.50	.0758	----	----	----	----	28 UNCH
3680	16.40	16.40	21.30B/10.90A	21.30B/10.90A	----	18.10 NEW	.0771	----	----	1	----	1 + 1
3690	----	----	22.00B/11.20A	22.00B/11.20A	----	18.70 + 5.80	.0797	----	----	----	----	12 UNCH
3695	----	----	22.30B/11.40A	22.30B/11.40A	----	19.00 + 5.90	.0809	----	----	----	----	1 UNCH
3700	15.00	15.00	22.70B/11.60A	22.70B/11.60A	----	19.40 + 6.10	.0825	----	----	41	----	366 + 28
3705	17.20	17.20	23.10B/11.80A	23.10B/11.80A	----	19.70 + 6.20	.0838	----	----	1	----	22 + 1
3715	----	----	23.80B/12.20A	23.80B/12.20A	----	20.30 + 6.40	.0864	----	----	5	----	36 + 5
3720	----	----	24.20B/12.30A	24.20B/12.30A	----	20.70 + 6.60	.0880	----	----	1	----	46 UNCH
3725	----	----	24.60B/12.50A	24.60B/12.50A	----	21.00 + 6.60	.0893	----	----	----	----	43 UNCH
3730	----	----	25.10B/12.70A	25.10B/12.70A	----	21.40 + 6.80	.0909	----	----	----	----	11 UNCH
3735	----	----	25.50B/12.90A	25.50B/12.90A	----	21.70 + 6.90	.0923	----	----	----	----	31 UNCH
3740	----	----	25.90B/13.20A	25.90B/13.20A	----	22.10 + 7.00	.0939	----	----	----	----	7 UNCH
3745	17.40	17.40	26.30B/13.40A	26.30B/13.40A	----	22.50 + 7.20	.0955	----	----	1	----	2 + 1
3750	18.40	18.40	26.80B/13.60A	26.80B/13.60A	----	22.80 + 7.20	.0969	----	----	11	----	162 + 9
3755	----	----	27.20B/13.80A	27.20B/13.80A	----	23.20 + 7.40	.0985	----	----	----	----	1 UNCH
3760	----	----	27.70B/14.00A	27.70B/14.00A	----	23.60 + 7.50	.1002	----	----	1	----	2 + 1
3765	----	----	28.20B/14.20A	28.20B/14.20A	----	24.00 + 7.60	.1018	----	----	----	----	109 UNCH
3770	----	----	28.70B/14.40A	28.70B/14.40A	----	24.40 + 7.80	.1035	----	----	----	----	14 UNCH
3775	18.00	18.00	29.10B/14.80A	29.10B/14.80A	----	24.80 + 7.90	.1052	----	----	65	----	78 + 55
3780	----	----	29.60B/15.00A	29.60B/15.00A	----	25.30 + 8.10	.1071	----	----	----	----	27 UNCH
3785	----	----	30.10B/15.20A	30.10B/15.20A	----	25.70 + 8.20	.1088	----	----	----	----	2 UNCH
3790	17.60	17.60	30.70B/15.40A	30.70B/15.40A	----	26.10 + 8.30	.1105	----	----	11	----	17 + 11
3795	----	----	31.20B/15.80A	31.20B/15.80A	----	26.60 + 8.50	.1124	----	----	----	----	30 UNCH
3800	18.30	18.30	31.70B/16.00A	31.70B/16.00A	----	27.00 + 8.60	.1142	----	----	143	----	968 - 36
3805	32.50	32.50	32.50/16.20A	32.50/16.20A	----	27.50 + 8.80	.1161	----	----	1	----	7 + 1
3810	33.40	33.40	33.40/16.60A	33.40/16.60A	----	28.00 + 9.00	.1181	----	----	1	----	57 + 1
3815	----	----	33.40B/16.80A	33.40B/16.80A	----	28.50 + 9.10	.1201	----	----	----	----	159 UNCH
3820	----	----	33.90B/17.20A	33.90B/17.20A	----	29.00 + 9.30	.1221	----	----	----	----	72 UNCH
3825	----	----	34.50B/17.40A	34.50B/17.40A	----	29.50 + 9.50	.1241	----	----	----	----	72 UNCH
3830	20.80	20.80	35.10B/17.80A	35.10B/17.80A	----	30.00 + 9.60	.1261	----	----	1	----	2 + 1
3835	22.20	22.20	35.70B/18.00A	35.70B/18.00A	----	30.50 + 9.70	.1282	----	----	1	----	18 UNCH
3840	35.20	35.20	36.30B/18.40A	36.30B/18.40A	----	31.00 + 9.90	.1302	----	----	2	----	15 + 2
3845	----	----	36.90B/18.60A	36.90B/18.60A	----	31.60 + 10.10	.1325	----	----	----	----	14 UNCH
3850	20.90	20.90	37.60B/19.00A	37.60B/19.00A	----	32.10 + 10.20	.1346	----	----	172	2550	2011 + 1832
3855	----	----	38.20B/19.40A	38.20B/19.40A	----	32.70 + 10.40	.1369	----	----	----	----	7 UNCH
3860	----	----	38.90B/19.80A	38.90B/19.80A	----	33.30 + 10.60	.1392	----	----	----	----	1 UNCH
3865	40.40	40.40	40.40/20.00A	40.40/20.00A	----	33.80 + 10.70	.1413	----	----	1	----	2 + 1
3870	32.80	32.80	40.30B/20.40A	40.30B/20.40A	----	34.40 + 10.90	.1436	----	----	1	----	18 + 1
3875	35.70	35.70	41.00B/20.80A	41.00B/20.80A	----	35.00 + 11.10	.1460	----	----	66	----	74 + 27
3880	32.10	32.10	41.70B/21.20A	41.70B/21.20A	----	35.70 + 11.40	.1486	----	----	3	----	340 + 2
3885	31.60	31.60	42.40B/21.60A	42.40B/21.60A	----	36.30 + 11.50	.1510	----	----	3	----	96 + 2
3890	35.60	35.60	43.20B/22.00A	43.20B/22.00A	----	36.90 + 11.70	.1533	----	----	5	----	78 + 5
3895	----	----	43.90B/22.40A	43.90B/22.40A	----	37.60 + 11.90	.1560	----	----	----	----	14 UNCH
3900	26.20	26.20	44.70B/22.80A	44.70B/22.80A	----	38.20 + 12.10	.1584	----	----	935	250	3368 + 508
3905	24.00	24.00	45.40B/23.20A	45.40B/23.20A	----	38.90 + 12.30	.1610	----	----	2	----	25 UNCH
3910	34.90	34.90	46.20B/23.60A	46.20B/23.60A	----	39.60 + 12.50	.1637	----	----	8	----	103 + 1
3915	35.10	35.10	47.00B/24.00A	47.00B/24.00A	----	40.30 + 12.70	.1663	----	----	1	----	60 + 1
3920	26.80	26.80	47.80B/24.40A	47.80B/24.40A	----	41.00 + 12.90	.1690	----	----	60	----	80 + 14
3925	26.40	26.40	49.00/24.80A	49.00/24.80A	----	41.70 + 13.10	.1717	----	----	65	----	119 + 51
3930	----	----	49.50B/25.40A	49.50B/25.40A	----	42.50 + 13.30	.1746	----	----	----	----	62 UNCH
3935	----	----	50.40B/25.80A	50.40B/25.80A	----	43.20 + 13.50	.1774	----	----	----	----	25 UNCH
3940	43.00	43.00	51.20B/26.20A	51.20B/26.20A	----	44.00 + 13.70	.1803	----	----	28	----	33 + 9
3945	----	----	52.10B/26.80A	52.10B/26.80A	----	44.80 + 14.00	.1832	----	----	----	----	3 UNCH
3950	29.40	29.40	53.10B/27.20A	53.10B/27.20A	----	45.60 + 14.20	.1862	----	----	57	----	333 + 54
3955	----	----	53.90B/27.80A	53.90B/27.80A	----	46.40 + 14.40	.1892	----	----	----	----	15 UNCH
3960	30.10	30.10	54.90B/28.40A	54.90B/28.40A	----	47.20 + 14.60	.1922	----	----	3	----	28 - 1
3965	----	----	55.90B/29.00A	55.90B/29.00A	----	48.00 + 14.80	.1952	----	----	1	----	47 + 1
3970	44.40	44.40	56.90B/29.60A	56.90B/29.60A	----	48.90 + 15.10	.1984	----	----	1	----	13 UNCH
3975	----	----	57.90B/30.10A	57.90B/30.10A	----	49.80 + 15.40	.2016	----	----	4	----	298 - 2
3980	33.60	33.60	59.00B/30.70A	59.00B/30.70A	----	50.70 + 15.60	.2048	----	----	15	----	2263 + 6
3985	----	----	60.00B/31.30A	60.00B/31.30A	----	51.60 + 15.80	.2081	----	----	----	----	4 UNCH
3990	45.40	45.40	61.10B/31.90A	61.10B/31.90A	----	52.50 + 16.10	.2113	----	----	2	----	47 + 2
3995	46.30	46.30	62.00B/32.50A	62.00B/32.50A	----	53.40 + 16.30	.2146	----	----	4	----	17 + 3
4000	38.40	38.40	63.30B/33.10A	63.30B/33.10A	----	54.40 + 16.60	.2181	----	----	1508	----	3377 + 510
4005	43.00	43.00	64.30B/33.80A	64.30B/33.80A	----	55.30 + 16.80	.2214	----	----	1	----	8 + 1
4010	49.30	49.30	65.40B/34.40A	65.40B/34.40A	----	56.30 + 17.00	.2249	----	----	5	----	110 - 3
4015	----	----	66.50B/35.10A	66.50B/35.10A	----	57.30 + 17.30	.2284	----	----	----	----	3 UNCH
4020	----	----	67.50B/35.70A	67.50B/35.70A	----	58.30 + 17.50	.2320	----	----	1	----	7 UNCH
4025	----	----	68.90B/36.40A	68.90B/36.40A	----	59.40 + 17.80	.2357	----	----	69	----	314 - 6
4030	40.60	40.60	70.10B/37.10A	70.10B/37.10A	----	60.40 + 18.10	.2393	----	----	1	----	66 UNCH
4035	----	----	71.20B/37.80A	71.20B/37.80A	----	61.50 + 18.40	.2430	----	----	15	----	36 + 6
4040	----	----	72.50B/38.60A	72.50B/38.60A	----	62.60 + 18.60	.2467	----	----	----	----	33 UNCH
4045	----	----	73.80B/39.30A	73.80B/39.30A	----	63.70 + 18.90	.2505	----	----	1	----	36 UNCH
4050	45.60	45.60	75.10B/40.10A	75.10B/40.10A	----	64.80 + 19.10	.2543	----	----	99	----	432 + 40
4055	43.30	43.30	76.30B/40.80A	76.30B/40.80A	----	66.00 + 19.50	.2583	----	----	4	----	43 + 4
4060	45.50	45.50	77.60B/41.60A	77.60B/41.60A	----	67.20 + 19.80	.2622	----	----	1	----	16 + 1
4065	----	----	79.00B/42.40A	79.00B/42.40A	----	68.30 + 20.00	.2661	----	----	1	----	14 + 1
4070	----	----	80.40B/43.20A	80.40B/43.20A	----	69.60 + 20.30	.2702	----	----	----	----	65 UNCH
4075	71.30	71.30	81.70B/44.10A	81.70B/44.10A	----	70.80 + 20.60	.2743	----	----	51	330	554 + 80
4080	----	----	83.30B/44.90A	83.30B/44.90A	----	72.10 + 20.90	.2784	----	----	1	----	25 + 1
4085	68.80	68.80	84.80B/45.80A	84.80B/45.80A	----	73.30 + 21.20	.2825	----	----	2	----	349 + 1
4090	59.40	59.40	86.10B/46.70A	86.10B/46.70A	----	74.60 + 21.50	.2867	----	----	10	----	205 - 3
4095	75.30	75.30	87.70B/47.60A	87.70B/47.60A	----	76.00 + 21.80	.2910	----	----	1	----	86 + 1
4100	66.30	66.30	89.30B/48.50A	89.30B/48.50A	----	77.30 + 22.10	.2953	----	----	1024	----	1354 + 27
4105	62.80	62.80	90.70B/49.50A	90.70B/49.50A	----	78.70 + 22.50	.2997	----	----	1	----	23 + 1
4110	75.30	75.30	92.20B/50.50A	92.20B/50.50A	----	80.10 + 22.80	.3041	----	----	2	----	28 UNCH
4115	75.60	75.60	93.80B/51.40A	93.80B/51.40A	----	81.50 + 23.10	.3085	----	----	1	----	63 + 1
4120	81.60	81.60	95.40B/52.40A	95.40B/52.40A	----	82.90 + 23.40	.3129	----	----	17	----	141 UNCH
4125	----	----	97.00B/53.40A	97.00B/53.40A	----	84.40 + 23.70	.3175	----	----	29	----	50 + 29
4130	----	----	98.70B/54.50A	98.70B/54.50A	----	85.90 + 24.10	.3221	----	----	1	----	19 UNCH
4135	----	----	100.30B/55.60A	100.30B/55.60A	----	87.40 + 24.40	.3266	----	----	2	----	67 UNCH
4140	89.00	89.00	102.00B/56.60A	102.00B/56.60A	----	88.90 + 24.70	.3313	----	----	36	----	43 + 27
4145	78.80	78.80	103.80B/57.70A	103.80B/57.70A	----	90.50 + 25.10	.3360	----	----	5	----	47 + 1
4150	69.60	69.60	105.60B/58.80A	105.60B/58.80A	----	92.10 + 25.40	.3407	----	----	69	900	2162 + 868
4155	----	----	107.30B/60.00A	107.30B/60.00A	----	93.70 + 25.80	.3455	----	----	----	----	65 UNCH
4160	----	----	109.00B/61.10A	109.00B/61.10A	----	95.30 + 26.10	.3503	----	----	1	----	60 UNCH
4165	65.80	65.80	110.80B/62.30A	110.80B/62.30A	----	97.00 + 26.50	.3551	----	----	5	----	117 + 4
4170	88.20	88.20	112.70B/63.50A	112.70B/63.50A	----	98.70 + 26.80	.3600	----	----	1	----	89 UNCH
4175	----	----	114.60B/64.80A	114.60B/64.80A	----	100.40 + 27.20	.3649	----	----	29	----	42 - 23
4180	----	----	116.50B/66.00A	116.50B/66.00A	----	102.20 + 27.60	.3699	----	----	----	----	134 UNCH
4185	80.30	80.30	118.40B/67.30A	118.40B/67.30A	----	103.90 + 27.90	.3749	----	----	2	----	54 + 1
4190	75.50	75.50	120.60B/68.60A	120.60B/68.60A	----	105.70 + 28.20	.3799	----	----	7	----	758 - 1
4195	85.60	85.60	122.40B/69.90A	122.40B/69.90A	----	107.60 + 28.70	.3850	----	----	52	----	265 + 43
4200	83.00	83.00	124.50B/71.30A	124.50B/71.30A	----	109.40 + 29.00	.3901	----	----	314	----	1629 + 72
4205	114.50	114.50	126.50B/72.60A	126.50B/72.60A	----	111.30 + 29.40	.3953	----	----	1	----	350 UNCH
4210	----	----	128.60B/74.10A	128.60B/74.10A	----	113.20 + 29.80	.4004	----	----	----	----	23 UNCH
4215	----	----	130.70B/75.50A	130.70B/75.50A	----	115.10 + 30.10	.4056	----	----	----	----	22 UNCH
4220	113.70	113.70	131.80B/76.90A	131.80B/76.90A	----	117.10 + 30.50	.4108	----	----	51	----	92 - 40

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4225	103.50	103.50	133.90B/78.40A	133.90B/78.40A	----	119.10 + 30.90	.4161	----	----	65	----	74 + 13
4230	117.40	117.40	136.50B/79.90A	136.50B/79.90A	----	121.10 + 31.30	.4214	----	----	2	----	41 UNCH
4235	107.20	107.20	138.10B/81.40A	138.10B/81.40A	----	123.20 + 31.70	.4267	----	----	2	----	9 UNCH
4240	109.10	109.10	140.30B/83.00A	140.30B/83.00A	----	125.30 + 32.10	.4320	----	----	12	----	45 + 5
4245	111.00	111.00	142.60B/84.50A	142.60B/84.50A	----	127.40 + 32.50	.4374	----	----	1	----	258 + 1
4250	113.00	113.00	145.30B/86.20A	145.30B/86.20A	----	129.50 + 32.90	.4428	----	----	13	----	1545 - 2
4255	117.10	117.10	147.10B/87.80A	147.10B/87.80A	----	131.70 + 33.30	.4482	----	----	8	----	893 + 1
4260	122.10	122.10	149.50B/89.50A	149.50B/89.50A	----	133.90 + 33.70	.4536	----	----	7	----	51 UNCH
4265	----	----	151.90B/91.10A	151.90B/91.10A	----	136.10 + 34.10	.4590	----	----	5	----	9 + 4
4270	121.00	121.00	154.30B/92.90A	154.30B/92.90A	----	138.40 + 34.50	.4645	----	----	50	----	276 + 48
4275	123.10	123.10	156.70B/94.60A	156.70B/94.60A	----	140.70 + 35.00	.4700	----	----	214	----	211 + 124
4280	125.20	125.20	159.30B/96.40A	159.30B/96.40A	----	143.00 + 35.30	.4755	----	----	3	----	387 + 2
4285	127.30	127.30	161.50B/98.20A	161.50B/98.20A	----	145.40 + 35.80	.4810	----	----	17	----	187 + 12
4290	116.00	116.00	164.00B/100.10A	164.00B/100.10A	----	147.70 + 36.10	.4865	----	----	7	----	86 + 5
4295	113.40	113.40	167.10B/101.90A	167.10B/101.90A	----	150.10 + 36.50	.4920	----	----	27	----	30 + 21
4300	122.20	122.20	169.80B/103.80A	169.80B/103.80A	----	152.60 + 37.00	.4976	----	----	255	----	1258 + 48
4305	----	----	172.50B/105.70A	172.50B/105.70A	----	155.10 + 37.50	.5031	----	----	1	----	522 UNCH
4310	----	----	175.10B/107.70A	175.10B/107.70A	----	157.60 + 37.90	.5086	----	----	1	----	20 UNCH
4315	----	----	177.70B/109.70A	177.70B/109.70A	----	160.10 + 38.30	.5142	----	----	4	----	25 + 3
4320	----	----	180.60B/111.70A	180.60B/111.70A	----	162.70 + 38.70	.5198	----	----	----	----	59 UNCH
4325	126.40	126.40	183.50B/113.80A	183.50B/113.80A	----	165.20 + 39.00	.5253	----	----	391	----	472 + 132
4330	151.40	151.40	185.90B/115.80A	185.90B/115.80A	----	167.90 + 39.50	.5309	----	----	2	----	143 - 1
4335	----	----	188.60B/117.90A	188.60B/117.90A	----	170.50 + 39.90	.5364	----	----	----	----	10 UNCH
4340	----	----	191.60B/120.10A	191.60B/120.10A	----	173.20 + 40.30	.5420	----	----	1	----	75 + 1
4345	----	----	194.40B/122.30A	194.40B/122.30A	----	175.90 + 40.70	.5475	----	----	----	----	15 UNCH
4350	145.00	145.00	197.80B/124.40A	197.80B/124.40A	----	178.70 + 41.20	.5531	----	----	70	----	1282 + 10
4355	144.10	144.10	200.40B/126.70A	200.40B/126.70A	----	181.50 + 41.60	.5586	----	----	1	----	137 + 1
4360	----	----	203.40B/129.00A	203.40B/129.00A	----	184.30 + 42.00	.5641	----	----	8	----	88 UNCH
4365	----	----	206.40B/131.20A	206.40B/131.20A	----	187.10 + 42.40	.5697	----	----	----	----	120 UNCH
4370	153.20	153.20	208.90B/133.60A	208.90B/133.60A	----	190.00 + 42.90	.5752	----	----	1	----	3 - 1
4375	155.80	155.80	212.20B/136.00A	212.20B/136.00A	----	192.90 + 43.30	.5807	----	----	51	----	87 - 4
4380	148.10	148.10	215.50B/138.30A	215.50B/138.30A	----	195.80 + 43.70	.5861	----	----	2	----	21 UNCH
4385	161.10	161.10	218.30B/140.80A	218.30B/140.80A	----	198.80 + 44.10	.5915	----	----	2	----	15 + 1
4390	----	----	221.80B/143.30A	221.80B/143.30A	----	201.80 + 44.50	.5970	----	----	----	----	48 UNCH
4395	----	----	224.80B/145.70A	224.80B/145.70A	----	204.80 + 44.90	.6023	----	----	----	----	34 UNCH
4400	192.50	192.50	228.50B/148.20A	228.50B/148.20A	----	207.90 + 45.40	.6077	----	----	315	----	2046 - 20
4405	----	----	231.10B/150.80A	231.10B/150.80A	----	211.00 + 45.80	.6131	----	----	----	----	66 UNCH
4410	174.90	174.90	234.80B/153.40A	234.80B/153.40A	----	214.10 + 46.20	.6185	----	----	1	----	356 + 1
4415	----	----	237.70B/154.70A	237.70B/154.70A	----	217.30 + 46.60	.6238	----	----	----	----	151 UNCH
4420	180.60	180.60	241.00B/158.60A	241.00B/158.60A	----	220.40 + 47.00	.6291	----	----	6	----	29 UNCH
4425	----	----	244.30B/161.40A	244.30B/161.40A	----	223.70 + 47.50	.6343	----	----	----	----	121 UNCH
4430	186.50	186.50	247.70B/164.00A	247.70B/164.00A	----	226.90 + 47.80	.6397	----	----	3	----	53 UNCH
4435	183.10	183.10	251.10B/166.80A	251.10B/166.80A	----	230.10 + 48.20	.6448	----	----	8	----	41 + 8
4440	192.50	192.50	254.50B/169.60A	254.50B/169.60A	----	233.40 + 48.60	.6500	----	----	1	----	97 UNCH
4445	----	----	257.70B/172.40A	257.70B/172.40A	----	236.70 + 48.90	.6551	----	----	----	----	9 UNCH
4450	192.00	192.00	262.00B/175.20A	262.00B/175.20A	----	240.10 + 49.40	.6603	----	----	11	----	992 - 8
4455	----	----	265.30B/178.10A	265.30B/178.10A	----	243.50 + 49.80	.6654	----	----	----	----	274 UNCH
4460	192.20	192.20	268.40B/181.00A	268.40B/181.00A	----	246.90 + 50.10	.6705	----	----	9	----	37 UNCH
4465	----	----	272.00B/183.90A	272.00B/183.90A	----	250.30 + 50.50	.6754	----	----	----	----	59 UNCH
4470	----	----	275.60B/186.90A	275.60B/186.90A	----	253.80 + 50.90	.6803	----	----	----	----	118 UNCH
4475	----	----	279.20B/189.90A	279.20B/189.90A	----	257.30 + 51.30	.6853	----	----	1	----	233 + 1
4480	----	----	282.90B/192.90A	282.90B/192.90A	----	260.80 + 51.60	.6900	----	----	----	----	141 UNCH
4485	----	----	285.90B/196.00A	285.90B/196.00A	----	264.40 + 52.00	.6948	----	----	----	----	43 UNCH
4490	----	----	289.60B/199.10A	289.60B/199.10A	----	268.00 + 52.40	.6996	----	----	1	----	21 UNCH
4495	----	----	293.20B/202.20A	293.20B/202.20A	----	271.70 + 52.90	.7042	----	----	----	----	48 UNCH
4500	274.70	274.70	298.20B/205.30A	298.20B/205.30A	----	275.30 + 53.20	.7088	----	----	18	----	2108 - 2
4505	----	----	300.70B/208.50A	300.70B/208.50A	----	279.00 + 53.60	.7134	----	----	----	----	48 UNCH
4510	----	----	304.50B/211.70A	304.50B/211.70A	----	282.70 + 54.00	.7180	----	----	----	----	56 UNCH
4515	----	----	308.30B/215.00A	308.30B/215.00A	----	286.50 + 54.40	.7226	----	----	3	----	55 - 2
4520	----	----	312.70B/218.30A	312.70B/218.30A	----	290.20 + 54.80	.7270	----	----	----	----	267 UNCH
4525	----	----	316.40B/221.50A	316.40B/221.50A	----	294.00 + 55.20	.7314	----	----	2	----	257 + 2
4530	----	----	319.80B/224.80A	319.80B/224.80A	----	297.70 + 55.40	.7358	----	----	1	----	36 - 1
4535	----	----	323.60B/228.20A	323.60B/228.20A	----	301.50 + 55.80	.7402	----	----	----	----	71 UNCH
4540	----	----	327.50B/231.60A	327.50B/231.60A	----	305.40 + 56.20	.7446	----	----	----	----	73 UNCH
4545	----	----	331.80B/235.00A	331.80B/235.00A	----	309.20 + 56.50	.7488	----	----	----	----	47 UNCH
4550	----	----	336.10B/238.50A	336.10B/238.50A	----	313.10 + 56.90	.7530	----	----	----	----	267 UNCH
4555	----	----	339.80B/241.90A	339.80B/241.90A	----	317.00 + 57.20	.7571	----	----	----	----	124 UNCH
4560	----	----	343.00B/245.30A	343.00B/245.30A	----	320.90 + 57.50	.7611	----	----	----	----	221 UNCH
4565	----	----	346.40B/248.90A	346.40B/248.90A	----	324.90 + 57.90	.7651	----	----	----	----	20 UNCH
4570	----	----	350.60B/252.40A	350.60B/252.40A	----	328.90 + 58.30	.7690	----	----	----	----	84 UNCH
4575	----	----	354.70B/256.00A	354.70B/256.00A	----	332.90 + 58.60	.7730	----	----	----	----	74 UNCH
4580	----	----	358.80B/259.50A	358.80B/259.50A	----	336.90 + 58.90	.7769	----	----	18	----	209 + 8
4585	----	----	362.90B/263.40A	362.90B/263.40A	----	341.00 + 59.30	.7806	----	----	----	----	7 UNCH
4590	----	----	367.00B/266.80A	367.00B/266.80A	----	345.00 + 59.50	.7843	----	----	----	----	41 UNCH
4595	----	----	371.10B/270.80A	371.10B/270.80A	----	349.10 + 59.90	.7880	----	----	----	----	169 UNCH
4600	304.50	304.50	375.00B/274.50A	375.00B/274.50A	----	353.20 + 60.20	.7917	----	----	32	----	704 + 8
4605	----	----	379.40B/278.20A	379.40B/278.20A	----	357.40 + 60.60	.7951	----	----	----	----	82 UNCH
4610	----	----	383.60B/282.00A	383.60B/282.00A	----	361.50 + 60.80	.7988	----	----	----	----	52 UNCH
4615	----	----	387.80B/285.80A	387.80B/285.80A	----	365.60 + 61.10	.8022	----	----	----	----	4 UNCH
4620	----	----	392.00B/289.60A	392.00B/289.60A	----	369.80 + 61.40	.8057	----	----	----	----	41 UNCH
4625	----	----	396.20B/293.40A	396.20B/293.40A	----	374.00 + 61.70	.8091	----	----	1	----	341 + 1
4630	----	----	400.20B/297.30A	400.20B/297.30A	----	378.20 + 62.00	.8125	----	----	----	----	53 UNCH
4635	----	----	404.70B/301.10A	404.70B/301.10A	----	382.40 + 62.20	.8159	----	----	----	----	129 UNCH
4640	----	----	409.00B/305.00A	409.00B/305.00A	----	386.70 + 62.60	.8190	----	----	----	----	310 UNCH
4645	----	----	413.30B/309.00A	413.30B/309.00A	----	390.90 + 62.80	.8224	----	----	----	----	135 UNCH
4650	----	----	417.60B/312.90A	417.60B/312.90A	----	395.20 + 63.10	.8255	----	----	2	----	444 UNCH
4655	----	----	421.90B/316.90A	421.90B/316.90A	----	399.50 + 63.40	.8286	----	----	----	----	30 UNCH
4660	----	----	426.00B/320.90A	426.00B/320.90A	----	403.80 + 63.60	.8317	----	----	----	----	32 UNCH
4665	----	----	430.60B/324.90A	430.60B/324.90A	----	408.10 + 63.90	.8345	----	----	----	----	4 UNCH
4670	----	----	434.70B/328.90A	434.70B/328.90A	----	412.40 + 64.10	.8376	----	----	----	----	53 UNCH
4675	----	----	439.10B/333.00A	439.10B/333.00A	----	416.70 + 64.30	.8404	----	----	1	----	15 UNCH
4680	----	----	443.70B/337.00A	443.70B/337.00A	----	421.10 + 64.60	.8435	----	----	----	----	33 UNCH
4685	----	----	448.10B/341.10A	448.10B/341.10A	----	425.50 + 64.80	.8462	----	----	----	----	224 UNCH
4690	----	----	452.30B/345.20A	452.30B/345.20A	----	429.90 + 65.10	.8490	----	----	----	----	10 UNCH
4695	----	----	457.00B/349.30A	457.00B/349.30A	----	434.30 + 65.30	.8518	----	----	----	----	5 UNCH
4700	----	----	461.40B/353.50A	461.40B/353.50A	----	438.70 + 65.50	.8542	----	----	1	----	1051 UNCH
4705	----	----	465.90B/357.70A	465.90B/357.70A	----	443.10 + 65.70	.8570	----	----	----	----	151 UNCH
4710	----	----	470.30B/361.80A	470.30B/361.80A	----	447.50 + 65.90	.8594	----	----	----	----	10 UNCH
4715	----	----	474.80B/366.00A	474.80B/366.00A	----	452.00 + 66.10	.8622	----	----	----	----	1 UNCH
4720	----	----	479.30B/370.30A	479.30B/370.30A	----	456.50 + 66.40	.8646	----	----	----	----	13 UNCH
4725	----	----	483.80B/374.50A	483.80B/374.50A	----	460.90 + 66.50	.8670	----	----	1	----	60 + 1
4730	----	----	488.30B/378.70A	488.30B/378.70A	----	465.40 + 66.70	.8694	----	----	----	----	56 UNCH
4735	----	----	492.80B/383.00A	492.80B/383.00A	----	469.90 + 66.90	.8718	----	----	----	----	59 UNCH
4740	----	----	497.30B/387.30A	497.30B/387.30A	----	474.50 + 67.20	.8739	----	----	----	----	38 UNCH
4745	----	----	501.90B/391.60A	501.90B/391.60A	----	479.00 + 67.40	.8763	----	----	----	----	44 UNCH
4750	----	----	506.40B/395.90A	506.40B/395.90A	----	483.50 + 67.50	.8784	----	----	1	----	182 + 1
4755	----	----	511.00B/400.20A	511.00B/400.20A	----	488.10 + 67.80	.8808	----	----	----	----	25 UNCH
4760	----	----	515.60B/404.60A	515.60B/404.60A	----	492.60 + 67.90	.8828	----	----	----	----	7 UNCH
4765	----	----	520.10B/408.90A	520.10B/408.90A	----	497.20 + 68.10	.8848	----	----	----	----	8 UNCH
4770	----	----	524.70B/413.30A	524.70B/413.30A	----	501.80 + 68.30	.8869	----	----	----	----	260 UNCH
4775	----	----	529.30B/417.70A	529.30B/417.70A	----	506.40 + 68.50	.8889	----	----	----	----	171 UNCH
4780	----	----	533.90B/422.10A	533.90B/422.10A	----	511.00 + 68.60	.8909	----	----	----	----	19 UNCH
4785	----	----	538.50B/426.50A	538.50B/426.50A	----	515.60 + 68.80	.8929	----	----	----	----	18 UNCH
4790	----	----	543.20B/430.90A	543.20B/430.90A	----	520.30 + 69.00	.8946	----	----	----	----	53 UNCH
4795	----	----	547.80B/435.40A	547.80B/435.40A	----	524.90 + 69.20	.8966	----	----	----	----	128 UNCH
4800	457.00	457.00	552.20B/439.80A	552.20B/439.80A	----	529.50 + 69.30	.8982	----	----	3	----	965 - 1
4805	----	----	557.10B/444.30A	557.10B/444.30A	----	534.20 + 69.50	.8998	----	----	----	----	9 UNCH
4810	----	----	561.50B/448.70A	561.50B/448.70A	----	538.80 + 69.60	.9018	----	----	----	----	5 UNCH
4815	----	----	566.40B/453.20A	566.40B/453.20A	----	543.50 + 69.80	.9035	----	----	----	----	3 UNCH
4820	----	----	571.10B/457.70A	571.10B/457.70A	----	548.20 + 70.00	.9051	----	----	----	----	4 UNCH
4825	----	----	575.80B/462.20A	575.80B/462.20A	----	552.90 + 70.20	.9067	----	----	----	----	30 UNCH
4830	----	----	580.20B/466.80A	580.20B/466.80A	----	557.60 + 70.30	.9083	----	----	----	----	4 UNCH
4835	----	----	585.10B/471.30A	585.10B/471.30A	----	562.30 + 70.50	.9099	----	----	----	----	36 UNCH
4840	----	----	589.80B/475.80A	589.80B/475.80A	----	567.00 + 70.60	.9115	----	----	----	----	5 UNCH
4850	----	----	599.00B/485.00A	599.00B/485.00A	----	576.40 + 70.90	.9142	----	----	----	----	156 UNCH
4855	----	----	604.00B/489.50A	604.00B/489.50A	----	581.10 + 71.00	.9158	----	----	----	----	11 UNCH
4860	----	----	608.70B/494.10A	608.70B/494.10A	----	585.90 + 71.20	.9170	----	----	----	----	9 UNCH
4865	----	----	613.40B/498.70A	613.40B/498.70A	----	590.60 + 71.30	.9186	----	----	----	----	12 UNCH
4870	----	----	618.20B/503.30A	618.20B/503.30A	----	595.40 + 71.40	.9198	----	----	----	----	29 UNCH
4875	----	----	622.90B/507.90A	622.90B/507.90A	----	600.10 + 71.50	.9213	----	----	----	----	82 UNCH
4880	----	----	627.70B/512.60A	627.70B/512.60A	----	604.90 + 71.70	.9225	----	----	----	----	127 UNCH
4885	----	----	632.40B/517.20A	632.40B/517.20A	----	609.60 + 71.70	.9236	----	----	----	----	8 UNCH
4890	----	----	637.20B/521.80A	637.20B/521.80A	----	614.40 + 71.90	.9252	----	----	----	----	6 UNCH
4895	----	----	#641.70B/526.50	#641.70B/526.50A	----	619.20 + 72.00	.9263	----	----	----	----	6 UNCH
4900	----	----	646.70B/531.10A	646.70B/531.10A	----	623.90 + 72.00	.9275	----	----	----	----	431 UNCH
4905	----	----	#651.50B/535.80	#651.50B/535.80A	----	628.70 + 72.10	.9286	----	----	----	----	29 UNCH
4910	----	----	#656.30B/540.50	#656.30B/540.50A	----	633.50 + 72.30	.9298	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4920	----	----	#665.60B/549.80	#665.60B/549.80A	----	643.10 + 72.50	.9320	----	----	----	----	3 UNCH
4925	----	----	670.40B/554.50A	670.40B/554.50A	----	647.90 + 72.60	.9331	----	----	----	----	57 UNCH
4930	----	----	#675.20B/559.20	#675.20B/559.20A	----	652.70 + 72.70	.9343	----	----	4	----	11 UNCH
4950	----	----	694.70B/578.10A	694.70B/578.10A	----	672.00 + 73.10	.9383	----	----	----	----	31 UNCH
4955	----	----	#699.50B/582.80	#699.50B/582.80A	----	676.80 + 73.10	.9390	----	----	----	----	1 UNCH
4965	----	----	670.00B/592.30A	670.00B/592.30A	----	686.50 + 73.30	.9407	----	----	----	----	1 UNCH
4980	----	----	684.30B/606.60A	684.30B/606.60A	----	701.00 + 73.60	.9436	----	----	----	----	1 UNCH
5000	----	----	703.70B/625.70A	703.70B/625.70A	----	720.40 + 73.90	.9466	----	----	----	----	331 UNCH
5010	----	----	#713.30B/635.30	#713.30B/635.30A	----	730.20 + 74.10	.9484	----	----	----	----	1 UNCH
5025	----	----	#727.90B/649.70	#727.90B/649.70A	----	744.80 + 74.30	.9507	----	----	----	----	25 UNCH
5030	----	----	#732.70B/654.50	#732.70B/654.50A	----	749.60 + 74.20	.9513	----	----	----	----	1 UNCH
5040	----	----	#742.50B/664.10	#742.50B/664.10A	----	759.40 + 74.40	.9526	----	----	----	----	4 UNCH
5045	----	----	#747.40B/669.00	#747.40B/669.00A	----	764.30 + 74.50	.9532	----	----	----	----	31 UNCH
5050	----	----	#752.10B/673.80	#752.10B/673.80A	----	769.20 + 74.50	.9538	----	----	----	----	351 UNCH
5070	----	----	#771.60B/693.10	#771.60B/693.10A	----	788.80 + 74.80	.9563	----	----	----	----	17 UNCH
5080	----	----	#781.50B/702.80	#781.50B/702.80A	----	798.60 + 74.90	.9575	----	----	----	----	3 UNCH
5085	----	----	#786.40B/707.70	#786.40B/707.70A	----	803.50 + 74.90	.9581	----	----	4	----	10 UNCH
5100	----	----	799.00B/722.30A	799.00B/722.30A	----	818.20 + 75.00	.9594	----	----	----	----	85 UNCH
5120	----	----	#818.60B/741.80	#818.60B/741.80A	----	837.90 + 75.20	.9618	----	----	----	----	2 UNCH
5180	----	----	----	----	----	897.00 + 75.60	.9669	----	----	----	----	1 UNCH
5200	----	----	----	----	----	916.80 + 75.70	.9683	----	----	----	----	114 UNCH
5265	----	----	----	----	----	981.10 + 76.00	.9723	----	----	----	----	1 UNCH
5300	----	----	----	----	----	1015.80 + 76.10	.9742	----	----	----	----	3 UNCH
5355	----	----	----	----	----	1070.40 + 76.30	.9769	----	----	----	----	1 UNCH
5400	----	----	----	----	----	1115.20 + 76.50	.9784	----	----	----	----	77 UNCH
5460	----	----	----	----	----	1174.90 + 76.60	.9805	----	----	----	----	1 UNCH
5500	----	----	----	----	----	1214.70 + 76.70	.9818	----	----	----	----	4 UNCH
5530	----	----	----	----	----	1244.60 + 76.70	.9826	----	----	----	----	1 UNCH
5575	----	----	----	----	----	1289.40 + 76.70	.9834	----	----	----	----	2 UNCH
TOTAL										7298	4,930	59651+ 5846
SEP26												
2000	----	----	----	0.40B/0.80A	----	0.60 + 0.10	.0015	----	----	----	----	1 UNCH
2350	----	----	----	1.20B/1.40A	----	1.30 + 0.10	.0036	----	----	----	----	37 UNCH
2375	----	----	----	1.20B/1.50A	----	1.40 + 0.10	.0039	----	----	----	----	5 UNCH
2400	----	----	----	1.30B/1.50A	----	1.50 + 0.20	.0042	----	----	----	----	1 UNCH
2500	----	----	----	1.70B/1.80A	----	1.90 + 0.20	.0054	----	----	2	----	55 + 1
2575	----	----	----	2.00B/2.00A	----	2.20 + 0.20	.0064	----	----	----	----	1 UNCH
2600	----	----	----	2.10B/2.10A	----	2.30 + 0.20	.0067	----	----	----	----	3 UNCH
2740	----	----	3.10B/2.70A	3.10B/2.70A	----	3.10 + 0.30	.0094	----	----	----	----	1 UNCH
2800	----	----	3.60B/3.00A	3.60B/3.00A	----	3.50 + 0.40	.0107	----	----	----	----	10 UNCH
2850	----	----	3.80B/3.30A	3.80B/3.30A	----	3.90 + 0.50	.0121	----	----	----	----	5 UNCH
2855	----	----	4.00B/3.30A	4.00B/3.30A	----	3.90 + 0.50	.0121	----	----	----	----	1 UNCH
2860	----	----	4.00B/3.30A	4.00B/3.30A	----	4.00 + 0.50	.0124	----	----	----	----	23 UNCH
2865	----	----	4.00B/3.30A	4.00B/3.30A	----	4.00 + 0.50	.0125	----	----	----	----	15 UNCH
2900	----	----	4.40B/3.60A	4.40B/3.60A	----	4.30 + 0.60	.0135	----	----	2	----	7 + 2
2915	----	----	4.40B/3.70A	4.40B/3.70A	----	4.50 + 0.70	.0142	----	----	----	----	2 UNCH
2920	----	----	4.50B/3.70A	4.50B/3.70A	----	4.50 + 0.60	.0142	----	----	----	----	5 UNCH
3000	----	----	5.60B/4.20A	5.60B/4.20A	----	5.40 + 0.90	.0173	----	----	----	----	12 UNCH
3045	----	----	6.30B/4.60A	6.30B/4.60A	----	6.00 + 1.10	.0194	----	----	----	----	25 UNCH
3055	4.70	4.70	6.50B/4.70	6.50B/4.70	----	6.10 NEW	.0198	----	----	5	----	5 + 5
3100	----	----	7.20B/5.10A	7.20B/5.10A	----	6.80 + 1.40	.0222	----	----	----	----	25 UNCH
3145	----	----	7.90B/5.70A	7.90B/5.70A	----	7.40 + 1.50	.0245	----	----	----	----	15 UNCH
3150	----	----	8.00B/5.70A	8.00B/5.70A	----	7.50 + 1.50	.0248	----	----	----	----	2 UNCH
3200	----	----	9.00B/6.20A	9.00B/6.20A	----	8.40 + 1.80	.0281	----	----	1	----	16 UNCH
3270	----	----	10.70B/7.20A	10.70B/7.20A	----	9.80 + 2.10	.0332	----	----	----	----	15 UNCH
3300	----	----	11.60B/7.70A	11.60B/7.70A	----	10.50 + 2.20	.0358	----	----	1	----	15 UNCH
3400	----	----	14.90B/9.60A	14.90B/9.60A	----	13.40 + 3.00	.0463	----	----	----	----	51 UNCH
3450	----	----	17.00B/10.70A	17.00B/10.70A	----	15.30 + 3.60	.0530	----	----	----	----	1 UNCH
3475	----	----	18.20B/11.40A	18.20B/11.40A	----	16.30 + 3.90	.0565	----	----	----	----	2 UNCH
3480	----	----	18.50B/11.50A	18.50B/11.50A	----	16.60 + 4.00	.0575	----	----	----	----	780 UNCH
3495	----	----	19.20B/12.00A	19.20B/12.00A	----	17.20 + 4.20	.0597	----	----	----	----	1 UNCH
3500	13.20	13.20	19.50B/12.10A	19.50B/12.10A	----	17.50 + 4.30	.0607	----	----	311	----	946 + 301
3515	----	----	20.30B/12.60A	20.30B/12.60A	----	18.20 + 4.50	.0631	----	----	----	----	35 UNCH
3525	----	----	20.90B/12.90A	20.90B/12.90A	----	18.70 + 4.60	.0649	----	----	----	----	2 UNCH
3530	----	----	21.20B/13.00A	21.20B/13.00A	----	19.00 + 4.80	.0659	----	----	----	----	1 UNCH
3535	----	----	21.50B/13.20A	21.50B/13.20A	----	19.20 + 4.80	.0667	----	----	----	----	1 UNCH
3545	----	----	22.10B/13.50A	22.10B/13.50A	----	19.70 + 4.90	.0684	----	----	----	----	6 UNCH
3550	----	----	22.40B/13.70A	22.40B/13.70A	----	20.00 + 5.00	.0694	----	----	----	----	6 UNCH
3555	19.10	19.10	22.70B/13.90A	22.70B/13.90A	----	20.30 + 5.10	.0704	----	----	1	----	6 UNCH
3565	----	----	23.40B/14.20A	23.40B/14.20A	----	20.90 + 5.30	.0725	----	----	----	----	1 UNCH
3570	----	----	23.70B/14.40A	23.70B/14.40A	----	21.20 + 5.40	.0735	----	----	----	----	3 UNCH
3575	----	----	24.10B/14.60A	24.10B/14.60A	----	21.50 + 5.50	.0745	----	----	----	----	46 UNCH
3585	----	----	24.70B/15.00A	24.70B/15.00A	----	22.10 + 5.70	.0766	----	----	----	----	1 UNCH
3590	----	----	25.10B/15.20A	25.10B/15.20A	----	22.40 + 5.70	.0776	----	----	----	----	3 UNCH
3595	----	----	25.50B/15.40A	25.50B/15.40A	----	22.70 + 5.80	.0787	----	----	----	----	5 UNCH
3600	20.70	20.70	25.80B/15.60A	25.80B/15.60A	----	23.00 + 5.90	.0797	----	----	3	----	383 UNCH
3605	----	----	26.20B/15.80A	26.20B/15.80A	----	23.30 + 5.90	.0808	----	----	----	----	9 UNCH
3610	----	----	26.60B/16.00A	26.60B/16.00A	----	23.70 + 6.10	.0821	----	----	----	----	8 UNCH
3625	----	----	27.80B/16.60A	27.80B/16.60A	----	24.70 + 6.40	.0855	----	----	----	----	7 UNCH
3635	----	----	28.50B/17.10A	28.50B/17.10A	----	25.40 + 6.60	.0879	----	----	----	----	5 UNCH
3650	----	----	29.80B/17.80A	29.80B/17.80A	----	26.50 + 6.90	.0916	----	----	----	----	65 UNCH
3665	----	----	31.10B/18.60A	31.10B/18.60A	----	27.70 + 7.20	.0955	----	----	----	----	1 UNCH
3670	----	----	31.60B/18.80A	31.60B/18.80A	----	28.10 + 7.30	.0969	----	----	----	----	3 UNCH
3675	----	----	32.00B/19.10A	32.00B/19.10A	----	28.50 + 7.40	.0982	----	----	----	----	10 UNCH
3680	----	----	32.50B/19.40A	32.50B/19.40A	----	28.90 + 7.50	.0996	----	----	----	----	3 UNCH
3685	----	----	32.90B/19.60A	32.90B/19.60A	----	29.30 + 7.60	.1009	----	----	----	----	1 UNCH
3690	----	----	33.40B/19.90A	33.40B/19.90A	----	29.70 + 7.70	.1023	----	----	----	----	61 UNCH
3700	29.80	29.80	34.40B/20.40A	34.40B/20.40A	----	30.60 + 8.00	.1052	----	----	6	----	170 - 1
3715	----	----	36.00B/21.40A	36.00B/21.40A	----	31.90 + 8.20	.1095	----	----	----	----	14 UNCH
3720	----	----	36.50B/21.60A	36.50B/21.60A	----	32.40 + 8.40	.1111	----	----	----	----	50 UNCH
3735	----	----	38.20B/22.60A	38.20B/22.60A	----	33.80 + 8.70	.1158	----	----	----	----	5 UNCH
3740	----	----	38.80B/23.00A	38.80B/23.00A	----	34.30 + 8.90	.1174	----	----	----	----	1 UNCH
3750	34.10	34.10	39.90B/23.60A	39.90B/23.60A	----	35.30 + 9.10	.1206	----	----	5	----	129 UNCH
3755	----	----	40.50B/24.00A	40.50B/24.00A	----	35.90 + 9.30	.1225	----	----	----	----	456 UNCH
3765	----	----	41.70B/24.60A	41.70B/24.60A	----	36.90 + 9.50	.1258	----	----	----	----	1 UNCH
3775	----	----	42.90B/25.40A	42.90B/25.40A	----	38.00 + 9.80	.1293	----	----	----	----	1 UNCH
3780	38.00	38.00	43.60B/25.80A	43.60B/25.80A	----	38.60 NEW	.1311	----	----	2	----	2 + 2
3790	----	----	44.90B/26.60A	44.90B/26.60A	----	39.70 + 10.20	.1347	----	----	----	----	2 UNCH
3795	----	----	45.50B/27.00A	45.50B/27.00A	----	40.30 + 10.30	.1366	----	----	----	----	1 UNCH
3800	30.40	30.40	46.20B/27.40A	46.20B/27.40A	----	40.90 + 10.50	.1385	----	----	1	----	487 UNCH
3815	42.20	42.20	48.30B/28.60A	48.30B/28.60A	----	42.80 NEW	.1443	----	----	1	----	1 + 1
3820	----	----	49.00B/29.00A	49.00B/29.00A	----	43.40 + 11.10	.1463	----	----	----	----	1 UNCH
3825	39.50	39.50	49.70B/29.40A	49.70B/29.40A	----	44.10 + 11.30	.1484	----	----	1	----	13 + 1
3830	----	----	50.40B/29.80A	50.40B/29.80A	----	44.70 + 11.40	.1503	----	----	----	----	50 UNCH
3840	----	----	52.00B/30.80A	52.00B/30.80A	----	46.10 + 11.70	.1545	----	----	----	----	2 UNCH
3845	----	----	52.70B/31.20A	52.70B/31.20A	----	46.80 + 11.90	.1567	----	----	----	----	1 UNCH
3850	----	----	53.50B/31.80A	53.50B/31.80A	----	47.50 + 12.10	.1588	----	----	3	----	67 + 3
3860	----	----	55.10B/32.80A	55.10B/32.80A	----	48.90 + 12.40	.1631	----	----	----	----	2 UNCH
3875	----	----	57.60B/34.20A	57.60B/34.20A	----	51.10 + 12.90	.1698	----	----	----	----	16 UNCH
3880	----	----	58.40B/34.80A	58.40B/34.80A	----	51.90 + 13.10	.1722	----	----	----	----	36 UNCH
3885	----	----	59.30B/35.40A	59.30B/35.40A	----	52.70 + 13.30	.1745	----	----	----	----	7 UNCH
3890	----	----	60.20B/35.80A	60.20B/35.80A	----	53.50 + 13.40	.1769	----	----	----	----	2 UNCH
3895	----	----	61.10B/36.40A	61.10B/36.40A	----	54.30 + 13.60	.1793	----	----	----	----	30 UNCH
3900	----	----	62.00B/37.00A	62.00B/37.00A	----	55.10 + 13.80	.1816	----	----	300	----	589 + 269
3910	----	----	63.90B/38.30A	63.90B/38.30A	----	56.80 + 14.20	.1866	----	----	----	----	3 UNCH
3915	----	----	64.80B/38.90A	64.80B/38.90A	----	57.60 + 14.30	.1890	----	----	----	----	7 UNCH
3920	58.30	58.30	65.80B/39.60A	65.80B/39.60A	----	58.50 + 14.50	.1916	----	----	1	----	23 + 1
3925	----	----	66.70B/40.10A	66.70B/40.10A	----	59.40 + 14.80	.1942	----	----	4	----	6 + 4
3930	----	----	67.70B/40.70A	67.70B/40.70A	----	60.30 + 15.00	.1968	----	----	----	----	6 UNCH
3940	46.10	46.10	69.80B/42.00A	69.80B/42.00A	----	62.10 NEW	.2020	----	----	15	----	15 + 15
3945	----	----	70.70B/42.80A	70.70B/42.80A	----	63.00 + 15.50	.2046	----	----	----	----	434 UNCH
3950	----	----	71.90B/43.40A	71.90B/43.40A	----	64.00 + 15.80	.2074	----	----	2	----	311 + 2
3965	----	----	75.10B/45.60A	75.10B/45.60A	----	66.90 + 16.30	.2156	----	----	----	----	10 UNCH
3970	----	----	76.20B/46.20A	76.20B/46.20A	----	67.90 + 16.60	.2184	----	----	----	----	5 UNCH
3975	----	----	77.40B/46.90A	77.40B/46.90A	----	68.90 + 16.70	.2212	----	----	----	----	45 UNCH
3980	----	----	78.50B/47.60A	78.50B/47.60A	----	70.00 + 17.00	.2242	----	----	----	----	7 UNCH
3985	----	----	79.70B/48.40A	79.70B/48.40A	----	71.00 + 17.20	.2270	----	----	----	----	1 UNCH
3990	----	----	80.90B/49.20A	80.90B/49.20A	----	72.10 + 17.50	.2300	----	----	----	----	1 UNCH
3995	----	----	82.10B/49.90A	82.10B/49.90A	----	73.20 + 17.70	.2330	----	----	----	----	9 UNCH
4000	55.70	55.70	83.40B/50.90A	83.40B/50.90A	----	74.30 + 17.90	.2360	----	----	75	----	1575 - 145
4005	----	----	84.40B/51.50A	84.40B/51.50A	----	75.40 + 18.10	.2390	----	----	----	300	330 + 300
4015	----	----	86.90B/53.20A	86.90B/53.20A	----	77.70 + 18.60	.2452	----	----	----	----	29 UNCH
4020	----	----	88.20B/54.10A	88.20B/54.10A	----	78.90 + 18.90	.2483	----	----	----	----	15 UNCH
4025	----	----	89.50B/54.90A	89.50B/54.90A	----	80.00 + 19.10	.2514	----	----	----	----	11 UNCH
4030	----	----	90.80B/55.90A	90.80B/55.90A	----	81.20 + 19.30	.2545	----	----	3	----	21 + 3
4040	----	----	93.50B/57.60A	93.50B/57.60A	----	83.70 + 19.80	.2610	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4045	----	----	94.90B/58.50A	94.90B/58.50A	----	84.90 + 20.00	.2642	----	----	----	----	1 UNCH
4050	82.80	82.80	96.30B/59.40A	96.30B/59.40A	----	86.20 + 20.30	.2676	----	----	41	150	236 + 165
4055	----	----	97.60B/60.60A	97.60B/60.60A	----	87.50 + 20.60	.2709	----	----	----	----	105 UNCH
4060	----	----	99.10B/61.50A	99.10B/61.50A	----	88.80 + 20.80	.2742	----	----	----	----	15 UNCH
4065	----	----	100.60B/62.30A	100.60B/62.30A	----	90.10 + 21.10	.2776	----	----	----	----	27 UNCH
4070	----	----	102.00B/63.50A	102.00B/63.50A	----	91.50 + 21.40	.2811	----	----	----	----	13 UNCH
4075	90.30	90.30	103.50B/64.30A	103.50B/64.30A	----	92.80 + 21.60	.2844	----	----	100	----	118 + 96
4080	----	----	105.00B/65.40A	105.00B/65.40A	----	94.20 + 21.90	.2879	----	----	----	----	358 UNCH
4085	----	----	106.50B/66.40A	106.50B/66.40A	----	95.60 + 22.20	.2914	----	----	----	----	76 UNCH
4090	72.00	72.00	107.90B/67.50A	107.90B/67.50A	----	97.00 + 22.40	.2949	----	----	5	----	41 + 3
4095	----	----	109.50B/68.60A	109.50B/68.60A	----	98.50 + 22.80	.2985	----	----	----	----	1 UNCH
4100	76.80	76.80	111.10B/69.60A	111.10B/69.60A	----	99.90 + 23.00	.3020	----	----	76	----	252 + 5
4105	----	----	112.70B/70.80A	112.70B/70.80A	----	101.40 + 23.30	.3057	----	----	----	----	1 UNCH
4110	----	----	114.30B/71.90A	114.30B/71.90A	----	102.90 + 23.60	.3093	----	----	----	----	1 UNCH
4115	----	----	116.00B/73.00A	116.00B/73.00A	----	104.40 + 23.80	.3129	----	----	----	----	28 UNCH
4120	----	----	117.60B/74.20A	117.60B/74.20A	----	105.90 + 24.10	.3166	----	----	----	----	1 UNCH
4125	100.20	100.20	119.30B/75.30A	119.30B/75.30A	----	107.50 + 24.40	.3203	----	----	1	----	9 UNCH
4130	----	----	121.00B/76.50A	121.00B/76.50A	----	109.10 + 24.70	.3241	----	----	----	----	21 UNCH
4135	----	----	122.80B/77.80A	122.80B/77.80A	----	110.70 + 25.00	.3278	----	----	----	----	4 UNCH
4140	----	----	124.50B/79.00A	124.50B/79.00A	----	112.30 + 25.30	.3316	----	----	----	----	1 UNCH
4145	----	----	126.20B/80.20A	126.20B/80.20A	----	113.90 + 25.60	.3354	----	----	----	----	26 UNCH
4150	114.80	114.80	128.00B/81.70A	128.00B/81.70A	----	115.60 + 25.90	.3392	----	----	1	----	41 + 1
4155	----	----	129.80B/82.80A	129.80B/82.80A	----	117.30 + 26.20	.3431	----	----	----	----	2 UNCH
4160	----	----	131.60B/84.10A	131.60B/84.10A	----	119.00 + 26.50	.3470	----	----	----	----	27 UNCH
4165	----	----	133.50B/85.60A	133.50B/85.60A	----	120.70 + 26.80	.3509	----	----	----	----	27 UNCH
4170	----	----	135.30B/86.80A	135.30B/86.80A	----	122.40 + 27.10	.3548	----	----	----	----	2 UNCH
4175	----	----	137.20B/88.40A	137.20B/88.40A	----	124.20 + 27.40	.3587	----	----	----	----	3 UNCH
4180	----	----	139.30B/89.50A	139.30B/89.50A	----	126.00 + 27.70	.3627	----	----	----	----	3 UNCH
4185	----	----	141.10B/90.90A	141.10B/90.90A	----	127.80 + 28.00	.3667	----	----	----	----	79 UNCH
4190	----	----	143.10B/92.40A	143.10B/92.40A	----	129.60 + 28.30	.3707	----	----	----	----	2 UNCH
4195	----	----	145.00B/93.80A	145.00B/93.80A	----	131.40 + 28.60	.3747	----	----	----	----	1 UNCH
4200	108.50	108.50	147.40B/95.20A	147.40B/95.20A	----	133.30 + 28.90	.3788	----	----	53	----	722 - 7
4205	----	----	149.00B/96.80A	149.00B/96.80A	----	135.20 + 29.20	.3829	----	----	----	----	10 UNCH
4210	----	----	151.00B/98.20A	151.00B/98.20A	----	137.10 + 29.50	.3869	----	----	----	----	9 UNCH
4215	----	----	153.10B/99.90A	153.10B/99.90A	----	139.10 + 29.90	.3911	----	----	----	----	50 UNCH
4220	----	----	155.20B/101.40A	155.20B/101.40A	----	141.00 + 30.10	.3952	----	----	----	----	117 UNCH
4225	----	----	157.70B/102.90A	157.70B/102.90A	----	143.00 + 30.50	.3993	----	----	6	----	9 + 6
4230	149.60	149.60	159.40B/104.50A	159.40B/104.50A	----	145.00 + 30.80	.4035	----	----	10	----	38 + 9
4235	----	----	161.60B/106.10A	161.60B/106.10A	----	147.00 + 31.10	.4077	----	----	----	----	1 UNCH
4240	----	----	163.80B/107.70A	163.80B/107.70A	----	149.10 + 31.40	.4119	----	----	----	----	106 UNCH
4245	----	----	166.30B/109.40A	166.30B/109.40A	----	151.10 + 31.60	.4161	----	----	----	----	1 UNCH
4250	126.10	126.10	168.90B/111.10A	168.90B/111.10A	----	153.20 + 32.00	.4203	----	----	11	----	702 UNCH
4255	----	----	170.80B/112.80A	170.80B/112.80A	----	155.40 + 32.30	.4245	----	----	----	----	12 UNCH
4260	----	----	172.80B/114.50A	172.80B/114.50A	----	157.50 + 32.60	.4288	----	----	1	----	101 + 1
4265	----	----	173.90B/116.30A	173.90B/116.30A	----	159.70 + 32.90	.4330	----	----	----	----	4 UNCH
4270	138.60	138.60	176.80B/118.10A	176.80B/118.10A	----	161.80 + 33.20	.4373	----	----	35	----	45 + 7
4275	166.30	166.30	179.20B/119.90A	179.20B/119.90A	----	164.00 + 33.50	.4416	----	----	100	----	109 + 77
4280	----	----	181.10B/121.70A	181.10B/121.70A	----	166.30 + 33.80	.4459	----	----	----	----	1 UNCH
4285	----	----	183.50B/123.50A	183.50B/123.50A	----	168.50 + 34.10	.4502	----	----	----	----	13 UNCH
4290	----	----	186.40B/125.30A	186.40B/125.30A	----	170.80 + 34.40	.4545	----	----	----	----	13 UNCH
4295	----	----	188.80B/127.20A	188.80B/127.20A	----	173.10 + 34.70	.4589	----	----	1	----	6 UNCH
4300	159.30	159.30	191.40B/129.10A	191.40B/129.10A	----	175.40 + 35.00	.4632	----	----	152	----	955 + 133
4305	----	----	193.60B/131.10A	193.60B/131.10A	----	177.80 + 35.30	.4676	----	----	----	----	15 UNCH
4310	----	----	196.30B/133.00A	196.30B/133.00A	----	180.10 + 35.50	.4719	----	----	----	----	1 UNCH
4315	----	----	198.30B/135.00A	198.30B/135.00A	----	182.50 + 35.90	.4763	----	----	----	----	70 UNCH
4320	----	----	201.40B/137.00A	201.40B/137.00A	----	185.00 + 36.20	.4807	----	----	----	----	171 UNCH
4325	146.20	146.20	203.50B/139.00A	203.50B/139.00A	----	187.40 + 36.50	.4850	----	----	4	----	61 UNCH
4330	----	----	206.20B/141.00A	206.20B/141.00A	----	189.90 + 36.80	.4894	----	----	----	----	3 UNCH
4340	----	----	211.70B/145.20A	211.70B/145.20A	----	194.90 + 37.40	.4982	----	----	----	----	52 UNCH
4345	----	----	214.30B/147.30A	214.30B/147.30A	----	197.50 + 37.80	.5026	----	----	1	----	19 - 1
4350	195.90	195.90	217.00B/149.50A	217.00B/149.50A	----	200.00 + 38.00	.5069	----	----	2	----	140 UNCH
4355	----	----	220.00B/151.60A	220.00B/151.60A	----	202.70 + 38.50	.5113	----	----	----	----	7 UNCH
4360	----	----	222.60B/153.80A	222.60B/153.80A	----	205.30 + 38.80	.5157	----	----	23	----	77 + 23
4365	----	----	225.30B/156.00A	225.30B/156.00A	----	207.90 + 39.00	.5201	----	----	----	----	6 UNCH
4370	----	----	228.00B/158.30A	228.00B/158.30A	----	210.60 + 39.40	.5244	----	----	----	----	2 UNCH
4375	----	----	231.70B/160.60A	231.70B/160.60A	----	213.30 + 39.70	.5288	----	----	----	----	66 UNCH
4380	----	----	234.60B/162.80A	234.60B/162.80A	----	216.10 + 40.10	.5331	----	----	----	----	95 UNCH
4385	----	----	236.80B/165.20A	236.80B/165.20A	----	218.80 + 40.40	.5375	----	----	----	----	2 UNCH
4390	----	----	240.30B/167.50A	240.30B/167.50A	----	221.60 + 40.80	.5418	----	----	----	----	58 UNCH
4395	----	----	243.30B/169.90A	243.30B/169.90A	----	224.40 + 41.10	.5462	----	----	----	----	52 UNCH
4400	214.30	214.30	246.30B/172.20A	246.30B/172.20A	----	227.30 + 41.50	.5505	----	----	56	----	979 + 29
4405	199.90	199.90	249.20B/174.70A	249.20B/174.70A	----	230.10 + 41.80	.5548	----	----	7	----	56 + 7
4410	----	----	251.60B/177.10A	251.60B/177.10A	----	233.00 + 42.20	.5592	----	----	----	----	6 UNCH
4415	----	----	254.50B/179.50A	254.50B/179.50A	----	236.00 + 42.60	.5634	----	----	----	----	3 UNCH
4420	----	----	257.60B/182.10A	257.60B/182.10A	----	238.90 + 42.90	.5678	----	----	----	----	4 UNCH
4425	----	----	261.10B/184.50A	261.10B/184.50A	----	241.90 + 43.30	.5720	----	----	----	----	208 UNCH
4430	----	----	264.00B/187.10A	264.00B/187.10A	----	244.90 + 43.70	.5762	----	----	----	----	11 UNCH
4435	----	----	266.70B/189.60A	266.70B/189.60A	----	247.90 + 44.10	.5805	----	----	----	----	2 UNCH
4440	----	----	269.90B/192.20A	269.90B/192.20A	----	250.90 + 44.40	.5847	----	----	----	----	9 UNCH
4445	----	----	273.10B/194.80A	273.10B/194.80A	----	254.00 + 44.80	.5889	----	----	----	----	5 UNCH
4450	----	----	277.00B/197.50A	277.00B/197.50A	----	257.10 + 45.10	.5932	----	----	----	----	458 UNCH
4455	----	----	279.50B/200.20A	279.50B/200.20A	----	260.20 + 45.50	.5973	----	----	----	----	4 UNCH
4465	----	----	285.90B/205.50A	285.90B/205.50A	----	266.50 + 46.20	.6057	----	----	----	----	2 UNCH
4470	----	----	289.20B/208.30A	289.20B/208.30A	----	269.70 + 46.50	.6098	----	----	----	----	5 UNCH
4475	----	----	292.80B/211.10A	292.80B/211.10A	----	272.90 + 46.80	.6139	----	----	----	----	38 UNCH
4480	----	----	295.80B/213.90A	295.80B/213.90A	----	276.10 + 47.20	.6180	----	----	----	----	6 UNCH
4485	----	----	299.20B/216.70A	299.20B/216.70A	----	279.40 + 47.50	.6221	----	----	----	----	6 UNCH
4490	----	----	302.70B/219.50A	302.70B/219.50A	----	282.70 + 47.90	.6261	----	----	----	----	50 UNCH
4495	----	----	305.90B/222.40A	305.90B/222.40A	----	285.90 + 48.10	.6302	----	----	----	----	4 UNCH
4500	291.30	291.30	310.00B/225.20A	310.00B/225.20A	----	289.20 + 48.40	.6341	----	----	3	----	635 - 2
4505	----	----	312.80B/228.20A	312.80B/228.20A	----	292.60 + 48.80	.6382	----	----	----	----	3 UNCH
4510	----	----	316.20B/231.10A	316.20B/231.10A	----	295.90 + 49.10	.6422	----	----	----	----	11 UNCH
4515	----	----	319.70B/234.10A	319.70B/234.10A	----	299.30 + 49.40	.6461	----	----	----	----	3 UNCH
4520	----	----	323.30B/237.00A	323.30B/237.00A	----	302.60 + 49.60	.6501	----	----	----	----	118 UNCH
4525	----	----	326.90B/240.10A	326.90B/240.10A	----	306.10 + 50.00	.6541	----	----	----	----	50 UNCH
4530	----	----	330.30B/243.10A	330.30B/243.10A	----	309.50 + 50.30	.6579	----	----	----	----	24 UNCH
4540	----	----	337.30B/249.20A	337.30B/249.20A	----	316.40 + 50.90	.6656	----	----	----	----	4 UNCH
4545	----	----	341.00B/251.30A	341.00B/251.30A	----	319.90 + 51.20	.6695	----	----	----	----	21 UNCH
4550	311.50	311.50	345.30B/254.40A	345.30B/254.40A	----	323.50 + 51.50	.6732	----	----	1	----	513 UNCH
4555	----	----	348.10B/258.60A	348.10B/258.60A	----	327.00 + 51.80	.6769	----	----	----	----	108 UNCH
4560	----	----	351.80B/261.80A	351.80B/261.80A	----	330.60 + 52.10	.6807	----	----	----	----	36 UNCH
4565	----	----	355.50B/265.00A	355.50B/265.00A	----	334.20 + 52.50	.6844	----	----	----	----	85 UNCH
4570	----	----	359.10B/268.20A	359.10B/268.20A	----	337.80 + 52.70	.6880	----	----	----	----	30 UNCH
4575	----	----	362.90B/271.50A	362.90B/271.50A	----	341.50 + 53.10	.6917	----	----	----	----	58 UNCH
4580	----	----	366.60B/274.70A	366.60B/274.70A	----	345.10 + 53.40	.6953	----	----	----	----	1 UNCH
4585	----	----	368.90B/278.00A	368.90B/278.00A	----	348.80 + 53.70	.6989	----	----	----	----	71 UNCH
4595	----	----	376.40B/284.70A	376.40B/284.70A	----	356.20 + 54.30	.7059	----	----	----	----	32 UNCH
4600	----	----	380.20B/288.00A	380.20B/288.00A	----	360.00 + 54.60	.7094	----	----	----	----	130 UNCH
4605	373.70	373.70	384.00B/291.40A	384.00B/291.40A	----	363.70 + 54.80	.7128	----	----	7	----	54 - 6
4610	----	----	387.80B/294.80A	387.80B/294.80A	----	367.50 + 55.20	.7162	----	----	----	----	5 UNCH
4615	----	----	391.70B/298.20A	391.70B/298.20A	----	371.30 + 55.50	.7197	----	----	----	----	14 UNCH
4620	----	----	395.50B/301.60A	395.50B/301.60A	----	375.10 + 55.70	.7231	----	----	----	----	438 UNCH
4625	----	----	399.40B/305.10A	399.40B/305.10A	----	378.90 + 56.00	.7265	----	----	----	----	112 UNCH
4630	----	----	403.30B/308.60A	403.30B/308.60A	----	382.70 + 56.20	.7299	----	----	----	----	32 UNCH
4635	----	----	407.20B/312.10A	407.20B/312.10A	----	386.50 + 56.40	.7332	----	----	----	----	1 UNCH
4640	----	----	411.20B/315.60A	411.20B/315.60A	----	390.40 + 56.70	.7365	----	----	----	----	6 UNCH
4645	----	----	415.00B/319.10A	415.00B/319.10A	----	394.20 + 56.80	.7397	----	----	----	----	1 UNCH
4650	----	----	419.00B/322.70A	419.00B/322.70A	----	398.10 + 57.10	.7430	----	----	----	----	13 UNCH
4655	----	----	423.00B/326.30A	423.00B/326.30A	----	402.00 + 57.30	.7463	----	----	----	----	14 UNCH
4660	----	----	427.00B/329.90A	427.00B/329.90A	----	406.00 + 57.70	.7493	----	----	----	----	7 UNCH
4665	----	----	431.00B/333.50A	431.00B/333.50A	----	409.90 + 57.90	.7524	----	----	----	----	2 UNCH
4670	----	----	435.00B/337.10A	435.00B/337.10A	----	413.90 + 58.20	.7555	----	----	----	----	26 UNCH
4675	----	----	439.10B/340.70A	439.10B/340.70A	----	417.90 + 58.40	.7586	----	----	----	----	7 UNCH
4685	----	----	447.20B/348.20A	447.20B/348.20A	----	426.00 + 59.10	.7644	----	----	----	----	8 UNCH
4690	----	----	451.20B/351.90A	451.20B/351.90A	----	430.10 + 59.40	.7673	----	----	----	----	2 UNCH
4695	----	----	455.30B/356.20A	455.30B/356.20A	----	434.20 + 59.70	.7701	----	----	----	----	2 UNCH
4700	----	----	459.40B/360.00A	459.40B/360.00A	----	438.20 + 59.90	.7730	----	----	2	----	139 - 1
4705	----	----	463.50B/363.70A	463.50B/363.70A	----	442.30 + 60.20	.7759	----	----	----	----	13 UNCH
4710	----	----	467.70B/367.50A	467.70B/367.50A	----	446.40 + 60.40	.7788	----	----	----	----	1 UNCH
4720	----	----	476.00B/375.20A	476.00B/375.20A	----	454.70 + 61.00	.7843	----	----	----	----	4 UNCH
4725	----	----	480.50B/379.00A	480.50B/379.00A	----	458.80 + 61.10	.7870	----	----	----	----	7 UNCH
4730	----	----	484.30B/382.90A	484.30B/382.90A	----	462.90 + 61.30	.7898	----	----	----	----	7 UNCH
4735	----	----	488.50B/386.80A	488.50B/386.80A	----	467.10 + 61.60	.7925	----	----	----	----	100 UNCH
4740	----	----	493.10B/390.70A	493.10B/390.70A	----	471.30 + 61.80	.7951	----	----	----	----	2 UNCH
4750	----	----	501.20B/398.60A	501.20B/398.60A	----	479.70 + 62.20	.8004	----	----	----	----	175 UNCH
4755	----	----	505.80B/402.50A	505.80B/402.50A	----	483.90 + 62.40	.8029	----	----	----	----	10 UNCH
4760	----	----	509.70B/406.50A	509.70B/406.50A	----	488.10 + 62.60	.8055	----	----	----	----	109 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4770	----	----	518.30B/414.50A	518.30B/414.50A	----	496.60 + 63.00	.8104	----	----	----	----	1 UNCH
4775	----	----	522.90B/418.50A	522.90B/418.50A	----	500.90 + 63.30	.8128	----	----	----	----	130 UNCH
4780	----	----	526.90B/422.50A	526.90B/422.50A	----	505.20 + 63.50	.8152	----	----	----	----	3 UNCH
4795	----	----	540.20B/434.70A	540.20B/434.70A	----	518.10 + 64.10	.8222	----	----	----	----	6 UNCH
4800	----	----	544.20B/438.80A	544.20B/438.80A	----	522.40 + 64.20	.8246	----	----	----	----	475 UNCH
4805	----	----	548.90B/442.90A	548.90B/442.90A	----	526.80 + 64.50	.8268	----	----	----	----	9 UNCH
4825	----	----	566.10B/459.50A	566.10B/459.50A	----	544.30 + 65.30	.8354	----	----	----	----	2 UNCH
4830	----	----	570.50B/463.70A	570.50B/463.70A	----	548.70 + 65.40	.8376	----	----	----	----	10 UNCH
4835	----	----	574.90B/467.80A	574.90B/467.80A	----	553.10 + 65.60	.8395	----	----	----	----	30 UNCH
4855	----	----	592.70B/484.70A	592.70B/484.70A	----	570.80 + 66.30	.8475	----	----	----	----	14 UNCH
4860	----	----	597.20B/489.00A	597.20B/489.00A	----	575.30 + 66.50	.8494	----	----	----	----	11 UNCH
4875	----	----	610.60B/501.80A	610.60B/501.80A	----	588.70 + 67.00	.8551	----	----	----	----	8 UNCH
4885	----	----	619.60B/510.40A	619.60B/510.40A	----	597.70 + 67.30	.8588	----	----	----	----	4 UNCH
4895	----	----	629.00B/519.10A	629.00B/519.10A	----	606.80 + 67.70	.8623	----	----	----	----	1 UNCH
4900	582.80	582.80	633.20B/523.40A	633.20B/523.40A	----	611.30 + 67.80	.8641	----	----	5	----	30 + 5
4915	----	----	646.80B/536.50A	646.80B/536.50A	----	624.90 + 68.30	.8692	----	----	----	----	1 UNCH
4930	----	----	660.50B/549.70A	660.50B/549.70A	----	638.50 + 68.60	.8742	----	----	----	----	20 UNCH
4950	----	----	678.90B/567.50A	678.90B/567.50A	----	656.90 + 69.20	.8804	----	----	----	----	1 UNCH
4955	----	----	683.50B/571.90A	683.50B/571.90A	----	661.50 + 69.30	.8820	----	----	----	----	1 UNCH
4975	----	----	702.00B/589.80A	702.00B/589.80A	----	679.90 + 69.70	.8877	----	----	----	----	220 UNCH
5000	----	----	725.60B/612.40A	725.60B/612.40A	----	703.20 + 70.30	.8945	----	----	----	----	13 UNCH
5005	----	----	#729.90B/617.00	#729.90B/617.00A	----	707.80 + 70.40	.8958	----	----	----	----	3 UNCH
5020	----	----	#744.30B/630.70	#744.30B/630.70A	----	721.90 + 70.80	.8995	----	----	----	----	3 UNCH
5060	----	----	#781.60B/667.40	#781.60B/667.40A	----	759.60 + 71.60	.9087	----	----	----	----	4 UNCH
5100	----	----	819.90B/704.60A	819.90B/704.60A	----	797.60 + 72.40	.9169	----	----	----	----	28 UNCH
5105	----	----	#824.30B/709.30	#824.30B/709.30A	----	802.30 + 72.40	.9178	----	----	----	----	2 UNCH
5150	----	----	#867.70B/751.60	#867.70B/751.60A	----	845.40 + 73.20	.9260	----	----	----	----	2 UNCH
5200	----	----	915.50B/799.10A	915.50B/799.10A	----	893.50 + 73.80	.9337	----	----	----	----	45 UNCH
5230	----	----	#936.30B/827.80	#936.30B/827.80A	----	922.60 + 74.20	.9378	----	----	----	----	400 UNCH
5300	----	----	994.80B/895.10A	994.80B/895.10A	----	990.60 + 74.70	.9461	----	----	----	----	300 UNCH
5400	----	----	#1,067.90B/992.	1067.90B/992.30A	----	1088.50 + 75.40	.9560	----	----	----	----	100 UNCH
5420	----	----	#1,087.50B/1,01	#1087.50B/1011.80A	----	1108.10 + 75.50	.9575	----	----	----	----	80 UNCH
5450	----	----	#1,117.00B/1,04	#1117.00B/1041.20A	----	1137.70 + 75.70	.9595	----	----	----	----	1 UNCH
5500	----	----	----	----	----	1187.00 + 76.00	.9629	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1683.70 + 77.10	.9811	----	----	----	----	2 UNCH
TOTAL										1449	450	20280 + 1314
OCT26												
1500	0.10	0.10	#0.10/*0.10	0.10/0.10	----	0.10 UNCH	.0002	----	----	1	----	2 UNCH
2000	----	----	----	0.70B/1.40A	----	1.10 UNCH	.0025	----	----	3	----	3 + 1
2200	----	----	----	1.30B/1.70A	----	1.70 + 0.10	.0041	----	----	----	----	1 UNCH
2500	----	----	----	2.60B/2.70A	----	3.00 NEW	.0078	----	----	2	----	2 + 2
2675	----	----	3.90B/----	3.90B/3.70A	----	4.30 + 0.60	.0116	----	----	----	----	75 UNCH
2700	3.90	3.90	4.10B/*3.90	4.10B/3.90	----	4.50 + 0.60	.0123	----	----	3	----	3 + 1
2800	----	----	5.10B/4.60A	5.10B/4.60A	----	5.50 + 0.80	.0153	----	----	----	----	10 UNCH
2900	5.80	5.80	6.60B/5.50A	6.60B/5.50A	----	6.60 + 0.90	.0188	----	----	1	----	2 UNCH
3000	----	----	8.20B/6.70A	8.20B/6.70A	----	8.10 + 1.20	.0235	----	----	1	----	2 + 1
3050	----	----	9.30B/7.30A	9.30B/7.30A	----	9.00 + 1.40	.0263	----	----	2	----	0 - 2
3100	----	----	10.40B/8.00A	10.40B/8.00A	----	10.10 + 1.70	.0297	----	----	----	----	1 UNCH
3125	----	----	11.00B/8.40A	11.00B/8.40A	----	10.60 + 1.80	.0313	----	----	----	----	100 UNCH
3155	----	----	11.80B/9.00A	11.80B/9.00A	----	11.30 + 1.90	.0336	----	----	----	----	1 UNCH
3190	----	----	12.90B/9.60A	12.90B/9.60A	----	12.30 + 2.20	.0366	----	----	----	----	10 UNCH
3200	----	----	13.10B/9.80A	13.10B/9.80A	----	12.50 + 2.20	.0373	----	----	----	----	394 UNCH
3240	----	----	14.50B/10.70A	14.50B/10.70A	----	13.70 + 2.50	.0411	----	----	----	----	5 UNCH
3300	15.10	15.10	16.80B/12.20A	16.80B/12.20A	----	15.80 + 3.00	.0475	----	----	1	----	419 + 1
3340	----	----	18.60B/13.30A	18.60B/13.30A	----	17.40 + 3.40	.0524	----	----	----	----	9 UNCH
3360	----	----	19.30B/13.80A	19.30B/13.80A	----	18.20 + 3.50	.0549	----	----	----	----	1 UNCH
3380	----	----	20.30B/14.50A	20.30B/14.50A	----	19.10 + 3.70	.0577	----	----	----	----	1 UNCH
3385	----	----	20.60B/14.70A	20.60B/14.70A	----	19.40 + 3.90	.0585	----	----	----	----	1 UNCH
3390	----	----	20.80B/14.80A	20.80B/14.80A	----	19.60 + 3.90	.0592	----	----	----	----	4 UNCH
3400	----	----	21.70B/15.20A	21.70B/15.20A	----	20.10 + 4.00	.0607	----	----	----	----	150 UNCH
3430	----	----	23.50B/16.10A	23.50B/16.10A	----	21.60 + 4.30	.0653	----	----	----	----	1 UNCH
3480	----	----	26.70B/18.10A	26.70B/18.10A	----	24.50 + 5.10	.0739	----	----	----	----	12 UNCH
3500	19.70	19.70	27.70B/19.00A	27.70B/19.00A	----	25.80 + 5.40	.0777	----	----	11	----	883 + 1
3510	----	----	28.70B/19.40A	28.70B/19.40A	----	26.50 + 5.60	.0798	----	----	----	----	1 UNCH
3520	----	----	29.50B/19.90A	29.50B/19.90A	----	27.20 + 5.80	.0818	----	----	----	----	12 UNCH
3525	----	----	29.90B/20.20A	29.90B/20.20A	----	27.50 + 5.80	.0827	----	----	----	----	25 UNCH
3530	----	----	30.40B/20.40A	30.40B/20.40A	----	27.90 + 5.90	.0839	----	----	----	----	5 UNCH
3550	----	----	32.00B/21.40A	32.00B/21.40A	----	29.40 + 6.30	.0882	----	----	----	----	25 UNCH
3560	----	----	32.80B/21.90A	32.80B/21.90A	----	30.10 + 6.40	.0903	----	----	----	----	2 UNCH
3565	----	----	33.30B/22.20A	33.30B/22.20A	----	30.50 + 6.50	.0915	----	----	----	----	1 UNCH
3570	----	----	33.70B/22.40A	33.70B/22.40A	----	30.90 + 6.60	.0926	----	----	----	----	1 UNCH
3585	----	----	34.70B/23.20A	34.70B/23.20A	----	32.20 + 7.00	.0963	----	----	----	----	41 UNCH
3600	30.30	30.30	36.20B/24.10A	36.20B/24.10A	----	33.40 + 7.20	.0998	----	----	10	----	231 + 10
3615	----	----	38.00B/25.10A	38.00B/25.10A	----	34.80 + 7.60	.1037	----	----	----	----	1 UNCH
3635	----	----	40.00B/26.40A	40.00B/26.40A	----	36.70 + 8.00	.1090	----	----	----	----	1 UNCH
3650	----	----	41.70B/27.40A	41.70B/27.40A	----	38.10 + 8.30	.1131	----	----	----	----	1 UNCH
3660	----	----	42.80B/28.20A	42.80B/28.20A	----	39.20 + 8.60	.1160	----	----	----	----	10 UNCH
3665	----	----	43.40B/28.50A	43.40B/28.50A	----	39.70 + 8.70	.1175	----	----	----	----	5 UNCH
3670	----	----	44.00B/29.00A	44.00B/29.00A	----	40.20 + 8.80	.1189	----	----	----	----	20 UNCH
3680	----	----	45.20B/29.80A	45.20B/29.80A	----	41.30 + 9.00	.1219	----	----	----	----	5 UNCH
3695	----	----	47.00B/31.00A	47.00B/31.00A	----	43.00 + 9.40	.1265	----	----	----	----	1 UNCH
3700	39.50	39.50	47.60B/31.40A	47.60B/31.40A	----	43.50 + 9.50	.1280	----	----	1	----	206 + 1
3715	----	----	49.60B/32.60A	49.60B/32.60A	----	45.30 + 9.90	.1328	----	----	----	----	196 UNCH
3750	----	----	54.50B/35.80A	54.50B/35.80A	----	49.70 + 10.80	.1447	----	----	----	----	43 UNCH
3770	----	----	57.50B/37.70A	57.50B/37.70A	----	52.40 + 11.40	.1519	----	----	----	----	3 UNCH
3780	----	----	59.00B/38.80A	59.00B/38.80A	----	53.80 + 11.60	.1556	----	----	----	----	1 UNCH
3785	----	----	59.80B/39.30A	59.80B/39.30A	----	54.60 + 11.80	.1576	----	----	----	----	1 UNCH
3800	----	----	62.30B/41.00A	62.30B/41.00A	----	56.80 + 12.30	.1634	----	----	50	----	73 + 41
3805	----	----	63.20B/41.50A	63.20B/41.50A	----	57.50 + 12.30	.1652	----	----	----	----	15 UNCH
3815	----	----	64.80B/42.60A	64.80B/42.60A	----	59.10 + 12.70	.1693	----	----	----	----	9 UNCH
3820	----	----	65.70B/43.20A	65.70B/43.20A	----	59.90 + 12.80	.1714	----	----	----	----	1 UNCH
3850	60.70	60.70	71.20B/47.10A	71.20B/47.10A	----	64.90 + 13.80	.1840	----	----	100	----	102 + 100
3865	----	----	74.00B/49.00A	74.00B/49.00A	----	67.50 + 14.20	.1906	----	----	----	----	2 UNCH
3870	----	----	75.00B/49.60A	75.00B/49.60A	----	68.40 + 14.40	.1928	----	----	----	----	1 UNCH
3875	----	----	76.10B/50.30A	76.10B/50.30A	----	69.40 + 14.60	.1952	----	----	----	----	14 UNCH
3885	----	----	78.20B/51.80A	78.20B/51.80A	----	71.20 + 14.90	.1997	----	----	----	----	5 UNCH
3890	----	----	79.10B/52.60A	79.10B/52.60A	----	72.20 + 15.10	.2021	----	----	----	----	2 UNCH
3895	----	----	80.20B/53.20A	80.20B/53.20A	----	73.20 + 15.30	.2045	----	----	----	----	2 UNCH
3900	----	----	81.30B/53.90A	81.30B/53.90A	----	74.20 + 15.50	.2069	----	----	3	----	129 + 3
3920	----	----	85.80B/57.10A	85.80B/57.10A	----	78.30 + 16.30	.2167	----	----	----	----	28 UNCH
3925	----	----	86.90B/57.90A	86.90B/57.90A	----	79.30 + 16.40	.2192	----	----	----	----	15 UNCH
3930	----	----	88.00B/58.70A	88.00B/58.70A	----	80.40 + 16.70	.2217	----	----	----	----	2 UNCH
3940	----	----	90.40B/60.30A	90.40B/60.30A	----	82.60 + 17.10	.2269	----	----	----	----	65 UNCH
3950	----	----	92.70B/61.90A	92.70B/61.90A	----	84.80 + 17.50	.2320	----	----	----	----	2 UNCH
3960	----	----	95.20B/63.80A	95.20B/63.80A	----	87.10 + 17.90	.2373	----	----	----	----	1 UNCH
3965	----	----	96.50B/64.60A	96.50B/64.60A	----	88.30 + 18.10	.2400	----	----	----	----	1 UNCH
3975	----	----	99.10B/66.50A	99.10B/66.50A	----	90.70 + 18.60	.2455	----	----	----	----	5 UNCH
3980	----	----	100.40B/67.40A	100.40B/67.40A	----	91.90 + 18.80	.2482	----	----	----	----	1 UNCH
3985	----	----	101.70B/68.20A	101.70B/68.20A	----	93.10 + 19.00	.2509	----	----	----	----	1 UNCH
4000	96.00	96.00	105.80B/71.10A	105.80B/71.10A	----	96.90 + 19.70	.2594	----	----	297	----	991 + 93
4025	----	----	112.80B/76.20A	112.80B/76.20A	----	103.50 + 20.80	.2739	----	----	----	----	10 UNCH
4030	----	----	114.30B/77.40A	114.30B/77.40A	----	104.90 + 21.10	.2768	----	----	----	----	2 UNCH
4045	----	----	118.80B/80.70A	118.80B/80.70A	----	109.10 + 21.80	.2858	----	----	----	----	1 UNCH
4050	----	----	120.30B/81.70A	120.30B/81.70A	----	110.50 + 22.00	.2888	----	----	----	----	32 UNCH
4055	----	----	121.90B/82.80A	121.90B/82.80A	----	112.00 + 22.30	.2919	----	----	----	----	7 UNCH
4065	----	----	125.00B/85.10A	125.00B/85.10A	----	114.90 + 22.70	.2981	----	----	----	----	1 UNCH
4070	----	----	126.70B/86.30A	126.70B/86.30A	----	116.40 + 22.90	.3012	----	----	----	----	31 UNCH
4075	----	----	128.20B/87.50A	128.20B/87.50A	----	117.90 + 23.20	.3043	----	----	----	----	2 UNCH
4090	----	----	133.30B/91.30A	133.30B/91.30A	----	122.50 + 23.80	.3138	----	----	----	----	10 UNCH
4095	----	----	134.90B/92.50A	134.90B/92.50A	----	124.10 + 24.10	.3170	----	----	----	----	20 UNCH
4100	127.90	127.90	136.80B/93.60A	136.80B/93.60A	----	125.70 + 24.30	.3203	----	----	254	275	710 + 168
4110	----	----	140.10B/96.30A	140.10B/96.30A	----	129.00 + 24.90	.3268	----	----	----	----	19 UNCH
4115	----	----	141.90B/97.70A	141.90B/97.70A	----	130.60 + 25.10	.3301	----	----	----	----	1 UNCH
4130	----	----	147.30B/101.70A	147.30B/101.70A	----	135.70 + 25.80	.3400	----	----	----	----	3 UNCH
4140	----	----	151.00B/104.50A	151.00B/104.50A	----	139.20 + 26.40	.3468	----	----	----	----	28 UNCH
4150	----	----	154.80B/107.40A	154.80B/107.40A	----	142.80 + 26.90	.3536	----	----	----	----	40 UNCH
4160	----	----	158.70B/110.30A	158.70B/110.30A	----	146.40 + 27.40	.3604	----	----	----	----	21 UNCH
4170	----	----	162.60B/113.30A	162.60B/113.30A	----	150.10 + 27.90	.3673	----	----	----	----	1 UNCH
4180	----	----	166.60B/116.40A	166.60B/116.40A	----	153.90 + 28.50	.3743	----	----	----	----	1 UNCH
4185	----	----	168.70B/117.90A	168.70B/117.90A	----	155.80 + 28.70	.3778	----	----	----	----	100 UNCH
4190	----	----	170.70B/119.50A	170.70B/119.50A	----	157.80 + 29.00	.3814	----	----	----	----	1 UNCH
4195	----	----	172.80B/121.10A	172.80B/121.10A	----	159.80 + 29.30	.3849	----	----	----	----	1 UNCH
4200	131.00	131.00	175.00B/122.60A	175.00B/122.60A	----	161.70 + 29.50	.3884	----	----	4	----	325 + 1
4205	167.20	167.20	177.00B/124.30A	177.00B/124.30A	----	163.70 NEW	.3920	----	----	2	----	2 + 2
4210	----	----	179.20B/126.00A	179.20B/126.00A	----	165.80 + 30.10	.3956	----	----	----	----	1 UNCH
4220	----	----	183.50B/129.30A	183.50B/129.30A	----	169.90 + 30.70	.4028	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4225	----	----	185.70B/131.10A	185.70B/131.10A	----	172.00 + 30.90	.4064	----	----	----	----	38 UNCH
4230	----	----	188.00B/132.80A	188.00B/132.80A	----	174.10 + 31.20	.4100	----	----	----	----	51 UNCH
4235	----	----	190.10B/134.50A	190.10B/134.50A	----	176.20 + 31.40	.4136	----	----	----	----	2 UNCH
4240	----	----	192.50B/136.30A	192.50B/136.30A	----	178.40 + 31.80	.4173	----	----	----	----	1 UNCH
4245	----	----	194.80B/138.10A	194.80B/138.10A	----	180.50 + 32.00	.4209	----	----	----	----	1 UNCH
4250	----	----	197.10B/139.80A	197.10B/139.80A	----	182.70 + 32.30	.4245	----	----	1	----	338 UNCH
4260	----	----	201.70B/143.50A	201.70B/143.50A	----	187.20 + 32.90	.4319	----	----	----	----	5 UNCH
4265	----	----	203.00B/145.40A	203.00B/145.40A	----	189.40 + 33.10	.4356	----	----	----	----	200 UNCH
4270	----	----	205.20B/147.30A	205.20B/147.30A	----	191.70 + 33.40	.4392	----	----	----	----	230 UNCH
4275	----	----	207.80B/149.20A	207.80B/149.20A	----	194.00 + 33.70	.4429	----	----	----	----	1 UNCH
4280	187.90	187.90	210.10B/151.10A	210.10B/151.10A	----	196.30 + 34.00	.4466	----	----	1	----	199 + 1
4290	198.40	198.40	215.20B/155.00A	215.20B/155.00A	----	201.00 NEW	.4541	----	----	1	----	1 + 1
4300	217.00	217.00	219.90B/158.90A	219.90B/158.90A	----	205.80 + 35.20	.4615	----	----	3	550	971 - 58
4310	----	----	225.10B/163.10A	225.10B/163.10A	----	210.60 + 35.80	.4690	----	----	----	----	2 UNCH
4325	----	----	233.00B/169.40A	233.00B/169.40A	----	218.00 + 36.70	.4801	----	----	----	----	7 UNCH
4330	186.90	186.90	235.30B/171.50A	235.30B/171.50A	----	220.50 + 37.00	.4839	----	----	1	----	3 + 1
4340	----	----	240.30B/175.80A	240.30B/175.80A	----	225.60 + 37.60	.4914	----	----	----	----	1 UNCH
4345	----	----	243.70B/178.00A	243.70B/178.00A	----	228.20 + 37.90	.4951	----	----	----	----	26 UNCH
4350	----	----	245.60B/180.20A	245.60B/180.20A	----	230.80 + 38.20	.4988	----	----	----	330	606 + 315
4355	----	----	248.90B/182.50A	248.90B/182.50A	----	233.40 + 38.50	.5026	----	----	----	----	11 UNCH
4360	----	----	251.50B/184.70A	251.50B/184.70A	----	236.00 + 38.80	.5063	----	----	----	----	3 UNCH
4365	----	----	254.60B/187.00A	254.60B/187.00A	----	238.70 + 39.20	.5100	----	----	34	----	34 + 33
4370	----	----	257.50B/189.30A	257.50B/189.30A	----	241.30 + 39.40	.5137	----	----	----	----	2 UNCH
4375	----	----	260.00B/191.70A	260.00B/191.70A	----	244.00 + 39.70	.5175	----	----	----	----	13 UNCH
4380	----	----	262.90B/194.00A	262.90B/194.00A	----	246.70 + 40.00	.5212	----	----	----	----	2 UNCH
4385	----	----	265.70B/196.30A	265.70B/196.30A	----	249.50 + 40.40	.5249	----	----	----	----	2 UNCH
4390	----	----	269.00B/198.70A	269.00B/198.70A	----	252.20 + 40.60	.5286	----	----	2	----	33 + 1
4400	----	----	275.30B/203.40A	275.30B/203.40A	----	257.80 + 41.20	.5360	----	----	----	----	603 UNCH
4405	----	----	277.60B/206.00A	277.60B/206.00A	----	260.60 + 41.50	.5397	----	----	----	----	4 UNCH
4410	----	----	280.90B/208.40A	280.90B/208.40A	----	263.50 + 41.80	.5434	----	----	----	----	50 UNCH
4415	----	----	283.60B/211.00A	283.60B/211.00A	----	266.30 + 42.00	.5471	----	----	----	----	5 UNCH
4420	----	----	286.40B/213.50A	286.40B/213.50A	----	269.20 + 42.30	.5508	----	----	----	----	12 UNCH
4425	----	----	289.90B/216.10A	289.90B/216.10A	----	272.10 + 42.60	.5545	----	----	----	----	16 UNCH
4430	----	----	292.30B/218.60A	292.30B/218.60A	----	275.10 + 43.00	.5581	----	----	2	----	5 UNCH
4440	----	----	298.70B/223.80A	298.70B/223.80A	----	281.00 + 43.50	.5654	----	----	----	----	5 UNCH
4445	----	----	302.00B/226.40A	302.00B/226.40A	----	284.00 + 43.80	.5690	----	----	----	----	2 UNCH
4450	----	----	305.30B/229.00A	305.30B/229.00A	----	287.00 + 44.10	.5726	----	----	----	----	65 UNCH
4455	----	----	307.80B/231.70A	307.80B/231.70A	----	290.00 + 44.30	.5762	----	----	----	----	2 UNCH
4460	----	----	311.00B/234.30A	311.00B/234.30A	----	293.10 + 44.60	.5798	----	----	----	----	2 UNCH
4465	----	----	314.40B/237.10A	314.40B/237.10A	----	296.20 + 44.90	.5834	----	----	----	----	78 UNCH
4475	----	----	320.00B/242.50A	320.00B/242.50A	----	302.40 + 45.50	.5905	----	----	----	----	3 UNCH
4480	----	----	323.20B/245.30A	323.20B/245.30A	----	305.50 + 45.70	.5941	----	----	----	----	3 UNCH
4485	----	----	326.50B/248.10A	326.50B/248.10A	----	308.70 + 46.00	.5976	----	----	----	----	3 UNCH
4490	----	----	329.70B/250.90A	329.70B/250.90A	----	311.80 + 46.20	.6011	----	----	----	----	12 UNCH
4495	----	----	333.00B/253.80A	333.00B/253.80A	----	315.00 + 46.50	.6047	----	----	----	----	4 UNCH
4500	----	----	337.20B/256.60A	337.20B/256.60A	----	318.30 + 46.80	.6081	----	----	----	----	219 UNCH
4510	----	----	342.90B/262.30A	342.90B/262.30A	----	324.80 + 47.30	.6151	----	----	----	----	1 UNCH
4520	----	----	349.70B/268.20A	349.70B/268.20A	----	331.30 + 47.80	.6220	----	----	----	----	2 UNCH
4525	----	----	353.10B/271.20A	353.10B/271.20A	----	334.60 + 48.00	.6255	----	----	----	----	1 UNCH
4530	----	----	356.60B/274.10A	356.60B/274.10A	----	338.00 + 48.40	.6288	----	----	----	----	4 UNCH
4535	302.50	302.50	360.00B/277.10A	360.00B/277.10A	----	341.30 + 48.60	.6322	----	----	1	----	2 + 1
4540	----	----	363.40B/280.10A	363.40B/280.10A	----	344.70 + 48.90	.6356	----	----	----	----	3 UNCH
4545	----	----	366.90B/283.10A	366.90B/283.10A	----	348.10 + 49.10	.6390	----	----	----	----	5 UNCH
4550	----	----	370.40B/286.20A	370.40B/286.20A	----	351.50 + 49.40	.6423	----	----	----	----	6 UNCH
4555	----	----	373.90B/289.20A	373.90B/289.20A	----	354.90 + 49.60	.6455	----	----	----	----	12 UNCH
4560	----	----	377.40B/292.30A	377.40B/292.30A	----	358.40 + 50.00	.6489	----	----	----	----	78 UNCH
4565	----	----	381.00B/295.50A	381.00B/295.50A	----	361.80 + 50.10	.6522	----	----	----	----	16 UNCH
4570	----	----	384.50B/298.00A	384.50B/298.00A	----	365.30 + 50.40	.6554	----	----	----	----	9 UNCH
4580	----	----	391.70B/304.90A	391.70B/304.90A	----	372.30 + 50.90	.6618	----	----	----	----	6 UNCH
4585	----	----	395.40B/308.20A	395.40B/308.20A	----	375.80 + 51.10	.6651	----	----	----	----	13 UNCH
4590	----	----	398.90B/311.40A	398.90B/311.40A	----	379.40 + 51.50	.6683	----	----	----	----	3 UNCH
4595	----	----	402.60B/314.70A	402.60B/314.70A	----	383.00 + 51.70	.6715	----	----	----	----	8 UNCH
4600	----	----	406.20B/317.90A	406.20B/317.90A	----	386.60 + 52.00	.6747	----	----	----	----	333 UNCH
4605	----	----	409.90B/321.30A	409.90B/321.30A	----	390.20 + 52.30	.6777	----	----	----	----	5 UNCH
4610	----	----	413.60B/324.50A	413.60B/324.50A	----	393.80 + 52.50	.6809	----	----	----	----	13 UNCH
4615	407.90	407.90	417.30B/327.80A	417.30B/327.80A	----	397.40 + 52.70	.6840	----	----	3	----	8 - 1
4620	402.00	402.00	421.00B/331.10A	421.00B/331.10A	----	401.10 + 53.00	.6870	----	----	3	----	4 - 2
4625	362.00	362.00	424.70B/334.40A	424.70B/334.40A	----	404.70 + 53.20	.6901	----	----	3	----	43 - 3
4630	----	----	428.50B/337.80A	428.50B/337.80A	----	408.40 + 53.40	.6930	----	----	----	----	7 UNCH
4635	----	----	432.30B/341.30A	432.30B/341.30A	----	412.10 + 53.70	.6961	----	----	----	----	7 UNCH
4640	365.30	365.30	435.40B/344.60A	435.40B/344.60A	----	415.90 + 54.00	.6990	----	----	3	----	23 UNCH
4645	----	----	438.60B/348.00A	438.60B/348.00A	----	419.60 + 54.20	.7020	----	----	----	----	7 UNCH
4650	----	----	442.40B/351.50A	442.40B/351.50A	----	423.30 + 54.40	.7050	----	----	----	----	135 UNCH
4655	----	----	446.20B/354.90A	446.20B/354.90A	----	427.10 + 54.70	.7079	----	----	----	----	3 UNCH
4660	----	----	450.30B/358.40A	450.30B/358.40A	----	430.90 + 55.00	.7108	----	----	----	----	3 UNCH
4670	----	----	458.10B/365.40A	458.10B/365.40A	----	438.50 + 55.40	.7165	----	----	----	----	6 UNCH
4675	----	----	461.50B/368.90A	461.50B/368.90A	----	442.30 + 55.60	.7193	----	----	3	----	9 UNCH
4680	----	----	465.40B/372.60A	465.40B/372.60A	----	446.20 + 55.90	.7221	----	----	----	----	1 UNCH
4690	----	----	473.70B/379.60A	473.70B/379.60A	----	453.90 + 56.40	.7277	----	----	----	----	3 UNCH
4700	----	----	481.10B/386.90A	481.10B/386.90A	----	461.70 + 56.80	.7331	----	----	----	----	84 UNCH
4715	----	----	493.00B/397.70A	493.00B/397.70A	----	473.50 + 57.50	.7411	----	----	----	----	3 UNCH
4750	----	----	521.50B/423.70A	521.50B/423.70A	----	501.60 + 59.10	.7589	----	----	----	----	175 UNCH
4755	----	----	525.60B/428.70A	525.60B/428.70A	----	505.60 + 59.30	.7615	----	----	----	----	168 UNCH
4775	----	----	542.00B/444.00A	542.00B/444.00A	----	522.00 + 60.20	.7712	----	----	----	----	26 UNCH
4780	----	----	546.20B/447.90A	546.20B/447.90A	----	526.10 + 60.40	.7734	----	----	----	----	1 UNCH
4800	----	----	562.60B/463.50A	562.60B/463.50A	----	542.70 + 61.20	.7827	----	----	----	----	101 UNCH
4805	----	----	566.80B/467.40A	566.80B/467.40A	----	546.90 + 61.40	.7847	----	----	----	----	1 UNCH
4810	----	----	571.60B/471.40A	571.60B/471.40A	----	551.10 + 61.60	.7870	----	----	----	----	8 UNCH
4815	----	----	575.50B/475.40A	575.50B/475.40A	----	555.30 + 61.80	.7893	----	----	----	----	39 UNCH
4820	----	----	580.00B/479.30A	580.00B/479.30A	----	559.50 + 62.00	.7913	----	----	----	----	2 UNCH
4835	----	----	592.40B/491.30A	592.40B/491.30A	----	572.20 + 62.50	.7977	----	----	----	----	3 UNCH
4845	----	----	601.30B/499.40A	601.30B/499.40A	----	580.70 + 62.90	.8018	----	----	----	----	20 UNCH
4850	----	----	605.60B/503.50A	605.60B/503.50A	----	585.00 + 63.10	.8039	----	----	----	----	81 UNCH
4875	----	----	627.20B/523.90A	627.20B/523.90A	----	606.60 + 64.00	.8137	----	----	----	----	1 UNCH
4880	----	----	631.20B/528.00A	631.20B/528.00A	----	610.90 + 64.20	.8158	----	----	3	----	5 UNCH
4900	----	----	648.80B/544.70A	648.80B/544.70A	----	628.30 + 64.80	.8231	----	----	----	----	72 UNCH
4910	----	----	#657.80B/553.00	#657.80B/553.00A	----	637.10 + 65.20	.8268	----	----	----	----	1 UNCH
4920	----	----	#666.40B/561.50	#666.40B/561.50A	----	645.90 + 65.50	.8302	----	----	----	----	1 UNCH
4925	----	----	670.70B/565.70A	670.70B/565.70A	----	650.30 + 65.70	.8320	----	----	----	----	25 UNCH
4935	----	----	#679.40B/574.20	#679.40B/574.20A	----	659.10 + 65.90	.8355	----	----	----	----	5 UNCH
4965	----	----	#706.30B/599.90	#706.30B/599.90A	----	685.80 + 66.80	.8453	----	----	----	----	13 UNCH
4980	----	----	#719.80B/612.80	#719.80B/612.80A	----	699.30 + 67.30	.8501	----	----	----	----	1 UNCH
5000	----	----	738.00B/630.30A	738.00B/630.30A	----	717.30 + 67.70	.8562	----	----	----	----	47 UNCH
5010	----	----	#746.80B/639.00	#746.80B/639.00A	----	726.40 + 68.00	.8591	----	----	----	----	1 UNCH
5050	----	----	#783.50B/674.40	#783.50B/674.40A	----	762.90 + 68.90	.8700	----	----	----	----	25 UNCH
5150	----	----	#876.80B/764.90	#876.80B/764.90A	----	855.60 + 70.90	.8932	----	----	----	----	1 UNCH
5200	----	----	923.60B/811.10A	923.60B/811.10A	----	902.70 + 71.80	.9030	----	----	----	----	100 UNCH
5230	----	----	#952.30B/839.10	#952.30B/839.10A	----	931.10 + 72.20	.9084	----	----	----	----	1 UNCH
5250	----	----	#971.40B/857.80	#971.40B/857.80A	----	950.20 + 72.50	.9118	----	----	----	----	75 UNCH
5300	----	----	1,019.20B/904.9	1019.20B/904.90A	----	997.90 + 73.10	.9193	----	----	----	----	9 UNCH
5425	----	----	#1,127.50B/1,02	#1127.50B/1024.30A	----	1118.60 + 74.40	.9349	----	----	----	----	1 UNCH
5455	----	----	#1,156.70B/1,05	#1156.70B/1053.20A	----	1147.70 + 74.60	.9381	----	----	----	----	40 UNCH
5495	----	----	#1,167.80B/1,09	#1167.80B/1091.90A	----	1186.70 + 74.90	.9417	----	----	----	----	1 UNCH
5500	----	----	#1,172.60B/1,09	#1172.60B/1096.70A	----	1191.60 + 74.90	.9424	----	----	----	----	1 UNCH
5600	----	----	#1,267.90B/1,19	#1267.90B/1194.10A	----	1289.50 + 75.50	.9503	----	----	----	----	1 UNCH
5700	----	----	#1,362.20B/1,29	#1362.20B/1292.00A	----	1387.90 + 76.00	.9566	----	----	----	----	1 UNCH
TOTAL										810	1,155	11572 + 713
NOV26												
2100	----	----	----	#1.20B/2.70A	----	1.30 + 0.10	.0031	----	----	----	----	1 UNCH
2750	----	----	----	5.30B/6.70A	----	6.80 + 1.00	.0170	----	----	----	----	1 UNCH
2800	----	----	----	6.00B/7.30A	----	7.40 + 1.00	.0188	----	----	----	----	12 UNCH
2900	----	----	----	7.50B/8.60A	----	9.00 + 1.40	.0232	----	----	----	----	1 UNCH
3000	----	----	9.40B/----	9.40B/10.20A	----	11.10 + 1.80	.0289	----	----	----	----	93 UNCH
3120	----	----	12.60B/----	12.60B/12.60A	----	14.30 + 2.50	.0377	----	----	----	----	10 UNCH
3180	----	----	14.90B/----	14.90B/14.10A	----	16.30 + 2.90	.0431	----	----	----	----	10 UNCH
3200	----	----	15.60B/----	15.60B/14.60A	----	17.00 + 3.00	.0450	----	----	----	----	94 UNCH
3215	----	----	16.20B/----	16.20B/15.00A	----	17.60 + 3.20	.0466	----	----	----	----	1 UNCH
3225	----	----	16.60B/----	16.60B/15.30A	----	18.00 + 3.30	.0477	----	----	----	----	1 UNCH
3235	----	----	17.00B/----	17.00B/15.60A	----	18.40 + 3.30	.0488	----	----	----	----	1 UNCH
3250	----	----	17.70B/----	17.70B/16.10A	----	19.10 + 3.50	.0506	----	----	----	----	18 UNCH
3255	----	----	17.90B/----	17.90B/16.20A	----	19.30 + 3.60	.0511	----	----	----	----	18 UNCH
3300	----	----	20.20B/----	20.20B/17.70A	----	21.30 + 3.90	.0565	----	----	----	----	47 UNCH
3310	----	----	20.70B/----	20.70B/18.10A	----	21.80 + 4.00	.0578	----	----	----	----	1 UNCH
3320	----	----	21.30B/----	21.30B/18.50A	----	22.30 + 4.10	.0591	----	----	----	----	16 UNCH
3350	----	----	23.40B/----	23.40B/19.60A	----	23.90 + 4.50	.0633	----	----	----	----	180 UNCH
3455	----	----	30.40B/24.40A	30.40B/24.40A	----	30.50 + 5.70	.0804	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3475	----	----	32.00B/25.40A	32.00B/25.40A	----	32.00 + 6.00	.0842	----	----	----	----	2 UNCH
3500	----	----	34.10B/26.20A	34.10B/26.20A	----	33.90 + 6.40	.0891	----	----	----	----	687 UNCH
3520	----	----	36.00B/27.50A	36.00B/27.50A	----	35.50 + 6.60	.0932	----	----	----	----	1 UNCH
3535	----	----	37.70B/28.30A	37.70B/28.30A	----	36.80 + 6.90	.0964	----	----	----	----	1 UNCH
3600	----	----	44.20B/32.80A	44.20B/32.80A	----	42.90 + 7.90	.1116	----	----	----	----	613 UNCH
3605	----	----	44.80B/33.20A	44.80B/33.20A	----	43.40 + 8.00	.1128	----	----	----	----	1 UNCH
3690	----	----	56.20B/41.00A	56.20B/41.00A	----	53.30 + 9.80	.1364	----	----	----	----	1 UNCH
3700	53.60	53.60	57.50B/42.00A	57.50B/42.00A	----	54.60 + 10.00	.1395	----	----	1	----	1 UNCH
3725	----	----	60.90B/44.40A	60.90B/44.40A	----	58.00 + 10.60	.1474	----	----	----	----	1 UNCH
3740	----	----	63.20B/46.00A	63.20B/46.00A	----	60.10 + 10.90	.1522	----	----	----	----	21 UNCH
3750	----	----	64.80B/47.10A	64.80B/47.10A	----	61.60 + 11.20	.1556	----	----	----	----	348 UNCH
3780	----	----	69.80B/50.60A	69.80B/50.60A	----	66.20 + 12.00	.1661	----	----	----	----	1 UNCH
3800	----	----	73.30B/53.00A	73.30B/53.00A	----	69.50 + 12.50	.1734	----	----	----	----	34 UNCH
3820	----	----	77.00B/55.60A	77.00B/55.60A	----	73.00 + 13.20	.1810	----	----	----	----	20 UNCH
3875	----	----	88.10B/63.80A	88.10B/63.80A	----	83.30 + 14.80	.2032	----	----	----	----	24 UNCH
3900	----	----	93.60B/67.80A	93.60B/67.80A	----	88.50 + 15.70	.2140	----	----	----	----	7 UNCH
3925	----	----	99.40B/72.20A	99.40B/72.20A	----	94.00 + 16.60	.2253	----	----	----	----	2 UNCH
3945	----	----	104.30B/75.80A	104.30B/75.80A	----	98.70 + 17.40	.2346	----	----	----	----	1 UNCH
3980	----	----	113.40B/82.60A	113.40B/82.60A	----	107.30 + 18.80	.2516	----	----	----	----	1 UNCH
3990	----	----	116.20B/84.70A	116.20B/84.70A	----	109.80 + 19.10	.2565	----	----	----	----	1 UNCH
3995	----	----	117.60B/85.70A	117.60B/85.70A	----	111.10 + 19.30	.2590	----	----	----	----	2 UNCH
4000	----	----	119.00B/86.80A	119.00B/86.80A	----	112.50 + 19.60	.2616	----	----	----	----	5 UNCH
4025	----	----	126.20B/92.20A	126.20B/92.20A	----	119.30 + 20.60	.2745	----	----	----	----	3 UNCH
4050	----	----	133.80B/98.00A	133.80B/98.00A	----	126.50 + 21.70	.2878	----	----	----	----	5 UNCH
4065	----	----	138.50B/101.70A	138.50B/101.70A	----	131.00 + 22.30	.2959	----	----	----	----	1 UNCH
4070	----	----	140.20B/102.90A	140.20B/102.90A	----	132.50 + 22.50	.2987	----	----	----	----	25 UNCH
4100	----	----	150.20B/110.60A	150.20B/110.60A	----	142.10 + 23.90	.3155	----	----	----	----	5 UNCH
4135	----	----	162.80B/120.30A	162.80B/120.30A	----	153.90 + 25.50	.3358	----	----	----	----	22 UNCH
4160	----	----	172.40B/127.70A	172.40B/127.70A	----	162.80 + 26.60	.3506	----	----	----	----	1 UNCH
4170	----	----	176.30B/130.70A	176.30B/130.70A	----	166.50 + 27.10	.3566	----	----	----	----	1 UNCH
4180	----	----	180.20B/133.90A	180.20B/133.90A	----	170.20 + 27.50	.3626	----	----	----	----	1 UNCH
4200	----	----	188.20B/140.30A	188.20B/140.30A	----	178.00 + 28.50	.3749	----	----	----	----	7 UNCH
4205	----	----	190.30B/141.90A	190.30B/141.90A	----	179.90 + 28.70	.3780	----	----	----	----	1 UNCH
4215	----	----	194.50B/145.30A	194.50B/145.30A	----	183.90 + 29.20	.3842	----	----	----	----	5 UNCH
4250	----	----	209.70B/157.50A	209.70B/157.50A	----	198.40 + 30.90	.4062	----	----	----	100	567 UNCH
4265	----	----	216.50B/163.00A	216.50B/163.00A	----	204.90 + 31.60	.4157	----	----	----	----	1 UNCH
4275	----	----	221.20B/166.70A	221.20B/166.70A	----	209.30 + 32.10	.4221	----	----	----	----	23 UNCH
4290	----	----	228.20B/172.50A	228.20B/172.50A	----	216.10 + 32.90	.4318	----	----	----	----	1 UNCH
4300	----	----	233.00B/176.40A	233.00B/176.40A	----	220.70 + 33.40	.4382	----	----	----	----	104 UNCH
4320	----	----	242.60B/184.50A	242.60B/184.50A	----	230.10 + 34.40	.4512	----	----	----	----	43 UNCH
4330	----	----	247.70B/188.60A	247.70B/188.60A	----	234.90 + 34.90	.4577	----	----	----	----	2 UNCH
4335	----	----	250.30B/190.70A	250.30B/190.70A	----	237.30 + 35.10	.4609	----	----	----	----	1 UNCH
4340	----	----	252.80B/192.80A	252.80B/192.80A	----	239.80 + 35.40	.4642	----	----	----	----	6 UNCH
4350	----	----	258.00B/197.20A	258.00B/197.20A	----	244.80 + 36.00	.4707	----	----	----	----	5 UNCH
4375	----	----	271.30B/208.20A	271.30B/208.20A	----	257.50 + 37.30	.4870	----	----	----	----	1 UNCH
4380	----	----	274.00B/210.40A	274.00B/210.40A	----	260.10 + 37.50	.4902	----	----	----	----	20 UNCH
4390	----	----	279.50B/215.00A	279.50B/215.00A	----	265.30 + 38.00	.4967	----	----	----	----	1 UNCH
4395	----	----	282.20B/217.30A	282.20B/217.30A	----	268.00 + 38.30	.5000	----	----	----	----	1 UNCH
4400	----	----	285.00B/219.70A	285.00B/219.70A	----	270.70 + 38.60	.5032	----	----	----	----	6 UNCH
4405	----	----	287.80B/222.00A	287.80B/222.00A	----	273.30 + 38.70	.5065	----	----	----	----	1 UNCH
4425	----	----	299.40B/231.60A	299.40B/231.60A	----	284.30 + 39.80	.5194	----	----	----	----	72 UNCH
4430	----	----	302.10B/234.10A	302.10B/234.10A	----	287.10 + 40.10	.5226	----	----	----	----	10 UNCH
4435	----	----	305.00B/236.50A	305.00B/236.50A	----	289.90 + 40.40	.5258	----	----	----	----	7 UNCH
4450	----	----	314.00B/244.00A	314.00B/244.00A	----	298.40 + 41.10	.5355	----	----	----	----	39 UNCH
4485	----	----	335.10B/262.30A	335.10B/262.30A	----	319.00 + 42.90	.5577	----	----	----	----	1 UNCH
4490	----	----	338.20B/264.90A	338.20B/264.90A	----	322.00 + 43.20	.5608	----	----	----	----	1 UNCH
4500	----	----	344.50B/270.30A	344.50B/270.30A	----	328.10 + 43.70	.5671	----	----	----	----	96 UNCH
4510	----	----	350.70B/275.80A	350.70B/275.80A	----	334.30 + 44.30	.5733	----	----	----	----	11 UNCH
4530	----	----	363.40B/287.00A	363.40B/287.00A	----	346.80 + 45.20	.5856	----	----	----	----	40 UNCH
4535	----	----	366.70B/289.80A	366.70B/289.80A	----	350.00 + 45.50	.5886	----	----	----	----	10 UNCH
4540	----	----	370.00B/292.70A	370.00B/292.70A	----	353.20 + 45.70	.5917	----	----	----	----	6 UNCH
4555	----	----	379.90B/301.30A	379.90B/301.30A	----	362.90 + 46.50	.6007	----	----	----	----	1 UNCH
4580	----	----	396.70B/316.10A	396.70B/316.10A	----	379.30 + 47.60	.6156	----	----	----	----	10 UNCH
4590	----	----	403.50B/322.20A	403.50B/322.20A	----	386.00 + 48.10	.6215	----	----	----	----	1 UNCH
4600	----	----	410.40B/328.30A	410.40B/328.30A	----	392.70 + 48.50	.6273	----	----	----	----	72 UNCH
4610	----	----	417.30B/334.50A	417.30B/334.50A	----	399.50 + 49.00	.6332	----	----	----	----	4 UNCH
4640	----	----	438.50B/353.40A	438.50B/353.40A	----	420.20 + 50.30	.6503	----	----	----	----	90 UNCH
4645	----	----	442.10B/356.60A	442.10B/356.60A	----	423.70 + 50.50	.6531	----	----	----	----	1 UNCH
4650	----	----	445.70B/359.90A	445.70B/359.90A	----	427.20 + 50.70	.6559	----	----	----	----	78 UNCH
4655	----	----	449.30B/363.10A	449.30B/363.10A	----	430.70 + 50.90	.6586	----	----	----	----	1 UNCH
4700	----	----	482.40B/393.10A	482.40B/393.10A	----	463.10 + 52.80	.6830	----	----	----	----	58 UNCH
4710	----	----	489.90B/399.90A	489.90B/399.90A	----	470.50 + 53.20	.6882	----	----	----	----	1 UNCH
4725	----	----	501.30B/410.30A	501.30B/410.30A	----	481.60 + 53.70	.6959	----	----	----	----	2 UNCH
4750	----	----	500.90B/427.90A	500.90B/427.90A	----	500.50 + 54.80	.7085	----	----	----	----	15 UNCH
4755	----	----	502.50B/431.40A	502.50B/431.40A	----	504.40 + 55.10	.7109	----	----	----	----	1 UNCH
4800	----	----	497.50B/464.10A	497.50B/464.10A	----	539.30 + 56.90	.7322	----	----	----	----	12 UNCH
4820	----	----	----/478.90A	495.40B/478.90A	----	555.10 + 57.60	.7413	----	----	----	----	1 UNCH
4840	----	----	----/494.00A	496.70B/494.00A	----	571.10 + 58.40	.7501	----	----	----	----	2 UNCH
4845	----	----	----/497.80A	496.90B/497.80A	----	575.20 + 58.70	.7524	----	----	----	----	10 UNCH
4850	----	----	----/501.60A	495.60B/501.60A	----	579.20 + 58.80	.7545	----	----	----	----	8 UNCH
4900	----	----	----	530.40B/653.80A	----	620.30 + 60.60	.7748	----	----	----	----	12 UNCH
4915	----	----	----	543.10B/666.20A	----	632.90 + 61.10	.7807	----	----	----	----	3 UNCH
4935	----	----	----	560.10B/683.00A	----	649.80 + 61.80	.7881	----	----	----	----	25 UNCH
4950	----	----	----	573.00B/695.60A	----	662.50 + 62.20	.7934	----	----	----	----	11 UNCH
4960	----	----	----	581.60B/704.10A	----	671.10 + 62.60	.7970	----	----	----	----	2 UNCH
5000	----	----	----	616.50B/738.40A	----	705.60 + 63.80	.8106	----	----	----	----	255 UNCH
5020	----	----	----	634.10B/755.40A	----	723.00 + 64.30	.8169	----	----	----	----	30 UNCH
5055	----	----	----	665.30B/785.10A	----	753.80 + 65.40	.8277	----	----	----	----	8 UNCH
5200	----	----	----	796.50B/911.90A	----	884.30 + 68.60	.8655	----	----	----	----	81 UNCH
5395	----	----	----	#977.70B/1092.10A	----	1066.30 + 71.70	.9022	----	----	----	----	6 UNCH
5400	----	----	----	982.40B/1096.70A	----	1071.00 + 71.80	.9031	----	----	----	----	6 UNCH
5760	----	----	----	----	----	1418.70 + 74.70	.9412	----	----	----	----	1 UNCH
5975	----	----	----	----	----	1630.00 + 75.60	.9541	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1654.70 + 75.80	.9553	----	----	----	----	1 UNCH
TOTAL										1	100	4244 0
DEC26												
1350	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1375	----	----	----	----/1.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
1500	----	----	----	0.20B/0.90A	----	0.30 - 0.10	.0006	----	----	----	----	1 UNCH
1600	----	----	----	0.30B/1.30A	----	0.60 UNCH	.0012	----	----	----	----	190 UNCH
1700	----	----	----	0.50B/1.60A	----	0.90 - 0.10	.0018	----	----	----	----	200 UNCH
1845	----	----	----	0.80B/2.30A	----	1.60 - 0.10	.0031	----	----	----	----	60 UNCH
1900	----	----	----	#1.00B/2.20A	----	1.80 - 0.10	.0036	----	----	----	----	4 UNCH
2000	----	----	----	1.40B/3.00A	----	2.20 UNCH	.0045	----	----	1	----	2 UNCH
2200	3.00	3.00	#3.00/*3.00	#3.00/3.00	----	3.20 NEW	.0068	----	----	2	----	2 + 2
2400	----	----	----	#3.70B/5.10A	----	4.60 + 0.40	.0102	----	----	----	----	1 UNCH
2450	----	----	----	#4.10B/5.50A	----	5.10 + 0.50	.0113	----	----	----	----	4 UNCH
2490	----	----	----	4.50B/5.80A	----	5.50 + 0.60	.0123	----	----	----	----	1 UNCH
2500	----	----	----	#4.70B/5.90A	----	5.60 + 0.60	.0126	----	----	----	----	171 UNCH
2660	7.20	7.20	#7.20/7.20	7.20/7.20	----	7.60 + 1.00	.0175	----	----	1	----	4 + 1
2750	----	----	7.90B/----	7.90B/8.50A	----	8.90 + 1.20	.0208	----	----	----	----	1 UNCH
2800	----	----	8.70B/----	8.70B/9.10A	----	9.70 + 1.40	.0229	----	----	----	----	20 UNCH
2900	----	----	10.70B/----	10.70B/10.90A	----	11.60 + 1.60	.0278	----	----	----	----	30 UNCH
2925	----	----	11.30B/----	11.30B/11.40A	----	12.20 + 1.70	.0293	----	----	----	----	300 UNCH
2975	----	----	12.60B/----	12.60B/12.40A	----	13.40 + 1.80	.0324	----	----	----	----	400 UNCH
3000	----	----	13.30B/----	13.30B/12.80A	----	14.10 + 2.00	.0342	----	----	1	----	1362 - 1
3025	----	----	14.10B/----	14.10B/13.40A	----	14.90 + 2.20	.0362	----	----	----	----	2 UNCH
3075	16.80	16.80	16.80/16.80	16.80/14.60A	----	16.60 + 2.50	.0404	----	----	3	----	3 UNCH
3100	----	----	16.60B/----	16.60B/15.30A	----	17.50 + 2.70	.0426	----	----	----	----	4 UNCH
3160	----	----	19.20B/----	19.20B/17.10A	----	19.90 + 3.30	.0485	----	----	----	----	2 UNCH
3175	----	----	19.70B/----	19.70B/17.50A	----	20.50 + 3.30	.0500	----	----	----	----	1 UNCH
3250	----	----	23.60B/----	23.60B/20.20A	----	24.10 + 4.00	.0588	----	----	----	----	18 UNCH
3300	----	----	26.70B/----	26.70B/22.50A	----	26.90 + 4.50	.0656	----	----	2	----	575 + 2
3400	32.90	32.90	33.70B/27.70A	33.70B/27.70A	----	33.60 + 5.40	.0814	----	----	1	----	1086 - 1
3425	----	----	35.70B/28.60A	35.70B/28.60A	----	35.60 + 5.70	.0860	----	----	----	----	350 UNCH
3450	----	----	38.10B/29.80A	38.10B/29.80A	----	37.70 + 6.00	.0908	----	----	----	----	201 UNCH
3460	----	----	39.10B/30.90A	39.10B/30.90A	----	38.50 + 6.10	.0927	----	----	----	----	20 UNCH
3475	----	----	40.40B/31.80A	40.40B/31.80A	----	39.90 + 6.40	.0958	----	----	----	----	152 UNCH
3500	----	----	42.90B/33.90A	42.90B/33.90A	----	42.20 + 6.70	.1011	----	----	----	----	1563 UNCH
3550	----	----	48.70B/37.70A	48.70B/37.70A	----	47.30 + 7.50	.1125	----	----	----	----	18 UNCH
3560	----	----	49.80B/38.60A	49.80B/38.60A	----	48.40 + 7.70	.1149	----	----	----	----	6 UNCH
3565	----	----	50.50B/39.30A	50.50B/39.30A	----	48.90 + 7.80	.1161	----	----	----	----	2 UNCH
3590	----	----	53.70B/41.50A	53.70B/41.50A	----	51.80 + 8.30	.1224	----	----	----	----	1 UNCH
3600	52.50	52.50	55.00B/42.40A	55.00B/42.40A	----	53.00 + 8.50	.1250	----	----	2	----	592 + 2
3610	----	----	56.40B/43.30A	56.40B/43.30A	----	54.20 + 8.70	.1276	----	----	----	----	3 UNCH
3650	58.90	58.90	62.20B/47.20A	62.20B/47.20A	----	59.40 + 9.70	.1387	----	----	19	----	220 + 19

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3660	----	----	63.40B/48.30A	63.40B/48.30A	----	60.70 + 9.90	.1416	----	----	----	----	5 UNCH
3670	----	----	64.90B/49.30A	64.90B/49.30A	----	62.10 + 10.10	.1445	----	----	----	----	1 UNCH
3685	63.90	63.90	67.30B/51.00A	67.30B/51.00A	----	64.30 NEW	.1491	----	----	1	----	1 + 1
3690	----	----	68.10B/51.50A	68.10B/51.50A	----	65.00 + 10.60	.1506	----	----	----	----	1 UNCH
3700	----	----	70.70B/52.70A	70.70B/52.70A	----	66.50 + 10.90	.1537	----	----	20	----	918 + 2
3710	----	----	72.30B/53.90A	72.30B/53.90A	----	68.10 + 11.20	.1570	----	----	----	----	81 UNCH
3725	----	----	75.00B/55.70A	75.00B/55.70A	----	70.50 + 11.70	.1619	----	----	----	----	6 UNCH
3740	----	----	76.50B/57.50A	76.50B/57.50A	----	72.90 + 12.00	.1668	----	----	----	----	1 UNCH
3750	----	----	79.50B/58.80A	79.50B/58.80A	----	74.60 + 12.30	.1702	----	----	----	----	166 UNCH
3760	----	----	81.10B/60.10A	81.10B/60.10A	----	76.30 + 12.60	.1737	----	----	----	----	184 UNCH
3780	----	----	83.90B/62.90A	83.90B/62.90A	----	79.90 + 13.20	.1808	----	----	----	----	1 UNCH
3785	----	----	85.90B/63.60A	85.90B/63.60A	----	80.80 + 13.30	.1826	----	----	----	----	10 UNCH
3800	81.30	81.30	88.80B/65.90A	88.80B/65.90A	----	83.60 + 13.80	.1881	----	----	24	----	378 + 2
3805	----	----	89.90B/66.70A	89.90B/66.70A	----	84.60 + 14.00	.1900	----	----	----	----	11 UNCH
3810	----	----	90.90B/67.50A	90.90B/67.50A	----	85.50 + 14.10	.1918	----	----	----	----	56 UNCH
3850	----	----	99.50B/73.90A	99.50B/73.90A	----	93.70 + 15.40	.2074	----	----	----	----	56 UNCH
3880	----	----	105.40B/79.20A	105.40B/79.20A	----	100.20 + 16.40	.2197	----	----	----	----	1 UNCH
3900	93.00	93.00	111.30B/82.70A	111.30B/82.70A	----	104.80 + 17.10	.2281	----	----	3	----	1211 + 3
3920	----	----	116.30B/86.70A	116.30B/86.70A	----	109.60 + 17.80	.2368	----	----	1	----	51 + 1
3925	----	----	117.60B/87.60A	117.60B/87.60A	----	110.80 + 17.90	.2390	----	----	1	----	256 + 1
3930	----	----	118.10B/88.80A	118.10B/88.80A	----	112.00 + 18.10	.2412	----	----	----	----	2 UNCH
3950	----	----	124.40B/92.70A	124.40B/92.70A	----	117.10 + 18.80	.2503	----	----	----	----	515 UNCH
3965	----	----	128.50B/96.10A	128.50B/96.10A	----	121.00 + 19.30	.2571	----	----	----	----	50 UNCH
3975	121.40	121.40	131.50B/98.30A	131.50B/98.30A	----	123.70 + 19.70	.2618	----	----	1	----	193 UNCH
3980	104.80	104.80	132.70B/99.40A	132.70B/99.40A	----	125.10 + 19.90	.2642	----	----	3	----	275 + 3
3995	----	----	136.60B/102.90A	136.60B/102.90A	----	129.30 + 20.50	.2714	----	----	----	----	1 UNCH
4000	----	----	138.70B/103.90A	138.70B/103.90A	----	130.70 + 20.70	.2738	----	----	----	----	2642 UNCH
4025	----	----	146.40B/110.00A	146.40B/110.00A	----	138.00 + 21.60	.2860	----	----	----	----	801 UNCH
4050	----	----	154.70B/116.40A	154.70B/116.40A	----	145.60 + 22.50	.2986	----	----	----	----	217 UNCH
4060	----	----	158.00B/119.10A	158.00B/119.10A	----	148.80 + 23.00	.3037	----	----	----	----	100 UNCH
4070	----	----	161.30B/121.70A	161.30B/121.70A	----	152.00 + 23.40	.3089	----	----	----	----	8 UNCH
4090	----	----	167.40B/127.20A	167.40B/127.20A	----	158.60 + 24.10	.3194	----	----	----	----	1 UNCH
4100	----	----	171.60B/130.00A	171.60B/130.00A	----	162.00 + 24.60	.3247	----	----	----	----	396 UNCH
4130	----	----	183.30B/138.90A	183.30B/138.90A	----	172.60 + 25.80	.3408	----	----	----	----	30 UNCH
4150	----	----	190.80B/145.10A	190.80B/145.10A	----	180.00 + 26.70	.3518	----	----	----	----	93 UNCH
4160	----	----	194.60B/148.30A	194.60B/148.30A	----	183.80 + 27.20	.3574	----	----	----	----	252 UNCH
4165	----	----	196.70B/149.90A	196.70B/149.90A	----	185.70 + 27.40	.3602	----	----	----	----	28 UNCH
4170	----	----	197.60B/151.50A	197.60B/151.50A	----	187.60 + 27.60	.3630	----	----	----	----	2 UNCH
4175	----	----	200.90B/153.10A	200.90B/153.10A	----	189.60 + 27.80	.3658	----	----	----	----	76 UNCH
4200	----	----	210.90B/161.60A	210.90B/161.60A	----	199.60 + 29.00	.3799	----	----	18	----	1344 UNCH
4205	----	----	213.60B/163.40A	213.60B/163.40A	----	201.60 + 29.20	.3828	----	----	----	----	20 UNCH
4215	----	----	217.50B/166.80A	217.50B/166.80A	----	205.80 + 29.70	.3885	----	----	----	----	14 UNCH
4225	----	----	221.90B/170.40A	221.90B/170.40A	----	210.00 + 30.10	.3943	----	----	----	----	35 UNCH
4230	----	----	224.50B/172.20A	224.50B/172.20A	----	212.20 + 30.40	.3971	----	----	----	----	150 UNCH
4235	----	----	226.40B/174.10A	226.40B/174.10A	----	214.30 + 30.60	.4000	----	----	----	----	10 UNCH
4245	----	----	230.50B/177.70A	230.50B/177.70A	----	218.70 NEW	.4058	----	----	13	----	13 + 13
4250	----	----	232.90B/179.60A	232.90B/179.60A	----	220.90 + 31.30	.4087	----	----	----	----	488 UNCH
4265	----	----	240.20B/185.30A	240.20B/185.30A	----	227.60 + 32.10	.4175	----	----	----	----	10 UNCH
4290	----	----	251.70B/195.20A	251.70B/195.20A	----	239.10 + 33.30	.4322	----	----	----	----	1 UNCH
4300	----	----	256.50B/199.30A	256.50B/199.30A	----	243.80 + 33.70	.4381	----	----	----	----	2321 UNCH
4320	----	----	266.70B/207.60A	266.70B/207.60A	----	253.40 + 34.70	.4499	----	----	----	----	124 UNCH
4325	----	----	269.00B/209.70A	269.00B/209.70A	----	255.80 + 34.90	.4529	----	----	----	----	559 UNCH
4340	----	----	276.90B/216.10A	276.90B/216.10A	----	263.20 + 35.70	.4618	----	----	----	----	82 UNCH
4350	----	----	281.90B/220.50A	281.90B/220.50A	----	268.10 + 36.00	.4677	----	----	----	----	161 UNCH
4360	----	----	286.90B/224.90A	286.90B/224.90A	----	273.20 NEW	.4736	----	----	1	----	1 + 1
4365	----	----	290.00B/227.20A	290.00B/227.20A	----	275.70 + 36.70	.4766	----	----	----	----	195 UNCH
4375	----	----	295.10B/231.70A	295.10B/231.70A	----	280.90 + 37.20	.4825	----	----	----	----	117 UNCH
4385	----	----	300.50B/236.40A	300.50B/236.40A	----	286.10 + 37.70	.4885	----	----	----	----	75 UNCH
4390	----	----	302.90B/238.70A	302.90B/238.70A	----	288.70 + 37.90	.4914	----	----	----	----	200 UNCH
4400	----	----	308.80B/243.40A	308.80B/243.40A	----	294.00 + 38.30	.4973	----	----	----	----	448 UNCH
4425	----	----	322.40B/255.50A	322.40B/255.50A	----	307.60 + 39.50	.5121	----	----	----	----	9 UNCH
4430	----	----	325.40B/258.00A	325.40B/258.00A	----	310.40 + 39.70	.5150	----	----	3	----	37 + 3
4435	----	----	328.10B/260.60A	328.10B/260.60A	----	313.20 + 40.00	.5179	----	----	----	----	14 UNCH
4440	----	----	331.50B/263.00A	331.50B/263.00A	----	316.00 + 40.20	.5209	----	----	----	----	6 UNCH
4450	----	----	336.80B/268.00A	336.80B/268.00A	----	321.60 + 40.60	.5267	----	----	1	----	269 UNCH
4460	----	----	342.90B/273.20A	342.90B/273.20A	----	327.40 + 41.10	.5325	----	----	----	----	17 UNCH
4470	----	----	349.00B/278.40A	349.00B/278.40A	----	333.20 + 41.60	.5384	----	----	----	----	1 UNCH
4475	----	----	351.90B/281.00A	351.90B/281.00A	----	336.10 + 41.80	.5412	----	----	----	----	9 UNCH
4480	----	----	355.50B/283.60A	355.50B/283.60A	----	339.10 + 42.00	.5441	----	----	----	----	1 UNCH
4490	----	----	361.40B/289.00A	361.40B/289.00A	----	345.00 + 42.50	.5499	----	----	----	----	17 UNCH
4500	351.00	351.00	367.00B/294.30A	367.00B/294.30A	----	351.00 + 42.90	.5556	----	----	26	----	1223 - 13
4510	----	----	374.10B/299.90A	374.10B/299.90A	----	357.10 + 43.40	.5613	----	----	----	----	2 UNCH
4515	----	----	376.60B/302.60A	376.60B/302.60A	----	360.20 + 43.60	.5641	----	----	----	----	247 UNCH
4520	----	----	379.80B/305.50A	379.80B/305.50A	----	363.30 + 43.90	.5670	----	----	----	----	25 UNCH
4525	----	----	383.20B/308.30A	383.20B/308.30A	----	366.40 + 44.10	.5698	----	----	----	----	240 UNCH
4530	----	----	386.50B/311.00A	386.50B/311.00A	----	369.50 + 44.30	.5726	----	----	----	----	23 UNCH
4535	----	----	389.80B/313.90A	389.80B/313.90A	----	372.60 + 44.50	.5754	----	----	----	----	102 UNCH
4540	----	----	393.00B/316.70A	393.00B/316.70A	----	375.80 + 44.80	.5782	----	----	----	----	1 UNCH
4545	----	----	396.00B/319.60A	396.00B/319.60A	----	378.90 + 45.00	.5809	----	----	----	----	45 UNCH
4550	----	----	399.40B/322.50A	399.40B/322.50A	----	382.10 + 45.20	.5837	----	----	----	----	19 UNCH
4555	----	----	402.70B/325.40A	402.70B/325.40A	----	385.30 + 45.50	.5865	----	----	----	----	50 UNCH
4570	----	----	412.10B/334.00A	412.10B/334.00A	----	394.90 + 46.10	.5948	----	----	----	----	11 UNCH
4575	----	----	415.70B/337.10A	415.70B/337.10A	----	398.20 + 46.30	.5975	----	----	----	----	5 UNCH
4580	----	----	418.50B/340.00A	418.50B/340.00A	----	401.40 + 46.50	.6002	----	----	----	----	150 UNCH
4585	----	----	421.90B/343.00A	421.90B/343.00A	----	404.70 + 46.70	.6029	----	----	----	----	325 UNCH
4590	----	----	425.20B/345.90A	425.20B/345.90A	----	408.00 + 47.00	.6056	----	----	----	----	3 UNCH
4600	----	----	432.00B/352.00A	432.00B/352.00A	----	414.60 + 47.40	.6110	----	----	----	----	969 UNCH
4605	----	----	435.40B/355.00A	435.40B/355.00A	----	418.00 + 47.70	.6137	----	----	----	----	5 UNCH
4610	----	----	438.80B/358.10A	438.80B/358.10A	----	421.30 + 47.80	.6163	----	----	----	----	3 UNCH
4620	----	----	445.70B/364.40A	445.70B/364.40A	----	428.00 + 48.20	.6217	----	----	----	----	53 UNCH
4625	----	----	449.20B/367.50A	449.20B/367.50A	----	431.40 + 48.40	.6243	----	----	----	----	56 UNCH
4630	----	----	452.70B/370.50A	452.70B/370.50A	----	434.80 + 48.70	.6269	----	----	----	----	3 UNCH
4640	----	----	459.60B/376.90A	459.60B/376.90A	----	441.70 + 49.10	.6321	----	----	----	----	104 UNCH
4650	----	----	466.70B/383.20A	466.70B/383.20A	----	448.60 + 49.50	.6373	----	----	----	----	118 UNCH
4655	----	----	470.10B/386.40A	470.10B/386.40A	----	452.10 + 49.80	.6399	----	----	----	----	1 UNCH
4660	----	----	473.80B/389.60A	473.80B/389.60A	----	455.50 + 49.90	.6424	----	----	----	----	7 UNCH
4665	----	----	477.30B/392.90A	477.30B/392.90A	----	459.00 + 50.10	.6450	----	----	----	----	70 UNCH
4675	----	----	484.50B/399.40A	484.50B/399.40A	----	466.10 + 50.60	.6500	----	----	----	----	10 UNCH
4680	----	----	488.20B/402.60A	488.20B/402.60A	----	469.60 + 50.80	.6525	----	----	----	----	60 UNCH
4700	----	----	502.70B/415.80A	502.70B/415.80A	----	483.90 + 51.60	.6625	----	----	----	----	512 UNCH
4710	----	----	509.90B/422.60A	509.90B/422.60A	----	491.10 + 51.90	.6673	----	----	----	----	1 UNCH
4715	----	----	513.70B/425.90A	513.70B/425.90A	----	494.80 + 52.20	.6697	----	----	----	----	15 UNCH
4725	----	----	521.10B/432.70A	521.10B/432.70A	----	502.10 + 52.60	.6746	----	----	----	----	127 UNCH
4750	----	----	539.80B/450.00A	539.80B/450.00A	----	520.60 + 53.60	.6863	----	----	----	----	63 UNCH
4790	----	----	567.00B/478.30A	567.00B/478.30A	----	550.80 + 55.10	.7046	----	----	----	----	60 UNCH
4795	----	----	570.80B/481.90A	570.80B/481.90A	----	554.60 + 55.20	.7068	----	----	----	----	1 UNCH
4800	----	----	574.70B/485.50A	574.70B/485.50A	----	558.50 + 55.40	.7090	----	----	----	----	332 UNCH
4810	----	----	582.50B/492.80A	582.50B/492.80A	----	566.20 + 55.80	.7132	----	----	----	----	56 UNCH
4815	----	----	586.50B/496.20A	586.50B/496.20A	----	570.10 + 56.00	.7154	----	----	----	----	10 UNCH
4820	----	----	590.40B/500.10A	590.40B/500.10A	----	574.00 + 56.20	.7176	----	----	----	----	21 UNCH
4825	----	----	594.10B/503.70A	594.10B/503.70A	----	577.90 + 56.30	.7197	----	----	----	----	112 UNCH
4830	----	----	598.30B/507.20A	598.30B/507.20A	----	581.80 + 56.50	.7218	----	----	----	----	6 UNCH
4835	----	----	602.00B/511.00A	602.00B/511.00A	----	585.70 + 56.70	.7238	----	----	----	----	125 UNCH
4850	----	----	614.00B/522.20A	614.00B/522.20A	----	597.60 + 57.20	.7300	----	----	----	----	13 UNCH
4875	----	----	634.10B/540.90A	634.10B/540.90A	----	617.60 + 58.10	.7401	----	----	----	----	16 UNCH
4880	----	----	638.10B/544.80A	638.10B/544.80A	----	621.60 + 58.30	.7420	----	----	----	----	12 UNCH
4900	----	----	654.40B/560.10A	654.40B/560.10A	----	637.80 + 58.90	.7498	----	----	----	----	111 UNCH
4925	----	----	675.00B/582.90A	675.00B/582.90A	----	658.30 + 59.80	.7591	----	----	----	----	236 UNCH
4930	----	----	679.20B/586.90A	679.20B/586.90A	----	662.40 + 59.90	.7609	----	----	----	----	1 UNCH
4935	----	----	683.30B/590.80A	683.30B/590.80A	----	666.50 + 60.00	.7627	----	----	----	----	2 UNCH
4940	----	----	687.80B/594.70A	687.80B/594.70A	----	670.70 + 60.30	.7645	----	----	----	----	29 UNCH
4950	----	----	695.50B/602.60A	695.50B/602.60A	----	679.00 + 60.60	.7681	----	----	----	----	24 UNCH
4975	----	----	716.50B/622.50A	716.50B/622.50A	----	699.90 + 61.30	.7767	----	----	----	----	43 UNCH
4980	----	----	720.70B/626.60A	720.70B/626.60A	----	704.10 + 61.50	.7785	----	----	----	----	5 UNCH
4995	----	----	733.90B/638.70A	733.90B/638.70A	----	716.80 + 61.90	.7835	----	----	----	----	32 UNCH
5000	----	----	737.70B/642.70A	737.70B/642.70A	----	721.00 + 62.10	.7851	----	----	----	----	445 UNCH
5020	----	----	#754.80B/659.10	#754.80B/659.10A	----	738.10 + 62.70	.7916	----	----	----	----	8 UNCH
5025	----	----	759.10B/663.20A	759.10B/663.20A	----	742.30 + 62.80	.7932	----	----	----	----	210 UNCH
5035	----	----	#768.10B/671.40	#768.10B/671.40A	----	750.90 + 63.10	.7963	----	----	----	----	8 UNCH
5050	----	----	#780.70B/683.80	#780.70B/683.80A	----	763.80 + 63.50	.8008	----	----	----	----	201 UNCH
5070	----	----	#798.00B/700.60	#798.00B/700.60A	----	781.10 + 64.00	.8069	----	----	----	----	1 UNCH
5075	----	----	#802.90B/704.70	#802.90B/704.70A	----	785.50 + 64.20	.8084	----	----	----	----	100 UNCH
5095	----	----	#820.40B/721.60	#820.40B/721.60A	----	802.90 + 64.70	.8141	----	----	----	----	6 UNCH
5100	----	----	824.40B/725.80A	824.40B/725.80A	----	807.30 + 64.80	.8154	----	----	----	----	6 UNCH
5195	----	----	#909.10B/807.70	#909.10B/807.70A	----	891.60 + 67.10	.8402	----	----	----	----	5 UNCH
5200	----	----	914.00B/812.00A	914.00B/812.00A	----	896.10 + 67.20	.8413	----	----	----	----	38 UNCH
5250	----	----	#959.00B/856.20	#959.00B/856.20A	----	941.30 + 68.20	.8527	----	----	----	----	126 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
5290	----	----	#995.40B/891.70	#995.40B/891.70A	----	977.90 + 69.00	.8611	----	----	----	----	1 UNCH
5295	----	----	#1,000.00B/896.	#1000.00B/896.20A	----	982.50 + 69.10	.8622	----	----	----	----	1 UNCH
5360	----	----	#1,060.30B/955.	#1060.30B/955.30A	----	1042.60 + 70.20	.8744	----	----	----	----	100 UNCH
5370	----	----	#1,069.60B/964.	#1069.60B/964.50A	----	1051.90 + 70.40	.8761	----	----	----	----	20 UNCH
5375	----	----	#1,074.30B/969.	#1074.30B/969.00A	----	1056.50 + 70.40	.8769	----	----	----	----	34 UNCH
5400	----	----	1,097.50B/991.9	1097.50B/991.90A	----	1079.90 + 70.80	.8811	----	----	----	----	102 UNCH
5415	----	----	#1,111.70B/1,00	#1111.70B/1005.80A	----	1093.90 + 71.00	.8836	----	----	----	----	4 UNCH
5460	----	----	#1,154.00B/1,04	#1154.00B/1047.40A	----	1136.30 + 71.70	.8904	----	----	----	----	200 UNCH
5465	----	----	#1,158.60B/1,05	#1158.60B/1052.00A	----	1141.00 + 71.70	.8912	----	----	----	----	50 UNCH
5480	----	----	#1,172.90B/1,06	#1172.90B/1066.00A	----	1155.20 + 71.90	.8933	----	----	----	----	50 UNCH
5500	----	----	1,191.70B/1,084	1191.70B/1084.70A	----	1174.10 + 72.10	.8961	----	----	----	----	31 UNCH
5525	----	----	#1,215.60B/1,10	#1215.60B/1108.10A	----	1197.90 + 72.50	.8994	----	----	----	----	80 UNCH
5600	----	----	#1,287.20B/1,17	#1287.20B/1178.80A	----	1269.50 + 73.30	.9085	----	----	----	----	252 UNCH
5900	----	----	#1,566.80B/1,46	#1566.80B/1466.90A	----	1560.10 + 75.30	.9353	----	----	----	----	125 UNCH
6000	----	----	#1,657.00B/1,56	#1657.00B/1564.60A	----	1657.80 + 75.40	.9420	----	----	----	----	40 UNCH
6500	----	----	----	----	----	2152.20 + 76.90	.9623	----	----	----	----	4 UNCH
TOTAL										148		31557 + 41
JAN27												
2625	----	----	----	5.60B/9.70A	----	7.60 + 0.90	.0168	----	----	----	----	4 UNCH
2700	8.90	8.90	#9.00/8.90	9.00/8.90	----	8.50 + 1.00	.0191	----	----	3	----	21 + 3
2800	----	----	----	8.60B/12.50A	----	10.30 + 1.30	.0234	----	----	----	----	12 UNCH
3000	----	----	----	14.00B/17.20A	----	16.70 + 2.10	.0376	----	----	----	----	38 UNCH
3250	25.30	25.30	26.30B/25.30	26.30B/25.30	----	28.50 NEW	.0638	----	----	2	----	2 + 2
3300	----	----	30.40B/----	30.40B/29.00A	----	31.50 + 4.10	.0705	----	----	----	----	1 UNCH
3500	----	----	49.10B/40.40A	49.10B/40.40A	----	49.10 + 6.90	.1070	----	----	----	----	2 UNCH
3520	----	----	51.40B/42.10A	51.40B/42.10A	----	51.30 + 7.30	.1114	----	----	----	----	1 UNCH
3600	----	----	61.40B/50.10A	61.40B/50.10A	----	60.90 + 8.90	.1304	----	----	----	----	13 UNCH
3680	----	----	73.60B/59.10A	73.60B/59.10A	----	72.20 + 10.70	.1522	----	----	----	----	1 UNCH
3800	----	----	95.50B/76.20A	95.50B/76.20A	----	93.10 + 13.70	.1905	----	----	----	----	1 UNCH
3825	----	----	100.80B/80.30A	100.80B/80.30A	----	98.20 + 14.50	.1994	----	----	----	----	1 UNCH
3850	----	----	106.30B/84.60A	106.30B/84.60A	----	103.50 + 15.20	.2085	----	----	----	----	230 UNCH
3900	----	----	118.20B/94.10A	118.20B/94.10A	----	114.90 + 16.60	.2278	----	----	----	----	3 UNCH
3980	----	----	139.80B/111.30A	139.80B/111.30A	----	135.50 + 19.10	.2611	----	----	----	----	1 UNCH
4000	----	----	145.80B/116.10A	145.80B/116.10A	----	141.20 + 19.80	.2699	----	----	----	----	105 UNCH
4025	----	----	153.40B/122.30A	153.40B/122.30A	----	148.50 + 20.60	.2811	----	----	----	----	2 UNCH
4070	----	----	168.10B/134.20A	168.10B/134.20A	----	162.50 + 22.10	.3019	----	----	----	----	1 UNCH
4100	----	----	178.50B/142.60A	178.50B/142.60A	----	172.50 + 23.20	.3163	----	----	5	----	19 + 5
4200	----	----	216.80B/174.10A	216.80B/174.10A	----	209.40 + 27.00	.3664	----	----	----	----	4 UNCH
4255	----	----	240.60B/193.80A	240.60B/193.80A	----	232.20 + 29.30	.3952	----	----	----	----	19 UNCH
4300	----	----	261.40B/211.10A	261.40B/211.10A	----	252.20 + 31.10	.4192	----	----	----	----	1 UNCH
4350	----	----	285.70B/231.80A	285.70B/231.80A	----	275.90 + 33.30	.4461	----	----	----	----	1 UNCH
4375	----	----	298.60B/242.70A	298.60B/242.70A	----	288.40 + 34.50	.4597	----	----	----	----	15 UNCH
4400	----	----	311.80B/254.10A	311.80B/254.10A	----	301.20 + 35.60	.4732	----	----	----	----	1 UNCH
4455	----	----	341.60B/280.40A	341.60B/280.40A	----	330.70 + 38.00	.5028	----	----	----	----	1 UNCH
4500	----	----	367.60B/303.20A	367.60B/303.20A	----	356.30 + 40.10	.5267	----	----	----	----	5 UNCH
4575	----	----	413.90B/344.00A	413.90B/344.00A	----	401.50 + 43.50	.5656	----	----	----	----	1 UNCH
4585	----	----	420.30B/349.80A	420.30B/349.80A	----	407.80 + 43.90	.5707	----	----	----	----	1 UNCH
4600	----	----	430.00B/358.40A	430.00B/358.40A	----	417.30 + 44.60	.5783	----	----	----	----	3 UNCH
4610	----	----	436.40B/364.20A	436.40B/364.20A	----	423.70 + 45.00	.5833	----	----	----	----	1 UNCH
4620	----	----	443.00B/370.00A	443.00B/370.00A	----	430.20 + 45.50	.5882	----	----	----	----	1 UNCH
4630	----	----	449.70B/376.00A	449.70B/376.00A	----	436.70 + 45.90	.5932	----	----	----	----	1 UNCH
4650	----	----	463.10B/388.10A	463.10B/388.10A	----	449.90 + 46.80	.6030	----	----	----	----	2 UNCH
4660	----	----	469.60B/394.30A	469.60B/394.30A	----	456.60 + 47.30	.6078	----	----	----	----	4 UNCH
4665	----	----	473.30B/397.50A	473.30B/397.50A	----	459.90 + 47.40	.6102	----	----	----	----	4 UNCH
4700	----	----	497.30B/419.50A	497.30B/419.50A	----	483.80 + 48.90	.6268	----	----	----	----	1 UNCH
4710	----	----	504.60B/425.80A	504.60B/425.80A	----	490.70 + 49.30	.6315	----	----	----	----	4 UNCH
4760	----	----	540.50B/458.50A	540.50B/458.50A	----	526.10 + 51.30	.6542	----	----	----	----	100 UNCH
4800	----	----	570.10B/485.90A	570.10B/485.90A	----	555.30 + 52.90	.6716	----	----	----	----	6 UNCH
4805	----	----	573.90B/489.30A	573.90B/489.30A	----	559.00 + 53.10	.6737	----	----	----	----	1 UNCH
4820	----	----	585.10B/499.60A	585.10B/499.60A	----	570.10 + 53.60	.6801	----	----	----	----	6 UNCH
4860	----	----	615.70B/528.10A	615.70B/528.10A	----	600.30 + 55.10	.6965	----	----	----	----	1 UNCH
4880	----	----	627.60B/542.40A	627.60B/542.40A	----	615.70 + 55.80	.7044	----	----	----	----	1 UNCH
4960	----	----	----/602.10A	618.20B/602.10A	----	678.60 + 58.30	.7346	----	----	----	----	42 UNCH
4980	----	----	----/617.40A	619.50B/617.40A	----	694.60 + 58.80	.7417	----	----	----	----	9 UNCH
4990	----	----	----/625.00A	619.90B/625.00A	----	702.70 + 59.10	.7452	----	----	----	----	1 UNCH
4995	----	----	----/628.80A	619.90B/628.80A	----	706.80 + 59.30	.7469	----	----	----	----	1 UNCH
5000	----	----	----	592.00B/772.50A	----	710.80 + 59.40	.7487	----	----	----	----	2 UNCH
5050	----	----	----	633.60B/813.50A	----	751.90 + 60.60	.7652	----	----	----	----	100 UNCH
5085	----	----	----	663.20B/842.70A	----	781.10 + 61.40	.7762	----	----	----	----	2 UNCH
5150	----	----	----	719.20B/897.90A	----	836.30 + 62.90	.7953	----	----	----	----	2 UNCH
5235	----	----	----	794.20B/970.20A	----	910.20 + 64.70	.8178	----	----	----	----	2 UNCH
5245	----	----	----	803.10B/978.80A	----	919.00 + 64.90	.8203	----	----	----	----	2 UNCH
5300	----	----	----	852.60B/1026.40A	----	967.90 + 66.00	.8331	----	----	----	----	44 UNCH
TOTAL										10		850 + 10
FEB27												
2800	----	----	----	#10.20B/14.90A	----	10.30 - 2.30	.0235	----	----	----	----	6 UNCH
3160	26.00	26.00	26.00/26.00	26.00/26.00	----	26.40 NEW	.0569	----	----	2	----	2 + 2
3400	----	----	45.70B/39.50A	45.70B/39.50A	----	45.90 + 6.00	.0951	----	----	----	----	11 UNCH
3660	----	----	80.10B/66.80A	80.10B/66.80A	----	79.60 + 11.80	.1565	----	----	----	----	1 UNCH
4000	----	----	160.60B/131.30A	160.60B/131.30A	----	156.40 + 20.40	.2777	----	----	----	----	61 UNCH
4025	----	----	168.50B/137.80A	168.50B/137.80A	----	164.10 + 21.20	.2885	----	----	----	----	35 UNCH
4050	----	----	177.00B/144.70A	177.00B/144.70A	----	172.10 + 22.10	.2995	----	----	----	----	100 UNCH
4070	----	----	184.00B/150.40A	184.00B/150.40A	----	178.70 + 22.70	.3085	----	----	----	----	2 UNCH
4100	----	----	194.80B/159.20A	194.80B/159.20A	----	189.10 + 23.80	.3222	----	----	----	----	571 UNCH
4200	----	----	234.00B/192.10A	234.00B/192.10A	----	227.10 + 27.40	.3698	----	----	----	----	50 UNCH
4330	----	----	#293.70B/242.70	#293.70B/242.70A	----	285.00 + 32.70	.4347	----	----	----	----	6 UNCH
4370	----	----	#314.00B/260.00	#314.00B/260.00A	----	304.70 + 34.30	.4550	----	----	----	----	1 UNCH
4400	----	----	#329.90B/273.80	#329.90B/273.80A	----	320.20 + 35.60	.4703	----	----	----	----	53 UNCH
4440	----	----	#349.90B/293.00	#349.90B/293.00A	----	341.50 + 37.30	.4904	----	----	----	----	1 UNCH
4500	----	----	#385.60B/323.40	#385.60B/323.40A	----	375.30 + 39.90	.5204	----	----	----	----	2 UNCH
4600	----	----	#446.30B/378.50	#446.30B/378.50A	----	436.00 + 44.20	.5688	----	----	----	----	17 UNCH
4630	----	----	#466.80B/396.00	#466.80B/396.00A	----	455.20 + 45.50	.5828	----	----	----	----	9 UNCH
4635	----	----	#469.20B/398.80	#469.20B/398.80A	----	458.40 + 45.60	.5851	----	----	----	----	2 UNCH
4650	----	----	#479.20B/407.90	#479.20B/407.90A	----	468.30 + 46.30	.5920	----	----	----	----	1 UNCH
4655	----	----	#482.60B/410.90	#482.60B/410.90A	----	471.60 + 46.50	.5943	----	----	----	----	1 UNCH
4660	----	----	#485.90B/414.20	#485.90B/414.20A	----	474.90 + 46.70	.5966	----	----	----	----	435 UNCH
4665	----	----	#489.90B/417.00	#489.90B/417.00A	----	478.20 + 46.90	.5989	----	----	----	----	3 UNCH
4680	----	----	#500.00B/426.50	#500.00B/426.50A	----	488.30 + 47.60	.6056	----	----	----	----	3 UNCH
4750	----	----	#548.60B/471.10	#548.60B/471.10A	----	536.60 + 50.30	.6363	----	----	----	----	1 UNCH
4755	----	----	#552.10B/474.50	#552.10B/474.50A	----	540.10 + 50.50	.6383	----	----	----	----	1 UNCH
4775	----	----	#566.50B/487.70	#566.50B/487.70A	----	554.40 + 51.30	.6468	----	----	----	----	1 UNCH
4785	----	----	#573.80B/494.30	#573.80B/494.30A	----	561.60 + 51.70	.6509	----	----	----	----	100 UNCH
4800	----	----	#584.80B/504.50	#584.80B/504.50A	----	572.40 + 52.10	.6570	----	----	----	----	60 UNCH
4805	----	----	#588.50B/507.90	#588.50B/507.90A	----	576.10 + 52.40	.6591	----	----	----	----	2 UNCH
4835	----	----	#610.90B/528.70	#610.90B/528.70A	----	598.20 + 53.50	.6711	----	----	----	----	1 UNCH
4840	----	----	#614.60B/532.30	#614.60B/532.30A	----	601.90 + 53.60	.6731	----	----	----	----	1 UNCH
4845	----	----	#618.40B/535.60	#618.40B/535.60A	----	605.60 + 53.80	.6751	----	----	----	----	3 UNCH
4855	----	----	#625.90B/542.80	#625.90B/542.80A	----	613.10 + 54.10	.6789	----	----	----	----	3 UNCH
4900	----	----	#660.50B/575.10	#660.50B/575.10A	----	647.20 + 55.60	.6960	----	----	----	----	4 UNCH
4905	----	----	#664.40B/578.60	#664.40B/578.60A	----	651.10 + 55.80	.6978	----	----	----	----	4 UNCH
4950	----	----	#673.40B/611.80	#673.40B/611.80A	----	686.00 + 57.10	.7141	----	----	----	----	1 UNCH
4955	----	----	#674.20B/615.50	#674.20B/615.50A	----	689.90 + 57.20	.7158	----	----	----	----	1 UNCH
5000	----	----	668.20B/649.30A	668.20B/649.30A	----	725.60 + 58.50	.7313	----	----	----	----	10 UNCH
5005	----	----	----/653.30A	668.80B/653.30A	----	729.60 + 58.60	.7330	----	----	----	----	2 UNCH
5050	----	----	----	627.50B/840.10A	----	766.00 + 59.70	.7476	----	----	----	----	4 UNCH
5055	----	----	----	631.60B/844.10A	----	770.10 + 59.90	.7491	----	----	----	----	4 UNCH
5100	----	----	----	668.90B/881.10A	----	807.10 + 60.80	.7630	----	----	----	----	2 UNCH
5150	----	----	----	711.10B/922.90A	----	848.90 + 61.80	.7776	----	----	----	----	1 UNCH
5175	----	----	----	#732.40B/944.10A	----	870.00 + 62.20	.7846	----	----	----	----	125 UNCH
5200	----	----	----	#753.90B/965.40A	----	891.30 + 62.70	.7913	----	----	----	----	1 UNCH
5250	950.00	950.00	#950.00/950.00	#950.00/950.00	----	934.40 + 63.60	.8041	----	----	5	----	15 + 5
5340	----	----	----	#876.90B/1088.00A	----	1013.60 + 65.30	.8248	----	----	----	----	1 UNCH
5520	----	----	----	#1039.60B/1251.90A	----	1177.10 + 69.00	.8583	----	----	----	----	300 UNCH
5530	----	----	----	#1048.70B/1261.10A	----	1186.40 + 69.20	.8597	----	----	----	----	100 UNCH
5550	----	----	----	#1066.80B/1279.80A	----	1204.90 + 69.60	.8628	----	----	----	----	65 UNCH
5565	----	----	----	1080.50B/1293.80A	----	1218.90 + 69.90	.8652	----	----	----	----	50 UNCH
TOTAL										7		2236 + 7
MAR27												
3500	----	----	60.70B/----	60.70B/54.10A	----	62.40 + 9.00	.1186	----	----	----	----	1 UNCH
3600	----	----	74.80B/----	74.80B/65.30A	----	76.90 + 12.30	.1426	----	----	----	----	875 UNCH
3750	----	----	101.60B/87.00A	101.60B/87.00A	----	103.60 + 16.40	.1849	----	----	----	----	10 UNCH
3850	----	----	#124.90B/105.20	#124.90B/105.20A	----	125.30 + 18.70	.2174	----	----	----	----	21 UNCH
3900	----	----	#136.80B/115.70	#136.80B/115.70A	----	137.50 + 19.80	.2350	----	----	----	----	11 UNCH
4000	----	----	#166.80B/139.50	#166.80B/139.50A	----	164.90 + 22.00	.2729	----	----	----	----	6 UNCH
4070	----	----	#189.70B/158.70	#189.70B/158.70A	----	186.50 + 23.70	.3014	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG PUT — COMEX GOLD OPTIONS

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAR27											
4200 ----	----	#238.20B/200.20	#238.20B/200.20A	----	232.90 + 27.70	.3581	----	----	----	----	575 UNCH
4325 ----	----	#293.90B/248.30	#293.90B/248.30A	----	286.50 + 33.10	.4162	----	----	----	----	10 UNCH
4370 ----	----	#315.90B/267.40	#315.90B/267.40A	----	308.40 + 35.50	.4376	----	----	----	----	250 UNCH
4500 ----	----	#384.60B/328.80	#384.60B/328.80A	----	379.20 + 43.60	.4987	----	----	----	----	6 UNCH
4525 ----	----	#399.00B/341.60	#399.00B/341.60A	----	393.90 + 45.10	.5102	----	----	----	----	11 UNCH
4650 ----	----	#475.60B/410.70	#475.60B/410.70A	----	470.60 + 51.00	.5659	----	----	----	----	3 UNCH
4660 ----	----	#482.80B/416.50	#482.80B/416.50A	----	477.00 + 51.40	.5703	----	----	----	----	25 UNCH
4680 ----	----	#495.90B/428.50	#495.90B/428.50A	----	489.70 + 51.90	.5790	----	----	----	----	1 UNCH
4700 ----	----	#508.30B/440.60	#508.30B/440.60A	----	502.60 + 52.40	.5876	----	----	----	----	16 UNCH
4710 ----	----	#514.80B/446.70	#514.80B/446.70A	----	509.10 + 52.60	.5919	----	----	----	----	4 UNCH
4720 ----	----	#522.60B/452.70	#522.60B/452.70A	----	515.60 + 52.80	.5961	----	----	----	----	2 UNCH
4740 ----	----	#541.40B/465.30	#541.40B/465.30A	----	528.80 + 53.20	.6046	----	----	----	----	3 UNCH
4750 ----	----	#537.70B/471.60	#537.70B/471.60A	----	535.40 + 53.40	.6089	----	----	----	----	15 UNCH
4810 ----	----	#540.80B/510.40	#540.80B/510.40A	----	576.00 + 54.30	.6337	----	----	----	----	22 UNCH
4850 ----	----	----/537.20A	#539.80B/537.20A	----	603.90 + 54.80	.6498	----	----	----	----	6 UNCH
4900 ----	----	----	471.40B/744.40A	----	639.60 + 55.30	.6692	----	----	----	----	2 UNCH
4905 ----	----	----	475.00B/748.10A	----	643.30 + 55.50	.6711	----	----	----	----	2 UNCH
5000 ----	----	----	546.80B/819.80A	----	714.60 + 57.00	.7054	----	----	----	----	75 UNCH
TOTAL											1954 0
APR27											
3460 ----	----	#63.60B/57.50A	#63.60B/57.50A	----	63.90 + 6.10	.1163	----	----	----	----	1 UNCH
3500 ----	----	#69.10B/61.90A	#69.10B/61.90A	----	69.00 + 6.70	.1248	----	----	----	----	1 UNCH
3600 ----	----	#84.80B/74.10A	#84.80B/74.10A	----	83.70 + 8.50	.1484	----	----	----	----	1 UNCH
3700 ----	----	#103.20B/89.20A	#103.20B/89.20A	----	101.90 + 11.00	.1759	----	----	----	----	1 UNCH
3800 ----	----	#125.40B/107.50	#125.40B/107.50A	----	123.80 + 14.30	.2070	----	----	----	----	1 UNCH
3900 ----	----	#150.00B/128.90	#150.00B/128.90A	----	149.80 + 18.10	.2416	----	----	----	----	1 UNCH
4000 ----	----	#180.50B/154.10	#180.50B/154.10A	----	179.90 + 22.10	.2792	----	----	----	----	1 UNCH
4100 ----	----	#214.90B/183.50	#214.90B/183.50A	----	214.10 + 26.10	.3192	----	----	----	----	1 UNCH
4200 ----	----	#254.30B/217.10	#254.30B/217.10A	----	252.30 + 29.50	.3613	----	----	----	----	1 UNCH
4300 ----	----	#298.60B/255.60	#298.60B/255.60A	----	294.50 + 32.20	.4050	----	----	----	----	151 UNCH
4350 ----	----	#322.80B/276.70	#322.80B/276.70A	----	317.20 + 33.40	.4274	----	----	----	----	1 UNCH
4400 335.40	335.40	#348.10B/299.10	#348.10B/299.10A	----	341.20 + 34.60	.4501	----	----	1	----	1 UNCH
4500 ----	----	#397.00B/345.20	#397.00B/345.20A	----	393.00 + 37.00	.4953	----	----	----	----	1 UNCH
4540 ----	----	#425.10B/368.00	#425.10B/368.00A	----	415.20 + 38.00	.5132	----	----	----	----	1 UNCH
4900 ----	----	----	432.40B/815.40A	----	653.30 + 51.40	.6584	----	----	----	----	2 UNCH
4905 ----	----	----	436.00B/819.00A	----	657.00 + 51.60	.6601	----	----	----	----	2 UNCH
5000 ----	----	----	507.50B/889.00A	----	729.60 + 55.50	.6916	----	----	----	----	100 UNCH
5060 ----	----	----	554.50B/934.60A	----	777.00 + 57.90	.7100	----	----	----	----	25 UNCH
5200 ----	----	----	668.80B/1045.10A	----	891.60 + 62.80	.7488	----	----	----	----	15 UNCH
TOTAL									1		308 0
JUN27											
2800 ----	----	----	0.10B/278.40A	----	36.00 + 21.30	.0524	----	----	----	----	6 UNCH
3625 ----	----	----	#10.50B/180.30A	----	179.00 + 69.10	.2016	----	----	----	----	450 UNCH
4900 ----	----	----	#285.10B/957.80A	----	771.10 + 54.80	.5745	----	----	----	----	1 UNCH
4905 ----	----	----	#279.40B/962.60A	----	774.60 + 54.90	.5759	----	----	----	----	1 UNCH
5085 ----	----	----	#380.30B/1155.70A	----	904.70 + 54.60	.6214	----	----	----	----	150 UNCH
TOTAL											608 0
DEC27											
3700 ----	----	----	----	----	181.00 + 15.90	.1988	----	----	----	----	100 UNCH
3715 ----	----	----	----	----	184.40 + 16.20	.2021	----	----	----	----	150 UNCH
3820 ----	----	----	----	----	209.50 + 18.20	.2264	----	----	----	----	50 UNCH
4130 ----	----	----	----	----	300.30 + 24.80	.3087	----	----	----	----	168 UNCH
4500 ----	----	----	----	----	451.90 + 34.10	.4247	----	----	----	----	270 UNCH
4630 ----	----	----	----	----	518.10 + 37.50	.4673	----	----	----	----	284 UNCH
4860 ----	----	----	----	----	651.70 + 43.70	.5399	----	----	----	----	100 UNCH
5000 ----	----	----	----	----	742.60 + 47.20	.5811	----	----	----	----	50 UNCH
5650 ----	----	----	----	----	1235.20 + 61.10	.7340	----	----	----	----	200 UNCH
5880 ----	----	----	----	----	1429.20 + 65.20	.7741	----	----	----	----	200 UNCH
TOTAL											1572 0
JAN28											
5000 ----	----	----	----	----	736.30 + 46.20	.5644	----	----	----	----	1 UNCH
5100 ----	----	----	----	----	803.80 + 48.60	.5917	----	----	----	----	1 UNCH
TOTAL											2 0

OG CALL — COMEX GOLD OPTIONS

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26											
2000 ----	----	----	----	----	2286.40 - 77.00	1.0000	55	----	105	----	0 UNCH
2005 ----	----	----	----	----	2281.40 - 77.00	1.0000	----	----	----	----	0 UNCH
3300 ----	----	----	----	----	986.80 - 76.80	.9944	----	----	----	----	2 UNCH
3400 ----	----	----	----	----	887.20 - 76.70	.9914	----	----	----	----	20 UNCH
3500 ----	----	----	----	----	788.00 - 76.40	.9869	----	----	----	----	5 UNCH
3600 ----	----	----/667.70A	699.50B/667.70A	----	689.00 - 75.90	.9803	----	----	----	----	24 UNCH
3650 ----	----	----/618.40A	660.70B/618.40A	----	639.80 - 75.60	.9756	----	----	----	----	10 UNCH
3670 ----	----	----/598.80A	640.60B/598.80A	----	620.10 - 75.40	.9731	----	----	----	----	3 UNCH
3700 ----	----	----/569.60A	627.00B/569.60A	----	590.70 - 75.20	.9695	----	----	----	----	119 UNCH
3735 ----	----	----/535.80A	592.60B/535.80A	----	556.40 - 74.90	.9646	----	----	----	----	1 UNCH
3775 ----	----	612.30B/496.90A	612.30B/496.90A	----	517.40 - 74.50	.9577	----	----	----	----	4 UNCH
3800 ----	----	587.60B/473.20A	587.60B/473.20A	----	493.20 - 74.20	.9522	----	----	----	----	2056 UNCH
3825 ----	----	563.00B/449.30A	563.00B/449.30A	----	469.10 - 73.80	.9466	----	----	----	----	3 UNCH
3850 ----	----	538.40B/425.60A	538.40B/425.60A	----	445.10 - 73.40	.9397	----	----	----	----	65 UNCH
3860 ----	----	528.60B/416.00A	528.60B/416.00A	----	435.50 - 73.20	.9368	----	----	----	----	1 UNCH
3865 ----	----	523.70B/411.20A	523.70B/411.20A	----	430.70 - 73.20	.9354	----	----	----	----	7 UNCH
3875 ----	----	513.90B/401.90A	513.90B/401.90A	----	421.20 - 73.00	.9320	----	----	----	----	25 UNCH
3900 ----	----	489.40B/378.50A	489.40B/378.50A	----	397.50 - 72.50	.9231	----	----	----	----	18 UNCH
3925 ----	----	465.10B/355.40A	465.10B/355.40A	----	374.00 - 71.90	.9129	----	----	----	----	35 UNCH
3950 ----	----	440.80B/332.60A	440.80B/332.60A	----	350.80 - 71.10	.9013	----	----	----	----	821 UNCH
3960 ----	----	431.10B/323.60A	431.10B/323.60A	----	341.60 - 70.70	.8960	----	----	----	----	1 UNCH
4000 292.80	292.80	392.70B/288.00A	392.70B/288.00A	----	305.10 - 69.30	.8727	----	----	6	----	34 + 5
4020 ----	----	373.60B/270.60A	373.60B/270.60A	----	287.30 - 68.30	.8590	----	----	----	----	1 UNCH
4030 273.90	273.90	364.10B/262.00A	364.10B/262.00A	----	278.40 - 67.90	.8515	----	----	1	----	1 + 1
4040 ----	----	354.70B/253.50A	354.70B/253.50A	----	269.70 - 67.30	.8438	----	----	----	----	1 UNCH
4070 ----	----	326.50B/228.50A	326.50B/228.50A	----	243.80 - 65.70	.8180	----	----	----	----	1 UNCH
4075 ----	----	321.90B/224.60A	321.90B/224.60A	----	239.60 - 65.40	.8132	----	----	----	----	6 UNCH
4095 ----	----	303.40B/208.40A	303.40B/208.40A	----	222.90 - 64.10	.7936	----	----	----	----	4 UNCH
4100 ----	----	298.80B/204.40A	298.80B/204.40A	----	218.80 - 63.70	.7883	----	----	----	----	194 UNCH
4105 ----	----	294.20B/200.50A	294.20B/200.50A	----	214.70 - 63.40	.7830	----	----	----	----	1 UNCH
4110 ----	----	289.70B/196.60A	289.70B/196.60A	----	210.60 - 63.10	.7776	----	----	----	----	4 UNCH
4115 ----	----	285.10B/192.70A	285.10B/192.70A	----	206.60 - 62.60	.7718	----	----	----	----	1 UNCH
4130 193.90	193.90	271.60B/181.20A	271.60B/181.20A	----	194.60 - 61.50	.7544	----	----	1	----	2 + 1
4140 175.90	175.90	262.70B/173.80A	262.70B/173.80A	----	186.80 NEW	.7420	----	----	1	----	1 + 1
4145 172.10	172.10	258.20B/170.10A	258.20B/170.10A	----	182.90 - 60.20	.7357	----	----	1	----	29 + 1
4150 168.30	168.30	253.80B/166.40A	253.80B/166.40A	----	179.10 - 59.70	.7294	----	----	1	----	38 + 1
4155 164.60	164.60	249.40B/163.00A	249.40B/163.00A	----	175.30 - 59.30	.7228	----	----	1	----	2 + 1
4160 171.40	171.40	245.00B/159.40A	245.00B/159.40A	----	171.50 - 58.80	.7162	----	----	7	----	8 + 7
4165 167.60	167.60	240.60B/155.70A	240.60B/155.70A	----	167.70 NEW	.7092	----	----	5	----	5 + 5
4170 163.90	163.90	236.30B/152.60A	236.30B/152.60A	----	164.00 NEW	.7023	----	----	6	----	6 + 6
4175 151.80	151.80	232.00B/149.10A	232.00B/149.10A	----	160.30 NEW	.6952	----	----	3	----	2 + 2
4185 152.80	152.80	223.40B/*142.30	223.40B/*142.30A	----	153.10 NEW	.6808	----	----	1	----	1 + 1
4190 147.40	147.40	219.10B/*138.90	219.10B/138.90A	----	149.50 - 55.80	.6734	----	----	11	----	12 + 11
4195 143.90	143.90	214.90B/*135.60	214.90B/*135.60A	----	146.00 NEW	.6658	----	----	10	----	10 + 10
4200 135.00	135.00	210.70B/132.30A	210.70B/132.30A	----	142.50 - 54.70	.6582	----	----	5	----	38 + 3
4210 147.00	147.00	202.40B/*125.80	202.40B/125.80A	----	135.60 NEW	.6425	----	----	10	----	10 + 10
4215 ----	----	198.20B/*122.60	198.20B/*122.60A	----	132.20 - 53.10	.6345	----	----	----	----	26 UNCH
4220 ----	----	194.10B/119.50A	194.10B/119.50A	----	128.90 - 52.50	.6265	----	----	----	----	1 UNCH
4225 136.50	136.50	190.10B/116.40A	190.10B/116.40A	----	125.60 - 51.90	.6183	----	----	11	----	11 + 9
4230 135.00	135.00	186.00B/*113.40	186.00B/*113.40A	----	122.30 NEW	.6099	----	----	1	----	1 + 1
4235 ----	----	182.00B/*110.40	182.00B/*110.40A	----	119.10 - 50.70	.6015	----	----	----	----	1 UNCH
4240 ----	----	178.10B/*107.30	178.10B/*107.30A	----	115.90 - 50.20	.5930	----	----	----	----	42 UNCH
4245 ----	----	174.10B/*104.50	174.10B/*104.50A	----	112.70 - 49.60	.5843	----	----	----	----	1 UNCH
4250 117.20	117.20	170.20B/101.50A	170.20B/101.50A	----	109.60 - 49.10	.5756	----	----	2	----	319 UNCH
4255 136.70	136.70	166.30B/*98.80A	166.30B/*98.80A	----	106.60 - 48.40	.5668	----	----	6	----	8 + 6
4260 98.40	98.40	162.50B/*96.10A	162.50B/*96.10A	----	103.60 - 47.80	.5580	----	----	1	----	2 + 1
4265 95.60	95.60	158.70B/*93.30A	158.70B/*93.30A	----	100.60 - 47.20	.5490	----	----	2	----	4 + 2
4270 138.20	138.20	155.00B/*90.60A	155.00B/*90.60A	----	97.70 - 46.60	.5399	----	----	5	----	44 + 4
4275 123.10	123.10	151.20B/88.00A	151.20B/88.00A	----	94.90 - 45.90	.5308	----	----	14	----	89 + 10
4280 110.00	110.00	148.00B/*85.40A	148.00B/*85.40A	----	92.00 - 45.40	.5216	----	----	9	----	11 + 7
4285 110.00	110.00	144.50B/*82.90A	144.50B/*82.90A	----	89.30 - 44.60	.5124	----	----	12	----	9 + 7
4290 109.50	109.50	140.90B/*78.40	140.90B/*78.40	----	86.60 NEW	.5031	----	----	22	----	19 + 19
4295 76.00	76.00	137.40B/*76.00	137.40B/*76.00	----	83.90 NEW	.4937	----	----	19	----	17 + 17

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4300	116.00	116.00	133.90B/75.50A	133.90B/75.50A	----	81.30 - 42.70	.4843	----	----	76	----	204 + 9
4305	103.80	103.80	130.40B/*73.00A	130.40B/*73.00A	----	78.70 - 42.00	.4749	----	----	11	----	10 + 9
4310	73.50	73.50	127.00B/*70.60A	127.00B/*70.60A	----	76.20 - 41.30	.4654	----	----	5	----	6 + 3
4315	71.30	71.30	123.60B/*68.20A	123.60B/*68.20A	----	73.80 - 40.60	.4560	----	----	1	----	25 UNCH
4320	71.50	71.50	120.20B/*65.90A	120.20B/*65.90A	----	71.40 - 39.90	.4465	----	----	8	----	9 + 5
4325	70.60	70.60	116.90B/*63.70A	116.90B/*63.70A	----	69.10 - 39.10	.4371	----	----	13	----	59 + 1
4330	68.70	68.70	113.70B/*61.50A	113.70B/*61.50A	----	66.80 - 38.40	.4276	----	----	13	----	13 + 8
4335	71.80	71.80	110.40B/*59.40A	110.40B/*59.40A	----	64.60 - 37.60	.4182	----	----	8	----	9 + 2
4340	97.00	97.00	107.30B/*57.30A	107.30B/*57.30A	----	62.40 - 36.90	.4088	----	----	14	----	11 + 10
4345	68.70	68.70	104.90B/*55.30A	104.90B/*55.30A	----	60.30 - 36.10	.3994	----	----	4	----	36 + 2
4350	64.20	64.20	101.20B/*53.40A	101.20B/*53.40A	----	58.20 - 35.40	.3900	----	----	67	----	116 + 28
4355	87.20	87.20	98.10B/*51.50A	98.10B/*51.50A	----	56.20 - 34.60	.3807	----	----	12	----	36 + 5
4360	84.60	84.60	95.20B/*49.60A	95.20B/*49.60A	----	54.20 - 33.90	.3714	----	----	19	800	800 + 734
4365	84.20	84.20	92.40B/*47.80A	92.40B/*47.80A	----	52.30 - 33.20	.3623	----	----	20	----	80 + 3
4370	56.10	56.10	89.50B/*46.00A	89.50B/*46.00A	----	50.40 - 32.50	.3531	----	----	5	----	51 + 3
4375	77.10	77.10	86.80B/*44.40A	86.80B/*44.40A	----	48.60 - 31.80	.3440	----	----	8	----	209 + 5
4380	74.60	74.60	84.00B/*42.70A	84.00B/*42.70A	----	46.80 - 31.10	.3350	----	----	9	----	7 + 1
4385	54.30	54.30	81.30B/*41.10A	81.30B/*41.10A	----	45.10 - 30.40	.3261	----	----	4	----	17 UNCH
4390	74.20	74.20	78.70B/*39.60A	78.70B/*39.60A	----	43.40 - 29.80	.3172	----	----	23	----	48 + 12
4395	69.80	69.80	76.20B/*38.10A	76.20B/*38.10A	----	41.70 - 29.20	.3083	----	----	12	----	12 UNCH
4400	69.50	69.50	73.70B/36.60A	73.70B/36.60A	----	40.10 - 28.50	.2996	----	----	296	----	2644 + 127
4405	61.70	61.70	71.20B/*35.20A	71.20B/*35.20A	----	38.60 - 27.80	.2912	----	----	5	----	16 + 2
4410	62.70	62.70	68.90B/*33.90A	68.90B/*33.90A	----	37.10 - 27.20	.2827	----	----	101	----	68 + 38
4415	59.90	59.90	66.50B/*32.50A	66.50B/*32.50A	----	35.70 - 26.50	.2746	----	----	3	----	44 + 3
4420	59.00	59.00	64.30B/*31.30A	64.30B/*31.30A	----	34.30 - 25.80	.2664	----	----	11	----	60 + 1
4425	62.00	62.00	62.10B/*30.00A	62.10B/*30.00A	----	33.00 - 25.10	.2585	----	----	19	----	91 + 3
4430	39.10	39.10	59.90B/*28.80A	59.90B/*28.80A	----	31.70 - 24.40	.2506	----	----	18	----	113 - 6
4435	48.00	48.00	57.80B/*27.70A	57.80B/*27.70A	----	30.50 - 23.70	.2431	----	----	65	----	73 + 48
4440	52.40	52.40	55.70B/*26.60A	55.70B/*26.60A	----	29.30 - 23.00	.2355	----	----	13	----	29 + 1
4445	51.20	51.20	53.70B/*25.50A	53.70B/*25.50A	----	28.10 - 22.40	.2280	----	----	8	----	51 - 1
4450	46.40	46.40	52.10B/*24.50A	52.10B/*24.50A	----	27.00 - 21.80	.2208	----	----	415	----	719 + 98
4455	37.90	37.90	50.00B/*23.50A	50.00B/*23.50A	----	25.90 - 21.10	.2136	----	----	3	----	22 UNCH
4460	34.00	34.00	48.10B/*22.60A	48.10B/*22.60A	----	24.90 - 20.50	.2069	----	----	2	----	16 + 1
4465	37.90	37.90	46.40B/*21.70A	46.40B/*21.70A	----	23.90 - 19.90	.2001	----	----	9	----	47 + 1
4470	39.80	39.80	44.60B/*20.80A	44.60B/*20.80A	----	22.90 - 19.30	.1933	----	----	6	----	48 UNCH
4475	25.00	25.00	43.00B/*19.90A	43.00B/*19.90A	----	22.00 - 18.70	.1870	----	----	28	----	174 - 1
4480	30.80	30.80	41.40B/*19.10A	41.40B/*19.10A	----	21.10 - 18.10	.1807	----	----	46	----	382 + 29
4485	35.00	35.00	39.80B/*18.30A	39.80B/*18.30A	----	20.20 - 17.60	.1744	----	----	16	----	220 + 4
4490	29.50	29.50	38.30B/*17.60A	38.30B/*17.60A	----	19.40 - 17.00	.1685	----	----	6	----	36 + 5
4495	23.70	23.70	36.80B/*16.90A	36.80B/*16.90A	----	18.50 - 16.60	.1622	----	----	3	----	59 + 1
4500	33.70	33.70	35.40B/*16.20A	35.40B/*16.20A	----	17.80 - 16.00	.1569	----	----	964	100	1960 + 114
4505	20.00	20.00	34.10B/*15.50A	34.10B/*15.50A	----	17.00 - 15.60	.1510	----	----	13	----	80 + 4
4510	24.60	24.60	32.70B/*14.90A	32.70B/*14.90A	----	16.30 - 15.10	.1457	----	----	8	----	105 + 2
4515	22.40	22.40	31.40B/*14.30A	31.40B/*14.30A	----	15.60 - 14.60	.1404	----	----	13	----	297 - 1
4520	28.60	28.60	30.20B/*13.70A	30.20B/*13.70A	----	14.90 - 14.20	.1351	----	----	17	----	221 + 4
4525	17.90	17.90	29.00B/*13.20A	29.00B/*13.20A	----	14.30 - 13.70	.1303	----	----	44	----	221 + 1
4530	16.60	16.60	27.90B/*12.60A	27.90B/*12.60A	----	13.70 - 13.30	.1256	----	----	10	----	227 - 3
4535	16.10	16.10	26.80B/*12.10A	26.80B/*12.10A	----	13.20 - 12.80	.1214	----	----	2	----	186 - 2
4540	16.50	16.50	25.70B/*11.70A	25.70B/*11.70A	----	12.70 - 12.30	.1172	----	----	12	----	91 + 1
4545	16.10	16.10	24.80B/*11.20A	24.80B/*11.20A	----	12.20 - 11.90	.1131	----	----	3	----	207 - 2
4550	19.10	19.10	23.80B/*10.80A	23.80B/*10.80A	----	11.70 - 11.50	.1090	----	----	169	----	671 + 61
4555	13.40	13.40	22.80B/*10.30A	22.80B/*10.30A	----	11.30 - 11.10	.1054	----	----	13	----	44 + 6
4560	14.30	14.30	22.00B/*9.90A	22.00B/*9.90A	----	10.90 - 10.60	.1020	----	----	3	----	118 UNCH
4565	12.40	12.40	21.10B/*9.60A	21.10B/*9.60A	----	10.50 - 10.20	.0985	----	----	6	----	141 + 5
4570	16.10	16.10	20.20B/*9.20A	20.20B/*9.20A	----	10.10 - 9.80	.0950	----	----	5	----	68 - 4
4575	17.50	17.50	19.50B/*8.90A	19.50B/*8.90A	----	9.70 - 9.40	.0916	----	----	5	----	170 + 1
4580	13.10	13.10	18.60B/*8.50A	18.60B/*8.50A	----	9.30 - 9.10	.0882	----	----	12	----	115 UNCH
4585	----	----	18.00B/*8.20A	18.00B/*8.20A	----	9.00 - 8.70	.0854	----	----	----	----	78 UNCH
4590	----	----	17.20B/*7.90A	17.20B/*7.90A	----	8.60 - 8.40	.0820	----	----	1	----	47 UNCH
4595	14.00	14.00	16.60B/*7.60A	16.60B/*7.60A	----	8.30 - 8.10	.0793	----	----	10	----	40 + 1
4600	15.40	15.40	16.00B/*7.30A	16.00B/*7.30A	----	8.00 - 7.80	.0766	----	----	1053	----	2414 + 178
4605	13.90	13.90	14.00/*7.10A	15.20B/*7.10A	----	7.70 - 7.50	.0739	----	----	25	----	130 + 21
4610	13.00	13.00	14.70B/*6.80A	14.70B/*6.80A	----	7.40 - 7.20	.0712	----	----	13	----	121 + 2
4615	----	----	14.20B/*6.60A	14.20B/*6.60A	----	7.10 - 7.00	.0685	----	----	----	----	122 UNCH
4620	11.00	11.00	13.60B/*6.30A	13.60B/*6.30A	----	6.80 - 6.70	.0659	----	----	9	----	76 + 3
4625	11.50	11.50	11.50/*6.10A	13.10B/*6.10A	----	6.60 - 6.50	.0639	----	----	6	----	192 - 3
4630	12.60	12.60	12.60/*5.90A	12.60/*5.90A	----	6.40 - 6.20	.0620	----	----	4	----	94 - 1
4635	6.00	6.00	6.00/*5.70A	12.10B/*5.70A	----	6.10 - 6.00	.0593	----	----	1	----	138 UNCH
4640	9.70	9.70	11.70/*5.50A	11.70/*5.50A	----	5.90 - 5.80	.0574	----	----	9	----	221 + 5
4645	5.60	5.60	5.90/*5.30A	11.20B/*5.30A	----	5.70 - 5.60	.0555	----	----	4	----	65 + 1
4650	8.90	8.90	8.90/*5.10A	10.80B/*5.10A	----	5.50 - 5.40	.0536	----	----	462	----	1296 - 116
4655	8.70	8.70	8.70/*5.00A	10.40B/*5.00A	----	5.40 - 5.10	.0524	----	----	14	----	49 + 3
4660	5.40	5.40	5.40/*4.80A	9.90B/*4.80A	----	5.20 - 4.90	.0506	----	----	2	----	106 + 1
4665	5.20	5.20	5.20/*4.60A	9.60B/*4.60A	----	5.00 - 4.70	.0487	----	----	9	----	326 UNCH
4670	8.00	8.00	8.00/*4.50A	9.30B/*4.50A	----	4.90 - 4.50	.0476	----	----	4	----	136 + 2
4675	8.80	8.80	8.80/*4.40A	8.90B/*4.40A	----	4.70 - 4.40	.0458	----	----	5	----	215 + 4
4680	8.00	8.00	8.50B/*4.30	8.50B/*4.30	----	4.60 - 4.10	.0447	----	----	16	200	234 + 37
4685	4.50	4.50	4.50/*4.20A	8.40B/*4.20A	----	4.50 - 3.90	.0436	----	----	4	----	62 + 3
4690	4.90	4.90	4.90/*4.10A	8.10B/*4.10A	----	4.30 - 3.80	.0418	----	----	5	----	88 + 5
4695	4.00	4.00	4.20/*3.90A	7.70B/*3.90A	----	4.20 - 3.60	.0407	----	----	6	----	62 + 6
4700	7.00	7.00	7.60/*3.80	7.60/*3.80	----	4.10 - 3.50	.0397	----	----	175	----	2698 - 57
4705	----	----	----/*3.80A	7.20B/*3.80A	----	4.00 - 3.30	.0386	----	----	----	----	56 UNCH
4710	----	----	----/*3.70A	6.90B/*3.70A	----	3.90 - 3.20	.0376	----	----	----	----	195 UNCH
4715	3.60	3.60	3.60/*3.60	6.70B/*3.60	----	3.80 - 3.00	.0366	----	----	1	----	24 + 1
4720	3.80	3.80	3.80/*3.50A	6.50B/*3.50A	----	3.70 - 2.90	.0355	----	----	1	----	104 UNCH
4725	6.20	6.20	6.70B/*3.40A	6.70B/*3.40A	----	3.60 - 2.80	.0345	----	----	31	----	275 + 15
4730	3.70	3.70	3.70/*3.30A	6.10B/*3.30A	----	3.50 - 2.70	.0335	----	----	4	----	244 UNCH
4735	3.10	3.10	3.10/*3.10	5.90B/*3.10	----	3.40 - 2.60	.0326	----	----	1	----	88 UNCH
4740	3.50	3.50	3.50/*3.10A	5.80B/*3.10A	----	3.30 - 2.50	.0316	----	----	2	----	27 UNCH
4745	----	----	----/*3.10A	5.60B/*3.10A	----	3.20 - 2.50	.0306	----	----	----	----	220 UNCH
4750	5.70	5.70	5.80/*3.00A	5.80/*3.00A	----	3.20 - 2.30	.0304	----	----	227	----	2548 - 128
4755	2.90	2.90	2.90/*2.90	5.20B/*2.90	----	3.10 - 2.30	.0294	----	----	1	----	87 + 1
4760	----	----	----/*2.90A	5.10B/*2.90A	----	3.00 - 2.20	.0285	----	----	----	----	67 UNCH
4765	----	----	----/*2.80A	5.00B/*2.80A	----	3.00 - 2.10	.0283	----	----	----	----	196 UNCH
4770	----	----	----/*2.70A	4.80B/*2.70A	----	2.90 - 2.00	.0273	----	----	1	----	107 UNCH
4775	4.10	4.10	4.10/*2.70A	4.70B/*2.70A	----	2.80 - 2.00	.0264	----	----	2	----	242 - 1
4780	3.80	3.80	3.80/*2.60A	4.60B/*2.60A	----	2.80 - 1.90	.0262	----	----	23	----	73 + 19
4785	2.60	2.60	2.80/*2.60	4.50B/*2.60	----	2.70 - 1.90	.0253	----	----	3	----	84 UNCH
4790	2.70	2.70	2.70/*2.50A	4.30B/*2.50A	----	2.60 - 1.90	.0244	----	----	2	----	78 UNCH
4795	----	----	----/*2.50A	4.20B/*2.50A	----	2.60 - 1.80	.0242	----	----	----	----	803 UNCH
4800	4.00	4.00	4.00/*2.20	4.10B/*2.20	----	2.50 - 1.80	.0233	----	----	302	----	3545 - 23
4805	----	----	----/*2.40A	4.00B/*2.40A	----	2.50 - 1.70	.0232	----	----	1	----	308 - 1
4810	3.40	3.40	3.40/*2.30A	3.90B/*2.30A	----	2.40 - 1.70	.0223	----	----	2	----	84 UNCH
4815	----	----	----/*2.30A	3.80B/*2.30A	----	2.40 - 1.60	.0221	----	----	----	----	56 UNCH
4820	----	----	----/*2.30A	3.70B/*2.30A	----	2.30 - 1.60	.0212	----	----	----	----	65 UNCH
4825	3.00	3.00	3.00/*2.20A	3.70B/*2.20A	----	2.30 - 1.50	.0211	----	----	13	----	731 - 13
4830	3.00	3.00	3.00/*2.20A	3.60B/*2.20A	----	2.30 - 1.40	.0210	----	----	1	----	158 UNCH
4835	----	----	----/*2.20A	3.50B/*2.20A	----	2.20 - 1.40	.0201	----	----	----	----	73 UNCH
4840	----	----	----/*2.10A	3.40B/*2.10A	----	2.20 - 1.30	.0200	----	----	----	----	225 UNCH
4845	----	----	----/*2.10A	3.30B/*2.10A	----	2.10 - 1.30	.0191	----	----	----	----	134 UNCH
4850	3.00	3.00	3.00/*2.00A	3.30B/*2.00A	----	2.10 - 1.20	.0190	----	----	99	----	1657 - 76
4855	----	----	----/*2.00A	3.20B/*2.00A	----	2.10 - 1.10	.0189	----	----	----	----	242 UNCH
4860	2.00	2.00	2.00/*2.00	3.10B/*2.00	----	2.00 - 1.20	.0180	----	----	2	----	100 + 1
4865	2.20	2.20	2.20/*1.90A	3.00B/*1.90A	----	2.00 - 1.10	.0179	----	----	1	----	112 - 1
4870	----	----	----/*1.90A	3.00B/*1.90A	----	2.00 - 1.00	.0178	----	----	----	----	145 UNCH
4875	----	----	----/*1.90A	2.90B/*1.90A	----	1.90 - 1.00	.0170	----	----	----	----	151 UNCH
4880	2.40	2.40	2.40/*1.80A	2.80B/*1.80A	----	1.90 - 1.00	.0169	----	----	10	----	186 - 9
4885	2.00	2.00	2.00/*1.80A	2.80B/*1.80A	----	1.90 - 0.90	.0168	----	----	3	----	81 + 2
4890	----	----	----/*1.80A	2.70B/*1.80A	----	1.80 - 1.00	.0160	----	----	----	----	87 UNCH
4895	----	----	----/*1.80A	2.70B/*1.80A	----	1.80 - 0.90	.0159	----	----	----	----	71 UNCH
4900	1.80	1.80	1.80/*1.70A	2.60B/*1.70A	----	1.80 - 0.90	.0158	----	----	28	----	2450 - 14
4905	----	----	----/*1.70A	2.60B/*1.70A	----	1.70 - 0.90	.0150	----	----	----	----	32 UNCH
4910	----	----	----/*1.70A	2.50B/*1.70A	----	1.70 - 0.90	.0149	----	----	----	----	187 UNCH
4915	----	----	----/*1.60A	2.40B/*1.60A	----	1.70 - 0.80	.0148	----	----	----	----	91 UNCH
4920	1.70	1.70	1.70/*1.60A	2.40B/*1.60A	----	1.70 - 0.80	.0147	----	----	3	----	366 + 3
4925	1.80	1.80	1.80/*1.60A	2.30B/*1.60A	----	1.60 - 0.80	.0139	----	----	2	----	174 - 1
4930	----	----	----/*1.60A	2.30B/*1.60A	----	1.60 - 0.80	.0138	----	----	----	----	106 UNCH
4935	----	----	----/*1.60A	2.30B/*1.60A	----	1.60 - 0.70	.0137	----	----	----	----	643 UNCH
4940	----	----	----/*1.50A	2.20B/*1.50A	----	1.60 - 0.70	.0137	----	----	----	----	308 UNCH
4945	----	----	----/*1.50A	2.20B/*1.50A	----	1.50 - 0.80	.0129	----	----	----	----	56 UNCH
4950	2.20	2.20	2.20/*1.50A	2.20/*1.50A	----	1.50 - 0.70	.0128	----	----	3	----	597 UNCH
4955	----	----	----/*1.50A	2.10B/*1.50A	----	1.50 - 0.70	.0128	----	----	----	----	89 UNCH
4960	1.70	1.70	1.70/*1.40	2.10B/*1.40	----	1.50 - 0.70	.0127	----	----	106	----	216 - 27
4965	----	----	----/*1.40A	2.00B/*1.40A	----	1.50 - 0.60	.0126	----	----	----	----	218 UNCH
4970	----	----	----/*1.40A	2.00B/*1.40A	----	1.40 - 0.70	.0119	----	----	----	----	69 UNCH
4975	----	----	----/*1.40A	2.00B/*1.40A	----	1.40 - 0.70	.0118	----	----	----	----	79 UNCH
4980	----	----	----/*1.40A	1.90B/*1.40A	----	1.40 - 0.60	.0117	----	----	----	----	71 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4985	1.30	1.30	1.30/*1.30	1.90B/*1.30	----	1.40 - 0.60	.0117	----	----	1	----	99 UNCH
4990	1.30	1.30	1.30/*1.30	1.90B/*1.30	----	1.40 - 0.60	.0116	----	----	4	----	143 + 3
4995	1.70	1.70	1.70/*1.30A	1.80B/*1.30A	----	1.30 - 0.60	.0109	----	----	9	----	1056 UNCH
5000	1.70	1.70	2.10/*1.20	2.10/*1.20	----	1.30 - 0.60	.0108	----	----	436	----	4254 - 94
5005	----	----	----/*1.30A	1.80B/*1.30A	----	1.30 - 0.60	.0107	----	----	----	----	64 UNCH
5010	----	----	----/*1.30A	1.70B/*1.30A	----	1.30 - 0.50	.0107	----	----	----	----	54 UNCH
5015	1.30	1.30	1.30/*1.30	1.70B/*1.30	----	1.30 - 0.50	.0106	----	----	1	----	104 + 1
5020	----	----	----/*1.20A	1.70B/*1.20A	----	1.20 - 0.60	.0099	----	----	----	----	29 UNCH
5025	----	----	----/*1.30A	1.70B/*1.30A	----	1.20 - 0.60	.0098	----	----	----	----	313 UNCH
5030	----	----	----/*1.30A	1.60B/*1.30A	----	1.20 - 0.50	.0098	----	----	----	----	215 UNCH
5035	----	----	----/*1.20A	1.60B/*1.20A	----	1.20 - 0.50	.0097	----	----	----	----	103 UNCH
5040	----	----	----/*1.20A	1.60B/*1.20A	----	1.20 - 0.50	.0097	----	----	----	----	27 UNCH
5045	----	----	----/*1.20A	1.50B/*1.20A	----	1.20 - 0.50	.0096	----	----	----	----	18 UNCH
5050	1.20	1.20	1.20/*1.20	1.50B/*1.20	----	1.10 - 0.50	.0089	----	----	2	----	515 - 2
5055	----	----	----/*1.20A	1.50B/*1.20A	----	1.10 - 0.50	.0089	----	----	1	----	31 UNCH
5060	----	----	----/*1.20A	1.50B/*1.20A	----	1.10 - 0.50	.0088	----	----	----	----	37 UNCH
5065	----	----	----/*1.10A	1.50B/*1.10A	----	1.10 - 0.50	.0088	----	----	----	----	183 UNCH
5070	----	----	----/*1.10A	1.40B/*1.10A	----	1.10 - 0.50	.0088	----	----	----	----	38 UNCH
5075	----	----	----/*1.10A	1.40B/*1.10A	----	1.10 - 0.40	.0087	----	----	----	----	149 UNCH
5080	----	----	----/*1.10A	1.40B/*1.10A	----	1.00 - 0.50	.0080	----	----	----	----	121 UNCH
5085	1.00	1.00	1.00/*1.00	1.40B/*1.00	----	1.00 - 0.50	.0080	----	----	1	----	53 + 1
5090	----	----	----/*1.10A	1.40B/*1.10A	----	1.00 - 0.50	.0079	----	----	----	----	389 UNCH
5095	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 0.50	.0079	----	----	----	----	289 UNCH
5100	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 0.50	.0079	----	----	----	----	1438 - 100
5105	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 0.40	.0078	----	----	----	----	107 UNCH
5110	----	----	----/*1.10A	1.30B/*1.10A	----	1.00 - 0.40	.0078	----	----	----	----	408 UNCH
5115	----	----	----/*1.00A	1.30B/*1.00A	----	0.90 - 0.50	.0071	----	----	----	----	37 UNCH
5120	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.50	.0071	----	----	----	----	63 UNCH
5125	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.50	.0070	----	----	----	----	265 UNCH
5130	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.50	.0070	----	----	----	----	43 UNCH
5135	----	----	----/1.00A	1.20B/1.00A	----	0.90 - 0.50	.0070	----	----	----	----	174 UNCH
5140	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.40	.0069	----	----	----	----	72 UNCH
5145	----	----	----/*1.00A	1.20B/*1.00A	----	0.90 - 0.40	.0069	----	----	----	----	82 UNCH
5150	----	----	----/*1.00A	1.10B/*1.00A	----	0.90 - 0.40	.0069	----	----	----	----	1432 UNCH
5155	----	----	----/*0.90A	1.10B/*0.90A	----	0.90 - 0.40	.0068	----	----	----	----	22 UNCH
5160	----	----	----/*0.90A	1.10B/*0.90A	----	0.80 - 0.50	.0062	----	----	----	----	73 UNCH
5165	----	----	----/*0.90A	1.10B/*0.90A	----	0.80 - 0.50	.0061	----	----	----	----	23 UNCH
5170	----	----	----/*0.90A	1.10B/*0.90A	----	0.80 - 0.50	.0061	----	----	----	----	16 UNCH
5175	----	----	----/*0.90A	1.10B/*0.90A	----	0.80 - 0.40	.0061	----	----	----	----	97 UNCH
5180	----	----	----/*0.90A	1.10B/*0.90A	----	0.80 - 0.40	.0061	----	----	----	----	31 UNCH
5185	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 0.40	.0060	----	----	----	----	155 UNCH
5190	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 0.40	.0060	----	----	----	----	23 UNCH
5195	----	----	----/*0.90A	1.00B/*0.90A	----	0.80 - 0.40	.0060	----	----	----	----	36 UNCH
5200	1.00	1.00	1.00/*0.90A	1.00/*0.90A	----	0.80 - 0.40	.0060	----	----	6	----	2937 + 6
5205	----	----	----/*0.80A	1.00B/*0.80A	----	0.80 - 0.30	.0059	----	----	----	----	50 UNCH
5210	----	----	----/*0.80A	1.00B/*0.80A	----	0.70 - 0.40	.0053	----	----	----	----	48 UNCH
5215	----	----	----/*0.80A	1.00B/*0.80A	----	0.70 - 0.40	.0052	----	----	----	----	48 UNCH
5220	----	----	----/*0.80A	1.00B/*0.80A	----	0.70 - 0.40	.0052	----	----	----	----	43 UNCH
5225	----	----	----/*0.80A	0.90B/*0.80A	----	0.70 - 0.40	.0052	----	----	----	----	88 UNCH
5230	----	----	----/*0.80A	0.90B/*0.80A	----	0.70 - 0.40	.0052	----	----	----	----	90 UNCH
5235	----	----	----/*0.80A	0.90B/*0.80A	----	0.70 - 0.40	.0052	----	----	----	----	35 UNCH
5240	----	----	----/*0.80A	0.90B/*0.80A	----	0.70 - 0.30	.0051	----	----	----	----	115 UNCH
5245	----	----	----/*0.80A	0.90B/*0.80A	----	0.70 - 0.30	.0051	----	----	----	----	71 UNCH
5250	0.60	0.60	0.60/*0.60	0.80B/*0.60	----	0.70 - 0.30	.0051	----	----	100	----	825 - 98
5255	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.30	.0051	----	----	----	----	21 UNCH
5260	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.30	.0051	----	----	9	----	150 UNCH
5265	----	----	----/*0.80A	0.80B/*0.80A	----	0.60 - 0.40	.0044	----	----	----	----	14 UNCH
5270	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.40	.0044	----	----	----	----	29 UNCH
5275	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.40	.0044	----	----	----	----	25 UNCH
5280	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.30	.0044	----	----	----	----	44 UNCH
5285	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.30	.0043	----	----	----	----	15 UNCH
5290	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.30	.0043	----	----	1	----	54 UNCH
5295	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.30	.0043	----	----	----	----	86 UNCH
5300	----	----	----/*0.70A	0.80B/*0.70A	----	0.60 - 0.30	.0043	----	----	12	----	2107 UNCH
5305	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0043	----	----	----	----	154 UNCH
5310	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0043	----	----	----	----	28 UNCH
5315	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0042	----	----	----	----	35 UNCH
5320	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.30	.0042	----	----	----	----	57 UNCH
5325	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.20	.0042	----	----	----	----	172 UNCH
5330	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.20	.0042	----	----	----	----	23 UNCH
5335	----	----	----/*0.70A	0.70B/*0.70A	----	0.60 - 0.20	.0042	----	----	----	----	14 UNCH
5340	----	----	----/*0.70A	0.70B/*0.70A	----	0.50 - 0.30	.0035	----	----	----	----	31 UNCH
5345	----	----	----/*0.60A	0.70B/*0.60A	----	0.50 - 0.30	.0035	----	----	----	----	35 UNCH
5350	----	----	----/*0.60A	0.70B/*0.60A	----	0.50 - 0.30	.0035	----	----	----	----	792 UNCH
5355	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0035	----	----	----	----	71 UNCH
5360	----	----	----/*0.60A	0.70B/*0.60A	----	0.50 - 0.30	.0035	----	----	----	----	337 UNCH
5365	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0035	----	----	----	----	139 UNCH
5370	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0035	----	----	----	----	27 UNCH
5375	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0035	----	----	----	----	23 UNCH
5380	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.30	.0034	----	----	----	----	18 UNCH
5385	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	----	----	18 UNCH
5390	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	----	----	33 UNCH
5395	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	----	----	27 UNCH
5400	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	55	----	3375 + 55
5405	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	----	----	19 UNCH
5410	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	----	----	23 UNCH
5415	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	----	----	18 UNCH
5420	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0034	----	----	----	----	29 UNCH
5425	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0033	----	----	----	----	34 UNCH
5430	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.20	.0033	----	----	----	----	11 UNCH
5435	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0033	----	----	----	----	7 UNCH
5440	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.20	.0033	----	----	----	----	26 UNCH
5445	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.20	.0033	----	----	----	----	24 UNCH
5450	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.30	.0027	----	----	----	----	1171 UNCH
5455	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.30	.0027	----	----	----	----	36 UNCH
5460	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.30	.0027	----	----	----	----	27 UNCH
5465	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0027	----	----	----	----	20 UNCH
5470	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0027	----	----	----	----	28 UNCH
5475	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0027	----	----	----	----	207 UNCH
5480	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	5 UNCH
5485	0.40	0.40	0.40/*0.40	0.50B/*0.40	----	0.40 - 0.20	.0026	----	----	2	----	16 UNCH
5490	0.40	0.40	0.40/*0.40	0.50B/*0.40	----	0.40 - 0.20	.0026	----	----	1	----	19 UNCH
5495	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	8 UNCH
5500	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0026	----	----	57	----	2877 + 57
5505	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	15 UNCH
5510	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	27 UNCH
5515	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	18 UNCH
5520	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	38 UNCH
5525	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	91 UNCH
5530	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	30 UNCH
5535	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0026	----	----	----	----	15 UNCH
5540	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0025	----	----	----	----	16 UNCH
5545	----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.20	.0025	----	----	----	----	16 UNCH
5550	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0025	----	----	----	----	195 UNCH
5555	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0025	----	----	----	----	35 UNCH
5560	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0025	----	----	----	----	18 UNCH
5565	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0025	----	----	----	----	12 UNCH
5570	----	----	----	0.40B/*0.50A	----	0.40 - 0.10	.0025	----	----	----	----	4 UNCH
5575	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.10	.0025	----	----	----	----	31 UNCH
5580	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	7 UNCH
5585	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	12 UNCH
5590	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	5 UNCH
5595	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	19 UNCH
5600	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	2229 UNCH
5605	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	32 UNCH
5610	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	11 UNCH
5615	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	1 UNCH
5620	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	6 UNCH
5625	----	----	----/*0.40A	0.40B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	13 UNCH
5630	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	4 UNCH
5635	----	----	----/*0.30A	0.40B/*0.30A	----	0.30 - 0.20	.0019	----	----	----	----	12 UNCH
5640	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0019	----	----	----	----	8 UNCH
5650	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0018	----	----	----	----	402 UNCH
5660	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0018	----	----	----	----	7 UNCH
5670	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.20	.0018	----	----	----	----	11 UNCH
5675	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0018	----	----	----	----	7 UNCH
5680	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0018	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5690	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0018	----	----	----	----	21 UNCH
5700	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0018	----	----	----	----	989 UNCH
5710	----	----	----	0.30B/*0.40A	----	0.30 - 0.10	.0018	----	----	----	----	22 UNCH
5720	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0018	----	----	----	----	17 UNCH
5725	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0018	----	----	----	----	56 UNCH
5730	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0018	----	----	----	----	10 UNCH
5740	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0018	----	----	----	----	9 UNCH
5750	----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	1059 UNCH
5760	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	168 UNCH
5770	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	4 UNCH
5775	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	215 UNCH
5780	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	6 UNCH
5790	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	9 UNCH
5800	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	804 UNCH
5810	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	11 UNCH
5820	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	208 UNCH
5825	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	19 UNCH
5830	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	1 UNCH
5840	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	103 UNCH
5850	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	111 UNCH
5860	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0017	----	----	----	----	208 UNCH
5870	----	----	----/*0.30A	0.20B/*0.30A	----	0.30 - 0.10	.0016	----	----	----	----	17 UNCH
5875	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0016	----	----	----	----	22 UNCH
5880	----	----	----/*0.30A	0.10B/*0.30A	----	0.30 - 0.10	.0016	----	----	----	----	11 UNCH
5890	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0011	----	----	----	----	9 UNCH
5900	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.20	.0011	----	----	1	----	438 UNCH
5910	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0011	----	----	----	----	6 UNCH
5920	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0011	----	----	----	----	19 UNCH
5925	----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.20	.0011	----	----	----	----	5 UNCH
5930	----	----	----/0.30A	0.10B/0.30A	----	0.20 - 0.20	.0011	----	----	----	----	4 UNCH
5940	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	2 UNCH
5950	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	51 UNCH
5960	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	16 UNCH
5970	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	55 UNCH
5980	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	3 UNCH
5990	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	76 UNCH
6000	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.10	.0011	----	----	8	----	2151 - 1
6025	----	----	----/*0.20A	0.10B/*0.20A	----	0.20 - 0.10	.0011	----	----	----	----	34 UNCH
6050	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	45 UNCH
6075	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.20 - 0.10	.0010	----	----	2	----	718 UNCH
6100	----	----	----/*0.20A	----/*0.20A	----	0.20 - 0.10	.0010	----	----	----	----	293 UNCH
6125	----	----	----	----/*0.20A	----	0.20 UNCH	.0010	----	----	----	----	70 UNCH
6150	----	----	----/*0.10A	----/*0.10A	----	0.20 UNCH	.0010	----	----	1	----	882 UNCH
6175	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0005	----	----	----	----	37 UNCH
6200	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0004	----	----	----	----	570 UNCH
6225	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0004	----	----	----	----	20 UNCH
6250	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0003	----	----	----	----	392 UNCH
6275	----	----	----	----/0.20A	----	0.10 - 0.10	.0003	----	----	----	----	3 UNCH
6300	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0002	----	----	----	----	336 UNCH
6325	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0002	----	----	----	----	29 UNCH
6350	----	----	----/0.10A	----/0.10A	----	0.10 - 0.10	.0002	----	----	----	----	21 UNCH
6375	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	37 UNCH
6400	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	111 UNCH
6425	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	17 UNCH
6450	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	48 UNCH
6475	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	13 UNCH
6500	----	----	----	----/0.10A	----	0.10 UNCH	.0001	----	----	----	----	669 UNCH
6525	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	162 UNCH
6550	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
6575	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
6600	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	27 UNCH
6650	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
6675	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
6700	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	137 UNCH
6775	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
6800	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	202 UNCH
6825	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	19 UNCH
6850	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	201 UNCH
6875	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	22 UNCH
6900	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	19 UNCH
6925	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
6950	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	22 UNCH
6975	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
7000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0000	----	----	4	----	1470 UNCH
7025	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7050	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
7075	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
7100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
7125	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7150	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
7175	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
7225	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	22 UNCH
7250	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
7275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	14 UNCH
7300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
7350	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
7400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
7425	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
7450	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	28 UNCH
7475	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
7500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	297 UNCH
7525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	34 UNCH
7550	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
7575	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
7600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
7625	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
7700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
7725	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
7775	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
7825	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	166 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
8000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	5	----	1116 UNCH
8100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
8200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
8300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
8600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
8700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
8800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	340 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	141 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
9900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	275 UNCH
10100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	103 UNCH
11200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	222 UNCH
TOTAL										6414	1,100	94484 + 1201
AUG26												
3200	----	----	----/1,067.10A	1098.90B/1067.10A	----	1088.60 - 76.00	.9814	----	----	----	----	11 UNCH
3300	----	----	----/968.60A	1000.10B/968.60A	----	989.80 - 75.70	.9758	----	----	----	----	80 UNCH
3305	----	----	----/963.50A	995.10B/963.50A	----	984.90 - 75.60	.9753	----	----	----	----	20 UNCH
3325	----	----	----/943.90A	975.50B/943.90A	----	965.20 - 75.50	.9739	----	----	----	----	15 UNCH
3350	----	----	----/919.60A	961.50B/919.60A	----	940.70 - 75.30	.9718	----	----	----	----	178 UNCH
3400	----	----	983.10B/870.80A	983.10B/870.80A	----	891.70 - 75.00	.9673	----	----	----	----	420 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3500	----	----	888.60B/774.00A	888.60B/774.00A	----	794.40 - 74.00	.9557	----	----	----	----	46 UNCH
3505	----	----	883.70B/769.20A	883.70B/769.20A	----	789.50 - 74.00	.9552	----	----	----	----	4 UNCH
3520	----	----	868.90B/754.50A	868.90B/754.50A	----	775.10 - 73.70	.9530	----	----	----	----	65 UNCH
3550	----	----	839.50B/725.80A	839.50B/725.80A	----	746.20 - 73.30	.9482	----	----	----	----	310 UNCH
3600	----	----	790.70B/678.20A	790.70B/678.20A	----	698.30 - 72.60	.9394	----	----	10	----	1045 UNCH
3610	----	----	780.90B/669.00A	780.90B/669.00A	----	688.70 - 72.50	.9376	----	----	----	----	6 UNCH
3650	----	----	742.10B/631.10A	742.10B/631.10A	----	650.80 - 71.70	.9290	----	----	----	----	4 UNCH
3660	----	----	732.40B/622.00A	732.40B/622.00A	----	641.30 - 71.60	.9268	----	----	----	----	25 UNCH
3685	----	----	708.20B/598.50A	708.20B/598.50A	----	617.80 - 71.10	.9207	----	----	----	----	1 UNCH
3700	----	----	693.80B/584.60A	693.80B/584.60A	----	603.80 - 70.70	.9166	----	----	----	----	40 UNCH
3715	----	----	679.40B/571.00A	679.40B/571.00A	----	589.80 - 70.40	.9127	----	----	----	----	30 UNCH
3720	----	----	674.60B/566.40A	674.60B/566.40A	----	585.10 - 70.30	.9111	----	----	----	----	1 UNCH
3735	----	----	660.20B/552.40A	660.20B/552.40A	----	571.20 - 69.90	.9068	----	----	----	----	1 UNCH
3750	----	----	645.90B/538.80A	645.90B/538.80A	----	557.40 - 69.50	.9022	----	----	----	----	8 UNCH
3775	----	----	622.10B/516.20A	622.10B/516.20A	----	534.40 - 68.90	.8939	----	----	----	----	4 UNCH
3780	----	----	617.40B/511.70A	617.40B/511.70A	----	529.90 - 68.70	.8919	----	----	----	----	10 UNCH
3790	----	----	607.90B/502.70A	607.90B/502.70A	----	520.80 - 68.40	.8885	----	----	----	----	67 UNCH
3800	----	----	598.40B/493.80A	598.40B/493.80A	----	511.70 - 68.10	.8848	----	----	----	----	303 UNCH
3820	----	----	579.60B/476.00A	579.60B/476.00A	----	493.70 - 67.50	.8769	----	----	----	----	3 UNCH
3840	----	----	560.90B/458.40A	560.90B/458.40A	----	475.80 - 66.90	.8687	----	----	----	----	1 UNCH
3850	----	----	551.60B/449.70A	551.60B/449.70A	----	466.90 - 66.50	.8644	----	----	----	----	12 UNCH
3885	----	----	519.20B/419.60A	519.20B/419.60A	----	436.20 - 65.20	.8479	----	----	----	----	2 UNCH
3890	----	----	514.60B/415.30A	514.60B/415.30A	----	431.90 - 65.00	.8456	----	----	----	----	2 UNCH
3900	----	----	505.50B/406.80A	505.50B/406.80A	----	423.20 - 64.70	.8405	----	----	----	----	149 UNCH
3920	----	----	487.20B/390.00A	487.20B/390.00A	----	406.00 - 63.90	.8299	----	----	----	----	1 UNCH
3925	----	----	482.70B/386.10A	482.70B/386.10A	----	401.80 - 63.60	.8272	----	----	----	----	10 UNCH
3950	----	----	460.20B/365.30A	460.20B/365.30A	----	380.70 - 62.60	.8127	----	----	----	----	106 UNCH
3955	----	----	455.70B/361.20A	455.70B/361.20A	----	376.50 - 62.40	.8097	----	----	----	----	7 UNCH
3975	----	----	438.00B/345.10A	438.00B/345.10A	----	360.00 - 61.40	.7972	----	----	----	----	200 UNCH
3995	----	----	420.40B/329.20A	420.40B/329.20A	----	343.70 - 60.40	.7842	----	----	----	----	30 UNCH
4000	364.20	364.20	416.00B/325.30A	416.00B/325.30A	----	339.70 - 60.10	.7807	----	----	17	----	722 - 2
4005	----	----	411.70B/321.40A	411.70B/321.40A	----	335.60 - 60.00	.7774	----	----	----	----	1 UNCH
4015	----	----	403.00B/313.70A	403.00B/313.70A	----	327.70 - 59.40	.7704	----	----	----	----	12 UNCH
4025	----	----	394.40B/306.00A	394.40B/306.00A	----	319.80 - 58.90	.7631	----	----	----	----	174 UNCH
4045	----	----	377.40B/290.90A	377.40B/290.90A	----	304.20 - 57.80	.7483	----	----	----	----	30 UNCH
4050	----	----	373.10B/287.20A	373.10B/287.20A	----	300.30 - 57.60	.7445	----	----	----	----	100 UNCH
4055	----	----	368.90B/283.50A	368.90B/283.50A	----	296.50 - 57.20	.7405	----	----	----	----	100 UNCH
4075	----	----	352.30B/269.00A	352.30B/269.00A	----	281.40 - 56.10	.7245	----	----	----	----	3 UNCH
4080	----	----	348.10B/265.30A	348.10B/265.30A	----	277.60 - 55.90	.7204	----	----	----	----	1 UNCH
4090	----	----	339.90B/258.20A	339.90B/258.20A	----	270.30 - 55.20	.7121	----	----	----	----	1 UNCH
4100	286.10	286.10	331.80B/251.40A	331.80B/251.40A	----	263.00 - 54.60	.7035	----	----	4	----	75 + 2
4110	----	----	323.70B/244.40A	323.70B/244.40A	----	255.80 - 53.90	.6947	----	----	----	----	19 UNCH
4115	----	----	319.70B/240.90A	319.70B/240.90A	----	252.20 - 53.60	.6903	----	----	----	----	2 UNCH
4135	----	----	303.90B/227.60A	303.90B/227.60A	----	238.20 - 52.30	.6721	----	----	----	----	20 UNCH
4140	----	----	300.00B/224.30A	300.00B/224.30A	----	234.70 - 52.00	.6675	----	----	----	----	1 UNCH
4150	----	----	292.30B/217.90A	292.30B/217.90A	----	227.90 - 51.30	.6580	----	----	----	----	141 UNCH
4160	----	----	284.60B/211.20A	284.60B/211.20A	----	221.20 - 50.60	.6485	----	----	8	----	9 + 8
4165	----	----	280.80B/208.20A	280.80B/208.20A	----	217.90 - 50.30	.6436	----	----	----	----	1 UNCH
4195	----	----	258.60B/189.50A	258.60B/189.50A	----	198.60 - 48.00	.6137	----	----	----	----	3 UNCH
4200	218.30	218.30	254.90B/186.60A	254.90B/186.60A	----	195.50 - 47.60	.6086	----	----	2	----	74 + 1
4215	----	----	244.50B/*178.00	244.50B/*178.00A	----	186.30 - 46.50	.5931	----	----	----	----	1 UNCH
4220	----	----	241.10B/175.00A	241.10B/175.00A	----	183.20 - 46.20	.5879	----	----	----	----	16 UNCH
4225	----	----	237.60B/172.30A	237.60B/172.30A	----	180.30 - 45.70	.5826	----	----	----	----	102 UNCH
4235	----	----	230.50B/*166.50	230.50B/*166.50A	----	174.40 - 45.00	.5720	----	----	----	----	1 UNCH
4250	----	----	220.30B/158.30A	220.30B/158.30A	----	165.80 - 43.80	.5560	----	----	4	----	75 + 3
4255	----	----	217.00B/*155.50	217.00B/*155.50A	----	163.00 - 43.40	.5506	----	----	----	----	1 UNCH
4265	----	----	210.40B/*150.10	210.40B/*150.10A	----	157.40 - 42.60	.5397	----	----	5	----	82 + 5
4270	153.50	153.50	207.10B/147.50A	207.10B/147.50A	----	154.70 NEW	.5342	----	----	6	----	6 + 6
4275	----	----	203.90B/144.80A	203.90B/144.80A	----	152.00 - 41.80	.5288	----	----	30	----	39 + 22
4285	----	----	197.50B/*139.60	197.50B/*139.60A	----	146.70 - 41.00	.5178	----	----	1	----	9 + 1
4290	140.60	140.60	194.30B/*137.10	194.30B/137.10A	----	144.10 NEW	.5122	----	----	4	----	3 + 3
4295	----	----	191.20B/*134.60	191.20B/*134.60A	----	141.60 NEW	.5067	----	----	26	----	25 + 25
4300	139.80	139.80	188.20B/132.20A	188.20B/132.20A	----	139.00 - 39.70	.5012	----	----	227	----	367 + 130
4305	133.00	133.00	185.00B/*129.60	185.00B/*129.60A	----	136.50 - 39.30	.4956	----	----	3	----	4 + 2
4310	----	----	182.10B/*127.20	182.10B/127.20A	----	134.10 - 38.80	.4901	----	----	----	----	1 UNCH
4315	----	----	179.00B/*124.80	179.00B/*124.80A	----	131.60 - 38.40	.4845	----	----	4	----	5 + 4
4320	----	----	177.10B/*122.60	177.10B/*122.60A	----	129.20 - 38.00	.4790	----	----	----	----	14 UNCH
4325	137.00	137.00	174.10B/120.20A	174.10B/120.20A	----	126.80 - 37.60	.4734	----	----	94	----	58 + 17
4330	164.70	164.70	170.30B/*117.90	170.30B/*117.90A	----	124.40 - 37.20	.4678	----	----	100	----	301 + 99
4335	----	----	167.50B/*115.70	167.50B/*115.70A	----	122.10 - 36.80	.4623	----	----	----	----	1 UNCH
4340	133.00	133.00	164.60B/*113.50	164.60B/*113.50A	----	119.80 - 36.40	.4567	----	----	1	----	5 + 1
4345	----	----	161.80B/*111.40	161.80B/*111.40A	----	117.60 - 35.90	.4512	----	----	----	----	1 UNCH
4350	150.80	150.80	159.00B/109.20A	159.00B/109.20A	----	115.30 - 35.50	.4456	----	----	166	175	1098 + 270
4355	142.20	142.20	156.30B/*107.10	156.30B/*107.10A	----	113.10 - 35.10	.4401	----	----	17	----	13 + 7
4360	145.00	145.00	153.60B/*104.90	153.60B/*104.90A	----	111.00 - 34.60	.4346	----	----	2	----	6 - 1
4365	----	----	150.80B/*102.90	150.80B/*102.90A	----	108.80 - 34.30	.4291	----	----	----	----	1 UNCH
4370	145.00	145.00	148.10B/*100.90	148.10B/*100.90A	----	106.70 - 33.90	.4236	----	----	1	----	14 UNCH
4375	103.60	103.60	145.50B/98.90A	145.50B/98.90A	----	104.60 - 33.50	.4181	----	----	53	----	49 - 4
4380	122.70	122.70	142.90B/*96.90A	142.90B/*96.90A	----	102.60 - 33.00	.4126	----	----	2	----	2 + 1
4385	117.10	117.10	140.40B/*95.00A	140.40B/*95.00A	----	100.60 - 32.60	.4072	----	----	1	----	101 UNCH
4390	109.80	109.80	137.80B/*93.10A	137.80B/*93.10A	----	98.60 - 32.20	.4018	----	----	11	----	13 + 10
4395	107.70	107.70	135.40B/*91.20A	135.40B/*91.20A	----	96.70 - 31.70	.3964	----	----	1	----	13 + 1
4400	123.80	123.80	133.00B/89.40A	133.00B/89.40A	----	94.80 - 31.30	.3910	----	----	28	80	881 + 87
4405	128.60	128.60	130.50B/*87.60A	130.50B/*87.60A	----	92.90 - 30.90	.3857	----	----	2	----	2 + 1
4410	----	----	128.10B/*85.80A	128.10B/*85.80A	----	91.00 - 30.50	.3803	----	----	----	----	2 UNCH
4415	----	----	125.70B/*84.00A	125.70B/*84.00A	----	89.20 - 30.10	.3750	----	----	----	----	6 UNCH
4420	121.60	121.60	123.40B/*82.30A	123.40B/*82.30A	----	87.40 - 29.70	.3697	----	----	7	----	57 - 1
4425	105.00	105.00	121.10B/*80.60A	121.10B/*80.60A	----	85.60 - 29.30	.3644	----	----	21	----	177 + 13
4430	----	----	118.90B/*79.00A	118.90B/*79.00A	----	83.80 - 28.90	.3591	----	----	1	----	8 UNCH
4435	114.80	114.80	116.70B/*77.30A	116.70B/*77.30A	----	82.10 - 28.50	.3539	----	----	9	----	27 + 3
4440	101.80	101.80	114.50B/*75.70A	114.50B/*75.70A	----	80.40 - 28.10	.3487	----	----	2	----	34 UNCH
4445	97.60	97.60	112.20B/*74.20A	112.20B/*74.20A	----	78.80 - 27.70	.3437	----	----	3	----	12 UNCH
4450	85.00	85.00	110.10B/*72.60A	110.10B/*72.60A	----	77.10 - 27.40	.3385	----	----	18	----	404 - 4
4455	75.60	75.60	108.00B/*71.10A	108.00B/*71.10A	----	75.50 - 27.00	.3334	----	----	1	----	16 + 1
4460	92.30	92.30	105.90B/*69.60A	105.90B/*69.60A	----	73.90 - 26.70	.3283	----	----	2	----	28 UNCH
4465	74.50	74.50	103.90B/*68.10A	103.90B/*68.10A	----	72.40 - 26.20	.3234	----	----	1	----	54 + 1
4470	83.90	83.90	101.90B/*66.70A	101.90B/*66.70A	----	70.90 - 25.80	.3185	----	----	6	----	64 + 4
4475	74.90	74.90	99.90B/*65.30A	99.90B/*65.30A	----	69.40 - 25.50	.3135	----	----	16	----	78 + 14
4480	77.10	77.10	98.00B/*64.00A	98.00B/*64.00A	----	68.00 - 25.10	.3087	----	----	9	----	45 + 7
4485	----	----	96.00B/*62.60A	96.00B/*62.60A	----	66.60 - 24.70	.3040	----	----	----	----	21 UNCH
4490	76.40	76.40	94.20B/*61.30A	94.20B/*61.30A	----	65.20 - 24.30	.2992	----	----	14	----	25 + 2
4495	79.80	79.80	92.30B/*60.00A	92.30B/*60.00A	----	63.90 - 23.80	.2946	----	----	1	----	3 + 1
4500	84.90	84.90	91.00/58.70A	91.00/58.70A	----	62.60 - 23.40	.2900	----	----	183	----	1498 - 36
4505	62.30	62.30	88.70B/*57.40A	88.70B/*57.40A	----	61.30 - 23.10	.2854	----	----	1	----	29 UNCH
4510	68.50	68.50	86.90B/*56.20A	86.90B/*56.20A	----	60.00 - 22.70	.2808	----	----	1	----	11 + 1
4515	----	----	85.20B/*55.00A	85.20B/*55.00A	----	58.70 - 22.40	.2762	----	----	----	----	17 UNCH
4520	63.30	63.30	83.40B/*53.80A	83.40B/*53.80A	----	57.50 - 22.00	.2718	----	----	14	----	42 + 8
4525	74.50	74.50	81.80B/*52.70A	81.80B/*52.70A	----	56.30 - 21.60	.2674	----	----	65	----	53 - 17
4530	73.80	73.80	80.10B/*51.60A	80.10B/*51.60A	----	55.10 - 21.20	.2630	----	----	2	----	21 + 2
4535	63.00	63.00	78.50B/*50.40A	78.50B/*50.40A	----	53.90 - 20.90	.2586	----	----	6	----	50 - 5
4540	66.30	66.30	76.90B/*49.40A	76.90B/*49.40A	----	52.70 - 20.60	.2542	----	----	1	----	55 UNCH
4545	65.00	65.00	75.30B/*48.30A	75.30B/*48.30A	----	51.60 - 20.20	.2500	----	----	1	----	21 + 1
4550	63.60	63.60	73.80B/*47.30A	73.80B/*47.30A	----	50.50 - 19.90	.2459	----	----	71	----	457 - 16
4555	62.30	62.30	72.30B/*46.20A	72.30B/*46.20A	----	49.40 - 19.60	.2417	----	----	2	----	28 - 1
4560	----	----	70.80B/*45.20A	70.80B/*45.20A	----	48.40 - 19.20	.2377	----	----	2	----	377 UNCH
4565	56.70	56.70	69.40B/*44.30A	69.40B/*44.30A	----	47.40 - 18.80	.2338	----	----	6	----	27 + 5
4570	58.50	58.50	67.90B/*43.30A	67.90B/*43.30A	----	46.40 - 18.40	.2298	----	----	8	----	171 + 4
4575	57.30	57.30	66.50B/*42.40A	66.50B/*42.40A	----	45.40 - 18.10	.2259	----	----	12	----	63 - 6
4580	56.20	56.20	65.10B/*41.50A	65.10B/*41.50A	----	44.40 - 17.80	.2219	----	----	1	----	221 - 1
4585	55.00	55.00	63.80B/*40.60A	63.80B/*40.60A	----	43.50 - 17.50	.2182	----	----	176	----	175 + 168
4590	49.10	49.10	62.50B/*39.70A	62.50B/*39.70A	----	42.60 - 17.20	.2145	----	----	10	----	78 UNCH
4595	46.10	46.10	61.20B/*38.90A	61.20B/*38.90A	----	41.70 - 16.80	.2108	----	----	12	----	46 + 7
4600	55.70	55.70	59.90B/38.00	59.90B/38.00	----	40.80 - 16.60	.2072	----	----	711	----	1348 + 291
4605	44.20	44.20	58.80B/*37.20A	58.80B/*37.20A	----	40.00 - 16.20	.2037	----	----	13	----	17 + 11
4610	50.70	50.70	57.60B/*36.40A	57.60B/*36.40A	----	39.10 - 15.90	.2001	----	----	11	----	32 + 3
4615	38.80	38.80	56.40B/*35.60A	56.40B/*35.60A	----	38.30 - 15.60	.1966	----	----	6	----	40 + 1
4620	47.40	47.40	55.20B/*34.90A	55.20B/*34.90A	----	37.50 - 15.30	.1932	----	----	6	----	28 - 2
4625	49.80	49.80	54.10B/*34.10A	54.10B/*34.10A	----	36.70 - 15.00	.1898	----	----	84	----	80 + 5
4630	36.90	36.90	52.90B/*33.40A	52.90B/*33.40A	----	35.90 - 14.80	.1864	----	----	7	----	25 + 5
4635	----	----	51.90B/*32.70A	51.90B/*32.70A	----	35.10 - 14.50	.1830	----	----	----	----	27 UNCH
4640	----	----	50.90B/*32.00A	50.90B/*32.00A	----	34.40 - 14.20	.1799	----	----	----	----	11 UNCH
4645	35.20	35.20	49.80B/*31.30A	49.80B/*31.30A	----	33.60 - 14.00	.1765	----	----	3	----	4 + 3
4650	43.00	43.00	48.80B/*30.70A	48.80B/*30.70A	----	32.90 - 13.70	.1734	----	----	65	400	707 - 278
4655	40.90	40.90	47.80B/*30.00A	47.80B/*30.00A	----	32.20 - 13.50	.1703	----	----	5	----	37 + 1
4660	----	----	46.70B/*29.40A	46.70B/*29.40A	----	31.50 - 13.20	.1672	----	----	1	----	35 UNCH
4665	39.20	39.20	45.90B/*28.80A	45.90B/*28.80A	----	30.90 - 12.90	.1644	----	----	6	----	37 + 3
4670	35.30	35.30	44.80B/*28.20A	44.80B/*28.20A	----	30.20 - 12.70	.1614	----	----	7	----	77 + 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4675	37.80	37.80	43.90B/*27.60A	43.90B/*27.60A	----	29.60 - 12.40	.1586	----	----	59	----	120 - 2
4680	39.60	39.60	43.10B/*27.00A	43.10B/*27.00A	----	28.90 - 12.30	.1555	----	----	2	----	47 UNCH
4685	30.00	30.00	42.20B/*26.40A	42.20B/*26.40A	----	28.30 - 12.00	.1527	----	----	6	----	216 + 6
4690	33.10	33.10	41.10B/*25.90A	41.10B/*25.90A	----	27.70 - 11.80	.1499	----	----	1	----	42 + 1
4695	27.70	27.70	40.50B/*25.30A	40.50B/*25.30A	----	27.10 - 11.60	.1472	----	----	5	----	14 + 3
4700	37.50	37.50	39.60B/24.70	39.60B/24.70	----	26.60 - 11.30	.1447	----	----	246	575	5573 + 91
4705	29.90	29.90	38.60B/*24.30A	38.60B/*24.30A	----	26.00 - 11.10	.1420	----	----	7	----	129 + 3
4710	29.30	29.30	38.00B/*23.80A	38.00B/*23.80A	----	25.50 - 10.80	.1396	----	----	13	----	106 + 11
4715	25.90	25.90	37.20B/*23.30A	37.20B/*23.30A	----	24.90 - 10.70	.1368	----	----	7	----	10 + 6
4720	26.30	26.30	36.50B/*22.80A	36.50B/*22.80A	----	24.40 - 10.50	.1344	----	----	9	----	161 UNCH
4725	27.60	27.60	35.60B/*22.40A	35.60B/*22.40A	----	23.90 - 10.20	.1320	----	----	36	----	147 - 17
4730	27.00	27.00	35.00B/*21.90A	35.00B/*21.90A	----	23.40 - 10.10	.1296	----	----	6	----	78 UNCH
4735	26.50	26.50	34.30B/*21.50A	34.30B/*21.50A	----	22.90 - 9.90	.1272	----	----	4	----	53 + 3
4740	26.00	26.00	33.40B/*21.10A	33.40B/*21.10A	----	22.50 - 9.60	.1251	----	----	1	----	27 + 1
4745	28.20	28.20	32.90B/*20.60A	32.90B/*20.60A	----	22.00 - 9.50	.1227	----	----	6	----	85 - 4
4750	26.00	26.00	32.20B/*20.00	32.20B/*20.00	----	21.60 - 9.20	.1207	----	----	110	----	649 - 42
4755	21.50	21.50	31.40B/*19.80A	31.40B/*19.80A	----	21.10 - 9.10	.1183	----	----	9	----	68 + 9
4760	24.40	24.40	30.90B/*19.50A	30.90B/*19.50A	----	20.70 - 8.90	.1163	----	----	7	----	50 UNCH
4765	----	----	30.20B/*19.10A	30.20B/*19.10A	----	20.30 - 8.70	.1142	----	----	2	----	10 - 2
4770	20.20	20.20	29.60B/*18.70A	29.60B/*18.70A	----	19.90 - 8.50	.1122	----	----	37	----	318 + 12
4775	24.80	24.80	29.00B/*18.40A	29.00B/*18.40A	----	19.50 - 8.30	.1102	----	----	10	----	335 + 5
4780	----	----	28.40B/*18.00A	28.40B/*18.00A	----	19.10 - 8.20	.1082	----	----	----	----	124 UNCH
4785	----	----	27.80B/*17.60A	27.80B/*17.60A	----	18.70 - 8.00	.1062	----	----	2	----	175 - 2
4790	18.70	18.70	27.30B/*17.30A	27.30B/*17.30A	----	18.40 - 7.80	.1045	----	----	4	----	33 - 1
4795	18.40	18.40	26.70B/*17.00A	26.70B/*17.00A	----	18.00 - 7.70	.1025	----	----	5	----	326 - 1
4800	23.10	23.10	26.30B/16.70	26.30B/16.70	----	17.70 - 7.50	.1009	----	----	521	----	3711 + 53
4805	20.60	20.60	25.70B/*16.40A	25.70B/*16.40A	----	17.40 - 7.30	.0993	----	----	5	----	23 - 3
4810	18.30	18.30	25.20B/*16.10A	25.20B/*16.10A	----	17.00 - 7.20	.0973	----	----	8	----	40 + 7
4815	----	----	24.70B/*15.80A	24.70B/*15.80A	----	16.70 - 7.00	.0957	----	----	----	----	64 UNCH
4820	----	----	24.20B/*15.50A	24.20B/*15.50A	----	16.40 - 6.90	.0941	----	----	1	----	163 UNCH
4825	21.70	21.70	23.80B/*15.20A	23.80B/*15.20A	----	16.10 - 6.70	.0925	----	----	37	----	348 + 2
4830	----	----	23.20B/*14.90A	23.20B/*14.90A	----	15.80 - 6.50	.0909	----	----	----	----	77 UNCH
4835	----	----	22.80B/*14.70A	22.80B/*14.70A	----	15.50 - 6.40	.0893	----	----	----	----	38 UNCH
4840	----	----	22.30B/*14.40A	22.30B/*14.40A	----	15.20 - 6.30	.0877	----	----	----	----	28 UNCH
4845	----	----	21.90B/*14.20A	21.90B/*14.20A	----	15.00 - 6.10	.0865	----	----	----	----	22 UNCH
4850	14.10	14.10	21.50B/*13.90A	21.50B/*13.90A	----	14.70 - 6.00	.0850	----	----	58	----	303 + 1
4855	----	----	21.10B/*13.70A	21.10B/*13.70A	----	14.40 - 5.90	.0834	----	----	----	----	12 UNCH
4860	----	----	20.70B/*13.40A	20.70B/*13.40A	----	14.20 - 5.70	.0822	----	----	----	----	34 UNCH
4865	----	----	20.30B/*13.20A	20.30B/*13.20A	----	13.90 - 5.60	.0806	----	----	----	----	38 UNCH
4870	----	----	19.90B/*13.00A	19.90B/*13.00A	----	13.70 - 5.40	.0795	----	----	----	----	64 UNCH
4875	----	----	19.50B/*12.80A	19.50B/*12.80A	----	13.40 - 5.40	.0779	----	----	1	----	186 UNCH
4880	----	----	19.10B/*12.50A	19.10B/*12.50A	----	13.20 - 5.20	.0768	----	----	----	----	144 UNCH
4885	16.80	16.80	18.80B/*12.30A	18.80B/*12.30A	----	13.00 - 5.10	.0756	----	----	1	----	53 + 1
4890	----	----	18.40B/*12.10A	18.40B/*12.10A	----	12.70 - 5.10	.0741	----	----	25	----	58 + 23
4895	----	----	18.00B/*11.90A	18.00B/*11.90A	----	12.50 - 5.00	.0729	----	----	----	----	65 UNCH
4900	15.10	15.10	17.70B/*11.70	17.70B/*11.70	----	12.30 - 4.80	.0718	----	----	56	80	1211 + 75
4905	----	----	17.40B/*11.50A	17.40B/*11.50A	----	12.10 - 4.70	.0707	----	----	----	----	15 UNCH
4910	----	----	17.10B/*11.40A	17.10B/*11.40A	----	11.90 - 4.60	.0696	----	----	----	----	16 UNCH
4915	----	----	16.80B/*11.20A	16.80B/*11.20A	----	11.70 - 4.50	.0684	----	----	----	----	43 UNCH
4920	----	----	16.40B/*11.00A	16.40B/*11.00A	----	11.50 - 4.40	.0673	----	----	----	----	29 UNCH
4925	13.20	13.20	16.10B/*10.80A	16.10B/*10.80A	----	11.30 - 4.30	.0662	----	----	7	----	333 + 3
4930	----	----	15.80B/*10.60A	15.80B/*10.60A	----	11.10 - 4.30	.0651	----	----	3	----	48 - 2
4935	----	----	15.60B/*10.50A	15.60B/*10.50A	----	11.00 - 4.10	.0644	----	----	----	----	21 UNCH
4940	----	----	15.20B/*10.30A	15.20B/*10.30A	----	10.80 - 4.00	.0633	----	----	1	----	51 UNCH
4945	10.90	10.90	15.00B/*10.10A	15.00B/*10.10A	----	10.60 - 4.00	.0622	----	----	1	----	86 + 1
4950	11.90	11.90	14.70B/*10.00A	14.70B/*10.00A	----	10.40 - 3.90	.0611	----	----	68	----	719 + 42
4955	----	----	14.40B/*9.80A	14.40B/*9.80A	----	10.30 - 3.70	.0604	----	----	----	----	29 UNCH
4960	----	----	14.20B/*9.70A	14.20B/*9.70A	----	10.10 - 3.70	.0593	----	----	2	----	42 UNCH
4965	10.20	10.20	14.00B/*9.50A	14.00B/*9.50A	----	10.00 - 3.60	.0587	----	----	1	----	28 + 1
4970	----	----	13.70B/*9.40A	13.70B/*9.40A	----	9.80 - 3.50	.0576	----	----	----	----	25 UNCH
4975	----	----	13.50B/*9.20A	13.50B/*9.20A	----	9.70 - 3.40	.0569	----	----	----	----	17 UNCH
4980	----	----	13.30B/*9.10A	13.30B/*9.10A	----	9.50 - 3.40	.0558	----	----	----	----	20 UNCH
4985	----	----	13.00B/*9.00A	13.00B/*9.00A	----	9.40 - 3.20	.0552	----	----	----	----	15 UNCH
4990	----	----	12.80B/*8.80A	12.80B/*8.80A	----	9.20 - 3.20	.0541	----	----	2	----	25 - 1
4995	----	----	12.60B/*8.70A	12.60B/*8.70A	----	9.10 - 3.10	.0535	----	----	----	----	10 UNCH
5000	11.80	11.80	12.40B/*8.60A	12.40B/*8.60A	----	9.00 - 3.00	.0528	----	----	283	----	3435 + 158
5005	9.70	9.70	12.10B/*8.40A	12.10B/*8.40A	----	8.80 - 3.00	.0518	----	----	8	----	25 + 5
5010	----	----	12.00B/*8.30A	12.00B/*8.30A	----	8.70 - 2.90	.0511	----	----	----	----	2 UNCH
5015	----	----	11.80B/*8.20A	11.80B/*8.20A	----	8.60 - 2.80	.0505	----	----	----	----	33 UNCH
5020	----	----	11.60B/*8.10A	11.60B/*8.10A	----	8.50 - 2.70	.0499	----	----	----	----	99 UNCH
5025	8.50	8.50	11.40B/*8.00A	11.40B/*8.00A	----	8.30 - 2.80	.0488	----	----	12	----	276 - 1
5030	8.60	8.60	11.30B/*7.90A	11.30B/*7.90A	----	8.20 - 2.70	.0482	----	----	1	----	232 + 1
5035	----	----	11.10B/*7.80A	11.10B/*7.80A	----	8.10 - 2.60	.0476	----	----	----	----	73 UNCH
5040	----	----	10.90B/*7.70A	10.90B/*7.70A	----	8.00 - 2.50	.0470	----	----	----	----	34 UNCH
5045	----	----	10.60B/*7.60A	10.60B/*7.60A	----	7.90 - 2.50	.0464	----	----	----	----	36 UNCH
5050	9.10	9.10	10.60B/*7.50A	10.60B/*7.50A	----	7.80 - 2.40	.0457	----	----	7	----	431 + 5
5055	8.00	8.00	10.30B/*7.40A	10.30B/*7.40A	----	7.70 - 2.40	.0451	----	----	12	----	21 - 2
5060	----	----	10.10B/*7.30A	10.10B/*7.30A	----	7.60 - 2.30	.0445	----	----	----	----	45 UNCH
5065	----	----	10.00B/*7.30A	10.00B/*7.30A	----	7.50 - 2.30	.0439	----	----	----	----	45 UNCH
5070	----	----	9.80B/*7.20A	9.80B/*7.20A	----	7.40 - 2.20	.0433	----	----	----	----	59 UNCH
5075	----	----	9.80B/*7.10A	9.80B/*7.10A	----	7.30 - 2.20	.0427	----	----	----	----	308 UNCH
5080	----	----	9.60B/*7.00A	9.60B/*7.00A	----	7.20 - 2.10	.0421	----	----	----	----	26 UNCH
5085	8.90	8.90	9.60B/*6.90A	9.60B/*6.90A	----	7.10 - 2.10	.0416	----	----	1	----	170 + 1
5090	7.30	7.30	9.30B/*6.90A	9.30B/*6.90A	----	7.00 - 2.10	.0410	----	----	13	----	11 - 5
5095	----	----	9.10B/*6.70A	9.10B/*6.70A	----	6.90 - 2.00	.0404	----	----	----	----	10 UNCH
5100	8.50	8.50	9.00B/*6.70A	9.00B/*6.70A	----	6.90 - 1.90	.0402	----	----	36	575	4586 + 10
5105	8.40	8.40	8.90B/*6.60A	8.90B/*6.60A	----	6.80 - 1.90	.0396	----	----	1	----	17 + 1
5110	----	----	8.90B/*6.50A	8.90B/*6.50A	----	6.70 - 1.90	.0391	----	----	----	----	12 UNCH
5115	8.10	8.10	8.70B/*6.40A	8.70B/*6.40A	----	6.60 - 1.80	.0385	----	----	13	----	18 - 4
5120	----	----	8.50B/*6.30A	8.50B/*6.30A	----	6.50 - 1.80	.0379	----	----	----	----	367 UNCH
5125	----	----	8.40B/*6.30A	8.40B/*6.30A	----	6.50 - 1.70	.0378	----	----	----	----	350 UNCH
5130	----	----	8.30B/*6.20A	8.30B/*6.20A	----	6.40 - 1.70	.0372	----	----	----	----	13 UNCH
5135	----	----	8.10B/*6.20A	8.10B/*6.20A	----	6.30 - 1.70	.0366	----	----	----	----	31 UNCH
5140	6.50	6.50	8.00B/*6.10A	8.00B/*6.10A	----	6.20 - 1.70	.0361	----	----	12	----	31 UNCH
5145	----	----	8.00B/*6.00A	8.00B/*6.00A	----	6.20 - 1.60	.0359	----	----	----	----	21 UNCH
5150	6.30	6.30	8.10/*6.00A	8.10/*6.00A	----	6.10 - 1.60	.0354	----	----	37	----	145 - 6
5155	----	----	7.80B/*5.90A	7.80B/*5.90A	----	6.00 - 1.60	.0348	----	----	----	----	30 UNCH
5160	----	----	7.60B/*5.80A	7.60B/*5.80A	----	6.00 - 1.50	.0347	----	----	----	----	16 UNCH
5165	7.20	7.20	7.50B/*5.80A	7.50B/*5.80A	----	5.90 - 1.50	.0341	----	----	1	----	20 - 1
5170	7.10	7.10	7.40B/*5.70A	7.40B/*5.70A	----	5.80 - 1.50	.0336	----	----	1	----	12 - 1
5175	----	----	7.50B/*5.70A	7.50B/*5.70A	----	5.80 - 1.40	.0335	----	----	----	----	372 UNCH
5180	----	----	7.20B/*5.70A	7.20B/*5.70A	----	5.70 - 1.40	.0329	----	----	----	----	1 UNCH
5185	----	----	7.10B/*5.60A	7.10B/*5.60A	----	5.70 - 1.30	.0328	----	----	----	----	2 UNCH
5190	5.80	5.80	7.00B/*5.60A	7.00B/*5.60A	----	5.60 - 1.30	.0322	----	----	11	----	33 UNCH
5195	6.70	6.70	6.70/*5.50A	6.90B/*5.50A	----	5.60 - 1.30	.0321	----	----	1	----	42 UNCH
5200	----	----	6.90B/*5.50A	6.90B/*5.50A	----	5.50 - 1.30	.0316	----	----	1092	----	3266 - 530
5205	----	----	6.80B/*5.40A	6.80B/*5.40A	----	5.40 - 1.30	.0311	----	----	----	----	6 UNCH
5210	----	----	----/*5.40A	6.60B/*5.40A	----	5.40 - 1.20	.0309	----	----	----	----	8 UNCH
5215	----	----	----/*5.30A	6.50B/*5.30A	----	5.30 - 1.30	.0304	----	----	----	----	15 UNCH
5220	----	----	----/*5.20A	6.50B/*5.20A	----	5.30 - 1.20	.0303	----	----	----	----	291 UNCH
5225	5.50	5.50	6.60B/*5.20A	6.60B/*5.20A	----	5.20 - 1.20	.0298	----	----	12	----	60 - 2
5230	----	----	6.40B/*5.20A	6.40B/*5.20A	----	5.20 - 1.10	.0297	----	----	----	----	13 UNCH
5235	----	----	----/*5.10A	6.20B/*5.10A	----	5.10 - 1.20	.0291	----	----	----	----	20 UNCH
5240	5.20	5.20	5.40/*5.10A	6.20B/*5.10A	----	5.10 - 1.10	.0290	----	----	12	----	36 UNCH
5245	----	----	6.20B/*5.00A	6.20B/*5.00A	----	5.00 - 1.10	.0285	----	----	----	----	17 UNCH
5250	----	----	6.20B/*4.90A	6.20B/*4.90A	----	5.00 - 1.10	.0284	----	----	----	----	705 UNCH
5255	5.10	5.10	6.90/*5.00A	6.90/*5.00A	----	5.00 - 1.00	.0283	----	----	11	----	904 - 1
5260	5.10	5.10	6.90/*4.80A	6.90/*4.80A	----	4.90 - 1.10	.0278	----	----	12	----	35 - 1
5265	----	----	----/*4.80A	5.90B/*4.80A	----	4.90 - 1.00	.0277	----	----	----	----	18 UNCH
5270	----	----	----/*4.80A	5.70B/*4.80A	----	4.80 - 1.00	.0272	----	----	----	----	160 UNCH
5275	----	----	----/*4.80A	5.70B/*4.80A	----	4.80 - 1.00	.0271	----	----	----	----	17 UNCH
5280	----	----	5.80B/*4.80A	5.80B/*4.80A	----	4.80 - 0.90	.0270	----	----	----	----	209 UNCH
5285	----	----	----/*4.60A	5.60B/*4.60A	----	4.70 - 1.00	.0265	----	----	----	----	32 UNCH
5290	----	----	----/*4.60A	5.60B/*4.60A	----	4.70 - 0.90	.0264	----	----	----	----	24 UNCH
5295	----	----	----/*4.60A	5.40B/*4.60A	----	4.60 - 0.90	.0259	----	----	----	----	6 UNCH
5300	4.60	4.60	5.60B/*4.50A	5.60B/*4.50A	----	4.60 - 0.90	.0258	----	----	5	----	1204 - 1
5305	----	----	----/*4.60A	5.30B/*4.60A	----	4.60 - 0.80	.0257	----	----	----	----	17 UNCH
5310	----	----	----/*4.50A	5.30B/*4.50A	----	4.50 - 0.90	.0252	----	----	9	----	105 UNCH
5315	----	----	----/*4.50A	5.30B/*4.50A	----	4.50 - 0.80	.0251	----	----	----	----	5 UNCH
5320	----	----	----/*4.50A	5.20B/*4.50A	----	4.50 - 0.80	.0251	----	----	----	----	24 UNCH
5325	----	----	----/*4.40A	5.20B/*4.40A	----	4.40 - 0.80	.0246	----	----	----	----	37 UNCH
5330	4.60	4.60	4.70/*4.30A	5.10B/*4.30A	----	4.40 - 0.80	.0245	----	----	12	----	21 UNCH
5335	----	----	----/*4.40A	5.00B/*4.40A	----	4.40 - 0.70	.0244	----	----	----	----	2 UNCH
5340	----	----	----/*4.30A	4.90B/*4.30A	----	4.30 - 0.80	.0239	----	----	----	----	1 UNCH
5345	4.40	4.40	6.10/*4.20A	6.10/*4.20A	----	4.30 - 0.70	.0238	----	----	11	----	24 - 3
5350	5.20	5.20	5.20/*4.30A	5.20/*4.30A	----	4.30 - 0.70	.0238	----	----	5	----	8011 UNCH
5355	----	----	----/*4.20A	4.80B/*4.20A	----	4.20 - 0.70	.0233	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5360	----	----	----/*4.20A	4.90B/*4.20A	----	4.20 - 0.70	.0232	----	----	9	----	125 UNCH
5365	----	----	----/*4.20A	4.80B/*4.20A	----	4.20 - 0.60	.0231	----	----	----	----	9 UNCH
5370	----	----	4.90B/*4.10A	4.90B/*4.10A	----	4.20 - 0.60	.0231	----	----	----	----	8008 UNCH
5375	----	----	----/*4.10A	4.60B/*4.10A	----	4.10 - 0.60	.0226	----	----	----	----	255 UNCH
5380	----	----	----/*4.10A	4.60B/*4.10A	----	4.10 - 0.60	.0225	----	----	----	----	43 UNCH
5395	----	----	----/*3.90A	4.50B/*3.90A	----	4.00 - 0.60	.0219	----	----	----	----	10 UNCH
5400	4.30	4.30	4.30/*4.00A	4.50B/*4.00A	----	4.00 - 0.50	.0218	----	----	77	----	2493 + 6
5405	----	----	----/*3.90A	4.40B/*3.90A	----	4.00 - 0.50	.0218	----	----	----	----	7 UNCH
5410	4.00	4.00	5.80/*3.90A	5.80/*3.90A	----	3.90 - 0.60	.0213	----	----	12	----	23 - 1
5415	----	----	----/*3.90A	4.30B/*3.90A	----	3.90 - 0.50	.0212	----	----	----	----	1 UNCH
5420	----	----	----/*3.80A	4.30B/*3.80A	----	3.90 - 0.50	.0211	----	----	----	----	8 UNCH
5425	3.90	3.90	4.10/*3.80A	4.30B/*3.80A	----	3.90 - 0.50	.0211	----	----	12	----	21 UNCH
5430	3.90	3.90	5.60/*3.80A	5.60/*3.80A	----	3.90 - 0.40	.0210	----	----	12	----	12 - 6
5435	----	----	----/*3.80A	4.30B/*3.80A	----	3.80 - 0.50	.0205	----	----	----	----	50 UNCH
5440	----	----	----/*3.70A	4.20B/*3.70A	----	3.80 - 0.50	.0205	----	----	----	----	105 UNCH
5445	----	----	----/*3.70A	4.10B/*3.70A	----	3.80 - 0.40	.0204	----	----	----	----	12 UNCH
5450	----	----	----/*3.70A	4.10B/*3.70A	----	3.80 - 0.40	.0204	----	----	----	----	223 UNCH
5455	3.80	3.80	5.60/*3.60A	5.60/*3.60A	----	3.70 - 0.50	.0199	----	----	12	----	20 - 2
5460	----	----	----/*3.70A	4.00B/*3.70A	----	3.70 - 0.40	.0198	----	----	----	----	12 UNCH
5465	----	----	----/*3.70A	4.00B/*3.70A	----	3.70 - 0.40	.0198	----	----	----	----	42 UNCH
5470	----	----	----/*3.60A	4.00B/*3.60A	----	3.70 - 0.40	.0197	----	----	----	----	14 UNCH
5475	----	----	----/*3.60A	4.00B/*3.60A	----	3.60 - 0.40	.0193	----	----	----	----	6 UNCH
5480	----	----	----/*3.60A	3.90B/*3.60A	----	3.60 - 0.40	.0192	----	----	----	----	14 UNCH
5485	----	----	----/*3.60A	3.90B/*3.60A	----	3.60 - 0.40	.0192	----	----	----	----	19 UNCH
5490	----	----	----/*3.50A	3.80B/*3.50A	----	3.60 - 0.40	.0191	----	----	----	----	2 UNCH
5495	----	----	----/*3.50A	3.80B/*3.50A	----	3.60 - 0.30	.0191	----	----	----	----	19 UNCH
5500	3.70	3.70	3.70/*3.40	3.80B/*3.40	----	3.50 - 0.40	.0186	----	----	982	----	2348 + 221
5505	----	----	----/*3.50A	3.70B/*3.50A	----	3.50 - 0.40	.0185	----	----	----	----	13 UNCH
5510	----	----	----/*3.30A	3.70B/*3.30A	----	3.50 - 0.40	.0185	----	----	8	----	9 UNCH
5515	3.80	3.80	3.80/*3.40A	3.80/*3.40A	----	3.50 - 0.30	.0184	----	----	23	----	41 UNCH
5520	----	----	----/*3.40A	3.70B/*3.40A	----	3.50 - 0.30	.0184	----	----	----	----	5 UNCH
5525	----	----	----/*3.20A	3.60B/*3.20A	----	3.40 - 0.40	.0179	----	----	----	----	2236 UNCH
5530	----	----	----/*3.40A	3.60B/*3.40A	----	3.40 - 0.40	.0179	----	----	----	----	1 UNCH
5535	----	----	----/*3.40A	3.70B/*3.40A	----	3.40 - 0.30	.0178	----	----	----	----	12 UNCH
5540	----	----	----/*3.40A	3.60B/*3.40A	----	3.40 - 0.30	.0178	----	----	----	----	9 UNCH
5545	3.50	3.50	5.20/*3.30A	5.20/*3.30A	----	3.40 - 0.30	.0177	----	----	12	----	17 - 1
5550	----	----	----/*3.30A	3.50B/*3.30A	----	3.30 - 0.40	.0173	----	----	----	----	128 UNCH
5555	----	----	----/*3.30A	3.50B/*3.30A	----	3.30 - 0.40	.0172	----	----	----	----	1 UNCH
5560	----	----	----/*3.30A	3.50B/*3.30A	----	3.30 - 0.30	.0172	----	----	----	----	3 UNCH
5565	3.40	3.40	5.00/*3.30	5.00/*3.30	----	3.30 - 0.30	.0172	----	----	23	----	35 - 2
5570	3.40	3.40	5.00/*3.30	5.00/*3.30	----	3.30 - 0.30	.0171	----	----	12	----	20 - 1
5575	----	----	----/*3.20A	3.40B/*3.20A	----	3.30 - 0.30	.0171	----	----	----	----	4 UNCH
5580	3.40	3.40	3.40/*3.20A	3.40/*3.20A	----	3.20 - 0.30	.0166	----	----	12	----	55 UNCH
5590	----	----	----/*3.20A	3.30B/*3.20A	----	3.20 - 0.30	.0165	----	----	----	----	2 UNCH
5595	----	----	----/*3.20A	3.30B/*3.20A	----	3.20 - 0.30	.0165	----	----	----	----	32 UNCH
5600	----	----	----/*3.20A	3.30B/*3.20A	----	3.20 - 0.30	.0165	----	----	----	----	1080 UNCH
5605	----	----	----/*3.00A	3.20B/*3.00A	----	3.20 - 0.20	.0164	----	----	----	----	7 UNCH
5610	----	----	----/*3.10A	3.20B/*3.10A	----	3.10 - 0.30	.0160	----	----	----	----	45 UNCH
5615	----	----	----/*3.10A	3.30B/*3.10A	----	3.10 - 0.30	.0159	----	----	----	----	3 UNCH
5620	3.20	3.20	4.80/*3.10	4.80/*3.10	----	3.10 - 0.30	.0159	----	----	23	----	30 - 7
5625	----	----	----/*3.10A	3.10B/*3.10A	----	3.10 - 0.30	.0159	----	----	----	----	5 UNCH
5630	3.20	3.20	3.20/*3.10A	3.20/*3.10A	----	3.10 - 0.20	.0158	----	----	11	----	15 UNCH
5635	----	----	----/*3.00A	3.10B/*3.00A	----	3.10 - 0.20	.0158	----	----	----	----	2 UNCH
5640	----	----	----/*3.00A	3.10B/*3.00A	----	3.10 - 0.20	.0157	----	----	----	----	9 UNCH
5650	----	----	----/*3.00A	3.10B/*3.00A	----	3.00 - 0.30	.0153	----	----	----	----	601 UNCH
5660	3.00	3.00	3.60/*3.00	3.60/*3.00	----	3.00 - 0.20	.0152	----	----	11	----	33 - 1
5670	----	----	----/*3.00A	3.00B/*3.00A	----	3.00 - 0.20	.0151	----	----	----	----	10 UNCH
5675	----	----	----/*3.00A	3.00B/*3.00A	----	3.00 - 0.20	.0151	----	----	----	----	3 UNCH
5680	----	----	----/*2.90A	2.90B/*2.90A	----	2.90 - 0.30	.0146	----	----	2	----	6 + 2
5690	----	----	----/*2.90A	3.00B/*2.90A	----	2.90 - 0.20	.0146	----	----	----	----	16 UNCH
5700	3.00	3.00	3.00/*2.80A	3.00/*2.80A	----	2.90 - 0.20	.0145	----	----	1	----	1699 UNCH
5710	----	----	----/*2.90A	2.90B/*2.90A	----	2.90 - 0.20	.0144	----	----	----	----	7 UNCH
5720	----	----	----/*2.80A	2.80B/*2.80A	----	2.80 - 0.20	.0140	----	----	----	----	19 UNCH
5725	----	----	----/*2.80A	2.80B/*2.80A	----	2.80 - 0.20	.0139	----	----	----	----	1 UNCH
5730	----	----	----/*2.80A	2.80B/*2.80A	----	2.80 - 0.20	.0139	----	----	----	----	15 UNCH
5750	----	----	----/*2.70A	2.80B/*2.70A	----	2.80 - 0.10	.0138	----	----	----	----	829 UNCH
5775	----	----	----/*2.70A	2.70B/*2.70A	----	2.70 - 0.20	.0133	----	----	----	----	3 UNCH
5800	----	----	----/*2.60A	2.70B/*2.60A	----	2.70 - 0.10	.0131	----	----	----	----	1059 UNCH
5825	----	----	----/*2.60A	2.60B/*2.60A	----	2.60 - 0.10	.0126	----	----	----	----	134 UNCH
5850	----	----	----/*2.50A	2.60B/*2.50A	----	2.50 - 0.20	.0121	----	----	----	----	166 UNCH
5875	----	----	----/*2.50A	2.50B/*2.50A	----	2.50 - 0.10	.0119	----	----	----	----	26 UNCH
5900	----	----	----/*2.40A	2.40B/*2.40A	----	2.40 - 0.10	.0114	----	----	----	----	1485 UNCH
5925	----	----	----/*2.40A	2.40B/*2.40A	----	2.40 - 0.10	.0113	----	----	----	----	14 UNCH
5950	----	----	----/*2.30A	2.30B/*2.30A	----	2.40 UNCH	.0112	----	----	----	----	25 UNCH
6000	----	----	----	2.20B/*2.30A	----	2.30 UNCH	.0106	----	----	18	----	3501 UNCH
6100	2.00	2.00	2.00/*2.00	2.00/*2.00	----	2.10 UNCH	.0095	----	----	1	----	809 UNCH
6200	----	----	----	1.80B/*2.00A	----	1.90 - 0.10	.0085	----	----	1	----	1423 + 1
6250	----	----	----	1.70B/*1.90A	----	1.90 UNCH	.0083	----	----	----	----	8 UNCH
6300	1.80	1.80	1.80/*1.80	1.80/*1.80	----	1.80 - 0.10	.0078	----	----	1	----	91 UNCH
6400	----	----	----/*1.70A	1.50B/*1.70A	----	1.60 - 0.20	.0069	----	----	----	----	55 UNCH
6500	1.40	1.40	1.40/*1.40	1.40/*1.40	----	1.50 - 0.10	.0063	----	----	94	----	840 - 90
6600	----	----	----	1.30B/*1.50A	----	1.40 - 0.10	.0058	----	----	----	----	209 UNCH
6700	1.10	1.10	1.10/*1.10	1.20B/*1.10	----	1.20 - 0.30	.0050	----	----	1	----	332 + 1
6800	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.30	.0045	----	----	2	----	40 + 2
6900	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.30	.0041	----	----	----	----	33 UNCH
7000	----	----	----	0.90B/1.20A	----	0.90 - 0.30	.0036	----	----	----	----	982 UNCH
7500	----	----	----	0.70B/*0.80A	----	0.60 - 0.20	.0023	----	----	----	----	828 UNCH
8000	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0015	----	----	2	----	634 UNCH
8500	----	----	----	0.40B/0.50A	----	0.30 - 0.20	.0010	----	----	----	----	113 UNCH
9000	0.30	0.30	0.40B/0.30	0.40B/0.30	----	0.20 - 0.10	.0007	----	----	78	----	123 + 78
9500	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	316 UNCH
10000	----	----	----	----/0.30A	----	0.10 - 0.10	.0003	----	----	----	----	266 UNCH
TOTAL										6915	1,885	93430+ 1007
SEP26												
3875	----	----	571.10B/474.60A	571.10B/474.60A	----	490.50 - 64.10	.8285	----	----	----	----	1 UNCH
3995	----	----	467.30B/379.50A	467.30B/379.50A	----	393.20 - 59.30	.7652	----	----	----	----	10 UNCH
4085	----	----	394.20B/314.40A	394.20B/314.40A	----	326.10 - 54.80	.7067	----	----	----	----	37 UNCH
4130	----	----	359.60B/284.20A	359.60B/284.20A	----	294.80 - 52.20	.6740	----	----	----	----	10 UNCH
4185	----	----	319.40B/249.50A	319.40B/249.50A	----	258.90 - 48.90	.6314	----	----	----	----	40 UNCH
4200	----	----	309.30B/240.60A	309.30B/240.60A	----	249.50 - 48.00	.6193	----	----	----	----	1 UNCH
4220	----	----	295.80B/228.90A	295.80B/228.90A	----	237.30 - 46.80	.6029	----	----	----	----	165 UNCH
4225	----	----	292.10B/226.10A	292.10B/226.10A	----	234.30 - 46.50	.5988	----	----	----	----	2 UNCH
4240	----	----	282.10B/217.60A	282.10B/217.60A	----	225.50 - 45.50	.5862	----	----	----	----	11 UNCH
4265	221.50	221.50	265.70B/203.80A	265.70B/203.80A	----	211.20 - 44.00	.5650	----	----	1	----	11 + 1
4270	----	----	262.40B/*201.10	262.40B/*201.10A	----	208.40 - 43.80	.5608	----	----	----	----	1 UNCH
4275	----	----	259.20B/*198.40	259.20B/*198.40A	----	205.70 - 43.40	.5565	----	----	----	----	1 UNCH
4285	191.70	191.70	252.90B/*191.70	252.90B/*191.70	----	200.20 NEW	.5478	----	----	3	----	3 + 3
4290	----	----	249.90B/*190.50	249.90B/*190.50A	----	197.50 - 42.60	.5435	----	----	----	----	4 UNCH
4295	----	----	247.00B/*187.90	247.00B/*187.90A	----	194.90 - 42.20	.5392	----	----	----	----	50 UNCH
4300	----	----	244.00B/*185.50	244.00B/*185.50A	----	192.20 - 41.90	.5348	----	----	1	----	19 + 1
4315	----	----	234.70B/*177.80	234.70B/*177.80A	----	184.40 NEW	.5218	----	----	40	----	40 + 40
4320	----	----	231.90B/*175.30	231.90B/*175.30A	----	181.90 - 40.70	.5174	----	----	----	----	162 UNCH
4345	168.90	168.90	217.30B/*163.30	217.30B/*163.30A	----	169.50 NEW	.4955	----	----	2	----	2 + 2
4350	----	----	214.40B/*161.10	214.40B/*161.10A	----	167.20 NEW	.4912	----	----	3	----	1 + 1
4360	----	----	208.90B/*156.40	208.90B/*156.40A	----	162.40 NEW	.4824	----	----	23	----	23 + 23
4370	----	----	203.40B/*152.20	203.40B/*152.20A	----	157.80 - 37.60	.4736	----	----	----	----	2 UNCH
4375	----	----	200.60B/*149.70	200.60B/*149.70A	----	155.60 - 37.20	.4693	----	----	----	----	4 UNCH
4385	----	----	195.30B/*145.40	195.30B/*145.40A	----	151.10 - 36.50	.4605	----	----	----	----	2 UNCH
4390	----	----	192.60B/*143.30	192.60B/*143.30A	----	149.00 - 36.10	.4562	----	----	10	----	214 + 10
4395	170.80	170.80	190.10B/*141.20	190.10B/*141.20A	----	146.80 - 35.80	.4519	----	----	7	----	14 + 7
4400	190.00	190.00	190.00/*139.20A	190.00/*139.20A	----	144.70 - 35.40	.4476	----	----	59	----	123 + 46
4410	----	----	182.40B/*135.00	182.40B/*135.00A	----	140.50 - 34.70	.4389	----	----	----	----	3 UNCH
4415	----	----	179.90B/*133.00	179.90B/*133.00A	----	138.50 - 34.30	.4347	----	----	----	----	7 UNCH
4420	----	----	177.50B/*131.10	177.50B/*131.10A	----	136.40 - 34.00	.4303	----	----	----	----	7 UNCH
4425	----	----	175.00B/*129.10	175.00B/*129.10A	----	134.40 - 33.70	.4261	----	----	2	----	3 + 2
4430	----	----	172.70B/*127.30	172.70B/*127.30A	----	132.50 - 33.20	.4219	----	----	----	----	1 UNCH
4440	----	----	167.80B/*123.50	167.80B/*123.50A	----	128.60 - 32.50	.4134	----	----	----	----	7 UNCH
4450	----	----	163.10B/*119.70	163.10B/*119.70A	----	124.80 - 31.80	.4049	----	----	3	----	15 + 3
4460	----	----	158.60B/*116.10	158.60B/*116.10A	----	121.10 - 31.10	.3966	----	----	----	----	1 UNCH
4465	----	----	156.30B/*114.30	156.30B/*114.30A	----	119.30 - 30.80	.3924	----	----	----	----	7 UNCH
4475	----	----	151.90B/*110.80	151.90B/*110.80A	----	115.80 - 30.10	.3842	----	----	----	----	36 UNCH
4480	----	----	149.80B/*109.10	149.80B/*109.10A	----	114.00 - 29.80	.3801	----	----	----	----	2 UNCH
4485	121.00	121.00	147.60B/*107.60	147.60B/*107.60A	----	112.30 - 29.40	.3760	----	----	1	----	2 UNCH
4490	----	----	145.50B/*105.80	145.50B/*105.80A	----	110.60 - 29.10	.3720	----	----	----	----	2 UNCH
4495	112.90	112.90	143.30B/*104.20	143.30B/*104.20A	----	108.90 - 28.80	.3679	----	----	9	----	108 - 2
4500	----	----	141.20B/*102.60	141.20B/*102.60A	----	107.30 - 28.40	.3640	----	----	----	50	343 + 50

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
4505	----	----	139.30B/*101.00	139.30B/*101.00A	----	105.60 - 28.20	.3599	----	----	----	----	22 UNCH
4510	----	----	137.20B/*99.50A	137.20B/*99.50A	----	104.00 - 27.80	.3560	----	----	----	----	2 UNCH
4515	----	----	135.30B/*97.90A	135.30B/*97.90A	----	102.40 - 27.50	.3520	----	----	----	----	2 UNCH
4520	----	----	133.30B/*96.40A	133.30B/*96.40A	----	100.80 - 27.30	.3480	----	----	----	----	49 UNCH
4525	----	----	131.20B/*94.90A	131.20B/*94.90A	----	99.20 - 27.00	.3441	----	----	----	----	7 UNCH
4530	----	----	129.40B/*93.40A	129.40B/*93.40A	----	97.70 - 26.70	.3402	----	----	----	----	17 UNCH
4535	----	----	127.40B/*92.10A	127.40B/*92.10A	----	96.20 - 26.30	.3364	----	----	----	----	14 UNCH
4540	----	----	125.60B/*90.50A	125.60B/*90.50A	----	94.70 - 26.00	.3325	----	----	----	----	7 UNCH
4545	----	----	123.70B/*89.10A	123.70B/*89.10A	----	93.20 - 25.80	.3287	----	----	----	----	60 UNCH
4550	----	----	121.90B/*87.70A	121.90B/*87.70A	----	91.80 - 25.40	.3249	----	----	----	----	280 UNCH
4555	----	----	120.00B/*86.50A	120.00B/*86.50A	----	90.40 - 25.10	.3212	----	----	----	----	100 UNCH
4560	----	----	118.20B/*85.00A	118.20B/*85.00A	----	89.00 - 24.80	.3175	----	----	----	----	29 UNCH
4565	----	----	116.50B/*83.80A	116.50B/*83.80A	----	87.60 - 24.50	.3138	----	----	----	----	21 UNCH
4570	87.80	87.80	114.70B/*82.50A	114.70B/*82.50A	----	86.30 - 24.10	.3102	----	----	2	----	19 UNCH
4575	----	----	113.00B/*81.20A	113.00B/*81.20A	----	84.90 - 23.90	.3065	----	----	----	----	69 UNCH
4580	----	----	111.30B/*79.90A	111.30B/*79.90A	----	83.60 - 23.60	.3029	----	----	----	----	3 UNCH
4585	----	----	109.60B/*78.50A	109.60B/*78.50A	----	82.30 - 23.30	.2993	----	----	----	----	32 UNCH
4590	81.70	81.70	108.00B/*77.40A	108.00B/*77.40A	----	81.10 - 22.90	.2958	----	----	7	----	13 - 2
4595	----	----	106.40B/*76.10A	106.40B/*76.10A	----	79.80 - 22.70	.2923	----	----	----	----	33 UNCH
4600	97.00	97.00	104.80B/*74.90A	104.80B/*74.90A	----	78.60 - 22.30	.2888	----	----	219	----	426 + 95
4605	----	----	103.20B/*73.80A	103.20B/*73.80A	----	77.40 - 22.00	.2854	----	----	----	----	40 UNCH
4610	----	----	101.60B/*72.60A	101.60B/*72.60A	----	76.20 - 21.80	.2820	----	----	----	----	7 UNCH
4615	----	----	100.10B/*71.50A	100.10B/*71.50A	----	75.00 - 21.50	.2785	----	----	----	----	4 UNCH
4620	----	----	98.60B/*70.30A	98.60B/*70.30A	----	73.80 - 21.30	.2751	----	----	----	----	4 UNCH
4625	----	----	97.00B/*69.30A	97.00B/*69.30A	----	72.60 - 21.10	.2717	----	----	----	----	7 UNCH
4630	----	----	95.60B/*68.20A	95.60B/*68.20A	----	71.40 - 20.90	.2683	----	----	----	----	15 UNCH
4635	----	----	94.00B/*67.00A	94.00B/*67.00A	----	70.30 - 20.60	.2650	----	----	----	----	1 UNCH
4640	----	----	92.60B/*66.10A	92.60B/*66.10A	----	69.20 - 20.30	.2617	----	----	----	----	12 UNCH
4645	----	----	91.20B/*64.90A	91.20B/*64.90A	----	68.10 - 20.10	.2585	----	----	----	----	7 UNCH
4650	----	----	89.80B/*63.90A	89.80B/*63.90A	----	67.00 - 19.90	.2552	----	----	----	100	188 + 76
4655	----	----	88.40B/*62.90A	88.40B/*62.90A	----	65.90 - 19.70	.2520	----	----	----	----	2 UNCH
4660	----	----	87.10B/*61.90A	87.10B/*61.90A	----	64.90 - 19.40	.2489	----	----	----	300	312 + 300
4665	----	----	85.80B/*60.90A	85.80B/*60.90A	----	63.90 - 19.10	.2458	----	----	1	----	5 + 1
4670	64.70	64.70	84.40B/*60.10A	84.40B/*60.10A	----	62.90 NEW	.2427	----	----	2	----	2 + 2
4675	59.90	59.90	83.10B/*59.00A	83.10B/*59.00A	----	61.90 - 18.60	.2397	----	----	4	----	9 + 3
4680	----	----	81.80B/*58.10A	81.80B/*58.10A	----	61.00 - 18.20	.2368	----	----	----	----	1 UNCH
4690	----	----	79.40B/*56.40A	79.40B/*56.40A	----	59.20 - 17.60	.2310	----	----	----	----	2 UNCH
4700	71.60	71.60	77.00B/*54.60A	77.00B/*54.60A	----	57.40 - 17.00	.2253	----	----	104	----	604 + 67
4705	----	----	75.80B/*53.70A	75.80B/*53.70A	----	56.50 - 16.80	.2224	----	----	----	----	10 UNCH
4710	----	----	74.50B/*53.00A	74.50B/*53.00A	----	55.60 - 16.60	.2195	----	----	----	----	1 UNCH
4715	----	----	73.50B/*52.10A	73.50B/*52.10A	----	54.80 - 16.30	.2169	----	----	----	----	100 UNCH
4720	----	----	72.30B/*51.20A	72.30B/*51.20A	----	53.90 - 16.10	.2140	----	----	----	----	45 UNCH
4725	51.20	51.20	71.20B/*50.40A	71.20B/*50.40A	----	53.10 - 15.80	.2114	----	----	1	----	13 UNCH
4730	----	----	70.10B/*49.70A	70.10B/*49.70A	----	52.20 - 15.70	.2085	----	----	----	----	10 UNCH
4735	----	----	69.00B/*48.90A	69.00B/*48.90A	----	51.40 - 15.50	.2059	----	----	----	----	352 UNCH
4740	----	----	67.90B/*48.10A	67.90B/*48.10A	----	50.60 - 15.20	.2032	----	----	----	----	5 UNCH
4745	----	----	66.90B/*47.50A	66.90B/*47.50A	----	49.80 - 15.00	.2006	----	----	----	----	7 UNCH
4750	----	----	65.90B/*46.70A	65.90B/*46.70A	----	49.00 - 14.90	.1979	----	----	----	----	674 UNCH
4755	----	----	64.90B/*45.90A	64.90B/*45.90A	----	48.30 - 14.60	.1955	----	----	----	----	14 UNCH
4760	----	----	63.90B/*45.20A	63.90B/*45.20A	----	47.50 - 14.50	.1929	----	----	----	----	27 UNCH
4770	----	----	62.00B/*43.90A	62.00B/*43.90A	----	46.10 - 14.00	.1880	----	----	----	----	3 UNCH
4775	----	----	61.00B/*43.30A	61.00B/*43.30A	----	45.40 - 13.80	.1856	----	----	----	----	269 UNCH
4780	----	----	60.00B/*42.50A	60.00B/*42.50A	----	44.70 - 13.60	.1832	----	----	----	----	10 UNCH
4785	----	----	59.10B/*41.90A	59.10B/*41.90A	----	44.00 - 13.40	.1808	----	----	----	----	6 UNCH
4790	----	----	58.30B/*41.20A	58.30B/*41.20A	----	43.30 - 13.20	.1784	----	----	----	----	6 UNCH
4795	----	----	57.30B/*40.60A	57.30B/*40.60A	----	42.70 - 13.00	.1762	----	----	----	----	4 UNCH
4800	46.90	46.90	56.40B/*40.10A	56.40B/*40.10A	----	42.00 - 12.90	.1738	----	----	57	240	1259 - 166
4805	----	----	55.60B/*39.50A	55.60B/*39.50A	----	41.40 - 12.60	.1717	----	----	----	----	6 UNCH
4810	----	----	54.70B/*38.90A	54.70B/*38.90A	----	40.80 - 12.40	.1695	----	----	----	----	6 UNCH
4815	----	----	53.90B/*38.20A	53.90B/*38.20A	----	40.20 - 12.20	.1674	----	----	----	----	12 UNCH
4820	----	----	53.00B/*37.70A	53.00B/*37.70A	----	39.60 - 12.00	.1652	----	----	2	----	4 + 2
4825	----	----	52.20B/*37.20A	52.20B/*37.20A	----	39.00 - 11.80	.1631	----	----	----	----	367 UNCH
4830	----	----	51.40B/*36.50A	51.40B/*36.50A	----	38.40 - 11.70	.1609	----	----	----	----	14 UNCH
4835	----	----	50.60B/*36.10A	50.60B/*36.10A	----	37.90 - 11.40	.1590	----	----	----	----	1 UNCH
4840	----	----	49.80B/*35.50A	49.80B/*35.50A	----	37.30 - 11.30	.1569	----	----	----	----	47 UNCH
4850	----	----	48.40B/*34.50A	48.40B/*34.50A	----	36.20 - 11.00	.1529	----	----	10	----	108 UNCH
4860	----	----	46.80B/*33.40A	46.80B/*33.40A	----	35.20 - 10.60	.1491	----	----	----	----	3 UNCH
4870	----	----	45.40B/*32.50A	45.40B/*32.50A	----	34.20 - 10.20	.1453	----	----	----	----	3 UNCH
4875	----	----	44.90B/*32.00A	44.90B/*32.00A	----	33.70 - 10.10	.1435	----	----	----	----	164 UNCH
4880	----	----	44.20B/*31.60A	44.20B/*31.60A	----	33.20 - 9.90	.1416	----	----	----	----	14 UNCH
4885	----	----	43.30B/*31.10A	43.30B/*31.10A	----	32.70 - 9.80	.1398	----	----	----	----	52 UNCH
4895	----	----	42.10B/*30.20A	42.10B/*30.20A	----	31.80 - 9.40	.1363	----	----	----	----	11 UNCH
4900	30.70	30.70	41.60B/*29.80A	41.60B/*29.80A	----	31.30 - 9.30	.1345	----	----	27	----	500 - 11
4905	31.60	31.60	41.00B/*29.40A	41.00B/*29.40A	----	30.90 - 9.10	.1329	----	----	8	----	25 + 4
4915	----	----	39.60B/*28.50A	39.60B/*28.50A	----	30.00 - 8.90	.1294	----	----	----	----	50 UNCH
4920	----	----	39.00B/*28.10A	39.00B/*28.10A	----	29.60 - 8.70	.1279	----	----	2	----	68 + 2
4925	----	----	38.60B/*27.70A	38.60B/*27.70A	----	29.10 - 8.70	.1260	----	----	----	----	116 UNCH
4930	----	----	37.90B/*27.30A	37.90B/*27.30A	----	28.70 - 8.50	.1245	----	----	----	----	2 UNCH
4935	----	----	37.30B/*27.00A	37.30B/*27.00A	----	28.30 - 8.40	.1229	----	----	----	----	1 UNCH
4940	27.60	27.60	36.80B/*26.60A	36.80B/*26.60A	----	27.90 NEW	.1213	----	----	10	----	10 + 10
4945	----	----	36.20B/*26.20A	36.20B/*26.20A	----	27.50 - 8.10	.1198	----	----	----	----	5 UNCH
4950	----	----	35.70B/*25.80A	35.70B/*25.80A	----	27.10 - 8.00	.1182	----	----	----	----	280 UNCH
4955	----	----	35.20B/*25.50A	35.20B/*25.50A	----	26.70 - 7.90	.1167	----	----	----	----	1 UNCH
4960	----	----	34.50B/*25.10A	34.50B/*25.10A	----	26.40 - 7.70	.1154	----	----	----	----	48 UNCH
4965	----	----	34.20B/*24.80A	34.20B/*24.80A	----	26.00 - 7.60	.1139	----	----	----	----	9 UNCH
4970	----	----	33.70B/*24.40A	33.70B/*24.40A	----	25.60 - 7.60	.1123	----	----	----	----	51 UNCH
4975	----	----	33.20B/*24.10A	33.20B/*24.10A	----	25.30 - 7.40	.1111	----	----	----	----	331 UNCH
4980	----	----	32.70B/*23.80A	32.70B/*23.80A	----	24.90 - 7.30	.1095	----	----	----	----	7 UNCH
4985	----	----	32.30B/*23.50A	32.30B/*23.50A	----	24.60 - 7.20	.1083	----	----	----	----	1 UNCH
5000	31.00	31.00	31.00/*22.50A	31.00/*22.50A	----	23.60 - 6.80	.1042	----	----	131	----	1022 + 57
5005	----	----	30.60B/*22.20A	30.60B/*22.20A	----	23.30 - 6.70	.1030	----	----	----	----	3 UNCH
5010	----	----	30.00B/*21.90A	30.00B/*21.90A	----	23.00 - 6.60	.1018	----	----	----	----	10 UNCH
5015	----	----	29.60B/*21.70A	29.60B/*21.70A	----	22.70 - 6.50	.1005	----	----	----	----	4 UNCH
5030	22.30	22.30	28.50B/*20.80A	28.50B/*20.80A	----	21.80 NEW	.0969	----	----	9	----	9 + 9
5045	----	----	27.30B/*20.00A	27.30B/*20.00A	----	21.00 - 5.90	.0935	----	----	----	----	3 UNCH
5050	----	----	26.90B/*19.80A	26.90B/*19.80A	----	20.70 - 5.80	.0923	----	----	----	----	404 UNCH
5055	----	----	26.50B/*19.50A	26.50B/*19.50A	----	20.40 - 5.70	.0911	----	----	----	----	5 UNCH
5060	----	----	26.20B/*19.30A	26.20B/*19.30A	----	20.20 - 5.60	.0902	----	----	----	----	5 UNCH
5070	----	----	25.50B/*18.80A	25.50B/*18.80A	----	19.70 - 5.40	.0881	----	----	----	----	8 UNCH
5075	----	----	25.10B/*18.60A	25.10B/*18.60A	----	19.40 - 5.40	.0869	----	----	----	----	4 UNCH
5080	----	----	24.80B/*18.30A	24.80B/*18.30A	----	19.20 - 5.20	.0860	----	----	----	----	14 UNCH
5085	----	----	24.50B/*18.10A	24.50B/*18.10A	----	19.00 - 5.10	.0851	----	----	----	----	5 UNCH
5090	----	----	24.10B/*17.90A	24.10B/*17.90A	----	18.70 - 5.10	.0839	----	----	----	----	3 UNCH
5095	----	----	23.90B/*17.70A	23.90B/*17.70A	----	18.50 - 5.00	.0830	----	----	----	----	15 UNCH
5100	----	----	23.50B/*17.40A	23.50B/*17.40A	----	18.30 - 4.90	.0821	----	----	2	----	448 + 1
5105	----	----	23.10B/*17.30A	23.10B/*17.30A	----	18.10 - 4.80	.0812	----	----	----	----	4 UNCH
5110	20.00	20.00	22.90B/*17.10A	22.90B/*17.10A	----	17.90 - 4.70	.0803	----	----	5	----	6 + 5
5120	----	----	22.30B/*16.70A	22.30B/*16.70A	----	17.40 - 4.60	.0783	----	----	----	----	6 UNCH
5130	----	----	21.70B/*16.30A	21.70B/*16.30A	----	17.00 - 4.40	.0765	----	----	----	----	4 UNCH
5135	18.80	18.80	21.50B/*16.10A	21.50B/*16.10A	----	16.80 NEW	.0757	----	----	5	----	5 + 5
5140	----	----	21.10B/*15.90A	21.10B/*15.90A	----	16.60 - 4.30	.0748	----	----	----	----	4 UNCH
5150	----	----	20.70B/*15.60A	20.70B/*15.60A	----	16.20 - 4.10	.0731	----	----	1	----	361 - 1
5155	----	----	20.30B/*15.40A	20.30B/*15.40A	----	16.00 - 4.10	.0722	----	----	----	----	2 UNCH
5160	----	----	20.10B/*15.20A	20.10B/*15.20A	----	15.90 - 3.90	.0717	----	----	----	----	22 UNCH
5165	----	----	19.90B/*15.00A	19.90B/*15.00A	----	15.70 - 3.90	.0708	----	----	----	----	24 UNCH
5170	----	----	19.50B/*14.90A	19.50B/*14.90A	----	15.50 - 3.80	.0700	----	----	----	----	8 UNCH
5175	----	----	19.40B/*14.70A	19.40B/*14.70A	----	15.30 - 3.80	.0691	----	----	----	----	15 UNCH
5180	----	----	19.10B/*14.50A	19.10B/*14.50A	----	15.10 - 3.80	.0683	----	----	----	----	7 UNCH
5185	----	----	18.90B/*14.40A	18.90B/*14.40A	----	15.00 - 3.60	.0678	----	----	----	----	5 UNCH
5190	18.10	18.10	18.70B/*14.20A	18.70B/*14.20A	----	14.80 - 3.60	.0669	----	----	46	----	10000 UNCH
5195	----	----	18.30B/*14.10A	18.30B/*14.10A	----	14.70 - 3.50	.0664	----	----	----	----	50 UNCH
5200	17.30	17.30	18.20B/*13.70A	18.20B/*13.70A	----	14.50 - 3.50	.0655	----	----	77	----	10068 - 48
5205	----	----	17.90B/*13.80A	17.90B/*13.80A	----	14.30 - 3.50	.0647	----	----	----	----	1 UNCH
5215	----	----	17.50B/*13.50A	17.50B/*13.50A	----	14.00 - 3.30	.0634	----	----	----	----	10 UNCH
5230	----	----	16.90B/*13.10A	16.90B/*13.10A	----	13.60 - 3.10	.0615	----	----	----	----	402 UNCH
5235	----	----	16.70B/*12.90A	16.70B/*12.90A	----	13.50 - 3.00	.0610	----	----	----	----	1 UNCH
5240	----	----	----/*12.80A	16.40B/*12.80A	----	13.30 - 3.10	.0602	----	----	----	----	2 UNCH
5245	----	----	16.30B/*12.70A	16.30B/*12.70A	----	13.20 - 3.00	.0597	----	----	----	----	23 UNCH
5250	----	----	16.10B/*12.50A	16.10B/*12.50A	----	13.10 - 2.90	.0592	----	----	1	----	649 - 1
5255	----	----	15.90B/*12.40A	15.90B/*12.40A	----	12.90 - 2.90	.0584	----	----	----	----	4 UNCH
5270	----	----	15.40B/*12.00A	15.40B/*12.00A	----	12.50 - 2.80	.0566	----	----	----	----	7 UNCH
5275	----	----	15.20B/*11.90A	15.20B/*11.90A	----	12.40 - 2.70	.0561	----	----	----	----	201 UNCH
5290	----	----	14.70B/*11.60A	14.70B/*11.60A	----	12.00 - 2.60	.0543	----	----	----	----	9 UNCH
5295	----	----	----/*11.50A	14.50B/*11.50A	----	11.90 - 2.60	.0538	----	----	----	----	8 UNCH
5300	----	----	14.40B/*11.30A	14.40B/*11.30A	----	11.80 - 2.50	.0533	----	----	----	----	1215 UNCH
5305	----	----	----/*11.30A	14.20B/*11.30A	----	11.70 - 2.50	.0529	----	----	----	----	11 UNCH
5310	----	----	14.10B/*11.20A	14.10B/*11.20A	----	11.50 - 2.50	.0521	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5315	----	----	----/*11.10A	13.90B/*11.10A	----	11.40 - 2.50	.0516	----	----	----	----	5 UNCH
5325	----	----	----/*10.90A	13.60B/*10.90A	----	11.20 - 2.40	.0506	----	----	----	----	1 UNCH
5330	----	----	13.50B/*10.80A	13.50B/*10.80A	----	11.10 - 2.30	.0502	----	----	----	----	20 UNCH
5335	----	----	----/*10.70A	13.30B/*10.70A	----	11.00 - 2.30	.0497	----	----	----	----	4 UNCH
5340	----	----	----/*10.60A	13.20B/*10.60A	----	10.90 - 2.30	.0492	----	----	----	----	7 UNCH
5350	----	----	----/*10.40A	12.90B/*10.40A	----	10.70 - 2.20	.0483	----	----	25	----	316 UNCH
5355	----	----	----/*10.20A	12.80B/*10.20A	----	10.60 - 2.20	.0479	----	----	----	----	23 UNCH
5365	----	----	----/*10.10A	12.50B/*10.10A	----	10.40 - 2.10	.0469	----	----	----	----	22 UNCH
5370	----	----	----/*10.00A	12.40B/*10.00A	----	10.30 - 2.10	.0465	----	----	----	----	18 UNCH
5375	----	----	----/*9.90A	12.30B/*9.90A	----	10.20 - 2.10	.0460	----	----	----	----	5 UNCH
5380	----	----	----/*9.90A	12.20B/*9.90A	----	10.10 - 2.10	.0456	----	----	----	----	2 UNCH
5395	----	----	----/*9.60A	11.80B/*9.60A	----	9.80 - 2.00	.0442	----	----	----	----	4 UNCH
5400	9.50	9.50	9.50/*9.50	11.70B/*9.50	----	9.70 - 2.00	.0438	----	----	2	----	2288 + 1
5420	----	----	----/*9.20A	11.30B/*9.20A	----	9.40 - 1.90	.0423	----	----	----	----	83 UNCH
5425	----	----	----/*9.20A	11.10B/*9.20A	----	9.30 - 1.90	.0419	----	----	----	----	50 UNCH
5435	----	----	----/*9.00A	10.90B/*9.00A	----	9.20 - 1.80	.0413	----	----	----	----	3 UNCH
5440	----	----	----/*9.00A	10.80B/*9.00A	----	9.10 - 1.80	.0409	----	----	----	----	15 UNCH
5450	----	----	----/*8.80A	10.60B/*8.80A	----	9.00 - 1.70	.0403	----	----	----	----	29 UNCH
5455	8.80	8.80	8.80/*8.70A	10.50B/*8.70A	----	8.90 - 1.70	.0399	----	----	3	----	39 UNCH
5460	----	----	----/*8.70A	10.50B/*8.70A	----	8.80 - 1.70	.0395	----	----	----	----	2 UNCH
5470	----	----	----/*8.50A	10.30B/*8.50A	----	8.70 - 1.60	.0389	----	----	----	----	3 UNCH
5475	----	----	----/*8.50A	10.20B/*8.50A	----	8.60 - 1.60	.0385	----	----	----	----	27 UNCH
5490	----	----	----/*8.30A	9.90B/*8.30A	----	8.40 - 1.60	.0376	----	----	----	----	1 UNCH
5500	----	----	----/*8.20A	9.70B/*8.20A	----	8.30 - 1.50	.0370	----	----	----	360	2864 - 240
5505	----	----	----/*8.10A	9.60B/*8.10A	----	8.30 - 1.40	.0369	----	----	----	----	5 UNCH
5510	----	----	----/*8.10A	9.60B/*8.10A	----	8.20 - 1.40	.0365	----	----	----	----	1 UNCH
5515	----	----	----/*8.00A	9.50B/*8.00A	----	8.10 - 1.40	.0361	----	----	----	----	4 UNCH
5520	----	----	----/*7.90A	9.40B/*7.90A	----	8.10 - 1.40	.0360	----	----	----	----	1 UNCH
5525	----	----	----/*7.90A	9.30B/*7.90A	----	8.00 - 1.40	.0356	----	----	----	----	7 UNCH
5530	7.80	7.80	7.90/*7.70A	9.30B/*7.70A	----	8.00 - 1.30	.0355	----	----	3	----	4 + 3
5535	----	----	----/*7.80A	9.20B/*7.80A	----	7.90 - 1.30	.0351	----	----	----	----	1 UNCH
5540	----	----	----/*7.70A	9.10B/*7.70A	----	7.90 - 1.30	.0350	----	----	----	----	19 UNCH
5550	----	----	----/*7.60A	9.00B/*7.60A	----	7.80 - 1.20	.0345	----	----	----	----	47 UNCH
5555	----	----	----/*7.50A	8.90B/*7.50A	----	7.70 - 1.30	.0341	----	----	----	----	5 UNCH
5560	----	----	----/*7.50A	8.90B/*7.50A	----	7.70 - 1.20	.0340	----	----	----	----	2 UNCH
5570	----	----	----/*7.40A	8.70B/*7.40A	----	7.50 - 1.30	.0332	----	----	----	----	1 UNCH
5575	----	----	----/*7.40A	8.70B/*7.40A	----	7.50 - 1.20	.0331	----	----	----	----	1 UNCH
5590	----	----	----/*7.20A	8.50B/*7.20A	----	7.30 - 1.20	.0322	----	----	----	----	26 UNCH
5595	----	----	----/*7.10A	8.40B/*7.10A	----	7.30 - 1.20	.0321	----	----	----	----	4 UNCH
5600	----	----	----/*7.20A	8.40B/*7.20A	----	7.20 - 1.20	.0317	----	----	----	----	923 UNCH
5605	----	----	----/*7.10A	8.30B/*7.10A	----	7.20 - 1.20	.0316	----	----	----	----	3 UNCH
5620	----	----	----/*7.00A	8.10B/*7.00A	----	7.10 - 1.10	.0311	----	----	----	----	20 UNCH
5625	7.10	7.10	7.10/*6.90A	8.10B/*6.90A	----	7.00 - 1.10	.0307	----	----	3	----	5 + 3
5635	----	----	----/*6.80A	7.90B/*6.80A	----	6.90 - 1.10	.0302	----	----	----	----	10 UNCH
5645	----	----	----/*6.80A	7.90B/*6.80A	----	6.80 - 1.10	.0298	----	----	----	----	5 UNCH
5650	----	----	----/*6.70A	7.80B/*6.70A	----	6.80 - 1.10	.0297	----	----	----	----	744 UNCH
5655	----	----	----/*6.70A	7.80B/*6.70A	----	6.80 - 1.00	.0296	----	----	----	----	4 UNCH
5665	----	----	----/*6.60A	7.60B/*6.60A	----	6.70 - 1.00	.0292	----	----	----	----	3 UNCH
5675	----	----	----/*6.50A	7.50B/*6.50A	----	6.60 - 1.00	.0287	----	----	----	----	8 UNCH
5690	----	----	----/*6.40A	7.40B/*6.40A	----	6.50 - 1.00	.0282	----	----	----	----	3 UNCH
5700	6.70	6.70	6.70/*6.40A	7.30B/*6.40A	----	6.40 - 1.00	.0277	----	----	2	----	1011 - 1
5710	----	----	----/*6.30A	7.20B/*6.30A	----	6.40 - 0.90	.0276	----	----	----	----	2 UNCH
5730	----	----	----/*6.10A	7.00B/*6.10A	----	6.30 - 0.80	.0270	----	----	----	----	2 UNCH
5750	----	----	----/*6.00A	6.90B/*6.00A	----	6.20 - 0.80	.0265	----	----	1	----	194 UNCH
5760	----	----	----/*5.90A	6.80B/*5.90A	----	6.10 - 0.80	.0261	----	----	----	----	1 UNCH
5770	----	----	----/*5.90A	6.70B/*5.90A	----	6.00 - 0.80	.0256	----	----	----	----	2 UNCH
5775	----	----	----/*5.90A	6.70B/*5.90A	----	6.00 - 0.80	.0256	----	----	----	----	162 UNCH
5800	6.20	6.20	6.20/*5.80A	6.50B/*5.80A	----	5.90 - 0.70	.0250	----	----	9	----	618 UNCH
5850	----	----	----/*5.50A	6.10B/*5.50A	----	5.60 - 0.60	.0235	----	----	----	----	451 UNCH
5900	5.10	5.10	5.10/*5.10	5.80B/*5.10	----	5.30 - 0.60	.0221	----	----	5	----	831 UNCH
5950	----	----	----/*5.10A	5.50B/*5.10A	----	5.10 - 0.50	.0211	----	----	----	----	51 UNCH
6000	4.90	4.90	4.90/*4.90	5.30B/*4.90	----	4.90 - 0.40	.0200	----	----	41	----	1314 - 39
6050	----	----	----/*4.80A	5.00B/*4.80A	----	4.70 - 0.40	.0190	----	----	----	----	6 UNCH
6075	----	----	----/*4.70A	4.90B/*4.70A	----	4.60 - 0.40	.0186	----	----	----	----	1 UNCH
6100	----	----	----/*4.60A	4.80B/*4.60A	----	4.60 - 0.30	.0184	----	----	----	----	180 UNCH
6200	----	----	----/*4.40A	4.50B/*4.40A	----	4.30 - 0.30	.0169	----	----	4	----	248 UNCH
6250	----	----	----/*4.20A	4.30B/*4.20A	----	4.20 - 0.20	.0163	----	----	----	----	10 UNCH
6300	4.20	4.20	4.20/*4.10A	4.20/*4.10A	----	4.10 - 0.20	.0158	----	----	2	----	160 + 1
6400	----	----	----/*4.00A	3.90B/*4.00A	----	3.80 - 0.30	.0144	----	----	----	----	223 UNCH
6500	----	----	----/*3.80A	3.70B/*3.80A	----	3.60 - 0.30	.0134	----	----	----	----	537 UNCH
6550	3.40	3.40	3.40/*3.40	3.60B/*3.40	----	3.50 NEW	.0129	----	----	1	----	1 + 1
6600	----	----	----/*3.50A	3.60B/*3.50A	----	3.40 - 0.30	.0125	----	----	----	----	49 UNCH
6650	3.70	3.70	3.70/*3.10	3.70/*3.10	----	3.40 - 0.30	.0123	----	----	4	----	7 UNCH
6700	----	----	----/3.40A	3.40B/3.40A	----	3.30 - 0.30	.0119	----	----	----	----	1 UNCH
6750	----	----	----/*3.40A	3.30B/*3.40A	----	3.20 - 0.30	.0114	----	----	----	----	11 UNCH
6775	3.20	3.20	3.20/*3.20	3.20/*3.20	----	3.10 - 0.40	.0111	----	----	1	----	2 + 1
6800	----	----	----/*3.20A	3.20B/*3.20A	----	3.10 - 0.30	.0110	----	----	----	----	169 UNCH
7000	----	----	----/*3.00A	2.80B/*3.00A	----	2.80 - 0.40	.0097	----	----	88	----	251 + 74
8000	----	----	----/2.00A	1.80B/2.00A	----	1.80 - 0.30	.0056	----	----	88	----	204 + 58
TOTAL										1179	1,050	48544 + 459
OCT26												
3600	----	----	832.60B/727.40A	832.60B/727.40A	----	745.30 - 69.80	.8984	----	----	----	----	12 UNCH
3900	----	----	563.60B/473.70A	563.60B/473.70A	----	487.80 - 61.40	.7908	----	----	----	----	40 UNCH
4275	234.00	234.00	287.30B/228.30A	287.30B/228.30A	----	235.50 NEW	.5545	----	----	4	----	4 + 4
4300	----	----	272.60B/215.40A	272.60B/215.40A	----	222.50 - 41.60	.5359	----	----	----	----	102 UNCH
4320	----	----	260.90B/205.80A	260.90B/205.80A	----	212.40 - 40.40	.5210	----	----	----	----	1 UNCH
4340	201.40	201.40	249.70B/196.20A	249.70B/196.20A	----	202.70 NEW	.5061	----	----	4	----	4 + 4
4350	----	----	244.20B/*191.60	244.20B/*191.60A	----	197.90 - 38.60	.4986	----	----	----	----	30 UNCH
4355	----	----	241.50B/*189.30	241.50B/*189.30A	----	195.60 - 38.20	.4949	----	----	----	----	24 UNCH
4365	----	----	236.10B/*184.60	236.10B/*184.60A	----	191.00 NEW	.4874	----	----	34	----	34 + 34
4380	----	----	228.20B/*178.10	228.20B/*178.10A	----	184.20 - 36.70	.4763	----	----	----	----	1 UNCH
4385	----	----	225.60B/*175.90	225.60B/*175.90A	----	181.90 - 36.50	.4725	----	----	----	----	80 UNCH
4395	----	----	220.50B/*171.80	220.50B/*171.80A	----	177.60 - 35.80	.4651	----	----	----	----	1 UNCH
4400	----	----	218.00B/*169.60	218.00B/*169.60A	----	175.40 - 35.50	.4614	----	----	----	----	125 UNCH
4405	----	----	215.40B/*167.60	215.40B/*167.60A	----	173.30 - 35.20	.4577	----	----	----	----	2 UNCH
4425	185.10	185.10	205.70B/*159.60	205.70B/*159.60A	----	164.90 - 34.10	.4430	----	----	3	----	35 + 2
4435	----	----	200.90B/*155.60	200.90B/*155.60A	----	160.90 - 33.50	.4357	----	----	----	----	25 UNCH
4445	----	----	196.10B/*151.90	196.10B/*151.90A	----	156.90 - 33.00	.4284	----	----	----	----	1 UNCH
4450	----	----	193.80B/*150.00	193.80B/*150.00A	----	155.00 - 32.70	.4248	----	----	----	----	8 UNCH
4470	----	----	184.80B/*142.50	184.80B/*142.50A	----	147.40 - 31.60	.4105	----	----	----	----	3 UNCH
4480	----	----	180.60B/*139.00	180.60B/*139.00A	----	143.80 - 31.00	.4034	----	----	----	----	2 UNCH
4490	----	----	176.30B/*135.50	176.30B/*135.50A	----	140.20 - 30.50	.3963	----	----	----	----	13 UNCH
4500	143.00	143.00	172.00B/*132.10	172.00B/*132.10A	----	136.70 - 30.00	.3893	----	----	30	----	8 - 29
4505	149.50	149.50	170.00B/*130.40	170.00B/*130.40A	----	134.90 NEW	.3858	----	----	20	----	20 + 20
4515	----	----	165.90B/*127.20	165.90B/*127.20A	----	131.60 - 29.20	.3790	----	----	----	----	4 UNCH
4520	153.20	153.20	163.80B/*125.60	163.80B/*125.60A	----	129.90 - 28.90	.3755	----	----	1	----	3 + 1
4525	----	----	161.80B/*124.00	161.80B/*124.00A	----	128.20 - 28.70	.3720	----	----	----	----	26 UNCH
4535	----	----	157.90B/*120.80	157.90B/*120.80A	----	125.00 - 28.20	.3653	----	----	----	----	5 UNCH
4540	----	----	155.90B/*119.30	155.90B/*119.30A	----	123.40 - 27.90	.3619	----	----	----	----	9 UNCH
4545	----	----	154.00B/*117.70	154.00B/*117.70A	----	121.80 - 27.70	.3585	----	----	----	----	2 UNCH
4550	----	----	152.20B/*116.10	152.20B/*116.10A	----	120.30 - 27.40	.3553	----	----	----	----	42 UNCH
4560	----	----	148.40B/*113.20	148.40B/*113.20A	----	117.20 - 26.90	.3486	----	----	----	----	7 UNCH
4565	----	----	146.50B/*111.80	146.50B/*111.80A	----	115.70 - 26.70	.3453	----	----	----	----	13 UNCH
4570	----	----	144.80B/*110.40	144.80B/*110.40A	----	114.30 - 26.30	.3421	----	----	----	----	17 UNCH
4575	----	----	142.90B/*108.90	142.90B/*108.90A	----	112.80 - 26.10	.3389	----	----	----	----	5 UNCH
4580	----	----	141.30B/*107.50	141.30B/*107.50A	----	111.40 - 25.80	.3357	----	----	----	----	76 UNCH
4585	----	----	139.50B/*106.10	139.50B/*106.10A	----	109.90 - 25.60	.3324	----	----	----	----	1 UNCH
4590	----	----	137.70B/*104.80	137.70B/*104.80A	----	108.50 - 25.40	.3292	----	----	----	----	9 UNCH
4595	----	----	136.10B/*103.50	136.10B/*103.50A	----	107.10 - 25.10	.3261	----	----	----	----	6 UNCH
4600	133.80	133.80	134.50B/*101.80	134.50B/*101.80A	----	105.70 - 24.90	.3229	----	----	8	----	524 - 4
4605	120.20	120.20	132.60B/*100.80	132.60B/*100.80A	----	104.40 - 24.60	.3198	----	----	3	----	6 - 2
4610	----	----	131.10B/*99.40A	131.10B/*99.40A	----	103.00 - 24.40	.3167	----	----	----	----	12 UNCH
4615	----	----	129.20B/*98.20A	129.20B/*98.20A	----	101.70 - 24.10	.3136	----	----	----	----	8 UNCH
4620	118.30	118.30	127.80B/*96.80A	127.80B/*96.80A	----	100.40 - 23.90	.3106	----	----	4	----	9 - 4
4625	----	----	126.20B/*95.50A	126.20B/*95.50A	----	99.10 - 23.60	.3075	----	----	----	----	32 UNCH
4630	----	----	124.50B/*94.40A	124.50B/*94.40A	----	97.90 - 23.30	.3046	----	----	----	----	54 UNCH
4635	----	----	122.90B/*93.20A	122.90B/*93.20A	----	96.60 - 23.10	.3015	----	----	----	----	8 UNCH
4640	----	----	121.50B/*91.80A	121.50B/*91.80A	----	95.40 - 22.80	.2986	----	----	----	----	5 UNCH
4645	----	----	119.80B/*90.70A	119.80B/*90.70A	----	94.10 - 22.60	.2956	----	----	----	----	1 UNCH
4650	----	----	118.40B/*89.50A	118.40B/*89.50A	----	92.90 - 22.40	.2926	----	----	76	----	453 + 16
4655	----	----	116.90B/*88.50A	116.90B/*88.50A	----	91.70 - 22.10	.2897	----	----	----	----	5 UNCH
4660	----	----	115.50B/*87.20A	115.50B/*87.20A	----	90.50 - 21.90	.2868	----	----	----	----	3 UNCH
4670	----	----	112.50B/*85.10A	112.50B/*85.10A	----	88.20 - 21.40	.2811	----	----	----	----	4 UNCH
4675	----	----	111.00B/*84.00A	111.00B/*84.00A	----	87.10 - 21.20	.2783	----	----	----	----	4 UNCH
4680	----	----	109.70B/*82.70A	109.70B/*82.70A	----	86.00 - 20.90	.2755	----	----	----	----	1 UNCH
4690	99.30	99.30	107.00B/*80.70A	107.00B/*80.70A	----	83.80 - 20.50	.2700	----	----	19	----	23 + 19

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4695	----	----	105.60B/*79.60A	105.60B/*79.60A	----	82.70 - 20.30	.2672	----	----	----	----	2 UNCH
4700	----	----	104.30B/*78.70A	104.30B/*78.70A	----	81.70 - 20.00	.2646	----	----	233	----	227 + 37
4710	----	----	101.70B/*76.70A	101.70B/*76.70A	----	79.60 - 19.50	.2592	----	----	2	----	3 UNCH
4715	----	----	100.50B/*75.70A	100.50B/*75.70A	----	78.60 - 19.30	.2566	----	----	----	----	2 UNCH
4720	----	----	99.20B/*74.80A	99.20B/*74.80A	----	77.60 - 19.10	.2540	----	----	----	----	1 UNCH
4725	----	----	98.00B/*73.80A	98.00B/*73.80A	----	76.60 - 18.90	.2514	----	----	----	----	2 UNCH
4730	----	----	96.70B/*72.90A	96.70B/*72.90A	----	75.60 - 18.70	.2487	----	----	----	----	2 UNCH
4735	----	----	95.50B/*71.90A	95.50B/*71.90A	----	74.70 - 18.40	.2463	----	----	----	----	1 UNCH
4740	----	----	94.10B/*71.00A	94.10B/*71.00A	----	73.70 - 18.20	.2437	----	----	----	----	1 UNCH
4750	91.60	91.60	92.00B/*69.10A	92.00B/*69.10A	----	71.90 - 17.70	.2388	----	----	23	----	697 - 1
4755	----	----	90.70B/*68.40A	90.70B/*68.40A	----	70.90 - 17.60	.2362	----	----	----	----	79 UNCH
4760	----	----	89.60B/*67.50A	89.60B/*67.50A	----	70.10 - 17.30	.2339	----	----	----	----	1 UNCH
4765	----	----	88.60B/*66.60A	88.60B/*66.60A	----	69.20 - 17.10	.2315	----	----	----	----	22 UNCH
4775	----	----	86.40B/*64.90A	86.40B/*64.90A	----	67.40 - 16.80	.2266	----	----	----	----	25 UNCH
4785	----	----	84.10B/*63.30A	84.10B/*63.30A	----	65.80 - 16.30	.2221	----	----	----	----	5 UNCH
4790	74.40	74.40	83.10B/*62.60A	83.10B/*62.60A	----	64.90 - 16.20	.2196	----	----	19	----	26 + 19
4795	----	----	82.10B/*61.70A	82.10B/*61.70A	----	64.10 - 15.90	.2174	----	----	----	----	3 UNCH
4800	----	----	81.00B/*60.90A	81.00B/*60.90A	----	63.30 - 15.70	.2151	----	----	33	----	529 - 6
4805	----	----	80.00B/*60.20A	80.00B/*60.20A	----	62.60 - 15.50	.2131	----	----	----	----	11 UNCH
4810	----	----	79.00B/*59.40A	79.00B/*59.40A	----	61.80 - 15.30	.2108	----	----	----	----	9 UNCH
4815	----	----	78.00B/*58.70A	78.00B/*58.70A	----	61.00 - 15.10	.2086	----	----	----	----	36 UNCH
4820	----	----	77.10B/*58.00A	77.10B/*58.00A	----	60.30 - 14.90	.2065	----	----	----	----	4 UNCH
4825	68.10	68.10	76.10B/*57.30A	76.10B/*57.30A	----	59.50 - 14.80	.2043	----	----	10	----	117 + 10
4830	----	----	75.00B/*56.60A	75.00B/*56.60A	----	58.80 - 14.60	.2022	----	----	----	----	1 UNCH
4835	----	----	74.20B/*55.90A	74.20B/*55.90A	----	58.10 - 14.30	.2002	----	----	----	----	3 UNCH
4840	----	----	73.30B/*55.20A	73.30B/*55.20A	----	57.40 - 14.20	.1981	----	----	----	----	1 UNCH
4845	----	----	72.40B/*54.50A	72.40B/*54.50A	----	56.70 - 14.00	.1961	----	----	----	----	2 UNCH
4850	----	----	71.50B/*53.90A	71.50B/*53.90A	----	56.00 - 13.80	.1940	----	----	----	----	57 UNCH
4860	----	----	69.60B/*52.60A	69.60B/*52.60A	----	54.60 - 13.50	.1899	----	----	----	----	101 UNCH
4865	----	----	68.70B/*51.90A	68.70B/*51.90A	----	54.00 - 13.30	.1881	----	----	----	----	2 UNCH
4870	----	----	67.90B/*51.30A	67.90B/*51.30A	----	53.30 - 13.10	.1860	----	----	----	----	1 UNCH
4880	----	----	66.20B/*50.10A	66.20B/*50.10A	----	52.00 - 12.80	.1822	----	----	----	----	4 UNCH
4885	51.10	51.10	65.40B/*49.50A	65.40B/*49.50A	----	51.40 - 12.60	.1803	----	----	3	----	55 + 3
4895	----	----	63.80B/*48.30A	63.80B/*48.30A	----	50.20 - 12.30	.1767	----	----	----	----	1 UNCH
4900	----	----	63.00B/*47.70A	63.00B/*47.70A	----	49.60 - 12.10	.1748	----	----	----	----	1441 UNCH
4905	----	----	62.20B/*47.10A	62.20B/*47.10A	----	49.00 - 11.90	.1730	----	----	----	----	22 UNCH
4910	----	----	61.50B/*46.60A	61.50B/*46.60A	----	48.40 - 11.80	.1712	----	----	----	----	1 UNCH
4915	----	----	60.70B/*46.10A	60.70B/*46.10A	----	47.80 - 11.70	.1694	----	----	----	----	7 UNCH
4925	----	----	59.30B/*44.90A	59.30B/*44.90A	----	46.70 - 11.30	.1660	----	----	----	----	20 UNCH
4935	----	----	57.80B/*43.90A	57.80B/*43.90A	----	45.60 - 11.00	.1626	----	----	----	----	5 UNCH
4945	----	----	56.40B/*42.90A	56.40B/*42.90A	----	44.50 - 10.70	.1592	----	----	----	----	3 UNCH
4950	----	----	55.60B/*42.40A	55.60B/*42.40A	----	44.00 - 10.60	.1576	----	----	----	800	1623 UNCH
4970	----	----	52.90B/*40.40A	52.90B/*40.40A	----	42.00 - 10.00	.1512	----	----	----	----	1 UNCH
4975	----	----	52.30B/*40.00A	52.30B/*40.00A	----	41.50 - 9.90	.1496	----	----	----	----	1 UNCH
4985	----	----	51.00B/*39.10A	51.00B/*39.10A	----	40.50 - 9.60	.1465	----	----	----	----	3 UNCH
5000	39.60	39.60	49.20B/*37.70A	49.20B/*37.70A	----	39.10 - 9.30	.1420	----	----	105	----	1449 + 55
5025	----	----	46.40B/*35.70A	46.40B/*35.70A	----	37.00 - 8.60	.1351	----	----	----	----	2 UNCH
5030	----	----	45.70B/*35.30A	45.70B/*35.30A	----	36.50 - 8.60	.1335	----	----	----	----	5 UNCH
5045	----	----	44.10B/*34.10A	44.10B/*34.10A	----	35.30 - 8.30	.1296	----	----	----	----	9 UNCH
5050	----	----	43.70B/*33.70A	43.70B/*33.70A	----	34.90 - 8.20	.1282	----	----	----	----	261 UNCH
5055	----	----	43.00B/*33.40A	43.00B/*33.40A	----	34.50 - 8.10	.1269	----	----	----	----	4 UNCH
5065	----	----	41.90B/*32.70A	41.90B/*32.70A	----	33.80 - 7.80	.1245	----	----	----	----	5 UNCH
5075	----	----	41.10B/*31.90A	41.10B/*31.90A	----	33.00 - 7.70	.1219	----	----	----	----	4 UNCH
5080	----	----	40.40B/*31.70A	40.40B/*31.70A	----	32.70 - 7.50	.1208	----	----	----	----	4 UNCH
5085	----	----	40.10B/*31.30A	40.10B/*31.30A	----	32.30 - 7.50	.1195	----	----	----	----	3 UNCH
5100	37.40	37.40	38.80B/*30.40A	38.80B/*30.40A	----	31.30 - 7.10	.1161	----	----	1	----	772 + 1
5125	----	----	36.70B/*28.80A	36.70B/*28.80A	----	29.70 - 6.60	.1106	----	----	----	----	1 UNCH
5140	----	----	35.40B/*27.90A	35.40B/*27.90A	----	28.70 - 6.40	.1072	----	----	----	----	5 UNCH
5150	----	----	34.50B/*27.40A	34.50B/*27.40A	----	28.20 - 6.20	.1054	----	----	----	----	615 UNCH
5155	----	----	34.10B/*27.10A	34.10B/*27.10A	----	27.90 - 6.10	.1043	----	----	----	----	3 UNCH
5160	----	----	33.70B/*26.80A	33.70B/*26.80A	----	27.60 - 6.00	.1033	----	----	----	----	1 UNCH
5170	----	----	33.10B/*26.30A	33.10B/*26.30A	----	27.00 - 5.90	.1012	----	----	----	----	30 UNCH
5180	----	----	32.20B/*25.80A	32.20B/*25.80A	----	26.50 - 5.60	.0994	----	----	----	----	10 UNCH
5185	----	----	31.90B/*25.40A	31.90B/*25.40A	----	26.20 - 5.60	.0984	----	----	----	----	3 UNCH
5195	----	----	31.20B/*25.10A	31.20B/*25.10A	----	25.70 - 5.40	.0966	----	----	----	----	20 UNCH
5200	----	----	----/*24.70A	30.80B/*24.70A	----	25.40 - 5.40	.0956	----	----	20	----	1561 - 10
5205	----	----	30.60B/*24.50A	30.60B/*24.50A	----	25.20 - 5.30	.0948	----	----	----	----	1 UNCH
5225	24.20	24.20	24.20/*23.70A	29.20B/*23.70A	----	24.20 NEW	.0913	----	----	2	----	2 + 2
5250	----	----	27.90B/*22.60A	27.90B/*22.60A	----	23.00 - 4.70	.0870	----	----	----	----	577 UNCH
5255	----	----	27.60B/*22.30A	27.60B/*22.30A	----	22.80 - 4.60	.0863	----	----	----	----	1 UNCH
5270	----	----	26.70B/*21.80A	26.70B/*21.80A	----	22.20 - 4.40	.0840	----	----	----	----	6 UNCH
5300	----	----	----/*20.60A	25.00B/*20.60A	----	21.00 - 4.10	.0796	----	----	----	----	1003 UNCH
5305	----	----	24.90B/*20.50A	24.90B/*20.50A	----	20.80 - 4.00	.0789	----	----	----	----	1 UNCH
5310	----	----	----/*20.20A	24.50B/*20.20A	----	20.60 - 4.00	.0782	----	----	----	----	2 UNCH
5315	----	----	----/*20.10A	24.40B/*20.10A	----	20.40 - 4.00	.0775	----	----	----	----	14 UNCH
5320	----	----	----/*19.90A	24.00B/*19.90A	----	20.20 - 3.90	.0768	----	----	----	----	2 UNCH
5325	----	----	----/*19.80A	23.80B/*19.80A	----	20.00 - 3.90	.0760	----	----	----	----	9 UNCH
5345	----	----	----/*19.10A	22.90B/*19.10A	----	19.30 - 3.70	.0734	----	----	----	----	157 UNCH
5350	----	----	----/*18.90A	22.70B/*18.90A	----	19.20 - 3.60	.0730	----	----	----	----	4 UNCH
5355	----	----	----/*18.80A	22.40B/*18.80A	----	19.00 - 3.60	.0723	----	----	----	----	5 UNCH
5365	----	----	----/*18.50A	22.00B/*18.50A	----	18.70 - 3.50	.0711	----	----	----	----	1 UNCH
5390	----	----	----/*17.70A	21.00B/*17.70A	----	17.90 - 3.30	.0681	----	----	----	----	3 UNCH
5395	----	----	----/*17.60A	20.80B/*17.60A	----	17.80 - 3.20	.0677	----	----	----	----	2 UNCH
5400	----	----	----/*17.40A	20.60B/*17.40A	----	17.60 - 3.20	.0670	----	----	----	----	654 UNCH
5410	----	----	----/*17.20A	20.30B/*17.20A	----	17.30 - 3.10	.0659	----	----	----	----	1 UNCH
5420	----	----	----/*16.90A	19.80B/*16.90A	----	17.10 - 2.90	.0650	----	----	----	----	2 UNCH
5435	----	----	----/*16.50A	19.30B/*16.50A	----	16.60 - 2.90	.0632	----	----	----	----	230 UNCH
5440	----	----	----/*16.40A	19.20B/*16.40A	----	16.50 - 2.80	.0628	----	----	----	----	5 UNCH
5450	----	----	----/*16.20A	18.90B/*16.20A	----	16.30 - 2.70	.0620	----	----	----	----	67 UNCH
5455	----	----	----/*16.00A	18.70B/*16.00A	----	16.10 - 2.80	.0613	----	----	----	----	175 UNCH
5460	----	----	----/*15.90A	18.50B/*15.90A	----	16.00 - 2.70	.0609	----	----	----	----	2 UNCH
5475	----	----	----/*15.60A	18.10B/*15.60A	----	15.60 - 2.60	.0594	----	----	----	----	1 UNCH
5480	----	----	----/*15.50A	17.90B/*15.50A	----	15.50 - 2.60	.0590	----	----	----	----	2 UNCH
5485	----	----	----/*15.40A	17.80B/*15.40A	----	15.40 - 2.50	.0585	----	----	----	----	25 UNCH
5500	15.60	15.60	15.60/*15.00A	17.30B/*15.00A	----	15.00 - 2.50	.0571	----	----	1052	----	2131 - 788
5545	----	----	----/*14.20A	16.10B/*14.20A	----	14.10 - 2.10	.0535	----	----	----	----	5 UNCH
5550	----	----	----/*14.10A	16.00B/*14.10A	----	14.00 - 2.10	.0531	----	----	----	----	280 UNCH
5570	----	----	----/*13.70A	15.50B/*13.70A	----	13.60 - 2.00	.0515	----	----	----	----	1 UNCH
5575	----	----	----/*13.60A	15.40B/*13.60A	----	13.50 - 2.00	.0511	----	----	----	----	3 UNCH
5590	----	----	----/*13.40A	15.10B/*13.40A	----	13.20 - 2.00	.0500	----	----	----	----	7 UNCH
5600	----	----	----/*13.20A	14.80B/*13.20A	----	13.10 - 1.80	.0495	----	----	----	----	233 UNCH
5610	----	----	----/*13.10A	14.60B/*13.10A	----	12.90 - 1.80	.0487	----	----	----	----	1 UNCH
5615	----	----	----/*13.00A	14.50B/*13.00A	----	12.80 - 1.80	.0484	----	----	----	----	5 UNCH
5640	----	----	----/*12.60A	14.00B/*12.60A	----	12.40 - 1.70	.0468	----	----	----	----	2 UNCH
5650	----	----	----/*12.50A	13.90B/*12.50A	----	12.30 - 1.60	.0463	----	----	----	----	416 UNCH
5655	----	----	----/*12.40A	13.80B/*12.40A	----	12.20 - 1.60	.0459	----	----	----	----	2 UNCH
5660	----	----	----/*12.30A	13.70B/*12.30A	----	12.10 - 1.60	.0455	----	----	----	----	1 UNCH
5675	----	----	----/*12.10A	13.40B/*12.10A	----	11.90 - 1.60	.0447	----	----	----	----	3 UNCH
5700	----	----	----/*11.80A	13.00B/*11.80A	----	11.60 - 1.40	.0434	----	----	----	----	206 UNCH
5710	----	----	----/*11.60A	12.80B/*11.60A	----	11.40 - 1.50	.0427	----	----	----	----	5 UNCH
5720	----	----	----/*11.50A	12.70B/*11.50A	----	11.30 - 1.40	.0423	----	----	----	----	87 UNCH
5750	----	----	----/*11.20A	12.20B/*11.20A	----	10.90 - 1.30	.0407	----	----	----	800	1604 UNCH
5775	----	----	----/*10.90A	11.90B/*10.90A	----	10.60 - 1.30	.0394	----	----	----	----	52 UNCH
5800	----	----	----/*10.60A	11.50B/*10.60A	----	10.40 - 1.10	.0385	----	----	----	----	541 UNCH
5825	----	----	----/*10.40A	11.20B/*10.40A	----	10.10 - 1.10	.0373	----	----	----	----	2 UNCH
5850	----	----	----/*10.10A	10.90B/*10.10A	----	9.90 - 1.00	.0364	----	----	----	----	3 UNCH
5875	----	----	----/*9.80A	10.60B/*9.80A	----	9.70 - 0.90	.0355	----	----	----	----	16 UNCH
5900	----	----	10.40B/*9.70A	10.40B/*9.70A	----	9.40 - 0.90	.0344	----	----	----	----	260 UNCH
5925	----	----	10.10B/*9.50A	10.10B/*9.50A	----	9.20 - 0.80	.0336	----	----	----	----	2 UNCH
5950	----	----	9.90B/*9.30A	9.90B/*9.30A	----	9.00 - 0.80	.0327	----	----	----	----	2 UNCH
6000	9.50	9.50	10.00/*9.00	10.00/*9.00	----	8.70 - 0.60	.0313	----	----	1306	----	3198 - 135
6100	----	----	8.60B/*8.40A	8.60B/*8.40A	----	8.10 - 0.40	.0287	----	----	----	----	66 UNCH
6200	----	----	----	7.90B/*7.90A	----	7.50 - 0.40	.0262	----	----	----	----	38 UNCH
6300	----	----	----	7.40B/*7.50A	----	7.10 - 0.30	.0244	----	----	----	----	883 UNCH
6400	----	----	----	6.90B/*7.10A	----	6.70 - 0.30	.0227	----	----	----	----	1910 UNCH
6500	6.60	6.60	6.70/6.60	6.70/6.60	----	6.40 - 0.20	.0213	----	----	2	----	4052 + 2
6800	6.30	6.30	6.30/6.10A	6.30/6.10A	----	5.60 - 0.10	.0178	----	----	2	----	1452 + 2
6900	----	----	----	5.40B/5.90A	----	5.40 - 0.10	.0170	----	----	----	----	1 UNCH
7000	----	----	----	5.20B/5.70A	----	5.20 - 0.10	.0161	----	----	----	----	1671 UNCH
7500	----	----	----	4.20B/4.90A	----	4.40 - 0.10	.0128	----	----	----	----	1 UNCH
8000	----	----	----	3.50B/4.10A	----	3.70 - 0.10	.0103	----	----	32	----	291 + 29
8500	----	----	----	2.80B/3.50A	----	3.10 - 0.10	.0083	----	----	----	----	208 UNCH
9000	2.80	2.80	2.80/*2.80	2.80/*2.80	----	2.60 UNCH	.0068	----	----	2	----	97 + 1
9500	2.60	2.60	2.60/2.50A	2.60/2.50A	----	2.20 + 0.10	.0056	----	----	34	----	319 + 4
13000	----	----	----	0.60B/1.30A	----	0.90 - 0.10	.0020	----	----	----	----	467 UNCH
TOTAL										3087	1,600	35357 - 714

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4000	----	----	----	416.80B/549.00A	----	458.50 - 57.30	.7353	----	----	----	----	1 UNCH
4100	----	----	----/378.70A	413.20B/378.70A	----	389.00 - 53.10	.6813	----	----	----	----	1 UNCH
4275	----	----	337.40B/275.90A	337.40B/275.90A	----	283.20 - 44.70	.5746	----	----	----	----	38 UNCH
4300	----	----	322.10B/263.20A	322.10B/263.20A	----	269.80 - 43.40	.5585	----	----	3	----	4 + 3
4375	----	----	279.80B/226.60A	279.80B/226.60A	----	232.30 - 39.70	.5097	----	----	----	----	38 UNCH
4380	228.10	228.10	277.00B/224.30A	277.00B/224.30A	----	230.00 NEW	.5065	----	----	2	----	2 + 2
4400	----	----	266.70B/215.30A	266.70B/215.30A	----	220.80 - 38.30	.4935	----	----	3	----	4 UNCH
4440	----	----	246.60B/198.30A	246.60B/198.30A	----	203.30 - 36.30	.4677	----	----	----	----	1 UNCH
4500	----	----	218.70B/*175.00	218.70B/*175.00A	----	179.30 - 33.20	.4297	----	----	----	----	29 UNCH
4525	----	----	208.00B/*166.00	208.00B/*166.00A	----	170.10 - 31.90	.4142	----	----	----	----	7 UNCH
4575	----	----	187.50B/*149.10	187.50B/*149.10A	----	153.00 - 29.50	.3841	----	----	----	----	1 UNCH
4585	----	----	183.60B/*145.90	183.60B/*145.90A	----	149.70 - 29.10	.3782	----	----	----	----	1 UNCH
4590	----	----	181.80B/*144.20	181.80B/*144.20A	----	148.10 - 28.80	.3753	----	----	----	----	15 UNCH
4595	----	----	179.80B/*142.70	179.80B/*142.70A	----	146.50 - 28.60	.3724	----	----	----	----	1 UNCH
4600	----	----	178.00B/*141.10	178.00B/*141.10A	----	145.00 - 28.30	.3695	----	----	----	----	5 UNCH
4650	----	----	160.10B/*126.50	160.10B/*126.50A	----	129.90 - 26.20	.3410	----	----	----	----	32 UNCH
4700	----	----	143.90B/*113.60	143.90B/*113.60A	----	116.30 - 24.20	.3139	----	----	----	----	11 UNCH
4750	----	----	129.20B/*101.70	129.20B/*101.70A	----	104.20 - 22.20	.2885	----	----	1	----	4 + 1
4775	----	----	122.40B/*96.40A	122.40B/*96.40A	----	98.70 - 21.10	.2764	----	----	----	----	31 UNCH
4800	----	----	115.90B/*91.20A	115.90B/*91.20A	----	93.50 - 20.10	.2648	----	----	----	----	34 UNCH
4850	----	----	104.00B/*82.00A	104.00B/*82.00A	----	83.80 - 18.20	.2426	----	----	----	----	25 UNCH
4900	----	----	93.50B/*73.80A	93.50B/*73.80A	----	75.40 - 16.40	.2224	----	----	----	----	451 UNCH
4915	----	----	90.40B/*71.60A	90.40B/*71.60A	----	73.00 - 16.00	.2165	----	----	----	----	1 UNCH
4925	----	----	88.50B/*70.10A	88.50B/*70.10A	----	71.50 - 15.70	.2128	----	----	----	----	1 UNCH
4935	----	----	86.60B/*68.70A	86.60B/*68.70A	----	70.10 - 15.30	.2092	----	----	----	----	25 UNCH
4950	----	----	83.80B/*66.60A	83.80B/*66.60A	----	68.00 - 14.80	.2039	----	----	----	----	150 UNCH
4970	----	----	80.50B/*63.90A	80.50B/*63.90A	----	65.30 - 14.20	.1969	----	----	----	----	10 UNCH
5000	71.70	71.70	75.60B/*60.20A	75.60B/*60.20A	----	61.40 - 13.40	.1869	----	----	11	----	110 UNCH
5020	----	----	72.50B/*58.00A	72.50B/*58.00A	----	59.00 - 12.80	.1805	----	----	----	----	30 UNCH
5050	----	----	68.30B/*54.70A	68.30B/*54.70A	----	55.50 - 12.00	.1713	----	----	----	----	100 UNCH
5060	----	----	66.70B/*53.60A	66.70B/*53.60A	----	54.40 - 11.80	.1683	----	----	----	----	2 UNCH
5080	----	----	64.00B/*51.60A	64.00B/*51.60A	----	52.30 - 11.20	.1626	----	----	----	----	4 UNCH
5085	----	----	63.50B/*51.10A	63.50B/*51.10A	----	51.80 - 11.10	.1612	----	----	----	----	4 UNCH
5120	----	----	59.10B/*48.20A	59.10B/*48.20A	----	48.40 - 10.20	.1518	----	----	----	----	50 UNCH
5150	----	----	55.80B/*45.70A	55.80B/*45.70A	----	45.60 - 9.60	.1441	----	----	----	----	100 UNCH
5175	----	----	53.00B/*43.80A	53.00B/*43.80A	----	43.50 - 9.10	.1381	----	----	----	----	12 UNCH
5180	----	----	52.50B/*43.40A	52.50B/*43.40A	----	43.10 - 9.00	.1369	----	----	----	----	5 UNCH
5185	----	----	51.90B/*43.00A	51.90B/*43.00A	----	42.70 - 8.90	.1358	----	----	----	----	1 UNCH
5200	----	----	50.60B/*41.90A	50.60B/*41.90A	----	41.50 - 8.60	.1324	----	----	----	----	31 UNCH
5230	----	----	47.50B/*39.90A	47.50B/*39.90A	----	39.20 - 8.10	.1257	----	----	----	----	5 UNCH
5250	----	----	45.80B/*38.50A	45.80B/*38.50A	----	37.80 - 7.80	.1216	----	----	----	----	11 UNCH
5275	----	----	43.80B/*36.90A	43.80B/*36.90A	----	36.10 - 7.40	.1166	----	----	----	----	2 UNCH
5285	----	----	43.00B/*36.30A	43.00B/*36.30A	----	35.50 - 7.20	.1148	----	----	----	----	1 UNCH
5300	----	----	41.80B/*35.30A	41.80B/*35.30A	----	34.60 - 6.90	.1121	----	----	2	----	395 UNCH
5325	----	----	39.80B/*34.00A	39.80B/*34.00A	----	33.10 - 6.60	.1076	----	----	----	----	2 UNCH
5330	----	----	39.60B/*33.60A	39.60B/*33.60A	----	32.80 - 6.50	.1067	----	----	----	----	1 UNCH
5370	----	----	----/*31.70A	36.00B/*31.70A	----	30.60 - 6.10	.1000	----	----	----	----	5 UNCH
5400	----	----	----/*30.20A	34.10B/*30.20A	----	29.10 - 5.70	.0954	----	----	----	----	17 UNCH
5420	----	----	----/*29.40A	33.50B/*29.40A	----	28.20 - 5.50	.0926	----	----	----	----	14 UNCH
5450	----	----	----/*28.30A	31.80B/*28.30A	----	26.90 - 5.20	.0885	----	----	----	----	454 UNCH
5460	----	----	----/*28.20A	31.20B/*28.20A	----	26.50 - 5.00	.0872	----	----	----	----	10 UNCH
5500	28.20	28.20	28.20/*26.70A	29.20B/*26.70A	----	24.90 - 4.70	.0821	----	----	21	----	96 + 9
5530	----	----	----/*25.70A	27.50B/*25.70A	----	23.80 - 4.50	.0786	----	----	----	----	1 UNCH
5535	----	----	----/*25.50A	27.30B/*25.50A	----	23.70 - 4.40	.0782	----	----	----	----	1 UNCH
5540	----	----	----/*25.30A	27.10B/*25.30A	----	23.50 - 4.40	.0776	----	----	----	----	1 UNCH
5545	----	----	----/*25.20A	27.00B/*25.20A	----	23.30 - 4.40	.0770	----	----	----	----	1 UNCH
5550	----	----	----/*25.00A	26.80B/*25.00A	----	23.20 - 4.30	.0766	----	----	----	----	3 UNCH
5555	----	----	----/*24.80A	26.50B/*24.80A	----	23.00 - 4.30	.0759	----	----	----	----	3 UNCH
5560	----	----	----/*24.70A	26.30B/*24.70A	----	22.80 - 4.30	.0753	----	----	----	----	4 UNCH
5565	----	----	----/*24.50A	25.90B/*24.50A	----	22.70 - 4.20	.0749	----	----	----	----	8 UNCH
5570	----	----	----/*24.40A	25.30B/*24.40A	----	22.50 - 4.20	.0743	----	----	----	----	20 UNCH
5575	----	----	----/*24.20A	25.10B/*24.20A	----	22.40 - 4.10	.0739	----	----	----	----	86 UNCH
5600	----	----	----/*23.50A	24.10B/*23.50A	----	21.60 - 4.00	.0714	----	----	1	----	44 UNCH
5650	----	----	----/*22.20A	22.30B/*22.20A	----	20.30 - 3.60	.0670	----	----	----	----	1 UNCH
5655	----	----	----/*22.00A	22.10B/*22.00A	----	20.10 - 3.60	.0664	----	----	----	----	1 UNCH
5660	----	----	----/*21.90A	22.00B/*21.90A	----	20.00 - 3.60	.0660	----	----	----	----	1 UNCH
5665	----	----	----/*21.70A	21.80B/*21.70A	----	19.90 - 3.50	.0656	----	----	----	----	1 UNCH
5670	----	----	----/*21.80A	21.60B/*21.80A	----	19.70 - 3.60	.0650	----	----	----	----	2 UNCH
5675	----	----	----/*21.50A	21.50B/*21.50A	----	19.60 - 3.50	.0647	----	----	----	----	2 UNCH
5680	----	----	----/*21.50A	21.30B/*21.50A	----	19.50 - 3.50	.0643	----	----	----	----	39 UNCH
5685	----	----	----/*21.40A	21.20B/*21.40A	----	19.40 - 3.40	.0640	----	----	----	----	5 UNCH
5690	----	----	----/*21.30A	21.00B/*21.30A	----	19.30 - 3.40	.0636	----	----	----	----	18 UNCH
5695	----	----	----/*21.20A	20.90B/*21.20A	----	19.20 - 3.30	.0632	----	----	----	----	15 UNCH
5700	----	----	----/*21.10A	20.70B/*21.10A	----	19.00 - 3.40	.0627	----	----	----	----	54 UNCH
5710	----	----	----/*20.80A	20.40B/*20.80A	----	18.80 - 3.30	.0620	----	----	----	----	1 UNCH
5800	----	----	----/*19.00A	18.00B/*19.00A	----	17.00 - 2.90	.0557	----	----	----	----	80 UNCH
5825	----	----	----/*18.50A	17.50B/*18.50A	----	16.60 - 2.70	.0543	----	----	----	----	2 UNCH
5900	----	----	----/*17.30A	15.90B/*17.30A	----	15.40 - 2.40	.0501	----	----	----	----	1 UNCH
5925	----	----	----/*17.00A	15.40B/*17.00A	----	15.00 - 2.40	.0487	----	----	----	----	4 UNCH
5975	----	----	----/*16.30A	14.60B/*16.30A	----	14.30 - 2.30	.0463	----	----	----	----	3 UNCH
6000	14.00	14.00	14.00/*14.00	14.30B/*14.00	----	14.00 - 2.20	.0452	----	----	15	----	361 + 15
6100	----	----	----	12.90B/*14.80A	----	12.80 - 2.00	.0409	----	----	----	----	1 UNCH
6200	----	----	----	11.70B/*13.90A	----	11.80 - 1.80	.0374	----	----	----	----	1 UNCH
6400	----	----	----	10.10B/12.40A	----	10.30 - 1.50	.0319	----	----	----	----	15 UNCH
6500	----	----	----	9.50B/*11.90A	----	9.80 - 1.30	.0299	----	----	----	----	1163 UNCH
8000	7.40	7.40	7.40/*7.40	7.40/*7.40	----	7.10 - 0.70	.0175	----	----	1	----	937 UNCH
9000	5.20	5.20	5.20/*5.20	5.20/*5.20	----	5.60 - 0.50	.0128	----	----	1	----	964 UNCH
20000	----	----	----	----/1.20A	----	0.90 - 0.10	.0016	----	----	----	----	165 UNCH
TOTAL										61		6394 + 30
DEC26												
2500	1847.00	1847.00	1,847.00/*1,847	1847.00/*1847.00	----	1849.60 - 77.70	.9894	----	----	89	----	510 + 89
3550	----	----	922.50B/823.50A	922.50B/823.50A	----	838.40 - 69.70	.8848	----	----	----	----	2 UNCH
3570	----	----	904.30B/806.00A	904.30B/806.00A	----	820.70 - 69.30	.8799	----	----	----	----	1 UNCH
3600	----	----	877.10B/779.70A	877.10B/779.70A	----	794.40 - 68.60	.8721	----	----	----	----	1 UNCH
3800	----	----	702.30B/613.80A	702.30B/613.80A	----	626.80 - 63.10	.8086	----	----	----	----	4 UNCH
3900	----	----	619.90B/538.20A	619.90B/538.20A	----	549.00 - 59.80	.7683	----	----	----	----	2 UNCH
4060	----	----	497.90B/424.10A	497.90B/424.10A	----	434.80 - 53.80	.6925	----	----	----	----	100 UNCH
4100	----	----	469.40B/398.40A	469.40B/398.40A	----	408.50 - 52.20	.6716	----	----	----	----	48 UNCH
4160	----	----	431.30B/362.00A	431.30B/362.00A	----	371.00 - 49.60	.6388	----	----	----	----	100 UNCH
4175	----	----	421.50B/353.20A	421.50B/353.20A	----	362.00 - 48.90	.6304	----	----	----	----	37 UNCH
4200	----	----	405.20B/338.70A	405.20B/338.70A	----	347.30 - 47.80	.6162	----	----	----	----	150 UNCH
4245	----	----	376.80B/313.90A	376.80B/313.90A	----	322.00 NEW	.5903	----	----	2	----	2 + 2
4250	----	----	373.80B/311.40A	373.80B/311.40A	----	319.20 - 45.40	.5874	----	----	----	----	293 UNCH
4255	----	----	370.90B/308.50A	370.90B/308.50A	----	316.50 - 45.20	.5845	----	----	----	----	50 UNCH
4300	----	----	344.50B/285.30A	344.50B/285.30A	----	292.80 - 42.90	.5580	----	----	----	----	436 UNCH
4315	----	----	335.60B/278.10A	335.60B/278.10A	----	285.10 - 42.30	.5492	----	----	----	----	1 UNCH
4320	----	----	332.70B/275.80A	332.70B/275.80A	----	282.60 - 42.00	.5462	----	----	----	----	100 UNCH
4350	315.50	315.50	316.50B/261.40A	316.50B/261.40A	----	267.70 - 40.70	.5284	----	----	4	----	207 UNCH
4360	----	----	311.00B/256.80A	311.00B/256.80A	----	262.90 NEW	.5225	----	----	1	----	1 + 1
4375	----	----	303.00B/249.90A	303.00B/249.90A	----	255.80 - 39.50	.5136	----	----	----	----	65 UNCH
4400	----	----	290.10B/238.40A	290.10B/238.40A	----	244.30 - 38.30	.4988	----	----	----	----	3 UNCH
4425	----	----	277.80B/227.70A	277.80B/227.70A	----	233.20 - 37.20	.4840	----	----	----	----	8 UNCH
4430	----	----	275.20B/225.60A	275.20B/225.60A	----	231.00 - 37.00	.4811	----	----	3	----	6 + 3
4450	----	----	265.60B/217.40A	265.60B/217.40A	----	222.50 - 36.10	.4694	----	----	----	----	87 UNCH
4460	----	----	260.80B/213.40A	260.80B/213.40A	----	218.40 - 35.60	.4636	----	----	----	----	10 UNCH
4465	----	----	258.70B/211.40A	258.70B/211.40A	----	216.30 - 35.40	.4607	----	----	----	----	103 UNCH
4475	----	----	254.10B/207.30A	254.10B/207.30A	----	212.30 - 34.90	.4549	----	----	----	----	11 UNCH
4485	----	----	249.70B/203.50A	249.70B/203.50A	----	208.40 - 34.40	.4492	----	----	----	----	3 UNCH
4490	----	----	247.10B/201.60A	247.10B/201.60A	----	206.40 - 34.20	.4463	----	----	----	----	7 UNCH
4500	219.00	219.00	242.30B/197.30A	242.30B/197.30A	----	202.50 - 33.80	.4405	----	----	3	----	772 + 3
4525	----	----	231.90B/188.50A	231.90B/188.50A	----	193.20 - 32.60	.4264	----	----	----	----	26 UNCH
4530	----	----	229.70B/186.70A	229.70B/186.70A	----	191.30 - 32.50	.4236	----	----	----	----	3 UNCH
4540	----	----	225.70B/183.20A	225.70B/183.20A	----	187.70 - 32.00	.4180	----	----	----	----	9 UNCH
4545	----	----	223.70B/181.50A	223.70B/181.50A	----	186.00 - 31.70	.4152	----	----	----	----	45 UNCH
4550	----	----	221.70B/179.60A	221.70B/179.60A	----	184.20 - 31.50	.4124	----	----	----	----	14 UNCH
4560	----	----	217.60B/177.30A	217.60B/177.30A	----	180.70 - 31.10	.4069	----	----	----	----	1 UNCH
4565	----	----	215.50B/*174.50	215.50B/*174.50A	----	179.00 - 30.90	.4042	----	----	----	----	93 UNCH
4570	----	----	213.30B/*172.80	213.30B/*172.80A	----	177.30 - 30.60	.4014	----	----	13	----	19 + 11
4575	----	----	211.50B/*171.30	211.50B/*171.30A	----	175.60 - 30.40	.3987	----	----	----	----	4 UNCH
4580	----	----	209.70B/*169.60	209.70B/*169.60A	----	173.90 - 30.20	.3960	----	----	----	----	150 UNCH
4585	----	----	207.60B/*167.70	207.60B/*167.70A	----	172.30 - 29.90	.3933	----	----	----	----	325 UNCH
4590	----	----	205.70B/*166.40	205.70B/*166.40A	----	170.60 - 29.80	.3906	----	----	----	----	18 UNCH
4600	----	----	201.90B/*162.70	201.90B/*162.70A	----	167.40 - 29.30	.3852	----	----	----	----	770 UNCH
4605	----	----	199.90B/*161.50	199.90B/*161.50A	----	165.70 - 29.20	.3825	----	----	----	----	5 UNCH
4610	----	----	197.80B/*160.00	197.80B/*160.00A	----	164.20 - 28.90	.3799	----	----	----	----	3 UNCH
4615	----	----	196.00B/*158.50	196.00B/*158.50A	----	162.60 - 28.70	.3772	----	----	----	----	41 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4620	----	----	194.50B/*157.00	194.50B/*157.00A	----	161.00 - 28.50	.3746	----	----	----	----	5 UNCH
4625	----	----	192.70B/*155.40	192.70B/*155.40A	----	159.50 - 28.20	.3720	----	----	----	----	71 UNCH
4630	----	----	190.80B/*153.90	190.80B/*153.90A	----	157.90 - 28.10	.3693	----	----	----	----	3 UNCH
4640	----	----	187.20B/*151.00	187.20B/*151.00A	----	154.90 - 27.60	.3641	----	----	----	----	103 UNCH
4650	----	----	183.60B/*147.90	183.60B/*147.90A	----	151.90 - 27.20	.3590	----	----	----	----	333 UNCH
4660	----	----	180.00B/*145.20	180.00B/*145.20A	----	149.00 - 26.80	.3539	----	----	----	----	3 UNCH
4675	----	----	175.20B/*141.00	175.20B/*141.00A	----	144.70 - 26.20	.3463	----	----	----	----	80 UNCH
4680	----	----	173.60B/*139.70	173.60B/*139.70A	----	143.30 - 26.00	.3438	----	----	5	----	42 UNCH
4700	157.40	157.40	167.20B/*133.90	167.20B/*133.90A	----	137.80 - 25.20	.3338	----	----	3	----	544 + 3
4705	----	----	165.50B/*134.50	165.50B/*134.50A	----	136.50 - 25.00	.3314	----	----	----	----	1 UNCH
4725	----	----	159.00B/*128.00	159.00B/*128.00A	----	131.30 - 24.20	.3218	----	----	----	----	143 UNCH
4730	----	----	157.70B/*126.70	157.70B/*126.70A	----	130.00 - 24.00	.3194	----	----	----	----	18 UNCH
4750	----	----	151.60B/*121.90	151.60B/*121.90A	----	125.10 - 23.20	.3101	----	----	----	----	243 UNCH
4765	----	----	147.20B/*118.50	147.20B/*118.50A	----	121.50 - 22.70	.3032	----	----	----	----	17 UNCH
4775	----	----	144.50B/*117.60	144.50B/*117.60A	----	119.10 - 22.40	.2986	----	----	----	----	2 UNCH
4780	----	----	143.40B/*115.10	143.40B/*115.10A	----	118.00 - 22.10	.2964	----	----	----	----	3 UNCH
4790	----	----	140.40B/*112.90	140.40B/*112.90A	----	115.70 - 21.80	.2919	----	----	----	----	17 UNCH
4795	----	----	139.20B/*111.80	139.20B/*111.80A	----	114.60 - 21.60	.2897	----	----	----	----	9 UNCH
4800	----	----	137.80B/*110.40	137.80B/*110.40A	----	113.50 - 21.40	.2875	----	----	139	----	965 + 139
4810	----	----	135.20B/*108.60	135.20B/*108.60A	----	111.40 - 21.00	.2832	----	----	----	----	60 UNCH
4815	----	----	133.90B/*107.70	133.90B/*107.70A	----	110.30 - 20.90	.2811	----	----	----	----	6 UNCH
4820	----	----	132.60B/*106.60	132.60B/*106.60A	----	109.20 - 20.70	.2789	----	----	----	----	91 UNCH
4825	----	----	131.40B/*105.60	131.40B/*105.60A	----	108.20 - 20.50	.2768	----	----	----	----	104 UNCH
4835	----	----	128.90B/*103.60	128.90B/*103.60A	----	106.20 - 20.10	.2727	----	----	----	----	127 UNCH
4850	----	----	125.30B/*100.60	125.30B/*100.60A	----	103.20 - 19.60	.2665	----	----	----	----	302 UNCH
4875	----	----	119.20B/*97.40A	119.20B/*97.40A	----	98.40 - 18.80	.2565	----	----	----	----	2 UNCH
4880	----	----	118.30B/*95.20A	118.30B/*95.20A	----	97.50 - 18.60	.2546	----	----	----	----	4 UNCH
4890	----	----	115.90B/*93.50A	115.90B/*93.50A	----	95.70 - 18.30	.2507	----	----	----	----	9 UNCH
4895	----	----	114.80B/*92.60A	114.80B/*92.60A	----	94.80 - 18.10	.2488	----	----	----	----	200 UNCH
4900	----	----	113.80B/*91.50A	113.80B/*91.50A	----	93.90 - 18.00	.2469	----	----	----	----	373 UNCH
4905	----	----	112.80B/*90.90A	112.80B/*90.90A	----	93.00 - 17.80	.2449	----	----	----	----	10 UNCH
4910	----	----	111.70B/*90.00A	111.70B/*90.00A	----	92.20 - 17.60	.2431	----	----	----	----	18 UNCH
4925	----	----	108.60B/*87.60A	108.60B/*87.60A	----	89.60 - 17.20	.2375	----	----	----	----	242 UNCH
4950	----	----	103.50B/*83.70A	103.50B/*83.70A	----	85.60 - 16.40	.2287	----	----	----	----	103 UNCH
4955	----	----	102.50B/*82.90A	102.50B/*82.90A	----	84.80 - 16.20	.2269	----	----	----	----	10 UNCH
4960	----	----	101.50B/*82.10A	101.50B/*82.10A	----	84.00 - 16.10	.2251	----	----	----	----	10 UNCH
4975	----	----	98.80B/*79.90A	98.80B/*79.90A	----	81.80 - 15.60	.2201	----	----	----	----	50 UNCH
5000	90.00	90.00	94.40B/75.70	94.40B/75.70	----	78.10 - 14.90	.2117	----	----	58	----	2440 - 23
5005	----	----	93.40B/*75.70A	93.40B/*75.70A	----	77.40 - 14.70	.2101	----	----	----	----	4 UNCH
5020	----	----	90.50B/*74.50A	90.50B/*74.50A	----	75.30 - 14.30	.2053	----	----	----	----	1 UNCH
5025	----	----	90.00B/*73.10A	90.00B/*73.10A	----	74.60 - 14.20	.2037	----	----	----	----	243 UNCH
5045	----	----	86.60B/*71.10A	86.60B/*71.10A	----	72.00 - 13.60	.1976	----	----	----	----	1 UNCH
5050	----	----	85.90B/*69.90A	85.90B/*69.90A	----	71.40 - 13.50	.1961	----	----	1	----	121 + 1
5055	----	----	85.00B/*69.90A	85.00B/*69.90A	----	70.70 - 13.40	.1945	----	----	----	----	1 UNCH
5070	----	----	82.80B/*67.60A	82.80B/*67.60A	----	68.80 - 13.00	.1901	----	----	----	----	13 UNCH
5075	----	----	82.00B/*67.00A	82.00B/*67.00A	----	68.20 - 12.90	.1886	----	----	----	----	66 UNCH
5090	----	----	79.80B/*65.30A	79.80B/*65.30A	----	66.40 - 12.50	.1843	----	----	----	----	17 UNCH
5100	----	----	78.40B/*64.30A	78.40B/*64.30A	----	65.30 - 12.20	.1816	----	----	----	----	375 UNCH
5115	----	----	76.10B/*63.20A	76.10B/*63.20A	----	63.60 - 11.80	.1775	----	----	----	----	1 UNCH
5125	----	----	74.90B/*61.50A	74.90B/*61.50A	----	62.40 - 11.70	.1747	----	----	----	----	71 UNCH
5150	----	----	71.60B/*59.40A	71.60B/*59.40A	----	59.80 - 11.00	.1683	----	----	----	----	32 UNCH
5155	----	----	70.90B/*59.00A	70.90B/*59.00A	----	59.30 - 10.90	.1670	----	----	----	----	4 UNCH
5160	----	----	70.20B/*58.50A	70.20B/*58.50A	----	58.80 - 10.80	.1658	----	----	----	----	1 UNCH
5170	----	----	69.10B/*57.60A	69.10B/*57.60A	----	57.70 - 10.60	.1631	----	----	----	----	4 UNCH
5175	----	----	68.40B/*57.10A	68.40B/*57.10A	----	57.30 - 10.40	.1620	----	----	----	----	101 UNCH
5195	----	----	66.10B/*55.20A	66.10B/*55.20A	----	55.30 - 10.10	.1571	----	----	----	----	5 UNCH
5200	64.00	64.00	65.50B/*54.80A	65.50B/*54.80A	----	54.90 - 9.90	.1560	----	----	141	----	1344 + 13
5215	----	----	63.70B/*53.30A	63.70B/*53.30A	----	53.50 - 9.60	.1525	----	----	----	----	1 UNCH
5220	----	----	63.20B/*52.90A	63.20B/*52.90A	----	53.00 - 9.60	.1513	----	----	----	----	7 UNCH
5225	----	----	62.60B/*52.40A	62.60B/*52.40A	----	52.60 - 9.50	.1502	----	----	----	----	11 UNCH
5230	----	----	62.10B/*52.00A	62.10B/*52.00A	----	52.20 - 9.30	.1492	----	----	----	----	1 UNCH
5235	----	----	61.50B/*51.60A	61.50B/*51.60A	----	51.70 - 9.30	.1479	----	----	----	----	1 UNCH
5240	----	----	61.00B/*51.20A	61.00B/*51.20A	----	51.30 - 9.20	.1469	----	----	----	----	1 UNCH
5245	----	----	60.50B/*50.90A	60.50B/*50.90A	----	50.90 - 9.10	.1458	----	----	----	----	11 UNCH
5250	----	----	60.30B/*50.50A	60.30B/*50.50A	----	50.50 - 8.90	.1448	----	----	----	----	963 UNCH
5255	----	----	59.50B/*50.10A	59.50B/*50.10A	----	50.10 - 8.80	.1437	----	----	----	----	3 UNCH
5260	----	----	58.80B/*49.70A	58.80B/*49.70A	----	49.60 - 8.80	.1425	----	----	----	----	2 UNCH
5265	----	----	58.40B/*49.30A	58.40B/*49.30A	----	49.20 - 8.70	.1415	----	----	----	----	7 UNCH
5270	----	----	57.80B/*49.00A	57.80B/*49.00A	----	48.80 - 8.60	.1404	----	----	----	----	2 UNCH
5275	----	----	57.30B/*48.60A	57.30B/*48.60A	----	48.40 - 8.60	.1394	----	----	----	----	24 UNCH
5280	----	----	57.00B/*48.20A	57.00B/*48.20A	----	48.10 - 8.40	.1385	----	----	----	----	13 UNCH
5285	----	----	56.50B/*47.90A	56.50B/*47.90A	----	47.70 - 8.30	.1375	----	----	----	----	1 UNCH
5290	----	----	55.90B/*47.50A	55.90B/*47.50A	----	47.30 - 8.20	.1365	----	----	----	----	2 UNCH
5295	----	----	55.40B/*47.20A	55.40B/*47.20A	----	46.90 - 8.20	.1354	----	----	----	----	2 UNCH
5300	----	----	55.10B/*46.80A	55.10B/*46.80A	----	46.50 - 8.10	.1344	----	----	45	----	1141 UNCH
5305	----	----	54.50B/*46.50A	54.50B/*46.50A	----	46.20 - 8.00	.1336	----	----	----	----	6 UNCH
5310	----	----	54.00B/*46.10A	54.00B/*46.10A	----	45.80 - 7.90	.1325	----	----	----	----	4 UNCH
5315	----	----	53.70B/*45.80A	53.70B/*45.80A	----	45.50 - 7.80	.1317	----	----	----	----	4 UNCH
5320	----	----	53.20B/*45.50A	53.20B/*45.50A	----	45.10 - 7.70	.1307	----	----	----	----	5 UNCH
5325	----	----	52.70B/*45.10A	52.70B/*45.10A	----	44.70 - 7.70	.1296	----	----	----	----	6 UNCH
5330	----	----	52.40B/*44.80A	52.40B/*44.80A	----	44.40 - 7.60	.1288	----	----	----	----	6 UNCH
5335	----	----	51.80B/*44.50A	51.80B/*44.50A	----	44.10 - 7.50	.1280	----	----	----	----	21 UNCH
5340	----	----	51.40B/*44.10A	51.40B/*44.10A	----	43.70 - 7.40	.1269	----	----	1	----	7 UNCH
5345	----	----	51.10B/*43.90A	51.10B/*43.90A	----	43.40 - 7.30	.1261	----	----	----	----	5 UNCH
5350	----	----	50.60B/*43.60A	50.60B/*43.60A	----	43.10 - 7.20	.1253	----	----	----	----	467 UNCH
5355	----	----	50.10B/*43.30A	50.10B/*43.30A	----	42.70 - 7.20	.1243	----	----	----	----	4 UNCH
5360	----	----	49.70B/*43.00A	49.70B/*43.00A	----	42.40 - 7.10	.1234	----	----	----	----	107 UNCH
5365	----	----	49.40B/*42.70A	49.40B/*42.70A	----	42.10 - 7.00	.1226	----	----	----	----	22 UNCH
5370	----	----	49.00B/*42.40A	49.00B/*42.40A	----	41.80 - 6.90	.1218	----	----	----	----	38 UNCH
5375	----	----	48.60B/*42.10A	48.60B/*42.10A	----	41.50 - 6.80	.1209	----	----	----	----	2 UNCH
5380	----	----	48.20B/*41.80A	48.20B/*41.80A	----	41.20 - 6.80	.1201	----	----	1	----	3 UNCH
5385	----	----	47.80B/*41.60A	47.80B/*41.60A	----	40.80 - 6.80	.1191	----	----	----	----	2 UNCH
5390	----	----	47.40B/*41.30A	47.40B/*41.30A	----	40.50 - 6.70	.1183	----	----	----	----	203 UNCH
5395	----	----	----/*41.00A	46.80B/*41.00A	----	40.20 - 6.60	.1175	----	----	----	----	3 UNCH
5400	----	----	----/*40.70A	46.50B/*40.70A	----	40.00 - 6.50	.1168	----	----	20	----	544 + 4
5450	----	----	----/*37.90A	42.90B/*37.90A	----	37.20 - 5.80	.1091	----	----	----	----	288 UNCH
5460	----	----	----/*37.40A	42.30B/*37.40A	----	36.70 - 5.70	.1077	----	----	----	----	200 UNCH
5465	----	----	----/*37.10A	41.30B/*37.10A	----	36.40 - 5.70	.1069	----	----	----	----	53 UNCH
5475	----	----	----/*36.60A	40.70B/*36.60A	----	35.90 - 5.60	.1055	----	----	----	----	572 UNCH
5480	----	----	----/*36.40A	40.30B/*36.40A	----	35.70 - 5.40	.1049	----	----	----	----	50 UNCH
5500	38.00	38.00	38.00/*35.40A	39.10B/*35.40A	----	34.70 - 5.20	.1021	----	----	30	----	3467 - 23
5505	----	----	----/*35.20A	38.80B/*35.20A	----	34.50 - 5.20	.1015	----	----	----	----	3 UNCH
5525	----	----	----/*34.40A	37.70B/*34.40A	----	33.60 - 4.90	.0989	----	----	----	----	80 UNCH
5550	----	----	----/*33.30A	36.80B/*33.30A	----	32.50 - 4.70	.0958	----	----	1	----	406 UNCH
5570	----	----	----/*32.40A	35.90B/*32.40A	----	31.70 - 4.40	.0935	----	----	----	----	198 UNCH
5575	----	----	----/*32.20A	35.60B/*32.20A	----	31.50 - 4.40	.0929	----	----	----	----	10 UNCH
5600	----	----	----/*31.20A	34.30B/*31.20A	----	30.50 - 4.10	.0900	----	----	45	----	2801 UNCH
5650	----	----	----/*29.40A	31.70B/*29.40A	----	28.80 - 3.60	.0849	----	----	----	----	306 UNCH
5660	----	----	----/*29.40A	31.40B/*29.40A	----	28.40 - 3.60	.0838	----	----	----	----	1 UNCH
5665	----	----	----/*29.20A	31.20B/*29.20A	----	28.30 - 3.50	.0835	----	----	----	----	1 UNCH
5670	----	----	----/*28.80A	30.90B/*28.80A	----	28.10 - 3.50	.0829	----	----	----	----	2 UNCH
5675	----	----	----/*28.60A	30.70B/*28.60A	----	27.90 - 3.50	.0824	----	----	----	----	18 UNCH
5680	----	----	----/*28.60A	30.80B/*28.60A	----	27.80 - 3.40	.0820	----	----	----	----	21 UNCH
5685	----	----	----/*28.60A	30.30B/*28.60A	----	27.60 - 3.40	.0814	----	----	----	----	18 UNCH
5690	----	----	----/*28.20A	30.60B/*28.20A	----	27.50 - 3.30	.0811	----	----	----	----	27 UNCH
5695	----	----	----/*28.30A	30.00B/*28.30A	----	27.30 - 3.30	.0805	----	----	----	----	1 UNCH
5700	----	----	----/*27.90A	29.50B/*27.90A	----	27.10 - 3.30	.0800	----	----	1	----	355 UNCH
5705	----	----	----/*27.80A	29.30B/*27.80A	----	27.00 - 3.20	.0796	----	----	----	----	5 UNCH
5710	----	----	----/*27.60A	29.00B/*27.60A	----	26.80 - 3.20	.0791	----	----	----	----	5 UNCH
5750	----	----	----/*26.50A	27.50B/*26.50A	----	25.70 - 2.90	.0757	----	----	----	----	315 UNCH
5770	----	----	----/*25.90A	26.90B/*25.90A	----	25.10 - 2.90	.0740	----	----	----	----	8 UNCH
5775	----	----	----/*25.80A	26.70B/*25.80A	----	25.00 - 2.80	.0736	----	----	----	----	2 UNCH
5780	----	----	----/*25.60A	26.50B/*25.60A	----	24.90 - 2.80	.0733	----	----	----	----	2 UNCH
5800	----	----	----/*25.40A	25.80B/*25.40A	----	24.30 - 2.70	.0716	----	----	----	----	2088 UNCH
5810	----	----	----/*24.90A	25.60B/*24.90A	----	24.10 - 2.70	.0709	----	----	----	----	56 UNCH
5825	----	----	----/*24.50A	25.20B/*24.50A	----	23.70 - 2.60	.0697	----	----	----	----	4 UNCH
5850	----	----	----/*24.20A	24.30B/*24.20A	----	23.10 - 2.50	.0679	----	----	----	----	51 UNCH
5875	----	----	----/*23.60A	23.60B/*23.60A	----	22.50 - 2.50	.0661	----	----	----	----	9 UNCH
5900	23.50	23.50	23.50/*23.10A	23.50/*23.10A	----	21.90 - 2.50	.0643	----	----	3	----	1521 UNCH
5950	----	----	----/*22.10A	21.90B/*22.10A	----	20.80 - 2.40	.0610	----	----	----	----	27 UNCH
6000	----	----	----/*21.10A	20.80B/*21.10A	----	19.80 - 2.40	.0580	----	----	222	----	6917 + 113
6100	----	----	----/*19.50A	18.80B/*19.50A	----	18.10 - 2.20	.0527	----	----	1	----	150 + 1
6150	----	----	----/*18.90A	17.80B/*18.90A	----	17.60 - 1.80	.0509	----	----	1	----	26 UNCH
6200	----	----	----/*18.10A	17.00B/*18.10A	----	17.10 - 1.50	.0491	----	----	----	----	3207 UNCH
6250	----	----	----/*17.70A	16.40B/*17.70A	----	16.60 - 1.30	.0474	----	----	----	----	76 UNCH
6300	----	----	----/*17.10A	15.80B/*17.10A	----	16.10 - 1.10	.0457	----	----	----	----	837 UNCH
6400	----	----	----	14.80B/*16.20A	----	15.00 - 1.20	.0423	----	----	----	----	971 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
6500	----	----	----	13.80B/15.40A	----	14.10 - 1.20	.0394	----	----	2	----	7324 UNCH
6750	----	----	----	12.10B/13.80A	----	12.50 - 1.10	.0339	----	----	----	----	105 UNCH
6775	----	----	----	12.10B/*13.80A	----	12.40 - 1.00	.0336	----	----	----	----	164 UNCH
6800	----	----	----	11.80B/*13.60A	----	12.30 - 1.00	.0332	----	----	----	----	1817 UNCH
6900	----	----	----	11.30B/*13.20A	----	11.90 - 0.90	.0317	----	----	----	----	79 UNCH
7000	----	----	----	10.90B/*12.80A	----	11.50 - 0.80	.0302	----	----	201	----	4909 + 113
7100	----	----	----	10.50B/*12.40A	----	11.20 - 0.70	.0291	----	----	----	----	1 UNCH
7130	----	----	----	10.50B/*12.20A	----	11.10 - 0.60	.0287	----	----	----	----	200 UNCH
7150	----	----	----	10.30B/*12.20A	----	11.00 - 0.70	.0284	----	----	----	----	1 UNCH
7175	----	----	----	10.40B/*12.00A	----	10.90 - 0.70	.0281	----	----	----	----	125 UNCH
7200	----	----	----	10.30B/*11.90A	----	10.80 - 0.70	.0277	----	----	----	----	1 UNCH
7250	----	----	----	10.10B/*11.80A	----	10.70 - 0.60	.0273	----	----	----	----	108 UNCH
7500	----	----	----	9.30B/11.00A	----	10.00 - 0.50	.0248	----	----	----	----	124 UNCH
8000	8.50	8.50	8.50/8.50	8.50/8.50	----	8.90 - 0.40	.0210	----	----	204	----	2275 + 183
8125	----	----	----	8.00B/*9.70A	----	8.70 - 0.40	.0203	----	----	----	----	801 UNCH
8500	----	----	----	7.40B/9.20A	----	8.20 - 0.40	.0185	----	----	----	----	256 UNCH
8630	----	----	----	7.20B/*9.00A	----	8.00 - 0.40	.0179	----	----	----	----	400 UNCH
8725	----	----	----	7.10B/*8.80A	----	7.90 - 0.40	.0175	----	----	----	----	250 UNCH
8775	----	----	----	6.90B/*8.80A	----	7.90 - 0.40	.0174	----	----	----	----	25 UNCH
9000	----	----	----	6.80B/8.50A	----	7.70 - 0.30	.0166	----	----	3	----	267 - 3
9500	----	----	----	6.20B/8.00A	----	7.30 - 0.30	.0152	----	----	3	----	637 UNCH
9900	----	----	----	5.90B/*7.60A	----	7.00 - 0.20	.0142	----	----	----	----	17 UNCH
10000	6.70	6.70	6.70/6.60	6.70/6.60	----	6.90 - 0.20	.0139	----	----	81	----	9930 + 40
11000	----	----	----	5.80B/6.70A	----	6.20 + 0.30	.0118	----	----	10	----	837 - 9
13000	----	----	----	3.00B/5.00A	----	4.50 + 0.50	.0081	----	----	----	----	625 UNCH
15000	3.30	3.30	3.30/3.00	3.30/3.00	----	2.90 - 0.50	.0051	----	----	10	----	25277 - 2
17000	----	----	----	1.20B/*2.80A	----	2.00 - 0.60	.0035	----	----	----	----	28 UNCH
19000	----	----	----	0.70B/*2.20A	----	1.40 - 0.30	.0024	----	----	1	----	207 + 1
20000	1.20	1.20	1.20/*1.20	1.20/*1.20	----	1.20 - 0.20	.0021	----	----	1	----	26894 UNCH
21000	----	----	----	----/20.60A	----	1.10 - 0.10	.0019	----	----	----	----	31 UNCH
24000	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.90 - 0.10	.0015	----	----	17	----	66 + 17
TOTAL										1366		126402 + 677
JAN27												
4190	----	----	455.10B/*390.00	455.10B/*390.00A	----	396.50 - 50.40	.6342	----	----	----	----	1 UNCH
4290	----	----	393.10B/*334.00	393.10B/*334.00A	----	340.20 - 46.20	.5816	----	----	----	----	1 UNCH
4300	----	----	387.60B/328.90A	387.60B/328.90A	----	334.90 - 45.80	.5762	----	----	----	----	1 UNCH
4400	----	----	332.40B/*280.60	332.40B/*280.60A	----	285.30 - 41.50	.5222	----	----	----	----	1 UNCH
4500	----	----	284.90B/*238.10	284.90B/*238.10A	----	241.90 - 37.00	.4687	----	----	----	----	2 UNCH
4575	----	----	250.70B/*210.10	250.70B/*210.10A	----	213.30 - 33.50	.4299	----	----	----	----	1 UNCH
4600	----	----	240.20B/*201.30	240.20B/*201.30A	----	204.40 - 32.50	.4172	----	----	----	----	4 UNCH
4650	----	----	221.10B/*185.00	221.10B/*185.00A	----	187.70 - 30.30	.3925	----	----	----	----	3 UNCH
4695	----	----	204.80B/*171.30	204.80B/*171.30A	----	173.80 NEW	.3711	----	----	3	----	3 + 3
4700	----	----	203.00B/*169.80	203.00B/*169.80A	----	172.40 - 28.10	.3688	----	----	----	----	3 UNCH
4710	----	----	199.60B/*167.10	199.60B/*167.10A	----	169.40 - 27.80	.3641	----	----	----	----	3 UNCH
4740	----	----	189.70B/*158.70	189.70B/*158.70A	----	160.90 NEW	.3504	----	----	4	----	4 + 4
4750	----	----	186.50B/*156.00	186.50B/*156.00A	----	158.20 - 26.10	.3459	----	----	----	----	8 UNCH
4760	----	----	183.30B/*153.50	183.30B/*153.50A	----	155.50 - 25.80	.3414	----	----	----	----	101 UNCH
4765	----	----	181.90B/*152.20	181.90B/*152.20A	----	154.20 - 25.50	.3393	----	----	----	----	6 UNCH
4800	----	----	171.30B/*143.40	171.30B/*143.40A	----	145.20 - 24.20	.3241	----	----	----	----	13 UNCH
4805	----	----	169.80B/*142.20	169.80B/*142.20A	----	144.00 - 24.00	.3220	----	----	----	----	1 UNCH
4835	----	----	161.50B/*135.10	161.50B/*135.10A	----	136.80 - 22.90	.3094	----	----	----	----	2 UNCH
4850	----	----	157.40B/*131.70	157.40B/*131.70A	----	133.30 - 22.40	.3033	----	----	----	----	2 UNCH
4875	----	----	150.80B/*126.20	150.80B/*126.20A	----	127.70 - 21.60	.2933	----	----	----	----	4 UNCH
4900	----	----	144.50B/*121.00	144.50B/*121.00A	----	122.40 - 20.80	.2836	----	----	----	----	31 UNCH
4935	----	----	136.30B/*114.10	136.30B/*114.10A	----	115.30 - 19.70	.2704	----	----	----	----	1 UNCH
4945	----	----	133.90B/*112.20	133.90B/*112.20A	----	113.40 - 19.40	.2668	----	----	----	----	1 UNCH
4960	----	----	130.60B/*109.40	130.60B/*109.40A	----	110.50 - 19.00	.2613	----	----	----	----	1 UNCH
5000	----	----	122.10B/*102.50	122.10B/*102.50A	----	103.30 - 17.90	.2474	----	----	----	----	30 UNCH
5005	----	----	121.10B/*101.70	121.10B/*101.70A	----	102.40 - 17.80	.2457	----	----	----	----	1 UNCH
5050	----	----	112.20B/*94.60A	112.20B/*94.60A	----	95.00 - 16.60	.2310	----	----	----	----	100 UNCH
5075	----	----	107.70B/*90.80A	107.70B/*90.80A	----	91.10 - 16.10	.2231	----	----	----	----	2 UNCH
5100	----	----	103.30B/*87.20A	103.30B/*87.20A	----	87.40 - 15.50	.2155	----	----	----	----	1 UNCH
5130	----	----	98.30B/*83.20A	98.30B/*83.20A	----	83.10 - 15.00	.2066	----	----	----	----	1 UNCH
5195	----	----	88.50B/*75.80A	88.50B/*75.80A	----	74.80 - 13.60	.1889	----	----	----	----	5 UNCH
5200	77.40	77.40	77.40/*75.20A	87.70B/*75.20A	----	74.20 - 13.50	.1876	----	----	1	----	3 UNCH
5230	----	----	----/*71.90A	83.60B/*71.90A	----	70.70 - 13.00	.1800	----	----	----	----	1 UNCH
5250	----	----	----/*69.80A	81.00B/*69.80A	----	68.60 - 12.50	.1753	----	----	----	----	7 UNCH
5300	----	----	----/*64.90A	74.80B/*64.90A	----	63.50 - 11.50	.1638	----	----	----	----	1 UNCH
5350	----	----	----/*60.10A	69.30B/*60.10A	----	58.90 - 10.50	.1532	----	----	----	----	3 UNCH
5380	----	----	----/*57.80A	66.20B/*57.80A	----	56.40 - 9.80	.1474	----	----	----	----	3 UNCH
5400	----	----	----/*56.40A	64.20B/*56.40A	----	54.90 - 9.30	.1437	----	----	----	----	53 UNCH
5450	----	----	59.60B/*52.80A	59.60B/*52.80A	----	51.20 - 8.30	.1348	----	----	----	----	6 UNCH
5500	----	----	55.40B/*49.40A	55.40B/*49.40A	----	47.90 - 7.40	.1267	----	----	----	----	60 UNCH
5550	----	----	51.60B/*46.20A	51.60B/*46.20A	----	44.80 - 6.70	.1191	----	----	----	----	4 UNCH
5555	----	----	51.20B/*46.00A	51.20B/*46.00A	----	44.50 - 6.60	.1184	----	----	----	----	2 UNCH
5600	----	----	48.20B/*43.60A	48.20B/*43.60A	----	42.00 - 6.00	.1121	----	----	----	----	226 UNCH
5700	----	----	----/*38.80A	41.30B/*38.80A	----	37.10 - 5.10	.0996	----	----	----	----	3 UNCH
5750	----	----	----/*37.10A	39.10B/*37.10A	----	34.90 - 4.90	.0940	----	----	----	----	2 UNCH
5820	----	----	----/*35.60A	35.90B/*35.60A	----	32.20 - 4.50	.0869	----	----	----	----	6 UNCH
5850	----	----	----/*34.60A	34.50B/*34.60A	----	31.20 - 4.30	.0843	----	----	----	----	3 UNCH
5900	----	----	----/*33.10A	31.70B/*33.10A	----	29.50 - 4.20	.0798	----	----	----	----	6 UNCH
6000	----	----	----/30.50A	27.50B/30.50A	----	26.70 - 3.90	.0722	----	----	----	----	289 UNCH
6025	----	----	----	26.60B/*29.90A	----	26.10 - 3.70	.0705	----	----	----	----	1 UNCH
6250	----	----	----	21.20B/*25.60A	----	21.60 - 3.00	.0578	----	----	----	----	1 UNCH
6300	----	----	----	20.30B/*24.90A	----	20.90 - 2.80	.0557	----	----	----	----	3 UNCH
6500	----	----	----	17.20B/*22.30A	----	18.40 - 2.20	.0483	----	----	----	----	5 UNCH
20000	1.50	1.50	1.70B/*1.50	1.70B/*1.50	----	2.30 - 0.10	.0036	----	----	4	----	129 + 4
TOTAL										12		1155 + 11
FEB27												
4400	----	----	350.50B/*299.50	350.50B/*299.50A	----	304.30 - 41.30	.5245	----	----	----	----	1 UNCH
4475	----	----	315.60B/*267.20	315.60B/*267.20A	----	271.40 - 38.10	.4868	----	----	----	----	2 UNCH
4500	----	----	304.20B/*257.10	304.20B/*257.10A	----	261.20 - 36.90	.4745	----	----	----	----	100 UNCH
4630	----	----	247.60B/*210.10	247.60B/*210.10A	----	213.20 - 31.50	.4121	----	----	----	----	1 UNCH
4640	----	----	245.50B/*206.80	245.50B/*206.80A	----	209.90 - 31.10	.4075	----	----	----	----	5 UNCH
4650	----	----	241.70B/*203.60	241.70B/*203.60A	----	206.60 - 30.70	.4029	----	----	----	----	6 UNCH
4675	----	----	232.40B/*195.70	232.40B/*195.70A	----	198.70 - 29.60	.3916	----	----	----	----	1 UNCH
4700	----	----	223.50B/*188.20	223.50B/*188.20A	----	191.00 - 28.60	.3804	----	----	----	----	1 UNCH
4750	----	----	204.90B/*174.00	204.90B/*174.00A	----	176.50 - 26.70	.3588	----	----	----	----	386 UNCH
4785	----	----	193.80B/*164.70	193.80B/*164.70A	----	167.10 - 25.30	.3442	----	----	----	----	100 UNCH
4800	----	----	189.40B/*160.80	189.40B/*160.80A	----	163.20 - 24.80	.3381	----	----	----	----	1 UNCH
4850	----	----	176.30B/*148.80	176.30B/*148.80A	----	150.80 - 23.10	.3182	----	----	----	----	36 UNCH
5000	----	----	139.10B/*118.00	139.10B/*118.00A	----	119.30 - 18.60	.2642	----	----	----	----	702 UNCH
5030	----	----	132.10B/*112.80	132.10B/*112.80A	----	113.80 - 17.90	.2544	----	----	----	----	1 UNCH
5050	----	----	128.60B/*109.50	128.60B/*109.50A	----	110.30 - 17.50	.2480	----	----	----	----	100 UNCH
5100	----	----	118.70B/*101.60	118.70B/*101.60A	----	102.10 - 16.40	.2327	----	----	----	----	148 UNCH
5175	----	----	106.20B/*91.00A	106.20B/*91.00A	----	90.90 - 15.10	.2114	----	----	----	----	126 UNCH
5200	85.70	85.70	102.30B/*85.70	102.30B/*85.70	----	87.50 - 14.60	.2047	----	----	265	----	191 - 77
5250	----	----	95.10B/*82.80A	95.10B/*82.80A	----	81.20 - 13.80	.1921	----	----	----	----	352 UNCH
5300	----	----	----/*77.20A	88.20B/*77.20A	----	75.40 - 13.00	.1803	----	----	1	----	621 UNCH
5350	----	----	----/*72.10A	82.20B/*72.10A	----	70.30 - 12.00	.1695	----	----	----	----	10 UNCH
5375	----	----	----/*69.90A	79.30B/*69.90A	----	67.90 - 11.50	.1644	----	----	----	----	1 UNCH
5400	----	----	----/*67.70A	76.30B/*67.70A	----	65.70 - 11.00	.1596	----	----	308	----	233 - 91
5450	----	----	----/*63.30A	71.50B/*63.30A	----	61.60 - 10.00	.1505	----	----	----	----	10 UNCH
5500	----	----	----/*59.60A	66.80B/*59.60A	----	57.80 - 9.10	.1420	----	----	1	----	18 UNCH
5520	----	----	----/*58.60A	64.70B/*58.60A	----	56.40 - 8.70	.1388	----	----	----	----	300 UNCH
5530	----	----	----/*57.90A	64.20B/*57.90A	----	55.80 - 8.40	.1374	----	----	----	----	100 UNCH
5550	----	----	----/*56.70A	62.50B/*56.70A	----	54.50 - 8.00	.1343	----	----	----	----	82 UNCH
5600	----	----	----/*52.60A	58.50B/*52.60A	----	51.40 - 7.20	.1271	----	----	----	----	8 UNCH
5700	----	----	----/*47.10A	51.20B/*47.10A	----	46.00 - 5.70	.1143	----	----	----	----	1 UNCH
5800	----	----	----/*42.40A	44.40B/*42.40A	----	41.40 - 4.60	.1032	----	----	----	----	1 UNCH
5900	----	----	----/*38.80A	40.30B/*38.80A	----	37.50 - 3.70	.0936	----	----	----	----	7 UNCH
6000	----	----	----	35.80B/*37.40A	----	34.00 - 3.30	.0850	----	----	----	----	2865 UNCH
6025	----	----	----	34.70B/*36.70A	----	33.20 - 3.20	.0830	----	----	----	----	4 UNCH
6100	----	----	----	30.40B/*34.70A	----	31.00 - 3.00	.0775	----	----	----	----	4 UNCH
6300	----	----	----	25.00B/*30.60A	----	26.00 - 2.90	.0650	----	----	----	----	1 UNCH
6500	----	----	----	21.00B/*27.40A	----	22.10 - 3.20	.0551	----	----	----	----	2910 UNCH
6900	----	----	----	16.40B/*23.30A	----	16.60 - 3.90	.0409	----	----	----	----	533 UNCH
7000	18.00	18.00	18.00/*18.00	18.00/*18.00	----	15.60 - 4.00	.0383	----	----	10	----	487 - 10
7100	----	----	----	15.00B/*21.90A	----	14.60 - 4.30	.0358	----	----	----	----	9 UNCH
7700	----	----	----	12.00B/*19.10A	----	10.70 - 5.10	.0255	----	----	----	----	1 UNCH
7900	----	----	----	11.40B/*18.50A	----	9.90 - 5.30	.0233	----	----	----	----	500 UNCH
8000	----	----	----	11.40B/*18.20A	----	9.50 - 5.40	.0223	----	----	----	----	695 UNCH
TOTAL										585		11661 - 178
MAR27												
4610	----	----	290.90B/*247.80	290.90B/*247.80A	----	255.70 - 28.40	.4460	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAR27												
4650	----	----	274.60B/*233.80	274.60B/*233.80A	----	241.50 - 26.90	.4284	----	----	----	----	1 UNCH
4660	----	----	270.70B/*230.40	270.70B/*230.40A	----	238.00 - 26.60	.4240	----	----	----	----	2 UNCH
4670	----	----	266.80B/*227.00	266.80B/*227.00A	----	234.60 - 26.30	.4197	----	----	----	----	3 UNCH
4675	----	----	264.90B/*226.70	264.90B/*226.70A	----	232.90 - 26.10	.4176	----	----	----	----	2 UNCH
4680	----	----	263.00B/*223.70	263.00B/*223.70A	----	231.20 - 26.00	.4154	----	----	----	----	2 UNCH
4710	----	----	251.70B/*214.10	251.70B/*214.10A	----	221.10 - 25.30	.4025	----	----	----	----	21 UNCH
4800	----	----	220.60B/*187.70	220.60B/*187.70A	----	192.70 - 23.90	.3649	----	----	----	----	6 UNCH
4820	----	----	214.20B/*182.30	214.20B/*182.30A	----	186.80 - 23.60	.3568	----	----	----	----	20 UNCH
4995	----	----	165.60B/*141.80	165.60B/*141.80A	----	142.60 - 21.10	.2912	----	----	----	----	2 UNCH
5000	----	----	164.40B/*140.80	164.40B/*140.80A	----	141.50 - 21.10	.2895	----	----	----	----	104 UNCH
5105	----	----	141.10B/*121.50	141.10B/*121.50A	----	121.80 - 18.30	.2564	----	----	----	----	1 UNCH
5200	----	----	123.30B/*106.80	123.30B/*106.80A	----	107.80 - 14.80	.2309	----	----	----	----	17 UNCH
5220	----	----	119.90B/*103.90	119.90B/*103.90A	----	105.20 - 14.10	.2260	----	----	----	----	12 UNCH
5285	----	----	109.50B/*96.40A	109.50B/*96.40A	----	97.10 - 12.00	.2106	----	----	----	----	2 UNCH
5300	----	----	107.20B/*96.90A	107.20B/*96.90A	----	95.30 - 11.60	.2072	----	----	----	----	2 UNCH
5350	----	----	100.20B/*90.50A	100.20B/*90.50A	----	89.50 - 10.50	.1961	----	----	----	----	2 UNCH
5400	----	----	93.80B/*85.40A	93.80B/*85.40A	----	84.10 - 9.50	.1856	----	----	----	----	11 UNCH
5450	----	----	87.90B/*83.40A	87.90B/*83.40A	----	78.90 - 8.80	.1755	----	----	----	----	3 UNCH
5500	----	----	82.40B/*79.20A	82.40B/*79.20A	----	74.10 - 8.20	.1661	----	----	----	----	534 UNCH
5510	----	----	----/*78.60A	81.30B/*78.60A	----	73.10 - 8.20	.1641	----	----	----	----	2 UNCH
5550	----	----	----/*75.00A	77.30B/*75.00A	----	69.50 - 7.80	.1570	----	----	----	----	1 UNCH
5600	----	----	----/*71.20A	72.60B/*71.20A	----	65.50 - 7.30	.1488	----	----	----	----	10 UNCH
5635	----	----	----/*69.50A	69.50B/*69.50A	----	62.80 - 7.00	.1433	----	----	----	----	2 UNCH
5650	----	----	----/*68.30A	68.20B/*68.30A	----	61.70 - 6.90	.1410	----	----	----	----	16 UNCH
5700	----	----	----/*64.60A	64.40B/*64.60A	----	58.30 - 6.50	.1338	----	----	----	----	10 UNCH
5790	----	----	----/*53.50A	56.80B/*53.50A	----	52.80 - 5.80	.1220	----	----	----	----	50 UNCH
5820	----	----	----/*52.00A	54.80B/*52.00A	----	51.20 - 5.50	.1185	----	----	----	----	2 UNCH
5850	----	----	----/*50.60A	53.50B/*50.60A	----	49.60 - 5.40	.1150	----	----	----	----	253 UNCH
5900	----	----	----/*48.40A	50.10B/*48.40A	----	47.20 - 5.00	.1097	----	----	----	----	11 UNCH
5950	----	----	----/*46.30A	47.60B/*46.30A	----	44.90 - 4.80	.1046	----	----	----	----	8 UNCH
5975	----	----	----/*45.30A	46.60B/*45.30A	----	43.80 - 4.70	.1021	----	----	----	----	4 UNCH
6000	----	----	----/*44.40A	45.30B/*44.40A	----	42.80 - 4.50	.0999	----	----	----	----	2 UNCH
6250	----	----	----	30.90B/*41.30A	----	34.50 - 3.50	.0806	----	----	----	----	10 UNCH
6300	----	----	----	29.70B/*40.10A	----	33.20 - 3.30	.0775	----	----	----	----	170 UNCH
6500	----	----	----	24.40B/36.20A	----	28.70 - 2.70	.0667	----	----	----	----	526 UNCH
TOTAL												1826 0
APR27												
4765	----	----	249.80B/*215.60	249.80B/*215.60A	----	215.10 NEW	.3857	----	----	2	----	2 + 2
5000	----	----	180.80B/*157.70	180.80B/*157.70A	----	157.60 - 22.40	.3027	----	----	----	----	100 UNCH
5060	----	----	166.50B/*145.70	166.50B/*145.70A	----	146.10 - 20.10	.2844	----	----	----	----	25 UNCH
5130	----	----	----/*132.90A	150.70B/*132.90A	----	133.90 - 17.60	.2645	----	----	----	----	18 UNCH
5180	----	----	----/*124.70A	141.80B/*124.70A	----	126.00 - 15.90	.2512	----	----	----	----	18 UNCH
5230	118.00	118.00	118.00/*116.30A	132.70B/*116.30A	----	118.60 - 14.40	.2386	----	----	1	----	2 + 1
5300	----	----	----/*106.70A	121.20B/*106.70A	----	109.00 - 12.60	.2219	----	----	----	----	25 UNCH
5400	----	----	----/*97.40A	106.80B/*97.40A	----	96.90 - 10.40	.2003	----	----	----	----	1 UNCH
5430	----	----	----/*94.10A	102.90B/*94.10A	----	93.60 NEW	.1943	----	----	2	----	2 + 2
5550	----	----	----/*84.30A	88.40B/*84.30A	----	81.50 - 8.00	.1719	----	----	----	----	1 UNCH
5600	----	----	----/*81.80A	83.80B/*81.80A	----	77.10 - 7.40	.1636	----	----	----	----	300 UNCH
5625	----	----	----/*79.60A	81.40B/*79.60A	----	75.00 - 7.10	.1596	----	----	----	----	2 UNCH
5700	----	----	----/*73.70A	74.80B/*73.70A	----	69.00 - 6.50	.1481	----	----	----	----	2 UNCH
5800	----	----	----/*67.40A	67.20B/*67.40A	----	61.90 - 5.90	.1342	----	----	----	----	50 UNCH
5820	----	----	----/*66.00A	65.80B/*66.00A	----	60.60 - 5.80	.1316	----	----	----	----	1 UNCH
5900	----	----	----/*56.60A	59.80B/*56.60A	----	55.70 - 5.50	.1218	----	----	----	----	1 UNCH
5950	----	----	----/*54.40A	56.70B/*54.40A	----	52.90 - 5.40	.1161	----	----	----	----	1 UNCH
6000	51.00	51.00	51.00/*51.00	53.20B/*51.00	----	50.30 - 5.30	.1108	----	----	9	----	159 + 9
TOTAL										14		710 + 14
JUN27												
5085	----	----	----	75.80B/*360.30A	----	285.30 + 75.90	.3715	----	----	----	----	150 UNCH
7000	----	----	----	0.10B/310.80A	----	86.50 + 30.80	.1276	----	----	----	----	3 UNCH
7500	----	----	----	0.10B/296.40A	----	69.50 + 27.20	.1029	----	----	----	----	450 UNCH
8000	----	----	----	0.10B/287.00A	----	57.80 + 25.10	.0853	----	----	----	----	2 UNCH
10000	15.00	15.00	15.00/*15.00	15.00/*15.00	----	36.00 + 19.20	.0507	----	----	1	----	4 + 1
TOTAL										1		609 + 1
DEC27												
4860	----	----	----	----	----	356.60 - 39.70	.4493	----	----	----	----	100 UNCH
5000	----	----	----	----	----	312.30 - 36.30	.4083	----	----	----	----	50 UNCH
5650	----	----	----	----	----	174.10 - 23.20	.2575	----	----	----	----	200 UNCH
5700	----	----	----	----	----	166.70 - 22.50	.2484	----	----	----	----	150 UNCH
5800	----	----	----	----	----	153.10 - 20.90	.2312	----	----	----	----	200 UNCH
5880	----	----	----	----	----	143.20 - 19.70	.2185	----	----	----	----	125 UNCH
6300	----	----	----	----	----	102.50 - 14.50	.1633	----	----	----	----	18 UNCH
7500	----	----	----	----	----	48.00 - 6.30	.0804	----	----	----	----	170 UNCH
7800	----	----	----	----	----	41.70 - 5.20	.0699	----	----	----	----	284 UNCH
10000	----	----	----	24.00B/----	----	24.00 - 1.20	.0373	----	----	----	----	103 UNCH
10500	----	----	----	----	----	21.60 - 1.10	.0332	----	----	----	----	10 UNCH
TOTAL												1410 0
DEC28												
5750	----	----	----	----	----	333.50 - 31.60	.3490	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
JUN26												
4400	----	----	----	----	----	36.60 UNCH	1.0000	----	----	----	----	0 UNCH
TOTAL												0 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK4										
JUN26												
3250	----	----	----/*0.70A	0.70B/*0.70A	----	0.90 + 0.10	.0045	----	----	----	----	1 UNCH
3500	----	----	#2.20B/1.40A	#2.20B/1.40A	----	2.00 + 0.50	.0114	----	----	----	----	1 UNCH
3600	----	----	3.20B/1.90A	3.20B/1.90A	----	2.80 + 0.70	.0170	----	----	----	----	52 UNCH
3600	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
3700	4.20	4.20	5.10B/2.60A	5.10B/2.60A	----	4.20 + 1.30	.0267	----	----	2	----	3 + 2
3700	----	----	2.50B/1.20A	2.50B/1.20A	----	2.10 + 0.60	.0135	----	----	----	----	25 UNCH
3700	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	16 UNCH
3750	2.50	2.50	3.20B/1.40A	3.20B/1.40A	----	2.50 + 0.70	.0169	----	----	1	----	2 + 1
3750	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 NEW	----	----	----	5	----	5 + 5
3800	----	----	4.00B/1.60A	4.00B/1.60A	----	3.10 + 1.00	.0219	----	----	1	----	51 - 1
3800	6.50	6.50	#8.10B/3.40A	#8.10B/3.40A	----	6.40 + 2.20	.0425	----	----	1	----	2 + 1
3800	0.30	0.30	0.30/*0.10	0.30/*0.10	----	0.10 NEW	.0000	----	----	21	----	20 + 20
3900	----	----	13.20B/5.20A	13.20B/5.20A	----	10.40 + 4.00	.0709	----	----	----	----	6 UNCH
3900	2.40	2.40	6.70B/2.30A	6.70B/2.30A	----	5.10 + 2.00	.0393	----	----	2	----	75 UNCH
3900	0.20	0.20	0.70B/*0.20	0.70B/*0.20	----	0.40 - 0.20	.0002	----	----	39	----	88 + 17
3930	0.20	0.20	#0.80B/*0.20	0.80B/*0.20	----	0.50 NEW	.0004	----	----	85	----	85 + 85
3935	0.60	0.60	#0.90B/*0.30A	0.90B/*0.30A	----	0.50 NEW	.0004	----	----	1	----	1 + 1
3950	3.00	3.00	#8.90B/*2.90A	8.90B/*2.90A	----	6.70 + 2.80	.0537	----	----	5	----	6 + 5
3950	0.70	0.70	#1.00B/*0.30A	1.00B/*0.30A	----	0.60 NEW	.0006	----	----	1	----	1 + 1
3970	0.70	0.70	#1.30B/*0.30A	1.30B/*0.30A	----	0.80 UNCH	.0010	----	----	2	----	2 + 2
3975	13.10	13.10	#19.70B/*7.30A	#19.70B/*7.30A	----	15.20 + 6.10	.1047	----	----	2	----	3 + 2
3975	0.80	0.80	#1.30B/*0.30A	1.30B/*0.30A	----	0.80 NEW	.0011	----	----	1	----	1 + 1
3975	6.60	6.60	#10.20B/*3.20A	10.20B/*3.20A	----	7.70 NEW	.0629	----	----	2	----	2 + 2
3980	0.80	0.80	#1.40B/*0.40A	1.40B/*0.40A	----	0.90 UNCH	.0013	----	----	4	----	7 + 2
3985	1.00	1.00	#1.50B/*0.40A	1.50B/*0.40A	----	0.90 UNCH	.0013	----	----	7	----	7 + 7
3990	0.60	0.60	#1.50B/*0.40A	1.50B/*0.40A	----	0.90 UNCH	.0014	----	----	42	----	41 + 41
4000	16.50	16.50	#22.20B/8.20A	#22.20B/8.20A	----	17.40 + 7.10	.1198	----	----	2	----	4 + 2
4000	----	----	11.90B/3.50A	11.90B/3.50A	----	8.90 + 3.90	.0739	----	----	----	----	10 UNCH
4000	0.80	0.80	1.70B/*0.40	1.70B/*0.40	----	1.00 UNCH	.0017	----	----	12	----	31 + 6
4005	0.40	0.40	#1.70B/*0.40	1.70B/*0.40	----	1.00 UNCH	.0017	----	----	5	----	5 + 4
4015	----	----	1.90B/*0.40A	1.90B/*0.40A	----	1.10 + 0.10	.0021	----	----	----	----	5 UNCH
4020	1.10	1.10	2.00B/*0.40A	2.00B/*0.40A	----	1.10 UNCH	.0021	----	----	2	----	3 + 2
4025	1.80	1.80	2.10B/*0.50A	2.10B/*0.50A	----	1.20 NEW	.0025	----	----	1	----	1 + 1
4025	----	----	#14.20B/*4.00A	14.20B/*4.00A	----	10.40 NEW	.0876	----	----	1	----	1 + 1
4025	25.00	25.00	#25.50B/*9.30A	#25.50B/*9.30A	----	19.90 + 8.20	.1368	----	----	1	----	3 + 1
4030	1.00	1.00	2.10B/*0.50A	2.10B/*0.50A	----	1.20 NEW	.0025	----	----	2	----	2 + 2
4040	0.80	0.80	2.40B/*0.50A	2.40B/*0.50A	----	1.30 NEW	.0030	----	----	6	----	5 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED JUN26		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
4045	1.30	1.30	2.50B/*0.50A	2.50B/*0.50A	----	1.30 NEW	.0031	----	----	3	----	3 + 3
4050	21.30	21.30	#29.10B/10.50A	#29.10B/10.50A	----	22.80 + 9.50	.1562	----	----	1	----	3 + 1
4050	0.60	0.60	2.60B/*0.50A	2.60B/*0.50A	----	1.40 + 0.20	.0035	----	----	41	----	52 + 25
4050	5.00	5.00	16.50B/4.50A	16.50B/4.50A	----	12.10 NEW	.1034	----	----	2	----	2 + 2
4055	0.60	0.60	2.80B/*0.60	2.80B/*0.60	----	1.40 NEW	.0036	----	----	16	----	16 + 16
4060	0.60	0.60	2.80B/*0.60	2.80B/*0.60	----	1.50 NEW	.0041	----	----	5	----	5 + 5
4065	0.70	0.70	3.00B/*0.60A	3.00B/*0.60A	----	1.60 NEW	.0046	----	----	64	----	57 + 57
4070	0.70	0.70	3.20B/*0.60A	3.20B/*0.60A	----	1.60 + 0.20	.0048	----	----	8	----	6 + 5
4075	----	----	19.50B/5.10A	19.50B/5.10A	----	14.30 + 6.60	.1231	----	----	2	----	4 UNCH
4075	2.80	2.80	3.20B/*0.60A	3.20B/*0.60A	----	1.70 + 0.30	.0054	----	----	2	----	4 + 2
4075	----	----	#33.30B/12.00A	#33.30B/12.00A	----	26.20 + 10.90	.1784	----	----	1	----	2 + 1
4080	0.60	0.60	3.40B/*0.60	3.40B/*0.60	----	1.80 NEW	.0060	----	----	4	----	2 + 2
4085	0.70	0.70	3.60B/*0.70	3.60B/*0.70	----	1.80 NEW	.0062	----	----	8	----	6 + 6
4090	----	----	3.70B/*0.70A	3.70B/*0.70A	----	1.90 + 0.40	.0068	----	----	2	----	6 + 2
4095	----	----	3.90B/*0.70A	3.90B/*0.70A	----	2.00 + 0.40	.0076	----	----	----	----	2 UNCH
4100	16.10	16.10	#37.90B/13.80A	#37.90B/13.80A	----	30.20 + 12.60	.2037	----	----	2	----	5 + 2
4100	1.40	1.40	4.20B/*0.70	4.20B/*0.70	----	2.10 + 0.50	.0083	----	----	54	----	61 + 44
4100	16.00	16.00	23.10B/5.90A	23.10B/5.90A	----	16.90 + 7.90	.1465	----	----	1	----	2 - 1
4105	1.00	1.00	4.30B/*0.80A	4.30B/*0.80A	----	2.20 + 0.50	.0092	----	----	24	----	24 + 21
4110	0.80	0.80	4.50B/*0.80	4.50B/*0.80	----	2.30 + 0.60	.0100	----	----	5	----	5 + 4
4115	1.80	1.80	4.70B/*0.80A	4.70B/*0.80A	----	2.40 + 0.60	.0110	----	----	11	----	11 + 10
4120	2.40	2.40	5.00B/*0.90A	5.00B/*0.90A	----	2.50 + 0.60	.0120	----	----	7	----	8 + 7
4125	9.50	9.50	#27.20B/7.00A	#27.20B/7.00A	----	20.10 + 9.50	.1745	----	----	20	----	94 + 18
4125	1.90	1.90	5.30B/*0.90A	5.30B/*0.90A	----	2.60 NEW	.0131	----	----	11	----	8 + 8
4130	----	----	5.60B/*0.90A	5.60B/*0.90A	----	2.80 + 0.80	.0149	----	----	----	----	1 UNCH
4135	2.80	2.80	6.00B/*1.00A	6.00B/*1.00A	----	2.90 + 0.80	.0162	----	----	9	----	12 + 9
4140	2.00	2.00	6.30B/*1.00A	6.30B/*1.00A	----	3.10 + 0.90	.0182	----	----	6	----	10 + 6
4145	3.10	3.10	6.40B/*1.00A	6.40B/*1.00A	----	3.30 NEW	.0204	----	----	18	----	13 + 13
4150	21.30	21.30	#32.40B/8.20A	#32.40B/8.20A	----	24.00 + 11.40	.2078	----	----	3	----	19 + 2
4150	2.60	2.60	6.80B/*1.10A	6.80B/*1.10A	----	3.50 + 1.20	.0228	----	----	52	----	47 + 36
4150	----	----	#49.50B/18.10A	#49.50B/18.10A	----	40.00 + 16.60	.2632	----	----	----	----	1 UNCH
4155	----	----	7.40B/*1.10A	7.40B/*1.10A	----	3.70 + 1.30	.0254	----	----	----	----	3 UNCH
4160	1.20	1.20	7.80B/*1.10A	7.80B/*1.10A	----	4.00 + 1.50	.0289	----	----	51	----	43 + 39
4165	7.00	7.00	8.40B/*1.20A	8.40B/*1.20A	----	4.20 + 1.50	.0320	----	----	4	----	11 + 4
4170	3.60	3.60	8.90B/*1.20A	8.90B/*1.20A	----	4.50 + 1.70	.0361	----	----	9	----	9 + 5
4175	22.80	22.80	#56.60B/21.30A	#56.60B/21.30A	----	46.00 + 18.90	.2979	----	----	1	----	2 + 1
4175	2.50	2.50	9.70B/*1.30A	9.70B/*1.30A	----	4.90 + 2.00	.0414	----	----	9	----	7 + 6
4175	13.30	13.30	#38.40B/9.80A	#38.40B/9.80A	----	28.70 NEW	.2467	----	----	1	----	1 + 1
4180	1.50	1.50	10.40B/*1.30A	10.40B/*1.30A	----	5.20 + 2.20	.0462	----	----	17	----	11 + 9
4185	2.10	2.10	11.10B/*1.40A	11.10B/*1.40A	----	5.70 + 2.50	.0532	----	----	27	----	20 + 15
4190	7.50	7.50	11.50B/*1.50A	11.50B/*1.50A	----	6.10 NEW	.0598	----	----	12	----	10 + 10
4195	3.00	3.00	12.80B/*1.50A	12.80B/*1.50A	----	6.60 + 3.10	.0679	----	----	23	----	23 + 21
4200	2.70	2.70	13.70B/*1.60A	13.70B/*1.60A	----	7.20 + 3.50	.0776	----	----	49	----	48 + 24
4200	13.90	13.90	#45.60B/11.80A	#45.60B/11.80A	----	34.30 + 16.20	.2916	----	----	32	----	29 + 27
4200	82.00	82.00	185.90B/*78.10A	185.90B/*78.10A	----	93.60 NEW	.9223	----	----	1	----	1 + 1
4205	1.90	1.90	14.70B/*1.60A	14.70B/*1.60A	----	7.80 NEW	.0879	----	----	10	----	9 + 9
4210	----	----	#176.00B/*70.10	176.00B/*70.10A	----	84.90 - 72.70	.8999	----	----	----	----	1 UNCH
4210	3.90	3.90	17.00/*1.70A	17.00/*1.70A	----	8.50 NEW	.1000	----	----	7	----	5 + 5
4215	4.50	4.50	16.80B/*1.80A	16.80B/*1.80A	----	9.20 + 4.80	.1129	----	----	3	----	8 + 2
4220	4.80	4.80	18.30B/*1.90A	18.30B/*1.90A	----	10.00 + 5.30	.1277	----	----	56	----	43 + 36
4225	4.10	4.10	19.60B/*1.90A	19.60B/*1.90A	----	10.90 + 6.00	.1444	----	----	68	----	67 + 49
4225	----	----	#54.00B/14.60A	#54.00B/14.60A	----	41.20 + 19.30	.3431	----	----	15	----	74 + 14
4230	7.90	7.90	21.10B/*2.00A	21.10B/*2.00A	----	11.90 + 6.60	.1631	----	----	18	----	7 + 2
4235	6.70	6.70	22.60B/*2.10A	22.60B/*2.10A	----	13.00 + 7.40	.1837	----	----	11	----	7 + 5
4240	3.20	3.20	24.10B/*2.30A	24.10B/*2.30A	----	14.10 + 8.10	.2055	----	----	20	----	16 + 15
4245	4.00	4.00	25.90B/*2.40A	25.90B/*2.40A	----	15.30 + 9.00	.2293	----	----	32	----	18 + 16
4250	----	----	#83.90B/33.90A	#83.90B/33.90A	----	69.90 + 27.30	.4216	----	----	----	----	1 UNCH
4250	3.70	3.70	27.80B/2.50A	27.80B/2.50A	----	16.60 + 9.80	.2551	----	----	139	----	130 + 100
4250	----	----	#63.40B/17.90A	#63.40B/17.90A	----	49.30 + 22.80	.4004	----	----	1	----	19 - 1
4255	3.70	3.70	29.10B/*2.70A	29.10B/2.70A	----	17.90 + 10.70	.2823	----	----	9	----	7 + 6
4255	----	----	#132.00B/*38.50	132.00B/*38.50A	----	49.30 NEW	.7176	----	----	3	----	3 + 3
4260	6.50	6.50	31.40/*2.80A	31.40/2.80A	----	19.40 + 11.70	.3121	----	----	35	----	20 + 17
4265	45.50	45.50	#122.40B/*31.90	122.40B/*31.90	----	42.30 NEW	.6566	----	----	11	----	6 + 6
4265	4.30	4.30	32.60B/*3.00A	32.60B/3.00A	----	20.90 NEW	.3433	----	----	15	----	7 + 7
4270	4.70	4.70	35.00B/*3.20A	35.00B/3.20A	----	22.50 + 13.60	.3764	----	----	23	----	15 + 11
4270	37.50	37.50	117.60B/*30.00A	117.60B/*30.00A	----	38.90 NEW	.6235	----	----	8	----	5 + 5
4275	8.50	8.50	37.70B/3.50A	37.70B/3.50A	----	24.30 + 14.80	.4117	----	----	229	----	145 + 82
4275	29.70	29.70	112.80B/*27.50A	112.80B/*27.50A	----	35.70 NEW	.5882	----	----	71	----	70 + 70
4275	----	----	#95.30B/39.70A	#95.30B/39.70A	----	80.00 + 30.40	.4682	----	----	----	----	11 UNCH
4275	----	----	#74.80B/22.20A	#74.80B/22.20A	----	59.00 + 26.90	.4630	----	----	2	----	5 + 1
4280	5.70	5.70	40.30B/*3.70A	40.30B/3.70A	----	26.20 + 16.00	.4485	----	----	122	----	61 + 58
4280	45.40	45.40	108.10B/*25.10A	108.10B/*25.10A	----	32.60 NEW	.5514	----	----	8	----	8 + 8
4285	6.10	6.10	#43.00B/*4.00A	#43.00B/4.00A	----	28.30 + 17.40	.4867	----	----	2	----	3 + 2
4285	26.90	26.90	103.30B/*22.90A	103.30B/*22.90A	----	29.70 NEW	.5132	----	----	9	----	9 + 9
4290	38.70	38.70	98.70B/*20.70A	98.70B/*20.70A	----	26.90 NEW	.4741	----	----	20	----	14 + 14
4290	9.80	9.80	#45.90B/*4.30A	#45.90B/4.30A	----	30.50 + 18.80	.5258	----	----	16	----	9 + 7
4295	38.80	38.80	94.00B/*18.50A	94.00B/*18.50A	----	24.30 NEW	.4344	----	----	5	----	3 + 3
4295	10.70	10.70	#48.90B/*4.60A	#48.90B/4.60A	----	32.90 + 20.30	.5655	----	----	25	----	20 + 18
4300	103.00	103.00	#108.00B/46.50A	#108.00B/46.50A	----	91.40 + 33.80	.5167	----	----	7	----	12 + 7
4300	35.30	35.30	89.40B/*16.70A	89.40B/*16.70A	----	21.80 - 55.20	.3945	----	----	80	----	67 + 65
4300	----	----	#87.70B/27.60A	#87.70B/27.60A	----	70.40 + 31.40	.5291	----	----	----	----	27 UNCH
4300	12.90	12.90	#52.10B/5.00	#52.10B/5.00	----	35.40 + 21.80	.6054	----	----	176	----	110 + 75
4305	17.60	17.60	84.90B/*15.10A	84.90B/*15.10A	----	19.60 NEW	.3556	----	----	4	----	4 + 4
4305	11.30	11.30	#55.40B/*5.40A	#55.40B/5.40A	----	38.20 + 23.60	.6443	----	----	7	----	6 + 4
4310	12.30	12.30	#59.10B/*5.90A	#59.10B/5.90A	----	41.10 + 25.40	.6824	----	----	12	----	11 + 8
4310	16.90	16.90	80.30B/*13.60A	80.30B/*13.60A	----	17.50 NEW	.3175	----	----	32	----	21 + 21
4315	22.00	22.00	#62.70B/*6.70A	#62.70B/6.70A	----	44.20 + 27.30	.7188	----	----	22	----	23 + 6
4315	23.60	23.60	75.90B/*12.00A	75.90B/*12.00A	----	15.60 NEW	.2811	----	----	19	----	16 + 16
4320	25.70	25.70	#66.40B/*7.40A	#66.40B/7.40A	----	47.50 + 29.40	.7529	----	----	86	----	59 + 30
4320	15.10	15.10	71.50B/*10.70A	71.50B/*10.70A	----	13.90 NEW	.2470	----	----	18	----	13 + 13
4325	56.30	56.30	93.70B/*40.40A	93.70B/*40.40A	----	45.00 NEW	.4033	----	----	4	----	4 + 4
4325	85.70	85.70	#102.40B/34.30A	#102.40B/34.30A	----	83.60 + 36.40	.5964	----	----	7	----	20 + 4
4325	47.30	47.30	67.20B/*9.40A	67.20B/*9.40A	----	12.30 NEW	.2148	----	----	61	----	50 + 50
4325	14.50	14.50	#70.00B/8.10A	#70.00B/8.10A	----	50.90 + 31.40	.7851	----	----	68	----	109 + 3
4330	48.80	48.80	63.00B/*8.30A	63.00B/*8.30A	----	10.90 NEW	.1857	----	----	30	----	16 + 16
4330	10.60	10.60	#74.20B/*8.90A	#74.20B/8.90A	----	54.50 + 33.50	.8142	----	----	88	----	45 UNCH
4335	23.50	23.50	#78.00B/*9.80A	#78.00B/9.80A	----	58.30 + 35.70	.8399	----	----	7	----	8 + 6
4335	15.10	15.10	58.90B/*7.20A	58.90B/*7.20A	----	9.70 NEW	.1599	----	----	29	----	19 + 19
4340	47.40	47.40	54.80B/*6.30A	54.80B/*6.30A	----	8.60 NEW	.1367	----	----	21	----	9 + 9
4340	21.10	21.10	#82.40B/*10.80A	#82.40B/10.80A	----	62.20 + 37.90	.8632	----	----	208	----	67 - 47
4345	27.90	27.90	#86.70B/*11.90A	#86.70B/11.90A	----	66.20 + 40.10	.8839	----	----	7	----	9 + 6
4345	36.00	36.00	50.90B/*5.10	50.90B/*5.10	----	7.60 - 36.90	.1159	----	----	38	----	30 + 29
4350	----	----	#137.40B/63.50A	#137.40B/63.50A	----	118.20 + 41.00	.6153	----	----	----	----	1 UNCH
4350	37.30	37.30	47.10B/*4.70A	47.10B/*4.70A	----	6.70 - 34.70	.0976	----	----	150	----	109 + 100
4350	94.90	94.90	#118.70B/42.60A	#118.70B/42.60A	----	98.60 + 41.60	.6622	----	----	2	----	7 - 1
4350	19.40	19.40	#91.00B/13.10A	#91.00B/13.10A	----	70.30 + 42.30	.9022	----	----	24	----	54 + 3
4355	28.00	28.00	#95.40B/*14.40A	#95.40B/14.40A	----	74.40 + 44.30	.9194	----	----	10	----	4 + 2
4355	12.00	12.00	43.90B/*4.10A	43.90B/*4.10A	----	5.80 NEW	.0805	----	----	47	----	21 + 21
4360	----	----	#99.90B/*15.90A	#99.90B/15.90A	----	78.60 + 46.40	.9342	----	----	8	----	45 UNCH
4360	25.00	25.00	40.50B/*3.50	40.50B/*3.50	----	5.00 - 30.60	.0657	----	----	64	----	30 + 29
4365	25.50	25.50	37.00B/*3.10A	37.00B/*3.10A	----	4.40 NEW	.0544	----	----	68	----	13 + 13
4365	34.00	34.00	#104.50B/*17.60	#104.50B/17.60A	----	83.00 NEW	.9455	----	----	7	----	3 + 3
4370	38.00	38.00	#109.00B/*19.40	#109.00B/19.40A	----	87.50 + 50.70	.9547	----	----	9	----	4 UNCH
4370	23.20	23.20	34.00B/*2.70A	34.00B/*2.70A	----	3.90 - 26.30	.0452	----	----	43	----	34 + 33
4375	----	----	#135.10B/52.60A	#135.10B/52.60A	----	115.40 + 46.80	.7243	----	----	12	----	16 + 4
4375	20.30	20.30	31.50B/*2.30A	31.50B/*2.30A	----	3.40 - 24.30	.0368	----	----	40	----	80 + 18
4375	----	----	62.00B/*23.70A	62.00B/*23.70A	----	26.80 - 30.20	.2754	----	----	----	----	1 UNCH
4375	24.30	24.30	#113.60B/21.30A	#113.60B/21.30A	----	92.00 + 52.70	.9631	----	----	2	----	119 + 1
4380	----	----	#118.30B/*23.50	#118.30B/23.50A	----	96.60 + 54.60	.9696	----	----	1	----	3 UNCH
4380	6.20	6.20	27.70B/*2.00A	27.70B/*2.00A	----	3.00 NEW	.0303	----	----	9	----	8 + 8
4385	16.90	16.90	24.80B/*1.70	24.80B/*1.70	----	2.60 NEW	.0243	----	----	81	----	41 + 41
4385	----	----	#123.10B/*26.10	#123.10B/26.10A	----	101.20 + 56.30	.9756	----	----	1	----	5 UNCH
4390	----	----	#127.90B/*28.30	#127.90B/28.30A	----	105.90 + 58.00	.9800	----	----	1	----	4 UNCH
4390	11.40	11.40	22.40B/*1.50A	22.40B/*1.50A	----	2.30 - 19.00	.0199	----	----	14	----	7 + 7
4395	4.00	4.00	20.10B/*1.30A	20.10B/*1.30A	----	2.00 - 17.50	.0160	----	----	8	----	9 + 8
4400	----	----	#154.60B/64.70A	#154.60B/64.70A	----	133.80 + 51.80	.7801	----	----	----	----	6 UNCH
4400	60.00	60.00	69.90B/*34.20A	69.90B/*34.20A	----	37.00 - 28.40	.2905	----	----	133	----	280 + 109
4400	----	----	#169.20B/85.80A	#169.20B/85.80A	----	150.50 NEW	.7090	----	----	3	----	3 + 3
4400	51.00	51.00	#137.40B/34.00A	#137.40B/34.00A	----	115.40 + 61.00	.9866	----	----	61	----	135 + 28
4400	----	----	48.90B/*17.80A	48.90B/*17.80A	----	20.20 - 25.20	.2196	----	----	4	----	6 + 2
4400	11.20	11.20	17.90B/*1.10	17.90B/*1.10	----	1.80 - 16.00	.0133	----	----	61	----	49 + 19
4405	----	----	#142.30B/*35.20	#142.30B/35.20A	----	120.20 + 62.40	.9890	----	----	----	----	1 UNCH
4405	11.80	11.80	15.90B/*1.00	15.90B/*1.00	----	1.60 - 14.60	.0109	----	----	22	----	11 + 10
4410	9.50	9.50	14.00B/*0.90A	14.00B/*0.90A	----	1.40 - 13.30	.0088	----	----	23	----	13 + 9
4410	----	----	#139.80B/*39.80	#139.80B/39.80A	----	125.00 + 63.70	.9911	----	----	----	----	1 UNCH
4415	8.10	8.10	12.30B/*0.70	12.30B/*0.70	----	1.20 - 12.20	.0068	----	----	18	----	15 + 10
4420	6.90	6.90	9.20/*0.60	10.90B/*0.60	----	1.10 - 11.00	.0058	----	----	17	----	15 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
JUN26												
4425	----	----	#155.20B/50.40A	#155.20B/50.40A	----	139.60 + 67.00	.9951	----	----	----	----	9 UNCH
4425	----	----	#175.10B/78.50A	#175.10B/78.50A	----	153.60 + 56.30	.8279	----	----	----	----	11 UNCH
4425	----	----	37.90B/*13.20A	37.90B/*13.20A	----	15.10 - 20.60	.1718	----	----	4	----	5 + 4
4425	10.00	10.00	10.00/*0.60A	10.00/*0.60A	----	1.00 - 10.00	.0049	----	----	27	----	31 + 11
4430	----	----	#159.40B/*54.20	#159.40B/54.20A	----	144.50 NEW	.9959	----	----	3	----	3 + 3
4430	8.50	8.50	8.50/*0.50A	8.70B/*0.50A	----	0.90 - 9.00	.0040	----	----	9	----	15 + 1
4435	----	----	#164.30B/*58.10	#164.30B/58.10A	----	149.40 + 68.80	.9966	----	----	----	----	0 UNCH
4435	3.10	3.10	3.10/*0.50A	7.90B/*0.50A	----	0.80 - 8.20	.0033	----	----	11	----	14 + 8
4440	2.20	2.20	2.20/*0.40A	7.00B/*0.40A	----	0.70 - 7.40	.0026	----	----	18	----	15 + 6
4445	3.20	3.20	3.20/*0.40	6.10B/*0.40	----	0.60 - 6.70	.0020	----	----	9	----	34 + 6
4450	25.90	25.90	48.20B/*22.40A	48.20B/*22.40A	----	24.40 - 21.40	.2100	----	----	1	----	2 + 1
4450	14.70	14.70	28.80B/*9.80A	28.80B/*9.80A	----	11.20 - 16.60	.1321	----	----	6	----	186 + 2
4450	----	----	#196.30B/94.50A	#196.30B/94.50A	----	174.70 + 60.40	.8676	----	----	----	----	17 UNCH
4450	3.50	3.50	4.00/*0.40A	5.30B/*0.40A	----	0.60 - 6.00	.0019	----	----	179	----	203 + 128
4450	----	----	#182.40B/70.60A	#182.40B/70.60A	----	164.20 + 71.00	.9980	----	----	----	----	230 UNCH
4455	----	----	#184.20B/*74.90	#184.20B/74.90A	----	169.10 + 71.60	.9985	----	----	1	----	1 UNCH
4455	3.00	3.00	3.00/*0.30A	4.60B/*0.30A	----	0.50 - 5.40	.0014	----	----	3	----	3 + 1
4460	3.50	3.50	4.20B/*0.30A	4.20B/*0.30A	----	0.50 - 4.80	.0013	----	----	13	----	24 + 6
4465	2.20	2.20	2.20/*0.30A	3.70B/*0.30A	----	0.40 - 4.40	.0009	----	----	15	----	10 + 7
4465	----	----	#194.10B/*83.90	#194.10B/83.90A	----	179.00 + 72.60	.9990	----	----	----	----	1 UNCH
4470	1.90	1.90	#1.90/*0.30A	3.10B/*0.30A	----	0.40 - 3.90	.0009	----	----	4	----	28 + 1
4475	----	----	#218.90B/112.40	#218.90B/112.40A	----	196.80 + 63.90	.8985	----	----	----	----	51 UNCH
4475	----	----	39.50B/*18.00A	39.50B/*18.00A	----	19.80 NEW	.1765	----	----	1	----	1 + 1
4475	11.90	11.90	21.60B/*7.20A	21.60B/*7.20A	----	8.40 - 13.00	.1013	----	----	10	----	7 - 2
4475	1.40	1.40	1.40/*0.20	2.70B/*0.20	----	0.40 - 3.50	.0008	----	----	8	----	35 + 3
4475	----	----	#205.80B/93.00A	#205.80B/93.00A	----	189.00 + 73.50	.9991	----	----	----	----	58 UNCH
4480	----	----	#209.40B/*97.70	#209.40B/97.70A	----	193.90 + 73.80	.9994	----	----	----	----	4 UNCH
4480	1.30	1.30	1.50/*0.10	2.50B/*0.10	----	0.30 - 3.20	.0005	----	----	7	----	7 + 2
4485	1.40	1.40	1.60/*0.30A	2.10B/*0.30A	----	0.30 - 2.90	.0005	----	----	4	----	34 + 2
4490	----	----	----/*0.30A	1.90B/*0.30A	----	0.30 - 2.50	.0005	----	----	----	----	5 UNCH
4500	----	----	32.20B/*14.40A	32.20B/*14.40A	----	16.00 - 15.30	.1472	----	----	2	----	2 UNCH
4500	----	----	----/*5.40A	16.10B/*5.40A	----	6.20 - 10.20	.0762	----	----	1	----	5 + 1
4500	----	----	#229.20B/116.80	#229.20B/116.80A	----	213.80 + 74.90	.9997	----	----	----	----	15 UNCH
4500	1.00	1.00	1.00/*0.20A	1.40B/*0.20A	----	0.20 - 2.10	.0002	----	----	6	----	105 + 1
4505	----	----	#234.20B/121.60	#234.20B/121.60A	----	218.80 + 75.10	.9998	----	----	----	----	20 UNCH
4505	----	----	----/*0.20A	1.20B/*0.20A	----	0.20 - 1.90	.0002	----	----	----	----	3 UNCH
4510	0.80	0.80	#0.80/*0.20A	1.10B/*0.20A	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4515	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 1.60	.0000	----	----	----	----	6 UNCH
4520	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 1.40	.0000	----	----	----	----	1 UNCH
4520	----	----	#248.90B/*136.3	#248.90B/136.30A	----	233.70 + 75.60	1.0000	----	----	----	----	1 UNCH
4525	----	----	26.00B/*11.80A	26.00B/*11.80A	----	12.90 - 12.80	.1220	----	----	1	----	1 UNCH
4525	5.70	5.70	5.70/*4.10A	11.90B/*4.10A	----	4.70 - 7.90	.0580	----	----	7	----	9 - 1
4525	----	----	#265.50B/152.60	#265.50B/152.60A	----	243.20 + 69.10	.9417	----	----	----	----	12 UNCH
4525	0.90	0.90	0.90/*0.20A	0.90/*0.20A	----	0.10 - 1.30	.0000	----	----	28	----	36 + 5
4525	----	----	#254.10B/141.20	#254.10B/141.20A	----	238.70 + 75.70	1.0000	----	----	----	----	23 UNCH
4530	----	----	----/*0.20A	0.70B/*0.20A	----	0.10 - 1.10	.0000	----	----	----	----	1 UNCH
4535	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 1.00	.0000	----	----	----	----	1 UNCH
4540	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.90	.0000	----	----	----	----	1 UNCH
4545	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.80	.0000	----	----	----	----	1 UNCH
4550	----	----	#294.70B/187.50	#294.70B/187.50A	----	273.80 NEW	.8983	----	----	3	----	3 + 3
4550	3.30	3.30	3.30/*3.10A	9.10B/*3.10A	----	3.70 - 5.90	.0453	----	----	2	----	27 + 1
4550	----	----	#282.30B/174.50	#282.30B/174.50A	----	267.10 + 71.00	.9545	----	----	----	----	6 UNCH
4550	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.80	.0000	----	----	----	----	21 UNCH
4550	----	----	#279.00B/171.30	#279.00B/171.30A	----	263.70 + 76.20	1.0000	----	----	----	----	3 UNCH
4550	10.10	10.10	10.10/*9.60A	21.00B/*9.60A	----	10.50 NEW	.1013	----	----	2	----	2 + 2
4555	----	----	----/*0.20A	0.40B/*0.20A	----	0.10 - 0.70	----	----	----	----	----	1 UNCH
4560	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.10 - 0.60	----	----	----	6	----	7 + 5
4565	0.10	0.10	#0.10/*0.10	0.30B/*0.10	----	0.10 - 0.60	----	----	----	1	----	1 UNCH
4575	3.30	3.30	3.30/*2.30A	6.70B/*2.30A	----	2.90 - 4.50	.0352	----	----	8	----	36 + 8
4575	----	----	----/*8.10A	16.90B/*8.10A	----	8.50 - 8.70	.0836	----	----	1	----	2 - 1
4575	----	----	#303.90B/196.20	#303.90B/196.20A	----	288.70 + 76.50	1.0000	2	----	----	----	9 - 2
4575	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	15 UNCH
4580	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	9 UNCH
4580	----	----	#308.90B/*201.2	#308.90B/201.20A	----	293.70 + 76.50	1.0000	----	----	----	----	4 UNCH
4585	----	----	#309.70B/----	#309.70B/288.10A	----	298.70 + 76.60	1.0000	1	----	----	----	0 - 1
4595	----	----	----/*0.10A	0.10B/*0.10A	----	0.10 - 0.40	----	----	----	----	----	2 UNCH
4600	13.40	13.40	13.80B/*6.60	13.80B/*6.60	----	7.00 - 7.10	.0695	----	----	4	----	5 + 4
4600	3.30	3.30	3.30/*1.80	5.00B/*1.80	----	2.30 - 3.50	.0275	----	----	322	----	231 - 165
4600	----	----	285.10B/220.40A	285.10B/220.40A	----	315.80 + 73.60	.9723	----	----	----	----	2 UNCH
4600	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 - 0.40	----	----	----	1	----	128 + 1
4610	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
4615	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
4620	260.00	260.00	#348.90B/*260.0	#348.90B/260.00	----	333.70 NEW	1.0000	----	----	3	----	2 + 2
4625	5.60	5.60	5.60/*5.60	11.10B/*5.60	----	5.70 - 5.90	.0573	----	----	2	----	3 + 2
4625	1.70	1.70	1.70/*1.50A	3.80B/*1.50A	----	1.90 - 2.60	.0222	----	----	13	----	23 + 10
4625	----	----	#353.90B/246.10	#353.90B/246.10A	----	338.70 + 76.70	1.0000	3	----	----	----	0 - 3
4625	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 - 0.30	----	----	----	50	----	151 - 3
4645	----	----	#369.70B/----	#369.70B/347.90A	----	358.70 + 76.70	1.0000	1	----	----	----	0 - 1
4650	2.40	2.40	2.50/*1.30A	3.00B/*1.30A	----	1.60 - 2.00	.0183	----	----	4	----	7 + 3
4650	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.30	----	----	----	----	----	10 UNCH
4650	----	----	#378.90B/271.10	#378.90B/271.10A	----	363.70 + 76.70	1.0000	1	----	----	----	1 - 1
4650	7.80	7.80	7.80/*4.40A	8.80B/*4.40A	----	4.70 - 4.90	.0475	----	----	2	----	5 + 2
4675	4.40	4.40	4.40/*3.60A	7.20B/*3.60A	----	3.90 - 4.00	.0396	----	----	6	----	7 + 6
4675	1.90	1.90	2.00/*1.10A	2.40B/*1.10A	----	1.40 - 1.50	.0155	----	----	9	----	52 + 9
4675	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	----	----	----	----	----	12 UNCH
4700	3.50	3.50	3.50/*3.20	5.90B/*3.20	----	3.30 - 3.30	.0334	----	----	3	----	12 + 3
4700	----	----	----	----	----	414.60 + 75.90	.9860	----	----	----	----	1 UNCH
4700	----	----	----/*1.00A	1.90B/*1.00A	----	1.30 - 1.00	.0139	----	----	----	----	6 UNCH
4700	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.20	----	----	----	----	----	31 UNCH
4710	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
4725	----	----	----/*0.90A	1.50B/*0.90A	----	1.10 - 0.80	.0115	----	----	----	----	3 UNCH
4725	3.10	3.10	3.10/*2.80A	4.90B/*2.80A	----	2.80 - 2.80	.0283	----	----	2	----	3 + 2
4725	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	6 UNCH
4750	2.60	2.60	2.60/*2.50	4.20B/*2.50	----	2.30 NEW	.0233	----	----	2	----	2 + 2
4750	----	----	----/*1.00A	1.30B/*1.00A	----	1.00 - 0.60	.0101	----	----	----	----	14 UNCH
4750	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	50 UNCH
4765	479.50	479.50	#489.80B/*468.1	#489.80B/468.10A	----	478.70 NEW	1.0000	1	----	1	----	0 UNCH
4770	482.20	482.20	#494.80B/*482.2	#494.80B/473.10A	----	483.70 NEW	1.0000	----	----	1	----	1 + 1
4775	----	----	#503.90B/396.10	#503.90B/396.10A	----	488.70 + 77.00	1.0000	1	----	----	----	1 - 1
4775	----	----	----/*2.30A	3.50B/*2.30A	----	2.00 - 2.10	.0201	----	----	----	----	1 UNCH
4775	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4775	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.40	.0088	----	----	----	----	50 UNCH
4780	494.50	494.50	#504.80B/*482.9	#504.80B/482.90A	----	493.70 NEW	1.0000	1	----	1	----	0 UNCH
4800	----	----	----/*2.40A	3.00B/*2.40A	----	1.70 - 1.80	.0170	----	----	----	----	5 UNCH
4800	----	----	#528.90B/421.10	#528.90B/421.10A	----	513.70 + 77.00	1.0000	1	----	----	----	1 - 1
4800	----	----	----/*0.90A	0.80B/*0.90A	----	0.90 - 0.20	.0085	----	----	----	----	2 UNCH
4800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4810	523.00	523.00	#534.80B/*513.0	#534.80B/513.00A	----	523.70 NEW	1.0000	2	----	2	----	0 UNCH
4815	524.00	524.00	#539.80B/*524.0	#539.80B/518.10A	----	528.70 NEW	1.0000	2	----	2	----	0 UNCH
4825	2.00	2.00	2.00/*2.00	2.60B/*2.00	----	1.50 NEW	.0148	----	----	1	----	1 + 1
4825	----	----	----/*0.80A	0.60B/*0.80A	----	0.80 - 0.20	.0074	----	----	----	----	1 UNCH
4825	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
4835	548.20	548.20	#559.80B/*538.1	#559.80B/538.10A	----	548.70 NEW	1.0000	1	----	1	----	0 UNCH
4850	1.80	1.80	1.80/*1.80	2.30B/*1.80	----	1.30 - 1.40	.0127	----	----	1	----	2 + 1
4850	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4865	585.10	585.10	#589.80B/*568.1	#589.80B/568.10A	----	578.70 NEW	1.0000	1	----	1	----	0 UNCH
4875	----	----	----	0.50B/*0.80A	----	0.60 - 0.10	.0053	----	----	----	----	1 UNCH
4900	1.80	1.80	1.80/*1.70A	1.80/*1.70A	----	1.00 - 1.20	.0096	----	----	1	----	8 + 1
4900	----	----	----	0.40B/*0.80A	----	0.60 UNCH	.0051	----	----	----	----	3 UNCH
4900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
4925	----	----	----/*1.20A	1.60B/*1.20A	----	0.90 - 1.10	.0085	----	----	----	----	2 UNCH
4925	----	----	----	0.40B/0.90A	----	0.50 - 0.10	.0042	----	----	----	----	3 UNCH
4950	----	----	----/*1.60A	1.40B/*1.60A	----	0.80 - 1.00	.0075	----	----	----	----	1 UNCH
4950	----	----	----	0.30B/*0.80A	----	0.50 UNCH	.0041	----	----	----	----	1 UNCH
4950	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
4975	----	----	----	1.30B/1.60A	----	0.70 - 0.90	.0065	----	----	----	----	1 UNCH
5000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5000	----	----	----	----/*0.80A	----	0.40 UNCH	.0031	----	----	----	----	3 UNCH
5025	----	----	----	1.10B/1.40A	----	0.60 - 0.70	.0054	----	----	----	----	1 UNCH
5025	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5075	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5300	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										4678		6358 + 2189
JUL26												
4150	51.50	51.50	#62.50B/*29.90A	#62.50B/29.90A	----	52.80 NEW	.2914	----	----	4	----	3 + 3
4200	----	----	#78.50B/*39.20A	#78.50B/39.20A	----	67.10 + 23.30	.3566	----	----	----	----	100 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
4300	133.60	133.60	#142.20B/*90.70	142.20B/*90.70A	----	93.70 NEW	.4891	----	----	6	----	6 + 6
4300	----	----	#114.00B/*65.70	#114.00B/65.70A	----	107.20 + 34.10	.5103	----	----	----	----	1 UNCH
4350	----	----	#143.20B/*84.40	#143.20B/84.40A	----	133.90 + 40.40	.5922	----	----	----	----	1 UNCH
4375	57.40	57.40	96.70B/*56.70A	96.70B/*56.70A	----	60.50 NEW	.3671	----	----	1	----	1 + 1
4400	111.50	111.50	#175.90B/*107.5	#175.90B/107.50A	----	165.10 NEW	.6711	----	----	1	----	1 + 1
4425	45.50	45.50	72.90B/*41.20A	72.90B/*41.20A	----	44.00 - 26.90	.2915	----	----	2	----	2 + 1
4500	----	----	46.10B/*24.90A	46.10B/*24.90A	----	26.60 - 18.30	.1962	----	----	----	----	1 UNCH
4525	----	----	39.30B/*21.10A	39.30B/*21.10A	----	22.50 - 15.80	.1706	----	----	20	----	14 + 13
4550	----	----	33.30B/*17.80A	33.30B/*17.80A	----	19.00 - 13.60	.1477	----	----	----	----	1 UNCH
4575	----	----	27.80B/*15.20A	27.80B/*15.20A	----	16.10 NEW	.1278	----	----	20	----	13 + 13
4600	----	----	----/*13.00A	23.30B/*13.00A	----	13.60 - 9.90	.1101	----	----	----	----	1 UNCH
4900	3.40	3.40	#3.40/*3.20A	3.40/*3.20A	----	2.80 NEW	.0233	----	----	1	----	1 + 1
5000	----	----	----/*2.50A	2.10B/*2.50A	----	2.00 - 1.20	.0161	----	----	----	----	8 UNCH
TOTAL										55		154 + 39

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3500	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
3500	3.50	3.50	#3.50/*2.30A	#3.50/*2.30A	----	3.30 NEW	.0178	----	----	1	----	1 + 1
3500	----	----	0.80B/----	0.80B/*0.60A	----	0.60 + 0.10	.0032	----	----	----	----	1 UNCH
3600	4.60	4.60	5.30B/3.00A	5.30B/3.00A	----	4.60 NEW	.0259	----	----	1	----	1 + 1
3600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
3600	1.30	1.30	1.30/*0.70A	1.30/*0.70A	----	1.00 NEW	.0058	----	----	1	----	1 + 1
3600	----	----	2.80B/1.70A	2.80B/1.70A	----	2.60 + 0.70	.0158	----	----	----	----	3 UNCH
3700	----	----	4.40B/2.30A	4.40B/2.30A	----	3.80 + 1.20	.0245	----	----	----	----	1 UNCH
3700	6.70	6.70	8.00B/3.90A	8.00B/3.90A	----	6.70 + 2.20	.0390	----	----	1	----	3 + 1
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
3750	2.00	2.00	2.60B/1.20A	2.60B/1.20A	----	2.10 + 0.60	.0140	----	----	1	----	15 UNCH
3750	8.00	8.00	#9.90B/4.60A	#9.90B/4.60A	----	8.10 NEW	.0479	----	----	1	----	1 + 1
3750	4.60	4.60	5.50B/2.60A	5.50B/2.60A	----	4.70 + 1.60	.0310	----	----	1	----	5 + 1
3800	9.90	9.90	#12.30B/5.60A	#12.30B/5.60A	----	9.90 NEW	.0593	----	----	1	----	1 + 1
3800	2.50	2.50	3.30B/1.30A	3.30B/1.30A	----	2.60 + 0.90	.0183	----	----	1	----	2 UNCH
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
3800	----	----	7.10B/3.00A	7.10B/3.00A	----	5.80 + 2.10	.0392	----	----	----	----	2 UNCH
3900	14.70	14.70	#18.60B/8.30A	#18.60B/8.30A	----	15.40 + 6.00	.0931	----	----	1	----	14 + 1
3900	----	----	11.80B/4.50A	11.80B/4.50A	----	9.30 + 3.70	.0654	----	----	----	----	3 UNCH
3900	0.20	0.20	0.20/0.10A	0.20/0.10A	----	0.00 - 0.20	----	----	----	2	----	0 - 79
3900	1.80	1.80	5.60B/1.80	5.60B/1.80	----	4.10 + 1.60	.0323	----	----	3	----	42 + 1
3930	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.20	----	----	----	9	----	0 - 59
3940	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
3950	11.80	11.80	#15.50B/*5.70A	15.50B/*5.70A	----	12.00 NEW	.0854	----	----	3	----	3 + 3
3950	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 5
3950	11.90	11.90	#23.50B/*10.30A	#23.50B/*10.30A	----	19.30 + 7.50	.1168	----	----	6	----	6 + 1
3950	----	----	#7.40B/*2.30A	7.40B/*2.30A	----	5.40 + 2.20	.0446	----	----	----	----	1 UNCH
3975	----	----	#17.80B/*6.50A	#17.80B/*6.50A	----	13.70 NEW	.0978	----	----	1	----	1 + 1
3975	2.60	2.60	#8.70/*2.50	8.70/*2.50	----	6.20 + 2.60	.0525	----	----	11	----	11 + 9
3980	----	----	----/*0.30A	----/*0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 5
4000	6.50	6.50	10.00/2.80A	10.00/2.80A	----	7.20 + 3.10	.0624	----	----	28	----	30 + 3
4000	24.00	24.00	#29.70B/12.90A	#29.70B/12.90A	----	24.40 + 9.50	.1468	----	----	3	----	3 + 2
4000	----	----	#20.50B/7.30A	#20.50B/7.30A	----	15.60 + 6.50	.1119	----	----	----	----	4 UNCH
4000	0.50	0.50	0.50/*0.10	0.50/*0.10	----	0.00 - 0.50	----	----	----	33	----	0 - 73
4025	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 7
4025	8.60	8.60	#11.70B/*3.20A	11.70B/*3.20A	----	8.40 NEW	.0744	----	----	3	----	3 + 3
4025	----	----	#23.20B/*8.30A	#23.20B/*8.30A	----	17.90 + 7.50	.1284	----	----	----	----	2 UNCH
4035	0.50	0.50	0.50/*0.20	0.60B/*0.20	----	0.00 - 0.60	----	----	----	6	----	0 - 3
4040	0.20	0.20	0.20/*0.10A	0.60B/*0.10A	----	0.00 - 0.60	----	----	----	5	----	0 - 5
4045	0.70	0.70	0.70/*0.10A	0.70/*0.10A	----	0.00 - 0.60	----	----	----	5	----	0 - 29
4050	0.70	0.70	0.70/*0.10	0.70/*0.10	----	0.00 - 0.60	----	----	----	5	----	0 - 40
4050	28.70	28.70	#37.50B/*16.60A	#37.50B/16.60A	----	31.10 NEW	.1847	----	----	2	----	2 + 2
4050	9.50	9.50	14.10B/3.60A	14.10B/3.60A	----	9.90 + 4.50	.0893	----	----	4	----	45 + 3
4050	----	----	#26.70B/9.40A	#26.70B/9.40A	----	20.60 + 8.70	.1475	----	----	----	----	5 UNCH
4055	0.80	0.80	0.80/*0.10A	0.80/*0.10A	----	0.00 - 0.70	----	----	----	7	----	0 - 2
4060	0.30	0.30	0.30/*0.10	0.70B/*0.10	----	0.00 - 0.70	----	----	----	3	----	0 - 5
4065	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4070	0.20	0.20	0.80B/*0.10A	0.80B/*0.10A	----	0.00 - 0.70	----	----	----	6	----	0 - 4
4075	----	----	16.60B/4.00A	16.60B/4.00A	----	11.80 + 5.50	.1078	----	----	3	----	14 + 2
4075	----	----	0.80B/*0.10A	0.80B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 52
4075	23.10	23.10	#30.50B/10.70A	#30.50B/10.70A	----	23.70 + 10.00	.1692	----	----	1	----	2 + 1
4080	----	----	#304.20B/*184.2	304.20B/*184.20A	----	206.40 - 77.70	----	1	----	----	----	0 - 1
4080	----	----	0.80B/*0.10A	0.80B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 34
4085	0.90	0.90	0.90/*0.10A	0.90/*0.10A	----	0.00 - 0.70	----	----	----	25	----	0 - 31
4090	0.10	0.10	0.90B/*0.10	0.90B/*0.10	----	0.00 - 0.70	----	----	----	2	----	0 - 4
4095	0.10	0.10	0.90B/*0.10	0.90B/*0.10	----	0.00 - 0.80	----	----	----	2	----	0 - 4
4100	----	----	#35.10B/12.40A	#35.10B/12.40A	----	27.40 + 11.60	.1942	----	----	3	----	9 + 2
4100	0.90	0.90	0.90/*0.10A	0.90/*0.10A	----	0.00 - 0.80	----	----	----	12	----	0 - 42
4100	34.80	34.80	#47.40B/21.50A	#47.40B/21.50A	----	39.60 NEW	.2310	----	----	2	----	2 + 2
4100	5.70	5.70	19.90B/4.60A	19.90B/4.60A	----	14.10 + 6.70	.1303	----	----	12	----	11 + 10
4105	----	----	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 8
4110	0.10	0.10	1.00B/*0.10	1.00B/*0.10	----	0.00 - 0.80	----	----	----	1	----	0 - 11
4115	----	----	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4120	----	----	1.00B/*0.10A	1.00B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 5
4125	----	----	#53.50B/24.50A	#53.50B/24.50A	----	44.70 + 16.60	.2578	----	----	----	----	2 UNCH
4125	15.10	15.10	#40.40B/14.20A	#40.40B/14.20A	----	31.70 + 13.40	.2225	----	----	7	----	9 + 7
4125	0.50	0.50	1.10B/*0.10A	1.10B/*0.10A	----	0.00 - 0.80	----	----	----	1	----	0 - 6
4125	6.50	6.50	23.90B/5.40A	23.90B/5.40A	----	16.90 + 8.20	.1574	----	----	2	----	20 + 1
4130	0.10	0.10	1.00B/*0.10	1.00B/*0.10	----	0.00 - 0.90	----	----	----	1	----	0 - 4
4135	0.90	0.90	1.10B/*0.10A	1.10B/*0.10A	----	0.00 - 0.90	----	----	----	3	----	0 - 1
4140	0.60	0.60	1.10B/*0.10A	1.10B/*0.10A	----	0.00 - 0.90	----	----	----	12	----	0 - 2
4150	49.70	49.70	#60.30B/28.00A	#60.30B/28.00A	----	50.50 + 18.50	.2871	----	----	3	----	43 + 1
4150	0.70	0.70	1.30B/*0.10	1.30B/*0.10	----	0.00 - 1.00	----	----	----	9	----	0 - 11
4150	9.50	9.50	#28.70B/6.40A	#28.70B/6.40A	----	20.50 + 10.10	.1910	----	----	29	----	87 + 18
4150	17.30	17.30	#46.50B/16.30A	#46.50B/16.30A	----	36.70 NEW	.2544	----	----	1	----	1 + 1
4155	1.50	1.50	1.50/*0.10	1.50/*0.10	----	0.00 - 1.00	----	----	----	3	----	0 - 6
4160	1.00	1.00	1.40B/*0.10A	1.40B/*0.10A	----	0.00 - 1.00	----	----	----	6	----	0 - 2
4165	----	----	1.40B/*0.10A	1.40B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4170	0.10	0.10	1.50B/*0.10	1.50B/*0.10	----	0.00 - 1.10	----	----	----	1	----	0 - 4
4175	1.80	1.80	1.80/*0.10	1.80/*0.10	----	0.00 - 1.10	----	----	----	6	----	0 - 12
4175	----	----	#53.40B/19.30A	#53.40B/19.30A	----	42.50 + 17.60	.2900	----	----	----	----	3 UNCH
4175	25.20	25.20	#34.60B/7.80A	#34.60B/7.80A	----	24.80 + 12.30	.2305	----	----	5	----	9 + 3
4180	----	----	1.50B/*0.10A	1.50B/*0.10A	----	0.00 - 1.20	----	----	----	1	----	0 - 9
4185	----	----	1.60B/*0.10A	1.60B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 12
4190	0.80	0.80	1.60B/*0.10A	1.60B/*0.10A	----	0.00 - 1.30	----	----	----	1	----	0 - 3
4195	0.20	0.20	1.60B/*0.10A	1.60B/*0.10A	----	0.00 - 1.40	----	----	----	1	----	0 - 7
4200	11.50	11.50	#41.70B/9.40A	#41.70B/9.40A	----	30.20 + 15.00	.2775	----	----	254	----	65 + 50
4200	----	----	#61.20B/22.50A	#61.20B/22.50A	----	49.20 + 20.20	.3293	----	----	2	----	2 UNCH
4200	----	----	#76.00B/37.00A	#76.00B/37.00A	----	64.40 + 22.80	.3533	----	----	2	----	4 + 2
4200	1.70	1.70	2.10/*0.10A	2.10/*0.10A	----	0.00 - 1.40	----	----	----	32	----	0 - 21
4205	0.20	0.20	2.00B/*0.10	2.00B/*0.10	----	0.00 - 1.50	----	----	----	13	----	0 - 2
4210	0.30	0.30	2.20B/*0.10A	2.20B/*0.10A	----	0.00 - 1.60	----	----	----	1	----	0 - 4
4215	----	----	2.50B/*0.20A	2.50B/*0.20A	----	0.00 - 1.70	----	----	----	----	----	0 - 6
4220	0.20	0.20	2.60B/*0.10A	2.60B/*0.10A	----	0.00 - 1.80	----	----	----	10	----	0 - 1
4225	2.70	2.70	2.90B/*0.20	2.90B/*0.20	----	0.00 - 1.90	----	----	----	18	----	0 - 33
4225	36.20	36.20	#70.30B/26.40A	#70.30B/26.40A	----	57.00 NEW	.3723	----	----	20	----	20 + 20
4225	31.90	31.90	#49.30B/11.80A	#49.30B/11.80A	----	36.80 + 18.20	.3319	----	----	2	----	8 + 1
4230	0.70	0.70	3.10B/*0.10A	3.10B/*0.10A	----	0.00 - 2.00	----	----	----	7	----	0 - 8
4235	1.90	1.90	3.10B/*0.10A	3.10B/*0.10A	----	0.00 - 2.20	----	----	----	10	----	0 - 3
4240	3.30	3.30	3.70/*0.10	3.70/*0.10	----	0.00 - 2.30	----	----	----	12	----	0 - 5
4240	96.00	96.00	144.40B/*25.80A	144.40B/*25.80A	----	46.40 NEW	----	1	----	1	----	0 UNCH
4245	0.40	0.40	5.70/*0.20A	5.70/*0.20A	----	0.00 - 2.50	----	----	----	32	----	0 - 17
4250	----	----	#93.60B/48.50A	#93.60B/48.50A	----	82.10 + 28.00	.4290	----	----	----	----	2 UNCH
4250	2.80	2.80	4.40/*0.10	4.40/*0.10	----	0.00 - 2.70	----	----	----	128	----	0 - 30
4250	37.20	37.20	#80.40B/31.10A	#80.40B/31.10A	----	65.90 + 26.10	.4186	----	----	11	----	13 + 11
4250	31.90	31.90	#58.30B/14.70A	#58.30B/14.70A	----	44.80 + 22.00	.3934	----	----	11	----	21 + 2
4250	----	----	148.30B/*73.20A	148.30B/*73.20A	----	81.10 - 55.10	.6063	----	----	----	----	1 UNCH
4255	0.40	0.40	4.10B/*0.20A	4.10B/*0.20A	----	0.00 - 2.90	----	----	----	24	----	0 - 3
4260	2.40	2.40	5.00B/*0.10	5.00B/*0.10	----	0.00 - 3.10	----	----	----	48	----	0 - 11
4265	0.50	0.50	7.20B/*0.20A	7.20B/*0.20A	----	0.00 - 3.40	----	----	----	131	----	0 - 6
4270	1.80	1.80	10.30B/*0.30A	10.30B/*0.30A	----	0.00 - 3.60	----	----	----	42	----	0 - 10
4270	6.30	6.30	114.60B/*5.50A	114.60B/*5.50A	----	16.40 NEW	----	1	----	2	----	0 UNCH
4275	----	----	#99.80B/55.40A	#99.80B/55.40A	----	92.50 + 30.90	.4696	----	----	----	----	20 UNCH
4275	68.00	68.00	#69.60B/18.50A	#69.60B/18.50A	----	54.30 + 26.10	.4610	----	----	4	----	28 + 2
4275	----	----	127.00B/*59.40A	127.00B/*59.40A	----	65.70 NEW	.5388	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE GOLD WEEKLY TUESDAY OPTION Week4

JUN26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4275	----	----	#91.70B/36.70A	#91.70B/36.70A	----	76.10 + 29.60	.4676	----	----	----	----	3 UNCH
4275	4.50	4.50	109.60B/*3.60A	109.60B/*3.60A	----	11.40 NEW	----	4	----	4	----	0 UNCH
4275	1.10	1.10	16.80/*0.30A	16.80/*0.30A	----	0.00 - 3.90	----	----	----	137	----	0 - 31
4280	3.60	3.60	17.60B/*0.20A	17.60B/*0.20A	----	0.00 - 4.30	----	----	----	81	----	0 - 7
4280	27.20	27.20	104.60B/*2.40A	104.60B/*2.40A	----	6.40 NEW	----	5	----	12	----	0 UNCH
4285	7.30	7.30	22.00B/*0.20	22.00B/*0.20	----	0.00 - 4.70	----	----	----	29	----	0 - 13
4285	9.30	9.30	100.00B/*1.40A	100.00B/*1.40A	----	1.40 NEW	----	11	----	15	----	0 UNCH
4290	21.50	21.50	94.70B/*0.20A	94.70B/*0.20A	----	0.00 NEW	----	----	----	50	----	0 UNCH
4290	2.90	2.90	26.50B/*0.70	26.50B/*0.70	----	3.60 - 1.50	----	18	----	81	----	0 - 41
4295	10.60	10.60	89.80B/*0.10A	89.80B/*0.10A	----	0.00 NEW	----	----	----	14	----	0 UNCH
4295	3.00	3.00	31.00B/*0.60	31.00B/*0.60	----	8.60 + 3.00	----	25	----	44	----	0 - 11
4300	51.20	51.20	107.20B/*46.40A	107.20B/*46.40A	----	52.10 - 46.00	.4668	----	----	3	----	11 UNCH
4300	57.20	57.20	#82.50B/23.40A	#82.50B/23.40A	----	65.70 + 30.90	.5329	----	----	19	----	71 + 15
4300	72.50	72.50	#104.50B/43.30A	#104.50B/43.30A	----	87.60 + 33.30	.5185	----	----	1	----	2 UNCH
4300	105.90	105.90	139.50B/*87.30A	139.50B/*87.30A	----	90.50 - 42.90	.4880	----	----	1	----	101 + 1
4300	----	----	#112.20B/63.00A	#112.20B/63.00A	----	104.10 + 33.90	.5114	----	----	----	----	100 UNCH
4300	60.10	60.10	84.80B/*0.10	84.80B/*0.10	----	0.00 - 69.50	----	----	----	81	----	0 - 6
4300	8.20	8.20	36.20B/*0.80A	36.20B/*0.80A	----	13.60 + 7.50	----	135	----	477	----	0 - 37
4305	13.00	13.00	79.90B/*0.10A	79.90B/*0.10A	----	0.00 - 65.10	----	----	----	23	----	0 - 2
4305	5.00	5.00	41.10B/*0.90A	41.10B/*0.90A	----	18.60 + 11.90	----	37	----	54	----	0 - 18
4310	12.00	12.00	74.90B/*0.10A	74.90B/*0.10A	----	0.00 - 60.80	----	----	----	24	----	0 - 1
4310	6.90	6.90	46.00B/*0.90A	46.00B/*0.90A	----	23.60 + 16.20	----	45	----	107	----	0 - 15
4315	11.50	11.50	70.00B/*0.10A	70.00B/*0.10A	----	0.00 - 56.60	----	----	----	37	----	0 - 1
4315	7.10	7.10	#51.00B/*1.00A	#51.00B/*1.00A	----	28.60 + 20.40	----	34	----	86	----	0 - 8
4320	5.00	5.00	#56.00B/*1.00A	#56.00B/*1.00A	----	33.60 + 24.50	----	212	----	569	----	0 - 88
4320	10.90	10.90	65.10B/*0.10	65.10B/*0.10	----	0.00 - 52.50	----	----	----	75	----	0 - 3
4325	76.20	76.20	110.00B/*57.10A	110.00B/*57.10A	----	61.90 NEW	.4294	----	----	2	----	2 + 2
4325	----	----	#118.60B/51.00A	#118.60B/51.00A	----	100.50 + 37.10	.5702	----	----	----	----	2 UNCH
4325	11.20	11.20	60.20B/*0.10A	60.20B/*0.10A	----	0.00 NEW	----	----	----	25	----	0 UNCH
4325	10.00	10.00	#61.00B/*1.20A	#61.00B/*1.20A	----	38.60 + 28.40	----	78	----	186	----	0 - 55
4325	87.40	87.40	#129.20B/72.60A	#129.20B/72.60A	----	116.90 NEW	.5537	----	----	2	----	1 + 1
4325	38.60	38.60	#96.90B/29.80A	#96.90B/29.80A	----	79.00 + 36.20	.6062	----	----	1	----	7 UNCH
4330	12.90	12.90	#65.90B/*1.20A	#65.90B/*1.20A	----	43.60 + 32.20	----	54	----	211	----	0 - 17
4330	9.60	9.60	55.30B/*0.30A	55.30B/*0.30A	----	0.00 NEW	----	----	----	13	----	0 UNCH
4335	10.00	10.00	#70.90B/*1.50A	#70.90B/*1.50A	----	48.60 + 35.90	----	20	----	21	----	0 - 8
4335	30.90	30.90	50.50B/*0.10	50.50B/*0.10	----	0.00 - 41.10	----	----	----	19	----	0 - 5
4340	31.40	31.40	45.70B/*0.10A	45.70B/*0.10A	----	0.00 - 37.50	----	----	----	100	----	0 - 5
4340	20.30	20.30	#75.90B/*1.80A	#75.90B/*1.80A	----	53.60 + 39.50	----	54	----	322	----	0 - 8
4345	22.70	22.70	41.30B/*0.20	41.30B/*0.20	----	0.00 - 34.10	----	----	----	12	----	0 UNCH
4345	14.20	14.20	#80.90B/*1.90	#80.90B/*1.90	----	58.60 + 42.90	----	36	----	16	----	0 - 29
4350	31.20	31.20	72.30B/*26.70A	72.30B/*26.70A	----	30.70 - 35.20	.3223	----	----	29	----	10 + 7
4350	57.20	57.20	#113.50B/37.70A	#113.50B/37.70A	----	94.30 + 41.80	.6774	----	----	18	----	15 + 9
4350	21.80	21.80	36.30B/*0.10	36.30B/*0.10	----	0.00 - 30.80	----	----	----	66	----	0 - 22
4350	71.00	71.00	107.90B/*63.50A	107.90B/*63.50A	----	67.50 - 36.20	.4036	----	----	4	----	5 + 1
4350	70.40	70.40	94.10B/*47.00A	94.10B/*47.00A	----	51.20 NEW	.3779	----	----	1	----	1 + 1
4350	----	----	#140.50B/81.40A	#140.50B/81.40A	----	131.00 + 40.60	.5958	----	----	----	----	4 UNCH
4350	19.50	19.50	#85.90B/*2.00	#85.90B/*2.00	----	63.60 + 46.20	----	140	----	264	----	0 - 82
4355	12.10	12.10	31.70B/*0.10	31.70B/*0.10	----	0.00 - 27.70	----	----	----	35	----	0 - 10
4355	10.20	10.20	#90.70B/*2.80A	#90.70B/*2.80A	----	68.60 + 49.30	----	23	----	23	----	0 - 5
4360	33.00	33.00	#95.90B/*3.20	#95.90B/*3.20	----	73.60 + 52.30	----	30	----	26	----	0 - 29
4360	15.60	15.60	27.40B/*0.10	27.40B/*0.10	----	0.00 - 24.70	----	----	----	103	----	0 - 19
4365	12.50	12.50	23.10B/*0.10A	23.10B/*0.10A	----	0.00 - 22.00	----	----	----	103	----	0 - 17
4365	14.30	14.30	#100.60B/*3.70	#100.60B/*3.70	----	78.60 + 55.00	----	19	----	31	----	0 - 2
4370	16.60	16.60	19.20B/*0.10	19.20B/*0.10	----	0.00 - 19.50	----	----	----	34	----	0 - 15
4370	20.30	20.30	#105.90B/5.60A	#105.90B/5.60A	----	83.60 + 57.50	----	17	----	13	----	0 - 15
4375	40.00	40.00	56.90B/*19.40A	56.90B/*19.40A	----	22.90 NEW	.2566	----	----	8	----	4 + 4
4375	98.00	98.00	#156.30B/92.40A	#156.30B/92.40A	----	146.20 + 44.00	.6371	----	----	14	----	13 + 4
4375	86.30	86.30	93.60B/*54.10A	93.60B/*54.10A	----	57.70 - 32.90	.3623	----	----	11	----	12 + 3
4375	145.00	145.00	#150.80B/70.40A	#150.80B/70.40A	----	130.30 NEW	.6718	----	----	2	----	0 UNCH
4375	20.00	20.00	#110.90B/7.10A	#110.90B/7.10A	----	88.60 + 59.70	----	144	----	20	----	0 - 151
4375	9.70	9.70	16.30B/*0.10	16.30B/*0.10	----	0.00 - 17.30	----	----	----	41	----	0 - 31
4375	----	----	79.50B/*38.30A	79.50B/*38.30A	----	41.80 - 32.00	.3278	----	----	----	----	1 UNCH
4375	----	----	#131.40B/47.60A	#131.40B/47.60A	----	111.40 + 47.50	.7431	----	----	----	----	13 UNCH
4380	31.00	31.00	#115.90B/8.90A	#115.90B/8.90A	----	93.60 + 61.80	----	8	----	3	----	0 - 10
4380	8.20	8.20	14.20/*0.10	14.20/*0.10	----	0.00 - 15.20	----	----	----	232	----	0 - 24
4385	35.40	35.40	#120.90B/11.20A	#120.90B/11.20A	----	98.60 + 63.60	----	15	----	4	----	0 - 16
4385	9.70	9.70	11.70B/*0.10	11.70B/*0.10	----	0.00 - 13.40	----	----	----	143	----	0 - 16
4390	9.40	9.40	11.00/*0.10A	11.00/*0.10A	----	0.00 - 11.70	----	----	----	39	----	0 - 24
4390	103.10	103.10	#125.90B/14.00A	#125.90B/14.00A	----	103.60 + 65.30	----	8	----	4	----	0 - 9
4395	7.50	7.50	8.20B/*0.10	8.20B/*0.10	----	0.00 - 10.30	----	----	----	53	----	0 - 7
4395	----	----	#130.90B/15.40A	#130.90B/15.40A	----	108.60 + 66.70	----	5	----	1	----	0 - 6
4400	35.50	35.50	43.70B/*14.20A	43.70B/*14.20A	----	16.80 - 24.00	.1988	----	----	49	----	25 + 22
4400	----	----	#173.10B/104.50	#173.10B/104.50A	----	162.50 + 47.30	.6767	----	----	3	----	4 + 3
4400	82.70	82.70	#135.90B/20.70A	#135.90B/20.70A	----	113.60 + 68.10	----	65	----	3	----	0 - 68
4400	----	----	#166.20B/82.30A	#166.20B/82.30A	----	147.40 + 48.90	.7190	----	----	----	----	1 UNCH
4400	5.20	5.20	6.80B/*0.10	6.80B/*0.10	----	0.00 - 8.90	----	----	----	178	----	0 - 104
4400	----	----	#151.10B/59.70A	#151.10B/59.70A	----	130.30 + 52.90	.8010	----	----	----	----	184 UNCH
4405	4.80	4.80	5.80/*0.10A	5.80/*0.10A	----	0.00 - 7.80	----	----	----	19	----	0 - 10
4405	118.70	118.70	#140.90B/24.40A	#140.90B/24.40A	----	118.60 + 69.20	----	6	----	1	----	0 - 7
4410	----	----	#145.90B/28.60A	#145.90B/28.60A	----	123.60 + 70.20	----	9	----	4	----	0 - 10
4410	4.50	4.50	4.90B/*0.10A	4.90B/*0.10A	----	0.00 - 6.80	----	----	----	123	----	0 - 11
4415	1.00	1.00	2.20/*0.10	3.90B/*0.10	----	0.00 - 5.90	----	----	----	66	----	0 - 8
4415	----	----	#150.90B/32.90A	#150.90B/32.90A	----	128.60 + 71.10	----	1	----	1	----	0 - 2
4420	----	----	#155.90B/37.40A	#155.90B/37.40A	----	133.60 + 71.90	----	1	----	1	----	0 - 1
4420	2.70	2.70	3.10/*0.10A	3.40B/*0.10A	----	0.00 - 5.10	----	----	----	27	----	0 - 84
4425	----	----	70.40B/*38.80A	70.40B/*38.80A	----	41.60 - 26.20	.2852	----	----	----	----	2 UNCH
4425	----	----	#191.10B/118.00	#191.10B/118.00A	----	179.90 + 50.60	.7143	----	----	1	----	1 - 1
4425	----	----	#172.30B/73.80A	#172.30B/73.80A	----	150.70 + 57.80	.8492	----	----	----	----	33 UNCH
4425	2.00	2.00	2.50B/*0.10	2.50B/*0.10	----	0.00 - 4.40	----	----	----	44	----	0 - 154
4425	23.60	23.60	32.90B/*10.30A	32.90B/*10.30A	----	12.20 - 19.20	.1506	----	----	3	----	7 + 2
4425	60.00	60.00	#160.90B/42.00A	#160.90B/42.00A	----	138.60 + 72.60	----	37	----	52	----	0 - 35
4425	----	----	54.80B/*25.00A	54.80B/*25.00A	----	27.30 NEW	.2373	----	----	3	----	2 + 2
4430	2.40	2.40	2.40/*0.10	2.40/*0.10	----	0.00 - 3.80	----	----	----	19	----	0 - 34
4430	----	----	#165.90B/46.80A	#165.90B/46.80A	----	143.60 + 73.20	----	2	----	3	----	0 - 5
4435	----	----	----/*0.10A	1.80B/*0.10A	----	0.00 - 3.30	----	----	----	2	----	0 - 8
4435	----	----	#170.90B/51.50A	#170.90B/51.50A	----	148.60 + 73.70	----	1	----	----	----	0 - 1
4440	0.10	0.10	0.20/*0.10	1.70B/*0.10	----	0.00 - 2.90	----	----	----	6	----	0 - 6
4445	----	----	#180.90B/61.30A	#180.90B/61.30A	----	158.60 + 74.50	----	1	----	----	----	0 - 1
4445	1.40	1.40	1.40/*0.10A	1.40/*0.10A	----	0.00 - 2.50	----	----	----	14	----	0 - 25
4450	22.00	22.00	24.20B/*7.50A	24.20B/*7.50A	----	8.90 - 14.90	.1128	----	----	39	----	75 + 37
4450	----	----	#210.20B/132.10	#210.20B/132.10A	----	198.40 + 53.70	.7492	----	----	2	----	3 + 2
4450	----	----	#205.80B/110.60	#205.80B/110.60A	----	185.40 + 56.30	.8006	----	----	----	----	1 UNCH
4450	1.20	1.20	1.20/*0.10	1.30B/*0.10	----	0.00 - 2.20	----	----	----	20	----	0 - 238
4450	120.00	120.00	#185.90B/66.20A	#185.90B/66.20A	----	163.60 + 74.80	----	175	----	1	----	0 - 175
4450	98.80	98.80	#194.30B/90.20A	#194.30B/90.20A	----	172.40 + 62.00	.8869	----	----	1	----	3 UNCH
4455	0.30	0.30	0.30/*0.10A	1.10B/*0.10A	----	0.00 - 1.90	----	----	----	2	----	0 - 29
4455	----	----	#190.90B/71.10A	#190.90B/71.10A	----	168.60 + 75.10	----	2	----	----	----	0 - 2
4460	----	----	#195.90B/76.10A	#195.90B/76.10A	----	173.60 + 75.30	----	6	----	15	----	0 - 13
4460	0.20	0.20	0.20/*0.10	0.80B/*0.10	----	0.00 - 1.70	----	----	----	4	----	0 - 20
4465	0.10	0.10	0.10/*0.10	0.80B/*0.10	----	0.00 - 1.50	----	----	----	45	----	0 - 6
4470	0.40	0.40	0.60/*0.10A	0.60/*0.10A	----	0.00 - 1.30	----	----	----	9	----	0 - 11
4475	26.90	26.90	51.40B/*26.70	51.40B/*26.70	----	29.50 - 20.30	.2180	----	----	3	----	8 - 2
4475	----	----	36.30B/*16.10A	36.30B/*16.10A	----	17.60 - 17.30	.1652	----	----	----	----	4 UNCH
4475	----	----	#210.90B/91.00A	#210.90B/91.00A	----	188.60 + 75.80	----	23	----	51	----	0 - 28
4475	0.50	0.50	0.50/*0.20A	0.60B/*0.20A	----	0.00 - 1.20	----	----	----	5	----	0 - 52
4475	----	----	#226.70B/127.00	#226.70B/127.00A	----	206.00 + 59.60	.8344	----	----	----	----	3 UNCH
4475	5.20	5.20	5.20/*5.20	17.50B/*5.20	----	6.40 - 11.50	.0828	----	----	20	----	16 + 11
4480	0.40	0.40	0.50/*0.10	0.50/*0.10	----	0.00 - 1.00	----	----	----	15	----	0 - 37
4480	----	----	#215.90B/95.90A	#215.90B/95.90A	----	193.60 + 76.00	----	2	----	----	----	0 - 2
4485	----	----	#220.90B/100.90	#220.90B/100.90A	----	198.60 + 76.10	----	1	----	----	----	0 - 1
4485	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 0.90	----	----	----	1	----	0 - 16
4490	----	----	#225.90B/105.90	#225.90B/105.90A	----	203.60 + 76.20	----	1	----	----	----	0 - 1
4490	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 0.80	----	----	----	1	----	0 - 7
4495	----	----	#230.90B/110.90	#230.90B/110.90A	----	208.60 + 76.20	----	2	----	----	----	0 - 2
4495	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 2
4500	----	----	#240.50B/128.70	#240.50B/128.70A	----	218.20 + 68.30	.9386	----	----	1	----	10 + 1
4500	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.70	----	----	----	12	----	0 - 184
4500	42.30	42.30	43.00B/*22.90A	43.00B/*22.90A	----	24.70 - 17.70	.1888	----	----	21	----	22 + 3
4500	----	----	29.20B/*12.80A	29.20B/*12.80A	----	14.10 - 14.40	.1363	----	----	----	----	9 UNCH
4500	227.50	227.50	#235.90B/115.90	#235.90B/115.90A	----	213.60 + 76.30	----	27	----	2	----	0 - 29
4500	----	----	#248.50B/145.90	#248.50B/145.90A	----	227.50 + 62.60	.8633	----	----	----	----	3 UNCH
4500	----	----	----/*3.70A	12.60B/*3.70A	----	4.70 - 8.70	.0612	----	----	1002	----	292 + 41
4505	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 1
4510	----	----	#245.90B/125.90	#245.90B/125.90A	----	223.60 + 76.40	----	2	----	11	----	0 - 11
4510	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 10
4515	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 3
4515	----	----	#250.90B/130.90	#250.90B/130.90A	----	228.60 + 76.50	----	1	----	----	----	0 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4520	----	----	#255.90B/135.50	#255.90B/135.50A	----	233.60 + 76.50	----	1	----	----	----	0 - 1
4520	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 62
4525	----	----	#269.40B/182.10	#269.40B/182.10A	----	258.90 + 61.70	.8366	----	----	----	----	6 UNCH
4525	10.00	10.00	23.30B/*10.00	23.30B/*10.00	----	11.30 - 11.90	.1120	----	----	4	----	2 UNCH
4525	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 65
4525	----	----	#260.90B/140.90	#260.90B/140.90A	----	238.60 + 76.60	----	4	----	2	----	0 - 5
4525	----	----	36.60B/*19.20A	36.60B/*19.20A	----	20.70 - 15.20	.1628	----	----	----	----	5 UNCH
4525	3.70	3.70	3.70/*2.90A	9.20B/*2.90A	----	3.50 - 6.40	.0454	----	----	2	----	5 - 1
4525	----	----	#264.00B/150.10	#264.00B/150.10A	----	242.00 + 70.60	.9544	----	----	1	----	6 UNCH
4545	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
4550	----	----	#279.20B/172.40	#279.20B/172.40A	----	266.10 + 72.20	.9664	----	----	----	----	102 UNCH
4550	2.70	2.70	2.70/*2.00	6.70B/*2.00	----	2.60 - 4.80	.0334	----	----	3	----	10 UNCH
4550	----	----	#285.90B/165.90	#285.90B/165.90A	----	263.60 + 76.80	----	5	----	----	----	0 - 5
4550	16.00	16.00	18.50B/*8.30A	18.50B/*8.30A	----	9.00 - 9.80	.0913	----	----	1	----	5 + 1
4550	----	----	30.50B/*16.10A	30.50B/*16.10A	----	17.40 - 13.00	.1402	----	----	10	----	5 UNCH
4550	----	----	#291.40B/200.70	#291.40B/200.70A	----	280.60 + 63.90	.8592	----	----	----	----	5 UNCH
4550	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	1	----	0 - 26
4550	----	----	#293.80B/185.20	#293.80B/185.20A	----	272.30 + 67.20	.9084	----	----	----	----	1 UNCH
4555	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
4560	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.10	----	----	----	2	----	0 - 25
4565	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4575	----	----	#303.90B/195.60	#303.90B/195.60A	----	290.50 + 73.50	.9735	----	----	----	----	2 UNCH
4575	----	----	#310.90B/190.90	#310.90B/190.90A	----	288.60 + 76.90	----	6	----	----	----	0 - 6
4575	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 132
4575	----	----	----/*1.80A	4.80B/*1.80A	----	2.10 - 3.50	.0263	----	----	----	----	7 UNCH
4575	6.50	6.50	6.60/*6.20A	14.70B/*6.20A	----	7.30 NEW	.0750	----	----	2	----	2 + 2
4580	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4585	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 2
4590	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4595	----	----	#330.90B/210.90	#330.90B/210.90A	----	308.60 + 76.90	----	1	----	1	----	0 - 1
4595	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4600	1.40	1.40	1.40/*1.30A	3.60B/*1.30A	----	1.70 - 2.50	.0207	----	----	3	----	213 - 1
4600	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4600	7.50	7.50	7.50/*5.00A	12.00B/*5.00A	----	5.90 - 6.50	.0613	----	----	38	----	42 + 34
4600	14.50	14.50	14.50/*11.40A	21.40B/*11.40A	----	12.40 - 9.40	.1037	----	----	10	----	13 + 10
4600	----	----	#340.60B/228.30	#340.60B/228.30A	----	319.10 + 70.40	.9384	----	----	----	----	1 UNCH
4610	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4615	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4620	245.00	245.00	#355.90B/235.90	#355.90B/235.90A	----	333.60 + 76.90	----	1	----	1	----	0 - 1
4620	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4625	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 253
4625	268.00	268.00	#360.80B/240.80	#360.80B/240.80A	----	338.60 + 76.90	----	2	----	1	----	0 - 3
4625	4.90	4.90	4.90/*4.10A	9.30B/*4.10A	----	4.80 - 5.30	.0503	----	----	3	----	10 + 3
4625	----	----	----/*1.10A	2.60B/*1.10A	----	1.40 - 1.90	.0166	----	----	----	----	9 UNCH
4625	----	----	----/*9.70A	18.00B/*9.70A	----	10.50 - 7.90	.0891	----	----	----	----	1 UNCH
4630	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4650	----	----	----	275.10B/457.10A	----	364.60 + 75.60	.9871	----	----	----	----	1 UNCH
4650	4.00	4.00	4.00/*3.40	7.50B/*3.40	----	4.00 - 4.20	.0419	----	----	8	----	9 + 6
4650	----	----	----/*8.20A	14.10B/*8.20A	----	9.00 - 6.70	.0771	----	----	----	----	2 UNCH
4650	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 68
4650	1.80	1.80	1.80/*1.00A	2.00B/*1.00A	----	1.10 - 1.40	.0127	----	----	2	----	4 UNCH
4655	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4665	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4670	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4675	----	----	----/*0.90A	1.60B/*0.90A	----	1.00 - 1.00	.0111	----	----	----	----	19 UNCH
4675	11.60	11.60	11.60/*7.10A	12.30B/*7.10A	----	7.70 NEW	.0665	----	----	3	----	3 + 3
4675	----	----	#410.80B/290.80	#410.80B/290.80A	----	388.60 + 76.90	----	----	----	----	----	0 UNCH
4675	----	----	----/*3.40A	6.00B/*3.40A	----	3.30 - 3.50	.0346	----	----	----	----	1 UNCH
4675	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4675	----	----	#382.90B/297.50	#382.90B/297.50A	----	391.60 + 73.60	.9652	----	----	----	----	1 UNCH
4680	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4685	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4700	----	----	#435.80B/315.80	#435.80B/315.80A	----	413.60 + 76.90	----	----	----	----	----	0 UNCH
4700	----	----	----/*2.90A	5.00B/*2.90A	----	2.80 - 2.80	.0292	----	----	----	----	42 UNCH
4700	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
4700	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 - 0.70	.0096	----	----	2	----	24 + 1
4725	----	----	----/*0.80A	1.00B/*0.80A	----	0.80 - 0.50	.0083	----	----	----	----	5 UNCH
4725	----	----	#460.80B/340.50	#460.80B/340.50A	----	438.60 + 76.90	----	----	----	----	----	0 UNCH
4725	----	----	----/*2.40A	4.10B/*2.40A	----	2.50 - 2.20	.0256	----	----	----	----	1 UNCH
4725	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4725	8.70	8.70	8.70/*5.20A	9.10B/*5.20A	----	5.90 NEW	.0510	----	----	1	----	1 + 1
4750	0.50	0.50	0.50/*0.50	0.80B/*0.50	----	0.70 - 0.40	.0070	----	----	1	----	27 + 1
4750	----	----	----/*2.10A	3.40B/*2.10A	----	2.20 - 1.80	.0223	----	----	----	----	2 UNCH
4750	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4775	----	----	----/*4.00A	6.50B/*4.00A	----	4.60 - 2.70	.0396	----	----	----	----	1 UNCH
4775	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
4775	----	----	----/*2.10A	2.80B/*2.10A	----	1.90 - 1.50	.0190	----	----	----	----	4 UNCH
4800	5.70	5.70	5.70/*3.70A	5.70/*3.70A	----	4.10 - 2.30	.0352	----	----	25	----	108 + 21
4800	----	----	----/*0.70A	0.50B/*0.70A	----	0.60 - 0.20	.0056	----	----	----	----	9 UNCH
4800	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 36
4800	----	----	----/*2.00A	2.40B/*2.00A	----	1.70 - 1.30	.0168	----	----	----	----	3 UNCH
4825	----	----	----/*3.70A	4.60B/*3.70A	----	3.70 - 1.90	.0315	----	----	----	----	5 UNCH
4825	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4825	----	----	----/*0.70A	0.40B/*0.70A	----	0.50 - 0.30	.0046	----	----	----	----	2 UNCH
4830	----	----	#565.80B/*445.8	#565.80B/445.80A	----	543.60 + 76.90	----	----	----	----	----	0 UNCH
4850	----	----	----	0.40B/*0.70A	----	0.50 - 0.20	.0044	----	----	----	----	6 UNCH
4850	1.90	1.90	1.90/*1.60A	1.90/*1.60A	----	1.50 - 0.80	.0141	----	----	3	----	4 + 3
4875	----	----	----/*1.60A	1.60B/*1.60A	----	1.40 - 0.70	.0129	----	----	----	----	7 UNCH
4875	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0034	----	----	----	----	2 UNCH
4900	----	----	----	0.10B/*0.60A	----	0.40 - 0.10	.0033	----	----	----	----	5 UNCH
4900	----	----	----/*2.90A	3.20B/*2.90A	----	2.80 - 1.10	.0232	----	----	----	----	5 UNCH
4900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	2	----	0 - 8
4900	----	----	----/*1.60A	1.40B/*1.60A	----	1.30 - 0.60	.0118	----	----	----	----	2 UNCH
4925	----	----	----/*2.70A	2.80B/*2.70A	----	2.60 - 0.90	.0213	----	----	----	----	17 UNCH
4950	----	----	----/*2.60A	2.40B/*2.60A	----	2.40 - 0.70	.0195	----	----	----	----	20 UNCH
4950	----	----	----	----/*0.60A	----	0.30 - 0.10	.0024	----	----	----	----	2 UNCH
4950	----	----	----/*1.30A	1.10B/*1.30A	----	1.20 - 0.40	.0104	----	----	----	----	3 UNCH
4950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4975	----	----	----	----/*0.60A	----	0.20 - 0.10	.0016	----	----	----	----	4 UNCH
5000	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5000	----	----	----	0.90B/1.40A	----	1.00 - 0.30	.0084	----	----	----	----	3 UNCH
5000	----	----	----	----/*0.60A	----	0.20 - 0.10	.0015	----	----	----	----	3 UNCH
5025	----	----	----	0.80B/*1.30A	----	0.90 - 0.20	.0075	----	----	----	----	4 UNCH
5050	----	----	----	----/*0.60A	----	0.20 UNCH	.0014	----	----	----	----	4 UNCH
5050	----	----	----	0.70B/*1.20A	----	0.80 - 0.20	.0066	----	----	----	----	1 UNCH
5100	----	----	----	1.30B/1.90A	----	1.80 - 0.10	.0134	----	----	----	----	17 UNCH
5100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5200	----	----	----	0.40B/*1.00A	----	0.40 - 0.20	.0031	----	----	----	----	2 UNCH
5250	----	----	----	----/*0.50A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5400	----	----	----	----/*0.90A	----	0.30 UNCH	.0021	----	----	----	----	10 UNCH
5500	----	----	----	----/*0.70A	----	0.20 - 0.10	.0013	----	----	----	----	3 UNCH
5500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
TOTAL										7445		2546 - 3599

GWR THU — GOLD WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3500	----	----	1.40B/0.80A	1.40B/0.80A	----	1.10 + 0.20	.0061	----	----	----	----	4 UNCH
3500	----	----	----	0.10B/0.20A	----	0.20 UNCH	.0002	----	----	----	----	2 UNCH
3600	0.20	0.20	0.20/0.20	0.20/0.20	----	0.30 NEW	.0004	----	----	17	----	17 + 17
3600	----	----	2.00B/1.10A	2.00B/1.10A	----	1.60 + 0.30	.0096	----	----	3	----	25 + 3
3700	2.90	2.90	3.20B/1.50A	3.20B/1.50A	----	2.60 + 0.70	.0166	----	----	25	----	63 + 25
3750	0.30	0.30	0.60B/*0.30	0.60B/*0.30	----	0.60 UNCH	.0015	----	----	1	----	1 + 1
3750	----	----	4.00B/1.80A	4.00B/1.80A	----	3.20 + 0.90	.0213	----	----	3	----	6 + 3
3800	----	----	5.10B/2.10A	5.10B/2.10A	----	4.00 + 1.30	.0276	----	----	----	----	9 UNCH
3800	1.10	1.10	1.10/*0.40A	1.10/*0.40A	----	0.70 UNCH	.0020	----	----	6	----	24 + 6
3900	5.80	5.80	8.60B/3.00A	8.60B/3.00A	----	6.50 + 2.50	.0481	----	----	10	----	58 + 9
3900	0.70	0.70	1.60B/*0.70	1.60B/*0.70	----	1.10 NEW	.0044	----	----	2	----	2 + 2
3950	1.70	1.70	#2.30B/*0.80A	2.30B/*0.80A	----	1.50 NEW	.0072	----	----	21	----	21 + 21
3950	8.10	8.10	#11.20B/*3.70A	11.20B/*3.70A	----	8.50 NEW	.0647	----	----	1	----	1 + 1
3960	1.70	1.70	#2.40B/*0.90A	2.40B/*0.90A	----	1.50 NEW	.0074	----	----	20	----	20 + 20
3965	1.00	1.00	#2.50B/*0.90A	2.50B/*0.90A	----	1.60 NEW	.0081	----	----	10	----	10 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week2										
JUN26												
3970	1.70	1.70	#2.60B/*0.90A	2.60B/*0.90A	----	1.60 NEW	.0082	----	----	7	----	7 + 7
3975	1.70	1.70	#2.70B/*0.90A	2.70B/*0.90A	----	1.70 NEW	.0089	----	----	7	----	7 + 7
3975	9.10	9.10	#12.80B/*4.10A	12.80B/*4.10A	----	9.70 NEW	.0750	----	----	4	----	4 + 4
3995	2.10	2.10	#3.10B/*1.00A	3.10B/*1.00A	----	1.90 NEW	.0107	----	----	6	----	6 + 6
4000	1.70	1.70	3.40B/1.00A	3.40B/1.00A	----	2.00 + 0.40	.0115	----	----	75	----	79 + 75
4000	6.30	6.30	15.00B/4.60A	15.00B/4.60A	----	11.20 + 4.70	.0875	----	----	9	----	101 + 4
4025	----	----	#17.70B/*5.20A	17.70B/*5.20A	----	13.00 + 5.60	.1024	----	----	----	----	1 UNCH
4035	----	----	#4.30B/*1.20A	4.30B/*1.20A	----	2.60 + 0.70	.0173	----	----	----	----	1 UNCH
4040	----	----	#4.50B/*1.20A	4.50B/*1.20A	----	2.70 + 0.80	.0183	----	----	----	----	1 UNCH
4050	11.50	11.50	20.20B/6.00A	20.20B/6.00A	----	15.20 + 6.60	.1203	----	----	1	----	7 UNCH
4050	0.90	0.90	5.20B/*0.90	5.20B/*0.90	----	3.00 + 1.00	.0212	----	----	16	----	11 + 1
4075	6.60	6.60	6.60/1.40A	6.60/1.40A	----	3.70 + 1.30	.0289	----	----	3	----	6 + 3
4075	11.90	11.90	23.60B/6.80A	23.60B/6.80A	----	17.70 + 7.80	.1408	----	----	1	----	51 + 1
4080	2.30	2.30	6.40B/*1.40A	6.40B/*1.40A	----	3.90 + 1.50	.0311	----	----	2	----	3 UNCH
4095	----	----	7.60B/*1.50A	7.60B/*1.50A	----	4.50 + 1.80	.0381	----	----	----	----	1 UNCH
4100	9.90	9.90	#27.50B/8.00A	#27.50B/8.00A	----	20.80 + 9.20	.1654	----	----	69	----	70 + 52
4100	2.30	2.30	8.00B/1.60A	8.00B/1.60A	----	4.70 + 1.90	.0406	----	----	30	----	29 - 9
4110	5.20	5.20	9.00B/*1.60A	9.00B/*1.60A	----	5.20 NEW	.0467	----	----	1	----	1 + 1
4120	4.10	4.10	10.00B/*1.80A	10.00B/*1.80A	----	5.80 + 2.60	.0540	----	----	1	----	2 + 1
4125	6.30	6.30	10.50B/1.80A	10.50B/1.80A	----	6.10 + 2.80	.0579	----	----	19	----	83 + 11
4125	10.70	10.70	#32.20B/9.20A	#32.20B/9.20A	----	24.50 + 11.00	.1941	----	----	7	----	12 UNCH
4130	6.80	6.80	10.60B/*1.90A	10.60B/*1.90A	----	6.40 NEW	.0619	----	----	2	----	2 + 2
4140	7.50	7.50	11.80B/*2.00A	11.80B/*2.00A	----	7.10 NEW	.0713	----	----	1	----	1 + 1
4145	6.80	6.80	12.40B/*2.00A	12.40B/*2.00A	----	7.50 NEW	.0766	----	----	2	----	2 + 2
4150	4.50	4.50	13.20B/2.10A	13.20B/2.10A	----	7.90 + 3.80	.0822	----	----	79	----	73 + 42
4150	14.00	14.00	#37.60B/11.00A	#37.60B/11.00A	----	28.90 + 12.90	.2273	----	----	11	----	19 + 3
4160	4.70	4.70	14.60B/*2.30A	14.60B/*2.30A	----	8.90 NEW	.0955	----	----	2	----	2 + 2
4165	8.90	8.90	15.30B/*2.40A	15.30B/*2.40A	----	9.40 NEW	.1025	----	----	2	----	2 + 2
4170	9.90	9.90	16.20B/*2.40A	16.20B/*2.40A	----	9.90 + 5.10	.1098	----	----	3	----	4 + 3
4175	10.50	10.50	17.30B/2.50A	17.30B/2.50A	----	10.50 + 5.50	.1182	----	----	1	----	33 UNCH
4175	----	----	#44.10B/13.00A	#44.10B/13.00A	----	34.20 + 15.30	.2655	----	----	----	----	3 UNCH
4180	8.10	8.10	18.10B/*2.60A	18.10B/*2.60A	----	11.00 NEW	.1260	----	----	2	----	2 + 2
4190	----	----	20.20B/*2.80A	20.20B/*2.80A	----	12.40 + 6.60	.1458	----	----	1	----	3 + 1
4195	5.30	5.30	21.40B/*3.00A	21.40B/*3.00A	----	13.10 NEW	.1562	----	----	2	----	2 + 2
4200	3.80	3.80	23.40/3.10A	23.40/3.10A	----	13.80 + 7.40	.1671	----	----	10	----	24 + 7
4200	43.00	43.00	#51.50B/15.70A	#51.50B/15.70A	----	40.40 + 18.00	.3085	----	----	209	----	46 + 31
4205	6.10	6.10	23.90B/*3.20A	23.90B/*3.20A	----	14.70 NEW	.1797	----	----	2	----	2 + 2
4215	4.50	4.50	26.50B/*3.60A	26.50B/*3.60A	----	16.50 NEW	.2062	----	----	3	----	3 + 3
4220	7.30	7.30	28.00B/*3.70A	28.00B/*3.70A	----	17.50 + 9.70	.2208	----	----	2	----	3 + 1
4225	9.30	9.30	29.40B/3.90A	29.40B/3.90A	----	18.60 + 10.40	.2365	----	----	61	----	39 + 27
4225	25.30	25.30	#60.20B/18.90A	#60.20B/18.90A	----	47.70 + 21.00	.3564	----	----	30	150	181 + 176
4230	5.20	5.20	31.10B/*4.10A	31.10B/*4.10A	----	19.70 + 11.10	.2527	----	----	3	----	6 + 1
4240	5.70	5.70	#34.50B/*4.60A	#34.50B/*4.60A	----	22.20 + 12.60	.2882	----	----	5	----	9 + 5
4245	6.20	6.20	#36.30B/*4.80A	#36.30B/*4.80A	----	23.60 NEW	.3074	----	----	4	----	3 + 3
4250	27.80	27.80	#69.90B/22.90A	#69.90B/22.90A	----	56.20 + 24.30	.4089	----	----	33	----	233 + 4
4250	6.70	6.70	#38.50B/5.00A	#38.50B/5.00A	----	25.10 + 14.30	.3276	----	----	28	----	102 + 15
4250	55.80	55.80	139.00B/*52.50A	139.00B/*52.50A	----	61.50 NEW	.6722	----	----	3	----	3 + 3
4255	----	----	#39.90B/*5.40A	#39.90B/*5.40A	----	26.60 + 15.20	.3483	----	----	2	----	4 + 1
4260	----	----	#42.10B/*5.60A	#42.10B/*5.60A	----	28.30 NEW	.3702	----	----	3	----	3 + 3
4270	58.50	58.50	120.40B/*41.00A	120.40B/*41.00A	----	48.30 NEW	.5839	----	----	2	----	0 UNCH
4270	22.50	22.50	#46.60B/*6.40A	#46.60B/*6.40A	----	31.90 + 18.40	.4160	----	----	3	----	3 + 2
4275	----	----	#81.30B/27.70A	#81.30B/27.70A	----	66.00 + 28.00	.4652	----	----	1	----	13 UNCH
4275	16.70	16.70	#49.00B/6.80A	#49.00B/6.80A	----	33.80 + 19.50	.4398	----	----	29	----	39 + 11
4275	46.90	46.90	115.80B/*38.40A	115.80B/*38.40A	----	45.20 NEW	.5601	----	----	9	----	5 + 5
4280	9.70	9.70	#51.60B/*7.20A	#51.60B/*7.20A	----	35.90 + 20.70	.4643	----	----	4	----	6 + 4
4285	----	----	#54.20B/*8.00A	#54.20B/*8.00A	----	38.10 + 22.00	.4892	----	----	1	----	21 + 1
4285	----	----	106.80B/*33.60A	106.80B/*33.60A	----	39.50 NEW	.5107	----	----	1	----	1 + 1
4290	35.00	35.00	102.40B/*31.40A	102.40B/*31.40A	----	36.70 NEW	.4854	----	----	3	----	3 + 3
4290	----	----	#56.90B/*8.50A	#56.90B/*8.50A	----	40.30 + 23.20	.5145	----	----	3	----	3 + 1
4295	28.80	28.80	#59.80B/*9.10A	#59.80B/*9.10A	----	42.70 + 24.60	.5400	----	----	6	----	4 + 3
4300	----	----	117.70B/*58.00A	117.70B/*58.00A	----	63.70 - 45.00	.4752	----	----	1	----	3 + 1
4300	91.80	91.80	#94.10B/33.70A	#94.10B/33.70A	----	77.30 + 32.00	.5245	----	----	25	----	57 UNCH
4300	17.50	17.50	#62.80B/9.80A	#62.80B/9.80A	----	45.20 + 26.00	.5657	----	----	21	----	94 - 3
4300	41.10	41.10	93.70B/*26.80A	93.70B/*26.80A	----	31.60 NEW	.4341	----	----	4	----	3 + 3
4305	----	----	#65.80B/*10.50A	#65.80B/*10.50A	----	47.80 NEW	.5915	----	----	1	----	1 + 1
4305	28.40	28.40	89.30B/*24.80A	89.30B/*24.80A	----	29.20 NEW	.4084	----	----	3	----	3 + 3
4310	14.70	14.70	#69.10B/*11.30A	#69.10B/*11.30A	----	50.60 NEW	.6169	----	----	4	----	4 + 4
4315	----	----	81.00B/*20.80A	81.00B/*20.80A	----	24.80 - 46.60	.3575	----	----	----	----	1 UNCH
4315	----	----	#72.20B/*12.10A	#72.20B/*12.10A	----	53.40 NEW	.6424	----	----	2	----	2 + 2
4320	27.40	27.40	#75.40B/*13.00A	#75.40B/*13.00A	----	56.40 NEW	.6672	----	----	2	----	1 + 1
4320	----	----	76.90B/*19.00A	76.90B/*19.00A	----	22.80 NEW	.3327	----	----	1	----	1 + 1
4325	----	----	100.00B/*46.70A	100.00B/*46.70A	----	51.70 NEW	.4147	----	----	1	----	1 + 1
4325	31.10	31.10	72.90B/*17.40	72.90B/*17.40	----	20.90 NEW	.3084	----	----	8	----	6 + 6
4325	65.70	65.70	#108.50B/41.00A	#108.50B/41.00A	----	90.30 + 36.40	.5850	----	----	3	----	22 + 3
4325	29.10	29.10	#78.40B/14.00A	#78.40B/14.00A	----	59.50 + 33.60	.6915	----	----	2	----	20 UNCH
4330	----	----	#82.00B/*15.10A	#82.00B/*15.10A	----	62.80 + 35.30	.7146	----	----	2	----	52 + 1
4335	15.00	15.00	65.10B/*14.40A	65.10B/*14.40A	----	17.60 NEW	.2629	----	----	2	----	2 + 2
4335	----	----	#85.70B/*16.30A	#85.70B/*16.30A	----	66.20 + 37.00	.7370	----	----	----	----	1 UNCH
4340	13.80	13.80	61.20B/*13.10A	61.20B/*13.10A	----	16.10 NEW	.2414	----	----	2	----	2 + 2
4340	39.10	39.10	#89.40B/*17.50A	#89.40B/*17.50A	----	69.70 + 38.70	.7585	----	----	1	----	3 + 1
4345	22.60	22.60	#93.30B/*18.90A	#93.30B/*18.90A	----	73.30 NEW	.7789	----	----	1	----	1 + 1
4345	----	----	58.60B/*11.90A	58.60B/*11.90A	----	14.70 - 36.60	.2209	----	----	2	----	3 + 1
4350	62.90	62.90	#124.50B/49.50A	#124.50B/49.50A	----	105.00 + 41.10	.6446	----	----	5	----	16 + 1
4350	38.10	38.10	83.50B/*37.10A	83.50B/*37.10A	----	41.40 - 35.90	.3551	----	----	2	----	1 UNCH
4350	37.00	37.00	55.00B/*10.50	55.00B/*10.50	----	13.40 NEW	.2015	----	----	144	----	35 + 35
4350	52.10	52.10	#97.20B/20.30A	#97.20B/20.30A	----	77.00 + 42.10	.7984	----	----	17	----	35 + 14
4355	42.00	42.00	51.50B/*9.80A	51.50B/*9.80A	----	12.10 NEW	.1823	----	----	1	----	1 + 1
4355	----	----	#101.00B/*21.90	#101.00B/*21.90A	----	80.70 + 43.70	.8176	----	----	----	----	5 UNCH
4360	38.70	38.70	#105.10B/*23.50	#105.10B/*23.50A	----	84.60 + 45.40	.8347	----	----	50	----	52 + 50
4365	7.70	7.70	45.00B/*7.70	45.00B/*7.70	----	9.90 NEW	.1483	----	----	8	----	8 + 8
4370	----	----	42.40B/*7.20A	42.40B/*7.20A	----	9.00 NEW	.1338	----	----	1	----	1 + 1
4375	47.00	47.00	68.80B/*29.20A	68.80B/*29.20A	----	32.80 - 31.10	.2986	----	----	2	----	26 UNCH
4375	11.80	11.80	38.80B/*6.40A	38.80B/*6.40A	----	8.10 NEW	.1195	----	----	7	----	7 + 7
4375	----	----	#118.10B/29.30A	#118.10B/29.30A	----	96.70 + 50.30	.8803	----	----	----	----	10 UNCH
4375	----	----	#140.70B/59.80A	#140.70B/59.80A	----	121.30 + 45.90	.7011	----	----	1	----	25 + 1
4380	17.00	17.00	36.10B/*5.80	36.10B/*5.80	----	7.30 - 25.10	.1067	----	----	23	----	22 + 20
4385	7.10	7.10	33.40B/*5.30A	33.40B/*5.30A	----	6.60 NEW	.0953	----	----	1	----	1 + 1
4390	22.70	22.70	30.80B/*4.80A	30.80B/*4.80A	----	6.00 - 22.00	.0853	----	----	4	----	3 + 2
4395	----	----	#135.90B/*38.80	#135.90B/*38.80A	----	114.00 + 56.40	.9242	----	----	----	----	1 UNCH
4400	26.40	26.40	55.80B/*22.60A	55.80B/*22.60A	----	25.60 - 26.50	.2462	----	----	6	----	5 + 4
4400	141.90	141.90	#159.30B/71.80A	#159.30B/71.80A	----	139.10 + 50.40	.7535	----	----	2	----	12 UNCH
4400	----	----	26.00B/*4.00A	26.00B/*4.00A	----	4.90 - 19.20	.0674	----	----	31	----	32 + 23
4400	----	----	#140.50B/41.50A	#140.50B/41.50A	----	118.50 + 57.80	.9325	----	----	4	----	59 - 4
4410	5.70	5.70	21.80B/*3.20A	21.80B/*3.20A	----	4.00 - 16.70	.0529	----	----	5	----	2 UNCH
4415	6.40	6.40	19.90B/*2.90A	19.90B/*2.90A	----	3.60 NEW	.0466	----	----	38	----	36 + 36
4420	----	----	#158.90B/*53.60	#158.90B/*53.60A	----	136.90 NEW	.9581	----	----	22	----	22 + 22
4420	5.50	5.50	18.00B/*2.60A	18.00B/*2.60A	----	3.30 - 14.40	.0417	----	----	4	----	8 + 2
4425	----	----	44.50B/*17.40A	44.50B/*17.40A	----	19.80 - 22.30	.1997	----	----	----	----	201 UNCH
4425	----	----	#178.90B/85.70A	#178.90B/85.70A	----	158.30 + 54.60	.8000	----	----	----	----	47 UNCH
4425	----	----	#163.80B/57.00A	#163.80B/57.00A	----	141.60 + 63.70	.9628	----	----	----	----	1 UNCH
4425	12.00	12.00	16.40B/*2.30A	16.40B/*2.30A	----	3.00 - 13.30	.0370	----	----	48	----	50 + 33
4430	3.90	3.90	3.90/*2.20A	14.90B/*2.20A	----	2.80 - 12.30	.0337	----	----	1	----	2 UNCH
4440	2.30	2.30	2.30/*1.80A	12.00B/*1.80A	----	2.30 - 10.40	.0263	----	----	20	----	23 + 20
4445	3.80	3.80	3.80/*1.60A	10.90B/*1.60A	----	2.20 - 9.50	.0244	----	----	4	----	4 + 2
4450	176.90	176.90	#199.80B/100.90	#199.80B/100.90A	----	178.60 + 58.40	.8402	----	----	5	----	25 + 1
4450	----	----	#181.30B/75.70A	#181.30B/75.70A	----	165.60 + 68.30	.9783	----	----	1	----	6 - 1
4450	7.00	7.00	9.80B/*1.50A	9.80B/*1.50A	----	2.00 - 8.80	.0216	----	----	37	----	50 + 31
4450	29.20	29.20	35.00B/*13.40A	35.00B/*13.40A	----	15.20 - 18.50	.1595	----	----	52	----	56 + 32
4455	----	----	----/*1.40A	9.10B/*1.40A	----	1.90 - 8.00	.0199	----	----	6	----	4 UNCH
4460	----	----	----/*1.30A	8.30B/*1.30A	----	1.70 - 7.40	.0174	----	----	2	----	7 + 2
4465	5.00	5.00	5.00/*1.20A	7.30B/*1.20A	----	1.60 - 6.70	.0159	----	----	49	----	53 + 45
4470	----	----	----/*1.20A	6.60B/*1.20A	----	1.50 - 6.10	.0145	----	----	2	----	6 - 2
4470	----	----	#200.10B/*92.40	#200.10B/*92.40A	----	185.10 NEW	.9854	----	----	22	----	22 + 22
4475	----	----	#221.60B/118.10	#221.60B/118.10A	----	200.00 + 61.80	.8739	----	----	----	----	13 UNCH
4475	3.40	3.40	3.40/*1.10A	6.00B/*1.10A	----	1.40 - 5.60	.0131	----	----	1	----	66 + 1
4475	16.00	16.00	27.30B/*10.20A	27.30B/*10.20A	----	11.60 - 15.10	.1258	----	----	10	----	17 + 9
4475	----	----	#205.60B/96.70A	#205.60B/96.70A	----	190.00 + 71.40	.9868	----	----	1	----	24 UNCH
4480	3.80	3.80	#3.80/*1.00A	5.40B/*1.00A	----	1.30 - 5.10	.0118	----	----	12	----	12 + 11
4490	----	----	----/*0.90A	4.50B/*0.90A	----	1.20 - 4.20	.0103	----	----	----	----	3 UNCH
4495	----	----	----/*0.90A	3.90B/*0.90A	----	1.10 - 3.90	.0092	----	----	----	----	2 UNCH
4500	21.10	21.10	21.10/*7.80A	21.10/*7.80A	----	8.80 - 12.30	.0980	----	----	1020	----	298 + 41
4500	----	----	#244.10B/136.90	#244.10B/136.90A	----	222.30 + 64.70	.9017	----	----	11	----	46 UNCH
4500	----	----	#230.20B/119.30	#230.20B/119.30A	----	214.70 + 73.60	.9909	----	----	----	----	36 UNCH
4500	3.80	3.80	3.80/*0.90A	3.80/*0.90A	----	1.10 - 3.50	.0090	----	----	4	----	37 + 1
4505	----	----	----/*0.90A	3.30B/*0.90A	----	1.00 - 3.20	.0079	----	----	----	----	1 UNCH
4510	0.90	0.90	0.90/*0.80A	2.90B/*0.80A	----	0.90 - 2.90	.0069	----	----	5	----	6 + 5
4525	----	----	#254.90B/142.90	#254.90B/142.90A	----	239.40 + 74.90	.9942	----	----	----	----	41 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week3										
JUN26												
4525	----	----	#267.50B/156.90	#267.50B/156.90A	----	245.20 + 67.20	.9229	----	----	----	----	27 UNCH
4525	14.50	14.50	16.20B/*6.00A	16.20B/*6.00A	----	6.80 - 9.80	.0768	----	----	43	----	46 + 12
4525	----	----	----/*0.70A	2.20B/*0.70A	----	0.80 - 2.20	.0057	----	----	----	----	12 UNCH
4530	----	----	----/*0.70A	1.90B/*0.70A	----	0.80 - 1.90	.0055	----	----	----	----	2 UNCH
4535	----	----	----/*0.70A	1.70B/*0.70A	----	0.70 - 1.80	.0047	----	----	----	----	1 UNCH
4540	----	----	----/*0.70A	1.60B/*0.70A	----	0.70 - 1.60	.0046	----	----	----	----	2 UNCH
4545	----	----	#274.30B/*162.2	#274.30B/*162.20A	----	259.30 + 75.60	.9954	----	----	----	----	1 UNCH
4550	12.50	12.50	12.50/*4.70A	12.50/*4.70A	----	5.30 - 7.70	.0603	----	----	26	----	19 + 6
4550	0.90	0.90	0.90/*0.60A	1.30B/*0.60A	----	0.60 - 1.40	.0037	----	----	3	----	14 - 1
4550	----	----	#281.00B/167.10	#281.00B/167.10A	----	264.20 + 75.70	.9962	----	----	----	----	80 UNCH
4555	----	----	----/*0.60A	1.20B/*0.60A	----	0.60 - 1.20	.0036	----	----	----	----	2 UNCH
4560	----	----	----/*0.60A	1.10B/*0.60A	----	0.60 - 1.10	.0036	----	----	----	----	1 UNCH
4575	----	----	#314.90B/200.10	#314.90B/200.10A	----	292.60 + 71.00	.9520	----	----	----	----	3 UNCH
4575	----	----	----/*0.50A	0.80B/*0.50A	----	0.50 - 0.80	.0027	----	----	----	----	10 UNCH
4575	8.30	8.30	9.70B/*3.70A	9.70B/*3.70A	----	4.20 - 6.00	.0478	----	----	3	----	16 UNCH
4600	----	----	#329.40B/221.40	#329.40B/221.40A	----	314.00 + 76.50	.9980	----	----	1	----	21 UNCH
4600	----	----	#339.00B/222.90	#339.00B/222.90A	----	316.70 + 72.30	.9614	----	----	1	----	2 + 1
4600	6.40	6.40	7.40B/*3.00A	7.40B/*3.00A	----	3.40 - 4.60	.0384	----	----	11	----	32 + 1
4600	----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.50	.0019	----	----	----	----	43 UNCH
4610	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.40	.0018	----	----	----	----	5 UNCH
4625	4.70	4.70	4.70/*2.50A	5.70B/*2.50A	----	2.70 - 3.70	.0303	----	----	6	----	37 + 2
4625	----	----	#262.70B/----	#262.70B/336.70A	----	338.90 + 76.70	.9987	----	----	1	----	1 UNCH
4625	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.30 - 0.40	.0012	----	----	5	----	43 + 1
4650	----	----	346.00B/269.90A	346.00B/269.90A	----	365.50 + 74.00	.9754	----	----	----	----	1 UNCH
4650	----	----	----/*2.10A	4.50B/*2.10A	----	2.20 - 2.90	.0244	----	----	4	----	26 + 3
4650	----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0007	----	----	----	----	100 UNCH
4675	----	----	----	0.10B/*0.40A	----	0.20 - 0.20	.0006	----	----	----	----	37 UNCH
4675	----	----	----/*1.70A	3.60B/*1.70A	----	1.80 - 2.30	.0197	----	----	----	----	20 UNCH
4700	2.10	2.10	2.10/*1.50A	2.90B/*1.50A	----	1.50 - 1.90	.0162	----	----	5	----	986 - 3
4700	----	----	----	----/0.50A	----	0.10 - 0.20	.0002	----	----	----	----	605 UNCH
4725	----	----	----/*1.30A	2.40B/*1.30A	----	1.20 - 1.60	.0128	----	----	----	----	14 UNCH
4725	----	----	----	----/0.50A	----	0.10 - 0.20	.0001	----	----	----	----	4 UNCH
4750	----	----	----/*1.20A	2.00B/*1.20A	----	1.10 - 1.30	.0114	----	----	----	----	77 UNCH
4750	----	----	----	----	----	464.40 + 75.70	.9885	----	----	----	----	2 UNCH
4750	----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	3 UNCH
4775	----	----	----/*1.00A	1.70B/*1.00A	----	1.00 - 1.00	.0101	----	----	----	----	91 UNCH
4775	----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	6 UNCH
4800	----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	8 UNCH
4800	----	----	----/*1.10A	1.40B/*1.10A	----	1.00 - 0.80	.0097	----	----	1	----	985 UNCH
4825	----	----	----/*1.00A	1.20B/*1.00A	----	1.00 - 0.50	.0093	----	----	----	----	23 UNCH
4825	----	----	----	0.10B/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4850	----	----	----/*1.00A	1.00B/*1.00A	----	1.00 - 0.30	.0090	----	----	----	----	1 UNCH
4850	----	----	0.20B/----	0.20B/*0.20A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
4875	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.30	.0079	----	----	----	----	19 UNCH
4900	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0069	----	----	----	----	8 UNCH
4900	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
4925	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0059	----	----	----	----	14 UNCH
4950	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	1	----	4 + 1
4975	----	----	----	0.50B/*0.80A	----	0.60 - 0.20	.0049	----	----	----	----	2 UNCH
5000	----	----	----	0.40B/1.00A	----	0.60 - 0.20	.0047	----	----	----	----	4 UNCH
TOTAL										2835	150	6998 + 1188
JUL26												
3250	3.40	3.40	#3.40/*2.50A	#3.40/2.50A	----	3.60 NEW	.0153	----	----	1	----	1 + 1
3500	6.80	6.80	#6.80/*3.80A	#6.80/*3.80A	----	6.30 NEW	.0299	----	----	3	----	3 + 3
3600	----	----	#6.10B/*3.60A	#6.10B/3.60A	----	5.50 + 1.60	.0298	----	----	----	----	1 UNCH
3800	----	----	#14.20B/6.60A	#14.20B/6.60A	----	11.70 + 4.20	.0666	----	----	----	----	3 UNCH
3900	11.80	11.80	#21.40B/9.80A	#21.40B/9.80A	----	17.80 NEW	.1021	----	----	1	----	1 + 1
3950	----	----	26.70B/*12.10A	26.70B/*12.10A	----	22.20 + 8.40	.1269	----	----	----	----	48 UNCH
4000	----	----	#33.50B/15.10A	#33.50B/15.10A	----	27.80 + 10.50	.1577	----	----	----	----	9 UNCH
4000	29.20	29.20	#40.50B/*20.20A	#40.50B/*20.20A	----	34.90 + 12.50	.1777	----	----	15	----	15 + 10
4025	25.00	25.00	#45.00B/*22.50A	#45.00B/*22.50A	----	38.80 NEW	.1959	----	----	1	----	1 + 1
4050	----	----	#41.70B/19.20A	#41.70B/19.20A	----	35.10 + 13.20	.1959	----	----	----	----	1 UNCH
4075	39.20	39.20	#46.70B/21.70A	#46.70B/21.70A	----	39.40 + 14.70	.2179	----	----	2	----	4 + 2
4075	----	----	#55.50B/*28.30A	#55.50B/*28.30A	----	48.10 + 16.80	.2375	----	----	----	----	1 UNCH
4100	----	----	#52.40B/24.70A	#52.40B/24.70A	----	44.30 + 16.30	.2421	----	----	----	----	7 UNCH
4100	----	----	#61.60B/*31.70A	#61.60B/*31.70A	----	53.50 + 18.40	.2608	----	----	----	----	1 UNCH
4125	48.10	48.10	#58.40B/28.10A	#58.40B/28.10A	----	49.80 + 18.10	.2684	----	----	2	----	12 + 2
4125	45.40	45.40	#68.20B/*35.70A	#68.20B/*35.70A	----	59.50 NEW	.2858	----	----	2	----	1 + 1
4150	50.30	50.30	#65.40B/32.00A	#65.40B/32.00A	----	56.00 + 20.10	.2970	----	----	4	----	8 - 1
4150	45.20	45.20	#75.70B/*40.20A	#75.70B/*40.20A	----	66.20 + 22.00	.3128	----	----	1	----	3 + 1
4175	61.60	61.60	#73.50B/36.40A	#73.50B/36.40A	----	62.90 NEW	.3277	----	----	4	----	3 + 3
4175	----	----	#83.90B/*45.20A	#83.90B/*45.20A	----	73.50 + 23.90	.3413	----	----	----	----	2 UNCH
4200	----	----	#81.80B/41.50A	#81.80B/41.50A	----	70.60 NEW	.3606	----	----	1	----	1 + 1
4200	56.90	56.90	#92.70B/*50.50A	#92.70B/*50.50A	----	81.60 + 26.00	.3715	----	----	19	----	19 + 14
4225	----	----	#102.50B/*56.50	#102.50B/*56.50A	----	90.50 + 28.20	.4032	----	----	----	----	1 UNCH
4250	74.10	74.10	#109.30/53.40A	#109.30/53.40A	----	88.70 + 29.40	.4320	----	----	9	----	32 - 4
4250	175.70	175.70	180.40B/*119.00	180.40B/*119.00A	----	125.10 NEW	.5673	----	----	1	----	1 + 1
4275	----	----	#105.90B/60.40A	#105.90B/60.40A	----	99.30 + 32.10	.4701	----	----	----	----	5 UNCH
4300	----	----	#118.40B/68.50A	#118.40B/68.50A	----	110.90 + 34.80	.5090	----	----	----	----	5 UNCH
4300	125.00	125.00	145.10B/*93.20A	145.10B/*93.20A	----	97.40 NEW	.4903	----	----	4	----	2 + 2
4350	----	----	#146.30B/87.50A	#146.30B/87.50A	----	137.50 + 40.50	.5879	----	----	4	----	3 + 2
4350	110.00	110.00	115.00/*69.70A	115.00/*69.70A	----	74.00 NEW	.4114	----	----	2	----	2 + 2
4350	86.00	86.00	#126.10B/*81.20	#126.10B/*81.20A	----	85.70 NEW	.4235	----	----	1	----	1 + 1
4350	----	----	#158.80B/*98.80	#158.80B/*98.80A	----	149.10 + 40.70	.5757	----	----	----	----	1 UNCH
4375	----	----	#162.00B/98.40A	#162.00B/98.40A	----	152.50 + 43.60	.6267	----	----	----	----	1 UNCH
4375	60.80	60.80	100.00B/*60.20A	100.00B/*60.20A	----	64.00 NEW	.3727	----	----	1	----	1 + 1
4400	----	----	#179.00B/110.70	#179.00B/110.70A	----	168.40 + 46.60	.6642	----	----	----	----	8 UNCH
4400	54.10	54.10	87.30B/*51.80A	87.30B/*51.80A	----	55.10 - 30.20	.3352	----	----	2	----	5 + 2
4400	66.70	66.70	#99.70B/*62.50A	#99.70B/*62.50A	----	66.20 NEW	.3549	----	----	2	----	2 + 2
4425	46.70	46.70	76.30B/*44.50A	76.30B/*44.50A	----	47.10 - 27.10	.2991	----	----	1	----	2 + 1
4425	----	----	#196.50B/123.90	#196.50B/123.90A	----	185.50 + 49.80	.7003	----	----	2	----	3 + 2
4450	----	----	#213.90B/138.30	#213.90B/138.30A	----	203.50 + 52.70	.7341	----	----	----	----	10 UNCH
4450	42.70	42.70	65.60B/*38.00A	65.60B/*38.00A	----	40.20 - 24.10	.2653	----	----	2	----	16 + 2
4450	51.30	51.30	#77.30B/*47.60A	77.30B/*47.60A	----	50.50 NEW	.2912	----	----	2	----	2 + 2
4450	----	----	#225.70B/*149.7	#225.70B/*149.70A	----	213.70 + 51.00	.7080	----	----	----	----	2 UNCH
4475	----	----	#234.70B/153.40	#234.70B/153.40A	----	222.40 + 55.50	.7655	----	----	----	----	1 UNCH
4475	35.00	35.00	56.80B/*32.20A	56.80B/*32.20A	----	34.20 - 21.40	.2339	----	----	2	----	6 + 2
4475	50.30	50.30	#67.70B/*41.40A	67.70B/*41.40A	----	43.90 NEW	.2618	----	----	3	----	2 + 2
4500	38.00	38.00	48.60B/*27.50A	48.60B/*27.50A	----	29.00 - 18.90	.2051	----	----	3	----	5 + 2
4500	----	----	#254.60B/169.90	#254.60B/169.90A	----	242.20 + 58.00	.7943	----	----	----	----	53 UNCH
4500	56.20	56.20	#59.10B/*35.90A	59.10B/*35.90A	----	38.10 - 20.50	.2344	----	----	1	----	1 UNCH
4525	30.40	30.40	41.40B/*23.30A	41.40B/*23.30A	----	24.70 - 16.40	.1795	----	----	1	----	14 + 1
4525	----	----	#273.80B/187.30	#273.80B/187.30A	----	262.80 + 60.40	.8199	----	----	----	----	1 UNCH
4525	37.60	37.60	#38.40/*31.10A	51.20B/*31.10A	----	33.00 NEW	.2091	----	----	11	----	11 + 11
4550	----	----	#295.30B/205.60	#295.30B/205.60A	----	284.10 + 62.60	.8433	----	----	----	----	7 UNCH
4550	----	----	----/*19.70A	35.30B/*19.70A	----	20.90 - 14.40	.1561	----	----	1	----	30 + 1
4575	----	----	#319.00B/224.90	#319.00B/224.90A	----	305.90 + 64.50	.8636	----	----	----	----	1 UNCH
4575	----	----	----/*16.70A	30.00B/*16.70A	----	17.80 - 12.50	.1358	----	----	----	----	1 UNCH
4575	29.00	29.00	#39.30B/*23.30A	39.30B/*23.30A	----	24.80 NEW	.1651	----	----	1	----	1 + 1
4600	----	----	----/*14.20A	25.40B/*14.20A	----	15.20 - 10.70	.1181	----	----	----	----	21 UNCH
4625	14.10	14.10	14.10/*12.10A	21.60B/*12.10A	----	13.00 - 9.20	.1027	----	----	1	----	1 UNCH
4650	18.70	18.70	18.70/*10.40A	18.70/*10.40A	----	11.20 - 7.90	.0895	----	----	1	----	24 + 1
4675	14.80	14.80	14.80/*9.00A	15.40B/*9.00A	----	9.70 - 6.70	.0782	----	----	1	----	2 UNCH
4700	----	----	----/*7.90A	13.30B/*7.90A	----	8.40 - 5.70	.0683	----	----	----	----	2 UNCH
4700	18.40	18.40	#18.40/*11.80A	19.00B/*11.80A	----	12.50 NEW	.0901	----	----	1	----	1 + 1
4725	10.90	10.90	10.90/*6.90A	11.50B/*6.90A	----	7.40 - 4.80	.0603	----	----	1	----	2 + 1
4725	10.00	10.00	10.00/*10.00	16.20B/*10.00	----	11.00 - 6.20	.0800	----	----	1	----	2 + 1
4775	5.40	5.40	5.40/*5.20	7.80B/*5.20	----	5.70 - 3.50	.0467	----	----	2	----	3 + 2
4775	11.50	11.50	#11.50/*8.20A	12.60B/*8.20A	----	8.60 NEW	.0634	----	----	1	----	1 + 1
4800	8.10	8.10	8.10/*4.80A	8.10/*4.80A	----	5.10 - 2.90	.0416	----	----	2	----	7 UNCH
4850	----	----	----/*4.20A	5.40B/*4.20A	----	4.00 - 2.20	.0327	----	----	----	----	4 UNCH
4850	6.10	6.10	#6.10/*6.00A	8.10B/*6.00A	----	6.20 NEW	.0460	----	----	1	----	1 + 1
4875	----	----	----/*3.90A	4.70B/*3.90A	----	3.60 - 1.90	.0293	----	----	----	----	1 UNCH
4875	----	----	----/*5.40A	7.20B/*5.40A	----	5.60 - 3.00	.0415	----	----	----	----	5 UNCH
4900	----	----	----/*3.60A	4.10B/*3.60A	----	3.30 - 1.70	.0266	----	----	----	----	12 UNCH
4925	----	----	----/*3.30A	3.70B/*3.30A	----	3.00 - 1.50	.0241	----	----	----	----	2 UNCH
4950	----	----	----/*3.10A	3.30B/*3.10A	----	2.70 - 1.40	.0216	----	----	----	----	2 UNCH
4950	4.90	4.90	#4.90/*4.20A	5.10B/*4.20A	----	4.30 NEW	.0315	----	----	1	----	1 + 1
5000	----	----	----/*2.80A	2.70B/*2.80A	----	2.30 - 1.10	.0181	----	----	----	----	1 UNCH
5200	----	----	----/*1.90A	1.30B/*1.90A	----	1.40 - 0.80	.0101	----	----	----	----	1 UNCH
5500	----	----	----	0.40B/2.30A	----	1.00 - 0.80	.0062	----	----	----	----	2 UNCH
TOTAL										125		482 + 84

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK3										
3000	----	----	----	----/0.60A	----	0.10 UNCH	.0000	----	----	3	----	3 + 3
3500	----	----	#1.60B/*1.10A	#1.60B/1.10A	----	1.60 + 0.30	.0092	----	----	----	----	1 UNCH
3600	----	----	2.40B/1.50A	2.40B/1.50A	----	2.20 + 0.50	.0136	----	----	----	----	1 UNCH
3600	----	----	1.00B/----	1.00B/*0.60A	----	0.70 + 0.10	.0039	----	----	----	----	1 UNCH
3700	----	----	3.80B/2.00A	3.80B/2.00A	----	3.30 + 1.00	.0217	----	----	----	----	5 UNCH
3700	----	----	#7.40B/3.50A	#7.40B/3.50A	----	6.10 + 1.90	.0363	----	----	----	----	2 UNCH
3700	1.20	1.20	1.60B/*0.80A	1.60B/0.80A	----	1.20 + 0.30	.0074	----	----	6	----	8 + 6
3750	4.00	4.00	4.80B/2.30A	4.80B/2.30A	----	4.10 + 1.40	.0277	----	----	1	----	14 UNCH
3750	----	----	2.00B/0.90A	2.00B/0.90A	----	1.60 + 0.40	.0105	----	----	----	----	8 UNCH
3800	4.80	4.80	6.20B/2.70A	6.20B/2.70A	----	5.10 + 1.80	.0354	----	----	1	----	2 + 1
3800	2.00	2.00	2.50B/1.10A	2.50B/1.10A	----	2.00 + 0.60	.0139	----	----	7	----	37 - 3
3900	----	----	#17.50B/7.50A	#17.50B/7.50A	----	13.90 NEW	.0871	----	----	1	----	1 + 1
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3900	----	----	4.30B/1.50A	4.30B/1.50A	----	3.10 + 1.10	.0247	----	----	28	----	33 + 25
3900	----	----	#10.60B/3.90A	#10.60B/3.90A	----	8.10 + 3.20	.0590	----	----	2	----	7 + 1
3950	1.90	1.90	#5.80B/*1.80A	5.80B/*1.80A	----	4.10 NEW	.0348	----	----	29	----	26 + 26
3950	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3950	----	----	#13.70B/*5.00A	13.70B/*5.00A	----	10.50 + 4.30	.0778	----	----	----	----	1 UNCH
3950	----	----	#22.10B/*9.40A	#22.10B/*9.40A	----	17.60 + 6.90	.1104	----	----	----	----	1 UNCH
3970	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
3975	5.30	5.30	#6.80B/*2.00A	6.80B/*2.00A	----	4.80 NEW	.0419	----	----	1	----	1 + 1
3975	----	----	#24.90B/*10.50A	#24.90B/*10.50A	----	19.90 + 7.90	.1245	----	----	----	----	1 UNCH
4000	8.00	8.00	#18.60B/6.50A	#18.60B/6.50A	----	13.80 + 5.80	.1033	----	----	4	----	13 + 1
4000	----	----	#28.00B/11.80A	#28.00B/11.80A	----	22.50 NEW	.1403	----	----	3	----	2 + 2
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	2.50	2.50	8.00B/2.20A	8.00B/2.20A	----	5.60 + 2.50	.0503	----	----	3	----	72 + 2
4025	26.10	26.10	#31.40B/*13.40A	#31.40B/*13.40A	----	25.60 NEW	.1585	----	----	2	----	2 + 2
4025	----	----	#9.40B/*2.40A	9.40B/*2.40A	----	6.60 + 3.00	.0610	----	----	----	----	10 UNCH
4035	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4045	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	11.20B/2.80A	11.20B/2.80A	----	7.80 + 3.60	.0740	----	----	----	----	2 UNCH
4050	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4050	10.80	10.80	#24.30B/8.30A	#24.30B/8.30A	----	18.40 + 7.80	.1381	----	----	3	----	9 UNCH
4055	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	8.60	8.60	13.80B/3.10A	13.80B/3.10A	----	9.30 + 4.40	.0904	----	----	1	----	6 + 1
4075	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4075	----	----	#27.90B/9.50A	#27.90B/9.50A	----	21.30 + 9.10	.1595	----	----	----	----	8 UNCH
4075	32.80	32.80	#40.60B/17.30A	#40.60B/17.30A	----	33.00 NEW	.2009	----	----	1	----	1 + 1
4095	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	22.90	22.90	#45.20B/19.20A	#45.20B/19.20A	----	37.40 + 14.60	.2254	----	----	54	----	38 - 2
4100	----	----	#32.30B/10.90A	#32.30B/10.90A	----	24.80 + 10.60	.1846	----	----	12	----	41 + 1
4100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4100	8.90	8.90	16.70B/3.60A	16.70B/3.60A	----	11.30 + 5.60	.1117	----	----	4	----	56 - 1
4115	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4120	6.20	6.20	#18.90B/*4.00A	#18.90B/*4.00A	----	13.20 NEW	.1321	----	----	1	----	1 + 1
4125	13.50	13.50	20.20B/4.20A	20.20B/4.20A	----	13.70 + 6.90	.1376	----	----	1	----	5 UNCH
4125	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4125	----	----	#37.50B/12.60A	#37.50B/12.60A	----	28.90 + 12.40	.2131	----	----	----	----	5 UNCH
4125	41.70	41.70	#51.40B/22.70A	#51.40B/22.70A	----	42.60 NEW	.2529	----	----	1	----	1 + 1
4130	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4135	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	#43.20B/14.50A	#43.20B/14.50A	----	33.70 + 14.40	.2456	----	----	2	----	8 + 1
4150	15.60	15.60	24.70B/5.00A	24.70B/5.00A	----	16.80 + 8.50	.1702	----	----	23	----	38 + 22
4150	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4155	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4160	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4175	54.10	54.10	#65.50B/30.10A	#65.50B/30.10A	----	54.80 NEW	.3152	----	----	2	----	2 + 2
4175	----	----	#50.00B/16.90A	#50.00B/16.90A	----	39.40 + 16.80	.2822	----	----	----	----	5 UNCH
4175	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4175	19.30	19.30	#30.00B/6.00A	#30.00B/6.00A	----	20.80 + 10.70	.2107	----	----	8	----	64 + 7
4180	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4185	29.80	29.80	#29.80/*21.50	#31.80B/*6.40A	----	22.60 NEW	.2289	----	----	16	----	4 + 4
4190	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4200	38.00	38.00	#73.40B/34.70A	#73.40B/34.70A	----	62.20 + 22.90	.3504	----	----	3	----	5 + 1
4200	12.40	12.40	#36.90B/7.20A	#36.90B/7.20A	----	25.70 + 13.30	.2591	----	----	43	----	211 + 20
4200	----	----	#57.80B/20.20A	#57.80B/20.20A	----	45.90 + 19.30	.3227	----	----	----	----	48 UNCH
4200	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4205	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4215	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4220	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	15.50	15.50	#44.40B/9.00A	#44.40B/9.00A	----	31.90 + 16.50	.3169	----	----	44	----	42 + 15
4225	----	----	#82.60B/39.90A	#82.60B/39.90A	----	70.50 + 25.50	.3880	----	----	----	----	1 UNCH
4225	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4225	51.90	51.90	#66.60B/23.90A	#66.60B/23.90A	----	53.50 + 22.20	.3673	----	----	7	----	3 + 2
4225	104.80	104.80	168.30B/*83.50A	168.30B/*83.50A	----	93.30 - 60.40	.6829	----	----	4	----	12 + 2
4235	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4240	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	34.00	34.00	#76.60B/28.30A	#76.60B/28.30A	----	62.30 NEW	.4156	----	----	10	----	10 + 10
4250	----	----	#90.70B/46.10A	#90.70B/46.10A	----	79.70 + 28.10	.4278	----	----	1	----	30 UNCH
4250	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	22.20	22.20	#53.60B/11.60A	#53.60B/11.60A	----	39.60 + 20.40	.3836	----	----	15	----	140 + 4
4250	88.30	88.30	145.80B/*67.70A	145.80B/*67.70A	----	75.90 NEW	.6161	----	----	1	----	1 + 1
4255	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	98.40 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4275	42.00	42.00	#88.00B/33.60A	#88.00B/33.60A	----	72.30 + 28.80	.4669	----	----	2	----	52 + 2
4275	17.80	17.80	#64.60B/14.90A	#64.60B/14.90A	----	48.90 + 24.90	.4581	----	----	1	----	20 + 1
4275	69.10	69.10	124.10B/*53.90A	124.10B/*53.90A	----	60.30 NEW	.5417	----	----	2	----	2 + 2
4275	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4280	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4280	69.20	69.20	#69.20/*69.20	#69.20/*15.70A	----	51.00 NEW	.4737	----	----	2	----	2 + 2
4285	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	73.40 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4295	31.80	31.80	#74.50B/*31.80	#74.50B/*18.40A	----	57.80 NEW	.5218	----	----	2	----	1 + 1
4295	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	#112.60B/60.60A	#112.60B/60.60A	----	101.60 + 34.30	.5124	----	----	1	100	115 + 73
4300	51.50	51.50	#79.90/19.30A	#79.90/19.30A	----	60.20 + 30.00	.5380	----	----	39	----	75 + 16
4300	70.80	70.80	124.10B/*65.40A	124.10B/*65.40A	----	70.00 NEW	.4791	----	----	1	----	1 + 1
4300	----	----	----	----	----	63.40 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	#100.80B/40.00A	#100.80B/40.00A	----	83.60 + 32.40	.5205	----	----	----	----	84 UNCH
4300	56.30	56.30	103.50B/*41.30A	103.50B/*41.30A	----	46.70 NEW	.4618	----	----	1	----	1 + 1
4300	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4305	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4310	----	----	----	----	----	53.40 UNCH	----	----	----	----	----	0 UNCH
4310	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4315	----	----	----	----	----	48.40 UNCH	----	----	----	----	----	0 UNCH
4315	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4320	----	----	----	----	----	43.40 UNCH	----	----	----	----	----	0 UNCH
4320	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325	72.00	72.00	#115.00B/47.50A	#115.00B/47.50A	----	96.50 + 36.40	.5751	----	----	10	----	0 UNCH
4325	----	----	----	----	----	38.40 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	#126.30B/70.10A	#126.30B/70.10A	----	114.30 + 37.50	.5560	----	----	----	----	1 UNCH
4325	42.50	42.50	84.80B/*30.60A	84.80B/*30.60A	----	35.10 NEW	.3801	----	----	4	----	3 + 3
4325	48.60	48.60	#92.60B/25.20A	#92.60B/25.20A	----	73.70 + 35.80	.6197	----	----	3	----	105 + 1
4325	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	33.40 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	28.40 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	23.40 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	18.40 UNCH	----	----	----	----	----	0 UNCH
4350	95.40	95.40	#141.20B/80.70A	#141.20B/80.70A	----	128.20 + 40.90	.5995	----	----	2	----	8 + 2
4350	----	----	#130.60B/56.40A	#130.60B/56.40A	----	110.80 + 40.50	.6294	----	----	----	----	2 UNCH
4350	----	----	----	----	----	13.40 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350	86.60	86.60	106.20B/*60.50A	106.20B/*60.50A	----	64.70 NEW	.3999	----	----	2	----	2 + 2
4350	55.00	55.00	#108.60B/32.70A	#108.60B/32.70A	----	89.30 + 41.90	.6978	----	----	1	----	58 + 1
4350	31.80	31.80	67.40B/*22.10A	67.40B/*22.10A	----	25.80 - 35.00	.3019	----	----	3	----	58 + 2
4355	----	----	----	----	----	8.40 UNCH	----	----	----	----	----	0 UNCH
4355	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK2										
4360	----	----	----	----	----	3.40 UNCH	----	----	----	----	----	0 UNCH
4365	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4365	----	----	----	----	----	1.60 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	6.60 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	#157.20B/90.80A	#157.20B/90.80A	----	143.30 + 44.20	.6424	----	----	1	----	1 UNCH
4375	51.00	51.00	52.00B/*15.70A	52.00B/*15.70A	----	18.50 - 28.80	.2312	----	----	28	----	82 + 27
4375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375	39.40	39.40	75.80B/*35.10A	75.80B/*35.10A	----	38.20 - 32.10	.3178	----	----	15	----	30 + 15
4375	----	----	----	----	----	11.60 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	#127.60B/42.40A	#127.60B/42.40A	----	107.00 + 48.10	.7685	----	----	2	----	61 - 1
4380	----	----	----	----	----	16.60 UNCH	----	----	----	----	----	0 UNCH
4380	----	----	----	#49.30B/*14.80A	----	17.30 NEW	.2185	----	----	2	----	2 + 2
4380	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4385	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4385	----	----	----	----	----	21.60 UNCH	----	----	----	----	----	0 UNCH
4390	----	----	----	----	----	26.60 UNCH	----	----	----	----	----	0 UNCH
4390	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	31.60 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	#163.60B/78.50A	#163.60B/78.50A	----	144.10 + 49.10	.7306	----	----	----	----	1 UNCH
4400	----	----	#174.30B/105.70	#174.30B/105.70A	----	159.60 + 47.50	.6835	----	----	----	----	13 UNCH
4400	31.60	31.60	38.90B/*11.00A	38.90B/*11.00A	----	13.00 - 22.90	.1712	----	----	17	56	84 + 62
4400	----	----	----	----	----	36.60 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4400	45.10	45.10	79.20B/*43.10A	79.20B/*43.10A	----	46.20 - 29.30	.3160	----	----	1	----	1 + 1
4400	64.90	64.90	#147.90B/54.40A	#147.90B/54.40A	----	126.60 + 54.10	.8286	----	----	2	----	93 - 1
4405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	41.60 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	#34.30B/*9.60A	----	11.30 NEW	.1510	----	----	4	----	2 + 2
4410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	46.60 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	51.60 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	56.60 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	61.60 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	51.20B/*22.40A	51.20B/*22.40A	----	24.40 NEW	.2249	----	----	4	----	4 + 4
4425	29.80	29.80	29.80/*7.70A	29.80/*7.70A	----	9.20 - 17.60	.1248	----	----	4	----	8 + 2
4425	----	----	#169.60B/68.80A	#169.60B/68.80A	----	147.70 + 59.30	.8750	----	----	----	----	36 UNCH
4430	----	----	----	----	----	66.60 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	71.60 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	76.60 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	#23.00B/*6.30A	----	7.40 NEW	.1018	----	----	2	----	2 + 2
4440	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	81.60 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	#210.10B/133.20	#210.10B/133.20A	----	195.70 + 54.00	.7584	----	----	----	----	2 UNCH
4450	34.10	34.10	57.20B/*30.20A	57.20B/*30.20A	----	32.30 - 23.00	.2410	----	----	1	----	2 + 1
4450	25.30	25.30	41.40B/*17.70A	41.40B/*17.70A	----	19.30 - 19.90	.1856	----	----	4	----	5 + 4
4450	----	----	----	----	----	86.60 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	#192.10B/85.70A	#192.10B/85.70A	----	169.90 + 63.60	.9112	----	----	----	----	94 UNCH
4450	----	----	#203.30B/107.00	#203.30B/107.00A	----	182.70 + 57.00	.8140	----	----	----	----	1 UNCH
4450	11.40	11.40	20.00B/*5.40A	20.00B/*5.40A	----	6.40 - 13.30	.0886	----	----	10	----	76 + 4
4455	12.00	12.00	#12.00/*5.10A	#18.60B/*5.10A	----	6.00 NEW	.0831	----	----	11	----	11 + 11
4455	----	----	----	----	----	91.60 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	96.60 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	101.60 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	106.60 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	23.50	23.50	33.10B/*14.00A	33.10B/*14.00A	----	15.30 - 16.50	.1522	----	----	8	----	15 + 6
4475	----	----	----	----	----	111.60 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----/*3.80A	13.90B/*3.80A	----	4.60 - 9.80	.0636	----	----	----	140	96 - 68
4475	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4475	43.80	43.80	48.80/*25.10A	48.80/*25.10A	----	26.90 - 20.00	.2083	----	----	62	----	25 + 15
4475	----	----	#224.60B/123.70	#224.60B/123.70A	----	203.70 + 60.40	.8474	----	----	----	----	1 UNCH
4475	----	----	#215.30B/104.60	#215.30B/104.60A	----	193.10 + 67.20	.9362	----	----	----	----	16 UNCH
4480	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480	9.80	9.80	#9.80/*3.70A	#12.90B/*3.70A	----	4.30 NEW	.0594	----	----	4	----	2 + 2
4480	----	----	----	----	----	116.60 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	121.60 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	126.60 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	131.60 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	26.20B/*11.00A	26.20B/*11.00A	----	12.10 - 13.60	.1239	----	----	5	----	13 + 1
4500	----	----	#251.00B/165.60	#251.00B/165.60A	----	235.70 + 59.60	.8203	----	----	----	----	60 UNCH
4500	40.70	40.70	41.00/*20.90A	41.00/*20.90A	----	22.40 - 17.30	.1792	----	----	24	----	15 - 14
4500	----	----	#239.10B/125.20	#239.10B/125.20A	----	216.80 + 69.80	.9545	----	----	----	----	20 UNCH
4500	----	----	----/*2.70A	9.60B/*2.70A	----	3.30 - 7.10	.0453	----	----	----	----	40 UNCH
4500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	136.60 UNCH	----	----	----	----	----	0 UNCH
4500	227.00	227.00	#246.60B/143.00	#246.60B/143.00A	----	225.50 + 63.40	.8758	----	----	1	----	12 UNCH
4505	6.30	6.30	#6.30/*2.70A	#9.00B/*2.70A	----	3.10 NEW	.0424	----	----	5	----	5 + 5
4505	----	----	----	----	----	141.60 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	146.60 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	151.60 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	156.60 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	#268.90B/162.40	#268.90B/162.40A	----	248.00 + 65.90	.8992	----	----	----	----	1 UNCH
4525	----	----	#273.50B/183.30	#273.50B/183.30A	----	256.90 + 62.10	.8463	----	----	----	----	2 UNCH
4525	20.80	20.80	34.00B/*17.40A	34.00B/*17.40A	----	18.60 - 14.90	.1532	----	----	1	----	4 + 1
4525	5.00	5.00	5.30/*2.00A	6.80B/*2.00A	----	2.40 - 5.20	.0324	----	----	5	----	9 UNCH
4525	----	----	----	----	----	161.60 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	166.60 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	176.60 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	181.60 UNCH	----	----	----	----	----	0 UNCH
4550	14.30	14.30	16.20B/*6.50	16.20B/*6.50	----	7.70 - 8.90	.0818	----	----	1005	----	1001 + 999
4550	1.60	1.60	1.60/*1.50A	4.70B/*1.50A	----	1.80 - 3.70	.0237	----	----	1	----	108 UNCH
4550	----	----	#281.10B/170.10	#281.10B/170.10A	----	265.30 + 73.30	.9761	----	----	----	----	24 UNCH
4550	----	----	----	----	----	186.60 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	196.60 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	5.60	5.60	5.80/*5.20	12.60B/*5.20	----	6.20 - 7.10	.0665	----	----	3	----	14 + 3
4575	----	----	----/*1.10A	3.30B/*1.10A	----	1.40 - 2.70	.0178	----	----	----	----	69 UNCH
4575	----	----	----	----	----	211.60 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	#305.60B/193.70	#305.60B/193.70A	----	289.90 + 74.40	.9820	----	----	----	----	5 UNCH
4585	----	----	----	----	----	221.60 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	226.60 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	16.60	16.60	16.60/*10.10A	19.60B/*10.10A	----	10.90 - 9.00	.0953	----	----	9	----	46 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4600	5.20	5.20	5.20/*4.20A	10.00B/*4.20A	----	5.00 - 5.70	.0541	----	----	6	----	68 + 4
4600	----	----	----	----	----	236.60 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	#277.10B/217.70	#277.10B/217.70A	----	314.60 + 75.10	.9863	----	----	----	----	2 UNCH
4600	----	----	----/*1.00A	2.30B/*1.00A	----	1.10 - 1.90	.0135	----	----	----	----	174 UNCH
4600	----	----	#339.80B/226.60	#339.80B/226.60A	----	318.30 + 71.30	.9456	----	----	----	----	1 UNCH
4605	----	----	----	----	----	241.60 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	#271.70B/*222.60A	----	319.50 NEW	.9865	----	----	1	----	1 + 1
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	256.60 UNCH	----	----	----	----	----	0 UNCH
4625	7.00	7.00	8.00B/*3.70A	8.00B/*3.70A	----	4.10 - 4.50	.0444	----	----	2	----	6 + 2
4625	----	----	#356.90B/249.50	#356.90B/249.50A	----	342.40 + 72.50	.9553	----	----	----	----	0 UNCH
4625	----	----	----/*0.90A	1.60B/*0.90A	----	0.90 - 1.40	.0107	----	----	----	----	15 UNCH
4625	----	----	----	----	----	261.60 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----/*8.60A	16.20B/*8.60A	----	9.20 - 7.50	.0815	----	----	----	----	1 UNCH
4650	9.40	9.40	9.40/*7.30A	13.00B/*7.30A	----	7.90 - 6.20	.0703	----	----	4	----	23 UNCH
4650	6.40	6.40	6.40/*3.20A	6.40/*3.20A	----	3.40 - 3.60	.0367	----	----	754	----	756 + 750
4650	----	----	----	----	----	286.60 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4650	----	----	----/*0.90A	1.20B/*0.90A	----	0.70 - 1.10	.0080	----	----	2	----	41 UNCH
4675	----	----	----/*6.20A	10.80B/*6.20A	----	6.80 - 5.10	.0608	----	----	----	----	12 UNCH
4675	----	----	----/*0.80A	0.90B/*0.80A	----	0.60 - 0.80	.0066	----	----	----	----	12 UNCH
4700	----	----	----/*5.30A	9.50B/*5.30A	----	5.90 - 4.20	.0528	----	----	----	----	1 UNCH
4700	----	----	----	----	----	336.60 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----/*0.70A	0.60B/*0.70A	----	0.50 - 0.60	.0053	----	----	----	----	151 UNCH
4700	----	----	#429.50B/321.50	#429.50B/321.50A	----	413.90 + 76.30	.9947	----	----	----	----	5 UNCH
4700	3.70	3.70	4.10B/*2.60A	4.10B/*2.60A	----	2.20 - 2.60	.0239	----	----	1	----	4 + 1
4725	----	----	----/*2.10A	3.40B/*2.10A	----	1.90 - 2.10	.0204	----	----	----	----	3 UNCH
4725	----	----	----	----	----	361.60 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----/*4.60A	8.10B/*4.60A	----	5.10 - 3.60	.0457	----	----	----	----	1 UNCH
4725	----	----	----/*0.60A	0.50B/*0.60A	----	0.40 - 0.60	.0041	----	----	----	----	6 UNCH
4750	----	----	----/*2.10A	2.80B/*2.10A	----	1.60 - 1.80	.0170	----	----	1	----	2 UNCH
4750	6.70	6.70	6.70/*4.10A	6.70/*4.10A	----	4.50 NEW	.0402	----	----	1	----	1 + 1
4750	----	----	----	----	----	386.60 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----/*0.60A	0.40B/*0.60A	----	0.40 - 0.40	.0039	----	----	----	----	6 UNCH
4775	----	----	----	----	----	489.60 + 75.50	.9852	----	----	----	----	1 UNCH
4775	----	----	----/*1.80A	2.30B/*1.80A	----	1.40 - 1.50	.0147	----	----	----	----	2 UNCH
4800	----	----	----	0.30B/*0.50A	----	0.20 - 0.30	.0018	----	----	----	----	5 UNCH
4800	----	----	----/*1.60A	2.00B/*1.60A	----	1.20 - 1.30	.0124	----	----	1	----	6 UNCH
4825	----	----	----/*1.60A	1.70B/*1.60A	----	1.00 - 1.20	.0103	----	----	----	----	3 UNCH
4850	----	----	----/*1.50A	1.40B/*1.50A	----	0.90 - 1.00	.0091	----	----	----	----	16 UNCH
4850	----	----	----/*3.00A	3.60B/*3.00A	----	2.90 - 1.40	.0252	----	----	----	----	1 UNCH
4850	----	----	----	----/*0.60A	----	0.20 - 0.20	.0017	----	----	----	----	12 UNCH
4875	----	----	----/*1.40A	1.30B/*1.40A	----	0.80 - 0.90	.0080	----	----	----	----	5 UNCH
4875	----	----	----	----/*0.60A	----	0.10 - 0.20	.0008	----	----	----	----	3 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----/*2.60A	2.80B/*2.60A	----	2.50 - 0.90	.0211	----	----	----	----	1 UNCH
4900	----	----	----	----	----	536.60 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	#539.40B/----	#539.40B/618.50A	----	613.60 + 76.90	.9998	----	----	----	----	1 UNCH
4900	----	----	----	----/*0.50A	----	0.10 - 0.20	.0005	----	----	----	----	4 UNCH
4925	----	----	----	----/*0.50A	----	0.10 - 0.10	.0003	----	----	----	----	7 UNCH
4950	----	----	----/*2.30A	2.30B/*2.30A	----	2.10 - 0.70	.0174	----	----	----	----	1 UNCH
4950	----	----	----/*1.20A	0.90B/*1.20A	----	0.70 - 0.70	.0065	----	----	----	----	1 UNCH
4950	----	----	----	----/*0.50A	----	0.10 - 0.10	.0002	----	----	----	----	11 UNCH
4975	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
5000	----	----	----/*1.10A	0.70B/*1.10A	----	0.60 - 0.60	.0053	----	----	----	----	1 UNCH
5000	----	----	----/*2.10A	1.90B/*2.10A	----	1.80 - 0.50	.0146	----	----	----	----	1 UNCH
5000	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
5025	----	----	----	0.10B/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	4 UNCH
5050	----	----	----	0.50B/*1.10A	----	0.50 - 0.50	.0043	----	----	----	----	3 UNCH
5050	----	----	----	----/*0.40A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
5100	----	----	----	----/*0.30A	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH
5250	----	----	----	----/*0.90A	----	0.30 - 0.20	.0023	----	----	----	----	1 UNCH
5750	----	----	----	----/3.80A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL										2438	296	5268 + 2115

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4100	6.50	6.50	#6.50/*6.50	#6.50/*6.50	----	7.80 NEW	.0741	----	----	1	----	1 + 1
4400	----	----	----	----	----	122.20 + 55.80	.8813	----	----	----	----	3 UNCH
4675	----	----	----	0.10B/----	----	0.40 - 0.30	.0026	----	----	----	----	7 UNCH
TOTAL										1		11 + 1

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
5500	----	----	#0.239B/0.102A	#0.239B/0.102A	----	0.240 + 0.130	.0580	----	----	----	----	5 UNCH
5750	----	----	#0.424B/*0.150A	#0.424B/0.150A	----	0.398 + 0.224	.1001	----	----	3	----	3 UNCH
6000	0.180	0.180	#0.238B/*0.054A	0.238B/*0.054A	----	0.214 NEW	.0600	----	----	75	----	75 + 75
6100	0.207	0.207	#0.343B/*0.065A	#0.343B/*0.065A	----	0.293 NEW	.0918	----	----	21	----	21 + 21
6200	0.360	0.360	#0.490B/*0.082A	#0.490B/*0.082A	----	0.411 + 0.301	.1415	----	----	17	----	16 + 15
6250	----	----	#1.379B/0.405A	#1.379B/0.405A	----	1.228 + 0.715	.2965	----	----	3	----	3 UNCH
6300	----	----	#1.547B/0.455A	#1.547B/0.455A	----	1.378 + 0.800	.3272	----	----	----	----	1 UNCH
6300	0.345	0.345	#0.710B/*0.106A	#0.710B/0.106A	----	0.588 + 0.434	.2167	----	----	19	----	16 + 15
6320	0.430	0.430	#0.765B/*0.111A	#0.765B/*0.111A	----	0.632 NEW	.2352	----	----	2	----	2 + 2
6350	0.140	0.140	#0.857B/*0.124A	#0.857B/*0.124A	----	0.706 NEW	.2656	----	----	1	----	1 + 1
6360	0.598	0.598	#0.885B/*0.124A	#0.885B/*0.124A	----	0.732 NEW	.2763	----	----	2	----	2 + 2
6400	0.665	0.665	#1.028B/*0.140A	#1.028B/0.140A	----	0.848 NEW	.3224	----	----	20	----	20 + 20
6400	1.700	1.700	#1.938B/0.581A	#1.938B/0.581A	----	1.727 + 0.990	.3937	----	----	2	----	12 + 2
6500	----	----	#1.462B/0.195A	#1.462B/0.195A	----	1.218 + 0.895	.4566	----	----	1	----	7 - 1
6540	1.122	1.122	#1.588B/*0.228A	#1.588B/*0.228A	----	1.402 NEW	.5153	----	----	5	----	5 + 5
6550	1.415	1.415	#3.733B/*1.100A	#3.733B/*1.100A	----	1.191 NEW	.4697	----	----	1	----	1 + 1
6580	1.320	1.320	#1.819B/0.266A	#1.819B/*0.266A	----	1.607 NEW	.5748	----	----	5	----	5 + 5
6600	----	----	#2.844B/0.964A	#2.844B/0.964A	----	2.652 + 1.454	.5402	----	----	----	----	1 UNCH
6650	0.827	0.827	#2.841B/*0.722A	2.841B/*0.722A	----	0.760 NEW	.3242	----	----	9	----	9 + 9
6700	2.100	2.100	#2.800/0.443A	#2.800/0.443A	----	2.354 + 1.641	.7413	----	----	5	----	8 UNCH
6800	0.550	0.550	1.658B/*0.300	1.658B/*0.300	----	0.353 NEW	.1524	----	----	46	----	46 + 46
6800	----	----	#3.445B/0.691A	#3.445B/0.691A	----	3.113 + 2.059	.8475	----	----	2	----	2 UNCH
6800	----	----	#4.146B/1.587A	#4.146B/1.587A	----	3.889 + 1.969	.6830	----	----	----	----	10 UNCH
6850	----	----	#3.882B/0.855A	#3.882B/0.855A	----	3.530 + 2.258	.8863	----	----	----	----	1 UNCH
6900	0.310	0.310	0.310/*0.215A	1.104B/*0.215A	----	0.206 NEW	.0834	----	----	4	----	4 + 4
6900	----	----	#4.333B/1.062A	#4.333B/1.062A	----	3.966 + 2.443	.9165	----	----	----	----	1 UNCH
6940	----	----	----/*0.179A	0.905B/*0.179A	----	0.166 - 0.769	.0646	----	----	----	----	2 UNCH
6950	----	----	----/*0.172A	0.858B/*0.172A	----	0.158 - 0.736	.0608	----	----	----	----	1 UNCH
6950	----	----	#4.798B/1.315A	#4.798B/1.315A	----	4.417 + 2.608	.9391	----	----	----	----	1 UNCH
7000	0.113	0.113	#0.113/*0.113	0.647B/*0.113	----	0.121 NEW	.0439	----	----	4	----	4 + 4
7000	----	----	#5.718B/2.544A	#5.718B/2.544A	----	5.404 + 2.444	.7990	----	----	----	----	1 UNCH
7040	0.400	0.400	#0.512B/*0.120A	0.512B/*0.120A	----	0.098 NEW	.0337	----	----	20	----	20 + 20
7100	----	----	#6.578B/3.224A	#6.578B/3.224A	----	6.243 + 2.642	.8432	----	----	----	----	4 UNCH
7100	0.684	0.684	1.195B/*0.491A	1.195B/*0.491A	----	0.487 NEW	.1567	----	----	1	----	1 + 1
7100	----	----	----/*0.093A	0.347B/*0.093A	----	0.072 - 0.370	.0227	----	----	----	----	5 UNCH
7200	----	----	----/*0.067A	0.175B/*0.067A	----	0.043 - 0.225	.0116	----	----	----	----	1 UNCH
7200	----	----	#7.476B/3.915A	#7.476B/3.915A	----	7.122 + 2.806	.8788	----	----	----	----	4 UNCH
7250	----	----	----/*0.337A	0.761B/*0.337A	----	0.319 - 0.468	.1063	----	----	----	----	6 UNCH
7300	0.590	0.590	0.651B/*0.300A	0.651B/*0.300A	----	0.277 - 0.407	.0931	----	----	5	----	18 + 2
7300	----	----	#8.400B/4.673A	#8.400B/4.673A	----	8.031 + 2.936	.9068	----	----	----	----	1 UNCH
7300	----	----	#8.204B/4.077A	#8.204B/4.077A	----	7.783 + 3.205	.9945	----	----	----	----	4 UNCH
7350	----	----	#8.869B/5.075A	#8.869B/5.075A	----	8.495 + 2.989	.9184	----	----	----	----	22 UNCH
7400	----	----	#9.343B/5.490A	#9.343B/5.490A	----	8.964 + 3.036	.9285	----	----	----	----	1 UNCH
7400	----	----	#9.196B/5.018A	#9.196B/5.018A	----	8.773 + 3.257	.9973	----	----	----	----	20 UNCH
7450	----	----	#9.821B/5.916A	#9.821B/5.916A	----	9.437 + 3.077	.9372	----	----	----	----	2 UNCH
7500	----	----	----/*0.192A	0.348B/*0.192A	----	0.161 - 0.232	.0549	----	----	3	----	3 UNCH
7500	----	----	----/*0.033A	0.020B/*0.033A	----	0.009 - 0.057	.0014	----	----	----	----	2 UNCH
7500	----	----	#10.301B/6.353A	#10.301B/6.353A	----	9.914 + 3.112	.9450	----	----	----	----	1 UNCH
7550	----	----	----/*0.031A	0.009B/*0.031A	----	0.007 - 0.047	.0009	----	----	----	----	2 UNCH
7550	0.276	0.276	0.300/*0.160A	0.300/*0.160A	----	0.140 - 0.203	.0479	----	----	3	----	6 + 2
7550	----	----	#10.070B/6.472A	#10.070B/6.472A	----	10.266 + 3.299	.9990	----	----	----	----	6 UNCH
7600	----	----	----	----	----	10.764 + 3.306	.9992	----	----	----	----	25 UNCH
7600	----	----	----/*0.029A	0.004B/*0.029A	----	0.006 - 0.038	.0007	----	----	----	----	1 UNCH
7700	----	----	----/*0.122A	0.183B/*0.122A	----	0.095 - 0.139	.0324	----	----	----	----	79 UNCH
7800	0.084	0.084	0.085/*0.084	0.135B/*0.084	----	0.076 - 0.109	.0256	----	----	3	----	9 - 3
7850	----	----	----/*0.093A	0.114B/*0.093A	----	0.068 - 0.097	.0227	----	----	----	----	55 UNCH
7900	----	----	----/*0.086A	0.101B/*0.086A	----	0.061 - 0.088	.0203	----	----	----	----	2 UNCH
8000	----	----	----	----/0.092A	----	0.001 - 0.013	.0000	----	----	----	----	8 UNCH
8000	----	----	----/*0.075A	0.077B/*0.075A	----	0.051 - 0.071	.0166	----	----	----	----	60 UNCH
8100	0.050	0.050	0.055/*0.050	0.059B/*0.050	----	0.043 - 0.060	.0137	----	----	3	----	0 - 3
8200	----	----	----/*0.061A	0.048B/*0.061A	----	0.037 - 0.051	.0115	----	----	----	----	7 UNCH
8250	----	----	----/*0.059A	0.045B/*0.059A	----	0.035 - 0.047	.0108	----	----	----	----	2 UNCH
8300	----	----	----	----/0.069A	----	0.001 - 0.006	----	----	----	----	----	4 UNCH
8600	----	----	----	----	----	20.775 + 3.314	.9929	----	----	----	----	1 UNCH
9500	----	----	----	----/0.277A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
TOTAL										285	0	669 + 245
JUL26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week1										
JUL26												
7350	----	----	----/*1.077A	1.318B/*1.077A	----	0.857 -	0.751 .1941	----	----	----	----	4 UNCH
7600	0.550	0.550	0.550/*0.550	0.806B/*0.550	----	0.534 -	0.524 .1299	----	----	1	----	2 + 1
8100	----	----	----/*0.356A	0.354B/*0.356A	----	0.244 -	0.231 .0623	----	----	----	----	4 UNCH
8400	----	----	----/*0.274A	0.228B/*0.274A	----	0.172 -	0.141 .0435	----	----	----	----	2 UNCH
9500	----	----	----	0.043B/0.160A	----	0.070 -	0.039 .0162	----	----	----	----	2 UNCH
TOTAL										1	0	14 + 1
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK4										
JUN26												
5250	0.065	0.065	#0.139B/*0.065	#0.139B/*0.065	----	0.171 +	0.103 .0399	----	----	4	----	0 - 4
5250	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6000	----	----	#0.838B/0.326A	#0.838B/0.326A	----	0.858 +	0.515 .1969	----	----	----	----	0 UNCH
6000	0.427	0.427	#0.504B/*0.113A	#0.504B/0.113A	----	0.430 +	0.306 .1305	----	----	5	----	5 + 3
6100	----	----	#1.056B/0.403A	#1.056B/0.403A	----	1.050 +	0.627 .2377	----	----	----	----	4 UNCH
6200	----	----	#0.884B/0.175A	#0.884B/0.175A	----	0.739 +	0.519 .2256	----	----	----	----	1 UNCH
6250	0.826	0.826	#1.009B/0.198A	#1.009B/0.198A	----	0.848	NEW .2573	----	----	1	----	1 + 1
6300	----	----	#1.657B/0.622A	#1.657B/0.622A	----	1.575 +	0.919 .3398	----	----	----	----	3 UNCH
6400	2.536	2.536	5.292B/*2.343A	5.292B/*2.343A	----	2.522	NEW .6269	----	----	1	----	1 + 1
6500	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	3.585	UNCH ----	----	----	----	----	0 UNCH
6600	----	----	#2.864B/1.225A	#2.864B/1.225A	----	2.841 +	1.529 .5333	----	----	----	----	15 UNCH
6600	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6600	----	----	----	----	----	2.585	UNCH ----	----	----	----	----	0 UNCH
6600	0.660	0.660	#2.360B/0.554A	#2.360B/0.554A	----	2.170	NEW .5613	----	----	2	----	1 + 1
6650	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6700	----	----	2.742B/*0.936A	2.742B/*0.936A	----	1.003	NEW .3429	----	----	1	----	1 + 1
6700	----	----	----	----	----	1.585	UNCH ----	----	----	----	----	0 UNCH
6700	----	----	#3.003B/0.773A	#3.003B/0.773A	----	2.763 +	1.719 .6569	----	----	----	----	5 UNCH
6700	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6720	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6740	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6750	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6750	----	----	#3.360B/0.913A	#3.360B/0.913A	----	3.095 +	1.879 .7018	----	----	----	----	10 UNCH
6800	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	0.585	UNCH ----	----	----	----	----	0 UNCH
6800	----	----	#3.739B/1.072A	#3.739B/1.072A	----	3.451 +	2.039 .7438	----	----	----	----	1 UNCH
6800	----	----	#4.156B/1.894A	#4.156B/1.894A	----	4.057 +	1.997 .6645	----	----	----	----	1 UNCH
6820	----	----	----	----	----	0.385	UNCH ----	----	----	----	----	0 UNCH
6830	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6850	----	----	----	----	----	0.085	UNCH ----	----	----	----	----	0 UNCH
6850	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6880	----	----	----	----	----	0.215	UNCH ----	----	----	----	----	0 UNCH
6880	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6890	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.415	UNCH ----	----	----	----	----	0 UNCH
6900	----	----	#4.553B/1.480A	#4.553B/1.480A	----	4.226 +	2.343 .8164	----	----	----	----	5 UNCH
6900	----	----	1.521B/*0.445A	1.521B/*0.445A	----	0.468 -	1.001 .1835	----	----	1	----	2 + 1
6900	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6920	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6930	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6940	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	0.915	UNCH ----	----	----	----	----	0 UNCH
6990	----	----	----	----	----	1.315	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	#5.427B/2.011A	#5.427B/2.011A	----	5.070 +	2.607 .8727	----	----	----	----	1 UNCH
7000	5.371	5.371	#5.708B/2.860A	#5.708B/2.860A	----	5.540 +	2.428 .7745	----	----	7	----	8 - 7
7000	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	1.415	UNCH ----	----	----	----	----	0 UNCH
7020	----	----	----	----	----	1.615	UNCH ----	----	----	----	----	0 UNCH
7050	----	----	#5.881B/2.389A	#5.881B/2.389A	----	5.512 +	2.719 .8947	----	----	----	----	10 UNCH
7050	----	----	----	----	----	1.915	UNCH ----	----	----	----	----	0 UNCH
7060	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	2.415	UNCH ----	----	----	----	----	0 UNCH
7100	----	----	----/*0.221A	0.697B/*0.221A	----	0.209 -	0.525 .0868	----	----	1	----	2 + 1
7100	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH ----	----	----	----	----	0 UNCH
7200	0.991	0.991	0.991/*0.564A	1.048B/*0.564A	----	0.473	NEW .1456	----	----	1	----	1 + 1
7200	----	----	----	----	----	3.415	UNCH ----	----	----	----	----	0 UNCH
7200	----	----	#7.448B/4.281A	#7.448B/4.281A	----	7.226 +	2.767 .8542	----	----	----	----	5 UNCH
7200	0.360	0.360	0.450B/*0.150	0.450B/*0.150	----	0.142 -	0.367 .0591	----	----	5	----	5 + 4
7220	----	----	----	----	----	3.615	UNCH ----	----	----	----	----	0 UNCH
7250	0.835	0.835	0.835/*0.451A	0.917B/*0.451A	----	0.418	NEW .1303	----	----	9	----	6 + 6
7250	----	----	----	----	----	3.915	UNCH ----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	4.415	UNCH ----	----	----	----	----	0 UNCH
7320	----	----	----	----	----	4.615	UNCH ----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	4.915	UNCH ----	----	----	----	----	0 UNCH
7400	----	----	#9.302B/5.805A	#9.302B/5.805A	----	9.045 +	2.998 .9061	----	----	----	----	1 UNCH
7400	----	----	----/*0.093A	0.181B/*0.093A	----	0.072 -	0.177 .0288	----	----	1	----	2 UNCH
7450	----	----	----	----	----	5.915	UNCH ----	----	----	----	----	0 UNCH
7500	----	----	----/*0.075A	0.118B/*0.075A	----	0.053 -	0.125 .0205	----	----	----	----	1 UNCH
7500	----	----	----	----	----	6.415	UNCH ----	----	----	----	----	0 UNCH
7520	----	----	----	----	----	6.615	UNCH ----	----	----	----	----	0 UNCH
7650	0.168	0.168	0.173/*0.168	0.296B/*0.168	----	0.176	NEW .0564	----	----	12	----	12 + 12
7650	----	----	----/*0.057A	0.062B/*0.057A	----	0.034 -	0.074 .0125	----	----	----	----	10 UNCH
7970	----	----	----	----	----	11.115	UNCH ----	----	----	----	----	0 UNCH
7980	----	----	----	----	----	11.215	UNCH ----	----	----	----	----	0 UNCH
8000	0.152	0.152	0.160B/*0.100	0.160B/*0.100	----	0.105 -	0.076 .0321	----	----	11	----	13 + 11
8000	0.060	0.060	0.060/*0.030	0.060/*0.030	----	0.012 -	0.026 .0039	----	----	3	----	14 + 2
8050	----	----	----/0.142A	0.140B/0.142A	----	0.099 -	0.068 .0300	----	----	----	----	6 UNCH
8050	----	----	----	0.015B/*0.039A	----	0.011 -	0.022 .0035	----	----	----	----	1 UNCH
8150	----	----	----	----	----	12.915	UNCH ----	----	----	----	----	0 UNCH
8250	----	----	----/*0.105A	0.079B/*0.105A	----	0.083 -	0.044 .0240	----	----	----	----	31 UNCH
8350	----	----	----/*0.095A	0.070B/*0.095A	----	0.078 -	0.036 .0220	----	----	----	----	24 UNCH
8400	----	----	----	----	----	15.415	UNCH ----	----	----	----	----	0 UNCH
8400	----	----	----/*0.092A	0.066B/*0.092A	----	0.075 -	0.033 .0210	----	----	----	----	14 UNCH
8500	----	----	----	#4.870B/28.900A	----	19.816 +	3.317 .9803	----	----	----	----	1 UNCH
8500	----	----	----	0.001B/0.038A	----	0.004 -	0.009 .0010	----	----	----	----	14 UNCH
8700	----	----	----/*0.079A	0.054B/*0.079A	----	0.067 -	0.018 .0173	----	----	----	----	4 UNCH
8800	----	----	----	----	----	22.808 +	3.330 .9835	----	----	----	----	1 UNCH
9200	----	----	0.008B/----	0.008B/0.177A	----	0.002 -	0.004 .0004	----	----	----	----	5 UNCH
TOTAL										65	0	248 + 34
SO CALL		COMEX SILVER OPTIONS										
JUL26												
2700	----	----	----	----	----	38.240 -	3.345 .0000	----	----	----	----	1 UNCH
4000	----	----	----	----	----	25.259 -	3.329 .9935	----	----	----	----	2 UNCH
4500	----	----	----/19.872A	20.855B/19.872A	----	20.303 -	3.306 .9845	----	----	----	----	3 UNCH
4600	----	----	----/18.889A	19.896B/18.889A	----	19.317 -	3.299 .9816	----	----	----	----	2 UNCH
4825	----	----	----/16.690A	18.231B/16.690A	----	17.108 -	3.279 .9731	----	----	----	----	3 UNCH
4900	----	----	----/15.961A	18.348B/15.961A	----	16.376 -	3.271 .9695	----	----	----	----	1 UNCH
4925	----	----	----/15.719A	18.088B/15.719A	----	16.132 -	3.268 .9681	----	----	----	----	16 UNCH
5000	----	----	18.705B/14.995A	18.705B/14.995A	----	15.403 -	3.258 .9637	----	----	----	----	306 UNCH
5025	----	----	----/14.754A	18.382B/14.754A	----	15.160 -	3.254 .9621	----	----	----	----	4 UNCH
5050	----	----	----/14.514A	18.135B/14.514A	----	14.918 -	3.250 .9604	----	----	----	----	2 UNCH
5100	----	----	17.742B/14.035A	17.742B/14.035A	----	14.435 -	3.241 .9568	----	----	----	----	5 UNCH
5150	----	----	17.418B/13.558A	17.418B/13.558A	----	13.953 -	3.232 .9529	----	----	----	----	6 UNCH
5200	----	----	17.172B/13.083A	17.172B/13.083A	----	13.473 -	3.221 .9485	----	----	----	----	40 UNCH
5225	----	----	16.925B/12.846A	16.925B/12.846A	----	13.234 -	3.215 .9461	----	----	----	----	9 UNCH
5250	----	----	16.679B/12.610A	16.679B/12.610A	----	12.995 -	3.209 .9436	----	----	----	----	2 UNCH
5275	----	----	16.433B/12.375A	16.433B/12.375A	----	12.757 -	3.203 .9412	----	----	----	----	1 UNCH
5300	----	----	16.188B/12.140A	16.188B/12.140A	----	12.520 -	3.195 .9385	----	----	----	----	7 UNCH
5350	----	----	15.697B/11.673A	15.697B/11.673A	----	12.046 -	3.181 .9326	----	----	----	----	157 UNCH
5375	----	----	15.451B/11.440A	15.451B/11.440A	----	11.811 -	3.173 .9295	----	----	----	----	1 UNCH
5400	----	----	15.206B/11.209A	15.206B/11.209A	----	11.576 -	3.165 .9263	----	----	----	----	21 UNCH
5425	----	----	14.962B/10.978A	14.962B/10.978A	----	11.342 -	3.156 .9229	----	----	----	----	42 UNCH
5450	----	----	14.717B/10.748A	14.717B/10.748A	----	11.108 -	3.147 .9193	----	----	----	----	1 UNCH
5500	----	----	14.229B/10.292A	14.229B/10.292A	----	10.644 -	3.127 .9117	----	----	----	----	496 UNCH
5550	----	----	13.742B/9.839A	13.742B/9.839A	----	10.183 -	3.105 .9033	----	----	----	----	3 UNCH
5600	----	----	13.257B/9.392A	13.257B/9.392A	----	9.727 -	3.081 .8941	----	----	----	----	106 UNCH
5650	----	----	12.773B/8.949A	12.773B/8.949A	----	9.275 -	3.054 .8841	----	----	----	----	43 UNCH
5675	----	----	12.532B/8.730A	12.532B/8.730A	----	9.051 -	3.039 .8786	----	----	----	----	25 UNCH
5700	----	----	12.292B/8.511A	12.292B/8.511A	----	8.828 -	3.024 .8730	----	----	----	----	26 UNCH
5750	----	----	11.812B/8.082A	11.812B/8.082A	----	8.387 -	2.992 .8610	----	----	----	----	164 UNCH
5775	----	----	11.573B/7.869A	11.573B/7.869A	----	8.169 -	2.974 .8545	----	----	----	----	1 UNCH
5800	----	----	11.334B/7.658A	11.334B/7.658A	----	7.952 -	2.956 .8478	----	----	----	----	16 UNCH
5900	----	----	10.388B/6.808A	10.388B/6.808A	----	7.104 -	2.873 .8180	----	----	----	----	10 UNCH
5925	----	----	10.154B/6.615A	10.154B/6.615A	----	6.896 -	2.851 .8099	----	----	----	----	10 UNCH
5950	----	----	9.920B/6.402A	9.920B/6.402A	----	6.691 -	2.827 .8013	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
5975	----	----	9.687B/6.235A	9.687B/6.235A	----	6.488 - 2.802	.7924	----	----	----	----	20 UNCH
6000	----	----	9.456B/6.013A	9.456B/6.013A	----	6.288 - 2.776	.7832	----	----	6	----	549 + 2
6050	----	----	8.996B/5.661A	8.996B/5.661A	----	5.894 - 2.720	.7639	----	----	----	----	58 UNCH
6075	----	----	8.768B/5.440A	8.768B/5.440A	----	5.700 - 2.692	.7537	----	----	----	----	1 UNCH
6100	----	----	8.541B/5.269A	8.541B/5.269A	----	5.510 - 2.661	.7431	----	----	6	----	12 + 2
6175	----	----	7.869B/4.712A	7.869B/4.712A	----	4.955 NEW	.7096	----	----	1	----	1 + 1
6200	----	----	7.649B/4.540A	7.649B/4.540A	----	4.776 - 2.529	.6977	----	----	----	----	101 UNCH
6250	4.828	4.828	7.213B/4.209A	7.213B/4.209A	----	4.428 - 2.456	.6731	----	----	1	----	2 + 1
6275	4.657	4.657	6.997B/4.046A	6.997B/4.046A	----	4.259 NEW	.6604	----	----	2	----	2 + 2
6300	----	----	6.784B/3.888A	6.784B/3.888A	----	4.093 - 2.378	.6474	----	----	----	----	6 UNCH
6325	4.322	4.322	6.574B/3.735A	6.574B/3.735A	----	3.931 NEW	.6340	----	----	1	----	0 UNCH
6350	----	----	6.365B/3.583A	6.365B/3.583A	----	3.772 - 2.296	.6205	----	----	----	----	2 UNCH
6450	----	----	5.556B/3.019A	5.556B/3.019A	----	3.175 - 2.119	.5640	----	----	----	----	1 UNCH
6500	4.977	4.977	5.168B/2.756A	5.168B/2.756A	----	2.899 - 2.026	.5348	----	----	90	----	256 + 76
6525	3.301	3.301	4.979B/*2.629A	4.979B/*2.629A	----	2.768 - 1.977	.5200	----	----	47	----	48 + 47
6550	3.161	3.161	4.793B/*2.513A	4.793B/*2.513A	----	2.640 NEW	.5051	----	----	15	----	15 + 15
6575	3.106	3.106	4.610B/*2.350	4.610B/*2.350	----	2.516 NEW	.4902	----	----	7	----	7 + 7
6600	3.700	3.700	4.431B/*2.222	4.431B/*2.222	----	2.397 - 1.828	.4752	----	----	32	----	69 + 12
6650	2.228	2.228	4.083B/*2.059A	4.083B/*2.059A	----	2.170 - 1.727	.4454	----	----	1	----	103 + 1
6675	2.423	2.423	3.915B/*1.973A	3.915B/*1.973A	----	2.062 - 1.676	.4305	----	----	7	----	6 + 5
6700	3.153	3.153	3.751B/*1.872A	3.751B/*1.872A	----	1.959 - 1.625	.4158	----	----	16	----	17 + 14
6725	----	----	3.591B/*1.776A	3.591B/*1.776A	----	1.860 - 1.573	.4012	----	----	----	----	3 UNCH
6750	----	----	3.435B/*1.681A	3.435B/*1.681A	----	1.765 - 1.521	.3868	----	----	----	----	24 UNCH
6775	1.821	1.821	3.283B/*1.596A	3.283B/*1.596A	----	1.673 - 1.471	.3724	----	----	2	----	3 + 1
6800	1.920	1.920	3.175B/1.510A	3.175B/1.510A	----	1.586 - 1.419	.3584	----	----	32	----	267 + 6
6825	2.526	2.526	3.031B/*1.430A	3.031B/*1.430A	----	1.502 - 1.369	.3445	----	----	2	----	7 UNCH
6850	2.340	2.340	2.892B/*1.326	2.892B/*1.326	----	1.422 - 1.318	.3309	----	----	66	----	36 + 13
6875	----	----	2.756B/*1.280A	2.756B/*1.280A	----	1.346 - 1.268	.3176	----	----	----	----	56 UNCH
6900	2.250	2.250	2.628B/1.210A	2.628B/1.210A	----	1.273 - 1.220	.3046	----	----	14	----	135 + 4
6925	2.333	2.333	2.501B/*1.148A	2.501B/*1.148A	----	1.204 - 1.171	.2918	----	----	2	----	34 + 1
6950	1.428	1.428	2.377B/*1.085A	2.377B/*1.085A	----	1.138 - 1.123	.2794	----	----	5	----	39 + 3
6975	1.283	1.283	2.262B/*1.026A	2.262B/*1.026A	----	1.076 - 1.076	.2674	----	----	4	----	34 + 1
7000	1.978	1.978	2.149B/0.968A	2.149B/0.968A	----	1.017 - 1.030	.2557	----	----	104	----	316 + 58
7025	1.805	1.805	2.043B/*0.917A	2.043B/*0.917A	----	0.961 - 0.985	.2444	----	----	5	----	130 + 1
7050	1.680	1.680	1.936B/*0.867A	1.936B/*0.867A	----	0.908 - 0.941	.2335	----	----	5	----	6 + 3
7075	1.470	1.470	1.836B/*0.821A	1.836B/*0.821A	----	0.857 - 0.899	.2228	----	----	15	----	82 + 8
7100	1.528	1.528	1.742B/*0.776A	1.742B/*0.776A	----	0.810 - 0.857	.2127	----	----	33	----	87 + 19
7125	----	----	1.650B/*0.734A	1.650B/*0.734A	----	0.765 - 0.817	.2028	----	----	----	----	1 UNCH
7150	1.455	1.455	1.557B/*0.693A	1.557B/*0.693A	----	0.723 - 0.778	.1934	----	----	7	----	109 + 2
7175	----	----	1.481B/*0.656A	1.481B/*0.656A	----	0.683 - 0.740	.1843	----	----	5	----	6 + 1
7200	1.232	1.232	1.396B/*0.623A	1.396B/*0.623A	----	0.645 - 0.704	.1756	----	----	78	----	161 + 47
7225	----	----	1.326B/*0.588A	1.326B/*0.588A	----	0.610 - 0.669	.1673	----	----	----	----	7 UNCH
7250	1.124	1.124	1.251B/*0.559A	1.251B/*0.559A	----	0.576 - 0.636	.1593	----	----	61	----	180 + 13
7275	1.086	1.086	1.183B/*0.530A	1.183B/*0.530A	----	0.545 - 0.603	.1517	----	----	1	----	6 + 1
7300	0.800	0.800	1.118B/*0.500A	1.118B/*0.500A	----	0.515 - 0.573	.1444	----	----	45	----	99 + 17
7325	0.850	0.850	1.058B/*0.475	1.058B/*0.475	----	0.487 - 0.543	.1374	----	----	9	----	128 + 3
7350	0.700	0.700	1.000B/*0.450	1.000B/*0.450	----	0.461 - 0.515	.1308	----	----	13	----	19 + 10
7375	0.760	0.760	0.943B/*0.430A	0.943B/*0.430A	----	0.437 - 0.488	.1246	----	----	28	----	27 + 16
7400	0.855	0.855	0.893B/*0.408A	0.893B/*0.408A	----	0.413 - 0.463	.1185	----	----	8	----	64 + 3
7425	----	----	0.844B/*0.390A	0.844B/*0.390A	----	0.392 - 0.438	.1129	----	----	----	----	13 UNCH
7450	0.480	0.480	0.798B/*0.371A	0.798B/*0.371A	----	0.371 - 0.415	.1074	----	----	24	----	73 + 18
7475	0.456	0.456	0.754B/*0.353A	0.754B/*0.353A	----	0.352 - 0.393	.1023	----	----	2	----	78 UNCH
7500	0.620	0.620	0.713B/*0.333	0.713B/*0.333	----	0.334 - 0.372	.0975	----	----	200	----	519 + 84
7525	0.338	0.338	0.675B/*0.301	0.675B/*0.301	----	0.317 - 0.353	.0928	----	----	5	----	8 + 2
7550	0.560	0.560	0.638B/*0.305	0.638B/*0.305	----	0.301 - 0.334	.0884	----	----	23	----	43 + 14
7575	0.542	0.542	0.604B/*0.293A	0.604B/*0.293A	----	0.286 - 0.317	.0843	----	----	3	----	56 + 1
7600	0.560	0.560	0.570B/*0.281A	0.570B/*0.281A	----	0.271 - 0.301	.0801	----	----	89	----	167 + 17
7625	----	----	----/*0.264A	0.542B/*0.264A	----	0.258 - 0.286	.0765	----	----	----	----	18 UNCH
7650	0.318	0.318	0.318/*0.254A	0.511B/*0.254A	----	0.246 - 0.270	.0730	----	----	4	----	47 + 2
7675	----	----	----/*0.245A	0.485B/*0.245A	----	0.234 - 0.257	.0696	----	----	----	----	20 UNCH
7700	0.450	0.450	0.462B/*0.223	0.462B/*0.223	----	0.223 - 0.244	.0664	----	----	63	----	402 + 11
7725	0.275	0.275	0.275/*0.220A	0.436B/*0.220A	----	0.212 - 0.233	.0633	----	----	1	----	15 + 1
7750	0.230	0.230	0.230/*0.212A	0.413B/*0.212A	----	0.202 - 0.221	.0604	----	----	51	----	160 + 9
7775	----	----	----/*0.203A	0.392B/*0.203A	----	0.193 - 0.211	.0577	----	----	----	----	10 UNCH
7800	0.352	0.352	0.372B/*0.180	0.372B/*0.180	----	0.184 - 0.201	.0551	----	----	87	----	315 - 2
7825	----	----	----/*0.186A	0.354B/*0.186A	----	0.176 - 0.192	.0527	----	----	----	----	3 UNCH
7850	0.217	0.217	0.217/*0.178A	0.337B/*0.178A	----	0.168 - 0.183	.0504	----	----	20	----	53 - 5
7875	----	----	----/*0.171A	0.320B/*0.171A	----	0.161 - 0.175	.0482	----	----	----	----	12 UNCH
7900	0.260	0.260	0.305/*0.161	0.305/*0.161	----	0.154 - 0.167	.0462	----	----	33	----	136 - 10
7925	----	----	----/*0.158A	0.289B/*0.158A	----	0.147 - 0.160	.0441	----	----	----	----	6 UNCH
7950	----	----	----/*0.150A	0.276B/*0.150A	----	0.141 - 0.154	.0423	----	----	1	----	26 UNCH
7975	----	----	----/*0.146A	0.264B/*0.146A	----	0.135 - 0.147	.0405	----	----	----	----	3 UNCH
8000	0.230	0.230	0.270/*0.134	0.270/*0.134	----	0.130 - 0.141	.0389	----	----	207	----	886 + 24
8025	0.173	0.173	0.173/*0.137A	0.239B/*0.137A	----	0.125 - 0.135	.0374	----	----	1	----	19 UNCH
8050	----	----	----/*0.131A	0.229B/*0.131A	----	0.120 - 0.130	.0358	----	----	16	----	30 - 16
8075	----	----	----/*0.128A	0.221B/*0.128A	----	0.116 - 0.124	.0346	----	----	----	----	11 UNCH
8100	----	----	----/*0.123A	0.209B/*0.123A	----	0.112 - 0.119	.0333	----	----	----	----	160 UNCH
8125	----	----	----/*0.116A	0.200B/*0.116A	----	0.108 - 0.114	.0320	----	----	----	----	2 UNCH
8150	----	----	----/*0.114A	0.192B/*0.114A	----	0.104 - 0.110	.0308	----	----	16	----	23 - 14
8175	----	----	----/*0.110A	0.185B/*0.110A	----	0.101 - 0.105	.0298	----	----	----	----	6 UNCH
8200	0.176	0.176	0.195/*0.055	0.195/*0.055	----	0.098 - 0.101	.0289	----	----	62	----	211 - 33
8225	----	----	----/*0.103A	0.171B/*0.103A	----	0.095 - 0.096	.0279	----	----	----	----	6 UNCH
8250	----	----	----/*0.100A	0.164B/*0.100A	----	0.092 - 0.093	.0269	----	----	10	----	156 + 7
8275	0.119	0.119	0.119/*0.097A	0.157B/*0.097A	----	0.090 - 0.088	.0262	----	----	1	----	8 UNCH
8300	----	----	----/*0.094A	0.151B/*0.094A	----	0.088 - 0.084	.0255	----	----	12	----	539 UNCH
8325	0.145	0.145	0.146B/*0.090A	0.146B/*0.090A	----	0.086 - 0.080	.0249	----	----	1	----	15 + 1
8350	----	----	----/*0.087A	0.141B/*0.087A	----	0.084 - 0.076	.0242	----	----	8	----	19 - 2
8375	----	----	----/*0.085A	0.136B/*0.085A	----	0.082 - 0.073	.0235	----	----	----	----	55 UNCH
8400	0.138	0.138	0.138/*0.082A	0.138/*0.082A	----	0.080 - 0.070	.0228	----	----	2	----	151 - 2
8425	----	----	----/*0.079A	0.127B/*0.079A	----	0.078 - 0.067	.0222	----	----	----	----	45 UNCH
8450	----	----	----/*0.077A	0.123B/*0.077A	----	0.077 - 0.064	.0218	----	----	8	----	35 UNCH
8475	----	----	----/*0.075A	0.120B/*0.075A	----	0.075 - 0.061	.0211	----	----	----	----	6 UNCH
8500	0.115	0.115	0.116B/*0.068	0.116B/*0.068	----	0.074 - 0.058	.0207	----	----	60	----	1130 - 19
8525	----	----	----/*0.071A	0.113B/*0.071A	----	0.073 - 0.056	.0204	----	----	----	----	41 UNCH
8550	----	----	----/*0.069A	0.109B/*0.069A	----	0.071 - 0.054	.0197	----	----	1	----	194 - 1
8575	----	----	----/*0.067A	0.107B/*0.067A	----	0.070 - 0.052	.0194	----	----	----	----	8 UNCH
8600	0.067	0.067	0.067/*0.065A	0.104B/*0.065A	----	0.069 - 0.050	.0190	----	----	6	----	478 UNCH
8625	----	----	----/*0.064A	0.101B/*0.064A	----	0.068 - 0.048	.0186	----	----	----	----	15 UNCH
8650	----	----	----/*0.062A	0.098B/*0.062A	----	0.067 - 0.046	.0183	----	----	----	----	44 UNCH
8675	----	----	----/*0.061A	0.095B/*0.061A	----	0.066 - 0.044	.0179	----	----	----	----	23 UNCH
8700	----	----	----/*0.059A	0.094B/*0.059A	----	0.065 - 0.043	.0175	----	----	1	----	240 UNCH
8725	0.095	0.095	0.095/*0.058A	0.095/*0.058A	----	0.064 - 0.041	.0172	----	----	1	----	5 + 1
8750	----	----	----/*0.057A	0.090B/*0.057A	----	0.063 - 0.040	.0168	----	----	1	----	107 - 1
8775	----	----	----/*0.055A	0.087B/*0.055A	----	0.062 - 0.039	.0165	----	----	----	----	15 UNCH
8800	0.053	0.053	0.053/*0.053	0.086B/*0.053	----	0.061 - 0.038	.0162	----	----	4	----	260 UNCH
8825	----	----	----/*0.053A	0.083B/*0.053A	----	0.061 - 0.036	.0161	----	----	----	----	3 UNCH
8850	----	----	----/*0.052A	0.082B/*0.052A	----	0.060 - 0.035	.0157	----	----	----	----	13 UNCH
8875	----	----	----/*0.050A	0.080B/*0.050A	----	0.059 - 0.034	.0154	----	----	----	----	13 UNCH
8900	0.054	0.054	0.054/*0.049A	0.079B/*0.049A	----	0.058 - 0.033	.0151	----	----	1	----	151 + 1
8925	0.053	0.053	0.053/*0.048A	0.077B/*0.048A	----	0.058 - 0.031	.0150	----	----	2	----	13 + 2
8950	----	----	----/*0.047A	0.076B/*0.047A	----	0.057 - 0.031	.0147	----	----	----	----	39 UNCH
8975	----	----	----/*0.046A	0.074B/*0.046A	----	0.056 - 0.030	.0144	----	----	----	----	17 UNCH
9000	0.090	0.090	0.090/*0.046A	0.090/*0.046A	----	0.055 - 0.029	.0140	----	----	12	----	1724 + 8
9025	0.062	0.062	0.062/*0.045A	0.071B/*0.045A	----	0.055 - 0.028	.0140	----	----	2	----	16 + 2
9050	----	----	----/*0.044A	0.071B/*0.044A	----	0.054 - 0.027	.0137	----	----	----	----	22 UNCH
9075	----	----	----/*0.043A	0.070B/*0.043A	----	0.054 - 0.026	.0136	----	----	----	----	9 UNCH
9100	0.059	0.059	0.059/*0.042A	0.068B/*0.042A	----	0.053 - 0.025	.0133	----	----	1	----	56 UNCH
9125	----	----	----/*0.041A	0.067B/*0.041A	----	0.052 - 0.025	.0130	----	----	----	----	17 UNCH
9150	----	----	----/*0.040A	0.066B/*0.040A	----	0.052 - 0.024	.0129	----	----	----	----	21 UNCH
9175	----	----	----/*0.040A	0.065B/*0.040A	----	0.051 - 0.023	.0126	----	----	----	----	14 UNCH
9200	0.043	0.043	0.043/*0.039A	0.064B/*0.039A	----	0.051 - 0.022	.0125	----	----	3	----	72 - 2
9225	----	----	----/*0.039A	0.063B/*0.039A	----	0.050 - 0.022	.0123	----	----	----	----	11 UNCH
9250	0.053	0.053	0.053/*0.038A	0.062B/*0.038A	----	0.049 - 0.022	.0120	----	----	1	----	30 UNCH
9275	----	----	----/*0.037A	0.062B/*0.037A	----	0.049 - 0.021	.0119	----	----	----	----	4 UNCH
9300	0.039	0.039	0.039/*0.036A	0.061B/*0.036A	----	0.048 - 0.021	.0116	----	----	1	----	538 + 1
9325	0.055	0.055	0.055/*0.036A	0.060B/*0.036A	----	0.048 - 0.020	.0116	----	----	2	----	4 + 2
9350	----	----	----/*0.035A	0.059B/*0.035A	----	0.047 - 0.020	.0113	----	----	----	----	22 UNCH
9375	0.053	0.053	0.053/*0.035A	0.059B/*0.035A	----	0.047 - 0.019	.0112	----	----	1	----	23 + 1
9400	0.033	0.033	0.033/*0.033	0.058B/*0.033	----	0.046 - 0.019	.0110	----	----	1	----	33 + 1
9425	----	----	----/*0.036A	0.056B/*0.036A	----	0.046 - 0.018	.0109	----	----	----	----	8 UNCH
9450	----	----	----/*0.046A	0.056B/*0.046A	----	0.045 - 0.018	.0107	----	----	----	----	84 UNCH
9475	----	----	----/*0.046A	0.055B/*0.046A	----	0.045 - 0.017	.0106	----	----	----	----	6 UNCH
9500	----	----	----/*0.045A	0.055B/*0.045A	----	0.044 - 0.018	.0103	----	----	1	----	854 UNCH
9525	----	----	----/*0.045A	0.054B/*0.045A	----	0.044 - 0.017	.0103	----	----	----	----	24 UNCH
9550	----	----	----/*0.044A	0.054B/*0.044A	----	0.043 - 0.017	.0100	----	----	----	----	7 UNCH
9575	----	----	----/*0.044A	0.053B/*0.044A	----	0.043 - 0.017	.0100	----	----	----	----	1 UNCH
9600	----	----	----/*0.043A	0.053B/*0.043A	----	0.043 - 0.016	.0099	----	----	----	----	161 UNCH
9625	----	----	----/*0.043A	0.052B/*0.043A	----	0.042 - 0.017	.0097	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
9650	----	----	----/*0.043A	0.052B/*0.043A	----	0.042 - 0.016	.0096	----	----	----	----	4 UNCH
9675	----	----	----/*0.042A	0.051B/*0.042A	----	0.041 - 0.017	.0094	----	----	----	----	8 UNCH
9700	----	----	----/*0.042A	0.050B/*0.042A	----	0.041 - 0.016	.0093	----	----	20	----	142 + 15
9725	----	----	----/*0.042A	0.050B/*0.042A	----	0.040 - 0.017	.0091	----	----	----	----	3 UNCH
9750	----	----	----/*0.031A	0.049B/*0.031A	----	0.040 - 0.017	.0091	----	----	----	----	109 UNCH
9775	----	----	----/*0.042A	0.049B/*0.042A	----	0.040 - 0.017	.0090	----	----	----	----	31 UNCH
9800	----	----	----/*0.030A	0.049B/*0.030A	----	0.039 - 0.017	.0088	----	----	----	----	264 UNCH
9825	0.041	0.041	0.041/*0.041	0.049B/*0.041	----	0.039 - 0.017	.0087	----	----	1	----	5 - 1
9850	----	----	----/*0.041A	0.048B/*0.041A	----	0.038 - 0.018	.0085	----	----	----	----	38 UNCH
9875	----	----	----/*0.041A	0.047B/*0.041A	----	0.038 - 0.017	.0085	----	----	----	----	1 UNCH
9900	----	----	----/*0.028A	0.047B/*0.028A	----	0.038 - 0.017	.0084	----	----	----	----	33 UNCH
9925	----	----	----/*0.040A	0.046B/*0.040A	----	0.037 - 0.018	.0082	----	----	----	----	15 UNCH
9950	----	----	----/*0.027A	0.046B/*0.027A	----	0.037 - 0.017	.0081	----	----	----	----	9 UNCH
9975	----	----	----/*0.040A	0.046B/*0.040A	----	0.036 - 0.018	.0079	----	----	----	----	4 UNCH
10000	0.038	0.038	0.043/*0.038	0.046B/*0.038	----	0.036 - 0.017	.0079	----	----	15	----	2097 + 2
10025	----	----	----/*0.040A	0.045B/*0.040A	----	0.036 - 0.017	.0078	----	----	----	----	2 UNCH
10050	----	----	----/*0.040A	0.044B/*0.040A	----	0.035 - 0.017	.0076	----	----	----	----	2 UNCH
10075	----	----	----/*0.025A	0.044B/*0.025A	----	0.035 - 0.017	.0076	----	----	----	----	21 UNCH
10100	----	----	----/*0.025A	0.044B/*0.025A	----	0.035 - 0.016	.0076	----	----	----	----	629 UNCH
10125	----	----	----/*0.040A	0.043B/*0.040A	----	0.034 - 0.016	.0073	----	----	----	----	3 UNCH
10150	----	----	----/*0.040A	0.043B/*0.040A	----	0.034 - 0.015	.0073	----	----	----	----	30 UNCH
10175	----	----	----/*0.040A	0.043B/*0.040A	----	0.034 - 0.015	.0073	----	----	----	----	1 UNCH
10200	0.025	0.025	0.025/*0.025	0.042B/*0.025	----	0.033 - 0.015	.0071	----	----	1	----	122 - 1
10250	----	----	----/*0.040A	0.041B/*0.040A	----	0.033 - 0.013	.0070	----	----	----	----	21 UNCH
10275	----	----	----/*0.040A	0.041B/*0.040A	----	0.032 - 0.014	.0068	----	----	----	----	8 UNCH
10300	----	----	----/*0.040A	0.042B/*0.040A	----	0.032 - 0.013	.0068	----	----	----	----	23 UNCH
10325	----	----	----/*0.040A	0.040B/*0.040A	----	0.032 - 0.012	.0067	----	----	----	----	1 UNCH
10375	----	----	----/*0.040A	0.040B/*0.040A	----	0.031 - 0.012	.0065	----	----	----	----	20 UNCH
10400	----	----	----/*0.039A	0.040B/*0.039A	----	0.031 - 0.012	.0065	----	----	----	----	15 UNCH
10425	----	----	----/*0.040A	0.039B/*0.040A	----	0.030 - 0.012	.0063	----	----	----	----	2 UNCH
10450	0.035	0.035	0.035/*0.034A	0.039B/*0.034A	----	0.030 - 0.012	.0062	----	----	1	----	26 + 1
10475	----	----	----	0.038B/*0.044A	----	0.030 - 0.011	.0062	----	----	----	----	26 UNCH
10500	----	----	----	0.039B/*0.042A	----	0.029 - 0.012	.0060	----	----	----	----	612 UNCH
10525	----	----	----	0.038B/*0.044A	----	0.029 - 0.011	.0060	----	----	----	----	2 UNCH
10550	----	----	----	0.037B/*0.044A	----	0.029 - 0.011	.0060	----	----	----	----	10 UNCH
10575	----	----	----	0.037B/*0.043A	----	0.029 - 0.010	.0059	----	----	----	----	1 UNCH
10600	----	----	----	0.036B/*0.043A	----	0.028 - 0.011	.0057	----	----	----	----	53 UNCH
10625	----	----	----	0.036B/*0.044A	----	0.028 - 0.011	.0057	----	----	----	----	2 UNCH
10650	----	----	----	0.036B/0.045A	----	0.028 - 0.010	.0057	----	----	----	----	2 UNCH
10675	----	----	----	0.035B/0.044A	----	0.028 - 0.010	.0057	----	----	----	----	10 UNCH
10700	----	----	----	0.035B/0.044A	----	0.027 - 0.010	.0055	----	----	20	----	85 + 16
10725	----	----	----	0.035B/0.044A	----	0.027 - 0.010	.0054	----	----	----	----	4 UNCH
10750	----	----	----/*0.029A	0.034B/*0.029A	----	0.027 - 0.010	.0054	----	----	----	----	60 UNCH
10775	----	----	----	0.034B/0.044A	----	0.027 - 0.010	.0054	----	----	----	----	9 UNCH
10800	----	----	----	0.034B/0.043A	----	0.026 - 0.010	.0052	----	----	----	----	36 UNCH
10875	----	----	----	0.034B/0.042A	----	0.026 - 0.009	.0052	----	----	----	----	15 UNCH
10900	----	----	----	0.033B/0.042A	----	0.025 - 0.010	.0050	----	----	----	----	6 UNCH
10925	----	----	----	0.032B/0.042A	----	0.025 - 0.010	.0049	----	----	----	----	1 UNCH
10950	----	----	----	0.032B/0.041A	----	0.025 - 0.010	.0049	----	----	----	----	2 UNCH
10975	----	----	----	0.032B/0.041A	----	0.025 - 0.009	.0049	----	----	----	----	1 UNCH
11000	0.031	0.031	0.032B/*0.031	0.032B/*0.031	----	0.024 - 0.010	.0047	----	----	14	----	1297 - 10
11025	----	----	----/*0.033A	0.032B/*0.033A	----	0.024 - 0.010	.0047	----	----	----	----	13 UNCH
11050	----	----	----	0.031B/0.041A	----	0.024 - 0.010	.0047	----	----	----	----	8 UNCH
11075	----	----	----	0.030B/0.040A	----	0.024 - 0.010	.0047	----	----	----	----	2 UNCH
11100	----	----	----	0.030B/0.041A	----	0.024 - 0.009	.0047	----	----	----	----	15 UNCH
11125	----	----	----	0.030B/0.041A	----	0.023 - 0.010	.0045	----	----	----	----	7 UNCH
11150	----	----	----	0.030B/0.041A	----	0.023 - 0.010	.0045	----	----	----	----	2 UNCH
11175	----	----	----	0.029B/0.041A	----	0.023 - 0.010	.0044	----	----	----	----	2 UNCH
11200	----	----	----	0.029B/0.041A	----	0.023 - 0.009	.0044	----	----	----	----	15 UNCH
11225	----	----	----	0.028B/0.041A	----	0.023 - 0.009	.0044	----	----	----	----	8 UNCH
11250	----	----	----	0.028B/0.042A	----	0.022 - 0.010	.0042	----	----	----	----	12 UNCH
11275	----	----	----	0.023B/0.042A	----	0.022 - 0.010	.0042	----	----	----	----	2 UNCH
11300	----	----	----	0.018B/0.045A	----	0.022 - 0.010	.0042	----	----	----	----	52 UNCH
11325	----	----	----	0.017B/0.045A	----	0.022 - 0.009	.0042	----	----	----	----	2 UNCH
11350	----	----	----	0.017B/0.044A	----	0.022 - 0.009	.0042	----	----	----	----	2 UNCH
11400	----	----	----	0.001B/0.053A	----	0.021 - 0.010	.0040	----	----	----	----	21 UNCH
11425	----	----	----	0.001B/0.053A	----	0.021 - 0.010	.0040	----	----	----	----	10 UNCH
11450	----	----	----	0.001B/0.052A	----	0.021 - 0.009	.0039	----	----	----	----	4 UNCH
11500	----	----	----	0.012B/*0.030A	----	0.021 - 0.009	.0039	----	----	----	----	1228 UNCH
11550	----	----	----	0.001B/0.052A	----	0.020 - 0.010	.0037	----	----	----	----	6 UNCH
11575	----	----	----	0.001B/0.052A	----	0.020 - 0.009	.0037	----	----	----	----	11 UNCH
11600	----	----	----	0.001B/0.052A	----	0.020 - 0.009	.0037	----	----	----	----	10 UNCH
11625	----	----	----	0.001B/0.052A	----	0.020 - 0.009	.0037	----	----	----	----	3 UNCH
11650	----	----	----	0.009B/0.051A	----	0.020 - 0.009	.0037	----	----	----	----	25 UNCH
11675	----	----	----	0.001B/0.051A	----	0.020 - 0.009	.0037	----	----	----	----	23 UNCH
11700	----	----	----	0.001B/0.051A	----	0.019 - 0.010	.0035	----	----	----	----	23 UNCH
11725	----	----	----	0.001B/0.051A	----	0.019 - 0.009	.0035	----	----	----	----	22 UNCH
11750	----	----	----	0.001B/0.051A	----	0.019 - 0.009	.0035	----	----	----	----	23 UNCH
11775	----	----	----	0.001B/0.050A	----	0.019 - 0.009	.0035	----	----	----	----	23 UNCH
11800	----	----	----	0.001B/0.050A	----	0.019 - 0.009	.0035	----	----	----	----	3 UNCH
11875	----	----	----	0.001B/0.049A	----	0.018 - 0.010	.0033	----	----	----	----	2 UNCH
11900	----	----	----	----/0.049A	----	0.018 - 0.009	.0033	----	----	----	----	2 UNCH
11925	----	----	----	----/0.049A	----	0.018 - 0.009	.0033	----	----	----	----	2 UNCH
11950	----	----	----	----/0.049A	----	0.018 - 0.009	.0032	----	----	----	----	1 UNCH
12000	0.015	0.015	0.015/*0.014A	0.015/*0.014A	----	0.018 - 0.009	.0032	----	----	2	----	544 - 2
12150	----	----	----	----/0.047A	----	0.017 - 0.008	.0030	----	----	----	----	1 UNCH
12200	----	----	----	----/0.048A	----	0.016 - 0.009	.0028	----	----	----	----	14 UNCH
12225	----	----	----	----/0.048A	----	0.016 - 0.008	.0028	----	----	----	----	16 UNCH
12250	----	----	----	----/0.049A	----	0.016 - 0.008	.0028	----	----	----	----	8 UNCH
12275	----	----	----	----/0.049A	----	0.016 - 0.008	.0028	----	----	----	----	1 UNCH
12300	----	----	----	----/0.051A	----	0.016 - 0.007	.0028	----	----	----	----	13 UNCH
12325	----	----	----	----/0.054A	----	0.015 - 0.008	.0026	----	----	----	----	1 UNCH
12375	----	----	----	----/0.052A	----	0.015 - 0.008	.0026	----	----	----	----	2 UNCH
12425	----	----	----	----/0.055A	----	0.015 - 0.007	.0026	----	----	----	----	3 UNCH
12450	----	----	----	----/0.055A	----	0.015 - 0.007	.0026	----	----	----	----	1 UNCH
12475	----	----	----	----/0.152A	----	0.015 - 0.007	.0026	----	----	----	----	3 UNCH
12500	----	----	----	0.003B/*0.023A	----	0.014 - 0.008	.0024	----	----	----	----	100 UNCH
12575	----	----	----	----/0.155A	----	0.014 - 0.007	.0024	----	----	----	----	2 UNCH
12600	----	----	----	----/0.155A	----	0.014 - 0.007	.0024	----	----	----	----	6 UNCH
12700	----	----	----	----/0.161A	----	0.013 - 0.007	.0022	----	----	----	----	74 UNCH
12725	----	----	----	----/0.160A	----	0.013 - 0.007	.0022	----	----	----	----	2 UNCH
12800	----	----	----	----/0.159A	----	0.013 - 0.006	.0022	----	----	----	----	1 UNCH
13000	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.012 - 0.005	.0020	----	----	9	----	2659 - 1
14000	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.008 - 0.004	.0013	----	----	1	----	856 UNCH
14700	----	----	----	----/0.188A	----	0.006 - 0.003	.0009	----	----	----	----	11 UNCH
15000	----	----	----	0.001B/*0.011A	----	0.005 - 0.003	.0008	----	----	----	----	817 UNCH
16000	----	----	----	0.001B/*0.010A	----	0.004 - 0.001	.0006	----	----	8	----	3800 UNCH
17000	----	----	----	----/0.211A	----	0.002 - 0.002	.0003	----	----	----	----	22 UNCH
18000	----	----	----	----/0.221A	----	0.002 UNCH	.0002	----	----	----	----	259 UNCH
19000	----	----	----	----/0.227A	----	0.001 - 0.001	.0001	----	----	----	----	79 UNCH
20000	----	----	----	----/0.006A	----	0.001 UNCH	.0000	----	----	----	----	1220 UNCH
21000	----	----	----	----/0.218A	----	0.001 UNCH	.0000	----	----	----	----	427 UNCH
24000	----	----	----	----/0.230A	----	0.001 UNCH	----	----	----	----	----	132 UNCH
25000	----	----	----	----/0.235A	----	0.001 UNCH	----	----	----	----	----	407 UNCH
27000	----	----	----	----/0.236A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
30000	----	----	----	----/0.005A	----	0.001 UNCH	----	----	----	----	----	54 UNCH
32000	----	----	----	----/0.238A	----	0.001 UNCH	----	----	----	----	----	4 UNCH
35000	----	----	----	----/0.002A	----	0.001 UNCH	----	----	----	----	----	108 UNCH
TOTAL										1920	0	35183 + 538
AUG26												
5000	----	----	19.740B/15.775A	19.740B/15.775A	----	16.137 - 3.160	.9282	----	----	1	----	8 + 1
5400	----	----	15.929B/12.216A	15.929B/12.216A	----	12.522 - 3.006	.8749	----	----	----	----	3 UNCH
5500	----	----	15.001B/11.373A	15.001B/11.373A	----	11.662 - 2.953	.8567	----	----	----	----	2 UNCH
6000	8.400	8.400	10.608B/7.505A	10.608B/7.505A	----	7.756 - 2.568	.7312	----	----	8	----	9 + 8
6200	----	----	9.021B/6.222A	9.021B/6.222A	----	6.431 NEW	.6661	----	----	1	----	1 + 1
6300	6.010	6.010	8.276B/5.635A	8.276B/5.635A	----	5.828 - 2.237	.6313	----	----	1	----	8 UNCH
6325	5.615	5.615	8.094B/5.494A	8.094B/5.494A	----	5.684 NEW	.6224	----	----	1	----	1 + 1
6400	5.615	5.615	7.567B/5.002	7.567B/5.002	----	5.267 - 2.113	.5955	----	----	2	----	3 + 2
6450	----	----	7.226B/4.830A	7.226B/4.830A	----	5.002 - 2.049	.5774	----	----	----	----	1 UNCH
6500	4.709	4.709	6.896B/4.586A	6.896B/4.586A	----	4.748 - 1.985	.5592	----	----	2	----	4 + 2
6550	----	----	6.576B/*4.349A	6.576B/*4.349A	----	4.504 NEW	.5409	----	----	2	----	2 + 2
6600	----	----	6.267B/*4.129A	6.267B/*4.129A	----	4.270 - 1.855	.5228	----	----	6	----	10 + 6
6650	4.753	4.753	5.968B/*3.911A	5.968B/*3.911A	----	4.047 NEW	.5047	----	----	1	----	1 + 1
6675	3.921	3.921	5.822B/*3.808A	5.822B/*3.808A	----	3.939 NEW	.4957	----	----	1	----	1 + 1
6700	4.503	4.503	5.679B/*3.708A	5.679B/*3.708A	----	3.834 - 1.725	.4868	----	----	1	----	10 + 1
6725	4.002	4.002	5.539B/*3.613A	5.539B/*3.613A	----	3.731 NEW	.4779	----	----	1	----	1 + 1
6750	----	----	5.402B/*3.517A	5.402B/*3.517A	----	3.631 - 1.660	.4690	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
6775	3.582	3.582	5.320B/*3.421A	5.320B/*3.421A	----	3.533 NEW	.4603	----	----	1	----	1 + 1
6800	4.052	4.052	5.188B/*3.331A	5.188B/*3.331A	----	3.437 - 1.596	.4516	----	----	1	----	8 + 1
6825	----	----	5.058B/*3.242A	5.058B/*3.242A	----	3.344 - 1.565	.4429	----	----	----	----	1 UNCH
6850	4.580	4.580	4.931B/*3.158A	4.931B/*3.158A	----	3.253 - 1.533	.4344	----	----	5	----	4 + 3
6875	3.743	3.743	4.807B/*3.073A	4.807B/*3.073A	----	3.165 - 1.502	.4259	----	----	1	----	7 + 1
6900	----	----	4.685B/*2.990A	4.685B/*2.990A	----	3.079 - 1.471	.4175	----	----	1	----	6 + 1
6925	3.364	3.364	4.570B/*2.912A	4.570B/*2.912A	----	2.995 - 1.440	.4092	----	----	1	----	2 + 1
6950	4.399	4.399	4.450B/*2.836A	4.450B/*2.836A	----	2.914 NEW	.4011	----	----	5	----	5 + 5
6975	2.880	2.880	4.340B/*2.758A	4.340B/*2.758A	----	2.834 NEW	.3930	----	----	1	----	1 + 1
7000	3.832	3.832	4.228B/*2.678A	4.228B/*2.678A	----	2.757 - 1.350	.3850	----	----	16	----	132 - 5
7025	----	----	4.119B/*2.614A	4.119B/*2.614A	----	2.682 - 1.321	.3771	----	----	----	----	5 UNCH
7050	2.659	2.659	4.013B/*2.545A	4.013B/*2.545A	----	2.609 - 1.292	.3693	----	----	1	----	6 + 1
7100	----	----	3.808B/*2.413A	3.808B/*2.413A	----	2.469 - 1.235	.3541	----	----	1	----	6 + 1
7125	----	----	3.709B/*2.349A	3.709B/*2.349A	----	2.402 - 1.207	.3467	----	----	----	----	1 UNCH
7150	----	----	3.612B/*2.288A	3.612B/*2.288A	----	2.337 - 1.180	.3394	----	----	----	----	3 UNCH
7200	2.500	2.500	3.426B/*2.162A	3.426B/*2.162A	----	2.212 - 1.127	.3251	----	----	4	26	66 + 27
7225	----	----	3.337B/*2.117A	3.337B/*2.117A	----	2.152 - 1.101	.3182	----	----	----	----	1 UNCH
7250	2.262	2.262	3.250B/*2.057A	3.250B/*2.057A	----	2.094 - 1.076	.3113	----	----	1	----	4 + 1
7300	----	----	3.082B/*1.954A	3.082B/*1.954A	----	1.983 - 1.026	.2981	----	----	----	----	8 UNCH
7325	1.887	1.887	3.001B/*1.887	3.001B/*1.887	----	1.930 NEW	.2916	----	----	1	----	1 + 1
7350	----	----	2.922B/*1.855A	2.922B/*1.855A	----	1.878 - 0.979	.2852	----	----	----	----	1 UNCH
7400	1.840	1.840	2.771B/*1.753A	2.771B/*1.753A	----	1.780 - 0.933	.2730	----	----	5	----	22 - 5
7425	----	----	2.701B/*1.711A	2.701B/*1.711A	----	1.733 - 0.910	.2670	----	----	----	----	14 UNCH
7450	----	----	2.628B/*1.665A	2.628B/*1.665A	----	1.687 - 0.889	.2612	----	----	----	----	2 UNCH
7475	1.863	1.863	2.564B/*1.624A	2.564B/*1.624A	----	1.643 - 0.867	.2555	----	----	1	----	6 UNCH
7500	2.226	2.226	2.497B/*1.578A	2.497B/*1.578A	----	1.600 - 0.847	.2499	----	----	19	----	255 + 9
7525	1.634	1.634	2.432B/*1.539A	2.432B/*1.539A	----	1.558 - 0.827	.2444	----	----	1	----	13 UNCH
7550	----	----	2.369B/*1.500A	2.369B/*1.500A	----	1.517 - 0.807	.2389	----	----	----	----	17 UNCH
7575	2.028	2.028	2.307B/*1.462A	2.307B/*1.462A	----	1.478 - 0.787	.2337	----	----	1	----	2 + 1
7600	1.991	1.991	2.246B/*1.424A	2.246B/*1.424A	----	1.440 - 0.768	.2286	----	----	3	----	179 UNCH
7625	----	----	2.189B/*1.388A	2.189B/*1.388A	----	1.403 - 0.750	.2236	----	----	----	----	18 UNCH
7650	----	----	2.131B/*1.353A	2.131B/*1.353A	----	1.367 - 0.732	.2186	----	----	1	----	3 UNCH
7675	----	----	2.078B/*1.319A	2.078B/*1.319A	----	1.333 - 0.714	.2139	----	----	1	----	3 UNCH
7700	----	----	2.024B/*1.286A	2.024B/*1.286A	----	1.299 - 0.697	.2092	----	----	5	----	99 + 5
7725	----	----	1.973B/*1.254A	1.973B/*1.254A	----	1.266 - 0.680	.2046	----	----	----	----	7 UNCH
7750	1.590	1.590	1.922B/*1.224A	1.922B/*1.224A	----	1.235 - 0.663	.2002	----	----	17	----	526 + 11
7800	----	----	1.824B/*1.163A	1.824B/*1.163A	----	1.174 - 0.632	.1915	----	----	1	----	290 UNCH
7825	----	----	1.778B/*1.136A	1.778B/*1.136A	----	1.145 - 0.616	.1873	----	----	1	----	2 + 1
7850	----	----	1.733B/*1.112A	1.733B/*1.112A	----	1.117 - 0.602	.1833	----	----	----	----	22 UNCH
7875	----	----	1.689B/*1.081A	1.689B/*1.081A	----	1.090 - 0.587	.1793	----	----	----	----	1 UNCH
7900	1.134	1.134	1.644B/*1.055A	1.644B/*1.055A	----	1.063 - 0.573	.1754	----	----	1	----	66 UNCH
7925	----	----	1.603B/*1.030A	1.603B/*1.030A	----	1.038 - 0.559	.1717	----	----	----	----	2 UNCH
7950	----	----	1.563B/*1.008A	1.563B/*1.008A	----	1.013 - 0.546	.1680	----	----	----	----	17 UNCH
7975	----	----	1.525B/*0.985A	1.525B/*0.985A	----	0.989 - 0.533	.1644	----	----	----	----	2 UNCH
8000	1.360	1.360	1.487B/*0.960A	1.487B/*0.960A	----	0.965 - 0.520	.1608	----	----	140	----	1228 + 98
8025	----	----	----/*0.940A	1.450B/*0.940A	----	0.943 - 0.507	.1575	----	----	----	----	2 UNCH
8050	----	----	----/*0.918A	1.416B/*0.918A	----	0.921 - 0.495	.1541	----	----	----	----	8 UNCH
8075	----	----	----/*0.897A	1.381B/*0.897A	----	0.899 - 0.484	.1508	----	----	----	----	5 UNCH
8100	----	----	----/*0.877A	1.348B/*0.877A	----	0.878 - 0.473	.1476	----	----	3	----	41 UNCH
8125	----	----	----/*0.857A	1.315B/*0.857A	----	0.858 - 0.462	.1445	----	----	----	----	12 UNCH
8150	----	----	----/*0.838A	1.283B/*0.838A	----	0.839 - 0.450	.1415	----	----	----	----	62 UNCH
8175	----	----	----/*0.821A	1.253B/*0.821A	----	0.820 - 0.440	.1386	----	----	----	----	5 UNCH
8200	1.120	1.120	1.224B/*0.802A	1.224B/*0.802A	----	0.801 - 0.430	.1356	----	----	48	----	66 + 40
8225	----	----	----/*0.784A	1.195B/*0.784A	----	0.783 - 0.420	.1328	----	----	1	----	11 UNCH
8250	----	----	----/*0.767A	1.166B/*0.767A	----	0.766 - 0.410	.1301	----	----	----	----	271 UNCH
8275	----	----	----/*0.750A	1.139B/*0.750A	----	0.749 - 0.401	.1274	----	----	----	----	1 UNCH
8300	0.745	0.745	0.745/*0.734A	1.113B/*0.734A	----	0.733 - 0.391	.1249	----	----	5	----	125 - 1
8325	----	----	----/*0.720A	1.088B/*0.720A	----	0.717 - 0.382	.1223	----	----	1	----	3 + 1
8350	----	----	----/*0.704A	1.062B/*0.704A	----	0.701 - 0.374	.1198	----	----	----	----	29 UNCH
8375	----	----	----/*0.689A	1.037B/*0.689A	----	0.686 - 0.365	.1174	----	----	----	----	1 UNCH
8400	0.800	0.800	0.800/*0.674A	1.014B/*0.674A	----	0.671 - 0.357	.1150	----	----	4	----	77 UNCH
8425	0.688	0.688	0.688/*0.661A	0.991B/*0.661A	----	0.657 - 0.349	.1127	----	----	1	----	2 + 1
8450	----	----	----/*0.649A	0.969B/*0.649A	----	0.643 - 0.341	.1105	----	----	1	----	23 UNCH
8475	----	----	----/*0.634A	0.947B/*0.634A	----	0.629 - 0.334	.1082	----	----	----	----	2 UNCH
8500	0.799	0.799	0.799/*0.622A	0.926B/*0.622A	----	0.616 - 0.327	.1061	----	----	99	----	415 + 78
8550	----	----	----/*0.598A	0.886B/*0.598A	----	0.590 - 0.313	.1019	----	----	----	----	24 UNCH
8575	----	----	----/*0.587A	0.866B/*0.587A	----	0.578 - 0.306	.0999	----	----	----	----	51 UNCH
8600	0.835	0.835	0.848B/*0.560	0.848B/*0.560	----	0.566 - 0.300	.0979	----	----	4	----	210 - 1
8625	----	----	----/*0.566A	0.829B/*0.566A	----	0.554 - 0.294	.0959	----	----	----	----	2 UNCH
8650	----	----	----/*0.555A	0.812B/*0.555A	----	0.543 - 0.288	.0941	----	----	----	----	4 UNCH
8675	----	----	----/*0.543A	0.794B/*0.543A	----	0.531 - 0.283	.0922	----	----	----	----	41 UNCH
8700	----	----	----/*0.531A	0.778B/*0.531A	----	0.520 - 0.277	.0904	----	----	20	----	48 UNCH
8725	----	----	----/*0.523A	0.761B/*0.523A	----	0.510 - 0.271	.0887	----	----	----	----	1 UNCH
8750	----	----	----/*0.516A	0.745B/*0.516A	----	0.499 - 0.266	.0869	----	----	----	----	45 UNCH
8775	----	----	----/*0.505A	0.730B/*0.505A	----	0.489 - 0.261	.0852	----	----	----	----	73 UNCH
8800	----	----	----/*0.497A	0.715B/*0.497A	----	0.479 - 0.256	.0835	----	----	----	----	23 UNCH
8825	----	----	----/*0.485A	0.700B/*0.485A	----	0.469 - 0.252	.0819	----	----	----	----	11 UNCH
8850	----	----	----/*0.480A	0.686B/*0.480A	----	0.460 - 0.247	.0804	----	----	----	----	10 UNCH
8875	----	----	----/*0.471A	0.672B/*0.471A	----	0.451 - 0.242	.0788	----	----	----	----	2 UNCH
8900	----	----	----/*0.462A	0.659B/*0.462A	----	0.442 - 0.238	.0773	----	----	----	----	20 UNCH
8925	----	----	----/*0.452A	0.646B/*0.452A	----	0.433 - 0.234	.0758	----	----	----	----	3 UNCH
8950	----	----	----/*0.446A	0.633B/*0.446A	----	0.425 - 0.229	.0744	----	----	----	----	8 UNCH
8975	----	----	----/*0.442A	0.621B/*0.442A	----	0.416 - 0.225	.0730	----	----	----	----	3 UNCH
9000	----	----	----/*0.434A	0.609B/*0.434A	----	0.408 - 0.221	.0716	----	----	109	----	1177 + 88
9025	----	----	----/*0.427A	0.598B/*0.427A	----	0.401 - 0.217	.0704	----	----	----	----	4 UNCH
9050	----	----	----/*0.415A	0.587B/*0.415A	----	0.393 - 0.213	.0690	----	----	----	----	14 UNCH
9075	----	----	----/*0.413A	0.575B/*0.413A	----	0.386 - 0.209	.0678	----	----	----	----	2 UNCH
9100	0.437	0.437	0.437/*0.406A	0.565B/*0.406A	----	0.379 - 0.205	.0666	----	----	5	----	31 - 4
9150	----	----	----/*0.393A	0.544B/*0.393A	----	0.365 - 0.198	.0642	----	----	----	----	11 UNCH
9175	----	----	----/*0.383A	0.534B/*0.383A	----	0.359 - 0.194	.0631	----	----	----	----	2 UNCH
9200	----	----	----/*0.382A	0.524B/*0.382A	----	0.353 - 0.191	.0621	----	----	----	----	41 UNCH
9225	----	----	----/*0.377A	0.515B/*0.377A	----	0.347 - 0.187	.0610	----	----	----	----	1 UNCH
9250	----	----	----/*0.371A	0.505B/*0.371A	----	0.341 - 0.184	.0600	----	----	----	----	174 UNCH
9275	----	----	----/*0.360A	0.496B/*0.360A	----	0.335 - 0.181	.0589	----	----	----	----	2 UNCH
9300	----	----	----/*0.360A	0.486B/*0.360A	----	0.330 - 0.177	.0580	----	----	----	----	14 UNCH
9325	----	----	----/*0.354A	0.478B/*0.354A	----	0.325 - 0.173	.0571	----	----	----	----	1 UNCH
9350	----	----	----/*0.349A	0.471B/*0.349A	----	0.320 - 0.170	.0562	----	----	----	----	1 UNCH
9400	----	----	----/*0.334A	0.455B/*0.334A	----	0.310 - 0.164	.0544	----	----	----	----	133 UNCH
9450	----	----	----/*0.330A	0.439B/*0.330A	----	0.301 - 0.157	.0528	----	----	----	----	8 UNCH
9475	----	----	----/*0.326A	0.432B/*0.326A	----	0.297 - 0.154	.0520	----	----	----	----	29 UNCH
9500	0.350	0.350	0.350/*0.305	0.422B/*0.305	----	0.293 - 0.151	.0513	----	----	101	----	355 + 91
9550	----	----	----/*0.312A	0.408B/*0.312A	----	0.285 - 0.145	.0498	----	----	----	----	18 UNCH
9575	----	----	----/*0.308A	0.402B/*0.308A	----	0.281 - 0.142	.0491	----	----	----	----	2 UNCH
9600	----	----	----/*0.305A	0.395B/*0.305A	----	0.278 - 0.138	.0485	----	----	----	----	3 UNCH
9625	----	----	----/*0.301A	0.389B/*0.301A	----	0.274 - 0.136	.0478	----	----	----	----	27 UNCH
9700	----	----	----/*0.289A	0.371B/*0.289A	----	0.264 - 0.128	.0459	----	----	----	----	101 UNCH
9725	----	----	----/*0.285A	0.365B/*0.285A	----	0.261 - 0.125	.0453	----	----	----	----	1 UNCH
9750	----	----	----/*0.281A	0.360B/*0.281A	----	0.258 - 0.122	.0447	----	----	----	----	19 UNCH
9775	----	----	----/*0.278A	0.355B/*0.278A	----	0.255 - 0.120	.0442	----	----	----	----	1 UNCH
9800	----	----	----/*0.274A	0.350B/*0.274A	----	0.252 - 0.117	.0436	----	----	----	----	26 UNCH
9850	----	----	----/*0.269A	0.340B/*0.269A	----	0.246 - 0.113	.0425	----	----	----	----	16 UNCH
9875	----	----	----/*0.265A	0.333B/*0.265A	----	0.244 - 0.110	.0420	----	----	----	----	5 UNCH
9900	0.288	0.288	0.330B/*0.262A	0.330B/*0.262A	----	0.241 - 0.108	.0415	----	----	1	----	9 + 1
9925	----	----	----/*0.259A	0.324B/*0.259A	----	0.238 - 0.106	.0409	----	----	----	----	5 UNCH
9950	----	----	----/*0.256A	0.320B/*0.256A	----	0.236 - 0.103	.0405	----	----	----	----	3 UNCH
9975	----	----	----/*0.253A	0.315B/*0.253A	----	0.233 - 0.101	.0400	----	----	----	----	10 UNCH
10000	----	----	----/*0.250A	0.311B/*0.250A	----	0.231 - 0.099	.0396	----	----	1	25	515 UNCH
10025	----	----	----/*0.245A	0.306B/*0.245A	----	0.228 - 0.098	.0390	----	----	----	----	2 UNCH
10075	----	----	----/*0.243A	0.297B/*0.243A	----	0.224 - 0.093	.0382	----	----	----	----	15 UNCH
10100	----	----	----/*0.239A	0.294B/*0.239A	----	0.221 - 0.092	.0377	----	----	----	----	2 UNCH
10125	----	----	----/*0.238A	0.290B/*0.238A	----	0.219 - 0.090	.0373	----	----	----	----	1 UNCH
10150	----	----	----/*0.235A	0.286B/*0.235A	----	0.216 - 0.088	.0368	----	----	----	----	9 UNCH
10175	----	----	----/*0.232A	0.282B/*0.232A	----	0.214 - 0.086	.0364	----	----	----	----	4 UNCH
10200	----	----	----/*0.230A	0.278B/*0.230A	----	0.212 - 0.085	.0360	----	----	----	----	34 UNCH
10225	----	----	----/*0.227A	0.274B/*0.227A	----	0.209 - 0.084	.0355	----	----	----	----	1 UNCH
10250	----	----	----/*0.225A	0.270B/*0.225A	----	0.207 - 0.082	.0351	----	----	----	----	2 UNCH
10275	----	----	----/*0.222A	0.267B/*0.222A	----	0.205 - 0.080	.0347	----	----	----	----	21 UNCH
10300	----	----	----/*0.220A	0.263B/*0.220A	----	0.202 - 0.079	.0342	----	----	----	----	33 UNCH
10325	----	----	----/*0.219A	0.260B/*0.219A	----	0.200 - 0.078	.0338	----	----	----	----	11 UNCH
10350	----	----	----/*0.216A	0.257B/*0.216A	----	0.198 - 0.076	.0334	----	----	----	----	6 UNCH
10375	----	----	----/*0.213A	0.252B/*0.213A	----	0.195 - 0.076	.0329	----	----	----	----	1 UNCH
10400	----	----	----/*0.211A	0.250B/*0.211A	----	0.193 - 0.074	.0326	----	----	----	----	25 UNCH
10475	----	----	----/*0.205A	0.240B/*0.205A	----	0.187 - 0.071	.0315	----	----	----	----	6 UNCH
10500	----	----	----/*0.203A	0.238B/*0.203A	----	0.184 - 0.071	.0310	----	----	1	----	175 UNCH
10600	----	----	----/*0.195A	0.228B/*0.195A	----	0.176 - 0.067	.0295	----	----	----	----	5 UNCH
10650	----	----	----/*0.191A	0.221B/*0.191A	----	0.172 - 0.065	.0288	----	----	----	----	1 UNCH
10675	----	----	----/*0.189A	0.219B/*0.189A	----	0.170 - 0.065	.0285	----	----	----	----	4 UNCH
10700	----	----	----/*0.189A	0.216B/*0.189A	----	0.168 - 0.064	.0281	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
10725	----	----	----/*0.187A	0.213B/*0.187A	----	0.166 -	0.064 .0278	----	----	----	----	1 UNCH
10775	----	----	----/*0.182A	0.208B/*0.182A	----	0.162 -	0.063 .0271	----	----	----	----	3 UNCH
10800	----	----	----/*0.181A	0.206B/*0.181A	----	0.160 -	0.062 .0267	----	----	----	----	5 UNCH
10825	----	----	----/*0.179A	0.204B/*0.179A	----	0.159 -	0.061 .0265	----	----	----	----	2 UNCH
10875	----	----	----/*0.178A	0.199B/*0.178A	----	0.155 -	0.060 .0258	----	----	----	----	5 UNCH
10900	----	----	----/*0.174A	0.197B/*0.174A	----	0.153 -	0.060 .0255	----	----	----	----	7 UNCH
10925	----	----	----/*0.175A	0.195B/*0.175A	----	0.152 -	0.059 .0253	----	----	----	----	4 UNCH
10950	----	----	----/*0.171A	0.192B/*0.171A	----	0.150 -	0.058 .0249	----	----	----	----	1 UNCH
10975	----	----	----/*0.172A	0.191B/*0.172A	----	0.148 -	0.058 .0246	----	----	----	----	10 UNCH
11000	----	----	----/*0.168A	0.189B/*0.168A	----	0.147 -	0.057 .0244	----	----	----	----	574 UNCH
11075	----	----	----/*0.164A	0.182B/*0.164A	----	0.142 -	0.056 .0235	----	----	----	----	3 UNCH
11100	----	----	----/*0.163A	0.180B/*0.163A	----	0.140 -	0.056 .0232	----	----	----	----	25 UNCH
11150	----	----	----/*0.160A	0.177B/*0.160A	----	0.137 -	0.055 .0227	----	----	----	----	9 UNCH
11200	----	----	----/*0.157A	0.173B/*0.157A	----	0.135 -	0.054 .0223	----	----	----	----	2 UNCH
11225	----	----	----/*0.158A	0.171B/*0.158A	----	0.133 -	0.054 .0220	----	----	----	----	1 UNCH
11250	----	----	----/*0.157A	0.169B/*0.157A	----	0.132 -	0.053 .0218	----	----	----	----	3 UNCH
11275	----	----	----/*0.156A	0.168B/*0.156A	----	0.130 -	0.053 .0215	----	----	----	----	7 UNCH
11300	----	----	----/*0.152A	0.166B/*0.152A	----	0.129 -	0.053 .0213	----	----	----	----	1 UNCH
11325	----	----	----/*0.151A	0.163B/*0.151A	----	0.128 -	0.052 .0211	----	----	----	----	6 UNCH
11350	----	----	----/*0.150A	0.163B/*0.150A	----	0.127 -	0.051 .0209	----	----	----	----	1 UNCH
11400	----	----	----/*0.148A	0.158B/*0.148A	----	0.124 -	0.051 .0204	----	----	----	----	2 UNCH
11475	----	----	----/*0.144A	0.154B/*0.144A	----	0.121 -	0.049 .0198	----	----	----	----	2 UNCH
11500	----	----	----/*0.143A	0.152B/*0.143A	----	0.120 -	0.049 .0196	----	----	----	----	130 UNCH
11575	----	----	----/*0.140A	0.148B/*0.140A	----	0.117 -	0.048 .0191	----	----	----	----	1 UNCH
11650	----	----	----/*0.137A	0.145B/*0.137A	----	0.114 -	0.047 .0186	----	----	----	----	2 UNCH
11700	----	----	----/*0.135A	0.142B/*0.135A	----	0.112 -	0.046 .0182	----	----	----	----	2 UNCH
11850	----	----	----/*0.132A	0.134B/*0.132A	----	0.108 -	0.042 .0174	----	----	----	----	1 UNCH
12000	0.111	0.111	0.114/*0.111	0.126B/*0.111	----	0.105 -	0.038 .0168	----	----	3	----	43 + 2
12025	----	----	----/*0.126A	0.126B/*0.126A	----	0.104 -	0.038 .0166	----	----	----	----	52 UNCH
12050	----	----	----/*0.125A	0.125B/*0.125A	----	0.104 -	0.037 .0166	----	----	----	----	208 UNCH
12100	----	----	----/*0.121A	0.123B/*0.121A	----	0.103 -	0.036 .0164	----	----	----	----	3 UNCH
12300	----	----	----/*0.115A	0.114B/*0.115A	----	0.100 -	0.031 .0157	----	----	----	----	34 UNCH
12500	----	----	----/*0.112A	0.107B/*0.112A	----	0.098 -	0.026 .0152	----	----	----	----	148 UNCH
12550	----	----	----/*0.108A	0.105B/*0.108A	----	0.097 -	0.025 .0150	----	----	----	----	2 UNCH
12700	----	----	----/*0.107A	0.100B/*0.107A	----	0.096 -	0.021 .0146	----	----	----	----	1 UNCH
12725	----	----	----/*0.106A	0.099B/*0.106A	----	0.096 -	0.020 .0146	----	----	----	----	1 UNCH
12775	----	----	----/*0.105A	0.098B/*0.105A	----	0.096 -	0.018 .0146	----	----	----	----	13 UNCH
12800	----	----	----/*0.102A	0.097B/*0.102A	----	0.096 -	0.018 .0145	----	----	----	----	2 UNCH
13000	----	----	----/*0.100A	0.091B/*0.100A	----	0.095 -	0.013 .0142	----	----	1	----	3598 UNCH
14000	----	----	----/*0.080A	0.068B/*0.080A	----	0.074 -	0.009 .0107	----	----	----	----	22 UNCH
15000	0.060	0.060	0.060/*0.060	0.060/*0.060	----	0.059 -	0.006 .0083	----	----	2	----	116 + 1
16000	----	----	----	0.041B/*0.061A	----	0.047 -	0.005 .0065	----	----	----	----	9 UNCH
17000	----	----	----	0.033B/*0.053A	----	0.039 -	0.003 .0053	----	----	----	----	2961 UNCH
18000	----	----	----	0.026B/*0.048A	----	0.033 -	0.003 .0044	----	----	----	----	8 UNCH
19000	----	----	----	0.020B/*0.043A	----	0.026 -	0.001 .0034	----	----	----	----	2 UNCH
20000	----	----	----	----/2.373A	----	0.020 -	0.001 .0026	----	----	----	----	245 UNCH
25000	----	----	----	----/*0.030A	----	0.006	UNCH .0008	----	----	----	----	21 UNCH
27000	----	----	----	----/2.361A	----	0.004	UNCH .0005	----	----	----	----	6 UNCH
30000	----	----	----	----/*0.015A	----	0.003	UNCH .0003	----	----	----	----	14 UNCH
32000	----	----	----	----/2.358A	----	0.002	UNCH .0002	----	----	----	----	3 UNCH
35000	0.002	0.002	0.003/0.002	0.003/0.002	----	0.002	UNCH .0002	----	----	2	----	6 + 1
TOTAL										678	51	16321 + 485
SEP26												
5025	----	----	#19.619B/15.872	19.619B/15.872A	----	16.163 -	3.072 .9018	----	----	----	----	1 UNCH
5050	----	----	#19.385B/15.654	19.385B/15.654A	----	15.942 -	3.061 .8986	----	----	----	----	1 UNCH
5100	----	----	18.918B/15.221A	18.918B/15.221A	----	15.499 -	3.042 .8922	----	----	----	----	1 UNCH
5900	----	----	11.969B/8.997A	11.969B/8.997A	----	9.213 -	2.413 .7322	----	----	----	----	2 UNCH
6000	----	----	11.198B/8.361A	11.198B/8.361A	----	8.558 -	2.314 .7055	----	----	----	----	7 UNCH
6175	7.331	7.331	9.920B/7.325A	9.920B/7.325A	----	7.499	NEW .6566	----	----	1	----	1 + 1
6250	6.913	6.913	9.402B/6.913	9.402B/6.913	----	7.077	NEW .6350	----	----	1	----	1 + 1
6275	6.778	6.778	9.233B/6.778	9.233B/6.778	----	6.941	NEW .6277	----	----	1	----	1 + 1
6500	5.860	5.860	7.811B/5.676A	7.811B/5.676A	----	5.800	NEW .5621	----	----	5	----	5 + 5
6600	----	----	7.236B/5.240A	7.236B/5.240A	----	5.344	NEW .5330	----	----	1	----	1 + 1
6700	4.966	4.966	6.697B/4.836A	6.697B/4.836A	----	4.919 -	1.577 .5043	----	----	1	----	1 UNCH
6800	4.570	4.570	6.271B/*4.462A	6.271B/*4.462A	----	4.527	NEW .4763	----	----	2	----	2 + 2
6900	----	----	5.806B/*4.118A	5.806B/*4.118A	----	4.166 -	1.395 .4490	----	----	----	----	1 UNCH
6950	3.840	3.840	5.583B/*3.840	5.583B/*3.840	----	3.997	NEW .4357	----	----	1	----	1 + 1
7000	4.000	4.000	5.368B/3.802A	5.368B/3.802A	----	3.836 -	1.309 .4227	----	----	6	----	269 + 3
7100	4.498	4.498	4.957B/*3.508A	4.957B/*3.508A	----	3.534 -	1.227 .3975	----	----	2	----	2 - 1
7125	----	----	4.866B/*3.436A	4.866B/*3.436A	----	3.463 -	1.206 .3914	----	----	----	----	75 UNCH
7200	3.300	3.300	4.588B/*3.234A	4.588B/*3.234A	----	3.260 -	1.146 .3736	----	----	1	----	5 + 1
7300	----	----	4.242B/*2.984A	4.242B/*2.984A	----	3.010 -	1.070 .3509	----	----	----	----	147 UNCH
7400	----	----	3.923B/*2.756A	3.923B/*2.756A	----	2.782 -	0.997 .3294	----	----	----	----	104 UNCH
7450	----	----	3.767B/*2.650A	3.767B/*2.650A	----	2.675 -	0.962 .3191	----	----	----	----	4 UNCH
7500	3.330	3.330	3.631B/*2.500	3.631B/*2.500	----	2.573 -	0.928 .3091	----	----	8	----	44 + 3
7525	2.515	2.515	3.554B/*2.499A	3.554B/*2.499A	----	2.524	NEW .3042	----	----	2	----	0 UNCH
7550	----	----	3.487B/*2.451A	3.487B/*2.451A	----	2.476 -	0.894 .2994	----	----	----	----	6 UNCH
7575	2.416	2.416	3.420B/*2.388	3.420B/*2.388	----	2.429 -	0.878 .2947	----	----	2	----	4 UNCH
7650	----	----	3.230B/*2.272A	3.230B/*2.272A	----	2.294 -	0.830 .2810	----	----	----	----	15 UNCH
7700	----	----	3.116B/*2.186A	3.116B/*2.186A	----	2.209 -	0.799 .2722	----	----	2	----	8 + 2
7750	2.153	2.153	2.994B/*2.105A	2.994B/*2.105A	----	2.127 -	0.770 .2636	----	----	1	----	15 + 1
7900	----	----	2.678B/*1.886A	2.678B/*1.886A	----	1.903 -	0.687 .2397	----	----	----	----	12 UNCH
8000	1.850	1.850	2.488B/1.759A	2.488B/1.759A	----	1.770 -	0.637 .2251	----	----	44	----	315 + 22
8025	----	----	2.443B/*1.728A	2.443B/*1.728A	----	1.739 -	0.624 .2216	----	----	----	----	1 UNCH
8075	----	----	2.356B/*1.666A	2.356B/*1.666A	----	1.678 -	0.601 .2148	----	----	----	----	30 UNCH
8100	----	----	2.314B/*1.637A	2.314B/*1.637A	----	1.648 -	0.591 .2114	----	----	20	----	235 + 10
8200	----	----	2.155B/*1.527A	2.155B/*1.527A	----	1.537 -	0.548 .1987	----	----	----	----	38 UNCH
8250	----	----	2.081B/*1.476A	2.081B/*1.476A	----	1.484 -	0.530 .1926	----	----	----	----	1 UNCH
8300	----	----	2.010B/*1.427A	2.010B/*1.427A	----	1.434 -	0.511 .1868	----	----	----	----	2 UNCH
8400	----	----	1.876B/*1.335A	1.876B/*1.335A	----	1.341 -	0.477 .1758	----	----	----	----	10 UNCH
8500	----	----	1.753B/*1.251A	1.753B/*1.251A	----	1.255 -	0.447 .1655	----	----	23	88	297 + 24
8600	----	----	1.641B/*1.174A	1.641B/*1.174A	----	1.176 -	0.422 .1560	----	----	----	----	76 UNCH
8675	----	----	1.562B/*1.125A	1.562B/*1.125A	----	1.121 -	0.405 .1492	----	----	----	----	5 UNCH
8700	----	----	1.536B/*1.104A	1.536B/*1.104A	----	1.104 -	0.399 .1471	----	----	----	----	104 UNCH
8800	----	----	1.441B/*1.043A	1.441B/*1.043A	----	1.037 -	0.378 .1388	----	----	----	----	12 UNCH
8900	----	----	1.354B/*0.982A	1.354B/*0.982A	----	0.976 -	0.353 .1312	----	----	----	----	4 UNCH
8925	----	----	1.333B/*0.969A	1.333B/*0.969A	----	0.962 -	0.345 .1294	----	----	----	----	2 UNCH
8950	----	----	1.312B/*0.953A	1.312B/*0.953A	----	0.948 -	0.337 .1276	----	----	----	----	2 UNCH
8975	----	----	1.291B/*0.943A	1.291B/*0.943A	----	0.934 -	0.329 .1258	----	----	----	----	2 UNCH
9000	----	----	1.272B/0.927A	1.272B/0.927A	----	0.921 -	0.319 .1241	----	----	37	----	266 + 17
9025	----	----	1.253B/*0.914A	1.253B/*0.914A	----	0.908 -	0.310 .1225	----	----	----	----	4 UNCH
9100	----	----	1.198B/*0.878A	1.198B/*0.878A	----	0.870 -	0.283 .1176	----	----	2	----	9 - 2
9150	----	----	1.163B/*0.857A	1.163B/*0.857A	----	0.846 -	0.271 .1145	----	----	----	----	16 UNCH
9200	0.815	0.815	1.128B/*0.815	1.128B/*0.815	----	0.823 -	0.262 .1115	----	----	1	----	5 + 1
9300	0.780	0.780	1.064B/*0.780	1.064B/*0.780	----	0.779 -	0.251 .1057	----	----	2	----	30 + 2
9400	----	----	1.005B/*0.752A	1.005B/*0.752A	----	0.739 -	0.244 .1004	----	----	----	----	20 UNCH
9500	----	----	0.950B/*0.716A	0.950B/*0.716A	----	0.702 -	0.236 .0955	----	----	----	----	425 UNCH
9600	----	----	0.899B/*0.680A	0.899B/*0.680A	----	0.668 -	0.221 .0910	----	----	----	----	37 UNCH
9750	----	----	0.830B/*0.637A	0.830B/*0.637A	----	0.621 -	0.199 .0846	----	----	----	----	23 UNCH
9800	----	----	0.809B/*0.623A	0.809B/*0.623A	----	0.605 -	0.195 .0825	----	----	100	----	97 - 33
9900	----	----	0.768B/*0.594A	0.768B/*0.594A	----	0.576 -	0.188 .0786	----	----	----	----	85 UNCH
10000	0.728	0.728	0.730B/0.561	0.730B/0.561	----	0.547 -	0.182 .0748	----	----	117	----	374 - 30
10025	0.506	0.506	0.721B/*0.506	0.721B/*0.506	----	0.539 -	0.181 .0738	----	----	1	----	1 UNCH
10050	----	----	0.713B/*0.556A	0.713B/*0.556A	----	0.532 -	0.179 .0729	----	----	----	----	3 UNCH
10100	0.540	0.540	0.694B/*0.540	0.694B/*0.540	----	0.519 -	0.174 .0711	----	----	2	----	55 + 1
10125	----	----	0.687B/*0.540A	0.687B/*0.540A	----	0.512 -	0.172 .0702	----	----	----	----	1 UNCH
10200	----	----	0.662B/*0.525A	0.662B/*0.525A	----	0.494 -	0.165 .0678	----	----	1	----	54 UNCH
10300	----	----	0.631B/*0.504A	0.631B/*0.504A	----	0.472 -	0.157 .0648	----	----	----	----	52 UNCH
10500	----	----	----/*0.465A	0.575B/*0.465A	----	0.436 -	0.139 .0597	----	----	1	----	234 + 1
10800	----	----	----/*0.421A	0.506B/*0.421A	----	0.394 -	0.115 .0536	----	----	----	----	2 UNCH
11000	0.375	0.375	0.375/*0.375	0.469B/*0.375	----	0.371 -	0.102 .0501	----	----	91	----	245 - 12
11100	----	----	----/*0.381A	0.449B/*0.381A	----	0.359 -	0.098 .0484	----	----	----	----	3 UNCH
11300	----	----	----/*0.359A	0.417B/*0.359A	----	0.337 -	0.091 .0452	----	----	----	----	60 UNCH
11500	----	----	----/*0.337A	0.386B/*0.337A	----	0.316 -	0.087 .0423	----	----	----	----	110 UNCH
12000	----	----	----/*0.295A	0.327B/*0.295A	----	0.269 -	0.081 .0357	----	----	----	----	128 UNCH
12500	----	----	----/*0.262A	0.281B/*0.262A	----	0.234 -	0.072 .0308	----	----	----	----	96 UNCH
12700	----	----	----/*0.251A	0.265B/*0.251A	----	0.222 -	0.068 .0291	----	----	----	----	1 UNCH
12775	----	----	----/*0.247A	0.259B/*0.247A	----	0.218 -	0.067 .0285	----	----	----	----	2 UNCH
12800	----	----	----/*0.246A	0.257B/*0.246A	----	0.217 -	0.066 .0284	----	----	----	----	1 UNCH
13000	0.205	0.205	0.205/*0.205	0.242B/*0.205	----	0.207 -	0.062 .0269	----	----	1	----	205 - 1
14000	----	----	----/*0.193A	0.187B/*0.193A	----	0.168 -	0.044 .0214	----	----	----	----	231 UNCH
15000	0.136	0.136	0.136/*0.136	0.149B/*0.136	----	0.140 -	0.032 .0174	----	----	81	----	354 - 71
16000	----	----	----	0.120B/*0.143A	----	0.119 -	0.023 .0145	----	----	----	----	17 UNCH
17000	----	----	----	0.097B/*0.126A	----	0.102 -	0.018 .0122	----	----	----	----	27 UNCH
18000	----	----	----	0.080B/*0.110A	----	0.088 -	0.014 .0104	----	----	----	----	5 UNCH
19000	----	----	----	0.067B/*0.098A	----	0.077 -	0.011 .0090	----	----	----	----	14 UNCH
20000	----	----	----	0.056B/*0.089A	----	0.067 -	0.010 .0077	----	----	----	----	311 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
21000	----	----	----	0.048B/*0.082A	----	0.060 - 0.008	.0068	----	----	----	----	11 UNCH
23000	----	----	----	0.035B/*0.069A	----	0.048 - 0.007	.0054	----	----	----	----	44 UNCH
25000	----	----	----	0.025B/0.061A	----	0.039 - 0.007	.0043	----	----	----	----	77 UNCH
26000	----	----	----	0.022B/0.057A	----	0.037 - 0.006	.0040	----	----	----	----	1 UNCH
30000	----	----	----	----/0.054A	----	0.022 - 0.003	.0024	----	----	----	----	18 UNCH
35000	----	----	----	----/*0.025A	----	0.008 - 0.001	.0009	----	----	----	----	28 UNCH
TOTAL										561	88	5654 - 50
OCT26												
6850	6.466	6.466	6.466/5.491A	6.822B/5.491A	----	5.523 NEW	.4974	----	----	20	----	20 + 20
6925	----	----	----/5.284A	6.517B/5.284A	----	5.261 - 1.528	.4800	----	----	----	----	1 UNCH
7000	----	----	----/4.985A	6.199B/4.985A	----	5.024 - 1.448	.4633	----	----	----	----	3 UNCH
7100	----	----	6.092B/4.659A	6.092B/4.659A	----	4.743 - 1.331	.4421	----	----	----	----	1 UNCH
7250	4.517	4.517	5.533B/*4.252A	5.533B/*4.252A	----	4.370 NEW	.4125	----	----	19	----	19 + 19
7500	----	----	----/*3.632A	4.725B/*3.632A	----	3.799 - 0.938	.3669	----	----	----	----	2 UNCH
7650	----	----	----/*3.308A	4.307B/*3.308A	----	3.448 - 0.876	.3401	----	----	----	----	2 UNCH
7775	----	----	----/*3.066A	3.984B/*3.066A	----	3.148 - 0.864	.3177	----	----	----	----	2 UNCH
7825	----	----	----/*2.986A	3.864B/*2.986A	----	3.030 - 0.865	.3088	----	----	----	----	1 UNCH
7875	----	----	----/*2.888A	3.749B/*2.888A	----	2.917 - 0.865	.3001	----	----	----	----	2 UNCH
8000	3.277	3.277	3.277/*2.640	3.485B/*2.640	----	2.665 - 0.851	.2798	----	----	3	----	110 + 2
8075	----	----	----/*2.576A	3.328B/*2.576A	----	2.539 - 0.828	.2689	----	----	----	----	1 UNCH
8275	----	----	----/*2.298A	2.964B/*2.298A	----	2.271 - 0.738	.2437	----	----	----	----	2 UNCH
8400	----	----	----/*2.147A	2.764B/*2.147A	----	2.131 - 0.679	.2300	----	----	----	----	1 UNCH
8425	----	----	----/*2.121A	2.720B/*2.121A	----	2.104 - 0.669	.2273	----	----	----	----	1 UNCH
8450	----	----	----/*2.093A	2.683B/*2.093A	----	2.077 - 0.659	.2247	----	----	----	----	20 UNCH
8500	----	----	----/*2.037A	2.614B/*2.037A	----	2.023 - 0.642	.2194	----	----	----	----	12 UNCH
8550	----	----	----/*1.987A	2.538B/*1.987A	----	1.971 - 0.625	.2143	----	----	----	----	1 UNCH
8700	----	----	----/*1.838A	2.342B/*1.838A	----	1.820 - 0.582	.1995	----	----	----	----	4 UNCH
8750	----	----	----/*1.794A	2.274B/*1.794A	----	1.772 - 0.569	.1948	----	----	----	----	1 UNCH
8900	----	----	----/*1.665A	2.107B/*1.665A	----	1.638 - 0.531	.1814	----	----	----	----	9 UNCH
9000	----	----	----/*1.585A	2.001B/*1.585A	----	1.556 - 0.506	.1732	----	----	----	----	39 UNCH
9100	----	----	----/*1.510A	1.902B/*1.510A	----	1.481 - 0.481	.1655	----	----	----	----	24 UNCH
9150	----	----	----/*1.478A	1.848B/*1.478A	----	1.445 - 0.470	.1618	----	----	----	----	2 UNCH
9200	----	----	----/*1.441A	1.810B/*1.441A	----	1.411 - 0.458	.1582	----	----	----	----	1 UNCH
9500	----	----	----/*1.256A	1.570B/*1.256A	----	1.278 - 0.345	.1424	----	----	----	----	129 UNCH
9600	----	----	----/*1.201A	1.498B/*1.201A	----	1.241 - 0.310	.1378	----	----	----	----	5 UNCH
9700	----	----	----/*1.149A	1.431B/*1.149A	----	1.177 - 0.306	.1315	----	----	----	----	70 UNCH
9875	----	----	----/*1.067A	1.319B/*1.067A	----	1.047 - 0.325	.1192	----	----	----	----	1 UNCH
9900	----	----	----/*1.053A	1.307B/*1.053A	----	1.030 - 0.327	.1175	----	----	----	----	1 UNCH
10000	----	----	----/*1.011A	1.251B/*1.011A	----	0.966 - 0.333	.1113	----	----	----	----	96 UNCH
10100	----	----	----/*0.969A	1.197B/*0.969A	----	0.911 - 0.334	.1057	----	----	----	----	1 UNCH
10275	----	----	----/*0.905A	1.078B/*0.905A	----	0.832 - 0.324	.0974	----	----	----	----	1 UNCH
10300	----	----	----/*0.898A	1.100B/*0.898A	----	0.822 - 0.322	.0963	----	----	----	----	7 UNCH
10325	----	----	----/*0.889A	1.056B/*0.889A	----	0.813 - 0.319	.0953	----	----	----	----	1 UNCH
10350	----	----	----/*0.880A	1.044B/*0.880A	----	0.804 - 0.316	.0943	----	----	----	----	2 UNCH
10375	----	----	----/*0.871A	1.034B/*0.871A	----	0.795 - 0.314	.0933	----	----	----	----	3 UNCH
10400	----	----	----/*0.863A	1.025B/*0.863A	----	0.787 - 0.310	.0924	----	----	----	----	5 UNCH
10425	----	----	----/*0.854A	1.012B/*0.854A	----	0.779 - 0.307	.0915	----	----	----	----	4 UNCH
10450	----	----	----/*0.847A	1.001B/*0.847A	----	0.771 - 0.304	.0906	----	----	----	----	4 UNCH
10475	----	----	----/*0.839A	0.991B/*0.839A	----	0.764 - 0.300	.0898	----	----	----	----	5 UNCH
10500	----	----	----/*0.831A	0.983B/*0.831A	----	0.756 - 0.298	.0889	----	----	----	----	4 UNCH
10525	----	----	----/*0.823A	1.000B/*0.823A	----	0.749 - 0.294	.0880	----	----	----	----	3 UNCH
10550	----	----	----/*0.817A	0.961B/*0.817A	----	0.743 - 0.290	.0873	----	----	----	----	4 UNCH
10575	----	----	----/*0.808A	0.951B/*0.808A	----	0.736 - 0.286	.0865	----	----	----	----	4 UNCH
10600	----	----	----/*0.805A	0.972B/*0.805A	----	0.730 - 0.282	.0858	----	----	----	----	5 UNCH
10625	----	----	----/*0.795A	0.962B/*0.795A	----	0.723 - 0.279	.0850	----	----	----	----	5 UNCH
10650	----	----	----/*0.789A	0.951B/*0.789A	----	0.717 - 0.275	.0843	----	----	----	----	5 UNCH
10675	----	----	----/*0.783A	0.941B/*0.783A	----	0.712 - 0.270	.0836	----	----	----	----	4 UNCH
10700	----	----	----/*0.772A	0.934B/*0.772A	----	0.706 - 0.267	.0829	----	----	----	----	3 UNCH
10725	----	----	----/*0.766A	0.923B/*0.766A	----	0.701 - 0.262	.0823	----	----	----	----	2 UNCH
10750	----	----	----/*0.763A	0.914B/*0.763A	----	0.695 - 0.259	.0816	----	----	----	----	10 UNCH
10775	----	----	----/*0.753A	0.905B/*0.753A	----	0.690 - 0.254	.0809	----	----	----	----	1 UNCH
10800	----	----	----/*0.748A	0.898B/*0.748A	----	0.685 - 0.250	.0803	----	----	----	----	1 UNCH
10825	----	----	----/*0.743A	0.886B/*0.743A	----	0.680 - 0.246	.0797	----	----	----	----	2 UNCH
10850	----	----	----/*0.736A	0.878B/*0.736A	----	0.676 - 0.241	.0792	----	----	----	----	1 UNCH
10875	----	----	----/*0.730A	0.869B/*0.730A	----	0.671 - 0.238	.0785	----	----	----	----	1 UNCH
10900	----	----	----/*0.721A	0.862B/*0.721A	----	0.666 - 0.234	.0779	----	----	----	----	1 UNCH
10925	----	----	----/*0.714A	0.854B/*0.714A	----	0.662 - 0.229	.0774	----	----	----	----	3 UNCH
10950	----	----	----/*0.709A	0.846B/*0.709A	----	0.658 - 0.225	.0769	----	----	----	----	3 UNCH
10975	----	----	----/*0.703A	0.838B/*0.703A	----	0.653 - 0.222	.0763	----	----	----	----	4 UNCH
11000	----	----	----/*0.697A	0.831B/*0.697A	----	0.649 - 0.217	.0757	----	----	----	----	11 UNCH
11025	----	----	----/*0.691A	0.821B/*0.691A	----	0.645 - 0.213	.0752	----	----	----	----	7 UNCH
11050	----	----	----/*0.688A	0.815B/*0.688A	----	0.639 - 0.211	.0745	----	----	----	----	10 UNCH
11100	----	----	----/*0.677A	0.801B/*0.677A	----	0.627 - 0.208	.0732	----	----	----	----	2 UNCH
11300	----	----	----/*0.633A	0.744B/*0.633A	----	0.584 - 0.192	.0682	----	----	----	----	1 UNCH
11500	----	----	----/*0.638A	0.693B/*0.638A	----	0.545 - 0.178	.0637	----	----	----	----	9 UNCH
11700	----	----	----/*0.630A	0.644B/*0.630A	----	0.510 - 0.167	.0597	----	----	----	----	2 UNCH
12000	----	----	----/*0.583A	0.582B/*0.583A	----	0.465 - 0.150	.0544	----	----	----	----	76 UNCH
12500	----	----	----/*0.521A	0.497B/*0.521A	----	0.403 - 0.128	.0470	----	----	----	----	15 UNCH
12675	----	----	----/*0.501A	0.451B/*0.501A	----	0.384 - 0.122	.0447	----	----	----	----	7 UNCH
12700	----	----	----/*0.498A	0.432B/*0.498A	----	0.381 - 0.122	.0444	----	----	----	----	7 UNCH
12725	----	----	----/*0.496A	0.433B/*0.496A	----	0.379 - 0.120	.0441	----	----	----	----	7 UNCH
12750	----	----	----/*0.493A	0.461B/*0.493A	----	0.376 - 0.120	.0438	----	----	----	----	7 UNCH
12775	----	----	----/*0.490A	0.455B/*0.490A	----	0.374 - 0.118	.0435	----	----	----	----	7 UNCH
12800	----	----	----/*0.488A	0.452B/*0.488A	----	0.371 - 0.118	.0432	----	----	----	----	7 UNCH
12825	----	----	----/*0.485A	0.448B/*0.485A	----	0.369 - 0.117	.0429	----	----	----	----	7 UNCH
13000	----	----	----	0.364B/*0.467A	----	0.352 - 0.112	.0409	----	----	----	----	92 UNCH
14000	----	----	----	0.267B/*0.387A	----	0.276 - 0.085	.0318	----	----	----	----	2 UNCH
15000	----	----	----	0.201B/*0.328A	----	0.221 - 0.067	.0253	----	----	2	----	179 + 1
16000	----	----	----	0.151B/*0.281A	----	0.182 - 0.053	.0206	----	----	----	----	35 UNCH
17000	----	----	----	0.114B/*0.247A	----	0.152 - 0.044	.0171	----	----	----	----	120 UNCH
18000	----	----	----	0.090B/*0.220A	----	0.130 - 0.037	.0145	----	----	----	----	340 UNCH
20000	----	----	----	0.053B/*0.181A	----	0.100 - 0.028	.0109	----	----	2	----	190 + 2
TOTAL										46	0	1822 + 44
NOV26												
6500	----	----	----/8.121A	9.320B/8.121A	----	7.955 - 1.650	.5859	----	----	----	----	1 UNCH
7000	----	----	----/6.220A	6.950B/6.220A	----	6.181 - 1.113	.4849	----	----	----	----	14 UNCH
7100	----	----	----/5.903A	6.563B/5.903A	----	5.913 - 1.009	.4671	----	----	----	----	14 UNCH
7500	----	----	----/*4.812A	5.235B/*4.812A	----	5.061 - 0.574	.4053	----	----	----	----	1 UNCH
7900	----	----	----/*3.972A	4.210B/*3.972A	----	4.453 - 0.132	.3564	----	----	----	----	16 UNCH
8000	----	----	----/*3.793A	4.018B/*3.793A	----	4.326 - 0.031	.3459	----	----	----	----	10 UNCH
8200	----	----	----/*3.466A	3.596B/*3.466A	----	4.087 + 0.144	.3261	----	----	----	----	6 UNCH
8600	----	----	----/*2.918A	2.959B/*2.918A	----	3.655 + 0.393	.2911	----	----	----	----	20 UNCH
9000	----	----	----/*2.495A	2.419B/*2.495A	----	3.270 + 0.535	.2607	----	----	----	----	60 UNCH
9550	----	----	----/*2.036A	1.879B/*2.036A	----	2.798 + 0.616	.2246	----	----	----	----	3 UNCH
9800	----	----	----/*1.868A	1.683B/*1.868A	----	2.603 + 0.624	.2099	----	----	----	----	3 UNCH
10000	----	----	----/*1.762A	1.545B/*1.762A	----	2.455 + 0.621	.1988	----	----	----	----	24 UNCH
11000	----	----	----/*1.130A	1.009B/*1.130A	----	1.813 + 0.520	.1509	----	----	----	----	94 UNCH
12000	----	----	----/*0.877A	0.846B/*0.877A	----	1.329 + 0.375	.1142	----	----	----	----	13 UNCH
12500	----	----	----/*0.790A	0.718B/*0.790A	----	1.143 + 0.311	.0997	----	----	----	----	10 UNCH
13000	----	----	----/*0.714A	0.616B/*0.714A	----	0.990 + 0.259	.0874	----	----	----	----	1 UNCH
14000	----	----	----	0.461B/*0.595A	----	0.762 + 0.183	.0685	----	----	----	----	2 UNCH
15000	----	----	----	0.350B/*0.509A	----	0.606 + 0.136	.0551	----	----	----	----	6 UNCH
16000	----	----	----	0.272B/*0.438A	----	0.495 + 0.106	.0453	----	----	----	----	14 UNCH
17000	----	----	----	0.219B/*0.385A	----	0.416 + 0.088	.0381	----	----	----	----	2 UNCH
20000	----	----	----	0.111B/*0.280A	----	0.281 + 0.067	.0255	----	----	----	----	33 UNCH
21000	----	----	----	0.092B/*0.256A	----	0.253 + 0.062	.0228	----	----	----	----	1 UNCH
25000	----	----	----	0.037B/*0.194A	----	0.174 + 0.046	.0154	----	----	----	----	13 UNCH
30000	----	----	----	0.001B/0.265A	----	0.082 + 0.026	.0076	----	----	----	----	6 UNCH
TOTAL											0	367 0
DEC26												
3875	----	----	----	----	----	27.849 - 3.327	.9632	----	----	----	----	1 UNCH
5000	----	----	----	5.604B/*35.045A	----	17.848 - 2.915	.8636	----	----	----	----	30 UNCH
5250	----	----	----	4.001B/*32.790A	----	15.870 - 2.795	.8280	----	----	----	----	50 UNCH
5500	----	----	----/14.439A	14.252B/14.439A	----	14.014 - 2.676	.7871	----	----	----	----	1 UNCH
6500	----	----	----/8.895A	9.809B/8.895A	----	8.131 - 2.082	.5864	----	----	----	----	600 UNCH
6900	----	----	----/7.347A	7.994B/7.347A	----	6.554 - 1.828	.5048	----	----	----	----	1 UNCH
6950	----	----	----/7.176A	7.751B/7.176A	----	6.386 - 1.797	.4951	----	----	----	----	220 UNCH
7000	----	----	----/7.010A	7.552B/7.010A	----	6.223 - 1.767	.4857	----	----	----	----	120 UNCH
7025	----	----	----/6.931A	7.456B/6.931A	----	6.144 - 1.751	.4810	----	----	----	----	1 UNCH
7075	----	----	----/6.765A	7.265B/6.765A	----	5.990 - 1.721	.4718	----	----	----	----	5 UNCH
7100	----	----	----/6.694A	7.208B/6.694A	----	5.914 - 1.707	.4672	----	----	----	----	15 UNCH
7375	----	----	----/*5.911A	6.230B/5.911A	----	5.159 - 1.550	.4198	----	----	----	----	2 UNCH
7500	----	----	----/*5.596A	5.851B/5.596A	----	4.852 - 1.483	.3997	----	----	----	----	18 UNCH
7575	----	----	----/*5.420A	5.637B/5.420A	----	4.677 - 1.444	.3881	----	----	----	----	1 UNCH
7750	----	----	----/*5.032A	5.174B/*5.032A	----	4.292 - 1.357	.3621	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
DEC26												
7800	----	----	----/*4.928A	5.049B/*4.928A	----	4.189 - 1.332	.3550	----	----	----	----	37 UNCH
7925	----	----	----/*4.680A	4.754B/*4.680A	----	3.942 - 1.274	.3378	----	----	----	----	2 UNCH
8000	----	----	----/4.539A	4.587B/4.539A	----	3.802 - 1.241	.3278	----	----	11	----	144 - 10
8100	----	----	----/*4.361A	4.406B/*4.361A	----	3.626 - 1.197	.3151	----	----	----	----	1 UNCH
8200	----	----	----/*4.193A	4.206B/*4.193A	----	3.460 - 1.155	.3030	----	----	----	----	21 UNCH
8400	----	----	----/*3.882A	3.810B/*3.882A	----	3.160 - 1.076	.2804	----	----	----	----	50 UNCH
8500	----	----	----/*3.739A	3.640B/*3.739A	----	3.025 - 1.037	.2699	----	----	----	----	197 UNCH
8550	----	----	----/*3.670A	3.559B/*3.670A	----	2.961 - 1.018	.2649	----	----	----	----	25 UNCH
8600	----	----	----/*3.602A	3.481B/*3.602A	----	2.899 - 1.000	.2600	----	----	----	----	47 UNCH
8800	----	----	----/*3.364A	3.186B/*3.364A	----	2.673 - 0.926	.2417	----	----	----	----	5 UNCH
8900	----	----	----/*3.247A	3.051B/*3.247A	----	2.572 - 0.889	.2334	----	----	----	----	30 UNCH
8950	----	----	----/*3.188A	2.986B/*3.188A	----	2.525 - 0.870	.2294	----	----	----	----	1 UNCH
9000	----	----	----/*3.136A	2.922B/*3.136A	----	2.480 - 0.850	.2256	----	----	----	30	187 - 30
9050	----	----	----/*3.080A	2.861B/*3.080A	----	2.436 - 0.832	.2218	----	----	----	----	100 UNCH
9100	----	----	----/*3.031A	2.801B/*3.031A	----	2.394 - 0.813	.2182	----	----	----	----	16 UNCH
9300	----	----	----/*2.834A	2.601B/*2.834A	----	2.245 - 0.732	.2049	----	----	----	----	15 UNCH
9500	----	----	----/*2.669A	2.374B/*2.669A	----	2.115 - 0.655	.1930	----	----	----	----	10 UNCH
9700	----	----	----/*2.491A	2.191B/*2.491A	----	1.992 - 0.589	.1819	----	----	----	----	1 UNCH
9800	----	----	----/*2.419A	2.129B/*2.419A	----	1.931 - 0.561	.1765	----	----	----	----	74 UNCH
9900	----	----	----/*2.344A	2.026B/*2.344A	----	1.868 - 0.540	.1711	----	----	----	----	5 UNCH
10000	----	----	----/*2.290A	1.947B/*2.290A	----	1.805 - 0.523	.1657	----	----	11	----	855 UNCH
10025	----	----	----/*2.272A	1.952B/*2.272A	----	1.790 - 0.518	.1644	----	----	----	----	3 UNCH
10500	----	----	----	1.616B/*2.003A	----	1.530 - 0.446	.1420	----	----	100	----	202 + 100
10600	----	----	----	1.558B/*1.953A	----	1.482 - 0.432	.1378	----	----	----	----	6 UNCH
10700	----	----	----	1.503B/*1.916A	----	1.436 NEW	.1337	----	----	100	----	100 + 100
10800	----	----	----	1.450B/*1.885A	----	1.392 - 0.407	.1299	----	----	----	----	5 UNCH
11000	----	----	----	1.370B/*1.827A	----	1.310 - 0.383	.1226	----	----	----	----	210 UNCH
11350	----	----	----/*1.366A	1.156B/*1.366A	----	1.183 - 0.346	.1112	----	----	----	----	5 UNCH
11400	----	----	----/*1.351A	1.149B/*1.351A	----	1.166 - 0.341	.1096	----	----	----	----	1 UNCH
11600	----	----	----/*1.288A	1.038B/*1.288A	----	1.103 - 0.322	.1039	----	----	----	----	1 UNCH
11800	----	----	----/*1.233A	0.975B/*1.233A	----	1.044 - 0.305	.0986	----	----	----	----	29 UNCH
12000	----	----	----/*1.181A	1.010B/*1.181A	----	0.990 - 0.289	.0936	----	----	----	----	586 UNCH
12200	----	----	----/*1.131A	1.028B/*1.131A	----	0.940 - 0.274	.0890	----	----	----	----	1 UNCH
12300	----	----	----/*1.108A	1.047B/*1.108A	----	0.917 - 0.267	.0869	----	----	----	----	2 UNCH
12500	0.950	0.950	0.950/*0.936A	1.000B/*0.936A	----	0.872 - 0.254	.0827	----	----	2	----	49 + 2
12800	----	----	----/*1.011A	0.916B/*1.011A	----	0.811 - 0.237	.0770	----	----	----	----	2 UNCH
13000	----	----	----/*0.974A	0.865B/*0.974A	----	0.774 - 0.226	.0735	----	----	----	----	387 UNCH
13500	----	----	----/*0.890A	0.757B/*0.890A	----	0.691 - 0.204	.0658	----	----	----	----	6 UNCH
14000	----	----	----	0.659B/*0.818A	----	0.621 - 0.185	.0591	----	----	----	----	97 UNCH
14200	----	----	----	0.629B/*0.793A	----	0.596 - 0.179	.0568	----	----	----	----	1 UNCH
15000	----	----	----	0.516B/*0.706A	----	0.510 - 0.158	.0486	----	----	----	----	1723 UNCH
16000	----	----	----	0.400B/*0.614A	----	0.427 - 0.138	.0406	----	----	----	----	1612 UNCH
17000	----	----	----	0.324B/*0.542A	----	0.362 - 0.125	.0343	----	----	----	----	50 UNCH
18000	----	----	----	0.260B/*0.483A	----	0.311 - 0.113	.0294	----	----	----	----	121 UNCH
19000	----	----	----	0.214B/*0.436A	----	0.270 - 0.103	.0255	----	----	----	----	1 UNCH
20000	----	----	----	0.320B/*0.397A	----	0.236 - 0.093	.0222	----	----	----	----	444 UNCH
21000	----	----	----	0.143B/*0.365A	----	0.208 - 0.084	.0195	----	----	----	----	5 UNCH
22000	----	----	----	0.119B/*0.338A	----	0.185 - 0.074	.0173	----	----	----	----	1 UNCH
23000	----	----	----	0.100B/*0.315A	----	0.165 - 0.066	.0154	----	----	----	----	35 UNCH
25000	----	----	----	0.150B/*0.278A	----	0.134 - 0.054	.0125	----	----	----	----	239 UNCH
26000	----	----	----	0.052B/*0.263A	----	0.125 - 0.050	.0116	----	----	----	----	3 UNCH
30000	----	----	----	0.018B/*0.219A	----	0.088 - 0.035	.0081	----	----	----	----	110 UNCH
32000	----	----	----	0.008B/*0.206A	----	0.077 - 0.031	.0070	----	----	----	----	1 UNCH
40000	----	----	----	0.045B/1.500A	----	0.058 - 0.022	.0050	----	----	----	----	25 UNCH
90000	----	----	----	----/0.400A	----	0.023 - 0.008	.0017	----	----	----	----	2 UNCH
100000	----	----	----	----/0.152A	----	0.023 - 0.007	.0017	----	----	----	----	5 UNCH
TOTAL										224	30	8960 + 162
JAN27												
7550	----	----	----/*6.595A	6.671B/*6.595A	----	5.990 - 1.132	.4295	----	----	----	----	4 UNCH
7650	----	----	----/*6.353A	6.339B/*6.353A	----	5.745 - 1.083	.4155	----	----	----	----	5 UNCH
8000	----	----	----/*5.618A	5.444B/*5.618A	----	4.988 - 0.921	.3704	----	----	----	----	2 UNCH
8300	----	----	----/*5.076A	4.834B/*5.076A	----	4.449 - 0.795	.3364	----	----	----	----	22 UNCH
8500	----	----	----/*4.711A	4.419B/*4.711A	----	4.136 - 0.720	.3159	----	----	----	----	1 UNCH
8700	----	----	----/*4.414A	4.078B/*4.414A	----	3.853 - 0.654	.2970	----	----	----	----	1 UNCH
9000	----	----	----/*4.033A	3.624B/*4.033A	----	3.476 - 0.570	.2712	----	----	----	----	1 UNCH
9525	2.866	2.866	2.866/*2.866	2.974B/*2.866	----	2.923 - 0.460	.2323	----	----	1	----	1 UNCH
10000	----	----	----	2.508B/*3.026A	----	2.517 - 0.384	.2030	----	----	3	----	11 + 3
11000	----	----	----	1.819B/*2.366A	----	1.870 - 0.274	.1547	----	----	3	----	21 UNCH
12500	----	----	----	1.126B/*1.458A	----	1.246 - 0.170	.1062	----	----	----	----	1 UNCH
13000	----	----	----	1.089B/*1.343A	----	1.099 - 0.145	.0944	----	----	----	----	7 UNCH
14000	----	----	----	0.960B/*1.143A	----	0.867 - 0.106	.0755	----	----	----	----	1 UNCH
14500	----	----	----	0.846B/*1.062A	----	0.776 - 0.090	.0680	----	----	----	----	400 UNCH
15000	----	----	----	0.757B/*0.992A	----	0.698 - 0.078	.0614	----	----	----	----	402 UNCH
TOTAL										7	0	880 + 3
FEB27												
7500	----	----	----/*7.346A	7.397B/*7.346A	----	6.721 - 1.160	.4493	----	----	----	----	1 UNCH
8500	----	----	----/*5.301A	5.015B/*5.301A	----	4.726 - 0.740	.3354	----	----	----	----	4 UNCH
9000	----	----	----/4.592A	4.153B/4.592A	----	4.047 - 0.595	.2925	----	----	----	----	1 UNCH
9500	----	----	----	3.497B/*4.004A	----	3.492 - 0.492	.2564	----	----	----	----	4 UNCH
30000	----	----	----	0.091B/0.396A	----	0.271 + 0.030	.0206	----	----	----	----	1 UNCH
TOTAL											0	11 0
MAR27												
8000	----	----	----/*6.787A	6.560B/*6.787A	----	6.140 - 0.944	.4010	----	----	----	----	201 UNCH
8500	----	----	----/*5.499A	5.544B/*5.499A	----	5.269 - 0.755	.3517	----	----	----	----	2 UNCH
8775	----	----	----/*5.438A	5.057B/*5.438A	----	4.872 - 0.671	.3282	----	----	----	----	3 UNCH
9000	----	----	----/*5.139A	4.699B/*5.139A	----	4.580 - 0.612	.3106	----	----	----	----	56 UNCH
9200	----	----	----/*4.879A	4.371B/*4.879A	----	4.341 - 0.566	.2960	----	----	----	----	25 UNCH
9500	----	----	----	4.014B/*4.524A	----	4.013 - 0.509	.2757	----	----	----	----	50 UNCH
10000	----	----	----	3.457B/*4.015A	----	3.538 - 0.431	.2459	----	----	----	----	5 UNCH
11000	----	----	----	2.611B/*3.233A	----	2.788 - 0.330	.1977	----	----	----	----	1 UNCH
13000	----	----	----	1.562B/*2.362A	----	1.788 - 0.257	.1316	----	----	----	----	105 UNCH
14000	----	----	----/*1.636A	1.249B/*1.636A	----	1.454 - 0.238	.1088	----	----	----	----	105 UNCH
15000	----	----	----	1.254B/*1.441A	----	1.198 - 0.218	.0909	----	----	----	----	25 UNCH
16000	----	----	----	1.038B/*1.278A	----	1.006 - 0.190	.0771	----	----	----	----	27 UNCH
17000	0.950	0.950	0.950/*0.870	0.977B/*0.870	----	0.866 - 0.153	.0667	----	----	2	----	3 + 2
20000	0.708	0.708	0.708/*0.620	0.708/*0.620	----	0.647 - 0.019	.0491	----	----	2	----	9 UNCH
25000	----	----	----	0.276B/*0.613A	----	0.487 + 0.082	.0355	----	----	----	----	6 UNCH
30000	----	----	----	0.148B/0.480A	----	0.417 + 0.113	.0292	----	----	----	----	7 UNCH
TOTAL										4	0	630 + 2
APR27												
8525	----	----	----/*6.541A	6.190B/*6.541A	----	5.922 - 0.956	.3703	----	----	----	----	9 UNCH
TOTAL											0	9 0
MAY27												
11000	----	----	----	0.001B/10.646A	----	4.731 - 0.994	.2684	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	48.169 - 3.471	.9949	----	----	----	----	1 UNCH
10000	----	----	----	----	----	5.384 - 1.132	.3083	----	----	----	----	1 UNCH
10300	----	----	----	----	----	5.094 - 1.079	.2930	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	30.982 - 3.122	.8979	----	----	----	----	1 UNCH
20000	----	----	----	----	----	3.842 - 0.650	.1766	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUL26												
2000	----	----	----	0.001B/0.005A	----	0.001 UNCH	----	----	----	----	----	6 UNCH
2400	----	----	----	----/0.237A	----	0.001 UNCH	.0000	----	----	----	----	10 UNCH
2650	----	----	----	----/0.021A	----	0.001 UNCH	.0000	----	----	----	----	6 UNCH
2700	----	----	----	----/0.021A	----	0.001 UNCH	.0000	----	----	----	----	2 UNCH
2900	----	----	----	----/0.023A	----	0.002 + 0.001	.0003	----	----	----	----	2 UNCH
3000	0.009	0.009	0.009/0.009	0.009/0.009	----	0.003 + 0.001	.0004	----	----	2	----	6 UNCH
3025	----	----	----	----/0.024A	----	0.003 + 0.001	.0004	----	----	----	----	1 UNCH
3175	----	----	----	0.001B/0.026A	----	0.006 + 0.003	.0009	----	----	----	----	10 UNCH
3275	----	----	----	0.004B/0.027A	----	0.008 + 0.004	.0012	----	----	----	----	1 UNCH
3350	----	----	----	0.006B/0.028A	----	0.010 + 0.004	.0015	----	----	----	----	2 UNCH
3400	----	----	----	0.007B/0.029A	----	0.012 + 0.005	.0018	----	----	----	----	55 UNCH
3475	----	----	0.010B/----	0.010B/0.030A	----	0.014 + 0.006	.0022	----	----	----	----	5 UNCH
3500	----	----	0.011B/----	0.011B/0.020A	----	0.015 + 0.006	.0023	----	----	----	----	4 UNCH
3600	0.024	0.024	0.024/*0.024	0.024/0.024	----	0.018 + 0.008	.0028	----	----	1	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
3700	0.021	0.021	0.021/0.021	0.021/0.021	----	0.022 + 0.010	.0035	----	----	1	----	95 + 1
3800	----	----	0.021B/----	0.021B/0.032A	----	0.027 + 0.012	.0044	----	----	----	----	25 UNCH
3825	----	----	0.021B/----	0.021B/0.032A	----	0.028 + 0.013	.0046	----	----	----	----	8 UNCH
3850	----	----	0.022B/----	0.022B/0.030A	----	0.029 + 0.013	.0048	----	----	----	----	3 UNCH
3900	----	----	0.026B/----	0.026B/0.022A	----	0.032 + 0.015	.0053	----	----	----	----	12 UNCH
3950	----	----	0.027B/----	0.027B/0.031A	----	0.035 + 0.016	.0059	----	----	----	----	1 UNCH
4000	0.041	0.041	0.045/0.041	0.045/0.026A	----	0.038 + 0.018	.0064	----	----	3	----	100 UNCH
4075	----	----	0.035B/----	0.035B/0.032A	----	0.043 + 0.020	.0074	----	----	----	----	16 UNCH
4100	----	----	0.037B/----	0.037B/0.033A	----	0.045 + 0.021	.0077	----	----	----	----	6 UNCH
4175	----	----	0.043B/----	0.043B/0.035A	----	0.050 + 0.023	.0087	----	----	----	----	9 UNCH
4200	----	----	0.045B/----	0.045B/0.036A	----	0.052 + 0.024	.0091	----	----	----	----	28 UNCH
4225	----	----	0.047B/----	0.047B/0.037A	----	0.054 + 0.025	.0095	----	----	----	----	1 UNCH
4250	----	----	0.049B/----	0.049B/0.038A	----	0.057 + 0.027	.0101	----	----	----	----	21 UNCH
4300	----	----	0.054B/----	0.054B/0.040A	----	0.061 + 0.028	.0109	----	----	----	----	98 UNCH
4325	----	----	0.056B/----	0.056B/0.041A	----	0.064 + 0.030	.0115	----	----	----	----	17 UNCH
4375	----	----	0.062B/----	0.062B/0.043A	----	0.069 + 0.032	.0125	----	----	----	----	32 UNCH
4400	----	----	0.065B/----	0.065B/0.044A	----	0.071 + 0.033	.0129	----	----	1	----	33 + 1
4425	----	----	0.068B/----	0.068B/0.045A	----	0.074 + 0.035	.0135	----	----	----	----	1 UNCH
4450	----	----	0.071B/----	0.071B/0.046A	----	0.077 + 0.036	.0141	----	----	----	----	4 UNCH
4475	----	----	0.074B/----	0.074B/0.047A	----	0.080 + 0.037	.0147	----	----	----	----	16 UNCH
4500	----	----	0.078B/----	0.078B/0.048A	----	0.083 + 0.039	.0154	----	----	----	----	302 UNCH
4575	----	----	0.089B/----	0.089B/0.053A	----	0.093 + 0.043	.0174	----	----	----	----	75 UNCH
4600	0.100	0.100	0.100/0.100	0.100/0.054A	----	0.097 + 0.045	.0183	----	----	2	----	101 UNCH
4650	----	----	0.103B/----	0.103B/0.058A	----	0.104 + 0.048	.0198	----	----	----	----	40 UNCH
4675	----	----	0.106B/----	0.106B/0.059A	----	0.108 + 0.050	.0206	----	----	----	----	12 UNCH
4700	----	----	0.112B/----	0.112B/0.061A	----	0.113 + 0.053	.0216	----	----	----	----	154 UNCH
4725	----	----	0.117B/----	0.117B/0.063A	----	0.117 + 0.055	.0225	----	----	----	----	3 UNCH
4750	----	----	0.122B/----	0.122B/0.065A	----	0.122 + 0.057	.0236	----	----	----	----	54 UNCH
4775	----	----	0.128B/----	0.128B/0.067A	----	0.126 + 0.059	.0245	----	----	----	----	8 UNCH
4800	0.114	0.114	0.135B/0.069A	0.135B/0.069A	----	0.131 + 0.061	.0256	----	----	10	----	21 + 8
4825	----	----	0.139B/*0.071A	0.139B/0.071A	----	0.137 + 0.064	.0268	----	----	----	----	26 UNCH
4850	----	----	0.158B/*0.072A	0.158B/0.072A	----	0.142 + 0.066	.0279	----	----	----	----	2 UNCH
4875	----	----	0.157B/*0.074A	0.157B/0.074A	----	0.148 + 0.069	.0292	----	----	----	----	23 UNCH
4900	----	----	0.170B/0.076A	0.170B/0.076A	----	0.153 + 0.071	.0303	----	----	----	----	170 UNCH
4950	0.163	0.163	0.186B/0.081A	0.186B/0.081A	----	0.166 NEW	.0332	----	----	1	----	1 + 1
4975	----	----	0.190B/0.084A	0.190B/0.084A	----	0.173 + 0.081	.0347	----	----	----	----	2 UNCH
5000	0.084	0.084	0.213/0.084	0.213/0.084	----	0.180 + 0.084	.0362	----	----	97	----	996 - 31
5025	----	----	0.211B/0.089A	0.211B/0.089A	----	0.187 + 0.088	.0378	----	----	----	----	1 UNCH
5050	----	----	0.223B/0.093A	0.223B/0.093A	----	0.195 + 0.092	.0395	----	----	----	----	16 UNCH
5075	----	----	0.230B/0.095A	0.230B/0.095A	----	0.203 + 0.096	.0413	----	----	----	----	11 UNCH
5100	0.210	0.210	0.243B/0.098A	0.243B/0.098A	----	0.211 + 0.100	.0431	----	----	11	----	177 UNCH
5150	----	----	0.264B/0.105A	0.264B/0.105A	----	0.229 + 0.110	.0470	----	----	----	----	5 UNCH
5175	----	----	0.273B/0.108A	0.273B/0.108A	----	0.239 + 0.116	.0492	----	----	----	----	5 UNCH
5200	----	----	0.289B/0.114A	0.289B/0.114A	----	0.249 + 0.121	.0514	----	----	----	----	109 UNCH
5225	----	----	0.293B/0.116A	0.293B/0.116A	----	0.260 + 0.127	.0538	----	----	----	----	9 UNCH
5250	0.330	0.330	0.330/0.120A	0.330/0.120A	----	0.271 + 0.133	.0562	----	----	2	----	225 UNCH
5275	0.255	0.255	0.320B/0.124A	0.320B/0.124A	----	0.282 + 0.139	.0587	----	----	1	----	3 + 1
5300	0.219	0.219	0.329B/0.129A	0.329B/0.129A	----	0.294 + 0.145	.0614	----	----	2	----	141 + 2
5325	----	----	0.359B/0.133A	0.359B/0.133A	----	0.307 + 0.153	.0642	----	----	----	----	11 UNCH
5350	----	----	0.365B/0.138A	0.365B/0.138A	----	0.321 + 0.161	.0673	----	----	----	----	26 UNCH
5375	0.378	0.378	0.386B/0.144A	0.386B/0.144A	----	0.335 + 0.168	.0703	----	----	1	----	22 + 1
5400	0.410	0.410	0.412/0.149A	0.412/0.149A	----	0.350 + 0.177	.0736	----	----	47	----	87 + 4
5425	0.355	0.355	0.413B/0.153A	0.413B/0.153A	----	0.365 + 0.185	.0769	----	----	3	----	51 + 1
5450	0.397	0.397	0.445B/0.160A	0.445B/0.160A	----	0.382 + 0.195	.0806	----	----	3	----	639 + 2
5475	0.373	0.373	0.453B/0.165A	0.453B/0.165A	----	0.399 + 0.204	.0843	----	----	1	----	54 UNCH
5500	0.179	0.179	0.479B/0.171A	0.479B/0.171A	----	0.417 + 0.214	.0882	----	----	76	----	968 + 5
5525	0.413	0.413	0.501B/0.178A	0.501B/0.178A	----	0.436 + 0.225	.0923	----	----	1	----	89 UNCH
5550	----	----	0.532B/0.184A	0.532B/0.184A	----	0.456 + 0.236	.0966	----	----	----	----	19 UNCH
5575	----	----	0.546B/0.192A	0.546B/0.192A	----	0.477 + 0.248	.1011	----	----	1	----	7 + 1
5600	0.510	0.510	0.582B/0.200A	0.582B/0.200A	----	0.499 + 0.261	.1058	----	----	18	----	55 + 2
5625	0.226	0.226	0.597B/0.209A	0.597B/0.209A	----	0.522 + 0.273	.1107	----	----	3	----	28 - 3
5650	0.325	0.325	0.636B/0.216A	0.636B/0.216A	----	0.546 + 0.287	.1158	----	----	9	----	42 + 1
5675	0.586	0.586	0.693B/0.225A	0.693B/0.225A	----	0.572 + 0.302	.1212	----	----	4	----	48 + 3
5700	0.440	0.440	0.742B/0.236A	0.742B/0.236A	----	0.599 + 0.317	.1269	----	----	5	60	332 + 19
5725	----	----	0.749B/0.245A	0.749B/0.245A	----	0.628 + 0.333	.1328	----	----	1	----	5 + 1
5750	0.590	0.590	0.800/0.256A	0.800/0.256A	----	0.657 + 0.349	.1389	----	----	15	----	42 UNCH
5775	----	----	0.823B/0.267A	0.823B/0.267A	----	0.689 + 0.367	.1454	----	----	----	----	3 UNCH
5800	0.710	0.710	0.878B/0.279A	0.878B/0.279A	----	0.722 + 0.385	.1521	----	----	3	----	47 + 1
5825	----	----	0.905B/0.289A	0.905B/0.289A	----	0.757 + 0.404	.1591	----	----	----	----	4 UNCH
5850	0.447	0.447	0.975B/0.304A	0.975B/0.304A	----	0.793 + 0.424	.1663	----	----	23	----	136 + 22
5875	----	----	0.996B/0.318A	0.996B/0.318A	----	0.832 + 0.445	.1740	----	----	----	----	4 UNCH
5900	0.380	0.380	1.058/0.333A	1.058/0.333A	----	0.872 + 0.467	.1818	----	----	29	----	25 + 11
5925	1.039	1.039	1.093B/0.346A	1.093B/0.346A	----	0.914 + 0.489	.1900	----	----	1	----	5 UNCH
5950	0.943	0.943	1.146B/0.363A	1.146B/0.363A	----	0.959 + 0.514	.1986	----	----	6	----	13 + 6
5975	0.992	0.992	1.200B/0.381A	1.200B/0.381A	----	1.006 + 0.539	.2075	----	----	4	----	13 UNCH
6000	0.565	0.565	1.280B/0.400A	1.280B/0.400A	----	1.055 + 0.565	.2167	----	----	496	----	1808 + 207
6025	0.664	0.664	1.316B/0.419A	1.316B/0.419A	----	1.106 + 0.591	.2261	----	----	6	----	8 + 6
6050	0.679	0.679	1.377B/0.440A	1.377B/0.440A	----	1.160 + 0.619	.2360	----	----	2	----	23 UNCH
6075	0.731	0.731	1.438B/0.462A	1.438B/0.462A	----	1.216 + 0.648	.2462	----	----	3	----	14 + 3
6100	0.644	0.644	1.541B/0.486A	1.541B/0.486A	----	1.276 + 0.679	.2567	----	----	49	----	329 + 14
6125	----	----	1.574B/0.509A	1.574B/0.509A	----	1.338 + 0.711	.2676	----	----	----	----	2 UNCH
6150	1.325	1.325	1.646B/0.537A	1.646B/0.537A	----	1.402 + 0.742	.2787	----	----	5	----	24 UNCH
6175	1.796	1.796	1.796/0.564A	1.796/0.564A	----	1.470 + 0.776	.2903	----	----	2	----	16 UNCH
6200	0.673	0.673	1.832B/0.594A	1.832B/0.594A	----	1.541 + 0.811	.3021	----	----	148	----	153 - 32
6225	----	----	1.919B/0.625A	1.919B/0.625A	----	1.615 + 0.847	.3143	----	----	6	----	176 + 6
6250	0.774	0.774	2.001B/0.658A	2.001B/0.658A	----	1.692 + 0.884	.3267	----	----	8	----	56 + 6
6275	0.790	0.790	2.055B/0.691A	2.055B/0.691A	----	1.773 + 0.923	.3395	----	----	10	----	20 UNCH
6300	1.087	1.087	2.170B/0.729A	2.170B/0.729A	----	1.856 + 0.962	.3525	----	----	207	----	304 - 41
6325	0.883	0.883	2.258B/0.770A	2.258B/0.770A	----	1.944 + 1.003	.3658	----	----	1	----	29 + 1
6350	0.857	0.857	2.378B/0.810A	2.378B/0.810A	----	2.035 + 1.045	.3794	----	----	11	----	153 + 6
6375	1.098	1.098	2.455B/0.854A	2.455B/0.854A	----	2.129 + 1.087	.3932	----	----	32	----	31 + 11
6400	1.319	1.319	2.600/0.899A	2.600/0.899A	----	2.228 + 1.131	.4072	----	----	226	----	292 + 13
6425	1.571	1.571	2.668B/0.949A	2.668B/0.949A	----	2.330 + 1.176	.4214	----	----	2	----	28 UNCH
6450	1.178	1.178	2.781B/1.001A	2.781B/1.001A	----	2.436 + 1.221	.4359	----	----	20	----	53 + 6
6475	1.359	1.359	2.882B/1.055A	2.882B/1.055A	----	2.546 + 1.268	.4504	----	----	7	----	26 + 3
6500	1.270	1.270	3.033B/1.113A	3.033B/1.113A	----	2.660 + 1.315	.4651	----	----	475	50	951 - 150
6525	1.818	1.818	3.141B/1.174A	3.141B/1.174A	----	2.778 + 1.364	.4799	----	----	8	----	22 - 3
6550	2.370	2.370	3.290B/1.237A	3.290B/1.237A	----	2.900 + 1.413	.4948	----	----	28	----	124 + 24
6575	1.412	1.412	3.385B/1.304A	3.385B/1.304A	----	3.026 + 1.462	.5097	----	----	4	----	20 + 2
6600	1.801	1.801	3.562B/1.375A	3.562B/1.375A	----	3.156 + 1.512	.5246	----	----	44	----	230 + 19
6625	----	----	3.679B/1.449A	3.679B/1.449A	----	3.290 + 1.562	.5396	----	----	----	----	65 UNCH
6650	1.722	1.722	3.824B/1.527A	3.824B/1.527A	----	3.428 + 1.613	.5545	----	----	1	----	215 - 1
6675	----	----	3.943B/1.611A	3.943B/1.611A	----	3.570 + 1.664	.5693	----	----	----	----	22 UNCH
6700	2.000	2.000	4.038B/1.694A	4.038B/1.694A	----	3.717 + 1.716	.5841	----	----	17	----	176 + 3
6725	2.082	2.082	4.173B/1.785A	4.173B/1.785A	----	3.867 + 1.767	.5987	----	----	6	----	6 + 1
6750	2.711	2.711	4.334B/1.879A	4.334B/1.879A	----	4.021 + 1.818	.6131	----	----	6	----	43 + 2
6775	----	----	4.578B/1.970A	4.578B/1.970A	----	4.180 + 1.870	.6274	----	----	2	----	19 + 2
6800	2.700	2.700	4.724B/2.073A	4.724B/2.073A	----	4.342 + 1.921	.6415	----	----	36	----	551 - 5
6825	----	----	4.886B/2.179A	4.886B/2.179A	----	4.508 + 1.972	.6553	----	----	2	----	70 - 2
6850	----	----	5.070B/2.289A	5.070B/2.289A	----	4.678 + 2.022	.6690	----	----	----	----	54 UNCH
6875	----	----	5.248B/2.404A	5.248B/2.404A	----	4.851 + 2.072	.6823	----	----	----	----	191 UNCH
6900	2.775	2.775	5.379B/2.520A	5.379B/2.520A	----	5.028 + 2.121	.6953	----	----	24	----	205 - 6
6925	----	----	5.626B/2.646A	5.626B/2.646A	----	5.209 + 2.170	.7080	----	----	----	----	43 UNCH
6950	----	----	5.786B/2.773A	5.786B/2.773A	----	5.393 + 2.218	.7204	----	----	1	----	109 UNCH
6975	----	----	5.972B/2.905A	5.972B/2.905A	----	5.580 + 2.265	.7324	----	----	----	----	28 UNCH
7000	3.780	3.780	6.162B/3.044A	6.162B/3.044A	----	5.770 + 2.310	.7441	----	----	60	----	1319 - 14
7025	----	----	6.340B/3.183A	6.340B/3.183A	----	5.964 + 2.355	.7554	----	----	----	----	208 UNCH
7050	4.250	4.250	6.571B/3.331A	6.571B/3.331A	----	6.161 + 2.400	.7664	----	----	3	----	15 + 1
7075	----	----	6.786B/3.478A	6.786B/3.478A	----	6.360 + 2.442	.7771	----	----	----	----	9 UNCH
7100	----	----	6.978B/3.673A	6.978B/3.673A	----	6.562 + 2.483	.7872	----	----	10	----	53 - 4
7125	----	----	7.159B/3.832A	7.159B/3.832A	----	6.767 + 2.524	.7971	----	----	1	----	12 UNCH
7150	4.935	4.935	7.370B/3.995A	7.370B/3.995A	----	6.974 + 2.562	.8065	----	----	5	----	178 + 1
7175	----	----	7.583B/4.162A	7.583B/4.162A	----	7.184 + 2.600	.8155	----	----	1	----	34 UNCH
7200	5.058	5.058	7.798B/4.332A	7.798B/4.332A	----	7.396 + 2.637	.8243	----	----	6	----	154 - 3
7225	----	----	8.016B/4.507A	8.016B/4.507A	----	7.611 + 2.672	.8326	----	----	1	----	7 UNCH
7250	----	----	8.235B/4.684A	8.235B/4.684A	----	7.827 + 2.706	.8406	----	----	1	----	201 - 1
7275	----	----	8.456B/4.866A	8.456B/4.866A	----	8.045 + 2.738	.8482	----	----	----	----	6 UNCH
7300	----	----	8.680B/5.051A	8.680B/5.051A	----	8.265 + 2.768	.8555	----	----	----	----	61 UNCH
7325	----	----	8.903B/5.239A	8.903B/5.239A	----	8.487 + 2.798	.8625	----	----	----	----	14 UNCH
7350	----	----	9.129B/5.430A	9.129B/5.430A	----	8.711 + 2.827	.8690	----	----	----	----	11 UNCH
7375	----	----	9.357B/5.627A	9.357B/5.627A	----	8.936 + 2.854	.8752	----	----	----	----	126 UNCH
7400	----	----	9.585B/5.823A	9.585B/5.823A	----	9.162 + 2.879	.8814	----	----	1	----	125 - 1
7425	----	----	9.815B/6.024A	9.815B/6.024A	----	9.390 + 2.903	.8869	----	----	----	----	29 UNCH
7450	----	----	10.046B/6.227A	10.046B/6.227A	----	9.619 + 2.926	.8924	----	----	----	----	97 UNCH
7475	----	----	10.279B/6.433A	10.279B/6.433A	----	9.850 + 2.948	.8975	----	----	----	----	28 UNCH
7500	----	----	10.512B/6.641A	10.512B/6.641A	----	10.082 + 2.970	.9024	----	----	----	----	195 UNCH
7525	----	----	10.746B/6.852A	10.746B/6.852A	----	10.314 + 2.988	.9070	----	----	----	----	28 UNCH
7550	----	----	10.981B/7.065A	10.981B/7.065A	----	10.548 + 3.007	.9114	----	----	----	----	41 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7575	----	----	11.173B/7.280A	11.173B/7.280A	----	10.783 + 3.025	.9156	----	----	----	----	27 UNCH
7600	----	----	11.409B/7.497A	11.409B/7.497A	----	11.018 + 3.041	.9197	----	----	1	----	50 UNCH
7625	----	----	11.647B/7.716A	11.647B/7.716A	----	11.255 + 3.057	.9234	----	----	----	----	62 UNCH
7650	----	----	11.885B/7.937A	11.885B/7.937A	----	11.492 + 3.071	.9269	----	----	----	----	66 UNCH
7675	----	----	12.124B/8.159A	12.124B/8.159A	----	11.730 + 3.085	.9303	----	----	----	----	37 UNCH
7700	----	----	12.364B/8.383A	12.364B/8.383A	----	11.969 + 3.098	.9334	----	----	----	----	239 UNCH
7725	----	----	12.604B/8.609A	12.604B/8.609A	----	12.208 + 3.110	.9366	----	----	----	----	36 UNCH
7750	----	----	12.845B/8.836A	12.845B/8.836A	----	12.448 + 3.122	.9395	----	----	----	----	25 UNCH
7775	----	----	12.941B/9.064A	12.941B/9.064A	----	12.688 + 3.132	.9421	----	----	----	----	6 UNCH
7800	----	----	13.237B/9.294A	13.237B/9.294A	----	12.929 + 3.142	.9448	----	----	----	----	103 UNCH
7825	----	----	13.442B/9.525A	13.442B/9.525A	----	13.171 + 3.151	.9472	----	----	----	----	27 UNCH
7850	----	----	13.683B/9.757A	13.683B/9.757A	----	13.413 + 3.160	.9495	----	----	----	----	35 UNCH
7875	----	----	13.928B/9.990A	13.928B/9.990A	----	13.655 + 3.168	.9516	----	----	----	----	26 UNCH
7900	----	----	14.163B/10.224A	14.163B/10.224A	----	13.898 + 3.176	.9537	----	----	1	----	29 - 1
7925	----	----	14.294B/10.459A	14.294B/10.459A	----	14.142 + 3.183	.9558	----	----	----	----	2 UNCH
7950	----	----	14.537B/10.695A	14.537B/10.695A	----	14.385 + 3.190	.9576	----	----	----	----	4 UNCH
7975	----	----	14.782B/10.931A	14.782B/10.931A	----	14.629 + 3.196	.9594	----	----	----	----	5 UNCH
8000	----	----	15.185B/11.169A	15.185B/11.169A	----	14.874 + 3.203	.9610	----	----	1	----	252 + 1
8050	----	----	15.516B/11.646A	15.516B/11.646A	----	15.364 + 3.214	.9640	----	----	----	----	1 UNCH
8075	----	----	15.861B/11.885A	15.861B/11.885A	----	15.609 + 3.219	.9653	----	----	----	----	10 UNCH
8100	----	----	16.124B/12.125A	16.124B/12.125A	----	15.855 + 3.225	.9666	----	----	----	----	48 UNCH
8125	----	----	16.356B/12.366A	16.356B/12.366A	----	16.101 + 3.230	.9678	----	----	----	----	7 UNCH
8150	----	----	16.499B/12.607A	16.499B/12.607A	----	16.347 + 3.234	.9691	----	----	----	----	2 UNCH
8175	----	----	16.745B/12.849A	16.745B/12.849A	----	16.594 + 3.239	.9701	----	----	----	----	4 UNCH
8200	----	----	17.093B/13.091A	17.093B/13.091A	----	16.840 + 3.243	.9710	----	----	----	----	23 UNCH
8225	----	----	17.337B/13.334A	17.337B/13.334A	----	17.087 + 3.247	.9720	----	----	----	----	17 UNCH
8250	----	----	17.646B/13.577A	17.646B/13.577A	----	17.335 + 3.252	.9729	----	----	----	----	90 UNCH
8275	----	----	17.828B/13.820A	17.828B/13.820A	----	17.582 + 3.256	.9736	----	----	----	----	15 UNCH
8300	----	----	18.140B/14.064A	18.140B/14.064A	----	17.830 + 3.260	.9743	----	----	----	----	129 UNCH
8325	----	----	18.226B/14.308A	18.226B/14.308A	----	18.077 + 3.264	.9750	----	----	----	----	1 UNCH
8350	----	----	18.569B/14.552A	18.569B/14.552A	----	18.325 + 3.267	.9757	----	----	----	----	20 UNCH
8375	----	----	18.721B/14.797A	18.721B/14.797A	----	18.573 + 3.271	.9764	----	----	----	----	4 UNCH
8400	----	----	19.064B/15.042A	19.064B/15.042A	----	18.822 + 3.275	.9770	----	----	----	----	13 UNCH
8425	----	----	19.179B/15.287A	19.179B/15.287A	----	19.070 + 3.278	.9777	----	----	----	----	4 UNCH
8450	----	----	19.488B/15.719A	19.488B/15.719A	----	19.318 + 3.281	.9781	----	----	----	----	33 UNCH
8475	----	----	19.287B/16.016A	19.287B/16.016A	----	19.567 + 3.284	.9787	----	----	----	----	1 UNCH
8500	----	----	19.577B/16.160A	19.577B/16.160A	----	19.815 + 3.286	.9791	----	----	----	----	167 UNCH
8525	----	----	19.733B/16.509A	19.733B/16.509A	----	20.064 + 3.289	.9795	----	----	----	----	4 UNCH
8550	----	----	19.940B/16.704A	19.940B/16.704A	----	20.312 + 3.291	.9801	----	----	----	----	37 UNCH
8575	----	----	20.133B/17.003A	20.133B/17.003A	----	20.561 + 3.293	.9805	----	----	----	----	1 UNCH
8600	----	----	20.472B/17.146A	20.472B/17.146A	----	20.810 + 3.296	.9809	----	----	----	----	75 UNCH
8625	----	----	20.277B/17.497A	20.277B/17.497A	----	21.058 + 3.297	.9813	----	----	----	----	7 UNCH
8650	----	----	20.095B/17.744A	20.095B/17.744A	----	21.307 + 3.299	.9816	----	----	----	----	1 UNCH
8675	----	----	19.710B/17.992A	19.710B/17.992A	----	21.556 + 3.301	.9820	----	----	----	----	1 UNCH
8700	----	----	19.908B/18.239A	19.908B/18.239A	----	21.805 + 3.302	.9824	----	----	----	----	11 UNCH
8725	----	----	19.930B/18.487A	19.930B/18.487A	----	22.054 + 3.304	.9827	----	----	----	----	1 UNCH
8800	----	----	20.609B/19.127A	20.609B/19.127A	----	22.801 + 3.308	.9837	----	----	----	----	59 UNCH
8850	----	----	20.580B/19.727A	20.580B/19.727A	----	23.299 + 3.310	.9842	----	----	----	----	1 UNCH
8900	----	----	20.584B/20.224A	20.584B/20.224A	----	23.797 + 3.312	.9848	----	----	----	----	2 UNCH
8975	----	----	----/21.153A	21.093B/21.153A	----	24.545 + 3.316	.9855	----	----	----	----	2 UNCH
9000	----	----	21.492B/21.287A	21.492B/21.287A	----	24.794 + 3.316	.9858	----	----	----	----	320 UNCH
9025	----	----	21.829B/21.673A	21.829B/21.673A	----	25.043 + 3.317	.9859	----	----	----	----	1 UNCH
9175	----	----	----	----	----	26.539 + 3.322	.9873	----	----	----	----	1 UNCH
9200	----	----	----	----	----	26.789 + 3.324	.9874	----	----	----	----	11 UNCH
9250	----	----	----	----	----	27.287 + 3.324	.9879	----	----	----	----	1 UNCH
9275	----	----	----	----	----	27.537 + 3.325	.9880	----	----	----	----	1 UNCH
9300	----	----	----	----	----	27.786 + 3.326	.9883	----	----	----	----	5 UNCH
9400	----	----	----	----	----	28.784 + 3.328	.9889	----	----	----	----	1 UNCH
9450	----	----	----	----	----	29.283 + 3.329	.9892	----	----	----	----	12 UNCH
9500	----	----	----	----	----	29.781 + 3.328	.9896	----	----	----	----	217 UNCH
9600	----	----	----	----	----	30.779 + 3.329	.9900	----	----	----	----	50 UNCH
9775	----	----	----	----	----	32.526 + 3.330	.9909	----	----	----	----	5 UNCH
9900	----	----	----	----	----	33.774 + 3.330	.9915	----	----	----	----	6 UNCH
9950	----	----	----	----	----	34.273 + 3.330	.9918	----	----	----	----	5 UNCH
10000	----	----	----	----	----	34.772 + 3.330	.9920	----	----	----	----	225 UNCH
10275	----	----	----	----	----	37.519 + 3.335	.9931	----	----	----	----	7 UNCH
10500	----	----	----	----	----	39.766 + 3.337	.9939	----	----	----	----	3 UNCH
10600	----	----	----	----	----	40.765 + 3.338	.9942	----	----	----	----	9 UNCH
10800	----	----	----	----	----	42.764 + 3.339	.9947	----	----	----	----	1 UNCH
11000	----	----	----	----	----	44.762 + 3.339	.9952	41	----	----	----	204 - 41
11300	----	----	----	----	----	47.761 + 3.341	.9957	----	----	----	----	10 UNCH
11500	----	----	----	----	----	49.760 + 3.341	.9960	----	----	----	----	0 UNCH
12000	----	----	----	----	----	54.760 + 3.343	.9967	1	----	----	----	0 - 1
13000	----	----	----	----	----	64.760 + 3.345	.9979	3	----	----	----	0 - 3
TOTAL										2375	110	18672 + 89
AUG26												
2125	----	----	----	----/0.020A	----	0.007 + 0.002	.0008	----	----	----	----	3 UNCH
2300	0.004	0.004	0.004/*0.004	0.004/*0.004	----	0.010 NEW	.0012	----	----	1	----	1 + 1
2800	0.007	0.007	0.007/*0.007	0.007/*0.007	----	0.024 NEW	.0030	----	----	1	----	1 + 1
3000	0.021	0.021	0.021/*0.021	0.021/0.021	----	0.032 NEW	.0041	----	----	1	----	1 + 1
3300	----	----	----	0.023B/*0.048A	----	0.050 + 0.019	.0066	----	----	----	----	2 UNCH
3900	----	----	0.081B/----	0.081B/0.072A	----	0.111 + 0.047	.0157	----	----	----	----	1 UNCH
4000	----	----	0.105B/----	0.105B/0.080A	----	0.126 + 0.054	.0180	----	----	----	----	4 UNCH
4175	----	----	0.130B/----	0.130B/0.095A	----	0.158 + 0.070	.0230	----	----	----	----	1 UNCH
4200	----	----	0.134B/----	0.134B/0.098A	----	0.163 NEW	.0238	----	----	2	----	2 + 2
4300	----	----	0.156B/----	0.156B/0.109A	----	0.185 + 0.082	.0272	----	----	----	----	1 UNCH
4350	----	----	0.169B/----	0.169B/0.115A	----	0.197 + 0.088	.0291	----	----	----	----	1 UNCH
4375	----	----	0.176B/----	0.176B/0.118A	----	0.203 + 0.091	.0301	----	----	----	----	160 UNCH
4450	----	----	0.203B/----	0.203B/0.128A	----	0.224 + 0.100	.0333	----	----	----	----	1 UNCH
4500	----	----	0.218B/----	0.218B/0.136A	----	0.239 + 0.107	.0357	----	----	2	----	9 + 2
4600	----	----	0.256B/----	0.256B/0.154A	----	0.273 + 0.123	.0410	----	----	----	----	5 UNCH
4625	----	----	0.266B/----	0.266B/0.157A	----	0.282 + 0.127	.0424	----	----	----	----	1 UNCH
4700	----	----	0.299B/----	0.299B/0.172A	----	0.312 + 0.141	.0471	----	----	----	----	9 UNCH
4750	----	----	0.324B/----	0.324B/0.185A	----	0.334 + 0.150	.0505	----	----	----	----	5 UNCH
4775	----	----	0.336B/*0.189A	0.336B/0.189A	----	0.346 + 0.156	.0523	----	----	----	----	2 UNCH
4800	0.343	0.343	0.350B/0.196A	0.350B/0.196A	----	0.358 + 0.161	.0541	----	----	3	----	20 - 1
4825	----	----	0.364B/*0.202A	0.364B/0.202A	----	0.370 + 0.166	.0560	----	----	----	----	1 UNCH
4900	----	----	0.410B/*0.217A	0.410B/0.217A	----	0.411 + 0.184	.0622	----	----	----	----	4 UNCH
5000	0.354	0.354	0.550/0.249A	0.550/0.249A	----	0.473 + 0.210	.0716	----	----	65	----	84 + 48
5075	0.563	0.563	0.569/0.277A	0.569/0.277A	----	0.527 NEW	.0795	----	----	2	----	2 + 2
5100	----	----	0.588B/0.286A	0.588B/0.286A	----	0.546 + 0.241	.0823	----	----	2	----	3 + 2
5125	0.498	0.498	0.583B/0.298A	0.583B/0.298A	----	0.566 NEW	.0853	----	----	1	----	1 + 1
5150	----	----	0.630B/0.308A	0.630B/0.308A	----	0.587 + 0.257	.0883	----	----	----	----	1 UNCH
5200	0.612	0.612	0.684B/0.332A	0.684B/0.332A	----	0.631 + 0.275	.0947	----	----	203	----	208 + 197
5250	0.550	0.550	0.757B/0.356A	0.757B/0.356A	----	0.679 + 0.294	.1015	----	----	17	----	15 + 12
5275	----	----	0.738B/0.370A	0.738B/0.370A	----	0.705 + 0.305	.1051	----	----	----	----	1 UNCH
5300	0.423	0.423	0.785B/0.384A	0.785B/0.384A	----	0.731 + 0.315	.1088	----	----	23	----	25 + 23
5325	----	----	0.817B/0.398A	0.817B/0.398A	----	0.759 + 0.326	.1127	----	----	----	----	2 UNCH
5350	0.709	0.709	0.850B/0.412A	0.850B/0.412A	----	0.787 NEW	.1166	----	----	1	----	1 + 1
5375	----	----	0.863B/0.429A	0.863B/0.429A	----	0.817 + 0.349	.1207	----	----	----	----	1 UNCH
5400	----	----	0.920B/0.443A	0.920B/0.443A	----	0.848 + 0.361	.1249	----	----	----	----	6 UNCH
5425	0.893	0.893	0.933B/0.463A	0.933B/0.463A	----	0.880 + 0.373	.1292	----	----	1	----	2 + 1
5450	0.890	0.890	0.988B/0.475A	0.988B/0.475A	----	0.914 NEW	.1338	----	----	1	----	1 + 1
5500	0.602	0.602	1.111B/0.513A	1.111B/0.513A	----	0.984 + 0.412	.1431	----	----	40	----	188 + 18
5550	1.087	1.087	1.150B/0.556A	1.150B/0.556A	----	1.061 NEW	.1531	----	----	1	----	1 + 1
5575	----	----	1.180B/0.578A	1.180B/0.578A	----	1.101 NEW	.1582	----	----	1	----	1 + 1
5600	1.100	1.100	1.302B/0.602A	1.302B/0.602A	----	1.143 + 0.472	.1635	----	----	4	----	29 + 1
5625	----	----	1.340B/0.625A	1.340B/0.625A	----	1.186 + 0.488	.1690	----	----	----	----	2 UNCH
5650	1.304	1.304	1.386B/0.650A	1.386B/0.650A	----	1.232 + 0.505	.1746	----	----	3	----	8 + 3
5675	1.367	1.367	1.439B/0.675A	1.439B/0.675A	----	1.278 + 0.521	.1804	----	----	1	----	10 + 1
5700	1.290	1.290	1.500B/0.702A	1.500B/0.702A	----	1.327 + 0.539	.1863	----	----	2	----	9 UNCH
5750	----	----	1.614B/0.759A	1.614B/0.759A	----	1.429 + 0.576	.1986	----	----	----	----	20 UNCH
5775	----	----	1.671B/0.789A	1.671B/0.789A	----	1.484 + 0.596	.2050	----	----	1	----	2 - 1
5800	1.079	1.079	1.750/0.820A	1.750/0.820A	----	1.539 + 0.615	.2114	----	----	5	----	41 + 4
5850	----	----	1.869B/0.888A	1.869B/0.888A	----	1.657 + 0.657	.2249	----	----	----	----	7 UNCH
5875	----	----	1.933B/0.923A	1.933B/0.923A	----	1.719 + 0.678	.2318	----	----	----	----	4 UNCH
5900	----	----	2.003B/0.960A	2.003B/0.960A	----	1.783 + 0.700	.2389	----	----	6	----	8 + 2
5925	1.901	1.901	2.077B/0.999A	2.077B/0.999A	----	1.850 + 0.724	.2462	----	----	1	----	8 + 1
5950	----	----	2.155B/1.039A	2.155B/1.039A	----	1.918 + 0.747	.2535	----	----	----	----	12 UNCH
5975	----	----	2.136B/1.080A	2.136B/1.080A	----	1.988 NEW	.2610	----	----	1	----	1 + 1
6000	1.299	1.299	2.322B/1.124A	2.322B/1.124A	----	2.061 + 0.795	.2686	----	----	21	----	270 + 9
6025	----	----	2.386B/1.168A	2.386B/1.168A	----	2.136 + 0.819	.2764	----	----	----	----	3 UNCH
6050	----	----	2.480B/1.215A	2.480B/1.215A	----	2.214 + 0.845	.2842	----	----	95	----	116 + 67
6075	2.180	2.180	2.460B/1.264A	2.460B/1.264A	----	2.294 NEW	.2922	----	----	1	----	1 + 1
6100	1.681	1.681	2.657B/1.314A	2.657B/1.314A	----	2.376 + 0.898	.3003	----	----	5	----	178 + 2
6125	1.420	1.420	2.737B/1.366A	2.737B/1.366A	----	2.460 + 0.924	.3085	----	----	7	----	6 + 1
6150	2.108	2.108	2.845B/1.420A	2.845B/1.420A	----	2.547 + 0.952	.3168	----	----	11	----	377 + 7

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
6175	1.736	1.736	2.926B/1.476A	2.926B/1.476A	----	2.637 + 0.980	.3252	----	----	4	----	16 - 1
6200	2.341	2.341	3.030B/1.534A	3.030B/1.534A	----	2.729 + 1.009	.3337	----	----	79	----	634 + 33
6225	1.869	1.869	3.111B/1.594A	3.111B/1.594A	----	2.823 + 1.037	.3423	----	----	7	----	16 + 6
6250	1.722	1.722	3.234B/1.656A	3.234B/1.656A	----	2.920 + 1.066	.3510	----	----	95	----	227 + 90
6275	----	----	3.308B/1.721A	3.308B/1.721A	----	3.020 + 1.096	.3597	----	----	----	----	13 UNCH
6300	2.085	2.085	3.453B/1.786A	3.453B/1.786A	----	3.122 + 1.126	.3685	----	----	2	----	570 UNCH
6325	----	----	3.537B/1.853A	3.537B/1.853A	----	3.227 + 1.157	.3774	----	----	----	----	3 UNCH
6350	3.074	3.074	3.670B/1.923A	3.670B/1.923A	----	3.334 + 1.187	.3863	----	----	3	----	77 + 2
6375	2.085	2.085	3.762B/1.998A	3.762B/1.998A	----	3.444 + 1.218	.3953	----	----	1	----	1 - 1
6400	2.145	2.145	3.904B/2.073A	3.904B/2.073A	----	3.557 + 1.250	.4043	----	----	100	----	173 + 71
6425	3.520	3.520	3.998B/2.151A	3.998B/2.151A	----	3.672 + 1.281	.4133	----	----	1	----	10 + 1
6450	2.472	2.472	4.144B/2.235A	4.144B/2.235A	----	3.790 + 1.313	.4224	----	----	1	----	45 UNCH
6475	3.790	3.790	4.253B/2.318A	4.253B/2.318A	----	3.911 + 1.346	.4315	----	----	2	----	3 + 1
6500	2.800	2.800	4.408B/2.399A	4.408B/2.399A	----	4.034 + 1.378	.4406	----	----	43	----	245 + 14
6525	2.790	2.790	4.508B/2.487A	4.508B/2.487A	----	4.159 + 1.409	.4497	----	----	1	----	2 + 1
6550	2.851	2.851	4.638B/2.577A	4.638B/2.577A	----	4.288 + 1.442	.4588	----	----	8	----	10 + 6
6575	2.771	2.771	4.797B/2.670A	4.797B/2.670A	----	4.419 + 1.475	.4679	----	----	11	----	41 - 10
6600	3.035	3.035	4.937B/2.766A	4.937B/2.766A	----	4.552 + 1.507	.4770	----	----	32	----	187 + 11
6625	3.148	3.148	5.039B/2.866A	5.039B/2.866A	----	4.688 + 1.540	.4861	----	----	1	----	20 UNCH
6650	----	----	5.182B/2.965A	5.182B/2.965A	----	4.827 + 1.573	.4951	----	----	----	----	15 UNCH
6675	----	----	5.331B/3.068A	5.331B/3.068A	----	4.968 + 1.605	.5041	----	----	----	----	2 UNCH
6700	3.262	3.262	5.496B/3.174A	5.496B/3.174A	----	5.112 + 1.638	.5130	----	----	9	----	92 + 2
6725	----	----	5.630B/3.283A	5.630B/3.283A	----	5.258 + 1.670	.5219	----	----	----	----	11 UNCH
6750	----	----	5.768B/3.399A	5.768B/3.399A	----	5.406 + 1.702	.5307	----	----	1	----	2 UNCH
6775	----	----	5.932B/3.513A	5.932B/3.513A	----	5.558 + 1.735	.5395	----	----	----	----	16 UNCH
6800	4.148	4.148	6.091B/3.629A	6.091B/3.629A	----	5.711 + 1.766	.5482	----	----	19	----	243 + 5
6825	4.277	4.277	6.249B/3.749A	6.249B/3.749A	----	5.867 + 1.798	.5569	----	----	1	----	35 UNCH
6850	----	----	6.402B/3.871A	6.402B/3.871A	----	6.025 + 1.829	.5654	----	----	3	----	6 UNCH
6875	----	----	6.585B/3.995A	6.585B/3.995A	----	6.186 + 1.861	.5739	----	----	----	----	130 UNCH
6900	4.671	4.671	6.736B/4.123A	6.736B/4.123A	----	6.349 + 1.892	.5822	----	----	24	----	87 + 3
6925	----	----	6.911B/4.253A	6.911B/4.253A	----	6.514 + 1.922	.5905	----	----	1	----	11 + 1
6950	----	----	7.078B/4.385A	7.078B/4.385A	----	6.682 + 1.953	.5987	----	----	5	----	53 + 5
6975	----	----	7.250B/4.520A	7.250B/4.520A	----	6.851 + 1.983	.6068	----	----	----	----	11 UNCH
7000	5.160	5.160	7.419B/4.658A	7.419B/4.658A	----	7.023 + 2.013	.6148	----	----	10	----	425 + 2
7025	5.318	5.318	7.602B/4.802A	7.602B/4.802A	----	7.197 + 2.042	.6227	----	----	1	----	25 UNCH
7050	----	----	7.782B/4.941A	7.782B/4.941A	----	7.373 + 2.071	.6304	----	----	5	----	36 + 5
7075	----	----	7.949B/5.086A	7.949B/5.086A	----	7.551 + 2.099	.6381	----	----	----	----	25 UNCH
7100	5.673	5.673	8.137B/5.233A	8.137B/5.233A	----	7.731 + 2.128	.6457	----	----	9	----	37 + 3
7125	----	----	8.313B/5.383A	8.313B/5.383A	----	7.913 + 2.155	.6531	----	----	----	----	20 UNCH
7150	----	----	8.514B/5.539A	8.514B/5.539A	----	8.097 + 2.183	.6604	----	----	----	----	9 UNCH
7175	----	----	8.698B/5.694A	8.698B/5.694A	----	8.283 + 2.210	.6676	----	----	----	----	10 UNCH
7200	6.624	6.624	8.871B/5.841A	8.871B/5.841A	----	8.470 + 2.236	.6746	----	----	7	----	115 - 2
7225	----	----	9.079B/6.007A	9.079B/6.007A	----	8.659 + 2.261	.6816	----	----	----	----	11 UNCH
7250	----	----	9.254B/6.168A	9.254B/6.168A	----	8.850 + 2.287	.6884	----	----	----	----	76 UNCH
7275	----	----	9.451B/6.336A	9.451B/6.336A	----	9.043 + 2.312	.6951	----	----	----	----	10 UNCH
7300	----	----	9.676B/6.492A	9.676B/6.492A	----	9.238 + 2.337	.7017	----	----	----	----	111 UNCH
7325	----	----	9.847B/6.723A	9.847B/6.723A	----	9.434 + 2.362	.7082	----	----	----	----	2 UNCH
7350	----	----	10.042B/6.894A	10.042B/6.894A	----	9.631 + 2.385	.7145	----	----	----	----	17 UNCH
7375	----	----	10.254B/7.066A	10.254B/7.066A	----	9.830 + 2.408	.7208	----	----	----	----	1 UNCH
7400	----	----	10.467B/7.241A	10.467B/7.241A	----	10.031 + 2.431	.7268	----	----	----	----	32 UNCH
7425	----	----	10.641B/7.417A	10.641B/7.417A	----	10.233 + 2.453	.7328	----	----	----	----	16 UNCH
7450	----	----	10.856B/7.596A	10.856B/7.596A	----	10.436 + 2.475	.7386	----	----	----	----	1 UNCH
7475	----	----	11.076B/7.776A	11.076B/7.776A	----	10.641 + 2.496	.7443	----	----	----	----	6 UNCH
7500	----	----	11.276B/7.958A	11.276B/7.958A	----	10.847 + 2.517	.7499	----	----	----	----	132 UNCH
7525	----	----	11.497B/8.142A	11.497B/8.142A	----	11.055 + 2.538	.7554	----	----	----	----	11 UNCH
7550	----	----	11.698B/8.328A	11.698B/8.328A	----	11.263 + 2.557	.7608	----	----	----	----	18 UNCH
7575	----	----	11.879B/8.515A	11.879B/8.515A	----	11.473 + 2.577	.7661	----	----	----	----	2 UNCH
7600	----	----	12.096B/8.704A	12.096B/8.704A	----	11.684 + 2.596	.7712	----	----	----	----	8 UNCH
7625	----	----	12.341B/8.895A	12.341B/8.895A	----	11.896 + 2.614	.7762	----	----	----	----	16 UNCH
7650	----	----	12.541B/9.088A	12.541B/9.088A	----	12.110 + 2.633	.7811	----	----	----	----	42 UNCH
7675	----	----	12.757B/9.282A	12.757B/9.282A	----	12.324 + 2.651	.7859	----	----	----	----	45 UNCH
7700	----	----	12.981B/9.477A	12.981B/9.477A	----	12.540 + 2.669	.7906	----	----	----	----	164 UNCH
7725	----	----	13.203B/9.674A	13.203B/9.674A	----	12.756 + 2.685	.7952	----	----	----	----	56 UNCH
7750	----	----	13.373B/9.873A	13.373B/9.873A	----	12.974 + 2.702	.7996	----	----	----	----	1 UNCH
7775	----	----	13.551B/10.073A	13.551B/10.073A	----	13.192 + 2.718	.8040	----	----	----	----	1 UNCH
7800	----	----	13.809B/10.274A	13.809B/10.274A	----	13.411 + 2.733	.8083	----	----	----	----	29 UNCH
7825	----	----	13.995B/10.477A	13.995B/10.477A	----	13.632 + 2.749	.8125	----	----	----	----	1 UNCH
7850	----	----	14.218B/10.681A	14.218B/10.681A	----	13.853 + 2.764	.8165	----	----	----	----	17 UNCH
7875	----	----	14.442B/10.886A	14.442B/10.886A	----	14.075 + 2.779	.8205	----	----	----	----	1 UNCH
7900	----	----	14.667B/11.092A	14.667B/11.092A	----	14.298 + 2.793	.8244	----	----	----	----	12 UNCH
7925	----	----	14.893B/11.300A	14.893B/11.300A	----	14.521 + 2.806	.8281	----	----	----	----	3 UNCH
7950	----	----	15.184B/11.509A	15.184B/11.509A	----	14.746 + 2.821	.8318	----	----	----	----	61 UNCH
7975	----	----	15.346B/11.719A	15.346B/11.719A	----	14.971 + 2.834	.8354	----	----	----	----	2 UNCH
8000	----	----	15.637B/11.930A	15.637B/11.930A	----	15.197 + 2.847	.8390	----	----	2	----	299 - 2
8025	----	----	15.802B/12.143A	15.802B/12.143A	----	15.423 + 2.859	.8423	----	----	----	----	1 UNCH
8050	----	----	16.031B/12.356A	16.031B/12.356A	----	15.650 + 2.870	.8457	----	----	----	----	1 UNCH
8100	----	----	16.490B/12.786A	16.490B/12.786A	----	16.107 + 2.894	.8522	----	----	----	----	10 UNCH
8125	----	----	16.721B/13.002A	16.721B/13.002A	----	16.336 + 2.906	.8553	----	----	----	----	1 UNCH
8150	----	----	16.952B/13.220A	16.952B/13.220A	----	16.566 + 2.917	.8583	----	----	----	----	14 UNCH
8175	----	----	17.184B/13.438A	17.184B/13.438A	----	16.796 + 2.927	.8612	----	----	----	----	1 UNCH
8200	----	----	17.416B/13.657A	17.416B/13.657A	----	17.027 + 2.938	.8642	----	----	----	----	10 UNCH
8225	----	----	17.649B/13.877A	17.649B/13.877A	----	17.258 + 2.947	.8670	----	----	----	----	4 UNCH
8250	----	----	17.882B/14.098A	17.882B/14.098A	----	17.490 + 2.957	.8697	----	----	----	----	10 UNCH
8275	----	----	18.116B/14.320A	18.116B/14.320A	----	17.722 + 2.967	.8724	----	----	----	----	5 UNCH
8300	----	----	18.350B/14.542A	18.350B/14.542A	----	17.955 + 2.976	.8749	----	----	----	----	1 UNCH
8325	----	----	18.585B/14.765A	18.585B/14.765A	----	18.189 + 2.986	.8775	----	----	----	----	5 UNCH
8400	----	----	19.244B/15.439A	19.244B/15.439A	----	18.891 + 3.011	.8848	----	----	----	----	1 UNCH
8425	----	----	19.481B/15.665A	19.481B/15.665A	----	19.126 + 3.019	.8871	----	----	----	----	1 UNCH
8475	----	----	19.958B/16.119A	19.958B/16.119A	----	19.597 + 3.034	.8916	----	----	----	----	1 UNCH
8500	----	----	20.216B/16.347A	20.216B/16.347A	----	19.834 + 3.042	.8937	----	----	----	----	21 UNCH
8600	----	----	21.148B/17.265A	21.148B/17.265A	----	20.781 + 3.069	.9019	----	----	----	----	3 UNCH
8650	----	----	21.626B/17.727A	21.626B/17.727A	----	21.257 + 3.082	.9057	----	----	----	----	1 UNCH
8700	----	----	#22.105B/18.191	#22.105B/18.191A	----	21.733 + 3.093	.9095	----	----	----	----	2 UNCH
8825	----	----	#23.308B/19.360	#23.308B/19.360A	----	22.930 + 3.120	.9179	----	----	----	----	4 UNCH
8850	----	----	#23.540B/19.595	#23.540B/19.595A	----	23.170 + 3.124	.9195	----	----	----	----	1 UNCH
8900	----	----	#24.032B/20.066	#24.032B/20.066A	----	23.651 + 3.134	.9225	----	----	----	----	24 UNCH
9000	----	----	#25.084B/21.012	#25.084B/21.012A	----	24.615 + 3.150	.9282	----	----	----	----	63 UNCH
9025	----	----	#25.243B/21.250	#25.243B/21.250A	----	24.857 + 3.155	.9295	----	----	----	----	4 UNCH
9150	----	----	#26.449B/22.442	#26.449B/22.442A	----	26.070 + 3.175	.9356	----	----	----	----	4 UNCH
9175	----	----	#26.692B/22.682	#26.692B/22.682A	----	26.313 + 3.178	.9367	----	----	----	----	1 UNCH
9200	----	----	#26.936B/22.921	#26.936B/22.921A	----	26.556 + 3.182	.9378	----	----	----	----	1 UNCH
9225	----	----	#27.180B/23.161	#27.180B/23.161A	----	26.800 + 3.186	.9388	----	----	----	----	1 UNCH
9275	----	----	#27.677B/23.642	#27.677B/23.642A	----	27.288 + 3.193	.9409	----	----	----	----	5 UNCH
9300	----	----	#27.921B/23.882	#27.921B/23.882A	----	27.532 + 3.197	.9418	----	----	----	----	1 UNCH
9325	----	----	#28.166B/24.123	#28.166B/24.123A	----	27.777 + 3.201	.9427	----	----	----	----	11 UNCH
9350	----	----	#28.410B/24.364	#28.410B/24.364A	----	28.021 + 3.204	.9436	----	----	----	----	4 UNCH
9500	----	----	#29.924B/25.814	#29.924B/25.814A	----	29.492 + 3.224	.9486	----	----	----	----	32 UNCH
9975	----	----	#34.552B/30.446	#34.552B/30.446A	----	34.177 + 3.276	.9599	----	----	----	----	1 UNCH
10000	----	----	#34.808B/30.691	#34.808B/30.691A	----	34.424 + 3.278	.9603	----	----	----	----	7 UNCH
10025	----	----	#35.052B/30.936	#35.052B/30.936A	----	34.671 + 3.280	.9608	----	----	----	----	1 UNCH
10175	----	----	#36.463B/32.404	#36.463B/32.404A	----	36.155 + 3.291	.9635	----	----	----	----	15 UNCH
12000	----	----	----	----	----	54.297 + 3.349	.9831	----	----	1	----	6 + 1
TOTAL										1021	0	7082 + 660
SEP26												
2500	----	----	----	0.001B/0.060A	----	0.012 + 0.004	.0015	----	----	----	----	60 UNCH
3000	----	----	----	0.024B/*0.067A	----	0.046 + 0.014	.0056	----	----	----	----	22 UNCH
3250	----	----	----	0.041B/0.074A	----	0.077 + 0.023	.0093	----	----	----	----	1 UNCH
3500	----	----	----	0.069B/0.091A	----	0.106 + 0.032	.0131	----	----	----	----	74 UNCH
3950	----	----	0.149B/----	0.149B/0.132A	----	0.185 NEW	.0237	----	----	1	----	1 + 1
4000	----	----	0.162B/----	0.162B/0.140A	----	0.196 + 0.064	.0252	----	----	3	----	46 + 1
4200	----	----	0.219B/----	0.219B/0.172A	----	0.252 NEW	.0328	----	----	1	----	1 + 1
4400	----	----	0.303B/----	0.303B/0.214A	----	0.326 + 0.114	.0426	----	----	----	----	1 UNCH
4500	0.322	0.322	0.360/0.322	0.360/0.242A	----	0.372 + 0.132	.0486	----	----	6	----	14 + 2
4525	----	----	0.368B/----	0.368B/0.249A	----	0.385 + 0.138	.0503	----	----	----	----	2 UNCH
4600	----	----	0.413B/----	0.413B/0.273A	----	0.426 + 0.154	.0556	----	----	----	----	1 UNCH
4800	----	----	0.562B/0.348A	0.562B/0.348A	----	0.565 + 0.210	.0728	----	----	----	----	3 UNCH
5000	0.505	0.505	0.758B/0.452A	0.758B/0.452A	----	0.753 + 0.284	.0949	----	----	3	----	249 - 1
5100	----	----	0.881B/0.515A	0.881B/0.515A	----	0.862 + 0.322	.1076	----	----	----	----	1 UNCH
5200	----	----	1.018B/0.593A	1.018B/0.593A	----	0.983 + 0.365	.1215	----	----	----	----	28 UNCH
5375	----	----	1.312B/----	1.312B/0.756A	----	1.269 + 0.519	.1513	----	----	----	----	1 UNCH
5400	----	----	1.360B/----	1.360B/0.783A	----	1.314 + 0.539	.1559	----	----	----	----	3 UNCH
5475	----	----	1.511B/----	1.511B/0.869A	----	1.444 + 0.578	.1696	----	----	----	----	3 UNCH
5500	----	----	1.569B/----	1.569B/0.900A	----	1.494 + 0.601	.1745	----	----	----	----	232 UNCH
5575	----	----	1.740B/----	1.740B/0.999A	----	1.660 + 0.670	.1903	----	----	----	----	2 UNCH
5600	----	----	1.795B/----	1.795B/1.035A	----	1.718 + 0.691	.1958	----	----	1	----	4 + 1
5700	----	----	2.054B/----	2.054B/1.190A	----	1.963 + 0.773	.2183	----	----	----	----	20 UNCH
5725	1.978	1.978	2.124B/1.232A	2.124B/1.232A	----	2.028 + 0.793	.2241	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
SEP26												
5750	----	----	2.201B/1.275A	2.201B/1.275A	----	2.094 + 0.812	.2300	----	----	----	----	1 UNCH
5800	----	----	2.343B/1.367A	2.343B/1.367A	----	2.233 + 0.854	.2422	----	----	----	----	31 UNCH
5825	----	----	2.426B/1.415A	2.426B/1.415A	----	2.305 + 0.875	.2483	----	----	----	----	2 UNCH
5850	----	----	2.506B/1.464A	2.506B/1.464A	----	2.380 + 0.897	.2546	----	----	----	----	1 UNCH
5900	2.645	2.645	2.670B/1.568A	2.670B/1.568A	----	2.536 + 0.943	.2675	----	----	2	----	51 + 1
5950	----	----	2.843B/1.678A	2.843B/1.678A	----	2.702 NEW	.2807	----	----	1	----	1 + 1
6000	2.130	2.130	3.024B/1.795A	3.024B/1.795A	----	2.876 + 1.043	.2942	----	----	52	88	794 + 31
6025	2.885	2.885	3.117B/1.856A	3.117B/1.856A	----	2.967 NEW	.3010	----	----	1	----	1 + 1
6050	----	----	3.213B/1.919A	3.213B/1.919A	----	3.059 + 1.095	.3079	----	----	----	----	19 UNCH
6100	----	----	3.416B/2.052A	3.416B/2.052A	----	3.252 + 1.149	.3219	----	----	----	----	82 UNCH
6200	----	----	3.732B/2.338A	3.732B/2.338A	----	3.662 + 1.259	.3503	----	----	----	60	137 + 60
6300	----	----	4.187B/2.655A	4.187B/2.655A	----	4.106 + 1.370	.3792	----	----	----	----	30 UNCH
6400	3.123	3.123	4.676B/3.008A	4.676B/3.008A	----	4.581 + 1.478	.4084	----	----	4	----	13 + 3
6425	----	----	4.804B/3.101A	4.804B/3.101A	----	4.705 + 1.505	.4157	----	----	----	----	3 UNCH
6450	----	----	4.934B/3.195A	4.934B/3.195A	----	4.830 + 1.531	.4230	----	----	----	----	1 UNCH
6500	----	----	5.200B/3.392A	5.200B/3.392A	----	5.087 + 1.582	.4376	----	----	1	----	157 UNCH
6550	----	----	5.475B/3.599A	5.475B/3.599A	----	5.352 + 1.633	.4522	----	----	----	----	15 UNCH
6700	----	----	6.350B/4.269A	6.350B/4.269A	----	6.194 + 1.778	.4954	----	----	----	----	355 UNCH
6750	----	----	6.656B/4.502A	6.656B/4.502A	----	6.491 + 1.825	.5095	----	----	----	----	1 UNCH
6800	----	----	6.970B/4.758A	6.970B/4.758A	----	6.796 + 1.871	.5234	----	----	----	----	25 UNCH
6850	----	----	7.293B/5.008A	7.293B/5.008A	----	7.108 + 1.915	.5372	----	----	----	----	2 UNCH
6900	----	----	7.622B/5.282A	7.622B/5.282A	----	7.428 + 1.959	.5507	----	----	----	----	24 UNCH
6975	----	----	8.130B/5.696A	8.130B/5.696A	----	7.924 + 2.025	.5705	----	----	----	----	15 UNCH
7000	----	----	8.302B/5.830A	8.302B/5.830A	----	8.092 + 2.046	.5770	----	----	----	----	201 UNCH
7025	7.934	7.934	8.476B/5.974A	8.476B/5.974A	----	8.263 + 2.067	.5834	----	----	1	----	1 UNCH
7050	7.967	7.967	8.652B/6.129A	8.652B/6.129A	----	8.435 NEW	.5897	----	----	2	----	2 + 2
7075	8.132	8.132	8.829B/6.268A	8.829B/6.268A	----	8.609 NEW	.5960	----	----	2	----	2 + 2
7100	----	----	9.008B/6.418A	9.008B/6.418A	----	8.785 + 2.129	.6022	----	----	----	----	18 UNCH
7125	----	----	9.188B/6.570A	9.188B/6.570A	----	8.963 + 2.150	.6083	----	----	----	----	25 UNCH
7175	9.071	9.071	9.554B/6.879A	9.554B/6.879A	----	9.322 + 2.189	.6203	----	----	1	----	20 UNCH
7200	----	----	9.738B/7.042A	9.738B/7.042A	----	9.505 + 2.210	.6261	----	----	----	----	77 UNCH
7300	----	----	10.492B/7.689A	10.492B/7.689A	----	10.249 + 2.287	.6489	----	----	----	----	171 UNCH
7400	----	----	11.267B/8.364A	11.267B/8.364A	----	11.015 + 2.360	.6703	----	----	----	----	26 UNCH
7450	----	----	11.662B/8.712A	11.662B/8.712A	----	11.405 + 2.394	.6806	----	----	----	----	1 UNCH
7500	----	----	12.062B/9.144A	12.062B/9.144A	----	11.801 + 2.430	.6906	----	----	----	----	18 UNCH
7550	----	----	12.466B/9.503A	12.466B/9.503A	----	12.201 + 2.463	.7003	----	----	----	----	44 UNCH
7600	----	----	12.874B/9.868A	12.874B/9.868A	----	12.605 + 2.496	.7097	----	----	----	----	26 UNCH
7650	----	----	13.286B/10.239A	13.286B/10.239A	----	13.013 + 2.528	.7187	----	----	----	----	16 UNCH
7700	----	----	13.703B/10.615A	13.703B/10.615A	----	13.425 + 2.558	.7275	----	----	----	----	9 UNCH
7775	----	----	14.334B/11.189A	14.334B/11.189A	----	14.050 + 2.603	.7402	----	----	----	----	5 UNCH
7800	----	----	14.546B/11.383A	14.546B/11.383A	----	14.260 + 2.617	.7443	----	----	----	----	26 UNCH
7900	----	----	15.404B/12.169A	15.404B/12.169A	----	15.109 + 2.672	.7600	----	----	----	----	1 UNCH
8000	----	----	16.274B/12.972A	16.274B/12.972A	----	15.971 + 2.723	.7747	----	----	----	----	93 UNCH
8100	----	----	17.155B/13.792A	17.155B/13.792A	----	16.844 + 2.769	.7883	----	----	----	----	1 UNCH
8200	----	----	18.046B/14.626A	18.046B/14.626A	----	17.727 + 2.811	.8010	----	----	----	----	1 UNCH
8300	----	----	18.946B/15.473A	18.946B/15.473A	----	18.620 + 2.849	.8129	----	----	----	----	1 UNCH
8400	----	----	19.855B/16.333A	19.855B/16.333A	----	19.522 + 2.884	.8239	----	----	----	----	42 UNCH
8500	----	----	20.675B/17.203A	20.675B/17.203A	----	20.432 + 2.915	.8342	----	----	----	----	227 UNCH
8700	----	----	22.198B/18.974A	22.198B/18.974A	----	22.272 + 2.964	.8526	----	----	----	----	101 UNCH
9000	----	----	25.013B/21.692A	25.013B/21.692A	----	25.078 + 3.046	.8756	----	----	----	----	74 UNCH
9300	----	----	27.864B/24.469A	27.864B/24.469A	----	27.926 + 3.116	.8940	----	----	----	----	1 UNCH
9400	----	----	#28.822B/25.405	#28.822B/25.405A	----	28.882 + 3.123	.8993	----	----	----	----	15 UNCH
10150	----	----	#36.098B/32.549	#36.098B/32.549A	----	36.130 + 3.203	.9304	----	----	----	----	1 UNCH
10300	----	----	#37.565B/33.998	#37.565B/33.998A	----	37.593 + 3.218	.9350	----	----	----	----	1 UNCH
11000	----	----	#44.446B/40.815	#44.446B/40.815A	----	44.480 + 3.276	.9497	----	----	----	----	1 UNCH
TOTAL										83	148	3780 + 107
OCT26												
2675	----	----	----	0.001B/2.475A	----	0.064 + 0.002	.0063	----	----	----	----	8 UNCH
3250	----	----	----	0.022B/*0.151A	----	0.130 + 0.016	.0136	----	----	----	----	1 UNCH
4000	----	----	----	0.179B/0.241A	----	0.314 + 0.088	.0343	----	----	----	----	3 UNCH
4500	----	----	0.439B/----	0.439B/0.395A	----	0.554 + 0.182	.0611	----	----	----	----	3 UNCH
5000	----	----	0.965B/----	0.965B/0.683A	----	1.007 + 0.353	.1080	----	----	----	----	5 UNCH
5050	----	----	1.035B/----	1.035B/0.724A	----	1.070 + 0.375	.1142	----	----	----	----	1 UNCH
5150	----	----	1.194B/----	1.194B/0.813A	----	1.211 + 0.428	.1276	----	----	----	----	5 UNCH
5750	----	----	2.603B/1.677A	2.603B/1.677A	----	2.537 NEW	.2358	----	----	1	----	1 + 1
5800	----	----	2.764B/1.786A	2.764B/1.786A	----	2.693 + 0.864	.2469	----	----	----	----	4 UNCH
5825	----	----	2.721B/1.839A	2.721B/1.839A	----	2.773 NEW	.2524	----	----	1	----	1 + 1
5925	----	----	3.045B/2.074A	3.045B/2.074A	----	3.114 + 0.985	.2753	----	----	----	----	1 UNCH
6000	----	----	3.449B/2.268A	3.449B/2.268A	----	3.389 + 1.060	.2929	----	----	----	----	60 UNCH
6100	3.625	3.625	3.851B/2.555A	3.851B/2.555A	----	3.781 + 1.161	.3170	----	----	1	----	3 + 1
6250	----	----	4.475B/3.040A	4.475B/3.040A	----	4.421 + 1.306	.3538	----	----	----	----	5 UNCH
6300	----	----	4.737B/3.210A	4.737B/3.210A	----	4.647 + 1.352	.3661	----	----	----	----	15 UNCH
6400	----	----	5.237B/3.584A	5.237B/3.584A	----	5.116 + 1.438	.3911	----	----	----	----	5 UNCH
6500	4.801	4.801	5.771B/3.992A	5.771B/3.992A	----	5.608 + 1.517	.4161	----	----	2	----	176 + 1
6600	----	----	6.301B/4.433A	6.301B/4.433A	----	6.124 + 1.591	.4411	----	----	1	----	31 + 1
6625	----	----	6.277B/4.556A	6.277B/4.556A	----	6.258 + 1.609	.4473	----	----	----	----	32 UNCH
6650	----	----	6.586B/4.669A	6.586B/4.669A	----	6.393 + 1.627	.4535	----	----	----	----	36 UNCH
6700	----	----	6.889B/4.907A	6.889B/4.907A	----	6.671 + 1.665	.4659	----	----	1	----	70 UNCH
6725	----	----	6.880B/5.036A	6.880B/5.036A	----	6.813 + 1.684	.4720	----	----	----	----	1 UNCH
6750	----	----	7.198B/5.159A	7.198B/5.159A	----	6.958 + 1.704	.4782	----	----	----	----	1 UNCH
6800	----	----	7.497B/5.408A	7.497B/5.408A	----	7.255 + 1.746	.4903	----	----	----	----	15 UNCH
6850	----	----	7.804B/5.678A	7.804B/5.678A	----	7.561 + 1.789	.5022	----	----	----	----	1 UNCH
6900	----	----	8.128B/5.943A	8.128B/5.943A	----	7.879 + 1.836	.5139	----	----	----	----	10 UNCH
6950	----	----	8.464B/6.222A	8.464B/6.222A	----	8.209 + 1.888	.5253	----	----	----	----	1 UNCH
7000	8.069	8.069	8.787B/6.501A	8.787B/6.501A	----	8.550 + 1.943	.5364	----	----	6	----	97 + 6
7025	----	----	8.753B/6.657A	8.753B/6.657A	----	8.724 + 1.971	.5418	----	----	----	----	1 UNCH
7050	----	----	9.116B/6.800A	9.116B/6.800A	----	8.901 + 2.000	.5471	----	----	----	----	1 UNCH
7075	----	----	9.080B/6.957A	9.080B/6.957A	----	9.079 + 2.029	.5524	----	----	----	----	1 UNCH
7225	----	----	10.123B/7.876A	10.123B/7.876A	----	10.187 + 2.205	.5824	----	----	----	----	88 UNCH
7250	----	----	10.494B/8.028A	10.494B/8.028A	----	10.376 + 2.233	.5872	----	----	----	----	1 UNCH
7275	----	----	10.326B/8.216A	10.326B/8.216A	----	10.565 + 2.260	.5919	----	----	----	----	1 UNCH
7300	----	----	10.553B/8.342A	10.553B/8.342A	----	10.756 + 2.287	.5965	----	----	----	----	9 UNCH
7350	----	----	10.873B/8.679A	10.873B/8.679A	----	11.138 + 2.336	.6058	----	----	----	----	1 UNCH
7500	----	----	12.043B/9.685A	12.043B/9.685A	----	12.284 + 2.453	.6328	----	----	----	----	28 UNCH
7600	----	----	12.809B/10.384A	12.809B/10.384A	----	13.044 + 2.501	.6506	----	----	----	----	13 UNCH
7650	----	----	13.146B/10.744A	13.146B/10.744A	----	13.422 + 2.516	.6596	----	----	----	----	1 UNCH
7700	----	----	13.541B/11.116A	13.541B/11.116A	----	13.798 + 2.524	.6685	----	----	----	----	1 UNCH
7775	----	----	14.140B/11.742A	14.140B/11.742A	----	14.362 + 2.528	.6820	----	----	----	----	2 UNCH
7950	----	----	15.568B/13.008A	15.568B/13.008A	----	15.711 + 2.533	.7121	----	----	----	----	10 UNCH
8000	----	----	15.997B/13.525A	15.997B/13.525A	----	16.113 + 2.543	.7199	----	----	----	----	10 UNCH
8200	----	----	17.657B/15.133A	17.657B/15.133A	----	17.797 + 2.620	.7470	----	----	----	----	6 UNCH
8375	----	----	19.161B/----	19.161B/16.740A	----	19.330 + 2.705	.7670	----	----	----	----	1 UNCH
8400	----	----	19.398B/----	19.398B/16.952A	----	19.551 + 2.716	.7697	----	----	----	----	6 UNCH
9100	----	----	----	22.511B/23.105A	----	25.859 + 2.920	.8342	----	----	----	----	1 UNCH
10000	----	----	----	22.714B/40.606A	----	34.301 + 3.075	.8885	----	----	----	----	40 UNCH
TOTAL										13	0	814 + 11
NOV26												
4500	----	----	0.603B/----	0.603B/0.553A	----	1.481 + 1.000	.1063	----	----	----	----	1 UNCH
4550	----	----	0.650B/----	0.650B/0.579A	----	1.515 + 1.004	.1097	----	----	----	----	1 UNCH
4800	----	----	0.789B/----	0.789B/0.755A	----	1.709 + 1.015	.1289	----	----	----	----	1 UNCH
5000	----	----	0.995B/----	0.995B/0.935A	----	1.911 + 1.026	.1477	----	----	----	----	12 UNCH
5200	----	----	1.408B/----	1.408B/1.411A	----	2.175 + 1.047	.1703	----	----	----	----	1 UNCH
5400	----	----	1.844B/----	1.844B/1.601A	----	2.521 + 1.083	.1975	----	----	2	----	8 - 2
5600	----	----	2.372B/----	2.372B/2.003A	----	2.964 + 1.135	.2294	----	----	4	----	9 - 4
5950	----	----	3.556B/----	3.556B/2.913A	----	4.022 + 1.287	.2954	----	----	----	----	1 UNCH
6000	----	----	3.757B/----	3.757B/3.089A	----	4.206 + 1.316	.3057	----	----	2	----	1 - 2
6425	----	----	5.740B/----	5.740B/4.658A	----	6.121 + 1.656	.3974	----	----	----	----	1 UNCH
6500	----	----	6.117B/----	6.117B/5.015A	----	6.525 + 1.731	.4137	----	----	----	----	26 UNCH
6675	----	----	7.124B/----	7.124B/5.825A	----	7.545 + 1.919	.4510	----	----	----	----	20 UNCH
6700	----	----	7.277B/----	7.277B/5.978A	----	7.699 + 1.946	.4562	----	----	----	----	50 UNCH
7000	----	----	9.129B/----	9.129B/7.624A	----	9.698 + 2.269	.5146	----	----	----	----	41 UNCH
7025	----	----	9.296B/----	9.296B/7.771A	----	9.876 + 2.295	.5192	----	----	----	----	6 UNCH
7400	----	----	11.956B/----	11.956B/10.158A	----	12.721 + 2.695	.5802	----	----	----	----	24 UNCH
7500	----	----	12.705B/----	12.705B/10.813A	----	13.526 + 2.809	.5943	----	----	----	----	7 UNCH
7700	----	----	14.239B/----	14.239B/12.276A	----	15.179 + 3.035	.6201	----	----	----	----	50 UNCH
8500	----	----	20.851B/----	20.851B/18.541A	----	22.127 + 3.728	.7002	----	----	----	----	60 UNCH
9000	----	----	25.255B/----	25.255B/22.817A	----	26.593 + 3.920	.7389	----	----	----	----	5 UNCH
9050	----	----	25.695B/----	25.695B/23.297A	----	27.043 + 3.932	.7424	----	----	----	----	0 UNCH
10000	----	----	----	20.396B/44.117A	----	35.699 + 4.003	.8008	----	----	----	----	1 UNCH
11000	----	----	----	30.612B/53.690A	----	44.993 + 3.898	.8487	----	----	----	----	1 UNCH
TOTAL										8	0	327 - 8
DEC26												
1500	----	----	----	----/0.030A	----	0.002 UNCH	.0002	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.090A	----	0.011 + 0.003	.0012	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/2.791A	----	0.037 + 0.011	.0039	----	----	----	----	32 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 53

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
3000	----	----	----	0.015B/0.201A	----	0.097 + 0.028	.0100	----	----	----	----	93 UNCH
3100	----	----	----	0.027B/0.210A	----	0.115 + 0.033	.0118	----	----	----	----	1 UNCH
3150	----	----	----	0.034B/0.217A	----	0.125 + 0.036	.0128	----	----	----	----	1 UNCH
3500	----	----	----	0.106B/0.291A	----	0.216 + 0.061	.0218	----	----	----	----	45 UNCH
3850	----	----	----	0.243B/0.391A	----	0.356 + 0.099	.0353	----	----	----	----	1 UNCH
3925	----	----	----	0.280B/0.419A	----	0.397 + 0.112	.0391	----	----	----	----	1 UNCH
4000	----	----	0.321B/----	0.321B/0.449A	----	0.444 + 0.129	.0433	----	----	----	----	74 UNCH
4500	----	----	0.708B/----	0.708B/0.715A	----	0.876 + 0.272	.0804	----	----	----	----	34 UNCH
4600	----	----	0.743B/----	0.743B/0.788A	----	0.992 + 0.308	.0899	----	----	----	----	4 UNCH
4800	----	----	----	0.828B/0.962A	----	1.262 + 0.388	.1113	----	----	----	----	241 UNCH
5000	----	----	1.263B/----	1.263B/1.480A	----	1.588 + 0.478	.1359	----	----	2	----	375 - 1
5250	----	----	1.747B/----	1.747B/1.804A	----	2.088 + 0.593	.1715	----	----	----	----	50 UNCH
5300	----	----	1.873B/----	1.873B/1.780A	----	2.201 + 0.614	.1792	----	----	----	----	250 UNCH
5400	----	----	2.145B/----	2.145B/2.058A	----	2.443 + 0.658	.1954	----	----	----	----	100 UNCH
5500	----	----	2.426B/----	2.426B/2.231A	----	2.707 + 0.707	.2124	----	----	----	----	229 UNCH
5600	----	----	2.727B/----	2.727B/2.470A	----	2.992 + 0.759	.2301	----	----	----	----	8 UNCH
5650	----	----	2.883B/----	2.883B/2.619A	----	3.143 + 0.785	.2393	----	----	----	----	12 UNCH
5800	----	----	3.415B/----	3.415B/3.040A	----	3.632 + 0.868	.2677	----	----	----	----	2 UNCH
5950	----	----	3.993B/----	3.993B/3.514A	----	4.178 + 0.956	.2976	----	----	----	----	5 UNCH
6000	4.000	4.000	4.201B/4.000	4.201B/3.685A	----	4.373 + 0.985	.3077	----	----	1	30	136 UNCH
6200	----	----	5.097B/----	5.097B/4.401A	----	5.221 + 1.106	.3494	----	----	----	----	13 UNCH
6300	----	----	5.586B/----	5.586B/4.839A	----	5.687 + 1.168	.3706	----	----	----	----	25 UNCH
6500	----	----	6.640B/----	6.640B/5.736A	----	6.704 + 1.293	.4131	----	----	----	----	745 UNCH
6650	----	----	7.486B/----	7.486B/6.476A	----	7.542 + 1.389	.4446	----	----	----	----	5 UNCH
6700	----	----	7.790B/----	7.790B/6.735A	----	7.836 + 1.421	.4548	----	----	----	----	32 UNCH
6725	----	----	7.939B/----	7.939B/6.867A	----	7.985 + 1.437	.4599	----	----	----	----	4 UNCH
6750	----	----	8.091B/----	8.091B/6.969A	----	8.136 + 1.452	.4650	----	----	----	----	6 UNCH
6800	----	----	8.392B/----	8.392B/7.271A	----	8.443 + 1.484	.4751	----	----	----	----	79 UNCH
6850	----	----	8.710B/----	8.710B/7.547A	----	8.757 + 1.516	.4850	----	----	----	----	78 UNCH
6900	----	----	9.020B/----	9.020B/7.830A	----	9.077 + 1.547	.4947	----	----	----	----	1 UNCH
6950	----	----	9.380B/----	9.380B/8.119A	----	9.402 + 1.578	.5043	----	----	----	----	22 UNCH
7000	----	----	9.709B/----	9.709B/8.413A	----	9.734 + 1.609	.5138	----	----	2	----	228 - 1
7075	----	----	10.181B/----	10.181B/8.831A	----	10.241 + 1.654	.5277	----	----	----	----	20 UNCH
7100	----	----	10.350B/----	10.350B/9.018A	----	10.412 + 1.668	.5323	----	----	----	----	2 UNCH
7200	----	----	11.040B/----	11.040B/9.645A	----	11.110 + 1.727	.5501	----	----	----	----	14 UNCH
7250	----	----	11.393B/----	11.393B/9.930A	----	11.466 + 1.756	.5587	----	----	----	----	48 UNCH
7500	----	----	13.240B/----	13.240B/11.643A	----	13.301 + 1.894	.5998	----	----	----	----	22 UNCH
7550	----	----	13.615B/----	13.615B/11.952A	----	13.678 + 1.921	.6076	----	----	----	----	1 UNCH
7800	----	----	15.507B/----	15.507B/13.754A	----	15.602 + 2.045	.6445	----	----	----	----	20 UNCH
7850	----	----	15.932B/----	15.932B/14.166A	----	15.996 + 2.070	.6515	----	----	----	----	10 UNCH
7875	----	----	16.124B/----	16.124B/14.353A	----	16.194 + 2.082	.6550	----	----	----	----	1 UNCH
7900	----	----	16.329B/----	16.329B/14.501A	----	16.392 + 2.093	.6584	----	----	----	----	19 UNCH
8000	----	----	17.131B/----	17.131B/15.305A	----	17.193 + 2.139	.6717	----	----	----	----	57 UNCH
8100	----	----	17.910B/----	17.910B/16.078A	----	18.006 + 2.184	.6844	----	----	----	----	1 UNCH
8200	----	----	18.731B/----	18.731B/16.862A	----	18.830 + 2.227	.6965	----	----	----	----	35 UNCH
8350	----	----	19.981B/----	19.981B/18.063A	----	20.085 + 2.288	.7137	----	----	----	----	9 UNCH
8400	----	----	20.404B/----	20.404B/18.468A	----	20.508 + 2.307	.7191	----	----	----	----	50 UNCH
8500	----	----	21.251B/----	21.251B/19.284A	----	21.363 + 2.347	.7296	----	----	----	----	166 UNCH
8550	----	----	21.679B/----	21.679B/19.696A	----	21.793 + 2.365	.7346	----	----	----	----	25 UNCH
8600	----	----	22.132B/----	22.132B/20.067A	----	22.226 + 2.384	.7395	----	----	----	----	2 UNCH
8800	----	----	23.840B/----	23.840B/21.744A	----	23.981 + 2.461	.7578	----	----	----	----	12 UNCH
8900	----	----	24.716B/----	24.716B/22.637A	----	24.870 + 2.498	.7662	----	----	----	----	30 UNCH
9000	----	----	25.598B/----	25.598B/23.450A	----	25.768 + 2.537	.7740	----	----	----	----	3 UNCH
9050	----	----	26.082B/----	26.082B/23.927A	----	26.220 + 2.557	.7778	----	----	----	----	100 UNCH
9500	----	----	30.127B/----	30.127B/27.835A	----	30.358 + 2.737	.8065	----	----	----	----	2 UNCH
9850	----	----	31.034B/----	31.034B/31.069A	----	33.615 + 2.846	.8257	----	----	----	----	8 UNCH
9950	----	----	----	31.296B/31.891A	----	34.544 + 2.866	.8312	----	----	----	----	1 UNCH
10025	----	----	----	31.628B/32.624A	----	35.242 + 2.880	.8351	----	----	----	----	3 UNCH
10125	----	----	----	31.867B/33.538A	----	36.175 + 2.897	.8403	----	----	----	----	1 UNCH
10700	----	----	----	24.113B/54.105A	----	41.594 + 2.987	.8659	----	----	----	----	5 UNCH
10800	----	----	----	25.051B/55.040A	----	42.545 + 3.001	.8697	----	----	----	----	2 UNCH
11000	----	----	----	26.716B/56.940A	----	44.452 + 3.027	.8770	----	----	----	----	2 UNCH
11500	----	----	----	32.142B/61.700A	----	49.252 + 3.085	.8929	----	----	----	----	1 UNCH
12000	----	----	----	37.434B/66.306A	----	54.091 + 3.136	.9061	----	----	----	----	1 UNCH
12100	----	----	----	38.267B/67.335A	----	55.062 + 3.144	.9084	----	----	----	----	1 UNCH
12300	----	----	----	40.335B/69.191A	----	57.009 + 3.162	.9128	----	----	----	----	1 UNCH
TOTAL										5	30	3797 - 2
JAN27												
3800	----	----	----	0.251B/0.482A	----	0.461 + 0.150	.0401	----	----	----	----	1 UNCH
5000	----	----	#1.424B/----	1.424B/1.814A	----	1.771 + 0.541	.1389	----	----	----	----	1 UNCH
6000	----	----	#4.420B/----	4.420B/4.161A	----	4.836 + 1.178	.3023	----	----	----	----	5 UNCH
6500	----	----	#6.844B/----	6.844B/6.217A	----	7.331 + 1.588	.3964	----	----	----	----	2 UNCH
6925	----	----	#9.352B/----	9.352B/8.440A	----	9.890 + 1.909	.4723	----	----	----	----	24 UNCH
7000	10.250	10.250	#10.250/10.250	10.250/8.912A	----	10.376 + 1.958	.4849	----	----	5	----	30 - 5
7100	----	----	#10.495B/----	10.495B/9.506A	----	11.038 + 2.021	.5014	----	----	----	----	20 UNCH
7125	----	----	10.663B/----	10.663B/9.660A	----	11.206 + 2.036	.5054	----	----	----	----	1 UNCH
8600	----	----	#22.002B/----	22.002B/20.264A	----	22.561 + 2.718	.6932	----	----	----	----	1 UNCH
8850	----	----	#24.130B/----	24.130B/22.356A	----	24.698 + 2.797	.7157	----	----	----	----	9 UNCH
TOTAL										5	0	94 - 5
FEB27												
6500	----	----	#7.347B/----	7.347B/6.785A	----	7.885 + 1.613	.3947	----	----	----	----	1 UNCH
8150	----	----	#18.837B/----	18.837B/17.410A	----	19.408 + 2.523	.6288	----	----	----	----	10 UNCH
8225	----	----	#19.380B/----	19.380B/17.984A	----	20.013 + 2.553	.6368	----	----	----	----	10 UNCH
8250	----	----	#19.619B/----	19.619B/18.175A	----	20.216 + 2.564	.6394	----	----	----	----	10 UNCH
8900	----	----	#24.996B/----	24.996B/23.335A	----	25.663 + 2.780	.6988	----	----	----	----	3 UNCH
TOTAL											0	34 0
MAR27												
4500	----	----	----	0.962B/1.204A	----	1.462 + 0.464	.1033	----	----	----	----	2 UNCH
5500	----	----	#3.262B/----	#3.262B/3.396A	----	3.809 + 0.924	.2287	----	----	----	----	1 UNCH
6000	----	----	#5.279B/----	#5.279B/5.081A	----	5.785 + 1.249	.3097	----	----	----	----	50 UNCH
6300	6.712	6.712	#6.743B/6.712	#6.743B/6.400A	----	7.276 NEW	.3600	----	----	1	----	1 + 1
6500	----	----	7.820B/----	7.820B/7.324A	----	8.384 + 1.633	.3930	----	----	----	----	20 UNCH
6825	----	----	#9.749B/----	#9.749B/9.098A	----	10.353 + 1.865	.4446	----	----	----	----	2 UNCH
7500	----	----	#14.304B/----	#14.304B/13.312A	----	14.959 + 2.226	.5393	----	----	----	----	3 UNCH
8100	----	----	#18.874B/----	#18.874B/17.616A	----	19.531 + 2.485	.6089	----	----	----	----	6 UNCH
8300	----	----	#20.468B/----	#20.468B/19.093A	----	21.141 + 2.564	.6289	----	----	----	----	50 UNCH
8500	----	----	#22.104B/----	#22.104B/20.656A	----	22.785 + 2.635	.6476	----	----	----	----	3 UNCH
8975	----	----	#26.052B/----	#26.052B/24.547A	----	26.801 + 2.776	.6868	----	----	----	----	1 UNCH
10500	----	----	#39.623B/----	#39.623B/37.703A	----	40.366 + 3.036	.7792	----	----	----	----	10 UNCH
TOTAL										1	0	149 + 1
APR27												
4000	----	----	0.672B/----	0.672B/0.868A	----	0.962 + 0.321	.0669	----	----	----	----	1 UNCH
5600	4.200	4.200	#4.200/4.200	#4.200/4.009A	----	4.431 NEW	.2432	----	----	10	----	10 + 10
8725	----	----	#24.016B/----	#24.016B/22.660A	----	24.819 + 2.529	.6456	----	----	----	----	3 UNCH
TOTAL										10	0	14 + 10
DEC27												
7175	----	----	----	----	----	15.341 + 1.337	.4236	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO2 CALL		SILVER OPTIONS										
JUN26												
6600	----	----	3.418B/*1.086A	3.418B/*1.086A	----	1.173 NEW	.4189	----	----	2	----	2 + 2
6700	1.290	1.290	2.597B/*0.731A	2.597B/*0.731A	----	0.787 NEW	.3038	----	----	7	----	7 + 7
6800	1.830	1.830	1.869B/*0.473A	1.869B/*0.473A	----	0.510 NEW	.2059	----	----	9	----	9 + 9
6820	----	----	1.738B/*0.434A	1.738B/*0.434A	----	0.466 - 1.226	.1890	----	----	----	----	1 UNCH
6840	1.465	1.465	1.615/*0.400A	1.615/*0.400A	----	0.425 - 1.156	.1731	----	----	2	----	4 + 1
6850	0.500	0.500	1.571B/*0.350	1.571B/*0.350	----	0.406 - 1.122	.1656	----	----	11	----	9 - 2
6860	----	----	1.545B/*0.365A	1.545B/*0.365A	----	0.388 - 1.088	.1583	----	----	----	----	1 UNCH
6870	----	----	1.490B/*0.347A	1.490B/*0.347A	----	0.370 - 1.055	.1511	----	----	----	----	4 UNCH
6900	0.900	0.900	1.322B/*0.304A	1.322B/*0.304A	----	0.322 - 0.957	.1315	----	----	13	----	14 + 11
6950	0.352	0.352	1.070B/*0.247A	1.070B/*0.247A	----	0.255 - 0.805	.1034	----	----	3	----	12 UNCH
6990	----	----	----/*0.209A	0.895B/*0.209A	----	0.211 - 0.695	.0847	----	----	----	----	1 UNCH
7000	0.250	0.250	0.274/*0.199A	0.854B/*0.199A	----	0.201 - 0.670	.0805	----	----	25	----	27 + 15
7020	----	----	----/*0.187A	0.778B/*0.187A	----	0.183 - 0.621	.0727	----	----	----	----	20 UNCH
7030	0.520	0.520	#0.741B/*0.180A	0.741B/*0.180A	----	0.175 NEW	.0692	----	----	2	----	2 + 2
7050	0.600	0.600	0.677B/*0.165A	0.677B/*0.165A	----	0.159 - 0.552	.0624	----	----	1	----	7 - 1
7060	0.446	0.446	#0.644B/*0.160A	0.644B/*0.160A	----	0.152 NEW	.0593	----	----	1	----	1 + 1
7070	0.443	0.443	#0.608B/*0.153A	0.608B/*0.153A	----	0.145 NEW	.0563	----	----	1	----	1 + 1
7080	0.468	0.468	#0.583B/*0.145A	0.583B/*0.145A	----	0.138 NEW	.0534	----	----	3	----	3 + 3
7090	0.443	0.443	#0.550B/*0.140A	0.550B/*0.140A	----	0.132 NEW	.0508	----	----	4	----	4 + 4
7100	0.422	0.422	0.526B/*0.134A	0.526B/*0.134A	----	0.126 - 0.451	.0482	----	----	8	----	14 + 4
7110	0.401	0.401	#0.501B/*0.133A	0.501B/*0.133A	----	0.120 NEW	.0456	----	----	3	----	3 + 3
7150	----	----	----/*0.113A	0.403B/*0.113A	----	0.100 - 0.366	.0371	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 54

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
JUN26												
7200	0.270	0.270	0.309B/*0.096A	0.309B/*0.096A	----	0.080 -	0.297 .0286	----	----	28	----	47 UNCH
7250	----	----	----/*0.084A	0.237B/*0.084A	----	0.064 -	0.240 .0220	----	----	2	----	14 UNCH
7300	----	----	----/*0.075A	0.180B/*0.075A	----	0.051 -	0.196 .0169	----	----	----	----	8 UNCH
7400	0.108	0.108	0.120/*0.057A	0.120/*0.057A	----	0.034 -	0.131 .0103	----	----	54	----	47 + 32
7450	----	----	----/*0.052A	0.084B/*0.052A	----	0.027 -	0.109 .0078	----	----	----	----	1 UNCH
7500	0.057	0.057	0.057/*0.047A	0.066B/*0.047A	----	0.022 -	0.091 .0060	----	----	6	----	22 UNCH
7600	----	----	----/*0.040A	0.040B/*0.040A	----	0.016 -	0.065 .0040	----	----	----	----	6 UNCH
7650	----	----	----/*0.038A	0.032B/*0.038A	----	0.013 -	0.056 .0031	----	----	----	----	8 UNCH
7700	----	----	----/*0.036A	0.025B/*0.036A	----	0.012 -	0.048 .0027	----	----	----	----	8 UNCH
7750	----	----	----/*0.034A	0.020B/*0.034A	----	0.010 -	0.043 .0021	----	----	----	----	1 UNCH
7800	----	----	----/*0.033A	0.017B/*0.033A	----	0.009 -	0.037 .0018	----	----	----	----	103 UNCH
7850	----	----	----/*0.033A	0.014B/*0.033A	----	0.008 -	0.033 .0016	----	----	----	----	4 UNCH
7900	----	----	----/*0.032A	0.010B/*0.032A	----	0.007 -	0.030 .0013	----	----	----	----	1 UNCH
8000	----	----	----/*0.029A	0.007B/*0.029A	----	0.006 -	0.025 .0010	----	----	----	----	14 UNCH
8050	----	----	----	0.006B/*0.028A	----	0.005 -	0.023 .0008	----	----	----	----	2 UNCH
8100	----	----	----	0.005B/*0.027A	----	0.005 -	0.021 .0008	----	----	----	----	5 UNCH
8200	----	----	----	0.003B/*0.028A	----	0.004 -	0.019 .0006	----	----	----	----	15 UNCH
8250	----	----	----	----/0.032A	----	0.004 -	0.016 .0005	----	----	----	----	6 UNCH
8300	----	----	----	----/*0.030A	----	0.003 -	0.016 .0004	----	----	----	----	2 UNCH
8400	----	----	----	----/*0.027A	----	0.003 -	0.013 .0003	----	----	----	----	2 UNCH
8500	----	----	----	----/*0.025A	----	0.002 -	0.012 .0002	----	----	----	----	10 UNCH
8700	----	----	----	----/*0.024A	----	0.002 -	0.009 .0002	----	----	----	----	1 UNCH
9000	----	----	----	----/0.024A	----	0.001 -	0.007 .0000	----	----	----	----	5 UNCH
10000	----	----	----	----/0.270A	----	0.001 -	0.002 ----	----	----	----	----	2 UNCH
TOTAL										185	0	495 + 92
JUL26												
7000	----	----	----/*2.224A	3.051B/*2.224A	----	2.072 -	1.196 .3512	----	----	----	----	1 UNCH
7850	----	----	----/*0.804A	0.747B/*0.804A	----	0.550 -	0.439 .1197	----	----	----	----	2 UNCH
8000	----	----	----/*0.681A	0.601B/*0.681A	----	0.447 -	0.367 .0991	----	----	----	----	13 UNCH
TOTAL											0	16 0
SO2 PUT		SILVER OPTIONS										
JUN26												
5250	----	----	#0.039B/----	#0.039B/0.029A	----	0.057 +	0.036 .0097	----	----	----	----	2 UNCH
5500	0.082	0.082	#0.084B/*0.082	0.084B/0.037A	----	0.095	NEW .0196	----	----	6	----	6 + 6
5800	0.200	0.200	#0.217B/*0.055A	#0.217B/*0.055A	----	0.188	NEW .0488	----	----	21	----	21 + 21
6000	0.361	0.361	#0.397B/*0.079A	#0.397B/0.079A	----	0.319 +	0.226 .0947	----	----	20	----	42 + 18
6100	0.373	0.373	#0.528B/0.097A	#0.528B/0.097A	----	0.424	NEW .1328	----	----	10	----	10 + 10
6200	0.220	0.220	#0.707B/0.122A	#0.707B/0.122A	----	0.571	NEW .1860	----	----	27	----	25 + 25
6220	----	----	#0.732B/*0.128A	#0.732B/*0.128A	----	0.606 +	0.435 .1987	----	----	----	----	1 UNCH
6250	0.135	0.135	#0.812B/0.135	#0.812B/0.135	----	0.665 +	0.478 .2195	----	----	8	----	18 + 4
6300	0.652	0.652	#0.940B/0.157A	#0.940B/0.157A	----	0.776	NEW .2581	----	----	10	----	10 + 10
6400	0.210	0.210	#1.267B/0.209A	#1.267B/0.209A	----	1.058 +	0.755 .3507	----	----	2	----	5 UNCH
6440	1.005	1.005	#1.412B/*0.234A	#1.412B/*0.234A	----	1.198	NEW .3932	----	----	91	----	91 + 91
6500	1.470	1.470	#1.691B/0.285A	#1.691B/0.285A	----	1.439 +	1.012 .4613	----	----	1	----	16 UNCH
6550	0.647	0.647	#1.941B/*0.339A	#1.941B/*0.339A	----	1.671	NEW .5208	----	----	5	----	3 + 3
6600	1.000	1.000	#2.189B/0.406A	#2.189B/0.406A	----	1.933 +	1.325 .5810	----	----	13	----	32 + 2
6650	----	----	#2.489B/*0.489A	#2.489B/0.489A	----	2.225 +	1.499 .6401	----	----	----	----	6 UNCH
6680	----	----	#2.690B/*0.548A	#2.690B/*0.548A	----	2.414 +	1.607 .6742	----	----	----	----	1 UNCH
6700	1.334	1.334	#2.831B/0.592A	#2.831B/0.592A	----	2.546 +	1.680 .6961	----	----	12	----	11 + 6
6730	----	----	#3.052B/*0.665A	#3.052B/*0.665A	----	2.752 +	1.791 .7278	----	----	----	----	3 UNCH
6740	1.287	1.287	#3.127B/*0.687A	#3.127B/*0.687A	----	2.823	NEW .7379	----	----	1	----	1 + 1
6750	----	----	#3.203B/0.714A	#3.203B/0.714A	----	2.895 +	1.865 .7478	----	----	----	----	2 UNCH
6760	----	----	#3.282B/*0.742A	#3.282B/*0.742A	----	2.968 +	1.901 .7577	----	----	----	----	2 UNCH
6790	----	----	#3.518B/*0.831A	#3.518B/*0.831A	----	3.192 +	2.010 .7853	----	----	----	----	2 UNCH
6800	1.500	1.500	#3.600B/0.869A	#3.600B/0.869A	----	3.269 +	2.047 .7940	----	----	4	----	11 + 1
6820	----	----	#3.763B/*0.932A	#3.763B/*0.932A	----	3.425 +	2.118 .8109	----	----	----	----	1 UNCH
6850	----	----	#4.014B/1.046A	#4.014B/1.046A	----	3.665 +	2.222 .8344	----	----	----	----	5 UNCH
6890	----	----	#4.360B/*1.216A	#4.360B/*1.216A	----	3.996 +	2.355 .8622	----	----	----	----	2 UNCH
6900	1.352	1.352	#4.448B/1.262A	#4.448B/1.262A	----	4.081 +	2.387 .8684	----	----	3	----	32 UNCH
7000	1.835	1.835	#5.355B/1.805A	#5.355B/1.805A	----	4.960 +	2.674 .9194	----	----	2	----	107 UNCH
7050	----	----	#5.821B/2.168A	#5.821B/2.168A	----	5.418 +	2.793 .9375	----	----	----	----	10 UNCH
7100	----	----	#6.296B/2.516A	#6.296B/2.516A	----	5.885 +	2.894 .9517	----	----	----	----	3 UNCH
7150	----	----	#6.777B/2.893A	#6.777B/2.893A	----	6.359 +	2.979 .9628	----	----	----	----	1 UNCH
7200	----	----	#6.885B/3.294A	#6.885B/3.294A	----	6.838 +	3.048 .9713	----	----	----	----	18 UNCH
7250	----	----	#7.318B/3.716A	#7.318B/3.716A	----	7.322 +	3.104 .9779	----	----	----	----	1 UNCH
7300	----	----	#7.810B/4.155A	#7.810B/4.155A	----	7.810 +	3.150 .9830	----	----	----	----	2 UNCH
7350	----	----	#8.304B/4.608A	#8.304B/4.608A	----	8.300 +	3.186 .9866	----	----	----	----	2 UNCH
7400	----	----	#8.502B/5.071A	#8.502B/5.071A	----	8.792 +	3.214 .9896	----	----	2	----	13 + 2
7450	----	----	#7.381B/5.543A	#7.381B/5.543A	----	9.285 +	3.236 .9921	----	----	----	----	51 UNCH
7500	----	----	#7.874B/6.020A	#7.874B/6.020A	----	9.780 +	3.254 .9939	----	----	2	----	4 UNCH
7700	----	----	----	----	----	11.769 +	3.297 .9972	----	----	----	----	1 UNCH
7900	----	----	----	----	----	13.765 +	3.316 .9986	----	----	----	----	0 UNCH
8000	----	----	----	----	----	14.763 +	3.321 .9989	----	----	1	----	0 - 1
8250	----	----	----	----	----	17.262 +	3.330 .9994	----	----	----	----	1 UNCH
TOTAL										241	0	575 + 199
JUL26												
6300	----	----	#2.509B/----	#2.509B/1.461A	----	2.625 +	1.229 .3591	----	----	----	----	5 UNCH
6400	2.222	2.222	#3.012/2.222	#3.012/1.713A	----	3.030	NEW .3995	----	----	4	----	4 + 4
6500	3.222	3.222	#3.620/3.222	#3.620/2.005A	----	3.476	NEW .4410	----	----	2	----	2 + 2
6750	----	----	#4.026B/----	#4.026B/2.948A	----	4.776 +	1.841 .5469	----	----	----	----	1 UNCH
6950	----	----	4.044B/3.890A	4.044B/3.890A	----	6.010 +	2.108 .6290	----	----	----	----	5 UNCH
7000	----	----	----	4.160B/4.461A	----	6.344 +	2.171 .6486	----	----	----	----	1 UNCH
TOTAL										6	0	18 + 6
SO4 CALL		SILVER OPTIONS										
JUN26												
6900	2.560	2.560	#2.917B/*1.539A	#2.917B/*1.539A	----	1.527	NEW .3385	----	----	1	----	1 + 1
7350	----	----	----/*0.639A	1.142B/*0.639A	----	0.583 -	0.645 .1553	----	----	----	----	2 UNCH
7500	----	----	----/*0.488A	0.813B/*0.488A	----	0.428 -	0.478 .1178	----	----	----	----	3 UNCH
7600	0.490	0.490	0.490/*0.413A	0.647B/*0.413A	----	0.352	NEW .0983	----	----	1	----	1 + 1
7700	----	----	----/*0.353A	0.515B/*0.353A	----	0.293 -	0.314 .0825	----	----	----	----	3 UNCH
7800	----	----	----/*0.308A	0.412B/*0.308A	----	0.247 -	0.253 .0698	----	----	----	----	1 UNCH
8000	0.220	0.220	0.220/*0.216	0.268B/*0.216	----	0.182 -	0.166 .0513	----	----	4	----	1 - 4
8200	----	----	----/*0.189A	0.187B/*0.189A	----	0.142 -	0.109 .0393	----	----	----	----	1 UNCH
8300	----	----	----/*0.173A	0.162B/*0.173A	----	0.127 -	0.090 .0348	----	----	----	----	1 UNCH
9000	----	----	----	0.055B/*0.129A	----	0.075 -	0.029 .0185	----	----	----	----	1 UNCH
TOTAL										6	0	15 - 2
SO4 PUT		SILVER OPTIONS										
JUN26												
5250	0.261	0.261	#0.261/*0.261	#0.261/0.140A	----	0.285	NEW .0568	----	----	36	----	36 + 36
6200	0.681	0.681	#1.602B/0.668A	#1.602B/0.668A	----	1.495	NEW .2854	----	----	3	----	3 + 3
6400	----	----	#2.300B/0.971A	#2.300B/0.971A	----	2.147 +	1.091 .3836	----	----	----	----	3 UNCH
6600	----	----	#3.090B/1.427A	#3.090B/1.427A	----	3.027 +	1.430 .4947	----	----	----	----	0 UNCH
6900	----	----	#4.958B/2.512A	#4.958B/2.512A	----	4.805 +	1.995 .6614	----	----	----	----	3 UNCH
6950	----	----	#5.321B/2.748A	#5.321B/2.748A	----	5.153 +	2.089 .6868	----	----	----	----	5 UNCH
7000	----	----	#5.696B/3.000A	#5.696B/3.000A	----	5.514 +	2.180 .7111	----	----	----	----	0 UNCH
7100	----	----	#6.483B/3.552A	#6.483B/3.552A	----	6.273 +	2.355 .7560	----	----	----	----	1 UNCH
TOTAL										39	0	51 + 39
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
5250	----	----	#0.095B/----	#0.095B/0.060A	----	0.117 +	0.066 .0277	----	----	----	----	5 UNCH
5250	0.029	0.029	#0.060/*0.020	#0.060/*0.020	----	0.035	NEW .0011	----	----	80	----	80 + 80
5250	----	----	#0.195B/----	#0.195B/0.124A	----	0.279 +	0.164 .0570	----	----	----	----	1 UNCH
5500	0.030	0.030	#0.030/*0.030	#0.030/*0.028A	----	0.039	NEW .0018	----	----	2	----	2 + 2
5700	0.026	0.026	#0.026/*0.026	#0.026/0.026	----	0.045	NEW .0030	----	----	1	----	1 + 1
6000	0.060	0.060	#0.080/0.060	0.080/*0.032A	----	0.083	NEW .0125	----	----	3	----	3 + 3
6000	0.504	0.504	#0.634B/*0.176A	#0.634B/0.176A	----	0.565	NEW .1562	----	----	1	----	1 + 1
6180	----	----	----	#0.201B/*0.043A	----	0.167	NEW .0450	----	----	----	200	200 + 200
6200	0.035	0.035	#0.225B/*0.030	0.225B/*0.030	----	0.184	NEW .0528	----	----	31	100	111 + 111
6200	----	----	#1.519B/0.616A	#1.519B/0.616A	----	1.458 +	0.834 .2971	----	----	----	----	10 UNCH
6250	----	----	#1.682B/0.682A	#1.682B/0.682A	----	1.604 +	0.908 .3222	----	----	----	----	4 UNCH
6300	----	----	#1.356B/0.346A	#1.356B/0.346A	----	1.198 +	0.748 .3143	----	----	----	----	3 UNCH
6350	0.106	0.106	#0.503B/*0.063A	#0.503B/*0.063A	----	0.399	NEW .1705	----	----	3	----	3 + 3
6400	----	----	#0.660B/*0.072A	#0.660B/*0.072A	----	0.521 +	0.400 .2427	----	----	15	----	15 - 15
6440	0.556	0.556	#0.806B/*0.085A	#0.806B/*0.085A	----	0.643	NEW .3141	----	----	3	----	3 + 3
6450	----	----	#4.617B/*1.229A	#4.617B/*1.229A	----	1.417	NEW .6660	----	----	1	----	1 + 1
6450	0.620	0.620	#1.953B/*0.513A	#1.953B/*0.513A	----	1.731	NEW .4252	----	----	1	----	1 + 1
6450	0.820	0.820	#0.848B/*0.087A	#0.848B/*0.087A	----	0.678	NEW .3339	----	----	10	----	10 + 10
6490	0.085	0.085	#1.042B/*0.085	#1.042B/*0.085	----	0.830	NEW .4179	----	----	1	----	1 + 1
6500	----	----	#2.137B/0.589A	#2.137B/0.589A	----	1.948 +	1.180 .4654	----	----	----	----	5 UNCH
6500	0.750	0.750	#1.094B/0.108A	#1.094B/0.108A	----	0.872 +	0.686 .4401	----	----	47	----	46 + 44
6500	1.080	1.080	4.129B/*0.962A	4.129B/*0.962A	----	1.112	NEW .5598	----	----	1	----	1 + 1
6550	1.400	1.400	#2.361B/*0.677A	#2.361B/*0.677A	----	2.187	NEW .5065	----	----	5	----	5 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
6550	0.151	0.151	#1.288B/*0.134A	#1.288B/*0.134A	----	1.108 NEW	.5547	----	----	3	----	1 + 1
6550	0.931	0.931	#3.646B/*0.745A	#3.646B/*0.745A	----	0.848 NEW	.4452	----	----	3	----	2 + 2
6560	0.887	0.887	#3.550B/*0.706A	#3.550B/*0.706A	----	0.800 NEW	.4221	----	----	2	----	2 + 2
6600	0.200	0.200	#1.616B/0.163A	#1.616B/0.163A	----	1.386 + 1.087	.6680	----	----	6	----	5 + 3
6600	----	----	#2.642B/0.781A	#2.642B/0.781A	----	2.447 + 1.442	.5478	----	----	----	----	1 UNCH
6600	0.720	0.720	3.164B/*0.564A	3.164B/*0.564A	----	0.626 NEW	.3320	----	----	2	----	2 + 2
6650	----	----	#2.944B/*0.899A	#2.944B/0.899A	----	2.729 + 1.580	.5889	----	----	----	----	1 UNCH
6650	----	----	#1.986B/*0.204A	#1.986B/0.204A	----	1.705 + 1.322	.7703	----	----	----	----	2 UNCH
6660	1.280	1.280	#2.065B/*0.215A	#2.065B/0.215A	----	1.773 NEW	.7889	----	----	2	----	2 + 2
6670	0.440	0.440	#2.516B/*0.374A	2.516B/*0.374A	----	0.383 NEW	.1933	----	----	1	----	1 + 1
6700	0.499	0.499	2.248B/*0.316A	2.248B/*0.316A	----	0.302 NEW	.1452	----	----	1	----	1 + 1
6700	----	----	#3.267B/1.035A	#3.267B/1.035A	----	3.032 + 1.720	.6291	----	----	----	----	1 UNCH
6700	1.751	1.751	#2.392B/0.262A	#2.392B/0.262A	----	2.062 + 1.569	.8547	----	----	1	----	12 + 1
6750	0.360	0.360	1.820B/*0.201	1.820B/*0.201	----	0.197 NEW	.0838	----	----	14	----	14 + 14
6770	0.325	0.325	#1.657B/*0.150	1.657B/*0.150	----	0.164 NEW	.0654	----	----	4	----	3 + 3
6800	0.964	0.964	#3.282B/0.455A	#3.282B/0.455A	----	2.883 + 2.075	.9562	----	----	2	----	6 + 2
6800	0.133	0.133	1.423B/*0.133	1.423B/*0.133	----	0.123 NEW	.0437	----	----	6	----	5 + 5
6820	0.760	0.760	#1.275B/*0.147A	1.275B/*0.147A	----	0.101 NEW	.0329	----	----	1	----	1 + 1
6830	0.682	0.682	#3.563B/*0.540A	#3.563B/0.540A	----	3.151 NEW	.9713	----	----	6	----	2 + 2
6850	0.100	0.100	0.120/*0.100	1.068B/*0.100	----	0.075 NEW	.0211	----	----	6	----	6 + 6
6850	----	----	#3.753B/0.605A	#3.753B/0.605A	----	3.334 + 2.311	.9788	----	----	----	----	1 UNCH
6890	----	----	#4.137B/*0.760A	#4.137B/0.760A	----	3.708 + 2.484	.9889	----	----	----	----	0 UNCH
6900	----	----	#4.233B/0.796A	#4.233B/0.796A	----	3.803 + 2.524	.9906	----	----	----	----	1 UNCH
6960	0.050	0.050	#0.050/*0.050	0.548B/*0.050	----	0.022 NEW	.0030	----	----	1	----	1 + 1
6990	0.027	0.027	#0.027/*0.027	0.433B/*0.027	----	0.016 NEW	.0018	----	----	1	----	1 + 1
7000	----	----	#5.587B/2.311A	#5.587B/2.311A	----	5.253 + 2.509	.8271	----	----	----	----	2 UNCH
7000	0.498	0.498	0.498/*0.050	0.498/*0.050	----	0.014 - 0.484	.0014	----	----	3	----	7 + 2
7000	----	----	#5.212B/1.427A	#5.212B/1.427A	----	4.773 + 2.861	.9985	----	----	----	----	2 UNCH
7010	0.351	0.351	#0.361B/*0.062A	0.361B/*0.062A	----	0.012 NEW	.0011	----	----	4	----	4 + 4
7010	----	----	#5.310B/*1.494A	#5.310B/1.494A	----	4.872 + 2.888	.9988	----	----	----	----	1 UNCH
7050	----	----	#6.024B/2.679A	#6.024B/2.679A	----	5.677 + 2.614	.8505	----	----	----	----	1 UNCH
7050	0.250	0.250	0.254B/*0.057A	0.254B/*0.057A	----	0.008 - 0.361	.0005	----	----	1	----	2 + 1
7100	----	----	#5.825B/2.175A	#5.825B/2.175A	----	5.764 + 3.078	.9998	----	----	1	----	1 UNCH
7100	0.052	0.052	0.052/*0.046	0.160B/*0.046	----	0.004 - 0.268	.0001	----	----	5	----	5 - 3
7120	----	----	----/*0.049A	0.133B/*0.049A	----	0.003 - 0.237	.0001	----	----	----	----	20 UNCH
7150	----	----	----/*0.046A	0.097B/*0.046A	----	0.002 - 0.196	.0000	----	----	----	----	1 UNCH
7150	----	----	----/*0.318A	0.822B/*0.318A	----	0.304 - 0.547	.1108	----	----	----	----	5 UNCH
7150	----	----	#6.926B/3.347A	#6.926B/3.347A	----	6.559 + 2.795	.8891	----	----	----	----	1 UNCH
7190	----	----	#6.719B/*2.961A	#6.719B/2.961A	----	6.661 NEW	.9999	----	----	1	----	1 + 1
7200	0.620	0.620	0.691B/*0.278A	0.691B/*0.278A	----	0.258 NEW	.0950	----	----	1	----	1 + 1
7200	0.085	0.085	0.085/*0.041A	0.085/*0.041A	----	0.001 - 0.144	.0000	----	----	1	----	4 + 1
7210	----	----	#6.918B/*3.144A	#6.918B/3.144A	----	6.861 + 3.211	.0000	----	----	----	----	2 UNCH
7220	----	----	#7.018B/*3.237A	#7.018B/3.237A	----	6.961 + 3.219	.0000	----	----	----	----	20 UNCH
7240	----	----	#7.217B/*3.424A	#7.217B/3.424A	----	7.161 NEW	.0000	----	----	1	----	1 + 1
7260	----	----	----/*0.035A	0.033B/*0.035A	----	0.001 - 0.098	----	----	----	----	----	10 UNCH
7350	0.281	0.281	0.281/*0.187A	0.404B/*0.187A	----	0.162 NEW	.0603	----	----	1	----	1 + 1
7400	----	----	#8.813B/4.969A	#8.813B/4.969A	----	8.761 + 3.306	.0000	----	----	----	----	2 UNCH
7400	----	----	----/*0.031A	0.004B/*0.031A	----	0.001 - 0.039	----	----	----	----	----	20 UNCH
7450	0.400	0.400	0.400/*0.360A	0.663B/*0.360A	----	0.335 NEW	.1001	----	----	1	----	1 + 1
7490	----	----	#9.712B/*5.856A	#9.712B/5.856A	----	9.661 + 3.324	.0000	----	----	----	----	1 UNCH
7500	----	----	----	0.001B/*0.025A	----	0.001 - 0.020	----	----	----	----	----	1 UNCH
7650	----	----	----	----/*0.021A	----	0.001 - 0.008	----	----	----	----	----	2 UNCH
7900	----	----	----	----/0.133A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
7950	----	----	----	----/0.123A	----	0.001 - 0.001	----	----	----	----	----	1 UNCH
8000	----	----	----	----/0.114A	----	0.001 UNCH	----	----	----	----	----	5 UNCH
8050	0.140	0.140	0.140/*0.140	0.175B/*0.140	----	0.126 NEW	.0369	----	----	4	----	4 + 4
8100	----	----	----/*0.178A	0.151B/*0.178A	----	0.119 - 0.087	.0346	----	----	----	----	2 UNCH
8150	----	----	----/0.166A	0.137B/0.166A	----	0.113 - 0.078	.0326	----	----	----	----	4 UNCH
8150	----	----	----	----/0.124A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
8200	----	----	----/*0.047A	0.028B/*0.047A	----	0.020 - 0.030	.0065	----	----	----	----	10 UNCH
8350	----	----	----/*0.127A	0.099B/*0.127A	----	0.095 - 0.050	.0264	----	----	----	----	12 UNCH
8400	----	----	----/*0.119A	0.092B/*0.119A	----	0.092 - 0.045	.0253	----	----	----	----	8 UNCH
8500	----	----	----/*0.109A	0.083B/*0.109A	----	0.086 - 0.037	.0232	----	----	----	----	8 UNCH
8500	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.013 NEW	.0038	----	----	2	----	2 + 2
8700	----	----	----/*0.099A	0.067B/*0.099A	----	0.078 - 0.025	.0201	----	----	----	----	4 UNCH
TOTAL										293	300	767 + 518
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
JUN26												
5250	----	----	----/0.054A	#0.050B/0.054A	----	0.103 + 0.042	.0242	----	----	----	----	5 UNCH
5600	0.519	0.519	#0.519/*0.519	#0.519/0.307A	----	0.568 NEW	.1116	----	----	2	----	2 + 2
6200	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.004	----	----	----	2	----	0 - 2
6300	1.902	1.902	#1.980B/1.902	#1.980B/1.040A	----	1.924 NEW	.3382	----	----	2	----	2 + 2
6400	----	----	0.056B/*0.023A	0.056B/*0.023A	----	0.000 - 0.028	----	----	----	----	----	0 - 2
6400	----	----	#1.554B/0.403A	#1.554B/0.403A	----	1.394 NEW	.3796	----	----	5	----	5 + 5
6500	0.140	0.140	0.200/*0.027A	0.200/*0.027A	----	0.000 - 0.064	----	----	----	12	----	0 - 2
6500	----	----	4.019B/*0.190A	4.019B/*0.190A	----	0.240 - 3.409	----	1	----	----	----	0 - 1
6550	0.280	0.280	#0.617B/*0.032A	#0.617B/*0.032A	----	0.260 NEW	----	5	----	5	----	0 UNCH
6600	0.158	0.158	#1.135B/*0.039A	#1.135B/*0.039A	----	0.760 + 0.617	----	5	----	25	----	0 - 1
6610	----	----	#2.918B/*0.065A	#2.918B/*0.065A	----	0.000 - 2.639	----	----	----	----	----	0 - 1
6650	0.080	0.080	#1.642B/*0.052A	#1.642B/*0.052A	----	1.260 + 1.050	----	2	----	3	----	0 - 1
6670	----	----	#1.844B/*0.059A	#1.844B/*0.059A	----	1.460 + 1.228	----	20	----	----	----	0 - 20
6670	0.100	0.100	#2.316B/*0.057A	2.316B/*0.057A	----	0.000 NEW	----	----	----	5	----	0 UNCH
6700	0.250	0.250	#2.146B/*0.065	#2.146B/*0.065	----	1.760 + 1.490	----	36	----	57	----	0 - 4
6700	1.500	1.500	2.016B/*0.030	2.016B/*0.030	----	0.000 - 1.855	----	----	----	4	----	0 - 1
6730	----	----	#1.716B/*0.056A	1.716B/*0.056A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6740	0.204	0.204	#2.547B/*0.093A	#2.547B/*0.093A	----	2.160 NEW	----	1	----	4	----	0 UNCH
6750	0.165	0.165	#2.648B/*0.097A	#2.648B/*0.097A	----	2.260 + 1.902	----	3	----	1	----	0 - 3
6750	0.995	0.995	1.517B/*0.060A	1.517B/*0.060A	----	0.000 NEW	----	----	----	2	----	0 UNCH
6800	----	----	#3.149B/*0.139A	#3.149B/*0.139A	----	2.760 + 2.269	----	1	----	1	----	0 - 2
6800	----	----	----/*0.826A	2.104B/*0.826A	----	0.827 NEW	.2784	----	----	1	----	1 + 1
6800	0.605	0.605	1.028B/*0.010	1.028B/*0.010	----	0.000 NEW	----	----	----	6	----	0 UNCH
6840	----	----	----/*0.063A	0.656B/*0.063A	----	0.000 - 0.828	----	----	----	----	----	0 - 1
6850	0.500	0.500	0.569B/*0.062A	0.569B/*0.062A	----	0.000 - 0.773	----	----	----	5	----	0 - 1
6900	0.942	0.942	#4.150B/0.390A	#4.150B/0.390A	----	3.760 + 2.804	----	3	----	2	----	0 - 5
6900	0.400	0.400	0.400/*0.010	0.400/*0.010	----	0.000 - 0.541	----	----	----	4	----	0 - 3
6930	----	----	----/*0.051A	0.170B/*0.051A	----	0.000 - 0.434	----	----	----	----	----	0 - 1
6950	----	----	#4.651B/0.774A	#4.651B/0.774A	----	4.260 + 2.970	----	5	----	----	----	0 - 5
6950	0.101	0.101	0.101/*0.050A	0.101/*0.050A	----	0.000 NEW	----	----	----	1	----	0 UNCH
6980	0.167	0.167	0.167/*0.004	0.167/*0.004	----	0.000 NEW	----	----	----	3	----	0 UNCH
7000	0.520	0.520	0.520/*0.438A	1.158B/*0.438A	----	0.418 NEW	.1548	----	----	4	----	4 + 4
7000	0.150	0.150	0.150/*0.025	0.150/*0.025	----	0.000 - 0.265	----	----	----	3	----	0 - 3
7000	----	----	#5.152B/1.132A	#5.152B/1.132A	----	4.760 + 3.080	----	3	----	----	----	0 - 3
7000	----	----	#5.605B/3.511A	#5.605B/3.511A	----	5.672 + 2.144	.6959	----	----	----	----	1 UNCH
7030	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.000 - 0.218	----	----	----	1	----	0 - 4
7050	----	----	----/*0.042A	0.004B/*0.042A	----	0.000 - 0.193	----	----	----	----	----	0 - 4
7050	----	----	#5.652B/1.558A	#5.652B/1.558A	----	5.260 + 3.152	----	1	----	----	----	0 - 1
7100	0.105	0.105	0.105/*0.025	0.105/*0.025	----	0.000 - 0.147	----	----	----	31	----	0 - 3
7100	----	----	#6.153B/2.024A	#6.153B/2.024A	----	5.760 + 3.198	----	1	----	----	----	0 - 1
7150	----	----	----/*0.022A	0.001B/*0.022A	----	0.000 - 0.117	----	----	----	----	----	0 - 8
7190	----	----	#7.054B/2.899A	#7.054B/2.899A	----	6.660 + 3.245	----	----	----	1	----	0 - 1
7200	----	----	----/*0.019A	0.001B/*0.019A	----	0.000 - 0.097	----	----	----	----	----	0 - 2
7240	----	----	#7.554B/3.393A	#7.554B/3.393A	----	7.160 + 3.260	----	----	----	1	----	0 - 1
7250	----	----	#7.758B/4.066A	#7.758B/4.066A	----	7.431 + 2.964	.9321	----	----	----	----	30 UNCH
7250	----	----	----/*0.033A	----/*0.033A	----	0.000 - 0.083	----	----	----	----	----	0 - 4
7270	----	----	#7.855B/3.690A	#7.855B/3.690A	----	7.460 + 3.271	----	1	----	----	----	0 - 1
7300	----	----	#8.155B/3.989A	#8.155B/3.989A	----	7.760 + 3.285	----	1	----	----	----	0 - 1
7300	----	----	----/0.047A	----/0.047A	----	0.000 - 0.060	----	----	----	----	----	0 UNCH
7300	----	----	#8.238B/4.473A	#8.238B/4.473A	----	7.903 + 3.018	.9426	----	----	----	----	1 UNCH
7300	0.400	0.400	0.400/*0.187A	0.400/*0.187A	----	0.148 - 0.325	.0573	----	----	7	----	1 UNCH
7390	----	----	#9.055B/4.884A	#9.055B/4.884A	----	8.660 + 3.314	----	4	----	----	----	0 - 4
7400	----	----	#9.155B/4.984A	#9.155B/4.984A	----	8.760 + 3.316	----	4	----	----	----	0 - 4
7450	----	----	----	----/*0.106A	----	0.000 - 0.021	----	----	----	----	----	0 - 1
7450	----	----	----/*0.132A	0.186B/*0.132A	----	0.089 - 0.206	.0343	----	----	----	----	1 UNCH
7500	----	----	#7.311B/----	#7.311B/7.025A	----	9.792 + 2.828	.8651	----	----	----	----	1 UNCH
7500	----	----	----/*0.675A	0.825B/*0.675A	----	0.524 - 0.543	.1348	----	----	----	----	1 UNCH
7500	----	----	#9.769B/6.227A	#9.769B/6.227A	----	9.831 + 3.169	.9708	----	----	----	----	2 UNCH
7550	----	----	#10.656B/6.480A	#10.656B/6.480A	----	10.260 + 3.335	----	5	----	----	----	0 - 5
7600	----	----	----	----/*0.086A	----	0.000 - 0.008	----	----	----	----	----	0 - 4
7600	----	----	#11.156B/6.980A	#11.156B/6.980A	----	10.760 + 3.338	----	1	----	----	----	0 - 1
7650	----	----	#10.589B/7.629A	#10.589B/7.629A	----	11.299 + 3.236	.9830	----	----	----	----	1 UNCH
7650	----	----	#11.656B/7.479A	#11.656B/7.479A	----	11.260 + 3.340	----	2	----	----	----	0 - 2
7650	----	----	----	----/*0.081A	----	0.000 - 0.006	----	----	----	----	----	0 - 2
7700	----	----	----	----/*0.076A	----	0.000 - 0.004	----	----	----	----	----	0 - 9
7750	----	----	----/*0.077A	0.054B/*0.077A	----	0.032 - 0.078	.0118	----	----	----	----	10 UNCH
7800	----	----	#13.157B/8.978A	#13.157B/8.978A	----	12.760 + 3.343	----	1	----	----	----	0 - 1
7900	----	----	----	----/*0.061A	----	0.000 - 0.001	----	----	----	----	----	0 - 6
7950	----	----	----	----/24.829A	----	14.271 + 3.304	.9942	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week5										
JUN26												
8000	----	----	----/*0.328A	0.324B/*0.328A	----	0.220 - 0.223	.0598	----	----	----	----	1 UNCH
8100	----	----	----	----/*0.047A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
8150	----	----	----	----/39.495A	----	16.264 + 3.323	.9969	----	----	----	----	1 UNCH
8200	----	----	----	----/*0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 4
8500	----	----	----	----/*0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 5
8500	----	----	#20.158B/15.975	#20.158B/15.975A	----	19.760 + 3.345	----	----	----	----	----	0 UNCH
8800	----	----	#23.158B/18.974	#23.158B/18.974A	----	22.760 + 3.345	----	----	----	----	----	0 UNCH
9000	----	----	----	----/*0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 3
9700	----	----	----	----/*0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 11
10000	0.047	0.047	#0.047/*0.047	0.047/*0.047	----	0.051 NEW	.0103	----	----	2	----	2 + 2
TOTAL										203	0	74 - 150

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
JUN26												
575	----	----	----	----/*0.0040A	----	0.0020 + 0.0005	.0123	----	----	----	----	1 UNCH
590	----	----	0.5575B/0.4090A	0.5575B/0.4090A	----	0.4265 - 0.0270	.9655	----	----	----	----	1 UNCH
610	----	----	----	----	----	0.2500 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----/*0.0075A	0.0140B/*0.0075	----	0.0195 + 0.0035	.1406	----	----	----	----	15 UNCH
614	0.0075	0.0075	#0.0210B/*0.007	#0.0210B/*0.007	----	0.0260 NEW	.1843	----	----	1	----	1 + 1
615	----	----	----/0.0110A	0.0230B/0.0110A	----	0.0280 + 0.0050	.1970	----	----	----	----	10 UNCH
615	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
620	0.0150	0.0150	0.0370B/0.0140A	0.0370B/0.0140A	----	0.0400 NEW	.2693	----	----	10	----	10 + 10
622	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
625	----	----	0.1000B/0.0485A	0.1000B/0.0485A	----	0.0995 + 0.0160	.4009	----	----	----	----	2 UNCH
626	----	----	----	----	----	0.0900 UNCH	----	----	----	----	----	0 UNCH
627	0.0505	0.0505	#0.0645B/*0.050	#0.0645B/*0.021	----	0.0630 NEW	.3916	----	----	1	----	1 + 1
628	----	----	----	----	----	0.0700 UNCH	----	----	----	----	----	0 UNCH
628	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
630	----	----	0.1760B/0.0915A	0.1760B/0.0915A	----	0.0975 - 0.0175	.5500	----	----	----	----	7 UNCH
630	----	----	----	----	----	0.0500 UNCH	----	----	----	----	----	0 UNCH
630	0.1235	0.1235	0.1355B/0.0765A	0.1355B/0.0765A	----	0.1320 NEW	.4080	----	----	1	----	1 + 1
630	----	----	0.0795B/0.0270A	0.0795B/0.0270A	----	0.0755 + 0.0105	.4498	----	----	----	----	12 UNCH
631	----	----	----	----	----	0.0400 UNCH	----	----	----	----	----	0 UNCH
632	----	----	----	----	----	0.0300 UNCH	----	----	----	----	----	0 UNCH
634	----	----	----	----	----	0.0100 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
635	----	----	0.1050B/0.0395A	0.1050B/0.0395A	----	0.1010 + 0.0130	.5492	----	----	----	----	57 UNCH
635	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0200 UNCH	----	----	----	----	----	0 UNCH
640	----	----	0.1060B/0.0525A	0.1060B/0.0525A	----	0.0535 - 0.0120	.3554	----	----	----	----	1 UNCH
640	0.1690	0.1690	0.1870B/0.1110A	0.1870B/0.1110A	----	0.1810 NEW	.5026	----	----	1	----	1 + 1
640	----	----	----	----	----	0.0500 UNCH	----	----	----	----	----	0 UNCH
641	----	----	----	----	----	0.0600 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0700 UNCH	----	----	----	----	----	0 UNCH
643	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
643	----	----	----	----	----	0.0800 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.1000 UNCH	----	----	----	----	----	0 UNCH
646	----	----	----	----	----	0.1100 UNCH	----	----	----	----	----	0 UNCH
647	----	----	----	----	----	0.1200 UNCH	----	----	----	----	----	0 UNCH
650	----	----	0.1010B/0.0625A	0.1010B/0.0625A	----	0.0660 - 0.0050	.3042	----	----	----	----	5 UNCH
650	----	----	0.0570B/0.0280A	0.0570B/0.0280A	----	0.0270 - 0.0060	.1991	----	----	----	----	7 UNCH
650	----	----	0.2160B/0.1085A	0.2160B/0.1085A	----	0.2050 + 0.0220	.8007	----	----	----	----	3 UNCH
650	----	----	----	----	----	0.1500 UNCH	----	----	----	----	----	0 UNCH
655	----	----	----	----	----	0.2000 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----	----	----	0.3000 UNCH	----	----	----	----	----	0 UNCH
680	----	----	0.0265B/----	0.0265B/0.0215A	----	0.0200 - 0.0005	.1044	----	----	----	----	25 UNCH
705	----	----	----	----/0.0050A	----	0.0005 UNCH	.0004	----	----	----	----	1 UNCH
TOTAL										14		161+ 14
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
JUN26												
500	----	----	----	----/0.0055A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
585	----	----	----	0.0060B/0.0090A	----	0.0100 + 0.0010	.0573	----	----	----	----	1 UNCH
600	0.0180	0.0180	0.0190B/0.0130A	0.0190B/0.0130A	----	0.0230 + 0.0035	.1284	----	----	2	----	2 + 1
610	----	----	----	0.0020B/*0.0060	----	0.0060 + 0.0005	.0434	----	----	----	----	10 UNCH
610	----	----	0.0360B/0.0180A	0.0360B/0.0180A	----	0.0395 + 0.0070	.2096	----	----	----	----	15 UNCH
615	----	----	0.0490B/0.0235A	0.0490B/0.0235A	----	0.0520 + 0.0095	.2636	----	----	----	----	10 UNCH
620	----	----	----/*0.0080A	0.0165B/*0.0080	----	0.0190 + 0.0025	.1646	----	----	----	----	11 UNCH
620	0.0450	0.0450	0.0665B/0.0295A	0.0665B/0.0295A	----	0.0675 + 0.0115	.3245	----	----	11	----	10 + 8
622	0.0075	0.0075	0.0215B/*0.0075	0.0215B/*0.0075	----	0.0230 NEW	.2037	----	----	1	----	1 + 1
624	----	----	0.0280B/*0.0090	0.0280B/*0.0090	----	0.0275 + 0.0040	.2482	----	----	----	----	10 UNCH
625	0.0075	0.0075	0.0315B/*0.0075	0.0315B/*0.0075	----	0.0300 + 0.0040	.2728	----	----	1	----	21 + 1
625	----	----	0.0865B/0.0390A	0.0865B/0.0390A	----	0.0865 + 0.0140	.3908	----	----	----	----	3 UNCH
626	----	----	0.0350B/*0.0100	0.0350B/*0.0100	----	0.0330 + 0.0045	.3001	----	----	----	----	1 UNCH
630	0.0140	0.0140	0.0535B/*0.0120	0.0535B/*0.0120	----	0.0470 + 0.0070	.4219	----	----	20	----	45 + 20
630	----	----	0.1630B/0.0660A	0.1630B/0.0660A	----	0.0690 - 0.0210	.5779	----	----	----	----	1 UNCH
633	0.0510	0.0510	0.0680B/*0.0175	0.0680B/*0.0175	----	0.0615 NEW	.5234	----	----	1	----	1 + 1
633	0.0650	0.0650	0.0950B/0.0530A	0.0950B/0.0530A	----	0.0535 NEW	.4765	----	----	1	----	1 + 1
634	0.0695	0.0695	0.0740B/*0.0185	0.0740B/*0.0185	----	0.0670 NEW	.5570	----	----	1	----	1 + 1
635	----	----	0.0800B/0.0205A	0.0800B/0.0205A	----	0.0725 + 0.0115	.5905	----	----	----	----	22 UNCH
635	0.1185	0.1185	0.1390B/0.0675A	0.1390B/0.0675A	----	0.1345 + 0.0180	.5298	----	----	1	----	2 + 1
635	----	----	0.1655B/0.1015A	0.1655B/0.1015A	----	0.1070 - 0.0095	.4699	----	----	----	----	1 UNCH
640	----	----	0.1155B/0.0345A	0.1155B/0.0345A	----	0.1070 + 0.0170	.7337	----	----	----	----	78 UNCH
640	----	----	0.0815B/0.0290A	0.0815B/0.0290A	----	0.0290 - 0.0110	.2662	----	----	----	----	44 UNCH
640	0.1030	0.1030	0.1355B/0.0820A	0.1355B/0.0820A	----	0.0865 - 0.0075	.4023	----	----	1	----	21 + 1
645	----	----	0.0540B/0.0185A	0.0540B/0.0185A	----	0.0190 - 0.0065	.1648	----	----	----	----	9 UNCH
645	0.1150	0.1150	0.2020B/0.1120A	0.2020B/0.1120A	----	0.1970 + 0.0220	.6613	----	----	1	----	2 + 1
645	0.0870	0.0870	0.1095B/0.0660A	0.1095B/0.0660A	----	0.0690 NEW	.3384	----	----	4	----	2 + 2
650	----	----	0.2015B/0.0840A	0.2015B/0.0840A	----	0.1890 + 0.0235	.9099	----	----	----	----	62 UNCH
650	----	----	0.0875B/0.0530A	0.0875B/0.0530A	----	0.0550 NEW	.2811	----	----	1	----	1 + 1
655	----	----	0.0165B/----	0.0165B/*0.0095	----	0.0060 - 0.0030	.0443	----	----	----	----	20 UNCH
656	----	----	#0.0140B/----	#0.0140B/*0.009	----	0.0055 - 0.0025	.0394	----	----	----	----	10 UNCH
660	0.0290	0.0290	0.0540B/0.0290	0.0540B/0.0290	----	0.0350 NEW	.1889	----	----	4	----	4 + 4
670	----	----	0.0320B/----	0.0320B/0.0235A	----	0.0225 NEW	.1246	----	----	1	----	1 + 1
680	----	----	----	----/0.0060A	----	0.0005 UNCH	.0001	----	----	----	----	10 UNCH
680	0.0195	0.0195	0.0195/*0.0195	0.0195/0.0175A	----	0.0155 + 0.0005	.0850	----	----	1	----	0 - 1
690	----	----	0.0115B/----	0.0115B/0.0130A	----	0.0105 + 0.0005	.0570	----	----	----	----	2 UNCH
695	----	----	----	0.0085B/0.0115A	----	0.0090 + 0.0005	.0481	----	----	----	----	2 UNCH
700	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
700	----	----	0.0070B/----	0.0070B/0.0105A	----	0.0070 + 0.0005	.0377	----	----	----	----	2 UNCH
710	----	----	#0.0050B/----	0.0050B/0.0100A	----	0.0045 + 0.0005	.0241	----	----	----	----	1 UNCH
TOTAL										52		451+ 44
JUL26												
640	0.1750	0.1750	0.2125B/0.1350A	0.2125B/0.1350A	----	0.2075 NEW	.4983	----	----	18	----	18 + 18
640	0.2060	0.2060	0.2460B/0.1790A	0.2460B/0.1790A	----	0.1905 NEW	.5010	----	----	1	----	1 + 1
660	----	----	0.3390B/0.2415A	0.3390B/0.2415A	----	0.3330 + 0.0260	.6504	----	----	----	----	20 UNCH
TOTAL										19		39+ 19
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week2										
JUN26												
500	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
550	----	----	----	----/0.0055A	----	0.0005 UNCH	.0008	----	----	----	----	1 UNCH
590	----	----	0.0200B/0.0135A	0.0200B/0.0135A	----	0.0225 + 0.0035	.1105	----	----	----	----	1 UNCH
590	----	----	----	0.0025B/*0.0070	----	0.0065 + 0.0005	.0436	----	----	----	----	1 UNCH
595	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
608	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
610	----	----	0.0550B/0.0275A	0.0550B/0.0275A	----	0.0550 + 0.0090	.2455	----	----	----	----	1 UNCH
610	----	----	----/0.0110A	0.0200B/0.0110A	----	0.0245 + 0.0035	.1623	----	----	----	----	15 UNCH
610	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
615	----	----	0.0305B/0.0140A	0.0305B/0.0140A	----	0.0335 + 0.0050	.2169	----	----	----	----	10 UNCH
615	0.2070	0.2070	0.3135B/0.1920A	0.3135B/0.1920A	----	0.2055 NEW	.7828	----	----	9	----	9 + 9
615	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
620	----	----	0.0885B/0.0430A	0.0885B/0.0430A	----	0.0865 + 0.0135	.3484	----	----	----	----	16 UNCH
620	0.0210	0.0210	0.0455B/0.0180A	0.0455B/0.0180A	----	0.0475 NEW	.2885	----	----	10	----	10 + 10
620	----	----	----	0.0010B/0.0050A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 11
625	----	----	0.0645B/0.0245A	0.0645B/0.0245A	----	0.0650 + 0.0105	.3686	----	----	----	----	1 UNCH
625	----	----	0.2070B/0.0555A	0.2070B/0.0555A	----	0.0720 - 0.0330	----	1	----	----	----	0 - 1
627	----	----	0.0095B/*0.0050	0.0095B/*0.0050	----	0.0000 - 0.0080	----	----	----	----	----	0 - 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week2										
JUN26												
627	----	----	#0.1870B/0.0360	0.1870B/0.0360A	----	0.0520 - 0.0360	----	3	----	----	----	0 - 3
628	----	----	0.0130B/*0.0050	0.0130B/*0.0050	----	0.0000 - 0.0095	----	----	----	----	----	0 - 10
630	0.1190	0.1190	0.1345B/0.0690A	0.1345B/0.0690A	----	0.1305 + 0.0185	.4634	----	----	1	----	2 + 1
630	----	----	0.0885B/0.0335A	0.0885B/0.0335A	----	0.0860 + 0.0125	.4541	----	----	----	----	2 UNCH
630	----	----	0.1570B/*0.0155	0.1570B/*0.0155	----	0.0220 - 0.0415	----	3	----	----	----	0 - 3
633	0.0090	0.0090	0.0370B/*0.0055	0.0370B/*0.0055	----	0.0080 - 0.0145	----	21	----	18	----	0 - 3
634	0.0130	0.0130	0.0435B/*0.0060	0.0435B/*0.0060	----	0.0180 NEW	----	9	----	9	----	0 UNCH
634	----	----	#0.1170B/*0.006	0.1170B/*0.0060	----	0.0000 - 0.0365	----	----	----	----	----	0 - 15
635	0.1435	0.1435	0.1620B/0.0865A	0.1620B/0.0865A	----	0.1570 NEW	.5212	----	----	1	----	1 + 1
635	----	----	0.1135B/0.0475A	0.1135B/0.0475A	----	0.1115 + 0.0145	.5418	----	----	----	----	31 UNCH
635	0.0085	0.0085	0.0505B/*0.0060	0.0505B/*0.0060	----	0.0280 - 0.0030	----	19	----	9	----	0 - 10
635	----	----	0.1060B/*0.0055	0.1060B/*0.0055	----	0.0000 - 0.0310	----	----	----	----	----	0 - 10
636	0.0040	0.0040	0.0580B/*0.0040	0.0580B/*0.0040	----	0.0380 NEW	----	2	----	2	----	0 UNCH
637	----	----	0.0660B/*0.0065	0.0660B/*0.0065	----	0.0480 + 0.0060	----	2	----	----	----	0 - 2
637	----	----	#0.0875B/*0.005	0.0875B/*0.0050	----	0.0000 - 0.0220	----	----	----	----	----	0 - 27
638	0.0065	0.0065	0.0755B/*0.0065	0.0755B/*0.0065	----	0.0580 NEW	----	----	----	2	----	0 UNCH
639	----	----	0.0855B/*0.0070	0.0855B/*0.0070	----	0.0680 + 0.0125	----	15	----	----	----	0 - 15
639	0.0120	0.0120	#0.0680B/*0.005	0.0680B/*0.0050	----	0.0000 NEW	----	----	----	1	----	0 UNCH
640	----	----	0.1140B/0.0620A	0.1140B/0.0620A	----	0.0635 - 0.0110	.3733	----	----	----	----	20 UNCH
640	0.0115	0.0115	0.0955B/*0.0030	0.0955B/*0.0030	----	0.0780 + 0.0155	----	26	----	27	----	0 - 5
640	0.0040	0.0040	0.0580B/*0.0040	0.0580B/*0.0040	----	0.0000 NEW	----	----	----	3	----	0 UNCH
641	----	----	#0.0480B/*0.005	0.0480B/*0.0050	----	0.0000 - 0.0105	----	----	----	----	----	0 - 1
642	0.0800	0.0800	0.1155B/*0.0090	0.1155B/*0.0090	----	0.0980 + 0.0195	----	1	----	2	----	0 - 2
643	0.0225	0.0225	0.1255B/*0.0115	0.1255B/*0.0115	----	0.1080 + 0.0210	----	8	----	9	----	0 - 1
645	----	----	0.0885B/0.0475A	0.0885B/0.0475A	----	0.0470 NEW	.2948	----	----	2	----	1 + 1
645	----	----	0.0160B/----	0.0160B/*0.0050	----	0.0000 - 0.0045	----	----	----	----	----	0 - 20
650	----	----	0.0660B/0.0360A	0.0660B/0.0360A	----	0.0350 - 0.0065	.2287	----	----	----	----	10 UNCH
650	----	----	----	0.0010B/0.0050A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 30
652	----	----	0.2155B/0.0670A	0.2155B/0.0670A	----	0.1980 + 0.0275	----	1	----	----	----	0 - 1
652	----	----	----	----/*0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
660	----	----	0.0350B/0.0210A	0.0350B/0.0210A	----	0.0195 NEW	.1327	----	----	2	----	1 + 1
670	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 32
672	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 3
675	----	----	0.0115B/----	0.0115B/0.0120A	----	0.0085 - 0.0010	.0573	----	----	----	----	7 UNCH
675	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
680	----	----	0.0080B/----	0.0080B/0.0110A	----	0.0055 - 0.0010	.0381	----	----	----	----	4 UNCH
690	----	----	0.0035B/----	0.0035B/0.0090A	----	0.0025 UNCH	.0173	----	----	----	----	51 UNCH
690	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 10
695	----	----	0.0020B/----	0.0020B/0.0085A	----	0.0015 UNCH	.0105	----	----	----	----	48 UNCH
700	----	----	0.0020B/----	0.0020B/0.0080A	----	0.0010 UNCH	.0069	----	----	----	----	33 UNCH
735	----	----	0.0055B/----	0.0055B/0.0100A	----	0.0070 + 0.0025	.0304	----	----	----	----	1 UNCH
TOTAL										107		277 - 240
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
500	----	----	----	----/0.0065A	----	0.0005 UNCH	.0022	----	----	----	----	26 UNCH
570	----	----	----	----/0.0065A	----	0.0030 + 0.0005	.0177	----	----	----	----	1 UNCH
580	----	----	#0.0150B/0.0120	0.0150B/0.0120A	----	0.0190 + 0.0055	.0867	----	----	----	----	1 UNCH
585	----	----	----	----/*0.0030A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
600	----	----	----	----/*0.0035A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
605	----	----	----	----/*0.0035A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
610	----	----	0.0265B/0.0140A	0.0265B/0.0140A	----	0.0315 + 0.0055	.1868	----	----	----	----	15 UNCH
615	----	----	----	0.0015B/*0.0040	----	0.0020 - 0.0015	.0088	----	----	----	----	10 UNCH
615	0.0450	0.0450	0.0450/0.0165A	0.0450/0.0165A	----	0.0415 + 0.0065	.2399	----	----	1	----	11 + 1
620	0.0280	0.0280	0.0540B/0.0225A	0.0540B/0.0225A	----	0.0555 NEW	.3051	----	----	10	----	10 + 10
622	0.0100	0.0100	#0.0115B/*0.005	0.0115B/*0.0050	----	0.0085 NEW	.0778	----	----	1	----	1 + 1
624	----	----	#0.0165B/*0.006	0.0165B/*0.0060	----	0.0120 - 0.0020	.1251	----	----	----	----	10 UNCH
625	----	----	0.1180B/0.0600A	0.1180B/0.0600A	----	0.1135 + 0.0160	.4086	----	----	----	----	1 UNCH
625	0.0790	0.0790	0.0790/0.0300A	0.0790/0.0300A	----	0.0730 + 0.0105	.3783	----	----	2	----	3 + 2
626	----	----	0.0225B/*0.0070	0.0225B/*0.0070	----	0.0165 - 0.0015	.1900	----	----	----	----	10 UNCH
627	----	----	#0.1875B/0.0645	0.1875B/0.0645A	----	0.0715 NEW	.7685	----	----	2	----	0 UNCH
628	0.0075	0.0075	0.0300B/*0.0075	0.0300B/*0.0075	----	0.0220 NEW	.2724	----	----	2	----	2 + 2
629	----	----	#0.1690B/0.0535	0.1690B/0.0535A	----	0.0575 - 0.0285	.6783	----	----	----	----	5 UNCH
629	----	----	0.0345B/*0.0080	0.0345B/*0.0080	----	0.0255 - 0.0005	.3216	----	----	----	----	1 UNCH
630	0.1270	0.1270	0.1425B/0.0750A	0.1425B/0.0750A	----	0.1365 NEW	.4640	----	----	1	----	1 + 1
630	0.0240	0.0240	0.0390B/*0.0080	0.0390B/*0.0080	----	0.0295 NEW	.3746	----	----	2	----	1 + 1
630	----	----	0.0975B/0.0405A	0.0975B/0.0405A	----	0.0950 + 0.0130	.4569	----	----	----	----	1 UNCH
632	0.0120	0.0120	0.0490B/*0.0095	0.0490B/*0.0095	----	0.0380 NEW	.4862	----	----	2	----	1 + 1
633	----	----	#0.1305B/0.0360	0.1305B/0.0360A	----	0.0355 NEW	.4565	----	----	2	----	0 UNCH
635	0.0290	0.0290	0.1120B/0.0290	0.1120B/0.0290	----	0.0270 NEW	.3463	----	----	18	----	18 + 18
635	0.0150	0.0150	0.0665B/*0.0115	0.0665B/*0.0115	----	0.0550 + 0.0055	.6536	----	----	4	----	11 - 3
636	----	----	#0.0730B/*0.013	0.0730B/*0.0135	----	0.0615 + 0.0070	.7037	----	----	----	----	15 UNCH
637	----	----	#0.0945B/0.0235	0.0945B/0.0235A	----	0.0200 - 0.0200	.2478	----	----	----	----	15 UNCH
637	0.0205	0.0205	#0.0800B/*0.015	0.0800B/*0.0150	----	0.0680 NEW	.7520	----	----	15	----	15 + 15
638	----	----	#0.0860B/0.0205	0.0860B/0.0205A	----	0.0175 - 0.0185	.2081	----	----	----	----	10 UNCH
638	0.0250	0.0250	#0.0875B/*0.016	#0.0875B/*0.016	----	0.0755 NEW	.7918	----	----	10	----	10 + 10
639	0.0225	0.0225	#0.0780B/0.0180	0.0780B/0.0180A	----	0.0150 NEW	.1712	----	----	1	----	1 + 1
639	----	----	#0.0955B/*0.018	#0.0955B/*0.018	----	0.0830 + 0.0110	.8287	----	----	----	----	1 UNCH
640	0.0150	0.0150	0.0710B/0.0150	0.0710B/0.0150	----	0.0125 NEW	.1366	----	----	3	----	3 + 3
640	0.0280	0.0280	0.1040B/0.0215A	0.1040B/0.0215A	----	0.0905 + 0.0120	.8633	----	----	3	----	5 + 3
647	0.0040	0.0040	#0.0290B/*0.004	0.0290B/*0.0040	----	0.0035 NEW	.0215	----	----	3	----	3 + 3
650	----	----	0.0175B/*0.0070	0.0175B/*0.0070	----	0.0020 - 0.0060	.0087	----	----	----	----	20 UNCH
650	0.0665	0.0665	0.0760B/0.0425A	0.0760B/0.0425A	----	0.0435 NEW	.2540	----	----	1	----	1 + 1
654	----	----	#0.0070B/----	0.0070B/*0.0065	----	0.0010 - 0.0040	.0026	----	----	----	----	10 UNCH
660	----	----	----	0.0010B/0.0055A	----	0.0005 - 0.0020	.0001	----	----	----	----	4 UNCH
665	----	----	0.0680B/0.0455A	0.0680B/0.0455A	----	0.0470 - 0.0020	.2082	----	----	----	----	22 UNCH
665	----	----	----	----/*0.0040A	----	0.0005 - 0.0015	.0000	----	----	----	----	6 UNCH
665	----	----	0.3605B/0.2305A	0.3605B/0.2305A	----	0.3480 + 0.0265	.8735	----	----	----	----	40 UNCH
670	----	----	0.4070B/0.2720A	0.4070B/0.2720A	----	0.3940 + 0.0275	.9008	----	----	----	----	65 UNCH
680	----	----	----	----/*0.0035A	----	0.0005 - 0.0005	----	----	----	----	----	21 UNCH
695	----	----	----	----/0.0035A	----	0.0005 - 0.0005	----	----	----	----	----	10 UNCH
695	----	----	0.0045B/----	0.0045B/0.0100A	----	0.0040 + 0.0005	.0249	----	----	----	----	23 UNCH
700	0.0010	0.0010	0.0010/*0.0010	0.0010/*0.0010	----	0.0005 - 0.0005	----	----	----	1	----	1 - 1
725	----	----	----	----/0.0075A	----	0.0005 UNCH	.0030	----	----	----	----	14 UNCH
TOTAL										84		465 + 69
JUL26												
460	----	----	----	----/0.0060A	----	0.0005 UNCH	.0007	----	----	----	----	23 UNCH
510	----	----	----	0.0005B/0.0075A	----	0.0035 + 0.0010	.0126	----	----	----	----	19 UNCH
565	----	----	----/0.0120A	0.0130B/0.0120A	----	0.0165 + 0.0035	.0635	----	----	----	----	6 UNCH
568	----	----	0.0150B/0.0125A	0.0150B/0.0125A	----	0.0185 + 0.0040	.0707	----	----	----	----	6 UNCH
581	----	----	0.0260B/0.0175A	0.0260B/0.0175A	----	0.0285 + 0.0060	.1067	----	----	----	----	1 UNCH
585	----	----	0.6315B/0.5585A	0.6315B/0.5585A	----	0.5650 - 0.0210	.8777	----	----	----	----	6 UNCH
585	----	----	0.0305B/0.0195A	0.0305B/0.0195A	----	0.0330 + 0.0070	.1217	----	----	----	----	6 UNCH
592	----	----	0.0400B/0.0250A	0.0400B/0.0250A	----	0.0430 + 0.0095	.1532	----	----	----	----	1 UNCH
600	----	----	0.5245B/0.4330A	0.5245B/0.4330A	----	0.4395 - 0.0160	.8043	----	----	----	----	12 UNCH
600	----	----	0.0540B/0.0320A	0.0540B/0.0320A	----	0.0570 + 0.0120	.1951	----	----	----	----	1 UNCH
608	----	----	0.0735B/0.0425A	0.0735B/0.0425A	----	0.0750 + 0.0145	.2447	----	----	----	----	39 UNCH
611	----	----	0.0810B/0.0465A	0.0810B/0.0465A	----	0.0825 + 0.0150	.2648	----	----	----	----	22 UNCH
612	----	----	0.4205B/0.3440A	0.4205B/0.3440A	----	0.3480 - 0.0125	.7273	----	----	----	----	5 UNCH
612	----	----	0.0850B/0.0480A	0.0850B/0.0480A	----	0.0855 + 0.0155	.2721	----	----	----	----	6 UNCH
613	----	----	0.0880B/0.0500A	0.0880B/0.0500A	----	0.0885 + 0.0160	.2794	----	----	----	----	3 UNCH
620	0.0630	0.0630	0.1115B/0.0630	0.1115B/0.0630	----	0.1110 NEW	.3324	----	----	20	----	20 + 20
621	----	----	0.3490B/0.2850A	0.3490B/0.2850A	----	0.2870 - 0.0100	.6591	----	----	----	----	1 UNCH
622	----	----	0.1195B/0.0690A	0.1195B/0.0690A	----	0.1180 + 0.0185	.3482	----	----	----	----	5 UNCH
625	----	----	0.3380B/0.2505A	0.3380B/0.2505A	----	0.2625 - 0.0085	.6265	----	----	----	----	22 UNCH
630	----	----	0.3030B/0.2210A	0.3030B/0.2210A	----	0.2345 - 0.0070	.5845	----	----	----	----	5 UNCH
634	----	----	0.1750B/0.1055A	0.1750B/0.1055A	----	0.1710 + 0.0225	.4486	----	----	----	----	1 UNCH
635	----	----	0.1795B/0.1095A	0.1795B/0.1095A	----	0.1760 + 0.0225	.4571	----	----	----	----	5 UNCH
636	----	----	0.2480B/0.1910A	0.2480B/0.1910A	----	0.2040 - 0.0050	.5338	----	----	----	----	4 UNCH
650	----	----	0.1900B/0.1335A	0.1900B/0.1335A	----	0.1455 - 0.0010	.4195	----	----	----	----	5 UNCH
650	----	----	0.2650B/0.1785A	0.2650B/0.1785A	----	0.2625 + 0.0270	.5799	----	----	----	----	11 UNCH
670	----	----	0.4100B/0.3025A	0.4100B/0.3025A	----	0.4035 + 0.0300	.7192	----	----	----	----	19 UNCH
680	----	----	0.4835B/0.3750A	0.4835B/0.3750A	----	0.4830 + 0.0305	.7745	----	----	----	----	20 UNCH
690	----	----	0.0640B/0.0470A	0.0640B/0.0470A	----	0.0510 + 0.0025	.1780	----	----	----	----	11 UNCH
700	0.0360	0.0360	0.0490B/0.0360	0.0490B/0.0360	----	0.0390 + 0.0020	.1403	----	----	1	----	7 + 1
710	----	----	0.0375B/----	0.0375B/0.0295A	----	0.0305 + 0.0025	.1115	----	----	----	----	5 UNCH
TOTAL										21		297 + 21
AUG26												
559	----	----	0.0505B/0.0435A	0.0505B/0.0435A	----	0.0565 + 0.0075	.1301	----	----	----	----	1 UNCH
599	----	----	----	----	----	0.5390 - 0.0115	.7182	----	----	----	----	10 UNCH
606	----	----	0.1700B/0.1295A	0.1700B/0.1295A	----	0.1720 + 0.0175	.3135	----	----	----	----	1 UNCH
630	----	----	0.4225B/0.3505A	0.4225B/0.3505A	----	0.3595 - 0.0075	.5657	----	----	----	----	4 UNCH
630	----	----	0.2785B/0.2170A	0.2785B/0.2170A	----	0.2770 + 0.0205	.4329	----	----	----	----	3 UNCH
640	----	----	0.3700B/0.3060A	0.3700B/0.3060A	----	0.3135 - 0.0065	.5158	----	----	----	----	1 UNCH
650	----	----	0.3225B/0.2665A	0.3225B/0.2665A	----	0.2725 - 0.0060	.4673	----	----	----	----	14 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
TOTAL												34
SEP26												
550	----	----	0.0600B/0.0540A	0.0600B/0.0540A	----	0.0675 + 0.0085	.1260	----	----	----	----	1 UNCH
660	0.4000	0.4000	0.4720B/0.3975A	0.4720B/0.3975A	----	0.4690 NEW	.5191	----	----	2	----	0 UNCH
750	----	----	0.1400B/0.1225A	0.1400B/0.1225A	----	0.1215 - 0.0015	.2110	----	----	----	----	2 UNCH
TOTAL										2		3
HX CALL		COMEX COPPER OPTIONS										
JUL26												
500	----	----	----	----	----	1.3235 - 0.0280	.9910	----	----	----	----	7 UNCH
525	----	----	----	----	----	1.0750 - 0.0275	.9840	----	----	----	----	1 UNCH
530	----	----	----	----	----	1.0255 - 0.0275	.9817	----	----	----	----	6 UNCH
540	----	----	----	----	----	0.9270 - 0.0270	.9750	----	----	----	----	18 UNCH
545	----	----	----	----	----	0.8775 - 0.0275	.9722	----	----	----	----	1 UNCH
550	----	----	----	----	----	0.8285 - 0.0275	.9675	----	----	----	----	2 UNCH
555	----	----	----	----	----	0.7800 - 0.0270	.9609	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.7315 - 0.0270	.9540	----	----	----	----	2 UNCH
570	----	----	----/0.6190A	0.6115B/0.6190A	----	0.6360 - 0.0260	.9355	----	----	----	----	157 UNCH
574	----	----	----/0.5965A	0.6160B/0.5965A	----	0.5985 - 0.0250	.9248	----	----	----	----	5 UNCH
575	----	----	----/0.5870A	0.6015B/0.5870A	----	0.5890 - 0.0250	.9210	----	----	----	----	18 UNCH
580	----	----	0.5730B/0.5405A	0.5730B/0.5405A	----	0.5430 - 0.0240	.9058	----	----	----	----	123 UNCH
585	----	----	0.5630B/0.4850A	0.5630B/0.4850A	----	0.4975 - 0.0230	.8857	----	----	----	----	318 UNCH
590	----	----	0.5500B/0.4510A	0.5500B/0.4510A	----	0.4535 - 0.0210	.8635	----	----	----	----	103 UNCH
591	----	----	0.5460B/0.4435A	0.5460B/0.4435A	----	0.4450 - 0.0205	.8580	----	----	----	----	3 UNCH
593	----	----	0.5155B/0.4260A	0.5155B/0.4260A	----	0.4275 - 0.0205	.8480	----	----	----	----	1 UNCH
594	----	----	0.5070B/0.4180A	0.5070B/0.4180A	----	0.4190 - 0.0200	.8424	----	----	----	----	2 UNCH
595	----	----	0.4975B/0.4085A	0.4975B/0.4085A	----	0.4105 - 0.0195	.8367	----	----	----	----	29 UNCH
597	----	----	0.4785B/0.3925A	0.4785B/0.3925A	----	0.3940 - 0.0185	.8242	----	----	----	----	1 UNCH
598	----	----	0.4695B/0.3845A	0.4695B/0.3845A	----	0.3855 - 0.0185	.8184	----	----	----	----	1 UNCH
599	----	----	0.4605B/0.3765A	0.4605B/0.3765A	----	0.3775 - 0.0180	.8116	----	----	----	----	2 UNCH
600	----	----	0.4720B/0.3555A	0.4720B/0.3555A	----	0.3695 - 0.0175	.8047	----	----	43	----	537 - 2
602	----	----	0.4345B/0.3515A	0.4345B/0.3515A	----	0.3535 - 0.0165	.7909	----	----	----	----	83 UNCH
603	----	----	0.4245B/0.3445A	0.4245B/0.3445A	----	0.3455 - 0.0165	.7839	----	----	----	----	3 UNCH
605	----	----	0.4075B/0.3170A	0.4075B/0.3170A	----	0.3300 - 0.0155	.7689	----	----	----	----	41 UNCH
610	----	----	0.3785B/0.2760A	0.3785B/0.2760A	----	0.2930 - 0.0130	.7288	----	----	----	----	229 UNCH
615	----	----	0.3425B/0.2415A	0.3425B/0.2415A	----	0.2580 - 0.0110	.6839	----	----	----	----	465 UNCH
620	----	----	0.2980B/0.2105A	0.2980B/0.2105A	----	0.2260 - 0.0090	.6364	----	----	----	----	182 UNCH
625	----	----	0.2695B/0.1810A	0.2695B/0.1810A	----	0.1965 - 0.0075	.5862	----	----	----	----	382 UNCH
630	0.1965	0.1965	0.2350B/0.1535A	0.2350B/0.1535A	----	0.1695 - 0.0060	.5349	----	----	2	----	420 - 1
635	0.1300	0.1300	0.2030B/0.1300	0.2030B/0.1300	----	0.1455 - 0.0050	.4833	----	----	36	----	200 - 1
640	0.1265	0.1265	0.1760B/0.1120A	0.1760B/0.1120A	----	0.1245 - 0.0035	.4328	----	----	6	----	1422 UNCH
645	0.1335	0.1335	0.1510B/0.0940A	0.1510B/0.0940A	----	0.1060 - 0.0020	.3843	----	----	13	----	543 + 10
650	0.0880	0.0880	0.1305B/0.0790A	0.1305B/0.0790A	----	0.0900 - 0.0010	.3388	----	----	148	----	973 + 85
655	0.0935	0.0935	0.1100B/0.0665A	0.1100B/0.0665A	----	0.0760 UNCH	.2964	----	----	14	25	419 - 4
660	0.0775	0.0775	0.0935B/0.0565A	0.0935B/0.0565A	----	0.0645 + 0.0010	.2585	----	----	334	----	911 - 29
665	0.0600	0.0600	0.0780B/0.0470A	0.0780B/0.0470A	----	0.0545 + 0.0015	.2241	----	----	1	----	81 - 1
670	0.0640	0.0640	0.0665/0.0405A	0.0665/0.0405A	----	0.0465 + 0.0020	.1946	----	----	71	----	476 - 23
675	0.0470	0.0470	0.0560B/0.0345A	0.0560B/0.0345A	----	0.0395 + 0.0020	.1681	----	----	55	25	740 + 27
679	----	----	0.0485B/0.0305A	0.0485B/0.0305A	----	0.0350 + 0.0025	.1502	----	----	8	----	29 + 8
680	----	----	0.0480B/0.0290A	0.0480B/0.0290A	----	0.0340 + 0.0025	.1461	----	----	----	----	287 UNCH
681	----	----	0.0455B/0.0285A	0.0455B/0.0285A	----	0.0330 + 0.0025	.1420	----	----	----	----	61 UNCH
684	----	----	0.0415B/*0.0260	0.0415B/0.0260A	----	0.0305 + 0.0025	.1313	----	----	1	----	50 UNCH
685	0.0370	0.0370	0.0405B/0.0255A	0.0405B/0.0255A	----	0.0295 + 0.0025	.1273	----	----	5	----	377 - 1
686	----	----	0.0390B/*0.0245	0.0390B/0.0245A	----	0.0290 + 0.0030	.1247	----	----	----	----	83 UNCH
689	----	----	0.0355B/*0.0230	0.0355B/0.0230A	----	0.0265 + 0.0025	.1145	----	----	----	----	108 UNCH
690	0.0310	0.0310	0.0350B/0.0220A	0.0350B/0.0220A	----	0.0260 + 0.0025	.1120	----	----	66	----	606 - 37
691	----	----	0.0330B/*0.0215	0.0330B/0.0215A	----	0.0255 + 0.0030	.1096	----	----	----	----	122 UNCH
694	----	----	0.0300B/*0.0195	0.0300B/0.0195A	----	0.0235 + 0.0025	.1011	----	----	----	----	62 UNCH
695	----	----	0.0295B/0.0195A	0.0295B/0.0195A	----	0.0230 + 0.0025	.0988	----	----	----	----	171 UNCH
699	----	----	0.0270B/*0.0180	0.0270B/0.0180A	----	0.0210 + 0.0025	.0898	----	----	----	----	60 UNCH
700	0.0215	0.0215	0.0270B/0.0175A	0.0270B/0.0175A	----	0.0205 + 0.0025	.0876	----	----	24	----	1353 - 15
701	----	----	0.0260B/*0.0170	0.0260B/0.0170A	----	0.0200 + 0.0020	.0854	----	----	----	----	48 UNCH
704	----	----	0.0235B/0.0160A	0.0235B/0.0160A	----	0.0190 + 0.0025	.0805	----	----	----	----	88 UNCH
705	0.0180	0.0180	0.0230B/0.0160A	0.0230B/0.0160A	----	0.0185 + 0.0020	.0784	----	----	1	----	128 UNCH
709	0.0180	0.0180	0.0210B/0.0145A	0.0210B/0.0145A	----	0.0175 + 0.0025	.0730	----	----	1	----	31 UNCH
710	0.0175	0.0175	0.0205B/0.0145A	0.0205B/0.0145A	----	0.0170 + 0.0020	.0710	----	----	202	----	358 - 179
715	0.0160	0.0160	0.0190B/0.0130A	0.0190B/0.0130A	----	0.0155 + 0.0020	.0640	----	----	75	----	93 - 44
720	----	----	0.0175B/0.0120A	0.0175B/0.0120A	----	0.0145 + 0.0020	.0589	----	----	1	----	372 - 1
725	----	----	0.0160B/0.0110A	0.0160B/0.0110A	----	0.0135 + 0.0020	.0540	----	----	30	----	1297 - 25
730	----	----	0.0145B/----	0.0145B/0.0110A	----	0.0125 + 0.0015	.0494	----	----	----	----	214 UNCH
735	0.0120	0.0120	0.0135B/0.0120	0.0135B/0.0105A	----	0.0115 + 0.0015	.0450	----	----	21	----	128 + 3
740	0.0125	0.0125	0.0130B/0.0125	0.0130B/0.0095A	----	0.0110 + 0.0015	.0422	----	----	16	----	288 UNCH
750	0.0105	0.0105	0.0115B/0.0100	0.0115B/0.0085A	----	0.0100 + 0.0015	.0371	----	----	26	----	1102 - 5
760	0.0055	0.0055	0.0100B/0.0055	0.0100B/0.0055	----	0.0090 + 0.0015	.0324	----	----	7	----	140 + 2
770	0.0080	0.0080	0.0085/0.0080	0.0085/0.0075A	----	0.0080 + 0.0010	.0282	----	----	5	----	34 + 1
775	----	----	0.0085B/----	0.0085B/0.0070A	----	0.0080 + 0.0015	.0275	----	----	----	----	123 UNCH
780	0.0080	0.0080	0.0080/0.0080	0.0080/0.0070A	----	0.0075 + 0.0015	.0255	----	----	4	----	53 + 4
800	----	----	0.0065B/----	0.0065B/0.0060A	----	0.0060 + 0.0010	.0196	----	----	----	----	2383 UNCH
825	----	----	0.0050B/----	0.0050B/0.0055A	----	0.0045 + 0.0005	.0142	----	----	----	----	13 UNCH
850	----	----	0.0040B/----	0.0040B/0.0045A	----	0.0035 + 0.0005	.0106	----	----	----	----	336 UNCH
875	0.0025	0.0025	0.0025/0.0025	0.0025/0.0025	----	0.0030 + 0.0005	.0086	----	----	1	----	4 UNCH
900	----	----	----	----/0.0045A	----	0.0025 + 0.0005	.0069	----	----	----	----	2131 UNCH
925	----	----	----	----/0.0035A	----	0.0020 + 0.0005	.0054	----	----	----	----	16 UNCH
950	----	----	----	----/0.0030A	----	0.0015 UNCH	.0039	----	----	----	----	52 UNCH
975	----	----	----	----/0.0025A	----	0.0015 + 0.0005	.0037	----	----	----	----	18 UNCH
1000	----	----	----	----/0.0010A	----	0.0010 UNCH	.0025	----	----	----	----	8 UNCH
TOTAL									50	1217		21850 - 228
AUG26												
500	----	----	----	----	----	1.3905 - 0.0270	.9700	----	----	----	----	8 UNCH
550	----	----	----/0.9175A	0.9370B/0.9175A	----	0.9155 - 0.0225	.9070	----	----	----	----	3 UNCH
580	----	----	0.7585B/0.6475A	0.7585B/0.6475A	----	0.6605 - 0.0155	.8151	----	----	----	----	253 UNCH
585	----	----	0.7010B/0.6215A	0.7010B/0.6215A	----	0.6215 - 0.0145	.7948	----	----	----	----	11 UNCH
590	----	----	0.6595B/0.5835A	0.6595B/0.5835A	----	0.5840 - 0.0135	.7731	----	----	----	----	17 UNCH
595	----	----	0.6190B/0.5310A	0.6190B/0.5310A	----	0.5480 - 0.0120	.7503	----	----	----	----	1 UNCH
600	----	----	0.5805B/0.4965A	0.5805B/0.4965A	----	0.5130 - 0.0110	.7264	----	----	----	----	4 UNCH
610	----	----	0.5275B/0.4320A	0.5275B/0.4320A	----	0.4480 - 0.0085	.6757	----	----	----	----	4 UNCH
615	----	----	0.4920B/0.4020A	0.4920B/0.4020A	----	0.4175 - 0.0080	.6493	----	----	----	----	2 UNCH
620	----	----	0.4595B/0.3740A	0.4595B/0.3740A	----	0.3885 - 0.0075	.6224	----	----	1	----	28 UNCH
625	----	----	0.4275B/0.3480A	0.4275B/0.3480A	----	0.3615 - 0.0065	.5953	----	----	----	----	96 UNCH
630	----	----	0.3980B/0.3230A	0.3980B/0.3230A	----	0.3355 - 0.0060	.5680	----	----	----	----	57 UNCH
635	----	----	0.3705B/0.2965A	0.3705B/0.2965A	----	0.3115 - 0.0055	.5407	----	----	----	----	22 UNCH
640	----	----	0.3470B/0.2740A	0.3470B/0.2740A	----	0.2885 - 0.0050	.5137	----	----	----	----	157 UNCH
645	----	----	0.3220B/0.2530A	0.3220B/0.2530A	----	0.2670 - 0.0050	.4870	----	----	----	----	3 UNCH
650	0.2575	0.2575	0.2990B/0.2350A	0.2990B/0.2350A	----	0.2475 - 0.0040	.4610	----	----	11	----	458 - 3
655	0.2390	0.2390	0.2765B/0.2175A	0.2765B/0.2175A	----	0.2290 - 0.0035	.4357	----	----	15	----	241 + 3
660	0.2385	0.2385	0.2575B/0.2010A	0.2575B/0.2010A	----	0.2115 - 0.0035	.4109	----	----	10	----	120 + 9
665	----	----	0.2390B/0.1850A	0.2390B/0.1850A	----	0.1955 - 0.0030	.3871	----	----	----	----	20 UNCH
670	0.2170	0.2170	0.2205B/0.1700A	0.2205B/0.1700A	----	0.1810 - 0.0020	.3644	----	----	17	----	406 + 5
675	----	----	0.2045B/0.1570A	0.2045B/0.1570A	----	0.1675 - 0.0015	.3427	----	----	2	----	1329 UNCH
680	0.1610	0.1610	0.1885B/0.1445A	0.1885B/0.1445A	----	0.1550 - 0.0005	.3219	----	----	9	----	127 + 4
685	----	----	0.1745B/0.1330A	0.1745B/0.1330A	----	0.1430 - 0.0005	.3019	----	----	----	----	4 UNCH
690	----	----	0.1610B/0.1225A	0.1610B/0.1225A	----	0.1325 + 0.0005	.2833	----	----	----	----	208 UNCH
695	----	----	0.1485B/0.1125A	0.1485B/0.1125A	----	0.1225 + 0.0010	.2654	----	----	----	----	9 UNCH
700	0.1320	0.1320	0.1385B/0.1035A	0.1385B/0.1035A	----	0.1135 + 0.0020	.2487	----	----	26	----	3471 - 5
705	----	----	0.1270B/0.0955A	0.1270B/0.0955A	----	0.1045 + 0.0020	.2323	----	----	1	----	8 UNCH
710	0.0985	0.0985	0.1170B/0.0875A	0.1170B/0.0875A	----	0.0965 + 0.0025	.2171	----	----	11	----	258 + 1
715	----	----	0.1080B/0.0805A	0.1080B/0.0805A	----	0.0890 + 0.0025	.2027	----	----	----	----	3 UNCH
720	----	----	0.0995B/0.0745A	0.0995B/0.0745A	----	0.0820 + 0.0025	.1890	----	----	4	----	14 + 4
725	----	----	0.0925B/0.0685A	0.0925B/0.0685A	----	0.0755 + 0.0020	.1761	----	----	1	----	1365 UNCH
730	----	----	0.0845B/0.0640A	0.0845B/0.0640A	----	0.0695 + 0.0020	.1640	----	----	----	----	4 UNCH
735	----	----	0.0780B/0.0585A	0.0780B/0.0585A	----	0.0640 + 0.0020	.1526	----	----	----	----	7 UNCH
740	----	----	0.0725B/0.0550A	0.0725B/0.0550A	----	0.0590 + 0.0015	.1421	----	----	----	----	556 UNCH
750	0.0615	0.0615	0.0620B/0.0470A	0.0620B/0.0470A	----	0.0505 + 0.0015	.1236	----	----	19	----	1553 UNCH
775	0.0430	0.0430	0.0430/0.0330A	0.0430/0.0330A	----	0.0350 + 0.0015	.0880	----	----	8	----	169 + 7
800	0.0280	0.0280	0.0310/0.0245	0.0310/0.0245	----	0.0250 + 0.0010	.0638	----	----	64	----	462 + 51
825	0.0190	0.0190	0.0220B/*0.0190	0.0220B/0.0190	----	0.0190 + 0.0010	.0484	----	----	23	----	25 + 19
850	0.0180	0.0180	0.0180/*0.0145A	0.0180/0.0145A	----	0.0145 + 0.0005	.0369	----	----	3	----	20 UNCH
875	0.0105	0.0105	0.0125B/0.0105	0.0125B/0.0105	----	0.0120 + 0.0005	.0299	----	----	1	----	33 + 1
900	----	----	0.0105B/----	0.0105B/0.0105A	----	0.0100 + 0.0005	.0245	----	----	----	----	135 UNCH
925	----	----	0.0085B/----	0.0085B/0.0100A	----	0.0085 + 0.0005	.0205	----	----	----	----	3 UNCH
950	----	----	----	0.0050B/0.0105A	----	0.0070 UNCH	.0167	----	----	----	----	63 UNCH
975	----	----	----	0.0035B/0.0070A	----	0.0060 UNCH	.0141	----	----	----	----	62 UNCH
TOTAL										226		11799 + 96
SEP26												
495	----	----	----	----	----	1.4475 - 0.0255	.9538	----	----	----	----	2 UNCH
500	----	----	----	----	----	1.4000 - 0.0245	.9487	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
SEP26												
510	----	----	----	----	----	1.3055 - 0.0235	.9374	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.0785 - 0.0200	.8963	----	----	----	----	1 UNCH
565	----	----	----	----	----	0.8285 - 0.0155	.8187	----	----	----	----	1 UNCH
575	----	----	----	----	----	0.7520 - 0.0140	.7857	----	----	----	----	100 UNCH
590	0.6740	0.6740	0.6810B/0.6320A	0.6810B/0.6320A	----	0.6460 - 0.0115	.7307	----	----	5	----	0 - 5
595	----	----	0.6800B/0.5990A	0.6800B/0.5990A	----	0.6130 - 0.0105	.7112	----	----	----	----	5 UNCH
600	----	----	0.6640B/0.5680A	0.6640B/0.5680A	----	0.5810 - 0.0100	.6912	----	----	----	----	221 UNCH
610	----	----	0.5960B/0.5090A	0.5960B/0.5090A	----	0.5205 - 0.0090	.6496	----	----	----	----	31 UNCH
615	----	----	0.5650B/0.4815A	0.5650B/0.4815A	----	0.4925 - 0.0085	.6286	----	----	----	----	9 UNCH
620	----	----	0.5360B/0.4555A	0.5360B/0.4555A	----	0.4655 - 0.0080	.6072	----	----	----	----	187 UNCH
625	----	----	0.5080B/0.4285A	0.5080B/0.4285A	----	0.4395 - 0.0080	.5858	----	----	----	----	631 UNCH
630	----	----	0.4790B/0.4045A	0.4790B/0.4045A	----	0.4150 - 0.0075	.5644	----	----	----	----	51 UNCH
635	----	----	0.4525B/0.3810A	0.4525B/0.3810A	----	0.3915 - 0.0075	.5431	----	----	4	----	82 + 4
640	----	----	0.4305B/0.3600A	0.4305B/0.3600A	----	0.3695 - 0.0070	.5220	----	----	----	----	1052 UNCH
645	----	----	0.4065B/0.3390A	0.4065B/0.3390A	----	0.3485 - 0.0070	.5013	----	----	----	----	200 UNCH
650	0.3285	0.3285	0.3840B/0.3195A	0.3840B/0.3195A	----	0.3285 - 0.0070	.4808	----	----	9	----	365 + 5
655	----	----	0.3620B/0.3015A	0.3620B/0.3015A	----	0.3100 - 0.0070	.4608	----	----	----	----	25 UNCH
660	0.3005	0.3005	0.3420B/0.2860A	0.3420B/0.2860A	----	0.2925 - 0.0065	.4414	----	----	1	----	105 + 1
665	----	----	0.3230B/0.2695A	0.3230B/0.2695A	----	0.2755 - 0.0065	.4223	----	----	----	----	29 UNCH
670	----	----	0.3055B/0.2540A	0.3055B/0.2540A	----	0.2595 - 0.0065	.4037	----	----	27	----	293 UNCH
675	----	----	0.2885B/0.2390A	0.2885B/0.2390A	----	0.2450 - 0.0060	.3859	----	----	----	----	505 UNCH
680	0.2735	0.2735	0.2735/0.2245A	0.2735/0.2245A	----	0.2305 - 0.0060	.3683	----	----	10	----	1411 + 2
685	----	----	0.2555B/0.2115A	0.2555B/0.2115A	----	0.2175 - 0.0055	.3517	----	----	1	----	55 - 1
690	----	----	0.2420B/0.2000A	0.2420B/0.2000A	----	0.2045 - 0.0055	.3352	----	----	550	----	989 + 532
695	0.2245	0.2245	0.2265B/0.1885A	0.2265B/0.1885A	----	0.1925 - 0.0050	.3195	----	----	11	----	57 + 10
700	0.2035	0.2035	0.2185/0.1765A	0.2185/0.1765A	----	0.1815 - 0.0040	.3045	----	----	12	----	12320 + 1
705	----	----	0.2025B/0.1665A	0.2025B/0.1665A	----	0.1710 - 0.0035	.2901	----	----	----	----	402 UNCH
710	----	----	0.1910B/0.1560A	0.1910B/0.1560A	----	0.1605 - 0.0030	.2757	----	----	550	----	491 - 274
715	----	----	0.1790B/0.1470A	0.1790B/0.1470A	----	0.1510 - 0.0025	.2623	----	----	----	----	96 UNCH
720	----	----	0.1685B/0.1385A	0.1685B/0.1385A	----	0.1425 - 0.0020	.2497	----	----	----	----	74 UNCH
725	----	----	0.1595B/0.1305A	0.1595B/0.1305A	----	0.1340 - 0.0015	.2373	----	----	----	----	231 UNCH
730	0.1500	0.1500	0.1500/0.1225A	0.1500/0.1225A	----	0.1260 - 0.0010	.2254	----	----	1	----	7 + 1
735	----	----	0.1410B/0.1160A	0.1410B/0.1160A	----	0.1190 - 0.0005	.2145	----	----	----	----	1 UNCH
740	----	----	0.1335B/0.1090A	0.1335B/0.1090A	----	0.1120 - 0.0005	.2038	----	----	1	----	1213 + 1
750	0.0970	0.0970	0.1180B/0.0965A	0.1180B/0.0965A	----	0.0995 UNCH	.1840	----	----	6	----	240 + 1
760	----	----	0.1045B/0.0865A	0.1045B/0.0865A	----	0.0885 + 0.0005	.1661	----	----	----	----	168 UNCH
775	0.0690	0.0690	0.0880B/0.0690	0.0880B/0.0690	----	0.0745 + 0.0010	.1425	----	----	5	----	9192 UNCH
790	----	----	0.0730B/0.0615A	0.0730B/0.0615A	----	0.0630 + 0.0010	.1226	----	----	----	----	76 UNCH
800	----	----	0.0650B/----	0.0650B/0.0560A	----	0.0560 + 0.0005	.1103	----	----	500	----	1438 + 328
810	----	----	0.0580B/----	0.0580B/0.0505A	----	0.0500 + 0.0010	.0996	----	----	----	----	1 UNCH
825	----	----	0.0505B/----	0.0505B/0.0435A	----	0.0425 + 0.0010	.0857	----	----	----	----	131 UNCH
850	----	----	0.0380B/----	0.0380B/0.0355A	----	0.0325 + 0.0005	.0668	----	----	----	----	2 UNCH
875	----	----	0.0270B/----	0.0270B/0.0290A	----	0.0255 + 0.0005	.0530	----	----	----	----	3 UNCH
900	----	----	0.0210B/----	0.0210B/0.0245A	----	0.0205 + 0.0005	.0428	----	----	500	----	579 + 498
925	----	----	0.0165B/----	0.0165B/0.0205A	----	0.0165 + 0.0005	.0347	----	----	----	----	1 UNCH
950	----	----	0.0135B/----	0.0135B/0.0180A	----	0.0135 + 0.0005	.0284	----	----	----	----	1 UNCH
975	----	----	----	0.0110B/0.0155A	----	0.0115 + 0.0005	.0240	----	----	----	----	17 UNCH
TOTAL										2193		33098 + 1104
OCT26												
500	----	----	----	----	----	1.4975 - 0.0240	.9370	----	----	----	----	2 UNCH
575	----	----	----	----	----	0.8640 - 0.0145	.7837	----	----	----	----	2 UNCH
600	----	----	0.7755B/0.6835A	0.7755B/0.6835A	----	0.6945 - 0.0115	.7028	----	----	----	----	40 UNCH
605	----	----	0.7420B/0.6530A	0.7420B/0.6530A	----	0.6635 - 0.0110	.6855	----	----	----	----	2 UNCH
615	----	----	0.6785B/0.5955A	0.6785B/0.5955A	----	0.6050 - 0.0100	.6500	----	----	----	----	5 UNCH
620	----	----	0.6475B/0.5685A	0.6475B/0.5685A	----	0.5775 - 0.0095	.6320	----	----	----	----	1 UNCH
625	----	----	0.6185B/0.5425A	0.6185B/0.5425A	----	0.5510 - 0.0085	.6140	----	----	----	----	5 UNCH
640	----	----	0.5370B/0.4700A	0.5370B/0.4700A	----	0.4770 - 0.0075	.5598	----	----	----	----	1 UNCH
650	----	----	0.4915B/0.4265A	0.4915B/0.4265A	----	0.4325 - 0.0070	.5241	----	----	----	----	106 UNCH
655	----	----	0.4690B/0.4060A	0.4690B/0.4060A	----	0.4115 - 0.0065	.5065	----	----	----	----	1 UNCH
660	----	----	0.4465B/0.3860A	0.4465B/0.3860A	----	0.3915 - 0.0065	.4892	----	----	----	----	1 UNCH
665	----	----	0.4255B/0.3680A	0.4255B/0.3680A	----	0.3725 - 0.0060	.4721	----	----	----	----	1 UNCH
670	----	----	0.4050B/0.3495A	0.4050B/0.3495A	----	0.3540 - 0.0060	.4553	----	----	----	----	1 UNCH
675	0.3810	0.3810	0.3855B/0.3330A	0.3855B/0.3330A	----	0.3365 - 0.0055	.4389	----	----	5	----	77 UNCH
690	0.2855	0.2855	0.3315B/0.2855	0.3315B/0.2855	----	0.2895 - 0.0045	.3920	----	----	1	----	2 + 1
700	----	----	0.3000B/0.2580A	0.3000B/0.2580A	----	0.2615 - 0.0040	.3626	----	----	----	----	151 UNCH
710	----	----	0.2705B/0.2350A	0.2705B/0.2350A	----	0.2365 NEW	.3350	----	----	----	150	150 + 150
720	----	----	0.2435B/0.2125A	0.2435B/0.2125A	----	0.2135 - 0.0035	.3089	----	----	----	----	6 UNCH
725	----	----	0.2315B/0.2015A	0.2315B/0.2015A	----	0.2030 - 0.0030	.2965	----	----	----	----	26 UNCH
730	----	----	0.2200B/0.1915A	0.2200B/0.1915A	----	0.1930 - 0.0030	.2846	----	----	----	----	3 UNCH
740	----	----	0.1990B/0.1740A	0.1990B/0.1740A	----	0.1745 - 0.0025	.2620	----	----	----	----	10 UNCH
750	----	----	0.1800B/0.1565A	0.1800B/0.1565A	----	0.1580 - 0.0020	.2411	----	----	----	----	63 UNCH
775	----	----	0.1395B/0.1225A	0.1395B/0.1225A	----	0.1235 - 0.0005	.1955	----	----	----	----	84 UNCH
800	----	----	0.1090B/----	0.1090B/0.0965A	----	0.0965 + 0.0005	.1579	----	----	----	----	327 UNCH
825	----	----	0.0850B/----	0.0850B/0.0775A	----	0.0755 + 0.0010	.1273	----	----	----	----	1 UNCH
850	----	----	0.0670B/----	0.0670B/0.0630A	----	0.0595 + 0.0010	.1028	----	----	----	----	30 UNCH
875	----	----	0.0530B/----	0.0530B/0.0520A	----	0.0475 + 0.0010	.0837	----	----	----	----	3 UNCH
900	----	----	0.0425B/----	0.0425B/0.0440A	----	0.0385 + 0.0010	.0687	----	----	----	----	3 UNCH
975	----	----	0.0230B/----	0.0230B/0.0280A	----	0.0220 + 0.0005	.0401	----	----	----	----	8 UNCH
TOTAL									150	6		1112 + 151
NOV26												
535	----	----	----	----	----	1.2090 - 0.0175	.8605	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.1285 - 0.0160	.8388	----	----	----	----	1 UNCH
580	----	----	----/0.8585A	0.8835B/0.8585A	----	0.8720 - 0.0115	.7480	----	----	----	----	2 UNCH
585	----	----	0.8870B/0.8255A	0.8870B/0.8255A	----	0.8385 - 0.0110	.7336	----	----	----	----	1 UNCH
595	----	----	0.8535B/0.7625A	0.8535B/0.7625A	----	0.7750 - 0.0100	.7035	----	----	----	----	2 UNCH
600	----	----	0.8205B/0.7325A	0.8205B/0.7325A	----	0.7445 - 0.0100	.6882	----	----	----	----	2 UNCH
610	----	----	0.7580B/0.6755A	0.7580B/0.6755A	----	0.6865 - 0.0090	.6568	----	----	----	----	14 UNCH
640	----	----	0.5920B/0.5260A	0.5920B/0.5260A	----	0.5345 - 0.0070	.5612	----	----	----	----	1 UNCH
650	----	----	0.5480B/0.4835A	0.5480B/0.4835A	----	0.4905 - 0.0065	.5297	----	----	----	----	1 UNCH
655	----	----	0.5250B/0.4630A	0.5250B/0.4630A	----	0.4700 - 0.0060	.5142	----	----	----	----	2 UNCH
660	----	----	0.5030B/0.4435A	0.5030B/0.4435A	----	0.4500 - 0.0055	.4989	----	----	----	----	20 UNCH
670	----	----	0.4610B/0.4070A	0.4610B/0.4070A	----	0.4120 - 0.0055	.4689	----	----	----	----	14 UNCH
675	----	----	0.4415B/0.3900A	0.4415B/0.3900A	----	0.3945 - 0.0050	.4543	----	----	----	----	58 UNCH
680	----	----	0.4230B/0.3735A	0.4230B/0.3735A	----	0.3775 - 0.0045	.4400	----	----	----	----	4 UNCH
695	----	----	0.3695B/0.3275A	0.3695B/0.3275A	----	0.3305 - 0.0035	.3986	----	----	----	----	1 UNCH
700	----	----	0.3535B/0.3135A	0.3535B/0.3135A	----	0.3160 - 0.0035	.3853	----	----	----	----	27 UNCH
705	----	----	0.3380B/0.3000A	0.3380B/0.3000A	----	0.3025 - 0.0030	.3725	----	----	----	----	1 UNCH
725	----	----	0.2820B/0.2520A	0.2820B/0.2520A	----	0.2530 - 0.0020	.3242	----	----	----	----	48 UNCH
740	----	----	0.2470B/0.2210A	0.2470B/0.2210A	----	0.2215 - 0.0015	.2914	----	----	----	----	20 UNCH
750	----	----	0.2255B/0.2030A	0.2255B/0.2030A	----	0.2025 - 0.0015	.2710	----	----	----	----	26 UNCH
800	----	----	0.1450B/----	0.1450B/0.1330A	----	0.1305 + 0.0005	.1876	----	----	----	----	1 UNCH
850	----	----	0.0950B/----	0.0950B/0.0910A	----	0.0850 + 0.0015	.1292	----	----	----	----	2 UNCH
900	----	----	0.0635B/----	0.0635B/0.0655A	----	0.0570 + 0.0010	.0901	----	----	----	----	1 UNCH
975	----	----	0.0360B/----	0.0360B/0.0435A	----	0.0335 + 0.0010	.0548	----	----	----	----	4 UNCH
TOTAL												254
DEC26												
525	----	----	----	----	----	1.3100 - 0.0170	.8654	----	----	----	----	123 UNCH
535	----	----	----	----	----	1.2295 - 0.0155	.8457	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.1135 - 0.0140	.8127	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.0770 - 0.0130	.8008	----	----	----	----	1 UNCH
565	----	----	----	----	----	1.0055 - 0.0120	.7760	----	----	----	----	45 UNCH
575	----	----	----/0.9270A	0.9450B/0.9270A	----	0.9370 - 0.0110	.7497	----	----	----	----	123 UNCH
585	----	----	0.9495B/0.8625A	0.9495B/0.8625A	----	0.8725 - 0.0100	.7224	----	----	----	----	1 UNCH
590	----	----	0.9170B/0.8315A	0.9170B/0.8315A	----	0.8415 - 0.0095	.7084	----	----	----	----	200 UNCH
595	----	----	0.8840B/0.8015A	0.8840B/0.8015A	----	0.8110 - 0.0095	.6942	----	----	----	----	163 UNCH
600	----	----	0.8525B/0.7725A	0.8525B/0.7725A	----	0.7815 - 0.0090	.6798	----	----	----	----	618 UNCH
610	----	----	0.7920B/0.7170A	0.7920B/0.7170A	----	0.7255 - 0.0080	.6508	----	----	----	----	200 UNCH
620	----	----	0.7345B/0.6650A	0.7345B/0.6650A	----	0.6725 - 0.0075	.6214	----	----	----	----	366 UNCH
625	----	----	0.7070B/0.6400A	0.7070B/0.6400A	----	0.6470 - 0.0075	.6067	----	----	----	----	38 UNCH
630	----	----	0.6805B/0.6160A	0.6805B/0.6160A	----	0.6225 - 0.0070	.5919	----	----	----	----	310 UNCH
635	----	----	0.6550B/0.5930A	0.6550B/0.5930A	----	0.5990 - 0.0070	.5773	----	----	----	----	1 UNCH
640	----	----	0.6305B/0.5705A	0.6305B/0.5705A	----	0.5760 - 0.0065	.5626	----	----	----	----	29 UNCH
650	----	----	0.5870B/0.5280A	0.5870B/0.5280A	----	0.5325 - 0.0060	.5336	----	----	----	----	373 UNCH
655	----	----	0.5640B/0.5075A	0.5640B/0.5075A	----	0.5120 - 0.0055	.5193	----	----	----	----	10 UNCH
660	----	----	0.5425B/0.4885A	0.5425B/0.4885A	----	0.4915 - 0.0060	.5051	----	----	----	----	300 UNCH
670	----	----	0.5005B/0.4515A	0.5005B/0.4515A	----	0.4540 - 0.0050	.4775	----	----	----	----	4 UNCH
675	----	----	0.4810B/0.4340A	0.4810B/0.4340A	----	0.4360 - 0.0050	.4639	----	----	----	----	17 UNCH
680	----	----	0.4625B/0.4175A	0.4625B/0.4175A	----	0.4185 - 0.0050	.4505	----	----	----	----	663 UNCH
690	----	----	0.4255B/0.3855A	0.4255B/0.3855A	----	0.3860 - 0.0045	.4246	----	----	----	----	1 UNCH
700	----	----	0.3925B/0.3565A	0.3925B/0.3565A	----	0.3560 - 0.0035	.3996	----	----	----	----	1783 UNCH
705	----	----	0.3760B/0.3425A	0.3760B/0.3425A	----	0.3420 - 0.0030	.3876	----	----	----	----	2 UNCH
710	----	----	0.3610B/0.3295A	0.3610B/0.3295A	----	0.3285 - 0.0025	.3758	----	----	----	----	50 UNCH
725	----	----	0.3185B/----	0.3185B/0.2930A	----	0.2910 - 0.0015	.3420	----	----	----	----	124 UNCH
730	----	----	0.3060B/----	0.3060B/0.2815A	----	0.2795 - 0.0010	.3313	----	----	----	----	4 UNCH
750	----	----	0.2600B/----	0.2600B/0.2410A	----	0.2385 + 0.0005	.2916	----	----	----	----	381 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 60

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
775	----	----	0.2120B/----	0.2120B/0.1990A	----	0.1955 + 0.0005	.2477	----	----	----	----	211 UNCH
800	----	----	0.1735B/----	0.1735B/0.1655A	----	0.1610 + 0.0010	.2103	----	----	----	----	154 UNCH
825	----	----	0.1425B/----	0.1425B/0.1385A	----	0.1330 + 0.0005	.1784	----	----	----	----	64 UNCH
850	----	----	0.1180B/----	0.1180B/0.1175A	----	0.1125 + 0.0005	.1533	----	----	----	----	239 UNCH
900	----	----	----	0.0815B/0.0870A	----	0.0845 + 0.0005	.1167	----	----	----	----	645 UNCH
925	----	----	----	0.0680B/0.0760A	----	0.0720 + 0.0010	.1008	----	----	----	----	6 UNCH
950	----	----	----	0.0575B/0.0670A	----	0.0620 + 0.0010	.0876	----	----	----	----	114 UNCH
975	----	----	----	0.0485B/0.0595A	----	0.0535 + 0.0010	.0763	----	----	----	----	14 UNCH
1000	----	----	----	0.0410B/0.0535A	----	0.0465 + 0.0010	.0668	----	----	----	----	7 UNCH
TOTAL												7387
JAN27												
500	----	----	----	----	----	1.6180 - 0.0220	.9025	----	----	----	----	1 UNCH
900	----	----	0.1145B/----	0.1145B/0.1235A	----	0.1130 + 0.0015	.1419	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	0.8690B/0.8150A	0.8690B/0.8150A	----	0.8135 - 0.0060	.6377	----	----	----	----	1 UNCH
750	----	----	0.3720B/----	0.3720B/0.3605A	----	0.3500 - 0.0010	.3491	----	----	----	----	117 UNCH
850	----	----	0.1925B/----	0.1925B/0.1980A	----	0.1875 + 0.0020	.2084	----	----	----	----	60 UNCH
TOTAL												178
MAR27												
680	----	----	0.6270B/----	0.6270B/0.5990A	----	0.5915 + 0.0020	.4984	----	----	----	----	30 UNCH
700	0.5380	0.5380	0.5780B/0.5380	0.5780B/0.5325A	----	0.5240 + 0.0030	.4564	----	----	31	----	72 + 31
950	----	----	----	0.1215B/0.1400A	----	0.1315 + 0.0060	.1444	----	----	----	----	3 UNCH
TOTAL										31		105 + 31
HX PUT		COMEX COPPER OPTIONS										
JUL26												
330	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	84 UNCH
350	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	5 UNCH
360	----	----	----	----/0.0030A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
380	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
390	----	----	----	----/0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	6 UNCH
395	----	----	----	----/0.0030A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
400	----	----	----	----/0.0010A	----	0.0005 UNCH	.0001	----	----	80	----	566 UNCH
405	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
415	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0004	----	----	----	----	52 UNCH
420	----	----	----	----/*0.0010A	----	0.0005 UNCH	.0006	----	----	----	----	4 UNCH
425	----	----	----	----/0.0020A	----	0.0005 UNCH	.0008	----	----	----	----	51 UNCH
430	----	----	----	----/0.0020A	----	0.0005 UNCH	.0011	----	----	----	----	10 UNCH
435	----	----	----	----/0.0025A	----	0.0005 UNCH	.0015	----	----	----	----	5 UNCH
440	----	----	----	----/0.0025A	----	0.0010 UNCH	.0028	----	----	----	----	4 UNCH
445	----	----	----	----/0.0025A	----	0.0010 UNCH	.0029	----	----	----	----	3 UNCH
450	0.0005	0.0005	0.0010B/*0.0005	0.0010B/*0.0005	----	0.0015 UNCH	.0042	----	----	1	----	1906 UNCH
455	----	----	----	----/0.0020A	----	0.0015 UNCH	.0043	----	----	----	----	14 UNCH
460	----	----	----	----/0.0020A	----	0.0015 UNCH	.0044	----	----	----	----	6 UNCH
465	----	----	----	----/0.0035A	----	0.0015 UNCH	.0046	----	----	----	----	1 UNCH
470	----	----	----	----/0.0035A	----	0.0020 UNCH	.0060	----	----	----	----	3 UNCH
475	----	----	----	----/0.0035A	----	0.0020 UNCH	.0062	----	----	----	----	512 UNCH
480	----	----	----	----/0.0040A	----	0.0020 UNCH	.0064	----	----	----	----	78 UNCH
485	----	----	----	----/0.0045A	----	0.0020 UNCH	.0067	----	----	----	----	2 UNCH
490	----	----	----	----/0.0045A	----	0.0025 UNCH	.0083	----	----	----	----	542 UNCH
495	----	----	----	----/0.0045A	----	0.0025 UNCH	.0086	----	----	----	----	104 UNCH
500	----	----	----	----/0.0045A	----	0.0025 UNCH	.0089	----	----	80	----	3218 - 80
505	----	----	----	----/0.0050A	----	0.0030 + 0.0005	.0107	----	----	----	----	3 UNCH
510	0.0050	0.0050	0.0050/0.0050	0.0050/0.0050	----	0.0030 UNCH	.0112	----	----	1	----	214 + 1
515	----	----	----	0.0005B/0.0050A	----	0.0035 + 0.0005	.0131	----	----	----	----	6 UNCH
520	----	----	----	0.0010B/0.0055A	----	0.0035 UNCH	.0137	----	----	----	----	371 UNCH
525	----	----	----/0.0035A	0.0040B/0.0035A	----	0.0040 UNCH	.0159	----	----	----	----	651 UNCH
530	----	----	0.0045B/0.0035A	0.0045B/0.0035A	----	0.0045 + 0.0005	.0182	----	----	----	----	3198 UNCH
533	----	----	0.0050B/0.0040A	0.0050B/0.0040A	----	0.0050 + 0.0005	.0203	----	----	----	----	1 UNCH
534	----	----	0.0055B/0.0040A	0.0055B/0.0040A	----	0.0050 + 0.0005	.0204	----	----	----	----	2 UNCH
535	----	----	0.0055B/0.0040A	0.0055B/0.0040A	----	0.0050 + 0.0005	.0206	----	----	----	----	4 UNCH
536	----	----	0.0055B/0.0040A	0.0055B/0.0040A	----	0.0055 + 0.0005	.0224	----	----	----	----	5 UNCH
538	----	----	0.0060B/0.0045A	0.0060B/0.0045A	----	0.0055 + 0.0005	.0228	----	----	----	----	3 UNCH
539	0.0060	0.0060	0.0060/0.0045A	0.0060/0.0045A	----	0.0055 + 0.0005	.0230	----	----	1	----	3 + 1
540	----	----	0.0060B/0.0045A	0.0060B/0.0045A	----	0.0060 + 0.0005	.0248	----	----	----	----	908 UNCH
541	----	----	0.0060B/0.0045A	0.0060B/0.0045A	----	0.0060 + 0.0005	.0251	----	----	----	----	2 UNCH
542	----	----	0.0065B/0.0045A	0.0065B/0.0045A	----	0.0060 + 0.0005	.0253	----	----	----	----	2 UNCH
543	----	----	0.0065B/0.0045A	0.0065B/0.0045A	----	0.0065 + 0.0010	.0272	----	----	----	----	4 UNCH
544	----	----	0.0065B/0.0050A	0.0065B/0.0050A	----	0.0065 + 0.0005	.0274	----	----	----	----	5 UNCH
545	----	----	0.0065B/0.0050A	0.0065B/0.0050A	----	0.0065 + 0.0005	.0277	----	----	----	----	5 UNCH
546	----	----	0.0070B/0.0050A	0.0070B/0.0050A	----	0.0070 + 0.0010	.0296	----	----	----	----	3 UNCH
547	----	----	0.0070B/0.0055A	0.0070B/0.0055A	----	0.0070 + 0.0005	.0299	----	----	----	----	9 UNCH
548	----	----	0.0070B/0.0050A	0.0070B/0.0050A	----	0.0070 + 0.0005	.0301	----	----	----	----	17 UNCH
549	----	----	0.0075B/0.0050A	0.0075B/0.0050A	----	0.0075 + 0.0010	.0321	----	----	----	----	1 UNCH
550	0.0080	0.0080	0.0080/0.0055A	0.0080/0.0055A	----	0.0075 + 0.0005	.0324	----	----	5	----	1046 - 2
551	----	----	0.0075B/0.0055A	0.0075B/0.0055A	----	0.0080 + 0.0010	.0343	----	----	----	----	2 UNCH
552	----	----	0.0080B/0.0055A	0.0080B/0.0055A	----	0.0080 + 0.0010	.0347	----	----	----	----	5 UNCH
553	----	----	0.0080B/0.0055A	0.0080B/0.0055A	----	0.0085 + 0.0010	.0366	----	----	----	----	2 UNCH
554	----	----	0.0085B/0.0055A	0.0085B/0.0055A	----	0.0085 + 0.0010	.0370	----	----	----	----	50 UNCH
555	----	----	0.0085B/0.0055A	0.0085B/0.0055A	----	0.0090 + 0.0010	.0390	----	----	----	----	95 UNCH
556	----	----	0.0090B/0.0055A	0.0090B/0.0055A	----	0.0090 + 0.0010	.0394	----	----	----	----	59 UNCH
557	----	----	0.0090B/0.0060A	0.0090B/0.0060A	----	0.0095 + 0.0010	.0414	----	----	----	----	1 UNCH
558	----	----	0.0095B/0.0060A	0.0095B/0.0060A	----	0.0095 + 0.0010	.0418	----	----	----	----	104 UNCH
559	----	----	0.0095B/0.0060A	0.0095B/0.0060A	----	0.0100 + 0.0010	.0439	----	----	----	----	18 UNCH
560	----	----	0.0100B/0.0060A	0.0100B/0.0060A	----	0.0105 + 0.0015	.0459	----	----	----	----	313 UNCH
561	----	----	0.0105B/0.0065A	0.0105B/0.0065A	----	0.0105 + 0.0010	.0464	----	----	----	----	7 UNCH
562	----	----	0.0105B/0.0065A	0.0105B/0.0065A	----	0.0110 + 0.0010	.0485	----	----	----	----	2 UNCH
563	----	----	0.0110B/0.0065A	0.0110B/0.0065A	----	0.0115 + 0.0015	.0506	----	----	----	----	17 UNCH
564	----	----	0.0115B/0.0070A	0.0115B/0.0070A	----	0.0120 + 0.0015	.0527	----	----	----	----	13 UNCH
565	----	----	0.0120B/0.0070A	0.0120B/0.0070A	----	0.0120 + 0.0015	.0533	----	----	----	----	10 UNCH
566	----	----	0.0125B/0.0070A	0.0125B/0.0070A	----	0.0125 + 0.0015	.0555	----	----	----	----	14 UNCH
567	----	----	0.0125B/0.0075A	0.0125B/0.0075A	----	0.0130 + 0.0015	.0577	----	----	----	----	14 UNCH
568	----	----	0.0130B/0.0075A	0.0130B/0.0075A	----	0.0135 + 0.0015	.0599	----	----	----	----	7 UNCH
569	----	----	0.0135B/0.0080A	0.0135B/0.0080A	----	0.0140 + 0.0020	.0621	----	----	----	----	11 UNCH
570	----	----	0.0140B/0.0080A	0.0140B/0.0080A	----	0.0145 + 0.0020	.0644	----	----	----	----	308 UNCH
571	----	----	0.0145B/0.0085A	0.0145B/0.0085A	----	0.0155 + 0.0025	.0681	----	----	----	----	27 UNCH
572	0.0155	0.0155	0.0155/0.0085A	0.0155/0.0085A	----	0.0160 + 0.0025	.0704	----	----	3	----	5 UNCH
573	0.0140	0.0140	0.0160B/0.0090A	0.0160B/0.0090A	----	0.0165 + 0.0025	.0727	----	----	1	----	22 + 1
574	----	----	0.0165B/0.0090A	0.0165B/0.0090A	----	0.0170 + 0.0025	.0751	----	----	----	----	16 UNCH
575	----	----	0.0170B/0.0095A	0.0170B/0.0095A	----	0.0180 + 0.0030	.0789	----	----	1	----	270 UNCH
576	----	----	0.0180B/0.0095A	0.0180B/0.0095A	----	0.0185 + 0.0030	.0813	----	----	----	----	24 UNCH
577	----	----	0.0185B/0.0100A	0.0185B/0.0100A	----	0.0195 + 0.0035	.0852	----	----	----	----	6 UNCH
578	----	----	0.0195B/0.0105A	0.0195B/0.0105A	----	0.0200 + 0.0035	.0877	----	----	----	----	40 UNCH
579	----	----	0.0205B/0.0105A	0.0205B/0.0105A	----	0.0210 + 0.0040	.0915	----	----	----	----	28 UNCH
580	0.0220	0.0220	0.0220/0.0110A	0.0220/0.0110A	----	0.0215 + 0.0040	.0941	----	----	1	----	1920 - 1
581	----	----	0.0220B/0.0115A	0.0220B/0.0115A	----	0.0225 + 0.0040	.0981	----	----	----	----	25 UNCH
582	----	----	0.0230B/0.0115A	0.0230B/0.0115A	----	0.0235 + 0.0045	.1020	----	----	----	----	50 UNCH
583	----	----	0.0235B/0.0120A	0.0235B/0.0120A	----	0.0245 + 0.0050	.1061	----	----	----	----	55 UNCH
584	----	----	0.0245B/0.0125A	0.0245B/0.0125A	----	0.0255 + 0.0050	.1101	----	----	----	----	9 UNCH
585	0.0275	0.0275	0.0280B/0.0130A	0.0280B/0.0130A	----	0.0265 + 0.0055	.1142	----	----	2	----	865 - 2
586	----	----	0.0270B/0.0135A	0.0270B/0.0135A	----	0.0275 + 0.0055	.1183	----	----	----	----	42 UNCH
587	----	----	0.0280B/0.0140A	0.0280B/0.0140A	----	0.0285 + 0.0060	.1224	----	----	----	----	18 UNCH
588	----	----	0.0285B/0.0145A	0.0285B/0.0145A	----	0.0295 + 0.0060	.1266	----	----	----	----	39 UNCH
589	----	----	0.0300B/0.0150A	0.0300B/0.0150A	----	0.0310 + 0.0065	.1321	----	----	----	----	45 UNCH
590	----	----	0.0315B/0.0155A	0.0315B/0.0155A	----	0.0320 + 0.0065	.1364	----	----	----	----	956 UNCH
591	----	----	0.0325B/0.0160A	0.0325B/0.0160A	----	0.0335 + 0.0070	.1419	----	----	----	----	25 UNCH
592	----	----	0.0340B/0.0165A	0.0340B/0.0165A	----	0.0345 + 0.0070	.1463	----	----	----	----	13 UNCH
593	----	----	0.0355B/0.0170A	0.0355B/0.0170A	----	0.0360 + 0.0075	.1519	----	----	----	----	74 UNCH
594	----	----	0.0370B/0.0175A	0.0370B/0.0175A	----	0.0375 + 0.0080	.1575	----	----	----	----	22 UNCH
595	0.0190	0.0190	0.0405B/0.0180A	0.0405B/0.0180A	----	0.0390 + 0.0085	.1632	----	----	15	----	280 UNCH
596	----	----	0.0405B/0.0190A	0.0405B/0.0190A	----	0.0405 + 0.0085	.1689	----	----	----	----	12 UNCH
597	----	----	0.0420B/0.0195A	0.0420B/0.0195A	----	0.0425 + 0.0095	.1757	----	----	----	----	52 UNCH
598	0.0325	0.0325	0.0440B/0.0205A	0.0440B/0.0205A	----	0.0440 + 0.0095	.1815	----	----	1	----	42 + 1
599	----	----	0.0455B/0.0210A	0.0455B/0.0210A	----	0.0460 + 0.0100	.1883	----	----	----	----	87 UNCH
600	0.0370	0.0370	0.0495/0.0220	0.0495/0.0220	----	0.0480 + 0.0105	.1952	----	----	496	----	1607 + 150
601	----	----	0.0500B/0.0230A	0.0500B/0.0230A	----	0.0500 + 0.0110	.2021	----	----	----	----	41 UNCH
602	----	----	0.0515B/0.0235A	0.0515B/0.0235A	----	0.0520 + 0.0115	.2090	----	----	----	----	26 UNCH
603	0.0335	0.0335	0.0540B/0.0245A	0.0540B/0.0245A	----	0.0540 + 0.0115	.2160	----	----	4	----	37 - 2
605	----	----	0.0595B/0.0270A	0.0595B/0.0270A	----	0.0585 + 0.0125	.2310	----	----	2	----	245 + 1
610	0.0540	0.0540	0.0735B/0.0320	0.0735B/0.0320	----	0.0710 + 0.0145	.2711	----	----	79	200	807 + 196
615	0.0670	0.0670	0.0890B/0.0410A	0.0890B/0.0410A	----	0.0865 + 0.0170	.3159	----	----	11	----	221 - 11
620	0.0810	0.0810	0.1090B/0.0510A	0.1090B/0.0510A	----	0.1040 + 0.0190	.3635	----	----	96	----	501 + 65
625	0.0845	0.0845	0.1305B/0.0630A	0.1305B/0.0630A	----	0.1245 + 0.0205	.4136	----	----	43	----	781 + 3
630	0.1405	0.1405	0.1550B/0.0785A	0.1550B/0.0785A	----	0.1475 + 0.0215	.4650	----	----	81	----	364 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
635	0.1695	0.1695	0.1815B/0.0970A	0.1815B/0.0970A	----	0.1735 + 0.0230	.5166	----	----	21	----	389 + 7
640	0.1520	0.1520	0.2130/0.1185A	0.2130/0.1185A	----	0.2025 + 0.0245	.5671	----	----	36	----	294 + 2
645	0.2015	0.2015	0.2430B/0.1440A	0.2430B/0.1440A	----	0.2335 + 0.0255	.6155	----	----	1	----	189 + 1
650	----	----	0.2795B/0.1730A	0.2795B/0.1730A	----	0.2675 + 0.0265	.6611	----	----	----	----	329 UNCH
655	----	----	0.3170B/0.2030A	0.3170B/0.2030A	----	0.3035 + 0.0275	.7035	----	----	----	----	178 UNCH
660	----	----	0.3525B/0.2360A	0.3525B/0.2360A	----	0.3420 + 0.0290	.7414	----	----	8	----	127 - 2
665	0.2935	0.2935	0.3835B/0.2730A	0.3835B/0.2730A	----	0.3820 + 0.0295	.7758	----	----	2	----	27 UNCH
670	----	----	0.4255B/0.3105A	0.4255B/0.3105A	----	0.4240 + 0.0300	.8053	----	----	20	----	63 - 3
675	----	----	0.4695B/0.3510A	0.4695B/0.3510A	----	0.4670 + 0.0305	.8317	----	----	----	----	26 UNCH
690	----	----	0.6060B/0.4955A	0.6060B/0.4955A	----	0.6035 + 0.0310	.8878	----	----	----	----	1 UNCH
700	----	----	0.7095B/0.5865A	0.7095B/0.5865A	----	0.6980 + 0.0305	.9123	----	----	----	----	1 UNCH
705	----	----	0.7335B/0.6325A	0.7335B/0.6325A	----	0.7460 + 0.0305	.9215	----	----	----	----	1 UNCH
TOTAL									200	1092		26020 + 336
AUG26												
330	----	----	----	----/0.0035A	----	0.0005 UNCH	.0003	----	----	----	----	3 UNCH
405	----	----	----	----/0.0050A	----	0.0020 UNCH	.0047	----	----	----	----	3 UNCH
420	----	----	----	----/0.0055A	----	0.0025 UNCH	.0061	----	----	----	----	1 UNCH
440	----	----	0.0045B/----	0.0045B/0.0065A	----	0.0040 UNCH	.0098	----	----	----	----	5 UNCH
450	----	----	----	0.0045B/0.0070A	----	0.0050 UNCH	.0123	----	----	----	----	11 UNCH
460	----	----	----	0.0025B/0.0075A	----	0.0055 UNCH	.0140	----	----	----	----	3 UNCH
465	----	----	----	0.0030B/0.0075A	----	0.0060 UNCH	.0154	----	----	----	----	1 UNCH
470	----	----	----	0.0035B/0.0080A	----	0.0065 UNCH	.0168	----	----	----	----	3 UNCH
475	----	----	----	0.0040B/0.0085A	----	0.0070 UNCH	.0183	----	----	----	----	15 UNCH
480	----	----	----	0.0045B/0.0090A	----	0.0080 UNCH	.0209	----	----	----	----	8 UNCH
485	----	----	----	0.0050B/0.0095A	----	0.0085 UNCH	.0225	----	----	----	----	1 UNCH
490	----	----	----	0.0065B/0.0100A	----	0.0095 + 0.0005	.0251	----	----	1	----	2 + 1
500	0.0100	0.0100	0.0100/0.0100	0.0100/0.0100	----	0.0110 + 0.0005	.0298	----	----	1	----	21 UNCH
505	0.0115	0.0115	0.0115/0.0115	0.0115/0.0115	----	0.0125 + 0.0010	.0337	----	----	1	----	2 UNCH
510	----	----	0.0125B/0.0110A	0.0125B/0.0110A	----	0.0135 + 0.0015	.0368	----	----	2	----	12 + 2
520	----	----	0.0155B/0.0130A	0.0155B/0.0130A	----	0.0170 + 0.0020	.0462	----	----	----	----	309 UNCH
525	0.0125	0.0125	0.0180B/0.0125	0.0180B/0.0125	----	0.0190 + 0.0025	.0516	----	----	1	----	17 + 1
530	----	----	0.0205B/0.0145A	0.0205B/0.0145A	----	0.0215 + 0.0030	.0581	----	----	1	----	45 UNCH
535	----	----	0.0235B/0.0160A	0.0235B/0.0160A	----	0.0240 + 0.0035	.0648	----	----	----	----	12 UNCH
540	----	----	0.0270B/0.0180A	0.0270B/0.0180A	----	0.0275 + 0.0040	.0734	----	----	1	----	22 + 1
545	----	----	0.0310B/0.0205A	0.0310B/0.0205A	----	0.0310 + 0.0045	.0822	----	----	2	----	6 UNCH
550	----	----	0.0355B/0.0230A	0.0355B/0.0230A	----	0.0355 + 0.0055	.0928	----	----	9	----	272 + 5
555	----	----	0.0405B/0.0260A	0.0405B/0.0260A	----	0.0405 + 0.0060	.1045	----	----	----	----	11 UNCH
560	----	----	0.0465B/0.0295A	0.0465B/0.0295A	----	0.0465 + 0.0075	.1178	----	----	3	----	146 + 1
565	----	----	0.0530B/0.0340A	0.0530B/0.0340A	----	0.0535 + 0.0085	.1327	----	----	----	----	8 UNCH
570	----	----	0.0610B/0.0390A	0.0610B/0.0390A	----	0.0610 + 0.0095	.1484	----	----	----	----	163 UNCH
575	0.0460	0.0460	0.0700B/0.0450A	0.0700B/0.0450A	----	0.0695 + 0.0105	.1656	----	----	6	----	162 + 5
580	0.0535	0.0535	0.0815B/0.0515A	0.0815B/0.0515A	----	0.0795 + 0.0120	.1847	----	----	1	----	1353 + 1
585	----	----	0.0915B/0.0595A	0.0915B/0.0595A	----	0.0905 + 0.0135	.2050	----	----	1	----	108 UNCH
590	----	----	0.1045B/0.0675A	0.1045B/0.0675A	----	0.1030 + 0.0145	.2267	----	----	4	----	153 + 2
595	----	----	0.1170B/0.0775A	0.1170B/0.0775A	----	0.1165 + 0.0160	.2494	----	----	1	----	3 + 1
600	0.1200	0.1200	0.1350B/0.0880A	0.1350B/0.0880A	----	0.1315 + 0.0170	.2734	----	----	31	----	1012 + 6
605	----	----	0.1515B/0.1000A	0.1515B/0.1000A	----	0.1480 + 0.0180	.2983	----	----	----	----	364 UNCH
610	----	----	0.1705B/0.1140A	0.1705B/0.1140A	----	0.1660 + 0.0190	.3241	----	----	----	----	536 UNCH
615	----	----	0.1875B/0.1310A	0.1875B/0.1310A	----	0.1855 + 0.0200	.3505	----	----	----	----	12 UNCH
620	0.2090	0.2090	0.2115B/0.1470A	0.2115B/0.1470A	----	0.2065 + 0.0205	.3774	----	----	1	----	241 - 1
625	0.2165	0.2165	0.2330B/0.1665A	0.2330B/0.1665A	----	0.2290 + 0.0215	.4045	----	----	6	----	42 + 5
630	----	----	0.2575B/0.1870A	0.2575B/0.1870A	----	0.2530 + 0.0220	.4318	----	----	----	----	27 UNCH
635	----	----	0.2845B/0.2090A	0.2845B/0.2090A	----	0.2785 + 0.0225	.4591	----	----	20	----	64 + 3
640	0.2740	0.2740	0.3140B/0.2315A	0.3140B/0.2315A	----	0.3055 + 0.0225	.4861	----	----	7	----	297 + 1
645	----	----	0.3400B/0.2575A	0.3400B/0.2575A	----	0.3340 + 0.0230	.5128	----	----	----	----	40 UNCH
650	0.3285	0.3285	0.3720B/0.2840A	0.3720B/0.2840A	----	0.3640 + 0.0235	.5387	----	----	1	----	59 + 1
655	----	----	0.4035B/0.3120A	0.4035B/0.3120A	----	0.3950 + 0.0240	.5641	----	----	----	----	13 UNCH
660	----	----	0.4360B/0.3415A	0.4360B/0.3415A	----	0.4275 + 0.0245	.5889	----	----	----	----	12 UNCH
665	----	----	0.4680B/0.3720A	0.4680B/0.3720A	----	0.4615 + 0.0250	.6127	----	----	----	----	4 UNCH
670	----	----	0.5065B/0.4035A	0.5065B/0.4035A	----	0.4965 + 0.0255	.6354	----	----	----	----	311 UNCH
675	----	----	0.5395B/0.4375A	0.5395B/0.4375A	----	0.5330 + 0.0265	.6571	----	----	----	----	2 UNCH
TOTAL										101		5917 + 35
SEP26												
335	----	----	----	----/0.0075A	----	0.0015 UNCH	.0028	----	----	----	----	3 UNCH
400	----	----	----	0.0015B/0.0090A	----	0.0050 + 0.0005	.0098	----	----	----	----	4 UNCH
440	----	----	----	0.0030B/0.0125A	----	0.0095 + 0.0015	.0194	----	----	----	----	4 UNCH
445	----	----	----	0.0035B/0.0130A	----	0.0100 + 0.0015	.0206	----	----	----	----	5 UNCH
450	----	----	----	0.0050B/0.0135A	----	0.0105 + 0.0010	.0220	----	----	----	----	805 UNCH
460	----	----	----	0.0080B/0.0145A	----	0.0120 + 0.0015	.0255	----	----	----	----	12 UNCH
470	----	----	----	0.0100B/0.0150A	----	0.0135 + 0.0010	.0293	----	----	----	----	3 UNCH
475	----	----	----	0.0110B/0.0145A	----	0.0150 + 0.0020	.0325	----	----	----	----	61 UNCH
480	----	----	----	0.0125B/0.0155A	----	0.0160 + 0.0020	.0349	----	----	----	----	7 UNCH
485	----	----	----	0.0140B/0.0165A	----	0.0175 + 0.0020	.0383	----	----	----	----	1 UNCH
490	----	----	----	0.0160B/0.0175A	----	0.0190 + 0.0025	.0417	----	----	----	----	11 UNCH
500	0.0230	0.0230	0.0230/0.0195A	0.0230/0.0195A	----	0.0235 + 0.0035	.0511	----	----	5	----	691 UNCH
510	----	----	0.0260B/0.0230A	0.0260B/0.0230A	----	0.0290 + 0.0045	.0623	----	----	----	----	7 UNCH
515	----	----	0.0295B/0.0260A	0.0295B/0.0260A	----	0.0320 + 0.0050	.0685	----	----	----	----	1 UNCH
520	----	----	0.0330B/0.0275A	0.0330B/0.0275A	----	0.0360 + 0.0055	.0761	----	----	----	----	7 UNCH
525	----	----	0.0380B/0.0300A	0.0380B/0.0300A	----	0.0405 + 0.0065	.0845	----	----	----	----	329 UNCH
530	----	----	0.0430B/0.0340A	0.0430B/0.0340A	----	0.0455 + 0.0070	.0936	----	----	----	----	4 UNCH
535	----	----	0.0485B/0.0375A	0.0485B/0.0375A	----	0.0510 + 0.0075	.1034	----	----	----	----	350 UNCH
540	----	----	0.0555B/0.0420A	0.0555B/0.0420A	----	0.0570 + 0.0080	.1140	----	----	----	----	403 UNCH
545	----	----	0.0620B/0.0465A	0.0620B/0.0465A	----	0.0640 + 0.0090	.1257	----	----	----	----	3 UNCH
550	----	----	0.0695B/0.0525A	0.0695B/0.0525A	----	0.0715 + 0.0095	.1381	----	----	----	----	335 UNCH
555	----	----	0.0795B/0.0585A	0.0795B/0.0585A	----	0.0800 + 0.0105	.1515	----	----	----	----	1 UNCH
560	----	----	0.0885B/0.0650A	0.0885B/0.0650A	----	0.0895 + 0.0115	.1660	----	----	----	----	5 UNCH
565	----	----	0.1000B/0.0725A	0.1000B/0.0725A	----	0.0995 + 0.0120	.1810	----	----	----	----	1 UNCH
570	0.0800	0.0800	0.1125B/0.0800	0.1125B/0.0800	----	0.1105 + 0.0125	.1969	----	----	6	----	124 - 1
575	----	----	0.1260B/0.0905A	0.1260B/0.0905A	----	0.1230 + 0.0140	.2140	----	----	4	----	1655 UNCH
580	0.1215	0.1215	0.1450/0.0995A	0.1450/0.0995A	----	0.1360 + 0.0145	.2315	----	----	175	----	815 + 73
585	----	----	0.1525B/0.1125A	0.1525B/0.1125A	----	0.1505 + 0.0155	.2499	----	----	----	----	54 UNCH
590	0.1235	0.1235	0.1700B/0.1230A	0.1700B/0.1230A	----	0.1660 + 0.0165	.2690	----	----	5	----	382 + 5
595	----	----	0.1855B/0.1395A	0.1855B/0.1395A	----	0.1825 + 0.0170	.2885	----	----	----	----	8 UNCH
600	0.1560	0.1560	0.2060B/0.1540A	0.2060B/0.1540A	----	0.2000 + 0.0175	.3085	----	----	1	----	2277 UNCH
610	----	----	0.2460B/0.1870A	0.2460B/0.1870A	----	0.2395 + 0.0190	.3501	----	----	----	----	784 UNCH
615	----	----	0.2670B/0.2060A	0.2670B/0.2060A	----	0.2605 + 0.0190	.3711	----	----	----	----	2 UNCH
620	----	----	0.2915B/0.2255A	0.2915B/0.2255A	----	0.2835 + 0.0195	.3925	----	----	27	----	1055 + 27
625	----	----	0.3160B/0.2465A	0.3160B/0.2465A	----	0.3075 + 0.0200	.4139	----	----	----	----	1183 UNCH
630	----	----	0.3410B/0.2690A	0.3410B/0.2690A	----	0.3325 + 0.0200	.4353	----	----	----	----	59 UNCH
635	0.3230	0.3230	0.3685B/0.2925A	0.3685B/0.2925A	----	0.3590 + 0.0205	.4566	----	----	1	----	539 UNCH
640	0.3630	0.3630	0.3965B/0.3165A	0.3965B/0.3165A	----	0.3865 + 0.0205	.4777	----	----	1	----	396 UNCH
645	0.3910	0.3910	0.4240B/0.3440A	0.4240B/0.3440A	----	0.4150 + 0.0205	.4985	----	----	1	----	43 + 1
650	0.4400	0.4400	0.4530B/0.3705A	0.4530B/0.3705A	----	0.4450 + 0.0210	.5189	----	----	1	----	82 UNCH
655	----	----	0.4850B/0.3985A	0.4850B/0.3985A	----	0.4760 + 0.0210	.5389	----	----	----	----	53 UNCH
670	----	----	0.5840B/0.4885A	0.5840B/0.4885A	----	0.5750 + 0.0215	.5960	----	----	----	----	211 UNCH
685	----	----	0.6895B/0.5930A	0.6895B/0.5930A	----	0.6815 + 0.0225	.6480	----	----	----	----	14 UNCH
695	----	----	0.7650B/0.6640A	0.7650B/0.6640A	----	0.7565 + 0.0235	.6802	----	----	----	----	2 UNCH
700	----	----	0.8040B/0.7010A	0.8040B/0.7010A	----	0.7945 + 0.0235	.6952	----	----	----	----	7 UNCH
710	----	----	0.8830B/0.7760A	0.8830B/0.7760A	----	0.8735 + 0.0250	.7240	----	----	----	----	1 UNCH
725	----	----	0.9780B/0.8940A	0.9780B/0.8940A	----	0.9960 + 0.0265	.7624	----	----	----	----	2 UNCH
TOTAL										227		12801 + 105
OCT26												
300	----	----	----	----/0.0080A	----	0.0015 UNCH	.0024	----	----	----	----	1 UNCH
320	----	----	----	----/0.0085A	----	0.0025 UNCH	.0039	----	----	----	----	3 UNCH
345	----	----	----	0.0005B/0.0095A	----	0.0045 + 0.0005	.0069	----	----	----	----	1 UNCH
375	----	----	----	0.0040B/0.0065A	----	0.0065 + 0.0005	.0105	----	----	----	----	2 UNCH
400	----	----	----	0.0020B/0.0100A	----	0.0085 + 0.0010	.0143	----	----	----	----	1 UNCH
430	----	----	----	0.0055B/0.0165A	----	0.0125 + 0.0015	.0219	----	----	----	----	10 UNCH
450	----	----	----	0.0115B/0.0185A	----	0.0165 + 0.0025	.0294	----	----	----	----	1 UNCH
470	----	----	----	0.0165B/*0.0205	----	0.0215 + 0.0030	.0390	----	----	----	----	1 UNCH
475	----	----	----	0.0180B/*0.0215	----	0.0230 + 0.0030	.0419	----	----	----	----	3 UNCH
500	----	----	0.0305B/----	0.0305B/0.0300A	----	0.0345 + 0.0045	.0627	----	----	----	----	28 UNCH
530	----	----	0.0595B/0.0505A	0.0595B/0.0505A	----	0.0620 + 0.0075	.1061	----	----	----	----	1 UNCH
535	----	----	0.0665B/0.0550A	0.0665B/0.0550A	----	0.0685 + 0.0080	.1156	----	----	----	----	3 UNCH
550	----	----	0.0905B/0.0730A	0.0905B/0.0730A	----	0.0925 + 0.0105	.1485	----	----	1	----	2 + 1
560	----	----	0.1105B/0.0885A	0.1105B/0.0885A	----	0.1120 NEW	.1735	----	----	1	----	1 + 1
570	----	----	0.1340B/0.1070A	0.1340B/0.1070A	----	0.1350 + 0.0135	.2012	----	----	----	----	5 UNCH
590	----	----	0.1925B/0.1545A	0.1925B/0.1545A	----	0.1920 + 0.0160	.2632	----	----	----	----	2 UNCH
600	----	----	0.2285B/0.1840A	0.2285B/0.1840A	----	0.2265 + 0.0175	.2969	----	----	----	----	13 UNCH
605	----	----	0.2475B/0.2005A	0.2475B/0.2005A	----	0.2450 + 0.0180	.3141	----	----	----	----	1 UNCH
610	----	----	0.2670B/0.2180A	0.2670B/0.2180A	----	0.2650 + 0.0185	.3318	----	----	----	----	5 UNCH
650	----	----	0.4655B/0.3930A	0.4655B/0.3930A	----	0.4605 + 0.0220	.4756	----	----	----	----	10 UNCH
655	----	----	0.4945B/0.4200A	0.4945B/0.4200A	----	0.4890 + 0.0225	.4931	----	----	----	----	1 UNCH
700	----	----	0.7915B/0.7000A	0.7915B/0.7000A	----	0.7850 + 0.0245	.6371	----	----	----	----	24 UNCH
745	----	----	1.1455B/1.0375A	1.1455B/1.0375A	----	1.1365 + 0.0270	.7483	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 62

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
OCT26												
750	----	----	1.1775B/1.0780A	1.1775B/1.0780A	----	1.1780 + 0.0270	.7585	----	----	----	----	5 UNCH
TOTAL										2		125 + 2
NOV26												
400	----	----	----	0.0055B/*0.0175	----	0.0125 + 0.0010	.0192	----	----	----	----	10 UNCH
475	----	----	----	0.0265B/*0.0330	----	0.0340 + 0.0045	.0545	----	----	----	----	2 UNCH
480	----	----	----	0.0295B/*0.0345	----	0.0370 + 0.0050	.0590	----	----	----	----	2 UNCH
500	----	----	0.0455B/----	0.0455B/0.0465A	----	0.0520 + 0.0070	.0809	----	----	----	----	12 UNCH
520	----	----	0.0690B/0.0635A	0.0690B/0.0635A	----	0.0745 + 0.0095	.1109	----	----	----	----	4 UNCH
550	----	----	0.1235B/0.1045A	0.1235B/0.1045A	----	0.1270 + 0.0135	.1724	----	----	----	----	1 UNCH
560	----	----	0.1470B/0.1240A	0.1470B/0.1240A	----	0.1505 + 0.0150	.1971	----	----	----	----	1 UNCH
590	----	----	0.2390B/0.2010A	0.2390B/0.2010A	----	0.2405 + 0.0185	.2810	----	----	----	----	1 UNCH
645	----	----	0.4925B/0.4265A	0.4925B/0.4265A	----	0.4905 + 0.0220	.4542	----	----	----	----	1 UNCH
700	----	----	0.8405B/0.7550A	0.8405B/0.7550A	----	0.8385 + 0.0255	.6142	----	----	----	----	24 UNCH
735	----	----	1.1050B/1.0070A	1.1050B/1.0070A	----	1.1005 + 0.0270	.6976	----	----	----	----	2 UNCH
TOTAL												60
DEC26												
380	----	----	----	0.0030B/*0.0205	----	0.0130 + 0.0015	.0181	----	----	----	----	2 UNCH
385	----	----	----	0.0035B/*0.0215	----	0.0135 + 0.0010	.0190	----	----	----	----	1 UNCH
395	----	----	----	0.0050B/*0.0225	----	0.0150 + 0.0015	.0215	----	----	----	----	3 UNCH
400	----	----	----	0.0060B/*0.0235	----	0.0160 + 0.0015	.0230	----	----	----	----	18 UNCH
420	----	----	----	0.0095B/*0.0265	----	0.0200 + 0.0020	.0294	----	----	----	----	2 UNCH
460	----	----	----	0.0230B/*0.0370	----	0.0340 + 0.0040	.0507	----	----	----	----	2 UNCH
475	----	----	----	0.0330B/*0.0440	----	0.0435 + 0.0055	.0638	----	----	----	----	76 UNCH
480	----	----	----	0.0370B/*0.0465	----	0.0470 + 0.0060	.0686	----	----	----	----	12 UNCH
490	----	----	----	0.0460B/0.0530A	----	0.0560 + 0.0075	.0803	----	----	----	----	5 UNCH
500	----	----	----	0.0570B/0.0610A	----	0.0660 + 0.0085	.0930	----	----	----	----	104 UNCH
520	----	----	0.0860B/----	0.0860B/0.0820A	----	0.0935 + 0.0115	.1251	----	----	----	----	2 UNCH
525	----	----	0.0945B/0.0890A	0.0945B/0.0890A	----	0.1015 + 0.0120	.1341	----	----	----	----	1 UNCH
540	----	----	0.1245B/0.1120A	0.1245B/0.1120A	----	0.1305 + 0.0140	.1646	----	----	----	----	3 UNCH
545	----	----	0.1355B/0.1215A	0.1355B/0.1215A	----	0.1415 + 0.0145	.1756	----	----	----	----	1 UNCH
550	----	----	0.1475B/0.1310A	0.1475B/0.1310A	----	0.1530 + 0.0150	.1868	----	----	----	----	79 UNCH
560	----	----	0.1735B/0.1530A	0.1735B/0.1530A	----	0.1790 + 0.0160	.2110	----	----	----	----	300 UNCH
570	----	----	0.2035B/0.1785A	0.2035B/0.1785A	----	0.2080 + 0.0170	.2365	----	----	----	----	5 UNCH
575	----	----	0.2195B/0.1920A	0.2195B/0.1920A	----	0.2240 + 0.0175	.2498	----	----	----	----	21 UNCH
580	----	----	0.2365B/0.2065A	0.2365B/0.2065A	----	0.2405 + 0.0180	.2633	----	----	----	----	22 UNCH
600	----	----	0.3125B/0.2735A	0.3125B/0.2735A	----	0.3155 + 0.0195	.3197	----	----	----	----	241 UNCH
630	----	----	0.4515B/0.3985A	0.4515B/0.3985A	----	0.4530 + 0.0215	.4075	----	----	----	----	18 UNCH
650	----	----	0.5600B/0.4980A	0.5600B/0.4980A	----	0.5600 + 0.0225	.4659	----	----	----	----	12 UNCH
670	----	----	0.6800B/0.6100A	0.6800B/0.6100A	----	0.6790 + 0.0235	.5220	----	----	----	----	1 UNCH
750	----	----	1.2545B/1.1620A	1.2545B/1.1620A	----	1.2540 + 0.0290	.7079	----	----	----	----	1 UNCH
TOTAL												932
JAN27												
400	----	----	----	0.0070B/*0.0315	----	0.0205 + 0.0020	.0265	----	----	----	----	8 UNCH
800	----	----	1.6325B/1.5470A	1.6325B/1.5470A	----	1.6360 + 0.0295	.7502	----	----	----	----	1 UNCH
TOTAL												9
FEB27												
400	----	----	----	0.0095B/*0.0385	----	0.0255 + 0.0020	.0309	----	----	----	----	2 UNCH
650	----	----	#0.5990B/0.5660	0.5990B/0.5660A	----	0.6125 + 0.0250	.4358	----	----	----	----	60 UNCH
TOTAL												62
MAR27												
275	----	----	----	0.0060B/0.0210A	----	0.0085 + 0.0010	.0084	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
JUN26												
550	----	----	----	----	----	0.8870 - 0.0265	.9771	----	----	----	----	1 UNCH
620	0.2385	0.2385	0.2610B/0.1430A	0.2610B/0.1430A	----	0.1500 - 0.0250	.7816	----	----	2	----	2 UNCH
630	0.1160	0.1160	0.1705B/0.0795A	0.1705B/0.0795A	----	0.0835 - 0.0195	.5608	----	----	1	----	11 UNCH
635	----	----	0.1290B/0.0585A	0.1290B/0.0585A	----	0.0595 - 0.0150	.4344	----	----	----	----	13 UNCH
640	----	----	0.0955B/0.0420A	0.0955B/0.0420A	----	0.0415 - 0.0110	.3182	----	----	----	----	3 UNCH
645	0.0590	0.0590	0.0680B/0.0290A	0.0680B/0.0290A	----	0.0285 - 0.0075	.2226	----	----	1	----	150 - 1
646	----	----	#0.0630B/*0.026	#0.0630B/*0.026	----	0.0265 NEW	.2066	----	----	4	----	2 + 2
650	0.0410	0.0410	0.0460B/0.0195A	0.0460B/0.0195A	----	0.0195 - 0.0050	.1507	----	----	1	----	82 UNCH
650	----	----	0.1610B/0.1085A	0.1610B/0.1085A	----	0.1150 - 0.0050	.3988	----	----	----	----	1 UNCH
654	----	----	#0.0325B/*0.015	#0.0325B/*0.015	----	0.0140 - 0.0035	.1065	----	----	----	----	1 UNCH
655	----	----	0.0295B/0.0140A	0.0295B/0.0140A	----	0.0125 - 0.0035	.0953	----	----	----	----	1 UNCH
660	----	----	0.0175B/----	0.0175B/0.0110A	----	0.0075 - 0.0025	.0557	----	----	----	----	33 UNCH
663	----	----	#0.0120B/----	#0.0120B/*0.009	----	0.0055 NEW	.0397	----	----	4	----	2 + 2
665	----	----	0.0100B/----	0.0100B/0.0085A	----	0.0045 - 0.0015	.0317	----	----	----	----	10 UNCH
670	----	----	0.0050B/----	0.0050B/0.0075A	----	0.0025 - 0.0005	.0164	----	----	----	----	1 UNCH
680	----	----	----	0.0005B/0.0060A	----	0.0005 - 0.0005	.0022	----	----	----	----	17 UNCH
685	----	----	----	----/0.0060A	----	0.0005 UNCH	.0009	----	----	----	----	15 UNCH
690	----	----	----	----/0.0055A	----	0.0005 UNCH	.0003	----	----	----	----	4 UNCH
700	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
700	----	----	0.0325B/----	0.0325B/0.0255A	----	0.0270 + 0.0025	.1109	----	----	----	----	2 UNCH
705	----	----	----	----/0.0050A	----	0.0005 UNCH	.0000	----	----	----	----	10 UNCH
710	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
725	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
750	----	----	0.0090B/----	0.0090B/0.0120A	----	0.0100 + 0.0025	.0386	----	----	----	----	3 UNCH
TOTAL										13		368 + 3
JUL26												
640	----	----	#0.3080B/*0.242	#0.3080B/*0.242	----	0.2510 - 0.0060	.5090	----	----	----	----	1 UNCH
655	----	----	0.2085B/0.1565A	0.2085B/0.1565A	----	0.1620 - 0.0050	.4042	----	----	----	----	1 UNCH
660	----	----	0.1885B/0.1405A	0.1885B/0.1405A	----	0.1455 - 0.0045	.3729	----	----	----	----	1 UNCH
680	----	----	0.1225B/0.0910A	0.1225B/0.0910A	----	0.0950 - 0.0015	.2645	----	----	----	----	150 UNCH
715	----	----	#0.0560B/----	0.0560B/0.0440A	----	0.0455 + 0.0015	.1388	----	----	----	----	150 UNCH
750	----	----	0.0270B/----	0.0270B/0.0250A	----	0.0225 + 0.0015	.0721	----	----	----	----	1 UNCH
TOTAL												304
HXE PUT		COPPER OPTIONS										
JUN26												
500	----	----	----	----/0.0065A	----	0.0005 UNCH	.0022	----	----	----	----	26 UNCH
600	----	----	----	0.0015B/*0.0050	----	0.0040 UNCH	.0273	----	----	----	----	11 UNCH
600	----	----	0.0395B/0.0225A	0.0395B/0.0225A	----	0.0420 + 0.0095	.1671	----	----	----	----	1 UNCH
605	----	----	----/*0.0055A	0.0035B/*0.0055	----	0.0065 UNCH	.0478	----	----	----	----	10 UNCH
610	----	----	----/*0.0065A	0.0075B/*0.0065	----	0.0115 + 0.0010	.0872	----	----	----	----	22 UNCH
620	----	----	0.0270B/0.0100A	0.0270B/0.0100A	----	0.0280 + 0.0030	.2182	----	----	----	----	31 UNCH
620	0.0745	0.0745	0.0890B/0.0460A	0.0890B/0.0460A	----	0.0875 NEW	.3110	----	----	50	----	50 + 50
625	0.0135	0.0135	0.0445B/0.0120	0.0445B/0.0120	----	0.0425 + 0.0060	.3200	----	----	25	----	35 + 25
625	0.0970	0.0970	0.1075B/0.0570A	0.1075B/0.0570A	----	0.1050 NEW	.3568	----	----	35	----	35 + 35
630	0.0465	0.0465	0.0675B/0.0190A	0.0675B/0.0190A	----	0.0615 + 0.0085	.4390	----	----	49	----	63 + 48
635	----	----	0.0935B/0.0300A	0.0935B/0.0300A	----	0.0875 + 0.0130	.5655	----	----	----	----	12 UNCH
635	0.1380	0.1380	0.1530B/0.0855A	0.1530B/0.0855A	----	0.1480 NEW	.4544	----	----	1	----	1 + 1
640	0.0550	0.0550	0.1185B/0.0465A	0.1185B/0.0465A	----	0.1195 NEW	.6816	----	----	1	----	1 + 1
655	----	----	0.2540B/0.1500A	0.2540B/0.1500A	----	0.2405 + 0.0245	.9045	----	----	----	----	1 UNCH
TOTAL										161		299 + 160
JUL26												
550	----	----	----/*0.0140A	0.0140B/0.0140A	----	0.0185 + 0.0035	.0606	----	----	----	----	30 UNCH
575	----	----	0.0340B/0.0245A	0.0340B/0.0245A	----	0.0370 + 0.0065	.1177	----	----	----	----	1 UNCH
585	----	----	0.0495B/0.0320A	0.0495B/0.0320A	----	0.0505 + 0.0085	.1547	----	----	----	----	45 UNCH
600	----	----	0.0800B/0.0505A	0.0800B/0.0505A	----	0.0795 + 0.0110	.2266	----	----	----	----	1 UNCH
625	----	----	0.1690B/0.1105A	0.1690B/0.1105A	----	0.1645 + 0.0180	.3880	----	----	----	----	30 UNCH
TOTAL												107

ALUMINIUM OPTIONS ON FUTURES

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUL26												
1270	----	----	#29.20B/----	#29.20B/19.00A	----	17.50 + 1.20	.3186	----	----	----	----	4 UNCH
1350	----	----	6.90B/----	6.90B/7.70A	----	5.40 - 0.10	.1053	----	----	----	----	1 UNCH
1390	----	----	----	3.00B/5.60A	----	3.30 - 0.30	.0626	----	----	----	----	14 UNCH
1400	----	----	----	2.30B/5.30A	----	3.00 - 0.30	.0561	----	----	----	----	76 UNCH
1440	----	----	----	0.50B/*4.30A	----	2.10 - 0.40	.0370	----	----	----	----	1 UNCH
1450	----	----	----	0.20B/4.20A	----	2.00 - 0.30	.0345	----	----	----	----	5 UNCH
1500	----	----	----	----/*3.60A	----	1.50 - 0.30	.0237	----	----	----	----	10 UNCH
1550	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.20 - 0.30	.0175	----	----	1	----	75 UNCH
1600	----	----	----	----/*3.00A	----	0.70 - 0.30	.0099	----	----	----	----	135 UNCH
1720	----	----	----	----/*2.60A	----	0.30 - 0.10	.0038	----	----	----	----	6 UNCH
1800	----	----	----	----/2.50A	----	0.10 - 0.10	.0007	----	----	----	----	49 UNCH
TOTAL										1		376 0
AUG26												
1450	----	----	14.30B/----	14.30B/14.90A	----	12.60 - 0.60	.1416	----	----	----	----	10 UNCH
1500	----	----	10.20B/----	10.20B/11.90A	----	9.60 - 0.50	.1082	----	----	----	----	20 UNCH
1550	----	----	----	7.20B/9.80A	----	7.40 - 0.50	.0834	----	----	----	----	10 UNCH
1600	----	----	----	5.10B/8.30A	----	5.90 - 0.40	.0660	----	----	----	----	100 UNCH
1700	----	----	----	2.40B/6.30A	----	3.90 - 0.40	.0428	----	----	----	----	20 UNCH
1800	----	----	----	0.90B/5.20A	----	2.60 - 0.30	.0282	----	----	----	----	100 UNCH
1900	----	----	----	----/4.50A	----	1.70 - 0.30	.0184	----	----	----	----	400 UNCH
TOTAL												660 0
SEP26												
1300	----	----	69.90B/----	69.90B/60.80A	----	57.80 + 0.60	.4083	----	----	----	----	1 UNCH
1345	----	----	55.20B/----	55.20B/49.00A	----	45.90 - 0.50	.3401	----	----	----	----	1 UNCH
1400	34.00	34.00	41.40B/34.00	41.40B/34.00	----	35.00 - 1.40	.2710	----	----	15	----	90 + 15
1450	----	----	32.00B/----	32.00B/30.70A	----	27.70 - 1.80	.2208	----	----	----	----	50 UNCH
1500	----	----	24.90B/----	24.90B/25.20A	----	22.20 - 2.00	.1808	----	----	----	----	128 UNCH
1575	----	----	----	17.40B/19.40A	----	16.40 - 1.90	.1361	----	----	----	----	25 UNCH
1600	----	----	----	15.50B/18.00A	----	14.90 - 1.80	.1242	----	----	----	----	221 UNCH
1625	----	----	----	13.90B/16.80A	----	13.70 - 1.70	.1142	----	----	----	----	20 UNCH
1665	----	----	----	11.60B/15.10A	----	11.90 - 1.60	.0996	----	----	----	----	9 UNCH
1700	----	----	----	10.00B/13.90A	----	10.70 - 1.40	.0894	----	----	----	----	65 UNCH
1800	----	----	----	6.70B/11.30A	----	8.10 - 1.10	.0671	----	----	----	----	87 UNCH
1875	----	----	----	4.90B/10.00A	----	6.80 - 0.90	.0557	----	----	----	----	25 UNCH
1885	----	----	----	4.70B/9.80A	----	6.60 - 0.90	.0541	----	----	----	----	100 UNCH
1900	----	----	----	4.50B/9.60A	----	6.40 - 0.90	.0523	----	----	----	----	15 UNCH
2000	----	----	----	2.90B/8.40A	----	5.00 - 0.80	.0406	----	----	----	----	50 UNCH
2100	----	----	----	1.80B/7.40A	----	4.00 - 0.70	.0323	----	----	----	----	30 UNCH
2200	----	----	----	1.00B/6.70A	----	3.30 - 0.60	.0263	----	----	----	----	5 UNCH
2400	----	----	----	----/5.70A	----	2.30 - 0.40	.0180	----	----	----	----	15 UNCH
2550	----	----	----	----/5.20A	----	1.70 - 0.40	.0133	----	----	----	----	50 UNCH
TOTAL										15		987 + 15
DEC26												
1775	----	----	----	----	----	28.00 + 1.80	.1580	----	----	----	----	100 UNCH
1800	----	----	----	----	----	27.10 + 1.70	.1521	----	----	----	----	50 UNCH
2000	----	----	----	----	----	23.10 + 1.30	.1216	----	----	----	----	1 UNCH
3000	----	----	----	----	----	6.80 + 0.40	.0358	----	----	----	----	1 UNCH
TOTAL												152 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUL26												
1200	----	----	----/14.80A	24.30B/14.80A	----	20.90 - 7.10	.3427	----	----	----	----	4 UNCH
1250	----	----	----/29.50A	51.50B/29.50A	----	44.40 - 11.10	.5902	----	----	----	----	13 UNCH
1280	----	----	----/44.10A	45.20B/44.10A	----	65.40 - 12.30	.7208	----	----	----	----	1 UNCH
1285	----	----	----/47.00A	44.40B/47.00A	----	69.20 - 12.50	.7390	----	----	----	----	9 UNCH
1300	----	----	----/56.70A	90.70B/56.70A	----	81.30 - 12.90	.7884	----	----	----	----	45 UNCH
1350	----	----	----/95.70A	135.70B/95.70A	----	125.70 - 13.40	.8946	----	----	----	----	10 UNCH
1400	----	----	----/140.90A	183.40B/140.90A	----	173.30 - 13.60	.9438	----	----	----	----	31 UNCH
1450	----	----	----/188.70A	232.20B/188.70A	----	222.20 - 13.70	.9654	----	----	----	----	30 UNCH
TOTAL												143 0
AUG26												
1200	----	----	----/35.80A	48.90B/35.80A	----	44.90 - 7.50	.3958	----	----	----	----	36 UNCH
1400	----	----	----/159.50A	197.10B/159.50A	----	187.00 - 13.70	.8104	----	----	----	----	1 UNCH
TOTAL												37 0
SEP26												
1000	----	----	----/*11.90A	9.00B/11.90A	----	9.60 - 2.70	.0919	----	----	----	----	100 UNCH
1200	----	----	----/58.10A	72.20B/58.10A	----	67.70 - 9.30	.4092	----	----	----	----	105 UNCH
1250	----	----	----/82.30A	102.00B/82.30A	----	95.20 - 11.20	.5044	----	----	----	----	4 UNCH
1300	----	----	----/111.50A	136.40B/111.50A	----	127.80 - 12.60	.5914	----	----	----	----	18 UNCH
1355	----	----	----	----	----	168.40 - 13.90	.6735	----	----	----	----	21 UNCH
1360	----	----	----	----	----	172.30 - 13.90	.6799	----	----	----	----	12 UNCH
1375	----	----	----/163.20A	194.40B/163.20A	----	184.10 - 14.30	.6993	----	----	----	----	100 UNCH
1460	----	----	----	----	----	255.70 - 15.10	.7876	----	----	----	----	75 UNCH
1465	----	----	----	----	----	260.10 - 15.10	.7918	----	----	----	----	150 UNCH
1550	----	----	----/308.80A	347.60B/308.80A	----	336.90 - 15.10	.8504	----	----	----	----	100 UNCH
1575	----	----	----/331.50A	370.80B/331.50A	----	360.10 - 15.10	.8637	----	----	----	----	25 UNCH
1650	----	----	----/401.10A	441.50B/401.10A	----	431.00 - 14.80	.8952	----	----	----	----	50 UNCH
1925	----	----	----/666.90A	708.90B/666.90A	----	698.90 - 14.00	.9508	----	----	----	----	75 UNCH
TOTAL												835 0
DEC26												
1300	----	----	----	----	----	160.10 - 7.20	.5096	----	----	----	----	100 UNCH
1400	----	----	----	----	----	225.30 - 8.60	.6208	----	----	----	----	150 UNCH
1500	----	----	----	----	----	302.40 - 9.80	.7098	----	----	----	----	40 UNCH
TOTAL												290 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week2										
JUN26												
1850	----	----	#147.30B/75.10A	#147.30B/75.10A	----	139.60 + 38.30	.9769	----	----	----	----	7 UNCH
1950	----	----	----	----/*2.00A	----	0.10 - 0.70	.0003	----	----	----	----	10 UNCH
2100	----	----	----	----/*1.70A	----	0.10 UNCH	----	----	----	----	----	26 UNCH
TOTAL												43 0
PO CALL		PLATINUM OPTIONS										
JUL26												
1500	----	----	283.40B/*206.10	283.40B/*206.10	----	212.40 - 43.50	.9842	----	----	----	----	50 UNCH
1680	----	----	----	----	----	58.20 - 35.00	.6397	----	----	----	----	50 UNCH
1700	55.00	55.00	95.50B/*42.80A	95.50B/*42.80A	----	46.80 - 31.90	.5590	----	----	1	----	1 UNCH
1750	55.00	55.00	59.10B/*22.50A	59.10B/*22.50A	----	25.20 NEW	.3586	----	----	4	----	4 + 4
1800	11.50	11.50	32.60B/*11.20A	32.60B/*11.20A	----	12.30 - 14.50	.1985	----	----	1	----	113 UNCH
1815	----	----	26.50B/*8.90A	26.50B/*8.90A	----	9.80 - 12.20	.1624	----	----	----	----	6 UNCH
1850	----	----	15.60B/*5.70A	15.60B/*5.70A	----	5.70 - 7.90	.0985	----	----	----	----	1 UNCH
1900	----	----	----/*3.50A	6.50B/*3.50A	----	2.50 - 4.30	.0446	----	----	----	----	56 UNCH
1925	----	----	----/*3.00A	3.90B/*3.00A	----	1.70 - 3.10	.0302	----	----	----	----	2 UNCH
1930	----	----	----/*2.90A	3.50B/*2.90A	----	1.50 - 3.00	.0269	----	----	----	----	26 UNCH
1935	----	----	----/*2.90A	3.20B/*2.90A	----	1.40 - 2.80	.0250	----	----	----	----	33 UNCH
1945	----	----	----/*2.70A	2.50B/*2.70A	----	1.20 - 2.50	.0214	----	----	----	----	1 UNCH
1950	----	----	----/*2.70A	2.30B/*2.70A	----	1.10 - 2.40	.0196	----	----	----	----	2 UNCH
1960	----	----	----/*2.60A	1.80B/*2.60A	----	1.00 - 2.00	.0175	----	----	----	----	3 UNCH
1965	----	----	----/*2.60A	1.60B/*2.60A	----	0.90 - 1.90	.0158	----	----	----	----	56 UNCH
1970	----	----	----/*2.50A	1.40B/*2.50A	----	0.80 - 1.80	.0141	----	----	----	----	2 UNCH
1975	----	----	----	1.20B/*2.50A	----	0.80 - 1.70	.0139	----	----	----	----	11 UNCH
1980	----	----	----	1.10B/*2.40A	----	0.70 - 1.60	.0122	----	----	----	----	2 UNCH
1995	----	----	----	0.70B/*2.30A	----	0.60 - 1.30	.0102	----	----	----	----	15 UNCH
2000	1.00	1.00	1.00/*1.00	1.00/*1.00	----	0.50 - 1.30	.0086	----	----	1	----	518 UNCH
2005	----	----	----	0.50B/*2.30A	----	0.50 - 1.20	.0085	----	----	----	----	15 UNCH
2010	----	----	----	0.40B/*2.30A	----	0.40 - 1.20	.0069	----	----	----	----	15 UNCH
2015	----	----	----	0.30B/*2.20A	----	0.40 - 1.10	.0068	----	----	----	----	15 UNCH
2020	----	----	----	0.20B/*2.20A	----	0.40 - 1.00	.0067	----	----	----	----	15 UNCH
2025	----	----	----	0.20B/*2.20A	----	0.40 - 0.90	.0066	----	----	----	----	37 UNCH
2030	----	----	----	0.10B/*2.10A	----	0.30 - 0.90	.0051	----	----	----	----	15 UNCH
2035	----	----	----	----/*2.10A	----	0.30 - 0.80	.0050	----	----	----	----	15 UNCH
2050	----	----	----	----/*2.10A	----	0.20 - 0.70	.0033	----	----	----	----	6 UNCH
2065	----	----	----	----/*2.00A	----	0.20 - 0.50	.0032	----	----	----	----	4 UNCH
2085	----	----	----	----/*1.90A	----	0.10 - 0.50	.0014	----	----	----	----	31 UNCH
2090	----	----	----	----/*1.90A	----	0.10 - 0.40	.0013	----	----	----	----	34 UNCH
2095	----	----	----	----/*1.90A	----	0.10 - 0.40	.0011	----	----	----	----	45 UNCH
2100	----	----	----	----/*1.90A	----	0.10 - 0.30	.0010	----	----	----	----	389 UNCH
2105	----	----	----	----/*1.90A	----	0.10 - 0.30	.0009	----	----	----	----	30 UNCH
2110	----	----	----	----/*1.90A	----	0.10 - 0.30	.0008	----	----	----	----	31 UNCH
2115	----	----	----	----/*1.80A	----	0.10 - 0.30	.0007	----	----	----	----	30 UNCH
2120	----	----	----	----/*1.80A	----	0.10 - 0.20	.0006	----	----	----	----	15 UNCH
2125	----	----	----	----/*1.80A	----	0.10 - 0.20	.0005	----	----	----	----	15 UNCH
2150	----	----	----	----/*1.80A	----	0.10 - 0.10	.0002	----	----	----	----	18 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
2160	----	----	----	----/*1.70A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2170	----	----	----	----/*1.70A	----	0.10 - 0.10	.0001	----	----	----	----	4 UNCH
2200	----	----	----	----/*1.70A	----	0.10 - 0.10	.0000	----	----	----	----	456 UNCH
2250	----	----	----	----/*1.60A	----	0.10 UNCH	.0000	----	----	----	----	117 UNCH
2275	----	----	----	----/*1.60A	----	0.10 UNCH	.0000	----	----	----	----	20 UNCH
2300	----	----	----	----/*1.60A	----	0.10 UNCH	----	----	----	----	----	255 UNCH
2350	----	----	----	----/*1.50A	----	0.10 UNCH	----	----	----	----	----	160 UNCH
2400	----	----	----	----/*1.50A	----	0.10 UNCH	----	----	----	----	----	904 UNCH
2450	----	----	----	----/*1.50A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
2480	----	----	----	----/*1.50A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
2500	----	----	----	----/*1.40A	----	0.10 UNCH	----	----	----	----	----	649 UNCH
2600	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	360 UNCH
2650	----	----	----	----/*1.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2700	----	----	----	----/*1.40A	----	0.10 UNCH	----	----	----	----	----	111 UNCH
2800	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	350 UNCH
2850	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	58 UNCH
2900	----	----	----	----/*1.30A	----	0.10 UNCH	----	----	----	----	----	183 UNCH
3000	----	----	----	----/*1.30A	----	0.10 UNCH	----	----	----	----	----	574 UNCH
3100	----	----	----	----/*1.30A	----	0.10 UNCH	----	----	----	----	----	159 UNCH
3200	----	----	----	----/*2.40A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
3300	----	----	----	----/*2.40A	----	0.10 UNCH	----	----	----	----	----	30 UNCH
3400	----	----	----	----/2.40A	----	0.10 UNCH	----	----	----	----	----	32 UNCH
3500	----	----	----	----/2.40A	----	0.10 UNCH	----	----	----	----	----	274 UNCH
3600	----	----	----	----/2.40A	----	0.10 UNCH	----	----	----	----	----	300 UNCH
3800	----	----	----	----/1.30A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3900	----	----	----	----/1.30A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
4000	----	----	----	----/1.30A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
TOTAL										7		7083 + 4
AUG26												
1800	----	----	80.30B/*47.40A	80.30B/*47.40A	----	49.40 NEW	.3831	----	----	13	----	13 + 13
1950	----	----	31.20B/*18.30A	31.20B/*18.30A	----	18.50 - 10.10	.1711	----	----	----	----	3 UNCH
1975	----	----	26.40B/*15.70A	26.40B/*15.70A	----	15.80 - 8.70	.1487	----	----	----	----	51 UNCH
2000	----	----	22.40B/*13.60A	22.40B/*13.60A	----	13.40 - 7.60	.1285	----	----	----	----	1 UNCH
2050	----	----	16.20B/*10.30A	16.20B/*10.30A	----	9.90 - 5.60	.0972	----	----	----	----	30 UNCH
2100	----	----	----/*8.00A	11.60B/*8.00A	----	7.30 - 4.30	.0732	----	----	----	----	52 UNCH
2150	----	----	----/*6.50A	8.40B/*6.50A	----	5.60 - 3.20	.0566	----	----	----	----	1 UNCH
2175	----	----	----/*5.90A	7.10B/*5.90A	----	4.90 - 2.80	.0497	----	----	----	----	30 UNCH
2200	----	----	----/*5.40A	6.10B/*5.40A	----	4.40 - 2.40	.0445	----	----	----	----	15 UNCH
2250	----	----	----/*4.70A	4.40B/*4.70A	----	3.60 - 1.80	.0361	----	----	----	----	60 UNCH
2275	----	----	----/*4.40A	3.80B/*4.40A	----	3.30 - 1.50	.0329	----	----	----	----	30 UNCH
2300	----	----	----/*4.20A	3.30B/*4.20A	----	3.00 - 1.40	.0298	----	----	----	----	158 UNCH
2350	----	----	----	2.50B/*3.80A	----	2.50 - 1.20	.0246	----	----	----	----	15 UNCH
2400	----	----	----	1.90B/*3.50A	----	2.20 - 1.00	.0212	----	----	----	----	84 UNCH
2500	----	----	----	1.10B/*3.00A	----	1.60 - 0.80	.0151	----	----	----	----	153 UNCH
2600	----	----	----	0.60B/*2.70A	----	1.20 - 0.60	.0111	----	----	----	----	545 UNCH
2750	----	----	----	0.10B/*2.40A	----	0.80 - 0.40	.0072	----	----	----	----	105 UNCH
3000	----	----	----	----/*2.00A	----	0.40 - 0.10	.0035	----	----	----	----	54 UNCH
TOTAL										13		1400 + 13
SEP26												
2100	----	----	31.10B/*22.10A	31.10B/*22.10A	----	21.60 - 7.90	.1484	----	----	----	----	38 UNCH
TOTAL												38 0
OCT26												
1720	----	----	----/127.30A	127.60B/127.30A	----	128.40 - 28.40	.5494	----	----	----	----	1 UNCH
1775	----	----	141.90B/*106.00	141.90B/*106.00	----	106.60 - 24.90	.4808	----	----	----	----	15 UNCH
1800	----	----	130.80B/*97.40A	130.80B/*97.40A	----	98.10 - 23.20	.4515	----	----	----	----	4 UNCH
1900	----	----	94.10B/*69.90A	94.10B/*69.90A	----	70.70 - 17.20	.3480	----	----	----	----	15 UNCH
1930	----	----	85.30B/*63.50A	85.30B/*63.50A	----	64.10 - 15.80	.3211	----	----	----	----	1 UNCH
2000	----	----	67.60B/*50.30A	67.60B/*50.30A	----	50.80 - 12.90	.2648	----	----	----	----	6 UNCH
2050	----	----	57.20B/*42.50A	57.20B/*42.50A	----	42.80 - 11.20	.2295	----	----	----	----	6 UNCH
2100	----	----	48.20B/*36.00A	48.20B/*36.00A	----	36.00 - 9.80	.1984	----	----	----	----	3 UNCH
2125	----	----	44.30B/*33.30A	44.30B/*33.30A	----	33.00 - 9.20	.1842	----	----	----	----	12 UNCH
2135	----	----	42.80B/*32.10A	42.80B/*32.10A	----	31.90 - 8.90	.1789	----	----	----	----	12 UNCH
2200	----	----	34.10B/*26.10A	34.10B/*26.10A	----	25.40 - 7.50	.1471	----	----	----	----	136 UNCH
2250	----	----	28.70B/*22.30A	28.70B/*22.30A	----	21.30 - 6.60	.1262	----	----	----	----	1 UNCH
2300	----	----	24.10B/*19.30A	24.10B/*19.30A	----	18.00 - 5.70	.1087	----	----	----	----	7 UNCH
2375	----	----	----/*15.60A	18.60B/*15.60A	----	14.10 - 4.60	.0872	----	----	----	----	50 UNCH
2400	----	----	----/*14.60A	17.00B/*14.60A	----	13.10 - 4.30	.0814	----	----	40	----	507 + 40
2500	16.20	16.20	16.20/*11.50A	16.20/*11.50A	----	9.80 - 3.20	.0621	----	----	1	----	370 - 1
2600	----	----	----/*9.40A	8.70B/*9.40A	----	7.60 - 2.40	.0486	----	----	----	----	23 UNCH
2635	----	----	----/*8.90A	7.80B/*8.90A	----	7.00 - 2.20	.0448	----	----	----	----	200 UNCH
2650	----	----	----/*8.70A	7.40B/*8.70A	----	6.70 - 2.20	.0430	----	----	----	----	25 UNCH
2700	----	----	----	6.40B/*8.00A	----	5.90 - 2.00	.0381	----	----	40	----	386 + 15
2800	----	----	----	4.70B/*7.10A	----	4.60 - 1.50	.0299	----	----	----	----	39 UNCH
2850	----	----	----	4.10B/*6.70A	----	4.00 - 1.30	.0263	----	----	----	----	155 UNCH
2900	----	----	----	3.60B/*6.40A	----	3.50 - 1.20	.0231	----	----	----	----	210 UNCH
2950	----	----	----	3.20B/*6.10A	----	3.10 - 1.00	.0206	----	----	----	----	55 UNCH
3000	----	----	----	2.80B/*5.90A	----	2.70 - 1.00	.0181	----	----	----	----	348 UNCH
3200	----	----	----	1.70B/*5.10A	----	1.70 - 0.60	.0115	----	----	----	----	10 UNCH
3500	----	----	----	0.70B/*4.30A	----	1.00 - 0.30	.0067	----	----	----	----	10 UNCH
4000	----	----	----	----/*3.50A	----	0.60 - 0.20	.0038	----	----	----	----	5 UNCH
TOTAL										81		2612 + 54
JAN27												
2360	----	----	----	----	----	50.10 - 9.70	.1957	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUL26												
1400	----	----	----	----/1.50A	----	0.10 UNCH	.0003	----	----	----	----	150 UNCH
1500	----	----	----	0.10B/2.10A	----	0.90 + 0.20	.0157	----	----	----	----	153 UNCH
1550	----	----	----	2.00B/2.80A	----	3.10 + 0.70	.0517	----	----	----	----	200 UNCH
1590	----	----	5.60B/3.80A	5.60B/3.80A	----	6.80 + 1.80	.1080	----	----	----	----	10 UNCH
1600	----	----	6.90B/4.20A	6.90B/4.20A	----	7.90 + 2.10	.1250	----	----	----	----	322 UNCH
1630	----	----	12.00B/5.80A	12.00B/5.80A	----	12.50 + 3.50	.1919	----	----	----	----	25 UNCH
1635	----	----	13.10B/6.20A	13.10B/6.20A	----	13.50 + 3.90	.2056	----	----	----	----	10 UNCH
1650	----	----	16.90B/7.40A	16.90B/7.40A	----	17.00 + 5.10	.2511	----	----	----	----	5 UNCH
1680	----	----	27.60B/11.00A	27.60B/11.00A	----	26.70 + 8.70	.3602	----	----	----	----	50 UNCH
1690	----	----	32.20B/12.60A	32.20B/12.60A	----	30.70 + 10.10	.3999	----	----	----	----	6 UNCH
1700	16.00	16.00	37.00B/14.40A	37.00B/14.40A	----	35.20 + 11.70	.4408	----	----	51	50	227 - 50
1710	----	----	42.30B/16.50A	42.30B/16.50A	----	40.10 + 13.40	.4821	----	----	----	----	1 UNCH
1725	----	----	51.00B/20.20A	51.00B/20.20A	----	48.20 + 16.10	.5435	----	----	----	----	100 UNCH
1750	----	----	67.20B/28.20A	67.20B/28.20A	----	63.50 + 20.50	.6413	----	----	----	----	61 UNCH
1800	----	----	105.90B/51.80A	105.90B/51.80A	----	100.70 + 29.30	.8014	----	----	----	----	391 UNCH
1805	----	----	----	----	----	104.80 + 30.00	.8141	----	----	----	----	45 UNCH
1810	----	----	----	----	----	108.90 + 30.70	.8259	----	----	----	----	15 UNCH
1815	----	----	----	----	----	113.10 + 31.40	.8375	----	----	----	----	45 UNCH
1820	----	----	----	----	----	117.40 + 32.20	.8481	----	----	----	----	31 UNCH
1825	----	----	127.60B/67.00A	127.60B/67.00A	----	121.70 + 32.80	.8586	----	----	----	----	100 UNCH
1830	----	----	----	----	----	126.10 + 33.50	.8680	----	----	----	----	15 UNCH
1835	----	----	----	----	----	130.50 + 34.10	.8773	----	----	----	----	15 UNCH
1840	----	----	----	----	----	135.00 + 34.70	.8865	----	----	----	----	15 UNCH
1850	----	----	150.40B/84.50A	150.40B/84.50A	----	144.00 + 35.70	.9014	----	----	----	----	77 UNCH
1860	----	----	----	----	----	153.10 + 36.60	.9159	----	----	----	----	32 UNCH
1870	----	----	----	----	----	162.30 + 37.40	.9289	----	----	----	----	1 UNCH
1900	----	----	198.20B/125.10A	198.20B/125.10A	----	190.70 + 39.30	.9552	----	----	----	----	595 UNCH
1920	----	----	----	----	----	210.10 + 40.30	.9677	----	----	----	----	2 UNCH
1950	----	----	247.00B/170.80A	247.00B/170.80A	----	239.40 + 41.40	.9803	----	----	----	----	8 UNCH
1980	----	----	----	----	----	269.00 + 42.20	.9877	----	----	----	----	48 UNCH
1990	----	----	----	----	----	278.90 + 42.30	.9895	----	----	----	----	23 UNCH
2000	----	----	296.60B/219.10A	296.60B/219.10A	----	288.80 + 42.50	.9913	----	----	----	----	53 UNCH
2015	----	----	----	----	----	303.70 + 42.70	.9931	----	----	----	----	25 UNCH
2030	----	----	----	----	----	318.60 + 42.90	.9949	----	----	----	----	23 UNCH
2035	----	----	----	----	----	323.60 + 42.90	.9949	----	----	----	----	46 UNCH
2075	----	----	371.30B/293.20A	371.30B/293.20A	----	363.40 + 43.20	.9968	----	----	----	----	1 UNCH
2085	----	----	----	----	----	373.40 + 43.30	.9985	----	----	----	----	1 UNCH
2100	----	----	396.20B/318.00A	396.20B/318.00A	----	388.40 + 43.40	.9989	----	----	----	----	224 UNCH
2130	----	----	----	----	----	418.40 + 43.60	.9995	----	----	----	----	23 UNCH
2135	----	----	----	----	----	423.40 + 43.60	.9996	----	----	----	----	190 UNCH
2165	----	----	----	----	----	453.40 + 43.60	.9998	----	----	----	----	20 UNCH
2350	----	----	646.00B/567.40A	646.00B/567.40A	----	638.40 + 43.70	1.0000	----	----	----	----	5 UNCH
2400	----	----	695.90B/617.40A	695.90B/617.40A	----	688.40 + 43.70	1.0000	----	----	----	----	300 UNCH
TOTAL									50	51		3689 - 50
AUG26												
1600	----	----	24.00B/15.40A	24.00B/15.40A	----	24.60 + 5.20	.2148	----	----	----	----	201 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
AUG26												
1725	----	----	#74.60B/*45.60A	#74.60B/45.60A	----	72.70 + 15.60	.4658	----	----	----	----	30 UNCH
1750	----	----	#89.00B/55.50A	#89.00B/55.50A	----	86.60 + 17.70	.5183	----	----	----	----	105 UNCH
1800	----	----	#121.70B/79.60A	#121.70B/79.60A	----	118.30 + 22.30	.6167	----	----	13	----	15 + 13
1850	----	----	#158.50B/108.70	#158.50B/108.70	----	154.50 + 27.00	.7025	----	----	----	----	200 UNCH
2000	----	----	#288.00B/220.80	#288.00B/220.80	----	281.80 + 37.10	.8713	----	----	----	----	1 UNCH
TOTAL										13		552 + 13
SEP26												
1850	----	----	#184.50B/140.10	#184.50B/140.10	----	182.20 + 26.00	.6338	----	----	----	----	16 UNCH
TOTAL												16 0
OCT26												
1300	----	----	----	5.20B/8.10A	----	7.50 + 0.60	.0507	----	----	----	----	4 UNCH
1500	----	----	31.10B/25.80A	31.10B/25.80A	----	32.90 + 5.10	.1819	----	----	----	----	20 UNCH
1600	----	----	61.40B/47.70A	61.40B/47.70A	----	62.40 + 9.50	.2952	----	----	----	----	28 UNCH
1700	----	----	107.60B/82.70A	107.60B/82.70A	----	106.80 + 14.80	.4244	----	----	----	----	79 UNCH
1720	----	----	118.70B/91.50A	118.70B/91.50A	----	117.60 + 16.10	.4503	----	----	----	----	2 UNCH
1750	----	----	136.30B/105.70A	136.30B/105.70A	----	134.90 + 17.90	.4883	----	----	----	----	175 UNCH
1800	----	----	168.40B/132.30A	168.40B/132.30A	----	166.70 + 21.30	.5482	----	----	----	----	75 UNCH
1820	----	----	170.50B/143.90A	170.50B/143.90A	----	180.30 + 22.60	.5707	----	----	----	----	5 UNCH
1850	----	----	203.30B/162.10A	203.30B/162.10A	----	201.40 + 24.40	.6027	----	----	----	----	275 UNCH
1865	----	----	----/171.70A	178.70B/171.70A	----	212.40 + 25.40	.6179	----	----	----	----	1 UNCH
1900	----	----	240.50B/194.80A	240.50B/194.80A	----	238.60 + 27.30	.6517	----	----	----	----	225 UNCH
1950	----	----	279.70B/230.10A	279.70B/230.10A	----	277.50 + 29.70	.6956	----	----	----	----	50 UNCH
2000	----	----	320.40B/267.40A	320.40B/267.40A	----	317.90 + 31.60	.7349	----	----	----	----	1 UNCH
2100	----	----	406.00B/347.10A	406.00B/347.10A	----	402.50 + 34.70	.8013	----	----	----	----	100 UNCH
2130	----	----	----	----	----	428.80 + 35.60	.8183	----	----	----	----	41 UNCH
2135	----	----	----	----	----	433.20 + 35.70	.8208	----	----	----	----	12 UNCH
2140	----	----	----	----	----	437.60 + 35.80	.8236	----	----	----	----	12 UNCH
2400	----	----	684.10B/614.00A	684.10B/614.00A	----	678.30 + 40.50	.9183	----	----	----	----	200 UNCH
2500	----	----	780.70B/708.80A	780.70B/708.80A	----	774.90 + 41.70	.9377	----	----	----	----	1 UNCH
TOTAL												1306 0
JAN27												
1500	----	----	----	----	----	69.80 + 3.20	.2345	----	----	----	----	40 UNCH
1800	----	----	----	----	----	212.50 + 20.10	.4945	----	----	----	----	1 UNCH
1900	----	----	----	----	----	279.50 + 24.30	.5720	----	----	----	----	100 UNCH
2000	----	----	----	----	----	352.80 + 26.80	.6401	----	----	----	----	200 UNCH
TOTAL												341 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 66

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUL26 CALL			
OG	4360	0	800
OG	4500	0	100
OG	4680	0	200
TOTALS		0	1100
AUG26 CALL			
OG	4350	0	175
OG	4400	0	80
OG	4650	0	400
OG	4700	0	575
OG	4900	0	80
OG	5100	0	575
TOTALS		0	1885
SEP26 CALL			
OG	4500	0	50
OG	4650	0	100
OG	4660	0	300
OG	4800	0	240
OG	5500	0	360
TOTALS		0	1050
OCT26 CALL			
OG	4950	0	800
OG	5750	0	800
TOTALS		0	1600
OG PUT	COMEX GOLD OPTIONS		
AUG26 PUT			
OG	3600	0	900
OG	3850	0	2550
OG	3900	0	250
OG	4075	0	330
OG	4150	0	900
TOTALS		0	4930
SEP26 PUT			
OG	4005	0	300
OG	4050	0	150
TOTALS		0	450
OCT26 PUT			
OG	4100	0	275
OG	4300	0	550
OG	4350	0	330
TOTALS		0	1155
NOV26 PUT			
OG	4250	0	100
TOTALS		0	100
SO CALL	COMEX SILVER OPTIONS		
AUG26 CALL			
SO	7200	0	26
SO	10000	0	25
TOTALS		0	51
SEP26 CALL			
SO	8500	0	88
TOTALS		0	88
DEC26 CALL			
SO	9000	0	30
TOTALS		0	30
SO PUT	COMEX SILVER OPTIONS		
JUL26 PUT			
SO	5700	0	60
SO	6500	0	50
TOTALS		0	110
SEP26 PUT			
SO	6000	0	88
SO	6200	0	60
TOTALS		0	148
DEC26 PUT			
SO	6000	0	30
TOTALS		0	30
HX CALL	COMEX COPPER OPTIONS		
JUL26 CALL			
HX	655	0	25
HX	675	0	25
TOTALS		0	50
OCT26 CALL			
HX	710	0	150
TOTALS		0	150
HX PUT	COMEX COPPER OPTIONS		
JUL26 PUT			
HX	610	0	200
TOTALS		0	200
PO PUT	PLATINUM OPTIONS		
JUL26 PUT			
PO	1700	0	50
TOTALS		0	50
OG2 PUT	GOLD OPTIONS		
JUN26 PUT			
OG2	4225	0	150
TOTALS		0	150
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3		
JUN26 CALL			
G3M	4400	0	56
G3M	4475	0	140
TOTALS		0	196
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK5		
JUN26 PUT			
G5M	4300	0	100
TOTALS		0	100
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK		
JUN26 PUT			
W2S	6180	0	200
W2S	6200	0	100
TOTALS		0	300
GWR THU	GOLD WEEKLY THURSDAY OPTION Week3		

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

JUN26	PUT			
G3R		4225	0	150
TOTALS			0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.