

PG64

BULLETIN # 90@

METALS OPTION PRODUCTS

Tue, May 12, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	MAY26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29													
ECG10 OP		05/11	05/12											
ECG11 OP		05/11	05/12											
ECG13 OP		05/11	05/12											
ECG15 OP		05/11	05/12											
ECG16 OP		05/11	05/12											
ECGC OOF		05/11	05/12											
ECHG OOF		05/11	05/12											
ECSI OOF		05/11	05/12											
EHO OPT	05/29			06/30	07/31	08/28	09/30							
FMG OPT	05/15													
FSO OPT	05/29			06/30										
GMW MON	05/18			06/15										
GWR THU	05/28			06/04										
GWT TUE	05/19			06/09										
GWV WED	05/27			06/03										
HMW MON	05/18			06/08										
HRO OPT	05/26			06/23	07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU	05/28			06/04										
HWT TUE	05/19			06/09										
HWW WED	05/27			06/03	07/01	08/05								
HX CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29			06/05										
HXE PUT	05/29													
LHO OPT	05/29			06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON	05/11			06/01										
OG CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL				06/05										
OG1 PUT				06/05										
OG3 CALL	05/15													
OG3 PUT	05/15													
OG4 CALL	05/22													
OG4 PUT	05/22													
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT				05/26	06/25	07/28								
PAO CALL				05/20	06/17	07/15	08/19			11/18				
PAO PUT				05/20	06/17	07/15	08/19			11/18				
PLW OOF	05/15													
PO CALL				05/20	06/17	07/15		09/16			12/16			
PO PUT				05/20	06/17			09/16			12/16			
RWS THU	05/28			06/04										
SMW MON	05/18			06/15										
SO CALL				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO PUT				05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO3 CALL	05/15													
SO3 PUT	05/15													
SO4 CALL	05/22													
SO4 PUT	05/22													
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED	05/27			06/03										
TWS TUE	05/19			06/09										
WMG WED	05/13													

GOLD OPTIONS ON FUTURES														
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED MAY26		MICRO GOLD WEEKLY WED OPTION WEEK2												
4700	----	----	----	----	----		31.20 + 7.30	.6211	----	----	----	----	1	UNCH
4850	----	----	----	----	----		0.30 - 4.50	.0007	----	----	----	----	3	UNCH
TOTAL													4	0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT JUN26		MICRO GOLD OPTIONS												
2500	----	----	----	----	----		0.10 UNCH	----	----	----	----	----	2	UNCH
3950	----	----	----	----	----		1.50 - 0.10	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----		3.50 - 0.10	----	----	----	----	----	1	UNCH
4260	----	----	----	----	----		4.80 + 0.10	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----		6.00 + 0.20	----	----	----	----	----	4	UNCH
4500	----	----	----	----	----		23.10 + 3.00	----	----	----	----	----	6	UNCH
4600	----	----	----	----	----		47.60 + 7.30	----	----	----	----	----	1	UNCH
4625	----	----	----	----	----		56.50 + 8.90	----	----	----	----	----	1	UNCH
4645	----	----	----	----	----		64.50 + 10.30	----	----	----	----	----	6	UNCH
4700	----	----	----	----	----		77.70 - 27.20	----	----	----	----	----	1	UNCH
4720	----	----	----	----	----		102.10 + 16.40	----	----	----	----	----	2	UNCH
4800	----	----	----	----	----		41.50 - 19.00	----	----	----	----	----	1	UNCH
4865	----	----	----	----	----		27.10 - 14.00	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----		21.50 - 11.80	----	----	----	----	----	1	UNCH
5100	----	----	----	----	----		6.20 - 3.70	----	----	----	----	----	1	UNCH
5400	2.50	2.50	2.50/2.50	2.50/2.50	----		1.90 - 0.60	----	----	----	2	----	0 -	2
5875	----	----	----	----	----		0.60 - 0.10	----	----	----	----	----	1	UNCH
TOTAL											2		30 -	2
JUL26														
3400	----	----	----	----	----		1322.30 - 42.40	----	----	----	----	----	1	UNCH
3460	----	----	----	----	----		1262.50 - 42.40	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----		19.90 + 1.90	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----		29.70 + 3.10	----	----	----	----	----	1	UNCH
4500	----	----	#66.00B/----	#66.00B/----	----		67.80 + 8.00	----	----	----	----	----	4	UNCH
4600	----	----	----	----	----		100.10 + 11.50	----	----	----	----	----	2	UNCH
4700	----	----	----	----	----		165.10 - 26.70	----	----	----	----	----	1	UNCH
5000	----	----	----	----	----		61.20 - 13.70	----	----	----	----	----	2	UNCH
5050	----	----	----	----	----		51.50 - 11.90	----	----	----	----	----	1	UNCH
5200	----	----	----	----	----		30.90 - 7.60	----	----	----	----	----	1	UNCH
5300	33.00	33.00	#33.00/*33.00	#33.00/*33.00	----		22.30 NEW	----	----	----	3	----	3 +	3
5500	----	----	----	----	----		12.40 - 3.00	----	----	----	----	----	2	UNCH
TOTAL											3		20 +	3
AUG26														
4400	----	----	----	----	----		79.70 + 8.00	----	----	----	----	----	5	UNCH
TOTAL													5	0
GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG5 PUT MAY26		GOLD OPTIONS												
3700	1.00	1.00	1.10/1.00	1.10/1.00	----		1.10 - 0.10	.0056	----	----	2	----	4 +	2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.



	BULLETIN # 90@				METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG5 PUT	GOLD OPTIONS																
MAY26																	
3800	----	----		----	1.40B/*1.60A	----	1.40 - 0.10	.0076	----	----	1	----	2	UNCH			
3900	----	----		----	1.70B/*2.00A	----	1.90 - 0.10	.0109	----	----	----	----	10	UNCH			
4000	----	----		----/*2.40A	2.40B/*2.40A	----	2.40 - 0.10	.0148	----	----	----	----	6	UNCH			
4100	----	----		3.60B/*3.20A	3.60B/*3.20A	----	3.30 UNCH	.0216	----	----	----	----	1	UNCH			
4250	----	----		7.50B/*5.40A	7.50B/*5.40A	----	6.00 + 0.30	.0424	----	----	----	----	5	UNCH			
4275	----	----		8.70B/*6.00A	8.70B/*6.00A	----	6.80 + 0.40	.0483	----	----	----	----	5	UNCH			
4300	----	----		10.00B/*6.80A	10.00B/*6.80A	----	7.80 + 0.50	.0556	----	----	----	----	3	UNCH			
4325	9.00	9.00		#11.50B/*7.70A	11.50B/*7.70A	----	8.90 NEW	.0636	----	----	2	----	0	UNCH			
4350	----	----		13.20B/*8.70A	13.20B/*8.70A	----	10.20 + 0.80	.0730	----	----	----	----	2	UNCH			
4400	13.50	13.50		18.00B/*11.40A	18.00B/*11.40A	----	13.60 + 1.20	.0970	----	----	102	----	104 +	101			
4450	24.30	24.30		24.70B/*15.10A	24.70B/*15.10A	----	18.50 + 2.00	.1296	----	----	2	----	30 -	1			
4475	----	----		28.90B/*17.10A	28.90B/*17.10A	----	21.70 + 2.50	.1499	----	----	----	----	57	UNCH			
4500	24.80	24.80		33.90B/*19.60A	33.90B/*19.60A	----	25.40 + 3.00	.1726	----	----	153	----	166 +	138			
4525	30.50	30.50		#39.70B/*22.90A	39.70B/*22.90A	----	29.90 NEW	.1988	----	----	2	----	2 +	2			
4550	----	----		#46.40B/*25.30A	46.40B/*25.30A	----	35.00 + 4.60	.2275	----	----	1	----	1 +	1			
4600	40.00	40.00		#62.30B/*34.30A	62.30B/*34.30A	----	47.90 + 6.50	.2938	----	----	3	----	6 +	2			
4625	64.00	64.00		71.90B/*39.40A	71.90B/*39.40A	----	55.70 + 7.70	.3308	----	----	5	----	9 -	4			
4650	----	----		#82.40B/*45.50A	82.40B/*45.50A	----	64.70 + 9.10	.3701	----	----	----	----	2	UNCH			
4675	85.60	85.60		#94.40B/*53.10A	94.40B/*53.10A	----	74.80 + 10.70	.4109	----	----	3	----	17 -	3			
4700	----	----		#107.20B/*60.60	107.20B/*60.60A	----	86.10 + 12.60	.4528	----	----	----	----	4	UNCH			
4750	----	----		#137.10B/*79.50	137.10B/*79.50A	----	112.20 + 16.70	.5369	----	----	----	----	1	UNCH			
4775	----	----		#153.40B/*89.10	153.40B/*89.10A	----	126.90 + 18.50	.5777	----	----	2	----	4	UNCH			
TOTAL											278		441+	238			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG5 CALL	GOLD OPTIONS																
MAY26																	
4600	178.00	178.00		233.20B/*146.20	233.20B/146.20A	----	169.60 NEW	.7057	----	----	4	----	2 +	2			
4625	----	----		214.00B/131.20A	214.00B/131.20A	----	152.50 - 34.70	.6687	----	----	----	----	1	UNCH			
4725	----	----		143.60B/*81.10A	143.60B/81.10A	----	95.50 - 27.80	.5045	----	----	----	----	1	UNCH			
4750	----	----		128.50B/*71.60A	128.50B/71.60A	----	84.10 - 25.80	.4626	----	----	----	----	2	UNCH			
4775	----	----		114.30B/*62.70A	114.30B/62.70A	----	73.90 - 23.90	.4218	----	----	2	----	4	UNCH			
4900	----	----		64.00B/31.70A	64.00B/31.70A	----	36.90 - 15.80	.2451	----	----	----	----	101	UNCH			
4925	----	----		56.10B/27.60A	56.10B/27.60A	----	32.00 - 14.20	.2173	----	----	150	----	152 +	150			
4950	----	----		48.40B/24.10A	48.40B/24.10A	----	27.70 - 12.70	.1920	----	----	----	----	2	UNCH			
4975	----	----		42.50B/21.00A	42.50B/21.00A	----	24.10 - 11.30	.1697	----	----	----	----	1	UNCH			
5000	22.50	22.50		36.80B/18.40A	36.80B/18.40A	----	20.90 - 10.10	.1494	----	----	20	----	422 +	20			
5050	----	----		27.30B/14.20A	27.30B/14.20A	----	15.90 - 7.90	.1161	----	----	----	----	3	UNCH			
5075	----	----		24.30B/12.40A	24.30B/12.40A	----	13.90 - 6.90	.1023	----	----	----	----	1	UNCH			
5100	11.20	11.20		21.10B/11.10A	21.10B/11.10A	----	12.20 - 6.10	.0903	----	----	2	----	103 +	2			
5125	----	----		18.50B/9.80A	18.50B/9.80A	----	10.70 - 5.30	.0796	----	----	----	----	2	UNCH			
5200	----	----		12.10B/*7.10A	12.10B/7.10A	----	7.40 - 3.60	.0553	----	----	----	----	5	UNCH			
5225	9.00	9.00		10.60B/*6.40A	10.60B/*6.40A	----	6.60 NEW	.0493	----	----	1	----	1 +	1			
5300	----	----		----/*4.70A	6.30B/4.70A	----	4.80 - 2.10	.0355	----	----	----	----	5	UNCH			
5400	----	----		----/3.50A	4.10B/3.50A	----	3.40 - 1.30	.0244	----	----	----	----	9	UNCH			
5600	----	----		----/*2.20A	2.10B/*2.20A	----	2.00 - 0.50	.0132	----	----	----	----	1	UNCH			
5750	----	----		----/*1.60A	1.40B/*1.60A	----	1.40 - 0.30	.0088	----	----	----	----	3	UNCH			
TOTAL											179		821+	175			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG4 PUT	GOLD OPTIONS																
MAY26																	
3500	----	----		----	----/1.20A	----	0.30 - 0.10	.0013	----	----	----	----	17	UNCH			
3800	0.70	0.70		0.70/*0.70	0.70/*0.70	----	0.80 - 0.10	.0043	----	----	7	----	8 +	7			
3900	0.90	0.90		0.90/*0.90	0.90/*0.90	----	1.00 UNCH	.0058	----	----	11	----	16 +	6			
4000	----	----		1.20B/*1.20A	1.20B/*1.20A	----	1.20 UNCH	.0078	----	----	2	----	15 +	2			
4075	1.50	1.50		#1.60B/*1.50	1.60B/*1.50	----	1.50 UNCH	.0105	----	----	19	----	19 +	19			
4100	----	----		1.80B/----	1.80B/*1.60A	----	1.70 + 0.10	.0121	----	----	----	----	1	UNCH			
4125	----	----		2.10B/----	2.10B/*1.80A	----	1.80 UNCH	.0132	----	----	----	----	1	UNCH			
4150	2.30	2.30		2.40B/*1.90A	2.40B/*1.90A	----	2.00 + 0.10	.0150	----	----	27	----	29 +	25			
4175	----	----		2.70B/*2.00A	2.70B/*2.00A	----	2.20 NEW	.0169	----	----	1	----	1 +	1			
4200	2.40	2.40		3.10B/*2.20A	3.10B/*2.20A	----	2.50 + 0.10	.0196	----	----	4	----	11 +	1			
4225	2.90	2.90		3.70B/*2.40A	3.70B/*2.40A	----	2.80 + 0.10	.0224	----	----	3	----	4 +	3			
4250	----	----		4.30B/*2.70A	4.30B/*2.70A	----	3.20 + 0.10	.0261	----	----	5	----	13 +	4			
4275	----	----		5.00B/*3.00A	5.00B/*3.00A	----	3.60 + 0.10	.0301	----	----	----	----	25	UNCH			
4300	4.40	4.40		5.90B/*3.50A	5.90B/*3.50A	----	4.20 + 0.10	.0356	----	----	1	----	4 +	1			
4325	----	----		7.10B/*4.00A	7.10B/*4.00A	----	4.90 + 0.20	.0421	----	----	1	----	16 +	1			
4350	----	----		8.30B/*4.70A	8.30B/*4.70A	----	5.80 + 0.30	.0504	----	----	5	----	3	UNCH			
4375	----	----		10.00B/*5.50A	10.00B/*5.50A	----	6.90 + 0.50	.0604	----	----	----	----	33	UNCH			
4400	----	----		12.00B/*6.50A	12.00B/*6.50A	----	8.20 + 0.70	.0723	----	----	1	----	22 +	1			
4425	----	----		14.60B/*7.70A	14.60B/*7.70A	----	9.90 + 1.00	.0873	----	----	----	----	11	UNCH			
4450	14.60	14.60		17.60B/*8.80A	17.60B/*8.80A	----	12.10 + 1.40	.1061	----	----	3	----	28	UNCH			
4475	----	----		21.60B/*10.20A	21.60B/*10.20A	----	14.80 + 1.90	.1285	----	----	1	----	2	UNCH			
4500	16.30	16.30		26.10B/*12.10A	26.10B/*12.10A	----	18.10 + 2.50	.1551	----	----	7	----	28 +	2			
4525	----	----		32.00B/*14.30A	32.00B/*14.30A	----	22.20 + 3.30	.1865	----	----	----	----	36	UNCH			
4550	29.50	29.50		38.60B/*17.00A	38.60B/*17.00A	----	27.30 + 4.40	.2231	----	----	1	----	13	UNCH			
4575	----	----		46.50B/*20.40A	46.50B/*20.40A	----	33.30 + 5.60	.2641	----	----	----	----	12	UNCH			
4600	35.00	35.00		55.60B/*24.60A	55.60B/*24.60A	----	40.50 + 7.00	.3098	----	----	57	----	136 -	5			
4625	----	----		66.10B/*29.80A	66.10B/*29.80A	----	49.00 + 8.70	.3594	----	----	----	----	16	UNCH			
4650	----	----		78.20B/*35.40A	78.20B/*35.40A	----	58.80 + 10.50	.4120	----	----	2	----	3	UNCH			

PG64	BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026			PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG4 CALL	GOLD OPTIONS																				331			1706+	230		
TOTAL																											
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG3 PUT	GOLD OPTIONS																										
MAY26																											
3500	----	----	----	----	----	/*0.10A	----	----	0.10	UNCH	----	----	----	----	10	UNCH											
3700	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	----	----	----	----	2	UNCH											
3750	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	----	----	----	----	6	UNCH											
3800	----	----	----	----	----	/0.30A	----	----	0.10	UNCH	----	----	----	----	56	UNCH											
3900	----	----	----	----	----	/*0.30A	----	----	0.10	- 0.10	.0000	----	----	69	UNCH												
4000	----	----	----	----	----	0.10B/0.30A	----	----	0.10	- 0.10	.0002	----	----	66	UNCH												
4100	0.30	0.30		0.30/*0.30	0.30/*0.30	0.30/*0.30	----	----	0.20	- 0.20	.0007	----	1	----	22	+	1										
4125	0.50	0.50		0.50/*0.50	0.50/*0.50	0.50/*0.50	----	----	0.20	- NEW	.0007	----	1	----	1	+	1										
4150	0.30	0.30		0.50B/*0.30	0.50B/*0.30	0.50B/*0.30	----	----	0.20	- 0.20	.0008	----	4	----	7	+	1										
4175	----	----	----	----	----	0.50B/*0.50A	----	----	0.30	- 0.20	.0013	----	----	3	UNCH												
4200	0.40	0.40		0.40/*0.40	0.60B/*0.40	0.60B/*0.40	----	----	0.30	- 0.30	.0013	----	4	----	132	-	1										
4225	----	----	----	0.70B/----	0.70B/----	0.70B/----	----	----	0.40	- 0.20	.0019	----	----	4	UNCH												
4250	0.50	0.50		0.80B/*0.50	0.80B/*0.50	0.80B/*0.50	----	----	0.50	- 0.20	.0026	----	----	48	-	2											
4260	0.90	0.90		#0.90/*0.70A	0.90/*0.70A	0.90/*0.70A	----	----	0.50	- NEW	.0027	----	1	----	1	+	1										
4270	----	----	----	#0.90B/*0.70A	0.90B/*0.70A	0.90B/*0.70A	----	----	0.60	- 0.20	.0033	----	----	2	UNCH												
4275	----	----	----	0.90B/*0.70A	0.90B/*0.70A	0.90B/*0.70A	----	----	0.60	- 0.20	.0034	----	----	49	UNCH												
4295	----	----	----	#1.10B/*0.80A	1.10B/*0.80A	1.10B/*0.80A	----	----	0.70	- 0.20	.0042	----	----	1	UNCH												
4300	0.90	0.90		1.10B/*0.80A	1.10B/*0.80A	1.10B/*0.80A	----	----	0.70	- 0.30	.0043	----	6	----	387	+	2										
4325	----	----	----	1.40B/*0.80A	1.40B/*0.80A	1.40B/*0.80A	----	----	0.90	- 0.20	.0059	----	1	----	39	UNCH											
4335	1.00	1.00		#1.50B/*0.90A	1.50B/*0.90A	1.50B/*0.90A	----	----	0.90	- NEW	.0061	----	2	----	2	+	2										
4350	1.40	1.40		1.70B/*0.90A	1.70B/*0.90A	1.70B/*0.90A	----	----	1.10	- 0.20	.0077	----	24	----	55	UNCH											
4365	----	----	----	#1.90B/*1.00A	1.90B/*1.00A	1.90B/*1.00A	----	----	1.20	- NEW	.0088	----	3	----	3	+	3										
4370	----	----	----	#2.00B/*1.10A	2.00B/*1.10A	2.00B/*1.10A	----	----	1.30	- 0.20	.0097	----	----	2	UNCH												
4375	1.00	1.00		2.10B/*1.00	2.10B/*1.00	2.10B/*1.00	----	----	1.30	- 0.20	.0098	----	4	----	60	+	3										
4400	1.60	1.60		2.70/*1.30A	2.70/*1.30A	2.70/*1.30A	----	----	1.60	- 0.20	.0130	----	10	----	89	+	7										
4415	2.30	2.30		3.20B/*1.40A	3.20B/*1.40A	3.20B/*1.40A	----	----	1.80	- 0.20	.0154	----	117	----	119	+	117										
4425	2.50	2.50		3.50B/*1.50	3.50B/*1.50	3.50B/*1.50	----	----	2.00	- 0.20	.0176	----	23	----	211	+	1										
4435	----	----	----	4.00B/*1.60A	4.00B/*1.60A	4.00B/*1.60A	----	----	2.20	- 0.20	.0199	----	----	1	UNCH												
4445	----	----	----	4.30B/*1.70A	4.30B/*1.70A	4.30B/*1.70A	----	----	2.40	- 0.20	.0223	----	----	3	UNCH												
4450	3.20	3.20		4.60B/*1.80A	4.60B/*1.80A	4.60B/*1.80A	----	----	2.50	- 0.20	.0236	----	11	----	198	+	4										
4460	2.90	2.90		#5.10B/*1.90A	5.10B/*1.90A	5.10B/*1.90A	----	----	2.80	- NEW	.0272	----	2	----	2	+	2										
4465	----	----	----	#5.40B/*2.00A	5.40B/*2.00A	5.40B/*2.00A	----	----	2.90	- 0.10	.0286	----	2	----	3	+	2										
4475	2.50	2.50		6.10B/*2.20A	6.10B/*2.20A	6.10B/*2.20A	----	----	3.20	- 0.10	.0325	----	3	----	64	UNCH											
4480	3.70	3.70		#6.50B/*2.30A	6.50B/*2.30A	6.50B/*2.30A	----	----	3.40	- 0.10	.0350	----	1	----	2	+	1										
4485	4.00	4.00		#6.80B/*2.40A	6.80B/*2.40A	6.80B/*2.40A	----	----	3.60	- NEW	.0375	----	1	----	1	+	1										
4490	----	----	----	#7.30B/*2.50A	7.30B/*2.50A	7.30B/*2.50A	----	----	3.80	- UNCH	.0401	----	----	2	UNCH												
4500	4.40	4.40		8.30B/*2.80	8.30B/*2.80	8.30B/*2.80	----	----	4.20	- UNCH	.0456	----	19	----	239	+	2										
4505	5.20	5.20		#8.80B/*2.90A	8.80B/*2.90A	8.80B/*2.90A	----	----	4.50	+	0.10	.0493	----	1	----	2	+	1									
4510	5.50	5.50		#9.30B/*3.10A	9.30B/*3.10A	9.30B/*3.10A	----	----	4.70	- UNCH	.0523	----	3	----	2	+	1										
4515	5.60	5.60		#9.80B/*3.20A	9.80B/*3.20A	9.80B/*3.20A	----	----	5.00	- NEW	.0563	----	3	----	3	+	3										
4520	11.20	11.20		#11.20/*3.40A	11.20/*3.40A	11.20/*3.40A	----	----	5.30	- NEW	.0604	----	1	----	1	+	1										
4525	7.50	7.50		11.20B/*3.60A	11.20B/*3.60A	11.20B/*3.60A	----	----	5.60	+	0.20	.0646	----	19	----	51	+	5									
4530	----	----	----	11.80B/*3.80A	11.80B/*3.80A	11.80B/*3.80A	----	----	6.00	+	0.30	.0698	----	----	1	UNCH											
4535	6.50	6.50		#12.70B/*4.00A	12.70B/*4.00A	12.70B/*4.00A	----	----	6.40	+	0.30	.0751	----	6	----	4	+	2									
4540	6.50	6.50		#13.40B/*4.20A	13.40B/*4.20A	13.40B/*4.20A	----	----	6.80	+	0.40	.0806	----	1	----	4	+	1									
4545	7.00	7.00		14.20B/*4.40A	14.20B/*4.40A	14.20B/*4.40A	----	----	7.20	+	0.40	.0863	----	4	----	6	+	4									
4550	7.00	7.00		15.20B/*4.60A	15.20B/*4.60A	15.20B/*4.60A	----	----	7.70	+	0.60	.0930	----	17	----	371	+	7									
4555	8.40	8.40		#16.10B/*5.00A	16.10B/*5.00A	16.10B/*5.00A	----	----	8.20	- NEW	.0998	----	2	----	2	+	2										
4560	8.90	8.90		#17.10B/*5.20A	17.10B/*5.20A	17.10B/*5.20A	----	----	8.70	+	0.70	.1069	----	18	----	16	+	14									
4565	8.80	8.80		#18.10B/*5.40A	18.10B/*5.40A	18.10B/*5.40A	----	----	9.30	+	0.80	.1150	----	3	----	7	+	3									
4570	10.70	10.70		#19.30B/*5.70A	19.30B/*5.70A	19.30B/*5.70A	----	----	9.90	+	1.00	.1233	----	3	----	3	+	2									

	BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL															
MAY26															
4740	----	----		#74.70B/*15.70A	#74.70B/*15.70A	----			22.00 - 24.30	.2899	----	----	3	----	5 + 1
4745	----	----		#71.50B/*14.70A	#71.50B/*14.70A	----			20.50 - 23.50	.2722	----	----	1	----	UNCH
4750	65.00	65.00		68.40B/*13.70A	68.40B/*13.70A	----			19.10 - 22.80	.2552	----	----	30	----	247 + 7
4755	----	----		#65.40B/*12.80A	#65.40B/*12.80A	----			17.80 - 22.00	.2389	----	----	----	4	UNCH
4760	15.20	15.20		#62.40B/*12.00A	#62.40B/*12.00A	----			16.60 - 21.10	.2235	----	----	8	----	6 + 5
4765	----	----		#59.60B/*11.10A	#59.60B/*11.10A	----			15.50 NEW	.2090	----	----	1	----	1 + 1
4770	25.50	25.50		#56.90B/*10.30A	#56.90B/*10.30A	----			14.40 - 19.50	.1948	----	----	1	----	2 + 1
4775	45.50	45.50		54.20B/*9.70A	54.20B/*9.70A	----			13.40 - 18.80	.1814	----	----	50	----	161 + 5
4780	14.60	14.60		#51.70B/*9.00A	#51.70B/*9.00A	----			12.40 NEW	.1682	----	----	2	----	1 + 1
4790	----	----		#46.70B/*7.90A	#46.70B/*7.90A	----			10.80 - 16.50	.1458	----	----	1	----	UNCH
4800	28.70	28.70		42.20B/*6.90A	42.20B/*6.90A	----			9.30 - 15.10	.1250	----	----	111	----	533 + 12
4805	----	----		#40.20B/*6.40A	#40.20B/*6.40A	----			8.60 - 14.50	.1153	----	----	4	----	5 + 2
4810	10.00	10.00		#38.10B/*6.00A	#38.10B/*6.00A	----			8.00 NEW	.1067	----	----	13	----	13 + 13
4815	7.20	7.20		#36.20B/*5.60A	#36.20B/*5.60A	----			7.40 - 13.20	.0983	----	----	29	----	34 + 28
4820	8.10	8.10		#34.10B/*5.30A	#34.10B/*5.30A	----			6.90 - 12.50	.0910	----	----	17	----	17 + 16
4825	21.00	21.00		32.30B/*4.90A	32.30B/*4.90A	----			6.40 - 11.90	.0839	----	----	37	----	60 + 9
4830	5.40	5.40		#30.80B/*4.60A	#30.80B/*4.60A	----			6.00 - 11.30	.0779	----	----	6	----	10 + 6
4845	----	----		#25.80B/*3.80A	#25.80B/*3.80A	----			4.80 - 9.70	.0608	----	----	----	4	UNCH
4850	21.50	21.50		24.30B/*3.60A	24.30B/*3.60A	----			4.50 - 9.10	.0564	----	----	10	----	411 - 5
4855	----	----		#22.90B/*3.30A	#22.90B/*3.30A	----			4.20 - 8.60	.0520	----	----	----	1	UNCH
4860	----	----		21.60B/*3.10A	21.60B/*3.10A	----			3.90 - 8.20	.0478	----	----	----	1	UNCH
4865	3.40	3.40		20.40B/*3.00A	20.40B/*3.00A	----			3.60 - 7.80	.0437	----	----	2	----	5 + 2
4870	----	----		#19.20B/*2.80A	19.20B/*2.80A	----			3.40 NEW	.0408	----	----	1	----	1 + 1
4875	----	----		18.00B/*2.70A	18.00B/*2.70A	----			3.20 - 6.90	.0379	----	----	----	217	UNCH
4880	4.10	4.10		#17.00B/*2.50A	17.00B/*2.50A	----			3.00 NEW	.0350	----	----	1	----	1 + 1
4885	----	----		#15.80B/*2.30A	15.80B/*2.30A	----			2.80 NEW	.0323	----	----	2	----	1 + 1
4890	----	----		#15.00B/*2.20A	15.00B/*2.20A	----			2.60 - 5.80	.0296	----	----	----	6	UNCH
4895	----	----		14.10B/*2.10A	14.10B/*2.10A	----			2.40 - 5.60	.0270	----	----	----	1	UNCH
4900	7.00	7.00		13.20B/*2.00A	13.20B/*2.00A	----			2.30 - 5.20	.0255	----	----	41	----	829 - 9
4905	1.50	1.50		12.30B/*1.50	12.30B/*1.50	----			2.10 - 5.00	.0230	----	----	2	----	2 + 1
4910	4.20	4.20		#11.80B/*1.80A	11.80B/*1.80A	----			2.00 NEW	.0216	----	----	3	----	3 + 3
4920	1.70	1.70		#10.10B/*1.60A	10.10B/*1.60A	----			1.80 NEW	.0188	----	----	2	----	2 + 2
4925	1.60	1.60		9.50B/*1.50A	9.50B/*1.50A	----			1.70 - 3.90	.0175	----	----	12	----	52 + 4
4945	1.40	1.40		#7.40B/*1.20A	7.40B/*1.20A	----			1.30 NEW	.0127	----	----	1	----	1 + 1
4950	7.20	7.20		7.20/*1.20A	7.20/*1.20A	----			1.30 - 2.90	.0124	----	----	10	----	267 UNCH
4955	6.20	6.20		#6.40B/*1.10A	6.40B/*1.10A	----			1.20 - 2.70	.0113	----	----	1	----	1 UNCH
4960	7.00	7.00		#7.00/*1.10A	7.00/*1.10A	----			1.10 NEW	.0102	----	----	1	----	1 + 1
4975	5.80	5.80		5.80/*0.90A	5.80/*0.90A	----			1.00 - 2.10	.0089	----	----	50	----	76 - 44
4980	----	----		#4.60B/*0.90A	4.60B/*0.90A	----			0.90 NEW	.0079	----	----	1	----	1 + 1
4985	1.00	1.00		#4.60B/*0.80A	4.60B/*0.80A	----			0.90 NEW	.0077	----	----	13	----	13 + 13
5000	3.80	3.80		4.20B/*0.70A	4.20B/*0.70A	----			0.80 - 1.60	.0066	----	----	17	----	352 + 10
5005	0.80	0.80		#3.60B/*0.70A	3.60B/*0.70A	----			0.70 NEW	.0056	----	----	1	----	1 + 1
5010	0.60	0.60		#3.30B/*0.60	3.30B/*0.60	----			0.70 NEW	.0056	----	----	6	----	6 + 6
5015	----	----		#3.00B/*0.70A	3.00B/*0.70A	----			0.70 - 1.40	.0055	----	----	----	2	UNCH
5025	0.70	0.70		2.60B/*0.60A	2.60B/*0.60A	----			0.60 - 1.30	.0045	----	----	16	----	30 + 2
5030	----	----		#2.50B/*0.60A	2.50B/*0.60A	----			0.60 - 1.20	.0045	----	----	----	2	UNCH
5035	0.60	0.60		#2.30B/*0.60	2.30B/*0.60	----			0.60 NEW	.0044	----	----	2	----	2 + 2
5040	----	----		#2.20B/*0.60A	2.20B/*0.60A	----			0.50 - 1.10	.0036	----	----	----	1	UNCH
5045	0.60	0.60		#2.20B/*0.60	2.20B/*0.60	----			0.50 NEW	.0036	----	----	3	----	3 + 3
5050	0.50	0.50		2.10B/*0.50	2.10B/*0.50	----			0.50 - 1.00	.0035	----	----	1	----	62 + 1
5075	0.60	0.60		1.60B/*0.50A	1.60B/*0.50A	----			0.40 - 0.80	.0026	----	----	8	----	20 + 8
5100	0.40	0.40		1.10B/*0.40	1.10B/*0.40	----			0.30 - 0.70	.0018	----	----	1	----	30 UNCH
5115	----	----		#1.00B/*0.40A	1.00B/*0.40A	----			0.30 - 0.50	.0017	----	----	----	2	UNCH
5125	----	----		0.90B/*0.40A	0.90B/*0.40A	----			0.30 - 0.50	.0017	----	----	----	18	UNCH
5150	----	----		----/*0.40A	0.70B/*0.40A	----			0.20 - 0.50	.0010	----	----	----	67	UNCH
5175	----	----		----/*0.30A	0.60B/*0.30A	----			0.20 - 0.40	.0010	----	----	----	4	UNCH
5200	----	----		----/*0.20A	0.50B/*0.20A	----			0.20 - 0.30	.0009	----	----	1	----	11 UNCH
5225	----	----		----	0.40B/*0.40A	----			0.10 - 0.30	.0004	----	----	----	4	UNCH
5300	----	----		----	0.20B/0.30A	----			0.10 - 0.20	.0000	----	----	----	10	UNCH
5325	----	----		----	0.20B/*0.30A	----			0.10 - 0.20	.0000	----	----	----	3	UNCH
5400	----	----		----	----/*0.30A	----			0.10 UNCH	.0000	----	----	----	20	UNCH
5500	----	----		----	----/*0.30A	----			0.10 UNCH	----	----	----	----	12	UNCH
5600	----	----		----	----/*0.30A	----			0.10 UNCH	----	----	----	----	1	UNCH
TOTAL													619		4915 + 140
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT															
JUN26															
3750	----	----		#2.10B/----	#2.10B/*2.30A	----			2						

BULLETIN # 90@				METALS OPTION PRODUCTS								Tue, May 12, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
JUN26	----	----	----	----	----	----	----	----	----	----	----	----	----	----		
1795	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	11		
1800	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	6		
1815	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1		
1820	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	2		
1855	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1		
1875	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	3		
1900	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	3		
1905	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	7		
1915	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	10		
1920	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	2		
1950	----	----	----	----	----	----	----	0.10	UNCH	----	----	----	----	1		

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
OG PUT		COMEX GOLD OPTIONS																						
JUN26																								
3270	----	----	----	----	----	0.20B/0.40A	----	0.20	- 0.20	.0008	----	----	----	----	----	7	UNCH							
3275	----	----	----	----	----	0.20B/0.40A	----	0.20	- 0.20	.0008	----	----	----	----	----	10	UNCH							
3280	----	----	----	----	/0.30A	0.20B/0.30A	----	0.20	- 0.20	.0008	----	----	----	----	----	12	UNCH							
3290	----	----	----	----	----	0.20B/0.40A	----	0.20	- 0.20	.0008	----	----	----	----	----	37	UNCH							
3295	----	----	----	----	----	0.20B/0.40A	----	0.20	- 0.20	.0008	----	----	----	----	----	2	UNCH							
3300	----	----	----	----	----	0.20B/0.40A	----	0.20	- 0.20	.0008	----	----	----	----	----	415	UNCH							
3305	----	----	----	----	----	0.20B/0.40A	----	0.20	- 0.20	.0008	----	----	----	----	----	1	UNCH							
3310	----	----	----	----	/*0.30A	0.20B/*0.30A	----	0.30	- 0.10	.0012	----	----	----	----	----	7								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS														
JUN26																
3990	----	----	----	1.90B/*1.60A	1.90B/*1.60A	----	----	1.70 - 0.10	.0112	----	----	----	----	----	64	UNCH
3995	----	----	----	1.90B/*1.60A	1.90B/*1.60A	----	----	1.70 - 0.10	.0112	----	----	----	----	----	175	UNCH
4000	1.70	1.70	----	2.00B/*1.70	2.00B/*1.70	----	----	1.70 - 0.10	.0113	----	----	----	4	----	4286 -	2
4005	----	----	----	2.00B/*1.70A	2.00B/*1.70A	----	----	1.70 - 0.20	.0114	----	----	----	----	----	61	UNCH
4010	----	----	----	2.10B/*1.70A	2.10B/*1.70A	----	----	1.80 - 0.10	.0120	----	----	----	----	----	65	UNCH
4015	2.00	2.00	----	2.00/*1.70A	2.00/*1.70A	----	----	1.80 - 0.10	.0121	----	----	----	7	----	58 -	5
4020	1.70	1.70	----	2.10B/*1.70	2.10B/*1.70	----	----	1.80 - 0.10	.0122	----	----	----	6	----	124 +	5
4025	2.00	2.00	----	2.10B/*1.80A	2.10B/*1.80A	----	----	1.80 - 0.10	.0123	----	----					

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS													
JUN26															
4675	83.10	83.10		101.20B/*48.90A	101.20B/*48.90A	----		78.10 + 12.60	.4682	----	----	13	----	508 +	9
4680	66.70	66.70		104.80B/*50.50A	104.80B/*50.50A	----		80.60 + 13.10	.4780	----	----	1	----	149 +	1
4685	----	----		107.80B/52.10A	107.80B/52.10A	----		83.10 + 13.50	.4878	----	----	----	----	69 -	UNCH
4690	89.10	89.10		110.70B/53.70A	110.70B/53.70A	----		85.70 + 13.90	.4976	----	----	4	----	216 -	1
4695	91.40	91.40		113.70B/55.50A	113.70B/55.50A	----		88.30 + 14.30	.5074	----	----	1	----	79 +	1
4700	63.00	63.00		116.80B/57.10A	116.80B/57.10A	----		90.90 + 14.70	.5171	----	----	155	50	2558 +	40
4705	85.80	85.80		119.90B/59.10A	119.90B/59.10A	----		93.70 + 15.20	.5269	----	----	1	----	98 +	1
4710	102.10	102.10		123.00B/60.80A	123.00B/60.8										

PG64	BULLETIN # 90@				METALS OPTION PRODUCTS						Tue, May 12, 2026				PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT																	
JUN26																	
5400	----	----	----	749.40B/----	749.40B/677.80A	----	----	----	714.60 + 41.40	.9856	----	----	----	----	----	446	UNCH
5420	----	----	----	766.70B/----	766.70B/699.50A	----	----	----	734.50 + 41.50	.9865	----	----	----	----	----	10	UNCH
5425	----	----	----	----	----	----	----	----	739.50 + 41.50	.9872	----	----	----	----	----	1	UNCH
5430	----	----	----	776.70B/----	776.70B/709.50A	----	----	----	744.40 + 41.50	.9873	----	----	----	----	----	30	UNCH
5435	----	----	----	781.60B/----	781.60B/714.40A	----	----	----	749.40 + 41.50	.9874	----	----	----	----	----	10	UNCH
5440	----	----	----	786.60B/----	786.60B/719.40A	----	----	----	754.40 + 41.50	.9874	----	----	----	----	----	20	UNCH
5470	----	----	----	----	----	----	----	----	784.30 + 41.60	.9884	----	----	----	----	----	1	UNCH
5490	----	----	----	837.70B/----	837.70B/769.10A	----	----	----	804.20 + 41.70	.9892	----	----	----	----	----	166	UNCH
5500	----	----	----	846.30B/----	846.30B/779.20A	----	----	----	814.10 + 41.60	.9899	----	----	----	----	----	52	UNCH
5525	----	----	----	----	----	----	----	----	839.00 + 41.60	.9908	----	----	----	----	----	2	UNCH
5575	----	----	----	----	----	----	----	----	888.90 + 41.70	.9918	----	----	----	----	----	2	UNCH
5590	----	----	----	937.30B/----	937.30B/868.70A	----	----	----	903.80 + 41.70	.9925	----	----	----	----	----	77	UNCH
5595	----	----	----	----	----	----	----	----	908.80 + 41.70	.9925	----	----	----	----	----	1	UNCH
5600	----	----	----	946.00B/----	946.00B/878.70A	----	----	----	913.80 + 41.70	.9926	----	----	----	----	----	9	UNCH
5640	----	----	----	985.90B/----	985.90B/918.60A	----	----	----	953.70 + 41.80	.9934	----	----	----	----	----	9	UNCH
5800	----	----	----	1,145.50B/----	1145.50B/1078.40A	----	----	----	1113.40 + 41.90	.9959	----	----	----	----	----	6	UNCH
TOTAL														3304	50	117417 +	389
JUL26																	
2000	----	----	----	----	----/0.20A	----	----	----	0.10 UNCH	.0002	----	----	----	----	----	5	UNCH
2275	----	----	----	----	----/0.30A	----	----	----	0.20 - 0.10	.0005	----	----	----	----	----	23	UNCH
2300	----	----	----	----/0.30A	----/0.30A	----	----	----	0.20 - 0.20	.0005	----	----	----	----	----	101	UNCH
2400	----	----	----	----/0.40A	0.10B/0.40A	----	----	----	0.30 - 0.20	.0008	----	----	----	----	----	2	UNCH
2500	----	----	----	----/0.40A	0.20B/0.40A	----	----	----	0.30 - 0.30	.0009	----	----	----	----	----	194	UNCH
2575	----	----	----	----/0.50A	0.30B/0.50A	----	----	----	0.40 - 0.20	.0012	----	----	----	----	----	1	UNCH
2600	----	----	----	----/0.50A	0.30B/0.50A	----	----	----	0.40 - 0.30	.0012	----	----	----	----	----	12	UNCH
2620	----	----	----	/*0.50A	0.30B/*0.50A	----	----	----	0.40 - 0.30	.0012	----	----	----	----	----	1	UNCH
2650	----	----	----	/*0.50A	0.40B/*0.50A	----	----	----	0.50 - 0.20	.0015	----	----	----	----	----	51	UNCH
2670	----	----	----	----/0.60A	0.40B/0.60A	----	----	----	0.50 - 0.30	.0015	----	----	----	----	----	10	UNCH
2675	----	----	----	----/0.60A	0.40B/0.60A	----	----	----	0.50 - 0.30	.0015	----	----	----	----	----	10	UNCH
2680	----	----	----	----/0.60A	0.40B/0.60A	----	----	----	0.50 - 0.30	.0015	----	----	----	----	----	10	UNCH
2700	----	----	----	/*0.60A	0.40B/*0.60A	----	----	----	0.50 - 0.30	.0015	----	----	----	----	----	7	UNCH
2705	----	----	----	/*0.60A	0.40B/*0.60A	----	----	----	0.50 - 0.30	.0015	----	----	----	----	----	1	UNCH
2710	----	----	----	/*0.60A	0.40B/*0.60A	----	----	----	0.60 - 0.20	.0018	----	----	----	----	----	7	UNCH
2730	----	----	----	/*0.60A	0.50B/*0.60A	----	----	----	0.60 - 0.20	.0018	----	----	----	----	----	1	UNCH
2750	----	----	----	----/0.70A	0.50B/0.70A	----	----	----	0.60 - 0.30	.0019	----	----	1	----	----	21 +	1
2775	----	----	----	/*0.70A	0.60B/*0.70A	----	----	----	0.70 - 0.20	.0022	----	----	----	----	----	1	UNCH
2785	----	----	----	/*0.70A	0.50B/*0.70A	----	----	----	0.70 - 0.20	.0022	----	----	----	----	----	2	UNCH
2800	----	----	----	/*0.70A	0.60B/*0.70A	----	----	----	0.70 - 0.20	.0022	----	----	----	----	----	9	UNCH
2850	----	----	----	/*0.80A	0.70B/*0.80A	----	----	----	0.80 - 0.20	.0025	----	----	----	----	----	3	UNCH
2860	----	----	----	/*0.80A	0.70B/*0.80A	----	----	----	0.80 - 0.20	.0026	----	----	----	----	----	6	UNCH
2885	0.80	0.80		0.80/*0.80	0.80/*0.80	----	----	----	0.90 NEW	.0029	----	----	14	----	----	14 +	14
2890	----	----	----	/*0.90A	0.70B/*0.90A	----	----	----	0.90 - 0.20	.0029	----	----	----	----	----	60	UNCH
2895	----	----	----	/*0.90A	0.70B/*0.90A	----	----	----	0.90 - 0.20	.0029	----	----	----	----	----	18	UNCH
2900	----	----	----	/*0.90A	0.80B/*0.90A	----	----	----	0.90 - 0.20	.0029	----	----	----	----	----	18	UNCH
2905	----	----	----	/*0.90A	0.80B/*0.90A	----	----	----	0.90 - 0.20	.0029	----	----	----	----	----	19	UNCH
2920	----	----	----	/*0.90A	0.80B/*0.90A	----	----	----	1.00 - 0.10	.0032	----	----	----	----	----	3	UNCH
2950	----	----	----	/*0.90A	0.90B/*0.90A	----	----	----	1.00 - 0.20	.0033	----	----	----	----	----	35	UNCH
2985	----	----	----	/*1.00A	0.90B/*1.00A	----	----	----	1.10 - 0.10	.0036	----	----	----	----	----	21	UNCH
2995	----	----	----	/*1.00A	1.00B/*1.00A	----	----	----	1.10 - 0.20	.0036	----	----	----	----	----	16	UNCH
3000	----	----	----	/1.10A	1.00B/1.10A	----	----	----	1.20 - 0.10	.0039	----	----	----	----	----	66	UNCH
3010	----	----	----	/*1.10A	1.10B/*1.10A	----	----	----	1.20 - 0.10	.0040	----	----	----	----	----	1	UNCH
3015	----	----	----	/*1.10A	1.10B/*1.10A	----	----	----	1.20 - 0.10	.0040	----	----	----	----	----	5	UNCH
3025	----	----	----	/*1.10A	1.10B/*1.10A	----	----	----	1.20 - 0.10	.0040	----	----	----	----	----	1	UNCH
3035	----	----	----	/*1.10A	1.10B/*1.10A	----	----	----	1.20 - 0.10	.0040	----	----	----	----	----	5	UNCH
3050	----	----	----	/*1.20A	1.20B/*1.20A	----	----	----	1.30 - 0.10	.0043	----	----	----	----	----	2	UNCH
3100	----	----	----	/*1.30A	1.30B/*1.30A	----	----	----	1.40 - 0.10	.0048	----	----	----	----	----	43	UNCH
3105	----	----	----	/*1.30A	1.30B/*1.30A	----	----	----	1.40 - 0.10	.0048	----	----	----	----	----	1	UNCH
3125	----	----	----	/*1.40A	1.40B/*1.40A	----	----	----	1.50 UNCH	.0051	----	----	----	----	----	42	UNCH
3140	----	----	----	/*1.40A	1.40B/*1.40A	----	----	----	1.50 - 0.10	.0052	----	----	----	----	----	1	UNCH
3150	----	----	----	/*1.40A	1.40B/*1.40A	----	----	----	1.60 UNCH	.0055	----	----	----	----	----	12	UNCH
3155	----	----	----	/*1.40A	1.50B/*1.40A	----	----	----	1.60 UNCH	.0055	----	----	----	----	----	1	UNCH
3165	----	----	----	/1.50A	1.50B/1.50A	----	----	----	1.60 UNCH	.0056	----	----	----	----	----	1	UNCH
3185	----	----	----	/*1.50A	1.50B/*1.50A	----	----	----	1.70 UNCH	.0059	----	----	----	----	----	20	UNCH
3200	----	----	----	/*1.60A	1.60B/*1.60A	----	----	----	1.70 UNCH	.0060	----	----	----	----	----	220	UNCH
3210	----	----	----	/*1.60A	1.60B/*1.60A	----	----	----	1.70 UNCH	.0060	----	----	----	----	----	1	UNCH
3220	----	----	----	/1.70A	1.60B/1.70A	----	----	----	1.80 UNCH	.0064	----	----	----	----	----	1	UNCH
3225	1.50	1.50		1.50/*1.50	1.60B/*1.50	----	----	----	1.80 UNCH	.0064	----	----	12	----	----	71	UNCH
3250	----	----	----	----	1.70B/*1.80A	----	----	----	1.80 UNCH	.0065	----	----	----	----	----	61	UNCH
3275	----	----	----	----	1.80B/*1.90A	----	----	----	1.90 UNCH	.0069	----	----	----	----	----	10	UNCH
3280	----	----	----	----	1.80B/*1.90A	----	----	----	1.90 UNCH	.0070	----	----	----	----	----	24	UNCH
3285	----	----	----	----	1.80B/*1.90A	----	----	----	2.00 + 0.10	.0073	----	----	----	----	----	1	UNCH
3290	----	----	----	/*1.90A	1.90B/*1.90A	----	----	----	2.00 UNCH	.0073	----	----	----	----	----	12	UNCH
3300	1.90	1.90		1.90/*1.90	1.90/*1.90	----	----	----	2.00 UNCH	.0074	----	----	1	----	----	82	UNCH
3320	----	----	----	----	2.00B/*2.00A	----	----	----	2.10 + 0.10	.0078	----	----	----	----	----	27	UNCH
3325	----	----	----	/*2.00A	2.00B/*2.00A	----	----	----	2.10 UNCH	.0078	----	----	----	----	----	147	UNCH
3335	----	----	----	----	2.10B/*2.10A	----	----	----	2.10 UNCH	.0079	----	----	----	----	----	87	UNCH
3340	----	----	----	----	2.10B/*2.10A	----	----	----	2.20 + 0.10	.0082	----	----	----	----	----	1	UNCH
3350	----	----	----	----	2.10B/*2.10A	----	----	----	2.20 + 0.10	.0082	----	----	----	----	----	25	UNCH
3355	----	----	----	----	2.20B/*2.20A	----	----	----	2.20 UNCH	.0083	----	----	----	----	----	69	UNCH
3360	----	----	----	----	2.20B/*2.20A	----	----	----	2.20 UNCH	.0083	----	----	----	----	----	5	UNCH
3370	----	----	----	----	2.20B/*2.20A	----	----	----	2.30 + 0.10	.0087	----	----	----	----	----	9	UNCH
3380	----	----	----	2.30B/----	2.30B/*2.20A	----	----	----	2.30 + 0.10	.0087	----	----	----	----	----	2	UNCH
3385	----	----	----	/*2.20A	2.30B/*2.20A	----	----	----	2.30 UNCH	.0088	----	----	----	----	----	4	UNCH
3390	----	----	----	----	2.30B/*2.30A	----	----	----	2.40 + 0.10	.0091	----	----	----	----	----	1	UNCH
3395	----	----	----	/*2.20A	2.30B/*2.20A	----	----	----	2.40 + 0.10	.0091	----	----	----	----	----	32	UNCH
3400	----	----	----	----	2.30B/*2.30A	----	----	----	2.40 + 0.10	.0092	----	----	----	----	----	55	UNCH
3405	----	----	----	2.40B/----	2.40B/*2.30A	----	----	----	2.40 + 0.10	.0092	----	----	----	----	----	1	UNCH
3410	----	----	----	----	2.40B/*2.40A	----	----	----	2.40 UNCH	.0092	----	----	----	----	----	5	UNCH
3415	----	----	----	----	2.40B/*2.40A	----	----	----	2.50 + 0.10	.0096	----	----	----	----	----	1	UNCH
3425	----	----	----	2.50B/----	2.50B/*2.40A	----	----	----	2.50 + 0.10	.0097	----	----	----				

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST						
OG PUT		COMEX GOLD OPTIONS																						
JUL26																								
3705	----	----			4.50B/*4.10A	4.50B/*4.10A	----	----		4.30 + 0.10	.0186	----	----	1	----			21 +	1					
3715	----	----			4.60B/*4.20A	4.60B/*4.20A	----	----		4.40 + 0.10	.0191	----	----	----	----			30	UNCH					
3720	----	----			4.60B/----	4.60B/*4.30A	----	----		4.50 + 0.20	.0195	----	----	----	----			18	UNCH					
3725	----	----			4.70B/*4.30A	4.70B/*4.30A	----	----		4.50 + 0.10	.0196	----	----	----	----			7	UNCH					
3730	----	----			4.80B/----	4.80B/*4.40A	----	----		4.60 + 0.20	.0200	----	----	----	----			3	UNCH					
3735	----	----			4.80B/*4.40A	4.80B/*4.40A	----	----		4.60 + 0.10	.0201	----	----	----	----			30	UNCH					
3740	----	----			4.90B/----	4.90B/*4.50A	----	----		4.70 + 0.20	.0205	----	----	----	----			20	UNCH					
3750	4.90	4.90			5.00B/*4.50A	5.00B/*4.50A	----	----		4.80 + 0.20	.0210	----	----	3	----			538	UNCH					
3760	----	----			5.20B/----	5.20B/*4.70A	----	----		4.90 + 0.20	.0216	----	----	----	----			3	UNCH					
3765	----	----			5.20B/*4.70A	5.20B/*4.70A	----	----		5.00 + 0.20	.0220	----	----	----	----			32	UNCH					
3770	----	----			5.30B/*4.80A	5.30B/*4.80A	----	----		5.10 + 0.20	.0224	----	----	----	----			120	UNCH					
3775	----	----			5.40B/----	5.40B/*4.90A	----	----		5.10 + 0.20	.0225	----	----	----	----			61	UNCH					
3780	----	----			5.50B/*4.90A	5.50B/*4.90A	----	----		5.20 + 0.20	.0230	----	----	----	----			11	UNCH					
3785	----	----			5.50B/----	5.50B/*5.00A	----	----		5.20 + 0.20	.0231	----	----	----	----			6	UNCH					
3790	----	----			5.60B/*5.00A	5.60B/*5.00A	----	----		5.30 + 0.20	.0235	----	----	----	----			40	UNCH					
3795	----	----			5.70B/*5.10A	5.70B/*5.10A	----	----		5.40 + 0.20	.0240	----	----	----	----			36	UNCH					
3800	5.90	5.90			5.90/*5.10A	5.90/*5.10A	----	----		5.40 + 0.20	.0241	----	----	11	----			624 +	1					
3810	----	----			6.00B/----	6.00B/*5.30A	----	----		5.60 + 0.30	.0250	----	----	----	----			16	UNCH					
3815	----	----			6.10B/----	6.10B/*5.40A	----	----		5.70 + 0.30	.0254	----	----	----	----			14	UNCH					
3820	----	----			6.20B/*5.40A	6.20B/*5.40A	----	----		5.70 + 0.20	.0255	----	----	----	----			10	UNCH					
3825	----	----			6.30B/*5.50A	6.30B/*5.50A	----	----		5.80 + 0.20	.0260	----	----	----	----			11	UNCH					
3830	----	----			6.30B/----	6.30B/*5.60A	----	----		5.90 + 0.30	.0265	----	----	----	----			24	UNCH					
3835	----	----			6.50B/*5.60A	6.50B/*5.60A	----	----		6.00 + 0.30	.0269	----	----	----	----			1	UNCH					
3840	----	----			6.60B/*5.70A	6.60B/*5.70A	----	----		6.10 + 0.30	.0274	----	----	----	----			33	UNCH					
3845	----	----			6.70B/----	6.70B/*5.80A	----	----		6.10 + 0.30	.0275	----	----	----	----			12	UNCH					
3850	6.40	6.40			6.80B/6.40	6.80B/*5.90A	----	----		6.20 + 0.30	.0280	----	----	2	----			218 +	2					
3860	----	----			7.00B/*6.00A	7.00B/*6.00A	----	----		6.40 + 0.30	.0289	----	----	----	----			42	UNCH					
3865	----	----			7.10B/*6.10A	7.10B/*6.10A	----	----		6.50 + 0.30	.0294	----	----	----	----			78	UNCH					
3870	----	----			7.10B/----	7.10B/*6.20A	----	----		6.60 + 0.40	.0299	----	----	----	----			3	UNCH					
3875	----	----			7.30B/----	7.30B/6.30A	----	----		6.70 + 0.40	.0304	----	----	----	----			113	UNCH					
3880	----	----			7.40B/*6.30A	7.40B/*6.30A	----	----		6.80 + 0.40	.0308	----	----	----	----			14	UNCH					
3885	----	----			7.50B/*6.40A	7.50B/*6.40A	----	----		6.80 + 0.30	.0310	----	----	----	----			37	UNCH					
3890	----	----			7.60B/*6.50A	7.60B/*6.50A	----	----		6.90 + 0.30	.0315	----	----	----	----			4	UNCH					
3895	----	----			7.70B/*6.60A	7.70B/*6.60A	----	----		7.00 + 0.30	.0320	----	----	----	----			3	UNCH					
3900	7.00	7.00			7.90B/*6.70A	7.90B/*6.70A	----	----		7.10 + 0.30	.0325	----	----	4	----			305 +	1					
3905	----	----			8.00B/*6.80A	8.00B/*6.80A	----	----		7.30 + 0.40	.0333	----	----	----	----			12	UNCH					
3910	----	----			8.20B/----	8.20B/6.90A	----	----		7.40 + 0.50	.0338	----	----	----	----			54	UNCH					
3920	----	----			8.30B/*7.00A	8.30B/*7.00A	----	----		7.60 + 0.50	.0348	----	----	----	----			12	UNCH					
3925	----	----			8.60B/*7.10A	8.60B/*7.10A	----	----		7.70 + 0.50	.0353	----	----	----	----			57	UNCH					
3930	----	----			8.60B/*7.20A	8.60B/*7.20A	----	----		7.80 + 0.50	.0358	----	----	----	----			25	UNCH					
3935	----	----			8.90B/*7.30A	8.90B/*7.30A	----	----		7.90 + 0.40	.0363	----	----	----	----			18	UNCH					
3940	----	----			9.00B/*7.40A	9.00B/*7.40A	----	----		8.00 + 0.40	.0369	----	----	----	----			27	UNCH					
3945	----	----			9.10B/*7.50A	9.10B/*7.50A	----	----		8.20 + 0.50	.0377	----	----	----	----			23	UNCH					
3950	----	----			9.30B/*7.60A	9.30B/*7.60A	----	----		8.30 + 0.50	.0382	----	----	5	----			612 +	4					
3955	----	----			9.50B/*7.70A	9.50B/*7.70A	----	----		8.40 + 0.50	.0388	----	----	----	----			56	UNCH					
3960	----	----			9.60B/*7.80A	9.60B/*7.80A	----	----		8.60 + 0.60	.0396	----	----	----	----			23	UNCH					
3965	8.30	8.30			9.80B/*7.90A	9.80B/*7.90A	----	----		8.70 + 0.60	.0402	----	----	1	----			94	UNCH					
3970	8.10	8.10			10.00B/*8.00A	10.00B/*8.00A	----	----		8.80 + 0.50	.0407	----	----	1	----			15	UNCH					
3975	----	----			10.20B/*8.10A	10.20B/*8.10A	----	----		9.00 + 0.60	.0416	----	----	----	----			25	UNCH					
3980	----	----			10.30B/*8.30A	10.30B/*8.30A	----	----		9.10 + 0.60	.0421	----	----	----	----			236	UNCH					
3985	----	----			10.50B/*8.40A	10.50B/*8.40A	----	----		9.20 + 0.60	.0427	----	----	----	----			136	UNCH					
3990	----	----			10.70B/*8.50A	10.70B/*8.50A	----	----		9.40 + 0.60	.0436	----	----	----	----			40	UNCH					
3995	----	----			10.90B/*8.60A	10.90B/*8.60A	----	----		9.50 + 0.60	.0441	----	----	----	----			20	UNCH					
4000	10.20	10.20			11.00B/*8.70A	11.00B/*8.70A	----	----		9.70 + 0.70	.0450	----	----	160	----			1514 +	110					
4005	9.40	9.40			11.20B/*8.90A	11.20B/*8.90A	----	----		9.90 + 0.70	.0459	----	----	1	----			154 +	1					
4010	----	----			11.40B/*9.00A	11.40B/*9.00A	----	----		10.00 + 0.70	.0465	----	----	----	----			4	UNCH					
4015	----	----			11.60B/*9.10A	11.60B/*9.10A	----	----		10.20 + 0.70	.0474	----	----	----	----			63	UNCH					
4020	----	----			11.90B/*9.30A	11.90B/*9.30A	----	----		10.40 + 0.80	.0483	----	----	----	----			120	UNCH					
4025	----	----			12.10B/*9.40A	12.10B/*9.40A	----	----		10.50 + 0.70	.0489	----	----	----	----			22	UNCH					
4030	----	----			12.30B/*9.50A	12.30B/*9.50A	----	----		10.70 + 0.80	.0498	----	----	----	----			52	UNCH					
4035	----	----			12.50B/*9.60A	12.50B/*9.60A	----	----		10.90 + 0.80	.0507	----	----	----	----			3	UNCH					
4040	----	----			12.80B/*9.80A	12.80B/*9.80A	----	----		11.10 + 0.80	.0516	----	----	----	----			9	UNCH					
4045	----	----			13.00B/*9.90A	13.00B/*9.90A	----	----		11.30 + 0.90	.0526	----	----	----	----			22	UNCH					
4050	----	----			13.30B/*10.00A	13.30B/*10.00A	----	----		11.50 + 0.90	.0535	----	----	2	----			234 -	1					
4055	----	----			13.50B/*10.20A	13.50B/*10.20A	----	----		11.70 + 0.90	.0545	----	----	----	----			32	UNCH					
4060	----	----			13.80B/*10.40A	13.80B/*10.40A	----	----		11.90 + 1.00	.0554	----	----	----	----			2	UNCH					
4065	----	----			14.00B/*10.50A	14.00B/*10.50A	----	----		12.10 + 1.00	.0563	----	----	----	----			130	UNCH					
4070	----	----			14.30B/*10.70A	14.30B/*10.70A	----	----		12.30 + 1.00	.0573	----	----	----	----			12	UNCH					
4075	----	----			14.60B/*10.90A	14.60B/*10.90A	----	----		12.50 + 1.00	.0583	----	----	1	----			20 +	1					
4080	----	----			14.90B/*11.10A	14.90B/*11.10A	----	----		12.70 + 1.00	.0592	----	----	----	----			10	UNCH					
4085	----	----			15.20B/*11.20A	15.20B/*11.20A	----																	

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64											
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																			
OG PUT		COMEX GOLD OPTIONS																																	
JUL26																																			
4420	----	----	----	----	58.30B/37.60A	58.30B/37.60A	----	----	48.70	+ 5.40	.2038	----	----	3	----	107	UNCH																		
4425	----	----	----	----	59.50B/38.30A	59.50B/38.30A	----	----	49.70	+ 5.50	.2073	----	----	10	----	57	- 2																		
4430	----	----	----	----	60.70B/39.10A	60.70B/39.10A	----	----	50.80	+ 5.70	.2110	----	----	----	----	285	UNCH																		
4435	----	----	----	----	62.00B/39.90A	62.00B/39.90A	----	----	51.90	+ 5.90	.2148	----	----	5	----	11	- 2																		
4440	57.60	57.60	----	----	63.20B/40.70A	63.20B/40.70A	----	----	52.90	+ 6.00	.2183	----	----	3	----	63	- 2																		
4445	----	----	----	----	64.50B/41.60A	64.50B/41.60A	----	----	54.10	+ 6.20	.2222	----	----	----	----	153	UNCH																		
4450	----	----	----	----	65.90B/42.30A	65.90B/42.30A	----	----	55.20	+ 6.30	.2260	----	----	18	----	1024	+ 16																		
4455	----	----	----	----	67.20B/43.20A	67.20B/43.20A	----	----	56.40	+ 6.50	.2299	----	----	----	----	19	UNCH																		
4460	----	----	----	----	68.50B/44.00A	68.50B/44.00A	----	----	57.50	+ 6.60	.2336	----	----	----	----	278	UNCH																		
4465	----	----	----	----	69.90B/44.90A	69.90B/44.90A	----	----	58.70	+ 6.80	.2376	----	----	----	----	30	UNCH																		
4470	----	----	----	----	71.30B/45.80A	71.30B/45.80A	----	----	60.00	+ 7.00	.2417	----	----	----	----	69	UNCH																		
4475	61.70	61.70	----	----	72.70B/46.60A	72.70B/46.60A	----	----	61.20	+ 7.10	.2456	----	17	----	----	40	+ 3																		
4480	60.30	60.30	----	----	74.20B/47.50A	74.20B/47.50A	----	----	62.50	+ 7.30	.2497	----	3	150	----	234	+ 92																		
4485	----	----	----	----	75.70B/48.60A	75.70B/48.60A	----	----	63.80	+ 7.50	.2539	----	2	----	----	56	UNCH																		
4490	----	----	----	----	77.20B/49.70A	77.20B/49.70A	----	----	65.10	+ 7.70	.2580	----	5	----	----	46	UNCH																		
4495	64.60	64.60	----	----	78.70B/50.50A	78.70B/50.50A	----	----	66.40	+ 7.80	.2621	----	8	----	----	90	+ 5																		
4500	68.50	68.50	----	----	80.30B/51.40A	80.30B/51.40A	----	----	67.80	+ 8.00	.2664	----	58	----	----	1343	+ 31																		
4505	----	----	----	----	81.80B/52.50A	81.80B/52.50A	----	----	69.10	+ 8.10	.2706	----	1	----	----	12	+ 1																		
4510	----	----	----	----	83.40B/53.60A	83.40B/53.60A	----	----	70.50	+ 8.20	.2749	----	----	----	----	9	UNCH																		
4515	----	----	----	----	85.00B/54.60A	85.00B/54.60A	----	----	72.00	+ 8.50	.2793	----	----	----	----	4	UNCH																		
4520	----	----	----	----	86.70B/55.70A	86.70B/55.70A	----	----	73.40	+ 8.60	.2836	----	----	----	----	13	UNCH																		
4525	----	----	----	----	88.50B/56.80A	88.50B/56.80A	----	----	74.90	+ 8.80	.2881	----	1	----	----	513	UNCH																		
4530	79.80	79.80	----	----	90.10B/57.90A	90.10B/57.90A	----	----	76.40	+ 9.00	.2926	----	14	----	----	30	+ 14																		
4535	----	----	----	----	91.90B/59.00A	91.90B/59.00A	----	----	77.90	+ 9.10	.2970	----	----	----	----	10	UNCH																		
4540	----	----	----	----	93.70B/60.10A	93.70B/60.10A	----	----	79.50	+ 9.40	.3016	----	----	----	----	91	UNCH																		
4545	----	----	----	----	95.50B/61.40A	95.50B/61.40A	----	----	81.00	+ 9.50	.3061	----	----	----	----	20	UNCH																		
4550	77.40	77.40	----	----	97.20B/62.50A	97.20B/62.50A	----	----	82.60	+ 9.60	.3107	----	35	----	----	444	+ 12																		
4555	----	----	----	----	99.00B/63.70A	99.00B/63.70A	----	----	84.30	+ 9.90	.3154	----	----	----	----	23	UNCH																		
4560	----	----	----	----	100.90B/65.10A	100.90B/65.10A	----	----	85.90	+ 10.00	.3200	----	----	----	----	70	UNCH																		
4565	----	----	----	----	102.80B/66.20A	102.80B/66.20A	----	----	87.60	+ 10.20	.3247	----	----	----	----	112	UNCH																		
4570	92.20	92.20	----	----	104.80B/67.60A	104.80B/67.60A	----	----	89.30	+ 10.40	.3295	----	14	----	----	25	+ 6																		
4575	----	----	----	----	106.80B/68.90A	106.80B/68.90A	----	----	91.00	+ 10.50	.3342	----	3	----	----	26	+ 1																		
4580	95.90	95.90	----	----	108.80B/70.30A	108.80B/70.30A	----	----	92.80	+ 10.80	.3390	----	10	----	----	17	+ 6																		
4585	----	----	----	----	110.80B/71.60A	110.80B/71.60A	----	----	94.60	+ 11.00	.3439	----	----	----	----	17	UNCH																		
4590	92.20	92.20	----	----	112.70B/73.00A	112.70B/73.00A	----	----	96.40	+ 11.20	.3487	----	1	----	----	21	UNCH																		
4595	----	----	----	----	115.00B/74.40A	115.00B/74.40A	----	----	98.20	+ 11.30	.3536	----	----	----	----	50	UNCH																		
4600	77.80	77.80	----	----	117.10B/75.80A	117.10B/75.80A	----	----	100.10	+ 11.50	.3585	----	6	----	----	1374	+ 4																		
4605	----	----	----	----	119.20B/77.30A	119.20B/77.30A	----	----	102.00	+ 11.70	.3634	----	----	----	----	8	UNCH																		
4610	----	----	----	----	121.20B/78.80A	121.20B/78.80A	----	----	103.90	+ 11.90	.3684	----	----	----	----	136	UNCH																		
4615	----	----	----	----	123.40B/80.20A	123.40B/80.20A	----	----	105.80	+ 12.10	.3733	----	----	----	----	24	UNCH																		
4620	----	----	----	----	125.70B/81.80A	125.70B/81.80A	----	----	107.80	+ 12.30	.3783	----	----	----	----	49	UNCH																		
4625	----	----	----	----	127.90B/83.30A	127.90B/83.30A	----	----	109.80	+ 12.50	.3834	----	1	----	----	179	+ 1																		
4630	----	----	----	----	130.20B/84.90A	130.20B/84.90A	----	----	111.80	+ 12.70	.3884	----	----	----	----	16	UNCH																		
4635	----	----	----	----	132.40B/86.50A	132.40B/86.50A	----	----	113.90	+ 12.90	.3935	----	----	----	----	128	UNCH																		
4640	127.40	127.40	----	----	134.90B/88.20A	134.90B/88.20A	----	----	115.90	+ 13.00	.3985	----	11	----	----	157	+ 2																		
4645	----	----	----	----	137.20B/89.80A	137.20B/89.80A	----	----	118.10	+ 13.30	.4036	----	----	----	----	24	UNCH																		
4650	118.10	118.10	----	----	139.50B/91.50A	139.50B/91.50A	----	----	120.20	+ 13.50	.4087	----	5	----	----	382	- 3																		
4655	----	----	----	----	142.00B/93.20A	142.00B/93.20A	----	----	122.40	+ 13.70	.4139	----	----	----	----	12	UNCH																		
4660	123.50	123.50	----	----	144.50B/94.90A	144.50B/94.90A	----	----	1																										

PG64		BULLETIN # 90@		METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT		COMEX GOLD OPTIONS															
JUL26																	
5140	----	----		486.60B/387.10A	486.60B/387.10A	----	454.60	+ 33.40	.8252	----	----	----	----	19	UNCH		
5145	----	----		492.40B/395.20A	492.40B/395.20A	----	458.90	+ 33.50	.8277	----	----	----	----	3	UNCH		
5150	----	----		495.70B/395.20A	495.70B/395.20A	----	463.30	+ 33.60	.8304	----	----	----	----	233	UNCH		
5155	----	----		499.90B/399.10A	499.90B/399.10A	----	467.70	+ 33.80	.8328	----	----	----	----	42	UNCH		
5160	----	----		504.40B/403.20A	504.40B/403.20A	----	472.00	+ 33.80	.8353	----	----	----	----	42	UNCH		
5170	----	----		514.70B/415.10A	514.70B/415.10A	----	480.80	+ 34.10	.8401	----	----	----	----	51	UNCH		
5175	----	----		518.00B/415.60A	518.00B/415.60A	----	485.30	+ 34.30	.8423	----	----	----	----	61	UNCH		
5180	----	----		522.30B/419.90A	522.30B/419.90A	----	489.70	+ 34.40	.8447	----	----	----	----	10	UNCH		
5185	----	----		526.80B/424.50A	526.80B/424.50A	----	494.10	+ 34.50	.8471	----	----	----	----	103	UNCH		
5190	----	----		531.50B/428.40A	531.50B/428.40A	----	498.60	+ 34.70	.8492	----	----	----	----	19	UNCH		
5200	----	----		540.30B/436.40A	540.30B/436.40A	----	507.50	+ 34.90	.8537	----	----	----	----	56	UNCH		
5225	----	----		563.10B/457.70A	563.10B/457.70A	----	529.90	+ 35.30	.8640	----	----	----	----	42	UNCH		
5230	----	----		568.50B/466.00A	568.50B/466.00A	----	534.40	+ 35.40	.8661	----	----	----	----	2	UNCH		
5235	----	----		572.50B/466.50A	572.50B/466.50A	----	539.00	+ 35.60	.8681	----	----	----	----	23	UNCH		
5245	----	----		581.00B/474.80A	581.00B/474.80A	----	548.00	+ 35.70	.8720	----	----	----	----	2	UNCH		
5250	----	----		586.40B/479.60A	586.40B/479.60A	----	552.60	+ 35.80	.8738	----	----	----	----	14	UNCH		
5255	----	----		590.70B/484.20A	590.70B/484.20A	----	557.20	+ 36.00	.8756	----	----	----	----	14	UNCH		
5285	----	----		618.60B/510.20A	618.60B/510.20A	----	584.70	+ 36.50	.8861	----	----	----	----	2	UNCH		
5290	----	----		623.50B/514.60A	623.50B/514.60A	----	589.30	+ 36.50	.8878	----	----	----	----	4	UNCH		
5295	----	----		627.40B/519.40A	627.40B/519.40A	----	593.90	+ 36.60	.8895	----	----	----	----	2	UNCH		
5300	----	----		632.50B/523.60A	632.50B/523.60A	----	598.50	+ 36.60	.8910	----	----	----	----	68	UNCH		
5315	----	----		646.80B/536.90A	646.80B/536.90A	----	612.50	+ 37.00	.8958	----	----	----	----	10	UNCH		
5325	----	----		656.20B/545.60A	656.20B/545.60A	----	621.80	+ 37.10	.8986	----	----	----	----	2	UNCH		
5350	----	----		679.60B/568.40A	679.60B/568.40A	----	645.20	+ 37.50	.9056	----	----	----	----	8	UNCH		
5375	----	----		699.00B/590.90A	699.00B/590.90A	----	668.80	+ 37.90	.9120	----	----	----	----	8	UNCH		
5390	----	----		713.20B/605.00A	713.20B/605.00A	----	683.00	+ 38.20	.9158	----	----	----	----	5	UNCH		
5400	----	----		725.40B/613.90A	725.40B/613.90A	----	692.50	+ 38.30	.9181	----	----	----	----	602	UNCH		
5410	----	----		703.60B/623.40A	703.60B/623.40A	----	702.00	+ 38.40	.9204	----	----	----	----	1	UNCH		
5440	----	----		728.90B/651.30A	728.90B/651.30A	----	730.60	+ 38.80	.9267	----	----	----	----	1	UNCH		
5475	----	----		794.70B/684.40A	794.70B/684.40A	----	764.20	+ 39.20	.9331	----	----	----	----	7	UNCH		
5500	----	----		818.80B/708.00A	818.80B/708.00A	----	788.30	+ 39.50	.9375	----	----	----	----	4	UNCH		
5505	----	----		791.60B/712.90A	791.60B/712.90A	----	793.10	+ 39.50	.9384	----	----	----	----	1	UNCH		
5510	----	----		796.20B/717.50A	796.20B/717.50A	----	797.90	+ 39.50	.9390	----	----	----	----	1	UNCH		
6100	----	----				----	1379.30	+ 42.00	.9824	----	----	----	----	2	UNCH		
6125	----	----				----	1404.20	+ 42.00	.9830	----	----	----	----	2	UNCH		
TOTAL												1136	270	38728+	472		
AUG26																	
2300	----	----			0.50B/0.70A	----	0.70	UNCH	.0017	----	----	----	----	38	UNCH		
2325	----	----			0.50B/0.80A	----	0.80	UNCH	.0019	----	----	----	----	1	UNCH		
2350	----	----			0.60B/0.80A	----	0.80	UNCH	.0020	----	----	----	----	12	UNCH		
2375	----	----			0.60B/0.90A	----	0.90	+ 0.10	.0022	----	----	----	----	7	UNCH		
2400	----	----			0.70B/0.90A	----	0.90	UNCH	.0022	----	----	----	----	5	UNCH		
2425	----	----			0.70B/0.90A	----	1.00	+ 0.10	.0025	----	----	----	----	1	UNCH		
2475	----	----			0.80B/1.00A	----	1.10	+ 0.10	.0027	----	----	----	----	5	UNCH		
2500	----	----			0.90B/1.10A	----	1.10	UNCH	.0028	----	----	----	----	112	UNCH		
2570	----	----			1.00B/1.20A	----	1.30	+ 0.10	.0033	----	----	----	----	9	UNCH		
2580	----	----			1.00B/1.30A	----	1.30	UNCH	.0034	----	----	----	----	1	UNCH		
2590	----	----			1.10B/1.30A	----	1.30	UNCH	.0034	----	----	----	----	2	UNCH		
2600	----	----			1.10B/1.30A	----	1.40	+ 0.10	.0036	----	----	----	----	6	UNCH		
2615	----	----		----/*1.30A	1.10B/*1.30A	----	1.40	UNCH	.0036	----	----	----	----	1	UNCH		
2625	----	----			1.10B/1.40A	----	1.40	UNCH	.0037	----	----	----	----	2	UNCH		
2640	----	----			1.20B/1.40A	----	1.50	+ 0.10	.0039	----	----	----	----	1	UNCH		
2665	----	----			1.20B/1.50A	----	1.50	UNCH	.0040	----	----	----	----	1	UNCH		
2685	----	----			1.30B/1.50A	----	1.60	+ 0.10	.0042	----	----	----	----	1	UNCH		
2690	----	----		----/*1.50A	1.40B/*1.50A	----	1.60	UNCH	.0042	----	----	----	----	1	UNCH		
2730	----	----			1.50B/1.70A	----	1.70	UNCH	.0046	----	----	----	----	1	UNCH		
2740	----	----			1.60B/1.70A	----	1.80	+ 0.10	.0048	----	----	----	----	2	UNCH		
2745	----	----			1.60B/1.70A	----	1.80	+ 0.10	.0048	----	----	----	----	1	UNCH		
2750	----	----			1.60B/1.70A	----	1.80	+ 0.10	.0048	----	----	----	----	4	UNCH		
2800	----	----			1.70B/1.90A	----	1.90	UNCH	.0052	----	----	----	----	36	UNCH		
2860	----	----			1.90B/*2.10A	----	2.10	+ 0.10	.0059	----	----	----	----	1	UNCH		
2900	----	----			2.10B/*2.20A	----	2.20	UNCH	.0063	----	----	----	----	2	UNCH		
2950	----	----			2.30B/*2.40A	----	2.40	UNCH	.0069	----	----	----	----	8	UNCH		
2980	----	----			2.40B/*2.50A	----	2.50	UNCH	.0073	----	----	----	----	1	UNCH		
3000	----	----			2.50B/2.60A	----	2.60	UNCH	.0076	----	----	----	----	269	UNCH		
3005	----	----			2.50B/*2.60A	----	2.60	UNCH	.0076	----	----	----	----	5	UNCH		
3010	----	----			2.50B/*2.60A	----	2.60	UNCH	.0077	----	----	----	----	1	UNCH		
3015	----	----			2.60B/2.70A	----	2.70	UNCH	.0079	----	----	----	----	1	UNCH		
3025	----	----			2.60B/*2.70A	----	2.70	UNCH	.0080	----	----	----	----	5	UNCH		
3040	----	----			2.70B/2.80A	----	2.80	UNCH	.0083	----	----	----	----	1	UNCH		
3065	----	----			2.70B/*2.90A	----	2.90	UNCH	.0087	----	----	----	----	1	UNCH		
3090	----	----			2.90B/*3.00A	----	3.00	UNCH	.0090	----	----	----	----	1	UNCH		
3095	----	----			2.90B/*3.00A	----	3.00	UNCH	.0091	----	----	----	----	1	UNCH		
3100	----	----			2.90B/*3.00A	----	3.00	UNCH	.0091	----	----	----	----	264	UNCH		
3110	----	----			3.00B/*3.10A	----	3.10	UNCH	.0094	----	----	----	----	15	UNCH		
3115	----	----			3.00B/*3.10A	----	3.10	UNCH	.0094	----	----	----	----	1	UNCH		
3120	----	----			3.00B/*3.10A	----	3.10	UNCH	.0095	----	----	----	----	29	UNCH		
3130	----	----			3.10B/*3.20A	----	3.20	+ 0.10	.0098	----	----	----	----	5	UNCH		
3145	----	----			3.10B/*3.30A	----	3.30	+ 0.10	.0101	----	----	----	----	1	UNCH		
3150	----	----			3.20B/*3.30A	----	3.30	+ 0.10	.0101	----	----	----	----	10	UNCH		
3155	----	----			3.20B/*3.30A	----	3.30	+ 0.10	.0102	----	----	----	----	3	UNCH		
3160	----	----			3.20B/*3.30A	----	3.30	UNCH	.0102	----	----	----	----	1	UNCH		
3165	----	----			3.20B/*3.30A	----	3.40	+ 0.10	.0105	----	----	----	----	141	UNCH		
3170	----	----		3.40B/----	3.40B/3.40A	----	3.40	+ 0.10	.0105	----	----	----	----	1	UNCH		
3175	----	----			3.30B/*3.30A	----	3.40	+ 0.10	.0105	----	----	----	----	1	UNCH		
3180	----	----			3.30B/3.40A	----	3.40	+ 0.10	.0106	----	----	----	----	26	UNCH		
3185	----	----		3.50B/----	3.50B/3.40A	----	3.50	+ 0.10	.0109	----	----	----	----	1	UNCH		
3190	----	----			3.40B/3.40A	----	3.50	+ 0.10	.0109	----	----	----	----	883	UNCH		
3195	----	----		3.50B/----	3.50B/*3.40A	----	3.50	+ 0.10	.0109	----	----	----	----	1	UNCH		
3200	----	----		3.50B/----	3.50B/3.50A	----	3.50	+ 0.10	.0110	----	----	----	----	531	UNCH		
3250	3.70	3.70		3.90B/*3.70	3.90B/*3.70	----	3.80	UNCH	.0121	----	----	1	----	530	UNCH		
3260	----	----		4.00B/----	4.00B/*3.90A	----	3.90	UNCH	.0124	----	----	----	----	30	UNCH		
3295	----	----		4.20B/----	4.20B/*4.10A	----	4.10	UNCH	.0132	----	----	----	----	2	UNCH		
3300	----	----		4.30B/----	4.30B/*4.20A	----	4.10	- 0.10	.0133	----	----	----	----	263	UNCH		
3330	----	----		4.50B/----	4.50B/*4.40A	----	4.40	UNCH	.0143	----	----	----	----	2	UNCH		
3350	----	----		4.70B/*4.50A	4.70B/*4.50A	----	4.50	- 0.10									

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64								
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME					OPEN INTEREST												
OG PUT		COMEX GOLD OPTIONS																														
AUG26																																
3725	----	----	----	----	11.40B/----	11.40B/9.80A	----	----	----	10.50 + 0.90	.0370	----	----	----	----	----	4	UNCH	----	----	----	----	----	----								
3730	----	----	----	----	11.60B/----	11.60B/9.90A	----	----	----	10.60 + 0.90	.0374	----	----	----	----	----	10	UNCH	----	----	----	----	----	----								
3740	----	----	----	----	11.80B/----	11.80B/10.10A	----	----	----	10.90 + 0.90	.0384	----	----	----	----	----	8	UNCH	----	----	----	----	----	----								
3750	----	----	----	----	12.20B/----	12.20B/*10.30A	----	----	----	11.20 + 1.00	.0395	----	----	----	----	----	79	UNCH	----	----	----	----	----	----								
3765	----	----	----	----	12.60B/----	12.60B/*10.70A	----	----	----	11.60 + 1.00	.0410	----	----	----	----	----	100	UNCH	----	----	----	----	----	----								
3770	----	----	----	----	12.90B/----	12.90B/*10.80A	----	----	----	11.80 + 1.10	.0417	----	----	----	----	----	4	UNCH	----	----	----	----	----	----								
3775	----	----	----	----	13.00B/----	13.00B/11.00A	----	----	----	11.90 + 1.00	.0421	----	----	----	----	----	12	UNCH	----	----	----	----	----	----								
3790	----	----	----	----	13.60B/----	13.60B/*11.40A	----	----	----	12.40 + 1.10	.0439	----	----	1	----	----	6 -	1	----	----	----	----	----	----								
3795	----	----	----	----	13.80B/----	13.80B/*11.50A	----	----	----	12.60 + 1.20	.0446	----	----	----	----	----	83	UNCH	----	----	----	----	----	----								
3800	12.60	12.60	12.60	14.00B/12.60	1																											

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
		GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME					OPEN INTEREST				
OG PUT		COMEX GOLD OPTIONS																						
SEP26																								
3565	----	----			11.40B/----	11.40B/11.10A	----	----		11.40 + 0.80	.0337	----	----	----	----					1	UNCH			
3590	----	----			12.10B/----	12.10B/11.60A	----	----		12.00 + 0.80	.0356	----	----	----	----					2	UNCH			
3600	----	----			12.50B/----	12.50B/11.80A	----	----		12.30 + 0.80	.0365	----	----	----	----					37	UNCH			
3610	----	----			12.80B/----	12.80B/12.10A	----	----		12.60 + 0.90	.0374	----	----	----	----					7	UNCH			
3625	----	----			13.30B/----	13.30B/12.50A	----	----		13.10 + 1.00	.0389	----	----	----	----					1	UNCH			
3650	----	----			14.20B/----	14.20B/13.20A	----	----		13.80 + 0.90	.0411	----	----	2	----					66	UNCH			
3690	----	----			15.80B/----	15.80B/14.40A	----	----		15.20 + 1.10	.0453	----	----	----	----					60	UNCH			
3700	----	----			16.20B/----	16.20B/14.70A	----	----		15.60 + 1.10	.0465	----	----	----	----					149	UNCH			
3720	----	----			17.10B/----	17.10B/15.40A	----	----		16.40 + 1.20	.0488	----	----	----	----					50	UNCH			
3750	----	----			18.60B/----	18.60B/16.50A	----	----		17.60 + 1.20	.0525	----	----	----	----					96	UNCH			
3755	----	----			18.70B/----	18.70B/16.70A	----	----		17.90 + 1.30	.0533	----	----	----										

BULLETIN # 90@			METALS OPTION PRODUCTS										Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG PUT	COMEX GOLD OPTIONS															
SEP26	----	----	589.80B/----	589.80B/535.90A	----	561.20 + 30.40	.7438	----	----	----	----	400	UNCH			
5230	----	----	648.00B/----	648.00B/590.40A	----	618.60 + 31.60	.7724	----	----	----	----	300	UNCH			
5300	----	----	732.90B/----	732.90B/676.60A	----	703.80 + 33.30	.8080	----	----	----	----	100	UNCH			
5400	----	----	750.50B/----	750.50B/693.80A	----	721.20 + 33.60	.8144	----	----	----	----	80	UNCH			
5420	----	----	----	659.70B/817.20A	----	747.60 + 34.10	.8235	----	----	----	----	1	UNCH			
5450	----	----	821.70B/----	821.70B/763.70A	----	792.10 + 34.90	.8375	----	----	----	----	3	UNCH			
5500	----	----	----	----	----	1260.50 + 39.30	.9249	----	----	----	----	2	UNCH			
6000	----	----	----	----	----	----	----	----	----	139	200	11161+	169			
TOTAL																
OCT26	----	----	2.70B/----	2.70B/3.60A	----	3.00 + 0.40	.0071	----	----	----	----	1	UNCH			
2700	----	----	----	3.20B/4.00A	----	3.50 + 0.20	.0085	----	----	----	----	3	UNCH			
2800	----	----	----	3.90B/4.80A	----	4.20 + 0.20	.0104	----	----	----	----	1	UNCH			
2900	----	----	----	5.60B/6.70A	----	6.00 + 0.40	.0154	----	----	----	----	1	UNCH			
3100	----	----	----	6.20B/7.40A	----	6.70 + 0.50	.0173	----	----	----	----	1	UNCH			
3155	----	----	6.90B/----	6.90B/7.90A	----	7.30 + 0.50	.0190	----	----	----	----	414	UNCH			
3200	----	----	7.60B/----	7.60B/8.60A	----	8.00 + 0.70	.0209	----	----	----	----	5	UNCH			
3240	----	----	8.80B/----	8.80B/9.50A	----	9.00 + 0.80	.0237	----	----	----	----	415	UNCH			
3300	----	----	9.60B/----	9.60B/10.30A	----	9.80 + 0.90	.0258	----	----	----	----	9	UNCH			
3340	----	----	10.10B/----	10.10B/10.60A	----	10.30 + 1.00	.0272	----	----	----	----	1	UNCH			
3360	----	----	10.30B/----	10.30B/11.20A	----	10.70 + 1.00	.0283	----	----	----	----	1	UNCH			
3380	----	----	10.70B/----	10.70B/11.30A	----	11.00 + 1.10	.0290	----	----	----	----	4	UNCH			
3390	----	----	10.90B/----	10.90B/11.50A	----	11.20 + 1.10	.0296	----	----	----	----	150	UNCH			
3400	----	----	13.50B/----	13.50B/13.60A	----	13.40 + 1.30	.0355	----	----	----	----	12	UNCH			
3480	----	----	14.10B/----	14.10B/14.10A	----	14.10 + 1.40	.0373	----	----	28	----	18 +	8			
3500	----	----	14.90B/----	14.90B/14.70A	----	14.70 + 1.40	.0390	----	----	----	----	12	UNCH			
3520	----	----	15.60B/----	15.60B/15.70A	----	15.80 + 1.50	.0419	----	----	----	----	25	UNCH			
3550	----	----	17.40B/----	17.40B/17.50A	----	17.80 + 1.60	.0471	----	----	----	----	182	UNCH			
3600	----	----	18.40B/----	18.40B/18.20A	----	18.40 + 1.60	.0487	----	----	----	----	1	UNCH			
3615	----	----	22.90B/----	22.90B/21.90A	----	22.60 + 1.90	.0594	----	----	----	----	136	UNCH			
3700	----	----	23.80B/----	23.80B/22.70A	----	23.40 + 1.90	.0615	----	----	----	----	196	UNCH			
3715	----	----	27.20B/----	27.20B/24.60A	----	25.50 + 2.10	.0667	----	----	----	----	19	UNCH			
3750	----	----	28.60B/----	28.60B/26.10A	----	26.70 + 2.10	.0698	----	----	----	----	1	UNCH			
3770	----	----	29.60B/----	29.60B/26.70A	----	27.70 + 2.10	.0723	----	----	----	----	1	UNCH			
3785	28.00	28.00	30.80B/27.70A	30.80B/27.70A	----	28.80 + 2.30	.0749	----	----	1	----	18 -	1			
3800	----	----	31.20B/----	31.20B/28.00A	----	29.10 + 2.20	.0757	----	----	----	----	1	UNCH			
3805	----	----	32.30B/----	32.30B/28.80A	----	30.20 + 2.30	.0784	----	----	----	----	1	UNCH			
3820	----	----	36.20B/----	36.20B/32.10A	----	33.80 + 2.60	.0871	----	----	----	----	2	UNCH			
3865	----	----	36.70B/----	36.70B/32.50A	----	34.20 + 2.60	.0881	----	----	----	----	1	UNCH			
3870	----	----	37.30B/----	37.30B/32.90A	----	34.60 + 2.60	.0891	----	----	----	----	12	UNCH			
3875	----	----	38.10B/----	38.10B/33.70A	----	35.50 + 2.70	.0912	----	----	----	----	5	UNCH			
3885	----	----	38.20B/----	38.20B/34.10A	----	35.90 + 2.70	.0922	----	----	----	----	2	UNCH			
3890	----	----	39.20B/----	39.20B/34.40A	----	36.40 + 2.80	.0933	----	----	----	----	2	UNCH			
3895	----	----	39.00B/----	39.00B/34.80A	----	36.80 + 2.80	.0943	----	----	----	----	23	UNCH			
3900	----	----	41.60B/----	41.60B/36.40A	----	38.70 + 2.90	.0988	----	----	----	----	28	UNCH			
3920	----	----	42.70B/----	42.70B/37.20A	----	39.70 + 3.00	.1011	----	----	----	----	2	UNCH			
3930	----	----	43.80B/----	43.80B/38.00A	----	40.70 + 3.10	.1034	----	----	----	----	65	UNCH			
3940	----	----	44.90B/----	44.90B/39.50A	----	41.70 + 3.20	.1058	----	----	----	----	2	UNCH			
3950	----	----	48.10B/----	48.10B/41.40A	----	44.40 + 3.40	.1120	----	----	----	----	5	UNCH			
3975	47.00	47.00	51.30B/47.00	51.30B/43.90A	----	47.30 + 3.70	.1185	----	----	1	----	374	UNCH			
4000	----	----	55.00B/----	55.00B/47.10A	----	50.90 + 3.90	.1267	----	----	----	----	2	UNCH			
4030	----	----	58.10B/49.20A	58.10B/49.20A	----	53.50 + 4.10	.1324	----	----	----	----	5	UNCH			
4050	----	----	61.00B/51.50A	61.00B/51.50A	----	56.20 + 4.30	.1384	----	----	----	----	24	UNCH			
4070	----	----	65.70B/55.20A	65.70B/55.20A	----	60.60 + 4.70	.1478	----	----	----	----	466	UNCH			
4100	----	----	71.00B/59.40A	71.00B/59.40A	----	65.30 + 5.10	.1578	----	----	----	----	2	UNCH			
4130	----	----	75.10B/62.10A	75.10B/62.10A	----	68.70 + 5.50	.1648	----	----	----	----	5	UNCH			
4150	----	----	80.60B/66.80A	80.60B/66.80A	----	74.00 + 6.00	.1756	----	----	----	----	1	UNCH			
4180	77.50	77.50	85.00B/70.10A	85.00B/70.10A	----	77.80 + 6.40	.1832	----	----	62	----	391 -	39			
4200	----	----	89.20B/73.40A	89.20B/73.40A	----	81.80 + 6.80	.1910	----	----	----	----	5	UNCH			
4220	----	----	92.40B/76.00A	92.40B/76.00A	----	84.80 + 7.00	.1970	----	----	----	----	1	UNCH			
4235	----	----	96.10B/78.80A	96.10B/78.80A	----	88.00 + 7.30	.2031	----	----	----	----	72	UNCH			
4250	----	----	99.60B/81.50A	99.60B/81.50A	----	91.30 + 7.60	.2094	----	----	----	----	200	UNCH			
4265	----	----	101.00B/82.70A	101.00B/82.70A	----	92.40 + 7.60	.2115	----	----	----	----	229	UNCH			
4270	----	----	103.30B/84.30A	103.30B/84.30A	----	94.70 + 7.80	.2158	----	----	----	----	196	UNCH			
4280	----	----	108.50B/88.20A	108.50B/88.20A	----	99.40 + 8.20	.2245	----	----	----	----	616	UNCH			
4300	----	----	115.80B/95.00A	115.80B/95.00A	----	106.80 + 8.80	.2380	----	----	----	----	1	UNCH			
4330	89.00	89.00	122.30B/89.00	122.30B/89.00	----	112.00 + 9.20	.2473	----	----	26	----	236 +	25			
4350	----	----	123.70B/100.50A	123.70B/100.50A	----	113.40 + 9.40	.2497	----	----	----	----	11	UNCH			
4375	----	----	129.40B/105.20A	129.40B/105.20A	----	118.80 + 9.70	.2592	----	----	----	----	10	UNCH			
4400	----	----	137.20B/110.80A	137.20B/110.80A	----	126.00 + 10.30	.2715	----	----	----	----	607	UNCH			
4425	----	----	145.20B/117.80A	145.20B/117.80A	----	133.50 + 10.90	.2840	----	----	----	----	15	UNCH			
4430	----	----	147.00B/119.10A	147.00B/119.10A	----	135.00 + 10.90	.2865	----	----	----	----	3	UNCH			
4450	----	----	153.80B/124.70A	153.80B/124.70A	----	141.40 + 11.50	.2969	----	----	----	----	26	UNCH			
4475	----	----	161.50B/131.60A	161.50B/131.60A	----	149.60 + 12.00	.3100	----	----	----	----	2	UNCH			
4500	----	----	172.00B/138.60A	172.00B/138.60A	----	158.30 + 12.70	.3234	----	----	----	----	90	UNCH			
4550	----	----	190.80B/154.60A	190.80B/154.60A	----	176.80 + 14.10	.3510	----	----	----	----	1	UNCH			
4560	----	----	195													

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64	
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
OG PUT		COMEX GOLD OPTIONS																							
NOV26																									
3350	----	----	----	----	12.60B/----	12.60B/13.70A	----	----	13.30 + 1.30	.0317	----	----	----	----	180	UNCH									
3455	----	----	----	----	16.10B/----	16.10B/17.10A	----	----	16.80 + 1.60	.0399	----	----	----	----	1	UNCH									
3475	----	----	----	----	16.70B/----	16.70B/17.80A	----	----	17.60 + 1.70	.0418	----	----	----	----	2	UNCH									
3500	----	----	----	----	18.00B/----	18.00B/18.80A	----	----	18.60 + 1.80	.0441	----	----	----	----	675	UNCH									
3535	----	----	----	----	19.40B/----	19.40B/20.30A	----	----	20.20 + 1.90	.0477	----	----	----	----	1	UNCH									
3605	----	----	----	----	23.10B/----	23.10B/24.00A	----	----	23.60 + 2.00	.0555	----	----	----	----	1	UNCH									
3690	----	----	----	----	30.40B/----	30.40B/28.40A	----	----	28.70 + 2.30	.0669	----	----	----	----	1	UNCH									
3700	----	----	----	----	31.10B/----	31.10B/29.00A	----	----	29.40 + 2.40	.0684	----	----	1	----	1	+	1								
3725	----	----	----	----	32.90B/----	32.90B/30.70A	----	----	31.10 + 2.40	.0722	----	----	----	----	1	UNCH									
3740	----	----	----	----	33.80B/----	33.80B/31.40A	----	----	32.20 + 2.50	.0746	----	----	----	----	21	UNCH									
3750	----	----	----	----	34.60B/----	34.60B/32.00A	----	----	32.90 + 2.50	.0761	----	----	----	----	150	UNCH									
3780	----	----	----	----	37.60B/----	37.60B/34.20A	----	----	35.30 + 2.60	.0813	----	----	----	----	1	UNCH									
3800	----	----	----	----	39.40B/----	39.40B/35.80A	----	----	37.00 + 2.70	.0849	----	----	----	----	29	UNCH									
3820	----	----	----	----	41.40B/----	41.40B/37.50A	----	----	38.70 + 2.80	.0885	----	----	----	----	22	UNCH									
3875	----	----	----	----	46.30B/----	46.30B/42.40A	----	----	44.00 + 3.20	.0996	----	----	----	----	24	UNCH									
3900	----	----	----	----	49.30B/----	49.30B/44.80A	----	----	46.70 + 3.40	.1050	----	----	----	----	2	UNCH									
3920	----	----	----	----	52.20B/----	52.20B/47.00A	----	----	48.90 + 3.60	.1095	----	----	----	----	2	UNCH									
3925	----	----	----	----	52.70B/----	52.70B/47.50A	----	----	49.40 + 3.60	.1106	----	----	----	----	2	UNCH									
3980	----	----	----	----	60.10B/----	60.10B/53.20A	----	----	56.20 + 4.20	.1240	----	----	----	----	1	UNCH									
4000	57.00	----	57.00	----	63.30B/56.30A	63.30B/56.30A	----	----	58.80 + 4.30	.1292	----	----	1	----	6	+	1								
4025	----	----	----	----	66.90B/----	66.90B/59.50A	----	----	62.30 + 4.60	.1359	----	----	----	----	2	UNCH									
4070	----	----	----	----	74.40B/----	74.40B/65.70A	----	----	69.10 + 5.20	.1488	----	----	----	----	25	UNCH									
4100	----	----	----	----	79.50B/----	79.50B/70.30A	----	----	74.00 + 5.60	.1578	----	----	----	----	2	UNCH									
4135	----	----	----	----	86.30B/----	86.30B/74.30A	----	----	80.20 + 6.20	.1690	----	----	----	----	22	UNCH									
4160	----	----	----	----	91.00B/----	91.00B/80.40A	----	----	84.80 + 6.50	.1773	----	----	----	----	1	UNCH									
4170	----	----	----	----	93.30B/----	93.30B/81.50A	----	----	86.70 + 6.70	.1807	----	----	----	----	1	UNCH									
4180	----	----	----	----	95.20B/----	95.20B/83.90A	----	----	88.70 + 6.80	.1841	----	----	----	----	1	UNCH									
4200	----	----	----	----	99.50B/----	99.50B/87.80A	----	----	92.80 + 7.20	.1912	----	----	----	----	6	UNCH									
4205	----	----	----	----	100.90B/----	100.90B/88.50A	----	----	93.80 + 7.30	.1930	----	----	----	----	1	UNCH									
4215	----	----	----	----	103.00B/----	103.00B/90.00A	----	----	95.90 + 7.40	.1966	----	----	----	----	5	UNCH									
4250	----	----	----	----	111.20B/----	111.20B/97.30A	----	----	103.60 + 8.00	.2096	----	----	----	----	370	UNCH									
4275	----	----	----	----	117.40B/----	117.40B/102.00A	----	----	109.50 + 8.50	.2193	----	----	----	----	3	UNCH									
4305	----	----	----	----	125.30B/----	125.30B/108.90A	----	----	116.80 + 9.00	.2312	----	----	1	----	1	UNCH									
4320	----	----	----	----	129.20B/----	129.20B/111.60A	----	----	120.70 + 9.30	.2374	----	----	----	----	43	UNCH									
4330	----	----	----	----	132.40B/----	132.40B/113.90A	----	----	123.30 + 9.50	.2415	----	----	2	----	2	UNCH									
4350	----	----	----	----	137.70B/----	137.70B/118.90A	----	----	128.70 + 9.90	.2499	----	----	----	----	3	UNCH									
4390	----	----	----	----	150.00B/129.10A	150.00B/129.10A	----	----	140.00 + 10.60	.2672	----	----	----	----	1	UNCH									
4395	----	----	----	----	150.90B/126.90A	150.90B/126.90A	----	----	141.50 + 10.80	.2694	----	----	----	----	1	UNCH									
4400	----	----	----	----	153.00B/131.30A	153.00B/131.30A	----	----	143.00 + 10.90	.2716	----	----	----	----	3	UNCH									
4425	----	----	----	----	161.30B/138.70A	161.30B/138.70A	----	----	150.60 + 11.30	.2829	----	----	----	----	72	UNCH									
4430	----	----	----	----	162.60B/139.60A	162.60B/139.60A	----	----	152.20 + 11.50	.2852	----	----	----	----	10	UNCH									
4450	----	----	----	----	169.70B/145.90A	169.70B/145.90A	----	----	158.50 + 11.80	.2943	----	----	----	----	39	UNCH									
4485	----	----	----	----	181.90B/156.20A	181.90B/156.20A	----	----	170.20 + 12.50	.3108	----	----	----	----	1	UNCH									
4490	----	----	----	----	183.90B/157.90A	183.90B/157.90A	----	----	171.90 + 12.60	.3131	----	----	----	----	1	UNCH									
4500	----	----	----	----	187.60B/160.50A	187.60B/160.50A	----	----	175.40 + 12.80	.3179	----	----	1	----	45	UNCH									
4510	----	----	----	----	191.30B/164.00A	191.30B/164.00A	----	----	178.90 + 13.00	.3227	----	----	----	----	11	UNCH									
4535	----	----	----	----	201.30B/171.80A	201.30B/171.80A	----	----	188.00 + 13.50	.3349	----	----	----	----	10	UNCH									
4540	----	----	----	----	203.00B/173.80A	203.00B/173.80A	----	----	189.90 + 13.60	.3374	----	----	----	----	6	UNCH									
4580	----	----	----	----	219.40B/187.30A	219.40B/187.30A	----	----	205.20 + 14.30	.3573	----	----	----	----	10	UNCH									
4600	----	----	----	----	227.50B/190.60A	227.50B/190.60A	----	----	213.20 + 14.70	.3674	----	----	----	----	1	UNCH									
4640	----	----	----	----	245.60B/209.40A	245.60B/209.40A	----	----	230.00 + 15.60	.3878	----	----	----	----	90	UNCH									
4650	----	----	----	----	250.20B/213.50A	250.20B/213.50A	----	----	234.40 + 15.90	.3930	----	----	----	----	52	UNCH									
4700	----	----	----	----	274.00B/233.90A	274.00B/233.90A	----	----	257.20 + 17.40	.4190	----	----	----	----	2										

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64			
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG PUT		COMEX GOLD OPTIONS																									
DEC26																											
4090	----	----	----	----	91.90B/----	91.90B/81.40A	----	----	86.70 + 5.50	.1684	----	----	----	----	----	1	UNCH										
4100	----	----	----	----	95.40B/----	95.40B/83.10A	----	----	88.60 + 5.70	.1715	----	----	----	----	----	386	UNCH										
4130	----	----	----	----	100.70B/----	100.70B/90.40A	----	----	94.40 + 6.20	.1809	----	----	----	----	----	2	UNCH										
4150	----	----	----	----	105.90B/91.80A	105.90B/91.80A	----	----	98.50 + 6.60	.1875	----	----	----	----	----	21	UNCH										
4160	----	----	----	----	108.20B/----	108.20B/95.80A	----	----	100.60 + 6.80	.1908	----	----	----	----	----	252	UNCH										
4170	----	----	----	----	109.30B/----	109.30B/98.10A	----	----	102.80 + 7.10	.1942	----	----	----	----	----	2	UNCH										
4175	----	----	----	----	111.50B/----	111.50B/99.00A	----	----	103.90 + 7.20	.1959	----	----	----	----	----	60	UNCH										
4200	----	----	----	----	117.50B/----	117.50B/104.00A	----	----	109.40 + 7.60	.2045	----	----	----	600	1257 +	370											
4215	----	----	----	----	121.10B/104.70A	121.10B/104.70A	----	----	112.90 + 7.90	.2098	----	----	----	----	----	14	UNCH										
4250	----	----	----	----	130.20B/----	130.20B/115.10A	----	----	121.30 + 8.60	.2225	----	----	----	----	----	344	UNCH										
4300	----	----	----	----	143.80B/----	143.80B/125.90A	----	----	134.10 + 9.40	.2414	----	----	----	----	2342	UNCH											
4320	----	----	----	----	149.60B/128.10A	149.60B/128.10A	----	----	139.60 + 9.80	.2492	----	----	----	----	100	UNCH											
4325	----	----	----	----	151.00B/----	151.00B/132.60A	----	----	141.00 + 9.90	.2512	----	----	----	----	544	UNCH											
4340	----	----	----	----	155.60B/----	155.60B/136.20A	----	----	145.20 + 10.10	.2572	----	----	----	----	82	UNCH											
4350	----	----	----	----	158.70B/----	158.70B/138.70A	----	----	148.10 + 10.30	.2612	----	----	----	----	151	UNCH											
4365	----	----	----	----	163.30B/139.60A	163.30B/139.60A	----	----	152.50 + 10.50	.2673	----	----	----	----	390	UNCH											
4375	----	----	----	----	165.20B/----	165.20B/145.60A	----	----	155.50 + 10.70	.2715	----	----	----	----	2	UNCH											
4385	----	----	----	----	169.80B/----	169.80B/148.60A	----	----	158.50 + 10.80	.2756	----	----	----	----	75	UNCH											
4390	----	----	----	----	171.50B/----	171.50B/149.30A	----	----	160.00 + 10.80	.2777	----	----	200	200 +	170												
4400	----	----	----	----	174.70B/----	174.70B/152.70A	----	----	163.20 + 11.10	.2819	----	----	----	----	290	UNCH											
4425	----	----	----	----	183.20B/----	183.20B/160.30A	----	----	171.20 + 11.50	.2926	----	----	----	----	9	UNCH											
4430	----	----	----	----	184.90B/160.30A	184.90B/160.30A	----	----	172.80 + 11.60	.2947	----	----	----	----	10	UNCH											
4435	----	----	----	----	186.80B/158.80A	186.80B/158.80A	----	----	174.40 + 11.60	.2968	----	----	----	----	14	UNCH											
4450	----	----	----	----	192.00B/167.10A	192.00B/167.10A	----	----	179.50 + 11.90	.3034	----	----	----	----	260	UNCH											
4475	----	----	----	----	201.20B/175.00A	201.20B/175.00A	----	----	188.10 + 12.40	.3144	----	----	----	----	8	UNCH											
4500	191.50	191.50	----	----	210.70B/183.30A	210.70B/183.30A	----	----	197.10 + 12.90	.3256	----	----	5	1196 -	3												
4510	----	----	----	----	213.00B/186.40A	213.00B/186.40A	----	----	200.80 + 13.10	.3302	----	----	----	----	2	UNCH											
4515	----	----	----	----	216.50B/188.20A	216.50B/188.20A	----	----	202.60 + 13.20	.3324	----	----	----	----	242	UNCH											
4520	----	----	----	----	218.40B/189.80A	218.40B/189.80A	----	----	204.50 + 13.30	.3347	----	----	----	----	25	UNCH											
4525	----	----	----	----	220.50B/187.20A	220.50B/187.20A	----	----	206.40 + 13.50	.3370	----	----	----	----	200	UNCH											
4530	----	----	----	----	222.50B/193.00A	222.50B/193.00A	----	----	208.30 + 13.60	.3393	----	----	----	----	20	UNCH											
4535	----	----	----	----	224.50B/194.80A	224.50B/194.80A	----	----	210.20 + 13.70	.3416	----	----	----	----	102	UNCH											
4540	----	----	----	----	225.30B/196.90A	225.30B/196.90A	----	----	212.20 + 13.90	.3439	----	----	----	----	1	UNCH											
4550	----	----	----	----	230.50B/200.50A	230.50B/200.50A	----	----	216.10 + 14.10	.3485	----	----	----	----	4	UNCH											
4555	----	----	----	----	232.60B/202.10A	232.60B/202.10A	----	----	218.10 + 14.20	.3508	----	----	----	----	50	UNCH											
4580	----	----	----	----	243.10B/211.20A	243.10B/211.20A	----	----	228.20 + 14.90	.3625	----	----	----	----	50	UNCH											
4585	----	----	----	----	245.50B/212.70A	245.50B/212.70A	----	----	230.20 + 15.00	.3648	----	----	----	----	325	UNCH											
4600	----	----	----	----	251.90B/218.30A	251.90B/218.30A	----	----	236.50 + 15.40	.3719	----	----	----	----	622	UNCH											
4620	----	----	----	----	260.80B/226.20A	260.80B/226.20A	----	----	245.00 + 16.00	.3814	----	----	----	----	50	UNCH											
4625	----	----	----	----	263.00B/227.80A	263.00B/227.80A	----	----	247.20 + 16.10	.3838	----	----	----	----	34	UNCH											
4640	----	----	----	----	269.80B/233.60A	269.80B/233.60A	----	----	253.70 + 16.50	.3909	----	----	----	----	100	UNCH											
4650	----	----	----	----	274.40B/233.20A	274.40B/233.20A	----	----	258.10 + 16.70	.3957	----	----	----	----	116	UNCH											
4680	----	----	----	----	288.70B/250.00A	288.70B/250.00A	----	----	271.70 + 17.40	.4101	----	----	----	----	60	UNCH											
4700	----	----	----	----	298.60B/258.50A	298.60B/258.50A	----	----	281.10 + 17.90	.4198	----	----	1	511 +	1												
4725	----	----	----	----	310.70B/269.90A	310.70B/269.90A	----	----	293.10 + 18.40	.4319	----	----	----	----	110	UNCH											
4750	----	----	----	----	323.70B/280.90A	323.70B/280.90A	----	----	305.50 + 19.00	.4441	----	----	----	----	63	UNCH											
4790	----	----	----	----	345.20B/294.40A	345.20B/294.40A	----	----	326.20 + 20.00	.4635	----	----	----	----	60	UNCH											
4795	----	----	----	----	347.90B/296.70A	347.90B/296.70A	----	----	328.80 + 20.00	.4659	----	----	----	----	1	UNCH											
4800	----	----	----	----	349.50B/299.20A	349.50B/299.20A	----	----	331.50 + 20.20	.4683	----	----	1	308 +	1												
4810	----	----	----	----	354.70B/304.10A	354.70B/304.10A	----	----	336.80 + 20.30	.4731	----	----	----	----	56	UNCH											
4815	----	----	----	----	357.80B/306.40A	357.80B/306.40A	----	----	339.50 + 20.30	.4755	----	----	----	----	10												

BULLETIN # 90@				METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE			SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST	
OG PUT	COMEX GOLD OPTIONS																	
FEB27	----	----	----	----	3.50B/9.90A	----	----	6.00	+ 0.70	.0124	----	----	----	----	----	4	UNCH	
2800	----	----	----	96.10B/----	96.10B/89.20A	----	----	92.90	+ 4.40	.1569	----	----	----	----	----	1	UNCH	
4000	----	----	----	110.10B/99.80A	110.10B/99.80A	----	----	106.40	+ 5.50	.1759	----	----	----	----	----	2	UNCH	
4070	----	----	----	140.40B/----	140.40B/130.70A	----	----	135.70	+ 7.90	.2151	----	----	----	----	----	50	UNCH	
4200	----	----	----	167.90B/149.80A	167.90B/149.80A	----	----	162.20	+ 9.90	.2484	----	----	----	----	----	1	UNCH	
4300	----	----	----	236.40B/----	236.40B/214.70A	----	----	227.20	+ 13.80	.3227	----	----	----	----	----	1	UNCH	
4500	----	----	----	277.20B/250.50A	277.20B/250.50A	----	----	266.60	+ 15.80	.3630	----	----	----	----	----	17	UNCH	
4600	----	----	----	299.90B/270.10A	299.90B/270.10A	----	----	288.20	+ 16.80	.3837	----	----	----	----	----	1	UNCH	
4650	----	----	----	300.50B/267.10A	300.50B/267.10A	----	----	290.40	+ 16.90	.3857	----	----	----	----	----	1	UNCH	
4655	----	----	----	304.40B/274.70A	304.40B/274.70A	----	----	292.60	+ 17.00	.3878	----	----	----	----	----	435	UNCH	
4660	----	----	----	306.70B/276.80A	306.70B/276.80A	----	----	294.90	+ 17.10	.3899	----	----	----	----	----	3	UNCH	
4665	----	----	----	346.30B/313.30A	346.30B/313.30A	----	----	335.10	+ 18.60	.4256	----	----	----	----	----	1	UNCH	
4750	----	----	----	349.00B/315.20A	349.00B/315.20A	----	----	337.60	+ 18.80	.4277	----	----	----	----	----	1	UNCH	
4755	----	----	----	359.10B/324.70A	359.10B/324.70A	----	----	347.60	+ 19.10	.4361	----	----	----	----	----	1	UNCH	
4775	----	----	----	364.40B/325.70A	364.40B/325.70A	----	----	352.60	+ 19.20	.4403	----	----	----	----	----	100	UNCH	
4785	----	----	----	372.30B/329.80A	372.30B/329.80A	----	----	360.30	+ 19.40	.4467	----	----	----	----	----	45	UNCH	
4800	----	----	----	374.90B/332.10A	374.90B/332.10A	----	----	362.90	+ 19.50	.4488	----	----	----	----	----	2	UNCH	
4805	----	----	----	390.90B/346.70A	390.90B/346.70A	----	----	378.50	+ 19.80	.4614	----	----	----	----	----	1	UNCH	
4835	----	----	----	393.60B/349.00A	393.60B/349.00A	----	----	381.10	+ 19.90	.4635	----	----	----	----	----	1	UNCH	
4840	----	----	----	396.40B/351.50A	396.40B/351.50A	----	----	383.80	+ 20.00	.4656	----	----	----	----	----	2	UNCH	
4845	----	----	----	399.10B/355.60A	399.10B/355.60A	----	----	386.40	+ 20.00	.4677	----	----	----	----	----	1	UNCH	
4850	----	----	----	401.90B/358.70A	401.90B/358.70A	----	----	389.10	+ 20.00	.4698	----	----	----	----	----	3	UNCH	
4900	----	----	----	427.20B/386.80A	427.20B/386.80A	----	----	413.40	+ 20.30	.4887	----	----	----	----	----	4	UNCH	
4905	----	----	----	430.10B/389.50A	430.10B/389.50A	----	----	416.20	+ 20.40	.4907	----	----	----	----	----	4	UNCH	
4950	----	----	----	456.60B/413.50A	456.60B/413.50A	----	----	441.50	+ 20.70	.5094	----	----	----	----	----	1	UNCH	
4955	----	----	----	459.30B/416.20A	459.30B/416.20A	----	----	444.30	+ 20.70	.5114	----	----	----	----	----	1	UNCH	
5000	----	----	----	486.90B/441.10A	486.90B/441.10A	----	----	470.80	+ 21.20	.5298	----	----	----	----	----	10	UNCH	
5005	----	----	----	489.90B/444.30A	489.90B/444.30A	----	----	473.80	+ 21.30	.5318	----	----	----	----	----	2	UNCH	
5050	----	----	----	518.30B/470.20A	518.30B/470.20A	----	----	501.50	+ 22.10	.5497	----	----	----	----	----	4	UNCH	
5055	----	----	----	521.30B/473.00A	521.30B/473.00A	----	----	504.60	+ 22.10	.5517	----	----	----	----	----	4	UNCH	
5100	----	----	----	550.90B/500.50A	550.90B/500.50A	----	----	533.60	+ 23.30	.5691	----	----	----	----	----	2	UNCH	
5150	----	----	----	581.60B/525.00A	581.60B/525.00A	----	----	566.90	+ 24.70	.5879	----	----	----	----	----	1	UNCH	
5175	----	----	----	601.60B/547.50A	601.60B/547.50A	----	----	584.00	+ 25.40	.5970	----	----	----	----	----	125	UNCH	
5200	----	----	----	614.20B/563.50A	614.20B/563.50A	----	----	601.40	+ 26.20	.6060	----	----	----	----	----	1	UNCH	
5250	----	----	----	649.80B/596.60A	649.80B/596.60A	----	----	636.80	+ 27.60	.6235	----	----	----	----	----	10	UNCH	
5355	----	----	----	727.40B/669.60A	727.40B/669.60A	----	----	713.70	+ 29.90	.6584	----	----	----	----	----	1	UNCH	
5520	----	----	----	833.40B/----	833.40B/822.00A	----	----	840.50	+ 31.30	.7081	----	----	----	----	----	300	UNCH	
5530	----	----	----	840.80B/----	840.80B/830.00A	----	----	848.40	+ 31.30	.7109	----	----	----	----	----	100	UNCH	
5550	----	----	----	845.30B/----	845.30B/845.80A	----	----	864.40	+ 31.50	.7164	----	----	----	----	----	65	UNCH	
5565	----	----	----	846.50B/----	846.50B/867.00A	----	----	876.40	+ 31.50	.7205	----	----	----	----	----	50	UNCH	
TOTAL																1359	0	
MAR27																		
4070	----	----	----	116.80B/----	116.80B/107.90A	----	----	114.50	+ 8.40	.1768	----	----	----	----	----	2	UNCH	
4370	----	----	----	196.90B/----	196.90B/183.10A	----	----	191.10	+ 12.80	.2685	----	----	----	----	----	250	UNCH	
4525	----	----	----	251.90B/----	251.90B/231.50A	----	----	244.00	+ 14.10	.3240	----	----	----	----	----	11	UNCH	
4660	----	----	----	308.20B/281.70A	308.20B/281.70A	----	----	298.80	+ 16.30	.3757	----	----	----	----	----	24	UNCH	
4750	----	----	----	350.10B/319.40A	350.10B/319.40A	----	----	340.10	+ 19.10	.4111	----	----	----	----	----	15	UNCH	
4810	----	----	----	380.20B/343.40A	380.20B/343.40A	----	----	369.70	+ 21.50	.4350	----	----	----	----	----	21	UNCH	
4900	----	----	----	428.60B/391.40A	428.60B/391.40A	----	----	416.90	+ 24.40	.4707	----	----	----	----	----	2	UNCH	
4905	----	----	----	431.50B/393.90A	431.50B/393.90A	----	----	419.60	+ 24.50	.4726	----	----	----	----	----	2	UNCH	
5000	----	----	----	486.70B/444.20A	486.70B/444.20A	----	----	472.90	+ 25.70	.5097	----	----	----	----	----	75	UNCH	
TOTAL																402	0	
APR27																		
4300	----	----	----	----	96.40B/261.60A	----	----	181.90	+ 29.60	.2500	----	----	----	----	----	150	UNCH	
4900	----	----	----	----	235.30B/*593.70A	----	----	424.70	+ 43.90	.4693	----	----	----	----	----	2	UNCH	
4905	----	----	----	----	237.70B/*598.00A	----	----	427.30	+ 44.00	.4712	----	----	----	----	----	2	UNCH	
5000	----	----	----	----	#297.60B/665.80A	----	----	478.20	+ 45.60	.5081	----	----	----	----	----	100	UNCH	
5060	----	----	----	----	#327.90B/*709.80A	----	----	518.20	+ 46.50	.5293	----	----	----	----	----	25	UNCH	
5200	----	----	----	----	395.70B/818.20A	----	----	612.60	+ 48.10	.5770	----	----	----	----	----	15	UNCH	
TOTAL																294	0	
JUN27																		
3625	----	----	----	----	----	----	----	87.60	+ 4.20	.1129	----	----	----	----	----	450	UNCH	
4900	----	----	----	----	----	----	----	501.80	+ 17.10	.4453	----	----	----	----	----	1	UNCH	
4905	----	----	----	----	----	----	----	504.50	+ 17.10	.4468	----	----	----	----	----	1	UNCH	
5085	----	----	----	----	----	----	----	606.50	+ 19.30	.5018	----	----	----	----	----	150	UNCH	
TOTAL																602	0	
DEC27																		
3700	----	----	----	----	----	----	----	152.90	+ 5.30	.1445	----	----	----	----	----	100	UNCH	
3715	----	----	----	----														

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64										
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST															
OG CALL		COMEX GOLD OPTIONS																																
JUN26																																		
4060	----	----	----	----	/596.10A	662.80B/596.10A	----	----	628.20 - 42.10	.9858	----	----	----	----	25	UNCH																		
4070	----	----	----	----	/586.20A	652.90B/586.20A	----	----	618.30 - 42.00	.9850	----	----	----	----	10	UNCH																		
4075	----	----	----	----	/581.20A	647.90B/581.20A	----	----	613.30 - 42.10	.9844	----	----	----	----	64	UNCH																		
4090	594.20	594.20	----	----	633.00B/566.40A	633.00B/566.40A	----	----	598.40 - 42.10	.9834	----	----	1	----	34	UNCH																		
4100	----	----	----	----	/553.50A	625.10B/553.50A	----	----	588.50 - 42.10	.9832	----	----	----	----	682	UNCH																		
4105	----	----	----	----	/551.60A	618.20B/551.60A	----	----	583.60 - 42.00	.9825	----	----	----	----	50	UNCH																		
4110	----	----	----	----	----	----	----	----	578.60 - 42.00	.9824	----	----	----	----	2	UNCH																		
4115	----	----	----	----	/541.70A	608.20B/541.70A	----	----	573.70 - 42.00	.9816	----	----	----	----	5	UNCH																		
4125	----	----	----	----	/530.60A	598.40B/530.60A	----	----	563.80 - 42.00	.9808	----	----	----	----	95	UNCH																		
4135	----	----	----	----	/514.80A	588.40B/514.80A	----	----	553.90 - 42.00	.9799	----	----	----	----	16	UNCH																		
4150	----	----	----	----	/500.00A	574.50B/500.00A	----	----	539.10 - 42.00	.9788	----	----	----	----	263	UNCH																		
4155	----	----	----	----	/495.10A	568.60B/495.10A	----	----	534.10 - 42.00	.9780	----	----	----	----	5	UNCH																		
4170	----	----	----	----	/480.40A	553.80B/480.40A	----	----	519.30 - 42.00	.9763	----	----	----	----	51	UNCH																		
4175	----	----	----	----	/475.50A	548.80B/475.50A	----	----	514.40 - 42.00	.9755	----	----	----	----	61	UNCH																		
4195	----	----	----	----	/456.00A	529.90B/456.00A	----	----	494.70 - 42.00	.9729	----	----	----	----	1	UNCH																		
4200	486.90	486.90	----	----	525.10B/451.10A	525.10B/451.10A	----	----	489.80 - 42.00	.9727	----	12	----	----	2052	-	4																	
4210	481.00	481.00	----	----	515.20B/441.40A	515.20B/441.40A	----	----	480.00 - 41.90	.9710	----	34	----	----	1534	-	17																	
4220	----	----	----	----	/431.70A	505.60B/431.70A	----	----	470.10 - 42.00	.9693	----	----	----	----	84	UNCH																		
4225	----	----	----	----	/426.80A	500.70B/426.80A	----	----	465.20 - 42.00	.9684	----	----	----	----	15	UNCH																		
4235	----	----	----	----	/417.10A	490.90B/417.10A	----	----	455.40 - 42.00	.9667	----	----	----	----	6	UNCH																		
4240	----	----	----	----	/412.30A	485.90B/412.30A	----	----	450.60 - 41.90	.9658	----	----	----	----	53	UNCH																		
4245	----	----	----	----	/407.50A	481.00B/407.50A	----	----	445.70 - 41.90	.9649	----	----	----	----	263	UNCH																		
4250	----	----	----	----	/402.60A	477.00B/402.60A	----	----	440.80 - 41.90	.9640	----	----	----	----	921	UNCH																		
4255	----	----	----	----	/397.80A	471.20B/397.80A	----	----	435.90 - 41.90	.9631	----	----	----	----	6	UNCH																		
4260	----	----	----	----	/393.00A	466.00B/393.00A	----	----	431.00 - 42.00	.9615	----	----	----	----	1	UNCH																		
4265	----	----	----	----	/388.20A	461.40B/388.20A	----	----	426.20 - 41.90	.9606	----	----	----	----	87	UNCH																		
4270	----	----	----	----	/383.40A	456.60B/383.40A	----	----	421.30 - 41.90	.9596	----	----	----	----	11	UNCH																		
4280	----	----	----	----	/373.90A	446.40B/373.90A	----	----	411.60 - 41.90	.9571	----	----	----	----	1	UNCH																		
4285	----	----	----	----	480.60B/369.10A	480.60B/369.10A	----	----	406.80 - 41.80	.9555	----	----	----	----	1	UNCH																		
4300	----	----	----	----	484.00B/354.90A	484.00B/354.90A	----	----	392.30 - 41.70	.9512	----	----	----	----	2169	UNCH																		
4305	----	----	----	----	479.10B/350.10A	479.10B/350.10A	----	----	387.40 - 41.80	.9502	----	----	----	----	1	UNCH																		
4310	----	----	----	----	474.20B/345.40A	474.20B/345.40A	----	----	382.60 - 41.80	.9485	----	----	----	----	23	UNCH																		
4315	----	----	----	----	469.30B/340.70A	469.30B/340.70A	----	----	377.80 - 41.70	.9468	----	----	----	----	1	UNCH																		
4320	----	----	----	----	464.40B/336.00A	464.40B/336.00A	----	----	373.00 - 41.70	.9451	----	----	----	----	62	UNCH																		
4325	----	----	----	----	459.50B/331.30A	459.50B/331.30A	----	----	368.20 - 41.70	.9434	----	----	----	----	73	UNCH																		
4335	----	----	----	----	449.80B/322.00A	449.80B/322.00A	----	----	358.70 - 41.60	.9394	----	----	----	----	13	UNCH																		
4340	----	----	----	----	445.40B/317.40A	445.40B/317.40A	----	----	353.90 - 41.60	.9376	----	----	----	----	17	UNCH																		
4345	----	----	----	----	440.10B/312.70A	440.10B/312.70A	----	----	349.20 - 41.50	.9358	----	----	----	----	2	UNCH																		
4350	----	----	----	----	435.20B/308.10A	435.20B/308.10A	----	----	344.40 - 41.50	.9335	----	----	----	----	1457	UNCH																		
4355	----	----	----	----	430.80B/303.50A	430.80B/303.50A	----	----	339.70 - 41.50	.9311	----	----	----	----	129	UNCH																		
4360	----	----	----	----	425.50B/298.90A	425.50B/298.90A	----	----	335.00 - 41.40	.9292	----	----	----	----	42	UNCH																		
4365	----	----	----	----	420.70B/294.40A	420.70B/294.40A	----	----	330.30 - 41.30	.9268	----	----	----	----	4	UNCH																		
4370	----	----	----	----	416.30B/289.80A	416.30B/289.80A	----	----	325.60 - 41.30	.9244	----	----	----	----	3	UNCH																		
4375	----	----	----	----	411.50B/285.30A	411.50B/285.30A	----	----	320.90 - 41.30	.9219	----	----	----	----	106	UNCH																		
4380	----	----	----	----	406.30B/280.80A	406.30B/280.80A	----	----	316.20 - 41.20	.9188	----	----	----	----	341	UNCH																		
4385	----	----	----	----	401.40B/276.30A	401.40B/276.30A	----	----	311.60 - 41.10	.9163	----	----	----	----	3	UNCH																		
4390	----	----	----	----	396.60B/271.80A	396.60B/271.80A	----	----	306.90 - 41.10	.9138	----	----	----	----	16	UNCH																		
4395	----	----	----	----	391.80B/267.30A	391.80B/267.30A	----	----	302.30 - 41.00	.9107	----	----	----	----	10	UNCH																		
4400	----	----	----	----	387.50B/262.90A	387.50B/262.90A	----	----	297.70 - 41.00	.9075	----	----	----	----	1468																			

GLOBEX OPEN		OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
COMEX GOLD OPTIONS												
OG CALL JUN26	46.90	46.90	61.90B/24.60A	61.90B/24.60A	----	30.00 - 15.00	.2304	----	----	187	----	2034 +
4850	28.50	28.50	60.10B/23.80A	60.10B/23.80A	----	29.00 - 14.70	.2239	----	----	2	----	439 +
4855	41.50	41.50	58.40B/23.00A	58.40B/23.00A	----	28.00 - 14.40	.2174	----	----	13	----	210 +
4860	50.50	50.50	56.90B/22.30A	56.90B/22.30A	----	27.10 - 14.00	.2113	----	----	18	----	80 +
4865	25.00	25.00	55.10B/21.60A	55.10B/21.60A	----	26.30 - 13.60	.2057	----	----	3	----	56 -
4870	22.20	22.20	53.40B/20.90A	53.40B/20.90A	----	25.40 - 13.30	.1996	----	----	13	----	356 +
4875	31.30	31.30	51.90B/20.20A	51.90B/20.20A	----	24.60 - 13.00	.1940	----	----	5	----	92 -
4880	25.70	25.70	50.40B/19.60A	50.40B/19.60A	----	23.80 - 12.60	.1885	----	----	3	----	215 +
4885	25.70	25.70	49.20B/19.00A	49.20B/19.00A	----	23.00 - 12.30	.1830	----	----	141	----	390 +
4890	22.20	22.20	47.50B/18.40A	47.50B/18.40A	----	22.30 - 12.00	.1779	----	----	44	----	258 +
4895	42.00	42.00	46.10/18.20A	46.10/18.20A	----	21.50 - 11.80	.1724	----	1316	200	6870 -	
4900	20.70	20.70	44.70B/17.20A	44.70B/17.20A	----	20.80 - 11.50	.1674	----	----	2	----	45 -
4905	18.00	18.00	43.40B/16.70A	43.40B/16.70A	----	20.20 - 11.10	.1628	----	----	1	----	66 -
4910	20.00	20.00	42.10B/16.20A	42.10B/16.20A	----	19.50 - 10.90	.1578	----	----	8	----	301 +
4915	20.30	20.30	40.80B/15.70A	40.80B/15.70A	----	18.90 - 10.60	.1533	----	----	13	----	137 +
4920	24.60	24.60	39.60B/15.20A	39.60B/15.20A	----	18.30 - 10.30	.1489	----	----	91	----	240 -
4925	31.00	31.00	38.40B/14.70A	38.40B/14.70A	----	17.70 - 10.00	.1445	----	----	30	----	239 +
4930	16.30	16.30	37.20B/14.20A	37.20B/14.20A	----	17.10 - 9.80	.1401	----	----	8	----	98 +
4935	23.80	23.80	36.10B/13.80A	36.10B/13.80A	----	16.60 - 9.50	.1362	----	----	20	----	803 +
4940	17.50	17.50	35.10B/13.40A	35.10B/13.40A	----	16.10 - 9.20	.1323	----	----	12	----	371 -
4945	25.50	25.50	34.00B/13.00A	34.00B/13.00A	----	15.50 - 9.00	.1279	----	----	95	----	2035 +
4950	16.20	16.20	33.00B/12.60A	33.00B/12.60A	----	15.00 - 8.80	.1241	----	----	16	----	120 +
4955	29.90	29.90	32.00B/12.20A	32.00B/12.20A	----	14.60 - 8.50	.1208	----	----	5	----	387 +
4960	15.70	15.70	31.00B/11.80A	31.00B/11.80A	----	14.10 - 8.30	.1171	----	----	12	----	147 +
4965	13.00	13.00	30.10B/11.40A	30.10B/11.40A	----	13.70 - 8.00	.1138	----	----	5	----	204 +
4970	14.40	14.40	29.30B/11.10A	29.30B/11.10A	----	13.20 - 7.90	.1101	----	----	4	----	365 +
4975	25.00	25.00	28.20B/10.80A	28.20B/10.80A	----	12.80 - 7.60	.1069	----	----	8	----	229 +
4980	18.00	18.00	27.20B/10.50A	27.20B/10.50A	----	12.40 - 7.40	.1037	----	----	17	----	186 +
4985	13.50	13.50	26.60B/10.20A	26.60B/10.20A	----	12.00 - 7.20	.1006	----	----	7	----	936 +
4990	11.00	11.00	25.70B/9.80A	25.70B/9.80A	----	11.70 - 7.00	.0980	----	----	10	----	152 +
4995	25.00	25.00	25.00/9.50	25.00/9.50	----	11.30 - 6.80	.0949	----	346	----	9094 -	
5000	16.10	16.10	24.00B/9.40A	24.00B/9.40A	----	11.00 - 6.50	.0924	----	----	11	----	339 -
5005	----	----	23.30B/9.10A	23.30B/9.10A	----	10.60 - 6.40	.0893	----	----	----	----	213 +
5010	9.90	9.90	22.60B/8.70A	22.60B/8.70A	----	10.30 - 6.20	.0868	----	----	2	----	136 +
5015	13.40	13.40	21.80B/8.50A	21.80B/8.50A	----	10.00 - 6.00	.0843	----	----	8	----	466 +
5020	8.70	8.70	21.30B/8.30	21.30B/8.30	----	9.70 - 5.80	.0819	----	----	24	----	165 +
5025	11.70	11.70	20.60B/8.00A	20.60B/8.00A	----	9.40 - 5.70	.0794	----	----	13	----	181 -
5030	8.20	8.20	19.80B/7.90A	19.80B/7.90A	----	9.10 - 5.50	.0770	----	----	32	----	74 +
5035	8.10	8.10	19.40B/7.60A	19.40B/7.60A	----	8.80 - 5.40	.0746	----	----	5	----	286 +
5040	8.40	8.40	18.70B/7.40A	18.70B/7.40A	----	8.60 - 5.10	.072					

BULLETIN # 90@				METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64	
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS															
JUN26																	
5535	----	----	----	1.90B/*1.30A	1.90B/*1.30A	----	----	1.30	- 0.40	.0092	----	----	----	----	----	13	UNCH
5540	----	----	----	1.90B/*1.30A	1.90B/*1.30A	----	----	1.30	- 0.40	.0091	----	----	----	----	----	292	UNCH
5545	----	----	----	1.90B/*1.30A	1.90B/*1.30A	----	----	1.30	- 0.30	.0091	----	----	----	----	----	19	UNCH
5550	----	----	----	1.80B/*1.30A	1.80B/*1.30A	----	----	1.30	- 0.30	.0090	----	----	----	----	----	771	UNCH
5555	----	----	----	1.90B/*1.30A	1.90B/*1.30A	----	----	1.20	- 0.40	.0084	----	----	----	----	----	4	UNCH
5560	----	----	----	1.80B/*1.30A	1.80B/*1.30A	----	----	1.20	- 0.40	.0084	----	----	----	----	----	52	UNCH
5565	----	----	----	1.80B/*1.20A	1.80B/*1.20A	----	----	1.20	- 0.40	.0083	----	----	----	----	----	14	UNCH
5570	----	----	----	1.70B/*1.20A	1.70B/*1.20A	----	----	1.20	- 0.30	.0083	----	----	----	----	----	36	UNCH
5575	----	----	----	1.70B/*1.20A	1.70B/*1.20A	----	----	1.20	- 0.30	.0083	----	----	----	----	----	60	UNCH
5580	1.10	1.10	----	1.70B/*1.10	1.70B/*1.10	----	----	1.20	- 0.30	.0082	----	----	----	1	----	14 +	1
5585	----	----	----	1.70B/*1.20A	1.70B/*1.20A	----	----	1.10	- 0.40	.0076	----	----	----	----	----	11	UNCH
5590	----	----	----	1.70B/*1.20A	1.70B/*1.20A	----	----	1.10	- 0.40	.0076	----	----	----	----	----	99	UNCH
5595	1.10	1.10	----	1.70B/*1.10	1.70B/*1.10	----	----	1.10	- 0.30	.0076	----	----	----	4	----	42 +	3
5600	----	----	----	1.70B/*1.20A	1.70B/*1.20A	----	----	1.10	- 0.30	.0075	----	----	----	1	----	2367 +	1
5610	----	----	----	1.60B/*1.10A	1.60B/*1.10A	----	----	1.10	- 0.30	.0075	----	----	----	----	----	78	UNCH
5620	----	----	----	1.50B/*1.10A	1.50B/*1.10A	----	----	1.00	- 0.40	.0068	----	----	----	----	----	66	UNCH
5625	----	----	----	1.50B/*1.10A	1.50B/*1.10A	----	----	1.00	- 0.40	.0068	----	----	----	----	----	405	UNCH
5630	----	----	----	1.50B/*1.10A	1.50B/*1.10A	----	----	1.00	- 0.30	.0068	----	----	----	----	----	231	UNCH
5640	----	----	----	1.50B/*1.10A	1.50B/*1.10A	----	----	1.00	- 0.30	.0067	----	----	----	----	----	74	UNCH
5650	----	----	----	1.40B/*1.00A	1.40B/*1.00A	----	----	1.00	- 0.30	.0067	----	----	----	1	----	735 +	1
5660	----	----	----	1.40B/*1.00A	1.40B/*1.00A	----	----	1.00	- 0.30	.0066	----	----	----	----	----	42	UNCH
5665	----	----	----	1.40B/*1.00A	1.40B/*1.00A	----	----	1.00	- 0.30	.0066	----	----	----	----	----	6	UNCH
5670	----	----	----	1.40B/*1.00A	1.40B/*1.00A	----	----	1.00	- 0.20	.0066	----	----	----	----	----	119	UNCH
5675	----	----	----	1.40B/*1.00A	1.40B/*1.00A	----	----	1.00	- 0.20	.0065	----	----	----	----	----	22	UNCH
5680	----	----	----	1.30B/*1.00A	1.30B/*1.00A	----	----	0.90	- 0.30	.0059	----	----	----	----	----	47	UNCH
5690	----	----	----	1.30B/0.90A	1.30B/0.90A	----	----	0.90	- 0.30	.0059	----	----	----	----	----	176	UNCH
5700	----	----	----	1.30B/*0.90A	1.30B/*0.90A	----	----	0.90	- 0.30	.0058	----	----	----	----	----	1896	UNCH
5710	----	----	----	1.20B/*0.90A	1.20B/*0.90A	----	----	0.90	- 0.20	.0058	----	----	----	----	----	41	UNCH
5720	----	----	----	1.20B/*0.90A	1.20B/*0.90A	----	----	0.90	- 0.20	.0058	----	----	----	----	----	18	UNCH
5725	----	----	----	1.20B/*0.90A	1.20B/*0.90A	----	----	0.80	- 0.30	.0052	----	----	----	----	----	36	UNCH
5730	----	----	----	1.20B/*0.90A	1.20B/*0.90A	----	----	0.80	- 0.30	.0052	----	----	----	----	----	59	UNCH
5740	----	----	----	1.10B/0.90A	1.10B/0.90A	----	----	0.80	- 0.20	.0051	----	----	----	----	----	62	UNCH
5750	----	----	----	1.10B/*0.80A	1.10B/*0.80A	----	----	0.80	- 0.20	.0051	----	----	----	----	----	1691	UNCH
5760	----	----	----	1.10B/*0.80A	1.10B/*0.80A	----	----	0.70	- 0.30	.0045	----	----	----	----	----	18	UNCH
5770	----	----	----	1.00B/*0.80A	1.00B/*0.80A	----	----	0.70	- 0.20	.0045	----	----	----	----	----	32	UNCH
5775	----	----	----	1.00B/*0.80A	1.00B/*0.80A	----	----	0.70	- 0.20	.0044	----	----	----	----	----	167	UNCH
5780	----	----	----	---/*0.80A	0.80B/*0.80A	----	----	0.70	- 0.20	.0044	----	----	----	----	----	219	UNCH
5790	----	----	----	---/*0.80A	0.80B/*0.80A	----	----	0.									

PG64	BULLETIN # 90@				METALS OPTION PRODUCTS								Tue, May 12, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL																	
JUN26																	
7150	----	----	----	----	----/ *0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	59 UNCH		
7175	----	----	----	----	----/ *0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	3 UNCH		
7200	----	----	----	----	----/ *0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	134 UNCH		
7225	----	----	----	----	----/ *0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	2 UNCH		
7250	----	----	----	----	----/ *0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	91 UNCH		
7275	----	----	----	----	----/ *0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH		
7300	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	.0000	----	----	----	----	150 UNCH		
7325	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	14 UNCH		
7350	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	3 UNCH		
7375	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	20 UNCH		
7400	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	47 UNCH		
7425	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	20 UNCH		
7450	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	5 UNCH		
7475	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	8 UNCH		
7500	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	1355 UNCH		
7525	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	22 UNCH		
7575	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	8 UNCH		
7600	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	78 UNCH		
7700	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	65 UNCH		
7750	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	17 UNCH		
7800	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	39 UNCH		
7825	----	----	----	----	----/ 0.20A	----	----	----	0.10 UNCH	----	----	----	----	----	1 UNCH		
7875	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	31 UNCH		
7900	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH		
7950	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	2 UNCH		
8000	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	1064 UNCH		
8100	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	4 UNCH		
8200	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	88 UNCH		
8300	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	64 UNCH		
8500	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	146 UNCH		
8600	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	52 UNCH		
8800	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	32 UNCH		
8900	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	15 UNCH		
9000	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	387 UNCH		
9100	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	11 UNCH		
9200	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	51 UNCH		
9300	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	11 UNCH		
9400	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	25 UNCH		
9500	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	23 UNCH		
9600	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	27 UNCH		
9700	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	20 UNCH		
9800	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	17 UNCH		
9900	----	----	----	----	----/ 0.10A	----	----	----	0.10 UNCH	----	----	----	----	----	27 UNCH		
10000																	

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL COMEX GOLD OPTIONS																
JUL26																
4555	----	----	----	313.20B/228.50A	313.20B/228.50A	----	----	----	250.60 - 32.50	.6835	----	----	----	----	2	UNCH
4560	----	----	----	310.00B/225.30A	310.00B/225.30A	----	----	----	247.20 - 32.30	.6788					51	UNCH
4565	----	----	----	306.10B/221.20A	306.10B/221.20A	----	----	----	243.90 - 32.20	.6741					24	UNCH
4570	----	----	----	302.10B/218.10A	302.10B/218.10A	----	----	----	240.70 - 31.90	.6694					2	UNCH
4575	----	----	----	298.50B/215.10A	298.50B/215.10A	----	----	----	237.40 - 31.80	.6647					125	UNCH
4580	----	----	----	294.90B/212.10A	294.90B/212.10A	----	----	----	234.20 - 31.60	.6598					11	UNCH
4585	----	----	----	291.10B/209.00A	291.10B/209.00A	----	----	----	231.00 - 31.40	.6550					9	UNCH
4590	----	----	----	287.70B/206.00A	287.70B/206.00A	----	----	----	227.80 - 31.20	.6501					1	UNCH
4595	----	----	----	284.00B/203.10A	284.00B/203.10A	----	----	----	224.60 - 31.10	.6453					2	UNCH
4600	202.80	202.80		280.90B/200.40A	280.90B/200.40A	----	----	----	221.50 - 30.90	.6404			14		392	- 5
4605	----	----	----	277.20B/197.40A	277.20B/197.40A	----	----	----	218.40 - 30.70	.6354					4	UNCH
4610	----	----	----	273.60B/194.80A	273.60B/194.80A	----	----	----	215.40 - 30.40	.6305					13	UNCH
4615	----	----	----	270.10B/192.00A	270.10B/192.00A	----	----	----	212.30 - 30.30	.6255					11	UNCH
4620	----	----	----	266.90B/189.20A	266.90B/189.20A	----	----	----	209.30 - 30.10	.6205					35	UNCH
4625	----	----	----	267.20B/186.50A	267.20B/186.50A	----	----	----	206.30 - 29.90	.6155					104	UNCH
4630	----	----	----	259.50B/183.80A	259.50B/183.80A	----	----	----	203.40 - 29.60	.6105					4	UNCH
4635	----	----	----	257.50B/181.10A	257.50B/181.10A	----	----	----	200.50 - 29.40	.6054					91	UNCH
4640	----	----	----	257.70B/178.50A	257.70B/178.50A	----	----	----	197.60 - 29.20	.6003					231	UNCH
4645	----	----	----	257.20B/175.80A	257.20B/175.80A	----	----	----	194.70 - 29.00	.5952					19	UNCH
4650	----	----	----	254.00B/172.90A	254.00B/172.90A	----	----	----	191.80 - 28.90	.5901			2		840	UNCH
4655	----	----	----	250.50B/170.70A	250.50B/170.70A	----	----	----	189.00 - 28.70	.5850					18	UNCH
4660	----	----	----	247.20B/168.10A	247.20B/168.10A	----	----	----	186.30 - 28.40	.5798					53	UNCH
4665	----	----	----	243.90B/165.60A	243.90B/165.60A	----	----	----	183.50 - 28.20	.5747					270	UNCH
4670	----	----	----	240.70B/162.90A	240.70B/162.90A	----	----	----	180.80 - 28.00	.5695					106	UNCH
4675	----	----	----	237.50B/160.70A	237.50B/160.70A	----	----	----	178.10 - 27.80	.5643					135	UNCH
4680	----	----	----	234.30B/158.40A	234.30B/158.40A	----	----	----	175.40 - 27.60	.5592					140	UNCH
4685	----	----	----	231.10B/156.00A	231.10B/156.00A	----	----	----	172.80 - 27.40	.5540					11	UNCH
4690	----	----	----	227.90B/153.20A	227.90B/153.20A	----	----	----	170.20 - 27.10	.5488					3	UNCH
4695	----	----	----	227.60B/151.20A	227.60B/151.20A	----	----	----	167.60 - 26.90	.5436					33	UNCH
4700	----	----	----	224.50B/148.80A	224.50B/148.80A	----	----	----	165.10 - 26.70	.5384			7		716	- 1
4705	----	----	----	221.40B/146.70A	221.40B/146.70A	----	----	----	162.60 - 26.40	.5332					2	UNCH
4710	----	----	----	218.40B/144.40A	218.40B/144.40A	----	----	----	160.10 - 26.20	.5280			6		121	+ 4
4715	----	----	----	215.40B/141.70A	215.40B/141.70A	----	----	----	157.70 - 25.90	.5227					2	UNCH
4720	154.60	154.60		212.50B/139.60A	212.50B/139.60A	----										

BULLETIN # 90@				METALS OPTION PRODUCTS										Tue, May 12, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																	
JUL26																		
5240	----	----	----	41.00B/25.00A	41.00B/25.00A	----	----	----	27.10 - 6.80	.1292	----	----	----	----	114	UNCH		
5245	----	----	----	40.40B/24.60A	40.40B/24.60A	----	----	----	26.60 - 6.70	.1271	----	----	----	----	67	UNCH		
5250	25.80	25.80	25.80	40.00B/24.20A	40.00B/24.20A	----	----	----	26.20 - 6.60	.1253	----	----	101	829 +	84			
5255	29.40	29.40	29.40	39.10B/23.80A	39.10B/23.80A	----	----	----	25.80 - 6.50	.1236	----	----	6	24 +	6			
5260	----	----	----	38.30B/23.50A	38.30B/23.50A	----	----	----	25.40 - 6.40	.1218	----	----	----	150	UNCH			
5265	----	----	----	37.80B/23.10A	37.80B/23.10A	----	----	----	24.90 - 6.40	.1197	----	----	----	8	UNCH			
5270	----	----	----	37.10B/22.70A	37.10B/22.70A	----	----	----	24.50 - 6.30	.1180	----	----	----	25	UNCH			
5275	----	----	----	36.80B/22.40A	36.80B/22.40A	----	----	----	24.10 - 6.20	.1162	----	----	----	29	UNCH			
5280	25.20	25.20	25.20	35.90B/22.00A	35.90B/22.00A	----	----	----	23.80 - 6.00	.1148	----	----	5	41 +	2			
5285	----	----	----	35.40B/21.70A	35.40B/21.70A	----	----	----	23.40 - 6.00	.1131	----	----	----	20	UNCH			
5290	----	----	----	34.70B/21.40A	34.70B/21.40A	----	----	----	23.00 - 5.90	.1113	----	----	----	48	UNCH			
5295	----	----	----	34.20B/21.10A	34.20B/21.10A	----	----	----	22.60 - 5.90	.1096	----	----	----	85	UNCH			
5300	33.50	33.50	33.50	34.50/20.70A	34.50/20.70A	----	----	----	22.30 - 5.70	.1082	----	----	59	1251 +	24			
5305	----	----	----	33.30B/20.40A	33.30B/20.40A	----	----	----	21.90 - 5.70	.1065	----	----	----	65	UNCH			
5310	----	----	----	32.60B/20.10A	32.60B/20.10A	----	----	----	21.60 - 5.60	.1051	----	----	----	21	UNCH			
5315	----	----	----	31.90B/19.80A	31.90B/19.80A	----	----	----	21.20 - 5.50	.1033	----	----	----	28	UNCH			
5320	----	----	----	31.70B/19.60A	31.70B/19.60A	----	----	----	20.90 - 5.40	.1019	----	----	----	57	UNCH			
5325	19.90	19.90	19.90	31.20B/19.20A	31.20B/19.20A	----	----	----	20.60 - 5.30	.1006	----	2	228 +	1				
5330	----	----	----	30.50B/19.00A	30.50B/19.00A	----	----	----	20.30 - 5.20	.0992	----	----	----	13	UNCH			
5335	20.20	20.20	20.20	30.00B/18.70A	30.00B/18.70A	----	----	----	20.00 - 5.10	.0978	----	6	10 +	6				
5340	----	----	----	29.40B/18.40A	29.40B/18.40A	----	----	----	19.70 - 5.00	.0964	----	----	----	30	UNCH			
5345	----	----	----	29.00B/18.20A	29.00B/18.20A	----	----	----	19.40 - 5.00	.0950	----	----	----	42	UNCH			
5350	20.50	20.50	20.50	28.60B/17.90A	28.60B/17.90A	----	----	----	19.10 - 4.90	.0937	----	9	60	718 +	4			
5355	----	----	----	28.10B/17.70A	28.10B/17.70A	----	----	----	18.80 - 4.80	.0923	----	----	----	108	UNCH			
5360	----	----	----	28.10B/17.30A	28.10B/17.30A	----	----	----	18.50 - 4.80	.0909	----	----	----	328	UNCH			
5365	----	----	----	27.10B/17.20A	27.10B/17.20A	----	----	----	18.20 - 4.70	.0896	----	----	----	148	UNCH			
5370	----	----	----	26.80B/16.90A	26.80B/16.90A	----	----	----	17.90 - 4.70	.0882	----	----	----	27	UNCH			
5375	----	----	----	26.30B/16.60A	26.30B/16.60A	----	----	----	17.70 - 4.50	.0872	----	----	----	24	UNCH			
5380	----	----	----	26.00B/16.40A	26.00B/16.40A	----	----	----	17.40 - 4.50	.0859	----	----	----	17	UNCH			
5385	----	----	----	25.60B/16.20A	25.60B/16.20A	----	----	----	17.20 - 4.40	.0848	----	----	----	19	UNCH			
5390	----	----	----	25.10B/15.90A	25.10B/15.90A	----	----	----	16.90 - 4.30	.0835	----	----	----	13	UNCH			
5395	----	----	----	24.80B/15.80A	24.80B/15.80A	----	----	----	16.70 - 4.20	.0825	----	----	----	24	UNCH			
5400	19.00	19.00	19.00	25.00B/15.50A	25.00B/15.50A	----	----	----	16.40 - 4.20	.0812	----	86	3776 -	12				
5405	----	----	----	24.00B/15.30A	24.00B/15.30A	----	----	----	16.20 - 4.10	.0802	----	----	----	19	UNCH			
5410	----	----	----	23.70B/15.10A	23.70B/15.10A	----	----	----	15.90 - 4.10	.0788	----	----	----	24	UNCH			
5415	----	----	----	23.50B/14.90A	23.50B/14.90A	----	----	----	15.70 - 4.00	.0779	----	----	----	18	UNCH			
5420	----	----	----	23.50B/14.70A	23.50B/14.70A	----	----	----	15.50 - 3.90	.0769	----	----	----	29	UNCH			
5425	----	----	----	23.30B/14.50A	23.30B/14.50A	----	----	----	15.30 - 3.80	.0759	----	----	----	32	UNCH			
5430	----	----	----	22.10B/14.30A	22.10B/14.30A	----	----	----	15.10 - 3.70	.0749	----	----	----	11	UNCH			
5435	----	----	----	21.80B/14.10A	21.80B/14.10A	----	----	----	14.80 - 3.80	.0736	----	----	----	7	UNCH			
5440	----	----	----	21.50B/13.90A	21.50B/13.90A	----	----	----	14.60 - 3.70	.0726	----	----	----	17	UNCH			
5445	----	----	----	21.30B/13.70A	21.30B/13.70A	----	----	----	14.40 - 3.60	.0717	----	----	----	24	UNCH			
5450	----	----	----	21.00B/13.50A	21.00B/13.50A	----	----	----	14.20 - 3.60	.0707	----	----	----	1159	UNCH			
5455	----	----	----	20.60B/13.40A	20.60B/13.40A	----	----	----	14.00 - 3.50	.0697	----	----	----	36	UNCH			
5460	----	----	----	20.40B/13.20A	20.40B/13.20A	----	----	----	13.80 - 3.50	.0688	----	----	----	27	UNCH			
5465	----	----	----	20.10B/13.00A	20.10B/13.00A	----	----	----	13.70 - 3.30	.0682	----	----	----	19	UNCH			
5470	----	----	----	19.80B/12.80A	19.80B/12.80A	----												

BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW		OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG CALL		COMEX GOLD OPTIONS																				
JUL26																						
6375	----	----	----	---/*2.90A	3.00B/2.90A	----	----	----	2.70 - 0.40	.0121	----	----	----	----	----	37	UNCH					
6400	----	----	----	---/*2.80A	2.90B/*2.80A	----	----	----	2.60 - 0.50	.0116	----	----	----	----	----	171	UNCH					
6425	----	----	----	---/*2.70A	2.80B/*2.70A	----	----	----	2.60 - 0.40	.0115	----	----	----	----	----	17	UNCH					
6450	----	----	----	---/*2.70A	2.70B/2.70A	----	----	----	2.50 - 0.40	.0111	----	----	----	----	----	48	UNCH					
6475	2.50	2.50	2.50	2.50/*2.50	2.60B/*2.50	----	----	----	2.40 - 0.40	.0106	----	----	10	----	13	-	1					
6500	----	----	----	---/2.50A	2.60B/2.50A	----	----	----	2.40 - 0.40	.0105	----	----	----	----	----	652	UNCH					
6525	----	----	----	---/*2.50A	2.50B/*2.50A	----	----	----	2.30 - 0.40	.0100	----	----	----	----	----	7	UNCH					
6550	----	----	----	---/*2.40A	2.50B/*2.40A	----	----	----	2.30 - 0.30	.0100	----	----	----	----	----	7	UNCH					
6575	----	----	----	---/*2.30A	2.40B/*2.30A	----	----	----	2.20 - 0.40	.0095	----	----	----	----	----	4	UNCH					
6600	----	----	----	---/*2.30A	2.30B/*2.30A	----	----	----	2.20 - 0.30	.0094	----	----	----	----	----	27	UNCH					
6650	----	----	----	---/*2.20A	2.20B/*2.20A	----	----	----	2.10 - 0.30	.0089	----	----	----	----	----	16	UNCH					
6675	----	----	----	---/*2.10A	2.10B/*2.10A	----	----	----	2.00 - 0.30	.0085	----	----	----	----	----	1	UNCH					
6700	----	----	----	---/*2.10A	2.10B/*2.10A	----	----	----	2.00 - 0.30	.0084	----	----	----	----	----	127	UNCH					
6775	----	----	----	---/*2.00A	1.90B/*2.00A	----	----	----	1.80 - 0.30	.0075	----	----	----	----	----	1	UNCH					
6800	----	----	----	---/*1.90A	1.90B/*1.90A	----	----	----	1.80 - 0.30	.0075	----	----	----	----	----	201	UNCH					
6825	----	----	----	---/*1.90A	1.80B/*1.90A	----	----	----	1.70 - 0.30	.0071	----	----	----	----	----	19	UNCH					
6850	----	----	----	---/*1.80A	1.80B/*1.80A	----	----	----	1.70 - 0.30	.0070	----	----	----	----	----	201	UNCH					
6875	----	----	----	---/*1.80A	1.70B/*1.80A	----	----	----	1.70 - 0.20	.0070	----	----	----	----	----	22	UNCH					
6900	----	----	----	---/*1.80A	1.70B/*1.80A	----	----	----	1.60 - 0.30	.0066	----	----	----	----	----	19	UNCH					
6925	----	----	----	---/*1.70A	1.70B/*1.70A	----	----	----	1.60 - 0.20	.0065	----	----	----	----	----	1	UNCH					
6950	----	----	----	---/*1.70A	1.60B/*1.70A	----	----	----	1.60 - 0.20	.0065	----	----	----	----	----	22	UNCH					
6975	----	----	----	----	1.70B/*1.70A	----	----	----	1.50 - 0.20	.0061	----	----	----	----	----	10	UNCH					
7000	1.50	1.50	1.50	1.50/*1.40	1.60B/*1.40	----	----	----	1.50 - 0.20	.0061	----	----	3	----	1195	+	1					
7050	----	----	----	----	1.50B/*1.60A	----	----	----	1.50 - 0.10	.0060	----	----	----	----	----	18	UNCH					
7075	----	----	----	---	1.40B/*1.60A	----	----	----	1.40 - 0.20	.0056	----	----	----	----	----	13	UNCH					
7100	----	----	----	---/*1.50A	1.40B/*1.50A	----	----	----	1.40 - 0.20	.0056	----	----	----	----	----	28	UNCH					
7125	----	----	----	---/*1.50A	1.40B/*1.50A	----	----	----	1.40 - 0.20	.0055	----	----	----	----	----	1	UNCH					
7150	----	----	----	----	1.40B/*1.50A	----	----	----	1.40 - 0.10	.0055	----	----	----	----	----	19	UNCH					
7175	----	----	----	----	1.30B/*1.50A	----	----	----	1.30 - 0.20	.0051	----	----	----	----	----	1	UNCH					
7200	----	----	----	---/*1.40A	1.30B/*1.40A	----	----	----	1.30 - 0.20	.0051	----	----	----	----	----	3	UNCH					
7225	----	----	----	----	1.40B/*1.40A	----	----	----	1.30 - 0.10	.0051	----	----	----	----	----	22	UNCH					
7250	----	----	----	----	1.20B/*1.40A	----	----	----	1.30 - 0.10	.0050	----	----	----	----	----	23	UNCH					
7275	----	----	----	----	1.20B/*1.40A	----	----	----	1.30 - 0.10	.0050	----	----	----	----	----	14	UNCH					
7300	----	----	----	---/*1.30A	1.20B/*1.30A	----	----	----	1.30 - 0.10	.0050	----	----	----	----	----	50	UNCH					
7350	----	----	----	----	1.10B/*1.30A	----	----	----	1.20 - 0.10	.0046	----	----	----	----	----	8	UNCH					
7400	----	----	----	----	1.10B/1.30A	----	----	----	1.20 - 0.10	.0045	----	----	----	----	----	2	UNCH					
7425	----	----	----	----	1.00B/1.30A	----	----	----	1.20 - 0.10	.0045	----	----	----	----	----	19	UNCH					
7450	----	----	----	----	1.00B/*1.20A	----	----	----	1.20 UNCH	.0045	----	----	----	----	----	28	UNCH					
7475	1.10	1.10	1.10	1.10/*1.10	1.00B/*1.20A	----	----	----	1.10 - 0.10	.0041	----	----	----	----	----	9	UNCH					
7500	----	----	----	----	1.10/1.10	----	----	----	1.10 - 0.10	.0041	----	----	2	----	299	-	1					
7525	----	----	----	----	1.00B/1.20A	----	----	----	1.10 - 0.10	.0041	----	----	----	----	----	33	UNCH					
7550	----	----	----	----	0.90B/1.20A	----	----	----	1.10 - 0.10	.0041	----	----	----	----	----	50	UNCH					
7575	----	----	----	---/*1.10A	0.90B/*1.10A	----	----	----	1.10 - 0.10	.0040	----	----	----	----	----	1	UNCH					
7600	----	----	----	----	0.90B/*1.10A	----	----	----	1.00 - 0.10	.0037	----	----	----	----	----	10	UNCH					
7625	----	----	----	---	0.90B/*1.10A	----	----	----	1.00 - 0.10	.0037	----	----	----	----	----	12	UNCH					
7700	----	----	----	---/*1.00A	0.80B/*1.00A	----	----	----	1.00 - 0.10	.0036	----	----	----	----	----	11	UNCH					
7725	----	----	----	---/*1.00A	0.80B/*1.00A	----	----	----	1.00 - 0.10	.0036	----	----	----	----	----	17	UNCH					
7750	----	----	----	----	0.80B/*1.00A	----	----	----	1.00 UNCH	.0036	----	----	----	----	----	6	UNCH					
7775	----	----	----	----	0.80B/*1.00A	----	----	----	0.90 - 0.10	.0032	----	----	----	----	----	6	UNCH					

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS													
AUG26															
4285	----	----	----	/465.40A	520.10B/465.40A	----	----	489.70 - 36.80	.8196	----	----	----	----	8	UNCH
4300	----	----	----	/453.50A	507.50B/453.50A	----	----	477.50 - 36.50	.8121	----	----	----	----	42	UNCH
4320	----	----	----	/462.50A	491.00B/462.50A	----	----	461.40 - 36.20	.8017	----	----	----	----	2	UNCH
4325	----	----	----	/434.10A	486.50B/434.10A	----	----	457.50 - 36.00	.7990	----	----	----	----	6	UNCH
4330	----	----	----	/430.20A	483.10B/430.20A	----	----	453.50 - 35.90	.7964	----	----	----	----	201	UNCH
4350	----	----	----	/412.60A	466.20B/412.60A	----	----	437.80 - 35.50	.7854	----	----	----	----	774	UNCH
4360	----	----	----	/430.60A	458.70B/430.60A	----	----	430.00 - 35.30	.7797	----	----	----	----	1	UNCH
4375	----	----	----	/396.30A	446.60B/396.30A	----	----	418.50 - 34.90	.7710	----	----	----	----	3	UNCH
4385	----	----	----	/389.00A	438.80B/389.00A	----	----	411.00 - 34.60	.7652	----	----	----	----	100	UNCH
4390	----	----	----	/407.50A	434.70B/407.50A	----	----	407.20 - 34.50	.7621	----	----	----	----	1	UNCH
4400	----	----	----	/376.90A	427.10B/376.90A	----	----	399.70 - 34.30	.7561	----	----	----	----	326	UNCH
4420	----	----	----	/364.00A	411.90B/364.00A	----	----	385.00 - 33.70	.7435	----	----	----	----	50	UNCH
4425	----	----	----	/360.40A	408.40B/360.40A	----	----	381.30 - 33.60	.7404	----	----	----	----	5	UNCH
4440	----	----	----	/346.10A	397.60B/346.10A	----	----	370.50 - 33.20	.7307	----	----	----	----	1	UNCH
4450	----	----	----	/339.40A	390.30B/339.40A	----	----	363.40 - 32.90	.7242	----	----	----	----	6	UNCH
4455	----	----	----	/336.10A	386.40B/336.10A	----	----	359.90 - 32.70	.7208	----	----	----	----	2	UNCH
4460	----	----	----	/332.60A	382.30B/332.60A	----	----	356.40 - 32.60	.7174	----	----	----	----	5	UNCH
4465	----	----	----	/329.40A	379.30B/329.40A	----	----	352.90 - 32.50	.7141	----	----	----	----	9	UNCH
4470	----	----	----	/326.00A	375.70B/326.00A	----	----	349.40 - 32.30	.7107	----	----	----	----	7	UNCH
4475	----	----	----	/322.30A	372.00B/322.30A	----	----	346.00 - 32.10	.7072	----	----	----	----	30	UNCH
4485	----	----	----	/316.20A	364.70B/316.20A	----	----	339.20 - 31.80	.7004	----	----	----	----	5	UNCH
4490	----	----	----	/312.90A	361.40B/312.90A	----	----	335.80 - 31.70	.6969	----	----	----	----	1	UNCH
4500	----	----	----	/306.10A	353.90B/306.10A	----	----	329.10 - 31.30	.6899	----	----	----	----	814	UNCH
4525	326.30	326.30	326.30	337.00B/289.50A	337.00B/289.50A	----	----	312.60 - 30.60	.6720	----	----	1	----	14	+
4535	----	----	----	/283.60A	330.50B/283.60A	----	----	306.20 - 30.30	.6647	----	----	----	----	10	UNCH
4540	----	----	----	/280.40A	327.20B/280.40A	----	----	303.00 - 30.10	.6611	----	----	----	----	5	UNCH
4545	----	----	----	/278.80A	323.50B/278.80A	----	----	299.80 - 30.00	.6574	----	----	----	----	1	UNCH
4550	----	----	----	/274.60A	321.60B/274.60A	----	----	296.70 - 29.80	.6537	----	----	----	----	22	UNCH
4555	----	----	----	/272.90A	317.40B/272.90A	----	----	293.60 - 29.60	.6500	----	----	----	----	1	UNCH
4560	----	----	----	/269.60A	315.00B/269.60A	----	----	290.50 - 29.40	.6462	----	----	----	----	133	UNCH
4565	----	----	----	/266.90A	310.40B/266.90A	----	----	287.40 - 29.30	.6425	----	----	----	----	1	UNCH
4570	----	----	----	/262.90A	308.00B/262.90A	----	----	284.30 - 29.20	.6387	----	----	----	----	4	UNCH
4575	----	----	----	/261.20A	305.40B/261.20A	----	----	281.30 - 29.00	.6350	----	----	----	----	41	UNCH
4580	----	----	----	/258.30A	302.30B/258.30A	----	----	278.30 - 28.80	.6312	----	----	----	----	209	UNCH
4585	----	----	----	/254.40A	297.90B/254.40A	----	----	275.30 - 28.60	.6274	----	----	----	----	2	UNCH
4590	----	----	----	/252.70A	296.10B/252.70A	----	----	272.30 - 28.50	.6236	----	----	----	----	66	UNCH
4595	----	----	----	/250.00A	291.80B/250.00A	----	----	269.40 - 28.30	.6198	----	----	----	----	10	UNCH
4600	265.00	265.00	265.00	289.90B/247.10A	289.90B/247.10A	----	----	266.40 - 28.20	.6159	----	2	----	----	281	UNCH
4605	----	----	----	/244.40A	285.70B/244.40A	----	----	263.50 - 28.00	.6121	----	----	----	----	3	UNCH
4615	----	----	----	/238.00A	279.80B/238.00A	----	----	257.80 - 27.60	.6044	----	----	----	----	7	UNCH
4620	----	----	----	/236.40A	278.70B/236.40A	----	----	254.90 - 27.50	.6005	----	----	----	----	5	UNCH
4625	----	----	----	/232.70A	278.50B/232.70A	----	----	252.10 - 27.30	.5966	----	----	----	----	13	UNCH
4630	----	----	----	276.60B/231.10A	276.60B/231.10A	----	----	249.30 - 27.10	.5927	----	----	----	----	24	UNCH
4640	250.90	250.90	250.90	275.20B/224.90A	275.20B/224.90A	----	----	243.70 - 26.80	.5849	----	7	----	17	-	1
4650	----	----	----	277.50B/219.80A	277.50B/219.80A	----	----	238.30 - 26.40	.5771	----	----	----	----	277	UNCH
4655	----	----	----	277.20B/217.30A	277.20B/217.30A	----	----	235.60 - 26.20	.5731	----	----	----	----	1	UNCH
4660	----	----	----	276.90B/214.80A	276.90B/214.80A	----	----	232.90 - 26.10	.5692	----	----	----	----	4	UNCH
4665	226.70	226.70	226.70	277.60B/213.10A	277.60B/213.10A	----	----	230.30 - 25.90	.5653	7	----	----	15	-	1
4670	222.00	222.00	222.00	277.10B/210.80A	277.10B/210.80A	----	----	227.60 - 25.80	.5613						

BULLETIN # 90@														METALS OPTION PRODUCTS										Tue, May 12, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
OG CALL	COMEX GOLD OPTIONS																												
AUG26	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----														
5120	----	----	----	101.40B/69.40A	101.40B/69.40A	----	----	----	75.20 - 11.90	.2497	----	----	----	----	354	UNCH													
5125	77.80	77.80	----	100.30B/68.60A	100.30B/68.60A	----	----	----	74.30 - 11.70	.2472	----	----	4	----	163	+													
5130	----	----	----	99.00B/67.70A	99.00B/67.70A	----	----	----	73.30 - 11.70	.2445	----	----	----	----	2	UNCH													
5135	----	----	----	97.60B/66.90A	97.60B/66.90A	----	----	----	72.40 - 11.60	.2420	----	----	----	----	4	UNCH													
5140	----	----	----	96.60B/66.10A	96.60B/66.10A	----	----	----	71.50 - 11.40	.2396	----	----	----	----	12	UNCH													
5145	----	----	----	95.30B/65.30A	95.30B/65.30A	----	----	----	70.60 - 11.30	.2371	----	----	----	----	12	UNCH													
5150	85.00	85.00	----	94.40B/64.50A	94.40B/64.50A	----	----	----	69.70 - 11.20	.2346	----	----	4	----	109	-													
5155	76.40	76.40	----	93.10B/63.70A	93.10B/63.70A	----	----	----	68.80 - 11.10	.2321	----	----	14	----	32	+													
5160	----	----	----	91.90B/62.90A	91.90B/62.90A	----	----	----	68.00 - 11.00	.2298	----	----	----	----	14	UNCH													
5165	----	----	----	90.90B/62.20A	90.90B/62.20A	----	----	----	67.10 - 10.90	.2273	----	----	----	----	2	UNCH													
5170	----	----	----	89.80B/61.40A	89.80B/61.40A	----	----	----	66.30 - 10.70	.2250	----	----	----	----	6	UNCH													
5175	----	----	----	88.70B/60.70A	88.70B/60.70A	----	----	----	65.50 - 10.60	.2227	----	----	----	----	361	UNCH													
5185	----	----	----	86.60B/59.20A	86.60B/59.20A	----	----	----	63.80 - 10.50	.2179	----	----	----	----	12	UNCH													
5190	----	----	----	85.60B/58.50A	85.60B/58.50A	----	----	----	63.00 - 10.40	.2156	----	----	----	----	2	UNCH													
5195	58.70	58.70	----	84.60B/57.80A	84.60B/57.80A	----	----	----	62.20 - 10.30	.2133	----	----	23	----	35	+													
5200	65.40	65.40	----	83.50B/56.80A	83.50B/56.80A	----	----	----	61.50 - 10.10	.2112	----	----	44	----	3285	+													
5205	----	----	----	82.60B/56.40A	82.60B/56.40A	----	----	----	60.70 - 10.00	.2089	----	----	----	----	6	UNCH													
5210	60.10	60.10	----	81.50B/55.70A	81.50B/55.70A	----	----	----	59.90 - 10.00	.2066	----	4	----	----	8	UNCH													
5215	----	----	----	80.60B/55.10A	80.60B/55.10A	----	----	----	59.20 - 9.80	.2045	----	----	----	----	14	UNCH													
5220	55.80	55.80	----	79.50B/54.40A	79.50B/54.40A	----	----	----	58.50 - 9.70	.2024	----	----	2	----	31	+													
5225	----	----	----	78.60B/53.80A	78.60B/53.80A	----	----	----	57.70 - 9.70	.2002	----	----	----	----	51	UNCH													
5230	----	----	----	77.70B/53.10A	77.70B/53.10A	----	----	----	57.00 - 9.60	.1981	----	----	----	----	11	UNCH													
5235	----	----	----	76.70B/52.50A	76.70B/52.50A	----	----	----	56.30 - 9.40	.1960	----	----	----	----	20	UNCH													
5240	53.20	53.20	----	75.80B/51.90A	75.80B/51.90A	----	----	----	55.60 - 9.40	.1939	----	1	----	----	17	+													
5245	----	----	----	74.80B/51.10A	74.80B/51.10A	----	----	----	54.90 - 9.30	.1918	----	----	----	----	17	UNCH													
5250	----	----	----	73.90B/50.40A	73.90B/50.40A	----	----	----	54.30 - 9.10	.1900	----	----	----	----	818	UNCH													
5255	----	----	----	73.10B/49.80A	73.10B/49.80A	----	----	----	53.60 - 9.00	.1879	----	----	----	----	888	UNCH													
5260	----	----	----	72.20B/49.40A	72.20B/49.40A	----	----	----	52.90 - 9.00	.1858	----	----	----	----	25	UNCH													
5265	----	----	----	71.30B/48.80A	71.30B/48.80A	----	----	----	52.30 - 8.80	.1839	----	----	----	----	13	UNCH													
5270	----	----	----	70.50B/48.30A	70.50B/48.30A	----	----	----	51.70 - 8.70	.1821	----	----	----	----	118	UNCH													
5275	----	----	----	69.60B/47.60A	69.60B/47.60A	----	----	----	51.00 - 8.70	.1800	----	----	----	----	21	UNCH													
5280	54.10	54.10	----	68.80B/47.00A	68.80B/47.00A	----	----	----	50.40 - 8.60	.1782	----	2	----	----	207	UNCH													
5285	----	----	----	67.90B/46.50A	67.90B/46.50A	----	----	----	49.80 - 8.50	.1763	----	----	----	----	32	UNCH													
5290	----	----	----	67.10B/46.00A	67.10B/46.00A	----	----	----	49.20 - 8.40	.1744	----	----	----	----	17	UNCH													
5295	----	----	----	66.30B/45.30A	66.30B/45.30A	----	----	----	48.60 - 8.30	.1726	----	----	----	----	6	UNCH													
5300	52.70	52.70	----	65.50B/44.70A	65.50B/44.70A	----	----	----	48.00 - 8.20	.1708	----	125	----	----	1132	+													
5305	----	----	----	64.70B/44.50A	64.70B/44.50A	----	----	----	47.40 - 8.10	.1689	----	----	----	----	14	UNCH													
5310	50.40	50.40	----	64.00B/43.90A	64.00B/43.90A	----	----	----	46.90 - 8.00	.1673	----	1	----	----	105	UNCH													
5320	----	----	----	62.40B/43.00A	62.40B/43.00A	----	----	----	45.80 - 7.80	.1638	----	----	----	----	17	UNCH													
5325	----	----	----	61.70B/42.40A	61.70B/42.40A	----	----	----	45.20 - 7.70	.1620	----	----	----	----	27	UNCH													
5330	----	----	----	60.90B/41.90A	60.90B/41.90A	----	----	----	44.70 - 7.60	.1603	----	----	----	----	3	UNCH													
5335	----	----	----	60.30B/41.40A	60.30B/41.40A	----	----	----	44.20 - 7.50	.1587	----	----	----	----	1	UNCH													
5345	----	----	----	58.80B/40.60A	58.80B/40.60A	----	----	----	43.20 - 7.30	.1555	----	----	----	----	2	UNCH													
5350	----	----	----	58.10B/40.10A	58.10B/40.10A	----	----	----	42.60 - 7.30	.1537	----	----	----	----	8001	UNCH													
5355	----	----	----	57.40B/39.60A	57.40B/39.60A	----	----	----	42.20 - 7.10	.1523	----	----	----	----	1	UNCH													
5360	----	----	----	56.8																									

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64								
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST												
OG CALL		COMEX GOLD OPTIONS																														
SEP26																																
3875		----	----	----	----	----	----	899.00	- 40.60	.9267	----	----	----	----	----	----	----	----	----	----	1	UNCH										
3995		----	----	----	----	758.20A	818.00B/758.20A	788.60	- 39.70	.9013	----	----	----	----	----	----	----	----	----	----	10	UNCH										
4085		----	----	----	----	679.10A	737.30B/679.10A	708.30	- 38.80	.8767	----	----	----	----	----	----	----	----	----	----	37	UNCH										
4130		----	----	----	----	640.70A	697.70B/640.70A	669.10	- 38.40	.8624	----	----	----	----	----	----	----	----	----	----	10	UNCH										
4185		----	----	----	----	594.70A	650.50B/594.70A	622.30	- 37.60	.8430	----	----	----	----	----	----	----	----	----	----	37	UNCH										
4200		----	----	----	----	----	541.20B/696.60A	609.80	- 37.40	.8372	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4220		----	----	----	----	566.30A	621.00B/566.30A	593.20	- 37.10	.8294	----	----	----	----	----	----	----	----	----	----	162	UNCH										
4290		----	----	----	----	511.20A	563.60B/511.20A	536.80	- 35.80	.7995	----	----	----	----	----	----	----	----	----	----	6	UNCH										
4295		----	----	----	----	507.40A	559.60B/507.40A	532.90	- 35.70	.7973	----	----	----	----	----	----	----	----	----	----	50	UNCH										
4300		----	----	----	----	503.60A	555.60B/503.60A	528.90	- 35.70	.7949	----	----	----	----	----	----	----	----	----	----	13	UNCH										
4320		----	----	----	----	488.50A	539.70B/488.50A	513.40	- 35.20	.7855	----	----	----	----	----	----	----	----	----	----	162	UNCH										
4375		----	----	----	----	----	398.60B/561.40A	471.70	- 34.10	.7583	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4390		----	----	----	----	437.50A	485.80B/437.50A	460.70	- 33.70	.7504	----	----	----	----	----	----	----	----	----	----	202	UNCH										
4425		----	----	----	----	----	361.20B/525.20A	435.50	- 32.80	.7315	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4495		----	----	----	----	364.80A	410.20B/364.80A	387.40	- 31.00	.6913	----	----	----	----	----	----	----	----	----	----	18	UNCH										
4500		----	----	----	----	361.60A	406.90B/361.60A	384.10	- 30.90	.6883	----	----	----	----	----	----	----	----	----	----	12	UNCH										
4505		----	----	----	----	358.50A	402.40B/358.50A	380.80	- 30.70	.6854	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4510		----	----	----	----	355.50A	399.00B/355.50A	377.50	- 30.60	.6823	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4515		----	----	----	----	352.40A	395.70B/352.40A	374.30	- 30.40	.6793	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4520		----	----	----	----	349.30A	392.40B/349.30A	371.10	- 30.20	.6762	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4545		----	----	----	----	333.80A	376.80B/333.80A	355.10	- 29.60	.6609	----	----	----	----	----	----	----	----	----	----	16	UNCH										
4550		----	----	----	----	330.90A	373.60B/330.90A	352.00	- 29.40	.6578	----	----	----	----	----	----	----	----	----	----	225	UNCH										
4560		----	----	----	----	325.00A	366.30B/325.00A	345.80	- 29.10	.6515	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4565		----	----	----	----	322.30A	363.20B/322.30A	342.70	- 28.90	.6484	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4570		----	----	----	----	319.30A	360.10B/319.30A	339.70	- 28.70	.6452	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4575		----	----	----	----	316.30A	356.90B/316.30A	336.60	- 28.60	.6421	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4580		----	----	----	----	313.40A	353.80B/313.40A	333.60	- 28.40	.6389	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4585		----	----	----	----	310.70A	350.70B/310.70A	330.60	- 28.30	.6357	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4590		----	----	----	----	307.60A	347.60B/307.60A	327.60	- 28.10	.6325	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4600		----	----	----	----	301.40A	345.30B/301.40A	321.70	- 27.80	.6261	----	----	----	----	----	----	----	----	----	----	54	UNCH										
4605		----	----	----	----	298.60A	338.90B/298.60A	318.80	- 27.60	.6229	----	----	----	----	----	----	----	----	----	----	10	UNCH										
4620		----	----	----	----	290.40A	329.60B/290.40A	310.10	- 27.10	.6132	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4640		----	----	----	----	279.80A	323.20B/279.80A	298.80	- 26.50	.6002	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4650		----	----	----	----	274.20A	322.60B/274.20A	293.20	- 26.20	.5936	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4675		----	----	----	----	261.80A	321.50B/261.80A	279.70	- 25.40	.5771	----	----	----	----	----	----	----	----	----	----	4	UNCH										
4680		----	----	----	----	259.10A	321.30B/259.10A	277.10	- 25.10	.5738	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4700	279.50	----	279.50	----	315.00B/249.30A	315.00B/249.30A	266.70	- 24.50	.5606	----	----	----	----	1	----	----	----	----	----	----	170	+	1	----								
4705		----	----	----	----	247.30A	311.10B/247.30A	264.10	- 24.40	.5573	----	----	----	----	----	----	----	----	----	----	10	UNCH										
4710		----	----	----	----	244.50A	308.60B/244.50A	261.60	- 24.20	.5539	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4720		----	----	----	----	239.80A	303.30B/239.80A	256.60	- 23.90	.5473	----	----	----	----	----	----	----	----	----	----	45	UNCH										
4725		----	----	----	----	237.50A	300.10B/237.50A	254.10	- 23.80	.5440	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4730		----	----	----	----	235.20A	300.80B/235.20A	251.60	- 23.70	.5406	----	----	----	----	----	----	----	----	----	----	5	UNCH										
4740		----	----	----	----	230.70A	292.10B/230.70A	246.80	- 23.40	.5340	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4745		----	----	----	----	228.50A	289.40B/228.50A	244.40	- 23.20	.5306	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4750		----	----	----	----	226.20A	286.80B/226.20A	242.00	- 23.10	.5273	----	----	----	200	----	----	----	----	----	----	227	+	176	----								
4760		----	----	----	----	221.80A	281.20B/221.80A	237.30	- 22.80	.5207	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4770		----	----	----	----	217.40A	275.60B/217.40A	232.60	- 22.70	.5140	----	----	----	2	----	----	----	----	----	----	3	+	1	----								
4775		----	----	----	----	215.20A	276.90B/215.20A	230.40	- 22.40	.5107	----	----	----	----	----	----	----	----	----	----	186	UNCH										
4780		----	----	----	----	213.20A	275.20B/213.20A	228.10	- 22.40	.5074	----	----	----	----	----	----	----	----	----	----	47	UNCH										
4785		----	----	----	----	211.10A	272.60B/211.10A	225.80	- 22.30	.5041	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4795		----	----	----	----	206.90A	267.40B/206.90A	221.40	- 22.00	.4975	----	----	----	----	----	----	----	----	----	----	2	UNCH										
4800	230.60	----	230.60	----	264.80B/204.60A	264.80B/204.60A	219.20	- 21.90	.4942	----	----	----	4	----	----	----	----	----	----	----	1331	+	3	----								
4810	217.20	----	217.20	----	259.70B/200.80A	259.70B/200.80A	214.90	NEW	.4877	----	----	----	4	----	----	----	----	----	----	4	+	4	----									
4835		----	----	----	----	191.00A	247.50B/191.00A	204.30	- 21.20	.4714	----	----	----	----	----	----	----	----	----	----	1	UNCH										
4840		----	----	----	----	188.90A	245.10B/188.90A	202.30	- 21.00	.4682	----	----	----	----	----	----	----	----	----	----	4	UNCH										
4850		----	----	----	----	185.30A	240.30B/185.30A	198.20	- 20.80	.4617	----	----	----	----	----	----	----	----	----	----	61	UNCH										

	BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS													
SEP26														
6100	----	----	23.90B/20.50A	23.90B/20.50A	----	20.50 - 2.80	.0652	----	----	----	----	185	UNCH	
6200	17.90	17.90	17.90/17.90	20.40B/17.90	----	18.20 - 2.40	.0576	----	----	1	----	234 -	1	
6300	----	----	----/16.60A	18.10B/16.60A	----	16.40 - 2.00	.0516	----	----	----	----	159	UNCH	
6400	----	----	----/15.10A	16.20B/15.10A	----	14.90 - 1.80	.0465	----	----	----	----	228	UNCH	
6500	----	----	----/13.80A	14.60B/13.80A	----	13.60 - 1.60	.0421	----	----	----	----	541	UNCH	
6600	----	----	----/12.70A	13.30B/12.70A	----	12.50 - 1.40	.0383	----	----	----	----	25	UNCH	
6650	----	----	----/12.20A	12.80B/12.20A	----	12.00 - 1.30	.0366	----	----	----	----	9	UNCH	
6750	----	----	----/11.40A	11.80B/11.40A	----	11.20 - 1.10	.0338	----	----	----	----	11	UNCH	
6775	----	----	----/11.30A	11.50B/11.30A	----	11.00 - 1.10	.0331	----	----	----	----	1	UNCH	
6800	----	----	----/11.10A	11.30B/11.10A	----	10.80 - 1.00	.0324	----	----	----	----	128	UNCH	
7000	----	----	----/10.00A	9.80B/10.00A	----	9.50 - 0.80	.0279	----	----	----	----	125	UNCH	
8000	----	----	----/6.60A	6.20B/6.60A	----	6.50 - 0.40	.0169	----	----	2	----	125 +	2	
TOTAL										597	200	19191+	393	
OCT26														
3600	----	----	----/1.135.20A	1190.80B/1135.20A	----	1165.20 - 41.00	.9518	----	----	----	----	12	UNCH	
4300	----	----	----/526.80A	575.30B/526.80A	----	550.40 - 34.00	.7726	----	----	----	----	102	UNCH	
4400	----	----	----/454.50A	501.40B/454.50A	----	477.90 - 31.90	.7255	----	----	----	----	8	UNCH	
4405	----	----	----/451.20A	447.90B/451.20A	----	474.40 - 31.80	.7230	----	----	----	----	2	UNCH	
4480	----	----	----/402.70A	444.20B/402.70A	----	424.00 - 29.90	.6842	----	----	----	----	1	UNCH	
4500	----	----	----/390.40A	433.00B/390.40A	----	411.10 - 29.50	.6735	----	----	----	----	3	UNCH	
4515	----	----	----/381.30A	421.30B/381.30A	----	401.60 - 29.10	.6653	----	----	----	----	1	UNCH	
4550	----	----	----/360.60A	399.20B/360.60A	----	380.10 - 28.10	.6459	----	----	----	----	2	UNCH	
4580	----	----	----/343.50A	382.60B/343.50A	----	362.30 - 27.30	.6289	----	----	----	----	70	UNCH	
4600	----	----	----/331.70A	370.60B/331.70A	----	350.70 - 26.80	.6175	----	----	----	----	133	UNCH	
4610	----	----	----/325.90A	364.70B/325.90A	----	345.10 - 26.50	.6118	----	----	----	----	5	UNCH	
4620	----	----	----/320.80A	359.90B/320.80A	----	339.50 - 26.20	.6060	----	----	----	----	1	UNCH	
4630	----	----	----/315.60A	356.70B/315.60A	----	333.90 - 26.00	.6002	----	----	----	----	3	UNCH	
4650	----	----	358.40B/305.10A	358.40B/305.10A	----	323.00 - 25.60	.5885	----	----	----	----	84	UNCH	
4670	----	----	358.00B/295.10A	358.00B/295.10A	----	312.40 - 25.10	.5769	----	----	----	----	1	UNCH	
4675	----	----	356.20B/292.70A	356.20B/292.70A	----	309.80 - 24.90	.5739	----	----	----	----	1	UNCH	
4690	----	----	347.70B/285.30A	347.70B/285.30A	----	302.10 - 24.50	.5651	----	----	----	----	4	UNCH	
4695	299.40	299.40	344.90B/282.90A	344.90B/282.90A	----	299.60 - NEW	.5622	----	----	2	----	2 +	2	
4700	----	----	341.90B/280.40A	341.90B/280.40A	----	297.00 - 24.30	.5592	----	----	----	----	147	UNCH	
4710	----	----	336.30B/275.30A	336.30B/275.30A	----	292.00 - 24.00	.5534	----	----	----	----	1	UNCH	
4715	----	----	333.80B/273.10A	333.80B/273.10A	----	289.60 - 23.80	.5504	----	----	----	----	2	UNCH	
4750	269.10	269.10	314.50B/257.00A	314.50B/257.00A	----	272.70 - 23.00	.5298	----	----	2	----	36 +	1	
4755	----	----	312.30B/255.10A	312.30B/255.10A	----	270.40 - 22.90	.5269	----	----	----	----	1	UNCH	
4800	----	----	289.40B/235.60A	289.40B/235.60A	----	250.00 - 21.80	.5005	----	----	----	----	478	UNCH	
4805	292.50	292.50	292.50/233.70A	292.50/233.70A	----	247.90 - 21.60	.4977	----	----	1	----	1	UNCH	
4815	----	----	282.00B/229.40A	282.00B/229.40A	----	243.50 - 21.40	.4918	----	----	----	----	36	UNCH	
4845	----	----	267.50B/217.50A	267.50B/217.50A	----	231.00 - 20.60	.4746	----	----	----	----	2	UNCH	
4850	----	----	265.40B/215.90A	265.40B/215.90A	----	229.00 - 20.40	.4717	----	----	----	----	53	UNCH	
4860	236.00	236.00	261.00B/212.30A	261.00B/212.30A	----	225.00 - NEW	.4661	----	----	100	----	100 +	100	
4865	----	----	258.80B/210.20A	258.80B/210.20A	----	223.00 - 20.10	.4632	----	----	----	----	2	UNCH	
4880	----	----	252.00B/204.80A	252.00B/204.80A	----	217.10 - 19.70	.4547	----	----	----	----	1	UNCH	
4900	----	----	249.30B/196.70A	249.30B/196.70A	----	209.50 - 19.20	.4435	----	----	----	----	1319	UNCH	
4905	----	----	248.20B/195.70A	248.20B/195.70A	----	207.70 - 19.00	.4408	----	----	----	----	20	UNCH	
4910	----	----	245.60B/194.10A	245.60B/194.10A	----	205.80 - 19.00	.4380	----	----	----	----	1	UNCH	
4925	----	----	239.70B/189.00A	239.70B/189.00A	----	200.40 - 18.60	.4297	----	----	----	----	18	UNCH	
4935	----	----	235.20B/185.70A	235.20B/185.70A	----	196.80 - 18.40	.4243	----	----	----	----	5	UNCH	
4945	----	----	231.70B/182.10A	231.70B/182.10A	----	193.30 - 18.20	.4188	----	----	----	----	3	UNCH	
4950	----	----	228.50B/179.90A	228.50B/179.90A	----	191.60 - 18.00	.4161	----	----	----	----	868	UNCH	
4995	183.50	183.50	212.10B/166.70A	212.10B/166.70A	----	176.60 - 17.10	.3922	----	----	5	----	0 -	5	
5000	----	----	210.80B/165.00A	210.80B/165.00A	----	175.00 - 17.00	.3896	----	----	25	----	1372 +	25	
5025	----	----	200.80B/158.80A	200.80B/158.80A	----	167.20 - 16.60	.3767	----	----	----	----	2	UNCH	
5050	----	----	191.50B/151.30A	191.50B/151.30A	----	159.80 - 16.10	.3641	----	----	----	----	59	UNCH	
5075	----	----	179.10B/144.70A	179.10B/144.70A	----	152.60 - 15.80	.3517	----	----	----	----	4	UNCH	
5080	----	----	177.50B/143.50A	177.50B/143.50A	----	151.30 - 15.60	.3494	----	----	----	----	4	UNCH	
5085	----	----	175.90B/141.90A	175.90B/141.90A	----	149.90 - 15.60	.3469	----	----	----	----	3	UNCH	
5100	----	----	171.20B/137.90A	171.20B/137.90A	----	145.90 - 15.30	.3398	----	----	----	----	807	UNCH	
5125	----	----	163.70B/132.80A	163.70B/132.80A	----	139.50 - 14.90	.3281	----	----	----	----	1	UNCH	
5150	----	----	156.40B/126.20A	156.40B/126.20A	----	133.30 - 14.60	.3167	----	----	----	----	36	UNCH	
5160	----	----	153.60B/124.80A	153.60B/124.80A	----	131.00 - 14.30	.3123	----	----	----	----	1	UNCH	
5170	----	----	150.80B/121.60A	150.80B/121.60A	----	128.60 - 14.20	.3079	----	----	----	----	5	UNCH	
5200	127.80	127.80	142.70B/115.30A	142.70B/115.30A	----	121.90 - 13.70	.2950	----	----	62	----	1569 -	19	
5250	----	----	130.30B/105.70A	130.30B/105.70A	----	111.30 - 13.00	.2743	----	----	----	----	524	UNCH	
5255	----	----	131.70B/105.60A	131.70B/105.60A	----	110.30 - 12.90	.2723	----	----	----	----	1	UNCH	
5300	----	----	118.20B/96.60A	118.20B/96.60A	----	101.60 - 12.30	.2548	----	----	----	----	993	UNCH	
5325	----	----	112.90B/92.60A	112.90B/92.60A	----	97.20 - 11.80	.2456	----	----	----	----	9	UNCH	
5350	----	----	107.90B/88.90A	107.90B/88.90A	----	93.00 - 11.40	.2367	----	----	----	----	4	UNCH	
5365	----	----	105.00B/87.30A	105.00B/87.30A	----	90.60 - 11.								

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL		COMEX GOLD OPTIONS															
NOV26																	
4925	----	----	----	278.70B/234.20A	278.70B/234.20A	----	----	245.70	- 20.40	.4605	----	----	----	1	UNCH		
4935	----	----	----	276.40B/230.40A	276.40B/230.40A	----	----	241.90	- 20.20	.4555	----	----	----	25	UNCH		
4950	----	----	----	278.40B/225.20A	278.40B/225.20A	----	----	236.20	- 19.80	.4480	----	----	----	150	UNCH		
4970	----	----	----	270.10B/218.20A	270.10B/218.20A	----	----	228.90	- 19.30	.4382	----	----	----	10	UNCH		
5000	----	----	----	257.30B/208.30A	257.30B/208.30A	----	----	218.30	- 18.70	.4236	----	1	----	89	UNCH		
5020	----	----	----	250.40B/201.90A	250.40B/201.90A	----	----	211.40	- 18.40	.4140	----	----	----	30	UNCH		
5050	----	----	----	238.80B/192.40A	238.80B/192.40A	----	----	201.50	- 17.90	.3998	----	----	----	100	UNCH		
5060	----	----	----	232.90B/189.60A	232.90B/189.60A	----	----	198.30	- 17.80	.3951	----	----	----	2	UNCH		
5080	----	----	----	225.90B/183.70A	225.90B/183.70A	----	----	192.00	- 17.50	.3859	----	----	----	4	UNCH		
5085	----	----	----	225.50B/182.30A	225.50B/182.30A	----	----	190.40	- 17.50	.3836	----	----	----	4	UNCH		
5150	----	----	----	199.20B/164.60A	199.20B/164.60A	----	----	171.50	- 16.50	.3547	----	----	----	100	UNCH		
5175	----	----	----	188.80B/158.30A	188.80B/158.30A	----	----	164.80	- 16.10	.3440	----	----	----	12	UNCH		
5180	----	----	----	190.20B/157.10A	190.20B/157.10A	----	----	163.50	- 16.00	.3419	----	----	----	1	UNCH		
5185	----	----	----	188.60B/155.90A	188.60B/155.90A	----	----	162.10	- 16.00	.3397	----	----	----	1	UNCH		
5200	----	----	----	184.00B/152.20A	184.00B/152.20A	----	----	158.30	- 15.70	.3335	----	----	----	31	UNCH		
5230	----	----	----	175.70B/145.30A	175.70B/145.30A	----	----	150.90	- 15.20	.3213	----	----	----	5	UNCH		
5250	----	----	----	170.30B/140.90A	170.30B/140.90A	----	----	146.10	- 14.90	.3134	----	----	----	10	UNCH		
5275	----	----	----	163.70B/135.50A	163.70B/135.50A	----	----	140.50	- 14.40	.3038	----	----	----	1	UNCH		
5300	----	----	----	155.40B/130.30A	155.40B/130.30A	----	----	135.00	- 14.00	.2943	----	----	----	395	UNCH		
5325	----	----	----	151.50B/125.40A	151.50B/125.40A	----	----	129.80	- 13.50	.2851	----	----	----	1	UNCH		
5330	----	----	----	150.40B/124.40A	150.40B/124.40A	----	----	128.80	- 13.40	.2833	----	----	----	1	UNCH		
5370	----	----	----	137.90B/117.00A	137.90B/117.00A	----	----	121.00	- 12.70	.2693	----	----	----	5	UNCH		
5400	----	----	----	134.50B/111.80A	134.50B/111.80A	----	----	115.40	- 12.30	.2591	----	----	----	17	UNCH		
5420	----	----	----	130.30B/108.50A	130.30B/108.50A	----	----	111.90	- 12.00	.2526	----	----	----	14	UNCH		
5450	----	----	----	120.50B/103.80A	120.50B/103.80A	----	----	106.90	- 11.50	.2431	----	----	----	925	UNCH		
5460	----	----	----	118.50B/102.30A	118.50B/102.30A	----	----	105.30	- 11.30	.2400	----	----	----	10	UNCH		
5500	----	----	----	115.20B/96.40A	115.20B/96.40A	----	----	99.10	- 10.70	.2281	----	2	----	83	+		
5530	93.60	93.60	----	110.50B/92.30A	110.50B/92.30A	----	----	94.70	NEW	.2195	----	1	----	1	+		
5535	92.90	92.90	----	109.70B/91.60A	109.70B/91.60A	----	----	94.00	NEW	.2181	----	1	----	1	+		
5540	92.30	92.30	----	108.80B/91.00A	108.80B/91.00A	----	----	93.30	NEW	.2167	----	1	----	1	+		
5545	91.60	91.60	----	108.00B/90.30A	108.00B/90.30A	----	----	92.60	NEW	.2153	----	1	----	1	+		
5550	90.90	90.90	----	102.60B/89.60A	102.60B/89.60A	----	----	91.90	- 10.10	.2139	----	2	----	3	+		
5555	90.20	90.20	----	102.10B/89.00A	102.10B/89.00A	----	----	91.30	NEW	.2127	----	3	----	3	+		
5560	89.80	89.80	----	101.00B/88.40A	101.00B/88.40A	----	----	90.60	NEW	.2113	----	4	----	4	+		
5565	89.20	89.20	----	101.20B/87.70A	101.20B/87.70A	----	----	89.90	NEW	.2099	----	8	----	8	+		
5570	88.50	88.50	----	99.90B/87.10A	99.90B/87.10A	----	----	89.30	NEW	.2086	----	20	----	20	+		
5575	87.50	87.50	----	102.90B/86.50A	102.90B/86.50A	----	----	88.60	NEW	.2073	----	84	----	84	+		
5600	----	----	----	99.80B/83.40A	99.80B/83.40A	----	----	85.40	- 9.50	.2008	----	2	----	44	+		
5650	----	----	----	----/77.80A	87.90B/77.80A	----	----	79.40	- 9.00	.1885	----	----	----	1	+		
5655	----	----	----	91.90B/77.20A	91.90B/77.20A	----	----	78.90	- 8.80	.1874	----	----	----	1	+		
5660	----	----	----	----/76.70A	86.60B/76.70A	----	----	78.30	- 8.80	.1861	----	----	----	1	+		
5665	----	----	----	90.50B/76.20A	90.50B/76.20A	----	----	77.80	- 8.70	.1850	----	----	----	1	+		
5670	----	----	----	86.70B/75.50A	86.70B/75.50A	----	----	77.20	- 8.70	.1838	----	----	----	2	+		
5675	----	----	----	89.10B/75.10A	89.10B/75.10A	----	----	76.70	- 8.60	.1827	----	----	----	2	+		
5680	----	----	----	85.50B/74.60A	85.50B/74.60A	----	----	76.10	- 8.60	.1815	----	----	----	39	+		
5685	----	----	----	87.00B/74.10A	87.00B/74.10A	----	----	75.60	- 8.60	.1804	----	----	----	5	+		
5690	----	----	----	87.00B/73.60A	87.00B/73.60A	----	----	75.10	- 8.50	.1794	----	----	----	18	+		
5695	----	----	----	86.40B/73.10A	86.40B/73.10A	----	----	74.50	- 8.50	.1781	----	----	----	15	+		
5700	----	----	----	83.00B/72.60A	83.00B/72.60A	----	----	74.00	- 8.40	.1771	----	----	----	53	+		
5710	----	----	----	84.40B/71.60A	84.40B/71.60A	----	----	73.00	- 8.30	.1749	----	----	----	1	+		
5800	----	----	----	73.50B/63.50A	73.50B/63.50A	----	----	64.50	- 7.50	.1565	----	----	----	80	+		
5825	----	----	----	70.90B/61.40A	70.90B/61.40A	----	----	62.40	- 7.30	.1519	----	----	----	2	+		
5900	----	----	----	----/56.10A	62.50B/56.10A	----	----	56.50	- 6.90	.1387	----	----	----	1	+		
5925	----	----	----	61.70B/54.10A	61.70B/54.10A	----	----	54.80	- 6.60	.1348	----	----	----	4	+		
5975	----	----	----	----/51.10A	57.60B/51.10A	----	----	51.50	- 6.30	.1272	----	----	----	3	+		
6000	----	----	----	----/49.60A	53.50B/49.60A	----	----	49.90	- 6.20	.1235	----	6	----	267	+		
6100	----	----	----	----/44.50A	48.90B/44.50A	----	----	44.30	- 5.70	.1104	----	----	----	1	+		
6200	----	----	----	----/40.10A	43.20B/40.10A	----	----	39.60	- 5.20	.0991	----	----	----	1	+		
6400	----	----	----	----/33.10A	34.80B/33.10A	----	----	32.40	- 4.30	.0812	----	----	----	13	+		
6500	----	----	----	----/30.50A	31.20B/30.50A	----	----	29.60	- 3.90	.0740	----	----	----	1155	+		
8000	----	----	----	----/*15.90A	14.00B/15.90A	----	----	14.80	- 1.40	.0324	----	1	----	12	+		
9000	----	----	----	----/13.20A	11.30B/13.20A	----	----	12.40	- 1.10	.0247	----	----	----	8	+		
20000	----	----	----	----	0.10B/4.00A	----	----	1.60	- 0.20	.0026	----	----	----	140	+		
TOTAL															137	4659	+
DEC26																	
3550	----	----	----	----	----	----	----	1255.10	- 40.60	.9409	----	----	----	2	+		
3570	----	----	----	----	----	----	----	1236.40	- 40.40	.9382	----	----	----	1	+		
3600	----	----	----	----	----	----	----	1208.40	- 40.10	.9339	----	----	----	1	+		
3800	----	----	----	----/1,000.80A	1047.30B/1000.80A	----	----	1026.10	- 38.60	.9001	----	----	----	4	+		
3900	----	----	----	----	841.30B/1049.00A	----	----	937.70	- 38.70	.8791	----	----	----	2	+		
4060	----	----	----	----/779.10A	824.70B/779.10A	----	----	802.80	- 37.20	.8370	----	----	----	100	+		
4100	----	----	----	----/747.10A	792.10B/747.10A	----	----	770.50	- 36.50	.8248	----	----	----	48	+		
4160	----	----	----	----/700.20A	744												

PG64	BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL	COMEX GOLD OPTIONS													
DEC26														
5195	----	----	208.20B/174.90A	208.20B/174.90A	----	182.00 - 16.20	.3512	----	----	----	----	5	UNCH	
5200	----	----	206.60B/173.10A	206.60B/173.10A	----	180.70 - 16.10	.3492	----	----	----	----	1328	UNCH	
5220	----	----	196.70B/168.70A	196.70B/168.70A	----	175.50 - 15.80	.3415	----	----	----	----	6	UNCH	
5245	----	----	193.60B/162.90A	193.60B/162.90A	----	169.20 - 15.40	.3320	----	----	----	----	10	UNCH	
5250	180.60	180.60	192.30B/161.50A	192.30B/161.50A	----	168.00 - 15.30	.3301	----	----	9	----	347 +	3	
5255	----	----	190.90B/161.10A	190.90B/161.10A	----	166.80 - 15.20	.3283	----	----	----	----	1	UNCH	
5265	----	----	183.60B/158.00A	183.60B/158.00A	----	164.40 - 15.00	.3246	----	----	----	----	5	UNCH	
5275	----	----	185.40B/156.10A	185.40B/156.10A	----	162.00 - 14.90	.3209	----	----	----	----	20	UNCH	
5300	----	----	178.60B/150.20A	178.60B/150.20A	----	156.20 - 14.50	.3118	----	----	----	----	740	UNCH	
5335	----	----	170.10B/143.80A	170.10B/143.80A	----	148.50 NEW	.2996	----	----	21	----	21 +	21	
5340	----	----	168.90B/142.80A	168.90B/142.80A	----	147.40 - 13.90	.2978	----	----	----	----	1	UNCH	
5350	148.90	148.90	166.40B/140.00A	166.40B/140.00A	----	145.30 - 13.70	.2944	----	1	----	----	459 -	1	
5360	----	----	163.80B/137.80A	163.80B/137.80A	----	143.20 - 13.60	.2910	----	----	----	----	100	UNCH	
5370	----	----	161.60B/136.30A	161.60B/136.30A	----	141.10 - 13.50	.2876	----	----	----	----	36	UNCH	
5380	----	----	159.50B/135.00A	159.50B/135.00A	----	139.10 - 13.30	.2843	----	----	----	----	1	UNCH	
5390	----	----	152.70B/133.20A	152.70B/133.20A	----	137.10 NEW	.2810	----	200	----	----	200 +	200	
5400	135.20	135.20	155.00B/130.70A	155.00B/130.70A	----	135.20 - 12.90	.2778	----	6	----	----	502 -	2	
5450	124.50	124.50	145.50B/121.90A	145.50B/121.90A	----	125.80 - 12.20	.2620	----	2	----	----	304 +	2	
5460	----	----	142.00B/119.80A	142.00B/119.80A	----	124.10 - 12.00	.2591	----	----	----	----	203	UNCH	
5465	----	----	141.20B/119.10A	141.20B/119.10A	----	123.20 - 12.00	.2575	----	----	----	----	53	UNCH	
5475	----	----	134.80B/117.50A	134.80B/117.50A	----	121.50 - 11.80	.2546	----	----	----	----	400	UNCH	
5480	----	----	138.60B/116.90A	138.60B/116.90A	----	120.60 - 11.80	.2530	----	----	----	----	50	UNCH	
5500	127.40	127.40	134.30B/113.60A	134.30B/113.60A	----	117.30 - 11.50	.2472	----	14	----	----	2971 +	11	
5505	----	----	134.40B/112.90A	134.40B/112.90A	----	116.40 - 11.50	.2457	----	----	----	----	3	UNCH	
5525	----	----	130.50B/109.80A	130.50B/109.80A	----	113.20 -								

	BULLETIN # 90@				METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL	COMEX GOLD OPTIONS														
FEB27															
5550	----	----		170.00B/149.70A	170.00B/149.70A	----	----	155.00 - 10.10	.2785	----	----	----	----	82	UNCH
5600	----	----		159.80B/142.40A	159.80B/142.40A	----	----	145.90 - 10.00	.2652	----	----	----	----	8	UNCH
6000	----	----		----/92.30A	100.30B/92.30A	----	----	93.50 - 8.70	.1808	----	----	----	----	1290	UNCH
6025	----	----		----/90.30A	97.60B/90.30A	----	----	91.10 - 8.60	.1767	----	----	----	----	4	UNCH
6100	----	----		----/84.30A	89.90B/84.30A	----	----	84.70 - 8.10	.1653	----	----	----	----	4	UNCH
6300	----	----		----/70.50A	73.10B/70.50A	----	----	70.50 - 6.70	.1393	----	----	----	----	1	UNCH
6500	63.50	63.50		63.50/60.00A	63.50/60.00A			59.50 - 5.60	.1184			1		1220	UNCH
6900	----	----		----/*44.40A	44.10B/44.40A	----	----	43.90 - 3.90	.0879	----	----	----	----	533	UNCH
7000	38.90	38.90		38.90/*38.90	41.10B/38.90			41.10 - 3.60	.0822			9		550 -	9
7100	----	----		----/*41.90A	37.60B/41.90A	----	----	38.70 - 3.30	.0772	----	----	----	----	9	UNCH
7900	----	----		----	23.00B/*30.20A	----	----	28.20 - 1.20	.0535	----	----	----	----	500	UNCH
8000	----	----		----	22.20B/*29.40A	----	----	27.50 - 1.00	.0517	----	----	----	----	695	UNCH
TOTAL												374		5983 +	355
MAR27															
4995	----	----		#373.30B/329.60	#373.30B/329.60A	----	----	341.20 - 15.10	.4859	----	----	----	----	1	UNCH
5000	----	----		364.40B/324.90A	364.40B/324.90A	----	----	339.20 - 15.10	.4840	----	----	----	----	95	UNCH
5010	----	----		#366.70B/323.70	#366.70B/323.70A	----	----	335.20 - 15.10	.4802	----	----	----	----	1	UNCH
5200	277.00	277.00		299.30B/259.80A	299.30B/259.80A	----	----	266.80 NEW	.4096			3		3 +	3
5500	----	----		206.70B/184.90A	206.70B/184.90A	----	----	188.60 - 11.40	.3140	----	----	----	----	67	UNCH
5600	----	----		184.60B/165.40A	184.60B/165.40A	----	----	168.90 - 9.40	.2870	----	----	----	----	1	UNCH
5650	----	----		175.60B/156.60A	175.60B/156.60A	----	----	160.00 - 8.50	.2744	----	----	----	----	19	UNCH
5790	----	----		149.10B/135.10A	149.10B/135.10A	----	----	138.00 - 6.50	.2422	----	----	----	----	2	UNCH
5820	----	----		144.30B/131.60A	144.30B/131.60A	----	----	133.80 - 6.20	.2358	----	----	----	----	1	UNCH
5850	----	----		139.60B/128.30A	139.60B/128.30A	----	----	129.70 - 5.90	.2296	----	----	----	----	253	UNCH
5900	----	----		133.20B/121.30A	133.20B/121.30A	----	----	123.30 - 5.50	.2197	----	----	----	----	11	UNCH
6000	----	----		119.30B/110.00A	119.30B/110.00A	----	----	111.60 - 4.80	.2013	----	----	----	----	2	UNCH
6500	----	----		----/71.40A	72.30B/71.40A	----	----	70.90 - 3.20	.1332	----	----	----	----	1	UNCH
TOTAL												3		457 +	3
APR27															
5000	----	----		----	187.00B/497.80A	----	----	344.80 + 4.90	.4851	----	----	----	----	100	UNCH
5060	----	----		----	177.70B/476.10A	----	----	326.10 + 5.80	.4638	----	----	----	----	25	UNCH
5600	----	----		----	56.70B/306.50A	----	----	181.90 + 9.70	.2961	----	----	----	----	300	UNCH
6000	----	----		----	43.10B/212.50A	----	----	121.10 + 9.60	.2102	----	----	----	----	151	UNCH
TOTAL														576	0
JUN27															
5085	----	----		----	----	----	----	426.10 - 21.00	.4901	----	----	----	----	150	UNCH
7000	----	----		----	----	----	----	76.20 - 5.70	.1247	----	----	----	----	3	UNCH
7500	----	----		----	----	----	----	52.80 - 4.10	.0893	----	----	----	----	450	UNCH
8000	38.70	38.70		38.70/*38.70	38.70/*38.70	----	----	38.70 NEW	.0665			1		1 +	1
9000	----	----		----	----	----	----	24.50 - 2.00	.0419	----	----	----	----	1	UNCH
10000	----	----		----	----	----	----	18.50 - 1.50	.0307	----	----	----	----	3	UNCH
TOTAL												1		608 +	1
DEC27															
4860	----	----		----	----	----	----	679.40 - 24.30	.5922	----	----	----	----	100	UNCH
5000	----	----		----	----	----	----	618.40 - 22.90	.5566	----	----	----	----	50	UNCH
5650	----	----		----	----	----	----	391.70 - 16.90	.4048	----	----	----	----	200	UNCH
5700	----	----		----	----	----	----	377.90 - 16.60	.3943	----	----	----	----	150	UNCH
5800	----	----		----	----	----	----	351.90 - 15.80	.3739	----	----	----	----	200	UNCH
5880	----	----		----	----	----	----	332.50 - 15.10	.3582	----	----	----	----	125	UNCH
6300	----	----		----	----	----	----	247.80 - 12.10	.2849	----	----	----	----	18	UNCH
7500	----	----		----	----	----	----	116.90 - 6.50	.1507	----	----	----	----	170	UNCH
7800	----	----		----	----	----	----	99.70 - 5.70	.1305	----	----	----	----	284	UNCH
10000	----	----		----	33.00B/-----	----	----	44.10 - 2.60	.0589	----	----	----	----	102	UNCH
10500	----	----		----	----	----	----	39.00 - 2.30	.0518	----	----	----	----	10	UNCH
TOTAL														1409	0
DEC28															
5750	----	----		----	----	----	----	614.20 - 19.50	.4698	----	----	----	----	100	UNCH
TOTAL														100	0
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
MMG MON	MICRO GOLD WEEKLY MONDAY OPTION WEE														
MAY26															
4750	----	----		----	----	----	----	21.30 UNCH	1.0000	----	----	----	----	0	UNCH
TOTAL														0	0
JUN26															
4400	----	----		----	----	----	----	15.50 + 1.60	.1060	----	----	----	----	1	UNCH
TOTAL														1	0
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST	
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2														
MAY26															
3500	----	----		----	----/0.20A	----	----	0.10 UNCH	----	----	----	----	----	16	UNCH
3800	0.10	0.10		0.10/0.10	0.10/0.10	----	----	0.10 UNCH	----	----	----	1	----	5	UNCH
3800	----	----		----	1.00B/1.50A	----	----	1.10 UNCH	.0061	----	----	----	----	4	UNCH
3900	----	----		----	0.50B/*0.80A	----	----	0.50 - 0.20	.0029	----	----	----	----	3	UNCH
4000	----	----		----/*0.90A	0.70B/*0.90A	----	----	0.80 - 0.30	.0051	----	----	----	----	2	UNCH
4000	----	----		----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	2	UNCH
4100	----	----		----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	1	UNCH
4100	----	----		----/*1.20A	1.10B/*1.20A	----	----	1.10 - 0.20	.0078	----	----	----	----	1	UNCH
4175	----	----		1.60B/*1.40A	1.60B/*1.40A	----	----	1.40 - 0.10	.0109	----	----	----	----	3	UNCH
4200	----	----		----	----/*0.20A	----	----	0.10 UNCH	----	----	----	----	----	14	UNCH
4200	----	----		1.80B/*1.50A	1.80B/*1.50A	----	----	1.60 UNCH	.0128	----	----	----	----	51	UNCH
4225	----	----		2.20B/*1.70A	2.20B/*1.70A	----	----	1.80 UNCH	.0148	----	----	2		5 +	2
4250	----	----		2.60B/*1.90A	2.60B/*1.90A	----	----	2.00 UNCH	.0170	----	----	----	----	6	UNCH
4250	----	----		----	----/*0.20A	----	----	0							

GLOBEX OPEN				OPEN OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GOLD WEEKLY WEDNESDAY OPTION WEEK2														
4505	0.80	0.80	1.70B/*0.70	1.70B/*0.70	----	0.80 - 0.50	.0024	----	----	----	----	20	----	35 +
4510	0.90	0.90	1.90B/*0.70A	1.90B/*0.70A	----	0.80 - 0.60	.0025	----	----	----	----	2	----	27 +
4515	----	----	2.10B/*0.70A	2.10B/*0.70A	----	0.90 - 0.60	.0030	----	----	----	----	----	----	2
4520	0.80	0.80	2.30B/*0.80	2.30B/*0.80	----	0.90 - 0.70	.0031	----	----	----	----	3	----	5 +
4525	1.50	1.50	2.60B/*0.80A	2.60B/*0.80A	----	1.00 - 0.70	.0038	----	----	----	----	23	----	14
4525	----	----	23.90B/*10.00A	23.90B/*10.00A	----	15.70 NEW	.1532	----	----	----	----	8	----	8
4525	----	----	33.60B/*18.30A	33.60B/*18.30A	----	24.60 + 3.20	.1803	----	----	----	----	----	----	2
4530	1.60	1.60	2.90B/*0.90A	2.90B/*0.90A	----	1.10 - 0.70	.0045	----	----	----	2	----	28 +	2
4535	1.10	1.10	3.10B/*0.90A	3.10B/*0.90A	----	1.10 NEW	.0047	----	----	----	3	----	3 +	3
4540	2.00	2.00	3.50B/*1.00A	3.50B/*1.00A	----	1.20 NEW	.0055	----	----	----	2	----	2 +	2
4545	2.10	2.10	3.80B/*1.00A	3.80B/*1.00A	----	1.30 - 0.90	.0064	----	----	----	2	----	3 +	2
4550	----	----	29.80B/*12.10A	29.80B/*12.10A	----	19.70 + 3.10	.1892	----	----	----	----	----	31	UNCH
4550	2.40	2.40	4.20B/*1.00	4.20B/*1.00	----	1.40 - 0.90	.0074	----	----	----	12	----	39 +	9
4550	----	----	39.70B/*21.60A	39.70B/*21.60A	----	29.30 + 4.10	.2097	----	----	----	----	----	14	UNCH
4555	5.00	5.00	5.00/*1.10A	5.00/*1.10A	----	1.50 - 1.00	.0085	----	----	----	3	----	3 +	2
4560	1.60	1.60	5.50/*1.10A	5.50/*1.10A	----	1.70 - 1.00	.0105	----	----	----	16	----	15 +	6
4565	3.20	3.20	5.80B/*1.20A	5.80B/*1.20A	----	1.80 - 1.10	.0119	----	----	----	5	----	8 +	4
4570	3.00	3.00	6.30B/*1.30A	6.30B/*1.30A	----	2.00 - 1.10	.0142	----	----	----	12	----	12 +	10
4575	----	----	218.00B/110.20A	218.00B/110.20A	----	136.40 - 37.80	.7674	----	----	----	----	----	1	UNCH
4575	----	----	206.60B/79.10A	206.60B/79.10A	----	113.90 - 43.10	.9831	----	----	----	----	----	1	UNCH
4575	3.00	3.00	7.00B/*1.30	7.00B/*1.30	----	2.20 - 1.10	.0168	----	----	----	25	----	19 +	6
4575	----	----	37.10B/*14.90A	37.10B/*14.90A	----	24.80 + 4.20	.2323	----	----	----	----	----	10	UNCH
4575	----	----	46.80B/*24.40A	46.80B/*24.40A	----	34.90 + 5.20	.2429	----	----	----	----	----	1	UNCH
4580	2.80	2.80	7.70B/*1.40A	7.70B/*1.40A	----	2.40 - 1.20	.0197	----	----	----	15	----	13 +	12
4585	4.60	4.60	8.30B/*1.50A	8.30B/*1.50A	----	2.70 - 1.20	.0239	----	----	----	3	----	4 +	3
4590	5.10	5.10	9.40B/*1.60A	9.40B/*1.60A	----	2.90 - 1.30	.0274	----	----	----	22	----	21 +	20
4595	4.20	4.20	10.40B/*1.80A	10.40B/*1.80A	----	3.30 - 1.20	.0335	----	----	----	2	----	8 +	2
4600	36.30	36.30	45.50B/*18.40A	45.50B/*18.40A	----	31.10 + 5.50	.2820	----	----	----	70	----	71 +	57
4600	----	----	196.10B/95.60A	196.10B/95.60A	----	117.70 - 36.50	.7177	----	----	----	----	----	7	UNCH
4600	4.60	4.60	11.30B/*1.90A	11.30B/*1.90A	----	3.60 - 1.30	.0391	----	----	----	54	----	50 +	37
4600	----	----	182.20B/58.90A	182.20B/58.90A	----	90.30 - 43.30	.9608	----	----	----	----	----	1	UNCH
4600	----	----	55.10B/*28.60A	55.10B/*28.60A	----	41.40 + 6.40	.2792	----	----	----	----	----	1	UNCH
4605	5.00	5.00	12.50B/*2.10A	12.50B/*2.10A	----	4.00 - 1.30	.0465	----	----	----	5	----	8 +	4
4610	5.50	5.50	14.00B/*2.20	14.00B/*2.20	----	4.50 - 1.20	.0558	----	----	----	11	----	14 +	10
4615	----	----	15.20B/*2.50A	15.20B/*2.50A	----	5.00 - 1.20	.0660	----	----	----	2	----	5 +	2
4620	4.80	4.80	16.70B/*2.70A	16.70B/*2.70A	----	5.60 - 1.10	.0784	----	----	----	4	----	5 +	4
4625	79.40	79.40	158.00B/42.70A	158.00B/42.70A	----	67.90 - 43.00	.9079	----	----	----	1	----	2 +	1
4625	----	----	55.60B/*22.30A	55.60B/*22.30A	----	38.70 + 7.10	.3377	----	----	----	----	----	116	UNCH
4625	4.10	4.10	18.50B/*2.90A	18.50B/*2.90A	----	6.20 - 1.10	.0920	----	----	----	7	----	15 +	4
4625	----	----	64.20B/*32.50A	64.20B/*32.50A	----	48.90 + 7.70	.3186	----	----	----	----	----	3	UNCH
4630	11.10	11.10	20.20B/*3.20A	20.20B/*3.20A	----	7.00 - 0.90	.1094	----	----	----	19	----	17 +	15
4635	12.20	12.20	22.10B/*3.50A	22.10B/*3.50A	----	7.80 - 0.70	.1283	----	----	----	7	----	7 +	6
4640	9.80	9.80	24.20B/*3.90A	24.20B/*3.90A	----	8.80 NEW	.1512	----	----	----	8	----	5 +	5
4645	5.30	5.30	26.50B/*4.30A	26.50B/*4.30A	----	9.80 - 0.20	.1757	----	----	----	15	----	15 +	9
4645	45.30	45.30	#139.10B/*30.70	139.10B/*30.70A	----	51.50 NEW	.8242	----	----	----	3	----	3 +	3
4650	56.50	56.50	67.30B/*27.80A	67.30B/*27.80A	----	47.90 + 9.00	.3986	----	----	----	3	----	10 -	2
4650	5.50	5.50	28.90B/*4.80A	28.90B/*4.80A	----	11.00 + 0.10	.2044	----	----	139	100	206 +	171	1
4650	75.30	75.30	134.40B/27.50A	134.40B/27.50A	----	47.70 - 41.90	.7955	----	----	1	----	205 +	1	1
4650	75.50	75.50	154.40B/68.00A	154.40B/68.00A	----	84.60 - 32.90	.6011	----	----	3	----	3	UNCH	1
4650	----	----	74.80B/*38.60A	74.80B/*38.60A	----	57.60 NEW	.3607	----	----	1	----	1	+	1
4655	38.20	38.20	#129.80B/*25.30	129.80B/*25.30A	----	44.00 NEW	.7640	----	----	2	----	2	+	2
4655	15.70	15.70	32.40B/*5.40A	32.40B/*5.40A	----	12.30 + 0.50	.2358	----	----	16	----	16 +	14	1
4660	22.20	22.20	#125.10B/*22.20	125.10B/*22.20	----	40.40 NEW	.7297	----	----	13	----	11 +	11	1
4660	13.00	13.00	35.10B/*6.00A	35.10B/*6.00A	----	13.70 NEW	.2702	----	----	19	----	13 +	13	1
4665	19.10	19.10	38.10B/*6.80A	38.10B/*6.80A	----	15.30 + 1.40	.3080	----	----	16	----	13 +	11	1
4670	----	----	#116.00B/*18.60	116.00B/*18.60A	----	33.70 NEW	.6517	----	----	12	----	12 +	12	1
4670	16.00	16.00	41.10B/*7.60A	41.10B/*7.60A	----	17.00 + 2.00	.3482	----	----	19	----	16 +	10	1
4675	----	----	135.50B/56.10A	135.50B/56.10A	----	70.40 - 30.80	.5370	----	----	----	----	25	UNCH	1
4675	7.10	7.10	44.40B/*7.10	44.40B/*7.10	----	19.00 + 2.70	.3916	----	----	36	----	23 +	14	1
4675	22.50	22.50	111.70B/*16.90A	111.70B/*16.90A	----	30.70 - 39.30	.6083	----	----	7	----	5 +	1	1
4675	----	----	82.50B/*33.40A	82.50B/*33.40A	----	58.70 + 11.20	.4628	----	----	----	----	1	UNCH	1
4675	----	----	86.20B/*45.90A	86.20B/*45.90A	----	67.50 + 11.00	.4049	----	----	----	----	1	UNCH	1
4680	21.80	21.80	47.70B/*8.80A	47.70B/*8.80A	----	21.00 + 3.40	.4361	----	----	30	----	21 +	21	1
4680	19.00	19.00	#107.40B/*15.20	107.40B/*15.20A	----	27.70 NEW	.5638	----	----	11	----	8 +	8	1
4685	22.50	22.50	#102.90B/*14.00	102.90B/*14.00A	----	25.00 NEW	.5176	----	----	4	----	2 +	2	1
4685	33.00	33.00	51.20B/*9.40A	51.20B/*9.40A	----	23.30 + 4.30	.4823	----	----	9	----	4 +	3	1
4690	24.90	24.90	54.80B/*10.10A	54.80B/*10.10A	----	25.80 + 5.20	.5289	----	----	24	----	17 +	16	1
4690	36.10	36.10	#99.10B/*12.20A	99.10B/*12.20A	----	22.50 NEW	.4710	----	----	12	----	10 +	10	1
4695	25.50													

PG64	BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026				PG64			
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST													
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK2																											
MAY26																												
4860	0.20	0.20		9.80B/*0.20	9.80B/*0.20	----			0.20 - 3.80	.0003	----	----	3	----	3 +	1												
4865	----	----		8.70B/*0.30A	8.70B/*0.30A	----			0.20 NEW	.0003	----	----	4	----	2 +	2												
4870	0.20	0.20		7.80B/*0.20	7.80B/*0.20	----			0.10 - 3.30	.0001	----	----	3	----	2	UNCH												
4875	----	----		34.60B/10.30A	34.60B/10.30A	----			12.40 - 11.00	.1293	----	----	1	----	2 -	1												
4875	1.20	1.20		7.10B/*0.20	7.10B/*0.20	----			0.10 - 3.00	.0000	----	----	6	----	12 +	2												
4875	----	----		66.70B/30.80A	66.70B/30.80A	----			36.10 - 16.60	.2570	----	----	----	----	1	UNCH												
4880	0.20	0.20		6.40B/*0.20	6.40B/*0.20	----			0.10 - 2.70	.0000	----	----	3	----	4 +	2												
4885	----	----		5.90B/*0.20A	5.90B/*0.20A	----			0.10 - 2.50	.0000	----	----	2	----	4 +	2												
4890	0.20	0.20		5.40B/*0.20	5.40B/*0.20	----			0.10 - 2.30	.0000	----	----	4	----	10 +	4												
4895	2.10	2.10		4.80B/*0.20A	4.80B/*0.20A	----			0.10 NEW	.0000	----	----	20	----	20 +	20												
4900	1.00	1.00		4.10B/*0.20	4.10B/*0.20	----			0.10 - 1.90	.0000	----	----	7	----	85 +	5												
4900	----	----		28.20B/8.40A	28.20B/8.40A	----			9.90 - 9.20	.1041	----	----	----	----	19	UNCH												
4900	----	----		57.60B/26.60A	57.60B/26.60A	----			30.90 - 14.90	.2255	----	----	1	----	7	UNCH												
4905	----	----		#258.60B/*130.2	#258.60B/*130.20A	----			218.40 + 40.30	1.0000	----	----	----	----	2	UNCH												
4905	2.10	2.10		3.70B/*0.20	3.70B/*0.20	----			0.10 - 1.80	.0000	----	----	10	----	11 +	9												
4910	----	----		#263.50B/*134.8	#263.50B/*134.80A	----			223.40 + 40.40	1.0000	----	----	----	----	1	UNCH												
4925	----	----		2.50B/*0.20A	2.50B/*0.20A	----			0.10 - 1.20	----	----	----	----	----	6	UNCH												
4925	----	----		22.80B/*6.90A	22.80B/*6.90A	----			7.90 - 7.60	.0836	----	----	----	----	2	UNCH												
4925	----	----		50.00B/22.80A	50.00B/22.80A	----			26.40 - 13.30	.1970	----	----	----	----	4	UNCH												
4930	----	----		2.20B/*0.20A	2.20B/*0.20A	----			0.10 - 1.10	----	----	----	----	----	1	UNCH												
4940	----	----		#2.10B/*0.30A	2.10B/*0.30A	----			0.10 - 1.00	----	----	1	----	----	4 +	1												
4945	----	----		1.70B/*0.30A	1.70B/*0.30A	----			0.10 - 0.90	----	----	----	----	----	2	UNCH												
4950	----	----		18.30B/*5.60A	18.30B/*5.60A	----			6.30 - 6.30	.0668	----	----	----	----	1	UNCH												
4950	1.60	1.60		1.60/*0.20A	1.60/*0.20A	----			0.10 - 0.80	----	----	4	----	----	15 +	2												
4950	----	----		42.90B/19.60A	42.90B/19.60A	----			22.60 - 11.80	.1717	----	----	----	----	1	UNCH												
4975	----	----		0.70B/*0.30A	0.70B/*0.30A	----			0.10 - 0.50	----	----	2	----	----	10	UNCH												
4975	7.50	7.50		14.80B/*4.70A	14.80B/*4.70A	----			5.10 - 5.10	.0538	----	----	----	----	8 +	2												
4975	19.40	19.40		36.60B/16.50	36.60B/16.50	----			19.40 - 10.40	.1496	----	13	----	----	4 +	3												
5000	7.50	7.50		11.90B/*3.90A	11.90B/*3.90A	----			4.20 - 4.10	.0439	----	1	----	----	14 +	1												
5000	----	----		----/*0.10A	0.20B/*0.10A	----			0.10 - 0.40	----	----	----	----	----	7	UNCH												
5000	----	----		31.40B/14.80A	31.40B/14.80A	----			16.60 - 9.20	.1298	----	8	----	----	6 +	5												
5010	----	----		----/*0.30A	0.10B/*0.30A	----			0.10 - 0.30	----	----	----	----	----	2	UNCH												
5025	6.20	6.20		9.60B/*3.30A	9.60B/*3.30A	----			3.40 - 3.40	.0353	----	1	----	----	7	UNCH												
5025	----	----		340.70B/----	340.70B/300.80A	----			338.40 + 41.80	1.0000	----	----	----	----	1	UNCH												
5025	----	----		0.80B/*0.20A	0.80B/*0.20A	----			0.10 - 0.20	----	----	----	----	----	14	UNCH												
5050	----	----		7.80B/*2.80A	7.80B/*2.80A	----			2.90 - 2.70	.0295	----	----	----	----	2	UNCH												
5050	----	----		----/*0.10A	----/*0.10A	----			0.10 - 0.10	----	----	----	----	----	2	UNCH												
5075	----	----		----/0.20A	----/0.20A	----			0.10 UNCH	----	----	2	----	----	4	UNCH												
5075	----	----		6.20B/*2.40A	6.20B/*2.40A	----			2.40 - 2.30	.0241	----	----	----	----	3	UNCH												
5100	425.60	425.60		425.60/*326.70A	425.60/*326.70A	----			415.10 + 40.10	.9792	----	1	----	----	2 +	1												
5100	----	----		----/*0.10A	----/*0.10A	----			0.10 UNCH	----	----	----	----	----	2	UNCH												
5100	----	----		5.00B/*2.10A	5.00B/*2.10A	----			2.10 - 1.80	.0206	----	----	----	----	31	UNCH												
5100	----	----		415.70B/----	415.70B/375.40A	----			413.40 + 42.00	1.0000	----	----	----	----	1	UNCH												
5125	----	----		14.00B/7.60A	14.00B/7.60A	----			8.10 - 4.60	.0651	----	----	----	----	11	UNCH												
5125	----	----		3.90B/*1.80A	3.90B/*1.80A	----			1.80 - 1.50	.0173	----	----	----	----	1	UNCH												
5150	----	----		471.10B/*374.70	471.10B/*374.70A	----			464.60 + 40.70	.9856	----	----	----	----	1	UNCH												
5150	----	----		3.10B/*1.70A	3.10B/*1.70A	----			1.50 - 1.40	.0142	----	----	----	----	2	UNCH												
5200	1.00	1.00		1.00/*1.00	1.90B/*1.00	----			1.20 - 0.90	.0108	----	1	----	----	3 +	1												
5200	----	----		----/*0.20A	----/*0.20A	----			0.10 UNCH	----	----	----	----	----	1	UNCH												
5200	----	----		8.90B/*5.30A	8.90B/*5.30A	----			5.50 - 3.00	.0441	----	----	----	----	5	UNCH												
5225	----	----		----/*1.20A	1.50B/*1.20A	----			1.10 - 0.80	.0097	----	----	----	----	3	UNCH												
5250	----	----		----/*1.10A	1.30B/*1.10A	----			1.00 - 0.70	.0086	----	----	----	----	1	UNCH												
5250	----	----		----/*0.20A	----/*0.20A	----			0.10 UNCH	----	----	----	----	----	1	UNCH												
5300	----	----		----/1.00A	1.00B/1.00A	----			0.80 - 0.50	.0066	----	----	----	----	40	UNCH												
5300	----	----		----/*3.60A	4.60B/*3.60A	----			3.50 - 1.70	.0274	----	----	----	----	6	UNCH												
5400	----	----		----/*0.70A	0.60B/*0.70A	----			0.50 - 0.30	.0038	----	----	----	----	5	UNCH												
5600	----	----		----	1.40B/*1.70A	----</																						

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GOLD WEEKLY TUESDAY OPTION week2																
MAY26																
4575	----	----	----	205.80B/71.70A	205.80B/71.70A	----	----	111.70 - 43.20	----	----	1	----	----	----	0 -	1
4580	----	----	----	#200.80B/*66.80	#200.80B/66.80A	----	----	106.70 - 43.20	----	----	1	----	----	----	0 -	7
4580	1.00	1.00	----	1.10/*0.20	1.10/*0.20	----	----	0.00 - 1.30	----	----	----	4	----	----	0 -	1
4585	0.20	0.20	----	0.20/*0.20	1.10B/*0.20	----	----	0.00 - 1.30	----	----	----	2	----	----	0 -	9
4590	----	----	----	----/*0.20A	1.20B/*0.20A	----	----	0.00 - 1.40	----	----	----	----	----	----	0 -	5
4595	1.40	1.40	----	1.40/*0.20A	1.40/*0.20A	----	----	0.00 - 1.50	----	----	----	12	----	----	0 -	8
4600	----	----	----	193.20B/89.90A	193.20B/89.90A	----	----	113.00 - 37.10	.7361	----	----	1	----	----	36	UNCH
4600	----	----	----	181.30B/47.30A	181.30B/47.30A	----	----	86.70 - 43.60	----	----	13	----	----	----	0 -	13
4600	26.90	26.90	----	40.60B/*15.10A	40.60B/*15.10A	----	----	26.30 + 4.80	.2636	----	----	3	----	----	4 +	3
4600	1.00	1.00	----	1.70B/*0.10A	1.70B/*0.10A	----	----	0.00 - 1.60	----	----	----	24	----	----	0 -	45
4605	----	----	----	----/*0.10A	1.80B/*0.10A	----	----	0.00 - 1.80	----	----	----	----	----	----	0 -	4
4610	1.80	1.80	----	2.10B/*0.20A	2.10B/*0.20A	----	----	0.00 - 2.00	----	----	----	47	----	----	0 -	3
4615	1.10	1.10	----	2.30B/*0.10	2.30B/*0.10	----	----	0.00 - 2.20	----	----	----	16	----	----	0 -	12
4620	1.00	1.00	----	2.60B/*0.10A	2.60B/*0.10A	----	----	0.00 - 2.40	----	----	----	21	----	----	0 -	17
4620	----	----	----	161.20B/*28.90A	161.20B/*28.90A	----	----	66.70 - 44.40	----	----	1	----	----	----	0 -	1
4625	31.10	31.10	----	50.30B/*18.70A	50.30B/*18.70A	----	----	33.50 + 6.40	.3232	----	----	4	----	----	72 +	4
4625	2.00	2.00	----	2.90B/*0.10	2.90B/*0.10	----	----	0.00 - 2.70	----	----	----	23	----	----	0 -	59
4625	123.60	123.60	----	156.10B/*24.60A	156.10B/*24.60A	----	----	61.70 - 44.70	----	----	2	----	2	----	0 -	4
4630	2.30	2.30	----	3.30B/*0.10A	3.30B/*0.10A	----	----	0.00 - 3.00	----	----	----	9	----	----	0 -	9
4635	1.50	1.50	----	5.20/*0.10A	5.20/*0.10A	----	----	0.00 - 3.30	----	----	----	14	----	----	0 -	20
4640	3.60	3.60	----	6.50/*0.10A	6.50/*0.10A	----	----	0.00 - 3.70	----	----	----	43	----	----	0 -	67
4645	3.00	3.00	----	8.10B/*0.10	8.10B/*0.10	----	----	0.00 - 4.20	----	----	----	16	----	----	0 -	15
4645	54.00	54.00	----	136.40B/*11.50A	136.40B/*11.50A	----	----	41.70 - 46.20	----	----	2	----	1	----	0 -	1
4650	----	----	----	150.70B/61.60A	150.70B/61.60A	----	----	79.00 - 33.60	.6104	----	----	----	----	----	11	UNCH
4650	2.20	2.20	----	11.20/*0.10	11.20/*0.10	----	----	0.00 - 4.70	----	----	----	199	----	----	0 -	120
4650	8.50	8.50	----	131.50B/*7.70	131.50B/*7.70	----	----	36.70 - 46.60	----	----	69	----	7	----	0 -	68
4650	43.00	43.00	----	61.80B/*23.20A	61.80B/*23.20A	----	----	42.30 + 8.40	.3893	----	----	7	----	----	7 +	7
4655	7.00	7.00	----	13.80B/*0.20A	13.80B/*0.20A	----	----	0.00 - 5.20	----	----	----	32	----	----	0 -	9
4655	9.20	9.20	----	126.60B/*6.70A	126.60B/*6.70A	----	----	31.70 - 47.20	----	----	2	----	3	----	0 -	1
4660	4.70	4.70	----	17.10B/*0.10	17.10B/*0.10	----	----	0.00 - 5.80	----	----	----	49	----	----	0 -	17
4660	5.70	5.70	----	122.20B/*4.90A	122.20B/*4.90A	----	----	26.70 - 47.80	----	----	4	----	8	----	0 -	9
4665	6.10	6.10	----	21.00B/*0.20A	21.00B/*0.20A	----	----	0.00 - 6.50	----	----	----	18	----	----	0 -	10
4665	23.30	23.30	----	116.90B/*3.40A	116.90B/*3.40A	----	----	21.70	NEW	----	3	----	3	----	0	UNCH
4670	10.10	10.10	----	25.10B/*0.20A	25.10B/*0.20A	----	----	0.00 - 7.30	----	----	----	104	----	----	0 -	25
4670	30.20	30.20	----	112.10B/*2.40A	112.10B/*2.40A	----	----	16.70 - 49.30	----	----	11	----	26	----	0 -	5
4675	63.40	63.40	----	130.90B/49.40A	130.90B/49.40A	----	----	64.50	NEW	.5396	----	1	----	----	1 +	1
4675	32.10	32.10	----	107.30B/*1.40A	107.30B/*1.40A	----	----	11.70 - 50.20	----	----	18	----	23	----	0 -	2
4675	54.20	54.20	----	76.70B/*28.80A	76.70B/*28.80A	----	----	52.90	NEW	.4601	----	1	----	----	1 +	1
4675	5.00	5.00	----	29.50B/*0.20	29.50B/*0.20	----	----	0.00 - 8.20	----	----	----	59	----	----	0 -	8
4680	4.90	4.90	----	34.10B/*0.20A	34.10B/*0.20A	----	----	0.00 - 9.10	----	----	----	86	----	----	0 -	28
4680	20.00	20.00	----	102.50B/*1.00A	102.50B/*1.00A	----	----	6.70 - 51.10	----	----	39	----	25	----	0 -	26
4685	25.00	25.00	----	97.80B/*0.70	97.80B/*0.70	----	----	1.70 - 52.20	----	----	32	----	75	----	0 -	3
4685	3.80	3.80	----	38.90B/*0.20	38.90B/*0.20	----	----	0.00 - 10.20	----	----	----	53	----	----	0 -	23
4690	22.00	22.00	----	93.10B/*0.20A	93.10B/*0.20A	----	----	0.00 - 50.10	----	----	----	49	----	----	0 -	6
4690	8.20	8.20	----	43.70B/*2.00	43.70B/*2.00	----	----	3.30 - 8.10	----	----	26	----	82	----	0 -	10
4695	9.00	9.00	----	48.60B/*4.50A	48.60B/*4.50A	----	----	8.30 - 4.40	----	----	44	----	44	----	0 -	28
4695	12.80	12.80	----	88.90B/*0.20A	88.90B/*0.20A	----	----	0.00 - 46.40	----	----	----	30	----	----	0 -	1
4700	62.50	62.50	----	92.10B/*35.70A	92.10B/*35.70A	----	----	65.30 + 13.10	.5327	----	----	2	----	----	3 +	2
4700	9.40	9.40	----	53.60B/*5.00	53.60B/*5.00	----	----	13.30 - 0.90	----	----	114	----	171	----	0 -	74
4700	62.00	62.00	----	84.30B/*0.10	84.30B/*0.10	----	----	0.00 - 42.90	----	----	----	118	----	----	0 -	62
4700	53.00	53.00	----	112.90B/39.70A	112.90B/39.70A	----	----	52.00 - 28.90	.4670	----	----	7	----	----	87 +	2
4705	4.60	4.60	----	58.50B/*4.60	58.50B/*4.60	----	----	18.30 + 2.50	----	----	17	----	20	----	0 -	6
4705	16.00	16.00	----	79.70B/*0.10	79.70B/*0.10	----	----	0.00 - 39.50	----	----	----	86	----	----	0 -	16
4710	45.00	45.00	----	75.20B/*0.10	75.20B/*0.10	----	----	0.00 - 36.20	----	----	----	164	----	----	0 -	20
4710	10.60	10.60	----	63.50B/*6.20A	63.50B/*6.20A	----	----	23.30 + 5.80	----	----	39	----	50	----	0 -	34
4715	11.00	11.00	----	68.50B/*6.90A	68.50B/*6.90A	----	----	28.30 + 8.80	----	----	84	----	29	----	0 -	87
4715	15.60	15.60	----	70.90B/*0.10A	70.90B/*0.10A	----	----	0.00 - 33.20	----	----	----	66	----	----	0 -	11
4720	7.90	7.90	----	73.50B/*7.60	73.50B/*7.60	----	----	33.30 + 11.80	----	----	26	----	33	----	0 -	23
4720	19.50	19.50	----	66.60B/*0.10A	66.60B/*0.10A	----	----	0.00 - 30.20	----	----	----	49	----	----	0 -	36
4725	----	----	----	96.10B/32.20A	96.10B/32.20A	----	----	41.40 - 26.10	.3957	----	----	----	6	UNCH		
4725	20.70	20.70	----	62.40B/*0.10	62.40B/*0.10	----	----	0.00 - 27.50	----	----	----	40	----	----	0 -	96
4725	15.90	15.90	----	78.50B/*8.40A	78.50B/*8.40A	----	----	38.30 + 14.50	----	----	48	----	32	----	0 -	40
4725	----	----	----	109.10B/*44.60A	109.10B/*44.60A	----	----	79.70 + 15.90	.6041	----	----	2	UNCH			
4730	28.50	28.50	----	58.40B/*0.10	58.40B/*0.10	----	----	0.00 - 24.90	----	----	----	29	----	----	0 -	30
4730	17.20	17.20	----	#83.40B/*9.40A	83.40B/*9.40A	----	----	43.30 + 17.10	----	----	50	----	64	----	0 -	38
4735	28.00	28.00	----	53.90B/*0.10	53.90B/*0.10	----	----	0.00 - 22.50	----	----	----	107	----	----	0 -	18
4735	55.00	55.00</														

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
GOLD WEEKLY THURSDAY OPTION week2																	
MAY26																	
4575	----	----		14.00B/*3.40A	14.00B/*3.40A	----			6.00 - 0.10	.0779	----	----	----	----		104	UNCH
4575	----	----		208.20B/86.20A	208.20B/86.20A	----			117.60 - 42.20	.9220	----	----	----	----		9	UNCH
4580	12.60	12.60		14.90B/*3.60A	14.90B/*3.60A	----			6.40 - 0.10	.0849	----	----	1	----		10 +	1
4585	----	----		16.00B/*3.90A	16.00B/*3.90A	----			7.00 UNCH	.0944	----	----	----	----		1	UNCH
4590	----	----		17.20B/*4.20A	17.20B/*4.20A	----			7.60 + 0.10	.1042	----	----	----	----		4	UNCH
4600	----	----		198.80B/100.90A	198.80B/100.90A	----			122.50 - 35.90	.7026	----	----	----	----		150	UNCH
4600	----	----		50.70B/*21.60A	50.70B/*21.60A	----			35.80 + 6.00	.2971	----	----	----	----		1	UNCH
4600	10.20	10.20		20.00B/*4.80A	20.00B/*4.80A	----			8.90 + 0.40	.1260	----	15	----	----		201 +	14
4600	----	----		184.30B/67.60A	184.30B/67.60A	----			95.60 - 41.60	.8739	----	----	----	----		13	UNCH
4605	7.30	7.30		21.40B/*5.20A	21.40B/*5.20A	----			9.60 + 0.50	.1380	----	20	----	----		26 +	20
4610	9.80	9.80		22.90B/*5.60A	22.90B/*5.60A	----			10.50 NEW	.1524	----	1	----	----		1 +	1
4615	----	----		24.70B/*6.00A	24.70B/*6.00A	----			11.30 + 0.90	.1664	----	----	----	----		2	UNCH
4620	----	----		26.40B/*6.40A	26.40B/*6.40A	----			12.30 + 1.10	.1826	----	----	----	----		6	UNCH
4625	----	----		61.00B/*26.20A	61.00B/*26.20A	----			43.90 + 7.60	.3496	----	----	----	----		1	UNCH
4625	----	----		178.50B/86.40A	178.50B/86.40A	----			105.60 - 34.30	.6501	----	----	----	----		1	UNCH
4625	14.30	14.30		28.30B/*6.80A	28.30B/*6.80A	----			13.30 + 1.40	.1993	----	10	----	----		56 +	5
4625	----	----		161.30B/51.30A	161.30B/51.30A	----			75.00 - 40.60	.8006	----	----	----	----		11	UNCH
4635	19.00	19.00		32.50B/*7.70A	32.50B/*7.70A	----			15.70 NEW	.2375	----	14	----	----		14 +	14
4640	15.30	15.30		34.70B/*8.10A	34.70B/*8.10A	----			17.00 + 2.40	.2581	----	51	----	----		87 +	37
4640	55.90	55.90		#147.20B/*43.00	#147.20B/*43.00A	----			63.70 NEW	.7418	----	1	----	----		1 +	1
4645	53.00	53.00		#142.80B/*40.40	#142.80B/*40.40A	----			60.10 NEW	.7200	----	1	----	----		1 +	1
4645	----	----		37.00B/*8.60A	37.00B/*8.60A	----			18.40 + 2.80	.2799	----	4	----	----		9 +	2
4650	----	----		158.60B/73.30A	158.60B/73.30A	----			90.10 - 32.50	.5936	----	----	----	----		15	UNCH
4650	42.50	42.50		138.50B/37.50A	138.50B/37.50A	----			56.60 - 38.80	.6971	----	4	----	----		14 +	2
4650	20.50	20.50		39.50B/*9.20A	39.50B/*9.20A	----			19.90 + 3.20	.3027	----	6	----	----		70 +	4
4655	----	----		42.10B/*9.80A	42.10B/*9.80A	----			21.60 NEW	.3271	----	2	----	----		2 +	2
4660	----	----		#129.40B/*32.80	#129.40B/*32.80A	----			50.00 - 37.70	.6479	----	----	----	----		6	UNCH
4665	----	----		48.40B/*11.10A	48.40B/*11.10A	----			25.20 NEW	.3779	----	2	----	----		2 +	2
4670	----	----		51.30B/*11.80A	51.30B/*11.80A	----			27.20 NEW	.4046	----	4	----	----		0	UNCH
4670	34.30	34.30		#121.30B/*28.60	#121.30B/*28.60A	----			43.90 NEW	.5953	----	1	----	----		1 +	1
4675	----	----		88.20B/*38.50A	88.20B/*38.50A	----			64.50 + 11.60	.4648	----	----	----	----		1	UNCH
4675	----	----		90.50B/*49.50A	90.50B/*49.50A	----			71.20 + 11.00	.4081	----	----	----	----		1	UNCH
4675	----	----		116.90B/27.00A	116.90B/27.00A	----			41.00 - 35.90	.5681	----	70	----	----		151 -	41
4675	13.40	13.40		54.40B/*12.60A	54.40B/*12.60A	----			29.30 + 6.10	.4318	----	37	----	----		80 +	6
4680	----	----		57.40B/*13.40A	57.40B/*13.40A	----			31.50 + 6.80	.4594	----	17	----	----		14 +	13
4680	53.40	53.40		#112.70B/*25.00	#112.70B/*25.00A	----			38.20 NEW	.5405	----	28	----	----		21 +	21
4685	35.50	35.50		60.80B/*14.30A	60.80B/*14.30A	----			33.80 NEW	.4873	----	2	----	----		2 +	2
4690	28.60	28.60		#104.20B/*21.70	#104.20B/*21.70A	----			33.00 NEW	.4844	----	100	----	----		11 +	11
4695	----	----		67.50B/*16.20A	67.50B/*16.20A	----			38.90 + 9.10	.5436	----	----	----	----		1	UNCH
4700	47.00	47.00		103.10B/*45.80A	103.10B/*45.80A	----			77.10 + 13.80	.5245	----	1	----	----		4 -	1
4700	----	----		122.70B/51.00A	122.70B/51.00A	----			63.80 - 28.20	.4752	----	----	----	----		3	UNCH
4700	38.80	38.80		96.50B/18.30A	96.50B/18.30A	----			28.40 - 32.00	.4285	----	9	----	----		72 +	2
4700	41.00	41.00		71.00B/*17.20A	71.00B/*17.20A	----			41.70 + 10.00	.5714	----	14	54	----		136 +	1
4705	29.90	29.90		#92.70B/*17.30A	#92.70B/*17.30A	----			26.20 - 31.20	.4008	----	21	----	----		45 +	21
4710	----	----		78.40B/*19.50A	78.40B/*19.50A	----			47.50 NEW	.6260	----	1	----	----		1 +	1
4710	----	----		#88.30B/*16.00A	#88.30B/*16.00A	----			24.20 NEW	.3739	----	7	----	----		7 +	7
4720	----	----		86.10B/*22.10A	86.10B/*22.10A	----			53.80 + 13.60	.6780	----	----	----	----		5	UNCH
4725	57.50	57.50		119.70B/*55.20A	119.70B/*55.20A	----			91.30 NEW	.5831	----	3	----	----		2 +	2
4725	----	----		106.50B/43.00A	106.50B/43.00A	----			53.10 NEW	.4166	----	----	150	----		150 +	150
4725	16.20	16.20		77.80B/*12.40A	77.80B/*12.40A	----			18.80 - 27.50	.2970	----	7	----	----		5 +	3
4725	----	----		90.10B/*23.50A	90.10B/*23.50A	----			57.10 + 14.50	.7028	----	----	----	----		67	UNCH
4730	14.60	14.60		#74.10B/*11.40A	#74.10B/*11.40A	----			17.20 - 26.50	.2731	----	6	----	----		12 +	6
4735	14.40	14.40		#70.60B/*10.50A	#70.60B/*10.50A	----			15.80 NEW	.2508	----	11	----	----		11 +	11
4735	----	----		98.30B/*26.50A	98.30B/*26.50A	----			64.10 + 16.50	.7491	----	----	----	----		30	UNCH
4740	30.00	30.00		102.50B/*28.20A	102.50B/*28.20A	----			67.70 NEW	.7709	----	13	----	----		6 +	6
4740	33.40	33.40		#67.30B/*9.70A	#67.30B/*9.70A	----			14.40 NEW	.2289	----	17	----	----		9 +	9
4745	17.90	17.90		#64.70B/*8.90A	#64.70B/*8.90A	----			13.20 - 23.50	.2091	----	1	----	----		5 +	1
4745	----	----		106.80B/*29.90A	106.80B/*29.90A	----			71.50 + 18.50	.7908	----	1	----	----		59 -	1
4750	----	----		137.30B/*66.00A	137.30B/*66.00A	----			107.00 NEW	.6393	----	1	----	----		1 +	1
4750	----	----		91.50B/35.40A	91.50B/35.40A	----			43.80 - 23.20	.3604	----	1	----	----		1 -	1
4750	----	----		133.50B/*74.00A	133.50B/*74.00A	----			108.10 + 16.50	.5394	----	----	----	----		1	UNCH
4750	83.00	83.00		111.10B/*31.70A	111.10B/*31.70A	----			75.30 + 19.40	.8102	----	1	----	----		40 +	1
4750	21.40	21.40		61.50B/*8.20A	61.50B/*8.20A	----			12.00 - 22.60	.1897	----	46	----	----		153 +	31
4750	85.00	85.00		128.80B/67.00	128.80B/67.00	----			80.10 - 25.90	.4601	----	161	----	----		151 +	51
4765	----	----		#52.50B/*6.40A	52.50B/*6.40A	----			9.00 NEW	.1395	----	9	----	----		9 +	9
4770	19.40	19.40</															

PG64	BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026				PG64			
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST												
GWR THU	GOLD WEEKLY THURSDAY OPTION week3																											
MAY26																												
5300	----	----	----	----/*1.30A	1.50B/*1.30A	----	----	1.20	- 0.60	.0098	----	----	----	----	----	3	UNCH											
5300	----	----	----	----/*4.10A	5.40B/*4.10A	----	----	4.30	NEW	.0324	----	----	----	1	----	1	+											
5400	----	----	----	----/*1.00A	0.90B/*1.00A	----	----	0.90	- 0.30	.0067	----	----	----	----	----	40	UNCH											
5500	----	----	----	----	----/0.30A	----	----	0.10	UNCH	----	----	----	----	----	----	1	UNCH											
5750	----	----	----	----	1.10B/*1.40A	----	----	1.20	- 0.10	.0076	----	----	----	----	----	1	UNCH											
TOTAL														1189	204	4120	+											
JUN26																												
4625	----	----	----	#225.90B/*146.2	#225.90B/*146.20A	----	----	166.50	- 32.50	.6489	----	----	----	----	----	9	UNCH											
4900	----	----	----	#81.00B/*43.20A	#81.00B/*43.20A	----	----	48.80	- 16.30	.2771	----	----	----	----	----	3	UNCH											
TOTAL																12	UNCH											
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST												
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3																											
MAY26																												
4000	0.30	0.30		0.30/*0.30	0.30/*0.30	----	----	0.50	- 0.30	.0029	----	----	----	1	----	10	-	1										
4100	----	----	----	----/*0.70A	0.50B/*0.70A	----	----	0.70	- 0.20	.0046	----	----	----	----	----	4	UNCH											
4175	----	----	----	----/*0.90A	0.80B/*0.90A	----	----	0.80	- 0.30	.0059	----	----	----	----	----	2	UNCH											
4200	----	----	----	----/*0.90A	1.00B/*0.90A	----	----	0.90	- 0.30	.0069	----	----	----	----	----	8	UNCH											
4250	----	----	----	----/*1.10A	1.30B/*1.10A	----	----	1.10	- 0.20	.0092	----	----	----	----	----	5	UNCH											
4290	----	----	----	----	#1.80B/*1.30A	----	----	1.30	NEW	.0116	----	----	----	2	----	2	+	2										
4300	1.70	1.70		2.00B/*1.40A	2.00B/*1.40A	----	----	1.40	- 0.20	.0127	----	----	4	----	76	UNCH												
4325	----	----	----	2.40B/*1.50A	2.40B/*1.50A	----	----	1.60	- 0.20	.0152	----	----	----	----	5	UNCH												
4350	----	----	----	2.90B/*1.70A	2.90B/*1.70A	----	----	1.90	- 0.10	.0187	----	----	----	----	22	UNCH												
4355	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4375	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4375	----	----	----	3.60B/*1.90A	3.60B/*1.90A	----	----	2.30	- 0.10	.0234	----	----	----	----	4	UNCH												
4400	2.50	2.50		4.60B/*2.20A	4.60B/*2.20A	----	----	2.80	- 0.10	.0295	----	----	2	----	28	+	1											
4400	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4410	----	----	----	----	----	----	----	318.70	UNCH	----	----	----	----	----	0	UNCH												
4425	5.40	5.40		5.70B/*2.60A	5.70B/*2.60A	----	----	3.40	- 0.10	.0371	----	----	1	----	7	+	1											
4425	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4450	6.40	6.40		7.30B/*3.20A	7.30B/*3.20A	----	----	4.30	UNCH	.0482	----	----	5	----	16	+	4											
4450	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4460	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4475	8.20	8.20		9.40B/*4.00A	9.40B/*4.00A	----	----	5.50	+	0.20	.0629	----	2	----	6	+	2											
4480	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4490	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4495	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4500	----	----	----	----	----	----	----	228.70	UNCH	----	----	----	----	----	0	UNCH												
4500	4.80	4.80		12.30B/*4.80	12.30B/*4.80	----	----	7.10	+	0.40	.0825	----	42	----	59	+	29											
4500	192.00	192.00		284.20B/159.60A	284.20B/159.60A	----	----	193.70	NEW	.9173	----	----	1	----	1	+	1											
4500	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4510	6.30	6.30		#6.30/*5.50A	#13.50B/*5.50A	----	----	7.90	NEW	.0921	----	----	6	----	6	+	6											
4515	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4520	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4520	----	----	----	----	----	----	----	208.70	UNCH	----	----	----	----	----	0	UNCH												
4525	9.40	9.40		16.00B/*6.30A	16.00B/*6.30A	----	----	9.20	+	0.70	.1080	----	1	----	4	UNCH												
4535	----	----	----	----	----	----	----	193.70	UNCH	----	----	----	----	----	0	UNCH												
4535	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4540	15.60	15.60		#15.60/*15.60	#18.70B/*7.30A	----	----	10.90	NEW	.1277	----	----	3	----	3	+	3											
4540	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4545	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4550	10.50	10.50		21.10B/*7.50A	21.10B/*7.50A	----	----	12.10	+	1.30	.1419	----	16	----	41	+	11											
4550	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4550	----	----	----	----	----	----	----	178.70	UNCH	----	----	----	----	----	0	UNCH												
4555	----	----	----	----	#21.90B/*8.00A	----	----	12.80	NEW	.1498	----	----	1	----	1	+	1											
4560	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4565	----	----	----	----	----	----	----	163.70	UNCH	----	----	----	----	----	0	UNCH												
4570	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4570	----	----	----	----	----	----	----	158.70	UNCH	----	----	----	----	----	0	UNCH												
4575	26.00	26.00		27.40B/*9.60A	27.40B/*9.60A	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH												
4575	----	----	----	----	----	----	----	16.00	+	2.20	.1853	----	5	----	16	+	5											
4575	----	----	----	----	----	----	----	153.70	UNCH	----	----	----	----	----	0	UNCH												
4580	----	----	----	----	#28.60B/*10.3																							

64	BULLETIN # 90@			METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON	GOLD WEEKLY MONDAY OPTION WEEK3															
MAY26																
4725	----	----	----	103.60B/*38.70A	103.60B/*38.70A	----	----	----	73.60 + 15.70	.6189	----	----	1	----	6 + 1	
4725	----	----	----	----	----	----	----	----	3.70 UNCH	----	----	----	----	----	0 UNCH	
4725	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4730	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4730	----	----	----	----	----	----	----	----	1.30 UNCH	----	----	----	----	----	0 UNCH	
4735	48.90	48.90		#48.90/*47.80	#84.30B/*23.60A	----	----	----	31.70 NEW	.3501	----	2	----	2 + 2		
4735	----	----	----	----	----	----	----	----	6.30 UNCH	----	----	----	----	----	0 UNCH	
4735	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4740	----	----	----	----	----	----	----	----	11.30 UNCH	----	----	----	----	----	0 UNCH	
4740	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4745	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4745	----	----	----	----	----	----	----	----	16.30 UNCH	----	----	----	----	----	0 UNCH	
4750	77.40	77.40		77.40/20.10A	77.40/20.10A	----	----	----	26.80 - 23.00	.3061	----	20	----	50 + 3		
4750	88.30	88.30		122.60B/*48.90A	122.60B/*48.90A	----	----	----	90.10 + 19.00	.6937	----	2	----	4		
4750	----	----	----	----	----	----	----	----	21.30 UNCH	----	----	----	----	----	0 UNCH	
4750	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4755	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4755	----	----	----	----	----	----	----	----	26.30 UNCH	----	----	----	----	----	0 UNCH	
4760	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4760	----	----	----	----	----	----	----	----	31.30 UNCH	----	----	----	----	----	0 UNCH	
4765	----	----	----	----	----	----	----	----	36.30 UNCH	----	----	----	----	----	0 UNCH	
4765	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4770	16.00	16.00		#20.00/*16.00	#63.90B/*16.00	----	----	----	21.40 NEW	.2530	----	4	----	4 + 4		
4770	----	----	----	----	----	----	----	----	41.30 UNCH	----	----	----	----	----	0 UNCH	
4770	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4775	----	----	----	142.90B/*60.20A	142.90B/*60.20A	----	----	----	108.40 + 22.30	.7591	----	----	----	1		
4775	----	----	----	----	----	----	----	----	46.30 UNCH	----	----	----	----	----	0 UNCH	
4775	25.90	25.90		61.30B/15.30A	61.30B/15.30A	----	----	----	20.20 - 19.60	.2407	----	4	----	13 + 3		
4775	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4780	17.30	17.30		#17.30/*17.30	#58.80B/*14.50A	----	----	----	19.00 NEW	.2284	----	41	----	3 + 3		
4780	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4780	----	----	----	----	----	----	----	----	51.30 UNCH	----	----	----	----	----	0 UNCH	
4785	----	----	----	----	#56.40B/*13.60A	----	----	----	18.00 NEW	.2174	----	41	----	3 + 3		
4785	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4790	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4795	----	----	----	----	#51.50B/*12.10A	----	----	----	16.00 NEW	.1956	----	1	----	1 + 1		
4795	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4800	13.60	13.60		49.30B/*11.50A	49.30B/*11.50A	----	----	----	15.00 - 16.50	.1849	----	12	----	37 + 11		
4800	----	----	----	----	----	----	----	----	71.30 UNCH	----	----	----	----	----	0 UNCH	
4800	----	----	----	164.30B/*73.20A	164.30B/*73.20A	----	----	----	128.30 + 25.50	.8149	----	1	----	2 + 1		
4800	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4805	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4810	10.20	10.20		#10.20/*10.20	#45.00B/*10.20	----	----	----	13.30 NEW	.1656	----	3	----	3 + 3		
4810	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4815	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4820	----	----	----	----	----	----	----	----	91.30 UNCH	----	----	----	----	----	0 UNCH	
4820	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4825	----	----	----	39.30B/*8.70A	39.30B/*8.70A	----	----	----	11.20 - 13.60	.1406	----	1	----	20 - 1		
4825	----	----	----	186.50B/*87.90A	186.50B/*87.90A	----	----	----	149.40 + 28.40	.8592	----	----	----	1		
4825	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4830	----	----	----	----	#191.10B/*91.10A	----	----	----	153.70 NEW	.8673	----	2	----	2 + 2		
4835	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4835	----	----	----	----	----	----	----	----	106.30 UNCH	----	----	----	----	----	0 UNCH	
4840	----	----	----	----	#200.20B/*97.50A	----	----	----	162.50 NEW	.8819	----	1	----	1 + 1		
4840	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4845	----	----	----	----	----	----	----	----	116.30 UNCH	----	----	----	----	----	0 UNCH	
4850	----	----	----	209.50B/*104.30	209.50B/*104.30A	----	----	----	171.50 + 30.90	.8944	----	----	----	1		
4850	7.70	7.70		31.00B/*6.60A	31.00B/*6.60A	----	----	----	8.30 - 11.00	.1054	----	8	----	27		
4850	----	----	----	----	----	----	----	----	121.30 UNCH	----	----	----	----	----	0 UNCH	
4850	----	----	----	29.90B/*6.20A	29.90B/*6.20A	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4855	147.40	147.40		214.10B/*107.50	214.10B/*107.50A	----	----	----	7.80 - 10.60	.0992	----	9	----	10 + 4		
4855	----	----	----	----	----	----	----	----	176.00 NEW	.9006	----	1	----	1 + 1		
4860	----	----	----	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH	
4870	----	----	----	----	----	----	----	----	141.30 UNCH	----	----	----	----	----	0 UNCH	
4875	10.50	10.50		24.40B/*5.00A	24.40B/*5.00A	----	----	----	6.10 - 8.90	.0778	----	3	----	12		
4875	----	----	----	232.90B/*122.10	232.90B/*122.10A	----	----	----	194.40 + 33.20	.9220	----	----	----	1		
4900	6.70	6.70		18.70B/*3.90A	18.70B/*3.90A	----	----	----	4.60 - 7.00	.0582	----	11	----	24 + 10		
4900	----	----	----	256.80B/*140.80	256.80B/*140.80A	----	----	----	217.80 + 35.00	.9416	----	----	----	1		
4900	----	----	----	----	----	----	----	----	171.30 UNCH	----	----	----	----	----	0 UNCH	
4925	3.40	3.40		14.30B/*3.00A	14.30B/*3.00A	----	----	----	3.50 - 5.50	.0436	----	11	----	16 + 11		
4950	6.30	6.30		10.80B/*2.10	10.80B/*2.10	----	----	----	2.60 - 4.40	.0320	----	8	----	15 + 1		
4975	10.50	10.50		10.50/*1.90A	10.50/*1.90A	----	----	----	2.00 - 3.40	.0240	----	1	----	1 - 1		
4995	----	----	----	----	----	----	----	----	266.30 UNCH	----	----	----	----	----	0 UNCH	
5000	4.80	4.80		6.20B/*1.60A	6.20B/*1.60A	----	----	----	1.60 - 2.70	.0186	----	5	----	27 + 2		
5020	----	----	----	----	----	----	----	----	291.30 UNCH	----	----	----	----	----	0 UNCH	
5025	----	----	----	4.80B/*1.30A	4.80B/*1.30A	----	----	----	1.30 - 2.10	.0147	----	----	----	3		
5025	----	----	----	338.70B/251.20A	338.70B/251.20A	----	----	----	339.50 NEW	.9852	----	1	----	1 + 1		
5025	----	----	----	----	----	----	----	----	296.30 UNCH	----	----	----	----	----	0 UNCH	
5050	----	----	----	3.50B/*1.10A	3.50B/*1.10A	----	----	----	1.10 - 1.60	.0119	----	----	----	9		
5070	----	----	----	#2.50B/*1.00A	#2.50B/*1.00A	----	----	----	0.							



BULLETIN # 90@				METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64		
GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON GOLD WEEKLY MONDAY OPTION WEEK1																
JUN26																
4675	----	----	180.70B/109.00A	180.70B/109.00A	----	----	126.20	- 30.90	.5851	----	----	----	----	----	2	UNCH
4675	140.00	140.00	201.00B/*133.40	201.00B/133.40A	----	----	144.50	- 28.40	.5751	----	----	----	3	----	3 +	2
4700	----	----	184.60B/*119.90	184.60B/119.90A	----	----	131.10	- 26.90	.5416	----	----	----	----	----	1	UNCH
4700	----	----	#128.00B/*81.40	128.00B/*81.40A	----	----	109.20	+ 15.40	.4576	----	----	----	----	----	1	UNCH
4700	102.50	102.50	163.90B/97.00A	163.90B/97.00A	----	----	112.60	- 29.20	.5453	----	----	----	3	----	18 +	3
4700	101.30	101.30	111.50B/*64.70A	111.50B/*64.70A	----	----	90.70	+ 13.20	.4541	----	----	----	3	----	6 +	3
4725	----	----	----	#147.40B/*126.30A	----	----	134.20	NEW	.5100	----	----	----	1	----	1 +	1
4725	----	----	147.90B/86.10A	147.90B/86.10A	----	----	100.20	- 27.30	.5052	----	----	----	----	----	3	UNCH
4725	----	----	124.70B/*73.40A	124.70B/*73.40A	----	----	103.20	+ 15.10	.4942	----	----	----	----	----	1	UNCH
4725	----	----	#141.80B/*91.20	141.80B/*91.20A	----	----	121.60	+ 16.70	.4913	----	----	----	----	----	1	UNCH
4750	----	----	----	#134.80B/*115.60A	----	----	122.60	NEW	.4804	----	----	----	1	----	1 +	1
4750	----	----	154.50B/*99.00A	154.50B/99.00A	----	----	106.90	- 24.30	.4743	----	----	----	----	----	2	UNCH
4750	----	----	#155.50B/*101.0	155.50B/*101.00A	----	----	135.00	+ 18.20	.5249	----	----	----	----	----	1	UNCH
4750	----	----	139.90B/*83.40A	139.90B/*83.40A	----	----	116.80	+ 17.00	.5339	----	----	----	----	----	2	UNCH
4750	----	----	132.70B/76.20A	132.70B/76.20A	----	----	88.80	- 25.40	.4655	----	----	----	----	----	1	UNCH
4775	----	----	119.10B/67.40A	119.10B/67.40A	----	----	78.40	- 23.60	.4265	----	----	----	----	----	1	UNCH
4800	----	----	106.30B/59.40A	106.30B/59.40A	----	----	69.10	- 21.80	.3888	----	----	----	----	----	15	UNCH
4800	----	----	172.80B/*103.90	172.80B/*103.90A	----	----	147.00	+ 20.60	.6106	----	----	----	----	----	1	UNCH
4800	----	----	127.80B/*80.40A	127.80B/*80.40A	----	----	86.50	- 21.60	.4089	----	----	----	----	----	100	UNCH
4825	----	----	98.40B/52.30A	98.40B/52.30A	----	----	60.70	- 20.10	.3527	----	----	----	----	----	1	UNCH
4850	----	----	87.90B/45.90A	87.90B/45.90A	----	----	53.20	- 18.40	.3184	----	----	----	----	----	1	UNCH
4875	----	----	78.60B/40.40A	78.60B/40.40A	----	----	46.50	- 16.90	.2862	----	----	----	----	----	103	UNCH
4900	80.00	80.00	#80.00/*80.00	#80.00/*67.10A	----	----	69.30	NEW	.3168	----	----	----	3	----	3 +	3
4900	68.00	68.00	69.10B/35.40A	69.10B/35.40A	----	----	40.70	- 15.40	.2566	----	----	----	9	----	40 +	6
4900	----	----	246.50B/*164.60	246.50B/*164.60A	----	----	218.50	+ 27.10	.7428	----	----	----	----	----	1	UNCH
4900	----	----	85.70B/51.70A	85.70B/51.70A	----	----	55.60	- 16.50	.2920	----	----	----	----	----	3	UNCH
4925	----	----	60.80B/31.10A	60.80B/31.10A	----	----	35.50	- 14.00	.2291	----	----	----	----	----	2	UNCH
4950	----	----	53.10B/													

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

PG64	BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK2													
MAY26														
7700	----	----	----	----	----	8.948	UNCH	----	----	----	----	0	UNCH	
7710	----	----	----	----	----	8.848	UNCH	----	----	----	----	0	UNCH	
7750	----	----	----	#8.439B/8.967A	----	8.301 -	0.441 .9383	----	----	----	----	1	UNCH	
7790	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7800	----	----	----	----	----	7.948	UNCH	----	----	----	----	0	UNCH	
7850	----	----	----	----	----	7.448	UNCH	----	----	----	----	0	UNCH	
7850	----	----	-----/ *0.324A	0.376B/ *0.324A	----	0.309 -	0.101 .0877	----	----	----	----	1	UNCH	
7900	----	----	----	-----/30.486A	----	6.956 -	0.465 .8963	----	----	1	----	1 +	1	
7900	----	----	----	----	----	6.948	UNCH	----	----	----	----	0	UNCH	
7900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7950	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
7980	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8000	----	----	----	----	----	5.948	UNCH	----	----	----	----	0	UNCH	
8000	0.615	0.615	0.671B/ *0.450A	0.671B/ *0.450A	----	0.000	UNCH	----	----	----	----	0	UNCH	
8000						0.518	NEW .1416	----	----	1	----	1 +	1	
8050	----	----	----	----	----	5.448	UNCH	----	----	----	----	0	UNCH	
8050	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8070	----	----	----	----	----	5.248	UNCH	----	----	----	----	0	UNCH	
8100	----	----	----	----	----	4.948	UNCH	----	----	----	----	0	UNCH	
8100	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8110	----	----	----	----	----	4.848	UNCH	----	----	----	----	0	UNCH	
8130	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8150	----	----	----	----	----	4.448	UNCH	----	----	----	----	0	UNCH	
8190	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8200	----	----	----	----	----	3.948	UNCH	----	----	----	----	0	UNCH	
8200	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8220	----	----	----	----	----	3.748	UNCH	----	----	----	----	0	UNCH	
8250	----	----	----	----	----	3.448	UNCH	----	----	----	----	0	UNCH	
8300	----	----	-----/3.202A	3.544B/3.202A	----	3.847 -	0.540 .6956	----	----	----	----	1	UNCH	
8300	----	----	----	----	----	2.948	UNCH	----	----	----	----	0	UNCH	
8300	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8350	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8350	----	----	----	----	----	2.448	UNCH	----	----	----	----	0	UNCH	
8350	----	----	-----/2.720A	3.202B/2.720A	----	3.522 -	0.547 .6622	----	----	----	----	5	UNCH	
8360	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8400	----	----	----	----	----	1.948	UNCH	----	----	----	----	0	UNCH	
8400	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8460	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8500	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8500	----	----	----	----	----	0.948	UNCH	----	----	----	----	0	UNCH	
8500	----	----	-----/2.029A	2.962B/2.029A	----	2.653 -	0.556 .5558	----	----	----	----	3	UNCH	
8510	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8520	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8540	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8550	----	----	----	----	----	0.448	UNCH	----	----	----	----	0	UNCH	
8550	----	----	3.100B/ *1.815A	3.100B/ *1.815A	----	2.309 -	0.198 .4806	----	----	----	----	8	UNCH	
8580	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8590	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8600	----	----	----	----	----	0.052	UNCH	----	----	----	----	0	UNCH	
8600	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8620	----	----	----	----	----	0.252	UNCH	----	----	----	----	0	UNCH	
8630	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8640	----	----	----	----	----	0.452	UNCH	----	----	----	----	0	UNCH	
8650	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8700	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8800	----	----	4.102B/ *3.051A	4.102B/ *3.051A	----	3.808 -	0.166 .6544	----	----	----	----	1	UNCH	
8800	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8820	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8900	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
8950	----	----	#1.983B/0.880A	#1.983B/0.880A	----	0.995 -	0.486 .2584	----	----	----	----	2	UNCH	
9000	1.461	1.461	#1.839B/0.787A	#1.839B/0.787A	----	0.887 -	0.472 .2333	----	----	12	----	28 +	12	
9000	----	----	----	----	----	0.000	UNCH	----	----	----	----	0	UNCH	
10000	----	----	-----/ *0.188A	0.240B/0.188A	----	0.115 -	0.216 .0286	----	----	----	----	10	UNCH	
10250	0.220	0.220	#0.220/ *0.162A	0.220/0.162A	----	0.067	NEW .0161	----	----	1	----	1 +	1	
TOTAL										15	0	66 +	15	
JUN26														
6000	----	----	----	----	----	25.629 -	0.365 .9889	----	----	----	----	1	UNCH	
6500	----	----	----	0.037B/0.215A	----	0.125 -	0.015 .0226	----	----	----	----	5	UNCH	
7050	----	----	----	0.229B/ *0.412A	----	0.326 -	0.023 .0587	----	----	----	----	1	UNCH	
7450	----	----	-----/ *0.764A	0.667B/ *0.764A	----	0.736 -	0.037 .1215	----	----	----	----	0	UNCH	
7500	----	----	-----/ *0.803A	0.776B/ *0.803A	----	0.809 -	0.039 .1319	----	----	----	----	2	UNCH	
7950	----	----	1.979B/ *1.715A	1.979B/ *1.715A	----	1.779 -	0.057 .2533	----	----	----	----	1	UNCH	
8000	----	----	2.196B/ *1.808A	2.196B/ *1.808A	----	1.927 -	0.061 .2697	----	----	----	----	1	UNCH	
8200	----	----	3.074B/ *2.457A	3.074B/ *2.457A	----	2.620 -	0.073 .3399	----	----	----	----	1	UNCH	
8500	6.000	6.000	#6.100/ *5.950	#6.100/ *5.950	----	6.128	NEW .5498	----	13	----	----	13 +	13	
8600	----	----	4.708B/3.595A	4.708B/3.595A	----	4.108 -	0.461 .5090	----	----	----	----	1	UNCH	
9500	----	----	#2.470B/1.530A	#2.470B/1.530A	----	1.579 -	0.520 .2372	----	----	----	----	1	UNCH	
10250	----	----	-----/0.841A	#1.200B/0.841A	----	0.777 -	0.458 .1226	----	----	----	----	1	UNCH	
TOTAL										13	0	28 +	13	
SO CALL	COMEX SILVER OPTIONS													
JUN26														
4275	----	----	----	----	----	42.841 -	0.357 .9988	----	----	----	----	0	UNCH	
4300	----	----	44.230B/41.009A	44.230B/41.009A	----	42.591 -	0.357 .9988	----	----	----	----	20	UNCH	
4325	----	----	----	----	----	42.341 -	0.357 .9988	----	----	----	----	0	UNCH	
4850	----	----	38.730B/35.516A	38.730B/35.516A	----	37.092 -	0.358 .9979	----	----	----	----	7	UNCH	
4900	----	----	38.230B/35.013A	38.230B/35.013A	----	36.592 -	0.359 .9978	----	----	----	----	9	UNCH	
5000	----	----	37.282B/33.910A	37.282B/33.910A	----	35.593 -	0.359 .9975	----	----	----	----	362	UNCH	
5025	----	----	36.980B/33.772A	36.980B/33.772A	----	35.343 -	0.359 .9975	----	----	----	----	6	UNCH	
5050	----	----	36.636B/33.527A	36.636B/33.527A	----	35.093 -	0.359 .9975	----	----	----	----	1	UNCH	
5200	----	----	35.289B/31.910A	35.289B/31.910A	----	33.594 -	0.361 .9971	----	----	----	----	79	UNCH	
5225	----	----	34.887B/31.780A	34.887B/31.780A	----	33.345 -	0.360 .9969	----	----	----	----	4	UNCH	
5275	----	----	34.471B/31.273A	34.471B/31.273A	----	32.846 -	0.360 .9968	----	----	----	----	7	UNCH	
5300	----	----	344											

	BULLETIN # 90@		METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS												
JUN26													
7050	----	----	16.838B/13.718A	16.838B/13.718A	----	15.252 -	0.392	.9630	----	----	----	2	
7075	----	----	#16.531B/13.480	#16.531B/13.480A	----	15.010 -	0.394	.9612	----	----	----	4	
7100	----	----	16.433B/13.141A	16.433B/13.141A	----	14.769 -	0.395	.9593	----	----	----	93	
7150	----	----	#15.801B/12.773	#15.801B/12.773A	----	14.289 -	0.399	.9550	----	----	----	1	
7200	12.130	12.130	#15.317B/12.129	#15.317B/12.129A	----	13.812 -	0.402	.9503	----	1	----	5	
7225	----	----	15.076B/12.072A	15.076B/12.072A	----	13.574 -	0.404	.9478	----	----	----	4	
7250	----	----	14.941B/11.779A	14.941B/11.779A	----	13.337 -	0.406	.9451	----	----	----	31	
7275	----	----	14.602B/11.612A	14.602B/11.612A	----	13.101 -	0.408	.9422	----	----	----	2	
7300	----	----	14.423B/11.372A	14.423B/11.372A	----	12.866 -	0.410	.9393	----	1	----	17	
7325	----	----	14.114B/11.157A	14.114B/11.157A	----	12.632 -	0.412	.9361	----	----	----	1	
7350	----	----	13.946B/10.923A	13.946B/10.923A	----	12.398 -	0.415	.9328	----	----	----	23	
7375	----	----	13.709B/10.706A	13.709B/10.706A	----	12.167 -	0.416	.9292	----	----	----	6	
7400	----	----	13.512B/10.433A	13.512B/10.433A	----	11.935 -	0.419	.9254	----	1	----	47	
7425	----	----	13.277B/10.211A	13.277B/10.211A	----	11.704 -	0.423	.9216	----	----	----	31	
7450	----	----	13.003B/10.038A	13.003B/10.038A	----	11.475 -	0.426	.9175	----	----	----	15	
7475	----	----	12.901B/9.825A	12.901B/9.825A	----	11.248 -	0.428	.9132	----	----	----	3	
7500	----	----	12.617B/9.507A	12.617B/9.507A	----	11.021 -	0.432	.9088	----	9	----	249	
7525	----	----	12.309B/9.391A	12.309B/9.391A	----	10.796 -	0.435	.9040	----	----	----	12	
7550	----	----	12.116B/9.115A	12.116B/9.115A	----	10.573 -	0.438	.8991	----	----	----	31	
7575	----	----	11.789B/8.974A	11.789B/8.974A	----	10.350 -	0.443	.8940	----	----	----	4	
7600	----	----	11.700B/8.655A	11.700B/8.655A	----	10.130 -	0.446	.8885	----	----	----	82	
7625	----	----	11.350B/8.559A	11.350B/8.559A	----	9.911 -	0.451	.8830	----	----	----	4	
7650	----	----	11.169B/8.347A	11.169B/8.347A	----	9.694 -	0.455	.8771	----	----	----	6	
7675	----	----	10.946B/8.152A	10.946B/8.152A	----	9.478 -	0.460	.8709	----	----	----	9	
7700	10.050	10.050	10.960/7.848A	10.960/7.848A	----	9.265 -	0.464	.8645	----	10	----	103	
7725	----	----	10.499B/7.757A	10.499B/7.757A	----	9.054 -	0.469	.8578	----	----	----	9	
7750	----	----	10.353B/7.458A	10.353B/7.458A	----	8.845 -	0.473	.8509	----	----	----	80	
7775	----	----	10.024B/7.372A	10.024B/7.372A	----	8.637 -	0.479	.8438	----	----	----	4	
7800	----	----	9.921B/7.072A	9.921B/7.072A	----	8.432 -	0.484	.8364	----	----	----	183	
7825	----	----	9.638B/6.997A	9.638B/6.997A	----	8.230 -	0.489	.8287	----	----	----	10	
7850	----	----	9.384B/6.814A	9.384B/6.814A	----	8.029 -	0.495	.8207	----	----	----	3	
7875	----	----	9.176B/6.634A	9.176B/6.634A	----	7.831 -	0.500	.8125	----	----	----	2	
7900	----	----	9.092B/6.353A	9.092B/6.353A	----	7.635 -	0.506	.8041	----	5	----	88	
7925	----	----	8.806B/6.284A	8.806B/6.284A	----	7.442 -	0.512	.7954	----	----	----	12	
7950	----	----	8.586B/6.113A	8.586B/6.113A	----	7.252 -	0.517	.7865	----	10	----	14	
7975	----	----	8.387B/5.935A	8.387B/5.935A	----	7.064 -	0.523	.7773	----	----	----	16	
8000	6.815	6.815	8.285B/5.663A	8.285B/5.663A	----	6.880 -	0.527	.7678	----	29	----	642	
8025	----	----	8.030B/5.618A	8.030B/5.618A	----	6.697 -	0.534	.7583	----	----	----	24	
8050	----	----	7.859B/5.413A	7.859B/5.413A	----	6.518 -	0.539	.7484	----	10	----	25	
8075	----	----	7.611B/5.309A	7.611B/5.309A	----	6.342 -	0.544	.7384	----	----	----	3	
8100	6.337	6.337	7.503B/5.041A	7.503B/5.041A	----	6.169 -	0.548	.7281	----	4	----	160	
8125	----	----	7.261B/5.009A	7.261B/5.009A	----	5.998 -	0.554	.7177	----	----	----	14	
8150	7.350	7.350	7.350/4.770A	7.350/4.770A	----	5.831 -	0.558	.7071	----	2	----	56	
8175	----	----	6.912B/4.727A	6.912B/4.727A	----	5.666 -	0.563	.6963	----	----	----	14	
8200	5.694	5.694	6.787B/4.494A	6.787B/4.494A	----	5.506 -	0.567	.6854	----	7	----	213	
8225	----	----	6.624B/4.324A	6.624B/4.324A	----	5.347 -	0.572	.6744	----	----	----	61	
8250	----	----	6.444B/4.272A	6.444B/4.272A	----	5.193 -	0.575	.6632	----	1	----	33	
8275	----	----	6.258B/4.128A	6.258B/4.128A	----	5.041 -	0.578	.6518	----	----	----	39	
8300	5.099	5.099	6.131B/3.967A	6.131B/3.967A	----	4.893 -	0.581	.6404	----	8	----	111	
8325	4.825	4.825	5.937B/3.924A	5.937B/3.924A	----	4.747 -	0.585	.6290	----	2	----	9	
8350	4.638	4.638	5.796B/3.758A	5.796B/3.758A	----	4.607 -	0.585	.6174	----	3	----	37	
8375	----	----	5.634B/3.676A	5.634B/3.676A	----	4.466 -	0.590	.6058	----	----	----	7	
8400	5.790	5.790	5.814/3.491A	5.814/3.491A	----	4.331 -	0.591	.5942	----	5	----	359	
8425	----	----	5.385B/3.380A	5.385B/3.380A	----	4.198 -	0.593	.5825	----	----	----	59	
8450	5.250	5.250	5.250/3.207A	5.250/3.207A	----	4.069 -	0.594	.5708	----	7	75	22	
8475	----	----	5.069B/3.148A	5.069B/3.148A	----	3.942 -	0.596	.5591	----	----	----	7	
8500	3.980	3.980	5.000/3.011A	5.000/3.011A	----	3.820 -	0.596	.5474	----	31	----	566	
8525	----	----	4.801B/2.930A	4.801B/2.930A	----	3.700 -	0.596	.5358	----	----	----	19	
8550	----	----	4.677B/2.837A	4.677B/2.837A	----	3.584 -	0.595	.5241	----	----	----	21	
8575	3.893	3.893	4.589B/2.752A	4.589B/2.752A	----	3.470 -	0.595	.5126	----	22	----	26	
8600	4.650	4.650	4.735B/2.631A	4.735B/2.631A	----	3.359 -	0.595	.5011	----	61	----	574	
8625	3.674	3.674	4.412B/2.543A	4.412B/2.543A	----	3.252 -	0.593	.4896	----	26	----	51	
8650	3.706	3.706	4.318B/2.488A	4.318B/2.488A	----	3.147 -	0.592	.4783	----	5	----	17	
8675	3.562	3.562	4.508B/2.365A	4.508B/2.365A	----	3.045 -	0.590	.4670	----	1	----	64	
8700	4.055	4.055	4.488/2.286A	4.488/2.286A	----	2.946 -	0.588	.4559	----	80	----	119	
8725	2.932	2.932	4.327B/2.217A	4.327B/2.217A	----	2.850 -	0.586	.4449	----	21	----	31	
8750	3.729	3.729	4.246B/2.148A	4.246B/2.148A	----	2.758 -	0.582	.4340	----	13	----	53	
8775	2.262	2.262	4.133B/2.082A	4.133B/2.082A	----	2.667 -	0.579	.4232	----	1	----	18	
8800	3.700	3.700	4.343/1.990A	4.343/1.990A	----	2.579 -	0.576	.4126	----	106	----	103	
8825	----	----	3.914B/1.943A	3.914B/1.943A	----	2.494 -	0.572	.4021	----	1	----	15	
8850	----	----	3.810B/1.861A	3.810B/1.861A	----	2.411 -	0.569	.3917	----	----	----	43	
8875	----	----	3.707B/1.800A	3.707B/1.800A	----	2.332 -	0.564	.3816	----	----	----	29	
8900	3.642	3.642	3.657B/1.736A	3.657B/1.736A	----	2.254 -	0.560	.3716	----	96	----	----</	

BULLETIN # 90@				METALS OPTION PRODUCTS							Tue, May 12, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS															
JUN26																
10600	----	----		0.606B/0.260A	0.606B/0.260A	----		0.252 - 0.187	.0496	----	----	----	----	36	UNCH	
10625	----	----		0.591B/0.259A	0.591B/0.259A	----		0.245 - 0.184	.0482	----	----	----	----	2	UNCH	
10650	----	----		0.579B/0.253A	0.579B/0.253A	----		0.239 - 0.180	.0469	----	----	----	----	2	UNCH	
10675	----	----		0.565B/0.247A	0.565B/0.247A	----		0.232 - 0.177	.0456	----	----	----	----	15	UNCH	
10700	0.375	0.375		0.551B/0.242A	0.551B/0.242A	----		0.226 - 0.174	.0444	----	----	1	----	102 +	1	
10750	----	----		0.528B/0.235A	0.528B/0.235A	----		0.215 - 0.167	.0421	----	----	----	----	4	UNCH	
10800	0.350	0.350		0.510B/0.226A	0.510B/0.226A	----		0.204 - 0.161	.0399	----	----	20	----	20 +	17	
10825	----	----		0.494B/0.221A	0.494B/0.221A	----		0.199 - 0.158	.0389	----	----	----	----	2	UNCH	
10850	----	----		0.482B/0.216A	0.482B/0.216A	----		0.194 - 0.155	.0379	----	----	----	----	12	UNCH	
10875	----	----		0.472B/0.212A	0.472B/0.212A	----		0.189 - 0.152	.0369	----	----	----	----	6	UNCH	
10900	----	----		0.461B/0.208A	0.461B/0.208A	----		0.185 - 0.149	.0360	----	----	6	----	26 +	6	
10925	----	----		0.452B/0.203A	0.452B/0.203A	----		0.180 - 0.147	.0350	----	----	----	----	2	UNCH	
10950	----	----		0.443B/0.200A	0.443B/0.200A	----		0.176 - 0.144	.0342	----	----	----	----	4	UNCH	
11000	0.320	0.320		0.425B/0.140	0.425B/0.140	----		0.167 - 0.139	.0324	----	----	65	----	421 -	12	
11025	----	----		0.416B/0.199A	0.416B/0.199A	----		0.164 - 0.136	.0318	----	----	----	----	1	UNCH	
11050	----	----		0.408B/0.198A	0.408B/0.198A	----		0.160 - 0.133	.0310	----	----	----	----	5	UNCH	
11075	----	----		0.399B/0.198A	0.399B/0.198A	----		0.156 - 0.131	.0302	----	----	----	----	5	UNCH	
11100	----	----		0.391B/0.195A	0.391B/0.195A	----		0.153 - 0.128	.0295	----	----	----	----	3	UNCH	
11125	----	----		0.382B/0.194A	0.382B/0.194A	----		0.149 - 0.127	.0287	----	----	----	----	5	UNCH	
11175	----	----		0.368B/0.187A	0.368B/0.187A	----		0.143 - 0.122	.0275	----	----	----	----	3	UNCH	
11200	----	----		0.361B/0.184A	0.361B/0.184A	----		0.139 - 0.121	.0267	----	----	----	----	8	UNCH	
11225	----	----		0.354B/0.181A	0.354B/0.181A	----		0.136 - 0.118	.0261	----	----	----	----	3	UNCH	
11250	----	----		0.347B/0.178A	0.347B/0.178A	----		0.134 - 0.115	.0256	----	----	----	----	1	UNCH	
11300	0.350	0.350		0.350/0.168A	0.350/0.168A	----		0.128 - 0.112	.0244	----	----	2	----	3 +	1	
11325	----	----		0.327B/0.166A	0.327B/0.166A	----		0.125 - 0.110	.0238	----	----	----	----	6	UNCH	
11350	----	----		0.321B/0.167A	0.321B/0.167A	----		0.123 - 0.108	.0234	----	----	----	----	3	UNCH	
11375	----	----		0.315B/0.165A	0.315B/0.165A	----		0.120 - 0.106	.0228	----	----	----	----	2	UNCH	
11400	----	----		0.303B/0.162A	0.303B/0.162A	----		0.118 - 0.104	.0224	----	----	----	----	163	UNCH	
11425	----	----		0.303B/0.160A	0.303B/0.160A	----		0.116 - 0.102	.0219	----	----	----	----	12	UNCH	
11450	----	----		0.295B/0.159A	0.295B/0.159A	----		0.114 - 0.100	.0215	----	----	----	----	13	UNCH	
11475	----	----		0.285B/0.158A	0.285B/0.158A	----		0.112 - 0.098	.0211	----	----	----	----	8	UNCH	
11500	0.210	0.210		0.283B/0.126	0.283B/0.126	----		0.110 - 0.096	.0207	----	----	11	----	214 -	4	
11525	----	----		0.278B/*0.141A	0.278B/0.141A	----		0.108 - 0.095	.0202	----	----	----	----	8	UNCH	
11550	----	----		0.274B/*0.140A	0.274B/0.140A	----		0.106 - 0.093	.0198	----	----	----	----	1	UNCH	
11575	----	----		0.270B/*0.140A	0.270B/0.140A	----		0.104 - 0.092	.0194	----	----	----	----	4	UNCH	
11600	----	----		0.223B/0.131A	0.223B/0.131A	----		0.102 - 0.090	.0190	----	----	----	----	1	UNCH	
11625	----	----		0.206B/*0.129A	0.206B/0.129A	----		0.100 - 0.089	.0186	----	----	----	----	21	UNCH	
11675	----	----		0.198B/*0.130A	0.198B/0.130A	----		0.096 - 0.086	.0178	----	----	----	----	2	UNCH	
11700	----	----		0.207B/*0.124A	0.207B/0.124A	----		0.095 - 0.084	.0176	----	----	----	----	38	UNCH	
11725	----	----		0.190B/*0.123A	0.190B/0.123A	----		0.093 - 0.083	.0172	----	----	----	----	2	UNCH	
11750	----	----		0.187B/*0.126A	0.187B/0.126A	----		0.092 - 0.081	.0169	----	----	----	----	15	UNCH	
11775	----	----		0.183B/*0.119A	0.183B/0.119A	----		0.090 - 0.081	.0165	----	----	----	----	2	UNCH	
11800	0.132	0.132		0.192B/*0.121A	0.192B/0.121A	----		0.088 - 0.080	.0162	----	----	1	----	38 -	1	
11825	----	----		0.176B/*0.122A	0.176B/0.122A	----		0.087 - 0.078	.0159	----	----	----	----	9	UNCH	
11850	----	----		0.172B/*0.118A	0.172B/0.118A	----		0.086 - 0.076	.0157	----	----	----	----	5	UNCH	
11875	----	----		0.169B/*0.116A	0.169B/0.116A	----		0.084 - 0.076	.0153	----	----	----	----	1	UNCH	
11900	----	----		0.178B/*0.119A	0.178B/0.119A	----		0.083 - 0.074	.0151	----	----	----	----	14	UNCH	
11925	----	----		0.164B/*0.123A	0.164B/0.123A	----		0.082 - 0.073	.0149	----	----	----	----	8	UNCH	
11950	----	----		0.161B/0.123A	0.161B/0.123A	----		0.080 - 0.072	.0145	----	----	----	----	6	UNCH	
11975	----	----		0.250B/*0.111A	0.250B/0.111A	----		0.079 - 0.071	.0143	----	----	----	----	1	UNCH	
12000	0.230	0.230		0.230/0.080	0.230/0.080	----		0.078 - 0.070	.0141	----	----	152	----	391 -	17	
12025	----	----		0.155B/*0.112A	0.155B/0.112A	----		0.077 - 0.069	.0139	----	----	----	----	11	UNCH	
12050	----	----		0.147B/*0.117A	0.147B/0.117A	----		0.076 - 0.067	.0136	----	----	----	----	1	UNCH	
12075	----	----		0.149B/*0.115A	0.149B/0.115A	----		0.074 - 0.067	.0133	----	----	----	----	1	UNCH	
12100	----	----		0.154B/*0.110A	0.154B/0.110A	----		0.073 - 0.066	.0131	----	----	----	----	27	UNCH	
12125	----	----		0.141B/*0.113A	0.141B/0.113A	----		0.072 - 0.065	.0129	----	----	----	----	1	UNCH	
12200	----	----		0.143B/*0.103A	0.143B/0.103A	----		0.069 - 0.063	.0122	----	----	----	----	22	UNCH	
12225	----	----		----/*0.105A	0.129B/0.105A	----		0.068 - 0.062	.0120	----	----	----	----	7	UNCH	
12275	----	----		----/*0.107A	0.124B/0.107A	----		0.067 - 0.059	.0118	----	----	----	----	1	UNCH	
12325	----	----		----/*0.120A	0.119B/0.120A	----		0.065 - 0.058	.0114	----	----	----	----	4	UNCH	
12350	----	----		----/*0.119A	0.117B/0.119A	----		0.064 - 0.057	.0112	----	----	----	----	5	UNCH	
12400	----	----		0.124B/*0.117A	0.124B/0.117A	----		0.063 - 0.055	.0109	----	----	----	----	23	UNCH	
12425	----	----		----	0.111B/0.118A	----		0.062 - 0.054	.0108	----	----	----	----	1	UNCH	
12450	----	----		----	0.109B/0.118A	----		0.061 - 0.054	.0106	----	----	----	----	9	UNCH	
12475	----	----		----	0.107B/0.117A	----		0.060 - 0.054	.0104	----	----	----	----	1	UNCH	
12500	0.125	0.125		0.125/0.115A	0.125/0.115A	----		0.060 - 0.052	.0103	----	----	2	----	107 -	2	
12525	----	----		----/*0.097A	0.103B/0.097A	----		0.059 - 0.052	.0101	----	----	----	----	37	UNCH	
12550	----															



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

PRELIMINARY

PG64	BULLETIN # 90@		METALS OPTION PRODUCTS							Tue, May 12, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
2700	----	----	60.1568/57.093A	60.1568/57.093A	----	58.591 - 0.357	.9991	----	----	----	----	1	UNCH	
4000	----	----	47.1368/44.085A	47.1368/44.085A	----	45.591 - 0.357	.9960	----	----	----	----	1	UNCH	
4500	----	----	42.2498/38.985A	42.2498/38.985A	----	40.594 - 0.355	.9937	----	----	----	----	28	UNCH	
4600	----	----	41.3018/37.926A	41.3018/37.926A	----	39.596 - 0.354	.9931	----	----	----	----	124	UNCH	
4700	----	----	40.1408/37.081A	40.1408/37.081A	----	38.599 - 0.353	.9924	----	----	----	----	1	UNCH	
4750	----	----	39.6408/36.582A	39.6408/36.582A	----	38.101 - 0.352	.9920	----	----	----	----	1	UNCH	
4825	----	----	38.8838/35.833A	38.8838/35.833A	----	37.354 - 0.351	.9915	----	----	----	----	3	UNCH	
4900	----	----	38.1378/35.087A	38.1378/35.087A	----	36.608 - 0.350	.9908	----	----	----	----	1	UNCH	
4925	----	----	37.9688/34.838A	37.9688/34.838A	----	36.358 - 0.351	.9906	----	----	----	----	16	UNCH	
5000	----	----	37.3068/33.950A	37.3068/33.950A	----	35.613 - 0.350	.9898	----	----	----	----	307	UNCH	
5025	----	----	36.9188/33.845A	36.9188/33.845A	----	35.364 - 0.350	.9896	----	----	----	----	4	UNCH	
5050	----	----	36.6698/33.597A	36.6698/33.597A	----	35.116 - 0.349	.9894	----	----	----	----	2	UNCH	
5100	----	----	36.2878/32.977A	36.2878/32.977A	----	34.619 - 0.350	.9888	----	----	----	----	133	UNCH	
5150	----	----	35.7098/32.606A	35.7098/32.606A	----	34.123 - 0.349	.9881	----	----	----	----	6	UNCH	
5200	----	----	35.2618/32.049A	35.2618/32.049A	----	33.627 - 0.349	.9876	----	----	----	----	40	UNCH	
5225	----	----	34.9638/31.831A	34.9638/31.831A	----	33.379 - 0.350	.9872	----	----	----	----	9	UNCH	
5250	----	----	34.6868/31.617A	34.6868/31.617A	----	33.131 - 0.349	.9869	----	----	----	----	2	UNCH	
5275	----	----	34.4358/31.370A	34.4358/31.370A	----	32.884 - 0.349	.9865	----	----	----	----	1	UNCH	
5300	----	----	34.2438/31.090A	34.2438/31.090A	----	32.637 - 0.349	.9861	----	----	----	----	7	UNCH	
5350	----	----	33.8328/30.507A	33.8328/30.507A	----	32.142 - 0.349	.9853	----	----	----	----	157	UNCH	
5375	----	----	33.4498/30.385A	33.4498/30.385A	----	31.895 - 0.349	.9849	----	----	----	----	1	UNCH	
5400	----	----	33.2318/30.100A	33.2318/30.100A	----	31.648 - 0.349	.9844	----	----	----	----	21	UNCH	
5425	----	----	33.0508/29.831A	33.0508/29.831A	----	31.401 - 0.350	.9840	----	----	----	----	42	UNCH	
5450	----	----	32.7058/29.648A	32.7058/29.648A	----	31.155 - 0.350	.9835	----	----	----	----	1	UNCH	
5500	----	----	32.3228/29.033A	32.3228/29.033A	----	30.661 - 0.351	.9825	----	----	----	----	496	UNCH	
5550	----	----	31.7238/28.669A	31.7238/28.669A	----	30.169 - 0.351	.9815	----	----	----	----	3	UNCH	
5600	----	----	31.3388/28.054A	31.3388/28.054A	----	29.678 - 0.351	.9803	----	----	----	----	106	UNCH	
5650	----	----	30.8358/27.595A	30.8358/27.595A	----	29.187 - 0.352	.9791	----	----	----	----	43	UNCH	
5675	----	----	30.5908/27.351A	30.5908/27.351A	----	28.943 - 0.351	.9783	----	----	----	----	25	UNCH	
5700	----	----	30.3318/27.108A	30.3318/27.108A	----	28.698 - 0.352	.9777	----	----	----	----	26	UNCH	
5750	----	----	29.8698/26.574A	29.8698/26.574A	----	28.208 - 0.354	.9762	----	----	----	----	164	UNCH	
5775	----	----	29.5178/26.477A	29.5178/26.477A	----	27.964 - 0.354	.9755	----	----	----	----	1	UNCH	
5800	----	----	29.3278/26.235A	29.3278/26.235A	----	27.720 - 0.354	.9747	----	----	----	----	16	UNCH	
5900	----	----	28.3548/25.250A	28.3548/25.250A	----	26.748 - 0.356	.9711	----	----	----	----	10	UNCH	
5925	----	----	28.0958/25.030A	28.0958/25.030A	----	26.505 - 0.358	.9702	----	----	----	----	10	UNCH	
5950	----	----	27.8688/24.790A	27.8688/24.790A	----	26.263 - 0.359	.9692	----	----	----	----	6	UNCH	
5975	----	----	27.6278/24.531A	27.6278/24.531A	----	26.021 - 0.360	.9682	----	----	4	----	20	UNCH	
6000	----	----	27.4408/24.184A	27.4408/24.184A	----	25.789 - 0.351	.9663	----	----	----	----	547	UNCH	
6050	----	----	26.9608/23.707A	26.9608/23.707A	----	25.298 - 0.361	.9648	----	----	----	----	58	UNCH	
6075	----	----	26.6518/23.598A	26.6518/23.598A	----	25.058 - 0.362	.9637	----	----	----	----	1	UNCH	
6100	----	----	26.4058/23.361A	26.4058/23.361A	----	24.818 - 0.363	.9625	----	----	----	----	10	UNCH	
6200	----	----	25.5488/22.288A	25.5488/22.288A	----	23.863 - 0.367	.9571	----	----	----	----	101		

BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
JUL26														
9400	4.150	4.150	5.2958/3.633A	5.2958/3.633A	----	4.039	- 0.444	.3641	----	----	11	----	28 +	4
9425	----	----	5.2278/3.564A	5.2278/3.564A	----	3.982	- 0.441	.3598	----	----	----	----	5	UNCH
9450	----	----	5.1528/3.509A	5.1528/3.509A	----	3.925	- 0.440	.3555	----	5	----	----	39 +	5
9475	----	----	5.0678/3.464A	5.0678/3.464A	----	3.869	- 0.438	.3512	----	----	----	----	5	UNCH
9500	3.750	3.750	5.0228/3.399A	5.0228/3.399A	----	3.814	- 0.438	.3471	----	325	----	1108 +	256	UNCH
9525	----	----	4.9798/3.362A	4.9798/3.362A	----	3.760	- 0.436	.3429	----	----	----	26	UNCH	
9550	----	----	4.8858/3.323A	4.8858/3.323A	----	3.707	- 0.434	.3388	----	----	----	6	UNCH	
9600	----	----	4.7848/3.131A	4.7848/3.131A	----	3.604	- 0.430	.3308	----	----	----	157	UNCH	
9625	----	----	4.7138/3.152A	4.7138/3.152A	----	3.553	- 0.429	.3268	----	----	----	5	UNCH	
9650	----	----	4.6708/3.082A	4.6708/3.082A	----	3.503	- 0.429	.3229	----	4	----	3 -	4	
9675	----	----	4.6118/3.032A	4.6118/3.032A	----	3.454	- 0.427	.3191	----	----	----	9	UNCH	
9700	3.410	3.410	4.5428/2.950A	4.5428/2.950A	----	3.406	- 0.425	.3153	----	33	----	127 -	2	
9725	----	----	4.4928/2.956A	4.4928/2.956A	----	3.359	- 0.423	.3115	----	----	----	2	UNCH	
9750	----	----	4.4458/2.874A	4.4458/2.874A	----	3.312	- 0.422	.3078	----	4	----	106 +	4	
9775	----	----	4.3848/2.856A	4.3848/2.856A	----	3.267	- 0.420	.3041	----	----	----	31	UNCH	
9800	3.290	3.290	4.2658/2.803A	4.2658/2.803A	----	3.222	- 0.419	.3005	----	3	----	149 -	3	
9825	3.175	3.175	4.2758/2.798A	4.2758/2.798A	----	3.177	- 0.418	.2969	----	2	----	6 +	1	
9850	----	----	4.2208/2.747A	4.2208/2.747A	----	3.134	- 0.416	.2934	----	----	----	38	UNCH	
9875	----	----	4.1878/2.727A	4.1878/2.727A	----	3.091	- 0.414	.2899	----	----	----	1	UNCH	
9900	----	----	4.1398/2.672A	4.1398/2.672A	----	3.050	- 0.411	.2865	----	----	----	31	UNCH	
9925	3.019	3.019	4.0838/2.661A	4.0838/2.661A	----	3.008	- 0.410	.2831	----	1	----	15	UNCH	
9950	----	----	4.0208/2.626A	4.0208/2.626A	----	2.967	- 0.408	.2797	----	----	----	1	UNCH	
9975	----	----	3.9908/2.587A	3.9908/2.587A	----	2.927	- 0.406	.2764	----	----	----	3	UNCH	
10000	3.825	3.825	3.9438/2.450	3.9438/2.450	----	2.887	- 0.406	.2731	----	122	----	1738 +	37	
10025	----	----	3.8968/2.521A	3.8968/2.521A	----	2.849	- 0.404	.2699	----	----	----	1	UNCH	
10075	----	----	3.8118/2.456A	3.8118/2.456A	----	2.773	- 0.400	.2635	----	----	----	21	UNCH	
10100	----	----	3.7378/2.430A	3.7378/2.430A	----	2.735	- 0.399	.2604	----	----	100	118 +	100	
10125	----	----	3.7008/2.392A	3.7008/2.392A	----	2.699	- 0.397	.2573	----	----	----	4	UNCH	
10150	----	----	3.5958/2.345A	3.5958/2.345A	----	2.663	- 0.396	.2543	----	4	----	30 +	4	
10200	2.639	2.639	3.5838/2.267A	3.5838/2.267A	----	2.593	- 0.393	.2483	----	3	----	117	UNCH	
10250	----	----	3.5018/2.252A	3.5018/2.252A	----	2.524	- 0.391	.2425	----	----	----	21	UNCH	
10275	----	----	3.4598/2.223A	3.4598/2.223A	----	2.491	- 0.389	.2396	----	----	----	5	UNCH	
10300	2.580	2.580	3.4108/2.199A	3.4108/2.199A	----	2.458	- 0.387	.2368	----	4	----	6 +	2	
10325	----	----	3.3818/2.163A	3.3818/2.163A	----	2.426	- 0.386	.2340	----	----	----	1	UNCH	
10350	----	----	3.3438/2.141A	3.3438/2.141A	----	2.395	- 0.383	.2313	----	----	----	1	UNCH	
10375	----	----	3.3048/2.111A	3.3048/2.111A	----	2.364	- 0.381	.2286	----	----	----	18	UNCH	
10400	----	----	3.2738/2.087A	3.2738/2.087A	----	2.333	- 0.381	.2259	----	----	----	15	UNCH	
10425	3.100	3.100	3.2268/2.061A	3.2268/2.061A	----	2.303	- 0.379	.2233	----	1	----	2	UNCH	
10450	----	----	3.1938/2.020A	3.1938/2.020A	----	2.273	- 0.378	.2207	----	----	----	26	UNCH	
10475	----	----	3.1588/1.992A	3.1588/1.992A	----	2.244	- 0.376	.2181	----	----	----	25	UNCH	
10500	----	----	3.1148/1.954A	3.1148/1.954A	----	2.215	- 0.374	.2156	----	110	----	448 -	12	
10525	----	----	3.0848/1.964A	3.0848/1.964A	----	2.186	- 0.373	.2130	----	----	----	2	UNCH	
10550	----	----	3.0568/1.940A	3.0568/1.940A	----	2.158	- 0.372	.2106	----	----	----	10	UNCH	
10600	----	----	2.9788/1.851A	2.9788/1.851A	----	2.103	- 0.369	.2057	----	----	----	50	UNCH	
10625	----	----	2.9458/1.872A	2.9458/1.872A	----	2.076	- 0.368	.2033	----	----	----	1	UNCH	
10675	----	----	2.8808/1.827A	2.8808/1.827A	----	2.024	- 0.365	.1986	----	----	----	9	UNCH	
10700	1.877	1.877	2.8518/1.801A	2.8518/1.801A	----	1.998	- 0.364	.1963	----	11	----	13 +	11	
10725	1.841	1.841	2.8168/1.805A	2.8168/1.805A	----	1.973	- NEW	.1941	----	4	----	4 +	4	
10750	----	----	2.7848/1.730A	2.7848/1.730A	----	1.948	- 0.361	.1918	----	15	----	90 +	15	
10775	----	----	2.7488/1.738A	2.7488/1.738A	----	1.924	- 0.359	.1897	----	----	----	9	UNCH	
10800	----	----	2.7328/1.715A	2.7328/1.715A	----	1.900	- 0.357	.1875	----	----	----	35	UNCH	
10875	----	----	2.6388/1.661A	2.6388/1.661A	----	1.830	- 0.353	.1811	----	----	----	15	UNCH	
10900	----	----	2.6098/1.643A	2.6098/1.643A	----	1.808	- 0.352	.1791	----	----	----	4	UNCH	
10925	----	----	2.5638/1.623A	2.5638/1.623A	----	1.786	- 0.350	.1771	----	----	----	1	UNCH	
10950	----	----	2.5518/1.604A	2.5518/1.604A	----	1.763	- 0.349	.1750	----	----	----	1	UNCH	
10975	----	----	2.5208/1.585A	2.5208/1.585A	----	1.742	- 0.347	.1731	----	----	----	1	UNCH	
11000	2.450	2.450	2.4968/1.537A	2.4968										

PG64	BULLETIN # 90@		METALS OPTION PRODUCTS							Tue, May 12, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
AUG26															
7300	----	----	16.588B/15.221A	16.588B/15.221A	----	16.011 - 0.483	.7890	----	----	----	----	1	UNCH		
7400	----	----	15.865B/14.676A	15.865B/14.676A	----	15.313 - 0.488	.7726	----	----	----	----	2	UNCH		
7425	----	----	16.428B/14.310A	16.428B/14.310A	----	15.141 - 0.491	.7684	----	----	----	----	14	UNCH		
7475	----	----	16.081B/13.987A	16.081B/13.987A	----	14.803 - 0.494	.7600	----	----	----	----	6	UNCH		
7500	----	----	16.000B/13.827A	16.000B/13.827A	----	14.637 - 0.495	.7557	----	----	----	----	38	UNCH		
7550	----	----	14.830B/13.716A	14.830B/13.716A	----	14.308 - 0.499	.7470	----	----	----	----	4	UNCH		
7600	----	----	15.291B/13.202A	15.291B/13.202A	----	13.984 - 0.503	.7382	----	----	----	----	27	UNCH		
7625	----	----	15.079B/13.052A	15.079B/13.052A	----	13.824 - 0.506	.7338	----	----	----	----	18	UNCH		
7700	----	----	14.596B/12.604A	14.596B/12.604A	----	13.356 - 0.511	.7204	----	----	----	----	18	UNCH		
7725	----	----	----/12.714A	13.643B/12.714A	----	13.202 - 0.513	.7159	----	----	----	----	0	UNCH		
7750	----	----	13.583B/12.532A	13.583B/12.532A	----	13.051 - 0.514	.7113	----	----	----	----	1	UNCH		
7800	----	----	13.973B/12.037A	13.973B/12.037A	----	12.752 - 0.519	.7022	----	----	----	----	11	UNCH		
7850	----	----	----/11.982A	12.938B/11.982A	----	12.460 - 0.522	.6930	----	----	----	----	2	UNCH		
7900	----	----	----/11.501A	12.639B/11.501A	----	12.174 - 0.525	.6837	----	----	----	----	1	UNCH		
7925	----	----	----/11.585A	12.484B/11.585A	----	12.034 - 0.526	.6791	----	----	----	----	4	UNCH		
7950	----	----	13.084B/11.233A	13.084B/11.233A	----	11.896 - 0.527	.6744	----	----	----	----	9	UNCH		
7975	----	----	----/11.326A	12.206B/11.326A	----	11.758 - 0.529	.6697	----	----	----	----	1	UNCH		
8000	10.750	10.750	13.150/10.750	13.150/10.750	----	11.623 - 0.530	.6651	----	----	3	----	52 +	1		
8100	----	----	12.257B/10.483A	12.257B/10.483A	----	11.095 - 0.536	.6463	----	----	----	----	14	UNCH		
8150	----	----	11.989B/10.245A	11.989B/10.245A	----	10.840 - 0.540	.6369	----	----	5	----	22 +	5		
8200	----	----	11.458B/10.039A	11.458B/10.039A	----	10.593 - 0.541	.6276	----	----	----	----	4	UNCH		
8225	----	----	----/10.093A	10.923B/10.093A	----	10.471 - 0.543	.6229	----	----	----	----	2	UNCH		
8250	----	----	11.608B/9.482A	11.608B/9.482A	----	10.351 - 0.544	.6182	----	----	5	----	204 +	5		
8300	----	----	11.222B/9.473A	11.222B/9.473A	----	10.115 - 0.546	.6089	----	----	----	----	16	UNCH		
8350	----	----	10.759B/9.370A	10.759B/9.370A	----	9.884 - 0.549	.5996	----	----	----	----	1	UNCH		
8375	----	----	----/9.423A	10.220B/9.423A	----	9.772 - 0.549	.5949	----	----	----	----	1	UNCH		
8400	----	----	10.741B/9.146A	10.741B/9.146A	----	9.660 - 0.551	.5903	----	----	----	----	16	UNCH		
8450	----	----	10.512B/8.937A	10.512B/8.937A	----	9.442 - 0.552	.5811	----	----	----	----	11	UNCH		
8500	9.231	9.231	10.373B/8.738A	10.373B/8.738A	----	9.229 - 0.554	.5720	----	----	7	----	27 -	5		
8550	----	----	10.040B/8.559A	10.040B/8.559A	----	9.021 - 0.557	.5629	----	----	----	----	10	UNCH		
8600	----	----	10.006B/8.321A	10.006B/8.321A	----	8.819 - 0.558	.5539	----	----	----	----	227	UNCH		
8650	----	----	9.412B/8.205A	9.412B/8.205A	----	8.623 - 0.559	.5450	----	----	----	----	1	UNCH		
8700	----	----	9.570B/7.969A	9.570B/7.969A	----	8.432 - 0.560	.5362	----	----	----	----	29	UNCH		
8775	----	----	----/7.771A	8.661B/7.771A	----	8.155 - 0.561	.5232	----	----	----	----	2	UNCH		
8825	----	----	----/7.606A	8.470B/7.606A	----	7.976 - 0.562	.5146	----	----	----	----	1	UNCH		
8850	----	----	8.628B/7.533A	8.628B/7.533A	----	7.888 - 0.562	.5104	----	----	----	----	1	UNCH		
8900	----	----	8.711B/7.376A	8.711B/7.376A	----	7.716 - 0.563	.5020	----	----	5	----	17 +	5		
8950	----	----	8.594B/7.221A	8.594B/7.221A	----	7.549 - 0.563	.4937	----	----	----	----	6	UNCH		
8975	----	----	8.522B/7.135A	8.522B/7.135A	----	7.467 - 0.564	.4896	----	----	----	----	1	UNCH		
9000	----	----	8.565B/7.003A	8.565B/7.003A	----	7.386 - 0.564	.4855	----	----	9	----	228 +	4		
9025	8.480	8.480	8.480/6.992A	8.480/6.992A	----	7.307 - NEW	.4815	----	----	2	----	2 +	2		
9050	----	----	8.248B/6.926A	8.248B/6.926A	----	7.229 - 0.563	.4775	----	----	3	----	6 +	3		
9075	8.333	8.333	8.333/6.846A	8.333/6.846A	----	7.151 - 0.563	.4735	----	----	1	----	2 +	1		
9100	----	----	8.373B/6.713A	8.373B/6.713A	----	7.075 - 0.563	.4695	----	----	----	----	87	UNCH		



	BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64		
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL	COMEX SILVER OPTIONS															
SEP26																
9800	----	----	----	7.651B/6.588A	7.651B/6.588A	----	----	----	6.661 - 0.535	.4023	----	----	----	----	132	UNCH
9900	----	----	----	7.410B/6.388A	7.410B/6.388A	----	----	----	6.442 - 0.535	.3913	----	----	----	----	90	UNCH
10000	----	----	----	7.174B/6.199A	7.174B/6.199											

PG64	BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO CALL	COMEX SILVER OPTIONS													
DEC26														
20000	----	----	----	1.404B/2.591A	----	1.768 -	0.186	.0978	----	----	----	438	UNCH	
21000	----	----	----	1.155B/2.420A	----	1.567 -	0.184	.0872	----	----	----	4	UNCH	
22000	----	----	----	0.944B/2.272A	----	1.406 -	0.192	.0785	----	----	----	1	UNCH	
23000	----	----	----	1.106B/1.899A	----	1.274 -	0.206	.0713	----	----	----	40	UNCH	
25000	----	----	-----/1.304A	0.798B/1.304A	----	1.068 -	0.244	.0599	----	----	----	235	UNCH	
30000	0.850	0.850	0.850/0.849A	0.850/0.849A	----	0.742 -	0.272	.0416	----	1	----	110	UNCH	
40000	----	----	----	0.301B/0.611A	----	0.384 -	0.181	.0218	----	----	----	23	UNCH	
90000	----	----	----	0.003B/0.400A	----	0.010 -	0.173	.0007	----	----	----	2	UNCH	
TOTAL										231	0	8613 +	175	
JAN27														
7550	----	----	----/19.840A	#19.585B/19.840A	----	19.905 -	0.384	.7190	----	----	----	2	UNCH	
7650	----	----	----/19.333A	19.051B/19.333A	----	19.379 -	0.384	.7077	----	----	----	5	UNCH	
8300	15.490	15.490	#16.759B/15.490	#16.759B/15.490	----	16.322 -	0.386	.6346	----	6	----	22 +	6	
10000	----	----	----/10.998A	11.023B/10.998A	----	10.832 -	0.417	.4681	----	----	----	6	UNCH	
11000	----	----	----/9.122A	8.886B/9.122A	----	8.807 -	0.441	.3941	----	----	----	6	UNCH	
12500	----	----	----/7.150A	6.660B/7.150A	----	6.717 -	0.466	.3108	----	----	----	1	UNCH	
13000	----	----	----/6.614A	6.089B/6.614A	----	6.176 -	0.469	.2884	----	----	----	7	UNCH	
14000	----	----	----/5.707A	5.144B/5.707A	----	5.258 -	0.467	.2496	----	----	----	1	UNCH	
14500	----	----	----/5.325A	4.689B/5.325A	----	4.872 -	0.463	.2329	----	----	----	400	UNCH	
15000	----	----	----/4.976A	4.306B/4.976A	----	4.529 -	0.459	.2179	----	----	----	400	UNCH	
TOTAL										6	0	850 +	6	
FEB27														
7500	----	----	----/20.738A	#20.352B/20.738A	----	20.781 -	0.332	.7214	----	----	----	1	UNCH	
8500	----	----	----/16.025A	#16.510B/16.025A	----	16.199 -	0.337	.6151	----	----	----	4	UNCH	
9000	----	----	----/14.351A	14.623B/14.351A	----	14.400 -	0.350	.5652	----	----	----	1	UNCH	
9500	----	----	----/12.939A	13.068B/12.939A	----	12.880 -	0.364	.5195	----	----	----	4	UNCH	
30000	----	----	----	1.096B/1.424A	----	1.046 -	0.226	.0542	----	----	----	1	UNCH	
TOTAL											0	11	0	
MAR27														
8000	----	----	----/19.040A	#18.380B/19.040A	----	18.917 -	0.357	.6677	----	----	----	200	UNCH	
9000	----	----	----/15.366A	#14.489B/15.366A	----	15.100 -	0.362	.5701	----	----	----	35	UNCH	
9200	----	----	----/*14.763A	#13.858B/14.763A	----	14.463 -	0.367	.5522	----	----	----	25	UNCH	
13000	----	----	----	#6.853B/7.947A	----	7.437 -	0.420	.3172	----	----	----	105	UNCH	
14000	----	----	----	#5.877B/6.972A	----	6.481 -	0.414	.2802	----	----	----	105	UNCH	
30000	----	----	----	1.089B/2.484A	----	1.803 -	0.283	.0817	----	----	----	2	UNCH	
TOTAL											0	472	0	
MAY27														
11000	----	----	----	#10.321B/13.062A	----	11.864 -	0.204	.4443	----	----	----	1	UNCH	
TOTAL											0	1	0	
JUL27														
2000	----	----	----	----	----	69.080 -	0.412	.9978	----	----	----	1	UNCH	
10000	----	----	----	----	----	15.538 -	0.240	.5257	----	----	----	1	UNCH	
10300	----	----	----	----	----	14.878 -	0.233	.5071	----	----	----	1	UNCH	
TOTAL											0	3	0	
DEC27														
4000	----	----	----	----	----	51.020 -	0.392	.9449	----	----	----	1	UNCH	
20000	----	----	----	----	----	8.985 -	0.138	.2824	----	----	----	25	UNCH	
TOTAL											0	26	0	
SO PUT	COMEX SILVER OPTIONS													
JUN26														
2100	----	----	----	----/0.006A	----	0.001	UNCH	----	----	----	----	1	UNCH	
2350	----	----	----	----/0.										

BULLETIN # 90@				METALS OPTION PRODUCTS								Tue, May 12, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST					
SO PUT	COMEX SILVER OPTIONS																
JUN26																	
5725	----	----	----	0.001B/0.085A	----	0.031 - 0.010	.0050	----	----	----	----	15	UNCH				
5750	----	----	----	0.001B/0.087A	----	0.031 - 0.011	.0050	----	----	----	----	226	UNCH				
5775	----	----	----	0.001B/0.088A	----	0.032 - 0.011	.0052	----	----	----	----	9	UNCH				
5800	----	----	----	0.001B/0.088A	----	0.033 - 0.011	.0054	----	----	----	----	80	UNCH				
5825	----	----	----	0.001B/0.089A	----	0.033 - 0.012	.0055	----	----	----	----	9	UNCH				
5850	----	----	----	0.001B/0.090A	----	0.034 - 0.012	.0057	----	----	----	----	6	UNCH				
5875	----	----	----	0.001B/0.091A	----	0.035 - 0.012	.0059	----	----	----	----	14	UNCH				
5900	----	----	----	0.036B/0.092A	----	0.036 - 0.012	.0061	----	----	----	----	45	UNCH				
5925	----	----	----	0.012B/0.093A	----	0.037 - 0.012	.0063	----	----	----	----	21	UNCH				
5950	----	----	----	0.015B/0.094A	----	0.038 - 0.012	.0065	----	----	----	----	6	UNCH				
5975	0.039	0.039	0.039/*0.039	0.039/*0.039	----	0.038 - 0.013	.0066	----	----	1	----	3	UNCH				
6000	0.100	0.100	0.100/*0.036	0.100/*0.036	----	0.039 - 0.013	.0068	----	----	73	----	1179 -	31				
6025	----	----	----	0.003B/0.093A	----	0.040 - 0.014	.0070	----	----	----	----	31	UNCH				
6050	0.037	0.037	0.037/*0.037	0.037/*0.037	----	0.041 - 0.014	.0072	----	----	1	----	141 -	1				
6075	----	----	----	0.013B/0.083A	----	0.042 - 0.014	.0075	----	----	----	----	31	UNCH				
6100	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.044 - 0.014	.0078	----	1	----	----	108 -	1				
6125	----	----	----	0.019B/*0.065A	----	0.045 - 0.014	.0081	----	----	----	----	3	UNCH				
6150	----	----	----	0.016B/0.084A	----	0.046 - 0.015	.0083	----	----	----	----	14	UNCH				
6175	----	----	----	0.027B/0.087A	----	0.047 - 0.016	.0085	----	----	----	----	307	UNCH				
6200	----	----	-----/0.058A	0.029B/0.058A	----	0.049 - 0.015	.0089	----	----	----	----	248	UNCH				
6225	----	----	----	0.013B/0.092A	----	0.050 - 0.016	.0092	----	----	----	----	8	UNCH				
6250	----	----	-----/*0.063A	0.012B/*0.063A	----	0.052 - 0.016	.0096	----	----	----	----	69	UNCH				
6275	----	----	----	0.012B/*0.095A	----	0.053 - 0.017	.0099	----	----	----	----	3	UNCH				
6300	----	----	-----/*0.069A	0.013B/*0.069A	----	0.055 - 0.017	.0103	----	1	----	----	145 -	1				
6325	----	----	----	0.012B/0.103A	----	0.056 - 0.018	.0105	----	----	----	----	18	UNCH				
6350	----	----	----	0.040B/0.105A	----	0.058 - 0.018	.0110	----	3	----	----	31 -	1				
6375	----	----	----	0.042B/0.108A	----	0.060 - 0.018	.0114	----	----	----	----	14	UNCH				
6400	0.070	0.070	0.070/*0.070	0.070/*0.070	----	0.062 - 0.019	.0118	----	6	----	----	188 -	1				
6425	----	----	----	0.040B/0.109A	----	0.064 - 0.019	.0123	----	1	----	----	46	UNCH				
6450	----	----	----	0.012B/0.117A	----	0.066 - 0.020	.0128	----	----	----	----	63	UNCH				
6475	----	----	----	0.044B/0.121A	----	0.068 - 0.020	.0132	----	----	----	----	88	UNCH				
6500	0.067	0.067	0.086/*0.067	0.086/*0.067	----	0.071 - 0.020	.0138	----	19	----	----	527 -	1				
6525	----	----	----	0.048B/*0.101A	----	0.073 - 0.021	.0143	----	----	----	----	37	UNCH				
6550	----	----	-----/*0.077A	0.023B/*0.077A	----	0.076 - 0.021	.0150	----	----	----	----	233	UNCH				
6575	----	----	----	0.027B/0.134A	----	0.079 - 0.022	.0156	----	2	----	----	6 -	2				
6600	----	----	-----/0.103A	0.075B/0.103A	----	0.082 - 0.022	.0163	----	----	----	----	182	UNCH				
6625	----	----	----	0.067B/0.141A	----	0.085 - 0.023	.0170	----	----	----	----	20	UNCH				
6650	0.085	0.085	0.085/*0.085	0.087B/*0.085	----	0.088 - 0.024	.0177	----	5	----	----	37 -	3				
6675	----	----	----/*0.109A	0.078B/*0.109A	----	0.091 - 0.025	.0184	----	----	----	----	28	UNCH				
6700	0.104	0.104	0.104/*0.104	0.104/*0.104	----	0.095 - 0.025	.0192	----	1	----	----	132	UNCH				
6725	----	----	----/*0.116A	0.086B/*0.116A	----	0.099 - 0.025	.0201	----	----	----	----	40	UNCH				
6750	----	----	----/*0.119A	0.089B/*0.119A	----	0.103 - 0.026	.0210	----	----	----	----	55	UNCH				
6775	----	----	----	0.097B/*0.147A	----	0.107 - 0.027	.0219	----	----	----	----	3	UNCH				
6800	0.140	0.140	0.145/*0.111A	0.145/*0.111A	----	0.11											

	BULLETIN # 90@			METALS OPTION PRODUCTS								Tue, May 12, 2026		PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS														
JUN26															
9500	----	----	----	11.790B/9.335A	11.790B/9.335A	----	----	10.387 - 0.062	.8152	----	----	60	----	194 + 56	
9525	----	----	----	11.909B/9.700A	11.909B/9.700A	----	----	10.604 - 0.055	.8207	----	----	----	----	1 UNCH	
9550	----	----	----	12.136B/9.905A	12.136B/9.905A	----	----	10.822 - 0.048	.8261	----	----	----	----	1 UNCH	
9575	----	----	----	12.366B/10.116A	12.366B/10.116A	----	----	11.041 - 0.042	.8314	----	----	----	----	2 UNCH	
9725	----	----	----	13.756B/11.382A	13.756B/11.382A	----	----	12.377 - 0.003	.8598	----	----	----	----	1 UNCH	
9825	----	----	----	14.692B/12.177A	14.692B/12.177A	----	----	13.286 + 0.022	.8761	----	----	----	----	1 UNCH	
9850	----	----	----	14.928B/12.396A	14.928B/12.396A	----	----	13.515 + 0.028	.8797	----	----	----	----	1 UNCH	
9900	----	----	----	15.424B/12.795A	15.424B/12.795A	----	----	13.976 + 0.040	.8869	----	----	----	----	17 UNCH	
9925	----	----	----	15.638B/13.076A	15.638B/13.076A	----	----	14.206 + 0.045	.8904	----	----	----	----	1 UNCH	
9950	----	----	----	15.876B/13.299A	15.876B/13.299A	----	----	14.438 + 0.051	.8937	----	----	----	----	1 UNCH	
10000	----	----	----	16.460B/13.643A	16.460B/13.643A	----	----	14.905 + 0.063	.8999	----	----	----	----	97 UNCH	
10025	----	----	----	16.592B/13.974A	16.592B/13.974A	----	----	15.139 + 0.069	.9029	----	----	----	----	2 UNCH	
10075	----	----	----	17.071B/14.431A	17.071B/14.431A	----	----	15.608 + 0.079	.9086	----	----	----	----	1 UNCH	
10100	----	----	----	17.327B/14.608A	17.327B/14.608A	----	----	15.843 + 0.084	.9114	----	----	----	----	6 UNCH	
10125	----	----	----	17.550B/14.886A	17.550B/14.886A	----	----	16.079 + 0.089	.9141	----	----	----	----	1 UNCH	
10150	----	----	----	17.806B/15.069A	17.806B/15.069A	----	----	16.316 + 0.094	.9166	----	----	----	----	8 UNCH	
10175	----	----	----	18.031B/15.343A	18.031B/15.343A	----	----	16.553 + 0.099	.9191	----	----	----	----	2 UNCH	
10200	----	----	----	18.377B/15.462A	18.377B/15.462A	----	----	16.791 + 0.105	.9214	----	----	----	----	120 UNCH	
10225	----	----	----	18.513B/15.803A	18.513B/15.803A	----	----	17.028 + 0.109	.9237	----	----	----	----	1 UNCH	
10325	----	----	----	19.480B/16.734A	19.480B/16.734A	----	----	17.984 + 0.128	.9321	----	----	----	----	1 UNCH	
10350	----	----	----	19.722B/16.967A	19.722B/16.967A	----	----	18.224 + 0.132	.9341	----	----	----	----	1 UNCH	
10375	----	----	----	19.965B/17.201A	19.965B/17.201A	----	----	18.465 + 0.137	.9359	----	----	----	----	1 UNCH	
10400	----	----	----	20.208B/17.435A	20.208B/17.435A	----	----	18.704 + 0.140	.9378	----	----	----	----	1 UNCH	
10500	----	----	----	21.193B/18.333A	21.193B/18.333A	----	----	19.670 + 0.157	.9445	----	----	----	----	9 UNCH	
10600	----	----	----	22.158B/19.287A	22.158B/19.287A	----	----	20.640 + 0.172	.9503	----	----	----	----	5 UNCH	
10825	----	----	----	24.379B/21.411A	24.379B/21.411A	----	----	22.836 + 0.202	.9610	----	----	----	----	6 UNCH	
10850	----	----	----	24.613B/21.716A	24.613B/21.716A	----	----	23.081 + 0.205	.9620	----	----	----	----	4 UNCH	
10875	----	----	----	24.860B/21.956A	24.860B/21.956A	----	----	23.326 + 0.208	.9630	----	----	----	----	2 UNCH	
10950	----	----	----	25.600B/22.679A	25.600B/22.679A	----	----	24.062 + 0.216	.9657	----	----	----	----	3 UNCH	
11000	----	----	----	26.106B/23.108A	26.106B/23.108A	----	----	24.553 + 0.221	.9675	----	----	----	----	7 UNCH	
11325	----	----	----	29.307B/26.322A	29.307B/26.322A	----	----	27.760 + 0.251	.9761	----	----	----	----	1 UNCH	
11500	----	----	----	31.055B/27.999A	31.055B/27.999A	----	----	29.493 + 0.264	.9792	----	----	----	----	10 UNCH	
11525	----	----	----	31.291B/28.299A	31.291B/28.299A	----	----	29.741 + 0.266	.9796	----	----	----	----	1 UNCH	
11675	----	----	----	32.781B/29.772A	32.781B/29.772A	----	----	31.229 + 0.275	.9821	----	----	----	----	1 UNCH	
11700	----	----	----	33.030B/30.017A	33.030B/30.017A	----	----	31.478 + 0.277	.9823	----	----	----	----	1 UNCH	
12000	----	----	----	36.120B/32.835A	36.120B/32.835A	----	----	34.460 + 0.292	.9858	----	----	----	----	50 UNCH	
12025	----	----	----	36.266B/33.223A	36.266B/33.223A	----	----	34.709 + 0.293	.9860	----	----	----	----	1 UNCH	
13000	----	----	----	45.995B/42.815A	45.995B/42.815A	----	----	44.429 + 0.323	.9919	----	----	----	----	5 UNCH	
TOTAL															

BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SO PUT	COMEX SILVER OPTIONS													
JUL26														
6425	----	----	----	0.423B/0.580A	----	0.465 -	0.026	.0577	----	----	----	2	UNCH	
6450	----	----	----	0.443B/0.598A	----	0.483 -	0.027	.0597	----	----	----	7	UNCH	
6475	----	----	----	0.461B/0.615A	----	0.499 -	0.031	.0616	----	1	----	2	UNCH	
6500	0.600	0.600	0.600/*0.530A	0.600/*0.530A	----	0.519 -	0.031	.0638	----	39	824 -	6		
6525	----	----	----	0.507B/0.654A	----	0.538 -	0.032	.0659	----	----	----	1	UNCH	
6550	----	----	----	0.531B/0.674A	----	0.558 -	0.034	.0682	----	1	64 -	1		
6575	----	----	----	0.554B/0.689A	----	0.578 -	0.037	.0704	----	2	7	UNCH		
6600	----	----	----	0.607B/*0.692A	----	0.600 -	0.038	.0728	----	2	47 -	2		
6650	----	----	0.705B/----	0.705B/0.725A	----	0.646 -	0.041	.0778	----	----	131	UNCH		
6675	----	----	0.718B/----	0.718B/*0.737A	----	0.670 -	0.044	.0803	----	----	6	UNCH		
6700	----	----	0.746B/----	0.746B/0.765A	----	0.695 -	0.046	.0830	----	12	47 +	8		
6725	----	----	0.793B/----	0.793B/0.779A	----	0.720 -	0.048	.0857	----	----	2	UNCH		
6750	0.875	0.875	0.875/0.800A	0.875/0.800A	----	0.747 -	0.050	.0885	----	13	40 +	3		
6775	----	----	0.860B/*0.826A	0.860B/*0.826A	----	0.774 -	0.053	.0913	----	1	2	UNCH		
6800	----	----	0.894B/*0.851A	0.894B/*0.851A	----	0.803 -	0.055	.0943	----	6	331 -	3		
6825	----	----	0.929B/*0.855A	0.929B/*0.855A	----	0.833 -	0.056	.0974	----	----	4	UNCH		
6850	----	----	0.966B/*0.884A	0.966B/*0.884A	----	0.863 -	0.059	.1004	----	----	15	UNCH		
6875	----	----	1.000B/*0.883A	1.000B/*0.883A	----	0.895 -	0.062	.1036	----	----	86	UNCH		
6900	----	----	1.037B/*0.928A	1.037B/*0.928A	----	0.927 -	0.065	.1069	----	----	131	UNCH		
6925	----	----	1.085B/*0.944A	1.085B/*0.944A	----	0.961 -	0.067	.1102	----	1	45	UNCH		
6950	----	----	1.128B/*0.977A	1.128B/*0.977A	----	0.996 -	0.070	.1137	----	1	85	UNCH		
6975	----	----	1.157B/*1.010A	1.157B/*1.010A	----	1.032 -	0.072	.1172	----	----	1	UNCH		
7000	1.200	1.200	1.200/*1.045A	1.200/*1.045A	----	1.070 -	0.074	.1208	----	21	741 +	3		
7025	----	----	1.263B/*1.080A	1.263B/*1.080A	----	1.108 -	0.077	.1244	----	1	136 +	1		
7050	----	----	1.285B/*1.117A	1.285B/*1.117A	----	1.148 -	0.081	.1282	----	----	2	UNCH		
7075	----	----	1.330B/*1.155A	1.330B/*1.155A	----	1.190 -	0.082	.1321	----	----	2	UNCH		
7100	1.196	1.196	1.387B/*1.195A	1.387B/*1.195A	----	1.233 -	0.084	.1361	----	5	49 +	1		
7125	----	----	1.440B/*1.235A	1.440B/*1.235A	----	1.277 -	0.087	.1401	----	----	11	UNCH		
7150	----	----	1.508B/*1.275A	1.508B/*1.275A	----	1.322 -	0.089	.1442	----	1	103	UNCH		
7175	----	----	1.569B/*1.321A	1.569B/*1.321A	----	1.368 -	0.093	.1483	----	----	32	UNCH		
7200	1.607	1.607	1.619B/*1.365A	1.619B/*1.365A	----	1.416 -	0.096	.1526	----	2	97 +	1		
7225	----	----	1.642B/*1.409A	1.642B/*1.409A	----	1.466 -	0.098	.1570	----	----	3	UNCH		
7250	1.643	1.643	1.721B/*1.456A	1.721B/*1.456A	----	1.517 -	0.100	.1614	----	1	207	UNCH		
7275	----	----	1.764B/*1.505A	1.764B/*1.505A	----	1.569 -	0.103	.1659	----	1	2	+	1	
7300	1.695	1.695	1.841B/*1.557A	1.841B/*1.557A	----	1.623 -	0.106	.1704	----	18	78 +	1		
7325	----	----	1.895B/*1.609A	1.895B/*1.609A	----	1.679 -	0.108	.1751	----	1	8	+	1	
7350	----	----	1.965B/*1.662A	1.965B/*1.662A	----	1.736 -	0.111	.1799	----	1	1	+	1	
7375	----	----	2.040B/*1.717A	2.040B/*1.717A	----	1.796 -	0.112	.1847	----	----	117	UNCH		
7400	2.060	2.060	2.110B/*1.773A	2.110B/*1.773A	----	1.856 -	0.115	.1896	----	7	96 +	4		
7425	----	----	2.163B/*1.844A	2.163B/*1.844A	----	1.918 -	0.118	.1946	----	----	9	UNCH		
7450	1.892	1.892	2.246B/*1.887A	2.246B/*1.887A	----	1.982 -	0.119	.1996	----	4	64 -	2		
7475	----	----	2.296B/*1.969A	2.296B/*1.969A	----	2.047 -	0.123							

BULLETIN # 90@			METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
AUG26													
5675	----	----	----	0.373B/*0.581A	----	0.478 -	0.068	.0444	----	----	----	9	UNCH
5700	----	----	----	0.387B/*0.594A	----	0.491 -	0.069	.0455	----	----	----	2	UNCH
5750	----	----	----	0.416B/*0.622A	----	0.519 -	0.072	.0480	----	----	----	1	UNCH
5800	----	----	----	0.446B/0.649A	----	0.548 -	0.075	.0506	----	----	----	5	UNCH
5850	----	----	----	0.479B/*0.683A	----	0.579 -	0.078	.0533	----	----	----	2	UNCH
5875	----	----	----	0.498B/*0.699A	----	0.596 -	0.079	.0547	----	----	----	4	UNCH
5900	----	----	----	0.515B/*0.716A	----	0.612 -	0.081	.0562	----	----	----	5	UNCH
5950	----	----	----	0.552B/*0.751A	----	0.647 -	0.084	.0592	----	----	----	10	UNCH
6000	0.640	0.640	0.640/*0.640	0.640/*0.640	----	0.685 -	0.086	.0624	----	3	----	130 +	3
6050	----	----	----	0.634B/*0.827A	----	0.724 -	0.089	.0657	----	----	----	1	UNCH
6100	----	----	----	0.682B/*0.868A	----	0.766 -	0.092	.0692	----	----	----	11	UNCH
6150	----	----	----	0.731B/*0.906A	----	0.810 -	0.095	.0728	----	----	----	1	UNCH
6200	----	----	----/*0.953A	0.785B/*0.953A	----	0.857 -	0.098	.0766	----	----	----	101	UNCH
6225	----	----	----/*0.977A	0.813B/*0.977A	----	0.881 -	0.100	.0786	----	----	----	9	UNCH
6250	0.922	0.922	0.922/*0.922	0.922/*0.922	----	0.906 -	0.102	.0806	----	1	----	111	UNCH
6300	0.985	0.985	0.985/*0.985	0.985/*0.985	----	0.959 -	0.104	.0848	----	1	----	53 +	1
6400	----	----	----/*1.162A	1.082B/*1.162A	----	1.072 -	0.112	.0936	----	----	----	1	UNCH
6425	----	----	----/*1.188A	1.128B/*1.188A	----	1.103 -	0.113	.0960	----	----	----	6	UNCH
6450	----	----	----/*1.220A	1.153B/*1.220A	----	1.134 -	0.115	.0984	----	----	----	1	UNCH
6500	1.105	1.105	1.105/*1.105	1.226B/*1.105	----	1.199 -	0.119	.1033	----	7	----	218 +	1
6575	----	----	----/*1.347A	1.356B/*1.347A	----	1.304 -	0.124	.1111	----	----	----	1	UNCH
6600	----	----	----/*1.354A	1.306B/*1.354A	----	1.345 -	0.122	.1140	----	8	----	17 +	1
6650	----	----	----/*1.460A	1.377B/*1.460A	----	1.428 -	0.119	.1198	----	----	----	14	UNCH
6675	----	----	----/*1.470A	1.527B/*1.470A	----	1.470 -	0.118	.1227	----	----	----	1	UNCH
6700	----	----	----/*1.519A	1.457B/*1.519A	----	1.514 -	0.117	.1258	----	----	----	3	UNCH
6725	1.518	1.518	1.518/*1.447	1.618B/*1.447	----	1.558 -	0.116	.1288	----	15	----	8 -	1
6750	----	----	----/*1.619A	1.547B/*1.619A	----	1.604 -	0.115	.1319	----	----	----	5	UNCH
6800	----	----	----/*1.714A	1.650B/*1.714A	----	1.698 -	0.113	.1382	----	----	----	3	UNCH
6825	----	----	----/*1.743A	1.813B/*1.743A	----	1.746 -	0.113	.1414	----	----	----	8	UNCH
6850	----	----	----/*1.781A	1.735B/*1.781A	----	1.796 -	0.112	.1447	----	----	----	1	UNCH
6900	----	----	----/*1.876A	1.845B/*1.876A	----	1.898 -	0.112	.1514	----	----	----	6	UNCH
6950	----	----	----/*1.978A	2.000B/*1.978A	----	2.004 -	0.112	.1582	----	----	----	24	UNCH
6975	----	----	----/*2.021A	2.144B/*2.021A	----	2.060 -	0.111	.1617	----	1	----	2 +	1
7000	----	----	----/*2.101A	2.115B/*2.101A	----	2.116 -	0.111	.1653	----	16	----	15 +	6
7050	----	----	----/*2.202A	2.259B/*2.202A	----	2.231 -	0.112	.1724	----	----	----	2	UNCH
7100	----	----	----/*2.304A	2.419B/*2.304A	----	2.351 -	0.113	.1798	----	----	----	7	UNCH
7150	----	----	----/*2.456A	2.522B/*2.456A	----	2.476 -	0.115	.1873	----	----	----	1	UNCH
7200	----	----	----/*2.549A	2.716B/*2.549A	----	2.606 -	0.116	.1949	----	1	----	69	UNCH
7225	----	----	2.814B/*2.605A	2.814B/*2.605A	----	2.672 -	0.118	.1988	----	----	----	2	UNCH
7300	----	----	3.008B/*2.801A	3.008B/*2.801A	----	2.881 -	0.121	.2107	----	----	----	111	UNCH
7350	----	----	----/*2.982A	3.134B/*2.982A	----	3.026 -	0.124	.2189	----	----	----	6	UNCH
7400	----	----	3.307B/*3.105A	3.307B/*3.105A	----	3.177 -	0.127	.2271	----	----	----	4	UNCH
7425	----	----	3.420B/*3.166A	3.420B/*3.166A	----	3.254 -	0.129	.2313	----	----	----	2	UNCH
7450	----	----	----/*3.255A	3.463B/*3.255A	----	3.333 -	0.131	.2355	----	----	----	1	UNCH
7500	----	----	3.673B/*3.394A	3.673B/*3.394A	----	3.495 -	0.135	.2441	----	1	----	94 +	1
7550	----	----	3.813B/*3.634A	3.813B/*3.634A	----	3.664 -	0.137	.2527	----	----	----	6	UNCH
7600	----	----	4.002B/*3.791A	4.002B/*3.791A	----	3.837 -	0.142	.2615	----	----	----	4	UNCH
7650	3.959	3.959	4.199B/*3.959	4.199B/*3.959	----	4.017 -	0.146	.2704	----	2	----	4 +	2
7675	4.020	4.020	4.020/*3.977A	4.193B/*3.977A	----	4.109 -	NEW	.2748	----	44	----	44 +	44
7700	4.275	4.275	4.445B/*4.073A	4.445B/*4.073A	----	4.203 -	0.149	.2793	----	5	----	72 -	1
7800	----	----	4.854B/*4.484A	4.854B/*4.484A	----	4.594 -	0.157	.2975	----	9	----	13 +	9
7850	----	----	5.051B/*4.648A	5.051B/*4.648A	----	4.799 -	0.160	.3067	----	----	----	12	UNCH
7900	----	----	5.280B/4.891A	5.280B/4.891A	----	5.010 -	0.163	.3160	----	----	----	2	UNCH
7950	----	----	5.567B/*5.069A	5.567B/*5.069A	----	5.228 -	0.166	.3253	----	----	----	16	UNCH
7975	----	----	5.653B/*5.177A	5.653B/*5.177A	----	5.339 -	0.168	.3300	----	----	----	2	UNCH
8000	----	----	5.816B/*5.287A	5.816B/*5.287A	----	5.452 -	0.169	.3347	----	179	----	282 +	133
8025	----	----	5.902B/*5.398A	5.902B/*5.398A	----	5.566 -	0.171	.3393	----	----	----	1	UNCH
8100	----	----	6.285B/*5.860A	6.285B/*5.860A	----	5.919 -	0.174	.3534	----	----	----	2	UNCH
8150	----	----	6.540B/*5.977A	6.540B/*5.977A	----	6.161 -	0.178	.3628	----	----	----	10	UNCH
8200	----	----	6.861B/*6.260A	6.861B/*6.260A	----	6.410 -	0.180	.3722	----	----	----	10	UNCH
8225	----	----	6.999B/*6.459A	6.999B/*6.459A	----	6.537 -	0.181	.3768	----	----	----	4	UNCH
8250	----	----	7.129B/6.688A	7.129B/6.688A	----	6.665 -	0.183	.3815	----	----	----	5	UNCH
8275	6.964	6.964	7.173B/*6.593A	7.173B/*6.593A	----	6.794 -	NEW	.3862	----	5	----	5 +	5
8300	----	----	7.409B/6.844A	7.409B/6.844A	----	6.927 -	0.184	.3908	----	----	----	1	UNCH
8325	7.200	7.200	7.565B/*6.844A	7.565B/*6.844A	----	7.059 -	0.186	.3955	----	1	----	5	UNCH
8425	----	----	8.144B/*7.402A	8.144B/*7.402A	----	7.604 -	0.190	.4140	----	----	----	1	UNCH
8475	----	----	8.443B/*7.716A	8.443B/*7.716A	----	7.885 -	0.192	.4232	----	----	----	1	UNCH
8500	----	----	8.593B/7.925A	8.593B/7.925A	----	8.028 -	0.193	.4277	----	----	----	20	UNCH
8600	8.299	8.299	9.214B/8.299	9.214B/8.299	----	8.613 -	NEW	.4458	----	3	----	3 +	3
8650	8.585	8.585	9.526B/8.585	9.526B/8.585	----	8.913 -	NEW	.4547	----	1	----	1 +	1
8700	8.903	8.903	9.851B/8.903	9.851B/8.903	----	9.219 -	0.198	.4635	----	2	----	2 +	2
8825	10.188	10.188	10.670B/*9.723A	10.670B/9.723A	----	10.005 -	0.200	.4851	----	1	----	4	UNCH
8850	10.349	10.349	10.831B/10.071A	10.831B/10.071A	----	10.166 -	NEW	.4893	----	1	----	1 +	1
8900	----	----	11.177B/10.384A	11.177B/10.384A	----	10.491 -	0.201	.497					

	BULLETIN # 90@				METALS OPTION PRODUCTS						Tue, May 12, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS														
OCT26															
3250	----	----	----	----	0.001B/0.500A	----		0.093 +	0.001 .0064	----	----	----	----	1	UNCH
4000	----	----	----	----	0.068B/0.345A	----		0.208 +	0.004 .0146	----	----	----	----	3	UNCH
4500	----	----	----	----	0.178B/0.491A	----		0.340 +	0.008 .0241	----	----	----	----	3	UNCH
5000	----	----	----	----	0.378B/0.721A	----		0.557 +	0.008 .0390	----	----	----	----	6	UNCH
5050	----	----	----	----	0.405B/0.750A	----		0.585 +	0.008 .0409	----	----	----	----	1	UNCH
5150	----	----	----	----	0.464B/0.813A	----		0.643 +	0.008 .0448	----	----	----	----	5	UNCH
6500	----	----	----	----	2.005B/2.765A	----		2.311 -	0.010 .1400	----	----	----	----	120	UNCH
6800	----	----	----	----	2.725B/3.415A	----		3.022 -	0.018 .1734	----	----	----	----	2	UNCH
7000	----	----	----	----	3.300B/4.022A	----		3.586 -	0.024 .1979	----	----	----	----	85	UNCH
7225	----	----	----	----	4.041B/*4.770A	----		4.313 -	0.030 .2272	----	----	----	----	87	UNCH
7500	----	----	----	----	5.087B/5.813A	----		5.335 -	0.038 .2647	----	----	----	----	33	UNCH
7950	----	----	----	----	7.123B/7.798A	----		7.329 -	0.047 .3285	----	----	----	----	10	UNCH
8000	----	----	----	----	7.375B/8.044A	----		7.575 -	0.047 .3356	----	----	----	----	2	UNCH
8200	----	----	----	----	8.423B/9.066A	----		8.602 -	0.049 .3640	----	----	----	----	6	UNCH
8375	----	----	----	----	9.402B/10.032A	----		9.558 -	0.050 .3885	----	----	----	----	1	UNCH
9100	----	----	----	14.111B/----	14.111B/14.345A	----		14.039 -	0.040 .4841	----	----	----	----	1	UNCH
10000	----	----	----	20.834B/----	20.834B/20.719A	----		20.546 -	0.032 .5835	----	----	----	----	40	UNCH
TOTAL													0	414	0
NOV26															
4500	----	----	----	----	0.262B/0.665A	----		0.464 +	0.007 .0299	----	----	----	----	1	UNCH
4550	----	----	----	----	0.283B/0.689A	----		0.489 +	0.009 .0314	----	----	----	----	1	UNCH
4800	----	----	----	----	0.408B/0.831A	----		0.624 +	0.010 .0397	----	----	----	----	1	UNCH
5000	----	----	----	----	0.536B/0.964A	----		0.752 +	0.011 .0474	----	----	----	----	12	UNCH
5200	----	----	----	----	0.694B/1.123A	----		0.905 +	0.012 .0564	----	----	----	----	1	UNCH
5950	----	----	----	----	1.660B/1.978A	----		1.797 +	0.014 .1040	----	----	----	----	1	UNCH
6700	----	----	----	----	3.292B/3.938A	----		3.424 +	0.009 .1761	----	----	----	----	50	UNCH
7000	----	----	----	----	3.953B/4.889A	----		4.337 +	0.004 .2108	----	----	----	----	40	UNCH
7025	----	----	----	----	4.039B/4.976A	----		4.421 +	0.004 .2138	----	----	----	----	6	UNCH
7400	----	----	----	----	5.452B/6.403A	----		5.811 -	0.003 .2605	----	----	----	----	24	UNCH
7500	----	----	----	----	5.874B/6.824A	----		6.226 -	0.005 .2734	----	----	----	----	7	UNCH
7700	----	----	----	----	6.772B/7.720A	----		7.110 -	0.009 .2993	----	----	----	----	50	UNCH
8500	----	----	----	----	11.121B/11.851A	----		11.337 -	0.019 .4021	----	----	----	----	60	UNCH
9000	----	----	----	----	14.387B/14.902A	----		14.472 -	0.017 .4619	----	----	----	----	5	UNCH
9050	----	----	----	----	14.730B/15.221A	----		14.803 -	0.017 .4676	----	----	----	----	3	UNCH
10000	----	----	----	21.745B/----	21.745B/21.927A	----		21.609 -	0.010 .5645	----	----	----	----	1	UNCH
11000	----	----	----	29.833B/----	29.833B/29.746A	----		29.564 -	0.010 .6454	----	----	----	----	1	UNCH
TOTAL													0	264	0
DEC26															
1500	----	----	----	----	-----/0.050A	----		0.007	UNCH .0004	----	----	----	----	180	UNCH
2000	----	----	----	----	0.001B/0.150A	----		0.024 +	0.001 .0014	----	----	----	----	10	UNCH
2500	----	----	----	----	0.001B/3.893A	----		0.046 +	0.002 .0029	----	----	----	----	32	UNCH
3000	----	----	----	----	0.001B/4.065A	----		0.086 +	0.003 .0056	----	----	----	----	93	UNCH
3100	----	----	----	----	0.001B/4.115A	----		0.097 +	0.003 .0063	----	----	----	----	1	UNCH
3150	----	----	----	----	0.002B/0.339A	----		0.108 +	0.004 .0070	----	----	----	----	1	UNCH
3500	----	----	----	----	0.045B/0.407A	----		0.202 +	0.007 .0124	----	----	----	----	45	UNCH
3850	----	----	----	----	0.117B/0.512A	----		0.323 +	0.011 .0193	----	----	----	----	1	UNCH
3925	----	----	----	----	0.137B/0.539A	----		0.348 +	0.012 .0208	----	----	----	----	1	UNCH
4000	----	----	----	----	0.158B/0.567A	----		0.374 +	0.012 .0223	----	----	----	----	75	UNCH
4500	----	----	----	----	0.359B/0.809A	----		0.594 +	0.017 .0352	----	----	----	----	35	UNCH
4600	----	----	----	----	0.414B/0.871A	----		0.650 +	0.018 .0384	----	----	----	----	4	UNCH
4800	----	----	----	----	0.543B/1.010A	----		0.775 +	0.018 .0456	----	----	----	----	241	UNCH
5000	----	----	----	----	0.701B/1.173A	----		0.927 +	0.020 .0539	----	30	----	----	378 +	20
5250	----	----	----	----	0.949B/1.419A	----		1.157 +	0.018 .0662	----	----	----	----	50	UNCH
5300	----	----	----	----	1.006B/1.474A	----		1.210 +	0.017 .0690	----	----	----	----	250	UNCH
5400	----	----	----	----	1.128B/1.592A	----		1.322 +	0.015 .0747	----	----	----	----	100	UNCH
5500	----	----	----	----	1.263B/1.718A	----		1.445 +	0.013 .0809	----	----	----	----	229	UNCH
5600	----	----	----	----	1.409B/1.855A	----		1.580 +	0.011 .0874	----	----	----	----	8	UNCH
5650	----	----	----	----	1.488B/1.913A	----		1.652 +	0.011 .0909	----	----	----	----	12	UNCH
5800	----	----	----	----	1.745B/2.145A	----		1.884 +	0.006 .1018	----	----	----	----	1	UNCH
5950	----	----	----	----	2.034B/2.383A	----		2.148 +	0.003 .1137	----	----	----	----	5	UNCH
6000	----	----	----	----	2.099B/2.471A	----		2.242 +	0.002 .1178	----	----	----	----	135	UNCH
6200	----	----	----	----	2.173B/3.346A	----		2.657 -	0.003 .1355	----	----	----	----	13	UNCH
6300	----	----	----	----	2.460B/3.540A	----		2.887 -	0.005 .1448	----	----	----	----	25	UNCH
6500	----	----	----	----	2.957B/4.039A	----		3.400 -	0.004 .1648	----	----	----	----	737	UNCH
6650	----	----	----	----	3.459B/4.486A	----		3.828 -	0.003 .1805	----	----	----	----	5	UNCH
6725	----	----	----	----	3.595B/4.723A	----		4.057 -	0.001 .1886	----	----	----	----	4	UNCH
6750	----	----	----	----	3.671B/4.790A	----		4.135 -	0.001 .1914	----	----	----	----	6	UNCH
6800	----	----	----	----	3.826B/4.956A	----		4.295	UNCH .1969	----	----	----	----	79	UNCH
6850	----	----	----	----	3.986B/5.125A	----		4.459 +	0.001 .2025	----	----	----	----	78	UNCH
6900	----	----	----	----	4.150B/5.296A	----		4.628 +	0.003 .2081	----	----	----	----	1	UNCH
6950	----	----	----	----	4.320B/5.472A	----		4.802 +	0.005 .2139	----	----	----	----	121	UNCH
7000	----	----	----	----	4.492B/5.653A	----		4.979 +	0.007 .2196	----	----	----	----	230	UNCH
7075	----	----	----	----	4.760B/5.934A	----		5.252 +	0.008 .2283	----	----	----	----	20	UNCH
7100	----	----	----	----	4.851B/6.027A	----		5.346 +	0.010 .2312	----	----	----	----	2	UNCH
7200	----	----	----	----	5.227B/6.417A	----		5.729 +	0.012 .2430	----	----	----	----	14	UNCH
7250	----	----	----	----	5.422B/6.620A	----		5.928 +	0.014 .2489	----	----	----	----	48	UNCH
7500	----	----	----	----	6.										



BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
S0 PUT DEC27	COMEX SILVER OPTIONS																					
7175	----	----	----	----	----	10.839 + 0.076	.2456	----	----	----	----	25	UNCH									
TOTAL											0	25	0									
S03 CALL MAY26	SILVER OPTIONS																					
7150	----	----	----	----	----	14.122 - 0.365	.9945	----	----	----	----	3	UNCH									
7200	----	----	----	----	----	13.626 - 0.366	.9936	----	----	----	----	2	UNCH									
7250	----	----	----	----	----	13.130 - 0.369	.9927	----	----	----	----	2	UNCH									
7400	----	----	----	----	----	11.646 - 0.378	.9887	----	----	----	----	5	UNCH									
7450	----	----	----	----	----	11.154 - 0.382	.9868	----	----	----	----	1	UNCH									
7500	----	----	----	----	----	10.662 - 0.387	.9844	----	----	----	----	3	UNCH									
7600	9.060	9.060	#9.090/9.060	#9.090/9.060	9.686 - 0.398	.9781				5		7 -	4									
7700	----	----	-----/8.629A	8.410B/8.629A	8.719 - 0.414	.9685						50	UNCH									
7750	----	----		#8.616B/10.263A	8.241 - 0.423	.9620						1	UNCH									
7800	----	----	#8.646B/----	#8.646B/8.812A	7.767 - 0.434	.9542				1		2	UNCH									
7850	----	----	#8.658B/----	#8.658B/11.148A	7.299 - 0.446	.9446						2	UNCH									
7900	----	----			6.837 - 0.459	.9331						3	UNCH									
8000	----	----	-----/5.568A	3.118B/5.568A	5.937 - 0.488	.9027						17	UNCH									
8100	----	----	----/4.756A	3.732B/4.756A	5.078 - 0.520	.8606						12	UNCH									
8200	----	----	----/4.002A	3.403B/4.002A	4.272 - 0.551	.8052						12	UNCH									
8250	----	----	----/3.145A	3.269B/3.145A	3.893 - 0.566	.7722						2	UNCH									
8300	----	----	----/2.836A	3.127B/2.836A	3.532 - 0.578	.7357						13	UNCH									
8400	----	----	----/2.052A	2.688B/2.052A	2.868 - 0.598	.6543						25	UNCH									
8420	2.000	2.000	#2.000/*2.000	2.452B/2.000	2.745 - NEW	.6368				2		2 +	2									
8500	----	----	-----/1.671A	2.533B/1.671A	2.289 - 0.606	.5646				4		30	UNCH									
8600	----	----	2.619B/1.329A	2.619B/1.329A	1.798 - 0.599	.4724						7	UNCH									
8650	2.000	2.000	#2.619B/1.199A	#2.619B/1.199A	1.585 - 0.591	.4272				5		16 +	5									
8660	2.000	2.000	#2.631B/*1.191A	#2.631B/1.191A	1.545 - NEW	.4184				1		1 +										
8700	1.430	1.430	#2.685B/1.045A	#2.685B/1.045A	1.393 - 0.579	.3836				17		7 +	6									
8750	2.560	2.560	#2.560/0.962A	#2.560/0.962A	1.221 - 0.564	.3421				2		5 +	1									
8800	----	----	#2.249B/0.841A	#2.249B/0.841A	1.068 - 0.547	.3032				4		6	UNCH									
8850	----	----	#1.997B/0.783A	#1.997B/0.783A	0.933 - 0.527	.2672						2	UNCH									
8900	----	----	#1.827B/0.685A	1.827B/0.685A	0.814 - 0.505	.2342						1	UNCH									
9000	0.800	0.800	#1.473B/0.541A	1.473B/0.541A	0.618 - 0.459	.1777				47		67 +	24									
9050	0.537	0.537	#1.289B/0.499A	1.289B/0.499A	0.539 - 0.434	.1541				1		1	UNCH									
9100	----	----	#1.174B/0.426A	1.174B/0.426A	0.470 - 0.410	.1333						4	UNCH									
9250	----	----	#0.800B/0.316A	0.800B/0.316A	0.314 - 0.340	.0855					100	101 +	100									
9500	----	----	0.445B/0.221A	0.445B/0.221A	0.167 - 0.241	.0409						10	UNCH									
9600	0.109	0.109	#0.344B/*0.109	0.344B/*0.109	0.132 - NEW	.0307				1		1 +	1									
9700	----	----	-----/0.172A	0.266B/0.172A	0.105 - 0.182	.0232						1	UNCH									
10000	0.120	0.120	0.120/0.050	0.126B/0.050	0.046 - 0.110	.0086				18		14 +	7									
TOTAL										108	100	438 +	143									
S03 PUT	SILVER OPTIONS																					
MAY26																						
6500	----	----	----	-----/0.214A	0.007 - 0.001	.0006						18	UNCH									
6600	----	----	----	-----/0.198A	0.009 - 0.002	.0009						16	UNCH									
6700	----	----	----	-----/0.178A	0.013 - 0.002	.0014						1	UNCH									
6750	----	----	----	-----/0.167A	0.016 - 0.001	.0019						1	UNCH									
6800	0.019	0.019	0.019/*0.019	0.019/*0.019	0.019 - 0.001	.0023				2		5	UNCH									
6900	----	----	-----/0.136A	0.022 - 0.003	.0029							2	UNCH									
7000	0.040	0.040	0.040/*0.035	0.040/*0.035	0.026 - 0.005	.0037				4		13	UNCH									
7150	----	----		0.001B/*0.117A	0.034 - 0.009	.0054						1	UNCH									
7200	0.050	0.050	0.050/*0.050	0.050/*0.050	0.038 - 0.010	.0063				10		4 -	10									
7250	----	----	----	0.001B/*0.120A	0.042 - 0.013	.0072						1	UNCH									
7300	----	----	----	0.001B/0.121A	0.046 - 0.016	.0082						4	UNCH									
7350	----	----	----	0.001B/*0.126A	0.052 - 0.018	.0097						1	UNCH									
7400	----	----	----	0.014B/*0.132A	0.058 - 0.022	.0112						7	UNCH									
7450	----	----	----	0.019B/*0.139A	0.065 - 0.026	.0131						11	UNCH									
7500	0.100	0.100	0.100/*0.070	0.100/*0.070	0.074 - 0.031	.0155				3		13 +	1									
7550	----	----	----	0.038B/*0.150A	0.084 - 0.036	.0183						1	UNCH									
7600	----	----	----	0.064B/*0.162A	0.097 - 0.042	.0219						6	UNCH									
7700	----	----	-----/0.172A	0.110B/*0.172A	0.130 - 0.058	.0314						47	UNCH									
7750	----	----	----/*0.186A	0.132B/*0.186A	0.152 - 0.067	.0379						1	UNCH									
7800	0.190	0.190	0.190/*0.190	0.190/*0.190	0.178 - 0.078	.0457				2		16 +	2									
7850	----	----	----/*0.228A	0.219B/*0.228A	0.210 - 0.089	.0553						4	UNCH									
7900	----	----	----/*0.241A	0.303B/*0.241A	0.248 - 0.102	.0668						27	UNCH									
7960	----	----	----/*0.288A	0.408B/*0.288A	0.304 - 0.119	.0838				3		6 +	3									
7970	----	----	#0.440B/*0.297A	0.440B/*0.297A	0.314 - 0.122	.0869				3		6 +	3									
8000	0.425	0.425	0.650/*0.203A	0.650/*0.203A	0.348 - 0.131	.0972				26		65 +	11									
8100	0.500	0.500	0.723B/*0.388A	0.723B/*0.388A	0.489 - 0.162	.1393				7		8	UNCH									
8200	0.983	0.983	1.100/*0.514A	1.100/*0.514A	0.682 - 0.195	.1947				28		22 -	5									
8250	1.198	1.198	1.300/*0.614A	1.300/*0.614A	0.803 - NEW	.2277				2		2 +	2									
8300	----	----	1.478B/*0.706A	1.478B/*0.706A	0.942 - 0.222	.2642						4	UNCH									
8320	1.200	1.200	#1.550B/*0.669A	1.550B/*0.669A	1.002 - NEW	.2795				1		1 +	1									
8350	----	----	1.701B/*0.852A	1.701B/*0.852A	1.099 - 0.233	.3036						2	UNCH									
8400	1.500	1.500	1.976B/*0.775	1.976B/*0.775	1.277 - 0.242	.3456				16		15 +	11									
8440	----	----	#2.182B/*1.005A	2.182B/*1.005A	1.435 - 0.246	.3808						1	UNCH									
8460	2.049	2.049	#2.297B/*1.087A	2.297B/*1.087A	1.519 - NEW	.3988				1		1 +	1									
8490	2.550	2.550	#2.550/*1.191A	2.550/*1.191A	1.652 - NEW	.4261				1		1 +	1									
8500	2.067	2.067	2.479B/*1.239A	2.479B/*1.239A	1.698 - 0.249	.4353				69		63 +	60									
8600	----	----	3.102B/*1.643A	3.102B/*1.643A	2.206 - NEW	.5275				1		1 +	1									
8630	3.280	3.280	#3.280/*1.709A	3.280/*1.709A	2.376 - NEW	.5548				1		1 +	1									
8680	2.723	2.723</																				



BULLETIN # 90@				METALS OPTION PRODUCTS							Tue, May 12, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
S05 PUT	SILVER OPTIONS											1	0	5 +	1	
TOTAL																
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK															
MAY26																
6000	----	----	----	----/0.296A	----	0.001	UNCH	----	----	----	----	6	UNCH			
6400	----	----	----	0.001B/0.126A	----	0.009	- 0.005	.0018	----	----	----	1	UNCH			
6500	----	----	----	----/0.283A	----	0.001	UNCH	----	----	----	----	8	UNCH			
6800	----	----	----	0.001B/*0.147A	----	0.032	- 0.013	.0072	----	----	----	4	UNCH			
6850	----	----	----	0.066B/*0.226A	----	0.135	- 0.028	.0274	----	----	----	1	UNCH			
7000	----	----	----	0.011B/*0.160A	----	0.056	- 0.019	.0131	----	----	----	5	UNCH			
7150	----	----	----	----/0.203A	----	0.001	- 0.002	----	----	----	----	1	UNCH			
7200	----	----	----	----/0.200A	----	0.001	- 0.002	----	----	----	----	4	UNCH			
7300	----	----	----	----/0.172A	----	0.001	- 0.005	----	----	----	----	2	UNCH			
7400	----	----	----	----/0.135A	----	0.001	- 0.008	----	----	----	----	25	UNCH			
7500	----	----	----	----	----	11.592	- 0.365	.0000	----	----	----	4	UNCH			
7500	----	----	----	----	----	10.592	- 0.371	.0000	1	----	----	0	- 1			
7500	----	----	----	----/*0.039A	----	0.001	- 0.014	----	----	----	----	2	UNCH			
7700	----	----	----/*0.385A	0.401B/*0.385A	----	0.414	- 0.071	.0962	----	----	----	3	UNCH			
7730	0.033	0.033	0.033/*0.033	0.033/*0.033	----	0.004	NEW	.0000	----	1	----	1	+	1		
7800	----	----	----	----	----	7.598	- 0.420	.9997	----	4	----	0	- 4			
7800	0.012	0.012	0.012/*0.012	0.013B/*0.012	----	0.007	- 0.063	.0002	----	5	----	12	+	5		
7880	0.095	0.095	0.095/*0.060	0.095/*0.060	----	0.014	NEW	.0008	----	2	----	2	+	2		
7900	----	----	----	0.042B/*0.120A	----	0.017	NEW	.0011	----	2	----	1	+	1		
7950	----	----	----	----/*0.119A	----	0.026	NEW	.0022	----	4	----	4	+	4		
7960	----	----	----	----/*0.115A	----	0.028	NEW	.0025	----	4	----	4	+	4		
7980	0.095	0.095	0.095/*0.080	0.095/*0.080	----	0.032	NEW	.0032	----	3	----	3	+	3		
8000	----	----	----	----	----	5.628	- 0.508	.9958	----	----	----	2	UNCH			
8000	0.090	0.090	0.090/*0.090	0.103B/*0.090	----	0.037	- 0.151	.0041	----	6	----	7	+	4		
8100	----	----	----	----	----	4.669	- 0.581	.9861	----	1	----	6	+	1		
8100	0.365	0.365	0.365/*0.128A	0.365/*0.128A	----	0.078	- 0.224	.0138	----	20	----	12	+	9		
8100	----	----	2.181B/*1.645A	2.181B/*1.645A	----	1.888	- 0.164	.2878	----	----	----	1	UNCH			
8110	0.150	0.150	0.150/*0.070	0.231B/*0.070	----	0.084	NEW	.0155	----	15	----	15	+	15		
8150	----	----	----/3.904A	1.290B/3.904A	----	4.202	- 0.623	.9758	----	----	----	1	UNCH			
8150	0.755	0.755	#0.755/*0.137A	0.755/*0.137A	----	0.111	NEW	.0241	----	4	----	0	UNCH			
8200	0.360	0.360	#0.481B/*0.161A	0.481B/*0.161A	----	0.153	- 0.314	.0396	----	8	----	5	+	4		
8200	----	----	----/3.533A	1.686B/3.533A	----	3.744	- 0.671	.9603	2	----	----	1	- 2			
8250	0.660	0.660	0.660/*0.118	0.660/*0.118	----	0.209	- 0.363	.0632	----	17	----	4	+	3		
8350	----	----	1.038B/*0.274A	1.038B/*0.274A	----	0.385	NEW	.1471	----	7	----	1	+	1		
8370	0.263	0.263	#1.076B/*0.263	1.076B/*0.263	----	0.433	NEW	.1710	----	1	----	1	+	1		
8400	----	----	----/1.298A	1.743B/1.298A	----	2.104	- 0.839	.7888	----	----	----	4	UNCH			
8400	1.020	1.020	1.311B/*0.179	1.311B/*0.179	----	0.513	- 0.482	.2112	----	17	----	5	+	4		
8450	----	----	1.572B/*0.424A	1.572B/*0.424A	----	0.671	- 0.505	.2895	----	4	----	1	UNCH			
8490	1.759	1.759	#1.827B/*0.514A	1.827B/*0.514A	----	0.821	NEW	.3609	----	5	----	5	+	5		
8500	1.160	1.160	1.160/0.872A	1.746B/0.872A	----	1.453	NEW	.6202	----	1	----	1	+	1		
8500	----	----	----/2.514A	3.655B/2.514A	----	3.185	- 0.586	.5504	----	----	----	1	UNCH			
8500	0.750	0.750	1.912B/*0.390	1.912B/*0.390	----	0.862	NEW	.3797	----	29	----	29	+	29		
8550	0.800	0.800	1.950/0.759A	1.950/0.759A	----	1.179	NEW	.5227	----	2	----	1	+	1		
8580	----	----	----/*0.694A	1.811B/0.694A	----	1.031	- 0.863	.4631	----	2	----	1	- 1			
8600	0.750	0.750	2.131B/*0.750	2.131B/*0.750	----	1.349	NEW	.5761	----	1	----	1	+	1		
8600	2.750	2.750	#2.750/0.614A	#2.750/0.614A	----	0.940	- 0.855	.4238	----	9	----	14	+	1		
8650	----	----	2.164B/*1.044A	2.164B/*1.044A	----	1.646	- 0.469	.6702	----	----	----	10	UNCH			
8650	0.670	0.670	#1.870B/0.543A	#1.870B/0.543A	----	0.737	NEW	.3297	----	1	----	1	+	1		
8700	0.700	0.700	#1.923B/0.437A	#1.923B/0.437A	----	0.566	NEW	.2453	----	9	----	7	+	7		
8750	----	----	#1.713B/0.400A	#1.713B/0.400A	----	0.427	NEW	.1743	----	12	----	4	+	4		
8800	----	----	----/*1.763A	2.261B/*1.763A	----	2.725	- 0.320	.8817	----	----	----	0	UNCH			
8800	0.392	0.392	#1.495B/0.301A	#1.495B/0.301A	----	0.316	- 0.677	.1182	----	6	----	3	+	2		
8850	----	----	#1.251B/0.281A	#1.251B/0.281A	----	0.229	NEW	.0763	----	12	----	4	+	4		
8880	----	----	#1.134B/*0.242A	#1.134B/0.242A	----	0.187	NEW	.0573	----	3	----	3	+	3		
8900	0.275	0.275	#1.088B/0.223A	#1.088B/0.223A	----	0.163	NEW	.0470	----	4	----	1	+	1		
8900	----	----	----/*2.674A	2.392B/*2.674A	----	3.572	NEW	.9529	----	2	----	2	+	2		
8910	0.175	0.175	#0.175/*0.175	#0.654B/*0.175	----	0.153	NEW	.0427	----	1	----	1	+	1		
8950	----	----	#0.892B/0.202A	#0.892B/0.202A	----	0.118	- 0.488	.0287	----	----	----	1	UNCH			
8980	----	----	----	#0.496B/*0.185A	----	0.096	NEW	.0209	----	3	----	3	+	3		
9000	----	----	#2.360B/1.155A	#2.360B/1.155A	----	1.283	- 0.519	.2792	----	----	----	1	UNCH			
9000	----	----	----	1.520B/*4.906A	----	4.493	NEW	.9830	----	2	----	2	+	2		
9000	0.100	0.100	#0.768B/*0.100	0.768B/*0.100	----	0.084	- 0.431	.0169	----	5	----	8	UNCH			
9200	0.350	0.350	#0.351B/*0.116A	0.351B/0.116A	----	0.020	NEW	.0015	----	2	----	1	+	1		
9300	----	----	0.224B/*0.115A	0.224B/0.115A	----	0.009	- 0.176	.0004	----	----	----	1	UNCH			
9500	----	----	#1.082B/0.566A	#1.082B/0.566A	----	0.491	- 0.343	.1171	----	----	----	1	UNCH			
9500	0.150	0.150	#0.150/*0.100A	0.150/*0.100A	----	0.002	- 0.089	.0000	----	1	----	3	+	1		
9700	----	----	----	0.021B/0.115A	----	0.001	- 0.043	----	----	----	----	3	UNCH			
10000	----	----	#0.472B/0.307A	#0.472B/0.307A	----	0.214	- 0.198	.0502	----	----	----	1	UNCH			
11000	0.301	0.301	#0.301/*0.300	#0.330B/*0.300	----	0.186	NEW	.0356	----	3	----	3	+	3		
TOTAL										240	0	276	+	127		
JUN26																
8500	----	----	----/*4.570A	#5.327B/*4.570A	----	4.879	NEW	.5471	----	4	----	4	+	4		
9750	1.769	1.769	1.769/*1.497A	#2.232B/*1.497A	----	1.516	NEW	.2120	----	5	----	5	+	5		
TOTAL								</								

BULLETIN # 90@			METALS OPTION PRODUCTS								Tue, May 12, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
TWS TUE	SILVER WEEKLY TUESDAY OPTION week2													
MAY26														
8600	0.500	0.500	0.500/*0.090A	1.172B/*0.090A	----	0.000 - 1.257	----	----	----	7	----	0 -	2	
8600	0.800	0.800	1.296B/*0.672A	1.296B/*0.672A	----	0.409 - 0.900	----	1	----	7	----	0 -	4	
8610	0.310	0.310	0.310/*0.100A	1.177B/*0.100A	----	0.000 NEW	----	----	----	1	----	0	UNCH	
8650	1.250	1.250	1.250/*0.010A	1.250/*0.010A	----	0.000 - 1.047	----	----	----	6	----	0 -	7	
8670	1.000	1.000	#1.526B/*0.987A	1.526B/*0.987A	----	1.109 NEW	----	1	----	1	----	0	UNCH	
8680	1.000	1.000	#1.543B/*1.000	1.543B/*1.000	----	1.209 NEW	----	1	----	1	----	0	UNCH	
8700	1.240	1.240	#1.331B/*0.080	#1.331B/*0.080	----	0.000 - 0.866	----	----	----	3	----	0 -	5	
8720	----	----	#1.274B/*0.149A	#1.274B/*0.149A	----	0.000 - 0.801	----	----</						

BULLETIN # 90@				METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64	
	GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST			
COPPER WEEKLY TUESDAY OPTION week2																	
MAY26																	
595	----	----	----	#0.6025B/0.5050	#0.6025B/0.5050	----	----	0.5810 + 0.0700	----	3	----	----	----	0 -	3		
605	----	----	----	----/*0.0090A	----/*0.0090A	----	----	0.0000 - 0.0005	----	----	----	----	----	0 -	1		
610	----	----	----	#0.4530B/0.3550	#0.4530B/0.3550	----	----	0.4310 + 0.0700	----	1	----	----	----	0 -	1		
615	----	----	----	#0.4025B/0.3055	#0.4025B/0.3055	----	----	0.3810 + 0.0700	----	2	----	----	----	0 -	2		
618	----	----	----	----/*0.0090A	----/*0.0090A	----	----	0.0000 - 0.0005	----	----	----	----	----	0 -	2		
620	----	----	----	#0.3525B/0.2560	#0.3525B/0.2560	----	----	0.3310 + 0.0700	----	6	----	----	----	0 -	6		
623	0.0010	0.0010		0.0010/*0.0010	0.0010/*0.0010	----	----	0.0000 - 0.0005	----	----	----	2	----	0 -	2		
625	----	----	----	----/*0.0090A	----/*0.0090A	----	----	0.0000 - 0.0010	----	----							

BULLETIN # 90@		METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64		
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
HX CALL JUN26	COMEX COPPER OPTIONS															
525	----	----	----	----	----	----	----	----	1.2840 + 0.0710	.9867	----	----	----	----		1
535	----	----	----	----	----	----	----	----	1.1840 + 0.0705	.9856	----	----	----	----		2
540	----	----	----	#1.2280B/----	#1.2280B/1.0980	----	----	----	1.1345 + 0.0705	.9836	----	----	----	----		24
545	----	----	----	----	----	----	----	----	1.0845 + 0.0700	.9829	----	----	----	----		2
549	----	----	----	----	----	----	----	----	1.0445 + 0.0695	.9823	----	----	----	----		1
550	----	----	----	#1.1285B/----	#1.1285B/0.9985	----	----	----	1.0350 + 0.0700	.9822	----	----	----	----		5
555	----	----	----	----	----	----	----	----	0.9850 + 0.0695	.9798	----	----	----	----		1
556	----	----	----	----	----	----	----	----	0.9750 + 0.0695	.9796	----	----	----	----		1
557	----	----	----	#1.0590B/----	#1.0590B/0.9290	----	----	----	0.9655 + 0.0695	.9794	----	----	----	----</		

BULLETIN # 90@				METALS OPTION PRODUCTS							Tue, May 12, 2026			PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST		
HX CALL	COMEX COPPER OPTIONS													
JUL26														
555	----	----	#1.0915B/----	#1.0915B/0.9630	----	1.0015 + 0.0660	.9334	----	----	----	----	116	UNCH	
560	----	----	0.9565B/----	0.9565B/0.9305A	----	0.9555 + 0.0655	.9243	----	----	----	----	1	UNCH	
570	----	----	0.9660B/----	0.9660B/0.8155A	----	0.8640 + 0.0635	.9029	----	----	----	----	157	UNCH	
574	----	----	#0.9150B/----	#0.9150B/0.7920	----	0.8280 + 0.0620	.8924	----	----	----	----	5	UNCH	
575	----	----	0.9060B/----	0.9060B/0.7835A	----	0.8195 + 0.0625	.8899	----	----	----	----	19	UNCH	
580	----	----	0.8610B/----	0.8610B/0.7405A	----	0.7755 + 0.0605	.8759	----	----	----	----	123	UNCH	
585	----	----	0.8360B/----	0.8360B/0.6850A	----	0.7330 +								

PG64	BULLETIN # 90@										METALS OPTION PRODUCTS				Tue, May 12, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST							
HX CALL	COMEX COPPER OPTIONS																		
OCT26																			
605	----	----	0.9455B/----	0.9455B/0.8135A	----	0.8600 + 0.0495	.7302	----	----	----	----	2	UNCH						
615	----	----	0.8790B/----	0.8790B/0.7540A	----	0.7975 + 0.0480	.7009	----	----	----	----	10	UNCH						
620	----	----	0.8470B/----	0.8470B/0.7255A	----	0.7675 + 0.0470	.6859	----	----	----	----	1	UNCH						
625	----	----	0.8160B/----	0.8160B/0.6980A	----	0.7385 + 0.0460	.6708	----	----	----	----	11	UNCH						
630	----	----	0.7860B/----	0.7860B/0.6720A	----	0.7105 + 0.0450	.6556	----	----	----	----	0	UNCH						
650	----	----	0.6760B/----	0.6760B/0.5715A	----	0.6080 + 0.0415	.5941	----	----	----	----	106	UNCH						
670	----	----	0.5865B/----	0.5865B/0.4880A	----	0.5190 + 0.0365	.5335	----	----	----	----	1	UNCH						
675	----	----	0.5645B/----	0.5645B/0.4690A	----	0.4985 + 0.0350	.5188	----	----	----	----	77	UNCH						
700	----	----	0.4555B/----	0.4555B/0.3900A	----	0.4080 + 0.0285	.4484	----	----	7	----	151 +	5						
740	----	----	0.3385B/0.2755A	0.3385B/0.2755A	----	0.2945 + 0.0185	.3492	----	----	----	----	10	UNCH						
750	0.2870	0.2870	0.3175/0.2870	0.3175/0.2620A	----	0.2710 + 0.0160	.3271	----	----	14	----	64 +	14						
775	----	----	0.2475B/----	0.2475B/0.2145A	----	0.2210 + 0.0110	.2773	----	----	21	----	85 +	14						
800	----	----	0.2100B/0.1685A	0.2100B/0.1685A	----	0.1830 + 0.0090	.2359	----	----	1	----	1	UNCH						
850	----	----	0.1410B/0.1170A	0.1410B/0.1170A	----	0.1255 + 0.0060	.1700	----	----	----	----	30	UNCH						
875	----	----	0.1165B/0.0990A	0.1165B/0.0990A	----	0.1050 + 0.0045	.1449	----	----	----	----	3	UNCH						
900	----	----	0.0965B/0.0840A	0.0965B/0.0840A	----	0.0890 + 0.0040	.1244	----	----	----	----	3	UNCH						
975	----	----	----/0.0545A	0.0545B/0.0545A	----	0.0570 + 0.0020	.0815	----	----	----	----	7	UNCH						
TOTAL										44		605 +	34						
NOV26																			
535	----	----	----	----	----	1.4205 + 0.0610	.8714	----	----	----	----	1	UNCH						
545	----	----	----	----	----	1.3390 + 0.0595	.8533	----	----	----	----	1	UNCH						
580	----	----	----	----	----	1.0760 + 0.0535	.7780	----	----	----	----	2	UNCH						
585	----	----	----	0.9835B/0.9930A	----	1.0415 + 0.0525	.7659	----	----	----	----	1	UNCH						
595	----	----	1.0260B/----	1.0260B/0.9290A	----	0.9750 + 0.0515	.7410	----	----	----	----	2	UNCH						
600	----	----	1.0195B/----	1.0195B/0.8985A	----	0.9430 + 0.0510	.7281	----	----	----	----	2	UNCH						
610	----	----	0.9545B/----	0.9545B/0.8400A	----	0.8815 + 0.0495	.7017	----	----	----	----	14	UNCH						
640	----	----	0.7800B/----	0.7800B/0.6845A	----	0.7175 + 0.0415	.6201	----	----	----	----	1	UNCH						
650	----	----	0.7285B/----	0.7285B/0.6370A	----	0.6695 + 0.0390	.5927	----	----	----	----	1	UNCH						
655	----	----	0.7040B/----	0.7040B/0.6145A	----	0.6465 + 0.0375	.5791	----	----	----	----	1	UNCH						
670	----	----	0.6415B/----	0.6415B/0.5535A	----	0.5820 + 0.0350	.5388	----	----	----	----	14	UNCH						
675	----	----	0.6200B/----	0.6200B/0.5340A	----	0.5620 + 0.0345	.5257	----	----	----	----	60	UNCH						
680	----	----	0.5985B/----	0.5985B/0.5155A	----	0.5425 + 0.0340	.5127	----	----	----	----	1	UNCH						
695	----	----	0.5400B/----	0.5400B/0.4635A	----	0.4875 + 0.0330	.4748	----	----	----	----	1	UNCH						
700	0.5285	0.5285	0.5285/0.5285	0.5285/0.4470A	----	0.4700 + 0.0325	.4625	----	2	----	----	23 +	2						
705	----	----	0.5035B/----	0.5035B/0.4305A	----	0.4535 + 0.0320	.4504	----	----	----	----	1	UNCH						
725	----	----	0.4370B/----	0.4370B/0.3730A	----	0.3920 + 0.0295	.4041	----	----	----	----	48	UNCH						
750	----	----	0.3640B/----	0.3640B/0.3120A	----	0.3265 + 0.0250	.3510	----	----	1	----	22	UNCH						
800	----	----	0.2530B/----	0.2530B/0.2195A	----	0.2270 NEW	.2621	----	1	----	----	1 +	1						
850	----	----	0.1770B/----	0.1770B/0.1560A	----	0.1600 + 0.0125	.1950	----	1	----	----	2 +	1						
900	----	----	0.1245B/----	0.1245B/0.1140A	----	0.1130 + 0.0090	.1444	----	----	1	----	1	UNCH						
975	0.0900	0.0900	0.0900/0.0900	0.0900/0.0760A	----	0.0665 + 0.0055	.0907	----	1	----	----	2 +	1						
TOTAL										5		202 +	5						
DEC26																			
520	----	----	----	----	----	1.5640 + 0.0600	.8822	----	----	----	----	1	UNCH						
525	----	----	----	----	----	1.5220 + 0.0595	.8744	----	----	----	----	123	UNCH						
535	----	----	----	----	----	1.4405 + 0.0580	.8579	----	----	----	----	1	UNCH						
550	----	----	----	----	----	1.3235 + 0.0560	.8301	----	----	----	----	2	UNCH						
555	----	----	----	----	----	1.2860 + 0.0555	.8200	----	----	----	----	1	UNCH						
565	----	----	----	----	----	1.2135 + 0.0545	.7991	----	----	----	----	45	UNCH						
575	----	----	----	----	----	1.1435 + 0.0530	.7770	----	----	----</									

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64	
		GLOBAL OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
HX PUT		COMEX COPPER OPTIONS																							
JUN26																									
536	----	----	----	----	----	----/0.0085A	----	----	0.0040	UNCH	.0144	----	----	----	1	UNCH									
537	----	----	----	----	----	----/0.0085A	----	----	0.0040	-	0.0005	.0145	----	----	64	UNCH									
538	----	----	----	----	----	----/0.0085A	----	----	0.0040	-	0.0005	.0146	----	----	10	UNCH									
539	----	----	----	----	----	----/0.0090A	----	----	0.0040	-	0.0005	.0147	----	----	34	UNCH									
540	----	----	----	----	----	----/0.0090A	----	----	0.0045	UNCH	.0163	----	4	----	159	-	2								
541	----	----	----	----	----	----/0.0090A	----	----	0.0045	UNCH	.0164	----	----	----	18	UNCH									
542	----	----	----	----	----	----/0.0090A	----	----	0.0045	UNCH	.0166	----	----	----	25	UNCH									
543	----	----	----	----	----	----/0.0090A	----	----	0.0045	-	0.0005	.0167	1	----	27	+	1								
544	----	----	----	----	----	----/0.0085A	----	----	0.0045	-	0.0005	.0168	----	----	30	UNCH									
545	----	----	----	----	----	----/0.0090A	----	----	0.0045	-	0.0005	.0170	----	----	86	UNCH									
546	----	----	----	----	----	----/0.0095A	----	----	0.0045	-	0.0005	.0171	----	----	29	UNCH									
547	----	----	----	----	----	----/0.0095A	----	----	0.0045	-	0.0005	.0173	----	----	45	UNCH									
548	----	----	----	----	----	----/0.0095A	----	----	0.0045	-	0.0005	.0174	----	----	56	UNCH									
549	----	----	----	----	----	----/0.0095A	----	----	0.0045	-	0.0010	.0176	----	----	40	UNCH									
550	0.0035	0.0035			0.0035/*0.0035	0.0035/*0.0035			0.0045	-	0.0010	.0177	3	----	1284	-	2								
551	----	----	----	----	----	----/0.0095A	----	----	0.0050	-	0.0005	.0194	----	----	117	UNCH									
552	----	----	----	----	----	----/0.0090A	----	----	0.0050	-	0.0005	.0196	----	----	97	UNCH									
553	----	----	----	----	----	----/0.0085A	----	----	0.0050	-	0.0010	.0198	----	----	26	UNCH									
554	----	----	----	----	----	----/0.0075A	----	----	0.0050	-	0.0010	.0199	----	----	29	UNCH									
555	----	----	----	----	----	----/0.0075A	----	----	0.0050	-	0.0010	.0201	2	----	67	+	2								
556	----	----	----	----	----	----/*0.0070A	----	----	0.0050	-	0.0010	.0203	----	----	9	UNCH									
557	----	----	----	----	----	----/*0.0070A	----	----	0.0050	-	0.0015	.0205	----	----	68	UNCH									
558	----	----	----	----	----	----/0.0075A	----	----	0.0055	-	0.0010	.0223	----	----	10	UNCH									
559	----	----	----	----	----	----/*0.0070A	----	----	0.0055	-	0.0010	.0225	----	----	7	UNCH									
560	0.0070	0.0070			0.0070/0.0070	0.0070/0.0070			0.0055	-	0.0010	.0227	1	----	415	UNCH									
561	----	----	----	----	----	0.0015B/0.0075A	----	----	0.0055	-	0.0015	.0229	59	----	3	UNCH									
562	----	----	----	----	----	0.0055B/0.0075A	----	----	0.0055	-	0.0015	.0231	----	----	22	-	40								

PG64		BULLETIN # 90@										METALS OPTION PRODUCTS										Tue, May 12, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST							
HX PUT		COMEX COPPER OPTIONS																						
JUL26																								
480	----	----	----	----	----	----/0.0100A	----	0.0060	- 0.0005	.0154	----	----	----	----	----	----	79	UNCH						
485	----	----	----	----	----	----/0.0105A	----	0.0060	- 0.0010	.0158	----	----	----	----	----	----	2	UNCH						
490	----	----	----	----	----	0.0005B/0.0110A	----	0.0065	- 0.0010	.0173	----	----	----	----	1	----	543	- 1						
495	----	----	----	----	----	0.0015B/0.0115A	----	0.0070	- 0.0010	.0189	----	----	----	----	----	----	104	UNCH						
500	0.0085	0.0085	0.0085	0.0085	0.0085	0.0005B/0.0110A	----	0.0075	- 0.0010	.0205	----	----	----	2	----	----	3256	- 2						
505	----	----	----	----	----	0.0055B/0.0130A	----	0.0080	- 0.0010	.0222	----	----	----	----	----	----	3	UNCH						
510	----	----	----	----	----	0.0080B/0.0125A	----	0.0085	- 0.0015	.0239	----	----	----	----	----	----	212	UNCH						
515	----	----	----	----	----	0.0090B/0.0095	----	0.0095	- 0.0015	.0268	----	----	----	----	----	----	3	UNCH						
520	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	0.0100	- 0.0020	.0287	----	----	4	----	----	----	597	UNCH						
525	----	----	----	----	----	0.0115B/0.0115	----	0.0115	- 0.0020	.0329	----	----	----	----	----	----	530	UNCH						
530	0.0130	0.0130	0.0130	0.0130	0.0130	0.0130	0.0125	0.0125	- 0.0025	.0361	----	----	45	----	----	----	3238	+ 45						
533	----	----	----	----	----	0.0140B/0.0140	----	0.0135	- 0.0025	.0389	----	----	----	----	----	----	1	UNCH						
534	----	----	----	----	----	0.0145B/0.0140	----	0.0135	- 0.0030	.0392	----	----	----	----	----	----	2	UNCH						
535	----	----	----	----	----	0.0150B/0.0135	----	0.0140	- 0.0030	.0405	----	----	2	----	----	----	4	UNCH						
536	----	----	----	----	----	0.0150B/0.0150	----	0.0145	- 0.0025	.0418	----	----	----	----	----	----	5	UNCH						
538	----	----	----	----	----	0.0160B/0.0150	----	0.0150	- 0.0030	.0434	----	----	1	----	----	----	3	UNCH						
539	----	----	----	----	----	0.0165B/0.0155	----	0.0155	- 0.0030	.0447	----	----	----	----	----	----	2	UNCH						
540	----	----	----	----	----	0.0180B/0.0155	----	0.0160	- 0.0030	.0460	----	----	7	----	----	----	950	UNCH						
541	----	----	----	----	----	0.0185B/0.0160	----	0.0160	- 0.0035	.0463	----	----	----	----	----	----	2	UNCH						
542	----	----	----	----	----	0.0190B/0.0165	----	0.0165	- 0.0035	.0476	----	----	----	----	----	----	2	UNCH						
543	----	----	----	----	----	0.0195B/0.0170	----	0.0170	- 0.0035	.0490	----	----	----	----	----	----	3	UNCH						
545	----	----	----	----	----	0.0205B/0.0175	----	0.0180	- 0.0035	.0517	----	----	----	----	----	----	4	UNCH						
546	----	----	----	----	----	0.0210B/0.0180	----	0.0185	- 0.0035	.0530	----	----	----	----	----	----	3	UNCH						
547	----	----	----	----	----	0.0220B/0.0185	----	0.0190	- 0.0035	.0544	----	----	----	----	----	----	6	UNCH						
548	0.0220	0.0220	0.0220	0.0220	0.0220	0.0225B/0.0190A	----	0.0195	- 0.0040	.0558	----	----	2	----	----	----	17	+ 2						
549	----	----	----	----	----	0.0230B/0.0190	----	0.0200	- 0.0040	.0571	----	----	----	----	----	----	1	UNCH						
550	0.0210	0.0210	0.0210	0.0210	0.0210	0.0235B/0.0190	----	0.0205	- 0.0040	.0585	----	----	11	----	----	----	1061	- 2						
552	----	----	----	----	----	0.0250B/0.0205	----	0.0220	- 0.0040	.0622	----	----	----	----	----	----	2	UNCH						
553	----	----	----	----	----	0.0260B/0.0210	----	0.0225	- 0.0040	.0636	----	----	----	----	----	----	1	UNCH						
554	0.0220	0.0220	0.0220	0.0220	0.0220	0.0265B/0.0215A	----	0.0230	- 0.0045	.0650	----	----	6	----	----	----	10	- 6						
555	0.0225	0.0225	0.0225	0.0225	0.0225	0.0270B/0.0220A	----	0.0235	- 0.0045	.0665	----	----	2	----	----	----	55	UNCH						
556	0.0250	0.0250	0.0250	0.0250	0.0250	0.0280B/0.0225A	----	0.0245	- 0.0045	.0688	----	----	100	----	----	----	115	- 45						
558	0.0245	0.0245	0.0245	0.0245	0.0245	0.0295B/0.0235A	----	0.0260	- 0.0045	.0726	----	----	1	----	----	----	133	+ 1						
559	----	----	----	----	----	0.0305B/0.0240A	----	0.0265	- 0.0050	.0741	----	----	----	----	----	----	10	UNCH						
560	0.0265	0.0265	0.0265	0.0265	0.0265	0.0315B/0.0245A	----	0.0270	- 0.0050	.0755	----	----	116	----	----	----	324	+ 76						
561	0.0305	0.0305	0.0305	0.0305	0.0305	0.0320B/0.0250A	----	0.0280	- 0.0050	.0779	----	----	1	----	----	----	7	+ 1						
562	----	----	----	----	----	0.0330B/0																		

PG64	BULLETIN # 90@										METALS OPTION PRODUCTS				Tue, May 12, 2026				PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST					
HX PUT SEP26	COMEX COPPER OPTIONS																		
500	----	----	----	0.0210B/*0.0390	----		0.0315 - 0.0045	.0556	----	----	----	----		627				UNCH	
510	----	----	----	0.0275B/*0.0450	----		0.0370 - 0.0055	.0650	----	----	----	----		2				UNCH	
515	0.0365	0.0365	0.0365/*0.0365	0.0365/*0.0365	----		0.0405 - 0.0060	.0707	----	----	1	----		1				UNCH	
520	----	----	----	0.0355B/*0.0510	----		0.0445 - 0.0060	.0771	----	----	----	----		4				UNCH	
525	----	----	----	0.0405B/*0.0555	----		0.0485 - 0.0070	.0835	----	----	----	----		327				UNCH	
530	0.0580	0.0580	0.0580/*0.0580	0.0580/*0.0580	----		0.0530 - 0.0075	.0906	----	1	----	----		2				UNCH	
535	----	----	----/*0.0645A	0.0520B/*0.0645	----		0.0585 - 0.0080	.0988	----	----	----	----		350				UNCH	
540	----	----	----/*0.0655A	0.0655B/*0.0655	----		0.0640 - 0.0090	.1070	----	----	----	----		401				UNCH	
550	----	----	----/*0.0775A	0.0800B/*0.0775	----		0.0775 - 0.0100	.1262	----	----	----	----		220				UNCH	
560	----	----	----/*0.0915A	0.0980B/*0.0915	----		0.0940 - 0.0110	.1482	----	----	----	----		3				UNCH	
570	----	----	----/*0.1080A	0.1185B/*0.1080	----		0.1130 - 0.0130	.1724	----	----	----	----		123				UNCH	
575	0.1275	0.1275	0.1300B/*0.1175	0.1300B/*0.1175	----		0.1240 - 0.0135	.1856	----	6	----	----		107	+	5			
580	0.1395	0.1395	0.1395/*0.1270A	0.1425B/*0.1270	----		0.1355 - 0.0145	.1993	----	36	----	----		687	+	36			
585	----	----	----/*0.1390A	0.1560B/*0.1390	----		0.1480 - 0.0155	.2136	----	----	----	----		7				UNCH	
590	0.1700	0.1700	0.1710B/*0.1500	0.1710B/*0.1500	----		0.1615 - 0.0170	.2285	----	1	----	----		334	-	1			
595	----	----	----/*0.1635A	0.1865B/*0.1635	----		0.1760 - 0.0180	.2439	----	----	----	----		8				UNCH	
600	0.1825	0.1825	0.1825/*0.1765A	0.2035B/*0.1765	----		0.1915 - 0.0190	.2598	----	1	----	----		1011				UNCH	
610	----	----	----/*0.2075A	0.2410B/*0.2075	----		0.2250 - 0.0225	.2926	----	----	----	----		11				UNCH	
615	----	----	----/*0.2245A	0.2610B/*0.2245	----		0.2435 - 0.0240	.3096	----	----	----	----		1				UNCH	
620	----	----	----/*0.2415A	0.2825B/*0.2415	----		0.2630 - 0.0255	.3269	----	----	----	----		1001				UNCH	
625	----	----	----/*0.2610A	0.3055B/*0.2610	----		0.2835 - 0.0275	.3444	----	----	----	----		147				UNCH	
630	----	----	----/*0.2815A	0.3295B/*0.2815	----		0.3055 - 0.0285	.3622	----	----	----	----		3				UNCH	
635	----	----	----/*0.3020A	0.3545B/*0.3020	----		0.3290 - 0.0295	.3801	----	----	----	----		145				UNCH	
650	----	----	----/*0.3725A	0.4355B/*0.3725	----		0.4055 - 0.0320	.4334	----	----	----	----		5				UNCH	
655	0.4320	0.4320	0.4320/*0.3975A	0.4645B/*0.3975	----		0.4310	NEW .4510	----	53	----	----		53	+	53			
665	0.5800	0.5800	0.5800/*0.5685A	0.6475B/*0.5685	----		0.6160	NEW .5505	----	11	----	----		11	+	11			
695	----	----	----/*0.6315A	0.7175B/*0.6315	----		0.6840 - 0.0395	.5811	----	----	----	----		2				UNCH	
700	----	----	----/*0.6640A	0.7535B/*0.6640	----		0.7185 - 0.0405	.5957	----	----	2	----		7	+	2			
725	----	----	----/*0.8430A	0.9420B/*0.8430	----		0.9005	NEW .6640	----	----	2	----		2	+	2			
TOTAL											120			6507	+	112			
OCT26																			
375	----	----	----	0.0035B/0.0200A	----		0.0105 - 0.0015	.0140	----	----	----	----		2				UNCH	
400	----	----	----	0.0020B/0.0235A	----		0.0125 - 0.0020	.0177	----	----	----	----		1				UNCH	
450	----	----	----	0.0140B/*0.0280	----		0.0215 - 0.0025	.0324	----	----	----	----		1				UNCH	
470	----	----	----	0.0205B/*0.0335	----		0.0280 - 0.0010	.0426	----	----	----	----		1				UNCH	
475	----	----	----	0.0170B/*0.0420	----		0.0295 - 0.0015	.0451	----	----	----	----		3				UNCH	
500	----	----	----	0.0320B/*0.0545	----		0.0430 - 0.0015	.0650	----	----	----	----		60				UNCH	
570	----	----	----/*0.1385A	0.1345B/*0.1385	----		0.1365 - 0.0140	.1778	----	----	----	----		4				UNCH	
600	----	----	----/*0.2040A	0.2295B/*0.2040	----		0.2180	NEW .2551	----	14	----	----		14	+	14			
745	0.9905	0.9905	0.9905/*0.9870A	1.0835B/*0.9870	----		1.0435	NEW .6616	----	1	----	----		1	+	1			
TOTAL																			

PRELIMINARY

PG64	BULLETIN # 90@			METALS OPTION PRODUCTS	Tue, May 12, 2026	PG64
SO3 CALL MAY26 SO3 TOTALS	CALL	SILVER OPTIONS				
		9250	0	100		
			0	100		
HRO OPT NOV26 HRO TOTALS	CALL	U.S. MIDWEST DOMESTIC HOT-ROLLED CO				
		110000	0	50		
			0	50		
DEC26 HRO TOTALS	CALL					
		110000	0	50		
			0	50		
GWW WED MAY26 G2W TOTALS	PUT	GOLD WEEKLY WEDNESDAY OPTION WEEK2				
		4650	0	100		
			0	100		
GWW WED MAY26 G2W TOTALS	CALL	GOLD WEEKLY WEDNESDAY OPTION WEEK2				
		4710	0	86		
			0	86		
COO OPT AUG26 COO TOTALS	CALL	COBALT METAL (FASTMARKETS) APO				
		3000	0	100		
			0	100		
GWR THU MAY26 G2R TOTALS	PUT	GOLD WEEKLY THURSDAY OPTION week2				
		4700	0	54		
			0	54		
GWR THU MAY26 G3R TOTALS	CALL	GOLD WEEKLY THURSDAY OPTION week3				
		4725	0	150		
			0	150		