

PG64

BULLETIN #111@

METALS OPTION PRODUCTS

Thu, Jun 11, 2026

PG64

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY’S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES														
EXPIRATION:	JUN26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27	MAY27
COO OPT	06/30			07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
ECG10 OP		06/10	06/11											
ECG11 OP		06/10	06/11											
ECG13 OP		06/10	06/11											
ECG15 OP		06/10	06/11											
ECG16 OP		06/10	06/11											
ECGC OOF		06/10	06/11											
ECHG OOF		06/10	06/11											
ECSI OOF		06/10	06/11											
EHO OPT	06/30			07/31	08/28	09/30								
FMG OPT	06/26													
FSO OPT	06/30													
GMW MON	06/29			07/06										
GWR THU	06/18			07/09										
GWT TUE	06/30			07/07										
GWV WED	06/24			07/01										
HMW MON	06/29													
HRO OPT	06/23			07/28	08/25	09/29	10/27	11/24	12/29					
HWR THU	06/18			07/09										
HWT TUE	06/30													
HWW WED	06/24													
HX CALL				07/01										
HX PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE CALL	06/26			06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23		
HXE PUT	06/26			07/17										
LHO OPT	06/30			07/10										
MMG MON	06/15			07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31		
OG CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	
OG2 CALL	06/12			07/10										
OG2 PUT	06/12			07/10										
OG3 CALL				07/17										
OG3 PUT				07/17										
OG4 CALL	06/26													
OG4 PUT	06/26													
OMG OPT				06/25	07/28	08/26	09/24		11/24					
PAO CALL				06/17	07/15	08/19			11/18					
PAO PUT				06/17	07/15	08/19			11/18			02/17		
PLW OOF														
PO CALL	06/12			06/17	07/15	08/19	09/16		12/16					
PO PUT				06/17	07/15	08/19	09/16		12/16					
RWS THU	06/18			07/09										
SMW MON	06/29													
SO CALL				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO PUT				06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24	04/27
SO2 CALL	06/12			07/10										
SO2 PUT	06/12			07/10										
SO3 CALL				07/17										
SO3 PUT				07/17										
SO4 CALL	06/26													
SO4 PUT	06/26													
SWW WED	06/24													
TWS TUE	06/30													

GOLD OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OMG OPT	MICRO GOLD OPTIONS													
JUL26														
3400	----	----	----	----	----	715.90 - 19.70	----	----	----	----	----	1	UNCH	
3460	----	----	----	----	----	656.50 - 19.90	----	----	----	----	----	1	UNCH	
4100	102.00	102.00	102.00/*102.00	102.00/*102.00	----	100.40 NEW	----	----	----	1	----	1 +	1	
4200	----	----	----	----	----	138.40 + 7.40	----	----	----	----	----	2	UNCH	
4215	70.00	70.00	#70.00/*70.00	#70.00/*70.00	----	47.00 NEW	----	----	----	1	----	1 +	1	
4275	----	----	----	----	----	190.30 + 10.20	----	----	----	----	----	1	UNCH	
4300	162.00	162.00	#162.00/162.00	#162.00/162.00	----	209.80 + 11.10	----	----	----	1	----	0 -	1	
4400	----	----	----	----	----	295.90 + 14.20	----	----	----	----	----	1	UNCH	
4500	----	----	#405.00B/----	#405.00B/----	----	390.10 + 16.00	----	----	----	----	----	4	UNCH	
4500	----	----	----	----	----	4.50 - 3.30	----	----	----	----	----	0	UNCH	
4550	----	----	----	----	----	438.70 + 16.70	----	----	----	----	----	1	UNCH	
4600	2.60	2.60	2.60/*2.60	2.60/*2.60	----	2.30 - 2.10	----	----	----	2	----	0 -	2	
4600	----	----	----	----	----	487.80 + 17.20	----	----	----	----	----	2	UNCH	
4700	----	----	----	----	----	1.40 - 1.50	----	----	----	----	----	2	UNCH	
4800	----	----	----	----	----	1.00 - 1.10	----	----	----	----	----	2	UNCH	
5000	----	----	----	----	----	0.80 - 0.50	----	----	----	----	----	3	UNCH	
5300	----	----	----	----	----	0.50 - 0.20	----	----	----	----	----	3	UNCH	
5500	----	----	----	----	----	0.30 - 0.20	----	----	----	----	----	2	UNCH	
TOTAL										5		27 -	1	
AUG26														
3500	----	----	----	----	----	17.20 - 0.70	----	----	----	----	----	1	UNCH	
3700	----	----	----	----	----	36.30 + 0.80	----	----	----	----	----	2	UNCH	
3900	70.80	70.80	#70.80/70.80	#70.80/70.80	----	74.30 + 3.50	----	----	----	5	----	5 +	4	
4000	99.20	99.20	110.00/99.20	110.00/99.20	----	104.10 NEW	----	----	----	4	----	4 +	4	
4100	91.00	91.00	#91.00/*91.00	#91.00/*91.00	----	143.40 NEW	----	----	----	1	----	1 +	1	
4210	----	----	----	----	----	200.10 + 8.20	----	----	----	----	----	1	UNCH	
4400	----	----	----	----	----	46.30 - 7.90	----	----	----	----	----	1	UNCH	
4400	----	----	----	----	----	331.30 + 11.40	----	----	----	----	----	12	UNCH	
4535	----	----	----	----	----	25.20 - 6.00	----	----	----	----	----	2	UNCH	
4550	----	----	----	----	----	458.00 + 13.50	----	----	----	----	----	2	UNCH	
4600	22.00	22.00	#22.00/*22.00	#22.00/*22.00	----	18.90 NEW	----	----	----	1	----	1 +	1	
TOTAL										11		32 +	10	
SEP26														
4230	136.50	136.50	#136.50/*136.50	#136.50/*136.50	----	145.90 NEW	----	----	----	2	----	2 +	2	
TOTAL										2		2 +	2	
OCT26														
4680	----	----	----	----	----	54.30 - 4.80	----	----	----	----	----	1	UNCH	
TOTAL												1	0	
DEC26														
3250	----	----	----	----	----	36.50 + 3.10	----	----	----	----	----	1	UNCH	
4700	----	----	----	----	----	98.20 - 3.30	----	----	----	----	----	10	UNCH	
TOTAL												11	0	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG4 PUT	GOLD OPTIONS													
JUN26														
3250	2.00	2.00	2.50B/1.10A	2.50B/1.10A	----	1.80 - 0.20	.0095	----	----	17	----	22 +	17	
3500	9.00	9.00	#9.00/1.90A	#9.00/1.90A	----	4.10 - 0.50	.0251	----	----	19	----	20 +	11	
3600	8.00	8.00	#13.80B/2.60A	#13.80B/2.60A	----	6.60 - 0.70	.0414	----	----	1	----	96	UNCH	
3700	----	----	#22.40B/3.70A	#22.40B/3.70A	----	11.10 - 0.90	.0701	----	----	3	----	31 +	1	
3750	----	----	#28.60B/4.80A	#28.60B/4.80A	----	14.60 - 0.90	.0917	----	----	2	----	18 +	2	
3775	19.40	19.40	#21.10/*5.70A	#31.70B/*5.70A	----	16.70 NEW	.1045	----	----	7	----	3 +	3	

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG2 CALL GOLD OPTIONS																
JUN26																
4370	0.40	0.40		4.40B/*0.30A	4.40B/*0.30A	----			0.20 - 1.70	.0002	----	----	3	----		21 +
4375	0.40	0.40		4.20B/*0.30	4.20B/*0.30	----			0.20 - 1.60	.0002	----	----	45	----		157 +
4380	0.80	0.80		3.70B/*0.30A	3.70B/*0.30A	----			0.10 - 1.60	.0000	----	----	6	----		16 +
4385	0.30	0.30		3.30B/*0.20A	3.30B/*0.20A	----			0.10 - 1.60	.0000	----	----	5	----		16 +
4390	2.60	2.60		3.00B/*0.20A	3.00B/*0.20A	----			0.10 - 1.50	.0000	----	----	1	----		25
4395	----	----		2.70B/*0.30A	2.70B/*0.30A	----			0.10 - 1.40	.0000	----	----	1	----		10
4400	1.00	1.00		2.60B/*0.30A	2.60B/*0.30A	----			0.10 - 1.40	.0000	----	----	223	----		451 +
4405	0.40	0.40		2.30B/*0.30A	2.30B/*0.30A	----			0.10 - 1.30	.0000	----	----	4	----		16 +
4410	2.10	2.10		2.10/*0.30A	2.10/*0.30A	----			0.10 - 1.30	.0000	----	----	1	----		14
4415	----	----		1.80B/*0.20A	1.80B/*0.20A	----			0.10 - 1.20	.0000	----	----	----	----		33
4420	0.20	0.20		1.70B/*0.10A	1.70B/*0.10A	----			0.10 - 1.20	.0000	----	----	6	----		23 +
4425	----	----		1.50B/*0.20A	1.50B/*0.20A	----			0.10 - 1.20	----	----	----	----	----		93
4430	1.00	1.00		1.30B/*0.10A	1.30B/*0.10A	----			0.10 - 1.10	----	----	----	6	----		19 +
4435	1.10	1.10		1.10/*0.20A	1.20B/*0.20A	----			0.10 - 1.10	----	----	20	----			26 -
4440	0.20	0.20		1.20B/*0.20	1.20B/*0.20	----			0.10 - 1.00	----	----	6	----			14 +
4445	0.30	0.30		1.20B/*0.10A	1.20B/*0.10A	----			0.10 - 1.00	----	----	21	----			25 +
4450	0.30	0.30		1.10B/*0.20A	1.10B/*0.20A	----			0.10 - 1.00	----	----	5	----			126
4455	0.20	0.20		0.80B/*0.20	0.80B/*0.20	----			0.10 - 0.90	----	----	1	----			20
4460	0.20	0.20		0.80/*0.20	0.80/*0.20	----			0.10 - 0.90	----	----	8	----			14 +
4465	0.20	0.20		0.70B/*0.20	0.70B/*0.20	----			0.10 - 0.90	----	----	2	----			5 +
4470	----	----		----/*0.20A	0.60B/*0.20A	----			0.10 - 0.80	----	----	----	----			19
4475	0.30	0.30		0.50B/*0.10A	0.50B/*0.10A	----			0.10 - 0.80	----	----	3	----			121 +
4480	0.20	0.20		0.50B/*0.10A	0.50B/*0.10A	----			0.10 - 0.80	----	----	20	----			11 +
4485	0.20	0.20		0.50B/*0.20	0.50B/*0.20	----			0.10 - 0.80	----	----	2	----			16
4490	----	----		----/*0.20A	0.50B/*0.20A	----			0.10 - 0.70	----	----	----	----			4
4495	----	----		----/*0.20A	0.40B/*0.20A	----			0.10 - 0.70	----	----	1	----			1
4500	0.10	0.10		0.50/*0.10	0.50/*0.10	----			0.10 - 0.70	----	----	17	----			293 +
4505	----	----		----/*0.20A	0.40B/*0.20A	----			0.10 - 0.70	----	----	1	----			1
4510	0.30	0.30		0.30/*0.20A	0.40B/*0.20A	----			0.10 - 0.70	----	----	5	----			8 +
4520	----	----		----/*0.20A	0.30B/*0.20A	----			0.10 - 0.60	----	----	----	----			5
4525	----	----		----/*0.20A	0.20B/*0.20A	----			0.10 - 0.60	----	----	----	----			177
4530	----	----		----/*0.20A	0.10B/*0.20A	----			0.10 - 0.60	----	----	----	----			1
4535	----	----		----/*0.20A	0.10B/*0.20A	----			0.10 - 0.60	----	----	----	----			4
4540	----	----		----/*0.20A	0.10B/*0.20A	----			0.10 - 0.60	----	----	----	----			2
4545	----	----		----/*0.20A	0.10B/*0.20A	----			0.10 - 0.60	----	----	----	----			11
4550	0.10	0.10		0.20/*0.10	0.20/*0.10	----			0.10 - 0.50	----	----	24	----			453 +
4555	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.10 - 0.50	----	----	14	----			20 +
4565	0.30	0.30		0.30/*0.20A	0.30/*0.20A	----			0.10 - 0.50	----	----	3	----			9
4570	----	----		----/*0.10A	0.10B/*0.10A	----			0.10 - 0.50	----	----	----	----			17
4575	0.20	0.20		0.20/*0.10A	0.20/*0.10A	----			0.10 - 0.50	----	----	6	----			201 +
4580	----	----		----/*0.10A	0.10B/*0.10A	----			0.10 - 0.50	----	----	----	----			26
4585	----	----		----/*0.20A	0.10B/*0.20A	----			0.10 - 0.50	----	----	----	----			11
4590	----	----		----/*0.20A	0.10B/*0.20A	----			0.10 - 0.50	----	----	----	----			12
4595	----	----		----/*0.30A	0.10B/*0.30A	----			0.10 - 0.40	----	----	----	----			10
4600	0.20	0.20		0.20/*0.20	0.20/*0.20	----			0.10 - 0.40	----	----	21	----			238 +
4625	0.10	0.10		0.20/*0.10	0.20/*0.10	----			0.10 - 0.40	----	----	6	----			81 +
4630	----	----		----/*0.20A	----/*0.20A	----			0.10 - 0.40	----	----	----	----			2
4645	----	----		----/*0.20A	----/*0.20A	----			0.10 - 0.40	----	----	----	----			1
4650	----	----		----/0.30A	----/0.30A	----			0.10 - 0.30	----	----	----	----			436
4675	0.10	0.10		0.40/*0.10	0.40/*0.10	----			0.10 - 0.30	----	----	2	----			101 -
4695	----	----		----/*0.10A	----/*0.10A	----			0.10 - 0.20	----	----	----	----			4
4700	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.10 - 0.20	----	----	1	----			75
4705	----	----		----/0.20A	----/0.20A	----			0.10 - 0.20	----	----	----	----			2
4725	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.10 - 0.20	----	----	45	----			73
4750	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.10 - 0.10	----	----	1	----			38
4775	----	----		----/*0.20A	----/*0.20A	----			0.10 - 0.10	----	----	----	----			16
4800	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.10 - 0.10	----	----	3	----			38
4825	----	----		----/0.10A	----/0.10A	----			0.10	UNCH	----	----	----			17
4850	0.10	0.10		0.10/*0.10	0.10/*0.10	----			0.10	UNCH	----	1	----			36
4875	----	----		----/*0.10A	----/*0.10A	----			0.10	UNCH	----	----	----			13
4900	0.10	0.10		0.10/0.10	0.10/0.10	----			0.10	UNCH	----	4	----			19 +
4925	----	----		----/*0.10A	----/*0.10A	----			0.10	UNCH	----	----	----			2
4950	----	----		----/*0.10A	----/*0.10A	----			0.10	UNCH	----	----	----			12
4975	----	----		----/*0.10A	----/*0.10A	----			0.10	UNCH	----	----	----			6
5000	----	----		----/0.10A	----/0.10A	----			0.10	UNCH	----	----	----			1
5025	----	----		----/*0.10A	----/*0.10A	----			0.10	UNCH	----	----	----			3
5050	----	----		----/0.10A	----/0.10A	----			0.10	UNCH	----	----	----			16
5100	----	----		----/*0.10A	----/*0.10A	----			0.10	UNCH	----	----	----			8
5300	----	----		----	----/0.10A	----			0.10	UNCH	----	----	----			10
TOTAL													5674		25	7256+
JUL26																
4000	----	----		269.80B/*169.80	269.80B/*169.80A	----			194.30 - 14.60	.6534	----	----	1	----		2 +
4100	108.50	108.50		194.30B/*108.50	194.30B/*108.50	----			132.20	NEW	.5326	----	1	----		1 +
4125	----	----		177.30B/*101.70	177.30B/*101.70A	----			118.50	NEW	.5000	----	3	----		1 +
4150	----	----		161.10B/*91.50A	161.10B/*91.50A	----			105.50	NEW	.4668	----	4	----		4 +
4175	----	----		145.80B/*81.50A	145.80B/*81.50A	----										

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
COMEX GOLD OPTIONS														
OG PUT														
JUL26														
2705	----	----	----	----	0.20B/0.40A	----	----	0.20 - 0.10	.0008	----	----	----	----	1
2710	----	----	----	----	0.20B/0.30A	----	----	0.20 - 0.10	.0008	----	----	----	----	12
2725	----	----	----	----	0.20B/0.30A	----	----	0.20 - 0.10	.0008	----	----	----	----	178
2730	----	----	----	----	0.20B/0.40A	----	----	0.20 - 0.10	.0008	----	----	----	----	1
2750	----	----	----	----	0.30B/0.30A	----	----	0.20 - 0.10	.0008	----	----	----	----	121
2775	0.30	0.30		0.30/0.30	0.30/0.30	----	----	0.30 - 0.10	.0012	----	----	2	----	5 -
2785	----	----	----	----	0.30B/0.40A	----	----	0.30 - 0.10	.0012	----	----	----	----	2
2800	0.40	0.40		0.40/0.40	0.40/0.40	----	----	0.30 - 0.10	.0013	----	----	13	----	16
2805	----	----	----	----	0.40B/0.40A	----	----	0.30 - 0.10	.0013	----	----	----	----	1
2850	----	----	----	----	0.40B/0.50A	----	----	0.40 - 0.10	.0017	----	----	----	----	10
2860	----	----	----	----	0.50B/0.50A	----	----	0.40 - 0.10	.0017	----	----	----	----	6
2885	----	----	----	----	0.50B/0.50A	----	----	0.40 - 0.20	.0018	----	----	----	----	14
2890	----	----	----	----	0.50B/0.50A	----	----	0.50 - 0.10	.0022	----	----	----	----	65
2895	----	----	----	----	0.60B/0.50A	----	----	0.50 - 0.10	.0022	----	----	----	----	18
2900	0.50	0.50		0.50/0.50	0.60B/0.50	----	----	0.50 - 0.10	.0022	----	----	10	----	25 -
2905	----	----	----	----	0.60B/0.50A	----	----	0.50 - 0.10	.0022	----	----	----	----	19
2915	----	----	----	----	0.60B/0.50A	----	----	0.50 - 0.20	.0022	----	----	----	----	2
2920	----	----	----	----	0.60B/0.50A	----	----	0.50 - 0.20	.0022	----	----	----	----	5
2945	----	----	----	----	0.70B/0.60A	----	----	0.60 - 0.10	.0027	----	----	----	----	2
2950	----	----	----	----	0.70B/0.60A	----	----	0.60 - 0.10	.0027	----	----	----	----	36
2960	----	----	----	----	0.80B/0.60A	----	----	0.60 - 0.20	.0027	----	----	----	----	1
2975	----	----	----	----	0.80B/0.60A	----	----	0.60 - 0.20	.0028	----	----	----	----	1
2985	0.60	0.60		0.60/0.60	0.80B/0.60	----	----	0.70 - 0.10	.0032	----	----	10	----	15 -
2990	0.70	0.70		0.70/0.60A	0.80B/0.60A	----	----	0.70 - 0.20	.0032	----	----	1	----	11 +
2995	----	----	----	----	0.90B/0.60A	----	----	0.70 - 0.20	.0032	----	----	----	----	25
3000	0.80	0.80		0.80/0.50	0.80/0.50	----	----	0.70 - 0.20	.0032	----	----	6	----	99 -
3010	----	----	----	----	0.90B/0.60A	----	----	0.70 - 0.20	.0033	----	----	----	----	1
3015	----	----	----	----	0.90B/0.60A	----	----	0.70 - 0.20	.0033	----	----	----	----	5
3025	----	----	----	----	1.00B/0.60A	----	----	0.80 - 0.20	.0037	----	----	----	----	1
3030	----	----	----	----	1.00B/0.60A	----	----	0.80 - 0.20	.0038	----	----	----	----	18
3035	----	----	----	----	1.00B/0.60A	----	----	0.80 - 0.20	.0038	----	----	----	----	10
3050	----	----	----	----	1.10B/0.50A	----	----	0.80 - 0.30	.0038	----	----	----	----	15
3060	----	----	----	----	1.10B/0.60A	----	----	0.90 - 0.20	.0043	----	----	----	----	28
3080	1.20	1.20		1.30B/0.60A	1.30B/0.60A	----	----	0.90 NEW	.0044	----	----	10	----	10 +
3085	1.20	1.20		1.30B/0.60A	1.30B/0.60A	----	----	0.90 NEW	.0044	----	----	10	----	10 +
3100	0.80	0.80		1.40B/0.60A	1.40B/0.60A	----	----	1.00 - 0.20	.0049	----	----	13	----	80 -
3105	----	----	----	----	1.40B/0.60A	----	----	1.00 - 0.20	.0049	----	----	----	----	1
3110	----	----	----	----	1.50B/0.60A	----	----	1.00 - 0.30	.0049	----	----	----	----	5
3115	1.30	1.30		1.70B/0.70A	1.70B/0.70A	----	----	1.00 - 0.30	.0050	----	----	7	----	7 +
3120	0.80	0.80		1.70B/0.60A	1.70B/0.60A	----	----	1.10 - 0.20	.0054	----	----	2	----	2
3125	0.80	0.80		1.70B/0.60A	1.70B/0.60A	----	----	1.10 - 0.20	.0054	----	----	2	----	42 -
3130	0.80	0.80		1.80B/0.70A	1.80B/0.70A	----	----	1.10 - 0.20	.0055	----	----	4	----	4
3135	0.80	0.80		1.80B/0.70A	1.80B/0.70A	----	----	1.10 - 0.30	.0055	----	----	9	----	9
3140	1.40	1.40		1.80B/0.70A	1.80B/0.70A	----	----	1.10 - 0.30	.0055	----	----	20	----	21
3145	----	----	----	----	1.90B/0.70A	----	----	1.10 - 0.30	.0056	----	----	----	----	12
3150	----	----	----	----	1.90B/0.70A	----	----	1.20 - 0.20	.0060	----	----	----	----	1
3155	----	----	----	----	1.90B/0.70A	----	----	1.20 - 0.20	.0060	----	----	----	----	1
3160	1.30	1.30		2.00B/0.70A	2.00B/0.70A	----	----	1.20 NEW	.0061	----	----	13	----	13 +
3165	----	----	----	----	2.00B/0.70A	----	----	1.20 - 0.30	.0061	----	----	----	----	1
3170	----	----	----	----	2.10B/0.70A	----	----	1.20 - 0.30	.0061	----	----	----	----	1
3175	----	----	----	----	2.10B/0.70A	----	----	1.20 - 0.30	.0062	----	----	----	----	11
3180	----	----	----	----	2.10B/0.70A	----	----	1.30 - 0.20	.0066	----	----	----	----	2
3185	0.90	0.90		2.20B/0.70A	2.20B/0.70A	----	----	1.30 - 0.30	.0067	----	----	20	----	21 -
3195	----	----	----	----	2.30B/0.70A	----	----	1.30 - 0.30	.0067	----	----	----	----	10
3200	2.30	2.30		2.30/0.70A	2.30/0.70A	----	----	1.30 - 0.30	.0068	----	----	9	----	230 +
3210	----	----	----	----	2.40B/0.80A	----	----	1.40 - 0.30	.0073	----	----	----	----	6
3220	----	----	----	----	2.50B/0.80A	----	----	1.40 - 0.30	.0074	----	----	----	----	1
3225	1.80	1.80		2.50B/0.80A	2.50B/0.80A	----	----	1.40 - 0.30	.0074	----	----	7	----	124
3230	1.60	1.60		2.60B/0.80A	2.60B/0.80A	----	----	1.40 - 0.40	.0075	----	----	13	----	14 +
3250	----	----	----	----	2.80B/0.80A	----	----	1.50 - 0.40	.0081	----	----	4	----	210 +
3270	----	----	----	----	3.00B/0.90A	----	----	1.60 - 0.40	.0087	----	----	----	----	100
3275	----	----	----	----	3.10B/0.90A	----	----	1.60 - 0.40	.0088	----	----	----	----	11
3280	0.90	0.90		3.20B/0.90	3.20B/0.90	----	----	1.70 - 0.30	.0093	----	----	10	----	25
3285	----	----	----	----	3.30B/0.90A	----	----	1.70 - 0.40	.0093	----	----	----	----	1
3290	----	----	----	----	3.30B/0.90A	----	----	1.70 - 0.40	.0094	----	----	----	----	29
3300	2.80	2.80		3.50B/0.90A	3.50B/0.90A	----	----	1.80 - 0.30	.0100	----	----	9	----	187 +
3310	----	----	----	----	3.70B/0.90A	----	----	1.80 - 0.40	.0101	----	----	----	----	1
3320	----	----	----	----	3.80B/1.00A	----	----	1.90 - 0.40	.0107	----	----	----	----	28
3325	----	----	----	----	3.90B/1.00A	----	----	1.90 - 0.40	.0107	----	----	1	----	173 +
3330	----	----	----	----	4.00B/1.00A	----	----	1.90 - 0.40	.0108	----	----	----	----	1
3335	----	----	----	----	4.10B/1.00A	----	----	2.00 - 0.40	.0113	----	----	----	----	87
3340	----	----	----	----	4.20B/1.00A	----	----	2.00 - 0.40	.0114	----	----	----	----	1
3345	----	----	----	----	4.30B/1.00A	----	----	2.00 - 0.50	.0115	----	----	----	----	3
3350	2.70	2.70		4.40B/1.00A	4.40B/1.00A	----	----	2.10 - 0.40	.0120	----	----	5	----	155
3355	----	----	----	----	4.50B/1.10A	----	----	2.10 - 0.40	.0121	----	----	----	----	79
3360	3.10	3.10		4.60B/1.10A	4.60B/1.10A	----	----	2.10 - 0.50	.0121	----	----	1	----	5 -
3370	----	----	----	----	4.80B/1.10A	----	----	2.20 - 0.50	.0128	----	----	----	----	9
3375	----	----	----	----	4.90B/1.10A	----	----	2.30 - 0.40	.0133	----	----	----	----	56
3380	----	----	----	----	5.00B/1.10A	----	----	2.30 - 0.50	.0134	----	----	----	----	4
3385	----	----	----	----	5.10B/1.20A	----	----	2.30 - 0.50	.0135	----	----	----	----	26
3390	2.30	2.30		5.20B/1.20A	5.20B/1.20A	----	----	2.40 - 0.50	.0141	----	----	2	----	59 +
3395	----													

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64													
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																							
OG PUT		COMEX GOLD OPTIONS																																			
JUL26																																					
3680	11.70	11.70		20.10B/2.80A	20.10B/2.80A	----	8.70	- 1.20	.0571	----	----	11	----	17	+	9																					
3685	----	----		20.70B/2.90A	20.70B/2.90A	----	8.90	- 1.30	.0585	----	----	----	----	66		UNCH																					
3690	----	----		21.10B/3.00A	21.10B/3.00A	----	9.10	- 1.30	.0599	----	----	----	----	68		UNCH																					
3695	11.90	11.90		21.60B/3.00A	21.60B/3.00A	----	9.40	- 1.30	.0618	----	----	8	----	167	+	7																					
3700	12.50	12.50		22.10B/3.10A	22.10B/3.10A	----	9.70	- 1.30	.0637	----	----	323	----	611	-	145																					
3705	13.20	13.20		22.60B/3.20A	22.60B/3.20A	----	9.90	- 1.30	.0652	----	----	3	----	29	+	1																					
3710	12.30	12.30		23.30B/3.20A	23.30B/3.20A	----	10.20	- 1.30	.0671	----	----	2	----	5	+	2																					
3715	14.00	14.00		23.80B/3.30A	23.80B/3.30A	----	10.50	- 1.30	.0690	----	----	3	----	32	+	1																					
3720	13.70	13.70		24.20B/3.40A	24.20B/3.40A	----	10.80	- 1.30	.0710	----	----	1	----	31	+	1																					
3725	13.70	13.70		25.00B/3.50A	25.00B/3.50A	----	11.10	- 1.30	.0730	----	----	18	----	145	+	10																					
3730	14.30	14.30		25.60B/3.60A	25.60B/3.60A	----	11.40	- 1.30	.0750	----	----	3	----	26	+	1																					
3735	14.80	14.80		26.20B/3.70A	26.20B/3.70A	----	11.80	- 1.20	.0774	----	----	9	----	51	+	4																					
3740	18.50	18.50		26.60B/3.80A	26.60B/3.80A	----	12.10	- 1.30	.0794	----	----	5	----	37	-	1																					
3745	15.30	15.30		27.20B/3.90A	27.20B/3.90A	----	12.50	- 1.20	.0819	----	----	11	----	31	+	8																					
3750	22.50	22.50		28.00B/4.00	28.00B/4.00	----	12.80	- 1.30	.0840	----	----	306	----	1381	-	17																					
3755	15.30	15.30		28.70B/4.10A	28.70B/4.10A	----	13.20	- 1.20	.0865	----	----	11	----	21	-	5																					
3760	14.30	14.30		29.20B/4.20A	29.20B/4.20A	----	13.60	- 1.20	.0890	----	----	8	----	21	+	6																					
3765	17.50	17.50		29.90B/4.30A	29.90B/4.30A	----	14.00	- 1.20	.0915	----	----	8	----	41	+	3																					
3770	21.20	21.20		30.60B/4.40A	30.60B/4.40A	----	14.40	- 1.20	.0941	----	----	51	----	134	+	1																					
3775	17.30	17.30		31.40B/4.50A	31.40B/4.50A	----	14.80	- 1.20	.0967	----	----	8	----	97	+	1																					
3780	23.90	23.90		32.10B/4.70A	32.10B/4.70A	----	15.30	- 1.10	.0997	----	----	4	----	32	+	2																					
3785	----	----		32.90B/4.80A	32.90B/4.80A	----	15.70	- 1.20	.1023	----	----	----	----	17		UNCH																					
3790	----	----		33.60B/5.00A	33.60B/5.00A	----	16.20	- 1.10	.1053	----	----	----	----	53		UNCH																					
3795	8.50	8.50		34.40B/5.10A	34.40B/5.10A	----	16.70	- 1.00	.1084	----	1	----	----	58	+	1																					
3800	28.00	28.00		35.30B/5.30A	35.30B/5.30A	----	17.20	- 1.00	.1114	----	206	----	----	1904	-	102																					
3805	----	----		36.10B/5.40A	36.10B/5.40A	----	17.70	- 1.00	.1145	----	----	----	----	29		UNCH																					
3810	9.80	9.80		37.00B/5.60A	37.00B/5.60A	----	18.20	- 1.00	.1176	----	2	----	----	62	+	1																					
3815	25.30	25.30		37.80B/5.70A	37.80B/5.70A	----	18.70	- 1.00	.1208	----	30	----	----	49	+	14																					
3820	26.50	26.50		38.70B/5.90A	38.70B/5.90A	----	19.30	- 0.90	.1243	----	2	----	----	28	+	1																					
3825	33.00	33.00		39.70B/6.10A	39.70B/6.10A	----	19.90	- 0.80	.1279	----	18	----	----	83	-	2																					
3830	23.30	23.30		40.50B/6.30A	40.50B/6.30A	----	20.40	- 0.90	.1311	----	2	----	----	32	+	2																					
3835	10.80	10.80		42.00B/6.50A	42.00B/6.50A	----	21.00	- 0.80	.1347	----	1	----	----	37	+	1																					
3840	11.70	11.70		42.90B/6.70A	42.90B/6.70A	----	21.70	- 0.70	.1387	----	1	----	----	55	+	1																					
3845	29.60	29.60		43.90B/6.90A	43.90B/6.90A	----	22.30	- 0.70	.1424	----	4	----	----	21	+	2																					
3850	26.80	26.80		45.00B/7.10A	45.00B/7.10A	----	22.90	- 0.70	.1461	----	79	----	----	312	-	35																					
3855	29.10	29.10		46.00B/7.40A	46.00B/7.40A	----	23.60	- 0.60	.1501	----	4	----	----	80	+	4																					
3860	----	----		47.20B/7.60A	47.20B/7.60A	----	24.30	- 0.50	.1542	----	----	----	----	59		UNCH																					
3865	26.80	26.80		48.00B/7.90A	48.00B/7.90A	----	25.00	- 0.50	.1583	----	8	----	----	108	-	1																					
3870	34.80	34.80		48.80B/8.10A	48.80B/8.10A	----	25.70	- 0.40	.1625	----	6	----	----	25		UNCH																					
3875	28.60	28.60		50.10B/8.40A	50.10B/8.40A	----	26.40	- 0.40	.1667	----	5	----	----	126		UNCH																					
3880	14.50	14.50		51.60B/8.70A	51.60B/8.70A	----	27.20	- 0.30	.1712	----	2	----	----	52	+	9																					
3885	34.00	34.00		52.40B/9.00A	52.40B/9.00A	----	28.00	- 0.20	.1758	----	9	----	----	56		UNCH																					
3890	16.20	16.20		53.40B/9.30A	53.40B/9.30A	----	28.80	- 0.20	.1804	----	1	----	----	139		UNCH																					
3895	----	----		54.80B/9.60A	54.80B/9.60A	----	29.60	- 0.10	.1850	----	----	----	----	27		UNCH																					
3900	51.20	51.20		55.60B/9.90	55.60B/9.90	----	30.40	- 0.10	.1896	----	770	100	----	1477	-	79																					
3905	17.50	17.50		57.20B/10.30A	57.20B/10.30A	----	31.20	- 0.10	.1943	----	1	----	----	47	-	1																					
3910	41.40	41.40		58.30B/10.70A	58.30B/10.70A	----	32.10	UNCH	.1994	----	2	----	----	91	+	1																					
3915	39.50	39.50		59.90B/11.00A	59.90B/11.00A	----	33.00	+	0.10	.2044	----	2	----	31		UNCH																					
3920	39.00	39.00		61.20B/11.40A	61.20B/11.40A	----	33.90	+	0.10	.2095	----	1	----	145	-	1																					
3925	20.30	20.30		62.40B/11.80A	62.40B/11.80A	----	34.90	+	0.30	.2150	----	2	----	146		UNCH																					
3930	36.80	36.80		63.70B/12.20A	63.70B/12.20A	----	35.80	+	0.30	.2201	----	79	----	87	+	38																					
3935	48.60	48.60		65.00B/12.60A	65.00B/12.60A	----	36.80	+	0.40	.2256	----	16	----	70	-	8																					
3940	45.10	45.10		66.70B/13.10A	66.70B/13.10A	----	37.80	+	0.40	.2312	----	20	----	112	+	11																					
3945	51.70	51.70		68.20B/13.50A	68.20B/13.50A	----	38.80	+	0.50	.2367	----	4	----	78	-	1																					
3950	65.40	65.40		69.																																	



2026 DAILY INFORMATION BULLETIN - <http://www.cmegroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499.

Customer Service: (312) 930-1000

FINAL

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64								
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG PUT		COMEX GOLD OPTIONS																														
JUL26																																
4365	----	----	----	----	329.30B/165.40A	329.30B/165.40A	----	----	264.60 + 13.30	.8759	----	----	----	----	89	UNCH																
4370	----	----	----	----	333.90B/169.00A	333.90B/169.00A	----	----	269.00 + 13.40	.8805	----	----	----	----	173	UNCH																
4375	----	----	----	----	338.40B/172.60A	338.40B/172.60A	----	----	273.50 + 13.60	.8851	----	----	----	----	103	UNCH																
4380	----	----	----	----	343.00B/176.30A	343.00B/176.30A	----	----	277.90 + 13.70	.8892	----	----	2	----	180	+	1															
4385	----	----	----	----	347.70B/180.10A	347.70B/180.10A	----	----	282.40 + 13.90	.8932	----	----	----	----	81	UNCH																
4390	----	----	----	----	352.00B/183.90A	352.00B/183.90A	----	----	286.90 + 14.00	.8972	----	----	----	----	138	UNCH																
4395	----	----	----	----	356.90B/187.80A	356.90B/187.80A	----	----	291.40 + 14.10	.9013	----	----	----	----	149	UNCH																
4400	285.00	285.00	----	----	361.30B/191.50A	361.30B/191.50A	----	----	295.90 + 14.20	.9053	----	44	----	2388	-	11																
4405	----	----	----	----	366.00B/195.40A	366.00B/195.40A	----	----	300.50 + 14.30	.9087	----	----	----	33	UNCH																	
4410	275.00	275.00	----	----	370.80B/199.50A	370.80B/199.50A	----	----	305.00 + 14.40	.9127	----	1	----	66	UNCH																	
4415	----	----	----	----	375.50B/203.30A	375.50B/203.30A	----	----	309.60 + 14.50	.9160	----	2	----	101	-	2																
4420	----	----	----	----	380.20B/207.30A	380.20B/207.30A	----	----	314.20 + 14.60	.9194	----	----	----	129	UNCH																	
4425	----	----	----	----	384.70B/211.40A	384.70B/211.40A	----	----	318.80 + 14.60	.9221	----	----	----	344	UNCH																	
4430	273.60	273.60	----	----	389.40B/215.60A	389.40B/215.60A	----	----	323.50 + 14.80	.9255	----	2	----	243	-	1																
4435	----	----	----	----	394.30B/219.70A	394.30B/219.70A	----	----	328.20 + 14.90	.9282	----	----	----	99	UNCH																	
4440	288.00	288.00	----	----	399.00B/223.60A	399.00B/223.60A	----	----	332.80 + 14.90	.9308	----	1	----	238	UNCH																	
4445	----	----	----	----	403.60B/227.70A	403.60B/227.70A	----	----	337.50 + 15.00	.9335	----	----	----	159	UNCH																	
4450	----	----	----	----	408.50B/232.00A	408.50B/232.00A	----	----	342.30 + 15.20	.9361	----	1	----	1097	-	1																
4455	----	----	----	----	413.30B/236.40A	413.30B/236.40A	----	----	347.00 + 15.20	.9381	----	----	----	123	UNCH																	
4460	----	----	----	----	418.00B/240.50A	418.00B/240.50A	----	----	351.80 + 15.40	.9407	----	----	----	275	UNCH																	
4465	----	----	----	----	422.80B/244.70A	422.80B/244.70A	----	----	356.50 + 15.40	.9427	----	----	----	145	UNCH																	
4470	304.90	304.90	----	----	427.60B/249.00A	427.60B/249.00A	----	----	361.30 + 15.50	.9446	----	1	----	270	-	1																
4475	291.30	291.30	----	----	432.40B/253.40A	432.40B/253.40A	----	----	366.10 + 15.60	.9465	----	1	----	271	-	1																
4480	----	----	----	----	437.20B/257.80A	437.20B/257.80A	----	----	370.90 + 15.70	.9484	----	----	----	510	UNCH																	
4485	----	----	----	----	442.00B/262.10A	442.00B/262.10A	----	----	375.70 + 15.80	.9502	----	----	----	115	UNCH																	
4490	417.00	417.00	----	----	446.70B/266.40A	446.70B/266.40A	----	----	380.50 + 15.80	.9521	----	2	----	102	UNCH																	
4495	----	----	----	----	451.50B/271.00A	451.50B/271.00A	----	----	385.30 + 15.90	.9539	----	----	----	105	UNCH																	
4500	416.80	416.80	----	----	456.30B/275.40A	456.30B/275.40A	----	----	390.10 + 16.00	.9558	----	17	----	2249	-	5																
4505	----	----	----	----	461.30B/279.90A	461.30B/279.90A	----	----	395.00 + 16.10	.9576	----	----	----	66	UNCH																	
4510	----	----	----	----	466.20B/284.30A	466.20B/284.30A	----	----	399.80 + 16.20	.9587	----	----	----	65	UNCH																	
4515	415.00	415.00	----	----	471.00B/288.90A	471.00B/288.90A	----	----	404.60 + 16.20	.9605	----	2	----	16	UNCH																	
4520	----	----	----	----	475.70B/293.40A	475.70B/293.40A	----	----	409.50 + 16.30	.9616	----	----	----	157	UNCH																	
4525	----	----	----	----	480.60B/297.90A	480.60B/297.90A	----	----	414.30 + 16.30	.9634	----	----	----	151	UNCH																	
4530	----	----	----	----	485.60B/302.40A	485.60B/302.40A	----	----	419.20 + 16.50	.9644	----	----	----	73	UNCH																	
4535	----	----	----	----	441.90B/307.00A	441.90B/307.00A	----	----	424.10 + 16.60	.9655	----	----	----	21	UNCH																	
4540	401.30	401.30	----	----	443.60B/311.50A	443.60B/311.50A	----	----	428.90 + 16.60	.9665	----	6	----	120	-	1																
4545	----	----	----	----	----/316.20A	409.50B/316.20A	----	----	433.80 + 16.60	.9683	----	----	10	43	-	1																
4550	440.00	440.00	----	----	474.50B/320.90A	474.50B/320.90A	----	----	438.70 + 16.70	.9693	----	1	----	451	-	2																
4555	----	----	----	----	----/325.50A	412.90B/325.50A	----	----	443.60 + 16.80	.9703	----	----	----	40	UNCH																	
4560	----	----	----	----	----/330.20A	416.40B/330.20A	----	----	448.50 + 16.90	.9713	----	----	----	96	UNCH																	
4565	----	----	----	----	----/334.90A	418.10B/334.90A	----	----	453.40 + 16.90	.9723	----	----	----	134	UNCH																	
4570	----	----	----	----	----/339.40A	422.10B/339.40A	----	----	458.30 + 16.90	.9733	----	----	----	133	UNCH																	
4575	----	----	----	----	----/344.30A	427.20B/344.30A	----	----	463.20 + 17.00	.9735	----	----	----	45	UNCH																	
4580	----	----	----	----	----/349.00A	432.40B/349.00A	----	----	468.10 + 17.00	.9745	----	----	----	42	UNCH																	
4585	----	----	----	----	----/353.70A	435.00B/353.70A	----	----	473.10 + 17.10	.9754	----	----	----	27	UNCH																	
4590	----	----	----	----	----/358.60A	440.00B/358.60A	----	----	478.00 + 17.10	.9764	----	----	----	41	UNCH																	
4595	----	----	----	----	----/363.40A	444.90B/363.40A	----	----	482.90 + 17.20	.9773	----	----	----	143	UNCH																	
4600	508.30	508.30	----	----	523.60B/368.10A	523.60B/368.10A	----	----	487.80 + 17.20	.9775	----	7	----	1457	-	1																
4605	----	----	----	----	----/372.90A	454.50B/372.90A	----	----	492.80 + 17.30	.9784	----	----	----	88	UNCH																	
4610	----	----	----	----	----/377.40A	459.50B/377.40A	----	----	497.70 + 17.30	.9786	----	----	----	120	UNCH																	
46																																

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG PUT	COMEX GOLD OPTIONS															
SEP26																
3595	38.20	38.20		52.10B/22.20A	52.10B/22.20A	----		39.30 + 2.20	.1301	----	----	1	----		6 + 1	
3600	43.70	43.70		52.90B/22.50A	52.90B/22.50A	----		39.90 + 2.30	.1319	----	----	24	----		356 + 15	
3605	----	----		53.60B/22.90A	53.60B/22.90A	----		40.50 + 2.30	.1337	----	----	----	----		19 UNCH	
3610	----	----		54.40B/23.30A	54.40B/23.30A	----		41.10 + 2.30	.1356	----	----	----	----		9 UNCH	
3615	42.70	42.70		55.20B/23.70A	55.20B/23.70A	----		41.70 + 2.30	.1374	----	----	3	----		4 + 3	
3620	40.80	40.80		56.00B/24.00A	56.00B/24.00A	----		42.40 + 2.50	.1394	----	----	24	----		25 + 24	
3625	43.60	43.60		56.80B/24.40A	56.80B/24.40A	----		43.00 + 2.50	.1413	----	----	2	----		9 + 2	
3635	43.90	43.90		58.50B/25.30A	58.50B/25.30A	----		44.40 + 2.60	.1454	----	----	3	----		15 + 2	
3640	33.60	33.60		59.40B/25.70A	59.40B/25.70A	----		45.10 NEW	.1474	----	----	1	----		1 + 1	
3650	46.10	46.10		61.10B/26.50A	61.10B/26.50A	----		46.50 + 2.80	.1515	----	156	----	----		191 + 124	
3655	35.30	35.30		62.00B/27.00A	62.00B/27.00A	----		47.20 NEW	.1536	----	1	----	----		1 + 1	
3660	37.80	37.80		62.90B/27.40A	62.90B/27.40A	----		47.90 + 2.90	.1557	----	10	----	----		11 + 10	
3665	----	----		63.80B/27.90A	63.80B/27.90A	----		48.60 + 3.00	.1578	----	55	----	----		55 + 54	
3670	----	----		64.70B/28.40A	64.70B/28.40A	----		49.40 + 3.10	.1600	----	----	----	----		3 UNCH	
3675	54.40	54.40		65.50B/28.90A	65.50B/28.90A	----		50.10 + 3.10	.1621	----	1	----	----		12 + 1	
3680	58.80	58.80		66.40B/29.30A	66.40B/29.30A	----		50.90 + 3.20	.1644	----	19	----	----		22 + 19	
3685	----	----		67.50B/29.80A	67.50B/29.80A	----		51.70 + 3.30	.1667	----	----	----	----		5 UNCH	
3690	----	----		68.40B/30.30A	68.40B/30.30A	----		52.50 + 3.30	.1689	----	----	----	----		68 UNCH	
3695	54.60	54.60		69.30B/30.80A	69.30B/30.80A	----		53.30 NEW	.1712	----	1	----	----		1 + 1	
3700	62.40	62.40		70.30B/31.30A	70.30B/31.30A	----		54.10 + 3.50	.1735	----	223	----	----		407 + 194	
3710	42.50	42.50		72.30B/32.40A	72.30B/32.40A	----		55.70 NEW	.1781	----	1	----	----		1 + 1	
3715	----	----		73.40B/32.90A	73.40B/32.90A	----		56.60 + 3.70	.1806	----	----	----	----		29 UNCH	
3720	----	----		74.50B/33.40A	74.50B/33.40A	----		57.40 + 3.70	.1829	----	----	----	----		52 UNCH	
3725	67.30	67.30		75.50B/34.00A	75.50B/34.00A	----		58.30 NEW	.1854	----	19	----	----		19 + 15	
3730	61.20	61.20		76.60B/34.60A	76.60B/34.60A	----		59.20 NEW	.1879	----	1	----	----		1 + 1	
3735	----	----		77.70B/35.10A	77.70B/35.10A	----		60.10 + 3.90	.1904	----	----	----	----		5 UNCH	
3740	----	----		78.80B/35.70A	78.80B/35.70A	----		61.00 + 4.00	.1929	----	1	----	----		1 UNCH	
3745	47.60	47.60		79.80B/36.30A	79.80B/36.30A	----		61.90 NEW	.1954	----	1	----	----		1 + 1	
3750	----	----		81.10B/36.90A	81.10B/36.90A	----		62.80 + 4.10	.1980	----	74	----	----		103 - 33	
3755	----	----		82.10B/37.50A	82.10B/37.50A	----		63.80 + 4.20	.2006	----	----	300	----		366 - 90	
3765	----	----		84.50B/38.70A	84.50B/38.70A	----		65.70 + 4.40	.2059	----	2	----	----		2 UNCH	
3770	69.20	69.20		85.70B/39.40A	85.70B/39.40A	----		66.70 + 4.40	.2085	----	2	----	----		1 UNCH	
3775	----	----		86.90B/40.10A	86.90B/40.10A	----		67.70 + 4.50	.2113	----	----	----	----		1 UNCH	
3780	----	----		88.20B/40.70A	88.20B/40.70A	----		68.70 + 4.60	.2140	----	----	----	----		3 UNCH	
3790	81.00	81.00		90.80B/42.10A	90.80B/42.10A	----		70.70 + 4.70	.2194	----	4	----	----		1 - 4	
3795	----	----		91.90B/42.80A	91.90B/42.80A	----		71.80 + 4.80	.2223	----	----	----	----		1 UNCH	
3800	75.00	75.00		93.20B/43.50A	93.20B/43.50A	----		72.80 + 4.80	.2250	----	114	60	----		597 + 107	
3815	----	----		97.10B/45.70A	97.10B/45.70A	----		76.10 + 5.00	.2337	----	3	----	----		1 UNCH	
3820	62.90	62.90		98.60B/46.50A	98.60B/46.50A	----		77.20 + 5.10	.2366	----	3	----	----		3 + 2	
3825	----	----		99.70B/47.20A	99.70B/47.20A	----		78.40 + 5.20	.2397	----	12	----	----		45 UNCH	
3830	81.00	81.00		101.30B/48.00A	101.30B/48.00A	----		79.50 + 5.30	.2426	----	1	----	----		50 + 3	
3835	79.40	79.40		102.70B/48.80A	102.70B/48.80A	----		80.70 + 5.40	.2457	----	3	----	----		4 + 3	
3840	----	----		104.20B/49.60A	104.20B/49.60A	----		81.90 + 5.50	.2487	----	1	100	----		104 + 100	
3845	----	----		105.60B/50.40A	105.60B/50.40A	----		83.10 + 5.50	.2518	----	1	----	----		2 + 1	
3850	93.40	93.40		107.00B/51.20A	107.00B/51.20A	----		84.30 + 5.60	.2549	----	19	----	----		58 - 8	
3860	93.50	93.50		109.70B/52.90A	109.70B/52.90A	----		86.80 + 5.80	.2612	----	2	----	----		3 + 1	
3865	----	----		111.30B/53.80A	111.30B/53.80A	----		88.00 + 5.80	.2643	----	----	----	----		1 UNCH	
3870	----	----		113.00B/54.70A	113.00B/54.70A	----		89.30 + 5.90	.2675	----	166	----	----		181 + 165	
3875	88.80	88.80		114.30B/55.60A	114.30B/55.60A	----		90.60 + 6.00	.2707	----	9	100	----		36 UNCH	
3880	----	----		116.20B/56.60A	116.20B/56.60A	----		91.90 + 6.00	.2740	----	1	----	----		101 + 92	
3885	----	----		117.90B/57.50A	117.90B/57.50A	----		93.20 + 6.10	.2773	----	9	----	----		8 + 6	
3890	96.80	96.80		119.30B/58.50A	119.30B/58.50A	----		94.60 + 6.20	.2806	----	1	----	----		34 + 1	
3895	78.50	78.50		120.90B/59.40A	120.90B/59.40A	----		95.90 + 6.20	.2839	----	1	----	----		734 + 100	
3900	117.10	117.10		122.30B/60.20A	122.30B/60.20A	----		97.30 + 6.30	.2873	----	104	100	----		3 + 1	
3905	99.60	99.60		124.00B/61.40A	124.00B/61.40A	----		98.70 + 6.40	.2907	----	1	----	----		4 + 1	
3910	104.00	104.00		126.00B/62.30A	126.00B/62.30A	----		100.10 + 6.50	.2941	----	1	----	----		8 UNCH	
3915	----	----		127.70B/63.40A	127.70B/63.40A	----		101.50 + 6.50	.2975	----	----	----	----		26 UNCH	
3920	----	----		129.30B/64.40A	129.30B/64.40A	----		102.90 + 6.60	.3009	----	----	----	----		18 UNCH	
3925	----	----		131.00B/65.30A	131.00B/65.30A	----		104.40 + 6.70	.3044	----	1	----	----		10 + 1	
3930	108.50	108.50		132.80B/66.50A	132.80B/66.50A	----		105.90 + 6.80	.3079	----	1	----	----		1 + 1	
3935	112.50	112.50		134.50B/67.60A	134.50B/67.60A	----		107.40 NEW	.3115	----	1	----	----		17 UNCH	
3940	----	----		136.40B/68.70A	136.40B/68.70A	----		108.90 + 6.90	.3150	----	----	----	240		704 + 220	
3945	----	----		138.40B/69.80A	138.40B/69.80A	----		110.40 + 6.90	.3186	----	1	----	----		308 - 1	
3950	----	----		139.70B/70.90A	139.70B/70.90A	----		112.00 + 7.00	.3222	----	1	----	----		31 UNCH	
3955	----	----		142.10B/72.00A	142.10B/72.00A	----		113.50 + 7.00	.3258	----	----	----	----		1 UNCH	
3960	----	----		143.80B/73.20A	143.80B/73.20A	----		115.10 + 7.10	.3295	----	----	----	----		11 + 1	
3965	----	----		145.70B/74.30A	145.70B/74.30A	----		116.70 + 7.20	.3332	----	1	----	----		6 + 1	
3970	----	----		147.50B/75.40A	147.50B/75.40A	----		118.40 + 7.30	.3369	----	1	----	----		48 + 1	

GLOBEX OPEN		OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST						
OG	PUT	COMEX GOLD OPTIONS																		
OCT26																				
3360	----	----	----	35.90B/18.60A	35.90B/18.60A	----	----	29.20 + 2.20	.0860	----	----	----	----	1	UNCH					
3380	----	----	----	37.90B/19.60A	37.90B/19.60A	----	----	30.80 + 2.30	.0904	----	----	----	----	1	UNCH					
3385	----	----	----	38.40B/19.80A	38.40B/19.80A	----	----	31.30 + 2.50	.0917	----	----	----	----	1	UNCH					
3390	----	----	----	39.00B/20.00A	39.00B/20.00A	----	----	31.70 + 2.50	.0929	----	----	----	----	4	UNCH					
3400	----	----	----	40.10B/20.50A	40.10B/20.50A	----	----	32.50 + 2.50	.0952	----	----	----	----	150	UNCH					
3430	----	----	----	43.60B/22.30A	43.60B/22.30A	----	----	35.30 + 2.80	.1028	----	----	----	----	1	UNCH					
3475	38.20	38.20	----	49.20B/25.20A	49.20B/25.20A	----	----	39.80 NEW	.1151	----	200	----	----	200	+	200				
3480	----	----	----	49.70B/25.60A	49.70B/25.60A	----	----	40.40 + 3.20	.1166	----	----	3	----	12	UNCH					
3500	36.50	36.50	----	52.50B/27.00A	52.50B/27.00A	----	----	42.60 + 3.40	.1225	----	----	----	----	898	+	1				
3510	----	----	----	54.00B/27.80A	54.00B/27.80A	----	----	43.80 + 3.50	.1256	----	----	----	----	1	UNCH					
3520	----	----	----	55.30B/28.40A	55.30B/28.40A	----	----	45.00 + 3.60	.1288	----	----	----	----	12	UNCH					
3525	----	----	----	56.10B/29.00A	56.10B/29.00A	----	----	45.60 + 3.70	.1304	----	----	----	----	25	UNCH					
3530	----	----	----	56.80B/29.30A	56.80B/29.30A	----	----	46.20 + 3.70	.1320	----	----	----	----	5	UNCH					
3550	49.20	49.20	----	60.00B/31.00A	60.00B/31.00A	----	----	48.70 + 3.80	.1385	----	20	----	----	45	+	11				
3555	47.50	47.50	----	60.80B/31.50A	60.80B/31.50A	----	----	49.40 NEW	.1403	----	1	----	----	1	+	1				
3560	----	----	----	61.50B/31.90A	61.50B/31.90A	----	----	50.10 + 4.00	.1421	----	----	----	----	2	UNCH					
3565	48.70	48.70	----	62.40B/32.30A	62.40B/32.30A	----	----	50.80 + 4.10	.1439	----	1	----	----	2	+	1				
3570	----	----	----	63.20B/32.80A	63.20B/32.80A	----	----	51.40 + 4.00	.1455	----	----	----	----	1	UNCH					
3585	----	----	----	65.50B/34.20A	65.50B/34.20A	----	----	53.60 + 4.30	.1510	----	----	----	----	41	UNCH					
3600	37.90	37.90	----	68.30B/35.70A	68.30B/35.70A	----	----	55.80 + 4.40	.1566	----	1	----	----	287	UNCH					
3615	----	----	----	71.20B/37.30A	71.20B/37.30A	----	----	58.10 + 4.60	.1623	----	----	----	----	1	UNCH					
3620	----	----	----	72.10B/37.80A	72.10B/37.80A	----	----	58.90 + 4.70	.1643	----	----	----	----	4	UNCH					
3625	----	----	----	73.00B/38.30A	73.00B/38.30A	----	----	59.70 NEW	.1663	----	2	----	----	2	+	2				
3635	----	----	----	74.90B/39.40A	74.90B/39.40A	----	----	61.30 + 4.90	.1703	----	----	----	----	1	UNCH					
3650	----	----	----	77.90B/41.10A	77.90B/41.10A	----	----	63.80 + 5.00	.1764	----	----	----	----	1	UNCH					
3655	----	----	----	79.00B/41.70A	79.00B/41.70A	----	----	64.60 + 5.00	.1784	----	----	----	----	10	UNCH					
3660	----	----	----	80.00B/42.30A	80.00B/42.30A	----	----	65.50 + 5.10	.1806	----	----	----	----	10	UNCH					
3665	----	----	----	81.00B/42.90A	81.00B/42.90A	----	----	66.40 + 5.20	.1828	----	----	----	----	5	UNCH					
3670	----	----	----	81.80B/43.50A	81.80B/43.50A	----	----	67.30 + 5.30	.1849	----	----	----	----	20	UNCH					
3680	----	----	----	84.10B/44.80A	84.10B/44.80A	----	----	69.10 + 5.40	.1893	----	----	----	----	5	UNCH					
3695	----	----	----	87.40B/46.70A	87.40B/46.70A	----	----	71.90 + 5.60	.1960	----	----	----	----	10	UNCH					
3700	84.00	84.00	----	88.70B/47.40A	88.70B/47.40A	----	----	72.90 + 5.70	.1983	----	58	----	----	208	-	37				
3715	----	----	----	92.10B/49.30A	92.10B/49.30A	----	----	75.80 + 5.80	.2052	----	----	----	----	196	UNCH					
3740	----	----	----	98.20B/52.90A	98.20B/52.90A	----	----	81.00 NEW	.2172	----	1	----	----	1	+	1				
3750	80.60	80.60	----	100.70B/54.30A	100.70B/54.30A	----	----	83.20 + 6.40	.2222	----	10	----	----	53	+	10				
3755	69.30	69.30	----	102.00B/55.20A	102.00B/55.20A	----	----	84.30 NEW	.2247	----	1	----	----	1	+	1				
3760	70.20	70.20	----	103.20B/56.00A	103.20B/56.00A	----	----	85.40 NEW	.2272	----	1	----	----	1	+	1				
3770	----	----	----	105.80B/57.40A	105.80B/57.40A	----	----	87.60 + 6.60	.2322	----	----	----	----	4	+	1				
3780	73.20	73.20	----	108.60B/59.10A	108.60B/59.10A	----	----	89.90 + 6.70	.2374	----	1	----	----	4	+	1				
3785	----	----	----	109.90B/60.10A	109.90B/60.10A	----	----	91.10 + 6.80	.2400	----	----	----	----	1	UNCH					
3790	96.70	96.70	----	111.30B/60.90A	111.30B/60.90A	----	----	92.30 NEW	.2427	----	1	----	----	1	+	1				
3795	96.40	96.40	----	112.70B/61.60A	112.70B/61.60A	----	----	93.50 NEW	.2453	----	20	----	----	20	+	20				
3800	98.90	98.90	----	114.20B/62.60A	114.20B/62.60A	----	----	94.70 + 7.00	.2480	----	16	----	----	58	+	9				
3805	79.80	79.80	----	115.50B/63.40A	115.50B/63.40A	----	----	96.00 + 7.20	.2508	----	1	----	----	16	+	1				
3810	87.60	87.60	----	117.00B/64.50A	117.00B/64.50A	----	----	97.20 NEW	.2535	----	1	----	----	1	+	1				
3815	----	----	----	118.50B/65.20A	118.50B/65.20A	----	----	98.50 + 7.30	.2562	----	----	----	----	9	UNCH					
3820	----	----	----	119.90B/66.30A	119.90B/66.30A	----	----	99.80 + 7.40	.2590	----	----	----	----	1	UNCH					
3825	121.00	121.00	----	121.50B/67.10A	121.50B/67.10A	----	----	101.00 NEW	.2617	----	8	----	----	8	+	8				
3835	86.10	86.10	----	124.50B/69.00A	124.50B/69.00A	----	----	103.70 NEW	.2674	----	5	----	----	5	+	5				
3840	88.40	88.40	----	126.00B/70.00A	126.00B/70.00A	----	----	105.00 NEW	.2702	----	20	----	----	20	+	20				
3850	113.80	113.80	----	129.10B/71.90A	129.10B/71.90A	----	----	107.70 + 7.80	.2760	----	2	----	----	107	UNCH					
3855	109.30	109.30	----	130.80B/73.10A	130.80B/73.10A	----	----	109.10 NEW	.2789	----	2	----	----	2	+	2				
3865	----	----	----	134.00B/75.20A	134.00B/75.20A	----	----	111.90 + 8.10	.2847	----	----	----	----	2	UNCH					
3870	94.50	94.50	----	135.70B/76.10A	135.70B/76.10A	----	----	113.30 + 8.10	.2877	----	10	----	----	13	+	8				
3875	----	----	----	137.40B/77.20A	137.40B/77.20A	----	----	114.80 + 8.30	.2907	----	----	----	----	14	UNCH					
3880	122.70	122.70	----	138.90B/78.20A	138.90B/78.20A	----	----	116.20 NEW	.2936	----	7	----	----	7	+	7				
3885	----	----	----	140.60B/79.30A	140.60B/79.30A	----	----	117.70 + 8.40	.2967	----	----	----	----	5	UNCH					
3890	----	----	----	142.40B/80.60A	142.40B/80.60A	----	----	119.20 + 8.50	.2997	----	----	----	----	2	UNCH					
3895	----	----	----	144.10B/81.80A	144.10B/81.80A	----	----	120.70 + 8.60	.3028	----	----	----	----	2	UNCH					
3900	122.00	122.00	----	145.90B/82.70A	145.90B/82.70A	----	----	122.20 + 8.60	.3058	----	97	----	----	229	+	96				
3920	----	----	----	153.10B/87.40A	153.10B/87.40A	----	----	128.40 + 8.90	.3183	----	----	----	----	29	UNCH					
3925	----	----	----	155.00B/88.60A	155.00B/88.60A	----	----	130.00 + 8.90	.3214	----	----	----	----	15	UNCH					
3930	----	----	----	156.70B/90.00A	156.70B/90.00A	----	----	131.60 + 9.00	.3246	----	----	----	----	2	UNCH					
3940	----	----	----	160.60B/92.30A	160.60B/92.30A	----	----	134.90 + 9.20	.3310	----	----	----	----	65	UNCH					
3945	125.10	125.10	----	162.50B/93.90A	162.50B/93.90A	----	----	136.60 NEW	.3342	----	1	----	----	1	+	1				
3950	----	----	----	164.50B/95.10A	164.50B/95.10A	----	----	138.30 + 9.30	.3375	----	----	----	----	2	UNCH					
3960	----	----	----	168.40B/97.80A	168.40B/97.80A	----	----	141.70 + 9.50	.3440	----	----	----	----	1	UNCH					
3965	----</																			

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
COMEX GOLD OPTIONS																
NOV26																
OG PUT																
4180	----	----	----	282.30B/191.30A	282.30B/191.30A	----	----	----	250.00 + 12.30	.4729	----	----	----	----	1	UNCH
4185	----	----	----	284.90B/193.50A	284.90B/193.50A	----	----	----	252.40 + 12.20	.4761	----	----	----	----	1	UNCH
4190	259.50	259.50	259.50	288.30B/195.70A	288.30B/195.70A	----	----	----	254.90 NEW	.4793	----	----	10	----	10	+
4200	----	----	----	293.80B/199.80A	293.80B/199.80A	----	----	----	259.90 + 12.30	.4858	----	----	----	----	11	UNCH
4205	----	----	----	296.60B/202.20A	296.60B/202.20A	----	----	----	262.40 + 12.30	.4891	----	----	----	----	5	UNCH
4215	----	----	----	301.70B/206.60A	301.70B/206.60A	----	----	----	267.50 + 12.30	.4956	----	----	----	----	5	UNCH
4225	----	----	----	307.20B/211.00A	307.20B/211.00A	----	----	----	272.60 NEW	.5021	----	1	----	1	+	1
4250	----	----	----	322.60B/222.70A	322.60B/222.70A	----	----	----	285.80 + 12.20	.5183	----	----	----	----	567	UNCH
4265	----	----	----	330.40B/229.80A	330.40B/229.80A	----	----	----	294.00 + 12.20	.5280	----	----	----	----	1	UNCH
4275	----	----	----	337.00B/234.60A	337.00B/234.60A	----	----	----	299.50 + 12.20	.5344	----	----	----	----	23	UNCH
4290	----	----	----	345.90B/242.00A	345.90B/242.00A	----	----	----	308.00 + 12.20	.5441	----	----	----	----	1	UNCH
4300	----	----	----	352.10B/247.00A	352.10B/247.00A	----	----	----	313.70 + 12.20	.5505	----	----	----	----	100	UNCH
4320	----	----	----	364.70B/257.30A	364.70B/257.30A	----	----	----	325.40 + 12.20	.5632	----	----	----	----	43	UNCH
4330	----	----	----	371.30B/262.60A	371.30B/262.60A	----	----	----	331.40 + 12.30	.5696	----	----	----	----	2	UNCH
4335	----	----	----	374.40B/264.80A	374.40B/264.80A	----	----	----	334.40 + 12.30	.5727	----	----	----	----	1	UNCH
4340	----	----	----	377.80B/267.50A	377.80B/267.50A	----	----	----	337.40 + 12.30	.5758	----	----	----	----	6	UNCH
4350	----	----	----	384.20B/273.50A	384.20B/273.50A	----	----	----	343.50 + 12.30	.5821	----	----	----	----	5	UNCH
4375	----	----	----	388.40B/287.10A	388.40B/287.10A	----	----	----	359.20 + 12.50	.5976	----	----	----	----	1	UNCH
4380	----	----	----	390.20B/290.10A	390.20B/290.10A	----	----	----	362.30 + 12.40	.6006	----	----	----	----	20	UNCH
4390	----	----	----	393.20B/295.80A	393.20B/295.80A	----	----	----	368.80 + 12.60	.6068	----	----	----	----	1	UNCH
4395	----	----	----	396.50B/298.60A	396.50B/298.60A	----	----	----	372.00 + 12.60	.6098	----	----	----	----	1	UNCH
4400	----	----	----	399.90B/301.50A	399.90B/301.50A	----	----	----	375.30 + 12.60	.6128	----	----	----	----	6	UNCH
4405	----	----	----	403.40B/304.40A	403.40B/304.40A	----	----	----	378.50 + 12.60	.6158	----	----	----	----	1	UNCH
4425	----	----	----	417.20B/316.30A	417.20B/316.30A	----	----	----	391.80 + 12.70	.6277	----	----	----	----	72	UNCH
4430	----	----	----	420.70B/319.20A	420.70B/319.20A	----	----	----	395.20 + 12.80	.6306	----	----	----	----	10	UNCH
4435	----	----	----	424.20B/322.20A	424.20B/322.20A	----	----	----	398.50 + 12.80	.6336	----	----	----	----	7	UNCH
4450	----	----	----	434.80B/331.30A	434.80B/331.30A	----	----	----	408.80 + 12.90	.6423	----	----	----	----	39	UNCH
4470	----	----	----	449.20B/343.80A	449.20B/343.80A	----	----	----	422.70 + 13.10	.6537	----	----	----	----	1	UNCH
4485	----	----	----	460.10B/353.10A	460.10B/353.10A	----	----	----	433.30 + 13.20	.6621	----	----	----	----	1	UNCH
4490	----	----	----	463.80B/356.70A	463.80B/356.70A	----	----	----	436.80 + 13.20	.6649	----	----	----	----	1	UNCH
4500	----	----	----	471.10B/363.10A	471.10B/363.10A	----	----	----	444.00 + 13.30	.6703	----	1	----	98	+	1
4510	----	----	----	478.60B/370.00A	478.60B/370.00A	----	----	----	451.20 + 13.40	.6758	----	----	----	----	11	UNCH
4530	----	----	----	493.60B/382.50A	493.60B/382.50A	----	----	----	465.90 + 13.60	.6864	----	----	----	----	40	UNCH
4535	----	----	----	495.90B/385.80A	495.90B/385.80A	----	----	----	469.60 + 13.70	.6891	----	----	----	----	10	UNCH
4540	----	----	----	497.20B/389.40A	497.20B/389.40A	----	----	----	473.30 + 13.70	.6916	----	----	----	----	6	UNCH
4555	----	----	----	497.40B/399.30A	497.40B/399.30A	----	----	----	484.50 + 13.80	.6993	----	----	----	----	1	UNCH
4580	----	----	----	515.70B/416.60A	515.70B/416.60A	----	----	----	503.50 + 14.10	.7119	----	----	----	----	10	UNCH
4590	----	----	----	523.50B/423.50A	523.50B/423.50A	----	----	----	511.20 + 14.20	.7167	----	----	----	----	1	UNCH
4600	----	----	----	531.30B/430.60A	531.30B/430.60A	----	----	----	519.00 + 14.30	.7216	----	----	----	----	72	UNCH
4610	----	----	----	539.10B/437.70A	539.10B/437.70A	----	----	----	526.80 + 14.40	.7263	----	----	----	----	4	UNCH
4640	----	----	----	562.80B/459.30A	562.80B/459.30A	----	----	----	550.50 + 14.70	.7401	----	----	----	----	90	UNCH
4645	----	----	----	566.90B/463.40A	566.90B/463.40A	----	----	----	554.50 + 14.80	.7424	----	----	----	----	1	UNCH
4650	----	----	----	570.90B/466.60A	570.90B/466.60A	----	----	----	558.50 + 14.80	.7445	----	----	----	----	78	UNCH
4655	----	----	----	574.90B/470.30A	574.90B/470.30A	----	----	----	562.50 + 14.80	.7468	----	----	----	----	1	UNCH
4700	----	----	----	611.80B/504.50A	611.80B/504.50A	----	----	----	599.20 + 15.30	.7658	----	----	----	----	58	UNCH
4710	----	----	----	619.90B/511.60A	619.90B/511.60A	----	----	----	607.40 + 15.40	.7698	----	----	----	----	1	UNCH
4725	----	----	----	632.60B/523.00A	632.60B/523.00A	----	----	----	619.90 + 15.60	.7757	----	----	----	----	2	UNCH
4750	549.00	549.00	549.00	653.60B/543.10A	653.60B/543.10A	----	----	----	640.90 + 15.80	.7853	----	----	15	----	10	-
4755	----	----	----	#658.00B/546.40	#658.00B/546.40A	----	----	----	645.10 + 15.90	.7872	----	----	----	----	1	UNCH
4800	----	----	----	696.70B/582.70A	696.70B/582.70A	----	----	----	683.60 + 16.40	.8033	----	----	----	----	12	UNCH
4820	----	----	----	713.90B/598.90A	713.90B/598.90A	----	----	----	700.90 + 16.50	.8099	----	----	----	----	1	UNCH
4840	----	----	----	731.30B/615.00A	731.30B/615.00A	----	----	----	718.30 + 16.70	.8163	----	----	----	----	2	UNCH
4845	----	----	----	#735.70B/619.50A	#735.70B/619.50A	----	----	----	722.70 + 16.70	.8180	----	----	----	----	10	UNCH
4850	----	----	----	740.10B/623.60A	740.10B/623.60A	----	----	----	727.10 + 16.80	.8196	----	----	----	----	8	UNCH
4900	----	----	----	784.40B/665.40A	784.40B/665.40A	----	----	----	771.00 + 16.80	.8349	----	----	----	----	12	UNCH
4915	----	----	----	#797.70B/678.20	#797.70B/678.20A	----	----	----	784.30 + 16.80	.8393	----	----	----	----	3	UNCH
4935	----	----	----	#815.80B/695.40	#815.80B/695.40A	----	----	----	802.10 + 16.90	.8451	----	----	----	----	25	UNCH
4950	----	----	----	829.20B/708.50A	829.20B/708.50A	----	----	----	815.50 + 16.90	.8492	----	----	----	----	11	UNCH
4960	----	----	----	#838.30B/716.90A	#838.30B/716.90A	----	----	----	824.50 + 16.90	.8520	----	----	----	----	2	UNCH
5000	----	----	----	874.90B/751.40A	874.90B/751.40A	----	----	----	860.70 + 17.20	.8621	----	----	----	----	254	UNCH
5020	----	----	----	#893.10B/769.50A	#893.10B/769.50A	----	----	----	879.00 + 17.30	.8668	----	----	----	----	30	UNCH
5055	----	----	----	#925.50B/800.30	#925.50B/800.30A	----	----	----	911.10 + 17.50	.8747	----	----	----	----	8	UNCH
5200	----	----	----	#1,061.50B/933.10A	#1061.50B/933.10A	----	----	----	1046.40 + 18.20	.9025	----	----	----	----	81	UNCH
5395	----	----	----	#1,248.50B/1,111	#1248.50B/1116.70A	----	----	----	1232.60 + 18.80	.9293	----	----	----	----	6	

BULLETIN #111@			METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64	
GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG PUT	COMEX GOLD OPTIONS															
DEC26																
3775	----	----	137.30B/88.60A	137.30B/88.60A	----	----	122.20 + 10.40	.2528	----	----	----	----	1	UNCH		
3780	----	----	138.80B/89.70A	138.80B/89.70A	----	----	123.50 + 10.50	.2550	----	----	----	----	2	UNCH		
3785	120.30	120.30	140.30B/90.10A	140.30B/90.10A	----	----	124.90 + 10.60	.2573	----	----	16	----	26 +	16		
3795	----	----	143.40B/92.80A	143.40B/92.80A	----	----	127.60 NEW	.2619	----	----	10	----	10 +	10		
3800	110.60	110.60	144.80B/93.10A	144.80B/93.10A	----	----	129.00 + 10.90	.2642	----	----	21	----	395 +	20		
3805	----	----	146.40B/94.30A	146.40B/94.30A	----	----	130.40 + 10.90	.2666	----	----	----	----	16	UNCH		
3810	----	----	147.90B/95.40A	147.90B/95.40A	----	----	131.80 + 11.00	.2689	----	----	----	----	56	UNCH		
3850	148.80	148.80	161.00B/104.40A	161.00B/104.40A	----	----	143.60 + 11.70	.2881	----	1	----	----	57 +	1		
3875	154.00	154.00	169.70B/111.50A	169.70B/111.50A	----	----	151.40 NEW	.3005	----	1	----	----	1 +	1		
3880	----	----	171.50B/112.70A	171.50B/112.70A	----	----	152.90 + 12.20	.3030	----	----	----	----	1	UNCH		
3890	162.10	162.10	175.00B/115.30A	175.00B/115.30A	----	----	156.20 NEW	.3080	----	1	----	----	1 +	1		
3900	165.50	165.50	178.60B/116.70A	178.60B/116.70A	----	----	159.40 + 12.50	.3131	----	103	200	1210	UNCH			
3920	----	----	186.30B/122.20A	186.30B/122.20A	----	----	166.10 + 12.80	.3234	----	----	----	51	UNCH			
3925	172.50	172.50	188.30B/123.50A	188.30B/123.50A	----	----	167.80 + 12.80	.3260	----	1	----	257 +	1			
3930	----	----	190.20B/126.10A	190.20B/126.10A	----	----	169.60 + 13.00	.3286	----	----	----	2	UNCH			
3950	----	----	198.10B/130.40A	198.10B/130.40A	----	----	176.60 + 13.20	.3392	----	----	----	514	UNCH			
3965	----	----	204.20B/135.00A	204.20B/135.00A	----	----	182.00 + 13.40	.3472	----	----	----	50	UNCH			
3975	----	----	207.90B/138.00A	207.90B/138.00A	----	----	185.60 + 13.50	.3525	----	----	----	193	UNCH			
3980	186.10	186.10	210.10B/139.40A	210.10B/139.40A	----	----	187.50 + 13.60	.3553	----	34	----	272 -	3			
3995	----	----	216.70B/145.50A	216.70B/145.50A	----	----	193.10 + 13.70	.3634	----	----	----	1	UNCH			
4000	192.90	192.90	218.80B/145.60A	218.80B/145.60A	----	----	195.00 + 13.70	.3662	----	27	250	2698 +	43			
4025	----	----	229.50B/153.70A	229.50B/153.70A	----	----	204.70 + 13.90	.3800	----	----	----	801	UNCH			
4050	----	----	241.20B/162.40A	241.20B/162.40A	----	----	214.80 + 14.00	.3940	----	----	----	217	UNCH			
4060	----	----	245.90B/165.90A	245.90B/165.90A	----	----	219.00 + 14.10	.3997	----	----	----	100	UNCH			
4070	----	----	250.10B/169.50A	250.10B/169.50A	----	----	223.20 + 14.20	.4054	----	----	----	8	UNCH			
4090	----	----	259.80B/178.10A	259.80B/178.10A	----	----	231.80 + 14.30	.4168	----	----	----	1	UNCH			
4100	----	----	264.90B/180.40A	264.90B/180.40A	----	----	236.20 + 14.30	.4226	----	----	----	396	UNCH			
4115	----	----	272.50B/187.80A	272.50B/187.80A	----	----	242.90 + 14.30	.4313	----	----	----	1	UNCH			
4130	----	----	279.90B/192.20A	279.90B/192.20A	----	----	249.70 + 14.30	.4400	----	----	----	30	UNCH			
4150	----	----	290.30B/200.40A	290.30B/200.40A	----	----	259.10 + 14.40	.4517	----	----	----	93	UNCH			
4160	----	----	295.60B/204.40A	295.60B/204.40A	----	----	263.90 + 14.40	.4576	----	----	----	252	UNCH			
4165	----	----	298.40B/206.70A	298.40B/206.70A	----	----	266.30 + 14.30	.4606	----	----	----	28	UNCH			
4170	----	----	301.10B/208.80A	301.10B/208.80A	----	----	268.70 + 14.30	.4635	----	----	----	2	UNCH			
4175	----	----	303.80B/210.90A	303.80B/210.90A	----	----	271.20 + 14.40	.4665	----	10	----	144 +	10			
4200	300.00	300.00	316.90B/221.60A	316.90B/221.60A	----	----	283.70 + 14.30	.4812	----	5	----	1344 -	1			
4205	----	----	319.70B/224.10A	319.70B/224.10A	----	----	286.20 + 14.20	.4841	----	----	----	20	UNCH			
4215	----	----	325.40B/228.80A	325.40B/228.80A	----	----	291.40 + 14.30	.4900	----	----	----	14	UNCH			
4225	----	----	331.50B/233.30A	331.50B/233.30A	----	----	296.60 + 14.20	.4959	----	----	----	35	UNCH			
4230	----	----	334.10B/235.60A	334.10B/235.60A	----	----	299.30 + 14.20	.4988	----	----	----	150	UNCH			
4235	----	----	337.40B/237.90A	337.40B/237.90A	----	----	302.00 + 14.30	.5018	----	----	----	10	UNCH			
4245	----	----	342.80B/242.70A	342.80B/242.70A	----	----	307.30 + 14.20	.5077	----	----	----	13	UNCH			
4250	----	----	345.80B/244.80A	345.80B/244.80A	----	----	310.00 + 14.10	.5106	----	2	----	489 +	1			
4265	----	----	354.90B/252.20A	354.90B/252.20A	----	----	318.30 + 14.20	.5194	----	----	----	10	UNCH			
4290	----	----	371.00B/264.80A	371.00B/264.80A	----	----	332.40 + 14.20	.5339	----	----	----	1	UNCH			
4300	351.00	351.00	377.30B/269.20A	377.30B/269.20A	----	----	338.20 + 14.20	.5397	----	57	----	2602 -	27			
4320	----	----	389.90B/280.10A	389.90B/280.10A	----	----	350.00 + 14.30	.5512	----	----	----	124	UNCH			
4325	----	----	393.10B/282.20A	393.10B/282.20A	----	----	353.00 + 14.40	.5540	----	----	----	559	UNCH			
4340	----	----	402.80B/290.70A	402.80B/290.70A	----	----	362.10 + 14.60	.5625	----	----	----	82	UNCH			
4350	----	----	409.50B/296.70A	409.50B/296.70A	----	----	368.20 + 14.60	.5682	----	----	----	164	UNCH			
4360	----	----	416.10B/302.10A	416.10B/302.10A	----	----	374.40 + 14.70	.5738	----	----	----	1	UNCH			
4365	----	----	419.30B/304.90A	419.30B/304.90A	----	----	377.50 + 14.80	.5766	----	----	----	195	UNCH			
4375	----	----	426.00B/310.40A	426.00B/310.40A	----	----	383.80 + 14.90	.5821	----	----	----	117	UNCH			
4385	----	----	432.90B/315.90A	432.90B/315.90A	----	----	390.20 + 15.00	.5876	----	----	----	75	UNCH			
4390	----	----	436.30B/318.80A	436.30B/318.80A	----	----	393.40 + 15.10	.5904	----	----	30	200	UNCH			
4400	397.00	397.00	443.10B/324.50A	443.10B/324.50A	----	----	399.80 + 15.20	.5959	----	----	----	418 -	30			
4425	----	----	460.40B/338.90A	460.40B/338.90A	----	----	416.20 + 15.50	.6094	----	----	----	9	UNCH			
4430	----	----	463.60B/341.80A	463.60B/341.80A	----	----	419.50 + 15.50	.6121	----	----	----	37	UNCH			
4435	----	----	467.60B/344.90A	467.60B/344.90A	----	----	422.80 + 15.50	.6148	----	----	----	14	UNCH			
4440	----	----	470.90B/347.80A	470.90B/347.80A	----	----	426.20 + 15.60	.6175	----	----	----	6	UNCH			
4450	----	----	477.90B/353.70A	477.90B/353.70A	----	----	432.90 + 15.70	.6227	----	----	----	269	UNCH			
4460	----	----	484.90B/359.80A	484.90B/359.80A	----	----	439.70 + 15.80	.6280	----	----	----	17	UNCH			
4470	----	----	492.10B/366.20A	492.10B/366.20A	----	----	446.50 + 15.80	.6332	----	----	----	1	UNCH			
4475	----	----	496.00B/368.80A	496.00B/368.80A	----	----	449.90 + 15.80	.6358	----	----	----	9	UNCH			
4480	----	----	499.40B/372.40A	499.40B/372.40A	----	----	453.40 + 15.90	.6384	----	----	----	1	UNCH			
4490	----	----	506.90B/378.80A	506.90B/378.80A	----	----	460.30 + 16.00	.6435	----	----	----	17	UNCH			
4500	387.00	387.00	514.10B/385.30A	514.10B/385.30A	----	----	467.30 + 16.00	.6486	----	1	----	1222 -	1			
4510	----	----	521.40B/391.60A	521.40B/391.60A	----	----	474.40 + 16.10	.6536	----	----	----	2	UNCH			
4515	----	----	525.10B/395.10A	525.10B/395.10A	----	----	477.90 + 16.10	.6561	----	----	----	247	UNCH			

PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY LOW	OPEN CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME				OPEN INTEREST						
OG PUT	COMEX GOLD OPTIONS																								
FEB27																									
5550	----	----	----	----	#1243.40B/1441.80A	----				1369.50 + 17.20	.8894	----	----	----	----				65	UNCH					
5565	----	----	----	----	#1257.40B/1455.90A	----				1383.70 + 17.10	.8912	----	----	----	----				50	UNCH					
TOTAL														112					2368+	88					
MAR27																									
3500		87.20	87.20	#96.40B/68.10A	#96.40B/68.10A	----				87.10 + 6.00	.1602	----	----	4	----			5	+	4					
3600	----	----	----	#117.70B/83.40A	#117.70B/83.40A	----				106.30 + 7.40	.1903	----	----	----	----			875		UNCH					
3750	----	----	----	#157.10B/112.60	#157.10B/112.60A	----				142.30 + 10.10	.2427	----	----	----	----			10		UNCH					
3850	----	----	----	#189.10B/136.80	#189.10B/136.80A	----				171.50 + 11.90	.2821	----	----	----	----			21		UNCH					
3900	----	----	----	#206.70B/150.50	#206.70B/150.50A	----				187.90 + 12.80	.3030	----	----	----	----			11		UNCH					
4000	----	----	----	#246.20B/181.20	#246.20B/181.20A	----				224.20 + 14.20	.3468	----	----	----	----			6		UNCH					
4070	----	----	----	#275.90B/205.70	#275.90B/205.70A	----				252.70 + 14.90	.3789	----	----	----	----			2		UNCH					
4200	----	----	----	#337.60B/257.60	#337.60B/257.60A	----				312.30 + 15.20	.4403	----	----	----	----			575		UNCH					
4300	----	----	----	#387.00B/304.10	#387.00B/304.10A	----				364.30 NEW	.4879	----	----	25	40			65	+	65					
4325	----	----	----	#401.40B/316.40	#401.40B/316.40A	----				378.10 + 15.00	.4997	----	----	----	----			10		UNCH					
4370	----	----	----	#433.00B/339.30	#433.00B/339.30A	----				403.70 + 14.90	.5207	----	----	----	----			250		UNCH					
4500	----	----	----	#512.20B/417.10	#512.20B/417.10A	----				483.60 + 15.50	.5795	----	----	----	----			6		UNCH					
4525	----	----	----	#527.40B/432.00	#527.40B/432.00A	----				499.90 + 15.70	.5904	----	----	----	----			11		UNCH					
4650	----	----	----	----/510.90A	#546.70B/510.90A	----				585.50 + 16.80	.6422	----	----	----	----			3		UNCH					
4660	----	----	----	----/517.60A	#545.20B/517.60A	----				592.60 + 16.80	.6462	----	----	----	----			25		UNCH					
4680	----	----	----	----/530.90A	#544.80B/530.90A	----				607.10 + 17.10	.6540	----	----	----	----			1		UNCH					
4700	----	----	----	----/544.20A	#542.80B/544.20A	----				621.60 + 17.30	.6617	----	----	25	----			9	-	7					
4710	----	----	----	----/551.00A	#542.70B/551.00A	----				629.00 + 17.50	.6654	----	----	----	----			4		UNCH					
4720	----	----	----	----/557.70A	#545.30B/557.70A	----				636.40 + 17.60	.6692	----	----	----	----			2		UNCH					
4740	----	----	----	----	496.20B/780.00A	----				651.20 + 17.70	.6766	----	----	----	----			3		UNCH					
4750	----	----	----	----	503.80B/787.20A	----				658.70 + 17.90	.6802	----	----	----	----			15		UNCH					
4810	----	----	----	----	#549.70B/830.80A	----				704.50 + 18.60	.7015	----	----	----	----			22		UNCH					
4850	----	----	----	----	#581.10B/860.60A	----				735.70 + 19.00	.7150	----	----	----	----			6		UNCH					
4900	----	----	----	----	#621.20B/898.40A	----				775.40 + 19.50	.7311	----	----	----	----			2		UNCH					
4905	----	----	----	----	#625.30B/902.30A	----				779.50 + 19.60	.7327	----	----	----	----			2		UNCH					
5000	----	----	----	----	#703.80B/976.40A	----				857.20 + 20.30	.7608	----	----	----	----			75		UNCH					
T																									

PG64 BULLETIN #111@				METALS OPTION PRODUCTS						Thu, Jun 11, 2026 PG64			
GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL COMEX GOLD OPTIONS													
JUL26													
4115	100.30	100.30	166.60B/*76.10A	166.60B/*76.10A	----	91.90 - 14.90	.5088	----	----	3	----	12	UNCH
4120	97.80	97.80	162.80B/*73.90A	162.80B/*73.90A	----	89.20 - 14.70	.4999	----	----	5	----	5 +	2
4125	86.00	86.00	159.20B/*71.80A	159.20B/*71.80A	----	86.60 - 14.50	.4909	----	----	9	----	21 +	4
4130	92.20	92.20	155.60B/*69.80A	155.60B/*69.80A	----	84.00 - 14.30	.4818	----	69	----	41 +	35	
4135	75.10	75.10	152.10B/*67.70A	152.10B/*67.70A	----	81.40 - 14.20	.4727	----	4	----	6 +	3	
4140	84.70	84.70	148.60B/*65.70A	148.60B/*65.70A	----	78.90 - 14.00	.4636	----	7	----	14 +	3	
4145	75.00	75.00	145.30B/*63.70A	145.30B/*63.70A	----	76.40 - 13.80	.4545	----	2	----	46 +	2	
4150	69.50	69.50	141.70B/*61.70A	141.70B/*61.70A	----	74.00 - 13.60	.4453	----	114	----	152 +	22	
4155	77.50	77.50	138.50B/*59.80A	138.50B/*59.80A	----	71.60 - 13.50	.4361	----	12	----	12 +	6	
4160	57.80	57.80	135.00B/*57.80	135.00B/*57.80	----	69.30 - 13.30	.4270	----	11	----	47 +	8	
4165	58.10	58.10	131.70B/*55.90A	131.70B/*55.90A	----	67.00 - 13.10	.4178	----	14	----	16 +	8	
4170													



PG64 BULLETIN #111@				METALS OPTION PRODUCTS								Thu, Jun 11, 2026			PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY RANGE	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL JUL26	COMEX GOLD OPTIONS														
4800	2.00	2.00		2.40/*1.20	2.40/*1.20	----			1.00 - 1.10	.0087	----	----	369	----	3717 + 230
4805	1.30	1.30		2.10B/*1.20A	2.10B/*1.20A	----			1.00 - 1.10	.0087	----	----	14	----	310 + 1
4810	1.30	1.30		2.20B/*1.20A	2.20B/*1.20A	----			1.00 - 1.00	.0086	----	----	16	----	102 + 16
4815	1.30	1.30		2.00B/*1.20A	2.00B/*1.20A	----			1.00 - 1.00	.0086	----	----	11	----	75 + 11
4820	1.30	1.30		2.00B/*1.30	2.00B/*1.30	----			1.00 - 1.00	.0085	----	----	1	----	70 + UNCH
4825	----	----		2.10B/*1.20A	2.10B/*1.20A	----			1.00 - 0.90	.0085	----	----	----	----	737 + UNCH
4830	----	----		2.00B/*1.30A	2.00B/*1.30A	----			1.00 - 0.90	.0084	----	----	----	----	159 + UNCH
4835	----	----		----/*1.20A	1.90B/*1.20A	----			1.00 - 0.90	.0084	----	----	----	----	95 + UNCH
4840	----	----		----/*1.10A	1.80B/*1.10A	----			1.00 - 0.90	.0084	----	----	----	----	220 + UNCH
4845	----	----		1.90B/*1.20A	1.90B/*1.20A	----			0.90 - 0.90	.0076	----	----	11	----	147 + 8
4850	0.60	0.60		1.90B/*0.60	1.90B/*0.60	----			0.90 - 0.90	.0076	----	----	268	----	1590 + 41
4855	----	----		----/*1.20A	1.80B/*1.20A	----			0.90 - 0.90	.0075	----	----	----	----	251 + UNCH
4860	1.40	1.40		1.80B/*1.20A	1.80B/*1.20A	----			0.90 - 0.90	.0075	----	----	1	----	115 + UNCH
4865	----	----		----/*1.10A	1.60B/*1.10A	----			0.90 - 0.80	.0074	----	----	----	----	118 + UNCH
4870	----	----		----/*1.10A	1.60B/*1.10A	----			0.90 - 0.80	.0074	----	----	----	----	157 + UNCH
4875	----	----		----/*1.20A	1.70B/*1.20A	----			0.90 - 0.80	.0074	----	----	----	----	150 + UNCH
4880	1.50	1.50		1.70B/*1.10A	1.70B/*1.10A	----			0.90 - 0.80	.0073	----	----	294	----	456 + 270
4885	----	----		----/*1.10A	1.50B/*1.10A	----			0.90 - 0.80	.0073	----	----	----	----	81 + UNCH
4890	----	----		----/*1.10A	1.60B/*1.10A	----			0.90 - 0.70	.0073	----	----	----	----	90 + UNCH
4895	----	----		----/*1.10A	1.50B/*1.10A	----			0.90 - 0.70	.0072	----	----	----	----	74 + UNCH
4900	1.10	1.10		1.50B/*1.10	1.50B/*1.10	----			0.90 - 0.70	.0072	----	----	10	----	2401 + UNCH
4905	----	----		----/*1.10A	1.40B/*1.10A	----			0.90 - 0.70	.0072	----	----	----	----	35 + UNCH
4910	----	----		----/*1.00A	1.40B/*1.00A	----			0.90 - 0.70	.0071	----	----	3	----	188 + UNCH
4915	----	----		----/*1.10A	1.50B/*1.10A	----			0.80 - 0.70	.0064	----	----	----	----	98 + UNCH
4920	----	----		----/*1.10A	1.40B/*1.10A	----			0.80 - 0.70	.0064	----	----	----	----	367 + UNCH
4925	----	----		----/*1.00A	1.40B/*1.00A	----			0.80 - 0.70	.0063	----	----	----	----	174 + UNCH
4930	----	----		----/*1.00A	1.30B/*1.00A	----			0.80 - 0.70	.0063	----	----	----	----	107 + UNCH
4935	----	----		----/*1.10A	1.40B/*1.10A	----			0.80 - 0.70	.0063	----	----	----	----	644 + UNCH
4940	----	----		----/*1.10A	1.30B/*1.10A	----			0.80 - 0.60	.0063	----	----	----	----	313 + UNCH
4945	----	----		----/*1.00A	1.30B/*1.00A	----			0.80 - 0.60	.0062	----	----	----	----	61 + UNCH
4950	1.20	1.20		1.30B/*1.00A	1.30B/*1.00A	----			0.80 - 0.60	.0062	----	----	99	----	678 + 84
4955	----	----		----/*1.00A	1.30B/*1.00A	----			0.80 - 0.60	.0062	----	----	----	----	90 + UNCH
4960	----	----		----/*1.00A	1.30B/*1.00A	----			0.80 - 0.60	.0061	----	----	52	----	223 + 7
4965	----	----		----/*1.00A	1.30B/*1.00A	----			0.80 - 0.60	.0061	----	----	----	----	218 + UNCH
4970	----	----		----/*0.90A	1.20B/*0.90A	----			0.80 - 0.60	.0061	----	----	----	----	67 + UNCH
4975	----	----		----/*1.00A	1.20B/*1.00A	----			0.80 - 0.50	.0061	----	----	----	----	79 + UNCH
4980	----	----		----/*1.00A	1.20B/*1.00A	----			0.80 - 0.50	.0060	----	----	----	----	71 + UNCH
4985	----	----		----/*1.00A	1.20B/*1.00A	----			0.80 - 0.50	.0060	----	----	----	----	96 + UNCH
4990	----	----		----/*1.00A	1.10B/*1.00A	----			0.80 - 0.50	.0060	----	----	----	----	144 + UNCH
4995	----	----		----/*1.00A	1.10B/*1.00A	----			0.80 - 0.50	.0060	----	----	----	----	1055 + UNCH
5000	1.30	1.30		1.40/*0.70	1.40/*0.70	----			0.80 - 0.50	.0059	----	----	211	----	4138 - 9
5005	----	----		----/*1.00A	1.10B/*1.00A	----			0.80 - 0.50	.0059	----	----	----	----	64 + UNCH
5010	----	----		----/*0.80A	1.10B/*0.80A	----			0.80 - 0.40	.0059	----	----	----	----	54 + UNCH
5015	----	----		----/*0.90A	1.10B/*0.90A	----			0.80 - 0.40	.0059	----	----	----	----	104 + UNCH
5020	----	----		----/*0.80A	1.00B/*0.80A	----			0.80 - 0.40	.0058	----	----	----	----	29 + UNCH
5025	----	----		----/*0.90A	1.00B/*0.90A	----			0.80 - 0.40	.0058	----	----	----	----	314 + UNCH
5030	----	----		----/*0.90A	1.00B/*0.90A	----			0.80 - 0.40	.0058	----	----	----	----	215 + UNCH
5035	----	----		----/*0.90A	1.00B/*0.90A	----			0.80 - 0.40	.0058	----	----	----	----	103 + UNCH
5040	----	----		----/*0.80A	1.00B/*0.80A	----			0.80 - 0.40	.0057	----	----	----	----	27 + UNCH
5045	----	----		----/*0.90A	1.00B/*0.90A	----			0.80 - 0.40	.0057	----	----	----	----	18 + UNCH
5050	----	----		----/*0.90A	1.00B/*0.90A	----			0.70 - 0.50	.0051	----	----	10	----	505 - 10
5055	----	----		----/*0.90A	1.00B/*0.90A	----			0.70 - 0.40	.0050	----	----	----	----	31 + UNCH
5060	----	----		----/*0.80A	0.90B/*0.80A	----			0.70 - 0.40	.0050	----	----	----	----	37 + UNCH
5065	----	----		----/*0.80A	0.90B/*0.80A	----			0.70 - 0.40	.0050	----	----	----	----	183 + UNCH
5070	----	----		----/*0.70A	0.90B/*0.70A	----			0.70 - 0.40	.0050	----	----	----	----	38 + UNCH
5075	----	----		----/*0.80A	0.90B/*0.80A	----			0.70 - 0.40	.0050	----	----	----	----	149 + UNCH
5080	----	----		----/*0.80A	0.90B/*0.80A	----			0.70 - 0.40	.0049	----	----	----	----	121 + UNCH
5085	0.70	0.70		0.90B/*0.70	0.90B/*0.70	----			0.70 - 0.40	.0049	----	----	1	----	53 + UNCH
5090	0.70	0.70		0.90B/*0.70	0.90B/*0.70	----			0.70 - 0.40	.0049	----	----	1	----	388 - 1
5095	----	----		----/*0.70A	0.90B/*0.70A	----			0.70 - 0.40	.0049	----	----	----	----	290 + UNCH
5100	----	----		----/*0.80A	0.90B/*0.80A	----			0.70 - 0.40	.0049	----	----	----	----	1437 + UNCH
5105	----	----		----/*0.90A	0.90B/*0.90A	----			0.70 - 0.30	.0048	----	----	----	----	107 + UNCH
5110	----	----		----/*0.70A	0.80B/*0.70A	----			0.70 - 0.30	.0048	----	----	----	----	409 + UNCH
5115	----	----		----/*0.80A	0.80B/*0.80A	----			0.70 - 0.30	.0048	----	----	----	----	37 + UNCH
5120	----	----		----/*0.80A	0.80B/*0.80A	----			0.70 - 0.30	.0048	----	----	----	----	63 + UNCH
5125	----	----		----/*0.70A	0.80B/*0.70A	----			0.70 - 0.30	.0048	----	----	----	----	265 + UNCH
5130	----	----		----/*0.70A	0.80B/*0.70A	----			0.60 - 0.40	.0042	----	----	----	----	43 + UNCH
5135	0.70	0.70		0.80B/*0.70	0.80B/*0.70	----			0.60 - 0.40	.0041	----	----	1	----	174 - 1
5140	----	----		----/*0.70A	0.80B/*0.70A	----			0.60 - 0.40	.0041	----	----	----	----	72 + UNCH
5145	----	----		----/*0.80A	0.80B/*0.80A	----			0.60 - 0.40	.0041	----	----	----	----	82 + UNCH
5150	----	----		----/*0.80A	0.70B/*0.80A	----			0.60 - 0.40	.0041	----	----	10	----	1422 - 10
5155	----	----		----/*0.60A	0.60B/*0.60A	----			0.60 - 0.40	.0041	----	----	----	----	22 + UNCH
5160	----	----		----/*0.80A	0.70B/*0.80A	----			0.60 - 0.40	.0041	----	----	----	----	73 + UNCH
5165	----	----		----/*0.60A	0.60B/*0.60A	----			0.60 - 0.30	.0041	----	----	----	----	23 + UNCH
5170	----	----		----/*0.60A	0.60B/*0.60A	----			0.60 - 0.30	.0040	----	----	----	----	16 + UNCH
5175	----	----		----/*0.80A	0.70B/*0.80A	----			0.60 - 0.30	.0040	----	----	----	----	97 + UNCH
5180	----	----		----/*0.60A	0.60B/*0.60A	----			0.60 - 0.30	.0040	----	----	----	----	31 + UNCH
5185	----	----		----/*0.50A	0.60B/*0.50A	----			0.60 - 0.30	.0040	----	----	----	----	155 + UNCH
5190	----	----		----/*0.70A	0.60B/*0.70A	----			0.60 - 0.30	.0040	----	----	----	----	23 + UNCH
5195	0.50	0.50		0.60B/*0.50	0.60B/*0.50	----			0.60 - 0.30	.0040	----	----	1	----	37 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME Group Inc. All rights reserved.

PG64 BULLETIN #111@												METALS OPTION PRODUCTS										Thu, Jun 11, 2026 PG64											
GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN														
OPEN		OPEN	RANGE	HIGH/LOW		HIGH/LOW		CLOSE		RANGE		& PT.CHGE.			CISES	OUTCRY	VOLUME	VOLUME	VOLUME	INTEREST													
OG CALL		COMEX GOLD OPTIONS																															
JUL26																																	
5485	----	----	----	----	/0.40A	0.30B/0.40A	----	0.30	-	0.20	0.0018	----	----	----	----	----	----	----	16	UNCH													
5490	----	----	----	----	/0.40A	0.30B/0.40A	----	0.30	-	0.20	0.0018	----	----	----	----	----	----	----	19	UNCH													
5495	----	----	----	----	/*0.40A	0.30B/*0.40A	----	0.30	-	0.20	0.0018	----	----	----	----	----	----	----	8	UNCH													
5500	----	----	----	----	/*0.40A	0.30B/*0.40A	----	0.30	-	0.20	0.0018	----	----	----	----	----	----	----	2877	UNCH													
5505	----	----	----	----	----	0.30B/*0.40A	----	0.30	-	0.10	0.0018	----	----	----	----	----	----	----	15	UNCH													
5510	----	----	----	----	----	0.20B/*0.40A	----	0.30	-	0.10	0.0017	----	----	----	----	----	----	----	27	UNCH													
5515	----	----	----	----	----	0.20B/*0.40A	----	0.30	-	0.10	0.0017																						



BULLETIN #111@				METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
OG CALL	COMEX GOLD OPTIONS																	
AUG26																		
4385	47.60	47.60		83.40B/*45.00A	83.40B/*45.00A	----	----	----	49.60 - 8.00	.2417	----	----	6	----	107 +	6		
4390	45.90	45.90		81.70B/*44.20A	81.70B/*44.20A	----	----	----	48.50 - 8.00	.2375	----	----	95	----	99 +	86		
4395	----	----		80.00B/*43.00A	80.00B/*43.00A	----	----	----	47.40 - 7.90	.2334	----	----	7	----	20 +	5		
4400	45.00	45.00		78.40B/*42.20A	78.40B/*42.20A	----	----	----	46.30 - 7.90	.2292	----	----	681	50	1607 +	334		
4405	54.00	54.00		76.90B/*41.20A	76.90B/*41.20A	----	----	----	45.30 - 7.80	.2253	----	----	11	----	18 +	3		
4410	48.70	48.70		75.30B/*40.50A	75.30B/*40.50A	----	----	----	44.30 - 7.70	.2213	----	----	5	100	107 +	105		
4415	----	----		73.80B/*39.60A	73.80B/*39.60A	----	----	----	43.30 - 7.70	.2174	----	----	----	----	6	UNCH		
4420	50.00	50.00		72.50B/*38.60A	72.50B/*38.60A	----	----	----	42.30 - 7.60	.2135	----	33	----	----	71 +	10		
4425	----	----		70.80B/*37.70A	70.80B/*37.70A	----	----	----	41.40 - 7.50	.2098	----	25	----	----	176 -	1		
4430	40.10	40.10		69.40B/*36.90A	69.40B/*36.90A	----	----	----	40.50 - 7.40	.2061	----	13	----	----	100 +	1		
4435	----	----		68.00B/*36.10A	68.00B/*36.10A	----	----	----	39.60 - 7.30	.2024	----	1	----	----	29 +	1		
4440	36.20	36.20		66.60B/*35.30A	66.60B/*35.30A	----	----	----	38.70 - 7.30	.1987	----	23	----	----	41 +	8		
4445	49.20	49.20		65.20B/*34.60A	65.20B/*34.60A	----	----	----	37.80 - 7.20	.1951	----	2	----	----	15 +	2		
4450	34.90	34.90		63.90B/*33.80A	63.90B/*33.80A	----	----	----	37.00 - 7.10	.1917	----	355	----	----	653 +	118		
4455	43.00	43.00		62.60B/*33.20A	62.60B/*33.20A	----	----	----	36.20 - 7.00	.1882	----	11	----	----	29 +	8		
4460	36.00	36.00		61.30B/*32.50A	61.30B/*32.50A	----	----	----	35.40 - 6.90	.1848	----	4	----	----	48 -	1		
4465	58.20	58.20		60.20B/*31.70A	60.20B/*31.70A	----	----	----	34.60 - 6.90	.1814	----	1	----	----	55 +	1		
4470	36.40	36.40		58.90B/*31.10A	58.90B/*31.10A	----	----	----	33.80 - 6.80	.1780	----	7	----	----	523 +	1		
4475	34.40	34.40		57.70B/*30.40A	57.70B/*30.40A	----	----	----	33.10 - 6.70	.1749	----	46	----	----	139 +	37		
4480	30.80	30.80		56.50B/*29.70A	56.50B/*29.70A	----	----	----	32.40 - 6.60	.1718	----	4	----	----	553 +	4		
4485	34.10	34.10		55.20B/*29.10A	55.20B/*29.10A	----	----	----	31.70 - 6.50	.1687	----	4	----	----	29	UNCH		
4490	41.30	41.30		54.10B/*28.40A	54.10B/*28.40A	----	----	----	31.00 - 6.40	.1656	----	6	----	----	43 +	1		
4495	33.30	33.30		53.00B/*27.80A	53.00B/*27.80A	----	----	----	30.30 - 6.40	.1625	----	7	----	----	5 -	3		
4500	34.30	34.30		51.90B/27.30A	51.90B/27.30A	----	----	----	29.60 - 6.30	.1594	----	685	295	1849 +	325			
4505	30.10	30.10		50.80B/*26.80A	50.80B/*26.80A	----	----	----	28.90 - 6.30	.1563	----	2	----	----	33 +	1		
4510	40.30	40.30		49.70B/*26.20A	49.70B/*26.20A	----	----	----	28.30 - 6.20	.1535	----	12	----	----	38 +	10		
4515	----	----		48.70B/*25.60A	48.70B/*25.60A	----	----	----	27.60 - 6.20	.1504	----	1	----	----	19 +	1		
4520	41.30	41.30		47.90B/*25.00A	47.90B/*25.00A	----	----	----	27.00 - 6.10	.1476	----	3	----	----	57 +	2		
4525	25.20	25.20		46.60B/*24.50A	46.60B/*24.50A	----	----	----	26.40 - 6.10	.1449	----	14	----	----	425 -	1		
4530	25.30	25.30		45.70B/*24.00A	45.70B/*24.00A	----	----	----	25.80 - 6.00	.1421	----	7	----	----	40 +	1		
4535	33.30	33.30		44.70B/*23.50A	44.70B/*23.50A	----	----	----	25.20 - 6.00	.1393	----	1	----	----	57	UNCH		
4540	37.80	37.80		43.80B/*23.00A	43.80B/*23.00A	----	----	----	24.60 - 5.90	.1365	----	1	----	----	59 +	1		
4545	25.20	25.20		43.00B/*22.60A	43.00B/*22.60A	----	----	----	24.00 - 5.90	.1338	----	1	----	----	20 +	1		
4550	25.20	25.20		42.10B/*22.10A	42.10B/*22.10A	----	----	----	23.50 - 5.80	.1313	----	140	----	----	660 +	119		
4555	27.90	27.90		41.10B/*21.60A	41.10B/*21.60A	----	----	----	23.00 - 5.80	.1289	----	155	----	----	180 +	151		
4560	23.20	23.20		40.40B/*21.20A	40.40B/*21.20A	----	----	----	22.50 - 5.70	.1265	----	4	----	----	380 +	3		
4565	----	----		39.30B/*20.80A	39.30B/*20.80A	----	----	----	22.10 - 5.60	.1244	----	3	----	----	31	UNCH		
4570	----	----		38.50B/*20.40A	38.50B/*20.40A	----	----	----	21.60 - 5.50	.1220	----	8	----	----	177	UNCH		
4575	25.70	25.70		37.70B/*19.90A	37.70B/*19.90A	----	----	----	21.20 - 5.40	.1199	----	22	----	----	65 -	19		
4580	19.90	19.90		37.10B/*19.50A	37.10B/*19.50A	----	----	----	20.70 - 5.40	.1175	----	5	----	----	226 +	4		
4585	----	----		36.30B/*19.20A	36.30B/*19.20A	----	----	----	20.20 - 5.40	.1151	----	----	----	----	175	UNCH		
4590	----	----		35.50B/*18.80A	35.50B/*18.80A	----	----	----	19.80 - 5.30	.1131	----	2	----	----	80 +	2		
4595	25.30	25.30		34.70B/*18.40A	34.70B/*18.40A	----	----	----	19.30 - 5.30	.1107	----	1	----	----	46	UNCH		
4600	21.00	21.00		34.10B/*18.10A	34.10B/*18.10A	----	----	----	18.90 - 5.20	.1086	----	1225	130	1361 -	64			
4605	25.00	25.00		33.40B/*17.70A	33.40B/*17.70A	----	----	----	18.40 - 5.30	.1062	----	2	----	----	17	UNCH		
4610	22.40	22.40		32.70B/*17.40A	32.70B/*17.40A	----	----	----	18.00 - 5.20	.1042	----	8	----	----	32 +	1		
4615	21.80	21.80		31.70B/*17.00A	31.70B/*17.00A	----	----	----	17.60 - 5.20	.1022	----	18	----	----	52 +	12		
4620	22.30	22.30		31.30B/*16.70A	31.30B/*16.70A	----	----	----	17.20 - 5.10	.1001	----	1	----	----	30	UNCH		
4625	20.90	20.90		30.60B/*16.40A	30.60B/*16.40A	----	----	----	16.90 - 5.00	.0985	----	56	350	409 +	305			
4630	----	----		29.80B/*16.00A	29.80B/*16.00A	----	----	----	16.50 - 5.00	.0965	----	----	----	----	25	UNCH		
4635	28.50	28.50		29.10B/*15.70A	29.10B/*15.70A	----	----	----	16.20 - 4.90	.0948	----	1	----	----	27	UNCH		
4640	16.90	16.90		28.50B/*15.40A	28.50B/*15.40A	----	----	----	15.80 - 4.90	.0928	----	7	----	----	20	UNCH		
4645	26.20	26.20		28.00B/*15.10A	28.00B/*15.10A	----	----	----	15.50 - 4.80	.0912	----	9	----	----	12 +	9		
4650	18.50	18.50		27.40B/*14.80A	27.40B/*14.80A	----	----	----	15.20 - 4.70	.0895	----	121	----	----	752 +	8		
4655	25.30	25.30		26.80B/*14.50A	26.80B/*14.50A	----	----	----	14.90 - 4.70	.0879	----	4	----	----	38 +	4		
4660	19.10	19.10		26.40B/*14.20A	26.40B/*14.20A	----	----	----	14.60 - 4.60	.0863	----	5	----	----	39 +	4		
4665	20.10	20.10		25.90B/*13.90A	25.90B/*13.90A	----	----	----	14.30 - 4.60	.0847	----	4	----	----	40 +	3		
4670	24.40	24.40		25.40B/*13.70A	25.40B/*13.70A	----	----	----	14.00 - 4.50	.0831	----	6	----	----	82 +	1		
4675	14.60	14.60		24.90/*13.40A	24.90/*13.40A	----	----	----	13.70 - 4.50	.0815	----	28	----	----	117	UNCH		
4680	14.00	14.00		24.40B/*13.20A	24.40B/*13.20A	----	----	----	13.50 - 4.40	.0803	----	8	----	----	55 +	8		
4685	23.90	23.90		23.90/*12.90A	23.90/*12.90A	----	----	----	13.20 - 4.30	.0787	----	1	----	----	218	UNCH		
4690	16.00	16.00		23.30B/*12.70A	23.30B/*12.70A	----	----	----	13.00 - 4.20	.0775	----	3	----	----	49 +	2		
4695	17.50	17.50		22.80B/*12.40A	22.80B/*12.40A	----	----	----	12.70 - 4.20	.0759	----	1	----	----	16 +	1		
4700	13.50	13.50		22.40B/*12.20A	22.40B/*12.20A	----	----	----	12.50 - 4.10	.0748	----	378	----	4885 -	108			
4705	12.80	12.80		21.90B/*12.00A	21.90B.													

GLOBEX				OPEN				OUTCRY				GLOBEX				OPEN				OUTCRY				SETT.PRICE				DELTA				EXER				OPEN				GLOBEX®				PNT				OPEN																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
OPEN				OPEN				RANGE				HIGH/LOW				HIGH/LOW				CLOSE				RANGE				& PT.CHGE.								CISES				VOLUME				VOLUME				VOLUME				INTEREST																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
OG CALL				COMEX				GOLD				OPTIONS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
AUG26																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
5070	----	----	----	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A	6.40B/*4.40A

BULLETIN #111@				METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
OG CALL	COMEX GOLD OPTIONS																		
AUG26																			
6400	----	----	----	----	1.30B/1.40A	----	1.10	- 0.30	.0048	----	----	----	----	----	55	UNCH			
6500	----	----	----	----	1.20B/1.30A	----	1.00	- 0.30	.0043	----	----	----	34	----	846	+			
6600	----	----	----	----/1.10A	1.10B/1.10A	----	0.90	- 0.30	.0038	----	----	----	----	----	209	UNCH			
6700	----	----	----	----	1.00B/1.10A	----	0.90	- 0.20	.0037	----	----	----	----	----	332	UNCH			
6800	----	----	----	----	0.90B/1.10A	----	0.80	- 0.20	.0033	----	----	----	----	----	41	UNCH			
6900	----	----	----	----	0.90B/*1.00A	----	0.70	- 0.20	.0029	----	----	----	----	----	33	UNCH			
7000	----	----	----	----	0.80B/1.00A	----	0.70	- 0.20	.0028	----	----	----	----	----	982	UNCH			
7500	0.80	0.80	0.80	0.80/0.80	0.80/0.80	----	0.50	- 0.10	.0019	----	----	----	4	----	828	UNCH			
8000	0.50	0.50	0.50	0.50/*0.50	0.50/0.50	----	0.40	- 0.10	.0014	----	----	----	1	----	678	UNCH			
8500	----	----	----	----	0.20B/0.50A	----	0.30	- 0.10	.0010	----	----	----	----	----	113	UNCH			
9000	----	----	----	----	----/0.40A	----	0.20	- 0.10	.0007	----	----	----	----	----	123	UNCH			
9500	----	----	----	----	----/0.30A	----	0.20	UNCH	.0006	----	----	----	----	----	316	UNCH			
10000	----	----	----	----	----/0.20A	----	0.10	- 0.10	.0003	----	----	----	----	----	266	UNCH			
TOTAL															8938	4,231	102090+	5072	
SEP26																			
3875	----	----	----	446.00B/*320.40	446.00B/*320.40A	----	356.70	- 13.90	.7275	----	----	----	----	----	1	UNCH			
3995	----	----	----	352.90B/*243.10	352.90B/*243.10A	----	273.60	- 12.30	.6424	----	----	----	----	----	10	UNCH			
4000	304.90	304.90	304.90	349.20B/*240.20	349.20B/*240.20A	----	270.30	- 12.30	.6386	----	----	----	4	----	4	+			
4070	212.00	212.00	212.00	299.60B/*202.70	299.60B/*202.70A	----	227.30	NEW	.5827	----	----	----	2	----	1	+			
4075	253.40	253.40	253.40	296.20B/*199.90	296.20B/*199.90A	----	224.40	NEW	.5786	----	----	----	7	----	7	+			
4085	----	----	----	289.70B/*194.60	289.70B/*194.60A	----	218.70	- 11.20	.5703	----	----	----	----	----	37	UNCH			
4095	----	----	----	283.00B/*189.60	283.00B/*189.60A	----	213.00	- 11.10	.5620	----	----	----	----	----	5	UNCH			
4100	----	----	----	279.70B/*187.30	279.70B/*187.30A	----	210.20	- 11.10	.5578	----	----	----	----	----	6	UNCH			
4110	----	----	----	273.20B/*181.80	273.20B/*181.80A	----	204.70	NEW	.5493	----	----	----	2	----	2	+			
4115	----	----	----	269.90B/*179.80	269.90B/*179.80A	----	202.00	NEW	.5451	----	----	----	14	----	14	+			
4125	189.80	189.80	189.80	263.60B/*175.00	263.60B/*175.00A	----	196.60	NEW	.5366	----	----	----	10	----	10	+			
4130	----	----	----	260.50B/*172.70	260.50B/*172.70A	----	193.90	- 10.70	.5323	----	----	----	10	----	20	+			
4140	175.50	175.50	175.50	254.50B/*167.80	254.50B/*167.80A	----	188.70	- 10.60	.5238	----	----	----	2	----	8	+			
4150	----	----	----	248.20B/*163.60	248.20B/*163.60A	----	183.60	NEW	.5152	----	----	----	40	220	231	+			
4160	169.90	169.90	169.90	242.80B/*159.00	242.80B/*159.00A	----	178.50	NEW	.5066	----	----	----	1	----	1	+			
4165	----	----	----	239.80B/*156.60	239.80B/*156.60A	----	176.00	- 10.30	.5023	----	----	----	----	----	11	UNCH			
4175	----	----	----	233.80B/*152.60	233.80B/*152.60A	----	171.10	- 10.20	.4937	----	----	----	----	----	1	UNCH			
4180	----	----	----	230.90B/*150.50	230.90B/*150.50A	----	168.70	- 10.10	.4894	----	----	----	----	----	2	UNCH			
4185	----	----	----	228.00B/*148.10	228.00B/*148.10A	----	166.30	- 10.10	.4851	----	----	----	----	----	40	UNCH			
4190	----	----	----	225.10B/*146.00	225.10B/*146.00A	----	163.90	- 10.00	.4808	----	----	----	----	----	3	UNCH			
4195	165.40	165.40	165.40	222.10B/*144.00	222.10B/*144.00A	----	161.60	NEW	.4765	----	----	----	1	----	1	+			
4200	146.30	146.30	146.30	219.30B/*141.90	219.30B/*141.90A	----	159.30	- 9.90	.4722	----	----	----	8	----	10	+			
4205	151.00	151.00	151.00	216.70B/*139.90	216.70B/*139.90A	----	157.00	- 9.80	.4679	----	----	----	2	----	2	+			
4210	180.00	180.00	180.00	213.70B/*138.00	213.70B/*138.00A	----	154.70	NEW	.4635	----	----	----	1	----	1	+			
4220	158.00	158.00	158.00	208.20B/*133.90	208.20B/*133.90A	----	150.30	- 9.60	.4550	----	----	----	2	----	164	-			
4225	----	----	----	205.60B/*131.70	205.60B/*131.70A	----	148.10	- 9.60	.4507	----	----	----	14	----	20	-			
4240	----	----	----	197.60B/*126.30	197.60B/*126.30A	----	141.70	- 9.30	.4379	----	----	----	----	----	12	UNCH			
4250	135.00	135.00	135.00	192.40B/*122.90	192.40B/*122.90A	----	137.50	- 9.30	.4293	----	----	----	1	----	2	+			
4255	129.40	129.40	129.40	189.80B/*121.10	189.80B/*121.10A	----	135.50	NEW	.4251	----	----	----	2	----	1	+			
4260	----	----	----	187.20B/*118.90	187.20B/*118.90A	----	133.40	- 9.20	.4209	----	----	----	20	----	32	+			
4265	----	----	----	184.70B/*117.50	184.70B/*117.50A	----	131.50	- 9.00	.4167	----	----	----	----	----	11	UNCH			
4270	----	----	----	182.20B/*115.80	182.20B/*115.80A	----	129.50	- 9.00	.4125	----	----	----	----	----	1	UNCH			
4275	----	----	----	179.70B/*114.30	179.70B/*114.30A	----	127.50	- 9.00	.4082	----	----	----	----	----	1	UNCH			
4280	118.60	118.60	118.60	177.30B/*112.60	177.30B/*112.60A	----	125.60	NEW	.4041	----	----	----	1	----	1	+			
4285	----	----	----	175.10B/*110.90	175.10B/*110.90A	----	123.70	- 8.80	.3999	----	----	----	----	----	3	UNCH			
4290	----	----	----	172.60B/*109.10	172.60B/*109.10A	----	121.80	- 8.80	.3957	----	----	----	----	----	4	UNCH			
4295	117.80	117.80	117.80	170.20B/*107.60	170.20B/*107.60A	----	120.00	- 8.70	.3917	----	----	----	1	----	52	+			
4300	111.00	111.00	111.00	167.90B/*105.90	167.90B/*105.90A	----	118.20	- 8.60	.3876	----	----	----	19	----	132	+			
4310	109.30	109.30	109.30	163.30B/*102.30	163.30B/*102.30A	----	114.60	NEW	.3794	----	----	----	2	----	2	+			
4315	----	----	----	161.00B/*100.80	161.00B/*100.80A	----	112.80	- 8.50	.3753	----	----	----	----	----	40	UNCH			
4320	----	----	----	158.80B/*99.30A	158.80B/*99.30A	----	111.10	- 8.40	.3712	----	----	----	----	----	162	UNCH			
4325	----	----	----	156.50B/*98.10A	156.50B/*98.10A	----	109.40	- 8.30	.3672	----	----	----	----	----	50	UNCH			
4330	101.20	101.20	101.20	154.30B/*96.60A	154.30B/*96.60A	----	107.70	NEW	.3632	----	----	----	4	----	4	+			
4340	104.60	104.60	104.60	150.10B/*93.80A	150.10B/*93.80A	----	104.30	NEW	.3551	----	----	----	1	----	1	+			
4345	----	----	----	147.90B/*92.20A	147.90B/*92.20A	----	102.70	- 8.20	.3512	----	----	----	----	----	2	UNCH			
4350	123.00	123.00	123.00	145.80B/*91.20A	145.80B/*91.20A	----	101.10	- 8.10	.3473	----	----	----	3	----	17	+			
4355	91.50	91.50	91.50	143.70B/*89.60A	143.70B/*89.60A	----	99.50	NEW	.3434	----	----	----	1	----	1	+			
4360	----	----	----	141.60B/*88.20A	141.60B/*88.20A	----	97.90	- 8.00	.3394	----	----	----	----	----	24	UNCH			
4365	102.20	102.20	102.20	139.70B/*86.80A	139.70B/*86.80A	----	96.40	NEW	.3356	----	----	----	7	----	7	+			
4370	----	----	----	137.60B/*85.50A	137.60B/*85.50A	----	94.80	- 8.00	.3317	----	----	----	----	----	2	UNCH			
4375	89.20	89.20	89.20	135.60B/*84.60A	135.60B/*84.60A	----	93.30	- 7.90	.3279	----	----	----	3	----	7	+			
4380	87.80	87.80	87.80	133.60B/*83.00A	133.60B/*83.00A	----	91.80	- 7.90	.3240	----	----	----	2	----	3	+			
4385	89.20	89.20	89.20	131.70B/*81.80A	131.70B/*81.80A	----	90.40	- 7.80	.3203	----	----	----	2	----	3	+			
4390	83.90	83.90	83.90	129.80B/*80.70A	129.80B/*80.70A	----	88.90	- 7.80	.3165	----	----	----	1	----	214	UNCH			
4395	----	----	----	127.90B/*79.50A	127.90B/*79.50A	----	87.50	- 7.70	.3128	----	----	----	----	----	14	UNCH			
4400	91.00	91.00	91.00	126.00B/*78.40A	126.00B/*78.40A	----	86.00	- 7.80	.3090	----	----	----	152	----	234	+			
4410	----	----	----	122.30B/*75.80A	122.30B/*75.80A	----	83.30	- 7.70	.3017	----	----	----	----	----	3	UNCH			
4415	77.60	77.60	77.60	120.60B/*74.70A	120.60B/*74.70A	----	81.90	- 7.70	.2980	----	----	----	1	----	8	+			
4420	79.30	79.30	79.30	118.70B/*73.70A	118.70B/*73.70A	----	80.50	- 7.70	.2943	----	----	----	1	----	8	+			
4425	78.00	78.00	78.00	116.90B/*72.60A	116.90B/*72.60A														

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64													
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																					
OG CALL		COMEX GOLD OPTIONS																																			
SEP26																																					
4760	----	----	----	----	41.308/*25.60A	41.308/*25.60A	----	----	----	27.00 - 4.40	.1199	----	----	----	----	28	UNCH																				
4770	----	----	----	----	40.008/*24.80A	40.008/*24.80A	----	----	----	26.10 - 4.40	.1165	----	----	----	----	3	UNCH																				
4775	----	----	----	----	39.408/*24.40A	39.408/*24.40A	----	----	----	25.80 - 4.30	.1152	----	----	----	----	271	UNCH																				
4780	25.60	25.60	25.60	25.60	38.808/*24.10A	38.808/*24.10A	----	----	----	25.40 - 4.30	.1136	----	----	1	----	11 +	1																				
4785	----	----	----	----	38.108/*23.80A	38.108/*23.80A	----	----	----	25.00 - 4.20	.1120	----	----	----	----	6	UNCH																				
4790	----	----	----	----	37.508/*23.40A	37.508/*23.40A	----	----	----	24.60 - 4.20	.1105	----	----	----	----	26	UNCH																				
4795	----	----	----	----	37.008/*23.10A	37.008/*23.10A	----	----	----	24.20 - 4.20	.1089	----	----	----	----	4	UNCH																				
4800	27.50	27.50	27.50	27.50	36.408/*22.70	36.408/*22.70	----	----	----	23.90 - 4.10	.1076	----	71	----	----	1290 +	6																				
4805	32.50	32.50	32.50	32.50	35.808/*22.40A	35.808/*22.40A	----	----	----	23.50 - 4.10	.1061	----	1	----	----	7 +	1																				
4810	32.00	32.00	32.00	32.00	35.308/*22.10A	35.308/*22.10A	----	----	----	23.20 - 4.10	.1048	----	1	----	----	11	UNCH																				
4815	32.40	32.40	32.40	32.40	34.808/*21.80A	34.808/*21.80A	----	----	----	22.80 - 4.10	.1032	----	1	----	----	13 +	1																				
4820	----	----	----	----	34.208/*21.50A	34.208/*21.50A	----	----	----	22.50 - 4.00	.1020	----	----	----	----	4	UNCH																				
4825	24.60	24.60	24.60	24.60	33.708/*21.20A	33.708/*21.20A	----	----	----	22.20 - 4.00	.1007	----	9	----	----	364 -	3																				
4830	----	----	----	----	33.208/*20.90A	33.208/*20.90A	----	----	----	21.80 - 4.00	.0992	----	----	----	----	14	UNCH																				
4835	----	----	----	----	32.708/*20.60A	32.708/*20.60A	----	----	----	21.50 - 4.00	.0979	----	----	----	----	1	UNCH																				
4840	----	----	----	----	32.308/*20.30A	32.308/*20.30A	----	----	----	21.20 - 3.90	.0967	----	----	----	----	47	UNCH																				
4845	20.60	20.60	20.60	20.60	31.808/*20.10A	31.808/*20.10A	----	----	----	20.90 - NEW	.0954	----	4	----	----	4 +	4																				
4850	23.20	23.20	23.20	23.20	31.408/*19.80A	31.408/*19.80A	----	----	----	20.60 - 3.90	.0942	----	4	----	----	110 +	2																				
4855	19.80	19.80	19.80	19.80	30.908/*19.50A	30.908/*19.50A	----	----	----	20.30 - NEW	.0929	----	3	----	----	3 +	3																				
4860	19.50	19.50	19.50	19.50	30.408/*19.30A	30.408/*19.30A	----	----	----	20.00 - 3.80	.0917	----	2	----	----	4 +	1																				
4870	19.00	19.00	19.00	19.00	29.608/*18.70A	29.608/*18.70A	----	----	----	19.50 - 3.70	.0895	----	1	----	----	3	UNCH																				
4875	----	----	----	----	29.108/*18.50A	29.108/*18.50A	----	----	----	19.20 - 3.70	.0883	----	----	----	----	179	UNCH																				
4880	18.50	18.50	18.50	18.50	28.708/*18.20A	28.708/*18.20A	----	----	----	18.90 - 3.70	.0870	----	1	----	----	15	UNCH																				
4885	18.20	18.20	18.20	18.20	28.308/*18.10A	28.308/*18.10A	----	----	----	18.70 - 3.60	.0861	----	1	----	----	53 +	1																				
4890	18.00	18.00	18.00	18.00	27.908/*17.80A	27.908/*17.80A	----	----	----	18.40 - NEW	.0849	----	1	----	----	1 +	1																				
4895	17.70	17.70	17.70	17.70	27.508/*17.60A	27.508/*17.60A	----	----	----	18.20 - 3.60	.0840	----	1	----	----	11	UNCH																				
4900	19.60	19.60	19.60	19.60	27.108/*17.40A	27.108/*17.40A	----	----	----	17.90 - 3.60	.0827	----	8	----	----	482 -	2																				
4905	17.70	17.70	17.70	17.70	26.708/*17.20A	26.708/*17.20A	----	----	----	17.70 - 3.50	.0818	----	1	----	----	25	UNCH																				
4910	17.10	17.10	17.10	17.10	26.308/*17.00A	26.308/*17.00A	----	----	----	17.40 - NEW	.0806	----	3	----	----	3 +	3																				
4915	16.80	16.80	16.80	16.80	25.908/*16.70A	25.908/*16.70A	----	----	----	17.20 - 3.50	.0797	----	1	----	----	51 +	1																				
4920	17.00	17.00	17.00	17.00	25.608/*16.50A	25.608/*16.50A	----	----	----	17.00 - 3.40	.0788	----	1	----	----	69 +	1																				
4925	16.80	16.80	16.80	16.80	25.208/*16.20A	25.208/*16.20A	----	----	----	16.80 - 3.40	.0779	----	3	----	----	116	UNCH																				
4930	16.70	16.70	16.70	16.70	24.808/*16.00A	24.808/*16.00A	----	----	----	16.50 - 3.40	.0767	----	3	----	----	4 +	2																				
4935	----	----	----	----	24.508/*15.80A	24.508/*15.80A	----	----	----	16.30 - 3.40	.0758	----	----	----	----	1	UNCH																				
4940	----	----	----	----	24.108/*15.60A	24.108/*15.60A	----	----	----	16.10 - 3.30	.0749	----	----	----	----	8	UNCH																				
4945	----	----	----	----	23.808/*15.40A	23.808/*15.40A	----	----	----	15.90 - 3.30	.0740	----	----	----	----	5	UNCH																				
4950	15.80	15.80	15.80	15.80	23.508/*15.40A	23.508/*15.40A	----	----	----	15.70 - 3.20	.0731	----	6	----	----	309 +	5																				
4955	----	----	----	----	23.208/*15.20A	23.208/*15.20A	----	----	----	15.50 - 3.20	.0722	----	----	----	----	1	UNCH																				
4960	15.40	15.40	15.40	15.40	22.808/*15.00A	22.808/*15.00A	----	----	----	15.30 - 3.20	.0714	----	1	----	----	49 +	1																				
4965	----	----	----	----	22.508/*14.80A	22.508/*14.80A	----	----	----	15.10 - 3.20	.0705	----	----	----	----	9	UNCH																				
4970	14.60	14.60	14.60	14.60	22.208/*14.60	22.208/*14.60	----	----	----	14.90 - 3.10	.0696	----	2	----	----	53 +	2																				
4975	15.10	15.10	15.10	15.10	21.908/*14.40A	21.908/*14.40A	----	----	----	14.70 - 3.10	.0687	----	1	----	----	332 +	1																				
4980	----	----	----	----	21.608/*14.20A	21.608/*14.20A	----	----	----	14.60 - 3.00	.0682	----	----	----	----	8	UNCH																				
4985	----	----	----	----	21.308/*14.10A	21.308/*14.10A	----	----	----	14.40 - 3.00	.0673	----	----	----	----	1	UNCH																				
4995	14.10	14.10	14.10	14.10	20.708/*13.70A	20.708/*13.70A	----	----	----	14.00 - 3.00	.0656	----	1	----	----	2 +	1																				
5000	15.40	15.40	15.40	15.40	20.508/*13.50	20.508/*13.50	----	----	----	13.90 - 2.90	.0650	----	146	60	1101 +	87																					
5005	----	----	----	----	20.208/*13.40A	20.208/*13.40A	----	----	----	13.70 - 2.90	.0642	----	----	----	----	3	UNCH																				

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64																	
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																											
OG CALL		COMEX GOLD OPTIONS																																							
SEP26																																									
5595	----	----	----	----/*5.30A	6.10B/*5.30A	----	5.00	- 1.10	.0224	----	----	----	----	9	UNCH																										
5600	----	----	----	----/*5.20A	6.10B/*5.20A	----	5.00	- 1.10	.0224	----	----	----	----	922	UNCH																										
5605	----	----	----	----/*5.20A	6.10B/*5.20A	----	5.00	- 1.10	.0223	----	----	----	----	3	UNCH																										
5620	----	----	----	----/*5.10A	5.90B/*5.10A	----	4.90	- 1.10	.0218	----	----	----	----	20	UNCH																										
5625	----	----	----	----/*5.10A	5.90B/*5.10A	----	4.90	- 1.00	.0218	----	----	----	----	7	UNCH																										
5635	5.10	5.10	----	5.80B/*5.10	5.80B/*5.10	----	4.80	- 1.10	.0213	----	----	1	----	11	+	1																									
5645	----	----	----	----/*5.00A	5.70B/*5.00A	----	4.80	- 1.00	.0213	----	----	----	----	5	UNCH																										
5650	----	----	----	----/*5.00A	5.70B/*5.00A	----	4.80	- 1.00	.0212	----	----	----	----	744	UNCH																										
5655	----	----	----	----/*5.00A	5.70B/*5.00A	----	4.80	- 1.00	.0212	----	----	----	----	4	UNCH																										
5660	5.00	5.00	----	5.60B/*4.90A	5.60B/*4.90A	----	4.70	NEW	.0208	----	1	----	----	1	+	1																									
5665	----	----	----	----/*4.90A	5.60B/*4.90A	----	4.70	- 1.00	.0207	----	----	----	----	3	UNCH																										
5670	5.00	5.00	----	5.60B/*4.90A	5.60B/*4.90A	----	4.70	NEW	.0207	----	1	----	----	1	+	1																									
5675	----	----	----	----/*4.90A	5.50B/*4.90A	----	4.70	- 0.90	.0207	----	----	----	----	8	UNCH																										
5680	4.90	4.90	----	5.50B/*4.80A	5.50B/*4.80A	----	4.70	NEW	.0206	----	1	----	----	1	+	1																									
5690	4.90	4.90	----	5.40B/*4.80A	5.40B/*4.80A	----	4.60	- 1.00	.0202	----	----	----	----	4	+	1																									
5700	4.00	4.00	----	5.40B/*4.00	5.40B/*4.00	----	4.60	- 0.90	.0201	----	1	----	----	1011	UNCH																										
5710	----	----	----	----/*4.70A	5.30B/*4.70A	----	4.60	- 0.90	.0200	----	----	----	----	2	UNCH																										
5725	5.00	5.00	----	5.20B/*4.70A	5.20B/*4.70A	----	4.50	NEW	.0196	----	1	----	----	1	+	1																									
5730	4.70	4.70	----	5.20B/*4.70	5.20B/*4.70	----	4.50	- 0.80	.0195	----	1	----	----	3	+	1																									
5740	4.70	4.70	----	5.10B/*4.70	5.10B/*4.70	----	4.50	NEW	.0195	----	2	----	----	2	+	2																									
5750	4.90	4.90	----	5.10B/*4.60A	5.10B/*4.60A	----	4.40	- 0.80	.0191	----	9	----	----	196	UNCH																										
5760	----	----	----	----/*4.60A	5.00B/*4.60A	----	4.40	- 0.80	.0190	----	----	----	----	1	UNCH																										
5770	4.60	4.60	----	5.00B/*4.60	5.00B/*4.60	----	4.40	- 0.70	.0189	----	1	----	----	3	+	1																									
5775	4.80	4.80	----	4.90B/*4.50A	4.90B/*4.50A	----	4.40	- 0.70	.0189	----	1	----	----	163	+	1																									
5800	----	----	----	----/*4.50A	4.80B/*4.50A	----	4.30	- 0.70	.0184	----	----	----	----	638	UNCH																										
5825	4.40	4.40	----	4.70B/*4.40	4.70B/*4.40	----	4.20	- 0.70	.0179	----	4	----	----	13	+	4																									
5850	4.30	4.30	----	4.60B/*4.30	4.60B/*4.30	----	4.10	- 0.70	.0174	----	1	----	----	456	+	1																									
5875	----	----	----	----/*4.20A	4.50B/*4.20A	----	4.10	- 0.60	.0172	----	----	----	----	3	UNCH																										
5900	----	----	----	----/*4.10A	4.40B/*4.10A	----	4.00	- 0.60	.0167	----	----	----	----	838	UNCH																										
5925	----	----	----	----/*4.10A	4.30B/*4.10A	----	3.90	- 0.60	.0163	----	----	----	----	7	UNCH																										
5950	----	----	----	----/*4.00A	4.20B/*4.00A	----	3.90	- 0.50	.0161	----	----	----	----	51	UNCH																										
6000	4.50	4.50	----	4.50/*3.80	4.50/*3.80	----	3.80	- 0.50	.0155	----	7	----	----	1310	-	5																									
6050	----	----	----	----/*3.80A	3.90B/*3.80A	----	3.70	- 0.50	.0150	----	----	----	----	6	UNCH																										
6075	----	----	----	----/*3.70A	3.80B/*3.70A	----	3.60	- 0.50	.0145	----	1	----	----	2	+	1																									
6100	----	----	----	----/*3.70A	3.70B/*3.70A	----	3.60	- 0.40	.0144	----	----	----	----	180	UNCH																										

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64			
		GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
OG CALL		COMEX GOLD OPTIONS																									
OCT26																											
4765	----	----	----	----	61.608/*40.90A	61.608/*40.90A	----	----	43.60 - 4.30	.1586	----	----	----	----	22	UNCH											
4775	----	----	----	----	60.008/*40.00A	60.008/*40.00A	----	----	42.50 - 4.30	.1552	----	----	----	----	25	UNCH											
4785	----	----	----	----	58.508/*39.00A	58.508/*39.00A	----	----	41.40 - 4.30	.1518	----	----	----	----	5	UNCH											
4790	----	----	----	----	57.808/*38.60A	57.808/*38.60A	----	----	40.80 - 4.40	.1499	----	----	----	----	26	UNCH											
4795	----	----	----	----	57.108/*38.10A	57.108/*38.10A	----	----	40.30 - 4.30	.1483	----	----	----	----	3	UNCH											
4800	41.80	41.80	----	----	56.508/*37.70A	56.508/*37.70A	----	----	39.80 - 4.30	.1467	----	----	3	----	548	UNCH											
4805	----	----	----	----	55.608/*37.20A	55.608/*37.20A	----	----	39.30 - 4.30	.1451	----	----	----	----	11	UNCH											
4810	----	----	----	----	54.908/*36.80A	54.908/*36.80A	----	----	38.80 - 4.30	.1435	----	----	----	----	9	UNCH											
4815	----	----	----	----	54.208/*36.30A	54.208/*36.30A	----	----	38.30 - 4.20	.1420	----	----	----	----	36	UNCH											
4820	----	----	----	----	53.608/*35.90A	53.608/*35.90A	----	----	37.80 - 4.20	.1404	----	----	2	----	6 +	2											
4825	----	----	----	----	52.808/*35.50A	52.808/*35.50A	----	----	37.30 - 4.30	.1388	----	2	----	115 -	2												
4830	----	----	----	----	52.108/*35.10A	52.108/*35.10A	----	----	36.90 - 4.20	.1374	----	----	----	----	2	UNCH											
4835	----	----	----	----	51.508/*34.70A	51.508/*34.70A	----	----	36.40 - 4.20	.1358	----	----	----	----	3	UNCH											
4840	----	----	----	----	50.808/*34.30A	50.808/*34.30A	----	----	35.90 - 4.20	.1342	----	----	----	----	1	UNCH											
4845	36.80	36.80	----	----	50.308/*33.90A	50.308/*33.90A	----	----	35.50 - 4.20	.1329	----	----	10	----	14 +	10											
4850	----	----	----	----	49.608/*33.50A	49.608/*33.50A	----	----	35.10 - 4.10	.1315	----	----	----	----	58	UNCH											
4860	----	----	----	----	48.408/*32.70A	48.408/*32.70A	----	----	34.20 - 4.10	.1286	----	----	----	----	101	UNCH											
4865	----	----	----	----	47.708/*32.30A	47.708/*32.30A	----	----	33.80 - 4.10	.1272	----	----	----	----	2	UNCH											
4870	----	----	----	----	47.208/*32.00A	47.208/*32.00A	----	----	33.30 - 4.10	.1257	----	----	----	----	1	UNCH											
4880	----	----	----	----	46.008/*31.30A	46.008/*31.30A	----	----	32.50 - 4.10	.1230	----	----	----	----	4	UNCH											
4885	----	----	----	----	45.408/*30.90A	45.408/*30.90A	----	----	32.10 - 4.10	.1217	----	----	----	----	55	UNCH											
4895	----	----	----	----	44.308/*30.20A	44.308/*30.20A	----	----	31.40 - 4.00	.1192	----	----	----	----	1	UNCH											
4900	----	----	----	----	43.808/*29.90A	43.808/*29.90A	----	----	31.00 - 4.00	.1179	----	1	----	1440	UNCH												
4905	----	----	----	----	43.308/*29.50A	43.308/*29.50A	----	----	30.60 - 4.00	.1166	----	----	----	----	22	UNCH											
4910	----	----	----	----	42.708/*29.20A	42.708/*29.20A	----	----	30.30 - 3.90	.1155	----	----	----	----	1	UNCH											
4915	----	----	----	----	42.208/*28.90A	42.208/*28.90A	----	----	29.90 - 3.90	.1141	----	----	----	----	7	UNCH											
4925	----	----	----	----	41.208/*28.30A	41.208/*28.30A	----	----	29.30 - 3.80	.1120	----	----	----	----	21	UNCH											
4935	----	----	----	----	40.208/*27.60A	40.208/*27.60A	----	----	28.60 - 3.80	.1096	----	----	----	----	5	UNCH											
4945	----	----	----	----	39.308/*27.00A	39.308/*27.00A	----	----	28.00 - 3.70	.1074	----	----	----	----	3	UNCH											
4950	----	----	----	----	38.808/*26.70A	38.808/*26.70A	----	----	27.70 - 3.60	.1064	----	----	----	----	1623	UNCH											
4965	----	----	----	----	37.408/*25.90A	37.408/*25.90A	----	----	26.80 - 3.50	.1032	----	----	----	----	6	UNCH											
4970	----	----	----	----	37.108/*25.50A	37.108/*25.50A	----	----	26.50 - 3.50	.1021	----	----	----	----	1	UNCH											

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64								
GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN													
			RANGE	HIGH/LOW		HIGH/LOW		HIGH/LOW		CLOSE		& PT.CHGE.			CISES	OUTCRY	VOLUME	VOLUME	INTEREST													
OG CALL		COMEX GOLD OPTIONS																														
NOV26																																
4185	278.80	278.80		303.20B/*218.80		303.20B/*218.80A	----					241.60	- 8.00	.5207	----	----	1	----	0 -	1												
4200	213.30	213.30		295.00B/*212.20		295.00B/*212.20A	----					234.10	- 8.10	.5109	----	----	2	----	3	UNCH												
4225	----	----		281.40B/*201.50		281.40B/*201.50A	----					222.10	NEW	.4947	----	----	1	----	1 +	1												
4250	221.20	221.20		268.10B/*191.90		268.10B/*191.90A	----					210.60	NEW	.4785	----	----	1	----	1 +	1												
4275	----	----		255.20B/*181.90		255.20B/*181.90A	----					199.60	- 8.10	.4623	----	----	38	----	UNCH													
4300	----	----		242.90B/*171.70		242.90B/*171.70A	----					189.00	- 8.10	.4463	----	----	3	----	UNCH													
4375	----	----		208.50B/*146.50		208.50B/*146.50A	----					160.30	- 7.80	.3993	----	----	38	----	UNCH													
4380	----	----		206.60B/*144.90		206.60B/*144.90A	----					158.50	- 7.80	.3962	----	----	2	----	UNCH													
4400	----	----		198.10B/*138.90		198.10B/*138.90A	----					151.60	- 7.70	.3840	----	----	5	----	UNCH													
4410	----	----		193.90B/*136.00		193.90B/*136.00A	----					148.30	- 7.60	.3781	----	----	2	----	UNCH													
4420	169.90	169.90		190.00B/*132.90		190.00B/*132.90A	----					145.00	NEW	.3721	----	1	1 +	1														
4440	----	----		182.00B/*127.50		182.00B/*127.50A	----					138.70	- 7.50	.3604	----	----	1	----	UNCH													
4500	140.00	140.00		160.30B/*111.90		160.30B/*111.90A	----					121.30	- 7.00	.3266	----	12	41 +	12														
4525	----	----		151.70B/*106.20		151.70B/*106.20A	----					114.80	- 6.70	.3132	----	----	7	----	UNCH													
4535	----	----		148.60B/*104.00		148.60B/*104.00A	----					112.20	- 6.70	.3079	----	----	5	----	UNCH													
4550	----	----		143.70B/*100.70		143.70B/*100.70A	----					108.60	NEW	.3002	----	5	5 +	5														
4555	----	----		142.30B/*99.50A		142.30B/*99.50A	----					107.40	NEW	.2977	----	5	5 +	5														
4575	----	----		136.20B/*95.40A		136.20B/*95.40A	----					102.70	- 6.30	.2876	----	----	1	----	UNCH													
4585	----	----		133.30B/*93.40A		133.30B/*93.40A	----					100.50	- 6.20	.2827	----	----	1	----	UNCH													
4590	----	----		131.90B/*92.40A		131.90B/*92.40A	----					99.40	- 6.20	.2803	----	----	15	----	UNCH													
4595	----	----		130.50B/*91.40A		130.50B/*91.40A	----					98.30	- 6.10	.2779	----	----	1	----	UNCH													
4600	----	----		129.00B/*90.40A		129.00B/*90.40A	----					97.20	- 6.10	.2755	----	----	5	----	UNCH													
4630	92.00	92.00		120.80B/*85.10A		120.80B/*85.10A	----					91.10	NEW	.2616	----	1	1 +	1														
4650	----	----		115.60B/*81.50A		115.60B/*81.50A	----					87.20	- 5.60	.2526	----	----	32	----	UNCH													
4700	----	----		103.60B/*73.50A		103.60B/*73.50A	----					78.30	- 5.10	.2314	----	----	12	----	UNCH													
4750	----	----		92.90B/*66.50A		92.90B/*66.50A	----					70.50	- 4.50	.2120	----	2	----	4	----													
4775	----	----		88.00B/*63.10A		88.00B/*63.10A	----					66.90	- 4.30	.2029	----	----	30	----	UNCH													
4800	----	----		83.30B/*59.90A		83.30B/*59.90A	----					63.50	- 4.10	.1941	----	----	34	----	UNCH													
4850	58.10	58.10		74.80B/*54.10A		74.80B/*54.10A	----					57.40	- 3.60	.1780	----	2	25	----	UNCH													
4900	----	----		67.20B/*49.10A		67.20B/*49.10A	----					51.70	- 3.50	.1627	----	----	452	----	UNCH													
4915	----	----		65.20B/*47.60A		65.20B/*47.60A	----					50.10	- 3.50	.1583	----	----	1	----	UNCH													
4925	----	----		63.80B/*46.70A		63.80B/*46.70A	----					49.00	- 3.60	.1554	----	----	1	----	UNCH													
4935	----	----		62.50B/*45.90A		62.50B/*45.90A	----					48.00	- 3.60	.1526	----	----	25	----	UNCH													
4950	----	----		60.50B/*44.60A		60.50B/*44.60A	----					46.50	- 3.60	.1485	----	----	150	----	UNCH													
4970	----	----		58.10B/*43.10A		58.10B/*43.10A	----					44.60	- 3.50	.1432	----	----	12	----	UNCH													
5000	44.30	44.30		54.70B/*40.50A		54.70B/*40.50A	----					42.00	- 3.30	.1358	----	2	111	----	UNCH													
5005	41.70	41.70		54.10B/*40.20A		54.10B/*40.20A	----					41.60	NEW	.1347	----	2	2 +	2														
5020	----	----		52.50B/*39.10A		52.50B/*39.10A	----					40.40	- 3.10	.1312	----	----	30	----	UNCH													
5050	----	----		49.50B/*37.00A		49.50B/*37.00A	----					38.10	- 3.00	.1245	----	----	100	----	UNCH													
5060	----	----		48.40B/*36.30A		48.40B/*36.30A	----					37.40	- 2.90	.1224	----	----	2	----	UNCH													
5080	----	----		46.50B/*35.00A		46.50B/*35.00A	----					36.00	- 2.80	.1182	----	----	4	----	UNCH													
5085	----	----		46.10B/*34.70A		46.10B/*34.70A	----					35.60	- 2.80	.1171	----	----	4	----	UNCH													
5100	----	----		44.80B/*33.80A		44.80B/*33.80A	----					34.60	- 2.80	.1141	----	----	2387	----	UNCH													
5120	----	----		43.00B/*32.80A		43.00B/*32.80A	----					33.30	- 2																			

PG64 BULLETIN #111@			METALS OPTION PRODUCTS										Thu, Jun 11, 2026 PG64	
GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL COMEX GOLD OPTIONS														
DEC26														
4530			173.90B/*124.50	173.90B/*124.50A			136.90 - 4.10	.3328					3	UNCH
4535	129.30	129.30	171.90B/*123.30	171.90B/*123.30A			135.60 - NEW	.3304			1		1 +	1
4540			170.70B/*122.10	170.70B/*122.10A			134.30 - 4.00	.3280					9	UNCH
4545			168.90B/*121.10	168.90B/*121.10A			132.90 - 4.00	.3255					45	UNCH
4550			167.80B/*119.90	167.80B/*119.90A			131.60 - 4.00	.3231					14	UNCH
4560			163.80B/*117.60	163.80B/*117.60A			129.10 - 3.90	.3183					1	UNCH
4565	120.00	120.00	163.10B/*116.40	163.10B/*116.40A			127.80 - 3.90	.3159		1			93	UNCH
4570	117.50	117.50	161.10B/*115.30	161.10B/*115.30A			126.50 - 3.90	.3135		1			19	UNCH
4575	117.00	117.00	159.80B/*114.30	159.80B/*114.30A			125.30 - 3.80	.3112		2			6 +	2
4580	120.00	120.00	158.10B/*113.20	158.10B/*113.20A			124.10 - 3.80	.3089		1			151 +	1
4585	115.30	115.30	156.60B/*112.10	156.60B/*112.10A			122.90 - 3.70	.3066		1			325	UNCH
4590			155.10B/*111.10	155.10B/*111.10A			121.70 - 3.70	.3043					18	UNCH
4595	111.80	111.80	153.10B/*110.00	153.10B/*110.00A			120.50 - NEW	.3020					2 +	2
4600			152.40B/*109.00	152.40B/*109.00A			119.30 - 3.70	.2997		57			845 +	27
4605			150.90B/*108.00	150.90B/*108.00A			118.10 - 3.70	.2974					5	UNCH
4610			149.40B/*107.00	149.40B/*107.00A			117.00 - 3.60	.2952					3	UNCH
4615			147.80B/*106.00	147.80B/*106.00A			115.80 - 3.70	.2930					41	UNCH
4620			146.50B/*105.00	146.50B/*105.00A			114.70 - 3.60	.2908					5	UNCH
4625	108.30	108.30	145.10B/*104.00	145.10B/*104.00A			113.60 - 3.60	.2886		1			71	UNCH
4630			143.70B/*103.10	143.70B/*103.10A			112.50 - 3.60	.2864					3	UNCH
4635	107.30	107.30	141.70B/*102.00	141.70B/*102.00A			111.40 - NEW	.2842		2			2 +	2
4640			140.90B/*101.20	140.90B/*101.20A			110.30 - 3.50	.2820					103	UNCH
4645	105.90	105.90	139.10B/*100.10	139.10B/*100.10A			109.30 - NEW	.2799		2			2 +	2
4650			138.20B/*99.20A	138.20B/*99.20A			108.20 - 3.50	.2778					333	UNCH
4660	124.50	124.50	135.60B/*97.50A	135.60B/*97.50A			106.10 - 3.40	.2735		2			4 -	2
4675			131.80B/*94.70A	131.80B/*94.70A			103.10 - 3.30	.2673					80	UNCH
4680			130.40B/*93.90A	130.40B/*93.90A			102.10 - 3.30	.2653					17	UNCH
4700	97.00	97.00	125.70B/*90.40A	125.70B/*90.40A			98.20 - 3.30	.2572		19			614 +	10
4705			123.90B/*89.50A	123.90B/*89.50A			97.30 - 3.20	.2552					1	UNCH
4725			119.50B/*86.30A	119.50B/*86.30A			93.60 - 3.20	.2474					143	UNCH
4730	92.00	92.00	118.50B/*85.60A	118.50B/*85.60A			92.70 - 3.20	.2455			2		18	UNCH
4750	113.50	113.50	114.30B/*82.80A	114.30B/*82.80A			89.20 - 3.20	.2379		5			248 +	5
4765			110.90B/*80.60A	110.90B/*80.60A			86.70 - 3.10	.2324					17	UNCH
4775			108.80B/*79.00A	108.80B/*79.00A			85.00 - 3.20	.2288					3	UNCH
4780			107.50B/*78.40A	107.50B/*78.40A			84.20 - 3.20	.2270					3	UNCH
4790			105.70B/*76.90A	105.70B/*76.90A			82.60 - 3.20	.2234					17	UNCH
4795			104.50B/*76.20A	104.50B/*76.20A			81.90 - 3.10	.2218					9	UNCH
4800	78.50	78.50	104.20B/*75.30A	104.20B/*75.30A			81.10 - 3.10	.2200			123		1875 +	20
4810			102.00B/*74.00A	102.00B/*74.00A			79.60 - 3.10	.2166					63	UNCH
4815			101.10B/*73.50A	101.10B/*73.50A			78.80 - 3.20	.2149					11	UNCH
4820			100.00B/*73.00A	100.00B/*73.00A			78.10 - 3.10	.2132					91	UNCH
4825			99.00B/*72.00A	99.00B/*72.00A			77.30 - 3.20	.2115					104	UNCH
4835			97.10B/*71.00A	97.10B/*71.00A			75.90 - 3.20	.2082					127	UNCH
4850			94.50B/*69.00A	94.50B/*69.00A			73.70 - 3.30	.2032					301	UNCH
4875			89.70B/*66.10A	89.70B/*66.10A			70.30 - 3.30	.1954					2	UNCH
4880			89.20B/*65.30A	89.20B/*65.30A			69.70 - 3.30	.1939					3	UNCH
4890			87.60B/*64.30A	87.60B/*64.30A			68.40 - 3.30	.1908					9	UNCH
4895			86.70B/*63.80A	86.70B/*63.80A			67.70 - 3.40	.1892					200	UNCH
4900			86.10B/*63.00A	86.10B/*63.00A			67.10 - 3.40	.1878					373	UNCH
4905			85.10B/*62.60A	85.10B/*62.60A			66.50 - 3.40	.1864					10	UNCH
4910			84.30B/*62.10A	84.30B/*62.10A			65.90 - 3.40	.1849					18	UNCH
4925			82.10B/*60.50A	82.10B/*60.50A			64.10 - 3.40	.1806					242	UNCH
4950	61.00	61.00	78.40B/*57.90A	78.40B/*57.90A			61.20 - 3.50	.1736		1			103	UNCH
4955			77.60B/*57.40A	77.60B/*57.40A			60.60 - 3.50	.1722					10	UNCH
4960			76.9											

BULLETIN #111@														METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64	
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																	
OG CALL	COMEX GOLD OPTIONS																												
DEC26	----	----	24.20B/*20.50A	24.20B/*20.50A	----	20.30 - 1.90	.0618	----	----	----	----	5	UNCH																
5705	----	----	24.00B/*20.40A	24.00B/*20.40A	----	20.20 - 1.90	.0615	----	----	----	----	5	UNCH																
5710	19.60	19.60	22.90B/*19.60	22.90B/*19.60	----	19.40 - 1.80	.0590	----	----	1	----	327 +	1																
5750	----	----	22.30B/*19.20A	22.30B/*19.20A	----	19.00 - 1.80	.0577	----	----	----	----	8	UNCH																
5770	----	----	22.20B/*19.10A	22.20B/*19.10A	----	18.90 - 1.80	.0574	----	----	----	----	2	UNCH																
5775	----	----	22.00B/*19.00A	22.00B/*19.00A	----	18.80 - 1.80	.0571	----	----	----	----	2	UNCH																
5780	----	----	21.50B/*18.70A	21.50B/*18.70A	----	18.40 - 1.80	.0559	----	----	27	50	1849 -	23																
5800	----	----	21.20B/*18.50A	21.20B/*18.50A	----	18.20 - 1.90	.0553	----	----	----	----	56	UNCH																
5810	----	----	20.80B/*18.30A	20.80B/*18.30A	----	17.90 - 1.90	.0544	----	----	----	----	4	UNCH																
5825	----	----	20.20B/*17.40	20.20B/*17.40	----	17.50 - 1.80	.0531	----	1	----	----	51	UNCH																
5850	17.40	17.40	19.70B/*17.50A	19.70B/*17.50A	----	17.10 - 1.80	.0518	----	----	----	----	9	UNCH																
5875	----	----	19.20B/*16.60	19.20B/*16.60	----	16.70 - 1.80	.0505	----	----	34	----	1512 -	1																
5900	16.60	16.60	18.20B/*16.50A	18.20B/*16.50A	----	15.90 - 1.90	.0480	----	----	----	----	27	UNCH																
5950	----	----	19.10/*15.90A	19.10/*15.90A	----	15.30 - 1.80	.0460	----	178	----	----	7220 +	106																
6000	19.10	19.10	----/*14.80A	15.90B/*14.80A	----	14.10 - 1.80	.0421	----	----	----	----	150	UNCH																
6100	----	----	----/*14.40A	15.30B/*14.40A	----	13.60 - 1.80	.0405	----	----	----	----	26	UNCH																
6150	----	----	----/*14.00A	14.70B/*14.00A	----	13.20 - 1.80	.0390	----	----	----	----	3207	UNCH																
6200	----	----	----/*13.60A	14.20B/*13.60A	----	12.80 - 1.70	.0377	----	----	----	----	76	UNCH																
6250	----	----	----/*13.20A	13.70B/*13.20A	----	12.40 - 1.70	.0363	----	----	----	----	837	UNCH																
6300	----	----	----/*12.60A	12.90B/*12.60A	----	11.70 - 1.80	.0339	----	----	----	----	971	UNCH																
6400	13.50	13.50	13.50/*12.00A	13.50/*12.00A	----	11.20 - 1.70	.0321	----	253	----	----	7332 +	140																
6500	----	----	----/*10.90A	10.80B/*10.90A	----	10.10 - 1.60	.0281	----	----	----	----	105	UNCH																
6750	----	----	----/*10.80A	10.70B/*10.80A	----	10.00 - 1.60	.0277	----	----	----	----	164	UNCH																
6775	----	----	----/*10.70A	10.50B/*10.70A	----	10.00 - 1.50	.0276	----	----	----	----	1817	UNCH																
6800	----	----	----/*10.40A	10.10B/*10.40A	----	9.70 - 1.40	.0264	----	----	----	----	79	UNCH																
6900	----	----	----/*10.10A	9.70B/*10.10A	----	9.50 - 1.30	.0255	----	103	----	----	5345 +	2																
7000	----	----	----/*9.80A	9.40B/*9.80A	----	9.30 - 1.20	.0246	----	----	----	----	1	UNCH																
7100	----	----	----/*9.70A	9.30B/*9.70A	----	9.20 - 1.20	.0243	----	----	----	----	200	UNCH																
7130	----	----	----/*9.70A	9.20B/*9.70A	----	9.20 - 1.10	.0242	----	----	----	----	1	UNCH																
7150	----	----	----/*9.60A	9.20B/*9.60A	----	9.10 - 1.10	.0239	----	----	----	----	125	UNCH																
7175	----	----	----/*9.60A	9.10B/*9.60A	----	9.10 - 1.10	.0238	----	----	----	----	1	UNCH																
7200	----	----	----/*9.40A	9.00B/*9.40A	----	9.00 - 1.00	.0234	----	----	----	----	111	UNCH																
7250	----	----	----/*8.90A	8.30B/*8.90A	----	8.70 - 0.60	.0219	----	1	----	----	124	UNCH																
7500	----	----	----/8.20A	7.40B/8.20A	----	8.10 - 0.20	.0193	----	3	----	----	2257 +	3																
8000	----	----	----/*8.00A	7.20B/*8.00A	----	8.00 - 0.10	.0188	----	----	----	----	801	UNCH																
8125	----	----	----/*7.60A	6.80B/7.60A	----	7.60 - 0.10	.0173	----	----	----	----	257	UNCH																
8500	----	----	----/*7.40A	6.70B/*7.40A	----	7.50	UNCH	.0168	----	----	----	400	UNCH																
8630	----	----	----/*7.30A	6.60B/*7.30A	----	7.40 - 0.10	.0165	----	----	----	----	250	UNCH																
8725	----	----	----/*7.30A	6.50B/*7.30A	----	7.40	UNCH	.0164	----	----	----	25	UNCH																
8775	----	----	----/*7.10A	6.50B/7.10A	----	7.20 - 0.10	.0157	----	----	----	----	267	UNCH																
9000	----	----	----/6.60A	5.80B/6.60A	----	6.70 - 0.30	.0141	----	----	----	----	637	UNCH																
9500	----	----	----/*6.20A	5.50B/*6.20A	----	6.30 - 0.50	.0130	----	----	----	----	17	UNCH																
9900	5.90	5.90	6.00/5.90	6.00/5.90	----	6.20 - 0.50	.0127	----	43	----	----	10101 +	40																
10000	----	----	----/*5.40A	4.60B/*5.40A	----	5.10 - 0.90	.0101	----	----	----	----	837	UNCH																
11000	----	----	----/*3.80A	3.00B/*3.80A	----	3.60 - 0.70	.0068	----	----	----	----	626	UNCH																
13000	2.80	2.80	2.80/2.80	2.80/2.80	----	3.00 + 0.20	.0054	----	126	----	----	25454 +	79																
15000	----	----	----	1.40B/2.90A	----	2.30 + 0.40	.0040	----	2	----	----	28	UNCH																
17000	----	----	----	0.90B/2.30A	----	1.60 + 0.30	.0028	----	----	----	----	207	UNCH																
19000	1.20	1.20	1.20/1.20	1.20/1.20	----	1.30 + 0.20	.0022	----	444	----	----	27196 +	291																
20000	----	----	----	----/16.80A	----	1.20 + 0.20	.0020	----	----	----	----	31	UNCH																
21000	----	----	----	0.20B/16.00A	----	0.90 + 0.10	.0015	----	----	----	----	76	UNCH																
24000	----	----	----	----	----	----	----	----	----	3447	360	129806+	895																
TOTAL																													
JAN27																													
4190	----	----	362.90B/*280.10	362.90B/*280.10A	----	306.00 - 3.20	.5418	----	----	----	----	1	UNCH																
4290	----	----	310.50B/*234.00	310.50B/*234.00A	----	260.30 - 2.10	.4887	----	----	----	----	1	UNCH																
4300	258.20	258.20	305.60B/*230.20	305.60B/*230.20A	----	256.00 - 2.00	.4835	----	1	----	----	3 +	1																
4400	----	----	259.30B/*193.50	259.30B/*193.50A	----	216.60 - 1.20	.4320	----	----	----	----	1	UNCH																
4500	197.00	197.00	219.30B/*163.30	219.30B/*163.30A	----	182.60 - 0.80	.3829	----	2	----	----	4 +	2																
4570	----	----	194.20B/*145.00	194.20B/*145.00A	----	161.80	NEW	.3505	1	----	----	1 +	1																
4575	----	----	192.50B/*143.70	192.50B/*143.70A	----	160.40 - 0.80	.3483	----	----	----	----	1	UNCH																
4600	----	----	184.40B/*137.40	184.40B/*137.40A	----	153.70 - 0.70	.3373	----	----	----	----	4	UNCH																
4650	----	----	169.00B/*126.60	169.00B/*126.60A	----	140.90 - 0.70	.3159	----	----	----	----	3	UNCH																
4695	----	----	156.40B/*117.30	156.40B/*117.30A	----	130.40 - 0.70	.2975	----	----	----	----	3	UNCH																
4700	----	----	155.10B/*116.40	155.10B/*116.40A	----	129.30 - 0.70	.2956	----	----	----	----	2	UNCH																
4710	----	----	152.30B/*114.40	152.30B/*114.40A	----	127.10 - 0.70	.2916	----	----	----	----	3	UNCH																
4740	----	----	144.60B/*108.80	144.60B/*108.80A	----	120.70 - 0.70	.2801	----	----	----	----	4	UNCH																
4750	----	----	142.20B/*107.10	142.20B/*107.10A	----	118.60 - 0.70	.2762	----	----	----	----	9	UNCH																
4760	----	----	139.70B/*105.40	139.70B/*105.40A	----	116.60 - 0.70	.2725	----	----	----	----	101	UNCH																
4765	----	----	138.40B/*104.40	138.40B/*104.40A	----	115.60 - 0.70	.2707	----	----	----	----	6	UNCH																
4775	----	----	136.20B/*102.70	136.20B/*102.70A	----	113.70 - 0.70	.2671	----	1	----	----	1	UNCH																
4800	----	----	130.40B/*98.70A	130.40B/*98.70A	----	108.90 - 0.80	.2581	----	----	----	----	15	UNCH																
4805	----	----	129.30B/*97.90A	129.30B/*97.90A	----	108.00 - 0.70	.2563	----	----	----	----	1	UNCH																
4835	----	----	122.80B/*93.20A	122.80B/*93.20A	----	102.60 - 0.80	.2460	----	----	----	----	2	UNCH																
4850	----	----	119.80B/*91.10A	119.80B/*91.10A	----	100																							

GLOBEX OPEN		OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
OG CALL		COMEX GOLD OPTIONS															
FEB27																	
5375	----	----		62.10B/*51.40A	62.10B/*51.40A	----			52.60 - 2.60	.1322	----	----	----	----		1	UNCH
5400	----	----		60.20B/*49.90A	60.20B/*49.90A	----			51.00 - 2.70	.1284	----	----	----	----		233	UNCH
5450	----	----		55.90B/*46.90A	55.90B/*46.90A	----			47.90 - 3.00	.1212	----	----	----	----		10	UNCH
5500	----	----		51.10B/*44.30A	51.10B/*44.30A	----			45.20 - 3.30	.1148	----	----	----	----		18	UNCH
5520	----	----		49.60B/*43.30A	49.60B/*43.30A	----			44.10 - 3.50	.1122	----	----	----	----		300	UNCH
5530	----	----		48.90B/*43.20A	48.90B/*43.20A	----			43.60 - 3.60	.1110	----	----	----	----		100	UNCH
5550	----	----		47.60B/*42.10A	47.60B/*42.10A	----			42.60 - 3.70	.1086	----	----	----	----		82	UNCH
5600	----	----		----/*40.00A	44.30B/*40.00A	----			40.30 - 4.10	.1029	----	----	----	----		8	UNCH
5700	----	----		41.20B/*36.70A	41.20B/*36.70A	----			36.20 - 4.80	.0928	----	----	----	----		1	UNCH
5800	----	----		----/*35.50A	36.60B/*35.50A	----			32.80 - 5.00	.0842	----	----	----	----		1	UNCH
5900	----	----		----/*33.10A	32.80B/*33.10A	----			29.80 - 4.60	.0766	----	----	----	----		7	UNCH
6000	32.00	32.00		32.00/*30.00	32.00/*30.00	----			27.10 - 4.40	.0697	----	----	100	----		2965 +	100
6025	----	----		----/*30.40A	26.20B/*30.40A	----			26.50 - 4.30	.0682	----	----	----	----		4	UNCH
6100	----	----		----/*28.70A	24.30B/*28.70A	----			24.80 - 4.00	.0638	----	----	----	----		4	UNCH
6300	----	----			20.30B/*25.40A	----			21.00 - 3.50	.0539	----	----	----	----		1	UNCH
6500	----	----			17.70B/*23.50A	----			18.00 - 3.10	.0460	----	----	----	----		2910	UNCH
6900	----	----			13.60B/*20.10A	----			13.70 - 2.40	.0346	----	----	----	----		533	UNCH
7000	----	----		15.50B/----	15.50B/19.50A	----			12.90 - 2.30	.0325	----	----	----	----		487	UNCH
7100	----	----			12.50B/*18.60A	----			12.20 - 2.20	.0306	----	----	----	----		9	UNCH
7700	----	----			10.10B/*16.60A	----			9.10 - 1.60	.0222	----	----	----	----		1	UNCH
7900	----	----			9.60B/*16.00A	----			8.40 - 1.50	.0202	----	----	----	----		500	UNCH
8000	----	----			9.30B/*15.80A	----			8.10 - 1.50	.0194	----	----	----	----		695	UNCH
TOTAL													498			12065 +	386
MAR27																	
4300	----	----		352.40B/*278.60	352.40B/*278.60A	----			303.20 - NEW	.5064	----	----	----	40		40 +	40
4400	----	----		305.50B/*240.20	305.50B/*240.20A	----			262.20 - 5.50	.4598	----	----	----	----		160	UNCH
4610	----	----		227.60B/*175.90	227.60B/*175.90A	----			191.90 - 4.20	.3684	----	----	----	----		2	UNCH
4650	----	----		215.30B/*165.70	215.30B/*165.70A	----			180.80 - 3.80	.3524	----	----	----	----		1	UNCH
4660	----	----		212.10B/*163.30	212.10B/*163.30A	----			178.10 - 3.70	.3485	----	----	----	----		2	UNCH
4670	----	----		208.90B/*161.00	208.90B/*161.00A	----			175.40 - 3.60	.3445	----	----	----	----		3	UNCH
4675	----	----		207.00B/*159.90	207.00B/*159.90A	----			174.10 - 3.60	.3426	----	----	----	----		2	UNCH
4680	----	----		205.80B/*158.60	205.80B/*158.60A	----			172.80 - 3.50	.3406	----	----	----	----		2	UNCH
4710	----	----		196.80B/*152.00	196.80B/*152.00A	----			165.30 - 3.10	.3293	----	----	----	----		21	UNCH
4800	----	----		172.00B/*133.50	172.00B/*133.50A	----			144.50 - 2.20	.2968	----	----	10	----		16 +	10
4820	----	----		167.00B/*129.80	167.00B/*129.80A	----			140.30 - 1.90	.2900	----	----	----	----		20	UNCH
4995	----	----		128.30B/*101.80	128.30B/*101.80A	----			108.70 - 0.30	.2360	----	----	----	----		2	UNCH
5000	----	----		128.20B/*101.10	128.20B/*101.10A	----			107.90 - 0.30	.2346	----	----	10	----		104	UNCH
5105	----	----		110.20B/*88.00A	110.20B/*88.00A	----			93.10 - 0.50	.2073	----	----	3	----		4 +	3
5200	----	----		96.40B/*79.90A	96.40B/*79.90A	----			81.80 - 2.00	.1855	----	----	----	----		17	UNCH
5220	----	----		93.00B/*77.90A	93.00B/*77.90A	----			79.60 - 2.30	.1812	----	----	----	----		12	UNCH
5285	----	----		85.80B/*73.40A	85.80B/*73.40A	----			73.10 - 2.90	.1682	----	----	6	----		8 +	6
5300	----	----		83.40B/*72.10A	83.40B/*72.10A	----			71.70 - 2.90	.1654	----	----	3	----		5 +	3
5305	----	----		83.40B/*72.00A	83.40B/*72.00A	----			71.30 - 2.90	.1645	----	----	----	----		2	UNCH
5350	----	----		78.00B/*68.60A	78.00B/*68.60A	----			67.30 - 2.80	.1563	----	----	----	----		2	UNCH
5400	----	----		73.50B/*64.80A	73.50B/*64.80A	----			63.20 - 2.50	.1478	----	----	----	----		11	UNCH
5450	----	----		69.00B/*61.30A	69.00B/*61.30A	----			59.50 - 1.90	.1399	----	----	----	----		3	UNCH
5500	----	----		64.90B/*55.20A	64.90B/*55.20A	----			56.00 - 1.40	.1324	----	----	----	----		534	UNCH
5510	----	----		63.90B/*54.80A	63.90B/*54.80A	----			55.30 - 1.30	.1309	----	----	----	----		2	UNCH
5550	----	----		60.60B/*52.80A	60.60B/*52.80A	----			52.70 - 0.90	.1253	----	----	----	----		1	UNCH
5600	----	----		51.10B/*50.10A	51.10B/*50.10A	----			49.70 - 0.80	.1188	----	----	----	----		10	UNCH
5635	----	----		48.80B/----	48.80B/*48.50A	----			47.70 - 0.70	.1144	----	----	----	----		2	UNCH
5650	----	----		47.80B/----	47.80B/*47.80A	----			46.90 - 0.70	.1126	----	----	----	----		16	UNCH
5700	----	----		45.70B/----	45.70B/*45.70A	----			44.30 - 0.70	.1068	----	----	2	----		11	UNCH
5790	----	----		44.90B/----	44.90B/*42.30A	----			40.30 - 0.50	.0976	----	----	----	----		50	UNCH
5820	----	----		43.30B/----	43.30B/*41.30A	----			39.00 - 0.60	.0947	----	----	----	----		2	UNCH
5850	----	----		41.80B/----	41.80B/*40.40A	----			37.90 - 0.50	.0921	----	----	----	----		253	UNCH
5900	----	----		39.60B/----	39.60B/*40.40A	----			36.00 - 0.50	.0877	----	----	----	----		11	UNCH
5950	----	----		37.50B/----	37.50B/*41.90A	----			34.40 - 0.40	.0838	----	----	4	----		14 +	4
5975	----	----		34.90B/----	34.90B/*41.30A	----			33.60 - 0.40	.0819	----	----	2	----		7 +	4
6000	----	----		35.90B/----	35.90B/*40.60A	----			32.80 - 0.40	.0800	----	----	----	----		2	UNCH
6250	----	----			23.30B/*35.40A	----			26.60 - 0.30	.0649	----	----	----	----		10	UNCH
6300	----	----			21.80B/*34.30A	----			25.60 - 0.30	.0624	----	----	----	----		170	UNCH
6500	----	----			18.10B/31.20A	----			22.30 - 0.20	.0540	----	----	----	----		527	UNCH
TOTAL													40	40		2061 +	68
APR27																	
4400	----	----		321.70B/*257.30	321.70B/*257.30A	----			279.40 - 5.00	.4653	----	----	----	----		3	UNCH
4600	----	----		249.10B/*195.10	249.10B/*195.10A	----			211.60 - 3.70	.3822	----	----	----	----		5	UNCH
4765	----	----		199.30B/*155.60	199.30B/*155.60A	----			167.90 - 3.50	.3212	----	----	----	----		2	UNCH
4925	----	----		160.00B/*125.80	160.00B/*125.80A	----			134.50 - 3.40	.2697	----	----	----	----		1	

BULLETIN #111@														METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST														
GWV WED	GOLD WEEKLY WEDNESDAY OPTION WEEK4																											
JUN26																												
4200	70.50	70.50		#188.50B/67.50A	#188.50B/67.50A	----		135.60	NEW	.6512	----	----	2	----	2	+	2											
4200	----	----				----		66.70	UNCH	----	----	----	----	0	0	UNCH												
4200	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4205	78.30	78.30		#78.30/*78.30	#80.80B/*19.40A	----		25.30	NEW	.2627	----	150	----	150	+	150												
4205	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4205	----	----				----		71.70	UNCH	----	----	----	----	0	0	UNCH												
4210	75.40	75.40		#75.40/*75.40	#77.90B/*18.40A	----		23.90	NEW	.2508	----	150	----	150	+	150												
4210	----	----				----		76.70	UNCH	----	----	----	----	0	0	UNCH												
4210	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4215	----	----				----		81.70	UNCH	----	----	----	----	0	0	UNCH												
4215	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4220	----	----				----		86.70	UNCH	----	----	----	----	0	0	UNCH												
4220	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4225	59.00	59.00		#192.30B/55.60A	#192.30B/55.60A	----		131.00	+ 8.30	.7825	----	1	----	73	-	1												
4225	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4225	----	----				----		91.70	UNCH	----	----	----	----	0	0	UNCH												
4225	18.90	18.90		70.00B/*15.60A	70.00B/*15.60A	----		20.10	- 10.90	.2173	----	17	----	20	+	4												
4225	81.60	81.60		#207.20B/78.40A	#207.20B/78.40A	----		152.10	NEW	.6957	----	1	----	1	+	1												
4225	41.00	41.00		92.60B/*34.20A	92.60B/*34.20A	----		41.20	NEW	.3039	----	1	----	1	+	1												
4230	----	----				----		96.70	UNCH	----	----	----	----	0	0	UNCH												
4230	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4235	----	----			#64.70B/*13.90A	----		17.80	NEW	.1962	----	6	----	6	+	6												
4235	----	----			#200.40B/*60.50A	----		138.80	NEW	.8036	----	6	----	6	+	6												
4235	----	----				----		101.70	UNCH	----	----	----	----	0	0	UNCH												
4235	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4240	----	----				----		106.70	UNCH	----	----	----	----	0	0	UNCH												
4240	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4245	----	----				----		111.70	UNCH	----	----	----	----	0	0	UNCH												
4245	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4250	13.10	13.10		57.40B/*11.70A	57.40B/*11.70A	----		14.80	- 9.50	.1673	----	7	----	57	+	4												
4250	----	----		#213.60B/68.20A	#213.60B/68.20A	----		150.80	+ 9.90	.8325	----	----	----	19	0	UNCH												
4250	----	----				----		116.70	UNCH	----	----	----	----	0	0	UNCH												
4250	76.80	76.80		79.60B/*28.10A	79.60B/*28.10A	----		33.80	- 8.80	.2618	----	5	----	5	+	3												
4250	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4250	----	----		#226.80B/90.70A	#226.80B/90.70A	----		169.60	+ 10.40	.7378	----	----	----	1	0	UNCH												
4255	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4255	----	----				----		121.70	UNCH	----	----	----	----	0	0	UNCH												
4260	12.60	12.60		#52.80B/*10.40A	#52.80B/*10.40A	----		13.10	NEW	.1500	----	50	----	50	+	50												
4260	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4260	----	----				----		126.70	UNCH	----	----	----	----	0	0	UNCH												
4265	----	----				----		131.70	UNCH	----	----	----	----	0	0	UNCH												
4265	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4270	13.20	13.20		#48.40B/*13.20	#48.40B/*9.30A	----		11.60	NEW	.1343	----	2	----	2	+	2												
4270	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4270	----	----				----		136.70	UNCH	----	----	----	----	0	0	UNCH												
4275	----	----				----		141.70	UNCH	----	----	----	----	0	0	UNCH												
4275	115.10	115.10		#235.70B/82.40A	#235.70B/82.40A	----		171.80	+ 11.30	.8736	----	1	----	6	+	1												
4275	27.50	27.50		67.90B/*23.00A	67.90B/*23.00A	----		27.50	NEW	.2230	----	8	----	7	+	7												
4275	----	----		#247.20B/104.20	#247.20B/104.20A	----		188.30	+ 11.30	.7766	----	----	----	11	0	UNCH												
4275	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4275	10.30	10.30		46.30B/*8.80A	46.30B/*8.80A	----		10.80	- 8.10	.1262	----	13	----	13	+	2												
4280	10.70	10.70		#44.20B/*8.30A	#44.20B/*8.30A	----		10.20	NEW	.1195	----	3	----	3	+	3												
4280	----	----				----		146.70	UNCH	----	----	----	----	0	0	UNCH												
4280	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4285	----	----				----		151.70	UNCH	----	----	----	----	0	0	UNCH												
4285	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4290	9.50	9.50		#40.50B/*7.40A	#40.50B/*7.40A	----		9.00	NEW	.1063	----	1	----	1	+	1												
4290	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4290	----	----				----		156.70	UNCH	----	----	----	----	0	0	UNCH												
4295	----	----				----		0.00	UNCH	----	----	----	----	0	0	UNCH												
4295	----	----				----		161.70	UNCH	----	----	----	----	0	0	UNCH												
4300	10.0																											

PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN CLOSE	OUTCRY CLOSE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GWW WED JUN26 GOLD WEEKLY WEDNESDAY OPTION WEEK2																								
4450	----	----	----	----	----	----	----	----	----	316.70	UNCH	----	----	----	----	0	UNCH							
4455	----	----	----	----	----	----	----	----	----	321.70	UNCH	----	----	----	----	0	UNCH							
4465	----	----	----	----	----	----	----	----	----	331.70	UNCH	----	----	----	----	0	UNCH							
4465	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH							
4475	1.40	1.40	----	6.00B/*1.10A	6.00B/*1.10A	----	----	----	----	1.30 - 1.80	.0140	----	----	8	----	17 +	8							
4475	----	----	----	#395.50B/242.90	#395.50B/242.90A	----	----	----	----	362.10 + 17.50	.9859	----	----	----	----	51	UNCH							
4475	----	----	----	15.20B/*4.50A	15.20B/*4.50A	----	----	----	----	4.80 - 3.30	.0478	----	----	----	----	1	UNCH							
4475	----	----	----	----	----	----	----	----	----	341.70	UNCH	----	----	----	----	0	UNCH							
4475	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH							
4480	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH							
4480	----	----	----	----	----	----	----	----	----	346.70	UNCH	----	----	----	----	0	UNCH							
4500	1.20	1.20	----	4.50B/*0.90	4.50B/*0.90	----	----	----	----	1.10 - 1.50	.0114	----	32	----	----	26 +	10							
4500	----	----	----	----	----	----	----	----	----	366.70	UNCH	----	----	----	----	0	UNCH							
4500	4.60	4.60	----	12.60B/*3.80A	12.60B/*3.80A	----	----	----	----	4.00 - 2.90	.0399	----	6	----	----	6 +	4							
4505	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH							
4505	----	----	----	----	----	----	----	----	----	371.70	UNCH	----	----	----	----	0	UNCH							
4520	----	----	----	----	----	----	----	----	----	386.70	UNCH	----	----	----	----	0	UNCH							
4525	323.00	323.00	----	#445.10B/286.70	#445.10B/286.70	----	----	----	----	411.80 + 18.10	.9908	----	23	----	----	25 -	9							
4525	1.70	1.70	----	3.80B/*0.90A	3.80B/*0.90A	----	----	----	----	0.90 - 1.30	.0091	----	2	----	----	19	UNCH							
4525	----	----	----	----	----	----	----	----	----	391.70	UNCH	----	----	----	----	0	UNCH							
4525	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH							
4525	----	----	----	10.30B/*3.20A	10.30B/*3.20A	----	----	----	----	3.40 - 2.50	.0337	----	----	----	----	2	UNCH							
4550	----	----	----	2.70B/*0.80A	2.70B/*0.80A	----	----	----	----	0.80 - 1.10	.0078	----	----	----	----	48	UNCH							
4550	2.60	2.60	----	8.40B/*2.60	8.40B/*2.60	----	----	----	----	2.80 - 2.30	.0278	----	4	----	----	6 +	4							
4550	----	----	----	#469.90B/314.60	#469.90B/314.60A	----	----	----	----	436.70 + 18.30	.9922	----	----	----	----	6	UNCH							
4550	----	----	----	----	----	----	----	----	----	416.70	UNCH	----	----	----	----	0	UNCH							
4550	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH							
4550	----	----	----	-----/320.50A	402.10B/320.50A	----	----	----	----	438.50 + 17.10	.9719	----	----	----	----	3	UNCH							
4575	----	----	----	2.20B/*0.70A	2.20B/*0.70A	----	----	----	----	0.70 - 0.90	.0066	----	----	----	----	48	UNCH							
4575	2.80	2.80	----	6.90B/*2.20	6.90B/*2.20	----	----	----	----	2.40 - 2.00	.0237	----	9	----	----	11 +	9							
4575	----	----	----	----	----	----	----	----	----	441.70	UNCH	----	----	----	----	0	UNCH							
4580	----	----	----	----	----	----	----	----	----	446.70	UNCH	----	----	----	----	0	UNCH							
4600	----	----	----	5.60B/*2.10A	#429.90B/488.30A	----	----	----	----	486.40 + 18.60	.9954	----	----	----	----	2	UNCH							
4600	----	----	----	1.70B/*0.80A	5.60B/*2.10A	----	----	----	----	2.10 - 1.80	.0205	----	----	----	----	5	UNCH							
4600	----	----	----	----	1.70B/*0.80A	----	----	----	----	0.50 - 0.80	.0046	----	22	----	----	268 +	16							
4620	----	----	----	----	----	----	----	----	----	486.70	UNCH	----	----	----	----	0	UNCH							
4625	2.00	2.00	----	4.70B/*1.90A	4.70B/*1.90A	----	----	----	----	1.80 - 1.60	.0174	----	1	----	----	5 +	1							
4625	----	----	----	1.30B/*0.80A	1.30B/*0.80A	----	----	----	----	0.50 - 0.70	.0044	----	----	----	----	52	UNCH							
4650	1.70	1.70	----	3.90B/*1.60	3.90B/*1.60	----	----	----	----	1.60 - 1.50	.0153	----	2	----	----	8 +	2							
4650	----	----	----	----/*0.70A	1.00B/*0.70A	----	----	----	----	0.40 - 0.60	.0034	----	----	----	----	20	UNCH							
4650	----	----	----	----	----	----	----	----	----	516.70	UNCH	----	----	----	----	0	UNCH							
4650	----	----	----	----	----	----	----	----	----	0.00	UNCH	----	----	----	----	0	UNCH							
4675	1.60	1.60	----	3.30B/*1.50A	3.30B/*1.50A	----	----	----	----	1.40 - 1.30	.0132	----	1	----	----	8 +	1							
4675	----	----	----	----/*0.70A	0.80B/*0.70A	----	----	----	----	0.30 - 0.60	.0025	----	----	----	----	57	UNCH							
4700	1.40	1.40	----	2.80B/*1.40	2.80B/*1.40	----	----	----	----	1.														

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64																					
		GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST																																	
GWT TUE		GOLD WEEKLY TUESDAY OPTION week3																																													
JUN26																																															
3600	2.40	2.40		#3.30B/*0.60A	#3.30B/*0.60A	----	0.90	- 0.90	.0059	----	----	1	----	13	+	1																															
3700	9.00	9.00		#17.10B/*2.50A	#17.10B/*2.50A	----	7.60	- 1.20	.0529	----	----	6	----	17	+	6																															
3700	2.30	2.30		#6.50B/*0.70A	#6.50B/*0.70A	----	1.70	- 1.30	.0130	----	----	1	----	20	+	1																															
3700	8.00	8.00		#26.20B/*4.80A	#26.20B/*4.80A	----	15.70	+ 1.10	.0891	----	----	1	----	6	+	1																															
3750	----	----		#32.80B/*6.20A	#32.80B/*6.20A	----	19.50	+ 1.40	.1108	----	----	----	----	1	----	UNCH																															
3750	12.40	12.40		#22.30B/*3.10A	#22.30B/*3.10A	----	10.10	- 1.20	.0709	----	6	----	----	12	+	6																															
3750	2.80	2.80		#9.50B/*0.80A	#9.50B/*0.80A	----	2.50	- 1.50	.0204	----	7	----	----	32	+	6																															
3800	5.90	5.90		#28.80B/*3.80A	#28.80B/*3.80A	----	13.50	- 1.20	.0950	----	5	----	----	15	+	5																															
3800	----	----		#40.80B/*8.10A	#40.80B/*8.10A	----	24.50	+ 1.70	.1385	----	2	----	----	8	+	6																															
3800	5.30	5.30		#14.00B/*1.00A	#14.00B/*1.00A	----	3.70	- 1.80	.0321	----	12	----	----	103	+	3																															
3850	16.90	16.90		#50.50B/*10.70A	#50.50B/*10.70A	----	30.80	NEW	.1724	----	3	----	----	3	+	3																															
3850	7.50	7.50		#37.20B/*5.20A	#37.20B/*5.20A	----	18.10	NEW	.1269	----	2	----	----	2	+	2																															
3850	8.70	8.70		#19.50B/*1.20A	#19.50B/*1.20A	----	5.60	- 2.20	.0512	----	18	----	----	10	-	2																															
3855	2.90	2.90		#2.90/*1.40A	#18.90B/*1.40A	----	5.90	NEW	.0541	----	1	----	----	1	+	1																															
3865	9.70	9.70		#21.70B/*1.30A	#21.70B/*1.30A	----	6.40	NEW	.0592	----	2	----	----	2	+	2																															
3870	9.40	9.40		#22.40B/*1.40A	#22.40B/*1.40A	----	6.70	NEW	.0622	----	1	----	----	1	+	1																															
3875	10.70	10.70		#42.00B/*6.30A	#42.00B/*6.30A	----	21.00	NEW	.1466	----	2	----	----	2	+	2																															
3875	9.80	9.80		#23.10B/*1.40A	#23.10B/*1.40A	----	7.00	NEW	.0653	----	1	----	----	1	+	1																															
3875	20.20	20.20		#56.10B/*12.40A	#56.10B/*12.40A	----	34.60	NEW	.1922	----	6	----	----	5	+	5																															
3880	11.10	11.10		#23.90B/*1.50A	#23.90B/*1.50A	----	7.30	NEW	.0684	----	2	----	----	2	+	2																															
3900	----	----		#62.10B/*14.40A	#62.10B/*14.40A	----	38.90	+ 2.60	.2141	----	7	----	121	UNCH																																	
3900	27.20	27.20		#47.60B/*7.30A	#47.60B/*7.30A	----	24.40	- 0.70	.1690	----	4	----	27	UNCH																																	
3900	10.00	10.00		#27.30B/*1.60A	#27.30B/*1.60A	----	8.70	- 2.50	.0827	----	2	----	43	+	1																																

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64								
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST												
GWT	TUE	GOLD WEEKLY TUESDAY OPTION weeks5																														
JUN26																																
4325	----	----			#290.80B/156.70	#290.80B/156.70A	----			236.80	+ 11.20			----	----	----					1			UNCH								
4325	----	----			44.70B/*13.40A	44.70B/*13.40A	----			15.30	- 6.70			----	----	----					4			UNCH								
4325	----	----			#288.40B/132.00	#288.40B/132.00A	----			226.10	+ 12.60			----	----	----					2			UNCH								
4325	22.70	22.70			24.60B/*3.10A	24.60B/*3.10A	----			3.70	- 5.10			9	----	----					11	+		7								
4325	14.60	14.60			#280.00B/111.40	#280.00B/111.40A	----			214.70	+ 14.30			3	----	----					7			UNCH								
4340	----	----			#21.00B/*2.50A	21.00B/*2.50A	----			3.10	NEW			1	----	----					1	+		1								
4350	----	----			36.90B/*10.90A	36.90B/*10.90A	----			12.10	- 5.90			5	----	----					5	+		2								
4350	----	----			#312.10B/173.70	#312.10B/173.70A	----			257.80	+ 12.30			1	----	----					4	+		1								
4350	----	----			50.40B/*20.20A	50.40B/*20.20A	----			22.20	- 6.90			----	----	----					5			UNCH								
4350	3.20	3.20			18.70B/*2.30A	18.70B/*2.30A	----			2.70	- 4.10			20	----	----					29	+		13								
4350	----	----			#304.10B/130.80	#304.10B/130.80A	----			238.60	+ 15.20			----	----	----					13			UNCH								
4355	16.60	16.60			#17.80B/*2.10A	17.80B/*2.10A	----			2.50	NEW			2	----	----					2	+		2								
4360	11.60	11.60			#16.70B/*1.90A	16.70B/*1.90A	----			2.40	NEW			4	----	----					4	+		4								
4370	10.20	10.20			#14.90B/*1.80A	14.90B/*1.80A	----			2.10	NEW			1	----	----					1	+		1								
4375	20.50	20.50			43.60B/*17.00A	43.60B/*17.00A	----			18.80	- 6.00			18	----	----					20	+		7								
4375	----	----			#334.10B/191.30	#334.10B/191.30A	----			279.40	+ 13.30			1	----	----					13			UNCH								
4375	----	----			30.40B/*8.70A	30.40B/*8.70A	----			9.60	- 5.20			----	----	----					1			UNCH								
4375	----	----			14.00B/*1.60A	14.00B/*1.60A	----			2.00	- 3.20			1	----	----					54			UNCH								
4375	----	----			#328.40B/151.20	#328.40B/151.20A	----			262.90	+ 16.10			4	----	----					14	+		1								
4380	----	----			#13.40B/*1.60A	13.40B/*1.60A	----			1.90	NEW			7	----	----					7	+		7								
4390	1.70	1.70			#11.80B/*1.40A	11.80B/*1.40A	----			1.70	- 2.80			1	----	----					31	+		1								
4400	----	----			37.00B/*14.30A	37.00B/*14.30A	----			16.00	NEW			1	----	----					1	+		1								
4400	8.00	8.00			24.90B/*7.00A	24.90B/*7.00A	----			7.60	- 4.70			4	----	----					6	+		4								
4400	----	----			#357.30B/187.60	#357.30B/187.60A	----			293.40	+ 14.70			----	----	----					1			UNCH								
4400	----	----			#356.40B/209.90	#356.40B/209.90A	----			301.60	+ 14.20			----	----	----					2			UNCH								
4400	10.00	10.00			10.60B/*1.30A	10.60B/*1.30A	----			1.50	- 2.60			34	----	----					55	+		33								
4400	----	----			#352.90B/172.60	#352.90B/172.60A	----			287.40	+ 16.70			----	----	----					184			UNCH								
4405	1.40	1.40			#9.90B/*1.20A	#9.90B/*1.20A	----			1.40	NEW			1	----	----					1	+		1								
4410	270.90	270.90			#270.90/*181.40	277.10B/181.40A	----			297.30	NEW			1	----	----					1	+		1								
4410	1.40	1.40			#9.50/*1.10A	#9.50/*1.10A	----			1.40	NEW			3	----	----					2	+		2								
4420	7.70	7.70			#8.30B/*1.10A	8.30B/*1.10A	----			1.20	- 2.30			2	----	----					7	+		2								
4425	----	----			31.20B/*12.10A	31.20B/*12.10A	----			13.60	- 4.40			10	----	----					12	+		10								
4425	13.60	13.60			#379.60B/229.40	#379.60B/229.40A	----																									

PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
GWT TUE	GOLD WEEKLY TUESDAY OPTION week1																								
JUL26																									
4375	25.50	25.50		#53.90B/*24.90A	#53.90B/*24.90A	----			29.50	NEW	.1896	----	2	----	2	+	2								
4525	11.80	11.80		#22.80B/*10.50A	#22.80B/*10.50A	----			15.80	NEW	.1047	----	1	----	1	+	1								
4550	9.80	9.80		#19.70B/*9.10A	#19.70B/*9.10A	----			14.50	NEW	.0958	----	3	----	3	+	3								
4600	7.60	7.60		#14.80B/*7.20A	#14.80B/*7.20A	----			12.30	NEW	.0807	----	2	----	2	+	2								
4625	6.70	6.70		#12.90B/*6.40A	#12.90B/*6.40A	----			11.10	NEW	.0731	----	2	----	2	+	2								
4700	3.70	3.70		#8.40B/*3.70	#8.40B/*3.70	----			8.20	NEW	.0545	----	1	----	1	+	1								
4750	3.70	3.70		#6.30B/*3.70	#6.30B/*3.70	----			6.70	NEW	.0447	----	1	----	1	+	1								
TOTAL													34		34	+	30								
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST										
GWR THU	GOLD WEEKLY THURSDAY OPTION week3																								
JUN26																									
3300	----	----		----	#0.90B/*0.80A	----			0.50	NEW	.0026	----	1	----	1	+	1								
3500					----/0.10A	----			0.00	- 0.10		----	----	----	0	-	3								
3550	1.50	1.50		#3.40B/0.90A	#3.40B/0.90A	----			1.30	- 0.70	.0081	----	30	----	75	+	12								
3600	3.40	3.40		#6.40B/1.00A	#6.40B/1.00A	----			2.20	- 1.00	.0151	----	5	----	56	+	1								
3600	0.20	0.20		0.30/*0.10A	0.30/*0.10A	----			0.00	- 0.10		----	10	----	0	-	54								
3700	0.30	0.30		0.60B/0.10A	0.60B/0.10A	----			0.00	- 0.30		----	11	----	0	-	110								
3700	5.70	5.70		#11.70B/1.40A	#11.70B/1.40A	----			4.00	- 1.40	.0298	----	46	----	93	+	2								
3750	13.00	13.00		#16.00B/1.80A	#16.00B/1.80A	----			5.50	- 1.60	.0424	----	27	----	48	+	19								
3750	1.20	1.20		1.20/*0.10A	1.20/*0.10A	----			0.00	- 0.40		----	5	----	0	-	18								
3775					#17.30B/*2.10A	----			6.50	NEW	.0508	----	50	----	50	+	50								
3800	1.50	1.50		1.90B/*0.10	1.90B/*0.10	----			0.00	- 0.60		----	12	----	0	-	71								
3800	10.80	10.80		#21.30B/2.20A	#21.30B/2.20A	----			7.70	- 1.90	.0609	----	27	----	79	+	3								
3825	11.80	11.80		#11.80/*2.70A	#23.40B/*2.70A	----			9.20	NEW	.0734	----	3	----	3	+	3								
3850	2.40	2.40		#3.50B/*0.10	#3.50B/*0.10	----			0.00	- 1.00		----	18	----	0	-	44								
3850	16.70	16.70		#28.40B/*3.10A	#28.40B/*3.10A	----			11.00	- 2.00	.0884	----	22	----	31	+	17								
3860	2.50	2.50		#4.00B/*0.10A</																					

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64								
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME					OPEN INTEREST												
GWR THU		GOLD WEEKLY THURSDAY OPTION week2																														
JUN26																																
4165	----	----	----	----	#120.10B/38.60A	#120.10B/38.60A	----	51.00	- 1.20	----	----	----	----	2	----	0	-	4														
4165	6.60	6.60			16.60B/*0.20A	16.60B/*0.20A	----	0.00	- 20.50					91	----	0	-	16														
4170	6.40	6.40			15.30/*0.20A	15.30/*0.20A	----	0.00	- 18.70					26	----	0	-	7														
4170	76.70	76.70			#124.70B/43.50A	#124.70B/43.50A	----	56.00	+ 0.60					5	----	0	-	9														
4175	----	----			#129.20B/48.50A	#129.20B/48.50A	----	61.00	+ 2.30					----	----	0	-	122														
4175	8.00	8.00			14.10/*0.10	14.10/*0.10	----	0.00	- 17.00					83	----	0	-	39														
4175	----	----			#158.80B/43.10A	#158.80B/43.10A	----	104.00	+ 5.70	.6389				----	----	0	-	UNCH														
4175	42.00	42.00			107.20B/*34.00A	107.20B/*34.00A	----	43.00	- 13.70	.3608				24	----	11	+	2														
4180	4.50	4.50			12.90/*0.10	12.90/*0.10	----	0.00	- 15.40					43	----	0	-	33														
4180	92.80	92.80			#134.00B/53.50A	#134.00B/53.50A	----	66.00	+ 3.90					4	----	0	-	18														
4185	----	----			#138.60B/58.40A	#138.60B/58.40A	----	71.00	+ 5.40					----	----	0	-	5														
4185	5.00	5.00			10.30B/*0.10A	10.30B/*0.10A	----	0.00	- 13.90					32	----	0	-	3														
4190	9.30	9.30			9.30/*0.10A	9.30/*0.10A	----	0.00	- 12.60					4	----	0	-	14														
4190	79.60	79.60			#143.40B/63.40A	#143.40B/63.40A	----	76.00	+ 6.70					1	----	0	-	5														
4195	----	----			#148.00B/68.40A	#148.00B/68.40A	----	81.00	+ 7.90					2	----	0	-	6														
4195	5.10	5.10			5.10/*0.10A	7.80B/*0.10A	----	0.00	- 11.40					11	----	0	-	12														
4200	104.50	104.50			#152.80B/73.40A	#152.80B/73.40A	----	86.00	+ 9.10					3	----	0	-	24														
4200	3.10	3.10			7.30/*0.10	7.30/*0.10	----	0.00	- 10.20					148	----	0	-	153														
4200	33.40	33.40			92.00/*26.90A	92.00/*26.90A	----	34.00	- 12.30	.3031				37	----	20	+	17														
4200	60.40	60.40			#177.50B/52.30A	#177.50B/52.30A	----	120.00	+ 7.00	.6967				24	----	120	-	1														
4205	----	----			#157.80B/78.20A	#157.80B/78.20A	----	91.00	+ 10.10		</																					

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64						
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN VOLUME	OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME			OPEN INTEREST											
GWR THU		GOLD WEEKLY THURSDAY OPTION week2																												
JUN26																														
4490	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.20	----	----	----	----	----	----	0 -	7												
4495	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	----	0 -	2												
4500	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.20	----	----	----	----	----	----	0 -	37												
4500	----	----	----	----	----	#451.30B/366.50	#451.30B/366.50A	386.00	+ 19.10	----	----	----	----	----	----	----	0 -	36												
4500	----	----	----	----	----	/268.70A	351.40B/268.70A	387.60	+ 17.20	.9814	----	----	----	----	1	----	41 +	1												
4500	3.30	3.30	----	----	6.80B/*1.70	6.80B/*1.70	----	1.80 - 2.10	.0185	----	----	----	----	----	21	----	980 +	35												
4505	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	1												
4510	----	----	----	----	----	----	/0.20A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	11												
4520	----	----	----	----	----	----	/0.10A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	5												
4525	----	----	----	----	----	/292.30A	#373.70B/292.30A	412.30	+ 17.40	.9848	----	----	----	----	----	----	27	UNCH												
4525	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	12												
4525	----	----	----	----	5.40B/*1.60A	5.40B/*1.60A	----	1.50 - 1.90	.0151	----	----	----	1	----	----	51	UNCH													
4525	----	----	----	----	#476.30B/----	#476.30B/393.40A	----	411.00	+ 19.20	----	----	----	----	----	----	----	0 -	41												
4530	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	2												
4535	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	1												
4540	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	2												
4545	----	----	----	----	#496.00B/411.50	#496.00B/411.50A	----	431.00	+ 19.20	----	----	----	----	----	----	----	0 -	1												
4550	----	----	----	----	#501.00B/416.50	#501.00B/416.50A	----	436.00	+ 19.20	----	----	----	----	----	----	----	0 -	80												
4550	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	14												
4550	1.50	1.50	----	----	4.20B/*1.40A	4.20B/*1.40A	----	1.30 - 1.60	.0127	----	----	----	3	----	----	17	UNCH													
4555	----	----	----	----	----	----	/*0.20A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	2												
4560	----	----	----	----	----	----	/*0.10A	----	----	0.00 - 0.10	----	----	----	----	----	----	0 -	1												
4575	----	----	----																											

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64
GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	GLOBEX		OPEN	OUTCRY	SETT.PRICE		DELTA	EXER	OPEN	GLOBEX®	PNT	OPEN					
OPEN		OPEN	RANGE	HIGH/LOW		HIGH/LOW		CLOSE		CLOSE		& PT.CHGE.			CISES	OUTCRY	VOLUME	VOLUME	INTEREST					
GWR THU		GOLD WEEKLY THURSDAY OPTION week1																						
JUL26																								
4450	19.50	19.50		30.90B/*12.90A	30.90B/*12.90A	----		13.40	-	5.20	.1049	----	----	----	----	----	3	----	17	+	1			
4475	----	----		33.90B/*15.90A	33.90B/*15.90A	----		16.90	-	5.00	.1177	----	----	----	----	----	----	----	2	----	UNCH			
4475	17.60	17.60		26.40B/*11.00A	26.40B/*11.00A	----		11.40	-	4.70	.0907	----	1	----	----	----	1	----	6	----	UNCH			
4475	----	----		#423.40B/270.20	#423.40B/270.20A	----		371.90	+	14.70	.9089	----	----	----	----	----	----	----	1	----	UNCH			
4500	----	----		29.50B/*14.00A	29.50B/*14.00A	----		14.80	-	4.50	.1044	----	1	----	----	----	1	----	16	+	1			
4500	----	----		#427.10B/291.40	#427.10B/291.40A	----		395.20	+	15.10	.9207	----	----	----	----	----	----	----	53	----	UNCH			
4500	21.00	21.00		22.60B/*9.50A	22.60B/*9.50A	----		9.80	-	4.20	.0788	----	15	----	----	----	----	----	19	+	13			
4525	----	----		25.80B/*12.30A	25.80B/*12.30A	----		13.20	-	3.80	.0937	----	----	----	----	----	----	----	11	----	UNCH			
4525	----	----		19.30B/*8.20A	19.30B/*8.20A	----		8.50	-	3.70	.0688	----	----	----	----	----	----	----	14	----	UNCH			
4525	----	----		#426.40B/313.10	#426.40B/313.10A	----		418.90	+	15.60	.9307	----	----	----	----	----	----	----	1	----	UNCH			
4550	----	----		16.60B/*7.20A	16.60B/*7.20A	----		7.40	-	3.30	.0603	----	----	----	----	----	----	----	30	----	UNCH			
4550	----	----		----/335.20A	#425.30B/335.20A	----		442.70	+	15.90	.9393	----	7	----	----	----	----	7	----	UNCH				
4575	----	----		19.40B/*9.50A	19.40B/*9.50A	----		10.60	-	2.80	.0757	----	----	----	----	----	----	1	----	UNCH				
4575	----	----		----/357.80A	410.60B/357.80A	----		466.80	+	16.40	.9466	----	----	----	----	----	----	1	----	UNCH				
4575	7.00	7.00		14.70/*6.30A	14.70/*6.30A	----		6.50	-	3.00	.0530	----	4	----	----	----	----	3	+	2				
4600	12.10	12.10		12.10/*5.50A	12.10/*5.50A	----		5.70	-	2.70	.0466	----	1	----	----	----	----	22	+	1				
4625	8.00	8.00		#14.80B/*7.40A	14.80B/*7.40A	----		8.80	-	1.90	.0626	----	1	----	----	----	----	4	+	1				
4625	5.10	5.10		10.50B/*4.70A	10.50B/*4.70A	----		5.00	-	2.50	.0410	----	2	----	----	----	----	3	+	2				
4650	4.80	4.80		9.00B/*4.10A	9.00B/*4.10A	----		4.50	-	2.20	.0367	----	1	----	----	----	----	25	+	1				
4675	4.30	4.30		7.70B/*3.90A	7.70B/*3.90A	----		4.00	-	2.00	.0326	----	2	----	----	----	----	4	+	2				
4700	11.60	11.60		11.60/*5.40A	11.60/*5.40A	----		7.10	-	0.70	.0494	----	1	----	----	----	----	2	+	1				
4700	4.00	4.00		6.70B/*3.60A	6.70B/*																			

PG64 BULLETIN #111@				METALS OPTION PRODUCTS						Thu, Jun 11, 2026 PG64			
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
GMW MON GOLD WEEKLY MONDAY OPTION WEEK3													
JUN26	----	----											
4085			#160.90B/*47.80	160.90B/*47.80A	----	64.70	NEW	.6095	----	10	----	5 +	5
4090	69.00	69.00	#84.00B/*7.70A	#84.00B/*7.70A	----	37.60	- 3.10	.4077	----	7	----	7	UNCH
4095	39.20	39.20	#87.00B/*8.30A	#87.00B/*8.30A	----	39.60	- 2.90	.4254	----	24	----	22 +	16
4100	116.00	116.00	#116.00/29.30A	#116.00/29.30A	----	74.00	+ 3.30	.4617	----	11	----	44 -	4
4100	80.00	80.00	#89.90B/*9.00A	#89.90B/*9.00A	----	41.70	- 2.50	.4433	----	219	----	85 -	16
4100	52.50	52.50	147.60B/*40.60A	147.60B/*40.60A	----	55.60	- 21.90	.5565	----	18	----	12 +	11
4100	67.80	67.80	#131.60B/45.00A	#131.60B/45.00A	----	96.10	+ 7.00	.4654	----	101	----	139 +	99
4105	54.40	54.40	#92.90B/*9.50	#92.90B/*9.50	----	43.80	- 2.30	.4615	----	3	----	4	UNCH
4110	43.90	43.90	#139.10B/*36.10	139.10B/*36.10A	----	50.00	- 21.30	.5199	----	13	----	9 +	4
4110	44.30	44.30	#96.00B/*10.10A	#96.00B/*10.10A	----	46.00	- 2.00	.4799	----	6	----	5 +	1
4115	54.30	54.30	#134.70B/*34.00	134.70B/*34.00A	----	47.30	NEW	.5014	----	1	----	1 +	1
4115	11.00	11.00	#99.20B/*10.90A	#99.20B/*10.90A	----	48.30	- 1.70	.4984	----	1	----	3	UNCH
4120	11.80	11.80	#102.70B/11.70A	#102.70B/11.70A	----	50.70	- 1.40	.5171	----	3	----	5 +	3
4120	49.60	49.60	#130.50B/*32.00	130.50B/*32.00A	----	44.70	NEW	.4827	----	14	----	3 +	3
4125	108.10	108.10	#145.20B/52.10A	#145.20B/52.10A	----	107.10	+ 7.60	.5055	----	1	----	2 +	1
4125	42.40	42.40	#130.80B/35.20A	#130.80B/35.20A	----	85.40	+ 4.30	.5135	----	2	----	7 +	2
4125	----	----	126.30B/*30.10A	126.30B/*30.10A	----	42.20	NEW	.4639	----	22	----	20 +	20
4125	95.00	95.00	#105.80B/12.50A	#105.80B/12.50A	----	53.20	- 1.00	.5359	----	6	----	8 -	4
4130	33.90	33.90	#109.30B/*13.40	#109.30B/13.40A	----	55.80	- 0.60	.5547	----	1	----	2	UNCH
4130	33.10	33.10	#122.20B/*28.20	122.20B/*28.20A	----	39.80	- 19.90	.4451	----	5	----	10 +	5
4135	----	----	#112.70B/*14.30	#112.70B/14.30A	----	58.40	- 0.30	.5736	----	----	----	5	UNCH
4140	----	----	#116.20B/*15.30	#116.20B/15.30A	----	61.20	+ 0.20	.5923	----	----	----	1	UNCH
4145	27.10	27.10	#110.10B/*23.10	110.10B/*23.10A	----	33.00	NEW	.3888	----	2	----	1 +	1
4150	35.20	35.20	#123.40B/17.40A	#123.40B/17.40A	----	66.90	+ 0.90	.6296	----	84	----	58 +	18
4150	33.00	33.00	106.20B/*21.70A	106.20B/*21.70A	----	30.90	- 18.40	.3702	----	10	----	5 +	3
4150	102.00	102.00	#146.20B/42.10A	#146.20B/42.10A	----	98.20	+ 5.50	.5662	----	4	----	16 +	2
4150	----	----	130.20B/*50.60A	130.20B/*50.60A	----	62.20	- 13.80	.4334	----	----	----	1	UNCH
4155	34.10	34.10	#102.40B/*20.20	102.40B/*20.20A	----	28.90	NEW	.3518	----	19	----	19 +	19
4160	----	----	#98.60B/*18.90A	98.60B/*18.90A	----	27.10	NEW	.3341	----	3	----	2 +	2
4160	45.00	45.00	#131.10B/*19.										

PG64		BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64
		GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK3																						
JUN26																								
4445	3.70	3.70			#4.00B/*0.40A	4.00B/*0.40A	----			0.50	NEW	.0050	----	7	----	7	+	7						
4450	----	----			#395.70B/247.80	#395.70B/247.80A	----			345.40	+ 15.10	.9141	----	----	----	2		UNCH						
4450	----	----			#370.80B/215.70	#370.80B/215.70A	----			336.40	+ 17.90	.9960	----	----	----	94		UNCH						
4450	2.30	2.30			3.70B/*0.30A	3.70B/*0.30A	----			0.40	- 1.50	.0040	----	3	----	77	+	1						
4450	12.80	12.80			24.40B/*8.90A	24.40B/*8.90A	----			9.90	- 4.20	.0855	----	18	----	40	-	1						
4450	4.50	4.50			15.10/*4.10A	15.10/*4.10A	----			4.20	- 3.40	.0444	----	13	----	512	+	7						
4450	263.00	263.00			#404.50B/227.00	#404.50B/227.00A	----			3														

PG64

BULLETIN #111@

METALS OPTION PRODUCTS

Thu, Jun 11, 2026

PG64

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SILVER WEEKLY THURSDAY OPTION week3													
RWS THU													
JUN26													
5500	0.143	0.143	#0.317B/0.143	#0.317B/0.143	----	0.206 + 0.010	.0554	----	----	----	5	125	130 UNCH
5700	----	----	----	0.001B/0.034A	----	0.000 - 0.019	----	----	----	----	----	----	0 - 1
5750	----	----	#0.678B/0.211A	#0.678B/0.211A	----	0.368 + 0.016	.1046	----	----	----	----	----	3 UNCH
5900	0.120	0.120	0.120/*0.038A	0.120/*0.038A	----	0.000 - 0.048	----	----	----	1	----	----	0 - 21
6000	0.100	0.100	0.270B/*0.001	0.270B/*0.001	----	0.000 - 0.079	----	----	----	3	----	----	0 - 20
6000	----	----	#1.355B/0.357A	#1.355B/0.357A	----	0.702 + 0.042	.2002	----	----	1	100	164 + 35	
6100	0.129	0.129	#0.544B/*0.035A	#0.544B/*0.035A	----	0.000 - 0.134	----	----	----	1	----	----	0 - 21
6100	----	----	#1.749B/0.442A	#1.749B/0.442A	----	0.917 NEW	.2567	----	----	10	----	----	2 + 2
6150	----	----	#1.974B/*0.499A	#1.974B/*0.499A	----	1.048 NEW	.2891	----	----	2	----	----	1 + 1
6200	0.117	0.117	#0.981B/*0.030A	#0.981B/*0.030A	----	0.000 - 0.232	----	----	----	6	----	----	0 - 21
6200	----	----	#2.221B/0.564A	#									

PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST											
SMW MON	SILVER WEEKLY MONDAY OPTION WEEK3																						
JUN26																							
6500	----	----	2.823B/*0.714A	2.823B/*0.714A	----	0.842	NEW	.3722	----	----	2	----	1 +	1									
6600	0.525	0.525	2.073B/*0.516A	2.073B/*0.516A	----	0.543	NEW	.2546	----	----	1	----	1 +	1									
6600	----	----	#4.658B/1.822A	#4.658B/1.822A	----	3.362	+	0.308	.6306	----	----	15	UNCH										
6600	----	----	#4.332B/0.964A	#4.332B/0.964A	----	2.542	+	0.261	.7453	----	----	1	UNCH										
6640	1.503	1.503	#1.804B/*0.441A	#1.804B/*0.441A	----	0.451	NEW	.2149	----	1	----	1 +	1										
6700	----	----	#5.237B/1.355A	#5.237B/1.355A	----	3.336	+	0.381	.8363	----	----	5	UNCH										
6700	1.215	1.215	1.630B/*0.352A	1.630B/*0.352A	----	0.338	-	0.358	.1636	----	7	----	5 +	2									
6750	----	----	#5.705B/1.595A	#5.705B/1.595A	----	3.762	+	0.434	.8711	----	----	10	UNCH										
6750	0.280	0.280	1.520/*0.278	1.520/*0.278	----	0.265	NEW	.1288	----	24	----	23 +	5	23									
6760	1.557	1.557	#5.810B/*1																				



PG64	BULLETIN #111@				METALS OPTION PRODUCTS						Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
JUL26															
7300	0.369	0.369	0.993B/*0.302A	0.993B/*0.302A	----	0.345 - 0.117	.1033	----	----	60	----	109 +	5		
7325	0.560	0.560	0.946B/*0.288A	0.946B/*0.288A	----	0.327 - 0.111	.0982	----	----	8	----	116 -	7		
7350	0.380	0.380	0.894B/*0.278A	0.894B/*0.278A	----	0.310 - 0.106	.0934	----	----	5	----	12 -	4		
7375	0.485	0.485	0.875/*0.262A	0.875/*0.262A	----	0.294 - 0.101	.0888	----	----	8	----	18 -	2		
7400	0.280	0.280	0.825B/*0.253A	0.825B/*0.253A	----	0.279 - 0.096	.0845	----	----	33	----	67 +	8		
7425	----	----	0.777B/*0.243A	0.777B/*0.243A	----	0.265 - 0.091	.0804	----	----	----	----	13	UNCH		
7450	0.742	0.742	0.756B/*0.232A	0.756B/*0.232A	----	0.252 - 0.086	.0766	----	----	4	----	88 -	1		
7475	0.549	0.549	0.720B/*0.221A	0.720B/*0.221A	----	0.									

PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
SO CALL	COMEX SILVER OPTIONS																							
JUL26																								
10800	----	----	0.052B/----	0.052B/0.049A	----	0.020 -	0.010 .0039	----	----	----	----	36	UNCH											
10875	0.076	0.076	0.090B/0.076	0.090B/0.048A	----	0.020 -	0.009 .0039	----	----	1	----	14 -	1											
10900	----	----	0.049B/----	0.049B/0.047A	----	0.019 -	0.010 .0037	----	----	----	----	6	UNCH											
10925	----	----	0.049B/----	0.049B/0.047A	----	0.019 -	0.010 .0037	----	----	----	----	1	UNCH											
10950	----	----	0.048B/----	0.048B/0.047A	----	0.019 -	0.010 .0037	----	----	----	----	2	UNCH											
10975	----	----	0.047B/----	0.047B/0.047A	----	0.019 -	0.009 .0037	----	----	----	----	1	UNCH											
11000	0.020	0.020	0.082B/*0.015	0.082B/*0.015	----	0.019 -	0.009 .0037	----	----	6	60	1299 +	2											
11025	0.063	0.063	0.082B/0.063	0.082B/0.046A	----	0.018 -	0.010 .0035	----	----	1	----	12 -	1											
11050	----	----	0.046B/----	0.046B/0.046A	----	0.018 -	0.010 .0035	----	----	----	----	8	UNCH											
11075	----	----	0.045B/----	0.045B/0.046A	----	0.018 -	0.010 .0034	----	----	----	----	2	UNCH											
11100	----	----	0.044B/----	0.044B/0.046A	----	0.018 -	0.009 .0034	----	----	----	----	15	UNCH											
11125	----	----	0.044B/----	0.044B/0.045A	----	0.018 -	0.009 .0034	----	----	----	----	7	UNCH											
11150	----	----	0.043B/----	0.043B/0.045A	----	0.017 -	0.010 .0032	----	----	----	----	2	UNCH											
11175	----	----	0.043B/----	0.043B/0.045A	----	0.017 -	0.010 .0032	----	----	----	----	2	UNCH											
11200	----	----	0.																					



PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE		GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW		OPEN OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST								
SO CALL	COMEX SILVER OPTIONS																								
AUG26																									
7800	0.920	0.920		1.7878/*0.852A	1.7878/*0.852A	----				1.034	- 0.133	.1716	----	----	4	----	297	+							3
7825	1.351	1.351		1.7218/*0.832A	1.7218/*0.832A	----				1.008	- 0.130	.1678	----	----	2	----	4	+							2
7850	----	----		1.6828/*0.826A	1.6828/*0.826A	----				0.984	- 0.127	.1642	----	----	6	----	11	-							6
7875	----	----		1.6468/*0.795A	1.6468/*0.795A	----				0.960	- 0.124	.1606	----	----	----	----	1	----							UNCH
7900	0.932	0.932		1.6198/*0.789A	1.6198/*0.789A	----				0.936	- 0.123	.1571	----	----	1	----	68	UNCH							UNCH
7925	----	----		1.5748/*0.772A	1.5748/*0.772A	----				0.914	- 0.120	.1537	----	----	----										

PG64	BULLETIN #111@										METALS OPTION PRODUCTS					Thu, Jun 11, 2026			PG64
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY HIGH/LOW	OPEN CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST				
SO CALL																			
AUG26																			
12725	----	----	----	0.116B/----	0.116B/*0.086A	----	0.078	- 0.007	.0122	----	----	----	----	----	1	UNCH			
12775	----	----	----	0.117B/----	0.117B/*0.085A	----	0.078	- 0.006	.0122	----	----	----	----	----	13	UNCH			
12800	----	----	----	0.116B/----	0.116B/*0.085A	----	0.077	- 0.006	.0120	----	----	----	----	----	2	UNCH			
13000	----	----	----	0.108B/----	0.108B/*0.080A	----	0.074	- 0.005	.0115	----	----	----	----	----	3598	UNCH			
14000	0.071	0.071		0.074B/*0.063A	0.074B/*0.063A	----	0.058	- 0.003	.0087	----	----	----	2	----	23 +	1			
15000	----	----	----	----	0.046B/*0.058A	----	0.045	- 0.004	.0066	----	----	----	----	----	116	UNCH			
16000	----	----	----	----	0.030B/*0.051A	----	0.036	- 0.003	.0052	----	----	----	----	----	9	UNCH			
17000	----	----	----	----	0.024B/*0.040A	----	0.030	- 0.002	.0042	----	----	----	----	----	2961	UNCH			
18000	----	----	----	----	0.015B/0.049A	----	0.025	- 0.002	.0035	----	----	----	----	----	8	UNCH			
19000	----	----	----	----	0.001B/0.044A	----	0.019	- 0.002	.0026	----	----	----	----	----	2	UNCH			
20000	----	----	----	----	0.003B/*0.025A	----	0.015	- 0.001	.0020	----	----	----	----	----	245	UNCH			

PG64	BULLETIN #111@				METALS OPTION PRODUCTS						Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL															
OCT26															
8275	----	----	2.529B/*2.122A	2.529B/*2.122A	----	2.103 -	0.176	.2289	----	----	----	2	UNCH		
8400	----	----	2.404B/*1.904A	2.404B/*1.904A	----	1.964 -	0.169	.2154	----	----	----	1	UNCH		
8425	----	----	2.327B/*1.911A	2.327B/*1.911A	----	1.938 -	0.170	.2128	----	----	----	1	UNCH		
8450	----	----	2.343B/*1.855A	2.343B/*1.855A	----	1.913 -	0.170	.2103	----	----	----	20	UNCH		
8500	----	----	2.276B/*1.823A	2.276B/*1.823A	----	1.864 -	0.172	.2055	----	4	----	16 +	4		
8550	----	----	2.220B/*1.764A	2.220B/*1.764A	----	1.816 -	0.176	.2007	----	----	----	1	UNCH		
8700	----	----	2.042B/*1.670A	2.042B/*1.670A	----	1.685 -	0.181	.1873	----	4	----	8 +	4		
8750	----	----	1.970B/*1.601A	1.970B/*1.601A	----	1.644 -	0.180	.1831	----	----	----	1	UNCH		
8900	1.568	1.568	1.844B/*1.494A	1.844B/*1.494A	----	1.525 -	0.161	.1709	----	3	----	12 +	3		
9000	----	----	1.717B/*1.455A	1.717B/*1.455A	----	1.449 -	0.136	.1631	----	----	----	40	UNCH		
9100	----	----	1.634B/*1.362A	1.634B/*1.362A	----	1.376 -	0.112	.1557	----	----	----	24	UNCH		
9150	----	----	1.594B/*1.365A	1.594B/*1.365A	----	1.342 -	0.102	.1522	----	----	----	2	UNCH		
9200	----	----	1.554B/*1.303A	1.554B/*1.303A	----	1.309 -	0.097	.1487	----	----	----	1	UNCH		
9500	----	----	1.346B/*1.131A	1.346B/*1.131A											



PG64	BULLETIN #111@				METALS OPTION PRODUCTS						Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST			
SO CALL	COMEX SILVER OPTIONS														
DEC26															
9700	----	----	----	1.465B/2.474A	----	1.903 - 0.153	.1752	----	----	----	----	1	UNCH		
9800	----	----	----	1.386B/2.412A	----	1.838 - 0.150	.1696	----	----	1	----	75 +	1		
9900	----	----	----	1.313B/2.356A	----	1.776 - 0.145	.1643	----	----	----	----	5	UNCH		
10000	2.050	2.050	2.050/2.050	2.050/1.857A	----	1.717 - 0.140	.1592	----	----	13	----	857 +	1		
10025	----	----	----	1.226B/2.292A	----	1.703 - 0.138	.								

**METALS OPTIONS PRODUCTS**

2026 DAILY INFORMATION BULLETIN - <http://www.cmeigroup.com/dailybulletin>

CME Group, Inc.

20 South Wacker Drive, Chicago, Illinois 60606-7499

Customer Service: (312) 930-1000

FINAL



PG64 BULLETIN #111@				METALS OPTION PRODUCTS							Thu, Jun 11, 2026			PG64	
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME		OPEN INTEREST
SO PUT JUL26	COMEX SILVER OPTIONS														
4250	----	----	----	0.060B/*0.047A	0.060B/0.047A	----	----	0.059 + 0.011	.0107	----	----	----	----	21	UNCH
4300	----	----	----	0.097B/*0.026A	0.097B/*0.026A	----	----	0.063 + 0.011	.0116	----	----	----	----	98	UNCH
4325	----	----	----	0.101B/*0.028A	0.101B/*0.028A	----	----	0.065 + 0.011	.0120	----	----	----	----	17	UNCH
4350	0.094	0.094	----	0.106B/*0.029A	0.106B/*0.029A	----	----	0.067 NEW	.0125	----	----	3	+	3	+
4375	----	----	----	0.110B/*0.031A	0.110B/0.031A	----	----	0.070 + 0.012	.0131	----	----	3	----	32	UNCH
4400	----	----	----	0.115B/*0.033A	0.115B/0.033A	----	----	0.072 + 0.012	.0135	----	----	1	----	33	+
4425	----	----	----	0.120B/*0.034A	0.120B/0.034A	----	----	0.075 + 0.012	.0142	----	----	----	----	1	UNCH
4450	----	----	----	0.126B/*0.036A	0.126B/0.036A	----	----	0.078 + 0.013	.0148	----	----	----	----	4	UNCH
4475	0.019	0.019	----	0.132B/*0.017A	0.132B/*0.017A	----	----	0.080 + 0.012	.0153	----	3	----	----	19	+
4500	0.045	0.045	----	0.137B/*0.019A	0.137B/*0.019A	----	----	0.083 + 0.012	.0160	----	2	----	----	289	UNCH
4575	----	----	----	0.156B/*0.023A	0.156B/*0.023A	----	----	0.093 + 0.014	.0182	----	----	----	----	75	UNCH
4600	0.086	0.086	----	0.163B/*0.024A	0.163B/*0.024A	----	----	0.096 + 0.014	.0189	----	----	1	----	101	UNCH
4625	0.152	0.152	----	0.170B/*0.026A	0.170B/*0.026A	----	----	0.100 + 0.014	.0198	----	5	----	----	11	+
4650	----	----	----	0.178B/*0.027A	0.178B/*0.027A	----	----	0.104 + 0.015	.0207	----	----	----	----	40	UNCH
4675	----	----	----	0.186B/*0.029A	0.186B/*0.029A	----	----	0.107 + 0.014	.0214	----	----	----	----	12	UNCH
4700	0.113	0.113	----	0.194B/*0.031A	0.194B/*0.031A	----	----	0.111 + 0.014	.0224	----	1	----	----	172	UNCH
4725	----	----	----	0.203B/*0.033A	0.203B/*0.033A	----	----	0.116 + 0.016	.0235	----	----	----	----	3	UNCH
4750	0.160	0.160	----	0.214B/*0.035A	0.214B/*0.035A	----	----	0.120 + 0.015	.0244	----	2	----	----	55	+
4775	----	----	----	0.225B/*0.036A	0.225B/0.036A	----	----	0.125 + 0.016	.0256	----	----	----	----	8	UNCH
4800	0.170	0.170	----	0.235B/*0.039A	0.235B/0.039A	----	----	0.130 + 0.017	.0267	----	4	----	----	21	UNCH
4825	----	----	----	0.244B/*0.041A	0.244B/0.041A	----	----	0.135 + 0.017	.0279	----	----	----	----	26	UNCH
4850	----	----	----	0.251B/*0.043A	0.251B/0.043A	----	----	0.140 + 0.017	.0291	----	----	----	----	2	UNCH
4875	----	----	----	0.266B/*0.046A	0.266B/0.046A	----	----	0.145 + 0.017	.0303	----	----	----	----	23	UNCH
4900	----	----	----	0.279B/*0.049A	0.279B/0.049A	----	----	0.151 + 0.017	.0317	----	----	----	----	170	UNCH
4950	----	----	----	0.304B/0.054A	0.304B/0.054A	----	----	0.164 + 0.019	.0347	----	----	----	----	6	UNCH
4975	0.177	0.177	----	0.319B/0.058A	0.319B/0.058A	----	----	0.170 + 0.019	.0362	----	1	----	----	3	+
5000	0.275	0.275	----	0.330B/0.060	0.330B/0.060	----	----	0.178 + 0.020	.0380	----	459	----	----	973	+
5025	0.192	0.192	----	0.349B/0.065A	0.349B/0.065A	----	----	0.185 + 0.020	.0397	----	1	----	----	2	+
5050	----	----	----	0.358B/0.069A	0.358B/0.069A	----	----	0.193 + 0.021	.0416	----	----				

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.

© Copyright CME GROUP INC. All rights reserved.



PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST												
SO PUT	COMEX SILVER OPTIONS																							
JUL26																								
7800	----	----	14.818B/10.945A	14.818B/10.945A	----	14.120 + 0.698	.9591	----	----	1	----	102 -	1											
7825	----	----	14.998B/11.167A	14.998B/11.167A	----	14.365 + 0.700	.9607	----	----	----	----	27	UNCH											
7850	----	----	15.242B/11.402A	15.242B/11.402A	----	14.610 + 0.702	.9623	----	----	----	----	35	UNCH											
7875	----	----	15.488B/11.638A																					

PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME																

	BULLETIN #111@				METALS OPTION PRODUCTS				Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT	COMEX SILVER OPTIONS												
SEP26													
5475	----	----	2.1538/1.204A	2.1538/1.204A	----	1.740 +	0.154	.1961	----	----	----	3	UNCH
5500	1.630	1.630	2.2288/1.245A	2.2288/1.245A	----	1.798 +	0.159	.2016	----	7	----	240	UNCH
5575	----	----	2.4648/1.377A	2.4648/1.377A	----	1.984 +	0.173	.2185	----	----	----	2	UNCH
5600	1.361	1.361	2.5468/1.361	2.5468/1.361	----	2.050 +	0.178	.2243	----	10	----	22 +	10
5700	----	----	2.8998/1.625A	2.8998/1.625A	----	2.331 +	0.196	.2485	----	----	----	21	UNCH
5725	----	----	2.9928/1.679A	2.9928/1.679A	----	2.407 +	0.202	.2548	----	----	----	3	UNCH
5750	----	----	3.0888/1.735A	3.0888/1.735A	----	2.484 +	0.206	.2612	----	----	----	1	UNCH
5800	1.791	1.791	3.2868/1.791	3.2868/1.791	----	2.645 +	0.216	.2741	----	2	----	31 -	2
5825	2.204	2.204	3.3888/1.913A	3.3888/1.913A	----	2.728 +	0.220	.2807	----	2	----	0 -	2
5850	----	----	3.4928/1.976A	3.4928/1.976A	----	2.814 +	0.226	.2874	----	----	----	0	UNCH
5900	----	----	3.7088/2.107A	3.7088/2.107A	----	2.991 +	0.236	.3008	----	----	----	51	UNCH
5950	----	----	3.9338/2.245A	3.9338/2.245A	----	3.176 +	0.245	.3146	----	----	----	4	UNCH
5975	3.217	3.217	4.0488/2.316A	4.0488/2.316A	----	3.272	NEW	.3215	----	10	----	10 +	10
6000	3.777	3.777	4.1788/2.390A	4.1788/2.390A	----	3.370 +	0.256	.3285	----	66	84	796 +	44
6025	----	----	4.2988/2.466A	4.2988/2.466A	----	3.470 +	0.261	.3356	----	----	----	1	UNCH
6050	----	----	4.4208/2.543A	4.4208/2.543A	----	3.573 +	0.267	.3426	----	----	----	19	UNCH
6100	----	----	4.6718/2.704A	4.6718/2.704A	----	3.783 +	0.276	.3569	----	----	----	82	UNCH
6200	----	----	5.1998/3.050A	5.1998/3.050A	----	4.231 +	0.296	.3858	----	2	----	138 +	1
6300	5.190	5.190	5.7628/3.428A	5.7628/3.428A	----	4.712 +	0.315	.4150	----	21	----	39 +	9
6400	----	----	6.3578/3.841A	6.3578/3.841A	----	5.227 +	0.333	.4441	----	----	----	13 +	1
6425	----	----	6.5118/3.950A	6.5118/3.950A	----	5.361 +	0.337	.4514	----	----	----	1	UNCH
6450	----	----	6.5718/4.060A	6.5718/4.060A	----	5.497 +	0.342	.4586	----	----	----	1	UNCH
6500	----	----	6.8358/4.288A	6.8358/4.288A	----	5.776 +	0.351	.4730	----	7	----	155 -	5
6550	----	----	7.1608/4.524A	7.1608/4.524A	----	6.062 +	0.359	.4873	----	----	----	15	UNCH
6600	6.900	6.900	7.4928/4.768A	7.4928/4.768A	----	6.356	NEW	.5015	----	1	----	1 +	1
6700	----	----	8.1778/5.281A	8.1778/5.281A	----	6.969 +	0.384	.5292	----	----	----	355	UNCH
6750	----	----	8.5308/5.550A	8.5308/5.550A	----	7.286 +	0.392	.5428	----	----	----	1	UNCH
6800	----	----	8.8898/5.826A	8.8898/5.826A	----	7.611 +	0.400	.5561	----	----	----	24	UNCH
6850	----	----	9.2548/6.111A	9.2548/6.111A	----	7.944 +	0.409	.5692	----	----	----	2	UNCH
6900	----	----	9.6258/6.400A	9.6258/6.400A	----	8.283 +	0.417	.5821	----	----	----	24	UNCH
6975	----	----	10.1938/6.850A	10.1938/6.850A	----	8.805 +	0.430	.6008	----	----	----	15	UNCH
7000	7.000	7.000	10.3858/7.000	10.3858/7.000	----	8.982 +	0.434	.6069	----	1	----	201	UNCH
7050	----	----	10.7738/7.314A	10.7738/7.314A	----	9.342 +	0.444	.6189	----	----	----	2	UNCH
7075	----	----	10.9698/7.479A	10.9698/7.479A	----	9.524 +	0.448	.6248	----	----	----	2	UNCH
7100	----	----	11.1668/7.639A	11.1668/7.639A	----	9.707 +	0.452	.6306	----	----	----	18	UNCH
7125	----	----	11.3658/7.795A	11.3658/7.795A	----	9.892 +	0.457	.6363	----	----	----	25	UNCH
7175	----	----	11.7658/8.137A	11.7658/8.137A	----	10.266 +	0.466	.6475	----	----	----	20	UNCH
7200	----	----	11.9678/8.293A	11.9678/8.293A	----	10.456 +	0.471	.6530	----	----	----	77	UNCH
7300	----	----	12.7868/8.975A	12.7868/8.975A	----	11.226 +	0.488	.6742	----	----	----	171	UNCH
7400	----	----	13.6218/9.719A	13.6218/9.719A	----	12.015 +	0.504	.6942	----	----	----	26	UNCH
7450	----	----	14.0458/10.151A	14.0458/10.151A	----	12.416 +	0.511	.7037	----	----	----	1	UNCH
7500	----	----	14.4728/10.521A	14.4728/10.521A	----	12.822 +	0.519	.7130	----	----	----	18	UNCH
7550	----	----	14.9028/10.895A	14.9028/10.895A	----	13.232 +	0.526	.7220	----	----	----	44	UNCH
7600	----	----	15.3358/11.243A	15.3358/11.243A	----	13.645 +	0.532	.7307	----	----	----	26	UNCH
7650	----	----	#15.7718/11.660	#15.7718/11.660A	----	14.062 +	0.538	.7391	----	----	----	16	UNCH
7700	----	----	#16.2108/12.049	#16.2108/12.049A	----	14.483 +	0.545	.7472	----	----	----	9	UNCH
7775	----	----	#16.8748/12.641	#16.8748/12.641A	----	15.120 +	0.553	.7589	----	----	----	5	UNCH
7800	----	----	#17.0978/12.840	#17.0978/12.840A	----	15.334 +	0.556	.7627	----	----	----	26	UNCH
7900	----	----	#17.9938/13.645	#17.9938/13.645A	----	16.197 +	0.565	.7772	----	----	----	1	UNCH
8000	----	----	18.8998/14.464A	18.8998/14.464A	----	17.072 +	0.574	.7907	----	----	----	93	UNCH
8100	----	----	#19.7998/15.299	#19.7998/15.299A	----	17.957 +	0.582	.8033	----	----	----	1	UNCH
8200	----	----	#20.7208/16.146	#20.7208/16.146A	----	18.852 +	0.591	.8150	----	----	----	1	UNCH
8300	----	----	#21.6488/17.005	#21.6488/17.005A	----	19.755 +	0.597	.8259	----	----	----	1	UNCH
8400	----	----	#22.5828/17.875	#22.5828/17.875A	----	20.666 +	0.604	.8360	----	----	----	42	UNCH
8500	----	----	#23.5228/18.755	#23.5228/18.755A	----	21.585 +	0.611	.8455	----	----	----	227	UNCH
8700	----	----	#25.4248/20.542	#25.4248/20.542A	----	23.441 +	0.624	.8622	----	----	----	101	UNCH
9000	----	----	#28.2918/23.279	#28.2918/23.279A	----	26.266 +	0.641	.8833	----	----	----	74	UNCH
9300	----	----	#31.1858/26.070	#31.1858/26.070A	----	29.126 +	0.653	.9002	----	----	----	1	UNCH
9400	----	----	#32.1548/27.010	#32.1548/27.010A	----	30.086 +	0.657	.9052	----	----	----	15	UNCH
10150	----	----	#39.4828/34.171	#39.4828/34.171A	----	37.358 +	0.679	.9335	----	----	----	1	UNCH
10300	----	----	#40.9578/35.621	#40.9578/35.621A	----	38.825 +	0.683	.9377	----	----	----	1	UNCH
11000	----	----	----/42.439A	44.1438/42.439A	----	45.707 +	0.698	.9530	----	----	----	1	UNCH
TOTAL										197	168	3971 +	199
OCT26													
2675	----	----	----	0.0018/2.563A	----	0.043 +	0.009	.0048	----	----	----	8	UNCH
3000	----	----	----	0.0158/0.165A	----	0.063 +	0.013	.0074	----	----	----	9	UNCH
3250	----	----	----	0.0368/0.203A	----	0.099 +	0.019	.0115	----	----	----	1	UNCH
4000	----	----	----	0.2188/0.404A	----	0.315 +	0.050	.0360	----	----	----	3	UNCH
4500	----	----	----	0.5118/0.657A	----	0.625 +	0.086	.0692	----	----	----	3	UNCH
5000	----	----	1.2418/-----	1.2418/1.180A	----	1.197 +	0.138	.1250	----	----	----	5	UNCH
5050	----	----	1.2688/1.095A	1.2688/1.095A	----	1.275 +	0.143	.1322	----	----	----	1	UNCH
5150	----	----	1.4728/1.206A	1.4728/1.206A	----	1.446 +	0.157	.1474	----	----	----	5	UNCH
5500	----												



PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026			PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	OUTCRY HIGH/LOW	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	OPEN OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST								
SO PUT		COMEX SILVER OPTIONS																						
NOV26																								
9000	----	----		26.557B/25.342A	26.557B/25.342A	----		26.612	+	0.626	.8033	----	----	----	----	5			UNCH					
10000	----	----		----	23.040B/48.883A	----		35.895	+	0.678	.8638	----	----	----	----	1			UNCH					
11000	----	----		----	32.915B/58.015A	----		45.465	+	0.711	.9017	----	----	----	----	1			UNCH					
TOTAL														45	0	387	+		45					
DEC26																								
1500	----	----		----	----/2.685A	----		0.003	+	0.001	.0003	----	----	----	----	180			UNCH					
2000	----	----		----	0.001B/2.719A	----		0.013	+	0.002	.0014	----	----	----	----	10			UNCH					
2500	----	----		----	0.001B/2.855A	----		0.046	+	0.007	.0048	----	----	----	----	32			UNCH					
3000	----	----		----	0.011B/0.285A	----		0.119	+	0.017	.0121	----	----	----	----	93			UNCH					
3100	----	----		----	0.026B/0.310A	----		0.141	+	0.020	.0143	----	----	----	----	1			UNCH					
3150	----	----		----	0.035B/0.322A	----		0.153	+	0.022	.0154	----	----	----	----	1			UNCH					
3500	----	----		----	0.130B/0.427A	----		0.263	+	0.036	.0261	----	----	----	----	45			UNCH					
3850	----	----		----	0.270B/0.592A	----		0.429	+	0.055	.0417	----	----	----	----	1			UNCH					
3925	----	----		----	0.310B/0.629A	----		0.477	+	0.060	.0460	----	----	----	----	1			UNCH					
4000	----	----		----	0.356B/0.676A	----		0.529	+	0.063	.0506	----	----	----	----	74			UNCH					
4500	----	----		----	0.496B/1.090A	----		1.005	+	0.084	.0911	----	----	----	----	34			UNCH					
4600	----	----		----	0.603B/1.197A	----		1.134	+	0.089	.1015	----	----	----	----	4			UNCH					
4800	----	----		----	0.809B/1.982A	----		1.435	+	0.099	.1249	----	----	----	----	241			UNCH					
5000	1.876	1.876	1.876/1.500		1.876/1.500			1.804	+	0.112	.1519			12		370	-		1					
5250	----	----	----/2.088A		1.874B/2.088A	----		2.380	+	0.133	.1908	----	----	----	----	50			UNCH					
5300	----	----			2.033B/2.886A	----		2.512	+	0.138	.1993	----	----	----	----	250			UNCH					
5400	2.800	2.800	2.800/2.800		2.800/2.800	----		2.794	+	0.149	.2168	----	----	12		110	+		10					
5500	----	----			2.722B/3.364A	----		3.100	+	0.160	.2351	----	----	10		239	+		10					
5600	----	----		----	3.109B/3.605A	----		3.432	+	0.173	.2540	----	----			8			UNCH					
5650	----	----		----	3.285B/3.727A	----		3.607	+	0.179	.2636	----	----	----	----	12			UNCH					
5800	----	----		----	3.853B/4.144A	----		4.173	+	0.201	.2934	----	----	----	----	2			UNCH					
5950	----	----		----	4.479B/4.703A	----		4.799	+	0.224	.3241	----	----	----	----	5			UNCH					
6000	----	----		----	4.701B/4.908A	----		5.021	+	0.232	.3344	----	----	----	----	136			UNCH					
6200	----	----		----	5.662B/5.792A	----		5.975	+	0.265	.3761	----	----	----	----	13			UNCH					
6300	----	----		----	6.169B/6.281A	----		6.492	+	0.282	.3969	----	----	----	----	25			UNCH					
6500	7.993	7.993	7.993/7.330A		7.993/7.330A	----		7.601	+	0.316	.4380			2		744	-		2					
6650	----	----	8.238B/8.119A		8.238B/8.119A	----		8.497	+	0.341	.4679	----	----	----	----	5			UNCH					
6700	----	----	8.553B/8.408A		8.553B/8.408A	----		8.807	+	0.349	.4777	----	----	----	----	32			UNCH					
6725	----	----	8.669B/8.554A		8.669B/8.554A	----		8.965	+	0.354	.4825	----	----	----	----	4			UNCH					
6750	----	----	8.858B/8.702A		8.858B/8.702A	----		9.123	+	0.357	.4873	----	----	----	----	6			UNCH					
6800	----	----	9.199B/9.001A		9.199B/9.001A	----		9.445	+	0.366	.4968	----	----	----	----	79			UNCH					
6850	----	----	9.530B/9.314A		9.530B/9.314A	----		9.771	+	0.373	.5061	----	----	----	----	78			UNCH					
6900	----	----	9.865B/9.620A		9.865B/9.620A	----		10.103	+	0.381	.5154	----	----	----	----	1			UNCH					
6950	----	----	10.212B/9.930A		10.212B/9.930A	----		10.440	+	0.389	.5244	----	----	----	----	22			UNCH					
7000	----	----	10.562B/10.244A		10.562B/10.244A	----		10.782	+	0.396	.5334	----	----	----	----	728			UNCH					
7075	----	----	11.077B/10.743A		11.077B/10.743A	----		11.303	+	0.407	.5465	----	----	----	----	20			UNCH					
7100	----	----	11.274B/10.893A		11.274B/10.893A	----		11.479	+	0.410	.5508	----	----	----	----	2			UNCH					
7200	----	----	11.975B/11.564A		11.975B/11.564A	----		12.194	+	0.424	.5676	----	----	----	----	14			UNCH					
7250	----	----	12.359B/11.893A		12.359B/11.893A	----		12.558	+	0.431	.5757	----	----	----	----	48			UNCH					
7500	----	----	14.277B/13.668A		14.277B/13.668A	----		14.434	+	0.462	.6143	----	----	----	----	22			UNCH					
7550	----	----	14.667B/14.032A		14.667B/14.032A	----		14.819	+	0.468	.6216	----	----	----	----	1			UNCH					
7800	----	----	16.596B/15.906A		16.596B/15.906A	----		16.793	+	0.496	.6558	----	----	----	----	20			UNCH					
7850	----	----	17.001B/16.290A		17.001B/16.290A	----		17.196	+	0.501	.6622	----	----	----	----	10			UNCH					
7875	----	----	17.205B/16.549A		17.205B/16.549A	----		17.398	+	0.503	.6654	----	----	----	----	1			UNCH					
7900	----	----	17.409B/16.679A		17.409B/16.679A	----		17.601	+	0.506	.6685	----	----	----	----	19			UNCH					
8000	----	----	18.231B/17.460A		18.231B/17.460A	----		18.420	+	0.517	.6807	----	----	----	----	57			UNCH					
8100	----	----	19.063B/18.042A		19.063B/18.042A	----		19.248	+	0.527	.6924	----	----	----	----	1			UNCH					
8200	----	----	19.903B/18.576A		19.903B/18.576A	----		20.085	+	0.537	.7036	----	----	----	----	35			UNCH					
8350	----	----	21.180B/19.482A		21.180B/19.482A	----		21.356	+	0.552	.7196	----	----	----	----	9			UNCH					
8400	----	----	21.609B/20.794A		21.609B/20.794A	----		21.783	+	0.556	.7247	----	----	----	----	50			UNCH					
8500	----	----	22.473B/21.631A		22.473B/21.631A	----		22.644	+	0.565	.7346	----	----	----	----	166			UNCH					
8550	----	----	22.908B/22.051A		22.908B/22.051A	----		23.077	+	0.569	.7393	----	----	----	----	25			UNCH					
8600	----	----	23.345B/22.529A		23.345B/22.529A	----		23.512	+	0.574	.7440	----	----	----	----	2			UNCH					
8800	----	----	#25.106B/24.185		#25.106B/24.185A	----		25.266	+	0.588	.7617	----	----	----	----	12			UNCH					
8900	----	----	#25.995B/25.050		#25.995B/25.050A	----		26.153	+	0.595	.7699	----	----	----	----	30			UNCH					
9000	----	----	26.891B/25.922A		26.891B/25.922A	----		27.045	+	0.600	.7778	----	----	----	----	3			UNCH					
9050	----	----	#27.339B/26.408		#27.339B/26.408A	----		27.493	+	0.602	.7817													

	BULLETIN #111@				METALS OPTION PRODUCTS					Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETTL.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
S02 CALL	SILVER OPTIONS													
JUN26														
6620	0.980	0.980	1.781B/*0.204A	1.781B/*0.204A	----	0.184	NEW .0807	----	----	54	----	52 +	52	
6640	0.788	0.788	1.554B/*0.179A	1.554B/*0.179A	----	0.154	NEW .0630	----	----	5	----	5 +	5	
6650	0.200	0.200	1.488B/*0.168A	1.488B/*0.168A	----	0.141	NEW .0556	----	----	1	----	1 +	1	
6690	1.016	1.016	1.235B/*0.130A	1.235B/*0.130A	----	0.098	NEW .0326	----	----	17	----	17 +	17	
6700	0.850	0.850	1.320/*0.121A	1.320/*0.121A	----	0.089 -	0.359 .0282	----	----	60	----	49 +	42	
6710	0.917	0.917	1.139B/*0.113A	1.139B/*0.113A	----	0.081	NEW .0244	----	----	16	----	16 +	16	
6720	0.110	0.110	1.225B/*0.109A	1.225B/*0.109A	----	0.074	NEW .0212	----	----	3	----	3 +	3	
6740	0.987	0.987	1.073B/*0.097A	1.073B/*0.097A	----	0.061	NEW .0157	----	----	5	----	5 +	5	
6750	0.108	0.108	1.027B/*0.093A	1.027B/*0.093A	----	0.055 -	0.291 .0134	----	----	8	----	9 +	6	
6760	0.896	0.896	0.986B/*0.088A	0.986B/*0.088A	----	0.050	NEW .0115	----	----	21	----	21 +	21	
6800	0.100	0.100	0.905/*0.073A	0.905/*0.073A	----	0.033 -	0.232 .0059	----	----	20	----	17 +	3	
6820	----	----	0.710B/*0.067A	0.710B/*0.067A	----	0.027 -	0.212 .0042	----	----	----	----	1	UNCH	
6830	0.475	0.475	0.692B/*0.064A	0.692B/*0.064A	----	0.025	NEW .0037	----	----	1	----	1 +	1	
6840	0.436	0.436	0.660B/*0.061A	0.660B/*0.061A	----	0.022 -	0.192 .0030	----	----	62	----	63 +	59	
6850	0.540	0.540	0.587B/*0.058A	0.587B/*0.058A	----	0.020 -	0.183 .0025	----	----	4	----	10 -	1	
6860	0.403	0.403	0.586B/*0.056A	0.586B/*0.056A	----	0.018 -	0.174 .0021	----	----	2	----	3 +	2	
6870	----	----	0.557B/*0.054A	0.557B/*0.054A	----	0.016 -	0.166 .0017	----	----	----	----	4	UNCH	
6880	----	----	0.523B/*0.054A	0.523B/*0.054A	----	0.015 -	0.158 .0015	----	----	1	----	1	UNCH	
6890	0.351	0.351	0.497B/*0.052A	0.497B/*0.052A	----	0.013	NEW .0012	----	----	1	----	1 +	1	
6900	0.099	0.099	0.514/*0.048A	0.514/*0.048A	----	0.012 -	0.143 .0010	----	----	14	----	17 +	4	
6910	0.248	0.248	0.447B/*0.049A	0.447B/*0.049A	----	0.011	NEW .0009	----	----	14	----	7 +	7	
6920	0.295	0.295	0.418B/*0.047A	0.418B/*0.047A	----	0.010	NEW .0007	----	----	6	----	6 +	6	
6950	----	----	0.357B/*0.043A	0.357B/*0.043A	----	0.007 -	0.111 .0004	----	----	----	----	12	UNCH	
6990	----	----	0.280B/*0.039A	0.280B/*0.039A	----	0.005 -	0.090 .0002	----	----	----	----	1	UNCH	
7000	0.040	0.040	0.265B/*0.038A	0.265B/*0.038A	----	0.004 -	0.086 .0001	----	----	26	----	40 +	10	
7020	----	----	0.233B/*0.036A	0.233B/*0.036A	----	0.003 -	0.078 .0001	----	----	----	----	20	UNCH	
7030	----	----	0.213B/*0.035A	0.213B/*0.035A	----	0.003 -	0.074 .0001	----	----	----	----	2	UNCH	
7050	----	----	0.183B/*0.034A	0.183B/*0.034A	----	0.002 -	0.067 .0000	----	----	----	----	7	UNCH	
7060	----	----	0.157B/*0.033A	0.157B/*0.033A	----	0.002 -	0.063 .0000	----	----	----	----	1	UNCH	
7070	----	----	0.122B/*0.032A	0.122B/*0.032A	----	0.002 -	0.060 .0000	----	----	----	----	1	UNCH	
7080	----	----	0.114B/*0.032A	0.114B/*0.032A	----	0.002 -	0.057 .0000	----	----	----	----	3	UNCH	
7090	----	----	0.107B/*0.031A	0.107B/*0.031A	----	0.002 -	0.053 .0000	----	----	----	----	4	UNCH	
7100	----	----	0.099B/*0.030A	0.099B/*0.030A	----	0.001 -	0.051 .0000	----	----	----	----	14	UNCH	
7110	----	----	0.093B/*0.030A	0.093B/*0.030A	----	0.001 -	0.049 .0000	----	----	----	----	3	UNCH	
7150	----	----	0.066B/*0.028A	0.066B/*0.028A	----	0.001 -	0.038	----	----	----	----	15	UNCH	
7180	0.070	0.070	#0.070/*0.027A	0.070/*0.027A	----	0.001	NEW	----	----	1	----	1 +	1	
7200	----	----	0.046B/0.026A	0.046B/0.026A	----	0.001 -	0.028	----	----	2	----	47	UNCH	
7230	----	----	#0.028B/----	0.028B/0.026A	----	0.001 -	0.024	----	----	----	----	2	UNCH	
7250	----	----	----	0.020B/*0.025A	----	0.001 -	0.021	----	----	----	----	14	UNCH	
7300	0.050	0.050	0.050/0.050	0.050/*0.026A	----	0.001 -	0.016	----	----	2	----	9 +	1	
7400	----	----	----	0.001B/0.049A	----	0.001 -	0.009	----	----	----	----	47	UNCH	
7450	----	----	----	0.001B/0.047A	----	0.001 -	0.006	----	----	----	----	1	UNCH	
7500	----	----	----	----/0.044A	----	0.001 -	0.005	----	----	----	----	22	UNCH	
7600	----	----	----	----/0.040A	----	0.001 -	0.003	----	----	----	----	6	UNCH	
7650	----	----	----	----/0.038A	----	0.001 -	0.002	----	----	----	----	8	UNCH	
7700	----	----	----	----/0.036A	----	0.001 -	0.001	----	----	----	----	8	UNCH	
7750	----	----	----	----/0.035A	----	0.001 -	0.001	----	----	----	----	1	UNCH	
7800	----	----	----	----/0.032A	----	0.001 -	0.001	----	----	----	----	103	UNCH	
7850	----	----	----	----/0.035A	----	0.001	UNCH	----	----	----	----	4	UNCH	
7900	----	----	----	----/0.034A	----	0.001	UNCH	----	----	----	----	1	UNCH	
8000	----	----	----	0.001B/0.032A	----	0.001	UNCH	----	----	----	----	14	UNCH	
8050	----	----	----	----/0.031A	----	0.001	UNCH	----	----	----	----	2	UNCH	
8100	----	----	----	----/0.030A	----	0.001	UNCH	----	----	----	----	5	UNCH	
8200	----	----	----	----/0.027A	----	0.001	UNCH	----	----	----	----	15	UNCH	
8250	0.008	0.008	0.008/*0.008	0.008/*0.008	----	0.001	UNCH	----	----	1	----	5 -	1	
8300	----	----	----	----/*0.027A	----	0.001	UNCH	----	----	----	----	2	UNCH	
8400	----	----	----	----/0.030A	----	0.001	UNCH	----	----	----	----	2	UNCH	
8500	----	----	----	----/0.028A	----	0.001	UNCH	----	----	----	----	10	UNCH	
8700	----	----	----	----/0.026A	----	0.001	UNCH	----	----	----	----	1	UNCH	
9000	----	----	----	----/0.214A	----	0.001	UNCH	----	----	----	----	5	UNCH	
10000	----	----	----	----/0.228A	----	0.001	UNCH	----	----	----	----	2	UNCH	
TOTAL										442	0	820 +	294	
JUL26														
6500	----	----	----/*2.961A	3.823B/*2.961A	----	3.316 -	0.564 .5030	----	----	----	----	2	UNCH	
6600	----	----	#4.119B/*2.606A	#4.119B/*2.606A	----	2.867 -	0.530 .4577	----	----	----	----	32	UNCH	
6650	----	----	#3.749B/*2.484A	3.749B/*2.484A	----	2.661 -	0.511 .4354	----	----	----	----	6	UNCH	
6700	3.505	3.505	#3.561B/*2.292A	3.561B/*2.292A	----	2.466	NEW .4134	----	----	25	----	25 +	25	
6750	3.267	3.267	#3.355B/*2.199A	3.355B/*2.199A	----	2.283	NEW .3917	----	----	24	----	24 +	24	
7000	----	----	2.638B/*1.577A	2.638B/*1.577A	----	1.532 -	0.366 .2919	----	----	----	----	5	UNCH	
7500	----	----	1.277B/----	1.277B/*0.904A	----	0.690 -	0.186 .1510	----	----	----	----	3	UNCH	
7850	----	----	#0.730B/----	0.730B/*0.644A	----	0.426 -	0.113 .0969	----	----	----	----	2	UNCH	
8000	----	----	0.612B/----	0.612B/*0.535A	----	0.357 -	0.091 .0815	----	----	----	----	13	UNCH	
TOTAL										49	0	112 +	49	
S02 PUT	SILVER OPTIONS													
JUN26														
5250	----	----	----	0.005B/0.031A	----	0.002 -	0.025 .0000	----	----	----	----	2	UNCH	
5400	----	----	----/*0.036A	0.017B/*0.036A	----	0.005	NEW .0000	----	----	5	----	5 +	5	
5500	0.160	0.160	#0.160/*0.030A	#0.160/*0.030A	----	0.007 -	0.040 .0001	----	----	4	----	20 +	3	
5700	----	----	0.142B/*0.051A	0.142B/0.051A	----									

BULLETIN #111@				METALS OPTION PRODUCTS							Thu, Jun 11, 2026			PG64	
	GLOBEX OPEN	OPEN OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME		OPEN INTEREST
S02 PUT															
JUL26															
6000	----	----		#2.250B/1.286A	#2.250B/1.286A	----		1.805 + 0.039	.2831	----	----	----	----		1
6300	3.000	3.000		#3.468B/2.024A	#3.468B/2.024A	----		2.894 + 0.121	.4069	----	----	5	----	0 -	5
6400	----	----		#3.518B/2.337A	#3.518B/2.337A	----		3.348 + 0.146	.4516	----	----	----	----	4	UNCH
6500	3.550	3.550		#4.062B/2.701A	#4.062B/2.701A	----		3.849 + 0.175	.4969	----	----	1	----	1 -	1
6550	----	----		#3.939B/*2.939A	#3.939B/2.939A	----		4.117 + 0.191	.5195	----	----	----	----	10	UNCH
6600	----	----		---/3.112A	#4.129B/3.112A	----		4.398 + 0.210	.5421	----	----	----	----	14	UNCH
6700	3.482	3.482		3.482/3.482	4.080B/3.482	----		4.994 NEW	.5865	----	----	49	----	49 +	49
6750	----	----		---/3.743A	3.375B/3.743A	----		5.310 + 0.268	.6081	----	----	----	----	1	UNCH
6950	----	----		---/5.447A	3.933B/5.447A	----		6.684 + 0.353	.6892	----	----	----	----	5	UNCH
7000	----	----		---/5.664A	4.152B/5.664A	----		7.053 + 0.374	.7079	----	----	----	----	1	UNCH
TOTAL												55	0	86 +	43
S03 CALL															
JUL26															
6500	----	----		#4.787B/*3.311A	#4.787B/*3.311A	----		3.875 - 0.431	.5106	----	----	----	----	1	UNCH
6650	4.184	4.184		#4.603B/*2.847A	#4.603B/*2.847A	----		3.194 NEW	.4518	----	----	6	----	6 +	6
7000	----	----		#3.043B/*1.897A	3.043B/*1.897A	----		1.948 - 0.461	.3213	----	----	----	----	1	UNCH
8000	0.500	0.500		#0.877B/*0.500	0.877B/*0.500	----		0.489 NEW	.1013	----	----	3	----	3 +	3
TOTAL												9	0	11 +	9
S03 PUT															
JUL26															
6300	3.119	3.119		#3.933B/*2.349A	#3.933B/2.349A	----		3.457 NEW	.4116	----	----	1	----	1 +	1
6600	----	----		#4.964B/3.493A	#4.964B/3.493A	----		4.940 + 0.294	.5284	----	----	----	----	7	UNCH
6650	3.942	3.942		4.938B/3.759A	4.938B/3.759A	----		5.222 NEW	.5480	----	----	6	----	6 +	6
TOTAL												7	0	14 +	7
S04 CALL															
JUN26															
6500	----	----		4.364B/*1.953A	4.364B/*1.953A	----		2.477 - 0.469	.4883	----	----	----	----	2	UNCH
6750	----	----		#3.014B/*1.257A	3.014B/*1.257A	----		1.490 - 0.361	.3428	----	----	----	----	1	UNCH
6900	----	----		2.299B/*0.969A	2.299B/*0.969A	----		1.075 - 0.295	.2665	----	----	----	----	0	UNCH
7350	----	----		#0.952B/*0.413A	0.952B/*0.413A	----		0.399 - 0.137	.1137	----	----	----	----	2	UNCH
7500	----	----		0.720B/*0.322A	0.720B/*0.322A	----		0.294 - 0.103	.0854	----	----	----	----	3	UNCH
7600	----	----		0.595B/*0.274A	0.595B/*0.274A	----		0.243 - 0.084	.0710	----	----	----	----	1	UNCH
7700	----	----		0.500B/*0.234A	0.500B/*0.234A	----		0.202 - 0.071	.0593	----	----	----	----	3	UNCH
7800	----	----		0.424B/*0.206A	0.424B/*0.206A	----		0.171 - 0.058	.0501	----	----	----	----	1	UNCH
8000	0.183	0.183		0.314B/0.158A	0.314B/0.158A	----		0.127 - 0.040	.0367	----	----	2	----	6 +	2
8200	----	----		0.236B/----	0.236B/*0.127A	----		0.099 - 0.028	.0280	----	----	----	----	1	UNCH
8300	----	----		0.209B/----	0.209B/*0.118A	----		0.089 - 0.024	.0249	----	----	----	----	1	UNCH
9000	----	----		0.107B/----	0.107B/*0.079A	----		0.052 - 0.009	.0130	----	----	----	----	1	UNCH
TOTAL												2	0	22 +	2
S04 PUT															
JUN26															
5250	----	----		#0.374B/*0.174A	#0.374B/0.174A	----		0.287 + 0.044	.0611	----	----	----	----	36	UNCH
6200	----	----		#2.661B/0.930A	#2.661B/0.930A	----		1.730 + 0.172	.3381	----	----	----	----	3	UNCH
6400	----	----		#3.500B/1.383A	#3.500B/1.383A	----		2.519 + 0.233	.4515	----	----	----	----	3	UNCH
6900	----	----		#7.240B/3.480A	#7.240B/3.480A	----		5.604 + 0.446	.7333	----	----	----	----	3	UNCH
6950	----	----		#7.648B/3.776A	#7.648B/3.776A	----		5.990 + 0.467	.7560	----	----	----	----	5	UNCH
7100	----	----		#8.997B/4.881A	#8.997B/4.881A	----		7.215 + 0.526	.8154	----	----	----	----	1	UNCH
TOTAL													0	51	0
SWW WED															
JUN26															
4750	0.111	0.111		#0.111/*0.099A	#0.111/*0.099A	----		0.092 NEW	.0197	----	----	1	----	1 +	1
5000	0.165	0.165		#0.165/*0.118A	#0.165/0.118A	----		0.148 NEW	.0330	----	----	1	----	1 +	1
5200	0.070	0.070		#0.070/*0.070	0.073B/*0.070	----		0.078 NEW	.0194	----	----	3	----	3 +	3
5250	----	----		---/0.156A	#0.256B/0.156A	----		0.237 - 0.019	.0546	----	----	----	----	1	UNCH
5250	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
5250	----	----		0.084B/----	0.084B/0.088A	----		0.085 + 0.005	.0217	----	----	----	----	5	UNCH
5600	----	----		#0.330B/0.138A	#0.330B/0.138A	----		0.180 + 0.006	.0536	----	----	----	----	1	UNCH
5700	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
5700	----	----		#0.462B/0.164A	#0.462B/0.164A	----		0.231 + 0.005	.0712	----	----	----	----	1	UNCH
5750	----	----		#0.544B/0.177A	#0.544B/0.177A	----		0.264 + 0.006	.0825	----	----	----	----	10	UNCH
5800	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
5800	----	----		#0.639B/0.195A	#0.639B/0.195A	----		0.302 + 0.005	.0956	----	----	----	----	3	UNCH
6000	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
6000	----	----		#1.172B/0.279A	#1.172B/0.279A	----		0.539 + 0.014	.1738	----	----	----	----	1	UNCH
6100	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
6200	----	----		#2.583B/0.874A	#2.583B/0.874A	----		1.679 + 0.165	.3545	----	----	----	----	10	UNCH
6200	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
6250	1.890	1.890		#2.844B/0.973A	#2.844B/0.973A	----		1.859 + 0.188	.3847	----	----	1	----	3 -	1
6300	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
6300	2.200	2.200		#3.123B/1.084A	#3.123B/1.084A	----		2.055 + 0.212	.4159	----	----	42	----	16 +	6
6300	----	----		#2.454B/0.581A	#2.454B/0.581A	----		1.317 + 0.094	.3913	----	----	----	----	3	UNCH
6350	----	----				----		1.240 UNCH	----	----	----	----	----	0	UNCH
6350	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
6380	----	----				----		0.000 UNCH	----	----	----	----	----	0	UNCH
6400	----	----		#3.414B/1.342A	#3.414B/1.342A	----		2.499 + 0.260	.4811	----	----	----	----	1	UNCH
6400															

PG64	BULLETIN #111@				METALS OPTION PRODUCTS					Thu, Jun 11, 2026				PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
SWW WED SILVER WEEKLY WEDNESDAY OPTION WEEK														
JUN26														
7450	----	----	0.554B/*0.255A	0.554B/*0.255A	----	0.209 - 0.090	.0667	----	----	----	----	1	UNCH	
7490	----	----	----	----	----	10.160 UNCH	----	----	----	----	----	0	UNCH	
7500	0.645	0.645	0.645/*0.232A	0.645/*0.232A	----	0.189 - 0.081	.0603	----	----	1	----	0 -	1	
7750	0.140	0.140	0.313B/*0.140	0.313B/*0.140	----	0.119 - 0.050	.0376	----	----	2	----	11 +	2	
8050	----	----	0.186B/----	0.186B/*0.114A	----	0.077 - 0.031	.0234	----	----	----	----	4	UNCH	
8100	----	----	0.173B/----	0.173B/*0.109A	----	0.073 - 0.029	.0220	----	----	----	----	2	UNCH	
8150	----	----	0.161B/----	0.161B/*0.105A	----	0.069 - 0.027	.0206	----	----	----	----	4	UNCH	
8200	----	----	0.036B/----	0.036B/0.071A	----	0.008 - 0.005	.0022	----	----	----	----	10	UNCH	
8350	----	----	#0.123B/----	0.123B/*0.091A	----	0.057 - 0.022	.0164	----	----	----	----	12	UNCH	
8400	----	----	0.116B/----	0.116B/*0.088A	----	0.055 - 0.021	.0156	----	----	----	----	8	UNCH	
8500	----	----	0.022B/----	0.022B/0.062A	----	0.005 - 0.004	.0012	----	----	----	----	2	UNCH	
8500	----	----	0.102B/----	0.102B/*0.083A	----	0.051 - 0.019	.0142	----	----	----	----	8	UNCH	
8700	----	----	#0.082B/*0.060A	0.082B/*0.060A	----	0.045 - 0.017	.0120	----	----	----	----	4	UNCH	
9000	0.090	0.090	#0.090/*0.090	0.090/*0.069A	----	0.040 - 0.016	.0100	----	----	1	----	0 -	1	
TOTAL										64	0	187 +	15	
TWS TUE SILVER WEEKLY TUESDAY OPTION Week3														
JUN26														
5250	----	----	----	#0.055B/0.073A	----	0.059 UNCH	.0149	----	----	----	----	5	UNCH	
5600	----	----	#0.762B/*0.429A	#0.762B/0.429A	----	0.651 + 0.120	.1312	----	----	----	----	2	UNCH	
5750	0.217	0.217	#0.391B/0.137A	#0.391B/0.137A	----	0.188 NEW	.0627	----	----	2	----	2 +	2	
5900	0.400	0.400	#0.685B/0.183A	#0.685B/0.183A	----	0.293 - 0.025	.1035	----	----	5	----	4 +	3	
6050	0.295	0.295	#1.145B/*0.240	#1.145B/*0.240	----	0.478 NEW	.1730	----	----	4	----	3 +	3	
6300	----	----	#2.787B/1.481A	#2.787B/1.481A	----	2.372 + 0.313	.3992	----	----	----	----	2	UNCH	
6400	----	----	#2.744B/0.627A	#2.744B/0.627A	----	1.544 + 0.112	.4888	----	----	----	----	5	UNCH	
6520	1.185	1.185	#2.995/*0.853A	#2.995/*0.853A	----	1.007 NEW	.3764	----	2	----	----	1 +	1	
6600	0.970	0.970	2.274B/*0.675A	2.274B/*0.675A	----	0.738 NEW	.2938	----	2	----	----	2 +	2	
6600	3.113	3.113	#3.846B/2.462A	#3.846B/2.462A	----	3.852 NEW	.5598	----	2	----	----	2 +	2	
6680	1.928	1.928	#5.069B/*1.481A	#5.069B/*1.481A	----	3.331 NEW	.7775	----	8	----	----	8 +	8	
6700	1.920	1.920	1.920/*0.474A	1.920/*0.474A	----	0.490 - 0.361	.2064	----	3	----	----	4 +	3	
6750	0.400	0.400	1.589B/*0.396A	1.589B/*0.396A	----	0.398 NEW	.1706	----	1	----	----	1 +	1	
6800	1.250	1.250	1.354B/*0.332A	1.354B/*0.332A	----	0.323 - 0.274	.1401	----	1	----	----	3 +	1	
7000	----	----	#6.676B/4.785A	#6.676B/4.785A	----	6.594 + 0.541	.7517	----	----	----	----	1	UNCH	
7000	0.380	0.380	0.650B/*0.175A	0.650B/*0.175A	----	0.144 - 0.146	.0620	----	6	----	----	3 -	1	
7100	----	----	#1.652B/0.929A	1.652B/0.929A	----	0.871 - 0.173	.2103	----	----	----	----	2	UNCH	
7250	----	----	#10.574B/5.598A	#10.574B/5.598A	----	8.556 + 0.677	.9762	----	----	----	----	30	UNCH	
7300	0.050	0.050	0.231B/*0.050	0.231B/*0.050	----	0.052 - 0.052	.0201	----	1	----	----	0 -	1	
7300	----	----	8.477B/6.038A	8.477B/6.038A	----	9.047 + 0.687	.9798	----	----	----	----	1	UNCH	
7400	0.042	0.042	0.167B/*0.042	0.167B/*0.042	----	0.039 - 0.037	.0143	----	2	----	----	2 +	1	
7450	----	----	0.141B/*0.057A	0.141B/*0.057A	----	0.034 - 0.032	.0122	----	----	----	----	1	UNCH	
7500	----	----	----	0.041B/23.128A	----	10.909 + 0.647	.8953	----	----	----	----	1	UNCH	
7500	----	----	0.753B/----	0.753B/*0.487A	----	0.390 - 0.094	.1046	----	----	----	----	1	UNCH	
7500	----	----	----/7.876A	9.451B/7.876A	----	11.026 + 0.714	.9894	----	----	----	----	2	UNCH	
7650	----	----	----/9.303A	#10.935B/9.303A	----	12.513 + 0.724	.9940	----	----	----	----	1	UNCH	
7750	----	----	0.049B/----	0.049B/*0.041A	----	0.012 - 0.011	.0037	----	----	----	----	10	UNCH	
7950	----	----	----/12.231A	12.454B/12.231A	----	15.501 + 0.734	.9982	----	----	----	----	2	UNCH	
8000	----	----	0.282B/----	0.282B/*0.268A	----	0.170 - 0.043	.0469	----	----	----	----	1	UNCH	
8150	----	----	----/14.205A	14.464B/14.205A	----	17.499 + 0.737	.9992	----	----	----	----	1	UNCH	
10000	----	----	----	0.002B/0.071A	----	0.025 - 0.012	.0052	----	----	40	0	105 +	25	
TOTAL														
COPPER OPTIONS ON FUTURES														
	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST		
HWW MON COPPER WEEKLY MONDAY OPTION WEEK5														
JUN26														
525	0.0020	0.0020	#0.0020/*0.0020	#0.0020/*0.0020	----	0.0015 NEW	.0072	----	----	10	----	10 +	10	
575	----	----	----	----/0.0055A	----	0.0005 - 0.0005	.0003	----	----	----	----	1	UNCH	
590	----	----	0.4960B/*0.2900	0.4960B/*0.2900	----	0.3760 + 0.0050	.9920	----	----	----	----	1	UNCH	
610	----	----	0.0250B/0.0075A	0.0250B/0.0075A	----	0.0105 - 0.0110	.1045	----	----	----	----	15	UNCH	
614	----	----	#0.0395B/0.0085	#0.0395B/0.0085	----	0.0165 - 0.0130	.1628	----	----	----	----	1	UNCH	
615	----	----	0.0440B/*0.0090	0.0440B/*0.0090	----	0.0180 - 0.0135	.1784	----	----	----	----	10	UNCH	
620	0.0290	0.0290	0.0685B/0.0125A	0.0685B/0.0125A	----	0.0300 - 0.0160	.2855	----	6	----	----	10	UNCH	
624	0.0635	0.0635	#0.1660B/*0.053	0.1660B/*0.0530	----	0.0790 NEW	.6069	----	1	----	----	1 +	1	
625	----	----	0.1460B/0.0555A	0.1460B/0.0555A	----	0.0965 - 0.0120	.4534	----	----	----	----	3	UNCH	
625	0.0655	0.0655	0.0955B/0.0180A	0.0955B/0.0180A	----	0.0480 NEW	.4216	----	1	----	----	1 +	1	
627	----	----	0.0975B/*0.0220	0.0975B/0.0220A	----	0.0575 - 0.0175	.4808	----	----	----	----	1	UNCH	
630	----	----	0.1170B/*0.0350	0.1170B/*0.0350	----	0.0485 - 0.0095	.4306	----	----	----	----	7	UNCH	
630	0.1290	0.1290	#0.1815B/0.0855	#0.1815B/0.0855	----	0.1325 - 0.0120	.4496	----	5	----	----	6 +	5	
630	----	----	0.1370B/0.0285A	0.1370B/0.0285A	----	0.0735 - 0.0175	.5692	----	----	----	----	12	UNCH	
635	----	----	0.1790B/0.0440A	0.1790B/0.0440A	----	0.1060 - 0.0170	.7034	----	----	----	----	57	UNCH	
637	0.0530	0.0530	#0.0695B/*0.021	0										

PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64
	GLOBEX OPEN	OPEN OUTCRY OPEN	OUTCRY RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME						OPEN INTEREST			
HWR THU	COPPER WEEKLY THURSDAY OPT week2																						
JUN26																							
680					----/0.0080A	----			0.0000	-	0.0005	----									0	-	10
680	0.0090	0.0090		0.0120B/*0.0090	0.0120B/*0.0080	----			0.0045	-	0.0025	.0303		1							1	+	1
690					0.0030B/*0.0085	----			0.0030	-	0.0015	.0190									2		UNCH
695					0.0015B/*0.0080	----			0.0025	-	0.0010	.0153									2		UNCH
700					----/0.0080A	----			0.0000	-	0.0005	----									0	-	10
700					----/*0.0080A	----			0.0015	-	0.0010	.0093									2		UNCH
710					----/*0.0080A	----			0.0010	-	0.0005	.0058									1		UNCH
TOTAL													23								104	-	458
JUL26																							
500	0.0010	0.0010		0.0010/0.0010	0.0010/0.0010	----			0.0005	-	0.0005	.0025		5							12	+	5
500	0.0010	0.0010		#0.0010/*0.0010	#0.0010/*0.0010	----			0.0005		NEW	.0024		19							19	+	19
550					0.0060B/0.0150A	----			0.0100	-	0.0025	.0413									1		UNCH
620	0.0710	0.0710		#0.1550B/0.0710	#0.1550B/0.0710	----			0.1135		NEW	.3615		10							10	+	10
640				#0.2665B/0.1535	#0.2665B/0.1535	----			0.2130	-	0.0110	.5446									18		UNCH
640				0.2060B/*0.1210	0.2060B/*0.1210	----			0.1485	-	0.0030	.4548									1		UNCH
660				#0.4080B/0.2690	#0.4080B/0.2690	----			0.3470	-	0.0120	.7067									20		UNCH
715				0.0290B/----	0.0290B/*0.0305	----			0.0265	-	0.0015	.0961									1		UNCH
800	0.0030	0.0030		0.0030/*0.0030	0.0030/*0.0030	----			0.0025		NEW	.0101		26							26	+	26
TOTAL													60								108	+	60
HWT TUE	COPPER WEEKLY TUESDAY OPTION week5																						
JUN26																							
500	0.0005	0.0005		#0.0005/*0.0005	#0.0005/*0.0005	----			0.0005		NEW	.0023		19							19	+	19
550					----/0.0080A	----			0.0005		UNCH	.0000									1		UNCH
590					0.0265B/0.0125A	0.0265B/0.0125A	----		0.0170	-	0.0055	.0994									1		UNCH
590					0.0025B/0.0085A	0.0025B/0.0085A	----		0.0025	-	0.0035	.0202									1		UNCH
610					0.0840B/0.0305A	0.0840B/0.0305A	----		0.0505	-	0.0090	.2612									1		UNCH
610					0.0385B/0.0130A	0.0385B/0.0130A	----		0.0155	-	0.0110	.1388									15		UNCH
615					0.0570B/0.0165A	0.0570B/0.0165A	----		0.0255	-	0.0135	.2176									10		UNCH
615					0.2520B/*0.1050	0.2520B/*0.1050	----		0.1505	-	0.0055	.7822									9		UNCH
620					0.1305B/0.0495A	0.1305B/0.0495A	----		0.0845	-	0.0105	.3872									16		UNCH
620	0.2390	0.2390		0.3175B/*0.1935	0.3175B/*0.1935	----			0.2395		NEW	.6448		1							1	+	1
620				0.0810B/0.0205A	0.0810B/0.0205A	----			0.0395	-	0.0155	.3169									10		UNCH
622	0.0160	0.0160		#0.0660B/*0.016	0.0660B/*0.0160	----			0.0465		NEW	.3618		1							1	+	1
625					0.1100B/0.0285A	0.1100B/0.0285A	----		0.0585	-	0.0175	.4331									1		UNCH
630					0.1870B/0.0805A	0.1870B/0.0805A	----		0.1325	-	0.0110	.5251									2		UNCH
630	0.1820	0.1820		0.2480B/*0.1475	0.2480B/*0.1475	----			0.1840		NEW	.5474		11							11	+	11
630					0.1120B/0.0405A	0.1120B/0.0405A	----		0.0835	-	0.0185	.5566									2		UNCH
635					0.2215B/0.1010A	0.2215B/0.1010A	----		0.1620	-	0.0110	.5926									1		UNCH
635					0.1850B/0.0580A	0.1850B/0.0580A	----		0.1145	-	0.0180	.6736									31		UNCH
640					0.0645B/*0.0240	0.0645B/*0.0240	----		0.0260	-	0.0090	.2274									20		UNCH
645					0.0415B/*0.0175	0.0415B/*0.0175	----		0.0165	-	0.0075	.1501									1		UNCH
650					0.0255B/*0.0135	0.0255B/*0.0135	----		0.0100	-	0.0060	.0933									10		UNCH
660					0.0065B/*0.0110	0.0065B/*0.0110	----		0.0040	-	0.0040	.0359									1		UNCH
670					0.0285B/*0.0180	0.0285B/*0.0180	----		0.0180	-	0.0030	.1039									1		UNCH
675					----/*0.0070A	----			0.0010	-	0.0015	.0079									7		UNCH
680					----/*0.0075A	----			0.0005	-	0.0010	.0029									4		UNCH
690					----/*0.0075A	----			0.0005		UNCH	.0005									51		UNCH
695					----/0.0075A	----			0.0005		UNCH	.0002									48		UNCH
700					----/*0.0075A	----			0.0005		UNCH	.0000									33		UNCH
735					0.0010B/0.0115A	----			0.0030	-	0.0015	.0145									1		UNCH
TOTAL													32								310	+	32
HWW WED	COPPER WEEKLY WEDNESDAY OPTION WEEK																						
JUN26																							
500					----/0.0080A	----			0.0005		UNCH	.0002									26		UNCH
570																							

PG64	BULLETIN #111@										METALS OPTION PRODUCTS				Thu, Jun 11, 2026				PG64
	GLOBAL OPEN	OPEN OPEN	OUTCRY RANGE	GLOBAL HIGH/LOW	OPEN HIGH/LOW	OUTCRY CLOSE	OUTCRY RANGE		SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME				OPEN INTEREST	
COPPER WEEKLY WEDNESDAY OPTION WEEK																			
HWW WED																			
AUG26	----	----		0.2785B/0.2150A	0.2785B/0.2150A	----			0.2350 - 0.0030	.4385	----	----	----	----				14	UNCH
650	----	----																34	
TOTAL																			
SEP26	----	----		----/0.0550A	0.0675B/0.0550A	----			0.0645 - 0.0055	.1272	----	----	----	----				1	UNCH
550	----	----		0.3925B/*0.3180	0.3925B/*0.3180	----			0.3440 + 0.0005	.4955	----	----	----	----				1	UNCH
650	----	----		0.1115B/*0.0980	0.1115B/*0.0980	----			0.0995 - 0.0015	.1864	----	----	----	----				2	UNCH
750	----	----			0.0280B/*0.0375	----			0.0310 - 0.0010	.0652	----	----	----	----				1	UNCH
850	----	----																5	
TOTAL																			
COMEX COPPER OPTIONS																			
HX CALL																			
JUL26																			
500	----	----		----	----	----			1.2760 + 0.0080	.9940	----	----	----	----				7	UNCH
525	----	----		----	----	----			1.0260 + 0.0070	.9927	----	----	----	----				1	UNCH
530	----	----		----	----	----			0.9760 + 0.0065	.9923	----	----	----	----				6	UNCH
540	----	----		----	----	----			0.8765 + 0.0060	.9871	----	----	----	----				18	UNCH
545	----	----		----	----	----			0.8270 + 0.0060	.9843	----	----	----	----				1	UNCH
550	----	----		----	----	----			0.7775 + 0.0055	.9813	----	----	----	----				2	UNCH
555	----	----		----	----	----			0.7285 + 0.0055	.9759	----	----	----	----				116	UNCH
560	----	----		----	----	----			0.6800 + 0.0050	.9702	----	----	----	----				2	UNCH
570	----	----		----/0.5505A	0.5295B/0.5505A	----			0.5835 + 0.0045	.9514	----	----	----	----				157	UNCH
574	----	----		----/0.4950A	0.4985B/0.4950A	----			0.5450 + 0.0040	.9428	----	----	----	----				5	UNCH
575	----	----		----/0.4860A	0.4945B/0.4860A	----			0.5355 + 0.0035	.9383	----	----	----	----				18	UNCH
580	----	----		0.5020B/0.4415A	0.5020B/0.4415A	----			0.4890 + 0.0035	.9225	----	----	----	----				123	UNCH
585	----	----		0.5140B/0.3975A	0.5140B/0.3975A	----			0.4430 + 0.0025	.9023	----	----	----	----				318	UNCH
590	----	----		0.5045B/0.3575A	0.5045B/0.3575A	----			0.3985 + 0.0020	.8777	----	----	----	----				103	UNCH
591	----	----		0.4925B/0.3495A	0.4925B/0.3495A	----			0.3895 + 0.0015	.8711	----	----	----	----				3	UNCH
593	----	----		0.4740B/0.3340A	0.4740B/0.3340A	----			0.3725 + 0.0015	.8593	----	----	----	----				1	UNCH
594	----	----		0.4645B/0.3260A	0.4645B/0.3260A	----			0.3635 + 0.0010	.8526	----	----	----	----				2	UNCH
595	----	----		0.4560B/0.2915A	0.4560B/0.2915A	----			0.3555 + 0.0010	.8459	----	----	----	----				29	UNCH
597	----	----		0.4370B/0.3035A	0.4370B/0.3035A	----			0.3385 + 0.0005	.8310	----	----	----	----				1	UNCH
598	----	----		0.4280B/0.2960A	0.4280B/0.2960A	----			0.3305 + 0.0005	.8242	----	----	----	----				1	UNCH
599	----	----		0.4185B/0.2890A	0.4185B/0.2890A	----			0.3220	.8160	----	----	----	----				2	UNCH
600	0.2770	0.2770		0.4170B/0.2555A	0.4170B/0.2555A	----			0.3140	.8078	----	----	2	----				538 +	1
602	----	----		0.3920B/0.2675A	0.3920B/0.2675A	----			0.2980 - 0.0010	.7913	----	----	----	----				83	UNCH
603	----	----		0.3830B/0.2605A	0.3830B/0.2605A	----			0.2905 + 0.0005	.7829	----	----	----	----				3	UNCH
605	----	----		0.3655B/0.2215A	0.3655B/0.2215A	----			0.2750 + 0.0015	.7640	----	----	----	----				41	UNCH
610	----	----		0.3230B/0.1870A	0.3230B/0.1870A	----			0.2385 + 0.0020	.7145	----	----	----	----				229	UNCH
615	----	----		0.2940B/0.1600A	0.2940B/0.1600A	----			0.2050	.6602	----	----	----	----				465	UNCH
620	0.1385	0.1385		0.2535B/0.1350A	0.2535B/0.1350A	----			0.1745 + 0.0035	.6016	----	----	1	----				187	UNCH
625	0.1170	0.1170		0.2190B/0.1130A	0.2190B/0.1130A	----			0.1470 + 0.0040	.5409	----	----	32	----				389 -	1
630	0.0910	0.0910		0.1890B/0.0910	0.1890B/0.0910	----			0.1225 + 0.0045	.4797	----	----	54	----				462 +	42
635	0.0925	0.0925		0.1610B/0.0785A	0.1610B/0.0785A	----			0.1015 + 0.0050	.4198	----	----	32	----				227 +	5
640	0.0625	0.0625		0.1360/*0.0625	0.1360/*0.0625	----			0.0835 + 0.0050	.3629	----	----	24	----				1426 -	1
645	0.0535	0.0535		0.1140B/*0.0520	0.1140B/*0.0520	----			0.0680 + 0.0050	.3098	----	----	35	----				558 +	15
650	0.0430	0.0430		0.0945B/*0.0425	0.0945B/*0.0425	----			0.0555 + 0.0050	.2623	----	----	192	----				1035 +	9
655	0.0365	0.0365		0.0785B/*0.0345	0.0785B/*0.0345	----			0.0455 + 0.0045	.2212	----	----	16	----				410 -	9
660	0.0295	0.0295		0.0650B/*0.0285	0.0650B/*0.0285	----			0.0370 + 0.0045	.1848	----	----	22	----				894 -	16
665	0.0280	0.0280		0.0550/*0.0230A	0.0550/*0.0230A	----			0.0305 + 0.0040	.1548	----	----	95	----				221 +	82
670	0.0360	0.0360		0.0445B/*0.0190	0.0445B/*0.0190	----			0.0255 + 0.0035	.1305	----	----	109	----				492 +	8
675	0.0175	0.0175		0.0375/*0.0160	0.0375/*0.0160	----			0.0210 + 0.0040	.1087	----	----	9	----				738	UNCH
679	----	----		0.0310B/*0.0145	0.0310B/*0.0145	----			0.0185 + 0.0035	.0956	----	----	5	----				37 +	2
680	0.0175	0.0175		0.0300B/*0.0140	0.0300B/*0.0140	----			0.0180 + 0.0035	.0928	----	----	18	----				305 +	14
681	0.0135	0.0135		0.0295B/*0.0135	0.0295B/*0.0135	----			0.0175 + 0.0035	.0901	----	----	3	----				65 +	3
684	0.0140	0.0140		0.0260B/*0.0125	0.0260B/*0.0125	----			0.0160 + 0.0035	.0821	----	----	4	----				49 -	2
685	----	----		0.0235B/*0.0120	0.0235B/*0.0120	----			0.0155 + 0.0035	.0795	----	----	----	----				377	UNCH
686	----	----		0.0245B/*0.0120	0.0245B/*0.0120	----			0.0150 + 0.0035	.0769	----	----	----	----				83	UNCH
689	----	----		0.0220B/*0.0110	0.0220B/*0.0110	----			0.0140 + 0.0030	.071									



PG64	BULLETIN #111@										METALS OPTION PRODUCTS										Thu, Jun 11, 2026		PG64
	GLOBAL OPEN	OPEN OUTCRY OPEN RANGE	GLOBAL HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBAL® VOLUME	PNT VOLUME	OPEN INTEREST										
HX CALL	COMEX COPPER OPTIONS																						
SEP26																							
495	----	----	----	----	----	1.3960	+ 0.0030	.9606	----	----	----	----	2	UNCH									
500	----	----	----	----	----	1.3475	+ 0.0025	.9567	----	----	----	----	5	UNCH									
510	----	----	----	----	----	1.2520	+ 0.0010	.9462	----	----	----	----	2	UNCH									
535	----	----	----	----	----	1.0220	- 0.0015	.9049	----	----	----	----	1	UNCH									
565	----	----	----	----	----	0.7740	- 0.0020	.8181	----	----	----	----	1	UNCH									
575	----	----	----/0.6450A	0.6590B/0.6450A	----	0.6995	- 0.0020	.7818	----	----	----	----	100	UNCH									
595	----	----	0.6445B/0.5190A	0.6445B/0.5190A	----	0.5635	- 0.0025	.7003	----	----	----	----	5	UNCH									
600	----	----	0.6145B/0.4890A	0.6145B/0.4890A	----	0.5325	- 0.0025	.6785	----	----	----	----	221	UNCH									
610	----	----	0.5465B/0.4355A	0.5465B/0.4355A	----	0.4745	- 0.0020	.6340	----	----	----	----	31	UNCH									
615	----	----	0.5160B/0.4060A	0.5160B/0.4060A	----	0.4470	- 0.0020	.6115	----	----	----	----	9	UNCH									
620	----	----	0.4915B/0.3825A	0.4915B/0.3825A	----	0.4210	- 0.0020	.5888	----	----	----	----	187	UNCH									
625	----	----	0.4640B/0.3600A	0.4640B/0.3600A	----	0.3965	- 0.0020	.5662	----	----	----	----	631	UNCH									
630	----	----	0.4335B/0.3385A	0.4335B/0.3385A	----	0.3730	- 0.0020	.5437	----	----	----	----	51	UNCH									
635	----	----	0.4125B/0.3185A	0.4125B/0.3185A	----	0.3505	- 0.0025	.5214	----	----	8	----	90	+									
640	0.3420	0.3420	0.3905B/0.3000A	0.3905B/0.3000A	----	0.3295	- 0.0030	.4994	----	----	128	----	1084	+									
645	----	----	0.3665B/0.2820A	0.3665B/0.2820A	----	0.3095	- 0.0035	.4778	----	----	----	----	200	UNCH									
650	0.3025	0.3025	0.3460B/0.2650A	0.3460B/0.2650A	----	0.2910	- 0.0035	.4567	----	----	14	----	373	+									
655	----	----	0.3245B/0.2490A	0.3245B/0.2490A	----	0.2730	- 0.0040	.4360	----	----	----	----	25	UNCH									
660	----	----	0.3050B/0.2340A	0.3050B/0.2340A	----	0.2565	- 0.0040	.4160	----	----	----	----	106	UNCH									
665	----	----	0.2870B/0.2200A	0.2870B/0.2200A	----	0.2405	- 0.0045	.3964	----	----	27	----	82	+									
670	0.2260	0.2260	0.2725B/0.2070A	0.2725B/0.2070A	----	0.2255	- 0.0050	.3775	----	----	1	----	293	UNCH									
675	0.2115	0.2115	0.2560B/0.1945A	0.2560B/0.1945A	----	0.2115	- 0.0050	.3592	----	----	2	----	507	+									
680	0.2340	0.2340	0.2405B/0.1815A	0.2405B/0.1815A	----	0.1980	- 0.0050	.3413	----	----	1	----	1413	+									
685	----	----	0.2225B/0.1715A	0.2225B/0.1715A	----	0.1855	- 0.0045	.3242	----	----	----	----	55	UNCH									
690	----	----	0.2125B/0.1590A	0.2125B/0.1590A	----	0.1740	- 0.0040	.3080	----	----	----	----	989	UNCH									
695	----	----	0.1960B/0.1505A	0.1960B/0.1505A	----	0.1630	- 0.0040	.2922	----	----	----	----	57	UNCH									
700	0.1500	0.1500	0.1865B/0.1395A	0.1865B/0.1395A	----	0.1525	- 0.0035	.2769	----	----	10	625	12326	-									
705	----	----	0.1750B/0.1305A	0.1750B/0.1305A	----	0.1425	- 0.0035	.2622	----	----	62	----	464	+									
710	----	----	0.1635B/0.1220A	0.1635B/0.1220A	----	0.1330	- 0.0035	.2480	----	----	----	----	491	UNCH									
715	----	----	0.1510B/0.1160A	0.1510B/0.1160A	----	0.1245	- 0.0035	.2347	----	----	----	----	96	UNCH									
720	----	----	0.1410B/0.1085A	0.1410B/0.1085A	----	0.1165	- 0.0030	.2221	----	----	----	----	74	UNCH									
725	----	----	0.1330B/0.1020A	0.1330B/0.1020A	----	0.1085	- 0.0035	.2095	----	----	----	----	231	UNCH									
730	----	----	0.1230B/0.0955A	0.1230B/0.0955A	----	0.1015	- 0.0030	.1980	----	----	----	----	7	UNCH									
735	----	----	0.1150B/0.0895A	0.1150B/0.0895A	----	0.0945	- 0.0035	.1866	----	----	----	----	1	UNCH									
740	----	----	0.1095B/*0.0825	0.1095B/*0.0825	----	0.0885	- 0.0030	.1763	----	----	----	----	1213	UNCH									
750	0.0600	0.0600	0.0940B/0.0600	0.0940B/0.0600	----	0.0770	- 0.0035	.1566	----	----	4	625	734	+									
760	----	----	0.0830B/*0.0650	0.0830B/*0.0650	----	0.0680	- 0.0025	.1402	----	----	----	----	168	UNCH									
775	----	----	0.0675B/0.0545A	0.0675B/0.0545A	----	0.0560	- 0.0025	.1180	----	----	----	----	9234	UNCH									
790	----	----	0.0550B/*0.0460	0.0550B/*0.0460	----	0.0470	- 0.0015	.1004	----	----	----	----	76	UNCH									
800	0.0410	0.0410	0.0490B/0.0410	0.0490B/0.0410	----	0.0420	- 0.0010	.0903	----	----	1	----	1437	-									
810	----	----	0.0430B/*0.0365	0.0430B/*0.0365	----	0.0375	- 0.0010	.0813	----	----	----	----	1	UNCH									
825	----	----	0.0340B/----	0.0340B/----	----	0.0325	+ 0.0005	.0706	----	----	----	----	131	UNCH									
850	----	----	0.0250B/----	0.0250B/0.0250A	----	0.0245	UNCH	.0542	----	----	----	----	1	UNCH									
875	----	----	----	0.0185B/*0.0200	----	0.0190	UNCH	.0424	----	----	----	----	3	UNCH									
900	----	----	----	0.0140B/*0.0165	----	0.0150	UNCH	.0337	----	----	----	----	579	UNCH									
925	----	----	----	0.0110B/*0.0140	----	0.0120	UNCH	.0270	----	----	----	----	1	UNCH									
950	----	----	----	0.0085B/*0.0125	----	0.0095	UNCH	.0215	----	----	----	----	1	UNCH									
975	----	----	----	0.0080B/0.0115A	----	0.0080	UNCH	.0180	----	----	----	----	17	UNCH									
TOTAL										1250	258		33806	+									
OCT26																							
500	----	----	----	----	----	1.4420	+ 0.0015	.9421	----	----	----	----	2	UNCH									
575	----	----	----/0.7565A	0.7685B/0.7565A	----	0.8130	+ 0.0010	.7765	----	----	----	----	2	UNCH									
600	----	----	0.7235B/0.6010A	0.7235B/0.6010A	----	0.6475	- 0.0010	.6903	----	----	----	----	40	UNCH									
605	----	----	0.6910B/0.5730A	0.6910B/0.5730A	----	0.6180	- 0.0005	.6719	----	----	----	----	2	UNCH									
615	----	----	0.6285B/0.5200A	0.6285B/0.5200A	----	0.5610	- 0.0005	.6347	----	----	----	----	5	UNCH									
620	----	----	0.5990B/0.4890A	0.5990B/0.4890A	----	0.5345	- 0.0005	.6160	----	----	----	----	1	UNCH									
625	----	----	0.5710B/0.4650A	0.5710B/0.4650A	----	0.5085	- 0.0005	.5972	----	----	----	----	5	UNCH									
640	----	----	0.4940B/0.3995A	0.4940B/0.3995A	----	0.4375	- 0.0005	.5409	----	----	----	----	1	UNCH									
650	----	----	0.4505B/0.3605A	0.4505B/0.3605A	----	0.3945	- 0.0015	.5042	----	----	----	----	106	UNCH									
655	----	----	0.4280B/0.3425A	0.4280B/0.3425A	----	0.3750	- 0.0010	.4863	----	----	----	----	1	UNCH									
660	----	----	0.4070B/0.3255A	0.4070B/0.3255A	----	0.3555	- 0.0020	.4685	----	----	----	----	1	UNCH									
665	----	----	0.3870B/0.3085A	0.3870B/0.3085A	----	0.3375	- 0.0020	.4512	----	----	----	----	1	UNCH									
670	----	----	0.3670B/0.2930A	0.3670B/0.2930A	----	0.3200	- 0.0025	.4341	----	----	----	----	1	UNCH									
675	----	----	0.3490B/0.2785A	0.3490B/0.2785A	----	0.3035	- 0.0																

OPTIONS EOO'S AND BLOCKS				
PRODUCT		STRIKE PRICE	EEO VOLUME	BLOCK VOLUME
OG CALL COMEX GOLD OPTIONS				
OG JUL26	CALL			
OG		4350	0	1770
OG		4400	0	1650
OG		5200	0	110
TOTALS			0	3530
AUG26 CALL				
OG	CALL	4150	0	320
OG		4200	0	50
OG		4250	0	725
OG		4280	0	250
OG		4300	0	661
OG		4305	0	550
OG		4355	0	650
OG		4400	0	50
OG		4410	0	100
OG		4500	0	295
OG		4600	0	130
OG		4625	0	350
OG		4800	0	100
TOTALS			0	4231
SEP26 CALL				
OG	CALL	4150	0	220
OG		4535	0	100
OG		5000	0	60
TOTALS			0	380
OCT26 CALL				
OG	CALL	4200	0	50
TOTALS			0	50
DEC26 CALL				
OG	CALL	5400	0	200
OG		5500	0	110
OG		5800	0	50
TOTALS			0	360
MAR27 CALL				
OG	CALL	4300	0	40
TOTALS			0	40
DEC27 CALL				
OG	CALL	4500	0	75
TOTALS			0	75
OG PUT COMEX GOLD OPTIONS				
OG JUL26	PUT			
OG		3900	0	100
OG		4150	0	100
OG		4350	0	244
TOTALS			0	444
AUG26 PUT				
OG	PUT	3550	0	250
OG		3600	0	990
OG		3700	0	681
OG		3800	0	200
OG		3850	0	600
OG		3880	0	260
OG		3900	0	825
OG		3980	0	2000
OG		4000	0	611
OG		4100	0	100
OG		4150	0	300
OG		4250	0	200
OG		4500	0	100
OG		4800	0	100
TOTALS			0	7217
SEP26 PUT				
OG	PUT	3755	0	300
OG		3800	0	60
OG		3840	0	100
OG		3885	0	100
OG		3900	0	100
OG		3945	0	240
OG		4000	0	160
OG		4100	0	60
TOTALS			0	1120
OCT26 PUT				
OG	PUT	4200	0	50
TOTALS			0	50
DEC26 PUT				
OG	PUT	3500	0	375
OG		3700	0	80
OG		3900	0	200
OG		4000	0	250
TOTALS			0	905
MAR27 PUT				
OG	PUT	4300	0	40
TOTALS			0	40
SO CALL COMEX SILVER OPTIONS				
SO JUL26	CALL			
SO		6400	0	55
SO		11000	0	60
TOTALS			0	115
AUG26 CALL				
SO	CALL	6700	0	42
SO		8700	0	52
TOTALS			0	94
SEP26 CALL				
SO	CALL	10000	0	84
TOTALS			0	84
SO PUT COMEX SILVER OPTIONS				
SO JUL26	PUT			
SO		5700	0	26
SO		7000	0	80
TOTALS			0	106
AUG26 PUT				
SO	PUT	5100	0	60
SO		6000	0	60
SO		6275	0	42
TOTALS			0	162
SEP26 PUT				
SO	PUT	5000	0	84
SO		6000	0	84
TOTALS			0	168
MAR27 PUT				
SO	PUT	5500	0	30

PG64	BULLETIN #111@			METALS OPTION PRODUCTS		Thu, Jun 11, 2026	PG64
	TOTALS			0	30		
HX CALL SEP26 HX HX TOTALS	CALL	COMEX COPPER OPTIONS					
		700	0	625			
		750	0	625			
			0	1250			
HX PUT JUL26 HX TOTALS	PUT	COMEX COPPER OPTIONS					
		530	0	80			
			0	80			
PO CALL OCT26 PO TOTALS	CALL	PLATINUM OPTIONS					
		1690	0	175			
			0	175			
PO PUT OCT26 PO TOTALS	PUT	PLATINUM OPTIONS					
		1690	0	175			
			0	175			
PAO CALL SEP26 PAO PAO TOTALS	CALL	NYMEX PALLADIUM OPTIONS					
		1400	0	140			
		1600	0	140			
			0	280			
MAR27 PAO TOTALS	CALL	1350	0	150			
			0	150			
PAO PUT SEP26 PAO PAO TOTALS	PUT	NYMEX PALLADIUM OPTIONS					
		1050	0	140			
		1150	0	140			
			0	280			
MAR27 PAO TOTALS	PUT	1350	0	150			
			0	150			
OG2 PUT JUN26 OG2 TOTALS	PUT	GOLD OPTIONS					
		4100	0	25			
			0	25			
OG2 CALL JUN26 OG2 TOTALS	CALL	GOLD OPTIONS					
		4150	0	25			
			0	25			
HRO OPT OCT26 HRO TOTALS	CALL	U.S. MIDWEST DOMESTIC HOT-ROLLED CO					
		120000	0	100			
			0	100			
NOV26 HRO TOTALS	CALL	120000	0	100			
			0	100			
DEC26 HRO TOTALS	CALL	120000	0	100			
			0	100			
GWW WED JUN26 G3W TOTALS	CALL	GOLD WEEKLY WEDNESDAY OPTION WEEK3					
		4150	0	75			
			0	75			
RWS THU JUN26 R3S R3S TOTALS	PUT	SILVER WEEKLY THURSDAY OPTION week3					
		5500	0	125			
		6000	0	100			
			0	225			
GWT TUE JUN26 G4T TOTALS	CALL	GOLD WEEKLY TUESDAY OPTION week4					
		4150	0	150			
			0	150			