METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	MAY26	MAY26	JUN26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27	APR27
COO OPT	05/29		06/30		07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
ECG10 OP		05/29		06/01										
ECG11 OP		05/29		06/01										
ECG13 OP		05/29		06/01										
ECG15 OP		05/29		06/01										
ECG16 OP		05/29		06/01										
ECGC OOF		05/29		06/01										
ECHG OOF		05/29		06/01										
ECSI OOF		05/29		06/01										
EHO OPT	05/29		06/30		07/31	08/28	09/30							
FMG OPT	05/29		06/05											
FSO OPT	05/29		06/30											
GMW MON			06/22											
GWR THU			06/18		07/02									
GWT TUE			06/23											
GWW WED			06/24											
HMW MON			06/15											
HRO OPT			06/23		07/28	08/25	09/29	10/27	11/24	12/29				
HWR THU			06/18											
HWT TUE			06/16											
HWW WED			06/24		07/01	08/05	09/02							
HX CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HX PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	
HXE CALL	05/29		06/26		07/10									
HXE PUT	05/29		06/26											
LHO OPT	05/29		06/30		07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31	
MMG MON			06/01											
OG CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
OG1 CALL			06/05											
OG1 PUT			06/05											
OG2 CALL			06/12		07/10									
OG2 PUT			06/12		07/10									
OG4 CALL			06/26											
OG4 PUT			06/26											
OG5 CALL	05/29													
OG5 PUT	05/29													
OMG OPT					06/25	07/28		09/24		11/24				
PAO CALL					06/17	07/15	08/19			11/18				
PAO PUT					06/17	07/15	08/19			11/18				
PAW OOF	05/29													
PLW OOF	05/29		06/12											
PO CALL					06/17	07/15	08/19	09/16			12/16			
PO PUT					06/17	07/15	08/19	09/16			12/16			
RWS THU			06/18											
SMW MON			06/22											
SO CALL					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO PUT					06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23	03/24
SO1 CALL			06/05											
SO1 PUT			06/05											
SO2 CALL			06/12											
SO2 PUT			06/12											
SO4 CALL			06/26											
SO4 PUT			06/26											
SO5 CALL	05/29													
SO5 PUT	05/29													
SWW WED			06/24											
TWS TUE			06/16											
WMG WED			06/03											

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK1												
JUN26														
4500	25.00	25.00	#25.00/*25.00	#25.00/*25.00	----	29.60	NEW	.4594	----	----	2	----	2 +	2
TOTAL											2		2+	2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OMG OPT		MICRO GOLD OPTIONS												
JUL26														
3400	----	----	----	----	----	1106.40	- 86.60	----	----	----	----	----	1	UNCH
3460	----	----	----	----	----	1046.50	- 86.60	----	----	----	----	----	1	UNCH
4200	----	----	----	----	----	19.80	+ 6.30	----	----	----	----	----	2	UNCH
4275	----	----	----	----/41.00A	----	29.60	+ 9.90	----	----	----	----	----	1	UNCH
4300	----	----	----	----	----	33.90	+ 11.40	----	----	----	----	----	1	UNCH
4400	----	----	----	----/65.00A	----	58.50	+ 19.60	----	----	----	----	----	0	UNCH
4500	----	----	101.00B/----	101.00B/----	----	98.30	+ 31.60	----	----	----	----	----	8	UNCH
4550	----	----	----	----	----	124.20	+ 37.90	----	----	----	----	----	1	UNCH
4600	----	----	----	----	----	61.50	- 41.40	----	----	----	----	----	3	UNCH
4600	----	----	----	----	----	155.00	+ 45.10	----	----	----	----	----	2	UNCH
4700	----	----	----	----	----	34.40	- 27.90	----	----	----	----	----	2	UNCH
4800	----	----	----	----	----	18.80	- 17.30	----	----	----	----	----	2	UNCH
5000	----	----	----	----	----	6.50	- 6.00	----	----	----	----	----	3	UNCH
5300	----	----	----	----	----	2.20	- 1.90	----	----	----	----	----	3	UNCH
5500	----	----	----	----	----	1.40	- 1.20	----	----	----	----	----	2	UNCH
TOTAL													32	0
AUG26														
4400	----	----	90.00B/----	90.00B/----	----	108.30	+ 26.80	----	----	----	----	----	6	UNCH
4550	----	----	----	----	----	177.30	+ 39.30	----	----	----	----	----	2	UNCH
4995	----	----	----	----	----	28.60	- 12.90	----	----	----	----	----	1	UNCH
TOTAL													9	0
OCT26														
4680	185.00	185.00	185.00/*185.00	185.00/*185.00	----	164.80	NEW	----	----	----	1	----	1 +	1
TOTAL											1		1+	1
DEC26														
3250	14.20	14.20	#14.20/*14.20	#14.20/*14.20	----	16.10	NEW	----	----	----	1	----	1 +	1
4700	----	----	----	----	----	228.00	- 41.70	----	----	----	----	----	10	UNCH
TOTAL											1		11+	1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG5 PUT		GOLD OPTIONS												
MAY26														
3250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4150	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4280	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4290	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 PUT GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
4300	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4310	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4325	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4330	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4355	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4370	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4380	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4390	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4435	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	2.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	7.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	12.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	17.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	22.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	27.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	32.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	37.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	42.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	57.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	67.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	82.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	107.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	132.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	157.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	182.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	207.00	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	212.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	257.00	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	357.00	UNCH	----	----	----	----	----	0	UNCH
5500	----	----	----	----	----	907.00	UNCH	----	----	----	----	----	0	UNCH
6000	----	----	----	----	----	1407.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0

OG5 CALL GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
3250	----	----	----	----	----	1343.00	UNCH	----	----	----	----	----	0	UNCH
4230	----	----	----	----	----	363.00	UNCH	----	----	----	----	----	0	UNCH
4235	----	----	----	----	----	358.00	UNCH	----	----	----	----	----	0	UNCH
4250	----	----	----	----	----	343.00	UNCH	----	----	----	----	----	0	UNCH
4255	----	----	----	----	----	338.00	UNCH	----	----	----	----	----	0	UNCH
4260	----	----	----	----	----	333.00	UNCH	----	----	----	----	----	0	UNCH
4335	----	----	----	----	----	258.00	UNCH	----	----	----	----	----	0	UNCH
4340	----	----	----	----	----	253.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	218.00	UNCH	----	----	----	----	----	0	UNCH
4385	----	----	----	----	----	208.00	UNCH	----	----	----	----	----	0	UNCH
4395	----	----	----	----	----	198.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	193.00	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	188.00	UNCH	----	----	----	----	----	0	UNCH
4415	----	----	----	----	----	178.00	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	173.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	168.00	UNCH	----	----	----	----	----	0	UNCH
4430	----	----	----	----	----	163.00	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	153.00	UNCH	----	----	----	----	----	0	UNCH
4445	----	----	----	----	----	148.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	143.00	UNCH	----	----	----	----	----	0	UNCH
4455	----	----	----	----	----	138.00	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	133.00	UNCH	----	----	----	----	----	0	UNCH
4465	----	----	----	----	----	128.00	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	123.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	118.00	UNCH	----	----	----	----	----	0	UNCH
4480	----	----	----	----	----	113.00	UNCH	----	----	----	----	----	0	UNCH
4485	----	----	----	----	----	108.00	UNCH	----	----	----	----	----	0	UNCH
4490	----	----	----	----	----	103.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	98.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	93.00	UNCH	----	----	----	----	----	0	UNCH
4505	----	----	----	----	----	88.00	UNCH	----	----	----	----	----	0	UNCH
4510	----	----	----	----	----	83.00	UNCH	----	----	----	----	----	0	UNCH
4515	----	----	----	----	----	78.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	73.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	68.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	63.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	58.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	53.00	UNCH	----	----	----	----	----	0	UNCH
4545	----	----	----	----	----	48.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	43.00	UNCH	----	----	----	----	----	0	UNCH
4555	----	----	----	----	----	38.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	33.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	28.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	23.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	18.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	13.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	8.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	3.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG5 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4775	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5100	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5500	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0

OG4 PUT — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	----/*1.10A	0.50B/*1.10A	----	1.50 - 0.10	.0062	----	----	----	----	4 UNCH
3500	----	----	----	0.50B/2.50A	----	2.50 + 0.10	.0117	----	----	----	----	6 UNCH
3800	3.70	3.70	3.70/*3.70	3.70/*3.70	----	4.60 + 0.70	.0258	----	----	12	----	13 + 12
3900	----	----	5.40B/----	5.40B/6.10A	----	6.00 + 1.30	.0357	----	----	----	----	1 UNCH
4000	----	----	10.30B/----	10.30B/7.80A	----	8.10 + 2.10	.0509	----	----	----	----	7 UNCH
4050	----	----	#13.00B/----	13.00B/9.50A	----	10.40 + 2.80	.0652	----	----	----	----	1 UNCH
4075	----	----	14.60B/----	14.60B/10.50A	----	11.70 + 3.20	.0733	----	----	----	----	2 UNCH
4100	12.50	12.50	16.40B/12.50	16.40B/11.50A	----	13.20 + 3.70	.0827	----	----	8	----	16 UNCH
4125	----	----	18.50B/----	18.50B/11.70A	----	14.80 + 4.30	.0927	----	----	----	----	1 UNCH
4150	20.00	20.00	20.80B/20.00	20.80B/13.20A	----	16.60 + 4.90	.1040	----	----	6	----	11 + 5
4200	20.00	20.00	26.50B/19.60	26.50B/16.80A	----	21.00 + 6.40	.1311	----	----	5	----	11 UNCH
4225	----	----	30.00B/----	30.00B/18.90A	----	23.90 + 7.50	.1480	----	----	----	----	1 UNCH
4250	32.50	32.50	34.10B/32.00	34.10B/21.50A	----	27.20 + 8.70	.1668	----	----	2	----	6 - 1
4275	----	----	38.80B/----	38.80B/24.40A	----	31.20 + 10.20	.1884	----	----	----	----	5 UNCH
4300	31.30	31.30	44.00B/31.30	44.00B/27.60A	----	35.70 + 11.80	.2120	----	----	23	----	18 UNCH
4325	----	----	50.00B/----	50.00B/31.30A	----	41.00 + 13.80	.2384	----	----	1	----	2 + 1
4350	53.20	53.20	56.50B/53.20	56.50B/35.60A	----	47.00 + 15.90	.2671	----	----	10	----	22 + 1
4400	----	----	72.80B/----	72.80B/46.30A	----	61.30 + 20.40	.3308	----	----	1	----	2 - 1
4425	----	----	82.40B/----	82.40B/52.60A	----	69.70 + 22.70	.3656	----	----	----	----	2 UNCH
4450	88.60	88.60	92.90B/88.60	92.90B/59.90A	----	79.10 + 25.30	.4021	----	----	5	----	5 UNCH
4475	101.00	101.00	104.50B/101.00	104.50B/68.10A	----	89.40 + 27.80	.4398	----	----	6	----	7 + 4
4500	----	----	117.10B/----	117.10B/77.20A	----	100.80 + 30.60	.4785	----	----	12	----	8 - 1
4525	106.00	106.00	131.10B/106.00	131.10B/87.10A	----	113.20 + 33.40	.5177	----	----	3	----	4 + 2
4550	99.00	99.00	144.50B/98.10A	144.50B/98.10A	----	126.60 + 36.30	.5568	----	----	10	----	10 + 8
4600	----	----	176.70B/----	176.70B/123.80A	----	156.80 + 42.70	.6328	----	----	9	----	7 + 6
4625	161.00	161.00	194.20B/161.00	194.20B/137.60A	----	173.50 + 46.10	.6687	----	----	1	----	0 - 1
4700	----	----	251.50B/----	251.50B/189.70A	----	229.10 + 56.60	.7632	----	----	----	----	1 UNCH
4725	----	----	271.90B/----	271.90B/207.70A	----	249.30 + 60.00	.7897	----	----	----	----	1 UNCH
TOTAL										114		174 + 35

OG4 CALL — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4300	----	----	----/228.50A	288.80B/228.50A	----	241.60 - 74.60	.7873	----	----	----	----	1 UNCH
4325	----	----	----/209.40A	267.80B/209.40A	----	221.90 - 72.70	.7609	----	----	----	----	1 UNCH
4400	----	----	----/157.00A	208.30B/157.00A	----	167.40 - 66.10	.6685	----	----	----	----	2 + 1
4450	----	----	----/126.20A	172.40B/126.20A	----	135.30 - 61.20	.5972	----	----	----	----	1 UNCH
4475	112.00	112.00	112.00/111.50A	155.80B/111.50A	----	120.70 - 58.60	.5595	----	----	1	----	2 + 1
4500	----	----	----/99.20A	140.20B/99.20A	----	107.10 - 55.90	.5208	----	----	2	----	12 + 1
4525	103.30	103.30	103.30/87.10A	125.70B/87.10A	----	94.50 - 53.20	.4816	----	----	2	----	15 + 1
4550	120.00	120.00	120.00/76.80A	120.00/76.80A	----	83.00 - 50.20	.4425	----	----	1	----	2 UNCH
4575	----	----	----/67.30A	101.50B/67.30A	----	72.60 NEW	.4039	----	----	4	----	4 + 4
4600	60.40	60.40	69.00/58.80A	94.30B/58.80A	----	63.30 - 43.80	.3665	----	----	6	----	10 + 1
4625	----	----	----/51.30A	83.20B/51.30A	----	55.00 - 40.40	.3306	----	----	3	----	2 - 1
4650	----	----	----/44.60A	73.60B/44.60A	----	47.70 - 36.90	.2967	----	----	----	----	3 UNCH
4700	35.00	35.00	38.50/33.90A	56.40B/33.90A	----	35.80 - 29.90	.2361	----	----	3	----	7 + 2
4725	40.00	40.00	40.00/29.20A	49.20B/29.20A	----	31.00 - 26.60	.2096	----	----	7	----	4 + 3
4750	----	----	----/25.30A	42.80B/25.30A	----	26.90 - 23.50	.1858	----	----	----	----	2 UNCH
4775	----	----	----/22.10A	37.30B/22.10A	----	23.30 - 20.70	.1642	----	----	----	----	2 UNCH
4800	----	----	----/19.40A	32.40B/19.40A	----	20.30 - 18.10	.1453	----	----	6	----	14 + 2
4850	----	----	----/14.70A	24.30B/14.70A	----	15.50 - 13.90	.1137	----	----	4	----	8 + 1
4875	23.20	23.20	23.20/13.00A	23.20/13.00A	----	13.60 - 12.20	.1007	----	----	4	----	2 - 2
4900	----	----	----/11.40A	18.30B/11.40A	----	12.00 - 10.70	.0894	----	----	----	----	4 UNCH
4950	----	----	----/*9.40A	12.60B/9.40A	----	9.40 - 8.30	.0707	----	----	----	----	3 UNCH
4975	----	----	----/*8.30A	10.80B/8.30A	----	8.40 NEW	.0632	----	----	1	----	1 + 1
5000	----	----	----/*7.70A	9.40B/7.70A	----	7.50 - 6.50	.0565	----	----	3	----	6 + 3
5200	----	----	----/*4.70A	4.50B/4.70A	----	3.70 - 3.20	.0268	----	----	----	----	7 UNCH
5250	----	----	----/*4.60A	2.20B/4.60A	----	3.30 - 2.90	.0234	----	----	----	----	1 UNCH
5300	4.00	4.00	#4.00/*2.80	#4.00/*2.80	----	3.00 - 2.60	.0208	----	----	18	----	18 + 17
5400	----	----	----/*3.60A	1.00B/3.60A	----	2.70 - 2.20	.0176	----	----	----	----	1 UNCH
5500	----	----	----/*3.20A	0.40B/*3.20A	----	2.40 - 2.00	.0149	----	----	----	----	1 UNCH
5750	----	----	----/2.80A	0.30B/2.80A	----	2.00 - 1.70	.0110	----	----	----	----	1 UNCH
TOTAL										65		137 + 35

OG2 PUT — GOLD OPTIONS — JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	----	----/0.70A	----	0.20 UNCH	.0008	----	----	----	----	5 UNCH
3500	----	----	----	0.40B/0.90A	----	0.60 + 0.10	.0030	----	----	----	----	10 UNCH
3600	----	----	----	0.60B/*0.90A	----	0.70 + 0.10	.0038	----	----	----	----	1 UNCH
3700	0.30	0.30	0.90B/*0.30	0.90B/*0.30	----	0.90 + 0.10	.0053	----	----	1	----	1 UNCH
3750	----	----	1.10B/----	1.10B/1.20A	----	1.10 + 0.20	.0068	----	----	----	----	20 UNCH
3800	----	----	1.40B/----	1.40B/1.40A	----	1.20 + 0.20	.0078	----	----	----	----	9 UNCH
3900	----	----	2.10B/----	2.10B/1.80A	----	1.80 + 0.40	.0126	----	----	----	----	57 UNCH
4000	3.00	3.00	3.80B/3.00	3.80B/2.60A	----	2.70 + 0.70	.0205	----	----	78	----	375 + 68
4050	----	----	#4.50B/----	4.50B/3.20A	----	3.50 + 1.00	.0274	----	----	----	----	2 UNCH
4100	----	----	6.00B/----	6.00B/4.00A	----	4.50 + 1.30	.0365	----	----	3	----	5 + 2
4125	----	----	7.00B/----	7.00B/4.50A	----	5.10 + 1.50	.0421	----	----	----	----	3 UNCH
4150	----	----	8.00B/----	8.00B/5.20A	----	5.90 + 1.80	.0494	----	----	----	----	56 UNCH
4200	----	----	11.10B/----	11.10B/6.70A	----	7.90 + 2.50	.0678	----	----	----	----	12 UNCH
4225	6.80	6.80	13.00B/6.80	13.00B/6.80	----	9.20 + 3.00	.0798	----	----	3	----	42 + 3
4250	7.30	7.30	15.40B/7.30	15.40B/7.30	----	10.80 + 3.60	.0944	----	----	11	----	51 + 11
4275	----	----	18.30B/----	18.30B/9.80A	----	12.80 + 4.40	.1122	----	----	----	----	37 UNCH
4300	----	----	21.90B/----	21.90B/11.40A	----	15.30 + 5.40	.1339	----	----	101	----	181 + 95
4325	----	----	26.10B/----	26.10B/13.50A	----	18.40 + 6.70	.1598	----	----	----	----	41 UNCH
4350	----	----	31.20B/----	31.20B/16.50A	----	22.20 + 8.40	.1905	----	----	4	----	14 UNCH
4375	25.00	25.00	37.30B/25.00	37.30B/19.40A	----	26.90 + 10.40	.2265	----	----	1	----	76 + 1
4400	22.50	22.50	44.60B/22.50	44.60B/22.50	----	32.50 + 12.80	.2675	----	----	12	----	260 + 3
4425	----	----	52.90B/----	52.90B/27.60A	----	39.30 + 15.60	.3139	----	----	36	----	115 + 36
4450	60.90	60.90	62.60B/60.90	62.60B/33.00A	----	47.30 + 18.80	.3648	----	----	2	----	14 + 2
4475	----	----	73.70B/----	73.70B/39.40A	----	56.70 + 22.40	.4198	----	----	1	----	65 + 1
4500	----	----	86.70B/----	86.70B/46.90A	----	67.60 + 26.50	.4775	----	----	1	----	50 - 1
4525	----	----	100.50B/----	100.50B/56.10A	----	80.10 + 31.00	.5365	----	----	----	----	24 UNCH
4550	----	----	116.00B/----	116.00B/66.40A	----	94.10 + 35.60	.5949	----	----	----	----	60 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
JUN26												
4575	----	----	133.00B/----	133.00B/78.00A	----	109.80 + 40.60	.6513	----	----	----	----	8 UNCH
4600	----	----	151.10B/----	151.10B/91.60A	----	126.90 + 45.60	.7036	----	----	----	----	17 UNCH
4700	----	----	233.80B/----	233.80B/158.10A	----	207.50 + 63.80	.8589	----	----	----	----	1 UNCH
TOTAL										254		1612 + 221
JUL26												
3250	1.10	1.10	#1.50/*1.10	#1.50/*1.10	----	1.20 NEW	.0054	----	----	15	----	15 + 15
4150	26.10	26.10	#26.10/*26.10	#32.50B/*26.10	----	28.80 NEW	.1436	----	----	4	----	4 + 4
4175	----	----	----	#36.20B/*28.70A	----	31.80 NEW	.1578	----	----	2	----	2 + 2
TOTAL										21		21 + 21

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 CALL		GOLD OPTIONS										
JUN26												
4475	----	----	----/77.70A	135.40B/77.70A	----	88.00 - 64.10	.5799	----	----	----	----	53 UNCH
4500	----	----	----/65.10A	118.00B/65.10A	----	73.90 - 60.10	.5221	----	----	4	----	68 + 4
4525	----	----	----/54.00A	101.80B/54.00A	----	61.40 - 55.60	.4632	----	----	----	----	64 UNCH
4550	----	----	----/44.40A	87.70B/44.40A	----	50.50 - 50.90	.4047	----	----	----	----	76 UNCH
4575	----	----	----/36.30A	74.40B/36.30A	----	41.10 - 46.10	.3483	----	----	----	----	111 UNCH
4600	48.00	48.00	48.00/29.50A	62.60B/29.50A	----	33.30 - 41.00	.2960	----	----	114	----	139 + 103
4625	----	----	----/23.90A	52.40B/23.90A	----	26.80 - 36.10	.2485	----	----	----	----	63 UNCH
4650	23.10	23.10	23.10/19.20A	43.50B/19.20A	----	21.60 - 31.30	.2070	----	----	7	----	17 + 3
4675	20.00	20.00	20.00/15.60A	35.60B/15.60A	----	17.30 - 27.00	.1707	----	----	12	----	39 UNCH
4700	26.00	26.00	26.00/12.40A	29.10B/12.40A	----	14.00 - 22.90	.1408	----	----	45	----	60 + 39
4725	11.30	11.30	11.30/10.10A	23.80B/10.10A	----	11.30 - 19.30	.1155	----	----	2	----	63 + 2
4750	18.10	18.10	19.30B/8.30A	19.30B/8.30A	----	9.20 - 16.10	.0949	----	----	5	----	8 + 3
4775	----	----	----/6.80A	15.60B/6.80A	----	7.50 - 13.50	.0779	----	----	----	----	11 UNCH
4800	6.40	6.40	6.40/5.70A	12.60B/5.70A	----	6.20 - 11.10	.0644	----	----	5	----	33 + 1
4825	5.40	5.40	5.40/4.80A	10.20B/4.80A	----	5.10 - 9.30	.0530	----	----	2	----	12 + 2
4850	4.60	4.60	4.60/4.10A	8.30B/4.10A	----	4.20 - 7.80	.0436	----	----	1	----	14 + 1
4875	----	----	----/3.50A	6.80B/3.50A	----	3.60 - 6.40	.0369	----	----	----	----	13 UNCH
4900	5.00	5.00	5.00/3.10A	5.60B/3.10A	----	3.00 - 5.40	.0306	----	----	2	----	16 + 1
4925	----	----	----/2.70A	4.40B/2.70A	----	2.60 - 4.50	.0261	----	----	----	----	2 UNCH
4950	3.20	3.20	3.20/2.40A	3.70B/2.40A	----	2.20 - 3.80	.0219	----	----	6	----	12 UNCH
4975	----	----	----/2.10A	3.10B/2.10A	----	1.90 - 3.20	.0187	----	----	1	----	2 - 1
5000	----	----	----/*1.90A	2.60B/1.90A	----	1.70 - 2.70	.0164	----	----	----	----	1 UNCH
5025	----	----	----/*1.70A	2.20B/1.70A	----	1.50 - 2.30	.0143	----	----	1	----	3 - 1
5050	----	----	----/*1.60A	1.90B/1.60A	----	1.30 - 2.00	.0122	----	----	----	----	14 UNCH
5100	----	----	----/1.40A	1.40B/1.40A	----	1.10 - 1.50	.0099	----	----	----	----	4 UNCH
5300	----	----	----/*0.90A	0.60B/*0.90A	----	0.60 - 0.70	.0047	----	----	----	----	4 UNCH
TOTAL										207		902 + 157
JUL26												
4825	----	----	----	#35.20B/*32.00A	----	33.20 NEW	.1843	----	----	1	----	1 + 1
4900	----	----	----	#25.00B/*23.10A	----	24.80 NEW	.1415	----	----	3	----	3 + 3
4925	----	----	----	#22.30B/*21.00A	----	22.40 NEW	.1292	----	----	2	----	2 + 2
4950	----	----	----	#20.30B/*18.80A	----	20.20 NEW	.1177	----	----	1	----	1 + 1
5000	----	----	----	#17.10B/*15.60A	----	16.40 NEW	.0974	----	----	1	----	1 + 1
TOTAL										8		8 + 8

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG1 PUT		GOLD OPTIONS										
JUN26												
3250	0.10	0.10	#0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	1 + 1
3500	----	----	----	----/0.60A	----	0.10 - 0.20	----	----	----	----	----	32 UNCH
3600	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	.0000	----	----	----	----	1 UNCH
3700	----	----	----/0.30A	----/0.30A	----	0.10 - 0.30	.0001	----	----	----	----	9 UNCH
3750	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 - 0.30	.0003	----	----	1	----	14 + 1
3800	----	----	----/*0.40A	0.30B/*0.40A	----	0.20 - 0.30	.0008	----	----	----	----	17 UNCH
3900	0.40	0.40	0.70/*0.40	0.70/*0.40	----	0.30 - 0.30	.0014	----	----	32	----	53 + 23
4000	0.60	0.60	1.00/*0.60	1.00/*0.60	----	0.50 - 0.30	.0029	----	----	16	----	102 + 10
4050	1.00	1.00	1.30B/*0.90	1.30B/*0.90	----	0.80 - 0.20	.0052	----	----	9	----	33 + 9
4075	1.50	1.50	1.60/*1.00	1.60/*1.00	----	0.90 - 0.20	.0061	----	----	28	----	32 + 28
4100	1.00	1.00	2.00/*0.90	2.00/*0.90	----	1.10 - 0.10	.0079	----	----	22	----	22 + 17
4125	1.60	1.60	2.10B/*1.20A	2.10B/*1.20A	----	1.30 UNCH	.0098	----	----	3	----	6 - 3
4150	2.60	2.60	2.60/*1.40A	2.60/*1.40A	----	1.60 + 0.10	.0127	----	----	2	----	25 UNCH
4175	2.10	2.10	3.00B/2.10	3.00B/*1.70A	----	1.80 + 0.10	.0151	----	----	3	----	28 - 2
4200	2.70	2.70	3.70B/*1.90A	3.70B/*1.90A	----	2.20 + 0.30	.0194	----	----	10	----	49 + 5
4210	2.90	2.90	#4.00B/*2.10A	#4.00B/*2.10A	----	2.30 NEW	.0208	----	----	1	----	1 + 1
4225	2.80	2.80	4.50B/*2.30A	4.50B/*2.30A	----	2.60 + 0.40	.0242	----	----	3	----	12 + 3
4250	2.70	2.70	5.60B/2.70	5.60B/2.70	----	3.20 + 0.60	.0313	----	----	7	----	31 + 4
4255	5.10	5.10	#5.90B/*2.90A	#5.90B/*2.90A	----	3.30 NEW	.0327	----	----	1	----	1 + 1
4270	5.00	5.00	#5.00/*3.20A	#6.70B/*3.20A	----	3.70 NEW	.0378	----	----	4	----	4 + 4
4275	----	----	7.00B/----	7.00B/3.30A	----	3.80 + 0.70	.0394	----	----	----	----	38 UNCH
4295	4.00	4.00	#8.50B/*3.90A	#8.50B/*3.90A	----	4.60 NEW	.0494	----	----	1	----	1 + 1
4300	4.00	4.00	9.50/4.00	9.50/4.00	----	4.80 + 1.10	.0520	----	----	23	----	204 + 10
4315	----	----	----	#10.40B/*4.70A	----	5.50 NEW	.0613	----	----	4	----	4 + 4
4325	6.80	6.80	11.40B/5.20A	11.40B/5.20A	----	6.00 + 1.50	.0682	----	----	14	----	44 + 8
4340	9.60	9.60	#9.60/*9.60	#13.30B/*6.00A	----	7.00 NEW	.0813	----	----	18	----	18 + 18
4350	6.40	6.40	14.70B/6.40	14.70B/6.40	----	7.80 + 2.30	.0918	----	----	34	----	313 + 7
4355	7.30	7.30	#15.50B/*7.30	#15.50B/*6.80A	----	8.30 NEW	.0980	----	----	4	----	4 + 4
4360	----	----	----	#16.30B/*7.20A	----	8.70 NEW	.1035	----	----	2	----	2 + 2
4365	10.00	10.00	#17.10B/*10.00	#17.10B/*7.40A	----	9.20 NEW	.1100	----	----	1	----	1 + 1
4370	10.10	10.10	#18.00B/*10.10	#18.00B/*7.80A	----	9.80 NEW	.1174	----	----	2	----	2 + 2
4375	----	----	19.00B/----	19.00B/8.10A	----	10.40 + 3.60	.1249	----	----	10	----	80 + 4
4380	10.60	10.60	#20.00B/*9.00	#20.00B/*8.50A	----	11.00 NEW	.1326	----	----	18	----	17 + 17
4385	11.50	11.50	#21.00B/*11.50	#21.00B/*8.90A	----	11.70 NEW	.1412	----	----	12	----	10 + 10
4390	----	----	----	#22.10B/*9.30A	----	12.40 NEW	.1500	----	----	2	----	2 + 2
4395	----	----	----	#23.20B/*9.80A	----	13.10 NEW	.1589	----	----	2	----	2 + 2
4400	10.60	10.60	24.50B/10.60	24.50B/10.10A	----	13.90 + 5.30	.1687	----	----	173	----	368 + 49
4405	11.00	11.00	#25.70B/*11.00	#25.70B/*10.80A	----	14.80 NEW	.1794	----	----	1	----	1 + 1
4420	----	----	----	#29.90B/*12.30A	----	17.70 NEW	.2137	----	----	1	----	1 + 1
4425	12.90	12.90	31.80/12.90	31.80/12.90	----	18.70 + 7.80	.2258	----	----	98	----	348 + 26
4435	30.10	30.10	#30.10/*30.10	#34.60B/*14.30A	----	21.10 NEW	.2527	----	----	5	----	5 + 5
4440	----	----	----	#36.40B/*14.90A	----	22.30 NEW	.2665	----	----	5	----	5 + 5
4450	19.30	19.30	41.00/16.40A	41.00/16.40A	----	25.10 + 11.10	.2966	----	----	450	----	142 + 76
4460	21.40	21.40	#44.10B/*21.40	#44.10B/*18.20A	----	28.10 NEW	.3282	----	----	1	----	1 + 1
4465	----	----	----	#46.20B/*19.10A	----	29.70 NEW	.3447	----	----	1	----	1 + 1
4470	37.30	37.30	#48.50B/*27.70	#48.50B/*20.00A	----	31.50 NEW	.3620	----	----	2	----	2 + 2
4475	30.90	30.90	51.00/30.90	51.00/21.10A	----	33.30 + 15.30	.3794	----	----	15	----	40 + 10
4480	46.80	46.80	#46.80/*46.80	#53.20B/*22.20A	----	35.10 NEW	.3970	----	----	2	----	2 + 2
4500	30.00	30.00	63.60B/30.00	63.60B/27.10A	----	43.50 + 20.30	.4712	----	----	23	----	362 + 15
4505	42.30	42.30	#42.30/*42.30	#66.10B/*28.40A	----	45.80 NEW	.4903	----	----	2	----	1 + 1
4515	43.00	43.00	#72.00B/*43.00	#72.00B/*31.30A	----	50.60 NEW	.5289	----	----	10	----	10 + 10
4520	34.50	34.50	#75.10B/*34.50	#75.10B/*32.80A	----	53.20 NEW	.5482	----	----	10	----	8 + 8
4525	67.70	67.70	78.20B/67.70	78.20B/34.50A	----	55.80 + 26.00	.5676	----	----	14	----	33 + 3
4535	41.00	41.00	#84.70B/*41.00	#84.70B/*38.10A	----	61.40 NEW	.6060	----	----	8	----	5 + 5
4540	----	----	----	#88.10B/*39.90A	----	64.30 NEW	.6251	----	----	1	----	1 + 1
4545	54.00	54.00	#91.50B/*54.00	#91.50B/*41.90A	----	67.40 NEW	.6436	----	----	1	----	1 + 1
4550	49.90	49.90	95.00B/43.90A	95.00B/43.90A	----	70.60 + 32.60	.6618	----	----	4	----	198 UNCH
4560	----	----	----	#102.30B/*48.50A	----	77.30 NEW	.6967	----	----	1	----	1 + 1
4575	78.30	78.30	113.70B/78.30	113.70B/55.60A	----	88.10 + 40.10	.7446	----	----	3	----	87 - 1
4600	----	----	133.90B/----	133.90B/68.60A	----	107.50 + 47.50	.8133	----	----	1	----	41 - 1
4625	----	----	155.40B/----	155.40B/84.50A	----	128.40 + 54.50	.8664	----	----	1	----	12 - 1
4650	----	----	177.80B/----	177.80B/101.60A	----	150.60 + 60.90	.9054	----	----	----	----	2 UNCH
4670	----	----	----	#196.30B/*116.50A	----	169.00 NEW	.9293	----	----	1	----	1 + 1
4675	----	----	200.90B/----	200.90B/120.20A	----	173.60 + 66.40	.9338	----	----	1	----	2 + 1
4700	197.20	197.20	224.60B/197.20	224.60B/140.50A	----	197.30 + 71.00	.9527	----	----	1	----	26 UNCH
4750	----	----	273.00B/----	273.00B/184.30A	----	245.70 + 77.50	.9754	----	----	----	----	29 UNCH
4775	----	----	297.50B/----	297.50B/207.40A	----	270.20 + 79.60	.9821	----	----	----	----	11 UNCH
4800	----	----	285.20B/----	285.20B/231.20A	----	294.90 + 81.30	.9863	----	----	----	----	2 UNCH
4850	----	----	362.30B/----	362.30B/279.50A	----	344.50 + 83.40	.9924	----	----	----	----	3 UNCH
4950	----	----	368.10B/----	368.10B/501.80A	----	444.00 + 85.20	.9969	----	----	----	----	1 UNCH
TOTAL										1126		2968 + 417

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG1 CALL — GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	----	----	----/283.20A	318.40B/283.20A	----	308.40 NEW	.9805	----	----	2	----	2 + 2
4375	----	----	----/123.10A	205.40B/123.10A	----	141.60 - 83.10	.8749	----	----	----	----	14 UNCH
4400	----	----	----/103.00A	182.40B/103.00A	----	120.20 - 81.30	.8311	----	----	----	----	2 UNCH
4425	89.40	89.40	89.40/84.60A	160.30B/84.60A	----	100.00 - 78.80	.7740	----	----	7	----	32 - 5
4450	82.50	82.50	82.50/67.80A	138.40B/67.80A	----	81.40 - 75.50	.7033	----	----	2	----	13 UNCH
4475	73.90	73.90	75.00/52.90A	118.00B/52.90A	----	64.50 - 71.50	.6204	----	----	5	----	17 + 1
4490	50.20	50.20	#50.20/*45.20A	#106.60B/*45.20A	----	55.40 NEW	.5662	----	----	2	----	2 + 2
4495	53.90	53.90	#53.90/*42.60A	#102.60B/*42.60A	----	52.60 NEW	.5475	----	----	4	----	4 + 4
4500	95.30	95.30	98.90B/40.50A	98.90B/40.50A	----	49.80 - 66.40	.5286	----	----	29	----	52 + 16
4505	50.50	50.50	#50.50/*50.50	#95.20B/*38.20A	----	47.10 NEW	.5095	----	----	4	----	4 + 4
4510	55.00	55.00	#55.00/*36.00A	#91.80B/*36.00A	----	44.50 NEW	.4903	----	----	1	----	1 + 1
4515	38.50	38.50	#38.50/*38.50	#88.20B/*33.80A	----	41.90 NEW	.4709	----	----	9	----	9 + 9
4520	48.70	48.70	#48.70/*48.70	#84.70B/*31.80A	----	39.50 NEW	.4516	----	----	1	----	1 + 1
4525	53.10	53.10	54.30/30.10A	81.40B/30.10A	----	37.10 - 60.70	.4322	----	----	13	----	102 + 8
4530	43.70	43.70	#43.70/*43.70	#78.10B/*28.30A	----	34.80 NEW	.4128	----	----	2	----	2 + 2
4535	41.30	41.30	#41.30/*41.30	#74.90B/*26.60A	----	32.70 NEW	.3938	----	----	1	----	1 + 1
4540	52.50	52.50	#52.50/*24.80A	#71.70B/*24.80A	----	30.60 NEW	.3747	----	----	1	----	1 + 1
4545	54.00	54.00	#54.00/*23.30A	#68.70B/*23.30A	----	28.70 NEW	.3562	----	----	11	----	11 + 11
4550	61.30	61.30	66.20B/22.00A	66.20B/22.00A	----	26.90 - 54.10	.3380	----	----	23	----	148 + 12
4565	21.20	21.20	#21.20/*21.20	#58.50B/*18.00A	----	22.10 NEW	.2865	----	----	1	----	1 + 1
4575	22.20	22.20	22.20/15.80A	53.50B/15.80A	----	19.40 - 46.60	.2552	----	----	10	----	111 + 2
4580	39.20	39.20	#50.60B/*14.80A	#50.60B/*14.80A	----	18.20 NEW	.2406	----	----	6	----	5 + 5
4585	----	----	----	#48.20B/*13.80A	----	17.00 NEW	.2262	----	----	2	----	2 + 2
4595	26.30	26.30	#26.30/*12.10A	#43.60B/*12.10A	----	14.80 NEW	.1992	----	----	9	----	9 + 9
4600	33.40	33.40	33.40/11.30A	41.20B/11.30A	----	13.80 - 39.20	.1866	----	----	47	----	110 + 24
4610	10.50	10.50	#10.50/*10.50	#37.40B/*9.90A	----	12.00 NEW	.1632	----	----	2	----	2 + 2
4615	21.60	21.60	#21.60/*9.20A	#35.70B/*9.20A	----	11.20 NEW	.1526	----	----	41	----	8 + 8
4620	19.80	19.80	#19.80/*8.70A	#33.70B/*8.70A	----	10.50 NEW	.1429	----	----	34	----	21 + 21
4625	19.10	19.10	19.10/8.20A	31.80B/8.20A	----	9.80 - 32.10	.1335	----	----	68	----	83 - 38
4630	18.10	18.10	#18.10/*7.60A	#30.20B/*7.60A	----	9.10 NEW	.1241	----	----	3	----	3 + 3
4635	16.60	16.60	#16.60/*7.10A	#28.60B/*7.10A	----	8.50 NEW	.1158	----	----	3	----	3 + 3
4640	16.00	16.00	#16.00/*6.70A	#26.80B/*6.70A	----	8.00 NEW	.1085	----	----	1	----	1 + 1
4645	7.80	7.80	#7.80/*6.30A	#25.40B/*6.30A	----	7.40 NEW	.1005	----	----	10	----	10 + 10
4650	23.40	23.40	23.40/5.90A	23.90B/5.90A	----	7.00 - 25.70	.0944	----	----	24	----	60 - 5
4665	10.20	10.20	#10.20/*5.00A	#20.00B/*5.00A	----	5.70 NEW	.0761	----	----	1	----	1 + 1
4670	----	----	----	#19.00B/*4.70A	----	5.30 NEW	.0705	----	----	1	----	1 + 1
4675	12.50	12.50	12.50/4.40A	17.70B/4.40A	----	5.00 - 20.30	.0660	----	----	18	----	105 + 12
4685	5.10	5.10	#5.10/*5.10	#15.70B/*3.90A	----	4.40 NEW	.0574	----	----	1	----	1 + 1
4695	10.00	10.00	#10.00/*3.50A	#13.90B/*3.50A	----	3.90 NEW	.0501	----	----	1	----	1 + 1
4700	10.20	10.20	13.20B/3.20	13.20B/3.20	----	3.70 - 15.70	.0471	----	----	30	----	158 + 12
4715	----	----	----	#10.80B/*2.80A	----	3.10 NEW	.0385	----	----	1	----	1 + 1
4725	5.90	5.90	5.90/2.50A	9.50B/2.50A	----	2.70 - 12.10	.0331	----	----	10	----	72 + 6
4735	----	----	----	#8.50B/*2.30A	----	2.40 NEW	.0289	----	----	1	----	1 + 1
4750	5.00	5.00	5.10/2.00A	7.10B/2.00A	----	2.10 - 9.20	.0244	----	----	22	----	228 + 5
4760	----	----	----	#6.20B/*1.80A	----	1.90 NEW	.0217	----	----	1	----	1 + 1
4775	1.60	1.60	1.60/*1.60	5.30B/*1.60	----	1.60 - 7.10	.0177	----	----	10	----	135 + 9
4780	----	----	----	#4.90B/*1.50A	----	1.50 NEW	.0165	----	----	1	----	1 + 1
4785	----	----	----	#4.70B/*1.50A	----	1.50 NEW	.0162	----	----	1	----	1 + 1
4790	----	----	----	#4.40B/*1.40A	----	1.40 NEW	.0150	----	----	1	----	1 + 1
4800	3.50	3.50	3.50/*1.30A	4.10B/*1.30A	----	1.30 - 5.50	.0136	----	----	35	----	84 UNCH
4825	1.20	1.20	1.20/*1.10A	3.00B/*1.10A	----	1.00 - 4.30	.0099	----	----	1	----	22 - 1
4840	----	----	----	#2.60B/*1.00A	----	0.90 NEW	.0086	----	----	1	----	1 + 1
4850	2.20	2.20	2.20/*0.80	2.40B/*0.80	----	0.80 - 3.40	.0075	----	----	6	----	329 + 1
4875	----	----	----/*0.70A	1.80B/*0.70A	----	0.70 - 2.70	.0062	----	----	----	----	2 UNCH
4880	----	----	----	#1.80B/*0.80A	----	0.70 NEW	.0061	----	----	1	----	1 + 1
4900	1.10	1.10	1.10/*0.70A	1.40B/*0.70A	----	0.60 - 2.20	.0050	----	----	3	----	21 UNCH
4920	0.90	0.90	#0.90/*0.70A	#1.20B/*0.70A	----	0.50 NEW	.0040	----	----	1	----	1 + 1
4945	0.50	0.50	#0.50/*0.50	#0.90B/*0.50	----	0.50 NEW	.0038	----	----	8	----	8 + 8
4950	0.90	0.90	0.90/*0.50A	0.90/*0.50A	----	0.40 - 1.60	.0030	----	----	2	----	40 + 2
5000	----	----	----/*0.40A	0.60B/*0.40A	----	0.30 - 1.10	.0020	----	----	2	----	14 + 2
5025	----	----	----/*0.40A	0.50B/*0.40A	----	0.30 - 0.90	.0019	----	----	3	----	3 + 2
5050	----	----	----/*0.30A	0.40B/*0.30A	----	0.20 - 0.90	.0012	----	----	----	----	2 UNCH
5075	----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.70	.0012	----	----	----	----	2 UNCH
5100	----	----	----/*0.30A	0.20B/*0.30A	----	0.20 - 0.60	.0011	----	----	----	----	7 UNCH
5125	----	----	----/*0.50A	----/*0.50A	----	0.10 - 0.60	.0005	----	----	----	----	2 UNCH
5200	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.40	.0001	----	----	----	----	4 UNCH
5225	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	23 UNCH
5250	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	.0000	----	----	----	----	2 UNCH
5300	----	----	----	----/0.40A	----	0.10 - 0.20	.0000	----	----	----	----	8 UNCH
5400	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5600	----	----	----	----/*0.50A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										541		2133 + 189

OG PUT — COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	19 UNCH
2275	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
2300	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	----	----	----	10	----	137 + 10
2350	0.10	0.10	0.10/*0.10	0.10/0.10	----	0.10 UNCH	----	----	----	1	----	1 + 1
2400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	215 UNCH
2550	----	----	----	0.10B/0.10A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
2575	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2600	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	16 UNCH
2620	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2650	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0000	----	----	----	----	139 UNCH
2670	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
2675	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0000	----	----	1	----	67 + 1
2680	----	----	----	----/*0.20A	----	0.10 UNCH	.0001	----	----	----	----	10 UNCH
2700	----	----	----	----/0.70A	----	0.10 UNCH	.0001	----	----	----	----	6 UNCH
2705	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2710	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	7 UNCH
2725	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	.0001	----	----	1	----	142 + 1
2730	----	----	----	----/0.60A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2750	----	----	----	----/0.60A	----	0.10 UNCH	.0002	----	----	----	----	92 UNCH
2775	----	----	----	----/0.50A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
2785	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	2 UNCH
2800	----	----	----	----/0.40A	----	0.10 - 0.10	.0003	----	----	----	----	9 UNCH
2850	----	----	----	----/0.50A	----	0.20 UNCH	.0008	----	----	----	----	4 UNCH
2860	----	----	----	----/0.50A	----	0.20 UNCH	.0008	----	----	----	----	6 UNCH
2885	----	----	----	0.10B/*0.50A	----	0.20 UNCH	.0008	----	----	----	----	14 UNCH
2890	----	----	----	0.10B/*0.50A	----	0.20 UNCH	.0008	----	----	----	----	60 UNCH
2895	----	----	----	0.10B/*0.50A	----	0.20 UNCH	.0008	----	----	----	----	18 UNCH
2900	----	----	----	0.10B/0.50A	----	0.20 UNCH	.0008	----	----	----	----	19 UNCH
2905	----	----	----	0.10B/*0.50A	----	0.20 UNCH	.0008	----	----	----	----	19 UNCH
2915	----	----	----	0.10B/0.50A	----	0.20 - 0.10	.0008	----	----	----	----	2 UNCH
2920	----	----	----	0.10B/*0.50A	----	0.20 - 0.10	.0008	----	----	----	----	3 UNCH
2950	----	----	----	0.10B/0.60A	----	0.20 - 0.10	.0008	----	----	----	----	35 UNCH
2985	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.30 UNCH	.0012	----	----	10	----	21 UNCH
2995	----	----	----	0.20B/0.60A	----	0.30 UNCH	.0013	----	----	----	----	16 UNCH
3000	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.30 UNCH	.0013	----	----	13	----	78 + 10
3010	----	----	----	0.10B/0.60A	----	0.30 - 0.10	.0013	----	----	----	----	1 UNCH
3015	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0013	----	----	----	----	5 UNCH
3025	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0013	----	----	----	----	1 UNCH
3035	----	----	----	0.20B/0.60A	----	0.30 - 0.10	.0013	----	----	----	----	5 UNCH
3050	0.20	0.20	0.30B/*0.20	0.30B/*0.20	----	0.40 UNCH	.0017	----	----	10	----	10 + 8
3060	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0017	----	----	----	----	24 UNCH
3100	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0018	----	----	3	----	78 - 2
3105	----	----	----	0.40B/0.50A	----	0.40 - 0.10	.0018	----	----	----	----	1 UNCH
3110	----	----	----	0.40B/0.60A	----	0.40 - 0.10	.0018	----	----	----	----	5 UNCH
3125	----	----	----	0.40B/*0.50A	----	0.50 UNCH	.0022	----	----	----	----	42 UNCH
3140	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0022	----	----	----	----	1 UNCH
3150	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0022	----	----	----	----	12 UNCH
3155	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0022	----	----	----	----	1 UNCH
3165	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0023	----	----	----	----	1 UNCH
3175	----	----	----	0.50B/0.60A	----	0.50 - 0.10	.0023	----	----	----	----	1 UNCH
3180	----	----	----	0.50B/0.70A	----	0.50 - 0.10	.0023	----	----	----	----	2 UNCH
3185	----	----	----	0.50B/0.70A	----	0.60 UNCH	.0027	----	----	----	----	22 UNCH
3195	----	----	----	0.50B/0.60A	----	0.60 UNCH	.0027	----	----	----	----	1 UNCH
3200	----	----	----	0.50B/0.60A	----	0.60 UNCH	.0027	----	----	----	----	211 UNCH
3210	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0028	----	----	----	----	1 UNCH
3220	----	----	----	0.60B/0.70A	----	0.60 UNCH	.0028	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3225	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.60 UNCH	.0028	----	----	1	----	72 + 1
3250	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0029	----	----	----	----	111 UNCH
3270	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0033	----	----	----	----	1 UNCH
3275	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0033	----	----	----	----	10 UNCH
3280	0.60	0.60	0.60/*0.60	0.70B/*0.60	----	0.70 UNCH	.0033	----	----	1	----	25 + 1
3285	----	----	----/*0.60A	0.70B/*0.60A	----	0.70 UNCH	.0034	----	----	----	----	1 UNCH
3290	0.60	0.60	0.60/*0.60	0.70B/*0.60	----	0.70 UNCH	.0034	----	----	1	----	12 + 1
3300	----	----	0.80B/----	0.80B/0.80A	----	0.70 UNCH	.0034	----	----	----	----	103 UNCH
3320	----	----	----	0.80B/*0.80A	----	0.70 - 0.10	.0035	----	----	----	----	28 UNCH
3325	----	----	----	0.80B/*0.80A	----	0.80 UNCH	.0039	----	----	----	----	147 UNCH
3335	----	----	0.90B/----	0.90B/0.90A	----	0.80 UNCH	.0039	----	----	----	----	87 UNCH
3340	----	----	0.90B/----	0.90B/0.90A	----	0.80 UNCH	.0039	----	----	----	----	1 UNCH
3350	----	----	0.90B/----	0.90B/*0.80A	----	0.80 UNCH	.0040	----	----	----	----	25 UNCH
3355	----	----	0.90B/----	0.90B/*0.90A	----	0.80 UNCH	.0040	----	----	----	----	69 UNCH
3360	----	----	1.00B/----	1.00B/0.90A	----	0.80 UNCH	.0040	----	----	----	----	6 UNCH
3370	----	----	1.00B/----	1.00B/*0.90A	----	0.90 + 0.10	.0045	----	----	----	----	9 UNCH
3375	----	----	1.00B/----	1.00B/*0.90A	----	0.90 + 0.10	.0045	----	----	----	----	4 UNCH
3380	----	----	1.00B/----	1.00B/*0.90A	----	0.90 UNCH	.0045	----	----	----	----	4 UNCH
3385	----	----	1.00B/----	1.00B/*0.90A	----	0.90 UNCH	.0045	----	----	----	----	6 UNCH
3390	----	----	1.10B/----	1.10B/*0.90A	----	0.90 UNCH	.0046	----	----	----	----	2 UNCH
3395	----	----	1.10B/----	1.10B/1.00A	----	0.90 UNCH	.0046	----	----	----	----	32 UNCH
3400	----	----	1.10B/----	1.10B/1.00A	----	0.90 UNCH	.0046	----	----	1	----	63 - 1
3405	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.10	.0050	----	----	----	----	7 UNCH
3410	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.10	.0051	----	----	----	----	5 UNCH
3415	----	----	1.10B/----	1.10B/1.00A	----	1.00 + 0.10	.0051	----	----	----	----	1 UNCH
3420	----	----	1.20B/----	1.20B/*1.00A	----	1.00 + 0.10	.0051	----	----	----	----	6 UNCH
3425	----	----	1.20B/----	1.20B/*1.00A	----	1.00 UNCH	.0051	----	----	----	----	57 UNCH
3435	----	----	1.20B/----	1.20B/1.10A	----	1.10 + 0.10	.0056	----	----	----	----	6 UNCH
3440	----	----	1.20B/----	1.20B/1.10A	----	1.10 + 0.10	.0056	----	----	----	----	7 UNCH
3445	----	----	1.30B/----	1.30B/1.10A	----	1.10 + 0.10	.0057	----	----	----	----	2 UNCH
3450	----	----	1.30B/----	1.30B/1.10A	----	1.10 + 0.10	.0057	----	----	----	----	133 UNCH
3455	----	----	1.30B/----	1.30B/1.10A	----	1.10 + 0.10	.0057	----	----	----	----	10 UNCH
3460	----	----	1.30B/----	1.30B/1.20A	----	1.20 + 0.20	.0062	----	----	----	----	10 UNCH
3465	----	----	1.40B/----	1.40B/1.20A	----	1.20 + 0.10	.0062	----	----	----	----	142 UNCH
3475	----	----	1.40B/----	1.40B/1.20A	----	1.20 + 0.10	.0063	----	----	----	----	128 UNCH
3480	----	----	1.40B/----	1.40B/1.20A	----	1.30 + 0.20	.0067	----	----	----	----	36 UNCH
3495	----	----	1.50B/----	1.50B/1.30A	----	1.30 + 0.20	.0068	----	----	----	----	6 UNCH
3500	1.20	1.20	1.60B/1.20	1.60B/1.20	----	1.30 + 0.20	.0069	----	----	3	----	585 + 2
3505	----	----	1.50B/----	1.50B/1.30A	----	1.40 + 0.20	.0073	----	----	----	----	9 UNCH
3510	----	----	1.70B/----	1.70B/1.30A	----	1.40 + 0.20	.0074	----	----	----	----	6 UNCH
3515	----	----	1.60B/----	1.60B/1.30A	----	1.40 + 0.20	.0074	----	----	----	----	8 UNCH
3520	----	----	1.60B/----	1.60B/1.40A	----	1.40 + 0.20	.0074	----	----	----	----	5 UNCH
3525	----	----	1.60B/----	1.60B/1.40A	----	1.50 + 0.30	.0079	----	----	----	----	8 UNCH
3530	----	----	1.60B/----	1.60B/1.40A	----	1.50 + 0.30	.0080	----	----	----	----	168 UNCH
3535	----	----	1.80B/----	1.80B/1.40A	----	1.50 + 0.20	.0080	----	----	----	----	31 UNCH
3545	----	----	1.90B/----	1.90B/1.50A	----	1.60 + 0.30	.0085	----	----	----	----	256 UNCH
3550	----	----	1.90B/----	1.90B/1.50A	----	1.60 + 0.30	.0086	----	----	10	----	175 + 10
3555	----	----	1.90B/----	1.90B/1.50A	----	1.60 + 0.30	.0086	----	----	----	----	1 UNCH
3565	----	----	2.00B/----	2.00B/1.60A	----	1.70 + 0.30	.0091	----	----	----	----	2 UNCH
3575	----	----	2.00B/----	2.00B/1.60A	----	1.70 + 0.30	.0092	----	----	----	----	1 UNCH
3580	----	----	2.10B/----	2.10B/1.60A	----	1.80 + 0.40	.0097	----	----	----	----	6 UNCH
3585	----	----	2.10B/----	2.10B/1.60A	----	1.80 + 0.40	.0097	----	----	----	----	1 UNCH
3590	----	----	2.10B/----	2.10B/1.60A	----	1.80 + 0.30	.0098	----	----	----	----	16 UNCH
3600	1.60	1.60	2.20/1.60	2.20/1.60	----	1.90 + 0.40	.0103	----	----	121	----	1340 + 115
3605	1.90	1.90	2.20B/1.90	2.20B/1.70A	----	1.90 + 0.40	.0104	----	----	1	----	12 UNCH
3610	----	----	2.30B/----	2.30B/1.80A	----	2.00 + 0.50	.0109	----	----	----	----	2 UNCH
3615	----	----	2.30B/----	2.30B/1.80A	----	2.00 + 0.50	.0109	----	----	----	----	2 UNCH
3620	----	----	2.30B/----	2.30B/1.80A	----	2.00 + 0.40	.0110	----	----	----	----	12 UNCH
3625	----	----	2.40B/----	2.40B/1.80A	----	2.00 + 0.40	.0111	----	----	----	----	41 UNCH
3630	----	----	2.50B/----	2.50B/1.80A	----	2.10 + 0.50	.0116	----	----	----	----	12 UNCH
3635	----	----	2.50B/----	2.50B/1.90A	----	2.10 + 0.50	.0116	----	----	----	----	3 UNCH
3640	----	----	2.50B/----	2.50B/1.90A	----	2.10 + 0.40	.0117	----	----	----	----	6 UNCH
3645	----	----	2.60B/----	2.60B/1.90A	----	2.20 + 0.50	.0122	----	----	----	----	1 UNCH
3650	----	----	2.60B/----	2.60B/1.90A	----	2.20 + 0.50	.0123	----	----	34	----	97 + 4
3655	----	----	2.60B/----	2.60B/2.00A	----	2.20 + 0.50	.0123	----	----	----	----	6 UNCH
3660	----	----	2.80B/----	2.80B/2.00A	----	2.30 + 0.60	.0128	----	----	----	----	54 UNCH
3665	----	----	2.80B/----	2.80B/2.00A	----	2.30 + 0.50	.0129	----	----	----	----	6 UNCH
3670	----	----	2.80B/----	2.80B/2.10A	----	2.40 + 0.60	.0134	----	----	----	----	116 UNCH
3675	----	----	2.80B/----	2.80B/2.10A	----	2.40 + 0.60	.0135	----	----	----	----	19 UNCH
3680	----	----	2.90B/----	2.90B/2.10A	----	2.40 + 0.60	.0136	----	----	----	----	5 UNCH
3685	----	----	3.00B/----	3.00B/2.20A	----	2.50 + 0.60	.0141	----	----	----	----	18 UNCH
3690	----	----	3.00B/----	3.00B/2.20A	----	2.50 + 0.60	.0142	----	----	----	----	50 UNCH
3695	----	----	3.00B/----	3.00B/2.20A	----	2.50 + 0.60	.0143	----	----	----	----	143 UNCH
3700	----	----	3.20B/----	3.20B/2.30A	----	2.60 + 0.70	.0148	----	----	5	----	543 + 1
3705	----	----	3.20B/----	3.20B/2.30A	----	2.60 + 0.60	.0149	----	----	----	----	21 UNCH
3715	----	----	3.30B/----	3.30B/2.40A	----	2.70 + 0.70	.0155	----	----	----	----	30 UNCH
3720	----	----	3.30B/----	3.30B/2.40A	----	2.70 + 0.60	.0156	----	----	----	----	24 UNCH
3725	----	----	3.50B/----	3.50B/2.50A	----	2.80 + 0.70	.0161	----	----	----	----	167 UNCH
3730	----	----	3.50B/----	3.50B/2.50A	----	2.80 + 0.70	.0162	----	----	----	----	3 UNCH
3735	----	----	3.50B/----	3.50B/2.50A	----	2.90 + 0.80	.0168	----	----	----	----	30 UNCH
3740	----	----	3.60B/----	3.60B/2.60A	----	2.90 + 0.70	.0169	----	----	----	----	20 UNCH
3745	----	----	3.70B/----	3.70B/2.60A	----	3.00 + 0.80	.0174	----	----	----	----	1 UNCH
3750	2.90	2.90	3.70B/2.90	3.70B/2.70A	----	3.00 + 0.80	.0175	----	----	20	----	533 UNCH
3755	----	----	3.80B/----	3.80B/2.70A	----	3.10 + 0.80	.0181	----	----	----	----	2 UNCH
3760	----	----	3.90B/----	3.90B/2.80A	----	3.10 + 0.80	.0182	----	----	----	----	3 UNCH
3765	----	----	3.90B/----	3.90B/2.80A	----	3.20 + 0.80	.0187	----	----	----	----	32 UNCH
3770	----	----	4.10B/----	4.10B/2.90A	----	3.20 + 0.80	.0188	----	----	----	----	126 UNCH
3775	----	----	4.10B/----	4.10B/2.90A	----	3.30 + 0.90	.0194	----	----	38	----	94 + 17
3780	----	----	4.20B/----	4.20B/3.00A	----	3.30 + 0.80	.0195	----	----	----	----	13 UNCH
3785	----	----	4.20B/----	4.20B/3.00A	----	3.40 + 0.90	.0201	----	----	----	----	7 UNCH
3790	----	----	4.30B/----	4.30B/3.00A	----	3.50 + 1.00	.0207	----	----	----	----	41 UNCH
3795	----	----	4.50B/----	4.50B/3.10A	----	3.50 + 0.90	.0208	----	----	----	----	42 UNCH
3800	3.10	3.10	4.50B/3.10	4.50B/3.10	----	3.60 + 1.00	.0214	----	----	19	----	725 - 3
3805	3.50	3.50	4.60B/3.50	4.60B/3.20A	----	3.60 + 0.90	.0215	----	----	4	----	5 UNCH
3810	----	----	4.70B/----	4.70B/3.30A	----	3.70 + 1.00	.0221	----	----	----	----	22 UNCH
3815	----	----	4.80B/----	4.80B/3.30A	----	3.80 + 1.00	.0227	----	----	----	----	17 UNCH
3820	----	----	4.80B/----	4.80B/3.40A	----	3.80 + 1.00	.0229	----	----	----	----	13 UNCH
3825	----	----	4.90B/----	4.90B/3.40A	----	3.90 + 1.00	.0235	----	----	----	----	90 UNCH
3830	----	----	5.00B/----	5.00B/3.50A	----	4.00 + 1.10	.0241	----	----	----	----	25 UNCH
3835	----	----	5.20B/----	5.20B/3.60A	----	4.10 + 1.10	.0247	----	----	----	----	1 UNCH
3840	----	----	5.30B/----	5.30B/3.60A	----	4.10 + 1.10	.0248	----	----	----	----	39 UNCH
3845	3.60	3.60	5.30B/3.60	5.30B/3.60	----	4.20 + 1.10	.0254	----	----	1	----	14 UNCH
3850	----	----	5.50B/----	5.50B/3.80A	----	4.30 + 1.20	.0261	----	----	60	----	227 - 12
3855	----	----	5.50B/----	5.50B/3.80A	----	4.40 + 1.20	.0267	----	----	----	----	3 UNCH
3860	4.60	4.60	5.60B/4.60	5.60B/3.90A	----	4.40 + 1.20	.0269	----	----	4	----	62 UNCH
3865	----	----	5.70B/----	5.70B/3.90A	----	4.50 + 1.20	.0275	----	----	----	----	85 UNCH
3870	----	----	5.90B/----	5.90B/3.90A	----	4.60 + 1.30	.0281	----	----	----	----	10 UNCH
3875	4.80	4.80	6.00B/4.80	6.00B/4.00A	----	4.70 + 1.30	.0288	----	----	1	----	131 - 1
3880	----	----	6.10B/----	6.10B/4.00A	----	4.80 + 1.30	.0294	----	----	----	----	20 UNCH
3885	6.20	6.20	6.20/5.00	6.20/4.10A	----	4.90 + 1.40	.0301	----	----	6	----	49 UNCH
3890	----	----	6.30B/----	6.30B/4.20A	----	5.00 + 1.40	.0307	----	----	----	----	8 UNCH
3895	----	----	6.50B/----	6.50B/4.20A	----	5.10 + 1.40	.0314	----	----	----	----	21 UNCH
3900	4.50	4.50	6.60B/4.50	6.60B/4.30A	----	5.20 + 1.50	.0321	----	----	71	----	345 + 9
3905	----	----	6.70B/----	6.70B/4.40A	----	5.30 + 1.50	.0327	----	----	----	----	21 UNCH
3910	----	----	6.90B/----	6.90B/4.50A	----	5.40 + 1.50	.0334	----	----	----	----	76 UNCH
3915	----	----	7.10B/----	7.10B/4.50A	----	5.50 + 1.60	.0341	----	----	----	----	15 UNCH
3920	5.90	5.90	7.20B/5.60	7.20B/4.60A	----	5.60 + 1.60	.0348	----	----	7	----	64 UNCH
3925	5.90	5.90	7.30B/5.90	7.30B/4.70A	----	5.70 + 1.60	.0355	----	----	5	----	144 UNCH
3930	5.90	5.90	7.50B/5.30	7.50B/4.80A	----	5.80 + 1.60	.0362	----	----	16	----	37 UNCH
3935	7.10	7.10	7.70B/7.10	7.70B/4.90A	----	5.90 + 1.60	.0369	----	----	14	----	81 - 1
3940	6.10	6.10	7.80B/6.10	7.80B/5.00A	----	6.00 + 1.70	.0376	----	----	4	----	69 - 4
3945	6.20	6.20	7.90B/6.20	7.90B/5.10A	----	6.20 + 1.80	.0388	----	----	14	----	76 - 3
3950	7.00	7.00	8.10B/6.50	8.10B/5.20A	----	6.30 + 1.80	.0395	----	----	14	----	768 - 1
3955	----	----	8.30B/----	8.30B/5.20A	----	6.40 + 1.80	.0402	----	----	----	----	104 UNCH
3960	7.60	7.60	8.60B/6.00	8.60B/5.40A	----	6.50 + 1.80	.0410	----	----	18	----	104 - 3
3965	----	----	8.60B/----	8.60B/5.50A	----	6.70 + 1.90	.0422	----	----	----	----	130 UNCH
3970	----	----	8.80B/----	8.80B/5.60A	----	6.80 + 1.90	.0429	----	----	----	----	53 UNCH
3975	6.70	6.70	9.00B/6.70	9.00B/5.70A	----	6.90 + 1.90	.0437	----	----	2	----	51 UNCH
3980	8.50	8.50	9.30/6.90	9.30/5.80A	----	7.10 + 2.00	.0449	----	----	16	----	256 + 7
3985	8.20	8.20	9.50/7.40	9.50/5.90A	----	7.20 + 2.00	.0457	----	----	13	----	333 + 8
3990	7.50	7.50	9.60B/6.80	9.60B/6.10A	----	7.40 + 2.10	.0470	----	----	8	----	72 + 3
3995	9.10	9.10	9.80B/7.40	9.80B/6.20A	----	7.50 + 2.10	.0478	----	----	31	----	41 + 14
4000	6.20	6.20	10.20/6.20	10.20/6.20	----	7.70 + 2.20	.0490	----	----	254	----	4536 - 13
4005	10.30	10.30	10.40B/10.30	10.40B/6.40A	----	7.90 + 2.30	.0503	----	----	5	----	160 - 5
4010	8.10	8.10	10.50B/8.10	10.50B/6.60A	----	8.00 + 2.30	.0511	----	----	11	----	68 + 5
4015	10.00	10.00	10.70B/8.30	10.70B/6.70A	----	8.20 + 2.40	.0524	----	----	16	----	79 + 11
4020	9.70	9.70	11.10B/7.60	11.10B/6.90A	----	8.40 + 2.40	.0537	----	----	15	----	120 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4025	8.80	8.80	11.20B/8.80	11.20B/7.00A	----	8.60 + 2.50	.0550	----	----	4	----	105 - 3
4030	8.10	8.10	11.60B/8.00	11.60B/7.20A	----	8.80 + 2.60	.0563	----	----	6	----	74 + 1
4035	8.20	8.20	11.80B/8.20	11.80B/7.30A	----	9.00 + 2.60	.0576	----	----	5	----	20 + 1
4040	8.60	8.60	12.00B/8.60	12.00B/7.50A	----	9.20 + 2.70	.0589	----	----	5	----	38 UNCH
4045	----	----	12.40B/----	12.40B/7.60A	----	9.40 + 2.80	.0603	----	----	----	----	34 UNCH
4050	11.60	11.60	12.60/8.80	12.60/7.90A	----	9.60 + 2.80	.0616	----	----	69	----	408 - 15
4055	11.20	11.20	12.90B/11.20	12.90B/8.00A	----	9.80 + 2.90	.0630	----	----	7	----	61 UNCH
4060	----	----	13.20B/----	13.20B/8.10A	----	10.00 + 2.90	.0644	----	----	----	----	35 UNCH
4065	----	----	13.60B/----	13.60B/8.30A	----	10.30 + 3.10	.0662	----	----	----	----	150 UNCH
4070	13.80	13.80	13.80/10.80	13.80/8.50A	----	10.50 + 3.10	.0676	----	----	20	----	34 + 10
4075	11.60	11.60	14.30/9.70	14.30/8.70A	----	10.70 + 3.20	.0690	----	----	13	----	32 + 2
4080	11.40	11.40	14.50B/11.40	14.50B/8.90A	----	11.00 + 3.30	.0709	----	----	4	----	104 + 3
4085	----	----	14.90B/----	14.90B/9.10A	----	11.20 + 3.30	.0724	----	----	----	----	21 UNCH
4090	11.60	11.60	15.20B/11.50	15.20B/9.30A	----	11.50 + 3.40	.0742	----	----	10	----	31 UNCH
4095	14.10	14.10	15.60B/11.50	15.60B/9.50A	----	11.80 + 3.60	.0761	----	----	21	----	37 - 3
4100	14.50	14.50	15.90/11.10	15.90/9.70A	----	12.10 + 3.70	.0780	----	----	324	170	1627 + 28
4105	13.10	13.10	16.30B/13.00	16.30B/10.00A	----	12.30 + 3.70	.0796	----	----	10	----	31 + 7
4110	16.30	16.30	16.80B/16.30	16.80B/10.20A	----	12.60 + 3.80	.0815	----	----	8	----	41 + 6
4115	14.50	14.50	17.10B/14.50	17.10B/10.40A	----	12.90 + 3.90	.0835	----	----	9	----	14 + 2
4120	16.10	16.10	17.70/16.10	17.70/10.60A	----	13.30 + 4.10	.0858	----	----	8	----	95 + 4
4125	15.50	15.50	18.00B/13.30	18.00B/10.90A	----	13.60 + 4.20	.0878	----	----	11	----	90 + 1
4130	16.30	16.30	18.40B/14.00	18.40B/11.10A	----	13.90 + 4.30	.0898	----	----	5	----	103 + 4
4135	16.70	16.70	18.90B/14.70	18.90B/11.30A	----	14.30 + 4.40	.0923	----	----	8	----	33 - 1
4140	19.30	19.30	19.30/14.70	19.30/11.60A	----	14.60 + 4.50	.0943	----	----	11	----	41 UNCH
4145	----	----	19.80B/----	19.80B/11.80A	----	15.00 + 4.70	.0968	----	----	----	----	246 UNCH
4150	12.60	12.60	20.30B/12.40	20.30B/12.10A	----	15.40 + 4.80	.0993	----	----	104	----	399 + 58
4155	17.60	17.60	20.70B/15.00	20.70B/12.40A	----	15.80 + 5.00	.1018	----	----	15	----	307 - 4
4160	12.80	12.80	21.40/12.80	21.40/12.60A	----	16.20 + 5.10	.1043	----	----	66	----	56 - 3
4165	21.50	21.50	21.70B/17.10	21.70B/13.00A	----	16.60 + 5.20	.1068	----	----	12	----	121 - 3
4170	17.60	17.60	22.30B/15.70	22.30B/13.30A	----	17.00 + 5.40	.1094	----	----	8	----	126 UNCH
4175	----	----	22.90B/----	22.90B/13.60A	----	17.40 + 5.50	.1120	----	----	6	----	95 - 6
4180	21.10	21.10	23.50B/20.00	23.50B/14.00A	----	17.90 + 5.70	.1149	----	----	5	----	39 - 1
4185	21.50	21.50	24.00B/18.40	24.00B/14.30A	----	18.30 + 5.80	.1176	----	----	18	----	35 + 3
4190	19.00	19.00	24.60B/16.90	24.60B/14.60A	----	18.80 + 6.00	.1206	----	----	12	----	149 UNCH
4195	24.50	24.50	25.30B/20.50	25.30B/15.00A	----	19.30 + 6.20	.1236	----	----	3	----	79 + 1
4200	14.50	14.50	25.80B/14.50	25.80B/14.50	----	19.80 + 6.30	.1267	----	----	542	----	2039 - 51
4205	23.90	23.90	26.50B/21.50	26.50B/15.70A	----	20.30 + 6.50	.1298	----	----	5	----	83 + 5
4210	22.20	22.20	27.20B/19.30	27.20B/16.10A	----	20.90 + 6.80	.1332	----	----	6	----	98 UNCH
4215	24.90	24.90	27.90B/23.80	27.90B/16.50A	----	21.40 + 6.90	.1364	----	----	10	----	69 + 2
4220	22.40	22.40	28.60B/22.40	28.60B/16.90A	----	22.00 + 7.10	.1399	----	----	6	----	224 + 1
4225	17.80	17.80	29.40B/17.80	29.40B/17.30A	----	22.60 + 7.40	.1434	----	----	18	----	180 + 1
4230	26.60	26.60	30.20B/26.60	30.20B/17.80A	----	23.20 + 7.60	.1470	----	----	7	----	60 + 1
4235	27.40	27.40	30.90B/21.90	30.90B/18.20A	----	23.80 + 7.80	.1506	----	----	37	----	62 + 4
4240	28.30	28.30	31.70B/25.20	31.70B/18.60A	----	24.50 + 8.00	.1545	----	----	16	----	123 + 8
4245	33.10	33.10	33.10/23.30	33.10/19.10A	----	25.20 + 8.30	.1585	----	----	11	----	49 - 4
4250	26.50	26.50	33.40B/24.70	33.40B/19.50A	----	25.80 + 8.50	.1622	----	----	250	----	1576 - 9
4255	32.50	32.50	34.30B/24.40	34.30B/20.10A	----	26.50 + 8.70	.1662	----	----	8	----	64 + 23
4260	31.20	31.20	35.10B/27.30	35.10B/20.70A	----	27.30 + 9.10	.1706	----	----	12	----	159 + 2
4265	34.10	34.10	36.00B/32.20	36.00B/21.20A	----	28.00 + 9.30	.1747	----	----	3	----	218 - 3
4270	33.10	33.10	36.90B/26.60	36.90B/21.80A	----	28.80 + 9.60	.1791	----	----	9	----	154 + 1
4275	32.80	32.80	37.90B/29.30	37.90B/22.30A	----	29.60 + 9.90	.1835	----	----	16	----	138 + 1
4280	35.10	35.10	38.90B/27.10	38.90B/22.90A	----	30.40 + 10.10	.1880	----	----	9	----	198 + 5
4285	37.60	37.60	39.90B/28.00	39.90B/23.50A	----	31.30 + 10.50	.1928	----	----	9	----	209 - 3
4290	36.40	36.40	41.00B/29.70	41.00B/24.20A	----	32.10 + 10.70	.1973	----	----	16	----	170 + 6
4295	36.20	36.20	42.00B/29.60	42.00B/24.80A	----	33.00 + 11.10	.2022	----	----	5	----	103 + 1
4300	28.40	28.40	43.10B/25.40A	43.10B/25.40A	----	33.90 + 11.40	.2071	----	----	376	----	2580 - 32
4305	40.40	40.40	44.10B/31.30	44.10B/26.20A	----	34.90 + 11.70	.2123	----	----	9	----	107 + 4
4310	40.40	40.40	45.40B/32.20	45.40B/26.70A	----	35.80 + 12.00	.2172	----	----	13	----	90 + 2
4315	31.60	31.60	46.60B/31.60	46.60B/27.50A	----	36.80 + 12.40	.2225	----	----	13	----	91 - 5
4320	43.70	43.70	47.80B/39.90	47.80B/28.10A	----	37.90 + 12.80	.2280	----	----	6	----	130 + 6
4325	48.50	48.50	49.10B/44.80	49.10B/29.00A	----	38.90 + 13.10	.2333	----	----	23	----	146 + 18
4330	35.90	35.90	50.30B/35.90	50.30B/29.70A	----	40.00 + 13.50	.2389	----	----	5	----	152 UNCH
4335	49.30	49.30	51.50B/49.30	51.50B/30.60A	----	41.10 + 13.90	.2445	----	----	3	----	166 - 2
4340	43.30	43.30	53.00B/38.10	53.00B/31.30A	----	42.20 + 14.20	.2501	----	----	6	----	167 + 4
4345	40.00	40.00	54.40B/40.00	54.40B/32.10A	----	43.40 + 14.60	.2560	----	----	15	----	40 + 1
4350	36.00	36.00	56.60/36.00	56.60/33.00A	----	44.60 + 15.00	.2620	----	----	52	----	1725 + 13
4355	53.40	53.40	57.30B/41.70	57.30B/33.90A	----	45.80 + 15.40	.2679	----	----	11	----	173 + 7
4360	55.70	55.70	59.60/50.20	59.60/34.90A	----	47.10 + 15.90	.2741	----	----	9	----	608 - 1
4365	41.20	41.20	60.30B/41.10	60.30B/35.80A	----	48.40 + 16.30	.2804	----	----	51	----	71 + 29
4370	55.60	55.60	61.90B/49.20	61.90B/36.80A	----	49.70 + 16.70	.2866	----	----	14	----	176 + 4
4375	40.00	40.00	63.40B/40.00	63.40B/37.70A	----	51.10 + 17.20	.2931	----	----	32	----	60 - 2
4380	44.60	44.60	65.00B/44.60	65.00B/38.70A	----	52.50 + 17.70	.2996	----	----	12	----	209 + 10
4385	60.20	60.20	66.80B/60.20	66.80B/39.80A	----	54.00 + 18.20	.3064	----	----	3	----	75 + 2
4390	50.40	50.40	68.50B/50.40	68.50B/40.90A	----	55.40 + 18.60	.3129	----	----	4	----	75 UNCH
4395	----	----	70.30B/----	70.30B/42.00A	----	57.00 + 19.20	.3199	----	----	19	----	83 + 19
4400	46.80	46.80	72.10B/46.80	72.10B/43.10A	----	58.50 + 19.60	.3267	----	----	184	----	2583 + 9
4405	----	----	73.90B/----	73.90B/44.30A	----	60.10 + 20.20	.3337	----	----	----	----	36 UNCH
4410	71.20	71.20	75.80B/71.20	75.80B/45.50A	----	61.70 + 20.60	.3407	----	----	1	----	61 - 1
4415	65.20	65.20	77.50B/58.10	77.50B/46.80A	----	63.40 + 21.20	.3479	----	----	140	----	104 - 97
4420	67.10	67.10	79.60B/67.10	79.60B/48.00A	----	65.10 + 21.70	.3551	----	----	1	----	124 UNCH
4425	61.50	61.50	81.60B/57.90	81.60B/49.30A	----	66.90 + 22.30	.3624	----	----	32	----	352 + 6
4430	71.80	71.80	83.60B/70.20	83.60B/50.60A	----	68.70 + 22.90	.3698	----	----	123	----	249 - 74
4435	80.80	80.80	85.70B/66.80	85.70B/52.00A	----	70.50 + 23.40	.3772	----	----	8	----	93 UNCH
4440	60.20	60.20	87.70B/60.20	87.70B/53.40A	----	72.40 + 24.00	.3848	----	----	68	----	268 + 26
4445	----	----	89.90B/----	89.90B/54.80A	----	74.30 + 24.60	.3923	----	----	----	----	157 UNCH
4450	67.00	67.00	92.30B/67.00	92.30B/56.30A	----	76.30 + 25.20	.4000	----	----	132	----	1165 + 31
4455	86.80	86.80	94.30B/86.80	94.30B/57.80A	----	78.30 + 25.80	.4076	----	----	2	----	145 + 1
4460	96.00	96.00	96.70B/89.50	96.70B/59.30A	----	80.40 + 26.50	.4154	----	----	7	----	278 + 1
4465	94.20	94.20	99.00B/76.30	99.00B/60.90A	----	82.50 + 27.10	.4232	----	----	5	----	145 + 3
4470	94.10	94.10	101.40B/93.50	101.40B/62.50A	----	84.60 + 27.70	.4310	----	----	4	----	266 UNCH
4475	76.00	76.00	103.80B/76.00	103.80B/64.20A	----	86.80 + 28.40	.4388	----	----	17	----	278 + 10
4480	98.20	98.20	106.20B/98.20	106.20B/65.90A	----	89.10 + 29.10	.4468	----	----	2	----	353 UNCH
4485	98.90	98.90	108.70B/98.90	108.70B/67.60A	----	91.30 + 29.70	.4547	----	----	2	----	105 UNCH
4490	101.30	101.30	111.30B/89.50	111.30B/69.30A	----	93.60 + 30.30	.4626	----	----	10	----	102 UNCH
4495	102.20	102.20	113.80B/97.00	113.80B/71.20A	----	96.00 + 31.00	.4706	----	----	9	----	86 + 1
4500	75.00	75.00	116.70/73.00A	116.70/73.00A	----	98.30 + 31.60	.4786	----	----	134	----	2556 + 39
4505	----	----	119.20B/----	119.20B/74.90A	----	100.70 + 32.20	.4866	----	----	----	----	68 UNCH
4510	110.00	110.00	121.70B/99.30	121.70B/76.90A	----	103.10 + 32.80	.4946	----	----	3	----	66 UNCH
4515	99.10	99.10	124.70B/99.10	124.70B/78.80A	----	105.50 + 33.30	.5027	----	----	1	----	15 + 1
4520	94.40	94.40	127.50B/94.40	127.50B/80.80A	----	108.00 + 33.90	.5107	----	----	2	----	160 + 2
4525	119.20	119.20	130.30B/119.20	130.30B/82.90A	----	110.50 + 34.50	.5188	----	----	8	----	152 UNCH
4530	128.40	128.40	132.90B/128.40	132.90B/85.10A	----	113.10 + 35.10	.5268	----	----	4	----	71 - 1
4535	----	----	135.90B/----	135.90B/87.30A	----	115.80 + 35.80	.5349	----	----	----	----	20 UNCH
4540	111.70	111.70	138.90B/104.30	138.90B/89.80A	----	118.60 + 36.50	.5429	----	----	7	----	118 UNCH
4545	97.10	97.10	142.00B/97.10	142.00B/91.60A	----	121.40 + 37.20	.5508	----	----	1	----	43 UNCH
4550	96.70	96.70	145.00B/96.70	145.00B/93.90A	----	124.20 + 37.90	.5588	----	----	57	----	517 - 20
4555	99.60	99.60	148.10B/99.60	148.10B/96.60A	----	127.10 + 38.60	.5667	----	----	16	----	38 + 6
4560	103.90	103.90	151.20B/102.00	151.20B/98.60A	----	130.10 + 39.40	.5745	----	----	3	----	96 + 2
4565	----	----	154.40B/----	154.40B/101.30A	----	133.10 + 40.10	.5823	----	----	----	----	133 UNCH
4570	142.70	142.70	157.60B/142.70	157.60B/103.80A	----	136.10 + 40.80	.5902	----	----	1	----	68 UNCH
4575	----	----	160.80B/----	160.80B/106.10A	----	139.10 + 41.50	.5979	----	----	3	----	45 - 1
4580	----	----	164.10B/----	164.10B/108.60A	----	142.20 + 42.20	.6055	----	----	1	----	42 - 1
4585	137.70	137.70	167.40B/137.70	167.40B/111.20A	----	145.30 + 42.90	.6132	----	----	2	----	27 UNCH
4590	----	----	170.70B/----	170.70B/113.70A	----	148.50 + 43.60	.6208	----	----	23	----	34 + 5
4595	----	----	174.10B/----	174.10B/116.70A	----	151.70 + 44.30	.6284	----	----	----	----	144 UNCH
4600	168.40	168.40	177.50B/153.50	177.50B/119.30A	----	155.00 + 45.10	.6358	----	----	16	----	1469 - 2
4605	----	----	181.00B/----	181.00B/122.10A	----	158.30 + 45.80	.6432	----	----	----	----	88 UNCH
4610	----	----	184.50B/----	184.50B/124.80A	----	161.60 + 46.50	.6506	----	----	----	----	120 UNCH
4615	----	----	188.00B/----	188.00B/127.60A	----	165.00 + 47.20	.6578	----	----	1	----	56 UNCH
4620	----	----	191.60B/----	191.60B/130.50A	----	168.40 + 47.90	.6650	----	----	----	----	51 UNCH
4625	----	----	195.20B/----	195.20B/133.30A	----	171.80 + 48.60	.6720	----	----	1	----	176 - 1
4630	----	----	198.80B/----	198.80B/135.90A	----	175.30 + 49.30	.6790	----	----	----	----	17 UNCH
4635	----	----	202.50B/----	202.50B/139.20A	----	178.80 + 50.00	.6860	----	----	1	----	168 - 1
4640	----	----	206.20B/----	206.20B/142.10A	----	182.40 + 50.70	.6928	----	----	----	----	156 UNCH
4645	----	----	209.90B/----	209.90B/145.20A	----	186.00 + 51.40	.6995	----	----	----	----	26 UNCH
4650	----	----	213.70B/----	213.70B/148.30A	----	189.60 + 52.10	.7063	----	----	1	----	483 UNCH
4655	----	----	217.50B/----	217.50B/151.40A	----	193.30 + 52.80	.7128	----	----	----	----	13 UNCH
4660	----	----	221.30B/----	221.30B/155.00A	----	197.00 + 53.50	.7193	----	----	----	----	104 UNCH
4665	----	----	225.20B/----	225.20B/158.20A	----	200.70 + 54.10	.7255	----	----	----	----	24 UNCH
4670	----	----	229.00B/----	229.00B/161.40A	----	204.50 + 54.80	.7320	----	----	----	----	101 UNCH
4675	----	----	233.00B/----	233.00B/164.70A	----	208.30 + 55.50	.7382	----	----	----	----	171 UNCH
4680	----	----	236.90B/----	236.90B/168.00A	----	212.10 + 56.10	.7441	----	----	----	----	164 UNCH
4685	----	----	240.90B/----	240.90B/171.40A	----	216.00 + 56.80	.7500	----	----	----	----	8 UNCH
4690	----	----	244.90B/----	244.90B/174.70A	----	219.90 + 57.50	.7559	----	----	----	----	60 UNCH
4695	229.10	229.10	248.90B/229.10	248.90B/178.20A	----	223.80 + 58.10	.7618	----	----	1	----	202 + 1
4700	----	----	253.30B/----	253.30B/181.40A	----	227.80 + 58.70	.7676	----	----	12	----	774 - 1
4705	----	----	257.00B/----	257.00B/185.00A	----	231.70 + 59.30	.7732	----	----	5	----	30 - 3

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4710	----	----	261.10B/----	261.10B/188.50A	----	235.70 + 59.90	.7787	----	----	----	----	128 UNCH
4715	----	----	265.20B/----	265.20B/192.10A	----	239.70 + 60.40	.7839	----	----	----	----	122 UNCH
4720	----	----	269.40B/----	269.40B/195.70A	----	243.80 + 61.10	.7894	----	----	5	----	61 UNCH
4725	----	----	273.50B/----	273.50B/199.30A	----	247.90 + 61.70	.7946	----	----	----	----	227 UNCH
4730	----	----	277.70B/----	277.70B/203.00A	----	252.00 + 62.20	.7998	----	----	----	----	73 UNCH
4735	----	----	282.00B/----	282.00B/206.60A	----	256.10 + 62.70	.8049	----	----	----	----	38 UNCH
4740	----	----	286.20B/----	286.20B/210.40A	----	260.20 + 63.20	.8097	----	----	----	----	119 UNCH
4745	----	----	290.50B/----	290.50B/214.10A	----	264.40 + 63.80	.8145	----	----	----	----	140 UNCH
4750	262.40	262.40	294.70B/262.40	294.70B/217.90A	----	268.60 + 64.30	.8192	----	----	2	----	781 + 1
4755	----	----	299.00B/----	299.00B/221.70A	----	272.80 + 64.80	.8240	----	----	----	----	14 UNCH
4760	----	----	303.40B/----	303.40B/225.60A	----	277.10 + 65.30	.8287	----	----	10	----	71 - 10
4765	----	----	307.70B/----	307.70B/229.50A	----	281.30 + 65.80	.8331	----	----	----	----	305 UNCH
4770	----	----	312.10B/----	312.10B/233.40A	----	285.60 + 66.30	.8374	----	----	----	----	12 UNCH
4775	----	----	316.50B/----	316.50B/237.30A	----	289.90 + 66.70	.8413	----	----	----	----	57 UNCH
4780	----	----	320.90B/----	320.90B/241.30A	----	294.30 + 67.30	.8456	----	----	----	----	39 UNCH
4785	309.00	309.00	325.30B/309.00	325.30B/245.30A	----	298.70 + 67.80	.8495	----	----	1	----	119 + 1
4790	----	----	329.70B/----	329.70B/249.30A	----	303.10 + 68.30	.8533	----	----	----	----	3 UNCH
4795	----	----	334.20B/----	334.20B/253.30A	----	307.50 + 68.80	.8572	----	----	----	----	80 UNCH
4800	----	----	338.80B/----	338.80B/257.10A	----	311.90 + 69.20	.8606	----	----	----	----	1246 UNCH
4805	326.90	326.90	343.10B/326.90	343.10B/261.50A	----	316.30 + 69.60	.8644	----	----	1	----	22 UNCH
4810	----	----	347.60B/----	347.60B/265.60A	----	320.80 + 70.10	.8678	----	----	----	----	11 UNCH
4815	----	----	352.10B/----	352.10B/269.80A	----	325.30 + 70.60	.8712	----	----	----	----	28 UNCH
4820	----	----	356.70B/----	356.70B/274.00A	----	329.80 + 71.00	.8745	----	----	----	----	207 UNCH
4825	----	----	361.20B/----	361.20B/278.20A	----	334.30 + 71.40	.8778	----	----	----	----	33 UNCH
4830	----	----	365.80B/----	365.80B/282.40A	----	338.80 + 71.80	.8811	----	----	----	----	5 UNCH
4835	----	----	370.30B/----	370.30B/286.60A	----	343.30 + 72.10	.8844	----	----	----	----	24 UNCH
4840	----	----	374.90B/----	374.90B/290.90A	----	347.90 + 72.50	.8873	----	----	----	----	10 UNCH
4845	----	----	379.50B/----	379.50B/295.10A	----	352.40 + 72.80	.8901	----	----	10	----	53 - 10
4850	----	----	384.10B/----	384.10B/299.50A	----	357.00 + 73.20	.8929	----	----	----	----	300 UNCH
4855	----	----	388.70B/----	388.70B/303.90A	----	361.60 + 73.50	.8957	----	----	----	----	11 UNCH
4860	----	----	393.40B/----	393.40B/308.20A	----	366.20 + 73.90	.8985	----	----	----	----	8 UNCH
4865	----	----	398.00B/----	398.00B/312.60A	----	370.90 + 74.30	.9012	----	----	----	----	30 UNCH
4870	386.40	386.40	402.70B/386.40	402.70B/317.00A	----	375.50 + 74.60	.9035	----	----	1	----	319 UNCH
4875	----	----	407.40B/----	407.40B/321.40A	----	380.20 + 74.90	.9062	----	----	----	----	71 UNCH
4880	395.10	395.10	412.00B/395.10	412.00B/325.80A	----	384.80 + 75.20	.9085	----	----	12	----	41 - 10
4885	----	----	416.70B/----	416.70B/330.30A	----	389.50 + 75.50	.9107	----	----	----	----	12 UNCH
4890	----	----	421.40B/----	421.40B/334.80A	----	394.20 + 75.80	.9129	----	----	----	----	9 UNCH
4895	----	----	426.10B/----	426.10B/339.30A	----	398.90 + 76.10	.9151	----	----	----	----	48 UNCH
4900	----	----	430.80B/----	430.80B/343.70A	----	403.60 + 76.40	.9173	----	----	----	----	261 UNCH
4905	----	----	435.60B/----	435.60B/348.30A	----	408.40 + 76.80	.9189	----	----	----	----	53 UNCH
4910	----	----	440.30B/----	440.30B/352.80A	----	413.10 + 77.00	.9211	----	----	----	----	4 UNCH
4915	----	----	445.00B/----	445.00B/357.30A	----	417.80 + 77.20	.9232	----	----	----	----	118 UNCH
4920	----	----	449.80B/----	449.80B/361.90A	----	422.60 + 77.60	.9248	----	----	----	----	22 UNCH
4925	----	----	454.50B/----	454.50B/366.50A	----	427.30 + 77.80	.9264	----	----	----	----	11 UNCH
4930	----	----	459.30B/----	459.30B/371.10A	----	432.10 + 78.00	.9285	----	----	----	----	52 UNCH
4935	----	----	464.10B/----	464.10B/375.70A	----	436.90 + 78.30	.9301	----	----	----	----	4 UNCH
4940	----	----	468.90B/----	468.90B/380.30A	----	441.70 + 78.60	.9317	----	----	10	----	1 - 10
4950	----	----	478.40B/----	478.40B/389.60A	----	451.20 + 78.90	.9348	----	----	----	----	110 UNCH
4975	----	----	502.50B/----	502.50B/413.00A	----	475.30 + 79.90	.9418	----	----	----	----	2 UNCH
4980	----	----	507.30B/----	507.30B/417.20A	----	480.10 + 80.10	.9433	----	----	----	----	6 UNCH
4985	----	----	512.10B/----	512.10B/422.40A	----	484.90 + 80.20	.9448	----	----	----	----	103 UNCH
4990	----	----	517.00B/----	517.00B/427.10A	----	489.80 + 80.50	.9457	----	----	----	----	2 UNCH
4995	----	----	521.80B/----	521.80B/431.90A	----	494.60 + 80.60	.9472	----	----	----	----	12 UNCH
5000	475.50	475.50	528.70/475.50	528.70/436.60A	----	499.40 + 80.70	.9487	----	----	14	----	538 - 6
5005	----	----	531.50B/----	531.50B/441.30A	----	504.30 + 80.90	.9496	----	----	----	----	12 UNCH
5010	----	----	536.30B/----	536.30B/446.10A	----	509.10 + 81.00	.9510	----	----	----	----	8 UNCH
5015	----	----	541.20B/----	541.20B/450.80A	----	514.00 + 81.20	.9519	----	----	----	----	19 UNCH
5020	----	----	546.10B/----	546.10B/455.60A	----	518.80 + 81.20	.9528	----	----	----	----	5 UNCH
5025	----	----	550.90B/----	550.90B/460.40A	----	523.70 + 81.40	.9542	----	----	----	----	150 UNCH
5030	----	----	555.80B/----	555.80B/465.20A	----	528.60 + 81.60	.9551	----	----	----	----	8 UNCH
5035	----	----	560.70B/----	560.70B/470.00A	----	533.40 + 81.60	.9559	----	----	----	----	37 UNCH
5040	----	----	565.50B/----	565.50B/474.80A	----	538.30 + 81.80	.9573	----	----	----	----	10 UNCH
5045	----	----	570.40B/----	570.40B/479.60A	----	543.20 + 81.90	.9582	----	----	----	----	5 UNCH
5050	----	----	575.30B/----	575.30B/484.40A	----	548.00 + 81.90	.9590	----	----	----	----	79 UNCH
5055	----	----	580.20B/----	580.20B/489.20A	----	552.90 + 82.10	.9598	----	----	----	----	3 UNCH
5065	----	----	590.00B/----	590.00B/498.90A	----	562.70 + 82.30	.9615	----	----	----	----	11 UNCH
5075	----	----	599.80B/----	599.80B/508.10A	----	572.50 + 82.50	.9631	----	----	----	----	6 UNCH
5080	----	----	604.70B/----	604.70B/513.40A	----	577.40 + 82.60	.9639	----	----	----	----	2 UNCH
5085	----	----	609.60B/----	609.60B/518.20A	----	582.30 + 82.70	.9647	----	----	10	----	11 - 10
5090	----	----	614.50B/----	614.50B/523.10A	----	587.20 + 82.70	.9655	----	----	----	----	6 UNCH
5095	----	----	619.40B/----	619.40B/527.80A	----	592.10 + 82.80	.9662	----	----	----	----	42 UNCH
5100	----	----	624.30B/----	624.30B/532.90A	----	597.00 + 82.90	.9670	----	----	----	----	107 UNCH
5105	----	----	629.20B/----	629.20B/537.70A	----	601.90 + 83.00	.9678	----	----	----	----	22 UNCH
5110	----	----	634.10B/----	634.10B/542.60A	----	606.90 + 83.10	.9686	----	----	----	----	16 UNCH
5115	----	----	639.00B/----	639.00B/547.50A	----	611.80 + 83.20	.9688	----	----	----	----	37 UNCH
5120	----	----	643.90B/----	643.90B/552.30A	----	616.70 + 83.20	.9695	----	----	----	----	13 UNCH
5125	----	----	648.90B/----	648.90B/556.90A	----	621.60 + 83.30	.9703	----	----	----	----	37 UNCH
5130	----	----	653.80B/----	653.80B/562.00A	----	626.50 + 83.30	.9710	----	----	----	----	25 UNCH
5135	----	----	658.70B/----	658.70B/566.90A	----	631.50 + 83.50	.9712	----	----	----	----	19 UNCH
5140	----	----	663.60B/----	663.60B/571.90A	----	636.40 + 83.50	.9720	----	----	----	----	21 UNCH
5145	----	----	668.60B/----	668.60B/576.80A	----	641.30 + 83.50	.9727	----	----	----	----	3 UNCH
5150	----	----	673.50B/----	673.50B/581.70A	----	646.30 + 83.60	.9729	----	----	----	----	235 UNCH
5155	----	----	678.40B/----	678.40B/586.60A	----	651.20 + 83.70	.9736	----	----	----	----	43 UNCH
5160	----	----	683.40B/----	683.40B/591.50A	----	656.10 + 83.70	.9737	----	----	----	----	44 UNCH
5170	----	----	693.20B/----	693.20B/601.30A	----	666.00 + 83.80	.9752	----	----	----	----	53 UNCH
5175	----	----	698.20B/----	698.20B/606.20A	----	670.90 + 83.80	.9753	----	----	----	----	61 UNCH
5180	----	----	703.10B/----	703.10B/611.10A	----	675.90 + 83.90	.9761	----	----	----	----	12 UNCH
5185	----	----	708.10B/----	708.10B/616.00A	----	680.80 + 83.90	.9762	----	----	----	----	103 UNCH
5190	----	----	713.00B/----	713.00B/621.00A	----	685.80 + 84.00	.9769	----	----	----	----	19 UNCH
5200	----	----	722.90B/----	722.90B/630.80A	----	695.70 + 84.10	.9778	----	----	----	----	54 UNCH
5225	----	----	741.50B/----	741.50B/694.10A	----	720.50 + 84.40	.9795	----	----	----	----	42 UNCH
5230	----	----	----	----	----	725.40 + 84.40	.9796	----	----	----	----	2 UNCH
5235	----	----	751.40B/----	751.40B/704.00A	----	730.40 + 84.40	.9803	----	----	----	----	23 UNCH
5245	----	----	----	----	----	740.30 + 84.50	.9805	----	----	----	----	2 UNCH
5250	----	----	766.20B/----	766.20B/718.80A	----	745.30 + 84.60	.9812	----	----	----	----	14 UNCH
5255	----	----	771.20B/----	771.20B/723.80A	----	750.20 + 84.60	.9813	----	----	----	----	14 UNCH
5285	----	----	----	----	----	780.00 + 84.80	.9830	----	----	----	----	2 UNCH
5290	----	----	805.90B/----	805.90B/758.40A	----	785.00 + 84.90	.9831	----	----	----	----	4 UNCH
5295	----	----	----	----	----	790.00 + 84.90	.9831	----	----	----	----	2 UNCH
5300	----	----	815.80B/----	815.80B/768.40A	----	795.00 + 85.00	.9838	----	----	----	----	68 UNCH
5315	----	----	830.70B/----	830.70B/783.20A	----	809.90 + 85.10	.9840	----	----	----	----	10 UNCH
5325	----	----	----	----	----	819.80 + 85.10	.9848	----	----	----	----	2 UNCH
5350	----	----	865.50B/----	865.50B/818.00A	----	844.70 + 85.20	.9857	----	----	----	----	8 UNCH
5375	----	----	890.30B/----	890.30B/842.80A	----	869.60 + 85.40	.9866	----	----	----	----	8 UNCH
5390	----	----	905.20B/----	905.20B/857.70A	----	884.50 + 85.40	.9874	----	----	----	----	5 UNCH
5400	----	----	918.30B/----	918.30B/864.10A	----	894.50 + 85.50	.9875	----	----	----	----	603 UNCH
5410	----	----	----	----	----	904.40 + 85.50	.9882	----	----	----	----	0 UNCH
5440	----	----	----	----	----	934.30 + 85.60	.9890	----	----	----	----	1 UNCH
5475	----	----	989.80B/----	989.80B/942.30A	----	969.20 + 85.70	.9899	----	----	----	----	7 UNCH
5500	----	----	1,014.70B/----	1014.70B/967.20A	----	994.10 + 85.70	.9907	----	----	----	----	3 UNCH
5505	----	----	----	----	----	999.10 + 85.70	.9908	----	----	----	----	1 UNCH
5510	----	----	----	----	----	1004.10 + 85.80	.9908	----	----	----	----	1 UNCH
TOTAL										4519	170	59322 + 240
AUG26												
2300	----	----	----	0.10B/0.70A	----	0.40 + 0.10	.0011	----	----	----	----	45 UNCH
2325	----	----	----	0.10B/0.70A	----	0.40 + 0.10	.0011	----	----	----	----	1 UNCH
2350	0.60	0.60	0.60/*0.60	0.60/0.60	----	0.40 UNCH	.0012	----	----	20	----	22 UNCH
2375	----	----	----	0.20B/0.80A	----	0.50 + 0.10	.0014	----	----	----	----	7 UNCH
2400	----	----	----	0.20B/*0.50A	----	0.50 + 0.10	.0015	----	----	10	----	12 + 7
2425	----	----	----	0.30B/0.80A	----	0.50 + 0.10	.0015	----	----	----	----	1 UNCH
2475	----	----	----	0.40B/0.90A	----	0.60 + 0.10	.0018	----	----	----	----	5 UNCH
2500	----	----	----	0.40B/0.70A	----	0.70 + 0.20	.0021	----	----	----	----	114 UNCH
2570	----	----	----	0.60B/1.00A	----	0.80 + 0.20	.0024	----	----	----	----	9 UNCH
2580	----	----	----	0.60B/1.00A	----	0.80 + 0.20	.0025	----	----	----	----	1 UNCH
2590	----	----	----	0.60B/1.00A	----	0.80 + 0.10	.0025	----	----	----	----	2 UNCH
2600	----	----	----	0.60B/1.10A	----	0.90 + 0.20	.0028	----	----	----	----	6 UNCH
2615	----	----	----	0.60B/1.10A	----	0.90 + 0.20	.0028	----	----	----	----	1 UNCH
2625	----	----	0.80B/----	0.80B/1.00A	----	0.90 + 0.20	.0028	----	----	----	----	2 UNCH
2640	----	----	----	0.80B/1.00A	----	0.90 + 0.10	.0028	----	----	----	----	1 UNCH
2665	----	----	----	0.80B/1.10A	----	1.00 + 0.20	.0031	----	----	----	----	1 UNCH
2685	----	----	0.90B/----	0.90B/1.10A	----	1.10 + 0.30	.0034	----	----	----	----	1 UNCH
2690	----	----	----	0.90B/1.10A	----	1.10 + 0.20	.0035	----	----	----	----	1 UNCH
2730	----	----	1.00B/----	1.00B/1.20A	----	1.20 + 0.30	.0038	----	----	----	----	3 UNCH
2735	1.00	1.00	1.00/*1.00	1.00/*1.00	----	1.20 NEW	.0038	----	----	1	----	1 + 1
2740	----	----	----	1.00B/1.20A	----	1.20 + 0.20	.0038	----	----	----	----	2 UNCH
2745	----	----	----	1.00B/1.30A	----	1.20 + 0.20	.0038	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
2750	----	----	----	1.00B/1.30A	----	1.20 + 0.20	.0039	----	----	----	----	4 UNCH
2800	----	----	1.20B/----	1.20B/1.40A	----	1.30 + 0.20	.0043	----	----	10	----	56 + 10
2860	----	----	1.40B/----	1.40B/1.50A	----	1.50 + 0.20	.0050	----	----	----	----	1 UNCH
2875	----	----	1.40B/----	1.40B/1.50A	----	1.50 + 0.20	.0050	----	----	----	----	3 UNCH
2900	----	----	1.50B/----	1.50B/*1.50A	----	1.50 + 0.10	.0051	----	----	----	----	2 UNCH
2940	----	----	1.60B/----	1.60B/1.70A	----	1.60 + 0.10	.0056	----	----	----	----	2 UNCH
2950	----	----	1.70B/----	1.70B/1.70A	----	1.70 + 0.20	.0059	----	----	----	----	8 UNCH
2965	----	----	1.70B/----	1.70B/1.80A	----	1.70 + 0.10	.0059	----	----	----	----	2 UNCH
2975	----	----	1.80B/----	1.80B/1.80A	----	1.70 + 0.10	.0060	----	----	----	----	1 UNCH
2980	----	----	1.80B/----	1.80B/1.80A	----	1.80 + 0.20	.0063	----	----	----	----	1 UNCH
3000	----	----	1.90B/----	1.90B/1.90A	----	1.80 + 0.10	.0064	----	----	1	----	274 UNCH
3005	----	----	1.90B/----	1.90B/1.90A	----	1.80 + 0.10	.0064	----	----	----	----	5 UNCH
3010	----	----	1.90B/----	1.90B/1.90A	----	1.80 + 0.10	.0064	----	----	----	----	1 UNCH
3015	----	----	1.90B/----	1.90B/2.00A	----	1.90 + 0.20	.0067	----	----	----	----	1 UNCH
3025	----	----	2.00B/----	2.00B/2.00A	----	1.90 + 0.10	.0068	----	----	----	----	5 UNCH
3040	----	----	2.00B/----	2.00B/2.10A	----	2.00 + 0.20	.0072	----	----	----	----	1 UNCH
3065	----	----	2.20B/----	2.20B/2.20A	----	2.10 + 0.20	.0076	----	----	----	----	1 UNCH
3090	----	----	2.30B/----	2.30B/2.30A	----	2.20 + 0.20	.0080	----	----	----	----	1 UNCH
3095	----	----	2.30B/----	2.30B/2.30A	----	2.20 + 0.20	.0080	----	----	----	----	1 UNCH
3100	----	----	2.40B/----	2.40B/2.30A	----	2.20 + 0.20	.0081	----	----	----	----	259 UNCH
3110	----	----	2.40B/----	2.40B/2.30A	----	2.30 + 0.30	.0084	----	----	----	----	15 UNCH
3115	----	----	2.40B/----	2.40B/2.40A	----	2.30 + 0.30	.0085	----	----	----	----	1 UNCH
3120	----	----	2.50B/----	2.50B/2.40A	----	2.30 + 0.20	.0085	----	----	----	----	29 UNCH
3125	----	----	2.50B/----	2.50B/2.40A	----	2.40 + 0.30	.0088	----	----	----	----	1 UNCH
3130	----	----	2.50B/----	2.50B/2.40A	----	2.40 + 0.30	.0088	----	----	----	----	5 UNCH
3145	----	----	2.60B/----	2.60B/2.50A	----	2.50 + 0.40	.0092	----	----	----	----	1 UNCH
3150	----	----	2.60B/----	2.60B/2.50A	----	2.50 + 0.40	.0093	----	----	----	----	10 UNCH
3155	----	----	2.60B/----	2.60B/2.50A	----	2.50 + 0.30	.0093	----	----	----	----	3 UNCH
3160	----	----	2.60B/----	2.60B/2.50A	----	2.60 + 0.40	.0096	----	----	----	----	1 UNCH
3165	----	----	2.70B/----	2.70B/2.60A	----	2.60 + 0.40	.0097	----	----	----	----	141 UNCH
3170	----	----	2.70B/----	2.70B/2.60A	----	2.60 + 0.40	.0097	----	----	----	----	2 UNCH
3175	----	----	2.70B/----	2.70B/2.60A	----	2.70 + 0.50	.0100	----	----	----	----	1 UNCH
3180	----	----	2.80B/----	2.80B/2.60A	----	2.70 + 0.40	.0101	----	----	----	----	26 UNCH
3185	----	----	2.80B/----	2.80B/2.70A	----	2.70 + 0.40	.0101	----	----	----	----	1 UNCH
3190	----	----	2.90B/----	2.90B/2.70A	----	2.80 + 0.50	.0105	----	----	----	----	883 UNCH
3195	----	----	2.90B/----	2.90B/2.70A	----	2.80 + 0.50	.0105	----	----	----	----	1 UNCH
3200	----	----	2.90B/----	2.90B/2.70A	----	2.80 + 0.40	.0105	----	----	----	----	510 UNCH
3235	----	----	3.20B/----	3.20B/3.00A	----	3.00 + 0.40	.0114	----	----	----	----	20 UNCH
3250	----	----	3.30B/----	3.30B/3.10A	----	3.10 + 0.40	.0119	----	----	----	----	521 UNCH
3260	----	----	3.40B/----	3.40B/3.10A	----	3.20 + 0.40	.0123	----	----	----	----	30 UNCH
3295	----	----	3.70B/----	3.70B/3.30A	----	3.40 + 0.40	.0132	----	----	----	----	2 UNCH
3300	3.10	3.10	3.70B/3.10	3.70B/3.10	----	3.40 + 0.30	.0133	----	----	6	----	246 - 4
3310	----	----	3.80B/----	3.80B/3.50A	----	3.50 + 0.30	.0137	----	----	----	----	20 UNCH
3330	----	----	4.00B/----	4.00B/3.60A	----	3.70 + 0.40	.0145	----	----	----	----	2 UNCH
3350	----	----	4.20B/----	4.20B/3.80A	----	3.90 + 0.40	.0154	----	----	----	----	479 UNCH
3370	----	----	4.40B/----	4.40B/3.90A	----	4.10 + 0.50	.0162	----	----	----	----	1 UNCH
3375	----	----	4.50B/----	4.50B/4.00A	----	4.10 + 0.50	.0163	----	----	----	----	15 UNCH
3380	----	----	4.50B/----	4.50B/4.00A	----	4.20 + 0.50	.0167	----	----	----	----	1 UNCH
3390	----	----	4.60B/----	4.60B/4.10A	----	4.30 + 0.50	.0171	----	----	----	----	1 UNCH
3395	----	----	4.70B/----	4.70B/4.20A	----	4.40 + 0.60	.0175	----	----	----	----	7 UNCH
3400	----	----	4.80B/----	4.80B/4.20A	----	4.40 + 0.60	.0175	----	----	1	----	309 UNCH
3405	----	----	4.80B/----	4.80B/4.30A	----	4.50 + 0.60	.0179	----	----	----	----	24 UNCH
3410	----	----	4.90B/----	4.90B/4.30A	----	4.50 + 0.60	.0180	----	----	----	----	1 UNCH
3430	----	----	5.10B/----	5.10B/4.50A	----	4.80 + 0.70	.0192	----	----	----	----	20 UNCH
3450	----	----	5.40B/----	5.40B/4.70A	----	5.00 + 0.80	.0202	----	----	----	----	2 UNCH
3460	----	----	5.60B/----	5.60B/4.80A	----	5.10 + 0.80	.0207	----	----	----	----	1 UNCH
3465	----	----	5.60B/----	5.60B/4.90A	----	5.20 + 0.80	.0210	----	----	----	----	6 UNCH
3470	----	----	5.70B/----	5.70B/4.90A	----	5.30 + 0.90	.0214	----	----	----	----	1 UNCH
3485	----	----	6.00B/----	6.00B/5.10A	----	5.50 + 0.90	.0223	----	----	----	----	1 UNCH
3495	----	----	6.10B/----	6.10B/5.20A	----	5.60 + 0.90	.0228	----	----	----	----	1 UNCH
3500	----	----	6.20B/----	6.20B/5.20A	----	5.70 + 1.00	.0232	----	----	3	----	831 + 3
3505	----	----	6.30B/----	6.30B/5.30A	----	5.80 + 1.00	.0237	----	----	----	----	1 UNCH
3510	----	----	6.40B/----	6.40B/5.40A	----	5.80 + 1.00	.0238	----	----	----	----	50 UNCH
3520	----	----	6.60B/----	6.60B/5.50A	----	6.00 + 1.00	.0246	----	----	----	----	210 UNCH
3525	----	----	6.60B/----	6.60B/5.60A	----	6.00 + 1.00	.0247	----	----	1	----	61 + 1
3535	----	----	6.80B/----	6.80B/5.70A	----	6.20 + 1.10	.0255	----	----	----	----	1 UNCH
3545	----	----	7.00B/----	7.00B/5.80A	----	6.30 + 1.10	.0261	----	----	----	----	9 UNCH
3550	----	----	7.10B/----	7.10B/5.90A	----	6.40 + 1.10	.0265	----	----	----	----	152 UNCH
3560	----	----	7.30B/----	7.30B/6.00A	----	6.60 + 1.20	.0273	----	----	----	----	1 UNCH
3565	----	----	7.40B/----	7.40B/6.10A	----	6.70 + 1.20	.0278	----	----	----	----	1 UNCH
3570	----	----	7.50B/----	7.50B/6.20A	----	6.80 + 1.30	.0282	----	----	----	----	32 UNCH
3575	----	----	7.60B/----	7.60B/6.30A	----	6.80 + 1.20	.0283	----	----	----	----	20 UNCH
3585	----	----	7.80B/----	7.80B/6.40A	----	7.00 + 1.30	.0292	----	----	----	----	50 UNCH
3600	6.90	6.90	8.20B/6.70	8.20B/6.70	----	7.30 + 1.40	.0306	----	----	26	----	639 + 2
3605	----	----	8.30B/----	8.30B/6.70A	----	7.40 + 1.40	.0310	----	----	----	----	1 UNCH
3610	----	----	8.40B/----	8.40B/6.80A	----	7.50 + 1.40	.0315	----	----	----	----	1 UNCH
3630	----	----	8.90B/----	8.90B/7.20A	----	7.90 + 1.50	.0333	----	----	----	----	8 UNCH
3640	----	----	9.20B/----	9.20B/7.40A	----	8.10 + 1.60	.0342	----	----	----	----	1 UNCH
3645	----	----	9.30B/----	9.30B/7.50A	----	8.20 + 1.60	.0347	----	----	----	----	21 UNCH
3650	----	----	9.50B/----	9.50B/7.60A	----	8.30 + 1.60	.0352	----	----	----	----	47 UNCH
3655	----	----	9.60B/----	9.60B/7.30A	----	8.40 + 1.60	.0356	----	----	----	----	55 UNCH
3660	----	----	9.70B/----	9.70B/7.80A	----	8.50 + 1.60	.0361	----	----	----	----	10 UNCH
3665	----	----	9.80B/----	9.80B/7.90A	----	8.60 + 1.70	.0366	----	----	----	----	1 UNCH
3675	----	----	10.20B/----	10.20B/8.10A	----	8.90 + 1.80	.0379	----	----	----	----	24 UNCH
3690	----	----	10.60B/----	10.60B/8.40A	----	9.20 + 1.80	.0393	----	----	----	----	12 UNCH
3700	10.30	10.30	11.00B/8.90	11.00B/8.60A	----	9.50 + 1.90	.0407	----	----	11	----	284 + 1
3705	----	----	11.10B/----	11.10B/8.70A	----	9.60 + 1.90	.0412	----	----	----	----	21 UNCH
3715	----	----	11.40B/----	11.40B/8.90A	----	9.90 + 2.00	.0425	----	----	----	----	30 UNCH
3720	----	----	11.60B/----	11.60B/9.00A	----	10.00 + 2.00	.0430	----	----	----	----	1 UNCH
3725	----	----	11.80B/----	11.80B/9.10A	----	10.20 + 2.10	.0438	----	----	----	----	6 UNCH
3730	----	----	12.00B/----	12.00B/9.30A	----	10.30 + 2.10	.0444	----	----	----	----	11 UNCH
3735	----	----	12.20B/----	12.20B/9.40A	----	10.50 + 2.20	.0452	----	----	----	----	1 UNCH
3740	----	----	12.40B/----	12.40B/9.50A	----	10.60 + 2.20	.0457	----	----	----	----	7 UNCH
3745	----	----	12.50B/----	12.50B/9.60A	----	10.80 + 2.20	.0465	----	----	----	----	1 UNCH
3750	9.90	9.90	12.80B/9.90	12.80B/9.80A	----	11.00 + 2.30	.0474	----	----	2	----	91 + 2
3755	----	----	12.90B/----	12.90B/9.90A	----	11.10 + 2.30	.0479	----	----	1	----	1 UNCH
3760	----	----	13.10B/----	13.10B/10.00A	----	11.30 + 2.40	.0488	----	----	----	----	1 UNCH
3765	----	----	13.40B/----	13.40B/10.20A	----	11.50 + 2.50	.0496	----	----	----	----	100 UNCH
3770	----	----	13.60B/----	13.60B/10.00A	----	11.60 + 2.40	.0502	----	----	----	----	4 UNCH
3775	----	----	13.80B/----	13.80B/10.40A	----	11.80 + 2.50	.0511	----	----	----	----	13 UNCH
3780	----	----	14.00B/----	14.00B/10.60A	----	12.00 NEW	.0519	----	----	1	----	1 + 1
3785	----	----	14.20B/----	14.20B/10.70A	----	12.20 + 2.60	.0528	----	----	----	----	1 UNCH
3790	----	----	14.50B/----	14.50B/10.90A	----	12.40 + 2.70	.0537	----	----	----	----	6 UNCH
3795	----	----	14.70B/----	14.70B/11.00A	----	12.50 + 2.70	.0542	----	----	----	----	83 UNCH
3800	11.50	11.50	14.90B/11.50	14.90B/11.20A	----	12.70 + 2.70	.0551	----	----	6	----	473 + 4
3805	----	----	15.20B/----	15.20B/11.00A	----	12.90 + 2.80	.0560	----	----	----	----	6 UNCH
3810	14.50	14.50	15.40B/14.50	15.40B/11.50A	----	13.10 + 2.80	.0569	----	----	1	----	52 + 1
3815	13.30	13.30	15.70B/13.30	15.70B/11.70A	----	13.30 + 2.90	.0578	----	----	2	----	152 + 1
3820	----	----	15.90B/----	15.90B/11.80A	----	13.60 + 3.00	.0590	----	----	----	----	52 UNCH
3825	----	----	16.20B/----	16.20B/12.00A	----	13.80 + 3.10	.0599	----	----	1	----	54 UNCH
3830	----	----	16.40B/----	16.40B/12.20A	----	14.00 + 3.10	.0608	----	----	----	----	1 UNCH
3835	----	----	16.70B/----	16.70B/12.40A	----	14.20 + 3.20	.0617	----	----	----	----	16 UNCH
3840	----	----	17.00B/----	17.00B/12.50A	----	14.40 + 3.20	.0626	----	----	----	----	1 UNCH
3845	14.60	14.60	17.30B/14.60	17.30B/12.70A	----	14.70 + 3.30	.0639	----	----	13	----	14 + 13
3850	16.30	16.30	17.60B/16.30	17.60B/12.90A	----	14.90 + 3.30	.0648	----	----	5	----	145 - 1
3855	----	----	17.80B/----	17.80B/13.10A	----	15.20 + 3.50	.0660	----	----	----	----	7 UNCH
3860	----	----	18.10B/----	18.10B/13.10A	----	15.40 + 3.50	.0670	----	----	----	----	1 UNCH
3870	----	----	18.70B/----	18.70B/13.50A	----	15.90 + 3.60	.0691	----	----	----	----	17 UNCH
3875	----	----	19.10B/----	19.10B/13.70A	----	16.20 + 3.70	.0704	----	----	----	----	11 UNCH
3880	----	----	19.40B/----	19.40B/13.90A	----	16.40 + 3.70	.0714	----	----	----	----	341 UNCH
3885	----	----	19.70B/----	19.70B/14.20A	----	16.70 + 3.80	.0726	----	----	2	----	92 + 2
3890	----	----	20.00B/----	20.00B/14.40A	----	17.00 + 3.90	.0739	----	----	----	----	73 UNCH
3895	----	----	20.40B/----	20.40B/14.50A	----	17.30 + 4.00	.0752	----	----	----	----	14 UNCH
3900	13.60	13.60	20.70B/13.60	20.70B/13.60	----	17.60 + 4.10	.0764	----	----	12	----	2228 + 3
3905	----	----	21.10B/----	21.10B/14.90A	----	17.90 + 4.20	.0777	----	----	----	----	23 UNCH
3910	----	----	21.40B/----	21.40B/15.20A	----	18.20 + 4.30	.0790	----	----	----	----	91 UNCH
3915	----	----	21.80B/----	21.80B/15.40A	----	18.50 + 4.40	.0803	----	----	----	----	59 UNCH
3920	----	----	22.20B/----	22.20B/15.60A	----	18.80 + 4.50	.0816	----	----	----	----	64 UNCH
3925	----	----	22.60B/----	22.60B/15.90A	----	19.10 + 4.50	.0829	----	----	4	----	65 + 4
3930	----	----	22.90B/----	22.90B/16.10A	----	19.40 + 4.60	.0842	----	----	----	----	62 UNCH
3935	----	----	23.30B/----	23.30B/16.40A	----	19.80 + 4.70	.0858	----	----	----	----	13 UNCH
3940	----	----	23.70B/----	23.70B/16.60A	----	20.10 + 4.80	.0871	----	----	2	----	21 + 2
3945	----	----	24.10B/----	24.10B/16.90A	----	20.40 + 4.90	.0885	----	----	----	----	2 UNCH
3950	21.00	21.00	24.60B/21.00	24.60B/17.10A	----	20.80 + 5.00	.0901	----	----	25	----	249 - 5
3955	25.10	25.10	25.10/25.10	25.10/17.40A	----	21.20 + 5.10	.0917	----	----	2	----	14 + 2
3960	22.50	22.50	25.60/22.50	25.60/17.70A	----	21.50 + 5.20	.0931	----	----	14	----	19 + 14
3965	----	----	25.90B/----	25.90B/18.00A	----	21.90 + 5.30	.0947	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3970	----	----	26.30B/----	26.30B/18.30A	----	22.30 + 5.40	.0964	----	----	----	----	11 UNCH
3975	26.90	26.90	26.90/26.90	26.90/18.60A	----	22.70 + 5.50	.0980	----	----	6	----	274 + 5
3980	----	----	27.30B/----	27.30B/18.90A	----	23.10 + 5.70	.0997	----	----	2	----	2254 UNCH
3985	----	----	27.70B/----	27.70B/19.20A	----	23.50 + 5.80	.1013	----	----	----	----	4 UNCH
3990	----	----	28.20B/----	28.20B/19.50A	----	23.90 + 5.90	.1030	----	----	1	----	46 + 1
3995	----	----	28.70B/----	28.70B/19.80A	----	24.30 + 6.00	.1047	----	----	----	----	10 UNCH
4000	19.90	19.90	29.80/19.80	29.80/19.80	----	24.70 + 6.10	.1064	----	----	335	----	1427 + 83
4005	----	----	29.70B/----	29.70B/20.50A	----	25.20 + 6.20	.1083	----	----	----	----	6 UNCH
4010	----	----	30.30B/----	30.30B/20.90A	----	25.60 + 6.30	.1100	----	----	1	----	107 + 1
4015	----	----	30.80B/----	30.80B/21.20A	----	26.10 + 6.50	.1120	----	----	----	----	3 UNCH
4020	----	----	31.40B/----	31.40B/21.60A	----	26.50 + 6.60	.1137	----	----	----	----	4 UNCH
4025	----	----	31.90B/----	31.90B/22.00A	----	27.00 + 6.70	.1157	----	----	----	----	256 UNCH
4030	----	----	32.50B/----	32.50B/22.30A	----	27.50 + 6.90	.1177	----	----	----	----	60 UNCH
4035	----	----	33.10B/----	33.10B/22.80A	----	28.00 + 7.00	.1197	----	----	----	----	23 UNCH
4040	----	----	33.70B/----	33.70B/23.10A	----	28.50 + 7.10	.1217	----	----	----	----	27 UNCH
4045	----	----	34.30B/----	34.30B/23.50A	----	29.00 + 7.30	.1238	----	----	----	----	32 UNCH
4050	26.70	26.70	34.90B/26.70	34.90B/23.90A	----	29.50 + 7.40	.1258	----	----	34	----	340 + 11
4055	----	----	35.50B/----	35.50B/24.30A	----	30.10 + 7.60	.1281	----	----	----	----	22 UNCH
4060	----	----	36.20B/----	36.20B/24.70A	----	30.60 + 7.70	.1301	----	----	1	----	5 UNCH
4065	----	----	36.80B/----	36.80B/25.20A	----	31.20 + 7.90	.1324	----	----	----	----	12 UNCH
4070	----	----	37.50B/----	37.50B/25.70A	----	31.70 + 8.00	.1345	----	----	----	----	54 UNCH
4075	----	----	38.20B/----	38.20B/26.10A	----	32.30 + 8.20	.1368	----	----	----	----	19 UNCH
4080	----	----	38.90B/----	38.90B/26.40A	----	32.90 + 8.30	.1392	----	----	----	----	12 UNCH
4085	33.80	33.80	39.60B/33.80	39.60B/27.00A	----	33.50 + 8.50	.1415	----	----	3	----	339 - 3
4090	----	----	40.30B/----	40.30B/27.50A	----	34.10 + 8.60	.1439	----	----	----	----	208 UNCH
4095	----	----	41.00B/----	41.00B/27.90A	----	34.80 + 8.90	.1464	----	----	----	----	84 UNCH
4100	40.00	40.00	41.80B/32.80	41.80B/28.50A	----	35.40 + 9.00	.1488	----	----	110	----	897 - 89
4105	----	----	42.60B/----	42.60B/28.90A	----	36.10 + 9.20	.1514	----	----	----	----	21 UNCH
4110	----	----	43.30B/----	43.30B/29.50A	----	36.70 + 9.40	.1538	----	----	1	----	12 + 1
4115	----	----	44.20B/----	44.20B/30.10A	----	37.40 + 9.60	.1564	----	----	1	----	20 UNCH
4120	----	----	44.90B/----	44.90B/30.60A	----	38.10 + 9.70	.1591	----	----	----	----	128 UNCH
4125	----	----	45.80B/----	45.80B/31.20A	----	38.80 + 9.90	.1617	----	----	----	----	15 UNCH
4130	39.40	39.40	46.60B/39.40	46.60B/31.70A	----	39.60 + 10.20	.1646	----	----	2	----	19 + 2
4135	----	----	47.50B/----	47.50B/32.30A	----	40.30 + 10.40	.1673	----	----	1	----	63 UNCH
4140	----	----	48.30B/----	48.30B/32.90A	----	41.10 + 10.60	.1701	----	----	----	----	15 UNCH
4145	----	----	49.20B/----	49.20B/33.60A	----	41.90 + 10.80	.1730	----	----	----	----	44 UNCH
4150	42.10	42.10	50.20B/42.10	50.20B/34.10A	----	42.60 + 11.00	.1758	----	----	31	----	1144 + 5
4155	----	----	51.00B/----	51.00B/34.80A	----	43.50 + 11.30	.1789	----	----	----	----	23 UNCH
4160	48.00	48.00	51.80B/48.00	51.80B/35.40A	----	44.30 + 11.50	.1818	----	----	14	----	53 - 2
4165	----	----	52.90B/----	52.90B/36.10A	----	45.10 + 11.70	.1847	----	----	----	----	108 UNCH
4170	----	----	53.80B/----	53.80B/36.70A	----	46.00 + 11.90	.1879	----	----	1	----	83 + 1
4175	----	----	54.80B/----	54.80B/37.40A	----	46.80 + 12.10	.1909	----	----	1	----	39 + 1
4180	50.70	50.70	55.90B/50.70	55.90B/38.10A	----	47.70 + 12.30	.1940	----	----	3	----	121 + 3
4185	----	----	56.80B/----	56.80B/38.80A	----	48.60 + 12.60	.1972	----	----	----	----	50 UNCH
4190	----	----	57.90B/----	57.90B/39.50A	----	49.60 + 12.90	.2006	----	----	2	----	144 + 2
4195	----	----	58.90B/----	58.90B/40.20A	----	50.50 + 13.10	.2038	----	----	----	----	220 UNCH
4200	44.50	44.50	60.00B/41.10A	60.00B/41.10A	----	51.50 + 13.40	.2072	----	----	181	----	625 + 104
4205	----	----	61.10B/----	61.10B/41.80A	----	52.50 + 13.70	.2106	----	----	27	----	347 + 25
4210	58.00	58.00	62.20B/58.00	62.20B/42.60A	----	53.50 + 13.90	.2140	----	----	3	----	5 + 1
4215	----	----	63.40B/----	63.40B/43.40A	----	54.50 + 14.20	.2174	----	----	----	----	21 UNCH
4220	----	----	64.50B/----	64.50B/44.20A	----	55.50 + 14.40	.2209	----	----	1	----	22 + 1
4225	----	----	65.70B/----	65.70B/45.10A	----	56.60 + 14.70	.2245	----	----	7	----	48 - 5
4230	----	----	66.90B/----	66.90B/45.90A	----	57.70 + 15.00	.2281	----	----	33	----	33 + 18
4235	----	----	68.10B/----	68.10B/46.70A	----	58.80 + 15.30	.2318	----	----	----	----	8 UNCH
4240	----	----	69.40B/----	69.40B/47.70A	----	59.90 + 15.60	.2354	----	----	----	----	39 UNCH
4245	----	----	70.70B/----	70.70B/48.50A	----	61.00 + 15.80	.2391	----	----	----	200	252 + 200
4250	56.50	56.50	71.90B/56.50	71.90B/49.50A	----	62.20 + 16.10	.2429	----	----	34	25	1489 + 27
4255	----	----	73.20B/----	73.20B/50.40A	----	63.40 + 16.50	.2468	----	----	----	----	891 UNCH
4260	----	----	74.60B/----	74.60B/51.30A	----	64.60 + 16.70	.2506	----	----	----	----	50 UNCH
4265	----	----	76.00B/----	76.00B/52.30A	----	65.80 + 17.00	.2545	----	----	----	----	3 UNCH
4270	56.40	56.40	77.30B/53.30A	77.30B/53.30A	----	67.10 + 17.40	.2585	----	----	11	----	225 + 11
4275	----	----	78.70B/----	78.70B/54.40A	----	68.30 + 17.60	.2624	----	----	----	----	27 UNCH
4280	58.60	58.60	80.10B/55.40A	80.10B/55.40A	----	69.60 + 17.90	.2664	----	----	16	----	367 + 12
4285	----	----	81.60B/----	81.60B/56.40A	----	71.00 + 18.30	.2706	----	----	----	----	177 UNCH
4290	----	----	83.00B/----	83.00B/57.50A	----	72.30 + 18.60	.2747	----	----	1	----	67 - 1
4295	----	----	84.50B/----	84.50B/58.60A	----	73.70 + 19.00	.2789	----	----	----	----	4 UNCH
4300	79.30	79.30	86.10B/71.50	86.10B/59.70A	----	75.10 + 19.30	.2831	----	----	163	----	1341 + 18
4305	----	----	87.60B/----	87.60B/60.70A	----	76.50 + 19.60	.2873	----	----	----	----	512 UNCH
4310	----	----	89.10B/----	89.10B/61.90A	----	77.90 + 19.90	.2915	----	----	----	----	10 UNCH
4315	----	----	90.70B/----	90.70B/63.20A	----	79.40 + 20.30	.2959	----	----	----	----	12 UNCH
4320	----	----	92.30B/----	92.30B/64.30A	----	80.90 + 20.70	.3003	----	----	----	----	59 UNCH
4325	----	----	94.00B/----	94.00B/65.60A	----	82.40 + 21.00	.3047	----	----	8	----	333 + 2
4330	----	----	95.70B/----	95.70B/66.80A	----	84.00 + 21.40	.3091	----	----	----	----	130 UNCH
4335	----	----	97.20B/----	97.20B/68.00A	----	85.50 + 21.70	.3135	----	----	----	----	10 UNCH
4340	----	----	99.00B/----	99.00B/69.30A	----	87.10 + 22.10	.3181	----	----	----	----	62 UNCH
4345	----	----	100.80B/----	100.80B/70.60A	----	88.80 + 22.50	.3227	----	----	----	----	5 UNCH
4350	99.20	99.20	102.90B/99.20	102.90B/72.00A	----	90.40 + 22.90	.3272	----	----	65	----	1174 - 17
4355	91.20	91.20	104.50B/91.20	104.50B/73.30A	----	92.10 + 23.30	.3318	----	----	3	----	107 + 3
4360	----	----	106.30B/----	106.30B/74.70A	----	93.80 + 23.70	.3365	----	----	----	----	72 UNCH
4365	----	----	108.10B/----	108.10B/76.10A	----	95.50 + 24.00	.3411	----	----	----	----	121 UNCH
4370	----	----	110.10B/----	110.10B/77.50A	----	97.20 + 24.40	.3458	----	----	----	----	2 UNCH
4375	----	----	112.00B/----	112.00B/79.00A	----	99.00 + 24.80	.3506	----	----	----	----	44 UNCH
4380	95.50	95.50	114.00B/95.50	114.00B/80.40A	----	100.80 + 25.20	.3553	----	----	1	----	5 UNCH
4385	102.90	102.90	115.90B/102.90	115.90B/81.90A	----	102.60 + 25.60	.3601	----	----	4	----	14 + 4
4390	----	----	117.90B/----	117.90B/83.40A	----	104.50 + 26.00	.3649	----	----	4	----	38 + 4
4395	105.00	105.00	120.10B/105.00	120.10B/85.00A	----	106.40 + 26.40	.3698	----	----	2	----	31 UNCH
4400	100.00	100.00	122.20B/100.00	122.20B/86.60A	----	108.30 + 26.80	.3746	----	----	21	60	1988 - 59
4405	----	----	124.10B/----	124.10B/88.20A	----	110.20 + 27.20	.3795	----	----	----	----	66 UNCH
4410	----	----	126.30B/----	126.30B/89.70A	----	112.20 + 27.70	.3844	----	----	----	----	355 UNCH
4415	----	----	128.40B/----	128.40B/91.40A	----	114.20 + 28.10	.3894	----	----	----	----	149 UNCH
4420	126.00	126.00	130.60B/126.00	130.60B/93.10A	----	116.20 + 28.50	.3943	----	----	7	----	29 UNCH
4425	126.90	126.90	132.80B/126.90	132.80B/94.70A	----	118.20 + 28.90	.3993	----	----	1	----	101 UNCH
4430	121.00	121.00	135.00B/121.00	135.00B/96.50A	----	120.30 + 29.40	.4043	----	----	11	----	53 UNCH
4435	----	----	137.40B/----	137.40B/98.30A	----	122.40 + 29.90	.4093	----	----	----	----	32 UNCH
4440	138.50	138.50	139.70B/138.50	139.70B/100.00A	----	124.50 + 30.30	.4143	----	----	11	----	80 UNCH
4445	----	----	141.90B/----	141.90B/101.80A	----	126.70 + 30.80	.4194	----	----	----	----	6 UNCH
4450	130.00	130.00	144.40B/128.80	144.40B/103.70A	----	128.90 + 31.30	.4245	----	----	5	----	984 + 2
4455	126.10	126.10	146.60B/126.10	146.60B/105.50A	----	131.10 + 31.70	.4295	----	----	1	----	274 - 1
4460	128.30	128.30	149.10B/128.30	149.10B/107.40A	----	133.30 + 32.10	.4346	----	----	1	----	35 UNCH
4465	----	----	151.60B/----	151.60B/109.30A	----	135.60 + 32.70	.4397	----	----	----	----	26 UNCH
4470	----	----	153.90B/----	153.90B/111.20A	----	137.80 + 33.00	.4448	----	----	----	----	117 UNCH
4475	----	----	156.50B/----	156.50B/113.20A	----	140.20 + 33.60	.4500	----	----	4	----	240 + 1
4480	157.60	157.60	159.10B/157.60	159.10B/115.20A	----	142.50 + 34.00	.4551	----	----	4	----	133 - 1
4485	----	----	161.50B/----	161.50B/117.20A	----	144.80 + 34.40	.4602	----	----	1	----	42 UNCH
4490	150.50	150.50	164.10B/150.50	164.10B/119.20A	----	147.20 + 34.90	.4654	----	----	10	----	18 + 3
4495	148.70	148.70	166.70B/148.70	166.70B/121.30A	----	149.60 + 35.30	.4706	----	----	5	----	38 + 5
4500	134.00	134.00	169.40B/134.00	169.40B/123.40A	----	152.00 + 35.60	.4757	----	----	33	----	2063 - 13
4505	----	----	172.10B/----	172.10B/125.50A	----	154.50 + 36.00	.4809	----	----	1	----	48 UNCH
4510	----	----	174.70B/----	174.70B/128.10A	----	156.90 + 36.30	.4861	----	----	----	----	53 UNCH
4515	131.50	131.50	177.20B/130.10A	177.20B/130.10A	----	159.30 + 36.60	.4913	----	----	13	----	57 + 4
4520	----	----	179.70B/----	179.70B/132.40A	----	161.80 + 37.00	.4964	----	----	1	----	226 UNCH
4525	----	----	182.90B/----	182.90B/134.80A	----	164.30 + 37.40	.5016	----	----	----	----	21 UNCH
4530	----	----	185.80B/----	185.80B/136.70A	----	166.80 + 37.70	.5069	----	----	2	----	32 + 1
4535	----	----	188.50B/----	188.50B/139.20A	----	169.30 + 38.00	.5121	----	----	----	----	71 UNCH
4540	----	----	191.10B/----	191.10B/141.90A	----	171.90 + 38.40	.5173	----	----	----	----	75 UNCH
4545	154.00	154.00	194.30B/154.00	194.30B/144.20A	----	174.60 + 38.90	.5225	----	----	1	----	42 + 1
4550	----	----	197.20B/----	197.20B/146.50A	----	177.30 + 39.30	.5276	----	----	----	----	202 UNCH
4555	----	----	199.80B/----	199.80B/148.80A	----	180.10 + 39.90	.5328	----	----	15	----	119 - 1
4560	----	----	203.00B/----	203.00B/151.60A	----	182.90 + 40.30	.5379	----	----	----	----	224 UNCH
4565	----	----	205.80B/----	205.80B/153.90A	----	185.80 + 40.90	.5430	----	----	----	----	15 UNCH
4570	166.50	166.50	208.30B/156.30A	208.30B/156.30A	----	188.70 + 41.40	.5481	----	----	2	----	78 UNCH
4575	158.00	158.00	211.80B/158.00	211.80B/158.00	----	191.60 + 41.90	.5531	----	----	11	----	74 + 3
4580	----	----	214.90B/----	214.90B/161.30A	----	194.60 + 42.50	.5582	----	----	----	----	196 UNCH
4585	----	----	217.40B/----	217.40B/163.70A	----	197.60 + 43.00	.5633	----	----	----	----	6 UNCH
4590	----	----	220.70B/----	220.70B/166.50A	----	200.60 + 43.50	.5682	----	----	----	----	41 UNCH
4595	----	----	223.90B/----	223.90B/169.50A	----	203.60 + 44.00	.5733	----	----	----	----	169 UNCH
4600	----	----	227.60B/----	227.60B/171.90A	----	206.60 + 44.40	.5782	----	----	----	----	653 UNCH
4605	----	----	230.10B/----	230.10B/174.70A	----	209.70 + 44.90	.5832	----	----	----	----	82 UNCH
4610	----	----	233.10B/----	233.10B/177.30A	----	212.80 + 45.40	.5881	----	----	----	----	52 UNCH
4615	----	----	236.40B/----	236.40B/180.40A	----	216.00 + 45.90	.5930	----	----	----	----	4 UNCH
4620	----	----	239.60B/----	239.60B/183.10A	----	219.10 + 46.30	.5980	----	----	----	----	41 UNCH
4625	----	----	243.00B/----	243.00B/186.00A	----	222.30 + 46.80	.6028	----	----	----	----	340 UNCH
4630	----	----	246.30B/----	246.30B/188.80A	----	225.50 + 47.30	.6076	----	----	----	----	53 UNCH
4635	----	----	249.60B/----	249.60B/191.70A	----	228.80 + 47.80	.6124	----	----	----	----	129 UNCH
4640	----	----	253.00B/----	253.00B/194.50A	----	232.00 + 48.20	.6173	----	----	----	----	310 UNCH
4645	----	----	256.40B/----	256.40B/197.30A	----	235.30 + 48.70	.6219	----	----	----	----	135 UNCH
4650	----	----	260.50B/----	260.50B/200.40A	----	238.60 + 49.10	.6267	----	----	15	----	449 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4655	----	----	263.20B/----	263.20B/203.30A	----	242.00 + 49.60	.6313	----	----	----	----	30 UNCH
4660	----	----	266.60B/----	266.60B/206.30A	----	245.30 + 50.00	.6361	----	----	----	----	28 UNCH
4665	----	----	270.10B/----	270.10B/209.30A	----	248.70 + 50.50	.6406	----	----	----	----	4 UNCH
4670	----	----	273.60B/----	273.60B/212.30A	----	252.20 + 51.00	.6452	----	----	----	----	53 UNCH
4675	----	----	277.20B/----	277.20B/215.40A	----	255.60 + 51.40	.6497	----	----	----	----	15 UNCH
4680	----	----	280.70B/----	280.70B/218.40A	----	259.10 + 51.90	.6544	----	----	----	----	34 UNCH
4685	----	----	284.30B/----	284.30B/221.50A	----	262.50 + 52.30	.6587	----	----	----	----	224 UNCH
4690	----	----	287.90B/----	287.90B/224.60A	----	266.10 + 52.80	.6632	----	----	----	----	9 UNCH
4695	----	----	291.50B/----	291.50B/228.30A	----	269.60 + 53.20	.6676	----	----	----	----	5 UNCH
4700	----	----	295.90B/----	295.90B/231.50A	----	273.20 + 53.70	.6721	----	----	----	----	1051 UNCH
4705	----	----	298.80B/----	298.80B/234.60A	----	276.70 + 54.00	.6764	----	----	----	----	151 UNCH
4710	----	----	302.50B/----	302.50B/237.90A	----	280.30 + 54.40	.6806	----	----	----	----	10 UNCH
4715	----	----	306.20B/----	306.20B/241.20A	----	284.00 + 55.00	.6850	----	----	----	----	1 UNCH
4720	----	----	310.00B/----	310.00B/245.10A	----	287.60 + 55.30	.6892	----	----	----	----	13 UNCH
4725	----	----	313.70B/----	313.70B/248.40A	----	291.30 + 55.80	.6933	----	----	----	----	59 UNCH
4730	----	----	317.50B/----	317.50B/251.70A	----	295.00 + 56.20	.6975	----	----	----	----	57 UNCH
4735	----	----	321.30B/----	321.30B/255.10A	----	298.70 + 56.60	.7017	----	----	----	----	59 UNCH
4740	----	----	325.10B/----	325.10B/258.50A	----	302.40 + 57.00	.7057	----	----	----	----	38 UNCH
4745	----	----	329.10B/----	329.10B/262.00A	----	306.20 + 57.50	.7097	----	----	----	----	44 UNCH
4750	----	----	332.80B/----	332.80B/265.40A	----	310.00 + 57.90	.7137	----	----	----	----	181 UNCH
4755	----	----	336.60B/----	336.60B/268.90A	----	313.80 + 58.30	.7177	----	----	----	----	25 UNCH
4760	----	----	340.50B/----	340.50B/272.40A	----	317.60 + 58.70	.7216	----	----	----	----	7 UNCH
4765	----	----	344.40B/----	344.40B/275.90A	----	321.40 + 59.10	.7254	----	----	----	----	8 UNCH
4770	----	----	348.30B/----	348.30B/279.50A	----	325.30 + 59.50	.7292	----	----	----	----	260 UNCH
4775	----	----	352.30B/----	352.30B/282.80A	----	329.20 + 60.00	.7332	----	----	----	----	172 UNCH
4780	----	----	356.50B/----	356.50B/286.60A	----	333.00 + 60.30	.7368	----	----	----	----	19 UNCH
4785	----	----	360.40B/----	360.40B/290.20A	----	337.00 + 60.70	.7406	----	----	----	----	18 UNCH
4790	----	----	364.40B/----	364.40B/293.90A	----	340.90 + 61.10	.7443	----	----	----	----	54 UNCH
4795	----	----	368.20B/----	368.20B/297.50A	----	344.80 + 61.40	.7479	----	----	----	----	128 UNCH
4800	----	----	372.30B/----	372.30B/301.20A	----	348.80 + 61.90	.7515	----	----	5	----	968 UNCH
4805	----	----	376.30B/----	376.30B/304.90A	----	352.80 + 62.30	.7550	----	----	----	----	9 UNCH
4810	----	----	380.60B/----	380.60B/308.60A	----	356.80 + 62.70	.7586	----	----	----	----	5 UNCH
4815	----	----	384.40B/----	384.40B/312.30A	----	360.80 + 63.00	.7622	----	----	----	----	3 UNCH
4820	----	----	388.50B/----	388.50B/316.10A	----	364.80 + 63.40	.7655	----	----	----	----	4 UNCH
4825	----	----	392.90B/----	392.90B/319.90A	----	368.80 + 63.70	.7690	----	----	----	----	30 UNCH
4830	----	----	396.80B/----	396.80B/323.70A	----	372.90 + 64.10	.7724	----	----	----	----	4 UNCH
4835	----	----	401.00B/----	401.00B/327.50A	----	377.00 + 64.50	.7757	----	----	----	----	36 UNCH
4840	----	----	405.20B/----	405.20B/331.30A	----	381.10 + 64.80	.7790	----	----	----	----	5 UNCH
4850	----	----	413.40B/----	413.40B/339.00A	----	389.30 + 65.50	.7854	----	----	----	----	156 UNCH
4855	----	----	417.60B/----	417.60B/342.90A	----	393.40 + 65.80	.7885	----	----	----	----	11 UNCH
4860	----	----	421.80B/----	421.80B/346.90A	----	397.60 + 66.20	.7915	----	----	----	----	9 UNCH
4865	----	----	426.10B/----	426.10B/350.80A	----	401.80 + 66.50	.7946	----	----	----	----	12 UNCH
4870	----	----	430.70B/----	430.70B/354.80A	----	406.00 + 66.80	.7977	----	----	----	----	29 UNCH
4875	----	----	434.60B/----	434.60B/358.70A	----	410.20 + 67.10	.8007	----	----	----	----	82 UNCH
4880	----	----	438.80B/----	438.80B/362.70A	----	414.50 + 67.50	.8035	----	----	----	----	127 UNCH
4885	----	----	443.10B/----	443.10B/366.70A	----	418.70 + 67.70	.8063	----	----	----	----	8 UNCH
4890	----	----	447.40B/----	447.40B/370.80A	----	423.00 + 68.10	.8091	----	----	----	----	6 UNCH
4895	----	----	451.70B/----	451.70B/374.80A	----	427.30 + 68.40	.8119	----	----	----	----	6 UNCH
4900	----	----	456.40B/----	456.40B/378.90A	----	431.60 + 68.70	.8147	----	----	----	----	431 UNCH
4905	----	----	460.30B/----	460.30B/382.90A	----	435.90 + 69.00	.8175	----	----	----	----	29 UNCH
4910	----	----	464.80B/----	464.80B/387.00A	----	440.20 + 69.20	.8202	----	----	----	----	23 UNCH
4920	----	----	473.40B/----	473.40B/395.30A	----	448.90 + 69.80	.8255	----	----	----	----	3 UNCH
4925	----	----	477.80B/----	477.80B/399.40A	----	453.20 + 70.00	.8280	----	----	----	----	57 UNCH
4930	----	----	482.20B/----	482.20B/403.60A	----	457.60 + 70.40	.8305	----	----	10	----	11 + 10
4950	----	----	499.80B/----	499.80B/420.40A	----	475.20 + 71.40	.8404	----	----	----	----	31 UNCH
4955	----	----	504.80B/----	504.80B/424.60A	----	479.60 + 71.70	.8426	----	----	----	----	1 UNCH
4965	----	----	513.20B/----	513.20B/433.20A	----	488.40 + 72.10	.8472	----	----	----	----	1 UNCH
4980	----	----	526.60B/----	526.60B/446.00A	----	501.80 + 72.90	.8539	----	----	----	----	1 UNCH
5000	----	----	544.70B/----	544.70B/463.40A	----	519.80 + 73.80	.8625	----	----	----	----	331 UNCH
5010	----	----	553.90B/----	553.90B/472.00A	----	528.90 + 74.30	.8665	----	----	----	----	1 UNCH
5025	----	----	567.50B/----	567.50B/485.30A	----	542.50 + 74.90	.8722	----	----	----	----	25 UNCH
5030	----	----	572.00B/----	572.00B/489.80A	----	547.10 + 75.10	.8740	----	----	----	----	1 UNCH
5040	----	----	581.80B/----	581.80B/498.60A	----	556.20 + 75.50	.8776	----	----	----	----	4 UNCH
5045	----	----	585.80B/----	585.80B/503.10A	----	560.80 + 75.70	.8794	----	----	----	----	31 UNCH
5050	----	----	590.40B/----	590.40B/507.60A	----	565.40 + 75.90	.8812	----	----	----	----	351 UNCH
5070	----	----	608.90B/----	608.90B/525.60A	----	583.90 + 76.60	.8877	----	----	----	----	17 UNCH
5080	----	----	618.30B/----	618.30B/534.60A	----	593.20 + 77.00	.8909	----	----	----	----	3 UNCH
5085	----	----	622.80B/----	622.80B/539.10A	----	597.90 NEW	.8923	----	----	10	----	10 + 10
5100	----	----	637.00B/----	637.00B/552.80A	----	611.90 + 77.70	.8969	----	----	----	----	85 UNCH
5120	----	----	655.60B/----	655.60B/571.20A	----	630.70 + 78.40	.9023	----	----	----	----	2 UNCH
5180	----	----	712.30B/----	712.30B/627.00A	----	687.50 + 80.00	.9168	----	----	----	----	1 UNCH
5200	----	----	731.40B/----	731.40B/645.80A	----	706.60 + 80.50	.9212	----	----	----	----	114 UNCH
5265	----	----	793.80B/----	793.80B/707.60A	----	769.00 + 81.70	.9336	----	----	----	----	1 UNCH
5300	----	----	827.60B/----	827.60B/740.90A	----	802.80 + 82.20	.9391	----	----	----	----	3 UNCH
5355	----	----	881.00B/----	881.00B/794.30A	----	856.30 + 82.90	.9465	----	----	----	----	1 UNCH
5400	----	----	924.90B/----	924.90B/838.10A	----	900.30 + 83.40	.9517	----	----	----	----	76 UNCH
5460	----	----	#983.70B/----	#983.70B/896.70A	----	959.20 + 84.00	.9572	----	----	----	----	1 UNCH
5500	----	----	1,023.00B/----	1023.00B/936.00A	----	998.50 + 84.30	.9605	----	----	----	----	4 UNCH
5530	----	----	#1,052.50B/----	#1052.50B/965.40A	----	1028.10 + 84.50	.9628	----	----	----	----	1 UNCH
5575	----	----	#1,096.90B/----	#1096.90B/1009.80A	----	1072.50 + 84.80	.9660	----	----	----	----	2 UNCH
TOTAL										1498	285	45961+ 464
SEP26												
2000	----	----	----	----/0.80A	----	0.50 UNCH	.0012	----	----	----	----	1 UNCH
2350	----	----	----	0.70B/1.30A	----	1.00 + 0.10	.0026	----	----	----	----	37 UNCH
2375	----	----	----	0.70B/1.40A	----	1.10 + 0.10	.0028	----	----	----	----	5 UNCH
2400	----	----	----	0.80B/1.40A	----	1.10 + 0.10	.0029	----	----	----	----	1 UNCH
2500	----	----	----	1.00B/1.60A	----	1.30 + 0.10	.0035	----	----	----	----	54 UNCH
2575	----	----	----	1.30B/1.80A	----	1.50 + 0.10	.0042	----	----	----	----	1 UNCH
2600	----	----	----	1.30B/1.90A	----	1.60 + 0.20	.0044	----	----	----	----	2 UNCH
2800	----	----	2.20B/----	2.20B/2.50A	----	2.40 + 0.40	.0070	----	----	2	----	4 + 2
2850	----	----	2.50B/----	2.50B/2.70A	----	2.60 + 0.40	.0077	----	----	----	----	4 UNCH
2860	----	----	2.50B/----	2.50B/2.70A	----	2.60 + 0.30	.0078	----	----	----	----	17 UNCH
2865	----	----	2.50B/----	2.50B/2.70A	----	2.70 + 0.40	.0080	----	----	----	----	10 UNCH
2900	----	----	2.80B/----	2.80B/2.90A	----	2.80 + 0.40	.0085	----	----	----	----	5 UNCH
2915	----	----	2.80B/----	2.80B/3.00A	----	2.90 + 0.40	.0088	----	----	----	----	2 UNCH
2920	----	----	2.90B/----	2.90B/3.00A	----	2.90 + 0.40	.0088	----	----	----	----	5 UNCH
3000	----	----	3.30B/----	3.30B/3.40A	----	3.40 + 0.50	.0105	----	----	----	----	3 UNCH
3045	----	----	3.60B/----	3.60B/3.70A	----	3.70 + 0.50	.0116	----	----	----	----	25 UNCH
3100	----	----	3.90B/----	3.90B/4.10A	----	4.10 + 0.60	.0131	----	----	----	----	25 UNCH
3145	----	----	4.50B/----	4.50B/4.40A	----	4.50 + 0.70	.0145	----	----	----	----	15 UNCH
3150	----	----	4.40B/----	4.40B/4.50A	----	4.50 + 0.60	.0145	----	----	----	----	2 UNCH
3200	5.20	5.20	5.20/5.20	5.20/5.00A	----	5.00 + 0.70	.0163	----	----	15	----	16 + 15
3270	----	----	6.20B/----	6.20B/5.70A	----	5.80 + 0.90	.0192	----	----	----	----	15 UNCH
3300	----	----	6.70B/----	6.70B/6.00A	----	6.20 + 1.00	.0207	----	----	10	----	14 + 10
3400	----	----	8.50B/----	8.50B/7.20A	----	7.70 + 1.30	.0262	----	----	----	----	51 UNCH
3450	----	----	9.60B/----	9.60B/8.10A	----	8.70 + 1.60	.0298	----	----	1	----	1 + 1
3475	----	----	10.20B/----	10.20B/8.60A	----	9.20 + 1.70	.0317	----	----	----	----	2 UNCH
3480	----	----	10.30B/----	10.30B/8.70A	----	9.30 + 1.70	.0321	----	----	----	----	780 UNCH
3495	----	----	10.70B/----	10.70B/9.00A	----	9.70 + 1.80	.0334	----	----	----	----	1 UNCH
3500	8.40	8.40	10.90B/8.40	10.90B/8.40	----	9.80 + 1.80	.0338	----	----	2	----	224 - 2
3515	----	----	11.30B/----	11.30B/9.40A	----	10.10 + 1.90	.0350	----	----	----	----	5 UNCH
3525	----	----	11.60B/----	11.60B/9.60A	----	10.40 + 2.00	.0360	----	----	----	----	2 UNCH
3530	----	----	11.70B/----	11.70B/9.70A	----	10.50 + 2.00	.0364	----	----	----	----	1 UNCH
3535	----	----	11.90B/----	11.90B/9.90A	----	10.60 + 2.00	.0368	----	----	----	----	1 UNCH
3545	----	----	12.20B/----	12.20B/10.10A	----	10.90 + 2.10	.0379	----	----	----	----	6 UNCH
3550	----	----	12.30B/----	12.30B/10.20A	----	11.00 + 2.10	.0383	----	----	3	----	6 + 1
3555	----	----	12.50B/----	12.50B/10.30A	----	11.20 + 2.20	.0389	----	----	----	----	6 UNCH
3565	----	----	12.80B/----	12.80B/10.60A	----	11.50 + 2.20	.0400	----	----	----	----	1 UNCH
3570	----	----	13.00B/----	13.00B/10.70A	----	11.60 + 2.20	.0404	----	----	----	----	3 UNCH
3575	----	----	13.10B/----	13.10B/10.80A	----	11.80 + 2.30	.0411	----	----	----	----	64 UNCH
3585	----	----	13.50B/----	13.50B/11.10A	----	12.10 + 2.40	.0422	----	----	----	----	1 UNCH
3590	----	----	13.70B/----	13.70B/11.20A	----	12.20 + 2.40	.0426	----	----	----	----	4 UNCH
3595	----	----	13.80B/----	13.80B/11.40A	----	12.40 + 2.50	.0433	----	----	----	----	5 UNCH
3600	----	----	14.00B/----	14.00B/11.50A	----	12.50 + 2.40	.0437	----	----	2	----	41 + 1
3605	----	----	14.20B/----	14.20B/11.70A	----	12.70 + 2.50	.0444	----	----	----	----	9 UNCH
3610	----	----	14.30B/----	14.30B/11.80A	----	12.80 + 2.50	.0448	----	----	----	----	8 UNCH
3625	----	----	14.90B/----	14.90B/12.30A	----	13.30 + 2.60	.0466	----	----	1	----	8 + 1
3635	----	----	15.30B/----	15.30B/12.60A	----	13.70 + 2.70	.0480	----	----	----	----	5 UNCH
3650	----	----	16.00B/----	16.00B/13.00A	----	14.20 + 2.80	.0499	----	----	----	----	48 UNCH
3665	----	----	16.60B/----	16.60B/13.50A	----	14.80 + 3.00	.0520	----	----	----	----	1 UNCH
3670	----	----	16.90B/----	16.90B/13.70A	----	15.00 + 3.00	.0527	----	----	----	----	1 UNCH
3675	----	----	17.10B/----	17.10B/13.90A	----	15.20 + 3.10	.0534	----	----	----	----	10 UNCH
3680	----	----	17.00B/----	17.00B/14.10A	----	15.40 + 3.10	.0541	----	----	----	----	3 UNCH
3685	----	----	17.60B/----	17.60B/14.30A	----	15.60 + 3.20	.0548	----	----	----	----	1 UNCH
3690	----	----	17.70B/----	17.70B/14.40A	----	15.80 + 3.20	.0556	----	----	----	----	61 UNCH
3700	16.60	16.60	18.20B/16.60	18.20B/14.80A	----	16.20 + 3.30	.0570	----	----	3	----	156 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
3715	----	----	19.10B/----	19.10B/15.40A	----	16.90 + 3.50	.0595	----	----	----	----	14 UNCH
3720	----	----	19.20B/----	19.20B/15.60A	----	17.10 + 3.50	.0602	----	----	----	----	50 UNCH
3740	----	----	20.50B/----	20.50B/16.50A	----	18.10 + 3.80	.0637	----	----	1	----	1 UNCH
3750	----	----	21.00B/----	21.00B/16.90A	----	18.60 + 3.90	.0655	----	----	2	----	106 + 2
3755	----	----	21.30B/----	21.30B/17.10A	----	18.80 + 3.90	.0662	----	----	----	----	453 UNCH
3765	----	----	21.90B/----	21.90B/17.60A	----	19.40 + 4.10	.0682	----	----	----	----	1 UNCH
3775	----	----	22.60B/----	22.60B/18.10A	----	19.90 + 4.20	.0701	----	----	----	----	1 UNCH
3790	----	----	23.50B/----	23.50B/18.90A	----	20.80 + 4.40	.0731	----	----	----	----	2 UNCH
3800	----	----	24.20B/----	24.20B/19.40A	----	21.30 + 4.40	.0750	----	----	----	----	486 UNCH
3820	----	----	25.60B/----	25.60B/20.50A	----	22.60 + 4.80	.0794	----	----	----	----	1 UNCH
3825	----	----	26.00B/----	26.00B/20.70A	----	22.90 + 4.80	.0804	----	----	----	----	13 UNCH
3830	----	----	26.40B/----	26.40B/20.80A	----	23.20 + 4.90	.0815	----	----	----	----	50 UNCH
3840	----	----	27.20B/----	27.20B/21.00A	----	23.90 + 5.10	.0839	----	----	----	----	2 UNCH
3850	----	----	28.00B/----	28.00B/21.20A	----	24.60 + 5.20	.0862	----	----	1	----	27 UNCH
3860	----	----	28.80B/----	28.80B/21.80A	----	25.30 + 5.40	.0886	----	----	----	----	2 UNCH
3880	----	----	30.50B/----	30.50B/23.00A	----	26.80 + 5.70	.0937	----	----	----	----	26 UNCH
3890	----	----	31.50B/----	31.50B/23.70A	----	27.60 + 5.90	.0964	----	----	----	----	2 UNCH
3900	----	----	32.40B/----	32.40B/24.30A	----	28.50 + 6.20	.0993	----	----	1	----	317 UNCH
3910	----	----	33.40B/----	33.40B/25.00A	----	29.30 + 6.30	.1020	----	----	----	----	4 UNCH
3915	----	----	33.90B/----	33.90B/25.40A	----	29.80 + 6.50	.1036	----	----	----	----	7 UNCH
3920	28.50	28.50	34.40B/28.50	34.40B/25.80A	----	30.20 + 6.50	.1050	----	----	5	----	19 + 5
3930	----	----	35.40B/----	35.40B/26.50A	----	31.10 + 6.70	.1079	----	----	----	----	2 UNCH
3945	----	----	37.10B/----	37.10B/27.70A	----	32.50 + 7.00	.1125	----	----	4	----	384 + 4
3950	----	----	37.60B/----	37.60B/28.10A	----	33.00 + 7.20	.1141	----	----	1	----	325 UNCH
3970	----	----	40.00B/----	40.00B/29.70A	----	35.10 + 7.70	.1208	----	----	----	----	5 UNCH
3975	----	----	40.60B/----	40.60B/30.20A	----	35.60 + 7.80	.1225	----	----	----	----	44 UNCH
3980	----	----	41.20B/----	41.20B/30.60A	----	36.20 + 7.90	.1243	----	----	----	----	5 UNCH
3985	----	----	41.80B/----	41.80B/31.00A	----	36.70 + 8.00	.1260	----	----	----	----	1 UNCH
3990	----	----	42.40B/----	42.40B/31.60A	----	37.30 + 8.20	.1278	----	----	----	----	1 UNCH
3995	----	----	43.10B/----	43.10B/32.50A	----	37.90 + 8.30	.1297	----	----	----	----	9 UNCH
4000	----	----	43.80B/----	43.80B/32.50A	----	38.50 + 8.50	.1315	----	----	----	----	1412 UNCH
4005	40.80	40.80	44.40B/40.80	44.40B/33.00A	----	39.10 + 8.60	.1334	----	----	29	----	30 + 29
4015	38.20	38.20	45.80B/38.20	45.80B/34.00A	----	40.30 + 8.90	.1371	----	----	20	----	29 + 20
4020	----	----	46.50B/----	46.50B/34.40A	----	40.90 + 9.00	.1390	----	----	----	----	14 UNCH
4025	41.90	41.90	47.20B/41.90	47.20B/35.00A	----	41.50 + 9.10	.1409	----	----	10	----	10 + 10
4030	----	----	47.90B/----	47.90B/35.60A	----	42.20 + 9.40	.1430	----	----	----	----	13 UNCH
4040	----	----	49.40B/----	49.40B/36.60A	----	43.50 + 9.60	.1470	----	----	----	----	19 UNCH
4045	43.00	43.00	50.20B/43.00	50.20B/37.10A	----	44.20 NEW	.1491	----	----	1	----	1 + 1
4050	50.00	50.00	51.00B/50.00	51.00B/38.30A	----	44.90 + 10.00	.1512	----	----	34	----	107 + 13
4055	----	----	51.70B/----	51.70B/39.50A	----	45.60 + 10.10	.1533	----	----	----	----	4 UNCH
4060	----	----	52.50B/----	52.50B/38.80A	----	46.30 + 10.30	.1555	----	----	----	----	1 UNCH
4065	44.70	44.70	53.40B/44.70	53.40B/39.40A	----	47.00 + 10.40	.1576	----	----	1	----	6 + 1
4070	45.40	45.40	54.20B/45.40	54.20B/40.10A	----	47.70 + 10.60	.1597	----	----	2	----	13 + 1
4075	----	----	55.00B/----	55.00B/40.90A	----	48.50 + 10.80	.1620	----	----	----	----	22 UNCH
4080	----	----	55.90B/----	55.90B/41.40A	----	49.30 + 11.00	.1643	----	----	----	----	7 UNCH
4085	----	----	56.80B/----	56.80B/43.20A	----	50.00 + 11.10	.1665	----	----	----	----	76 UNCH
4090	----	----	57.60B/----	57.60B/42.60A	----	50.80 + 11.30	.1688	----	----	----	----	38 UNCH
4100	----	----	59.40B/----	59.40B/44.40A	----	52.40 + 11.60	.1735	----	----	3	----	185 + 1
4105	----	----	60.30B/----	60.30B/44.70A	----	53.30 + 11.90	.1760	----	----	----	----	1 UNCH
4110	----	----	61.30B/----	61.30B/45.60A	----	54.10 + 12.10	.1784	----	----	----	----	1 UNCH
4115	52.30	52.30	62.20B/52.30	62.20B/46.50A	----	54.90 + 12.20	.1808	----	----	1	----	28 UNCH
4120	53.10	53.10	63.20B/53.10	63.20B/46.70A	----	55.80 NEW	.1833	----	----	1	----	1 + 1
4125	----	----	64.10B/----	64.10B/47.60A	----	56.70 + 12.60	.1858	----	----	2	----	16 + 2
4130	----	----	65.10B/----	65.10B/48.20A	----	57.60 + 12.80	.1884	----	----	1	----	21 + 1
4135	55.70	55.70	66.10B/55.70	66.10B/48.90A	----	58.50 + 13.00	.1909	----	----	1	----	4 + 1
4140	56.60	56.60	67.20B/56.60	67.20B/49.70A	----	59.40 NEW	.1935	----	----	1	----	1 + 1
4145	57.50	57.50	68.20B/57.50	68.20B/50.90A	----	60.40 NEW	.1962	----	----	3	----	3 + 3
4150	58.40	58.40	69.20B/58.40	69.20B/51.40A	----	61.30 + 13.60	.1988	----	----	4	----	33 + 2
4155	68.40	68.40	70.30B/68.40	70.30B/52.20A	----	62.30 + 13.90	.2015	----	----	1	----	2 + 1
4160	60.30	60.30	71.40B/60.30	71.40B/52.90A	----	63.30 NEW	.2042	----	----	27	----	27 + 27
4165	----	----	72.50B/----	72.50B/53.70A	----	64.30 + 14.30	.2069	----	----	----	----	27 UNCH
4175	----	----	74.80B/----	74.80B/55.40A	----	66.30 + 14.70	.2124	----	----	1	----	2 + 1
4180	----	----	75.90B/----	75.90B/56.30A	----	67.30 + 14.90	.2152	----	----	----	----	3 UNCH
4185	----	----	77.10B/----	77.10B/57.20A	----	68.40 + 15.20	.2181	----	----	----	----	79 UNCH
4190	----	----	78.30B/----	78.30B/58.10A	----	69.50 + 15.40	.2210	----	----	----	----	1 UNCH
4195	----	----	79.50B/----	79.50B/59.00A	----	70.60 + 15.60	.2239	----	----	----	----	1 UNCH
4200	70.70	70.70	80.70B/70.70	80.70B/60.00A	----	71.70 + 15.90	.2269	----	----	4	----	704 UNCH
4205	----	----	81.90B/----	81.90B/60.90A	----	72.80 + 16.10	.2298	----	----	----	----	10 UNCH
4210	----	----	83.10B/----	83.10B/61.90A	----	74.00 + 16.40	.2329	----	----	----	----	4 UNCH
4215	----	----	84.50B/----	84.50B/62.80A	----	75.10 NEW	.2358	----	----	----	50	50 + 50
4220	----	----	85.80B/----	85.80B/64.00A	----	76.30 + 16.80	.2389	----	----	----	----	114 UNCH
4225	----	----	87.10B/----	87.10B/65.20A	----	77.50 + 17.10	.2420	----	----	----	----	3 UNCH
4230	----	----	88.40B/----	88.40B/65.80A	----	78.70 + 17.30	.2451	----	----	----	----	29 UNCH
4235	----	----	89.70B/----	89.70B/66.80A	----	80.00 + 17.60	.2483	----	----	----	----	1 UNCH
4240	----	----	91.10B/----	91.10B/68.20A	----	81.20 + 17.80	.2514	----	----	----	----	106 UNCH
4245	----	----	92.50B/----	92.50B/69.00A	----	82.50 + 18.10	.2546	----	----	----	----	1 UNCH
4250	82.20	82.20	93.90B/80.10	93.90B/70.40A	----	83.80 + 18.40	.2578	----	----	29	----	755 + 9
4255	----	----	95.30B/----	95.30B/71.50A	----	85.10 + 18.60	.2611	----	----	6	----	10 + 6
4260	----	----	96.70B/----	96.70B/72.60A	----	86.40 + 18.90	.2643	----	----	----	----	50 UNCH
4270	----	----	99.60B/----	99.60B/74.90A	----	89.10 + 19.40	.2709	----	----	----	----	28 UNCH
4275	----	----	101.10B/----	101.10B/75.60A	----	90.50 + 19.70	.2743	----	----	7	----	32 - 6
4280	----	----	102.60B/----	102.60B/76.90A	----	91.90 + 20.00	.2777	----	----	----	----	1 UNCH
4285	----	----	104.20B/----	104.20B/78.40A	----	93.30 + 20.20	.2811	----	----	----	----	13 UNCH
4290	----	----	105.70B/----	105.70B/79.40A	----	94.80 + 20.60	.2846	----	----	----	----	1 UNCH
4295	----	----	107.20B/----	107.20B/80.90A	----	96.20 + 20.80	.2880	----	----	1	----	4 + 1
4300	----	----	108.90B/----	108.90B/81.70A	----	97.70 + 21.10	.2915	----	----	7	----	468 + 1
4305	----	----	110.50B/----	110.50B/83.20A	----	99.20 + 21.40	.2950	----	----	----	----	15 UNCH
4310	----	----	112.10B/----	112.10B/84.50A	----	100.70 + 21.70	.2985	----	----	----	----	1 UNCH
4315	----	----	113.70B/----	113.70B/85.80A	----	102.30 + 22.00	.3021	----	----	----	----	71 UNCH
4320	----	----	115.30B/----	115.30B/87.10A	----	103.80 + 22.20	.3056	----	----	----	----	168 UNCH
4325	----	----	117.20B/----	117.20B/88.40A	----	105.40 + 22.60	.3092	----	----	----	----	56 UNCH
4330	----	----	118.80B/----	118.80B/89.90A	----	107.00 + 22.90	.3128	----	----	----	----	1 UNCH
4340	----	----	122.40B/----	122.40B/92.70A	----	110.30 + 23.50	.3202	----	----	----	----	50 UNCH
4345	----	----	124.20B/----	124.20B/94.30A	----	112.00 + 23.80	.3239	----	----	----	----	17 UNCH
4350	----	----	125.90B/----	125.90B/95.50A	----	113.70 + 24.20	.3276	----	----	2	----	143 + 2
4355	----	----	127.90B/----	127.90B/96.80A	----	115.40 + 24.50	.3313	----	----	2	----	7 + 2
4360	----	----	129.50B/----	129.50B/98.40A	----	117.10 + 24.80	.3351	----	----	----	----	1 UNCH
4365	----	----	131.60B/----	131.60B/99.90A	----	118.90 + 25.10	.3389	----	----	----	----	6 UNCH
4375	----	----	135.10B/----	135.10B/103.30A	----	122.50 + 25.80	.3465	----	----	----	----	63 UNCH
4380	----	----	137.10B/----	137.10B/104.40A	----	124.30 + 26.10	.3503	----	----	----	----	95 UNCH
4385	----	----	139.30B/----	139.30B/106.50A	----	126.20 + 26.50	.3542	----	----	----	----	2 UNCH
4390	----	----	141.20B/----	141.20B/107.90A	----	128.10 + 26.80	.3581	----	----	----	----	43 UNCH
4395	----	----	143.30B/----	143.30B/109.30A	----	129.90 + 27.10	.3619	----	----	----	----	52 UNCH
4400	124.50	124.50	145.40B/124.50	145.40B/111.30A	----	131.90 + 27.50	.3658	----	----	3	----	837 UNCH
4405	----	----	147.20B/----	147.20B/112.50A	----	133.80 + 27.80	.3697	----	----	2	----	42 + 2
4410	----	----	149.30B/----	149.30B/114.30A	----	135.80 + 28.20	.3737	----	----	2	----	6 UNCH
4415	145.70	145.70	151.30B/145.70	151.30B/116.40A	----	137.80 + 28.60	.3776	----	----	1	----	3 + 1
4420	----	----	153.50B/----	153.50B/118.10A	----	139.80 + 28.90	.3816	----	----	----	----	3 UNCH
4425	----	----	155.40B/----	155.40B/119.80A	----	141.80 + 29.20	.3855	----	----	----	----	201 UNCH
4430	142.20	142.20	158.10B/142.20	158.10B/121.60A	----	143.80 + 29.50	.3895	----	----	2	----	4 + 2
4440	----	----	162.50B/----	162.50B/125.20A	----	148.00 + 30.30	.3975	----	----	----	----	8 UNCH
4445	----	----	164.70B/----	164.70B/127.10A	----	150.10 + 30.60	.4015	----	----	----	----	5 UNCH
4450	----	----	167.10B/----	167.10B/128.90A	----	152.20 + 30.90	.4055	----	----	2	----	448 UNCH
4455	----	----	168.70B/----	168.70B/130.80A	----	154.40 + 31.30	.4096	----	----	----	----	4 UNCH
4465	----	----	173.50B/----	173.50B/134.10A	----	158.70 + 31.90	.4177	----	----	----	----	2 UNCH
4470	----	----	176.10B/----	176.10B/136.40A	----	160.90 + 32.30	.4217	----	----	----	----	5 UNCH
4475	170.30	170.30	178.70B/170.30	178.70B/138.50A	----	163.10 + 32.60	.4258	----	----	1	----	7 + 1
4480	----	----	180.50B/----	180.50B/140.60A	----	165.40 + 33.00	.4299	----	----	----	----	3 UNCH
4485	----	----	183.50B/----	183.50B/142.40A	----	167.70 + 33.30	.4340	----	----	----	----	6 UNCH
4490	----	----	185.80B/----	185.80B/144.50A	----	169.90 + 33.60	.4381	----	----	----	----	50 UNCH
4495	----	----	188.20B/----	188.20B/146.00A	----	172.20 + 33.90	.4422	----	----	----	----	4 UNCH
4500	166.80	166.80	190.80B/164.00	190.80B/148.60A	----	174.60 + 34.30	.4463	----	----	13	----	618 + 2
4505	----	----	193.00B/----	193.00B/150.60A	----	176.90 + 34.60	.4504	----	----	----	----	3 UNCH
4510	----	----	196.00B/----	196.00B/152.80A	----	179.30 + 34.90	.4545	----	----	----	----	11 UNCH
4515	----	----	198.10B/----	198.10B/155.10A	----	181.60 + 35.20	.4587	----	----	----	----	3 UNCH
4520	----	----	201.20B/----	201.20B/157.10A	----	184.00 + 35.50	.4628	----	----	40	----	118 + 27
4525	193.20	193.20	203.70B/192.90	203.70B/159.30A	----	186.40 + 35.80	.4669	----	----	50	----	50 + 46
4530	----	----	205.90B/----	205.90B/161.90A	----	188.90 + 36.10	.4711	----	----	10	----	15 + 10
4540	----	----	211.70B/----	211.70B/166.10A	----	193.80 + 36.70	.4794	----	----	----	----	4 UNCH
4545	----	----	214.50B/----	214.50B/168.30A	----	196.30 + 37.00	.4835	----	----	----	----	14 UNCH
4550	171.20	171.20	217.30B/170.40	217.30B/170.40	----	198.80 + 37.30	.4876	----	----	10	----	513 + 4
4555	209.50	209.50	219.60B/209.50	219.60B/172.90A	----	201.40 + 37.60	.4918	----	----	7	----	57 + 7
4560	217.70	217.70	222.30B/217.50	222.30B/175.30A	----	204.00 + 38.00	.4959	----	----	21	----	36 - 6
4565	----	----	225.60B/----	225.60B/177.60A	----	206.50 + 38.20	.5001	----	----	----	----	85 UNCH
4570	----	----	228.30B/----	228.30B/181.80A	----	209.20 + 38.60	.5042	----	----	----	----	18 UNCH
4575	----	----	231.20B/----	231.20B/182.40A	----	211.80 + 38.80	.5083	----	----	7	----	51 + 4
4580	----	----	234.00B/----	234.00B/184.90A	----	214.50 + 39.20	.5125	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4585	----	----	236.70B/----	236.70B/187.30A	----	217.20 + 39.50	.5166	----	----	----	----	63 UNCH
4595	----	----	242.80B/----	242.80B/192.60A	----	222.70 + 40.20	.5248	----	----	----	----	2 UNCH
4600	235.10	235.10	245.80B/235.10	245.80B/194.80A	----	225.50 + 40.50	.5289	----	----	44	----	128 + 10
4605	238.00	238.00	248.60B/238.00	248.60B/197.40A	----	228.40 + 41.00	.5330	----	----	10	----	60 - 10
4610	----	----	251.80B/----	251.80B/199.90A	----	231.20 + 41.30	.5371	----	----	----	----	5 UNCH
4615	----	----	254.40B/----	254.40B/202.50A	----	234.10 + 41.70	.5411	----	----	----	----	21 UNCH
4620	----	----	257.90B/----	257.90B/205.10A	----	237.10 + 42.10	.5452	----	----	----	----	438 UNCH
4625	----	----	261.00B/----	261.00B/207.80A	----	240.10 + 42.60	.5492	----	----	----	----	119 UNCH
4630	257.80	257.80	263.00B/257.80	263.00B/210.40A	----	243.10 + 43.00	.5532	----	----	30	----	32 + 30
4635	----	----	265.80B/----	265.80B/213.20A	----	246.20 + 43.50	.5571	----	----	----	----	1 UNCH
4640	----	----	268.80B/----	268.80B/215.80A	----	249.30 + 44.00	.5611	----	----	----	----	9 UNCH
4645	----	----	272.10B/----	272.10B/218.50A	----	252.40 + 44.40	.5650	----	----	----	----	1 UNCH
4650	263.00	263.00	275.10B/263.00	275.10B/221.30A	----	255.50 + 44.80	.5690	----	----	4	----	12 + 4
4655	----	----	278.40B/----	278.40B/224.30A	----	258.60 + 45.30	.5729	----	----	----	----	14 UNCH
4660	262.40	262.40	281.50B/257.00	281.50B/227.60A	----	261.80 + 45.70	.5767	----	----	7	----	7 - 1
4665	----	----	284.80B/----	284.80B/229.90A	----	264.90 + 46.10	.5806	----	----	----	----	2 UNCH
4670	----	----	287.90B/----	287.90B/233.40A	----	268.00 + 46.40	.5846	----	----	----	----	26 UNCH
4675	284.10	284.10	291.00B/284.10	291.00B/236.10A	----	271.20 + 46.90	.5884	----	----	7	----	7 UNCH
4685	----	----	297.50B/----	297.50B/241.60A	----	277.50 + 47.50	.5962	----	----	----	----	8 UNCH
4690	----	----	300.60B/----	300.60B/245.10A	----	280.70 + 47.90	.6001	----	----	----	----	2 UNCH
4695	----	----	303.80B/----	303.80B/248.00A	----	283.90 + 48.20	.6039	----	----	----	----	2 UNCH
4700	----	----	307.40B/----	307.40B/251.30A	----	287.20 + 48.70	.6077	----	----	----	----	138 UNCH
4705	300.00	300.00	310.70B/300.00	310.70B/253.60A	----	290.50 + 49.00	.6114	----	----	11	----	13 + 11
4710	----	----	314.00B/----	314.00B/257.50A	----	293.70 + 49.30	.6152	----	----	----	----	1 UNCH
4720	----	----	320.80B/----	320.80B/262.40A	----	300.40 + 50.10	.6227	----	----	----	----	4 UNCH
4725	----	----	324.40B/----	324.40B/265.50A	----	303.80 + 50.50	.6264	----	----	----	----	7 UNCH
4730	----	----	327.80B/----	327.80B/269.50A	----	307.10 + 50.80	.6301	----	----	----	----	7 UNCH
4735	----	----	331.30B/----	331.30B/272.20A	----	310.60 + 51.20	.6337	----	----	----	----	100 UNCH
4740	----	----	334.70B/----	334.70B/274.90A	----	314.00 + 51.60	.6374	----	----	----	----	2 UNCH
4750	----	----	341.90B/----	341.90B/281.80A	----	320.90 + 52.30	.6446	----	----	----	----	175 UNCH
4755	----	----	345.50B/----	345.50B/288.30A	----	324.40 + 52.70	.6482	----	----	----	----	10 UNCH
4760	----	----	349.00B/----	349.00B/291.60A	----	327.90 + 53.00	.6517	----	----	----	----	109 UNCH
4770	----	----	356.20B/----	356.20B/298.50A	----	334.90 + 53.70	.6587	----	----	----	----	1 UNCH
4775	----	----	359.90B/----	359.90B/300.60A	----	338.50 + 54.10	.6622	----	----	----	----	130 UNCH
4780	----	----	363.60B/----	363.60B/304.00A	----	342.10 + 54.50	.6656	----	----	----	----	3 UNCH
4795	----	----	374.60B/----	374.60B/313.30A	----	352.90 + 55.50	.6759	----	----	----	----	6 UNCH
4800	----	----	378.30B/----	378.30B/314.40A	----	356.60 + 55.90	.6792	----	----	----	----	474 UNCH
4805	----	----	382.00B/----	382.00B/341.00A	----	360.20 + 56.20	.6825	----	----	----	----	9 UNCH
4825	----	----	392.70B/----	392.70B/355.50A	----	375.10 + 57.60	.6956	----	----	----	----	2 UNCH
4830	----	----	397.00B/----	397.00B/359.00A	----	378.80 + 57.90	.6989	----	----	----	----	10 UNCH
4835	----	----	400.90B/----	400.90B/362.60A	----	382.60 + 58.20	.7021	----	----	----	----	30 UNCH
4855	----	----	416.30B/----	416.30B/377.50A	----	397.80 + 59.50	.7145	----	----	----	----	14 UNCH
4860	----	----	420.20B/----	420.20B/381.10A	----	401.70 + 59.80	.7175	----	----	----	----	11 UNCH
4875	----	----	431.90B/----	431.90B/392.50A	----	413.30 + 60.70	.7265	----	----	----	----	8 UNCH
4885	----	----	439.90B/----	439.90B/403.60A	----	421.20 + 61.40	.7324	----	----	----	----	4 UNCH
4895	----	----	----	340.90B/503.30A	----	429.10 + 62.00	.7381	----	----	----	----	1 UNCH
4900	----	----	451.80B/----	451.80B/415.20A	----	433.00 + 62.20	.7409	----	----	----	----	25 UNCH
4915	----	----	----	357.00B/518.90A	----	445.00 + 63.10	.7493	----	----	----	----	1 UNCH
4930	----	----	476.10B/----	476.10B/438.70A	----	457.20 + 64.00	.7574	----	----	----	----	20 UNCH
4950	----	----	----	385.70B/546.70A	----	473.50 + 65.10	.7680	----	----	----	----	1 UNCH
4955	----	----	----	389.90B/550.70A	----	477.60 + 65.30	.7704	----	----	----	----	1 UNCH
4975	----	----	513.40B/----	513.40B/475.00A	----	494.20 + 66.30	.7804	----	----	----	----	220 UNCH
5000	----	----	534.50B/----	534.50B/495.60A	----	515.30 + 67.70	.7922	----	----	----	----	13 UNCH
5005	----	----	538.70B/----	538.70B/499.70A	----	519.50 + 67.90	.7946	----	----	----	----	3 UNCH
5020	----	----	551.50B/----	551.50B/512.30A	----	532.30 + 68.70	.8012	----	----	----	----	3 UNCH
5060	----	----	586.10B/----	586.10B/546.20A	----	566.80 + 70.50	.8182	----	----	----	----	4 UNCH
5100	----	----	621.30B/----	621.30B/580.80A	----	601.80 + 72.10	.8339	----	----	----	----	28 UNCH
5105	----	----	----	520.50B/675.70A	----	606.20 + 72.30	.8356	----	----	----	----	2 UNCH
5150	----	----	----	561.10B/714.70A	----	646.30 + 73.90	.8515	----	----	----	----	2 UNCH
5200	----	----	711.10B/----	711.10B/669.80A	----	691.70 + 75.50	.8669	----	----	----	----	45 UNCH
5230	----	----	740.10B/----	740.10B/695.90A	----	719.30 + 76.50	.8752	----	----	----	----	400 UNCH
5300	----	----	804.80B/----	804.80B/760.50A	----	784.30 + 78.30	.8925	----	----	----	----	300 UNCH
5400	----	----	897.90B/----	897.90B/855.40A	----	878.70 + 80.40	.9127	----	----	----	----	100 UNCH
5420	----	----	917.00B/----	917.00B/874.30A	----	897.80 + 80.70	.9162	----	----	----	----	80 UNCH
5450	----	----	----	----	----	926.50 + 81.20	.9209	----	----	----	----	1 UNCH
5500	----	----	993.60B/----	993.60B/950.80A	----	974.50 + 81.90	.9281	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1465.00 + 85.50	.9663	----	----	----	----	2 UNCH
TOTAL										539	50	16269 + 365
OCT26												
1500	----	----	----	----/12.90A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
2000	----	----	----	0.40B/1.30A	----	0.90 + 0.10	.0019	----	----	----	----	1 UNCH
2675	----	----	----	2.40B/3.10A	----	2.80 + 0.20	.0074	----	----	----	----	75 UNCH
2700	----	----	----	2.60B/3.30A	----	3.00 + 0.30	.0079	----	----	----	----	2 UNCH
2800	----	----	----	3.20B/4.00A	----	3.50 + 0.20	.0095	----	----	----	----	8 UNCH
2900	----	----	----	3.90B/4.60A	----	4.20 + 0.30	.0117	----	----	----	----	3 UNCH
3050	----	----	5.40B/----	5.40B/5.90A	----	5.70 + 0.60	.0163	----	----	----	----	2 UNCH
3100	----	----	6.50B/----	6.50B/6.50A	----	6.30 + 0.70	.0182	----	----	----	----	1 UNCH
3155	----	----	7.40B/----	7.40B/7.20A	----	7.10 + 0.90	.0206	----	----	----	----	1 UNCH
3190	----	----	8.00B/----	8.00B/7.60A	----	7.70 + 1.00	.0224	----	----	----	----	14 UNCH
3200	----	----	8.10B/----	8.10B/7.70A	----	7.80 + 1.00	.0228	----	----	----	----	414 UNCH
3240	----	----	8.90B/----	8.90B/8.30A	----	8.50 + 1.10	.0250	----	----	----	----	5 UNCH
3300	----	----	10.20B/----	10.20B/9.40A	----	9.70 + 1.40	.0288	----	----	----	----	417 UNCH
3340	----	----	11.00B/----	11.00B/10.20A	----	10.70 + 1.70	.0318	----	----	----	----	9 UNCH
3360	----	----	11.40B/----	11.40B/10.70A	----	11.20 + 1.80	.0333	----	----	----	----	1 UNCH
3380	----	----	12.10B/----	12.10B/11.10A	----	11.70 + 1.90	.0349	----	----	----	----	1 UNCH
3390	----	----	12.30B/----	12.30B/11.40A	----	12.00 + 2.00	.0358	----	----	----	----	4 UNCH
3400	----	----	12.70B/----	12.70B/11.60A	----	12.20 + 2.00	.0365	----	----	----	----	150 UNCH
3430	----	----	13.60B/----	13.60B/12.40A	----	13.10 + 2.20	.0393	----	----	----	----	1 UNCH
3480	----	----	15.30B/----	15.30B/13.80A	----	14.70 + 2.50	.0442	----	----	----	----	12 UNCH
3500	----	----	16.10B/----	16.10B/14.40A	----	15.40 + 2.70	.0464	----	----	----	----	30 UNCH
3520	----	----	16.90B/----	16.90B/15.10A	----	16.20 + 2.90	.0488	----	----	----	----	12 UNCH
3530	----	----	17.30B/----	17.30B/15.50A	----	16.60 + 3.00	.0500	----	----	----	----	5 UNCH
3550	----	----	18.40B/----	18.40B/16.20A	----	17.40 + 3.20	.0524	----	----	----	----	25 UNCH
3600	----	----	20.80B/----	20.80B/18.20A	----	19.60 + 3.60	.0591	----	----	----	----	174 UNCH
3615	----	----	21.40B/----	21.40B/18.90A	----	20.30 + 3.70	.0613	----	----	----	----	1 UNCH
3635	----	----	23.10B/----	23.10B/19.80A	----	21.40 + 4.00	.0645	----	----	----	----	1 UNCH
3660	----	----	24.60B/----	24.60B/21.00A	----	22.70 + 4.20	.0685	----	----	----	----	10 UNCH
3670	----	----	25.20B/----	25.20B/21.50A	----	23.30 + 4.40	.0702	----	----	----	----	20 UNCH
3680	----	----	25.90B/----	25.90B/22.00A	----	23.90 + 4.50	.0720	----	----	----	----	5 UNCH
3695	----	----	26.90B/----	26.90B/22.80A	----	24.80 + 4.70	.0747	----	----	----	----	1 UNCH
3700	----	----	27.30B/----	27.30B/23.10A	----	25.10 + 4.80	.0756	----	----	10	----	205 - 8
3715	----	----	28.30B/----	28.30B/24.00A	----	26.00 + 4.90	.0783	----	----	----	----	196 UNCH
3750	----	----	31.10B/----	31.10B/25.00A	----	28.50 + 5.50	.0855	----	----	----	----	43 UNCH
3770	----	----	32.70B/----	32.70B/26.20A	----	29.90 + 5.70	.0897	----	----	2	----	3 + 2
3785	----	----	34.10B/----	34.10B/27.20A	----	31.10 + 5.90	.0931	----	----	----	----	1 UNCH
3800	----	----	35.40B/----	35.40B/28.10A	----	32.30 + 6.20	.0966	----	----	----	----	22 UNCH
3805	----	----	36.00B/----	36.00B/28.50A	----	32.80 + 6.30	.0979	----	----	----	----	9 UNCH
3820	----	----	37.50B/----	37.50B/29.60A	----	34.00 + 6.50	.1014	----	----	----	----	1 UNCH
3850	----	----	40.70B/----	40.70B/32.00A	----	36.80 NEW	.1093	----	----	2	----	2 + 2
3865	----	----	42.30B/----	42.30B/33.20A	----	38.30 + 7.40	.1134	----	----	----	----	2 UNCH
3870	----	----	42.90B/----	42.90B/33.70A	----	38.80 + 7.50	.1148	----	----	----	----	1 UNCH
3875	----	----	43.50B/----	43.50B/34.10A	----	39.30 + 7.50	.1162	----	----	----	----	13 UNCH
3885	----	----	44.70B/----	44.70B/35.00A	----	40.40 + 7.80	.1192	----	----	----	----	5 UNCH
3890	----	----	45.30B/----	45.30B/36.70A	----	40.90 + 7.90	.1206	----	----	----	----	2 UNCH
3895	----	----	45.90B/----	45.90B/35.90A	----	41.50 + 8.00	.1222	----	----	----	----	2 UNCH
3900	----	----	46.50B/----	46.50B/37.80A	----	42.00 + 8.10	.1236	----	----	11	----	25 + 1
3920	----	----	49.10B/----	49.10B/40.10A	----	44.40 + 8.60	.1300	----	----	----	----	28 UNCH
3930	----	----	50.50B/----	50.50B/39.30A	----	45.60 + 8.90	.1333	----	----	----	----	2 UNCH
3940	----	----	51.90B/----	51.90B/42.50A	----	46.90 + 9.20	.1367	----	----	----	----	65 UNCH
3950	----	----	53.30B/----	53.30B/43.40A	----	48.20 + 9.40	.1401	----	----	----	----	2 UNCH
3960	----	----	54.80B/----	54.80B/44.70A	----	49.50 + 9.70	.1435	----	----	----	----	1 UNCH
3965	----	----	55.50B/----	55.50B/45.20A	----	50.20 + 9.80	.1453	----	----	----	----	1 UNCH
3975	----	----	57.10B/----	57.10B/46.80A	----	51.60 + 10.10	.1489	----	----	----	----	5 UNCH
3980	----	----	57.90B/----	57.90B/47.00A	----	52.30 + 10.20	.1508	----	----	----	----	1 UNCH
4000	48.50	48.50	61.30B/47.80A	61.30B/47.80A	----	55.30 + 10.90	.1584	----	----	27	----	548 + 15
4025	----	----	65.40B/----	65.40B/52.10A	----	59.20 + 11.60	.1682	----	----	----	----	10 UNCH
4030	----	----	66.30B/----	66.30B/51.60A	----	60.10 + 11.80	.1704	----	----	----	----	2 UNCH
4045	66.60	66.60	69.10B/66.60	69.10B/53.70A	----	62.60 NEW	.1766	----	----	1	----	1 + 1
4050	----	----	70.00B/----	70.00B/54.40A	----	63.50 + 12.50	.1787	----	----	1	----	14 + 1
4055	69.00	69.00	70.90B/69.00	70.90B/55.30A	----	64.30 + 12.60	.1808	----	----	1	----	6 + 1
4065	----	----	72.90B/----	72.90B/56.70A	----	66.10 + 12.90	.1852	----	----	----	----	1 UNCH
4070	----	----	74.00B/----	74.00B/57.50A	----	67.00 + 13.10	.1873	----	----	----	----	31 UNCH
4075	----	----	74.90B/----	74.90B/58.20A	----	68.00 + 13.30	.1897	----	----	----	----	2 UNCH
4090	----	----	78.00B/----	78.00B/61.00A	----	70.80 + 13.80	.1964	----	----	----	----	10 UNCH
4095	----	----	79.10B/----	79.10B/61.60A	----	71.80 + 14.00	.1988	----	----	----	----	20 UNCH
4100	----	----	80.30B/----	80.30B/62.40A	----	72.80 + 14.20	.2011	----	----	----	----	515 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 14

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4115	----	----	83.50B/----	83.50B/65.30A	----	75.90 + 14.80	.2083	----	----	----	----	1 UNCH
4130	----	----	86.90B/----	86.90B/67.70A	----	79.10 + 15.40	.2156	----	----	----	----	2 UNCH
4150	----	----	91.70B/----	91.70B/71.60A	----	83.50 + 16.20	.2257	----	----	----	----	5 UNCH
4180	----	----	99.40B/----	99.40B/77.60A	----	90.70 + 17.60	.2415	----	----	----	----	1 UNCH
4185	----	----	100.70B/----	100.70B/78.70A	----	91.90 + 17.80	.2442	----	----	----	----	100 UNCH
4195	----	----	103.50B/----	103.50B/80.80A	----	94.50 NEW	.2497	----	----	1	----	1 + 1
4200	----	----	104.90B/----	104.90B/82.30A	----	95.80 + 18.60	.2525	----	----	1	----	306 + 1
4220	----	----	110.60B/----	110.60B/86.50A	----	101.10 + 19.50	.2637	----	----	----	----	5 UNCH
4225	109.90	109.90	112.00B/109.80	112.00B/87.60A	----	102.50 NEW	.2666	----	----	33	----	33 + 33
4230	----	----	113.50B/----	113.50B/88.90A	----	103.90 + 20.00	.2695	----	----	----	----	51 UNCH
4235	----	----	114.90B/----	114.90B/90.10A	----	105.30 + 20.20	.2724	----	----	----	----	1 UNCH
4240	----	----	116.50B/----	116.50B/91.30A	----	106.80 + 20.60	.2753	----	----	----	----	1 UNCH
4250	----	----	119.60B/----	119.60B/93.70A	----	109.70 + 21.10	.2812	----	----	----	----	337 UNCH
4265	----	----	124.40B/----	124.40B/98.10A	----	114.20 + 21.90	.2902	----	----	----	----	200 UNCH
4270	----	----	126.00B/----	126.00B/99.00A	----	115.70 + 22.10	.2932	----	----	----	----	229 UNCH
4280	----	----	129.20B/----	129.20B/101.90A	----	118.80 + 22.60	.2994	----	----	----	----	196 UNCH
4300	----	----	136.20B/----	136.20B/107.70A	----	125.30 + 23.70	.3118	----	----	----	----	618 UNCH
4310	----	----	139.60B/----	139.60B/110.60A	----	128.60 + 24.20	.3181	----	----	----	----	1 UNCH
4330	----	----	146.80B/----	146.80B/116.70A	----	135.50 + 25.40	.3309	----	----	----	----	1 UNCH
4345	140.00	140.00	152.30B/140.00	152.30B/121.20A	----	140.80 NEW	.3407	----	----	3	----	3 + 3
4350	----	----	154.40B/----	154.40B/122.40A	----	142.60 + 26.40	.3439	----	----	1	----	266 + 1
4355	----	----	156.40B/----	156.40B/124.60A	----	144.50 + 26.70	.3473	----	----	----	----	11 UNCH
4370	----	----	162.40B/----	162.40B/129.40A	----	150.10 + 27.60	.3572	----	----	----	----	2 UNCH
4375	----	----	164.30B/----	164.30B/131.20A	----	152.00 + 27.80	.3605	----	----	----	----	11 UNCH
4385	----	----	168.50B/----	168.50B/134.50A	----	155.80 + 28.30	.3672	----	----	----	----	2 UNCH
4390	167.20	167.20	170.30B/167.20	170.30B/136.30A	----	157.80 + 28.70	.3706	----	----	31	----	31 + 30
4400	152.60	152.60	175.00B/152.60	175.00B/139.70A	----	161.80 + 29.20	.3774	----	----	6	----	607 + 1
4405	----	----	176.60B/----	176.60B/141.70A	----	163.80 + 29.50	.3808	----	----	----	----	3 UNCH
4410	----	----	179.10B/----	179.10B/142.90A	----	165.90 + 29.90	.3842	----	----	----	----	49 UNCH
4415	167.30	167.30	181.40B/166.40	181.40B/144.70A	----	167.90 NEW	.3876	----	----	5	----	5 + 5
4420	----	----	183.30B/----	183.30B/147.40A	----	170.00 + 30.40	.3911	----	----	10	----	11 + 10
4425	----	----	185.70B/----	185.70B/148.40A	----	172.10 + 30.70	.3945	----	----	----	----	16 UNCH
4430	----	----	187.90B/----	187.90B/150.90A	----	174.20 + 31.00	.3980	----	----	----	----	4 UNCH
4440	----	----	192.50B/----	192.50B/154.10A	----	178.60 + 31.70	.4049	----	----	----	----	2 UNCH
4445	----	----	194.80B/----	194.80B/156.60A	----	180.70 + 31.90	.4084	----	----	----	----	1 UNCH
4450	197.30	197.30	197.30/197.30	197.30/158.50A	----	182.90 + 32.20	.4119	----	----	2	----	64 UNCH
4465	----	----	204.10B/----	204.10B/164.70A	----	189.70 + 33.20	.4223	----	----	----	----	3 UNCH
4475	----	----	209.00B/----	209.00B/168.70A	----	194.30 + 33.80	.4294	----	----	----	----	3 UNCH
4480	----	----	211.60B/----	211.60B/170.70A	----	196.60 + 34.10	.4329	----	----	----	----	3 UNCH
4490	----	----	216.30B/----	216.30B/175.30A	----	201.30 + 34.70	.4399	----	----	----	----	10 UNCH
4495	203.20	203.20	218.90B/203.20	218.90B/176.50A	----	203.70 NEW	.4434	----	----	3	----	3 + 3
4500	----	----	221.60B/----	221.60B/178.70A	----	206.10 + 35.40	.4470	----	----	1	----	92 + 1
4510	----	----	226.50B/----	226.50B/183.70A	----	210.90 + 36.00	.4540	----	----	----	----	1 UNCH
4520	----	----	231.90B/----	231.90B/188.10A	----	215.90 + 36.70	.4611	----	----	----	----	2 UNCH
4525	----	----	234.40B/----	234.40B/190.50A	----	218.40 + 37.00	.4647	----	----	----	----	1 UNCH
4535	----	----	239.70B/----	239.70B/195.00A	----	223.40 + 37.60	.4717	----	----	----	----	1 UNCH
4545	----	----	245.30B/----	245.30B/198.90A	----	228.60 + 38.30	.4788	----	----	----	----	2 UNCH
4550	----	----	248.00B/----	248.00B/202.10A	----	231.20 + 38.60	.4823	----	----	----	----	5 UNCH
4555	----	----	250.70B/----	250.70B/203.60A	----	233.80 + 38.90	.4859	----	----	----	----	9 UNCH
4560	----	----	253.40B/----	253.40B/206.70A	----	236.40 + 39.20	.4894	----	----	----	----	78 UNCH
4565	----	----	256.20B/----	256.20B/208.30A	----	239.10 + 39.50	.4929	----	----	----	----	16 UNCH
4570	----	----	258.90B/----	258.90B/211.70A	----	241.70 + 39.80	.4964	----	----	----	----	9 UNCH
4580	----	----	264.70B/----	264.70B/217.00A	----	247.10 + 40.40	.5035	----	----	----	----	6 UNCH
4585	247.70	247.70	267.50B/247.70	267.50B/219.50A	----	249.90 NEW	.5070	----	----	3	----	3 + 3
4595	----	----	273.50B/----	273.50B/224.40A	----	255.40 + 41.40	.5140	----	----	----	----	3 UNCH
4600	275.50	275.50	277.20/270.60	277.20/225.80A	----	258.20 + 41.70	.5175	----	----	4	----	331 + 3
4605	----	----	279.20B/----	279.20B/228.30A	----	261.00 + 42.00	.5210	----	----	----	----	5 UNCH
4610	----	----	282.20B/----	282.20B/231.80A	----	263.80 + 42.30	.5245	----	----	----	----	11 UNCH
4615	----	----	285.20B/----	285.20B/234.60A	----	266.60 + 42.50	.5279	----	----	----	----	9 UNCH
4620	----	----	288.20B/----	288.20B/236.10A	----	269.50 + 42.90	.5314	----	----	----	----	9 UNCH
4625	----	----	291.20B/----	291.20B/239.80A	----	272.40 + 43.20	.5349	----	----	----	----	48 UNCH
4630	----	----	294.20B/----	294.20B/242.70A	----	275.30 + 43.50	.5383	----	----	----	----	13 UNCH
4635	----	----	297.40B/----	297.40B/245.40A	----	278.20 + 43.80	.5418	----	----	----	----	7 UNCH
4640	----	----	300.40B/----	300.40B/247.70A	----	281.10 + 44.00	.5452	----	----	----	----	25 UNCH
4645	----	----	303.40B/----	303.40B/250.50A	----	284.10 + 44.40	.5486	----	----	----	----	8 UNCH
4650	305.20	305.20	305.80B/305.20	305.80B/253.10A	----	287.10 + 44.70	.5521	----	----	4	----	135 UNCH
4655	----	----	308.50B/----	308.50B/255.80A	----	290.10 + 45.00	.5555	----	----	----	----	3 UNCH
4660	297.60	297.60	312.00B/297.20	312.00B/258.80A	----	293.10 + 45.30	.5589	----	----	3	----	3 UNCH
4670	----	----	318.50B/----	318.50B/264.30A	----	299.10 + 45.80	.5657	----	----	----	----	6 UNCH
4675	----	----	321.50B/----	321.50B/267.80A	----	302.20 + 46.10	.5690	----	----	8	----	9 + 2
4680	----	----	324.80B/----	324.80B/270.20A	----	305.30 + 46.50	.5724	----	----	----	----	1 UNCH
4690	327.40	327.40	330.90B/322.00	330.90B/275.80A	----	311.50 + 47.00	.5791	----	----	3	----	3 UNCH
4700	----	----	337.40B/----	337.40B/282.80A	----	317.80 + 47.60	.5857	----	----	----	----	84 UNCH
4715	----	----	346.50B/----	346.50B/290.50A	----	327.40 + 48.50	.5956	----	----	----	----	3 UNCH
4750	----	----	370.10B/----	370.10B/312.50A	----	350.50 + 50.60	.6181	----	----	----	----	175 UNCH
4755	----	----	373.50B/----	373.50B/315.90A	----	353.90 + 51.00	.6212	----	----	----	----	168 UNCH
4775	----	----	387.40B/----	387.40B/329.60A	----	367.50 + 52.10	.6337	----	----	----	----	26 UNCH
4780	----	----	390.80B/----	390.80B/331.70A	----	371.00 + 52.50	.6368	----	----	----	----	1 UNCH
4800	----	----	405.20B/----	405.20B/348.70A	----	384.90 + 53.60	.6489	----	----	----	----	101 UNCH
4805	----	----	408.70B/----	408.70B/355.30A	----	388.50 + 53.90	.6519	----	----	----	----	1 UNCH
4810	----	----	412.50B/----	412.50B/355.30A	----	392.00 + 54.20	.6549	----	----	----	----	8 UNCH
4815	----	----	416.00B/----	416.00B/359.70A	----	395.60 + 54.50	.6578	----	----	----	----	39 UNCH
4820	----	----	419.60B/----	419.60B/366.20A	----	399.20 + 54.80	.6608	----	----	----	----	2 UNCH
4835	----	----	430.70B/----	430.70B/370.40A	----	410.10 + 55.80	.6695	----	----	----	----	3 UNCH
4845	----	----	438.10B/----	438.10B/398.80A	----	417.40 + 56.30	.6751	----	----	----	----	20 UNCH
4850	----	----	441.90B/----	441.90B/402.40A	----	421.10 + 56.70	.6779	----	----	----	----	81 UNCH
4875	----	----	460.70B/----	460.70B/420.40A	----	439.80 + 58.20	.6918	----	----	----	----	1 UNCH
4880	----	----	464.50B/----	464.50B/424.00A	----	443.50 NEW	.6944	----	----	5	----	5 + 5
4900	----	----	476.00B/----	476.00B/438.70A	----	458.70 + 59.50	.7052	----	----	----	----	71 UNCH
4910	----	----	464.20B/----	464.20B/446.30A	----	466.40 + 60.00	.7103	----	----	----	----	1 UNCH
4920	----	----	460.20B/----	460.20B/453.80A	----	474.20 + 60.60	.7155	----	----	----	----	1 UNCH
4925	----	----	495.40B/----	495.40B/457.50A	----	478.10 + 60.90	.7181	----	----	----	----	25 UNCH
4935	----	----	503.30B/----	503.30B/465.10A	----	485.90 + 61.30	.7231	----	----	----	----	5 UNCH
4965	----	----	527.20B/----	527.20B/492.20A	----	509.60 + 62.80	.7377	----	----	----	----	13 UNCH
4980	----	----	----	431.30B/597.50A	----	521.70 + 63.60	.7447	----	----	----	----	1 UNCH
5000	----	----	555.60B/----	555.60B/519.90A	----	537.90 + 64.50	.7537	----	----	----	----	47 UNCH
5010	----	----	----	455.90B/621.40A	----	546.10 + 65.00	.7583	----	----	----	----	1 UNCH
5050	----	----	597.10B/----	597.10B/560.50A	----	579.30 + 66.90	.7752	----	----	----	----	25 UNCH
5150	----	----	----	575.80B/737.40A	----	664.50 + 70.70	.8131	----	----	----	----	1 UNCH
5200	----	----	726.70B/----	726.70B/688.20A	----	708.30 + 72.20	.8297	----	----	----	----	100 UNCH
5230	----	----	----	647.40B/806.50A	----	735.10 + 73.30	.8388	----	----	----	----	1 UNCH
5250	----	----	771.30B/----	771.30B/732.40A	----	753.00 + 73.80	.8444	----	----	----	----	75 UNCH
5300	----	----	816.30B/----	816.30B/777.30A	----	798.40 + 75.40	.8577	----	----	----	----	9 UNCH
5425	----	----	----	825.90B/983.10A	----	913.60 + 78.20	.8859	----	----	----	----	1 UNCH
5455	----	----	#959.80B/----	#959.80B/920.00A	----	941.80 + 78.90	.8915	----	----	----	----	40 UNCH
5495	----	----	----	891.50B/1048.80A	----	979.50 + 79.50	.8984	----	----	----	----	1 UNCH
5500	----	----	----	896.20B/1053.50A	----	984.30 + 79.70	.8991	----	----	----	----	1 UNCH
5600	----	----	----	958.10B/1148.50A	----	1079.60 + 81.20	.9137	----	----	----	----	1 UNCH
5700	----	----	----	----	----	1175.70 + 82.30	.9260	----	----	----	----	1 UNCH
TOTAL										182		8396 + 117
NOV26												
2750	----	----	----	3.80B/5.80A	----	4.80 + 0.60	.0116	----	----	----	----	1 UNCH
2800	----	----	----	4.20B/6.30A	----	5.20 + 0.60	.0127	----	----	----	----	8 UNCH
2900	----	----	----	5.10B/7.30A	----	6.20 + 0.80	.0154	----	----	----	----	1 UNCH
3000	----	----	----	6.30B/7.90A	----	7.40 + 1.00	.0188	----	----	----	----	94 UNCH
3120	----	----	8.20B/----	8.20B/10.50A	----	9.30 + 1.30	.0240	----	----	----	----	10 UNCH
3180	----	----	9.40B/----	9.40B/11.70A	----	10.50 + 1.50	.0273	----	----	----	----	10 UNCH
3200	----	----	9.80B/----	9.80B/12.10A	----	11.00 + 1.70	.0287	----	----	----	----	93 UNCH
3215	----	----	10.20B/----	10.20B/12.50A	----	11.30 + 1.70	.0295	----	----	----	----	1 UNCH
3220	----	----	10.30B/----	10.30B/12.50A	----	11.40 + 1.70	.0298	----	----	----	----	1 UNCH
3225	----	----	10.40B/----	10.40B/12.70A	----	11.50 + 1.70	.0301	----	----	----	----	1 UNCH
3235	----	----	10.70B/----	10.70B/12.90A	----	11.80 + 1.80	.0309	----	----	----	----	2 UNCH
3250	----	----	11.10B/----	11.10B/13.20A	----	12.10 + 1.80	.0318	----	----	----	----	18 UNCH
3255	----	----	11.20B/----	11.20B/13.40A	----	12.30 + 1.90	.0322	----	----	----	----	18 UNCH
3300	12.60	12.60	12.60/12.60	12.60/12.60	----	13.50 + 2.10	.0355	----	----	2	----	47 UNCH
3310	----	----	12.80B/----	12.80B/14.80A	----	13.80 + 2.20	.0363	----	----	----	----	1 UNCH
3320	----	----	13.10B/----	13.10B/15.10A	----	14.10 + 2.20	.0371	----	----	----	----	16 UNCH
3350	----	----	14.20B/----	14.20B/16.00A	----	15.00 + 2.40	.0396	----	----	----	----	180 UNCH
3455	----	----	18.40B/----	18.40B/19.60A	----	19.00 + 3.20	.0502	----	----	----	----	1 UNCH
3475	----	----	19.40B/----	19.40B/20.50A	----	19.90 + 3.40	.0526	----	----	----	----	2 UNCH
3500	----	----	20.70B/----	20.70B/21.60A	----	21.00 + 3.60	.0555	----	----	----	----	684 UNCH
3520	----	----	21.70B/----	21.70B/22.40A	----	22.00 + 3.80	.0582	----	----	----	----	1 UNCH
3535	----	----	22.60B/----	22.60B/23.00A	----	22.80 + 4.00	.0602	----	----	----	----	1 UNCH
3600	24.00	24.00	28.00B/24.00	28.00B/24.00	----	26.50 + 4.70	.0698	----	----	1	----	611 + 1
3605	----	----	28.30B/----	28.30B/26.70A	----	26.90 + 4.90	.0707	----	----	----	----	1 UNCH
3690	----	----	34.80B/----	34.80B/31.00A	----	32.90 + 6.10	.0858	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3700	----	----	35.60B/----	35.60B/31.70A	----	33.60 + 6.10	.0876	----	----	----	----	1 UNCH
3725	----	----	37.10B/----	37.10B/33.60A	----	35.70 + 6.60	.0928	----	----	----	----	1 UNCH
3740	----	----	38.70B/----	38.70B/34.80A	----	37.00 + 6.80	.0960	----	----	----	----	21 UNCH
3750	----	----	39.60B/----	39.60B/35.60A	----	37.90 + 7.00	.0982	----	----	----	----	347 UNCH
3780	----	----	42.80B/----	42.80B/38.10A	----	40.80 + 7.50	.1052	----	----	----	----	1 UNCH
3800	----	----	46.10B/----	46.10B/39.90A	----	42.80 + 7.90	.1100	----	----	----	----	32 UNCH
3820	----	----	48.40B/----	48.40B/41.80A	----	44.90 + 8.20	.1150	----	----	2	----	20 - 2
3875	----	----	55.40B/----	55.40B/47.40A	----	51.30 + 9.30	.1299	----	----	----	----	24 UNCH
3900	----	----	58.90B/----	58.90B/50.30A	----	54.50 + 9.80	.1373	----	----	----	----	7 UNCH
3920	----	----	61.90B/----	61.90B/52.70A	----	57.20 + 10.20	.1434	----	----	2	----	0 - 2
3925	----	----	62.50B/----	62.50B/53.30A	----	57.90 + 10.30	.1450	----	----	----	----	2 UNCH
3945	----	----	65.50B/----	65.50B/55.90A	----	60.80 + 10.80	.1514	----	----	----	----	1 UNCH
3980	----	----	71.40B/----	71.40B/60.40A	----	66.20 + 11.60	.1633	----	----	----	----	1 UNCH
4000	----	----	75.10B/----	75.10B/60.90A	----	69.60 + 12.20	.1705	----	----	----	----	5 UNCH
4025	----	----	79.70B/----	79.70B/64.50A	----	73.90 + 12.80	.1798	----	----	----	----	2 UNCH
4065	----	----	87.80B/----	87.80B/71.40A	----	81.50 + 14.00	.1955	----	----	----	----	1 UNCH
4070	----	----	88.80B/----	88.80B/72.30A	----	82.50 + 14.10	.1976	----	----	----	----	25 UNCH
4100	----	----	95.50B/----	95.50B/77.50A	----	88.70 + 15.00	.2101	----	----	----	----	5 UNCH
4135	----	----	103.60B/----	103.60B/84.50A	----	96.60 + 16.30	.2256	----	----	----	----	22 UNCH
4160	----	----	109.90B/----	109.90B/90.00A	----	102.60 + 17.10	.2371	----	----	----	----	1 UNCH
4170	----	----	112.60B/----	112.60B/91.90A	----	105.10 + 17.50	.2418	----	----	----	----	1 UNCH
4180	----	----	115.20B/----	115.20B/94.20A	----	107.60 + 17.80	.2465	----	----	----	----	1 UNCH
4200	----	----	120.90B/----	120.90B/99.00A	----	112.90 + 18.60	.2563	----	----	----	----	7 UNCH
4205	----	----	122.30B/----	122.30B/100.10A	----	114.30 + 18.90	.2588	----	----	----	----	1 UNCH
4215	----	----	125.20B/----	125.20B/103.00A	----	117.10 + 19.30	.2638	----	----	----	----	5 UNCH
4250	----	----	135.90B/----	135.90B/111.80A	----	127.30 + 20.90	.2818	----	----	----	----	567 UNCH
4265	----	----	140.50B/----	140.50B/115.70A	----	131.90 + 21.60	.2897	----	----	----	----	1 UNCH
4275	----	----	143.90B/----	143.90B/118.70A	----	135.00 + 22.00	.2950	----	----	----	----	23 UNCH
4290	----	----	149.00B/----	149.00B/122.50A	----	139.90 + 22.80	.3032	----	----	----	----	1 UNCH
4300	----	----	152.30B/----	152.30B/125.70A	----	143.20 + 23.30	.3086	----	----	----	----	100 UNCH
4305	----	----	154.00B/----	154.00B/127.10A	----	144.90 + 23.60	.3114	----	----	----	----	1 UNCH
4320	----	----	159.70B/----	159.70B/131.70A	----	150.10 + 24.40	.3198	----	----	----	----	43 UNCH
4330	----	----	163.00B/----	163.00B/134.80A	----	153.60 + 24.90	.3254	----	----	----	----	2 UNCH
4340	----	----	166.80B/----	166.80B/138.20A	----	157.20 + 25.50	.3310	----	----	----	----	6 UNCH
4350	----	----	170.50B/----	170.50B/141.30A	----	160.90 + 26.10	.3368	----	----	----	----	3 UNCH
4390	----	----	186.40B/----	186.40B/154.90A	----	176.30 + 28.50	.3600	----	----	----	----	1 UNCH
4395	----	----	188.60B/----	188.60B/156.50A	----	178.30 + 28.80	.3629	----	----	----	----	1 UNCH
4400	----	----	190.70B/----	190.70B/158.30A	----	180.30 + 29.10	.3658	----	----	----	----	6 UNCH
4405	176.30	176.30	192.80B/171.00	192.80B/160.10A	----	182.30 NEW	.3688	----	----	4	----	2 + 2
4425	----	----	201.30B/----	201.30B/167.50A	----	190.50 + 30.50	.3806	----	----	----	----	72 UNCH
4430	----	----	203.50B/----	203.50B/169.40A	----	192.70 + 30.90	.3836	----	----	----	----	10 UNCH
4450	----	----	212.10B/----	212.10B/177.10A	----	201.20 + 32.00	.3956	----	----	----	----	39 UNCH
4485	----	----	228.60B/----	228.60B/191.10A	----	216.70 + 34.00	.4168	----	----	----	----	1 UNCH
4490	----	----	231.00B/----	231.00B/193.20A	----	219.00 + 34.30	.4198	----	----	----	----	1 UNCH
4500	----	----	236.00B/----	236.00B/197.40A	----	223.60 + 34.80	.4259	----	----	----	----	45 UNCH
4510	----	----	240.80B/----	240.80B/201.60A	----	228.20 + 35.30	.4320	----	----	----	----	11 UNCH
4535	----	----	253.40B/----	253.40B/212.00A	----	240.00 + 36.60	.4473	----	----	----	----	10 UNCH
4540	----	----	255.90B/----	255.90B/214.80A	----	242.40 + 36.80	.4504	----	----	----	----	6 UNCH
4555	----	----	263.70B/----	263.70B/221.00A	----	249.70 + 37.50	.4596	----	----	----	----	1 UNCH
4580	----	----	277.20B/----	277.20B/233.60A	----	262.20 + 38.70	.4750	----	----	----	----	10 UNCH
4590	----	----	282.80B/----	282.80B/237.50A	----	267.30 + 39.10	.4812	----	----	----	----	1 UNCH
4600	259.30	259.30	288.20B/259.30	288.20B/243.20A	----	272.50 + 39.60	.4873	----	----	1	----	73 UNCH
4610	----	----	293.70B/----	293.70B/248.20A	----	277.80 + 40.10	.4935	----	----	----	----	4 UNCH
4640	----	----	310.90B/----	310.90B/263.40A	----	294.00 + 41.50	.5119	----	----	----	----	90 UNCH
4645	----	----	313.80B/----	313.80B/265.90A	----	296.80 + 41.80	.5149	----	----	----	----	1 UNCH
4650	----	----	317.00B/----	317.00B/267.70A	----	299.60 + 42.10	.5179	----	----	2	----	78 + 2
4655	314.90	314.90	319.70B/314.90	319.70B/270.40A	----	302.40 NEW	.5210	----	----	1	----	1 + 1
4700	----	----	347.10B/----	347.10B/295.50A	----	328.50 + 44.60	.5481	----	----	----	----	58 UNCH
4710	----	----	352.30B/----	352.30B/301.30A	----	334.50 + 45.10	.5540	----	----	----	----	1 UNCH
4725	----	----	361.90B/----	361.90B/310.20A	----	343.70 + 45.90	.5628	----	----	----	----	2 UNCH
4750	342.90	342.90	378.00B/342.90	378.00B/325.20A	----	359.40 + 47.30	.5773	----	----	10	----	20 + 10
4755	----	----	381.30B/----	381.30B/327.80A	----	362.60 + 47.60	.5802	----	----	----	----	1 UNCH
4800	----	----	411.10B/----	411.10B/360.40A	----	392.00 + 49.90	.6055	----	----	----	----	13 UNCH
4820	----	----	424.80B/----	424.80B/373.10A	----	405.60 + 50.90	.6164	----	----	----	----	1 UNCH
4840	----	----	438.70B/----	438.70B/386.00A	----	419.40 + 51.80	.6271	----	----	----	----	2 UNCH
4845	----	----	442.30B/----	442.30B/389.30A	----	422.80 + 52.00	.6298	----	----	----	----	10 UNCH
4850	----	----	445.80B/----	445.80B/392.60A	----	426.30 + 52.20	.6324	----	----	----	----	8 UNCH
4900	----	----	481.90B/----	481.90B/426.30A	----	462.00 + 54.80	.6581	----	----	----	----	12 UNCH
4915	----	----	492.90B/----	492.90B/454.70A	----	473.00 + 55.70	.6655	----	----	----	----	3 UNCH
4935	----	----	507.80B/----	507.80B/469.10A	----	487.80 + 56.80	.6752	----	----	----	----	25 UNCH
4950	----	----	519.10B/----	519.10B/480.00A	----	499.00 + 57.70	.6824	----	----	----	----	11 UNCH
4960	----	----	526.70B/----	526.70B/487.30A	----	506.50 + 58.20	.6871	----	----	----	----	2 UNCH
5000	518.80	518.80	545.10B/517.00A	545.10B/517.00A	----	537.00 + 60.30	.7054	----	----	2	----	255 UNCH
5020	----	----	541.20B/----	541.20B/532.20A	----	552.50 + 61.30	.7142	----	----	----	----	30 UNCH
5055	----	----	----	482.90B/662.80A	----	580.10 + 63.00	.7292	----	----	----	----	8 UNCH
5200	----	----	----	603.00B/780.30A	----	699.30 + 68.60	.7837	----	----	----	----	81 UNCH
5395	----	----	----	775.40B/948.00A	----	870.10 + 73.90	.8396	----	----	----	----	6 UNCH
5400	----	----	----	779.80B/952.40A	----	874.60 + 74.00	.8409	----	----	----	----	6 UNCH
5760	----	----	----	1114.10B/1285.90A	----	1209.70 + 80.40	.9040	----	----	----	----	1 UNCH
5975	----	----	----	----	----	1416.80 + 82.90	.9261	----	----	----	----	1 UNCH
6000	----	----	----	----	----	1441.10 + 83.10	.9280	----	----	----	----	1 UNCH
TOTAL										27		4107 + 12
DEC26												
1350	----	----	#0.30B/----	#0.30B/1.20A	----	0.10 UNCH	.0001	----	----	----	----	16 UNCH
1375	----	----	----	----/1.20A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
1500	----	----	----	0.10B/1.40A	----	0.20 UNCH	.0004	----	----	----	----	1 UNCH
1600	----	----	----	0.20B/1.60A	----	0.40 UNCH	.0008	----	----	----	----	190 UNCH
1700	----	----	----	0.40B/1.90A	----	0.60 UNCH	.0011	----	----	----	----	200 UNCH
1845	1.50	1.50	1.50/1.50	1.50/1.50	----	1.10 + 0.10	.0021	----	----	5	----	60 + 5
1900	----	----	----	0.80B/2.10A	----	1.30 + 0.10	.0025	----	----	----	----	4 UNCH
2000	----	----	----	1.00B/2.40A	----	1.60 + 0.10	.0031	----	----	----	----	2 UNCH
2400	----	----	----	2.50B/4.60A	----	3.60 + 0.40	.0075	----	----	----	----	1 UNCH
2450	----	----	----	2.80B/4.90A	----	3.90 + 0.50	.0082	----	----	----	----	4 UNCH
2490	----	----	----	3.00B/5.20A	----	4.10 + 0.50	.0088	----	----	----	----	1 UNCH
2500	----	----	----	3.10B/5.20A	----	4.20 + 0.50	.0090	----	----	----	----	171 UNCH
2750	----	----	----	5.00B/7.30A	----	6.20 + 0.90	.0141	----	----	----	----	1 UNCH
2800	----	----	----	5.50B/7.80A	----	6.80 + 0.90	.0155	----	----	----	----	18 UNCH
2900	----	----	----	6.70B/9.20A	----	8.10 + 1.10	.0188	----	----	----	----	28 UNCH
2925	----	----	----	7.10B/9.50A	----	8.50 + 1.20	.0198	----	----	----	----	300 UNCH
2975	----	----	----	7.90B/10.40A	----	9.30 + 1.30	.0219	----	----	----	----	400 UNCH
3000	9.60	9.60	9.60/9.60	9.60/9.60	----	9.80 + 1.40	.0231	----	----	1	----	1361 - 1
3100	----	----	10.40B/----	10.40B/12.90A	----	12.00 + 1.90	.0285	----	----	----	----	4 UNCH
3160	----	----	11.90B/----	11.90B/14.40A	----	13.50 + 2.20	.0322	----	----	----	----	2 UNCH
3175	----	----	12.30B/----	12.30B/14.70A	----	13.90 + 2.20	.0332	----	----	----	----	1 UNCH
3250	----	----	14.70B/----	14.70B/17.10A	----	16.10 + 2.60	.0387	----	----	----	----	20 UNCH
3300	----	----	16.70B/----	16.70B/18.70A	----	17.80 + 2.80	.0429	----	----	----	----	539 UNCH
3400	----	----	21.20B/----	21.20B/22.80A	----	21.80 + 3.40	.0528	----	----	----	90	1161 - 90
3425	----	----	22.50B/----	22.50B/23.90A	----	23.00 + 3.60	.0557	----	----	----	----	350 UNCH
3450	----	----	23.90B/----	23.90B/25.10A	----	24.30 + 3.80	.0588	----	----	----	----	201 UNCH
3460	----	----	24.50B/----	24.50B/25.60A	----	24.90 + 4.00	.0601	----	----	----	----	20 UNCH
3475	----	----	25.40B/----	25.40B/26.40A	----	25.70 + 4.10	.0620	----	----	----	----	152 UNCH
3500	----	----	26.90B/----	26.90B/27.70A	----	27.20 + 4.40	.0655	----	----	----	----	1513 UNCH
3550	----	----	31.80B/----	31.80B/30.50A	----	30.40 + 4.90	.0730	----	----	----	----	18 UNCH
3560	30.70	30.70	32.80B/30.70	32.80B/30.70	----	31.10 NEW	.0746	----	----	6	----	6 + 6
3565	----	----	33.00B/----	33.00B/31.40A	----	31.50 + 5.20	.0755	----	----	----	----	2 UNCH
3590	----	----	35.20B/----	35.20B/31.90A	----	33.40 + 5.50	.0798	----	----	----	----	1 UNCH
3600	----	----	35.80B/----	35.80B/32.60A	----	34.10 + 5.60	.0814	----	----	----	----	537 UNCH
3610	----	----	36.60B/----	36.60B/33.40A	----	34.90 + 5.80	.0832	----	----	----	----	3 UNCH
3650	----	----	39.90B/----	39.90B/36.40A	----	38.30 + 6.40	.0908	----	----	----	----	201 UNCH
3660	----	----	40.20B/----	40.20B/37.30A	----	39.20 + 6.60	.0928	----	----	----	----	5 UNCH
3670	----	----	41.20B/----	41.20B/38.10A	----	40.10 + 6.80	.0948	----	----	----	----	1 UNCH
3690	----	----	43.40B/----	43.40B/39.80A	----	41.90 + 7.00	.0988	----	----	----	----	1 UNCH
3700	----	----	44.50B/----	44.50B/40.70A	----	42.90 + 7.20	.1009	----	----	----	----	280 UNCH
3710	----	----	45.60B/----	45.60B/41.70A	----	43.90 + 7.40	.1031	----	----	----	----	37 UNCH
3725	----	----	47.30B/----	47.30B/43.00A	----	45.40 + 7.70	.1064	----	----	----	----	6 UNCH
3750	----	----	51.30B/----	51.30B/45.70A	----	48.10 + 8.20	.1122	----	----	----	----	166 UNCH
3760	----	----	52.50B/----	52.50B/46.70A	----	49.20 + 8.40	.1146	----	----	----	----	184 UNCH
3780	----	----	55.00B/----	55.00B/48.80A	----	51.50 + 8.80	.1195	----	----	----	----	1 UNCH
3785	----	----	55.60B/----	55.60B/49.30A	----	52.10 + 8.90	.1207	----	----	----	----	10 UNCH
3800	----	----	57.60B/----	57.60B/50.90A	----	53.90 + 9.20	.1246	----	----	----	----	351 UNCH
3805	----	----	58.30B/----	58.30B/51.50A	----	54.50 + 9.30	.1258	----	----	----	----	11 UNCH
3810	----	----	58.80B/----	58.80B/52.00A	----	55.10 + 9.40	.1271	----	----	----	----	56 UNCH
3850	64.20	64.20	64.40B/64.20	64.40B/56.80A	----	60.40 + 10.30	.1381	----	----	50	----	56 + 32
3880	----	----	69.00B/----	69.00B/60.60A	----	64.60 + 11.00	.1467	----	----	----	----	1 UNCH
3900	----	----	72.40B/----	72.40B/63.30A	----	67.60 + 11.40	.1527	----	----	----	----	1206 UNCH
3920	----	----	76.00B/----	76.00B/66.20A	----	70.70 + 11.90	.1590	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
3925	----	----	77.00B/----	77.00B/66.90A	----	71.50 + 12.00	.1606	----	----	----	----	255 UNCH
3930	----	----	77.50B/----	77.50B/67.40A	----	72.30 + 12.10	.1622	----	----	----	----	2 UNCH
3950	----	----	81.50B/----	81.50B/67.60A	----	75.70 + 12.70	.1688	----	----	----	----	527 UNCH
3965	----	----	84.20B/----	84.20B/69.90A	----	78.30 + 13.00	.1738	----	----	----	----	50 UNCH
3975	77.00	77.00	86.20B/77.00	86.20B/71.30A	----	80.10 + 13.30	.1773	----	----	1	----	193 + 1
3980	85.00	85.00	87.30B/85.00	87.30B/72.30A	----	81.00 + 13.40	.1790	----	----	6	----	264 UNCH
4000	82.00	82.00	91.40B/82.00	91.40B/75.70A	----	84.70 + 13.90	.1861	----	----	2	----	2655 + 2
4025	87.50	87.50	96.40B/87.50	96.40B/79.80A	----	89.60 + 14.50	.1953	----	----	1	----	220 UNCH
4050	98.10	98.10	102.10B/98.10	102.10B/84.70A	----	94.80 + 15.20	.2049	----	----	10	----	216 + 9
4070	----	----	106.70B/----	106.70B/88.70A	----	99.10 + 15.80	.2127	----	----	----	----	8 UNCH
4090	----	----	111.30B/----	111.30B/92.70A	----	103.70 + 16.40	.2209	----	----	----	----	1 UNCH
4100	----	----	114.20B/----	114.20B/94.80A	----	106.00 + 16.70	.2250	----	----	----	----	396 UNCH
4130	----	----	122.00B/----	122.00B/101.40A	----	113.40 + 17.70	.2378	----	----	----	----	30 UNCH
4150	----	----	127.60B/----	127.60B/106.00A	----	118.50 + 18.30	.2465	----	----	----	----	93 UNCH
4160	----	----	130.40B/----	130.40B/108.40A	----	121.20 + 18.70	.2510	----	----	----	----	252 UNCH
4165	----	----	131.80B/----	131.80B/109.60A	----	122.60 + 18.90	.2533	----	----	----	----	28 UNCH
4170	----	----	132.80B/----	132.80B/110.80A	----	124.00 + 19.10	.2556	----	----	----	----	2 UNCH
4175	----	----	134.60B/----	134.60B/112.10A	----	125.30 + 19.20	.2578	----	----	----	----	66 UNCH
4200	----	----	142.30B/----	142.30B/118.40A	----	132.50 + 20.20	.2695	----	----	----	----	1343 UNCH
4205	----	----	143.70B/----	143.70B/119.70A	----	134.00 + 20.50	.2718	----	----	----	----	20 UNCH
4215	----	----	146.80B/----	146.80B/122.40A	----	137.00 + 20.90	.2766	----	----	----	----	14 UNCH
4230	----	----	151.60B/----	151.60B/126.40A	----	141.60 + 21.50	.2838	----	----	----	----	150 UNCH
4235	147.80	147.80	153.10B/147.80	153.10B/128.10A	----	143.20 NEW	.2863	----	----	10	----	10 + 10
4250	150.30	150.30	158.40B/150.30	158.40B/132.20A	----	148.00 + 22.50	.2936	----	----	60	----	378 + 14
4265	----	----	163.30B/----	163.30B/136.60A	----	153.00 + 23.20	.3011	----	----	----	----	10 UNCH
4290	----	----	171.50B/----	171.50B/143.70A	----	161.60 + 24.50	.3138	----	----	----	----	1 UNCH
4300	157.20	157.20	175.90B/157.20	175.90B/147.20A	----	165.10 + 25.00	.3189	----	----	1	----	2711 + 1
4320	----	----	183.10B/----	183.10B/153.60A	----	172.40 + 26.10	.3292	----	----	----	----	124 UNCH
4325	----	----	185.20B/----	185.20B/155.20A	----	174.20 + 26.30	.3318	----	----	----	----	559 UNCH
4340	186.70	186.70	190.80B/186.70	190.80B/160.20A	----	179.90 + 27.20	.3397	----	----	1	----	82 UNCH
4350	----	----	194.60B/----	194.60B/163.60A	----	183.70 + 27.70	.3450	----	----	----	----	161 UNCH
4365	----	----	200.70B/----	200.70B/168.70A	----	189.60 + 28.50	.3530	----	----	----	----	195 UNCH
4375	----	----	204.80B/----	204.80B/172.40A	----	193.60 + 29.10	.3583	----	----	----	----	6 UNCH
4385	----	----	209.00B/----	209.00B/176.00A	----	197.60 + 29.60	.3637	----	----	----	----	75 UNCH
4390	----	----	211.00B/----	211.00B/177.80A	----	199.60 + 29.80	.3664	----	----	----	----	200 UNCH
4400	203.50	203.50	215.30B/203.50	215.30B/181.50A	----	203.70 + 30.30	.3718	----	----	60	----	327 + 32
4425	----	----	226.10B/----	226.10B/191.00A	----	214.30 + 31.70	.3854	----	----	----	----	9 UNCH
4430	----	----	228.30B/----	228.30B/192.90A	----	216.40 + 31.90	.3881	----	----	----	----	31 UNCH
4435	----	----	230.70B/----	230.70B/195.00A	----	218.60 + 32.20	.3909	----	----	----	----	14 UNCH
4440	----	----	232.70B/----	232.70B/196.90A	----	220.70 + 32.40	.3936	----	----	----	----	6 UNCH
4450	----	----	237.40B/----	237.40B/200.80A	----	225.10 + 32.90	.3991	----	----	----	----	260 UNCH
4470	----	----	246.70B/----	246.70B/209.00A	----	234.10 + 33.90	.4101	----	----	----	----	1 UNCH
4475	244.30	244.30	249.00B/244.30	249.00B/211.00A	----	236.40 + 34.20	.4129	----	----	1	----	9 UNCH
4480	----	----	251.50B/----	251.50B/213.10A	----	238.60 + 34.30	.4157	----	----	----	----	1 UNCH
4490	----	----	256.10B/----	256.10B/217.50A	----	243.30 + 34.90	.4212	----	----	----	----	17 UNCH
4500	----	----	261.20B/----	261.20B/221.80A	----	247.90 + 35.30	.4268	----	----	25	----	1236 + 25
4510	----	----	266.10B/----	266.10B/226.10A	----	252.70 + 35.80	.4324	----	----	----	----	2 UNCH
4515	----	----	268.50B/----	268.50B/228.30A	----	255.10 + 36.10	.4352	----	----	----	----	247 UNCH
4520	----	----	271.10B/----	271.10B/230.50A	----	257.50 + 36.30	.4379	----	----	----	----	25 UNCH
4525	----	----	273.50B/----	273.50B/232.80A	----	259.90 + 36.50	.4407	----	----	----	----	240 UNCH
4530	----	----	276.10B/----	276.10B/234.80A	----	262.30 + 36.70	.4435	----	----	----	----	20 UNCH
4535	----	----	278.60B/----	278.60B/237.10A	----	264.80 + 37.00	.4463	----	----	----	----	102 UNCH
4540	----	----	281.20B/----	281.20B/239.30A	----	267.30 + 37.30	.4491	----	----	----	----	1 UNCH
4550	----	----	286.50B/----	286.50B/244.00A	----	272.20 + 37.70	.4547	----	----	----	----	19 UNCH
4555	----	----	289.10B/----	289.10B/246.30A	----	274.80 + 38.00	.4575	----	----	----	----	50 UNCH
4570	----	----	297.00B/----	297.00B/253.30A	----	282.40 + 38.60	.4659	----	----	----	----	5 UNCH
4575	----	----	299.80B/----	299.80B/255.90A	----	285.00 + 38.90	.4687	----	----	----	----	5 UNCH
4580	----	----	302.50B/----	302.50B/258.10A	----	287.50 + 39.10	.4715	----	----	----	----	150 UNCH
4585	----	----	305.60B/----	305.60B/260.80A	----	290.10 + 39.30	.4743	----	----	----	----	325 UNCH
4600	----	----	314.10B/----	314.10B/268.10A	----	298.00 + 40.00	.4827	----	----	----	----	930 UNCH
4605	----	----	316.40B/----	316.40B/270.40A	----	300.70 + 40.20	.4855	----	----	----	----	5 UNCH
4610	----	----	319.20B/----	319.20B/272.90A	----	303.40 + 40.50	.4883	----	----	----	----	3 UNCH
4620	----	----	324.80B/----	324.80B/277.90A	----	308.80 + 40.90	.4938	----	----	----	----	53 UNCH
4625	----	----	327.70B/----	327.70B/280.50A	----	311.50 + 41.10	.4966	----	----	----	----	56 UNCH
4630	----	----	330.60B/----	330.60B/283.10A	----	314.30 + 41.40	.4994	----	----	----	----	3 UNCH
4640	----	----	336.40B/----	336.40B/288.40A	----	319.80 + 41.90	.5049	----	----	----	----	104 UNCH
4650	----	----	342.20B/----	342.20B/293.60A	----	325.40 + 42.30	.5104	----	----	----	----	116 UNCH
4655	----	----	345.20B/----	345.20B/296.20A	----	328.20 + 42.50	.5132	----	----	----	----	1 UNCH
4660	----	----	347.60B/----	347.60B/298.90A	----	331.00 + 42.70	.5159	----	----	8	----	7 + 5
4665	----	----	350.50B/----	350.50B/301.40A	----	333.80 + 42.90	.5187	----	----	----	----	69 UNCH
4675	----	----	355.90B/----	355.90B/306.80A	----	339.60 + 43.40	.5242	----	----	----	----	10 UNCH
4680	----	----	358.80B/----	358.80B/309.50A	----	342.50 + 43.70	.5269	----	----	----	----	60 UNCH
4700	----	----	371.20B/----	371.20B/321.80A	----	354.20 + 44.60	.5378	----	----	----	----	512 UNCH
4710	----	----	377.10B/----	377.10B/326.50A	----	360.10 + 45.00	.5432	----	----	----	----	1 UNCH
4715	----	----	380.20B/----	380.20B/330.00A	----	363.10 + 45.20	.5459	----	----	----	----	15 UNCH
4725	----	----	386.50B/----	386.50B/335.60A	----	369.10 + 45.60	.5512	----	----	----	----	127 UNCH
4750	----	----	402.30B/----	402.30B/352.10A	----	384.40 + 46.70	.5646	----	----	----	----	63 UNCH
4790	----	----	428.30B/----	428.30B/379.60A	----	409.70 + 48.50	.5855	----	----	----	----	60 UNCH
4795	----	----	431.20B/----	431.20B/382.70A	----	412.90 + 48.70	.5881	----	----	----	----	1 UNCH
4800	----	----	435.00B/----	435.00B/385.80A	----	416.10 + 48.80	.5906	----	----	----	----	348 UNCH
4810	----	----	441.30B/----	441.30B/392.00A	----	422.60 + 49.30	.5958	----	----	----	----	56 UNCH
4815	----	----	444.80B/----	444.80B/395.10A	----	425.90 + 49.50	.5983	----	----	----	----	10 UNCH
4820	----	----	448.10B/----	448.10B/398.30A	----	429.20 + 49.70	.6008	----	----	----	----	20 UNCH
4825	----	----	451.30B/----	451.30B/401.50A	----	432.50 + 49.90	.6034	----	----	----	----	112 UNCH
4830	----	----	454.80B/----	454.80B/404.60A	----	435.80 + 50.10	.6059	----	----	----	----	6 UNCH
4835	----	----	458.10B/----	458.10B/407.80A	----	439.10 + 50.30	.6084	----	----	----	----	125 UNCH
4850	----	----	468.40B/----	468.40B/417.50A	----	449.20 + 51.00	.6159	----	----	----	----	13 UNCH
4875	----	----	486.00B/----	486.00B/433.90A	----	466.20 + 51.90	.6282	----	----	----	----	16 UNCH
4880	----	----	489.60B/----	489.60B/437.20A	----	469.70 + 52.20	.6306	----	----	----	----	12 UNCH
4900	----	----	503.90B/----	503.90B/450.60A	----	483.60 + 53.00	.6402	----	----	5	----	111 + 1
4925	----	----	522.00B/----	522.00B/467.60A	----	501.40 + 54.10	.6520	----	----	----	----	236 UNCH
4930	----	----	525.60B/----	525.60B/470.30A	----	504.90 + 54.20	.6543	----	----	----	----	1 UNCH
4935	----	----	529.30B/----	529.30B/471.10A	----	508.50 + 54.40	.6565	----	----	----	----	2 UNCH
4940	----	----	533.10B/----	533.10B/472.30A	----	512.20 + 54.70	.6589	----	----	----	----	29 UNCH
4950	----	----	540.40B/----	540.40B/502.50A	----	519.40 + 55.10	.6634	----	----	----	----	24 UNCH
4975	----	----	559.10B/----	559.10B/520.70A	----	537.80 + 56.10	.6745	----	----	----	----	43 UNCH
4980	----	----	562.90B/----	562.90B/524.30A	----	541.50 + 56.30	.6767	----	----	----	----	5 UNCH
4995	----	----	574.30B/----	574.30B/535.10A	----	552.80 + 57.00	.6832	----	----	----	----	32 UNCH
5000	----	----	578.10B/----	578.10B/539.00A	----	556.50 + 57.20	.6854	----	----	----	----	445 UNCH
5020	----	----	593.40B/----	593.40B/553.60A	----	571.80 + 58.20	.6937	----	----	----	----	8 UNCH
5025	----	----	597.30B/----	597.30B/557.40A	----	575.60 + 58.40	.6958	----	----	----	----	210 UNCH
5035	----	----	605.00B/----	605.00B/564.90A	----	583.30 + 58.80	.6999	----	----	----	----	8 UNCH
5050	----	----	612.20B/----	612.20B/576.40A	----	594.90 + 59.40	.7059	----	----	----	----	201 UNCH
5070	----	----	604.50B/----	604.50B/591.60A	----	610.60 + 60.30	.7138	----	----	----	----	1 UNCH
5075	----	----	631.80B/----	631.80B/595.50A	----	614.60 + 60.60	.7158	----	----	----	----	100 UNCH
5095	----	----	647.70B/----	647.70B/610.80A	----	630.50 + 61.50	.7233	----	----	----	----	6 UNCH
5100	----	----	651.60B/----	651.60B/628.60A	----	634.50 + 61.70	.7252	----	----	----	----	6 UNCH
5195	----	----	728.90B/----	728.90B/705.40A	----	712.40 + 65.90	.7582	----	----	----	----	5 UNCH
5200	----	----	733.00B/----	733.00B/708.00A	----	716.60 + 66.10	.7597	----	----	----	----	38 UNCH
5250	----	----	774.90B/----	774.90B/751.30A	----	758.80 + 68.00	.7753	----	----	----	----	126 UNCH
5290	----	----	----	684.50B/884.80A	----	793.00 + 69.40	.7871	----	----	----	----	1 UNCH
5295	----	----	----	689.00B/889.00A	----	797.30 + 69.60	.7884	----	----	----	----	1 UNCH
5360	----	----	857.30B/----	857.30B/872.20A	----	853.70 + 71.50	.8062	----	----	----	----	100 UNCH
5370	----	----	865.90B/----	865.90B/881.00A	----	862.50 + 71.90	.8088	----	----	----	----	20 UNCH
5375	----	----	870.30B/----	870.30B/885.40A	----	866.90 + 72.00	.8100	----	----	----	----	34 UNCH
5400	----	----	892.10B/----	892.10B/907.40A	----	888.90 + 72.60	.8163	----	----	----	----	102 UNCH
5415	----	----	905.30B/----	905.30B/920.80A	----	902.10 + 72.90	.8200	----	----	----	----	4 UNCH
5460	----	----	945.10B/----	945.10B/961.00A	----	942.20 + 74.00	.8306	----	----	----	----	200 UNCH
5465	----	----	#949.50B/----	949.50B/965.50A	----	946.60 + 74.00	.8317	----	----	----	----	50 UNCH
5480	----	----	#962.90B/----	962.90B/979.00A	----	960.10 + 74.40	.8350	----	----	----	----	50 UNCH
5500	----	----	980.80B/----	980.80B/997.10A	----	978.10 + 74.80	.8395	----	----	----	----	31 UNCH
5525	----	----	#1,003.20B/----	1003.20B/1019.80A	----	1000.70 + 75.30	.8447	----	----	----	----	80 UNCH
5600	----	----	1,073.20B/----	1073.20B/1086.30A	----	1069.30 + 76.80	.8591	----	----	----	----	252 UNCH
5900	----	----	#1,350.70B/----	#1350.70B/1371.10A	----	1351.00 + 80.90	.9018	----	----	----	----	125 UNCH
6000	----	----	#1,446.00B/----	#1446.00B/1467.60A	----	1446.90 + 81.90	.9120	----	----	----	----	40 UNCH
6500	----	----	#1,930.60B/----	#1930.60B/1958.60A	----	1935.20 + 85.60	.9436	----	----	----	----	4 UNCH
20000	----	----	----	----	----	5427.80 + 87.30	1.0000	20	----	20	----	0 UNCH
TOTAL										273	90	29956+ 52
JAN27												
2625	----	----	----	4.10B/8.50A	----	5.60 + 0.70	.0119	----	----	----	----	4 UNCH
2700	----	----	----	4.80B/9.30A	----	6.20 + 0.80	.0134	----	----	----	----	11 UNCH
2800	----	----	----	6.00B/10.80A	----	7.40 + 1.00	.0163	----	----	----	----	12 UNCH
3000	----	----	----	9.50B/14.60A	----	11.80 + 1.70	.0258	----	----	----	----	36 UNCH
3300	----	----	19.10B/----	19.10B/24.20A	----	21.70 + 3.30	.0478	----	----	----	----	1 UNCH
3500	31.50	31.50	33.60B/31.50	33.60B/31.50	----	32.70 + 4.80	.0716	----	----	1	----	2 + 1
3520	----	----	35.10B/----	35.10B/34.50A	----	34.20 + 5.20	.0747	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JAN27												
3600	----	----	42.10B/----	42.10B/40.40A	----	40.60 + 6.30	.0878	----	----	----	----	7 UNCH
3680	----	----	49.90B/----	49.90B/47.30A	----	48.30 + 7.70	.1032	----	----	----	----	1 UNCH
3800	----	----	66.60B/----	66.60B/61.10A	----	62.80 + 10.10	.1309	----	----	----	----	1 UNCH
3825	----	----	70.30B/----	70.30B/64.50A	----	66.30 + 10.60	.1374	----	----	----	----	1 UNCH
3850	----	----	74.20B/----	74.20B/67.90A	----	70.00 + 11.10	.1441	----	----	----	----	230 UNCH
3900	----	----	82.40B/----	82.40B/73.70A	----	78.00 + 12.20	.1585	----	----	----	----	1 UNCH
3980	----	----	97.80B/----	97.80B/82.90A	----	92.50 + 14.00	.1836	----	----	----	----	1 UNCH
4000	----	----	102.00B/----	102.00B/86.50A	----	96.50 + 14.50	.1903	----	----	----	----	3 UNCH
4025	----	----	107.40B/----	107.40B/91.20A	----	101.80 + 15.30	.1990	----	----	----	----	2 UNCH
4070	----	----	117.90B/----	117.90B/100.10A	----	111.80 + 16.50	.2153	----	----	----	----	1 UNCH
4100	----	----	125.20B/----	125.20B/106.70A	----	118.90 + 17.30	.2266	----	----	----	----	8 UNCH
4200	----	----	153.30B/----	153.30B/130.90A	----	145.60 + 20.40	.2671	----	----	----	----	3 UNCH
4350	----	----	205.00B/----	205.00B/176.50A	----	194.80 + 25.80	.3349	----	----	----	----	1 UNCH
4400	----	----	225.10B/----	225.10B/194.20A	----	213.90 + 27.80	.3591	----	----	----	----	1 UNCH
4425	----	----	235.60B/----	235.60B/203.70A	----	223.90 + 28.80	.3714	----	----	----	----	0 UNCH
4500	----	----	269.50B/----	269.50B/233.80A	----	256.30 + 32.00	.4090	----	----	----	----	3 UNCH
4575	----	----	306.60B/----	306.60B/266.70A	----	291.90 + 35.30	.4473	----	----	----	----	1 UNCH
4585	----	----	311.80B/----	311.80B/271.50A	----	296.90 + 35.80	.4525	----	----	----	----	1 UNCH
4600	----	----	319.90B/----	319.90B/278.50A	----	304.50 + 36.40	.4602	----	----	----	----	3 UNCH
4610	----	----	325.30B/----	325.30B/283.50A	----	309.70 + 36.90	.4653	----	----	----	----	1 UNCH
4620	----	----	330.60B/----	330.60B/288.20A	----	314.90 + 37.40	.4704	----	----	----	----	1 UNCH
4630	----	----	336.10B/----	336.10B/293.30A	----	320.10 + 37.80	.4756	----	----	----	----	1 UNCH
4650	----	----	347.00B/----	347.00B/302.80A	----	330.90 + 38.80	.4858	----	----	----	----	2 UNCH
4660	----	----	352.20B/----	352.20B/307.90A	----	336.30 + 39.20	.4909	----	----	----	----	4 UNCH
4665	----	----	355.40B/----	355.40B/310.50A	----	339.00 + 39.40	.4934	----	----	----	----	4 UNCH
4700	----	----	375.60B/----	375.60B/329.20A	----	358.70 + 41.10	.5111	----	----	----	----	1 UNCH
4710	----	----	381.10B/----	381.10B/334.80A	----	364.40 + 41.50	.5161	----	----	----	----	4 UNCH
4760	----	----	411.30B/----	411.30B/372.80A	----	393.90 + 43.80	.5408	----	----	----	----	100 UNCH
4800	----	----	436.40B/----	436.40B/396.20A	----	418.60 + 45.70	.5603	----	----	----	----	6 UNCH
4820	----	----	449.70B/----	449.70B/408.20A	----	431.30 + 46.60	.5698	----	----	----	----	6 UNCH
4860	----	----	476.40B/----	476.40B/432.90A	----	457.30 + 48.50	.5885	----	----	----	----	1 UNCH
4960	----	----	543.10B/----	543.10B/498.00A	----	525.90 + 53.20	.6328	----	----	----	----	42 UNCH
4980	----	----	557.50B/----	557.50B/511.60A	----	540.30 + 54.20	.6412	----	----	----	----	9 UNCH
4990	----	----	564.70B/----	564.70B/518.10A	----	547.50 + 54.70	.6454	----	----	----	----	1 UNCH
4995	----	----	568.50B/----	568.50B/519.20A	----	551.20 + 55.00	.6474	----	----	----	----	1 UNCH
5000	----	----	572.10B/----	572.10B/520.00A	----	554.80 + 55.20	.6495	----	----	----	----	2 UNCH
5050	----	----	609.30B/----	609.30B/574.50A	----	592.00 + 57.70	.6694	----	----	----	----	100 UNCH
5085	----	----	635.80B/----	635.80B/600.40A	----	618.60 + 59.40	.6826	----	----	----	----	2 UNCH
5150	----	----	674.70B/----	674.70B/649.30A	----	669.40 + 62.70	.7059	----	----	----	----	2 UNCH
5235	----	----	----	608.90B/847.20A	----	737.80 + 66.40	.7339	----	----	----	----	2 UNCH
5245	----	----	----	617.00B/855.30A	----	746.00 + 66.80	.7371	----	----	----	----	2 UNCH
5300	----	----	----	662.50B/899.90A	----	791.30 + 68.70	.7539	----	----	----	----	44 UNCH
TOTAL										1		674 + 1
FEB27												
2800	----	----	----	7.20B/11.70A	----	10.30 + 1.30	.0207	----	----	----	----	4 UNCH
3400	----	----	29.00B/----	29.00B/35.10A	----	32.00 + 4.50	.0657	----	----	----	----	11 UNCH
4000	----	----	115.60B/----	115.60B/99.40A	----	110.00 + 15.80	.2007	----	----	----	----	11 UNCH
4025	----	----	121.60B/----	121.60B/104.40A	----	115.70 + 16.50	.2092	----	----	----	----	35 UNCH
4070	----	----	132.80B/----	132.80B/114.20A	----	126.50 + 17.80	.2252	----	----	----	----	2 UNCH
4200	----	----	170.70B/----	170.70B/147.10A	----	162.60 + 21.80	.2756	----	----	----	----	50 UNCH
4330	----	----	216.30B/----	216.30B/187.60A	----	206.70 + 26.70	.3313	----	----	----	----	6 UNCH
4370	----	----	232.30B/----	232.30B/201.60A	----	221.90 + 28.20	.3494	----	----	----	----	1 UNCH
4400	----	----	244.60B/----	244.60B/212.70A	----	234.00 + 29.50	.3631	----	----	----	----	2 UNCH
4440	----	----	262.00B/----	262.00B/228.30A	----	250.70 + 31.20	.3817	----	----	----	----	1 UNCH
4500	----	----	289.40B/----	289.40B/253.30A	----	277.40 + 33.70	.4100	----	----	----	----	2 UNCH
4600	----	----	339.60B/----	339.60B/298.10A	----	326.30 + 38.10	.4578	----	----	----	----	17 UNCH
4630	----	----	355.00B/----	355.00B/313.10A	----	342.00 + 39.40	.4722	----	----	----	----	9 UNCH
4635	----	----	357.80B/----	357.80B/315.60A	----	344.70 + 39.70	.4746	----	----	----	----	2 UNCH
4650	----	----	365.70B/----	365.70B/323.30A	----	352.80 + 40.40	.4817	----	----	----	----	1 UNCH
4655	----	----	368.60B/----	368.60B/325.90A	----	355.50 + 40.60	.4840	----	----	----	----	1 UNCH
4660	----	----	371.40B/----	371.40B/328.30A	----	358.20 + 40.80	.4864	----	----	----	----	435 UNCH
4665	----	----	374.20B/----	374.20B/330.60A	----	360.90 + 40.90	.4888	----	----	----	----	3 UNCH
4680	----	----	382.70B/----	382.70B/338.30A	----	369.30 + 41.70	.4959	----	----	----	----	3 UNCH
4750	----	----	424.00B/----	424.00B/387.80A	----	409.60 + 44.90	.5285	----	----	----	----	1 UNCH
4755	----	----	427.00B/----	427.00B/390.60A	----	412.60 + 45.10	.5308	----	----	----	----	1 UNCH
4775	----	----	439.30B/----	439.30B/402.10A	----	424.60 + 46.00	.5399	----	----	----	----	1 UNCH
4785	----	----	445.60B/----	445.60B/407.90A	----	430.70 + 46.40	.5445	----	----	----	----	100 UNCH
4800	----	----	454.90B/----	454.90B/416.80A	----	440.00 + 47.20	.5512	----	----	----	----	60 UNCH
4805	----	----	458.50B/----	458.50B/419.70A	----	443.10 + 47.40	.5535	----	----	----	----	2 UNCH
4835	----	----	477.80B/----	477.80B/437.80A	----	462.00 + 48.70	.5668	----	----	----	----	1 UNCH
4840	----	----	480.70B/----	480.70B/440.80A	----	465.20 + 48.90	.5691	----	----	----	----	1 UNCH
4845	----	----	483.90B/----	483.90B/443.90A	----	468.40 + 49.20	.5713	----	----	----	----	3 UNCH
4855	----	----	490.50B/----	490.50B/450.00A	----	474.80 + 49.50	.5757	----	----	----	----	3 UNCH
4900	----	----	520.80B/----	520.80B/478.40A	----	504.40 + 51.40	.5950	----	----	----	----	4 UNCH
4905	----	----	523.70B/----	523.70B/481.60A	----	507.70 + 51.50	.5972	----	----	----	----	4 UNCH
4950	----	----	553.20B/----	553.20B/511.00A	----	538.40 + 53.40	.6159	----	----	----	----	1 UNCH
4955	----	----	556.80B/----	556.80B/514.30A	----	541.80 + 53.50	.6180	----	----	----	----	1 UNCH
5000	----	----	588.80B/----	588.80B/544.70A	----	573.50 + 55.30	.6360	----	----	----	----	10 UNCH
5005	----	----	592.30B/----	592.30B/548.10A	----	577.10 + 55.50	.6380	----	----	----	----	2 UNCH
5050	----	----	625.60B/----	625.60B/593.80A	----	609.70 + 57.10	.6553	----	----	----	----	4 UNCH
5055	----	----	629.10B/----	629.10B/597.60A	----	613.30 + 57.20	.6572	----	----	----	----	4 UNCH
5100	----	----	662.90B/----	662.90B/630.20A	----	646.90 + 59.00	.6738	----	----	----	----	2 UNCH
5150	----	----	701.40B/----	701.40B/667.30A	----	685.00 + 60.70	.6913	----	----	----	----	1 UNCH
5175	----	----	721.10B/----	721.10B/686.50A	----	704.40 + 61.60	.6998	----	----	----	----	125 UNCH
5200	----	----	728.80B/----	728.80B/705.50A	----	724.00 + 62.40	.7080	----	----	----	----	1 UNCH
5250	----	----	----	616.30B/893.90A	----	763.90 + 64.10	.7238	----	----	----	----	10 UNCH
5340	----	----	----	689.50B/967.20A	----	837.50 + 67.00	.7502	----	----	----	----	1 UNCH
5520	----	----	----	842.40B/1119.60A	----	990.60 + 71.60	.7955	----	----	----	----	300 UNCH
5530	----	----	----	851.20B/1128.20A	----	999.30 + 71.80	.7978	----	----	----	----	100 UNCH
5550	----	----	----	868.70B/1145.60A	----	1016.80 + 72.30	.8022	----	----	----	----	65 UNCH
5565	----	----	----	881.80B/1158.80A	----	1030.00 + 72.60	.8055	----	----	----	----	50 UNCH
TOTAL												1454 0
MAR27												
3600	----	----	52.90B/----	52.90B/52.40A	----	54.10 + 8.30	.1008	----	----	----	----	725 UNCH
3750	----	----	74.80B/----	74.80B/69.40A	----	72.60 + 11.00	.1317	----	----	----	----	10 UNCH
3850	----	----	91.20B/----	91.20B/83.70A	----	88.20 + 12.90	.1564	----	----	----	----	21 UNCH
3900	----	----	100.60B/----	100.60B/87.70A	----	97.10 + 14.00	.1701	----	----	----	----	11 UNCH
4000	----	----	122.20B/----	122.20B/106.40A	----	117.50 + 16.30	.2000	----	----	----	----	6 UNCH
4070	----	----	139.30B/----	139.30B/121.50A	----	134.00 + 18.10	.2231	----	----	----	----	2 UNCH
4200	----	----	176.90B/----	176.90B/154.60A	----	170.20 + 22.40	.2703	----	----	----	----	575 UNCH
4325	----	----	220.10B/----	220.10B/193.10A	----	212.00 + 27.20	.3202	----	----	----	----	10 UNCH
4370	----	----	237.50B/----	237.50B/208.50A	----	228.90 + 29.20	.3391	----	----	----	----	250 UNCH
4500	----	----	292.30B/----	292.30B/258.50A	----	282.70 + 34.90	.3955	----	----	----	----	6 UNCH
4525	----	----	304.10B/----	304.10B/269.10A	----	294.00 + 36.00	.4066	----	----	----	----	11 UNCH
4650	----	----	364.50B/----	364.50B/327.00A	----	354.70 + 40.60	.4628	----	----	----	----	3 UNCH
4660	----	----	369.90B/----	369.90B/331.90A	----	359.90 + 40.90	.4673	----	----	----	----	25 UNCH
4680	----	----	380.80B/----	380.80B/342.00A	----	370.40 + 41.50	.4763	----	----	----	----	1 UNCH
4710	----	----	397.60B/----	397.60B/364.30A	----	386.50 + 42.20	.4897	----	----	----	----	4 UNCH
4720	----	----	403.30B/----	403.30B/369.60A	----	391.90 + 42.40	.4942	----	----	----	----	2 UNCH
4740	----	----	414.80B/----	414.80B/380.30A	----	403.00 + 42.80	.5031	----	----	----	----	3 UNCH
4750	----	----	420.70B/----	420.70B/385.70A	----	408.60 + 43.00	.5075	----	----	----	----	15 UNCH
4810	----	----	456.60B/----	456.60B/419.40A	----	443.30 + 44.00	.5338	----	----	----	----	22 UNCH
4850	----	----	481.50B/----	481.50B/442.70A	----	467.50 + 44.80	.5511	----	----	----	----	6 UNCH
4900	----	----	513.80B/----	513.80B/473.00A	----	499.10 + 46.10	.5721	----	----	----	----	2 UNCH
4905	----	----	517.00B/----	517.00B/476.10A	----	502.30 + 46.20	.5741	----	----	----	----	2 UNCH
5000	----	----	566.90B/----	566.90B/537.00A	----	566.50 + 49.90	.6118	----	----	----	----	75 UNCH
TOTAL												1787 0
APR27												
4300	----	----	#225.20B/----	#225.20B/209.40A	----	219.10 + 26.60	.3146	----	----	----	----	150 UNCH
4400	254.80	254.80	#264.60B/254.80	#264.60B/245.60A	----	257.10 NEW	.3547	----	----	1	----	1 + 1
4500	----	----	308.90B/----	308.90B/286.90A	----	300.00 + 33.20	.3964	----	----	----	----	1 UNCH
4900	----	----	#533.40B/----	#533.40B/497.10A	----	520.10 + 47.90	.5629	----	----	----	----	2 UNCH
4905	----	----	#536.70B/----	#536.70B/500.20A	----	523.40 + 48.20	.5649	----	----	----	----	2 UNCH
5000	----	----	#600.50B/----	#600.50B/560.80A	----	586.50 + 51.70	.6008	----	----	----	----	100 UNCH
5060	----	----	#606.80B/----	#606.80B/601.00A	----	628.30 + 53.90	.6224	----	----	----	----	25 UNCH
5200	----	----	----	450.60B/1110.80A	----	730.90 + 58.90	.6691	----	----	----	----	15 UNCH
TOTAL										1		296 + 1
JUN27												
2800	----	----	----	----	----	9.60 + 1.30	.0190	----	----	----	----	4 UNCH
3625	----	----	----	----/160.90A	----	81.60 + 9.30	.1243	----	----	----	----	450 UNCH
4900	----	----	----	175.40B/1003.40A	----	532.30 + 43.10	.5367	----	----	----	----	1 UNCH
4905	----	----	----	177.10B/1070.90A	----	535.40 + 43.20	.5385	----	----	----	----	1 UNCH
5085	----	----	----	----	----	653.40 + 48.60	.6009	----	----	----	----	150 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TOTAL												606 0
DEC27												
3700	----	----	----	----	----	142.80 + 12.00	.1577	----	----	----	----	100 UNCH
3715	----	----	----	----	----	145.50 + 12.30	.1605	----	----	----	----	150 UNCH
3820	----	----	----	----	----	165.70 + 13.90	.1806	----	----	----	----	50 UNCH
4130	----	----	----	----	----	239.70 + 19.50	.2503	----	----	----	----	168 UNCH
4500	----	----	----	----	----	367.10 + 27.80	.3533	----	----	----	----	270 UNCH
4630	----	----	----	----	----	424.20 + 31.00	.3931	----	----	----	----	284 UNCH
4860	----	----	----	----	----	541.60 + 36.80	.4646	----	----	----	----	100 UNCH
5000	----	----	----	----	----	623.00 + 40.30	.5064	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1077.20 + 55.20	.6705	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1259.80 + 59.90	.7159	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	620.20 + 39.00	.4921	----	----	----	----	1 UNCH
5100	----	----	----	----	----	681.30 + 41.40	.5201	----	----	----	----	1 UNCH
TOTAL												2 0

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUL26												
2000	----	----	----	----	----	2506.30 - 86.70	1.0000	100	----	100	----	0 UNCH
3000	----	----	----/*1,485.80A	1533.10B/*1485.80A	----	1506.30 - 86.70	.9998	75	----	----	----	0 - 75
3300	----	----	----	----	----	1206.30 - 86.70	.9971	----	----	----	----	2 UNCH
3400	----	----	----/1,085.70A	1133.10B/1085.70A	----	1106.40 - 86.60	.9957	----	----	----	----	20 UNCH
3500	----	----	----/986.00A	1033.40B/986.00A	----	1006.70 - 86.50	.9933	----	----	----	----	5 UNCH
3600	----	----	----/886.50A	933.70B/886.50A	----	907.20 - 86.20	.9897	----	----	----	----	24 UNCH
3650	----	----	----/836.90A	884.00B/836.90A	----	857.50 - 86.10	.9877	----	----	----	----	10 UNCH
3670	----	----	----/817.00A	864.10B/817.00A	----	837.60 - 86.10	.9865	----	----	----	----	3 UNCH
3700	----	----	----/787.30A	834.30B/787.30A	----	807.90 - 85.90	.9851	----	----	----	----	119 UNCH
3735	----	----	----	----	----	773.20 - 85.80	.9831	----	----	----	----	1 UNCH
3775	----	----	----/713.30A	760.00B/713.30A	----	733.60 - 85.70	.9804	----	----	----	----	4 UNCH
3800	----	----	----/685.60A	738.80B/685.60A	----	708.90 - 85.60	.9784	----	----	----	----	2055 UNCH
3825	----	----	----/664.10A	710.60B/664.10A	----	684.20 - 85.50	.9763	----	----	----	----	3 UNCH
3850	----	----	----/639.60A	685.90B/639.60A	----	659.60 - 85.40	.9736	----	----	----	----	65 UNCH
3860	----	----	----	----	----	649.80 - 85.30	.9728	----	----	----	----	1 UNCH
3865	----	----	----/624.90A	671.10B/624.90A	----	644.90 - 85.30	.9722	----	----	----	----	7 UNCH
3875	----	----	----/615.20A	661.30B/615.20A	----	635.00 - 85.30	.9709	----	----	----	----	25 UNCH
3900	----	----	----/585.20A	636.70B/585.20A	----	610.50 - 85.10	.9676	----	----	----	----	18 UNCH
3925	----	----	----/560.90A	612.20B/560.90A	----	586.10 - 84.90	.9642	----	----	----	----	35 UNCH
3950	----	----	----/536.80A	591.20B/536.80A	----	561.70 - 84.70	.9601	----	----	----	----	821 UNCH
3960	----	----	----/527.10A	568.00B/527.10A	----	551.90 - 84.70	.9586	----	----	----	----	1 UNCH
4000	----	----	----/488.70A	578.50B/488.70A	----	513.20 - 84.30	.9505	----	----	----	----	29 UNCH
4020	----	----	----/469.60A	559.00B/469.60A	----	493.90 - 84.10	.9459	----	----	----	----	1 UNCH
4040	----	----	----/450.70A	539.60B/450.70A	----	474.70 - 83.80	.9406	----	----	----	----	1 UNCH
4070	----	----	----/422.50A	510.60B/422.50A	----	446.00 - 83.40	.9319	----	----	----	----	1 UNCH
4075	----	----	----/417.80A	505.80B/417.80A	----	441.30 - 83.30	.9305	----	----	----	----	6 UNCH
4095	----	----	----/399.20A	486.60B/399.20A	----	422.30 - 83.00	.9234	----	----	----	----	4 UNCH
4100	----	----	----/394.60A	482.30B/394.60A	----	417.60 - 82.90	.9214	----	----	----	----	194 UNCH
4105	----	----	----/390.00A	477.40B/390.00A	----	412.90 - 82.80	.9199	----	----	----	----	1 UNCH
4110	----	----	----/385.40A	472.20B/385.40A	----	408.20 - 82.70	.9180	----	----	----	----	3 UNCH
4115	396.30	396.30	396.30/380.80A	467.50B/380.80A	----	403.50 NEW	.9160	----	----	1	----	1 + 1
4145	----	----	----/353.50A	439.00B/353.50A	----	375.60 - 81.90	.9027	----	----	----	----	28 UNCH
4150	364.10	364.10	364.10/349.00A	434.50B/349.00A	----	371.00 - 81.70	.9002	----	----	1	----	37 UNCH
4155	----	----	----/344.50A	429.50B/344.50A	----	366.40 - 81.60	.8977	----	----	----	----	1 UNCH
4160	----	----	----/340.00A	424.80B/340.00A	----	361.80 - 81.40	.8952	----	----	----	----	1 UNCH
4190	----	----	----/313.50A	396.80B/313.50A	----	334.50 - 80.50	.8788	----	----	----	----	1 UNCH
4200	----	----	----/304.80A	387.90B/304.80A	----	325.50 - 80.20	.8727	----	----	----	----	9 UNCH
4215	----	----	----/291.80A	373.60B/291.80A	----	312.20 - 79.50	.8630	----	----	----	----	25 UNCH
4220	----	----	----/287.60A	369.00B/287.60A	----	307.80 - 79.30	.8595	----	----	----	----	1 UNCH
4225	----	----	----/283.30A	364.40B/283.30A	----	303.40 - 79.10	.8560	----	----	----	----	2 UNCH
4235	----	----	----/274.70A	355.30B/274.70A	----	294.60 - 78.70	.8488	----	----	----	----	1 UNCH
4240	----	----	----/270.60A	351.20B/270.60A	----	290.30 - 78.40	.8448	----	----	----	----	39 UNCH
4245	----	----	----/266.40A	346.40B/266.40A	----	286.00 - 78.20	.8409	----	----	----	----	1 UNCH
4250	----	----	----/262.10A	342.20B/262.10A	----	281.60 - 78.00	.8372	----	----	----	----	318 UNCH
4255	----	----	----/258.00A	337.70B/258.00A	----	277.40 - 77.70	.8332	----	----	----	----	1 UNCH
4265	----	----	----/249.80A	328.70B/249.80A	----	268.90 - 77.10	.8247	----	----	----	----	2 UNCH
4270	----	----	----/245.60A	323.80B/245.60A	----	264.60 - 76.90	.8203	----	----	----	----	38 UNCH
4275	----	----	----/241.50A	319.40B/241.50A	----	260.40 - 76.70	.8158	----	----	----	----	76 UNCH
4280	----	----	----/237.60A	315.10B/237.60A	----	256.30 - 76.30	.8114	----	----	----	----	3 UNCH
4300	----	----	----/221.60A	297.40B/221.60A	----	239.80 - 75.10	.7923	----	----	10	----	101 + 10
4305	----	----	----/217.70A	293.60B/217.70A	----	235.80 - 74.70	.7871	----	----	----	----	1 UNCH
4315	----	----	----/210.10A	284.80B/210.10A	----	227.80 - 74.00	.7769	----	----	----	----	21 UNCH
4325	----	----	----/202.40A	276.00B/202.40A	----	219.80 - 73.40	.7661	----	----	----	----	22 UNCH
4335	----	----	----/195.00A	268.10B/195.00A	----	212.10 - 72.60	.7549	----	----	----	----	1 UNCH
4350	----	----	----/184.10A	255.20B/184.10A	----	200.60 - 71.40	.7374	----	----	----	----	17 UNCH
4360	----	----	----/177.00A	247.10B/177.00A	----	193.10 - 70.60	.7252	----	----	----	----	53 UNCH
4365	----	----	----/173.50A	242.90B/173.50A	----	189.40 - 70.20	.7190	----	----	----	----	45 UNCH
4370	----	----	----/170.10A	239.10B/170.10A	----	185.80 - 69.70	.7127	----	----	----	----	20 UNCH
4375	----	----	----/166.80A	235.20B/166.80A	----	182.10 - 69.30	.7062	----	----	----	----	5 UNCH
4395	----	----	----/153.50A	219.50B/153.50A	----	168.00 - 67.40	.6794	----	----	----	----	2 UNCH
4400	----	----	----/150.10A	215.40B/150.10A	----	164.60 - 66.80	.6726	----	----	----	----	2314 UNCH
4405	----	----	----/147.10A	211.60B/147.10A	----	161.20 - 66.30	.6656	----	----	----	----	1 UNCH
4410	----	----	----/143.90A	207.80B/143.90A	----	157.90 - 65.80	.6586	----	----	----	----	4 UNCH
4415	----	----	----/140.80A	204.30B/140.80A	----	154.50 - 65.30	.6514	----	----	----	----	39 UNCH
4420	----	----	----/137.70A	200.50B/137.70A	----	151.30 - 64.70	.6442	----	----	----	----	34 UNCH
4425	----	----	----/135.10A	196.80B/135.10A	----	148.00 - 64.20	.6369	----	----	----	----	30 UNCH
4430	----	----	----/132.10A	193.00B/132.10A	----	144.80 - 63.60	.6295	----	----	----	----	13 UNCH
4435	----	----	----/129.20A	189.50B/129.20A	----	141.70 - 63.00	.6221	----	----	----	----	1 UNCH
4440	----	----	----/126.30A	186.10B/126.30A	----	138.60 - 62.40	.6146	----	----	----	----	9 UNCH
4445	130.60	130.60	130.60/123.50A	182.40B/123.50A	----	135.50 - 61.90	.6070	----	----	1	----	33 + 1
4450	----	----	----/120.60A	178.90B/120.60A	----	132.50 - 61.20	.5994	----	----	10	----	302 - 6
4455	135.40	135.40	135.40/117.90A	175.30B/117.90A	----	129.50 - 60.70	.5917	----	----	4	----	8 + 4
4460	124.30	124.30	124.30/115.10A	171.80B/115.10A	----	126.60 - 60.00	.5839	----	----	3	----	3 + 1
4465	121.50	121.50	121.50/112.50A	168.60B/112.50A	----	123.70 - 59.40	.5761	----	----	2	----	39 UNCH
4470	----	----	----/109.80A	165.20B/109.80A	----	120.90 - 58.70	.5683	----	----	----	----	29 UNCH
4475	109.50	109.50	113.60/107.30A	161.90B/107.30A	----	118.10 - 58.10	.5605	----	----	5	----	93 + 2
4480	107.50	107.50	122.20/104.70A	158.60B/104.70A	----	115.30 - 57.50	.5526	----	----	13	----	342 - 12
4485	106.00	106.00	106.00/102.10A	155.20B/102.10A	----	112.60 - 56.80	.5447	----	----	4	----	20 UNCH
4490	----	----	----/99.70A	152.20B/99.70A	----	109.90 - 56.20	.5367	----	----	----	----	21 UNCH
4495	97.90	97.90	106.40/97.30A	148.90B/97.30A	----	107.30 - 55.50	.5287	----	----	4	----	22 - 2
4500	117.50	117.50	117.50/94.70A	145.90B/94.70A	----	104.60 - 54.90	.5208	----	----	175	174	1488 - 88
4505	94.30	94.30	101.10/92.60A	142.70B/92.60A	----	102.00 - 54.30	.5128	----	----	5	----	9 + 3
4510	93.80	93.80	93.80/90.30A	139.60B/90.30A	----	99.40 - 53.80	.5047	----	----	3	----	87 UNCH
4515	98.70	98.70	98.70/88.00A	136.60B/88.00A	----	96.80 - 53.20	.4967	----	----	1	----	290 + 1
4520	89.20	89.20	99.90/85.70A	133.60B/85.70A	----	94.30 - 52.60	.4886	----	----	22	----	181 - 4
4525	----	----	----/83.60A	130.70B/83.60A	----	91.80 - 52.10	.4805	----	----	11	----	202 + 10
4530	85.40	85.40	93.40/81.40A	128.30B/81.40A	----	89.50 - 51.40	.4725	----	----	3	----	150 + 2
4535	83.50	83.50	90.20/79.30A	125.80B/79.30A	----	87.20 - 50.70	.4645	----	----	2	----	130 + 1
4540	85.50	85.50	85.50/77.30A	122.90B/77.30A	----	84.90 - 50.10	.4564	----	----	5	----	60 - 1
4545	86.00	86.00	89.20/75.20A	120.10B/75.20A	----	82.80 - 49.30	.4485	----	----	25	----	162 + 23
4550	110.00	110.00	117.60B/73.20A	117.60B/73.20A	----	80.60 - 48.60	.4405	----	----	270	----	461 + 93
4555	82.50	82.50	82.50/71.40A	114.70B/71.40A	----	78.50 - 47.90	.4326	----	----	19	----	31 + 11
4560	105.80	105.80	105.80/69.40A	112.10B/69.40A	----	76.50 - 47.20	.4248	----	----	1	----	62 + 1
4565	70.40	70.40	70.40/67.60A	109.50B/67.60A	----	74.50 - 46.40	.4170	----	----	3	----	59 + 3
4570	77.10	77.10	77.10/65.70A	107.00B/65.70A	----	72.50 - 45.70	.4092	----	----	16	----	56 + 1
4575	97.60	97.60	97.60/64.00A	104.40B/64.00A	----	70.60 - 45.00	.4015	----	----	14	----	143 + 6
4580	63.70	63.70	68.10/62.30A	102.20B/62.30A	----	68.70 - 44.30	.3938	----	----	6	----	52 + 4
4585	64.80	64.80	64.80/60.50A	99.60B/60.50A	----	66.80 - 43.60	.3861	----	----	1	----	24 UNCH
4590	91.50	91.50	91.50/58.80A	97.30B/58.80A	----	65.00 - 42.90	.3785	----	----	3	----	35 UNCH
4595	62.80	62.80	62.80/57.30A	95.30B/57.30A	----	63.20 - 42.20	.3710	----	----	11	----	26 + 2
4600	90.20	90.20	91.20/55.60A	92.80B/55.60A	----	61.50 - 41.40	.3636	----	----	492	----	1454 - 335
4605	59.90	59.90	59.90/54.00A	90.40B/54.00A	----	59.80 - 40.70	.3562	----	----	10	----	89 + 2
4610	----	----	----/52.50A	88.10B/52.50A	----	58.10 - 40.00	.3488	----	----	----	----	44 UNCH
4615	66.00	66.00	66.00/51.20A	86.00B/51.20A	----	56.50 - 39.30	.3416	----	----	6	----	85 + 4
4620	59.20	59.20	59.20/49.60A	83.70B/49.60A	----	54.90 - 38.60	.3343	----	----	1	----	49 UNCH
4625	49.50	49.50	57.50/48.20A	81.40B/48.20A	----	53.40 - 37.90	.3273	----	----	63	----	182 + 54
4630	48.40	48.40	50.40/46.80A	79.60B/46.80A	----	51.90 - 37.20	.3203	----	----	3	----	29 + 2
4635	55.70	55.70	55.70/45.40A	77.60B/45.40A	----	50.40 - 36.50	.3134	----	----	7	----	128 + 3
4640	46.10	46.10	47.20/44.10A	75.60B/44.10A	----	49.00 - 35.80	.3066	----	----	8	----	215 - 2
4645	49.90	49.90	50.00/43.00A	73.70B/43.00A	----	47.60 - 35.10	.2998	----	----	35	----	50 + 17
4650	67.00	67.00	67.00/41.60A	71.70B/41.60A	----	46.20 - 34.40	.2931	----	----	188	----	1373 + 13
4655	57.70	57.70	57.70/40.50A	69.90B/40.50A	----	44.90 - 33.70	.2866	----	----	39	----	41 + 13

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4660	44.10	44.10	44.50/39.30A	68.00B/39.30A	----	43.60 - 33.10	.2801	----	----	19	----	92 + 5
4665	40.70	40.70	44.40/38.20A	66.30B/38.20A	----	42.40 - 32.30	.2738	----	----	18	----	287 - 1
4670	39.00	39.00	42.50/37.10A	64.50B/37.10A	----	41.10 - 31.70	.2674	----	----	18	----	138 + 5
4675	41.00	41.00	41.40/36.00A	62.80B/36.00A	----	39.90 - 31.10	.2612	----	----	18	----	213 UNCH
4680	43.30	43.30	43.30/35.00A	61.10B/35.00A	----	38.80 - 30.40	.2552	----	----	3	----	176 + 2
4685	38.00	38.00	38.00/33.90A	59.50B/33.90A	----	37.70 - 29.70	.2493	----	----	12	----	26 + 6
4690	44.10	44.10	44.10/32.90A	57.80B/32.90A	----	36.60 - 29.10	.2435	----	----	17	----	26 - 1
4695	34.40	34.40	36.10/32.00A	56.30B/32.00A	----	35.50 - 28.50	.2376	----	----	9	----	40 UNCH
4700	50.20	50.20	50.20/31.00A	54.70B/31.00A	----	34.40 - 27.90	.2317	----	----	832	----	2073 - 435
4705	34.30	34.30	34.30/30.10A	53.20B/30.10A	----	33.40 - 27.30	.2262	----	----	65	----	43 + 27
4710	32.70	32.70	35.50/29.20A	51.70B/29.20A	----	32.40 - 26.70	.2206	----	----	21	----	197 - 4
4715	37.50	37.50	37.60/28.30A	50.40B/28.30A	----	31.50 - 26.00	.2154	----	----	11	----	20 + 5
4720	29.70	29.70	34.50/27.50A	49.00B/27.50A	----	30.50 - 25.50	.2099	----	----	32	----	85 - 1
4725	37.70	37.70	37.70/26.60A	47.50B/26.60A	----	29.60 - 24.90	.2048	----	----	78	----	170 + 22
4730	34.90	34.90	34.90/25.90A	46.30B/25.90A	----	28.70 - 24.40	.1996	----	----	30	----	78 + 11
4735	33.50	33.50	33.50/25.10A	45.20B/25.10A	----	27.80 - 23.90	.1945	----	----	32	----	77 + 8
4740	28.20	28.20	28.20/24.30A	43.70B/24.30A	----	27.00 - 23.30	.1897	----	----	9	----	32 + 8
4745	31.60	31.60	31.60/23.60A	42.40B/23.60A	----	26.20 - 22.80	.1849	----	----	34	----	201 UNCH
4750	40.00	40.00	41.20B/22.90A	41.20B/22.90A	----	25.40 - 22.30	.1802	----	----	465	----	1985 - 132
4755	29.80	29.80	29.80/22.20A	40.00B/22.20A	----	24.60 - 21.80	.1754	----	----	32	----	64 - 23
4760	30.50	30.50	30.50/21.60A	39.00B/21.60A	----	23.80 - 21.30	.1707	----	----	15	----	64 - 2
4765	20.80	20.80	23.30/20.80	37.80B/20.80	----	23.10 - 20.80	.1663	----	----	20	----	199 + 2
4770	37.10	37.10	37.10/20.30A	37.10/20.30A	----	22.40 - 20.30	.1620	----	----	27	----	105 - 3
4775	21.00	21.00	22.60/19.70A	35.70B/19.70A	----	21.80 - 19.80	.1581	----	----	70	----	245 + 44
4780	21.10	21.10	22.10/19.10A	34.70B/19.10A	----	21.10 - 19.30	.1538	----	----	42	----	53 + 2
4785	22.80	22.80	22.80/18.50A	33.70B/18.50A	----	20.50 - 18.80	.1499	----	----	38	----	82 + 18
4790	20.30	20.30	21.60/18.00A	32.60B/18.00A	----	19.90 - 18.30	.1461	----	----	19	----	71 - 4
4795	19.30	19.30	19.90/17.50A	31.80B/17.50A	----	19.30 - 17.90	.1422	----	----	13	----	807 UNCH
4800	29.00	29.00	29.00/17.00A	31.00B/17.00A	----	18.80 - 17.30	.1388	----	----	825	----	3299 - 64
4805	17.40	17.40	18.70/16.40A	30.00B/16.40A	----	18.20 - 16.90	.1350	----	----	26	----	306 + 14
4810	19.40	19.40	20.40/15.90A	29.20B/15.90A	----	17.70 - 16.50	.1316	----	----	19	----	81 + 9
4815	17.50	17.50	18.20/15.50A	28.30B/15.50A	----	17.20 - 16.00	.1283	----	----	15	----	48 + 5
4820	17.10	17.10	19.00/15.10A	27.50B/15.10A	----	16.70 - 15.60	.1249	----	----	37	----	60 - 4
4825	16.00	16.00	16.70/14.60A	26.80B/14.60A	----	16.20 - 15.20	.1216	----	----	24	----	674 + 5
4830	24.30	24.30	24.30/14.20A	25.90B/14.20A	----	15.70 - 14.90	.1183	----	----	25	----	97 + 5
4835	14.20	14.20	15.70/13.80A	25.20B/13.80A	----	15.20 - 14.50	.1150	----	----	27	----	77 + 9
4840	14.40	14.40	15.70/13.40A	24.50B/13.40A	----	14.80 - 14.10	.1122	----	----	28	----	258 + 12
4845	14.80	14.80	15.30/13.00A	23.80B/13.00A	----	14.40 - 13.70	.1094	----	----	20	----	131 - 4
4850	20.50	20.50	20.50/12.60A	23.10B/12.60A	----	14.00 - 13.40	.1066	----	----	261	----	1957 - 15
4855	14.00	14.00	14.00/12.30A	22.40B/12.30A	----	13.60 - 13.00	.1038	----	----	16	----	239 UNCH
4860	17.10	17.10	17.10/12.00A	21.60B/12.00A	----	13.20 - 12.70	.1010	----	----	15	----	90 UNCH
4865	11.70	11.70	13.90/11.70	21.00B/11.70	----	12.80 - 12.40	.0982	----	----	51	----	104 + 18
4870	13.00	13.00	13.20/11.30A	20.40B/11.30A	----	12.50 - 12.00	.0960	----	----	22	----	139 + 14
4875	12.80	12.80	14.10/11.10A	20.00B/11.10A	----	12.10 - 11.80	.0933	----	----	52	----	101 + 16
4880	15.20	15.20	15.20/10.70A	19.30B/10.70A	----	11.80 - 11.40	.0910	----	----	31	----	138 UNCH
4885	13.00	13.00	13.00/10.50	18.70B/10.50	----	11.50 - 11.10	.0888	----	----	37	----	70 + 9
4890	12.60	12.60	12.80/10.20A	18.30B/10.20A	----	11.20 - 10.80	.0866	----	----	25	----	87 + 13
4895	12.40	12.40	12.40/9.90A	17.70B/9.90A	----	10.90 - 10.50	.0844	----	----	22	----	74 + 6
4900	16.00	16.00	16.00/9.70A	17.30B/9.70A	----	10.60 - 10.20	.0822	----	----	1091	----	2881 + 262
4905	17.40	17.40	17.40/9.40A	17.40/9.40A	----	10.40 - 9.90	.0806	----	----	19	----	23 - 5
4910	16.10	16.10	16.90/9.20A	16.90/9.20A	----	10.10 - 9.60	.0784	----	----	47	----	180 + 19
4915	10.30	10.30	10.80/8.90A	15.90B/8.90A	----	9.80 - 9.40	.0763	----	----	25	----	76 - 6
4920	10.20	10.20	11.10/8.70A	15.30B/8.70A	----	9.60 - 9.10	.0747	----	----	13	----	354 UNCH
4925	9.40	9.40	10.10/8.50A	15.10B/8.50A	----	9.40 - 8.80	.0731	----	----	19	----	66 + 5
4930	10.40	10.40	10.50/8.30A	14.70B/8.30A	----	9.10 - 8.70	.0710	----	----	17	----	102 + 1
4935	9.20	9.20	9.20/8.10A	14.30B/8.10A	----	8.90 - 8.40	.0694	----	----	5	----	649 - 1
4940	8.40	8.40	9.10/7.80A	13.90B/7.80A	----	8.70 - 8.20	.0678	----	----	15	----	305 - 5
4945	8.50	8.50	9.80/7.70A	13.50B/7.70A	----	8.50 - 7.90	.0663	----	----	12	----	43 + 7
4950	11.60	11.60	11.60/7.50A	13.10B/7.50A	----	8.30 - 7.70	.0648	----	----	21	----	518 - 9
4955	8.40	8.40	8.80/7.30A	12.80B/7.30A	----	8.10 - 7.50	.0632	----	----	10	----	88 - 3
4960	7.90	7.90	8.50/7.10A	12.50B/7.10A	----	7.90 - 7.30	.0617	----	----	20	----	245 UNCH
4965	8.10	8.10	8.90/7.00A	12.20B/7.00A	----	7.70 - 7.10	.0602	----	----	13	----	216 + 6
4970	7.40	7.40	7.50/6.80A	11.80B/6.80A	----	7.50 - 7.00	.0587	----	----	2	----	67 UNCH
4975	12.10	12.10	12.10/6.70A	12.10/6.70A	----	7.40 - 6.70	.0577	----	----	29	----	73 - 6
4980	9.30	9.30	9.30/6.50A	11.30B/6.50A	----	7.20 - 6.60	.0563	----	----	30	----	75 - 4
4985	7.00	7.00	7.50/6.30A	11.00B/6.30A	----	7.00 - 6.50	.0548	----	----	15	----	91 + 5
4990	6.80	6.80	6.80/6.20A	10.70B/6.20A	----	6.90 - 6.20	.0539	----	----	5	----	58 UNCH
4995	7.00	7.00	7.00/6.10A	10.40B/6.10A	----	6.70 - 6.10	.0524	----	----	9	----	1051 + 4
5000	7.00	7.00	11.00/6.00A	11.00/6.00A	----	6.50 - 6.00	.0509	----	----	400	----	4302 + 19
5005	6.70	6.70	6.70/5.80A	9.90B/5.80A	----	6.40 - 5.80	.0500	----	----	5	----	59 + 4
5010	6.50	6.50	6.50/5.70A	9.70B/5.70A	----	6.20 - 5.70	.0486	----	----	5	----	61 + 2
5015	6.30	6.30	6.50/5.60A	9.50B/5.60A	----	6.10 - 5.60	.0477	----	----	12	----	103 UNCH
5020	6.40	6.40	6.40/5.50A	9.30B/5.50A	----	6.00 - 5.40	.0469	----	----	5	----	25 - 5
5025	6.30	6.30	6.30/5.30A	9.00B/5.30A	----	5.80 - 5.30	.0454	----	----	3	----	349 + 3
5030	5.40	5.40	5.80/5.20A	8.80B/5.20A	----	5.70 - 5.20	.0446	----	----	7	----	213 UNCH
5035	7.50	7.50	7.50/5.10A	8.60B/5.10A	----	5.60 - 5.00	.0437	----	----	18	----	57 - 8
5040	5.10	5.10	5.90/5.00A	8.50B/5.00A	----	5.40 - 5.00	.0423	----	----	11	----	22 + 1
5045	----	----	----/4.90A	8.30B/4.90A	----	5.30 - 4.90	.0415	----	----	----	----	14 UNCH
5050	7.30	7.30	7.30/4.80A	8.10B/4.80A	----	5.20 - 4.80	.0407	----	----	207	----	524 + 83
5055	5.40	5.40	5.40/4.70A	8.00B/4.70A	----	5.10 - 4.60	.0398	----	----	5	----	31 + 5
5060	----	----	----/4.60A	7.80B/4.60A	----	5.00 - 4.50	.0390	----	----	----	----	37 UNCH
5065	4.90	4.90	5.00/4.60A	7.60B/4.60A	----	4.90 - 4.40	.0382	----	----	2	----	182 + 2
5070	----	----	----/4.50A	7.50B/4.50A	----	4.80 - 4.30	.0374	----	----	----	----	37 UNCH
5075	4.70	4.70	5.10/4.40A	7.30B/4.40A	----	4.70 - 4.20	.0366	----	----	12	----	161 - 2
5080	----	----	----/4.30A	7.10B/4.30A	----	4.60 - 4.10	.0358	----	----	----	----	119 UNCH
5085	----	----	----/4.20A	7.00B/4.20A	----	4.50 - 4.10	.0350	----	----	----	----	50 UNCH
5090	----	----	----/4.10A	6.80B/4.10A	----	4.40 - 4.00	.0343	----	----	----	----	390 UNCH
5095	----	----	----/4.10A	6.70B/4.10A	----	4.30 - 3.90	.0335	----	----	----	----	220 UNCH
5100	4.00	4.00	4.70/4.00	6.60B/4.00	----	4.20 - 3.90	.0327	----	----	9	----	1835 UNCH
5105	----	----	----/3.90A	6.40B/3.90A	----	4.10 - 3.80	.0319	----	----	----	----	100 UNCH
5110	----	----	----/3.80A	6.30B/3.80A	----	4.00 - 3.70	.0312	----	----	----	----	408 UNCH
5115	4.30	4.30	4.30/3.80A	6.20B/3.80A	----	4.00 - 3.60	.0310	----	----	8	----	29 UNCH
5120	5.10	5.10	5.10/3.70A	6.10B/3.70A	----	3.90 - 3.50	.0302	----	----	2	----	58 - 1
5125	----	----	----/3.70A	6.00B/3.70A	----	3.80 - 3.50	.0295	----	----	----	----	260 UNCH
5130	4.20	4.20	4.20/3.60A	5.90B/3.60A	----	3.70 - 3.50	.0287	----	----	3	----	44 UNCH
5135	----	----	----/3.50A	5.70B/3.50A	----	3.70 - 3.30	.0286	----	----	----	----	173 UNCH
5140	----	----	----/3.50A	5.60B/3.50A	----	3.60 - 3.30	.0278	----	----	----	----	75 UNCH
5145	----	----	----/3.40A	5.50B/3.40A	----	3.50 - 3.30	.0271	----	----	----	----	81 UNCH
5150	3.90	3.90	3.90/3.40A	5.40B/3.40A	----	3.50 - 3.20	.0269	----	----	6	----	1429 + 5
5155	3.30	3.30	3.80/3.30	5.30B/3.30	----	3.40 - 3.10	.0262	----	----	9	----	21 - 2
5160	3.50	3.50	3.50/3.30A	5.30B/3.30A	----	3.40 - 3.00	.0261	----	----	56	----	82 + 54
5165	3.60	3.60	3.60/3.20A	5.20B/3.20A	----	3.30 - 3.00	.0253	----	----	7	----	23 + 5
5170	3.50	3.50	3.50/3.10A	5.10B/3.10A	----	3.20 - 3.00	.0246	----	----	2	----	16 UNCH
5175	----	----	----/3.10A	5.00B/3.10A	----	3.20 - 2.90	.0245	----	----	----	----	77 UNCH
5180	----	----	----/3.10A	4.90B/3.10A	----	3.10 - 2.90	.0238	----	----	----	----	31 UNCH
5185	----	----	----/3.00A	4.80B/3.00A	----	3.10 - 2.80	.0237	----	----	----	----	153 UNCH
5190	----	----	----/3.00A	4.70B/3.00A	----	3.00 - 2.80	.0229	----	----	----	----	23 UNCH
5195	3.30	3.30	3.30/2.90A	4.70B/2.90A	----	3.00 - 2.70	.0228	----	----	1	----	37 UNCH
5200	4.80	4.80	4.80/2.90A	4.80/2.90A	----	2.90 - 2.70	.0221	----	----	27	----	2421 + 13
5205	----	----	----/2.80A	4.50B/2.80A	----	2.90 - 2.60	.0220	----	----	----	----	50 UNCH
5210	----	----	----/2.80A	4.40B/2.80A	----	2.80 - 2.60	.0213	----	----	----	----	55 UNCH
5215	----	----	----/2.80A	4.40B/2.80A	----	2.80 - 2.60	.0212	----	----	----	----	47 UNCH
5220	3.10	3.10	3.10/2.70A	4.30B/2.70A	----	2.80 - 2.50	.0211	----	----	1	----	45 + 1
5225	----	----	----/2.70A	4.20B/2.70A	----	2.70 - 2.50	.0204	----	----	----	----	88 UNCH
5230	----	----	----/2.60A	4.20B/2.60A	----	2.70 - 2.40	.0203	----	----	----	----	90 UNCH
5235	----	----	----/2.60A	4.10B/2.60A	----	2.60 - 2.40	.0196	----	----	----	----	30 UNCH
5240	----	----	----/2.60A	4.00B/2.60A	----	2.60 - 2.40	.0195	----	----	----	----	115 UNCH
5245	----	----	----/2.60A	4.00B/2.60A	----	2.60 - 2.30	.0194	----	----	----	----	71 UNCH
5250	3.50	3.50	3.50/2.50A	3.90B/2.50A	----	2.50 - 2.30	.0187	----	----	1	----	932 UNCH
5255	----	----	----/2.50A	3.80B/2.50A	----	2.50 - 2.20	.0187	----	----	----	----	21 UNCH
5260	----	----	----/2.40A	3.80B/2.40A	----	2.50 - 2.20	.0186	----	----	----	----	150 UNCH
5265	----	----	----/2.40A	3.70B/2.40A	----	2.40 - 2.20	.0179	----	----	----	----	18 UNCH
5270	----	----	----/2.40A	3.70B/2.40A	----	2.40 - 2.10	.0178	----	----	1	----	25 - 1
5275	2.60	2.60	2.60/2.40A	3.60B/2.40A	----	2.40 - 2.10	.0177	----	----	1	----	25 + 1
5280	----	----	----/2.30A	3.60B/2.30A	----	2.40 - 2.00	.0177	----	----	----	----	44 UNCH
5285	----	----	----/2.30A	3.50B/2.30A	----	2.30 - 2.00	.0170	----	----	----	----	15 UNCH
5290	----	----	----/2.30A	3.50B/2.30A	----	2.30 - 2.00	.0169	----	----	----	----	55 UNCH
5295	----	----	----/2.20A	3.50B/2.20A	----	2.30 - 1.90	.0168	----	----	----	----	86 UNCH
5300	2.40	2.40	2.40/2.20A	3.40B/2.20A	----	2.20 - 1.90	.0162	----	----	2	----	1206 + 1
5305	----	----	----/2.20A	3.30B/2.20A	----	2.20 - 1.90	.0161	----	----	----	----	154 UNCH
5310	----	----	----/2.20A	3.30B/2.20A	----	2.20 - 1.80	.0160	----	----	----	----	28 UNCH
5315	2.20	2.20	2.20/2.10A	3.20B/2.10A	----	2.20 - 1.80	.0160	----	----	6	----	35 + 6
5320	----	----	----/2.10A	3.20B/2.10A	----	2.10 - 1.80	.0153	----	----	----	----	57 UNCH
5325	----	----	----/2.10A	3.10B/2.10A	----	2.10 - 1.80	.0152	----	----	----	----	172 UNCH
5330	----	----	----/2.10A	3.10B/2.10A	----	2.10 - 1.70	.0152	----	----	----	----	13 UNCH
5335	----	----	----/2.10A	3.10B/2.10A	----	2.10 - 1.70	.0151	----	----	----	----	13 UNCH
5340	----	----	----/2.00A	3.00B/2.00A	----	2.00 - 1.70	.0145	----	----	----	----	30 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5345	----	----	----/2.00A	3.00B/2.00A	----	2.00 - 1.70	.0144	----	----	----	----	35 UNCH
5350	----	----	----/2.00A	2.90B/2.00A	----	2.00 - 1.60	.0144	----	----	1	----	970 UNCH
5355	----	----	----/2.00A	2.70B/2.00A	----	2.00 - 1.60	.0143	----	----	----	----	71 UNCH
5360	----	----	----/1.90A	2.90B/1.90A	----	1.90 - 1.60	.0137	----	----	----	----	337 UNCH
5365	----	----	----/1.90A	2.70B/1.90A	----	1.90 - 1.60	.0136	----	----	----	----	134 UNCH
5370	----	----	----/1.90A	2.60B/1.90A	----	1.90 - 1.50	.0135	----	----	----	----	25 UNCH
5375	----	----	----/1.90A	2.60B/1.90A	----	1.90 - 1.50	.0135	----	----	----	----	23 UNCH
5380	----	----	----/1.80A	2.60B/1.80A	----	1.90 - 1.50	.0134	----	----	----	----	18 UNCH
5385	----	----	----/1.80A	2.50B/1.80A	----	1.80 - 1.50	.0128	----	----	----	----	18 UNCH
5390	----	----	----/1.80A	2.50B/1.80A	----	1.80 - 1.50	.0128	----	----	----	----	34 UNCH
5395	1.90	1.90	1.90/1.80A	2.50B/1.80A	----	1.80 - 1.40	.0127	----	----	8	----	27 + 2
5400	2.20	2.20	2.20/1.80A	3.10B/1.80A	----	1.80 - 1.40	.0127	----	----	1	----	3308 - 1
5405	----	----	----/1.80A	2.60B/1.80A	----	1.70 - 1.50	.0120	----	----	----	----	19 UNCH
5410	----	----	----/1.70A	2.60B/1.70A	----	1.70 - 1.40	.0120	----	----	----	----	24 UNCH
5415	----	----	----/1.70A	2.40B/1.70A	----	1.70 - 1.40	.0119	----	----	----	----	18 UNCH
5420	----	----	----/1.70A	2.30B/1.70A	----	1.70 - 1.40	.0119	----	----	----	----	29 UNCH
5425	----	----	----/1.70A	2.80B/1.70A	----	1.70 - 1.30	.0118	----	----	----	----	34 UNCH
5430	----	----	----/1.70A	2.30B/1.70A	----	1.60 - 1.40	.0112	----	----	----	----	11 UNCH
5435	----	----	----/1.70A	2.20B/1.70A	----	1.60 - 1.40	.0112	----	----	----	----	7 UNCH
5440	----	----	----/1.60A	2.20B/1.60A	----	1.60 - 1.30	.0111	----	----	----	----	26 UNCH
5445	----	----	----/1.60A	2.20B/1.60A	----	1.60 - 1.30	.0111	----	----	----	----	24 UNCH
5450	----	----	----/1.60A	2.30B/1.60A	----	1.60 - 1.30	.0111	----	----	----	----	1171 UNCH
5455	----	----	----/1.60A	2.40B/1.60A	----	1.50 - 1.40	.0104	----	----	----	----	36 UNCH
5460	----	----	----/1.60A	2.10B/1.60A	----	1.50 - 1.30	.0104	----	----	----	----	27 UNCH
5465	----	----	----/1.60A	2.20B/1.60A	----	1.50 - 1.30	.0104	----	----	----	----	20 UNCH
5470	----	----	----/1.50A	2.10B/1.50A	----	1.50 - 1.30	.0103	----	----	----	----	28 UNCH
5475	----	----	----/1.50A	2.70B/1.50A	----	1.50 - 1.20	.0103	----	----	----	----	207 UNCH
5480	----	----	----/1.50A	2.00B/1.50A	----	1.50 - 1.20	.0103	----	----	----	----	5 UNCH
5485	----	----	----/1.50A	2.10B/1.50A	----	1.40 - 1.30	.0096	----	----	----	----	16 UNCH
5490	----	----	----/1.50A	2.60B/1.50A	----	1.40 - 1.30	.0096	----	----	----	----	19 UNCH
5495	----	----	----/1.50A	1.90B/1.50A	----	1.40 - 1.20	.0096	----	----	----	----	7 UNCH
5500	2.60	2.60	2.70/1.50A	2.70/1.50A	----	1.40 - 1.20	.0095	----	----	107	----	2316 + 79
5505	----	----	----/1.40A	1.90B/1.40A	----	1.40 - 1.20	.0095	----	----	----	----	15 UNCH
5510	----	----	----/1.40A	1.90B/1.40A	----	1.40 - 1.20	.0095	----	----	----	----	13 UNCH
5515	----	----	----/1.40A	1.90B/1.40A	----	1.30 - 1.20	.0089	----	----	----	----	18 UNCH
5520	----	----	----/1.40A	1.80B/1.40A	----	1.30 - 1.20	.0088	----	----	----	----	38 UNCH
5525	----	----	----/1.40A	2.40B/1.40A	----	1.30 - 1.20	.0088	----	----	----	----	91 UNCH
5530	----	----	----/1.40A	1.80B/1.40A	----	1.30 - 1.20	.0088	----	----	----	----	30 UNCH
5535	----	----	----/1.40A	1.80B/1.40A	----	1.30 - 1.20	.0088	----	----	----	----	15 UNCH
5540	----	----	----/1.40A	1.80B/1.40A	----	1.30 - 1.10	.0087	----	----	----	----	16 UNCH
5545	----	----	----/1.30A	1.70B/1.30A	----	1.20 - 1.20	.0081	----	----	----	----	16 UNCH
5550	----	----	----/1.30A	1.70B/1.30A	----	1.20 - 1.20	.0081	----	----	1	----	196 + 1
5555	----	----	----/1.30A	1.80B/1.30A	----	1.20 - 1.20	.0081	----	----	----	----	35 UNCH
5560	----	----	----/1.30A	1.80B/1.30A	----	1.20 - 1.20	.0081	----	----	----	----	18 UNCH
5565	----	----	----/1.30A	1.70B/1.30A	----	1.20 - 1.10	.0080	----	----	----	----	12 UNCH
5570	----	----	----/1.30A	1.70B/1.30A	----	1.20 - 1.10	.0080	----	----	----	----	4 UNCH
5575	----	----	----/1.30A	1.60B/1.30A	----	1.20 - 1.10	.0080	----	----	----	----	31 UNCH
5580	----	----	----/1.30A	1.60B/1.30A	----	1.20 - 1.10	.0079	----	----	----	----	7 UNCH
5585	----	----	----/1.30A	1.70B/1.30A	----	1.10 - 1.20	.0074	----	----	----	----	12 UNCH
5590	----	----	----/1.20A	1.60B/1.20A	----	1.10 - 1.10	.0073	----	----	----	----	5 UNCH
5595	----	----	----/1.30A	1.70B/1.30A	----	1.10 - 1.10	.0073	----	----	----	----	19 UNCH
5600	1.10	1.10	1.10/1.10	2.20B/1.10	----	1.10 - 1.10	.0073	----	----	5	----	2137 UNCH
5605	----	----	----/1.20A	1.50B/1.20A	----	1.10 - 1.10	.0073	----	----	----	----	32 UNCH
5610	----	----	----/1.30A	1.50B/1.30A	----	1.10 - 1.10	.0072	----	----	----	----	10 UNCH
5615	----	----	----/1.20A	1.50B/1.20A	----	1.10 - 1.10	.0072	----	----	----	----	1 UNCH
5620	----	----	----/1.20A	1.50B/1.20A	----	1.10 - 1.00	.0072	----	----	----	----	6 UNCH
5625	1.00	1.00	1.00/*1.00	1.60B/*1.00	----	1.10 - 1.00	.0072	----	----	1	----	13 UNCH
5630	1.30	1.30	1.30/1.20A	1.50B/1.20A	----	1.10 - 1.00	.0071	----	----	4	----	4 - 2
5635	----	----	----/1.20A	1.60B/1.20A	----	1.00 - 1.10	.0066	----	----	----	----	12 UNCH
5640	----	----	----/1.10A	1.40B/1.10A	----	1.00 - 1.10	.0066	----	----	----	----	8 UNCH
5650	----	----	----/1.20A	1.40B/1.20A	----	1.00 - 1.00	.0065	----	----	----	----	402 UNCH
5660	----	----	----/1.20A	1.40B/1.20A	----	1.00 - 1.00	.0065	----	----	----	----	7 UNCH
5670	----	----	----/1.10A	1.40B/1.10A	----	1.00 - 1.00	.0064	----	----	----	----	11 UNCH
5675	----	----	----/1.20A	1.30B/1.20A	----	1.00 - 1.00	.0064	----	----	----	----	7 UNCH
5680	----	----	----/1.10A	1.30B/1.10A	----	1.00 - 0.90	.0064	----	----	----	----	6 UNCH
5690	----	----	----/1.10A	1.30B/1.10A	----	1.00 - 0.90	.0064	----	----	----	----	21 UNCH
5700	----	----	----/1.10A	1.30B/1.10A	----	1.00 - 0.90	.0063	----	----	----	----	991 UNCH
5710	----	----	----/1.10A	1.30B/1.10A	----	1.00 - 0.90	.0063	----	----	----	----	22 UNCH
5720	----	----	----/1.00A	1.20B/1.00A	----	1.00 - 0.80	.0062	----	----	----	----	17 UNCH
5725	----	----	----/1.00A	1.20B/1.00A	----	1.00 - 0.80	.0062	----	----	----	----	56 UNCH
5730	----	----	----/1.00A	1.20B/1.00A	----	1.00 - 0.80	.0062	----	----	----	----	10 UNCH
5740	----	----	----/1.00A	1.30B/1.00A	----	0.90 - 0.90	.0056	----	----	----	----	9 UNCH
5750	1.30	1.30	1.30/1.00	1.30/1.00	----	0.90 - 0.80	.0056	----	----	85	----	1057 - 20
5760	----	----	----/1.00A	1.20B/1.00A	----	0.90 - 0.80	.0056	----	----	----	----	168 UNCH
5770	----	----	----/1.00A	1.10B/1.00A	----	0.90 - 0.80	.0055	----	----	----	----	4 UNCH
5775	----	----	----/1.00A	1.20B/1.00A	----	0.90 - 0.80	.0055	----	----	----	----	215 UNCH
5780	----	----	----/1.00A	1.10B/1.00A	----	0.90 - 0.80	.0055	----	----	----	----	6 UNCH
5790	----	----	----/0.90A	1.20B/0.90A	----	0.90 - 0.70	.0055	----	----	----	----	9 UNCH
5800	----	----	----/0.90A	1.20B/0.90A	----	0.90 - 0.70	.0054	----	----	6	----	805 + 1
5810	----	----	----/0.90A	1.20B/0.90A	----	0.90 - 0.70	.0054	----	----	----	----	11 UNCH
5820	----	----	----/0.90A	1.10B/0.90A	----	0.90 - 0.70	.0054	----	----	----	----	208 UNCH
5825	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.70	.0054	----	----	----	----	19 UNCH
5830	----	----	----/0.90A	1.00B/0.90A	----	0.90 - 0.60	.0054	----	----	----	----	1 UNCH
5840	----	----	----/0.90A	1.00B/0.90A	----	0.80 - 0.70	.0048	----	----	----	----	103 UNCH
5850	----	----	----/0.80A	1.00B/0.80A	----	0.80 - 0.70	.0048	----	----	----	----	111 UNCH
5860	----	----	----/0.90A	1.00B/0.90A	----	0.80 - 0.70	.0048	----	----	----	----	193 UNCH
5870	----	----	----/0.90A	1.00B/0.90A	----	0.80 - 0.70	.0047	----	----	----	----	17 UNCH
5875	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.60	.0047	----	----	----	----	22 UNCH
5880	----	----	----/0.90A	0.90B/0.90A	----	0.80 - 0.60	.0047	----	----	----	----	11 UNCH
5890	----	----	----/0.90A	0.90B/0.90A	----	0.70 - 0.70	.0042	----	----	----	----	9 UNCH
5900	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.70	.0042	----	----	1	----	436 UNCH
5910	----	----	----/0.90A	0.90B/0.90A	----	0.70 - 0.70	.0041	----	----	----	----	6 UNCH
5920	----	----	----/0.70A	0.90B/0.70A	----	0.70 - 0.60	.0041	----	----	----	----	19 UNCH
5925	----	----	----/0.80A	0.90B/0.80A	----	0.70 - 0.60	.0041	----	----	----	----	5 UNCH
5930	----	----	----/0.90A	0.80B/0.90A	----	0.70 - 0.60	.0041	----	----	----	----	4 UNCH
5940	----	----	----/0.90A	0.80B/0.90A	----	0.70 - 0.60	.0041	----	----	----	----	2 UNCH
5950	----	----	----/0.80A	0.90B/0.80A	----	0.60 - 0.70	.0036	----	----	----	----	43 UNCH
5960	----	----	----/0.80A	0.80B/0.80A	----	0.60 - 0.70	.0035	----	----	----	----	16 UNCH
5970	----	----	----/0.80A	0.80B/0.80A	----	0.60 - 0.70	.0035	----	----	----	----	55 UNCH
5980	----	----	----/0.80A	0.80B/0.80A	----	0.60 - 0.60	.0035	----	----	----	----	3 UNCH
5990	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.60	.0035	----	----	----	----	76 UNCH
6000	0.80	0.80	0.80/0.70	0.80/0.70	----	0.60 - 0.60	.0035	----	----	241	----	2086 - 187
6025	----	----	----/0.70A	0.70B/0.70A	----	0.60 - 0.60	.0034	----	----	----	----	34 UNCH
6050	----	----	----/0.70A	0.70B/0.70A	----	0.50 - 0.60	.0029	----	----	----	----	45 UNCH
6075	0.70	0.70	0.70/0.70	0.70/0.70	----	0.50 - 0.60	.0029	----	----	3	----	716 + 3
6100	0.80	0.80	0.80/0.50A	0.80/0.50A	----	0.50 - 0.50	.0028	----	----	1	----	291 + 1
6125	----	----	----/*0.60A	0.60B/*0.60A	----	0.50 - 0.50	.0028	----	----	----	----	70 UNCH
6150	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.50	.0028	----	----	----	----	881 UNCH
6175	----	----	----/*0.50A	0.50B/*0.50A	----	0.50 - 0.40	.0027	----	----	----	----	37 UNCH
6200	0.60	0.60	0.60/*0.50A	0.60/*0.50A	----	0.50 - 0.40	.0027	----	----	2	----	567 UNCH
6225	----	----	----/*0.40A	0.40B/*0.40A	----	0.50 - 0.40	.0027	----	----	----	----	20 UNCH
6250	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.50	.0022	----	----	----	----	392 UNCH
6275	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.40	.0021	----	----	----	----	3 UNCH
6300	----	----	----/*0.40A	0.40B/*0.40A	----	0.40 - 0.40	.0021	----	----	3	----	335 - 1
6325	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.40	.0021	----	----	----	----	29 UNCH
6350	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.30	.0021	----	----	----	----	21 UNCH
6375	----	----	----/*0.40A	0.30B/*0.40A	----	0.40 - 0.30	.0021	----	----	----	----	37 UNCH
6400	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.40	.0016	----	----	100	----	137 - 34
6425	----	----	----/*0.40A	0.30B/*0.40A	----	0.30 - 0.40	.0016	----	----	----	----	17 UNCH
6450	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.30	.0015	----	----	----	----	48 UNCH
6475	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.30	.0015	----	----	----	----	13 UNCH
6500	----	----	----/0.40A	0.20B/0.40A	----	0.30 - 0.30	.0015	----	----	----	----	670 UNCH
6525	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.30	.0015	----	----	----	----	152 UNCH
6550	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.30	.0015	----	----	----	----	11 UNCH
6575	----	----	----/*0.40A	0.20B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	4 UNCH
6600	----	----	----/*0.40A	0.10B/*0.40A	----	0.30 - 0.20	.0015	----	----	----	----	27 UNCH
6650	----	----	----/*0.40A	0.10B/0.40A	----	0.20 - 0.30	.0010	----	----	----	----	16 UNCH
6675	----	----	----	----/0.50A	----	0.20 - 0.30	.0010	----	----	----	----	1 UNCH
6700	----	----	----	----/0.50A	----	0.20 - 0.30	.0010	----	----	----	----	127 UNCH
6775	----	----	----	----/0.50A	----	0.20 - 0.20	.0010	----	----	----	----	1 UNCH
6800	----	----	----	----/0.50A	----	0.20 - 0.20	.0009	----	----	----	----	202 UNCH
6825	----	----	----	----/0.50A	----	0.20 - 0.20	.0009	----	----	----	----	19 UNCH
6850	----	----	----	----/0.40A	----	0.20 - 0.20	.0009	----	----	----	----	201 UNCH
6875	----	----	----	----/0.40A	----	0.20 - 0.20	.0009	----	----	----	----	22 UNCH
6900	----	----	----	----/0.40A	----	0.20 - 0.20	.0009	----	----	----	----	19 UNCH
6925	----	----	----/*0.30A	----/*0.30A	----	0.20 - 0.20	.0009	----	----	----	----	1 UNCH
6950	----	----	----	----/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
6975	----	----	----	----/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	10 UNCH
7000	----	----	----	----/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	1470 UNCH
7025	----	----	----	----/0.30A	----	0.10 - 0.20	.0005	----	----	----	----	1 UNCH
7050	----	----	----	----/0.40A	----	0.10 - 0.20	.0004	----	----	----	----	18 UNCH
7075	----	----	----	----/0.40A	----	0.10 - 0.20	.0004	----	----	----	----	13 UNCH
7100	----	----	----	----/0.50A	----	0.10 - 0.20	.0003	----	----	----	----	28 UNCH
7125	----	----	----	----/0.40A	----	0.10 - 0.20	.0003	----	----	----	----	1 UNCH
7150	----	----	----	----/0.40A	----	0.10 - 0.20	.0003	----	----	----	----	20 UNCH
7175	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
7200	----	----	----	----/0.40A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
7225	----	----	----	----/0.60A	----	0.10 - 0.10	.0002	----	----	----	----	22 UNCH
7250	----	----	----	----/0.60A	----	0.10 - 0.10	.0002	----	----	----	----	23 UNCH
7275	----	----	----	----/0.60A	----	0.10 - 0.10	.0001	----	----	----	----	14 UNCH
7300	----	----	----	----/0.60A	----	0.10 - 0.10	.0001	----	----	----	----	50 UNCH
7350	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	8 UNCH
7400	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
7425	----	----	----	----/0.50A	----	0.10 UNCH	.0001	----	----	----	----	19 UNCH
7450	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	28 UNCH
7475	----	----	----	----/0.50A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
7500	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	297 UNCH
7525	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	34 UNCH
7550	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	50 UNCH
7575	----	----	----	----/0.60A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
7600	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
7625	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.10 UNCH	.0000	----	----	10	----	12 UNCH
7700	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
7725	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	17 UNCH
7750	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
7775	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	11 UNCH
7800	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	10 UNCH
7825	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
7875	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	166 UNCH
7900	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
8000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	1116 UNCH
8100	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
8200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
8300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
8600	----	----	----	----/6.00A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
8700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	24 UNCH
8800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	340 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9300	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	141 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	66 UNCH
9900	----	----	----	----/5.60A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	275 UNCH
10100	----	----	----	----/1.00A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
10700	----	----	----	----/5.40A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	103 UNCH
11200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	47 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	50 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	222 UNCH
TOTAL										8014	174	85199 - 332
AUG26												
2000	----	----	----	----	----	2506.30 - 86.70	1.0000	8	----	8	----	0 UNCH
3200	----	----	----/1,286.40A	1332.30B/1286.40A	----	1306.60 - 86.50	.9899	----	----	----	----	11 UNCH
3300	----	----	----/1,186.80A	1232.90B/1186.80A	----	1207.10 - 86.30	.9869	----	----	30	----	60 + 30
3305	----	----	----/1,181.90A	1227.90B/1181.90A	----	1202.10 - 86.40	.9866	----	----	----	----	20 UNCH
3325	----	----	----/1,162.00A	1208.00B/1162.00A	----	1182.30 - 86.30	.9857	----	----	----	----	5 UNCH
3350	----	----	----/1,137.20A	1183.20B/1137.20A	----	1157.50 - 86.20	.9847	----	----	8	----	178 + 8
3400	----	----	----/1,086.40A	1134.50B/1086.40A	----	1107.90 - 86.10	.9824	----	----	----	----	420 UNCH
3500	----	----	----/988.90A	1034.80B/988.90A	----	1009.20 - 85.60	.9765	----	----	----	----	46 UNCH
3505	----	----	----/983.90A	1029.80B/983.90A	----	1004.20 - 85.70	.9761	----	----	----	----	4 UNCH
3520	----	----	----/969.20A	1015.00B/969.20A	----	989.40 - 85.60	.9751	----	----	----	----	65 UNCH
3550	----	----	----/938.60A	986.40B/938.60A	----	959.90 - 85.50	.9732	----	----	----	----	310 UNCH
3600	----	----	----/887.70A	940.20B/887.70A	----	910.80 - 85.20	.9690	----	----	----	----	1045 UNCH
3610	----	----	----/880.90A	926.50B/880.90A	----	901.00 - 85.10	.9681	----	----	----	----	6 UNCH
3650	----	----	----/838.30A	887.30B/838.30A	----	861.80 - 85.00	.9643	----	----	----	----	4 UNCH
3660	----	----	----/828.60A	877.50B/828.60A	----	852.10 - 84.80	.9633	----	----	----	----	25 UNCH
3685	----	----	----/804.30A	841.70B/804.30A	----	827.70 - 84.70	.9605	----	----	----	----	1 UNCH
3700	----	----	----/789.70A	838.50B/789.70A	----	813.10 - 84.60	.9587	----	----	----	----	40 UNCH
3715	----	----	----/775.20A	823.90B/775.20A	----	798.50 - 84.50	.9569	----	----	----	----	30 UNCH
3720	----	----	----/770.40A	807.60B/770.40A	----	793.70 - 84.40	.9563	----	----	----	----	1 UNCH
3735	----	----	----/755.90A	842.20B/755.90A	----	779.10 - 84.40	.9541	----	----	----	----	1 UNCH
3750	----	----	----/741.40A	827.60B/741.40A	----	764.60 - 84.20	.9519	----	----	----	----	8 UNCH
3775	----	----	----/717.40A	803.30B/717.40A	----	740.50 - 84.00	.9482	----	----	----	----	4 UNCH
3780	----	----	----/712.60A	798.50B/712.60A	----	735.70 - 83.90	.9473	----	----	----	----	10 UNCH
3790	----	----	----/703.00A	788.80B/703.00A	----	726.10 - 83.80	.9456	----	----	----	----	67 UNCH
3800	----	----	----/693.50A	779.10B/693.50A	----	716.50 - 83.70	.9441	----	----	----	----	303 UNCH
3820	----	----	----/674.40A	759.80B/674.40A	----	697.40 - 83.40	.9402	----	----	----	----	3 UNCH
3840	----	----	----/655.50A	740.50B/655.50A	----	678.30 - 83.20	.9365	----	----	----	----	1 UNCH
3850	646.90	646.90	646.90/646.00A	730.90B/646.00A	----	668.80 - 83.00	.9343	----	----	10	----	12 UNCH
3885	----	----	----/613.10A	697.40B/613.10A	----	635.60 - 82.60	.9264	----	----	----	----	2 UNCH
3890	----	----	----/608.50A	692.70B/608.50A	----	630.90 - 82.50	.9252	----	----	----	----	2 UNCH
3900	----	----	----/599.10A	683.10B/599.10A	----	621.50 - 82.30	.9226	----	----	----	----	149 UNCH
3920	----	----	----/580.60A	664.10B/580.60A	----	602.80 - 82.00	.9174	----	----	----	----	1 UNCH
3925	----	----	----/576.00A	659.40B/576.00A	----	598.10 - 81.90	.9161	----	----	----	----	10 UNCH
3950	----	----	----/552.90A	635.80B/552.90A	----	574.90 - 81.40	.9089	----	----	----	----	106 UNCH
3955	----	----	----/548.40A	631.10B/548.40A	----	570.30 - 81.20	.9072	----	----	----	----	7 UNCH
3975	----	----	----/530.20A	612.30B/530.20A	----	551.80 - 80.90	.9009	----	----	----	----	200 UNCH
3995	----	----	----/512.10A	593.70B/512.10A	----	533.50 - 80.40	.8942	----	----	----	----	30 UNCH
4000	506.90	506.90	516.90/506.90	589.00B/506.90	----	529.00 - 80.20	.8925	----	----	3	----	723 UNCH
4005	----	----	----/503.10A	584.40B/503.10A	----	524.40 - 80.20	.8905	----	----	----	----	1 UNCH
4015	----	----	----/494.20A	575.10B/494.20A	----	515.40 - 79.80	.8869	----	----	----	----	12 UNCH
4025	----	----	----/485.30A	565.90B/485.30A	----	506.30 - 79.70	.8831	----	----	----	----	174 UNCH
4045	----	----	----/467.70A	547.60B/467.70A	----	488.40 - 79.10	.8751	----	----	----	----	30 UNCH
4050	----	----	----/463.30A	543.00B/463.30A	----	483.90 - 79.00	.8730	----	----	----	----	100 UNCH
4055	----	----	----/458.90A	538.40B/458.90A	----	479.50 - 78.80	.8707	----	----	----	----	100 UNCH
4075	----	----	----/441.60A	520.30B/441.60A	----	461.80 - 78.20	.8620	----	----	----	----	3 UNCH
4080	----	----	----/437.30A	515.80B/437.30A	----	457.40 - 78.00	.8596	----	----	----	----	1 UNCH
4090	----	----	----/428.70A	506.80B/428.70A	----	448.70 - 77.60	.8549	----	----	----	----	1 UNCH
4100	----	----	----/420.20A	497.80B/420.20A	----	440.00 - 77.30	.8499	----	----	----	----	73 UNCH
4110	----	----	----/411.80A	488.90B/411.80A	----	431.40 - 76.90	.8449	----	----	----	----	19 UNCH
4115	----	----	----/407.60A	484.50B/407.60A	----	427.10 - 76.70	.8423	----	----	----	----	2 UNCH
4135	----	----	----/390.90A	466.90B/390.90A	----	410.00 - 76.00	.8315	----	----	----	----	20 UNCH
4140	----	----	----/386.80A	462.50B/386.80A	----	405.80 - 75.70	.8286	----	----	----	----	1 UNCH
4150	----	----	----/378.60A	453.70B/378.60A	----	397.40 - 75.30	.8230	----	----	----	----	40 UNCH
4165	----	----	----/366.50A	440.70B/366.50A	----	384.90 - 74.70	.8140	----	----	----	----	1 UNCH
4195	----	----	----/342.60A	415.20B/342.60A	----	360.40 - 73.20	.7949	----	----	----	----	3 UNCH
4200	----	----	----/338.70A	411.00B/338.70A	----	356.40 - 72.90	.7915	----	----	----	----	73 UNCH
4215	----	----	----/327.10A	398.40B/327.10A	----	344.50 - 72.10	.7812	----	----	----	----	1 UNCH
4220	----	----	----/323.30A	394.20B/323.30A	----	340.60 - 71.80	.7778	----	----	----	----	16 UNCH
4225	----	----	----/319.50A	390.10B/319.50A	----	336.60 - 71.60	.7741	----	----	----	----	102 UNCH
4235	----	----	----/311.90A	381.90B/311.90A	----	328.90 - 71.00	.7669	----	----	----	----	1 UNCH
4250	----	----	----/300.80A	369.60B/300.80A	----	317.30 - 70.20	.7557	----	----	----	----	71 UNCH
4255	----	----	----/297.10A	365.60B/297.10A	----	313.60 - 69.80	.7519	----	----	----	----	1 UNCH
4265	----	----	----/289.80A	357.60B/289.80A	----	306.00 - 69.30	.7441	----	----	----	----	77 UNCH
4285	----	----	----/275.60A	341.90B/275.60A	----	291.30 - 67.90	.7280	----	----	----	----	8 UNCH
4300	----	----	----/264.90A	330.20B/264.90A	----	280.50 - 66.90	.7155	----	----	----	----	43 UNCH
4310	----	----	----/258.10A	322.60B/258.10A	----	273.40 - 66.20	.7071	----	----	----	----	1 UNCH
4320	----	----	----/251.40A	314.90B/251.40A	----	266.40 - 65.60	.6983	----	----	----	----	2 UNCH
4325	----	----	----/247.70A	311.30B/247.70A	----	262.90 - 65.20	.6939	----	----	----	----	6 UNCH
4330	----	----	----/244.60A	307.60B/244.60A	----	259.50 - 64.80	.6894	----	----	----	----	201 UNCH
4350	----	----	----/231.40A	293.50B/231.40A	----	246.00 - 63.40	.6714	----	----	----	----	774 UNCH
4360	----	----	----/225.40A	285.70B/225.40A	----	239.40 - 62.60	.6621	----	----	----	----	1 UNCH
4375	----	----	----/215.90A	275.00B/215.90A	----	229.70 - 61.50	.6480	----	----	----	----	3 UNCH
4385	----	----	----/209.80A	268.00B/209.80A	----	223.40 - 60.70	.6385	----	----	----	----	100 UNCH
4390	----	----	----/206.90A	264.60B/206.90A	----	220.30 - 60.20	.6336	----	----	----	----	1 UNCH
4400	----	----	----/200.80A	258.40B/200.80A	----	214.10 - 59.40	.6239	----	----	----	----	336 UNCH
4420	----	----	----/189.90A	244.40B/189.90A	----	202.10 - 57.70	.6042	----	----	----	----	58 UNCH
4425	----	----	----/186.60A	241.20B/186.60A	----	199.20 - 57.30	.5993	----	----	----	----	12 UNCH
4430	228.30	228.30	228.30/184.00A	237.90B/184.00A	----	196.30 - 56.80	.5943	----	----	2	----	2 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4435	----	----	----/181.40A	234.70B/181.40A	----	193.40 - 56.40	.5892	----	----	----	----	1 UNCH
4440	----	----	----/178.60A	231.50B/178.60A	----	190.50 - 56.00	.5842	----	----	----	----	2 UNCH
4445	----	----	----/175.90A	228.30B/175.90A	----	187.70 - 55.50	.5791	----	----	----	----	1 UNCH
4450	176.30	176.30	176.30/173.40A	225.20B/173.40A	----	184.90 - 55.10	.5741	----	----	3	----	23 - 1
4455	----	----	----/170.50A	222.10B/170.50A	----	182.10 - 54.60	.5690	----	----	----	----	5 UNCH
4460	----	----	----/167.80A	219.00B/167.80A	----	179.40 - 54.10	.5639	----	----	----	----	15 UNCH
4465	----	----	----/165.50A	216.00B/165.50A	----	176.70 - 53.60	.5588	----	----	----	----	9 UNCH
4470	----	----	----/163.00A	212.90B/163.00A	----	174.00 - 53.20	.5537	----	----	----	----	19 UNCH
4475	----	----	----/160.20A	209.90B/160.20A	----	171.30 - 52.70	.5486	----	----	1	----	61 UNCH
4480	----	----	----/157.80A	207.00B/157.80A	----	168.70 - 52.20	.5434	----	----	----	----	25 UNCH
4485	157.80	157.80	171.30/155.20	204.00B/155.20	----	166.10 - 51.80	.5383	----	----	26	----	21 UNCH
4490	----	----	----/152.90A	201.10B/152.90A	----	163.50 - 51.30	.5332	----	----	4	----	13 + 2
4500	154.00	154.00	159.00/148.10A	195.40B/148.10A	----	158.30 - 50.60	.5228	----	----	218	261	1387 + 156
4505	161.00	161.00	161.00/145.80A	192.50B/145.80A	----	155.80 - 50.20	.5177	----	----	1	----	19 UNCH
4510	----	----	----/143.80A	189.80B/143.80A	----	153.20 - 50.00	.5125	----	----	----	----	8 UNCH
4515	186.20	186.20	187.00B/141.20A	187.00B/141.20A	----	150.70 - 49.60	.5073	----	----	8	----	16 + 6
4520	----	----	----/139.10A	185.50B/139.10A	----	148.20 - 49.20	.5021	----	----	----	----	29 UNCH
4525	----	----	----/136.70A	182.70B/136.70A	----	145.70 - 48.90	.4969	----	----	----	----	10 UNCH
4530	----	----	----/134.60A	180.00B/134.60A	----	143.20 - 48.60	.4917	----	----	1	----	13 UNCH
4535	----	----	----/132.40A	177.30B/132.40A	----	140.80 - 48.20	.4865	----	----	----	----	12 UNCH
4540	----	----	----/130.30A	174.60B/130.30A	----	138.40 - 47.80	.4813	----	----	----	----	38 UNCH
4545	----	----	----/128.10A	172.00B/128.10A	----	136.00 - 47.50	.4761	----	----	----	----	11 UNCH
4550	----	----	----/126.00A	169.40B/126.00A	----	133.80 - 47.00	.4709	----	----	100	----	400 + 52
4555	152.80	152.80	152.80/124.00A	166.90B/124.00A	----	131.60 - 46.50	.4658	----	----	16	----	19 + 13
4560	153.50	153.50	153.50/121.90A	164.30B/121.90A	----	129.40 - 46.00	.4606	----	----	14	----	368 + 2
4565	----	----	----/119.90A	161.80B/119.90A	----	127.30 - 45.50	.4555	----	----	----	----	18 UNCH
4570	121.40	121.40	121.40/117.90A	159.30B/117.90A	----	125.30 - 44.90	.4505	----	----	4	----	166 + 1
4575	----	----	----/116.10A	156.90B/116.10A	----	123.30 - 44.30	.4454	----	----	----	----	43 UNCH
4580	144.10	144.10	144.10/114.10A	154.50B/114.10A	----	121.20 - 43.90	.4403	----	----	12	----	219 + 10
4585	----	----	----/112.10A	152.10B/112.10A	----	119.20 - 43.40	.4353	----	----	----	----	7 UNCH
4590	----	----	----/110.20A	149.70B/110.20A	----	117.30 - 42.80	.4303	----	----	----	----	76 UNCH
4595	134.50	134.50	134.50/108.40A	147.50B/108.40A	----	115.30 - 42.30	.4253	----	----	1	----	40 UNCH
4600	131.00	131.00	132.50/106.50A	145.20B/106.50A	----	113.40 - 41.80	.4203	----	----	50	----	609 + 7
4605	----	----	----/104.70A	142.90B/104.70A	----	111.50 - 41.40	.4154	----	----	----	----	6 UNCH
4610	107.10	107.10	109.80/103.20A	140.90B/103.20A	----	109.60 - 40.90	.4104	----	----	17	----	21 + 10
4615	----	----	----/101.40A	138.90B/101.40A	----	107.80 - 40.40	.4055	----	----	----	----	39 UNCH
4620	----	----	----/99.50A	136.40B/99.50A	----	105.90 - 40.00	.4006	----	----	----	----	13 UNCH
4625	----	----	----/97.80A	134.30B/97.80A	----	104.20 - 39.40	.3958	----	----	----	----	42 UNCH
4630	114.60	114.60	115.00/96.10A	132.10B/96.10A	----	102.40 - 39.00	.3909	----	----	3	----	19 UNCH
4640	100.50	100.50	100.50/93.00A	127.70B/93.00A	----	98.90 - 38.10	.3813	----	----	2	----	10 UNCH
4645	----	----	----/91.40A	125.90B/91.40A	----	97.30 - 37.60	.3767	----	----	----	----	1 UNCH
4650	103.20	103.20	103.20/89.70A	123.50B/89.70A	----	95.60 - 37.20	.3719	----	----	41	----	1034 + 19
4655	108.00	108.00	108.00/88.10A	121.50B/88.10A	----	94.00 - 36.70	.3673	----	----	1	----	33 UNCH
4660	93.50	93.50	93.50/86.60A	119.60B/86.60A	----	92.30 - 36.30	.3625	----	----	17	----	22 - 9
4665	----	----	----/85.10A	117.90B/85.10A	----	90.80 - 35.80	.3580	----	----	----	----	24 UNCH
4670	----	----	----/83.60A	115.80B/83.60A	----	89.20 - 35.40	.3534	----	----	----	----	80 UNCH
4675	----	----	----/82.30A	114.10B/82.30A	----	87.70 - 34.90	.3488	----	----	----	----	82 UNCH
4680	----	----	----/80.70A	112.20B/80.70A	----	86.10 - 34.50	.3442	----	----	----	----	37 UNCH
4685	83.60	83.60	83.60/79.30A	110.20B/79.30A	----	84.70 - 34.00	.3398	----	----	14	----	202 UNCH
4690	----	----	----/78.10A	108.60B/78.10A	----	83.20 - 33.60	.3354	----	----	2	----	41 UNCH
4695	----	----	----/76.60A	106.80B/76.60A	----	81.80 - 33.10	.3310	----	----	----	----	8 UNCH
4700	100.30	100.30	100.30/75.40A	104.90B/75.40A	----	80.30 - 32.70	.3265	----	----	128	200	5076 + 191
4705	78.60	78.60	80.60/73.90A	103.30B/73.90A	----	78.90 - 32.30	.3222	----	----	3	----	126 + 3
4710	78.70	78.70	82.50/72.60A	101.30B/72.60A	----	77.60 - 31.80	.3180	----	----	2	----	87 - 1
4715	----	----	----/71.40A	99.60B/71.40A	----	76.20 - 31.40	.3136	----	----	----	----	2 UNCH
4720	76.30	76.30	76.30/70.10A	98.10B/70.10A	----	74.90 - 31.00	.3094	----	----	2	----	160 UNCH
4725	----	----	----/68.90A	96.20B/68.90A	----	73.60 - 30.60	.3053	----	----	----	----	123 UNCH
4730	----	----	----/67.70A	94.60B/67.70A	----	72.30 - 30.10	.3011	----	----	----	----	75 UNCH
4735	----	----	----/66.50A	92.90B/66.50A	----	71.00 - 29.80	.2969	----	----	----	----	44 UNCH
4740	----	----	----/65.30A	91.50B/65.30A	----	69.80 - 29.30	.2929	----	----	1	----	23 UNCH
4745	----	----	----/64.20A	89.80B/64.20A	----	68.60 - 28.90	.2889	----	----	----	----	89 UNCH
4750	74.50	74.50	74.50/63.00A	88.50B/63.00A	----	67.40 - 28.50	.2849	----	----	30	----	609 UNCH
4755	----	----	----/61.90A	87.00B/61.90A	----	66.20 - 28.10	.2810	----	----	----	----	58 UNCH
4760	----	----	----/60.80A	85.30B/60.80A	----	65.00 - 27.70	.2770	----	----	----	----	47 UNCH
4765	70.60	70.60	70.60/59.70A	83.90B/59.70A	----	63.90 - 27.20	.2732	----	----	1	----	11 UNCH
4770	64.30	64.30	64.30/58.70A	82.40B/58.70A	----	62.80 - 26.80	.2694	----	----	2	25	262 - 2
4775	68.30	68.30	68.30/57.60A	81.20B/57.60A	----	61.60 - 26.50	.2654	----	----	1	----	133 - 1
4780	64.70	64.70	64.70/56.60A	79.60B/56.60A	----	60.60 - 26.00	.2618	----	----	5	----	122 + 2
4785	61.60	61.60	61.60/55.60A	78.20B/55.60A	----	59.50 - 25.70	.2581	----	----	2	----	175 UNCH
4790	----	----	----/54.60A	77.00B/54.60A	----	58.40 - 25.30	.2543	----	----	----	----	33 UNCH
4795	----	----	----/53.70A	75.50B/53.70A	----	57.40 - 24.90	.2507	----	----	----	200	327 + 200
4800	64.80	64.80	65.00/52.70A	74.20B/52.70A	----	56.40 - 24.50	.2472	----	----	197	200	3380 + 352
4805	----	----	----/51.80A	72.90B/51.80A	----	55.40 - 24.10	.2436	----	----	2	----	17 + 1
4810	----	----	----/50.90A	71.80B/50.90A	----	54.40 - 23.80	.2401	----	----	1	----	21 + 1
4815	----	----	----/50.00A	70.60B/50.00A	----	53.40 - 23.40	.2365	----	----	----	----	55 UNCH
4820	52.30	52.30	52.30/49.10A	69.20B/49.10A	----	52.50 - 23.00	.2332	----	----	1	----	146 UNCH
4825	----	----	----/48.20A	68.10B/48.20A	----	51.50 - 22.70	.2296	----	----	----	----	342 UNCH
4830	----	----	----/47.40A	66.80B/47.40A	----	50.60 - 22.30	.2263	----	----	----	----	74 UNCH
4835	51.00	51.00	51.40/46.60A	65.70B/46.60A	----	49.70 - 22.00	.2230	----	----	6	----	38 + 1
4840	----	----	----/45.70A	64.50B/45.70A	----	48.80 - 21.60	.2197	----	----	----	----	25 UNCH
4845	----	----	----/44.90A	63.40B/44.90A	----	47.90 - 21.30	.2164	----	----	----	----	6 UNCH
4850	48.00	48.00	48.00/44.10A	62.30B/44.10A	----	47.10 - 20.90	.2133	----	----	42	----	295 + 22
4855	45.00	45.00	45.00/43.40A	61.30B/43.40A	----	46.30 - 20.50	.2102	----	----	1	----	10 UNCH
4860	----	----	----/42.60A	60.00B/42.60A	----	45.50 - 20.20	.2072	----	----	1	----	30 UNCH
4865	----	----	----/41.90A	59.00B/41.90A	----	44.70 - 19.90	.2041	----	----	----	----	14 UNCH
4870	----	----	----/41.10A	57.90B/41.10A	----	43.90 - 19.60	.2011	----	----	----	----	51 UNCH
4875	----	----	----/40.40A	56.90B/40.40A	----	43.10 - 19.30	.1980	----	----	----	----	177 UNCH
4880	----	----	----/39.70A	56.00B/39.70A	----	42.40 - 19.00	.1952	----	----	----	----	142 UNCH
4885	----	----	----/39.00A	54.90B/39.00A	----	41.70 - 18.60	.1924	----	----	1	----	52 + 1
4890	42.30	42.30	42.30/38.30A	54.10B/38.30A	----	41.00 - 18.30	.1896	----	----	26	----	35 + 25
4895	40.40	40.40	40.40/37.70A	53.10B/37.70A	----	40.30 - 18.00	.1868	----	----	1	----	65 UNCH
4900	43.50	43.50	43.50/37.00A	52.30B/37.00A	----	39.60 - 17.70	.1841	----	----	178	----	1070 - 85
4905	39.10	39.10	39.10/36.40A	51.30B/36.40A	----	38.90 - 17.50	.1813	----	----	1	----	14 UNCH
4910	----	----	----/35.80A	50.30B/35.80A	----	38.20 - 17.20	.1785	----	----	----	----	18 UNCH
4915	----	----	----/35.20A	49.40B/35.20A	----	37.60 - 16.90	.1760	----	----	1	----	41 + 1
4920	----	----	----/34.60A	48.50B/34.60A	----	36.90 - 16.70	.1733	----	----	----	----	25 UNCH
4925	----	----	----/34.00A	47.70B/34.00A	----	36.30 - 16.40	.1708	----	----	----	----	312 UNCH
4930	----	----	----/33.40A	47.00B/33.40A	----	35.70 - 16.10	.1683	----	----	----	----	45 UNCH
4935	----	----	----/32.80A	46.00B/32.80A	----	35.10 - 15.80	.1658	----	----	1	----	14 + 1
4940	----	----	----/32.30A	45.30B/32.30A	----	34.50 - 15.60	.1634	----	----	----	----	49 UNCH
4945	34.90	34.90	34.90/31.70A	44.50B/31.70A	----	33.90 - 15.30	.1609	----	----	2	----	85 + 2
4950	32.50	32.50	32.50/31.20A	43.70B/31.20A	----	33.30 - 15.10	.1584	----	----	50	----	707 + 11
4955	32.60	32.60	32.60/30.70A	43.00B/30.70A	----	32.80 - 14.80	.1563	----	----	2	----	22 UNCH
4960	32.50	32.50	32.50/30.20A	42.20B/30.20A	----	32.20 - 14.60	.1538	----	----	6	----	40 + 6
4965	31.50	31.50	31.50/29.70A	41.60B/29.70A	----	31.70 - 14.30	.1516	----	----	3	----	22 - 1
4970	----	----	----/29.20A	40.80B/29.20A	----	31.10 - 14.10	.1492	----	----	1	----	18 + 1
4975	----	----	----/28.70A	40.00B/28.70A	----	30.60 - 13.80	.1471	----	----	----	----	13 UNCH
4980	29.90	29.90	29.90/28.20A	39.40B/28.20A	----	30.10 - 13.60	.1449	----	----	11	----	18 + 4
4985	----	----	----/27.80A	38.60B/27.80A	----	29.60 - 13.40	.1428	----	----	----	----	15 UNCH
4990	----	----	----/27.30A	38.10B/27.30A	----	29.10 - 13.10	.1406	----	----	2	----	14 + 2
4995	----	----	----/26.90A	37.50B/26.90A	----	28.60 - 12.90	.1385	----	----	----	----	8 UNCH
5000	35.60	35.60	36.80B/26.40A	36.80B/26.40A	----	28.10 - 12.70	.1364	----	----	473	----	3096 + 264
5005	----	----	----/26.00A	36.10B/26.00A	----	27.70 - 12.50	.1345	----	----	----	----	15 UNCH
5010	----	----	----/25.60A	35.60B/25.60A	----	27.20 - 12.30	.1324	----	----	1	----	3 UNCH
5015	26.90	26.90	27.20/25.20A	35.00B/25.20A	----	26.80 - 12.00	.1306	----	----	5	----	29 + 5
5020	31.40	31.40	31.40/24.80A	34.30B/24.80A	----	26.30 - 11.90	.1285	----	----	12	----	60 UNCH
5025	----	----	----/24.40A	33.70B/24.40A	----	25.90 - 11.60	.1267	----	----	----	----	236 UNCH
5030	----	----	----/24.00A	33.20B/24.00A	----	25.50 - 11.40	.1249	----	----	19	----	227 + 17
5035	26.20	26.20	26.20/23.60A	32.60B/23.60A	----	25.10 - 11.20	.1231	----	----	3	----	73 UNCH
5040	25.40	25.40	25.40/23.20A	32.10B/23.20A	----	24.70 - 11.00	.1213	----	----	4	----	34 UNCH
5045	----	----	----/22.90A	31.50B/22.90A	----	24.30 - 10.80	.1195	----	----	----	----	34 UNCH
5050	----	----	----/22.50A	31.00B/22.50A	----	23.90 - 10.60	.1177	----	----	6	----	423 UNCH
5055	----	----	----/22.20A	30.50B/22.20A	----	23.50 - 10.50	.1160	----	----	1	----	8 + 1
5060	----	----	----/21.80A	30.00B/21.80A	----	23.20 - 10.20	.1145	----	----	----	----	36 UNCH
5065	----	----	----/21.50A	29.50B/21.50A	----	22.80 - 10.10	.1127	----	----	----	----	44 UNCH
5070	----	----	----/21.20A	29.00B/21.20A	----	22.50 - 9.80	.1113	----	----	----	----	61 UNCH
5075	----	----	----/20.80A	28.60B/20.80A	----	22.10 - 9.70	.1095	----	----	----	----	308 UNCH
5080	----	----	----/20.50A	28.10B/20.50A	----	21.80 - 9.50	.1081	----	----	----	----	24 UNCH
5085	----	----	----/20.20A	27.60B/20.20A	----	21.50 - 9.30	.1067	----	----	----	----	169 UNCH
5090	----	----	----/19.90A	27.20B/19.90A	----	21.10 - 9.20	.1049	----	----	----	----	7 UNCH
5095	----	----	----/19.60A	26.70B/19.60A	----	20.80 - 9.00	.1035	----	----	----	----	6 UNCH
5100	23.90	23.90	23.90/19.30A	26.30B/19.30A	----	20.50 - 8.80	.1021	----	----	413	----	4978 - 139
5105	----	----	----/19.00A	25.80B/19.00A	----	20.20 - 8.70	.1007	----	----	----	----	8 UNCH
5110	----	----	----/18.80A	25.40B/18.80A	----	19.90 - 8.50	.0993	----	----	----	----	12 UNCH
5115	----	----	----/18.50A	25.00B/18.50A	----	19.60 - 8.40	.0979	----	----	----	----	14 UNCH
5120	----	----	----/18.20A	24.60B/18.20A	----	19.40 - 8.10	.0968	----	----	----	----	361 UNCH
5125	----	----	----/18.00A	24.20B/18.00A	----	19.10 - 8.00	.0954	----	----	----	----	351 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5130	----	----	----/17.70A	23.80B/17.70A	----	18.80 - 7.90	.0940	----	----	----	----	13 UNCH
5135	----	----	----/17.50A	23.50B/17.50A	----	18.60 - 7.70	.0929	----	----	----	----	25 UNCH
5140	----	----	----/17.20A	23.10B/17.20A	----	18.30 - 7.60	.0916	----	----	1	----	31 + 1
5145	----	----	----/17.00A	22.70B/17.00A	----	18.00 - 7.50	.0902	----	----	----	----	12 UNCH
5150	17.20	17.20	17.20/16.70A	22.40B/16.70A	----	17.80 - 7.30	.0891	----	----	2	----	123 UNCH
5155	17.50	17.50	17.50/16.50A	22.00B/16.50A	----	17.50 - 7.20	.0878	----	----	3	----	28 + 3
5160	----	----	----/16.30A	21.70B/16.30A	----	17.30 - 7.00	.0868	----	----	----	----	16 UNCH
5165	----	----	----/16.00A	21.30B/16.00A	----	17.10 - 6.90	.0857	----	----	1	----	24 UNCH
5170	19.80	19.80	19.80/15.80A	21.00B/15.80A	----	16.80 - 6.80	.0844	----	----	2	----	12 UNCH
5175	17.10	17.10	17.30/15.60A	20.70B/15.60A	----	16.60 - 6.70	.0834	----	----	3	----	365 + 3
5180	----	----	----/15.40A	20.40B/15.40A	----	16.40 - 6.50	.0823	----	----	----	----	1 UNCH
5185	----	----	----/15.20A	20.10B/15.20A	----	16.20 - 6.40	.0813	----	----	----	----	2 UNCH
5190	----	----	----/15.00A	19.80B/15.00A	----	15.90 - 6.30	.0800	----	----	----	----	33 UNCH
5195	----	----	----/14.80A	19.50B/14.80A	----	15.70 - 6.20	.0790	----	----	----	----	42 UNCH
5200	15.20	15.20	15.20/14.60A	19.20B/14.60A	----	15.50 - 6.10	.0780	----	----	147	340	4244 + 398
5205	----	----	----/14.40A	18.90B/14.40A	----	15.30 - 6.00	.0770	----	----	----	----	6 UNCH
5210	----	----	----/14.20A	18.60B/14.20A	----	15.10 - 5.90	.0760	----	----	----	----	8 UNCH
5215	----	----	----/14.00A	18.40B/14.00A	----	14.90 - 5.80	.0750	----	----	----	----	15 UNCH
5220	----	----	----/13.90A	18.00B/13.90A	----	14.70 - 5.70	.0741	----	----	----	----	291 UNCH
5225	14.20	14.20	14.20/13.70A	17.80B/13.70A	----	14.50 - 5.60	.0731	----	----	11	----	61 + 4
5230	----	----	----/13.50A	17.50B/13.50A	----	14.30 - 5.50	.0721	----	----	----	----	11 UNCH
5235	----	----	----/13.40A	17.30B/13.40A	----	14.10 - 5.40	.0711	----	----	----	----	20 UNCH
5240	----	----	----/13.20A	17.00B/13.20A	----	13.90 - 5.30	.0702	----	----	----	----	36 UNCH
5245	----	----	----/13.00A	16.80B/13.00A	----	13.70 - 5.30	.0692	----	----	----	----	17 UNCH
5250	15.30	15.30	15.30/12.90A	16.60B/12.90A	----	13.50 - 5.20	.0682	----	----	125	----	725 - 41
5255	----	----	----/12.70A	16.40B/12.70A	----	13.30 - 5.20	.0673	----	----	----	----	905 UNCH
5260	----	----	----/12.60A	16.10B/12.60A	----	13.20 - 5.00	.0667	----	----	----	----	36 UNCH
5265	----	----	----/12.40A	15.90B/12.40A	----	13.00 - 5.00	.0657	----	----	----	----	18 UNCH
5270	----	----	----/12.20A	15.70B/12.20A	----	12.80 - 4.90	.0648	----	----	----	----	152 UNCH
5275	----	----	----/12.10A	15.50B/12.10A	----	12.60 - 4.90	.0638	----	----	----	----	16 UNCH
5280	----	----	----/12.00A	15.20B/12.00A	----	12.50 - 4.80	.0632	----	----	----	----	207 UNCH
5285	----	----	----/11.80A	15.00B/11.80A	----	12.30 - 4.70	.0623	----	----	----	----	32 UNCH
5290	----	----	----/11.70A	14.80B/11.70A	----	12.20 - 4.60	.0617	----	----	----	----	24 UNCH
5295	----	----	----/11.60A	14.60B/11.60A	----	12.00 - 4.60	.0608	----	----	----	----	6 UNCH
5300	11.80	11.80	12.00/11.40A	14.50B/11.40A	----	11.90 - 4.50	.0602	----	----	7	----	1168 - 2
5305	----	----	----/11.30A	14.30B/11.30A	----	11.70 - 4.50	.0593	----	----	----	----	17 UNCH
5310	----	----	----/11.10A	14.10B/11.10A	----	11.60 - 4.40	.0587	----	----	----	----	105 UNCH
5315	12.00	12.00	12.00/11.00A	13.80B/11.00A	----	11.50 - 4.20	.0581	----	----	4	----	5 + 4
5320	----	----	----/10.90A	13.70B/10.90A	----	11.30 - 4.20	.0572	----	----	----	----	16 UNCH
5325	11.60	11.60	11.60/10.80A	13.50B/10.80A	----	11.20 - 4.20	.0567	----	----	1	----	29 + 1
5330	----	----	----/10.60A	13.40B/10.60A	----	11.10 - 4.10	.0561	----	----	----	----	21 UNCH
5335	----	----	----/10.50A	13.20B/10.50A	----	10.90 - 4.10	.0552	----	----	----	----	2 UNCH
5340	----	----	----/10.40A	13.00B/10.40A	----	10.80 - 4.00	.0546	----	----	----	----	1 UNCH
5345	----	----	----/10.30A	12.90B/10.30A	----	10.70 - 3.90	.0541	----	----	----	----	27 UNCH
5350	11.00	11.00	11.00/10.20A	12.70B/10.20A	----	10.60 - 3.80	.0535	----	----	1	----	8010 - 1
5355	----	----	----/10.10A	12.40B/10.10A	----	10.50 - 3.80	.0530	----	----	----	----	1 UNCH
5360	----	----	----/10.00A	12.20B/10.00A	----	10.40 - 3.70	.0524	----	----	----	----	114 UNCH
5365	----	----	----/9.90A	12.10B/9.90A	----	10.20 - 3.70	.0515	----	----	----	----	9 UNCH
5370	----	----	----/9.80A	11.90B/9.80A	----	10.10 - 3.70	.0510	----	----	----	----	8008 UNCH
5375	----	----	----/9.70A	11.80B/9.70A	----	10.00 - 3.60	.0505	----	----	----	----	256 UNCH
5380	----	----	----/9.60A	11.60B/9.60A	----	9.90 - 3.50	.0499	----	----	----	----	43 UNCH
5395	----	----	----/9.30A	11.20B/9.30A	----	9.60 - 3.40	.0483	----	----	1	----	5 + 1
5400	12.10	12.10	12.10/9.20A	12.10/9.20A	----	9.50 - 3.30	.0478	----	----	79	----	2488 + 61
5405	----	----	----/9.20A	11.00B/9.20A	----	9.40 - 3.30	.0473	----	----	----	----	7 UNCH
5410	----	----	----/9.10A	10.80B/9.10A	----	9.30 - 3.20	.0468	----	----	----	----	19 UNCH
5415	----	----	----/9.00A	10.70B/9.00A	----	9.20 - 3.20	.0462	----	----	----	----	1 UNCH
5420	----	----	----/8.90A	10.60B/8.90A	----	9.20 - 3.10	.0461	----	----	----	----	8 UNCH
5425	----	----	----/8.80A	10.50B/8.80A	----	9.10 - 3.00	.0456	----	----	----	----	21 UNCH
5430	----	----	----/8.70A	10.30B/8.70A	----	9.00 - 3.00	.0451	----	----	----	----	18 UNCH
5435	----	----	----/8.60A	10.20B/8.60A	----	8.90 - 3.00	.0446	----	----	----	----	50 UNCH
5440	----	----	----/8.60A	10.10B/8.60A	----	8.80 - 2.90	.0440	----	----	----	----	105 UNCH
5445	8.70	8.70	8.70/8.50A	10.00B/8.50A	----	8.70 - 2.90	.0435	----	----	6	----	12 + 2
5450	----	----	----/8.40A	9.90B/8.40A	----	8.60 - 2.90	.0430	----	----	5	----	228 + 2
5455	----	----	----/8.30A	9.80B/8.30A	----	8.60 - 2.80	.0429	----	----	----	----	22 UNCH
5460	----	----	----/8.20A	9.70B/8.20A	----	8.50 - 2.80	.0424	----	----	----	----	12 UNCH
5465	----	----	----/8.20A	9.60B/8.20A	----	8.40 - 2.70	.0419	----	----	----	----	42 UNCH
5470	----	----	----/8.10A	9.50B/8.10A	----	8.30 - 2.70	.0414	----	----	----	----	14 UNCH
5475	----	----	----/8.00A	9.40B/8.00A	----	8.20 - 2.70	.0409	----	----	----	----	7 UNCH
5480	----	----	----/8.00A	9.30B/8.00A	----	8.20 - 2.60	.0408	----	----	----	----	14 UNCH
5485	----	----	----/7.90A	9.20B/7.90A	----	8.10 - 2.60	.0403	----	----	----	----	19 UNCH
5490	----	----	----/7.80A	9.10B/7.80A	----	8.00 - 2.60	.0398	----	----	----	----	2 UNCH
5495	----	----	----/7.80A	9.00B/7.80A	----	7.90 - 2.60	.0393	----	----	----	----	4 UNCH
5500	9.80	9.80	9.90B/7.70A	9.90B/7.70A	----	7.90 - 2.50	.0392	----	----	84	----	2123 + 25
5505	----	----	----/7.60A	8.80B/7.60A	----	7.80 - 2.50	.0387	----	----	----	----	13 UNCH
5510	----	----	----/7.60A	8.70B/7.60A	----	7.70 - 2.50	.0382	----	----	----	----	9 UNCH
5515	----	----	----/7.50A	8.70B/7.50A	----	7.70 - 2.40	.0381	----	----	----	----	41 UNCH
5520	----	----	----/7.40A	8.60B/7.40A	----	7.60 - 2.40	.0376	----	----	----	----	4 UNCH
5525	----	----	----/7.40A	8.50B/7.40A	----	7.50 - 2.40	.0371	----	----	----	----	2236 UNCH
5530	----	----	----/7.30A	8.40B/7.30A	----	7.50 - 2.30	.0370	----	----	----	----	1 UNCH
5535	----	----	----/7.30A	8.30B/7.30A	----	7.40 - 2.30	.0365	----	----	----	----	12 UNCH
5540	----	----	----/7.20A	8.30B/7.20A	----	7.30 - 2.30	.0361	----	----	----	----	9 UNCH
5545	----	----	----/7.10A	8.20B/7.10A	----	7.30 - 2.20	.0360	----	----	----	----	18 UNCH
5550	----	----	----/7.10A	8.10B/7.10A	----	7.20 - 2.20	.0355	----	----	----	----	128 UNCH
5555	----	----	----/7.00A	8.00B/7.00A	----	7.10 - 2.20	.0350	----	----	----	----	1 UNCH
5560	----	----	----/7.00A	8.00B/7.00A	----	7.10 - 2.10	.0349	----	----	----	----	3 UNCH
5565	----	----	----/6.90A	7.90B/6.90A	----	7.00 - 2.20	.0345	----	----	----	----	37 UNCH
5570	----	----	----/6.90A	7.80B/6.90A	----	7.00 - 2.10	.0344	----	----	----	----	21 UNCH
5575	----	----	----/6.80A	7.70B/6.80A	----	6.90 - 2.10	.0339	----	----	----	----	4 UNCH
5580	----	----	----/6.80A	7.70B/6.80A	----	6.80 - 2.10	.0334	----	----	----	----	34 UNCH
5590	----	----	----/6.70A	7.50B/6.70A	----	6.70 - 2.10	.0329	----	----	----	----	2 UNCH
5595	----	----	----/6.60A	7.50B/6.60A	----	6.70 - 2.00	.0328	----	----	----	----	28 UNCH
5600	----	----	----/6.60A	7.40B/6.60A	----	6.60 - 2.00	.0323	----	----	15	----	1075 - 10
5605	----	----	----/6.50A	7.30B/6.50A	----	6.60 - 1.90	.0322	----	----	----	----	7 UNCH
5610	----	----	----/6.50A	7.30B/6.50A	----	6.50 - 2.00	.0318	----	----	----	----	11 UNCH
5615	----	----	----/6.40A	7.30B/6.40A	----	6.50 - 1.90	.0317	----	----	----	----	3 UNCH
5620	----	----	----/6.40A	7.20B/6.40A	----	6.40 - 1.90	.0312	----	----	----	----	37 UNCH
5625	----	----	----/6.30A	7.10B/6.30A	----	6.40 - 1.90	.0311	----	----	----	----	5 UNCH
5630	----	----	----/6.30A	7.00B/6.30A	----	6.30 - 1.90	.0307	----	----	----	----	15 UNCH
5635	----	----	----/6.20A	7.00B/6.20A	----	6.30 - 1.80	.0306	----	----	----	----	2 UNCH
5640	----	----	----/6.20A	6.90B/6.20A	----	6.20 - 1.90	.0301	----	----	----	----	9 UNCH
5650	----	----	----/6.00A	6.80B/6.00A	----	6.10 - 1.80	.0296	----	----	----	----	602 UNCH
5660	----	----	----/5.90A	6.70B/5.90A	----	6.00 - 1.80	.0291	----	----	----	----	34 UNCH
5670	----	----	----/5.90A	6.60B/5.90A	----	5.90 - 1.80	.0286	----	----	----	----	10 UNCH
5675	----	----	----/5.90A	6.50B/5.90A	----	5.90 - 1.70	.0285	----	----	----	----	3 UNCH
5680	----	----	----/5.90A	6.50B/5.90A	----	5.90 - 1.70	.0284	----	----	----	----	4 UNCH
5690	----	----	----/5.80A	6.50B/5.80A	----	5.80 - 1.70	.0279	----	----	----	----	16 UNCH
5700	6.60	6.60	6.60/5.60A	6.60/5.60A	----	5.70 - 1.60	.0274	----	----	1	----	1692 UNCH
5710	----	----	----/5.60A	6.20B/5.60A	----	5.60 - 1.60	.0269	----	----	----	----	7 UNCH
5720	----	----	----/5.50A	6.10B/5.50A	----	5.60 - 1.50	.0267	----	----	----	----	19 UNCH
5725	----	----	----/5.50A	6.10B/5.50A	----	5.50 - 1.60	.0263	----	----	----	----	1 UNCH
5730	----	----	----/5.50A	6.00B/5.50A	----	5.50 - 1.50	.0262	----	----	----	----	15 UNCH
5750	----	----	----/5.30A	5.80B/5.30A	----	5.30 - 1.50	.0252	----	----	----	----	829 UNCH
5775	----	----	----/5.20A	5.70B/5.20A	----	5.20 - 1.40	.0246	----	----	----	----	3 UNCH
5800	----	----	----/4.80A	6.20B/4.80A	----	5.00 - 1.40	.0235	----	----	----	----	1052 UNCH
5825	----	----	----/4.80A	5.30B/4.80A	----	4.90 - 1.30	.0229	----	----	----	----	135 UNCH
5850	----	----	----/4.70A	5.10B/4.70A	----	4.70 - 1.30	.0219	----	----	----	----	166 UNCH
5875	----	----	----/4.60A	5.00B/4.60A	----	4.60 - 1.20	.0213	----	----	----	----	26 UNCH
5900	----	----	----/4.50A	5.70B/4.50A	----	4.50 - 1.20	.0207	----	----	----	----	1490 UNCH
5925	----	----	----/4.40A	4.70B/4.40A	----	4.40 - 1.10	.0201	----	----	----	----	14 UNCH
5950	----	----	----/4.40A	5.00B/4.40A	----	4.30 - 1.00	.0195	----	----	----	----	12 UNCH
6000	5.00	5.00	5.30/4.20A	5.30/4.20A	----	4.00 - 1.10	.0181	----	----	60	----	3850 + 34
6100	----	----	4.70B/3.80A	4.70B/3.80A	----	3.70 - 0.90	.0163	----	----	----	----	816 UNCH
6200	----	----	----/3.50A	3.50B/3.50A	----	3.40 - 0.80	.0147	----	----	----	----	1425 UNCH
6250	----	----	----/3.40A	3.30B/3.40A	----	3.20 - 0.90	.0137	----	----	----	----	4 UNCH
6300	----	----	----/3.30A	3.20B/3.30A	----	3.10 - 0.90	.0131	----	----	----	----	86 UNCH
6400	----	----	----/3.10A	3.20B/3.10A	----	2.90 - 0.80	.0120	----	----	10	----	54 UNCH
6500	----	----	----/2.90A	2.70B/2.90A	----	2.70 - 0.80	.0110	----	----	78	----	978 + 73
6600	----	----	----/2.70A	2.50B/2.70A	----	2.50 - 0.80	.0100	----	----	----	----	207 UNCH
6700	----	----	----/2.60A	2.30B/2.60A	----	2.30 - 0.80	.0091	----	----	----	----	332 UNCH
6800	----	----	----/2.40A	2.10B/2.40A	----	2.20 - 0.70	.0085	----	----	----	----	38 UNCH
6900	----	----	----/2.30A	2.00B/2.30A	----	2.10 - 0.70	.0080	----	----	----	----	31 UNCH
7000	2.20	2.20	2.20/1.80	2.20/1.80	----	1.90 - 0.70	.0072	----	----	126	----	978 - 63
7500	1.20	1.20	1.30/1.20	1.30/1.20	----	1.50 - 0.40	.0053	----	----	7	----	801 UNCH
8000	----	----	----/1.20A	0.80B/1.20A	----	1.20 - 0.20	.0040	----	----	----	----	634 UNCH
8500	----	----	----	0.60B/1.30A	----	0.90 - 0.10	.0029	----	----	----	----	86 UNCH
9000	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.70 - 0.10	.0021	----	----	5	----	23 + 5
9500	----	----	----	0.40B/0.80A	----	0.50 - 0.20	.0015	----	----	----	----	312 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
10000	0.40	0.40	0.40/*0.30	0.40/*0.30	----	0.30 - 0.30	.0009	----	----	50	----	186 + 40
TOTAL										3103	1,226	88868+ 1730
SEP26												
3875	----	----	----	599.40B/769.90A	----	685.90 - 81.00	.9062	----	----	----	----	1 UNCH
3995	----	----	----/562.10A	599.70B/562.10A	----	577.80 - 78.30	.8687	----	----	----	----	10 UNCH
4085	----	----	----/485.90A	521.50B/485.90A	----	500.40 - 75.40	.8317	----	----	----	----	37 UNCH
4130	----	----	----/449.40A	483.80B/449.40A	----	463.20 - 73.70	.8098	----	----	----	----	10 UNCH
4185	----	----	----/406.40A	439.20B/406.40A	----	419.30 - 71.40	.7800	----	----	----	----	40 UNCH
4200	----	----	----	336.00B/494.70A	----	407.70 - 70.70	.7712	----	----	----	----	1 UNCH
4220	----	----	----/380.10A	411.80B/380.10A	----	392.40 - 69.70	.7592	----	----	----	----	162 UNCH
4290	----	----	----/327.50A	359.60B/327.50A	----	341.30 - 66.00	.7134	----	----	----	----	6 UNCH
4295	----	----	----/323.70A	356.00B/323.70A	----	337.80 - 65.70	.7100	----	----	----	----	50 UNCH
4300	----	----	----/320.20A	352.40B/320.20A	----	334.30 - 65.40	.7065	----	----	----	----	18 UNCH
4320	----	----	----/306.90A	338.30B/306.90A	----	320.60 - 64.20	.6924	----	----	----	----	162 UNCH
4375	----	----	----/272.50A	304.60B/272.50A	----	284.60 - 60.70	.6515	----	----	----	----	1 UNCH
4390	----	----	----/262.80A	295.00B/262.80A	----	275.30 - 59.60	.6399	----	----	----	----	202 UNCH
4400	281.30	281.30	281.30/256.90A	288.60B/256.90A	----	269.10 - 59.00	.6321	----	----	2	----	8 + 2
4410	----	----	----/250.70A	282.20B/250.70A	----	263.10 - 58.30	.6242	----	----	----	----	1 UNCH
4425	----	----	----/241.90A	273.00B/241.90A	----	254.20 - 57.30	.6124	----	----	----	----	1 UNCH
4450	----	----	----/228.20A	270.30B/228.20A	----	239.80 - 55.60	.5924	----	----	----	----	1 UNCH
4480	----	----	----/212.40A	254.30B/212.40A	----	223.20 - 53.50	.5680	----	----	----	----	1 UNCH
4485	----	----	----/209.80A	251.40B/209.80A	----	220.50 - 53.20	.5639	----	----	----	----	1 UNCH
4495	----	----	----/204.90A	245.60B/204.90A	----	215.10 - 52.60	.5557	----	----	----	----	110 UNCH
4500	----	----	----/202.00A	242.80B/202.00A	----	212.50 - 52.20	.5516	----	----	----	----	83 UNCH
4505	205.90	205.90	205.90/199.70A	239.90B/199.70A	----	209.90 - 51.90	.5475	----	----	2	----	21 UNCH
4510	203.50	203.50	203.50/197.30A	237.00B/197.30A	----	207.30 - 51.60	.5434	----	----	2	----	2 UNCH
4515	----	----	----/194.90A	234.40B/194.90A	----	204.70 - 51.30	.5392	----	----	----	----	2 UNCH
4520	----	----	----/192.60A	231.60B/192.60A	----	202.10 - 51.00	.5351	----	----	40	----	42 + 40
4525	212.40	212.40	212.40/189.90A	228.80B/189.90A	----	199.60 NEW	.5310	----	----	7	----	7 + 7
4530	----	----	----/187.80A	226.10B/187.80A	----	197.00 - 50.40	.5268	----	----	10	----	17 + 10
4535	----	----	----/185.60A	223.50B/185.60A	----	194.50 - 50.10	.5227	----	----	----	----	7 UNCH
4540	----	----	----/183.00A	223.30B/183.00A	----	192.00 - 49.80	.5185	----	----	----	----	7 UNCH
4545	186.50	186.50	186.50/180.90A	224.30B/180.90A	----	189.60 - 49.40	.5144	----	----	13	----	15 + 7
4550	179.30	179.30	184.70/178.50A	222.30B/178.50A	----	187.10 - 49.20	.5103	----	----	2	----	279 UNCH
4555	----	----	----/176.30A	219.40B/176.30A	----	184.70 - 48.90	.5061	----	----	----	----	7 UNCH
4560	----	----	----/174.20A	216.50B/174.20A	----	182.30 - 48.60	.5020	----	----	----	----	22 UNCH
4565	181.80	181.80	181.80/171.80A	213.90B/171.80A	----	179.90 - 48.30	.4978	----	----	7	----	13 + 7
4570	----	----	----/169.80A	211.70B/169.80A	----	177.60 - 47.90	.4937	----	----	----	----	19 UNCH
4575	----	----	----/167.60A	209.00B/167.60A	----	175.30 - 47.60	.4896	----	----	----	----	62 UNCH
4580	----	----	----/165.40A	206.50B/165.40A	----	173.00 - 47.30	.4854	----	----	----	----	3 UNCH
4585	----	----	----/163.40A	204.00B/163.40A	----	170.70 - 47.00	.4813	----	----	----	----	22 UNCH
4590	----	----	----/161.40A	201.10B/161.40A	----	168.50 - 46.70	.4772	----	----	----	----	16 UNCH
4595	----	----	----/159.20A	198.90B/159.20A	----	166.30 - 46.30	.4731	----	----	----	----	7 UNCH
4600	----	----	----/157.40A	196.70B/157.40A	----	164.10 - 46.00	.4690	----	----	10	----	186 + 10
4605	----	----	----/155.30A	194.30B/155.30A	----	162.00 - 45.60	.4649	----	----	----	----	47 UNCH
4610	----	----	----/153.40A	192.10B/153.40A	----	159.90 - 45.20	.4608	----	----	----	----	7 UNCH
4615	----	----	----/151.20A	189.40B/151.20A	----	157.90 - 44.80	.4568	----	----	----	----	2 UNCH
4620	149.10	149.10	149.10/149.10	187.40B/149.10	----	155.80 - 44.40	.4527	----	----	1	----	3 UNCH
4625	----	----	----/147.50A	185.40B/147.50A	----	153.90 - 43.90	.4487	----	----	----	----	7 UNCH
4630	----	----	----/145.60A	183.90B/145.60A	----	151.90 - 43.60	.4447	----	----	----	----	15 UNCH
4640	----	----	----/141.80A	179.50B/141.80A	----	148.10 - 42.60	.4368	----	----	----	----	11 UNCH
4645	148.30	148.30	148.30/140.00A	177.10B/140.00A	----	146.30 - 42.10	.4329	----	----	7	----	7 UNCH
4650	145.10	145.10	145.10/138.20A	174.70B/138.20A	----	144.40 - 41.70	.4289	----	----	10	----	96 + 6
4655	----	----	----/136.40A	172.90B/136.40A	----	142.60 - 41.30	.4251	----	----	----	----	2 UNCH
4660	137.00	137.00	137.00/134.60A	169.40B/134.60A	----	140.80 - 40.80	.4212	----	----	7	----	12 UNCH
4665	----	----	----/132.80A	168.60B/132.80A	----	139.00 - 40.40	.4173	----	----	----	----	4 UNCH
4675	----	----	----/129.40A	164.20B/129.40A	----	135.30 - 39.70	.4095	----	----	----	----	4 UNCH
4680	----	----	----/127.70A	162.30B/127.70A	----	133.50 - 39.30	.4056	----	----	----	----	1 UNCH
4690	----	----	----/124.40A	158.10B/124.40A	----	129.90 - 38.60	.3979	----	----	----	----	2 UNCH
4700	----	----	----/121.10A	154.10B/121.10A	----	126.50 - 37.90	.3903	----	----	10	----	384 + 10
4705	----	----	----/119.60A	152.10B/119.60A	----	124.80 - 37.50	.3865	----	----	----	----	10 UNCH
4710	----	----	----/117.90A	150.10B/117.90A	----	123.10 - 37.20	.3827	----	----	----	----	1 UNCH
4720	----	----	----/114.90A	146.20B/114.90A	----	119.80 - 36.50	.3752	----	----	----	----	45 UNCH
4725	----	----	----/113.30A	144.50B/113.30A	----	118.20 - 36.10	.3715	----	----	----	----	12 UNCH
4730	----	----	----/111.90A	142.50B/111.90A	----	116.60 - 35.80	.3678	----	----	----	----	11 UNCH
4740	----	----	----/108.90A	138.90B/108.90A	----	113.50 - 35.00	.3605	----	----	----	----	3 UNCH
4745	----	----	----/107.40A	137.10B/107.40A	----	112.00 - 34.60	.3570	----	----	----	----	7 UNCH
4750	----	----	----/105.80A	135.40B/105.80A	----	110.50 - 34.30	.3534	----	----	----	----	657 UNCH
4755	----	----	----/104.60A	132.80B/104.60A	----	109.00 - 33.90	.3498	----	----	----	----	10 UNCH
4760	----	----	----/103.10A	131.10B/103.10A	----	107.60 - 33.50	.3463	----	----	3	----	26 + 3
4770	----	----	----/100.40A	127.80B/100.40A	----	104.70 - 32.80	.3393	----	----	----	----	3 UNCH
4775	----	----	----/99.00A	126.70B/99.00A	----	103.30 - 32.40	.3358	----	----	----	----	268 UNCH
4780	----	----	----/97.80A	124.60B/97.80A	----	101.90 - 32.10	.3323	----	----	----	----	10 UNCH
4785	----	----	----/96.40A	123.40B/96.40A	----	100.50 - 31.80	.3289	----	----	----	----	5 UNCH
4790	----	----	----/95.10A	121.80B/95.10A	----	99.20 - 31.40	.3255	----	----	----	----	6 UNCH
4795	----	----	----/93.90A	120.20B/93.90A	----	97.80 - 31.10	.3221	----	----	----	----	4 UNCH
4800	----	----	----/92.50A	118.60B/92.50A	----	96.50 - 30.70	.3188	----	----	10	----	1144 - 4
4805	----	----	----/91.40A	117.10B/91.40A	----	95.20 - 30.40	.3154	----	----	----	----	2 UNCH
4810	----	----	----/90.00A	115.50B/90.00A	----	93.90 - 30.10	.3121	----	----	----	----	4 UNCH
4815	----	----	----/88.70A	114.00B/88.70A	----	92.60 - 29.80	.3088	----	----	----	----	12 UNCH
4825	98.60	98.60	98.60/86.40A	110.50B/86.40A	----	90.20 - 29.00	.3024	----	----	7	----	368 UNCH
4835	----	----	----/84.10A	108.20B/84.10A	----	87.70 - 28.40	.2959	----	----	----	----	1 UNCH
4840	----	----	----/83.00A	106.70B/83.00A	----	86.60 - 28.00	.2929	----	----	----	----	41 UNCH
4850	----	----	----/80.80A	103.30B/80.80A	----	84.20 - 27.50	.2866	----	----	1	----	74 UNCH
4860	----	----	----/78.60A	100.60B/78.60A	----	82.00 - 26.80	.2805	----	----	----	----	2 UNCH
4870	----	----	----/76.50A	98.60B/76.50A	----	79.80 - 26.20	.2745	----	----	----	----	2 UNCH
4875	----	----	----/75.50A	97.10B/75.50A	----	78.70 - 25.90	.2715	----	----	----	----	30 UNCH
4880	----	----	----/74.50A	95.90B/74.50A	----	77.70 - 25.50	.2687	----	----	----	----	8 UNCH
4885	----	----	----/73.50A	94.70B/73.50A	----	76.60 - 25.30	.2657	----	----	----	----	2 UNCH
4895	----	----	----/71.60A	92.10B/71.60A	----	74.60 NEW	.2600	----	----	2	----	2 + 2
4900	74.20	74.20	76.40/70.60A	90.90B/70.60A	----	73.60 - 24.30	.2571	----	----	26	----	469 + 3
4905	----	----	----/69.70A	89.10B/69.70A	----	72.60 - 24.10	.2543	----	----	----	----	21 UNCH
4915	----	----	----/67.80A	87.20B/67.80A	----	70.70 - 23.50	.2488	----	----	----	----	50 UNCH
4920	----	----	----/66.90A	86.10B/66.90A	----	69.70 - 23.20	.2460	----	----	----	----	66 UNCH
4925	----	----	----/66.00A	84.90B/66.00A	----	68.80 - 22.90	.2434	----	----	----	----	102 UNCH
4930	----	----	----/65.10A	83.90B/65.10A	----	67.90 - 22.60	.2407	----	----	----	----	2 UNCH
4935	----	----	----/64.30A	82.80B/64.30A	----	67.00 - 22.40	.2381	----	----	----	----	1 UNCH
4945	----	----	----/62.60A	80.50B/62.60A	----	65.20 - 21.90	.2328	----	----	----	----	1 UNCH
4950	----	----	----/61.70A	79.50B/61.70A	----	64.30 - 21.60	.2302	----	----	25	----	352 + 17
4955	----	----	----/60.90A	78.40B/60.90A	----	63.50 - 21.30	.2277	----	----	----	----	1 UNCH
4960	----	----	----/60.20A	76.80B/60.20A	----	62.70 - 21.00	.2253	----	----	----	----	48 UNCH
4965	----	----	----/59.30A	76.00B/59.30A	----	61.80 - 20.80	.2226	----	----	----	----	5 UNCH
4970	----	----	----/58.60A	75.30B/58.60A	----	61.00 - 20.60	.2202	----	----	----	----	1 UNCH
4975	61.00	61.00	61.00/57.80A	74.40B/57.80A	----	60.20 - 20.30	.2178	----	----	4	----	331 + 4
4980	----	----	----/57.00A	73.30B/57.00A	----	59.40 - 20.10	.2153	----	----	----	----	3 UNCH
4985	----	----	----/56.30A	72.20B/56.30A	----	58.60 - 19.80	.2129	----	----	----	----	1 UNCH
5000	68.40	68.40	70.40/54.10A	70.40/54.10A	----	56.40 - 19.00	.2060	----	----	14	----	920 + 4
5005	----	----	----/53.50A	68.60B/53.50A	----	55.60 - 18.80	.2036	----	----	----	----	3 UNCH
5010	----	----	----/52.80A	67.70B/52.80A	----	54.90 - 18.50	.2014	----	----	----	----	10 UNCH
5050	----	----	----/47.50A	60.90B/47.50A	----	49.50 - 16.60	.1842	----	----	----	----	391 UNCH
5055	----	----	----/46.90A	60.00B/46.90A	----	48.80 - 16.50	.1820	----	----	----	----	5 UNCH
5060	----	----	----/46.30A	59.40B/46.30A	----	48.20 - 16.20	.1801	----	----	----	----	5 UNCH
5070	----	----	----/45.10A	57.70B/45.10A	----	47.00 - 15.80	.1761	----	----	----	----	8 UNCH
5075	----	----	----/44.60A	56.40B/44.60A	----	46.30 - 15.60	.1740	----	----	----	----	1 UNCH
5080	46.40	46.40	46.40/44.00A	56.20B/44.00A	----	45.70 - 15.40	.1720	----	----	3	----	14 + 3
5090	----	----	----/42.90A	54.70B/42.90A	----	44.60 - 15.00	.1683	----	----	----	----	3 UNCH
5095	----	----	----/42.40A	54.10B/42.40A	----	44.00 - 14.80	.1664	----	----	----	----	15 UNCH
5100	50.00	50.00	50.00/41.80A	53.30B/41.80A	----	43.40 - 14.70	.1644	----	----	46	----	448 + 36
5105	----	----	----/41.30A	52.60B/41.30A	----	42.90 - 14.40	.1627	----	----	----	----	4 UNCH
5110	----	----	----/40.80A	51.90B/40.80A	----	42.30 - 14.30	.1608	----	----	----	----	1 UNCH
5120	----	----	----/39.80A	50.50B/39.80A	----	41.20 - 13.90	.1571	----	----	----	----	3 UNCH
5130	----	----	----/38.80A	49.30B/38.80A	----	40.20 - 13.60	.1537	----	----	----	----	4 UNCH
5140	----	----	----/37.90A	47.80B/37.90A	----	39.20 - 13.20	.1503	----	----	----	----	4 UNCH
5150	----	----	----/36.90A	46.80B/36.90A	----	38.20 - 12.90	.1469	----	----	25	----	457 + 18
5155	----	----	----/36.50A	46.20B/36.50A	----	37.70 - 12.80	.1452	----	----	----	----	2 UNCH
5160	----	----	----/36.00A	45.60B/36.00A	----	37.20 - 12.60	.1435	----	----	----	----	2 UNCH
5165	----	----	----/35.60A	45.00B/35.60A	----	36.80 - 12.40	.1421	----	----	----	----	24 UNCH
5170	36.30	36.30	36.30/35.20A	44.30B/35.20A	----	36.30 - 12.30	.1404	----	----	5	----	8 + 1
5175	----	----	----/34.70A	43.50B/34.70A	----	35.90 - 12.10	.1390	----	----	----	----	15 UNCH
5185	35.00	35.00	35.00/33.90A	42.80B/33.90A	----	35.00 NEW	.1359	----	----	5	----	5 + 5
5190	33.70	33.70	35.50/33.50A	42.20B/33.50A	----	34.60 - 11.60	.1344	----	----	35	----	10004 UNCH
5195	----	----	----/33.10A	41.60B/33.10A	----	34.20 - 11.40	.1330	----	----	----	----	50 UNCH
5200	37.50	37.50	37.50/32.30	40.70B/32.30	----	33.80 - 11.30	.1316	----	----	145	----	10034 + 15
5205	35.00	35.00	35.00/32.30A	40.80B/32.30A	----	33.40 NEW	.1301	----	----	1	----	1 + 1
5215	----	----	----/31.50A	39.60B/31.50A	----	32.60 - 10.80	.1273	----	----	----	----	7 UNCH
5230	----	----	----/30.40A	38.10B/30.40A	----	31.50 - 10.30	.1233	----	----	----	----	402 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5235	----	----	----/30.10A	37.60B/30.10A	----	31.20 - 10.10	.1222	----	----	----	----	1 UNCH
5240	----	----	----/29.70A	37.10B/29.70A	----	30.80 - 10.00	.1208	----	----	----	----	2 UNCH
5245	----	----	----/29.40A	36.70B/29.40A	----	30.50 - 9.80	.1196	----	----	----	----	23 UNCH
5250	30.80	30.80	30.80/29.10A	36.40B/29.10A	----	30.10 - 9.70	.1182	----	----	12	----	649 + 4
5270	30.00	30.00	30.00/27.80A	34.60B/27.80A	----	28.70 - 9.30	.1132	----	----	2	----	7 + 2
5275	31.30	31.30	31.30/27.50A	34.20B/27.50A	----	28.40 - 9.10	.1120	----	----	1	----	201 + 1
5290	----	----	----/26.60A	33.10B/26.60A	----	27.40 - 8.80	.1084	----	----	----	----	9 UNCH
5295	----	----	----/26.30A	32.70B/26.30A	----	27.10 - 8.70	.1073	----	----	----	----	8 UNCH
5300	29.50	29.50	29.50/25.90A	32.30B/25.90A	----	26.80 - 8.60	.1062	----	----	92	----	1008 - 1
5305	----	----	----/25.70A	31.80B/25.70A	----	26.50 - 8.40	.1051	----	----	----	----	11 UNCH
5310	----	----	----/25.40A	31.30B/25.40A	----	26.20 - 8.30	.1039	----	----	----	----	6 UNCH
5315	----	----	----/25.10A	30.90B/25.10A	----	25.90 - 8.20	.1028	----	----	----	----	5 UNCH
5325	----	----	----/24.60A	30.20B/24.60A	----	25.30 - 8.00	.1006	----	----	----	----	1 UNCH
5330	----	----	----/24.30A	28.80B/24.30A	----	25.00 - 8.00	.0995	----	----	----	----	20 UNCH
5335	----	----	----/24.00A	27.80B/24.00A	----	24.70 - 7.90	.0984	----	----	----	----	4 UNCH
5340	----	----	----/23.80A	27.50B/23.80A	----	24.50 - 7.70	.0976	----	----	----	----	7 UNCH
5350	----	----	----/23.30A	26.90B/23.30A	----	23.90 - 7.60	.0954	----	----	1	----	351 UNCH
5355	----	----	----/23.00A	26.60B/23.00A	----	23.70 - 7.40	.0946	----	----	----	----	6 UNCH
5365	----	----	----/22.60A	26.00B/22.60A	----	23.20 - 7.20	.0927	----	----	----	----	22 UNCH
5370	----	----	----/22.30A	25.80B/22.30A	----	22.90 - 7.20	.0916	----	----	----	----	18 UNCH
5375	----	----	----/22.10A	25.50B/22.10A	----	22.70 - 7.00	.0908	----	----	----	----	5 UNCH
5380	----	----	----/21.90A	25.20B/21.90A	----	22.40 - 7.00	.0897	----	----	----	----	2 UNCH
5395	----	----	----/21.20A	24.40B/21.20A	----	21.70 - 6.70	.0870	----	----	----	----	4 UNCH
5400	----	----	----/21.00A	24.10B/21.00A	----	21.50 - 6.60	.0862	----	----	2	----	2275 - 1
5420	----	----	----/20.20A	23.20B/20.20A	----	20.60 - 6.30	.0828	----	----	----	----	83 UNCH
5425	----	----	----/20.00A	22.90B/20.00A	----	20.40 - 6.20	.0820	----	----	----	----	50 UNCH
5440	----	----	----/19.40A	22.20B/19.40A	----	19.80 - 6.00	.0796	----	----	----	----	15 UNCH
5450	----	----	----/19.00A	21.80B/19.00A	----	19.40 - 5.80	.0781	----	----	----	----	29 UNCH
5455	----	----	----/18.80A	21.60B/18.80A	----	19.20 - 5.80	.0773	----	----	----	----	39 UNCH
5460	----	----	----/18.70A	21.30B/18.70A	----	19.00 - 5.70	.0765	----	----	----	----	2 UNCH
5470	----	----	----/18.30A	20.90B/18.30A	----	18.70 - 5.50	.0753	----	----	----	----	3 UNCH
5475	----	----	----/18.20A	20.70B/18.20A	----	18.50 - 5.50	.0745	----	----	----	----	26 UNCH
5490	----	----	----/17.70A	20.10B/17.70A	----	17.90 - 5.30	.0722	----	----	----	----	1 UNCH
5500	----	----	----/17.30A	19.70B/17.30A	----	17.60 - 5.20	.0710	----	----	156	----	3093 - 71
5505	----	----	----/17.20A	19.50B/17.20A	----	17.40 - 5.10	.0702	----	----	----	----	3 UNCH
5510	----	----	----/17.00A	19.30B/17.00A	----	17.30 - 5.00	.0697	----	----	----	----	1 UNCH
5515	----	----	----/16.90A	19.10B/16.90A	----	17.10 - 5.00	.0690	----	----	----	----	4 UNCH
5520	----	----	----/16.80A	19.00B/16.80A	----	17.00 - 4.90	.0685	----	----	----	----	1 UNCH
5525	----	----	----/16.60A	18.80B/16.60A	----	16.80 - 4.90	.0678	----	----	1	----	7 + 1
5535	----	----	----/16.30A	18.40B/16.30A	----	16.50 - 4.70	.0666	----	----	----	----	1 UNCH
5540	----	----	----/16.20A	18.30B/16.20A	----	16.30 - 4.70	.0658	----	----	----	----	19 UNCH
5550	----	----	----/15.90A	17.90B/15.90A	----	16.10 - 4.50	.0649	----	----	----	----	45 UNCH
5555	----	----	----/15.80A	17.80B/15.80A	----	15.90 - 4.50	.0641	----	----	----	----	5 UNCH
5560	----	----	----/15.60A	17.60B/15.60A	----	15.80 - 4.50	.0637	----	----	----	----	2 UNCH
5570	----	----	----/15.40A	17.30B/15.40A	----	15.50 - 4.40	.0625	----	----	----	----	1 UNCH
5575	----	----	----/15.30A	17.10B/15.30A	----	15.40 - 4.30	.0621	----	----	----	----	1 UNCH
5590	15.70	15.70	15.70/14.90A	16.70B/14.90A	----	15.00 - 4.20	.0604	----	----	5	----	26 - 5
5595	----	----	----/14.80A	16.50B/14.80A	----	14.90 - 4.10	.0600	----	----	----	----	4 UNCH
5600	----	----	----/14.70A	16.40B/14.70A	----	14.80 - 4.00	.0595	----	----	32	----	923 + 8
5605	----	----	----/14.60A	16.20B/14.60A	----	14.70 - 3.90	.0591	----	----	----	----	3 UNCH
5620	----	----	----/14.20A	15.80B/14.20A	----	14.30 - 3.90	.0575	----	----	----	----	20 UNCH
5625	----	----	----/14.10A	15.70B/14.10A	----	14.20 - 3.80	.0571	----	----	----	----	2 UNCH
5635	14.70	14.70	15.40B/13.90A	15.40B/13.90A	----	14.00 NEW	.0562	----	----	10	----	10 + 10
5645	----	----	----/13.70A	15.20B/13.70A	----	13.80 - 3.60	.0554	----	----	----	----	5 UNCH
5650	----	----	----/13.60A	15.00B/13.60A	----	13.70 - 3.50	.0549	----	----	----	----	744 UNCH
5655	----	----	----/13.50A	14.90B/13.50A	----	13.60 - 3.50	.0545	----	----	----	----	4 UNCH
5665	----	----	----/13.30A	14.70B/13.30A	----	13.40 - 3.40	.0537	----	----	----	----	3 UNCH
5675	----	----	----/13.10A	14.40B/13.10A	----	13.20 - 3.30	.0528	----	----	----	----	8 UNCH
5690	----	----	----/12.80A	14.10B/12.80A	----	12.90 - 3.20	.0516	----	----	----	----	3 UNCH
5700	----	----	----/12.70A	13.90B/12.70A	----	12.70 - 3.20	.0507	----	----	----	----	1012 UNCH
5710	----	----	----/12.50A	13.70B/12.50A	----	12.50 - 3.10	.0499	----	----	----	----	2 UNCH
5730	----	----	----/12.10A	13.20B/12.10A	----	12.10 - 3.00	.0483	----	----	----	----	2 UNCH
5750	----	----	----/11.80A	12.90B/11.80A	----	11.80 - 2.90	.0470	----	----	1	----	194 + 1
5760	----	----	----/11.70A	12.70B/11.70A	----	11.60 - 2.80	.0462	----	----	----	----	1 UNCH
5770	----	----	----/11.50A	12.50B/11.50A	----	11.50 - 2.70	.0457	----	----	----	----	2 UNCH
5775	----	----	----/11.50A	12.40B/11.50A	----	11.40 - 2.70	.0453	----	----	----	----	162 UNCH
5800	----	----	----/11.10A	12.00B/11.10A	----	11.00 - 2.60	.0436	----	----	32	----	616 - 30
5850	----	----	----/10.50A	11.20B/10.50A	----	10.30 - 2.40	.0406	----	----	1	----	451 + 1
5900	----	----	----/9.90A	10.50B/9.90A	----	9.80 - 2.10	.0383	----	----	1	----	818 UNCH
5950	----	----	----/9.40A	9.90B/9.40A	----	9.20 - 2.00	.0358	----	----	----	----	51 UNCH
6000	9.20	9.20	9.20/8.90A	9.30B/8.90A	----	8.80 - 1.80	.0339	----	----	1	----	1339 - 1
6075	----	----	----/8.30A	8.60B/8.30A	----	8.20 - 1.50	.0312	----	----	----	----	1 UNCH
6100	----	----	----/8.10A	8.40B/8.10A	----	8.00 - 1.50	.0304	----	----	----	----	186 UNCH
6200	----	----	----/7.50A	7.60B/7.50A	----	7.30 - 1.30	.0273	----	----	----	----	245 UNCH
6300	----	----	----/7.00A	7.00B/7.00A	----	6.80 - 1.10	.0250	----	----	----	----	159 UNCH
6400	----	----	----/6.60A	6.40B/6.60A	----	6.30 - 1.10	.0228	----	----	----	----	222 UNCH
6500	----	----	----/6.20A	5.90B/6.20A	----	6.00 - 0.90	.0213	----	----	----	----	533 UNCH
6600	5.90	5.90	5.90/5.90	5.90/5.90	----	5.70 - 0.80	.0198	----	----	32	----	49 + 28
6650	----	----	----/5.80A	5.40B/5.80A	----	5.60 - 0.70	.0193	----	----	----	----	9 UNCH
6750	----	----	----/5.50A	5.10B/5.50A	----	5.30 - 0.70	.0180	----	----	----	----	11 UNCH
6775	----	----	----/5.50A	5.10B/5.50A	----	5.30 - 0.60	.0179	----	----	----	----	1 UNCH
6800	----	----	----/5.40A	5.00B/5.40A	----	5.20 - 0.60	.0175	----	----	2	----	170 UNCH
7000	----	----	----/5.00A	4.40B/5.00A	----	4.70 - 0.60	.0153	----	----	70	----	161 + 60
8000	----	----	----	2.90B/3.60A	----	3.20 - 0.40	.0093	----	----	----	----	126 UNCH
TOTAL										941		45694 + 214
OCT26												
3600	----	----	----/934.20A	973.60B/934.20A	----	951.70 - 83.20	.9395	----	----	----	----	12 UNCH
3900	----	----	----/659.90A	696.20B/659.90A	----	675.30 - 78.40	.8743	----	----	----	----	40 UNCH
4300	----	----	----/347.50A	381.30B/347.50A	----	361.40 - 62.60	.6855	----	----	----	----	102 UNCH
4400	----	----	----/286.10A	316.50B/286.10A	----	298.80 - 57.10	.6199	----	----	----	----	8 UNCH
4405	----	----	----/283.30A	313.40B/283.30A	----	295.80 - 56.80	.6165	----	----	----	----	2 UNCH
4450	----	----	----/258.80A	303.70B/258.80A	----	270.40 - 54.00	.5854	----	----	----	----	5 UNCH
4480	----	----	----/243.30A	286.30B/243.30A	----	254.30 - 52.20	.5644	----	----	----	----	1 UNCH
4490	----	----	----/238.20A	280.60B/238.20A	----	249.10 - 51.50	.5573	----	----	----	----	10 UNCH
4500	----	----	----/233.30A	278.40B/233.30A	----	243.90 - 51.00	.5503	----	----	----	----	33 UNCH
4515	----	----	----/226.30A	266.90B/226.30A	----	236.40 - 50.00	.5397	----	----	----	----	1 UNCH
4535	----	----	----/216.80A	256.80B/216.80A	----	226.60 - 48.70	.5255	----	----	----	----	5 UNCH
4540	----	----	----/214.60A	256.30B/214.60A	----	224.20 - 48.40	.5220	----	----	----	----	6 UNCH
4545	----	----	----/212.40A	255.30B/212.40A	----	221.80 - 48.10	.5184	----	----	----	----	2 UNCH
4550	----	----	----/210.00A	254.10B/210.00A	----	219.50 - 47.70	.5149	----	----	40	----	41 + 40
4560	----	----	----/205.60A	247.60B/205.60A	----	214.80 - 47.20	.5079	----	----	----	----	7 UNCH
4565	----	----	----/203.50A	244.60B/203.50A	----	212.50 - 46.80	.5043	----	----	----	----	13 UNCH
4570	----	----	----/201.30A	241.90B/201.30A	----	210.20 - 46.50	.5008	----	----	3	----	8 + 3
4575	----	----	----/199.10A	240.30B/199.10A	----	207.90 - 46.30	.4973	----	----	----	----	3 UNCH
4580	----	----	----/197.00A	237.10B/197.00A	----	205.70 - 45.90	.4938	----	----	----	----	70 UNCH
4585	----	----	----/194.80A	235.10B/194.80A	----	203.50 - 45.60	.4903	----	----	----	----	1 UNCH
4590	----	----	----/192.90A	232.70B/192.90A	----	201.30 - 45.30	.4868	----	----	----	----	9 UNCH
4595	----	----	----/190.80A	230.80B/190.80A	----	199.10 - 45.00	.4833	----	----	----	----	3 UNCH
4600	207.00	207.00	207.00/188.70A	227.70B/188.70A	----	196.90 - 44.70	.4798	----	----	2	----	110 + 2
4605	----	----	----/186.60A	224.40B/186.60A	----	194.80 - 44.30	.4763	----	----	----	----	9 UNCH
4610	----	----	----/184.70A	223.10B/184.70A	----	192.60 - 44.10	.4728	----	----	----	----	15 UNCH
4615	----	----	----/182.70A	220.50B/182.70A	----	190.50 - 43.80	.4693	----	----	----	----	9 UNCH
4620	----	----	----/180.70A	218.70B/180.70A	----	188.40 - 43.50	.4659	----	----	----	----	15 UNCH
4625	----	----	----/178.70A	216.90B/178.70A	----	186.30 - 43.20	.4624	----	----	55	----	33 - 5
4630	----	----	----/176.80A	214.30B/176.80A	----	184.30 - 42.80	.4589	----	----	----	----	54 UNCH
4635	----	----	----/174.90A	213.00B/174.90A	----	182.20 - 42.60	.4555	----	----	----	----	9 UNCH
4640	177.90	177.90	177.90/173.00A	210.20B/173.00A	----	180.20 - 42.30	.4520	----	----	4	----	5 UNCH
4645	----	----	----/171.10A	208.00B/171.10A	----	178.20 - 42.00	.4486	----	----	----	----	1 UNCH
4650	----	----	----/169.20A	206.30B/169.20A	----	176.20 - 41.70	.4452	----	----	----	----	406 UNCH
4655	----	----	----/167.40A	203.50B/167.40A	----	174.30 - 41.40	.4418	----	----	3	----	5 - 1
4660	----	----	----/165.60A	201.30B/165.60A	----	172.30 - 41.10	.4384	----	----	----	----	3 UNCH
4670	----	----	----/161.80A	197.40B/161.80A	----	168.50 - 40.50	.4316	----	----	3	----	4 UNCH
4675	----	----	----/160.10A	195.60B/160.10A	----	166.60 - 40.20	.4282	----	----	----	----	3 UNCH
4680	----	----	----/158.30A	193.30B/158.30A	----	164.80 NEW	.4249	----	----	1	----	1 + 1
4690	----	----	----/154.80A	189.10B/154.80A	----	161.10 - 39.30	.4182	----	----	----	----	4 UNCH
4695	----	----	----/153.20A	186.70B/153.20A	----	159.30 - 39.00	.4149	----	----	----	----	2 UNCH
4700	----	----	----/151.50A	185.30B/151.50A	----	157.50 - 38.70	.4116	----	----	20	----	159 - 10
4710	----	----	----/148.20A	181.30B/148.20A	----	153.90 - 38.10	.4050	----	----	----	----	2 UNCH
4715	----	----	----/146.50A	179.50B/146.50A	----	152.20 - 37.80	.4017	----	----	----	----	2 UNCH
4725	----	----	----/143.30A	174.90B/143.30A	----	148.80 - 37.20	.3952	----	----	----	----	1 UNCH
4730	----	----	----/141.70A	173.60B/141.70A	----	147.10 - 36.90	.3920	----	----	----	----	2 UNCH
4735	----	----	----/140.10A	171.70B/140.10A	----	145.40 - 36.70	.3888	----	----	----	----	1 UNCH
4750	----	----	----/135.50A	166.30B/135.50A	----	140.50 - 35.80	.3792	----	----	----	----	36 UNCH
4755	----	----	----/134.00A	164.20B/134.00A	----	139.00 - 35.40	.3761	----	----	----	----	76 UNCH
4760	----	----	----/132.50A	161.50B/132.50A	----	137.40 - 35.10	.3729	----	----	----	----	1 UNCH
4765	----	----	----/131.00A	160.70B/131.00A	----	135.80 - 34.90	.3698	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
4775	----	----	----/128.10A	157.30B/128.10A	----	132.80 - 34.20	.3636	----	----	----	----	25 UNCH
4785	----	----	----/125.30A	154.00B/125.30A	----	129.80 - 33.60	.3575	----	----	----	----	3 UNCH
4790	----	----	----/123.90A	152.10B/123.90A	----	128.30 - 33.40	.3544	----	----	----	----	7 UNCH
4795	----	----	----/122.50A	150.40B/122.50A	----	126.90 - 33.00	.3515	----	----	----	----	3 UNCH
4800	----	----	----/121.10A	148.80B/121.10A	----	125.40 - 32.80	.3484	----	----	----	----	499 UNCH
4805	----	----	----/119.80A	147.10B/119.80A	----	124.00 - 32.50	.3454	----	----	----	----	1 UNCH
4810	----	----	----/118.50A	145.50B/118.50A	----	122.60 - 32.20	.3425	----	----	----	----	3 UNCH
4815	----	----	----/117.10A	143.90B/117.10A	----	121.20 - 31.90	.3395	----	----	----	----	36 UNCH
4820	124.00	124.00	124.00/115.70A	142.20B/115.70A	----	119.80 - 31.60	.3366	----	----	1	----	4 + 1
4825	----	----	----/114.40A	140.90B/114.40A	----	118.50 - 31.30	.3337	----	----	----	----	105 UNCH
4830	----	----	----/113.10A	139.10B/113.10A	----	117.20 - 30.90	.3308	----	----	----	----	1 UNCH
4835	----	----	----/112.00A	137.70B/112.00A	----	115.80 - 30.70	.3279	----	----	----	----	2 UNCH
4840	----	----	----/110.60A	136.20B/110.60A	----	114.50 - 30.40	.3250	----	----	----	----	1 UNCH
4845	----	----	----/109.40A	134.70B/109.40A	----	113.30 - 30.00	.3223	----	----	----	----	2 UNCH
4850	----	----	----/108.20A	133.20B/108.20A	----	112.00 - 29.80	.3195	----	----	----	----	54 UNCH
4860	----	----	----/105.80A	130.30B/105.80A	----	109.50 - 29.20	.3139	----	----	----	----	100 UNCH
4865	----	----	----/104.60A	128.80B/104.60A	----	108.30 - 28.90	.3112	----	----	----	----	2 UNCH
4870	----	----	----/103.40A	127.20B/103.40A	----	107.00 - 28.60	.3083	----	----	----	----	1 UNCH
4880	----	----	----/101.20A	124.50B/101.20A	----	104.70 - 28.00	.3030	----	----	----	----	1 UNCH
4885	----	----	----/100.10A	123.20B/100.10A	----	103.50 - 27.70	.3003	----	----	----	----	50 UNCH
4900	----	----	----/96.70A	119.10B/96.70A	----	100.00 - 27.00	.2923	----	----	----	----	1431 UNCH
4905	----	----	----/95.60A	117.00B/95.60A	----	98.90 - 26.70	.2897	----	----	----	----	20 UNCH
4910	----	----	----/94.70A	116.20B/94.70A	----	97.80 - 26.40	.2871	----	----	----	----	1 UNCH
4925	----	----	----/91.50A	112.60B/91.50A	----	94.50 - 25.70	.2794	----	----	----	----	20 UNCH
4935	----	----	----/89.40A	109.80B/89.40A	----	92.40 - 25.20	.2744	----	----	----	----	5 UNCH
4945	----	----	----/87.50A	107.00B/87.50A	----	90.40 - 24.60	.2695	----	----	----	----	3 UNCH
4950	----	----	----/86.40A	106.50B/86.40A	----	89.40 - 24.40	.2671	----	----	----	----	875 UNCH
4970	----	----	----/82.70A	101.90B/82.70A	----	85.50 - 23.40	.2576	----	----	----	----	1 UNCH
4975	----	----	----/81.70A	100.70B/81.70A	----	84.50 - 23.20	.2551	----	----	----	----	1 UNCH
5000	93.60	93.60	93.60/77.30	95.00B/77.30	----	80.00 - 22.00	.2438	----	----	26	----	1478 - 15
5025	----	----	----/73.30A	90.10B/73.30A	----	75.70 - 20.90	.2329	----	----	----	----	2 UNCH
5045	----	----	----/70.10A	86.20B/70.10A	----	72.50 - 19.90	.2245	----	----	----	----	9 UNCH
5050	----	----	----/69.30A	85.20B/69.30A	----	71.70 - 19.70	.2225	----	----	----	----	259 UNCH
5055	71.60	71.60	71.60/68.60A	84.30B/68.60A	----	71.00 NEW	.2206	----	----	4	----	4 + 4
5075	----	----	----/65.80A	80.60B/65.80A	----	68.00 - 18.50	.2126	----	----	----	----	4 UNCH
5080	----	----	----/65.00A	79.70B/65.00A	----	67.20 - 18.40	.2106	----	----	----	----	4 UNCH
5085	----	----	----/64.40A	78.90B/64.40A	----	66.50 - 18.20	.2087	----	----	----	----	3 UNCH
5100	----	----	----/62.10A	76.40B/62.10A	----	64.40 - 17.60	.2030	----	----	----	----	789 UNCH
5125	----	----	----/59.20A	72.30B/59.20A	----	60.90 - 16.70	.1936	----	----	----	----	1 UNCH
5140	----	----	----/57.20A	70.00B/57.20A	----	58.90 - 16.30	.1882	----	----	----	----	5 UNCH
5150	----	----	----/56.00A	68.40B/56.00A	----	57.60 - 16.00	.1847	----	----	----	----	36 UNCH
5155	----	----	----/55.40A	67.70B/55.40A	----	57.00 - 15.80	.1830	----	----	----	----	3 UNCH
5160	----	----	----/55.00A	67.00B/55.00A	----	56.40 - 15.60	.1813	----	----	----	----	1 UNCH
5170	----	----	----/53.70A	65.60B/53.70A	----	55.20 - 15.30	.1779	----	----	----	----	30 UNCH
5180	54.90	54.90	56.40/52.70A	64.20B/52.70A	----	54.00 NEW	.1746	----	----	5	----	5 + 5
5195	----	----	----/51.00A	62.00B/51.00A	----	52.30 - 14.60	.1698	----	----	----	----	20 UNCH
5200	----	----	----/50.30A	61.50B/50.30A	----	51.70 - 14.50	.1681	----	----	----	----	1663 UNCH
5205	----	----	----/50.10A	60.80B/50.10A	----	51.20 - 14.30	.1667	----	----	----	----	1 UNCH
5250	----	----	----/45.80A	55.20B/45.80A	----	46.70 - 12.90	.1536	----	----	----	----	575 UNCH
5255	----	----	----/45.40A	54.70B/45.40A	----	46.30 - 12.70	.1523	----	----	----	----	1 UNCH
5270	----	----	----/44.00A	53.00B/44.00A	----	44.90 - 12.30	.1482	----	----	----	----	6 UNCH
5300	47.00	47.00	47.00/41.50A	49.80B/41.50A	----	42.30 - 11.40	.1404	----	----	50	----	1006 UNCH
5305	----	----	----/41.10A	49.30B/41.10A	----	41.90 - 11.30	.1392	----	----	----	----	1 UNCH
5310	----	----	----/40.70A	48.80B/40.70A	----	41.50 - 11.20	.1380	----	----	----	----	2 UNCH
5315	----	----	----/40.30A	48.30B/40.30A	----	41.10 - 11.00	.1367	----	----	----	----	4 UNCH
5320	----	----	----/40.00A	47.80B/40.00A	----	40.70 - 10.90	.1355	----	----	----	----	2 UNCH
5325	----	----	----/39.60A	47.30B/39.60A	----	40.30 - 10.80	.1343	----	----	----	----	9 UNCH
5345	39.10	39.10	39.10/38.20A	45.50B/38.20A	----	38.80 NEW	.1297	----	----	7	----	7 + 7
5350	----	----	----/37.80A	45.00B/37.80A	----	38.40 - 10.10	.1285	----	----	----	----	4 UNCH
5355	----	----	----/37.50A	44.60B/37.50A	----	38.00 - 10.00	.1273	----	----	----	----	5 UNCH
5365	----	----	----/36.80A	43.70B/36.80A	----	37.30 - 9.80	.1251	----	----	----	----	1 UNCH
5395	----	----	----/34.80A	41.10B/34.80A	----	35.20 - 9.20	.1186	----	----	----	----	2 UNCH
5400	----	----	----/34.50A	40.80B/34.50A	----	34.80 - 9.10	.1175	----	----	1	----	652 + 1
5410	----	----	----/33.80A	39.90B/33.80A	----	34.20 - 8.90	.1155	----	----	----	----	1 UNCH
5420	----	----	----/33.20A	39.20B/33.20A	----	33.50 - 8.80	.1134	----	----	----	----	2 UNCH
5435	----	----	----/32.40A	38.00B/32.40A	----	32.60 - 8.50	.1105	----	----	----	----	226 UNCH
5440	----	----	----/32.10A	37.60B/32.10A	----	32.30 - 8.40	.1096	----	----	----	----	5 UNCH
5450	----	----	----/31.50A	36.80B/31.50A	----	31.80 - 8.10	.1079	----	----	----	----	67 UNCH
5455	----	----	----/31.30A	36.50B/31.30A	----	31.50 - 8.10	.1070	----	----	----	----	175 UNCH
5460	----	----	----/31.00A	36.10B/31.00A	----	31.20 - 8.00	.1060	----	----	----	----	2 UNCH
5475	----	----	----/30.20A	35.20B/30.20A	----	30.40 - 7.70	.1034	----	----	----	----	1 UNCH
5480	----	----	----/30.00A	34.90B/30.00A	----	30.20 - 7.60	.1027	----	----	----	----	2 UNCH
5485	----	----	----/29.70A	33.30B/29.70A	----	29.90 - 7.60	.1018	----	----	----	----	25 UNCH
5500	----	----	----/29.00A	32.50B/29.00A	----	29.20 - 7.30	.0994	----	----	14	----	4648 + 14
5545	----	----	----/26.90A	29.70B/26.90A	----	27.20 - 6.50	.0927	----	----	----	----	5 UNCH
5550	----	----	----/26.70A	30.00B/26.70A	----	26.90 - 6.50	.0918	----	----	----	----	280 UNCH
5575	----	----	----/25.70A	28.20B/25.70A	----	25.90 - 6.20	.0884	----	----	----	----	3 UNCH
5590	----	----	----/25.10A	27.90B/25.10A	----	25.30 - 6.00	.0864	----	----	----	----	7 UNCH
5600	----	----	----/24.70A	26.90B/24.70A	----	24.90 - 5.80	.0851	----	----	1	----	231 + 1
5610	----	----	----/24.30A	26.40B/24.30A	----	24.50 - 5.70	.0838	----	----	----	----	1 UNCH
5615	----	----	----/24.10A	26.70B/24.10A	----	24.30 - 5.70	.0831	----	----	----	----	5 UNCH
5640	----	----	----/23.30A	25.60B/23.30A	----	23.30 - 5.40	.0798	----	----	----	----	2 UNCH
5650	23.50	23.50	23.50/22.90A	25.00B/22.90A	----	23.00 - 5.30	.0787	----	----	10	----	401 UNCH
5655	----	----	----/22.70A	24.80B/22.70A	----	22.80 - 5.20	.0781	----	----	----	----	2 UNCH
5660	----	----	----/22.60A	24.60B/22.60A	----	22.60 - 5.20	.0774	----	----	----	----	1 UNCH
5675	----	----	----/22.10A	24.20B/22.10A	----	22.10 - 5.00	.0757	----	----	----	----	3 UNCH
5700	----	----	----/21.30A	22.90B/21.30A	----	21.30 - 4.70	.0730	----	----	----	----	206 UNCH
5710	----	----	----/21.00A	22.60B/21.00A	----	21.00 - 4.60	.0720	----	----	----	----	5 UNCH
5720	----	----	----/20.70A	22.30B/20.70A	----	20.70 - 4.50	.0709	----	----	----	----	87 UNCH
5750	----	----	----/19.90A	21.30B/19.90A	----	19.90 - 4.20	.0681	----	----	----	----	854 UNCH
5775	----	----	----/19.30A	20.50B/19.30A	----	19.20 - 4.00	.0657	----	----	----	----	52 UNCH
5800	----	----	----/18.60A	19.80B/18.60A	----	18.60 - 3.70	.0636	----	----	----	----	543 UNCH
5825	----	----	----/18.10A	19.20B/18.10A	----	18.00 - 3.60	.0615	----	----	----	----	1 UNCH
5850	----	----	----/17.50A	18.30B/17.50A	----	17.40 - 3.40	.0594	----	----	----	----	3 UNCH
5875	----	----	----/17.00A	17.90B/17.00A	----	16.90 - 3.30	.0576	----	----	----	----	2 UNCH
5900	----	----	----/16.60A	17.10B/16.60A	----	16.40 - 3.10	.0558	----	----	20	----	270 - 20
5925	----	----	----/16.10A	16.80B/16.10A	----	15.90 - 3.00	.0540	----	----	----	----	2 UNCH
5950	----	----	----/15.70A	16.10B/15.70A	----	15.50 - 2.80	.0525	----	----	----	----	2 UNCH
6000	----	----	----/14.90A	15.40B/14.90A	----	14.60 - 2.70	.0494	----	----	----	----	4369 UNCH
6100	----	----	----/13.60A	13.80B/13.60A	----	13.20 - 2.30	.0442	----	----	----	----	67 UNCH
6200	----	----	----/12.50A	12.50B/12.50A	----	12.10 - 2.00	.0401	----	----	----	----	38 UNCH
6300	----	----	----/11.70A	11.50B/11.70A	----	11.20 - 1.70	.0366	----	----	----	----	883 UNCH
6400	----	----	----/10.90A	10.70B/10.90A	----	10.50 - 1.50	.0338	----	----	----	----	1910 UNCH
6500	----	----	----/10.20A	9.90B/10.20A	----	9.90 - 1.30	.0314	----	----	----	----	4037 UNCH
6800	----	----	----/8.80A	8.40B/8.80A	----	8.50 - 0.80	.0258	----	----	----	----	1425 UNCH
6900	----	----	----/8.50A	8.00B/8.50A	----	8.20 - 0.70	.0245	----	----	----	----	1 UNCH
7000	----	----	----/8.20A	7.60B/8.20A	----	7.90 - 0.60	.0232	----	----	----	----	1646 UNCH
7500	----	----	----	6.10B/7.30A	----	6.70 - 0.30	.0184	----	----	----	----	1 UNCH
8000	----	----	----	5.50B/6.50A	----	5.90 - 0.20	.0153	----	----	----	----	218 UNCH
8500	----	----	----	4.70B/5.90A	----	5.30 - 0.10	.0131	----	----	----	----	208 UNCH
9000	----	----	----	4.10B/5.30A	----	4.70 - 0.20	.0112	----	----	----	----	86 UNCH
9500	----	----	----	3.60B/4.70A	----	4.20 - 0.20	.0096	----	----	2	----	21 + 2
13000	1.90	1.90	2.00/*1.90	2.00/*1.90	----	1.50 - 0.30	.0031	----	----	41	----	60 + 19
TOTAL										313		34314 + 49
NOV26												
4000	----	----	----	557.50B/728.60A	----	635.90 - 74.30	.8265	----	----	----	----	1 UNCH
4100	----	----	----	475.50B/650.40A	----	555.90 - 71.40	.7868	----	----	----	----	1 UNCH
4275	----	----	----/416.00A	433.10B/416.00A	----	429.00 - 64.30	.7017	----	----	----	----	38 UNCH
4300	----	----	----/399.70A	431.20B/399.70A	----	412.40 - 63.00	.6880	----	----	----	----	1 UNCH
4375	----	----	----/353.60A	382.40B/353.60A	----	365.40 - 58.70	.6454	----	----	----	----	38 UNCH
4400	----	----	----/337.60A	367.00B/337.60A	----	350.60 - 57.20	.6307	----	----	----	----	4 UNCH
4440	----	----	----/315.10A	348.20B/315.10A	----	327.60 - 54.90	.6070	----	----	----	----	1 UNCH
4500	----	----	----/283.60A	321.90B/283.60A	----	295.00 - 51.50	.5707	----	----	----	----	28 UNCH
4575	----	----	----/247.60A	289.90B/247.60A	----	256.90 - 47.90	.5246	----	----	----	----	1 UNCH
4585	----	----	----/243.30A	282.30B/243.30A	----	252.10 - 47.40	.5184	----	----	----	----	1 UNCH
4595	----	----	----/238.70A	276.20B/238.70A	----	247.40 - 46.90	.5123	----	----	----	----	1 UNCH
4600	----	----	----/236.50A	276.10B/236.50A	----	245.00 - 46.70	.5092	----	----	----	----	5 UNCH
4650	----	----	----/215.50A	250.60B/215.50A	----	222.60 - 44.30	.4786	----	----	2	----	32 + 2
4700	----	----	----/196.20A	232.70B/196.20A	----	202.10 - 41.80	.4485	----	----	----	----	10 UNCH
4750	----	----	----/178.40A	212.30B/178.40A	----	183.50 - 39.10	.4192	----	----	----	----	1 UNCH
4775	----	----	----/170.10A	202.50B/170.10A	----	174.90 - 37.80	.4050	----	----	----	----	31 UNCH
4800	175.50	175.50	175.50/162.30A	193.10B/162.30A	----	166.80 - 36.40	.3912	----	----	2	----	18 + 2
4850	----	----	----/147.40A	175.60B/147.40A	----	151.60 - 34.10	.3642	----	----	----	----	25 UNCH
4900	----	----	----/133.90A	159.90B/133.90A	----	137.80 - 31.60	.3386	----	----	----	----	451 UNCH
4915	----	----	----/130.10A	155.30B/130.10A	----	133.90 - 30.80	.3312	----	----	----	----	1 UNCH
4925	----	----	----/127.70A	152.20B/127.70A	----	131.40 - 30.20	.3264	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4935	----	----	----/125.20A	149.50B/125.20A	----	128.90 - 29.70	.3215	----	----	----	----	25 UNCH
4950	----	----	----/121.70A	145.10B/121.70A	----	125.20 - 28.90	.3143	----	----	----	----	150 UNCH
4970	----	----	----/117.10A	139.70B/117.10A	----	120.50 - 27.80	.3050	----	----	----	----	10 UNCH
5000	113.10	113.10	116.40/110.60A	131.90B/110.60A	----	113.80 - 26.20	.2914	----	----	3	----	98 + 2
5020	----	----	----/106.60A	127.00B/106.60A	----	109.50 - 25.20	.2826	----	----	----	----	30 UNCH
5050	----	----	----/100.80A	119.80B/100.80A	----	103.40 - 23.80	.2698	----	----	----	----	100 UNCH
5060	----	----	----/98.90A	117.80B/98.90A	----	101.40 - 23.40	.2656	----	----	----	----	2 UNCH
5080	----	----	----/95.30A	113.30B/95.30A	----	97.60 - 22.50	.2575	----	----	----	----	4 UNCH
5085	----	----	----/94.40A	112.10B/94.40A	----	96.70 - 22.20	.2555	----	----	----	----	4 UNCH
5120	----	----	----/88.60A	104.90B/88.60A	----	90.50 - 20.80	.2420	----	----	----	----	50 UNCH
5150	----	----	----/83.80A	99.20B/83.80A	----	85.50 - 19.80	.2308	----	----	----	----	100 UNCH
5175	----	----	----/80.20A	94.70B/80.20A	----	81.60 - 18.90	.2219	----	----	----	----	12 UNCH
5180	----	----	----/79.40A	93.90B/79.40A	----	80.90 - 18.70	.2203	----	----	----	----	5 UNCH
5185	----	----	----/78.80A	93.00B/78.80A	----	80.10 - 18.60	.2185	----	----	----	----	1 UNCH
5200	----	----	----/76.60A	90.40B/76.60A	----	77.90 - 18.10	.2134	----	----	----	----	31 UNCH
5230	----	----	----/72.60A	85.60B/72.60A	----	73.80 - 17.10	.2037	----	----	----	----	5 UNCH
5250	----	----	----/70.20A	82.50B/70.20A	----	71.10 - 16.60	.1974	----	----	----	----	11 UNCH
5275	----	----	----/67.20A	78.70B/67.20A	----	68.00 - 15.80	.1899	----	----	----	----	1 UNCH
5285	----	----	----/66.10A	77.30B/66.10A	----	66.80 - 15.60	.1869	----	----	----	----	1 UNCH
5300	----	----	----/64.40A	75.40B/64.40A	----	65.10 - 15.10	.1827	----	----	----	----	395 UNCH
5325	----	----	----/61.70A	71.90B/61.70A	----	62.30 - 14.50	.1758	----	----	----	----	1 UNCH
5330	----	----	----/61.20A	71.30B/61.20A	----	61.70 - 14.40	.1744	----	----	----	----	1 UNCH
5370	----	----	----/57.30A	66.50B/57.30A	----	57.60 - 13.50	.1640	----	----	----	----	5 UNCH
5400	----	----	----/54.60A	63.00B/54.60A	----	54.70 - 12.90	.1567	----	----	----	----	17 UNCH
5420	----	----	----/52.80A	60.90B/52.80A	----	52.90 - 12.50	.1520	----	----	1	----	14 UNCH
5450	----	----	----/50.50A	57.80B/50.50A	----	50.40 - 11.80	.1454	----	----	----	----	454 UNCH
5460	----	----	----/49.70A	57.00B/49.70A	----	49.60 - 11.60	.1433	----	----	----	----	10 UNCH
5500	----	----	----/46.80A	53.20B/46.80A	----	46.50 - 10.90	.1351	----	----	1	----	86 UNCH
5530	----	----	----/44.80A	50.60B/44.80A	----	44.30 - 10.40	.1292	----	----	----	----	1 UNCH
5535	----	----	----/44.50A	50.20B/44.50A	----	44.00 - 10.20	.1284	----	----	----	----	1 UNCH
5540	----	----	----/44.20A	49.80B/44.20A	----	43.70 - 10.10	.1275	----	----	----	----	1 UNCH
5545	----	----	----/43.80A	49.50B/43.80A	----	43.30 - 10.10	.1265	----	----	----	----	1 UNCH
5550	----	----	----/43.50A	49.10B/43.50A	----	43.00 - 10.00	.1256	----	----	----	----	3 UNCH
5555	----	----	----/43.20A	48.80B/43.20A	----	42.70 - 9.80	.1248	----	----	----	----	3 UNCH
5560	----	----	----/42.90A	48.30B/42.90A	----	42.30 - 9.80	.1238	----	----	----	----	4 UNCH
5565	----	----	----/42.60A	47.90B/42.60A	----	42.00 - 9.70	.1229	----	----	----	----	8 UNCH
5570	----	----	----/42.30A	47.50B/42.30A	----	41.70 - 9.60	.1221	----	----	----	----	20 UNCH
5575	41.70	41.70	41.70/41.70	47.10B/41.70	----	41.40 - 9.50	.1213	----	----	2	----	86 + 2
5600	----	----	----/40.50A	45.40B/40.50A	----	39.90 - 9.10	.1171	----	----	----	----	44 UNCH
5650	----	----	----/37.70A	41.90B/37.70A	----	37.10 - 8.30	.1093	----	----	----	----	1 UNCH
5655	----	----	----/37.60A	41.60B/37.60A	----	36.80 - 8.30	.1085	----	----	----	----	1 UNCH
5660	----	----	----/37.20A	39.50B/37.20A	----	36.50 - 8.20	.1077	----	----	----	----	1 UNCH
5665	----	----	----/37.00A	40.60B/37.00A	----	36.30 - 8.10	.1070	----	----	----	----	1 UNCH
5670	----	----	----/36.70A	38.10B/36.70A	----	36.00 - 8.10	.1062	----	----	----	----	2 UNCH
5675	----	----	----/36.50A	36.60B/36.50A	----	35.80 - 7.90	.1056	----	----	----	----	2 UNCH
5680	----	----	----/36.20A	36.40B/36.20A	----	35.50 - 7.90	.1048	----	----	----	----	39 UNCH
5685	----	----	----/36.00A	36.10B/36.00A	----	35.30 - 7.80	.1042	----	----	----	----	5 UNCH
5690	----	----	----/35.80A	35.80B/35.80A	----	35.00 - 7.80	.1034	----	----	----	----	18 UNCH
5695	----	----	----/35.50A	35.50B/35.50A	----	34.80 - 7.70	.1028	----	----	----	----	15 UNCH
5700	35.20	35.20	35.30B/35.20	35.30B/35.20	----	34.60 - 7.60	.1022	----	----	1	----	54 + 1
5710	----	----	----/34.80A	35.10B/34.80A	----	34.10 - 7.40	.1008	----	----	----	----	1 UNCH
5800	----	----	----/31.50A	31.00B/31.50A	----	30.30 - 6.30	.0898	----	----	----	----	80 UNCH
5825	----	----	----/30.60A	30.10B/30.60A	----	29.40 - 5.90	.0871	----	----	----	----	2 UNCH
5900	----	----	----/28.10A	26.40B/28.10A	----	26.80 - 5.20	.0794	----	----	----	----	1 UNCH
5925	----	----	----/27.40A	25.60B/27.40A	----	26.10 - 4.90	.0773	----	----	----	----	4 UNCH
5975	----	----	----/26.00A	23.90B/26.00A	----	24.70 - 4.50	.0730	----	----	----	----	3 UNCH
6000	----	----	----/25.30A	23.20B/25.30A	----	24.10 - 4.20	.0711	----	----	----	----	331 UNCH
6100	----	----	----/23.10A	20.70B/23.10A	----	21.80 - 3.50	.0640	----	----	----	----	1 UNCH
6200	----	----	----/21.40A	18.70B/21.40A	----	19.90 - 3.00	.0581	----	----	----	----	1 UNCH
6400	----	----	----/18.60A	15.90B/18.60A	----	17.10 - 2.10	.0490	----	----	----	----	14 UNCH
6500	----	----	----/17.50A	14.70B/17.50A	----	16.00 - 1.80	.0453	----	----	----	----	1156 UNCH
8000	----	----	----	8.50B/10.90A	----	9.60 - 0.60	.0227	----	----	2	----	930 + 2
9000	----	----	----	7.00B/9.20A	----	8.00 - 0.50	.0173	----	----	6	----	957 + 6
20000	----	----	----	0.40B/1.80A	----	1.30 - 0.10	.0022	----	----	----	----	165 UNCH
TOTAL										20		6270 + 17
DEC26												
2500	----	----	----/*2,074.80A	2048.30B/*2074.80A	----	2072.20 - 87.30	.9943	151	----	151	----	421 UNCH
3550	----	----	----	----	----	1042.60 - 82.00	.9249	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1024.10 - 81.70	.9214	----	----	----	----	1 UNCH
3600	----	----	----	----	----	996.50 - 81.20	.9163	----	----	----	----	1 UNCH
3800	----	----	----/802.70A	824.20B/802.70A	----	817.40 - 77.40	.8725	----	----	----	----	4 UNCH
3900	----	----	----	643.10B/833.80A	----	732.00 - 74.90	.8440	----	----	----	----	2 UNCH
4060	----	----	----/590.60A	609.80B/590.60A	----	602.80 - 70.80	.7876	----	----	----	----	100 UNCH
4100	----	----	----/560.60A	579.30B/560.60A	----	572.40 - 69.50	.7713	----	----	----	----	48 UNCH
4160	----	----	----/517.30A	535.00B/517.30A	----	528.20 - 67.60	.7452	----	----	----	----	100 UNCH
4175	----	----	----/506.70A	524.20B/506.70A	----	517.50 - 67.00	.7384	----	----	----	----	37 UNCH
4200	----	----	----/489.50A	506.50B/489.50A	----	500.00 - 66.00	.7267	----	----	----	----	150 UNCH
4250	----	----	----/453.60A	473.20B/453.60A	----	466.10 - 63.70	.7025	----	----	----	----	293 UNCH
4255	----	----	----/450.40A	469.50B/450.40A	----	462.80 - 63.50	.7000	----	----	----	----	50 UNCH
4300	----	----	----/422.00A	452.20B/422.00A	----	433.80 - 61.10	.6772	----	----	----	----	436 UNCH
4315	----	----	----/412.70A	442.30B/412.70A	----	424.40 - 60.40	.6694	----	----	----	----	1 UNCH
4320	----	----	----/409.70A	439.00B/409.70A	----	421.30 - 60.10	.6668	----	----	----	----	100 UNCH
4350	----	----	----/391.40A	420.20B/391.40A	----	403.10 - 58.40	.6510	----	----	----	----	206 UNCH
4375	----	----	----/377.10A	404.60B/377.10A	----	388.20 - 57.10	.6377	----	----	----	----	61 UNCH
4400	----	----	----/362.70A	389.60B/362.70A	----	373.70 - 55.80	.6242	----	----	----	----	2 UNCH
4425	----	----	----/346.90A	379.60B/346.90A	----	359.50 - 54.50	.6106	----	----	----	----	8 UNCH
4450	----	----	----/333.40A	375.00B/333.40A	----	345.70 - 53.30	.5969	----	----	----	----	87 UNCH
4460	341.30	341.30	341.30/328.00A	367.20B/328.00A	----	340.30 NEW	.5914	----	----	10	----	10 + 10
4465	338.60	338.60	338.60/325.60A	364.30B/325.60A	----	337.60 - 52.50	.5886	----	----	10	----	103 + 10
4475	333.30	333.30	333.30/320.20A	358.60B/320.20A	----	332.30 - 52.00	.5831	----	----	1	----	15 UNCH
4485	----	----	----/315.30A	352.90B/315.30A	----	327.00 - 51.50	.5775	----	----	----	----	3 UNCH
4490	----	----	----/312.50A	354.20B/312.50A	----	324.40 - 51.30	.5747	----	----	1	----	8 + 1
4500	----	----	----/307.50A	344.60B/307.50A	----	319.20 - 50.80	.5692	----	----	----	----	770 UNCH
4520	----	----	----/297.80A	334.00B/297.80A	----	309.00 NEW	.5580	----	----	1	----	1 + 1
4525	----	----	----/295.70A	331.20B/295.70A	----	306.50 - 49.60	.5552	----	----	5	----	25 + 5
4540	----	----	----/288.30A	323.40B/288.30A	----	299.00 - 48.90	.5468	----	----	----	----	9 UNCH
4550	----	----	----/283.80A	318.20B/283.80A	----	294.20 - 48.40	.5412	----	----	----	----	14 UNCH
4560	----	----	----/279.20A	312.90B/279.20A	----	289.30 - 48.00	.5356	----	----	----	----	1 UNCH
4565	----	----	----/276.70A	312.00B/276.70A	----	286.90 - 47.80	.5328	----	----	----	----	93 UNCH
4570	----	----	----/274.50A	314.00B/274.50A	----	284.60 - 47.50	.5300	----	----	----	----	5 UNCH
4575	----	----	----/272.50A	311.30B/272.50A	----	282.20 - 47.30	.5272	----	----	----	----	1 UNCH
4580	----	----	----/270.30A	307.00B/270.30A	----	279.80 - 47.10	.5244	----	----	----	----	150 UNCH
4585	----	----	----/267.80A	303.70B/267.80A	----	277.50 - 46.80	.5216	----	----	----	----	325 UNCH
4590	----	----	----/265.50A	301.10B/265.50A	----	275.20 - 46.60	.5188	----	----	----	----	18 UNCH
4600	----	----	----/261.20A	297.30B/261.20A	----	270.60 - 46.10	.5132	----	----	----	----	359 UNCH
4605	----	----	----/259.20A	293.80B/259.20A	----	268.30 - 45.90	.5105	----	----	----	----	5 UNCH
4610	----	----	----/257.10A	292.50B/257.10A	----	266.10 - 45.70	.5077	----	----	----	----	3 UNCH
4615	----	----	----/255.10A	289.60B/255.10A	----	263.80 - 45.50	.5049	----	----	----	----	41 UNCH
4620	----	----	----/253.00A	285.90B/253.00A	----	261.60 - 45.20	.5021	----	----	----	----	5 UNCH
4625	----	----	----/250.90A	283.90B/250.90A	----	259.40 - 45.00	.4993	----	----	----	----	71 UNCH
4630	----	----	----/248.70A	282.50B/248.70A	----	257.20 - 44.80	.4966	----	----	----	----	3 UNCH
4640	----	----	----/244.50A	277.00B/244.50A	----	252.90 - 44.30	.4911	----	----	----	----	103 UNCH
4650	----	----	----/240.20A	272.10B/240.20A	----	248.60 - 43.80	.4855	----	----	5	----	331 UNCH
4660	----	----	----/236.50A	267.00B/236.50A	----	244.30 NEW	.4800	----	----	3	----	3 + 3
4675	----	----	----/230.60A	262.20B/230.60A	----	238.10 - 42.80	.4718	----	----	----	----	87 UNCH
4680	----	----	----/228.70A	259.10B/228.70A	----	236.10 - 42.50	.4691	----	----	----	----	42 UNCH
4700	----	----	----/220.70A	257.90B/220.70A	----	228.00 - 41.70	.4582	----	----	----	----	511 UNCH
4705	----	----	----/219.30A	255.60B/219.30A	----	226.10 - 41.40	.4555	----	----	----	----	1 UNCH
4725	----	----	----/211.90A	247.20B/211.90A	----	218.30 - 40.60	.4447	----	----	----	----	143 UNCH
4730	----	----	----/210.20A	245.10B/210.20A	----	216.40 - 40.30	.4421	----	----	----	----	12 UNCH
4750	----	----	----/203.10A	237.20B/203.10A	----	208.90 - 39.50	.4314	----	----	1	----	242 + 1
4765	----	----	----/198.00A	231.10B/198.00A	----	203.50 - 38.80	.4236	----	----	----	----	17 UNCH
4775	----	----	----/194.60A	227.30B/194.60A	----	199.90 - 38.40	.4183	----	----	----	----	2 UNCH
4780	215.70	215.70	215.70/193.00A	225.40B/193.00A	----	198.20 - 38.20	.4157	----	----	1	----	3 UNCH
4790	----	----	----/189.70A	221.60B/189.70A	----	194.70 - 37.80	.4105	----	----	----	----	1 UNCH
4795	----	----	----/188.10A	219.70B/188.10A	----	193.00 - 37.50	.4080	----	----	----	----	9 UNCH
4800	----	----	----/186.10A	217.90B/186.10A	----	191.30 - 37.30	.4054	----	----	----	----	626 UNCH
4810	----	----	----/183.20A	214.20B/183.20A	----	187.90 - 36.90	.4003	----	----	----	----	60 UNCH
4815	----	----	----/181.80A	212.30B/181.80A	----	186.20 - 36.80	.3977	----	----	----	----	6 UNCH
4820	----	----	----/180.20A	210.70B/180.20A	----	184.60 - 36.50	.3952	----	----	----	----	91 UNCH
4825	----	----	----/178.70A	208.70B/178.70A	----	182.90 - 36.40	.3926	----	----	----	----	104 UNCH
4835	----	----	----/175.60A	205.40B/175.60A	----	179.70 - 35.90	.3876	----	----	----	----	127 UNCH
4850	----	----	----/170.90A	200.30B/170.90A	----	175.00 - 35.30	.3802	----	----	----	----	292 UNCH
4875	----	----	----/163.90A	191.80B/163.90A	----	167.30 - 34.30	.3679	----	----	----	----	2 UNCH
4880	----	----	----/162.60A	190.20B/162.60A	----	165.80 - 34.10	.3655	----	----	----	----	4 UNCH
4895	----	----	----/158.40A	185.50B/158.40A	----	161.50 - 33.40	.3583	----	----	----	----	200 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
4900	----	----	----/156.80A	183.80B/156.80A	----	160.00 - 33.30	.3559	----	----	10	----	373 UNCH
4905	----	----	----/155.70A	182.40B/155.70A	----	158.60 - 33.10	.3535	----	----	----	----	10 UNCH
4910	----	----	----/154.30A	180.70B/154.30A	----	157.20 - 32.90	.3512	----	----	----	----	18 UNCH
4925	----	----	----/150.40A	176.20B/150.40A	----	153.00 - 32.30	.3442	----	----	----	----	242 UNCH
4950	----	----	----/144.20A	168.70B/144.20A	----	146.40 - 31.20	.3328	----	----	----	----	103 UNCH
4955	----	----	----/142.90A	167.30B/142.90A	----	145.10 - 31.00	.3305	----	----	----	----	10 UNCH
4960	----	----	----/141.60A	165.90B/141.60A	----	143.80 - 30.90	.3282	----	----	----	----	10 UNCH
4975	----	----	----/138.10A	161.60B/138.10A	----	140.10 - 30.20	.3217	----	----	----	----	50 UNCH
5000	144.30	144.30	144.30/132.10A	154.80B/132.10A	----	134.10 - 29.10	.3109	----	----	53	----	2728 + 10
5005	----	----	----/131.10A	153.60B/131.10A	----	133.00 - 28.90	.3088	----	----	----	----	4 UNCH
5020	----	----	----/127.90A	149.70B/127.90A	----	129.60 - 28.20	.3025	----	----	----	----	1 UNCH
5025	----	----	----/126.80A	148.40B/126.80A	----	128.50 - 28.00	.3005	----	----	----	----	243 UNCH
5045	----	----	----/122.60A	143.30B/122.60A	----	124.20 - 27.10	.2924	----	----	----	----	1 UNCH
5050	----	----	----/121.60A	142.10B/121.60A	----	123.10 - 26.90	.2904	----	----	----	----	119 UNCH
5055	----	----	----/120.80A	140.90B/120.80A	----	122.10 - 26.70	.2884	----	----	----	----	1 UNCH
5070	----	----	----/117.50A	137.40B/117.50A	----	119.00 - 26.10	.2825	----	----	----	----	13 UNCH
5075	----	----	----/116.50A	136.20B/116.50A	----	118.00 - 25.80	.2806	----	----	----	----	31 UNCH
5090	----	----	----/113.60A	132.60B/113.60A	----	115.10 - 25.20	.2749	----	----	----	----	17 UNCH
5100	----	----	----/111.70A	130.50B/111.70A	----	113.20 - 24.70	.2712	----	----	----	----	362 UNCH
5115	----	----	----/109.40A	127.10B/109.40A	----	110.50 - 24.00	.2658	----	----	----	----	1 UNCH
5125	----	----	----/107.20A	125.00B/107.20A	----	108.70 - 23.60	.2622	----	----	----	----	70 UNCH
5150	----	----	----/102.80A	119.80B/102.80A	----	104.40 - 22.50	.2534	----	----	----	----	22 UNCH
5155	----	----	----/102.00A	118.80B/102.00A	----	103.50 - 22.30	.2516	----	----	----	----	4 UNCH
5160	----	----	----/101.50A	117.70B/101.50A	----	102.70 - 22.10	.2500	----	----	----	----	1 UNCH
5170	----	----	----/99.50A	115.80B/99.50A	----	101.10 - 21.60	.2466	----	----	----	----	4 UNCH
5175	----	----	----/98.60A	114.90B/98.60A	----	100.30 - 21.40	.2450	----	----	----	----	101 UNCH
5195	----	----	----/95.50A	111.10B/95.50A	----	97.10 - 20.70	.2384	----	----	----	----	5 UNCH
5200	----	----	----/94.60A	110.00B/94.60A	----	96.40 - 20.40	.2368	----	----	----	----	1330 UNCH
5220	----	----	----/91.80A	106.40B/91.80A	----	93.40 - 19.60	.2305	----	----	----	----	6 UNCH
5225	----	----	----/91.00A	105.50B/91.00A	----	92.70 - 19.40	.2290	----	----	----	----	10 UNCH
5245	----	----	----/88.10A	102.10B/88.10A	----	89.80 - 18.70	.2228	----	----	----	----	10 UNCH
5250	----	----	----/87.40A	101.20B/87.40A	----	89.10 - 18.50	.2213	----	----	1	----	410 + 1
5255	----	----	----/86.80A	100.40B/86.80A	----	88.40 - 18.30	.2198	----	----	----	----	1 UNCH
5265	----	----	----/85.50A	98.70B/85.50A	----	87.00 - 18.00	.2169	----	----	----	----	5 UNCH
5270	----	----	----/84.90A	98.00B/84.90A	----	86.40 - 17.80	.2155	----	----	----	----	1 UNCH
5275	----	----	----/84.10A	97.10B/84.10A	----	85.70 - 17.60	.2140	----	----	----	----	24 UNCH
5280	----	----	----/83.70A	96.40B/83.70A	----	85.00 - 17.50	.2125	----	----	10	----	11 + 10
5285	----	----	----/83.00A	95.60B/83.00A	----	84.40 - 17.20	.2112	----	----	----	----	1 UNCH
5290	----	----	----/82.30A	94.80B/82.30A	----	83.70 - 17.10	.2097	----	----	----	----	2 UNCH
5295	----	----	----/81.60A	94.00B/81.60A	----	83.10 - 16.90	.2083	----	----	----	----	2 UNCH
5300	----	----	----/80.60A	93.20B/80.60A	----	82.40 - 16.80	.2069	----	----	----	----	750 UNCH
5305	----	----	----/80.10A	92.50B/80.10A	----	81.80 - 16.60	.2055	----	----	----	----	6 UNCH
5310	----	----	----/79.60A	91.70B/79.60A	----	81.20 - 16.40	.2042	----	----	----	----	4 UNCH
5315	----	----	----/79.00A	91.00B/79.00A	----	80.50 - 16.40	.2027	----	----	----	----	4 UNCH
5320	----	----	----/78.40A	90.30B/78.40A	----	79.90 - 16.20	.2014	----	----	----	----	5 UNCH
5325	----	----	----/77.80A	89.50B/77.80A	----	79.30 - 16.00	.2000	----	----	----	----	6 UNCH
5330	----	----	----/77.20A	88.70B/77.20A	----	78.70 - 15.90	.1987	----	----	----	----	6 UNCH
5335	----	----	----/76.60A	88.10B/76.60A	----	78.10 - 15.70	.1974	----	----	----	----	21 UNCH
5340	----	----	----/76.00A	87.40B/76.00A	----	77.50 - 15.60	.1960	----	----	----	----	7 UNCH
5345	----	----	----/75.40A	86.70B/75.40A	----	76.90 - 15.40	.1947	----	----	----	----	5 UNCH
5350	----	----	----/74.60A	86.00B/74.60A	----	76.30 - 15.30	.1934	----	----	----	----	466 UNCH
5355	----	----	----/74.30A	85.30B/74.30A	----	75.70 - 15.20	.1921	----	----	----	----	4 UNCH
5360	----	----	----/73.70A	84.60B/73.70A	----	75.10 - 15.00	.1907	----	----	----	----	107 UNCH
5365	----	----	----/73.10A	83.80B/73.10A	----	74.50 - 14.90	.1894	----	----	----	----	22 UNCH
5370	----	----	----/72.60A	83.30B/72.60A	----	73.90 - 14.80	.1881	----	----	----	----	38 UNCH
5375	----	----	----/72.30A	82.50B/72.30A	----	73.40 - 14.60	.1869	----	----	----	----	2 UNCH
5380	----	----	----/71.50A	81.80B/71.50A	----	72.80 - 14.50	.1856	----	----	----	----	3 UNCH
5385	----	----	----/71.20A	81.20B/71.20A	----	72.20 - 14.50	.1843	----	----	----	----	2 UNCH
5390	----	----	----/70.40A	80.50B/70.40A	----	71.70 - 14.30	.1831	----	----	----	----	203 UNCH
5395	----	----	----/69.90A	80.00B/69.90A	----	71.10 - 14.20	.1818	----	----	----	----	3 UNCH
5400	----	----	----/69.10A	79.40B/69.10A	----	70.60 - 14.00	.1807	----	----	----	----	583 UNCH
5450	----	----	----/64.10A	73.30B/64.10A	----	65.40 - 12.90	.1688	----	----	----	----	288 UNCH
5460	----	----	----/63.30A	72.20B/63.30A	----	64.40 - 12.70	.1665	----	----	----	----	200 UNCH
5465	----	----	----/62.90A	71.60B/62.90A	----	63.90 - 12.70	.1654	----	----	----	----	53 UNCH
5475	----	----	----/62.30A	70.50B/62.30A	----	62.90 - 12.50	.1631	----	----	----	----	572 UNCH
5480	----	----	----/61.90A	70.00B/61.90A	----	62.50 - 12.30	.1621	----	----	----	----	50 UNCH
5500	----	----	----/60.50A	68.00B/60.50A	----	60.60 - 12.00	.1578	----	----	25	----	3240 UNCH
5505	----	----	----/60.10A	67.50B/60.10A	----	60.20 - 11.80	.1568	----	----	----	----	3 UNCH
5525	----	----	----/58.20A	65.50B/58.20A	----	58.40 - 11.50	.1526	----	----	----	----	80 UNCH
5550	----	----	----/56.30A	63.10B/56.30A	----	56.40 - 11.00	.1478	----	----	----	----	406 UNCH
5570	----	----	----/54.80A	61.20B/54.80A	----	54.80 - 10.60	.1440	----	----	----	----	198 UNCH
5575	----	----	----/54.50A	60.70B/54.50A	----	54.40 - 10.50	.1430	----	----	----	----	10 UNCH
5600	----	----	----/52.80A	58.50B/52.80A	----	52.50 - 10.10	.1384	----	----	----	----	2802 UNCH
5650	----	----	----/49.50A	54.50B/49.50A	----	49.10 - 9.30	.1300	----	----	----	----	306 UNCH
5660	----	----	----/48.90A	53.90B/48.90A	----	48.40 - 9.10	.1283	----	----	----	----	1 UNCH
5665	----	----	----/48.60A	53.50B/48.60A	----	48.10 - 9.00	.1276	----	----	----	----	1 UNCH
5670	----	----	----/48.20A	53.00B/48.20A	----	47.80 - 9.00	.1268	----	----	----	----	2 UNCH
5675	----	----	----/47.90A	52.80B/47.90A	----	47.40 - 9.00	.1259	----	----	----	----	18 UNCH
5680	----	----	----/47.60A	52.40B/47.60A	----	47.10 - 8.90	.1251	----	----	----	----	21 UNCH
5685	----	----	----/47.30A	51.90B/47.30A	----	46.80 - 8.80	.1244	----	----	----	----	18 UNCH
5690	----	----	----/47.10A	51.60B/47.10A	----	46.50 - 8.70	.1236	----	----	----	----	27 UNCH
5695	----	----	----/46.80A	51.20B/46.80A	----	46.20 - 8.60	.1229	----	----	----	----	1 UNCH
5700	----	----	----/46.50A	51.00B/46.50A	----	45.90 - 8.60	.1221	----	----	----	----	354 UNCH
5705	----	----	----/46.20A	50.60B/46.20A	----	45.60 - 8.50	.1214	----	----	----	----	5 UNCH
5710	----	----	----/45.90A	50.30B/45.90A	----	45.30 - 8.40	.1206	----	----	----	----	5 UNCH
5750	----	----	----/43.60A	47.60B/43.60A	----	43.00 - 8.00	.1148	----	----	----	----	315 UNCH
5770	----	----	----/42.70A	46.40B/42.70A	----	42.00 - 7.70	.1122	----	----	----	----	8 UNCH
5775	----	----	----/42.40A	46.10B/42.40A	----	41.70 - 7.60	.1115	----	----	----	----	2 UNCH
5780	40.00	40.00	40.10/40.00	45.80B/40.00	----	41.50 NEW	.1109	----	----	2	----	2 + 2
5800	----	----	----/41.20A	40.70B/41.20A	----	40.40 - 7.40	.1082	----	----	----	----	2088 UNCH
5810	----	----	----/40.80A	40.10B/40.80A	----	40.00 - 7.20	.1071	----	----	----	----	56 UNCH
5825	----	----	----/40.00A	39.70B/40.00A	----	39.20 - 7.10	.1051	----	----	----	----	4 UNCH
5850	----	----	----/38.90A	39.00B/38.90A	----	38.10 - 6.80	.1022	----	----	----	----	51 UNCH
5875	----	----	----/37.90A	37.90B/37.90A	----	37.00 - 6.60	.0993	----	----	----	----	9 UNCH
5900	35.70	35.70	35.70/35.70	36.80B/35.70	----	36.00 - 6.30	.0966	----	----	6	----	1558 + 6
5950	----	----	----/35.20A	34.40B/35.20A	----	34.00 - 5.90	.0914	----	----	----	----	27 UNCH
6000	31.00	31.00	33.50/31.00	33.50/31.00	----	32.30 - 5.40	.0868	----	----	4	----	6986 UNCH
6100	----	----	----/30.70A	28.20B/30.70A	----	29.40 - 4.50	.0787	----	----	1	----	146 + 1
6150	----	----	----/29.40A	26.70B/29.40A	----	28.10 - 4.10	.0751	----	----	1	----	29 UNCH
6200	----	----	----/28.20A	25.40B/28.20A	----	26.90 - 3.80	.0717	----	----	----	----	3207 UNCH
6250	----	----	----/27.10A	24.20B/27.10A	----	25.90 - 3.40	.0688	----	----	----	----	76 UNCH
6300	----	----	----/26.10A	23.20B/26.10A	----	24.90 - 3.10	.0659	----	----	----	----	837 UNCH
6400	----	----	----/24.40A	21.40B/24.40A	----	23.30 - 2.40	.0611	----	----	----	----	971 UNCH
6500	----	----	----/23.00A	20.60B/23.00A	----	21.80 - 2.00	.0567	----	----	60	----	6991 + 52
6750	----	----	----	17.10B/20.30A	----	18.80 - 1.40	.0478	----	----	----	----	105 UNCH
6775	----	----	----	16.90B/20.10A	----	18.60 - 1.40	.0472	----	----	----	----	164 UNCH
6800	----	----	----	16.60B/19.90A	----	18.30 - 1.40	.0463	----	----	----	----	1817 UNCH
6900	----	----	----	17.00B/19.10A	----	17.50 - 1.20	.0438	----	----	----	----	71 UNCH
7000	17.20	17.20	17.20/17.20	17.20/17.20	----	16.70 - 1.20	.0414	----	----	1	----	5017 UNCH
7130	----	----	----	14.40B/17.60A	----	15.90 - 1.10	.0389	----	----	----	----	200 UNCH
7175	----	----	----	14.20B/17.30A	----	15.60 - 1.10	.0380	----	----	----	----	125 UNCH
7250	----	----	----	13.80B/16.90A	----	15.20 - 1.00	.0367	----	----	----	----	108 UNCH
7500	----	----	----	12.80B/15.80A	----	14.20 - 0.80	.0333	----	----	----	----	121 UNCH
8000	----	----	----	12.50B/14.30A	----	12.80 - 0.60	.0284	----	----	----	----	1984 UNCH
8125	----	----	----	11.10B/14.00A	----	12.50 - 0.60	.0274	----	----	----	----	801 UNCH
8500	----	----	----/12.10A	10.40B/12.10A	----	11.60 - 0.60	.0246	----	----	120	----	274 + 104
8630	----	----	----	10.20B/13.00A	----	11.40 - 0.60	.0239	----	----	----	----	400 UNCH
8725	----	----	----	10.00B/12.80A	----	11.20 - 0.60	.0233	----	----	----	----	250 UNCH
8775	----	----	----	10.00B/12.70A	----	11.20 - 0.50	.0232	----	----	----	----	25 UNCH
9000	----	----	----/11.00A	10.80B/11.00A	----	10.90 - 0.50	.0221	----	----	----	----	265 UNCH
9500	----	----	----	9.00B/11.60A	----	10.60 - 0.40	.0206	----	----	60	----	637 UNCH
9900	----	----	----	8.50B/11.10A	----	10.30 - 0.20	.0194	----	----	----	----	17 UNCH
10000	10.00	10.00	10.00/10.00	10.00/10.00	----	10.20 - 0.20	.0191	----	----	175	----	11215 + 173
11000	8.40	8.40	8.50B/*8.30	8.50B/*8.30	----	8.30 - 0.10	.0150	----	----	40	----	1042 + 20
13000	----	----	----	6.00B/7.40A	----	6.20 + 0.10	.0105	----	----	----	----	625 UNCH
15000	5.00	5.00	5.40/5.00	5.40/5.00	----	5.10 UNCH	.0082	----	----	37	----	24033 + 34
17000	----	----	----	2.40B/4.40A	----	3.90 - 0.50	.0061	----	----	----	----	27 UNCH
19000	----	----	----	1.60B/3.50A	----	2.50 - 0.50	.0039	----	----	----	----	6 UNCH
20000	2.30	2.30	2.30/2.10	2.30/2.10	----	1.80 - 0.30	.0029	----	----	26	----	26508 UNCH
21000	----	----	----	----/20.60A	----	1.50 - 0.20	.0024	----	----	----	----	31 UNCH
24000	----	----	----	----/19.40A	----	0.90 - 0.10	.0014	----	----	----	----	34 UNCH
TOTAL										821		123697 + 444
JAN27												
4190	----	----	----	442.70B/677.40A	----	554.60 - 66.20	.7327	----	----	----	----	1 UNCH
4290	----	----	----/476.00A	503.60B/476.00A	----	487.00 - 62.70	.6886	----	----	----	----	1 UNCH
4300	----	----	----/469.70A	496.80B/469.70A	----	480.50 - 62.40	.6839	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS											
JAN27													
4400	----	----	----/410.00A	434.30B/410.00A	----	418.80 - 58.40	.6362	----	----	----	----	1	UNCH
4500	----	----	----/356.00A	394.60B/356.00A	----	362.70 - 54.30	.5862	----	----	----	----	2	UNCH
4575	----	----	----/316.60A	354.40B/316.60A	----	324.50 - 50.90	.5479	----	----	----	----	1	UNCH
4600	----	----	----/305.10A	341.80B/305.10A	----	312.50 - 49.80	.5350	----	----	----	----	4	UNCH
4650	----	----	----/283.10A	318.60B/283.10A	----	289.60 - 47.50	.5095	----	----	----	----	3	UNCH
4700	----	----	----/262.70A	295.90B/262.70A	----	268.20 - 45.20	.4842	----	----	----	----	2	UNCH
4710	----	----	----/258.70A	291.50B/258.70A	----	264.10 - 44.70	.4792	----	----	----	----	3	UNCH
4750	----	----	----/243.40A	279.80B/243.40A	----	248.20 - 42.90	.4593	----	----	----	----	8	UNCH
4760	----	----	----/239.80A	275.60B/239.80A	----	244.40 - 42.40	.4544	----	----	----	----	101	UNCH
4765	----	----	----/237.90A	273.40B/237.90A	----	242.50 - 42.20	.4520	----	----	----	----	6	UNCH
4800	----	----	----/225.60A	259.40B/225.60A	----	229.60 - 40.60	.4350	----	----	----	----	13	UNCH
4850	----	----	----/208.80A	240.30B/208.80A	----	212.50 - 38.30	.4115	----	----	----	----	1	UNCH
4875	----	----	----/201.00A	231.30B/201.00A	----	204.40 - 37.10	.4000	----	----	----	----	4	UNCH
4900	----	----	----/193.40A	222.70B/193.40A	----	196.60 - 36.00	.3887	----	----	----	----	31	UNCH
4935	----	----	----/183.30A	211.00B/183.30A	----	186.30 - 34.30	.3733	----	----	----	----	1	UNCH
4945	----	----	----/180.50A	207.90B/180.50A	----	183.50 - 33.80	.3690	----	----	----	----	1	UNCH
4960	----	----	----/176.30A	203.10B/176.30A	----	179.30 - 33.20	.3626	----	----	----	----	1	UNCH
5000	----	----	----/165.80A	191.00B/165.80A	----	168.80 - 31.20	.3460	----	----	----	----	30	UNCH
5050	----	----	----/153.70A	176.80B/153.70A	----	156.60 - 28.80	.3262	----	----	----	----	100	UNCH
5075	----	----	----/147.90A	169.90B/147.90A	----	151.00 - 27.50	.3168	----	----	----	----	2	UNCH
5100	----	----	----/142.40A	163.60B/142.40A	----	145.60 - 26.20	.3075	----	----	----	----	1	UNCH
5130	----	----	----/136.00A	156.30B/136.00A	----	139.40 - 24.80	.2968	----	----	----	----	1	UNCH
5195	----	----	----/123.50A	141.30B/123.50A	----	127.00 - 21.80	.2748	----	----	----	----	5	UNCH
5200	----	----	----/122.60A	140.40B/122.60A	----	126.00 - 21.70	.2731	----	----	----	----	3	UNCH
5250	----	----	----/113.90A	130.20B/113.90A	----	117.30 - 19.70	.2572	----	----	----	----	7	UNCH
5300	----	----	----/106.00A	120.80B/106.00A	----	109.10 - 18.10	.2421	----	----	----	----	1	UNCH
5350	----	----	----/98.70A	111.90B/98.70A	----	101.40 - 16.70	.2276	----	----	----	----	3	UNCH
5380	----	----	----/94.70A	107.10B/94.70A	----	97.00 - 16.10	.2193	----	----	----	----	3	UNCH
5400	----	----	----/92.00A	104.00B/92.00A	----	94.10 - 15.80	.2138	----	----	----	----	6	UNCH
5450	----	----	----/86.00A	96.70B/86.00A	----	87.40 - 14.90	.2009	----	----	----	----	6	UNCH
5500	----	----	----/80.30A	90.10B/80.30A	----	81.20 - 14.20	.1886	----	----	----	----	58	UNCH
5550	----	----	----/75.00A	84.00B/75.00A	----	75.60 - 13.50	.1773	----	----	----	----	4	UNCH
5555	----	----	----/74.50A	83.50B/74.50A	----	75.10 - 13.40	.1763	----	----	----	----	2	UNCH
5600	----	----	----/70.20A	78.40B/70.20A	----	70.60 - 12.70	.1669	----	----	----	----	226	UNCH
5700	----	----	----/63.10A	68.70B/63.10A	----	62.20 - 11.00	.1487	----	----	----	----	3	UNCH
5750	----	----	----/59.60A	64.40B/59.60A	----	58.70 - 10.10	.1408	----	----	----	----	2	UNCH
5820	----	----	----/55.30A	59.00B/55.30A	----	54.30 - 8.90	.1307	----	----	----	----	6	UNCH
5850	----	----	----/53.60A	57.00B/53.60A	----	52.60 - 8.40	.1268	----	----	----	----	3	UNCH
5900	----	----	----/50.90A	53.70B/50.90A	----	49.90 - 7.70	.1204	----	----	----	----	6	UNCH
6000	----	----	----/45.30A	44.70B/45.30A	----	45.20 - 6.40	.1092	----	----	----	----	284	UNCH
6025	----	----	----/44.20A	43.40B/44.20A	----	44.10 - 6.10	.1066	----	----	----	----	1	UNCH
6250	----	----	----/37.60A	34.30B/37.60A	----	35.80 - 4.30	.0866	----	----	----	----	1	UNCH
6300	----	----	----/36.20A	32.70B/36.20A	----	34.20 - 4.10	.0827	----	----	----	----	3	UNCH
6500	----	----	----/31.60A	26.00B/31.60A	----	28.90 - 3.30	.0697	----	----	----	----	5	UNCH
20000	----	----	----	2.20B/5.80A	----	4.00 + 0.40	.0058	----	----	----	----	129	UNCH
TOTAL												1087	0
FEB27													
4630	----	----	----/312.00A	346.00B/312.00A	----	320.50 - 46.60	.5225	----	----	----	----	1	UNCH
4640	----	----	----/307.70A	342.10B/307.70A	----	316.00 - 46.20	.5177	----	----	----	----	5	UNCH
4650	----	----	----/303.50A	338.10B/303.50A	----	311.60 - 45.70	.5130	----	----	----	----	6	UNCH
4675	----	----	----/293.00A	325.70B/293.00A	----	300.70 - 44.70	.5011	----	----	----	----	1	UNCH
4700	----	----	----/282.90A	315.70B/282.90A	----	290.20 - 43.50	.4894	----	----	----	----	1	UNCH
4750	----	----	----/263.50A	299.50B/263.50A	----	270.20 - 41.20	.4662	----	----	----	----	386	UNCH
4785	----	----	----/250.60A	285.00B/250.60A	----	256.90 - 39.60	.4502	----	----	----	----	100	UNCH
4850	----	----	----/228.60A	259.70B/228.60A	----	233.80 - 36.80	.4213	----	----	----	----	36	UNCH
5000	197.10	197.10	197.10/184.50A	209.80B/184.50A	----	188.20 - 31.00	.3589	----	----	4	----	702	UNCH
5030	----	----	----/176.60A	201.00B/176.60A	----	180.20 NEW	.3472	----	----	1	----	1 +	1
5100	----	----	----/160.00A	181.80B/160.00A	----	163.10 - 27.40	.3213	----	----	----	----	148	UNCH
5175	----	----	----/144.30A	163.50B/144.30A	----	146.80 - 24.80	.2954	----	----	----	----	125	UNCH
5200	----	----	----/139.30A	157.70B/139.30A	----	141.80 - 24.00	.2872	----	----	----	----	381	UNCH
5250	----	----	----/130.10A	146.90B/130.10A	----	132.40 - 22.30	.2715	----	----	----	----	352	UNCH
5300	----	----	----/121.70A	137.00B/121.70A	----	123.60 - 20.80	.2565	----	----	----	----	50	UNCH
5375	----	----	----/110.20A	123.50B/110.20A	----	111.80 - 18.70	.2358	----	----	----	----	1	UNCH
5400	----	----	----/106.70A	119.30B/106.70A	----	108.20 - 18.00	.2293	----	----	----	----	452	UNCH
5450	----	----	----/99.90A	111.60B/99.90A	----	101.30 - 16.70	.2167	----	----	----	----	10	UNCH
5500	----	----	----/93.70A	104.40B/93.70A	----	94.90 - 15.60	.2049	----	----	----	----	18	UNCH
5520	----	----	----/91.60A	101.70B/91.60A	----	92.60 - 15.10	.2005	----	----	----	----	300	UNCH
5530	----	----	----/90.40A	100.40B/90.40A	----	91.40 - 14.90	.1982	----	----	----	----	100	UNCH
5550	----	----	----/88.30A	97.80B/88.30A	----	89.10 - 14.50	.1939	----	----	----	----	82	UNCH
5600	----	----	----/83.10A	91.60B/83.10A	----	83.70 - 13.50	.1835	----	----	----	----	8	UNCH
5700	----	----	----/74.60A	80.90B/74.60A	----	74.20 - 11.70	.1647	----	----	----	----	1	UNCH
5900	----	----	----/61.10A	64.00B/61.10A	----	59.30 - 8.90	.1339	----	----	----	----	7	UNCH
6000	----	----	----/55.50A	57.40B/55.50A	----	53.50 - 7.80	.1215	----	----	----	----	3035	UNCH
6025	----	----	----/54.20A	55.90B/54.20A	----	52.20 - 7.50	.1186	----	----	----	----	4	UNCH
6100	----	----	----/49.60A	48.20B/49.60A	----	48.50 - 6.90	.1105	----	----	----	----	4	UNCH
6300	----	----	----/42.30A	39.80B/42.30A	----	40.70 - 5.50	.0929	----	----	----	----	1	UNCH
6500	----	----	----/38.40A	31.70B/38.40A	----	35.00 - 4.40	.0795	----	----	----	----	2910	UNCH
6900	----	----	----	24.00B/31.30A	----	27.60 - 2.80	.0613	----	----	----	----	533	UNCH
7000	----	----	----	22.80B/30.00A	----	26.30 - 2.50	.0580	----	----	----	----	497	UNCH
7100	----	----	----	21.60B/28.90A	----	25.20 - 2.20	.0552	----	----	----	----	9	UNCH
7700	----	----	----	17.40B/24.70A	----	20.80 - 1.20	.0431	----	----	----	----	1	UNCH
7900	----	----	----	16.40B/23.60A	----	19.90 - 1.00	.0405	----	----	----	----	500	UNCH
8000	----	----	----	16.00B/23.30A	----	19.50 - 0.90	.0393	----	----	----	----	695	UNCH
TOTAL										5		11463 +	1
MAR27													
4610	----	----	----/362.10A	387.70B/362.10A	----	366.60 - 46.60	.5493	----	----	----	----	2	UNCH
4650	----	----	----/341.50A	368.10B/341.50A	----	347.60 - 45.30	.5313	----	----	----	----	1	UNCH
4660	----	----	----/337.70A	363.20B/337.70A	----	342.90 - 45.00	.5267	----	----	----	----	2	UNCH
4670	----	----	----/334.30A	358.50B/334.30A	----	338.30 - 44.80	.5223	----	----	----	----	3	UNCH
4675	----	----	----/330.60A	356.10B/330.60A	----	336.10 - 44.60	.5200	----	----	----	----	2	UNCH
4680	----	----	----/328.90A	353.90B/328.90A	----	333.80 - 44.50	.5178	----	----	----	----	2	UNCH
4710	----	----	----/317.10A	340.00B/317.10A	----	320.50 - 43.70	.5044	----	----	----	----	21	UNCH
4800	----	----	----/279.90A	313.30B/279.90A	----	283.10 - 42.10	.4646	----	----	----	----	6	UNCH
4820	----	----	----/271.80A	305.50B/271.80A	----	275.30 - 41.80	.4559	----	----	----	----	20	UNCH
4995	----	----	----/215.40A	241.90B/215.40A	----	217.30 - 36.40	.3843	----	----	----	----	2	UNCH
5000	----	----	----/214.10A	240.50B/214.10A	----	215.90 - 36.20	.3824	----	----	----	----	102	UNCH
5010	----	----	----/211.20A	237.40B/211.20A	----	213.10 - 35.70	.3787	----	----	----	----	1	UNCH
5200	----	----	----/164.60A	184.30B/164.60A	----	167.70 - 26.40	.3130	----	----	----	----	3	UNCH
5220	----	----	----/160.40A	179.50B/160.40A	----	163.60 - 25.40	.3067	----	----	----	----	12	UNCH
5300	150.80	150.80	150.80/144.90A	161.70B/144.90A	----	148.10 NEW	.2826	----	----	1	----	1 +	1
5350	----	----	----/136.10A	151.50B/136.10A	----	139.20 - 20.30	.2685	----	----	----	----	2	UNCH
5400	----	----	----/128.00A	142.20B/128.00A	----	130.80 - 18.80	.2549	----	----	----	----	11	UNCH
5450	----	----	----/120.40A	133.50B/120.40A	----	122.90 - 17.40	.2420	----	----	----	----	3	UNCH
5500	----	----	----/113.70A	125.30B/113.70A	----	115.60 - 16.10	.2297	----	----	----	----	535	UNCH
5550	----	----	----/107.00A	117.70B/107.00A	----	108.80 - 15.00	.2181	----	----	----	----	1	UNCH
5600	----	----	----/101.00A	110.90B/101.00A	----	102.60 - 13.90	.2073	----	----	----	----	10	UNCH
5635	----	----	----/97.20A	106.20B/97.20A	----	98.50 - 13.20	.2000	----	----	----	----	2	UNCH
5650	----	----	----/95.60A	104.40B/95.60A	----	96.80 - 12.90	.1970	----	----	----	----	16	UNCH
5700	----	----	----/90.40A	98.30B/90.40A	----	91.50 - 12.00	.1874	----	----	----	----	10	UNCH
5790	----	----	----/82.20A	88.70B/82.20A	----	82.90 - 10.50	.1715	----	----	----	----	50	UNCH
5820	----	----	----/80.20A	85.80B/80.20A	----	80.30 - 10.10	.1666	----	----	----	----	2	UNCH
5850	----	----	----/80.20A	83.10B/80.20A	----	77.90 - 9.60	.1620	----	----	----	----	253	UNCH
5900	----	----	----/76.20A	78.60B/76.20A	----	74.00 - 9.00	.1545	----	----	----	----	11	UNCH
5950	----	----	----/73.30A	74.40B/73.30A	----	70.50 - 8.30	.1476	----	----	----	----	6	UNCH
5975	----	----	----/71.60A	72.50B/71.60A	----	68.80 - 8.00	.1443	----	----	----	----	3	UNCH
6000	----	----	----/69.90A	70.80B/69.90A	----	67.20 - 7.70	.1411	----	----	----	----	2	UNCH
6250	----	----	----/54.00A	50.70B/54.00A	----	53.90 - 5.50	.1140	----	----	----	----	10	UNCH
6500	----	----	----/*46.10A	41.40B/46.10A	----	44.60 - 3.80	.0943	----	----	----	----	526	UNCH
TOTAL										1		1633 +	1
APR27													
5000	----	----	----/*239.40A	251.20B/*239.40A	----	236.60 - 34.20	.3929	----	----	----	----	100	UNCH
5060	----	----	----/*222.50A	232.80B/*222.50A	----	219.50 - 32.10	.3714	----	----	----	----	25	UNCH
5600	----	----	----/*120.80A	119.40B/*120.80A	----	116.40 - 15.70	.2212	----	----	----	----	300	UNCH
5800	----	----	----/99.30A	95.00B/99.30A	----	94.50 - 11.60	.1838	----	----	----	----	50	UNCH
5900	----	----	----/*90.70A	85.20B/*90.70A	----	85.70 - 9.90	.1682	----	----	----	----	1	UNCH
6000	71.70	71.70	71.70/*71.70	76.70B/*71.70	----	78.00 - 8.50	.1542	----	----	1	----	150 -	1
TOTAL										1		626 -	1
JUN27													
5085	----	----	----	114.10B/436.30A	----	256.80 - 37.00	.3917	----	----	----	----	150	UNCH
7000	----	----	----	----/141.80A	----	40.20 - 6.40	.0790	----	----	----	----	3	UNCH
7500	----	----	----	----	----	29.50 - 4.10	.0579	----	----	----	----	450	UNCH
8000	----	----	----	----	----	23.60 - 2.40	.0456	----	----	----	----	2	UNCH
10000	----	----	----	15.00B/----	----	17.00 + 0.60	.0286	----	----	----	----	3	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
TOTAL												608 0
DEC27												
4860	----	----	----	----	----	472.40 - 47.10	.5242	----	----	----	----	100 UNCH
5000	----	----	----	----	----	418.80 - 43.60	.4825	----	----	----	----	50 UNCH
5650	----	----	----	----	----	244.00 - 29.50	.3197	----	----	----	----	200 UNCH
5700	----	----	----	----	----	234.30 - 28.60	.3094	----	----	----	----	150 UNCH
5800	----	----	----	----	----	216.20 - 26.70	.2898	----	----	----	----	200 UNCH
5880	----	----	----	----	----	202.90 - 25.20	.2751	----	----	----	----	125 UNCH
6300	----	----	----	----	----	146.90 - 18.40	.2094	----	----	----	----	18 UNCH
7500	----	----	----	----	----	67.00 - 6.10	.1032	----	----	----	----	170 UNCH
7800	----	----	----	----	----	57.20 - 4.20	.0887	----	----	----	----	284 UNCH
10000	----	----	27.50B/----	27.50B/----	----	26.60 + 2.50	.0404	----	----	----	----	103 UNCH
10500	----	----	----	----	----	23.80 + 2.30	.0357	----	----	----	----	10 UNCH
TOTAL												1410 0
DEC28												
5750	----	----	----	----	----	422.40 - 35.60	.4004	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
JUN26												
4400	----	----	----	----	----	0.00 - 0.80	----	----	----	----	----	0 - 1
4430	----	----	----	----	----	0.00 - 1.30	----	----	----	----	----	0 - 1
4500	----	----	----	----	----	0.00 - 4.90	----	----	----	----	----	0 - 1
4540	----	----	----/*14.00A	5.00B/*14.00A	----	0.00 - 64.10	----	----	----	----	----	0 - 1
4580	----	----	----	----	----	0.00 - 36.90	----	----	----	----	----	0 - 1
4600	----	----	----/25.00A	1.00B/25.00A	----	0.00 - 26.50	----	----	----	----	----	0 - 4
4605	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.00 - 24.20	----	----	----	1	----	0 - 1
TOTAL										1		0 - 10

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
JUN26												
3700	----	----	----	0.50B/*0.80A	----	0.60 NEW	.0035	----	----	1	----	1 + 1
3800	----	----	----	1.00B/3.10A	----	1.50 UNCH	.0102	----	----	----	----	1 UNCH
3800	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3900	----	----	1.40B/----	1.40B/1.40A	----	1.20 NEW	.0085	----	----	48	----	48 + 48
3900	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	19 UNCH
4000	----	----	4.20B/----	4.20B/4.90A	----	3.60 + 0.70	.0272	----	----	----	----	1 UNCH
4000	----	----	2.30B/----	2.30B/1.90A	----	1.90 + 0.60	.0147	----	----	----	----	15 UNCH
4000	----	----	----	0.20B/*0.30A	----	0.10 - 0.20	.0000	----	----	----	----	6 UNCH
4075	----	----	7.70B/----	7.70B/5.50A	----	5.40 + 1.30	.0418	----	----	----	----	2 UNCH
4100	----	----	4.20B/----	4.20B/2.80A	----	3.10 + 1.00	.0264	----	----	----	----	7 UNCH
4100	0.70	0.70	0.70/*0.40A	0.70/*0.40A	----	0.30 NEW	.0009	----	----	2	----	2 + 2
4125	----	----	10.20B/----	10.20B/6.90A	----	7.30 NEW	.0568	----	----	1	----	1 + 1
4150	----	----	5.80B/----	5.80B/3.70A	----	4.10 + 1.30	.0365	----	----	----	----	4 UNCH
4150	----	----	11.50B/----	11.50B/7.80A	----	8.50 + 2.50	.0663	----	----	1	----	2 + 1
4175	0.50	0.50	0.90B/*0.50	0.90B/*0.50	----	0.60 - 0.20	.0026	----	----	1	----	2 + 1
4195	1.00	1.00	#1.10B/*0.70A	1.10B/*0.70A	----	0.60 NEW	.0028	----	----	10	----	10 + 10
4200	7.00	7.00	8.10B/7.00	8.10B/4.90A	----	5.50 + 1.70	.0512	----	----	1	----	12 UNCH
4200	----	----	1.10B/*0.70A	1.10B/*0.70A	----	0.70 - 0.20	.0035	----	----	----	----	2 UNCH
4225	----	----	1.40B/*0.80A	1.40B/*0.80A	----	0.80 - 0.30	.0044	----	----	----	----	20 UNCH
4225	----	----	9.70B/----	9.70B/5.70A	----	6.50 + 2.10	.0615	----	----	----	----	4 UNCH
4250	----	----	21.00B/----	21.00B/12.10A	----	16.00 + 5.50	.1231	----	----	----	----	1 UNCH
4250	----	----	11.80B/----	11.80B/6.50A	----	7.70 + 2.50	.0740	----	----	----	----	0 UNCH
4250	----	----	1.90B/*0.90A	1.90B/*0.90A	----	1.00 - 0.30	.0063	----	----	----	----	3 UNCH
4275	----	----	24.60B/----	24.60B/13.90A	----	18.80 + 6.60	.1434	----	----	----	----	1 UNCH
4275	----	----	14.20B/----	14.20B/7.40A	----	9.30 + 3.10	.0901	----	----	----	----	5 UNCH
4275	----	----	#34.60B/----	34.60B/21.40A	----	27.70 + 9.10	.1775	----	----	----	----	10 UNCH
4275	2.10	2.10	2.60B/*1.10A	2.60B/*1.10A	----	1.20 - 0.30	.0085	----	----	2	----	13 + 1
4295	----	----	#3.30B/*1.40A	3.30B/*1.40A	----	1.50 - 0.30	.0119	----	----	----	----	2 UNCH
4300	30.00	30.00	#39.60B/30.00	39.60B/24.30A	----	31.80 NEW	.2010	----	----	4	----	4 + 4
4300	30.00	30.00	30.00/30.00	30.00/17.20A	----	22.10 + 8.00	.1667	----	----	1	----	23 UNCH
4300	2.00	2.00	3.60/*1.20	3.60/*1.20	----	1.60 - 0.20	.0130	----	----	69	----	66 + 58
4300	9.70	9.70	17.30B/9.70	17.30B/8.60A	----	11.20 + 3.80	.1094	----	----	4	----	5 + 3
4310	----	----	#4.00B/*1.60A	4.00B/*1.60A	----	1.80 - 0.20	.0155	----	----	1	----	3 + 1
4320	182.00	182.00	182.00/*164.30A	255.50B/164.30A	----	188.30 NEW	.9818	----	----	1	----	1 + 1
4325	----	----	21.00B/----	21.00B/10.20A	----	13.70 + 4.90	.1338	----	----	----	----	4 UNCH
4325	----	----	4.90B/*1.80A	4.90B/*1.80A	----	2.10 - 0.10	.0196	----	----	1	----	62 UNCH
4325	----	----	33.70B/----	33.70B/19.10A	----	26.10 + 9.70	.1938	----	----	----	----	1 UNCH
4330	1.60	1.60	#5.30B/*1.60	5.30B/*1.60	----	2.20 NEW	.0211	----	----	80	----	38 + 38
4335	3.00	3.00	5.50B/*2.10A	5.50B/*2.10A	----	2.40 UNCH	.0236	----	----	1	----	13 + 1
4340	----	----	#6.00B/*2.20A	6.00B/*2.20A	----	2.60 + 0.10	.0262	----	----	----	----	2 UNCH
4350	----	----	39.40B/----	39.40B/22.20A	----	30.80 + 11.60	.2243	----	----	----	----	3 UNCH
4350	----	----	25.60B/----	25.60B/12.30A	----	16.90 + 6.40	.1639	----	----	----	----	19 UNCH
4350	5.60	5.60	6.80B/*2.40A	6.80B/*2.40A	----	2.90 + 0.10	.0308	----	----	3	----	22 + 3
4360	5.20	5.20	#8.20/*2.80A	8.20/*2.80A	----	3.30 NEW	.0370	----	----	5	----	5 + 5
4375	----	----	46.20B/----	46.20B/26.00A	----	36.20 + 13.70	.2583	----	----	----	----	12 UNCH
4375	147.20	147.20	147.20/135.30A	211.60B/135.30A	----	152.10 NEW	.7996	----	----	1	----	1 + 1
4375	----	----	31.20B/----	31.20B/15.20A	----	20.90 + 8.10	.2001	----	----	----	----	100 UNCH
4375	4.30	4.30	9.70B/*3.00	9.70B/*3.00	----	4.10 + 0.60	.0495	----	----	8	----	40 + 2
4380	3.40	3.40	#10.40B/*3.40	10.40B/*3.40	----	4.40 + 0.70	.0544	----	----	15	----	18 + 15
4385	5.10	5.10	#11.10B/3.80A	11.10B/3.80A	----	4.80 NEW	.0606	----	----	1	----	1 + 1
4390	6.00	6.00	#11.90B/4.10A	11.90B/4.10A	----	5.20 + 1.20	.0671	----	----	7	----	9 + 7
4395	12.80	12.80	#12.80/4.40A	12.80/4.40A	----	5.60 NEW	.0739	----	----	2	----	2 + 2
4400	6.00	6.00	13.70B/4.70A	13.70B/4.70A	----	6.00 + 1.50	.0810	----	----	5	----	64 UNCH
4400	----	----	----/92.70A	177.80B/92.70A	----	112.30 - 85.10	.9189	----	----	----	----	1 UNCH
4400	----	----	37.90B/----	37.90B/18.40A	----	26.00 + 10.50	.2434	----	----	41	----	42 + 40
4400	----	----	----/116.90A	189.70B/116.90A	----	132.20 - 76.20	.7563	----	----	----	----	1 UNCH
4405	----	----	#14.70B/----	14.70B/5.00A	----	6.50 + 1.80	.0895	----	----	----	----	0 UNCH
4405	----	----	----/*88.70A	173.10B/88.70A	----	107.80 NEW	.9104	----	----	1	----	1 + 1
4410	----	----	15.80B/----	15.80B/5.40A	----	7.00 + 2.00	.0983	----	----	154	----	74 + 70
4415	----	----	16.90B/----	16.90B/5.80A	----	7.60 + 2.30	.1087	----	----	1	----	2 + 1
4420	----	----	18.10B/----	18.10B/6.30A	----	8.20 + 2.60	.1194	----	----	4	----	6 + 2
4420	----	----	----/76.90A	159.00B/76.90A	----	94.50 - 84.00	.8805	----	----	----	----	1 UNCH
4425	----	----	62.50B/----	62.50B/35.60A	----	49.90 + 18.60	.3374	----	----	----	----	5 UNCH
4425	----	----	----/99.50A	168.50B/99.50A	----	113.60 - 73.30	.7060	----	----	----	----	1 UNCH
4425	----	----	45.90B/----	45.90B/22.40A	----	32.40 + 13.40	.2937	----	----	----	----	1 UNCH
4425	----	----	19.40B/----	19.40B/6.80A	----	8.90 + 3.00	.1316	----	----	3	----	78 UNCH
4425	----	----	----/73.10A	154.40B/73.10A	----	90.20 - 83.60	.8682	----	----	----	----	2 UNCH
4430	----	----	----/69.10A	149.70B/69.10A	----	86.00 - 83.20	.8545	----	----	----	----	1 UNCH
4430	8.20	8.20	20.70B/7.40A	20.70B/7.40A	----	9.70 + 3.50	.1453	----	----	1	----	4 + 1
4435	----	----	#22.10B/----	22.10B/8.00A	----	10.50 + 3.90	.1596	----	----	----	----	11 UNCH
4440	15.40	15.40	23.70B/15.40	23.70B/8.60A	----	11.40 + 4.40	.1753	----	----	2	----	11 + 2
4445	----	----	#25.30B/----	25.30B/9.20A	----	12.30 + 4.90	.1916	----	----	----	----	3 UNCH
4450	----	----	----/103.40A	156.50B/103.40A	----	114.50 - 65.10	.6177	----	----	----	----	58 UNCH
4450	----	----	72.50B/----	72.50B/41.70A	----	58.30 + 21.40	.3819	----	----	----	----	17 UNCH
4450	9.00	9.00	28.00/9.00	28.00/9.00	----	13.40 + 5.50	.2102	----	----	51	----	233 - 25
4450	----	----	----/55.10A	131.90B/55.10A	----	69.70 - 81.10	.7897	----	----	----	----	4 UNCH
4450	----	----	55.40B/----	55.40B/27.40A	----	40.20 + 16.80	.3503	----	----	20	----	225 UNCH
4455	----	----	----/51.70A	127.50B/51.70A	----	65.80 - 80.50	.7705	----	----	----	----	2 UNCH
4455	14.20	14.20	28.80B/14.20	28.80B/10.30A	----	14.50 + 6.10	.2294	----	----	1	----	30 + 1
4460	11.20	11.20	30.80B/11.20	30.80B/10.80A	----	15.80 + 6.90	.2508	----	----	3	----	30 + 2
4460	----	----	----/48.60A	123.10B/48.60A	----	62.10 - 79.80	.7491	----	----	----	----	29 UNCH
4465	26.90	26.90	32.90B/26.90	32.90B/11.60A	----	17.10 + 7.60	.2727	----	----	1	----	28 + 1
4465	----	----	----/*45.50A	118.70B/45.50A	----	58.40 - 79.00	.7272	----	----	----	----	28 UNCH
4470	----	----	#35.10B/----	35.10B/12.30A	----	18.50 + 8.40	.2959	----	----	1	----	11 + 1
4470	48.10	48.10	48.10/*42.50A	114.40B/42.50A	----	54.80 NEW	.7039	----	----	6	----	6 + 6
4475	----	----	83.80B/----	83.80B/48.80A	----	67.90 + 24.50	.4291	----	----	----	----	1 UNCH
4475	----	----	66.40B/----	66.40B/33.30A	----	49.60 + 21.00	.4118	----	----	57	----	53 + 49
4475	79.00	79.00	#98.40B/79.00	98.40B/62.70A	----	82.70 NEW	.4372	----	----	1	----	1 + 1
4475	45.20	45.20	45.20/39.50A	109.80B/39.50A	----	51.40 - 77.30	.6789	----	----	1	----	4 + 1
4475	20.80	20.80	37.20B/20.80	37.20B/13.10A	----	20.10 + 9.40	.3209	----	----	3	----	10 + 2
4480	41.60	41.60	41.60/36.80A	105.70B/36.80A	----	48.00 - 76.40	.6533	----	----	1	----	2 + 1
4480	18.80	18.80	#39.80B/18.80	39.80B/13.90A	----	21.70 + 10.30	.3465	----	----	1	----	2 + 1
4485	39.40	39.40	40.00/*34.20A	101.70B/34.20A	----	44.80 NEW	.6263	----	----	9	----	5 + 5
4485	----	----	#42.30B/----	42.30B/14.90A	----	23.50 + 11.30	.3736	----	----	----	----	33 UNCH
4490	19.90	19.90	#44.80B/19.90	44.80B/15.80A	----	25.40 NEW	.4014	----	----	81	----	39 + 39
4490	51.50	51.50	51.50/31.80A	97.60B/31.80A	----	41.70 - 74.20	.5984	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
4495	59.10	59.10	60.40/*29.30A	93.70B/29.30A	----	38.70 NEW	.5698	----	----	5	----	3 + 3
4495	27.80	27.80	#47.50B/27.80	47.50B/16.70A	----	27.40 NEW	.4300	----	----	3	----	3 + 3
4500	----	----	79.10B/----	79.10B/40.60A	----	60.40 + 25.40	.4765	----	----	----	----	1 UNCH
4500	19.50	19.50	51.30/19.50	51.30/17.80A	----	29.60 + 14.90	.4594	----	----	16	----	172 + 6
4500	62.60	62.60	62.60/27.00A	89.40B/27.00A	----	35.90 - 71.80	.5404	----	----	4	----	4 + 1
4500	59.00	59.00	67.00/56.20	111.30B/56.20	----	66.70 - 61.20	.5232	----	----	84	----	86 + 82
4505	30.20	30.20	30.20/*24.90A	85.60B/24.90A	----	33.20 NEW	.5107	----	----	3	----	3 + 3
4505	46.50	46.50	#53.00B/46.50	53.00B/19.00A	----	31.90 NEW	.4892	----	----	1	----	1 + 1
4510	24.50	24.50	35.10/*22.90A	81.70B/22.90A	----	30.60 - 69.00	.4806	----	----	4	----	4 + 3
4515	38.60	38.60	#59.10B/38.60	59.10B/21.50A	----	36.80 NEW	.5494	----	----	3	----	3 + 3
4515	26.10	26.10	30.50/21.10A	77.90B/21.10A	----	28.10 - 67.60	.4504	----	----	2	----	4 + 1
4520	27.10	27.10	27.10/19.30A	74.40B/19.30A	----	25.80 - 66.10	.4204	----	----	7	----	2 + 1
4520	----	----	62.40B/----	62.40B/22.80A	----	39.50 + 20.60	.5794	----	----	----	----	2 UNCH
4525	----	----	110.30B/----	110.30B/66.70A	----	91.20 + 31.50	.5286	----	----	----	----	6 UNCH
4525	----	----	----/45.90A	94.80B/45.90A	----	54.10 NEW	.4568	----	----	4	----	4 + 4
4525	45.50	45.50	65.80B/45.50	65.80B/24.40A	----	42.30 + 22.20	.6092	----	----	5	----	62 - 1
4525	33.00	33.00	33.00/17.70A	70.70B/17.70A	----	23.60 - 64.50	.3906	----	----	3	----	9 + 2
4525	----	----	----/66.80A	107.30B/66.80A	----	72.50 - 55.10	.4709	----	----	----	----	3 UNCH
4525	----	----	93.50B/----	93.50B/49.20A	----	72.70 + 30.00	.5429	----	----	----	----	1 UNCH
4530	35.40	35.40	35.40/*16.20A	67.30B/16.20A	----	21.60 - 62.80	.3617	----	----	1	----	11 + 1
4530	41.00	41.00	#69.20B/38.60	69.20B/25.90A	----	45.30 NEW	.6382	----	----	2	----	1 + 1
4535	18.70	18.70	21.50/*14.80A	63.90B/14.80A	----	19.70 - 61.10	.3333	----	----	5	----	3 + 2
4540	28.00	28.00	28.00/13.50A	60.50B/13.50A	----	17.90 - 59.30	.3057	----	----	26	----	55 + 25
4545	----	----	#80.20B/----	80.20B/31.00A	----	55.00 + 29.20	.7202	----	----	----	----	1 UNCH
4550	----	----	109.30B/----	109.30B/59.40A	----	86.70 + 35.00	.6093	----	----	----	----	1 UNCH
4550	----	----	125.40B/----	125.40B/77.40A	----	104.90 + 35.40	.5787	----	----	----	----	2 UNCH
4550	49.00	49.00	54.20B/11.30A	54.20B/11.30A	----	14.80 - 55.60	.2547	----	----	42	25	152 + 46
4550	40.00	40.00	84.10B/32.90A	84.10B/32.90A	----	58.50 + 31.10	.7452	----	----	6	----	11 - 1
4560	----	----	#92.00B/----	92.00B/37.00A	----	65.90 + 35.00	.7905	----	----	1	----	0 - 1
4560	35.00	35.00	35.00/*9.40A	48.80B/9.40A	----	12.20 - 51.70	.2094	----	----	23	----	22 + 16
4565	24.00	24.00	26.00/*8.60A	46.00B/8.60A	----	11.00 - 49.80	.1884	----	----	6	----	4 + 2
4570	25.10	25.10	25.10/*7.80A	43.20B/7.80A	----	10.00 - 47.70	.1698	----	----	7	----	55 + 6
4575	----	----	126.70B/----	126.70B/71.10A	----	102.40 + 40.20	.6731	----	----	----	----	7 UNCH
4575	31.00	31.00	31.00/29.20A	67.10B/29.20A	----	33.70 - 46.50	.3266	----	----	1	----	9 UNCH
4575	48.00	48.00	104.50B/48.00	104.50B/43.90A	----	77.70 + 40.90	.8481	----	----	2	----	20 + 2
4575	40.00	40.00	40.70B/7.10A	40.70B/7.10A	----	9.00 - 45.80	.1518	----	----	71	----	99 + 16
4580	8.40	8.40	8.40/*6.50A	38.10B/6.50A	----	8.20 - 43.80	.1365	----	----	4	----	8 + 3
4580	----	----	#108.70B/----	108.70B/46.50A	----	81.90 + 42.90	.8634	----	----	----	----	1 UNCH
4585	----	----	----/*5.90A	35.80B/5.90A	----	7.40 - 41.90	.1217	----	----	2	----	34 + 2
4590	----	----	----/*5.40A	33.40B/5.40A	----	6.70 - 39.90	.1085	----	----	----	----	53 UNCH
4595	----	----	----/*4.90A	31.20B/4.90A	----	6.10 - 38.00	.0970	----	----	----	----	7 UNCH
4600	----	----	159.80B/----	159.80B/103.40A	----	136.50 + 43.90	.6739	----	----	----	----	2 UNCH
4600	54.00	54.00	54.60/39.90A	73.70B/39.90A	----	43.00 NEW	.3256	----	----	210	----	92 + 92
4600	27.60	27.60	27.60/23.00A	55.30B/23.00A	----	26.30 - 40.90	.2686	----	----	1	----	116 UNCH
4600	----	----	126.40B/----	126.40B/57.40A	----	99.20 + 50.60	.9139	----	----	----	----	17 UNCH
4600	6.60	6.60	6.60/4.50A	29.20B/4.50A	----	5.50 - 36.10	.0860	----	----	20	----	405 + 5
4605	----	----	----/4.20A	27.20B/4.20A	----	5.00 - 34.30	.0766	----	----	----	----	1 UNCH
4610	----	----	----/*3.80A	25.30B/*3.80A	----	4.60 NEW	.0688	----	----	4	----	2 + 2
4615	10.20	10.20	10.20/*3.50A	23.50B/*3.50A	----	4.10 - 30.80	.0602	----	----	21	----	12 - 8
4620	3.60	3.60	3.60/*3.20A	21.90B/*3.20A	----	3.80 - 29.10	.0543	----	----	5	----	4 UNCH
4625	----	----	----/33.30A	62.20B/33.30A	----	35.70 - 38.30	.2823	----	----	----	----	6 UNCH
4625	36.50	36.50	36.50/18.10A	45.00B/18.10A	----	20.40 - 35.40	.2175	----	----	2	----	35 + 1
4625	----	----	149.40B/----	149.40B/73.90A	----	122.10 + 59.20	.9524	----	----	----	----	7 UNCH
4625	3.40	3.40	3.40/*3.00A	20.20B/*3.00A	----	3.40 - 27.50	.0475	----	----	2	----	75 + 1
4630	3.60	3.60	3.60/*2.80A	18.80B/*2.80A	----	3.10 - 25.90	.0422	----	----	7	----	23 + 3
4635	----	----	----/*2.60A	17.40B/*2.60A	----	2.80 NEW	.0371	----	----	2	----	1 + 1
4640	----	----	----/*2.40A	16.10B/*2.40A	----	2.60 - 23.00	.0335	----	----	----	----	18 UNCH
4650	----	----	----/27.80A	53.00B/27.80A	----	29.70 - 33.90	.2432	----	----	----	----	10 UNCH
4650	----	----	----/14.10A	36.20B/14.10A	----	15.80 NEW	.1742	----	----	8	----	8 + 8
4650	6.50	6.50	7.00/*2.00A	13.70B/*2.00A	----	2.20 - 20.30	.0268	----	----	7	----	32 - 2
4655	----	----	----/*1.90A	12.70B/*1.90A	----	2.00 - 19.10	.0236	----	----	----	----	1 UNCH
4665	----	----	----/*1.70A	10.80B/*1.70A	----	1.70 - 16.80	.0189	----	----	3	----	2 UNCH
4670	10.60	10.60	10.60/*1.50	10.60/*1.50	----	1.50 NEW	.0162	----	----	52	----	18 + 18
4675	1.80	1.80	1.80/*1.50A	9.10B/*1.50A	----	1.40 - 14.80	.0147	----	----	4	----	19 UNCH
4675	----	----	197.30B/----	197.30B/112.10A	----	170.10 + 71.90	.9852	----	----	----	----	1 UNCH
4675	----	----	----/11.10A	29.00B/11.10A	----	12.40 - 25.10	.1394	----	----	3	----	7 + 3
4680	1.60	1.60	1.60/*1.40	8.40B/*1.40	----	1.30 NEW	.0132	----	----	3	----	3 + 3
4695	----	----	----/*1.20A	6.50B/*1.20A	----	1.00 - 11.40	.0092	----	----	----	----	2 UNCH
4700	----	----	----/19.40A	38.10B/19.40A	----	20.40 NEW	.1772	----	----	2	----	2 + 2
4700	----	----	----/8.80A	23.10B/8.80A	----	9.70 - 20.80	.1106	----	----	----	----	26 UNCH
4700	----	----	221.80B/----	221.80B/133.90A	----	194.60 + 76.00	.9919	----	----	----	----	1 UNCH
4700	6.50	6.50	6.50/*0.90	6.50/*0.90	----	0.90 - 10.70	.0080	----	----	6	----	106 + 1
4710	----	----	----/*0.90A	5.10B/*0.90A	----	0.80 - 9.40	.0067	----	----	----	----	2 UNCH
4715	----	----	----/*0.90A	4.70B/*0.90A	----	0.70 - 8.80	.0056	----	----	1	----	3 + 1
4720	1.90	1.90	1.90/*0.80A	4.40B/*0.80A	----	0.70 NEW	.0055	----	----	1	----	1 + 1
4725	----	----	----/7.10A	18.30B/7.10A	----	7.70 - 17.00	.0883	----	----	1	----	7 + 1
4725	----	----	----/*0.80A	4.00B/*0.80A	----	0.60 - 7.80	.0045	----	----	----	----	16 UNCH
4725	----	----	246.50B/----	246.50B/156.70A	----	219.30 + 79.00	.9954	----	----	----	----	1 UNCH
4730	----	----	----/*0.70A	3.70B/*0.70A	----	0.60 - 7.20	.0044	----	----	----	----	2 UNCH
4750	----	----	----/13.50A	26.90B/13.50A	----	14.20 - 19.10	.1280	----	----	----	----	11 UNCH
4750	9.50	9.50	9.50/5.70A	14.50B/5.70A	----	6.20 NEW	.0709	----	----	50	----	50 + 50
4775	----	----	----/11.40A	22.30B/11.40A	----	11.90 - 16.30	.1087	----	----	----	----	50 UNCH
4775	----	----	300.50B/----	300.50B/214.80A	----	273.50 + 75.50	.9428	----	----	----	----	3 UNCH
4775	----	----	----/*0.40A	1.70B/*0.40A	----	0.30 - 4.20	.0016	----	----	----	----	2 UNCH
4775	----	----	----/4.60A	11.50B/4.60A	----	5.00 - 11.10	.0570	----	----	----	----	3 UNCH
4800	----	----	----/9.60A	18.70B/9.60A	----	10.10 - 13.70	.0928	----	----	----	----	2 UNCH
4800	----	----	#324.60B/----	#324.60B/237.40A	----	297.60 + 77.70	.9535	----	----	----	----	2 UNCH
4800	----	----	----/*0.40A	1.10B/*0.40A	----	0.20 - 3.10	.0009	----	----	----	----	9 UNCH
4800	----	----	----/3.80A	9.20B/3.80A	----	4.10 - 9.00	.0462	----	----	1	----	5 UNCH
4825	----	----	----/3.20A	7.40B/3.20A	----	3.30 - 7.40	.0370	----	----	----	----	2 UNCH
4825	----	----	----/*0.40A	0.70B/*0.40A	----	0.10 - 2.40	.0002	----	----	----	----	3 UNCH
4830	0.20	0.20	0.20/*0.20	0.60B/*0.20	----	0.10 NEW	.0002	----	----	1	----	1 + 1
4850	----	----	----/2.80A	5.90B/2.80A	----	2.80 - 6.00	.0308	----	----	1	----	1 UNCH
4850	----	----	----/*0.40A	0.50B/*0.40A	----	0.10 - 1.90	.0001	----	----	----	----	1 UNCH
4875	----	----	----/6.10A	9.70B/6.10A	----	6.40 - 8.40	.0590	----	----	----	----	1 UNCH
4875	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 1.50	.0000	----	----	----	----	2 UNCH
4900	----	----	----/5.20A	8.40B/5.20A	----	5.50 - 7.20	.0507	----	----	----	----	2 UNCH
4900	----	----	----/2.10A	4.50B/2.10A	----	2.00 - 4.10	.0212	----	----	----	----	17 UNCH
4900	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 1.20	.0000	----	----	----	----	4 UNCH
4925	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.90	----	----	----	----	----	5 UNCH
4950	----	----	----/4.00A	6.30B/4.00A	----	4.30 - 5.20	.0390	----	----	----	----	1 UNCH
4950	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.80	----	----	----	----	----	2 UNCH
4950	----	----	----/1.70A	2.30B/1.70A	----	1.50 - 2.80	.0153	----	----	----	----	3 UNCH
5000	----	----	----/4.60A	3.00B/4.60A	----	3.40 - 3.80	.0303	----	----	----	----	3 UNCH
5000	----	----	----/*1.40A	1.40B/1.40A	----	1.10 - 2.10	.0108	----	----	----	----	2 UNCH
5000	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.60	----	----	----	----	----	11 UNCH
5025	----	----	----/*1.30A	1.20B/*1.30A	----	1.00 - 1.80	.0096	----	----	----	----	2 UNCH
5050	----	----	----/*0.30A	----/0.30A	----	0.10 - 0.40	----	----	----	----	----	2 UNCH
5075	----	----	----/*1.10A	0.90B/*1.10A	----	0.80 - 1.40	.0073	----	----	----	----	1 UNCH
5150	----	----	----/*0.30A	----/0.30A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
5300	----	----	----/*0.80A	----/*0.80A	----	0.30 NEW	.0023	----	----	1	----	1 + 1
TOTAL										1483	25	4033 + 827

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3250	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
3500	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
3500	----	----	----	----/*0.70A	----	0.20 UNCH	.0009	----	----	----	----	2 UNCH
3600	----	----	----	0.10B/3.10A	----	2.00 UNCH	.0107	----	----	----	----	3 UNCH
3700	----	----	----	0.30B/*0.90A	----	0.30 - 0.10	.0017	----	----	----	----	3 UNCH
3800	----	----	----	0.50B/*3.10A	----	1.90 - 0.10	.0122	----	----	----	----	1 UNCH
3900	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
4000	3.70	3.70	3.70/*3.70	3.70/*3.70	----	3.70 NEW	.0275	----	----	1	----	1 + 1
4000	1.40	1.40	1.70B/1.40	1.70B/1.40	----	1.40 + 0.40	.0110	----	----	3	----	8 + 3
4000	----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
4075	6.00	6.00	6.00/*5.30A	6.00/*5.30A	----	5.10 + 1.00	.0398	----	----	4	----	6 - 4
4100	----	----	12.50B/----	12.50B/9.80A	----	9.90 + 2.60	.0682	----	----	----	----	3 UNCH
4100	2.50	2.50	3.10B/2.50	3.10B/2.30A	----	2.30 + 0.70	.0202	----	----	3	----	12 UNCH
4100	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
4125	----	----	14.30B/----	14.30B/11.10A	----	11.30 + 3.20	.0778	----	----	----	----	1 UNCH
4125	7.00	7.00	8.80/6.80	8.80/6.80	----	6.50 + 1.50	.0521	----	----	4	----	10 UNCH
4125	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 NEW	----	----	----	10	----	10 + 10

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE JUN26		GOLD WEEKLY TUESDAY OPTION Week1										
4145	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.10 NEW	----	----	----	8	----	6 + 6
4150	----	----	10.00B/----	10.00B/8.30A	----	7.50 + 1.90	.0605	----	----	----	----	1 UNCH
4150	3.40	3.40	4.40B/3.00A	4.40B/3.00A	----	3.10 + 0.90	.0287	----	----	3	----	7 - 3
4150	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.20	----	----	----	2	----	6 UNCH
4175	----	----	11.50B/----	11.50B/8.30A	----	8.60 + 2.20	.0700	----	----	----	----	1 UNCH
4175	----	----	18.80B/----	18.80B/13.10A	----	14.70 + 4.50	.1009	----	----	----	----	2 UNCH
4175	----	----	5.40B/----	5.40B/3.40A	----	3.60 + 1.10	.0343	----	----	----	----	1 UNCH
4175	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.10 - 0.20	----	----	----	1	----	3 UNCH
4200	----	----	21.70B/----	21.70B/14.80A	----	16.80 + 5.30	.1149	----	----	----	----	1 UNCH
4200	----	----	13.50B/----	13.50B/9.60A	----	10.10 + 2.90	.0822	----	----	----	----	13 UNCH
4200	----	----	6.40B/----	6.40B/3.90A	----	4.20 + 1.20	.0411	----	----	----	----	2 UNCH
4200	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 0.30	----	----	----	----	----	13 UNCH
4225	----	----	----/*0.30A	0.50B/*0.30A	----	0.10 - 0.40	.0000	----	----	----	----	5 UNCH
4225	----	----	7.80B/----	7.80B/4.60A	----	5.00 + 1.40	.0500	----	----	----	----	13 UNCH
4230	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.40	.0000	----	----	2	----	4 + 2
4250	----	----	28.00B/----	28.00B/18.60A	----	22.40 + 7.60	.1503	----	----	----	----	1 UNCH
4250	0.30	0.30	0.70B/*0.20A	0.70B/*0.20A	----	0.20 - 0.40	.0001	----	----	6	----	6 + 5
4250	----	----	18.80B/----	18.80B/12.50A	----	14.00 + 4.40	.1134	----	----	----	----	13 UNCH
4250	----	----	----/253.80A	320.60B/253.80A	----	270.00 - 82.20	.8862	----	----	----	----	1 UNCH
4250	5.90	5.90	9.50B/5.40A	9.50B/5.40A	----	6.00 + 1.70	.0611	----	----	1	----	5 UNCH
4255	0.60	0.60	0.70B/*0.20	0.70B/*0.20	----	0.20 NEW	.0002	----	----	6	----	6 + 6
4260	0.40	0.40	0.80B/*0.20	0.80B/*0.20	----	0.20 NEW	.0002	----	----	2	----	2 + 2
4265	0.40	0.40	0.80B/*0.30A	0.80B/*0.30A	----	0.20 NEW	.0002	----	----	1	----	1 + 1
4275	0.80	0.80	0.90B/*0.30A	0.90B/*0.30A	----	0.30 - 0.40	.0004	----	----	7	----	20 + 6
4275	----	----	32.40B/----	32.40B/21.30A	----	26.00 + 9.10	.1719	----	----	----	----	3 UNCH
4275	----	----	22.10B/----	22.10B/14.30A	----	16.80 + 5.60	.1343	----	----	----	----	3 UNCH
4275	----	----	11.60B/----	11.60B/6.50A	----	7.20 + 2.00	.0748	----	----	5	----	17 UNCH
4280	----	----	1.00B/*0.30A	1.00B/*0.30A	----	0.30 NEW	.0004	----	----	1	----	1 + 1
4285	0.60	0.60	1.10B/*0.30A	1.10B/*0.30A	----	0.40 NEW	.0006	----	----	2	----	2 + 2
4290	0.80	0.80	1.10B/*0.30A	1.10B/*0.30A	----	0.40 NEW	.0006	----	----	10	----	10 + 10
4295	0.70	0.70	1.20B/*0.30A	1.20B/*0.30A	----	0.40 - 0.50	.0007	----	----	2	----	4 + 2
4300	1.20	1.20	1.30B/*0.20	1.30B/*0.20	----	0.50 - 0.40	.0010	----	----	30	----	63 + 13
4300	----	----	26.20B/----	26.20B/16.60A	----	20.10 + 7.00	.1583	----	----	----	----	52 UNCH
4300	----	----	----/211.00A	274.60B/211.00A	----	226.20 - 79.50	.8413	----	----	----	----	1 UNCH
4300	----	----	14.20B/----	14.20B/7.80A	----	8.90 + 2.70	.0933	----	----	1	----	5 + 1
4305	----	----	----/176.00A	269.30B/176.00A	----	201.80 - 87.10	.9989	----	----	----	----	1 UNCH
4305	0.30	0.30	1.40B/*0.30	1.40B/*0.30	----	0.50 NEW	.0010	----	----	1	----	1 + 1
4310	0.30	0.30	1.50B/*0.20	1.50B/*0.20	----	0.60 NEW	.0014	----	----	4	----	3 + 3
4315	0.30	0.30	1.60B/*0.30	1.60B/*0.30	----	0.60 NEW	.0014	----	----	2	----	2 + 2
4320	0.30	0.30	1.70B/*0.30	1.70B/*0.30	----	0.60 NEW	.0015	----	----	3	----	3 + 3
4325	----	----	42.80B/----	42.80B/27.60A	----	35.00 + 12.80	.2229	----	----	----	----	1 UNCH
4325	0.80	0.80	1.90B/*0.40	1.90B/*0.40	----	0.70 - 0.50	.0020	----	----	13	----	17 + 13
4325	----	----	17.60B/----	17.60B/9.30A	----	11.00 + 3.70	.1161	----	----	----	----	16 UNCH
4330	2.50	2.50	2.50/*0.50A	2.50/*0.50A	----	0.70 NEW	.0020	----	----	4	----	4 + 4
4335	----	----	----/146.90A	239.60B/146.90A	----	172.10 - 87.10	.9973	----	----	----	----	1 UNCH
4335	0.40	0.40	2.30B/*0.40	2.30B/*0.40	----	0.80 NEW	.0026	----	----	1	----	1 + 1
4340	1.30	1.30	2.40B/*0.60A	2.40B/*0.60A	----	0.80 NEW	.0027	----	----	25	----	25 + 25
4345	1.10	1.10	2.70B/*0.60A	2.70B/*0.60A	----	0.90 - 0.60	.0033	----	----	2	----	6 + 2
4350	1.50	1.50	2.90B/*0.70A	2.90B/*0.70A	----	1.00 - 0.60	.0040	----	----	16	----	26 + 11
4350	----	----	----/132.70A	225.30B/132.70A	----	157.30 - 87.20	.9959	----	----	----	----	1 UNCH
4350	----	----	36.90B/----	36.90B/22.50A	----	28.60 + 10.80	.2168	----	----	----	----	2 UNCH
4350	----	----	21.70B/----	21.70B/11.10A	----	13.70 + 4.90	.1447	----	----	----	----	41 UNCH
4355	1.00	1.00	3.30B/*0.80A	3.30B/*0.80A	----	1.10 NEW	.0047	----	----	1	----	1 + 1
4360	1.40	1.40	3.50B/*0.90A	3.50B/*0.90A	----	1.10 - 0.60	.0049	----	----	23	----	15 + 11
4365	----	----	3.80B/*1.00A	3.80B/*1.00A	----	1.20 NEW	.0058	----	----	1	----	1 + 1
4370	2.10	2.10	4.30B/*1.10A	4.30B/*1.10A	----	1.30 NEW	.0068	----	----	79	----	46 + 46
4375	2.50	2.50	4.70B/*1.10A	4.70B/*1.10A	----	1.40 - 0.60	.0078	----	----	10	----	12 + 8
4375	----	----	----/131.50A	209.30B/131.50A	----	148.40 NEW	.8193	----	----	2	----	2 + 2
4375	17.70	17.70	26.90B/17.50	26.90B/13.50A	----	17.20 + 6.40	.1804	----	----	100	----	165 + 89
4380	2.00	2.00	5.10B/*1.20A	5.10B/*1.20A	----	1.60 - 0.50	.0098	----	----	8	----	5 + 3
4385	2.00	2.00	5.60B/*1.30A	5.60B/*1.30A	----	1.70 - 0.50	.0111	----	----	7	----	7 + 6
4390	3.20	3.20	6.20B/*1.20	6.20B/*1.20	----	1.90 NEW	.0134	----	----	44	----	44 + 44
4395	2.30	2.30	6.80B/*1.60A	6.80B/*1.60A	----	2.00 - 0.40	.0151	----	----	1	----	2 + 1
4400	2.60	2.60	7.60B/*1.60	7.60B/*1.60	----	2.20 - 0.40	.0178	----	----	72	----	156 + 39
4400	----	----	----/86.80A	175.70B/86.80A	----	108.50 - 87.00	.9820	----	----	----	----	2 UNCH
4400	----	----	64.60B/----	64.60B/41.70A	----	53.60 + 19.60	.3187	----	----	----	----	1 UNCH
4400	----	----	50.30B/----	50.30B/30.50A	----	39.80 + 15.80	.2893	----	----	----	----	182 UNCH
4400	----	----	33.20B/----	33.20B/16.40A	----	21.80 + 8.50	.2245	----	----	----	----	152 UNCH
4400	----	----	----/112.60A	187.00B/112.60A	----	128.00 NEW	.7753	----	----	2	----	2 + 2
4405	----	----	----/82.20A	171.00B/82.20A	----	103.80 - 86.90	.9780	----	----	----	----	1 UNCH
4405	3.00	3.00	8.20B/*1.90A	8.20B/*1.90A	----	2.50 NEW	.0219	----	----	13	----	12 + 12
4410	3.00	3.00	9.00B/*1.80	9.00B/*1.80	----	2.70 - 0.20	.0254	----	----	20	----	21 + 20
4415	4.60	4.60	9.90B/*2.00	9.90B/*2.00	----	3.00 - 0.10	.0303	----	----	15	----	18 + 14
4415	90.10	90.10	90.10/73.70A	161.60B/73.70A	----	94.30 NEW	.9695	----	----	1	----	1 + 1
4420	4.20	4.20	10.80B/*2.50A	10.80B/*2.50A	----	3.30 UNCH	.0358	----	----	38	----	38 + 26
4425	10.20	10.20	11.80B/*2.50	11.80B/*2.50	----	3.70 + 0.20	.0431	----	----	34	----	60 + 31
4425	----	----	----/118.20A	169.20B/118.20A	----	128.30 - 67.70	.6675	----	----	----	----	1 UNCH
4425	40.30	40.30	59.00B/40.30	59.00B/36.00A	----	47.10 + 18.90	.3321	----	----	9	----	33 + 9
4425	----	----	40.90B/----	40.90B/20.10A	----	27.70 + 11.30	.2770	----	----	1	----	42 UNCH
4425	----	----	----/65.40A	152.00B/65.40A	----	85.00 - 86.40	.9568	----	----	----	----	1 UNCH
4430	4.10	4.10	13.00B/*3.00A	13.00B/*3.00A	----	4.10 + 0.40	.0511	----	----	150	----	81 + 80
4435	----	----	----/57.60A	142.20B/57.60A	----	75.90 - 86.00	.9387	----	----	----	----	2 UNCH
4435	5.50	5.50	14.20B/*3.30A	14.20B/*3.30A	----	4.60 + 0.70	.0612	----	----	49	----	39 + 36
4440	7.50	7.50	15.50B/*3.60A	15.50B/*3.60A	----	5.20 + 1.00	.0737	----	----	3	----	4 + 3
4445	7.30	7.30	16.90B/*4.00A	16.90B/*4.00A	----	5.80 + 1.30	.0873	----	----	12	----	4 + 3
4450	----	----	----/46.60A	128.40B/46.60A	----	62.80 - 85.00	.8964	----	----	2	----	45 + 1
4450	6.50	6.50	18.40B/4.40A	18.40B/4.40A	----	6.50 + 1.70	.1035	----	----	78	----	70 + 50
4450	----	----	50.00B/----	50.00B/24.60A	----	35.00 + 14.60	.3372	----	----	----	----	173 UNCH
4455	----	----	----/42.90A	123.50B/42.90A	----	58.70 - 84.40	.8760	----	----	4	----	3 + 2
4455	8.50	8.50	20.10B/5.00A	20.10B/5.00A	----	7.40 + 2.20	.1239	----	----	26	----	16 + 14
4460	6.50	6.50	21.90B/5.20	21.90B/5.20	----	8.30 + 2.70	.1459	----	----	29	----	22 + 21
4460	64.90	64.90	64.90/39.70A	119.00B/39.70A	----	54.60 NEW	.8540	----	----	3	----	2 + 2
4465	9.80	9.80	23.70B/6.30A	23.70B/6.30A	----	9.30 + 3.30	.1708	----	----	9	----	8 + 3
4470	----	----	----/33.50A	110.20B/33.50A	----	46.80 - 82.60	.7998	----	----	4	----	4 - 1
4470	13.40	13.40	25.80B/7.00A	25.80B/7.00A	----	10.50 NEW	.2001	----	----	94	----	87 + 87
4475	36.30	36.30	36.30/30.40A	105.80B/30.40A	----	43.10 NEW	.7676	----	----	1	----	1 + 1
4475	----	----	95.50B/----	95.50B/62.60A	----	79.20 + 27.00	.4356	----	----	----	----	1 UNCH
4475	10.50	10.50	27.90B/7.80A	27.90B/7.80A	----	11.80 + 4.90	.2323	----	----	156	----	120 + 65
4475	----	----	79.70B/----	79.70B/48.50A	----	65.60 + 25.80	.4275	----	----	----	----	0 UNCH
4475	----	----	60.90B/----	60.90B/30.20A	----	44.00 + 18.80	.4041	----	----	----	----	21 UNCH
4475	116.00	116.00	116.00/64.20A	125.30B/64.20A	----	75.30 NEW	.5956	----	----	3	----	3 + 3
4480	13.00	13.00	30.20B/8.80A	30.20B/8.80A	----	13.30 + 5.80	.2684	----	----	17	----	11 + 7
4480	42.00	42.00	42.00/27.40A	101.40B/27.40A	----	39.60 NEW	.7315	----	----	5	----	3 + 3
4485	24.90	24.90	32.70B/11.00	32.70B/10.00A	----	14.90 + 6.90	.3070	----	----	36	----	24 + 20
4485	30.70	30.70	31.40/25.00A	96.80B/25.00A	----	36.20 - 79.80	.6928	----	----	11	----	46 + 6
4490	20.10	20.10	35.40B/12.00	35.40B/10.90A	----	16.70 + 8.00	.3488	----	----	95	----	50 + 48
4490	----	----	----/22.30A	92.60B/22.30A	----	33.00 NEW	.6510	----	----	1	----	1 + 1
4495	19.50	19.50	38.20B/13.80	38.20B/11.70A	----	18.60 + 9.20	.3926	----	----	10	----	9 + 6
4495	20.20	20.20	20.30/20.00A	88.40B/20.00A	----	29.90 NEW	.6072	----	----	7	----	6 + 6
4500	15.00	15.00	41.10B/15.00	41.10B/12.70A	----	20.70 + 10.60	.4385	----	----	245	50	183 + 147
4500	----	----	107.80B/----	107.80B/71.60A	----	90.20 + 29.70	.4786	----	----	1	----	2 + 1
4500	23.30	23.30	31.60/18.00A	84.20B/18.00A	----	27.00 - 76.10	.5613	----	----	91	25	78 - 55
4500	----	----	----/76.00A	116.50B/76.00A	----	82.70 - 57.40	.5213	----	----	----	----	2 UNCH
4500	----	----	92.20B/----	92.20B/57.50A	----	76.40 + 29.10	.4782	----	----	----	----	8 UNCH
4500	50.00	50.00	73.50B/50.00	73.50B/37.20A	----	54.60 + 23.40	.4754	----	----	1	----	19 + 1
4500	52.60	52.60	53.40/51.50A	107.00B/51.50A	----	60.90 - 63.20	.5243	----	----	4	----	5 UNCH
4505	----	----	44.20B/----	44.20B/13.60A	----	22.90 + 12.00	.4857	----	----	4	----	8 + 3
4505	23.30	23.30	23.70/16.10A	80.10B/16.10A	----	24.20 NEW	.5142	----	----	8	----	4 + 4
4510	25.90	25.90	47.40B/19.50	47.40B/14.60A	----	25.30 + 13.60	.5336	----	----	10	----	9 + 6
4510	17.00	17.00	25.00/14.30A	76.10B/14.30A	----	21.60 - 73.10	.4662	----	----	65	----	36 + 32
4515	25.00	25.00	50.70B/21.40	50.70B/15.90A	----	27.90 + 15.20	.5816	----	----	18	----	5 - 8
4515	28.60	28.60	29.80/12.60A	72.30B/12.60A	----	19.20 - 71.40	.4183	----	----	18	----	10 + 9
4520	25.00	25.00	54.20B/25.00	54.20B/17.00A	----	30.70 + 17.10	.6287	----	----	7	----	4 + 3
4520	20.00	20.00	25.50/11.10A	68.50B/11.10A	----	17.00 NEW	.3712	----	----	29	----	20 + 20
4525	----	----	121.40B/----	121.40B/81.80A	----	102.60 + 32.60	.5223	----	----	1	----	0 - 1
4525	19.70	19.70	23.50/9.80A	64.70B/9.80A	----	15.00 - 67.70	.3259	----	----	80	----	61 + 40
4525	----	----	----/65.00A	101.30B/65.00A	----	69.40 - 54.50	.4690	----	----	----	----	0 UNCH
4525	85.70	85.70	106.00B/85.70	106.00B/66.60A	----	88.10 + 32.10	.5305	----	----	1	----	6 UNCH
4525	70.90	70.90	88.00B/61.90	88.00B/45.40A	----	67.00 + 28.50	.5489	----	----	2	----	4 + 2
4525	25.20	25.20	57.90B/23.80	57.90B/18.40A	----	33.70 + 19.00	.6739	----	----	61	----	114 + 4
4530	45.60	45.60	45.60/8.70A	61.20B/8.70A	----	13.10 - 65.70	.2823	----	----	32	----	21 + 16
4530	19.90	19.90	61.60B/19.60A	61.60B/19.60A	----	36.80 + 20.90	.7176	----	----	12	----	9 - 2
4535	31.30	31.30	33.40/7.70A	57.60B/7.70A	----	11.40 - 63.70	.2416	----	----	18	----	10 + 8
4535	27.50	27.50	65.50B/27.50	65.50B/21.20A	----	40.10 + 23.00	.7583	----	----	6	----	7 + 6
4540	32.10	32.10	69.40B/32.10	69.40B/22.80A	----	43.60 + 25.20	.7953	----	----	27	----	30 + 25
4540	25.50	25.50	25.50/*6.80A	54.00B/*6.80A	----	9.90 - 61.50	.2046	----	----	49	----	22 + 21
4545	26.50	26.50	28.00/*5.90A	50.70B/*5.90A	----	8.60 - 59.20	.1717	----	----	107	----	48 + 43

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE JUN26		GOLD WEEKLY TUESDAY OPTION Week1										
4545	39.30	39.30	73.50B/39.30	73.50B/24.50A	----	47.30 + 27.50	.8282	----	----	2	----	3 + 1
4550	33.70	33.70	77.70B/33.70	77.70B/26.30A	----	51.10 + 29.80	.8579	----	----	6	----	44 + 2
4550	21.30	21.30	22.00/*5.30	47.50B/*5.30	----	7.40 - 56.90	.1420	----	----	283	----	271 + 200
4550	----	----	136.10B/----	136.10B/92.80A	----	116.50 + 35.70	.5656	----	----	----	----	1 UNCH
4550	----	----	121.20B/----	121.20B/77.00A	----	101.30 + 35.20	.5835	----	----	----	----	102 UNCH
4550	----	----	----/55.10A	87.40B/55.10A	----	57.60 - 51.40	.4160	----	----	----	----	1 UNCH
4550	----	----	104.10B/----	104.10B/55.20A	----	81.30 + 34.00	.6218	----	----	----	----	5 UNCH
4555	5.50	5.50	7.90/*4.50A	44.50B/*4.50A	----	6.40 - 54.50	.1169	----	----	15	----	20 + 15
4555	----	----	81.90B/----	81.90B/28.20A	----	55.10 + 32.20	.8829	----	----	----	----	2 UNCH
4560	----	----	86.20B/----	86.20B/30.30A	----	59.30 + 34.70	.9033	----	----	4	----	5 + 4
4560	15.10	15.10	15.10/*4.10A	42.10B/*4.10A	----	5.60 - 52.00	.0966	----	----	44	----	27 + 22
4565	57.30	57.30	90.60B/57.30	90.60B/32.40A	----	63.50 + 37.10	.9220	----	----	12	----	5 - 6
4565	15.50	15.50	15.50/*3.60A	39.20B/*3.60A	----	4.80 - 49.60	.0779	----	----	7	----	5 + 4
4570	75.40	75.40	95.10B/75.40	95.10B/34.70A	----	67.80 + 39.50	.9376	----	----	9	----	16 + 8
4570	37.00	37.00	37.00/*3.10A	37.00/*3.10A	----	4.10 - 47.20	.0623	----	----	42	----	13 + 1
4575	78.20	78.20	99.60B/78.20	99.60B/37.00A	----	72.30 + 42.00	.9491	----	----	23	----	16 - 14
4575	63.00	63.00	63.00/46.40A	77.30B/46.40A	----	47.80 - 47.60	.3648	----	----	2	----	2 + 1
4575	----	----	137.70B/----	137.70B/87.80A	----	116.40 + 39.00	.6348	----	----	----	----	2 UNCH
4575	----	----	----/24.70A	62.00B/24.70A	----	28.80 - 46.80	.3090	----	----	----	----	129 UNCH
4575	----	----	121.90B/----	121.90B/66.70A	----	97.50 + 39.90	.6907	----	----	----	----	5 UNCH
4575	22.00	22.00	22.00/*2.70	34.70B/*2.70	----	3.60 - 44.70	.0508	----	----	44	----	29 + 20
4580	----	----	104.10B/----	104.10B/39.70A	----	76.80 + 44.40	.9594	----	----	1	----	3 + 1
4580	15.10	15.10	15.10/*2.40A	31.40B/*2.40A	----	3.10 - 42.30	.0405	----	----	28	----	25 + 20
4585	90.00	90.00	108.70B/90.00	108.70B/42.20A	----	81.30 + 46.70	.9687	----	----	2	----	131 - 2
4585	15.10	15.10	15.10/*2.10	29.20B/*2.10	----	2.60 - 40.00	.0312	----	----	25	----	26 + 22
4590	15.10	15.10	15.10/*1.90A	27.00B/*1.90A	----	2.30 - 37.70	.0254	----	----	16	----	7 + 3
4590	----	----	113.40B/----	113.40B/45.00A	----	86.00 + 49.00	.9745	----	----	12	----	4 - 7
4595	----	----	118.10B/----	118.10B/47.90A	----	90.70 + 51.30	.9796	----	----	----	----	1 UNCH
4595	19.40	19.40	19.40/*1.70A	24.70B/*1.70A	----	2.00 - 35.40	.0203	----	----	9	----	31 + 8
4600	----	----	122.80B/----	122.80B/51.50A	----	95.40 + 53.40	.9842	----	----	1	----	25 + 1
4600	22.00	22.00	22.70B/*1.50A	22.70B/*1.50A	----	1.70 - 33.30	.0157	----	----	123	----	160 + 91
4600	----	----	168.80B/----	168.80B/118.60A	----	148.20 + 42.40	.6477	----	----	----	----	1 UNCH
4600	----	----	----/52.80A	82.80B/52.80A	----	54.70 - 44.10	.3517	----	----	----	----	7 UNCH
4600	----	----	----/37.90A	67.20B/37.90A	----	39.70 - 43.30	.3169	----	----	----	----	198 UNCH
4600	----	----	141.10B/----	141.10B/79.70A	----	115.50 + 46.00	.7522	----	----	1	----	1 + 1
4600	----	----	----/19.10A	50.30B/19.10A	----	21.90 - 40.70	.2475	----	----	3	----	8 + 1
4605	----	----	127.60B/----	127.60B/54.50A	----	100.10 + 55.40	.9883	----	----	----	----	4 UNCH
4605	----	----	----/*1.30A	20.80B/*1.30A	----	1.40 - 31.30	.0116	----	----	4	----	6 + 3
4610	----	----	132.40B/----	132.40B/57.70A	----	104.90 NEW	.9909	----	----	4	----	4 + 4
4610	----	----	----/*1.20A	19.00B/*1.20A	----	1.20 - 29.30	.0090	----	----	15	----	8 + 5
4615	102.60	102.60	137.20B/102.60	137.20B/61.00A	----	109.70 NEW	.9932	----	----	2	----	2 + 2
4615	5.80	5.80	5.80/*1.00	17.40B/*1.00	----	1.00 - 27.50	.0067	----	----	12	----	31 + 6
4620	----	----	142.00B/----	142.00B/64.50A	----	114.60 + 61.10	.9944	----	----	7	----	7 + 6
4620	15.10	15.10	15.10/*1.00A	15.90B/*1.00A	----	0.90 - 25.60	.0055	----	----	22	----	14 + 13
4625	5.00	5.00	5.00/*0.90A	14.40B/*0.90A	----	0.70 - 23.90	.0037	----	----	30	----	50 + 10
4625	----	----	----/45.40A	71.70B/45.40A	----	47.20 - 40.50	.3139	----	----	----	----	5 UNCH
4625	34.70	34.70	34.70/32.40A	56.40B/32.40A	----	33.00 - 38.80	.2734	----	----	5	----	6 + 5
4625	----	----	161.50B/----	161.50B/95.00A	----	135.20 + 52.00	.8046	----	----	----	----	2 UNCH
4625	16.40	16.40	16.40/14.60A	40.10B/14.60A	----	16.60 - 34.60	.1951	----	----	100	----	250 + 98
4630	7.60	7.60	7.60/*0.80A	13.00B/*0.80A	----	0.60 NEW	.0028	----	----	9	----	4 + 4
4630	102.00	102.00	151.70B/102.00	151.70B/71.60A	----	124.30 NEW	.9971	----	----	1	----	1 + 1
4635	140.10	140.10	156.60B/140.10	156.60B/75.30A	----	129.30 + 66.10	.9973	----	----	1	----	50 + 1
4635	0.90	0.90	0.90/*0.70A	11.80B/*0.70A	----	0.60 - 20.60	.0027	----	----	2	----	4 + 2
4640	129.40	129.40	161.50B/129.40	161.50B/79.10A	----	134.20 NEW	.9980	----	----	1	----	1 + 1
4640	----	----	----/*0.70A	10.70B/*0.70A	----	0.50 - 19.20	.0019	----	----	----	----	1 UNCH
4645	----	----	166.40B/----	166.40B/82.90A	----	139.10 + 68.80	.9986	----	----	----	----	3 UNCH
4645	5.40	5.40	5.40/*0.50	9.60B/*0.50	----	0.40 - 17.90	.0013	----	----	11	----	9 + 5
4650	----	----	----/39.10A	62.00B/39.10A	----	40.50 - 36.80	.2784	----	----	----	----	1 UNCH
4650	2.70	2.70	2.70/*0.50	8.70B/*0.50	----	0.40 - 16.50	.0013	----	----	6	----	14 - 1
4650	----	----	171.40B/----	171.40B/86.90A	----	144.10 + 70.20	.9987	----	----	----	----	1 UNCH
4650	----	----	----/26.90A	46.60B/26.90A	----	27.50 - 34.10	.2346	----	----	----	----	1 UNCH
4650	19.10	19.10	19.10/11.30A	31.60B/11.30A	----	12.50 - 29.10	.1515	----	----	52	----	52 + 51
4650	----	----	182.90B/----	182.90B/111.50A	----	156.10 + 57.60	.8483	----	----	2	----	2 + 2
4655	4.90	4.90	4.90/*0.50A	8.00B/*0.50A	----	0.30 - 15.40	.0008	----	----	3	----	3 + 1
4660	172.20	172.20	181.20B/172.20	181.20B/95.20A	----	154.00 NEW	.9992	----	----	1	----	1 + 1
4660	0.30	0.30	0.60/*0.20	7.20B/*0.20	----	0.30 NEW	.0007	----	----	9	----	9 + 9
4665	0.20	0.20	0.20/*0.20	6.40B/*0.20	----	0.30 - 13.10	.0007	----	----	3	----	4 + 3
4670	2.00	2.00	2.00/*0.20	5.80B/*0.20	----	0.20 - 12.20	.0003	----	----	8	----	7 + 5
4675	----	----	196.10B/----	196.10B/108.20A	----	168.90 + 75.40	.9996	----	----	----	----	2 UNCH
4675	----	----	225.00B/----	225.00B/165.00A	----	203.10 + 53.50	.7537	----	----	----	----	1 UNCH
4675	----	----	----/22.40A	38.30B/22.40A	----	22.80 NEW	.1999	----	----	2	----	2 + 2
4675	----	----	----/8.80A	24.60B/8.80A	----	9.50 - 23.90	.1171	----	----	----	----	7 UNCH
4675	----	----	205.10B/----	205.10B/129.30A	----	178.10 + 62.70	.8826	----	----	----	----	1 UNCH
4675	5.70	5.70	5.70/*0.20A	5.70/*0.20A	----	0.20 - 11.30	.0003	----	----	14	----	9 + 3
4680	----	----	----/*0.20A	4.70B/*0.20A	----	0.20 - 10.40	.0003	----	----	20	----	25 UNCH
4680	167.30	167.30	201.00B/167.30	201.00B/112.60A	----	173.90 NEW	.9996	----	----	1	----	1 + 1
4685	0.30	0.30	0.30/*0.30	4.20B/*0.30	----	0.10 - 9.70	.0001	----	----	26	----	47 + 26
4690	0.20	0.20	0.40/*0.20	3.60B/*0.20	----	0.10 - 9.00	.0000	----	----	2	----	18 + 2
4695	----	----	----/*0.20A	3.20B/*0.20A	----	0.10 - 8.30	.0000	----	----	----	----	1 UNCH
4700	----	----	----/28.80A	45.40B/28.80A	----	29.60 - 29.30	.2157	----	----	----	----	2 UNCH
4700	----	----	220.90B/----	220.90B/130.90A	----	193.80 + 79.00	1.0000	----	----	----	----	1 UNCH
4700	----	----	----/18.60A	31.50B/18.60A	----	18.90 - 25.60	.1696	----	----	----	----	18 UNCH
4700	----	----	----/6.90A	19.10B/6.90A	----	7.30 - 19.50	.0907	----	----	3	----	7 - 2
4700	----	----	228.00B/----	228.00B/148.60A	----	200.90 + 67.20	.9091	----	----	1	----	2 + 1
4700	1.00	1.00	1.00/*0.20	2.90B/*0.20	----	0.10 - 7.70	.0000	----	----	47	----	50 + 30
4705	0.20	0.20	0.20/*0.20	3.00B/*0.20	----	0.10 - 7.10	.0000	----	----	12	----	26 UNCH
4710	----	----	----/*0.20A	2.90B/*0.20A	----	0.10 - 6.60	.0000	----	----	1	----	12 UNCH
4715	----	----	----/*0.20A	2.40B/*0.20A	----	0.10 NEW	.0000	----	----	1	----	1 + 1
4720	----	----	----/*0.20A	1.90B/*0.20A	----	0.10 - 5.60	.0000	----	----	----	----	13 UNCH
4725	----	----	----/*0.20A	1.70B/*0.20A	----	0.10 - 5.20	----	----	----	4	----	6 + 2
4725	----	----	245.80B/----	245.80B/154.40A	----	218.80 + 81.50	1.0000	----	----	1	----	1 - 1
4725	----	----	----/15.60A	25.80B/15.60A	----	15.60 - 21.90	.1430	----	----	2	----	2 UNCH
4725	----	----	251.30B/----	251.30B/168.90A	----	224.20 NEW	.9291	----	----	1	----	1 + 1
4725	----	----	----/5.40A	14.70B/5.40A	----	5.70 - 15.70	.0706	----	----	----	----	3 UNCH
4730	----	----	----/*0.20A	1.50B/*0.20A	----	0.10 - 4.80	----	----	----	1	----	1 UNCH
4735	----	----	----/*0.20A	1.40B/*0.20A	----	0.10 - 4.50	----	----	----	----	----	8 UNCH
4740	0.80	0.80	0.80/*0.20A	1.20B/*0.20A	----	0.10 NEW	----	----	----	2	----	1 + 1
4750	----	----	----/*0.20A	1.00B/*0.20A	----	0.10 - 3.60	----	----	----	----	----	10 + 1
4750	----	----	270.80B/----	270.80B/178.50A	----	243.80 + 83.20	1.0000	----	----	----	----	1 UNCH
4750	12.40	12.40	12.40/12.40	21.20B/12.40	----	12.80 - 18.70	.1198	----	----	5	----	26 + 4
4750	----	----	----/4.40A	11.40B/4.40A	----	4.50 - 12.50	.0553	----	----	----	----	2 UNCH
4770	----	----	----/*0.30A	0.60B/*0.30A	----	0.10 - 2.70	----	----	----	----	----	2 UNCH
4775	----	----	----/18.30A	27.30B/18.30A	----	18.30 - 19.50	.1429	----	----	----	----	4 UNCH
4775	----	----	#295.70B/----	#295.70B/202.90A	----	268.80 + 84.30	1.0000	----	----	----	----	2 UNCH
4775	----	----	----/3.50A	8.70B/3.50A	----	3.50 - 10.10	.0428	----	----	----	----	26 UNCH
4775	----	----	----/*0.30A	0.50B/*0.30A	----	0.10 - 2.50	----	----	----	----	----	3 UNCH
4790	----	----	----/*0.30A	0.40B/*0.30A	----	0.10 - 2.00	----	----	----	----	----	1 UNCH
4795	0.20	0.20	0.20/*0.20	0.30B/*0.20	----	0.10 NEW	----	----	----	1	----	1 + 1
4800	----	----	----/9.10A	13.80B/9.10A	----	8.80 - 13.60	.0844	----	----	----	----	8 UNCH
4800	6.40	6.40	6.40/3.00A	6.80B/3.00A	----	2.90 - 8.10	.0346	----	----	1	----	35 + 1
4800	----	----	#320.70B/----	#320.70B/227.50A	----	293.80 + 85.00	1.0000	----	----	2	----	0 - 2
4800	----	----	----/*0.20A	0.30B/*0.20A	----	0.10 - 1.70	----	----	----	----	----	6 UNCH
4805	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.10 NEW	----	----	----	1	----	1 + 1
4825	----	----	----/*0.20A	----/*0.20A	----	0.10 - 1.20	----	----	----	----	----	5 UNCH
4825	----	----	314.10B/----	314.10B/302.10A	----	318.80 + 85.50	1.0000	----	----	1	----	0 - 1
4825	----	----	----/7.90A	11.20B/7.90A	----	7.30 - 11.70	.0707	----	----	----	----	2 UNCH
4825	----	----	----/2.50A	5.30B/2.50A	----	2.30 - 6.60	.0271	----	----	----	----	1 UNCH
4850	----	----	----/11.50A	16.50B/11.50A	----	11.60 - 12.60	.0942	----	----	----	----	1 UNCH
4850	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.90	----	----	----	----	----	4 UNCH
4850	----	----	----/7.50A	9.20B/7.50A	----	6.10 - 10.20	.0594	----	----	----	----	6 UNCH
4875	----	----	----/10.00A	14.30B/10.00A	----	10.00 - 11.00	.0820	----	----	----	----	4 UNCH
4875	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.60	----	----	----	----	----	1 UNCH
4875	5.80	5.80	5.80/5.80	7.70B/5.80	----	5.10 - 8.80	.0499	----	----	1	----	2 UNCH
4900	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.40	----	----	----	----	----	4 UNCH
4900	----	----	----/6.00A	6.10B/6.00A	----	4.30 - 7.60	.0421	----	----	----	----	5 UNCH
4900	----	----	----/1.60A	2.30B/1.60A	----	1.40 - 3.60	.0153	----	----	----	----	8 UNCH
4925	414.00	414.00	#414.30B/401.80	414.30B/401.80A	----	418.80 NEW	1.0000	2	----	2	----	0 UNCH
4950	----	----	----/8.20A	8.90B/8.20A	----	6.60 - 7.30	.0549	----	----	----	----	2 UNCH
4950	----	----	----	----/0.40A	----	0.10 - 0.20	----	----	----	2	----	2 UNCH
4950	----	----	----/5.00A	4.00B/5.00A	----	3.10 - 5.70	.0302	----	----	----	----	2 UNCH
4950	----	----	----/*1.30A	1.40B/*1.30A	----	1.00 - 2.60	.0104	----	----	----	----	1 UNCH
4975	----	----	----/4.60A	3.20B/4.60A	----	2.60 - 5.00	.0254	----	----	----	----	4 UNCH
5000	----	----	----/6.90A	6.40B/6.90A	----	5.20 - 5.60	.0431	----	----	----	----	3 UNCH
5000	----	----	----	----/0.30A	----	0.10 - 0.10	----	----	----	----	----	8 UNCH
5000	----	----	----/4.30A	2.60B/4.30A	----	2.30 - 4.30	.0222	----	----	----	----	3 UNCH
5000	1.20	1.20	1.20/*1.10A	1.20/*1.10A	----	0.80 - 1.80	.0079	----	----	1	----	2 + 1
5025	----	----	----/*5.10A	5.20B/5.10A	----	4.60 - 5.00	.0381	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
5050	----	----	----/3.70A	1.60B/3.70A	----	1.60 - 3.20	.0155	----	----	----	----	4 UNCH
5075	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5100	----	----	----/*0.80A	0.50B/*0.80A	----	0.50 - 1.00	.0044	----	----	----	----	1 UNCH
5200	----	----	----	----/0.50A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5200	----	----	----/4.10A	1.70B/4.10A	----	2.30 - 2.40	.0183	----	----	----	----	2 UNCH
5250	----	----	----	0.10B/2.90A	----	0.40 - 1.10	.0037	----	----	----	----	1 UNCH
5250	----	----	----	----/0.80A	----	0.30 - 0.40	.0023	----	----	----	----	2 UNCH
5250	----	----	----	----/0.70A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5400	1.30	1.30	1.30/*1.30	1.30/*1.30	----	1.30 NEW	.0096	----	----	10	----	10 + 10
5500	----	----	----	----/8.90A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5500	----	----	----	0.10B/2.90A	----	1.10 - 1.20	.0077	----	----	----	----	3 UNCH
5500	----	----	----	0.30B/*0.30A	----	0.10 - 0.20	.0006	----	----	----	----	1 UNCH
5600	----	----	----	----/8.90A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL										3561	75	5510 + 2004

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26												
3500	----	----	----	----/*0.90A	----	0.40 - 0.10	.0020	----	----	----	----	2 UNCH
3800	----	----	----	----/*0.40A	----	0.10 - 0.20	.0002	----	----	----	----	3 UNCH
3800	----	----	----	1.20B/3.80A	----	2.50 NEW	.0155	----	----	2	----	2 + 2
3900	2.50	2.50	2.70B/*2.50	2.70B/*2.50	----	3.30 NEW	.0220	----	----	1	----	1 + 1
4000	----	----	----	0.50B/*0.60A	----	0.40 - 0.20	.0018	----	----	----	----	4 UNCH
4000	3.70	3.70	4.90B/*3.70	4.90B/*3.70	----	4.80 NEW	.0339	----	----	3	----	3 + 3
4050	----	----	6.60B/----	6.60B/7.20A	----	6.00 + 1.70	.0434	----	----	4	----	5 + 4
4050	----	----	----	0.60B/*0.70A	----	0.60 - 0.10	.0030	----	----	----	----	2 UNCH
4075	----	----	8.30B/----	8.30B/8.00A	----	6.80 NEW	.0495	----	----	2	----	2 + 2
4075	----	----	4.30B/----	4.30B/3.10A	----	3.20 + 0.80	.0263	----	----	----	----	1 UNCH
4075	----	----	----	0.80B/*0.80A	----	0.70 - 0.10	.0038	----	----	----	----	1 UNCH
4100	----	----	1.00B/----	1.00B/*0.80A	----	0.80 UNCH	.0046	----	----	----	----	1 UNCH
4100	----	----	5.00B/----	5.00B/3.50A	----	3.60 + 0.90	.0303	----	----	----	----	2 UNCH
4150	----	----	1.40B/*1.00A	1.40B/*1.00A	----	1.00 - 0.10	.0066	----	----	----	----	1 UNCH
4150	----	----	6.80B/----	6.80B/4.40A	----	4.80 NEW	.0419	----	----	1	----	1 + 1
4175	----	----	8.00B/----	8.00B/5.10A	----	5.60 + 1.50	.0496	----	----	1	----	2 + 1
4175	----	----	1.70B/----	1.70B/*1.20A	----	1.10 - 0.10	.0078	----	----	----	----	12 UNCH
4190	----	----	#2.00B/----	2.00B/*1.30A	----	1.30 UNCH	.0097	----	----	----	----	1 UNCH
4200	----	----	2.20B/----	2.20B/*1.40A	----	1.40 UNCH	.0107	----	----	1	----	104 + 1
4200	----	----	9.50B/----	9.50B/5.90A	----	6.60 + 1.90	.0592	----	----	----	----	1 UNCH
4225	----	----	2.70B/----	2.70B/*1.60A	----	1.60 UNCH	.0133	----	----	----	----	16 UNCH
4225	----	----	19.80B/----	19.80B/13.50A	----	15.50 + 5.50	.1143	----	----	----	----	4 UNCH
4225	----	----	11.30B/----	11.30B/6.90A	----	7.70 + 2.30	.0701	----	----	4	----	6 UNCH
4250	----	----	23.40B/----	23.40B/15.40A	----	18.10 + 6.50	.1324	----	----	----	----	1 UNCH
4250	----	----	13.60B/----	13.60B/8.00A	----	9.20 + 2.90	.0843	----	----	----	----	1 UNCH
4255	3.10	3.10	#3.70B/*1.90A	#3.70B/*1.90A	----	2.10 NEW	.0191	----	----	1	----	1 + 1
4265	----	----	#4.10B/----	#4.10B/*2.10A	----	2.30 + 0.20	.0215	----	----	----	----	1 UNCH
4275	----	----	4.60B/----	4.60B/*2.30A	----	2.50 + 0.20	.0241	----	----	----	----	167 UNCH
4275	----	----	27.10B/----	27.10B/17.60A	----	21.30 + 7.80	.1538	----	----	----	----	2 UNCH
4300	----	----	6.00B/*2.50A	6.00B/*2.50A	----	3.10 + 0.40	.0323	----	----	2	----	108 - 2
4300	24.80	24.80	31.50B/24.80	31.50B/20.10A	----	25.00 + 9.30	.1778	----	----	31	----	20 + 9
4300	----	----	19.60B/----	19.60B/10.80A	----	13.30 + 4.60	.1225	----	----	----	----	31 UNCH
4305	----	----	#6.30B/----	#6.30B/2.90A	----	3.20 + 0.40	.0339	----	----	----	----	2 UNCH
4315	----	----	#7.10B/----	#7.10B/3.10A	----	3.60 + 0.50	.0392	----	----	----	----	1 UNCH
4325	3.90	3.90	7.90B/3.40A	7.90B/3.40A	----	3.90 + 0.60	.0439	----	----	3	----	88 - 3
4325	----	----	23.60B/----	23.60B/12.80A	----	16.10 + 5.80	.1478	----	----	----	----	1 UNCH
4325	----	----	36.50B/----	36.50B/23.20A	----	29.30 + 11.00	.2048	----	----	----	----	5 UNCH
4350	146.10	146.10	146.10/140.10A	227.50B/140.10A	----	161.40 NEW	.9373	----	----	1	----	1 + 1
4350	5.70	5.70	10.60B/4.40A	10.60B/4.40A	----	5.20 + 1.10	.0626	----	----	1	----	85 UNCH
4350	----	----	28.50B/----	28.50B/15.00A	----	19.60 + 7.30	.1782	----	----	----	----	3 UNCH
4350	32.00	32.00	42.40B/32.00	42.40B/26.80A	----	34.30 NEW	.2351	----	----	11	----	11 + 11
4360	7.00	7.00	#11.90B/*4.90A	#11.90B/4.90A	----	5.80 NEW	.0717	----	----	3	----	3 + 3
4370	----	----	#13.30B/----	#13.30B/5.50A	----	6.60 NEW	.0833	----	----	3	----	2 + 2
4375	----	----	14.10B/----	14.10B/5.80A	----	7.10 + 2.00	.0903	----	----	3	----	15 UNCH
4375	----	----	----/118.30A	203.60B/118.30A	----	138.30 - 84.60	.9095	----	----	----	----	1 UNCH
4375	----	----	----/158.80A	214.40B/158.80A	----	171.20 - 71.40	.7309	----	----	----	----	9 UNCH
4375	----	----	49.20B/----	49.20B/30.90A	----	40.10 + 15.10	.2686	----	----	3	----	7 + 3
4380	8.30	8.30	#15.00B/*6.10A	#15.00B/6.10A	----	7.50 NEW	.0966	----	----	5	----	5 + 5
4390	----	----	#16.90B/----	#16.90B/6.90A	----	8.60 NEW	.1125	----	----	2	----	2 + 2
4400	100.00	100.00	100.00/97.70A	180.30B/97.70A	----	116.10 - 83.20	.8696	----	----	1	----	3 + 1
4400	7.40	7.40	18.90B/7.40	18.90B/7.40	----	9.80 + 3.40	.1302	----	----	17	----	35 + 16
4400	----	----	41.30B/----	41.30B/21.70A	----	29.30 + 11.50	.2563	----	----	----	----	3 UNCH
4400	48.00	48.00	57.20B/48.00	57.20B/36.00A	----	46.80 NEW	.3053	----	----	20	----	10 + 10
4420	----	----	#23.90B/----	#23.90B/9.70A	----	12.80 NEW	.1738	----	----	2	----	2 + 2
4425	83.60	83.60	83.60/78.70A	157.20B/78.70A	----	95.00 - 81.10	.8133	----	----	1	----	3 + 1
4425	----	----	25.30B/----	25.30B/10.10A	----	13.70 + 5.50	.1866	----	----	3	----	12 + 2
4425	----	----	66.10B/----	66.10B/41.70A	----	54.40 + 20.20	.3450	----	----	----	----	1 UNCH
4425	----	----	----/125.40A	175.20B/125.40A	----	135.60 - 66.30	.6545	----	----	----	----	1 UNCH
4430	----	----	#26.70B/----	#26.70B/10.60A	----	14.70 NEW	.2004	----	----	3	----	2 + 2
4435	----	----	#28.30B/----	#28.30B/11.20A	----	15.70 NEW	.2145	----	----	2	----	2 + 2
4440	----	----	#29.90B/----	#29.90B/11.80A	----	16.80 NEW	.2297	----	----	2	----	2 + 2
4445	----	----	#31.70B/----	#31.70B/12.40A	----	18.00 NEW	.2458	----	----	1	----	1 + 1
4450	78.20	78.20	78.20/61.60A	134.90B/61.60A	----	75.60 - 78.00	.7371	----	----	2	----	28 - 1
4450	12.00	12.00	33.50B/12.00	33.50B/12.00	----	19.30 + 8.60	.2627	----	----	102	----	151 + 82
4450	----	----	----/88.10A	151.20B/88.10A	----	100.00 - 69.00	.6416	----	----	----	----	4 UNCH
4450	----	----	76.20B/----	76.20B/48.30A	----	63.20 + 23.10	.3876	----	----	----	----	6 UNCH
4460	----	----	#37.30B/----	#37.30B/14.60A	----	22.10 + 10.10	.2987	----	----	----	----	1 UNCH
4475	58.50	58.50	58.50/46.50A	113.80B/46.50A	----	58.20 - 73.90	.6422	----	----	3	----	9 + 1
4475	----	----	43.80B/----	43.80B/17.20A	----	26.90 + 12.80	.3577	----	----	----	----	39 UNCH
4475	70.80	70.80	71.00/59.00	71.00/37.50A	----	53.20 + 21.50	.4161	----	----	16	----	19 + 8
4480	----	----	#46.10B/----	#46.10B/18.10A	----	28.70 + 13.70	.3786	----	----	----	----	1 UNCH
4495	33.90	33.90	#53.90B/*33.90	#53.90B/21.30A	----	34.70 NEW	.4445	----	----	2	----	2 + 2
4500	28.80	28.80	56.70B/28.80	56.70B/22.60A	----	36.80 + 18.10	.4671	----	----	16	----	37 + 4
4500	41.50	41.50	41.50/33.90A	94.00B/33.90A	----	43.10 - 68.60	.5327	----	----	3	----	7 + 3
4500	----	----	----/60.90A	114.80B/60.90A	----	70.40 - 60.90	.5226	----	----	----	----	1 UNCH
4500	66.80	66.80	82.80B/55.00	82.80B/45.00A	----	64.10 NEW	.4771	----	----	6	----	3 + 3
4500	----	----	----/84.00A	123.70B/84.00A	----	90.50 - 57.00	.5210	----	----	----	----	2 UNCH
4500	----	----	100.20B/----	100.20B/64.70A	----	84.20 + 29.50	.4785	----	----	30	----	27 + 10
4520	50.00	50.00	#68.60B/*50.00	#68.60B/28.00A	----	46.40 NEW	.5602	----	----	2	----	2 + 2
4525	----	----	71.90B/----	71.90B/29.50A	----	49.00 + 24.20	.5838	----	----	----	----	42 UNCH
4525	24.60	24.60	24.60/23.90A	75.90B/23.90A	----	30.30 - 62.40	.4160	----	----	1	----	6 + 1
4525	58.00	58.00	58.00/50.00A	98.40B/50.00A	----	57.90 - 56.30	.4603	----	----	4	----	6 UNCH
4525	81.50	81.50	81.50/72.80A	108.80B/72.80A	----	78.00 NEW	.4740	----	----	20	----	20 + 20
4525	67.50	67.50	97.10B/67.50	97.10B/53.70A	----	76.50 + 30.30	.5394	----	----	8	----	43 + 5
4525	----	----	114.10B/----	114.10B/74.40A	----	96.70 + 33.20	.5255	----	----	----	----	20 UNCH
4530	----	----	#75.20B/----	#75.20B/31.20A	----	51.80 + 25.60	.6071	----	----	----	----	1 UNCH
4530	47.00	47.00	#47.00/*22.10A	72.60B/*22.10A	----	28.10 NEW	.3927	----	----	10	----	8 + 8
4535	60.90	60.90	#78.60B/*60.90	#78.60B/32.90A	----	54.70 NEW	.6302	----	----	2	----	2 + 2
4540	32.50	32.50	#32.50/*19.20A	66.00B/*19.20A	----	24.10 NEW	.3473	----	----	1	----	1 + 1
4545	----	----	#85.70B/----	#85.70B/36.50A	----	61.00 + 30.20	.6740	----	----	----	----	1 UNCH
4550	56.00	56.00	56.00/16.40A	59.90B/16.40A	----	20.70 - 54.80	.3046	----	----	16	----	23 + 12
4550	50.00	50.00	89.40B/50.00	89.40B/38.50A	----	64.40 + 31.90	.6953	----	----	4	----	113 + 1
4550	----	----	128.40B/----	128.40B/85.70A	----	110.40 + 36.80	.5724	----	----	----	----	1 UNCH
4550	----	----	----/62.70A	95.00B/62.70A	----	66.70 - 49.80	.4271	----	----	1	----	4 UNCH
4550	----	----	112.80B/----	112.80B/63.80A	----	90.60 + 35.20	.6012	----	----	----	----	80 UNCH
4555	----	----	#93.10B/----	#93.10B/40.50A	----	67.90 + 33.60	.7153	----	----	----	----	1 UNCH
4560	14.00	14.00	#14.00/*14.00	54.60B/*14.00	----	17.80 NEW	.2654	----	----	31	70	100 + 100
4560	----	----	#97.00B/----	#97.00B/42.70A	----	71.50 + 35.40	.7345	----	----	----	----	2 UNCH
4570	----	----	#104.80B/----	#104.80B/47.30A	----	78.90 + 38.80	.7708	----	----	----	----	2 UNCH
4570	----	----	----/*12.10A	49.00B/*12.10A	----	15.20 NEW	.2290	----	----	1	----	1 + 1
4575	----	----	----/11.20A	46.40B/11.20A	----	14.10 - 46.10	.2127	----	----	----	----	11 UNCH
4575	55.00	55.00	108.90B/55.00	108.90B/49.70A	----	82.80 + 40.60	.7871	----	----	3	----	196 + 2
4575	----	----	----/53.80A	85.60B/53.80A	----	56.80 - 45.90	.3814	----	----	----	----	1 UNCH
4575	----	----	----/32.70A	70.80B/32.70A	----	37.70 - 46.20	.3390	----	----	----	----	4 UNCH
4580	----	----	#112.90B/----	#112.90B/52.20A	----	86.70 + 42.30	.8032	----	----	----	----	2 UNCH
4590	----	----	----/*8.90A	39.20B/*8.90A	----	11.10 NEW	.1679	----	----	2	----	2 + 2
4595	----	----	----/*8.30A	37.00B/*8.30A	----	10.20 NEW	.1543	----	----	1	----	1 + 1
4600	91.10	91.10	129.90B/91.10	129.90B/63.00A	----	103.10 + 49.10	.8579	----	----	3	----	11 + 1
4600	----	----	----/7.70A	34.80B/7.70A	----	9.40 - 37.60	.1419	----	----	23	----	72 + 21
4600	32.00	32.00	32.00/26.20A	58.90B/26.20A	----	30.00 - 41.00	.2839	----	----	20	----	23 + 20
4600	----	----	161.70B/----	161.70B/111.30A	----	141.60 + 44.50	.6619	----	----	----	----	2 UNCH
4600	----	----	----/45.90A	75.90B/45.90A	----	48.10 - 42.00	.3376	----	----	----	----	16 UNCH
4600	----	----	148.30B/----	148.30B/88.50A	----	123.60 + 45.60	.7157	----	----	1	----	21 + 1
4610	----	----	----/*6.60A	30.80B/*6.60A	----	8.00 NEW	.1198	----	----	2	----	2 + 2
4620	----	----	----/*5.70A	27.20B/*5.70A	----	6.70 - 31.40	.0996	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week1										
JUN26												
4625	----	----	152.10B/----	152.10B/79.00A	----	124.90 + 56.80	.9084	----	----	----	----	2 UNCH
4625	----	----	----/5.20A	25.50B/5.20A	----	6.20 - 29.90	.0915	----	----	----	----	41 UNCH
4625	----	----	----/20.90A	48.50B/20.90A	----	23.80 - 35.80	.2349	----	----	1	----	3 + 1
4625	----	----	167.90B/----	167.90B/102.90A	----	142.40 NEW	.7648	----	----	1	----	1 + 1
4630	----	----	----/*4.90A	23.90B/*4.90A	----	5.70 - 28.40	.0835	----	----	4	----	4 + 2
4635	8.10	8.10	8.10/*4.60A	22.30B/*4.60A	----	5.30 - 27.00	.0768	----	----	3	----	6 + 3
4640	8.30	8.30	#8.30/*4.30A	20.90B/*4.30A	----	4.90 NEW	.0703	----	----	1	----	1 + 1
4645	----	----	----/*4.00A	19.50B/*4.00A	----	4.50 - 24.40	.0640	----	----	2	----	2 UNCH
4650	----	----	175.20B/----	175.20B/96.40A	----	147.80 + 63.60	.9409	----	----	----	----	2 UNCH
4650	7.20	7.20	7.20/3.70A	18.30B/3.70A	----	4.20 - 23.10	.0590	----	----	14	----	118 + 10
4650	----	----	----/16.60A	39.70B/16.60A	----	18.80 - 30.80	.1921	----	----	2	----	54 + 2
4650	----	----	----/32.60A	54.60B/32.60A	----	34.20 - 34.20	.2587	----	----	----	----	1 UNCH
4655	6.70	6.70	#6.70/*3.50A	17.10B/*3.50A	----	3.90 - 21.80	.0541	----	----	1	----	2 + 1
4660	----	----	----/*3.30A	15.90B/*3.30A	----	3.60 - 20.70	.0494	----	----	----	----	4 UNCH
4670	3.70	3.70	#3.70/*2.90A	13.80B/*2.90A	----	3.10 - 18.50	.0414	----	----	50	----	43 - 7
4675	3.30	3.30	3.30/2.70A	12.80B/2.70A	----	2.90 - 17.50	.0382	----	----	3	----	43 - 2
4675	----	----	----/27.50A	46.70B/27.50A	----	28.70 - 30.60	.2243	----	----	----	----	12 UNCH
4675	----	----	----/13.20A	32.20B/13.20A	----	14.90 - 26.10	.1562	----	----	----	----	37 UNCH
4680	3.20	3.20	#3.20/*2.60A	12.00B/*2.60A	----	2.70 NEW	.0350	----	----	1	----	1 + 1
4685	----	----	----/*2.40A	11.10B/*2.40A	----	2.50 - 15.60	.0320	----	----	----	----	1 UNCH
4690	----	----	----/*2.30A	10.30B/*2.30A	----	2.40 - 14.60	.0302	----	----	----	----	2 UNCH
4700	----	----	223.00B/----	223.00B/136.90A	----	195.70 NEW	.9743	----	----	1	----	1 + 1
4700	9.00	9.00	9.00/*2.00	9.00/*2.00	----	2.10 - 13.00	.0256	----	----	5	----	24 + 3
4700	13.00	13.00	13.00/10.60A	25.80B/10.60A	----	11.80 - 22.00	.1262	----	----	21	----	42 + 21
4700	----	----	----/23.30A	39.00B/23.30A	----	24.10 - 27.00	.1936	----	----	----	----	287 UNCH
4710	2.00	2.00	#2.00/*1.80A	7.80B/*1.80A	----	1.90 NEW	.0224	----	----	1	----	1 + 1
4715	----	----	----/*1.80A	7.20B/*1.80A	----	1.70 - 10.90	.0198	----	----	----	----	1 UNCH
4720	----	----	----/*1.70A	6.70B/*1.70A	----	1.60 - 10.30	.0183	----	----	----	----	2 UNCH
4725	----	----	----/*1.60A	6.20B/*1.60A	----	1.60 - 9.60	.0179	----	----	----	----	9 UNCH
4725	----	----	----/19.70A	32.70B/19.70A	----	20.30 - 23.70	.1667	----	----	----	----	12 UNCH
4725	----	----	----/8.50A	20.60B/8.50A	----	9.40 - 18.30	.1019	----	----	2	----	4 - 2
4750	----	----	----/*1.30A	4.30B/*1.30A	----	1.20 - 7.10	.0124	----	----	----	----	2 UNCH
4750	----	----	283.10B/----	283.10B/214.70A	----	260.40 + 65.90	.8569	----	----	----	----	2 UNCH
4750	----	----	----/6.90A	16.50B/6.90A	----	7.50 - 15.10	.0820	----	----	----	----	2 UNCH
4750	26.00	26.00	26.00/16.40A	27.20B/16.40A	----	17.00 - 20.70	.1427	----	----	7	----	18 - 3
4775	----	----	----/*1.10A	3.00B/*1.10A	----	0.90 - 5.30	.0085	----	----	----	----	150 UNCH
4775	8.40	8.40	8.40/5.70A	13.20B/5.70A	----	6.00 - 12.50	.0659	----	----	1	----	6 + 1
4775	----	----	----/14.10A	22.80B/14.10A	----	14.30 - 18.00	.1221	----	----	----	----	87 UNCH
4800	----	----	----/*0.90A	2.10B/*0.90A	----	0.70 - 4.00	.0061	----	----	----	----	6 UNCH
4800	----	----	279.60B/----	279.60B/229.70A	----	294.30 + 82.70	.9938	----	----	----	----	1 UNCH
4800	----	----	----/12.00A	19.10B/12.00A	----	12.00 - 15.60	.1041	----	----	----	----	286 UNCH
4800	----	----	----/4.70A	10.50B/4.70A	----	4.90 - 10.30	.0537	----	----	2	----	16 UNCH
4825	----	----	----/*0.80A	1.40B/*0.80A	----	0.50 - 3.10	.0040	----	----	----	----	2 UNCH
4825	----	----	----/4.00A	8.50B/4.00A	----	4.00 - 8.50	.0436	----	----	----	----	1 UNCH
4825	10.20	10.20	10.20/10.20	15.40B/10.20	----	10.10 - 13.50	.0887	----	----	3	----	21 UNCH
4850	----	----	----/*0.70A	1.00B/*0.70A	----	0.50 - 2.30	.0037	----	----	----	----	1 UNCH
4850	----	----	----/3.40A	6.70B/3.40A	----	3.30 - 7.00	.0357	----	----	2	----	10 UNCH
4850	----	----	----/8.70A	13.00B/8.70A	----	8.50 - 11.70	.0755	----	----	----	----	1 UNCH
4875	----	----	----/9.00A	11.10B/9.00A	----	7.30 - 10.10	.0651	----	----	----	----	19 UNCH
4900	----	----	----/*0.60A	0.50B/*0.60A	----	0.30 - 1.40	.0019	----	----	----	----	4 UNCH
4900	5.70	5.70	5.70/2.60A	5.70/2.60A	----	2.30 - 4.90	.0244	----	----	1	----	4 + 1
4900	----	----	----/8.00A	9.20B/8.00A	----	6.30 - 8.80	.0562	----	----	----	----	1 UNCH
4925	----	----	----/*0.50A	0.40B/*0.50A	----	0.30 - 1.10	.0018	----	----	----	----	2 UNCH
4925	----	----	----/7.20A	8.00B/7.20A	----	5.50 - 7.70	.0490	----	----	----	----	14 UNCH
4950	----	----	----/2.00A	2.80B/2.00A	----	1.70 - 3.50	.0174	----	----	----	----	2 UNCH
4975	----	----	----/6.00A	5.30B/6.00A	----	4.30 - 6.00	.0378	----	----	----	----	2 UNCH
5000	----	----	----/*0.50A	0.20B/*0.50A	----	0.10 - 0.80	.0003	----	----	----	----	2 UNCH
5000	----	----	----/5.50A	4.40B/5.50A	----	3.90 - 5.20	.0339	----	----	2	----	4 + 2
5025	----	----	----/*0.40A	----/*0.40A	----	0.10 - 0.70	.0001	----	----	----	----	1 UNCH
5125	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.40	.0000	----	----	----	----	1 UNCH
5400	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
TOTAL										607	70	3442 + 439
JUL26												
3800	----	----	----	#0.90B/*13.90A	----	5.80 + 0.20	.0311	----	----	----	----	1 UNCH
4000	----	----	#12.70B/----	#12.70B/*12.20A	----	11.70 NEW	.0659	----	----	2	----	2 + 2
4075	----	----	#18.00B/----	#18.00B/*14.30A	----	15.50 NEW	.0884	----	----	1	----	1 + 1
4100	----	----	#20.30B/----	#20.30B/*15.10A	----	17.00 NEW	.0974	----	----	3	----	3 + 3
4150	----	----	#25.70B/----	#25.70B/18.50A	----	21.50 NEW	.1218	----	----	2	----	2 + 2
4250	38.70	38.70	#41.30B/*34.00	#41.30B/28.60A	----	34.70 + 10.30	.1886	----	----	15	----	15 + 14
4275	----	----	#46.50B/----	#46.50B/32.00A	----	39.20 + 12.10	.2098	----	----	5	----	6 + 5
4300	----	----	#52.40B/----	#52.40B/35.90A	----	44.20 + 14.00	.2328	----	----	1	----	2 + 1
4375	48.00	48.00	#74.50B/*48.00	#74.50B/48.00	----	63.70 NEW	.3139	----	----	1	----	1 + 1
4400	65.00	65.00	#83.10B/*65.00	#83.10B/57.10A	----	71.80 NEW	.3444	----	----	1	----	1 + 1
4425	----	----	#92.90B/----	#92.90B/64.10A	----	80.70 NEW	.3764	----	----	2	----	1 + 1
4450	----	----	----/*138.00A	183.10B/*138.00A	----	146.60 NEW	.5897	----	----	2	----	1 + 1
4500	----	----	#127.70B/----	#127.70B/90.10A	----	112.20 NEW	.4782	----	----	1	----	1 + 1
4525	100.00	100.00	#110.50/*100.00	137.20B/*100.00	----	105.80 NEW	.4858	----	----	3	----	2 + 2
4575	----	----	#171.20B/----	#171.20B/124.20A	----	151.70 NEW	.5837	----	----	1	----	1 + 1
4800	----	----	----/*27.20A	37.40B/*27.20A	----	27.20 NEW	.1717	----	----	1	----	1 + 1
4850	22.00	22.00	#22.00/*21.50A	28.80B/*21.50A	----	21.40 NEW	.1388	----	----	2	----	2 + 2
4875	----	----	----/*19.20A	25.20B/*19.20A	----	19.00 NEW	.1246	----	----	1	----	1 + 1
4900	----	----	----/*17.20A	22.10B/*17.20A	----	16.70 NEW	.1111	----	----	2	----	2 + 2
4925	----	----	----/*15.30A	19.40B/*15.30A	----	14.70 NEW	.0991	----	----	1	----	1 + 1
TOTAL										47		47 + 43

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
JUN26												
3250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
3500	----	----	----	----/*0.60A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 40
3600	----	----	----	0.50B/*1.20A	----	0.80 UNCH	.0046	----	----	----	----	1 UNCH
3700	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
3700	----	----	----	0.80B/1.40A	----	1.10 + 0.10	.0067	----	----	1	----	2 + 1
3750	----	----	----	1.00B/*1.40A	----	1.30 + 0.10	.0083	----	----	----	----	6 UNCH
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
3800	4.10	4.10	#4.10/*4.10	#4.10/3.70A	----	2.90 NEW	.0179	----	----	1	----	1 + 1
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3800	----	----	----	1.30B/1.60A	----	1.50 + 0.10	.0099	----	----	----	----	32 UNCH
3800	----	----	----	0.40B/*0.80A	----	0.40 - 0.10	.0024	----	----	----	----	9 UNCH
3900	----	----	3.40B/----	3.40B/4.50A	----	3.80 + 0.90	.0251	----	----	----	----	3 UNCH
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
3900	----	----	2.00B/----	2.00B/2.30A	----	2.10 + 0.30	.0150	----	----	----	----	4 UNCH
3900	----	----	----	0.70B/*0.90A	----	0.60 - 0.10	.0042	----	----	----	----	2 UNCH
4000	----	----	5.90B/----	5.90B/5.40A	----	5.90 + 1.50	.0402	----	----	----	----	6 UNCH
4000	----	----	3.40B/----	3.40B/3.10A	----	3.10 + 0.60	.0238	----	----	1	----	103 + 1
4000	1.00	1.00	1.30B/*1.00	1.30B/*1.00	----	1.10 + 0.10	.0085	----	----	1	----	26 - 1
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
4075	11.00	11.00	11.00/11.00	11.00/7.40A	----	8.30 NEW	.0578	----	----	1	----	1 + 1
4100	----	----	11.70B/----	11.70B/8.30A	----	9.30 + 2.70	.0652	----	----	----	----	6 UNCH
4100	----	----	6.90B/----	6.90B/4.80A	----	4.90 + 1.10	.0402	----	----	----	----	1 UNCH
4100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 43
4100	----	----	2.50B/----	2.50B/1.80A	----	1.80 + 0.20	.0159	----	----	2	----	22 + 2
4120	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4130	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4150	----	----	15.60B/----	15.60B/10.10A	----	11.90 + 3.90	.0841	----	----	----	----	7 UNCH
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4150	----	----	9.40B/----	9.40B/6.10A	----	6.50 + 1.70	.0544	----	----	----	----	2 UNCH
4165	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4170	----	----	----	----/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4175	11.10	11.10	11.10/11.10	11.10/7.00A	----	7.60 + 2.10	.0640	----	----	1	----	2 + 1
4175	18.10	18.10	18.10/18.10	18.10/10.80A	----	13.50 + 4.60	.0956	----	----	1	----	1 UNCH
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4175	----	----	4.20B/----	4.20B/2.70A	----	2.90 + 0.60	.0280	----	----	----	----	1 UNCH
4180	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4190	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4200	----	----	12.60B/----	12.60B/8.00A	----	8.90 + 2.60	.0753	----	----	----	----	3 UNCH
4200	----	----	20.20B/----	20.20B/12.20A	----	15.40 + 5.50	.1090	----	----	----	----	22 UNCH
4200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
4200	5.00	5.00	5.20B/5.00	5.20B/3.10A	----	3.30 + 0.60	.0331	----	----	1	----	3 + 1
4225	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4225	----	----	6.30B/----	6.30B/3.60A	----	4.00 + 0.90	.0412	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK3										
4225	----	----	14.80B/----	14.80B/8.50A	----	10.40 + 3.20	.0884	----	----	----	----	28 UNCH
4235	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4240	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4250	----	----	17.30B/----	17.30B/9.80A	----	12.40 + 4.00	.1049	----	----	----	----	5 UNCH
4250	----	----	7.80B/----	7.80B/4.30A	----	4.70 + 1.10	.0500	----	----	1	----	3 + 1
4250	0.20	0.20	0.20/0.20	0.20/0.20	----	0.00 - 0.10	----	----	----	2	----	0 - 35
4255	----	----	----	----/0.40A	----	0.00 - 0.20	----	----	----	----	----	0 - 11
4260	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4265	----	----	----	----/0.40A	----	0.00 - 0.20	----	----	----	----	----	0 - 7
4270	----	----	----	----/0.40A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4275	12.20	12.20	20.50B/12.20	20.50B/11.30A	----	14.70 + 4.90	.1239	----	----	1	----	4 + 1
4275	----	----	----	----/0.40A	----	0.00 - 0.20	----	----	----	----	----	0 - 12
4275	----	----	9.60B/----	9.60B/5.00A	----	5.70 + 1.40	.0622	----	----	----	----	77 UNCH
4280	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 6
4285	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 6
4290	----	----	----	----/0.30A	----	0.00 - 0.20	----	----	----	2	----	0 - 3
4295	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	1	----	0 - 10
4300	27.80	27.80	35.40B/27.80	35.40B/21.00A	----	27.50 + 9.80	.1874	----	----	3	----	10 UNCH
4300	----	----	----/179.60A	274.20B/179.60A	----	206.30 - 86.90	----	1	----	----	----	0 - 1
4300	----	----	24.10B/----	24.10B/13.20A	----	17.60 + 6.20	.1469	----	----	----	----	27 UNCH
4300	10.00	10.00	11.90B/6.20	11.90B/5.80A	----	7.10 + 2.00	.0788	----	----	3	----	11 + 2
4300	198.00	198.00	198.00/192.30A	278.30B/192.30A	----	213.30 NEW	.9210	----	----	2	----	2 + 2
4300	----	----	----	----/0.30A	----	0.00 - 0.20	----	----	----	----	----	0 - 78
4305	----	----	----	----/0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4310	----	----	----	----/0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 12
4315	----	----	----	----/0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 70
4320	----	----	----	----/0.30A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4325	----	----	----	----/0.30A	----	0.00 - 0.30	----	----	----	1	----	0 - 17
4325	----	----	28.60B/----	28.60B/15.50A	----	21.10 + 7.60	.1737	----	----	----	----	37 UNCH
4325	28.80	28.80	40.80B/28.80	40.80B/24.20A	----	32.10 NEW	.2145	----	----	2	----	0 UNCH
4325	----	----	15.00B/----	15.00B/7.20A	----	8.90 + 2.80	.1000	----	----	2	----	1 UNCH
4330	----	----	----/0.30A	----/0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 13
4335	----	----	----/0.30A	----/0.30A	----	0.00 - 0.40	----	----	----	----	----	0 - 10
4340	----	----	----/0.20A	0.10B/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 8
4345	----	----	----/*0.20A	0.10B/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4350	34.30	34.30	34.40B/34.30	34.40B/18.40A	----	25.30 + 9.40	.2047	----	----	16	----	52 + 16
4350	0.70	0.70	0.70/*0.10	0.70/*0.10	----	0.00 - 0.50	----	----	----	18	----	0 - 144
4350	----	----	47.00B/----	47.00B/27.90A	----	37.40 NEW	.2445	----	----	2	----	1 + 1
4350	----	----	----/148.60A	230.80B/148.60A	----	167.50 - 82.70	.8727	----	----	----	----	2 UNCH
4350	16.50	16.50	18.80B/11.90	18.80B/8.70A	----	11.20 + 3.80	.1270	----	----	3	----	8 + 2
4355	----	----	----/*0.10A	0.10B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4360	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.50	----	----	----	1	----	0 - 5
4365	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 14
4370	----	----	----/*0.20A	0.20B/*0.20A	----	0.00 - 0.60	----	----	----	6	----	0 - 39
4375	35.10	35.10	40.10B/35.10	40.10B/21.80A	----	30.30 + 11.50	.2400	----	----	14	----	50 + 14
4375	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 75
4375	122.70	122.70	122.70/105.00A	199.20B/105.00A	----	131.30 - 87.20	----	2	----	1	----	0 - 1
4375	10.60	10.60	23.60B/10.60	23.60B/10.60	----	14.40 + 5.30	.1626	----	----	1	----	40 + 1
4380	0.30	0.30	0.70/*0.20A	0.70/*0.20A	----	0.00 - 0.60	----	----	----	4	----	0 - 8
4385	----	----	----/*0.10A	0.70B/*0.10A	----	0.00 - 0.70	----	----	----	2	----	0 - 2
4390	111.80	111.80	111.80/90.30A	184.00B/90.30A	----	116.30 NEW	----	1	----	1	----	0 UNCH
4390	0.60	0.60	0.80B/*0.10	0.80B/*0.10	----	0.00 - 0.70	----	----	----	12	----	0 - 23
4395	----	----	----/85.40A	179.00B/85.40A	----	111.30 - 87.40	----	1	----	----	----	0 - 1
4395	0.50	0.50	0.80B/*0.20	0.80B/*0.20	----	0.00 - 0.80	----	----	----	2	----	0 - 11
4400	1.00	1.00	1.20/*0.10	1.20/*0.10	----	0.00 - 0.80	----	----	----	398	----	0 - 518
4400	44.50	44.50	62.10B/44.50	62.10B/37.00A	----	50.60 NEW	.3133	----	----	3	----	3 + 3
4400	30.90	30.90	47.40B/29.60	47.40B/25.80A	----	36.40 + 14.00	.2803	----	----	78	----	103 + 78
4400	----	----	----/129.40A	189.60B/129.40A	----	142.60 - 72.50	.7193	----	----	----	----	14 UNCH
4400	18.80	18.80	29.70B/15.20	29.70B/13.30A	----	18.70 + 7.40	.2076	----	----	5	----	31 + 4
4400	----	----	----/108.80A	184.80B/108.80A	----	124.90 - 79.30	.7922	----	----	----	----	4 UNCH
4400	----	----	----/80.50A	174.00B/80.50A	----	106.30 - 87.50	----	----	----	1	----	0 - 1
4405	0.70	0.70	1.20B/*0.30A	1.20B/*0.30A	----	0.00 - 0.90	----	----	----	3	----	0 - 2
4410	----	----	----/70.90A	164.10B/70.90A	----	96.30 - 87.60	----	1	----	----	----	0 - 1
4410	1.10	1.10	1.30B/*0.20	1.30B/*0.20	----	0.00 - 0.90	----	----	----	6	----	0 - 3
4415	0.90	0.90	1.50B/*0.20A	1.50B/*0.20A	----	0.00 - 1.00	----	----	----	4	----	0 - 2
4420	----	----	----/61.40A	154.30B/61.40A	----	86.30 - 87.70	----	3	----	----	----	0 - 3
4420	1.50	1.50	1.70B/*0.20A	1.70B/*0.20A	----	0.00 - 1.10	----	----	----	3	----	0 - 5
4425	1.00	1.00	2.10/*0.10A	2.10/*0.10A	----	0.00 - 1.20	----	----	----	27	----	0 - 123
4425	----	----	55.90B/----	55.90B/30.60A	----	43.60 + 17.00	.3248	----	----	----	----	11 UNCH
4425	----	----	----/90.70A	162.90B/90.70A	----	105.40 - 76.60	.7384	----	----	5	----	31 - 5
4425	21.50	21.50	37.10B/21.50	37.10B/16.70A	----	24.10 + 9.90	.2614	----	----	50	----	65 - 10
4430	1.00	1.00	2.30B/*0.10	2.30B/*0.10	----	0.00 - 1.30	----	----	----	18	----	0 - 16
4435	1.00	1.00	2.70B/*0.20A	2.70B/*0.20A	----	0.00 - 1.40	----	----	----	15	----	0 - 11
4440	1.60	1.60	3.30B/*0.10A	3.30B/*0.10A	----	0.00 - 1.50	----	----	----	9	----	0 - 5
4445	1.30	1.30	4.10B/*0.10	4.10B/*0.10	----	0.00 - 1.70	----	----	----	4	----	0 - 3
4445	----	----	----/38.30A	129.70B/38.30A	----	61.30 - 88.30	----	1	----	----	----	0 - 1
4450	----	----	65.70B/----	65.70B/36.30A	----	52.10 + 20.40	.3733	----	----	----	----	91 UNCH
4450	----	----	----/96.50A	150.70B/96.50A	----	108.30 - 66.20	.6263	----	----	----	----	12 UNCH
4450	55.00	55.00	81.70B/55.00	81.70B/49.60A	----	67.70 NEW	.3925	----	----	5	----	2 + 2
4450	23.00	23.00	46.10B/23.00	46.10B/20.70A	----	31.00 + 13.20	.3248	----	----	11	----	29 + 10
4450	39.10	39.10	39.10/33.50A	124.90B/33.50A	----	56.30 - 88.50	----	4	----	3	----	0 - 4
4450	----	----	----/74.20A	141.90B/74.20A	----	87.30 - 73.40	.6750	----	----	4	----	8 UNCH
4450	2.20	2.20	5.00/*0.10A	5.00/*0.10A	----	0.00 - 1.80	----	----	----	62	----	0 - 53
4455	30.00	30.00	33.00/29.50A	120.00B/29.50A	----	51.30 - 88.70	----	3	----	3	----	0 - 2
4455	1.90	1.90	6.00/*0.10	6.00/*0.10	----	0.00 - 2.00	----	----	----	23	----	0 - 17
4460	----	----	----/25.40A	115.20B/25.40A	----	46.30 - 88.80	----	1	----	1	----	0 - 1
4460	3.60	3.60	7.20B/*0.10	7.20B/*0.10	----	0.00 - 2.20	----	----	----	46	----	0 - 8
4465	3.80	3.80	8.60B/*0.10	8.60B/*0.10	----	0.00 - 2.40	----	----	----	82	----	0 - 6
4470	2.50	2.50	10.30B/*0.10A	10.30B/*0.10A	----	0.00 - 2.70	----	----	----	54	----	0 - 18
4470	----	----	----/17.40A	105.70B/17.40A	----	36.30 - 89.30	----	20	----	----	----	0 - 20
4475	----	----	----/82.50A	132.80B/82.50A	----	93.00 - 62.60	.5751	----	----	----	----	4 UNCH
4475	105.90	105.90	105.90/99.30A	147.60B/99.30A	----	109.10 NEW	.5645	----	----	1	----	1 + 1
4475	----	----	76.80B/----	76.80B/42.90A	----	61.70 + 23.90	.4245	----	----	----	----	16 UNCH
4475	3.00	3.00	12.20B/*0.10	12.20B/*0.10	----	0.00 - 2.90	----	----	----	209	----	0 - 128
4475	24.40	24.40	27.00/13.90A	101.00B/13.90A	----	31.30 - 89.60	----	47	----	2	----	0 - 46
4475	28.80	28.80	56.80B/28.80	56.80B/25.90A	----	39.60 + 17.30	.3965	----	----	4	----	6 + 3
4480	3.00	3.00	14.40B/*0.20	14.40B/*0.20	----	0.00 - 3.20	----	----	----	48	----	0 - 15
4480	15.00	15.00	15.00/*9.40	96.30B/*9.40	----	26.30 - 89.90	----	32	----	41	----	0 - 4
4485	23.40	23.40	23.40/*7.70	91.60B/*7.70	----	21.30 - 90.30	----	33	----	33	----	0 - 3
4485	5.00	5.00	17.00B/*0.10	17.00B/*0.10	----	0.00 - 3.60	----	----	----	127	----	0 - 27
4490	20.00	20.00	20.00/*5.60A	87.40B/*5.60A	----	16.30 - 90.60	----	66	----	109	----	0 - 9
4490	4.90	4.90	19.90B/*0.20A	19.90B/*0.20A	----	0.00 - 4.00	----	----	----	94	----	0 - 20
4495	5.00	5.00	23.10B/*0.10A	23.10B/*0.10A	----	0.00 - 4.40	----	----	----	86	----	0 - 13
4495	14.90	14.90	15.30/*4.00A	82.50B/*4.00A	----	11.30 - 91.10	----	44	----	22	----	0 - 29
4500	92.00	92.00	92.00/86.60A	131.50B/86.60A	----	95.40 - 57.30	.5208	----	----	1	----	3 + 1
4500	----	----	89.50B/----	89.50B/50.80A	----	72.60 + 27.70	.4780	----	----	----	----	14 UNCH
4500	----	----	----/69.90A	116.00B/69.90A	----	78.90 - 58.90	.5216	----	----	2	----	11 + 1
4500	----	----	106.10B/----	106.10B/65.80A	----	89.10 + 29.20	.4786	----	----	2	----	4 + 2
4500	35.00	35.00	35.00/*2.40	78.10B/*2.40	----	6.30 - 91.60	----	65	----	95	----	0 - 79
4500	51.60	51.60	71.30/44.40	71.30/32.50A	----	49.90 + 21.90	.4742	----	----	12	----	115 + 8
4500	4.80	4.80	26.60B/*0.10	26.60B/*0.10	----	0.00 - 4.90	----	----	----	120	----	0 - 111
4500	60.00	60.00	60.00/46.90A	103.40B/46.90A	----	56.20 NEW	.5256	----	----	14	----	10 + 10
4505	10.20	10.20	10.20/*0.20	73.70B/*0.20	----	1.30 - 92.10	----	28	----	60	----	0 - 11
4505	5.50	5.50	30.30B/*0.60A	30.30B/*0.60A	----	0.00 - 5.40	----	----	----	204	----	0 - 6
4510	15.70	15.70	15.70/*0.20	69.70B/*0.20	----	0.00 - 89.00	----	----	----	138	----	0 - 17
4510	7.70	7.70	34.30B/*3.40A	34.30B/*3.40A	----	3.70 - 2.30	----	15	----	33	----	0 - 2
4515	24.20	24.20	24.20/*0.10	65.10B/*0.10	----	0.00 - 84.60	----	----	----	100	----	0 - 14
4515	7.70	7.70	38.50B/6.20A	38.50B/6.20A	----	8.70 + 2.00	----	21	----	20	----	0 - 13
4520	22.70	22.70	23.30/*0.10A	61.00B/*0.10A	----	0.00 - 80.40	----	----	----	42	----	0 - 49
4520	8.90	8.90	42.90B/7.70A	42.90B/7.70A	----	13.70 + 6.30	----	15	----	21	----	0 - 13
4525	----	----	----/75.10A	116.50B/75.10A	----	83.00 NEW	.4766	----	----	1	----	1 + 1
4525	20.50	20.50	23.00/*0.20A	57.00B/*0.20A	----	0.00 - 76.20	----	----	----	167	----	0 - 51
4525	----	----	119.30B/----	119.30B/75.70A	----	101.60 NEW	.5228	----	----	1	----	1 + 1
4525	57.00	57.00	84.10B/57.00	84.10B/40.60A	----	62.30 + 27.20	.5548	----	----	2	----	10 + 2
4525	9.00	9.00	47.40B/9.00	47.40B/9.00	----	18.70 + 10.50	----	43	----	65	----	0 - 28
4525	52.00	52.00	52.00/36.30A	86.30B/36.30A	----	43.70 NEW	.4449	----	----	8	----	1 + 1
4530	11.00	11.00	52.10B/10.00	52.10B/10.00	----	23.70 + 14.60	----	20	----	60	----	0 - 7
4530	24.50	24.50	24.90/*0.10	53.00B/*0.10	----	0.00 - 72.10	----	----	----	94	----	0 - 68
4535	20.50	20.50	20.50/*0.20A	49.20B/*0.20A	----	0.00 - 68.00	----	----	----	72	----	0 - 14
4535	15.20	15.20	56.80B/13.20	56.80B/12.00A	----	28.70 + 18.60	----	10	----	18	----	0 - 6
4540	20.00	20.00	20.00/*0.20A	45.60B/*0.20A	----	0.00 - 64.10	----	----	----	25	----	0 - 17
4540	12.60	12.60	61.60B/12.60	61.60B/12.60	----	33.70 + 22.60	----	29	----	29	----	0 - 25
4545	17.00	17.00	66.40B/17.00	66.40B/14.60A	----	38.70 + 26.40	----	40	----	16	----	0 - 41
4545	22.10	22.10	22.10/*0.20A	42.10B/*0.20A	----	0.00 - 60.30	----	----	----	36	----	0 - 56
4550	----	----	----/65.10A	107.50B/65.10A	----	71.70 - 50.60	.4325	----	----	----	----	1 UNCH
4550	57.00	57.00	63.00/49.40A	90.30B/49.40A	----	54.50 - 51.20	.4116	----	----	9	----	111 + 3
4550	16.00	16.00	71.30B/16.00	71.30B/16.00	----	43.70 + 30.10	----	203	----	136	----	0 - 216

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON JUN26		GOLD WEEKLY MONDAY OPTION WEEK3										
4550	----	----	118.80B/----	118.80B/70.50A	----	98.10 + 35.30	.5880	----	----	----	----	25 UNCH
4550	28.50	28.50	38.70B/*0.10A	38.70B/*0.10A	----	0.00 - 56.60	----	----	----	174	----	0 - 226
4550	46.00	46.00	50.00/27.80A	71.60B/27.80A	----	33.20 - 53.40	.3654	----	----	5	----	3 UNCH
4550	----	----	100.50B/----	100.50B/50.50A	----	76.90 + 33.30	.6343	----	----	1	----	2 UNCH
4555	49.70	49.70	76.20B/49.00	76.20B/18.40A	----	48.70 + 33.70	----	17	----	13	----	0 - 21
4555	18.50	18.50	18.50/*0.10	35.40B/*0.10	----	0.00 - 53.00	----	----	----	25	----	0 - 14
4560	31.30	31.30	32.60B/*0.10	32.60B/*0.10	----	0.00 - 49.50	----	----	----	155	----	0 - 27
4560	27.00	27.00	81.10B/20.30	81.10B/20.30	----	53.70 + 37.20	----	123	----	56	----	0 - 131
4565	21.30	21.30	86.00B/21.30	86.00B/21.30	----	58.70 + 40.60	----	30	----	28	----	0 - 24
4565	24.00	24.00	31.00/*0.10	31.00/*0.10	----	0.00 - 46.10	----	----	----	25	----	0 - 5
4570	24.40	24.40	29.00/*0.10	29.00/*0.10	----	0.00 - 42.90	----	----	----	244	----	0 - 2
4570	25.50	25.50	91.00B/25.50	91.00B/24.60A	----	63.70 + 43.80	----	18	----	28	----	0 - 18
4575	----	----	----/41.00A	78.30B/41.00A	----	44.70 - 46.90	.3580	----	----	41	----	35 + 30
4575	----	----	136.70B/----	136.70B/82.30A	----	113.30 + 39.70	.6416	----	----	----	----	5 UNCH
4575	60.00	60.00	60.00/21.00A	60.00/21.00A	----	24.90 - 46.90	.2919	----	----	10	----	8 + 1
4575	----	----	118.60B/----	118.60B/61.70A	----	93.60 + 39.80	.7079	----	----	1	----	3 + 1
4575	49.00	49.00	95.90B/49.00	95.90B/27.20A	----	68.70 + 46.90	----	33	----	13	----	0 - 33
4575	15.90	15.90	27.00/*0.10A	27.00/*0.10A	----	0.00 - 39.80	----	----	----	233	----	0 - 123
4580	78.00	78.00	100.90B/78.00	100.90B/30.30A	----	73.70 + 49.80	----	21	----	6	----	0 - 24
4580	21.80	21.80	21.80/*0.10A	22.10B/*0.10A	----	0.00 - 36.90	----	----	----	19	----	0 - 26
4585	----	----	105.90B/----	105.90B/33.00A	----	78.70 + 52.70	----	2	----	2	----	0 - 2
4585	3.30	3.30	3.30/*0.10A	19.80B/*0.10A	----	0.00 - 34.00	----	----	----	5	----	0 - 29
4590	8.80	8.80	8.80/*0.10	17.50B/*0.10	----	0.00 - 31.40	----	----	----	85	----	0 - 16
4590	----	----	110.80B/----	110.80B/35.90A	----	83.70 + 55.30	----	15	----	13	----	0 - 18
4595	2.20	2.20	2.20/*0.10A	15.70B/*0.10A	----	0.00 - 28.80	----	----	----	6	----	0 - 28
4595	----	----	115.80B/----	115.80B/39.70A	----	88.70 + 57.90	----	6	----	----	----	0 - 6
4600	----	----	----/48.30A	83.10B/48.30A	----	52.60 - 43.50	.3476	----	----	----	----	1 UNCH
4600	13.00	13.00	15.00/*0.10	15.00/*0.10	----	0.00 - 26.50	----	----	----	106	----	0 - 133
4600	----	----	167.20B/----	167.20B/112.20A	----	146.20 + 43.10	.6518	----	----	1	----	2 + 1
4600	----	----	154.10B/----	154.10B/96.00A	----	130.20 + 44.40	.6917	----	----	----	----	1 UNCH
4600	35.30	35.30	35.30/33.70A	67.10B/33.70A	----	36.60 - 42.20	.3079	----	----	8	----	153 UNCH
4600	16.90	16.90	22.60/15.80A	46.50B/15.80A	----	18.60 - 40.10	.2283	----	----	7	----	54 + 4
4600	----	----	138.20B/----	138.20B/75.40A	----	112.20 NEW	.7715	----	----	1	----	1 + 1
4600	52.60	52.60	120.80B/52.40	120.80B/42.40A	----	93.70 + 60.20	----	21	----	19	----	0 - 21
4605	----	----	125.80B/----	125.80B/46.10A	----	98.70 + 62.50	----	1	----	----	----	0 - 1
4605	2.80	2.80	2.80/*0.10A	12.60B/*0.10A	----	0.00 - 24.20	----	----	----	16	----	0 - 3
4610	11.60	11.60	11.60/*0.10A	12.00B/*0.10A	----	0.00 - 22.10	----	----	----	13	----	0 - 9
4610	----	----	130.80B/----	130.80B/49.50A	----	103.70 + 64.60	----	10	----	----	----	0 - 10
4615	----	----	135.70B/----	135.70B/53.00A	----	108.70 + 66.50	----	8	----	----	----	0 - 8
4615	----	----	----/*0.20A	9.50B/*0.20A	----	0.00 - 20.20	----	----	----	5	----	0 - 5
4620	----	----	140.70B/----	140.70B/56.70A	----	113.70 + 68.30	----	2	----	----	----	0 - 2
4620	0.20	0.20	0.20/*0.20	8.30B/*0.20	----	0.00 - 18.40	----	----	----	8	----	0 - 9
4625	7.50	7.50	7.50/*0.10	7.50/*0.10	----	0.00 - 16.70	----	----	----	18	----	0 - 69
4625	30.20	30.20	30.20/27.80A	56.80B/27.80A	----	29.90 NEW	.2622	----	----	5	----	5 + 5
4625	----	----	145.70B/----	145.70B/60.60A	----	118.70 + 70.00	----	5	----	----	----	0 - 5
4625	----	----	185.30B/----	185.30B/126.30A	----	163.30 + 46.80	.6913	----	----	----	----	1 UNCH
4625	----	----	158.90B/----	158.90B/91.20A	----	132.40 + 53.00	.8245	----	----	----	----	1 UNCH
4625	37.00	37.00	37.00/12.00A	37.00/12.00A	----	13.80 NEW	.1752	----	----	3	----	1 + 1
4630	4.20	4.20	6.30B/*0.10	6.30B/*0.10	----	0.00 - 15.20	----	----	----	24	----	0 - 18
4630	72.00	72.00	150.70B/64.50A	150.70B/64.50A	----	123.70 + 71.50	----	6	----	9	----	0 - 2
4635	3.90	3.90	3.90/*0.20A	5.50B/*0.20A	----	0.00 - 13.70	----	----	----	14	----	0 - 28
4635	98.50	98.50	155.70B/98.50	155.70B/68.60A	----	128.70 + 73.00	----	1	----	1	----	0 - 1
4640	1.90	1.90	2.20/*0.10	4.70B/*0.10	----	0.00 - 12.40	----	----	----	9	----	0 - 4
4645	----	----	----/*0.20A	4.00B/*0.20A	----	0.00 - 11.30	----	----	----	18	----	0 - 13
4650	----	----	170.70B/----	170.70B/81.40A	----	143.70 + 76.50	----	7	----	1	----	0 - 7
4650	----	----	----/35.00A	62.60B/35.00A	----	38.10 NEW	.2716	----	----	2	----	2 + 2
4650	----	----	----/22.70A	47.10B/22.70A	----	24.40 - 32.80	.2216	----	----	----	----	7 UNCH
4650	----	----	180.70B/----	180.70B/108.00A	----	153.90 + 59.00	.8672	----	----	----	----	1 UNCH
4650	9.60	9.60	12.70/9.00A	28.30B/9.00A	----	10.20 - 27.70	.1325	----	----	58	----	62 + 52
4650	3.00	3.00	3.90/*0.10A	3.90/*0.10A	----	0.00 - 10.20	----	----	----	19	----	0 - 92
4660	0.10	0.10	0.10/*0.10	2.70B/*0.10	----	0.00 - 8.30	----	----	----	44	----	0 - 60
4665	0.30	0.30	0.30/*0.20A	2.10B/*0.20A	----	0.00 - 7.50	----	----	----	1	----	0 - 10
4670	----	----	190.70B/----	190.70B/99.50A	----	163.70 + 80.00	----	2	----	----	----	0 - 2
4670	1.20	1.20	1.20/*0.10	1.90B/*0.10	----	0.00 - 6.80	----	----	----	6	----	0 - 11
4675	----	----	195.70B/----	195.70B/104.20A	----	168.70 + 80.60	----	4	----	----	----	0 - 4
4675	----	----	----/18.60A	39.30B/18.60A	----	19.90 - 28.40	.1861	----	----	2	----	3 + 2
4675	9.60	9.60	9.60/6.80A	21.80B/6.80A	----	7.70 - 22.30	.1007	----	----	8	----	9 - 1
4675	0.50	0.50	0.50/*0.20A	1.80B/*0.20A	----	0.00 - 6.10	----	----	----	3	----	0 - 29
4680	----	----	200.70B/----	200.70B/108.70A	----	173.70 + 81.20	----	2	----	2	----	0 - 2
4680	0.10	0.10	0.10/*0.10	1.50B/*0.10	----	0.00 - 5.50	----	----	----	2	----	0 - 38
4685	----	----	----/*0.20A	1.20B/*0.20A	----	0.00 - 5.00	----	----	----	----	----	0 - 11
4690	----	----	----/*0.10A	1.10B/*0.10A	----	0.00 - 4.50	----	----	----	----	----	0 - 13
4695	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 4.10	----	----	----	----	----	0 - 1
4700	20.00	20.00	20.00/15.20A	32.70B/15.20A	----	16.30 - 24.30	.1559	----	----	1	----	12 UNCH
4700	----	----	234.30B/----	234.30B/170.90A	----	209.80 + 62.40	.8437	----	----	----	----	5 UNCH
4700	----	----	226.50B/----	226.50B/145.70A	----	199.40 + 68.90	.9239	----	----	----	----	1 UNCH
4700	15.00	15.00	15.00/5.20A	16.50B/5.20A	----	5.80 - 17.80	.0759	----	----	9	----	15 + 5
4700	----	----	220.70B/----	220.70B/128.10A	----	193.70 + 83.00	----	2	----	1	----	0 - 3
4700	0.50	0.50	1.80/*0.10	1.80/*0.10	----	0.00 - 3.70	----	----	----	17	----	0 - 150
4705	----	----	225.70B/----	225.70B/132.70A	----	198.70 + 83.40	----	1	----	1	----	0 - 1
4710	1.00	1.00	1.00/*0.20A	1.00/*0.20A	----	0.00 - 3.10	----	----	----	3	----	0 - 1
4720	----	----	----/*0.20A	----/*0.20A	----	0.00 - 2.60	----	----	----	18	----	0 - 22
4725	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.00 - 2.30	----	----	----	2	----	0 - 87
4725	25.70	25.70	25.70/21.50A	39.50B/21.50A	----	23.30 NEW	.1808	----	----	1	----	1 + 1
4725	----	----	----/12.40A	27.00B/12.40A	----	13.30 - 20.60	.1298	----	----	3	----	6 UNCH
4725	----	----	----/4.10A	12.70B/4.10A	----	4.40 - 14.10	.0572	----	----	4	----	64 + 2
4725	----	----	#245.70B/----	#245.70B/152.50A	----	218.70 + 84.40	----	1	----	----	----	0 - 1
4725	----	----	250.10B/----	250.10B/166.40A	----	223.00 + 72.60	.9426	----	----	----	----	1 UNCH
4730	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.00 - 2.10	----	----	----	1	----	0 - 2
4735	----	----	----/*0.20A	----/*0.20A	----	0.00 - 2.00	----	----	----	----	----	0 - 2
4750	----	----	----/10.20A	21.70B/10.20A	----	10.80 - 17.50	.1073	----	----	3	----	5 - 1
4750	25.30	25.30	26.90/18.50A	33.80B/18.50A	----	19.80 - 20.10	.1569	----	----	3	----	5 + 2
4750	----	----	#274.10B/----	#274.10B/188.20A	----	247.00 + 75.60	.9562	----	----	----	----	1 UNCH
4750	4.50	4.50	4.50/3.30A	9.70B/3.30A	----	3.40 - 11.10	.0436	----	----	3	----	33 UNCH
4750	----	----	#270.70B/----	#270.70B/177.00A	----	243.70 + 85.20	----	2	----	----	----	0 - 2
4750	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 1.50	----	----	----	6	----	0 - 8
4765	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4775	----	----	----/8.50A	18.20B/8.50A	----	8.90 NEW	.0894	----	----	2	----	0 UNCH
4775	----	----	309.20B/----	309.20B/241.10A	----	285.10 + 69.30	.8638	----	----	----	----	1 UNCH
4775	----	----	----/2.70A	7.40B/2.70A	----	2.60 - 8.90	.0329	----	----	----	----	1 UNCH
4775	----	----	----/*0.10A	----/*0.10A	----	0.00 - 1.00	----	----	----	----	----	0 - 2
4780	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.90	----	----	----	1	----	0 - 1
4785	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 2
4785	----	----	#305.70B/----	#305.70B/211.30A	----	278.70 + 85.90	----	1	----	----	----	0 - 1
4795	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4800	----	----	----/13.50A	24.40B/13.50A	----	14.30 - 15.10	.1174	----	----	----	----	2 UNCH
4800	----	----	----/7.10A	14.90B/7.10A	----	7.30 - 12.40	.0740	----	----	----	----	4 UNCH
4800	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.70	----	----	----	1	----	0 - 58
4800	4.50	4.50	4.60/2.20A	5.70B/2.20A	----	2.10 - 7.00	.0259	----	----	5	----	107 + 2
4800	----	----	#320.70B/----	#320.70B/226.80A	----	293.70 + 86.10	----	1	----	----	----	0 - 1
4800	----	----	#322.80B/----	#322.80B/233.70A	----	295.60 NEW	.9739	----	----	2	----	2 + 2
4810	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.60	----	----	----	----	----	0 - 50
4820	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4825	----	----	----/0.20A	----/0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 6
4825	----	----	320.30B/----	320.30B/257.30A	----	320.20 NEW	.9794	----	----	1	----	1 + 1
4825	----	----	----/1.90A	4.30B/1.90A	----	1.70 - 5.60	.0204	----	----	----	----	1 UNCH
4830	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4835	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4840	----	----	#360.60B/----	#360.60B/266.70A	----	333.70 + 86.40	----	1	----	----	----	0 - 1
4845	----	----	----/0.20A	----/0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4850	----	----	----/10.00A	17.70B/10.00A	----	10.40 - 11.80	.0876	----	----	----	----	11 UNCH
4850	----	----	----/5.10A	9.50B/5.10A	----	5.10 - 8.80	.0519	----	----	----	----	12 UNCH
4850	1.70	1.70	1.70/1.60A	2.90B/1.60A	----	1.30 - 4.60	.0153	----	----	1	----	2 - 1
4850	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 18
4855	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 10
4860	----	----	----/0.20A	----/0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 11
4875	----	----	----/8.80A	14.80B/8.80A	----	9.00 - 10.30	.0762	----	----	----	----	1 UNCH
4875	4.80	4.80	4.80/4.40A	8.30B/4.40A	----	4.40 - 7.30	.0444	----	----	1	----	4 + 1
4875	----	----	----/1.50A	2.20B/1.50A	----	1.10 - 3.80	.0126	----	----	----	----	1 UNCH
4875	----	----	369.90B/----	369.90B/305.40A	----	369.60 + 82.90	.9873	----	----	----	----	1 UNCH
4875	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 128
4880	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4895	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 5
4900	----	----	----/3.80A	6.40B/3.80A	----	3.70 - 6.30	.0373	----	----	----	----	5 UNCH
4900	----	----	----/*1.30A	1.70B/*1.30A	----	0.90 - 3.10	.0100	----	----	2	----	7 + 2
4900	----	----	380.10B/----	380.10B/329.80A	----	394.50 + 83.70	.9899	----	----	----	----	1 UNCH
4900	----	----	#420.60B/----	#420.60B/326.60A	----	393.70 + 86.60	----	2	----	----	----	0 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 38

PRELIMINARY

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26											
4900 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 54
4905 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4925 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4925 ----	----	----/3.30A	4.00B/3.30A	----	3.20 - 5.30	.0320	----	----	----	----	7 UNCH
4935 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
4950 ----	----	----/*5.90A	8.60B/5.90A	----	6.00 - 6.70	.0511	----	----	----	----	1 UNCH
4950 ----	----	----/2.90A	3.10B/2.90A	----	2.80 - 4.50	.0277	----	----	----	----	11 UNCH
4950 ----	----	----/*1.10A	1.00B/*1.10A	----	0.70 - 2.20	.0072	----	----	----	----	5 UNCH
4950 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
4975 ----	----	----/2.60A	2.50B/2.60A	----	2.50 - 3.80	.0243	----	----	----	----	5 UNCH
4975 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5000 2.10	2.10	2.20/2.10	2.20/2.10	----	2.20 - 3.30	.0212	----	----	16	----	11 UNCH
5000 ----	----	----/*4.70A	5.30B/*4.70A	----	4.80 - 4.90	.0405	----	----	----	----	1 UNCH
5000 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
5000 ----	----	----/*0.90A	0.70B/*0.90A	----	0.60 - 1.60	.0058	----	----	----	----	32 UNCH
5025 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5025 ----	----	----/2.10A	2.00B/2.10A	----	2.00 - 2.80	.0189	----	----	----	----	4 UNCH
5050 ----	----	----/1.90A	1.50B/1.90A	----	1.80 - 2.50	.0168	----	----	----	----	11 UNCH
5050 ----	----	----/*4.80A	3.60B/4.80A	----	3.90 - 3.60	.0325	----	----	----	----	3 UNCH
5050 ----	----	----/*0.80A	0.50B/*0.80A	----	0.40 - 1.20	.0037	----	----	----	----	5 UNCH
5050 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 29
5075 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5100 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5100 ----	----	----/1.60A	1.20B/1.60A	----	1.50 - 1.90	.0135	----	----	----	----	6 UNCH
5125 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5150 ----	----	----/*0.70A	0.30B/*0.70A	----	0.20 - 0.80	.0016	----	----	----	----	1 UNCH
5150 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
5175 ----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
5200 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5225 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5250 ----	----	----	1.20B/3.40A	----	2.40 - 1.00	.0179	----	----	----	----	1 UNCH
5250 ----	----	----/*0.60A	----/*0.60A	----	0.20 - 0.50	.0014	----	----	----	----	4 UNCH
5250 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
5275 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5300 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5300 ----	----	----	----/*0.60A	----	0.10 - 0.50	.0007	----	----	----	----	5 UNCH
5325 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5350 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5400 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9
5500 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5600 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5700 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
5750 ----	----	----	----/0.70A	----	0.10 - 0.30	.0007	----	----	----	----	3 UNCH
5750 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 12
6000 ----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 11
TOTAL									5146		2154 - 4759

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK5

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4470 ----	----	----	----	----	123.00 UNCH	----	----	----	----	----	0 UNCH
4500 ----	----	----	----	----	93.00 UNCH	----	----	----	----	----	0 UNCH
4515 ----	----	----	----	----	78.00 UNCH	----	----	----	----	----	0 UNCH
4530 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0 0
JUN26											
4550 ----	----	----	----	----	26.90 - 54.10	.3380	----	----	----	----	2 UNCH
4675 ----	----	----/14.00A	----/14.00A	----	5.00 - 20.30	.0660	----	----	----	----	4 UNCH
TOTAL											6 0

SILVER OPTIONS ON FUTURES

RWS THU — SILVER WEEKLY THURSDAY OPTION Week3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26											
5500 ----	----	----	0.007B/0.109A	----	0.018 - 0.014	.0046	----	----	----	----	5 UNCH
6000 ----	----	----	----/0.085A	----	0.004 - 0.004	.0005	----	----	----	----	1 UNCH
6500 ----	----	----	0.002B/*0.113A	----	0.040 - 0.010	.0088	----	----	----	----	1 UNCH
6900 ----	----	----	0.101B/*0.154A	----	0.132 - 0.019	.0420	----	----	----	----	1 UNCH
7000 ----	----	1.093B/*0.946A	1.093B/*0.946A	----	1.008 + 0.056	.2149	----	----	1	----	1 UNCH
7000 ----	----	----/*0.192A	0.132B/*0.192A	----	0.180 - 0.023	.0625	----	----	----	----	1 UNCH
7050 ----	----	----/*0.234A	0.144B/*0.234A	----	0.214 - 0.023	.0772	----	----	----	----	1 UNCH
7100 ----	----	1.377B/*1.164A	1.377B/*1.164A	----	1.249 NEW	.2572	----	----	1	----	1 + 1
7100 ----	----	----/*0.260A	0.226B/*0.260A	----	0.256 - 0.024	.0956	----	----	----	----	2 UNCH
7200 ----	----	1.743B/*1.431A	1.743B/*1.431A	----	1.541 + 0.071	.3045	----	----	----	----	1 UNCH
7200 0.325	0.325	0.417B/*0.325	0.417B/*0.325	----	0.374 - 0.022	.1470	----	----	7	----	8 + 7
7250 ----	----	1.918B/*1.599A	1.918B/*1.599A	----	1.707 + 0.072	.3298	----	----	----	----	1 UNCH
7300 ----	----	1.560B/*1.164A	1.560B/*1.164A	----	1.335 + 0.076	.3266	----	----	----	----	4 UNCH
7350 ----	----	----/2.323A	2.392B/2.323A	----	2.439 - 0.621	.7261	----	----	----	----	1 UNCH
7400 ----	----	1.128B/0.696A	1.128B/0.696A	----	0.840 + 0.014	.3301	----	----	----	----	5 UNCH
7400 ----	----	2.644B/*2.110A	2.644B/*2.110A	----	2.293 + 0.075	.4106	----	----	----	----	1 UNCH
7550 ----	----	2.447B/*2.101A	2.447B/*2.101A	----	2.382 + 0.097	.5039	----	----	----	----	2 UNCH
7550 ----	----	----/2.000A	2.318B/2.000A	----	2.136 - 0.523	.4960	----	----	----	----	2 UNCH
7600 ----	----	----/0.887A	1.298B/0.887A	----	1.031 - 0.499	.4087	----	----	----	----	1 UNCH
7600 ----	----	2.755B/*2.311A	2.755B/*2.311A	----	2.648 + 0.105	.5408	----	----	----	----	25 UNCH
7700 ----	----	----/1.989A	2.578B/1.989A	----	2.140 - 0.518	.4216	----	----	----	----	104 UNCH
7750 ----	----	2.891B/----	2.891B/2.872A	----	2.805 + 0.234	.7627	----	----	----	----	1 UNCH
7800 ----	----	----/1.787A	2.164B/1.787A	----	1.792 - 0.496	.3695	----	----	----	----	6 UNCH
7850 ----	----	----	2.928B/3.648A	----	3.611 + 0.310	.8448	----	----	----	----	2 UNCH
7900 ----	----	----	3.052B/4.071A	----	4.040 + 0.345	.8762	----	----	----	----	1 UNCH
7900 ----	----	----/1.525A	1.810B/1.525A	----	1.496 - 0.470	.3212	----	----	----	----	2 UNCH
7950 ----	----	----/*0.251A	0.254B/*0.251A	----	0.238 - 0.244	.0981	----	----	----	----	2 UNCH
8000 ----	----	----/*0.224A	0.206B/*0.224A	----	0.192 - 0.215	.0774	----	----	----	----	8 UNCH
8000 ----	----	----/*0.773A	0.869B/*0.773A	----	0.712 - 0.350	.2109	----	----	----	----	8 UNCH
8000 0.896	0.896	0.896/*0.896	1.506B/*0.896	----	1.248 - 0.440	.2775	----	----	1	----	2 UNCH
8050 ----	----	----/*0.204A	0.137B/*0.204A	----	0.154 - 0.189	.0606	----	----	----	----	1 UNCH
8100 ----	----	----/1.120A	1.229B/1.120A	----	1.042 - 0.406	.2385	----	----	----	----	3 UNCH
8200 ----	----	----/0.965A	1.013B/0.965A	----	0.871 - 0.372	.2044	----	----	----	----	7 UNCH
8200 0.058	0.058	0.058/*0.058	0.058/*0.058	----	0.079 - 0.128	.0281	----	----	1	----	2 + 1
8250 0.500	0.500	0.500/*0.497A	0.500/*0.497A	----	0.395 NEW	.1221	----	----	2	----	2 + 2
8300 ----	----	----/*0.364A	0.369B/*0.364A	----	0.352 - 0.217	.1093	----	----	----	----	4 UNCH
8850 ----	----	----	0.001B/*0.087A	----	0.007 - 0.034	.0013	----	----	----	----	1 UNCH
9500 ----	----	----	0.007B/*0.118A	----	0.061 - 0.053	.0158	----	----	----	----	1 UNCH
TOTAL									13	0	222 + 11

SMW MON — SILVER WEEKLY MONDAY OPTION WEEK2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26											
5250 ----	----	----	----/0.254A	----	0.001 UNCH	.0000	----	----	----	----	15 UNCH
5500 ----	----	----	----/0.111A	----	0.001 NEW	.0002	----	----	3	----	3 + 3
5750 ----	----	----	----/*0.043A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6000 ----	----	----	0.007B/*0.141A	----	0.072 - 0.012	.0183	----	----	----	----	2 UNCH
6100 0.150	0.150	#0.170B/*0.150	0.170B/*0.150	----	0.169 NEW	.0385	----	----	5	----	5 + 5
6200 ----	----	----	0.020B/*0.074A	----	0.023 NEW	.0067	----	----	3	----	3 + 3
6500 0.075	0.075	0.075/*0.075	0.075/*0.075	----	0.060 NEW	.0194	----	----	1	----	1 + 1
6500 ----	----	----	----/*0.049A	----	0.000 - 0.003	----	----	----	----	----	0 - 13
6750 ----	----	----	----/0.072A	----	0.000 - 0.016	----	----	----	----	----	0 - 2
6900 ----	----	----	----/0.057A	----	0.000 - 0.040	----	----	----	----	----	0 - 1
7000 0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 - 0.056	----	----	----	2	----	0 - 7
7010 ----	----	----/*0.043A	----/*0.043A	----	0.000 - 0.058	----	----	----	----	----	0 - 1
7050 ----	----	----/*0.029A	0.001B/*0.029A	----	0.000 - 0.064	----	----	----	----	----	0 - 1
7050 0.850	0.850	0.903B/*0.799A	0.903B/*0.799A	----	0.868 NEW	.2105	----	----	1	----	1 + 1
7100 ----	----	----/*0.029A	0.001B/*0.029A	----	0.000 - 0.073	----	----	----	----	----	0 - 1
7100 0.400	0.400	0.520B/*0.400	0.520B/*0.400	----	0.468 NEW	.1593	----	----	5	----	5 + 5
7200 ----	----	----/*0.034A	0.001B/*0.034A	----	0.000 - 0.103	----	----	----	----	----	0 - 3
7250 ----	----	----/*0.031A	0.010B/*0.031A	----	0.000 - 0.132	----	----	----	----	----	0 - 12
7300 ----	----	1.121B/0.779A	1.121B/0.779A	----	0.906 + 0.042	.2882	----	----	----	----	1 UNCH
7300 ----	----	----/*0.027A	0.064B/*0.027A	----	0.000 - 0.174	----	----	----	----	----	0 - 11

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK1										
JUN26												
7350	----	----	----/*0.023A	0.167B/*0.023A	----	0.000 - 0.231	----	----	----	8	----	0 - 15
7380	----	----	----/*0.021A	0.272B/*0.021A	----	0.000 NEW	----	----	----	6	----	0 UNCH
7400	0.100	0.100	0.384B/*0.022A	0.384B/*0.022A	----	0.000 - 0.306	----	----	----	13	----	0 - 7
7400	2.747	2.747	2.813B/*2.261A	2.813B/*2.261A	----	2.459 NEW	.4136	----	----	1	----	1 + 1
7410	----	----	0.395B/*0.022A	0.395B/*0.022A	----	0.000 - 0.324	----	----	----	----	----	0 - 2
7430	----	----	0.479B/*0.024A	0.479B/*0.024A	----	0.000 - 0.363	----	----	----	----	----	0 - 6
7440	0.163	0.163	0.528B/*0.006	0.528B/*0.006	----	0.000 NEW	----	----	----	8	----	0 UNCH
7440	0.487	0.487	0.487/*0.374A	1.698B/*0.374A	----	0.854 NEW	----	1	----	1	----	0 UNCH
7450	1.670	1.670	1.797B/1.233A	1.797B/1.233A	----	1.436 NEW	.4176	----	----	3	----	3 + 3
7450	----	----	----/*0.326A	1.605B/*0.326A	----	0.754 - 1.027	----	5	----	----	----	0 - 5
7450	0.080	0.080	0.581B/*0.026A	0.581B/*0.026A	----	0.000 - 0.407	----	----	----	1	----	0 - 1
7460	0.276	0.276	0.635B/*0.027A	0.635B/*0.027A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7480	0.040	0.040	0.643B/*0.037A	0.643B/*0.037A	----	0.000 - 0.483	----	----	----	2	----	0 - 2
7490	0.187	0.187	0.187/*0.159A	1.239B/*0.159A	----	0.354 - 1.132	----	3	----	1	----	0 - 2
7490	----	----	0.723B/*0.041A	0.723B/*0.041A	----	0.000 - 0.511	----	----	----	----	----	0 - 65
7500	0.800	0.800	0.806B/*0.055A	0.806B/*0.055A	----	0.000 - 0.541	----	----	----	6	----	0 - 49
7500	----	----	----/*0.118A	1.151B/*0.118A	----	0.254 - 1.162	----	8	----	----	----	0 - 8
7510	----	----	0.893B/*0.080A	0.893B/*0.080A	----	0.000 - 0.573	----	----	----	----	----	0 - 1
7520	0.263	0.263	0.982B/*0.110A	0.982B/*0.110A	----	0.000 - 0.606	----	----	----	5	----	0 - 12
7530	0.313	0.313	1.074B/*0.152A	1.074B/*0.152A	----	0.046 - 0.596	----	4	----	1	----	0 - 3
7540	0.461	0.461	1.168B/*0.239A	1.168B/*0.239A	----	0.146 NEW	----	1	----	1	----	0 UNCH
7540	0.285	0.285	0.285/*0.041A	0.814B/*0.041A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7550	0.174	0.174	0.174/*0.040A	0.788B/*0.040A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7550	----	----	1.263B/*0.269A	1.263B/*0.269A	----	0.246 - 0.472	----	----	----	1	----	0 - 1
7560	----	----	----/*0.031A	0.754B/*0.031A	----	0.000 - 1.034	----	----	----	----	----	0 - 1
7560	----	----	1.359B/*0.300A	1.359B/*0.300A	----	0.346 - 0.413	----	1	----	----	----	0 - 1
7570	----	----	----/*0.028A	0.748B/*0.028A	----	0.000 - 0.977	----	----	----	----	----	0 - 3
7570	0.530	0.530	1.456B/*0.335A	1.456B/*0.335A	----	0.446 NEW	----	2	----	2	----	0 UNCH
7590	0.700	0.700	0.700/*0.010	0.700/*0.010	----	0.000 - 0.870	----	----	----	2	----	0 - 1
7590	----	----	1.652B/*0.417A	1.652B/*0.417A	----	0.646 - 0.249	----	2	----	----	----	0 - 2
7600	0.010	0.010	0.015/*0.010	0.646B/*0.010	----	0.000 - 0.820	----	----	----	21	----	0 - 17
7600	1.255	1.255	1.752B/*0.460A	1.752B/*0.460A	----	0.746 - 0.199	----	4	----	1	----	0 - 3
7600	----	----	----/1.274A	1.920B/1.274A	----	1.433 - 0.548	.4399	----	----	----	----	1 UNCH
7620	0.050	0.050	0.050/*0.024A	0.584B/*0.024A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7630	0.589	0.589	2.047B/*0.589	2.047B/*0.589	----	1.046 NEW	----	2	----	2	----	0 UNCH
7650	----	----	----/*0.021A	0.430B/*0.021A	----	0.000 - 0.601	----	----	----	----	----	0 - 1
7690	----	----	2.647B/*1.039A	2.647B/*1.039A	----	1.646 + 0.159	----	----	----	1	----	0 - 1
7700	0.300	0.300	0.400/*0.015	0.400/*0.015	----	0.000 - 0.432	----	----	----	3	----	0 - 12
7700	----	----	2.748B/1.157A	2.748B/1.157A	----	1.746 + 0.189	----	3	----	----	----	0 - 3
7750	----	----	3.248B/1.566A	3.248B/1.566A	----	2.246 + 0.313	----	1	----	----	----	0 - 1
7750	----	----	----/*0.024A	0.089B/*0.024A	----	0.000 - 0.309	----	----	----	----	----	0 - 51
7770	0.152	0.152	0.152/*0.006	0.152/*0.006	----	0.000 NEW	----	----	----	2	----	0 UNCH
7780	----	----	----/*0.023A	0.039B/*0.023A	----	0.000 - 0.252	----	----	----	----	----	0 - 15
7800	0.700	0.700	0.700/*0.699A	1.042B/*0.699A	----	0.757 NEW	.2676	----	----	1	----	1 + 1
7800	0.013	0.013	0.013/*0.001A	0.032B/*0.001A	----	0.000 - 0.221	----	----	----	1	----	0 - 6
7850	0.960	0.960	0.960/*0.612A	0.960/*0.612A	----	0.640 NEW	.2319	----	----	1	----	1 + 1
7850	----	----	----/*0.028A	0.002B/*0.028A	----	0.000 - 0.160	----	----	----	----	----	0 - 54
7870	0.037	0.037	0.037/*0.037	0.037/*0.037	----	0.000 NEW	----	----	----	1	----	0 UNCH
7880	0.070	0.070	0.070/*0.040A	0.070/*0.040A	----	0.000 - 0.133	----	----	----	2	----	0 - 2
7900	0.750	0.750	0.750/*0.529A	0.750/*0.529A	----	0.541 NEW	.2001	----	----	3	----	3 + 3
7900	----	----	----/*0.040A	0.002B/*0.040A	----	0.000 - 0.118	----	----	----	----	----	0 - 4
7950	----	----	5.252B/3.452A	5.252B/3.452A	----	4.246 + 0.532	----	7	----	----	----	0 - 7
8000	----	----	----/0.964A	1.134B/0.964A	----	0.887 - 0.396	.2378	----	----	----	----	16 UNCH
8000	----	----	5.753B/3.945A	5.753B/3.945A	----	4.746 + 0.552	----	3	----	1	----	0 - 3
8000	----	----	----/*0.038A	----/*0.038A	----	0.000 - 0.070	----	----	----	----	----	0 - 11
8000	----	----	----/1.432A	1.646B/1.432A	----	1.410 - 0.416	.2926	----	----	----	----	1 UNCH
8050	----	----	----/*0.034A	----/*0.034A	----	0.000 - 0.057	----	----	----	----	----	0 - 2
8100	----	----	----/*0.283A	0.326B/*0.283A	----	0.281 - 0.292	.1080	----	----	----	----	1 UNCH
8100	----	----	----/*0.034A	----/*0.034A	----	0.000 - 0.048	----	----	----	----	----	0 - 7
8200	----	----	#7.755B/5.930A	#7.755B/5.930A	----	6.746 + 0.586	----	1	----	----	----	0 - 1
8350	----	----	----	----/*0.040A	----	0.000 - 0.028	----	----	----	----	----	0 - 1
8400	----	----	9.614B/8.301A	9.614B/8.301A	----	8.863 + 0.458	.9550	----	----	----	----	20 UNCH
8500	----	----	----/*0.370A	0.341B/*0.370A	----	0.307 - 0.226	.0902	----	----	----	----	16 UNCH
8500	----	----	#10.758B/8.927A	#10.758B/8.927A	----	9.746 + 0.608	----	1	----	----	----	0 - 1
8600	----	----	----	----/0.043A	----	0.000 - 0.008	----	----	----	----	----	0 - 1
8700	----	----	----	----/*0.042A	----	0.000 - 0.004	----	----	----	----	----	0 - 1
8800	----	----	----/*0.079A	0.026B/*0.079A	----	0.045 - 0.082	.0152	----	----	----	----	13 UNCH
9050	----	----	----	----/*0.043A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
9200	----	----	----/*0.183A	0.070B/*0.183A	----	0.110 - 0.107	.0305	----	----	----	----	7 UNCH
9500	----	----	----	----/*0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
10250	----	----	----	----/*0.042A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL										127	0	120 - 421
SO CALL		COMEX SILVER OPTIONS										
JUL26												
2700	----	----	48.899B/47.485A	48.899B/47.485A	----	48.254 - 0.621	.0000	----	----	----	----	1 UNCH
4000	----	----	35.901B/34.485A	35.901B/34.485A	----	35.254 - 0.621	.9980	----	----	----	----	6 UNCH
4500	----	----	30.905B/29.484A	30.905B/29.484A	----	30.256 - 0.623	.9958	1	----	1	----	2 UNCH
4600	----	----	29.975B/28.446A	29.975B/28.446A	----	29.258 - 0.623	.9952	----	----	3	----	31 + 3
4825	----	----	27.649B/26.234A	27.649B/26.234A	----	27.015 - 0.621	.9934	----	----	----	----	3 UNCH
4900	----	----	26.901B/25.487A	26.901B/25.487A	----	26.268 - 0.620	.9926	----	----	----	----	1 UNCH
4925	----	----	26.652B/25.237A	26.652B/25.237A	----	26.019 - 0.620	.9924	----	----	----	----	16 UNCH
5000	----	----	26.039B/24.357A	26.039B/24.357A	----	25.273 - 0.619	.9916	----	----	----	----	306 UNCH
5025	----	----	25.656B/24.241A	25.656B/24.241A	----	25.024 - 0.619	.9913	----	----	----	----	4 UNCH
5050	----	----	25.407B/23.993A	25.407B/23.993A	----	24.775 - 0.619	.9909	----	----	----	----	2 UNCH
5100	----	----	25.043B/23.361A	25.043B/23.361A	----	24.278 - 0.618	.9903	----	----	----	----	133 UNCH
5150	----	----	24.411B/22.998A	24.411B/22.998A	----	23.781 - 0.618	.9896	----	----	----	----	6 UNCH
5200	----	----	23.988B/22.468A	23.988B/22.468A	----	23.285 - 0.616	.9888	----	----	----	----	40 UNCH
5225	----	----	23.665B/22.252A	23.665B/22.252A	----	23.037 - 0.616	.9885	----	----	----	----	9 UNCH
5250	----	----	23.417B/22.004A	23.417B/22.004A	----	22.788 - 0.616	.9881	----	----	----	----	2 UNCH
5275	----	----	23.168B/21.756A	23.168B/21.756A	----	22.540 - 0.616	.9876	----	----	----	----	1 UNCH
5300	----	----	22.919B/21.508A	22.919B/21.508A	----	22.292 - 0.615	.9872	----	----	----	----	7 UNCH
5350	----	----	22.543B/20.878A	22.543B/20.878A	----	21.797 - 0.614	.9863	----	----	----	----	157 UNCH
5375	----	----	22.175B/20.764A	22.175B/20.764A	----	21.549 - 0.614	.9857	----	----	----	----	1 UNCH
5400	----	----	21.927B/20.516A	21.927B/20.516A	----	21.301 - 0.614	.9852	----	----	----	----	21 UNCH
5425	----	----	21.748B/20.235A	21.748B/20.235A	----	21.054 - 0.613	.9847	----	----	----	----	42 UNCH
5450	----	----	21.430B/20.021A	21.430B/20.021A	----	20.806 - 0.613	.9841	----	----	----	----	1 UNCH
5500	----	----	21.055B/19.393A	21.055B/19.393A	----	20.312 - 0.612	.9829	----	----	----	----	496 UNCH
5550	----	----	20.440B/19.032A	20.440B/19.032A	----	19.817 - 0.612	.9815	----	----	----	----	3 UNCH
5600	----	----	20.079B/18.406A	20.079B/18.406A	----	19.324 - 0.611	.9802	----	----	----	----	106 UNCH
5650	----	----	19.520B/18.013A	19.520B/18.013A	----	18.831 - 0.611	.9786	----	----	----	----	43 UNCH
5675	----	----	19.278B/17.767A	19.278B/17.767A	----	18.585 - 0.610	.9778	----	----	----	----	25 UNCH
5700	----	----	19.027B/17.495A	19.027B/17.495A	----	18.339 - 0.610	.9769	----	----	----	----	26 UNCH
5750	----	----	18.598B/16.931A	18.598B/16.931A	----	17.847 - 0.610	.9749	----	----	----	----	164 UNCH
5775	----	----	18.219B/16.818A	18.219B/16.818A	----	17.602 - 0.610	.9739	----	----	----	----	1 UNCH
5800	----	----	17.973B/16.573A	17.973B/16.573A	----	17.357 - 0.609	.9728	----	----	----	----	16 UNCH
5900	----	----	17.013B/15.605A	17.013B/15.605A	----	16.379 - 0.609	.9680	----	----	----	----	10 UNCH
5925	----	----	16.763B/15.104A	16.763B/15.104A	----	16.135 - 0.609	.9666	----	----	----	----	10 UNCH
5950	----	----	16.525B/14.863A	16.525B/14.863A	----	15.892 - 0.609	.9651	----	----	----	----	6 UNCH
5975	----	----	16.281B/14.622A	16.281B/14.622A	----	15.649 - 0.608	.9635	----	----	----	----	20 UNCH
6000	----	----	16.136B/14.382A	16.136B/14.382A	----	15.407 - 0.608	.9619	----	----	----	----	547 UNCH
6050	----	----	15.624B/13.903A	15.624B/13.903A	----	14.923 - 0.608	.9584	----	----	----	----	58 UNCH
6075	----	----	15.481B/13.664A	15.481B/13.664A	----	14.682 - 0.608	.9564	----	----	----	----	1 UNCH
6100	----	----	15.276B/13.423A	15.276B/13.423A	----	14.442 - 0.607	.9544	----	----	----	----	10 UNCH
6200	----	----	14.307B/12.480A	14.307B/12.480A	----	13.486 - 0.606	.9449	----	----	----	----	101 UNCH
6250	----	----	13.826B/12.014A	13.826B/12.014A	----	13.013 - 0.604	.9394	----	----	----	----	1 UNCH
6300	----	----	13.347B/11.553A	13.347B/11.553A	----	12.543 - 0.603	.9332	----	----	----	----	3 UNCH
6350	----	----	12.871B/11.096A	12.871B/11.096A	----	12.077 - 0.601	.9264	----	----	----	----	2 UNCH
6450	----	----	11.932B/10.204A	11.932B/10.204A	----	11.157 - 0.598	.9107	----	----	----	----	1 UNCH
6500	----	----	11.470B/9.764A	11.470B/9.764A	----	10.704 - 0.596	.9016	----	----	----	----	181 UNCH
6600	----	----	10.562B/8.910A	10.562B/8.910A	----	9.815 - 0.593	.8808	----	----	----	----	56 UNCH
6650	----	----	10.117B/8.495A	10.117B/8.495A	----	9.381 - 0.589	.8691	----	----	----	----	102 UNCH
6750	----	----	9.248B/7.693A	9.248B/7.693A	----	8.533 - 0.584	.8425	----	----	----	----	24 UNCH
6800	----	----	8.825B/7.303A	8.825B/7.303A	----	8.122 - 0.581	.8277	----	----	----	----	251 UNCH
6825	----	----	8.615B/7.119A	8.615B/7.119A	----	7.919 - 0.580	.8199	----	----	----	----	6 UNCH
6850	----	----	8.410B/6.933A	8.410B/6.933A	----	7.719 - 0.578	.8119	----	----	----	----	1 UNCH
6875	----	----	8.205B/6.750A	8.205B/6.750A	----	7.521 - 0.576	.8036	----	----	----	----	17 UNCH
6900	----	----	8.004B/6.539A	8.004B/6.539A	----	7.326 - 0.574	.7951	----	----	----	----	99 UNCH
6950	----	----	7.616B/6.201A	7.616B/6.201A	----	6.943 - 0.569	.7772	----	----	----	----	26 UNCH
6975	----	----	7.427B/6.038A	7.427B/6.038A	----	6.756 - 0.566	.7679	----	----	----	----	1 UNCH
7000	6.050	6.050	7.244B/5.839A	7.244B/5.839A	----	6.571 - 0.564	.7584	----	----	2	----	151 UNCH
7025	5.910	5.910	7.052B/5.681A	7.052B/5.681A	----	6.389 - 0.562	.7487	----	----	1	----	125 UNCH
7050	----	----	6.858B/5.542A	6.858B/5.542A	----	6.210 - 0.559	.7387	----	----	----	----	1 UNCH
7100	----	----	6.491B/5.217A	6.491B/5.217A	----	5.860 - 0.554	.7182	----	----	----	----	12 UNCH
7150	----	----	6.154B/4.892A	6.154B/4.892A	----	5.523 - 0.547	.6968	----	----	----	----	100 UNCH
7200	----	----	5.796B/4.572A	5.796B/4.572A	----	5.199 - 0.540	.6748	----	----	----	----	14 UNCH
7225	----	----	5.631B/4.438A	5.631B/4.438A	----	5.041 - 0.537	.6636	----	----	----	----	1 UNCH
7250	----	----	5.490B/4.291A	5.490B/4.291A	----	4.887 - 0.533	.6522	----	----	----	----	169 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
7300	----	----	5.174B/4.030A	5.174B/4.030A	----	4.588 - 0.525	.6291	----	----	----	----	106 UNCH
7325	----	----	5.022B/3.896A	5.022B/3.896A	----	4.444 - 0.521	.6174	----	----	----	----	113 UNCH
7350	----	----	4.846B/3.775A	4.846B/3.775A	----	4.303 - 0.517	.6056	----	----	----	----	5 UNCH
7400	----	----	4.568B/3.526A	4.568B/3.526A	----	4.031 - 0.508	.5819	----	----	1	----	34 + 1
7425	----	----	4.415B/3.410A	4.415B/3.410A	----	3.900 - 0.503	.5700	----	----	----	----	7 UNCH
7450	----	----	4.277B/3.296A	4.277B/3.296A	----	3.772 - 0.499	.5580	----	----	----	----	17 UNCH
7475	----	----	4.191B/3.186A	4.191B/3.186A	----	3.648 - 0.494	.5461	----	----	----	----	14 UNCH
7500	3.200	3.200	4.094B/3.076A	4.094B/3.076A	----	3.527 - 0.489	.5342	----	----	5	----	304 - 3
7525	----	----	3.924B/2.974A	3.924B/2.974A	----	3.409 - 0.484	.5223	----	----	----	----	5 UNCH
7550	----	----	3.799B/2.873A	3.799B/2.873A	----	3.294 - 0.479	.5104	----	----	----	----	8 UNCH
7575	3.405	3.405	3.708B/2.776A	3.708B/2.776A	----	3.183 - 0.474	.4987	----	----	7	----	37 - 1
7600	3.287	3.287	3.678B/2.680A	3.678B/2.680A	----	3.075 - 0.468	.4869	----	----	4	----	167 - 1
7625	3.341	3.341	3.550B/2.592A	3.550B/2.592A	----	2.970 - 0.463	.4753	----	----	1	----	19 + 1
7650	3.082	3.082	3.472B/2.503A	3.472B/2.503A	----	2.868 - 0.458	.4638	----	----	3	----	42 + 2
7675	3.128	3.128	3.361B/2.417A	3.361B/2.417A	----	2.769 - 0.452	.4523	----	----	1	----	22 UNCH
7700	2.997	2.997	3.253B/2.324A	3.253B/2.324A	----	2.673 - 0.447	.4410	----	----	28	----	255 + 13
7725	2.853	2.853	3.121B/2.254A	3.121B/2.254A	----	2.580 - 0.442	.4298	----	----	1	----	14 - 1
7750	2.746	2.746	3.040B/2.167A	3.040B/2.167A	----	2.490 - 0.436	.4187	----	----	6	----	170 UNCH
7775	2.619	2.619	2.936B/2.100A	2.936B/2.100A	----	2.403 - 0.431	.4078	----	----	1	----	9 + 1
7800	2.301	2.301	2.842B/2.015A	2.842B/2.015A	----	2.319 - 0.425	.3971	----	----	3	----	90 + 3
7825	2.470	2.470	2.739B/1.957A	2.739B/1.957A	----	2.237 - 0.419	.3865	----	----	1	----	3 + 1
7850	2.090	2.090	2.654B/1.886A	2.654B/1.886A	----	2.158 - 0.414	.3761	----	----	2	----	22 - 1
7875	2.436	2.436	2.564B/1.820A	2.564B/1.820A	----	2.082 NEW	.3658	----	----	5	----	5 + 5
7900	2.147	2.147	2.491/1.747A	2.491/1.747A	----	2.008 - 0.402	.3557	----	----	20	----	127 + 4
7925	1.700	1.700	2.379B/1.692A	2.379B/1.692A	----	1.937 - 0.396	.3459	----	----	4	----	7 UNCH
7950	2.050	2.050	2.309B/1.630A	2.309B/1.630A	----	1.868 - 0.390	.3361	----	----	8	----	8 - 1
7975	1.843	1.843	2.229B/1.572A	2.229B/1.572A	----	1.801 - 0.385	.3266	----	----	1	----	3 + 1
8000	1.950	1.950	2.163B/1.480	2.163B/1.480	----	1.737 - 0.379	.3173	----	----	102	----	856 - 7
8025	----	----	2.079B/1.462A	2.079B/1.462A	----	1.675 - 0.373	.3082	----	----	----	----	18 UNCH
8050	1.580	1.580	2.013B/1.414A	2.013B/1.414A	----	1.615 - 0.367	.2992	----	----	2	----	48 UNCH
8075	1.861	1.861	1.945B/1.359A	1.945B/1.359A	----	1.557 - 0.362	.2905	----	----	3	----	11 UNCH
8100	1.567	1.567	1.950/1.310A	1.950/1.310A	----	1.502 - 0.355	.2820	----	----	18	50	158 + 28
8125	----	----	1.812B/1.268A	1.812B/1.268A	----	1.448 - 0.350	.2736	----	----	----	----	1 UNCH
8150	1.395	1.395	1.752B/1.222A	1.752B/1.222A	----	1.397 - 0.343	.2656	----	----	2	----	36 + 1
8175	1.588	1.588	1.694B/1.180A	1.694B/1.180A	----	1.347 - 0.338	.2576	----	----	3	----	2 UNCH
8200	1.528	1.528	1.634B/1.124	1.634B/1.124	----	1.299 - 0.332	.2499	----	----	128	----	206 - 66
8225	----	----	1.581B/1.098A	1.581B/1.098A	----	1.253 - 0.326	.2424	----	----	----	----	4 UNCH
8250	1.430	1.430	1.527B/1.054A	1.527B/1.054A	----	1.209 - 0.320	.2351	----	----	2	----	112 + 1
8275	----	----	----/1.022A	1.476B/1.022A	----	1.166 - 0.315	.2280	----	----	----	----	8 UNCH
8300	1.160	1.160	1.160/0.985A	1.430B/0.985A	----	1.125 - 0.309	.2211	----	----	14	----	522 - 2
8325	----	----	----/*0.953A	1.380B/*0.953A	----	1.085 - 0.304	.2143	----	----	----	----	11 UNCH
8350	----	----	----/0.920A	1.335B/0.920A	----	1.047 - 0.298	.2078	----	----	2	----	29 UNCH
8375	----	----	----/*0.884A	1.290B/*0.884A	----	1.011 - 0.292	.2015	----	----	----	----	55 UNCH
8400	----	----	----/*0.853A	1.245B/*0.853A	----	0.976 - 0.286	.1954	----	----	3	----	80 + 1
8425	----	----	----/*0.829A	1.206B/*0.829A	----	0.942 - 0.281	.1894	----	----	----	----	44 UNCH
8450	----	----	----/*0.801A	1.165B/*0.801A	----	0.910 - 0.276	.1836	----	----	----	----	38 UNCH
8475	----	----	----/*0.774A	1.125B/*0.774A	----	0.879 - 0.270	.1780	----	----	1	----	6 + 1
8500	1.040	1.040	1.091B/*0.741	1.091B/*0.741	----	0.849 - 0.265	.1726	----	----	139	----	1055 + 11
8525	1.000	1.000	1.054B/*0.720	1.054B/*0.720	----	0.820 - 0.260	.1673	----	----	16	----	39 + 16
8550	----	----	----/*0.700A	1.021B/*0.700A	----	0.793 - 0.255	.1623	----	----	----	----	195 UNCH
8575	----	----	----/*0.677A	0.986B/*0.677A	----	0.766 - 0.250	.1573	----	----	1	----	8 + 1
8600	0.750	0.750	0.955B/*0.655A	0.955B/*0.655A	----	0.741 - 0.245	.1526	----	----	4	----	440 + 2
8625	----	----	----/*0.634A	0.923B/*0.634A	----	0.716 - 0.241	.1479	----	----	----	----	14 UNCH
8650	----	----	----/*0.614A	0.894B/*0.614A	----	0.693 - 0.235	.1435	----	----	----	----	49 UNCH
8675	----	----	----/*0.595A	0.865B/*0.595A	----	0.670 - 0.231	.1391	----	----	----	----	25 UNCH
8700	0.792	0.792	0.840B/*0.577A	0.840B/*0.577A	----	0.649 - 0.226	.1351	----	----	27	----	241 + 12
8725	----	----	----/*0.558A	0.811B/*0.558A	----	0.628 - 0.222	.1310	----	----	----	----	4 UNCH
8750	----	----	----/*0.542A	0.786B/*0.542A	----	0.608 - 0.218	.1271	----	----	1	----	113 + 1
8775	----	----	----/*0.526A	0.761B/*0.526A	----	0.589 - 0.213	.1234	----	----	----	----	15 UNCH
8800	0.598	0.598	0.598/*0.510A	0.738B/*0.510A	----	0.570 - 0.209	.1196	----	----	6	----	261 - 5
8825	----	----	----/*0.495A	0.715B/*0.495A	----	0.553 - 0.205	.1162	----	----	----	----	4 UNCH
8850	0.511	0.511	0.511/*0.479A	0.695B/*0.479A	----	0.536 - 0.201	.1128	----	----	3	----	10 + 3
8875	0.497	0.497	0.507/*0.465A	0.671B/*0.465A	----	0.519 - 0.197	.1095	----	----	12	----	13 + 12
8900	0.482	0.482	0.482/*0.452A	0.651B/*0.452A	----	0.504 - 0.193	.1064	----	----	3	----	154 + 3
8925	0.469	0.469	0.469/*0.439A	0.632B/*0.439A	----	0.489 - 0.189	.1033	----	----	4	----	11 + 1
8950	0.454	0.454	0.481/*0.429A	0.613B/*0.429A	----	0.474 - 0.185	.1003	----	----	8	----	40 + 8
8975	0.442	0.442	0.451/*0.417A	0.598B/*0.417A	----	0.460 - 0.182	.0975	----	----	9	----	17 + 9
9000	0.525	0.525	0.525/0.406A	0.580B/0.406A	----	0.447 - 0.178	.0948	----	----	22	----	1763 - 1
9025	0.472	0.472	0.563B/*0.395A	0.563B/*0.395A	----	0.434 - 0.174	.0921	----	----	4	----	15 + 4
9050	0.407	0.407	0.407/*0.384A	0.546B/*0.384A	----	0.422 - 0.170	.0896	----	----	3	----	26 + 3
9075	0.400	0.400	0.400/*0.374A	0.531B/*0.374A	----	0.410 - 0.167	.0871	----	----	3	----	10 + 3
9100	0.387	0.387	0.391/*0.364A	0.515B/*0.364A	----	0.399 - 0.163	.0848	----	----	10	----	65 + 10
9125	0.380	0.380	0.380/*0.355A	0.500B/*0.355A	----	0.388 - 0.159	.0825	----	----	3	----	17 + 3
9150	----	----	----/*0.346A	0.486B/*0.346A	----	0.377 - 0.156	.0802	----	----	----	----	21 UNCH
9175	----	----	----/*0.337A	0.473B/*0.337A	----	0.367 - 0.153	.0781	----	----	----	----	14 UNCH
9200	0.347	0.347	0.347/*0.329A	0.460B/*0.329A	----	0.357 - 0.150	.0759	----	----	1	----	75 - 1
9225	----	----	----/*0.321A	0.447B/*0.321A	----	0.348 - 0.146	.0740	----	----	----	----	11 UNCH
9250	----	----	----/*0.313A	0.435B/*0.313A	----	0.339 - 0.143	.0721	----	----	----	----	27 UNCH
9275	----	----	----/*0.306A	0.417B/*0.306A	----	0.330 - 0.140	.0702	----	----	----	----	4 UNCH
9300	----	----	----/*0.298A	0.412B/*0.298A	----	0.322 - 0.137	.0684	----	----	----	----	540 UNCH
9325	----	----	----/*0.292A	0.401B/*0.292A	----	0.313 - 0.135	.0666	----	----	----	----	2 UNCH
9350	----	----	----/*0.284A	0.390B/*0.284A	----	0.306 - 0.131	.0650	----	----	----	----	22 UNCH
9375	0.383	0.383	0.383/*0.273	0.383/*0.273	----	0.298 - 0.129	.0633	----	----	2	----	22 UNCH
9400	----	----	----/*0.272A	0.370B/*0.272A	----	0.291 - 0.125	.0618	----	----	----	----	45 UNCH
9425	----	----	----/*0.266A	0.360B/*0.266A	----	0.284 - 0.123	.0602	----	----	----	----	8 UNCH
9450	----	----	----/*0.260A	0.351B/*0.260A	----	0.277 - 0.120	.0587	----	----	----	----	84 UNCH
9475	----	----	----/*0.254A	0.341B/*0.254A	----	0.271 - 0.117	.0574	----	----	----	----	6 UNCH
9500	0.348	0.348	0.352/*0.248A	0.352/*0.248A	----	0.265 - 0.114	.0561	----	----	49	----	873 + 21
9525	----	----	----/*0.245A	0.322B/*0.245A	----	0.259 - 0.112	.0547	----	----	----	----	25 UNCH
9550	----	----	----/*0.239A	0.316B/*0.239A	----	0.253 - 0.110	.0534	----	----	----	----	7 UNCH
9575	----	----	----/*0.235A	0.308B/*0.235A	----	0.247 - 0.108	.0521	----	----	----	----	1 UNCH
9600	----	----	----/*0.230A	0.300B/*0.230A	----	0.242 - 0.105	.0510	----	----	----	----	166 UNCH
9625	----	----	----/*0.225A	0.293B/*0.225A	----	0.237 - 0.102	.0499	----	----	----	----	7 UNCH
9650	----	----	----/*0.221A	0.285B/*0.221A	----	0.232 - 0.100	.0488	----	----	----	----	4 UNCH
9675	----	----	----/*0.217A	0.277B/*0.217A	----	0.227 - 0.098	.0477	----	----	----	----	8 UNCH
9700	----	----	----/*0.213A	0.270B/*0.213A	----	0.222 - 0.097	.0466	----	----	----	----	141 UNCH
9725	----	----	----/*0.209A	0.264B/*0.209A	----	0.217 - 0.095	.0455	----	----	----	----	3 UNCH
9750	----	----	----/*0.205A	0.239B/*0.205A	----	0.213 - 0.093	.0446	----	----	----	----	109 UNCH
9775	----	----	----/*0.201A	0.234B/*0.201A	----	0.209 - 0.091	.0436	----	----	----	----	31 UNCH
9800	----	----	----/*0.197A	0.228B/*0.197A	----	0.205 - 0.089	.0427	----	----	----	----	264 UNCH
9825	----	----	----/*0.194A	0.227B/*0.194A	----	0.201 - 0.087	.0418	----	----	----	----	6 UNCH
9850	0.200	0.200	0.200/*0.190A	0.219B/*0.190A	----	0.197 - 0.085	.0410	----	----	1	----	38 UNCH
9875	----	----	----/*0.187A	0.214B/*0.187A	----	0.193 - 0.083	.0401	----	----	----	----	1 UNCH
9900	----	----	----/*0.184A	0.209B/*0.184A	----	0.189 - 0.082	.0392	----	----	----	----	32 UNCH
9925	----	----	----/*0.181A	0.204B/*0.181A	----	0.186 - 0.080	.0385	----	----	----	----	15 UNCH
9950	----	----	----/*0.178A	0.198B/*0.178A	----	0.183 - 0.077	.0378	----	----	----	----	11 UNCH
9975	----	----	----/*0.175A	0.196B/*0.175A	----	0.179 - 0.076	.0369	----	----	----	----	4 UNCH
10000	0.200	0.200	0.205/*0.165	0.205/*0.165	----	0.176 - 0.074	.0362	----	----	61	----	2121 - 7
10025	----	----	----/*0.169A	0.187B/*0.169A	----	0.173 - 0.073	.0356	----	----	----	----	2 UNCH
10050	----	----	----/*0.166A	0.183B/*0.166A	----	0.170 - 0.071	.0349	----	----	----	----	2 UNCH
10075	----	----	----/*0.164A	0.180B/*0.164A	----	0.167 - 0.069	.0342	----	----	----	----	21 UNCH
10100	----	----	----/*0.160A	0.178B/*0.160A	----	0.164 - 0.068	.0335	----	----	----	----	112 UNCH
10125	----	----	----/*0.157A	0.174B/*0.157A	----	0.162 - 0.066	.0330	----	----	----	----	3 UNCH
10150	----	----	----/*0.156A	0.169B/*0.156A	----	0.159 - 0.064	.0324	----	----	----	----	30 UNCH
10175	----	----	----/*0.154A	0.165B/*0.154A	----	0.156 - 0.063	.0317	----	----	----	----	1 UNCH
10200	----	----	----/*0.150A	0.162B/*0.150A	----	0.154 - 0.061	.0312	----	----	----	----	123 UNCH
10250	----	----	----/*0.147A	0.156B/*0.147A	----	0.149 - 0.059	.0301	----	----	----	----	21 UNCH
10275	----	----	----/*0.145A	0.155B/*0.145A	----	0.147 - 0.057	.0296	----	----	----	----	8 UNCH
10300	0.135	0.135	0.135/*0.135	0.150B/*0.135	----	0.145 - 0.056	.0292	----	----	1	----	13 UNCH
10325	----	----	----/*0.141A	0.147B/*0.141A	----	0.142 - 0.055	.0285	----	----	----	----	1 UNCH
10375	----	----	----/*0.136A	0.143B/*0.136A	----	0.138 - 0.053	.0276	----	----	----	----	20 UNCH
10400	----	----	----/*0.135A	0.139B/*0.135A	----	0.136 - 0.051	.0272	----	----	----	----	15 UNCH
10425	----	----	----/*0.133A	0.137B/*0.133A	----	0.134 - 0.050	.0267	----	----	----	----	2 UNCH
10450	----	----	----/*0.131A	0.134B/*0.131A	----	0.132 - 0.049	.0263	----	----	----	----	25 UNCH
10475	----	----	----/*0.130A	0.132B/*0.130A	----	0.130 - 0.048	.0258	----	----	----	----	26 UNCH
10500	0.119	0.119	0.119/*0.117	0.129B/*0.117	----	0.129 - 0.047	.0255	----	----	3	----	616 - 3
10525	----	----	----/*0.126A	0.127B/*0.126A	----	0.127 - 0.046	.0251	----	----	----	----	2 UNCH
10550	----	----	----/*0.125A	0.123B/*0.125A	----	0.125 - 0.045	.0247	----	----	----	----	10 UNCH
10575	----	----	----/*0.123A	0.121B/*0.123A	----	0.123 - 0.045	.0242	----	----	----	----	1 UNCH
10600	----	----	----/*0.121A	0.119B/*0.121A	----	0.122 - 0.043	.0240	----	----	----	----	54 UNCH
10625	----	----	----/*0.120A	0.117B/*0.120A	----	0.120 - 0.043	.0235	----	----	----	----	2 UNCH
10650	----	----	----/*0.118A	0.115B/*0.118A	----	0.119 - 0.041	.0233	----	----	----	----	2 UNCH
10675	----	----	----/*0.117A	0.113B/*0.117A	----	0.117 - 0.041	.0228	----	----	----	----	10 UNCH
10700	----	----	----/*0.115A	0.111B/*0.115A	----	0.115 - 0.040	.0224	----	----	----	----	69 UNCH
10725	----	----	----/*0.114A	0.111B/*0.114A	----	0.114 - 0.039	.0222	----	----	----	----	4 UNCH
10750	----	----	----/*0.113A	0.109B/*0.113A	----	0.112 - 0.039	.0218	----	----	----	----	60 UNCH
10775	----	----	----/*0.111A	0.106B/*0.111A	----	0.111 - 0.038	.0215	----	----	----	----	9 UNCH
10800	----	----	----/*0.110A	0.104B/*0.110A	----	0.110 - 0.036	.0212	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
10875	----	----	----/*0.106A	0.101B/*0.106A	----	0.106 - 0.034	.0203	----	----	----	----	15 UNCH
10900	----	----	----/*0.105A	0.098B/*0.105A	----	0.104 - 0.034	.0200	----	----	----	----	6 UNCH
10925	----	----	----/*0.104A	0.098B/*0.104A	----	0.103 - 0.033	.0197	----	----	----	----	1 UNCH
10950	----	----	----/*0.102A	0.095B/*0.102A	----	0.102 - 0.032	.0195	----	----	----	----	1 UNCH
10975	----	----	----/*0.101A	0.094B/*0.101A	----	0.100 - 0.032	.0191	----	----	----	----	1 UNCH
11000	0.110	0.110	0.110/*0.100	0.110/*0.100	----	0.099 - 0.031	.0188	----	----	42	----	1318 - 12
11025	----	----	----/*0.098A	0.091B/*0.098A	----	0.098 - 0.031	.0186	----	----	----	----	13 UNCH
11050	----	----	----/*0.097A	0.090B/*0.097A	----	0.097 - 0.030	.0184	----	----	----	----	8 UNCH
11075	----	----	----/*0.096A	0.090B/*0.096A	----	0.096 - 0.029	.0181	----	----	----	----	2 UNCH
11100	----	----	----/*0.095A	0.087B/*0.095A	----	0.094 - 0.030	.0178	----	----	----	----	15 UNCH
11125	----	----	----/*0.093A	0.086B/*0.093A	----	0.093 - 0.029	.0175	----	----	----	----	5 UNCH
11150	----	----	----/*0.092A	0.085B/*0.092A	----	0.092 - 0.029	.0173	----	----	----	----	2 UNCH
11175	----	----	----/*0.091A	0.085B/*0.091A	----	0.091 - 0.028	.0171	----	----	----	----	2 UNCH
11200	----	----	----/*0.090A	0.082B/*0.090A	----	0.090 - 0.028	.0169	----	----	----	----	16 UNCH
11225	----	----	----/*0.089A	0.081B/*0.089A	----	0.089 - 0.027	.0166	----	----	----	----	6 UNCH
11250	----	----	----/*0.088A	0.081B/*0.088A	----	0.088 - 0.027	.0164	----	----	----	----	12 UNCH
11275	----	----	----/*0.087A	0.079B/*0.087A	----	0.087 - 0.026	.0162	----	----	----	----	2 UNCH
11300	----	----	----/*0.085A	0.078B/*0.085A	----	0.086 - 0.026	.0160	----	----	----	----	52 UNCH
11325	----	----	----/*0.085A	0.077B/*0.085A	----	0.085 - 0.026	.0158	----	----	----	----	2 UNCH
11350	----	----	----/*0.083A	0.076B/*0.083A	----	0.084 - 0.026	.0156	----	----	----	----	2 UNCH
11400	----	----	----/*0.085A	0.074B/*0.085A	----	0.082 - 0.025	.0151	----	----	----	----	21 UNCH
11425	----	----	----/*0.084A	0.073B/*0.084A	----	0.081 - 0.025	.0149	----	----	----	----	10 UNCH
11450	----	----	----/*0.083A	0.072B/*0.083A	----	0.080 - 0.025	.0147	----	----	----	----	4 UNCH
11500	----	----	----/*0.082A	0.070B/*0.082A	----	0.078 - 0.024	.0143	----	----	----	----	1228 UNCH
11550	----	----	----/*0.080A	0.069B/*0.080A	----	0.076 - 0.024	.0139	----	----	----	----	6 UNCH
11575	----	----	----/*0.079A	0.068B/*0.079A	----	0.075 - 0.024	.0137	----	----	----	----	12 UNCH
11600	----	----	----/*0.079A	0.067B/*0.079A	----	0.075 - 0.023	.0137	----	----	----	----	10 UNCH
11625	----	----	----/*0.078A	0.066B/*0.078A	----	0.074 - 0.023	.0135	----	----	----	----	3 UNCH
11650	----	----	----/*0.077A	0.065B/*0.077A	----	0.073 - 0.023	.0133	----	----	----	----	25 UNCH
11675	----	----	----/*0.076A	0.065B/*0.076A	----	0.072 - 0.023	.0131	----	----	----	----	23 UNCH
11700	----	----	----/*0.076A	0.064B/*0.076A	----	0.071 - 0.023	.0129	----	----	----	----	23 UNCH
11725	----	----	----/*0.075A	0.063B/*0.075A	----	0.071 - 0.022	.0128	----	----	----	----	22 UNCH
11750	----	----	----/*0.074A	0.062B/*0.074A	----	0.070 - 0.022	.0126	----	----	----	----	23 UNCH
11775	----	----	----/*0.073A	0.062B/*0.073A	----	0.069 - 0.022	.0124	----	----	----	----	23 UNCH
11800	----	----	----/*0.073A	0.061B/*0.073A	----	0.068 - 0.022	.0122	----	----	----	----	3 UNCH
11875	----	----	----/*0.071A	0.059B/*0.071A	----	0.066 - 0.021	.0118	----	----	----	----	2 UNCH
11900	----	----	----/*0.070A	0.058B/*0.070A	----	0.065 - 0.021	.0116	----	----	----	----	3 + 1
11925	----	----	----/*0.070A	0.058B/*0.070A	----	0.065 - 0.020	.0116	----	----	----	----	2 UNCH
11950	----	----	----/*0.069A	0.057B/*0.069A	----	0.064 - 0.020	.0114	----	----	----	----	2 + 1
12000	----	----	----/*0.060A	0.056B/*0.060A	----	0.063 - 0.019	.0112	----	----	----	----	546 + 1
12150	----	----	----/*0.064A	0.052B/*0.064A	----	0.059 - 0.018	.0104	----	----	----	----	1 UNCH
12200	----	----	----/*0.063A	0.051B/*0.063A	----	0.058 - 0.018	.0102	----	----	----	----	14 UNCH
12225	----	----	----/*0.062A	0.050B/*0.062A	----	0.057 - 0.018	.0100	----	----	----	----	16 UNCH
12250	----	----	----/*0.062A	0.050B/*0.062A	----	0.057 - 0.017	.0100	----	----	----	----	8 UNCH
12275	----	----	----/*0.061A	0.049B/*0.061A	----	0.056 - 0.017	.0098	----	----	----	----	1 UNCH
12300	----	----	----/*0.061A	0.049B/*0.061A	----	0.056 - 0.017	.0097	----	----	----	----	13 UNCH
12325	----	----	----/*0.060A	0.048B/*0.060A	----	0.055 - 0.017	.0096	----	----	----	----	1 UNCH
12375	----	----	----/*0.059A	0.047B/*0.059A	----	0.054 - 0.016	.0094	----	----	----	----	2 UNCH
12400	----	----	----/*0.058A	0.046B/*0.058A	----	0.054 - 0.016	.0093	----	----	----	----	1 UNCH
12425	----	----	----/*0.058A	0.046B/*0.058A	----	0.053 - 0.016	.0092	----	----	----	----	3 UNCH
12450	----	----	----/*0.057A	0.045B/*0.057A	----	0.053 - 0.015	.0091	----	----	----	----	1 UNCH
12475	----	----	----/*0.057A	0.045B/*0.057A	----	0.052 - 0.016	.0090	----	----	----	----	3 UNCH
12500	----	----	----/*0.057A	0.044B/*0.057A	----	0.052 - 0.015	.0089	----	----	----	----	101 UNCH
12575	----	----	----/*0.056A	0.043B/*0.056A	----	0.050 - 0.015	.0086	----	----	----	----	2 UNCH
12600	----	----	----/*0.055A	0.042B/*0.055A	----	0.050 - 0.014	.0085	----	----	----	----	6 UNCH
12700	----	----	----/*0.053A	0.041B/*0.053A	----	0.048 - 0.014	.0082	----	----	----	----	74 UNCH
12725	----	----	----/*0.053A	0.040B/*0.053A	----	0.047 - 0.014	.0080	----	----	----	----	2 UNCH
12800	----	----	----/*0.051A	0.039B/*0.051A	----	0.046 - 0.013	.0078	----	----	----	----	1 UNCH
13000	0.043	0.043	0.043/*0.041	0.043/*0.041	----	0.043 - 0.012	.0072	----	----	3	----	2658 + 1
14000	0.035	0.035	0.035/*0.025	0.035/*0.025	----	0.031 - 0.007	.0049	----	----	14	----	856 - 5
14700	----	----	----	0.015B/*0.033A	----	0.025 - 0.005	.0038	----	----	----	----	11 UNCH
15000	----	----	----/*0.024A	0.018B/*0.024A	----	0.023 - 0.004	.0035	----	----	2	----	802 UNCH
16000	----	----	----	0.006B/0.020A	----	0.016 - 0.004	.0024	----	----	----	----	3797 UNCH
17000	----	----	----	----/*0.021A	----	0.012 - 0.003	.0017	----	----	----	----	22 UNCH
18000	----	----	----/*0.010A	0.007B/*0.010A	----	0.009 - 0.003	.0012	----	----	3	----	259 + 1
19000	----	----	----	----/0.271A	----	0.007 - 0.003	.0009	----	----	----	----	79 UNCH
20000	----	----	----	0.001B/*0.012A	----	0.005 - 0.003	.0006	----	----	----	----	1220 UNCH
21000	----	----	----	----/0.267A	----	0.004 - 0.003	.0005	----	----	----	----	427 UNCH
24000	----	----	----	0.001B/*0.014A	----	0.003 - 0.002	.0003	----	----	----	----	131 UNCH
25000	----	----	----/*0.004A	----/*0.004A	----	0.003 - 0.002	.0003	----	----	----	----	407 UNCH
27000	----	----	----	----/0.005A	----	0.002 - 0.002	.0002	----	----	1	----	6 UNCH
30000	----	----	----	----/*0.010A	----	0.002 - 0.001	.0002	----	----	----	----	54 UNCH
32000	----	----	----	----/0.296A	----	0.002 - 0.001	.0002	----	----	----	----	4 UNCH
35000	----	----	----/*0.002A	----/*0.002A	----	0.002 - 0.001	.0002	----	----	----	----	108 UNCH
TOTAL										850	50	32851 + 78
AUG26												
5000	----	----	26.692B/25.529A	26.692B/25.529A	----	25.884 - 0.614	.9796	----	----	----	----	2 UNCH
5400	22.707	22.707	22.774B/21.647A	22.774B/21.647A	----	21.984 - 0.605	.9644	----	----	1	----	3 + 1
5500	----	----	21.804B/19.994A	21.804B/19.994A	----	21.023 - 0.602	.9588	----	----	----	----	3 UNCH
6300	----	----	14.377B/12.800A	14.377B/12.800A	----	13.695 - 0.574	.8732	----	----	----	----	7 UNCH
6450	----	----	13.123B/11.590A	13.123B/11.590A	----	12.441 - 0.562	.8457	----	----	----	----	1 UNCH
6500	----	----	12.708B/11.203A	12.708B/11.203A	----	12.036 - 0.557	.8355	----	----	----	----	2 UNCH
6600	----	----	11.855B/10.461A	11.855B/10.461A	----	11.247 - 0.548	.8138	----	----	----	----	2 UNCH
6800	----	----	10.375B/9.049A	10.375B/9.049A	----	9.757 - 0.535	.7650	----	----	----	----	7 UNCH
6875	----	----	9.834B/8.554A	9.834B/8.554A	----	9.233 - 0.531	.7449	----	----	----	----	5 UNCH
7000	----	----	8.995B/7.737A	8.995B/7.737A	----	8.407 - 0.521	.7098	----	----	----	----	135 UNCH
7025	----	----	8.833B/7.606A	8.833B/7.606A	----	8.248 - 0.519	.7026	----	----	----	----	5 UNCH
7050	----	----	8.656B/7.462A	8.656B/7.462A	----	8.092 - 0.517	.6953	----	----	----	----	4 UNCH
7100	----	----	8.328B/7.182A	8.328B/7.182A	----	7.786 - 0.512	.6806	----	----	----	----	2 UNCH
7200	----	----	7.759B/6.620A	7.759B/6.620A	----	7.202 - 0.500	.6506	----	----	----	----	1 UNCH
7250	----	----	7.469B/6.393A	7.469B/6.393A	----	6.923 - 0.494	.6354	----	----	----	----	3 UNCH
7300	----	----	7.193B/6.091A	7.193B/6.091A	----	6.655 - 0.484	.6202	----	----	----	----	3 UNCH
7400	----	----	6.644B/5.622A	6.644B/5.622A	----	6.145 - 0.466	.5896	----	----	----	----	5 UNCH
7425	----	----	6.514B/5.510A	6.514B/5.510A	----	6.023 - 0.462	.5820	----	----	----	----	14 UNCH
7450	----	----	6.381B/5.401A	6.381B/5.401A	----	5.903 - 0.459	.5744	----	----	----	----	2 UNCH
7475	----	----	6.299B/5.292A	6.299B/5.292A	----	5.786 - 0.455	.5668	----	----	----	----	6 UNCH
7500	----	----	6.199B/5.184A	6.199B/5.184A	----	5.672 - 0.451	.5592	----	----	----	----	248 UNCH
7550	----	----	5.960B/4.987A	5.960B/4.987A	----	5.449 - 0.445	.5441	----	----	----	----	4 UNCH
7575	----	----	5.843B/4.885A	5.843B/4.885A	----	5.341 - 0.442	.5366	----	----	----	----	1 UNCH
7600	4.800	4.800	5.736B/4.775A	5.736B/4.775A	----	5.235 - 0.439	.5292	----	----	2	----	77 - 1
7625	----	----	5.623B/4.692A	5.623B/4.692A	----	5.131 - 0.437	.5218	----	----	----	----	18 UNCH
7650	----	----	5.517B/4.597A	5.517B/4.597A	----	5.030 - 0.433	.5144	----	----	----	----	1 UNCH
7700	4.968	4.968	5.427B/4.405A	5.427B/4.405A	----	4.833 - 0.426	.4999	----	----	2	----	71 + 2
7725	----	----	5.246B/4.329A	5.246B/4.329A	----	4.737 - 0.423	.4927	----	----	----	----	7 UNCH
7750	----	----	5.198B/4.243A	5.198B/4.243A	----	4.643 - 0.419	.4856	----	----	----	----	7 UNCH
7800	4.585	4.585	5.006B/4.059A	5.006B/4.059A	----	4.460 - 0.413	.4715	----	----	1	----	215 UNCH
7825	----	----	4.828B/3.993A	4.828B/3.993A	----	4.371 - 0.410	.4645	----	----	----	----	1 UNCH
7850	----	----	4.810B/3.911A	4.810B/3.911A	----	4.283 - 0.407	.4576	----	----	----	----	20 UNCH
7900	4.080	4.080	4.560B/3.754A	4.560B/3.754A	----	4.113 - 0.402	.4439	----	----	17	----	62 + 17
7925	----	----	4.519B/3.686A	4.519B/3.686A	----	4.030 - 0.400	.4372	----	----	----	----	2 UNCH
7950	----	----	4.411B/3.615A	4.411B/3.615A	----	3.948 - 0.398	.4305	----	----	----	----	17 UNCH
8000	4.000	4.000	4.246B/3.461A	4.246B/3.461A	----	3.790 - 0.394	.4174	----	----	2	----	609 UNCH
8025	----	----	4.113B/3.402A	4.113B/3.402A	----	3.713 - 0.393	.4110	----	----	----	----	1 UNCH
8050	----	----	4.034B/3.333A	4.034B/3.333A	----	3.638 - 0.391	.4046	----	----	----	----	6 UNCH
8075	----	----	3.992B/3.270A	3.992B/3.270A	----	3.564 - 0.390	.3982	----	----	----	----	1 UNCH
8100	3.443	3.443	3.966B/3.197A	3.966B/3.197A	----	3.491 - 0.389	.3920	----	----	4	----	39 + 4
8125	----	----	3.845B/3.143A	3.845B/3.143A	----	3.420 - 0.388	.3858	----	----	----	----	1 UNCH
8150	3.316	3.316	3.780B/3.071A	3.780B/3.071A	----	3.350 - 0.387	.3796	----	----	1	----	61 + 1
8175	----	----	3.694B/3.022A	3.694B/3.022A	----	3.282 - 0.386	.3736	----	----	----	----	2 UNCH
8200	3.100	3.100	3.100/2.960A	3.595B/2.960A	----	3.215 - 0.385	.3676	----	----	2	----	11 + 1
8225	----	----	3.579B/2.903A	3.579B/2.903A	----	3.150 - 0.384	.3617	----	----	----	----	4 UNCH
8250	----	----	3.497B/2.834A	3.497B/2.834A	----	3.086 - 0.382	.3559	----	----	----	----	247 UNCH
8275	2.855	2.855	3.417B/2.792A	3.417B/2.792A	----	3.023 NEW	.3502	----	----	1	----	1 + 1
8300	----	----	3.389B/2.723A	3.389B/2.723A	----	2.962 - 0.379	.3445	----	----	----	----	57 UNCH
8325	----	----	----/2.686A	3.259B/2.686A	----	2.903 - 0.376	.3389	----	----	----	----	1 UNCH
8350	----	----	3.256B/2.633A	3.256B/2.633A	----	2.844 - 0.374	.3334	----	----	----	----	3 UNCH
8375	----	----	3.165B/2.583A	3.165B/2.583A	----	2.787 - 0.371	.3280	----	----	----	----	1 UNCH
8400	----	----	----/2.530A	3.074B/2.530A	----	2.731 - 0.367	.3226	----	----	----	----	37 UNCH
8425	----	----	3.069B/2.484A	3.069B/2.484A	----	2.677 - 0.363	.3174	----	----	----	----	1 UNCH
8450	----	----	3.001B/2.438A	3.001B/2.438A	----	2.624 - 0.359	.3122	----	----	----	----	22 UNCH
8475	----	----	2.932B/2.391A	2.932B/2.391A	----	2.572 - 0.356	.3071	----	----	----	----	2 UNCH
8500	----	----	----/2.337A	2.849B/2.337A	----	2.521 - 0.352	.3021	----	----	----	----	141 UNCH
8550	----	----	----/2.260A	2.749B/2.260A	----	2.423 - 0.345	.2923	----	----	----	----	24 UNCH
8600	2.340	2.340	2.340/2.166A	2.643B/2.166A	----	2.330 - 0.338	.2828	----	----	1	----	206 UNCH
8625	2.373	2.373	2.629B/2.160A	2.629B/2.160A	----	2.285 NEW	.2782	----	----	1	----	1 + 1
8650	2.284	2.284	2.284/2.095A	2.544B/2.095A	----	2.242 - 0.332	.2737	----	----	1	----	3 + 1
8675	----	----	2.538B/2.058A	2.538B/2.058A	----	2.199 - 0.329	.2692	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
8700	----	----	----/2.014A	2.456B/2.014A	----	2.157 - 0.327	.2648	----	----	----	----	46 UNCH
8750	----	----	----/1.944A	2.360B/1.944A	----	2.077 - 0.321	.2563	----	----	----	----	45 UNCH
8775	----	----	2.371B/1.912A	2.371B/1.912A	----	2.038 - 0.319	.2522	----	----	----	----	2 UNCH
8800	----	----	----/1.880A	2.281B/1.880A	----	2.000 - 0.316	.2481	----	----	----	----	20 UNCH
8825	----	----	----/1.844A	2.272B/1.844A	----	1.963 - 0.313	.2441	----	----	----	----	10 UNCH
8850	----	----	2.254B/1.810A	2.254B/1.810A	----	1.927 - 0.310	.2401	----	----	----	----	10 UNCH
8875	----	----	----/1.781A	2.185B/1.781A	----	1.892 - 0.307	.2363	----	----	----	----	2 UNCH
8900	----	----	2.184B/1.748A	2.184B/1.748A	----	1.857 - 0.304	.2325	----	----	----	----	19 UNCH
8925	----	----	----/1.719A	2.109B/1.719A	----	1.823 - 0.301	.2287	----	----	----	----	3 UNCH
8950	----	----	2.103B/1.689A	2.103B/1.689A	----	1.790 - 0.298	.2251	----	----	----	----	7 UNCH
8975	----	----	----/1.660A	2.036B/1.660A	----	1.758 - 0.294	.2215	----	----	----	----	1 UNCH
9000	1.897	1.897	2.039B/1.617A	2.039B/1.617A	----	1.726 - 0.291	.2179	----	----	1	----	933 + 1
9025	----	----	1.995B/1.602A	1.995B/1.602A	----	1.695 - 0.288	.2144	----	----	----	----	4 UNCH
9050	----	----	1.963B/1.573A	1.963B/1.573A	----	1.665 - 0.284	.2110	----	----	----	----	12 UNCH
9075	----	----	----/1.547A	1.897B/1.547A	----	1.635 - 0.281	.2076	----	----	----	----	2 UNCH
9100	----	----	1.899B/1.514A	1.899B/1.514A	----	1.606 - 0.277	.2043	----	----	----	----	34 UNCH
9150	----	----	1.831B/1.461A	1.831B/1.461A	----	1.551 - 0.269	.1980	----	----	----	----	11 UNCH
9175	----	----	----/1.445A	1.777B/1.445A	----	1.524 - 0.266	.1949	----	----	----	----	1 UNCH
9200	----	----	1.776B/1.414A	1.776B/1.414A	----	1.497 - 0.263	.1918	----	----	----	----	9 UNCH
9225	----	----	----/1.396A	1.723B/1.396A	----	1.472 - 0.259	.1888	----	----	----	----	1 UNCH
9250	----	----	1.706B/1.362A	1.706B/1.362A	----	1.447 - 0.255	.1859	----	----	----	----	174 UNCH
9275	----	----	1.686B/1.350A	1.686B/1.350A	----	1.423 - 0.251	.1830	----	----	----	----	2 UNCH
9300	----	----	1.663B/1.322A	1.663B/1.322A	----	1.399 - 0.248	.1802	----	----	----	----	7 UNCH
9350	----	----	1.601B/1.281A	1.601B/1.281A	----	1.353 - 0.242	.1747	----	----	----	----	1 UNCH
9375	----	----	1.576B/1.268A	1.576B/1.268A	----	1.332 - 0.237	.1721	----	----	----	----	0 UNCH
9400	----	----	1.545B/1.238A	1.545B/1.238A	----	1.310 - 0.234	.1695	----	----	----	----	133 UNCH
9450	----	----	----/1.204A	1.496B/1.204A	----	1.269 - 0.227	.1645	----	----	----	----	8 UNCH
9475	----	----	----/1.184A	1.462B/1.184A	----	1.249 - 0.224	.1621	----	----	----	----	28 UNCH
9500	1.230	1.230	1.453B/1.159A	1.453B/1.159A	----	1.229 - 0.222	.1596	----	----	3	----	144 + 3
9550	1.316	1.316	1.350/1.127A	1.395B/1.127A	----	1.192 - 0.215	.1551	----	----	4	----	19 UNCH
9575	----	----	----/1.109A	1.372B/1.109A	----	1.174 - 0.212	.1528	----	----	----	----	2 UNCH
9600	----	----	----/1.092A	1.364B/1.092A	----	1.156 - 0.209	.1506	----	----	----	----	2 UNCH
9625	----	----	----/1.075A	1.330B/1.075A	----	1.138 - 0.207	.1484	----	----	----	----	26 UNCH
9700	----	----	----/1.028A	1.278B/1.028A	----	1.088 - 0.198	.1421	----	----	----	----	100 UNCH
9725	----	----	----/1.011A	1.242B/1.011A	----	1.072 - 0.196	.1401	----	----	----	----	1 UNCH
9750	----	----	----/0.996A	1.228B/0.996A	----	1.057 - 0.192	.1382	----	----	----	----	19 UNCH
9775	----	----	----/0.983A	1.206B/0.983A	----	1.041 - 0.190	.1362	----	----	----	----	1 UNCH
9800	----	----	----/0.968A	1.172B/0.968A	----	1.026 NEW	.1343	----	----	26	----	26 + 26
9850	----	----	----/0.940A	1.163B/0.940A	----	0.996 - 0.184	.1305	----	----	----	----	16 UNCH
9875	----	----	----/0.927A	1.126B/0.927A	----	0.982 - 0.181	.1287	----	----	----	----	5 UNCH
9900	----	----	----/0.912A	1.131B/0.912A	----	0.968 - 0.179	.1269	----	----	----	----	7 UNCH
9925	----	----	----/0.899A	1.115B/0.899A	----	0.954 - 0.177	.1252	----	----	----	----	5 UNCH
9950	----	----	----/0.886A	1.095B/0.886A	----	0.940 - 0.175	.1234	----	----	----	----	3 UNCH
9975	----	----	----/0.876A	1.083B/0.876A	----	0.927 - 0.173	.1217	----	----	----	----	10 UNCH
10000	----	----	----/0.861A	1.067B/0.861A	----	0.914 - 0.170	.1201	----	----	50	----	523 UNCH
10025	----	----	----/*0.850A	1.031B/*0.850A	----	0.901 - 0.169	.1184	----	----	----	----	1 UNCH
10075	----	----	----/*0.827A	1.022B/*0.827A	----	0.876 - 0.165	.1152	----	----	----	----	15 UNCH
10100	----	----	----/*0.818A	1.008B/*0.818A	----	0.863 - 0.164	.1136	----	----	----	----	3 UNCH
10125	0.990	0.990	0.990/*0.805A	0.996B/*0.805A	----	0.851 NEW	.1121	----	----	1	----	1 + 1
10150	----	----	----/*0.796A	0.991B/*0.796A	----	0.839 - 0.160	.1105	----	----	----	----	8 UNCH
10175	0.963	0.963	0.963/*0.783A	0.973B/*0.783A	----	0.827 - 0.159	.1090	----	----	3	----	4 + 3
10200	----	----	----/*0.771A	0.964B/*0.771A	----	0.816 - 0.157	.1076	----	----	----	----	33 UNCH
10250	----	----	----/*0.754A	0.938B/*0.754A	----	0.793 - 0.155	.1046	----	----	----	----	3 UNCH
10275	----	----	----/*0.744A	0.895B/*0.744A	----	0.783 - 0.152	.1033	----	----	----	----	21 UNCH
10300	----	----	----/*0.734A	0.912B/*0.734A	----	0.772 - 0.151	.1019	----	----	----	----	32 UNCH
10325	----	----	----/*0.724A	0.897B/*0.724A	----	0.761 - 0.150	.1005	----	----	----	----	11 UNCH
10350	----	----	----/*0.715A	0.885B/*0.715A	----	0.751 - 0.148	.0992	----	----	----	----	6 UNCH
10375	----	----	----/*0.706A	0.837B/*0.706A	----	0.741 - 0.147	.0979	----	----	----	----	1 UNCH
10400	0.750	0.750	0.750/*0.690	0.864B/*0.690	----	0.731 - 0.146	.0966	----	----	6	----	12 + 6
10475	----	----	----/*0.671A	0.827B/*0.671A	----	0.702 - 0.142	.0929	----	----	----	----	6 UNCH
10500	----	----	----/0.661A	0.818B/0.661A	----	0.692 - 0.141	.0916	----	----	26	----	101 - 15
10600	----	----	----/*0.634A	0.776B/*0.634A	----	0.657 - 0.136	.0870	----	----	----	----	3 UNCH
10650	----	----	----/*0.615A	0.756B/*0.615A	----	0.640 - 0.134	.0848	----	----	----	----	1 UNCH
10675	----	----	----/*0.611A	0.746B/*0.611A	----	0.632 - 0.133	.0837	----	----	----	----	4 UNCH
10700	----	----	----/*0.604A	0.737B/*0.604A	----	0.624 - 0.132	.0827	----	----	----	----	2 UNCH
10725	----	----	----/*0.597A	0.727B/*0.597A	----	0.616 - 0.131	.0816	----	----	----	----	1 UNCH
10775	----	----	----/*0.581A	0.709B/*0.581A	----	0.601 - 0.129	.0797	----	----	----	----	3 UNCH
10800	----	----	----/*0.574A	0.701B/*0.574A	----	0.594 - 0.127	.0787	----	----	----	----	5 UNCH
10825	----	----	----/*0.571A	0.692B/*0.571A	----	0.586 - 0.127	.0777	----	----	----	----	2 UNCH
10875	----	----	----/*0.556A	0.675B/*0.556A	----	0.572 - 0.125	.0758	----	----	----	----	5 UNCH
10900	----	----	----/*0.548A	0.667B/*0.548A	----	0.565 - 0.124	.0749	----	----	----	----	6 UNCH
10925	----	----	----/*0.543A	0.659B/*0.543A	----	0.559 - 0.122	.0741	----	----	----	----	4 UNCH
10950	----	----	----/*0.538A	0.649B/*0.538A	----	0.552 - 0.121	.0732	----	----	----	----	1 UNCH
10975	----	----	----/*0.531A	0.642B/*0.531A	----	0.546 - 0.120	.0723	----	----	----	----	7 UNCH
11000	----	----	----/*0.523A	0.635B/*0.523A	----	0.539 - 0.119	.0714	----	----	----	----	589 UNCH
11075	----	----	----/*0.515A	0.613B/*0.515A	----	0.521 - 0.116	.0690	----	----	----	----	3 UNCH
11100	----	----	----/*0.507A	0.606B/*0.507A	----	0.515 - 0.115	.0682	----	----	----	----	25 UNCH
11150	----	----	----/*0.499A	0.592B/*0.499A	----	0.503 - 0.113	.0666	----	----	----	----	9 UNCH
11200	----	----	----/*0.488A	0.578B/*0.488A	----	0.492 - 0.111	.0651	----	----	----	----	2 UNCH
11225	----	----	----/*0.485A	0.572B/*0.485A	----	0.487 - 0.110	.0644	----	----	----	----	1 UNCH
11250	----	----	----/*0.480A	0.566B/*0.480A	----	0.481 - 0.109	.0636	----	----	----	----	3 UNCH
11275	----	----	----/*0.476A	0.559B/*0.476A	----	0.476 - 0.108	.0629	----	----	----	----	7 UNCH
11300	----	----	----/*0.471A	0.553B/*0.471A	----	0.471 - 0.107	.0623	----	----	----	----	1 UNCH
11350	0.519	0.519	0.519/*0.460A	0.541B/*0.460A	----	0.461 NEW	.0609	----	----	1	----	1 + 1
11400	----	----	----/*0.472A	0.508B/*0.472A	----	0.451 - 0.103	.0596	----	----	----	----	2 UNCH
11475	0.492	0.492	0.492/*0.459A	0.492/*0.459A	----	0.437 - 0.101	.0577	----	----	1	----	2 + 1
11500	----	----	----/*0.456A	0.486B/*0.456A	----	0.432 - 0.101	.0570	----	----	----	----	130 UNCH
11575	----	----	----/*0.443A	0.470B/*0.443A	----	0.419 - 0.098	.0552	----	----	----	----	1 UNCH
11650	----	----	----/*0.431A	0.436B/*0.431A	----	0.407 - 0.096	.0536	----	----	----	----	2 UNCH
11700	----	----	----/*0.424A	0.426B/*0.424A	----	0.399 - 0.095	.0525	----	----	----	----	2 UNCH
11850	----	----	----/*0.399A	0.399B/*0.399A	----	0.376 - 0.091	.0493	----	----	----	----	1 UNCH
12000	0.399	0.399	0.399/*0.380A	0.399/*0.380A	----	0.355 - 0.087	.0465	----	----	1	----	44 + 1
12025	----	----	----/*0.378A	0.369B/*0.378A	----	0.351 - 0.087	.0460	----	----	----	----	52 UNCH
12050	----	----	----/*0.375A	0.365B/*0.375A	----	0.348 - 0.086	.0455	----	----	----	----	208 UNCH
12100	----	----	----/*0.367A	0.357B/*0.367A	----	0.341 - 0.085	.0446	----	----	----	----	1 UNCH
12300	----	----	----/*0.345A	0.328B/*0.345A	----	0.316 - 0.079	.0412	----	----	----	----	34 UNCH
12500	----	----	----/0.321A	0.302B/0.321A	----	0.293 - 0.075	.0381	----	----	----	----	148 UNCH
12550	----	----	----/*0.318A	0.296B/*0.318A	----	0.287 - 0.074	.0374	----	----	----	----	2 UNCH
12700	----	----	----/*0.303A	0.278B/*0.303A	----	0.272 - 0.071	.0353	----	----	----	----	1 UNCH
12725	----	----	----/*0.301A	0.275B/*0.301A	----	0.269 - 0.071	.0349	----	----	----	----	1 UNCH
12775	----	----	----/*0.297A	0.269B/*0.297A	----	0.264 - 0.070	.0343	----	----	----	----	13 UNCH
12800	----	----	----/*0.294A	0.267B/*0.294A	----	0.262 - 0.069	.0340	----	----	----	----	2 UNCH
13000	----	----	----/*0.278A	0.248B/*0.278A	----	0.244 - 0.066	.0316	----	----	12	----	3817 + 1
14000	0.183	0.183	0.183/*0.183	0.183/*0.183	----	0.176 - 0.052	.0225	----	----	1	----	23 + 1
15000	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.133 - 0.042	.0167	----	----	4	----	100 + 4
16000	----	----	----/*0.129A	0.080B/*0.129A	----	0.103 - 0.035	.0128	----	----	----	----	9 UNCH
17000	----	----	----/0.111A	0.051B/0.111A	----	0.082 - 0.030	.0100	----	----	11	----	3180 + 1
18000	----	----	----	0.031B/0.099A	----	0.067 - 0.025	.0080	----	----	----	----	8 UNCH
19000	----	----	----	0.001B/2.912A	----	0.055 - 0.022	.0065	----	----	----	----	2 UNCH
20000	----	----	----	0.001B/2.863A	----	0.046 - 0.019	.0054	----	----	2	----	245 UNCH
25000	----	----	----	----/2.772A	----	0.021 - 0.010	.0023	----	----	----	----	21 UNCH
27000	----	----	----	----/2.767A	----	0.016 - 0.008	.0017	----	----	----	----	6 UNCH
30000	----	----	----	----/*0.021A	----	0.011 - 0.006	.0012	----	----	----	----	14 UNCH
32000	----	----	----	0.003B/2.748A	----	0.009 - 0.004	.0009	----	----	----	----	3 UNCH
35000	----	----	----	0.003B/0.018A	----	0.007 - 0.003	.0007	----	----	----	----	4 UNCH
TOTAL										189	0	13901 + 63
SEP26												
5025	----	----	----	----	----	25.750 - 0.625	.9637	----	----	----	----	1 UNCH
5050	----	----	----	----	----	25.510 - 0.624	.9627	----	----	----	----	1 UNCH
5100	----	----	----	12.940B/39.755A	----	25.029 - 0.624	.9603	----	----	----	----	1 UNCH
5900	----	----	----	6.332B/27.445A	----	17.640 - 0.607	.8956	----	----	----	----	2 UNCH
6000	----	----	----	5.606B/26.389A	----	16.778 - 0.604	.8825	----	----	----	----	7 UNCH
6700	----	----	----/11.177A	11.392B/11.177A	----	11.353 - 0.556	.7558	----	----	----	----	1 UNCH
7000	----	----	----/9.323A	9.512B/9.323A	----	9.462 - 0.528	.6855	----	----	2	----	266 - 2
7125	----	----	----/8.639A	8.806B/8.639A	----	8.755 - 0.519	.6549	----	----	----	----	75 UNCH
7300	----	----	----/7.765A	7.896B/7.765A	----	7.846 - 0.514	.6117	----	----	----	----	145 UNCH
7400	----	----	----/7.307A	7.546B/7.307A	----	7.368 - 0.515	.5870	----	----	----	----	104 UNCH
7500	6.346	6.346	6.346/6.346	7.182B/6.346	----	6.919 - 0.518	.5626	----	----	1	----	26 - 1
7550	----	----	----/6.674A	6.798B/6.674A	----	6.704 - 0.520	.5505	----	----	----	----	2 UNCH
7575	----	----	----/6.578A	6.657B/6.578A	----	6.600 - 0.521	.5445	----	----	----	----	3 UNCH
7700	----	----	----/6.104A	6.301B/6.104A	----	6.102 - 0.524	.5151	----	----	----	----	1 UNCH
7900	----	----	----/5.426A	5.540B/5.426A	----	5.389 - 0.516	.4700	----	----	----	----	8 UNCH
8000	----	----	----/5.114A	5.215B/5.114A	----	5.068 - 0.506	.4485	----	----	7	----	257 - 3
8025	----	----	----/5.038A	5.035B/5.038A	----	4.992 - 0.502	.4433	----	----	----	----	1 UNCH
8100	----	----	----/4.826A	4.912B/4.826A	----	4.769 - 0.491	.4279	----	----	----	----	25 UNCH
8200	----	----	----/4.563A	4.609B/4.563A	----	4.491 - 0.474	.4080	----	----	3	----	38 UNCH
8250	----	----	----/4.430A	4.395B/4.430A	----	4.360 - 0.464	.3985	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
SEP26												
8300	----	----	----/4.316A	4.282B/4.316A	----	4.233 -	0.455 .3891	----	----	----	----	2 UNCH
8400	----	----	----/4.079A	4.049B/4.079A	----	3.992 -	0.436 .3709	----	----	----	----	10 UNCH
8500	----	----	4.191B/3.852A	4.191B/3.852A	----	3.769 -	0.417 .3537	----	----	1	----	248 - 1
8600	----	----	----/3.654A	3.571B/3.654A	----	3.561 -	0.399 .3372	----	----	----	----	76 UNCH
8675	----	----	----/3.509A	3.422B/3.509A	----	3.415 -	0.387 .3255	----	----	----	----	5 UNCH
8700	----	----	----/3.459A	3.382B/3.459A	----	3.368 -	0.384 .3216	----	----	----	----	104 UNCH
8800	----	----	----/3.277A	3.185B/3.277A	----	3.189 -	0.369 .3068	----	----	----	----	13 UNCH
8900	----	----	----/3.107A	3.016B/3.107A	----	3.022 -	0.355 .2928	----	----	----	----	4 UNCH
8925	----	----	----/3.064A	2.976B/3.064A	----	2.982 -	0.351 .2894	----	----	----	----	2 UNCH
8950	----	----	----/3.024A	2.925B/3.024A	----	2.943 -	0.347 .2861	----	----	----	----	2 UNCH
9000	2.779	2.779	2.779/2.779	2.851B/2.779	----	2.866 -	0.339 .2795	----	----	7	----	224 UNCH
9025	----	----	----/2.908A	2.811B/2.908A	----	2.829 -	0.335 .2763	----	----	----	----	4 UNCH
9100	----	----	----/2.797A	2.697B/2.797A	----	2.720 -	0.323 .2669	----	----	----	----	12 UNCH
9150	----	----	----/2.727A	2.623B/2.727A	----	2.651 -	0.315 .2608	----	----	----	----	16 UNCH
9200	----	----	----/2.659A	2.552B/2.659A	----	2.584 -	0.306 .2549	----	----	----	----	4 UNCH
9300	----	----	----/2.528A	2.416B/2.528A	----	2.455 -	0.292 .2435	----	----	----	----	28 UNCH
9400	----	----	----/2.416A	2.285B/2.416A	----	2.333 -	0.279 .2327	----	----	----	----	20 UNCH
9500	----	----	----/2.300A	2.172B/2.300A	----	2.218 -	0.268 .2223	----	----	----	----	325 UNCH
9600	----	----	----/2.188A	2.062B/2.188A	----	2.109 -	0.259 .2125	----	----	----	----	37 UNCH
9750	----	----	----/2.039A	1.908B/2.039A	----	1.954 -	0.250 .1984	----	----	----	----	23 UNCH
9800	----	----	----/2.000A	1.860B/2.000A	----	1.904 -	0.249 .1939	----	----	----	----	130 UNCH
9900	----	----	----/1.911A	1.765B/1.911A	----	1.808 -	0.247 .1851	----	----	----	----	85 UNCH
10000	1.650	1.650	1.650/1.650	1.680B/1.650	----	1.715 -	0.249 .1766	----	----	5	----	424 UNCH
10025	----	----	----/1.809A	1.666B/1.809A	----	1.692 -	0.250 .1746	----	----	----	----	1 UNCH
10050	----	----	----/1.790A	1.646B/1.790A	----	1.670 -	0.250 .1725	----	----	----	----	3 UNCH
10100	----	----	----/1.755A	1.606B/1.755A	----	1.625 -	0.253 .1684	----	----	1	----	54 UNCH
10125	----	----	----/1.733A	1.587B/1.733A	----	1.603	NEW .1664	----	----	1	----	1 + 1
10200	----	----	----/1.681A	1.531B/1.681A	----	1.540 -	0.257 .1606	----	----	----	----	54 UNCH
10300	----	----	----/1.614A	1.457B/1.614A	----	1.463 -	0.258 .1534	----	----	----	----	52 UNCH
10500	----	----	----/*1.500A	1.326B/*1.500A	----	1.329 -	0.253 .1404	----	----	----	----	233 UNCH
10800	----	----	----/*1.359A	1.143B/*1.359A	----	1.169 -	0.233 .1242	----	----	----	----	2 UNCH
11000	1.140	1.140	1.140/1.140	1.140/1.140	----	1.084 -	0.214 .1153	----	----	13	----	246 + 2
11100	----	----	----/1.226A	0.988B/1.226A	----	1.047 -	0.203 .1113	----	----	----	----	3 UNCH
11300	----	----	----/1.029A	0.892B/1.029A	----	0.979 -	0.183 .1039	----	----	----	----	60 UNCH
11500	----	----	----/0.968A	0.846B/0.968A	----	0.920 -	0.162 .0974	----	----	8	----	109 + 8
12000	----	----	----/*0.797A	0.740B/*0.797A	----	0.795 -	0.119 .0836	----	----	5	----	128 UNCH
12500	----	----	----/*0.687A	0.681B/*0.687A	----	0.686 -	0.095 .0718	----	----	----	----	96 UNCH
12800	----	----	----/*0.631A	0.615B/*0.631A	----	0.627 -	0.086 .0656	----	----	----	----	1 UNCH
13000	----	----	----/*0.599A	0.576B/*0.599A	----	0.590 -	0.083 .0617	----	----	----	----	204 UNCH
14000	----	----	----/0.468A	0.423B/0.468A	----	0.440 -	0.076 .0461	----	----	----	----	239 UNCH
15000	0.345	0.345	0.345/*0.345	0.358B/*0.345	----	0.345 -	0.063 .0359	----	----	1	----	426 UNCH
16000	----	----	----/*0.305A	0.244B/*0.305A	----	0.265 -	0.052 .0276	----	----	----	----	16 UNCH
17000	----	----	----	0.190B/*0.255A	----	0.207 -	0.042 .0216	----	----	----	----	27 UNCH
18000	----	----	----	0.148B/*0.223A	----	0.164 -	0.035 .0172	----	----	----	----	5 UNCH
19000	----	----	----	0.116B/*0.191A	----	0.131 -	0.030 .0137	----	----	----	----	14 UNCH
20000	----	----	----	0.093B/0.167A	----	0.107 -	0.024 .0112	----	----	----	----	311 UNCH
21000	----	----	----	0.072B/*0.149A	----	0.088 -	0.021 .0092	----	----	----	----	1 UNCH
23000	----	----	----	0.046B/*0.131A	----	0.062 -	0.016 .0065	----	----	----	----	44 UNCH
25000	----	----	----	0.040B/2.961A	----	0.054 -	0.015 .0055	----	----	----	----	39 UNCH
26000	----	----	----	0.001B/2.926A	----	0.052 -	0.014 .0052	----	----	----	----	1 UNCH
30000	----	----	----	0.001B/2.827A	----	0.049 -	0.013 .0045	----	----	----	----	18 UNCH
35000	----	----	----	----/*0.035A	----	0.026 -	0.007 .0024	----	----	----	----	27 UNCH
TOTAL										55	0	5178 + 4
OCT26												
7000	----	----	----/10.856A	10.823B/10.856A	----	10.870 -	0.521 .6894	----	----	----	----	2 UNCH
7100	----	----	----/10.306A	10.264B/10.306A	----	10.306 -	0.517 .6683	----	----	----	----	1 UNCH
7500	----	----	----/7.992A	8.640B/7.992A	----	8.372 -	0.441 .5836	----	----	----	----	2 UNCH
7650	----	----	----/7.397A	8.150B/7.397A	----	7.765 -	0.400 .5528	----	----	----	----	1 UNCH
7775	----	----	7.710B/7.036A	7.710B/7.036A	----	7.279 -	0.394 .5278	----	----	----	----	2 UNCH
7875	----	----	7.328B/6.692A	7.328B/6.692A	----	6.905 -	0.402 .5083	----	----	----	----	2 UNCH
8000	----	----	6.898B/6.192A	6.898B/6.192A	----	6.468 -	0.411 .4845	----	----	----	----	38 UNCH
8075	----	----	6.649B/6.051A	6.649B/6.051A	----	6.226 -	0.410 .4707	----	----	----	----	1 UNCH
8275	----	----	6.036B/5.485A	6.036B/5.485A	----	5.646 -	0.386 .4358	----	----	----	----	2 UNCH
8500	----	----	----/4.850A	5.400B/4.850A	----	5.073 -	0.354 .3996	----	----	----	----	16 UNCH
8550	----	----	----/4.739A	5.251B/4.739A	----	4.954 -	0.349 .3919	----	----	----	----	1 UNCH
8700	----	----	----/4.415A	4.894B/4.415A	----	4.616 -	0.335 .3698	----	----	----	----	4 UNCH
8900	4.087	4.087	4.087/4.027A	4.525B/4.027A	----	4.205	NEW .3421	----	----	17	----	17 + 17
9000	----	----	----/3.853A	4.264B/3.853A	----	4.018 -	0.312 .3292	----	----	----	----	1 UNCH
9100	----	----	----/3.683A	4.104B/3.683A	----	3.841 -	0.305 .3168	----	----	----	----	23 UNCH
9500	----	----	----/3.100A	3.450B/3.100A	----	3.230 -	0.273 .2724	----	----	----	----	124 UNCH
9700	----	----	----/2.855A	3.174B/2.855A	----	2.973	NEW .2530	----	----	80	----	70 + 70
9900	----	----	----/2.631A	2.931B/2.631A	----	2.741 -	0.243 .2352	----	----	----	----	1 UNCH
10000	----	----	----/2.532A	2.807B/2.532A	----	2.635 -	0.235 .2270	----	----	----	----	90 UNCH
10275	2.374	2.374	2.374/2.298A	2.532B/2.298A	----	2.367	NEW .2059	----	----	1	----	1 + 1
10300	2.355	2.355	2.355/2.256A	2.521B/2.256A	----	2.345 -	0.216 .2041	----	----	1	----	1 + 1
10325	2.332	2.332	2.332/2.256A	2.485B/2.256A	----	2.322	NEW .2023	----	----	1	----	1 + 1
10350	2.291	2.291	2.291/2.216A	2.478B/2.216A	----	2.301	NEW .2006	----	----	2	----	2 + 2
10375	2.264	2.264	2.264/2.211A	2.431B/2.211A	----	2.279	NEW .1988	----	----	3	----	3 + 3
10400	2.259	2.259	2.259/2.173A	2.425B/2.173A	----	2.257	NEW .1971	----	----	3	----	3 + 3
10425	2.219	2.219	2.219/2.168A	2.416B/2.168A	----	2.236	NEW .1954	----	----	4	----	4 + 4
10450	2.200	2.200	2.200/2.136A	2.391B/2.136A	----	2.216	NEW .1937	----	----	4	----	4 + 4
10475	2.193	2.193	2.193/2.129A	2.348B/2.129A	----	2.195	NEW .1921	----	----	4	----	4 + 4
10500	2.172	2.172	2.172/2.094A	2.363B/2.094A	----	2.175 -	0.204 .1904	----	----	3	----	3 + 2
10525	2.146	2.146	2.146/2.097A	2.310B/2.097A	----	2.154	NEW .1888	----	----	2	----	2 + 2
10550	2.133	2.133	2.133/2.065A	2.288B/2.065A	----	2.135	NEW .1872	----	----	1	----	1 + 1
10575	2.129	2.129	2.129/2.058A	2.270B/2.058A	----	2.115	NEW .1856	----	----	1	----	1 + 1
10600	2.097	2.097	2.097/2.023A	2.264B/2.023A	----	2.096	NEW .1840	----	----	1	----	1 + 1
10825	----	----	----/1.884A	2.075B/1.884A	----	1.932 -	0.189 .1706	----	----	----	----	1 UNCH
10850	----	----	----/1.850A	2.062B/1.850A	----	1.915 -	0.188 .1692	----	----	----	----	1 UNCH
10875	----	----	----/1.853A	2.035B/1.853A	----	1.898 -	0.188 .1678	----	----	----	----	1 UNCH
10900	----	----	----/1.819A	2.023B/1.819A	----	1.881 -	0.187 .1664	----	----	----	----	1 UNCH
10925	----	----	----/1.821A	2.000B/1.821A	----	1.865 -	0.186 .1651	----	----	----	----	3 UNCH
10950	----	----	----/1.788A	1.994B/1.788A	----	1.849 -	0.185 .1637	----	----	----	----	3 UNCH
10975	----	----	----/1.791A	1.963B/1.791A	----	1.833 -	0.184 .1624	----	----	----	----	4 UNCH
11000	----	----	----/1.756A	1.980B/1.756A	----	1.817 -	0.183 .1611	----	----	----	----	11 UNCH
11025	----	----	----/1.762A	1.933B/1.762A	----	1.801 -	0.183 .1597	----	----	----	----	7 UNCH
11050	----	----	----/1.725A	1.931B/1.725A	----	1.786 -	0.182 .1585	----	----	----	----	10 UNCH
11100	----	----	----/1.698A	1.893B/1.698A	----	1.755 -	0.181 .1559	----	----	----	----	2 UNCH
11300	1.597	1.597	1.597/1.589A	1.778B/1.589A	----	1.641	NEW .1463	----	----	1	----	1 + 1
11500	----	----	----/1.492A	1.649B/1.492A	----	1.536 -	0.165 .1374	----	----	----	----	9 UNCH
11700	----	----	----/1.406A	1.556B/1.406A	----	1.440 -	0.148 .1292	----	----	----	----	2 UNCH
12000	----	----	----/1.286A	1.408B/1.286A	----	1.310 -	0.124 .1180	----	----	----	----	76 UNCH
12675	----	----	----/1.082A	1.151B/1.082A	----	1.077 -	0.128 .0976	----	----	----	----	7 UNCH
12700	----	----	----/1.074A	1.134B/1.074A	----	1.070 -	0.128 .0969	----	----	----	----	7 UNCH
12725	----	----	----/1.068A	1.136B/1.068A	----	1.062 -	0.129 .0962	----	----	----	----	7 UNCH
12750	----	----	----/1.061A	1.131B/1.061A	----	1.055 -	0.129 .0956	----	----	----	----	7 UNCH
12775	----	----	----/1.054A	1.119B/1.054A	----	1.049 -	0.128 .0950	----	----	----	----	7 UNCH
12800	----	----	----/1.047A	1.115B/1.047A	----	1.042 -	0.129 .0944	----	----	----	----	7 UNCH
12825	----	----	----/1.040A	1.106B/1.040A	----	1.035 -	0.129 .0938	----	----	----	----	7 UNCH
13000	----	----	----/0.994A	1.058B/0.994A	----	0.990 -	0.129 .0897	----	----	----	----	92 UNCH
14000	----	----	----/0.781A	0.816B/0.781A	----	0.787 -	0.108 .0710	----	----	----	----	2 UNCH
15000	----	----	----/0.662A	0.630B/0.662A	----	0.632 -	0.083 .0570	----	----	----	----	180 UNCH
16000	0.500	0.500	0.500/*0.500	0.500/*0.500	----	0.497 -	0.070 .0451	----	----	1	----	35 UNCH
17000	----	----	----	0.370B/*0.470A	----	0.401 -	0.053 .0365	----	----	----	----	120 UNCH
18000	----	----	----	0.300B/*0.406A	----	0.337 -	0.033 .0306	----	----	----	----	340 UNCH
20000	----	----	----	0.203B/*0.314A	----	0.260 +	0.001 .0232	----	----	----	----	183 UNCH
TOTAL										130	0	1562 + 118
NOV26												
6500	----	----	----/14.694A	14.612B/14.694A	----	14.707 -	0.538 .7712	----	----	----	----	1 UNCH
7000	----	----	----/11.757A	11.566B/11.757A	----	11.683 -	0.499 .6799	----	----	----	----	14 UNCH
7100	----	----	----/11.246A	11.033B/11.246A	----	11.156 -	0.490 .6610	----	----	----	----	14 UNCH
7500	----	----	----/9.430A	9.450B/9.430A	----	9.291 -	0.450 .5858	----	----	----	----	1 UNCH
7900	----	----	----/7.958A	7.611B/7.958A	----	7.776 -	0.411 .5149	----	----	----	----	16 UNCH
8000	----	----	----/7.629A	7.276B/7.629A	----	7.445 -	0.402 .4982	----	----	----	----	10 UNCH
8200	----	----	----/7.029A	6.659B/7.029A	----	6.834 -	0.383 .4663	----	----	----	----	6 UNCH
9000	----	----	----/5.164A	4.758B/5.164A	----	4.946 -	0.317 .3580	----	----	----	----	60 UNCH
9050	----	----	----/5.069A	4.663B/5.069A	----	4.852	NEW .3522	----	----	2	----	2 + 2
9550	----	----	----/4.254A	3.842B/4.254A	----	4.028 -	0.278 .2999	----	----	----	----	3 UNCH
9800	----	----	----/3.914A	3.503B/3.914A	----	3.684 -	0.263 .2772	----	----	----	----	3 UNCH
10000	----	----	----/3.668A	3.256B/3.668A	----	3.437 -	0.250 .2606	----	----	3	----	27 + 3
11000	----	----	----	2.314B/2.720A	----	2.490 -	0.201 .1943	----	----	----	----	94 UNCH
12000	----	----	----	1.690B/2.110A	----	1.876 -	0.163 .1488	----	----	----	----	13 UNCH
12500	----	----	----	1.443B/*1.898A	----	1.649 -	0.148 .1316	----	----	----	----	10 UNCH
13000	----	----	----	1.224B/1.734A	----	1.459 -	0.136 .1169	----	----	----	----	1 UNCH
14000	----	----	----/1.238A	1.052B/1.238A	----	1.165 -	0.114 .0939	----	----	----	----	2 UNCH
15000	----	----	----/0.998A	0.866B/0.998A	----	0.949 -	0.098 .0767	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
16000	----	----	----/0.844A	0.742B/0.844A	----	0.787 - 0.084	.0637	----	----	----	----	14 UNCH
17000	----	----	----/0.726A	0.609B/0.726A	----	0.661 - 0.074	.0536	----	----	----	----	2 UNCH
20000	----	----	----	0.361B/0.500A	----	0.422 - 0.052	.0341	----	----	----	----	33 UNCH
21000	----	----	----	0.308B/*0.449A	----	0.373 - 0.046	.0301	----	----	----	----	1 UNCH
30000	----	----	----	0.088B/0.228A	----	0.133 - 0.020	.0108	----	----	----	----	6 UNCH
TOTAL										5	0	339 + 5
DEC26												
3875	----	----	----	----	----	37.899 - 0.627	.9836	----	----	----	----	1 UNCH
5000	----	----	----	3.906B/50.887A	----	27.146 - 0.606	.9362	----	----	----	----	30 UNCH
5250	----	----	----	1.687B/47.976A	----	24.907 - 0.598	.9173	----	----	----	----	50 UNCH
5500	----	----	----	----/48.135A	----	22.747 - 0.589	.8944	----	----	----	----	1 UNCH
6500	----	----	----/15.370A	15.051B/15.370A	----	15.259 - 0.529	.7595	----	----	----	----	600 UNCH
6900	----	----	----/13.075A	12.662B/13.075A	----	12.892 - 0.496	.6918	----	----	----	----	1 UNCH
6950	----	----	----/12.813A	12.390B/12.813A	----	12.623 - 0.492	.6831	----	----	----	----	220 UNCH
7000	----	----	----/12.550A	12.125B/12.550A	----	12.360 - 0.488	.6744	----	----	----	----	120 UNCH
7025	----	----	----/12.432A	11.994B/12.432A	----	12.231 - 0.486	.6700	----	----	----	----	1 UNCH
7075	----	----	----/12.185A	11.734B/12.185A	----	11.977 - 0.481	.6613	----	----	----	----	5 UNCH
7100	----	----	----/12.064A	11.607B/12.064A	----	11.852 - 0.479	.6570	----	----	----	----	15 UNCH
7375	----	----	----/10.816A	10.307B/10.816A	----	10.571 - 0.454	.6094	----	----	----	----	2 UNCH
7500	----	----	----/10.299A	10.130B/10.299A	----	10.041 - 0.443	.5882	----	----	----	----	18 UNCH
7575	----	----	----/9.999A	9.464B/9.999A	----	9.738 - 0.436	.5756	----	----	----	----	1 UNCH
7750	----	----	----/9.353A	8.791B/9.353A	----	9.073 - 0.421	.5470	----	----	----	----	2 UNCH
7800	----	----	----/9.184A	8.609B/9.184A	----	8.893 - 0.417	.5390	----	----	----	----	37 UNCH
7925	----	----	----/8.753A	8.174B/8.753A	----	8.463 - 0.406	.5195	----	----	----	----	2 UNCH
8000	----	----	----/8.527A	7.927B/8.527A	----	8.218 - 0.399	.5080	----	----	----	----	134 UNCH
8100	----	----	----/8.202A	7.611B/8.202A	----	7.904 - 0.391	.4931	----	----	----	----	1 UNCH
8200	----	----	----/7.909A	7.310B/7.909A	----	7.606 - 0.383	.4787	----	----	----	----	21 UNCH
8400	----	----	----/7.363A	6.753B/7.363A	----	7.053 - 0.366	.4509	----	----	----	----	50 UNCH
8500	----	----	----/7.110A	6.496B/7.110A	----	6.796 - 0.358	.4377	----	----	----	----	165 UNCH
8550	----	----	----/7.004A	6.372B/7.004A	----	6.672 - 0.354	.4312	----	----	----	----	25 UNCH
8600	----	----	----/6.867A	6.251B/6.867A	----	6.551 - 0.351	.4249	----	----	----	----	47 UNCH
8800	----	----	----/6.417A	5.797B/6.417A	----	6.097 - 0.336	.4005	----	----	----	----	5 UNCH
8900	----	----	----/6.208A	5.586B/6.208A	----	5.886 - 0.329	.3889	----	----	----	----	27 UNCH
8950	----	----	----	5.487B/6.124A	----	5.785 - 0.324	.3833	----	----	----	----	1 UNCH
9000	----	----	----	5.389B/6.025A	----	5.685 - 0.321	.3777	----	----	----	----	249 UNCH
9050	----	----	----	5.292B/5.911A	----	5.588 - 0.318	.3723	----	----	----	----	100 UNCH
9100	----	----	----	5.197B/5.831A	----	5.493 - 0.315	.3669	----	----	----	----	16 UNCH
9300	----	----	----	4.839B/5.459A	----	5.136 - 0.301	.3464	----	----	----	----	15 UNCH
9500	----	----	----	4.516B/5.132A	----	4.809 - 0.289	.3272	----	----	----	----	10 UNCH
9700	----	----	----	4.218B/4.833A	----	4.511 - 0.277	.3094	----	----	----	----	1 UNCH
9800	----	----	----	4.079B/4.694A	----	4.371 - 0.271	.3009	----	----	----	----	74 UNCH
9900	----	----	----	3.946B/4.560A	----	4.237 - 0.266	.2927	----	----	----	----	5 UNCH
10000	----	----	----	3.815B/4.429A	----	4.109 - 0.260	.2849	----	----	----	----	855 UNCH
10025	----	----	----	3.785B/4.401A	----	4.078 - 0.259	.2829	----	----	----	----	3 UNCH
10500	----	----	----	3.241B/3.874A	----	3.543 - 0.235	.2493	----	----	----	----	103 UNCH
10600	----	----	----	3.142B/3.758A	----	3.443 - 0.230	.2429	----	----	----	----	6 UNCH
10800	----	----	----	2.955B/*3.567A	----	3.254 - 0.221	.2307	----	----	----	----	5 UNCH
11000	----	----	----	2.783B/3.406A	----	3.079 - 0.213	.2193	----	----	----	----	210 UNCH
11350	----	----	----	2.512B/*3.124A	----	2.804 - 0.199	.2012	----	----	----	----	5 UNCH
11400	----	----	----	2.476B/*3.073A	----	2.767 - 0.198	.1987	----	----	----	----	1 UNCH
11600	----	----	----	2.339B/*2.933A	----	2.628 - 0.190	.1894	----	----	----	----	1 UNCH
11800	----	----	----	2.212B/*2.811A	----	2.498 - 0.184	.1806	----	----	----	----	27 UNCH
12000	----	----	----	2.094B/2.688A	----	2.378 - 0.177	.1725	----	----	----	----	570 UNCH
12200	----	----	----	1.983B/*2.563A	----	2.265 - 0.171	.1648	----	----	----	----	1 UNCH
12300	----	----	----	1.931B/*2.508A	----	2.212 - 0.168	.1611	----	----	----	----	2 UNCH
12500	----	----	----	1.831B/*2.411A	----	2.110 - 0.162	.1541	----	----	----	----	47 UNCH
12800	----	----	----	1.695B/*2.290A	----	1.970 - 0.155	.1444	----	----	----	----	2 UNCH
13000	----	----	----	1.600B/2.222A	----	1.885 - 0.149	.1384	----	----	----	----	384 UNCH
13500	----	----	----	1.378B/*2.037A	----	1.693 - 0.137	.1248	----	----	----	----	6 UNCH
14000	----	----	----	1.190B/1.905A	----	1.529 - 0.127	.1131	----	----	----	----	96 UNCH
14200	----	----	----	1.123B/1.835A	----	1.470 - 0.124	.1089	----	----	----	----	1 UNCH
15000	----	----	----	1.081B/1.448A	----	1.265 - 0.110	.0941	----	----	----	----	1834 UNCH
16000	----	----	----/1.139A	0.943B/1.139A	----	1.065 - 0.096	.0794	----	----	----	----	1609 UNCH
17000	----	----	----/0.989A	0.834B/0.989A	----	0.908 - 0.085	.0678	----	----	----	----	50 UNCH
18000	----	----	----	0.701B/0.876A	----	0.784 - 0.075	.0586	----	----	----	----	83 UNCH
19000	----	----	----	0.596B/0.777A	----	0.683 - 0.068	.0511	----	----	----	----	1 UNCH
20000	----	----	----	0.511B/0.697A	----	0.600 - 0.061	.0449	----	----	----	----	441 UNCH
21000	----	----	----	0.441B/0.630A	----	0.531 - 0.056	.0397	----	----	----	----	5 UNCH
22000	----	----	----	0.383B/*0.573A	----	0.474 - 0.051	.0354	----	----	----	----	1 UNCH
23000	----	----	----	0.334B/*0.532A	----	0.426 - 0.046	.0318	----	----	----	----	35 UNCH
25000	0.420	0.420	0.420/0.419A	0.420/0.419A	----	0.353 - 0.040	.0262	----	----	2	----	240 UNCH
26000	----	----	----	0.228B/*0.424A	----	0.330 - 0.037	.0244	----	----	----	----	3 UNCH
30000	----	----	----	0.143B/0.332A	----	0.234 - 0.029	.0172	----	----	----	----	110 UNCH
32000	----	----	----	0.114B/0.300A	----	0.206 - 0.025	.0151	----	----	----	----	1 UNCH
40000	----	----	----	0.101B/0.199A	----	0.151 - 0.019	.0106	----	----	----	----	25 UNCH
90000	----	----	----	0.007B/0.400A	----	0.058 - 0.009	.0036	----	----	----	----	2 UNCH
100000	----	----	----	0.005B/0.089A	----	0.056 - 0.008	.0034	----	----	----	----	5 UNCH
TOTAL										2	0	8822 0
JAN27												
7550	----	----	----/11.444A	11.004B/11.444A	----	11.039 - 0.441	.5956	----	----	1	----	1 - 1
7650	----	----	----/11.052A	10.984B/11.052A	----	10.642 - 0.432	.5803	----	----	----	----	5 UNCH
8000	----	----	----	8.939B/9.836A	----	9.385 NEW	.5292	----	----	1	----	1 + 1
8300	----	----	----	8.010B/8.926A	----	8.459 - 0.381	.4886	----	----	----	----	22 UNCH
9000	----	----	----	6.282B/7.188A	----	6.730 - 0.333	.4062	----	----	----	----	1 UNCH
9525	5.524	5.524	5.524/*5.524	5.524/*5.524	----	5.742 - 0.301	.3551	----	----	1	----	1 - 1
10000	----	----	----	4.561B/5.493A	----	5.016 - 0.274	.3156	----	----	1	----	5 - 1
11000	----	----	----	3.419B/*4.297A	----	3.858 - 0.229	.2495	----	----	----	----	21 UNCH
12500	----	----	----	2.319B/*3.143A	----	2.724 - 0.178	.1811	----	----	----	----	1 UNCH
13000	----	----	----	2.058B/2.863A	----	2.453 - 0.165	.1641	----	----	----	----	7 UNCH
14000	----	----	----	1.615B/2.462A	----	2.025 - 0.143	.1367	----	----	----	----	1 UNCH
14500	----	----	----	1.410B/*2.308A	----	1.833 - 0.133	.1246	----	----	----	----	400 UNCH
15000	----	----	----	1.233B/*2.177A	----	1.666 - 0.124	.1139	----	----	----	----	401 UNCH
TOTAL										4	0	867 - 2
FEB27												
7200	12.750	12.750	12.750/12.750	12.750/12.750	----	13.179 - 0.464	.6492	----	----	2	----	0 - 2
7500	----	----	----	11.573B/12.317A	----	11.868 - 0.440	.6050	----	----	----	----	1 UNCH
8500	----	----	----	8.080B/9.076A	----	8.574 - 0.367	.4738	----	----	----	----	4 UNCH
9000	----	----	----	6.896B/7.880A	----	7.388 - 0.336	.4197	----	----	----	----	1 UNCH
9500	----	----	----	5.916B/6.916A	----	6.421 - 0.306	.3729	----	----	----	----	4 UNCH
30000	----	----	----	0.319B/0.601A	----	0.462 - 0.041	.0299	----	----	----	----	1 UNCH
TOTAL										2	0	11 - 2
MAR27												
8000	----	----	----	10.139B/11.194A	----	10.633 - 0.401	.5412	----	----	----	----	201 UNCH
8775	----	----	----	7.983B/9.067A	----	8.472 - 0.350	.4531	----	----	----	----	3 UNCH
9000	7.900	7.900	7.900/*7.900	7.900/*7.900	----	7.966 - 0.338	.4308	----	----	20	----	56 + 19
9200	----	----	----	7.042B/8.126A	----	7.556 - 0.326	.4121	----	----	----	----	25 UNCH
10000	----	----	----	5.671B/6.769A	----	6.201 - 0.286	.3475	----	----	----	----	2 UNCH
11000	----	----	----	4.423B/*5.486A	----	4.957 - 0.245	.2846	----	----	----	----	1 UNCH
13000	----	----	----	2.852B/*3.822A	----	3.341 - 0.184	.1985	----	----	----	----	105 UNCH
14000	----	----	----	2.343B/*3.290A	----	2.811 - 0.161	.1689	----	----	----	----	105 UNCH
15000	----	----	----	1.949B/*2.878A	----	2.399 - 0.143	.1454	----	----	----	----	25 UNCH
16000	----	----	----	1.571B/2.594A	----	2.072 - 0.128	.1264	----	----	----	----	27 UNCH
20000	1.239	1.239	1.239/*1.239	1.290B/*1.239	----	1.275 NEW	.0789	----	----	1	----	1 + 1
25000	----	----	----	0.827B/0.971A	----	0.819 - 0.061	.0507	----	----	----	----	1 UNCH
30000	----	----	----	0.530B/0.731A	----	0.581 - 0.045	.0359	----	----	----	----	7 UNCH
TOTAL										21	0	559 + 20
APR27												
8525	10.600	10.600	10.615/*10.580A	10.615/10.580A	----	9.995 - 0.371	.4955	----	----	3	----	6 + 3
TOTAL										3	0	6 + 3
MAY27												
11000	----	----	----	----	----	7.124 - 0.279	.3414	----	----	----	----	1 UNCH
TOTAL											0	1 0
JUL27												
2000	----	----	----	----	----	58.576 - 0.624	.9969	----	----	----	----	1 UNCH
10000	----	----	----	----	----	9.962 - 0.325	.4268	----	----	----	----	1 UNCH
10300	----	----	----	----	----	9.482 - 0.314	.4090	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	40.814 - 0.588	.9291	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.305 - 0.199	.2342	----	----	----	----	25 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUL26												
2000	----	----	----	----/0.007A	----	0.001	UNCH ----	----	----	----	----	6 UNCH
2400	----	----	----	----/0.298A	----	0.001	UNCH ----	----	----	----	----	10 UNCH
2650	----	----	----	----/0.022A	----	0.001	UNCH .0000	----	----	----	----	6 UNCH
2900	----	----	----	----/0.023A	----	0.001 -	0.001 .0000	----	----	----	----	2 UNCH
3000	----	----	----	----/0.010A	----	0.001 -	0.002 .0001	----	----	----	----	6 UNCH
3025	----	----	----	----/*0.023A	----	0.001 -	0.002 .0001	----	----	----	----	1 UNCH
3175	----	----	----	----/0.025A	----	0.002 -	0.002 .0002	----	----	----	----	10 UNCH
3275	----	----	----	----/0.026A	----	0.002 -	0.002 .0003	----	----	----	----	1 UNCH
3350	----	----	----	----/0.027A	----	0.003 -	0.002 .0004	----	----	----	----	2 UNCH
3400	----	----	----	----/0.027A	----	0.003 -	0.003 .0004	----	----	----	----	55 UNCH
3475	----	----	----	----/0.028A	----	0.004 -	0.003 .0005	----	----	----	----	5 UNCH
3500	----	----	----	----/*0.010A	----	0.004 -	0.004 .0005	----	----	----	----	4 UNCH
3600	----	----	----	----/0.030A	----	0.006 -	0.004 .0008	----	----	----	----	12 UNCH
3700	----	----	----	----/0.032A	----	0.007 -	0.005 .0010	----	----	----	----	94 UNCH
3800	----	----	----/*0.014A	----/*0.014A	----	0.009 -	0.006 .0013	----	----	----	----	25 UNCH
3825	----	----	----	----/0.035A	----	0.009 -	0.007 .0013	----	----	----	----	8 UNCH
3850	----	----	----	----/0.035A	----	0.010 -	0.006 .0015	----	----	----	----	3 UNCH
3900	----	----	----/*0.014A	----/*0.014A	----	0.011 -	0.007 .0016	----	----	----	----	11 UNCH
3950	----	----	----	----/0.038A	----	0.012 -	0.008 .0018	----	----	----	----	1 UNCH
4000	0.015	0.015	0.015/*0.014	0.015/*0.014	----	0.013 -	0.008 .0019	----	----	3	----	97 - 1
4075	----	----	----	----/0.042A	----	0.014 -	0.008 .0021	----	----	----	----	16 UNCH
4100	----	----	----	----/0.042A	----	0.015 -	0.008 .0023	----	----	----	----	6 UNCH
4175	----	----	----	----/0.045A	----	0.017 -	0.007 .0026	----	----	----	----	9 UNCH
4200	----	----	----/*0.019A	----/*0.019A	----	0.017 -	0.008 .0026	----	----	----	----	27 UNCH
4225	----	----	----	----/0.047A	----	0.018 -	0.007 .0028	----	----	----	----	1 UNCH
4250	----	----	----	----/0.048A	----	0.018 -	0.008 .0028	----	----	----	----	21 UNCH
4300	----	----	----	0.010B/*0.030A	----	0.019 -	0.008 .0030	----	----	----	----	98 UNCH
4325	----	----	----	----/0.051A	----	0.020 -	0.008 .0032	----	----	----	----	17 UNCH
4375	----	----	----	----/0.053A	----	0.021 -	0.008 .0034	----	----	----	----	32 UNCH
4400	----	----	----	----/*0.040A	----	0.022 -	0.007 .0035	----	----	----	----	34 UNCH
4450	----	----	----	0.010B/*0.042A	----	0.024 -	0.006 .0039	----	----	----	----	4 UNCH
4475	----	----	----	0.013B/*0.037A	----	0.024 -	0.007 .0039	----	----	----	----	16 UNCH
4500	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.025 -	0.007 .0041	----	----	1	----	302 UNCH
4575	----	----	----	0.016B/*0.040A	----	0.028 -	0.005 .0047	----	----	----	----	75 UNCH
4600	----	----	----	0.024B/*0.039A	----	0.028 -	0.006 .0047	----	----	----	----	101 UNCH
4650	----	----	----	0.025B/*0.041A	----	0.030 -	0.005 .0051	----	----	----	----	40 UNCH
4675	----	----	----	0.027B/*0.042A	----	0.031 -	0.005 .0053	----	----	----	----	12 UNCH
4700	----	----	----	0.028B/*0.037A	----	0.032 -	0.005 .0055	----	----	----	----	154 UNCH
4725	----	----	----	0.029B/*0.041A	----	0.033 -	0.005 .0057	----	----	----	----	3 UNCH
4750	----	----	----/*0.036A	0.030B/*0.036A	----	0.034 -	0.004 .0059	----	----	----	----	55 UNCH
4775	----	----	----	0.031B/*0.043A	----	0.035 -	0.004 .0061	----	----	----	----	8 UNCH
4800	----	----	----	0.032B/0.044A	----	0.036 -	0.004 .0063	----	----	----	----	15 UNCH
4825	----	----	----	0.033B/*0.045A	----	0.037 -	0.004 .0065	----	----	----	----	26 UNCH
4850	----	----	----	0.034B/*0.046A	----	0.038 -	0.004 .0067	----	----	----	----	2 UNCH
4875	----	----	----	0.035B/*0.047A	----	0.040 -	0.002 .0071	----	----	----	----	23 UNCH
4900	----	----	----	0.037B/*0.048A	----	0.041 -	0.002 .0073	----	----	----	----	170 UNCH
4975	----	----	----	0.040B/*0.052A	----	0.045 -	0.001 .0081	----	----	----	----	2 UNCH
5000	0.050	0.050	0.056/0.049	0.056/0.049	----	0.046 -	0.001 .0083	----	----	11	----	951 - 5
5025	----	----	----	0.043B/*0.054A	----	0.047 -	0.001 .0086	----	----	----	----	1 UNCH
5050	----	----	----	0.044B/*0.055A	----	0.049	UNCH .0090	----	----	----	----	16 UNCH
5075	----	----	----	0.045B/*0.057A	----	0.050	UNCH .0092	----	----	----	----	11 UNCH
5100	----	----	----	0.047B/*0.057A	----	0.052	UNCH .0096	----	----	----	----	178 UNCH
5150	----	----	----	0.050B/*0.060A	----	0.055 +	0.001 .0103	----	----	----	----	5 UNCH
5175	----	----	----	0.051B/*0.061A	----	0.057 +	0.002 .0107	----	----	----	----	5 UNCH
5200	----	----	----	0.053B/*0.060A	----	0.059 +	0.002 .0111	----	----	----	----	109 UNCH
5225	----	----	----	0.055B/*0.065A	----	0.060 +	0.002 .0114	----	----	----	----	9 UNCH
5250	----	----	----	0.055B/*0.063A	----	0.062 +	0.002 .0118	----	----	----	----	225 UNCH
5275	----	----	----	0.058B/*0.068A	----	0.064 +	0.003 .0122	----	----	----	----	2 UNCH
5300	----	----	----	0.061B/*0.069A	----	0.066 +	0.003 .0127	----	----	----	----	124 UNCH
5325	----	----	----	0.061B/*0.071A	----	0.068 +	0.003 .0131	----	----	----	----	11 UNCH
5350	----	----	----	0.063B/*0.073A	----	0.070 +	0.003 .0136	----	----	----	----	26 UNCH
5375	----	----	----	0.065B/*0.075A	----	0.073 +	0.004 .0142	----	----	----	----	17 UNCH
5400	----	----	----	0.068B/*0.077A	----	0.075 +	0.005 .0147	----	----	----	----	76 UNCH
5425	----	----	----	0.070B/*0.078A	----	0.077 +	0.004 .0152	----	----	----	----	49 UNCH
5450	----	----	----	0.073B/*0.080A	----	0.080 +	0.005 .0158	----	----	----	----	38 UNCH
5475	----	----	----	0.075B/*0.083A	----	0.082 +	0.005 .0163	----	----	----	----	53 UNCH
5500	0.090	0.090	0.090/0.085	0.090/0.085	----	0.085 +	0.006 .0170	----	----	36	----	996 - 14
5525	0.079	0.079	0.081/*0.079	0.081/*0.079	----	0.088 +	0.006 .0176	----	----	2	----	89 + 2
5550	----	----	----	0.084B/*0.090A	----	0.091 +	0.006 .0183	----	----	----	----	18 UNCH
5575	----	----	----	0.086B/*0.092A	----	0.094 +	0.007 .0190	----	----	----	----	4 UNCH
5600	----	----	----	0.089B/*0.095A	----	0.097 +	0.007 .0197	----	----	----	----	46 UNCH
5625	0.092	0.092	0.093B/0.092	0.093B/0.092	----	0.100 +	0.006 .0204	----	----	1	----	31 UNCH
5650	0.093	0.093	0.096B/*0.093	0.096B/*0.093	----	0.104 +	0.007 .0213	----	----	1	----	31 + 1
5675	----	----	----	0.100B/*0.104A	----	0.107 +	0.007 .0221	----	----	----	----	45 UNCH
5700	----	----	----	0.104B/*0.107A	----	0.111 +	0.007 .0230	----	----	----	----	309 UNCH
5725	----	----	----	0.108B/0.110A	----	0.115 +	0.007 .0239	----	----	----	----	4 UNCH
5750	----	----	0.115B/0.111A	0.115B/0.111A	----	0.120 +	0.008 .0250	----	----	----	----	52 UNCH
5775	----	----	0.118B/*0.114A	0.118B/*0.114A	----	0.124 +	0.008 .0259	----	----	----	----	3 UNCH
5800	----	----	0.132B/*0.119A	0.132B/*0.119A	----	0.129 +	0.008 .0270	----	----	1	----	29 + 1
5825	----	----	0.130B/*0.123A	0.130B/*0.123A	----	0.134 +	0.009 .0282	----	----	----	----	4 UNCH
5850	----	----	0.135B/*0.127A	0.135B/*0.127A	----	0.139 +	0.008 .0293	----	----	----	----	114 UNCH
5875	----	----	0.141B/*0.132A	0.141B/*0.132A	----	0.144 +	0.008 .0305	----	----	----	----	4 UNCH
5900	----	----	0.147B/*0.136A	0.147B/*0.136A	----	0.150 +	0.008 .0319	----	----	----	----	11 UNCH
5925	----	----	0.154B/*0.144A	0.154B/*0.144A	----	0.156 +	0.008 .0332	----	----	----	----	2 UNCH
5950	----	----	0.162B/*0.148A	0.162B/*0.148A	----	0.163 +	0.009 .0348	----	----	----	----	3 UNCH
5975	----	----	0.171B/*0.155A	0.171B/*0.155A	----	0.170 +	0.009 .0364	----	----	----	----	10 UNCH
6000	0.150	0.150	0.199/*0.150	0.199/*0.150	----	0.177 +	0.009 .0379	----	----	54	----	806 + 22
6050	----	----	0.200B/*0.175A	0.200B/*0.175A	----	0.193 +	0.010 .0415	----	----	----	----	22 UNCH
6075	----	----	0.211B/*0.182A	0.211B/*0.182A	----	0.202 +	0.010 .0435	----	----	----	----	1 UNCH
6100	----	----	0.225B/*0.190A	0.225B/*0.190A	----	0.211 +	0.010 .0455	----	----	----	----	300 UNCH
6125	----	----	0.235B/*0.198A	0.235B/*0.198A	----	0.221 +	0.010 .0476	----	----	----	----	1 UNCH
6150	----	----	0.247B/*0.207A	0.247B/*0.207A	----	0.232 +	0.011 .0500	----	----	----	----	25 UNCH
6175	----	----	0.262B/*0.216A	0.262B/*0.216A	----	0.243 +	0.012 .0524	----	----	----	----	16 UNCH
6200	----	----	0.278B/*0.226A	0.278B/*0.226A	----	0.255 +	0.012 .0549	----	----	10	----	176 - 10
6225	----	----	0.294B/*0.236A	0.294B/*0.236A	----	0.268 +	0.013 .0577	----	----	----	----	3 UNCH
6250	----	----	0.315B/*0.246A	0.315B/*0.246A	----	0.281 +	0.013 .0604	----	----	2	----	26 + 1
6275	0.270	0.270	0.332B/*0.258A	0.332B/*0.258A	----	0.295 +	0.014 .0634	----	----	1	----	10 - 1
6300	----	----	0.353B/*0.272A	0.353B/*0.272A	----	0.311 +	0.015 .0667	----	----	10	----	309 - 8
6325	----	----	0.371B/*0.286A	0.371B/*0.286A	----	0.327 +	0.016 .0700	----	----	----	----	26 UNCH
6350	0.410	0.410	0.410/*0.300A	0.410/*0.300A	----	0.344 +	0.017 .0735	----	----	6	----	138 + 2
6375	0.361	0.361	0.414/*0.314A	0.414/*0.314A	----	0.362 +	0.017 .0771	----	----	5	----	28 + 15
6400	0.386	0.386	0.439B/*0.330A	0.439B/*0.330A	----	0.381 +	0.018 .0809	----	----	28	----	235 + 24
6425	0.412	0.412	0.466B/*0.349A	0.466B/*0.349A	----	0.401 +	0.019 .0849	----	----	6	----	27 + 6
6450	0.432	0.432	0.492B/*0.365A	0.492B/*0.365A	----	0.422 +	0.019 .0891	----	----	7	----	36 + 2
6475	0.455	0.455	0.522B/*0.387A	0.522B/*0.387A	----	0.445 +	0.020 .0936	----	----	12	----	18 + 11
6500	0.475	0.475	0.560/0.406A	0.560/0.406A	----	0.469 +	0.022 .0983	----	----	236	----	1084 - 72
6525	0.508	0.508	0.585B/*0.428A	0.585B/*0.428A	----	0.494 +	0.022 .1031	----	----	8	----	11 + 5
6550	0.501	0.501	0.621B/*0.451A	0.621B/*0.451A	----	0.521 +	0.024 .1082	----	----	17	----	98 + 14
6575	0.533	0.533	0.654B/*0.476A	0.654B/*0.476A	----	0.549 +	0.024 .1135	----	----	6	----	30 + 1
6600	0.559	0.559	0.699B/*0.500A	0.699B/*0.500A	----	0.579 +	0.026 .1190	----	----	27	----	77 + 16
6625	0.597	0.597	0.734B/*0.527A	0.734B/*0.527A	----	0.610 +	0.027 .1248	----	----	9	----	17 + 9
6650	0.635	0.635	0.778B/*0.554A	0.778B/*0.554A	----	0.643 +	0.028 .1308	----	----	63	----	89 - 44
6675	----	----	0.817B/*0.586A	0.817B/*0.586A	----	0.678 +	0.029 .1371	----	----	----	----	11 UNCH
6700	0.650	0.650	0.869B/*0.618A	0.869B/*0.618A	----	0.715 +	0.031 .1436	----	----	12	----	89 + 8
6725	----	----	0.913B/*0.650A	0.913B/*0.650A	----	0.754 +	0.033 .1504	----	----	----	----	3 UNCH
6750	0.680	0.680	0.971B/0.680	0.971B/0.680	----	0.794 +	0.034 .1573	----	----	1	----	49 UNCH
6775	----	----	1.022B/0.716A	1.022B/0.716A	----	0.837 +	0.035 .1646	----	----	1	----	13 - 1
6800	0.725	0.725	1.082B/0.725	1.082B/0.725	----	0.882 +	0.037 .1722	----	----	8	----	382 - 1
6825	----	----	1.135B/0.798A	1.135B/0.798A	----	0.929 +	0.039 .1799	----	----	----	----	7 UNCH
6850	----	----	1.204B/0.840A	1.204B/0.840A	----	0.978 +	0.040 .1879	----	----	6	----	22 + 5
6875	1.275	1.275	1.275/0.884A	1.275/0.884A	----	1.030 +	0.043 .1962	----	----	102	----	179 + 66
6900	1.205	1.205	1.336B/0.934A	1.336B/0.934A	----	1.084 +	0.044 .2048	----	----	8	----	158 + 3
6925	1.127	1.127	1.399B/0.981A	1.399B/0.981A	----	1.141 +	0.047 .2136	----	----	1	----	47 + 1
6950	1.187	1.187	1.478B/1.036A	1.478B/1.036A	----	1.201 +	0.050 .2227	----	----	6	----	126 + 6
6975	----	----	1.549B/1.087A	1.549B/1.087A	----	1.263 +	0.052 .2319	----	----	----	----	10 UNCH
7000	1.531	1.531	1.647/1.140	1.647/1.140	----	1.327 +	0.054 .2414	----	----	53	----	1091 + 3
7025	1.395	1.395	1.713B/1.207A	1.713B/1.207A	----	1.395 +	0.057 .2512	----	----	3	----	211 + 1
7050	----	----	1.799B/1.269A	1.799B/1.269A	----	1.465 +	0.059 .2611	----	----	1	----	10 - 1
7075	----	----	1.886B/1.338A	1.886B/1.338A	----	1.539 +	0.063 .2713	----	----	----	----	7 UNCH
7100	1.374	1.374	1.992B/1.374	1.992B/1.374	----	1.615 +	0.065 .2817	----	----	44	----	81 + 7
7125	1.840	1.840	2.072B/1.477A	2.072B/1.477A	----	1.694 +	0.068 .2922	----	----	1	----	13 + 1
7150	1.754	1.754	2.170B/1.553A	2.170B/1.553A	----	1.777 +	0.072 .3030	----	----	182	----	171 + 59
7175	----	----	2.271B/1.631A	2.271B/1.631A	----	1.863 +	0.076 .3140	----	----	----	----	33 UNCH
7200	2.093	2.093	2.388B/1.709A	2.388B/1.709A	----	1.951 +	0.078 .3250	----	----	9	----	169 + 4
7225	----	----	2.481B/1.794A	2.481B/1.794A	----	2.043 +	0.082 .3363	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
7250	2.170	2.170	2.592B/1.879A	2.592B/1.879A	----	2.139 + 0.086	.3477	----	----	9	----	199 UNCH
7275	----	----	2.705B/1.969A	2.705B/1.969A	----	2.237 + 0.090	.3592	----	----	----	----	4 UNCH
7300	2.504	2.504	2.822B/2.059A	2.822B/2.059A	----	2.339 + 0.094	.3708	----	----	4	----	76 UNCH
7325	----	----	2.942B/2.160A	2.942B/2.160A	----	2.444 + 0.098	.3825	----	----	----	----	14 UNCH
7350	----	----	3.067B/2.256A	3.067B/2.256A	----	2.553 + 0.103	.3943	----	----	----	----	10 UNCH
7375	----	----	3.191B/2.354A	3.191B/2.354A	----	2.664 + 0.107	.4061	----	----	----	----	121 UNCH
7400	2.592	2.592	3.379/2.447A	3.379/2.447A	----	2.780 + 0.112	.4180	----	----	11	----	145 + 7
7425	3.170	3.170	3.454B/2.562A	3.454B/2.562A	----	2.898 + 0.116	.4299	----	----	1	----	28 + 1
7450	3.388	3.388	3.591B/2.679A	3.591B/2.679A	----	3.020 + 0.121	.4418	----	----	2	----	95 - 2
7475	----	----	3.736B/2.789A	3.736B/2.789A	----	3.145 + 0.126	.4537	----	----	1	----	13 UNCH
7500	3.999	3.999	3.999/2.883A	3.999/2.883A	----	3.273 + 0.130	.4657	----	----	16	----	216 + 8
7525	3.421	3.421	4.017B/3.012A	4.017B/3.012A	----	3.405 + 0.136	.4776	----	----	2	----	26 UNCH
7550	3.438	3.438	4.164B/3.145A	4.164B/3.145A	----	3.540 + 0.141	.4894	----	----	2	----	36 - 2
7575	3.689	3.689	4.324B/3.267A	4.324B/3.267A	----	3.678 + 0.146	.5012	----	----	1	----	28 UNCH
7600	3.828	3.828	4.479B/3.394A	4.479B/3.394A	----	3.819 + 0.151	.5129	----	----	6	----	46 + 1
7625	3.995	3.995	4.637B/3.529A	4.637B/3.529A	----	3.964 + 0.157	.5246	----	----	4	----	38 - 1
7650	4.062	4.062	4.780B/3.656A	4.780B/3.656A	----	4.111 + 0.162	.5361	----	----	1	----	68 + 1
7675	----	----	4.927B/3.816A	4.927B/3.816A	----	4.262 + 0.168	.5475	----	----	1	----	36 - 1
7700	4.334	4.334	5.090B/3.933A	5.090B/3.933A	----	4.416 + 0.173	.5589	----	----	2	----	239 + 2
7725	----	----	5.265B/4.079A	5.265B/4.079A	----	4.572 + 0.178	.5701	----	----	----	----	35 UNCH
7750	----	----	5.409B/4.229A	5.409B/4.229A	----	4.732 + 0.184	.5811	----	----	----	----	24 UNCH
7775	----	----	5.584B/4.372A	5.584B/4.372A	----	4.894 + 0.190	.5920	----	----	----	----	5 UNCH
7800	----	----	5.762B/4.561A	5.762B/4.561A	----	5.059 + 0.195	.6028	----	----	----	----	110 UNCH
7825	----	----	5.967B/4.746A	5.967B/4.746A	----	5.227 + 0.201	.6134	----	----	----	----	27 UNCH
7850	----	----	6.150B/4.899A	6.150B/4.899A	----	5.398 + 0.207	.6238	----	----	----	----	35 UNCH
7875	----	----	6.308B/5.070A	6.308B/5.070A	----	5.571 + 0.213	.6340	----	----	----	----	26 UNCH
7900	----	----	6.496B/5.244A	6.496B/5.244A	----	5.746 + 0.218	.6441	----	----	3	----	30 - 3
7925	----	----	6.685B/5.415A	6.685B/5.415A	----	5.925 + 0.225	.6540	----	----	----	----	2 UNCH
7950	----	----	6.877B/5.584A	6.877B/5.584A	----	6.105 + 0.230	.6637	----	----	----	----	4 UNCH
7975	----	----	7.070B/5.790A	7.070B/5.790A	----	6.288 + 0.236	.6733	----	----	----	----	5 UNCH
8000	----	----	7.269B/5.951A	7.269B/5.951A	----	6.473 + 0.241	.6826	----	----	3	----	275 + 2
8050	----	----	7.663B/6.334A	7.663B/6.334A	----	6.851 + 0.254	.7006	----	----	----	----	1 UNCH
8075	----	----	7.865B/6.519A	7.865B/6.519A	----	7.042 + 0.259	.7094	----	----	----	----	10 UNCH
8100	----	----	8.069B/6.693A	8.069B/6.693A	----	7.236 + 0.265	.7179	----	----	----	----	48 UNCH
8125	----	----	8.274B/6.893A	8.274B/6.893A	----	7.432 + 0.271	.7262	----	----	----	----	7 UNCH
8150	----	----	8.481B/7.085A	8.481B/7.085A	----	7.630 + 0.277	.7343	----	----	----	----	2 UNCH
8175	----	----	8.689B/7.277A	8.689B/7.277A	----	7.830 + 0.283	.7422	----	----	----	----	4 UNCH
8200	8.321	8.321	8.900B/7.471A	8.900B/7.471A	----	8.032 + 0.290	.7499	----	----	1	----	23 UNCH
8225	----	----	9.111B/7.661A	9.111B/7.661A	----	8.235 + 0.295	.7574	----	----	----	----	17 UNCH
8250	----	----	9.325B/7.840A	9.325B/7.840A	----	8.440 + 0.301	.7647	----	----	----	----	90 UNCH
8275	----	----	9.539B/8.065A	9.539B/8.065A	----	8.647 + 0.307	.7719	----	----	----	----	15 UNCH
8300	9.291	9.291	9.755B/8.242A	9.755B/8.242A	----	8.856 + 0.313	.7788	----	----	1	----	130 UNCH
8325	----	----	9.972B/8.459A	9.972B/8.459A	----	9.066 + 0.319	.7855	----	----	----	----	1 UNCH
8350	----	----	10.191B/8.674A	10.191B/8.674A	----	9.277 + 0.324	.7921	----	----	----	----	20 UNCH
8375	----	----	10.410B/8.879A	10.410B/8.879A	----	9.491 + 0.330	.7983	----	----	----	----	4 UNCH
8400	----	----	10.631B/9.088A	10.631B/9.088A	----	9.705 + 0.335	.8045	----	----	----	----	13 UNCH
8425	----	----	10.853B/9.293A	10.853B/9.293A	----	9.921 + 0.341	.8105	----	----	----	----	4 UNCH
8450	----	----	11.076B/9.497A	11.076B/9.497A	----	10.138 + 0.346	.8162	----	----	----	----	33 UNCH
8475	----	----	11.301B/9.713A	11.301B/9.713A	----	10.357 + 0.352	.8218	----	----	----	----	1 UNCH
8500	----	----	11.526B/9.917A	11.526B/9.917A	----	10.576 + 0.357	.8272	----	----	----	----	168 UNCH
8525	----	----	11.756B/10.151A	11.756B/10.151A	----	10.797 + 0.362	.8325	----	----	----	----	4 UNCH
8550	----	----	11.983B/10.373A	11.983B/10.373A	----	11.019 + 0.367	.8376	----	----	----	----	37 UNCH
8575	----	----	12.211B/10.581A	12.211B/10.581A	----	11.242 + 0.372	.8425	----	----	----	----	1 UNCH
8600	----	----	12.440B/10.811A	12.440B/10.811A	----	11.466 + 0.377	.8473	----	----	----	----	75 UNCH
8625	----	----	12.665B/11.019A	12.665B/11.019A	----	11.692 + 0.383	.8519	----	----	----	----	7 UNCH
8650	----	----	12.900B/11.240A	12.900B/11.240A	----	11.918 + 0.387	.8563	----	----	----	----	1 UNCH
8675	----	----	13.131B/11.462A	13.131B/11.462A	----	12.145 + 0.392	.8607	----	----	----	----	1 UNCH
8700	----	----	13.363B/11.695A	13.363B/11.695A	----	12.373 + 0.397	.8648	----	----	----	----	11 UNCH
8725	----	----	13.591B/11.908A	13.591B/11.908A	----	12.602 + 0.401	.8689	----	----	----	----	1 UNCH
8800	----	----	14.298B/12.585A	14.298B/12.585A	----	13.293 + 0.414	.8802	----	----	----	----	59 UNCH
8850	----	----	14.768B/13.041A	14.768B/13.041A	----	13.758 + 0.423	.8870	----	----	----	----	1 UNCH
8900	----	----	15.241B/13.500A	15.241B/13.500A	----	14.225 + 0.431	.8935	----	----	----	----	2 UNCH
8975	----	----	15.950B/14.194A	15.950B/14.194A	----	14.930 + 0.442	.9024	----	----	----	----	2 UNCH
9000	----	----	16.193B/14.433A	16.193B/14.433A	----	15.167 + 0.446	.9051	----	----	----	----	320 UNCH
9025	----	----	16.431B/14.660A	16.431B/14.660A	----	15.404 + 0.450	.9078	----	----	----	----	1 UNCH
9175	----	----	17.869B/16.076A	17.869B/16.076A	----	16.834 + 0.471	.9218	----	----	----	----	1 UNCH
9200	----	----	18.110B/16.313A	18.110B/16.313A	----	17.074 + 0.474	.9239	----	----	----	----	11 UNCH
9250	----	----	18.594B/16.788A	18.594B/16.788A	----	17.555 + 0.481	.9278	----	----	----	----	1 UNCH
9275	----	----	18.836B/17.026A	18.836B/17.026A	----	17.796 + 0.484	.9297	----	----	----	----	1 UNCH
9300	----	----	19.079B/17.264A	19.079B/17.264A	----	18.037 + 0.487	.9314	----	----	----	----	5 UNCH
9400	----	----	20.051B/18.222A	20.051B/18.222A	----	19.006 + 0.500	.9381	----	----	----	----	1 UNCH
9450	----	----	20.539B/18.703A	20.539B/18.703A	----	19.491 + 0.505	.9411	----	----	----	----	12 UNCH
9500	----	----	21.027B/19.186A	21.027B/19.186A	----	19.978 + 0.510	.9438	----	----	----	----	217 UNCH
9600	----	----	22.006B/20.154A	22.006B/20.154A	----	20.954 + 0.520	.9489	----	----	----	----	50 UNCH
9775	----	----	23.730B/21.852A	23.730B/21.852A	----	22.670 + 0.535	.9562	----	----	----	----	5 UNCH
9900	----	----	24.957B/23.075A	24.957B/23.075A	----	23.899 + 0.544	.9607	----	----	----	----	6 UNCH
9950	----	----	25.455B/23.565A	25.455B/23.565A	----	24.392 + 0.549	.9621	----	----	----	----	5 UNCH
10000	----	----	25.949B/24.056A	25.949B/24.056A	----	24.885 + 0.552	.9636	----	----	----	----	225 UNCH
10275	----	----	28.666B/26.765A	28.666B/26.765A	----	27.604 + 0.570	.9702	----	----	----	----	7 UNCH
10500	----	----	30.902B/28.996A	30.902B/28.996A	----	29.834 + 0.580	.9743	----	----	----	----	3 UNCH
10600	----	----	31.598B/30.209A	31.598B/30.209A	----	30.826 + 0.584	.9759	----	----	----	----	9 UNCH
10800	----	----	33.559B/32.173A	33.559B/32.173A	----	32.813 + 0.591	.9786	----	----	----	----	1 UNCH
11000	----	----	35.705B/34.044A	35.705B/34.044A	----	34.802 + 0.596	.9810	----	----	----	----	250 UNCH
11300	----	----	38.559B/37.094A	38.559B/37.094A	----	37.788 + 0.602	.9839	----	----	----	----	10 UNCH
11500	----	----	40.551B/39.094A	40.551B/39.094A	----	39.780 + 0.604	.9856	----	----	----	----	1 UNCH
12000	----	----	45.536B/44.124A	45.536B/44.124A	----	44.765 + 0.610	.9887	----	----	3	----	21 + 1
13000	----	----	55.518B/54.094A	55.518B/54.094A	----	54.749 + 0.617	.9927	1	----	3	----	3 + 2
TOTAL										1078	0	15809 + 154
AUG26												
3300	----	----	----	----/0.239A	----	0.028 - 0.010	.0031	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/0.064A	----	0.046 - 0.006	.0058	----	----	----	----	1 UNCH
4000	0.032	0.032	0.032/*0.032	0.032/*0.032	----	0.050 - 0.005	.0064	----	----	3	----	4 + 3
4175	----	----	----	0.001B/0.085A	----	0.058 - 0.003	.0076	----	----	----	----	1 UNCH
4300	----	----	----	0.001B/0.095A	----	0.065 - 0.001	.0087	----	----	----	----	1 UNCH
4350	----	----	----	0.026B/0.099A	----	0.068 UNCH	.0092	----	----	----	----	1 UNCH
4375	----	----	----	0.027B/0.099A	----	0.069 - 0.001	.0094	----	----	----	----	160 UNCH
4400	----	----	----	0.033B/*0.095A	----	0.071 UNCH	.0097	----	----	----	----	1 UNCH
4450	----	----	----	0.045B/*0.095A	----	0.074 UNCH	.0102	----	----	----	----	1 UNCH
4500	0.063	0.063	0.063/*0.063	0.063/*0.063	----	0.078 + 0.001	.0109	----	----	1	----	7 UNCH
4600	----	----	----	0.055B/*0.109A	----	0.087 + 0.004	.0123	----	----	----	----	4 UNCH
4625	----	----	----	0.060B/*0.112A	----	0.089 + 0.004	.0126	----	----	----	----	1 UNCH
4700	----	----	----	0.069B/*0.115A	----	0.096 + 0.005	.0137	----	----	----	----	9 UNCH
4775	----	----	----	0.078B/0.131A	----	0.105 + 0.007	.0151	----	----	----	----	2 UNCH
4800	----	----	----	0.081B/0.139A	----	0.108 + 0.007	.0156	----	----	----	----	10 UNCH
4825	----	----	----	0.087B/0.138A	----	0.111 + 0.008	.0161	----	----	----	----	1 UNCH
5000	----	----	----	0.118B/0.152A	----	0.138 + 0.011	.0203	----	----	3	----	45 - 1
5275	----	----	----	0.178B/0.224A	----	0.200 + 0.017	.0297	----	----	----	----	1 UNCH
5300	----	----	----	0.184B/0.231A	----	0.207 + 0.017	.0307	----	----	----	----	2 UNCH
5400	----	----	----	0.216B/0.261A	----	0.239 + 0.019	.0355	----	----	----	----	4 UNCH
5425	----	----	----	0.225B/0.269A	----	0.248 + 0.019	.0368	----	----	----	----	1 UNCH
5500	----	----	----	0.256B/0.295A	----	0.277 + 0.021	.0410	----	----	----	----	166 + 1
5600	----	----	0.303B/----	0.303B/*0.335A	----	0.321 + 0.022	.0473	----	----	----	----	1 UNCH
5675	----	----	0.347B/----	0.347B/*0.371A	----	0.359 + 0.023	.0527	----	----	----	----	9 UNCH
5700	----	----	0.362B/----	0.362B/0.383A	----	0.373 + 0.024	.0547	----	----	----	----	7 UNCH
5750	----	----	0.410B/*0.375A	0.410B/*0.375A	----	0.402 + 0.025	.0587	----	----	----	----	2 UNCH
5775	----	----	0.428B/*0.389A	0.428B/*0.389A	----	0.418 + 0.026	.0609	----	----	1	----	3 + 1
5800	----	----	0.445B/0.404A	0.445B/0.404A	----	0.434 + 0.026	.0631	----	----	1	----	14 + 1
5850	----	----	0.482B/*0.437A	0.482B/*0.437A	----	0.468 + 0.027	.0678	----	----	----	----	7 UNCH
5875	----	----	0.510B/*0.453A	0.510B/*0.453A	----	0.486 + 0.028	.0702	----	----	----	----	4 UNCH
5900	----	----	0.539B/*0.469A	0.539B/*0.469A	----	0.505 + 0.028	.0728	----	----	----	----	8 UNCH
5925	----	----	0.556B/*0.485A	0.556B/*0.485A	----	0.524 + 0.028	.0754	----	----	----	----	6 UNCH
5950	----	----	0.586B/*0.504A	0.586B/*0.504A	----	0.545 + 0.030	.0781	----	----	----	----	10 UNCH
6000	----	----	0.635B/*0.542A	0.635B/*0.542A	----	0.588 + 0.031	.0838	----	----	----	28	315 + 28
6025	----	----	0.657B/*0.565A	0.657B/*0.565A	----	0.611 + 0.032	.0868	----	----	----	----	2 UNCH
6050	----	----	0.684B/*0.586A	0.684B/*0.586A	----	0.635 + 0.033	.0899	----	----	----	----	25 UNCH
6100	----	----	0.742B/*0.629A	0.742B/*0.629A	----	0.685 + 0.035	.0963	----	----	20	----	77 + 18
6125	----	----	0.770B/*0.652A	0.770B/*0.652A	----	0.712 + 0.036	.0997	----	----	----	----	5 UNCH
6150	0.659	0.659	0.806B/*0.659	0.806B/*0.659	----	0.740 + 0.038	.1032	----	----	4	----	29 UNCH
6175	0.686	0.686	0.835B/*0.686	0.835B/*0.686	----	0.769 + 0.039	.1069	----	----	15	----	17 + 5
6200	----	----	0.879B/*0.731A	0.879B/*0.731A	----	0.799 + 0.041	.1106	----	----	6	----	133 + 6
6225	----	----	0.905B/*0.759A	0.905B/*0.759A	----	0.830 + 0.042	.1144	----	----	----	----	10 UNCH
6250	----	----	0.953B/*0.788A	0.953B/*0.788A	----	0.863 + 0.044	.1183	----	----	----	----	113 UNCH
6275	----	----	0.988B/*0.819A	0.988B/*0.819A	----	0.897 + 0.046	.1224	----	----	----	----	2 UNCH
6300	----	----	1.036B/*0.851A	1.036B/*0.851A	----	0.932 + 0.048	.1266	----	----	25	----	157 + 5
6325	----	----	1.067B/*0.885A	1.067B/*0.885A	----	0.968 + 0.050	.1308	----	----	----	----	1 UNCH
6350	----	----	1.123B/*0.920A	1.123B/*0.920A	----	1.006 + 0.052	.1352	----	----	----	----	34 UNCH
6375	----	----	1.162B/*0.954A	1.162B/*0.954A	----	1.046 + 0.055	.1398	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
6400	1.009	1.009	1.211B/*0.992A	1.211B/*0.992A	----	1.086 + 0.056	.1444	----	----	1	----	97 UNCH
6425	----	----	1.242B/*1.032A	1.242B/*1.032A	----	1.129 + 0.059	.1492	----	----	----	----	9 UNCH
6450	1.089	1.089	1.317B/*1.072A	1.317B/*1.072A	----	1.173 + 0.061	.1541	----	----	2	----	38 + 2
6475	----	----	1.360B/*1.114A	1.360B/1.114A	----	1.218 + 0.062	.1591	----	----	----	----	1 UNCH
6500	1.212	1.212	1.424B/1.156A	1.424B/1.156A	----	1.266 + 0.065	.1642	----	----	60	----	171 - 24
6525	1.260	1.260	1.467B/1.198A	1.467B/1.198A	----	1.315 + 0.068	.1695	----	----	2	----	1 - 1
6550	----	----	1.537B/1.247A	1.537B/1.247A	----	1.366 + 0.070	.1749	----	----	2	----	3 + 2
6575	----	----	1.596B/*1.294A	1.596B/1.294A	----	1.418 + 0.072	.1804	----	----	----	----	51 UNCH
6600	----	----	1.661B/1.340A	1.661B/1.340A	----	1.473 + 0.075	.1860	----	----	14	----	127 + 12
6625	----	----	1.712B/1.394A	1.712B/1.394A	----	1.529 + 0.077	.1917	----	----	----	----	2 UNCH
6650	----	----	1.787B/1.449A	1.787B/1.449A	----	1.588 + 0.080	.1976	----	----	4	----	11 + 1
6675	----	----	1.849B/1.503A	1.849B/1.503A	----	1.649 + 0.083	.2036	----	----	----	----	1 UNCH
6700	1.570	1.570	1.931B/1.558A	1.931B/1.558A	----	1.711 + 0.085	.2097	----	----	4	----	27 + 2
6725	----	----	1.986B/1.620A	1.986B/1.620A	----	1.775 + 0.087	.2159	----	----	----	----	11 UNCH
6750	----	----	2.077B/1.681A	2.077B/1.681A	----	1.840 + 0.088	.2221	----	----	4	----	11 + 4
6775	----	----	2.139B/1.744A	2.139B/1.744A	----	1.906 + 0.087	.2284	----	----	----	----	16 UNCH
6800	1.810	1.810	2.232B/1.809A	2.232B/1.809A	----	1.975 + 0.088	.2348	----	----	4	----	165 + 3
6825	1.971	1.971	2.302B/1.829A	2.302B/1.829A	----	2.046 + 0.088	.2413	----	----	9	----	10 UNCH
6850	----	----	2.398B/1.944A	2.398B/1.944A	----	2.121 + 0.090	.2480	----	----	----	----	2 UNCH
6875	----	----	2.476B/2.015A	2.476B/2.015A	----	2.198 + 0.092	.2548	----	----	----	----	2 UNCH
6900	2.302	2.302	2.578B/2.089A	2.578B/2.089A	----	2.277 + 0.094	.2617	----	----	2	----	22 + 1
6925	2.301	2.301	2.654B/2.165A	2.654B/2.165A	----	2.359 NEW	.2687	----	----	1	----	1 + 1
6950	2.589	2.589	2.757B/2.241A	2.757B/2.241A	----	2.442 + 0.098	.2757	----	----	1	----	32 UNCH
6975	2.471	2.471	2.845B/2.322A	2.845B/2.322A	----	2.528 + 0.100	.2828	----	----	1	----	9 + 1
7000	2.795	2.795	2.954B/2.400A	2.954B/2.400A	----	2.616 + 0.101	.2899	----	----	10	----	411 + 1
7025	2.672	2.672	3.042B/2.489A	3.042B/2.489A	----	2.707 + 0.104	.2972	----	----	1	----	1 + 1
7050	2.772	2.772	3.159B/2.574A	3.159B/2.574A	----	2.799 + 0.106	.3044	----	----	1	----	14 + 1
7075	----	----	3.251B/2.663A	3.251B/2.663A	----	2.894 + 0.108	.3118	----	----	----	----	12 UNCH
7100	----	----	3.367B/2.754A	3.367B/2.754A	----	2.991 + 0.111	.3192	----	----	1	----	23 + 1
7125	----	----	3.476B/2.846A	3.476B/2.846A	----	3.090 + 0.113	.3266	----	----	----	----	20 UNCH
7150	----	----	3.594B/2.942A	3.594B/2.942A	----	3.192 + 0.116	.3341	----	----	----	----	5 UNCH
7175	----	----	3.704B/3.040A	3.704B/3.040A	----	3.296 + 0.119	.3416	----	----	----	----	10 UNCH
7200	----	----	3.829B/3.139A	3.829B/3.139A	----	3.402 + 0.122	.3492	----	----	5	----	106 + 5
7225	----	----	3.933B/3.241A	3.933B/3.241A	----	3.511 + 0.126	.3567	----	----	----	----	11 UNCH
7250	3.700	3.700	4.066B/3.346A	4.066B/3.346A	----	3.622 + 0.130	.3643	----	----	7	----	35 UNCH
7275	----	----	4.181B/3.452A	4.181B/3.452A	----	3.735 + 0.134	.3720	----	----	----	----	10 UNCH
7300	----	----	4.320B/3.564A	4.320B/3.564A	----	3.850 + 0.138	.3796	----	----	----	----	110 UNCH
7325	----	----	4.436B/3.681A	4.436B/3.681A	----	3.968 + 0.143	.3872	----	----	----	----	1 UNCH
7350	----	----	4.570B/3.789A	4.570B/3.789A	----	4.089 + 0.148	.3949	----	----	5	----	11 + 3
7400	4.107	4.107	4.841B/4.019A	4.841B/4.019A	----	4.336 + 0.157	.4102	----	----	2	----	26 + 1
7425	----	----	4.970B/4.143A	4.970B/4.143A	----	4.463 + 0.161	.4178	----	----	----	----	2 UNCH
7450	----	----	5.111B/4.264A	5.111B/4.264A	----	4.592 + 0.165	.4254	----	----	----	----	1 UNCH
7475	----	----	5.250B/4.392A	5.250B/4.392A	----	4.724 + 0.169	.4330	----	----	----	----	6 UNCH
7500	5.139	5.139	5.407B/4.511A	5.407B/4.511A	----	4.858 + 0.172	.4406	----	----	7	----	107 - 5
7525	----	----	5.538B/4.645A	5.538B/4.645A	----	4.995 + 0.176	.4481	----	----	----	----	11 UNCH
7550	----	----	5.685B/4.778A	5.685B/4.778A	----	5.133 + 0.179	.4557	----	----	----	----	18 UNCH
7575	----	----	5.836B/4.911A	5.836B/4.911A	----	5.274 + 0.182	.4632	----	----	----	----	2 UNCH
7600	----	----	5.985B/5.041A	5.985B/5.041A	----	5.417 + 0.185	.4706	----	----	1	----	7 + 1
7625	----	----	6.139B/5.185A	6.139B/5.185A	----	5.562 + 0.187	.4780	----	----	----	----	16 UNCH
7650	----	----	6.298B/5.324A	6.298B/5.324A	----	5.710 + 0.191	.4853	----	----	----	----	32 UNCH
7675	----	----	6.456B/5.464A	6.456B/5.464A	----	5.859 + 0.194	.4926	----	----	----	----	44 UNCH
7700	----	----	6.624B/5.612A	6.624B/5.612A	----	6.010 + 0.198	.4999	----	----	----	----	163 UNCH
7725	----	----	6.786B/5.754A	6.786B/5.754A	----	6.163 + 0.201	.5071	----	----	----	----	56 UNCH
7750	----	----	6.931B/5.900A	6.931B/5.900A	----	6.318 + 0.205	.5142	----	----	----	----	1 UNCH
7775	----	----	7.096B/6.050A	7.096B/6.050A	----	6.475 + 0.209	.5213	----	----	----	----	1 UNCH
7800	----	----	7.268B/6.204A	7.268B/6.204A	----	6.633 + 0.212	.5283	----	----	----	----	28 UNCH
7825	----	----	7.429B/6.355A	7.429B/6.355A	----	6.793 + 0.215	.5353	----	----	----	----	1 UNCH
7850	----	----	7.599B/6.517A	7.599B/6.517A	----	6.954 + 0.218	.5422	----	----	----	----	18 UNCH
7875	----	----	7.769B/6.665A	7.769B/6.665A	----	7.117 + 0.221	.5490	----	----	----	----	1 UNCH
7900	6.860	6.860	7.938B/6.827A	7.938B/6.827A	----	7.281 + 0.223	.5558	----	----	1	----	10 + 1
7925	----	----	8.115B/6.983A	8.115B/6.983A	----	7.447 + 0.225	.5625	----	----	----	----	2 UNCH
7950	----	----	8.281B/7.148A	8.281B/7.148A	----	7.615 + 0.228	.5692	----	----	----	----	61 UNCH
7975	----	----	8.453B/7.310A	8.453B/7.310A	----	7.783 + 0.229	.5758	----	----	----	----	2 UNCH
8000	----	----	8.632B/7.478A	8.632B/7.478A	----	7.954 + 0.231	.5823	----	----	----	----	295 UNCH
8025	----	----	8.809B/7.684A	8.809B/7.684A	----	8.126 + 0.232	.5888	----	----	----	----	1 UNCH
8100	----	----	9.352B/8.202A	9.352B/8.202A	----	8.650 + 0.236	.6078	----	----	----	----	10 UNCH
8125	----	----	9.548B/8.376A	9.548B/8.376A	----	8.828 + 0.237	.6140	----	----	----	----	1 UNCH
8150	----	----	9.722B/8.551A	9.722B/8.551A	----	9.007 + 0.238	.6201	----	----	----	----	14 UNCH
8175	----	----	9.901B/8.732A	9.901B/8.732A	----	9.188 + 0.239	.6262	----	----	----	----	1 UNCH
8200	----	----	10.094B/8.914A	10.094B/8.914A	----	9.370 + 0.240	.6321	----	----	----	----	10 UNCH
8225	----	----	10.298B/9.092A	10.298B/9.092A	----	9.554 + 0.242	.6380	----	----	----	----	4 UNCH
8250	----	----	10.498B/9.339A	10.498B/9.339A	----	9.739 + 0.244	.6439	----	----	----	----	10 UNCH
8275	----	----	10.682B/9.489A	10.682B/9.489A	----	9.925 + 0.245	.6496	----	----	----	----	5 UNCH
8300	----	----	10.874B/9.708A	10.874B/9.708A	----	10.113 + 0.247	.6553	----	----	----	----	1 UNCH
8325	----	----	11.067B/9.825A	11.067B/9.825A	----	10.302 + 0.249	.6608	----	----	----	----	5 UNCH
8400	----	----	11.648B/10.404A	11.648B/10.404A	----	10.877 + 0.258	.6771	----	----	----	----	1 UNCH
8425	----	----	11.861B/10.609A	11.861B/10.609A	----	11.072 + 0.263	.6824	----	----	----	----	1 UNCH
8475	----	----	12.260B/10.993A	12.260B/10.993A	----	11.465 + 0.271	.6926	----	----	----	----	1 UNCH
8500	----	----	12.452B/11.177A	12.452B/11.177A	----	11.663 + 0.274	.6977	----	----	1	----	22 UNCH
8600	----	----	13.281B/11.968A	13.281B/11.968A	----	12.468 + 0.289	.7170	----	----	----	----	3 UNCH
8650	----	----	13.685B/12.397A	13.685B/12.397A	----	12.877 + 0.294	.7261	----	----	----	----	1 UNCH
8700	----	----	14.120B/12.804A	14.120B/12.804A	----	13.291 + 0.300	.7349	----	----	----	----	2 UNCH
8825	----	----	15.178B/13.840A	15.178B/13.840A	----	14.342 + 0.314	.7557	----	----	----	----	4 UNCH
8850	----	----	15.390B/14.046A	15.390B/14.046A	----	14.555 + 0.317	.7596	----	----	----	----	1 UNCH
8900	----	----	15.823B/14.467A	15.823B/14.467A	----	14.983 + 0.323	.7673	----	----	----	----	24 UNCH
9000	----	----	16.738B/15.288A	16.738B/15.288A	----	15.848 + 0.337	.7819	----	----	----	----	63 UNCH
9025	----	----	16.903B/15.527A	16.903B/15.527A	----	16.066 + 0.340	.7854	----	----	----	----	4 UNCH
9150	----	----	18.011B/16.611A	18.011B/16.611A	----	17.166 + 0.358	.8018	----	----	----	----	4 UNCH
9175	----	----	18.236B/16.838A	18.236B/16.838A	----	17.389 + 0.362	.8049	----	----	----	----	1 UNCH
9200	----	----	18.462B/17.050A	18.462B/17.050A	----	17.612 + 0.366	.8080	----	----	----	----	1 UNCH
9225	----	----	18.687B/17.281A	18.687B/17.281A	----	17.835 + 0.369	.8110	----	----	----	----	1 UNCH
9275	----	----	19.140B/17.713A	19.140B/17.713A	----	18.284 + 0.377	.8168	----	----	----	----	5 UNCH
9300	----	----	19.367B/17.931A	19.367B/17.931A	----	18.510 + 0.381	.8196	----	----	----	----	1 UNCH
9325	----	----	19.597B/18.165A	19.597B/18.165A	----	18.736 + 0.385	.8223	----	----	----	----	11 UNCH
9350	----	----	19.825B/18.384A	19.825B/18.384A	----	18.962 + 0.388	.8251	----	----	----	----	4 UNCH
9500	21.310	21.310	21.310/19.743A	21.310/19.743A	----	20.333 + 0.408	.8401	----	----	1	----	32 + 1
9975	----	----	25.662B/24.137A	25.662B/24.137A	----	24.765 + 0.458	.8781	----	----	----	----	1 UNCH
10000	----	----	25.911B/24.358A	25.911B/24.358A	----	25.001 + 0.460	.8797	----	----	----	----	7 UNCH
10025	----	----	26.149B/24.627A	26.149B/24.627A	----	25.238 + 0.462	.8814	----	----	----	----	1 UNCH
10175	----	----	27.574B/26.038A	27.574B/26.038A	----	26.660 + 0.473	.8908	----	----	----	----	15 UNCH
TOTAL										233	28	4201 + 82
SEP26												
2500	----	----	----	----/0.394A	----	0.003 UNCH	.0003	----	----	----	----	60 UNCH
3000	----	----	----	----/0.309A	----	0.012 - 0.001	.0014	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/0.202A	----	0.036 - 0.002	.0042	----	----	----	----	74 UNCH
4000	----	----	----	0.048B/0.128A	----	0.082 - 0.004	.0096	----	----	----	----	45 UNCH
4500	----	----	----	0.112B/0.199A	----	0.159 - 0.005	.0188	----	----	----	----	11 UNCH
4525	----	----	----	0.116B/0.204A	----	0.164 - 0.005	.0194	----	----	----	----	3 UNCH
4800	----	----	----	0.179B/0.266A	----	0.230 - 0.004	.0274	----	----	----	----	2 UNCH
5000	----	----	----	0.245B/0.325A	----	0.292 - 0.003	.0349	----	----	----	----	237 UNCH
5100	----	----	----	0.283B/0.362A	----	0.330 - 0.002	.0395	----	----	----	----	1 UNCH
5200	----	----	----	0.331B/0.405A	----	0.372 - 0.002	.0445	----	----	----	----	1 UNCH
5400	----	----	----	0.449B/0.507A	----	0.477 + 0.001	.0567	----	----	----	----	2 UNCH
5475	----	----	----	0.504B/0.552A	----	0.525 + 0.003	.0621	----	----	----	----	3 UNCH
5500	----	----	----	0.523B/0.569A	----	0.541 + 0.002	.0640	----	----	----	----	233 + 1
5600	----	----	----	0.611B/0.639A	----	0.616 + 0.005	.0723	----	----	----	----	3 UNCH
5700	----	----	0.710B/----	0.710B/0.721A	----	0.701 + 0.007	.0815	----	----	----	----	7 UNCH
5750	----	----	0.766B/----	0.766B/0.763A	----	0.749 + 0.008	.0866	----	----	----	----	1 UNCH
5800	----	----	0.827B/----	0.827B/0.813A	----	0.802 + 0.010	.0921	----	----	----	----	8 UNCH
5850	----	----	0.860B/----	0.860B/0.861A	----	0.860 + 0.011	.0979	----	----	----	----	1 UNCH
5900	----	----	----	0.875B/0.918A	----	0.922 + 0.013	.1041	----	----	----	----	50 UNCH
6000	1.100	1.100	1.100/1.100	1.100/1.100	----	1.056 + 0.017	.1172	----	----	5	----	861 UNCH
6050	----	----	----	1.029B/1.264A	----	1.129 + 0.019	.1242	----	----	----	----	19 UNCH
6100	----	----	----	1.121B/1.336A	----	1.207 + 0.021	.1315	----	----	----	----	4 UNCH
6200	----	----	----	1.314B/1.469A	----	1.376 + 0.026	.1470	----	----	----	----	40 UNCH
6300	----	----	----/*1.514A	1.520B/*1.514A	----	1.566 + 0.031	.1638	----	----	----	----	5 UNCH
6400	----	----	1.751B/----	1.751B/1.871A	----	1.781 + 0.039	.1819	----	----	4	----	8 + 4
6425	----	----	1.813B/----	1.813B/1.928A	----	1.839 + 0.041	.1867	----	----	----	----	3 UNCH
6450	----	----	1.877B/----	1.877B/1.989A	----	1.898 + 0.043	.1915	----	----	----	----	1 UNCH
6500	----	----	2.007B/----	2.007B/2.112A	----	2.022 + 0.047	.2014	----	----	4	----	156 + 4
6550	----	----	2.148B/----	2.148B/2.241A	----	2.153 + 0.050	.2115	----	----	----	----	15 UNCH
6700	----	----	2.616B/----	2.616B/2.677A	----	2.594 + 0.065	.2439	----	----	----	----	5 UNCH
6750	----	----	2.784B/----	2.784B/2.837A	----	2.756 + 0.070	.2551	----	----	----	----	1 UNCH
6800	2.950	2.950	3.015/2.950	3.015/2.950	----	2.926 + 0.075	.2666	----	----	5	----	19 + 5
6850	----	----	3.145B/----	3.145B/3.180A	----	3.104 + 0.080	.2783	----	----	----	----	2 UNCH
6900	----	----	3.345B/----	3.345B/3.361A	----	3.289 + 0.084	.2901	----	----	----	----	24 UNCH
7000	3.712	3.712	3.758B/3.500A	3.758B/3.500A	----	3.683 + 0.093	.3142	----	----	15	----	147 + 15

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS											
SEP26													
7025	----	----	3.860B/----	3.860B/3.851A	----	3.787	+ 0.096	.3203	----	----	----	----	1 UNCH
7100	----	----	4.195B/----	4.195B/4.171A	----	4.108	+ 0.101	.3386	----	----	----	----	18 UNCH
7125	----	----	4.311B/----	4.311B/4.283A	----	4.219	+ 0.103	.3448	----	----	----	----	25 UNCH
7175	----	----	4.549B/----	4.549B/4.509A	----	4.446	+ 0.105	.3571	----	----	----	----	20 UNCH
7200	----	----	4.671B/----	4.671B/4.601A	----	4.563	+ 0.106	.3633	----	----	----	----	77 UNCH
7300	----	----	5.177B/----	5.177B/5.074A	----	5.048	+ 0.108	.3880	----	----	----	----	171 UNCH
7400	----	----	5.711B/----	5.711B/5.567A	----	5.563	+ 0.107	.4127	----	----	----	----	26 UNCH
7500	----	----	6.275B/----	6.275B/6.079A	----	6.107	+ 0.104	.4371	----	----	----	----	17 UNCH
7550	----	----	6.566B/----	6.566B/6.442A	----	6.389	+ 0.102	.4492	----	----	----	----	44 UNCH
7600	----	----	6.865B/----	6.865B/6.633A	----	6.679	+ 0.101	.4611	----	----	----	----	26 UNCH
7650	----	----	7.169B/----	7.169B/7.032A	----	6.975	+ 0.100	.4729	----	----	----	----	5 UNCH
7700	----	----	7.478B/----	7.478B/7.184A	----	7.277	+ 0.099	.4846	----	----	----	----	9 UNCH
7775	----	----	7.958B/----	7.958B/7.798A	----	7.744	+ 0.101	.5018	----	----	----	----	5 UNCH
7800	----	----	8.118B/7.794A	8.118B/7.794A	----	7.902	+ 0.101	.5075	----	----	----	----	26 UNCH
7900	----	----	8.782B/8.427A	8.782B/8.427A	----	8.551	+ 0.107	.5297	----	----	----	----	1 UNCH
8000	----	----	9.472B/9.074A	9.472B/9.074A	----	9.223	+ 0.118	.5512	----	----	1	----	94 + 1
8100	----	----	10.164B/9.741A	10.164B/9.741A	----	9.918	+ 0.133	.5718	----	----	----	----	1 UNCH
8200	----	----	10.900B/10.431A	10.900B/10.431A	----	10.633	+ 0.150	.5917	----	----	----	----	1 UNCH
8300	----	----	11.627B/----	11.627B/11.221A	----	11.368	+ 0.169	.6106	----	----	----	----	1 UNCH
8400	----	----	12.385B/----	12.385B/12.162A	----	12.121	+ 0.189	.6288	----	----	----	----	42 UNCH
8500	----	----	13.510B/----	13.510B/12.926A	----	12.891	+ 0.208	.6460	----	----	----	----	228 UNCH
8700	----	----	14.743B/----	14.743B/14.433A	----	14.478	+ 0.242	.6781	----	----	----	----	101 UNCH
9000	----	----	17.214B/----	17.214B/16.950A	----	16.958	+ 0.288	.7202	----	----	----	----	74 UNCH
9300	----	----	19.779B/----	19.779B/19.503A	----	19.529	+ 0.335	.7562	----	----	----	----	1 UNCH
9400	----	----	20.648B/----	20.648B/20.371A	----	20.402	+ 0.349	.7671	----	----	----	----	15 UNCH
10150	----	----	----	18.365B/37.479A	----	27.112	+ 0.375	.8353	----	----	----	----	1 UNCH
10300	----	----	----	19.678B/39.086A	----	28.486	+ 0.373	.8463	----	----	----	----	1 UNCH
11000	----	----	----	25.950B/45.800A	----	35.079	+ 0.420	.8845	----	----	----	----	1 UNCH
TOTAL											34	0	3106 + 30
OCT26													
2675	----	----	----	----/2.856A	----	0.058	+ 0.002	.0046	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.098	+ 0.006	.0084	----	----	----	----	1 UNCH
4000	----	----	----	0.079B/0.195A	----	0.177	+ 0.014	.0168	----	----	----	----	3 UNCH
4500	----	----	----	0.177B/0.299A	----	0.273	+ 0.024	.0271	----	----	----	----	3 UNCH
5000	----	----	----	0.366B/0.481A	----	0.453	+ 0.040	.0458	----	----	----	----	6 UNCH
5050	----	----	----	0.390B/0.506A	----	0.479	+ 0.043	.0483	----	----	----	----	1 UNCH
5150	----	----	----	0.452B/0.560A	----	0.536	+ 0.048	.0539	----	----	----	----	5 UNCH
6300	----	----	2.170B/*1.946A	2.170B/*1.946A	----	2.033	+ 0.077	.1771	----	----	----	----	15 UNCH
6500	----	----	2.738B/*2.443A	2.738B/2.443A	----	2.555	+ 0.083	.2118	----	----	----	----	174 UNCH
6625	----	----	3.128B/*2.806A	3.128B/*2.806A	----	2.928	+ 0.088	.2351	----	----	----	----	1 UNCH
6650	3.064	3.064	3.228B/*2.879A	3.228B/*2.879A	----	3.007	NEW	.2398	----	----	36	----	36 + 36
6700	----	----	3.405B/*3.037A	3.405B/*3.037A	----	3.170	+ 0.092	.2495	----	----	80	----	70 + 69
6725	----	----	3.448B/*3.118A	3.448B/*3.118A	----	3.253	+ 0.092	.2544	----	----	----	----	1 UNCH
6750	----	----	3.600B/*3.201A	3.600B/3.201A	----	3.338	+ 0.093	.2593	----	----	----	----	1 UNCH
6800	----	----	3.783B/3.371A	3.783B/3.371A	----	3.514	+ 0.095	.2693	----	----	----	----	2 UNCH
6850	----	----	3.980B/3.549A	3.980B/3.549A	----	3.695	+ 0.096	.2793	----	----	----	----	1 UNCH
7000	----	----	4.620B/4.123A	4.620B/4.123A	----	4.282	+ 0.101	.3103	----	----	----	----	89 UNCH
7025	----	----	4.640B/*4.226A	4.640B/4.226A	----	4.386	+ 0.101	.3155	----	----	----	----	1 UNCH
7050	----	----	4.847B/4.329A	4.847B/4.329A	----	4.492	+ 0.102	.3207	----	----	----	----	1 UNCH
7225	----	----	5.551B/*5.110A	5.551B/5.110A	----	5.287	+ 0.115	.3579	----	----	----	----	87 UNCH
7300	----	----	6.100B/5.480A	6.100B/5.480A	----	5.659	+ 0.127	.3738	----	----	----	----	8 UNCH
7350	----	----	6.367B/5.722A	6.367B/5.722A	----	5.916	+ 0.136	.3845	----	----	----	----	1 UNCH
7500	----	----	7.194B/6.505A	7.194B/6.505A	----	6.741	+ 0.181	.4160	----	----	----	----	28 UNCH
7600	----	----	7.778B/7.058A	7.778B/7.058A	----	7.323	+ 0.212	.4366	----	----	----	----	13 UNCH
7700	----	----	8.387B/7.634A	8.387B/7.634A	----	7.920	+ 0.228	.4569	----	----	----	----	1 UNCH
7775	----	----	8.673B/8.112A	8.673B/8.112A	----	8.373	+ 0.228	.4718	----	----	----	----	2 UNCH
7950	----	----	10.015B/9.176A	10.015B/9.176A	----	9.467	+ 0.214	.5057	----	----	----	----	10 UNCH
8000	----	----	10.341B/9.493A	10.341B/9.493A	----	9.792	+ 0.211	.5151	----	----	----	----	10 UNCH
8200	----	----	11.763B/10.829A	11.763B/10.829A	----	11.161	+ 0.227	.5510	----	----	----	----	6 UNCH
8375	----	----	12.825B/12.091A	12.825B/12.091A	----	12.425	+ 0.253	.5802	----	----	----	----	1 UNCH
8400	----	----	13.031B/12.237A	13.031B/12.237A	----	12.610	+ 0.258	.5843	----	----	----	----	6 UNCH
9100	----	----	18.239B/----	18.239B/17.880A	----	18.073	+ 0.321	.6828	----	----	----	----	1 UNCH
10000	----	----	25.983B/----	25.983B/25.865A	----	25.800	+ 0.394	.7727	----	----	----	----	40 UNCH
TOTAL											116	0	633 + 105
NOV26													
4500	----	----	0.269B/----	0.269B/0.424A	----	0.321	+ 0.053	.0305	----	----	----	----	1 UNCH
4550	----	----	----	0.289B/0.443A	----	0.341	+ 0.051	.0323	----	----	----	----	1 UNCH
4800	----	----	----	0.408B/0.559A	----	0.461	+ 0.043	.0432	----	----	----	----	1 UNCH
5000	----	----	----	0.535B/0.679A	----	0.584	+ 0.032	.0540	----	----	----	----	12 UNCH
5200	----	----	----	0.701B/0.827A	----	0.740	+ 0.022	.0672	----	----	----	----	1 UNCH
5400	----	----	0.925B/----	0.925B/1.014A	----	0.937	+ 0.014	.0832	----	----	----	----	9 UNCH
5600	----	----	----	1.131B/1.246A	----	1.184	+ 0.013	.1023	----	----	----	----	12 UNCH
5950	----	----	----	1.667B/1.988A	----	1.769	+ 0.033	.1437	----	----	----	----	1 UNCH
6000	----	----	----	1.696B/2.010A	----	1.870	+ 0.036	.1504	----	----	----	----	3 UNCH
6425	----	----	----	2.817B/3.208A	----	2.951	+ 0.075	.2156	----	----	----	----	1 UNCH
6700	----	----	----	3.774B/4.133A	----	3.878	+ 0.096	.2638	----	----	----	----	50 UNCH
7000	----	----	5.040B/----	5.040B/5.367A	----	5.111	+ 0.121	.3196	----	----	----	----	41 UNCH
7025	----	----	5.174B/----	5.174B/5.480A	----	5.224	+ 0.123	.3243	----	----	----	----	6 UNCH
7400	----	----	7.072B/----	7.072B/7.347A	----	7.106	+ 0.161	.3952	----	----	----	----	24 UNCH
7500	----	----	7.637B/----	7.637B/7.899A	----	7.663	+ 0.171	.4137	----	----	----	----	7 UNCH
7700	----	----	8.833B/----	8.833B/9.067A	----	8.843	+ 0.191	.4500	----	----	----	----	50 UNCH
8500	----	----	14.357B/----	14.357B/14.481A	----	14.294	+ 0.266	.5775	----	----	----	----	60 UNCH
9000	----	----	18.238B/----	18.238B/18.323A	----	18.156	+ 0.308	.6416	----	----	----	----	5 UNCH
9050	----	----	18.620B/----	18.620B/18.723A	----	18.557	+ 0.312	.6474	----	----	----	----	3 UNCH
10000	----	----	26.645B/----	26.645B/26.690A	----	26.551	+ 0.378	.7389	----	----	----	----	1 UNCH
11000	----	----	35.100B/----	35.100B/35.628A	----	35.521	+ 0.431	.8053	----	----	----	----	1 UNCH
TOTAL												0	290 0
DEC26													
1500	----	----	----	----/0.050A	----	0.002	UNCH	.0001	----	----	----	----	180 UNCH
2000	----	----	----	----/3.190A	----	0.006	- 0.001	.0005	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.224A	----	0.019	UNCH	.0017	----	----	----	----	32 UNCH
3000	----	----	----	0.001B/3.370A	----	0.046	- 0.001	.0043	----	----	----	----	93 UNCH
3100	----	----	----	0.001B/3.404A	----	0.055	UNCH	.0051	----	----	----	----	1 UNCH
3150	----	----	----	0.001B/0.660A	----	0.059	- 0.001	.0055	----	----	----	----	1 UNCH
3500	----	----	----	0.061B/0.245A	----	0.102	UNCH	.0094	----	----	----	----	45 UNCH
3850	----	----	----	0.125B/0.321A	----	0.171	+ 0.001	.0156	----	----	----	----	1 UNCH
3925	----	----	----	0.142B/0.341A	----	0.190	+ 0.002	.0173	----	----	----	----	1 UNCH
4000	----	----	----	0.161B/0.362A	----	0.210	+ 0.001	.0191	----	----	----	----	75 UNCH
4500	----	----	----	0.344B/0.554A	----	0.409	+ 0.006	.0359	----	----	----	----	35 UNCH
4600	----	----	----	0.396B/0.606A	----	0.465	+ 0.007	.0405	----	----	----	----	4 UNCH
4800	----	----	----	0.527B/0.728A	----	0.595	+ 0.010	.0509	----	----	----	----	241 UNCH
5000	----	----	----	0.695B/0.878A	----	0.757	+ 0.014	.0634	----	----	----	----	377 UNCH
5250	----	----	----	0.962B/1.117A	----	1.012	+ 0.021	.0823	----	----	----	----	50 UNCH
5300	----	----	----	1.027B/1.173A	----	1.071	+ 0.023	.0865	----	----	----	----	250 UNCH
5400	----	----	----	1.168B/1.293A	----	1.198	+ 0.026	.0954	----	----	----	----	100 UNCH
5500	----	----	----	1.219B/1.425A	----	1.339	+ 0.030	.1051	----	----	----	----	229 UNCH
5600	----	----	----	1.179B/1.896A	----	1.496	+ 0.034	.1155	----	----	----	----	8 UNCH
5650	----	----	----	1.273B/1.972A	----	1.580	+ 0.036	.1210	----	----	----	----	12 UNCH
5800	----	----	----	1.815B/2.141A	----	1.859	+ 0.043	.1386	----	----	----	----	2 UNCH
5950	----	----	----	1.918B/2.507A	----	2.181	+ 0.052	.1578	----	----	----	----	5 UNCH
6000	----	----	----	2.035B/2.626A	----	2.297	+ 0.054	.1645	----	----	----	----	136 UNCH
6200	----	----	----	2.563B/3.155A	----	2.816	+ 0.067	.1931	----	----	----	----	13 UNCH
6300	----	----	----	2.866B/3.452A	----	3.108	+ 0.074	.2082	----	----	----	----	25 UNCH
6500	----	----	----	3.530B/4.111A	----	3.759	+ 0.089	.2400	----	----	----	----	738 UNCH
6650	----	----	----	4.091B/4.667A	----	4.309	+ 0.101	.2649	----	----	----	----	5 UNCH
6725	----	----	----	4.393B/4.963A	----	4.604	+ 0.107	.2776	----	----	----	----	4 UNCH
6750	----	----	----	4.496B/5.065A	----	4.705	+ 0.109	.2819	----	----	----	----	6 UNCH
6800	----	----	----	4.708B/5.261A	----	4.912	+ 0.113	.2904	----	----	----	----	79 UNCH
6850	----	----	----	4.925B/5.477A	----	5.125	+ 0.117	.2991	----	----	----	----	78 UNCH
6900	----	----	----	5.148B/5.696A	----	5.344	+ 0.122	.3077	----	----	----	----	1 UNCH
6950	----	----	----	5.377B/5.920A	----	5.569	+ 0.126	.3164	----	----	----	----	121 UNCH
7000	----	----	----	5.612B/6.150A	----	5.800	+ 0.131	.3251	----	----	----	----	230 UNCH
7075	----	----	----	5.975B/6.506A	----	6.157	+ 0.137	.3381	----	----	----	----	20 UNCH
7100	----	----	----	6.098B/6.628A	----	6.279	+ 0.139	.3425	----	----	----	----	2 UNCH
7200	----	----	----	6.607B/7.127A	----	6.781	+ 0.148	.3599	----	----	----	----	14 UNCH
7250	----	----	----	6.870B/7.388A	----	7.041	+ 0.154	.3685	----	----	----	----	48 UNCH
7500	----	----	8.264B/----	8.264B/8.757A	----	8.416	+ 0.176	.4113	----	----	----	----	22 UNCH
7550	----	----	8.557B/----	8.557B/9.046A	----	8.707	+ 0.181	.4197	----	----	----	----	1 UNCH
7800	----	----	10.100B/----	10.100B/10.562A	----	10.230	+ 0.204	.4605	----	----	----	----	20 UNCH
7850	----	----	10.422B/----	10.422B/10.878A	----	10.548	+ 0.208	.4684	----	----	----	----	10 UNCH
7875	----	----	10.584B/----	10.584B/11.038A	----	10.709	+ 0.210	.4723	----	----	----	----	1 UNCH
7900	----	----	10.748B/----	10.748B/11.199A	----	10.871	+ 0.213	.4762	----	----	----	----	19 UNCH
8000	----	----	11.412B/----	11.412B/11.852A	----	11.528	+ 0.221	.4914	----	----	----	----	58 UNCH
8100	----	----	12.092B/----	12.092B/12.520A	----	12.202	+ 0.230	.5063	----	----	----	----	1 UNCH
8200	----	----	12.788B/----	12.788B/13.206A	----	12.891	+ 0.239	.5208	----	----	----	----	35 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
DEC26												
8350	----	----	13.884B/----	13.884B/14.260A	----	13.951 + 0.251	.5418	----	----	----	----	9 UNCH
8400	----	----	14.220B/----	14.220B/14.618A	----	14.312 + 0.256	.5485	----	----	----	----	50 UNCH
8500	----	----	14.956B/----	14.956B/15.346A	----	15.042 + 0.263	.5618	----	----	----	----	166 UNCH
8550	----	----	15.328B/----	15.328B/15.713A	----	15.412 + 0.267	.5682	----	----	----	----	25 UNCH
8600	----	----	15.704B/----	15.704B/16.085A	----	15.785 + 0.271	.5746	----	----	----	----	2 UNCH
8800	----	----	17.233B/----	17.233B/17.597A	----	17.306 + 0.287	.5990	----	----	----	----	12 UNCH
8900	----	----	18.013B/----	18.013B/18.369A	----	18.083 + 0.295	.6106	----	----	----	----	30 UNCH
9000	----	----	18.803B/----	18.803B/19.152A	----	18.870 + 0.302	.6218	----	----	----	----	3 UNCH
9050	----	----	19.203B/----	19.203B/19.547A	----	19.267 + 0.306	.6272	----	----	----	----	100 UNCH
9500	----	----	22.880B/----	22.880B/23.197A	----	22.935 + 0.336	.6723	----	----	----	----	2 UNCH
9850	----	----	25.841B/----	25.841B/26.136A	----	25.890 + 0.358	.7027	----	----	----	----	8 UNCH
9950	----	----	26.728B/----	26.728B/26.990A	----	26.748 + 0.363	.7107	----	----	----	----	1 UNCH
10025	----	----	27.376B/----	27.376B/27.634A	----	27.396 + 0.368	.7166	----	----	----	----	3 UNCH
10125	----	----	28.225B/----	28.225B/28.497A	----	28.263 + 0.373	.7241	----	----	----	----	1 UNCH
10700	----	----	33.317B/----	33.317B/33.555A	----	33.345 + 0.403	.7628	----	----	----	----	5 UNCH
10800	----	----	34.237B/----	34.237B/34.449A	----	34.243 + 0.408	.7688	----	----	----	----	2 UNCH
11000	----	----	36.027B/----	36.027B/36.249A	----	36.050 + 0.417	.7802	----	----	----	----	2 UNCH
11500	----	----	----	40.074B/40.804A	----	40.623 + 0.438	.8056	----	----	----	----	1 UNCH
12000	----	----	----	24.006B/68.110A	----	45.264 + 0.457	.8271	----	----	----	----	1 UNCH
12100	----	----	----	24.890B/69.097A	----	46.199 + 0.461	.8310	----	----	----	----	1 UNCH
12300	----	----	----	26.722B/71.096A	----	48.076 + 0.468	.8385	----	----	----	----	1 UNCH
15000	----	----	----	53.073B/96.765A	----	73.994 + 0.537	.9056	----	----	----	----	1 UNCH
19000	----	----	----	93.171B/133.905A	----	113.416 + 0.600	.9488	----	----	----	----	1 UNCH
TOTAL											0	3866 0
JAN27												
3800	----	----	----	0.136B/0.394A	----	0.264 + 0.002	.0206	----	----	----	----	1 UNCH
6500	----	----	----	3.813B/4.641A	----	4.167 + 0.094	.2395	----	----	----	----	2 UNCH
6925	----	----	----	5.539B/6.381A	----	5.885 + 0.126	.3054	----	----	----	----	24 UNCH
7000	----	----	----	5.889B/6.727A	----	6.229 + 0.133	.3173	----	----	----	----	35 UNCH
7100	----	----	----	6.373B/7.206A	----	6.706 + 0.141	.3332	----	----	----	----	20 UNCH
7125	----	----	----	6.497B/7.329A	----	6.829 + 0.143	.3371	----	----	----	----	1 UNCH
8600	----	----	15.848B/----	15.848B/16.518A	----	16.059 + 0.262	.5482	----	----	----	----	1 UNCH
8850	----	----	17.727B/----	17.727B/18.380A	----	17.928 + 0.281	.5769	----	----	----	----	9 UNCH
TOTAL											0	93 0
FEB27												
6500	----	----	----	4.292B/5.177A	----	4.670 + 0.101	.2466	----	----	----	----	1 UNCH
8150	----	----	----	13.222B/14.036A	----	13.533 + 0.229	.4831	----	----	----	----	10 UNCH
8225	----	----	----	13.736B/14.544A	----	14.045 + 0.234	.4925	----	----	----	----	10 UNCH
8250	----	----	----	13.945B/14.714A	----	14.217 + 0.235	.4956	----	----	----	----	10 UNCH
TOTAL											0	31 0
MAR27												
5500	----	----	----	1.716B/2.724A	----	2.208 + 0.048	.1308	----	----	----	----	1 UNCH
6000	----	----	----	3.000B/3.931A	----	3.426 + 0.074	.1866	----	----	----	----	50 UNCH
6500	----	----	----	4.750B/5.693A	----	5.145 + 0.106	.2523	----	----	----	----	20 UNCH
6825	----	----	----	6.114B/7.093A	----	6.537 + 0.130	.2978	----	----	----	----	2 UNCH
7500	----	----	----	9.665B/10.616A	----	10.042 + 0.180	.3923	----	----	----	----	3 UNCH
8100	----	----	----	13.455B/14.347A	----	13.783 + 0.224	.4704	----	----	----	----	6 UNCH
8300	----	----	----	14.829B/15.707A	----	15.144 + 0.239	.4942	----	----	----	----	50 UNCH
8500	----	----	----	16.249B/17.114A	----	16.554 + 0.252	.5169	----	----	----	----	3 UNCH
8975	----	----	----	19.790B/20.621A	----	20.079 + 0.282	.5661	----	----	----	----	1 UNCH
10500	----	----	32.282B/----	32.282B/33.026A	----	32.583 + 0.362	.6854	----	----	----	----	10 UNCH
TOTAL											0	146 0
APR27												
4000	----	----	----	0.387B/0.714A	----	0.551 + 0.009	.0357	----	----	----	----	1 UNCH
8725	18.440	18.440	#18.440/*18.440	18.440/*18.440	----	18.516 + 0.257	.5242	----	----	1	----	2 + 1
TOTAL										1	0	3 + 1
DEC27												
7175	----	----	----	----	----	12.661 + 0.150	.3183	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
JUN26												
7350	----	----	----/2.053A	3.258B/2.053A	----	2.617 - 0.659	.6971	----	----	----	----	11 UNCH
7400	----	----	----/1.781A	2.884B/1.781A	----	2.284 - 0.644	.6472	----	----	----	----	6 UNCH
7430	1.652	1.652	#1.850/*1.630A	#2.602B/*1.630A	----	2.097 NEW	.6155	----	----	2	----	1 + 1
7500	----	----	----/1.319A	2.219B/1.319A	----	1.700 - 0.597	.5380	----	----	----	----	21 UNCH
7550	----	----	----/*1.120A	1.956B/*1.120A	----	1.450 - 0.567	.4814	----	----	----	----	15 UNCH
7600	----	----	----/*0.947A	1.716B/*0.947A	----	1.229 - 0.533	.4254	----	----	----	----	13 UNCH
7610	----	----	----	#1.681B/*0.944A	----	1.189 NEW	.4144	----	----	2	----	2 + 2
7650	1.000	1.000	1.000/*0.804A	1.461B/*0.804A	----	1.036 - 0.496	.3714	----	----	2	----	4 + 2
7700	----	----	----/*0.662A	1.246B/*0.662A	----	0.870 - 0.457	.3208	----	----	----	----	13 UNCH
7790	0.621	0.621	#0.621/*0.618	#0.882B/*0.500A	----	0.630 NEW	.2406	----	----	2	----	2 + 2
7800	0.980	0.980	0.980/*0.468A	0.980/*0.468A	----	0.608 - 0.380	.2327	----	----	2	----	17 + 1
7850	----	----	----/*0.398A	0.710B/*0.398A	----	0.508 - 0.344	.1962	----	----	----	----	2 UNCH
7900	----	----	----/*0.332A	0.610B/*0.332A	----	0.424 - 0.310	.1644	----	----	----	----	4 UNCH
7950	----	----	----/*0.282A	0.504B/*0.282A	----	0.356 - 0.277	.1376	----	----	----	----	11 UNCH
8000	0.520	0.520	0.520/*0.241A	0.520/*0.241A	----	0.299 - 0.248	.1148	----	----	10	----	19 + 5
8100	0.380	0.380	0.380/*0.181A	0.380/*0.181A	----	0.215 - 0.197	.0804	----	----	1	----	97 UNCH
8150	----	----	----/*0.162A	0.238B/*0.162A	----	0.184 - 0.176	.0676	----	----	----	----	1 UNCH
8200	----	----	----/*0.143A	0.187B/*0.143A	----	0.158 - 0.157	.0569	----	----	----	----	1 UNCH
8300	----	----	----/*0.121A	0.131B/*0.121A	----	0.120 - 0.125	.0412	----	----	----	----	132 UNCH
8400	----	----	----/*0.102A	0.095B/*0.102A	----	0.093 - 0.101	.0303	----	----	----	----	1 UNCH
8500	----	----	----/*0.072A	0.073B/*0.072A	----	0.075 - 0.081	.0231	----	----	----	----	11 UNCH
8600	----	----	----/*0.075A	0.057B/*0.075A	----	0.061 - 0.067	.0178	----	----	----	----	81 UNCH
9000	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.026 - 0.035	.0061	----	----	3	----	96 - 3
9500	----	----	----	0.005B/*0.031A	----	0.008 - 0.018	.0014	----	----	----	----	130 UNCH
11500	----	----	----	----/0.284A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
TOTAL										24	0	692 + 10
SO1 PUT		SILVER OPTIONS										
JUN26												
6100	----	----	----	0.014B/*0.045A	----	0.016 - 0.015	.0032	----	----	----	----	2 UNCH
6200	0.037	0.037	0.037/*0.037	0.037/*0.037	----	0.021 NEW	.0045	----	----	2	----	2 + 2
6400	----	----	----	0.033B/*0.057A	----	0.037 - 0.017	.0091	----	----	----	----	6 UNCH
6500	----	----	----/*0.063A	0.044B/*0.063A	----	0.050 - 0.017	.0132	----	----	----	----	8 UNCH
6600	----	----	----/*0.074A	0.061B/*0.074A	----	0.070 - 0.015	.0196	----	----	----	----	1 UNCH
6700	0.100	0.100	0.100/*0.087A	0.100/*0.087A	----	0.098 - 0.012	.0290	----	----	3	----	10 UNCH
6750	0.110	0.110	0.126B/*0.097A	0.126B/*0.097A	----	0.113 NEW	.0345	----	----	1	----	1 + 1
6800	0.150	0.150	0.150/*0.108A	0.150/*0.108A	----	0.131 - 0.022	.0412	----	----	5	----	6 + 5
6900	----	----	0.231B/*0.142A	0.231B/*0.142A	----	0.179 - 0.032	.0594	----	----	----	----	2 UNCH
6950	----	----	0.286B/*0.161A	0.286B/*0.161A	----	0.210 - 0.038	.0714	----	----	----	----	2 UNCH
7000	0.220	0.220	0.370/*0.193A	0.370/*0.193A	----	0.247 - 0.045	.0859	----	----	22	----	48 + 21
7100	0.390	0.390	0.522B/*0.271A	0.522B/*0.271A	----	0.349 - 0.056	.1251	----	----	7	----	31 + 2
7150	0.687	0.687	0.687/*0.327A	0.687/*0.327A	----	0.417 - 0.059	.1507	----	----	2	----	5 + 2
7200	0.450	0.450	0.761B/*0.390A	0.761B/*0.390A	----	0.501 - 0.059	.1813	----	----	2	----	21 + 2
7250	0.470	0.470	0.915B/*0.470	0.915B/*0.470	----	0.601 - 0.057	.2167	----	----	1	----	4 - 1
7300	0.700	0.700	1.087B/*0.565	1.087B/*0.565	----	0.721 - 0.050	.2573	----	----	2	----	14 UNCH
7350	0.791	0.791	1.294B/*0.693A	1.294B/*0.693A	----	0.864 - 0.039	.3028	----	----	2	----	16 + 1
7400	0.992	0.992	1.515B/0.833A	1.515B/0.833A	----	1.031 - 0.023	.3527	----	----	9	----	10 + 4
7450	----	----	1.767B/0.993A	1.767B/0.993A	----	1.224 - 0.003	.4061	----	----	5	----	5 + 3
7500	1.348	1.348	2.050B/1.175A	2.050B/1.175A	----	1.446 + 0.024	.4619	----	----	2	----	13 UNCH
7550	----	----	2.316B/1.382A	2.316B/1.382A	----	1.696 + 0.054	.5185	----	----	----	----	17 UNCH
7600	----	----	2.673B/1.611A	2.673B/1.611A	----	1.975 + 0.089	.5745	----	----	1	----	7 - 1
7650	----	----	3.002B/1.865A	3.002B/1.865A	----	2.282 + 0.126	.6285	----	----	----	----	3 UNCH
7700	----	----	3.393B/2.149A	3.393B/2.149A	----	2.615 + 0.164	.6791	----	----	----	----	13 UNCH
7750	----	----	3.784B/2.462A	3.784B/2.462A	----	2.973 + 0.203	.7255	----	----	----	----	1 UNCH
8000	----	----	5.970B/4.352A	5.970B/4.352A	----	5.043 + 0.373	.8851	----	----	----	----	3 UNCH
8600	----	----	#11.584B/10.002	#11.584B/10.002A	----	10.804 + 0.557	.9821	----	----	----	----	1 UNCH
TOTAL										66	0	252 + 41
SO2 CALL		SILVER OPTIONS										
JUN26												
7500	----	----	3.008B/2.195A	3.008B/2.195A	----	2.510 - 0.495	.5328	----	----	----	----	11 UNCH
7600	----	----	2.539B/1.794A	2.539B/1.794A	----	2.040 - 0.462	.4634	----	----	----	----	2 UNCH
7700	----	----	----/1.458A	2.044B/1.458A	----	1.641 - 0.426	.3961	----	----	----	----	10 UNCH
7900	----	----	----/*0.958A	1.289B/*0.958A	----	1.034 - 0.361	.2762	----	----	----	----	1 UNCH
8000	0.785	0.785	0.785/*0.770A	1.012B/*0.770A	----	0.814 - 0.332	.2263	----	----	1	----	6 UNCH
8050	----	----	----/*0.690A	0.855B/*0.690A	----	0.722 - 0.317	.2041	----	----	----	----	2 UNCH
8100	----	----	----/*0.619A	0.771B/*0.619A	----	0.641 - 0.302	.1838	----	----	----	----	1 UNCH
8200	----	----	----/*0.497A	0.538B/*0.497A	----	0.507 - 0.271	.1488	----	----	----	----	15 UNCH
8250	0.400	0.400	0.400/*0.400	0.502B/*0.400	----	0.452 - 0.257	.1338	----	----	1	----	6 + 1
8300	0.520	0.520	0.520/*0.401A	0.520/*0.401A	----	0.404 NEW	.1203	----	----	1	----	1 + 1
8400	0.456	0.456	0.456/*0.326A	0.456/*0.326A	----	0.326 NEW	.0978	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO2 CALL		SILVER OPTIONS										
JUN26												
8700	----	----	----/*0.193A	0.169B/*0.193A	----	0.186 - 0.142	.0552	----	----	----	----	1 UNCH
9000	----	----	----/*0.126A	0.098B/*0.126A	----	0.118 - 0.098	.0337	----	----	----	----	5 UNCH
10000	----	----	----	0.031B/*0.062A	----	0.032 - 0.024	.0080	----	----	----	----	2 UNCH
TOTAL										4	0	64 + 3
SO2 PUT		SILVER OPTIONS										
JUN26												
5250	----	----	----	0.009B/0.038A	----	0.011 + 0.002	.0023	----	----	----	----	2 UNCH
6600	0.300	0.300	0.300/*0.252A	0.300/*0.252A	----	0.238 NEW	.0651	----	----	1	----	1 + 1
6750	----	----	0.358B/----	0.358B/*0.348A	----	0.346 + 0.028	.0946	----	----	----	----	1 UNCH
6900	----	----	0.532B/----	0.532B/*0.493A	----	0.507 + 0.039	.1367	----	----	----	----	1 UNCH
7000	0.800	0.800	0.800/0.800	0.800/*0.622A	----	0.658 NEW	.1738	----	----	1	----	1 + 1
7300	----	----	1.701B/*1.277A	1.701B/*1.277A	----	1.418 + 0.076	.3323	----	----	----	----	2 UNCH
7700	----	----	3.763B/2.945A	3.763B/2.945A	----	3.385 + 0.194	.6037	----	----	----	----	1 UNCH
TOTAL										2	0	9 + 2
SO4 CALL		SILVER OPTIONS										
JUN26												
7800	----	----	----/*2.521A	2.990B/*2.521A	----	2.600 - 0.435	.4245	----	----	----	----	2 UNCH
8000	----	----	----/*1.956A	2.268B/*1.956A	----	1.965 - 0.385	.3433	----	----	----	----	4 UNCH
8200	----	----	----/*1.525A	1.679B/*1.525A	----	1.487 - 0.336	.2738	----	----	----	----	1 UNCH
8300	----	----	----/*1.352A	1.451B/*1.352A	----	1.297 - 0.311	.2439	----	----	----	----	1 UNCH
9000	----	----	----/*0.567A	0.525B/*0.567A	----	0.540 - 0.177	.1095	----	----	----	----	2 UNCH
TOTAL											0	10 0
SO4 PUT		SILVER OPTIONS										
JUN26												
7000	----	----	#1.364B/*1.204A	#1.364B/*1.204A	----	1.303 + 0.046	.2291	----	----	----	----	1 UNCH
7100	----	----	#1.684B/*1.448A	#1.684B/*1.448A	----	1.567 + 0.056	.2660	----	----	----	----	1 UNCH
TOTAL											0	2 0
SO5 CALL		SILVER OPTIONS										
MAY26												
7220	----	----	----	----	----	3.675 UNCH	----	----	----	----	----	0 UNCH
7280	----	----	----	----	----	3.075 UNCH	----	----	----	----	----	0 UNCH
7470	----	----	----	----	----	1.175 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.875 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.375 UNCH	----	----	----	----	----	0 UNCH
7580	----	----	----	----	----	0.075 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7640	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7710	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7820	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
SO5 PUT		SILVER OPTIONS										
MAY26												
6700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7390	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7430	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7480	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7520	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7530	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7540	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7580	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.125 UNCH	----	----	----	----	----	0 UNCH
7610	----	----	----	----	----	0.225 UNCH	----	----	----	----	----	0 UNCH
7630	----	----	----	----	----	0.425 UNCH	----	----	----	----	----	0 UNCH
7640	----	----	----	----	----	0.525 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.625 UNCH	----	----	----	----	----	0 UNCH
7660	----	----	----	----	----	0.725 UNCH	----	----	----	----	----	0 UNCH
7670	----	----	----	----	----	0.825 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	1.125 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	1.625 UNCH	----	----	----	----	----	0 UNCH
7870	----	----	----	----	----	2.825 UNCH	----	----	----	----	----	0 UNCH
7950	----	----	----	----	----	3.625 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	4.125 UNCH	----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	5.125 UNCH	----	----	----	----	----	0 UNCH
8170	----	----	----	----	----	5.825 UNCH	----	----	----	----	----	0 UNCH
8300	----	----	----	----	----	7.125 UNCH	----	----	----	----	----	0 UNCH
8400	----	----	----	----	----	8.125 UNCH	----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	9.125 UNCH	----	----	----	----	----	0 UNCH
8600	----	----	----	----	----	10.125 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
5250	----	----	----	----/0.107A	----	0.002 - 0.001	.0005	----	----	----	----	5 UNCH
6200	0.250	0.250	#0.250/*0.250	#0.270B/*0.250	----	0.238 NEW	.0523	----	----	4	----	4 + 4
6250	0.200	0.200	#0.305B/*0.200	0.305B/*0.200	----	0.261 - 0.495	.0574	----	----	2	----	4 UNCH
6700	----	----	----/*0.448A	0.445B/*0.448A	----	0.465 + 0.011	.1113	----	----	----	----	1 UNCH
6800	0.090	0.090	0.090/*0.038	0.090/*0.038	----	0.039 - 0.022	.0086	----	----	4	----	3 + 2
6800	----	----	0.295B/----	0.295B/*0.306A	----	0.306 + 0.028	.0899	----	----	----	----	3 UNCH
6900	----	----	----/*0.068A	0.038B/*0.068A	----	0.056 - 0.030	.0147	----	----	----	----	1 UNCH
7000	0.120	0.120	0.120/*0.088A	0.120/*0.088A	----	0.084 - 0.040	.0262	----	----	2	----	5 + 2
7100	----	----	----/*0.123A	0.172B/*0.123A	----	0.131 - 0.054	.0480	----	----	----	----	5 UNCH
7200	0.250	0.250	0.335B/*0.187A	0.335B/*0.187A	----	0.214 - 0.068	.0898	----	----	2	----	4 + 2
7260	----	----	#0.478B/*0.241A	0.478B/*0.241A	----	0.292 NEW	.1304	----	----	2	----	2 + 2
7300	----	----	0.605B/*0.292A	0.605B/*0.292A	----	0.360 - 0.078	.1657	----	----	----	----	4 UNCH
7400	0.540	0.540	1.015B/*0.480A	1.015B/*0.480A	----	0.606 - 0.069	.2874	----	----	2	----	27 + 2
7430	----	----	----/*1.217A	2.199B/1.217A	----	1.658 - 0.683	.6672	----	----	----	----	12 UNCH
7430	----	----	1.159B/*0.554A	1.159B/*0.554A	----	0.705 - 0.061	.3327	----	----	----	----	15 UNCH
7500	0.890	0.890	1.475B/0.779A	1.475B/0.779A	----	0.989 - 0.031	.4495	----	----	1	----	1 + 1
7550	----	----	1.808B/0.979A	1.808B/0.979A	----	1.240 + 0.002	.5370	----	----	----	----	10 UNCH
7580	1.341	1.341	1.341/*0.682A	1.366B/*0.682A	----	0.865 NEW	.4114	----	----	1	----	1 + 1
7590	----	----	#2.105B/*1.159A	2.105B/*1.159A	----	1.471 + 0.035	.6052	----	----	----	----	10 UNCH
7600	1.058	1.058	1.058/*0.572	1.253B/*0.572	----	0.786 - 0.577	.3781	----	----	2	----	11 + 1
7650	----	----	----/1.407A	1.990B/1.407A	----	1.539 - 0.464	.4144	----	----	----	----	1 UNCH
7650	0.600	0.600	0.600/*0.499A	1.025B/*0.499A	----	0.615 NEW	.3003	----	----	1	----	1 + 1
7680	0.495	0.495	0.495/*0.436A	0.897B/*0.436A	----	0.529 NEW	.2585	----	----	6	----	6 + 6
7700	----	----	----/*0.399A	0.827B/*0.399A	----	0.478 - 0.478	.2329	----	----	----	----	1 UNCH
7750	0.350	0.350	0.350/*0.319A	0.649B/*0.319A	----	0.370 NEW	.1769	----	----	1	----	1 + 1
7810	----	----	----/*0.245A	0.474B/*0.245A	----	0.272 - 0.362	.1248	----	----	----	----	1 UNCH
7820	----	----	----/*0.233A	0.450B/*0.233A	----	0.258 - 0.352	.1174	----	----	----	----	1 UNCH
7850	0.178	0.178	0.182/*0.178	0.389B/*0.178	----	0.221 NEW	.0978	----	----	50	----	50 + 50
7900	----	----	----/*0.754A	1.037B/*0.754A	----	0.790 - 0.371	.2440	----	----	----	----	1 UNCH
7950	0.130	0.130	0.130/*0.130	0.209B/*0.130	----	0.134 NEW	.0526	----	----	1	----	1 + 1
7960	0.130	0.130	0.130/*0.126A	0.196B/*0.126A	----	0.127 NEW	.0493	----	----	1	----	1 + 1
7990	----	----	#5.708B/4.085A	5.708B/4.085A	----	4.755 NEW	.9590	----	----	1	----	1 + 1
8000	----	----	----/1.155A	1.337B/1.155A	----	1.093 - 0.404	.2620	----	----	----	----	1 UNCH
8000	----	----	----/*0.114A	0.154B/*0.114A	----	0.105 - 0.200	.0385	----	----	----	----	7 UNCH
8040	0.058	0.058	0.058/*0.058	0.124B/*0.058	----	0.086 NEW	.0297	----	----	1	----	1 + 1
8070	----	----	----/*0.090A	0.105B/*0.090A	----	0.075 - 0.158	.0247	----	----	----	----	10 UNCH
8100	----	----	----/*0.083A	0.089B/*0.083A	----	0.065 - 0.142	.0204	----	----	----	----	1 UNCH
8100	----	----	6.785B/5.090A	6.785B/5.090A	----	5.810 + 0.480	.9795	----	----	----	----	4 UNCH
8160	----	----	#7.378B/5.657A	7.378B/5.657A	----	6.392 + 0.503	.9865	----	----	----	----	1 UNCH
8250	0.065	0.065	0.070/*0.061A	0.086B/*0.061A	----	0.029 - 0.093	.0070	----	----	3	----	25 UNCH
8350	----	----	----/*0.053A	0.020B/*0.053A	----	0.017 - 0.072	.0034	----	----	----	----	1 UNCH
8500	----	----	----/*0.045A	0.006B/*0.045A	----	0.008 - 0.051	.0012	----	----	----	----	4 UNCH
8750	----	----	----	----/*0.036A	----	0.003 - 0.033	.0002	----	----	----	----	1 UNCH
8800	----	----	----	----	----	12.747 + 0.593	.9997	----	----	----	----	1 UNCH
9750	----	----	----	----/0.271A	----	0.001 - 0.004	----	----	----	----	----	5 UNCH
TOTAL										87	0	256 + 79

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week3										
JUN26												
5250	----	----	----	----/0.141A	----	0.004 UNCH	.0010	----	----	----	----	5 UNCH
6500	----	----	----	----/*0.088A	----	0.001 - 0.009	----	----	----	----	----	3 UNCH
6750	----	----	----	----/*0.103A	----	0.001 - 0.028	----	----	----	----	----	1 UNCH
6800	----	----	----	----/0.108A	----	0.001 - 0.036	.0000	----	----	----	----	10 UNCH
6900	0.029	0.029	0.029/*0.029	0.029/*0.029	----	0.004 - 0.055	.0001	----	----	1	----	9 UNCH
6990	0.090	0.090	0.090/*0.090	0.090/*0.090	----	0.009 NEW	.0006	----	----	1	----	1 + 1
7000	0.020	0.020	0.020/*0.020	0.020/*0.020	----	0.010 - 0.085	.0007	----	----	2	----	3 + 2
7100	----	----	----/*0.102A	0.045B/*0.102A	----	0.029 - 0.124	.0043	----	----	----	----	3 UNCH
7150	----	----	----/*0.126A	0.061B/*0.126A	----	0.044 - 0.150	.0087	----	----	----	----	1 UNCH
7200	0.150	0.150	0.150/*0.081	0.150/*0.081	----	0.060 - 0.187	.0154	----	----	14	----	10 + 9
7300	0.504	0.504	0.505/*0.204A	0.505/*0.204A	----	0.135 NEW	.0564	----	----	11	----	11 + 11
7300	----	----	1.911B/1.505A	1.911B/1.505A	----	1.659 + 0.033	.3461	----	----	----	----	1 UNCH
7320	----	----	----/2.205A	1.610B/2.205A	----	2.214 - 0.893	.9273	----	----	----	----	2 UNCH
7350	0.505	0.505	0.505/*0.289A	0.505/*0.289A	----	0.208 NEW	.1050	----	----	5	----	5 + 5
7380	0.206	0.206	0.585B/*0.206	0.585B/*0.206	----	0.269 NEW	.1482	----	----	1	----	1 + 1
7400	0.620	0.620	0.706B/*0.360	0.706B/*0.360	----	0.317 NEW	.1830	----	----	11	----	11 + 11
7450	0.528	0.528	0.903B/*0.465A	0.903B/*0.465A	----	0.470 NEW	.2920	----	----	25	----	21 + 21
7500	0.600	0.600	1.028B/*0.520	1.028B/*0.520	----	0.672 - 0.284	.4245	----	----	8	----	8 + 6
7500	----	----	----/*0.742A	1.260B/*0.742A	----	0.926 - 0.905	.5754	----	----	----	----	1 UNCH
7550	0.550	0.550	0.550/*0.550	1.207B/*0.550	----	0.680 NEW	.4345	----	----	10	----	10 + 10
7580	0.500	0.500	0.519/*0.500	1.082B/*0.500	----	0.557 NEW	.3536	----	----	3	----	3 + 3
7600	0.600	0.600	0.600/*0.437A	1.035B/*0.437A	----	0.485 NEW	.3034	----	----	1	----	1 + 1
7600	----	----	----/0.933A	1.369B/0.933A	----	1.231 - 0.178	.6965	----	----	----	----	20 UNCH
7620	0.381	0.381	0.401/*0.381	0.898B/*0.381	----	0.420 NEW	.2570	----	----	2	----	2 + 2
7650	----	----	----/1.195A	1.549B/1.195A	----	1.583 NEW	.8039	----	----	1	----	1 + 1
7650	----	----	3.464B/2.996A	3.464B/2.996A	----	3.290 + 0.117	.5610	----	----	----	----	1 UNCH
7700	----	----	----/1.140A	1.577B/1.140A	----	1.203 - 0.500	.3639	----	----	----	----	9 UNCH
7700	0.150	0.150	0.150/*0.150	0.562B/*0.150	----	0.228 NEW	.1174	----	----	1	----	1 + 1
7710	0.191	0.191	0.191/*0.191	0.502B/*0.191	----	0.210 NEW	.1049	----	----	1	----	1 + 1
7750	0.449	0.449	0.449/*0.100	0.449/*0.100	----	0.150 - 0.547	.0652	----	----	12	----	15 + 10
7750	----	----	----/1.671A	2.051B/1.671A	----	1.665 - 0.469	.3786	----	----	----	----	1 UNCH
7800	----	----	3.791B/----	3.791B/3.763A	----	3.656 + 0.167	.7097	----	----	----	----	1 UNCH
7800	----	----	----/*0.164A	0.258B/*0.164A	----	0.097 - 0.464	.0340	----	----	----	----	114 UNCH
7830	----	----	----/*0.149A	0.178B/*0.149A	----	0.073 - 0.418	.0220	----	----	----	----	17 UNCH
7850	0.200	0.200	0.200/*0.142A	0.200/*0.142A	----	0.060 NEW	.0162	----	----	1	----	1 + 1
7880	0.040	0.040	#0.040/*0.040	0.106B/*0.040	----	0.045 NEW	.0102	----	----	1	----	1 + 1
7900	0.150	0.150	0.150/*0.107A	0.150/*0.107A	----	0.037 - 0.324	.0074	----	----	1	----	100 UNCH
7990	----	----	----	----	----	4.660 + 0.392	.9983	----	----	----	----	1 UNCH
8000	----	----	----	----	----	4.759 + 0.401	.9987	----	----	----	----	9 UNCH
8000	----	----	----/*0.109A	0.015B/*0.109A	----	0.013 - 0.222	.0013	----	----	----	----	21 UNCH
8100	----	----	----/*0.443A	0.420B/*0.443A	----	0.391 - 0.297	.1352	----	----	----	----	11 UNCH
8200	----	----	----/*0.011A	0.001B/*0.011A	----	0.002 - 0.107	.0000	----	----	----	----	4 UNCH
8250	----	----	----/*0.080A	0.001B/*0.080A	----	0.001 - 0.092	.0000	----	----	----	----	2 UNCH
8350	----	----	----	----/0.076A	----	0.001 - 0.069	----	----	----	----	----	1 UNCH
8500	----	----	----/*0.201A	0.095B/*0.201A	----	0.135 - 0.152	.0466	----	----	----	----	3 UNCH
8500	----	----	----	----/*0.069A	----	0.001 - 0.048	----	----	----	----	----	4 UNCH
8500	----	----	----	----	----	9.747 + 0.576	.0000	----	----	----	----	1 UNCH
9000	----	----	----/*0.125A	0.007B/*0.125A	----	0.048 - 0.080	.0150	----	----	----	----	3 UNCH
9700	----	----	----	0.002B/*0.089A	----	0.022 - 0.051	.0057	----	----	----	----	11 UNCH
TOTAL										113	0	477 + 98

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
JUN26												
450	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
500	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 5
500	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
575	----	----	----	0.0020B/*0.0085	----	0.0040 - 0.0030	.0201	----	----	----	----	1 UNCH
580	----	----	----	----/*0.0050A	----	0.0005 - 0.0015	.0008	----	----	----	----	1 UNCH
595	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
600	----	----	0.5730B/----	0.5730B/0.3970A	----	0.5525 + 0.1630	----	1	----	----	----	0 - 1
610	----	----	0.4730B/----	0.4730B/0.2975A	----	0.4525 + 0.1630	----	1	----	1	----	0 - 1
610	----	----	0.4810B/----	0.4810B/0.3085A	----	0.4550 NEW	.9774	----	----	1	----	1 + 1
613	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
616	----	----	----	----/*0.0050A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 1
618	----	----	----	----/*0.0050A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 10
623	----	----	----	----/0.0050A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 1
625	----	----	----	----/0.0050A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 16
625	0.0100	0.0100	0.0100/*0.0100	0.0255B/*0.0100	----	0.0095 NEW	.0740	----	----	10	----	10 + 10
629	----	----	----/*0.0050A	0.0010B/*0.0050	----	0.0000 - 0.0090	----	----	----	----	----	0 - 1
630	----	----	----/*0.0050A	0.0010B/*0.0050	----	0.0000 - 0.0105	----	----	----	----	----	0 - 40
630	----	----	0.2875B/----	0.2875B/0.1785A	----	0.2905 + 0.1175	.8012	----	----	----	----	7 UNCH
630	----	----	----/*0.0380A	0.0730B/*0.0380	----	0.0385 - 0.0455	.1984	----	----	----	----	7 UNCH
632	----	----	----/*0.0050A	0.0020B/*0.0050	----	0.0000 - 0.0145	----	----	----	----	----	0 - 3
633	----	----	----/*0.0050A	0.0035B/*0.0050	----	0.0000 - 0.0170	----	----	----	----	----	0 - 3
634	----	----	----/*0.0050A	0.0055B/*0.0050	----	0.0000 - 0.0195	----	----	----	----	----	0 - 4
635	----	----	----/*0.0050A	0.0080B/*0.0050	----	0.0000 - 0.0230	----	----	----	----	----	0 - 2
635	----	----	----/*0.0490A	0.0950B/*0.0490	----	0.0510 - 0.0545	.2482	----	----	----	----	56 UNCH
635	----	----	----/*0.0210A	0.0580B/*0.0210	----	0.0200 - 0.0515	.1533	----	----	----	----	1 UNCH
636	----	----	----/*0.0050A	0.0110B/*0.0050	----	0.0000 - 0.0265	----	----	----	----	----	0 - 1
637	0.0080	0.0080	0.0080/*0.0050A	0.0145B/*0.0050	----	0.0000 - 0.0305	----	----	----	1	----	0 - 2
639	0.1565	0.1565	#0.1830B/0.1565	#0.1830B/0.0420	----	0.1625 + 0.1240	----	3	----	5	----	0 - 8
640	----	----	----/*0.0050A	0.0285B/*0.0050	----	0.0000 - 0.0450	----	----	----	----	----	0 - 1
640	0.0925	0.0925	0.1730B/0.0925	0.1730B/0.0375A	----	0.1525 + 0.1185	----	6	----	1	----	0 - 6
640	----	----	0.2330B/----	0.2330B/0.1235A	----	0.2185 + 0.0990	.6967	----	----	----	----	1 UNCH
640	0.0360	0.0360	0.0360/*0.0295A	0.0820B/*0.0295	----	0.0305 NEW	.2203	----	----	3	----	3 + 3
641	----	----	#0.1630B/----	#0.1630B/0.0330	----	0.1425 + 0.1130	----	25	----	----	----	0 - 25
642	----	----	#0.1535B/----	#0.1535B/0.0290	----	0.1325 + 0.1065	----	1	----	----	----	0 - 1
643	----	----	----/*0.0050A	0.0480B/*0.0050	----	0.0000 - 0.0635	----	----	----	----	----	0 - 1
645	0.0055	0.0055	0.0060/*0.0005	0.0635B/*0.0005	----	0.0000 - 0.0780	----	----	----	12	----	0 - 5
648	0.0085	0.0085	0.0085/*0.0005A	0.0895B/*0.0005	----	0.0000 NEW	----	----	----	8	----	0 UNCH
650	0.0075	0.0075	0.0075/*0.0005A	0.1080B/*0.0005	----	0.0000 NEW	----	----	----	10	----	0 UNCH
650	0.0100	0.0100	0.0750B/0.0100	0.0750B/0.0095A	----	0.0525 + 0.0450	----	24	----	24	----	0 - 5
650	----	----	0.1695B/----	0.1695B/0.0835A	----	0.1580 + 0.0780	.5754	----	----	----	----	7 UNCH
650	----	----	0.1285B/----	0.1285B/0.0530A	----	0.1165 + 0.0695	.6066	----	----	----	----	2 UNCH
650	----	----	----/*0.1000A	0.1795B/*0.1000	----	0.1055 - 0.0850	.4241	----	----	----	----	3 UNCH
651	0.0030	0.0030	0.0030/*0.0005	0.1170B/*0.0005	----	0.0000 NEW	----	----	----	4	----	0 UNCH
651	0.0030	0.0030	#0.0660B/*0.003	#0.0660B/*0.003	----	0.0425 NEW	----	1	----	1	----	0 UNCH
654	0.0095	0.0095	0.0095/*0.0005A	0.1455B/*0.0005	----	0.0000 NEW	----	----	----	10	----	0 UNCH
655	0.0250	0.0250	0.0250/*0.0035	0.1555B/*0.0035	----	0.0000 NEW	----	----	----	4	----	0 UNCH
655	0.0125	0.0125	0.0325B/*0.0060	0.0325B/*0.0060	----	0.0025 UNCH	----	1	----	1	----	0 UNCH
657	0.0040	0.0040	0.0195B/*0.0005	0.0195B/*0.0005	----	0.0000 NEW	----	----	----	2	----	0 UNCH
660	0.0135	0.0135	0.0145/*0.0050A	0.0145/*0.0050A	----	0.0000 - 0.0010	----	----	----	20	----	0 - 2
660	0.0360	0.0360	0.0765B/0.0360	0.0765B/0.0295A	----	0.0680 NEW	.4168	----	----	2	----	2 + 2
665	----	----	----	0.0005B/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 24
665	0.1600	0.1600	0.1600/*0.1345A	0.2680B/*0.1345	----	0.1470 NEW	.6721	----	----	3	----	3 + 3
675	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
690	----	----	0.0065B/----	0.0065B/0.0095A	----	0.0080 + 0.0045	.0633	----	----	----	----	2 UNCH
725	----	----	----	----/0.0050A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
775	----	----	----	----/*0.0040A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										123		122 - 181
HWR THU		COPPER WEEKLY THURSDAY OPT Week3										
JUN26												
500	----	----	----	----/0.0065A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
575	----	----	----	----/*0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
600	----	----	----/*0.0150A	0.0205B/*0.0150	----	0.0135 - 0.0130	.0674	----	----	----	----	1 UNCH
610	0.0100	0.0100	0.0100/*0.0100	0.0145B/*0.0100	----	0.0090 NEW	.0559	----	----	10	----	10 + 10
615	----	----	----/*0.0075A	0.0015B/*0.0075	----	0.0005 - 0.0095	.0012	----	----	----	----	15 UNCH
620	0.0145	0.0145	0.0145/*0.0145	0.0310B/*0.0145	----	0.0155 NEW	.0963	----	----	1	----	1 + 1
620	----	----	----/*0.0335A	0.0595B/*0.0335	----	0.0340 - 0.0330	.1572	----	----	----	----	1 UNCH
625	----	----	----/*0.0230A	0.0425B/*0.0230	----	0.0205 - 0.0335	.1261	----	----	----	----	20 UNCH
625	----	----	----/*0.0425A	0.0755B/*0.0425	----	0.0435 - 0.0400	.1930	----	----	----	----	2 UNCH
628	0.0035	0.0035	#0.0035/*0.0035	0.0190B/*0.0035	----	0.0030 NEW	.0247	----	----	3	----	3 + 3
630	----	----	0.2600B/----	0.2600B/0.1665A	----	0.2805 + 0.1205	.8330	----	----	----	----	1 UNCH
630	0.0040	0.0040	0.0040/*0.0040	0.0240B/*0.0040	----	0.0040 - 0.0335	.0340	----	----	1	----	9 + 1
630	----	----	0.2820B/----	0.2820B/0.1470A	----	0.2565 + 0.1300	.9659	----	----	----	----	8 UNCH
635	----	----	----/*0.0390A	0.0800B/*0.0390	----	0.0385 - 0.0535	.2180	----	----	----	----	20 UNCH
635	----	----	#0.2865B/----	#0.2865B/0.1685	----	0.2720 + 0.1070	.7202	----	----	----	----	1 UNCH
640	----	----	----/*0.0510A	0.1045B/*0.0510	----	0.0525 - 0.0645	.2785	----	----	----	----	78 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week2										
JUN26												
640	----	----	#0.2215B/----	#0.2215B/0.1105	----	0.2050 + 0.0990	.7211	----	----	----	----	42 UNCH
640	0.0160	0.0160	0.0160/*0.0160	0.0645B/*0.0160	----	0.0140 NEW	.1299	----	----	10	----	10 + 10
645	----	----	#0.1865B/----	#0.1865B/0.0890	----	0.1725 + 0.0880	.6536	----	----	----	----	9 UNCH
649	0.0730	0.0730	#0.0730/*0.0345	0.1015B/*0.0345	----	0.0380 NEW	.3237	----	----	1	----	1 + 1
649	0.0655	0.0655	#0.1010B/*0.065	#0.1010B/0.0400	----	0.1005 NEW	.6761	----	----	1	----	1 + 1
650	0.1000	0.1000	0.1000/*0.0800	0.1655B/*0.0800	----	0.0915 NEW	.4164	----	----	77	----	77 + 77
653	0.0725	0.0725	#0.0885B/*0.072	#0.0885B/0.0300	----	0.0770 NEW	.5674	----	----	1	----	1 + 1
654	0.0720	0.0720	#0.0720/*0.0525	0.1005B/*0.0525	----	0.0595 NEW	.4606	----	----	1	----	1 + 1
665	----	----	0.0345B/----	0.0345B/0.0145A	----	0.0290 + 0.0210	.2539	----	----	----	----	15 UNCH
686	0.0045	0.0045	#0.0045/*0.0045	#0.0045/*0.0045	----	0.0035 NEW	.0268	----	----	1	----	1 + 1
700	----	----	0.0335B/----	0.0335B/*0.0195	----	0.0305 + 0.0145	.1422	----	----	----	----	1 UNCH
TOTAL										107		331+ 107
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week1										
JUN26												
450	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
500	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
550	----	----	----	----/0.0075A	----	0.0010 - 0.0010	.0051	----	----	----	----	1 UNCH
590	----	----	----/*0.0095A	0.0075B/*0.0095	----	0.0070 - 0.0055	.0370	----	----	----	----	1 UNCH
595	----	----	----	0.0010B/*0.0080	----	0.0015 - 0.0060	.0102	----	----	----	----	1 UNCH
610	----	----	----	----/*0.0055A	----	0.0005 - 0.0010	----	----	----	----	----	2 UNCH
610	----	----	----/*0.0090A	0.0080B/*0.0090	----	0.0040 - 0.0120	.0293	----	----	----	----	1 UNCH
615	----	----	----/*0.0105A	0.0130B/*0.0105	----	0.0060 - 0.0160	.0439	----	----	----	----	1 UNCH
618	----	----	----	----/*0.0055A	----	0.0005 - 0.0040	----	----	----	----	----	1 UNCH
620	----	----	----	0.0005B/0.0055A	----	0.0005 - 0.0050	----	----	----	----	----	1 UNCH
620	0.0100	0.0100	0.0100/*0.0100	0.0205B/*0.0100	----	0.0090 - 0.0215	.0651	----	----	10	----	11 + 10
624	----	----	----/*0.0060A	0.0010B/*0.0060	----	0.0005 - 0.0095	----	----	----	----	----	1 UNCH
625	----	----	0.3375B/----	0.3375B/0.2010A	----	0.3150 + 0.1340	.9067	----	----	----	----	1 UNCH
630	0.0005	0.0005	0.0005/*0.0005	0.0080B/*0.0005	----	0.0005 NEW	----	----	----	1	----	1 + 1
630	0.0295	0.0295	0.0295/*0.0200A	0.0460B/*0.0200	----	0.0180 NEW	.1281	----	----	1	----	1 + 1
630	----	----	0.2915B/----	0.2915B/0.1550A	----	0.2705 + 0.1235	.8717	----	----	----	----	1 UNCH
630	----	----	0.2785B/----	0.2785B/0.1145A	----	0.2530 + 0.1440	.0000	----	----	----	----	4 UNCH
634	----	----	----/*0.0065A	0.0170B/*0.0065	----	0.0005 - 0.0310	.0001	----	----	----	----	1 UNCH
635	----	----	----/*0.0545A	0.1025B/*0.0545	----	0.0570 - 0.0550	.2595	----	----	----	----	31 UNCH
635	----	----	----/*0.0065A	0.0205B/*0.0065	----	0.0005 - 0.0345	.0002	----	----	----	----	1 UNCH
640	----	----	#0.2385B/----	0.2385B/0.1295A	----	0.2255 + 0.0995	.6869	----	----	----	----	20 UNCH
640	----	----	----/*0.0365A	0.0905B/*0.0365	----	0.0375 - 0.0655	.2427	----	----	----	----	6 UNCH
640	----	----	0.1795B/----	0.1795B/0.0520A	----	0.1540 + 0.1075	.9928	----	----	----	----	5 UNCH
642	0.0085	0.0085	0.0165/*0.0060	0.0540B/*0.0060	----	0.0025 NEW	.0160	----	----	14	----	14 + 14
645	0.0385	0.0385	0.0385/*0.0090	0.0750B/*0.0090	----	0.0050 NEW	.0463	----	----	18	----	16 + 16
646	----	----	#0.1220B/----	#0.1220B/0.0300	----	0.0990 + 0.0740	.9334	----	----	----	----	3 UNCH
647	0.0140	0.0140	0.0140/*0.0105A	0.0900B/*0.0105	----	0.0080 NEW	.0892	----	----	1	----	1 + 1
648	0.0135	0.0135	0.0135/*0.0110	0.0980B/*0.0110	----	0.0100 NEW	.1197	----	----	2	----	2 + 2
650	----	----	#0.1760B/----	0.1760B/0.0895A	----	0.1665 + 0.0805	.5719	----	----	----	----	10 UNCH
650	0.0170	0.0170	0.0170/*0.0150A	0.1150B/*0.0150	----	0.0155 NEW	.2025	----	----	30	----	30 + 30
650	----	----	0.1380B/----	0.1380B/0.0585A	----	0.1260 + 0.0720	.5968	----	----	----	----	2 UNCH
652	0.0190	0.0190	#0.0710B/0.0190	#0.0710B/0.0175	----	0.0545 + 0.0420	.6967	----	----	4	----	1 UNCH
654	0.0385	0.0385	#0.0580B/0.0385	#0.0580B/0.0150	----	0.0435 NEW	.5777	----	----	5	----	5 + 5
656	0.0345	0.0345	0.0345/*0.0330A	0.1685B/*0.0330	----	0.0410 NEW	.5433	----	----	3	----	3 + 3
660	----	----	0.0275B/----	0.0275B/0.0105A	----	0.0190 + 0.0150	.2427	----	----	----	----	15 UNCH
668	0.0085	0.0085	#0.0085/*0.0085	#0.0085/0.0075A	----	0.0045 NEW	.0336	----	----	1	----	1 + 1
670	----	----	0.0490B/----	0.0490B/0.0210A	----	0.0435 + 0.0275	.2731	----	----	----	----	47 UNCH
670	----	----	0.0035B/----	0.0035B/0.0070A	----	0.0030 + 0.0020	.0180	----	----	----	----	5 UNCH
671	0.0010	0.0010	#0.0020B/*0.001	0.0020B/*0.0010	----	0.0025 NEW	.0133	----	----	1	----	1 + 1
675	0.0425	0.0425	0.0425/0.0425	0.0425/0.0170A	----	0.0320 NEW	.2106	----	----	1	----	1 + 1
685	----	----	----	----/*0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	3 UNCH
750	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
TOTAL										92		291+ 86
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
465	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
470	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
490	----	----	----	----/0.0035A	----	0.0005 UNCH	----	----	----	----	----	7 UNCH
500	----	----	----	----/0.0070A	----	0.0005 UNCH	.0021	----	----	----	----	26 UNCH
500	----	----	----	----/*0.0035A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
555	----	----	----	----/*0.0035A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
570	----	----	----	0.0025B/*0.0080	----	0.0035 - 0.0025	.0176	----	----	----	----	1 UNCH
585	----	----	----	0.0010B/*0.0080	----	0.0015 - 0.0035	.0092	----	----	----	----	4 UNCH
595	----	----	0.6285B/----	0.6285B/0.4485A	----	0.6030 + 0.1630	.0000	----	----	----	----	5 UNCH
595	----	----	----	----/*0.0040A	----	0.0005 - 0.0005	----	----	----	----	----	5 UNCH
600	----	----	0.5790B/----	0.5790B/0.3990A	----	0.5530 + 0.1625	.0000	----	----	----	----	1 UNCH
600	----	----	----/*0.0090A	0.0050B/*0.0090	----	0.0040 - 0.0070	.0255	----	----	----	----	2 UNCH
605	----	----	----/*0.0095A	0.0070B/*0.0095	----	0.0050 - 0.0095	.0328	----	----	----	----	4 UNCH
606	----	----	----	----/*0.0045A	----	0.0005 - 0.0020	----	----	----	----	----	1 UNCH
610	----	----	0.4790B/----	0.4790B/0.3010A	----	0.4530 + 0.1600	.0000	----	----	----	----	8 UNCH
614	----	----	----/*0.0055A	0.0010B/*0.0055	----	0.0005 - 0.0055	.0000	----	----	----	----	1 UNCH
615	0.0100	0.0100	0.0100/*0.0100	0.0170B/*0.0100	----	0.0095 NEW	.0624	----	----	10	----	10 + 10
618	----	----	----/*0.0050A	0.0010B/*0.0050	----	0.0005 - 0.0085	.0001	----	----	----	----	15 UNCH
619	----	----	----/*0.0050A	0.0015B/*0.0050	----	0.0005 - 0.0095	.0001	----	----	1	----	1 UNCH
620	----	----	0.3795B/----	0.3795B/0.2065A	----	0.3530 + 0.1525	.9998	----	----	----	----	1 UNCH
625	0.0040	0.0040	0.0040/*0.0040	0.0080B/*0.0040	----	0.0005 - 0.0180	.0014	----	----	1	----	160 UNCH
636	----	----	----/*0.0075A	0.0360B/*0.0075	----	0.0035 - 0.0470	.0304	----	----	1	----	2 + 1
639	0.1800	0.1800	0.1930B/0.1800	0.1930B/0.0685A	----	0.1685 + 0.1055	.9426	----	----	2	----	2 UNCH
640	----	----	0.1835B/----	0.1835B/0.0640A	----	0.1595 + 0.1010	.9312	----	----	----	----	2 UNCH
640	----	----	----/*0.0440A	0.0980B/*0.0440	----	0.0455 - 0.0655	.2634	----	----	----	----	1 UNCH
641	0.0280	0.0280	0.0280/*0.0115A	0.0605B/*0.0115	----	0.0085 - 0.0665	.0846	----	----	1	----	2 + 1
642	----	----	0.1650B/----	0.1650B/0.0550A	----	0.1425 + 0.0930	.8987	----	----	----	----	2 UNCH
642	0.0310	0.0310	0.0310/*0.0125A	0.0660B/*0.0125	----	0.0100 NEW	.1012	----	----	1	----	1 + 1
645	0.0180	0.0180	0.0180/*0.0165A	0.0855B/*0.0165	----	0.0155 NEW	.1622	----	----	10	----	10 + 10
647	0.0585	0.0585	#0.1215B/0.0585	#0.1215B/0.0375	----	0.1030 NEW	.7850	----	----	1	----	1 + 1
647	0.0555	0.0555	#0.0555/*0.0200	0.0860B/*0.0200	----	0.0205 NEW	.2149	----	----	3	----	2 + 2
648	0.0260	0.0260	#0.0260/*0.0220	0.0865B/*0.0220	----	0.0235 NEW	.2448	----	----	1	----	1 + 1
650	----	----	0.0975B/----	0.0975B/0.0295A	----	0.0825 + 0.0580	.6916	----	----	----	----	15 UNCH
655	0.0200	0.0200	0.0730/0.0200	0.0730/0.0200	----	0.0540 NEW	.5125	----	----	2	----	0 UNCH
660	0.0335	0.0335	0.0440/0.0335	0.0440/0.0145A	----	0.0335 + 0.0240	.3365	----	----	4	----	7 - 1
660	----	----	0.0965B/----	0.0965B/0.0400A	----	0.0875 + 0.0520	.4354	----	----	1	----	5 UNCH
662	----	----	#0.0340B/----	#0.0340B/0.0130	----	0.0270 + 0.0195	.2741	----	----	----	----	15 UNCH
665	0.0525	0.0525	0.0760/0.0525	0.0760/0.0310A	----	0.0685 NEW	.3626	----	----	4	----	4 + 4
675	----	----	0.0050B/----	0.0050B/0.0080A	----	0.0060 + 0.0035	.0501	----	----	----	----	1 UNCH
680	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0030 NEW	.0214	----	----	1	----	1 + 1
680	0.0200	0.0200	0.0325B/0.0185	0.0325B/0.0165A	----	0.0295 NEW	.1826	----	----	12	----	3 + 3
700	----	----	0.0075B/----	0.0075B/0.0095A	----	0.0095 NEW	.0630	----	----	1	----	1 + 1
705	----	----	----	----/0.0045A	----	0.0005 UNCH	.0000	----	----	----	----	7 UNCH
710	----	----	----	----/*0.0040A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
725	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	7 UNCH
725	----	----	0.0095B/----	0.0095B/0.0105A	----	0.0115 + 0.0050	.0577	----	----	----	----	14 UNCH
750	----	----	----	----/*0.0035A	----	0.0005 UNCH	----	----	----	----	----	4 UNCH
800	----	----	----	----/*0.0035A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
TOTAL										57		382+ 35
JUL26												
460	----	----	----	----/0.0065A	----	0.0005 UNCH	.0007	----	----	----	----	23 UNCH
510	----	----	----	0.0005B/0.0080A	----	0.0025 - 0.0005	.0086	----	----	----	----	19 UNCH
565	----	----	----/*0.0110A	0.0085B/*0.0110	----	0.0100 - 0.0025	.0371	----	----	6	----	6 UNCH
568	----	----	----/*0.0125A	0.0095B/*0.0125	----	0.0105 - 0.0035	.0394	----	----	6	----	6 UNCH
581	----	----	----/*0.0155A	0.0170B/*0.0155	----	0.0145 - 0.0080	.0555	----	----	----	----	1 UNCH
585	----	----	#0.7270B/----	#0.7270B/0.6700	----	0.7775 + 0.1545	.9366	----	----	----	----	6 UNCH
585	----	----	----/*0.0175A	0.0205B/*0.0175	----	0.0165 - 0.0090	.0629	----	----	----	----	6 UNCH
592	----	----	----/*0.0215A	0.0270B/*0.0215	----	0.0210 - 0.0120	.0788	----	----	----	----	1 UNCH
600	----	----	#0.6420B/----	#0.6420B/0.5385	----	0.6395 + 0.1475	.8969	----	----	----	----	12 UNCH
600	----	----	----/*0.0275A	0.0385B/*0.0275	----	0.0280 - 0.0165	.1024	----	----	----	----	1 UNCH
611	----	----	----/*0.0410A	0.0600B/*0.0410	----	0.0415 - 0.0250	.1448	----	----	----	----	22 UNCH
612	----	----	#0.5375B/----	#0.5375B/0.4425	----	0.5350 + 0.1385	.8500	----	----	----	----	5 UNCH
612	----	----	----/*0.0425A	0.0625B/*0.0425	----	0.0430 - 0.0260	.1493	----	----	----	----	6 UNCH
613	----	----	----/*0.0440A	0.0650B/*0.0440	----	0.0445 - 0.0270	.1538	----	----	----	----	3 UNCH
621	----	----	#0.4645B/----	#0.4645B/0.3775	----	0.4620 + 0.1295	.8031	----	----	----	----	1 UNCH
622	----	----	----/*0.0600A	0.0900B/*0.0600	----	0.0620 - 0.0360	.2016	----	----	----	----	5 UNCH
625	----	----	0.4335B/----	0.4335B/0.3150A	----	0.4315 + 0.1250	.7790	----	----	----	----	22 UNCH
630	----	----	0.4005B/----	0.4005B/0.2840A	----	0.3950 + 0.1190	.7475	----	----	----	----	5 UNCH
635	----	----	----/*0.0945A	0.1405B/*0.0945	----	0.0980 - 0.0510	.2861	----	----	----	----	5 UNCH
645	----	----	0.3110B/----	0.3110B/0.2050A	----	0.2980 + 0.1010	.6395	----	----	1	----	0 - 1
650	----	----	0.2810B/----	0.2810B/0.1830A	----	0.2700 + 0.0950	.6015	----	----	----	----	5 UNCH
675	----	----	0.1665B/----	0.1665B/0.1005A	----	0.1575 + 0.0640	.4153	----	----	1	----	0 - 1
680	----	----	0.1480B/----	0.1480B/0.0885A	----	0.1400 + 0.0580	.3809	----	----	1	----	0 - 1
700	0.0930	0.0930	0.0930/0.0930	0.0930/0.0540A	----	0.0840 + 0.0350	.2575	----	----	1	----	6 + 1
710	----	----	0.0680B/----	0.0680B/0.0435A	----	0.0645 + 0.0265	.2075	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
TOTAL										16		171 - 2
AUG26												
599	----	----	----	----	----	0.7210 + 0.1345	.7995	----	----	----	----	10 UNCH
630	----	----	0.5235B/----	0.5235B/0.4065A	----	0.5095 + 0.1115	.6702	----	----	----	----	13 UNCH
630	----	----	----/*0.1940A	0.2365B/*0.1940	----	0.1980 - 0.0520	.3281	----	----	----	----	15 UNCH
640	----	----	0.4645B/----	0.4645B/0.3565A	----	0.4520 + 0.1040	.6242	----	----	----	----	1 UNCH
650	----	----	0.4110B/----	0.4110B/0.3120A	----	0.4000 + 0.0965	.5775	----	----	----	----	14 UNCH
TOTAL												53
SEP26												
550	0.0500	0.0500	0.0500/*0.0500	0.0500/*0.0500	----	0.0510 NEW	.0934	----	----	1	----	1 + 1
750	----	----	#0.1800B/----	#0.1800B/0.1405	----	0.1790 + 0.0450	.2773	----	----	----	----	2 UNCH
TOTAL										1		3 + 1
HX CALL		COMEX COPPER OPTIONS										
JUL26												
500	1.5045	1.5045	1.5530B/1.5045	1.5530B/1.4930A	----	1.5530 + 0.1630	.9931	----	----	1	----	9 UNCH
510	----	----	----	----	----	1.4535 + 0.1630	.9912	----	----	----	----	1 UNCH
520	----	----	----	----	----	1.3535 + 0.1625	.9906	----	----	----	----	2 UNCH
525	----	----	----	----	----	1.3040 + 0.1630	.9887	----	----	----	----	1 UNCH
530	----	----	1.2545B/----	1.2545B/1.1940A	----	1.2540 + 0.1625	.9883	----	----	----	----	6 UNCH
540	----	----	1.1555B/----	1.1555B/1.0935A	----	1.1550 + 0.1625	.9842	----	----	----	----	18 UNCH
545	----	----	----	----	----	1.1055 + 0.1625	.9820	----	----	----	----	1 UNCH
550	1.0500	1.0500	#1.0500/1.0500	#1.0500/1.0500	----	1.0560 + 0.1620	.9796	----	----	2	----	2 - 2
555	----	----	1.0070B/----	1.0070B/0.9450A	----	1.0065 + 0.1615	.9772	----	----	----	----	116 UNCH
560	----	----	----	----	----	0.9575 + 0.1615	.9730	----	----	----	----	1 UNCH
570	----	----	0.8730B/----	0.8730B/0.7865A	----	0.8590 + 0.1590	.9655	----	----	----	----	157 UNCH
574	----	----	0.8210B/----	0.8210B/0.7595A	----	0.8200 + 0.1580	.9610	----	----	----	----	5 UNCH
575	----	----	0.8115B/----	0.8115B/0.6750A	----	0.8105 + 0.1580	.9606	----	----	1	----	18 - 1
580	----	----	0.7630B/----	0.7630B/0.6280A	----	0.7620 + 0.1565	.9538	----	----	1	----	123 UNCH
585	----	----	0.7370B/----	0.7370B/0.5820A	----	0.7140 + 0.1545	.9450	----	----	----	----	318 UNCH
590	----	----	0.6710B/----	0.6710B/0.5365A	----	0.6665 + 0.1520	.9329	----	----	----	----	103 UNCH
591	----	----	0.6610B/----	0.6610B/0.5275A	----	0.6575 + 0.1520	.9307	----	----	----	----	3 UNCH
593	----	----	0.6420B/----	0.6420B/0.5095A	----	0.6385 + 0.1505	.9263	----	----	----	----	1 UNCH
594	----	----	0.6330B/----	0.6330B/0.5010A	----	0.6290 + 0.1495	.9226	----	----	----	----	2 UNCH
595	----	----	0.6250B/----	0.6250B/0.4920A	----	0.6200 + 0.1495	.9203	----	----	----	----	29 UNCH
597	----	----	0.6050B/----	0.6050B/0.4750A	----	0.6015 + 0.1480	.9143	----	----	----	----	1 UNCH
598	----	----	0.5960B/----	0.5960B/0.4665A	----	0.5920 + 0.1470	.9119	----	----	----	----	1 UNCH
599	----	----	0.5870B/----	0.5870B/0.4580A	----	0.5830 + 0.1460	.9082	----	----	----	----	2 UNCH
600	0.5725	0.5725	0.5970B/0.5725	0.5970B/0.4495A	----	0.5740 + 0.1455	.9044	----	----	2	----	543 UNCH
602	----	----	0.5615B/----	0.5615B/0.4330A	----	0.5555 + 0.1435	.8982	----	----	----	----	83 UNCH
603	0.5900	0.5900	0.5900/0.5900	0.5900/0.4245A	----	0.5465 + 0.1425	.8943	----	----	2	----	3 UNCH
605	----	----	0.5345B/----	0.5345B/0.4085A	----	0.5290 + 0.1410	.8854	----	----	----	----	41 UNCH
610	----	----	0.4990B/----	0.4990B/0.3690A	----	0.4855 + 0.1360	.8633	----	----	1	----	230 - 1
615	----	----	0.4625B/----	0.4625B/0.3200A	----	0.4435 + 0.1300	.8362	----	----	14	----	1408 + 1
620	----	----	0.4155B/----	0.4155B/0.2855A	----	0.4030 + 0.1235	.8048	----	----	----	----	186 UNCH
625	----	----	0.3815B/----	0.3815B/0.2535A	----	0.3650 + 0.1175	.7699	----	----	20	----	358 - 1
630	0.3235	0.3235	0.3480B/0.3235	0.3480B/0.2215A	----	0.3295 + 0.1110	.7319	----	----	3	----	355 - 1
635	----	----	0.3145B/----	0.3145B/0.1945A	----	0.2960 + 0.1040	.6911	----	----	----	----	201 UNCH
640	----	----	0.2825B/----	0.2825B/0.1700A	----	0.2650 + 0.0975	.6486	----	----	----	----	1432 UNCH
645	0.1640	0.1640	0.2525B/0.1640	0.2525B/0.1485A	----	0.2360 + 0.0905	.6045	----	----	7	----	525 + 3
650	0.1400	0.1400	0.2270B/0.1400	0.2270B/0.1290A	----	0.2095 + 0.0835	.5602	----	----	59	----	1379 - 15
655	0.1800	0.1800	0.2005B/0.1800	0.2005B/0.1115A	----	0.1850 + 0.0765	.5159	----	----	115	120	444 + 80
660	0.1295	0.1295	0.1775B/0.1295	0.1775B/0.0955A	----	0.1625 + 0.0690	.4721	----	----	256	----	1374 + 46
665	0.1025	0.1025	0.1555B/0.1025	0.1555B/0.0830A	----	0.1420 + 0.0620	.4294	----	----	23	----	157 + 18
670	0.1095	0.1095	0.1365/0.1095	0.1365/0.0710A	----	0.1235 + 0.0550	.3880	----	----	27	----	719 + 20
675	0.0605	0.0605	0.1185B/0.0605	0.1185B/0.0605	----	0.1065 + 0.0475	.3481	----	----	576	----	2152 + 25
679	----	----	#0.1060B/----	#0.1060B/0.0540	----	0.0945 + 0.0425	.3179	----	----	----	----	15 UNCH
680	0.0740	0.0740	0.1030B/0.0740	0.1030B/0.0525A	----	0.0915 + 0.0410	.3103	----	----	186	----	233 + 1
681	----	----	#0.1000B/----	#0.1000B/0.0510	----	0.0890 + 0.0400	.3034	----	----	----	----	12 UNCH
684	----	----	#0.0920B/----	#0.0920B/0.0465	----	0.0810 + 0.0360	.2821	----	----	----	----	45 UNCH
685	0.0640	0.0640	0.0895B/0.0635	0.0895B/0.0455A	----	0.0785 + 0.0350	.2752	----	----	28	----	179 + 23
686	0.0705	0.0705	#0.0870B/0.0615	#0.0870B/0.0435	----	0.0760 + 0.0335	.2684	----	----	40	----	82 + 40
689	0.0640	0.0640	#0.0795B/0.0565	#0.0795B/0.0405	----	0.0695 + 0.0305	.2494	----	----	48	----	108 + 48
690	0.0620	0.0620	0.0775B/0.0540	0.0775B/0.0395A	----	0.0670 + 0.0290	.2426	----	----	189	----	609 + 58
691	0.0600	0.0600	#0.0750B/0.0525	#0.0750B/0.0380	----	0.0650 + 0.0280	.2366	----	----	59	----	102 + 58
694	0.0550	0.0550	#0.0690B/0.0480	#0.0690B/0.0345	----	0.0590 + 0.0250	.2187	----	----	41	----	57 + 40
695	0.0530	0.0530	0.0670B/0.0465	0.0670B/0.0340A	----	0.0575 + 0.0245	.2136	----	----	28	----	158 + 13
700	0.0360	0.0360	0.0575B/0.0360	0.0575B/0.0290A	----	0.0490 + 0.0205	.1869	----	----	661	----	1483 + 474
704	----	----	----	#0.0390B/*0.056	----	0.0430 NEW	----	----	----	15	----	15 + 15
705	0.0440	0.0440	0.0495B/0.0340	0.0495B/0.0260A	----	0.0415 + 0.0165	.1625	----	----	27	----	87 + 20
710	0.0295	0.0295	0.0420B/0.0295	0.0420B/0.0225A	----	0.0355 + 0.0135	.1417	----	----	233	----	734 + 57
715	0.0255	0.0255	0.0365B/0.0255	0.0365B/0.0200A	----	0.0305 + 0.0115	.1236	----	----	7	----	192 + 4
720	0.0225	0.0225	0.0315B/0.0225	0.0315B/0.0180A	----	0.0265 + 0.0095	.1085	----	----	30	----	319 + 27
725	0.0190	0.0190	0.0270B/0.0185	0.0270B/0.0165A	----	0.0225 + 0.0075	.0937	----	----	60	----	1426 + 10
730	0.0235	0.0235	0.0235/0.0235	0.0235/0.0150A	----	0.0200 + 0.0065	.0833	----	----	204	----	185 - 95
735	----	----	0.0210B/----	0.0210B/0.0140A	----	0.0175 + 0.0050	.0732	----	----	2	----	82 - 2
740	0.0180	0.0180	0.0185B/0.0180	0.0185B/0.0130A	----	0.0155 + 0.0040	.0649	----	----	104	----	232 - 75
750	0.0115	0.0115	0.0150B/0.0115	0.0150B/0.0110A	----	0.0120 + 0.0020	.0505	----	----	104	----	1165 - 100
760	----	----	0.0115B/----	0.0115B/0.0095A	----	0.0100 + 0.0015	.0415	----	----	76	----	86 + 19
770	0.0075	0.0075	0.0090B/0.0075	0.0090B/0.0075	----	0.0085 + 0.0010	.0347	----	----	1	----	29 UNCH
775	0.0070	0.0070	0.0085B/0.0070	0.0085B/0.0070	----	0.0075 + 0.0010	.0307	----	----	11	----	114 + 4
780	----	----	0.0075B/----	0.0075B/0.0070A	----	0.0070 + 0.0010	.0283	----	----	2	----	39 - 2
800	0.0060	0.0060	0.0060/*0.0050A	0.0060/*0.0050A	----	0.0055 + 0.0005	.0212	----	----	27	----	2382 - 4
825	----	----	----	0.0040B/*0.0050	----	0.0045 + 0.0005	.0163	----	----	----	----	13 UNCH
850	----	----	----	0.0020B/*0.0035	----	0.0035 UNCH	.0121	----	----	----	----	330 UNCH
875	----	----	----	----/0.0050A	----	0.0030 UNCH	.0098	----	----	----	----	6 UNCH
900	----	----	----	0.0015B/0.0050A	----	0.0025 - 0.0005	.0078	----	----	----	----	2151 UNCH
925	----	----	----	----/0.0045A	----	0.0020 - 0.0010	.0061	----	----	----	----	16 UNCH
950	----	----	----	----/0.0045A	----	0.0020 - 0.0010	.0057	----	----	----	----	52 UNCH
975	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0042	----	----	----	----	18 UNCH
1000	----	----	----	0.0005B/0.0015A	----	0.0015 UNCH	.0040	----	----	----	----	6 UNCH
TOTAL									120	3293		25272 + 805
AUG26												
500	1.5580	1.5580	#1.6040B/1.5580	#1.6040B/1.5580	----	1.6185 + 0.1640	.9745	----	----	1	----	8 UNCH
550	----	----	----	----	----	1.1330 + 0.1575	.9373	----	----	----	----	3 UNCH
580	----	----	0.8740B/----	0.8740B/0.7615A	----	0.8615 + 0.1480	.8774	----	----	----	----	253 UNCH
585	----	----	0.8125B/----	0.8125B/0.7205A	----	0.8185 + 0.1450	.8627	----	----	----	----	11 UNCH
590	----	----	0.7700B/----	0.7700B/0.6805A	----	0.7770 + 0.1425	.8473	----	----	----	----	17 UNCH
595	----	----	0.7285B/----	0.7285B/0.6420A	----	0.7365 + 0.1395	.8305	----	----	----	----	1 UNCH
600	----	----	0.6890B/----	0.6890B/0.6045A	----	0.6970 + 0.1365	.8121	----	----	----	----	4 UNCH
610	0.6380	0.6380	0.6380/0.6380	0.6380/0.5005A	----	0.6215 + 0.1295	.7719	----	----	2	----	4 + 2
615	----	----	0.5910B/----	0.5910B/0.4670A	----	0.5855 + 0.1255	.7504	----	----	----	----	2 UNCH
620	----	----	0.5675B/----	0.5675B/0.4360A	----	0.5515 + 0.1220	.7281	----	----	----	----	28 UNCH
625	----	----	0.5340B/----	0.5340B/0.4085A	----	0.5185 + 0.1180	.7046	----	----	----	----	96 UNCH
630	----	----	0.5015B/----	0.5015B/0.3790A	----	0.4865 + 0.1135	.6806	----	----	----	----	57 UNCH
635	----	----	0.4700B/----	0.4700B/0.3510A	----	0.4565 + 0.1095	.6561	----	----	----	----	3 UNCH
640	----	----	0.4430B/----	0.4430B/0.3260A	----	0.4275 + 0.1050	.6312	----	----	----	----	161 UNCH
645	----	----	0.4130B/----	0.4130B/0.3030A	----	0.4000 + 0.1005	.6060	----	----	----	----	3 UNCH
650	0.3350	0.3350	0.3900B/0.3350	0.3900B/0.2815A	----	0.3740 + 0.0965	.5807	----	----	9	----	793 - 5
655	----	----	0.3650B/----	0.3650B/0.2610A	----	0.3495 + 0.0920	.5555	----	----	----	----	461 UNCH
660	----	----	0.3405B/----	0.3405B/0.2420A	----	0.3265 + 0.0880	.5304	----	----	----	----	110 UNCH
665	----	----	0.3180B/----	0.3180B/0.2240A	----	0.3045 + 0.0840	.5056	----	----	----	----	1 UNCH
670	0.2300	0.2300	0.2970B/0.2300	0.2970B/0.2080A	----	0.2835 + 0.0795	.4812	----	----	2	----	414 + 2
675	----	----	0.2775B/----	0.2775B/0.1925A	----	0.2640 + 0.0755	.4573	----	----	58	----	1345 - 9
680	----	----	0.2570B/----	0.2570B/0.1780A	----	0.2455 + 0.0715	.4339	----	----	----	----	120 UNCH
685	----	----	0.2395B/----	0.2395B/0.1645A	----	0.2285 + 0.0675	.4113	----	----	----	----	4 UNCH
690	----	----	0.2225B/----	0.2225B/0.1520A	----	0.2120 + 0.0635	.3891	----	----	----	----	223 UNCH
695	0.2075	0.2075	0.2080/0.2075	0.2080/0.1410A	----	0.1970 + 0.0595	.3678	----	----	7	----	9 + 5
700	0.1310	0.1310	0.1930/0.1310	0.1930/0.1300A	----	0.1825 + 0.0555	.3470	----	----	242	----	3209 - 47
705	0.1785	0.1785	0.1790/0.1785	0.1790/0.1205A	----	0.1690 + 0.0515	.3271	----	----	7	----	8 + 7
710	----	----	0.1650B/----	0.1650B/0.1105A	----	0.1565 + 0.0480	.3079	----	----	175	----	253 + 150
715	0.1485	0.1485	0.1525B/0.1485	0.1525B/0.1030A	----	0.1445 + 0.0440	.2893	----	----	1	----	2 + 1
720	0.1425	0.1425	0.1430/0.1425	0.1430/0.0945A	----	0.1340 + 0.0410	.2721	----	----	7	----	10 + 4
725	----	----	0.1310B/----	0.1310B/0.0875A	----	0.1235 + 0.0375	.2550	----	----	1	----	1327 UNCH
730	----	----	0.1210B/----	0.1210B/0.0815A	----	0.1140 + 0.0345	.2389	----	----	----	----	3 UNCH
735	0.1035	0.1035	0.1120B/0.1035	0.1120B/0.0755A	----	0.1055 + 0.0315	.2240	----	----	5	----	6 + 5
740	----	----	0.1030B/----	0.1030B/0.0695A	----	0.0975 + 0.0290	.2097	----	----	500	----	501 + 500
750	----	----	0.0895B/----	0.0895B/0.0600A	----	0.0835 + 0.0245	.1838	----	----	502	----	1100 + 368
775	----	----	0.0605B/----	0.0605B/0.0425A	----	0.0565 + 0.0145	.1310	----	----	3	----	159 UNCH
800	----	----	0.0420B/----	0.0420B/0.0310A	----	0.0395 + 0.0090	.0945	----	----	2	----	406 + 1
825	0.0270	0.0270	0.0295B/0.0270	0.0295B/0.0235A	----	0.0280 + 0.0050	.0686	----	----	3	----	2 - 3
850	0.0210	0.0210	0.0220B/0.0210	0.0220B/0.0185A	----	0.0210 + 0.0030	.0517	----	----	1	----	14 + 1
875	----	----	0.0155B/----	0.0155B/0.0155A	----	0.0165 + 0.0020	.0404	----	----	----	----	14 UNCH
900	0.0070	0.0070	0.0145/*0.0070	0.0145/*0.0070	----	0.0135 + 0.0015	.0326	----	----	10	----	146 + 5
925	----	----	----	0.0090B/0.0115A	----	0.0115 + 0.0010	.0272	----	----	----	----	2 UNCH
950	0.0080	0.0080	0.0085B/*0.0080	0.0085B/*0.0080	----	0.0100 + 0.0010	.0231	----	----	1	----	63 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 54

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
AUG26												
975	----	----	----	0.0045B/0.0115A	----	0.0070 + 0.0005	.0166	----	----	----	----	59 UNCH
TOTAL										1539		11415 + 988
SEP26												
495	----	----	----	----	----	1.6740 + 0.1620	.9624	----	----	----	----	2 UNCH
500	----	----	1.6030B/----	1.6030B/1.5845A	----	1.6255 + 0.1615	.9593	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.5295 + 0.1610	.9514	----	----	----	----	2 UNCH
535	----	----	----	----	----	1.2950 + 0.1570	.9232	----	----	----	----	1 UNCH
565	----	----	----	----	----	1.0300 + 0.1490	.8675	----	----	----	----	1 UNCH
575	----	----	0.9250B/----	0.9250B/0.9145A	----	0.9465 + 0.1445	.8427	----	----	----	----	100 UNCH
590	----	----	0.8075B/----	0.8075B/0.8010A	----	0.8280 + 0.1360	.7999	----	----	----	----	5 UNCH
595	----	----	0.7705B/----	0.7705B/0.6670A	----	0.7905 + 0.1330	.7841	----	----	----	----	5 UNCH
600	----	----	0.7565B/----	0.7565B/0.6335A	----	0.7540 + 0.1300	.7673	----	----	----	----	222 UNCH
610	----	----	0.7030B/----	0.7030B/0.5710A	----	0.6850 + 0.1240	.7316	----	----	----	----	31 UNCH
615	----	----	0.6690B/----	0.6690B/0.5410A	----	0.6525 + 0.1210	.7130	----	----	----	----	9 UNCH
620	----	----	0.6405B/----	0.6405B/0.5105A	----	0.6215 + 0.1185	.6938	----	----	----	----	187 UNCH
625	----	----	0.6085B/----	0.6085B/0.4850A	----	0.5915 + 0.1155	.6742	----	----	----	----	632 UNCH
630	----	----	0.5760B/----	0.5760B/0.4540A	----	0.5630 + 0.1130	.6545	----	----	----	----	51 UNCH
635	----	----	0.5475B/----	0.5475B/0.4295A	----	0.5350 + 0.1095	.6346	----	----	----	----	66 UNCH
640	----	----	0.5210B/----	0.5210B/0.4055A	----	0.5085 + 0.1065	.6147	----	----	----	----	1052 UNCH
645	----	----	0.4960B/----	0.4960B/0.3835A	----	0.4825 + 0.1030	.5948	----	----	----	----	200 UNCH
650	----	----	0.4715B/----	0.4715B/0.3615A	----	0.4580 + 0.0995	.5749	----	----	10	----	337 + 6
655	----	----	0.4465B/----	0.4465B/0.3415A	----	0.4340 + 0.0955	.5551	----	----	----	----	24 UNCH
660	----	----	0.4225B/----	0.4225B/0.3230A	----	0.4115 + 0.0920	.5354	----	----	1	----	104 UNCH
665	0.3505	0.3505	0.4010B/0.3505	0.4010B/0.3040A	----	0.3895 + 0.0880	.5159	----	----	1	----	3 + 1
670	0.3455	0.3455	0.3805B/0.3455	0.3805B/0.2870A	----	0.3690 + 0.0840	.4967	----	----	9	----	128 UNCH
675	0.3285	0.3285	0.3635B/0.3285	0.3635B/0.2705A	----	0.3490 + 0.0805	.4778	----	----	14	----	594 UNCH
680	0.3100	0.3100	0.3435B/0.3100	0.3435B/0.2555A	----	0.3305 + 0.0770	.4592	----	----	2	----	1395 + 2
685	----	----	0.3215B/----	0.3215B/0.2410A	----	0.3125 + 0.0735	.4410	----	----	1	----	32 + 1
690	0.2925	0.2925	0.3085B/0.2775	0.3085B/0.2270A	----	0.2960 + 0.0705	.4234	----	----	4	----	457 + 2
695	----	----	0.2895B/----	0.2895B/0.2140A	----	0.2795 + 0.0670	.4059	----	----	----	----	20 UNCH
700	0.2375	0.2375	0.2750B/0.2375	0.2750B/0.2020A	----	0.2645 + 0.0640	.3891	----	----	97	----	10756 + 92
705	----	----	0.2600B/----	0.2600B/0.1905A	----	0.2500 + 0.0610	.3727	----	----	----	----	402 UNCH
710	0.2295	0.2295	0.2460B/0.2295	0.2460B/0.1795A	----	0.2360 + 0.0580	.3566	----	----	4	100	1100 + 100
715	0.2230	0.2230	0.2295B/0.2200	0.2295B/0.1690A	----	0.2230 + 0.0555	.3412	----	----	95	----	96 + 95
720	0.2110	0.2110	0.2170B/0.2040	0.2170B/0.1595A	----	0.2105 + 0.0530	.3261	----	----	5	----	12 + 5
725	0.1995	0.1995	0.2060B/0.1995	0.2060B/0.1495A	----	0.1985 + 0.0500	.3115	----	----	1	45	178 + 45
730	----	----	0.1930B/----	0.1930B/0.1410A	----	0.1875 + 0.0480	.2976	----	----	----	----	1 UNCH
740	----	----	0.1735B/----	0.1735B/0.1250A	----	0.1670 + 0.0435	.2710	----	----	1	----	950 UNCH
750	0.1490	0.1490	0.1535B/0.1490	0.1535B/0.1110A	----	0.1490 + 0.0395	.2467	----	----	12	----	244 + 9
760	----	----	----	#0.1355B/*0.135	----	0.1325 NEW	----	----	----	150	----	150 + 150
775	----	----	0.1165B/----	0.1165B/0.0830A	----	0.1115 + 0.0310	.1935	----	----	----	----	9180 UNCH
790	----	----	----	#0.0945B/*0.096	----	0.0940 NEW	----	----	----	75	----	75 + 75
800	0.0875	0.0875	0.0875/0.0875	0.0875/0.0635A	----	0.0840 + 0.0235	.1514	----	----	2	----	1002 + 2
825	0.0600	0.0600	0.0650B/0.0600	0.0650B/0.0495A	----	0.0645 + 0.0180	.1194	----	----	2	----	131 UNCH
850	----	----	0.0495B/----	0.0495B/0.0395A	----	0.0515 + 0.0145	.0964	----	----	----	----	2 UNCH
875	----	----	0.0375B/----	0.0375B/0.0330A	----	0.0420 + 0.0120	.0790	----	----	----	----	1 UNCH
900	----	----	0.0290B/----	0.0290B/0.0270A	----	0.0325 + 0.0095	.0625	----	----	----	----	79 UNCH
975	----	----	0.0145B/----	0.0145B/0.0175A	----	0.0155 + 0.0045	.0313	----	----	----	----	14 UNCH
TOTAL									145	486		30038 + 585
OCT26												
500	----	----	----	----	----	1.7230 + 0.1620	.9476	----	----	----	----	2 UNCH
575	----	----	----	----	----	1.0600 + 0.1415	.8321	----	----	----	----	2 UNCH
600	----	----	0.8445B/----	0.8445B/0.7540A	----	0.8755 + 0.1315	.7639	----	----	----	----	40 UNCH
605	----	----	0.8550B/----	0.8550B/0.7220A	----	0.8415 + 0.1295	.7489	----	----	----	----	2 UNCH
615	----	----	0.7885B/----	0.7885B/0.6610A	----	0.7760 + 0.1250	.7178	----	----	----	----	5 UNCH
620	----	----	0.7565B/----	0.7565B/0.6320A	----	0.7445 + 0.1220	.7019	----	----	----	----	1 UNCH
625	0.6650	0.6650	0.7255B/0.6640	0.7255B/0.6040A	----	0.7145 + 0.1200	.6858	----	----	4	----	14 - 2
650	----	----	0.5845B/----	0.5845B/0.4755A	----	0.5755 + 0.1055	.6029	----	----	----	----	107 UNCH
665	----	----	0.5145B/----	0.5145B/0.4120A	----	0.5035 + 0.0965	.5528	----	----	----	----	1 UNCH
670	----	----	0.4920B/----	0.4920B/0.3920A	----	0.4810 + 0.0935	.5363	----	----	----	----	1 UNCH
675	----	----	0.4700B/----	0.4700B/0.3730A	----	0.4595 + 0.0905	.5199	----	----	----	----	77 UNCH
690	----	----	0.4095B/----	0.4095B/0.3225A	----	0.4005 + 0.0820	.4720	----	----	----	----	1 UNCH
700	----	----	0.3680B/----	0.3680B/0.2980A	----	0.3650 + 0.0765	.4414	----	----	----	----	151 UNCH
720	----	----	0.3035B/----	0.3035B/0.2455A	----	0.3020 + 0.0660	.3835	----	----	----	----	3 UNCH
730	----	----	0.2755B/----	0.2755B/0.2230A	----	0.2740 + 0.0605	.3563	----	----	----	----	3 UNCH
740	----	----	0.2530B/----	0.2530B/0.1960A	----	0.2490 + 0.0560	.3307	----	----	----	----	10 UNCH
750	----	----	0.2260B/----	0.2260B/0.1825A	----	0.2255 + 0.0510	.3062	----	----	1	----	64 + 1
775	----	----	0.1755B/----	0.1755B/0.1425A	----	0.1770 + 0.0410	.2519	----	----	1	----	85 + 1
800	----	----	0.1395B/----	0.1395B/0.1100A	----	0.1390 + 0.0320	.2060	----	----	----	----	252 UNCH
825	----	----	0.1095B/----	0.1095B/0.0880A	----	0.1100 + 0.0250	.1686	----	----	----	----	1 UNCH
850	----	----	0.0860B/----	0.0860B/0.0715A	----	0.0880 + 0.0200	.1384	----	----	----	----	30 UNCH
875	----	----	0.0685B/----	0.0685B/0.0590A	----	0.0715 + 0.0165	.1146	----	----	----	----	3 UNCH
900	----	----	0.0550B/----	0.0550B/0.0495A	----	0.0585 + 0.0135	.0952	----	----	----	----	3 UNCH
975	----	----	0.0295B/----	0.0295B/0.0320A	----	0.0340 + 0.0075	.0569	----	----	----	----	7 UNCH
TOTAL										6		865
NOV26												
535	----	----	----	----	----	1.4195 + 0.1515	.8886	----	----	----	----	1 UNCH
545	----	----	----	----	----	1.3350 + 0.1490	.8713	----	----	----	----	1 UNCH
580	----	----	----	----	----	1.0625 + 0.1370	.7957	----	----	----	----	2 UNCH
585	----	----	0.9055B/----	0.9055B/0.9030A	----	1.0265 + 0.1350	.7833	----	----	----	----	1 UNCH
595	----	----	0.9520B/----	0.9520B/0.8380A	----	0.9575 + 0.1310	.7572	----	----	----	----	2 UNCH
600	----	----	0.9370B/----	0.9370B/0.8070A	----	0.9245 + 0.1290	.7436	----	----	----	----	2 UNCH
610	----	----	0.8720B/----	0.8720B/0.7475A	----	0.8605 + 0.1245	.7158	----	----	----	----	14 UNCH
640	----	----	0.6975B/----	0.6975B/0.5895A	----	0.6890 + 0.1110	.6290	----	----	----	----	1 UNCH
650	----	----	0.6460B/----	0.6460B/0.5425A	----	0.6385 + 0.1065	.5995	----	----	----	----	1 UNCH
655	----	----	0.6215B/----	0.6215B/0.5210A	----	0.6140 + 0.1040	.5848	----	----	----	----	1 UNCH
660	----	----	0.5975B/----	0.5975B/0.4995A	----	0.5905 + 0.1015	.5701	----	----	20	----	20 + 19
665	----	----	0.5745B/----	0.5745B/0.4795A	----	0.5680 + 0.0990	.5555	----	----	----	----	1 UNCH
670	----	----	0.5520B/----	0.5520B/0.4600A	----	0.5460 + 0.0965	.5410	----	----	----	----	14 UNCH
675	----	----	0.5300B/----	0.5300B/0.4410A	----	0.5245 + 0.0935	.5266	----	----	----	----	62 UNCH
680	----	----	0.5090B/----	0.5090B/0.4220A	----	0.5040 + 0.0915	.5123	----	----	----	----	1 UNCH
695	----	----	0.4505B/----	0.4505B/0.3715A	----	0.4465 + 0.0840	.4706	----	----	----	----	1 UNCH
700	----	----	0.4320B/----	0.4320B/0.3560A	----	0.4285 + 0.0815	.4571	----	----	----	----	27 UNCH
705	----	----	0.4145B/----	0.4145B/0.3410A	----	0.4110 + 0.0785	.4437	----	----	----	----	1 UNCH
725	----	----	0.3500B/----	0.3500B/0.2870A	----	0.3480 + 0.0690	.3926	----	----	----	----	48 UNCH
740	----	----	0.3080B/----	0.3080B/0.2530A	----	0.3065 + 0.0625	.3568	----	----	20	----	20 + 19
750	----	----	0.2825B/----	0.2825B/0.2320A	----	0.2820 + 0.0585	.3344	----	----	----	----	26 UNCH
800	----	----	0.1825B/----	0.1825B/0.1520A	----	0.1845 + 0.0410	.2382	----	----	----	----	1 UNCH
850	----	----	0.1185B/----	0.1185B/0.1020A	----	0.1235 + 0.0285	.1693	----	----	----	----	2 UNCH
900	----	----	0.0790B/----	0.0790B/0.0725A	----	0.0845 + 0.0195	.1209	----	----	----	----	1 UNCH
975	----	----	0.0450B/----	0.0450B/0.0480A	----	0.0510 + 0.0115	.0758	----	----	----	----	4 UNCH
TOTAL										40		255 + 38
DEC26												
520	----	----	----	----	----	1.5675 + 0.1540	.8961	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.5245 + 0.1525	.8886	----	----	----	123	123 UNCH
535	----	----	----	----	----	1.4405 + 0.1495	.8724	----	----	----	----	1 UNCH
550	----	----	----	----	----	1.3200 + 0.1455	.8449	----	----	----	----	2 UNCH
555	----	----	----	----	----	1.2810 + 0.1440	.8351	----	----	----	----	1 UNCH
565	----	----	----	----	----	1.2055 + 0.1405	.8138	----	----	----	----	45 UNCH
575	----	----	----	----	----	1.1335 + 0.1375	.7914	----	----	----	123	123 UNCH
585	----	----	1.0185B/----	1.0185B/0.9460A	----	1.0645 + 0.1340	.7677	----	----	----	----	1 UNCH
590	----	----	1.0305B/----	1.0305B/0.9145A	----	1.0310 + 0.1320	.7555	----	----	----	----	200 UNCH
595	----	----	1.0070B/----	1.0070B/0.8835A	----	0.9985 + 0.1305	.7430	----	----	----	----	163 UNCH
600	----	----	0.9750B/----	0.9750B/0.8535A	----	0.9670 + 0.1290	.7304	----	----	----	123	618 + 123
610	----	----	0.9130B/----	0.9130B/0.7960A	----	0.9055 + 0.1250	.7045	----	----	----	----	200 UNCH
620	----	----	0.8535B/----	0.8535B/0.7420A	----	0.8475 + 0.1215	.6782	----	----	----	----	366 UNCH
625	0.7800	0.7800	0.8250B/0.7730	0.8250B/0.7155A	----	0.8195 + 0.1195	.6650	----	----	2	----	39 UNCH
630	----	----	0.7975B/----	0.7975B/0.6905A	----	0.7920 + 0.1175	.6517	----	----	----	----	391 UNCH
635	----	----	0.7705B/----	0.7705B/0.6660A	----	0.7655 + 0.1155	.6383	----	----	----	----	1 UNCH
640	----	----	0.7440B/----	0.7440B/0.6420A	----	0.7395 + 0.1135	.6249	----	----	----	----	29 UNCH
650	0.6295	0.6295	0.6935B/0.6295	0.6935B/0.5965A	----	0.6895 + 0.1090	.5981	----	----	50	123	799 + 50
660	----	----	0.6455B/----	0.6455B/0.5535A	----	0.6425 + 0.1045	.5713	----	----	----	----	300 UNCH
670	----	----	0.6005B/----	0.6005B/0.5135A	----	0.5980 + 0.0995	.5448	----	----	----	----	4 UNCH
675	----	----	0.5790B/----	0.5790B/0.4945A	----	0.5770 + 0.0975	.5317	----	----	----	----	17 UNCH
680	----	----	0.5580B/----	0.5580B/0.4760A	----	0.5565 + 0.0950	.5187	----	----	----	----	3 UNCH
690	----	----	0.5180B/----	0.5180B/0.4415A	----	0.5170 + 0.0900	.4931	----	----	----	----	1 UNCH
700	0.4900	0.4900	0.4900/0.4900	0.4900/0.4095A	----	0.4805 + 0.0860	.4682	----	----	1	----	910 + 1
705	0.4485	0.4485	0.4630B/0.4485	0.4630B/0.3935A	----	0.4630 + 0.0835	.4559	----	----	2	----	2 UNCH
710	----	----	0.4455B/----	0.4455B/0.3790A	----	0.4460 NEW	.4439	----	----	----	50	50 + 50
725	----	----	0.3970B/----	0.3970B/0.3380A	----	0.3985 + 0.0745	.4088	----	----	----	----	129 UNCH
730	----	----	0.3820B/----	0.3820B/0.3250A	----	0.3840 + 0.0725	.3976	----	----	----	----	4 UNCH
750	----	----	0.3270B/----	0.3270B/0.2790A	----	0.3300 + 0.0640	.3546	----	----	65	----	381 - 45
775	----	----	0.2690B/----	0.2690B/0.2310A	----	0.2730 + 0.0550	.3059	----	----	----	----	211 UNCH
800	----	----	0.2215B/----	0.2215B/0.1915A	----	0.2260 + 0.0460	.2629	----	----	----	----	162 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
825	----	----	0.1825B/----	0.1825B/0.1595A	----	0.1890 + 0.0400	.2264	----	----	----	----	49 UNCH
850	----	----	0.1510B/----	0.1510B/0.1340A	----	0.1585 + 0.0345	.1948	----	----	65	----	239 - 65
900	----	----	0.1045B/----	0.1045B/0.0980A	----	0.1140 + 0.0260	.1457	----	----	----	----	657 UNCH
925	----	----	0.0880B/----	0.0880B/0.0850A	----	0.0975 + 0.0225	.1265	----	----	----	----	6 UNCH
950	0.0800	0.0800	0.0830/0.0800	0.0830/0.0745A	----	0.0840 + 0.0195	.1103	----	----	10	----	114 + 10
975	----	----	0.0625B/----	0.0625B/0.0665A	----	0.0730 + 0.0175	.0968	----	----	----	----	13 UNCH
1000	----	----	0.0540B/----	0.0540B/0.0595A	----	0.0640 + 0.0155	.0854	----	----	----	----	5 UNCH
TOTAL									542	195		6360+ 124
JAN27												
500	----	----	----	----	----	1.8375 + 0.1470	.9184	----	----	----	----	1 UNCH
900	----	----	----	----/154.0221A	----	0.1640 + 0.0250	.1830	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	----	----	----	----	----	0.9770 + 0.1045	.6871	----	----	----	----	1 UNCH
TOTAL												1
MAR27												
680	----	----	----	----/154.3454A	----	0.7215 + 0.0820	.5510	----	----	----	----	30 UNCH
950	----	----	----	----/154.0162A	----	0.1835 + 0.0255	.1807	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
JUL26												
330	----	----	----	----/*0.0030A	----	0.0005 UNCH	.0000	----	----	----	----	84 UNCH
350	----	----	----	----/0.0010A	----	0.0005 UNCH	.0000	----	----	----	----	5 UNCH
360	----	----	----	----/0.0025A	----	0.0005 UNCH	.0001	----	----	----	----	1 UNCH
380	----	----	----	----/*0.0030A	----	0.0005 UNCH	.0005	----	----	----	----	2 UNCH
390	----	----	----	----/0.0035A	----	0.0005 UNCH	.0009	----	----	----	----	6 UNCH
395	----	----	----	----/0.0035A	----	0.0005 - 0.0005	.0012	----	----	----	----	1 UNCH
400	----	----	----	----/*0.0015A	----	0.0010 UNCH	.0022	----	----	----	----	566 UNCH
405	----	----	----	----/0.0025A	----	0.0010 UNCH	.0022	----	----	----	----	1 UNCH
415	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0024	----	----	----	----	52 UNCH
420	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0024	----	----	----	----	4 UNCH
425	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0025	----	----	----	----	51 UNCH
430	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0025	----	----	----	----	10 UNCH
435	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0026	----	----	----	----	5 UNCH
440	----	----	----	----/0.0025A	----	0.0010 - 0.0005	.0027	----	----	----	----	4 UNCH
445	----	----	----	----/*0.0025A	----	0.0010 - 0.0005	.0028	----	----	----	----	3 UNCH
450	----	----	----	----/0.0015A	----	0.0010 - 0.0005	.0028	----	----	----	----	1909 UNCH
455	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0029	----	----	----	----	14 UNCH
460	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0030	----	----	----	----	6 UNCH
465	----	----	----	----/*0.0030A	----	0.0010 - 0.0005	.0031	----	----	----	----	1 UNCH
470	----	----	----	----/0.0035A	----	0.0015 - 0.0005	.0045	----	----	----	----	3 UNCH
475	----	----	----	----/*0.0030A	----	0.0015 - 0.0005	.0046	----	----	----	----	512 UNCH
480	----	----	----	----/0.0040A	----	0.0015 - 0.0005	.0047	----	----	----	----	78 UNCH
485	----	----	----	----/*0.0040A	----	0.0015 - 0.0005	.0049	----	----	----	----	2 UNCH
490	----	----	----	----/0.0045A	----	0.0015 - 0.0005	.0050	----	----	----	----	542 UNCH
495	----	----	----	----/*0.0045A	----	0.0020 - 0.0005	.0066	----	----	----	----	104 UNCH
500	----	----	----/*0.0020A	----/*0.0020A	----	0.0020 - 0.0005	.0068	----	----	1	----	3303 UNCH
505	----	----	----	----/*0.0050A	----	0.0020 - 0.0010	.0070	----	----	----	----	3 UNCH
510	----	----	----	----/0.0055A	----	0.0025 - 0.0005	.0087	----	----	----	----	215 UNCH
515	----	----	----	0.0005B/0.0055A	----	0.0025 - 0.0005	.0090	----	----	----	----	6 UNCH
520	----	----	----	0.0005B/0.0060A	----	0.0025 - 0.0010	.0093	----	----	----	----	376 UNCH
525	----	----	----/*0.0035A	0.0025B/*0.0035	----	0.0030 - 0.0010	.0112	----	----	1	----	652 - 1
530	----	----	----/*0.0035A	0.0030B/*0.0035	----	0.0030 - 0.0010	.0116	----	----	----	----	3199 UNCH
533	----	----	----/*0.0040A	0.0030B/*0.0040	----	0.0035 - 0.0010	.0134	----	----	----	----	1 UNCH
534	----	----	----/*0.0040A	0.0030B/*0.0040	----	0.0035 - 0.0010	.0135	----	----	----	----	2 UNCH
535	----	----	----/*0.0040A	0.0030B/*0.0040	----	0.0035 - 0.0010	.0136	----	----	----	----	4 UNCH
536	----	----	----/*0.0040A	0.0030B/*0.0040	----	0.0035 - 0.0010	.0137	----	----	----	----	5 UNCH
538	----	----	----/*0.0040A	0.0030B/*0.0040	----	0.0040 - 0.0010	.0155	----	----	----	----	3 UNCH
539	----	----	----/*0.0045A	0.0035B/*0.0045	----	0.0040 - 0.0010	.0156	----	----	----	----	2 UNCH
540	----	----	----/*0.0045A	0.0035B/*0.0045	----	0.0040 - 0.0010	.0157	----	----	----	----	910 UNCH
541	----	----	----/*0.0045A	0.0035B/*0.0045	----	0.0040 - 0.0010	.0158	----	----	----	----	2 UNCH
542	----	----	----/*0.0045A	0.0035B/*0.0045	----	0.0040 - 0.0010	.0160	----	----	----	----	2 UNCH
543	----	----	----/*0.0045A	0.0035B/*0.0045	----	0.0040 - 0.0015	.0161	----	----	----	----	4 UNCH
545	----	----	----/*0.0050A	0.0045B/*0.0050	----	0.0045 - 0.0010	.0179	----	----	----	----	5 UNCH
546	----	----	----/*0.0050A	0.0040B/*0.0050	----	0.0045 - 0.0010	.0181	----	----	----	----	3 UNCH
547	----	----	----/*0.0050A	0.0040B/*0.0050	----	0.0045 - 0.0015	.0182	----	----	----	----	9 UNCH
548	----	----	----/*0.0050A	0.0040B/*0.0050	----	0.0045 - 0.0015	.0184	----	----	----	----	17 UNCH
549	----	----	----/*0.0055A	0.0045B/*0.0055	----	0.0050 - 0.0010	.0201	----	----	----	----	1 UNCH
550	0.0050	0.0050	0.0050/*0.0040	0.0050/*0.0040	----	0.0050 - 0.0015	.0202	----	----	4	----	1055 UNCH
551	----	----	----/*0.0055A	0.0050B/*0.0055	----	0.0050 - 0.0015	.0204	----	----	----	----	2 UNCH
552	----	----	----/*0.0055A	0.0050B/*0.0055	----	0.0050 - 0.0015	.0206	----	----	----	----	2 UNCH
553	----	----	----/*0.0060A	0.0055B/*0.0060	----	0.0055 - 0.0015	.0223	----	----	----	----	2 UNCH
554	----	----	----/*0.0060A	0.0060B/*0.0060	----	0.0055 - 0.0015	.0225	----	----	----	----	50 UNCH
555	----	----	----/*0.0060A	0.0060B/*0.0060	----	0.0055 - 0.0020	.0227	----	----	----	----	96 UNCH
556	----	----	----/*0.0060A	0.0060B/*0.0060	----	0.0060 - 0.0015	.0244	----	----	----	----	65 UNCH
557	----	----	----/*0.0060A	0.0060B/*0.0060	----	0.0060 - 0.0020	.0247	----	----	----	----	1 UNCH
558	----	----	----/*0.0060A	0.0060B/*0.0060	----	0.0060 - 0.0020	.0249	----	----	----	----	104 UNCH
559	----	----	----/*0.0060A	0.0065B/*0.0060	----	0.0060 - 0.0025	.0251	----	----	----	----	9 UNCH
560	----	----	----/*0.0065A	0.0070B/*0.0065	----	0.0065 - 0.0020	.0269	----	----	1	----	317 UNCH
561	----	----	----/*0.0065A	0.0070B/*0.0065	----	0.0065 - 0.0025	.0271	----	----	----	----	7 UNCH
562	----	----	----/*0.0065A	0.0070B/*0.0065	----	0.0065 - 0.0030	.0274	----	----	----	----	2 UNCH
563	----	----	----/*0.0065A	0.0075B/*0.0065	----	0.0070 - 0.0025	.0292	----	----	----	----	17 UNCH
564	----	----	----/*0.0070A	0.0080B/*0.0070	----	0.0070 - 0.0030	.0295	----	----	----	----	5 UNCH
565	----	----	----/*0.0070A	0.0085B/*0.0070	----	0.0070 - 0.0035	.0297	----	----	3	----	16 - 3
566	----	----	----/*0.0075A	0.0085B/*0.0075	----	0.0075 - 0.0030	.0316	----	----	----	----	14 UNCH
567	----	----	----/*0.0075A	0.0085B/*0.0075	----	0.0075 - 0.0035	.0319	----	----	----	----	14 UNCH
568	----	----	----/*0.0075A	0.0090B/*0.0075	----	0.0075 - 0.0040	.0322	----	----	----	----	7 UNCH
569	0.0100	0.0100	0.0100/*0.0075A	0.0100/*0.0075A	----	0.0080 - 0.0040	.0340	----	----	1	----	12 UNCH
570	----	----	----/*0.0080A	0.0095B/*0.0080	----	0.0080 - 0.0040	.0344	----	----	1	----	309 - 1
571	0.0085	0.0085	0.0085/*0.0080A	0.0100B/*0.0080	----	0.0085 - 0.0040	.0362	----	----	10	----	27 + 8
572	----	----	----/*0.0085A	0.0105B/*0.0085	----	0.0085 - 0.0045	.0366	----	----	----	----	5 UNCH
573	----	----	----/*0.0085A	0.0115B/*0.0085	----	0.0085 - 0.0050	.0370	----	----	----	----	18 UNCH
574	----	----	----/*0.0090A	0.0120B/*0.0090	----	0.0090 - 0.0050	.0389	----	----	----	----	16 UNCH
575	0.0090	0.0090	0.0090/*0.0090	0.0120B/*0.0090	----	0.0090 - 0.0055	.0393	----	----	6	----	270 - 1
576	----	----	----/*0.0090A	0.0130B/*0.0090	----	0.0095 - 0.0055	.0412	----	----	----	----	24 UNCH
577	----	----	----/*0.0095A	0.0130B/*0.0095	----	0.0095 - 0.0060	.0417	----	----	----	----	6 UNCH
578	0.0100	0.0100	0.0100/*0.0095A	0.0135B/*0.0095	----	0.0100 - 0.0065	.0436	----	----	5	----	42 + 1
579	0.0105	0.0105	0.0105/*0.0100A	0.0135B/*0.0100	----	0.0100 - 0.0070	.0441	----	----	7	----	28 + 7
580	0.0160	0.0160	0.0160/*0.0105A	0.0160/*0.0105A	----	0.0105 - 0.0070	.0461	----	----	17	----	1971 - 4
581	----	----	----/*0.0105A	0.0160B/*0.0105	----	0.0110 - 0.0075	.0481	----	----	----	----	25 UNCH
582	----	----	----/*0.0110A	0.0170B/*0.0110	----	0.0115 - 0.0075	.0502	----	----	----	----	48 UNCH
583	0.0120	0.0120	0.0120/*0.0115A	0.0180B/*0.0115	----	0.0115 - 0.0080	.0507	----	----	14	----	44 - 3
584	----	----	----/*0.0115A	0.0175B/*0.0115	----	0.0120 - 0.0085	.0528	----	----	----	----	9 UNCH
585	0.0125	0.0125	0.0125/*0.0120A	0.0190B/*0.0120	----	0.0125 - 0.0090	.0548	----	----	2	----	916 UNCH
586	----	----	----/*0.0125A	0.0200B/*0.0125	----	0.0130 - 0.0095	.0569	----	----	8	----	42 - 7
587	----	----	----/*0.0130A	0.0200B/*0.0130	----	0.0135 - 0.0095	.0591	----	----	----	----	15 UNCH
588	----	----	----/*0.0135A	0.0215B/*0.0135	----	0.0140 - 0.0100	.0612	----	----	----	----	29 UNCH
589	----	----	----/*0.0140A	0.0225B/*0.0140	----	0.0145 - 0.0110	.0633	----	----	----	----	44 UNCH
590	0.0160	0.0160	0.0160/*0.0145A	0.0240B/*0.0145	----	0.0155 - 0.0110	.0669	----	----	22	----	964 - 10
591	----	----	----/*0.0150A	0.0250B/*0.0150	----	0.0160 - 0.0115	.0691	----	----	----	----	25 UNCH
592	0.0165	0.0165	0.0165/*0.0155A	0.0255B/*0.0155	----	0.0165 - 0.0120	.0713	----	----	5	----	13 + 2
593	0.0210	0.0210	0.0210/*0.0165A	0.0270B/*0.0165	----	0.0170 - 0.0130	.0736	----	----	11	----	51 + 11
594	0.0205	0.0205	0.0220/*0.0170A	0.0285B/*0.0170	----	0.0180 - 0.0130	.0772	----	----	14	----	22 + 14
595	0.0185	0.0185	0.0230/*0.0175A	0.0295B/*0.0175	----	0.0185 - 0.0140	.0795	----	----	40	----	229 + 27
596	0.0210	0.0210	0.0235/*0.0185A	0.0310B/*0.0185	----	0.0190 - 0.0150	.0818	----	----	7	----	12 + 7
597	0.0220	0.0220	0.0250/*0.0190A	0.0325B/*0.0190	----	0.0200 - 0.0155	.0855	----	----	18	----	52 + 18
598	0.0230	0.0230	0.0260/*0.0195A	0.0340B/*0.0195	----	0.0205 - 0.0165	.0879	----	----	24	----	42 + 21
599	0.0240	0.0240	0.0270/*0.0205A	0.0355B/*0.0205	----	0.0215 - 0.0170	.0917	----	----	28	----	78 + 27
600	0.0300	0.0300	0.0300/*0.0215A	0.0370B/*0.0215	----	0.0225 - 0.0180	.0954	----	----	345	----	1087 + 176
601	0.0260	0.0260	0.0295/*0.0220A	0.0390B/*0.0220	----	0.0230 - 0.0190	.0979	----	----	21	----	46 + 21
602	0.0275	0.0275	0.0305/*0.0230A	0.0390B/*0.0230	----	0.0240 - 0.0200	.1017	----	----	8	----	28 + 5
603	0.0285	0.0285	0.0320/*0.0240A	0.0405B/*0.0240	----	0.0250 - 0.0210	.1055	----	----	25	----	39 + 22
605	0.0305	0.0305	0.0350/*0.0260A	0.0460B/*0.0260	----	0.0275 - 0.0225	.1145	----	----	28	----	249 + 24
610	0.0295	0.0295	0.0405/*0.0295	0.0570B/*0.0295	----	0.0335 - 0.0280	.1366	----	----	58	----	591 + 24
615	0.0420	0.0420	0.0490/*0.0390A	0.0690B/*0.0390	----	0.0415 - 0.0335	.1636	----	----	41	----	203 + 29
620	0.0500	0.0500	0.0670/*0.0480A	0.0840B/*0.0480	----	0.0515 - 0.0390	.1950	----	----	32	----	332 UNCH
625	0.0870	0.0870	0.0870/*0.0590A	0.1005B/*0.0590	----	0.0635 - 0.0455	.2300	----	----	153	----	271 + 123
630	0.0900	0.0900	0.0900/*0.0720	0.1225B/*0.0720	----	0.0775 - 0.0520	.2679	----	----	33	----	346 - 4
635	----	----	----/*0.0880A	0.1455B/*0.0880	----	0.0940 - 0.0590	.3088	----	----	----	----	242 UNCH
640	0.1575	0.1575	0.1600/*0.1055A	0.1720B/*0.1055	----	0.1125 - 0.0660	.3513	----	----	9	----	166 + 7
645	0.1855	0.1855	0.1855/*0.1255A	0.1995B/*0.1255	----	0.1340 - 0.0725	.3954	----	----	5	----	112 + 1
650	0.1965	0.1965	0.1965/*0.1480A	0.2295B/*0.1480	----	0.1570 - 0.0800	.4397	----	----	1	----	124 UNCH
655	----	----	----/*0.1720A	0.2595B/*0.1720	----	0.1825 - 0.0870	.4840	----	----	----	120	169 + 120
660	0.2805	0.2805	0.2805/*0.1985A	0.2945B/*0.1985	----	0.2100 - 0.0940	.5277	----	----	2	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
665	----	----	----/*0.2270A	0.3310B/*0.2270	----	0.2390 - 0.1015	.5705	----	----	----	----	2 UNCH
670	----	----	----/*0.2575A	0.3695B/*0.2575	----	0.2705 - 0.1085	.6118	----	----	----	----	60 UNCH
675	----	----	----/*0.2895A	0.3875B/*0.2895	----	0.3035 - 0.1155	.6518	----	----	----	----	26 UNCH
700	----	----	----/*0.4965A	0.6050B/*0.4965	----	0.4955 - 0.1430	.8130	----	----	1	----	1 - 1
705	----	----	----/*0.5385A	0.6510B/*0.5385	----	0.5380 - 0.1470	.8374	----	----	----	----	1 UNCH
TOTAL									120	1012		23969 + 660
AUG26												
330	----	----	----	----/0.0060A	----	0.0005 UNCH	.0005	----	----	----	----	3 UNCH
405	----	----	----	----/0.0060A	----	0.0020 - 0.0005	.0043	----	----	----	----	3 UNCH
420	----	----	----	0.0005B/0.0065A	----	0.0030 UNCH	.0064	----	----	----	----	1 UNCH
440	----	----	----	0.0015B/0.0075A	----	0.0040 UNCH	.0089	----	----	----	----	5 UNCH
450	----	----	----	0.0020B/0.0080A	----	0.0045 - 0.0005	.0102	----	----	----	----	8 UNCH
460	----	----	----	0.0025B/*0.0085	----	0.0055 - 0.0005	.0126	----	----	----	----	3 UNCH
465	----	----	----	0.0030B/*0.0090	----	0.0060 UNCH	.0138	----	----	----	----	1 UNCH
470	----	----	----	0.0035B/0.0100A	----	0.0065 UNCH	.0151	----	----	----	----	3 UNCH
475	----	----	----	0.0040B/0.0100A	----	0.0070 UNCH	.0164	----	----	----	----	15 UNCH
480	----	----	----	0.0045B/*0.0100	----	0.0075 UNCH	.0177	----	----	----	----	8 UNCH
485	----	----	----	0.0055B/*0.0105	----	0.0085 UNCH	.0200	----	----	----	----	1 UNCH
490	----	----	----	0.0055B/*0.0110	----	0.0090 UNCH	.0214	----	----	1	----	1 + 1
500	----	----	----	0.0070B/0.0125A	----	0.0105 UNCH	.0254	----	----	----	----	11 UNCH
505	----	----	----	0.0090B/*0.0115	----	0.0110 - 0.0005	.0270	----	----	----	----	1 UNCH
510	----	----	----/*0.0120A	0.0100B/*0.0120	----	0.0120 - 0.0010	.0296	----	----	----	----	2 UNCH
520	----	----	----/*0.0135A	0.0125B/*0.0135	----	0.0140 - 0.0015	.0351	----	----	----	----	308 UNCH
525	----	----	----/*0.0130A	0.0155B/*0.0130	----	0.0150 - 0.0025	.0380	----	----	----	----	1 UNCH
530	----	----	----/*0.0145A	0.0175B/*0.0145	----	0.0165 - 0.0030	.0419	----	----	----	----	43 UNCH
535	----	----	----/*0.0160A	0.0200B/*0.0160	----	0.0180 - 0.0035	.0460	----	----	----	----	9 UNCH
540	----	----	----/*0.0180A	0.0220B/*0.0180	----	0.0195 - 0.0045	.0502	----	----	----	----	9 UNCH
545	----	----	----/*0.0200A	0.0260B/*0.0200	----	0.0215 - 0.0060	.0554	----	----	----	----	3 UNCH
550	0.0260	0.0260	0.0260/*0.0220A	0.0290B/*0.0220	----	0.0245 - 0.0065	.0625	----	----	5	----	157 UNCH
555	----	----	----/*0.0250A	0.0330B/*0.0250	----	0.0275 - 0.0075	.0697	----	----	5	----	10 - 1
560	0.0305	0.0305	0.0310/*0.0280A	0.0380B/*0.0280	----	0.0310 - 0.0090	.0779	----	----	24	----	80 + 16
565	----	----	----/*0.0315A	0.0430B/*0.0315	----	0.0350 - 0.0105	.0871	----	----	----	----	3 UNCH
570	----	----	----/*0.0360A	0.0485B/*0.0360	----	0.0400 - 0.0120	.0980	----	----	3	----	171 UNCH
575	----	----	----/*0.0410A	0.0555B/*0.0410	----	0.0455 - 0.0140	.1097	----	----	1	----	115 UNCH
580	0.0550	0.0550	0.0550/*0.0470A	0.0635B/*0.0470	----	0.0515 - 0.0165	.1223	----	----	7	----	379 + 4
585	----	----	----/*0.0535A	0.0730B/*0.0535	----	0.0590 - 0.0185	.1371	----	----	----	----	65 UNCH
590	0.0660	0.0660	0.0660/*0.0610A	0.0820B/*0.0610	----	0.0670 - 0.0215	.1525	----	----	5	----	21 + 2
595	----	----	----/*0.0695A	0.0940B/*0.0695	----	0.0760 - 0.0245	.1692	----	----	----	----	1 UNCH
600	0.0835	0.0835	0.0835/*0.0795A	0.1070B/*0.0795	----	0.0865 - 0.0275	.1876	----	----	7	----	820 + 2
605	----	----	----/*0.0900A	0.1220B/*0.0900	----	0.0980 - 0.0310	.2071	----	----	1	----	323 + 1
610	0.1070	0.1070	0.1070/*0.1020A	0.1380B/*0.1020	----	0.1110 - 0.0345	.2278	----	----	6	----	384 + 3
615	----	----	----/*0.1155A	0.1560B/*0.1155	----	0.1250 - 0.0380	.2494	----	----	3	----	4 + 3
620	0.1345	0.1345	0.1485/*0.1310A	0.1750B/*0.1310	----	0.1400 - 0.0425	.2717	----	----	2	----	30 + 1
625	----	----	----/*0.1465A	0.1955B/*0.1465	----	0.1570 - 0.0460	.2952	----	----	1	----	7 + 1
630	----	----	----/*0.1645A	0.2175B/*0.1645	----	0.1750 - 0.0505	.3191	----	----	----	----	5 UNCH
635	0.1900	0.1900	0.1900/*0.1835A	0.2415B/*0.1835	----	0.1945 - 0.0545	.3437	----	----	1	----	11 + 1
640	----	----	----/*0.2045A	0.2665B/*0.2045	----	0.2155 - 0.0590	.3686	----	----	----	----	257 UNCH
650	----	----	----/*0.2500A	0.3210B/*0.2500	----	0.2615 - 0.0675	.4190	----	----	----	----	50 UNCH
660	----	----	----/*0.3015A	0.3820B/*0.3015	----	0.3135 - 0.0755	.4694	----	----	----	----	2 UNCH
670	----	----	----/*0.3575A	0.4435B/*0.3575	----	0.3700 - 0.0840	.5186	----	----	----	----	310 UNCH
675	----	----	----/*0.3865A	0.4775B/*0.3865	----	0.4005 NEW	.5425	----	----	1	----	1 + 1
TOTAL										73		3645 + 35
SEP26												
400	----	----	----	0.0015B/*0.0100	----	0.0055 UNCH	.0097	----	----	----	----	1 UNCH
440	----	----	----	0.0045B/*0.0140	----	0.0095 UNCH	.0175	----	----	----	----	4 UNCH
445	----	----	----	0.0050B/0.0145A	----	0.0100 UNCH	.0187	----	----	----	----	5 UNCH
450	----	----	----	0.0055B/0.0150A	----	0.0105 UNCH	.0198	----	----	----	----	805 UNCH
460	----	----	----	0.0070B/0.0165A	----	0.0120 UNCH	.0229	----	----	----	----	12 UNCH
470	----	----	----	0.0090B/0.0140A	----	0.0135 - 0.0005	.0262	----	----	----	----	3 UNCH
475	----	----	----	0.0110B/0.0170A	----	0.0145 - 0.0005	.0283	----	----	----	----	71 UNCH
480	----	----	----	0.0120B/*0.0170	----	0.0150 - 0.0010	.0298	----	----	----	----	7 UNCH
485	----	----	----	0.0130B/*0.0180	----	0.0165 - 0.0010	.0327	----	----	----	----	1 UNCH
490	----	----	----	0.0145B/*0.0190	----	0.0175 - 0.0015	.0350	----	----	----	----	11 UNCH
500	----	----	----/*0.0220A	0.0180B/*0.0220	----	0.0200 - 0.0025	.0405	----	----	----	----	629 UNCH
510	----	----	----/*0.0245A	0.0225B/*0.0245	----	0.0240 - 0.0035	.0484	----	----	----	----	2 UNCH
515	----	----	----/*0.0270A	0.0250B/*0.0270	----	0.0260 - 0.0040	.0525	----	----	----	----	1 UNCH
520	----	----	----/*0.0290A	0.0280B/*0.0290	----	0.0285 - 0.0050	.0574	----	----	----	----	7 UNCH
525	----	----	----/*0.0310A	0.0320B/*0.0310	----	0.0315 - 0.0055	.0630	----	----	----	----	327 UNCH
530	----	----	----/*0.0335A	0.0360B/*0.0335	----	0.0350 - 0.0060	.0694	----	----	----	----	2 UNCH
535	----	----	----/*0.0370A	0.0410B/*0.0370	----	0.0390 - 0.0070	.0765	----	----	----	----	350 UNCH
540	----	----	----/*0.0410A	0.0455B/*0.0410	----	0.0430 - 0.0080	.0838	----	----	----	----	403 UNCH
545	----	----	----/*0.0450A	0.0505B/*0.0450	----	0.0480 - 0.0090	.0923	----	----	----	----	1 UNCH
550	----	----	----/*0.0495A	0.0570B/*0.0495	----	0.0535 - 0.0100	.1014	----	----	----	----	327 UNCH
560	----	----	----/*0.0615A	0.0730B/*0.0615	----	0.0655 - 0.0130	.1212	----	----	----	----	5 UNCH
565	----	----	----/*0.0680A	0.0820B/*0.0680	----	0.0725 - 0.0150	.1322	----	----	----	----	2 UNCH
570	----	----	----/*0.0755A	0.0915B/*0.0755	----	0.0805 - 0.0170	.1443	----	----	----	----	124 UNCH
575	----	----	----/*0.0840A	0.1025B/*0.0840	----	0.0890 - 0.0195	.1570	----	----	----	----	406 UNCH
580	----	----	----/*0.0930A	0.1135B/*0.0930	----	0.0980 - 0.0220	.1703	----	----	----	----	686 UNCH
585	----	----	----/*0.1030A	0.1270B/*0.1030	----	0.1085 - 0.0245	.1848	----	----	----	----	8 UNCH
590	----	----	----/*0.1145A	0.1405B/*0.1145	----	0.1195 - 0.0275	.1998	----	----	----	----	369 UNCH
595	----	----	----/*0.1265A	0.1555B/*0.1265	----	0.1315 - 0.0310	.2156	----	----	----	----	8 UNCH
600	0.1500	0.1500	0.1500/*0.1395A	0.1715B/*0.1395	----	0.1450 - 0.0335	.2324	----	----	1	----	1608 UNCH
610	0.1850	0.1850	0.1850/*0.1695A	0.2075B/*0.1695	----	0.1755 - 0.0395	.2681	----	----	100	----	1300 + 100
615	----	----	----/*0.1855A	0.2270B/*0.1855	----	0.1925 - 0.0425	.2867	----	----	----	----	1 UNCH
620	----	----	----/*0.2035A	0.2480B/*0.2035	----	0.2110 - 0.0455	.3059	----	----	----	----	1002 UNCH
625	----	----	----/*0.2220A	0.2700B/*0.2220	----	0.2310 - 0.0480	.3255	----	----	----	----	1151 UNCH
630	----	----	----/*0.2415A	0.2935B/*0.2415	----	0.2520 - 0.0505	.3452	----	----	----	----	59 UNCH
635	----	----	----/*0.2625A	0.3190B/*0.2625	----	0.2740 - 0.0535	.3651	----	----	----	----	503 UNCH
640	0.2965	0.2965	0.2965/*0.2850A	0.3450B/*0.2850	----	0.2970 - 0.0570	.3850	----	----	3	----	410 UNCH
645	0.3210	0.3210	0.3210/*0.3080A	0.3720B/*0.3080	----	0.3205 - 0.0605	.4048	----	----	1	----	38 + 1
650	----	----	----/*0.3325A	0.4000B/*0.3325	----	0.3455 - 0.0640	.4248	----	----	----	----	83 UNCH
655	----	----	----/*0.3580A	0.4295B/*0.3580	----	0.3715 - 0.0680	.4446	----	----	----	----	53 UNCH
660	----	----	----/*0.3840A	0.4600B/*0.3840	----	0.3985 - 0.0715	.4643	----	----	----	----	1 UNCH
670	0.4780	0.4780	0.4780/*0.4405A	0.5240B/*0.4405	----	0.4555 - 0.0790	.5030	----	----	1	----	211 + 1
685	----	----	----/*0.5325A	0.6230B/*0.5325	----	0.5480 - 0.0900	.5587	----	----	----	----	11 UNCH
690	0.5785	0.5785	0.6100/*0.5690A	0.6585B/*0.5690	----	0.5810 NEW	.5763	----	----	2	----	0 UNCH
695	----	----	----/*0.6025A	0.6950B/*0.6025	----	0.6145 - 0.0960	.5938	----	----	----	----	2 UNCH
700	----	----	----/*0.6365A	0.7330B/*0.6365	----	0.6490 - 0.0990	.6106	----	----	----	----	7 UNCH
725	----	----	----/*0.8180A	0.9300B/*0.8180	----	0.8315 - 0.1130	.6882	----	----	----	----	2 UNCH
TOTAL										108		11019 + 102
OCT26												
300	----	----	----	----/0.0085A	----	0.0010 - 0.0005	.0016	----	----	----	----	1 UNCH
375	----	----	----	0.0040B/0.0125A	----	0.0060 - 0.0005	.0091	----	----	----	----	2 UNCH
400	----	----	----	0.0035B/0.0150A	----	0.0085 - 0.0005	.0131	----	----	----	----	1 UNCH
450	----	----	----	0.0100B/0.0210A	----	0.0165 + 0.0005	.0266	----	----	----	----	1 UNCH
470	----	----	----	0.0150B/*0.0240	----	0.0210 UNCH	.0346	----	----	----	----	1 UNCH
475	----	----	----	0.0155B/*0.0265	----	0.0225 UNCH	.0372	----	----	----	----	3 UNCH
500	----	----	----	0.0255B/*0.0350	----	0.0310 - 0.0020	.0521	----	----	----	----	20 UNCH
530	----	----	----/*0.0540A	0.0490B/*0.0540	----	0.0500 - 0.0080	.0825	----	----	----	----	1 UNCH
570	----	----	----/*0.1065A	0.1135B/*0.1065	----	0.1050 - 0.0200	.1557	----	----	----	----	4 UNCH
600	----	----	----/*0.1760A	0.2020B/*0.1760	----	0.1790 - 0.0315	.2358	----	----	----	----	13 UNCH
605	----	----	----/*0.1905A	0.2195B/*0.1905	----	0.1945 - 0.0340	.2507	----	----	----	----	1 UNCH
650	0.3855	0.3855	0.3855/*0.3665A	0.4215B/*0.3665	----	0.3750 NEW	.3967	----	----	10	----	10 + 10
745	----	----	----/0.9660A	1.0720B/0.9660A	----	0.9780 - 0.1095	.6813	----	----	----	----	1 UNCH
750	----	----	----/1.0130A	1.1010B/1.0130A	----	1.0165 - 0.1115	.6934	----	----	----	----	5 UNCH
TOTAL										10		64 + 10
NOV26												
400	----	----	----	0.0065B/0.0205A	----	0.0135 + 0.0005	.0186	----	----	----	----	10 UNCH
475	----	----	----	0.0260B/*0.0365	----	0.0310 - 0.0015	.0462	----	----	----	----	2 UNCH
480	----	----	----	0.0285B/*0.0385	----	0.0330 - 0.0025	.0493	----	----	----	----	2 UNCH
500	0.0450	0.0450	0.0450/0.0450	0.0450/0.0450	----	0.0445 - 0.0050	.0658	----	----	1	----	15 - 1
520	----	----	----/*0.0655A	0.0615B/*0.0655	----	0.0620 - 0.0080	.0889	----	----	----	----	4 UNCH
550	----	----	----/*0.1050A	0.1085B/*0.1050	----	0.1030 - 0.0160	.1374	----	----	----	----	1 UNCH
560	----	----	----/*0.1230A	0.1300B/*0.1230	----	0.1220 - 0.0195	.1576	----	----	----	----	1 UNCH
580	0.1695	0.1695	0.1695/*0.1685A	0.1850B/*0.1685	----	0.1695 NEW	.2039	----	----	2	----	2 + 2
590	----	----	----/*0.1965A	0.2165B/*0.1965	----	0.1975 - 0.0300	.2291	----	----	----	----	1 UNCH
645	----	----	----/*0.4080A	0.4555B/*0.4080	----	0.4135 - 0.0540	.3853	----	----	----	----	1 UNCH
735	----	----	----/0.9505A	1.0410B/0.9505A	----	0.9605 - 0.0980	.6310	----	----	----	----	2 UNCH
TOTAL										3		41 + 1
DEC26												
380	----	----	----	0.0050B/0.0240A	----	0.0145 + 0.0005	.0181	----	----	----	----	2 UNCH
385	----	----	----	0.0055B/0.0250A	----	0.0150 UNCH	.0190	----	----	----	----	1 UNCH
395	----	----	----	0.0075B/0.0265A	----	0.0170 + 0.0005	.0216	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
400	----	----	----	0.0085B/0.0275A	----	0.0175 + 0.0005	.0225	----	----	----	----	18 UNCH
420	----	----	----	0.0125B/*0.0310	----	0.0215 + 0.0005	.0283	----	----	----	----	2 UNCH
460	----	----	----	0.0260B/*0.0420	----	0.0335 - 0.0010	.0455	----	----	----	----	2 UNCH
475	----	----	----	0.0345B/*0.0490	----	0.0410 - 0.0025	.0555	----	----	----	----	76 UNCH
480	----	----	----	0.0380B/*0.0515	----	0.0440 - 0.0030	.0594	----	----	----	----	12 UNCH
490	----	----	----	0.0460B/*0.0580	----	0.0510 - 0.0040	.0683	----	----	----	----	5 UNCH
500	----	----	----	0.0555B/0.0660A	----	0.0590 - 0.0060	.0782	----	----	----	----	104 UNCH
520	----	----	----/*0.0870A	0.0805B/*0.0870	----	0.0810 - 0.0100	.1034	----	----	----	----	2 UNCH
525	----	----	----/*0.0935A	0.0880B/*0.0935	----	0.0880 - 0.0110	.1110	----	----	----	----	1 UNCH
540	----	----	----/*0.1165A	0.1150B/*0.1165	----	0.1120 - 0.0150	.1358	----	----	----	----	3 UNCH
545	----	----	----/*0.1250A	0.1255B/*0.1250	----	0.1215 - 0.0160	.1450	----	----	----	----	1 UNCH
550	----	----	----/*0.1350A	0.1365B/*0.1350	----	0.1315 - 0.0175	.1546	----	----	----	----	79 UNCH
560	----	----	----/*0.1565A	0.1610B/*0.1565	----	0.1535 - 0.0210	.1748	----	----	----	----	300 UNCH
570	----	----	----/*0.1810A	0.1885B/*0.1810	----	0.1790 - 0.0240	.1968	----	----	----	----	5 UNCH
575	----	----	----/*0.1945A	0.2035B/*0.1945	----	0.1925 - 0.0255	.2081	----	----	----	----	20 UNCH
580	0.2045	0.2045	0.2045/*0.2045	0.2195B/*0.2045	----	0.2070 - 0.0275	.2198	----	----	2	----	21 - 2
600	0.2975	0.2975	0.2975/*0.2735A	0.2975/*0.2735A	----	0.2730 - 0.0340	.2691	----	----	20	----	198 + 20
630	----	----	----/*0.3925A	0.4205B/*0.3925	----	0.3945 - 0.0450	.3478	----	----	----	----	18 UNCH
650	----	----	----/*0.4865A	0.5230B/*0.4865	----	0.4895 - 0.0535	.4014	----	----	----	----	4 UNCH
665	----	----	----/*0.5640A	0.6085B/*0.5640	----	0.5680 - 0.0605	.4414	----	----	----	----	1 UNCH
670	0.6410	0.6410	0.6410/*0.5915A	0.6410/*0.5915A	----	0.5955 NEW	.4547	----	----	2	----	1 + 1
750	----	----	----/1.1095A	1.1940B/1.1095A	----	1.1175 - 0.0985	.6449	----	----	----	----	1 UNCH
TOTAL										24		880 + 19
JAN27												
400	----	----	----	----	----	0.0210 - 0.0055	.0249	----	----	----	----	8 UNCH
800	----	----	----	----	----	1.4875 - 0.1190	.6960	----	----	----	----	1 UNCH
TOTAL												9
FEB27												
400	----	----	----	----	----	0.0295 - 0.0065	.0315	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0120 - 0.0025	.0103	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
610	----	----	----	----	----	0.2890 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.2390 UNCH	----	----	----	----	----	0 UNCH
625	----	----	----	----	----	0.1390 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.0890 UNCH	----	----	----	----	----	0 UNCH
633	----	----	----	----	----	0.0590 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0390 UNCH	----	----	----	----	----	0 UNCH
638	----	----	----	----	----	0.0090 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
643	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
646	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
650	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
JUN26												
550	----	----	----	----	----	1.1140 + 0.1630	.9907	----	----	----	----	1 UNCH
620	----	----	#0.3545B/----	#0.3545B/0.2415	----	0.3705 + 0.1360	.8912	----	----	----	----	4 UNCH
630	----	----	0.2850B/----	0.2850B/0.1645A	----	0.2615 + 0.1285	.9278	----	----	----	----	3 UNCH
630	----	----	0.2675B/----	0.2675B/0.1730A	----	0.2845 + 0.1175	.8188	----	----	----	----	4 UNCH
635	----	----	0.2385B/----	0.2385B/0.1080A	----	0.2160 + 0.1140	.8881	----	----	----	----	1 UNCH
640	----	----	0.1945B/----	0.1945B/0.0820A	----	0.1735 + 0.0970	.8262	----	----	----	----	17 UNCH
640	0.1600	0.1600	#0.2275B/0.1600	#0.2275B/0.1170	----	0.2100 NEW	.7115	----	----	1	----	1 + 1
645	----	----	0.1540B/----	0.1540B/0.0610A	----	0.1355 + 0.0800	.7381	----	----	----	----	1 UNCH
645	----	----	#0.1935B/----	#0.1935B/0.0955	----	0.1775 + 0.0855	.6478	----	----	----	----	16 UNCH
650	0.0330	0.0330	0.1260/0.0330	0.1260/0.0330	----	0.1025 + 0.0635	.6300	----	----	7	----	151 - 1
650	0.1020	0.1020	#0.1630B/0.1020	#0.1630B/0.0790	----	0.1490 + 0.0755	.5803	----	----	1	----	1 UNCH
650	----	----	#0.2605B/----	#0.2605B/0.1615	----	0.2490 + 0.0925	.6099	----	----	----	----	1 UNCH
655	0.0310	0.0310	0.0890B/0.0310	0.0890B/0.0310	----	0.0755 + 0.0485	.5110	----	----	1	----	3 + 1
660	0.0300	0.0300	0.0670B/0.0300	0.0670B/0.0235A	----	0.0545 + 0.0360	.3950	----	----	1	----	2 + 1
670	----	----	0.0305B/----	0.0305B/0.0145A	----	0.0260 + 0.0170	.2054	----	----	----	----	117 UNCH
675	----	----	0.0195B/----	0.0195B/0.0120A	----	0.0175 + 0.0115	.1398	----	----	----	----	5 UNCH
680	----	----	0.0115B/----	0.0115B/0.0105A	----	0.0115 + 0.0075	.0917	----	----	----	----	1 UNCH
680	----	----	0.0455B/----	0.0455B/0.0220A	----	0.0420 + 0.0245	.2205	----	----	----	----	3 UNCH
690	----	----	0.0025B/----	0.0025B/0.0080A	----	0.0050 + 0.0030	.0377	----	----	----	----	1 UNCH
690	----	----	0.0265B/----	0.0265B/0.0155A	----	0.0250 + 0.0135	.1414	----	----	----	----	4 UNCH
700	----	----	----	0.0010B/0.0070A	----	0.0020 + 0.0010	.0138	----	----	----	----	2 UNCH
700	----	----	0.0145B/----	0.0145B/0.0115A	----	0.0150 + 0.0075	.0885	----	----	----	----	1 UNCH
700	----	----	#0.0725B/----	#0.0725B/0.0410	----	0.0655 + 0.0285	.2298	----	----	----	----	2 UNCH
725	----	----	----	0.0030B/0.0080A	----	0.0050 + 0.0020	.0295	----	----	----	----	1 UNCH
750	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
750	0.0120	0.0120	#0.0165B/*0.012	0.0165B/*0.0120	----	0.0155 + 0.0055	.0632	----	----	2	----	3 + 2
TOTAL										13		347 + 4
JUL26												
750	0.0440	0.0440	#0.0440/*0.0440	#0.0440/*0.0435	----	0.0425 NEW	.1241	----	----	1	----	1 + 1
TOTAL										1		1 + 1
HXE PUT		COPPER OPTIONS										
MAY26												
600	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
630	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
634	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
636	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
637	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
638	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0110 UNCH	----	----	----	----	----	0 UNCH
642	----	----	----	----	----	0.0310 UNCH	----	----	----	----	----	0 UNCH
665	----	----	----	----	----	0.2610 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
JUN26												
500	----	----	----	----/0.0070A	----	0.0005 UNCH	.0003	----	----	----	----	26 UNCH
560	----	----	----/0.0030A	0.0010B/0.0030A	----	0.0020 - 0.0020	.0060	----	----	----	----	11 UNCH
600	----	----	----	0.0005B/*0.0060	----	0.0030 - 0.0030	.0150	----	----	----	----	105 UNCH
600	----	----	----/*0.0100A	0.0090B/*0.0100	----	0.0070 - 0.0080	.0405	----	----	----	----	11 UNCH
600	----	----	----/*0.0205A	0.0300B/*0.0205	----	0.0200 - 0.0155	.0827	----	----	----	----	1 UNCH
605	0.0100	0.0100	0.0100/*0.0100	0.0130B/*0.0100	----	0.0085 NEW	.0502	----	----	10	----	10 + 10
610	----	----	----/*0.0060A	0.0020B/*0.0060	----	0.0035 - 0.0065	.0207	----	----	----	----	15 UNCH
610	----	----	----/*0.0135A	0.0185B/*0.0135	----	0.0110 - 0.0150	.0651	----	----	----	----	5 UNCH
615	----	----	----/*0.0065A	0.0055B/*0.0065	----	0.0040 - 0.0100	.0258	----	----	----	----	5 UNCH
620	----	----	----/*0.0070A	0.0110B/*0.0070	----	0.0050 - 0.0155	.0349	----	----	----	----	34 UNCH
620	----	----	----/*0.0205A	0.0370B/*0.0205	----	0.0185 - 0.0275	.1085	----	----	----	----	10 UNCH
624	0.0075	0.0075	#0.0075/*0.0075	#0.0110B/*0.007	----	0.0060 NEW	.0447	----	----	1	----	1 + 1
625	0.0150	0.0150	0.0150/*0.0085A	0.0195B/*0.0085	----	0.0065 - 0.0235	.0489	----	----	2	----	6 - 2
625	----	----	----/*0.0260A	0.0500B/*0.0260	----	0.0245 - 0.0360	.1407	----	----	----	----	2 UNCH
635	0.0155	0.0155	0.0200/*0.0155	0.0505B/*0.0155	----	0.0135 NEW	.1117	----	----	35	----	35 + 35
635	----	----	----/*0.0435A	0.0870B/*0.0435	----	0.0435 - 0.0560	.2308	----	----	----	----	5 UNCH
640	----	----	----/*0.0220A	0.0735B/*0.0220	----	0.0210 - 0.0665	.1736	----	----	----	----	1 UNCH
645	0.0370	0.0370	0.0430/*0.0325A	0.1030B/*0.0325	----	0.0330 NEW	.2617	----	----	4	----	4 + 4
655	0.0865	0.0865	0.0880/*0.0680A	0.1765B/*0.0680	----	0.0730 NEW	.4888	----	----	4	----	4 + 4
660	0.1045	0.1045	0.1175/*0.0935A	0.2190B/*0.0935	----	0.1020 NEW	.6049	----	----	14	----	11 + 11
675	0.1970	0.1970	0.1970/*0.1955A	0.3585B/*0.1955	----	0.2150 NEW	.8600	----	----	1	----	1 + 1
TOTAL										71		303 + 64

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUL26												
1390	----	----	48.60B/40.70A	48.60B/40.70A	----	46.10 - 1.20	.4929	----	----	----	----	4 UNCH
1440	----	----	----/26.50A	29.20B/26.50A	----	28.90 - 1.00	.3437	----	----	----	----	1 UNCH
1450	----	----	----/24.50A	26.40B/24.50A	----	26.40 - 1.00	.3184	----	----	----	----	5 UNCH
1500	----	----	----/17.10A	16.30B/17.10A	----	17.50 - 0.70	.2183	----	----	----	----	10 UNCH
1550	----	----	----/*12.50A	10.40B/*12.50A	----	12.00 - 0.70	.1512	----	----	----	----	76 UNCH
1600	----	----	----	6.70B/*9.10A	----	8.60 - 0.50	.1075	----	----	----	----	85 UNCH
1720	----	----	----	1.90B/*5.80A	----	4.00 - 0.40	.0490	----	----	----	----	6 UNCH
1800	----	----	----	0.50B/*4.80A	----	2.30 - 0.30	.0281	----	----	----	----	49 UNCH
TOTAL												236 0
AUG26												
1500	----	----	39.70B/36.80A	39.70B/36.80A	----	40.80 + 2.00	.3200	----	----	----	----	10 UNCH
1550	----	----	----/29.50A	30.50B/29.50A	----	32.20 + 1.70	.2585	----	----	----	----	10 UNCH
1600	----	----	----/24.20A	23.80B/24.20A	----	25.70 + 1.20	.2097	----	----	----	----	100 UNCH
1700	----	----	----	15.10B/16.40A	----	17.00 + 0.60	.1410	----	----	----	----	20 UNCH
1800	----	----	----	9.50B/12.40A	----	11.90 + 0.60	.0987	----	----	----	----	100 UNCH
1900	----	----	----	5.90B/9.50A	----	8.30 + 0.40	.0692	----	----	----	----	400 UNCH
TOTAL												640 0
SEP26												
1275	----	----	159.90B/143.50A	159.90B/143.50A	----	157.60 + 4.60	.7064	----	----	----	----	1 UNCH
1300	----	----	144.50B/129.10A	144.50B/129.10A	----	142.60 + 4.80	.6676	----	----	----	----	1 UNCH
1400	----	----	95.10B/84.70A	95.10B/84.70A	----	94.10 + 5.20	.5094	----	----	----	----	75 UNCH
1450	----	----	76.80B/68.90A	76.80B/68.90A	----	76.50 + 4.90	.4368	----	----	----	----	50 UNCH
1575	----	----	45.00B/42.80A	45.00B/42.80A	----	47.20 + 3.80	.2932	----	----	----	----	25 UNCH
1600	----	----	40.60B/39.30A	40.60B/39.30A	----	43.10 + 3.60	.2708	----	----	----	----	153 UNCH
1625	----	----	36.80B/36.10A	36.80B/36.10A	----	39.50 + 3.30	.2505	----	----	----	----	20 UNCH
1665	----	----	31.70B/----	31.70B/31.90A	----	34.50 + 3.00	.2215	----	----	----	----	9 UNCH
1700	----	----	----	27.90B/28.70A	----	30.70 + 2.70	.1991	----	----	----	----	60 UNCH
1800	----	----	----	19.70B/21.80A	----	22.60 + 2.10	.1492	----	----	----	----	15 UNCH
1875	----	----	----	15.30B/18.20A	----	18.20 + 1.70	.1213	----	----	----	----	25 UNCH
1885	----	----	----	14.80B/17.80A	----	17.70 + 1.70	.1181	----	----	----	----	100 UNCH
1900	----	----	----	14.00B/17.20A	----	17.00 + 1.60	.1136	----	----	----	----	22 UNCH
2000	----	----	----	10.00B/14.00A	----	13.10 + 1.30	.0881	----	----	----	----	50 UNCH
2100	----	----	----	7.10B/11.70A	----	10.50 + 1.00	.0704	----	----	----	----	30 UNCH
2200	----	----	----	5.00B/*10.10A	----	8.60 + 0.90	.0573	----	----	----	----	5 UNCH
2400	----	----	----	2.30B/*8.00A	----	5.90 + 0.60	.0390	----	----	----	----	15 UNCH
2550	----	----	----	1.10B/*7.00A	----	4.60 + 0.50	.0302	----	----	----	----	50 UNCH
TOTAL												706 0
DEC26												
1775	----	----	----	----	----	41.80 NEW	.2213	----	----	----	100	100 + 100
1800	----	----	----	----	----	39.00 - 0.70	.2083	----	----	----	----	50 UNCH
2000	----	----	----	----	----	24.80 - 0.60	.1361	----	----	----	----	1 UNCH
3000	----	----	----	----	----	5.70 - 0.30	.0312	----	----	----	----	1 UNCH
TOTAL									100			152 + 100
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUL26												
1200	----	----	----	4.10B/7.20A	----	4.10 - 0.50	.0612	----	----	----	----	4 UNCH
1250	----	----	----	10.20B/11.60A	----	9.90 - 0.80	.1321	----	----	----	----	20 UNCH
1280	----	----	----/15.90A	15.90B/15.90A	----	15.00 - 1.10	.1894	----	----	----	----	1 UNCH
1285	----	----	----/16.80A	17.10B/16.80A	----	15.90 - 1.20	.1996	----	----	----	----	9 UNCH
1300	----	----	21.00B/19.70A	21.00B/19.70A	----	19.10 - 1.40	.2339	----	----	----	----	165 UNCH
1350	----	----	39.90B/33.80A	39.90B/33.80A	----	34.50 - 1.80	.3757	----	----	----	----	10 UNCH
1400	----	----	68.90B/56.60A	68.90B/56.60A	----	59.30 - 1.90	.5393	----	----	----	----	31 UNCH
1450	----	----	106.50B/88.80A	106.50B/88.80A	----	93.80 - 1.60	.6815	----	----	----	----	30 UNCH
TOTAL												270 0
AUG26												
1200	----	----	----	14.40B/16.10A	----	15.40 + 0.90	.1408	----	----	----	----	20 UNCH
1400	----	----	94.50B/84.10A	94.50B/84.10A	----	86.40 + 1.40	.5084	----	----	----	----	1 UNCH
TOTAL												21 0
SEP26												
1200	----	----	26.50B/----	26.50B/26.80A	----	27.70 + 2.90	.1869	----	----	----	----	5 UNCH
1250	----	----	41.80B/----	41.80B/39.40A	----	42.00 + 3.60	.2558	----	----	----	----	10 UNCH
1300	----	----	62.40B/----	62.40B/57.10A	----	60.50 + 4.10	.3321	----	----	----	----	43 UNCH
1355	92.80	92.80	94.80/92.70	94.80/82.60A	----	86.20 NEW	.4199	----	----	21	----	21 + 21
1360	97.70	97.70	97.70/95.60	97.70/85.20A	----	88.80 NEW	.4278	----	----	12	----	12 + 12
1375	----	----	106.50B/----	106.50B/93.40A	----	96.90 + 4.50	.4516	----	----	----	----	100 UNCH
1460	----	----	159.00B/----	159.00B/146.80A	----	150.40 + 4.20	.5764	----	----	----	----	75 UNCH
1465	----	----	160.40B/----	160.40B/150.30A	----	153.90 + 4.20	.5831	----	----	----	----	150 UNCH
1550	----	----	228.60B/213.80A	228.60B/213.80A	----	218.10 + 3.40	.6824	----	----	----	----	100 UNCH
1575	----	----	249.30B/233.60A	249.30B/233.60A	----	238.40 + 3.10	.7065	----	----	----	----	25 UNCH
1650	----	----	314.30B/296.20A	314.30B/296.20A	----	302.10 + 2.50	.7680	----	----	----	----	50 UNCH
1925	----	----	570.40B/548.70A	570.40B/548.70A	----	555.50 + 0.80	.8933	----	----	----	----	75 UNCH
TOTAL										33		666 + 33
DEC26												
1300	----	----	----	----	----	87.30 - 1.30	.3330	----	----	----	----	100 UNCH
1400	----	----	----	----	----	134.80 - 1.50	.4490	----	----	----	----	150 UNCH
1500	----	----	----	----	----	198.10 - 1.50	.5569	----	----	----	----	40 UNCH
TOTAL												290 0
PAW OOF		PALLADIUM WEEKLY FRIDAY OPTION Week										
MAY26												
1375	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
1400	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
1405	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
1410	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
1415	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week5										
MAY26												
1950	----	----	----	----	----	20.50 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
JUN26												
1900	----	----	----/17.00A	23.40B/17.00A	----	21.40 - 3.90	.3462	----	----	----	----	2 UNCH
1925	33.90	33.90	48.50B/33.90	48.50B/33.90	----	35.90 NEW	.5256	----	----	1	----	1 + 1
1925	----	----	----/25.30A	35.40B/25.30A	----	32.50 - 4.00	.4743	----	----	----	----	26 UNCH
1950	----	----	51.10B/41.90A	51.10B/41.90A	----	42.70 - 1.80	.4452	----	----	----	----	10 UNCH
1950	----	----	----/37.10A	50.30B/37.10A	----	46.50 - 3.80	.6018	----	----	----	----	53 UNCH
1950	----	----	34.90B/25.20A	34.90B/25.20A	----	24.90 - 4.90	.3981	----	----	----	----	2 UNCH
2000	----	----	16.10B/12.30A	16.10B/12.30A	----	11.00 - 3.60	.1933	----	----	----	----	41 UNCH
2100	----	----	----	2.20B/*3.90A	----	2.00 - 1.40	.0323	----	----	----	----	100 UNCH
2300	----	----	----	----/*2.00A	----	0.10 - 0.10	.0002	----	----	----	----	100 UNCH
TOTAL										1		335 + 1
PO CALL		PLATINUM OPTIONS										
JUL26												
1500	----	----	450.30B/422.80A	450.30B/422.80A	----	428.40 - 1.10	.9994	----	----	----	----	50 UNCH
1680	----	----	----	----	----	250.60 - 1.30	.9650	----	----	----	----	50 UNCH
1700	----	----	252.40B/226.40A	252.40B/226.40A	----	231.60 - 1.40	.9524	----	----	----	----	1 UNCH
1800	----	----	161.00B/139.10A	161.00B/139.10A	----	143.00 - 1.50	.8304	----	----	----	----	113 UNCH
1850	----	----	120.60B/102.40A	120.60B/102.40A	----	105.30 - 1.70	.7235	----	----	----	----	1 UNCH
1900	----	----	85.90B/72.30A	85.90B/72.30A	----	74.10 - 1.90	.5931	----	----	----	----	3 UNCH
1925	----	----	71.40B/60.00A	71.40B/60.00A	----	61.20 - 1.80	.5243	----	----	----	----	2 UNCH
1930	60.80	60.80	64.70B/57.70A	64.70B/57.70A	----	58.80 NEW	.5105	----	----	26	----	26 + 26
1935	57.90	57.90	63.60B/55.50A	63.60B/55.50A	----	56.50 - 1.70	.4968	----	----	56	----	33 + 10
1945	----	----	60.90B/51.20A	60.90B/51.20A	----	52.00 - 1.70	.4696	----	----	----	----	1 UNCH
1950	----	----	58.50B/49.20A	58.50B/49.20A	----	49.90 - 1.60	.4561	----	----	----	----	1 UNCH
1960	----	----	53.80B/45.40A	53.80B/45.40A	----	45.90 - 1.40	.4296	----	----	----	----	3 UNCH
1965	----	----	51.60B/43.50A	51.60B/43.50A	----	44.00 - 1.40	.4165	----	----	----	----	56 UNCH
1970	----	----	49.40B/41.80A	49.40B/41.80A	----	42.10 - 1.30	.4035	----	----	----	----	2 UNCH
1975	----	----	47.40B/40.00A	47.40B/40.00A	----	40.30 - 1.30	.3907	----	----	----	----	11 UNCH
1980	----	----	45.30B/38.40A	45.30B/38.40A	----	38.60 - 1.20	.3782	----	----	----	----	2 UNCH
2000	----	----	38.00B/32.40A	38.00B/32.40A	----	32.30 - 1.00	.3300	----	----	----	----	303 UNCH
2005	----	----	36.20B/31.00A	36.20B/31.00A	----	30.90 - 0.90	.3186	----	----	----	----	15 UNCH
2010	----	----	34.60B/29.70A	34.60B/29.70A	----	29.50 - 0.90	.3073	----	----	----	----	15 UNCH
2015	----	----	33.10B/28.50A	33.10B/28.50A	----	28.20 - 0.80	.2964	----	----	----	----	15 UNCH
2020	----	----	31.50B/27.30A	31.50B/27.30A	----	27.00 - 0.70	.2859	----	----	----	----	15 UNCH
2025	----	----	30.10B/26.20A	30.10B/26.20A	----	25.80 - 0.70	.2756	----	----	----	----	15 UNCH
2030	----	----	28.70B/25.10A	28.70B/25.10A	----	24.60 - 0.70	.2652	----	----	----	----	15 UNCH
2035	----	----	27.40B/24.00A	27.40B/24.00A	----	23.50 - 0.70	.2554	----	----	----	----	15 UNCH
2050	----	----	23.70B/----	23.70B/21.20A	----	20.50 - 0.60	.2277	----	----	----	----	1 UNCH
2065	----	----	20.50B/----	20.50B/18.60A	----	17.80 - 0.70	.2020	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
2085	----	----	16.90B/----	16.90B/15.80A	----	14.80 - 0.70	.1720	----	----	----	----	31 UNCH
2090	----	----	16.10B/----	16.10B/15.20A	----	14.20 - 0.70	.1655	----	----	----	----	34 UNCH
2095	----	----	15.30B/----	15.30B/14.50A	----	13.50 - 0.70	.1585	----	----	----	----	45 UNCH
2100	----	----	14.60B/----	14.60B/14.00A	----	12.90 - 0.70	.1521	----	----	----	----	400 UNCH
2105	----	----	13.90B/----	13.90B/13.40A	----	12.40 - 0.60	.1465	----	----	----	----	30 UNCH
2110	----	----	13.20B/----	13.20B/12.90A	----	11.80 - 0.70	.1403	----	----	----	----	31 UNCH
2115	----	----	12.60B/----	12.60B/12.40A	----	11.30 - 0.70	.1348	----	----	----	----	30 UNCH
2120	----	----	11.90B/----	11.90B/11.90A	----	10.80 - 0.70	.1293	----	----	----	----	15 UNCH
2125	----	----	11.40B/----	11.40B/11.40A	----	10.30 - 0.70	.1239	----	----	----	----	15 UNCH
2150	----	----	----	8.80B/9.40A	----	8.30 - 0.50	.1012	----	----	----	----	18 UNCH
2160	----	----	----	7.90B/8.70A	----	7.60 - 0.50	.0932	----	----	----	----	1 UNCH
2170	----	----	----	7.10B/8.10A	----	7.00 - 0.40	.0861	----	----	----	----	4 UNCH
2200	----	----	----	5.00B/6.60A	----	5.40 - 0.30	.0672	----	----	----	----	461 UNCH
2250	----	----	----	2.80B/5.00A	----	3.80 - 0.10	.0469	----	----	----	----	117 UNCH
2275	4.00	4.00	4.00/*4.00	4.00/*4.00	----	3.20 - 0.10	.0394	----	----	10	----	20 + 10
2300	----	----	----	1.60B/4.00A	----	2.80 UNCH	.0340	----	----	----	----	255 UNCH
2350	----	----	----	0.90B/3.40A	----	2.10 UNCH	.0250	----	----	----	----	160 UNCH
2400	----	----	----	0.50B/3.10A	----	1.50 - 0.10	.0177	----	----	----	----	904 UNCH
2450	----	----	----	0.10B/2.80A	----	1.10 - 0.10	.0128	----	----	----	----	50 UNCH
2480	----	----	----	----/2.60A	----	1.00 UNCH	.0114	----	----	----	----	50 UNCH
2500	----	----	----	----/2.50A	----	0.90 UNCH	.0102	----	----	----	----	649 UNCH
2600	----	----	----	----/2.20A	----	0.50 - 0.10	.0055	----	----	----	----	360 UNCH
2650	----	----	----	----/2.10A	----	0.40 - 0.10	.0043	----	----	----	----	1 UNCH
2700	----	----	----	----/2.00A	----	0.40 UNCH	.0041	----	----	----	----	111 UNCH
2800	----	----	----	----/1.80A	----	0.20 - 0.10	.0020	----	----	----	----	350 UNCH
2850	----	----	----	----/1.80A	----	0.20 UNCH	.0019	----	----	----	----	58 UNCH
2900	----	----	----	----/1.70A	----	0.10 - 0.10	.0009	----	----	----	----	183 UNCH
3000	----	----	----	----/1.70A	----	0.10 UNCH	.0004	----	----	----	----	574 UNCH
3100	----	----	----	----/1.60A	----	0.10 UNCH	.0001	----	----	----	----	159 UNCH
3200	----	----	----	----/2.70A	----	0.10 UNCH	.0000	----	----	----	----	18 UNCH
3300	----	----	----	----/2.60A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
3400	----	----	----	----/2.60A	----	0.10 UNCH	.0000	----	----	----	----	32 UNCH
3500	----	----	----	----/2.60A	----	0.10 UNCH	----	----	----	----	----	274 UNCH
3600	----	----	----	----/2.50A	----	0.10 UNCH	----	----	----	----	----	300 UNCH
3800	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
3900	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	9 UNCH
4000	----	----	----	----/1.40A	----	0.10 UNCH	----	----	----	----	----	219 UNCH
TOTAL										92		6778 + 46
AUG26												
1950	----	----	110.40B/99.40A	110.40B/99.40A	----	100.10 - 1.30	.5238	----	----	----	----	3 UNCH
2000	----	----	88.30B/79.60A	88.30B/79.60A	----	79.60 - 1.60	.4463	----	----	----	----	1 UNCH
2050	----	----	69.90B/63.40A	69.90B/63.40A	----	63.10 - 1.60	.3751	----	----	----	----	30 UNCH
2100	----	----	55.00B/50.30A	55.00B/50.30A	----	49.90 - 1.00	.3118	----	----	----	----	52 UNCH
2150	----	----	43.20B/----	43.20B/40.00A	----	39.50 - 0.50	.2573	----	----	----	----	1 UNCH
2175	----	----	38.20B/----	38.20B/35.80A	----	35.20 - 0.40	.2334	----	----	----	----	30 UNCH
2200	----	----	33.90B/----	33.90B/32.00A	----	31.30 - 0.60	.2112	----	----	----	----	15 UNCH
2250	----	----	26.60B/----	26.60B/25.70A	----	24.80 - 0.80	.1726	----	----	----	----	60 UNCH
2275	----	----	23.60B/----	23.60B/23.10A	----	22.10 - 0.70	.1560	----	----	----	----	30 UNCH
2300	----	----	21.00B/----	21.00B/20.90A	----	19.80 - 0.60	.1412	----	----	----	----	352 UNCH
2350	----	----	16.50B/----	16.50B/17.10A	----	15.90 - 0.50	.1157	----	----	----	----	15 UNCH
2400	----	----	----	13.00B/14.10A	----	12.80 - 0.40	.0948	----	----	----	----	84 UNCH
2500	----	----	----	8.10B/10.10A	----	8.70 - 0.30	.0655	----	----	----	----	194 UNCH
2600	----	----	----	5.20B/7.60A	----	6.30 - 0.10	.0474	----	----	----	----	545 UNCH
2750	----	----	----	2.90B/5.70A	----	4.00 UNCH	.0300	----	----	----	----	105 UNCH
3000	----	----	----	1.20B/4.10A	----	1.90 UNCH	.0142	----	----	----	----	54 UNCH
TOTAL												1571 0
SEP26												
2100	----	----	88.20B/82.90A	88.20B/82.90A	----	82.80 - 0.90	.3727	----	----	----	----	36 UNCH
TOTAL												36 0
OCT26												
1720	----	----	----	----	----	285.30 - 2.10	.7677	----	----	----	----	1 UNCH
1800	----	----	246.70B/232.10A	246.70B/232.10A	----	234.20 - 2.00	.6909	----	----	----	----	1 UNCH
1900	185.00	185.00	191.10B/180.10A	191.10B/180.10A	----	180.60 - 1.50	.5896	----	----	2	----	11 UNCH
2000	----	----	146.90B/139.10A	146.90B/139.10A	----	138.80 - 0.70	.4911	----	----	----	----	4 UNCH
2050	----	----	128.70B/----	128.70B/122.40A	----	121.90 - 0.40	.4456	----	----	----	----	6 UNCH
2100	----	----	112.70B/----	112.70B/107.70A	----	107.10 - 0.30	.4033	----	----	----	----	3 UNCH
2125	----	----	105.50B/----	105.50B/101.00A	----	100.40 - 0.20	.3833	----	----	----	----	12 UNCH
2135	----	----	102.80B/----	102.80B/98.50A	----	97.90 - 0.10	.3756	----	----	----	----	12 UNCH
2200	----	----	86.50B/----	86.50B/83.40A	----	82.60 - 0.10	.3280	----	----	----	----	136 UNCH
2250	----	----	75.70B/----	75.70B/73.40A	----	72.40 - 0.10	.2947	----	----	----	----	1 UNCH
2300	----	----	66.20B/----	66.20B/64.60A	----	63.40 - 0.10	.2643	----	----	----	----	7 UNCH
2375	----	----	54.00B/----	54.00B/53.30A	----	51.90 - 0.10	.2238	----	----	----	----	50 UNCH
2400	----	----	50.50B/----	50.50B/50.00A	----	48.60 - 0.10	.2117	----	----	----	----	467 UNCH
2500	----	----	38.30B/----	38.30B/38.90A	----	37.30 - 0.10	.1688	----	----	----	----	366 UNCH
2600	----	----	29.20B/----	29.20B/30.60A	----	28.90 - 0.20	.1350	----	----	----	----	23 UNCH
2635	----	----	----	26.50B/28.20A	----	26.40 - 0.30	.1247	----	----	----	----	200 UNCH
2650	----	----	----	25.50B/27.30A	----	25.50 - 0.30	.1208	----	----	----	----	25 UNCH
2700	----	----	----	22.20B/24.40A	----	22.50 - 0.40	.1080	----	----	----	----	371 UNCH
2800	----	----	----	17.10B/19.90A	----	17.80 - 0.30	.0872	----	----	----	----	39 UNCH
2850	----	----	----	15.00B/18.10A	----	15.80 - 0.30	.0783	----	----	----	----	155 UNCH
2900	----	----	----	13.20B/16.50A	----	14.10 - 0.30	.0705	----	----	----	----	210 UNCH
2950	----	----	----	11.70B/15.10A	----	12.60 - 0.30	.0635	----	----	----	----	55 UNCH
3000	----	----	----	10.30B/14.00A	----	11.30 - 0.20	.0573	----	----	----	----	355 UNCH
3200	----	----	----	6.60B/10.70A	----	7.50 - 0.20	.0389	----	----	----	----	10 UNCH
3500	----	----	----	3.70B/8.20A	----	4.50 - 0.10	.0236	----	----	----	----	10 UNCH
4000	----	----	----	1.60B/6.10A	----	2.70 - 0.10	.0137	----	----	----	----	5 UNCH
TOTAL										2		2535 0
JAN27												
2360	----	----	----	----	----	117.70 - 2.10	.3352	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUL26												
1400	----	----	----	----/1.40A	----	0.10 UNCH	.0000	----	----	----	----	150 UNCH
1500	----	----	----	----/1.60A	----	0.10 UNCH	.0006	----	----	----	----	153 UNCH
1550	----	----	----	----/*1.70A	----	0.20 - 0.10	.0030	----	----	----	----	200 UNCH
1590	----	----	----	----/1.90A	----	0.50 - 0.10	.0074	----	----	----	----	10 UNCH
1600	1.40	1.40	1.40/*1.40	1.40/*1.40	----	0.60 - 0.10	.0089	----	----	1	----	324 UNCH
1630	----	----	----	----/2.30A	----	1.00 - 0.20	.0147	----	----	----	----	25 UNCH
1635	----	----	----	0.10B/2.40A	----	1.10 - 0.20	.0161	----	----	----	----	10 UNCH
1650	2.10	2.10	2.10/*2.10	2.10/*2.10	----	1.50 - 0.20	.0215	----	----	1	----	1 UNCH
1680	----	----	----	1.50B/*3.30A	----	2.50 - 0.30	.0348	----	----	----	----	50 UNCH
1700	----	----	----	2.60B/*3.90A	----	3.50 - 0.30	.0475	----	----	----	----	278 UNCH
1710	----	----	----	3.20B/*4.40A	----	4.10 - 0.30	.0549	----	----	----	----	1 UNCH
1725	----	----	----/*5.10A	4.40B/*5.10A	----	5.10 - 0.50	.0672	----	----	----	----	100 UNCH
1750	----	----	----/*6.80A	7.00B/*6.80A	----	7.50 - 0.40	.0946	----	----	----	----	61 UNCH
1800	----	----	----/12.50A	15.00B/12.50A	----	14.70 - 0.50	.1695	----	----	----	----	391 UNCH
1805	----	----	----/13.30A	16.00B/13.30A	----	15.70 - 0.50	.1789	----	----	----	----	45 UNCH
1810	----	----	----/14.10A	17.10B/14.10A	----	16.70 - 0.60	.1884	----	----	----	----	15 UNCH
1815	----	----	----/14.90A	18.20B/14.90A	----	17.80 - 0.50	.1985	----	----	----	----	45 UNCH
1820	----	----	----/15.80A	19.40B/15.80A	----	19.00 - 0.50	.2090	----	----	----	----	30 UNCH
1825	----	----	----/16.70A	20.70B/16.70A	----	20.10 - 0.60	.2191	----	----	----	----	100 UNCH
1830	----	----	----/17.70A	22.00B/17.70A	----	21.40 - 0.60	.2302	----	----	----	----	15 UNCH
1835	----	----	23.40B/18.80A	23.40B/18.80A	----	22.70 - 0.60	.2413	----	----	----	----	15 UNCH
1840	----	----	24.80B/19.90A	24.80B/19.90A	----	24.10 - 0.60	.2529	----	----	----	----	15 UNCH
1850	25.00	25.00	27.90B/22.20A	27.90B/22.20A	----	27.00 - 0.70	.2764	----	----	2	----	42 + 2
1900	----	----	47.70B/37.50A	47.70B/37.50A	----	45.80 - 0.80	.4068	----	----	----	----	445 UNCH
1920	----	----	57.70B/45.70A	57.70B/45.70A	----	55.20 - 0.80	.4618	----	----	----	----	2 UNCH
1950	----	----	74.50B/60.30A	74.50B/60.30A	----	71.50 - 0.50	.5438	----	----	----	----	8 UNCH
1980	----	----	----/77.10A	70.60B/77.10A	----	90.20 UNCH	.6217	----	----	----	----	48 UNCH
1990	----	----	----	----	----	96.90 + 0.10	.6460	----	----	----	----	23 UNCH
2000	----	----	107.80B/89.60A	107.80B/89.60A	----	103.80 + 0.20	.6699	----	----	----	----	53 UNCH
2015	----	----	----	----	----	114.70 + 0.30	.7035	----	----	----	----	25 UNCH
2030	----	----	----	----	----	126.10 + 0.50	.7346	----	----	----	----	23 UNCH
2035	----	----	----	----	----	130.00 + 0.50	.7445	----	----	----	----	46 UNCH
2075	----	----	167.70B/145.00A	167.70B/145.00A	----	162.70 + 0.50	.8130	----	----	----	----	1 UNCH
2085	----	----	----	----	----	171.20 + 0.40	.8279	----	----	----	----	1 UNCH
2100	----	----	189.60B/165.90A	189.60B/165.90A	----	184.30 + 0.40	.8477	----	----	----	----	225 UNCH
2130	----	----	----	----	----	211.20 + 0.50	.8806	----	----	----	----	23 UNCH
2135	----	----	----	----	----	215.80 + 0.50	.8852	----	----	----	----	190 UNCH
2165	----	----	----	----	----	243.60 + 0.70	.9103	----	----	----	----	20 UNCH
2350	----	----	429.00B/401.70A	429.00B/401.70A	----	423.30 + 1.20	.9749	----	----	----	----	5 UNCH
2400	----	----	478.60B/451.20A	478.60B/451.20A	----	472.70 + 1.10	.9822	----	----	----	----	300 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
TOTAL										4		3514 + 2
AUG26												
1600	----	----	----/*7.10A	5.50B/*7.10A	----	6.90 - 0.30	.0573	----	----	----	----	1 UNCH
1800	----	----	----/34.70A	38.80B/34.70A	----	38.40 - 0.70	.2431	----	----	----	----	1 UNCH
2000	----	----	134.20B/120.30A	134.20B/120.30A	----	130.50 - 0.20	.5535	----	----	----	----	1 UNCH
TOTAL												3 0
SEP26												
1850	----	----	86.00B/79.80A	86.00B/79.80A	----	85.40 UNCH	.3472	----	----	----	----	16 UNCH
TOTAL												16 0
OCT26												
1300	----	----	----	2.40B/*6.80A	----	4.60 - 0.50	.0255	----	----	----	----	4 UNCH
1500	13.30	13.30	13.60B/*13.30	13.60B/*13.30	----	15.40 - 0.90	.0791	----	----	1	----	22 + 1
1600	----	----	----/28.90A	27.60B/28.90A	----	29.00 - 0.90	.1351	----	----	----	----	28 UNCH
1700	----	----	----/50.10A	51.10B/50.10A	----	52.20 - 0.80	.2140	----	----	----	----	50 UNCH
1720	----	----	----/55.60A	57.20B/55.60A	----	58.10 - 0.90	.2320	----	----	----	----	2 UNCH
1820	----	----	----/90.00A	94.60B/90.00A	----	94.60 - 0.70	.3287	----	----	----	----	5 UNCH
1850	----	----	----/102.70A	108.10B/102.70A	----	107.80 - 0.50	.3591	----	----	----	----	200 UNCH
1950	----	----	160.80B/152.20A	160.80B/152.20A	----	159.20 + 0.20	.4603	----	----	----	----	50 UNCH
2000	----	----	191.20B/180.90A	191.20B/180.90A	----	189.30 + 0.50	.5086	----	----	----	----	1 UNCH
2100	----	----	258.90B/245.90A	258.90B/245.90A	----	256.90 + 1.10	.5964	----	----	----	----	100 UNCH
2130	----	----	----	----	----	278.70 + 1.20	.6203	----	----	----	----	41 UNCH
2135	----	----	----	----	----	282.40 + 1.20	.6240	----	----	----	----	12 UNCH
2140	----	----	----	----	----	286.10 + 1.20	.6279	----	----	----	----	12 UNCH
2400	----	----	499.60B/480.90A	499.60B/480.90A	----	496.20 + 1.30	.7880	----	----	----	----	200 UNCH
2500	----	----	588.10B/568.10A	588.10B/568.10A	----	584.30 + 1.30	.8308	----	----	----	----	1 UNCH
TOTAL										1		728 + 1
JAN27												
1500	----	----	----	----	----	57.50 - 0.90	.1541	----	----	----	----	40 UNCH
1800	----	----	----	----	----	151.10 - 1.20	.3298	----	----	----	----	1 UNCH
1900	----	----	----	----	----	199.30 - 1.10	.3978	----	----	----	----	100 UNCH
2000	----	----	----	----	----	254.40 - 1.20	.4651	----	----	----	----	200 UNCH
TOTAL												341 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT		STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS			
JUL26	CALL			
OG		4500	0	174
TOTALS			0	174
AUG26	CALL			
OG		4500	0	261
OG		4700	0	200
OG		4770	0	25
OG		4795	0	200
OG		4800	0	200
OG		5200	0	340
TOTALS			0	1226
OG PUT	COMEX GOLD OPTIONS			
JUL26	PUT			
OG		4100	0	170
TOTALS			0	170
AUG26	PUT			
OG		4245	0	200
OG		4250	0	25
OG		4400	0	60
TOTALS			0	285
SEP26	PUT			
OG		4215	0	50
TOTALS			0	50
DEC26	PUT			
OG		3400	0	90
TOTALS			0	90
SO CALL	COMEX SILVER OPTIONS			
JUL26	CALL			
SO		8100	0	50
TOTALS			0	50
SO PUT	COMEX SILVER OPTIONS			
AUG26	PUT			
SO		6000	0	28
TOTALS			0	28
HX CALL	COMEX COPPER OPTIONS			
JUL26	CALL			
HX		655	0	120
TOTALS			0	120
SEP26	CALL			
HX		710	0	100
HX		725	0	45
TOTALS			0	145
DEC26	CALL			
HX		525	0	123
HX		575	0	123
HX		600	0	123
HX		650	0	123
HX		710	0	50
TOTALS			0	542
HX PUT	COMEX COPPER OPTIONS			
JUL26	PUT			
HX		655	0	120
TOTALS			0	120
PAO CALL	NYMEX PALLADIUM OPTIONS			
DEC26	CALL			
PAO		1775	0	100
TOTALS			0	100
HRO OPT	U.S. MIDWEST DOMESTIC HOT-ROLLED CO			
AUG26	PUT			
HRO		112500	0	50
TOTALS			0	50
GWW WED	GOLD WEEKLY WEDNESDAY OPTION WEEK1			
JUN26	CALL			
G1W		4550	0	25
TOTALS			0	25
COO OPT	COBALT METAL (FASTMARKETS) APO			
OCT26	PUT			
COO		2400	0	50
TOTALS			0	50
NOV26	PUT			
COO		2400	0	50
TOTALS			0	50
DEC26	PUT			
COO		2400	0	50
TOTALS			0	50
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week1			
JUN26	PUT			
G1T		4500	0	50
TOTALS			0	50
GWT TUE	GOLD WEEKLY TUESDAY OPTION Week1			
JUN26	CALL			
G1T		4500	0	25
TOTALS			0	25
GWR THU	GOLD WEEKLY THURSDAY OPTION Week1			
JUN26	CALL			
G1R		4560	0	70
TOTALS			0	70

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.