METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	APR26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30			05/29	06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/27	04/28											
ECG11 OP		04/27	04/28											
ECG13 OP		04/27	04/28											
ECG15 OP		04/27	04/28											
ECG16 OP		04/27	04/28											
ECGC OOF		04/27	04/28											
ECHG OOF		04/27	04/28											
ECSI OOF		04/27	04/28											
EHO OPT	04/30			05/29	06/30	07/31	08/28	09/30						
FMG OPT				05/01										
FSO OPT	04/30			05/29	06/30									
GMW MON				05/18	06/01									
GWR THU	04/30			05/21										
GWT TUE	04/28			05/19										
GWW WED	04/29			05/20										
HMW MON				05/18	06/01									
HRO OPT	04/28			05/26	06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30			05/07										
HWT TUE	04/28			05/12										
HWW WED	04/29			05/06	06/03	07/01	08/05							
HX CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HX PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL				05/22										
HXE PUT				05/08										
LHO OPT	04/30			05/29	06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
OG CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL				05/01										
OG1 PUT				05/01										
OG2 CALL				05/08										
OG2 PUT				05/08										
OG3 CALL				05/15										
OG3 PUT				05/15										
OG4 CALL				05/22										
OG4 PUT				05/22										
OMG OPT				04/27	05/26	06/25	07/28							
PAO CALL					05/20	06/17	07/15	08/19			11/18			
PAO PUT					05/20	06/17		08/19			11/18			
PLW OOF				05/01										
PO CALL					05/20	06/17	07/15		09/16			12/16		
PO PUT					05/20	06/17			09/16			12/16		
RWS THU	04/30			05/21										
SMW MON				05/18	06/01									
SO CALL				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT				04/27	05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL				05/01										
SO1 PUT				05/01										
SO2 CALL				05/08										
SO2 PUT				05/08										
SO3 CALL				05/15										
SO3 PUT				05/15										
SWW WED	04/29			05/13										
TWS TUE	04/28			05/19										
WMG WED	04/29													

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
WMG WED		MICRO GOLD WEEKLY WED OPTION WEEK5										
APR26												
4700	----	----	----	----	----	93.50 + 59.10	.9815	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
MAY26												
3900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	443.70 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	243.70 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	193.70 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	31.30 UNCH	----	----	----	----	----	0 UNCH
4770	----	----	----	----	----	76.30 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	106.30 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	206.30 UNCH	----	----	----	----	----	0 UNCH
5050	----	----	----	----	----	356.30 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
JUN26												
2500	----	----	----	----	----	0.30 UNCH	----	----	----	----	----	2 UNCH
4200	----	----	----	----	----	17.00 + 4.10	----	----	----	----	----	1 UNCH
4260	----	----	----	----	----	22.10 + 5.80	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	26.60 + 7.40	----	----	----	----	----	4 UNCH
4500	----	----	----	----	----	69.80 + 21.80	----	----	----	----	----	5 UNCH
4600	118.00	118.00	#118.00/118.00	#118.00/110.00A	----	109.60 + 33.40	----	----	----	1	----	1 UNCH
4625	----	----	----	----	----	121.90 + 36.70	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	132.30 + 39.20	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	73.10 - 38.40	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	177.20 + 49.30	----	----	----	----	----	2 UNCH
4800	40.00	40.00	#40.00/*40.00	#40.00/*40.00	----	42.70 NEW	----	----	----	1	----	1 + 1
4900	----	----	----/*35.00A	----/*35.00A	----	24.30 - 15.70	----	----	----	----	----	2 UNCH
5100	----	----	----	----	----	8.00 - 5.30	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	2.60 - 1.40	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	1.10 - 0.50	----	----	----	----	----	1 UNCH
TOTAL										2		31+ 1
JUL26												
3400	----	----	----	----	----	1244.60 - 85.30	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1185.20 - 85.20	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	37.20 + 7.40	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	52.40 + 11.00	----	----	----	----	----	1 UNCH
4500	----	----	----	----/120.00A	----	103.90 + 22.90	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	143.20 + 30.90	----	----	----	----	----	2 UNCH
TOTAL												7 0
AUG26												
4400	112.00	112.00	112.00/*112.00	112.00/*112.00	----	106.20 NEW	----	----	----	4	----	4 + 4
TOTAL										4		4+ 4

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
MAY26												
4100	----	----	#12.70B/----	#12.70B/10.80A	----	9.40 + 1.70	.0561	----	----	----	----	1 UNCH
4425	----	----	#58.70B/*30.70A	#58.70B/*30.70A	----	45.70 NEW	.2476	----	----	1	----	1 + 1
4550	----	----	#102.80B/*54.50	#102.80B/*54.50A	----	83.70 NEW	.4030	----	----	1	----	1 + 1
4600	----	----	#121.40B/*68.90	#121.40B/*68.90A	----	105.10 NEW	.4756	----	----	1	----	1 + 1
4625	124.20	124.20	#134.40B/*77.30	#134.40B/*77.30A	----	117.30 + 35.50	.5129	----	----	10	----	15 - 5
4775	----	----	#232.20B/*148.3	#232.20B/*148.30A	----	210.40 + 57.20	.7260	----	----	----	----	1 UNCH
4850	----	----	#292.10B/*197.5	#292.10B/*197.50A	----	269.30 + 66.20	.8090	----	----	----	----	1 UNCH
TOTAL										13		21 - 2

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 CALL		GOLD OPTIONS										
MAY26												
4500	155.20	155.20	#155.20/*155.20	236.70B/*155.20	----	174.20 NEW	.6639	----	----	1	----	1 + 1
4550	131.20	131.20	#131.20/*128.50	198.20B/*128.50A	----	142.00 NEW	.5963	----	----	1	----	1 + 1
4625	----	----	----/*89.70A	146.20B/*89.70A	----	100.70 NEW	.4864	----	----	1	----	1 + 1
4650	----	----	----/*79.20A	130.70B/*79.20A	----	88.90 NEW	.4490	----	----	1	----	1 + 1
5000	11.80	11.80	11.80/*11.80	15.40B/*11.80	----	11.10 - 9.10	.0850	----	----	4	----	1 UNCH
TOTAL										8		5 + 4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 PUT		GOLD OPTIONS										
MAY26												
3500	1.40	1.40	#1.40/*1.40	1.40/*1.40	----	1.40 NEW	.0063	----	----	1	----	1 + 1
3750	2.60	2.60	2.60/*2.50A	2.60/*2.50A	----	2.20 NEW	.0117	----	----	1	----	1 + 1
3800	2.80	2.80	2.90/*2.80	2.90/*2.80	----	2.50 NEW	.0137	----	----	3	----	2 + 2
3900	3.60	3.60	3.80/*3.50A	3.80/3.50A	----	3.20 + 0.30	.0188	----	----	3	----	3 + 2
4000	6.50	6.50	6.50/*4.60A	6.50/4.60A	----	4.30 + 0.60	.0269	----	----	1	----	2 + 1
4100	----	----	9.70B/----	9.70B/6.50A	----	6.30 + 1.30	.0413	----	----	5	----	6 + 3
4200	----	----	#15.10B/----	#15.10B/9.60A	----	9.80 + 2.40	.0664	----	----	----	----	53 UNCH
4250	----	----	#20.00B/----	#20.00B/11.20A	----	12.60 NEW	.0858	----	----	1	----	1 + 1
4275	12.60	12.60	#22.60B/12.60	#22.60B/12.60	----	14.30 NEW	.0976	----	----	1	----	1 + 1
4300	23.30	23.30	#25.00B/23.10	#25.00B/13.30A	----	16.40 + 4.90	.1116	----	----	80	----	89 + 75
4325	20.00	20.00	#28.50B/20.00	#28.50B/14.80A	----	18.80 NEW	.1274	----	----	2	----	2 + 2
4350	----	----	#32.50B/----	#32.50B/16.50A	----	21.60 + 6.80	.1454	----	----	----	----	15 UNCH
4400	36.00	36.00	#42.10B/36.00	#42.10B/20.70A	----	28.70 + 9.40	.1893	----	----	2	----	6 UNCH
4425	----	----	#47.90B/----	#47.90B/23.10A	----	33.20 + 11.20	.2156	----	----	----	----	10 UNCH
4450	37.00	37.00	#54.70B/37.00	#54.70B/26.20A	----	38.30 + 13.00	.2445	----	----	2	----	12 + 1
4475	43.00	43.00	#62.10B/43.00	#62.10B/29.60A	----	44.30 + 15.30	.2767	----	----	2	----	14 + 2
4500	49.50	49.50	#70.30B/49.50	#70.30B/33.60A	----	51.10 + 17.80	.3117	----	----	20	----	31 + 20
4525	----	----	#79.80B/38.20A	#79.80B/38.20A	----	58.80 + 20.50	.3493	----	----	----	----	10 UNCH
4550	79.60	79.60	#90.10B/43.50A	#90.10B/43.50A	----	67.60 + 23.60	.3895	----	----	31	----	41 + 28
4575	97.50	97.50	#101.60B/48.80A	#101.60B/48.80A	----	77.50 + 27.00	.4316	----	----	1	----	4 UNCH
4600	55.50	55.50	#114.10B/55.50	#114.10B/55.50	----	88.50 + 30.60	.4751	----	----	21	----	23 + 17
4625	----	----	#127.80B/63.30A	#127.80B/63.30A	----	100.60 + 34.40	.5196	----	----	2	----	4 + 2
4650	----	----	#142.30B/71.90A	#142.30B/71.90A	----	114.00 + 38.40	.5641	----	----	3	----	99 UNCH
4675	----	----	#158.10B/80.50A	#158.10B/80.50A	----	128.50 + 42.50	.6080	----	----	----	----	1 UNCH
4700	----	----	#175.10B/91.10A	#175.10B/91.10A	----	144.20 + 46.70	.6507	----	----	1	----	1 - 1
4725	----	----	#186.40B/106.90	#186.40B/106.90A	----	161.00 + 50.80	.6913	----	----	1	----	6 UNCH
4750	----	----	#205.50B/120.60	#205.50B/120.60A	----	178.90 + 54.80	.7295	----	----	----	----	0 UNCH
4775	----	----	#225.50B/135.60	#225.50B/135.60A	----	197.70 + 58.50	.7648	----	----	----	----	1 UNCH
4800	232.00	232.00	#246.40B/151.80	#246.40B/151.80A	----	217.50 + 62.10	.7968	----	----	10	----	13 - 1
TOTAL										194		452 + 157

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG3 CALL		GOLD OPTIONS										
MAY26												
4450	----	----	270.90B/*172.50	270.90B/*172.50A	----	196.50 - 72.10	.7550	----	----	----	----	1 UNCH
4600	98.00	98.00	98.10/*81.20A	150.40B/*81.20A	----	96.80 NEW	.5243	----	----	98	----	98 + 98
4650	----	----	----/*59.80A	117.00B/*59.80A	----	72.40 - 46.80	.4354	----	----	----	----	12 UNCH
4700	45.90	45.90	46.00/*43.00A	88.10B/*43.00A	----	52.70 NEW	.3488	----	----	2	----	2 + 2
4725	----	----	----/*36.20A	75.50B/*36.20A	----	44.60 - 34.30	.3082	----	----	----	----	5 UNCH
4750	33.20	33.20	33.20/*30.40A	64.00B/*30.40A	----	37.50 - 30.40	.2700	----	----	56	----	39 + 28
4800	28.00	28.00	28.00/*21.20A	45.10B/*21.20A	----	26.20 - 23.10	.2027	----	----	11	----	112 + 11
4825	25.70	25.70	25.70/*17.70A	37.40B/*17.70A	----	21.80 - 19.90	.1739	----	----	2	----	3 + 2
4850	25.00	25.00	25.00/*14.90A	30.90B/*14.90A	----	18.10 - 17.00	.1485	----	----	13	----	123 + 12
4875	14.20	14.20	17.60/*12.50A	25.30B/*12.50A	----	15.00 - 14.50	.1261	----	----	9	----	10 + 8
4900	11.00	11.00	13.10/*10.60A	20.70B/*10.60A	----	12.50 - 12.30	.1071	----	----	2	----	24 + 2
4925	12.30	12.30	12.40/*8.90A	16.90B/*8.90A	----	10.40 NEW	.0907	----	----	2	----	2 + 2
4950	----	----	----/*7.60A	13.70B/*7.60A	----	8.80 - 8.70	.0775	----	----	----	----	13 UNCH
5000	6.90	6.90	6.90/*5.70A	9.00B/*5.70A	----	6.30 - 6.20	.0563	----	----	3	----	36 + 2
5025	----	----	----/*5.00A	7.30B/*5.00A	----	5.40 - 5.30	.0484	----	----	1	----	1 UNCH
5050	----	----	----/*4.40A	6.00B/*4.40A	----	4.60 - 4.60	.0414	----	----	----	----	3 UNCH
5100	----	----	----/*3.60A	3.80B/*3.60A	----	3.60 - 3.20	.0320	----	----	6	----	11 + 5
5125	----	----	----/*3.30A	3.30B/*3.30A	----	3.20 - 2.80	.0282	----	----	----	----	1 UNCH
5150	----	----	----/*3.00A	2.90B/*3.00A	----	2.80 - 2.50	.0246	----	----	----	----	1 UNCH
5200	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 NEW	.0198	----	----	1	----	1 + 1
5225	----	----	----/*2.40A	2.10B/*2.40A	----	2.10 - 1.60	.0179	----	----	----	----	2 UNCH
5300	----	----	----/*2.00A	1.50B/*2.00A	----	1.70 - 1.00	.0138	----	----	5	----	7 + 5
5400	----	----	----/*1.50A	1.00B/*1.50A	----	1.00 - 0.60	.0081	----	----	----	----	1 UNCH
5500	----	----	----	0.70B/*1.50A	----	0.60 - 0.40	.0048	----	----	----	----	1 UNCH
TOTAL										211		509 + 178

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG2 PUT		GOLD OPTIONS										
MAY26												
3750	1.70	1.70	1.70/1.20A	1.70/1.20A	----	1.20 UNCH	.0063	----	----	1	----	4 - 1
3800	1.30	1.30	1.70/1.30	1.70/1.30	----	1.30 UNCH	.0071	----	----	12	----	18 + 12
3900	----	----	2.40B/----	2.40B/1.80A	----	1.70 + 0.10	.0102	----	----	4	----	2 + 1
4000	2.80	2.80	3.40B/2.30A	3.40B/2.30A	----	2.20 + 0.10	.0145	----	----	8	----	9 + 4
4100	----	----	5.20B/----	5.20B/3.10A	----	3.10 + 0.40	.0224	----	----	24	----	22 + 18
4200	5.50	5.50	8.80B/5.50	8.80B/4.10A	----	4.80 + 1.10	.0376	----	----	22	----	19 - 11
4250	----	----	11.80B/----	11.80B/4.90A	----	6.30 + 1.80	.0509	----	----	1	----	8 + 1
4275	9.70	9.70	#13.70B/9.70	#13.70B/5.40A	----	7.20 + 2.10	.0591	----	----	2	----	3 + 1
4300	5.60	5.60	#16.10B/5.60	16.10B/5.60	----	8.40 + 2.70	.0697	----	----	10	----	12 + 9
4325	9.90	9.90	#18.60B/6.40A	18.60B/6.40A	----	9.80 NEW	.0820	----	----	1	----	1 + 1
4350	13.00	13.00	#21.50B/7.00A	21.50B/7.00A	----	11.50 + 4.10	.0969	----	----	4	----	34 + 4
4375	13.00	13.00	#25.20B/8.00A	25.20B/8.00A	----	13.70 + 5.10	.1154	----	----	24	----	43 + 16
4400	20.10	20.10	#29.40B/*8.90A	29.40B/*8.90A	----	16.30 + 6.30	.1371	----	----	114	----	140 + 83
4425	----	----	#34.40B/*10.20A	34.40B/*10.20A	----	19.40 + 7.60	.1625	----	----	----	----	2 UNCH
4450	31.00	31.00	#40.20B/*11.90A	40.20B/*11.90A	----	23.30 + 9.40	.1929	----	----	6	----	16 + 3
4475	25.00	25.00	#46.80B/*13.80A	#46.80B/*13.80A	----	28.00 + 11.60	.2280	----	----	6	----	57 + 6
4500	18.80	18.80	#54.80/16.20A	#54.80/16.20A	----	33.70 + 14.20	.2684	----	----	24	----	406 + 4
4525	----	----	#63.60B/19.10A	#63.60B/19.10A	----	40.40 + 17.10	.3134	----	----	2	----	150 UNCH
4550	23.00	23.00	#73.60B/22.80A	#73.60B/22.80A	----	48.40 + 20.60	.3632	----	----	7	----	68 UNCH
4575	----	----	#84.80B/27.20A	#84.80B/27.20A	----	57.70 + 24.40	.4167	----	----	4	----	48 + 2
4600	46.40	46.40	#97.30B/32.50A	#97.30B/32.50A	----	68.40 + 28.70	.4730	----	----	63	----	138 + 24
4625	----	----	#110.90B/38.80A	#110.90B/38.80A	----	80.60 + 33.40	.5308	----	----	1	----	17 + 1
4650	75.00	75.00	#126.20B/46.20A	#126.20B/46.20A	----	94.30 + 38.40	.5887	----	----	2	----	114 + 2
4675	----	----	#142.60B/54.80A	#142.60B/54.80A	----	109.50 + 43.50	.6450	----	----	----	----	1 UNCH
4700	65.00	65.00	#160.50B/64.90A	#160.50B/64.90A	----	126.10 + 48.50	.6982	----	----	2	----	23 + 1
4725	171.30	171.30	#179.40B/76.80A	#179.40B/76.80A	----	144.10 + 53.50	.7473	----	----	10	----	13 UNCH
4750	167.50	167.50	#199.40B/89.80A	#199.40B/89.80A	----	163.30 + 58.20	.7915	----	----	4	----	11 UNCH
4775	----	----	#220.40B/105.30	#220.40B/105.30A	----	183.60 + 62.50	.8301	----	----	----	----	10 UNCH
4800	234.70	234.70	#242.00B/121.50	#242.00B/121.50A	----	204.80 + 66.30	.8627	----	----	16	----	17 UNCH
4825	----	----	#264.40B/139.10	#264.40B/139.10A	----	226.90 + 69.70	.8898	----	----	----	----	1 UNCH
4850	----	----	#287.40B/158.30	#287.40B/158.30A	----	249.60 + 72.60	.9123	----	----	1	----	2 + 1
4875	----	----	#310.60B/178.60	#310.60B/178.60A	----	272.80 NEW	.9297	----	----	1	----	1 + 1
4900	----	----	#334.30B/200.20	#334.30B/200.20A	----	296.50 + 77.10	.9443	----	----	----	----	5 UNCH
4975	----	----	#401.10B/268.60	#401.10B/268.60A	----	369.10 + 81.10	.9698	----	----	----	----	2 UNCH
5000	----	----	#425.60B/292.30	#425.60B/292.30A	----	393.70 NEW	.9754	----	----	1	----	1 + 1
TOTAL										377		1418 + 184

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG2 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	----	----	513.00B/*379.90	513.00B/*379.90A	----	412.90 NEW	.9622	----	----	1	----	1 + 1
4400	----	----	320.80B/*196.90	320.80B/*196.90A	----	224.50 NEW	.8626	----	----	32	----	31 + 31
4450	177.80	177.80	273.80B/*156.50	273.80B/*156.50A	----	181.60 - 75.70	.8068	----	----	1	----	3 + 1
4500	----	----	228.00B/*119.90	228.00B/*119.90A	----	142.00 - 71.10	.7313	----	----	----	----	2 UNCH
4550	----	----	184.20B/*87.60A	184.20B/*87.60A	----	106.80 - 64.60	.6365	----	----	50	----	50 + 49
4575	----	----	163.70B/*73.90A	163.70B/*73.90A	----	91.10 - 60.70	.5830	----	----	1	----	2 + 1
4600	73.00	73.00	143.50B/*61.50A	143.50B/*61.50A	----	76.80 NEW	.5266	----	----	332	----	99 + 99
4625	----	----	125.00B/*50.10A	125.00B/*50.10A	----	64.00 NEW	.4688	----	----	8	----	8 + 8
4650	47.90	47.90	107.10B/*40.70A	107.10B/*40.70A	----	52.70 - 46.90	.4110	----	----	3	----	6 + 3
4675	----	----	91.50B/*32.80A	91.50B/*32.80A	----	42.90 NEW	.3547	----	----	5	----	5 + 5
4700	66.00	66.00	76.50B/*26.20A	76.50B/*26.20A	----	34.60 - 36.70	.3015	----	----	142	----	107 - 35
4725	23.60	23.60	63.20B/*20.90A	63.20B/*20.90A	----	27.60 - 31.70	.2524	----	----	35	----	12 - 22
4750	16.80	16.80	51.60B/*16.50A	51.60B/*16.50A	----	21.80 - 27.10	.2082	----	----	55	----	57 + 28
4775	18.70	18.70	41.30B/*13.10A	41.30B/*13.10A	----	17.10 - 22.80	.1696	----	----	6	----	17 + 2
4800	11.10	11.10	32.60B/*10.30A	32.60B/*10.30A	----	13.40 - 18.90	.1369	----	----	29	----	39 + 21
4825	10.30	10.30	12.30/*8.10A	25.60B/*8.10A	----	10.50 - 15.50	.1099	----	----	8	----	34 - 1
4850	20.50	20.50	20.50/*6.40A	20.50/*6.40A	----	8.20 - 12.60	.0875	----	----	12	----	21 - 1
4875	5.60	5.60	5.60/*5.10A	15.30B/*5.10A	----	6.50 - 10.20	.0700	----	----	26	----	39 + 17
4900	8.00	8.00	8.00/*4.20A	11.80B/*4.20A	----	5.10 - 8.20	.0555	----	----	85	----	81 + 40
4925	4.80	4.80	4.80/*3.50A	9.30B/*3.50A	----	4.10 - 6.60	.0446	----	----	17	----	35 + 12
4950	4.00	4.00	4.00/*3.10A	7.20B/*3.10A	----	3.40 - 5.20	.0367	----	----	29	----	54 + 29
4975	----	----	----/*2.70A	5.60B/*2.70A	----	2.80 - 4.10	.0300	----	----	----	----	1 UNCH
5000	3.50	3.50	3.50/*2.30A	4.40B/*2.30A	----	2.30 - 3.40	.0244	----	----	8	----	48 - 1
5025	----	----	----/*2.10A	3.50B/*2.10A	----	2.00 - 2.70	.0208	----	----	1	----	51 UNCH
5050	----	----	----/*1.80A	2.80B/*1.80A	----	1.70 - 2.20	.0175	----	----	20	----	50 + 20
5100	----	----	----/*1.50A	1.80B/*1.50A	----	1.30 - 1.60	.0129	----	----	2	----	5 + 1
5125	----	----	----/*1.40A	1.60B/*1.40A	----	1.20 - 1.30	.0116	----	----	20	----	9 - 11
5150	----	----	----/*1.30A	1.30B/*1.30A	----	1.10 - 1.10	.0103	----	----	20	----	13 - 11
5200	----	----	----/*1.20A	1.00B/*1.20A	----	0.90 - 0.90	.0081	----	----	3	----	9 + 3
5250	----	----	----/*1.00A	0.70B/*1.00A	----	0.80 - 0.60	.0069	----	----	----	----	5 UNCH
5275	----	----	----/*1.10A	0.70B/*1.10A	----	0.70 - 0.60	.0059	----	----	----	----	1 UNCH
5300	----	----	----/*1.00A	0.50B/*1.00A	----	0.70 - 0.50	.0058	----	----	2	----	3 - 2
TOTAL										953		898 + 287

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	21 UNCH
3750	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 + 0.10	.0004	----	----	1	----	15 + 1
3800	----	----	----	0.20B/0.40A	----	0.30 + 0.10	.0007	----	----	----	----	14 UNCH
3900	0.50	0.50	0.50/*0.50	0.50/*0.40A	----	0.40 + 0.10	.0012	----	----	1	----	7 + 1
4000	0.40	0.40	1.10/*0.40	1.10/*0.40	----	0.50 + 0.10	.0018	----	----	24	----	29 + 12
4100	0.80	0.80	1.40/0.80	1.40/0.80	----	0.70 - 0.10	.0032	----	----	15	----	31 + 15
4125	----	----	1.50B/----	1.50B/0.90A	----	0.80 - 0.10	.0038	----	----	----	----	6 UNCH
4150	----	----	1.80B/----	1.80B/1.00A	----	0.90 - 0.10	.0046	----	----	----	----	15 UNCH
4175	----	----	2.00B/1.00A	2.00B/1.00A	----	1.00 - 0.10	.0054	----	----	----	----	2 UNCH
4200	1.00	1.00	2.50B/*1.00	2.50B/*1.00	----	1.10 - 0.10	.0063	----	----	19	----	31 + 6
4225	----	----	3.00B/1.20A	3.00B/1.20A	----	1.20 - 0.10	.0074	----	----	----	----	3 UNCH
4250	----	----	3.60B/----	3.60B/1.40A	----	1.40 UNCH	.0092	----	----	----	----	79 UNCH
4285	----	----	#4.40B/*1.60A	#4.40B/1.60A	----	1.70 UNCH	.0123	----	----	6	----	0 UNCH
4295	----	----	#4.80B/----	#4.80B/1.70A	----	1.80 + 0.10	.0133	----	----	----	----	1 UNCH
4300	1.30	1.30	5.00B/*1.30	5.00B/*1.30	----	1.90 + 0.10	.0143	----	----	14	----	54 - 1
4305	----	----	#5.20B/----	#5.20B/1.80A	----	1.90 NEW	.0145	----	----	1	----	1 + 1
4320	2.20	2.20	#5.90B/*1.70	#5.90B/1.70	----	2.10 NEW	.0167	----	----	2	----	2 + 2
4325	----	----	6.30B/----	6.30B/2.00A	----	2.20 + 0.20	.0177	----	----	----	----	12 UNCH
4335	4.40	4.40	6.70B/4.40	6.70B/2.10A	----	2.40 + 0.40	.0199	----	----	1	----	2 + 1
4340	5.20	5.20	7.00B/5.20	7.00B/2.10A	----	2.40 NEW	.0202	----	----	2	----	2 + 2
4345	----	----	7.20B/----	7.20B/2.10A	----	2.50 + 0.40	.0214	----	----	2	----	5 + 1
4350	1.70	1.70	7.50B/*1.70	7.50B/*1.70	----	2.60 + 0.40	.0225	----	----	25	----	32 + 8
4355	5.10	5.10	8.20B/5.10	8.20B/2.30A	----	2.70 NEW	.0238	----	----	1	----	1 + 1
4360	5.30	5.30	8.20B/5.30	8.20B/2.30A	----	2.90 NEW	.0258	----	----	1	----	1 + 1
4370	----	----	9.00B/2.30A	9.00B/2.30A	----	3.10 NEW	.0284	----	----	4	----	4 + 4
4375	5.50	5.50	9.40B/2.40A	9.40B/2.40A	----	3.20 + 0.70	.0298	----	----	5	----	13 + 2
4380	6.50	6.50	9.80B/2.50A	9.80B/2.50A	----	3.40 NEW	.0320	----	----	1	----	1 + 1
4385	4.60	4.60	10.30B/2.50A	10.30B/2.50A	----	3.50 NEW	.0334	----	----	1	----	1 + 1
4390	5.00	5.00	10.80B/2.60A	10.80B/2.60A	----	3.70 NEW	.0358	----	----	5	----	3 + 3
4395	5.20	5.20	11.30B/2.60A	11.30B/2.60A	----	3.90 NEW	.0382	----	----	1	----	1 + 1
4400	3.10	3.10	12.10/2.60A	12.10/2.60A	----	4.10 + 1.20	.0406	----	----	134	----	146 + 91
4410	4.00	4.00	12.90B/2.80A	12.90B/2.80A	----	4.50 NEW	.0458	----	----	1	----	1 + 1
4415	4.20	4.20	13.60B/2.80A	13.60B/2.80A	----	4.70 NEW	.0485	----	----	1	----	1 + 1
4420	11.00	11.00	14.20B/2.90A	14.20B/2.90A	----	4.90 + 1.70	.0513	----	----	6	----	5 + 4
4425	5.00	5.00	14.90B/3.00A	14.90B/3.00A	----	5.20 + 1.80	.0550	----	----	2	----	2 UNCH
4430	10.20	10.20	15.60B/3.10A	15.60B/3.10A	----	5.50 NEW	.0588	----	----	14	----	14 + 14
4435	10.20	10.20	16.40B/3.20A	16.40B/3.20A	----	5.80 NEW	.0627	----	----	2	----	2 + 2
4440	9.60	9.60	17.10B/3.30A	17.10B/3.30A	----	6.10 NEW	.0667	----	----	15	----	15 + 15
4450	3.90	3.90	18.80B/*3.40A	18.80B/*3.40A	----	6.80 + 2.80	.0760	----	----	36	----	182 + 15
4460	11.20	11.20	20.60B/*3.70A	20.60B/*3.70A	----	7.60 + 3.30	.0867	----	----	14	----	11 + 3
4465	----	----	21.50B/*3.80A	21.50B/*3.80A	----	8.00 + 3.50	.0922	----	----	----	----	3 UNCH
4470	10.30	10.30	22.60B/4.00A	22.60B/4.00A	----	8.50 NEW	.0988	----	----	9	----	9 + 9
4475	15.80	15.80	23.70B/*4.10A	23.70B/*4.10A	----	9.00 + 4.10	.1055	----	----	63	----	70 + 60
4480	10.20	10.20	24.80B/4.30A	24.80B/4.30A	----	9.50 + 4.40	.1124	----	----	19	----	27 + 15
4485	----	----	25.90B/4.50A	25.90B/4.50A	----	10.10 + 4.80	.1203	----	----	----	----	1 UNCH
4490	----	----	27.20B/*4.60A	27.20B/*4.60A	----	10.70 + 5.10	.1283	----	----	4	----	24 + 4
4495	----	----	28.50B/*4.80A	28.50B/*4.80A	----	11.40 + 5.60	.1374	----	----	2	----	3 + 2
4500	4.90	4.90	30.00/*4.80	30.00/*4.80	----	12.10 + 6.00	.1467	----	----	232	----	358 + 88
4505	20.00	20.00	31.20B/*5.20A	31.20B/*5.20A	----	12.80 NEW	.1562	----	----	1	----	1 + 1
4510	----	----	32.70B/*5.40A	32.70B/*5.40A	----	13.60 + 6.90	.1667	----	----	----	----	1 UNCH
4515	7.50	7.50	34.20B/*5.70A	34.20B/*5.70A	----	14.40 + 7.40	.1774	----	----	31	----	21 + 14
4520	22.30	22.30	35.70B/*5.90A	35.70B/*5.90A	----	15.30 + 7.90	.1891	----	----	7	----	16 + 2
4525	20.60	20.60	37.40B/*6.10A	37.40B/*6.10A	----	16.30 + 8.60	.2017	----	----	51	----	52 + 37
4530	17.00	17.00	39.10B/*6.50A	39.10B/*6.50A	----	17.30 NEW	.2145	----	----	1	----	1 + 1
4535	18.60	18.60	40.90B/*6.70A	40.90B/*6.70A	----	18.40 + 9.80	.2283	----	----	3	----	6 + 2
4540	----	----	42.80B/*7.00A	42.80B/*7.00A	----	19.50 + 10.50	.2423	----	----	3	----	3 + 2
4545	35.60	35.60	44.60B/*7.40A	44.60B/*7.40A	----	20.80 + 11.30	.2577	----	----	1	----	23 - 1
4550	17.00	17.00	46.80B/*7.70A	46.80B/*7.70A	----	22.00 + 12.00	.2728	----	----	88	----	165 + 45
4555	10.10	10.10	48.80B/*8.10A	48.80B/*8.10A	----	23.40 + 12.90	.2893	----	----	19	----	30 + 6
4560	19.20	19.20	50.90B/*8.50A	50.90B/*8.50A	----	24.80 + 13.70	.3060	----	----	4	----	55 UNCH
4565	35.00	35.00	53.10B/*9.00A	53.10B/*9.00A	----	26.40 + 14.70	.3238	----	----	11	----	22 + 11
4570	27.80	27.80	55.50B/*9.60A	55.50B/*9.60A	----	28.00 + 15.60	.3419	----	----	1	----	3 + 1
4575	21.90	21.90	57.90B/*9.90A	57.90B/*9.90A	----	29.60 + 16.50	.3602	----	----	6	----	14 + 3
4580	28.50	28.50	60.30B/*10.50A	60.30B/*10.50A	----	31.40 + 17.60	.3795	----	----	21	----	13 + 10
4585	----	----	62.80B/*11.10A	62.80B/*11.10A	----	33.30 + 18.70	.3992	----	----	1	----	12 UNCH
4590	46.10	46.10	65.60B/*11.70A	65.60B/*11.70A	----	35.20 + 19.80	.4191	----	----	11	----	13 + 9
4595	43.80	43.80	68.20B/*12.30A	68.20B/*12.30A	----	37.30 + 21.00	.4397	----	----	5	----	29 + 4
4600	25.00	25.00	71.70/*12.90A	71.70/*12.90A	----	39.40 + 22.10	.4604	----	----	271	----	388 + 178
4605	40.10	40.10	73.80B/*13.70A	73.80B/*13.70A	----	41.70 + 23.40	.4814	----	----	4	----	6 UNCH
4610	70.10	70.10	76.00B/*14.50A	76.00B/*14.50A	----	44.00 + 24.70	.5027	----	----	26	----	20 + 1
4615	----	----	78.80B/*15.20A	78.80B/*15.20A	----	46.50 + 26.10	.5240	----	----	1	----	2 UNCH
4620	----	----	81.80B/*16.20A	81.80B/*16.20A	----	49.00 + 27.40	.5454	----	----	12	----	20 + 3
4625	22.80	22.80	85.10B/*16.90A	85.10B/*16.90A	----	51.60 + 28.80	.5669	----	----	7	----	13 + 1
4630	34.50	34.50	88.40B/*17.90A	88.40B/*17.90A	----	54.40 + 30.30	.5881	----	----	1	----	80 - 1
4635	----	----	91.70B/18.90A	91.70B/18.90A	----	57.20 + 31.80	.6093	----	----	4	----	72 UNCH
4640	----	----	94.80B/19.90A	94.80B/19.90A	----	60.10 + 33.20	.6303	----	----	----	----	72 UNCH
4650	29.10	29.10	101.80B/22.30A	101.80B/22.30A	----	66.30 + 36.40	.6711	----	----	361	----	220 - 270
4655	----	----	105.60B/23.60A	105.60B/23.60A	----	69.50 + 37.90	.6906	----	----	----	----	5 UNCH
4660	----	----	109.30B/24.90A	109.30B/24.90A	----	72.90 + 39.60	.7100	----	----	1	----	9 UNCH
4665	----	----	113.00B/26.40A	113.00B/26.40A	----	76.30 + 41.20	.7289	----	----	1	----	3 - 1
4670	----	----	116.80B/27.90A	116.80B/27.90A	----	79.80 + 42.70	.7465	----	----	----	----	3 UNCH
4675	110.00	110.00	120.60B/29.40A	120.60B/29.40A	----	83.50 + 44.40	.7639	----	----	2	----	7 - 1
4680	----	----	124.70B/31.10A	124.70B/31.10A	----	87.20 + 46.00	.7806	----	----	----	----	19 UNCH
4685	----	----	128.70B/32.80A	128.70B/32.80A	----	91.00 + 47.70	.7964	----	----	----	----	1 UNCH
4690	93.30	93.30	132.70B/34.70A	132.70B/34.70A	----	94.90 + 49.30	.8112	----	----	1	----	1 - 1
4700	----	----	141.20B/38.50A	141.20B/38.50A	----	102.90 + 52.50	.8388	----	----	7	----	224 UNCH
4705	----	----	145.30B/40.70A	145.30B/40.70A	----	107.00 + 54.10	.8515	----	----	2	----	12 + 2
4710	----	----	149.60B/42.80A	149.60B/42.80A	----	111.10 + 55.60	.8640	----	----	----	----	1 UNCH
4715	----	----	153.90B/45.10A	153.90B/45.10A	----	115.30 + 57.10	.8745	----	----	1	----	1 - 1
4720	----	----	158.10B/47.40A	158.10B/47.40A	----	119.60 + 58.60	.8848	----	----	----	----	174 UNCH
4725	----	----	162.50B/50.00A	162.50B/50.00A	----	124.00 + 60.10	.8949	----	----	1	----	15 UNCH
4730	----	----	167.10B/52.50A	167.10B/52.50A	----	128.40 + 61.50	.9038	----	----	----	----	10 UNCH
4735	----	----	171.30B/55.10A	171.30B/55.10A	----	132.80 + 62.90	.9115	----	----	----	----	12 UNCH
4740	----	----	176.20B/58.00A	176.20B/58.00A	----	137.30 + 64.20	.9190	----	----	3	----	17 UNCH
4750	----	----	185.20B/64.30A	185.20B/64.30A	----	146.50 + 66.80	.9325	----	----	1	----	17 - 1
4755	----	----	189.60B/67.40A	189.60B/67.40A	----	151.10 + 67.90	.9385	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4760	----	----	194.20B/70.80A	194.20B/70.80A	----	155.80 + 69.10	.9433	----	----	----	----	7 UNCH
4775	----	----	208.40B/80.90A	208.40B/80.90A	----	169.90 + 72.10	.9569	----	----	----	----	2 UNCH
4785	----	----	217.90B/88.10A	217.90B/88.10A	----	179.40 + 73.80	.9631	----	----	----	----	4 UNCH
4790	----	----	222.50B/91.80A	222.50B/91.80A	----	184.30 + 74.70	.9661	----	----	----	----	7 UNCH
4800	----	----	232.30B/99.60A	232.30B/99.60A	----	193.90 + 76.10	.9708	----	----	----	----	46 UNCH
4805	----	----	236.90B/103.60A	236.90B/103.60A	----	198.80 + 76.80	.9735	----	----	----	----	2 UNCH
4810	----	----	241.70B/107.80A	241.70B/107.80A	----	203.60 + 77.40	.9752	----	----	1	----	1 UNCH
4825	----	----	255.70B/120.40A	255.70B/120.40A	----	218.30 + 79.10	.9808	----	----	1	----	3 + 1
4830	----	----	260.60B/124.80A	260.60B/124.80A	----	223.10 + 79.40	.9822	----	----	----	----	4 UNCH
4835	----	----	265.50B/129.20A	265.50B/129.20A	----	228.10 + 80.00	.9835	----	----	----	----	1 UNCH
4840	----	----	270.40B/133.60A	270.40B/133.60A	----	233.00 + 80.30	.9849	----	----	----	----	7 UNCH
4850	----	----	280.30B/142.50A	280.30B/142.50A	----	242.80 + 81.00	.9864	----	----	1	----	3 UNCH
4880	----	----	#309.70B/170.50	#309.70B/170.50A	----	272.30 + 82.50	.9924	----	----	----	----	3 UNCH
4890	----	----	#319.60B/180.00	#319.60B/180.00A	----	282.20 + 82.80	.9935	----	----	----	----	1 UNCH
4895	----	----	#324.60B/184.80	#324.60B/184.80A	----	287.20 + 83.00	.9946	----	----	----	----	1 UNCH
4900	----	----	#329.60B/189.60	#329.60B/189.60A	----	292.10 + 83.10	.9947	----	----	2	----	4 UNCH
4905	----	----	#334.50B/194.40	#334.50B/194.40A	----	297.10 + 83.30	.9956	----	----	----	----	2 UNCH
4910	----	----	#339.40B/199.20	#339.40B/199.20A	----	302.00 + 83.30	.9957	----	----	----	----	1 UNCH
4935	----	----	#364.20B/226.50	#364.20B/226.50A	----	326.90 + 83.80	.9968	----	----	1	----	1 UNCH
4950	----	----	#379.30B/241.20	#379.30B/241.20A	----	341.90 + 84.10	.9978	----	----	----	----	2 UNCH
5000	----	----	#429.10B/291.50	#429.10B/291.50A	----	391.70 + 84.40	.9988	----	----	1	----	3 UNCH
5050	----	----	#478.90B/341.20	#478.90B/341.20A	----	441.60 + 84.70	.9997	----	----	----	----	2 UNCH
5200	----	----	#628.70B/490.90	#628.70B/490.90A	----	591.60 + 85.10	1.0000	2	----	----	----	1 - 2
TOTAL										1665		3279 + 442

OG1 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4400	----	----	312.50B/*180.60	312.50B/*180.60A	----	212.40 - 84.10	.9592	----	----	1	----	0 - 1
4500	----	----	217.60B/*95.20A	217.60B/*95.20A	----	120.40 - 79.30	.8532	----	----	----	----	2 UNCH
4570	55.50	55.50	151.70B/*48.20A	151.70B/*48.20A	----	66.40 NEW	.6580	----	----	1	----	1 + 1
4575	53.20	53.20	147.40B/*45.30A	147.40B/*45.30A	----	63.00 NEW	.6396	----	----	3	----	2 + 2
4580	43.40	43.40	142.70B/*42.70A	142.70B/*42.70A	----	59.80 NEW	.6204	----	----	3	----	2 + 2
4585	53.00	53.00	138.40B/*40.30A	138.40B/*40.30A	----	56.70 NEW	.6007	----	----	4	----	1 + 1
4590	46.80	46.80	133.90B/*37.80A	133.90B/*37.80A	----	53.60 NEW	.5807	----	----	3	----	1 + 1
4595	44.00	44.00	129.50B/*35.50A	129.50B/*35.50A	----	50.70 NEW	.5602	----	----	2	----	1 + 1
4600	54.20	54.20	125.10B/*33.30A	125.10B/*33.30A	----	47.80 - 63.10	.5394	----	----	29	----	22 + 21
4610	----	----	116.60B/*29.10A	116.60B/*29.10A	----	42.40 NEW	.4972	----	----	14	----	10 + 10
4615	36.00	36.00	112.40B/*27.20A	112.40B/*27.20A	----	39.90 NEW	.4759	----	----	26	----	26 + 26
4620	46.50	46.50	108.20B/*25.30A	108.20B/*25.30A	----	37.40 NEW	.4544	----	----	7	----	5 + 5
4625	----	----	104.10B/*23.60A	104.10B/*23.60A	----	35.00 - 56.50	.4330	----	----	----	----	2 UNCH
4630	23.70	23.70	100.00B/*21.90A	100.00B/*21.90A	----	32.80 NEW	.4118	----	----	5	----	5 + 5
4640	27.50	27.50	92.10B/*18.80A	92.10B/*18.80A	----	28.50 NEW	.3695	----	----	9	----	5 + 5
4645	24.00	24.00	88.10B/*17.60A	88.10B/*17.60A	----	26.60 NEW	.3491	----	----	14	----	9 + 9
4650	40.50	40.50	84.30B/*16.10A	84.30B/*16.10A	----	24.70 - 48.90	.3287	----	----	275	----	72 + 69
4655	----	----	80.60B/*15.00A	80.60B/*15.00A	----	23.00 - 47.30	.3092	----	----	----	----	1 UNCH
4660	20.90	20.90	76.90B/*13.90A	76.90B/*13.90A	----	21.30 NEW	.2898	----	----	18	----	17 + 17
4665	19.60	19.60	73.50B/*12.90A	73.50B/*12.90A	----	19.70 - 44.10	.2710	----	----	19	----	19 + 18
4670	32.80	32.80	69.90B/*11.90A	69.90B/*11.90A	----	18.30 - 42.40	.2534	----	----	2	----	2 + 2
4675	----	----	66.50B/*11.00A	66.50B/*11.00A	----	16.90 NEW	.2359	----	----	5	----	4 + 4
4680	15.10	15.10	63.00B/*10.10A	63.00B/*10.10A	----	15.60 - 39.30	.2193	----	----	5	----	6 + 5
4685	14.50	14.50	59.70B/*9.30A	59.70B/*9.30A	----	14.40 NEW	.2035	----	----	7	----	7 + 7
4690	14.50	14.50	57.00B/*8.60A	57.00B/*8.60A	----	13.30 - 36.00	.1886	----	----	77	----	77 + 73
4695	13.30	13.30	53.90B/*7.90A	53.90B/*7.90A	----	12.20 NEW	.1739	----	----	28	----	19 + 19
4700	21.00	21.00	51.00B/*7.30A	51.00B/*7.30A	----	11.30 - 32.80	.1610	----	----	139	----	111 + 67
4705	10.80	10.80	47.90B/*6.70A	47.90B/*6.70A	----	10.40 - 31.20	.1483	----	----	11	----	11 + 10
4710	12.40	12.40	45.10B/*6.30A	45.10B/*6.30A	----	9.50 NEW	.1358	----	----	16	----	16 + 16
4715	18.40	18.40	42.40B/*5.80A	42.40B/*5.80A	----	8.80 - 28.10	.1253	----	----	1	----	1 UNCH
4720	12.40	12.40	39.90B/*5.40A	39.90B/*5.40A	----	8.10 - 26.60	.1151	----	----	14	----	191 + 8
4725	32.90	32.90	37.20B/*5.00A	37.20B/*5.00A	----	7.40 - 25.20	.1050	----	----	32	----	27 + 25
4730	13.30	13.30	34.90B/*4.60A	34.90B/*4.60A	----	6.80 - 23.80	.0961	----	----	19	----	36 + 6
4735	5.60	5.60	32.60B/*4.30A	32.60B/*4.30A	----	6.30 - 22.40	.0884	----	----	13	----	20 + 9
4740	4.90	4.90	30.40B/*4.00A	30.40B/*4.00A	----	5.80 - 21.00	.0808	----	----	13	----	25 + 3
4745	----	----	28.30B/*3.70A	28.30B/*3.70A	----	5.30 - 19.80	.0735	----	----	----	----	5 UNCH
4750	8.00	8.00	26.40B/*3.40A	26.40B/*3.40A	----	4.90 - 18.60	.0673	----	----	52	----	50 + 30
4755	----	----	24.50B/*3.20A	24.50B/*3.20A	----	4.50 - 17.40	.0613	----	----	11	----	23 + 1
4760	20.10	20.10	22.80B/*3.00A	22.80B/*3.00A	----	4.20 - 16.30	.0565	----	----	8	----	26 + 4
4765	9.80	9.80	21.10B/*2.80A	21.10B/*2.80A	----	3.90 - 15.20	.0519	----	----	4	----	7 + 1
4770	10.20	10.20	19.50B/*2.60A	19.50B/*2.60A	----	3.60 - 14.20	.0474	----	----	15	----	13 + 9
4775	2.60	2.60	17.90B/*2.50A	17.90B/*2.50A	----	3.30 - 13.30	.0430	----	----	4	----	14 + 1
4780	2.60	2.60	16.30B/*2.30A	16.30B/*2.30A	----	3.10 - 12.30	.0398	----	----	14	----	17 + 12
4785	15.00	15.00	15.20B/*2.20A	15.20B/*2.20A	----	2.90 - 11.40	.0367	----	----	26	----	47 + 20
4790	----	----	14.00B/*2.10A	14.00B/*2.10A	----	2.70 - 10.60	.0337	----	----	3	----	2 UNCH
4795	----	----	12.90B/*2.00A	12.90B/*2.00A	----	2.50 - 9.90	.0308	----	----	----	----	1 UNCH
4800	10.30	10.30	11.80B/*1.80	11.80B/*1.80	----	2.40 - 9.10	.0291	----	----	74	----	90 + 15
4805	----	----	10.90B/*1.70A	10.90B/*1.70A	----	2.20 - 8.50	.0263	----	----	2	----	0 - 1
4810	1.80	1.80	10.10B/*1.60A	10.10B/*1.60A	----	2.10 - 7.90	.0247	----	----	14	----	32 + 10
4815	----	----	9.30B/*1.50A	9.30B/*1.50A	----	1.90 - 7.30	.0221	----	----	----	----	3 UNCH
4820	5.40	5.40	5.40/*1.50A	8.30B/*1.50A	----	1.80 - 6.80	.0206	----	----	1	----	9 UNCH
4825	1.50	1.50	1.50/*1.40A	7.80B/*1.40A	----	1.70 - 6.30	.0191	----	----	5	----	14 - 5
4830	----	----	----/*1.30A	7.10B/*1.30A	----	1.60 - 5.80	.0177	----	----	4	----	22 UNCH
4835	7.10	7.10	7.10/*1.30A	7.10/*1.30A	----	1.50 - 5.40	.0163	----	----	3	----	38 + 2
4840	2.40	2.40	2.40/*1.20A	6.10B/*1.20A	----	1.40 - 5.00	.0150	----	----	1	----	36 UNCH
4845	3.40	3.40	3.40/*1.10A	5.60B/*1.10A	----	1.30 - 4.60	.0137	----	----	1	----	7 - 1
4850	2.70	2.70	2.70/*1.10A	5.30B/*1.10A	----	1.30 - 4.20	.0135	----	----	29	----	166 + 22
4855	----	----	----/*1.00A	4.80B/*1.00A	----	1.20 - 3.90	.0122	----	----	----	----	1 UNCH
4860	1.10	1.10	1.10/*0.90A	4.30B/*0.90A	----	1.10 - 3.70	.0110	----	----	2	----	3 - 1
4865	----	----	----/*0.90A	4.10B/*0.90A	----	1.00 - 3.50	.0099	----	----	----	----	15 UNCH
4870	2.00	2.00	2.00/*0.90A	3.70B/*0.90A	----	0.90 - 3.20	.0088	----	----	6	----	5 + 3
4875	----	----	----/*0.80A	3.50B/*0.80A	----	0.80 - 3.10	.0077	----	----	3	----	8 - 1
4880	----	----	----/*0.80A	3.20B/*0.80A	----	0.80 - 2.80	.0075	----	----	----	----	6 UNCH
4885	----	----	----/*0.70A	2.90B/*0.70A	----	0.70 - 2.70	.0065	----	----	----	----	6 UNCH
4890	----	----	----/*0.70A	2.70B/*0.70A	----	0.70 - 2.50	.0064	----	----	----	----	15 UNCH
4895	----	----	----/*0.70A	2.50B/*0.70A	----	0.60 - 2.40	.0054	----	----	----	----	3 UNCH
4900	1.70	1.70	1.70/*0.70A	2.40B/*0.70A	----	0.60 - 2.20	.0053	----	----	17	----	86 + 13
4905	----	----	----/*0.60A	2.20B/*0.60A	----	0.50 - 2.10	.0043	----	----	----	----	26 UNCH
4910	----	----	----/*0.60A	2.00B/*0.60A	----	0.50 - 1.90	.0042	----	----	----	----	18 UNCH
4915	1.50	1.50	1.50/*0.60A	1.90B/*0.60A	----	0.50 - 1.80	.0042	----	----	1	----	51 - 1
4920	----	----	----/*0.60A	1.70B/*0.60A	----	0.40 - 1.80	.0032	----	----	----	----	5 UNCH
4925	----	----	----/*0.60A	1.60B/*0.60A	----	0.40 - 1.70	.0032	----	----	2	----	23 UNCH
4930	----	----	----/*0.50A	1.50B/*0.50A	----	0.40 - 1.60	.0031	----	----	----	----	10 UNCH
4935	0.60	0.60	0.60/*0.50A	1.40B/*0.50A	----	0.40 - 1.50	.0031	----	----	2	----	56 - 1
4940	----	----	----/*0.50A	1.30B/*0.50A	----	0.30 - 1.50	.0023	----	----	----	----	5 UNCH
4945	----	----	----/*0.50A	1.20B/*0.50A	----	0.30 - 1.40	.0022	----	----	----	----	4 UNCH
4950	----	----	----/*0.50A	1.20B/*0.50A	----	0.30 - 1.30	.0022	----	----	----	----	119 UNCH
4955	----	----	----/*0.50A	1.00B/*0.50A	----	0.30 - 1.20	.0022	----	----	----	----	8 UNCH
4960	----	----	----/*0.50A	1.00B/*0.50A	----	0.30 - 1.20	.0021	----	----	----	----	20 UNCH
4965	----	----	----/*0.50A	0.90B/*0.50A	----	0.30 - 1.10	.0021	----	----	1	----	5 UNCH
4970	----	----	----/*0.50A	0.90B/*0.50A	----	0.30 - 1.00	.0021	----	----	----	----	1 UNCH
4975	----	----	----/*0.50A	0.90B/*0.50A	----	0.20 - 1.10	.0013	----	----	1	----	28 - 1
4980	----	----	----/*0.40A	0.80B/*0.40A	----	0.20 - 1.00	.0013	----	----	----	----	3 UNCH
4985	0.50	0.50	0.50/*0.50	0.70B/*0.50	----	0.20 NEW	.0013	----	----	5	----	5 + 5
4990	0.20	0.20	0.20/*0.20	0.70B/*0.20	----	0.20 - 0.90	.0013	----	----	1	----	5 UNCH
4995	----	----	----/*0.40A	0.60B/*0.40A	----	0.20 - 0.90	.0012	----	----	----	----	2 UNCH
5000	0.70	0.70	1.00/*0.20	1.00/*0.20	----	0.20 - 0.90	.0012	----	----	7	----	127 - 1
5010	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.20 - 0.80	.0012	----	----	1	----	13 UNCH
5020	----	----	----/*0.50A	0.50B/*0.50A	----	0.20 - 0.70	.0012	----	----	1	----	31 UNCH
5025	----	----	----/*0.50A	0.50B/*0.50A	----	0.20 - 0.70	.0011	----	----	2	----	34 UNCH
5030	----	----	----/*0.50A	0.40B/*0.50A	----	0.20 - 0.70	.0011	----	----	----	----	1 UNCH
5050	----	----	----/*0.40A	0.30B/*0.40A	----	0.10 - 0.60	.0004	----	----	----	----	26 UNCH
5075	----	----	----/*0.40A	0.30B/*0.40A	----	0.10 - 0.50	.0002	----	----	----	----	39 UNCH
5100	----	----	----/*0.30A	0.20B/*0.30A	----	0.10 - 0.40	.0001	----	----	2	----	375 - 2
5125	----	----	----/*0.40A	0.20B/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	17 UNCH
5150	----	----	----	0.10B/*0.40A	----	0.10 - 0.30	.0000	----	----	----	----	26 UNCH
5175	----	----	----/*0.30A	0.30B/*0.30A	----	0.10 - 0.30	.0000	----	----	----	----	21 UNCH
5200	----	----	----	0.10B/*0.30A	----	0.10 - 0.20	.0000	----	----	----	----	28 UNCH
5225	----	----	----	0.10B/*0.40A	----	0.10 - 0.20	----	----	----	----	----	26 UNCH
5250	----	----	----	0.10B/*0.20A	----	0.10 - 0.10	----	----	----	----	----	41 UNCH
5275	----	----	----	----/*0.30A	----	0.10 - 0.10	----	----	----	----	----	30 UNCH
5325	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5400	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	3	----	15 UNCH
5600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
TOTAL										1143		2778 + 579

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

OG PUT — COMEX GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
1000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4300	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4375	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4405	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4410	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4420	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4425	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4440	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4460	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4470	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4475	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4495	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4500	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4520	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4525	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4530	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4535	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4540	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4550	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4560	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4565	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4570	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4575	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4580	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4585	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4590	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	1.30	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	6.30	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	11.30	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	16.30	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	21.30	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	26.30	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	31.30	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	36.30	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	41.30	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	46.30	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	51.30	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	56.30	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	61.30	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	66.30	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	71.30	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	76.30	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	81.30	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	86.30	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	91.30	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	96.30	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	101.30	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	106.30	UNCH	----	----	----	----	----	0	UNCH
4805	----	----	----	----	----	111.30	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	116.30	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	121.30	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	126.30	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	131.30	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	136.30	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	141.30	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	146.30	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	151.30	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	156.30	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	161.30	UNCH	----	----	----	----	----	0	UNCH
4860	----	----	----	----	----	166.30	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	----	----	----	171.30	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	176.30	UNCH	----	----	----	----	----	0	UNCH
4875	----	----	----	----	----	181.30	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	186.30	UNCH	----	----	----	----	----	0	UNCH
4885	----	----	----	----	----	191.30	UNCH	----	----	----	----	----	0	UNCH
4890	----	----	----	----	----	196.30	UNCH	----	----	----	----	----	0	UNCH
4895	----	----	----	----	----	201.30	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	206.30	UNCH	----	----	----	----	----	0	UNCH
4905	----	----	----	----	----	211.30	UNCH	----	----	----	----	----	0	UNCH
4910	----	----	----	----	----	216.30	UNCH	----	----	----	----	----	0	UNCH
4915	----	----	----	----	----	221.30	UNCH	----	----	----	----	----	0	UNCH
4920	----	----	----	----	----	226.30	UNCH	----	----	----	----	----	0	UNCH
4925	----	----	----	----	----	231.30	UNCH	----	----	----	----	----	0	UNCH
4930	----	----	----	----	----	236.30	UNCH	----	----	----	----	----	0	UNCH
4935	----	----	----	----	----	241.30	UNCH	----	----	----	----	----	0	UNCH
4940	----	----	----	----	----	246.30	UNCH	----	----	----	----	----	0	UNCH
4945	----	----	----	----	----	251.30	UNCH	----	----	----	----	----	0	UNCH
4950	----	----	----	----	----	256.30	UNCH	----	----	----	----	----	0	UNCH
4955	----	----	----	----	----	261.30	UNCH	----	----	----	----	----	0	UNCH
4960	----	----	----	----	----	266.30	UNCH	----	----	----	----	----	0	UNCH
4965	----	----	----	----	----	271.30	UNCH	----	----	----	----	----	0	UNCH
4970	----	----	----	----	----	276.30	UNCH	----	----	----	----	----	0	UNCH
4975	----	----	----	----	----	281.30	UNCH	----	----	----	----	----	0	UNCH
4980	----	----	----	----	----	286.30	UNCH	----	----	----	----	----	0	UNCH
4985	----	----	----	----	----	291.30	UNCH	----	----	----	----	----	0	UNCH
4990	----	----	----	----	----	296.30	UNCH	----	----	----	----	----	0	UNCH
4995	----	----	----	----	----	301.30	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	306.30	UNCH	----	----	----	----	----	0	UNCH
5005	----	----	----	----	----	311.30	UNCH	----	----	----	----	----	0	UNCH
5010	----	----	----	----	----	316.30	UNCH	----	----	----	----	----	0	UNCH
5015	----	----	----	----	----	321.30	UNCH	----	----	----	----	----	0	UNCH
5020	----	----	----	----	----	326.30	UNCH	----	----	----	----	----	0	UNCH
5025	----	----	----	----	----	331.30	UNCH	----	----	----	----	----	0	UNCH
5030	----	----	----	----	----	336.30	UNCH	----	----	----	----	----	0	UNCH
5035	----	----	----	----	----	341.30	UNCH	----	----	----	----	----	0	UNCH
5040	----	----	----	----	----	346.30	UNCH	----	----	----	----	----	0	UNCH
5045	----	----	----	----	----	351.30	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	356.30	UNCH	----	----	----	----	----	0	UNCH
5055	----	----	----	----	----	361.30	UNCH	----	----	----	----	----	0	UNCH
5060	----	----	----	----	----	366.30	UNCH	----	----	----	----	----	0	UNCH
5065	----	----	----	----	----	371.30	UNCH	----	----	----	----	----	0	UNCH
5070	----	----	----	----	----	376.30	UNCH	----	----	----	----	----	0	UNCH
5075	----	----	----	----	----	381.30	UNCH	----	----	----	----	----	0	UNCH
5080	----	----	----	----	----	386.30	UNCH	----	----	----	----	----	0	UNCH
5085	----	----	----	----	----	391.30	UNCH	----	----	----	----	----	0	UNCH
5090	----	----	----	----	----	396.30	UNCH	----	----	----	----	----	0	UNCH
5095	----	----	----	----	----	401.30	UNCH	----	----	----	----	----	0	UNCH
5100	----	----	----	----	----	406.30	UNCH	----	----	----	----	----	0	UNCH
5105	----	----	----	----	----	411.30	UNCH	----	----	----	----	----	0	UNCH
5110	----	----	----	----	----	416.30	UNCH	----	----	----	----	----	0	UNCH
5115	----	----	----	----	----	421.30	UNCH	----	----	----	----	----	0	UNCH
5120	----	----	----	----	----	426.30	UNCH	----	----	----	----	----	0	UNCH
5125	----	----	----	----	----	431.30	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG PUT		COMEX GOLD OPTIONS												
MAY26														
5130	----	----	----	----	----	436.30	UNCH	----	----	----	----	----	0	UNCH
5135	----	----	----	----	----	441.30	UNCH	----	----	----	----	----	0	UNCH
5140	----	----	----	----	----	446.30	UNCH	----	----	----	----	----	0	UNCH
5145	----	----	----	----	----	451.30	UNCH	----	----	----	----	----	0	UNCH
5150	----	----	----	----	----	456.30	UNCH	----	----	----	----	----	0	UNCH
5155	----	----	----	----	----	461.30	UNCH	----	----	----	----	----	0	UNCH
5160	----	----	----	----	----	466.30	UNCH	----	----	----	----	----	0	UNCH
5165	----	----	----	----	----	471.30	UNCH	----	----	----	----	----	0	UNCH
5170	----	----	----	----	----	476.30	UNCH	----	----	----	----	----	0	UNCH
5175	----	----	----	----	----	481.30	UNCH	----	----	----	----	----	0	UNCH
5180	----	----	----	----	----	486.30	UNCH	----	----	----	----	----	0	UNCH
5185	----	----	----	----	----	491.30	UNCH	----	----	----	----	----	0	UNCH
5190	----	----	----	----	----	496.30	UNCH	----	----	----	----	----	0	UNCH
5195	----	----	----	----	----	501.30	UNCH	----	----	----	----	----	0	UNCH
5200	----	----	----	----	----	506.30	UNCH	----	----	----	----	----	0	UNCH
5205	----	----	----	----	----	511.30	UNCH	----	----	----	----	----	0	UNCH
5210	----	----	----	----	----	516.30	UNCH	----	----	----	----	----	0	UNCH
5215	----	----	----	----	----	521.30	UNCH	----	----	----	----	----	0	UNCH
5220	----	----	----	----	----	526.30	UNCH	----	----	----	----	----	0	UNCH
5225	----	----	----	----	----	531.30	UNCH	----	----	----	----	----	0	UNCH
5230	----	----	----	----	----	536.30	UNCH	----	----	----	----	----	0	UNCH
5235	----	----	----	----	----	541.30	UNCH	----	----	----	----	----	0	UNCH
5240	----	----	----	----	----	546.30	UNCH	----	----	----	----	----	0	UNCH
5245	----	----	----	----	----	551.30	UNCH	----	----	----	----	----	0	UNCH
5250	----	----	----	----	----	556.30	UNCH	----	----	----	----	----	0	UNCH
5260	----	----	----	----	----	566.30	UNCH	----	----	----	----	----	0	UNCH
5265	----	----	----	----	----	571.30	UNCH	----	----	----	----	----	0	UNCH
5270	----	----	----	----	----	576.30	UNCH	----	----	----	----	----	0	UNCH
5275	----	----	----	----	----	581.30	UNCH	----	----	----	----	----	0	UNCH
5290	----	----	----	----	----	596.30	UNCH	----	----	----	----	----	0	UNCH
5300	----	----	----	----	----	606.30	UNCH	----	----	----	----	----	0	UNCH
5305	----	----	----	----	----	611.30	UNCH	----	----	----	----	----	0	UNCH
5310	----	----	----	----	----	616.30	UNCH	----	----	----	----	----	0	UNCH
5315	----	----	----	----	----	621.30	UNCH	----	----	----	----	----	0	UNCH
5320	----	----	----	----	----	626.30	UNCH	----	----	----	----	----	0	UNCH
5325	----	----	----	----	----	631.30	UNCH	----	----	----	----	----	0	UNCH
5330	----	----	----	----	----	636.30	UNCH	----	----	----	----	----	0	UNCH
5335	----	----	----	----	----	641.30	UNCH	----	----	----	----	----	0	UNCH
5350	----	----	----	----	----	656.30	UNCH	----	----	----	----	----	0	UNCH
5360	----	----	----	----	----	666.30	UNCH	----	----	----	----	----	0	UNCH
5370	----	----	----	----	----	676.30	UNCH	----	----	----	----	----	0	UNCH
5375	----	----	----	----	----	681.30	UNCH	----	----	----	----	----	0	UNCH
5395	----	----	----	----	----	701.30	UNCH	----	----	----	----	----	0	UNCH
5400	----	----	----	----	----	706.30	UNCH	----	----	----	----	----	0	UNCH
5410	----	----	----	----	----	716.30	UNCH	----	----	----	----	----	0	UNCH
5420	----	----	----	----	----	726.30	UNCH	----	----	----	----	----	0	UNCH
5425	----	----	----	----	----	731.30	UNCH	----	----	----	----	----	0	UNCH
5450	----	----	----	----	----	756.30	UNCH	----	----	----	----	----	0	UNCH
5490	----	----	----	----	----	796.30	UNCH	----	----	----	----	----	0	UNCH
5500	----	----	----	----	----	806.30	UNCH	----	----	----	----	----	0	UNCH
15000	----	----	----	----	----	)306.30	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
JUN26														
1325	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
1375	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1400	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1425	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1475	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
1500	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
1525	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	8	UNCH
1575	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1580	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1590	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	175	UNCH
1600	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	18	UNCH
1610	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1615	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1620	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	31	UNCH
1625	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1650	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1670	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
1675	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
1685	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	5	UNCH
1690	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1695	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1700	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1725	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1735	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1740	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1745	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1750	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	1	----	3 -	1
1755	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1775	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1780	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1785	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1795	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	11	UNCH
1800	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	6	UNCH
1815	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1820	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1855	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1875	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
1900	----	----	----	----/0.10A	----	0.10	UNCH	----	----	----	----	----	3	UNCH
1905	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	7	UNCH
1915	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	10	UNCH
1920	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1950	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	1	UNCH
1955	----	----	----	----/0.20A	----	0.10	UNCH	----	----	----	----	----	2	UNCH
1965	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	10	UNCH
1975	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	85	UNCH
2000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10	UNCH	.0000	----	----	1	----	607	UNCH
2005	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2010	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2015	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	7	UNCH
2020	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2025	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	40	UNCH
2030	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	13	UNCH
2050	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	20	UNCH
2085	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	15	UNCH
2100	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10	UNCH	.0000	----	----	1	----	91 +	1
2105	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2110	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10	UNCH	.0000	----	----	1	----	1 +	1
2130	----	----	----	0.10B/0.20A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2170	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH
2180	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	6	UNCH
2195	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	5	UNCH
2200	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	9	UNCH
2205	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	7	UNCH
2220	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	1	UNCH
2230	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	25	UNCH
2235	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	21	UNCH
2240	----	----	----	0.10B/0.30A	----	0.10	UNCH	.0000	----	----	----	----	6	UNCH
2250	----	----	0.20B/----	0.20B/0.30A	----	0.10	UNCH	.0001	----	----	----	----	5	UNCH
2300	----	----	0.20B/----	0.20B/0.30A	----	0.10	UNCH	.0001	----	----	----	----	13	UNCH
2315	----	----	0.20B/----	0.20B/0.30A	----	0.10	UNCH	.0001	----	----	----	----	40	UNCH
2330	----	----	0.20B/----	0.20B/0.30A	----	0.10	UNCH	.0002	----	----	----	----	9	UNCH
2350	----	----	0.20B/----	0.20B/0.40A	----	0.10	UNCH	.0002	----	----	----	----	1	UNCH
2380	----	----	0.20B/----	0.20B/0.40A	----	0.10	UNCH	.0003	----	----	----	----	9	UNCH
2385	----	----	----	0.10B/0.40A	----	0.10 -	0.10	.0003	----	----	----	----	1	UNCH
2390	----	----	----	0.10B/0.40A	----	0.10 -	0.10	.0003	----	----	----	----	1	UNCH
2395	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH
2400	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	71	UNCH
2405	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH
2410	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	6	UNCH
2415	----	----	----	0.10B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH
2420	----	----	----	0.20B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	5	UNCH
2425	----	----	----	0.20B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	23	UNCH
2430	----	----	----	0.20B/0.40A	----	0.20	UNCH	.0006	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
2445	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	5 UNCH
2450	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	51 UNCH
2460	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	1 UNCH
2465	----	----	----	0.20B/0.40A	----	0.20 UNCH	.0006	----	----	----	----	7 UNCH
2475	----	----	----	0.20B/0.50A	----	0.20 - 0.10	.0006	----	----	----	----	3 UNCH
2495	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	1 UNCH
2500	0.10	0.10	0.10/0.10	0.20B/0.10	----	0.30 UNCH	.0009	----	----	1	----	1926 + 1
2510	----	----	----	0.20B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	2 UNCH
2525	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	25 UNCH
2535	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	5 UNCH
2540	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	5 UNCH
2550	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	50 UNCH
2565	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	5 UNCH
2580	----	----	----	0.30B/0.50A	----	0.30 UNCH	.0009	----	----	----	----	5 UNCH
2590	----	----	----	0.30B/0.60A	----	0.30 - 0.10	.0009	----	----	----	----	13 UNCH
2600	----	----	----	0.30B/0.60A	----	0.40 UNCH	.0012	----	----	----	----	187 UNCH
2645	----	----	----	0.40B/0.60A	----	0.40 UNCH	.0012	----	----	----	----	10 UNCH
2650	----	----	----	0.40B/0.60A	----	0.40 UNCH	.0012	----	----	----	----	1 UNCH
2685	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0015	----	----	----	----	26 UNCH
2695	----	----	----	0.40B/0.70A	----	0.50 UNCH	.0015	----	----	----	----	2 UNCH
2700	0.50	0.50	0.50/0.50	0.50/0.50	----	0.50 UNCH	.0015	----	----	1	----	427 UNCH
2730	----	----	----	0.50B/0.70A	----	0.50 UNCH	.0016	----	----	30	----	35 + 30
2750	----	----	----	0.50B/0.70A	----	0.50 - 0.10	.0016	----	----	----	----	1 UNCH
2800	0.50	0.50	0.60/0.50	0.60/0.50	----	0.60 UNCH	.0019	----	----	3	----	738 + 2
2805	----	----	----	0.60B/0.80A	----	0.60 UNCH	.0019	----	----	----	----	223 UNCH
2810	----	----	----	0.60B/0.80A	----	0.60 UNCH	.0020	----	----	----	----	39 UNCH
2825	----	----	----	0.60B/0.80A	----	0.70 UNCH	.0023	----	----	----	----	56 UNCH
2830	----	----	----	0.60B/0.80A	----	0.70 UNCH	.0023	----	----	----	----	25 UNCH
2850	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0023	----	----	----	----	22 UNCH
2865	----	----	----	0.70B/0.90A	----	0.70 UNCH	.0023	----	----	----	----	2 UNCH
2875	----	----	----	0.70B/0.90A	----	0.70 UNCH	.0023	----	----	----	----	7 UNCH
2900	0.70	0.70	0.80/0.70	0.80/0.70	----	0.80 UNCH	.0027	----	----	2	----	157 + 2
2905	----	----	----	0.80B/0.90A	----	0.80 UNCH	.0027	----	----	----	----	5 UNCH
2915	----	----	----	0.80B/1.00A	----	0.80 UNCH	.0027	----	----	----	----	1 UNCH
2930	----	----	----	0.80B/1.00A	----	0.80 UNCH	.0027	----	----	----	----	1 UNCH
2935	----	----	----	0.80B/1.00A	----	0.90 UNCH	.0030	----	----	----	----	3 UNCH
2950	----	----	----	0.90B/1.00A	----	0.90 UNCH	.0031	----	----	----	----	24 UNCH
2955	----	----	1.00B/----	1.00B/1.00A	----	0.90 UNCH	.0031	----	----	----	----	8 UNCH
2970	----	----	1.00B/----	1.00B/1.00A	----	0.90 UNCH	.0031	----	----	----	----	2 UNCH
2975	----	----	1.00B/----	1.00B/1.10A	----	0.90 UNCH	.0031	----	----	----	----	9 UNCH
2990	----	----	----	1.00B/1.10A	----	1.00 UNCH	.0034	----	----	----	----	5 UNCH
2995	----	----	1.10B/----	1.10B/1.10A	----	1.00 UNCH	.0034	----	----	----	----	6 UNCH
3000	1.00	1.00	1.30/0.90	1.30/0.90	----	1.00 UNCH	.0035	----	----	14	----	1682 - 3
3005	----	----	1.10B/----	1.10B/1.20A	----	1.00 UNCH	.0035	----	----	----	----	30 UNCH
3010	----	----	1.10B/----	1.10B/1.20A	----	1.00 UNCH	.0035	----	----	----	----	8 UNCH
3015	----	----	1.10B/----	1.10B/1.20A	----	1.00 UNCH	.0035	----	----	----	----	216 UNCH
3020	----	----	1.10B/----	1.10B/1.20A	----	1.00 UNCH	.0035	----	----	----	----	35 UNCH
3035	----	----	1.20B/----	1.20B/1.10A	----	1.10 UNCH	.0038	----	----	----	----	1 UNCH
3045	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0039	----	----	----	----	56 UNCH
3050	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0039	----	----	----	----	389 UNCH
3065	----	----	1.20B/----	1.20B/1.10A	----	1.10 UNCH	.0039	----	----	----	----	7 UNCH
3070	----	----	1.20B/----	1.20B/1.10A	----	1.10 UNCH	.0039	----	----	----	----	6 UNCH
3075	----	----	1.20B/----	1.20B/1.10A	----	1.10 UNCH	.0040	----	----	----	----	10 UNCH
3080	----	----	1.30B/1.10A	1.30B/1.10A	----	1.20 UNCH	.0043	----	----	----	----	8 UNCH
3085	1.10	1.10	1.30B/1.10	1.30B/1.10	----	1.20 UNCH	.0043	----	----	1	----	1 + 1
3095	----	----	1.30B/----	1.30B/1.30A	----	1.20 UNCH	.0043	----	----	----	----	42 UNCH
3100	1.20	1.20	1.30B/1.20	1.30B/1.20	----	1.20 UNCH	.0043	----	----	5	----	372 + 5
3105	----	----	1.30B/----	1.30B/1.30A	----	1.20 UNCH	.0043	----	----	----	----	13 UNCH
3110	1.00	1.00	1.30B/1.00	1.30B/1.00	----	1.20 UNCH	.0044	----	----	1	----	11 + 1
3120	----	----	1.40B/----	1.40B/1.30A	----	1.20 - 0.10	.0044	----	----	----	----	13 UNCH
3125	----	----	1.40B/----	1.40B/1.30A	----	1.30 UNCH	.0047	----	----	----	----	13 UNCH
3130	----	----	1.40B/----	1.40B/1.40A	----	1.30 UNCH	.0047	----	----	----	----	26 UNCH
3140	----	----	1.40B/----	1.40B/1.40A	----	1.30 UNCH	.0048	----	----	----	----	5 UNCH
3150	----	----	1.50B/----	1.50B/1.40A	----	1.30 UNCH	.0048	----	----	----	----	147 UNCH
3155	----	----	1.50B/----	1.50B/1.40A	----	1.30 - 0.10	.0048	----	----	----	----	16 UNCH
3160	----	----	1.50B/----	1.50B/1.40A	----	1.40 UNCH	.0051	----	----	----	----	5 UNCH
3170	----	----	1.60B/----	1.60B/1.50A	----	1.40 UNCH	.0052	----	----	----	----	6 UNCH
3175	----	----	1.60B/----	1.60B/1.50A	----	1.40 UNCH	.0052	----	----	----	----	12 UNCH
3180	----	----	1.60B/----	1.60B/1.50A	----	1.40 UNCH	.0052	----	----	----	----	5 UNCH
3185	----	----	1.60B/----	1.60B/1.50A	----	1.40 UNCH	.0052	----	----	----	----	6 UNCH
3190	----	----	1.60B/----	1.60B/1.50A	----	1.40 UNCH	.0053	----	----	----	----	18 UNCH
3195	----	----	1.70B/----	1.70B/1.50A	----	1.40 - 0.10	.0053	----	----	----	----	12 UNCH
3200	1.50	1.50	1.70B/1.50	1.70B/1.50	----	1.50 UNCH	.0056	----	----	55	----	331 + 35
3205	----	----	1.70B/----	1.70B/1.60A	----	1.50 UNCH	.0056	----	----	----	----	42 UNCH
3210	----	----	1.70B/----	1.70B/1.60A	----	1.50 UNCH	.0057	----	----	----	----	25 UNCH
3215	----	----	1.80B/----	1.80B/1.60A	----	1.50 UNCH	.0057	----	----	----	----	22 UNCH
3220	1.80	1.80	1.80/1.80	1.80/1.60A	----	1.50 UNCH	.0057	----	----	1	----	37 + 1
3225	----	----	1.80B/----	1.80B/1.60A	----	1.50 UNCH	.0057	----	----	----	----	75 UNCH
3230	----	----	1.80B/----	1.80B/1.60A	----	1.60 UNCH	.0061	----	----	----	----	7 UNCH
3235	----	----	1.80B/----	1.80B/1.60A	----	1.60 UNCH	.0061	----	----	----	----	25 UNCH
3250	----	----	1.90B/----	1.90B/1.70A	----	1.60 UNCH	.0061	----	----	----	----	148 UNCH
3255	----	----	1.90B/----	1.90B/1.70A	----	1.60 UNCH	.0062	----	----	----	----	124 UNCH
3260	----	----	2.00B/----	2.00B/1.70A	----	1.60 - 0.10	.0062	----	----	----	----	45 UNCH
3265	----	----	2.00B/----	2.00B/1.70A	----	1.70 UNCH	.0065	----	----	----	----	30 UNCH
3270	----	----	2.00B/----	2.00B/1.80A	----	1.70 UNCH	.0066	----	----	----	----	7 UNCH
3275	----	----	2.00B/----	2.00B/1.80A	----	1.70 UNCH	.0066	----	----	----	----	10 UNCH
3280	----	----	2.10B/----	2.10B/1.70A	----	1.70 UNCH	.0066	----	----	----	----	13 UNCH
3290	----	----	2.10B/----	2.10B/1.80A	----	1.70 UNCH	.0067	----	----	----	----	37 UNCH
3300	1.90	1.90	2.20B/1.90	2.20B/1.90	----	1.80 UNCH	.0070	----	----	1	----	399 + 1
3305	----	----	2.20B/----	2.20B/1.90A	----	1.80 UNCH	.0071	----	----	----	----	1 UNCH
3310	----	----	2.20B/----	2.20B/1.80A	----	1.80 UNCH	.0071	----	----	----	----	7 UNCH
3315	----	----	2.20B/----	2.20B/1.90A	----	1.80 UNCH	.0071	----	----	----	----	7 UNCH
3320	----	----	2.30B/----	2.30B/1.80A	----	1.90 + 0.10	.0075	----	----	----	----	4 UNCH
3325	----	----	2.30B/----	2.30B/1.90A	----	1.90 UNCH	.0075	----	----	----	----	47 UNCH
3335	----	----	2.40B/----	2.40B/2.00A	----	1.90 UNCH	.0076	----	----	----	----	46 UNCH
3340	----	----	2.40B/----	2.40B/2.00A	----	1.90 UNCH	.0076	----	----	----	----	22 UNCH
3345	----	----	2.40B/----	2.40B/2.00A	----	2.00 + 0.10	.0079	----	----	----	----	12 UNCH
3350	----	----	2.40B/----	2.40B/2.00A	----	2.00 + 0.10	.0080	----	----	----	----	432 UNCH
3355	----	----	2.50B/----	2.50B/2.10A	----	2.00 UNCH	.0080	----	----	----	----	17 UNCH
3360	----	----	2.50B/----	2.50B/2.10A	----	2.00 UNCH	.0080	----	----	----	----	7 UNCH
3365	----	----	2.50B/----	2.50B/2.10A	----	2.00 UNCH	.0081	----	----	----	----	31 UNCH
3370	----	----	2.60B/----	2.60B/2.00A	----	2.10 + 0.10	.0084	----	----	----	----	26 UNCH
3375	----	----	2.60B/----	2.60B/2.10A	----	2.10 + 0.10	.0085	----	----	----	----	98 UNCH
3380	----	----	2.60B/----	2.60B/2.20A	----	2.10 + 0.10	.0085	----	----	----	----	46 UNCH
3385	----	----	2.60B/----	2.60B/2.20A	----	2.10 UNCH	.0085	----	----	----	----	6 UNCH
3390	----	----	2.70B/----	2.70B/2.20A	----	2.10 UNCH	.0086	----	----	----	----	59 UNCH
3395	----	----	2.70B/----	2.70B/2.20A	----	2.20 + 0.10	.0089	----	----	----	----	1 UNCH
3400	----	----	2.70B/----	2.70B/2.20A	----	2.20 + 0.10	.0090	----	----	----	----	723 UNCH
3405	----	----	2.80B/----	2.80B/2.30A	----	2.20 + 0.10	.0090	----	----	----	----	66 UNCH
3410	----	----	2.80B/----	2.80B/2.30A	----	2.20 + 0.10	.0091	----	----	----	----	7 UNCH
3415	----	----	2.80B/----	2.80B/2.30A	----	2.30 + 0.10	.0094	----	----	----	----	3 UNCH
3420	----	----	2.90B/----	2.90B/2.30A	----	2.30 + 0.10	.0095	----	----	----	----	18 UNCH
3425	----	----	2.90B/----	2.90B/2.40A	----	2.30 + 0.10	.0095	----	----	----	----	25 UNCH
3430	----	----	2.90B/----	2.90B/2.40A	----	2.30 + 0.10	.0095	----	----	----	----	10 UNCH
3435	----	----	3.00B/----	3.00B/2.40A	----	2.40 + 0.20	.0099	----	----	----	----	20 UNCH
3450	----	----	3.10B/----	3.10B/2.50A	----	2.40 + 0.10	.0100	----	----	----	----	407 UNCH
3455	----	----	3.10B/----	3.10B/2.50A	----	2.50 + 0.20	.0104	----	----	----	----	51 UNCH
3460	----	----	3.10B/----	3.10B/2.50A	----	2.50 + 0.20	.0105	----	----	----	----	50 UNCH
3465	----	----	3.20B/----	3.20B/2.50A	----	2.50 + 0.20	.0105	----	----	----	----	89 UNCH
3470	----	----	3.20B/----	3.20B/2.50A	----	2.60 + 0.20	.0109	----	----	----	----	28 UNCH
3475	----	----	3.20B/----	3.20B/2.60A	----	2.60 + 0.20	.0109	----	----	----	----	241 UNCH
3480	----	----	3.30B/----	3.30B/2.60A	----	2.60 + 0.20	.0110	----	----	----	----	171 UNCH
3485	----	----	3.30B/----	3.30B/2.60A	----	2.60 + 0.20	.0110	----	----	----	----	3 UNCH
3490	----	----	3.30B/----	3.30B/2.70A	----	2.70 + 0.30	.0114	----	----	----	----	21 UNCH
3500	3.60	3.60	3.60/3.60	3.60/2.70A	----	2.70 + 0.20	.0115	----	----	92	----	1820 + 38
3505	----	----	3.40B/----	3.40B/2.70A	----	2.70 + 0.20	.0116	----	----	----	----	65 UNCH
3510	----	----	3.50B/----	3.50B/2.80A	----	2.80 + 0.30	.0120	----	----	----	----	86 UNCH
3515	----	----	3.50B/----	3.50B/2.80A	----	2.80 + 0.20	.0120	----	----	----	----	16 UNCH
3520	----	----	3.60B/----	3.60B/2.80A	----	2.80 + 0.20	.0121	----	----	----	----	138 UNCH
3525	----	----	3.60B/----	3.60B/2.80A	----	2.90 + 0.30	.0125	----	----	----	----	301 UNCH
3530	----	----	3.60B/----	3.60B/2.90A	----	2.90 + 0.30	.0125	----	----	----	----	7 UNCH
3535	----	----	3.70B/----	3.70B/2.90A	----	2.90 + 0.20	.0126	----	----	----	----	100 UNCH
3540	----	----	3.70B/----	3.70B/2.90A	----	2.90 + 0.20	.0126	----	----	----	----	5 UNCH
3545	----	----	3.80B/----	3.80B/2.90A	----	3.00 + 0.30	.0130	----	----	----	----	20 UNCH
3550	2.80	2.80	3.80B/2.80	3.80B/2.80	----	3.00 + 0.30	.0131	----	----	2	----	416 - 2
3555	----	----	3.80B/----	3.80B/3.00A	----	3.00 + 0.20	.0131	----	----	----	----	2 UNCH
3560	----	----	3.90B/----	3.90B/3.00A	----	3.00 + 0.20	.0132	----	----	----	----	89 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3565	----	----	3.90B/----	3.90B/3.00A	----	3.10 + 0.30	.0136	----	----	----	----	41 UNCH
3570	----	----	4.00B/----	4.00B/3.10A	----	3.10 + 0.20	.0137	----	----	----	----	60 UNCH
3575	----	----	4.00B/----	4.00B/3.10A	----	3.10 + 0.20	.0137	----	----	1	----	41 + 1
3580	----	----	4.00B/----	4.00B/3.10A	----	3.10 + 0.20	.0138	----	----	----	----	76 UNCH
3585	----	----	4.10B/----	4.10B/3.20A	----	3.20 + 0.30	.0142	----	----	----	----	2 UNCH
3590	----	----	4.10B/----	4.10B/3.20A	----	3.20 + 0.20	.0143	----	----	----	----	3 UNCH
3595	----	----	4.20B/----	4.20B/3.20A	----	3.20 + 0.20	.0143	----	----	----	----	23 UNCH
3600	3.40	3.40	4.60/3.10	4.60/3.10	----	3.30 + 0.30	.0148	----	----	80	----	1701 + 44
3610	----	----	4.30B/----	4.30B/3.30A	----	3.30 + 0.20	.0149	----	----	----	----	3 UNCH
3615	----	----	4.40B/----	4.40B/3.30A	----	3.30 + 0.20	.0150	----	----	----	----	37 UNCH
3620	----	----	4.40B/----	4.40B/3.30A	----	3.40 + 0.20	.0154	----	----	----	----	11 UNCH
3625	----	----	4.50B/----	4.50B/3.30A	----	3.40 + 0.20	.0155	----	----	----	----	67 UNCH
3630	----	----	4.50B/----	4.50B/3.40A	----	3.40 + 0.20	.0155	----	----	----	----	86 UNCH
3635	----	----	4.60B/----	4.60B/3.40A	----	3.50 + 0.20	.0160	----	----	----	----	107 UNCH
3640	----	----	4.60B/----	4.60B/3.40A	----	3.50 + 0.20	.0160	----	----	----	----	24 UNCH
3645	----	----	4.70B/----	4.70B/3.40A	----	3.50 + 0.20	.0161	----	----	----	----	13 UNCH
3650	----	----	4.70B/----	4.70B/3.50A	----	3.60 + 0.20	.0165	----	----	----	----	555 UNCH
3655	----	----	4.80B/----	4.80B/3.50A	----	3.60 + 0.20	.0166	----	----	----	----	7 UNCH
3660	----	----	4.80B/----	4.80B/3.60A	----	3.60 + 0.20	.0167	----	----	----	----	1 UNCH
3665	----	----	4.90B/----	4.90B/3.60A	----	3.70 + 0.20	.0171	----	----	----	----	15 UNCH
3670	----	----	4.90B/----	4.90B/3.60A	----	3.70 + 0.20	.0172	----	----	----	----	31 UNCH
3675	----	----	5.00B/----	5.00B/3.70A	----	3.70 + 0.20	.0173	----	----	----	----	46 UNCH
3680	----	----	5.00B/----	5.00B/3.70A	----	3.80 + 0.20	.0178	----	----	----	----	18 UNCH
3685	----	----	5.10B/----	5.10B/3.70A	----	3.80 + 0.20	.0179	----	----	----	----	51 UNCH
3690	----	----	5.20B/----	5.20B/3.70A	----	3.80 + 0.20	.0179	----	----	----	----	7 UNCH
3695	----	----	5.20B/----	5.20B/3.80A	----	3.90 + 0.20	.0184	----	----	----	----	19 UNCH
3700	4.10	4.10	5.30B/3.90A	5.30B/3.90A	----	3.90 + 0.20	.0185	----	----	21	----	820 + 1
3705	----	----	5.30B/----	5.30B/3.80A	----	3.90 + 0.10	.0186	----	----	----	----	124 UNCH
3710	----	----	5.40B/----	5.40B/3.90A	----	4.00 + 0.20	.0190	----	----	----	----	79 UNCH
3715	----	----	5.50B/----	5.50B/4.00A	----	4.00 + 0.20	.0191	----	----	----	----	46 UNCH
3720	4.50	4.50	5.50B/4.00A	5.50B/4.00A	----	4.10 + 0.20	.0196	----	----	1	----	4 + 1
3725	----	----	5.60B/----	5.60B/4.00A	----	4.10 + 0.20	.0197	----	----	4	----	91 UNCH
3730	----	----	5.70B/----	5.70B/4.10A	----	4.20 + 0.30	.0202	----	----	----	----	18 UNCH
3740	----	----	5.80B/----	5.80B/4.10A	----	4.20 + 0.20	.0204	----	----	----	----	66 UNCH
3745	----	----	5.90B/----	5.90B/4.20A	----	4.30 + 0.30	.0208	----	----	----	----	20 UNCH
3750	4.40	4.40	6.00B/4.20A	6.00B/4.20A	----	4.30 + 0.20	.0210	----	----	2	----	1312 UNCH
3755	----	----	6.00B/----	6.00B/4.30A	----	4.40 + 0.30	.0214	----	----	----	----	14 UNCH
3760	5.40	5.40	6.10B/4.30A	6.10B/4.30A	----	4.40 + 0.30	.0215	----	----	1	----	23 UNCH
3765	----	----	6.20B/----	6.20B/4.30A	----	4.50 + 0.30	.0220	----	----	----	----	49 UNCH
3770	4.90	4.90	6.30B/4.30	6.30B/4.30	----	4.50 + 0.30	.0221	----	----	5	----	13 + 3
3775	4.70	4.70	6.40B/4.70	6.40B/4.40A	----	4.60 + 0.30	.0226	----	----	2	----	39 UNCH
3780	----	----	6.40B/----	6.40B/4.50A	----	4.60 + 0.30	.0228	----	----	----	----	15 UNCH
3785	----	----	6.50B/----	6.50B/4.50A	----	4.70 + 0.40	.0232	----	----	----	----	7 UNCH
3790	----	----	6.60B/----	6.60B/4.60A	----	4.70 + 0.30	.0234	----	----	----	----	259 UNCH
3795	----	----	6.70B/----	6.70B/4.60A	----	4.80 + 0.40	.0239	----	----	----	----	58 UNCH
3800	5.00	5.00	6.80B/5.00	6.80B/4.70A	----	4.80 + 0.30	.0240	----	----	92	----	2827 + 1
3805	----	----	6.90B/----	6.90B/4.70A	----	4.90 + 0.40	.0245	----	----	----	----	71 UNCH
3810	----	----	7.00B/----	7.00B/4.80A	----	4.90 + 0.40	.0246	----	----	----	----	44 UNCH
3815	----	----	7.10B/----	7.10B/4.80A	----	5.00 + 0.40	.0252	----	----	----	----	38 UNCH
3820	----	----	7.20B/----	7.20B/4.90A	----	5.10 + 0.50	.0257	----	----	----	----	18 UNCH
3825	5.20	5.20	7.30B/5.20	7.30B/4.90A	----	5.10 + 0.40	.0258	----	----	2	----	40 + 2
3830	----	----	7.40B/----	7.40B/5.00A	----	5.20 + 0.50	.0263	----	----	----	----	184 UNCH
3835	----	----	7.50B/----	7.50B/5.00A	----	5.20 + 0.40	.0265	----	----	----	----	55 UNCH
3840	----	----	7.60B/----	7.60B/5.00A	----	5.30 + 0.50	.0270	----	----	----	----	4 UNCH
3845	----	----	7.70B/----	7.70B/5.10A	----	5.40 + 0.50	.0275	----	----	----	----	1 UNCH
3850	6.90	6.90	7.80B/6.30	7.80B/5.10A	----	5.40 + 0.50	.0277	----	----	3	----	689 UNCH
3855	----	----	7.90B/----	7.90B/5.20A	----	5.50 + 0.50	.0282	----	----	----	----	73 UNCH
3860	6.80	6.80	8.00B/6.80	8.00B/5.20A	----	5.60 + 0.60	.0288	----	----	2	----	29 UNCH
3865	----	----	8.10B/----	8.10B/5.30A	----	5.60 + 0.50	.0289	----	----	----	----	19 UNCH
3870	----	----	8.20B/----	8.20B/5.30A	----	5.70 + 0.60	.0295	----	----	----	----	16 UNCH
3875	----	----	8.30B/----	8.30B/5.40A	----	5.80 + 0.60	.0300	----	----	----	----	164 UNCH
3880	----	----	8.50B/----	8.50B/5.40A	----	5.90 + 0.70	.0306	----	----	----	----	16 UNCH
3885	----	----	8.60B/----	8.60B/5.50A	----	5.90 + 0.60	.0308	----	----	----	----	13 UNCH
3890	----	----	8.70B/----	8.70B/5.50A	----	6.00 + 0.70	.0313	----	----	----	----	46 UNCH
3895	----	----	8.80B/----	8.80B/5.60A	----	6.10 + 0.70	.0319	----	----	----	----	16 UNCH
3900	6.80	6.80	9.00B/6.80	9.00B/5.50A	----	6.20 + 0.80	.0325	----	----	5	----	1129 UNCH
3905	----	----	9.10B/----	9.10B/5.50A	----	6.20 + 0.70	.0327	----	----	----	----	45 UNCH
3910	----	----	9.20B/----	9.20B/5.60A	----	6.30 + 0.70	.0332	----	----	----	----	10 UNCH
3915	----	----	9.40B/----	9.40B/5.70A	----	6.40 + 0.80	.0338	----	----	----	----	24 UNCH
3920	----	----	9.50B/----	9.50B/5.80A	----	6.50 + 0.80	.0344	----	----	----	----	33 UNCH
3925	----	----	9.70B/----	9.70B/5.80A	----	6.60 + 0.80	.0350	----	----	----	----	51 UNCH
3930	----	----	9.80B/----	9.80B/5.90A	----	6.70 + 0.90	.0356	----	----	----	----	23 UNCH
3935	----	----	10.00B/----	10.00B/5.90A	----	6.80 + 0.90	.0362	----	----	----	----	28 UNCH
3940	----	----	10.10B/5.90A	10.10B/5.90A	----	6.90 + 0.90	.0368	----	----	----	----	101 UNCH
3945	----	----	10.30B/----	10.30B/6.10A	----	7.00 + 1.00	.0374	----	----	----	----	18 UNCH
3950	----	----	10.50B/----	10.50B/6.10A	----	7.10 + 1.00	.0380	----	----	----	----	320 UNCH
3955	----	----	10.60B/6.10A	10.60B/6.10A	----	7.20 + 1.00	.0386	----	----	----	----	6 UNCH
3960	----	----	10.80B/----	10.80B/6.30A	----	7.30 + 1.00	.0393	----	----	----	----	35 UNCH
3965	----	----	11.00B/----	11.00B/6.30A	----	7.40 + 1.10	.0399	----	----	----	----	19 UNCH
3970	----	----	11.10B/6.30A	11.10B/6.30A	----	7.50 + 1.10	.0405	----	----	----	----	58 UNCH
3975	----	----	11.30B/6.40A	11.30B/6.40A	----	7.60 + 1.10	.0412	----	----	----	----	337 UNCH
3980	10.40	10.40	11.50B/6.50A	11.50B/6.50A	----	7.70 + 1.10	.0418	----	----	30	----	83 + 21
3985	10.60	10.60	11.70B/6.60A	11.70B/6.60A	----	7.80 + 1.10	.0425	----	----	13	----	34 + 5
3990	8.70	8.70	11.90B/7.90	11.90B/6.70A	----	7.90 + 1.20	.0431	----	----	22	----	40 + 21
3995	9.00	9.00	12.10B/6.70A	12.10B/6.70A	----	8.00 + 1.20	.0438	----	----	21	----	165 + 21
4000	7.40	7.40	12.30B/6.80A	12.30B/6.80A	----	8.20 + 1.30	.0449	----	----	1041	----	4235 + 335
4005	11.30	11.30	12.60B/6.90A	12.60B/6.90A	----	8.30 + 1.30	.0455	----	----	29	----	54 + 19
4010	9.70	9.70	12.70B/7.00A	12.70B/7.00A	----	8.40 + 1.30	.0462	----	----	17	----	58 + 16
4015	10.40	10.40	12.90B/7.00A	12.90B/7.00A	----	8.50 + 1.30	.0469	----	----	36	----	52 + 35
4020	10.00	10.00	13.30B/7.10A	13.30B/7.10A	----	8.70 + 1.40	.0480	----	----	200	----	118 - 70
4025	9.30	9.30	13.50B/7.20A	13.50B/7.20A	----	8.80 + 1.40	.0487	----	----	258	----	386 + 171
4030	10.00	10.00	13.70B/7.20A	13.70B/7.20A	----	9.00 + 1.50	.0498	----	----	44	----	47 + 30
4035	12.50	12.50	14.00B/7.30A	14.00B/7.30A	----	9.10 + 1.50	.0505	----	----	19	----	58 + 13
4040	10.80	10.80	14.20B/7.50A	14.20B/7.50A	----	9.30 + 1.60	.0516	----	----	30	----	93 + 17
4045	10.50	10.50	14.50B/7.50A	14.50B/7.50A	----	9.40 + 1.60	.0524	----	----	37	----	39 + 37
4050	----	----	14.60B/7.60A	14.60B/7.60A	----	9.60 + 1.70	.0535	----	----	15	----	1166 + 5
4055	10.80	10.80	15.00B/7.80A	15.00B/7.80A	----	9.70 + 1.60	.0542	----	----	10	----	29 + 9
4060	11.50	11.50	15.20B/7.90A	15.20B/7.90A	----	9.90 + 1.70	.0554	----	----	6	----	91 - 1
4065	10.60	10.60	15.50B/8.00A	15.50B/8.00A	----	10.10 + 1.80	.0565	----	----	15	----	130 + 7
4070	10.30	10.30	15.80B/8.00A	15.80B/8.00A	----	10.20 + 1.80	.0573	----	----	8	----	67 UNCH
4075	12.60	12.60	16.10B/8.10A	16.10B/8.10A	----	10.40 + 1.80	.0585	----	----	2	----	268 UNCH
4080	----	----	16.40B/8.20A	16.40B/8.20A	----	10.60 + 1.90	.0596	----	----	----	----	111 UNCH
4085	----	----	16.70B/8.40A	16.70B/8.40A	----	10.80 + 2.00	.0608	----	----	173	----	243 + 173
4090	----	----	16.90B/8.50A	16.90B/8.50A	----	11.00 + 2.00	.0620	----	----	----	----	116 UNCH
4095	16.20	16.20	17.30B/8.60A	17.30B/8.60A	----	11.20 + 2.10	.0632	----	----	2	----	69 UNCH
4100	11.10	11.10	18.20/8.60A	18.20/8.60A	----	11.40 + 2.20	.0644	----	----	672	----	2623 + 350
4105	11.60	11.60	18.00B/8.90A	18.00B/8.90A	----	11.60 + 2.20	.0656	----	----	2	----	93 + 1
4110	9.00	9.00	18.30B/9.00	18.30B/9.00	----	11.80 + 2.30	.0669	----	----	2	----	158 UNCH
4115	11.70	11.70	18.60B/9.20A	18.60B/9.20A	----	12.00 + 2.30	.0681	----	----	2	----	465 - 1
4120	15.20	15.20	19.00B/9.30A	19.00B/9.30A	----	12.30 + 2.50	.0697	----	----	1	----	78 + 1
4125	12.70	12.70	19.40B/9.40A	19.40B/9.40A	----	12.50 + 2.50	.0710	----	----	2	----	384 UNCH
4130	----	----	19.70B/9.60A	19.70B/9.60A	----	12.80 + 2.60	.0726	----	----	----	----	41 UNCH
4135	----	----	20.10B/9.70A	20.10B/9.70A	----	13.00 + 2.70	.0739	----	----	----	----	37 UNCH
4140	13.50	13.50	20.50B/9.90A	20.50B/9.90A	----	13.30 + 2.80	.0756	----	----	4	----	45 - 4
4145	----	----	20.90B/9.90A	20.90B/9.90A	----	13.50 + 2.80	.0769	----	----	3	----	266 UNCH
4150	12.50	12.50	21.40B/10.10A	21.40B/10.10A	----	13.80 + 2.90	.0786	----	----	66	----	629 + 21
4155	15.60	15.60	21.80B/10.30A	21.80B/10.30A	----	14.10 + 3.10	.0803	----	----	3	----	40 + 2
4160	15.10	15.10	22.20B/10.40A	22.20B/10.40A	----	14.40 + 3.20	.0820	----	----	153	----	224 + 135
4165	14.70	14.70	22.60B/10.60A	22.60B/10.60A	----	14.60 + 3.20	.0834	----	----	1	----	29 + 1
4170	----	----	23.10B/10.70A	23.10B/10.70A	----	15.00 + 3.40	.0855	----	----	----	----	57 UNCH
4175	----	----	23.60B/10.90A	23.60B/10.90A	----	15.30 + 3.50	.0872	----	----	----	----	916 UNCH
4180	----	----	23.90B/11.10A	23.90B/11.10A	----	15.60 + 3.60	.0890	----	----	----	----	123 UNCH
4185	----	----	24.50B/11.30A	24.50B/11.30A	----	15.90 + 3.60	.0908	----	----	----	----	27 UNCH
4190	18.40	18.40	25.00B/11.40A	25.00B/11.40A	----	16.20 + 3.70	.0926	----	----	2	----	32 + 1
4195	----	----	25.50B/11.60A	25.50B/11.60A	----	16.60 + 3.90	.0947	----	----	----	----	38 UNCH
4200	13.40	13.40	26.10B/11.80A	26.10B/11.80A	----	17.00 + 4.10	.0969	----	----	1843	500	3253 + 304
4205	----	----	26.80B/11.90A	26.80B/11.90A	----	17.30 + 4.10	.0988	----	----	22	----	68 + 21
4210	21.60	21.60	27.20B/12.20A	27.20B/12.20A	----	17.70 + 4.30	.1010	----	----	25	----	404 + 8
4215	----	----	27.70B/12.40A	27.70B/12.40A	----	18.10 + 4.40	.1032	----	----	----	----	18 UNCH
4220	----	----	28.30B/12.60A	28.30B/12.60A	----	18.50 + 4.60	.1054	----	----	----	----	199 UNCH
4225	27.30	27.30	29.00B/12.80A	29.00B/12.80A	----	18.90 + 4.70	.1077	----	----	11	----	454 + 1
4230	18.90	18.90	29.60B/13.10A	29.60B/13.10A	----	19.30 + 4.80	.1099	----	----	2	----	73 + 2
4235	27.10	27.10	30.30B/13.30A	30.30B/13.30A	----	19.70 + 4.90	.1122	----	----	7	----	66 + 7
4240	18.40	18.40	30.80B/13.60A	30.80B/13.60A	----	20.20 + 5.10	.1148	----	----	52	----	50 - 9
4245	28.20	28.20	31.40B/13.80A	31.40B/13.80A	----	20.60 + 5.20	.1172	----	----	19	----	75 + 16
4250	14.10	14.10	32.10B/14.00A	32.10B/14.00A	----	21.10 + 5.40	.1198	----	----	43	----	800 + 3
4255	----	----	32.80B/14.30A	32.80B/14.30A	----	21.60 + 5.60	.1225	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4260	----	----	33.50B/14.60A	33.50B/14.60A	----	22.10 + 5.80	.1252	----	----	----	----	108 UNCH
4265	22.70	22.70	34.20B/14.90A	34.20B/14.90A	----	22.60 + 6.00	.1279	----	----	5	----	39 + 4
4270	22.50	22.50	34.90B/15.20A	34.90B/15.20A	----	23.10 + 6.10	.1307	----	----	22	----	57 UNCH
4275	23.20	23.20	35.60B/15.40A	35.60B/15.40A	----	23.70 + 6.40	.1337	----	----	4	----	124 UNCH
4280	24.40	24.40	36.50B/15.70A	36.50B/15.70A	----	24.20 + 6.50	.1365	----	----	5	----	78 - 2
4285	23.70	23.70	37.20B/16.00A	37.20B/16.00A	----	24.80 + 6.70	.1396	----	----	4	----	51 + 2
4290	28.40	28.40	38.00B/16.30A	38.00B/16.30A	----	25.40 + 7.00	.1428	----	----	1	----	105 UNCH
4295	37.70	37.70	39.90/16.60A	39.90/16.60A	----	26.00 + 7.20	.1459	----	----	4	----	32 + 1
4300	18.20	18.20	39.60B/16.90A	39.60B/16.90A	----	26.60 + 7.40	.1491	----	----	637	300	2687 - 272
4305	25.00	25.00	40.60B/17.30A	40.60B/17.30A	----	27.20 + 7.60	.1523	----	----	17	----	89 + 10
4310	----	----	41.40B/17.60A	41.40B/17.60A	----	27.90 + 7.80	.1558	----	----	----	----	56 UNCH
4315	----	----	42.30B/18.10A	42.30B/18.10A	----	28.60 + 8.10	.1593	----	----	2	----	53 - 2
4320	28.10	28.10	43.20B/18.30A	43.20B/18.30A	----	29.20 + 8.20	.1625	----	----	2	----	85 + 1
4325	----	----	44.20B/18.70A	44.20B/18.70A	----	29.90 + 8.50	.1661	----	----	3	----	100 UNCH
4330	34.70	34.70	45.10B/19.20A	45.10B/19.20A	----	30.70 + 8.80	.1699	----	----	22	----	514 + 16
4335	30.50	30.50	46.10B/19.70A	46.10B/19.70A	----	31.40 + 9.00	.1736	----	----	7	----	74 + 5
4340	24.40	24.40	47.10B/20.10A	47.10B/20.10A	----	32.20 + 9.30	.1775	----	----	10	----	106 - 3
4345	----	----	48.10B/20.60A	48.10B/20.60A	----	33.00 + 9.60	.1814	----	----	19	----	66 + 13
4350	25.40	25.40	49.20B/20.80A	49.20B/20.80A	----	33.80 + 9.90	.1853	----	----	389	----	1017 + 177
4355	29.60	29.60	50.20B/21.40A	50.20B/21.40A	----	34.60 + 10.10	.1893	----	----	26	----	72 + 10
4360	35.70	35.70	51.30B/21.80A	51.30B/21.80A	----	35.40 + 10.40	.1933	----	----	1	----	129 UNCH
4365	41.00	41.00	52.40B/22.30A	52.40B/22.30A	----	36.30 + 10.70	.1975	----	----	1	----	72 + 1
4370	----	----	53.60B/22.80A	53.60B/22.80A	----	37.20 + 11.00	.2018	----	----	1	----	45 + 1
4375	32.90	32.90	54.70B/23.30A	54.70B/23.30A	----	38.10 + 11.30	.2061	----	----	126	----	520 - 8
4380	34.60	34.60	55.90B/23.80A	55.90B/23.80A	----	39.10 + 11.70	.2107	----	----	16	----	507 - 4
4385	44.10	44.10	57.10B/24.40A	57.10B/24.40A	----	40.00 + 12.00	.2151	----	----	1	----	138 + 1
4390	25.20	25.20	58.30B/24.90	58.30B/24.90	----	41.00 + 12.30	.2197	----	----	17	----	89 + 2
4395	28.00	28.00	59.60B/25.50A	59.60B/25.50A	----	42.00 + 12.70	.2244	----	----	10	----	101 - 1
4400	36.80	36.80	60.80B/26.10A	60.80B/26.10A	----	43.10 + 13.10	.2292	----	----	418	100	2889 + 40
4405	----	----	62.20B/26.60A	62.20B/26.60A	----	44.10 + 13.40	.2339	----	----	6	----	133 UNCH
4410	----	----	63.50B/27.40A	63.50B/27.40A	----	45.20 + 13.70	.2389	----	----	70	----	127 + 14
4415	----	----	64.70B/27.90A	64.70B/27.90A	----	46.30 + 14.10	.2438	----	----	----	----	100 UNCH
4420	----	----	66.20B/28.50A	66.20B/28.50A	----	47.50 + 14.50	.2490	----	----	----	----	150 UNCH
4425	----	----	67.70B/29.20A	67.70B/29.20A	----	48.60 + 14.90	.2540	----	----	95	----	459 + 49
4430	43.20	43.20	69.10B/29.80A	69.10B/29.80A	----	49.80 + 15.30	.2593	----	----	5	----	106 + 5
4435	----	----	70.60B/30.50A	70.60B/30.50A	----	51.10 + 15.80	.2647	----	----	----	----	85 UNCH
4440	----	----	71.90B/31.30A	71.90B/31.30A	----	52.30 + 16.10	.2700	----	----	----	----	46 UNCH
4445	----	----	73.40B/31.90A	73.40B/31.90A	----	53.60 + 16.60	.2755	----	----	1	----	71 + 1
4450	33.00	33.00	75.10B/32.60	75.10B/32.60	----	54.90 + 17.00	.2810	----	----	475	----	4283 - 102
4455	----	----	76.80B/33.50A	76.80B/33.50A	----	56.30 + 17.50	.2867	----	----	13	----	80 + 13
4460	----	----	78.40B/34.20A	78.40B/34.20A	----	57.70 + 18.00	.2924	----	----	6	----	42 UNCH
4465	60.10	60.10	79.90B/35.10A	79.90B/35.10A	----	59.10 + 18.40	.2982	----	----	40	----	3363 + 26
4470	----	----	81.60B/35.90A	81.60B/35.90A	----	60.50 + 18.80	.3040	----	----	37	----	88 + 16
4475	64.70	64.70	83.50B/36.70A	83.50B/36.70A	----	62.00 + 19.30	.3099	----	----	21	----	173 + 6
4480	----	----	85.10B/37.60A	85.10B/37.60A	----	63.50 + 19.80	.3159	----	----	----	----	105 UNCH
4485	74.20	74.20	86.80B/38.50A	86.80B/38.50A	----	65.00 + 20.30	.3219	----	----	4	----	53 - 3
4490	----	----	88.60B/39.40A	88.60B/39.40A	----	66.60 + 20.80	.3280	----	----	----	----	166 UNCH
4495	----	----	90.60B/40.30A	90.60B/40.30A	----	68.20 + 21.30	.3342	----	----	1	----	172 - 1
4500	43.00	43.00	92.30B/41.30A	92.30B/41.30A	----	69.80 + 21.80	.3404	----	----	618	50	5398 + 307
4505	86.00	86.00	94.30B/42.30A	94.30B/42.30A	----	71.50 + 22.40	.3467	----	----	2	----	283 UNCH
4510	----	----	96.30B/43.30A	96.30B/43.30A	----	73.20 + 22.90	.3531	----	----	----	----	48 UNCH
4515	----	----	98.30B/44.40A	98.30B/44.40A	----	74.90 + 23.40	.3595	----	----	----	----	542 UNCH
4520	65.30	65.30	100.20B/45.50A	100.20B/45.50A	----	76.70 + 24.00	.3660	----	----	3	----	155 - 1
4525	70.60	70.60	102.10B/46.60A	102.10B/46.60A	----	78.50 + 24.60	.3725	----	----	5	----	165 - 1
4530	----	----	104.40B/47.70A	104.40B/47.70A	----	80.30 + 25.10	.3791	----	----	1	----	257 - 1
4535	80.10	80.10	106.50B/48.80A	106.50B/48.80A	----	82.20 + 25.70	.3857	----	----	2	----	109 + 2
4540	70.30	70.30	108.40B/50.00A	108.40B/50.00A	----	84.10 + 26.30	.3924	----	----	65	----	302 - 12
4545	----	----	110.70B/51.10A	110.70B/51.10A	----	86.00 + 26.80	.3991	----	----	1	----	81 UNCH
4550	75.50	75.50	113.00B/52.40A	113.00B/52.40A	----	88.00 + 27.40	.4059	----	----	296	----	1116 + 117
4555	75.10	75.10	115.00B/53.70A	115.00B/53.70A	----	90.00 + 28.00	.4127	----	----	7	----	61 + 6
4560	----	----	117.50B/55.00A	117.50B/55.00A	----	92.00 + 28.50	.4195	----	----	----	----	124 UNCH
4565	62.30	62.30	119.80B/56.20A	119.80B/56.20A	----	94.10 + 29.20	.4264	----	----	2	----	211 - 1
4570	121.00	121.00	122.20B/57.60A	122.20B/57.60A	----	96.20 + 29.80	.4333	----	----	7	----	179 + 4
4575	----	----	124.60B/58.90A	124.60B/58.90A	----	98.40 + 30.40	.4403	----	----	22	----	307 UNCH
4580	111.20	111.20	126.80B/60.30A	126.80B/60.30A	----	100.50 + 30.90	.4473	----	----	11	----	221 + 1
4585	----	----	129.40B/61.80A	129.40B/61.80A	----	102.80 + 31.60	.4543	----	----	140	----	174 + 43
4590	88.10	88.10	131.90B/63.20A	131.90B/63.20A	----	105.00 + 32.20	.4614	----	----	6	----	182 + 4
4595	117.50	117.50	134.50B/64.70A	134.50B/64.70A	----	107.30 + 32.80	.4684	----	----	1	----	87 UNCH
4600	75.80	75.80	137.00B/66.20A	137.00B/66.20A	----	109.60 + 33.40	.4755	----	----	350	350	2665 + 175
4605	----	----	139.50B/67.80A	139.50B/67.80A	----	112.00 + 34.10	.4827	----	----	1	----	114 UNCH
4610	114.30	114.30	142.30B/69.40A	142.30B/69.40A	----	114.40 + 34.70	.4898	----	----	105	----	225 + 11
4615	----	----	145.00B/71.00A	145.00B/71.00A	----	116.90 + 35.40	.4969	----	----	----	----	57 UNCH
4620	102.40	102.40	147.70B/72.60A	147.70B/72.60A	----	119.30 + 35.90	.5041	----	----	2	----	189 UNCH
4625	78.50	78.50	150.30B/74.30A	150.30B/74.30A	----	121.90 + 36.70	.5112	----	----	65	----	506 - 14
4630	----	----	153.10B/76.10A	153.10B/76.10A	----	124.40 + 37.20	.5184	----	----	2	----	146 - 2
4635	110.30	110.30	155.90B/77.80A	155.90B/77.80A	----	127.00 + 37.90	.5256	----	----	2	----	47 + 2
4640	112.50	112.50	158.80B/79.60A	158.80B/79.60A	----	129.70 + 38.60	.5327	----	----	26	----	79 + 17
4645	----	----	161.70B/81.40A	161.70B/81.40A	----	132.30 + 39.20	.5399	----	----	15	----	98 + 8
4650	110.40	110.40	164.20B/83.30A	164.20B/83.30A	----	135.10 + 39.90	.5470	----	----	29	----	1665 - 9
4655	----	----	167.40B/85.20A	167.40B/85.20A	----	137.80 + 40.50	.5542	----	----	3	----	101 UNCH
4660	121.20	121.20	170.40B/87.10A	170.40B/87.10A	----	140.60 + 41.20	.5612	----	----	1	----	110 + 1
4665	117.60	117.60	173.20B/89.10A	173.20B/89.10A	----	143.50 + 42.00	.5683	----	----	1	----	30 + 1
4670	----	----	176.50B/91.10A	176.50B/91.10A	----	146.40 + 42.70	.5754	----	----	----	----	258 UNCH
4675	125.00	125.00	179.70B/93.20A	179.70B/93.20A	----	149.30 + 43.30	.5825	----	----	2	----	423 UNCH
4680	----	----	182.60B/95.30A	182.60B/95.30A	----	152.20 + 43.90	.5894	----	----	18	----	101 + 15
4685	----	----	186.00B/97.40A	186.00B/97.40A	----	155.20 + 44.60	.5964	----	----	----	----	65 UNCH
4690	113.20	113.20	189.00B/99.60A	189.00B/99.60A	----	158.30 + 45.40	.6033	----	----	3	----	218 UNCH
4695	----	----	192.40B/101.80A	192.40B/101.80A	----	161.30 + 46.00	.6103	----	----	----	----	78 UNCH
4700	108.50	108.50	195.50B/104.00A	195.50B/104.00A	----	164.40 + 46.60	.6171	----	----	139	----	2014 + 8
4705	111.20	111.20	198.80B/106.30A	198.80B/106.30A	----	167.60 + 47.40	.6240	----	----	1	----	95 + 1
4710	----	----	202.20B/108.60A	202.20B/108.60A	----	170.80 + 48.00	.6308	----	----	----	----	51 UNCH
4715	116.10	116.10	205.60B/111.00A	205.60B/111.00A	----	174.00 + 48.70	.6375	----	----	1	----	61 + 1
4720	----	----	209.00B/113.40A	209.00B/113.40A	----	177.20 + 49.30	.6442	----	----	----	----	160 UNCH
4725	190.00	190.00	212.50B/115.90A	212.50B/115.90A	----	180.50 + 50.00	.6508	----	----	2	----	146 UNCH
4730	----	----	216.00B/118.30A	216.00B/118.30A	----	183.80 + 50.60	.6575	----	----	----	----	89 UNCH
4735	----	----	219.70B/120.90A	219.70B/120.90A	----	187.20 + 51.30	.6639	----	----	----	----	218 UNCH
4740	----	----	223.00B/123.50A	223.00B/123.50A	----	190.60 + 51.90	.6704	----	----	----	----	90 UNCH
4745	----	----	226.60B/126.00A	226.60B/126.00A	----	194.00 + 52.50	.6769	----	----	----	----	31 UNCH
4750	----	----	230.20B/128.70A	230.20B/128.70A	----	197.50 + 53.20	.6832	----	----	6	----	933 UNCH
4755	----	----	233.90B/131.40A	233.90B/131.40A	----	201.00 + 53.80	.6895	----	----	2	----	25 UNCH
4760	----	----	237.50B/134.10A	237.50B/134.10A	----	204.50 + 54.40	.6958	----	----	----	----	97 UNCH
4765	----	----	241.30B/136.90A	241.30B/136.90A	----	208.10 + 55.10	.7019	----	----	----	----	67 UNCH
4770	----	----	245.00B/139.70A	245.00B/139.70A	----	211.70 + 55.70	.7080	----	----	----	----	97 UNCH
4775	----	----	248.70B/142.70A	248.70B/142.70A	----	215.30 + 56.30	.7139	----	----	----	----	192 UNCH
4780	----	----	252.50B/145.60A	252.50B/145.60A	----	218.90 + 56.80	.7200	----	----	----	----	91 UNCH
4785	----	----	256.40B/148.80A	256.40B/148.80A	----	222.60 + 57.40	.7258	----	----	1	----	100 - 1
4790	----	----	260.20B/151.70A	260.20B/151.70A	----	226.40 + 58.10	.7315	----	----	1	----	92 - 1
4795	----	----	264.10B/154.80A	264.10B/154.80A	----	230.10 + 58.60	.7373	----	----	----	----	56 UNCH
4800	205.00	205.00	267.90B/157.70A	267.90B/157.70A	----	233.90 + 59.20	.7429	----	----	28	----	2992 - 12
4805	----	----	272.20B/160.80A	272.20B/160.80A	----	237.70 + 59.80	.7483	----	----	----	----	83 UNCH
4810	----	----	275.80B/164.00A	275.80B/164.00A	----	241.60 + 60.40	.7539	----	----	----	----	46 UNCH
4815	----	----	279.80B/167.20A	279.80B/167.20A	----	245.40 + 60.90	.7592	----	----	21	----	120 UNCH
4820	----	----	284.20B/170.40A	284.20B/170.40A	----	249.30 + 61.50	.7646	----	----	----	----	37 UNCH
4825	----	----	288.20B/173.60A	288.20B/173.60A	----	253.30 + 62.10	.7696	----	----	----	----	204 UNCH
4830	----	----	292.30B/177.00A	292.30B/177.00A	----	257.20 + 62.60	.7750	----	----	----	----	124 UNCH
4835	246.00	246.00	296.10B/180.30A	296.10B/180.30A	----	261.20 + 63.20	.7800	----	----	3	----	32 UNCH
4840	----	----	300.20B/183.60A	300.20B/183.60A	----	265.20 + 63.70	.7847	----	----	----	----	36 UNCH
4845	----	----	304.50B/187.10A	304.50B/187.10A	----	269.30 + 64.40	.7897	----	----	----	----	15 UNCH
4850	----	----	308.80B/190.50A	308.80B/190.50A	----	273.40 + 64.90	.7944	----	----	20	----	591 - 10
4855	----	----	312.90B/194.00A	312.90B/194.00A	----	277.40 + 65.40	.7991	----	----	----	----	305 UNCH
4860	----	----	317.10B/197.50A	317.10B/197.50A	----	281.60 + 65.90	.8038	----	----	----	----	91 UNCH
4865	----	----	321.40B/200.90A	321.40B/200.90A	----	285.70 + 66.40	.8082	----	----	----	----	50 UNCH
4870	----	----	325.20B/204.60A	325.20B/204.60A	----	289.90 + 66.90	.8129	----	----	----	----	44 UNCH
4875	----	----	329.80B/208.20A	329.80B/208.20A	----	294.00 + 67.30	.8172	----	----	----	----	71 UNCH
4880	----	----	333.70B/211.90A	333.70B/211.90A	----	298.20 + 67.80	.8215	----	----	----	----	8 UNCH
4885	----	----	338.00B/215.60A	338.00B/215.60A	----	302.40 + 68.20	.8255	----	----	----	----	7 UNCH
4890	----	----	342.80B/219.30A	342.80B/219.30A	----	306.70 + 68.70	.8298	----	----	----	----	48 UNCH
4895	----	----	347.10B/223.10A	347.10B/223.10A	----	310.90 + 69.00	.8338	----	----	----	----	213 UNCH
4900	245.50	245.50	351.00B/226.80A	351.00B/226.80A	----	315.20 + 69.40	.8377	----	----	42	----	1682 - 28
4905	----	----	355.40B/230.70A	355.40B/230.70A	----	319.50 + 69.80	.8417	----	----	----	----	11 UNCH
4910	----	----	359.90B/234.50A	359.90B/234.50A	----	323.80 + 70.20	.8456	----	----	----	----	59 UNCH
4915	----	----	364.20B/238.40A	364.20B/238.40A	----	328.20 + 70.60	.8495	----	----	----	----	37 UNCH
4920	----	----	368.70B/242.30A	368.70B/242.30A	----	332.50 + 71.00	.8531	----	----	----	----	92 UNCH
4925	----	----	373.40B/246.30A	373.40B/246.30A	----	336.90 + 71.30	.8566	----	----	----	----	74 UNCH
4930	----	----	377.90B/250.30A	377.90B/250.30A	----	341.30 + 71.70	.8601	----	----	----	----	199 UNCH
4940	----	----	386.90B/258.30A	386.90B/258.30A	----	350.10 + 72.40	.8671	----	----	----	----	64 UNCH
4945	----	----	391.40B/262.30A	391.40B/262.30A	----	354.60 + 72.80	.8702	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4950	----	----	395.90B/266.40A	395.90B/266.40A	----	359.00 + 73.10	.8733	----	----	----	----	291 UNCH
4955	----	----	400.50B/270.50A	400.50B/270.50A	----	363.50 + 73.40	.8768	----	----	----	----	31 UNCH
4960	----	----	404.60B/274.70A	404.60B/274.70A	----	368.00 + 73.70	.8798	----	----	----	----	23 UNCH
4965	----	----	409.20B/278.80A	409.20B/278.80A	----	372.50 + 74.00	.8825	----	----	----	----	26 UNCH
4970	----	----	414.20B/283.00A	414.20B/283.00A	----	377.00 + 74.30	.8855	----	----	----	----	44 UNCH
4975	----	----	418.70B/287.20A	418.70B/287.20A	----	381.50 + 74.60	.8885	----	----	----	----	156 UNCH
4980	----	----	423.30B/291.40A	423.30B/291.40A	----	386.10 + 74.90	.8911	----	----	----	----	28 UNCH
4985	----	----	427.90B/295.70A	427.90B/295.70A	----	390.70 + 75.20	.8937	----	----	----	----	10 UNCH
4990	----	----	432.60B/299.90A	432.60B/299.90A	----	395.20 + 75.40	.8967	----	----	----	----	293 UNCH
4995	----	----	436.80B/304.30A	436.80B/304.30A	----	399.80 + 75.70	.8993	----	----	----	----	12 UNCH
5000	426.00	426.00	441.90B/308.60A	441.90B/308.60A	----	404.40 + 76.00	.9019	----	----	42	----	1821 - 29
5005	----	----	446.20B/312.90A	446.20B/312.90A	----	409.00 + 76.20	.9040	----	----	----	----	302 UNCH
5010	----	----	451.10B/317.30A	451.10B/317.30A	----	413.70 + 76.50	.9065	----	----	----	----	13 UNCH
5015	----	----	455.50B/321.70A	455.50B/321.70A	----	418.30 + 76.70	.9090	----	----	----	----	49 UNCH
5020	----	----	460.60B/326.10A	460.60B/326.10A	----	422.90 + 76.90	.9111	----	----	----	----	31 UNCH
5025	----	----	465.30B/330.50A	465.30B/330.50A	----	427.60 + 77.20	.9131	----	----	----	----	53 UNCH
5030	----	----	470.00B/334.90A	470.00B/334.90A	----	432.30 + 77.40	.9157	----	----	----	----	66 UNCH
5035	----	----	474.30B/339.40A	474.30B/339.40A	----	436.90 + 77.60	.9177	----	----	----	----	13 UNCH
5040	----	----	479.30B/343.90A	479.30B/343.90A	----	441.60 + 77.80	.9197	----	----	----	----	18 UNCH
5045	----	----	484.10B/348.40A	484.10B/348.40A	----	446.30 + 78.00	.9217	----	----	----	----	5 UNCH
5050	----	----	488.50B/352.90A	488.50B/352.90A	----	451.00 + 78.20	.9237	----	----	----	----	805 UNCH
5055	----	----	493.70B/357.40A	493.70B/357.40A	----	455.80 + 78.40	.9252	----	----	----	----	63 UNCH
5060	----	----	498.00B/362.00A	498.00B/362.00A	----	460.50 + 78.60	.9272	----	----	----	----	64 UNCH
5065	----	----	503.20B/366.50A	503.20B/366.50A	----	465.20 + 78.70	.9292	----	----	----	----	17 UNCH
5070	399.20	399.20	507.60B/371.10A	507.60B/371.10A	----	470.00 + 79.00	.9307	----	----	2	----	52 UNCH
5075	----	----	512.40B/375.70A	512.40B/375.70A	----	474.70 + 79.10	.9327	----	----	----	----	30 UNCH
5080	----	----	517.10B/380.30A	517.10B/380.30A	----	479.50 + 79.30	.9341	----	----	----	----	31 UNCH
5085	----	----	521.90B/384.90A	521.90B/384.90A	----	484.30 + 79.50	.9356	----	----	----	----	123 UNCH
5090	----	----	526.70B/389.50A	526.70B/389.50A	----	489.00 + 79.60	.9370	----	----	----	----	111 UNCH
5095	----	----	531.50B/394.20A	531.50B/394.20A	----	493.80 + 79.70	.9385	----	----	15	----	121 - 6
5100	518.00	518.00	536.30B/398.80A	536.30B/398.80A	----	498.60 + 79.90	.9399	----	----	2	----	465 - 1
5105	----	----	541.40B/403.50A	541.40B/403.50A	----	503.40 + 80.00	.9413	----	----	----	----	38 UNCH
5110	----	----	546.40B/408.10A	546.40B/408.10A	----	508.20 + 80.20	.9428	----	----	----	----	74 UNCH
5115	----	----	551.20B/412.80A	551.20B/412.80A	----	513.10 + 80.40	.9442	----	----	----	----	14 UNCH
5120	----	----	555.60B/417.50A	555.60B/417.50A	----	517.90 + 80.50	.9451	----	----	----	----	25 UNCH
5125	----	----	560.90B/422.20A	560.90B/422.20A	----	522.70 + 80.60	.9465	----	----	----	----	192 UNCH
5130	----	----	565.30B/426.90A	565.30B/426.90A	----	527.50 + 80.70	.9478	----	----	----	----	26 UNCH
5135	----	----	570.10B/431.70A	570.10B/431.70A	----	532.40 + 80.90	.9487	----	----	----	----	37 UNCH
5140	----	----	575.40B/436.40A	575.40B/436.40A	----	537.20 + 81.00	.9501	----	----	----	----	14 UNCH
5145	----	----	580.30B/441.10A	580.30B/441.10A	----	542.10 + 81.10	.9509	----	----	----	----	39 UNCH
5150	----	----	585.10B/445.90A	585.10B/445.90A	----	546.90 + 81.20	.9523	----	----	----	----	389 UNCH
5155	----	----	590.00B/450.60A	590.00B/450.60A	----	551.80 + 81.30	.9531	----	----	----	----	38 UNCH
5160	----	----	594.70B/455.40A	594.70B/455.40A	----	556.60 + 81.40	.9539	----	----	----	----	70 UNCH
5165	----	----	599.30B/460.20A	599.30B/460.20A	----	561.50 + 81.50	.9553	----	----	----	----	47 UNCH
5170	----	----	604.60B/464.90A	604.60B/464.90A	----	566.40 + 81.70	.9561	----	----	----	----	504 UNCH
5175	----	----	609.50B/469.70A	609.50B/469.70A	----	571.30 + 81.80	.9569	----	----	----	----	15 UNCH
5180	----	----	613.90B/474.50A	613.90B/474.50A	----	576.10 + 81.80	.9577	----	----	----	----	19 UNCH
5185	----	----	619.10B/479.30A	619.10B/479.30A	----	581.00 + 81.90	.9585	----	----	----	----	22 UNCH
5190	----	----	623.70B/484.10A	623.70B/484.10A	----	585.90 + 82.00	.9598	----	----	----	----	5 UNCH
5195	----	----	629.00B/488.90A	629.00B/488.90A	----	590.80 + 82.10	.9606	----	----	----	----	8 UNCH
5200	593.90	593.90	633.90B/493.80A	633.90B/493.80A	----	595.70 + 82.20	.9614	----	----	9	----	606 - 5
5205	----	----	638.80B/498.60A	638.80B/498.60A	----	600.60 + 82.30	.9622	----	----	----	----	36 UNCH
5210	----	----	643.70B/503.40A	643.70B/503.40A	----	605.40 + 82.30	.9630	----	----	----	----	69 UNCH
5215	----	----	648.60B/508.20A	648.60B/508.20A	----	610.30 + 82.30	.9637	----	----	----	----	42 UNCH
5220	----	----	653.50B/513.20A	653.50B/513.20A	----	615.20 + 82.40	.9645	----	----	----	----	188 UNCH
5225	----	----	658.00B/517.90A	658.00B/517.90A	----	620.10 + 82.50	.9652	----	----	1	----	201 + 1
5230	----	----	662.90B/522.90A	662.90B/522.90A	----	625.00 + 82.50	.9660	----	----	----	----	7 UNCH
5235	----	----	666.80B/527.60A	666.80B/527.60A	----	629.90 + 82.60	.9667	----	----	----	----	160 UNCH
5240	----	----	671.60B/532.50A	671.60B/532.50A	----	634.80 + 82.60	.9675	----	----	1	----	0 - 1
5245	----	----	677.10B/537.30A	677.10B/537.30A	----	639.70 + 82.70	.9682	----	----	----	----	9 UNCH
5250	----	----	681.40B/542.20A	681.40B/542.20A	----	644.70 + 82.80	.9690	----	----	----	----	333 UNCH
5255	----	----	686.20B/547.10A	686.20B/547.10A	----	649.60 + 82.90	.9691	----	----	----	----	9 UNCH
5260	----	----	691.40B/551.90A	691.40B/551.90A	----	654.50 + 82.90	.9699	----	----	----	----	11 UNCH
5265	----	----	696.30B/558.70A	696.30B/558.70A	----	659.40 + 82.90	.9706	----	----	----	----	5 UNCH
5270	----	----	701.10B/563.60A	701.10B/563.60A	----	664.30 + 82.90	.9713	----	----	----	----	24 UNCH
5275	----	----	706.20B/568.50A	706.20B/568.50A	----	669.30 + 83.10	.9715	----	----	----	----	170 UNCH
5280	----	----	711.10B/573.40A	711.10B/573.40A	----	674.20 + 83.10	.9722	----	----	----	----	67 UNCH
5285	----	----	715.90B/578.60A	715.90B/578.60A	----	679.10 + 83.10	.9729	----	----	----	----	27 UNCH
5290	----	----	721.00B/583.20A	721.00B/583.20A	----	684.10 + 83.20	.9730	----	----	----	----	2 UNCH
5300	----	----	730.80B/592.90A	730.80B/592.90A	----	694.00 + 83.30	.9739	----	----	----	----	562 UNCH
5305	----	----	735.80B/597.80A	735.80B/597.80A	----	698.90 + 83.30	.9746	----	----	----	----	103 UNCH
5320	----	----	750.50B/612.30A	750.50B/612.30A	----	713.70 + 83.40	.9755	----	----	----	----	108 UNCH
5325	----	----	755.30B/617.30A	755.30B/617.30A	----	718.70 + 83.50	.9762	----	----	----	----	1 UNCH
5335	----	----	765.20B/627.20A	765.20B/627.20A	----	728.60 + 83.60	.9770	----	----	----	----	5 UNCH
5340	----	----	770.30B/632.10A	770.30B/632.10A	----	733.60 + 83.70	.9772	----	----	----	----	52 UNCH
5345	----	----	775.10B/637.10A	775.10B/637.10A	----	738.50 + 83.60	.9778	----	----	----	----	2 UNCH
5350	----	----	780.30B/642.50A	780.30B/642.50A	----	743.50 + 83.70	.9780	----	----	----	----	109 UNCH
5365	----	----	794.90B/657.20A	794.90B/657.20A	----	758.30 + 83.80	.9788	----	----	----	----	4 UNCH
5370	----	----	800.00B/661.60A	800.00B/661.60A	----	763.30 + 83.80	.9795	----	----	----	----	37 UNCH
5375	----	----	805.10B/666.90A	805.10B/666.90A	----	768.30 + 83.90	.9796	----	----	----	----	1 UNCH
5380	----	----	809.90B/672.10A	809.90B/672.10A	----	773.20 + 83.90	.9797	----	----	----	----	2 UNCH
5385	----	----	814.90B/676.50A	814.90B/676.50A	----	778.20 + 83.90	.9804	----	----	----	----	10 UNCH
5390	----	----	----	----	----	783.10 + 83.90	.9805	----	----	----	----	2 UNCH
5395	----	----	817.40B/----	817.40B/791.10A	----	788.10 + 84.00	.9806	----	----	----	----	156 UNCH
5400	----	----	823.60B/----	823.60B/791.00A	----	793.10 + 84.00	.9812	----	----	----	----	445 UNCH
5420	----	----	842.20B/----	842.20B/815.90A	----	812.90 + 84.10	.9821	----	----	----	----	10 UNCH
5425	----	----	----	----	----	817.90 + 84.10	.9822	----	----	----	----	1 UNCH
5430	----	----	852.20B/----	852.20B/825.90A	----	822.90 + 84.20	.9829	----	----	----	----	30 UNCH
5435	----	----	857.20B/----	857.20B/830.80A	----	827.80 + 84.10	.9829	----	----	----	----	10 UNCH
5440	----	----	862.00B/----	862.00B/835.80A	----	832.80 + 84.20	.9830	----	----	----	----	20 UNCH
5470	----	----	----	----	----	862.60 + 84.20	.9846	----	----	----	----	1 UNCH
5490	----	----	911.80B/----	911.80B/885.60A	----	882.50 + 84.30	.9854	----	----	----	----	166 UNCH
5500	----	----	921.80B/----	921.80B/895.50A	----	892.50 + 84.40	.9856	----	----	----	----	52 UNCH
5525	----	----	----	----	----	917.40 + 84.50	.9864	----	----	----	----	2 UNCH
5575	----	----	----	----	----	967.20 + 84.60	.9881	----	----	----	----	2 UNCH
5590	----	----	1,011.50B/----	1011.50B/985.20A	----	982.20 + 84.70	.9888	----	----	----	----	77 UNCH
5595	----	----	----	----	----	987.20 + 84.70	.9888	----	----	----	----	1 UNCH
5600	----	----	1,021.50B/----	1021.50B/995.20A	----	992.10 + 84.60	.9889	----	----	----	----	9 UNCH
5640	----	----	1,061.30B/----	1061.30B/1035.10A	----	1032.00 + 84.70	.9898	----	----	----	----	9 UNCH
5800	----	----	1,221.00B/----	1221.00B/1194.80A	----	1191.70 + 84.90	.9931	----	----	----	----	6 UNCH
6000	----	----	1,420.80B/----	1420.80B/1394.80A	----	1391.60 + 85.20	.9956	----	----	----	----	4 UNCH
TOTAL										10096	1,300	108067 + 2496
JUL26												
2275	0.60	0.60	0.60/0.50A	0.60/0.50A	----	0.50 UNCH	.0013	----	----	1	----	22 + 1
2300	----	----	----	0.40B/0.70A	----	0.50 - 0.10	.0013	----	----	----	----	96 UNCH
2400	----	----	----	0.60B/0.90A	----	0.70 - 0.10	.0018	----	----	----	----	2 UNCH
2500	----	----	----	0.70B/1.10A	----	0.90 UNCH	.0024	----	----	----	----	194 UNCH
2575	----	----	----	0.90B/1.20A	----	1.10 UNCH	.0030	----	----	----	----	1 UNCH
2600	----	----	----/*1.00A	1.00B/1.00A	----	1.10 UNCH	.0030	----	----	----	----	12 UNCH
2620	----	----	----	1.00B/1.30A	----	1.20 UNCH	.0033	----	----	----	----	1 UNCH
2650	----	----	----	1.10B/1.40A	----	1.20 UNCH	.0034	----	----	----	----	51 UNCH
2670	----	----	----	1.20B/1.40A	----	1.30 UNCH	.0036	----	----	----	----	10 UNCH
2675	----	----	----	1.20B/1.50A	----	1.30 UNCH	.0036	----	----	----	----	10 UNCH
2680	----	----	----	1.20B/1.50A	----	1.30 UNCH	.0037	----	----	----	----	10 UNCH
2700	1.20	1.20	1.20/1.20	1.20/1.20	----	1.40 UNCH	.0039	----	----	2	----	5 + 2
2705	----	----	----	1.30B/1.50A	----	1.40 UNCH	.0039	----	----	----	----	1 UNCH
2710	----	----	----	1.30B/1.50A	----	1.40 UNCH	.0040	----	----	----	----	7 UNCH
2730	----	----	----	1.40B/1.60A	----	1.40 UNCH	.0040	----	----	----	----	1 UNCH
2750	----	----	----	1.40B/1.70A	----	1.50 UNCH	.0043	----	----	----	----	20 UNCH
2785	----	----	----	1.50B/1.80A	----	1.60 UNCH	.0046	----	----	----	----	2 UNCH
2800	----	----	----	1.60B/1.80A	----	1.60 UNCH	.0047	----	----	----	----	9 UNCH
2850	----	----	----	1.80B/2.00A	----	1.80 UNCH	.0053	----	----	----	----	3 UNCH
2860	----	----	----	1.80B/2.00A	----	1.80 UNCH	.0053	----	----	----	----	6 UNCH
2890	----	----	2.00B/----	2.00B/2.10A	----	2.00 + 0.10	.0059	----	----	----	----	60 UNCH
2895	----	----	----	2.00B/2.10A	----	2.00 UNCH	.0060	----	----	----	----	18 UNCH
2900	----	----	----	2.00B/2.10A	----	2.00 UNCH	.0060	----	----	----	----	18 UNCH
2905	----	----	----	2.00B/2.10A	----	2.00 UNCH	.0060	----	----	----	----	19 UNCH
2920	----	----	2.10B/----	2.10B/2.20A	----	2.10 + 0.10	.0063	----	----	----	----	3 UNCH
2950	----	----	----	2.20B/2.30A	----	2.20 UNCH	.0067	----	----	----	----	52 UNCH
2985	----	----	2.40B/----	2.40B/2.40A	----	2.30 UNCH	.0071	----	----	----	----	21 UNCH
2995	----	----	2.40B/----	2.40B/2.50A	----	2.40 + 0.10	.0074	----	----	----	----	16 UNCH
3000	2.50	2.50	2.50/2.50	2.50/2.50	----	2.40 + 0.10	.0074	----	----	1	----	67 + 1
3010	----	----	2.50B/----	2.50B/2.50A	----	2.50 + 0.10	.0077	----	----	----	----	1 UNCH
3015	----	----	2.50B/----	2.50B/2.50A	----	2.50 + 0.10	.0077	----	----	----	----	5 UNCH
3025	----	----	2.60B/----	2.60B/2.60A	----	2.50 + 0.10	.0078	----	----	----	----	1 UNCH
3035	----	----	2.70B/----	2.70B/2.60A	----	2.60 + 0.10	.0081	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3050	----	----	2.70B/----	2.70B/2.70A	----	2.60 + 0.10	.0081	----	----	----	----	1 UNCH
3100	----	----	3.00B/----	3.00B/2.90A	----	2.90 + 0.20	.0092	----	----	3	----	43 UNCH
3105	----	----	3.00B/----	3.00B/2.90A	----	2.90 + 0.10	.0092	----	----	----	----	1 UNCH
3125	----	----	3.20B/----	3.20B/3.00A	----	3.00 + 0.20	.0096	----	----	----	----	42 UNCH
3140	----	----	3.30B/----	3.30B/3.10A	----	3.10 + 0.20	.0100	----	----	----	----	1 UNCH
3150	----	----	3.30B/----	3.30B/3.20A	----	3.20 + 0.30	.0103	----	----	----	----	12 UNCH
3155	----	----	3.40B/----	3.40B/3.20A	----	3.20 + 0.30	.0103	----	----	----	----	1 UNCH
3200	----	----	3.70B/----	3.70B/3.40A	----	3.50 + 0.40	.0114	----	----	----	----	164 UNCH
3210	----	----	3.70B/----	3.70B/3.50A	----	3.50 + 0.40	.0115	----	----	----	----	1 UNCH
3220	----	----	3.80B/----	3.80B/3.50A	----	3.60 + 0.40	.0118	----	----	----	----	1 UNCH
3225	----	----	3.80B/----	3.80B/3.50A	----	3.60 + 0.40	.0119	----	----	----	----	70 UNCH
3250	----	----	4.00B/----	4.00B/3.70A	----	3.80 + 0.50	.0126	----	----	----	----	62 UNCH
3275	----	----	4.20B/----	4.20B/3.90A	----	4.00 + 0.60	.0134	----	----	----	----	10 UNCH
3280	----	----	4.30B/----	4.30B/3.90A	----	4.00 + 0.50	.0134	----	----	----	----	10 UNCH
3290	----	----	4.40B/----	4.40B/4.00A	----	4.10 + 0.60	.0138	----	----	----	----	11 UNCH
3300	----	----	4.50B/----	4.50B/4.00A	----	4.10 + 0.50	.0139	----	----	----	----	70 UNCH
3320	----	----	4.60B/----	4.60B/4.20A	----	4.30 + 0.60	.0146	----	----	----	----	1 UNCH
3325	----	----	4.70B/----	4.70B/4.20A	----	4.30 + 0.60	.0147	----	----	----	----	147 UNCH
3335	----	----	4.80B/----	4.80B/4.30A	----	4.40 + 0.60	.0150	----	----	----	----	86 UNCH
3340	----	----	4.80B/----	4.80B/4.30A	----	4.40 + 0.60	.0151	----	----	----	----	1 UNCH
3350	----	----	5.00B/----	5.00B/4.40A	----	4.50 + 0.60	.0155	----	----	----	----	24 UNCH
3355	----	----	5.00B/----	5.00B/4.40A	----	4.50 + 0.60	.0155	----	----	----	----	69 UNCH
3360	5.00	5.00	5.00/4.50A	5.00/4.50A	----	4.60 + 0.60	.0158	----	----	1	----	5 + 1
3370	----	----	5.10B/----	5.10B/4.50A	----	4.60 + 0.50	.0160	----	----	----	----	9 UNCH
3380	----	----	5.20B/----	5.20B/4.60A	----	4.70 + 0.60	.0164	----	----	----	----	2 UNCH
3385	----	----	5.30B/----	5.30B/4.60A	----	4.80 + 0.60	.0167	----	----	----	----	4 UNCH
3390	----	----	5.40B/----	5.40B/4.70A	----	4.80 + 0.60	.0168	----	----	----	----	1 UNCH
3395	----	----	5.40B/----	5.40B/4.70A	----	4.90 + 0.70	.0171	----	----	----	----	31 UNCH
3400	----	----	5.50B/----	5.50B/4.80A	----	4.90 + 0.60	.0171	----	----	----	----	50 UNCH
3410	----	----	5.60B/----	5.60B/4.90A	----	5.00 + 0.60	.0175	----	----	----	----	5 UNCH
3425	----	----	5.80B/----	5.80B/5.00A	----	5.10 + 0.60	.0180	----	----	----	----	56 UNCH
3435	----	----	5.90B/----	5.90B/5.10A	----	5.20 + 0.60	.0184	----	----	----	----	5 UNCH
3445	----	----	6.00B/----	6.00B/5.20A	----	5.30 + 0.60	.0188	----	----	----	----	1 UNCH
3450	6.10	6.10	6.10/5.20A	6.10/5.20A	----	5.30 + 0.60	.0189	----	----	2	----	133 - 1
3455	----	----	6.10B/----	6.10B/5.30A	----	5.40 + 0.60	.0193	----	----	----	----	10 UNCH
3460	----	----	6.20B/----	6.20B/5.30A	----	5.40 + 0.60	.0193	----	----	----	----	10 UNCH
3465	----	----	6.30B/----	6.30B/5.40A	----	5.50 + 0.60	.0197	----	----	----	----	142 UNCH
3475	----	----	6.40B/----	6.40B/5.50A	----	5.60 + 0.60	.0201	----	----	----	----	140 UNCH
3480	----	----	6.50B/----	6.50B/5.50A	----	5.60 + 0.60	.0202	----	----	----	----	36 UNCH
3495	----	----	6.80B/----	6.80B/5.70A	----	5.80 + 0.60	.0210	----	----	----	----	5 UNCH
3500	6.50	6.50	6.90B/5.70A	6.90B/5.70A	----	5.90 + 0.70	.0213	----	----	1	----	610 + 1
3505	----	----	6.90B/----	6.90B/5.80A	----	5.90 + 0.60	.0214	----	----	----	----	9 UNCH
3510	----	----	7.00B/----	7.00B/5.80A	----	6.00 + 0.70	.0218	----	----	----	----	5 UNCH
3515	----	----	7.10B/----	7.10B/5.90A	----	6.00 + 0.60	.0219	----	----	----	----	6 UNCH
3525	----	----	7.20B/----	7.20B/6.00A	----	6.10 + 0.60	.0223	----	----	----	----	3 UNCH
3530	----	----	7.30B/----	7.30B/6.10A	----	6.20 + 0.60	.0227	----	----	----	----	168 UNCH
3535	----	----	7.40B/----	7.40B/6.10A	----	6.30 + 0.70	.0231	----	----	----	----	31 UNCH
3545	----	----	7.60B/----	7.60B/6.20A	----	6.40 + 0.70	.0235	----	----	----	----	256 UNCH
3550	----	----	7.70B/----	7.70B/6.30A	----	6.40 + 0.60	.0236	----	----	1	----	164 + 1
3555	----	----	7.70B/----	7.70B/6.40A	----	6.50 + 0.70	.0240	----	----	----	----	1 UNCH
3565	----	----	7.90B/----	7.90B/6.50A	----	6.60 + 0.60	.0245	----	----	----	----	2 UNCH
3575	----	----	8.10B/----	8.10B/6.60A	----	6.80 + 0.70	.0252	----	----	----	----	1 UNCH
3580	----	----	8.20B/----	8.20B/6.60A	----	6.80 + 0.60	.0253	----	----	----	----	5 UNCH
3590	----	----	8.40B/----	8.40B/6.80A	----	7.00 + 0.70	.0261	----	----	----	----	16 UNCH
3600	7.70	7.70	8.60B/6.70A	8.60B/6.70A	----	7.10 + 0.70	.0266	----	----	4	----	143 + 3
3605	6.60	6.60	8.70B/6.60	8.70B/6.60	----	7.20 + 0.70	.0270	----	----	1	----	6 + 1
3610	----	----	8.80B/----	8.80B/7.00A	----	7.30 + 0.70	.0274	----	----	----	----	1 UNCH
3615	----	----	8.90B/----	8.90B/7.00A	----	7.30 NEW	.0275	----	----	2	----	2 + 2
3620	----	----	9.00B/----	9.00B/7.10A	----	7.40 + 0.70	.0279	----	----	----	----	12 UNCH
3625	----	----	9.10B/----	9.10B/7.20A	----	7.50 + 0.70	.0283	----	----	----	----	11 UNCH
3630	----	----	9.20B/----	9.20B/7.30A	----	7.60 + 0.80	.0287	----	----	----	----	10 UNCH
3635	----	----	9.30B/----	9.30B/7.30A	----	7.70 + 0.80	.0291	----	----	----	----	3 UNCH
3640	----	----	9.40B/----	9.40B/7.30A	----	7.70 + 0.70	.0292	----	----	----	----	6 UNCH
3645	----	----	9.50B/----	9.50B/7.40A	----	7.80 + 0.70	.0296	----	----	----	----	1 UNCH
3650	----	----	9.70B/----	9.70B/7.50A	----	7.90 + 0.80	.0300	----	----	----	----	99 UNCH
3655	----	----	9.70B/----	9.70B/7.50A	----	8.00 + 0.80	.0304	----	----	----	----	7 UNCH
3660	----	----	9.90B/----	9.90B/7.60A	----	8.10 + 0.80	.0308	----	----	----	----	22 UNCH
3665	----	----	10.00B/----	10.00B/7.70A	----	8.20 + 0.80	.0312	----	----	----	----	2 UNCH
3670	----	----	10.10B/----	10.10B/7.70A	----	8.30 + 0.80	.0317	----	----	----	----	111 UNCH
3675	----	----	10.20B/----	10.20B/7.80A	----	8.30 + 0.80	.0318	----	----	----	----	4 UNCH
3680	----	----	10.40B/----	10.40B/7.90A	----	8.40 + 0.80	.0322	----	----	----	----	5 UNCH
3685	----	----	10.50B/----	10.50B/7.90A	----	8.50 + 0.80	.0326	----	----	----	----	12 UNCH
3690	----	----	10.60B/----	10.60B/8.00A	----	8.60 + 0.80	.0331	----	----	----	----	50 UNCH
3695	----	----	10.80B/----	10.80B/8.10A	----	8.70 + 0.80	.0335	----	----	----	----	141 UNCH
3700	7.00	7.00	11.00B/*7.00	11.00B/*7.00	----	8.80 + 0.80	.0339	----	----	3	----	439 UNCH
3705	----	----	11.00B/----	11.00B/8.20A	----	8.90 + 0.90	.0343	----	----	----	----	20 UNCH
3715	----	----	11.40B/----	11.40B/8.40A	----	9.10 + 0.90	.0352	----	----	----	----	30 UNCH
3720	----	----	11.50B/----	11.50B/8.50A	----	9.20 + 0.90	.0356	----	----	----	----	18 UNCH
3725	----	----	11.60B/----	11.60B/8.50A	----	9.30 + 0.90	.0361	----	----	----	----	5 UNCH
3730	----	----	11.80B/----	11.80B/8.60A	----	9.40 + 0.90	.0365	----	----	----	----	3 UNCH
3735	----	----	11.90B/----	11.90B/8.70A	----	9.60 + 1.00	.0372	----	----	----	----	30 UNCH
3740	----	----	12.10B/----	12.10B/8.80A	----	9.70 + 1.00	.0377	----	----	----	----	20 UNCH
3750	7.50	7.50	12.40B/*7.50	12.40B/*7.50	----	9.90 + 1.00	.0386	----	----	1	----	543 UNCH
3760	----	----	12.70B/----	12.70B/9.10A	----	10.10 + 1.00	.0395	----	----	2	----	3 + 1
3765	----	----	12.90B/----	12.90B/9.20A	----	10.30 + 1.10	.0402	----	----	----	----	32 UNCH
3770	----	----	13.00B/----	13.00B/9.30A	----	10.40 + 1.10	.0407	----	----	----	----	120 UNCH
3775	----	----	13.20B/----	13.20B/9.40A	----	10.50 + 1.10	.0412	----	----	----	----	61 UNCH
3780	12.50	12.50	13.40B/12.50	13.40B/9.50A	----	10.60 + 1.10	.0416	----	----	10	----	11 + 10
3785	----	----	13.70B/----	13.70B/9.60A	----	10.80 + 1.20	.0424	----	----	2	----	6 UNCH
3790	----	----	13.80B/----	13.80B/9.70A	----	10.90 + 1.20	.0429	----	----	----	----	40 UNCH
3795	----	----	14.00B/----	14.00B/9.80A	----	11.00 + 1.20	.0434	----	----	----	----	36 UNCH
3800	13.20	13.20	14.10B/13.20	14.10B/9.90A	----	11.20 + 1.30	.0441	----	----	23	----	672 - 13
3810	----	----	14.50B/10.10A	14.50B/10.10A	----	11.50 + 1.30	.0454	----	----	----	----	16 UNCH
3815	----	----	14.70B/10.20A	14.70B/10.20A	----	11.60 + 1.30	.0459	----	----	----	----	14 UNCH
3820	----	----	14.90B/10.30A	14.90B/10.30A	----	11.80 + 1.40	.0466	----	----	----	----	10 UNCH
3825	----	----	15.10B/10.40A	15.10B/10.40A	----	11.90 + 1.40	.0471	----	----	2	----	11 + 2
3830	----	----	15.40B/10.50A	15.40B/10.50A	----	12.10 + 1.50	.0479	----	----	----	----	24 UNCH
3835	----	----	15.50B/10.60A	15.50B/10.60A	----	12.20 + 1.40	.0484	----	----	----	----	1 UNCH
3840	14.50	14.50	15.70B/10.70A	15.70B/10.70A	----	12.40 + 1.50	.0492	----	----	1	----	33 UNCH
3845	----	----	16.00B/10.80A	16.00B/10.80A	----	12.60 + 1.60	.0500	----	----	----	----	13 UNCH
3850	14.00	14.00	16.20B/10.90A	16.20B/10.90A	----	12.70 + 1.60	.0505	----	----	4	----	211 + 4
3860	----	----	16.60B/11.20A	16.60B/11.20A	----	13.10 + 1.70	.0521	----	----	----	----	42 UNCH
3870	----	----	17.10B/11.50A	17.10B/11.50A	----	13.40 + 1.70	.0534	----	----	----	----	2 UNCH
3875	----	----	17.30B/11.50A	17.30B/11.50A	----	13.60 + 1.80	.0542	----	----	2	----	110 + 2
3880	----	----	17.70B/11.70A	17.70B/11.70A	----	13.80 + 1.80	.0550	----	----	----	----	14 UNCH
3885	----	----	18.00B/11.80A	18.00B/11.80A	----	14.00 + 1.90	.0559	----	----	----	----	37 UNCH
3890	----	----	18.30B/11.90A	18.30B/11.90A	----	14.20 + 1.90	.0567	----	----	----	----	4 UNCH
3895	----	----	18.50B/12.10A	18.50B/12.10A	----	14.40 + 2.00	.0575	----	----	1	----	2 UNCH
3900	----	----	18.80B/11.90A	18.80B/11.90A	----	14.60 + 2.00	.0583	----	----	14	----	313 UNCH
3905	----	----	19.10B/12.00A	19.10B/12.00A	----	14.80 + 2.10	.0592	----	----	----	----	12 UNCH
3910	----	----	19.40B/12.10A	19.40B/12.10A	----	15.00 + 2.10	.0600	----	----	----	----	54 UNCH
3920	----	----	19.90B/12.40A	19.90B/12.40A	----	15.40 + 2.20	.0617	----	----	----	----	9 UNCH
3925	19.50	19.50	20.30B/12.60A	20.30B/12.60A	----	15.60 + 2.20	.0626	----	----	13	----	57 + 8
3930	----	----	20.60B/12.80A	20.60B/12.80A	----	15.80 + 2.20	.0634	----	----	13	----	25 - 7
3935	----	----	20.90B/12.90A	20.90B/12.90A	----	16.10 + 2.40	.0645	----	----	----	----	7 UNCH
3940	----	----	21.20B/13.10A	21.20B/13.10A	----	16.30 + 2.40	.0654	----	----	----	----	25 UNCH
3945	----	----	21.50B/13.30A	21.50B/13.30A	----	16.50 + 2.40	.0663	----	----	----	----	23 UNCH
3950	18.30	18.30	21.80B/13.40A	21.80B/13.40A	----	16.80 + 2.50	.0674	----	----	25	----	599 - 1
3955	----	----	22.20B/13.70A	22.20B/13.70A	----	17.00 + 2.50	.0683	----	----	----	----	56 UNCH
3960	----	----	22.50B/13.90A	22.50B/13.90A	----	17.30 + 2.60	.0695	----	----	----	----	21 UNCH
3965	----	----	22.80B/14.00A	22.80B/14.00A	----	17.50 + 2.70	.0704	----	----	----	----	94 UNCH
3970	----	----	23.20B/14.20A	23.20B/14.20A	----	17.80 + 2.80	.0715	----	----	----	----	6 UNCH
3975	17.10	17.10	23.50B/14.30A	23.50B/14.30A	----	18.10 + 2.90	.0727	----	----	7	----	28 + 6
3980	16.80	16.80	23.90B/14.60A	23.90B/14.60A	----	18.30 + 2.80	.0736	----	----	233	----	234 + 230
3985	----	----	24.20B/14.80A	24.20B/14.80A	----	18.60 + 2.90	.0748	----	----	----	----	136 UNCH
3990	----	----	24.60B/14.90A	24.60B/14.90A	----	18.90 + 3.00	.0760	----	----	----	----	41 UNCH
3995	----	----	25.00B/15.10A	25.00B/15.10A	----	19.20 + 3.10	.0771	----	----	----	----	20 UNCH
4000	23.80	23.80	25.40B/15.30A	25.40B/15.30A	----	19.50 + 3.20	.0783	----	----	194	----	1229 + 114
4005	19.90	19.90	25.80B/15.60A	25.80B/15.60A	----	19.80 + 3.30	.0795	----	----	128	----	155 UNCH
4010	----	----	26.20B/15.80A	26.20B/15.80A	----	20.10 + 3.30	.0807	----	----	----	----	3 UNCH
4015	16.80	16.80	26.60B/16.00A	26.60B/16.00A	----	20.40 + 3.40	.0820	----	----	5	----	62 + 3
4020	----	----	27.00B/16.30A	27.00B/16.30A	----	20.70 + 3.40	.0832	----	----	----	----	91 UNCH
4025	----	----	27.40B/16.40A	27.40B/16.40A	----	21.00 + 3.50	.0844	----	----	----	----	19 UNCH
4030	----	----	27.90B/16.70A	27.90B/16.70A	----	21.30 + 3.50	.0856	----	----	----	----	50 UNCH
4035	----	----	28.30B/16.90A	28.30B/16.90A	----	21.70 + 3.70	.0871	----	----	----	----	3 UNCH
4040	25.80	25.80	28.80B/17.10A	28.80B/17.10A	----	22.00 + 3.70	.0884	----	----	4	----	5 + 3
4045	----	----	29.20B/17.20A	29.20B/17.20A	----	22.40 + 3.90	.0899	----	----	----	----	22 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4050	----	----	29.70B/17.30A	29.70B/17.30A	----	22.70 + 3.90	.0911	----	----	----	----	51 UNCH
4055	----	----	30.10B/17.50A	30.10B/17.50A	----	23.10 + 4.00	.0926	----	----	----	----	32 UNCH
4060	----	----	30.60B/17.80A	30.60B/17.80A	----	23.40 + 4.00	.0939	----	----	----	----	2 UNCH
4065	22.50	22.50	31.10B/18.00A	31.10B/18.00A	----	23.80 + 4.20	.0954	----	----	33	----	36 + 28
4070	----	----	31.60B/18.30A	31.60B/18.30A	----	24.20 + 4.30	.0970	----	----	----	----	10 UNCH
4075	----	----	32.10B/18.60A	32.10B/18.60A	----	24.60 + 4.40	.0985	----	----	----	----	14 UNCH
4080	25.20	25.20	32.60B/18.80A	32.60B/18.80A	----	25.00 + 4.50	.1000	----	----	2	----	9 UNCH
4085	----	----	33.10B/19.10A	33.10B/19.10A	----	25.40 + 4.60	.1016	----	----	----	----	13 UNCH
4090	----	----	33.60B/19.40A	33.60B/19.40A	----	25.80 + 4.70	.1031	----	----	----	----	5 UNCH
4095	----	----	34.20B/19.70A	34.20B/19.70A	----	26.20 + 4.70	.1047	----	----	----	----	4 UNCH
4100	29.10	29.10	34.70B/19.90A	34.70B/19.90A	----	26.60 + 4.80	.1063	----	----	49	180	1175 + 125
4105	26.60	26.60	35.20B/20.20A	35.20B/20.20A	----	27.10 + 5.00	.1081	----	----	4	----	13 + 4
4110	----	----	35.80B/20.50A	35.80B/20.50A	----	27.50 + 5.00	.1097	----	----	----	----	15 UNCH
4115	----	----	36.30B/20.80A	36.30B/20.80A	----	28.00 + 5.20	.1115	----	----	----	----	8 UNCH
4120	----	----	37.00B/21.20A	37.00B/21.20A	----	28.40 + 5.20	.1131	----	----	----	----	8 UNCH
4125	----	----	37.60B/21.50A	37.60B/21.50A	----	28.90 + 5.40	.1150	----	----	----	----	83 UNCH
4130	----	----	38.10B/21.80A	38.10B/21.80A	----	29.40 + 5.50	.1168	----	----	3	----	68 + 3
4135	----	----	38.70B/22.10A	38.70B/22.10A	----	29.90 + 5.70	.1187	----	----	----	----	7 UNCH
4140	----	----	39.40B/22.50A	39.40B/22.50A	----	30.40 + 5.80	.1206	----	----	----	----	44 UNCH
4145	----	----	40.00B/22.80A	40.00B/22.80A	----	30.90 + 5.90	.1224	----	----	----	----	242 UNCH
4150	----	----	40.60B/23.20A	40.60B/23.20A	----	31.40 + 6.00	.1243	----	----	3	----	156 + 1
4155	----	----	41.30B/23.50A	41.30B/23.50A	----	31.90 + 6.10	.1262	----	----	----	----	5 UNCH
4160	----	----	41.90B/23.90A	41.90B/23.90A	----	32.50 + 6.30	.1283	----	----	----	----	3 UNCH
4165	----	----	42.60B/24.20A	42.60B/24.20A	----	33.00 + 6.40	.1303	----	----	14	----	69 - 1
4170	23.90	23.90	43.30B/23.90	43.30B/23.90	----	33.60 + 6.50	.1324	----	----	4	----	4 + 2
4175	44.50	44.50	44.50/25.00A	44.50/25.00A	----	34.20 + 6.70	.1345	----	----	1	----	45 - 1
4180	39.90	39.90	44.70B/25.40A	44.70B/25.40A	----	34.70 + 6.80	.1365	----	----	12	----	17 + 12
4185	----	----	45.50B/25.80A	45.50B/25.80A	----	35.30 + 6.90	.1387	----	----	----	----	13 UNCH
4190	----	----	46.20B/26.20A	46.20B/26.20A	----	35.90 + 7.10	.1408	----	----	----	----	129 UNCH
4195	----	----	46.90B/26.60A	46.90B/26.60A	----	36.60 + 7.30	.1432	----	----	----	----	65 UNCH
4200	34.50	34.50	47.70B/27.10A	47.70B/27.10A	----	37.20 + 7.40	.1454	----	----	247	----	602 + 22
4205	44.10	44.10	48.50B/27.50A	48.50B/27.50A	----	37.80 + 7.50	.1476	----	----	33	----	21 + 14
4210	----	----	49.30B/27.90A	49.30B/27.90A	----	38.50 + 7.70	.1500	----	----	----	----	67 UNCH
4215	----	----	50.10B/28.40A	50.10B/28.40A	----	39.10 + 7.80	.1523	----	----	1	----	40 + 1
4220	----	----	50.90B/28.80A	50.90B/28.80A	----	39.80 + 8.00	.1547	----	----	1	----	196 UNCH
4225	----	----	51.70B/29.30A	51.70B/29.30A	----	40.50 + 8.20	.1571	----	----	1	----	39 + 1
4230	----	----	52.60B/29.80A	52.60B/29.80A	----	41.20 + 8.40	.1596	----	----	----	----	16 UNCH
4235	----	----	53.40B/30.30A	53.40B/30.30A	----	41.90 + 8.50	.1621	----	----	----	----	42 UNCH
4240	----	----	54.40B/30.80A	54.40B/30.80A	----	42.60 + 8.70	.1645	----	----	1	----	37 UNCH
4245	----	----	55.20B/31.30A	55.20B/31.30A	----	43.40 + 8.90	.1672	----	----	----	----	3 UNCH
4250	52.00	52.00	56.10B/31.80A	56.10B/31.80A	----	44.10 + 9.10	.1697	----	----	15	----	1158 + 7
4255	----	----	57.00B/32.30A	57.00B/32.30A	----	44.90 + 9.30	.1724	----	----	----	----	3 UNCH
4260	----	----	58.00B/32.80A	58.00B/32.80A	----	45.70 + 9.50	.1751	----	----	----	----	19 UNCH
4265	----	----	58.90B/33.40A	58.90B/33.40A	----	46.50 + 9.70	.1778	----	----	1	----	14 + 1
4270	----	----	60.00B/33.90A	60.00B/33.90A	----	47.30 + 9.90	.1805	----	----	----	----	7 UNCH
4275	34.10	34.10	60.90B/34.10	60.90B/34.10	----	48.10 + 10.00	.1833	----	----	82	----	133 + 48
4280	----	----	61.80B/35.00A	61.80B/35.00A	----	48.90 + 10.20	.1860	----	----	----	----	51 UNCH
4285	----	----	62.90B/35.60A	62.90B/35.60A	----	49.80 + 10.50	.1890	----	----	----	----	101 UNCH
4290	----	----	63.80B/36.20A	63.80B/36.20A	----	50.60 + 10.60	.1917	----	----	----	----	34 UNCH
4295	----	----	64.90B/36.80A	64.90B/36.80A	----	51.50 + 10.80	.1947	----	----	2	----	20 UNCH
4300	60.00	60.00	67.40/37.40A	67.40/37.40A	----	52.40 + 11.00	.1977	----	----	157	----	842 - 25
4305	----	----	67.00B/38.00A	67.00B/38.00A	----	53.30 + 11.20	.2006	----	----	----	----	9 UNCH
4310	----	----	68.20B/38.70A	68.20B/38.70A	----	54.30 + 11.50	.2038	----	----	1	----	12 UNCH
4315	60.30	60.30	69.20B/39.30A	69.20B/39.30A	----	55.20 + 11.70	.2068	----	----	36	----	59 - 1
4320	----	----	70.20B/40.00A	70.20B/40.00A	----	56.20 + 12.00	.2100	----	----	1	----	5 UNCH
4325	62.20	62.20	71.40B/40.70A	71.40B/40.70A	----	57.20 + 12.20	.2132	----	----	111	----	144 + 64
4330	----	----	72.50B/41.40A	72.50B/41.40A	----	58.20 + 12.50	.2164	----	----	1	----	25 + 1
4335	----	----	73.70B/42.10A	73.70B/42.10A	----	59.20 + 12.70	.2196	----	----	----	----	111 UNCH
4340	----	----	74.80B/42.80A	74.80B/42.80A	----	60.20 + 12.90	.2228	----	----	----	----	115 UNCH
4345	----	----	76.10B/43.50A	76.10B/43.50A	----	61.30 + 13.20	.2262	----	----	----	----	12 UNCH
4350	----	----	77.40B/44.20A	77.40B/44.20A	----	62.30 + 13.40	.2294	----	----	1	----	426 UNCH
4355	----	----	78.50B/45.00A	78.50B/45.00A	----	63.40 + 13.60	.2328	----	----	----	----	124 UNCH
4360	----	----	79.70B/45.70A	79.70B/45.70A	----	64.50 + 13.90	.2362	----	----	----	----	104 UNCH
4365	----	----	81.00B/46.50A	81.00B/46.50A	----	65.60 + 14.10	.2397	----	----	----	----	29 UNCH
4370	----	----	82.40B/47.30A	82.40B/47.30A	----	66.80 + 14.50	.2433	----	----	----	----	139 UNCH
4375	----	----	83.80B/48.00A	83.80B/48.00A	----	67.90 + 14.70	.2467	----	----	----	----	27 UNCH
4380	----	----	85.00B/48.90A	85.00B/48.90A	----	69.10 + 15.00	.2503	----	----	----	----	6 UNCH
4385	----	----	86.30B/49.70A	86.30B/49.70A	----	70.30 + 15.30	.2539	----	----	----	----	52 UNCH
4390	----	----	87.90B/50.60A	87.90B/50.60A	----	71.60 + 15.60	.2577	----	----	----	----	2 UNCH
4395	----	----	89.20B/51.40A	89.20B/51.40A	----	72.80 + 15.90	.2613	----	----	----	----	26 UNCH
4400	73.50	73.50	90.80/52.20A	90.80/52.20A	----	74.10 + 16.20	.2651	----	----	27	----	988 + 2
4405	----	----	92.00B/53.20A	92.00B/53.20A	----	75.40 + 16.50	.2689	----	----	----	----	26 UNCH
4410	----	----	93.50B/54.10A	93.50B/54.10A	----	76.70 + 16.80	.2727	----	----	----	----	16 UNCH
4415	----	----	94.90B/55.00A	94.90B/55.00A	----	78.00 + 17.10	.2765	----	----	----	----	8 UNCH
4420	----	----	96.50B/56.00A	96.50B/56.00A	----	79.30 + 17.40	.2803	----	----	----	----	16 UNCH
4425	----	----	98.10B/56.90A	98.10B/56.90A	----	80.70 + 17.70	.2843	----	----	----	----	37 UNCH
4430	----	----	99.60B/57.90A	99.60B/57.90A	----	82.10 + 18.00	.2882	----	----	----	----	168 UNCH
4435	----	----	101.20B/58.90A	101.20B/58.90A	----	83.50 + 18.30	.2922	----	----	----	----	2 UNCH
4440	90.30	90.30	102.70B/59.90A	102.70B/59.90A	----	84.90 + 18.60	.2962	----	----	50	----	63 + 26
4445	----	----	104.30B/60.90A	104.30B/60.90A	----	86.40 + 19.00	.3003	----	----	----	----	152 UNCH
4450	----	----	106.00B/61.90A	106.00B/61.90A	----	87.90 + 19.40	.3044	----	----	4	----	645 UNCH
4455	----	----	107.60B/63.00A	107.60B/63.00A	----	89.40 + 19.70	.3085	----	----	----	----	19 UNCH
4460	84.00	84.00	109.30B/64.00A	109.30B/64.00A	----	90.90 + 20.00	.3126	----	----	151	----	234 + 131
4465	93.60	93.60	111.00B/65.10A	111.00B/65.10A	----	92.50 + 20.40	.3169	----	----	3	----	29 + 1
4470	86.90	86.90	112.70B/66.20A	112.70B/66.20A	----	94.00 + 20.70	.3210	----	----	50	----	67 + 38
4475	----	----	114.60B/67.40A	114.60B/67.40A	----	95.60 + 21.10	.3253	----	----	1	----	36 UNCH
4480	----	----	116.30B/68.50A	116.30B/68.50A	----	97.20 + 21.40	.3295	----	----	----	----	140 UNCH
4485	----	----	118.20B/69.70A	118.20B/69.70A	----	98.90 + 21.90	.3339	----	----	----	----	50 UNCH
4490	----	----	120.30B/70.80A	120.30B/70.80A	----	100.50 + 22.20	.3382	----	----	----	----	41 UNCH
4495	----	----	122.80B/72.10A	122.80B/72.10A	----	102.20 + 22.50	.3426	----	----	71	----	74 + 71
4500	78.90	78.90	123.80B/73.30A	123.80B/73.30A	----	103.90 + 22.90	.3470	----	----	114	----	1242 + 22
4505	----	----	125.60B/74.50A	125.60B/74.50A	----	105.60 + 23.30	.3514	----	----	1	----	7 + 1
4510	----	----	127.60B/75.80A	127.60B/75.80A	----	107.40 + 23.70	.3559	----	----	----	----	8 UNCH
4515	----	----	130.30B/77.10A	130.30B/77.10A	----	109.20 + 24.10	.3604	----	----	----	----	5 UNCH
4520	----	----	131.60B/78.40A	131.60B/78.40A	----	111.00 + 24.50	.3649	----	----	----	----	11 UNCH
4525	120.80	120.80	133.40B/79.70A	133.40B/79.70A	----	112.80 + 24.80	.3694	----	----	6	----	87 UNCH
4530	125.50	125.50	135.50B/81.00A	135.50B/81.00A	----	114.70 + 25.30	.3740	----	----	3	----	11 + 3
4535	----	----	137.60B/82.40A	137.60B/82.40A	----	116.50 + 25.60	.3785	----	----	----	----	5 UNCH
4540	----	----	139.70B/83.80A	139.70B/83.80A	----	118.40 + 26.00	.3831	----	----	----	----	90 UNCH
4545	----	----	141.80B/85.20A	141.80B/85.20A	----	120.40 + 26.40	.3878	----	----	----	----	20 UNCH
4550	106.30	106.30	144.00B/86.60A	144.00B/86.60A	----	122.30 + 26.80	.3924	----	----	15	----	73 + 2
4555	----	----	146.20B/88.10A	146.20B/88.10A	----	124.30 + 27.20	.3971	----	----	----	----	16 UNCH
4560	----	----	148.30B/89.50A	148.30B/89.50A	----	126.30 + 27.60	.4018	----	----	1	----	30 + 1
4565	----	----	150.70B/91.00A	150.70B/91.00A	----	128.30 + 28.00	.4065	----	----	1	----	105 UNCH
4570	----	----	152.80B/92.60A	152.80B/92.60A	----	130.40 + 28.50	.4112	----	----	2	----	9 UNCH
4575	----	----	155.90B/94.10A	155.90B/94.10A	----	132.40 + 28.80	.4159	----	----	2	----	20 UNCH
4580	----	----	157.30B/95.70A	157.30B/95.70A	----	134.60 + 29.30	.4207	----	----	----	----	5 UNCH
4585	----	----	159.70B/97.30A	159.70B/97.30A	----	136.70 + 29.70	.4255	----	----	----	----	9 UNCH
4590	----	----	162.00B/98.90A	162.00B/98.90A	----	138.80 + 30.10	.4303	----	----	1	----	9 UNCH
4595	154.90	154.90	164.40B/100.50A	164.40B/100.50A	----	141.00 + 30.50	.4351	----	----	1	----	49 UNCH
4600	112.00	112.00	166.90B/102.10A	166.90B/102.10A	----	143.20 + 30.90	.4399	----	----	29	----	1296 + 10
4605	----	----	169.20B/103.80A	169.20B/103.80A	----	145.50 + 31.40	.4448	----	----	----	----	2 UNCH
4610	----	----	171.80B/105.50A	171.80B/105.50A	----	147.80 + 31.90	.4497	----	----	1	----	135 + 1
4615	----	----	174.30B/107.30A	174.30B/107.30A	----	150.10 + 32.40	.4545	----	----	7	----	17 + 4
4620	----	----	176.70B/109.00A	176.70B/109.00A	----	152.40 + 32.80	.4594	----	----	2	----	48 + 1
4625	----	----	178.70B/110.80A	178.70B/110.80A	----	154.70 + 33.20	.4643	----	----	45	----	59 + 24
4630	----	----	180.30B/112.60A	180.30B/112.60A	----	157.10 + 33.70	.4692	----	----	----	----	13 UNCH
4635	125.00	125.00	182.70B/114.40A	182.70B/114.40A	----	159.50 + 34.10	.4741	----	----	4	----	125 + 2
4640	----	----	185.10B/116.30A	185.10B/116.30A	----	161.90 + 34.50	.4790	----	----	----	----	155 UNCH
4645	----	----	187.70B/118.20A	187.70B/118.20A	----	164.40 + 35.00	.4839	----	----	----	----	12 UNCH
4650	132.00	132.00	190.80B/120.10A	190.80B/120.10A	----	166.90 + 35.50	.4888	----	----	16	----	266 UNCH
4655	160.30	160.30	193.00B/122.00A	193.00B/122.00A	----	169.40 + 36.00	.4937	----	----	10	----	12 + 10
4660	----	----	196.00B/123.90A	196.00B/123.90A	----	172.00 + 36.50	.4987	----	----	----	----	62 UNCH
4665	----	----	198.50B/125.90A	198.50B/125.90A	----	174.50 + 36.90	.5036	----	----	----	----	23 UNCH
4670	139.00	139.00	201.20B/127.90A	201.20B/127.90A	----	177.10 + 37.40	.5085	----	----	1	----	101 UNCH
4675	----	----	204.80B/130.00A	204.80B/130.00A	----	179.70 + 37.80	.5134	----	----	----	----	156 UNCH
4680	----	----	207.20B/132.10A	207.20B/132.10A	----	182.40 + 38.30	.5183	----	----	2	----	26 UNCH
4685	----	----	209.50B/134.20A	209.50B/134.20A	----	185.10 + 38.80	.5232	----	----	----	----	8 UNCH
4690	----	----	212.50B/136.30A	212.50B/136.30A	----	187.80 + 39.30	.5281	----	----	2	----	15 UNCH
4695	----	----	216.10B/138.40A	216.10B/138.40A	----	190.50 + 39.80	.5330	----	----	----	----	179 UNCH
4700	196.60	196.60	218.20B/140.50A	218.20B/140.50A	----	193.30 + 40.30	.5379	----	----	18	----	679 - 1
4705	----	----	221.70B/142.70A	221.70B/142.70A	----	196.00 + 40.70	.5428	----	----	1	----	11 + 1
4710	----	----	224.00B/144.90A	224.00B/144.90A	----	198.90 + 41.20	.5476	----	----	----	----	126 UNCH
4715	184.10	184.10	226.80B/147.40A	226.80B/147.40A	----	201.70 + 41.70	.5525	----	----	124	----	111 + 107
4720	183.40	183.40	229.80B/149.40A	229.80B/149.40A	----	204.60 + 42.20	.5574	----	----	50	----	53 + 42
4725	----	----	232.90B/151.70A	232.90B/151.70A	----	207.40 + 42.60	.5622	----	----	----	----	206 UNCH
4730	----	----	236.10B/154.10A	236.10B/154.10A	----	210.40 + 43.20	.5670	----	----	----	----	67 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
4735	----	----	239.10B/156.40A	239.10B/156.40A	----	213.30 + 43.60	.5718	----	----	----	----	17 UNCH
4740	----	----	242.20B/158.80A	242.20B/158.80A	----	216.30 + 44.10	.5766	----	----	1	----	115 UNCH
4745	----	----	245.60B/161.20A	245.60B/161.20A	----	219.30 + 44.60	.5814	----	----	----	----	121 UNCH
4750	----	----	248.60B/163.70A	248.60B/163.70A	----	222.30 + 45.00	.5862	----	----	----	----	438 UNCH
4755	----	----	251.50B/166.10A	251.50B/166.10A	----	225.30 + 45.50	.5909	----	----	----	----	12 UNCH
4760	----	----	254.90B/168.60A	254.90B/168.60A	----	228.40 + 46.00	.5956	----	----	----	----	79 UNCH
4765	----	----	258.50B/171.30A	258.50B/171.30A	----	231.50 + 46.40	.6003	----	----	2	----	303 - 2
4770	----	----	261.30B/173.80A	261.30B/173.80A	----	234.70 + 47.00	.6050	----	----	1	----	10 UNCH
4775	----	----	264.80B/176.30A	264.80B/176.30A	----	237.80 + 47.40	.6097	----	----	----	----	46 UNCH
4780	----	----	268.30B/178.90A	268.30B/178.90A	----	241.00 + 47.90	.6144	----	----	1	----	31 UNCH
4785	----	----	271.40B/181.60A	271.40B/181.60A	----	244.20 + 48.30	.6189	----	----	----	----	125 UNCH
4790	----	----	274.70B/184.20A	274.70B/184.20A	----	247.40 + 48.70	.6236	----	----	----	----	3 UNCH
4795	----	----	278.30B/187.20A	278.30B/187.20A	----	250.70 + 49.20	.6281	----	----	70	----	76 - 61
4800	231.30	231.30	282.00B/189.60A	282.00B/189.60A	----	254.00 + 49.70	.6327	----	----	83	----	1229 - 56
4805	----	----	285.00B/192.40A	285.00B/192.40A	----	257.30 + 50.10	.6371	----	----	----	----	4 UNCH
4810	----	----	288.50B/195.10A	288.50B/195.10A	----	260.70 + 50.60	.6417	----	----	----	----	8 UNCH
4815	----	----	292.10B/197.90A	292.10B/197.90A	----	264.00 + 51.00	.6461	----	----	----	----	27 UNCH
4820	----	----	295.60B/200.70A	295.60B/200.70A	----	267.40 + 51.40	.6505	----	----	1	----	205 - 1
4825	----	----	299.20B/203.60A	299.20B/203.60A	----	270.80 + 51.80	.6548	----	----	----	----	33 UNCH
4830	----	----	302.60B/206.50A	302.60B/206.50A	----	274.30 + 52.30	.6593	----	----	----	----	2 UNCH
4835	----	----	306.30B/209.40A	306.30B/209.40A	----	277.70 + 52.70	.6636	----	----	----	----	21 UNCH
4840	----	----	309.80B/212.70A	309.80B/212.70A	----	281.20 + 53.10	.6679	----	----	----	----	9 UNCH
4845	----	----	313.40B/215.50A	313.40B/215.50A	----	284.70 + 53.50	.6721	----	----	----	----	74 UNCH
4850	----	----	317.20B/219.00A	317.20B/219.00A	----	288.30 + 54.00	.6764	----	----	----	----	299 UNCH
4855	----	----	319.80B/221.50A	319.80B/221.50A	----	291.80 + 54.40	.6806	----	----	----	----	8 UNCH
4860	----	----	319.40B/224.50A	319.40B/224.50A	----	295.40 + 54.80	.6847	----	----	----	----	1 UNCH
4865	----	----	325.20B/227.60A	325.20B/227.60A	----	299.00 + 55.20	.6889	----	----	----	----	27 UNCH
4870	----	----	329.00B/233.40A	329.00B/233.40A	----	302.60 + 55.60	.6931	----	----	----	----	319 UNCH
4875	----	----	332.90B/240.80A	332.90B/240.80A	----	306.20 + 56.00	.6971	----	----	----	----	71 UNCH
4880	----	----	336.60B/244.30A	336.60B/244.30A	----	309.90 + 56.50	.7011	----	----	----	----	51 UNCH
4885	----	----	336.40B/247.70A	336.40B/247.70A	----	313.60 + 56.90	.7051	----	----	----	----	12 UNCH
4890	----	----	340.20B/251.00A	340.20B/251.00A	----	317.30 + 57.30	.7091	----	----	----	----	9 UNCH
4895	----	----	348.10B/254.00A	348.10B/254.00A	----	321.00 + 57.70	.7130	----	----	----	----	48 UNCH
4900	----	----	349.30B/257.30A	349.30B/257.30A	----	324.80 + 58.20	.7170	----	----	----	----	243 UNCH
4905	----	----	351.70B/260.50A	351.70B/260.50A	----	328.50 + 58.50	.7208	----	----	----	----	54 UNCH
4910	----	----	355.50B/264.30A	355.50B/264.30A	----	332.30 + 58.90	.7246	----	----	----	----	2 UNCH
4915	----	----	359.50B/267.20A	359.50B/267.20A	----	336.10 + 59.30	.7283	----	----	----	----	118 UNCH
4920	----	----	363.40B/270.70A	363.40B/270.70A	----	339.90 + 59.70	.7321	----	----	1	----	22 UNCH
4925	----	----	367.30B/274.40A	367.30B/274.40A	----	343.80 + 60.10	.7358	----	----	----	----	11 UNCH
4930	----	----	371.10B/277.50A	371.10B/277.50A	----	347.60 + 60.50	.7394	----	----	----	----	52 UNCH
4935	----	----	375.10B/281.40A	375.10B/281.40A	----	351.50 + 60.90	.7431	----	----	----	----	4 UNCH
4940	----	----	379.20B/284.90A	379.20B/284.90A	----	355.40 + 61.30	.7467	----	----	----	----	11 UNCH
4950	----	----	387.10B/291.60A	387.10B/291.60A	----	363.30 + 62.10	.7538	----	----	----	----	106 UNCH
4975	----	----	407.40B/310.00A	407.40B/310.00A	----	383.30 + 63.90	.7708	----	----	----	----	2 UNCH
4980	----	----	411.60B/313.60A	411.60B/313.60A	----	387.30 + 64.20	.7742	----	----	----	----	6 UNCH
4985	----	----	415.70B/317.10A	415.70B/317.10A	----	391.40 + 64.60	.7774	----	----	----	----	104 UNCH
4990	----	----	419.70B/321.00A	419.70B/321.00A	----	395.50 + 64.90	.7806	----	----	----	----	2 UNCH
4995	----	----	424.10B/324.80A	424.10B/324.80A	----	399.60 + 65.30	.7836	----	----	----	----	12 UNCH
5000	376.40	376.40	430.40B/328.30A	430.40B/328.30A	----	403.70 + 65.60	.7868	----	----	2	----	545 + 1
5005	----	----	432.50B/332.20A	432.50B/332.20A	----	407.80 + 65.90	.7900	----	----	----	----	12 UNCH
5010	----	----	436.70B/336.10A	436.70B/336.10A	----	412.00 + 66.30	.7930	----	----	----	----	9 UNCH
5015	----	----	441.00B/334.80A	441.00B/334.80A	----	416.10 + 66.50	.7959	----	----	----	----	20 UNCH
5020	----	----	445.30B/343.70A	445.30B/343.70A	----	420.30 + 66.90	.7989	----	----	----	----	5 UNCH
5025	----	----	449.50B/347.40A	449.50B/347.40A	----	424.50 + 67.20	.8019	----	----	----	----	150 UNCH
5030	----	----	453.80B/351.50A	453.80B/351.50A	----	428.70 + 67.50	.8048	----	----	----	----	8 UNCH
5035	----	----	458.10B/355.30A	458.10B/355.30A	----	433.00 + 67.90	.8075	----	----	----	----	37 UNCH
5040	----	----	462.40B/359.30A	462.40B/359.30A	----	437.20 + 68.10	.8105	----	----	----	----	10 UNCH
5045	----	----	466.80B/363.20A	466.80B/363.20A	----	441.40 + 68.40	.8132	----	----	----	----	5 UNCH
5050	----	----	471.10B/367.20A	471.10B/367.20A	----	445.70 + 68.70	.8159	----	----	----	----	78 UNCH
5055	----	----	475.50B/371.20A	475.50B/371.20A	----	450.00 + 69.00	.8186	----	----	----	----	3 UNCH
5065	----	----	484.20B/379.10A	484.20B/379.10A	----	458.60 + 69.60	.8240	----	----	----	----	11 UNCH
5075	----	----	493.00B/387.30A	493.00B/387.30A	----	467.20 + 70.10	.8291	----	----	----	----	6 UNCH
5080	----	----	497.20B/391.30A	497.20B/391.30A	----	471.60 + 70.50	.8317	----	----	----	----	2 UNCH
5085	----	----	501.80B/395.40A	501.80B/395.40A	----	475.90 + 70.70	.8341	----	----	----	----	21 UNCH
5090	----	----	506.30B/399.50A	506.30B/399.50A	----	480.30 + 71.00	.8366	----	----	----	----	6 UNCH
5095	----	----	510.70B/403.50A	510.70B/403.50A	----	484.60 + 71.20	.8390	----	----	----	----	42 UNCH
5100	----	----	515.20B/407.60A	515.20B/407.60A	----	489.00 + 71.50	.8414	----	----	----	----	106 UNCH
5105	----	----	519.60B/411.90A	519.60B/411.90A	----	493.40 + 71.70	.8438	----	----	----	----	22 UNCH
5110	----	----	524.10B/415.90A	524.10B/415.90A	----	497.80 + 72.00	.8461	----	----	----	----	16 UNCH
5115	----	----	528.60B/420.10A	528.60B/420.10A	----	502.30 + 72.30	.8483	----	----	----	----	37 UNCH
5120	----	----	533.10B/424.40A	533.10B/424.40A	----	506.70 + 72.50	.8506	----	----	----	----	14 UNCH
5125	----	----	537.60B/428.60A	537.60B/428.60A	----	511.10 + 72.70	.8528	----	----	----	----	37 UNCH
5130	----	----	542.10B/432.80A	542.10B/432.80A	----	515.60 + 73.00	.8551	----	----	----	----	23 UNCH
5135	----	----	546.60B/436.90A	546.60B/436.90A	----	520.00 + 73.10	.8572	----	----	----	----	9 UNCH
5140	----	----	551.20B/441.30A	551.20B/441.30A	----	524.50 + 73.40	.8593	----	----	1	----	19 UNCH
5145	----	----	555.50B/445.40A	555.50B/445.40A	----	529.00 + 73.60	.8614	----	----	1	----	3 + 1
5150	----	----	560.30B/449.80A	560.30B/449.80A	----	533.50 + 73.90	.8635	----	----	----	----	233 UNCH
5155	----	----	564.80B/454.10A	564.80B/454.10A	----	538.00 + 74.10	.8656	----	----	----	----	42 UNCH
5160	----	----	569.40B/458.30A	569.40B/458.30A	----	542.50 + 74.30	.8676	----	----	----	----	42 UNCH
5170	----	----	578.60B/467.00A	578.60B/467.00A	----	551.50 + 74.60	.8715	----	----	----	----	51 UNCH
5175	----	----	583.20B/471.30A	583.20B/471.30A	----	556.10 + 74.90	.8733	----	----	----	----	61 UNCH
5180	----	----	587.80B/475.80A	587.80B/475.80A	----	560.60 + 75.00	.8753	----	----	----	----	10 UNCH
5185	----	----	592.40B/480.10A	592.40B/480.10A	----	565.20 + 75.30	.8771	----	----	----	----	103 UNCH
5190	----	----	597.00B/484.40A	597.00B/484.40A	----	569.70 + 75.40	.8789	----	----	----	----	19 UNCH
5200	----	----	606.20B/493.20A	606.20B/493.20A	----	578.90 + 75.80	.8824	----	----	----	----	57 UNCH
5225	----	----	629.50B/515.50A	629.50B/515.50A	----	601.90 + 76.60	.8910	----	----	----	----	42 UNCH
5230	----	----	634.00B/519.90A	634.00B/519.90A	----	606.50 + 76.80	.8925	----	----	----	----	2 UNCH
5235	----	----	638.90B/518.70A	638.90B/518.70A	----	611.10 + 76.90	.8942	----	----	----	----	23 UNCH
5245	----	----	646.70B/527.80A	646.70B/527.80A	----	620.40 + 77.20	.8973	----	----	----	----	2 UNCH
5250	----	----	653.60B/532.30A	653.60B/532.30A	----	625.10 + 77.40	.8987	----	----	----	----	14 UNCH
5255	----	----	656.60B/536.60A	656.60B/536.60A	----	629.70 + 77.50	.9001	----	----	----	----	14 UNCH
5285	----	----	684.20B/564.10A	684.20B/564.10A	----	657.80 + 78.30	.9087	----	----	----	----	2 UNCH
5290	----	----	689.60B/574.30A	689.60B/574.30A	----	662.50 + 78.40	.9101	----	----	----	----	4 UNCH
5295	----	----	693.70B/573.10A	693.70B/573.10A	----	667.20 + 78.50	.9111	----	----	----	----	2 UNCH
5300	----	----	699.10B/583.50A	699.10B/583.50A	----	671.90 + 78.60	.9125	----	----	----	----	68 UNCH
5315	----	----	713.40B/597.30A	713.40B/597.30A	----	686.10 + 79.00	.9162	----	----	----	----	10 UNCH
5325	----	----	722.20B/600.70A	722.20B/600.70A	----	695.60 + 79.30	.9186	----	----	1	----	2 + 1
5350	----	----	746.80B/624.10A	746.80B/624.10A	----	719.40 + 79.80	.9242	----	----	----	----	8 UNCH
5375	----	----	770.80B/653.30A	770.80B/653.30A	----	743.30 + 80.30	.9291	----	----	1	----	8 UNCH
5390	----	----	785.30B/665.40A	785.30B/665.40A	----	757.70 + 80.60	.9320	----	----	----	----	5 UNCH
5400	----	----	797.70B/670.40A	797.70B/670.40A	----	767.30 + 80.80	.9340	----	----	----	----	602 UNCH
5410	----	----	803.90B/----	803.90B/779.40A	----	776.90 + 80.90	.9355	----	----	----	----	1 UNCH
5440	----	----	832.90B/----	832.90B/808.40A	----	805.80 + 81.40	.9405	----	----	----	----	1 UNCH
5475	----	----	867.60B/----	867.60B/840.10A	----	839.80 + 81.90	.9456	----	----	----	----	7 UNCH
5500	----	----	892.00B/----	892.00B/864.40A	----	864.10 + 82.20	.9491	----	----	----	----	3 UNCH
5505	----	----	896.20B/----	896.20B/871.60A	----	869.00 + 82.30	.9497	----	----	----	----	1 UNCH
5510	----	----	901.10B/----	901.10B/876.50A	----	873.80 + 82.30	.9502	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1457.70 + 85.10	.9839	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1482.60 + 85.20	.9845	----	----	----	----	2 UNCH
TOTAL										2505	180	33263 + 1062
AUG26												
2300	1.00	1.00	1.00/1.00	1.00/1.00	----	0.80 UNCH	.0020	----	----	1	----	36 UNCH
2325	----	----	0.90B/----	0.90B/1.40A	----	0.90 + 0.10	.0022	----	----	----	----	1 UNCH
2350	----	----	----	0.90B/1.50A	----	1.00 + 0.10	.0025	----	----	----	----	2 UNCH
2375	----	----	----	1.00B/1.50A	----	1.00 UNCH	.0025	----	----	----	----	7 UNCH
2400	----	----	1.10B/----	1.10B/1.60A	----	1.10 + 0.10	.0027	----	----	----	----	5 UNCH
2425	----	----	1.20B/----	1.20B/1.70A	----	1.20 + 0.10	.0030	----	----	----	----	1 UNCH
2475	----	----	----	1.30B/1.80A	----	1.40 + 0.10	.0035	----	----	----	----	5 UNCH
2500	----	----	----	1.40B/1.90A	----	1.50 + 0.10	.0038	----	----	----	----	7 UNCH
2570	----	----	1.70B/----	1.70B/2.10A	----	1.80 + 0.20	.0046	----	----	----	----	9 UNCH
2580	----	----	----	1.70B/2.10A	----	1.80 + 0.10	.0046	----	----	----	----	1 UNCH
2590	----	----	----	1.70B/2.20A	----	1.90 + 0.20	.0048	----	----	----	----	2 UNCH
2600	----	----	1.80B/----	1.80B/2.20A	----	1.90 + 0.20	.0048	----	----	----	----	6 UNCH
2615	----	----	----	1.80B/2.30A	----	2.00 + 0.20	.0051	----	----	----	----	1 UNCH
2625	----	----	1.90B/----	1.90B/2.30A	----	2.00 + 0.20	.0051	----	----	----	----	2 UNCH
2640	----	----	----	1.90B/2.30A	----	2.10 + 0.20	.0054	----	----	----	----	1 UNCH
2665	----	----	----	2.00B/2.40A	----	2.20 + 0.20	.0057	----	----	----	----	1 UNCH
2685	----	----	----	2.10B/2.50A	----	2.20 + 0.10	.0057	----	----	----	----	1 UNCH
2690	----	----	----	2.10B/2.50A	----	2.30 + 0.20	.0060	----	----	----	----	1 UNCH
2730	----	----	2.30B/----	2.30B/2.70A	----	2.40 + 0.20	.0063	----	----	----	----	1 UNCH
2745	----	----	----	2.30B/2.70A	----	2.50 + 0.20	.0066	----	----	----	----	1 UNCH
2750	----	----	2.40B/----	2.40B/2.70A	----	2.50 + 0.20	.0066	----	----	----	----	4 UNCH
2800	----	----	2.60B/----	2.60B/3.00A	----	2.70 + 0.20	.0073	----	----	1	----	34 + 1
2860	----	----	2.90B/----	2.90B/3.30A	----	3.00 + 0.20	.0082	----	----	----	----	1 UNCH
2900	----	----	3.20B/----	3.20B/3.40A	----	3.10 NEW	.0086	----	----	2	----	2 + 2
2950	----	----	3.60B/----	3.60B/3.70A	----	3.40 + 0.10	.0096	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
3000	4.00	4.00	4.00/4.00	4.00/4.00	----	3.70 + 0.20	.0106	----	----	1	----	268 + 1
3005	----	----	4.00B/----	4.00B/4.10A	----	3.70 + 0.10	.0106	----	----	----	----	5 UNCH
3010	----	----	4.00B/----	4.00B/4.10A	----	3.80 + 0.20	.0109	----	----	----	----	1 UNCH
3015	----	----	4.00B/----	4.00B/4.10A	----	3.80 + 0.20	.0109	----	----	----	----	1 UNCH
3025	----	----	4.10B/----	4.10B/4.20A	----	3.90 + 0.20	.0112	----	----	----	----	5 UNCH
3040	----	----	4.30B/----	4.30B/4.30A	----	4.00 + 0.20	.0115	----	----	----	----	1 UNCH
3065	----	----	4.50B/----	4.50B/4.50A	----	4.20 + 0.20	.0122	----	----	----	----	1 UNCH
3090	----	----	4.70B/----	4.70B/4.60A	----	4.40 + 0.30	.0128	----	----	----	----	1 UNCH
3095	----	----	4.70B/----	4.70B/4.70A	----	4.40 + 0.20	.0129	----	----	----	----	1 UNCH
3100	----	----	4.80B/----	4.80B/4.70A	----	4.50 + 0.30	.0131	----	----	----	----	139 UNCH
3110	----	----	4.80B/----	4.80B/4.80A	----	4.50 + 0.20	.0132	----	----	----	----	15 UNCH
3120	----	----	5.00B/----	5.00B/4.90A	----	4.60 + 0.30	.0135	----	----	----	----	29 UNCH
3130	----	----	5.00B/----	5.00B/5.00A	----	4.70 + 0.30	.0139	----	----	----	----	5 UNCH
3145	----	----	5.20B/----	5.20B/5.10A	----	4.80 + 0.30	.0142	----	----	----	----	1 UNCH
3150	----	----	5.30B/----	5.30B/5.10A	----	4.90 + 0.30	.0145	----	----	----	----	10 UNCH
3155	----	----	5.30B/----	5.30B/5.20A	----	4.90 + 0.30	.0145	----	----	----	----	3 UNCH
3160	----	----	5.40B/----	5.40B/5.20A	----	5.00 + 0.40	.0148	----	----	----	----	1 UNCH
3165	----	----	5.40B/----	5.40B/5.30A	----	5.00 + 0.30	.0149	----	----	----	----	141 UNCH
3170	----	----	5.50B/----	5.50B/5.30A	----	5.10 + 0.40	.0152	----	----	----	----	1 UNCH
3180	----	----	5.60B/----	5.60B/5.40A	----	5.20 + 0.40	.0155	----	----	----	----	25 UNCH
3185	----	----	5.70B/----	5.70B/5.40A	----	5.20 + 0.30	.0155	----	----	----	----	1 UNCH
3190	----	----	5.70B/----	5.70B/5.50A	----	5.30 + 0.40	.0158	----	----	----	----	881 UNCH
3195	----	----	5.80B/----	5.80B/5.50A	----	5.30 + 0.40	.0159	----	----	----	----	1 UNCH
3200	----	----	6.00B/----	6.00B/5.60A	----	5.40 + 0.40	.0162	----	----	----	----	406 UNCH
3250	----	----	6.50B/----	6.50B/6.10A	----	5.90 + 0.50	.0179	----	----	----	----	405 UNCH
3260	----	----	6.60B/----	6.60B/6.20A	----	6.00 + 0.50	.0182	----	----	----	----	30 UNCH
3300	----	----	7.30B/----	7.30B/6.60A	----	6.50 + 0.50	.0199	----	----	----	----	164 UNCH
3350	----	----	8.20B/----	8.20B/7.20A	----	7.20 + 0.70	.0223	----	----	325	----	375 UNCH
3370	----	----	8.40B/----	8.40B/7.50A	----	7.50 + 0.70	.0233	----	----	----	----	1 UNCH
3375	----	----	8.60B/----	8.60B/7.60A	----	7.60 + 0.80	.0236	----	----	----	----	15 UNCH
3380	----	----	8.60B/----	8.60B/7.70A	----	7.60 + 0.70	.0237	----	----	----	----	1 UNCH
3390	----	----	8.80B/----	8.80B/7.80A	----	7.80 + 0.80	.0243	----	----	----	----	1 UNCH
3400	8.40	8.40	9.10B/8.20	9.10B/7.80A	----	7.90 + 0.70	.0248	----	----	10	----	33 + 10
3405	----	----	9.20B/----	9.20B/8.00A	----	8.00 + 0.80	.0251	----	----	----	----	4 UNCH
3450	----	----	10.20B/----	10.20B/8.80A	----	8.80 + 0.90	.0278	----	----	----	----	1 UNCH
3465	----	----	10.50B/----	10.50B/9.00A	----	9.10 + 1.00	.0288	----	----	----	----	6 UNCH
3470	----	----	10.60B/----	10.60B/9.20A	----	9.20 + 1.00	.0291	----	----	----	----	1 UNCH
3495	----	----	11.20B/----	11.20B/9.70A	----	9.70 + 1.00	.0309	----	----	----	----	1 UNCH
3500	----	----	11.40B/----	11.40B/9.70A	----	9.80 + 1.10	.0312	----	----	----	----	817 UNCH
3505	----	----	11.50B/----	11.50B/9.30A	----	9.90 + 1.10	.0316	----	----	----	----	1 UNCH
3510	----	----	11.60B/----	11.60B/9.40A	----	10.00 + 1.10	.0319	----	----	----	----	50 UNCH
3520	----	----	11.90B/----	11.90B/10.20A	----	10.20 + 1.10	.0326	----	----	----	----	210 UNCH
3525	----	----	12.00B/----	12.00B/9.70A	----	10.30 + 1.10	.0330	----	----	----	----	60 UNCH
3545	----	----	12.60B/----	12.60B/10.00A	----	10.80 + 1.20	.0347	----	----	----	----	9 UNCH
3550	----	----	12.80B/----	12.80B/10.60A	----	10.90 + 1.20	.0350	----	----	----	----	118 UNCH
3570	----	----	13.40B/----	13.40B/11.30A	----	11.40 + 1.30	.0367	----	----	----	----	32 UNCH
3575	----	----	13.60B/----	13.60B/11.40A	----	11.50 + 1.30	.0371	----	----	----	----	20 UNCH
3585	----	----	13.90B/----	13.90B/11.60A	----	11.80 + 1.40	.0381	----	----	----	----	50 UNCH
3600	----	----	14.50B/----	14.50B/11.90A	----	12.20 + 1.40	.0395	----	----	325	----	680 + 225
3610	----	----	14.80B/----	14.80B/12.20A	----	12.40 + 1.40	.0402	----	----	----	----	1 UNCH
3630	----	----	15.50B/----	15.50B/12.80A	----	13.00 + 1.50	.0423	----	----	----	----	8 UNCH
3645	----	----	16.10B/----	16.10B/13.10A	----	13.50 + 1.60	.0439	----	----	----	----	22 UNCH
3650	15.40	15.40	16.30B/15.40	16.30B/13.20A	----	13.70 + 1.70	.0446	----	----	10	----	42 + 2
3655	----	----	16.50B/----	16.50B/13.30A	----	13.80 + 1.60	.0450	----	----	----	----	55 UNCH
3660	----	----	16.70B/----	16.70B/13.40A	----	14.00 + 1.70	.0456	----	----	----	----	9 UNCH
3665	----	----	16.90B/----	16.90B/13.70A	----	14.10 + 1.60	.0460	----	----	----	----	1 UNCH
3675	----	----	17.30B/----	17.30B/14.00A	----	14.50 + 1.80	.0473	----	----	----	----	24 UNCH
3690	----	----	18.00B/----	18.00B/13.60A	----	15.00 + 1.80	.0490	----	----	----	----	13 UNCH
3700	----	----	18.50B/----	18.50B/14.60A	----	15.40 + 1.90	.0503	----	----	----	----	219 UNCH
3705	----	----	18.70B/----	18.70B/14.90A	----	15.60 + 1.90	.0510	----	----	----	----	20 UNCH
3715	----	----	19.20B/----	19.20B/15.20A	----	16.00 + 2.00	.0523	----	----	----	----	30 UNCH
3725	----	----	19.60B/----	19.60B/15.50A	----	16.40 + 2.10	.0536	----	----	----	----	4 UNCH
3730	----	----	19.90B/----	19.90B/14.60A	----	16.60 + 2.10	.0543	----	----	----	----	10 UNCH
3750	----	----	21.00B/----	21.00B/16.00A	----	17.40 + 2.20	.0570	----	----	----	----	83 UNCH
3765	----	----	21.80B/----	21.80B/15.70A	----	18.10 + 2.40	.0593	----	----	----	----	100 UNCH
3770	----	----	22.10B/----	22.10B/16.80A	----	18.30 + 2.40	.0600	----	----	----	----	4 UNCH
3775	----	----	22.40B/----	22.40B/17.10A	----	18.60 + 2.50	.0609	----	----	----	----	12 UNCH
3790	----	----	23.20B/----	23.20B/16.70A	----	19.30 + 2.60	.0633	----	----	----	----	2 UNCH
3795	----	----	23.60B/----	23.60B/17.50A	----	19.50 + 2.60	.0640	----	----	1	----	82 + 1
3800	----	----	24.00B/----	24.00B/17.10A	----	19.80 + 2.70	.0649	----	----	----	----	323 UNCH
3805	----	----	24.30B/17.10A	24.30B/17.10A	----	20.00 + 2.60	.0656	----	----	----	----	4 UNCH
3810	----	----	24.60B/17.40A	24.60B/17.40A	----	20.30 + 2.70	.0666	----	----	----	----	50 UNCH
3815	----	----	24.90B/17.70A	24.90B/17.70A	----	20.60 + 2.80	.0675	----	----	----	----	150 UNCH
3820	----	----	25.20B/----	25.20B/18.40A	----	20.80 + 2.80	.0682	----	----	----	----	52 UNCH
3825	----	----	25.60B/17.90A	25.60B/17.90A	----	21.10 + 2.90	.0692	----	----	----	----	51 UNCH
3835	----	----	26.30B/18.60A	26.30B/18.60A	----	21.70 + 3.00	.0711	----	----	----	----	10 UNCH
3845	----	----	27.00B/----	27.00B/19.60A	----	22.30 + 3.10	.0730	----	----	----	----	1 UNCH
3850	----	----	27.40B/----	27.40B/19.60A	----	22.60 + 3.20	.0740	----	----	----	----	87 UNCH
3855	----	----	27.70B/19.40A	27.70B/19.40A	----	22.90 + 3.20	.0749	----	----	----	----	3 UNCH
3875	----	----	29.10B/----	29.10B/20.90A	----	24.10 + 3.40	.0788	----	----	----	----	10 UNCH
3880	----	----	29.30B/----	29.30B/21.20A	----	24.40 + 3.40	.0798	----	----	----	----	299 UNCH
3885	----	----	29.80B/21.10A	29.80B/21.10A	----	24.80 + 3.60	.0810	----	----	----	----	10 UNCH
3890	----	----	30.20B/----	30.20B/21.80A	----	25.10 + 3.60	.0820	----	----	----	----	73 UNCH
3900	20.50	20.50	31.20B/20.50	31.20B/20.50	----	25.80 + 3.70	.0842	----	----	61	200	556 + 251
3910	----	----	31.90B/21.70A	31.90B/21.70A	----	26.50 + 3.90	.0865	----	----	----	----	1 UNCH
3920	----	----	32.70B/22.20A	32.70B/22.20A	----	27.20 + 4.00	.0887	----	----	----	----	12 UNCH
3925	----	----	33.10B/22.40A	33.10B/22.40A	----	27.60 + 4.10	.0899	----	----	----	----	10 UNCH
3930	----	----	33.60B/22.80A	33.60B/22.80A	----	28.00 + 4.10	.0912	----	----	----	----	49 UNCH
3935	----	----	34.00B/23.10A	34.00B/23.10A	----	28.40 + 4.20	.0924	----	----	----	----	11 UNCH
3940	----	----	34.50B/23.40A	34.50B/23.40A	----	28.80 + 4.30	.0936	----	----	----	----	2 UNCH
3950	----	----	35.50B/23.90A	35.50B/23.90A	----	29.60 + 4.50	.0961	----	----	----	----	248 UNCH
3955	----	----	35.90B/24.20A	35.90B/24.20A	----	30.00 + 4.50	.0974	----	----	----	----	10 UNCH
3960	----	----	36.40B/24.60A	36.40B/24.60A	----	30.40 + 4.60	.0986	----	----	----	----	1 UNCH
3965	----	----	37.00B/24.90A	37.00B/24.90A	----	30.90 + 4.70	.1001	----	----	----	----	25 UNCH
3975	----	----	38.00B/25.50A	38.00B/25.50A	----	31.70 + 4.80	.1026	----	----	----	----	267 UNCH
3980	----	----	38.40B/25.80A	38.40B/25.80A	----	32.20 + 5.00	.1041	----	----	----	----	45 UNCH
3985	----	----	38.90B/26.20A	38.90B/26.20A	----	32.60 + 5.00	.1054	----	----	----	----	2 UNCH
3990	----	----	39.90B/26.50A	39.90B/26.50A	----	33.10 + 5.10	.1069	----	----	----	----	44 UNCH
3995	----	----	40.30B/26.80A	40.30B/26.80A	----	33.50 + 5.20	.1082	----	----	----	----	4 UNCH
4000	37.40	37.40	41.10B/27.20A	41.10B/27.20A	----	34.00 + 5.30	.1096	----	----	29	----	1402 + 23
4005	----	----	41.40B/27.50A	41.40B/27.50A	----	34.50 + 5.40	.1111	----	----	----	----	3 UNCH
4010	----	----	42.00B/27.90A	42.00B/27.90A	----	35.00 + 5.50	.1126	----	----	----	----	78 UNCH
4025	----	----	44.00B/29.00A	44.00B/29.00A	----	36.50 + 5.80	.1172	----	----	----	----	101 UNCH
4030	----	----	44.30B/29.40A	44.30B/29.40A	----	37.00 + 5.90	.1187	----	----	----	----	50 UNCH
4040	----	----	45.50B/30.20A	45.50B/30.20A	----	38.10 + 6.10	.1219	----	----	----	----	25 UNCH
4045	----	----	46.40B/30.50A	46.40B/30.50A	----	38.60 + 6.20	.1234	----	----	----	----	30 UNCH
4050	----	----	47.00B/30.90A	47.00B/30.90A	----	39.20 + 6.30	.1252	----	----	1	----	301 + 1
4065	----	----	48.80B/32.20A	48.80B/32.20A	----	40.90 + 6.60	.1302	----	----	----	----	4 UNCH
4075	----	----	50.00B/33.10A	50.00B/33.10A	----	42.10 + 6.90	.1337	----	----	----	----	11 UNCH
4080	----	----	51.20B/33.50A	51.20B/33.50A	----	42.70 + 7.00	.1354	----	----	----	----	6 UNCH
4085	----	----	51.80B/33.90A	51.80B/33.90A	----	43.30 + 7.10	.1372	----	----	----	----	28 UNCH
4090	----	----	52.60B/34.40A	52.60B/34.40A	----	43.90 + 7.20	.1389	----	----	----	200	201 + 200
4095	42.30	42.30	53.00B/34.90A	53.00B/34.90A	----	44.60 + 7.40	.1409	----	----	10	----	14 + 10
4100	49.20	49.20	54.00B/35.30A	54.00B/35.30A	----	45.20 + 7.50	.1426	----	----	6	150	292 + 155
4110	----	----	55.50B/36.30A	55.50B/36.30A	----	46.50 + 7.70	.1464	----	----	----	----	1 UNCH
4115	----	----	56.00B/36.80A	56.00B/36.80A	----	47.20 + 7.90	.1483	----	----	----	----	16 UNCH
4120	----	----	57.10B/37.30A	57.10B/37.30A	----	47.90 + 8.00	.1503	----	----	----	----	1 UNCH
4125	----	----	58.00B/37.80A	58.00B/37.80A	----	48.50 + 8.10	.1521	----	----	----	----	4 UNCH
4130	----	----	58.20B/38.30A	58.20B/38.30A	----	49.30 + 8.30	.1542	----	----	----	----	5 UNCH
4135	----	----	59.00B/38.80A	59.00B/38.80A	----	50.00 + 8.40	.1562	----	----	----	----	54 UNCH
4140	----	----	60.50B/39.30A	60.50B/39.30A	----	50.70 + 8.50	.1582	----	----	----	----	1 UNCH
4145	49.90	49.90	61.00B/39.90A	61.00B/39.90A	----	51.40 + 8.70	.1602	----	----	7	----	27 + 7
4150	----	----	61.50B/40.40A	61.50B/40.40A	----	52.20 + 8.90	.1624	----	----	1	----	360 UNCH
4160	----	----	63.60B/41.60A	63.60B/41.60A	----	53.70 + 9.10	.1666	----	----	----	----	66 UNCH
4165	----	----	64.50B/42.10A	64.50B/42.10A	----	54.50 + 9.30	.1687	----	----	----	----	101 UNCH
4170	----	----	65.40B/42.70A	65.40B/42.70A	----	55.30 + 9.50	.1709	----	----	1	----	78 + 1
4175	62.60	62.60	66.30B/43.30A	66.30B/43.30A	----	56.10 + 9.60	.1731	----	----	1	----	32 + 1
4180	----	----	67.00B/43.90A	67.00B/43.90A	----	56.90 + 9.80	.1753	----	----	----	----	93 UNCH
4185	----	----	68.00B/44.60A	68.00B/44.60A	----	57.70 + 9.90	.1775	----	----	1	----	51 UNCH
4190	----	----	68.90B/45.10A	68.90B/45.10A	----	58.50 + 10.00	.1797	----	----	----	----	141 UNCH
4195	64.20	64.20	70.40B/45.70A	70.40B/45.70A	----	59.40 + 10.20	.1821	----	----	36	----	179 + 36
4200	65.20	65.20	70.90B/46.40A	70.90B/46.40A	----	60.20 + 10.40	.1843	----	----	13	----	204 + 1
4205	----	----	72.00B/47.00A	72.00B/47.00A	----	61.10 + 10.60	.1867	----	----	----	----	336 UNCH
4215	----	----	74.00B/48.40A	74.00B/48.40A	----	62.90 + 10.90	.1915	----	----	----	----	18 UNCH
4220	----	----	75.00B/49.00A	75.00B/49.00A	----	63.80 + 11.10	.1939	----	----	----	----	12 UNCH
4225	----	----	76.00B/49.60A	76.00B/49.60A	----	64.70 + 11.20	.1963	----	----	----	----	14 UNCH
4230	----	----	77.50B/50.40A	77.50B/50.40A	----	65.60 + 11.40	.1987	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 15

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4235	----	----	78.10B/51.00A	78.10B/51.00A	----	66.60 + 11.60	.2012	----	----	----	----	1 UNCH
4240	52.80	52.80	79.00B/51.90A	79.00B/51.90A	----	67.60 NEW	.2038	----	----	36	----	36 + 36
4245	64.10	64.10	80.40B/52.70A	80.40B/52.70A	----	68.50 + 11.90	.2062	----	----	30	----	54 + 21
4250	----	----	81.50B/53.20A	81.50B/53.20A	----	69.50 + 12.10	.2088	----	----	55	----	432 + 5
4255	----	----	82.50B/54.20A	82.50B/54.20A	----	70.50 + 12.30	.2114	----	----	----	----	883 UNCH
4260	----	----	83.70B/54.80A	83.70B/54.80A	----	71.50 + 12.50	.2139	----	----	----	----	8 UNCH
4270	68.50	68.50	85.90B/56.30A	85.90B/56.30A	----	73.60 + 12.90	.2193	----	----	12	----	15 + 12
4275	----	----	87.20B/57.10A	87.20B/57.10A	----	74.70 + 13.20	.2220	----	----	----	----	23 UNCH
4280	----	----	88.50B/58.10A	88.50B/58.10A	----	75.70 + 13.30	.2246	----	----	----	----	67 UNCH
4285	----	----	89.30B/58.70A	89.30B/58.70A	----	76.80 + 13.50	.2274	----	----	----	----	170 UNCH
4290	87.30	87.30	90.50B/59.50A	90.50B/59.50A	----	77.90 + 13.70	.2301	----	----	63	----	62 + 60
4295	----	----	91.80B/60.40A	91.80B/60.40A	----	79.00 + 13.90	.2329	----	----	----	----	2 UNCH
4300	80.10	80.10	93.30B/61.20A	93.30B/61.20A	----	80.20 + 14.20	.2358	----	----	114	----	684 + 20
4305	----	----	94.20B/62.00A	94.20B/62.00A	----	81.30 + 14.40	.2385	----	----	----	----	101 UNCH
4310	----	----	95.60B/63.00A	95.60B/63.00A	----	82.50 + 14.60	.2414	----	----	----	----	2 UNCH
4315	----	----	96.90B/63.90A	96.90B/63.90A	----	83.70 + 14.90	.2443	----	----	----	----	8 UNCH
4320	----	----	98.40B/64.70A	98.40B/64.70A	----	84.90 + 15.10	.2472	----	----	----	----	18 UNCH
4325	----	----	99.60B/65.90A	99.60B/65.90A	----	86.10 + 15.30	.2502	----	----	----	----	287 UNCH
4330	99.00	99.00	101.20B/66.50A	101.20B/66.50A	----	87.30 + 15.50	.2531	----	----	1	----	104 + 1
4335	----	----	102.30B/67.40A	102.30B/67.40A	----	88.50 + 15.70	.2560	----	----	----	----	1 UNCH
4340	94.00	94.00	103.70B/68.40A	103.70B/68.40A	----	89.80 + 16.00	.2591	----	----	1	----	3 + 1
4350	90.00	90.00	106.70B/70.30A	106.70B/70.30A	----	92.30 + 16.40	.2651	----	----	1	260	880 + 208
4355	----	----	108.00B/71.30A	108.00B/71.30A	----	93.60 + 16.60	.2682	----	----	----	----	2 UNCH
4360	----	----	109.40B/72.30A	109.40B/72.30A	----	95.00 + 16.90	.2713	----	----	----	----	61 UNCH
4365	----	----	110.80B/73.40A	110.80B/73.40A	----	96.30 + 17.10	.2744	----	----	----	----	100 UNCH
4375	----	----	114.10B/75.40A	114.10B/75.40A	----	99.00 + 17.60	.2807	----	----	----	----	8 UNCH
4380	----	----	115.40B/76.40A	115.40B/76.40A	----	100.40 + 17.90	.2839	----	----	----	----	1 UNCH
4385	----	----	116.90B/77.50A	116.90B/77.50A	----	101.80 + 18.10	.2871	----	----	----	----	8 UNCH
4390	----	----	118.50B/78.60A	118.50B/78.60A	----	103.30 + 18.40	.2904	----	----	----	----	16 UNCH
4395	----	----	120.10B/79.70A	120.10B/79.70A	----	104.70 + 18.70	.2936	----	----	----	----	2 UNCH
4400	113.00	113.00	121.70B/80.80A	121.70B/80.80A	----	106.20 + 19.00	.2969	----	----	5	250	1278 - 48
4405	----	----	123.40B/81.90A	123.40B/81.90A	----	107.70 + 19.20	.3003	----	----	----	----	62 UNCH
4410	----	----	125.20B/83.10A	125.20B/83.10A	----	109.20 + 19.50	.3036	----	----	----	----	1 UNCH
4415	----	----	126.70B/84.20A	126.70B/84.20A	----	110.70 + 19.80	.3069	----	----	----	----	146 UNCH
4420	----	----	128.20B/85.40A	128.20B/85.40A	----	112.20 + 20.00	.3103	----	----	----	----	2 UNCH
4425	124.20	124.20	130.20B/86.60A	130.20B/86.60A	----	113.80 + 20.30	.3137	----	----	5	----	8 + 5
4430	----	----	131.90B/87.80A	131.90B/87.80A	----	115.30 + 20.50	.3171	----	----	----	----	24 UNCH
4435	----	----	133.50B/89.00A	133.50B/89.00A	----	116.90 + 20.80	.3205	----	----	----	----	6 UNCH
4440	----	----	135.10B/90.30A	135.10B/90.30A	----	118.50 + 21.10	.3239	----	----	----	----	53 UNCH
4445	----	----	136.90B/91.50A	136.90B/91.50A	----	120.20 + 21.40	.3275	----	----	----	----	1 UNCH
4450	131.90	131.90	138.70B/92.80A	138.70B/92.80A	----	121.80 + 21.70	.3309	----	----	55	----	374 + 45
4455	----	----	140.80B/94.10A	140.80B/94.10A	----	123.50 + 22.00	.3345	----	----	----	----	230 UNCH
4460	----	----	142.60B/95.40A	142.60B/95.40A	----	125.20 + 22.30	.3380	----	----	----	----	4 UNCH
4465	----	----	144.20B/96.70A	144.20B/96.70A	----	126.90 + 22.60	.3416	----	----	----	----	18 UNCH
4470	135.60	135.60	146.10B/98.00A	146.10B/98.00A	----	128.60 + 22.90	.3451	----	----	12	----	110 - 8
4475	137.70	137.70	148.20B/99.70A	148.20B/99.70A	----	130.40 + 23.20	.3487	----	----	3	----	36 UNCH
4480	132.40	132.40	149.90B/101.10A	149.90B/101.10A	----	132.10 + 23.40	.3523	----	----	12	----	140 - 3
4485	----	----	151.90B/102.20A	151.90B/102.20A	----	133.90 + 23.80	.3559	----	----	----	----	12 UNCH
4490	----	----	154.10B/103.70A	154.10B/103.70A	----	135.70 + 24.10	.3596	----	----	----	----	3 UNCH
4495	----	----	155.80B/105.10A	155.80B/105.10A	----	137.60 + 24.40	.3633	----	----	----	----	25 UNCH
4500	----	----	158.00B/106.40A	158.00B/106.40A	----	139.40 + 24.70	.3669	----	----	26	----	1361 + 21
4505	----	----	159.80B/108.00A	159.80B/108.00A	----	141.30 + 25.00	.3706	----	----	----	----	28 UNCH
4510	----	----	161.80B/109.50A	161.80B/109.50A	----	143.20 + 25.40	.3744	----	----	----	----	31 UNCH
4515	----	----	164.20B/111.00A	164.20B/111.00A	----	145.10 + 25.70	.3781	----	----	----	----	3 UNCH
4520	----	----	166.00B/112.50A	166.00B/112.50A	----	147.00 + 26.00	.3818	----	----	----	----	20 UNCH
4525	156.80	156.80	168.10B/114.00A	168.10B/114.00A	----	149.00 + 26.30	.3856	----	----	3	----	4 + 3
4535	162.30	162.30	172.40B/117.10A	172.40B/117.10A	----	153.00 + 27.00	.3932	----	----	3	----	10 UNCH
4540	----	----	174.70B/118.70A	174.70B/118.70A	----	155.00 + 27.30	.3970	----	----	24	----	38 + 24
4545	----	----	176.80B/120.40A	176.80B/120.40A	----	157.00 + 27.60	.4008	----	----	----	----	21 UNCH
4550	----	----	179.20B/121.90A	179.20B/121.90A	----	159.10 + 28.00	.4046	----	----	1	----	13 + 1
4555	----	----	181.50B/123.70A	181.50B/123.70A	----	161.20 + 28.30	.4084	----	----	----	----	124 UNCH
4560	----	----	183.70B/125.50A	183.70B/125.50A	----	163.30 + 28.70	.4123	----	----	----	----	15 UNCH
4565	----	----	186.40B/127.10A	186.40B/127.10A	----	165.40 + 29.00	.4161	----	----	----	----	2 UNCH
4570	----	----	188.50B/128.80A	188.50B/128.80A	----	167.60 + 29.40	.4200	----	----	----	----	30 UNCH
4575	156.10	156.10	190.60B/130.40A	190.60B/130.40A	----	169.80 + 29.80	.4239	----	----	54	----	58 + 47
4580	----	----	193.10B/132.30A	193.10B/132.30A	----	172.00 + 30.10	.4278	----	----	----	----	175 UNCH
4585	----	----	195.20B/134.00A	195.20B/134.00A	----	174.20 + 30.40	.4317	----	----	----	----	4 UNCH
4590	----	----	197.40B/136.00A	197.40B/136.00A	----	176.40 + 30.70	.4356	----	----	----	----	10 UNCH
4595	194.20	194.20	199.50B/137.60A	199.50B/137.60A	----	178.70 NEW	.4395	----	----	150	----	150 + 150
4600	188.60	188.60	202.30B/139.30A	202.30B/139.30A	----	181.00 + 31.50	.4434	----	----	14	----	507 + 14
4605	----	----	204.30B/141.40A	204.30B/141.40A	----	183.30 + 31.90	.4474	----	----	----	----	6 UNCH
4610	----	----	207.10B/143.30A	207.10B/143.30A	----	185.60 + 32.20	.4513	----	----	----	----	2 UNCH
4615	----	----	209.00B/145.20A	209.00B/145.20A	----	188.00 + 32.60	.4553	----	----	----	----	2 UNCH
4620	----	----	211.70B/147.10A	211.70B/147.10A	----	190.40 + 33.00	.4592	----	----	----	----	14 UNCH
4625	----	----	214.40B/149.00A	214.40B/149.00A	----	192.80 + 33.30	.4632	----	----	----	----	202 UNCH
4635	----	----	219.50B/152.90A	219.50B/152.90A	----	197.60 NEW	.4711	----	----	----	100	100 + 100
4640	----	----	222.20B/154.90A	222.20B/154.90A	----	200.10 + 34.40	.4750	----	----	----	----	307 UNCH
4645	----	----	224.90B/156.90A	224.90B/156.90A	----	202.60 + 34.80	.4790	----	----	----	----	131 UNCH
4650	----	----	227.50B/158.90A	227.50B/158.90A	----	205.10 + 35.20	.4830	----	----	57	----	390 + 3
4660	----	----	234.30B/162.80A	234.30B/162.80A	----	210.20 + 35.90	.4909	----	----	----	----	24 UNCH
4665	----	----	235.60B/164.90A	235.60B/164.90A	----	212.80 + 36.30	.4949	----	----	----	----	4 UNCH
4670	220.50	220.50	238.40B/167.00A	238.40B/167.00A	----	215.40 + 36.70	.4988	----	----	1	----	3 UNCH
4675	223.20	223.20	241.10B/169.20A	241.10B/169.20A	----	218.00 + 37.00	.5028	----	----	8	----	11 + 7
4680	225.90	225.90	244.40B/171.40A	244.40B/171.40A	----	220.70 + 37.40	.5067	----	----	1	----	10 + 1
4685	228.60	228.60	246.70B/173.50A	246.70B/173.50A	----	223.40 + 37.80	.5107	----	----	1	200	223 + 201
4695	----	----	253.20B/178.00A	253.20B/178.00A	----	228.80 + 38.60	.5186	----	----	----	----	2 UNCH
4700	----	----	256.00B/180.30A	256.00B/180.30A	----	231.60 + 39.00	.5225	----	----	----	----	329 UNCH
4705	----	----	258.90B/182.50A	258.90B/182.50A	----	234.30 + 39.40	.5264	----	----	----	----	52 UNCH
4710	----	----	261.90B/184.80A	261.90B/184.80A	----	237.10 + 39.70	.5303	----	----	----	----	7 UNCH
4715	----	----	264.80B/187.20A	264.80B/187.20A	----	240.00 + 40.20	.5342	----	----	----	----	1 UNCH
4720	----	----	268.20B/189.50A	268.20B/189.50A	----	242.80 + 40.60	.5381	----	----	----	----	10 UNCH
4725	----	----	270.80B/191.90A	270.80B/191.90A	----	245.70 + 41.00	.5420	----	----	----	----	37 UNCH
4730	----	----	273.80B/194.30A	273.80B/194.30A	----	248.60 + 41.40	.5459	----	----	3	----	4 + 3
4735	----	----	275.80B/196.70A	275.80B/196.70A	----	251.50 + 41.80	.5498	----	----	----	----	59 UNCH
4740	----	----	279.10B/199.10A	279.10B/199.10A	----	254.40 + 42.20	.5537	----	----	----	----	41 UNCH
4745	----	----	282.90B/201.60A	282.90B/201.60A	----	257.40 + 42.60	.5575	----	----	----	----	24 UNCH
4750	----	----	284.90B/207.10A	284.90B/207.10A	----	260.30 + 42.90	.5614	----	----	----	----	169 UNCH
4755	----	----	288.50B/208.20A	288.50B/208.20A	----	263.40 + 43.40	.5652	----	----	----	----	21 UNCH
4760	----	----	291.10B/211.50A	291.10B/211.50A	----	266.40 + 43.80	.5690	----	----	2	----	9 + 2
4770	----	----	297.50B/217.10A	297.50B/217.10A	----	272.50 + 44.60	.5766	----	----	----	----	250 UNCH
4775	----	----	300.70B/223.50A	300.70B/223.50A	----	275.60 + 45.00	.5804	----	----	----	----	89 UNCH
4780	----	----	303.90B/226.30A	303.90B/226.30A	----	278.70 + 45.40	.5841	----	----	----	----	19 UNCH
4785	----	----	307.50B/229.00A	307.50B/229.00A	----	281.80 + 45.80	.5879	----	----	----	----	18 UNCH
4790	----	----	310.50B/231.70A	310.50B/231.70A	----	285.00 + 46.30	.5916	----	----	----	----	53 UNCH
4795	----	----	313.70B/234.40A	313.70B/234.40A	----	288.20 + 46.70	.5953	----	----	----	----	101 UNCH
4800	----	----	317.00B/237.10A	317.00B/237.10A	----	291.40 + 47.10	.5990	----	----	----	----	836 UNCH
4805	----	----	320.20B/240.00A	320.20B/240.00A	----	294.60 + 47.50	.6028	----	----	----	----	2 UNCH
4810	----	----	323.60B/242.80A	323.60B/242.80A	----	297.80 + 47.80	.6064	----	----	----	----	5 UNCH
4815	----	----	326.90B/245.60A	326.90B/245.60A	----	301.10 + 48.30	.6100	----	----	----	----	2 UNCH
4820	----	----	330.30B/248.40A	330.30B/248.40A	----	304.40 + 48.70	.6137	----	----	----	----	4 UNCH
4825	----	----	333.80B/251.10A	333.80B/251.10A	----	307.70 + 49.10	.6173	----	----	----	----	30 UNCH
4835	----	----	340.60B/257.10A	340.60B/257.10A	----	314.30 + 49.90	.6245	----	----	----	----	36 UNCH
4840	----	----	344.00B/260.10A	344.00B/260.10A	----	317.60 + 50.20	.6281	----	----	----	----	15 UNCH
4850	----	----	350.90B/266.00A	350.90B/266.00A	----	324.40 + 51.00	.6352	----	----	----	----	154 UNCH
4855	----	----	354.40B/269.00A	354.40B/269.00A	----	327.80 + 51.40	.6387	----	----	----	----	11 UNCH
4860	----	----	357.90B/272.00A	357.90B/272.00A	----	331.20 + 51.70	.6422	----	----	----	----	9 UNCH
4865	----	----	361.50B/275.00A	361.50B/275.00A	----	334.60 + 52.10	.6457	----	----	----	----	12 UNCH
4870	----	----	365.00B/278.10A	365.00B/278.10A	----	338.10 + 52.50	.6491	----	----	----	----	28 UNCH
4875	----	----	368.60B/281.20A	368.60B/281.20A	----	341.50 + 52.80	.6526	----	----	----	----	82 UNCH
4880	----	----	372.20B/284.30A	372.20B/284.30A	----	345.00 + 53.10	.6560	----	----	----	----	125 UNCH
4885	----	----	375.90B/287.40A	375.90B/287.40A	----	348.50 + 53.50	.6595	----	----	----	----	8 UNCH
4890	----	----	379.40B/290.50A	379.40B/290.50A	----	352.10 + 53.90	.6628	----	----	----	----	3 UNCH
4900	----	----	386.80B/294.60A	386.80B/294.60A	----	359.20 + 54.60	.6695	----	----	----	----	375 UNCH
4905	----	----	390.60B/297.80A	390.60B/297.80A	----	362.70 + 54.80	.6728	----	----	----	----	29 UNCH
4910	----	----	394.10B/299.90A	394.10B/299.90A	----	366.40 + 55.30	.6761	----	----	----	----	22 UNCH
4920	----	----	401.80B/309.90A	401.80B/309.90A	----	373.60 + 55.90	.6827	----	----	----	----	3 UNCH
4925	----	----	405.30B/312.10A	405.30B/312.10A	----	377.30 + 56.20	.6859	----	----	----	----	53 UNCH
4930	----	----	406.10B/316.40A	406.10B/316.40A	----	380.90 + 56.50	.6891	----	----	----	----	1 UNCH
4950	----	----	417.60B/----	417.60B/394.80A	----	395.80 + 57.80	.7015	----	----	----	----	31 UNCH
4955	----	----	398.20B/----	398.20B/398.60A	----	399.60 + 58.10	.7047	----	----	----	----	1 UNCH
4980	----	----	----	277.60B/567.90A	----	418.60 + 59.60	.7196	----	----	----	----	1 UNCH
5000	----	----	457.90B/----	457.90B/435.00A	----	434.10 + 60.80	.7313	----	----	----	----	326 UNCH
5010	----	----	----	301.60B/589.80A	----	442.00 + 61.50	.7369	----	----	----	----	1 UNCH
5025	----	----	476.80B/----	476.80B/455.60A	----	453.80 + 62.30	.7453	----	----	----	----	25 UNCH
5030	----	----	----	318.10B/604.60A	----	457.80 + 62.60	.7479	----	----	----	----	1 UNCH
5040	----	----	489.00B/----	489.00B/467.60A	----	465.80 + 63.10	.7533	----	----	----	----	4 UNCH
5045	----	----	493.10B/----	493.10B/471.60A	----	469.90 + 63.50	.7559	----	----	----	----	31 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
5050	----	----	498.40B/----	498.40B/474.50A	----	473.90 + 63.70	.7585	----	----	----	----	351 UNCH
5070	----	----	513.70B/----	513.70B/491.90A	----	490.20 + 64.80	.7689	----	----	----	----	17 UNCH
5080	----	----	522.10B/----	522.10B/500.10A	----	498.40 + 65.30	.7738	----	----	----	----	3 UNCH
5100	----	----	538.90B/----	538.90B/516.60A	----	514.90 + 66.30	.7835	----	----	----	----	83 UNCH
5120	----	----	----	395.10B/673.20A	----	531.70 + 67.30	.7927	----	----	----	----	2 UNCH
5180	----	----	----	448.60B/720.50A	----	583.00 + 69.90	.8184	----	----	----	----	1 UNCH
5195	----	----	----	462.30B/732.40A	----	596.00 + 70.50	.8243	----	----	----	----	2 UNCH
5200	----	----	625.40B/----	625.40B/601.90A	----	600.40 + 70.70	.8263	----	----	----	----	112 UNCH
5265	----	----	----	526.10B/789.50A	----	657.90 + 73.00	.8496	----	----	----	----	1 UNCH
5300	----	----	715.00B/----	715.00B/690.80A	----	689.40 + 74.00	.8607	----	----	----	----	3 UNCH
5355	----	----	----	608.20B/865.30A	----	739.60 + 75.60	.8763	----	----	----	----	1 UNCH
5400	----	----	807.40B/----	807.40B/782.40A	----	781.30 + 76.80	.8876	----	----	----	----	76 UNCH
5460	----	----	----	706.40B/960.10A	----	837.40 + 78.00	.9010	----	----	----	----	1 UNCH
5500	----	----	901.70B/----	901.70B/878.80A	----	875.20 + 78.80	.9086	----	----	----	----	3 UNCH
5530	----	----	----	701.60B/1025.30A	----	903.70 + 79.30	.9139	----	----	----	----	1 UNCH
5575	----	----	----	693.70B/1067.60A	----	946.70 + 80.00	.9212	----	----	----	----	2 UNCH
TOTAL										1596	1,360	27495 + 1860
SEP26												
2350	----	----	----	0.70B/2.00A	----	1.00 UNCH	.0025	----	----	----	----	55 UNCH
2375	----	----	----	0.70B/2.30A	----	1.00 UNCH	.0025	----	----	----	----	4 UNCH
2400	----	----	----	1.00B/2.40A	----	1.10 UNCH	.0027	----	----	----	----	1 UNCH
2500	----	----	1.50B/----	1.50B/2.50A	----	1.40 UNCH	.0035	----	----	----	----	4 UNCH
2600	----	----	----	1.80B/2.90A	----	1.80 UNCH	.0046	----	----	----	----	2 UNCH
3000	----	----	----	4.00B/5.20A	----	4.80 + 0.20	.0127	----	----	----	----	2 UNCH
3145	----	----	----	5.50B/6.70A	----	6.30 + 0.30	.0172	----	----	----	----	15 UNCH
3150	----	----	----	5.60B/6.80A	----	6.40 + 0.30	.0175	----	----	----	----	2 UNCH
3200	----	----	----	6.60B/7.40A	----	7.00 + 0.30	.0193	----	----	----	----	1 UNCH
3270	----	----	----	7.40B/8.40A	----	8.10 + 0.40	.0225	----	----	----	----	15 UNCH
3300	----	----	----	8.10B/9.00A	----	8.60 + 0.50	.0240	----	----	----	----	1 UNCH
3475	----	----	12.40B/----	12.40B/12.80A	----	12.30 + 0.80	.0352	----	----	----	----	2 UNCH
3480	----	----	12.60B/----	12.60B/13.10A	----	12.50 + 0.80	.0357	----	----	----	----	780 UNCH
3500	----	----	13.40B/----	13.40B/13.60A	----	13.00 + 0.80	.0373	----	----	----	----	21 UNCH
3525	----	----	14.00B/----	14.00B/14.30A	----	13.80 + 1.00	.0396	----	----	----	----	2 UNCH
3550	----	----	15.10B/----	15.10B/15.20A	----	14.60 + 1.10	.0420	----	----	----	----	3 UNCH
3565	----	----	15.70B/----	15.70B/15.70A	----	15.10 + 1.10	.0434	----	----	----	----	1 UNCH
3610	----	----	17.70B/----	17.70B/17.50A	----	16.80 + 1.30	.0484	----	----	----	----	1 UNCH
3625	----	----	18.40B/----	18.40B/18.10A	----	17.40 + 1.40	.0501	----	----	----	----	1 UNCH
3650	----	----	21.70B/----	21.70B/19.20A	----	18.50 + 1.60	.0532	----	----	----	----	66 UNCH
3690	----	----	23.70B/----	23.70B/21.10A	----	20.40 + 1.80	.0586	----	----	----	----	60 UNCH
3700	----	----	24.10B/----	24.10B/21.60A	----	20.90 + 1.90	.0600	----	----	----	----	149 UNCH
3720	----	----	25.40B/----	25.40B/22.70A	----	21.90 + 2.00	.0629	----	----	----	----	50 UNCH
3750	----	----	27.30B/----	27.30B/23.90A	----	23.70 + 2.30	.0678	----	----	----	----	80 UNCH
3755	----	----	28.00B/----	28.00B/24.10A	----	24.00 + 2.40	.0687	----	----	----	----	310 UNCH
3775	----	----	29.20B/----	29.20B/25.50A	----	25.20 + 2.50	.0720	----	----	----	----	1 UNCH
3800	----	----	31.50B/----	31.50B/24.60A	----	26.90 + 2.80	.0766	----	----	----	----	3 UNCH
3825	31.00	31.00	32.20B/24.70A	32.20B/24.70A	----	28.60 NEW	.0813	----	----	11	----	11 + 11
3850	----	----	34.80B/26.20A	34.80B/26.20A	----	30.50 + 3.30	.0864	----	----	----	----	20 UNCH
3880	----	----	37.70B/28.10A	37.70B/28.10A	----	33.00 + 3.70	.0931	----	----	----	----	26 UNCH
3900	----	----	39.90B/29.40A	39.90B/29.40A	----	34.80 + 4.00	.0978	----	----	----	----	211 UNCH
3910	----	----	40.80B/30.10A	40.80B/30.10A	----	35.70 + 4.20	.1001	----	----	----	----	2 UNCH
3920	----	----	42.00B/30.90A	42.00B/30.90A	----	36.60 + 4.30	.1025	----	----	----	----	14 UNCH
3930	----	----	43.80B/31.60A	43.80B/31.60A	----	37.60 + 4.50	.1051	----	----	----	----	2 UNCH
3945	----	----	45.40B/32.70A	45.40B/32.70A	----	39.10 + 4.70	.1089	----	----	----	----	380 UNCH
3950	----	----	46.20B/33.10A	46.20B/33.10A	----	39.60 + 4.80	.1102	----	----	----	----	324 UNCH
4000	46.60	46.60	52.20B/37.40A	52.20B/37.40A	----	45.00 + 5.70	.1241	----	----	1	----	924 + 1
4005	----	----	53.10B/37.80A	53.10B/37.80A	----	45.60 + 5.80	.1256	----	----	----	----	1 UNCH
4020	----	----	54.90B/39.10A	54.90B/39.10A	----	47.40 + 6.10	.1301	----	----	----	----	14 UNCH
4030	----	----	56.50B/40.10A	56.50B/40.10A	----	48.70 + 6.30	.1332	----	----	----	----	2 UNCH
4050	----	----	59.40B/42.30A	59.40B/42.30A	----	51.30 + 6.80	.1396	----	----	----	----	47 UNCH
4080	----	----	63.80B/45.90A	63.80B/45.90A	----	55.40 + 7.50	.1497	----	----	----	----	4 UNCH
4085	----	----	64.50B/46.00A	64.50B/46.00A	----	56.10 + 7.60	.1514	----	----	----	----	76 UNCH
4100	----	----	67.20B/47.80A	67.20B/47.80A	----	58.30 + 7.90	.1567	----	----	----	----	22 UNCH
4130	----	----	72.30B/51.20A	72.30B/51.20A	----	63.00 + 8.80	.1678	----	----	----	----	20 UNCH
4135	----	----	73.10B/52.00A	73.10B/52.00A	----	63.90 + 9.00	.1698	----	----	----	----	3 UNCH
4150	----	----	75.80B/54.00A	75.80B/54.00A	----	66.40 + 9.40	.1756	----	----	----	----	4 UNCH
4185	----	----	82.80B/58.90A	82.80B/58.90A	----	72.60 + 10.40	.1898	----	----	----	----	76 UNCH
4200	----	----	86.00B/61.10A	86.00B/61.10A	----	75.40 + 10.90	.1962	----	----	----	----	113 UNCH
4220	----	----	90.70B/64.30A	90.70B/64.30A	----	79.40 + 11.60	.2050	----	----	----	----	113 UNCH
4225	92.90	92.90	92.90/65.00A	92.90/65.00A	----	80.40 + 11.80	.2072	----	----	1	----	2 - 1
4230	----	----	92.10B/65.90A	92.10B/65.90A	----	81.40 + 11.90	.2095	----	----	----	----	1 UNCH
4240	89.60	89.60	94.40B/67.50A	94.40B/67.50A	----	83.50 + 12.30	.2140	----	----	73	----	129 + 73
4250	92.20	92.20	97.20B/69.20A	97.20B/69.20A	----	85.60 + 12.60	.2186	----	----	59	----	135 + 47
4275	95.90	95.90	103.10B/73.60A	103.10B/73.60A	----	91.20 + 13.60	.2306	----	----	24	----	30 + 24
4290	----	----	106.80B/76.40A	106.80B/76.40A	----	94.70 + 14.20	.2380	----	----	----	----	1 UNCH
4300	----	----	109.50B/78.30A	109.50B/78.30A	----	97.10 + 14.60	.2430	----	----	1	----	97 + 1
4320	----	----	115.10B/82.20A	115.10B/82.20A	----	102.10 + 15.40	.2532	----	----	----	----	152 UNCH
4325	----	----	116.30B/83.30A	116.30B/83.30A	----	103.40 + 15.70	.2559	----	----	----	----	6 UNCH
4350	115.50	115.50	123.70B/88.50A	123.70B/88.50A	----	110.00 + 16.70	.2691	----	----	1	----	21 + 1
4360	----	----	125.90B/90.70A	125.90B/90.70A	----	112.80 NEW	.2746	----	----	1	----	1 + 1
4365	----	----	127.60B/91.90A	127.60B/91.90A	----	114.20 + 17.50	.2774	----	----	----	----	5 UNCH
4390	----	----	135.90B/97.60A	135.90B/97.60A	----	121.40 + 18.60	.2913	----	----	----	----	16 UNCH
4395	----	----	136.90B/98.80A	136.90B/98.80A	----	122.90 + 18.90	.2942	----	----	----	----	1 UNCH
4400	131.50	131.50	138.70B/100.00A	138.70B/100.00A	----	124.40 + 19.10	.2970	----	----	1	----	37 + 1
4410	----	----	142.20B/102.40A	142.20B/102.40A	----	127.50 + 19.60	.3028	----	----	----	----	6 UNCH
4420	----	----	145.10B/104.90A	145.10B/104.90A	----	130.60 + 20.10	.3086	----	----	----	----	1 UNCH
4430	----	----	148.40B/107.50A	148.40B/107.50A	----	133.80 + 20.60	.3145	----	----	----	----	2 UNCH
4440	----	----	152.60B/110.10A	152.60B/110.10A	----	137.10 + 21.10	.3205	----	----	----	----	7 UNCH
4450	----	----	156.10B/112.80A	156.10B/112.80A	----	140.40 + 21.60	.3265	----	----	----	----	430 UNCH
4475	----	----	165.00B/119.70A	165.00B/119.70A	----	149.10 + 23.00	.3419	----	----	----	----	3 UNCH
4490	----	----	170.90B/124.00A	170.90B/124.00A	----	154.50 + 23.80	.3512	----	----	----	----	50 UNCH
4500	170.00	170.00	174.70B/127.20A	174.70B/127.20A	----	158.20 + 24.40	.3575	----	----	12	----	455 + 1
4520	----	----	182.70B/135.10A	182.70B/135.10A	----	165.80 + 25.50	.3702	----	----	----	----	91 UNCH
4550	----	----	195.20B/143.70A	195.20B/143.70A	----	177.70 + 27.20	.3896	----	----	----	----	350 UNCH
4560	----	----	199.70B/147.00A	199.70B/147.00A	----	181.80 + 27.80	.3962	----	----	----	----	6 UNCH
4575	----	----	207.10B/153.30A	207.10B/153.30A	----	188.20 + 28.70	.4061	----	----	----	----	10 UNCH
4580	----	----	208.60B/155.00A	208.60B/155.00A	----	190.30 + 29.00	.4094	----	----	----	----	1 UNCH
4585	190.10	190.10	212.00B/156.70A	212.00B/156.70A	----	192.50 + 29.30	.4127	----	----	6	----	7 + 5
4600	----	----	219.00B/162.30A	219.00B/162.30A	----	199.10 + 30.20	.4227	----	----	50	----	54 + 50
4605	----	----	220.30B/164.00A	220.30B/164.00A	----	201.40 + 30.60	.4260	----	----	----	----	1 UNCH
4620	215.70	215.70	227.50B/169.90A	227.50B/169.90A	----	208.20 + 31.50	.4361	----	----	4	----	506 + 4
4625	----	----	231.00B/171.90A	231.00B/171.90A	----	210.50 + 31.70	.4394	----	----	----	----	2 UNCH
4645	----	----	240.90B/179.80A	240.90B/179.80A	----	220.00 + 33.00	.4529	----	----	----	----	1 UNCH
4650	----	----	243.50B/181.80A	243.50B/181.80A	----	222.40 + 33.30	.4563	----	----	----	----	2 UNCH
4655	----	----	244.90B/184.00A	244.90B/184.00A	----	224.90 + 33.70	.4597	----	----	----	----	3 UNCH
4700	----	----	268.90B/200.00A	268.90B/200.00A	----	247.70 + 36.60	.4902	----	----	----	----	76 UNCH
4705	----	----	271.80B/201.70A	271.80B/201.70A	----	250.30 + 36.90	.4936	----	----	----	----	2 UNCH
4710	----	----	274.70B/205.70A	274.70B/205.70A	----	253.00 + 37.30	.4969	----	----	----	----	1 UNCH
4725	----	----	282.90B/211.20A	282.90B/211.20A	----	261.10 + 38.40	.5071	----	----	----	----	1 UNCH
4730	----	----	285.90B/214.90A	285.90B/214.90A	----	263.80 + 38.70	.5104	----	----	----	----	5 UNCH
4740	----	----	291.70B/218.30A	291.70B/218.30A	----	269.30 + 39.30	.5171	----	----	----	----	2 UNCH
4750	----	----	298.10B/223.00A	298.10B/223.00A	----	274.90 + 40.00	.5238	----	----	----	----	151 UNCH
4760	----	----	304.40B/229.30A	304.40B/229.30A	----	280.50 + 40.70	.5305	----	----	----	----	100 UNCH
4775	----	----	313.20B/236.70A	313.20B/236.70A	----	289.20 + 41.80	.5405	----	----	----	----	18 UNCH
4780	----	----	315.90B/237.90A	315.90B/237.90A	----	292.10 + 42.10	.5437	----	----	----	----	2 UNCH
4800	288.00	288.00	327.50B/249.50A	327.50B/249.50A	----	304.00 + 43.60	.5569	----	----	1	----	471 UNCH
4825	----	----	343.10B/267.70A	343.10B/267.70A	----	319.20 + 45.30	.5731	----	----	----	----	2 UNCH
4830	312.90	312.90	346.30B/270.50A	346.30B/270.50A	----	322.30 NEW	.5764	----	----	1	----	1 + 1
4835	----	----	349.60B/273.30A	349.60B/273.30A	----	325.40 + 46.00	.5795	----	----	----	----	30 UNCH
4855	----	----	362.70B/284.50A	362.70B/284.50A	----	338.10 + 47.40	.5923	----	----	----	----	14 UNCH
4875	----	----	376.10B/295.90A	376.10B/295.90A	----	351.00 + 48.70	.6048	----	----	----	----	4 UNCH
4885	----	----	382.90B/301.90A	382.90B/301.90A	----	357.60 + 49.40	.6110	----	----	----	----	4 UNCH
4895	----	----	389.70B/307.80A	389.70B/307.80A	----	364.30 + 50.10	.6170	----	----	----	----	1 UNCH
4900	----	----	393.20B/310.80A	393.20B/310.80A	----	367.60 + 50.40	.6201	----	----	----	----	3 UNCH
4915	----	----	403.60B/319.90A	403.60B/319.90A	----	377.80 + 51.30	.6292	----	----	----	----	1 UNCH
4930	----	----	414.20B/329.10A	414.20B/329.10A	----	388.10 + 52.20	.6380	----	----	----	----	20 UNCH
4950	----	----	428.50B/341.70A	428.50B/341.70A	----	402.10 + 53.40	.6497	----	----	----	----	1 UNCH
4975	----	----	446.70B/356.80A	446.70B/356.80A	----	419.90 + 54.80	.6639	----	----	----	----	210 UNCH
5000	----	----	465.40B/374.50A	465.40B/374.50A	----	438.10 + 56.30	.6777	----	----	----	----	10 UNCH
5005	----	----	469.10B/376.00A	469.10B/376.00A	----	441.80 + 56.60	.6804	----	----	----	----	3 UNCH
5020	----	----	480.50B/----	480.50B/451.40A	----	452.90 + 57.40	.6884	----	----	----	----	3 UNCH
5060	----	----	506.00B/----	506.00B/481.50A	----	483.10 + 59.50	.7090	----	----	----	----	4 UNCH
5100	----	----	537.70B/----	537.70B/516.20A	----	514.20 + 61.60	.7286	----	----	----	----	28 UNCH
5105	----	----	----	373.20B/668.60A	----	518.20 + 61.90	.7311	----	----	----	----	2 UNCH
5150	----	----	----	410.30B/702.60A	----	554.10 + 64.00	.7515	----	----	----	----	2 UNCH
5200	----	----	620.00B/----	620.00B/596.50A	----	595.10 + 66.10	.7728	----	----	----	----	45 UNCH
5230	----	----	646.50B/----	646.50B/620.40A	----	620.10 + 67.20	.7848	----	----	----	----	400 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
5300	----	----	707.10B/----	707.10B/680.60A	----	679.80 + 69.70	.8104	----	----	----	----	300 UNCH
5400	----	----	794.80B/----	794.80B/769.90A	----	767.80 + 72.70	.8415	----	----	----	----	100 UNCH
5420	----	----	812.70B/----	812.70B/787.80A	----	785.80 + 73.40	.8469	----	----	----	----	80 UNCH
5450	----	----	----	677.00B/945.60A	----	813.00 + 74.30	.8547	----	----	----	----	1 UNCH
5500	----	----	885.90B/----	885.90B/860.40A	----	858.80 + 75.70	.8664	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1334.60 + 82.60	.9384	----	----	----	----	2 UNCH
TOTAL										247		8766 + 220
OCT26												
2700	----	----	----/*5.10A	1.80B/5.10A	----	3.00 - 3.40	.0074	----	----	----	----	1 UNCH
2800	----	----	----/5.90A	2.40B/5.90A	----	3.80 - 4.10	.0094	----	----	----	----	3 UNCH
2900	----	----	----/6.80A	3.30B/6.80A	----	4.80 - 4.80	.0120	----	----	----	----	1 UNCH
3100	----	----	----/9.60A	5.70B/9.60A	----	7.20 - 5.00	.0185	----	----	----	----	1 UNCH
3155	----	----	----/10.50A	6.60B/10.50A	----	8.00 - 5.00	.0207	----	----	----	----	1 UNCH
3200	----	----	----/11.40A	7.50B/11.40A	----	8.80 - 4.90	.0229	----	----	----	----	414 UNCH
3240	----	----	----/12.20A	8.30B/12.20A	----	9.60 - 4.60	.0250	----	----	----	----	5 UNCH
3300	----	----	----/13.70A	9.90B/13.70A	----	11.10 - 4.00	.0289	----	----	----	----	415 UNCH
3340	----	----	----/14.80A	11.00B/14.80A	----	12.20 - 3.40	.0318	----	----	----	----	9 UNCH
3360	----	----	----/15.40A	11.60B/15.40A	----	12.70 - 3.20	.0332	----	----	----	----	1 UNCH
3380	----	----	----/16.00A	12.30B/16.00A	----	13.40 - 2.80	.0349	----	----	----	----	1 UNCH
3390	----	----	----	12.60B/16.40A	----	13.70 - 2.60	.0357	----	----	----	----	4 UNCH
3400	----	----	----	13.00B/16.60A	----	14.00 - 2.50	.0365	----	----	----	----	150 UNCH
3480	----	----	----	16.30B/19.50A	----	16.80 - 1.00	.0438	----	----	----	----	12 UNCH
3500	----	----	----	17.20B/20.30A	----	17.60 - 0.50	.0459	----	----	----	----	10 UNCH
3520	----	----	----	18.10B/21.20A	----	18.50 - 0.10	.0482	----	----	----	----	12 UNCH
3550	----	----	19.70B/----	19.70B/22.50A	----	19.90 + 0.60	.0517	----	----	----	----	25 UNCH
3600	----	----	23.00B/----	23.00B/25.00A	----	22.40 + 1.40	.0580	----	----	----	----	177 UNCH
3615	----	----	24.20B/----	24.20B/25.80A	----	23.30 + 1.70	.0602	----	----	----	----	1 UNCH
3700	----	----	29.60B/----	29.60B/29.60A	----	28.70 + 2.90	.0734	----	----	----	----	135 UNCH
3715	----	----	30.90B/----	30.90B/29.10A	----	29.80 + 3.10	.0760	----	----	----	----	196 UNCH
3750	----	----	33.50B/----	33.50B/30.30A	----	32.50 + 3.50	.0825	----	----	----	----	19 UNCH
3770	----	----	35.20B/----	35.20B/31.60A	----	34.10 + 3.70	.0863	----	----	----	----	1 UNCH
3785	----	----	36.70B/----	36.70B/32.70A	----	35.40 + 3.90	.0893	----	----	----	----	1 UNCH
3800	----	----	38.20B/----	38.20B/33.80A	----	36.70 + 4.10	.0924	----	----	----	----	20 UNCH
3805	----	----	38.60B/----	38.60B/34.10A	----	37.20 + 4.20	.0935	----	----	----	----	1 UNCH
3865	----	----	45.60B/----	45.60B/38.90A	----	42.80 + 4.90	.1066	----	----	----	----	2 UNCH
3870	----	----	46.00B/----	46.00B/39.30A	----	43.30 + 4.90	.1078	----	----	----	----	1 UNCH
3875	----	----	46.60B/----	46.60B/39.70A	----	43.80 + 5.00	.1090	----	----	----	----	12 UNCH
3885	----	----	48.20B/----	48.20B/40.60A	----	44.90 + 5.20	.1114	----	----	----	----	5 UNCH
3890	----	----	48.80B/----	48.80B/41.00A	----	45.40 + 5.20	.1126	----	----	----	----	2 UNCH
3895	----	----	49.50B/----	49.50B/41.50A	----	45.90 + 5.20	.1138	----	----	----	----	2 UNCH
3900	----	----	50.00B/----	50.00B/41.90A	----	46.50 + 5.40	.1151	----	----	----	----	22 UNCH
3920	----	----	52.80B/----	52.80B/43.80A	----	48.70 + 5.60	.1202	----	----	----	----	28 UNCH
3930	----	----	54.30B/----	54.30B/44.80A	----	49.80 + 5.70	.1227	----	----	----	----	2 UNCH
3940	----	----	56.00B/----	56.00B/45.80A	----	51.00 + 5.90	.1254	----	----	----	----	65 UNCH
3950	----	----	57.50B/----	57.50B/46.80A	----	52.20 + 6.00	.1281	----	----	----	----	2 UNCH
3975	----	----	60.70B/----	60.70B/49.50A	----	55.40 + 6.50	.1352	----	----	----	----	5 UNCH
4000	55.00	55.00	64.40B/55.00	64.40B/52.30A	----	58.70 + 6.90	.1425	----	----	2	----	409 + 1
4030	----	----	69.20B/----	69.20B/55.80A	----	63.00 + 7.50	.1518	----	----	----	----	2 UNCH
4035	----	----	70.00B/----	70.00B/56.40A	----	63.70 + 7.50	.1534	----	----	----	----	1 UNCH
4050	----	----	72.50B/----	72.50B/58.40A	----	66.00 + 7.80	.1583	----	----	----	----	5 UNCH
4070	----	----	76.00B/----	76.00B/61.00A	----	69.20 + 8.30	.1650	----	----	----	----	24 UNCH
4100	----	----	81.50B/65.20A	81.50B/65.20A	----	74.30 + 9.00	.1756	----	----	----	----	464 UNCH
4130	----	----	87.40B/69.60A	87.40B/69.60A	----	79.80 + 9.80	.1867	----	----	----	----	2 UNCH
4135	----	----	88.60B/70.40A	88.60B/70.40A	----	80.70 + 9.90	.1886	----	----	----	----	1 UNCH
4150	----	----	91.60B/72.80A	91.60B/72.80A	----	83.60 + 10.30	.1944	----	----	----	----	5 UNCH
4200	106.90	106.90	106.90/81.30A	106.90/81.30A	----	94.00 + 11.80	.2147	----	----	6	----	289 + 3
4220	----	----	107.60B/85.00A	107.60B/85.00A	----	98.50 + 12.50	.2233	----	----	----	----	5 UNCH
4235	----	----	111.20B/87.80A	111.20B/87.80A	----	102.00 + 13.00	.2299	----	----	----	----	1 UNCH
4250	----	----	115.00B/90.80A	115.00B/90.80A	----	105.60 + 13.50	.2366	----	----	----	----	72 UNCH
4265	----	----	119.00B/93.80A	119.00B/93.80A	----	109.30 + 14.00	.2434	----	----	----	----	200 UNCH
4270	----	----	120.30B/94.80A	120.30B/94.80A	----	110.60 + 14.20	.2458	----	----	----	----	226 UNCH
4280	----	----	123.10B/96.90A	123.10B/96.90A	----	113.20 + 14.60	.2505	----	----	----	----	196 UNCH
4300	118.00	118.00	128.60B/101.30A	128.60B/101.30A	----	118.40 + 15.20	.2599	----	----	3	----	479 + 3
4330	----	----	137.40B/108.10A	137.40B/108.10A	----	126.70 + 16.40	.2745	----	----	----	----	1 UNCH
4350	----	----	143.70B/113.00A	143.70B/113.00A	----	132.50 + 17.10	.2845	----	----	----	----	210 UNCH
4355	----	----	145.20B/114.20A	145.20B/114.20A	----	134.00 + 17.30	.2871	----	----	----	----	11 UNCH
4375	----	----	151.60B/119.20A	151.60B/119.20A	----	140.10 + 18.20	.2974	----	----	----	----	10 UNCH
4400	----	----	160.00B/125.80A	160.00B/125.80A	----	148.00 + 19.20	.3105	----	----	1	----	303 + 1
4420	----	----	167.00B/131.40A	167.00B/131.40A	----	154.60 + 20.00	.3212	----	----	----	----	5 UNCH
4430	----	----	170.80B/134.20A	170.80B/134.20A	----	158.00 + 20.50	.3266	----	----	----	----	3 UNCH
4450	----	----	178.30B/140.10A	178.30B/140.10A	----	164.90 + 21.30	.3376	----	----	----	----	26 UNCH
4475	----	----	188.00B/147.80A	188.00B/147.80A	----	174.00 NEW	.3516	----	----	2	----	2 + 2
4500	----	----	197.90B/155.80A	197.90B/155.80A	----	183.50 + 23.80	.3659	----	----	----	----	91 UNCH
4600	----	----	242.10B/191.70A	242.10B/191.70A	----	225.60 + 29.50	.4247	----	----	60	----	334 - 18
4610	----	----	247.00B/195.70A	247.00B/195.70A	----	230.20 + 30.10	.4308	----	----	----	----	5 UNCH
4625	----	----	254.30B/201.70A	254.30B/201.70A	----	237.20 + 31.10	.4398	----	----	----	----	40 UNCH
4630	----	----	256.80B/203.80A	256.80B/203.80A	----	239.60 NEW	.4428	----	----	1	----	1 + 1
4635	----	----	259.30B/205.90A	259.30B/205.90A	----	242.00 NEW	.4458	----	----	1	----	1 + 1
4640	----	----	261.90B/207.90A	261.90B/207.90A	----	244.40 + 32.10	.4489	----	----	----	----	13 UNCH
4650	259.00	259.00	266.80B/212.20A	266.80B/212.20A	----	249.30 + 32.70	.4549	----	----	100	----	133 + 100
4675	----	----	279.90B/223.00A	279.90B/223.00A	----	261.90 + 34.50	.4701	----	----	----	----	1 UNCH
4680	----	----	282.50B/225.30A	282.50B/225.30A	----	264.40 + 34.80	.4731	----	----	----	----	1 UNCH
4700	----	----	293.40B/234.30A	293.40B/234.30A	----	274.90 + 36.30	.4852	----	----	----	----	84 UNCH
4740	----	----	315.90B/253.20A	315.90B/253.20A	----	296.50 + 39.00	.5093	----	----	----	----	1 UNCH
4750	----	----	321.70B/258.10A	321.70B/258.10A	----	302.10 + 39.70	.5153	----	----	----	----	174 UNCH
4775	----	----	336.50B/270.70A	336.50B/270.70A	----	316.40 + 41.40	.5302	----	----	----	----	1 UNCH
4780	----	----	339.50B/273.20A	339.50B/273.20A	----	319.30 + 41.70	.5331	----	----	----	----	1 UNCH
4800	----	----	351.70B/283.60A	351.70B/283.60A	----	331.10 + 43.00	.5449	----	----	----	----	100 UNCH
4845	----	----	380.10B/308.10A	380.10B/308.10A	----	358.60 + 45.70	.5709	----	----	----	----	17 UNCH
4850	----	----	383.40B/310.80A	383.40B/310.80A	----	361.70 + 46.00	.5738	----	----	----	----	80 UNCH
4875	----	----	399.80B/325.10A	399.80B/325.10A	----	377.60 + 47.40	.5879	----	----	----	----	1 UNCH
4900	----	----	416.50B/339.70A	416.50B/339.70A	----	394.00 + 48.80	.6017	----	----	----	----	131 UNCH
4910	----	----	423.20B/345.70A	423.20B/345.70A	----	400.60 + 49.30	.6071	----	----	----	----	1 UNCH
4920	----	----	430.20B/351.70A	430.20B/351.70A	----	407.30 + 49.80	.6126	----	----	----	----	1 UNCH
4925	----	----	433.50B/354.80A	433.50B/354.80A	----	410.60 + 50.00	.6153	----	----	----	----	25 UNCH
4935	----	----	440.60B/361.00A	440.60B/361.00A	----	417.40 + 50.50	.6206	----	----	----	----	5 UNCH
4965	----	----	461.90B/379.70A	461.90B/379.70A	----	438.00 + 52.10	.6365	----	----	----	----	13 UNCH
4980	----	----	472.70B/389.40A	472.70B/389.40A	----	448.50 + 52.90	.6442	----	----	----	----	1 UNCH
5000	----	----	487.30B/402.40A	487.30B/402.40A	----	462.70 + 53.90	.6544	----	----	----	----	47 UNCH
5010	----	----	494.60B/409.00A	494.60B/409.00A	----	469.90 + 54.50	.6594	----	----	----	----	1 UNCH
5050	----	----	524.60B/431.30A	524.60B/431.30A	----	499.10 + 56.40	.6789	----	----	----	----	25 UNCH
5150	----	----	----	424.00B/734.10A	----	575.80 + 60.90	.7237	----	----	----	----	1 UNCH
5200	----	----	638.90B/----	638.90B/618.30A	----	615.80 + 63.10	.7439	----	----	----	----	100 UNCH
5230	----	----	----	490.00B/794.90A	----	640.20 + 64.20	.7554	----	----	----	----	2 UNCH
5250	----	----	680.30B/----	680.30B/659.10A	----	656.70 + 65.10	.7627	----	----	----	----	75 UNCH
5300	----	----	722.50B/----	722.50B/700.80A	----	698.50 + 67.00	.7803	----	----	----	----	6 UNCH
5425	----	----	----	661.10B/951.80A	----	806.40 + 71.10	.8186	----	----	----	----	1 UNCH
5455	----	----	#857.80B/----	857.80B/835.20A	----	832.90 + 72.00	.8265	----	----	----	----	40 UNCH
5495	----	----	----	725.20B/1010.70A	----	868.60 + 73.00	.8366	----	----	----	----	1 UNCH
5500	----	----	----	729.80B/1014.80A	----	873.10 + 73.10	.8379	----	----	----	----	1 UNCH
5600	----	----	----	821.10B/1100.80A	----	963.90 + 75.40	.8600	----	----	----	----	1 UNCH
5700	----	----	----	913.70B/1189.90A	----	1056.50 + 77.30	.8785	----	----	----	----	1 UNCH
TOTAL										176		6274 + 94
NOV26												
2750	----	----	----	0.10B/33.50A	----	14.80 + 6.00	.0247	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/34.30A	----	16.40 + 6.60	.0273	----	----	----	----	8 UNCH
2900	----	----	----	0.10B/36.10A	----	17.60 + 7.20	.0304	----	----	----	----	1 UNCH
3000	----	----	----	0.10B/21.00A	----	18.80 + 7.70	.0338	----	----	----	----	95 UNCH
3120	----	----	----	0.10B/41.30A	----	20.40 + 8.30	.0384	----	----	----	----	10 UNCH
3180	----	----	----	0.10B/43.10A	----	21.40 + 8.60	.0412	----	----	----	----	10 UNCH
3200	----	----	----	0.10B/43.70A	----	21.70 + 8.70	.0421	----	----	----	----	93 UNCH
3215	----	----	----	0.10B/44.10A	----	22.00 + 8.80	.0429	----	----	----	----	1 UNCH
3220	----	----	----	0.10B/44.30A	----	22.10 + 8.80	.0432	----	----	----	----	1 UNCH
3225	----	----	----	0.10B/44.50A	----	22.10 + 8.80	.0433	----	----	----	----	1 UNCH
3235	----	----	----	0.10B/44.80A	----	22.30 + 8.80	.0438	----	----	----	----	2 UNCH
3250	----	----	----	0.10B/45.30A	----	22.60 + 8.90	.0446	----	----	----	----	18 UNCH
3255	----	----	----	0.10B/45.50A	----	22.70 + 8.90	.0449	----	----	----	----	18 UNCH
3300	----	----	----	0.10B/47.10A	----	23.60 + 9.10	.0475	----	----	----	----	20 UNCH
3310	----	----	----	0.10B/47.50A	----	23.80 + 9.10	.0480	----	----	----	----	1 UNCH
3320	----	----	----	0.10B/47.90A	----	24.00 + 9.10	.0486	----	----	----	----	16 UNCH
3350	----	----	----	0.90B/49.10A	----	24.70 + 9.10	.0505	----	----	----	----	180 UNCH
3455	----	----	----	4.80B/54.20A	----	27.60 + 9.10	.0583	----	----	----	----	1 UNCH
3475	----	----	----	5.70B/55.30A	----	28.30 + 9.10	.0600	----	----	----	----	2 UNCH
3500	----	----	----	6.90B/44.90A	----	29.10 + 9.00	.0622	----	----	----	----	655 UNCH
3535	----	----	25.10B/----	25.10B/34.70A	----	30.50 + 9.00	.0656	----	----	----	----	3 UNCH
3605	30.20	30.20	30.20/30.20	30.20/30.20	----	33.60 NEW	.0733	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
3690	----	----	36.40B/----	36.40B/35.50A	----	38.40 + 8.20	.0846	----	----	----	----	1 UNCH
3725	----	----	39.60B/----	39.60B/38.00A	----	40.80 + 8.10	.0901	----	----	----	----	1 UNCH
3740	----	----	41.00B/----	41.00B/39.20A	----	41.90 + 8.00	.0925	----	----	----	----	21 UNCH
3750	----	----	42.00B/----	42.00B/40.00A	----	42.70 + 8.00	.0943	----	----	----	----	150 UNCH
3780	----	----	45.00B/----	45.00B/42.40A	----	45.10 + 7.90	.0996	----	----	----	----	1 UNCH
3800	----	----	47.50B/----	47.50B/44.10A	----	46.90 + 7.90	.1034	----	----	----	----	28 UNCH
3820	----	----	49.80B/----	49.80B/45.80A	----	48.70 + 7.80	.1073	----	----	----	----	20 UNCH
3875	----	----	56.40B/----	56.40B/51.10A	----	54.40 + 7.90	.1192	----	----	----	----	24 UNCH
3980	----	----	71.80B/----	71.80B/63.00A	----	67.60 + 8.20	.1457	----	----	----	----	1 UNCH
4000	----	----	75.10B/----	75.10B/65.60A	----	70.60 + 8.40	.1514	----	----	----	----	3 UNCH
4100	----	----	93.80B/----	93.80B/80.10A	----	87.30 + 9.60	.1827	----	----	----	----	2 UNCH
4160	----	----	106.60B/----	106.60B/90.20A	----	99.30 + 11.00	.2040	----	----	----	----	1 UNCH
4170	----	----	109.00B/----	109.00B/92.00A	----	101.40 + 11.20	.2076	----	----	----	----	1 UNCH
4200	----	----	116.20B/----	116.20B/97.70A	----	108.10 + 12.00	.2191	----	----	----	----	5 UNCH
4205	----	----	117.30B/----	117.30B/98.60A	----	109.20 + 12.10	.2210	----	----	----	----	1 UNCH
4215	----	----	119.90B/----	119.90B/100.60A	----	111.60 + 12.50	.2250	----	----	----	----	5 UNCH
4250	----	----	128.80B/----	128.80B/107.90A	----	120.10 NEW	.2391	----	----	----	370	370 + 370
4275	----	----	135.50B/----	135.50B/113.30A	----	126.60 + 14.40	.2496	----	----	----	----	3 UNCH
4305	----	----	144.00B/----	144.00B/120.20A	----	134.70 + 15.40	.2625	----	----	----	----	1 UNCH
4320	----	----	148.40B/----	148.40B/123.80A	----	139.00 + 16.10	.2692	----	----	----	----	43 UNCH
4330	----	----	151.60B/----	151.60B/126.20A	----	141.90 + 16.50	.2736	----	----	----	----	2 UNCH
4350	----	----	157.80B/----	157.80B/131.30A	----	147.80 + 17.20	.2827	----	----	----	----	3 UNCH
4400	----	----	174.20B/----	174.20B/144.70A	----	163.60 + 19.40	.3061	----	----	----	----	3 UNCH
4425	----	----	183.10B/----	183.10B/151.90A	----	171.90 + 20.40	.3181	----	----	----	----	72 UNCH
4430	----	----	184.90B/----	184.90B/153.30A	----	173.60 + 20.60	.3206	----	----	----	----	10 UNCH
4450	----	----	192.10B/----	192.10B/159.40A	----	180.70 + 21.60	.3304	----	----	----	----	39 UNCH
4485	----	----	205.30B/170.30A	205.30B/170.30A	----	193.40 NEW	.3479	----	----	1	----	1 + 1
4490	----	----	207.60B/----	207.60B/172.00A	----	195.30 NEW	.3505	----	----	1	----	1 + 1
4500	----	----	211.60B/175.30A	211.60B/175.30A	----	199.10 + 23.70	.3556	----	----	----	----	45 UNCH
4510	----	----	215.40B/178.60A	215.40B/178.60A	----	203.00 + 24.20	.3607	----	----	----	----	10 UNCH
4535	----	----	225.70B/187.20A	225.70B/187.20A	----	212.90 + 25.30	.3736	----	----	----	----	10 UNCH
4540	----	----	228.40B/189.00A	228.40B/189.00A	----	214.90 + 25.50	.3762	----	----	----	----	6 UNCH
4580	----	----	245.90B/203.60A	245.90B/203.60A	----	231.70 + 27.40	.3972	----	----	----	----	10 UNCH
4640	----	----	273.90B/227.30A	273.90B/227.30A	----	258.60 + 30.20	.4293	----	----	----	----	90 UNCH
4650	272.20	272.20	278.70B/231.40A	278.70B/231.40A	----	263.30 NEW	.4347	----	----	50	----	50 + 50
4700	----	----	304.30B/253.10A	304.30B/253.10A	----	288.00 + 33.70	.4618	----	----	----	----	2 UNCH
4725	----	----	317.70B/264.50A	317.70B/264.50A	----	300.90 + 35.30	.4754	----	----	----	----	2 UNCH
4800	----	----	360.20B/300.90A	360.20B/300.90A	----	342.10 + 40.50	.5155	----	----	----	----	7 UNCH
4840	----	----	384.10B/321.80A	384.10B/321.80A	----	365.30 + 43.00	.5366	----	----	----	----	2 UNCH
4845	----	----	387.30B/324.40A	387.30B/324.40A	----	368.30 + 43.40	.5392	----	----	----	----	10 UNCH
4850	----	----	390.40B/327.20A	390.40B/327.20A	----	371.30 + 43.70	.5418	----	----	----	----	6 UNCH
4900	----	----	421.90B/354.80A	421.90B/354.80A	----	401.90 + 46.30	.5675	----	----	----	----	12 UNCH
4915	----	----	431.50B/363.40A	431.50B/363.40A	----	411.40 + 47.00	.5751	----	----	----	----	3 UNCH
4935	----	----	444.70B/375.20A	444.70B/375.20A	----	424.30 + 48.00	.5851	----	----	----	----	25 UNCH
4950	----	----	454.80B/384.10A	454.80B/384.10A	----	434.10 + 48.70	.5925	----	----	----	----	11 UNCH
4960	----	----	461.70B/390.10A	461.70B/390.10A	----	440.60 + 49.10	.5973	----	----	----	----	2 UNCH
5000	----	----	489.30B/414.70A	489.30B/414.70A	----	467.50 + 51.00	.6166	----	----	----	----	256 UNCH
5020	----	----	503.40B/427.40A	503.40B/427.40A	----	481.30 + 52.00	.6260	----	----	----	----	30 UNCH
5055	----	----	528.60B/450.10A	528.60B/450.10A	----	505.80 + 53.70	.6421	----	----	----	----	8 UNCH
5200	----	----	619.70B/----	619.70B/613.10A	----	613.30 + 59.90	.7033	----	----	----	----	81 UNCH
5395	----	----	----	601.70B/944.40A	----	770.90 + 66.70	.7711	----	----	----	----	6 UNCH
5400	----	----	----	606.00B/948.40A	----	775.10 + 66.90	.7727	----	----	----	----	6 UNCH
5760	----	----	----	930.70B/1251.40A	----	1093.70 + 76.00	.8572	----	----	----	----	1 UNCH
5975	----	----	----	1130.70B/1447.70A	----	1294.40 + 79.60	.8894	----	----	----	----	1 UNCH
6000	----	----	----	1154.30B/1471.30A	----	1318.00 + 79.90	.8925	----	----	----	----	1 UNCH
TOTAL										53	370	2644 + 423
DEC26												
1350	----	----	----	----/1.10A	----	0.30 + 0.10	.0005	----	----	----	----	16 UNCH
1375	----	----	----	----/25.00A	----	0.30 + 0.10	.0005	----	----	----	----	1 UNCH
1500	----	----	----	----/2.00A	----	0.60 + 0.20	.0010	----	----	----	----	1 UNCH
1600	----	----	----	----/2.70A	----	0.80 + 0.20	.0013	----	----	----	----	190 UNCH
1700	----	----	----	----/3.50A	----	1.10 + 0.30	.0018	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/3.00A	----	1.70 + 0.50	.0028	----	----	----	----	50 UNCH
1900	----	----	----	0.10B/28.90A	----	2.00 + 0.60	.0033	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/29.80A	----	2.60 + 0.80	.0044	----	----	----	----	2 UNCH
2400	----	----	----	0.10B/33.70A	----	5.50 + 0.70	.0098	----	----	----	----	1 UNCH
2490	----	----	----	0.10B/34.80A	----	6.10 + 0.30	.0112	----	----	----	----	1 UNCH
2750	----	----	----	0.10B/38.80A	----	7.50 UNCH	.0151	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/8.00A	----	7.90 - 0.10	.0162	----	----	----	----	10 UNCH
2900	----	----	----	5.00B/41.90A	----	9.30 + 0.10	.0194	----	----	----	----	19 UNCH
2925	----	----	----	0.10B/42.50A	----	9.70 + 0.10	.0203	----	----	----	----	300 UNCH
2975	----	----	----	0.10B/43.80A	----	10.70 + 0.40	.0224	----	----	----	----	400 UNCH
3000	----	----	----	8.00B/19.90A	----	11.20 + 0.40	.0235	----	----	----	----	1356 UNCH
3160	----	----	----	0.10B/49.70A	----	15.10 + 1.00	.0321	----	----	----	----	2 UNCH
3175	----	----	----	0.10B/50.30A	----	15.50 + 1.00	.0330	----	----	----	----	1 UNCH
3190	----	----	----	0.10B/50.80A	----	16.00 + 1.10	.0341	----	----	----	----	5 UNCH
3250	----	----	----	0.10B/53.20A	----	18.00 + 1.40	.0384	----	----	----	----	15 UNCH
3300	----	----	----	0.90B/55.40A	----	20.00 + 1.90	.0426	----	----	----	----	7 UNCH
3400	----	----	----	5.00B/60.70A	----	24.90 + 3.40	.0526	----	----	----	----	1610 UNCH
3425	----	----	----	6.20B/62.20A	----	26.30 + 3.80	.0554	----	----	----	----	350 UNCH
3450	----	----	----	7.50B/63.70A	----	27.80 + 4.20	.0584	----	----	----	----	201 UNCH
3460	----	----	----	8.00B/64.40A	----	28.40 + 4.40	.0596	----	----	----	----	20 UNCH
3475	----	----	27.00B/----	27.00B/37.60A	----	29.30 + 4.60	.0614	----	----	----	----	152 UNCH
3500	----	----	28.60B/----	28.60B/38.10A	----	30.90 + 5.10	.0646	----	----	----	----	1457 UNCH
3550	----	----	32.10B/----	32.10B/36.50A	----	34.10 + 5.70	.0711	----	----	----	----	18 UNCH
3565	----	----	33.30B/----	33.30B/37.30A	----	35.10 + 5.90	.0731	----	----	----	----	2 UNCH
3590	----	----	35.30B/----	35.30B/38.00A	----	36.80 + 6.10	.0766	----	----	----	----	1 UNCH
3600	30.00	30.00	36.10B/30.00	36.10B/30.00	----	37.50 + 6.20	.0780	----	----	60	----	406 + 50
3610	----	----	36.90B/----	36.90B/38.20A	----	38.20 + 6.20	.0795	----	----	----	----	3 UNCH
3650	----	----	40.40B/----	40.40B/40.40A	----	41.10 + 6.40	.0855	----	----	----	----	201 UNCH
3660	----	----	41.40B/----	41.40B/41.20A	----	41.90 + 6.40	.0871	----	----	----	----	5 UNCH
3670	----	----	42.30B/----	42.30B/41.90A	----	42.70 + 6.40	.0887	----	----	----	----	1 UNCH
3690	----	----	44.30B/----	44.30B/43.50A	----	44.40 + 6.60	.0921	----	----	----	----	1 UNCH
3700	38.00	38.00	45.60B/38.00	45.60B/38.00	----	45.30 + 6.60	.0938	----	----	10	----	279 + 10
3710	----	----	46.40B/----	46.40B/45.20A	----	46.20 + 6.70	.0956	----	----	----	----	37 UNCH
3720	----	----	47.60B/----	47.60B/46.10A	----	47.10 + 6.70	.0974	----	----	----	----	1 UNCH
3725	----	----	48.10B/----	48.10B/46.50A	----	47.50 + 6.60	.0982	----	----	----	----	6 UNCH
3750	----	----	51.00B/----	51.00B/48.80A	----	50.00 + 6.80	.1031	----	----	----	----	166 UNCH
3760	----	----	52.00B/----	52.00B/49.70A	----	51.00 + 6.80	.1050	----	----	----	----	184 UNCH
3780	----	----	54.40B/----	54.40B/51.60A	----	53.10 + 6.90	.1090	----	----	----	----	1 UNCH
3800	----	----	56.90B/----	56.90B/53.60A	----	55.20 + 6.90	.1131	----	----	----	----	73 UNCH
3810	----	----	58.20B/----	58.20B/54.60A	----	56.40 + 7.00	.1153	----	----	----	----	56 UNCH
3850	----	----	63.70B/----	63.70B/58.90A	----	61.20 + 7.20	.1243	----	----	----	----	24 UNCH
3880	----	----	68.30B/----	68.30B/62.40A	----	65.00 + 7.20	.1313	----	----	----	----	1 UNCH
3900	----	----	72.00B/----	72.00B/64.80A	----	67.80 + 7.40	.1364	----	----	----	----	1206 UNCH
3920	----	----	74.60B/----	74.60B/67.30A	----	70.60 + 7.50	.1414	----	----	----	----	50 UNCH
3925	----	----	75.40B/----	75.40B/67.90A	----	71.30 + 7.50	.1427	----	----	----	----	252 UNCH
3930	----	----	76.20B/----	76.20B/68.60A	----	72.10 + 7.60	.1441	----	----	----	----	2 UNCH
3950	----	----	79.50B/----	79.50B/71.30A	----	75.10 + 7.70	.1494	----	----	----	----	27 UNCH
3975	----	----	84.10B/----	84.10B/74.70A	----	79.10 + 8.00	.1564	----	----	----	----	190 UNCH
3980	83.10	83.10	85.00B/83.10	85.00B/75.40A	----	79.90 + 8.10	.1578	----	----	3	----	147 + 3
4000	----	----	88.80B/----	88.80B/78.40A	----	83.20 + 8.20	.1636	----	----	----	----	1961 UNCH
4025	----	----	93.30B/----	93.30B/82.10A	----	87.60 + 8.60	.1711	----	----	----	----	220 UNCH
4050	----	----	98.20B/----	98.20B/86.10A	----	92.20 + 9.00	.1788	----	----	----	----	200 UNCH
4070	----	----	102.30B/----	102.30B/89.40A	----	96.00 + 9.30	.1852	----	----	----	----	5 UNCH
4090	----	----	106.70B/----	106.70B/92.90A	----	100.00 + 9.60	.1917	----	----	----	----	1 UNCH
4100	100.50	100.50	108.80B/98.00	108.80B/94.60A	----	102.10 + 9.90	.1951	----	----	104	----	385 UNCH
4130	----	----	115.70B/----	115.70B/100.10A	----	108.50 + 10.50	.2054	----	----	----	----	2 UNCH
4160	----	----	122.60B/----	122.60B/105.90A	----	115.20 + 11.10	.2160	----	----	----	----	252 UNCH
4170	----	----	125.00B/----	125.00B/107.90A	----	117.50 + 11.40	.2197	----	----	----	----	2 UNCH
4175	----	----	126.50B/----	126.50B/108.90A	----	118.70 + 11.50	.2215	----	----	----	----	60 UNCH
4200	----	----	133.10B/----	133.10B/114.20A	----	124.80 + 12.20	.2309	----	----	----	----	669 UNCH
4215	----	----	136.70B/----	136.70B/117.40A	----	128.60 + 12.60	.2366	----	----	----	----	14 UNCH
4250	----	----	146.50B/----	146.50B/125.30A	----	137.80 + 13.70	.2503	----	----	----	----	344 UNCH
4300	----	----	161.60B/----	161.60B/137.50A	----	151.90 + 15.40	.2707	----	----	----	140	2104 UNCH
4320	----	----	167.30B/----	167.30B/142.60A	----	157.80 + 16.00	.2791	----	----	----	----	100 UNCH
4325	----	----	168.90B/----	168.90B/143.90A	----	159.40 + 16.30	.2813	----	----	----	----	300 UNCH
4340	----	----	173.70B/----	173.70B/147.90A	----	164.00 + 16.80	.2877	----	----	----	----	79 UNCH
4350	----	----	177.10B/----	177.10B/150.60A	----	167.20 + 17.30	.2920	----	----	----	----	151 UNCH
4365	----	----	182.20B/----	182.20B/154.80A	----	172.00 + 17.90	.2986	----	----	----	----	390 UNCH
4375	----	----	185.40B/----	185.40B/157.60A	----	175.30 + 18.30	.3030	----	----	----	----	2 UNCH
4385	----	----	189.00B/----	189.00B/160.50A	----	178.60 + 18.70	.3074	----	----	----	----	75 UNCH
4390	----	----	190.70B/----	190.70B/162.00A	----	180.30 + 18.90	.3097	----	----	----	----	14 UNCH
4400	186.80	186.80	194.50B/186.80	194.50B/165.00A	----	183.70 + 19.30	.3142	----	----	3	----	256 + 3
4425	----	----	203.30B/----	203.30B/172.50A	----	192.40 + 20.40	.3255	----	----	----	----	9 UNCH
4430	----	----	206.20B/----	206.20B/174.10A	----	194.20 + 20.60	.3278	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
4435	----	----	207.20B/----	207.20B/175.60A	----	196.00 + 20.90	.3302	----	----	----	----	14 UNCH
4450	----	----	212.80B/----	212.80B/180.40A	----	201.50 + 21.60	.3371	----	----	----	----	260 UNCH
4475	----	----	222.70B/----	222.70B/188.60A	----	210.90 + 22.80	.3488	----	----	----	----	8 UNCH
4500	217.00	217.00	233.70B/217.00	233.70B/197.10A	----	220.60 + 24.00	.3607	----	----	115	----	1246 + 40
4510	----	----	236.60B/----	236.60B/200.70A	----	224.60 + 24.50	.3655	----	----	----	----	2 UNCH
4515	----	----	239.40B/----	239.40B/202.40A	----	226.60 + 24.70	.3679	----	----	----	----	242 UNCH
4520	----	----	241.50B/----	241.50B/204.20A	----	228.70 + 25.00	.3703	----	----	----	----	25 UNCH
4525	----	----	243.70B/----	243.70B/206.00A	----	230.70 + 25.20	.3727	----	----	----	----	200 UNCH
4530	----	----	245.60B/----	245.60B/207.80A	----	232.80 + 25.50	.3752	----	----	----	----	20 UNCH
4535	----	----	248.00B/----	248.00B/209.70A	----	234.80 + 25.70	.3776	----	----	----	----	102 UNCH
4540	----	----	249.70B/----	249.70B/211.50A	----	236.90 + 26.00	.3800	----	----	----	----	1 UNCH
4550	----	----	254.50B/----	254.50B/215.20A	----	241.10 + 26.50	.3849	----	----	----	----	4 UNCH
4555	----	----	256.10B/----	256.10B/217.00A	----	243.20 + 26.80	.3873	----	----	----	----	50 UNCH
4580	----	----	267.60B/----	267.60B/226.60A	----	254.00 + 28.10	.3996	----	----	----	----	50 UNCH
4585	----	----	270.10B/----	270.10B/228.60A	----	256.20 + 28.30	.4021	----	----	----	----	325 UNCH
4600	----	----	278.40B/----	278.40B/234.50A	----	262.90 + 29.10	.4095	----	----	----	----	511 UNCH
4620	----	----	286.60B/----	286.60B/242.70A	----	272.10 + 30.30	.4194	----	----	----	----	50 UNCH
4625	----	----	288.70B/----	288.70B/244.70A	----	274.40 + 30.60	.4219	----	----	----	----	24 UNCH
4640	----	----	296.70B/----	296.70B/251.00A	----	281.40 + 31.30	.4294	----	----	----	----	100 UNCH
4650	----	----	301.20B/----	301.20B/255.20A	----	286.20 + 31.90	.4344	----	----	----	----	112 UNCH
4680	----	----	316.40B/----	316.40B/268.30A	----	300.90 + 33.60	.4494	----	----	----	----	60 UNCH
4690	----	----	321.50B/----	321.50B/272.70A	----	305.90 + 34.10	.4545	----	----	----	----	1 UNCH
4700	----	----	327.60B/----	327.60B/277.30A	----	311.00 + 34.70	.4595	----	----	----	----	512 UNCH
4750	----	----	354.20B/----	354.20B/300.70A	----	337.40 + 37.30	.4845	----	----	----	----	63 UNCH
4790	----	----	376.70B/----	376.70B/320.50A	----	359.60 + 39.30	.5042	----	----	----	----	60 UNCH
4800	----	----	382.60B/----	382.60B/325.70A	----	365.20 + 39.70	.5092	----	----	----	----	302 UNCH
4810	----	----	388.50B/----	388.50B/330.70A	----	371.00 + 40.30	.5141	----	----	----	----	56 UNCH
4815	----	----	391.50B/----	391.50B/333.40A	----	373.80 + 40.50	.5165	----	----	----	----	10 UNCH
4820	----	----	394.90B/----	394.90B/335.90A	----	376.70 + 40.80	.5189	----	----	----	----	20 UNCH
4825	----	----	397.40B/----	397.40B/338.60A	----	379.60 + 41.10	.5214	----	----	----	----	112 UNCH
4835	----	----	403.60B/----	403.60B/343.90A	----	385.40 + 41.60	.5263	----	----	----	----	125 UNCH
4850	----	----	413.00B/----	413.00B/351.90A	----	394.30 + 42.60	.5335	----	----	----	----	13 UNCH
4875	----	----	428.10B/----	428.10B/365.60A	----	409.30 + 44.00	.5455	----	----	----	----	7 UNCH
4880	----	----	431.30B/----	431.30B/368.30A	----	412.40 + 44.30	.5479	----	----	----	----	11 UNCH
4900	----	----	444.20B/----	444.20B/379.60A	----	424.70 + 45.40	.5574	----	----	----	----	110 UNCH
4925	----	----	460.00B/----	460.00B/393.90A	----	440.50 + 46.80	.5690	----	----	----	----	237 UNCH
4950	438.00	438.00	476.40B/438.00	476.40B/408.60A	----	456.70 + 48.10	.5805	----	----	2	----	24 UNCH
4975	----	----	493.30B/423.70A	493.30B/423.70A	----	473.20 + 49.30	.5918	----	----	----	----	43 UNCH
4980	----	----	496.70B/426.80A	496.70B/426.80A	----	476.50 + 49.50	.5940	----	----	----	----	5 UNCH
4995	----	----	506.90B/435.90A	506.90B/435.90A	----	486.60 + 50.20	.6007	----	----	----	----	32 UNCH
5000	----	----	510.50B/439.00A	510.50B/439.00A	----	490.00 + 50.50	.6028	----	----	----	----	445 UNCH
5020	----	----	524.10B/451.50A	524.10B/451.50A	----	503.70 + 51.40	.6116	----	----	----	----	8 UNCH
5025	----	----	527.60B/454.70A	527.60B/454.70A	----	507.10 + 51.60	.6138	----	----	----	----	210 UNCH
5035	----	----	534.50B/461.00A	534.50B/461.00A	----	514.00 + 52.10	.6180	----	----	----	----	8 UNCH
5050	----	----	545.40B/470.70A	545.40B/470.70A	----	524.40 + 52.70	.6245	----	----	----	----	201 UNCH
5070	----	----	559.70B/483.80A	559.70B/483.80A	----	538.50 + 53.50	.6329	----	----	----	----	1 UNCH
5075	----	----	563.40B/487.00A	563.40B/487.00A	----	542.10 + 53.80	.6350	----	----	----	----	100 UNCH
5095	----	----	577.90B/500.20A	577.90B/500.20A	----	556.30 + 54.50	.6432	----	----	----	----	6 UNCH
5100	----	----	581.60B/503.70A	581.60B/503.70A	----	559.90 + 54.70	.6453	----	----	----	----	6 UNCH
5195	----	----	653.10B/----	653.10B/629.30A	----	630.00 + 58.30	.6825	----	----	----	----	5 UNCH
5200	----	----	657.00B/----	657.00B/633.10A	----	633.80 + 58.50	.6843	----	----	----	----	38 UNCH
5250	----	----	692.00B/----	692.00B/671.40A	----	672.20 + 60.30	.7025	----	----	----	----	126 UNCH
5290	----	----	----	514.50B/896.90A	----	703.50 + 61.70	.7165	----	----	----	----	1 UNCH
5295	----	----	----	518.50B/900.80A	----	707.50 + 61.90	.7182	----	----	----	----	1 UNCH
5360	----	----	780.30B/----	780.30B/762.10A	----	759.60 + 64.10	.7394	----	----	----	----	100 UNCH
5370	----	----	788.50B/----	788.50B/770.30A	----	767.70 + 64.40	.7425	----	----	----	----	20 UNCH
5375	----	----	792.60B/----	792.60B/774.50A	----	771.80 + 64.60	.7441	----	----	----	----	34 UNCH
5400	----	----	813.30B/----	813.30B/795.20A	----	792.30 + 65.40	.7517	----	----	----	----	102 UNCH
5415	----	----	825.80B/----	825.80B/807.70A	----	804.70 + 65.90	.7561	----	----	----	----	4 UNCH
5460	----	----	863.50B/----	863.50B/845.60A	----	842.30 + 67.30	.7690	----	----	----	----	200 UNCH
5465	----	----	867.80B/----	867.80B/849.80A	----	846.50 + 67.40	.7704	----	----	----	----	50 UNCH
5480	----	----	880.40B/----	880.40B/862.60A	----	859.20 + 67.90	.7745	----	----	----	----	50 UNCH
5500	----	----	897.50B/----	897.50B/879.70A	----	876.20 + 68.40	.7799	----	----	----	----	31 UNCH
5525	----	----	918.90B/----	918.90B/901.20A	----	897.60 + 69.10	.7863	----	----	----	----	80 UNCH
5600	----	----	985.70B/----	985.70B/964.80A	----	962.50 + 70.70	.8047	----	----	----	----	252 UNCH
5900	----	----	#1,253.30B/----	#1253.30B/1239.30A	----	1232.90 + 76.00	.8620	----	----	----	----	125 UNCH
6000	----	----	#1,346.10B/----	#1346.10B/1333.20A	----	1325.90 + 77.50	.8763	----	----	----	----	40 UNCH
6500	----	----	#1,819.80B/----	#1819.80B/1815.80A	----	1804.60 + 82.80	.9234	----	----	----	----	4 UNCH
TOTAL										297	140	24714 + 106
JAN27												
2700	5.20	5.20	5.20/*5.20	5.20/*5.20	----	10.30 NEW	.0183	----	----	1	----	1 + 1
2800	----	----	----	0.10B/12.00A	----	11.90 + 0.50	.0214	----	----	----	----	10 UNCH
3000	10.00	10.00	10.00/10.00	10.00/10.00	----	18.20 + 1.70	.0325	----	----	1	----	4 + 1
3500	----	----	----	30.50B/36.90A	----	35.60 + 4.00	.0689	----	----	----	----	1 UNCH
3520	----	----	----	32.00B/38.10A	----	36.40 + 4.00	.0708	----	----	----	----	1 UNCH
3680	----	----	46.40B/----	46.40B/47.10A	----	46.80 + 4.50	.0919	----	----	----	----	1 UNCH
3800	----	----	61.50B/----	61.50B/59.00A	----	60.10 + 5.80	.1153	----	----	----	----	1 UNCH
3825	----	----	65.20B/----	65.20B/61.80A	----	63.50 + 6.10	.1210	----	----	----	----	1 UNCH
3900	----	----	77.40B/----	77.40B/71.10A	----	74.80 + 7.30	.1393	----	----	----	----	1 UNCH
3980	----	----	90.80B/----	90.80B/82.40A	----	88.80 + 8.90	.1611	----	----	----	----	1 UNCH
4000	----	----	94.60B/----	94.60B/85.50A	----	92.60 + 9.30	.1669	----	----	----	----	1 UNCH
4070	110.00	110.00	110.00/110.00	110.00/97.20A	----	106.50 NEW	.1878	----	----	1	----	1 + 1
4100	119.00	119.00	119.00/115.00	119.00/102.70A	----	112.90 + 11.60	.1972	----	----	8	----	8 + 8
4350	----	----	183.60B/----	183.60B/160.20A	----	178.20 + 18.40	.2869	----	----	----	----	1 UNCH
4400	----	----	200.70B/----	200.70B/174.60A	----	194.50 + 20.00	.3073	----	----	----	----	1 UNCH
4500	----	----	238.40B/206.70A	238.40B/206.70A	----	230.80 + 23.40	.3500	----	----	----	----	2 UNCH
4585	----	----	274.50B/237.70A	274.50B/237.70A	----	265.70 + 26.60	.3879	----	----	----	----	1 UNCH
4600	----	----	281.30B/243.50A	281.30B/243.50A	----	272.30 + 27.30	.3947	----	----	----	----	3 UNCH
4630	----	----	294.90B/255.50A	294.90B/255.50A	----	285.80 + 28.60	.4085	----	----	----	----	1 UNCH
4660	----	----	309.50B/267.90A	309.50B/267.90A	----	299.80 + 30.00	.4223	----	----	----	----	4 UNCH
4665	----	----	311.80B/270.00A	311.80B/270.00A	----	302.20 + 30.20	.4246	----	----	----	----	4 UNCH
4710	337.00	337.00	340.00/289.60A	340.00/289.60A	----	324.20 + 32.40	.4454	----	----	3	----	5 + 3
4760	----	----	361.00B/312.70A	361.00B/312.70A	----	350.00 + 35.00	.4685	----	----	----	----	100 UNCH
4800	----	----	383.50B/332.00A	383.50B/332.00A	----	371.60 + 37.20	.4868	----	----	----	----	6 UNCH
4820	----	----	394.50B/342.00A	394.50B/342.00A	----	382.80 + 38.40	.4959	----	----	----	----	6 UNCH
4860	----	----	417.90B/362.60A	417.90B/362.60A	----	405.60 + 40.70	.5140	----	----	----	----	1 UNCH
4980	----	----	493.10B/429.20A	493.10B/429.20A	----	479.00 + 47.40	.5665	----	----	----	----	10 UNCH
4990	----	----	499.70B/435.10A	499.70B/435.10A	----	485.40 + 47.90	.5708	----	----	----	----	1 UNCH
4995	----	----	503.00B/438.10A	503.00B/438.10A	----	488.70 + 48.30	.5729	----	----	----	----	1 UNCH
5000	----	----	506.50B/441.10A	506.50B/441.10A	----	491.90 + 48.50	.5749	----	----	----	----	3 UNCH
5050	----	----	540.10B/471.40A	540.10B/471.40A	----	524.80 + 50.80	.5957	----	----	----	----	100 UNCH
5085	----	----	564.50B/493.40A	564.50B/493.40A	----	548.50 + 52.30	.6099	----	----	----	----	2 UNCH
5150	----	----	611.00B/535.80A	611.00B/535.80A	----	593.80 + 54.60	.6353	----	----	----	----	2 UNCH
5235	----	----	673.60B/----	673.60B/658.70A	----	655.60 + 57.40	.6667	----	----	----	----	2 UNCH
5245	----	----	681.50B/----	681.50B/666.20A	----	663.00 + 57.60	.6703	----	----	----	----	2 UNCH
5300	----	----	724.10B/----	724.10B/707.70A	----	704.60 + 59.30	.6892	----	----	----	----	4 UNCH
TOTAL										14		294 + 14
FEB27												
4000	----	----	106.60B/----	106.60B/99.90A	----	105.70 + 11.00	.1768	----	----	----	----	1 UNCH
4200	----	----	154.60B/----	154.60B/140.50A	----	153.40 + 17.00	.2400	----	----	----	----	50 UNCH
4600	----	----	300.70B/----	300.70B/266.50A	----	295.50 + 30.30	.3963	----	----	----	----	17 UNCH
4650	----	----	324.40B/----	324.40B/287.20A	----	318.00 + 32.10	.4177	----	----	----	----	1 UNCH
4655	----	----	326.90B/----	326.90B/289.40A	----	320.40 + 32.40	.4199	----	----	----	----	1 UNCH
4660	----	----	329.30B/----	329.30B/291.50A	----	322.70 + 32.60	.4221	----	----	----	----	435 UNCH
4665	----	----	331.80B/----	331.80B/293.60A	----	325.00 + 32.70	.4242	----	----	----	----	3 UNCH
4750	----	----	375.50B/----	375.50B/332.20A	----	366.40 + 36.20	.4612	----	----	----	----	1 UNCH
4755	----	----	378.20B/----	378.20B/334.50A	----	368.90 + 36.40	.4634	----	----	----	----	1 UNCH
4775	----	----	389.10B/----	389.10B/344.20A	----	379.20 + 37.30	.4721	----	----	----	----	1 UNCH
4800	----	----	402.90B/----	402.90B/356.50A	----	392.40 + 38.50	.4829	----	----	1	----	125 UNCH
4805	----	----	405.70B/----	405.70B/359.00A	----	395.10 NEW	.4851	----	----	1	----	1 + 1
4835	----	----	422.80B/----	422.80B/374.30A	----	411.40 + 40.20	.4980	----	----	----	----	1 UNCH
4840	----	----	425.70B/----	425.70B/376.80A	----	414.20 + 40.40	.5001	----	----	----	----	1 UNCH
4850	----	----	431.50B/----	431.50B/382.00A	----	419.80 NEW	.5044	----	----	2	----	2 + 2
4855	----	----	434.40B/----	434.40B/384.70A	----	422.70 NEW	.5065	----	----	2	----	2 + 2
4900	----	----	461.30B/----	461.30B/408.80A	----	448.70 NEW	.5256	----	----	3	----	3 + 3
4905	----	----	464.40B/----	464.40B/411.40A	----	451.70 NEW	.5277	----	----	3	----	3 + 3
4950	----	----	492.20B/----	492.20B/436.60A	----	478.90 NEW	.5464	----	----	1	----	1 + 1
4955	----	----	495.40B/----	495.40B/439.50A	----	482.00 NEW	.5485	----	----	1	----	1 + 1
5000	----	----	524.30B/----	524.30B/465.80A	----	510.30 + 48.80	.5667	----	----	1	----	10 UNCH
5005	----	----	527.60B/----	527.60B/468.70A	----	513.50 + 49.00	.5687	----	----	1	----	2 UNCH
5050	----	----	557.50B/----	557.50B/496.00A	----	542.70 + 50.90	.5866	----	----	2	----	3 + 2
5055	----	----	560.90B/----	560.90B/499.10A	----	546.00 + 51.10	.5885	----	----	2	----	3 + 2
5100	----	----	591.70B/----	591.70B/527.30A	----	576.20 + 52.80	.6059	----	----	----	----	2 UNCH
5150	----	----	623.10B/----	623.10B/559.90A	----	610.80 + 54.60	.6246	----	----	----	----	1 UNCH
5175	----	----	641.20B/----	641.20B/576.60A	----	628.40 + 55.30	.6336	----	----	----	----	125 UNCH
5200	----	----	659.50B/----	659.50B/593.50A	----	646.40 + 56.20	.6425	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
FEB27												
5355	----	----	777.50B/----	777.50B/771.00A	----	762.80 + 61.00	.6936	----	----	----	----	1 UNCH
5520	----	----	----	631.10B/1160.20A	----	895.80 + 66.30	.7397	----	----	----	----	300 UNCH
5530	----	----	----	639.40B/1168.40A	----	904.10 + 66.60	.7423	----	----	----	----	100 UNCH
5550	----	----	----	656.30B/1184.90A	----	920.70 + 67.20	.7472	----	----	----	----	65 UNCH
5565	----	----	----	669.00B/1197.30A	----	933.30 + 67.70	.7509	----	----	----	----	50 UNCH
TOTAL										20		1314 + 17
MAR27												
4900	----	----	----	173.20B/723.60A	----	486.10 NEW	.4983	----	----	1	----	1 + 1
4905	----	----	----	174.90B/728.00A	----	489.00 NEW	.5001	----	----	1	----	1 + 1
5000	----	----	----	207.60B/808.60A	----	545.90 + 60.50	.5343	----	----	----	----	75 UNCH
TOTAL										2		77 + 2
APR27												
4300	----	----	----	----/377.30A	----	248.00 + 24.90	.2889	----	----	----	----	150 UNCH
5000	----	----	----	175.50B/876.00A	----	571.40 + 30.00	.5266	----	----	----	----	100 UNCH
5060	----	----	----	196.10B/926.20A	----	613.40 + 37.80	.5450	----	----	----	----	25 UNCH
TOTAL												275 0
DEC27												
3700	----	----	----	----	----	171.00 + 12.90	.1583	----	----	----	----	100 UNCH
3715	----	----	----	----	----	174.30 + 13.20	.1609	----	----	----	----	150 UNCH
3820	----	----	----	----	----	198.10 + 14.70	.1795	----	----	----	----	50 UNCH
4130	----	----	----	----	----	280.20 + 19.80	.2408	----	----	----	----	168 UNCH
4500	----	----	----	----	----	410.00 + 26.80	.3264	----	----	----	----	270 UNCH
4630	----	----	----	----	----	466.60 + 29.60	.3590	----	----	----	----	284 UNCH
4860	----	----	----	----	----	580.80 + 34.40	.4177	----	----	----	----	100 UNCH
5000	----	----	----	----	----	657.70 + 37.30	.4530	----	----	----	----	50 UNCH
5650	----	----	----	----	----	1071.20 + 51.20	.6027	----	----	----	----	200 UNCH
5880	----	----	----	----	----	1238.20 + 55.60	.6486	----	----	----	----	200 UNCH
TOTAL												1572 0
JAN28												
5000	----	----	----	----	----	660.10 + 36.20	.4419	----	----	----	----	1 UNCH
5100	----	----	----	----	----	716.60 + 38.20	.4658	----	----	----	----	1 UNCH
TOTAL												2 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAY26												
1000	----	----	----	----	----	3693.70 UNCH	----	----	----	----	----	0 UNCH
3400	----	----	----	----	----	1293.70 UNCH	----	----	----	----	----	0 UNCH
3600	----	----	----	----	----	1093.70 UNCH	----	----	----	----	----	0 UNCH
3700	----	----	----	----	----	993.70 UNCH	----	----	----	----	----	0 UNCH
3855	----	----	----	----	----	838.70 UNCH	----	----	----	----	----	0 UNCH
3900	----	----	----	----	----	793.70 UNCH	----	----	----	----	----	0 UNCH
3950	----	----	----	----	----	743.70 UNCH	----	----	----	----	----	0 UNCH
3980	----	----	----	----	----	713.70 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	693.70 UNCH	----	----	----	----	----	0 UNCH
4050	----	----	----	----	----	643.70 UNCH	----	----	----	----	----	0 UNCH
4070	----	----	----	----	----	623.70 UNCH	----	----	----	----	----	0 UNCH
4090	----	----	----	----	----	603.70 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	593.70 UNCH	----	----	----	----	----	0 UNCH
4105	----	----	----	----	----	588.70 UNCH	----	----	----	----	----	0 UNCH
4120	----	----	----	----	----	573.70 UNCH	----	----	----	----	----	0 UNCH
4130	----	----	----	----	----	563.70 UNCH	----	----	----	----	----	0 UNCH
4145	----	----	----	----	----	548.70 UNCH	----	----	----	----	----	0 UNCH
4150	----	----	----	----	----	543.70 UNCH	----	----	----	----	----	0 UNCH
4170	----	----	----	----	----	523.70 UNCH	----	----	----	----	----	0 UNCH
4175	----	----	----	----	----	518.70 UNCH	----	----	----	----	----	0 UNCH
4180	----	----	----	----	----	513.70 UNCH	----	----	----	----	----	0 UNCH
4185	----	----	----	----	----	508.70 UNCH	----	----	----	----	----	0 UNCH
4190	----	----	----	----	----	503.70 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	493.70 UNCH	----	----	----	----	----	0 UNCH
4205	----	----	----	----	----	488.70 UNCH	----	----	----	----	----	0 UNCH
4210	----	----	----	----	----	483.70 UNCH	----	----	----	----	----	0 UNCH
4240	----	----	----	----	----	453.70 UNCH	----	----	----	----	----	0 UNCH
4245	----	----	----	----	----	448.70 UNCH	----	----	----	----	----	0 UNCH
4250	----	----	----	----	----	443.70 UNCH	----	----	----	----	----	0 UNCH
4255	----	----	----	----	----	438.70 UNCH	----	----	----	----	----	0 UNCH
4260	----	----	----	----	----	433.70 UNCH	----	----	----	----	----	0 UNCH
4265	----	----	----	----	----	428.70 UNCH	----	----	----	----	----	0 UNCH
4270	----	----	----	----	----	423.70 UNCH	----	----	----	----	----	0 UNCH
4275	----	----	----	----	----	418.70 UNCH	----	----	----	----	----	0 UNCH
4280	----	----	----	----	----	413.70 UNCH	----	----	----	----	----	0 UNCH
4285	----	----	----	----	----	408.70 UNCH	----	----	----	----	----	0 UNCH
4290	----	----	----	----	----	403.70 UNCH	----	----	----	----	----	0 UNCH
4295	----	----	----	----	----	398.70 UNCH	----	----	----	----	----	0 UNCH
4300	----	----	----	----	----	393.70 UNCH	----	----	----	----	----	0 UNCH
4305	----	----	----	----	----	388.70 UNCH	----	----	----	----	----	0 UNCH
4315	----	----	----	----	----	378.70 UNCH	----	----	----	----	----	0 UNCH
4325	----	----	----	----	----	368.70 UNCH	----	----	----	----	----	0 UNCH
4330	----	----	----	----	----	363.70 UNCH	----	----	----	----	----	0 UNCH
4335	----	----	----	----	----	358.70 UNCH	----	----	----	----	----	0 UNCH
4340	----	----	----	----	----	353.70 UNCH	----	----	----	----	----	0 UNCH
4345	----	----	----	----	----	348.70 UNCH	----	----	----	----	----	0 UNCH
4350	----	----	----	----	----	343.70 UNCH	----	----	----	----	----	0 UNCH
4355	----	----	----	----	----	338.70 UNCH	----	----	----	----	----	0 UNCH
4360	----	----	----	----	----	333.70 UNCH	----	----	----	----	----	0 UNCH
4365	----	----	----	----	----	328.70 UNCH	----	----	----	----	----	0 UNCH
4370	----	----	----	----	----	323.70 UNCH	----	----	----	----	----	0 UNCH
4375	----	----	----	----	----	318.70 UNCH	----	----	----	----	----	0 UNCH
4380	----	----	----	----	----	313.70 UNCH	----	----	----	----	----	0 UNCH
4385	----	----	----	----	----	308.70 UNCH	----	----	----	----	----	0 UNCH
4390	----	----	----	----	----	303.70 UNCH	----	----	----	----	----	0 UNCH
4395	----	----	----	----	----	298.70 UNCH	----	----	----	----	----	0 UNCH
4400	----	----	----	----	----	293.70 UNCH	----	----	----	----	----	0 UNCH
4405	----	----	----	----	----	288.70 UNCH	----	----	----	----	----	0 UNCH
4410	----	----	----	----	----	283.70 UNCH	----	----	----	----	----	0 UNCH
4415	----	----	----	----	----	278.70 UNCH	----	----	----	----	----	0 UNCH
4420	----	----	----	----	----	273.70 UNCH	----	----	----	----	----	0 UNCH
4425	----	----	----	----	----	268.70 UNCH	----	----	----	----	----	0 UNCH
4430	----	----	----	----	----	263.70 UNCH	----	----	----	----	----	0 UNCH
4435	----	----	----	----	----	258.70 UNCH	----	----	----	----	----	0 UNCH
4440	----	----	----	----	----	253.70 UNCH	----	----	----	----	----	0 UNCH
4445	----	----	----	----	----	248.70 UNCH	----	----	----	----	----	0 UNCH
4450	----	----	----	----	----	243.70 UNCH	----	----	----	----	----	0 UNCH
4455	----	----	----	----	----	238.70 UNCH	----	----	----	----	----	0 UNCH
4460	----	----	----	----	----	233.70 UNCH	----	----	----	----	----	0 UNCH
4465	----	----	----	----	----	228.70 UNCH	----	----	----	----	----	0 UNCH
4470	----	----	----	----	----	223.70 UNCH	----	----	----	----	----	0 UNCH
4475	----	----	----	----	----	218.70 UNCH	----	----	----	----	----	0 UNCH
4480	----	----	----	----	----	213.70 UNCH	----	----	----	----	----	0 UNCH
4485	----	----	----	----	----	208.70 UNCH	----	----	----	----	----	0 UNCH
4490	----	----	----	----	----	203.70 UNCH	----	----	----	----	----	0 UNCH
4495	----	----	----	----	----	198.70 UNCH	----	----	----	----	----	0 UNCH
4500	----	----	----	----	----	193.70 UNCH	----	----	----	----	----	0 UNCH
4505	----	----	----	----	----	188.70 UNCH	----	----	----	----	----	0 UNCH
4510	----	----	----	----	----	183.70 UNCH	----	----	----	----	----	0 UNCH
4515	----	----	----	----	----	178.70 UNCH	----	----	----	----	----	0 UNCH
4520	----	----	----	----	----	173.70 UNCH	----	----	----	----	----	0 UNCH
4525	----	----	----	----	----	168.70 UNCH	----	----	----	----	----	0 UNCH
4530	----	----	----	----	----	163.70 UNCH	----	----	----	----	----	0 UNCH
4535	----	----	----	----	----	158.70 UNCH	----	----	----	----	----	0 UNCH
4540	----	----	----	----	----	153.70 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	148.70 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	143.70 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	138.70 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	133.70 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	128.70 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	123.70 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	118.70 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	113.70 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	108.70 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 21

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
OG CALL		COMEX GOLD OPTIONS												
MAY26														
4590	----	----	----	----	----	103.70	UNCH	----	----	----	----	----	0	UNCH
4595	----	----	----	----	----	98.70	UNCH	----	----	----	----	----	0	UNCH
4600	----	----	----	----	----	93.70	UNCH	----	----	----	----	----	0	UNCH
4605	----	----	----	----	----	88.70	UNCH	----	----	----	----	----	0	UNCH
4610	----	----	----	----	----	83.70	UNCH	----	----	----	----	----	0	UNCH
4615	----	----	----	----	----	78.70	UNCH	----	----	----	----	----	0	UNCH
4620	----	----	----	----	----	73.70	UNCH	----	----	----	----	----	0	UNCH
4625	----	----	----	----	----	68.70	UNCH	----	----	----	----	----	0	UNCH
4630	----	----	----	----	----	63.70	UNCH	----	----	----	----	----	0	UNCH
4635	----	----	----	----	----	58.70	UNCH	----	----	----	----	----	0	UNCH
4640	----	----	----	----	----	53.70	UNCH	----	----	----	----	----	0	UNCH
4645	----	----	----	----	----	48.70	UNCH	----	----	----	----	----	0	UNCH
4650	----	----	----	----	----	43.70	UNCH	----	----	----	----	----	0	UNCH
4655	----	----	----	----	----	38.70	UNCH	----	----	----	----	----	0	UNCH
4660	----	----	----	----	----	33.70	UNCH	----	----	----	----	----	0	UNCH
4665	----	----	----	----	----	28.70	UNCH	----	----	----	----	----	0	UNCH
4670	----	----	----	----	----	23.70	UNCH	----	----	----	----	----	0	UNCH
4675	----	----	----	----	----	18.70	UNCH	----	----	----	----	----	0	UNCH
4680	----	----	----	----	----	13.70	UNCH	----	----	----	----	----	0	UNCH
4685	----	----	----	----	----	8.70	UNCH	----	----	----	----	----	0	UNCH
4690	----	----	----	----	----	3.70	UNCH	----	----	----	----	----	0	UNCH
4695	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4700	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4705	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4710	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4715	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4720	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4725	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4730	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4735	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4740	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4745	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4750	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4755	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4760	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4765	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4770	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4775	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4780	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4785	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4790	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4795	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4800	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4810	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4815	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4820	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4825	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4830	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4835	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4840	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4845	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4850	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4855	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4865	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4870	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4880	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4885	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4890	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4900	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
4980	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5010	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5050	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
5350	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
6400	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
6450	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
15000	----	----	----	----	----	0.00	UNCH	----	----	----	----	----	0	UNCH
TOTAL													0	0
JUN26														
2000	----	----	----/2,577.40A	2609.60B/2577.40A	----	2608.40	- 85.30	1.0000	853	----	853	----	422	UNCH
2800	----	----	----/1,776.30A	1811.50B/1776.30A	----	1808.40	- 85.30	.9989	200	----	200	----	500	UNCH
3000	----	----	----/1,576.10A	1609.70B/1576.10A	----	1608.40	- 85.30	.9971	200	----	200	----	400	UNCH
3400	----	----	----/1,176.80A	1211.50B/1176.80A	----	1209.10	- 85.20	.9911	----	----	----	----	766	UNCH
3500	----	----	----/1,080.00A	1106.50B/1080.00A	----	1109.60	- 85.00	.9885	----	----	----	----	57	UNCH
3525	----	----	----	----	----	1084.80	- 85.00	.9875	----	----	----	----	1	UNCH
3550	----	----	----	----	----	1059.90	- 85.00	.9868	----	----	----	----	1	UNCH
3580	----	----	----/1,000.50A	1027.10B/1000.50A	----	1030.10	- 85.00	.9861	----	----	----	----	18	UNCH
3585	----	----	----/995.50A	1022.10B/995.50A	----	1025.10	- 85.00	.9857	----	----	----	----	100	UNCH
3600	----	----	----/980.60A	1007.20B/980.60A	----	1010.20	- 85.00	.9851	----	----	----	----	214	UNCH
3635	----	----	----/945.90A	972.50B/945.90A	----	975.40	- 85.00	.9839	----	----	----	----	60	UNCH
3650	----	----	----/931.00A	957.60B/931.00A	----	960.50	- 85.00	.9833	----	----	----	----	143	UNCH
3665	----	----	----/916.10A	942.80B/916.10A	----	945.60	- 85.00	.9827	----	----	----	----	3	UNCH
3700	----	----	----/880.20A	909.40B/880.20A	----	910.90	- 85.00	.9813	----	----	----	----	389	UNCH
3715	----	----	----/866.60A	893.30B/866.60A	----	896.00	- 85.00	.9807	----	----	----	----	25	UNCH
3725	----	----	----/856.70A	883.40B/856.70A	----	886.10	- 85.00	.9801	----	----	----	----	212	UNCH
3750	----	----	----/827.40A	865.00B/827.40A	----	861.30	- 85.00	.9788	----	----	----	----	1109	UNCH
3755	----	----	----/822.20A	860.10B/822.20A	----	856.40	- 84.90	.9783	----	----	----	----	15	UNCH
3785	----	----	----/792.80A	830.40B/792.80A	----	826.70	- 84.90	.9765	----	----	----	----	170	UNCH
3790	----	----	----/787.90A	825.40B/787.90A	----	821.80	- 84.80	.9763	----	----	----	----	1	UNCH
3800	----	----	914.00B/778.20A	914.00B/778.20A	----	811.90	- 84.80	.9757	----	----	----	----	545	UNCH
3835	----	----	879.30B/743.90A	879.30B/743.90A	----	777.30	- 84.70	.9732	----	----	----	----	1	UNCH
3840	----	----	874.30B/739.00A	874.30B/739.00A	----	772.40	- 84.70	.9727	----	----	----	----	21	UNCH
3850	----	----	864.40B/727.90A	864.40B/727.90A	----	762.50	- 84.70	.9720	----	----	----	----	322	UNCH
3875	----	----	839.70B/703.50A	839.70B/703.50A	----	737.90	- 84.50	.9696	----	----	----	----	60	UNCH
3895	----	----	819.90B/684.00A	819.90B/684.00A	----	718.20	- 84.50	.9677	----	----	----	----	1	UNCH
3900	----	----	815.00B/679.10A	815.00B/679.10A	----	713.30	- 84.40	.9672	----	----	----	----	363	UNCH
3925	----	----	790.30B/654.70A	790.30B/654.70A	----	688.80	- 84.30	.9646	----	----	----	----	4	UNCH
3950	----	----	765.60B/630.10A	765.60B/630.10A	----	664.20	- 84.30	.9616	----	----	----	----	14	UNCH
3975	----	----	740.90B/606.00A	740.90B/606.00A	----	639.80	- 84.10	.9584	----	----	----	----	106	UNCH
3990	----	----	726.20B/591.60A	726.20B/591.60A	----	625.20	- 83.90	.9564	----	----	----	----	1	UNCH
3995	----	----	721.20B/586.70A	721.20B/586.70A	----	620.30	- 83.90	.9557	----	----	----	----	5	UNCH
4000	----	----	716.30B/581.70A	716.30B/581.70A	----	615.40	- 83.90	.9547	----	----	----	----	860	UNCH
4005	----	----	713.60B/576.90A	713.60B/576.90A	----	610.50	- 83.90	.9540	----	----	----	----	10	UNCH
4010	----	----	708.70B/572.20A	708.70B/572.20A	----	605.70	- 83.80	.9533	----	----	----	----	1	UNCH
4020	----	----	698.90B/562.40A	698.90B/562.40A	----	596.00	- 83.70	.9515	----	----	----	----	2	UNCH
4025	----	----	694.10B/557.60A	694.10B/557.60A	----	591.10	- 83.70	.9508	----	----	----	----	51	UNCH
4030	----	----	689.10B/552.80A	689.10B/552.80A	----	586.20	- 83.70	.9497	----	----	----	----	1	UNCH
4040	----	----	679.40B/543.20A	679.40B/543.20A	----	576.60	- 83.60	.9479	----	----	----	----	1	UNCH
4050	----	----	669.40B/533.60A	669.40B/533.60A	----	566.90	- 83.50	.9460	----	----	----	----	185	UNCH
4060	----	----	659.80B/524.10A	659.80B/524.10A	----	557.20	- 83.40	.9441	----	----	----	----	25	UNCH
4070	----	----	649.90B/514.60A	649.90B/514.60A	----	547.60	- 83.30	.9422	----	----	----	----	10	UNCH
4075	----	----	645.00B/509.70A	645.00B/509.70A	----	542.80	- 83.20	.9410	----	----	----	----	64	UNCH
4090	----	----	630.20B/495.50A	630.20B/495.50A	----	528.40	- 83.10	.9375	----	----	----	----	34	UNCH
4100	----	----	620.60B/486.20A	620.60B/486.20A	----	518.80	- 82.90	.9350	----	----	----	----	682	UNCH
4105	----	----	615.70B/481.30A	615.70B/481.30A	----	514.00	- 82.90	.9338	----	----	----	----	50	UNCH
4110	----	----	610.70B/476.70A	610.70B/476.70A	----	509.20	- 82.90	.9326	----	----	----	----	2	UNCH
4115	----	----	606.00B/472.00A	606.00B/472.00A	----	504.40	- 82.80	.9313	----	----	----	----	5	UNCH
4125	----	----	596.10B/462.60A	596.10B/462.60A	----	494.90	- 82.60	.9284	----	----	----	----	95	UNCH
4135	----	----	586.50B/453.00A	586.50B/453.00A	----	485.40	- 82.50	.9255	----	----	----	----	16	UNCH
4150	----	----	572.00B/439.20A	572.00B/439.20A	----	471.20	- 82.20	.9208	----	----	----	----	263	UNCH
4155	----	----	567.20B/434.80A	567.20B/434.80A	----	466.50	- 82.10	.9191	----	----	1	----	5	UNCH
4170	----	----	552.70B/420.90A	552.70B/420.90A	----	452.40	- 81.80	.9139	----	----	----	----	51	UNCH
4175	----	----	547.80B/416.30A	547.80B/416.30A	----	447.80	- 81.70	.9122	----	----	----	----	61	UNCH
4195	----	----	528.60B/397.90A	528.60B/397.90A	----	429.10	- 81.30	.9046	----	----	----	----	1	UNCH
4200	----	----	523.80B/393.50A	523.80B/393.50A	----	424.50	- 81.10	.9025	----	----	30	----	2077	UNCH
4210	----	----	514.20B/384.40A	514.20B/384.40A	----	415.20	- 80.90	.8984	----	----	30	----	1576	UNCH
4220	----	----	504.70B/375.40A	504.70B/375.40A	----	406.00	- 80.60	.8940	----	----	----	----	84	UNCH
4225	----	----	499.90B/371.10A	499.90B/371.10A	----	401.50	- 80.40	.8917	----	----	----	----	15	UNCH
4235	----	----	490.40B/362.20A	490.40B/362.20A	----	392.30	- 80.20	.8871	----	----	----	----	6	UNCH
4240	----	----	485.60B/357.60A	485.60B/357.60A	----	387.80	- 80.00	.8845	----	----	----	----	53	UNCH
4245	----	----	480.90B/353.20A	480.90B/353.20A	----	383.30	- 79.80	.8822	----	----	----	----	263	UNCH
4250	----	----	476.10B/348.80A	476.10B/348.80A	----	378.70	- 79.70	.8795	----	----	----	----	922	UNCH
4255	----	----	471.40B/344.40A	471.40B/344.40A	----	374.20	- 79.50	.8768	----	----	----	----	6	UNCH
4260	----	----	466.60B/340.00A	466.60B/340.00A	----	369.70	- 79.40	.8741	----	----	----	----	1	UNCH
4265	----	----	461.90B/335.70A	461.90B/335.70A	----	365.30	- 79.10	.8714	----	----	----	----	87	UNCH
4270	----	----	457.20B/331.30A	457.20B/331.30A	----	360.80	- 78.90	.8687	----	----	----	----	11	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4280	----	----	447.80B/322.70A	447.80B/322.70A	----	351.90 - 78.60	.8628	----	----	----	----	1 UNCH
4285	----	----	443.10B/318.40A	443.10B/318.40A	----	347.50 - 78.40	.8597	----	----	----	----	1 UNCH
4300	----	----	429.10B/305.80A	429.10B/305.80A	----	334.30 - 77.80	.8503	----	----	10	----	2117 UNCH
4305	----	----	424.50B/301.60A	424.50B/301.60A	----	330.00 - 77.50	.8471	----	----	----	----	1 UNCH
4310	----	----	419.80B/297.30A	419.80B/297.30A	----	325.60 - 77.30	.8436	----	----	----	----	23 UNCH
4315	----	----	415.20B/293.10A	415.20B/293.10A	----	321.30 - 77.10	.8400	----	----	----	----	1 UNCH
4320	----	----	410.60B/289.10A	410.60B/289.10A	----	317.00 - 76.80	.8368	----	----	----	----	62 UNCH
4325	----	----	406.00B/284.80A	406.00B/284.80A	----	312.70 - 76.60	.8332	----	----	----	----	73 UNCH
4335	----	----	396.80B/276.70A	396.80B/276.70A	----	304.20 - 76.10	.8257	----	----	----	----	13 UNCH
4340	----	----	392.20B/272.70A	392.20B/272.70A	----	300.00 - 75.80	.8218	----	----	----	----	17 UNCH
4345	----	----	387.60B/268.40A	387.60B/268.40A	----	295.80 - 75.50	.8179	----	----	----	----	2 UNCH
4350	----	----	383.10B/264.60A	383.10B/264.60A	----	291.60 - 75.20	.8140	----	----	----	----	1457 UNCH
4355	----	----	378.60B/260.50A	378.60B/260.50A	----	287.40 - 75.00	.8100	----	----	----	----	129 UNCH
4360	----	----	374.00B/256.70A	374.00B/256.70A	----	283.30 - 74.70	.8060	----	----	----	----	42 UNCH
4365	----	----	369.50B/252.70A	369.50B/252.70A	----	279.20 - 74.30	.8017	----	----	----	----	4 UNCH
4370	----	----	365.00B/248.70A	365.00B/248.70A	----	275.10 - 74.00	.7974	----	----	----	----	3 UNCH
4375	----	----	360.50B/244.80A	360.50B/244.80A	----	271.00 - 73.70	.7931	----	----	----	----	106 UNCH
4380	----	----	356.00B/241.10A	356.00B/241.10A	----	266.90 - 73.50	.7885	----	----	----	----	341 UNCH
4385	----	----	351.50B/237.20A	351.50B/237.20A	----	262.90 - 73.10	.7842	----	----	----	----	3 UNCH
4390	----	----	347.20B/233.40A	347.20B/233.40A	----	258.90 - 72.80	.7796	----	----	----	----	16 UNCH
4395	----	----	342.70B/229.60A	342.70B/229.60A	----	254.90 - 72.50	.7749	----	----	----	----	10 UNCH
4400	----	----	338.30B/225.80A	338.30B/225.80A	----	251.00 - 72.10	.7700	----	----	6	----	1458 + 2
4410	----	----	329.60B/218.40A	329.60B/218.40A	----	243.20 - 71.30	.7604	----	----	----	----	39 UNCH
4415	----	----	325.20B/214.70A	325.20B/214.70A	----	239.30 - 70.90	.7554	----	----	----	----	176 UNCH
4420	----	----	320.70B/210.90A	320.70B/210.90A	----	235.40 - 70.60	.7502	----	----	----	----	3 UNCH
4425	----	----	316.50B/207.50A	316.50B/207.50A	----	231.60 - 70.20	.7452	----	----	----	----	274 UNCH
4430	----	----	312.20B/203.90A	312.20B/203.90A	----	227.80 - 69.80	.7400	----	----	----	----	19 UNCH
4435	----	----	307.90B/200.20A	307.90B/200.20A	----	224.10 - 69.30	.7345	----	----	----	----	19 UNCH
4440	----	----	303.60B/196.80A	303.60B/196.80A	----	220.30 - 69.00	.7293	----	----	----	----	20 UNCH
4445	----	----	299.20B/193.20A	299.20B/193.20A	----	216.60 - 68.60	.7238	----	----	----	----	5 UNCH
4450	----	----	295.10B/189.80A	295.10B/189.80A	----	213.00 - 68.00	.7182	----	----	----	----	497 UNCH
4455	----	----	290.70B/186.10A	290.70B/186.10A	----	209.30 - 67.70	.7125	----	----	----	----	6 UNCH
4460	----	----	286.60B/182.70A	286.60B/182.70A	----	205.70 - 67.20	.7068	----	----	----	----	20 UNCH
4465	----	----	282.50B/179.50A	282.50B/179.50A	----	202.10 - 66.80	.7011	----	----	----	----	18 UNCH
4470	----	----	278.30B/176.20A	278.30B/176.20A	----	198.60 - 66.20	.6953	----	----	----	----	24 UNCH
4475	----	----	274.20B/172.80A	274.20B/172.80A	----	195.10 - 65.70	.6893	----	----	----	----	22 UNCH
4480	----	----	270.00B/169.50A	270.00B/169.50A	----	191.60 - 65.30	.6834	----	----	----	----	59 UNCH
4485	----	----	265.90B/166.30A	265.90B/166.30A	----	188.10 - 64.80	.6774	----	----	----	----	6 UNCH
4490	----	----	262.00B/163.10A	262.00B/163.10A	----	184.70 - 64.30	.6712	----	----	----	----	51 UNCH
4495	----	----	257.70B/159.90A	257.70B/159.90A	----	181.30 - 63.80	.6650	----	----	----	----	6 UNCH
4500	168.70	168.70	253.80B/156.70A	253.80B/156.70A	----	178.00 - 63.20	.6588	----	----	13	----	4356 - 6
4505	----	----	249.80B/153.60A	249.80B/153.60A	----	174.60 - 62.80	.6525	----	----	----	----	49 UNCH
4510	----	----	245.90B/150.50A	245.90B/150.50A	----	171.30 - 62.20	.6461	----	----	----	----	1475 UNCH
4515	----	----	241.90B/147.50A	241.90B/147.50A	----	168.10 - 61.60	.6398	----	----	----	----	93 UNCH
4520	----	----	238.00B/144.50A	238.00B/144.50A	----	164.90 - 61.10	.6332	----	----	----	----	51 UNCH
4525	150.20	150.20	234.10B/141.50A	234.10B/141.50A	----	161.70 - 60.50	.6267	----	----	13	----	223 - 9
4530	----	----	230.10B/138.60A	230.10B/138.60A	----	158.50 - 60.00	.6202	----	----	----	----	13 UNCH
4535	----	----	226.30B/135.70A	226.30B/135.70A	----	155.40 - 59.40	.6135	----	----	----	----	12 UNCH
4540	149.20	149.20	222.50B/132.90A	222.50B/132.90A	----	152.30 - 58.90	.6068	----	----	2	----	78 UNCH
4545	----	----	218.70B/130.00A	218.70B/130.00A	----	149.30 - 58.20	.6001	----	----	----	----	32 UNCH
4550	164.50	164.50	215.00B/127.30A	215.00B/127.30A	----	146.20 - 57.70	.5933	----	----	4	----	220 + 1
4555	----	----	211.20B/124.50A	211.20B/124.50A	----	143.30 - 57.10	.5865	----	----	----	----	9 UNCH
4560	----	----	207.50B/121.80A	207.50B/121.80A	----	140.30 - 56.50	.5797	----	----	----	----	158 UNCH
4565	----	----	203.80B/119.10A	203.80B/119.10A	----	137.40 - 55.90	.5728	----	----	----	----	104 UNCH
4570	124.10	124.10	200.20B/116.50A	200.20B/116.50A	----	134.50 - 55.30	.5659	----	----	12	----	35 UNCH
4575	121.60	121.60	196.60B/113.90A	196.60B/113.90A	----	131.70 - 54.70	.5589	----	----	3	----	66 + 1
4580	----	----	193.00B/111.30A	193.00B/111.30A	----	128.90 - 54.10	.5519	----	----	2	----	10 + 2
4585	----	----	189.40B/108.80A	189.40B/108.80A	----	126.10 - 53.50	.5449	----	----	235	----	239 + 224
4590	113.60	113.60	185.90B/106.30A	185.90B/106.30A	----	123.40 - 52.90	.5379	----	----	1128	----	1031 + 952
4595	114.90	114.90	182.40B/103.80A	182.40B/103.80A	----	120.70 - 52.20	.5308	----	----	2	----	14 + 1
4600	132.50	132.50	179.00B/101.40A	179.00B/101.40A	----	118.00 - 51.70	.5237	----	----	380	----	5359 + 196
4605	----	----	175.50B/99.00A	175.50B/99.00A	----	115.40 - 51.00	.5166	----	----	----	----	153 UNCH
4610	110.60	110.60	172.10B/96.70A	172.10B/96.70A	----	112.80 - 50.40	.5094	----	----	112	----	105 + 102
4615	----	----	168.80B/94.40A	168.80B/94.40A	----	110.30 - 49.70	.5023	----	----	----	----	3 UNCH
4620	102.70	102.70	165.40B/92.10A	165.40B/92.10A	----	107.80 - 49.10	.4952	----	----	13	----	25 + 5
4625	106.60	106.60	162.10B/89.90A	162.10B/89.90A	----	105.30 - 48.50	.4880	----	----	154	----	290 + 94
4630	105.00	105.00	158.80B/87.70A	158.80B/87.70A	----	102.90 - 47.80	.4808	----	----	20	----	64 + 9
4635	----	----	155.70B/85.60A	155.70B/85.60A	----	100.50 - 47.20	.4737	----	----	----	----	6 UNCH
4640	112.90	112.90	152.50B/83.40A	152.50B/83.40A	----	98.10 - 46.60	.4665	----	----	22	----	34 + 13
4645	111.50	111.50	149.30B/81.40A	149.30B/81.40A	----	95.80 - 45.90	.4593	----	----	2	----	12 - 1
4650	110.00	110.00	146.50B/79.30A	146.50B/79.30A	----	93.60 - 45.20	.4522	----	----	71	----	972 + 56
4655	104.80	104.80	143.40B/77.30A	143.40B/77.30A	----	91.30 - 44.60	.4451	----	----	2	----	29 + 1
4660	79.80	79.80	140.40B/75.40A	140.40B/75.40A	----	89.20 - 43.80	.4380	----	----	1	----	25 UNCH
4665	87.70	87.70	137.40B/*73.40A	137.40B/*73.40A	----	87.00 - 43.20	.4309	----	----	126	----	125 + 123
4670	99.10	99.10	134.50B/71.60A	134.50B/71.60A	----	84.90 - 42.50	.4238	----	----	10	----	156 + 4
4675	75.00	75.00	131.50B/69.70A	131.50B/69.70A	----	82.80 - 41.80	.4168	----	----	12	----	518 + 2
4680	93.90	93.90	128.60B/67.90A	128.60B/67.90A	----	80.80 - 41.10	.4098	----	----	49	----	253 + 5
4685	108.20	108.20	125.70B/*66.10A	125.70B/*66.10A	----	78.80 - 40.50	.4028	----	----	2	----	42 + 1
4690	108.50	108.50	122.90B/64.40A	122.90B/64.40A	----	76.90 - 39.70	.3959	----	----	2	----	58 + 2
4695	----	----	120.10B/*62.70A	120.10B/*62.70A	----	74.90 - 39.10	.3889	----	----	----	----	51 UNCH
4700	100.70	100.70	117.40B/61.00	117.40B/61.00	----	73.10 - 38.40	.3822	----	----	897	----	3789 + 372
4705	75.00	75.00	114.70B/*59.40A	114.70B/*59.40A	----	71.20 - 37.80	.3753	----	----	3	----	39 UNCH
4710	97.50	97.50	111.90B/57.70A	111.90B/57.70A	----	69.40 - 37.10	.3685	----	----	5	----	27 + 3
4715	93.50	93.50	109.40B/*56.20A	109.40B/*56.20A	----	67.60 - 36.50	.3617	----	----	1	----	21 UNCH
4720	91.20	91.20	106.80B/54.70A	106.80B/54.70A	----	65.90 - 35.80	.3551	----	----	7	----	310 + 1
4725	57.70	57.70	104.30B/53.20A	104.30B/53.20A	----	64.20 - 35.10	.3484	----	----	3	----	339 - 3
4730	----	----	101.70B/51.80A	101.70B/51.80A	----	62.50 - 34.50	.3418	----	----	2	----	55 + 2
4735	57.80	57.80	99.20B/*50.30A	99.20B/*50.30A	----	60.90 - 33.80	.3353	----	----	3	----	244 UNCH
4740	69.00	69.00	96.80B/*48.90A	96.80B/*48.90A	----	59.30 - 33.20	.3288	----	----	7	----	44 - 1
4745	----	----	94.40B/*47.50A	94.40B/*47.50A	----	57.70 - 32.60	.3223	----	----	1	----	36 + 1
4750	72.40	72.40	92.10B/*46.20A	92.10B/*46.20A	----	56.20 - 31.90	.3160	----	----	85	----	2054 + 27
4755	----	----	89.90B/*45.00A	89.90B/*45.00A	----	54.70 - 31.30	.3097	----	----	----	----	113 UNCH
4760	----	----	87.50B/*43.70A	87.50B/*43.70A	----	53.20 - 30.70	.3034	----	----	----	----	62 UNCH
4765	----	----	85.10B/*42.40A	85.10B/*42.40A	----	51.80 - 30.10	.2973	----	----	----	----	68 UNCH
4770	73.10	73.10	83.00B/*41.20A	83.00B/*41.20A	----	50.40 - 29.50	.2913	----	----	7	----	59 + 2
4775	52.00	52.00	80.80B/*40.00A	80.80B/*40.00A	----	49.10 - 28.80	.2854	----	----	16	----	204 UNCH
4780	43.00	43.00	78.90B/*38.90A	78.90B/*38.90A	----	47.70 - 28.30	.2793	----	----	3	----	130 + 1
4785	39.50	39.50	76.80B/*37.80A	76.80B/*37.80A	----	46.40 - 27.70	.2734	----	----	16	----	46 - 7
4790	----	----	74.80B/*36.70A	74.80B/*36.70A	----	45.20 - 27.00	.2678	----	----	----	----	43 UNCH
4795	41.50	41.50	72.80B/*35.70A	72.80B/*35.70A	----	43.90 - 26.50	.2619	----	----	2	----	64 - 2
4800	60.00	60.00	70.80B/34.70A	70.80B/34.70A	----	42.70 - 25.90	.2563	----	----	2150	250	4887 + 602
4805	----	----	68.90B/*33.70A	68.90B/*33.70A	----	41.60 - 25.30	.2510	----	----	2	----	41 - 1
4810	41.00	41.00	67.10B/*32.70A	67.10B/*32.70A	----	40.40 - 24.70	.2454	----	----	5	----	80 - 5
4815	----	----	65.30B/*31.80A	65.30B/*31.80A	----	39.30 - 24.20	.2400	----	----	----	----	89 UNCH
4820	----	----	63.50B/*30.80A	63.50B/*30.80A	----	38.20 - 23.60	.2347	----	----	----	----	96 UNCH
4825	32.50	32.50	61.80B/*29.90A	61.80B/*29.90A	----	37.20 - 23.00	.2296	----	----	40	----	689 + 22
4830	38.50	38.50	60.10B/*29.10A	60.10B/*29.10A	----	36.10 - 22.50	.2243	----	----	120	----	199 + 66
4835	37.00	37.00	58.40B/*28.30A	58.40B/*28.30A	----	35.10 - 21.90	.2193	----	----	15	----	17 + 10
4840	32.60	32.60	56.80B/*27.50A	56.80B/*27.50A	----	34.20 - 21.30	.2146	----	----	2	----	61 UNCH
4845	31.20	31.20	55.20B/*26.70A	55.20B/*26.70A	----	33.20 - 20.80	.2095	----	----	20	----	42 + 12
4850	45.50	45.50	53.60B/*25.90A	53.60B/*25.90A	----	32.30 - 20.30	.2048	----	----	505	----	2080 - 66
4855	30.90	30.90	52.10B/*25.20A	52.10B/*25.20A	----	31.40 - 19.70	.2001	----	----	85	----	360 + 79
4860	24.70	24.70	50.70B/*24.40A	50.70B/*24.40A	----	30.50 - 19.30	.1955	----	----	1	----	64 UNCH
4865	----	----	49.20B/*23.70A	49.20B/*23.70A	----	29.70 - 18.70	.1911	----	----	----	----	70 UNCH
4870	30.10	30.10	47.80B/*23.00A	47.80B/*23.00A	----	28.80 - 18.30	.1864	----	----	2	----	31 + 2
4875	27.50	27.50	46.50B/*22.30A	46.50B/*22.30A	----	28.00 - 17.80	.1821	----	----	20	----	123 - 3
4880	25.00	25.00	45.20B/*21.70A	45.20B/*21.70A	----	27.20 - 17.40	.1778	----	----	7	----	79 + 6
4885	31.00	31.00	43.90B/*21.00A	43.90B/*21.00A	----	26.50 - 16.90	.1738	----	----	133	----	334 + 72
4890	31.50	31.50	42.60B/*20.40A	42.60B/*20.40A	----	25.70 - 16.50	.1695	----	----	70	----	301 - 5
4895	22.10	22.10	41.40B/*19.80A	41.40B/*19.80A	----	25.00 - 16.10	.1655	----	----	67	----	257 + 42
4900	37.90	37.90	40.20B/19.00	40.20B/19.00	----	24.30 - 15.70	.1616	----	----	1888	50	5386 + 1071
4905	20.00	20.00	39.00B/*18.70A	39.00B/*18.70A	----	23.60 - 15.30	.1577	----	----	2	----	20 + 1
4910	----	----	----/*18.20A	37.80B/*18.20A	----	22.90 - 14.90	.1537	----	----	3	----	48 - 1
4915	----	----	----/*17.70A	36.80B/*17.70A	----	22.20 - 14.60	.1498	----	----	----	----	268 UNCH
4920	18.30	18.30	22.30/*17.10A	35.60B/*17.10A	----	21.60 - 14.20	.1463	----	----	2	----	122 + 1
4925	24.50	24.50	24.50/*16.60A	34.70B/*16.60A	----	21.00 - 13.80	.1428	----	----	20	----	123 + 18
4930	20.70	20.70	20.70/*16.20A	33.60B/*16.20A	----	20.40 - 13.40	.1392	----	----	10	----	210 + 2
4935	19.20	19.20	20.80/*15.70A	32.60B/*15.70A	----	19.80 - 13.10	.1357	----	----	6	----	119 - 3
4940	20.20	20.20	20.20/*15.30A	31.70B/*15.30A	----	19.20 - 12.80	.1322	----	----	1	----	103 + 1
4945	----	----	----/*14.90A	30.60B/*14.90A	----	18.70 - 12.40	.1291	----	----	1	----	345 + 1
4950	18.10	18.10	19.10/*14.40A	29.70B/*14.40A	----	18.20 - 12.00	.1261	----	----	242	----	1685 + 29
4955	14.30	14.30	18.80/*14.00A	28.80B/*14.00A	----	17.60 - 11.80	.1226	----	----	16	----	89 + 16
4960	20.30	20.30	20.30/*13.60A	28.00B/*13.60A	----	17.10 - 11.50	.1195	----	----	31	----	419 + 27
4965	16.10	16.10	16.10/*13.20	27.10B/*13.20	----	16.70 - 11.10	.1169	----	----	24	----	60 + 22
4970	23.00	23.00	23.00/*12.90	26.30B/*12.90	----	16.20 - 10.80	.1139	----	----	75	----	186 + 33
4975	14.10	14.10	14.10/*12.50A	25.50B/*12.50A	----	15.70 - 10.60	.1108	----	----	82	----	350 + 14
4980	15.20	15.20	15.20/*12.20A	24.80B/*12.20A	----	15.30 - 10.20	.1083	----	----	67	----	211 + 63

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4985	13.40	13.40	16.00/*11.90A	24.20B/*11.90A	----	14.90 - 9.90	.1057	----	----	56	----	168 + 49
4990	13.10	13.10	14.30/*11.50A	23.50B/*11.50A	----	14.40 - 9.70	.1027	----	----	65	----	967 - 6
4995	13.30	13.30	13.30/*11.20A	22.80B/*11.20A	----	14.00 - 9.50	.1001	----	----	34	----	135 + 34
5000	21.80	21.80	22.00B/10.80	22.00B/10.80	----	13.60 - 9.20	.0976	----	----	2990	200	8527 + 1043
5005	13.20	13.20	13.20/*10.60A	21.40B/*10.60A	----	13.30 - 8.90	.0955	----	----	47	----	338 + 37
5010	13.60	13.60	14.00/*10.40A	20.70B/*10.40A	----	12.90 - 8.70	.0929	----	----	39	----	213 + 25
5015	12.50	12.50	12.50/*10.10A	20.10B/*10.10A	----	12.50 - 8.50	.0904	----	----	59	----	129 + 56
5020	11.10	11.10	12.10/*9.80A	19.60B/*9.80A	----	12.20 - 8.20	.0883	----	----	63	----	472 + 4
5025	11.10	11.10	11.10/*9.60A	18.90B/*9.60A	----	11.90 - 8.00	.0863	----	----	10	----	115 - 1
5030	10.80	10.80	12.20/*9.30A	18.50B/*9.30A	----	11.50 - 7.80	.0838	----	----	12	----	128 + 5
5035	11.00	11.00	11.00/*9.10A	17.90B/*9.10A	----	11.20 - 7.60	.0818	----	----	5	----	63 + 5
5040	----	----	----/*8.90A	17.30B/*8.90A	----	10.90 - 7.40	.0797	----	----	----	----	234 UNCH
5045	10.50	10.50	10.50/*8.60A	16.90B/*8.60A	----	10.60 - 7.20	.0777	----	----	1	----	168 UNCH
5050	12.10	12.10	12.10/*8.40A	16.40B/*8.40A	----	10.30 - 7.00	.0757	----	----	741	----	1714 + 17
5055	10.00	10.00	10.00/*8.20A	15.90B/*8.20A	----	10.10 - 6.80	.0742	----	----	1	----	61 UNCH
5060	10.60	10.60	10.60/*8.00A	15.50B/*8.00A	----	9.80 - 6.60	.0722	----	----	1	----	104 - 1
5065	10.00	10.00	10.00/*7.80A	15.00B/*7.80A	----	9.50 - 6.50	.0703	----	----	2	----	43 + 2
5070	----	----	----/*7.70A	14.60B/*7.70A	----	9.30 - 6.30	.0688	----	----	3	----	80 UNCH
5075	7.80	7.80	7.80/*7.50A	14.20B/*7.50A	----	9.00 - 6.20	.0668	----	----	11	----	751 - 2
5080	7.60	7.60	7.60/*7.30A	13.90B/*7.30A	----	8.80 - 6.00	.0654	----	----	11	----	330 UNCH
5085	7.80	7.80	9.50/*7.10A	13.50B/*7.10A	----	8.60 - 5.80	.0639	----	----	6	----	207 + 5
5090	8.60	8.60	8.60/*7.00A	13.20B/*7.00A	----	8.40 - 5.60	.0625	----	----	2	----	72 + 1
5095	12.30	12.30	12.30/*6.80A	12.80B/*6.80A	----	8.20 - 5.40	.0610	----	----	2	----	74 + 1
5100	11.20	11.20	11.20/*6.70	12.30B/*6.70	----	8.00 - 5.30	.0596	----	----	446	----	5035 + 173
5105	8.30	8.30	8.30/*6.50A	12.10B/*6.50A	----	7.80 - 5.20	.0582	----	----	3	----	40 - 1
5110	7.30	7.30	7.30/*6.40A	11.80B/*6.40A	----	7.60 - 5.00	.0568	----	----	6	----	112 + 1
5115	----	----	----/*6.20A	11.50B/*6.20A	----	7.40 - 4.90	.0554	----	----	----	----	178 UNCH
5120	7.90	7.90	7.90/*6.10A	11.20B/*6.10A	----	7.30 - 4.70	.0545	----	----	1	----	155 + 1
5125	5.90	5.90	7.20/*5.80	10.90B/*5.80	----	7.10 - 4.60	.0531	----	----	36	----	313 + 1
5130	----	----	----/*5.80A	10.60B/*5.80A	----	6.90 - 4.50	.0517	----	----	----	----	56 UNCH
5135	----	----	----/*5.70A	10.30B/*5.70A	----	6.80 - 4.30	.0509	----	----	----	----	77 UNCH
5140	----	----	----/*5.60A	10.10B/*5.60A	----	6.60 - 4.30	.0495	----	----	3	----	142 - 2
5145	----	----	----/*5.50A	9.80B/*5.50A	----	6.50 - 4.10	.0487	----	----	----	----	29 UNCH
5150	7.70	7.70	7.70/*5.40A	9.60B/*5.40A	----	6.30 - 4.10	.0473	----	----	127	----	2430 + 21
5155	5.40	5.40	5.40/*5.30A	9.30B/*5.30A	----	6.20 - 3.90	.0465	----	----	2	----	34 - 2
5160	8.00	8.00	8.00/*5.20A	9.10B/*5.20A	----	6.10 - 3.80	.0457	----	----	5	----	115 - 1
5165	----	----	----/*5.10A	8.90B/*5.10A	----	5.90 - 3.70	.0443	----	----	2	----	161 - 1
5170	4.90	4.90	5.90/*4.90	8.60B/*4.90	----	5.80 - 3.60	.0435	----	----	2	----	357 - 1
5175	----	----	----/*4.80A	8.40B/*4.80A	----	5.70 - 3.50	.0427	----	----	----	----	46 UNCH
5180	----	----	----/*4.80A	8.20B/*4.80A	----	5.60 - 3.40	.0419	----	----	----	----	66 UNCH
5185	----	----	----/*4.70A	8.00B/*4.70A	----	5.50 - 3.30	.0411	----	----	----	----	115 UNCH
5190	----	----	----/*4.60A	7.80B/*4.60A	----	5.30 - 3.30	.0398	----	----	1	----	498 - 1
5195	4.60	4.60	4.60/*4.50A	7.80B/*4.50A	----	5.20 - 3.20	.0390	----	----	2	----	519 - 2
5200	6.40	6.40	6.40/*4.30	7.60B/*4.30	----	5.10 - 3.10	.0383	----	----	465	----	6088 - 164
5205	----	----	----/*4.30A	7.40B/*4.30A	----	5.00 - 3.00	.0375	----	----	----	----	70 UNCH
5210	----	----	----/*4.30A	7.20B/*4.30A	----	4.90 - 3.00	.0367	----	----	1	----	3073 UNCH
5215	4.00	4.00	4.00/*4.00	7.10B/*4.00	----	4.80 - 2.90	.0360	----	----	1	----	81 UNCH
5220	----	----	----/*4.10A	6.90B/*4.10A	----	4.70 - 2.80	.0352	----	----	----	----	204 UNCH
5225	----	----	----/*4.00A	6.80B/*4.00A	----	4.60 - 2.80	.0345	----	----	61	----	811 + 7
5230	4.10	4.10	4.10/*4.00A	6.60B/*4.00A	----	4.50 - 2.70	.0337	----	----	1	----	123 - 1
5235	----	----	----/*3.90A	6.50B/*3.90A	----	4.40 - 2.70	.0330	----	----	----	----	155 UNCH
5240	3.70	3.70	3.70/*3.70	6.30B/*3.70	----	4.30 - 2.60	.0323	----	----	1	----	62 - 1
5245	----	----	----/*3.80A	6.20B/*3.80A	----	4.20 - 2.60	.0315	----	----	----	----	23 UNCH
5250	4.40	4.40	4.40/*3.70A	6.10B/*3.70A	----	4.10 - 2.60	.0308	----	----	179	----	4170 + 6
5255	3.90	3.90	4.00/*3.70A	5.90B/*3.70A	----	4.10 - 2.40	.0306	----	----	272	----	226 + 156
5260	----	----	----/*3.60A	5.80B/*3.60A	----	4.00 - 2.40	.0299	----	----	1	----	410 - 1
5265	----	----	----/*3.60A	5.70B/*3.60A	----	3.90 - 2.40	.0292	----	----	----	----	49 UNCH
5270	----	----	----/*3.50A	5.60B/*3.50A	----	3.80 - 2.40	.0285	----	----	1	----	49 - 1
5275	----	----	----/*3.50A	5.50B/*3.50A	----	3.80 - 2.20	.0283	----	----	----	----	126 UNCH
5280	----	----	----/*3.40A	5.40B/*3.40A	----	3.70 - 2.20	.0276	----	----	----	----	98 UNCH
5285	----	----	----/*3.40A	5.20B/*3.40A	----	3.60 - 2.20	.0269	----	----	----	----	167 UNCH
5290	----	----	----/*3.30A	5.20B/*3.30A	----	3.60 - 2.10	.0268	----	----	----	----	35 UNCH
5295	3.90	3.90	3.90/*3.30A	5.00B/*3.30A	----	3.50 - 2.10	.0261	----	----	1	----	97 UNCH
5300	4.80	4.80	4.80/*3.00	5.00B/*3.00	----	3.50 - 2.00	.0259	----	----	403	----	4820 - 88
5305	----	----	----/*3.20A	4.90B/*3.20A	----	3.40 - 2.00	.0252	----	----	----	----	304 UNCH
5310	----	----	----/*3.10A	4.80B/*3.10A	----	3.40 - 1.90	.0251	----	----	----	----	125 UNCH
5315	----	----	----/*3.10A	4.70B/*3.10A	----	3.30 - 1.90	.0244	----	----	----	----	82 UNCH
5320	----	----	----/*3.10A	4.60B/*3.10A	----	3.30 - 1.80	.0243	----	----	----	----	140 UNCH
5325	----	----	----/*3.00A	4.60B/*3.00A	----	3.20 - 1.80	.0236	----	----	2	----	160 - 2
5330	----	----	----/*3.00A	4.50B/*3.00A	----	3.20 - 1.80	.0235	----	----	----	----	84 UNCH
5335	----	----	----/*3.00A	4.40B/*3.00A	----	3.10 - 1.80	.0228	----	----	----	----	26 UNCH
5340	----	----	----/*2.90A	4.30B/*2.90A	----	3.10 - 1.70	.0227	----	----	1	----	70 - 1
5345	----	----	----/*2.90A	4.30B/*2.90A	----	3.00 - 1.70	.0220	----	----	----	----	24 UNCH
5350	----	----	----/*2.80A	4.20B/*2.80A	----	3.00 - 1.60	.0219	----	----	95	----	1911 - 6
5355	----	----	----/*2.80A	4.10B/*2.80A	----	3.00 - 1.60	.0218	----	----	----	----	21 UNCH
5360	----	----	----/*2.80A	4.10B/*2.80A	----	2.90 - 1.60	.0212	----	----	----	----	63 UNCH
5365	----	----	----/*2.70A	4.00B/*2.70A	----	2.90 - 1.50	.0211	----	----	1	----	12 - 1
5370	----	----	----/*2.70A	3.90B/*2.70A	----	2.80 - 1.60	.0204	----	----	----	----	77 UNCH
5375	----	----	----/*2.70A	3.90B/*2.70A	----	2.80 - 1.50	.0203	----	----	----	----	269 UNCH
5380	----	----	----/*2.60A	3.80B/*2.60A	----	2.80 - 1.40	.0202	----	----	----	----	98 UNCH
5385	----	----	----/*2.60A	3.70B/*2.60A	----	2.70 - 1.50	.0196	----	----	----	----	10 UNCH
5390	----	----	----/*2.60A	3.70B/*2.60A	----	2.70 - 1.40	.0195	----	----	----	----	121 UNCH
5395	----	----	----/*2.50A	3.60B/*2.50A	----	2.70 - 1.30	.0194	----	----	----	----	48 UNCH
5400	2.70	2.70	2.70/*2.40	3.50B/*2.40	----	2.60 - 1.40	.0188	----	----	32	----	5411 + 12
5405	----	----	----/*2.50A	3.50B/*2.50A	----	2.60 - 1.30	.0187	----	----	----	----	87 UNCH
5410	3.50	3.50	3.50/*2.50A	3.60B/*2.50A	----	2.60 - 1.30	.0186	----	----	1	----	26 - 1
5415	----	----	----/*2.40A	3.60B/*2.40A	----	2.50 - 1.30	.0179	----	----	----	----	12 UNCH
5420	----	----	----/*2.40A	3.50B/*2.40A	----	2.50 - 1.30	.0179	----	----	----	----	43 UNCH
5425	----	----	----/*2.40A	3.30B/*2.40A	----	2.50 - 1.20	.0178	----	----	----	----	125 UNCH
5430	2.90	2.90	2.90/*2.40A	3.30B/*2.40A	----	2.40 - 1.30	.0172	----	----	2	----	103 UNCH
5435	----	----	----/*2.30A	3.20B/*2.30A	----	2.40 - 1.20	.0171	----	----	1	----	18 UNCH
5440	----	----	----/*2.30A	3.20B/*2.30A	----	2.40 - 1.20	.0170	----	----	1	----	98 - 1
5445	----	----	----/*2.30A	3.10B/*2.30A	----	2.30 - 1.20	.0164	----	----	----	----	40 UNCH
5450	----	----	----/*2.30A	3.00B/*2.30A	----	2.30 - 1.20	.0163	----	----	101	----	1535 - 43
5455	----	----	----/*2.20A	3.00B/*2.20A	----	2.30 - 1.10	.0162	----	----	----	----	181 UNCH
5460	2.90	2.90	2.90/*2.20A	3.00B/*2.20A	----	2.30 - 1.10	.0162	----	----	1	----	130 UNCH
5465	----	----	----/*2.20A	2.90B/*2.20A	----	2.20 - 1.10	.0155	----	----	----	----	39 UNCH
5470	----	----	----/*2.20A	2.90B/*2.20A	----	2.20 - 1.10	.0155	----	----	----	----	36 UNCH
5475	----	----	----/*2.10A	2.90B/*2.10A	----	2.20 - 1.10	.0154	----	----	----	----	84 UNCH
5480	----	----	----/*2.10A	2.80B/*2.10A	----	2.20 - 1.00	.0154	----	----	----	----	47 UNCH
5485	----	----	----/*2.10A	2.80B/*2.10A	----	2.10 - 1.10	.0147	----	----	----	----	9 UNCH
5490	----	----	----/*2.10A	2.80B/*2.10A	----	2.10 - 1.00	.0147	----	----	----	----	178 UNCH
5495	----	----	----/*2.10A	2.70B/*2.10A	----	2.10 - 1.00	.0146	----	----	----	----	73 UNCH
5500	2.70	2.70	2.80/*2.00	2.80/*2.00	----	2.10 - 1.00	.0146	----	----	68	----	7101 - 1
5505	----	----	----/*2.00A	2.70B/*2.00A	----	2.00 - 1.00	.0139	----	----	----	----	15 UNCH
5510	----	----	----/*2.00A	2.60B/*2.00A	----	2.00 - 1.00	.0139	----	----	----	----	185 UNCH
5515	----	----	----/*2.00A	2.60B/*2.00A	----	2.00 - 1.00	.0138	----	----	1	----	38 - 1
5520	----	----	----/*2.00A	2.50B/*2.00A	----	2.00 - 0.90	.0138	----	----	----	----	26 UNCH
5525	----	----	----/*2.00A	2.50B/*2.00A	----	2.00 - 0.90	.0137	----	----	1	----	166 + 1
5530	----	----	----/*2.00A	2.50B/*2.00A	----	1.90 - 1.00	.0131	----	----	----	----	39 UNCH
5535	----	----	----/*1.90A	2.40B/*1.90A	----	1.90 - 0.90	.0131	----	----	----	----	8 UNCH
5540	----	----	----/*1.90A	2.40B/*1.90A	----	1.90 - 0.90	.0130	----	----	----	----	292 UNCH
5545	----	----	----/*1.90A	2.40B/*1.90A	----	1.90 - 0.90	.0130	----	----	----	----	19 UNCH
5550	2.00	2.00	2.00/*1.90A	2.30B/*1.90A	----	1.90 - 0.80	.0129	----	----	50	----	810 + 36
5555	----	----	----/*1.90A	2.30B/*1.90A	----	1.80 - 0.90	.0123	----	----	----	----	4 UNCH
5560	----	----	----/*1.90A	2.30B/*1.90A	----	1.80 - 0.90	.0123	----	----	----	----	52 UNCH
5565	----	----	----/*1.90A	2.30B/*1.90A	----	1.80 - 0.80	.0122	----	----	----	----	14 UNCH
5570	----	----	----/*1.90A	2.20B/*1.90A	----	1.80 - 0.80	.0122	----	----	----	----	28 UNCH
5575	----	----	----/*1.80A	2.20B/*1.80A	----	1.80 - 0.80	.0121	----	----	1	----	60 + 1
5580	----	----	----/*1.80A	2.20B/*1.80A	----	1.80 - 0.80	.0121	----	----	----	----	13 UNCH
5585	----	----	----/*1.80A	2.20B/*1.80A	----	1.70 - 0.80	.0115	----	----	----	----	11 UNCH
5590	2.00	2.00	2.00/*1.80A	2.10B/*1.80A	----	1.70 - 0.80	.0115	----	----	1	----	94 - 1
5595	----	----	----/*1.80A	2.10B/*1.80A	----	1.70 - 0.80	.0114	----	----	----	----	39 UNCH
5600	1.70	1.70	1.70/*1.70	2.10B/*1.70	----	1.70 - 0.80	.0114	----	----	48	----	2403 + 23
5610	----	----	----/*1.80A	2.10B/*1.80A	----	1.70 - 0.70	.0113	----	----	----	----	73 UNCH
5620	----	----	----/*1.70A	2.00B/*1.70A	----	1.70 - 0.70	.0112	----	----	----	----	59 UNCH
5625	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.80	.0106	----	----	----	----	405 UNCH
5630	----	----	----/*1.70A	2.00B/*1.70A	----	1.60 - 0.70	.0106	----	----	----	----	228 UNCH
5640	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 0.70	.0105	----	----	----	----	79 UNCH
5650	----	----	----/*1.70A	1.90B/*1.70A	----	1.60 - 0.70	.0105	----	----	----	----	743 UNCH
5660	----	----	----/*1.60A	1.80B/*1.60A	----	1.60 - 0.60	.0104	----	----	----	----	43 UNCH
5665	----	----	----/*1.60A	1.70B/*1.60A	----	1.50 - 0.70	.0098	----	----	----	----	5 UNCH
5670	----	----	----/*1.60A	1.70B/*1.60A	----	1.50 - 0.70	.0098	----	----	----	----	119 UNCH
5675	----	----	----/*1.60A	1.70B/*1.60A	----	1.50 - 0.70	.0098	----	----	----	----	22 UNCH
5680	----	----	----/*1.60A	1.80B/*1.60A	----	1.50 - 0.60	.0097	----	----	----	----	47 UNCH
5690	1.60	1.60	1.60/*1.60	1.70B/*1.60	----	1.50 - 0.60	.0097	----	----	10	----	170 + 7
5700	2.10	2.10	2.10/*1.60A	2.10/*1.60A	----	1.50 - 0.60	.0096	----	----	2	----	1963 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 24

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5710	----	----	----/*1.50A	1.60B/*1.50A	----	1.40 - 0.60	.0090	----	----	----	----	41 UNCH
5720	----	----	----/*1.50A	1.60B/*1.50A	----	1.40 - 0.60	.0090	----	----	----	----	18 UNCH
5725	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.60	.0089	----	----	----	----	36 UNCH
5730	----	----	----/*1.50A	1.50B/*1.50A	----	1.40 - 0.60	.0089	----	----	----	----	59 UNCH
5740	----	----	----/*1.40A	1.50B/*1.40A	----	1.40 - 0.50	.0088	----	----	----	----	61 UNCH
5750	1.20	1.20	1.20/*1.20	1.50B/*1.20	----	1.30 - 0.60	.0083	----	----	55	----	1679 - 34
5760	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 0.60	.0082	----	----	----	----	18 UNCH
5770	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.60	.0082	----	----	----	----	32 UNCH
5775	----	----	----/*1.40A	1.40B/*1.40A	----	1.30 - 0.60	.0081	----	----	----	----	167 UNCH
5780	----	----	----/*1.40A	1.40B/*1.40A	----	1.20 - 0.60	.0076	----	----	----	----	219 UNCH
5790	----	----	----/*1.40A	1.40B/*1.40A	----	1.20 - 0.60	.0075	----	----	----	----	11 UNCH
5800	1.40	1.40	1.40/*1.40	1.40/*1.40	----	1.20 - 0.60	.0075	----	----	8	----	3159 - 3
5810	----	----	----/*1.40A	1.40B/*1.40A	----	1.20 - 0.60	.0075	----	----	----	----	260 UNCH
5820	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 - 0.50	.0074	----	----	----	----	35 UNCH
5825	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.50	.0074	----	----	----	----	37 UNCH
5830	----	----	----/*1.40A	1.20B/*1.40A	----	1.20 - 0.50	.0074	----	----	----	----	17 UNCH
5840	----	----	----/*1.30A	1.20B/*1.30A	----	1.20 - 0.50	.0073	----	----	----	----	22 UNCH
5850	----	----	----/*1.30A	1.20B/*1.30A	----	1.10 - 0.60	.0068	----	----	----	----	456 UNCH
5860	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.50	.0067	----	----	----	----	24 UNCH
5870	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.50	.0067	----	----	----	----	32 UNCH
5875	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.50	.0067	----	----	----	----	196 UNCH
5880	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.50	.0067	----	----	----	----	17 UNCH
5890	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.50	.0066	----	----	----	----	138 UNCH
5900	1.00	1.00	1.10B/*1.00	1.10B/*1.00	----	1.10 - 0.40	.0066	----	----	2	----	1374 UNCH
5910	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.40	.0065	----	----	----	----	12 UNCH
5920	----	----	----/*1.20A	1.10B/*1.20A	----	1.10 - 0.40	.0065	----	----	----	----	40 UNCH
5930	----	----	----/*1.20A	1.00B/*1.20A	----	1.10 - 0.40	.0065	----	----	----	----	57 UNCH
5940	----	----	----/*1.20A	1.00B/*1.20A	----	1.00 - 0.40	.0059	----	----	----	----	5 UNCH
5950	----	----	----/*1.20A	1.00B/*1.20A	----	1.00 - 0.40	.0059	----	----	----	----	170 UNCH
5960	----	----	----/*1.20A	1.00B/*1.20A	----	1.00 - 0.40	.0059	----	----	----	----	46 UNCH
5970	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.30	.0059	----	----	----	----	35 UNCH
5980	----	----	----/*1.10A	1.00B/*1.10A	----	1.00 - 0.30	.0058	----	----	----	----	22 UNCH
5990	----	----	----/*1.20A	1.00B/*1.20A	----	0.90 - 0.40	.0053	----	----	----	----	13 UNCH
6000	1.10	1.10	1.20/*0.80	1.20/*0.80	----	0.90 - 0.40	.0053	----	----	8	----	5645 - 2
6010	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.30	.0052	----	----	----	----	10 UNCH
6020	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.30	.0052	----	----	----	----	23 UNCH
6030	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.30	.0052	----	----	----	----	31 UNCH
6040	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.30	.0052	----	----	----	----	24 UNCH
6050	1.10	1.10	1.10/*1.10	1.10/*1.10	----	0.90 - 0.30	.0051	----	----	3	----	278 UNCH
6060	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.30	.0051	----	----	----	----	32 UNCH
6070	----	----	----/*1.00A	0.90B/*1.00A	----	0.90 - 0.20	.0051	----	----	----	----	34 UNCH
6080	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.30	.0046	----	----	----	----	10 UNCH
6090	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.30	.0046	----	----	----	----	26 UNCH
6100	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0045	----	----	----	----	2410 UNCH
6110	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.30	.0045	----	----	----	----	65 UNCH
6120	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.30	.0045	----	----	----	----	11 UNCH
6125	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.30	.0045	----	----	----	----	16 UNCH
6130	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.30	.0045	----	----	----	----	10 UNCH
6140	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.30	.0045	----	----	----	----	9 UNCH
6150	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.20	.0044	----	----	----	----	506 UNCH
6160	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.20	.0044	----	----	----	----	138 UNCH
6170	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.20	.0044	----	----	----	----	17 UNCH
6180	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.20	.0044	----	----	----	----	75 UNCH
6190	----	----	----/*0.90A	0.80B/*0.90A	----	0.80 - 0.20	.0044	----	----	----	----	2 UNCH
6200	----	----	----/*0.90A	0.80B/*0.90A	----	0.70 - 0.30	.0039	----	----	----	----	4274 - 2
6210	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0038	----	----	----	----	53 UNCH
6220	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0038	----	----	----	----	7 UNCH
6230	----	----	----	0.70B/*0.90A	----	0.70 - 0.20	.0038	----	----	----	----	67 UNCH
6240	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.20	.0038	----	----	----	----	21 UNCH
6250	----	----	----/*0.80A	0.70B/*0.80A	----	0.70 - 0.20	.0038	----	----	1	----	1322 - 1
6260	----	----	----/*0.80A	0.60B/*0.80A	----	0.70 - 0.20	.0038	----	----	----	----	8 UNCH
6270	----	----	----	0.60B/*0.90A	----	0.70 - 0.20	.0037	----	----	----	----	146 UNCH
6280	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.30	.0033	----	----	----	----	12 UNCH
6290	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.30	.0032	----	----	----	----	19 UNCH
6300	----	----	----/*0.80A	0.70B/*0.80A	----	0.60 - 0.30	.0032	----	----	----	----	2450 UNCH
6310	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.60 - 0.30	.0032	----	----	1	----	2 UNCH
6320	----	----	----/*0.80A	0.60B/*0.80A	----	0.60 - 0.30	.0032	----	----	----	----	24 UNCH
6330	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.60 - 0.20	.0032	----	----	1	----	32 - 1
6340	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0032	----	----	----	----	36 UNCH
6350	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0032	----	----	----	----	17 UNCH
6360	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0032	----	----	----	----	2 UNCH
6370	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0031	----	----	----	----	6 UNCH
6380	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0031	----	----	----	----	8 UNCH
6390	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0031	----	----	----	----	1 UNCH
6400	----	----	----	0.60B/*0.80A	----	0.60 - 0.20	.0031	----	----	----	----	481 UNCH
6410	----	----	----	0.50B/*0.80A	----	0.50 - 0.30	.0026	----	----	----	----	8 UNCH
6420	----	----	----	0.50B/*0.80A	----	0.50 - 0.30	.0026	----	----	----	----	3 UNCH
6430	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.50 - 0.30	.0026	----	----	1	----	35 + 1
6440	----	----	----	0.50B/*0.80A	----	0.50 - 0.20	.0026	----	----	----	----	2 UNCH
6450	----	----	----	0.50B/*0.80A	----	0.50 - 0.20	.0026	----	----	----	----	64 UNCH
6460	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0026	----	----	----	----	36 UNCH
6470	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0026	----	----	----	----	9 UNCH
6480	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0026	----	----	----	----	21 UNCH
6490	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0026	----	----	----	----	17 UNCH
6500	----	----	----	0.50B/*0.70A	----	0.50 - 0.20	.0025	----	----	7	----	1105 - 6
6525	----	----	----	0.50B/0.70A	----	0.50 - 0.20	.0025	----	----	----	----	21 UNCH
6550	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.20	.0025	----	----	----	----	209 UNCH
6575	----	----	----	0.40B/*0.70A	----	0.50 - 0.10	.0025	----	----	----	----	7 UNCH
6600	----	----	----	0.40B/0.60A	----	0.40 - 0.20	.0020	----	----	----	----	881 UNCH
6625	----	----	----	0.40B/*0.60A	----	0.40 - 0.20	.0020	----	----	----	----	105 UNCH
6650	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0020	----	----	----	----	40 UNCH
6675	----	----	----	0.30B/0.60A	----	0.40 - 0.20	.0020	----	----	----	----	48 UNCH
6700	----	----	----	0.30B/*0.60A	----	0.40 - 0.20	.0019	----	----	----	----	1346 UNCH
6725	----	----	----	0.30B/*0.60A	----	0.40 - 0.10	.0019	----	----	----	----	107 UNCH
6750	----	----	----	0.30B/*0.60A	----	0.40 - 0.10	.0019	----	----	----	----	134 UNCH
6775	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0019	----	----	----	----	13 UNCH
6800	----	----	----	0.30B/*0.50A	----	0.40 - 0.10	.0019	----	----	----	----	239 UNCH
6825	----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	10 UNCH
6850	----	----	----	0.20B/*0.50A	----	0.30 - 0.20	.0014	----	----	----	----	26 UNCH
6875	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	3 UNCH
6900	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	157 UNCH
6925	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	51 UNCH
6950	----	----	----	0.20B/*0.50A	----	0.30 - 0.10	.0014	----	----	----	----	27 UNCH
6975	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0014	----	----	----	----	21 UNCH
7000	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0014	----	----	15	----	1836 - 15
7025	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0014	----	----	----	----	33 UNCH
7050	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	5 UNCH
7075	----	----	----	0.20B/*0.40A	----	0.30 - 0.10	.0013	----	----	----	----	10 UNCH
7100	----	----	----	0.10B/*0.40A	----	0.30 UNCH	.0013	----	----	----	----	145 UNCH
7125	----	----	----	0.10B/*0.40A	----	0.20 - 0.10	.0009	----	----	----	----	52 UNCH
7150	----	----	----	0.10B/*0.40A	----	0.20 - 0.10	.0009	----	----	----	----	59 UNCH
7175	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	3 UNCH
7200	----	----	----	0.10B/*0.40A	----	0.20 - 0.10	.0009	----	----	----	----	134 UNCH
7225	----	----	----	0.10B/0.40A	----	0.20 - 0.10	.0009	----	----	----	----	2 UNCH
7250	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	91 UNCH
7275	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	1 UNCH
7300	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	150 UNCH
7325	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	14 UNCH
7350	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0009	----	----	----	----	3 UNCH
7375	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	20 UNCH
7400	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	46 UNCH
7425	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	20 UNCH
7450	----	----	----	----/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	5 UNCH
7475	----	----	----	----/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	8 UNCH
7500	----	----	----	----/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	1355 UNCH
7525	----	----	----	----/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	22 UNCH
7575	----	----	----	----/*0.30A	----	0.20 UNCH	.0008	----	----	----	----	8 UNCH
7600	----	----	----	----/*0.30A	----	0.20 UNCH	.0008	----	----	30	----	78 + 30
7700	----	----	----	----/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	45 UNCH
7750	----	----	----	----/*0.20A	----	0.10 - 0.10	.0003	----	----	----	----	12 UNCH
7800	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	39 UNCH
7825	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
7875	----	----	----	----/*0.20A	----	0.10 - 0.10	.0002	----	----	----	----	31 UNCH
7900	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
7950	----	----	----	----/*0.20A	----	0.10 - 0.10	.0001	----	----	----	----	2 UNCH
8000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	.0001	----	----	----	----	923 UNCH
8100	----	----	----	----/0.20A	----	0.10 - 0.10	.0001	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
8200	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	89 UNCH
8300	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	64 UNCH
8500	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	146 UNCH
8600	----	----	----	----/0.20A	----	0.10 - 0.10	.0000	----	----	----	----	52 UNCH
8800	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	32 UNCH
8900	----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	15 UNCH
9000	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	387 UNCH
9100	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	11 UNCH
9200	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	51 UNCH
9300	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	11 UNCH
9400	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
9500	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
9600	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
9700	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
9800	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
10000	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	363 UNCH
10100	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
10400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
10700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	72 UNCH
11300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
11900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	406 UNCH
TOTAL										17230	500	177166+ 5665
JUL26												
3200	----	----	----	----	----	1443.40 - 85.70	.9889	----	----	----	----	0 UNCH
3250	----	----	----	----	----	1393.70 - 85.50	.9876	----	----	----	----	0 UNCH
3300	----	----	----/1,315.30A	1339.70B/1315.30A	----	1343.90 - 85.50	.9863	----	----	----	----	26 UNCH
3350	----	----	----/1,265.60A	1290.10B/1265.60A	----	1294.30 - 85.30	.9846	----	----	----	----	51 UNCH
3500	----	----	----/1,118.40A	1143.10B/1118.40A	----	1145.60 - 85.20	.9785	----	----	----	----	1 UNCH
3600	----	----	----/1,018.40A	1046.50B/1018.40A	----	1046.90 - 85.00	.9730	----	----	----	----	24 UNCH
3650	----	----	----/969.30A	997.30B/969.30A	----	997.70 - 85.00	.9695	----	----	----	----	10 UNCH
3670	----	----	----/949.70A	977.70B/949.70A	----	978.10 - 84.90	.9679	----	----	----	----	3 UNCH
3700	----	----	----/920.40A	948.30B/920.40A	----	948.60 - 84.90	.9656	----	----	----	----	119 UNCH
3735	----	----	----/887.60A	912.10B/887.60A	----	914.40 - 84.80	.9622	----	----	----	----	1 UNCH
3775	----	----	----/847.50A	875.10B/847.50A	----	875.40 - 84.60	.9582	----	----	----	----	4 UNCH
3800	----	----	----/820.50A	852.80B/820.50A	----	851.10 - 84.50	.9552	----	----	----	----	2050 UNCH
3825	----	----	----/799.20A	826.60B/799.20A	----	826.90 - 84.30	.9521	----	----	----	----	3 UNCH
3850	----	----	----/775.30A	802.60B/775.30A	----	802.80 - 84.10	.9487	----	----	----	----	65 UNCH
3860	----	----	----/766.70A	791.10B/766.70A	----	793.10 - 84.00	.9471	----	----	----	----	1 UNCH
3865	----	----	----/760.90A	788.10B/760.90A	----	788.30 - 84.00	.9466	----	----	----	----	7 UNCH
3875	----	----	----/751.00A	778.50B/751.00A	----	778.70 - 83.90	.9450	----	----	----	----	25 UNCH
3900	----	----	----/727.60A	754.50B/727.60A	----	754.70 - 83.70	.9408	----	----	----	----	18 UNCH
3925	----	----	----/702.10A	730.60B/702.10A	----	730.80 - 83.40	.9365	----	----	----	----	35 UNCH
3950	----	----	----/677.70A	708.80B/677.70A	----	707.00 - 83.20	.9316	----	----	----	----	820 UNCH
3960	----	----	----/669.30A	704.40B/669.30A	----	697.50 - 83.10	.9296	----	----	----	----	1 UNCH
4000	----	----	----/631.80A	698.10B/631.80A	----	659.80 - 82.50	.9207	----	----	----	----	15 UNCH
4020	----	----	----/613.50A	689.00B/613.50A	----	641.10 - 82.20	.9158	----	----	----	----	1 UNCH
4030	----	----	----/604.40A	676.20B/604.40A	----	631.80 - 82.00	.9133	----	----	----	----	2 UNCH
4040	----	----	----/595.20A	684.80B/595.20A	----	622.50 - 81.80	.9106	----	----	----	----	1 UNCH
4075	----	----	681.40B/563.20A	681.40B/563.20A	----	590.20 - 81.20	.9004	----	----	----	----	6 UNCH
4095	----	----	657.40B/545.10A	657.40B/545.10A	----	571.80 - 80.90	.8942	----	----	----	----	4 UNCH
4100	----	----	652.80B/540.70A	652.80B/540.70A	----	567.30 - 80.70	.8926	----	----	----	----	194 UNCH
4105	----	----	#648.00B/536.40	648.00B/536.40A	----	562.70 - 80.70	.8908	----	----	----	----	1 UNCH
4110	----	----	643.30B/531.80A	643.30B/531.80A	----	558.20 - 80.50	.8892	----	----	----	----	3 UNCH
4145	----	----	610.90B/500.80A	610.90B/500.80A	----	526.70 - 79.70	.8764	----	----	----	----	28 UNCH
4150	----	----	606.10B/496.50A	606.10B/496.50A	----	522.20 - 79.60	.8745	----	----	----	----	37 UNCH
4155	----	----	601.50B/492.30A	601.50B/492.30A	----	517.80 - 79.40	.8726	----	----	----	----	1 UNCH
4160	----	----	596.90B/488.00A	596.90B/488.00A	----	513.30 - 79.30	.8705	----	----	----	----	1 UNCH
4190	----	----	569.40B/462.10A	569.40B/462.10A	----	486.90 - 78.40	.8579	----	----	----	----	1 UNCH
4200	----	----	560.30B/453.40A	560.30B/453.40A	----	478.20 - 78.10	.8533	----	----	----	----	7 UNCH
4215	----	----	546.70B/440.70A	546.70B/440.70A	----	465.20 - 77.60	.8465	----	----	----	----	25 UNCH
4220	----	----	542.20B/436.60A	542.20B/436.60A	----	460.90 - 77.50	.8440	----	----	----	----	1 UNCH
4225	----	----	537.70B/432.50A	537.70B/432.50A	----	456.60 - 77.30	.8416	----	----	----	----	2 UNCH
4235	----	----	528.70B/424.10A	528.70B/424.10A	----	448.00 - 77.00	.8367	----	----	----	----	1 UNCH
4240	----	----	524.30B/419.80A	524.30B/419.80A	----	443.80 - 76.80	.8342	----	----	----	----	39 UNCH
4245	----	----	519.70B/415.80A	519.70B/415.80A	----	439.50 - 76.70	.8315	----	----	----	----	1 UNCH
4250	----	----	515.30B/411.30A	515.30B/411.30A	----	435.30 - 76.40	.8290	----	----	2	----	318 + 2
4255	----	----	510.80B/407.60A	510.80B/407.60A	----	431.10 - 76.20	.8263	----	----	----	----	1 UNCH
4265	----	----	502.00B/399.40A	502.00B/399.40A	----	422.70 - 75.90	.8209	----	----	----	----	2 UNCH
4270	----	----	497.70B/395.20A	497.70B/395.20A	----	418.50 - 75.70	.8181	----	----	----	----	38 UNCH
4275	----	----	493.10B/390.90A	493.10B/390.90A	----	414.30 - 75.60	.8154	----	----	----	----	76 UNCH
4280	----	----	488.90B/387.10A	488.90B/387.10A	----	410.20 - 75.30	.8126	----	----	----	----	3 UNCH
4300	----	----	471.40B/371.10A	471.40B/371.10A	----	393.80 - 74.50	.8010	----	----	----	----	63 UNCH
4315	----	----	458.40B/359.10A	458.40B/359.10A	----	381.60 - 73.80	.7918	----	----	----	----	21 UNCH
4325	----	----	449.70B/349.00A	449.70B/349.00A	----	373.60 - 73.40	.7855	----	----	----	----	22 UNCH
4335	----	----	441.30B/344.00A	441.30B/344.00A	----	365.70 - 72.80	.7791	----	----	----	----	1 UNCH
4350	409.00	409.00	428.60B/331.80A	428.60B/331.80A	----	353.90 - 72.10	.7692	----	----	7	----	17 + 7
4360	----	----	420.20B/322.30A	420.20B/322.30A	----	346.10 - 71.60	.7624	----	----	----	----	53 UNCH
4365	----	----	416.00B/318.60A	416.00B/318.60A	----	342.30 - 71.30	.7589	----	----	----	----	45 UNCH
4370	----	----	411.90B/314.90A	411.90B/314.90A	----	338.40 - 71.10	.7554	----	----	----	----	20 UNCH
4375	----	----	407.70B/313.20A	407.70B/313.20A	----	334.60 - 70.80	.7519	----	----	----	----	5 UNCH
4400	300.00	300.00	387.10B/292.50A	387.10B/292.50A	----	315.80 - 69.40	.7335	----	----	22	----	2274 + 7
4410	295.80	295.80	379.10B/286.80A	379.10B/286.80A	----	308.50 - 68.70	.7259	----	----	1	----	4 UNCH
4415	----	----	375.00B/282.50A	375.00B/282.50A	----	304.80 - 68.50	.7221	----	----	----	----	39 UNCH
4420	----	----	370.90B/279.80A	370.90B/279.80A	----	301.20 - 68.10	.7183	----	----	----	----	5 UNCH
4425	----	----	367.00B/275.50A	367.00B/275.50A	----	297.60 - 67.80	.7143	----	----	----	----	16 UNCH
4430	315.70	315.70	363.00B/273.00A	363.00B/273.00A	----	294.00 - 67.50	.7104	----	----	1	----	1 UNCH
4445	----	----	351.10B/261.40A	351.10B/261.40A	----	283.40 - 66.50	.6983	----	----	----	----	30 UNCH
4450	----	----	347.30B/257.70A	347.30B/257.70A	----	279.90 - 66.10	.6942	----	----	----	----	255 UNCH
4455	----	----	343.40B/254.50A	343.40B/254.50A	----	276.40 - 65.80	.6901	----	----	----	----	2 UNCH
4460	----	----	339.60B/251.20A	339.60B/251.20A	----	273.00 - 65.40	.6859	----	----	----	----	2 UNCH
4475	----	----	328.00B/241.40A	328.00B/241.40A	----	262.70 - 64.40	.6733	----	----	----	----	2 UNCH
4480	----	----	324.40B/238.20A	324.40B/238.20A	----	259.40 - 64.00	.6690	----	----	----	----	25 UNCH
4490	----	----	316.70B/231.90A	316.70B/231.90A	----	252.70 - 63.30	.6604	----	----	----	----	9 UNCH
4500	260.50	260.50	309.30B/225.60A	309.30B/225.60A	----	246.20 - 62.50	.6516	----	----	2	----	969 UNCH
4505	----	----	305.50B/222.60A	305.50B/222.60A	----	242.90 - 62.20	.6472	----	----	----	----	2 UNCH
4510	----	----	301.90B/219.60A	301.90B/219.60A	----	239.70 - 61.80	.6427	----	----	----	----	45 UNCH
4515	----	----	298.30B/216.50A	298.30B/216.50A	----	236.50 - 61.40	.6382	----	----	----	----	200 UNCH
4520	----	----	294.80B/213.60A	294.80B/213.60A	----	233.30 - 61.10	.6337	----	----	----	----	188 UNCH
4525	----	----	291.10B/210.50A	291.10B/210.50A	----	230.20 - 60.60	.6292	----	----	----	----	129 UNCH
4530	----	----	287.50B/207.60A	287.50B/207.60A	----	227.00 - 60.30	.6246	----	----	----	----	5 UNCH
4535	----	----	----/204.70A	283.80B/204.70A	----	223.90 - 59.90	.6200	----	----	----	----	14 UNCH
4540	----	----	280.40B/201.80A	280.40B/201.80A	----	220.80 - 59.50	.6154	----	----	----	----	54 UNCH
4550	----	----	----/196.00A	273.30B/196.00A	----	214.80 - 58.70	.6061	----	----	2	----	10 UNCH
4560	----	----	----/190.40A	266.40B/190.40A	----	208.80 - 57.90	.5968	----	----	----	----	2 UNCH
4565	----	----	----/187.70A	263.00B/187.70A	----	205.80 - 57.50	.5921	----	----	----	----	1 UNCH
4570	----	----	----/184.90A	259.50B/184.90A	----	202.90 - 57.10	.5873	----	----	----	----	2 UNCH
4575	----	----	----/182.20A	256.20B/182.20A	----	200.00 - 56.70	.5826	----	----	----	----	128 UNCH
4580	----	----	----/179.50A	252.70B/179.50A	----	197.20 - 56.20	.5778	----	----	----	----	1 UNCH
4600	186.60	186.60	186.60/169.00A	239.70B/169.00A	----	185.90 - 54.50	.5586	----	----	2	----	342 UNCH
4605	----	----	----/166.60A	236.30B/166.60A	----	183.20 - 54.10	.5537	----	----	----	----	10 UNCH
4610	----	----	----/164.00A	233.10B/164.00A	----	180.50 - 53.60	.5489	----	----	----	----	6 UNCH
4615	----	----	----/161.50A	229.80B/161.50A	----	177.80 NEW	.5440	----	----	7	----	7 + 7
4620	----	----	----/159.10A	226.70B/159.10A	----	175.20 NEW	.5391	----	----	1	----	1 + 1
4625	166.60	166.60	166.60/156.60A	223.60B/156.60A	----	172.50 NEW	.5342	----	----	1	----	1 + 1
4635	159.60	159.60	159.60/151.80A	218.10B/151.80A	----	167.40 - 51.30	.5244	----	----	2	----	86 + 2
4640	159.60	159.60	159.60/149.50A	214.70B/149.50A	----	164.80 - 50.90	.5195	----	----	5	----	236 - 3
4645	170.40	170.40	170.40/147.30A	211.20B/147.30A	----	162.30 - 50.50	.5146	----	----	15	----	19 + 5
4650	----	----	----/144.80A	208.80B/144.80A	----	159.80 - 50.00	.5097	----	----	29	200	477 + 220
4655	----	----	----/142.60A	206.90B/142.60A	----	157.40 - 49.50	.5048	----	----	----	----	18 UNCH
4660	----	----	207.00B/140.40A	207.00B/140.40A	----	154.90 - 49.10	.4999	----	----	----	----	20 UNCH
4665	----	----	207.10B/138.10A	207.10B/138.10A	----	152.50 - 48.60	.4950	----	----	----	----	268 UNCH
4670	----	----	204.70B/135.90A	204.70B/135.90A	----	150.10 - 48.20	.4900	----	----	----	----	105 UNCH
4675	----	----	201.90B/133.70A	201.90B/133.70A	----	147.80 - 47.60	.4851	----	----	----	----	129 UNCH
4680	----	----	197.60B/131.60A	197.60B/131.60A	----	145.50 - 47.10	.4802	----	----	3	----	13 + 3
4685	----	----	196.20B/129.40A	196.20B/129.40A	----	143.20 - 46.70	.4753	----	----	----	----	11 UNCH
4695	146.50	146.50	191.20B/*125.40	191.20B/*125.40A	----	138.60 - 45.80	.4655	----	----	10	----	33 + 10
4700	148.10	148.10	188.30B/123.10A	188.30B/123.10A	----	136.40 - 45.30	.4606	----	----	177	----	663 + 69
4710	----	----	182.80B/119.20A	182.80B/119.20A	----	132.10 - 44.30	.4509	----	----	----	----	117 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
4720	122.40	122.40	177.40B/115.40A	177.40B/115.40A	----	127.80 - 43.40	.4412	----	----	10	----	13 + 4
4725	120.50	120.50	174.70B/113.40A	174.70B/113.40A	----	125.70 - 42.90	.4363	----	----	1	----	53 + 1
4730	----	----	172.10B/111.50A	172.10B/111.50A	----	123.70 - 42.30	.4315	----	----	----	----	7 UNCH
4740	112.50	112.50	166.90B/108.10A	166.90B/108.10A	----	119.60 - 41.40	.4219	----	----	1	----	2 + 1
4745	----	----	164.30B/*106.00	164.30B/*106.00A	----	117.70 - 40.90	.4172	----	----	----	----	177 UNCH
4750	110.30	110.30	161.80B/104.00A	161.80B/104.00A	----	115.70 - 40.50	.4124	----	----	163	----	1555 + 102
4755	----	----	159.30B/*102.40	159.30B/*102.40A	----	113.80 - 40.00	.4077	----	----	----	----	17 UNCH
4760	----	----	156.80B/100.70A	156.80B/100.70A	----	111.90 - 39.50	.4029	----	----	----	----	47 UNCH
4770	----	----	152.00B/97.20A	152.00B/97.20A	----	108.20 - 38.50	.3936	----	----	----	----	70 UNCH
4775	----	----	149.60B/95.50A	149.60B/95.50A	----	106.30 - 38.10	.3888	----	----	----	----	150 UNCH
4780	----	----	147.20B/93.80A	147.20B/93.80A	----	104.50 - 37.70	.3842	----	----	----	----	31 UNCH
4785	----	----	144.90B/*92.30A	144.90B/*92.30A	----	102.80 - 37.20	.3796	----	----	----	----	13 UNCH
4790	----	----	142.60B/*90.80A	142.60B/*90.80A	----	101.00 - 36.80	.3750	----	----	----	----	2 UNCH
4795	----	----	140.30B/*89.10A	140.30B/*89.10A	----	99.30 - 36.30	.3704	----	----	----	----	89 UNCH
4800	119.10	119.10	138.00B/87.50A	138.00B/87.50A	----	97.60 - 35.90	.3659	----	----	123	----	1741 - 11
4805	----	----	135.70B/*86.00A	135.70B/*86.00A	----	96.00 - 35.40	.3615	----	----	----	----	29 UNCH
4810	----	----	133.50B/*84.50A	133.50B/*84.50A	----	94.30 - 35.00	.3569	----	----	1	----	34 + 1
4815	----	----	131.20B/*83.20A	131.20B/*83.20A	----	92.70 - 34.50	.3525	----	----	----	----	1 UNCH
4820	----	----	129.20B/*81.60A	129.20B/*81.60A	----	91.10 - 34.10	.3480	----	----	----	----	14 UNCH
4825	91.00	91.00	127.20B/80.20A	127.20B/80.20A	----	89.60 - 33.60	.3437	----	----	20	----	667 + 20
4830	----	----	125.10B/*78.80A	125.10B/*78.80A	----	88.00 - 33.30	.3393	----	----	----	----	12 UNCH
4835	----	----	123.00B/*77.50A	123.00B/*77.50A	----	86.50 - 32.80	.3350	----	----	----	----	18 UNCH
4840	85.20	85.20	121.00B/*76.10A	121.00B/*76.10A	----	85.00 - 32.40	.3307	----	----	190	----	182 + 176
4845	----	----	118.90B/*74.70A	118.90B/*74.70A	----	83.60 - 31.90	.3265	----	----	----	----	71 UNCH
4850	84.40	84.40	116.90B/73.30A	116.90B/73.30A	----	82.10 - 31.60	.3222	----	----	10	----	419 + 7
4855	76.30	76.30	115.10B/*72.10A	115.10B/*72.10A	----	80.70 - 31.10	.3180	----	----	3	----	7 UNCH
4860	----	----	113.20B/*70.90A	113.20B/*70.90A	----	79.30 - 30.70	.3138	----	----	----	----	13 UNCH
4865	----	----	111.30B/*69.60A	111.30B/*69.60A	----	77.90 - 30.30	.3097	----	----	----	----	32 UNCH
4870	----	----	109.40B/*68.40A	109.40B/*68.40A	----	76.50 - 29.90	.3055	----	----	----	----	62 UNCH
4875	----	----	107.50B/67.20A	107.50B/67.20A	----	75.20 - 29.50	.3015	----	----	----	----	15 UNCH
4880	----	----	105.70B/*66.00A	105.70B/*66.00A	----	73.90 - 29.00	.2975	----	----	1	----	67 UNCH
4885	----	----	103.90B/*64.80A	103.90B/*64.80A	----	72.60 - 28.60	.2935	----	----	----	----	13 UNCH
4890	----	----	102.10B/*63.70A	102.10B/*63.70A	----	71.30 - 28.30	.2895	----	----	1	----	6 + 1
4895	----	----	100.40B/*62.60A	100.40B/*62.60A	----	70.10 - 27.80	.2856	----	----	----	----	9 UNCH
4900	77.80	77.80	98.60B/61.40A	98.60B/61.40A	----	68.80 - 27.50	.2816	----	----	14	----	1068 + 1
4905	----	----	96.90B/*60.40A	96.90B/*60.40A	----	67.60 - 27.00	.2778	----	----	----	----	9 UNCH
4910	65.30	65.30	95.20B/*59.30A	95.20B/*59.30A	----	66.40 - 26.60	.2740	----	----	51	----	142 + 37
4915	----	----	93.60B/*58.30A	93.60B/*58.30A	----	65.30 - 26.20	.2703	----	----	----	----	36 UNCH
4920	----	----	92.00B/*57.30A	92.00B/*57.30A	----	64.10 - 25.80	.2665	----	----	----	----	9 UNCH
4925	----	----	90.30B/56.20A	90.30B/56.20A	----	63.00 - 25.40	.2628	----	----	6	----	37 UNCH
4930	----	----	88.80B/*55.20A	88.80B/*55.20A	----	61.90 - 25.00	.2592	----	----	----	----	65 UNCH
4935	63.60	63.60	87.20B/*54.10A	87.20B/*54.10A	----	60.80 - 24.60	.2555	----	----	50	----	618 + 13
4940	63.80	63.80	85.70B/*53.00	85.70B/*53.00	----	59.70 - 24.20	.2519	----	----	151	----	280 + 104
4945	----	----	84.20B/*52.30A	84.20B/*52.30A	----	58.60 - 23.90	.2483	----	----	----	----	11 UNCH
4950	----	----	82.70B/51.50A	82.70B/51.50A	----	57.60 - 23.50	.2448	----	----	1	----	186 UNCH
4955	----	----	81.30B/*50.40A	81.30B/*50.40A	----	56.60 - 23.10	.2414	----	----	----	----	72 UNCH
4960	----	----	79.80B/*49.60A	79.80B/*49.60A	----	55.60 - 22.70	.2380	----	----	----	----	16 UNCH
4965	----	----	78.30B/*48.70A	78.30B/*48.70A	----	54.60 - 22.40	.2345	----	----	----	----	173 UNCH
4970	49.00	49.00	76.90B/*47.80A	76.90B/*47.80A	----	53.60 - 22.10	.2311	----	----	79	----	81 + 73
4975	----	----	75.60B/46.90A	75.60B/46.90A	----	52.70 - 21.60	.2279	----	----	----	----	42 UNCH
4980	----	----	74.20B/*46.10A	74.20B/*46.10A	----	51.70 - 21.40	.2245	----	----	4	----	6 + 3
4985	----	----	72.90B/*45.20A	72.90B/*45.20A	----	50.80 - 21.00	.2213	----	----	----	----	27 UNCH
4990	----	----	71.70B/*44.40A	71.70B/*44.40A	----	49.90 - 20.70	.2181	----	----	----	----	15 UNCH
4995	48.20	48.20	70.40B/*43.70A	70.40B/*43.70A	----	49.10 - 20.30	.2151	----	----	4	----	40 + 4
5000	67.00	67.00	69.30/42.80A	69.30/42.80A	----	48.20 - 20.00	.2119	----	----	250	----	2452 + 23
5005	----	----	67.90B/*42.10A	67.90B/*42.10A	----	47.30 - 19.70	.2087	----	----	----	----	18 UNCH
5010	----	----	66.70B/*41.50A	66.70B/*41.50A	----	46.50 - 19.30	.2057	----	----	1	----	36 + 1
5015	----	----	65.50B/*40.60A	65.50B/*40.60A	----	45.70 - 19.00	.2028	----	----	----	----	29 UNCH
5020	----	----	64.30B/*39.90A	64.30B/*39.90A	----	44.90 - 18.70	.1998	----	----	2	----	9 + 2
5025	----	----	63.10B/*39.20A	63.10B/*39.20A	----	44.10 - 18.40	.1968	----	----	----	----	34 UNCH
5030	----	----	62.00B/*38.50A	62.00B/*38.50A	----	43.30 - 18.10	.1939	----	----	----	----	42 UNCH
5035	----	----	60.90B/*37.80A	60.90B/*37.80A	----	42.60 - 17.70	.1912	----	----	38	----	56 UNCH
5040	----	----	59.80B/*37.30A	59.80B/*37.30A	----	41.80 - 17.50	.1882	----	----	----	----	3 UNCH
5045	----	----	58.70B/*36.50A	58.70B/*36.50A	----	41.10 - 17.20	.1855	----	----	32	----	9 + 6
5050	----	----	57.60B/*36.00A	57.60B/*36.00A	----	40.40 - 16.90	.1829	----	----	75	----	200 + 66
5055	----	----	56.50B/*35.30A	56.50B/*35.30A	----	39.70 - 16.60	.1802	----	----	----	----	8 UNCH
5060	38.60	38.60	55.60B/*34.80A	55.60B/*34.80A	----	39.00 - 16.30	.1775	----	----	14	----	22 + 14
5065	37.70	37.70	54.50B/*34.20A	54.50B/*34.20A	----	38.30 - 16.00	.1748	----	----	1	----	208 + 1
5070	----	----	53.60B/*33.70A	53.60B/*33.70A	----	37.60 - 15.80	.1721	----	----	----	----	22 UNCH
5075	----	----	52.60B/*32.90A	52.60B/*32.90A	----	37.00 - 15.40	.1697	----	----	4	----	57 UNCH
5080	35.50	35.50	51.60B/*32.30A	51.60B/*32.30A	----	36.30 - 15.20	.1670	----	----	8	----	89 + 8
5085	----	----	50.70B/*31.80A	50.70B/*31.80A	----	35.70 - 14.90	.1646	----	----	----	----	34 UNCH
5090	32.60	32.60	49.80B/*31.20A	49.80B/*31.20A	----	35.10 - 14.60	.1622	----	----	6	----	10 + 6
5095	----	----	----/*30.70A	48.90B/*30.70A	----	34.50 - 14.40	.1598	----	----	----	----	52 UNCH
5100	30.50	30.50	48.10B/*30.20A	48.10B/*30.20A	----	33.90 - 14.10	.1574	----	----	10	----	886 + 6
5105	30.90	30.90	30.90/*29.70A	47.10B/*29.70A	----	33.30 - 13.90	.1550	----	----	15	----	72 + 11
5110	30.80	30.80	30.80/*29.20A	46.30B/*29.20A	----	32.70 - 13.70	.1527	----	----	7	----	19 + 5
5115	----	----	----/*28.70A	45.50B/*28.70A	----	32.20 - 13.40	.1505	----	----	1	----	27 UNCH
5120	----	----	----/*28.20A	44.60B/*28.20A	----	31.60 - 13.20	.1482	----	----	----	----	38 UNCH
5125	----	----	----/*27.70A	43.80B/*27.70A	----	31.10 - 12.90	.1461	----	----	27	----	238 - 1
5130	----	----	----/*27.20A	43.00B/*27.20A	----	30.50 - 12.70	.1437	----	----	----	----	36 UNCH
5135	----	----	----/*26.70A	42.20B/*26.70A	----	30.00 - 12.50	.1416	----	----	----	----	155 UNCH
5140	----	----	----/*26.30A	41.50B/*26.30A	----	29.50 - 12.20	.1395	----	----	----	----	57 UNCH
5145	26.90	26.90	26.90/*25.80A	40.80B/*25.80A	----	29.00 - 12.00	.1374	----	----	16	----	64 + 15
5150	28.70	28.70	28.70/*25.40A	40.00B/*25.40A	----	28.50 - 11.80	.1354	----	----	3	----	990 + 2
5155	----	----	----/*25.00A	39.30B/*25.00A	----	28.00 - 11.60	.1333	----	----	----	----	16 UNCH
5160	----	----	----/*24.60A	38.60B/*24.60A	----	27.50 - 11.40	.1312	----	----	----	----	12 UNCH
5165	----	----	----/*24.20A	37.90B/*24.20A	----	27.10 - 11.20	.1295	----	----	10	----	14 + 7
5170	----	----	----/*23.80A	37.20B/*23.80A	----	26.60 - 11.00	.1274	----	----	1	----	7 + 1
5175	----	----	----/*23.40A	36.60B/*23.40A	----	26.20 - 10.80	.1256	----	----	1	----	55 UNCH
5180	----	----	----/*23.00A	35.90B/*23.00A	----	25.70 - 10.60	.1236	----	----	12	----	26 + 12
5185	----	----	----/*22.60A	35.20B/*22.60A	----	25.30 - 10.40	.1218	----	----	----	----	118 UNCH
5190	----	----	----/*22.30A	34.60B/*22.30A	----	24.90 - 10.20	.1201	----	----	----	----	5 UNCH
5195	22.50	22.50	23.80/*21.90A	34.00B/*21.90A	----	24.50 - 10.00	.1183	----	----	39	----	36 - 5
5200	25.00	25.00	25.00/*21.50A	33.40B/*21.50A	----	24.10 - 9.80	.1166	----	----	80	----	1413 + 54
5205	----	----	----/*21.20A	32.80B/*21.20A	----	23.70 - 9.70	.1148	----	----	----	----	44 UNCH
5210	----	----	----/*20.90A	32.20B/*20.90A	----	23.30 - 9.50	.1131	----	----	----	----	55 UNCH
5215	----	----	----/*20.50A	31.70B/*20.50A	----	22.90 - 9.40	.1114	----	----	----	----	26 UNCH
5220	20.00	20.00	20.00/*20.00	31.10B/*20.00	----	22.50 - 9.20	.1097	----	----	3	----	21 + 3
5225	----	----	----/*19.90A	30.60B/*19.90A	----	22.10 - 9.10	.1079	----	----	----	----	104 UNCH
5230	----	----	----/*19.50A	30.00B/*19.50A	----	21.80 - 8.90	.1065	----	----	----	----	60 UNCH
5235	21.90	21.90	21.90/*19.20A	29.50B/*19.20A	----	21.40 - 8.80	.1048	----	----	3	----	4 + 2
5240	----	----	----/*18.90A	29.00B/*18.90A	----	21.10 - 8.60	.1034	----	----	----	----	120 UNCH
5245	----	----	----/*18.60A	28.50B/*18.60A	----	20.70 - 8.50	.1017	----	----	----	----	61 UNCH
5250	----	----	----/*18.30A	28.10B/*18.30A	----	20.40 - 8.30	.1003	----	----	64	----	606 - 37
5255	----	----	----/*18.00A	27.60B/*18.00A	----	20.10 - 8.20	.0989	----	----	----	----	14 UNCH
5260	----	----	----/*17.80A	27.00B/*17.80A	----	19.70 - 8.10	.0972	----	----	----	----	150 UNCH
5265	----	----	----/*17.50A	26.60B/*17.50A	----	19.40 - 8.00	.0959	----	----	----	----	4 UNCH
5270	17.70	17.70	17.70/*17.30A	26.20B/*17.30A	----	19.10 - 7.80	.0945	----	----	2	----	17 UNCH
5275	----	----	----/*17.00A	25.70B/*17.00A	----	18.80 - 7.70	.0931	----	----	8	----	28 + 8
5280	----	----	----/*16.70A	25.20B/*16.70A	----	18.50 - 7.60	.0917	----	----	----	----	5 UNCH
5285	----	----	----/*16.50A	24.80B/*16.50A	----	18.20 - 7.40	.0904	----	----	----	----	19 UNCH
5290	----	----	----/*16.30A	24.40B/*16.30A	----	17.90 - 7.30	.0890	----	----	----	----	43 UNCH
5295	----	----	----/*15.90A	24.00B/*15.90A	----	17.70 - 7.10	.0880	----	----	----	----	79 UNCH
5300	15.30	15.30	17.30/*15.30	23.60B/*15.30	----	17.40 - 7.00	.0866	----	----	10	----	1351 - 1
5305	16.00	16.00	16.00/*15.60A	23.20B/*15.60A	----	17.10 - 7.00	.0853	----	----	36	----	65 - 3
5310	16.50	16.50	16.50/*15.20A	22.80B/*15.20A	----	16.90 - 6.80	.0843	----	----	3	----	19 + 3
5315	----	----	----/*15.10A	22.40B/*15.10A	----	16.60 - 6.70	.0829	----	----	2	----	28 + 2
5320	14.70	14.70	14.70/*14.70	22.10B/*14.70	----	16.40 - 6.50	.0819	----	----	2	----	56 - 2
5325	----	----	----/*14.60A	21.70B/*14.60A	----	16.10 - 6.50	.0806	----	----	----	----	182 UNCH
5330	----	----	----/*14.50A	21.30B/*14.50A	----	15.90 - 6.30	.0796	----	----	----	----	13 UNCH
5335	----	----	----/*14.30A	21.00B/*14.30A	----	15.60 - 6.30	.0783	----	----	----	----	3 UNCH
5340	----	----	----/*14.10A	20.60B/*14.10A	----	15.40 - 6.10	.0773	----	----	----	----	30 UNCH
5345	----	----	----/*13.90A	20.30B/*13.90A	----	15.20 - 6.00	.0763	----	----	----	----	42 UNCH
5350	----	----	----/*13.70A	20.00B/*13.70A	----	14.90 - 6.00	.0750	----	----	58	----	687 - 52
5355	----	----	----/*13.50A	19.60B/*13.50A	----	14.70 - 5.90	.0740	----	----	----	----	108 UNCH
5360	----	----	----/*13.30A	19.30B/*13.30A	----	14.50 - 5.80	.0730	----	----	----	----	328 UNCH
5365	----	----	----/*13.10A	19.00B/*13.10A	----	14.30 - 5.70	.0720	----	----	----	----	146 UNCH
5370	19.40	19.40	19.40/*12.90A	19.40/*12.90A	----	14.10 - 5.50	.0711	----	----	4	----	25 + 1
5375	13.60	13.60	13.60/*12.70A	18.40B/*12.70A	----	13.90 - 5.50	.0701	----	----	8	----	18 + 8
5380	----	----	----/*12.60A	18.10B/*12.60A	----	13.70 - 5.40	.0691	----	----	----	----	8 UNCH
5385	----	----	----/*12.40A	17.90B/*12.40A	----	13.50 - 5.30	.0682	----	----	----	----	16 UNCH
5390	----	----	----/*12.20A	17.60B/*12.20A	----	13.30 - 5.20	.0672	----	----	----	----	13 UNCH
5395	----	----	----/*12.10A	17.30B/*12.10A	----	13.10 - 5.10	.0663	----	----	----	----	24 UNCH
5400	12.30	12.30	12.30/*11.90A	17.00B/*11.90A	----	12.90 - 5.10	.0653	----	----	82	----	3007 - 5
5405	----	----	----/*11.80A	16.80B/*11.80A	----	12.70 - 5.00	.0644	----	----	----	----	10 UNCH
5410	----	----	----/*11.60A	16.50B/*11.60A	----	12.60 - 4.80	.0638	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5415	----	----	----/*11.50A	16.30B/*11.50A	----	12.40 - 4.80	.0628	----	----	----	----	16 UNCH
5420	----	----	----/*11.30A	16.00B/*11.30A	----	12.20 - 4.70	.0619	----	----	22	----	29 UNCH
5425	----	----	----/*11.20A	15.80B/*11.20A	----	12.10 - 4.60	.0613	----	----	1	----	27 UNCH
5430	----	----	----/*11.10A	15.30B/*11.10A	----	11.90 - 4.50	.0604	----	----	----	----	11 UNCH
5435	----	----	----/*10.90A	15.00B/*10.90A	----	11.70 - 4.50	.0594	----	----	----	----	6 UNCH
5440	11.30	11.30	11.30/*10.80A	14.70B/*10.80A	----	11.60 - 4.40	.0589	----	----	9	----	17 + 9
5445	----	----	----/*10.70A	14.40B/*10.70A	----	11.40 - 4.40	.0579	----	----	----	----	24 UNCH
5450	----	----	----/*10.50A	14.30B/*10.50A	----	11.30 - 4.20	.0574	----	----	2	----	1183 - 1
5455	----	----	----/*10.40A	14.00B/*10.40A	----	11.10 - 4.20	.0564	----	----	----	----	36 UNCH
5460	----	----	----/*10.30A	13.90B/*10.30A	----	11.00 - 4.10	.0559	----	----	----	----	24 UNCH
5465	----	----	----/*10.10A	13.70B/*10.10A	----	10.80 - 4.10	.0550	----	----	----	----	18 UNCH
5470	----	----	----/*10.00A	13.40B/*10.00A	----	10.70 - 4.00	.0544	----	----	----	----	27 UNCH
5475	----	----	----/*9.90A	13.20B/*9.90A	----	10.60 - 3.90	.0538	----	----	----	----	206 UNCH
5480	----	----	----/*9.80A	13.00B/*9.80A	----	10.40 - 3.90	.0529	----	----	----	----	5 UNCH
5485	----	----	----/*9.70A	12.90B/*9.70A	----	10.30 - 3.80	.0524	----	----	----	----	9 UNCH
5490	----	----	----/*9.60A	12.60B/*9.60A	----	10.20 - 3.70	.0518	----	----	1	----	19 UNCH
5495	----	----	----/*9.40A	12.50B/*9.40A	----	10.00 - 3.70	.0509	----	----	----	----	4 UNCH
5500	15.00	15.00	15.00/9.30A	15.00/9.30A	----	9.90 - 3.60	.0504	----	----	135	----	2604 - 72
5505	----	----	----/*9.20A	12.20B/*9.20A	----	9.80 - 3.60	.0498	----	----	----	----	6 UNCH
5510	----	----	----/*9.10A	12.00B/*9.10A	----	9.70 - 3.50	.0493	----	----	----	----	13 UNCH
5515	----	----	----/*9.00A	11.90B/*9.00A	----	9.50 - 3.50	.0484	----	----	----	----	17 UNCH
5520	----	----	----/*8.90A	11.60B/*8.90A	----	9.40 - 3.50	.0479	----	----	----	----	11 UNCH
5525	----	----	----/*8.80A	11.40B/*8.80A	----	9.30 - 3.40	.0473	----	----	----	----	90 UNCH
5530	----	----	----/*8.70A	11.30B/*8.70A	----	9.20 - 3.30	.0468	----	----	----	----	23 UNCH
5535	----	----	----/*8.60A	11.10B/*8.60A	----	9.10 - 3.30	.0463	----	----	----	----	12 UNCH
5540	----	----	----/*8.50A	11.00B/*8.50A	----	9.00 - 3.20	.0458	----	----	----	----	16 UNCH
5545	----	----	----/*8.40A	10.90B/*8.40A	----	8.90 - 3.20	.0452	----	----	----	----	17 UNCH
5550	----	----	----/*8.40A	10.70B/*8.40A	----	8.80 - 3.10	.0447	----	----	----	----	202 UNCH
5555	----	----	----/*8.30A	10.50B/*8.30A	----	8.70 - 3.10	.0442	----	----	----	----	34 UNCH
5560	----	----	----/*8.20A	10.50B/*8.20A	----	8.60 - 3.00	.0437	----	----	----	----	23 UNCH
5565	----	----	----/*8.10A	10.30B/*8.10A	----	8.50 - 3.00	.0432	----	----	----	----	12 UNCH
5570	----	----	----/*8.00A	10.20B/*8.00A	----	8.40 - 2.90	.0427	----	----	----	----	4 UNCH
5575	----	----	----/*7.90A	10.10B/*7.90A	----	8.30 - 2.90	.0422	----	----	----	----	31 UNCH
5580	----	----	----/*7.80A	9.90B/*7.80A	----	8.20 - 2.90	.0416	----	----	----	----	7 UNCH
5585	----	----	----/*7.80A	9.80B/*7.80A	----	8.10 - 2.80	.0411	----	----	----	----	19 UNCH
5590	----	----	----/*7.70A	9.70B/*7.70A	----	8.00 - 2.80	.0406	----	----	----	----	5 UNCH
5595	----	----	----/*7.60A	9.50B/*7.60A	----	7.90 - 2.80	.0401	----	----	----	----	19 UNCH
5600	8.40	8.40	8.40/*7.50A	9.40B/*7.50A	----	7.80 - 2.80	.0396	----	----	13	----	2221 - 1
5605	----	----	----/*7.50A	9.30B/*7.50A	----	7.70 - 2.70	.0391	----	----	----	----	32 UNCH
5610	----	----	----/*7.40A	9.20B/*7.40A	----	7.60 - 2.70	.0386	----	----	----	----	5 UNCH
5620	----	----	----/*7.30A	9.00B/*7.30A	----	7.50 - 2.60	.0380	----	----	----	----	5 UNCH
5625	----	----	----/*7.20A	8.90B/*7.20A	----	7.40 - 2.60	.0375	----	----	----	----	8 UNCH
5630	----	----	----/*7.10A	8.80B/*7.10A	----	7.30 - 2.60	.0370	----	----	----	----	5 UNCH
5635	----	----	----/*7.10A	8.70B/*7.10A	----	7.20 - 2.60	.0365	----	----	----	----	12 UNCH
5640	----	----	----/*7.00A	8.60B/*7.00A	----	7.20 - 2.50	.0364	----	----	----	----	8 UNCH
5650	----	----	----/*6.90A	8.40B/*6.90A	----	7.00 - 2.50	.0355	----	----	100	----	394 - 50
5660	----	----	----/*6.80A	8.20B/*6.80A	----	6.90 - 2.40	.0349	----	----	----	----	7 UNCH
5670	----	----	----/*6.70A	7.20B/*6.70A	----	6.70 - 2.40	.0339	----	----	----	----	11 UNCH
5675	----	----	----/*6.60A	7.20B/*6.60A	----	6.70 - 2.30	.0338	----	----	----	----	6 UNCH
5680	----	----	----/*6.50A	7.10B/*6.50A	----	6.60 - 2.30	.0333	----	----	----	----	6 UNCH
5690	----	----	----/*6.40A	6.90B/*6.40A	----	6.50 - 2.20	.0327	----	----	----	----	21 UNCH
5700	----	----	----/*6.30A	6.90B/*6.30A	----	6.40 - 2.10	.0322	----	----	----	----	962 UNCH
5710	----	----	----/*6.20A	6.60B/*6.20A	----	6.20 - 2.20	.0312	----	----	----	----	22 UNCH
5720	----	----	----/*6.10A	6.50B/*6.10A	----	6.10 - 2.10	.0307	----	----	----	----	17 UNCH
5725	----	----	----/*6.10A	6.30B/*6.10A	----	6.10 - 2.10	.0306	----	----	----	----	57 UNCH
5730	----	----	----/*6.00A	6.30B/*6.00A	----	6.00 - 2.10	.0301	----	----	----	----	9 UNCH
5740	----	----	----/*5.90A	6.70B/*5.90A	----	5.90 - 2.00	.0296	----	----	----	----	9 UNCH
5750	----	----	----/*5.80A	6.60B/*5.80A	----	5.80 - 2.00	.0290	----	----	----	----	974 UNCH
5760	----	----	----/*5.70A	5.90B/*5.70A	----	5.70 - 2.00	.0285	----	----	----	----	168 UNCH
5770	----	----	----/*5.70A	5.70B/*5.70A	----	5.60 - 1.90	.0279	----	----	----	----	4 UNCH
5775	----	----	----/*5.60A	6.30B/*5.60A	----	5.60 - 1.90	.0279	----	----	1	----	215 - 1
5780	----	----	----/*5.60A	6.20B/*5.60A	----	5.50 - 1.90	.0274	----	----	----	----	2 UNCH
5790	----	----	----/*5.50A	6.10B/*5.50A	----	5.40 - 1.90	.0269	----	----	----	----	9 UNCH
5800	5.20	5.20	5.20/*5.20	6.00B/*5.20	----	5.30 - 1.90	.0263	----	----	1	----	779 + 1
5810	----	----	----/*5.30A	5.90B/*5.30A	----	5.30 - 1.80	.0262	----	----	----	----	11 UNCH
5820	----	----	----/*5.30A	5.80B/*5.30A	----	5.20 - 1.80	.0257	----	----	----	----	207 UNCH
5825	----	----	----/*5.20A	5.30B/*5.20A	----	5.10 - 1.80	.0252	----	----	----	----	19 UNCH
5830	----	----	----/*5.20A	5.10B/*5.20A	----	5.10 - 1.80	.0252	----	----	----	----	1 UNCH
5840	----	----	----/*5.10A	5.00B/*5.10A	----	5.00 - 1.80	.0247	----	----	----	----	102 UNCH
5850	4.70	4.70	4.70/*4.70	5.00B/*4.70	----	5.00 - 1.70	.0245	----	----	1	----	109 UNCH
5860	5.20	5.20	5.20/*5.00A	5.40B/*5.00A	----	4.90 - 1.70	.0240	----	----	3	----	95 + 3
5870	----	----	----/*4.90A	5.30B/*4.90A	----	4.80 - 1.70	.0235	----	----	----	----	9 UNCH
5875	----	----	----/*4.90A	4.80B/*4.90A	----	4.80 - 1.70	.0235	----	----	----	----	22 UNCH
5880	----	----	----/*4.80A	4.70B/*4.80A	----	4.80 - 1.60	.0234	----	----	----	----	11 UNCH
5890	----	----	----/*4.80A	4.70B/*4.80A	----	4.70 - 1.60	.0229	----	----	----	----	9 UNCH
5900	----	----	----/*4.70A	4.70B/*4.70A	----	4.60 - 1.70	.0224	----	----	----	----	428 UNCH
5910	----	----	----/*4.70A	4.60B/*4.70A	----	4.60 - 1.60	.0223	----	----	----	----	6 UNCH
5920	----	----	----/*4.60A	4.40B/*4.60A	----	4.50 - 1.60	.0218	----	----	----	----	25 UNCH
5925	----	----	----/*4.60A	4.80B/*4.60A	----	4.50 - 1.50	.0218	----	----	----	----	6 UNCH
5940	----	----	----/*4.50A	4.30B/*4.50A	----	4.40 - 1.50	.0212	----	----	----	----	2 UNCH
5950	----	----	----/*4.40A	4.70B/*4.40A	----	4.30 - 1.50	.0207	----	----	----	----	4 UNCH
5960	----	----	----/*4.40A	4.20B/*4.40A	----	4.30 - 1.50	.0206	----	----	----	----	15 UNCH
5970	----	----	----/*4.30A	4.40B/*4.30A	----	4.20 - 1.50	.0202	----	----	----	----	55 UNCH
5980	----	----	----/*4.30A	4.10B/*4.30A	----	4.20 - 1.40	.0201	----	----	----	----	3 UNCH
5990	----	----	----/*4.20A	4.00B/*4.20A	----	4.10 - 1.40	.0196	----	----	----	----	70 UNCH
6000	4.10	4.10	4.10/*3.80	4.10/*3.80	----	4.10 - 1.30	.0195	----	----	183	----	2189 - 27
6025	----	----	----/*4.10A	3.90B/*4.10A	----	3.90 - 1.40	.0186	----	----	----	----	29 UNCH
6050	----	----	----/*4.00A	3.90B/*4.00A	----	3.80 - 1.30	.0180	----	----	----	----	40 UNCH
6075	----	----	----/*3.90A	3.70B/*3.90A	----	3.70 - 1.20	.0174	----	----	----	----	90 UNCH
6100	3.80	3.80	3.80/*3.80	3.80/*3.80	----	3.60 - 1.10	.0168	----	----	1	----	300 - 1
6125	----	----	----/*3.70A	3.40B/*3.70A	----	3.50 - 1.10	.0163	----	----	----	----	59 UNCH
6150	----	----	----/*3.60A	3.30B/*3.60A	----	3.40 - 1.00	.0157	----	----	----	----	881 UNCH
6175	----	----	----/*3.60A	3.20B/*3.60A	----	3.30 - 1.00	.0152	----	----	----	----	39 UNCH
6200	----	----	----/*3.50A	3.30B/*3.50A	----	3.20 - 1.00	.0147	----	----	----	----	556 UNCH
6225	----	----	----/*3.40A	3.10B/*3.40A	----	3.10 - 0.90	.0142	----	----	2	----	22 + 2
6250	----	----	----/*3.30A	3.00B/*3.30A	----	3.00 - 0.90	.0137	----	----	----	----	392 UNCH
6275	----	----	----/*3.20A	2.90B/*3.20A	----	2.90 - 0.90	.0132	----	----	----	----	3 UNCH
6300	3.00	3.00	3.00/*3.00	3.00/*3.00	----	2.90 - 0.80	.0131	----	----	5	----	341 + 4
6325	----	----	----/*3.10A	2.80B/*3.10A	----	2.80 - 0.90	.0126	----	----	----	----	34 UNCH
6350	----	----	----/*3.10A	2.70B/*3.10A	----	2.70 - 0.90	.0121	----	----	----	----	32 UNCH
6375	----	----	----/*3.00A	2.70B/*3.00A	----	2.70 - 0.80	.0120	----	----	----	----	37 UNCH
6400	----	----	----/*2.90A	2.60B/*2.90A	----	2.60 - 0.80	.0115	----	----	----	----	183 UNCH
6425	----	----	----/*2.90A	2.60B/*2.90A	----	2.60 - 0.70	.0114	----	----	----	----	17 UNCH
6450	----	----	----/*2.80A	2.50B/*2.80A	----	2.50 - 0.80	.0110	----	----	----	----	48 UNCH
6475	----	----	----/*2.80A	2.50B/*2.80A	----	2.50 - 0.70	.0109	----	----	----	----	14 UNCH
6500	2.10	2.10	2.50B/*2.10	2.50B/*2.10	----	2.40 - 0.80	.0104	----	----	98	----	676 - 79
6525	----	----	----/*2.70A	2.40B/*2.70A	----	2.40 - 0.70	.0103	----	----	----	----	132 UNCH
6550	----	----	----/*2.60A	2.40B/*2.60A	----	2.30 - 0.70	.0099	----	----	----	----	1 UNCH
6575	----	----	----/*2.60A	2.30B/*2.60A	----	2.30 - 0.70	.0098	----	----	----	----	4 UNCH
6600	----	----	----/*2.50A	2.30B/*2.50A	----	2.30 - 0.60	.0097	----	----	----	----	26 UNCH
6650	----	----	----/*2.50A	2.20B/*2.50A	----	2.20 - 0.60	.0092	----	----	----	----	16 UNCH
6675	----	----	----/*2.40A	2.10B/*2.40A	----	2.10 - 0.70	.0088	----	----	----	----	1 UNCH
6700	----	----	----/*2.40A	2.10B/*2.40A	----	2.10 - 0.60	.0087	----	----	----	----	127 UNCH
6775	----	----	----/*2.30A	2.00B/*2.30A	----	2.00 - 0.60	.0082	----	----	----	----	1 UNCH
6800	----	----	----/*2.20A	2.00B/*2.20A	----	1.90 - 0.70	.0078	----	----	----	----	201 UNCH
6825	----	----	----/*2.20A	1.90B/*2.20A	----	1.90 - 0.60	.0078	----	----	----	----	19 UNCH
6850	----	----	----/*2.20A	1.90B/*2.20A	----	1.90 - 0.60	.0077	----	----	----	----	201 UNCH
6875	----	----	----/*2.10A	1.90B/*2.10A	----	1.80 - 0.60	.0073	----	----	----	----	22 UNCH
6900	----	----	----/*2.10A	1.90B/*2.10A	----	1.80 - 0.60	.0073	----	----	----	----	19 UNCH
6925	----	----	----/*2.10A	1.80B/*2.10A	----	1.80 - 0.60	.0072	----	----	----	----	1 UNCH
6950	----	----	----/*2.00A	1.80B/*2.00A	----	1.70 - 0.60	.0068	----	----	----	----	22 UNCH
6975	----	----	----/*2.00A	1.80B/*2.00A	----	1.70 - 0.60	.0068	----	----	----	----	10 UNCH
7000	1.70	1.70	1.80B/*1.70	1.80B/1.70	----	1.70 - 0.60	.0067	----	----	3	----	821 + 3
7050	----	----	----/*1.90A	1.70B/*1.90A	----	1.60 - 0.60	.0063	----	----	----	----	18 UNCH
7075	----	----	----/*1.90A	1.70B/*1.90A	----	1.60 - 0.60	.0063	----	----	----	----	13 UNCH
7100	----	----	----/*1.80A	1.70B/*1.80A	----	1.60 - 0.50	.0062	----	----	----	----	28 UNCH
7125	----	----	----/*1.80A	1.60B/*1.80A	----	1.60 - 0.50	.0062	----	----	----	----	1 UNCH
7150	----	----	----/*1.80A	1.60B/*1.80A	----	1.50 - 0.60	.0058	----	----	----	----	19 UNCH
7175	----	----	----/*1.80A	1.60B/*1.80A	----	1.50 - 0.50	.0058	----	----	----	----	1 UNCH
7200	----	----	----/*1.70A	1.60B/*1.70A	----	1.50 - 0.50	.0058	----	----	----	----	3 UNCH
7225	----	----	----/*1.70A	1.50B/*1.70A	----	1.50 - 0.50	.0057	----	----	----	----	22 UNCH
7250	----	----	----/*1.70A	1.50B/*1.70A	----	1.40 - 0.50	.0054	----	----	----	----	23 UNCH
7275	----	----	----/*1.70A	1.50B/*1.70A	----	1.40 - 0.50	.0053	----	----	----	----	14 UNCH
7300	----	----	----/*1.60A	1.50B/*1.60A	----	1.40 - 0.50	.0053	----	----	----	----	42 UNCH
7350	----	----	----/*1.60A	1.40B/*1.60A	----	1.40 - 0.40	.0052	----	----	----	----	8 UNCH
7400	----	----	----/*1.50A	1.40B/*1.50A	----	1.30 - 0.50	.0049	----	----	----	----	2 UNCH
7425	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.40	.0048	----	----	----	----	19 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
7450	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.40	.0048	----	----	----	----	16 UNCH
7475	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.40	.0048	----	----	----	----	9 UNCH
7500	----	----	----/1.50A	1.30B/1.50A	----	1.30 - 0.40	.0048	----	----	----	----	301 UNCH
7525	----	----	----/*1.50A	1.30B/*1.50A	----	1.30 - 0.30	.0047	----	----	----	----	33 UNCH
7550	----	----	----/*1.40A	1.30B/*1.40A	----	1.20 - 0.40	.0044	----	----	----	----	50 UNCH
7575	----	----	----/*1.40A	1.20B/*1.40A	----	1.20 - 0.40	.0044	----	----	----	----	1 UNCH
7600	----	----	----/*1.40A	1.20B/*1.40A	----	1.20 - 0.40	.0044	----	----	----	----	10 UNCH
7625	----	----	----/*1.40A	1.20B/*1.40A	----	1.20 - 0.40	.0043	----	----	----	----	12 UNCH
7700	----	----	----/*1.40A	1.10B/*1.40A	----	1.20 - 0.30	.0043	----	----	----	----	11 UNCH
7725	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 0.40	.0039	----	----	----	----	11 UNCH
7750	----	----	----/1.40A	1.10B/1.40A	----	1.10 - 0.40	.0039	----	----	----	----	6 UNCH
7775	----	----	----	1.10B/*1.40A	----	1.10 - 0.30	.0039	----	----	----	----	5 UNCH
7800	----	----	----/*1.30A	1.10B/*1.30A	----	1.10 - 0.30	.0039	----	----	----	----	5 UNCH
7825	----	----	----/*1.30A	1.00B/*1.30A	----	1.10 - 0.30	.0039	----	----	----	----	13 UNCH
7875	----	----	----/*1.30A	1.00B/*1.30A	----	1.00 - 0.40	.0035	----	----	5	----	151 UNCH
7900	----	----	----	1.00B/*1.30A	----	1.00 - 0.30	.0035	----	----	----	----	1 UNCH
8000	----	----	----/*1.20A	0.90B/1.20A	----	0.90 - 0.40	.0031	----	----	1	----	592 UNCH
8100	----	----	----/*1.10A	0.90B/*1.10A	----	0.90 - 0.30	.0031	----	----	----	----	7 UNCH
8300	----	----	----/*1.00A	0.80B/*1.00A	----	0.80 - 0.30	.0027	----	----	----	----	4 UNCH
8500	----	----	----/*0.90A	0.70B/*0.90A	----	0.70 - 0.30	.0023	----	----	18	----	30 - 14
8600	----	----	----/*0.90A	0.60B/*0.90A	----	0.60 - 0.40	.0020	----	----	----	----	1 UNCH
8700	0.60	0.60	0.60/*0.60	0.60/*0.60	----	0.60 - 0.30	.0020	----	----	1	----	24 - 1
8800	----	----	----/*0.80A	0.50B/*0.80A	----	0.60 - 0.30	.0019	----	----	----	----	7 UNCH
9000	----	----	----	0.40B/*0.80A	----	0.60 - 0.20	.0019	----	----	12	----	235 + 12
9200	----	----	----	0.40B/*0.70A	----	0.60 - 0.10	.0018	----	----	----	----	11 UNCH
9300	----	----	----	0.30B/*0.70A	----	0.60 - 0.10	.0018	----	----	----	----	4 UNCH
9400	----	----	----/*0.60A	0.30B/*0.60A	----	0.60 - 0.10	.0018	----	----	----	----	141 UNCH
9500	----	----	----	0.30B/*0.60A	----	0.60 UNCH	.0018	----	----	----	----	66 UNCH
9900	----	----	----	0.20B/*0.50A	----	0.60 + 0.10	.0017	----	----	----	----	5 UNCH
10000	----	----	----	0.20B/0.50A	----	0.60 + 0.10	.0017	----	----	----	----	173 UNCH
10100	----	----	----	0.20B/*0.50A	----	0.60 + 0.10	.0017	----	----	----	----	12 UNCH
11000	----	----	----	----/0.40A	----	0.40 + 0.10	.0011	----	----	12	----	98 + 10
11200	----	----	----	----/*0.30A	----	0.30 UNCH	.0008	----	----	----	----	13 UNCH
11500	----	----	----	----/*0.30A	----	0.30 + 0.10	.0008	----	----	----	----	47 UNCH
11600	----	----	----	----/*0.30A	----	0.30 + 0.10	.0008	----	----	----	----	50 UNCH
12000	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	217 UNCH
TOTAL										2741	200	57397 + 826
AUG26												
3400	----	----	----	----	----	1245.80 - 85.10	.9750	----	----	----	----	1 UNCH
3500	----	----	----/1,119.90A	1142.70B/1119.90A	----	1147.60 - 84.80	.9683	----	----	----	----	46 UNCH
3505	----	----	----/1,115.00A	1137.80B/1115.00A	----	1142.70 - 84.70	.9679	----	----	----	----	4 UNCH
3520	----	----	----/1,100.30A	1123.20B/1100.30A	----	1128.00 - 84.70	.9668	----	----	----	----	65 UNCH
3550	----	----	----/1,069.50A	1095.50B/1069.50A	----	1098.70 - 84.60	.9643	----	----	----	----	310 UNCH
3600	----	----	----/1,019.50A	1051.60B/1019.50A	----	1050.00 - 84.40	.9598	----	----	----	----	1045 UNCH
3610	----	----	----/1,012.80A	1035.80B/1012.80A	----	1040.30 - 84.30	.9590	----	----	----	----	6 UNCH
3650	----	----	----/974.20A	997.20B/974.20A	----	1001.60 - 84.10	.9546	----	----	----	----	4 UNCH
3660	----	----	----	----	----	991.90 - 84.00	.9535	----	----	----	----	1 UNCH
3685	----	----	----	----	----	967.80 - 83.90	.9507	----	----	----	----	1 UNCH
3700	----	----	----/926.20A	949.20B/926.20A	----	953.40 - 83.80	.9487	----	----	----	----	40 UNCH
3715	----	----	----/911.90A	934.90B/911.90A	----	939.00 - 83.70	.9466	----	----	----	----	30 UNCH
3720	----	----	----	----	----	934.20 - 83.60	.9460	----	----	----	----	1 UNCH
3735	----	----	----	----	----	919.80 - 83.60	.9439	----	----	----	----	1 UNCH
3750	----	----	----/878.60A	901.60B/878.60A	----	905.50 - 83.40	.9418	----	----	----	----	8 UNCH
3775	----	----	----/855.00A	877.90B/855.00A	----	881.70 - 83.20	.9379	----	----	----	----	4 UNCH
3780	----	----	----/850.30A	873.20B/850.30A	----	877.00 - 83.10	.9372	----	----	----	----	10 UNCH
3790	----	----	----/840.90A	863.70B/840.90A	----	867.50 - 83.00	.9355	----	----	----	----	67 UNCH
3800	----	----	----/830.00A	855.80B/830.00A	----	858.00 - 83.00	.9338	----	----	----	----	303 UNCH
3820	----	----	----/812.70A	835.50B/812.70A	----	839.10 - 82.80	.9305	----	----	----	----	3 UNCH
3840	----	----	----	----	----	820.30 - 82.50	.9266	----	----	----	----	1 UNCH
3850	----	----	----/784.80A	807.50B/784.80A	----	810.90 - 82.40	.9247	----	----	----	----	12 UNCH
3885	----	----	----	----	----	778.20 - 82.00	.9175	----	----	----	----	2 UNCH
3890	----	----	----	----	----	773.60 - 81.90	.9165	----	----	----	----	2 UNCH
3900	----	----	----/738.60A	761.10B/738.60A	----	764.30 - 81.80	.9143	----	----	----	----	146 UNCH
3920	----	----	----	579.40B/880.10A	----	745.80 - 81.60	.9098	----	----	----	----	1 UNCH
3925	----	----	----/715.80A	740.60B/715.80A	----	741.20 - 81.50	.9086	----	----	----	----	10 UNCH
3950	----	----	----/693.10A	717.80B/693.10A	----	718.30 - 81.10	.9023	----	----	----	----	106 UNCH
3955	----	----	----/688.60A	713.20B/688.60A	----	713.70 - 81.00	.9011	----	----	----	----	7 UNCH
3975	----	----	----/670.60A	695.00B/670.60A	----	695.50 - 80.70	.8958	----	----	----	----	200 UNCH
3995	----	----	----/652.70A	677.00B/652.70A	----	677.40 - 80.30	.8902	----	----	----	----	30 UNCH
4000	----	----	----/645.60A	674.50B/645.60A	----	672.90 - 80.20	.8887	----	----	----	----	683 UNCH
4005	----	----	----	531.80B/804.00A	----	668.40 - 80.10	.8872	----	----	----	----	1 UNCH
4015	----	----	----/635.00A	659.00B/635.00A	----	659.50 - 79.90	.8842	----	----	----	----	12 UNCH
4025	----	----	----/626.20A	650.10B/626.20A	----	650.50 - 79.70	.8812	----	----	----	----	174 UNCH
4045	----	----	----/608.70A	632.30B/608.70A	----	632.80 - 79.20	.8748	----	----	----	----	30 UNCH
4050	----	----	----/604.40A	627.90B/604.40A	----	628.30 - 79.20	.8731	----	----	----	----	100 UNCH
4055	----	----	----/600.00A	623.50B/600.00A	----	623.90 - 79.10	.8716	----	----	----	----	100 UNCH
4075	----	----	----/582.80A	605.90B/582.80A	----	606.30 - 78.60	.8646	----	----	----	----	3 UNCH
4080	----	----	----	476.60B/739.60A	----	602.00 - 78.40	.8628	----	----	----	----	1 UNCH
4100	----	----	----/561.40A	584.20B/561.40A	----	584.60 - 77.90	.8556	----	----	----	----	73 UNCH
4110	----	----	----/552.90A	575.70B/552.90A	----	575.90 - 77.70	.8518	----	----	----	----	19 UNCH
4135	----	----	----/531.80A	554.40B/531.80A	----	554.50 - 77.00	.8419	----	----	----	----	20 UNCH
4140	----	----	----	422.80B/691.10A	----	550.30 - 76.90	.8399	----	----	----	----	1 UNCH
4150	----	----	----/519.30A	541.70B/519.30A	----	541.80 - 76.60	.8357	----	----	----	----	40 UNCH
4165	----	----	----	400.80B/671.30A	----	529.20 - 76.10	.8294	----	----	----	----	1 UNCH
4195	----	----	----/482.60A	504.20B/482.60A	----	504.30 - 75.10	.8160	----	----	----	----	3 UNCH
4200	----	----	----/478.50A	500.10B/478.50A	----	500.20 - 75.00	.8137	----	----	----	----	75 UNCH
4215	----	----	----	357.50B/632.40A	----	487.90 - 74.50	.8066	----	----	----	----	1 UNCH
4220	----	----	----/462.60A	483.80B/462.60A	----	483.80 - 74.30	.8042	----	----	----	----	16 UNCH
4225	----	----	----/458.60A	479.70B/458.60A	----	479.80 - 74.10	.8018	----	----	----	----	102 UNCH
4235	----	----	----	339.60B/617.10A	----	471.70 - 73.80	.7968	----	----	----	----	1 UNCH
4250	----	----	----/439.00A	459.70B/439.00A	----	459.70 - 73.20	.7892	----	----	----	----	71 UNCH
4265	----	----	----/427.40A	447.80B/427.40A	----	447.90 - 72.60	.7813	----	----	----	----	77 UNCH
4285	----	----	----/412.20A	432.20B/412.20A	----	432.30 - 71.80	.7706	----	----	----	----	8 UNCH
4300	----	----	----/401.00A	420.60B/401.00A	----	420.70 - 71.20	.7622	----	----	----	----	42 UNCH
4320	----	----	----	265.20B/554.40A	----	405.50 - 70.30	.7507	----	----	----	----	2 UNCH
4325	----	----	----/382.60A	401.70B/382.60A	----	401.80 - 70.00	.7478	----	----	----	----	6 UNCH
4330	----	----	----/378.90A	398.00B/378.90A	----	398.00 - 69.80	.7448	----	----	----	----	201 UNCH
4350	----	----	----/362.30A	384.90B/362.30A	----	383.20 - 68.90	.7328	----	----	----	----	774 UNCH
4360	----	----	----/354.20A	358.60B/354.20A	----	375.90 - 68.40	.7266	----	----	----	----	1 UNCH
4375	----	----	----/343.70A	365.10B/343.70A	----	365.10 - 67.60	.7172	----	----	----	----	3 UNCH
4385	----	----	----/335.80A	357.90B/335.80A	----	357.90 - 67.20	.7108	----	----	----	----	100 UNCH
4390	----	----	----/333.50A	351.30B/333.50A	----	354.40 - 66.90	.7075	----	----	----	----	1 UNCH
4400	336.90	336.90	349.80B/325.30A	349.80B/325.30A	----	347.40 - 66.30	.7009	----	----	3	----	326 + 1
4420	----	----	----/312.30A	337.80B/312.30A	----	333.50 - 65.30	.6876	----	----	----	----	50 UNCH
4425	----	----	----/310.00A	332.70B/310.00A	----	330.10 - 65.00	.6842	----	----	----	----	5 UNCH
4440	----	----	----/300.40A	322.50B/300.40A	----	320.00 - 64.20	.6739	----	----	----	----	1 UNCH
4450	304.20	304.20	315.90B/293.80A	315.90B/293.80A	----	313.40 - 63.60	.6669	----	----	2	----	6 UNCH
4455	----	----	----/290.90A	312.50B/290.90A	----	310.10 - 63.30	.6634	----	----	----	----	2 UNCH
4460	----	----	----/287.60A	309.20B/287.60A	----	306.80 - 63.00	.6598	----	----	----	----	5 UNCH
4465	----	----	----/284.30A	306.10B/284.30A	----	303.50 - 62.70	.6563	----	----	----	----	9 UNCH
4470	----	----	----/281.40A	302.70B/281.40A	----	300.30 - 62.40	.6527	----	----	----	----	7 UNCH
4475	----	----	----/277.40A	301.30B/277.40A	----	297.10 - 62.10	.6491	----	----	----	----	29 UNCH
4485	----	----	----/272.10A	293.10B/272.10A	----	290.70 - 61.50	.6419	----	----	----	----	5 UNCH
4490	----	----	----/269.20A	290.00B/269.20A	----	287.60 - 61.10	.6382	----	----	----	----	1 UNCH
4500	261.10	261.10	271.70/261.10	289.70B/261.10	----	281.30 - 60.60	.6309	----	----	33	----	808 - 24
4535	----	----	----/242.10A	285.40B/242.10A	----	260.10 - 58.30	.6046	----	----	----	----	10 UNCH
4540	----	----	----/239.40A	285.20B/239.40A	----	257.20 - 57.90	.6008	----	----	----	----	5 UNCH
4545	----	----	----/236.80A	281.30B/236.80A	----	254.20 - 57.70	.5970	----	----	----	----	1 UNCH
4550	----	----	----/233.90A	277.90B/233.90A	----	251.30 - 57.30	.5932	----	----	----	----	22 UNCH
4555	----	----	----/231.40A	283.30B/231.40A	----	248.50 - 56.90	.5894	----	----	----	----	1 UNCH
4560	----	----	----/228.40A	284.00B/228.40A	----	245.60 - 56.60	.5855	----	----	----	----	5 UNCH
4565	----	----	----/226.00A	283.40B/226.00A	----	242.80 - 56.20	.5816	----	----	----	----	1 UNCH
4570	227.90	227.90	227.90/223.40A	283.20B/223.40A	----	240.00 NEW	.5778	----	----	1	----	1 + 1
4575	----	----	----/220.30A	282.60B/220.30A	----	237.20 - 55.50	.5739	----	----	----	----	41 UNCH
4580	----	----	----/217.70A	282.60B/217.70A	----	234.40 - 55.20	.5700	----	----	----	----	200 UNCH
4585	----	----	----/215.50A	283.40B/215.50A	----	231.70 - 54.80	.5661	----	----	----	----	2 UNCH
4590	----	----	----/212.60A	283.10B/212.60A	----	228.90 - 54.60	.5622	----	----	----	----	16 UNCH
4595	----	----	282.60B/209.60A	282.60B/209.60A	----	226.20 - 54.20	.5583	----	----	----	----	2 UNCH
4600	213.00	213.00	213.00/206.80A	275.50B/206.80A	----	223.60 - 53.80	.5543	----	----	1	----	100 UNCH
4605	----	----	----/204.40A	272.20B/204.40A	----	220.90 - 53.40	.5504	----	----	----	----	1 UNCH
4620	----	----	----/197.10A	263.20B/197.10A	----	213.10 - 52.30	.5386	----	----	----	----	4 UNCH
4625	224.90	224.90	224.90/194.80A	260.10B/194.80A	----	210.50 - 52.00	.5346	----	----	2	----	13 + 2
4630	----	----	----/192.30A	257.20B/192.30A	----	208.00 - 51.60	.5307	----	----	----	----	10 UNCH
4640	----	----	----/187.60A	251.40B/187.60A	----	203.00 - 50.80	.5227	----	----	7	----	8 + 7
4650	252.00	252.00	252.00/183.10A	252.00/183.10A	----	198.10 - 50.10	.5148	----	----	32	----	147 + 2
4660	----	----	----/178.60A	239.90B/178.60A	----	193.20 - 49.40	.5069	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4665	199.50	199.50	199.50/176.40A	237.10B/176.40A	----	190.90 NEW	.5029	----	----	16	----	16 + 16
4670	----	----	----/174.20A	234.50B/174.20A	----	188.50 - 48.60	.4990	----	----	----	----	3 UNCH
4675	----	----	235.40B/172.00A	235.40B/172.00A	----	186.20 - 48.20	.4950	----	----	----	----	36 UNCH
4685	----	----	----/167.70A	226.10B/167.70A	----	181.60 NEW	.4871	----	----	----	200	200 + 200
4690	----	----	----/165.60A	223.50B/165.60A	----	179.30 - 47.10	.4832	----	----	----	----	1 UNCH
4700	176.90	176.90	176.90/161.30A	218.00B/161.30A	----	174.90 - 46.30	.4753	----	----	19	----	1634 + 5
4705	193.10	193.10	193.10/*159.50A	215.60B/*159.50A	----	172.70 - 45.90	.4714	----	----	5	----	20 UNCH
4710	----	----	----/157.50A	213.00B/157.50A	----	170.50 - 45.50	.4674	----	----	----	----	17 UNCH
4715	188.30	188.30	188.30/*155.50A	210.30B/*155.50A	----	168.40 NEW	.4635	----	----	1	----	1 + 1
4720	----	----	----/153.50A	207.70B/153.50A	----	166.30 - 44.70	.4597	----	----	4	----	31 + 2
4725	161.50	161.50	161.50/151.50A	205.20B/151.50A	----	164.20 - 44.30	.4558	----	----	3	----	3 + 1
4730	----	----	----/149.60A	202.70B/149.60A	----	162.10 - 43.90	.4519	----	----	3	----	4 + 1
4735	----	----	----/*147.70A	203.50B/*147.70A	----	160.00 - 43.50	.4480	----	----	----	----	2 UNCH
4745	----	----	200.40B/*143.90	200.40B/*143.90A	----	156.00 - 42.70	.4403	----	----	----	----	62 UNCH
4750	----	----	199.00B/142.00A	199.00B/142.00A	----	154.00 - 42.30	.4364	----	----	5	----	207 + 5
4755	152.50	152.50	196.00B/*140.30	196.00B/*140.30A	----	152.10 - 41.80	.4326	----	----	4	----	11 + 4
4760	----	----	193.30B/138.50A	193.30B/138.50A	----	150.10 - 41.50	.4288	----	----	----	----	31 UNCH
4765	----	----	190.90B/*136.60	190.90B/*136.60A	----	148.20 - 41.10	.4250	----	----	----	----	6 UNCH
4770	144.30	144.30	189.80B/134.80A	189.80B/134.80A	----	146.30 - 40.70	.4212	----	----	20	----	250 UNCH
4775	----	----	187.80B/133.20A	187.80B/133.20A	----	144.40 - 40.30	.4174	----	----	----	----	12 UNCH
4780	----	----	186.20B/131.40A	186.20B/131.40A	----	142.60 - 39.80	.4137	----	----	----	----	13 UNCH
4785	----	----	182.30B/*129.70	182.30B/*129.70A	----	140.80 - 39.40	.4099	----	----	----	----	2 UNCH
4790	----	----	180.90B/*128.00	180.90B/*128.00A	----	139.00 - 39.00	.4062	----	----	24	----	27 + 24
4795	----	----	178.60B/*126.30	178.60B/*126.30A	----	137.20 - 38.60	.4025	----	----	----	----	106 UNCH
4800	166.00	166.00	177.10B/124.30A	177.10B/124.30A	----	135.40 - 38.20	.3988	----	----	249	----	1706 - 13
4805	----	----	174.10B/*122.80	174.10B/*122.80A	----	133.60 - 37.90	.3951	----	----	----	----	14 UNCH
4810	----	----	171.20B/*121.30	171.20B/*121.30A	----	131.90 - 37.40	.3914	----	----	----	----	24 UNCH
4815	----	----	169.10B/*119.70	169.10B/*119.70A	----	130.20 - 37.00	.3878	----	----	----	----	3 UNCH
4820	----	----	167.70B/*118.10	167.70B/*118.10A	----	128.50 - 36.60	.3841	----	----	----	----	22 UNCH
4825	----	----	164.50B/116.50A	164.50B/116.50A	----	126.80 - 36.30	.3805	----	----	----	----	33 UNCH
4830	----	----	164.10B/*115.10	164.10B/*115.10A	----	125.20 - 35.80	.3769	----	----	----	----	15 UNCH
4835	----	----	161.30B/*113.60	161.30B/*113.60A	----	123.50 - 35.50	.3733	----	----	----	----	38 UNCH
4840	----	----	157.90B/*112.00	157.90B/*112.00A	----	121.90 - 35.10	.3697	----	----	----	----	25 UNCH
4850	134.00	134.00	155.20B/109.10A	155.20B/109.10A	----	118.70 - 34.40	.3626	----	----	35	----	89 + 26
4860	109.50	109.50	151.10B/*106.20	151.10B/*106.20A	----	115.60 - 33.60	.3556	----	----	2	----	30 + 2
4865	----	----	149.50B/*104.80	149.50B/*104.80A	----	114.10 - 33.20	.3522	----	----	----	----	10 UNCH
4870	----	----	147.50B/*103.50	147.50B/*103.50A	----	112.60 - 32.80	.3487	----	----	----	----	13 UNCH
4875	----	----	145.00B/102.00A	145.00B/102.00A	----	111.10 - 32.50	.3453	----	----	----	----	146 UNCH
4880	----	----	143.60B/*100.80	143.60B/*100.80A	----	109.60 - 32.20	.3418	----	----	----	----	146 UNCH
4885	----	----	140.20B/*99.40A	140.20B/*99.40A	----	108.10 - 31.90	.3384	----	----	----	----	21 UNCH
4890	----	----	138.30B/*98.10A	138.30B/*98.10A	----	106.70 - 31.50	.3351	----	----	6	----	8 - 1
4895	----	----	136.50B/*96.70A	136.50B/*96.70A	----	105.30 - 31.10	.3317	----	----	----	----	31 UNCH
4900	116.60	116.60	134.90B/95.10A	134.90B/95.10A	----	103.90 - 30.80	.3284	----	----	6	----	619 + 6
4905	----	----	----/*94.30A	132.90B/*94.30A	----	102.50 - 30.40	.3251	----	----	----	----	15 UNCH
4910	99.40	99.40	99.40/*92.90A	131.20B/*92.90A	----	101.10 - 30.10	.3217	----	----	6	----	7 UNCH
4920	----	----	----/*90.20A	127.70B/*90.20A	----	98.40 - 29.50	.3152	----	----	----	----	3 UNCH
4925	95.00	95.00	95.00/89.30A	125.80B/89.30A	----	97.10 - 29.20	.3120	----	----	3	----	128 + 3
4930	91.50	91.50	91.50/*88.00A	124.10B/*88.00A	----	95.80 - 28.90	.3088	----	----	24	----	25 + 24
4935	----	----	----/*87.20A	122.80B/*87.20A	----	94.60 - 28.50	.3057	----	----	----	----	1 UNCH
4940	----	----	----/*85.70A	120.80B/*85.70A	----	93.30 - 28.20	.3025	----	----	----	----	23 UNCH
4945	----	----	----/*84.60A	119.20B/*84.60A	----	92.10 - 27.80	.2995	----	----	----	----	23 UNCH
4950	----	----	----/83.50A	117.80B/83.50A	----	90.90 - 27.50	.2964	----	----	1	----	117 UNCH
4955	----	----	----/*82.40A	116.00B/*82.40A	----	89.60 - 27.30	.2932	----	----	----	----	22 UNCH
4960	----	----	----/*81.20A	114.70B/*81.20A	----	88.50 - 26.90	.2903	----	----	----	----	18 UNCH
4965	----	----	----/*80.20A	112.90B/*80.20A	----	87.30 - 26.60	.2872	----	----	----	----	22 UNCH
4975	----	----	----/78.30A	109.90B/78.30A	----	85.00 - 26.00	.2812	----	----	----	----	2 UNCH
4980	----	----	----/*77.00A	108.40B/*77.00A	----	83.90 - 25.60	.2783	----	----	----	----	3 UNCH
4985	----	----	----/*76.00A	107.10B/*76.00A	----	82.70 - 25.40	.2753	----	----	----	----	14 UNCH
4990	----	----	----/*75.20A	105.50B/*75.20A	----	81.60 - 25.10	.2724	----	----	----	----	5 UNCH
4995	----	----	----/*74.20A	104.10B/*74.20A	----	80.60 - 24.80	.2696	----	----	----	----	3 UNCH
5000	105.00	105.00	105.00/72.70A	105.00/72.70A	----	79.50 - 24.50	.2667	----	----	53	----	1304 + 25
5005	----	----	----/*72.10A	101.30B/*72.10A	----	78.40 - 24.20	.2638	----	----	----	----	10 UNCH
5015	----	----	----/*70.20A	98.60B/*70.20A	----	76.40 - 23.60	.2583	----	----	----	----	3 UNCH
5020	71.10	71.10	71.10/*69.30A	97.40B/*69.30A	----	75.30 - 23.40	.2554	----	----	20	----	30 + 19
5025	72.80	72.80	72.80/*68.30A	96.00B/*68.30A	----	74.30 - 23.10	.2527	----	----	3	----	79 + 3
5030	----	----	----/*67.40A	94.70B/*67.40A	----	73.40 - 22.70	.2501	----	----	----	260	263 + 260
5035	----	----	----/*66.50A	93.50B/*66.50A	----	72.40 - 22.50	.2474	----	----	----	----	10 UNCH
5040	----	----	----/*65.70A	92.10B/*65.70A	----	71.40 - 22.30	.2447	----	----	----	----	3 UNCH
5045	----	----	----/*64.80A	90.90B/*64.80A	----	70.50 - 21.90	.2421	----	----	----	----	22 UNCH
5050	----	----	----/*63.90A	90.80B/*63.90A	----	69.60 - 21.60	.2395	----	----	1	----	248 UNCH
5055	----	----	----/*63.30A	88.50B/*63.30A	----	68.60 - 21.40	.2368	----	----	----	----	2 UNCH
5060	----	----	----/*62.30A	87.30B/*62.30A	----	67.70 - 21.20	.2343	----	----	----	----	11 UNCH
5065	----	----	----/*61.40A	86.10B/*61.40A	----	66.80 - 20.90	.2317	----	----	----	----	43 UNCH
5070	----	----	----/*60.60A	84.90B/*60.60A	----	65.90 - 20.70	.2292	----	----	----	----	7 UNCH
5075	----	----	----/*59.80A	83.70B/*59.80A	----	65.10 - 20.30	.2268	----	----	----	----	204 UNCH
5080	----	----	----/*59.00A	82.70B/*59.00A	----	64.20 - 20.10	.2242	----	----	----	----	21 UNCH
5090	----	----	----/*57.70A	80.50B/*57.70A	----	62.50 - 19.60	.2193	----	----	----	----	1 UNCH
5095	60.80	60.80	60.80/*56.90A	79.40B/*56.90A	----	61.70 NEW	.2170	----	----	4	----	4 + 4
5100	77.80	77.80	79.00/55.80A	79.00/55.80A	----	60.90 - 19.10	.2146	----	----	222	----	1366 - 95
5105	----	----	----/*55.50A	77.10B/*55.50A	----	60.10 - 18.90	.2123	----	----	----	----	2 UNCH
5110	----	----	----/*54.70A	76.20B/*54.70A	----	59.30 - 18.60	.2099	----	----	----	----	6 UNCH
5115	----	----	----/*53.70A	75.20B/*53.70A	----	58.50 - 18.40	.2076	----	----	----	----	8 UNCH
5120	----	----	----/*53.20A	74.00B/*53.20A	----	57.80 - 18.10	.2054	----	----	----	----	51 UNCH
5125	55.60	55.60	55.60/*52.50A	73.00B/*52.50A	----	57.00 - 17.90	.2031	----	----	3	----	23 + 3
5130	----	----	----/*51.90A	72.00B/*51.90A	----	56.30 - 17.70	.2009	----	----	----	----	2 UNCH
5135	52.80	52.80	52.80/*51.20A	71.10B/*51.20A	----	55.50 - 17.50	.1986	----	----	3	----	4 + 3
5140	----	----	----/*50.50A	70.60B/*50.50A	----	54.80 - 17.30	.1965	----	----	----	----	12 UNCH
5145	----	----	----/*49.90A	69.20B/*49.90A	----	54.10 - 17.00	.1943	----	----	----	----	14 UNCH
5150	51.80	51.80	54.50/*49.20A	69.00B/*49.20A	----	53.40 - 16.80	.1922	----	----	2	----	91 + 1
5155	----	----	----/*48.60A	67.30B/*48.60A	----	52.70 - 16.60	.1900	----	----	----	----	18 UNCH
5160	----	----	----/*48.00A	66.40B/*48.00A	----	52.00 - 16.40	.1879	----	----	----	----	7 UNCH
5165	----	----	----/*47.40A	65.50B/*47.40A	----	51.30 - 16.20	.1858	----	----	----	----	2 UNCH
5170	----	----	----/*46.80A	64.60B/*46.80A	----	50.70 - 16.00	.1839	----	----	----	----	6 UNCH
5175	----	----	----/*46.00A	63.80B/*46.00A	----	50.00 - 15.80	.1817	----	----	----	----	325 UNCH
5185	----	----	----/*45.00A	62.10B/*45.00A	----	48.70 - 15.40	.1777	----	----	----	----	2 UNCH
5190	----	----	----/*44.50A	61.30B/*44.50A	----	48.10 - 15.20	.1758	----	----	----	----	4 UNCH
5195	----	----	----/*43.90A	60.50B/*43.90A	----	47.50 - 15.00	.1739	----	----	----	----	12 UNCH
5200	52.40	52.40	53.00/43.30A	59.70B/43.30A	----	46.90 - 14.80	.1720	----	----	35	----	2772 + 15
5205	54.20	54.20	54.20/*42.80A	58.90B/*42.80A	----	46.30 - 14.60	.1701	----	----	5	----	6 + 5
5210	----	----	----/*42.30A	58.00B/*42.30A	----	45.70 - 14.40	.1682	----	----	----	----	8 UNCH
5215	----	----	----/*41.70A	56.90B/*41.70A	----	45.10 - 14.30	.1663	----	----	----	----	14 UNCH
5220	----	----	----/*41.20A	56.60B/*41.20A	----	44.50 - 14.10	.1644	----	----	----	----	29 UNCH
5225	42.70	42.70	42.70/*40.70A	55.80B/*40.70A	----	44.00 - 13.90	.1627	----	----	3	----	46 UNCH
5230	----	----	----/*40.20A	55.10B/*40.20A	----	43.40 - 13.70	.1608	----	----	----	----	10 UNCH
5235	----	----	----/*39.70A	53.90B/*39.70A	----	42.90 - 13.50	.1591	----	----	----	----	10 UNCH
5240	----	----	----/*39.20A	53.20B/*39.20A	----	42.30 - 13.40	.1573	----	----	----	----	16 UNCH
5245	----	----	----/*38.70A	52.50B/*38.70A	----	41.80 - 13.20	.1556	----	----	----	----	12 UNCH
5250	----	----	----/*38.20A	52.20B/*38.20A	----	41.30 - 13.00	.1539	----	----	51	----	565 UNCH
5255	----	----	----/*37.80A	51.10B/*37.80A	----	40.70 - 12.90	.1521	----	----	----	----	888 UNCH
5260	----	----	----/*37.20A	50.90B/*37.20A	----	40.20 - 12.80	.1504	----	----	----	----	24 UNCH
5265	----	----	----/*36.90A	49.80B/*36.90A	----	39.70 - 12.60	.1487	----	----	----	----	11 UNCH
5270	----	----	----/*36.30A	48.80B/*36.30A	----	39.20 - 12.40	.1471	----	----	50	----	68 + 50
5275	----	----	----/*36.00A	48.50B/*36.00A	----	38.70 - 12.30	.1455	----	----	----	----	17 UNCH
5280	----	----	----/*35.40A	47.90B/*35.40A	----	38.30 - 12.10	.1440	----	----	----	200	206 + 200
5285	----	----	----/*34.90A	47.20B/*34.90A	----	37.80 - 11.90	.1424	----	----	----	----	32 UNCH
5290	----	----	----/*34.70A	46.60B/*34.70A	----	37.30 - 11.80	.1408	----	----	----	----	16 UNCH
5295	----	----	----/*34.20A	45.60B/*34.20A	----	36.90 - 11.60	.1393	----	----	----	----	6 UNCH
5300	46.00	46.00	46.00/33.80A	46.00/33.80A	----	36.40 - 11.50	.1377	----	----	45	----	871 - 27
5305	----	----	----/*33.30A	45.20B/*33.30A	----	36.00 - 11.30	.1363	----	----	----	----	6 UNCH
5310	----	----	----/*33.00A	43.90B/*33.00A	----	35.50 - 11.20	.1347	----	----	----	----	105 UNCH
5320	----	----	----/*32.20A	43.10B/*32.20A	----	34.70 - 10.90	.1319	----	----	----	----	17 UNCH
5325	----	----	----/*31.80A	42.20B/*31.80A	----	34.30 - 10.70	.1305	----	----	----	----	20 UNCH
5330	----	----	----/*31.50A	41.90B/*31.50A	----	33.80 - 10.70	.1289	----	----	----	----	3 UNCH
5335	----	----	----/*31.10A	41.10B/*31.10A	----	33.40 - 10.50	.1275	----	----	----	----	1 UNCH
5345	----	----	----/*30.40A	40.10B/*30.40A	----	32.60 - 10.30	.1248	----	----	----	----	2 UNCH
5350	30.10	30.10	31.30/*30.00A	39.90B/*30.00A	----	32.30 - 10.10	.1236	----	----	15	----	8001 UNCH
5355	----	----	----/*29.60A	39.30B/*29.60A	----	31.90 - 10.00	.1222	----	----	----	----	1 UNCH
5360	----	----	----/*29.30A	38.80B/*29.30A	----	31.50 - 9.90	.1209	----	----	----	----	110 UNCH
5370	28.90	28.90	30.20/*27.80	37.70B/*27.80	----	30.80 - 9.60	.1184	----	----	22	----	8000 UNCH
5375	----	----	----/*28.30A	37.20B/*28.30A	----	30.40 - 9.50	.1170	----	----	----	----	14 UNCH
5380	----	----	----/*28.00A	36.80B/*28.00A	----	30.00 - 9.40	.1157	----	----	----	----	3 UNCH
5400	27.80	27.80	27.80/*26.80A	35.10B/26.80A	----	28.70 - 8.90	.1110	----	----	9	----	2123 + 9
5405	----	----	----/*26.50A	34.50B/*26.50A	----	28.40 - 8.70	.1099	----	----	----	----	7 UNCH
5410	----	----	----/*26.20A	34.00B/*26.20A	----	28.00 - 8.70	.1085	----	----	----	----	6 UNCH
5420	----	----	----/*25.70A	33.20B/*25.70A	----	27.40 - 8.40	.1064	----	----	----	----	8 UNCH
5430	----	----	----/*25.10A	33.00B/*25.10A	----	26.80 - 8.20	.1042	----	----	----	----	4 UNCH
5435	----	----	----/*24.80A	31.90B/*24.80A	----	26.50 - 8.10	.1031	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5440	24.50	24.50	24.50/*24.50	31.50B/*24.50	----	26.20 - 8.00	.1020	----	----	1	----	106 + 1
5445	25.20	25.20	25.20/*24.30A	31.10B/*24.30A	----	25.90 - 7.90	.1009	----	----	7	----	10 + 7
5450	----	----	----/*24.10A	30.60B/*24.10A	----	25.60 - 7.80	.0999	----	----	----	----	124 UNCH
5460	----	----	----/*23.60A	29.90B/*23.60A	----	25.00 - 7.70	.0977	----	----	----	----	15 UNCH
5465	----	----	----/*23.30A	29.50B/*23.30A	----	24.80 - 7.50	.0969	----	----	----	----	29 UNCH
5470	----	----	----/*23.10A	29.10B/*23.10A	----	24.50 - 7.40	.0958	----	----	----	----	4 UNCH
5475	----	----	----/*22.80A	28.80B/*22.80A	----	24.20 - 7.40	.0948	----	----	----	----	2 UNCH
5480	----	----	----/*22.60A	28.40B/*22.60A	----	24.00 - 7.20	.0939	----	----	----	----	14 UNCH
5485	----	----	----/*22.40A	28.10B/*22.40A	----	23.70 - 7.20	.0929	----	----	----	----	2 UNCH
5490	----	----	----/*22.10A	27.80B/*22.10A	----	23.50 - 7.00	.0921	----	----	----	----	2 UNCH
5495	----	----	----/*21.90A	27.40B/*21.90A	----	23.20 - 7.00	.0910	----	----	----	----	4 UNCH
5500	28.50	28.50	28.50/21.40	28.50/21.40	----	23.00 - 6.90	.0902	----	----	64	----	1229 - 1
5505	24.60	24.60	24.60/*21.50A	26.80B/*21.50A	----	22.70 - 6.80	.0892	----	----	1	----	9 - 1
5510	----	----	----/*21.20A	26.50B/*21.20A	----	22.50 - 6.70	.0884	----	----	----	----	8 UNCH
5515	----	----	----/*21.00A	26.20B/*21.00A	----	22.20 - 6.70	.0873	----	----	----	----	2 UNCH
5520	----	----	----/*20.80A	25.90B/*20.80A	----	22.00 - 6.60	.0866	----	----	----	----	1 UNCH
5525	----	----	----/*20.60A	25.60B/*20.60A	----	21.80 - 6.50	.0858	----	----	----	----	29 UNCH
5530	----	----	----/*20.40A	25.30B/*20.40A	----	21.60 - 6.30	.0850	----	----	----	----	1 UNCH
5535	----	----	----/*20.20A	25.00B/*20.20A	----	21.30 - 6.30	.0839	----	----	----	----	12 UNCH
5540	----	----	----/*20.00A	24.80B/*20.00A	----	21.10 - 6.20	.0832	----	----	----	----	9 UNCH
5545	----	----	----/*19.80A	24.40B/*19.80A	----	20.90 - 6.20	.0824	----	----	----	----	2 UNCH
5550	----	----	----/*19.60A	24.20B/*19.60A	----	20.70 - 6.10	.0816	----	----	----	----	127 UNCH
5555	----	----	----/*19.50A	23.90B/*19.50A	----	20.50 - 6.00	.0809	----	----	----	----	1 UNCH
5560	----	----	----/*19.30A	23.60B/*19.30A	----	20.30 - 5.90	.0801	----	----	----	----	3 UNCH
5565	20.00	20.00	20.00/*19.10A	23.30B/*19.10A	----	20.10 - 5.80	.0793	----	----	9	----	14 + 9
5570	----	----	----/*18.90A	23.10B/*18.90A	----	19.90 - 5.80	.0786	----	----	----	----	3 UNCH
5575	----	----	----/*18.70A	22.80B/*18.70A	----	19.70 - 5.70	.0778	----	----	----	----	3 UNCH
5580	----	----	----/*18.60A	22.60B/*18.60A	----	19.50 - 5.60	.0770	----	----	----	----	17 UNCH
5590	----	----	----/*18.20A	22.00B/*18.20A	----	19.10 - 5.50	.0755	----	----	----	----	1 UNCH
5595	----	----	----/*18.10A	21.80B/*18.10A	----	18.90 - 5.50	.0748	----	----	----	----	3 UNCH
5600	----	----	----/*17.90A	21.60B/*17.90A	----	18.70 - 5.40	.0740	----	----	3	----	1106 + 1
5605	----	----	----/*17.80A	21.40B/*17.80A	----	18.60 - 5.30	.0735	----	----	----	----	7 UNCH
5610	----	----	----/*17.60A	21.00B/*17.60A	----	18.40 - 5.20	.0728	----	----	----	----	11 UNCH
5615	----	----	----/*17.50A	20.80B/*17.50A	----	18.20 - 5.20	.0720	----	----	----	----	1 UNCH
5620	----	----	----/*17.30A	20.60B/*17.30A	----	18.00 - 5.10	.0713	----	----	----	----	2 UNCH
5635	----	----	----/*16.90A	20.50B/*16.90A	----	17.50 - 5.00	.0693	----	----	----	----	2 UNCH
5640	----	----	----/*16.70A	19.70B/*16.70A	----	17.40 - 4.80	.0689	----	----	----	----	3 UNCH
5650	16.00	16.00	17.30/*16.00	19.30B/*16.00	----	17.10 - 4.70	.0677	----	----	6	----	601 + 1
5660	----	----	----/*16.10A	18.80B/*16.10A	----	16.70 - 4.70	.0662	----	----	----	----	27 UNCH
5670	----	----	----/*15.80A	18.40B/*15.80A	----	16.40 - 4.60	.0650	----	----	----	----	10 UNCH
5675	----	----	----/*15.70A	18.10B/*15.70A	----	16.30 - 4.50	.0646	----	----	----	----	4 UNCH
5680	----	----	----/*15.60A	17.90B/*15.60A	----	16.20 - 4.40	.0641	----	----	----	----	4 UNCH
5690	----	----	----/*15.30A	17.70B/*15.30A	----	15.90 - 4.30	.0630	----	----	----	----	16 UNCH
5700	----	----	----/*15.10A	17.30B/*15.10A	----	15.60 - 4.20	.0618	----	----	----	----	1674 UNCH
5710	----	----	----/*14.80A	17.00B/*14.80A	----	15.30 - 4.20	.0607	----	----	----	----	7 UNCH
5720	----	----	----/*14.70A	16.50B/*14.70A	----	15.10 - 4.00	.0598	----	----	----	----	13 UNCH
5725	----	----	----/*14.40A	16.40B/*14.40A	----	14.90 - 4.00	.0591	----	----	----	----	1 UNCH
5730	----	----	----/*14.40A	16.20B/*14.40A	----	14.80 - 4.00	.0586	----	----	----	----	15 UNCH
5750	----	----	----/*13.80A	15.70B/*13.80A	----	14.30 - 3.80	.0566	----	----	----	----	300 UNCH
5775	----	----	----/*13.30A	14.80B/*13.30A	----	13.80 - 3.50	.0545	----	----	----	----	2 UNCH
5800	----	----	----/*12.90A	14.40B/*12.90A	----	13.20 - 3.40	.0522	----	----	7	----	1030 UNCH
5825	----	----	----/*12.40A	13.50B/*12.40A	----	12.70 - 3.20	.0501	----	----	----	----	120 UNCH
5850	----	----	----/*12.10A	13.00B/*12.10A	----	12.30 - 3.00	.0484	----	----	----	----	165 UNCH
5875	----	----	----/*11.60A	12.40B/*11.60A	----	11.80 - 2.90	.0464	----	----	----	----	26 UNCH
5900	----	----	----/*10.90A	12.00B/*10.90A	----	11.40 - 2.80	.0447	----	----	----	----	1496 UNCH
5925	----	----	----/*10.80A	11.40B/*10.80A	----	11.00 - 2.70	.0431	----	----	----	----	2 UNCH
5950	----	----	----/*10.50A	11.20B/*10.50A	----	10.70 - 2.50	.0418	----	----	----	----	2 UNCH
6000	9.90	9.90	9.90/9.90	10.30B/9.90	----	10.00 - 2.40	.0389	----	----	4	----	1680 - 1
6100	----	----	----/*8.90A	9.00B/*8.90A	----	8.90 - 2.00	.0342	----	----	----	----	373 UNCH
6200	----	----	----/*8.00A	7.80B/*8.00A	----	8.00 - 1.80	.0303	----	----	8	----	1479 UNCH
6300	----	----	----/*7.40A	7.00B/*7.40A	----	7.20 - 1.70	.0270	----	----	1	----	84 - 1
6400	----	----	----/*6.80A	6.40B/*6.80A	----	6.60 - 1.60	.0244	----	----	----	----	65 UNCH
6500	5.50	5.50	6.20B/5.50	6.20B/5.50	----	6.10 - 1.50	.0222	----	----	1	----	718 UNCH
6600	----	----	----/*5.80A	5.40B/*5.80A	----	5.60 - 1.50	.0201	----	----	----	----	150 UNCH
6700	5.50	5.50	5.50/*5.50	5.50/*5.50	----	5.20 - 1.40	.0184	----	----	1	----	253 - 1
6800	----	----	----/*5.10A	4.70B/*5.10A	----	4.90 - 1.30	.0171	----	----	----	----	50 UNCH
6900	----	----	----/*4.80A	4.50B/*4.80A	----	4.60 - 1.20	.0158	----	----	2	----	4 + 2
7000	4.40	4.40	4.80/4.40	4.80/4.40	----	4.40 - 1.10	.0149	----	----	5	----	633 + 1
7500	3.40	3.40	3.70B/3.40	3.70B/3.40	----	3.50 - 0.80	.0111	----	----	1	----	737 UNCH
8000	----	----	----/3.10A	2.90B/3.10A	----	2.80 - 0.60	.0084	----	----	----	----	166 UNCH
8500	----	----	----/2.60A	2.40B/2.60A	----	2.30 - 0.50	.0066	----	----	----	----	90 UNCH
9000	2.00	2.00	2.00/2.00	2.00/2.00	----	1.90 - 0.40	.0053	----	----	8	----	17 + 8
9500	----	----	----/1.80A	1.70B/1.80A	----	1.70 - 0.20	.0045	----	----	----	----	69 UNCH
10000	----	----	----	1.40B/1.60A	----	1.40 - 0.20	.0036	----	----	1	----	101 UNCH
TOTAL										1193	660	56556 + 795
SEP26												
3875	----	----	----	674.00B/964.80A	----	827.00 - 82.50	.9061	----	----	----	----	1 UNCH
3995	----	----	----/694.30A	718.50B/694.30A	----	719.50 - 80.40	.8751	----	----	----	----	10 UNCH
4085	----	----	----/617.80A	640.80B/617.80A	----	641.70 - 78.40	.8463	----	----	----	----	37 UNCH
4130	----	----	----/580.70A	603.00B/580.70A	----	603.90 - 77.20	.8298	----	----	----	----	10 UNCH
4185	----	----	----/536.60A	557.90B/536.60A	----	558.90 - 75.50	.8077	----	----	----	----	37 UNCH
4200	----	----	----	412.00B/694.30A	----	546.80 - 75.00	.8013	----	----	----	----	1 UNCH
4220	----	----	----/509.20A	530.00B/509.20A	----	530.90 - 74.30	.7924	----	----	----	----	162 UNCH
4290	----	----	----/456.50A	475.90B/456.50A	----	476.80 - 71.70	.7594	----	----	----	----	6 UNCH
4295	----	----	----/452.90A	472.10B/452.90A	----	473.10 - 71.40	.7569	----	----	----	----	50 UNCH
4300	----	----	----/449.20A	468.40B/449.20A	----	469.30 - 71.30	.7544	----	----	----	----	13 UNCH
4320	----	----	----/434.80A	453.50B/434.80A	----	454.50 - 70.40	.7441	----	----	----	----	162 UNCH
4375	----	----	----/393.60A	404.60B/393.60A	----	414.80 - 68.00	.7144	----	----	----	----	1 UNCH
4390	389.00	389.00	403.30B/383.40A	403.30B/383.40A	----	404.40 - 67.20	.7059	----	----	1	----	202 UNCH
4425	----	----	----/360.30A	382.40B/360.30A	----	380.50 - 65.40	.6856	----	----	----	----	1 UNCH
4495	----	----	----/315.50A	338.80B/315.50A	----	335.20 - 61.70	.6429	----	----	----	----	18 UNCH
4500	----	----	----/313.30A	333.90B/313.30A	----	332.10 - 61.40	.6397	----	----	1	----	8 + 1
4505	----	----	----/310.50A	330.70B/310.50A	----	329.00 - 61.20	.6366	----	----	----	----	2 UNCH
4510	----	----	----/307.60A	328.70B/307.60A	----	325.90 - 60.90	.6334	----	----	----	----	2 UNCH
4515	----	----	----/304.70A	327.70B/304.70A	----	322.90 - 60.60	.6302	----	----	----	----	2 UNCH
4545	----	----	----/286.50A	326.90B/286.50A	----	305.00 - 58.80	.6108	----	----	----	----	16 UNCH
4550	----	----	----/283.80A	323.60B/283.80A	----	302.10 - 58.50	.6076	----	----	----	----	222 UNCH
4560	----	----	----/278.70A	323.80B/278.70A	----	296.30 - 58.00	.6010	----	----	----	----	2 UNCH
4565	----	----	----/275.90A	324.00B/275.90A	----	293.40 - 57.70	.5977	----	----	----	----	2 UNCH
4570	----	----	----/273.20A	323.10B/273.20A	----	290.60 - 57.40	.5944	----	----	----	----	2 UNCH
4575	----	----	----/270.50A	323.30B/270.50A	----	287.70 - 57.10	.5911	----	----	----	----	2 UNCH
4580	----	----	----/267.80A	323.10B/267.80A	----	284.90 - 56.80	.5878	----	----	----	----	2 UNCH
4585	----	----	----/265.20A	322.80B/265.20A	----	282.20 - 56.40	.5845	----	----	----	----	2 UNCH
4590	----	----	----/262.50A	322.60B/262.50A	----	279.40 - 56.20	.5811	----	----	----	----	2 UNCH
4600	----	----	----/256.90A	322.30B/256.90A	----	273.90 - 55.60	.5745	----	----	1	----	54 + 1
4650	----	----	----/232.40A	296.40B/232.40A	----	247.70 - 52.40	.5408	----	----	----	----	1 UNCH
4675	----	----	----/220.80A	282.10B/220.80A	----	235.30 - 50.90	.5239	----	----	----	----	1 UNCH
4680	----	----	----/218.40A	279.40B/218.40A	----	232.90 - 50.50	.5205	----	----	----	----	1 UNCH
4700	----	----	----/209.10A	268.40B/209.10A	----	223.40 - 49.20	.5069	----	----	----	90	117 UNCH
4705	----	----	----/207.00A	265.80B/207.00A	----	221.10 - 48.80	.5036	----	----	----	----	10 UNCH
4710	----	----	----/205.00A	263.10B/205.00A	----	218.80 - 48.50	.5002	----	----	----	----	1 UNCH
4720	----	----	----/200.50A	257.70B/200.50A	----	214.30 - 47.80	.4935	----	----	----	----	45 UNCH
4725	----	----	----/198.60A	255.20B/198.60A	----	212.00 - 47.50	.4901	----	----	----	----	2 UNCH
4730	----	----	----/196.30A	252.50B/196.30A	----	209.80 - 47.10	.4867	----	----	----	----	5 UNCH
4750	----	----	----/188.10A	242.30B/188.10A	----	201.10 - 45.70	.4733	----	----	----	----	43 UNCH
4770	----	----	----/180.20A	232.70B/180.20A	----	192.70 - 44.30	.4600	----	----	----	----	2 UNCH
4775	----	----	----/178.30A	230.40B/178.30A	----	190.60 - 44.00	.4567	----	----	----	----	184 UNCH
4780	----	----	----/176.40A	227.70B/176.40A	----	188.60 - 43.60	.4534	----	----	----	----	7 UNCH
4795	----	----	----/170.90A	220.70B/170.90A	----	182.60 - 42.60	.4435	----	----	----	----	2 UNCH
4800	173.50	173.50	174.20/168.60A	218.40B/168.60A	----	180.60 - 42.30	.4403	----	----	15	----	933 - 8
4840	----	----	----/*154.90A	202.10B/*154.90A	----	165.60 - 39.40	.4145	----	----	----	----	2 UNCH
4850	----	----	201.70B/151.50A	201.70B/151.50A	----	162.00 - 38.70	.4081	----	----	1	----	24 UNCH
4860	----	----	----/*148.30A	195.90B/*148.30A	----	158.50 - 38.00	.4018	----	----	----	----	2 UNCH
4875	----	----	192.00B/143.30A	192.00B/143.30A	----	153.30 - 37.10	.3924	----	----	----	----	30 UNCH
4885	----	----	----/*140.30A	182.50B/*140.30A	----	150.00 - 36.40	.3862	----	----	----	----	2 UNCH
4900	----	----	----/135.50A	180.60B/135.50A	----	145.10 - 35.50	.3771	----	----	----	----	310 UNCH
4920	----	----	----/*129.80A	170.70B/*129.80A	----	138.90 - 34.20	.3651	----	----	----	----	30 UNCH
4925	----	----	171.40B/128.30A	171.40B/128.30A	----	137.40 - 33.90	.3621	----	----	----	----	3 UNCH
4930	----	----	----/*126.90A	166.40B/*126.90A	----	135.90 - 33.60	.3592	----	----	----	----	3 UNCH
4935	----	----	----/*125.70A	166.70B/*125.70A	----	134.40 - 33.30	.3563	----	----	----	----	1 UNCH
4950	----	----	----/121.50A	157.90B/121.50A	----	130.00 - 32.50	.3475	----	----	----	----	192 UNCH
4965	----	----	----/*117.70A	152.70B/*117.70A	----	125.80 - 31.60	.3390	----	----	----	----	2 UNCH
4970	----	----	----/*116.30A	150.50B/*116.30A	----	124.40 NEW	.3361	----	----	1	----	1 + 1
4975	----	----	----/114.90A	149.30B/114.90A	----	123.10 - 31.00	.3334	----	----	----	----	315 UNCH
5000	125.00	125.00	125.00/108.60A	141.30B/108.60A	----	116.50 - 29.60	.3196	----	----	102	----	479 - 48
5005	----	----	----/*107.70A	139.60B/*107.70A	----	115.20 - 29.40	.3169	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5050	----	----	----/*97.50A	126.10B/*97.50A	----	104.30 - 26.90	.2933	----	----	----	----	1 UNCH
5075	----	----	----/*92.30A	119.10B/*92.30A	----	98.70 - 25.60	.2808	----	----	----	----	1 UNCH
5100	----	----	----/87.20A	112.20B/87.20A	----	93.50 - 24.20	.2688	----	----	----	----	241 UNCH
5110	----	----	----/*85.60A	109.70B/*85.60A	----	91.40 - 23.80	.2640	----	----	----	----	1 UNCH
5120	----	----	----/*83.70A	107.20B/*83.70A	----	89.40 - 23.40	.2593	----	----	1	----	1 + 1
5150	----	----	----/*78.20A	100.10B/*78.20A	----	83.80 - 21.90	.2460	----	----	----	----	3 UNCH
5155	----	----	----/*77.60A	99.00B/*77.60A	----	82.80 - 21.80	.2436	----	----	1	----	1 UNCH
5200	----	----	----/70.20A	89.30B/70.20A	----	75.10 - 19.90	.2248	----	----	4	----	373 UNCH
5230	----	----	----/*66.00A	83.40B/*66.00A	----	70.30 - 18.80	.2128	----	----	----	----	400 UNCH
5235	----	----	----/*65.40A	82.50B/*65.40A	----	69.60 - 18.50	.2109	----	----	----	----	1 UNCH
5245	----	----	----/*63.90A	80.60B/*63.90A	----	68.10 - 18.20	.2071	----	----	----	----	20 UNCH
5250	63.30	63.30	63.30/*63.30	79.70B/*63.30	----	67.30 - 18.10	.2051	----	----	75	----	275 + 75
5300	60.50	60.50	60.50/56.90A	71.40B/56.90A	----	60.50 - 16.40	.1873	----	----	281	250	1320 + 65
5330	----	----	----/*53.70A	66.60B/*53.70A	----	56.80 - 15.40	.1774	----	----	----	----	20 UNCH
5335	----	----	----/*53.10A	65.90B/*53.10A	----	56.20 - 15.20	.1758	----	----	1	----	1 UNCH
5350	----	----	----/*51.50A	63.80B/*51.50A	----	54.40 - 14.90	.1710	----	----	----	----	1 UNCH
5370	----	----	----/*49.60A	61.10B/*49.60A	----	52.20 - 14.30	.1649	----	----	----	----	15 UNCH
5375	----	----	----/*49.00A	60.30B/*49.00A	----	51.70 - 14.10	.1635	----	----	2	----	2 UNCH
5400	----	----	----/46.80A	57.10B/46.80A	----	49.20 - 13.30	.1564	----	----	26	----	294 UNCH
5420	----	----	----/*44.90A	54.80B/*44.90A	----	47.30 - 12.70	.1510	----	----	----	----	80 UNCH
5425	----	----	----/*44.50A	54.20B/*44.50A	----	46.80 - 12.60	.1496	----	----	----	----	50 UNCH
5450	----	----	----/*42.40A	51.30B/*42.40A	----	44.60 - 11.90	.1433	----	----	----	----	5 UNCH
5460	----	----	----/*41.80A	50.20B/*41.80A	----	43.80 - 11.60	.1409	----	----	----	----	1 UNCH
5475	----	----	----/*40.50A	48.70B/*40.50A	----	42.60 - 11.20	.1373	----	----	----	----	2 UNCH
5500	----	----	----/38.80A	46.10B/38.80A	----	40.70 - 10.50	.1317	----	----	----	----	1099 UNCH
5505	----	----	----/*38.50A	45.60B/*38.50A	----	40.40 - 10.30	.1307	----	----	----	----	3 UNCH
5520	----	----	----/*37.50A	44.30B/*37.50A	----	39.30 - 10.00	.1274	----	----	----	----	1 UNCH
5525	----	----	----/*37.10A	43.80B/*37.10A	----	39.00 - 9.80	.1264	----	----	----	----	6 UNCH
5540	----	----	----/*36.20A	42.80B/*36.20A	----	38.00 - 9.40	.1234	----	----	----	----	15 UNCH
5600	----	----	----/32.30A	37.90B/32.30A	----	34.20 - 8.20	.1118	----	----	260	----	548 - 260
5605	----	----	----/*32.00A	37.20B/*32.00A	----	33.90 - 8.10	.1109	----	----	----	----	3 UNCH
5625	----	----	----/*31.00A	35.70B/*31.00A	----	32.70 - 7.80	.1072	----	----	----	----	2 UNCH
5650	----	----	----/*29.70A	33.80B/*29.70A	----	31.20 - 7.60	.1027	----	----	----	----	414 UNCH
5665	----	----	----/*29.00A	33.00B/*29.00A	----	30.40 - 7.40	.1002	----	----	----	----	3 UNCH
5675	----	----	----/*28.50A	32.50B/*28.50A	----	29.90 - 7.20	.0986	----	----	----	----	8 UNCH
5700	----	----	----/*27.40A	30.50B/*27.40A	----	28.60 - 6.90	.0946	----	----	----	----	1060 UNCH
5730	----	----	----/*26.10A	29.20B/*26.10A	----	27.10 - 6.60	.0900	----	----	----	----	2 UNCH
5750	----	----	----/*25.40A	27.90B/*25.40A	----	26.20 - 6.30	.0871	----	----	----	----	173 UNCH
5760	----	----	----/*25.00A	27.40B/*25.00A	----	25.70 - 6.30	.0856	----	----	----	----	1 UNCH
5800	----	----	----/*23.50A	25.60B/*23.50A	----	24.10 - 5.80	.0805	----	----	----	----	524 UNCH
5850	23.30	23.30	23.30/*21.90A	23.90B/*21.90A	----	22.40 - 5.20	.0748	----	----	5	----	439 + 1
5900	----	----	----/*20.40A	20.20B/*20.40A	----	20.90 - 4.70	.0698	----	----	130	----	381 - 122
5950	----	----	----/*19.30A	18.90B/*19.30A	----	19.50 - 4.30	.0651	----	----	----	----	51 UNCH
6000	17.50	17.50	17.60B/*17.20	17.60B/*17.20	----	18.30 - 3.90	.0610	----	----	2	----	1119 + 1
6100	----	----	----/*16.10A	15.40B/*16.10A	----	16.10 - 3.50	.0535	----	----	----	----	185 UNCH
6200	16.10	16.10	16.10/*14.60A	16.10/*14.60A	----	14.30 - 3.10	.0473	----	----	8	----	235 + 4
6300	----	----	----/*13.30A	12.10B/*13.30A	----	12.90 - 2.80	.0423	----	----	----	----	159 UNCH
6400	----	----	----/*12.20A	11.00B/*12.20A	----	11.70 - 2.60	.0381	----	----	5	----	220 + 5
6500	----	----	----/*11.40A	10.10B/*11.40A	----	10.80 - 2.30	.0348	----	----	----	----	540 UNCH
6600	----	----	----/*10.70A	9.40B/*10.70A	----	10.00 - 2.20	.0318	----	----	----	----	25 UNCH
6650	----	----	----/*10.40A	9.00B/*10.40A	----	9.70 - 2.10	.0307	----	----	----	----	5 UNCH
6750	----	----	----/*9.80A	8.50B/*9.80A	----	9.10 - 1.90	.0284	----	----	----	----	11 UNCH
6775	----	----	----/*9.70A	8.40B/*9.70A	----	9.00 - 1.80	.0280	----	----	----	----	1 UNCH
6800	8.90	8.90	8.90/*8.90	8.90/*8.90	----	8.90 - 1.80	.0275	----	----	1	----	128 + 1
7000	----	----	----/*8.60A	7.60B/*8.60A	----	8.00 - 1.50	.0241	----	----	----	----	100 UNCH
8000	----	----	----/6.10A	4.70B/6.10A	----	5.50 - 1.00	.0147	----	----	----	----	15 UNCH
TOTAL										924	340	14367 - 282
OCT26												
3600	----	----	----/1,062.00A	1085.20B/1062.00A	----	1089.30 - 84.80	.9404	----	----	----	----	12 UNCH
4300	----	----	----/471.20A	488.20B/471.20A	----	489.90 - 70.40	.7369	----	----	----	----	102 UNCH
4400	----	----	----/401.40A	421.70B/401.40A	----	420.50 - 66.50	.6862	----	----	----	----	8 UNCH
4405	----	----	----/398.30A	418.30B/398.30A	----	417.10 - 66.30	.6835	----	----	----	----	2 UNCH
4480	----	----	----/352.00A	370.20B/352.00A	----	369.20 - 62.80	.6421	----	----	----	----	1 UNCH
4500	----	----	----/340.00A	361.30B/340.00A	----	357.00 - 61.90	.6307	----	----	----	----	3 UNCH
4515	----	----	----/331.70A	363.50B/331.70A	----	348.10 - 61.00	.6221	----	----	----	----	1 UNCH
4550	----	----	----/312.10A	352.60B/312.10A	----	327.80 - 59.10	.6016	----	----	----	----	1 UNCH
4580	----	----	----/295.10A	356.80B/295.10A	----	311.00 - 57.40	.5838	----	----	----	----	70 UNCH
4600	----	----	----/285.50A	351.30B/285.50A	----	300.30 - 56.10	.5718	----	----	----	----	134 UNCH
4610	----	----	----/279.70A	345.30B/279.70A	----	295.00 - 55.50	.5658	----	----	----	----	5 UNCH
4620	----	----	----/275.70A	339.50B/275.70A	----	289.80 - 54.80	.5597	----	----	----	----	1 UNCH
4630	----	----	----/270.50A	333.70B/270.50A	----	284.60 - 54.20	.5537	----	----	----	----	3 UNCH
4650	259.60	259.60	259.60/259.60	322.40B/259.60	----	274.60 - 52.80	.5416	----	----	50	----	84 + 50
4670	----	----	----/252.00A	311.20B/252.00A	----	264.80 - 51.40	.5294	----	----	----	----	1 UNCH
4675	----	----	----/249.60A	308.40B/249.60A	----	262.40 - 51.10	.5264	----	----	----	----	1 UNCH
4690	----	----	----/242.90A	300.30B/242.90A	----	255.30 - 50.10	.5173	----	----	----	----	1 UNCH
4700	----	----	----/237.70A	295.10B/237.70A	----	250.60 - 49.40	.5113	----	----	----	----	5 UNCH
4710	----	----	----/234.00A	289.80B/234.00A	----	246.10 - 48.70	.5052	----	----	----	----	1 UNCH
4715	----	----	----/232.00A	287.30B/232.00A	----	243.80 - 48.30	.5022	----	----	----	----	2 UNCH
4750	----	----	----/217.40A	269.50B/217.40A	----	228.50 - 45.90	.4812	----	----	----	----	0 UNCH
4755	----	----	----/215.30A	267.00B/215.30A	----	226.30 - 45.60	.4782	----	----	----	----	1 UNCH
4800	----	----	----/196.90A	245.70B/196.90A	----	208.00 - 42.60	.4517	----	----	----	----	326 UNCH
4845	----	----	----/181.90A	225.70B/181.90A	----	190.90 - 40.00	.4256	----	----	----	----	2 UNCH
4850	----	----	----/179.50A	223.60B/179.50A	----	189.10 - 39.70	.4228	----	----	----	----	53 UNCH
4865	----	----	----/175.10A	217.30B/175.10A	----	183.80 - 38.80	.4143	----	----	----	----	2 UNCH
4880	----	----	----/170.20A	211.20B/170.20A	----	178.60 - 38.00	.4059	----	----	----	----	1 UNCH
4900	----	----	----/162.60A	203.20B/162.60A	----	171.90 - 37.00	.3949	----	----	----	----	1319 UNCH
4905	----	----	----/*161.10A	201.30B/*161.10A	----	170.30 - 36.70	.3922	----	----	----	----	20 UNCH
4910	----	----	----/160.80A	199.30B/160.80A	----	168.70 - 36.40	.3894	----	----	----	----	1 UNCH
4925	----	----	----/155.00A	193.60B/155.00A	----	163.90 - 35.60	.3813	----	----	----	----	18 UNCH
4935	----	----	----/*152.20A	189.90B/*152.20A	----	160.80 - 35.10	.3760	----	----	----	----	5 UNCH
4945	----	----	----/*149.50A	186.30B/*149.50A	----	157.70 - 34.60	.3707	----	----	----	----	3 UNCH
4950	----	----	----/147.80A	184.50B/147.80A	----	156.20 - 34.30	.3680	----	----	----	----	18 UNCH
5000	----	----	----/134.30A	167.20B/134.30A	----	141.70 - 31.80	.3422	----	----	2	----	1339 UNCH
5025	----	----	----/*129.20A	159.20B/*129.20A	----	135.00 - 30.60	.3298	----	----	----	----	2 UNCH
5050	----	----	----/*122.50A	151.60B/*122.50A	----	128.70 - 29.30	.3178	----	----	2	----	59 + 2
5075	----	----	----/*117.60A	144.20B/*117.60A	----	122.60 - 28.20	.3061	----	----	2	----	4 + 2
5080	----	----	----/*115.50A	142.80B/*115.50A	----	121.50 - 27.90	.3039	----	----	----	----	3 UNCH
5085	----	----	----/*114.50A	141.40B/*114.50A	----	120.30 - 27.70	.3015	----	----	----	----	3 UNCH
5100	----	----	----/111.20A	137.30B/111.20A	----	116.90 - 27.00	.2948	----	----	2	----	804 + 2
5125	----	----	----/*107.10A	130.60B/*107.10A	----	111.50 - 25.90	.2839	----	----	----	----	1 UNCH
5150	----	----	----/*102.20A	124.30B/*102.20A	----	106.30 - 24.90	.2732	----	----	----	----	1 UNCH
5160	----	----	----/*100.30A	121.90B/*100.30A	----	104.40 - 24.40	.2691	----	----	----	----	1 UNCH
5170	----	----	----/*97.60A	119.50B/*97.60A	----	102.40 - 24.00	.2650	----	----	----	----	5 UNCH
5200	----	----	----/92.30A	112.60B/92.30A	----	96.80 - 22.80	.2531	----	----	----	100	1023 - 63
5250	84.30	84.30	84.30/*83.90A	102.00B/*83.90A	----	88.20 - 20.80	.2343	----	----	1	----	523 + 1
5255	----	----	----/*84.10A	101.00B/*84.10A	----	87.40 - 20.60	.2325	----	----	----	----	1 UNCH
5300	----	----	----/76.90A	92.50B/76.90A	----	80.40 - 18.90	.2168	----	----	----	----	939 UNCH
5325	----	----	----/*74.00A	88.00B/*74.00A	----	76.90 - 18.00	.2087	----	----	----	----	1 UNCH
5350	----	----	----/*70.20A	83.80B/*70.20A	----	73.50 - 17.10	.2007	----	----	----	----	4 UNCH
5365	----	----	----/*68.90A	81.40B/*68.90A	----	71.50 - 16.70	.1961	----	----	----	----	1 UNCH
5400	----	----	----/64.30A	76.10B/64.30A	----	67.20 - 15.60	.1858	----	----	----	----	458 UNCH
5410	----	----	----/*63.80A	74.70B/*63.80A	----	66.00 - 15.30	.1829	----	----	----	----	1 UNCH
5435	----	----	----/*60.60A	71.20B/*60.60A	----	63.20 - 14.60	.1761	----	----	----	----	226 UNCH
5450	----	----	----/*59.80A	69.20B/*59.80A	----	61.60 - 14.20	.1721	----	----	----	----	66 UNCH
5455	----	----	----/*59.00A	68.50B/*59.00A	----	61.10 - 14.00	.1709	----	----	----	----	175 UNCH
5475	----	----	----/*57.30A	66.00B/*57.30A	----	59.00 - 13.50	.1657	----	----	----	----	1 UNCH
5500	54.00	54.00	54.00/54.00	62.90B/54.00	----	56.60 - 12.90	.1596	----	----	9	----	2008 - 1
5520	----	----	----/*53.20A	60.60B/*53.20A	----	54.70 - 12.50	.1549	----	----	----	----	1 UNCH
5530	----	----	----/*52.40A	59.50B/*52.40A	----	53.80 - 12.20	.1526	----	----	----	----	1 UNCH
5545	----	----	----/*51.20A	57.90B/*51.20A	----	52.50 - 11.90	.1492	----	----	----	----	5 UNCH
5550	----	----	----/*50.80A	57.30B/*50.80A	----	52.10 - 11.80	.1482	----	----	----	----	100 UNCH
5590	----	----	----/*47.80A	53.30B/*47.80A	----	48.90 - 10.90	.1398	----	----	----	----	4 UNCH
5600	----	----	----/47.10A	52.30B/47.10A	----	48.10 - 10.70	.1377	----	----	100	----	251 + 53
5610	----	----	----/*46.40A	51.40B/*46.40A	----	47.30 - 10.60	.1356	----	----	----	----	1 UNCH
5615	----	----	----/*46.10A	50.90B/*46.10A	----	47.00 - 10.40	.1348	----	----	----	----	5 UNCH
5650	----	----	----/*43.90A	47.80B/*43.90A	----	44.50 - 9.80	.1282	----	----	----	----	401 UNCH
5655	----	----	----/*43.60A	47.40B/*43.60A	----	44.20 - 9.60	.1273	----	----	----	----	2 UNCH
5660	----	----	----/*43.30A	47.00B/*43.30A	----	43.80 - 9.60	.1263	----	----	----	----	1 UNCH
5675	----	----	----/*42.30A	45.70B/*42.30A	----	42.80 - 9.30	.1236	----	----	----	----	3 UNCH
5700	----	----	----/40.10A	43.80B/40.10A	----	41.30 - 8.80	.1195	----	----	----	----	170 UNCH
5710	----	----	----/*39.50A	43.00B/*39.50A	----	40.60 - 8.80	.1177	----	----	----	----	5 UNCH
5720	----	----	----/*38.90A	42.30B/*38.90A	----	40.10 - 8.50	.1162	----	----	----	----	75 UNCH
5750	----	----	----/*37.30A	40.20B/*37.30A	----	38.30 - 8.10	.1113	----	----	----	----	1 UNCH
5775	----	----	----/*36.10A	38.50B/*36.10A	----	36.90 - 7.80	.1075	----	----	----	----	50 UNCH
5800	----	----	----/*34.80A	37.00B/34.80A	----	35.60 - 7.40	.1039	----	----	----	----	411 UNCH
5825	----	----	----/*34.20A	35.50B/*34.20A	----	34.30 - 7.20	.1003	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
OCT26												
5875	----	----	----/*31.70A	32.70B/*31.70A	----	32.00 - 6.60	.0939	----	----	----	----	1 UNCH
5900	----	----	----/*30.90A	31.50B/30.90A	----	30.90 - 6.40	.0908	----	----	----	----	132 UNCH
5925	----	----	----/*31.30A	30.30B/*31.30A	----	29.80 - 6.20	.0877	----	----	----	----	1 UNCH
5950	----	----	----/*30.50A	29.20B/*30.50A	----	28.80 - 6.00	.0849	----	----	----	----	1 UNCH
6000	27.00	27.00	27.00/*27.00	27.10B/27.00	----	27.00 - 5.60	.0797	----	----	774	----	2522 - 643
6100	----	----	----/26.10A	22.00B/26.10A	----	24.10 - 4.70	.0710	----	----	----	----	66 UNCH
6200	----	----	----/23.90A	19.40B/23.90A	----	21.70 - 4.00	.0637	----	----	----	----	38 UNCH
6300	----	----	----/22.00A	17.40B/22.00A	----	19.80 - 3.40	.0577	----	----	----	----	756 UNCH
6400	----	----	----/20.40A	15.70B/20.40A	----	18.20 - 2.90	.0526	----	----	----	----	1910 UNCH
6500	14.20	14.20	14.20/*14.20	15.50B/*14.20	----	16.90 - 2.50	.0484	----	----	755	----	4434 - 305
6800	----	----	----	11.40B/*16.20A	----	14.00 - 1.60	.0388	----	----	----	----	1385 UNCH
6900	----	----	----	10.80B/*15.50A	----	13.20 - 1.50	.0362	----	----	----	----	1 UNCH
7000	12.50	12.50	12.50/*12.50	12.50/*12.50	----	12.60 - 1.30	.0342	----	----	1	----	1584 + 1
8000	9.00	9.00	9.00/*9.00	9.00/*9.00	----	8.80 - 0.60	.0214	----	----	1	----	212 + 1
8500	----	----	----	5.80B/*9.80A	----	7.80 - 0.50	.0181	----	----	----	----	208 UNCH
9000	----	----	----	5.00B/8.80A	----	7.00 - 0.40	.0156	----	----	----	----	69 UNCH
9500	----	----	----	4.20B/*8.00A	----	6.30 - 0.40	.0136	----	----	----	----	10 UNCH
13000	----	----	----	2.20B/2.80A	----	2.60 - 0.20	.0050	----	----	----	----	25 UNCH
TOTAL										1699	100	24699 - 900
NOV26												
4000	----	----	----	615.20B/936.90A	----	771.70 - 78.20	.8452	----	----	----	----	1 UNCH
4100	----	----	----	530.10B/859.40A	----	689.40 - 76.80	.8138	----	----	----	----	1 UNCH
4275	----	----	----	383.60B/731.80A	----	555.60 - 72.00	.7465	----	----	----	----	38 UNCH
4300	----	----	----	363.80B/714.50A	----	537.60 - 71.10	.7358	----	----	----	----	1 UNCH
4375	----	----	----/466.30A	486.30B/466.30A	----	485.70 - 68.10	.7017	----	----	----	----	38 UNCH
4400	----	----	----/450.20A	469.60B/450.20A	----	469.10 - 67.00	.6899	----	----	----	----	1 UNCH
4440	----	----	----/424.90A	443.50B/424.90A	----	443.20 - 65.20	.6705	----	----	----	----	1 UNCH
4500	----	----	----/388.90A	406.10B/388.90A	----	406.00 - 62.50	.6403	----	----	----	----	25 UNCH
4595	----	----	----/336.10A	393.10B/336.10A	----	351.30 - 58.20	.5906	----	----	----	----	1 UNCH
4600	----	----	----/333.50A	392.90B/333.50A	----	348.50 - 58.00	.5880	----	----	----	----	1 UNCH
4700	----	----	----/284.50A	346.30B/284.50A	----	297.40 - 52.60	.5340	----	----	3	----	3 + 3
4750	----	----	----/262.50A	320.10B/262.50A	----	274.40 - 49.20	.5070	----	----	----	----	1 UNCH
4775	----	----	----/251.90A	307.60B/251.90A	----	263.50 - 47.40	.4936	----	----	----	----	31 UNCH
4800	----	----	----/241.90A	295.50B/241.90A	----	252.90 - 45.70	.4803	----	----	3	----	3 - 1
4850	----	----	----/222.70A	272.30B/222.70A	----	232.70 - 42.70	.4540	----	----	----	----	25 UNCH
4900	----	----	----/205.00A	250.70B/205.00A	----	214.00 - 40.00	.4283	----	----	----	----	451 UNCH
4915	----	----	----/*200.10A	244.60B/*200.10A	----	208.70 - 39.30	.4208	----	----	----	----	1 UNCH
4925	----	----	----/196.80A	240.50B/196.80A	----	205.30 - 38.70	.4158	----	----	----	----	1 UNCH
4935	----	----	----/*193.60A	236.50B/*193.60A	----	201.80 - 38.30	.4108	----	----	----	----	25 UNCH
4950	----	----	----/188.90A	230.70B/188.90A	----	196.80 - 37.60	.4034	----	----	----	----	150 UNCH
4970	----	----	----/182.60A	223.00B/182.60A	----	190.30 - 36.70	.3937	----	----	----	----	10 UNCH
5000	----	----	----/173.80A	212.00B/173.80A	----	181.00 - 35.20	.3794	----	----	----	----	84 UNCH
5020	----	----	----/*168.00A	204.90B/*168.00A	----	175.00 - 34.20	.3700	----	----	----	----	30 UNCH
5060	----	----	----/*157.20A	191.40B/*157.20A	----	163.50 - 32.40	.3517	----	----	----	----	2 UNCH
5080	----	----	----/*152.20A	185.00B/*152.20A	----	158.10 - 31.50	.3428	----	----	----	----	4 UNCH
5085	----	----	----/*150.90A	183.50B/*150.90A	----	156.80 - 31.20	.3406	----	----	----	----	4 UNCH
5175	----	----	----/130.10A	157.30B/130.10A	----	134.70 - 27.40	.3028	----	----	----	----	2 UNCH
5200	----	----	----/124.90A	150.80B/124.90A	----	129.20 - 26.40	.2929	----	----	----	----	26 UNCH
5250	----	----	----/*115.10A	138.50B/*115.10A	----	118.90 - 24.50	.2740	----	----	----	----	9 UNCH
5300	----	----	----/106.30A	127.20B/106.30A	----	109.50 - 22.80	.2562	----	----	----	370	395 + 368
5330	----	----	----/*101.30A	120.90B/*101.30A	----	104.20 - 21.90	.2460	----	----	1	----	1 UNCH
5370	----	----	----/*95.20A	113.10B/*95.20A	----	97.70 - 20.60	.2331	----	----	----	----	5 UNCH
5400	----	----	----/90.70A	107.60B/90.70A	----	93.10 - 19.70	.2239	----	----	----	----	17 UNCH
5420	----	----	----/*88.10A	104.00B/*88.10A	----	90.20 - 19.10	.2180	----	----	----	----	14 UNCH
5450	----	----	----/*84.10A	99.00B/*84.10A	----	86.10 - 18.20	.2094	----	----	----	----	925 UNCH
5460	----	----	----/*82.90A	97.40B/*82.90A	----	84.70 - 18.00	.2065	----	----	----	----	10 UNCH
5500	----	----	----/78.10A	91.20B/78.10A	----	79.70 - 16.90	.1959	----	----	1	----	80 + 1
5550	----	----	----/*72.50A	84.10B/*72.50A	----	73.90 - 15.60	.1834	----	----	----	----	1 UNCH
5600	----	----	----/67.40A	77.70B/67.40A	----	68.60 - 14.40	.1717	----	----	1	----	44 UNCH
5680	----	----	----/*60.20A	68.60B/*60.20A	----	61.20 - 12.50	.1549	----	----	----	----	39 UNCH
5700	----	----	----/58.70A	66.50B/58.70A	----	59.60 - 12.00	.1512	----	----	----	----	45 UNCH
5710	----	----	----/*58.00A	65.50B/*58.00A	----	58.70 - 11.90	.1492	----	----	----	----	1 UNCH
5800	----	----	----/51.90A	57.30B/51.90A	----	52.10 - 10.10	.1335	----	----	----	----	80 UNCH
5825	----	----	----/*50.40A	55.30B/*50.40A	----	50.40 - 9.70	.1295	----	----	----	----	2 UNCH
5900	----	----	----/45.10A	49.70B/45.10A	----	45.90 - 8.50	.1185	----	----	----	----	1 UNCH
5925	----	----	----/*43.80A	48.00B/*43.80A	----	44.50 - 8.10	.1151	----	----	----	----	4 UNCH
5975	----	----	----/*41.40A	44.80B/*41.40A	----	41.90 - 7.50	.1086	----	----	----	----	3 UNCH
6000	40.00	40.00	40.00/40.00	43.40B/40.00	----	40.70 - 7.20	.1056	----	----	5	----	236 + 5
6100	----	----	----/36.40A	38.20B/36.40A	----	36.30 - 6.10	.0945	----	----	----	----	1 UNCH
6200	----	----	----/34.60A	33.80B/34.60A	----	32.70 - 5.20	.0852	----	----	----	----	1 UNCH
6400	----	----	----/29.40A	23.80B/29.40A	----	26.90 - 4.10	.0700	----	----	----	----	13 UNCH
6500	----	----	----/27.30A	21.60B/27.30A	----	24.70 - 3.60	.0640	----	----	----	----	1164 UNCH
8000	----	----	----	10.00B/*15.50A	----	13.10 - 0.80	.0293	----	----	----	----	11 UNCH
9000	----	----	----	8.00B/13.00A	----	10.20 - 0.50	.0211	----	----	----	----	8 UNCH
20000	----	----	----	----/2.00A	----	1.40 UNCH	.0023	----	----	----	----	138 UNCH
TOTAL										14	370	4209 + 376
DEC26												
3550	----	----	----	----	----	1180.80 - 81.50	.9266	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1162.20 - 81.30	.9238	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1134.40 - 81.00	.9194	----	----	----	----	1 UNCH
3800	----	----	----/929.90A	948.00B/929.90A	----	953.30 - 79.80	.8836	----	----	----	----	4 UNCH
3900	----	----	----	695.30B/1043.00A	----	866.70 - 79.20	.8600	----	----	----	----	2 UNCH
4060	----	----	----/713.60A	732.00B/713.60A	----	734.70 - 77.20	.8140	----	----	----	----	100 UNCH
4100	----	----	----/682.40A	700.70B/682.40A	----	703.10 - 76.50	.8008	----	----	----	----	48 UNCH
4160	----	----	----/637.00A	654.80B/637.00A	----	657.00 - 75.10	.7797	----	----	----	----	100 UNCH
4175	----	----	----/625.80A	643.60B/625.80A	----	645.70 - 74.70	.7742	----	----	----	----	37 UNCH
4200	----	----	----/607.50A	625.10B/607.50A	----	627.00 - 74.10	.7648	----	----	----	----	150 UNCH
4250	----	----	----/570.60A	590.10B/570.60A	----	590.70 - 72.50	.7453	----	----	----	----	293 UNCH
4255	----	----	----/568.30A	585.20B/568.30A	----	587.10 - 72.40	.7433	----	----	----	----	50 UNCH
4300	----	----	----/535.40A	554.90B/535.40A	----	555.40 - 70.90	.7248	----	----	----	----	436 UNCH
4315	----	----	----/525.20A	526.60B/525.20A	----	545.10 - 70.30	.7185	----	----	----	----	1 UNCH
4320	----	----	----/521.90A	539.80B/521.90A	----	541.70 - 70.10	.7164	----	----	----	----	100 UNCH
4350	----	----	----/502.10A	521.70B/502.10A	----	521.40 - 69.00	.7034	----	----	----	----	206 UNCH
4375	----	----	----/486.00A	505.10B/486.00A	----	504.90 - 67.90	.6924	----	----	----	----	61 UNCH
4400	----	----	----/470.20A	488.90B/470.20A	----	488.70 - 66.80	.6812	----	----	----	----	2 UNCH
4425	----	----	----/454.70A	472.90B/454.70A	----	472.80 - 65.70	.6698	----	----	----	----	8 UNCH
4450	----	----	----/439.60A	457.50B/439.60A	----	457.20 - 64.60	.6582	----	----	----	----	87 UNCH
4465	----	----	----/430.70A	448.30B/430.70A	----	448.00 - 63.90	.6512	----	----	----	----	93 UNCH
4490	----	----	----/416.10A	433.00B/416.10A	----	433.00 - 62.60	.6394	----	----	----	----	7 UNCH
4500	----	----	----/409.50A	427.60B/409.50A	----	427.10 - 62.10	.6346	----	----	----	----	757 UNCH
4525	----	----	----/396.00A	423.10B/396.00A	----	412.50 - 60.90	.6226	----	----	----	----	5 UNCH
4540	----	----	----/387.70A	422.60B/387.70A	----	403.90 - 60.10	.6153	----	----	----	----	9 UNCH
4550	----	----	----/382.60A	420.30B/382.60A	----	398.30 - 59.50	.6104	----	----	5	----	6 + 5
4565	----	----	----/374.00A	421.30B/374.00A	----	389.90 - 58.80	.6030	----	----	----	----	93 UNCH
4580	----	----	----/366.20A	421.10B/366.20A	----	381.70 - 57.90	.5957	----	----	----	----	150 UNCH
4585	----	----	----/363.30A	420.80B/363.30A	----	378.90 - 57.80	.5932	----	----	----	----	325 UNCH
4590	359.00	359.00	359.00/359.00	420.70B/359.00	----	376.20 - 57.50	.5907	----	----	1	----	16 + 1
4600	363.00	363.00	363.00/355.60A	420.80B/355.60A	----	370.90 - 56.90	.5858	----	----	10	----	155 + 10
4615	----	----	----/347.50A	415.90B/347.50A	----	362.90 - 56.10	.5783	----	----	----	----	41 UNCH
4625	----	----	----/343.10A	410.00B/343.10A	----	357.70 - 55.50	.5733	----	----	----	----	71 UNCH
4640	----	----	----/335.50A	401.60B/335.50A	----	350.00 - 54.70	.5658	----	----	----	----	100 UNCH
4650	----	----	----/330.80A	396.00B/330.80A	----	344.90 - 54.20	.5608	----	----	----	----	302 UNCH
4675	----	----	----/319.30A	382.10B/319.30A	----	332.50 NEW	.5483	----	----	5	----	5 + 5
4700	378.50	378.50	378.50/307.00A	378.50/307.00A	----	320.50 - 51.30	.5357	----	----	2	----	95 + 1
4730	315.00	315.00	315.00/294.40A	353.10B/294.40A	----	306.60 NEW	.5207	----	----	2	----	2 + 2
4750	----	----	----/285.50A	342.90B/285.50A	----	297.60 - 48.80	.5108	----	----	----	----	211 UNCH
4780	----	----	----/273.30A	328.20B/273.30A	----	284.60 - 47.40	.4959	----	----	----	----	2 UNCH
4790	----	----	----/269.20A	323.40B/269.20A	----	280.40 - 46.80	.4910	----	----	----	----	1 UNCH
4795	----	----	----/266.20A	320.90B/266.20A	----	278.30 - 46.60	.4885	----	----	----	----	6 UNCH
4800	----	----	----/264.50A	318.60B/264.50A	----	276.20 - 46.30	.4861	----	----	----	----	375 UNCH
4810	----	----	----/260.10A	313.90B/260.10A	----	272.10 - 45.80	.4812	----	----	----	----	56 UNCH
4820	----	----	----/256.40A	309.30B/256.40A	----	268.00 - 45.20	.4763	----	----	----	----	49 UNCH
4825	----	----	----/254.30A	307.00B/254.30A	----	266.00 - 44.90	.4739	----	----	----	----	104 UNCH
4835	----	----	----/250.70A	302.40B/250.70A	----	261.90 - 44.40	.4690	----	----	----	----	125 UNCH
4850	----	----	----/245.00A	295.60B/245.00A	----	256.00 - 43.50	.4617	----	----	----	----	296 UNCH
4875	----	----	----/236.90A	284.70B/236.90A	----	246.40 - 42.10	.4498	----	----	----	----	1 UNCH
4880	----	----	----/233.80A	282.60B/233.80A	----	244.60 - 41.70	.4474	----	----	----	----	4 UNCH
4900	----	----	----/226.90A	274.10B/226.90A	----	237.20 - 40.70	.4379	----	----	----	----	352 UNCH
4925	----	----	----/218.50A	263.90B/218.50A	----	228.40 - 39.30	.4263	----	----	----	----	238 UNCH
4950	----	----	----/210.70A	254.00B/210.70A	----	219.90 - 38.00	.4148	----	----	----	----	103 UNCH
4975	----	----	----/202.40A	244.50B/202.40A	----	211.80 - 36.80	.4036	----	----	----	----	50 UNCH
5000	200.00	200.00	200.00/194.70A	235.20B/194.70A	----	204.00 - 35.60	.3925	----	----	5	----	2331 UNCH
5005	----	----	----/*193.70A	233.40B/*193.70A	----	202.40 - 35.40	.3903	----	----	----	----	4 UNCH
5025	----	----	----/187.70A	226.30B/187.70A	----	196.40 - 34.50	.3816	----	----	----	----	218 UNCH
5050	----	----	----/180.50A	217.70B/180.50A	----	189.10 - 33.50	.3709	----	----	----	----	101 UNCH
5070	----	----	----/*175.80A	211.00B/*175.80A	----	183.50 - 32.60	.3626	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
DEC26												
5075	----	----	----/174.30A	209.40B/174.30A	----	182.10 - 32.40	.3605	----	----	----	----	30 UNCH
5090	----	----	----/*170.30A	204.60B/*170.30A	----	178.00 - 31.80	.3543	----	----	2	----	16 + 1
5100	----	----	----/167.40A	201.40B/167.40A	----	175.30 - 31.40	.3502	----	----	----	----	316 UNCH
5125	----	----	----/161.50A	193.70B/161.50A	----	168.80 - 30.40	.3402	----	----	----	----	100 UNCH
5150	----	----	----/156.50A	186.40B/156.50A	----	162.50 - 29.50	.3303	----	----	----	----	1 UNCH
5155	----	----	----/*154.00A	184.90B/*154.00A	----	161.20 - 29.30	.3283	----	----	----	----	4 UNCH
5175	----	----	----/149.50A	179.30B/149.50A	----	156.40 - 28.60	.3207	----	----	----	----	100 UNCH
5195	----	----	----/*145.20A	173.80B/*145.20A	----	151.70 - 27.90	.3131	----	----	----	----	5 UNCH
5200	----	----	----/143.90A	172.40B/143.90A	----	150.60 - 27.70	.3113	----	----	----	----	1306 UNCH
5245	----	----	----/*135.20A	160.80B/*135.20A	----	140.70 - 26.10	.2950	----	----	4	----	8 + 4
5250	----	----	----/*133.90A	159.60B/*133.90A	----	139.60 - 25.90	.2931	----	----	----	----	337 UNCH
5255	----	----	----/*134.10A	158.40B/*134.10A	----	138.50 - 25.80	.2913	----	----	----	----	1 UNCH
5265	----	----	----/*131.90A	155.90B/*131.90A	----	136.50 - 25.40	.2879	----	----	2	----	4 + 2
5275	----	----	----/*129.30A	153.50B/*129.30A	----	134.40 - 25.10	.2844	----	----	----	----	20 UNCH
5300	----	----	----/124.50A	147.70B/124.50A	----	129.50 - 24.20	.2760	----	----	----	----	340 UNCH
5350	----	----	----/*115.80A	136.80B/*115.80A	----	120.20 - 22.50	.2597	----	----	----	----	457 UNCH
5360	----	----	----/*114.10A	134.80B/*114.10A	----	118.40 - 22.20	.2565	----	----	----	----	100 UNCH
5370	----	----	----/*112.50A	132.70B/*112.50A	----	116.70 - 21.90	.2534	----	----	----	----	36 UNCH
5400	----	----	----/107.60A	126.80B/107.60A	----	111.60 - 21.00	.2443	----	----	208	665	463 - 490
5460	----	----	----/*98.70A	115.80B/*98.70A	----	102.30 - 19.10	.2271	----	----	3	----	203 + 3
5465	----	----	----/*98.40A	115.00B/*98.40A	----	101.60 - 19.00	.2257	----	----	3	----	53 + 3
5480	----	----	----/*96.30A	112.40B/*96.30A	----	99.40 - 18.60	.2216	----	----	----	----	50 UNCH
5500	103.30	103.30	103.30/93.40A	109.10B/93.40A	----	96.60 - 18.10	.2163	----	----	52	175	2626 + 52
5505	----	----	----/*92.80A	108.30B/*92.80A	----	95.90 - 18.00	.2150	----	----	----	----	3 UNCH
5525	----	----	----/*90.30A	105.20B/*90.30A	----	93.30 - 17.40	.2099	----	----	----	----	80 UNCH
5550	----	----	----/*87.50A	101.40B/*87.50A	----	90.00 - 16.90	.2036	----	----	----	----	3 UNCH
5570	----	----	----/*85.10A	98.50B/*85.10A	----	87.60 - 16.40	.1988	----	----	----	----	195 UNCH
5600	----	----	----/81.50A	94.30B/81.50A	----	84.00 - 15.80	.1917	----	----	208	525	2152 UNCH
5650	----	----	----/*76.60A	87.80B/*76.60A	----	78.50 - 14.90	.1807	----	----	----	----	250 UNCH
5660	----	----	----/*76.40A	86.50B/*76.40A	----	77.50 - 14.60	.1786	----	----	----	----	1 UNCH
5675	----	----	----/*74.00A	84.70B/*74.00A	----	75.90 - 14.40	.1754	----	----	2	----	14 UNCH
5680	----	----	----/*74.40A	84.10B/*74.40A	----	75.40 - 14.30	.1743	----	----	----	----	1 UNCH
5685	----	----	----/*73.10A	83.50B/*73.10A	----	74.90 - 14.20	.1733	----	----	----	----	18 UNCH
5690	----	----	----/*72.60A	82.90B/*72.60A	----	74.40 - 14.20	.1723	----	----	1	----	12 + 1
5700	----	----	----/71.80A	81.80B/71.80A	----	73.40 - 14.00	.1702	----	----	----	----	375 UNCH
5705	----	----	----/*71.30A	81.20B/*71.30A	----	73.00 - 13.80	.1693	----	----	----	----	5 UNCH
5710	----	----	----/*70.90A	80.60B/*70.90A	----	72.50 - 13.80	.1683	----	----	----	----	5 UNCH
5750	----	----	----/*68.20A	76.30B/*68.20A	----	68.80 - 13.10	.1606	----	----	1	----	303 + 1
5770	----	----	----/*66.50A	74.20B/*66.50A	----	67.00 - 12.80	.1569	----	----	----	----	8 UNCH
5775	----	----	----/*65.90A	73.70B/*65.90A	----	66.60 - 12.70	.1560	----	----	----	----	2 UNCH
5800	----	----	----/64.10A	71.30B/64.10A	----	64.50 - 12.40	.1516	----	----	1	----	1655 UNCH
5810	----	----	----/*63.40A	70.30B/*63.40A	----	63.70 - 12.20	.1498	----	----	----	----	56 UNCH
5825	----	----	----/*62.40A	68.90B/*62.40A	----	62.50 - 12.00	.1473	----	----	----	----	4 UNCH
5850	----	----	----/*60.70A	66.70B/*60.70A	----	60.60 - 11.60	.1432	----	----	----	----	51 UNCH
5875	----	----	----/*59.00A	64.50B/*59.00A	----	58.80 - 11.20	.1392	----	----	----	----	9 UNCH
5900	54.60	54.60	54.60/54.60	62.40B/54.60	----	57.00 - 10.90	.1353	----	----	3	----	1267 UNCH
5950	----	----	----/*54.60A	58.60B/*54.60A	----	53.80 - 10.10	.1282	----	----	1	----	27 UNCH
6000	58.00	58.00	58.00/49.00	58.00/49.00	----	50.70 - 9.50	.1213	----	----	87	25	5367 + 13
6100	----	----	----/45.90A	48.80B/45.90A	----	45.40 - 8.40	.1092	----	----	----	----	125 UNCH
6150	----	----	----/*43.70A	46.00B/*43.70A	----	43.10 - 7.80	.1039	----	----	1	----	3 + 1
6200	----	----	----/41.90A	43.50B/41.90A	----	41.00 - 7.30	.0989	----	----	2	----	3201 UNCH
6250	----	----	----/*39.90A	41.20B/*39.90A	----	39.00 - 6.80	.0942	----	----	2	----	22 + 2
6300	----	----	----/38.50A	39.10B/38.50A	----	37.30 - 6.30	.0900	----	----	10	----	1049 + 2
6400	----	----	----/36.90A	35.30B/36.90A	----	34.20 - 5.40	.0824	----	----	----	----	703 UNCH
6500	----	----	----/34.30A	28.60B/34.30A	----	31.60 - 4.70	.0759	----	----	4	175	4998 - 175
6750	----	----	----/*29.50A	23.20B/*29.50A	----	27.10 - 2.80	.0639	----	----	6	----	104 + 4
6775	----	----	----/*29.10A	26.60B/*29.10A	----	26.80 - 2.60	.0630	----	----	----	----	163 UNCH
6800	----	----	----/*28.70A	22.40B/*28.70A	----	26.40 - 2.50	.0620	----	----	4	----	1819 + 2
6900	22.20	22.20	22.20/*22.20	22.20/*22.20	----	25.20 - 1.90	.0586	----	----	1	----	13 + 1
7000	22.70	22.70	23.30B/22.70	23.30B/22.70	----	24.10 - 1.50	.0554	----	----	1	25	4186 + 1
7130	----	----	----	18.30B/*24.80A	----	22.70 - 1.10	.0516	----	----	----	----	200 UNCH
7175	----	----	----	17.90B/*24.40A	----	22.30 - 1.00	.0505	----	----	----	----	125 UNCH
7250	----	----	----	17.20B/*23.70A	----	21.60 - 0.80	.0486	----	----	----	----	112 UNCH
7500	----	----	----	15.50B/21.90A	----	19.50 - 0.60	.0430	----	----	----	----	109 UNCH
8000	----	----	----	16.00B/19.30A	----	17.00 - 0.10	.0358	----	----	----	25	799 UNCH
8125	----	----	----	12.80B/*18.80A	----	16.70 + 0.20	.0346	----	----	----	----	801 UNCH
8500	----	----	----	11.80B/17.60A	----	16.30 + 1.00	.0323	----	----	----	----	170 UNCH
8630	----	----	----	11.40B/*17.20A	----	16.20 + 1.20	.0316	----	----	----	----	400 UNCH
8725	----	----	----	11.20B/*17.00A	----	16.10 + 1.30	.0311	----	----	----	----	250 UNCH
8775	----	----	----	14.20B/16.80A	----	16.00 + 1.30	.0308	----	----	----	----	25 UNCH
9000	13.50	13.50	14.50/13.50	14.50/13.50	----	15.70 + 1.40	.0296	----	----	24	----	230 + 20
9500	14.40	14.40	14.40/14.20A	14.40/14.20A	----	14.20 + 0.50	.0260	----	----	2	----	294 + 2
9900	----	----	----	12.50B/14.50A	----	13.00 - 0.10	.0234	----	----	----	----	17 UNCH
10000	12.00	12.00	12.50/12.00	12.70B/12.00	----	12.80 - 0.20	.0229	----	----	72	----	8431 + 26
11000	----	----	----	10.00B/12.60A	----	11.90 + 1.20	.0200	----	----	----	----	397 UNCH
13000	----	----	----	7.50B/9.70A	----	8.90 + 0.80	.0141	----	----	----	----	407 UNCH
15000	6.40	6.40	6.40/6.00	6.40/6.00	----	6.20 - 0.50	.0096	----	----	276	----	20660 + 241
17000	----	----	----	3.70B/5.90A	----	5.10 UNCH	.0076	----	----	----	----	27 UNCH
19000	----	----	----	----/34.80A	----	3.20 UNCH	.0048	----	----	----	----	7 UNCH
20000	2.50	2.50	2.50/2.40	2.50/2.40	----	2.40 - 0.10	.0037	----	----	565	----	22608 + 511
21000	----	----	----	----/2.20A	----	1.80 - 0.10	.0028	----	----	----	----	30 UNCH
24000	----	----	----	----/1.80A	----	1.50 - 0.10	.0022	----	----	----	----	31 UNCH
TOTAL										1578	1,615	99516+ 252
JAN27												
4190	----	----	----	470.10B/890.60A	----	679.30 - 72.90	.7680	----	----	----	----	1 UNCH
4290	----	----	----	393.90B/822.00A	----	607.30 - 70.10	.7314	----	----	----	----	1 UNCH
4300	----	----	----	386.90B/815.40A	----	600.40 - 69.70	.7276	----	----	----	----	1 UNCH
4400	----	----	----/517.60A	530.00B/517.60A	----	533.40 - 66.60	.6875	----	----	----	----	1 UNCH
4600	419.00	419.00	419.00/402.60A	436.90B/402.60A	----	414.60 NEW	.5998	----	----	4	----	4 + 4
4650	----	----	----/377.10A	436.80B/377.10A	----	388.30 - 56.90	.5769	----	----	----	----	1 UNCH
4710	349.00	349.00	349.00/347.00	403.90B/347.00	----	358.40 NEW	.5492	----	----	3	----	3 + 3
4750	333.00	333.00	333.00/329.00	382.90B/329.00	----	339.60 - 52.10	.5306	----	----	3	----	8 + 3
4760	----	----	----/325.80A	377.90B/325.80A	----	335.10 - 51.50	.5260	----	----	----	----	100 UNCH
4800	----	----	----/*308.70A	357.90B/*308.70A	----	317.40 - 49.20	.5077	----	----	----	----	1 UNCH
4850	----	----	----/*288.20A	334.30B/*288.20A	----	296.50 - 46.30	.4850	----	----	----	----	1 UNCH
4875	----	----	----/*278.50A	323.00B/*278.50A	----	286.50 - 44.90	.4739	----	----	----	----	4 UNCH
4900	----	----	----/*269.00A	311.90B/*269.00A	----	276.80 - 43.50	.4628	----	----	----	----	10 UNCH
5000	----	----	----/*234.20A	271.00B/*234.20A	----	241.10 - 38.00	.4197	----	----	----	----	26 UNCH
5050	----	----	----/*218.40A	252.40B/*218.40A	----	224.80 - 35.80	.3990	----	----	----	----	100 UNCH
5100	----	----	----/*204.00A	235.00B/*204.00A	----	209.60 - 33.80	.3789	----	----	----	----	1 UNCH
5120	----	----	----/*198.30A	228.40B/*198.30A	----	203.90 - 32.90	.3711	----	----	----	----	1 UNCH
5195	----	----	----/*179.10A	205.10B/*179.10A	----	183.50 - 30.50	.3427	----	----	----	----	5 UNCH
5250	----	----	----/*166.20A	189.60B/*166.20A	----	170.00 - 28.80	.3230	----	----	----	----	7 UNCH
5300	----	----	----/*155.60A	176.50B/*155.60A	----	158.60 - 27.40	.3059	----	----	----	----	2 UNCH
5385	----	----	----/*138.80A	156.40B/*138.80A	----	141.20 NEW	.2786	----	----	1	----	1 + 1
5400	----	----	----/*136.10A	153.10B/*136.10A	----	138.40 - 24.50	.2741	----	----	----	----	2 UNCH
5450	124.50	124.50	128.00/*124.50	142.70B/*124.50	----	129.50 NEW	.2595	----	----	6	----	6 + 6
5500	117.00	117.00	120.00/*115.00	133.10B/*115.00	----	121.30 - 21.50	.2457	----	----	34	----	58 + 34
5550	110.00	110.00	112.00/*110.00	124.20B/*110.00	----	113.70 - 20.10	.2327	----	----	3	----	4 + 3
5820	----	----	----/*82.20A	86.60B/*82.20A	----	81.70 - 14.10	.1743	----	----	----	----	6 UNCH
5850	----	----	----/*79.00A	83.30B/*79.00A	----	78.90 - 13.60	.1689	----	----	----	----	3 UNCH
5900	----	----	----/*75.30A	78.20B/*75.30A	----	74.50 - 12.80	.1604	----	----	----	----	5 UNCH
6000	70.80	70.80	70.80/*67.80A	70.80/*67.80A	----	66.50 - 11.40	.1447	----	----	2	----	205 UNCH
6025	----	----	----/*65.80A	67.00B/*65.80A	----	64.70 - 11.00	.1411	----	----	----	----	1 UNCH
6300	----	----	----/*50.50A	49.10B/*50.50A	----	48.30 - 7.80	.1076	----	----	----	----	2 UNCH
20000	----	----	----	2.80B/3.50A	----	3.20 - 0.20	.0047	----	----	----	----	60 UNCH
TOTAL										56		631+ 54
FEB27												
4650	----	----	----/*399.90A	458.90B/*399.90A	----	411.00 - 54.20	.5762	----	----	----	----	1 UNCH
4700	----	----	----/*375.50A	431.70B/*375.50A	----	385.60 - 52.20	.5545	----	----	----	----	1 UNCH
5000	----	----	----/*255.90A	294.20B/*255.90A	----	259.90 - 37.60	.4273	----	----	----	----	2 UNCH
5100	----	----	----/*225.20A	257.90B/*225.20A	----	227.70 - 33.60	.3883	----	----	----	----	1 UNCH
5175	----	----	----/*204.90A	233.60B/*204.90A	----	206.20 - 31.10	.3606	----	----	----	----	125 UNCH
5200	212.00	212.00	212.00/*198.30A	226.00B/*198.30A	----	199.60 - 30.30	.3518	----	----	1	----	3 + 1
5250	----	----	----/*186.20A	211.50B/*186.20A	----	187.00 - 28.80	.3346	----	----	----	----	2 UNCH
5300	----	----	----/*175.00A	198.10B/*175.00A	----	175.40 - 27.30	.3181	----	----	----	----	50 UNCH
5375	----	----	----/*159.90A	179.50B/*159.90A	----	159.70 - 24.90	.2950	----	----	----	----	2 UNCH
5400	----	----	----/*154.90A	173.80B/*154.90A	----	154.80 - 24.20	.2876	----	----	----	----	1 UNCH
5500	133.00	133.00	135.00/*133.00	152.80B/*133.00	----	137.40 NEW	.2604	----	----	3	----	3 + 3
5520	----	----	----/*134.30A	148.90B/*134.30A	----	134.20 - 20.40	.2552	----	----	----	----	300 UNCH
5530	----	----	----/*132.90A	147.10B/*132.90A	----	132.60 - 20.10	.2527	----	----	----	----	100 UNCH
5550	123.00	123.00	127.00/*121.00	143.40B/*121.00	----	129.60 - 19.50	.2477	----	----	17	----	82 + 17
5600	117.00	117.00	119.00/*117.00	134.60B/*117.00	----	122.50 - 18.00	.2359	----	----	7	----	8 + 7
6000	80.00	80.00	80.00/*77.00	83.80B/*77.00	----	80.40 - 9.60	.1617	----	----	58	----	180 + 58
6025	----	----	----/*78.90A	81.50B/*78.90A	----	78.40 - 9.30	.1580	----	----	----	----	4 UNCH
6100	----	----	----/*73.50A	75.10B/*73.50A	----	72.70 - 8.50	.1475	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
FEB27												
6300	----	----	----/*61.00A	61.10B/*61.00A	----	59.80 - 7.20	.1231	----	----	----	----	1 UNCH
6500	----	----	----/*52.80A	50.70B/*52.80A	----	49.90 - 6.40	.1038	----	----	----	----	110 UNCH
6900	----	----	----	24.60B/49.10A	----	37.50 - 4.80	.0778	----	----	----	----	532 UNCH
7000	----	----	----	22.40B/47.30A	----	35.40 - 4.40	.0732	----	----	----	----	385 UNCH
7100	----	----	----	20.60B/*45.60A	----	33.60 - 4.00	.0691	----	----	----	----	9 UNCH
7900	----	----	----	11.80B/37.20A	----	25.30 - 1.30	.0490	----	----	----	----	500 UNCH
8000	----	----	----	11.20B/36.50A	----	24.80 - 1.00	.0476	----	----	----	----	500 UNCH
TOTAL										86		2906 + 86
MAR27												
4210	----	----	----	385.60B/1052.30A	----	743.50 - 11.10	.7437	----	----	----	----	1 UNCH
5000	----	----	----	200.00B/517.10A	----	329.00 + 73.60	.4592	----	----	----	----	75 UNCH
5500	----	----	----	29.40B/297.40A	----	186.60 + 43.20	.3019	----	----	----	----	67 UNCH
5650	----	----	----	10.90B/253.80A	----	156.90 + 31.70	.2635	----	----	----	----	15 UNCH
6000	----	----	----	5.70B/*119.00A	----	105.00 + 13.60	.1898	----	----	----	----	2 UNCH
6500	----	----	----	44.40B/*74.20A	----	60.00 + 0.80	.1177	----	----	----	----	1 UNCH
TOTAL												161 0
APR27												
5000	----	----	----	----/605.30A	----	354.80 - 56.80	.4663	----	----	----	----	100 UNCH
5060	----	----	----	----/568.90A	----	338.20 - 49.00	.4480	----	----	----	----	25 UNCH
5600	----	----	----	----/328.20A	----	201.50 - 29.10	.3001	----	----	----	----	300 UNCH
6000	----	----	----	----/229.60A	----	141.00 - 22.10	.2222	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
7000	----	----	----	----	----	69.40 - 9.60	.1159	----	----	----	----	3 UNCH
9500	----	----	----	----	----	17.80 - 0.30	.0311	----	----	----	----	1 UNCH
10000	----	----	----	----	----	15.50 + 0.20	.0267	----	----	----	----	3 UNCH
TOTAL												7 0
DEC27												
4860	----	----	----	----	----	637.20 - 51.10	.5705	----	----	----	----	100 UNCH
5000	----	----	----	----	----	579.10 - 48.20	.5352	----	----	----	----	50 UNCH
5650	----	----	----	----	----	364.90 - 34.40	.3863	----	----	----	----	200 UNCH
5700	----	----	----	----	----	351.90 - 33.50	.3760	----	----	----	----	150 UNCH
5800	----	----	----	----	----	327.40 - 31.60	.3562	----	----	----	----	200 UNCH
5880	----	----	----	----	----	309.00 - 30.30	.3410	----	----	----	----	125 UNCH
6300	----	----	----	----	----	228.90 - 24.50	.2697	----	----	----	----	18 UNCH
7500	----	----	----	----	----	104.00 - 78.80	.1389	----	----	----	----	170 UNCH
7800	----	----	----	----	----	87.50 - 90.60	.1190	----	----	----	----	284 UNCH
10000	----	----	----	----	----	36.60 - 89.00	.0513	----	----	----	----	100 UNCH
10500	----	----	----	----	----	32.90 - 78.30	.0456	----	----	----	----	10 UNCH
TOTAL												1407 0
DEC28												
5750	----	----	----	----	----	579.70 - 40.00	.4541	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
3900	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	1	----	1 + 1
4000	0.20	0.20	0.20/0.20	0.20/*0.10A	----	0.10 UNCH	----	----	----	1	----	5 + 1
4200	0.20	0.20	0.70B/*0.20	0.70B/*0.20	----	0.10 - 0.10	----	----	----	1	----	24 UNCH
4240	0.50	0.50	#0.50/*0.30A	#0.70B/*0.30A	----	0.10 NEW	----	----	----	2	----	2 + 2
4250	0.50	0.50	0.90B/*0.20	0.90B/*0.20	----	0.10 - 0.20	----	----	----	9	----	21 + 9
4275	----	----	1.10B/*0.30A	1.10B/*0.30A	----	0.10 - 0.30	.0000	----	----	2	----	2 UNCH
4285	0.30	0.30	#1.20B/*0.30	1.20B/*0.30	----	0.10 NEW	.0000	----	----	3	----	3 + 3
4295	0.30	0.30	#1.30B/*0.30	1.30B/*0.30	----	0.10 NEW	.0000	----	----	8	----	8 + 8
4300	----	----	410.50B/*272.60	410.50B/*272.60A	----	308.50 - 85.60	.9999	----	----	----	----	1 UNCH
4300	0.60	0.60	1.50B/*0.20A	1.50B/*0.20A	----	0.20 - 0.30	.0001	----	----	2	----	3 + 2
4315	0.30	0.30	1.70B/*0.30	1.70B/*0.30	----	0.20 NEW	.0001	----	----	10	----	10 + 10
4320	1.40	1.40	1.80B/*0.20	1.80B/*0.20	----	0.20 NEW	.0001	----	----	3	----	3 + 3
4325	0.60	0.60	1.90B/*0.30A	1.90B/*0.30A	----	0.20 - 0.40	.0001	----	----	4	----	5 + 4
4330	1.40	1.40	2.00B/*0.40A	2.00B/*0.40A	----	0.30 - 0.40	.0003	----	----	1	----	1 + 1
4350	1.00	1.00	3.00/*0.30	3.00/*0.30	----	0.30 - 0.50	.0003	----	----	7	----	106 + 6
4355	0.60	0.60	2.60B/*0.20	2.60B/*0.20	----	0.30 NEW	.0003	----	----	16	----	16 + 16
4370	1.10	1.10	3.00B/*0.50A	3.00B/*0.50A	----	0.40 NEW	.0006	----	----	1	----	1 + 1
4375	0.60	0.60	3.30B/*0.40A	3.30B/*0.40A	----	0.40 NEW	.0006	----	----	3	----	3 + 3
4385	1.00	1.00	3.60B/*0.50A	3.60B/*0.50A	----	0.40 NEW	.0006	----	----	1	----	1 + 1
4390	2.10	2.10	3.80B/*0.50A	3.80B/*0.50A	----	0.50 NEW	.0009	----	----	3	----	2 + 2
4395	0.50	0.50	4.00B/*0.50	4.00B/*0.50	----	0.50 NEW	.0009	----	----	1	----	1 + 1
4400	1.80	1.80	4.30B/*0.50A	4.30B/*0.50A	----	0.50 NEW	.0010	----	----	32	----	24 + 24
4410	----	----	4.90B/*0.50A	4.90B/*0.50A	----	0.60 - 0.50	.0014	----	----	----	----	2 UNCH
4415	1.50	1.50	5.20B/*0.50	5.20B/*0.50	----	0.60 NEW	.0014	----	----	2	----	2 + 2
4425	1.20	1.20	5.80B/*0.60A	5.80B/*0.60A	----	0.70 - 0.50	.0019	----	----	5	----	12 + 4
4440	----	----	6.90B/*0.70A	6.90B/*0.70A	----	0.90 NEW	.0031	----	----	2	----	2 + 2
4445	1.10	1.10	#7.40B/*0.80A	7.40B/*0.80A	----	1.00 NEW	.0037	----	----	1	----	1 + 1
4450	4.10	4.10	7.90B/*0.80A	7.90B/*0.80A	----	1.10 - 0.30	.0044	----	----	27	----	23 + 18
4455	6.40	6.40	#8.50B/*0.90A	8.50B/*0.90A	----	1.20 - 0.20	.0052	----	----	2	----	1 UNCH
4460	5.40	5.40	#9.10B/*1.00A	9.10B/*1.00A	----	1.30 NEW	.0061	----	----	20	----	20 + 20
4465	6.70	6.70	#9.60B/*1.00A	9.60B/*1.00A	----	1.40 NEW	.0070	----	----	1	----	1 + 1
4470	5.30	5.30	#10.20B/*1.10A	10.20B/*1.10A	----	1.50 - 0.10	.0080	----	----	4	----	8 + 4
4475	5.30	5.30	10.90B/*1.20A	10.90B/*1.20A	----	1.70 UNCH	.0098	----	----	4	----	6 + 4
4480	11.00	11.00	11.60B/*1.10	11.60B/*1.10	----	1.80 + 0.10	.0111	----	----	31	----	30 + 29
4485	8.70	8.70	12.30B/*1.50A	12.30B/*1.50A	----	2.00 + 0.20	.0133	----	----	6	----	5 + 4
4495	3.50	3.50	14.00B/*1.70A	14.00B/*1.70A	----	2.40 + 0.40	.0183	----	----	2	----	3 + 2
4500	2.10	2.10	15.00B/*1.80	15.00B/*1.80	----	2.60 + 0.50	.0212	----	----	220	----	180 + 120
4505	5.10	5.10	15.80B/*1.80A	15.80B/*1.80A	----	2.80 + 0.60	.0244	----	----	5	----	16 + 5
4510	8.50	8.50	16.90B/*1.90A	16.90B/*1.90A	----	3.10 + 0.80	.0289	----	----	2	----	3 + 1
4515	4.70	4.70	18.10B/*1.90A	18.10B/*1.90A	----	3.40 + 1.00	.0339	----	----	3	----	10 + 3
4520	18.50	18.50	19.30B/*2.00A	19.30B/*2.00A	----	3.70 + 1.20	.0394	----	----	11	----	14 + 8
4525	5.00	5.00	20.50B/*2.10A	20.50B/*2.10A	----	4.00 + 1.30	.0455	----	----	6	----	8 + 5
4530	7.60	7.60	21.90B/*2.20A	21.90B/*2.20A	----	4.40 + 1.60	.0533	----	----	26	----	26 + 22
4535	22.50	22.50	23.40B/*2.30A	23.40B/*2.30A	----	4.90 + 1.90	.0632	----	----	34	----	33 + 31
4540	10.80	10.80	24.90B/*2.40A	24.90B/*2.40A	----	5.40 + 2.20	.0741	----	----	8	----	10 + 7
4540	62.60	62.60	175.20B/*48.80A	175.20B/*48.80A	----	73.80 NEW	.9258	----	----	14	----	7 + 7
4545	4.40	4.40	26.50B/*2.50A	26.50B/*2.50A	----	6.00 + 2.70	.0873	----	----	9	----	6 + 4
4550	6.00	6.00	28.20B/*2.60A	28.20B/*2.60A	----	6.60 + 3.00	.1017	----	----	83	----	58 + 54
4555	26.10	26.10	30.00B/*2.80A	30.00B/*2.80A	----	7.40 + 3.60	.1201	----	----	9	----	23 + 3
4560	10.20	10.20	32.00B/*2.90A	32.00B/*2.90A	----	8.20 + 4.20	.1400	----	----	14	----	21 + 10
4565	8.70	8.70	34.10B/*3.00A	34.10B/*3.00A	----	9.10 + 4.80	.1628	----	----	191	----	53 + 2
4570	36.00	36.00	146.10B/*28.80A	146.10B/*28.80A	----	48.60 NEW	.8099	----	----	3	----	3 + 3
4570	36.00	36.00	36.30B/*3.20A	36.30B/*3.20A	----	10.20 + 5.60	.1900	----	----	5	----	5 + 4
4575	28.00	28.00	141.30B/*26.10A	141.30B/*26.10A	----	44.70 NEW	.7808	----	----	2	----	2 + 2
4575	10.50	10.50	38.60B/*3.40A	38.60B/*3.40A	----	11.30 + 6.40	.2191	----	----	55	----	30 + 27
4580	10.00	10.00	41.10B/*3.10A	41.10B/*3.10A	----	12.60 + 7.30	.2524	----	----	13	----	28 UNCH
4585	33.10	33.10	131.60B/*21.20A	131.60B/*21.20A	----	37.50 NEW	.7103	----	----	18	----	12 + 12
4585	10.10	10.10	43.70B/*3.80A	43.70B/*3.80A	----	14.10 + 8.40	.2896	----	----	29	----	23 + 21
4590	32.80	32.80	126.90B/*19.10A	126.90B/*19.10A	----	34.10 NEW	.6704	----	----	14	----	6 + 6
4590	31.80	31.80	46.40B/*4.10A	46.40B/*4.10A	----	15.70 + 9.60	.3295	----	----	57	----	32 + 19
4595	29.60	29.60	122.00B/*17.10A	122.00B/*17.10A	----	30.90 NEW	.6273	----	----	2	----	1 + 1
4595	47.50	47.50	48.70B/*4.30A	48.70B/*4.30A	----	17.50 + 11.00	.3726	----	----	20	----	42 + 4
4600	28.50	28.50	117.30B/*15.20A	117.30B/*15.20A	----	27.80 NEW	.5821	----	----	74	----	22 + 22
4600	5.80	5.80	52.40/*4.60A	52.40/*4.60A	----	19.40 + 12.30	.4178	----	----	88	----	74 - 12
4605	4.40	4.40	54.70B/*4.40	54.70B/*4.40	----	21.60 + 14.00	.4653	----	----	30	----	30 + 25
4605	24.10	24.10	112.60B/*13.50A	112.60B/*13.50A	----	25.00 NEW	.5346	----	----	42	----	33 + 33
4610	25.00	25.00	108.00B/*11.90A	108.00B/*11.90A	----	22.30 NEW	.4861	----	----	12	----	8 + 8
4610	22.00	22.00	57.90B/*5.20A	57.90B/*5.20A	----	23.90 + 15.70	.5138	----	----	19	----	14 + 2
4615	21.00	21.00	103.40B/*10.60A	103.40B/*10.60A	----	19.80 NEW	.4372	----	----	6	----	6 + 6
4615	30.90	30.90	61.10B/*5.80A	61.10B/*5.80A	----	26.40 + 17.50	.5627	----	----	1	----	2 + 1
4620	----	----	64.70B/*6.40A	64.70B/*6.40A	----	29.20 + 19.60	.6106	----	----	----	----	5 UNCH
4620	19.10	19.10	98.80B/*9.30A	98.80B/*9.30A	----	17.60 - 65.70	.3893	----	----	39	----	17 + 16
4625	53.40	53.40	68.30B/*6.80A	68.30B/*6.80A	----	32.10 + 21.70	.6574	----	----	37	----	48 + 16
4625	10.00	10.00	94.10B/*8.20A	94.10B/*8.20A	----	15.50 NEW	.3425	----	----	16	----	5 + 5
4630	9.60	9.60	71.90B/*7.40A	71.90B/*7.40A	----	35.20 + 23.90	.7020	----	----	2	----	6 + 2
4630	18.60	18.60	89.70B/*7.10A	89.70B/*7.10A	----	13.60 NEW	.2979	----	----	32	----	25 + 25
4635	18.20	18.20	85.20B/*6.20A	85.20B/*6.20A	----	11.90 NEW	.2563	----	----	40	----	32 + 32
4635	35.00	35.00	75.60B/*7.80A	75.60B/*7.80A	----	38.50 NEW	.7436	----	----	30	----	27 + 27
4640	22.60	22.60	79.50B/*8.40A	79.50B/*8.40A	----	42.00 + 28.70	.7815	----	----	14	----	11 + 7
4640	29.50	29.50	80.80B/*5.40A	80.80B/*5.40A	----	10.40 NEW	.2184	----	----	37	----	31 + 31
4645	28.00	28.00	76.50B/*4.70A	76.50B/*4.70A	----	9.10 NEW	.1847	----	----	75	----	28 + 28
4645	----	----	83.60B/*9.20A	83.60B/*9.20A	----	45.70 NEW	.8152	----	----	2	----	2 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK5										
APR26												
4650	32.90	32.90	87.80B/*10.00A	87.80B/*10.00A	----	49.50 + 33.80	.8457	----	----	10	----	29 + 4
4650	18.20	18.20	72.30B/*4.20A	72.30B/*4.20A	----	7.90 NEW	.1542	----	----	78	----	62 + 62
4655	4.70	4.70	68.00B/*3.70A	68.00B/*3.70A	----	6.90 NEW	.1284	----	----	20	----	18 + 18
4655	28.70	28.70	91.90B/*10.60A	91.90B/*10.60A	----	53.50 + 36.50	.8715	----	----	10	----	4 + 2
4660	----	----	96.20B/*11.60A	96.20B/*11.60A	----	57.50 + 39.10	.8955	----	----	3	----	18 - 3
4660	20.40	20.40	63.90B/*3.20A	63.90B/*3.20A	----	5.90 NEW	.1044	----	----	19	----	16 + 16
4665	40.00	40.00	100.20B/*12.60A	100.20B/*12.60A	----	61.70 + 41.70	.9149	----	----	37	----	83 + 35
4665	9.00	9.00	59.90B/*2.80A	59.90B/*2.80A	----	5.10 NEW	.0850	----	----	9	----	7 + 7
4670	7.50	7.50	55.90B/*2.50A	55.90B/*2.50A	----	4.50 NEW	.0702	----	----	22	----	21 + 21
4670	20.60	20.60	104.50B/*13.70A	104.50B/*13.70A	----	66.10 + 44.50	.9297	----	----	2	----	7 UNCH
4675	10.10	10.10	52.10B/*2.10A	52.10B/*2.10A	----	3.90 NEW	.0568	----	----	62	----	56 + 56
4675	87.60	87.60	109.00B/*14.90A	109.00B/*14.90A	----	70.40 + 47.00	.9431	----	----	9	----	14 + 1
4680	15.90	15.90	48.30B/*1.80A	48.30B/*1.80A	----	3.30 NEW	.0446	----	----	6	----	6 + 6
4680	26.90	26.90	113.50B/*16.10A	113.50B/*16.10A	----	74.90 + 49.50	.9553	----	----	3	----	8 + 1
4685	91.40	91.40	118.30B/*17.50A	118.30B/*17.50A	----	79.50 + 52.10	.9637	----	----	1	----	17 UNCH
4685	26.20	26.20	44.60B/*1.60A	44.60B/*1.60A	----	2.90 NEW	.0362	----	----	30	----	14 + 14
4690	10.00	10.00	41.10B/*1.40A	41.10B/*1.40A	----	2.50 - 30.80	.0287	----	----	14	----	8 + 4
4690	22.40	22.40	122.90B/*19.00A	122.90B/*19.00A	----	84.10 + 54.50	.9712	----	----	9	----	14 + 4
4695	4.40	4.40	37.50B/*1.30A	37.50B/*1.30A	----	2.20 - 28.50	.0232	----	----	39	----	35 + 34
4695	41.80	41.80	127.30B/20.70A	127.30B/20.70A	----	88.70 + 56.70	.9766	----	----	3	----	14 - 1
4700	9.00	9.00	34.90B/*1.10A	34.90B/*1.10A	----	1.90 - 26.20	.0184	----	----	68	----	37 + 33
4700	107.60	107.60	132.00B/22.50A	132.00B/22.50A	----	93.50 + 59.10	.9815	----	----	2	----	53 + 1
4705	----	----	136.70B/24.50A	136.70B/24.50A	----	98.20 + 61.20	.9859	----	----	----	----	4 UNCH
4705	1.30	1.30	31.90B/*1.00A	31.90B/*1.00A	----	1.60 - 24.10	.0140	----	----	6	----	6 + 2
4710	125.50	125.50	141.80B/26.50A	141.80B/26.50A	----	103.00 + 63.20	.9887	----	----	1	----	1 - 1
4710	31.00	31.00	31.00/*0.90A	31.00/*0.90A	----	1.40 - 22.10	.0112	----	----	9	----	6 + 5
4715	----	----	146.20B/28.60A	146.20B/28.60A	----	107.80 + 65.10	.9912	----	----	6	----	51 + 4
4715	22.10	22.10	26.20B/*0.80A	26.20B/*0.80A	----	1.20 - 20.20	.0087	----	----	26	----	17 + 9
4720	130.90	130.90	151.00B/31.00A	151.00B/31.00A	----	112.60 + 66.90	.9935	----	----	3	----	65 - 2
4720	20.50	20.50	23.30B/*0.70A	23.30B/*0.70A	----	1.00 - 18.40	.0064	----	----	27	----	49 - 8
4725	----	----	155.80B/33.60A	155.80B/33.60A	----	117.40 + 68.50	.9946	----	----	7	----	7 + 1
4725	5.00	5.00	21.10B/*0.60A	21.10B/*0.60A	----	0.90 NEW	.0053	----	----	8	----	4 + 4
4730	8.00	8.00	18.80B/*0.50	18.80B/*0.50	----	0.70 - 15.20	.0036	----	----	9	----	47 + 1
4730	----	----	160.80B/36.30A	160.80B/36.30A	----	122.30 + 70.10	.9963	----	----	----	----	2 UNCH
4735	----	----	165.50B/40.00A	165.50B/40.00A	----	127.20 + 71.60	.9972	----	----	----	----	2 UNCH
4735	1.00	1.00	16.70B/*0.50	16.70B/*0.50	----	0.60 - 13.80	.0027	----	----	3	----	3 + 2
4740	144.20	144.20	170.50B/43.00A	170.50B/43.00A	----	132.10 + 72.90	.9979	----	----	4	----	11 UNCH
4740	15.00	15.00	15.00/*0.40	15.00/*0.40	----	0.50 - 12.40	.0020	----	----	12	----	20 UNCH
4745	----	----	175.40B/46.00A	175.40B/46.00A	----	137.00 + 74.10	.9986	----	----	2	----	45 UNCH
4745	13.10	13.10	13.50/*0.40	13.50/*0.40	----	0.40 - 11.20	.0014	----	----	6	----	26 + 6
4750	----	----	180.60B/49.50A	180.60B/49.50A	----	141.90 + 75.20	.9986	----	----	2	----	28 + 1
4750	5.80	5.80	11.50B/*0.30A	11.50B/*0.30A	----	0.40 - 10.00	.0013	----	----	16	----	84 UNCH
4755	----	----	185.50B/53.00A	185.50B/53.00A	----	146.90 + 76.30	.9991	----	----	----	----	9 UNCH
4755	0.40	0.40	10.10B/*0.30A	10.10B/*0.30A	----	0.30 - 9.00	.0008	----	----	17	----	34 + 15
4760	1.00	1.00	8.70B/*0.30	8.70B/*0.30	----	0.30 - 8.10	.0008	----	----	3	----	8 UNCH
4760	154.00	154.00	190.10B/56.60A	190.10B/56.60A	----	151.90 + 77.20	.9992	----	----	1	----	1 UNCH
4765	1.40	1.40	7.70B/*0.20A	7.70B/*0.20A	----	0.20 - 7.30	.0004	----	----	1	----	4 + 1
4770	----	----	199.90B/64.50A	199.90B/64.50A	----	161.80 + 78.80	.9996	----	----	----	----	1 UNCH
4770	----	----	----/*0.20A	6.70B/*0.20A	----	0.20 - 6.50	.0004	----	----	----	----	1 UNCH
4775	0.50	0.50	0.50/*0.20A	5.90B/*0.20A	----	0.20 - 5.80	.0003	----	----	25	----	21 - 5
4775	----	----	204.80B/68.60A	204.80B/68.60A	----	166.80 + 79.50	.9996	----	----	6	----	6 UNCH
4780	----	----	209.70B/72.80A	209.70B/72.80A	----	171.70 + 80.10	.9999	1	----	1	----	0 - 1
4780	3.60	3.60	3.60/*0.20A	5.00B/*0.20A	----	0.10 - 5.20	.0001	----	----	77	----	10 - 51
4785	0.80	0.80	0.80/*0.20A	4.50B/*0.20A	----	0.10 - 4.70	.0000	----	----	1	----	4 + 1
4790	----	----	219.60B/81.60A	219.60B/81.60A	----	181.70 + 81.10	1.0000	----	----	----	----	2 UNCH
4790	----	----	----/*0.20A	3.90B/*0.20A	----	0.10 - 4.20	.0000	----	----	----	----	1 UNCH
4795	1.80	1.80	1.80/*0.10A	3.30B/*0.10A	----	0.10 - 3.70	.0000	----	----	1	----	1 UNCH
4800	----	----	229.90B/90.60A	229.90B/90.60A	----	191.70 + 82.00	1.0000	1	----	2	----	1 - 1
4800	0.70	0.70	1.00/*0.20A	2.90B/*0.20A	----	0.10 - 3.40	.0000	----	----	10	----	186 + 2
4805	----	----	----/*0.20A	2.60B/*0.20A	----	0.10 - 3.00	.0000	----	----	1	----	5 UNCH
4810	----	----	----/*0.20A	2.30B/*0.20A	----	0.10 - 2.70	.0000	----	----	----	----	2 UNCH
4815	0.40	0.40	0.40/*0.20A	2.00B/*0.20A	----	0.10 - 2.40	.0000	----	----	18	----	19 + 14
4820	1.20	1.20	1.20/*0.20A	1.80B/*0.20A	----	0.10 - 2.20	----	----	----	2	----	2 - 1
4820	----	----	249.40B/109.20A	249.40B/109.20A	----	211.70 + 83.10	1.0000	----	----	----	----	1 UNCH
4825	----	----	254.80B/114.00A	254.80B/114.00A	----	216.70 + 83.30	1.0000	----	----	----	----	1 UNCH
4825	----	----	----/*0.20A	1.60B/*0.20A	----	0.10 - 2.00	----	----	----	2	----	4 UNCH
4830	----	----	----/*0.20A	1.40B/*0.20A	----	0.10 - 1.80	----	----	----	----	----	10 UNCH
4835	----	----	264.40B/123.50A	264.40B/123.50A	----	226.70 + 83.70	1.0000	5	----	----	----	1 - 5
4840	----	----	----/*0.10A	1.10B/*0.10A	----	0.10 - 1.50	----	----	----	----	----	179 UNCH
4845	----	----	----/*0.20A	0.90B/*0.20A	----	0.10 - 1.40	----	----	----	3	----	15 + 2
4850	----	----	----/*0.10A	0.90B/*0.10A	----	0.10 - 1.30	----	----	----	----	----	10 UNCH
4850	----	----	279.70B/138.20A	279.70B/138.20A	----	241.70 + 84.10	1.0000	----	----	----	----	1 UNCH
4855	----	----	----/*0.10A	0.70B/*0.10A	----	0.10 - 1.20	----	----	----	----	----	9 UNCH
4860	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 1.10	----	----	----	----	----	10 UNCH
4865	----	----	----/*0.20A	0.60B/*0.20A	----	0.10 - 1.00	----	----	----	----	----	3 UNCH
4870	----	----	----/*0.10A	0.50B/*0.10A	----	0.10 - 0.90	----	----	----	----	----	0 UNCH
4875	0.70	0.70	0.70/*0.10A	0.70/*0.10A	----	0.10 - 0.80	----	----	----	1	----	3 + 1
4880	----	----	----/*0.10A	0.40B/*0.10A	----	0.10 - 0.80	----	----	----	----	----	5 UNCH
4885	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.70	----	----	----	----	----	1 UNCH
4890	----	----	----/*0.10A	0.30B/*0.10A	----	0.10 - 0.70	----	----	----	----	----	19 UNCH
4895	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.60	----	----	----	----	----	11 UNCH
4900	0.30	0.30	0.40/*0.20	0.40/*0.20	----	0.10 - 0.60	----	----	----	81	----	82 - 56
4905	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.60	----	----	----	----	----	29 UNCH
4910	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	27 UNCH
4910	----	----	#339.00B/200.70	339.00B/200.70A	----	301.70 + 84.80	1.0000	----	----	----	----	1 UNCH
4915	----	----	----/*0.10A	0.20B/*0.10A	----	0.10 - 0.50	----	----	----	----	----	2 UNCH
4920	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.50	----	----	----	----	----	1 UNCH
4925	----	----	----/*0.30A	0.10B/*0.30A	----	0.10 - 0.40	----	----	----	----	----	6 UNCH
4930	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.40	----	----	----	----	----	3 UNCH
4940	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	----	----	----	----	----	3 UNCH
4945	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4950	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	----	----	----	----	----	38 UNCH
4955	----	----	#384.00B/245.50	384.00B/245.50A	----	346.70 + 85.10	1.0000	1	----	1	----	0 - 1
4960	----	----	----/*0.30A	----/*0.30A	----	0.10 - 0.30	----	----	----	----	----	1 UNCH
4970	----	----	----	----/*0.30A	----	0.10 - 0.20	----	----	----	----	----	5 UNCH
4980	----	----	----	----/*0.30A	----	0.10 - 0.20	----	----	----	----	----	1 UNCH
4995	----	----	#423.90B/285.40	#423.90B/285.40A	----	386.70 + 85.20	1.0000	2	----	----	----	0 - 2
5000	----	----	----/*0.10A	----/*0.10A	----	0.10 - 0.10	----	----	----	----	----	21 UNCH
5010	----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	----	----	1 UNCH
5025	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5050	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5075	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5100	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5150	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5175	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	2	----	2 UNCH
5200	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	120 UNCH
5225	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										2526		3423 + 1098
MAY26												
3500	----	----	----	0.90B/*1.50A	----	1.20 UNCH	.0054	----	----	----	----	16 UNCH
3900	----	----	----	#4.10B/6.20A	----	5.70 UNCH	.0300	----	----	----	----	2 UNCH
3900	----	----	1.50B/----	1.50B/1.40A	----	1.10 - 0.10	.0065	----	----	----	----	30 UNCH
4000	----	----	2.20B/----	2.20B/*1.50A	----	1.50 UNCH	.0099	----	----	----	----	15 UNCH
4100	----	----	3.40B/----	3.40B/2.00A	----	2.00 + 0.10	.0148	----	----	----	----	20 UNCH
4200	4.20	4.20	5.80B/2.90A	5.80B/2.90A	----	3.00 NEW	.0250	----	----	2	----	2 + 2
4250	----	----	#16.30B/----	#16.30B/9.80A	----	10.00 NEW	.0732	----	----	2	----	1 + 1
4250	----	----	#22.90B/----	#22.90B/14.40A	----	17.00 + 4.50	.1047	----	----	----	----	1 UNCH
4250	4.60	4.60	8.00B/4.60	8.00B/3.50A	----	3.90 NEW	.0342	----	----	2	----	2 + 2
4275	----	----	9.50B/----	9.50B/3.80A	----	4.50 + 1.00	.0405	----	----	----	----	1 UNCH
4300	----	----	#20.90B/----	#20.90B/10.70A	----	13.20 + 4.00	.0971	----	----	2	----	3 + 1
4300	----	----	11.10B/----	11.10B/4.20A	----	5.30 + 1.40	.0486	----	----	----	----	11 UNCH
4300	----	----	#29.20B/----	#29.20B/17.20A	----	21.40 + 5.70	.1315	----	----	----	----	1 UNCH
4325	22.90	22.90	#33.00B/22.90	#33.00B/18.90A	----	24.20 + 6.70	.1479	----	----	2	----	4 + 2
4350	----	----	#15.60B/----	15.60B/5.10A	----	7.40 + 2.30	.0704	----	----	2	----	1 UNCH
4400	12.80	12.80	22.20B/6.40A	22.20B/6.40A	----	10.80 + 4.00	.1049	----	----	20	----	141 + 14
4425	----	----	26.60B/7.30A	26.60B/7.30A	----	13.20 + 5.20	.1287	----	----	1	----	3 + 1
4450	17.80	17.80	31.70B/*8.40A	31.70B/*8.40A	----	16.30 NEW	.1582	----	----	2	----	2 + 2
4500	----	----	45.10B/*11.70A	45.10B/*11.70A	----	24.90 + 11.20	.2358	----	----	3	----	4 + 3
4525	30.00	30.00	53.60B/*13.90A	53.60B/*13.90A	----	30.90 NEW	.2854	----	----	4	----	4 + 4
4550	90.70	90.70	178.40B/*77.50A	178.40B/*77.50A	----	96.50 NEW	.6580	----	----	1	----	1 + 1
4550	49.50	49.50	63.40B/*16.60A	63.40B/*16.60A	----	38.20 + 17.80	.3417	----	----	3	----	129 + 3
4575	59.90	59.90	74.40B/20.20A	74.40B/20.20A	----	47.00 + 22.10	.4039	----	----	6	----	16 + 3
4575	----	----	#94.30B/41.50A	#94.30B/41.50A	----	69.90 + 26.50	.4270	----	----	----	----	2 UNCH
4580	55.00	55.00	77.10B/21.10A	77.10B/21.10A	----	48.90 NEW	.4169	----	----	3	----	2 + 2
4590	65.00	65.00	144.30B/*55.90A	144.30B/*55.90A	----	71.40 NEW	.5562	----	----	1	----	1 + 1
4590	63.70	63.70	82.10B/22.80A	82.10B/22.80A	----	53.10 + 24.90	.4435	----	----	1	----	2 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWW WED — GOLD WEEKLY WEDNESDAY OPTION WEEK1

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26												
4595	65.90	65.90	84.70B/23.80A	84.70B/23.80A	----	55.20 NEW	.4569	----	----	4	----	4 + 4
4600	----	----	136.20B/*51.20A	136.20B/*51.20A	----	65.80 NEW	.5292	----	----	1	----	1 + 1
4600	----	----	87.20B/24.50A	87.20B/24.50A	----	57.40 + 26.80	.4705	----	----	2	----	54 - 1
4605	----	----	90.10B/25.70A	90.10B/25.70A	----	59.70 + 27.90	.4842	----	----	----	----	25 UNCH
4610	----	----	92.40B/26.80A	92.40B/26.80A	----	62.10 + 28.90	.4980	----	----	----	----	1 UNCH
4615	----	----	95.30B/27.70A	95.30B/27.70A	----	64.60 + 30.10	.5118	----	----	----	----	2 UNCH
4625	----	----	#131.50B/----	#131.50B/74.00A	----	112.40 NEW	.5147	----	----	----	75	75 + 75
4625	----	----	101.10B/30.10A	101.10B/30.10A	----	69.70 + 32.30	.5395	----	----	----	----	2 UNCH
4630	----	----	104.20B/31.20A	104.20B/31.20A	----	72.30 + 33.30	.5533	----	----	----	----	1 UNCH
4645	40.90	40.90	101.60B/*33.30A	101.60B/*33.30A	----	44.10 NEW	.4051	----	----	1	----	1 + 1
4650	56.40	56.40	116.80B/36.90A	116.80B/36.90A	----	83.70 + 38.00	.6081	----	----	4	----	30 + 4
4650	----	----	----/*53.40A	106.90B/*53.40A	----	65.10 NEW	.4279	----	----	----	200	200 + 200
4650	64.30	64.30	98.30B/*31.80A	98.30B/*31.80A	----	42.10 NEW	.3916	----	----	4	----	4 + 4
4655	----	----	120.20B/38.30A	120.20B/38.30A	----	86.70 + 39.10	.6216	----	----	----	----	152 UNCH
4665	----	----	127.10B/41.60A	127.10B/41.60A	----	92.90 + 41.50	.6479	----	----	----	----	1 UNCH
4670	----	----	130.50B/43.30A	130.50B/43.30A	----	96.10 + 42.60	.6610	----	----	----	----	13 UNCH
4700	----	----	#152.70B/54.90A	#152.70B/54.90A	----	116.90 + 49.80	.7344	----	----	----	----	70 UNCH
4700	42.00	42.00	42.00/*37.30A	80.60B/*37.30A	----	46.10 NEW	.3346	----	----	1	----	1 + 1
4700	----	----	#167.70B/84.80A	#167.70B/84.80A	----	137.60 + 48.00	.6650	----	----	----	----	2 UNCH
4700	42.70	42.70	66.90B/*18.70A	66.90B/*18.70A	----	25.30 NEW	.2653	----	----	32	----	32 + 32
4705	22.90	22.90	64.10B/*17.80A	64.10B/*17.80A	----	24.00 NEW	.2541	----	----	1	----	1 + 1
4705	----	----	#156.60B/57.00A	#156.60B/57.00A	----	120.50 + 50.90	.7456	----	----	----	----	1 UNCH
4710	----	----	61.20B/*16.80A	61.20B/*16.80A	----	22.70 NEW	.2429	----	----	4	----	4 + 4
4715	27.40	27.40	58.60B/*15.90A	58.60B/*15.90A	----	21.50 - 32.10	.2322	----	----	1	----	0 - 1
4725	----	----	53.60B/*14.20A	53.60B/*14.20A	----	19.30 NEW	.2120	----	----	2	----	2 + 2
4735	30.00	30.00	48.70B/*12.70A	48.70B/*12.70A	----	17.30 NEW	.1930	----	----	1	----	1 + 1
4740	147.80	147.80	#184.70B/74.20A	#184.70B/74.20A	----	147.80 NEW	.8162	----	----	1	----	1 + 1
4745	18.10	18.10	44.30B/*11.40A	44.30B/*11.40A	----	15.40 NEW	.1747	----	----	11	----	11 + 11
4750	----	----	#193.20B/80.40A	#193.20B/80.40A	----	156.10 + 60.80	.8332	----	----	----	----	1 UNCH
4750	----	----	42.10B/*10.80A	42.10B/*10.80A	----	14.60 - 24.50	.1665	----	----	60	----	62 + 59
4750	----	----	#200.40B/110.80	#200.40B/110.80A	----	173.40 + 56.70	.7475	----	----	----	----	1 UNCH
4760	----	----	#202.00B/86.60A	#202.00B/86.60A	----	164.50 + 62.70	.8494	----	----	----	----	10 UNCH
4770	----	----	#210.80B/92.50A	#210.80B/92.50A	----	173.10 + 64.60	.8641	----	----	----	----	1 UNCH
4770	----	----	34.30B/*8.70A	34.30B/*8.70A	----	11.60 - 20.70	.1357	----	----	----	----	1 UNCH
4775	----	----	32.50B/*8.20A	32.50B/*8.20A	----	10.90 NEW	.1284	----	----	1	----	1 + 1
4775	48.50	48.50	48.50/*36.10A	64.40B/*36.10A	----	40.30 NEW	.2629	----	----	1	----	1 + 1
4790	----	----	27.60B/*7.00A	27.60B/*7.00A	----	9.20 - 17.30	.1097	----	----	1	----	0 - 1
4795	9.40	9.40	25.90B/*6.60A	25.90B/*6.60A	----	8.70 NEW	.1041	----	----	2	----	2 + 2
4795	----	----	#233.00B/109.20	#233.00B/109.20A	----	195.20 + 68.80	.8956	----	----	----	----	1 UNCH
4800	11.50	11.50	24.70B/*6.30A	24.70B/*6.30A	----	8.20 - 15.70	.0985	----	----	2	----	105 + 2
4805	----	----	23.40B/*6.00A	23.40B/*6.00A	----	7.80 NEW	.0938	----	----	1	----	1 + 1
4810	----	----	21.90B/*5.70A	21.90B/*5.70A	----	7.30 - 14.30	.0883	----	----	4	----	4 UNCH
4815	6.90	6.90	20.60B/*5.40A	20.60B/*5.40A	----	6.90 NEW	.0837	----	----	1	----	1 + 1
4820	----	----	----/*5.10A	19.50B/*5.10A	----	6.50 - 13.00	.0791	----	----	1	----	31 + 1
4835	6.80	6.80	6.80/*4.40A	16.50B/*4.40A	----	5.50 NEW	.0672	----	----	1	----	1 + 1
4840	----	----	----/*4.20A	15.50B/*4.20A	----	5.20 - 10.60	.0636	----	----	----	----	24 UNCH
4845	----	----	----/*4.00A	14.50B/*4.00A	----	5.00 - 10.00	.0609	----	----	----	----	1 UNCH
4850	----	----	----/*3.90A	13.70B/*3.90A	----	4.70 - 9.60	.0574	----	----	----	----	52 UNCH
4850	----	----	#284.20B/151.70	#284.20B/151.70A	----	246.10 + 75.70	.9424	----	----	----	----	9 UNCH
4865	----	----	----/*3.40A	11.50B/*3.40A	----	4.00 - 8.20	.0488	----	----	----	----	1 UNCH
4875	11.00	11.00	11.00/*3.20A	11.00/*3.20A	----	3.60 - 7.40	.0439	----	----	3	----	2 + 1
4900	----	----	----/*17.40A	28.10B/*17.40A	----	17.70 - 14.20	.1340	----	----	----	----	1 UNCH
4900	----	----	----/*2.60A	7.60B/*2.60A	----	2.80 - 5.70	.0339	----	----	----	----	5 UNCH
4900	8.90	8.90	8.90/*8.20A	14.30B/*8.20A	----	10.20 - 10.10	.0933	----	----	1	----	6 + 1
4915	----	----	----/*2.30A	6.30B/*2.30A	----	2.50 - 4.80	.0298	----	----	----	----	0 UNCH
4925	----	----	----/*2.20A	5.60B/*2.20A	----	2.30 - 4.30	.0272	----	----	1	----	81 - 1
4925	----	----	----/*7.00A	11.20B/*7.00A	----	8.40 - 8.40	.0780	----	----	----	----	1 UNCH
4950	----	----	----/*6.00A	8.60B/*6.00A	----	6.90 - 7.00	.0649	----	----	----	----	3 UNCH
4950	----	----	----/*1.80A	4.20B/*1.80A	----	1.90 - 3.30	.0220	----	----	----	----	5 UNCH
4955	----	----	----/*1.80A	4.00B/*1.80A	----	1.80 - 3.20	.0208	----	----	----	----	1 UNCH
4960	----	----	----/*1.70A	3.80B/*1.70A	----	1.70 - 3.10	.0197	----	----	----	----	1 UNCH
4970	----	----	----/*1.60A	3.40B/*1.60A	----	1.60 - 2.70	.0183	----	----	----	----	0 UNCH
4975	----	----	----/*5.10A	6.50B/*5.10A	----	5.70 - 5.80	.0542	----	----	----	----	2 UNCH
4995	----	----	#420.00B/285.40	#420.00B/285.40A	----	387.80 + 83.20	.9844	----	----	----	----	1 UNCH
5000	1.80	1.80	1.80/*1.40A	2.50B/*1.40A	----	1.30 - 2.10	.0144	----	----	1	----	2 UNCH
5000	----	----	----/*4.50A	5.00B/*4.50A	----	4.70 - 4.90	.0450	----	----	----	----	3 UNCH
5015	----	----	----/*1.30A	2.20B/*1.30A	----	1.20 - 1.80	.0131	----	----	----	----	1 UNCH
5020	----	----	#444.80B/312.70	#444.80B/312.70A	----	412.60 + 83.60	.9869	----	----	----	----	1 UNCH
5025	----	----	#449.80B/317.60	#449.80B/317.60A	----	417.50 + 83.60	.9880	----	----	----	----	1 UNCH
5025	----	----	----/*1.30A	2.00B/*1.30A	----	1.10 - 1.70	.0119	----	----	----	----	1 UNCH
5025	----	----	----/*4.00A	4.10B/*4.00A	----	3.90 - 4.20	.0376	----	----	----	----	1 UNCH
5050	----	----	----/*3.60A	3.40B/*3.60A	----	3.30 - 3.50	.0318	----	----	----	----	1 UNCH
5050	----	----	----/*1.20A	1.60B/*1.20A	----	1.00 - 1.30	.0105	----	----	----	----	2 UNCH
5075	----	----	----/*1.10A	1.30B/*1.10A	----	0.90 - 1.10	.0091	----	----	----	----	2 UNCH
5075	----	----	----/*3.20A	2.90B/*3.20A	----	2.80 - 3.00	.0269	----	----	----	----	1 UNCH
5100	----	----	----/*6.90A	6.90B/*6.90A	----	4.50 - 4.20	.0388	----	----	----	----	2 UNCH
5100	----	----	----/*2.90A	2.50B/*2.90A	----	2.40 - 2.60	.0230	----	----	----	----	1 UNCH
5125	----	----	----/*0.90A	0.80B/*0.90A	----	0.60 - 0.90	.0059	----	----	----	----	1 UNCH
5150	----	----	----/*0.90A	0.70B/*0.90A	----	0.60 - 0.70	.0056	----	----	----	----	1 UNCH
5175	----	----	----/*0.90A	0.60B/*0.90A	----	0.50 - 0.70	.0046	----	----	----	----	2 UNCH
5200	1.10	1.10	1.10/*0.90A	1.10/*0.90A	----	0.50 - 0.60	.0044	----	----	1	----	1 UNCH
5225	0.40	0.40	0.40/*0.40	0.40/*0.40	----	0.40 NEW	.0035	----	----	1	----	1 + 1
5250	----	----	----	0.40B/1.40A	----	0.40 - 0.50	.0034	----	----	----	----	4 UNCH
5250	----	----	----/*1.90A	1.10B/*1.90A	----	1.20 - 1.20	.0108	----	----	----	----	1 UNCH
5300	----	----	----	1.00B/*4.10A	----	1.00 - 1.10	.0093	----	----	----	----	1 UNCH
TOTAL										210	275	1560 + 453

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week4

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26												
1000	----	----	----	----/*0.10A	----	0.00 UNCH	----	----	----	2	----	0 UNCH
1000	----	----	----	#3607.30B/*3584.00A	----	3608.40 NEW	----	----	----	2	----	0 UNCH
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4200	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 104
4250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4255	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4265	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4270	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4280	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 1
4300	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 3
4325	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4340	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4350	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.10	----	----	----	4	----	0 - 40
4375	0.20	0.20	0.20/*0.10A	0.20/*0.10A	----	0.00 - 0.20	----	----	----	4	----	0 - 10
4400	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.20	----	----	----	3	----	0 - 37
4410	----	----	0.50B/*0.20A	0.50B/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 3
4415	0.40	0.40	0.60B/*0.10A	0.60B/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4420	0.40	0.40	0.60B/*0.10A	0.60B/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4425	----	----	0.70B/*0.20A	0.70B/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 19
4440	0.40	0.40	1.30/*0.20A	1.30/*0.20A	----	0.00 - 0.40	----	----	----	5	----	0 - 13
4445	0.40	0.40	1.20B/*0.10A	1.20B/*0.10A	----	0.00 - 0.50	----	----	----	14	----	0 - 1
4450	0.80	0.80	1.40B/*0.10	1.40B/*0.10	----	0.00 - 0.50	----	----	----	5	----	0 - 29
4455	----	----	1.60B/*0.10A	1.60B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 30
4460	0.90	0.90	1.70B/*0.10A	1.70B/*0.10A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4465	0.90	0.90	2.00B/*0.20A	2.00B/*0.20A	----	0.00 - 0.60	----	----	----	1	----	0 - 2
4470	0.60	0.60	2.20B/*0.20A	2.20B/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4475	----	----	2.50B/*0.10A	2.50B/*0.10A	----	0.00 - 0.60	----	----	----	2	----	0 - 4
4480	0.40	0.40	2.80B/*0.10A	2.80B/*0.10A	----	0.00 - 0.60	----	----	----	7	----	0 - 2
4485	----	----	3.20B/*0.10A	3.20B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 10
4490	----	----	3.60B/*0.20A	3.60B/*0.20A	----	0.00 - 0.70	----	----	----	2	----	0 - 1
4495	----	----	4.10B/*0.10A	4.10B/*0.10A	----	0.00 - 0.70	----	----	----	9	----	0 - 1
4500	0.90	0.90	5.00/*0.10	5.00/*0.10	----	0.00 - 0.80	----	----	----	114	----	0 - 27
4505	1.00	1.00	5.20B/*0.20A	5.20B/*0.20A	----	0.00 - 0.80	----	----	----	4	----	0 - 12
4510	0.50	0.50	5.80B/*0.20A	5.80B/*0.20A	----	0.00 - 0.80	----	----	----	8	----	0 - 5
4515	----	----	6.30B/*0.20A	6.30B/*0.20A	----	0.00 - 0.90	----	----	----	2	----	0 - 3
4520	0.70	0.70	7.90/*0.10A	7.90/*0.10A	----	0.00 - 0.90	----	----	----	4	----	0 - 4
4525	1.20	1.20	8.50/*0.20A	8.50/*0.20A	----	0.00 - 1.00	----	----	----	10	----	0 - 30
4530	1.40	1.40	8.90B/*0.10A	8.90B/*0.10A	----	0.00 - 1.00	----	----	----	12	----	0 - 24
4535	9.00	9.00	9.90B/*0.20A	9.90B/*0.20A	----	0.00 - 1.10	----	----	----	9	----	0 - 5
4540	2.30	2.30	11.10B/*0.20A	11.10B/*0.20A	----	0.00 - 1.10	----	----	----	12	----	0 - 20
4545	2.10	2.10	12.40B/*0.10	12.40B/*0.10	----	0.00 - 1.20	----	----	----	27	----	0 - 14
4550	1.00	1.00	14.00/*0.10	14.00/*0.10	----	0.00 - 1.20	----	----	----	186	----	0 - 19
4555	15.00	15.00	15.40B/*0.20A	15.40B/*0.20A	----	0.00 - 1.30	----	----	----	41	----	0 - 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE APR26		GOLD WEEKLY TUESDAY OPTION Week4										
4560	2.80	2.80	17.20B/*0.20	17.20B/*0.20	----	0.00 - 1.40	----	----	----	40	----	0 - 4
4560	----	----	154.10B/*19.20A	154.10B/*19.20A	----	48.40 NEW	----	1	----	10	----	0 UNCH
4565	4.90	4.90	19.20B/*0.10A	19.20B/*0.10A	----	0.00 - 1.50	----	----	----	71	----	0 - 3
4565	25.10	25.10	149.10B/*15.10A	149.10B/*15.10A	----	43.40 NEW	----	1	----	10	----	0 UNCH
4570	1.40	1.40	21.30B/*0.10	21.30B/*0.10	----	0.00 - 1.60	----	----	----	538	----	0 - 99
4570	22.00	22.00	144.20B/*10.70	144.20B/*10.70	----	38.40 NEW	----	7	----	14	----	0 UNCH
4575	1.60	1.60	23.70B/*0.10	23.70B/*0.10	----	0.00 - 1.70	----	----	----	97	----	0 - 26
4575	55.30	55.30	139.30B/*8.70	139.30B/*8.70	----	33.40 NEW	----	16	----	40	----	0 UNCH
4580	3.70	3.70	27.00/*0.10A	27.00/*0.10A	----	0.00 - 1.90	----	----	----	362	----	0 - 6
4580	13.70	13.70	134.40B/*6.60	134.40B/*6.60	----	28.40 NEW	----	12	----	32	----	0 UNCH
4585	5.40	5.40	28.60B/*0.10	28.60B/*0.10	----	0.00 - 2.10	----	----	----	148	----	0 - 27
4585	17.40	17.40	129.50B/*4.90	129.50B/*4.90	----	23.40 NEW	----	39	----	199	----	0 UNCH
4590	2.30	2.30	31.70B/*0.10	31.70B/*0.10	----	0.00 - 2.20	----	----	----	109	----	0 - 12
4590	17.00	17.00	124.50B/*3.70	124.50B/*3.70	----	18.40 NEW	----	40	----	369	----	0 UNCH
4595	16.00	16.00	119.60B/*2.90A	119.60B/*2.90A	----	13.40 NEW	----	17	----	46	----	0 UNCH
4595	2.00	2.00	34.90B/*0.10	34.90B/*0.10	----	0.00 - 2.40	----	----	----	438	----	0 - 2
4600	42.00	42.00	114.80B/*2.00	114.80B/*2.00	----	8.40 NEW	----	40	----	290	----	0 UNCH
4600	1.50	1.50	39.00/*0.10	39.00/*0.10	----	0.00 - 2.70	----	----	----	451	----	0 - 80
4605	6.70	6.70	42.00B/*0.20	42.00B/*0.20	----	0.00 - 3.00	----	----	----	118	----	0 - 17
4605	12.20	12.20	109.90B/*0.90A	109.90B/*0.90A	----	3.40 NEW	----	28	----	93	----	0 UNCH
4610	2.10	2.10	45.80B/*2.10	45.80B/*2.10	----	1.60 - 1.70	----	48	----	60	----	0 - 45
4610	15.50	15.50	104.90B/*0.10	104.90B/*0.10	----	0.00 NEW	----	----	----	81	----	0 UNCH
4615	10.50	10.50	49.90B/*2.20A	49.90B/*2.20A	----	6.60 + 3.00	----	44	----	83	----	0 - 24
4615	11.70	11.70	100.10B/*0.10	100.10B/*0.10	----	0.00 NEW	----	----	----	124	----	0 UNCH
4620	19.00	19.00	95.40B/*0.20A	95.40B/*0.20A	----	0.00 - 77.70	----	----	----	173	----	0 - 1
4620	2.90	2.90	54.00B/*2.40A	54.00B/*2.40A	----	11.60 + 7.60	----	49	----	93	----	0 - 53
4625	15.00	15.00	90.50B/*0.10	90.50B/*0.10	----	0.00 - 73.20	----	----	----	316	----	0 - 1
4625	3.70	3.70	58.10B/*2.60A	58.10B/*2.60A	----	16.60 + 12.10	----	163	----	413	----	0 - 429
4630	18.00	18.00	85.80B/*0.10A	85.80B/*0.10A	----	0.00 NEW	----	----	----	73	----	0 UNCH
4630	3.30	3.30	62.40B/*2.90A	62.40B/*2.90A	----	21.60 + 16.60	----	47	----	172	----	0 - 14
4635	3.50	3.50	80.90B/*0.10A	80.90B/*0.10A	----	0.00 NEW	----	----	----	136	----	0 UNCH
4635	3.30	3.30	66.90B/*3.20A	66.90B/*3.20A	----	26.60 + 20.90	----	28	----	36	----	0 - 31
4640	7.80	7.80	71.80B/*3.60A	71.80B/*3.60A	----	31.60 + 25.20	----	23	----	77	----	0 - 23
4640	20.00	20.00	76.30B/*0.20A	76.30B/*0.20A	----	0.00 NEW	----	----	----	98	----	0 UNCH
4645	18.70	18.70	76.10B/*4.10A	76.10B/*4.10A	----	36.60 + 29.40	----	17	----	24	----	0 - 12
4645	18.00	18.00	71.70B/*0.10	71.70B/*0.10	----	0.00 NEW	----	----	----	243	----	0 UNCH
4650	25.50	25.50	67.00B/*0.10	67.00B/*0.10	----	0.00 - 51.80	----	----	----	203	----	0 - 1
4650	6.10	6.10	80.90B/*4.00	80.90B/*4.00	----	41.60 + 33.50	----	66	----	104	----	0 - 62
4655	6.20	6.20	85.60B/*5.10	85.60B/*5.10	----	46.60 + 37.40	----	98	----	30	----	0 - 101
4655	14.20	14.20	62.60B/*0.10A	62.60B/*0.10A	----	0.00 NEW	----	----	----	8	----	0 UNCH
4660	5.00	5.00	90.40B/*4.70A	90.40B/*4.70A	----	51.60 + 41.30	----	35	----	16	----	0 - 37
4660	14.80	14.80	57.90B/*0.10	57.90B/*0.10	----	0.00 NEW	----	----	----	445	----	0 UNCH
4665	60.00	60.00	95.20B/*6.30A	95.20B/*6.30A	----	56.60 + 45.00	----	172	----	5	----	0 - 172
4665	17.00	17.00	53.60B/*0.10A	53.60B/*0.10A	----	0.00 NEW	----	----	----	38	----	0 UNCH
4670	7.20	7.20	49.30B/*0.10A	49.30B/*0.10A	----	0.00 NEW	----	----	----	380	----	0 UNCH
4670	11.20	11.20	100.40B/*7.00A	100.40B/*7.00A	----	61.60 + 48.50	----	442	----	29	----	0 - 447
4675	12.80	12.80	105.00B/*7.90A	105.00B/*7.90A	----	66.60 + 51.90	----	74	----	85	----	0 - 101
4675	16.00	16.00	45.10B/*0.10A	45.10B/*0.10A	----	0.00 - 33.40	----	----	----	184	----	0 - 100
4680	13.90	13.90	41.00B/*0.10	41.00B/*0.10	----	0.00 - 30.10	----	----	----	245	----	0 - 1
4680	10.00	10.00	109.80B/*8.10	109.80B/*8.10	----	71.60 + 55.20	----	88	----	49	----	0 - 89
4685	13.00	13.00	115.10B/*9.90A	115.10B/*9.90A	----	76.60 + 58.30	----	20	----	7	----	0 - 22
4685	18.50	18.50	36.90B/*0.10A	36.90B/*0.10A	----	0.00 - 27.00	----	----	----	9	----	0 - 26
4690	14.50	14.50	119.60B/*11.20A	119.60B/*11.20A	----	81.60 + 61.20	----	36	----	66	----	0 - 15
4690	15.40	15.40	33.20B/*0.10	33.20B/*0.10	----	0.00 - 24.10	----	----	----	50	----	0 - 22
4695	27.60	27.60	29.50B/*0.10A	29.50B/*0.10A	----	0.00 - 21.30	----	----	----	26	----	0 - 36
4695	21.00	21.00	124.80B/*12.60A	124.80B/*12.60A	----	86.60 + 64.00	----	43	----	20	----	0 - 45
4700	20.00	20.00	26.10B/*0.10A	26.10B/*0.10A	----	0.00 - 18.70	----	----	----	133	----	0 - 26
4700	18.70	18.70	129.80B/14.20A	129.80B/14.20A	----	91.60 + 66.60	----	86	----	32	----	0 - 81
4705	68.60	68.60	134.50B/*16.00A	134.50B/*16.00A	----	96.60 + 69.00	----	22	----	11	----	0 - 28
4705	20.00	20.00	22.80B/*0.10A	22.80B/*0.10A	----	0.00 - 16.30	----	----	----	11	----	0 - 44
4710	17.60	17.60	139.70B/17.40	139.70B/17.40	----	101.60 + 71.20	----	95	----	9	----	0 - 99
4710	20.00	20.00	20.40/*0.10A	20.40/*0.10A	----	0.00 - 14.10	----	----	----	49	----	0 - 111
4715	119.10	119.10	144.70B/19.90A	144.70B/19.90A	----	106.60 + 73.10	----	53	----	5	----	0 - 56
4715	1.70	1.70	17.30B/*0.10A	17.30B/*0.10A	----	0.00 - 12.20	----	----	----	27	----	0 - 41
4720	11.30	11.30	14.70B/*0.20A	14.70B/*0.20A	----	0.00 - 10.50	----	----	----	7	----	0 - 59
4720	50.50	50.50	149.40B/22.40A	149.40B/22.40A	----	111.60 + 74.80	----	41	----	2	----	0 - 41
4725	133.50	133.50	154.20B/25.00A	154.20B/25.00A	----	116.60 + 76.30	----	81	----	2	----	0 - 83
4725	11.10	11.10	12.30B/*0.10	12.30B/*0.10	----	0.00 - 9.00	----	----	----	49	----	0 - 151
4730	3.90	3.90	10.20B/*0.10	10.20B/*0.10	----	0.00 - 7.70	----	----	----	73	----	0 - 29
4730	140.20	140.20	159.20B/28.70A	159.20B/28.70A	----	121.60 + 77.60	----	37	----	1	----	0 - 37
4735	6.50	6.50	8.50B/*0.20A	8.50B/*0.20A	----	0.00 - 6.60	----	----	----	7	----	0 - 15
4735	----	----	164.30B/31.50A	164.30B/31.50A	----	126.60 + 78.70	----	18	----	----	----	0 - 18
4740	----	----	169.60B/34.90A	169.60B/34.90A	----	131.60 + 79.70	----	14	----	----	----	0 - 14
4740	2.20	2.20	6.90B/*0.10	6.90B/*0.10	----	0.00 - 5.60	----	----	----	32	----	0 - 74
4745	----	----	174.50B/38.70A	174.50B/38.70A	----	136.60 + 80.50	----	2	----	1	----	0 - 2
4745	6.00	6.00	6.00/*0.20A	6.00/*0.20A	----	0.00 - 4.80	----	----	----	5	----	0 - 21
4750	5.00	5.00	5.00/*0.10	5.00/*0.10	----	0.00 - 4.10	----	----	----	65	----	0 - 122
4750	----	----	179.20B/42.40A	179.20B/42.40A	----	141.60 + 81.20	----	24	----	1	----	0 - 25
4755	0.40	0.40	3.70B/*0.10A	3.70B/*0.10A	----	0.00 - 3.50	----	----	----	3	----	0 - 48
4755	----	----	184.50B/46.50A	184.50B/46.50A	----	146.60 + 81.80	----	21	----	----	----	0 - 21
4760	72.20	72.20	189.50B/50.80A	189.50B/50.80A	----	151.60 + 82.30	----	13	----	1	----	0 - 13
4760	0.30	0.30	0.30/*0.20A	3.00B/*0.20A	----	0.00 - 3.10	----	----	----	18	----	0 - 13
4765	----	----	194.20B/55.10A	194.20B/55.10A	----	156.60 + 82.70	----	2	----	----	----	0 - 2
4765	2.30	2.30	2.30/*0.10A	2.30/*0.10A	----	0.00 - 2.60	----	----	----	29	----	0 - 67
4770	----	----	199.20B/59.60A	199.20B/59.60A	----	161.60 + 83.00	----	20	----	----	----	0 - 20
4770	0.20	0.20	0.70/*0.10	2.00B/*0.10	----	0.00 - 2.30	----	----	----	32	----	0 - 72
4775	----	----	204.20B/64.20A	204.20B/64.20A	----	166.60 + 83.30	----	5	----	----	----	0 - 5
4775	----	----	----/*0.10A	1.70B/*0.10A	----	0.00 - 2.00	----	----	----	9	----	0 - 22
4780	----	----	209.20B/68.80A	209.20B/68.80A	----	171.60 + 83.50	----	15	----	----	----	0 - 15
4780	0.60	0.60	0.60/*0.10A	1.40B/*0.10A	----	0.00 - 1.80	----	----	----	27	----	0 - 42
4785	----	----	----/*0.20A	1.20B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 12
4785	----	----	214.10B/73.50A	214.10B/73.50A	----	176.60 + 83.80	----	1	----	----	----	0 - 1
4790	----	----	219.30B/78.30A	219.30B/78.30A	----	181.60 + 83.90	----	6	----	----	----	0 - 6
4790	0.10	0.10	0.10/*0.10	1.00B/*0.10	----	0.00 - 1.40	----	----	----	1	----	0 - 112
4795	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 77
4795	----	----	224.50B/83.10A	224.50B/83.10A	----	186.60 + 84.10	----	2	----	----	----	0 - 2
4800	----	----	229.10B/88.00A	229.10B/88.00A	----	191.60 + 84.20	----	11	----	1	----	0 - 12
4800	0.40	0.40	0.50/*0.10	0.70B/*0.10	----	0.00 - 1.10	----	----	----	24	----	0 - 128
4805	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 1.00	----	----	----	1	----	0 - 33
4810	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.00 - 0.80	----	----	----	5	----	0 - 74
4810	----	----	239.40B/97.60A	239.40B/97.60A	----	201.60 + 84.50	----	1	----	----	----	0 - 1
4815	----	----	244.50B/102.50A	244.50B/102.50A	----	206.60 + 84.60	----	4	----	----	----	0 - 4
4815	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 41
4820	----	----	249.40B/107.40A	249.40B/107.40A	----	211.60 + 84.60	----	1	----	----	----	0 - 1
4820	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 58
4825	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	6	----	0 - 132
4830	----	----	259.00B/117.30A	259.00B/117.30A	----	221.60 + 84.80	----	9	----	----	----	0 - 9
4830	0.20	0.20	0.20/*0.10	0.20/*0.10	----	0.00 - 0.50	----	----	----	31	----	0 - 84
4835	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 6
4835	----	----	264.00B/122.30A	264.00B/122.30A	----	226.60 + 84.80	----	2	----	----	----	0 - 2
4840	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.40	----	----	----	1	----	0 - 25
4840	----	----	269.00B/127.20A	269.00B/127.20A	----	231.60 + 84.90	----	3	----	----	----	0 - 3
4845	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 18
4850	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 80
4855	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 2
4860	----	----	289.00B/147.10A	289.00B/147.10A	----	251.60 + 85.10	----	1	----	----	----	0 - 1
4860	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 19
4865	----	----	294.00B/152.00A	294.00B/152.00A	----	256.60 + 85.10	----	2	----	----	----	0 - 2
4865	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.00 NEW	----	----	----	1	----	0 UNCH
4870	----	----	299.00B/157.00A	299.00B/157.00A	----	261.60 + 85.10	----	----	----	1	----	0 - 1
4870	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 12
4875	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
4880	0.30	0.30	0.30/0.10A	0.30/0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 22
4885	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4890	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
4890	----	----	#319.00B/176.90	319.00B/176.90A	----	281.60 + 85.20	----	8	----	----	----	0 - 8
4895	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4900	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	3	----	0 - 75
4900	----	----	329.40B/186.90A	329.40B/186.90A	----	291.60 + 85.20	----	2	----	----	----	0 - 2
4905	----	----	----	----/*0.20A	----	0.00 - 0.10	----	----	----	1	----	0 - 2
4910	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4915	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
4920	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4925	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 14
4930	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4935	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4940	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 9

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE		GOLD WEEKLY TUESDAY OPTION Week4										
APR26												
4950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 18
4955	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4960	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4965	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
4970	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 103
4970	----	----	#399.30B/256.80	399.30B/256.80A	----	361.60 + 85.20	----	2	----	2	----	0 - 2
4975	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
4980	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
5000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 209
5010	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 49
5015	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 50
5020	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 101
5020	----	----	#449.40B/306.80	#449.40B/306.80A	----	411.60 + 85.20	----	----	----	----	----	0 UNCH
5025	----	----	#454.00B/311.80	#454.00B/311.80A	----	416.60 + 85.20	----	2	----	----	----	0 - 2
5025	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
5050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
5075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
5100	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5150	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 52
5225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
5300	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 24
5350	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
5400	----	----	#829.10B/686.70	#829.10B/686.70A	----	791.60 + 85.20	----	----	----	----	----	0 UNCH
6500	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	2	----	0 UNCH
6500	----	----	#1,929.10B/1,78	#1929.10B/1786.70A	----	1891.60 NEW	----	----	----	2	----	0 UNCH
TOTAL										8895		0 - 6185
MAY26												
4100	----	----	2.60B/----	2.60B/1.70A	----	1.60 UNCH	.0117	----	----	2	----	2 + 2
4100	----	----	#9.20B/----	#9.20B/9.30A	----	7.30 NEW	.0467	----	----	1	----	1 + 1
4200	----	----	#15.20B/----	#15.20B/12.20A	----	11.90 NEW	.0765	----	----	1	----	1 + 1
4250	10.90	10.90	#14.50B/8.70A	#14.50B/8.70A	----	9.00 + 2.40	.0678	----	----	10	----	28 + 8
4250	4.00	4.00	6.40B/4.00	6.40B/2.90A	----	3.10 NEW	.0277	----	----	1	----	1 + 1
4275	----	----	#16.90B/----	#16.90B/9.50A	----	10.20 + 2.80	.0776	----	----	----	----	10 UNCH
4300	5.10	5.10	9.10B/5.10	9.10B/3.40A	----	4.10 + 0.90	.0390	----	----	13	----	13 + 11
4300	21.10	21.10	#21.10/21.10	#21.10/10.40A	----	11.70 + 3.40	.0895	----	----	3	----	20 - 3
4325	----	----	#22.00B/----	#22.00B/11.40A	----	13.60 + 4.20	.1041	----	----	----	----	10 UNCH
4350	----	----	13.10B/----	13.10B/4.20A	----	5.90 + 1.80	.0587	----	----	12	----	14 + 12
4375	----	----	15.80B/----	15.80B/4.70A	----	7.10 + 2.40	.0721	----	----	----	----	6 UNCH
4375	----	----	#29.50B/----	#29.50B/13.90A	----	18.40 NEW	.1401	----	----	1	----	1 + 1
4375	42.50	42.50	#42.50/42.50	#42.50/20.30A	----	28.90 NEW	.1801	----	----	2	----	2 + 2
4400	----	----	#33.90B/----	#33.90B/14.90A	----	21.50 + 7.40	.1626	----	----	----	----	1 UNCH
4400	7.80	7.80	19.20B/5.30A	19.20B/5.30A	----	8.70 + 3.20	.0897	----	----	9	----	4 + 3
4425	50.00	50.00	#50.00/*25.50A	#50.00/25.50A	----	37.10 NEW	.2272	----	----	2	----	2 + 2
4425	10.50	10.50	23.20B/6.00A	23.20B/6.00A	----	10.80 + 4.30	.1123	----	----	1	----	8 + 1
4450	----	----	#45.30B/----	#45.30B/20.10A	----	29.80 + 10.80	.2191	----	----	----	----	3 UNCH
4450	----	----	28.00B/6.80A	28.00B/6.80A	----	13.50 + 5.80	.1406	----	----	2	----	53 + 2
4450	----	----	#56.00B/*28.70A	#56.00B/*28.70A	----	42.40 NEW	.2554	----	----	5	----	5 + 5
4475	----	----	33.80B/*8.00A	33.80B/*8.00A	----	17.00 + 7.80	.1761	----	----	2	----	19 + 1
4475	49.20	49.20	#52.50B/44.70	#52.50B/23.00A	----	35.10 + 13.00	.2529	----	----	151	----	150 + 143
4500	22.30	22.30	40.80B/*9.60A	40.80B/*9.60A	----	21.40 + 10.20	.2190	----	----	5	----	15 + 4
4500	46.00	46.00	#60.30B/45.10	#60.30B/26.50A	----	41.40 NEW	.2909	----	----	25	----	25 + 25
4500	50.00	50.00	#72.10B/*36.70A	#72.10B/*36.70A	----	55.50 + 17.00	.3200	----	----	1	----	1 UNCH
4515	98.30	98.30	207.30B/*95.70A	207.30B/*95.70A	----	117.90 NEW	.7510	----	----	1	----	1 + 1
4525	----	----	#69.20B/----	#69.20B/30.60A	----	48.60 + 18.40	.3323	----	----	----	----	1 UNCH
4535	----	----	52.90B/*12.50A	52.90B/*12.50A	----	29.60 + 14.70	.2931	----	----	----	----	10 UNCH
4550	30.00	30.00	58.90B/*14.10A	58.90B/*14.10A	----	33.90 + 17.00	.3297	----	----	52	----	63 + 52
4550	119.70	119.70	119.70/*119.60A	190.40B/*119.60A	----	130.90 NEW	.6050	----	----	1	----	1 + 1
4565	----	----	65.40B/*15.70A	65.40B/*15.70A	----	38.80 + 19.50	.3690	----	----	1	----	11 UNCH
4570	----	----	67.70B/*16.40A	67.70B/*16.40A	----	40.60 NEW	.3827	----	----	1	----	1 + 1
4575	----	----	#90.80B/40.50A	#90.80B/40.50A	----	66.70 + 25.50	.4248	----	----	1	----	7 UNCH
4575	----	----	70.00B/*17.10A	70.00B/*17.10A	----	42.40 + 21.30	.3965	----	----	1	----	5 + 1
4575	----	----	#100.40B/53.40A	#100.40B/53.40A	----	82.80 + 26.80	.4344	----	----	----	----	1 UNCH
4580	----	----	72.50B/*17.80A	72.50B/*17.80A	----	44.30 NEW	.4106	----	----	1	----	1 + 1
4585	----	----	74.90B/18.50A	74.90B/18.50A	----	46.30 NEW	.4249	----	----	2	----	2 + 2
4590	52.90	52.90	77.60B/19.30A	77.60B/19.30A	----	48.30 NEW	.4394	----	----	15	----	15 + 15
4600	----	----	#103.50B/47.20A	#103.50B/47.20A	----	77.50 NEW	.4743	----	----	12	----	12 + 12
4600	22.00	22.00	82.60B/21.20A	82.60B/21.20A	----	52.70 + 26.40	.4690	----	----	120	----	52 + 34
4600	55.20	55.20	132.60B/*46.40A	132.60B/*46.40A	----	61.10 NEW	.5308	----	----	2	----	2 + 2
4600	----	----	----/*70.60A	140.90B/*70.60A	----	85.90 NEW	.5253	----	----	12	----	12 + 12
4610	----	----	88.00B/22.90A	88.00B/22.90A	----	57.30 + 28.50	.4990	----	----	----	----	10 UNCH
4620	----	----	116.50B/*37.90A	116.50B/*37.90A	----	50.60 NEW	.4705	----	----	6	----	6 + 6
4625	----	----	112.80B/*36.00A	112.80B/*36.00A	----	48.20 NEW	.4553	----	----	12	----	12 + 12
4625	----	----	96.80B/26.10A	96.80B/26.10A	----	64.80 + 31.90	.5444	----	----	----	----	3 UNCH
4625	70.00	70.00	#120.40/54.40A	#120.40/54.40A	----	89.80 NEW	.5249	----	----	20	----	10 + 10
4635	----	----	103.00B/28.60A	103.00B/28.60A	----	70.20 + 34.30	.5746	----	----	----	----	1 UNCH
4650	----	----	----/*49.70A	106.60B/*49.70A	----	61.80 NEW	.4240	----	----	6	----	6 + 6
4650	----	----	112.80B/32.50A	112.80B/32.50A	----	79.00 + 38.10	.6193	----	----	----	----	50 UNCH
4650	40.10	40.10	94.20B/*27.50A	94.20B/*27.50A	----	37.40 NEW	.3804	----	----	27	----	27 + 27
4650	----	----	#132.10B/62.60A	#132.10B/62.60A	----	103.30 + 38.60	.5756	----	----	----	----	1 UNCH
4660	33.30	33.30	86.80B/*24.60A	86.80B/*24.60A	----	33.60 NEW	.3513	----	----	2	----	0 UNCH
4675	----	----	130.40B/40.50A	130.40B/40.50A	----	95.00 + 44.40	.6903	----	----	1	----	34 UNCH
4685	19.70	19.70	71.20B/*18.50A	71.20B/*18.50A	----	25.40 NEW	.2827	----	----	1	----	1 + 1
4690	135.60	135.60	#141.50B/46.20A	#141.50B/46.20A	----	105.50 + 48.20	.7298	----	----	10	----	10 UNCH
4690	26.50	26.50	68.10B/*17.50A	68.10B/*17.50A	----	24.00 NEW	.2699	----	----	5	----	5 + 5
4695	----	----	65.00B/*16.40A	65.00B/*16.40A	----	22.60 NEW	.2572	----	----	1	----	1 + 1
4700	----	----	#161.30B/81.70A	#161.30B/81.70A	----	134.40 + 48.20	.6729	----	----	----	----	3 UNCH
4700	----	----	#149.50B/50.20A	#149.50B/50.20A	----	112.90 + 50.80	.7543	----	----	1	----	37 UNCH
4700	20.00	20.00	62.20B/*15.50A	62.20B/*15.50A	----	21.40 - 34.40	.2455	----	----	3	----	23 + 3
4700	39.00	39.00	39.00/*34.00A	77.40B/*34.00A	----	42.90 - 37.00	.3267	----	----	1	----	2 + 1
4705	----	----	#153.40B/52.50A	#153.40B/52.50A	----	116.70 + 52.10	.7664	----	----	----	----	1 UNCH
4715	----	----	#161.50B/56.90A	#161.50B/56.90A	----	124.40 + 54.50	.7885	----	----	----	----	10 UNCH
4720	----	----	#165.60B/59.30A	#165.60B/59.30A	----	128.40 + 55.80	.7995	----	----	----	----	9 UNCH
4725	----	----	#187.70B/111.20	#187.70B/111.20A	----	167.20 + 52.00	.6763	----	----	----	----	2 UNCH
4725	----	----	----/*44.70A	80.30B/*44.70A	----	50.80 NEW	.3231	----	----	5	----	5 + 5
4725	----	----	#169.80B/61.80A	#169.80B/61.80A	----	132.40 + 57.00	.8099	----	----	----	----	1 UNCH
4730	24.00	24.00	46.30B/*10.10	46.30B/*10.10	----	14.90 NEW	.1802	----	----	3	----	3 + 3
4745	----	----	39.60B/*9.10A	39.60B/*9.10A	----	12.40 NEW	.1530	----	----	1	----	1 + 1
4750	----	----	#197.60B/106.10	#197.60B/106.10A	----	170.40 + 57.30	.7589	----	----	----	----	1 UNCH
4750	----	----	37.50B/*8.60A	37.50B/*8.60A	----	11.70 - 22.60	.1450	----	----	1	----	53 UNCH
4750	----	----	#191.10B/75.90A	#191.10B/75.90A	----	153.20 + 62.60	.8548	----	----	----	----	1 UNCH
4750	----	----	----/*22.80A	53.40B/*22.80A	----	28.90 NEW	.2407	----	----	7	----	7 + 7
4755	13.10	13.10	35.50B/*8.10A	35.50B/*8.10A	----	11.00 NEW	.1370	----	----	3	----	2 + 2
4765	8.20	8.20	31.70B/*7.10A	31.70B/*7.10A	----	9.70 - 19.60	.1221	----	----	1	----	31 UNCH
4765	----	----	#204.30B/85.00A	#204.30B/85.00A	----	166.20 + 65.70	.8777	----	----	----	----	30 UNCH
4770	----	----	30.00B/*6.70A	30.00B/*6.70A	----	9.10 - 18.60	.1151	----	----	10	----	52 + 1
4775	8.20	8.20	28.30B/*6.30A	28.30B/*6.30A	----	8.50 NEW	.1081	----	----	13	----	13 + 13
4795	----	----	22.30B/*5.00A	22.30B/*5.00A	----	6.70 - 14.30	.0859	----	----	----	----	1 UNCH
4800	----	----	#235.90B/109.10	#235.90B/109.10A	----	197.70 + 71.60	.9189	----	----	----	----	20 UNCH
4800	----	----	----/*27.70A	49.70B/*27.70A	----	31.50 NEW	.2227	----	----	8	----	8 + 8
4800	10.00	10.00	20.80B/*4.70A	20.80B/*4.70A	----	6.30 - 13.60	.0809	----	----	7	----	74 + 4
4815	4.90	4.90	17.30B/*4.00A	17.30B/*4.00A	----	5.20 NEW	.0672	----	----	1	----	1 + 1
4820	----	----	#254.70B/124.40	#254.70B/124.40A	----	216.40 + 74.10	.9365	----	----	----	----	30 UNCH
4820	7.00	7.00	16.20B/*3.80A	16.20B/*3.80A	----	4.90 - 11.10	.0633	----	----	1	----	32 UNCH
4825	----	----	#262.50B/155.70	#262.50B/155.70A	----	231.80 + 68.10	.8570	----	----	----	----	1 UNCH
4825	----	----	----/*3.60A	15.20B/*3.60A	----	4.60 - 10.60	.0595	----	----	5	----	6 + 1
4825	15.50	15.50	15.50/*12.40A	28.30B/*12.40A	----	15.50 NEW	.1426	----	----	1	----	1 + 1
4830	4.00	4.00	4.00/*3.50A	14.40B/*3.50A	----	4.30 - 10.20	.0557	----	----	3	----	3 + 2
4845	3.20	3.20	3.20/*3.10A	11.70B/*3.10A	----	3.70 NEW	.0475	----	----	2	----	1 + 1
4850	----	----	----/*2.90A	11.10B/*2.90A	----	3.50 - 8.00	.0448	----	----	2	----	6 + 2
4850	21.10	21.10	21.10/*10.20A	22.50B/*10.20A	----	12.50 - 14.30	.1180	----	----	5	----	7 + 4
4850	----	----	#285.10B/174.80	#285.10B/174.80A	----	253.80 + 70.90	.8816	----	----	----	----	1 UNCH
4855	----	----	----/*2.80A	10.40B/*2.80A	----	3.30 - 7.60	.0422	----	----	----	----	1 UNCH
4860	----	----	----/*2.70A	9.80B/*2.70A	----	3.10 - 7.20	.0396	----	----	----	----	0 UNCH
4865	----	----	----/*2.60A	9.20B/*2.60A	----	3.00 NEW	.0381	----	----	2	----	2 + 2
4875	14.10	14.10	14.10/*8.40A	17.70B/*8.40A	----	10.20 NEW	.0980	----	----	3	----	3 + 3
4875	----	----	----/*17.50A	28.90B/*17.50A	----	19.00 - 14.50	.1462	----	----	----	----	1 UNCH
4900	----	----	----/*2.00A	5.80B/*2.00A	----	2.10 - 4.60	.0260	----	----	2	----	14 UNCH
4900	----	----	#325.70B/193.80	#325.70B/193.80A	----	293.60 + 80.80	.9738	----	----	----	----	1 UNCH
4900	----	----	----/*15.00A	23.90B/*15.00A	----	16.10 NEW	.1264	----	----	8	----	8 + 8
4900	11.00	11.00	11.00/*7.00A	13.90B/*7.00A	----	8.30 - 9.90	.0810	----	----	3	----	4 + 3
4925	----	----	----/*1.70A	4.30B/*1.70A	----	1.70 - 3.50	.0205	----	----	----	----	1 UNCH
4925	----	----	----/*5.90A	10.90B/*5.90A	----	6.80 - 8.10	.0671	----	----	7	----	1 - 6
4935	----	----	----/*1.60A	3.80B/*1.60A	----	1.60 - 3.10	.0190	----	----	----	----	10 UNCH
4950	5.10	5.10	6.70/*5.00A	8.50B/*5.00A	----	5.60 - 6.70	.0557	----	----	4	----	4 + 1
4950	347.10	347.10	#380.60B/260.00	#380.60B/260.00A	----	346.80 NEW	.9440	----	----	2	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week1

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4950	----	----	----/*1.50A	3.20B/*1.50A	----	1.40 - 2.70	.0164	----	----	----	----	6 UNCH
4965	----	----	----/*1.40A	2.60B/*1.40A	----	1.30 - 2.30	.0149	----	----	----	----	2 UNCH
4970	----	----	----/*1.30A	2.50B/*1.30A	----	1.20 - 2.20	.0137	----	----	----	----	1 UNCH
4975	4.80	4.80	4.80/*4.30A	6.60B/*4.30A	----	4.60 - 5.50	.0460	----	----	2	----	4 + 2
4980	----	----	----/*1.30A	2.20B/*1.30A	----	1.20 NEW	.0134	----	----	2	----	2 + 2
4990	----	----	----/*1.20A	2.00B/*1.20A	----	1.10 - 1.80	.0122	----	----	----	----	1 UNCH
5000	----	----	----/*3.80A	5.10B/*3.80A	----	3.90 - 4.40	.0389	----	----	----	----	1 UNCH
5000	----	----	----/*1.20A	1.80B/*1.20A	----	1.00 - 1.70	.0110	----	----	----	----	38 UNCH
5020	----	----	#444.30B/312.10	#444.30B/312.10A	----	412.30 + 83.90	.9903	----	----	----	----	1 UNCH
5020	----	----	----/*1.10A	1.50B/*1.10A	----	0.90 - 1.40	.0096	----	----	----	----	1 UNCH
5025	----	----	----/*3.40A	3.30B/*3.40A	----	3.30 - 3.40	.0328	----	----	7	----	1 - 6
5025	----	----	#449.30B/317.10	#449.30B/317.10A	----	417.30 + 84.00	.9904	----	----	----	----	1 UNCH
5050	----	----	----/*1.00A	1.10B/*1.00A	----	0.80 - 1.00	.0082	----	----	----	----	3 UNCH
5075	1.30	1.30	1.30/*0.90A	1.30/*0.90A	----	0.70 - 0.80	.0069	----	----	1	----	4 + 1
5075	----	----	----/*7.00A	5.80B/*7.00A	----	4.90 NEW	.0426	----	----	2	----	1 + 1
5100	1.10	1.10	1.10/*0.80A	1.10/*0.80A	----	0.60 NEW	.0058	----	----	1	----	1 + 1
5100	----	----	----/*6.30A	3.30B/*6.30A	----	4.20 - 3.30	.0367	----	----	----	----	1 UNCH
5125	----	----	----/*2.30A	1.90B/*2.30A	----	1.80 - 1.30	.0174	----	----	----	----	3 UNCH
5150	----	----	----/*0.80A	0.50B/*0.80A	----	0.40 - 0.60	.0037	----	----	----	----	1 UNCH
5175	----	----	----/*2.00A	1.40B/*2.00A	----	1.40 - 0.80	.0132	----	----	----	----	1 UNCH
5175	----	----	----	422.30B/706.90A	----	566.80 + 84.90	.9965	----	----	----	----	1 UNCH
5200	----	----	----	0.30B/1.40A	----	0.30 - 0.40	.0026	----	----	----	----	1 UNCH
5200	----	----	----	1.30B/*1.90A	----	1.30 - 0.60	.0121	----	----	----	----	3 UNCH
5200	----	----	----	447.60B/731.40A	----	591.70 + 84.90	.9975	----	----	----	----	1 UNCH
5225	----	----	----	0.20B/1.10A	----	0.30 - 0.30	.0025	----	----	----	----	1 UNCH
5400	----	----	----	#649.40B/929.30A	----	791.60 + 85.20	.9997	1	----	----	----	0 - 1
TOTAL										692		1380 + 496

GWR THU — GOLD WEEKLY THURSDAY OPTION Week5

APR26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	0.10	0.10	0.20/*0.10	0.20/*0.10	----	0.10 UNCH	----	----	----	2	----	2 + 2
4000	----	----	0.30B/----	0.30B/*0.50A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
4100	----	----	0.70B/----	0.70B/*0.60A	----	0.20 - 0.20	.0004	----	----	----	----	151 UNCH
4200	1.00	1.00	1.50B/0.80A	1.50B/0.80A	----	0.60 - 0.10	.0021	----	----	1	----	6 + 1
4250	----	----	2.10B/----	2.10B/1.00A	----	0.80 - 0.10	.0033	----	----	----	----	3 UNCH
4290	1.10	1.10	#3.00B/*1.10	3.00B/*1.10	----	1.00 NEW	.0049	----	----	1	----	1 + 1
4300	1.40	1.40	3.30B/1.20A	3.30B/1.20A	----	1.10 NEW	.0057	----	----	3	----	3 + 3
4325	----	----	4.00B/----	4.00B/1.30A	----	1.30 UNCH	.0074	----	----	----	----	1 UNCH
4350	4.40	4.40	5.20B/1.50A	5.20B/1.50A	----	1.50 UNCH	.0096	----	----	24	----	18 + 18
4360	3.50	3.50	#5.60B/*1.30	5.60B/*1.30	----	1.70 NEW	.0114	----	----	23	----	13 + 13
4365	3.50	3.50	#5.80B/*1.50A	5.80B/*1.50A	----	1.70 NEW	.0116	----	----	1	----	1 + 1
4375	3.50	3.50	6.50B/1.70A	6.50B/1.70A	----	1.90 + 0.20	.0136	----	----	3	----	1 - 1
4375	----	----	339.50B/*201.80	339.50B/*201.80A	----	235.30 - 85.00	.9862	----	----	----	----	1 UNCH
4380	6.00	6.00	#6.90B/1.70A	6.90B/1.70A	----	2.00 NEW	.0147	----	----	3	----	3 + 3
4385	6.00	6.00	#7.20B/1.80A	7.20B/1.80A	----	2.10 NEW	.0158	----	----	3	----	2 + 2
4390	5.60	5.60	#7.70B/1.90A	7.70B/1.90A	----	2.20 NEW	.0170	----	----	1	----	1 + 1
4395	4.70	4.70	#7.90B/2.00A	7.90B/2.00A	----	2.30 NEW	.0181	----	----	2	----	2 + 2
4400	----	----	314.60B/*178.00	314.60B/*178.00A	----	210.70 - 84.90	.9805	----	----	31	----	27 - 4
4400	8.80	8.80	8.80/2.40	8.80/2.10A	----	2.40 + 0.40	.0194	----	----	57	----	57 + 55
4405	6.40	6.40	#8.80B/6.40	#8.80B/2.20A	----	2.50 NEW	.0207	----	----	1	----	1 + 1
4415	2.00	2.00	#10.10/2.00	#10.10/2.00	----	2.80 + 0.60	.0243	----	----	24	----	10 - 7
4425	4.70	4.70	10.80B/4.70	10.80B/2.40A	----	3.10 + 0.80	.0282	----	----	4	----	20 + 4
4445	4.70	4.70	#13.30B/4.70	#13.30B/2.70A	----	3.90 + 1.20	.0388	----	----	1	----	2 + 1
4450	4.80	4.80	14.20B/2.70A	14.20B/2.70A	----	4.10 + 1.30	.0418	----	----	3	----	11 + 2
4455	5.00	5.00	#14.90B/2.80A	#14.90B/2.80A	----	4.40 NEW	.0458	----	----	3	----	3 + 3
4465	5.10	5.10	#16.60B/3.00A	#16.60B/3.00A	----	5.00 NEW	.0543	----	----	1	----	1 + 1
4470	10.20	10.20	#17.50B/3.10A	#17.50B/3.10A	----	5.30 NEW	.0588	----	----	10	----	7 + 7
4475	----	----	18.30B/3.20A	18.30B/3.20A	----	5.60 + 2.20	.0636	----	----	----	----	4 UNCH
4480	7.20	7.20	19.40B/3.30A	19.40B/3.30A	----	6.00 + 2.40	.0695	----	----	18	----	17 + 15
4485	7.70	7.70	20.40B/3.40A	20.40B/3.40A	----	6.40 + 2.70	.0756	----	----	25	----	19 + 11
4490	10.50	10.50	21.50B/3.50A	21.50B/3.50A	----	6.90 + 3.00	.0829	----	----	24	----	35 + 22
4495	----	----	22.70B/3.60A	22.70B/3.60A	----	7.40 + 3.30	.0905	----	----	----	----	5 UNCH
4500	6.70	6.70	23.80B/3.70A	23.80B/3.70A	----	7.90 + 3.60	.0984	----	----	66	----	126 + 31
4500	----	----	216.10B/*89.60A	216.10B/*89.60A	----	116.30 NEW	.9015	----	----	2	----	1 + 1
4505	10.00	10.00	25.00B/3.90A	25.00B/3.90A	----	8.50 + 4.00	.1075	----	----	3	----	3 + 2
4510	----	----	26.30B/4.00A	26.30B/4.00A	----	9.10 + 4.40	.1170	----	----	2	----	5 + 2
4515	19.00	19.00	27.80B/4.20A	27.80B/4.20A	----	9.80 + 4.80	.1277	----	----	1	----	2 + 1
4520	----	----	29.30B/4.30A	29.30B/4.30A	----	10.50 + 5.30	.1388	----	----	----	----	2 UNCH
4525	20.20	20.20	30.80B/4.50A	30.80B/4.50A	----	11.30 + 5.80	.1512	----	----	53	----	61 + 42
4530	22.90	22.90	32.40B/*4.70A	32.40B/*4.70A	----	12.10 + 6.30	.1640	----	----	1	----	4 + 1
4535	35.90	35.90	36.00/*4.90A	36.00/*4.90A	----	13.00 + 6.90	.1781	----	----	103	----	90 - 21
4535	95.60	95.60	182.20B/*63.10A	182.20B/*63.10A	----	86.40 NEW	.8217	----	----	2	----	1 + 1
4540	----	----	36.00B/*5.20A	36.00B/*5.20A	----	14.00 + 7.60	.1935	----	----	2	----	4 + 2
4545	----	----	37.80B/*5.40A	37.80B/*5.40A	----	15.00 + 8.30	.2093	----	----	----	----	4 UNCH
4550	17.20	17.20	39.80B/*5.70A	39.80B/*5.70A	----	16.20 + 9.10	.2270	----	----	17	----	28 - 2
4555	----	----	41.70B/*6.00A	41.70B/*6.00A	----	17.40 + 9.90	.2453	----	----	----	----	11 UNCH
4560	21.60	21.60	43.90B/*6.20A	43.90B/*6.20A	----	18.70 + 10.70	.2646	----	----	6	----	11 UNCH
4570	12.40	12.40	48.40B/*6.90A	48.40B/*6.90A	----	21.50 + 12.60	.3060	----	----	31	----	23 + 8
4570	----	----	149.20B/*41.60A	149.20B/*41.60A	----	59.90 NEW	.6939	----	----	2	----	1 + 1
4575	41.40	41.40	144.40B/*38.90A	144.40B/*38.90A	----	56.50 - 71.60	.6714	----	----	9	----	4 + 1
4575	20.60	20.60	50.70B/*7.30A	50.70B/*7.30A	----	23.10 + 13.60	.3284	----	----	4	----	17 + 1
4580	48.30	48.30	139.90B/*36.30A	139.90B/*36.30A	----	53.10 - 70.60	.6485	----	----	4	----	7 + 4
4580	----	----	53.30B/*7.70A	53.30B/*7.70A	----	24.70 + 14.70	.3514	----	----	----	----	2 UNCH
4585	39.00	39.00	135.20B/*33.80A	135.20B/*33.80A	----	49.90 NEW	.6243	----	----	4	----	4 + 4
4585	33.60	33.60	55.90B/*8.10A	55.90B/*8.10A	----	26.50 + 15.90	.3756	----	----	16	----	6 + 4
4590	10.40	10.40	58.50B/*8.40A	58.50B/*8.40A	----	28.40 + 17.10	.4004	----	----	2	----	4 + 1
4590	40.70	40.70	130.80B/*31.50A	130.80B/*31.50A	----	46.80 NEW	.5994	----	----	1	----	1 + 1
4595	11.20	11.20	61.30B/*8.90A	61.30B/*8.90A	----	30.40 + 18.40	.4260	----	----	55	----	20 + 17
4595	33.30	33.30	126.10B/*29.20A	126.10B/*29.20A	----	43.80 NEW	.5739	----	----	3	----	3 + 3
4600	11.50	11.50	64.20B/*9.60A	64.20B/*9.60A	----	32.50 + 19.80	.4520	----	----	91	----	110 - 29
4600	37.90	37.90	121.60B/*27.00A	121.60B/*27.00A	----	40.90 - 65.50	.5479	----	----	102	----	57 + 7
4605	----	----	66.30B/*10.00A	66.30B/*10.00A	----	34.70 + 21.20	.4785	----	----	5	----	7 + 5
4605	----	----	117.30B/*25.00A	117.30B/*25.00A	----	38.10 NEW	.5214	----	----	5	----	5 + 5
4610	32.30	32.30	69.20B/*10.60A	69.20B/*10.60A	----	37.00 + 22.60	.5053	----	----	11	----	11 + 1
4610	41.50	41.50	112.90B/*23.00A	112.90B/*23.00A	----	35.40 NEW	.4945	----	----	71	----	29 + 29
4615	----	----	72.40B/*11.30A	72.40B/*11.30A	----	39.50 + 24.20	.5323	----	----	----	----	2 UNCH
4620	11.40	11.40	75.50B/*11.40	75.50B/*11.40	----	42.00 + 25.70	.5595	----	----	5	----	4 + 3
4620	52.40	52.40	104.20B/*19.40	104.20B/*19.40	----	30.40 NEW	.4404	----	----	23	----	5 + 5
4625	24.10	24.10	99.90B/*18.00A	99.90B/*18.00A	----	28.10 NEW	.4134	----	----	2	----	2 + 2
4625	32.00	32.00	78.50B/*12.70A	78.50B/*12.70A	----	44.70 + 27.30	.5865	----	----	5	----	4 + 3
4630	----	----	82.10B/*13.70A	82.10B/*13.70A	----	47.60 + 29.10	.6129	----	----	----	----	6 UNCH
4630	20.20	20.20	95.70B/*16.50A	95.70B/*16.50A	----	26.00 NEW	.3869	----	----	1	----	1 + 1
4635	----	----	91.50B/*15.10A	91.50B/*15.10A	----	23.90 NEW	.3605	----	----	1	----	1 + 1
4640	18.40	18.40	87.40B/*13.90A	87.40B/*13.90A	----	22.00 NEW	.3350	----	----	10	----	6 + 6
4645	----	----	92.70B/*16.30A	92.70B/*16.30A	----	56.70 + 34.40	.6903	----	----	----	----	1 UNCH
4645	16.90	16.90	83.40B/*12.70A	83.40B/*12.70A	----	20.10 NEW	.3096	----	----	52	----	50 + 50
4650	----	----	96.40B/*17.30A	96.40B/*17.30A	----	60.00 + 36.30	.7145	----	----	5	----	50 - 3
4650	16.20	16.20	79.50B/*11.60A	79.50B/*11.60A	----	18.40 - 49.00	.2854	----	----	94	----	88 + 84
4655	----	----	100.10B/*18.50A	100.10B/*18.50A	----	63.40 NEW	.7371	----	----	4	----	2 + 2
4660	----	----	104.00B/19.70A	104.00B/19.70A	----	67.00 + 40.10	.7595	----	----	----	----	119 UNCH
4660	13.00	13.00	71.60B/*9.60A	71.60B/*9.60A	----	15.40 NEW	.2404	----	----	6	----	6 + 6
4665	----	----	68.00B/*8.80A	68.00B/*8.80A	----	14.00 NEW	.2190	----	----	8	----	8 + 8
4670	----	----	112.00B/22.30A	112.00B/22.30A	----	74.30 + 43.90	.8002	----	----	----	----	11 UNCH
4670	16.80	16.80	64.30B/*8.00A	64.30B/*8.00A	----	12.80 NEW	.1997	----	----	6	----	5 + 5
4675	10.60	10.60	60.80B/*7.30A	60.80B/*7.30A	----	11.60 NEW	.1807	----	----	4	----	4 + 4
4675	87.50	87.50	115.80B/23.80A	115.80B/23.80A	----	78.20 + 45.90	.8191	----	----	10	----	5 + 4
4680	18.80	18.80	57.40B/*6.50	57.40B/*6.50	----	10.50 - 37.50	.1630	----	----	30	----	12 + 11
4685	21.70	21.70	53.90B/*6.10A	53.90B/*6.10A	----	9.60 - 35.50	.1477	----	----	27	----	19 + 18
4685	90.00	90.00	124.10B/26.90A	124.10B/26.90A	----	86.20 NEW	.8522	----	----	2	----	1 + 1
4690	111.30	111.30	128.40B/28.70A	128.40B/28.70A	----	90.30 + 51.60	.8671	----	----	9	----	15 + 7
4690	6.80	6.80	50.60B/*5.50A	50.60B/*5.50A	----	8.70 NEW	.1327	----	----	2	----	2 + 2
4695	11.40	11.40	47.90B/*5.00A	47.90B/*5.00A	----	7.90 - 31.80	.1192	----	----	4	----	3 + 1
4700	61.10	61.10	137.10B/32.50A	137.10B/32.50A	----	98.70 + 55.20	.8938	----	----	8	----	44 - 4
4700	12.50	12.50	44.70B/*4.60A	44.70B/*4.60A	----	7.10 - 30.10	.1061	----	----	14	----	11 + 10
4705	19.60	19.60	41.60B/*4.20A	41.60B/*4.20A	----	6.50 - 28.20	.0955	----	----	26	----	27 + 21
4710	11.60	11.60	39.00B/*3.90A	39.00B/*3.90A	----	5.90 NEW	.0853	----	----	32	----	29 + 29
4710	----	----	146.10B/36.60A	146.10B/36.60A	----	107.50 + 58.80	.9145	----	----	----	----	29 UNCH
4715	22.00	22.00	36.30B/*3.60A	36.30B/*3.60A	----	5.30 - 24.90	.0755	----	----	43	----	31 + 30
4715	----	----	#150.60B/39.10A	#150.60B/39.10A	----	111.90 NEW	.9244	----	----	1	----	1 + 1
4720	90.00	90.00	#155.00B/41.50A	#155.00B/41.50A	----	116.40 + 62.00	.9327	----	----	3	----	2 + 1
4720	12.00	12.00	33.70B/*3.30A	33.70B/*3.30A	----	4.80 - 23.30	.0671	----	----	25	----	19 + 17
4725	3.50	3.50	31.00B/*3.00A	31.00B/*3.00A	----	4.40 - 21.70	.0602	----	----	8	----	10 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week5										
APR26												
4730	5.00	5.00	28.80B/*2.80A	28.80B/*2.80A	----	4.00 - 20.30	.0536	----	----	7	----	15 UNCH
4730	----	----	#164.00B/46.30A	#164.00B/46.30A	----	125.60 + 65.10	.9463	----	----	----	----	1 UNCH
4735	----	----	26.60B/*2.60A	26.60B/*2.60A	----	3.60 - 18.90	.0472	----	----	----	----	3 UNCH
4735	----	----	#168.70B/49.00A	#168.70B/49.00A	----	130.20 + 66.40	.9527	----	----	----	----	1 UNCH
4740	2.80	2.80	24.40B/*2.40A	24.40B/*2.40A	----	3.30 - 17.50	.0422	----	----	4	----	4 + 2
4740	----	----	#173.30B/52.40A	#173.30B/52.40A	----	134.90 NEW	.9576	----	----	6	----	6 + 6
4745	----	----	#178.10B/55.40A	#178.10B/55.40A	----	139.60 NEW	.9624	----	----	1	----	1 + 1
4745	----	----	22.40B/*2.20A	22.40B/*2.20A	----	3.00 - 16.30	.0375	----	----	2	----	8 + 1
4750	----	----	#182.70B/58.50A	#182.70B/58.50A	----	144.30 + 70.20	.9670	----	----	----	----	65 UNCH
4750	12.90	12.90	20.60B/*2.00	20.60B/*2.00	----	2.70 - 15.10	.0329	----	----	74	----	154 + 17
4755	----	----	#187.50B/61.80A	#187.50B/61.80A	----	149.10 + 71.40	.9702	----	----	----	----	16 UNCH
4755	----	----	18.90B/*1.90A	18.90B/*1.90A	----	2.50 - 13.90	.0297	----	----	----	----	95 UNCH
4760	----	----	17.30B/*1.80A	17.30B/*1.80A	----	2.30 - 12.90	.0265	----	----	4	----	44 + 2
4760	----	----	#192.20B/65.10A	#192.20B/65.10A	----	153.90 + 72.40	.9733	----	----	----	----	28 UNCH
4765	----	----	15.80B/*1.70A	15.80B/*1.70A	----	2.10 - 11.90	.0236	----	----	3	----	2 + 1
4770	3.10	3.10	14.30B/*1.60A	14.30B/*1.60A	----	1.90 - 11.00	.0208	----	----	2	----	4 + 2
4775	----	----	13.00B/*1.50A	13.00B/*1.50A	----	1.80 - 10.10	.0191	----	----	2	----	19 + 2
4780	----	----	#211.40B/79.60A	#211.40B/79.60A	----	173.20 + 76.00	.9834	----	----	----	----	1 UNCH
4785	----	----	10.60B/*1.30A	10.60B/*1.30A	----	1.50 - 8.60	.0150	----	----	4	----	8 - 4
4790	2.50	2.50	9.60B/*1.20A	9.60B/*1.20A	----	1.40 - 7.90	.0136	----	----	4	----	36 UNCH
4795	----	----	8.80B/*1.10A	8.80B/*1.10A	----	1.30 - 7.30	.0123	----	----	----	----	11 UNCH
4800	8.30	8.30	8.30/*1.00A	8.30/*1.00A	----	1.20 - 6.70	.0110	----	----	40	----	104 - 2
4810	----	----	----/*1.00A	6.40B/*1.00A	----	1.00 - 5.70	.0086	----	----	----	----	28 UNCH
4815	----	----	----/*0.90A	5.90B/*0.90A	----	0.90 - 5.30	.0075	----	----	----	----	1 UNCH
4820	----	----	----/*0.90A	5.30B/*0.90A	----	0.90 - 4.80	.0073	----	----	----	----	1 UNCH
4820	----	----	#250.40B/113.00	#250.40B/113.00A	----	212.40 + 80.40	.9926	----	----	----	----	1 UNCH
4825	----	----	#255.40B/117.50	#255.40B/117.50A	----	217.40 + 80.80	.9936	----	----	1	----	2 UNCH
4825	2.10	2.10	2.10/*0.80A	4.70B/*0.80A	----	0.80 - 4.50	.0063	----	----	1	----	6 - 1
4830	4.20	4.20	4.30B/*0.80A	4.30B/*0.80A	----	0.70 - 4.20	.0053	----	----	2	----	8 UNCH
4835	----	----	----/*0.70A	3.90B/*0.70A	----	0.70 - 3.80	.0052	----	----	1	----	3 + 1
4840	----	----	#270.50B/131.20	#270.50B/131.20A	----	232.20 + 81.70	.9957	----	----	----	----	3 UNCH
4840	----	----	----/*0.70A	3.50B/*0.70A	----	0.60 - 3.60	.0043	----	----	----	----	2 UNCH
4845	----	----	#275.20B/135.80	#275.20B/135.80A	----	237.20 + 82.00	.9958	----	----	----	----	4 UNCH
4845	----	----	----/*0.70A	3.20B/*0.70A	----	0.60 - 3.30	.0042	----	----	----	----	1 UNCH
4850	----	----	#280.00B/140.50	#280.00B/140.50A	----	242.10 + 82.20	.9966	----	----	----	----	4 UNCH
4850	1.20	1.20	1.20/*0.70A	2.90B/*0.70A	----	0.50 - 3.10	.0033	----	----	67	----	72 - 13
4855	----	----	----/*0.60A	2.60B/*0.60A	----	0.50 - 2.90	.0032	----	----	----	----	2 UNCH
4860	----	----	----/*0.60A	2.30B/*0.60A	----	0.50 - 2.60	.0032	----	----	----	----	3 UNCH
4865	----	----	----/*0.60A	2.10B/*0.60A	----	0.40 - 2.50	.0024	----	----	----	----	2 UNCH
4870	----	----	----/*0.50A	1.90B/*0.50A	----	0.40 - 2.30	.0023	----	----	----	----	12 UNCH
4875	----	----	----/*0.50A	1.70B/*0.50A	----	0.40 - 2.10	.0023	----	----	----	----	25 UNCH
4880	----	----	----/*0.50A	1.60B/*0.50A	----	0.30 - 2.10	.0016	----	----	----	----	30 UNCH
4885	----	----	----/*0.50A	1.40B/*0.50A	----	0.30 - 1.90	.0016	----	----	----	----	2 UNCH
4890	0.50	0.50	0.50/*0.50	1.30B/*0.50	----	0.30 - 1.80	.0015	----	----	1	----	13 UNCH
4900	0.60	0.60	0.60/*0.40A	1.10B/*0.40A	----	0.30 - 1.50	.0015	----	----	8	----	16 UNCH
4905	----	----	----/*0.40A	1.00B/*0.40A	----	0.20 - 1.50	.0009	----	----	----	----	1 UNCH
4915	----	----	----/*0.40A	0.90B/*0.40A	----	0.20 - 1.30	.0008	----	----	----	----	2 UNCH
4920	----	----	----/*0.40A	0.80B/*0.40A	----	0.20 - 1.20	.0008	----	----	----	----	5 UNCH
4925	----	----	----/*0.40A	0.70B/*0.40A	----	0.20 - 1.20	.0008	----	----	----	----	15 UNCH
4930	0.70	0.70	0.70/*0.40A	0.70/*0.40A	----	0.20 - 1.10	.0008	----	----	3	----	5 UNCH
4935	----	----	----/*0.50A	0.60B/*0.50A	----	0.20 - 1.00	.0008	----	----	----	----	57 UNCH
4940	----	----	----/*0.50A	0.50B/*0.50A	----	0.10 - 1.00	.0003	----	----	----	----	1 UNCH
4945	----	----	----/*0.50A	0.50B/*0.50A	----	0.10 - 1.00	.0003	----	----	----	----	1 UNCH
4950	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.10 - 0.90	.0002	----	----	24	----	28 + 19
4960	----	----	----/*0.50A	0.40B/*0.50A	----	0.10 - 0.80	.0001	----	----	----	----	17 UNCH
4965	----	----	----/*0.50A	0.30B/*0.50A	----	0.10 - 0.80	.0001	----	----	----	----	1 UNCH
4970	----	----	----/*0.50A	0.40B/*0.50A	----	0.10 - 0.70	.0001	----	----	----	----	1 UNCH
4975	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.10 - 0.70	.0001	----	----	4	----	34 - 4
5000	----	----	----/*0.50A	0.20B/*0.50A	----	0.10 - 0.50	.0000	----	----	----	----	39 UNCH
5000	----	----	#428.60B/290.90	#428.60B/290.90A	----	391.70 + 84.80	1.0000	1	----	----	----	1 - 1
5005	----	----	----/*0.50A	0.10B/*0.50A	----	0.10 - 0.50	.0000	----	----	----	----	4 UNCH
5020	----	----	----/*0.40A	0.10B/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	2 UNCH
5025	----	----	----/*0.40A	0.10B/*0.40A	----	0.10 - 0.40	.0000	----	----	----	----	10 UNCH
5050	----	----	----	----/*0.40A	----	0.10 - 0.30	----	----	----	----	----	2 UNCH
5075	----	----	----	----/*0.40A	----	0.10 - 0.20	----	----	----	----	----	13 UNCH
5125	----	----	----	----/*0.40A	----	0.10 - 0.10	----	----	----	----	----	49 UNCH
5150	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
5200	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
5225	----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5400	----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5500	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5600	----	----	----	----/0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
TOTAL										1678		2941 + 637
MAY26												
3900	----	----	3.20B/----	3.20B/3.40A	----	2.90 + 0.10	.0172	----	----	----	----	1 UNCH
4000	----	----	2.80B/----	2.80B/1.90A	----	1.80 + 0.10	.0119	----	----	----	----	6 UNCH
4200	----	----	7.10B/----	7.10B/3.60A	----	3.80 + 0.70	.0309	----	----	----	----	2 UNCH
4275	----	----	11.20B/----	11.20B/4.60A	----	5.70 + 1.40	.0492	----	----	----	----	1 UNCH
4300	----	----	#23.00B/----	#23.00B/12.40A	----	14.70 + 4.20	.1041	----	----	----	----	1 UNCH
4325	----	----	#15.30B/----	#15.30B/5.50A	----	7.80 + 2.40	.0695	----	----	----	----	1 UNCH
4350	----	----	#18.10B/6.10A	#18.10B/6.10A	----	9.30 + 3.10	.0835	----	----	----	----	1 UNCH
4400	16.60	16.60	#25.30B/7.70A	#25.30B/7.70A	----	13.30 + 5.00	.1207	----	----	4	----	9 + 2
4425	19.80	19.80	#29.80B/8.80A	#29.80B/8.80A	----	16.10 + 6.40	.1457	----	----	2	----	4 + 2
4450	54.00	54.00	#61.00B/*54.00	#61.00B/*32.50A	----	49.10 NEW	.2698	----	----	20	----	20 + 20
4450	----	----	#51.30B/----	#51.30B/24.20A	----	35.30 + 12.60	.2363	----	----	4	----	10 UNCH
4450	21.30	21.30	#35.20B/*10.10A	#35.20B/*10.10A	----	19.50 + 8.10	.1754	----	----	5	----	4 + 3
4475	44.00	44.00	#58.80B/44.00	#58.80B/27.60A	----	41.00 + 14.80	.2689	----	----	1	----	3 + 1
4475	25.60	25.60	#41.60B/*11.70A	#41.60B/*11.70A	----	23.80 + 10.30	.2111	----	----	7	----	15 + 3
4500	30.60	30.60	#48.90B/*13.70A	#48.90B/*13.70A	----	28.90 + 12.90	.2520	----	----	20	----	170 + 18
4525	----	----	#76.00B/----	#76.00B/35.70A	----	55.40 + 20.10	.3441	----	----	----	----	2 UNCH
4525	19.40	19.40	#57.80B/16.40A	#57.80B/16.40A	----	35.20 + 16.00	.2993	----	----	2	----	1 UNCH
4550	----	----	#86.40B/40.70A	#86.40B/40.70A	----	64.10 + 23.10	.3858	----	----	4	----	10 UNCH
4550	----	----	#67.70B/19.30A	#67.70B/19.30A	----	42.80 + 19.60	.3524	----	----	12	----	66 UNCH
4575	77.20	77.20	#79.00B/23.30A	#79.00B/23.30A	----	51.70 + 23.60	.4102	----	----	1	----	3 UNCH
4600	----	----	#110.40B/53.50A	#110.40B/53.50A	----	85.00 + 30.20	.4749	----	----	----	----	152 UNCH
4600	----	----	#91.70B/28.10A	#91.70B/28.10A	----	62.20 NEW	.4718	----	----	11	----	11 + 11
4625	----	----	#105.40B/33.70A	#105.40B/33.70A	----	74.40 + 33.30	.5354	----	----	1	----	51 + 1
4625	----	----	120.30B/*45.10A	120.30B/*45.10A	----	57.80 NEW	.4643	----	----	1	----	1 + 1
4645	83.90	83.90	#117.80B/39.20A	#117.80B/39.20A	----	85.30 + 37.50	.5863	----	----	1	----	1 UNCH
4650	----	----	#138.70B/69.70A	#138.70B/69.70A	----	110.80 + 38.60	.5673	----	----	----	----	4 UNCH
4650	----	----	#121.00B/41.00A	#121.00B/41.00A	----	88.20 + 38.60	.5988	----	----	----	----	12 UNCH
4660	93.10	93.10	#127.70B/44.00A	#127.70B/44.00A	----	94.20 + 40.80	.6237	----	----	1	----	1 UNCH
4670	----	----	#134.40B/47.50A	#134.40B/47.50A	----	100.50 + 43.00	.6482	----	----	----	----	100 UNCH
4670	42.80	42.80	88.70B/*29.80A	88.70B/*29.80A	----	38.90 NEW	.3514	----	----	28	----	28 + 28
4695	43.60	43.60	74.20B/*23.40A	74.20B/*23.40A	----	30.70 NEW	.2933	----	----	1	----	1 + 1
4695	----	----	#152.50B/57.20A	#152.50B/57.20A	----	117.30 + 48.50	.7063	----	----	----	----	2 UNCH
4700	----	----	71.30B/*22.30A	71.30B/*22.30A	----	29.30 - 35.60	.2825	----	----	----	----	200 UNCH
4700	----	----	#156.20B/59.30A	#156.20B/59.30A	----	120.80 + 49.60	.7172	----	----	----	----	5 UNCH
4700	----	----	#171.70B/87.50A	#171.70B/87.50A	----	141.30 + 47.70	.6567	----	----	----	----	2 UNCH
4705	33.50	33.50	68.50B/*21.20A	68.50B/*21.20A	----	27.90 NEW	.2718	----	----	2	----	1 + 1
4710	----	----	65.70B/*20.10A	65.70B/*20.10A	----	26.50 NEW	.2610	----	----	4	----	4 + 4
4720	----	----	60.50B/*18.20A	60.50B/*18.20A	----	24.00 - 31.40	.2407	----	----	2	----	3 + 2
4720	----	----	#171.50B/68.60A	#171.50B/68.60A	----	135.50 + 53.80	.7590	----	----	----	----	1 UNCH
4725	----	----	#175.70B/70.80A	#175.70B/70.80A	----	139.40 + 54.90	.7684	----	----	1	----	5 + 1
4730	----	----	55.60B/*16.50A	55.60B/*16.50A	----	21.70 - 29.30	.2215	----	----	----	----	4 UNCH
4740	----	----	#187.90B/78.70A	#187.90B/78.70A	----	151.10 + 57.90	.7964	----	----	12	----	12 UNCH
4740	15.40	15.40	50.80B/*14.90A	50.80B/*14.90A	----	19.60 - 27.30	.2033	----	----	1	----	2 + 1
4750	----	----	#196.00B/84.20A	#196.00B/84.20A	----	159.20 + 59.90	.8135	----	----	----	----	1 UNCH
4750	----	----	46.40B/*13.50A	46.40B/*13.50A	----	17.70 - 25.40	.1862	----	----	11	----	210 UNCH
4755	19.60	19.60	44.30B/*12.70A	44.30B/*12.70A	----	16.90 NEW	.1786	----	----	24	----	24 + 24
4765	----	----	#209.00B/93.60A	#209.00B/93.60A	----	171.70 + 62.70	.8367	----	----	----	----	50 UNCH
4770	----	----	#213.30B/97.10A	#213.30B/97.10A	----	175.90 + 63.60	.8436	----	----	----	----	10 UNCH
4775	12.90	12.90	36.60B/*10.40A	36.60B/*10.40A	----	13.70 - 20.80	.1486	----	----	4	----	5 + 4
4775	----	----	#217.60B/99.90A	#217.60B/99.90A	----	180.20 + 64.50	.8511	----	----	----	----	50 UNCH
4780	----	----	34.90B/*9.90A	34.90B/*9.90A	----	13.10 - 19.80	.1425	----	----	----	----	1 UNCH
4785	----	----	33.30B/*9.40A	33.30B/*9.40A	----	12.40 - 19.10	.1357	----	----	----	----	1 UNCH
4790	16.20	16.20	31.50B/*8.90A	31.50B/*8.90A	----	11.80 - 18.20	.1297	----	----	1	----	1 UNCH
4800	----	----	28.60B/*8.00A	28.60B/*8.00A	----	10.70 - 16.70	.1184	----	----	2	----	14 + 1
4800	----	----	#239.80B/116.70	#239.80B/116.70A	----	202.10 + 68.50	.8814	----	----	----	----	1 UNCH
4815	----	----	#253.40B/127.50	#253.40B/127.50A	----	215.60 + 70.70	.8970	----	----	----	----	1 UNCH
4820	----	----	23.00B/*6.50A	23.00B/*6.50A	----	8.70 - 13.90	.0977	----	----	5	----	5 + 1
4825	----	----	21.90B/*6.20A	21.90B/*6.20A	----	8.30 - 13.30	.0933	----	----	----	----	50 UNCH
4825	19.40	19.40	19.40/*16.10A	34.30B/*16.10A	----	20.10 NEW	.1661	----	----	2	----	2 + 2
4830	----	----	#266.90B/138.90	#266.90B/138.90A	----	229.30 + 72.60	.9107	----	----	----	----	4 UNCH
4845	----	----	#281.00B/150.80	#281.00B/150.80A	----	243.30 + 74.30	.9227	----	----	----	----	5 UNCH
4845	5.60	5.60	5.60/*5.10A	17.70B/*5.10A	----	6.80 - 11.00	.0771	----	----	2	----	17 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

GWR THU — GOLD WEEKLY THURSDAY OPTION Week1

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4850	7.80	7.80	7.80/*4.90A	16.60B/*4.90A	----	6.50 - 10.40	.0737	----	----	4	----	204 + 3
4850	----	----	#285.70B/154.90	#285.70B/154.90A	----	247.90 + 74.80	.9261	----	----	----	----	9 UNCH
4860	----	----	----/*4.50A	15.20B/*4.50A	----	5.90 - 9.50	.0670	----	----	----	----	1 UNCH
4870	5.80	5.80	5.80/*4.10A	13.40B/*4.10A	----	5.40 NEW	.0613	----	----	1	----	1 + 1
4875	4.60	4.60	4.60/*4.00A	12.80B/*4.00A	----	5.20 NEW	.0589	----	----	3	----	3 + 3
4880	----	----	----/*3.80A	12.10B/*3.80A	----	4.90 - 7.80	.0557	----	----	----	----	2 UNCH
4895	3.80	3.80	3.80/*3.40A	10.20B/*3.40A	----	4.30 NEW	.0487	----	----	1	----	1 + 1
4900	----	----	----/*3.30A	9.60B/*3.30A	----	4.10 - 6.40	.0464	----	----	----	----	6 UNCH
4905	----	----	----/*3.20A	9.10B/*3.20A	----	3.90 - 6.10	.0442	----	----	2	----	0 - 2
4925	----	----	----/*8.00A	14.90B/*8.00A	----	9.50 - 9.40	.0851	----	----	4	----	11 UNCH
4925	----	----	----/*2.80A	7.50B/*2.80A	----	3.30 - 5.00	.0371	----	----	----	----	50 UNCH
4955	----	----	----/*2.40A	5.40B/*2.40A	----	2.60 - 3.80	.0288	----	----	----	----	9 UNCH
4970	----	----	----/*2.20A	4.70B/*2.20A	----	2.30 - 3.30	.0253	----	----	----	----	18 UNCH
4985	----	----	----/*2.00A	4.00B/*2.00A	----	2.10 - 2.90	.0228	----	----	----	----	1 UNCH
4990	----	----	----/*2.00A	3.80B/*2.00A	----	2.00 - 2.80	.0217	----	----	----	----	25 UNCH
5000	----	----	----/*5.20A	7.90B/*5.20A	----	5.50 - 5.40	.0508	----	----	4	----	150 - 4
5000	1.80	1.80	1.80/*1.80	3.50B/*1.80	----	1.90 - 2.60	.0204	----	----	1	----	11 + 1
5015	----	----	----/*1.80A	3.10B/*1.80A	----	1.70 - 2.30	.0181	----	----	----	----	3 UNCH
5025	----	----	----/*4.60A	6.30B/*4.60A	----	4.60 - 4.50	.0428	----	----	4	----	10 UNCH
5025	----	----	----/*1.70A	2.80B/*1.70A	----	1.60 - 2.20	.0169	----	----	----	----	1 UNCH
5050	----	----	----/*1.50A	2.30B/*1.50A	----	1.30 - 1.90	.0136	----	----	2	----	0 - 2
5075	----	----	----/*3.60A	3.60B/*3.60A	----	3.40 - 2.90	.0315	----	----	4	----	0 - 4
5100	----	----	----/*7.60A	6.50B/*7.60A	----	5.30 NEW	.0439	----	----	1	----	1 + 1
5125	----	----	----/*1.20A	1.40B/*1.20A	----	0.90 - 1.20	.0088	----	----	----	----	1 UNCH
5200	----	----	----/*1.00A	0.90B/*1.00A	----	0.60 - 0.90	.0055	----	----	1	----	0 - 1
5250	----	----	----/*1.00A	0.70B/*1.00A	----	0.50 - 0.80	.0044	----	----	----	----	1 UNCH
5275	----	----	----/*1.00A	0.60B/*1.00A	----	0.50 - 0.70	.0042	----	----	----	----	3 UNCH
5350	----	----	----	----/1.40A	----	0.40 - 0.50	.0032	----	----	----	----	1 UNCH
5400	----	----	----	----/1.30A	----	0.30 - 0.40	.0023	----	----	----	----	1 UNCH
TOTAL										231		1909 + 131

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK1

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3800	----	----	0.50B/----	0.50B/*0.60A	----	0.30 - 0.10	.0015	----	----	2	----	6 + 2
3900	----	----	0.80B/----	0.80B/*0.80A	----	0.50 - 0.20	.0028	----	----	----	----	3 UNCH
3900	2.90	2.90	3.00/2.30A	3.00/2.30A	----	2.50 + 0.80	.0148	----	----	40	----	46 + 40
4000	3.10	3.10	3.20B/3.00A	3.20B/3.00A	----	3.10 NEW	.0201	----	----	1	----	1 + 1
4000	1.10	1.10	1.30B/1.10	1.30B/1.10	----	0.90 - 0.10	.0056	----	----	2	----	3 + 1
4000	----	----	5.50B/----	5.50B/6.50A	----	5.30 + 2.30	.0320	----	----	----	----	2 UNCH
4100	1.40	1.40	2.00B/*1.00	2.00B/*1.00	----	1.20 - 0.10	.0086	----	----	4	----	32 + 2
4100	----	----	#9.30B/----	#9.30B/8.30A	----	7.40 + 2.40	.0470	----	----	2	----	3 UNCH
4200	3.20	3.20	3.80/1.80A	3.80/1.80A	----	1.70 UNCH	.0143	----	----	51	----	52 + 51
4200	----	----	#15.20B/----	#15.20B/10.70A	----	11.30 + 3.10	.0738	----	----	2	----	2 UNCH
4200	----	----	9.80B/----	9.80B/6.00A	----	6.10 + 1.70	.0466	----	----	----	----	1 UNCH
4225	----	----	4.20B/----	4.20B/1.90A	----	2.00 + 0.20	.0174	----	----	----	----	3 UNCH
4250	----	----	12.70B/----	12.70B/7.50A	----	7.80 + 2.30	.0611	----	----	1	----	3 + 1
4250	----	----	5.10B/----	5.10B/2.20A	----	2.20 + 0.20	.0200	----	----	----	----	5 UNCH
4275	----	----	6.10B/----	6.10B/2.40A	----	2.60 + 0.40	.0244	----	----	----	----	1 UNCH
4275	----	----	#14.80B/----	#14.80B/8.30A	----	8.80 NEW	.0699	----	----	1	----	1 + 1
4300	3.90	3.90	7.30B/3.20	7.30B/2.40A	----	3.00 + 0.60	.0293	----	----	55	----	72 + 52
4300	----	----	17.60B/----	17.60B/9.10A	----	10.20 + 3.30	.0815	----	----	1	----	6 UNCH
4300	----	----	#25.40B/----	#25.40B/14.50A	----	18.30 + 5.20	.1199	----	----	----	----	2 UNCH
4325	----	----	#29.10B/----	#29.10B/16.20A	----	20.80 + 6.00	.1358	----	----	1	----	5 + 1
4325	----	----	19.60B/----	19.60B/10.00A	----	11.80 + 4.00	.0948	----	----	----	----	2 UNCH
4350	----	----	22.80B/----	22.80B/10.40A	----	13.80 + 4.90	.1109	----	----	----	----	17 UNCH
4350	----	----	#32.90B/----	#32.90B/17.90A	----	23.80 + 7.00	.1541	----	----	----	----	2 UNCH
4350	----	----	10.70B/----	10.70B/3.30A	----	4.30 + 1.20	.0449	----	----	----	----	53 UNCH
4355	----	----	11.30B/----	11.30B/3.40A	----	4.50 + 1.30	.0472	----	----	2	----	2 UNCH
4360	----	----	11.60B/----	11.60B/3.40A	----	4.70 + 1.40	.0495	----	----	----	----	1 UNCH
4365	8.20	8.20	12.10B/8.20	12.10B/3.50A	----	4.90 NEW	.0519	----	----	1	----	1 + 1
4370	----	----	12.70B/----	12.70B/3.60A	----	5.10 + 1.60	.0544	----	----	----	----	2 UNCH
4375	----	----	13.20B/----	13.20B/3.70A	----	5.30 + 1.70	.0568	----	----	----	----	1 UNCH
4375	----	----	26.40B/----	26.40B/11.50A	----	16.20 + 6.00	.1299	----	----	----	----	1 UNCH
4375	----	----	#37.30B/----	#37.30B/19.90A	----	27.20 + 8.00	.1746	----	----	1	----	4 + 1
4385	----	----	14.20B/----	14.20B/3.90A	----	5.80 + 2.00	.0627	----	----	----	----	1 UNCH
4400	6.80	6.80	16.20B/6.80	16.20B/4.20A	----	6.60 + 2.40	.0724	----	----	12	----	95 + 1
4400	----	----	30.80B/----	30.80B/12.90A	----	19.10 + 7.30	.1522	----	----	----	----	6 UNCH
4400	----	----	#42.40B/----	#42.40B/22.70A	----	31.20 + 9.30	.1978	----	----	----	----	10 UNCH
4410	----	----	17.50B/4.40A	17.50B/4.40A	----	7.20 + 2.70	.0797	----	----	----	----	4 UNCH
4415	----	----	18.30B/4.50A	18.30B/4.50A	----	7.50 + 2.90	.0835	----	----	----	----	150 UNCH
4420	14.20	14.20	19.00B/4.60A	19.00B/4.60A	----	7.90 + 3.10	.0881	----	----	2	----	3 + 2
4425	13.20	13.20	19.80B/4.70A	19.80B/4.70A	----	8.30 NEW	.0927	----	----	16	----	16 + 16
4435	13.30	13.30	21.50B/5.00A	21.50B/5.00A	----	9.10 NEW	.1023	----	----	5	----	5 + 5
4440	8.60	8.60	22.40B/5.10A	22.40B/5.10A	----	9.60 + 4.10	.1080	----	----	5	----	6 + 5
4445	----	----	23.30B/5.20A	23.30B/5.20A	----	10.00 NEW	.1130	----	----	3	----	3 + 3
4450	12.50	12.50	24.30B/5.40A	24.30B/5.40A	----	10.50 + 4.50	.1189	----	----	11	----	12 + 9
4450	----	----	41.70B/----	41.70B/16.70A	----	26.90 + 10.90	.2087	----	----	4	----	6 + 4
4455	----	----	25.30B/5.60A	25.30B/5.60A	----	11.10 + 4.90	.1255	----	----	----	----	1 UNCH
4460	25.00	25.00	26.30B/5.80A	26.30B/5.80A	----	11.60 + 5.20	.1316	----	----	1	----	2 - 1
4460	165.90	165.90	258.00B/*133.00	258.00B/*133.00A	----	160.00 NEW	.8682	----	----	2	----	0 UNCH
4470	----	----	28.70B/6.20A	28.70B/6.20A	----	12.90 + 5.90	.1461	----	----	----	----	3 UNCH
4475	21.10	21.10	29.90B/6.30A	29.90B/6.30A	----	13.50 + 6.30	.1532	----	----	1	----	3 + 1
4475	----	----	#63.30B/32.20A	#63.30B/32.20A	----	47.10 + 14.10	.2833	----	----	----	----	4 UNCH
4475	----	----	48.60B/----	48.60B/19.30A	----	32.00 + 13.20	.2434	----	----	1	----	11 + 1
4480	26.10	26.10	31.00B/*6.40A	31.00B/*6.40A	----	14.30 + 6.80	.1617	----	----	5	----	15 + 5
4485	29.00	29.00	51.60B/29.00	51.60B/20.40A	----	34.20 + 14.10	.2581	----	----	3	----	14 + 3
4485	25.10	25.10	32.20B/*6.70A	32.20B/*6.70A	----	15.00 + 7.10	.1697	----	----	2	----	5 + 2
4490	----	----	53.20B/----	53.20B/21.00A	----	35.40 + 14.60	.2659	----	----	----	----	2 UNCH
4495	27.50	27.50	35.20B/*7.20A	35.20B/*7.20A	----	16.60 + 8.10	.1873	----	----	4	----	5 + 2
4500	7.40	7.40	36.60B/*7.40	36.60B/*7.40	----	17.50 + 8.60	.1969	----	----	133	----	132 + 76
4500	----	----	#71.80B/36.30A	#71.80B/36.30A	----	54.10 + 16.40	.3175	----	----	3	----	5 UNCH
4500	----	----	56.30B/----	56.30B/22.20A	----	38.00 + 15.80	.2821	----	----	----	----	5 UNCH
4505	30.20	30.20	38.20B/*7.70A	38.20B/*7.70A	----	18.40 + 9.10	.2066	----	----	2	----	3 + 2
4505	----	----	58.10B/----	58.10B/23.00A	----	39.30 + 16.30	.2904	----	----	----	----	1 UNCH
4510	27.50	27.50	39.70B/*8.00A	39.70B/*8.00A	----	19.40 NEW	.2170	----	----	1	----	1 + 1
4515	30.00	30.00	41.40B/*8.40A	41.40B/*8.40A	----	20.40 NEW	.2275	----	----	5	----	5 + 5
4520	----	----	63.20B/25.20A	63.20B/25.20A	----	43.50 + 18.00	.3161	----	----	----	----	1 UNCH
4520	28.30	28.30	43.00B/*8.80A	43.00B/*8.80A	----	21.50 NEW	.2387	----	----	4	----	4 + 4
4525	----	----	#81.10B/41.10A	#81.10B/41.10A	----	62.00 + 18.90	.3541	----	----	----	----	2 UNCH
4525	32.70	32.70	44.80B/*9.10A	44.80B/*9.10A	----	22.60 + 11.50	.2501	----	----	15	----	16 + 15
4530	31.10	31.10	46.60B/*9.40A	46.60B/*9.40A	----	23.80 NEW	.2620	----	----	8	----	8 + 8
4530	----	----	67.00B/26.80A	67.00B/26.80A	----	46.50 NEW	.3340	----	----	6	----	6 + 6
4535	32.40	32.40	48.40B/*9.90A	48.40B/*9.90A	----	25.10 NEW	.2746	----	----	4	----	4 + 4
4540	----	----	71.10B/28.40A	71.10B/28.40A	----	49.70 + 20.50	.3525	----	----	----	----	1 UNCH
4540	----	----	50.30B/*10.30A	50.30B/*10.30A	----	26.40 + 13.70	.2872	----	----	7	----	6 + 3
4545	35.30	35.30	52.30B/*10.60A	52.30B/*10.60A	----	27.70 + 14.40	.3001	----	----	7	----	5 + 4
4550	----	----	173.40B/*67.60A	173.40B/*67.60A	----	87.50 NEW	.6859	----	----	2	----	1 + 1
4550	----	----	#91.30B/46.60A	#91.30B/46.60A	----	70.90 + 21.90	.3929	----	----	----	----	2 UNCH
4550	----	----	75.30B/30.20A	75.30B/30.20A	----	53.10 + 21.80	.3716	----	----	----	----	2 UNCH
4550	27.50	27.50	54.30B/*11.20A	54.30B/*11.20A	----	29.20 + 15.20	.3138	----	----	8	----	24 + 2
4555	----	----	56.50B/*11.60A	56.50B/*11.60A	----	30.70 + 16.10	.3277	----	----	1	----	1 UNCH
4555	----	----	77.40B/31.20A	77.40B/31.20A	----	54.90 + 22.50	.3813	----	----	----	----	1 UNCH
4560	----	----	58.60B/*12.10A	58.60B/*12.10A	----	32.20 + 16.90	.3417	----	----	----	----	3 UNCH
4565	----	----	81.90B/33.20A	81.90B/33.20A	----	58.60 + 24.00	.4012	----	----	----	----	1 UNCH
4570	----	----	84.20B/34.30A	84.20B/34.30A	----	60.60 + 24.80	.4113	----	----	----	----	2 UNCH
4575	----	----	#100.10B/52.70A	#100.10B/52.70A	----	81.00 + 25.40	.4335	----	----	2	----	3 UNCH
4575	27.90	27.90	65.50B/*13.90A	65.50B/*13.90A	----	37.40 + 19.70	.3866	----	----	2	----	17 + 1
4580	----	----	88.90B/36.50A	88.90B/36.50A	----	64.60 NEW	.4318	----	----	6	----	6 + 6
4580	----	----	67.70B/*14.50A	67.70B/*14.50A	----	39.30 + 20.70	.4022	----	----	----	----	2 UNCH
4585	----	----	91.50B/37.60A	91.50B/37.60A	----	66.70 NEW	.4422	----	----	1	----	1 + 1
4585	69.40	69.40	70.20B/*15.30A	70.20B/*15.30A	----	41.20 + 21.70	.4180	----	----	22	----	22 + 2
4585	50.00	50.00	142.30B/*48.40A	142.30B/*48.40A	----	64.60 NEW	.5818	----	----	2	----	2 + 2
4590	49.20	49.20	73.00B/*16.00A	73.00B/*16.00A	----	43.20 + 22.70	.4340	----	----	4	----	6 + 4
4595	57.00	57.00	75.70B/*16.80A	75.70B/*16.80A	----	45.30 + 23.80	.4503	----	----	6	----	10 + 2
4595	----	----	133.80B/*43.70A	133.80B/*43.70A	----	58.70 NEW	.5495	----	----	1	----	1 + 1
4600	81.00	81.00	82.30/*66.60A	133.70B/*66.60A	----	81.70 NEW	.5258	----	----	40	----	40 + 40
4600	63.00	63.00	99.20B/41.40A	99.20B/41.40A	----	73.30 + 29.60	.4738	----	----	2	----	40 - 1
4600	84.60	84.60	#111.90B/59.90A	#111.90B/59.90A	----	92.20 + 29.30	.4753	----	----	4	----	31 - 1
4600	50.00	50.00	129.50B/*41.30A	129.50B/*41.30A	----	55.90 NEW	.5330	----	----	3	----	3 + 3
4600	40.30	40.30	78.30B/*17.50A	78.30B/*17.50A	----	47.50 + 24.90	.4667	----	----	86	----	197 + 80
4605	----	----	125.40B/*39.10A	125.40B/*39.10A	----	53.20 NEW	.5164	----	----	1	----	1 + 1
4605	----	----	80.70B/*18.30A	80.70B/*18.30A	----	49.80 + 26.10	.4834	----	----	1	----	3 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
MAY26												
4610	----	----	104.70B/44.00A	104.70B/44.00A	----	78.00 + 31.30	.4951	----	----	2	----	0 - 2
4610	----	----	83.60B/19.20A	83.60B/19.20A	----	52.10 + 27.20	.5001	----	----	----	----	1 UNCH
4615	20.10	20.10	86.50B/20.10	86.50B/20.10	----	54.50 NEW	.5169	----	----	2	----	2 + 2
4620	----	----	110.20B/46.90A	110.20B/46.90A	----	83.00 + 33.20	.5166	----	----	2	----	1 - 2
4620	20.80	20.80	89.40B/20.80	89.40B/20.80	----	57.00 + 29.60	.5337	----	----	10	----	12 + 8
4625	----	----	#125.00B/66.50A	#125.00B/66.50A	----	104.50 NEW	.5177	----	----	2	----	0 UNCH
4625	----	----	----/*55.60A	115.80B/*55.60A	----	68.90 NEW	.4722	----	----	6	----	6 + 6
4625	52.70	52.70	92.50B/22.20A	92.50B/22.20A	----	59.60 + 30.80	.5506	----	----	2	----	11 - 1
4630	48.80	48.80	95.60B/23.20A	95.60B/23.20A	----	62.30 + 32.10	.5676	----	----	40	----	40 + 40
4630	43.30	43.30	105.20B/*29.30A	105.20B/*29.30A	----	40.70 NEW	.4322	----	----	22	----	20 + 20
4635	----	----	98.70B/24.40A	98.70B/24.40A	----	65.10 + 33.40	.5843	----	----	2	----	3 + 2
4640	----	----	101.80B/25.60A	101.80B/25.60A	----	68.00 + 34.80	.6010	----	----	----	----	1 UNCH
4650	37.20	37.20	90.20B/*23.00A	90.20B/*23.00A	----	32.40 - 47.80	.3660	----	----	8	----	7 + 6
4650	93.70	93.70	93.70/*68.00A	121.10B/*68.00A	----	76.60 NEW	.4394	----	----	1	----	1 + 1
4650	----	----	108.60B/28.20A	108.60B/28.20A	----	73.90 + 37.40	.6338	----	----	----	----	13 UNCH
4655	28.40	28.40	86.50B/*21.70A	86.50B/*21.70A	----	30.50 - 46.40	.3498	----	----	1	----	2 + 1
4655	----	----	112.20B/29.60A	112.20B/29.60A	----	77.00 + 38.70	.6500	----	----	----	----	1 UNCH
4660	----	----	134.50B/60.30A	134.50B/60.30A	----	104.90 + 40.90	.6021	----	----	----	----	2 UNCH
4665	----	----	119.10B/32.60A	119.10B/32.60A	----	83.50 + 41.50	.6818	----	----	----	----	3 UNCH
4670	----	----	122.90B/34.20A	122.90B/34.20A	----	86.90 + 42.90	.6970	----	----	1	----	13 + 1
4670	24.30	24.30	76.00B/*17.90A	76.00B/*17.90A	----	25.30 NEW	.3028	----	----	1	----	1 + 1
4675	27.00	27.00	72.50B/*16.30	72.50B/*16.30	----	23.70 NEW	.2876	----	----	7	----	7 + 7
4675	----	----	#154.50B/84.60A	#154.50B/84.60A	----	132.80 + 43.30	.6016	----	----	----	----	3 UNCH
4675	76.70	76.70	126.50B/35.90A	126.50B/35.90A	----	90.30 NEW	.7121	----	----	100	----	40 + 40
4680	----	----	130.60B/37.60A	130.60B/37.60A	----	93.80 + 45.70	.7263	----	----	----	----	1 UNCH
4680	51.00	51.00	69.50B/*15.70A	69.50B/*15.70A	----	22.30 - 39.50	.2734	----	----	7	----	5 + 4
4685	----	----	134.10B/39.50A	134.10B/39.50A	----	97.40 + 47.10	.7405	----	----	2	----	5 UNCH
4690	----	----	138.00B/41.40A	138.00B/41.40A	----	101.10 + 48.50	.7546	----	----	----	----	6 UNCH
4690	41.50	41.50	41.50/*33.40A	75.50B/*33.40A	----	42.30 NEW	.3359	----	----	1	----	1 + 1
4690	----	----	153.30B/72.60A	153.30B/72.60A	----	123.80 + 47.00	.6637	----	----	----	----	4 UNCH
4690	----	----	63.80B/*13.70A	63.80B/*13.70A	----	19.50 - 36.80	.2451	----	----	4	----	4 + 1
4695	----	----	153.50B/74.80A	153.50B/74.80A	----	127.10 + 47.90	.6736	----	----	----	----	1 UNCH
4695	----	----	60.50B/*12.80A	60.50B/*12.80A	----	18.30 - 35.40	.2321	----	----	----	----	1 UNCH
4700	22.10	22.10	57.70B/*12.00A	57.70B/*12.00A	----	17.10 - 34.00	.2192	----	----	2	----	2 + 1
4700	----	----	156.00B/77.00A	156.00B/77.00A	----	130.50 + 48.90	.6834	----	----	----	----	9 UNCH
4700	57.00	57.00	146.00B/45.50A	146.00B/45.50A	----	108.60 + 51.20	.7806	----	----	8	----	198 + 6
4700	----	----	----/*30.70A	73.00B/*30.70A	----	39.00 NEW	.3162	----	----	6	----	6 + 6
4700	113.00	113.00	#171.10B/95.20A	#171.10B/95.20A	----	148.50 + 48.00	.6420	----	----	2	----	5 + 2
4705	----	----	54.80B/*11.20A	54.80B/*11.20A	----	16.00 - 32.60	.2069	----	----	----	----	2 UNCH
4705	----	----	150.20B/47.40A	150.20B/47.40A	----	112.50 + 52.60	.7928	----	----	----	----	21 UNCH
4710	23.00	23.00	52.10B/*10.50A	52.10B/*10.50A	----	14.90 - 31.30	.1947	----	----	40	----	40 + 40
4710	----	----	154.10B/49.70A	154.10B/49.70A	----	116.50 + 54.00	.8050	----	----	----	----	1 UNCH
4715	----	----	158.40B/51.90A	158.40B/51.90A	----	120.50 + 55.30	.8165	----	----	----	----	3 UNCH
4715	----	----	49.30B/*9.80A	49.30B/*9.80A	----	13.90 - 30.00	.1833	----	----	----	----	1 UNCH
4720	----	----	46.80B/*9.10A	46.80B/*9.10A	----	13.00 - 28.60	.1726	----	----	----	----	2 UNCH
4725	----	----	44.20B/*8.60A	44.20B/*8.60A	----	12.10 - 27.40	.1619	----	----	13	----	10 - 3
4725	----	----	#175.00B/89.50A	175.00B/89.50A	----	148.20 + 53.60	.7296	----	----	----	----	1 UNCH
4725	----	----	166.70B/56.80A	166.70B/56.80A	----	128.60 + 57.80	.8378	----	----	----	----	11 UNCH
4730	136.80	136.80	171.10B/59.40A	171.10B/59.40A	----	132.80 + 59.10	.8476	----	----	1	----	0 - 1
4730	----	----	41.80B/*8.10A	41.80B/*8.10A	----	11.30 - 26.10	.1521	----	----	6	----	15 - 1
4730	----	----	#179.00B/92.10A	179.00B/92.10A	----	151.90 + 54.60	.7384	----	----	----	----	20 UNCH
4735	12.00	12.00	39.40B/*7.60A	39.40B/*7.60A	----	10.50 - 24.90	.1424	----	----	2	----	2 UNCH
4740	----	----	179.50B/64.70A	179.50B/64.70A	----	141.30 + 61.50	.8662	----	----	----	----	1 UNCH
4740	27.40	27.40	27.40/*21.90A	50.80B/*21.90A	----	28.00 NEW	.2441	----	----	1	----	1 + 1
4740	----	----	#187.00B/97.60A	187.00B/97.60A	----	159.40 + 56.30	.7555	----	----	----	----	5 UNCH
4740	26.60	26.60	37.30B/*7.10A	37.30B/*7.10A	----	9.80 NEW	.1336	----	----	5	----	5 + 5
4745	----	----	184.00B/68.00A	184.00B/68.00A	----	145.70 + 62.80	.8750	----	----	----	----	1 UNCH
4745	10.50	10.50	35.00B/*6.60A	35.00B/*6.60A	----	9.10 NEW	.1248	----	----	6	----	6 + 6
4750	----	----	#206.80B/124.50	#206.80B/124.50A	----	182.90 + 56.60	.7175	----	----	----	----	2 UNCH
4750	----	----	#195.20B/103.40	195.20B/103.40A	----	167.10 + 58.00	.7719	----	----	3	----	5 UNCH
4750	26.50	26.50	26.50/*20.10A	47.40B/*20.10A	----	25.70 - 27.20	.2277	----	----	20	----	14 + 6
4750	----	----	33.00B/*6.20A	33.00B/*6.20A	----	8.50 - 21.40	.1170	----	----	13	----	201 UNCH
4750	----	----	188.60B/71.00A	188.60B/71.00A	----	150.00 + 63.90	.8828	----	----	----	----	3 UNCH
4755	6.80	6.80	31.10B/*5.80A	31.10B/*5.80A	----	7.90 - 20.30	.1092	----	----	50	----	50 - 1
4760	161.00	161.00	197.40B/77.00A	197.40B/77.00A	----	158.90 + 66.10	.8973	----	----	3	----	3 UNCH
4760	9.00	9.00	29.20B/*5.50A	29.20B/*5.50A	----	7.40 - 19.20	.1025	----	----	4	----	46 - 1
4765	----	----	201.90B/80.20A	201.90B/80.20A	----	163.40 + 67.10	.9040	----	----	----	----	1 UNCH
4765	----	----	27.30B/*5.10A	27.30B/*5.10A	----	6.90 - 18.20	.0958	----	----	1	----	2 + 1
4765	----	----	----/*17.70A	40.80B/*17.70A	----	22.50 - 24.80	.2043	----	----	----	----	1 UNCH
4770	----	----	25.60B/*4.80A	25.60B/*4.80A	----	6.40 - 17.20	.0892	----	----	1	----	5 + 1
4775	----	----	----/*16.20A	37.30B/*16.20A	----	20.60 - 23.30	.1898	----	----	----	----	2 UNCH
4775	----	----	#226.00B/139.30	#226.00B/139.30A	----	201.40 + 60.10	.7519	----	----	----	----	1 UNCH
4775	----	----	210.90B/86.80A	210.90B/86.80A	----	172.50 + 69.00	.9162	----	----	----	----	6 UNCH
4775	----	----	----/*31.30A	58.00B/*31.30A	----	35.10 - 25.00	.2475	----	----	----	----	1 UNCH
4775	25.10	25.10	25.10/*4.10	25.10/*4.10	----	6.00 - 16.20	.0836	----	----	8	----	35 + 4
4780	5.30	5.30	22.40B/*4.30A	22.40B/*4.30A	----	5.60 - 15.30	.0781	----	----	1	----	1 - 1
4785	----	----	21.00B/*4.00A	21.00B/*4.00A	----	5.20 - 14.50	.0727	----	----	----	----	0 UNCH
4790	----	----	19.50B/*3.80A	19.50B/*3.80A	----	4.90 - 13.60	.0683	----	----	2	----	55 UNCH
4795	----	----	229.60B/101.00A	229.60B/101.00A	----	191.10 + 72.50	.9358	----	----	----	----	11 UNCH
4800	----	----	234.30B/104.80A	234.30B/104.80A	----	195.80 + 73.30	.9400	----	----	----	----	1 UNCH
4800	----	----	----/*13.10A	29.20B/*13.10A	----	16.50 - 19.60	.1571	----	----	5	----	106 + 5
4800	----	----	#238.20B/135.50	238.20B/135.50A	----	207.90 + 65.60	.8425	----	----	3	----	3 UNCH
4800	----	----	#246.10B/155.30	#246.10B/155.30A	----	220.80 + 63.30	.7838	----	----	----	----	1 UNCH
4800	28.00	28.00	28.00/*26.90A	49.00B/*26.90A	----	29.50 - 21.90	.2157	----	----	2	----	13 UNCH
4800	6.80	6.80	16.90B/*3.10	16.90B/*3.10	----	4.30 - 12.00	.0598	----	----	7	----	86 - 1
4805	----	----	15.80B/*3.20A	15.80B/*3.20A	----	4.00 - 11.30	.0556	----	----	----	----	4 UNCH
4810	----	----	----/*12.00A	26.40B/*12.00A	----	15.10 - 18.30	.1454	----	----	----	----	1 UNCH
4815	15.40	15.40	15.40/*11.50A	25.30B/*11.50A	----	14.40 - 17.70	.1396	----	----	1	----	2 + 1
4815	3.20	3.20	13.70B/*2.90A	13.70B/*2.90A	----	3.50 - 10.00	.0485	----	----	1	----	55 + 1
4820	4.20	4.20	12.80B/*2.70A	12.80B/*2.70A	----	3.30 - 9.40	.0455	----	----	2	----	3 + 1
4820	----	----	#256.70B/149.90	256.70B/149.90A	----	225.20 + 68.30	.8653	----	----	----	----	2 UNCH
4820	----	----	----/*11.00A	24.00B/*11.00A	----	13.80 - 17.00	.1344	----	----	----	----	1 UNCH
4825	14.10	14.10	14.10/*10.60A	22.90B/*10.60A	----	13.20 - 16.40	.1292	----	----	1	----	4 UNCH
4825	----	----	----/*2.60A	11.90B/*2.60A	----	3.10 - 8.80	.0426	----	----	----	----	14 UNCH
4825	----	----	----/*22.90A	41.00B/*22.90A	----	24.80 - 19.10	.1871	----	----	----	----	1 UNCH
4825	----	----	258.00B/124.60A	258.00B/124.60A	----	219.60 + 76.50	.9572	----	----	----	----	1 UNCH
4830	----	----	----/*2.50A	11.10B/*2.50A	----	2.90 - 8.30	.0398	----	----	1	----	14 - 1
4835	----	----	----/*2.40A	10.30B/*2.40A	----	2.70 - 7.80	.0370	----	----	----	----	3 UNCH
4845	----	----	----/*2.10A	9.00B/*2.10A	----	2.40 - 6.90	.0326	----	----	----	----	2 UNCH
4850	----	----	#288.30B/190.60	#288.30B/190.60A	----	261.90 + 68.50	.8384	----	----	----	----	1 UNCH
4850	----	----	----/*2.10A	8.30B/*2.10A	----	2.30 - 6.40	.0310	----	----	----	----	15 UNCH
4850	----	----	----/*8.60A	17.40B/*8.60A	----	10.50 - 13.50	.1053	----	----	----	----	2 UNCH
4855	----	----	----/*2.00A	7.80B/*2.00A	----	2.20 - 6.00	.0294	----	----	----	----	2 UNCH
4855	----	----	----/*8.20A	16.50B/*8.20A	----	10.00 NEW	.1009	----	----	1	----	1 + 1
4860	1.90	1.90	1.90/*1.90	7.00B/*1.90	----	2.00 - 5.70	.0268	----	----	1	----	1 - 1
4865	----	----	----/*1.80A	6.50B/*1.80A	----	1.90 - 5.30	.0253	----	----	----	----	1 UNCH
4870	----	----	----/*1.70A	6.10B/*1.70A	----	1.80 - 5.00	.0238	----	----	----	----	4 UNCH
4870	----	----	#303.00B/189.40	303.00B/189.40A	----	270.10 + 73.80	.9101	----	----	----	----	2 UNCH
4875	----	----	----/*16.90A	28.40B/*16.90A	----	17.30 - 14.60	.1382	----	----	----	----	2 UNCH
4875	10.00	10.00	10.00/*7.00A	13.20B/*7.00A	----	8.40 NEW	.0858	----	----	3	----	3 + 3
4875	----	----	#310.20B/209.70	#310.20B/209.70A	----	283.50 + 70.70	.8613	----	----	----	----	1 UNCH
4880	----	----	----/*1.60A	5.40B/*1.60A	----	1.60 - 4.40	.0209	----	----	----	----	12 UNCH
4880	----	----	----/*6.80A	12.40B/*6.80A	----	8.10 - 10.40	.0828	----	----	----	----	1 UNCH
4890	----	----	----/*1.50A	4.60B/*1.50A	----	1.40 - 4.00	.0182	----	----	----	----	2 UNCH
4900	1.60	1.60	1.60/*1.40A	3.90B/*1.40A	----	1.20 - 3.60	.0155	----	----	1	----	39 UNCH
4900	----	----	#331.60B/215.00	331.60B/215.00A	----	298.10 + 76.40	.9294	----	----	----	----	1 UNCH
4900	----	----	----/*5.90A	9.90B/*5.90A	----	6.80 - 8.80	.0702	----	----	----	----	18 UNCH
4900	----	----	#332.70B/224.50	#332.70B/224.50A	----	305.60 + 72.50	.8810	----	----	----	----	1 UNCH
4900	21.00	21.00	21.00/*13.30	23.50B/*13.30	----	14.50 NEW	.1185	----	----	2	----	0 UNCH
4905	----	----	----/*1.30A	3.70B/*1.30A	----	1.20 - 3.30	.0153	----	----	----	----	3 UNCH
4910	----	----	----/*1.30A	3.40B/*1.30A	----	1.10 - 3.20	.0140	----	----	----	----	17 UNCH
4915	----	----	----/*1.20A	3.20B/*1.20A	----	1.00 - 3.00	.0127	----	----	----	----	1 UNCH
4920	----	----	----/*1.20A	3.00B/*1.20A	----	1.00 - 2.80	.0125	----	----	1	----	5 UNCH
4925	----	----	----/*1.20A	2.80B/*1.20A	----	0.90 - 2.70	.0112	----	----	----	----	4 UNCH
4925	----	----	----/*4.90A	7.40B/*4.90A	----	5.60 - 7.00	.0581	----	----	----	----	9 UNCH
4925	----	----	354.00B/215.30A	354.00B/215.30A	----	317.40 + 82.60	.9886	----	----	----	----	1 UNCH
4930	----	----	----/*1.10A	2.60B/*1.10A	----	0.90 - 2.50	.0111	----	----	----	----	1 UNCH
4930	----	----	#358.90B/220.10	358.90B/220.10A	----	322.30 NEW	.9888	----	----	2	----	0 UNCH
4940	----	----	----/*1.10A	2.30B/*1.10A	----	0.80 - 2.30	.0097	----	----	----	----	1 UNCH
4945	1.70	1.70	1.70/*1.00A	2.10B/*1.00A	----	0.70 NEW	.0085	----	----	4	----	4 + 4
4950	----	----	----/*1.00A	1.90B/*1.00A	----	0.70 - 2.10	.0084	----	----	----	----	41 UNCH
4950	----	----	----/*4.30A	5.60B/*4.30A	----	4.60 - 5.50	.0479	----	----	----	----	5 UNCH
4950	11.90	11.90	11.90/*11.00A	15.90B/*11.00A	----	10.30 - 9.50	.0870	----	----	2	----	5 - 1
4960	----	----	----/*4.00A	5.10B/*4.00A	----	4.20 - 5.00	.0439	----	----	----	----	5 UNCH
4960	----	----	----/*1.00A	1.70B/*1.00A	----	0.60 - 1.90	.0072	----	----	----	----	2 UNCH
4965	----	----	----/*0.90A	1.60B/*0.90A	----	0.60 - 1.80	.0071	----	----	1	----	1 UNCH
4970	----	----	----/*0.90A	1.50B/*0.90A	----	0.60 - 1.70	.0070	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK1										
MAY26												
4970	----	----	#398.50B/261.80	398.50B/261.80A	----	362.00 NEW	.9929	----	----	2	----	2 + 2
4970	----	----	----/*3.80A	4.80B/*3.80A	----	3.90 - 4.50	.0407	----	----	----	----	5 UNCH
4975	----	----	----/*0.90A	1.40B/*0.90A	----	0.50 - 1.70	.0058	----	----	----	----	1 UNCH
4980	----	----	----/*0.90A	1.30B/*0.90A	----	0.50 - 1.60	.0058	----	----	----	----	1 UNCH
4985	----	----	----/*0.90A	1.30B/*0.90A	----	0.50 - 1.50	.0057	----	----	3	----	3 UNCH
4995	----	----	#422.80B/286.40	422.80B/286.40A	----	386.90 + 83.90	.9944	----	----	----	----	1 UNCH
4995	----	----	#421.40B/300.20	#421.40B/300.20A	----	389.50 + 81.50	.9655	----	----	----	----	1 UNCH
5000	1.90	1.90	1.90/*0.80A	1.90/*0.80A	----	0.40 - 1.40	.0045	----	----	4	----	7 + 2
5000	----	----	----/*8.80A	10.70B/*8.80A	----	7.40 - 7.00	.0639	----	----	----	----	7 UNCH
5000	4.50	4.50	4.50/*3.00	4.50/*3.00	----	3.20 - 3.70	.0331	----	----	3	----	6 - 1
5000	----	----	428.40B/291.30A	428.40B/291.30A	----	391.90 + 84.00	.9955	----	----	----	----	1 UNCH
5005	----	----	----/*0.80A	1.00B/*0.80A	----	0.40 - 1.30	.0044	----	----	----	----	3 UNCH
5010	----	----	----/*0.80A	1.00B/*0.80A	----	0.40 - 1.30	.0044	----	----	----	----	29 UNCH
5015	----	----	----/*0.80A	0.90B/*0.80A	----	0.40 - 1.20	.0043	----	----	----	----	1 UNCH
5020	----	----	#446.00B/----	#446.00B/411.80A	----	414.00 + 82.00	.9709	----	----	----	----	2 UNCH
5020	----	----	----	291.30B/522.70A	----	411.80 + 84.10	.9957	----	----	----	----	2 UNCH
5020	----	----	----/*0.70A	0.90B/*0.70A	----	0.40 - 1.10	.0043	----	----	----	----	4 UNCH
5025	----	----	----	296.50B/527.50A	----	416.80 + 84.20	.9957	----	----	----	----	4 UNCH
5025	----	----	#450.90B/----	#450.90B/416.80A	----	418.90 + 82.20	.9720	----	----	----	----	3 UNCH
5025	----	----	----/*2.80A	3.20B/*2.80A	----	2.70 - 3.10	.0278	----	----	----	----	4 UNCH
5025	----	----	----/*0.70A	0.80B/*0.70A	----	0.40 - 1.10	.0043	----	----	----	----	1 UNCH
5050	----	----	----/*0.70A	0.60B/*0.70A	----	0.30 - 1.00	.0031	----	----	2	----	3 UNCH
5050	----	----	----/*7.00A	7.30B/*7.00A	----	5.10 - 5.10	.0453	----	----	----	----	3 UNCH
5075	----	----	----/*0.70A	0.50B/*0.70A	----	0.30 - 0.80	.0029	----	----	----	----	2 UNCH
5075	----	----	----/*2.30A	2.30B/*2.30A	----	2.00 - 2.00	.0202	----	----	----	----	1 UNCH
5100	----	----	----	----	----	493.00 + 83.60	.9820	----	----	----	----	1 UNCH
5100	----	----	----	374.40B/595.90A	----	491.70 + 84.60	.9982	----	----	----	----	5 UNCH
5100	----	----	----/*2.10A	1.90B/*2.10A	----	1.80 - 1.70	.0178	----	----	2	----	2 - 2
5100	----	----	----/*5.80A	2.90B/*5.80A	----	3.60 - 3.70	.0326	----	----	3	----	4 UNCH
5100	0.80	0.80	0.80/*0.80	0.80/*0.80	----	0.20 - 0.70	.0019	----	----	3	----	6 UNCH
5100	----	----	----	----	----	494.50 + 81.50	.9672	----	----	----	----	1 UNCH
5125	----	----	----	0.40B/*0.90A	----	0.20 - 0.60	.0018	----	----	----	----	3 UNCH
5125	----	----	----/*1.90A	1.60B/*1.90A	----	1.60 - 1.50	.0156	----	----	2	----	2 - 2
5150	----	----	----/*1.80A	1.40B/*1.80A	----	1.40 - 1.40	.0135	----	----	----	----	1 UNCH
5150	----	----	----/*4.90A	1.90B/*4.90A	----	2.60 - 2.70	.0237	----	----	----	----	4 UNCH
5200	----	----	----/*1.60A	1.00B/*1.60A	----	1.20 - 1.20	.0111	----	----	----	----	92 UNCH
5200	----	----	----	0.10B/0.90A	----	0.10 - 0.50	.0008	----	----	----	----	3 UNCH
5200	----	----	----	----	----	592.80 + 83.20	.9825	----	----	----	----	1 UNCH
5200	----	----	----	1.30B/*4.30A	----	1.90 - 2.10	.0174	----	----	3	----	4 UNCH
5225	----	----	----	----/*0.90A	----	0.10 - 0.40	.0005	----	----	----	----	1 UNCH
5225	----	----	----/*1.50A	0.90B/*1.50A	----	1.10 - 1.00	.0100	----	----	----	----	1 UNCH
5250	1.50	1.50	1.50/*1.40A	1.50/*1.40A	----	1.00 - 1.00	.0089	----	----	5	----	9 UNCH
5275	----	----	----/*1.30A	0.70B/*1.30A	----	0.90 - 0.90	.0079	----	----	----	----	3 UNCH
5300	----	----	----	0.50B/*3.60A	----	1.10 - 1.20	.0099	----	----	----	----	1 UNCH
5500	----	----	----	0.10B/*3.20A	----	0.40 - 0.50	.0035	----	----	----	----	1 UNCH
TOTAL										1127		3149 + 701
JUN26												
3500	----	----	#1.30B/----	#1.30B/5.00A	----	3.00 + 2.50	.0124	----	----	----	----	2 UNCH
3750	----	----	#4.10B/----	#4.10B/6.70A	----	5.30 + 3.20	.0240	----	----	----	----	4 UNCH
3900	----	----	#6.70B/----	#6.70B/8.80A	----	7.70 + 3.40	.0369	----	----	----	----	2 UNCH
4000	7.20	7.20	#11.00/*7.20	#11.00/*7.20	----	10.20 NEW	.0505	----	----	4	----	4 + 4
4100	----	----	#15.10B/----	#15.10B/14.20A	----	13.90 + 3.80	.0705	----	----	----	----	4 UNCH
4200	----	----	23.30B/----	23.30B/*15.30A	----	19.30 + 4.50	.0997	----	----	1	----	2 + 1
4250	28.80	28.80	#28.80/28.80	#28.80/18.10A	----	23.10 + 5.20	.1198	----	----	5	----	4 + 3
4275	----	----	#31.90B/----	#31.90B/*19.70A	----	25.60 NEW	.1321	----	----	1	----	1 + 1
4300	----	----	#35.60B/*21.60A	#35.60B/21.60A	----	28.60 + 6.90	.1463	----	----	3	----	7 + 2
4350	----	----	#44.20B/*26.00A	#44.20B/*26.00A	----	36.20 + 9.50	.1799	----	----	4	----	5 + 1
4375	----	----	#49.10B/*28.70A	#49.10B/*28.70A	----	40.10 NEW	.1976	----	----	1	----	1 + 1
4400	----	----	#54.50B/*31.60A	#54.50B/31.60A	----	44.20 + 11.20	.2164	----	----	1	----	3 + 1
4450	----	----	#67.10B/*38.60A	#67.10B/38.60A	----	54.30 + 13.60	.2598	----	----	2	----	1 UNCH
4475	----	----	#74.30B/*42.80A	#74.30B/42.80A	----	60.60 + 15.40	.2847	----	----	----	----	2 UNCH
4500	46.00	46.00	#82.20B/*46.00	#82.20B/46.00	----	67.60 + 17.40	.3112	----	----	1	----	4 UNCH
4525	----	----	#90.70B/*52.60A	#90.70B/52.60A	----	75.40 + 19.80	.3393	----	----	----	----	2 UNCH
4550	----	----	#100.00B/*58.40	#100.00B/58.40A	----	84.00 + 22.30	.3687	----	----	----	----	4 UNCH
4575	100.00	100.00	#110.00B/64.80A	#110.00B/64.80A	----	93.50 + 25.20	.3993	----	----	1	----	1 UNCH
4600	104.90	104.90	#121.00B/71.80A	#121.00B/71.80A	----	103.80 + 28.20	.4309	----	----	1	----	2 UNCH
4625	121.00	121.00	#132.60B/79.60A	#132.60B/79.60A	----	114.90 + 31.30	.4631	----	----	2	----	1 + 1
4625	137.00	137.00	137.00/*121.60A	184.80B/*121.60A	----	132.80 NEW	.5360	----	----	3	----	3 + 3
4700	----	----	#173.40B/107.70	#173.40B/107.70A	----	153.80 + 41.30	.5610	----	----	1	----	2 + 1
4750	----	----	#204.60B/130.80	#204.60B/130.80A	----	184.10 + 48.00	.6243	----	----	----	----	1 UNCH
4750	----	----	----/*68.80A	111.40B/*68.80A	----	77.30 - 37.70	.3747	----	----	----	----	1 UNCH
4775	----	----	----/*61.40A	99.50B/*61.40A	----	68.80 NEW	.3445	----	----	1	----	1 + 1
4800	61.50	61.50	64.10/*54.30A	88.40B/*54.30A	----	61.10 NEW	.3155	----	----	15	----	15 + 15
4800	----	----	#239.00B/157.40	#239.00B/157.40A	----	217.80 + 54.40	.6837	----	----	----	----	1 UNCH
4825	----	----	----/*48.20A	78.30B/*48.20A	----	54.20 - 28.30	.2879	----	----	1	----	1 + 1
4850	----	----	----/*42.50A	69.10B/*42.50A	----	47.90 - 25.60	.2617	----	----	1	----	1 + 1
4875	39.90	39.90	39.90/*37.50A	60.70B/*37.50A	----	42.30 - 23.00	.2372	----	----	2	----	2 + 1
4900	----	----	#316.30B/221.40	#316.30B/221.40A	----	293.80 NEW	.7845	----	----	1	----	1 + 1
4900	----	----	----/*33.10A	53.20B/*33.10A	----	37.40 NEW	.2146	----	----	1	----	1 + 1
4925	----	----	----/*29.30A	46.40B/*29.30A	----	32.90 NEW	.1933	----	----	1	----	1 + 1
4950	----	----	----/*25.90A	40.40B/*25.90A	----	29.00 NEW	.1740	----	----	2	----	2 + 2
5000	----	----	----/*20.40A	30.50B/*20.40A	----	22.50 - 13.10	.1401	----	----	2	----	4 + 2
5025	----	----	----/*18.10A	26.40B/*18.10A	----	19.80 - 11.70	.1254	----	----	1	----	1 UNCH
5050	----	----	----/*16.20A	22.80B/*16.20A	----	17.40 NEW	.1120	----	----	2	----	2 + 2
5075	----	----	----/*14.50A	19.80B/*14.50A	----	15.40 - 9.30	.1004	----	----	----	----	0 UNCH
5100	----	----	----/*13.90A	17.10B/*13.90A	----	13.50 - 8.40	.0893	----	----	3	----	2 UNCH
5125	----	----	----/*13.40A	14.80B/*13.40A	----	12.00 - 7.40	.0801	----	----	2	----	2 UNCH
5150	----	----	----/*12.10A	12.80B/*12.10A	----	10.60 - 6.70	.0715	----	----	----	----	1 UNCH
5175	----	----	----/*11.10A	11.00B/*11.10A	----	9.50 - 5.90	.0645	----	----	----	----	3 UNCH
5225	----	----	----/*9.30A	8.30B/*9.30A	----	7.70 - 4.70	.0526	----	----	1	----	1 UNCH
5275	----	----	----/*8.10A	4.70B/*8.10A	----	6.40 - 3.60	.0437	----	----	----	----	3 UNCH
5400	----	----	----	2.60B/*6.00A	----	4.40 - 1.40	.0294	----	----	----	----	9 UNCH
TOTAL										67		117 + 47

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
FMG OPT		MICRO GOLD WEEKLY FRI OPTION WEEK1										
MAY26												
4545	21.50	21.50	#21.50/*21.50	#21.50/*21.50	----	20.80 NEW	.2577	----	----	3	----	3 + 3
4700	----	----	----	----	----	102.90 + 52.50	.8388	----	----	----	----	1 UNCH
4800	----	----	----	----	----	193.90 + 76.10	.9708	----	----	----	----	1 UNCH
TOTAL										3		5 + 3

SILVER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5										
APR26												
6900	0.240	0.240	0.240/0.240	0.240/0.186A	----	0.164 + 0.064	.0527	----	----	1	----	1 - 1
7000	----	----	0.332B/----	0.332B/0.218A	----	0.271 + 0.107	.0960	----	----	----	----	2 UNCH
7100	0.390	0.390	0.577B/0.390	0.577B/*0.285A	----	0.428 + 0.184	.1624	----	----	3	----	3 + 2
7300	----	----	1.160B/*0.300A	1.160B/*0.300A	----	0.959 + 0.419	.3826	----	----	----	----	1 UNCH
7400	0.460	0.460	1.548B/*0.460	1.548B/*0.460	----	1.374 NEW	.5331	----	----	3	----	2 + 2
7500	0.520	0.520	#0.520/*0.520	1.188B/*0.520	----	0.660 NEW	.3078	----	----	1	----	1 + 1
7500	----	----	1.390B/1.046A	1.390B/1.046A	----	1.915 + 0.750	.6921	----	----	----	----	4 UNCH
7550	----	----	----/*0.561A	1.052B/*0.561A	----	0.481 NEW	.2331	----	----	3	----	3 + 3
7600	----	----	----/1.425A	1.115B/1.425A	----	2.592 + 0.936	.8331	----	----	----	----	4 UNCH
7700	----	----	0.872B/*0.185A	0.872B/*0.185A	----	0.171 - 0.653	.0800	----	----	----	----	4 UNCH
7920	0.300	0.300	#0.300/*0.070	0.300/*0.070	----	0.030 NEW	.0098	----	----	2	----	0 UNCH
7950	----	----	----/*0.120A	0.089B/*0.120A	----	0.023 - 0.238	.0070	----	----	----	----	1 UNCH
8000	----	----	----	4.193B/6.499A	----	6.270 + 1.636	.9959	----	----	----	----	1 UNCH
8000	0.049	0.049	0.049/*0.049	0.049/*0.049	----	0.015 - 0.188	.0040	----	----	1	----	3 UNCH
8100	----	----	----/*0.097A	0.002B/*0.097A	----	0.006 - 0.115	.0012	----	----	----	----	1 UNCH
9600	----	----	----	----/0.167A	----	0.001 UNCH	----	----	----	----	----	1 UNCH
TOTAL										14	0	32 + 7
MAY26												
7000	0.999	0.999	1.079B/0.662A	1.079B/0.662A	----	0.899 NEW	.2352	----	----	1	----	1 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week3										
MAY26												
7100	----	----	#2.552B/*1.820A	#2.552B/*1.820A	----	2.213 + 0.123	.3498	----	----	----	----	1 UNCH
7100	----	----	#1.417B/0.822A	#1.417B/0.822A	----	1.153 + 0.281	.2923	----	----	----	----	1 UNCH
7200	----	----	#3.021B/*2.123A	#3.021B/*2.123A	----	2.613 + 0.118	.3952	----	----	----	----	1 UNCH
7650	1.025	1.025	#1.025/*1.025	1.953B/*1.025	----	1.091 NEW	.3114	----	----	1	----	1 + 1
7650	----	----	2.704B/*1.831A	2.704B/*1.831A	----	1.743 - 0.956	.3664	----	----	----	----	1 UNCH
8000	----	----	----/*0.483A	0.685B/*0.483A	----	0.398 - 0.462	.1320	----	----	----	----	5 UNCH
8150	----	----	----/*1.197A	1.447B/*1.197A	----	1.053 - 1.142	.2140	----	----	----	----	1 UNCH
8250	----	----	----/*1.039A	1.211B/*1.039A	----	0.899 - 1.036	.1871	----	----	----	----	1 UNCH
TOTAL										2	0	13 + 2
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2										
MAY26												
5500	----	----	----	0.005B/0.137A	----	0.052 + 0.009	.0113	----	----	----	----	17 UNCH
6200	0.080	0.080	#0.080/*0.080	0.080/0.080	----	0.048 NEW	.0134	----	----	1	----	1 + 1
6300	0.106	0.106	#0.106/*0.106	0.106/*0.106	----	0.068 NEW	.0196	----	----	1	----	1 + 1
6600	----	----	0.181B/----	0.181B/0.195A	----	0.172 + 0.049	.0539	----	----	----	----	1 UNCH
6750	0.125	0.125	0.308B/*0.125	0.308B/*0.125	----	0.267 NEW	.0865	----	----	1	----	1 + 1
6800	----	----	0.818B/0.563A	0.818B/0.563A	----	0.743 + 0.174	.1767	----	----	----	----	9 UNCH
6900	----	----	1.070B/0.688A	1.070B/0.688A	----	0.927 + 0.218	.2160	----	----	----	----	1 UNCH
7000	0.550	0.550	1.000/0.550	1.000/0.385A	----	0.565 NEW	.1860	----	----	48	----	44 + 44
7100	----	----	----/*3.437A	2.206B/*3.437A	----	3.506 - 1.549	.7521	----	----	----	----	1 UNCH
7200	----	----	1.386B/0.662A	1.386B/0.662A	----	1.025 + 0.352	.3246	----	----	----	----	1 UNCH
7290	2.300	2.300	#2.300/*1.959A	#2.300/*1.959A	----	2.175 NEW	.5943	----	----	5	----	5 + 5
7300	1.250	1.250	1.770B/0.870A	1.770B/0.870A	----	1.369 + 0.445	.4151	----	----	5	----	29 + 4
7330	2.000	2.000	#2.134/*1.832	#2.134/*1.765A	----	1.935 NEW	.5554	----	----	50	----	50 + 50
7425	----	----	2.053B/1.250A	2.053B/1.250A	----	1.934 + 0.589	.5414	----	----	----	----	1 UNCH
7500	0.950	0.950	0.950/*0.900	1.662B/*0.900	----	1.096 NEW	.3811	----	----	2	----	0 UNCH
7500	3.500	3.500	3.500/2.313A	3.500/2.313A	----	3.172 NEW	.5665	----	----	1	----	1 + 1
7550	----	----	----/*0.929A	1.640B/*0.929A	----	0.907 - 1.057	.3312	----	----	----	----	1 UNCH
7600	----	----	2.166B/1.880A	2.166B/1.880A	----	2.997 + 0.845	.7160	----	----	----	----	15 UNCH
7625	----	----	3.691B/2.908A	3.691B/2.908A	----	3.947 + 0.870	.6459	----	----	----	----	1 UNCH
7650	----	----	----/*0.663A	1.456B/*0.663A	----	0.605 NEW	.2401	----	----	1	----	1 + 1
7750	----	----	----	1.526B/3.271A	----	4.144 + 1.102	.8346	----	----	----	----	3 UNCH
7800	----	----	----/*1.046A	1.698B/*1.046A	----	0.954 - 0.744	.2562	----	----	----	----	1 UNCH
7900	----	----	----	----/22.956A	----	6.000 + 1.188	.7900	----	----	----	----	4 UNCH
7900	----	----	----/*0.853A	1.316B/*0.853A	----	0.751 - 0.633	.2099	----	----	----	----	4 UNCH
7900	----	----	1.947B/*1.362A	1.947B/*1.362A	----	1.341 - 0.423	.2770	----	----	----	----	1 UNCH
7975	----	----	----	----/27.613A	----	6.143 + 1.437	.9366	----	----	----	----	2 UNCH
8000	----	----	----/*0.696A	1.006B/*0.696A	----	0.592 - 0.532	.1708	----	----	----	----	50 UNCH
8000	----	----	#5.347B/----	#5.347B/7.165A	----	6.378 + 1.465	.9433	----	----	----	----	2 UNCH
8000	----	----	----/*0.225A	0.299B/*0.225A	----	0.126 - 0.358	.0566	----	----	----	----	1 UNCH
8100	----	----	----/*0.172A	0.147B/*0.172A	----	0.082 - 0.263	.0365	----	----	----	----	4 UNCH
8400	----	----	----/*0.124A	0.005B/*0.124A	----	0.030 - 0.119	.0120	----	----	----	----	1 UNCH
8500	----	----	----/*0.256A	0.193B/*0.256A	----	0.209 - 0.199	.0631	----	----	----	----	50 UNCH
8900	----	----	----	0.001B/*0.106A	----	0.015 - 0.063	.0046	----	----	----	----	1 UNCH
TOTAL										115	0	305 + 108
JUN26												
7050	----	----	#2.815B/----	#2.815B/*2.185A	----	2.617 NEW	.3465	----	----	1	----	1 + 1
7950	----	----	----	#4.389B/*7.568A	----	7.652 + 1.695	.6879	----	----	----	----	1 UNCH
8000	----	----	----	#1.800B/14.600A	----	8.029 + 1.703	.7035	----	----	----	----	1 UNCH
8600	----	----	#1.128B/----	1.128B/*0.993A	----	0.838 NEW	.1557	----	----	1	----	1 + 1
TOTAL										2	0	4 + 2
SO CALL		COMEX SILVER OPTIONS										
MAY26												
3875	----	----	----	----	----	36.275 UNCH	----	----	----	----	----	0 UNCH
4000	----	----	----	----	----	35.025 UNCH	----	----	----	----	----	0 UNCH
4100	----	----	----	----	----	34.025 UNCH	----	----	----	----	----	0 UNCH
4200	----	----	----	----	----	33.025 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	29.025 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	28.525 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	28.275 UNCH	----	----	----	----	----	0 UNCH
4800	----	----	----	----	----	27.025 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	26.025 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	25.025 UNCH	----	----	----	----	----	0 UNCH
5250	----	----	----	----	----	22.525 UNCH	----	----	----	----	----	0 UNCH
5300	----	----	----	----	----	22.025 UNCH	----	----	----	----	----	0 UNCH
5400	----	----	----	----	----	21.025 UNCH	----	----	----	----	----	0 UNCH
5450	----	----	----	----	----	20.525 UNCH	----	----	----	----	----	0 UNCH
5500	----	----	----	----	----	20.025 UNCH	----	----	----	----	----	0 UNCH
5550	----	----	----	----	----	19.525 UNCH	----	----	----	----	----	0 UNCH
5600	----	----	----	----	----	19.025 UNCH	----	----	----	----	----	0 UNCH
5625	----	----	----	----	----	18.775 UNCH	----	----	----	----	----	0 UNCH
5650	----	----	----	----	----	18.525 UNCH	----	----	----	----	----	0 UNCH
5675	----	----	----	----	----	18.275 UNCH	----	----	----	----	----	0 UNCH
5700	----	----	----	----	----	18.025 UNCH	----	----	----	----	----	0 UNCH
5750	----	----	----	----	----	17.525 UNCH	----	----	----	----	----	0 UNCH
5800	----	----	----	----	----	17.025 UNCH	----	----	----	----	----	0 UNCH
5825	----	----	----	----	----	16.775 UNCH	----	----	----	----	----	0 UNCH
5850	----	----	----	----	----	16.525 UNCH	----	----	----	----	----	0 UNCH
5900	----	----	----	----	----	16.025 UNCH	----	----	----	----	----	0 UNCH
5950	----	----	----	----	----	15.525 UNCH	----	----	----	----	----	0 UNCH
6000	----	----	----	----	----	15.025 UNCH	----	----	----	----	----	0 UNCH
6050	----	----	----	----	----	14.525 UNCH	----	----	----	----	----	0 UNCH
6075	----	----	----	----	----	14.275 UNCH	----	----	----	----	----	0 UNCH
6125	----	----	----	----	----	13.775 UNCH	----	----	----	----	----	0 UNCH
6150	----	----	----	----	----	13.525 UNCH	----	----	----	----	----	0 UNCH
6175	----	----	----	----	----	13.275 UNCH	----	----	----	----	----	0 UNCH
6225	----	----	----	----	----	12.775 UNCH	----	----	----	----	----	0 UNCH
6250	----	----	----	----	----	12.525 UNCH	----	----	----	----	----	0 UNCH
6275	----	----	----	----	----	12.275 UNCH	----	----	----	----	----	0 UNCH
6300	----	----	----	----	----	12.025 UNCH	----	----	----	----	----	0 UNCH
6325	----	----	----	----	----	11.775 UNCH	----	----	----	----	----	0 UNCH
6350	----	----	----	----	----	11.525 UNCH	----	----	----	----	----	0 UNCH
6375	----	----	----	----	----	11.275 UNCH	----	----	----	----	----	0 UNCH
6400	----	----	----	----	----	11.025 UNCH	----	----	----	----	----	0 UNCH
6425	----	----	----	----	----	10.775 UNCH	----	----	----	----	----	0 UNCH
6450	----	----	----	----	----	10.525 UNCH	----	----	----	----	----	0 UNCH
6475	----	----	----	----	----	10.275 UNCH	----	----	----	----	----	0 UNCH
6500	----	----	----	----	----	10.025 UNCH	----	----	----	----	----	0 UNCH
6525	----	----	----	----	----	9.775 UNCH	----	----	----	----	----	0 UNCH
6550	----	----	----	----	----	9.525 UNCH	----	----	----	----	----	0 UNCH
6575	----	----	----	----	----	9.275 UNCH	----	----	----	----	----	0 UNCH
6600	----	----	----	----	----	9.025 UNCH	----	----	----	----	----	0 UNCH
6625	----	----	----	----	----	8.775 UNCH	----	----	----	----	----	0 UNCH
6650	----	----	----	----	----	8.525 UNCH	----	----	----	----	----	0 UNCH
6675	----	----	----	----	----	8.275 UNCH	----	----	----	----	----	0 UNCH
6700	----	----	----	----	----	8.025 UNCH	----	----	----	----	----	0 UNCH
6750	----	----	----	----	----	7.525 UNCH	----	----	----	----	----	0 UNCH
6800	----	----	----	----	----	7.025 UNCH	----	----	----	----	----	0 UNCH
6825	----	----	----	----	----	6.775 UNCH	----	----	----	----	----	0 UNCH
6850	----	----	----	----	----	6.525 UNCH	----	----	----	----	----	0 UNCH
6875	----	----	----	----	----	6.275 UNCH	----	----	----	----	----	0 UNCH
6900	----	----	----	----	----	6.025 UNCH	----	----	----	----	----	0 UNCH
6925	----	----	----	----	----	5.775 UNCH	----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	5.525 UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	5.025 UNCH	----	----	----	----	----	0 UNCH
7025	----	----	----	----	----	4.775 UNCH	----	----	----	----	----	0 UNCH
7050	----	----	----	----	----	4.525 UNCH	----	----	----	----	----	0 UNCH
7075	----	----	----	----	----	4.275 UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	4.025 UNCH	----	----	----	----	----	0 UNCH
7125	----	----	----	----	----	3.775 UNCH	----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	3.525 UNCH	----	----	----	----	----	0 UNCH
7175	----	----	----	----	----	3.275 UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	3.025 UNCH	----	----	----	----	----	0 UNCH
7225	----	----	----	----	----	2.775 UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	2.525 UNCH	----	----	----	----	----	0 UNCH
7275	----	----	----	----	----	2.275 UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	2.025 UNCH	----	----	----	----	----	0 UNCH
7325	----	----	----	----	----	1.775 UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	1.525 UNCH	----	----	----	----	----	0 UNCH
7375	----	----	----	----	----	1.275 UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	1.025 UNCH	----	----	----	----	----	0 UNCH
7425	----	----	----	----	----	0.775 UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.525 UNCH	----	----	----	----	----	0 UNCH
7460	----	----	----	----	----	0.425 UNCH	----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	0.275 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
MAY26												
7480	----	----	----	----	----	0.225 UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.025 UNCH	----	----	----	----	----	0 UNCH
7520	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7525	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7550	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7575	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7580	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7590	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7625	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7650	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7675	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7690	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7695	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7700	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7725	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7750	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7775	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7800	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7870	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7875	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
7900	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8050	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8100	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8200	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8300	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8350	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8415	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8450	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
8600	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
9000	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
10500	----	----	----	----	----	0.000 UNCH	----	----	----	----	----	0 UNCH
TOTAL											0	0 0
JUN26												
4300	----	----	----/29.979A	30.874B/29.979A	----	30.762 - 1.823	.9922	----	----	----	----	20 UNCH
4850	----	----	----/24.503A	25.438B/24.503A	----	25.290 - 1.823	.9867	----	----	----	----	7 UNCH
4900	----	----	----/24.008A	24.942B/24.008A	----	24.793 - 1.823	.9860	----	----	----	----	9 UNCH
5000	----	----	----/22.941A	23.991B/22.941A	----	23.800 - 1.822	.9845	----	----	----	----	367 UNCH
5025	----	----	----/22.770A	23.702B/22.770A	----	23.552 - 1.822	.9841	----	----	----	----	6 UNCH
5050	----	----	----/22.523A	23.410B/22.523A	----	23.304 - 1.822	.9838	----	----	----	----	1 UNCH
5200	----	----	----/20.968A	22.014B/20.968A	----	21.818 - 1.820	.9807	----	----	----	----	79 UNCH
5225	----	----	----/20.799A	21.680B/20.799A	----	21.571 - 1.819	.9801	----	----	----	----	4 UNCH
5275	----	----	----/20.308A	21.230B/20.308A	----	21.077 - 1.818	.9788	----	----	----	----	7 UNCH
5300	----	----	----/20.062A	20.945B/20.062A	----	20.831 - 1.817	.9781	----	----	----	----	3 UNCH
5325	----	----	----/19.818A	20.699B/19.818A	----	20.584 - 1.817	.9775	----	----	----	----	5 UNCH
5350	----	----	----/19.573A	20.493B/19.573A	----	20.338 - 1.816	.9767	----	----	----	----	7 UNCH
5400	----	----	----/19.085A	19.965B/19.085A	----	19.846 - 1.815	.9750	----	----	----	----	2 UNCH
5425	----	----	----/18.841A	19.758B/18.841A	----	19.601 - 1.813	.9741	----	----	----	----	9 UNCH
5500	----	----	----/18.035A	19.071B/18.035A	----	18.866 - 1.810	.9711	----	----	----	----	344 UNCH
5525	----	----	----/17.870A	18.745B/17.870A	----	18.621 - 1.810	.9701	----	----	----	----	2 UNCH
5600	----	----	----/17.145A	18.053B/17.145A	----	17.890 - 1.805	.9664	----	----	----	----	7 UNCH
5625	----	----	----/16.904A	17.810B/16.904A	----	17.647 - 1.803	.9651	----	----	----	----	11 UNCH
5675	----	----	----/16.424A	17.290B/16.424A	----	17.162 - 1.800	.9621	----	----	----	----	3 UNCH
5700	----	----	----/16.108A	17.131B/16.108A	----	16.921 - 1.797	.9605	----	----	----	----	56 UNCH
5725	----	----	----/15.946A	16.833B/15.946A	----	16.679 - 1.796	.9589	----	----	----	----	10 UNCH
5750	----	----	----/15.708A	16.592B/15.708A	----	16.439 - 1.793	.9572	----	----	----	----	13 UNCH
5775	----	----	----/15.470A	16.328B/15.470A	----	16.198 - 1.791	.9553	----	----	----	----	1 UNCH
5800	----	----	----/15.233A	16.089B/15.233A	----	15.959 - 1.788	.9534	----	----	----	----	2 UNCH
5825	----	----	----/14.996A	15.876B/14.996A	----	15.720 - 1.785	.9513	----	----	----	----	1 UNCH
5850	----	----	----/14.760A	15.634B/14.760A	----	15.481 - 1.783	.9492	----	----	----	----	9 UNCH
5900	----	----	----/14.290A	15.163B/14.290A	----	15.006 - 1.776	.9445	----	----	----	----	4 UNCH
5925	----	----	----/14.057A	14.919B/14.057A	----	14.770 - 1.773	.9421	----	----	----	----	17 UNCH
6000	----	----	----/13.284A	14.273B/13.284A	----	14.066 - 1.760	.9339	----	----	----	----	401 UNCH
6025	----	----	----/13.131A	13.973B/13.131A	----	13.833 - 1.756	.9310	----	----	----	----	7 UNCH
6050	----	----	----/12.902A	13.754B/12.902A	----	13.601 - 1.751	.9278	----	----	----	----	4 UNCH
6075	----	----	----/12.635A	13.550B/12.635A	----	13.369 - 1.747	.9246	----	----	----	----	30 UNCH
6100	----	----	----/12.447A	13.275B/12.447A	----	13.139 - 1.742	.9211	----	----	----	----	16 UNCH
6200	----	----	----/11.475A	13.509B/11.475A	----	12.230 - 1.718	.9058	----	----	----	----	101 UNCH
6225	----	----	----/11.332A	12.149B/11.332A	----	12.006 - 1.711	.9016	----	----	----	----	1 UNCH
6250	----	----	13.531B/11.113A	13.531B/11.113A	----	11.782 - 1.705	.8972	----	----	----	----	4 UNCH
6300	----	----	----/10.681A	11.435B/10.681A	----	11.339 - 1.691	.8880	----	----	----	----	4 UNCH
6400	----	----	----/9.755A	10.674B/9.755A	----	10.465 - 1.664	.8678	----	----	----	----	110 UNCH
6425	----	----	----/9.587A	10.403B/9.587A	----	10.250 - 1.658	.8623	----	----	----	----	25 UNCH
6450	----	----	----/9.419A	10.124B/9.419A	----	10.036 - 1.651	.8567	----	----	----	----	5 UNCH
6475	----	----	----/9.214A	9.966B/9.214A	----	9.823 - 1.646	.8509	----	----	----	----	7 UNCH
6500	----	----	----/9.014A	9.759B/9.014A	----	9.613 - 1.639	.8448	----	----	----	----	13 UNCH
6625	----	----	----/8.035A	8.752B/8.035A	----	8.587 - 1.603	.8116	----	----	----	----	10 UNCH
6700	----	----	----/7.471A	8.086B/7.471A	----	7.998 - 1.575	.7891	----	----	----	----	1 UNCH
6725	----	----	----/7.289A	7.893B/7.289A	----	7.806 - 1.564	.7812	----	----	----	----	1 UNCH
6750	----	----	----/7.109A	7.701B/7.109A	----	7.617 - 1.553	.7731	----	----	----	----	3 UNCH
6800	----	----	----/6.742A	7.428B/6.742A	----	7.246 - 1.528	.7563	----	----	1	----	7 + 1
6850	----	----	----/6.413A	6.961B/6.413A	----	6.885 - 1.501	.7387	----	----	----	----	5 UNCH
6900	----	----	----/6.048A	6.724B/6.048A	----	6.534 - 1.471	.7204	----	----	1	----	17 + 1
6925	----	----	----/5.882A	6.554B/5.882A	----	6.362 - 1.456	.7111	----	----	----	----	9 UNCH
6975	----	----	----/5.561A	6.224B/5.561A	----	6.026 - 1.425	.6919	----	----	----	----	7 UNCH
7000	5.900	5.900	6.072B/5.371A	6.072B/5.371A	----	5.862 - 1.409	.6822	----	----	1	----	126 UNCH
7025	----	----	----/5.292A	5.774B/5.292A	----	5.700 - 1.393	.6723	----	----	----	----	1 UNCH
7050	----	----	----/5.075A	5.618B/5.075A	----	5.541 - 1.376	.6623	----	----	----	----	1 UNCH
7075	----	----	----/4.892A	5.460B/4.892A	----	5.385 - 1.359	.6521	----	----	----	----	4 UNCH
7100	----	----	----/4.733A	5.432B/4.733A	----	5.230 - 1.343	.6419	----	----	----	----	97 UNCH
7150	----	----	----/4.474A	4.987B/4.474A	----	4.930 - 1.309	.6211	----	----	----	----	1 UNCH
7200	4.617	4.617	4.900/4.204A	5.000B/4.204A	----	4.641 - 1.274	.6000	----	----	2	----	3 + 2
7225	----	----	----/*4.085A	4.854B/4.085A	----	4.500 - 1.257	.5894	----	----	----	----	1 UNCH
7250	4.347	4.347	4.347/*3.947A	4.777B/3.947A	----	4.362 - 1.240	.5787	----	----	2	----	32 + 1
7275	----	----	----/*3.818A	4.821B/3.818A	----	4.228 - 1.222	.5679	----	----	----	----	2 UNCH
7300	4.100	4.100	4.350/3.702A	4.798B/3.702A	----	4.096 - 1.204	.5571	----	----	12	----	13 + 2
7350	----	----	----/*3.456A	4.999B/3.456A	----	3.840 - 1.169	.5354	----	----	20	----	21 + 20
7375	----	----	4.981B/*3.342A	4.981B/3.342A	----	3.717 - 1.151	.5245	----	----	----	----	4 UNCH
7400	3.449	3.449	4.945B/*3.237A	4.945B/*3.237A	----	3.597 - 1.132	.5136	----	----	2	----	4 UNCH
7425	----	----	4.784B/*3.126A	4.784B/*3.126A	----	3.479 - 1.115	.5027	----	----	----	----	12 UNCH
7450	----	----	4.640B/*3.032A	4.640B/*3.032A	----	3.365 - 1.096	.4919	----	----	----	----	14 UNCH
7475	----	----	4.523B/*2.924A	4.523B/*2.924A	----	3.254 - 1.077	.4811	----	----	----	----	3 UNCH
7500	3.377	3.377	4.547B/2.770	4.547B/2.770	----	3.145 - 1.059	.4703	----	----	53	----	263 - 1
7525	3.757	3.757	4.431B/*2.719A	4.431B/*2.719A	----	3.039 - 1.041	.4596	----	----	1	----	10 + 1
7550	----	----	4.387B/*2.635A	4.387B/*2.635A	----	2.936 - 1.022	.4490	----	----	1	----	36 UNCH
7575	3.513	3.513	4.229B/*2.539A	4.229B/*2.539A	----	2.836 - 1.004	.4384	----	----	1	----	1 UNCH
7600	3.530	3.530	4.027B/*2.452A	4.027B/*2.452A	----	2.739 - 0.985	.4279	----	----	27	----	41 + 6
7650	2.410	2.410	3.810B/*2.286A	3.810B/*2.286A	----	2.553 - 0.948	.4072	----	----	1	----	4 + 1
7675	2.630	2.630	3.742B/*2.208A	3.742B/*2.208A	----	2.464 - 0.930	.3970	----	----	6	----	9 + 6
7700	3.347	3.347	3.571B/*2.130A	3.571B/*2.130A	----	2.378 - 0.912	.3870	----	----	9	----	116 + 8
7725	3.240	3.240	3.520B/*2.056A	3.520B/*2.056A	----	2.294 - 0.894	.3770	----	----	1	----	9 UNCH
7750	----	----	3.402B/*1.976A	3.402B/*1.976A	----	2.213 - 0.876	.3672	----	----	----	----	70 UNCH
7775	3.034	3.034	3.299B/*1.917A	3.299B/*1.917A	----	2.134 - 0.858	.3575	----	----	1	----	5 UNCH
7800	2.300	2.300	3.130B/*1.841A	3.130B/*1.841A	----	2.058 - 0.841	.3479	----	----	15	----	177 - 1
7825	----	----	3.095B/*1.786A	3.095B/*1.786A	----	1.984 - 0.823	.3385	----	----	----	----	2 UNCH
7850	1.804	1.804	2.925B/*1.724A	2.925B/*1.724A	----	1.913 - 0.806	.3293	----	----	2	----	3 + 1
7875	1.881	1.881	2.861B/*1.664A	2.861B/*1.664A	----	1.844 - 0.789	.3202	----	----	2	----	1 UNCH
7900	2.295	2.295	2.790B/*1.592A	2.790B/*1.592A	----	1.777 - 0.772	.3112	----	----	13	----	117 + 9
7925	1.813	1.813	2.693B/*1.552A	2.693B/*1.552A	----	1.712 - 0.756	.3024	----	----	6	----	12 UNCH
7950	1.696	1.696	2.588B/*1.498A	2.588B/*1.498A	----	1.650 - 0.739	.2939	----	----	2	----	11 - 1
7975	----	----	2.519B/*1.443A	2.519B/*1.443A	----	1.589 - 0.724	.2854	----	----	----	----	7 UNCH
8000	2.500	2.500	2.500/*1.385A	2.500/*1.385A	----	1.531 - 0.708	.2771	----	----	212	----	709 - 8
8025	1.530	1.530	2.350B/*1.346A	2.350B/*1.346A	----	1.475 - 0.692	.2690	----	----	2	----	6 + 2
8050	1.650	1.650	2.281B/*1.302A	2.281B/*1.302A	----	1.421 - 0.677	.2611	----	----	18	----	19 + 11
8075	----	----	2.211B/*1.256A	2.211B/*1.256A	----	1.368 - 0.662	.2533	----	----	----	----	2 UNCH
8100	----	----	2.115B/*1.207A	2.115B/*1.207A	----	1.318 - 0.647	.2458	----	----	1	----	44 + 1
8125	1.190	1.190	2.032B/*1.172A	2.032B/*1.172A	----	1.269 - 0.633	.2384	----	----	1	----	4 + 1
8150	1.260	1.260	1.985B/*1.125A	1.985B/*1.125A	----	1.222 - 0.619	.2311	----	----	44	----	55 + 41
8175	1.295	1.295	1.928B/*1.094A	1.928B/*1.094A	----	1.177 - 0.605	.2241	----	----	2	----	1 UNCH
8200	1.250	1.250	1.830B/*1.045A	1.830B/*1.045A	----	1.133 - 0.592	.2172	----	----	21	----	205 + 13
8225	1.043	1.043	1.770B/*1.018A	1.770B/*1.018A	----	1.091 - 0.579	.2105	----	----	38	----	41 + 38
8250	----	----	1.737B/*0.981A	1.737B/*0.981A	----	1.050 - 0.566	.2039	----	----	1	----	28 UNCH
8275	0.950	0.950	1.651B/*0.948A	1.651B/*0.948A	----	1.011 - 0.554	.1976	----	----	15	----	30 + 12
8300	1.101	1.101	1.621B/*0.911A	1.621B/*0.911A	----	0.974 - 0.541	.1914	----	----	11	----	121 + 3
8325	----	----	1.553B/*0.882A	1.553B/*0.882A	----	0.938 - 0.529	.1854	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
8350	----	----	1.514B/*0.850A	1.514B/*0.850A	----	0.903 - 0.517	.1796	----	----	----	----	31 UNCH
8375	----	----	1.462B/*0.820A	1.462B/*0.820A	----	0.869 - 0.506	.1738	----	----	----	----	5 UNCH
8400	----	----	1.390B/*0.792A	1.390B/*0.792A	----	0.837 - 0.495	.1683	----	----	2	----	358 + 1
8425	----	----	1.363B/*0.764A	1.363B/*0.764A	----	0.806 - 0.484	.1629	----	----	----	----	51 UNCH
8450	----	----	1.318B/*0.737A	1.318B/*0.737A	----	0.776 - 0.474	.1577	----	----	----	----	22 UNCH
8475	----	----	1.274B/*0.711A	1.274B/*0.711A	----	0.747 - 0.464	.1526	----	----	----	----	6 UNCH
8500	1.000	1.000	1.231B/*0.647	1.231B/*0.647	----	0.720 - 0.453	.1478	----	----	132	----	648 + 18
8525	0.725	0.725	1.186B/*0.663A	1.186B/*0.663A	----	0.693 - 0.444	.1429	----	----	1	----	18 UNCH
8550	----	----	1.149B/*0.641A	1.149B/*0.641A	----	0.668 - 0.434	.1384	----	----	1	----	15 + 1
8575	0.627	0.627	1.112B/*0.619A	1.112B/*0.619A	----	0.643 - 0.425	.1339	----	----	2	----	5 - 1
8600	0.654	0.654	1.064B/*0.599A	1.064B/*0.599A	----	0.620 - 0.416	.1296	----	----	40	----	96 + 3
8625	0.585	0.585	1.039B/*0.579A	1.039B/*0.579A	----	0.597 - 0.407	.1253	----	----	2	----	4 - 1
8650	----	----	1.005B/*0.560A	1.005B/*0.560A	----	0.576 - 0.398	.1214	----	----	----	----	18 UNCH
8675	0.698	0.698	0.963B/*0.542A	0.963B/*0.542A	----	0.555 - 0.390	.1174	----	----	2	----	56 + 2
8700	0.582	0.582	0.941B/*0.524A	0.941B/*0.524A	----	0.535 - 0.381	.1136	----	----	41	----	100 + 41
8725	----	----	0.910B/*0.507A	0.910B/*0.507A	----	0.516 - 0.373	.1100	----	----	----	----	5 UNCH
8750	0.485	0.485	0.873B/*0.485	0.873B/*0.485	----	0.497 - 0.366	.1064	----	----	1	----	13 - 1
8775	----	----	0.852B/*0.474A	0.852B/*0.474A	----	0.480 - 0.358	.1030	----	----	----	----	1 UNCH
8800	0.750	0.750	0.819B/*0.459A	0.819B/*0.459A	----	0.463 - 0.350	.0997	----	----	2	----	83 UNCH
8825	----	----	0.793B/*0.445A	0.793B/*0.445A	----	0.447 - 0.342	.0965	----	----	----	----	3 UNCH
8850	0.571	0.571	0.773B/*0.432A	0.773B/*0.432A	----	0.432 - 0.335	.0935	----	----	2	----	29 + 1
8875	----	----	0.749B/*0.419A	0.749B/*0.419A	----	0.417 - 0.328	.0906	----	----	----	----	3 UNCH
8900	0.685	0.685	0.685/*0.409A	0.719B/*0.409A	----	0.403 - 0.320	.0877	----	----	11	----	91 + 10
8925	----	----	----/*0.395A	0.698B/*0.395A	----	0.390 - 0.313	.0851	----	----	----	----	6 UNCH
8950	----	----	----/*0.384A	0.682B/*0.384A	----	0.377 - 0.306	.0824	----	----	----	----	76 UNCH
8975	----	----	----/*0.374A	0.660B/*0.374A	----	0.365 - 0.299	.0799	----	----	40	----	41 UNCH
9000	0.506	0.506	0.506/*0.365A	0.634B/*0.365A	----	0.353 - 0.292	.0775	----	----	120	----	636 - 61
9025	----	----	----/*0.354A	0.615B/*0.354A	----	0.342 - 0.285	.0752	----	----	----	----	6 UNCH
9050	0.389	0.389	0.389/*0.347A	0.600B/*0.347A	----	0.331 - 0.279	.0729	----	----	1	----	13 + 1
9075	----	----	----/*0.343A	0.581B/*0.343A	----	0.321 - 0.272	.0708	----	----	----	----	3 UNCH
9100	----	----	----/*0.347A	0.563B/*0.347A	----	0.311 - 0.266	.0687	----	----	5	----	334 + 2
9125	----	----	----/*0.341A	0.545B/*0.341A	----	0.302 - 0.259	.0667	----	----	----	----	5 UNCH
9150	----	----	----/*0.335A	0.529B/*0.335A	----	0.293 - 0.253	.0648	----	----	2	----	108 - 2
9175	----	----	----/*0.325A	0.513B/*0.325A	----	0.285 - 0.246	.0630	----	----	----	----	1 UNCH
9200	----	----	----/*0.319A	0.497B/*0.319A	----	0.277 - 0.240	.0613	----	----	1	----	119 - 1
9225	----	----	----/*0.311A	0.482B/*0.311A	----	0.269 - 0.234	.0596	----	----	----	----	14 UNCH
9250	----	----	----/*0.305A	0.468B/*0.305A	----	0.262 - 0.228	.0580	----	----	1	----	7 - 1
9275	----	----	----/*0.298A	0.454B/*0.298A	----	0.255 - 0.222	.0565	----	----	----	----	7 UNCH
9300	----	----	----/*0.288A	0.441B/*0.288A	----	0.248 - 0.217	.0549	----	----	2	----	40 - 1
9325	----	----	----/*0.281A	0.427B/*0.281A	----	0.242 - 0.211	.0536	----	----	----	----	4 UNCH
9350	----	----	----/*0.278A	0.415B/*0.278A	----	0.235 - 0.207	.0521	----	----	2	----	24 - 2
9375	----	----	----/*0.272A	0.403B/*0.272A	----	0.230 - 0.201	.0509	----	----	----	----	20 UNCH
9400	----	----	----/*0.265A	0.391B/*0.265A	----	0.224 - 0.196	.0496	----	----	----	----	39 UNCH
9425	----	----	----/*0.261A	0.380B/*0.261A	----	0.219 - 0.190	.0484	----	----	----	----	32 UNCH
9450	----	----	----/*0.252A	0.370B/*0.252A	----	0.213 - 0.186	.0471	----	----	----	----	4 UNCH
9475	----	----	----/*0.246A	0.359B/*0.246A	----	0.208 - 0.182	.0459	----	----	----	----	17 UNCH
9500	0.320	0.320	0.320/*0.245A	0.349B/*0.245A	----	0.204 - 0.176	.0450	----	----	2	----	339 - 1
9525	----	----	----/*0.240A	0.339B/*0.240A	----	0.199 - 0.172	.0439	----	----	----	----	2 UNCH
9550	----	----	----/*0.235A	0.331B/*0.235A	----	0.195 - 0.168	.0429	----	----	----	----	4 UNCH
9575	----	----	----/*0.231A	0.321B/*0.231A	----	0.191 - 0.163	.0420	----	----	----	----	1 UNCH
9600	----	----	----/*0.225A	0.312B/*0.225A	----	0.187 - 0.159	.0410	----	----	4	----	27 + 2
9625	----	----	----/*0.223A	0.304B/*0.223A	----	0.183 - 0.155	.0401	----	----	----	----	9 UNCH
9650	----	----	----/*0.218A	0.295B/*0.218A	----	0.179 - 0.152	.0392	----	----	----	----	2 UNCH
9675	----	----	----/*0.213A	0.251B/*0.213A	----	0.176 - 0.147	.0385	----	----	----	----	6 UNCH
9700	----	----	----/*0.209A	0.187B/*0.209A	----	0.172 - 0.144	.0376	----	----	4	----	39 UNCH
9725	----	----	----/*0.206A	0.181B/*0.206A	----	0.169 - 0.140	.0368	----	----	----	----	1 UNCH
9750	----	----	----/*0.203A	0.174B/*0.203A	----	0.166 - 0.137	.0361	----	----	----	----	29 UNCH
9775	----	----	----/*0.197A	0.169B/*0.197A	----	0.163 - 0.134	.0354	----	----	----	----	1 UNCH
9800	----	----	----/*0.195A	0.171B/*0.195A	----	0.160 - 0.130	.0347	----	----	----	----	25 UNCH
9825	----	----	----/*0.194A	0.159B/*0.194A	----	0.157 - 0.128	.0340	----	----	----	----	1 UNCH
9850	----	----	----/*0.191A	0.156B/*0.191A	----	0.154 - 0.125	.0333	----	----	----	----	3 UNCH
9875	----	----	----/*0.188A	0.153B/*0.188A	----	0.152 - 0.121	.0327	----	----	----	----	11 UNCH
9900	----	----	----/*0.185A	0.157B/*0.185A	----	0.149 - 0.119	.0321	----	----	----	----	26 UNCH
9925	----	----	----/*0.178A	0.146B/*0.178A	----	0.147 - 0.116	.0315	----	----	----	----	2 UNCH
9950	----	----	----/*0.178A	0.143B/*0.178A	----	0.145 - 0.113	.0310	----	----	----	----	2 UNCH
9975	----	----	----/*0.174A	0.140B/*0.174A	----	0.142 - 0.111	.0304	----	----	----	----	4 UNCH
10000	0.210	0.210	0.210/*0.140	0.210/*0.140	----	0.140 - 0.109	.0299	----	----	14	----	1045 - 3
10025	----	----	----/*0.175A	0.134B/*0.175A	----	0.138 - 0.106	.0294	----	----	----	----	4 UNCH
10050	----	----	----/*0.172A	0.132B/*0.172A	----	0.136 - 0.104	.0289	----	----	----	----	8 UNCH
10075	----	----	----/*0.170A	0.128B/*0.170A	----	0.134 - 0.102	.0284	----	----	----	----	9 UNCH
10100	----	----	----/*0.166A	0.134B/*0.166A	----	0.132 - 0.100	.0279	----	----	----	----	24 UNCH
10125	----	----	----/*0.166A	0.123B/*0.166A	----	0.130 - 0.098	.0274	----	----	----	----	1 UNCH
10150	----	----	----/*0.168A	0.120B/*0.168A	----	0.128 - 0.097	.0269	----	----	----	----	2 UNCH
10175	----	----	----/*0.159A	0.119B/*0.159A	----	0.127 - 0.094	.0266	----	----	----	----	1 UNCH
10200	----	----	----/*0.158A	0.123B/*0.158A	----	0.125 - 0.093	.0262	----	----	----	----	15 UNCH
10225	----	----	----/*0.157A	0.114B/*0.157A	----	0.123 - 0.091	.0257	----	----	----	----	1 UNCH
10275	----	----	----/*0.153A	0.110B/*0.153A	----	0.120 - 0.088	.0249	----	----	----	----	1 UNCH
10300	----	----	----/*0.150A	0.113B/*0.150A	----	0.119 - 0.086	.0247	----	----	1	----	12 - 1
10375	----	----	----/*0.144A	0.102B/*0.144A	----	0.114 - 0.082	.0235	----	----	----	----	2 UNCH
10400	----	----	----/*0.144A	0.103B/*0.144A	----	0.113 - 0.081	.0232	----	----	2	----	26 UNCH
10425	----	----	----/*0.139A	0.098B/*0.139A	----	0.111 - 0.080	.0228	----	----	----	----	1 UNCH
10450	----	----	----/*0.135A	0.097B/*0.135A	----	0.110 - 0.078	.0225	----	----	----	----	3 UNCH
10475	----	----	----/*0.133A	0.095B/*0.133A	----	0.108 - 0.078	.0221	----	----	----	----	2 UNCH
10500	0.150	0.150	0.150/*0.132A	0.150/*0.132A	----	0.107 - 0.076	.0218	----	----	4	----	387 - 1
10525	----	----	----/*0.130A	0.091B/*0.130A	----	0.106 - 0.075	.0215	----	----	----	----	12 UNCH
10550	----	----	----/*0.128A	0.090B/*0.128A	----	0.104 - 0.074	.0211	----	----	----	----	1 UNCH
10575	----	----	----/*0.127A	0.088B/*0.127A	----	0.103 - 0.073	.0208	----	----	----	----	4 UNCH
10600	----	----	----/*0.125A	0.088B/*0.125A	----	0.102 - 0.071	.0206	----	----	2	----	92 UNCH
10625	----	----	----/*0.123A	0.085B/*0.123A	----	0.101 - 0.070	.0203	----	----	----	----	1 UNCH
10650	----	----	----/*0.122A	0.083B/*0.122A	----	0.099 - 0.069	.0199	----	----	1	----	2 - 1
10675	----	----	----/*0.131A	0.081B/*0.131A	----	0.098 - 0.068	.0197	----	----	----	----	15 UNCH
10700	----	----	----/*0.127A	0.081B/*0.127A	----	0.097 - 0.067	.0194	----	----	1	----	80 - 1
10750	----	----	----/*0.126A	0.077B/*0.126A	----	0.096 - 0.063	.0191	----	----	----	----	5 UNCH
10800	----	----	----/*0.124A	0.100B/*0.124A	----	0.094 - 0.060	.0186	----	----	----	----	2 UNCH
10825	----	----	----/*0.124A	0.074B/*0.124A	----	0.093 - 0.059	.0184	----	----	----	----	1 UNCH
10850	----	----	----/*0.122A	0.072B/*0.122A	----	0.092 - 0.057	.0181	----	----	----	----	12 UNCH
10875	----	----	----/*0.120A	0.071B/*0.120A	----	0.091 - 0.056	.0179	----	----	----	----	6 UNCH
10900	0.100	0.100	0.100/*0.100	0.101B/*0.100	----	0.091 - 0.053	.0178	----	----	1	----	22 UNCH
10925	----	----	----/*0.117A	0.068B/*0.117A	----	0.090 - 0.052	.0176	----	----	----	----	2 UNCH
10950	----	----	----/*0.113A	0.067B/*0.113A	----	0.089 - 0.050	.0173	----	----	----	----	4 UNCH
11000	0.120	0.120	0.120/*0.080	0.120/*0.080	----	0.088 - 0.046	.0170	----	----	5	----	419 + 1
11025	----	----	----/*0.113A	0.062B/*0.113A	----	0.087 - 0.045	.0168	----	----	----	----	1 UNCH
11050	----	----	----	0.058B/*0.136A	----	0.087 - 0.042	.0168	----	----	----	----	5 UNCH
11075	----	----	----	0.057B/*0.132A	----	0.086 - 0.041	.0165	----	----	----	----	5 UNCH
11100	----	----	----	0.055B/*0.131A	----	0.086 - 0.039	.0165	----	----	----	----	3 UNCH
11125	----	----	----	0.054B/*0.133A	----	0.085 - 0.038	.0162	----	----	----	----	5 UNCH
11175	----	----	----	0.052B/*0.128A	----	0.084 - 0.036	.0160	----	----	----	----	3 UNCH
11200	----	----	----	0.050B/*0.127A	----	0.083 - 0.035	.0157	----	----	----	----	8 UNCH
11225	----	----	----	0.049B/*0.126A	----	0.083 - 0.034	.0157	----	----	----	----	3 UNCH
11300	----	----	----	0.046B/*0.125A	----	0.081 - 0.032	.0152	----	----	----	----	2 UNCH
11325	----	----	----	0.044B/*0.126A	----	0.080 - 0.032	.0150	----	----	----	----	6 UNCH
11350	----	----	----	0.043B/*0.125A	----	0.080 - 0.030	.0149	----	----	----	----	3 UNCH
11375	----	----	----	0.042B/*0.123A	----	0.079 - 0.030	.0147	----	----	----	----	1 UNCH
11400	----	----	----	0.041B/*0.122A	----	0.079 - 0.029	.0147	----	----	----	----	163 UNCH
11425	----	----	----	0.040B/*0.121A	----	0.078 - 0.028	.0145	----	----	----	----	12 UNCH
11450	----	----	----	0.039B/*0.121A	----	0.077 - 0.028	.0143	----	----	----	----	13 UNCH
11475	----	----	----	0.038B/*0.120A	----	0.076 - 0.028	.0141	----	----	----	----	8 UNCH
11500	0.097	0.097	0.099/*0.095A	0.099/*0.095A	----	0.074 - 0.028	.0137	----	----	2	----	264 - 2
11525	----	----	----	0.035B/*0.118A	----	0.072 - 0.029	.0134	----	----	----	----	8 UNCH
11550	----	----	----	0.034B/*0.118A	----	0.070 - 0.030	.0130	----	----	----	----	1 UNCH
11575	----	----	----	0.033B/*0.117A	----	0.069 - 0.030	.0128	----	----	----	----	4 UNCH
11600	----	----	----	0.032B/0.118A	----	0.068 - 0.030	.0126	----	----	----	----	1 UNCH
11625	----	----	----	0.031B/*0.115A	----	0.067 - 0.030	.0124	----	----	----	----	21 UNCH
11675	----	----	----	0.029B/*0.115A	----	0.066 - 0.030	.0122	----	----	----	----	2 UNCH
11700	----	----	----	0.028B/*0.113A	----	0.065 - 0.030	.0120	----	----	----	----	8 UNCH
11725	----	----	----	0.027B/*0.113A	----	0.065 - 0.029	.0119	----	----	----	----	2 UNCH
11750	----	----	----	0.026B/*0.113A	----	0.065 - 0.028	.0119	----	----	----	----	15 UNCH
11775	----	----	----	0.025B/*0.112A	----	0.065 - 0.028	.0119	----	----	----	----	2 UNCH
11800	----	----	----	0.025B/*0.112A	----	0.065 - 0.027	.0118	----	----	----	----	6 UNCH
11825	----	----	----	0.024B/*0.111A	----	0.065 - 0.027	.0118	----	----	----	----	9 UNCH
11850	----	----	----	0.023B/*0.110A	----	0.065 - 0.026	.0117	----	----	----	----	5 UNCH
11875	----	----	----	0.022B/*0.109A	----	0.065 - 0.026	.0117	----	----	----	----	1 UNCH
11900	----	----	----	0.021B/*0.108A	----	0.065 - 0.025	.0117	----	----	----	----	1 UNCH
11925	----	----	----	0.020B/*0.108A	----	0.065 - 0.025	.0116	----	----	----	----	8 UNCH
11950	----	----	----/*0.081A	0.019B/*0.081A	----	0.065 - 0.024	.0116	----	----	----	----	6 UNCH
11975	----	----	----	0.018B/*0.106A	----	0.065 - 0.024	.0116	----	----	----	----	1 UNCH
12000	----	----	----	0.018B/0.105A	----	0.065 - 0.023	.0115	----	----	----	----	371 UNCH
12025	----	----	----	0.016B/*0.105A	----	0.065 - 0.022	.0115	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUN26												
12050	----	----	----	0.016B/*0.104A	----	0.065 - 0.022	.0114	----	----	----	----	1 UNCH
12075	----	----	----	0.015B/*0.104A	----	0.065 - 0.021	.0114	----	----	----	----	1 UNCH
12125	----	----	----	0.013B/*0.102A	----	0.064 - 0.021	.0112	----	----	----	----	1 UNCH
12200	----	----	----	0.011B/*0.100A	----	0.062 - 0.022	.0108	----	----	----	----	13 UNCH
12225	----	----	----	0.010B/*0.099A	----	0.062 - 0.021	.0108	----	----	----	----	7 UNCH
12275	----	----	----	0.011B/*0.098A	----	0.060 - 0.022	.0104	----	----	----	----	1 UNCH
12325	----	----	----	0.007B/*0.097A	----	0.059 - 0.022	.0102	----	----	----	----	4 UNCH
12350	----	----	----	0.006B/*0.096A	----	0.058 - 0.022	.0100	----	----	----	----	5 UNCH
12400	----	----	----	0.004B/*0.095A	----	0.057 - 0.022	.0098	----	----	----	----	23 UNCH
12425	----	----	----	0.004B/*0.094A	----	0.056 - 0.023	.0097	----	----	----	----	1 UNCH
12450	----	----	----	0.003B/*0.093A	----	0.055 - 0.023	.0095	----	----	----	----	9 UNCH
12475	----	----	----	0.002B/*0.093A	----	0.054 - 0.024	.0093	----	----	----	----	1 UNCH
12500	----	----	----	0.063B/*0.080A	----	0.053 - 0.024	.0091	----	----	----	----	109 UNCH
12525	----	----	----	0.001B/*0.091A	----	0.053 - 0.023	.0091	----	----	----	----	37 UNCH
12550	----	----	----	0.001B/*0.091A	----	0.052 - 0.024	.0090	----	----	----	----	6 UNCH
12575	----	----	----	0.001B/*0.090A	----	0.051 - 0.024	.0088	----	----	----	----	2 UNCH
12600	----	----	----	0.018B/*0.089A	----	0.051 - 0.024	.0088	----	----	----	----	9 UNCH
12650	----	----	----	0.001B/*0.088A	----	0.049 - 0.025	.0084	----	----	----	----	2 UNCH
12675	----	----	----	0.001B/*0.088A	----	0.049 - 0.024	.0084	----	----	----	----	2 UNCH
12700	----	----	----	0.001B/*0.087A	----	0.048 - 0.024	.0082	----	----	----	----	11 UNCH
12725	----	----	----	0.001B/*0.087A	----	0.047 - 0.025	.0081	----	----	----	----	2 UNCH
12750	----	----	----	0.001B/*0.086A	----	0.047 - 0.024	.0080	----	----	----	----	2 UNCH
12775	----	----	----	0.001B/*0.085A	----	0.046 - 0.025	.0079	----	----	----	----	7 UNCH
12800	----	----	----	0.001B/*0.085A	----	0.046 - 0.024	.0079	----	----	----	----	34 UNCH
12900	----	----	----	0.001B/*0.083A	----	0.044 - 0.024	.0075	----	----	----	----	6 UNCH
13000	0.060	0.060	0.060/*0.050	0.060/*0.050	----	0.042 - 0.023	.0071	----	----	3	----	273 UNCH
13100	----	----	----	0.001B/*0.078A	----	0.040 - 0.023	.0068	----	----	----	----	4 UNCH
13200	----	----	----	0.001B/*0.076A	----	0.039 - 0.022	.0066	----	----	----	----	3 UNCH
13300	----	----	----	0.001B/*0.074A	----	0.037 - 0.022	.0062	----	----	----	----	3 UNCH
13400	----	----	----	0.001B/*0.070A	----	0.036 - 0.021	.0060	----	----	----	----	5 UNCH
13500	----	----	----	0.010B/0.067A	----	0.035 - 0.020	.0058	----	----	----	----	22 UNCH
13600	----	----	----/*0.050A	0.001B/*0.050A	----	0.034 - 0.019	.0056	----	----	----	----	7 UNCH
13700	----	----	----	0.001B/*0.061A	----	0.033 - 0.018	.0054	----	----	----	----	5 UNCH
13800	----	----	----	0.001B/*0.058A	----	0.032 - 0.017	.0052	----	----	----	----	1 UNCH
13900	----	----	----	0.001B/*0.056A	----	0.031 - 0.016	.0050	----	----	----	----	3 UNCH
14000	----	----	----	0.001B/0.054A	----	0.031 - 0.015	.0050	----	----	----	----	292 UNCH
14200	----	----	----	0.001B/*0.050A	----	0.029 - 0.013	.0046	----	----	----	----	60 UNCH
14300	----	----	----	0.001B/*0.048A	----	0.029 - 0.012	.0046	----	----	----	----	1 UNCH
14400	----	----	----	0.001B/0.046A	----	0.028 - 0.012	.0044	----	----	----	----	65 UNCH
14500	----	----	----	0.001B/*0.045A	----	0.028 - 0.010	.0044	----	----	----	----	31 UNCH
14600	----	----	----	0.001B/0.044A	----	0.028 - 0.009	.0044	----	----	----	----	7 UNCH
14700	----	----	----	0.001B/*0.043A	----	0.027 - 0.009	.0042	----	----	----	----	11 UNCH
14800	----	----	----	0.001B/*0.042A	----	0.027 - 0.008	.0042	----	----	----	----	10 UNCH
14900	----	----	----	0.001B/*0.041A	----	0.027 - 0.007	.0041	----	----	----	----	6 UNCH
15000	----	----	----	0.001B/0.040A	----	0.026 - 0.007	.0040	----	----	----	----	147 UNCH
15300	----	----	----	----/*0.038A	----	0.026 - 0.004	.0039	----	----	----	----	2 UNCH
15400	----	----	----	----/*0.037A	----	0.026 - 0.004	.0039	----	----	----	----	1 UNCH
15500	----	----	----	----/*0.036A	----	0.025 - 0.004	.0037	----	----	----	----	6 UNCH
15600	----	----	----	----/*0.035A	----	0.025 - 0.003	.0037	----	----	----	----	1 UNCH
15700	----	----	----	----/*0.035A	----	0.025 - 0.003	.0036	----	----	----	----	1 UNCH
15800	----	----	----	----/*0.034A	----	0.025 - 0.002	.0036	----	----	----	----	6 UNCH
15900	----	----	----	----/*0.033A	----	0.025 - 0.002	.0036	----	----	----	----	8 UNCH
16000	0.025	0.025	0.028/*0.025	0.028/*0.025	----	0.025 - 0.001	.0036	----	----	2	----	199 - 1
16200	----	----	----	----/*0.032A	----	0.024 - 0.001	.0034	----	----	----	----	36 UNCH
16400	----	----	----	----/*0.031A	----	0.023 - 0.001	.0032	----	----	----	----	1 UNCH
16500	----	----	----	----/*0.031A	----	0.023 - 0.001	.0032	----	----	----	----	30 UNCH
16600	----	----	----	----/*0.031A	----	0.023 - 0.001	.0032	----	----	----	----	2 UNCH
16700	----	----	----	----/0.044A	----	0.022 - 0.001	.0031	----	----	----	----	7 UNCH
16800	----	----	----	----/*0.063A	----	0.022 - 0.001	.0030	----	----	----	----	3 UNCH
17000	----	----	----	----/*0.028A	----	0.021 - 0.001	.0029	----	----	----	----	27 UNCH
17100	----	----	----	----/0.297A	----	0.021 - 0.001	.0029	----	----	----	----	5 UNCH
17200	----	----	----	----/0.299A	----	0.021 - 0.001	.0029	----	----	----	----	5 UNCH
17300	----	----	----	----/0.301A	----	0.021 - 0.001	.0028	----	----	----	----	11 UNCH
17400	----	----	----	----/0.303A	----	0.021 UNCH	.0028	----	----	----	----	2 UNCH
17500	----	----	----	----/0.305A	----	0.020 - 0.001	.0027	----	----	----	----	63 UNCH
17700	----	----	----	----/0.308A	----	0.020 - 0.001	.0027	----	----	----	----	3 UNCH
17800	----	----	----	----/0.310A	----	0.020 - 0.001	.0027	----	----	----	----	3 UNCH
18000	----	----	----	----/0.313A	----	0.020 - 0.001	.0026	----	----	----	----	46 UNCH
18100	----	----	----	----/0.315A	----	0.020 UNCH	.0026	----	----	----	----	2 UNCH
18300	----	----	----	----/0.318A	----	0.019 - 0.001	.0025	----	----	----	----	1 UNCH
18900	----	----	----	----/0.326A	----	0.019 - 0.001	.0024	----	----	----	----	1 UNCH
19000	----	----	----	----/0.160A	----	0.019 - 0.001	.0024	----	----	----	----	229 UNCH
19500	----	----	----	----/0.333A	----	0.019 - 0.001	.0023	----	----	----	----	126 UNCH
19600	----	----	----	----/0.334A	----	0.019 - 0.001	.0023	----	----	----	----	2 UNCH
19900	----	----	----	----/0.337A	----	0.019 - 0.001	.0023	----	----	----	----	28 UNCH
20000	----	----	----	----/0.034A	----	0.019 - 0.001	.0023	----	----	----	----	240 UNCH
21000	----	----	----	----/0.346A	----	0.014 - 0.001	.0017	----	----	----	----	20 UNCH
23000	----	----	----	----/0.359A	----	0.009 UNCH	.0010	----	----	----	----	14 UNCH
25000	----	----	----	----/0.010A	----	0.006 UNCH	.0007	----	----	----	----	303 UNCH
27000	----	----	----	----/0.373A	----	0.003 - 0.001	.0003	----	----	----	----	3 UNCH
30000	----	----	----	----/0.378A	----	0.002 UNCH	.0002	----	----	----	----	31 UNCH
32000	----	----	----	----/0.381A	----	0.001 UNCH	.0001	----	----	----	----	1 UNCH
35000	----	----	----	----/0.010A	----	0.001 UNCH	.0000	----	----	----	----	45 UNCH
TOTAL										1009	0	14028 + 171
JUL26												
2700	----	----	----/45.997A	46.879B/45.997A	----	46.745 - 1.823	.9977	----	----	----	----	1 UNCH
3900	----	----	----/33.984A	34.888B/33.984A	----	34.758 - 1.816	.9900	----	----	----	----	1 UNCH
4000	----	----	----/32.988A	33.890B/32.988A	----	33.764 - 1.813	.9890	----	----	----	----	1 UNCH
4500	----	----	----/27.985A	28.942B/27.985A	----	28.805 - 1.803	.9819	----	----	----	----	28 UNCH
4600	----	----	----/26.960A	27.991B/26.960A	----	27.817 - 1.801	.9799	----	----	----	----	124 UNCH
4700	----	----	----/26.060A	26.945B/26.060A	----	26.832 - 1.798	.9777	----	----	----	----	1 UNCH
4750	----	----	----/25.570A	26.409B/25.570A	----	26.340 - 1.797	.9764	----	----	----	----	1 UNCH
4825	----	----	----/24.837A	25.690B/24.837A	----	25.604 - 1.795	.9744	----	----	----	----	3 UNCH
4900	----	----	----/24.108A	24.958B/24.108A	----	24.870 - 1.792	.9720	----	----	----	----	1 UNCH
4925	----	----	----/23.867A	24.724B/23.867A	----	24.625 - 1.792	.9713	----	----	----	----	16 UNCH
5000	----	----	----/23.061A	24.078B/23.061A	----	23.894 - 1.790	.9686	----	----	----	----	307 UNCH
5025	----	----	----/22.898A	23.744B/22.898A	----	23.651 - 1.789	.9676	----	----	----	----	4 UNCH
5050	----	----	----/22.658A	23.535B/22.658A	----	23.408 - 1.788	.9666	----	----	----	----	2 UNCH
5100	----	----	----/22.096A	23.111B/22.096A	----	22.923 - 1.787	.9644	----	----	----	----	133 UNCH
5150	----	----	----/21.701A	22.549B/21.701A	----	22.440 - 1.785	.9621	----	----	----	----	6 UNCH
5200	----	----	----/21.181A	22.120B/21.181A	----	21.959 - 1.782	.9594	----	----	----	----	40 UNCH
5225	----	----	----/20.984A	21.830B/20.984A	----	21.719 - 1.781	.9582	----	----	----	----	9 UNCH
5250	----	----	----/20.747A	21.613B/20.747A	----	21.479 - 1.781	.9567	----	----	----	----	2 UNCH
5275	----	----	----/20.511A	21.375B/20.511A	----	21.240 - 1.779	.9552	----	----	----	----	1 UNCH
5300	----	----	----/20.277A	21.138B/20.277A	----	21.002 - 1.778	.9536	----	----	----	----	7 UNCH
5350	----	----	----/19.720A	20.741B/19.720A	----	20.527 - 1.774	.9504	----	----	----	----	157 UNCH
5375	----	----	----/19.568A	20.398B/19.568A	----	20.290 - 1.773	.9486	----	----	----	----	1 UNCH
5400	----	----	----/19.334A	20.170B/19.334A	----	20.055 - 1.770	.9468	----	----	----	----	21 UNCH
5425	----	----	----/19.061A	20.005B/19.061A	----	19.820 - 1.768	.9448	----	----	----	----	42 UNCH
5450	----	----	----/18.868A	19.704B/18.868A	----	19.585 - 1.766	.9428	----	----	----	----	1 UNCH
5500	----	----	----/18.321A	19.334B/18.321A	----	19.119 - 1.761	.9386	----	----	----	----	496 UNCH
5550	----	----	----/17.944A	18.791B/17.944A	----	18.656 - 1.754	.9341	----	----	----	----	3 UNCH
5600	----	----	----/17.404A	18.406B/17.404A	----	18.195 - 1.749	.9293	----	----	----	----	106 UNCH
5650	----	----	----/16.991A	17.917B/16.991A	----	17.737 - 1.743	.9241	----	----	----	----	43 UNCH
5675	----	----	----/16.766A	17.688B/16.766A	----	17.509 - 1.740	.9215	----	----	----	----	25 UNCH
5700	----	----	----/16.541A	17.460B/16.541A	----	17.282 - 1.737	.9187	----	----	----	----	26 UNCH
5750	----	----	----/16.056A	17.025B/16.056A	----	16.831 - 1.730	.9130	----	----	----	----	164 UNCH
5775	----	----	----/15.916A	16.684B/15.916A	----	16.606 - 1.728	.9099	----	----	----	----	1 UNCH
5800	----	----	----/15.696A	16.990B/15.696A	----	16.383 - 1.724	.9069	----	----	----	----	16 UNCH
5900	----	----	----/14.828A	15.603B/14.828A	----	15.498 - 1.710	.8936	----	----	----	----	10 UNCH
5925	----	----	----/14.612A	15.386B/14.612A	----	15.279 - 1.707	.8901	----	----	----	----	10 UNCH
5950	----	----	----/14.399A	15.166B/14.399A	----	15.062 - 1.703	.8865	----	----	----	----	6 UNCH
5975	----	----	----/14.190A	14.941B/14.190A	----	14.846 - 1.698	.8827	----	----	----	----	20 UNCH
6000	----	----	----/13.892A	14.821B/13.892A	----	14.630 - 1.695	.8789	----	----	8	----	547 - 5
6050	----	----	----/13.475A	14.390B/13.475A	----	14.204 - 1.685	.8709	----	----	----	----	58 UNCH
6075	----	----	----/13.355A	14.041B/13.355A	----	13.992 - 1.681	.8667	----	----	----	----	1 UNCH
6100	----	----	----/13.149A	13.867B/13.149A	----	13.782 - 1.676	.8625	----	----	----	----	10 UNCH
6200	----	----	----/12.256A	13.129B/12.256A	----	12.956 - 1.653	.8444	----	----	----	----	101 UNCH
6250	----	----	----/11.947A	12.579B/11.947A	----	12.551 - 1.641	.8348	----	----	----	----	1 UNCH
6300	----	----	----/11.559A	12.176B/11.559A	----	12.153 - 1.627	.8247	----	----	----	----	3 UNCH
6350	----	----	----/11.179A	11.778B/11.179A	----	11.761 - 1.613	.8142	----	----	----	----	2 UNCH
6450	----	----	----/10.439A	11.009B/10.439A	----	10.997 - 1.581	.7921	----	----	----	----	1 UNCH
6500	10.550	10.550	10.789B/9.994A	10.789B/9.994A	----	10.626 - 1.563	.7804	----	----	8	----	202 + 4
6600	----	----	----/9.299A	10.029B/9.299A	----	9.905 - 1.525	.7560	----	----	----	----	56 UNCH
6650	----	----	----/8.963A	9.675B/8.963A	----	9.555 - 1.506	.7433	----	----	----	----	102 UNCH
6750	----	----	----/8.367A	9.011B/8.367A	----	8.880 - 1.463	.7169	----	----	----	----	24 UNCH
6800	----	----	----/8.004A	8.689B/8.004A	----	8.555 - 1.440	.7033	----	----	----	----	250 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
6825	----	----	----/7.898A	8.534B/7.898A	----	8.395 - 1.428	.6964	----	----	----	----	6 UNCH
6850	----	----	----/7.788A	8.270B/7.788A	----	8.237 - 1.417	.6895	----	----	----	----	1 UNCH
6875	----	----	----/7.598A	8.225B/7.598A	----	8.081 - 1.405	.6825	----	----	----	----	16 UNCH
6900	----	----	----/7.409A	8.070B/7.409A	----	7.928 - 1.392	.6754	----	----	----	----	99 UNCH
6950	----	----	----/7.208A	7.581B/7.208A	----	7.627 - 1.368	.6612	----	----	----	----	1 UNCH
7000	----	----	----/6.847A	7.479B/6.847A	----	7.334 - 1.343	.6467	----	----	2	----	153 UNCH
7025	----	----	----/6.710A	7.336B/6.710A	----	7.191 - 1.330	.6395	----	----	----	----	125 UNCH
7050	----	----	----/6.661A	7.076B/6.661A	----	7.049 - 1.318	.6321	----	----	----	----	1 UNCH
7100	----	----	----/6.401A	6.715B/6.401A	----	6.773 - 1.292	.6175	----	----	----	----	5 UNCH
7200	----	----	----/5.830A	6.394B/5.830A	----	6.246 - 1.240	.5879	----	----	----	----	11 UNCH
7225	----	----	----/5.677A	6.130B/5.677A	----	6.119 - 1.228	.5805	----	----	----	----	1 UNCH
7250	----	----	----/5.534A	6.166B/5.534A	----	5.995 - 1.214	.5731	----	----	2	----	166 + 1
7300	----	----	----/5.337A	6.222B/5.337A	----	5.752 - 1.188	.5582	----	----	----	----	3 UNCH
7325	5.580	5.580	5.580/5.199A	6.279B/5.199A	----	5.633 - 1.176	.5508	----	----	1	----	102 UNCH
7350	----	----	----/5.128A	6.251B/5.128A	----	5.517 - 1.162	.5434	----	----	----	----	2 UNCH
7400	4.850	4.850	6.510B/4.850	6.510B/4.850	----	5.289 - 1.138	.5287	----	----	4	----	18 UNCH
7425	----	----	6.358B/4.814A	6.358B/4.814A	----	5.179 - 1.125	.5214	----	----	----	----	5 UNCH
7450	----	----	6.398B/4.720A	6.398B/4.720A	----	5.070 - 1.113	.5141	----	----	----	----	12 UNCH
7475	----	----	----/4.614A	6.049B/4.614A	----	4.964 - 1.100	.5068	----	----	----	----	1 UNCH
7500	5.570	5.570	6.246B/4.489A	6.246B/4.489A	----	4.859 - 1.088	.4995	----	----	15	----	293 - 3
7525	----	----	6.130B/4.422A	6.130B/4.422A	----	4.756 - 1.076	.4923	----	----	----	----	1 UNCH
7550	----	----	6.040B/4.334A	6.040B/4.334A	----	4.655 - 1.064	.4851	----	----	----	----	7 UNCH
7575	----	----	5.882B/*4.239A	5.882B/*4.239A	----	4.556 - 1.052	.4780	----	----	----	----	20 UNCH
7600	4.100	4.100	5.778B/*4.100	5.778B/*4.100	----	4.459 - 1.040	.4709	----	----	2	----	34 + 2
7700	----	----	5.351B/*3.789A	5.351B/*3.789A	----	4.090 - 0.992	.4430	----	----	----	----	120 UNCH
7750	----	----	5.212B/*3.635A	5.212B/*3.635A	----	3.916 - 0.970	.4294	----	----	----	----	115 UNCH
7800	3.415	3.415	4.936B/*3.415	4.936B/*3.415	----	3.749 - 0.947	.4160	----	----	1	----	52 UNCH
7900	----	----	4.555B/*3.220A	4.555B/*3.220A	----	3.436 - 0.904	.3900	----	----	----	50	61 + 48
7975	----	----	4.341B/*3.029A	4.341B/*3.029A	----	3.219 - 0.871	.3712	----	----	----	----	2 UNCH
8000	4.200	4.200	4.236B/2.934A	4.236B/2.934A	----	3.150 - 0.861	.3651	----	----	166	----	625 - 53
8025	----	----	4.166B/*2.900A	4.166B/*2.900A	----	3.083 - 0.850	.3591	----	----	----	----	6 UNCH
8050	----	----	4.083B/*2.840A	4.083B/*2.840A	----	3.017 - 0.839	.3532	----	----	----	----	4 UNCH
8100	----	----	3.862B/*2.703A	3.862B/*2.703A	----	2.889 - 0.819	.3415	----	----	----	----	67 UNCH
8175	----	----	3.673B/*2.564A	3.673B/*2.564A	----	2.709 - 0.788	.3246	----	----	----	----	1 UNCH
8200	----	----	3.566B/*2.488A	3.566B/*2.488A	----	2.652 - 0.778	.3191	----	----	1	----	154 + 1
8250	----	----	3.469B/*2.391A	3.469B/*2.391A	----	2.542 - 0.758	.3084	----	----	2	----	146 + 1
8300	----	----	3.296B/*2.292A	3.296B/*2.292A	----	2.438 - 0.737	.2981	----	----	----	----	350 UNCH
8325	2.410	2.410	3.265B/*2.268A	3.265B/*2.268A	----	2.387 - 0.727	.2930	----	----	2	----	2 + 1
8350	----	----	3.197B/*2.219A	3.197B/*2.219A	----	2.338 - 0.717	.2881	----	----	----	----	2 UNCH
8375	----	----	3.129B/*2.170A	3.129B/*2.170A	----	2.290 - 0.707	.2832	----	----	----	----	48 UNCH
8400	----	----	3.083B/*2.141A	3.083B/*2.141A	----	2.244 - 0.696	.2784	----	----	----	----	10 UNCH
8500	2.190	2.190	2.849B/*1.964A	2.849B/*1.964A	----	2.069 - 0.654	.2601	----	----	160	----	756 - 78
8550	----	----	2.738B/*1.886A	2.738B/*1.886A	----	1.988 - 0.632	.2514	----	----	3	----	259 UNCH
8600	----	----	2.625B/*1.823A	2.625B/*1.823A	----	1.912 - 0.610	.2431	----	----	----	----	12 UNCH
8650	----	----	2.524B/*1.749A	2.524B/*1.749A	----	1.839 - 0.589	.2350	----	----	----	----	11 UNCH
8700	----	----	2.426B/*1.678A	2.426B/*1.678A	----	1.770 - 0.568	.2273	----	----	----	----	111 UNCH
8750	----	----	2.334B/*1.612A	2.334B/*1.612A	----	1.703 - 0.550	.2198	----	----	----	----	66 UNCH
8775	----	----	2.289B/*1.579A	2.289B/*1.579A	----	1.671 - 0.541	.2162	----	----	----	----	1 UNCH
8800	----	----	2.250B/*1.548A	2.250B/*1.548A	----	1.640 - 0.533	.2126	----	----	----	----	12 UNCH
8850	----	----	2.167B/*1.487A	2.167B/*1.487A	----	1.578 - 0.519	.2055	----	----	----	----	1 UNCH
8900	1.493	1.493	2.097B/*1.430A	2.097B/*1.430A	----	1.519 - 0.506	.1987	----	----	1	----	112 + 1
8925	1.420	1.420	2.026B/*1.402A	2.026B/*1.402A	----	1.490 NEW	.1954	----	----	7	----	7 + 7
8950	----	----	2.021B/*1.374A	2.021B/*1.374A	----	1.462 - 0.495	.1921	----	----	----	----	5 UNCH
9000	1.350	1.350	1.950B/1.322A	1.950B/1.322A	----	1.406 - 0.486	.1857	----	----	150	----	617 + 55
9050	1.304	1.304	1.881B/*1.272A	1.881B/*1.272A	----	1.352 - 0.479	.1794	----	----	1	----	6 + 1
9075	1.279	1.279	1.816B/*1.248A	1.816B/*1.248A	----	1.325 NEW	.1763	----	----	1	----	1 + 1
9100	1.255	1.255	1.816B/*1.224A	1.816B/*1.224A	----	1.299 - 0.474	.1732	----	----	23	----	32 + 21
9200	1.160	1.160	1.694B/*1.134A	1.694B/*1.134A	----	1.198 - 0.468	.1614	----	----	2	----	79 + 1
9225	----	----	1.664B/*1.113A	1.664B/*1.113A	----	1.174 - 0.466	.1586	----	----	----	----	3 UNCH
9250	----	----	1.627B/*1.092A	1.627B/*1.092A	----	1.151 - 0.464	.1558	----	----	1	----	8 + 1
9300	----	----	1.581B/*1.053A	1.581B/*1.053A	----	1.105 - 0.463	.1504	----	----	1	----	268 + 1
9350	----	----	1.528B/*1.015A	1.528B/*1.015A	----	1.061 - 0.461	.1451	----	----	----	----	9 UNCH
9400	----	----	----/*0.980A	1.459B/*0.980A	----	1.020 - 0.458	.1401	----	----	1	----	12 + 1
9450	----	----	----/*0.945A	1.422B/*0.945A	----	0.980 - 0.456	.1352	----	----	----	----	33 UNCH
9475	----	----	----/*0.929A	1.379B/*0.929A	----	0.961 - 0.455	.1329	----	----	----	----	5 UNCH
9500	1.080	1.080	1.100/*0.913A	1.360B/*0.913A	----	0.942 - 0.454	.1305	----	----	133	----	633 - 118
9525	0.910	0.910	0.940/*0.896A	1.345B/*0.896A	----	0.925 - 0.451	.1284	----	----	100	----	25 + 25
9550	----	----	----/*0.881A	1.323B/*0.881A	----	0.907 - 0.450	.1261	----	----	----	----	6 UNCH
9600	0.850	0.850	0.850/*0.840	1.293B/*0.840	----	0.874 - 0.445	.1220	----	----	55	----	105 + 52
9650	----	----	----/*0.824A	1.251B/*0.824A	----	0.843 - 0.440	.1180	----	----	----	----	1 UNCH
9700	----	----	----/*0.797A	1.210B/*0.797A	----	0.814 - 0.433	.1142	----	----	----	----	5 UNCH
9725	----	----	----/*0.784A	1.191B/*0.784A	----	0.800 - 0.430	.1124	----	----	----	----	1 UNCH
9750	----	----	----/*0.771A	1.171B/*0.771A	----	0.787 - 0.426	.1106	----	----	----	----	82 UNCH
9775	----	----	----/*0.758A	1.152B/*0.758A	----	0.774 - 0.422	.1089	----	----	----	----	30 UNCH
9800	----	----	----/*0.746A	1.133B/*0.746A	----	0.761 - 0.419	.1072	----	----	3	----	131 + 1
9825	0.776	0.776	0.776/*0.734A	1.103B/*0.734A	----	0.749 - 0.414	.1056	----	----	2	----	5 UNCH
9850	----	----	----/*0.722A	1.083B/*0.722A	----	0.737 - 0.411	.1040	----	----	8	----	23 UNCH
9900	----	----	----/*0.700A	1.055B/*0.700A	----	0.713 - 0.403	.1008	----	----	----	----	68 UNCH
9925	----	----	----/*0.689A	1.035B/*0.689A	----	0.702 - 0.399	.0993	----	----	----	----	6 UNCH
10000	0.900	0.900	0.900/0.658A	0.993B/0.658A	----	0.670 - 0.387	.0949	----	----	153	----	1736 - 25
10100	0.750	0.750	0.750/*0.619A	0.934B/*0.619A	----	0.630 - 0.371	.0894	----	----	18	----	18 + 17
10125	----	----	----/*0.609A	0.916B/*0.609A	----	0.620 - 0.367	.0881	----	----	----	----	7 UNCH
10200	----	----	----/*0.583A	0.879B/*0.583A	----	0.592 - 0.356	.0842	----	----	----	----	101 UNCH
10250	----	----	----/*0.566A	0.851B/*0.566A	----	0.575 - 0.348	.0819	----	----	----	----	20 UNCH
10275	----	----	----/*0.558A	0.843B/*0.558A	----	0.567 - 0.344	.0807	----	----	----	----	10 UNCH
10375	----	----	----/*0.527A	0.793B/*0.527A	----	0.535 - 0.328	.0763	----	----	----	----	18 UNCH
10400	----	----	----/*0.520A	0.781B/*0.520A	----	0.528 - 0.324	.0753	----	----	----	----	1 UNCH
10475	----	----	----/*0.500A	0.746B/*0.500A	----	0.507 - 0.312	.0723	----	----	----	----	25 UNCH
10500	0.640	0.640	0.671/0.493A	0.734B/0.493A	----	0.500 - 0.308	.0713	----	----	28	----	583 - 11
10550	----	----	----/*0.480A	0.712B/*0.480A	----	0.488 - 0.299	.0695	----	----	----	----	1 UNCH
10600	----	----	----/*0.475A	0.691B/*0.475A	----	0.476 - 0.290	.0678	----	----	----	----	2 UNCH
10800	0.475	0.475	0.475/*0.431	0.613B/*0.431	----	0.433 - 0.258	.0615	----	----	2	----	35 - 1
10900	----	----	----/*0.497A	0.578B/*0.497A	----	0.414 NEW	.0587	----	----	2	----	2 + 2
11000	0.475	0.475	0.475/0.450	0.545B/0.450	----	0.397 - 0.226	.0562	----	----	40	----	1332 UNCH
11100	----	----	----/*0.463A	0.421B/*0.463A	----	0.381 - 0.211	.0538	----	----	----	----	10 UNCH
11200	----	----	----/*0.444A	0.359B/*0.444A	----	0.366 - 0.197	.0515	----	----	----	----	8 UNCH
11225	----	----	----/*0.441A	0.350B/*0.441A	----	0.362 - 0.194	.0509	----	----	----	----	3 UNCH
11300	----	----	----/*0.428A	0.325B/*0.428A	----	0.352 - 0.184	.0494	----	----	----	----	50 UNCH
11400	----	----	----/*0.413A	0.309B/*0.413A	----	0.338 - 0.172	.0473	----	----	----	----	19 UNCH
11425	----	----	----/*0.409A	0.336B/*0.409A	----	0.335 - 0.169	.0469	----	----	----	----	10 UNCH
11450	----	----	----/*0.405A	0.336B/*0.405A	----	0.331 - 0.167	.0463	----	----	----	----	3 UNCH
11500	----	----	----/*0.398A	0.293B/*0.398A	----	0.325 - 0.161	.0454	----	----	2	----	59 + 2
11600	----	----	----/*0.384A	0.258B/*0.384A	----	0.312 - 0.151	.0435	----	----	----	----	1 UNCH
11625	----	----	----/*0.380A	0.242B/*0.380A	----	0.309 - 0.149	.0431	----	----	----	----	2 UNCH
11650	----	----	----/*0.377A	0.258B/*0.377A	----	0.306 - 0.146	.0426	----	----	----	----	24 UNCH
11675	----	----	----/*0.374A	0.255B/*0.374A	----	0.303 - 0.144	.0422	----	----	----	----	22 UNCH
11700	----	----	----/*0.371A	0.264B/*0.371A	----	0.300 - 0.141	.0418	----	----	----	----	22 UNCH
11725	----	----	----/*0.367A	0.248B/*0.367A	----	0.298 - 0.138	.0414	----	----	----	----	22 UNCH
11750	----	----	----/*0.364A	0.245B/*0.364A	----	0.295 - 0.136	.0410	----	----	----	----	22 UNCH
11775	----	----	----/*0.361A	0.242B/*0.361A	----	0.292 - 0.134	.0406	----	----	----	----	22 UNCH
11800	----	----	----/*0.358A	0.227B/*0.358A	----	0.289 - 0.132	.0401	----	----	----	----	1 UNCH
11900	----	----	----/*0.346A	0.213B/*0.346A	----	0.278 - 0.124	.0385	----	----	----	----	1 UNCH
11950	----	----	----/*0.340A	0.200B/*0.340A	----	0.273 - 0.120	.0378	----	----	----	----	1 UNCH
12000	0.300	0.300	0.300/0.300	0.300/0.300	----	0.268 - 0.116	.0371	----	----	1	----	409 UNCH
12200	----	----	----/*0.315A	0.176B/*0.315A	----	0.249 - 0.102	.0343	----	----	----	----	1 UNCH
12225	----	----	----/*0.313A	0.191B/*0.313A	----	0.246 - 0.102	.0339	----	----	----	----	16 UNCH
12250	----	----	----/*0.311A	0.169B/*0.311A	----	0.244 - 0.100	.0336	----	----	----	----	6 UNCH
12300	----	----	----/*0.306A	0.196B/*0.306A	----	0.239 - 0.097	.0329	----	----	----	----	8 UNCH
12375	----	----	----/*0.299A	0.157B/*0.299A	----	0.233 - 0.093	.0320	----	----	----	----	1 UNCH
12425	----	----	----/*0.295A	0.153B/*0.295A	----	0.229 - 0.090	.0314	----	----	----	----	1 UNCH
12450	----	----	----/*0.293A	0.151B/*0.293A	----	0.227 - 0.089	.0311	----	----	----	----	1 UNCH
12475	----	----	----/*0.290A	0.148B/*0.290A	----	0.225 - 0.087	.0309	----	----	----	----	3 UNCH
12500	0.280	0.280	0.280/*0.260	0.280/*0.260	----	0.223 - 0.086	.0306	----	----	53	----	92 - 45
12600	----	----	----/*0.280A	0.138B/*0.280A	----	0.215 - 0.082	.0294	----	----	----	----	6 UNCH
12725	----	----	----/*0.270A	0.129B/*0.270A	----	0.205 - 0.078	.0280	----	----	----	----	1 UNCH
12800	----	----	----/*0.265A	0.124B/*0.265A	----	0.200 - 0.074	.0273	----	----	----	----	1 UNCH
13000	----	----	----/*0.252A	0.141B/*0.252A	----	0.186 - 0.069	.0253	----	----	----	----	572 UNCH
14000	0.163	0.163	0.163/0.163	0.163/0.163	----	0.135 - 0.049	.0181	----	----	1	----	794 + 1
14700	----	----	----	0.041B/*0.172A	----	0.111 - 0.041	.0147	----	----	----	----	1 UNCH
15000	----	----	----	0.069B/0.162A	----	0.103 - 0.037	.0135	----	----	----	----	710 UNCH
16000	----	----	----	0.053B/0.137A	----	0.081 - 0.030	.0104	----	----	----	----	749 UNCH
17000	----	----	----	0.050B/0.129A	----	0.066 - 0.024	.0083	----	----	----	----	26 UNCH
18000	0.074	0.074	0.074/0.074	0.074/0.074	----	0.054 - 0.020	.0067	----	----	1	----	257 UNCH
19000	----	----	----	0.001B/*0.109A	----	0.044 - 0.017	.0054	----	----	----	----	78 UNCH
20000	----	----	----	0.038B/*0.058A	----	0.037 - 0.013	.0045	----	----	----	----	1185 UNCH
21000	----	----	----	0.028B/0.121A	----	0.031 - 0.011	.0037	----	----	----	----	427 UNCH
24000	----	----	----	----/*0.038A	----	0.020 - 0.005	.0023	----	----	----	----	130 UNCH
25000	----	----	----	----/*0.035A	----	0.018 - 0.004	.0021	----	----	----	----	364 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
27000	----	----	----	----/*0.030A	----	0.015 - 0.002	.0017	----	----	----	----	4 UNCH
30000	----	----	----	----/*0.025A	----	0.012 - 0.001	.0013	----	----	----	----	23 UNCH
32000	----	----	----	----/*0.024A	----	0.011 UNCH	.0011	----	----	----	----	4 UNCH
35000	----	----	----	0.010B/*0.014A	----	0.010 UNCH	.0010	----	----	----	----	77 UNCH
TOTAL										1167	50	19729 - 91
AUG26												
5000	----	----	----/23.770A	24.692B/23.770A	----	24.536 - 1.816	.9534	----	----	----	----	2 UNCH
5400	----	----	----/20.108A	20.961B/20.108A	----	20.823 - 1.780	.9242	----	----	----	----	2 UNCH
5500	----	----	----/19.225A	20.057B/19.225A	----	19.922 - 1.768	.9146	----	----	----	----	1 UNCH
6300	----	----	----/12.822A	13.382B/12.822A	----	13.300 - 1.611	.7995	----	----	2	----	7 + 2
6450	----	----	----/11.785A	12.309B/11.785A	----	12.230 - 1.547	.7694	----	----	----	----	1 UNCH
6500	----	----	----/11.452A	11.955B/11.452A	----	11.885 - 1.525	.7590	----	----	----	----	2 UNCH
6600	----	----	----/10.806A	11.277B/10.806A	----	11.213 - 1.483	.7376	----	----	----	----	4 UNCH
6800	----	----	----/9.593A	10.088B/9.593A	----	9.946 - 1.398	.6928	----	----	----	----	7 UNCH
6875	----	----	----/9.166A	9.436B/9.166A	----	9.499 - 1.365	.6754	----	----	----	----	5 UNCH
7000	----	----	----/8.488A	8.699B/8.488A	----	8.789 - 1.309	.6460	----	----	----	----	3 UNCH
7025	----	----	----/8.358A	8.558B/8.358A	----	8.652 - 1.299	.6401	----	----	----	----	5 UNCH
7050	----	----	----/8.230A	8.416B/8.230A	----	8.517 - 1.287	.6342	----	----	----	----	2 UNCH
7100	----	----	----/7.977A	8.203B/7.977A	----	8.253 - 1.264	.6222	----	----	----	----	2 UNCH
7400	----	----	----/6.451A	6.786B/6.451A	----	6.816 - 1.168	.5507	----	----	----	----	2 UNCH
7425	----	----	----/6.346A	7.193B/6.346A	----	6.707 - 1.161	.5448	----	----	----	----	14 UNCH
7475	----	----	----/6.155A	7.132B/6.155A	----	6.493 - 1.148	.5331	----	----	----	----	6 UNCH
7500	----	----	----/6.046A	7.102B/6.046A	----	6.387 - 1.143	.5273	----	----	----	----	8 UNCH
7550	----	----	----/5.856A	6.773B/5.856A	----	6.181 - 1.132	.5157	----	----	----	----	4 UNCH
7600	----	----	----/5.885A	6.608B/5.885A	----	5.980 NEW	.5042	----	----	3	----	3 + 3
7625	----	----	----/*5.608A	6.402B/5.608A	----	5.882 - 1.116	.4984	----	----	----	----	18 UNCH
7700	----	----	----/*5.328A	6.171B/5.328A	----	5.595 - 1.100	.4815	----	----	5	----	6 + 5
7800	----	----	----/*5.033A	5.736B/5.033A	----	5.232 - 1.080	.4592	----	----	6	----	7 + 6
7900	----	----	----/*4.721A	5.370B/*4.721A	----	4.890 - 1.061	.4376	----	----	----	----	1 UNCH
7950	----	----	----/*4.591A	5.092B/*4.591A	----	4.728 - 1.050	.4270	----	----	----	----	9 UNCH
7975	----	----	----/*4.491A	4.999B/*4.491A	----	4.649 - 1.045	.4217	----	----	----	----	1 UNCH
8000	----	----	----/4.418A	4.998B/4.418A	----	4.571 - 1.040	.4165	----	----	----	----	35 UNCH
8100	----	----	----/*4.161A	4.670B/*4.161A	----	4.273 - 1.019	.3962	----	----	4	----	13 + 4
8200	----	----	----/*3.905A	4.356B/*3.905A	----	3.996 - 0.997	.3766	----	----	----	----	1 UNCH
8300	----	----	----/*3.688A	4.065B/*3.688A	----	3.741 - 0.972	.3579	----	----	----	----	3 UNCH
8400	----	----	----/*3.445A	3.795B/*3.445A	----	3.505 - 0.946	.3400	----	----	----	----	1 UNCH
8450	----	----	----/*3.383A	3.574B/*3.383A	----	3.394 - 0.932	.3314	----	----	----	----	2 UNCH
8500	----	----	----/*3.256A	3.544B/*3.256A	----	3.287 - 0.919	.3229	----	----	1	----	14 + 1
8600	----	----	----/*3.071A	3.312B/*3.071A	----	3.086 - 0.891	.3068	----	----	75	----	150 + 54
8650	----	----	----/*3.083A	3.109B/*3.083A	----	2.991 NEW	.2990	----	----	1	----	1 + 1
8775	----	----	----/*2.811A	2.928B/*2.811A	----	2.771 - 0.840	.2805	----	----	----	----	2 UNCH
8900	----	----	----/*2.635A	2.722B/*2.635A	----	2.571 - 0.804	.2632	----	----	1	----	8 + 1
8950	----	----	----/*2.550A	2.642B/*2.550A	----	2.497 - 0.789	.2567	----	----	----	----	6 UNCH
9000	----	----	----/2.481A	2.564B/2.481A	----	2.425 - 0.774	.2503	----	----	2	----	22 UNCH
9100	----	----	----/*2.336A	2.472B/*2.336A	----	2.290 - 0.745	.2381	----	----	----	----	84 UNCH
9200	----	----	----/*2.246A	2.291B/*2.246A	----	2.164 - 0.717	.2266	----	----	1	----	2 + 1
9250	----	----	----/*2.192A	2.227B/*2.192A	----	2.105 - 0.703	.2211	----	----	----	----	10 UNCH
9400	----	----	----/*1.997A	2.097B/*1.997A	----	1.939 - 0.663	.2055	----	----	----	----	106 UNCH
9450	----	----	----/*1.980A	1.998B/*1.980A	----	1.888 - 0.649	.2007	----	----	----	----	19 UNCH
9500	----	----	----/*1.932A	1.944B/*1.932A	----	1.838 - 0.637	.1959	----	----	----	----	3 UNCH
10000	----	----	----/1.530A	1.544B/1.530A	----	1.421 - 0.521	.1549	----	----	10	----	143 UNCH
10200	----	----	----/*1.550A	1.198B/*1.550A	----	1.288 - 0.482	.1414	----	----	----	----	4 UNCH
10400	----	----	----/*1.446A	1.156B/*1.446A	----	1.171 - 0.445	.1293	----	----	----	----	2 UNCH
10500	----	----	----/*1.387A	1.112B/*1.387A	----	1.117 - 0.429	.1237	----	----	----	----	7 UNCH
10800	----	----	----/*1.177A	0.941B/*1.177A	----	0.975 - 0.382	.1088	----	----	----	----	8 UNCH
11000	----	----	----/1.085A	0.924B/1.085A	----	0.893 - 0.355	.1000	----	----	10	----	12 + 8
11100	----	----	----/*1.060A	0.844B/*1.060A	----	0.856 - 0.342	.0960	----	----	----	----	20 UNCH
11200	----	----	----/*1.020A	0.807B/*1.020A	----	0.821 - 0.329	.0923	----	----	----	----	1 UNCH
11400	----	----	----/*0.820A	0.772B/*0.820A	----	0.756 - 0.306	.0852	----	----	----	----	2 UNCH
11500	----	----	----/*0.789A	0.765B/*0.789A	----	0.726 - 0.295	.0819	----	----	----	----	48 UNCH
11700	----	----	----/*0.737A	0.708B/*0.737A	----	0.671 - 0.275	.0759	----	----	----	----	2 UNCH
11850	----	----	----/*0.704A	0.666B/*0.704A	----	0.634 - 0.261	.0718	----	----	----	----	1 UNCH
12000	----	----	----/*0.697A	0.634B/*0.697A	----	0.599 - 0.248	.0679	----	----	----	----	2 UNCH
12500	----	----	----/*0.616A	0.530B/*0.616A	----	0.502 - 0.210	.0570	----	----	----	----	2 UNCH
13000	----	----	----/*0.545A	0.401B/*0.545A	----	0.426 - 0.180	.0484	----	----	----	----	56 UNCH
14000	----	----	----/*0.428A	0.280B/*0.428A	----	0.320 - 0.134	.0361	----	----	----	----	7 UNCH
15000	----	----	----/*0.348A	0.200B/*0.348A	----	0.252 - 0.104	.0281	----	----	----	----	36 UNCH
16000	----	----	----	0.146B/*0.294A	----	0.208 - 0.082	.0229	----	----	----	----	1 UNCH
17000	----	----	----	0.153B/*0.252A	----	0.167 - 0.068	.0182	----	----	----	----	4 UNCH
18000	0.194	0.194	0.194/*0.194	0.194/*0.194	----	0.138 - 0.056	.0150	----	----	1	----	4 UNCH
19000	----	----	----	0.058B/*0.195A	----	0.116 - 0.048	.0125	----	----	----	----	2 UNCH
20000	----	----	----	0.042B/*0.150A	----	0.099 - 0.042	.0106	----	----	1	----	218 UNCH
25000	----	----	----	0.001B/0.256A	----	0.054 - 0.022	.0055	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/0.236A	----	0.033 - 0.015	.0033	----	----	----	----	13 UNCH
32000	----	----	----	0.001B/*0.059A	----	0.026 - 0.012	.0026	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/*0.045A	----	0.019 - 0.009	.0018	----	----	----	----	2 UNCH
TOTAL										123	0	1205 + 86
SEP26												
5100	----	----	----/23.849A	23.127B/23.849A	----	23.797 - 1.836	.9312	----	----	----	----	1 UNCH
5900	----	----	----/17.308A	16.062B/17.308A	----	16.912 - 1.770	.8446	----	----	----	----	2 UNCH
6000	----	----	----/16.559A	15.262B/16.559A	----	16.126 - 1.757	.8297	----	----	----	----	7 UNCH
6700	----	----	----/11.727A	10.646B/11.727A	----	11.264 - 1.619	.7028	----	----	----	----	1 UNCH
7000	----	----	----/9.543A	9.216B/9.543A	----	9.562 - 1.532	.6403	----	----	----	----	121 UNCH
7125	----	----	----/9.409A	8.387B/9.409A	----	8.924 - 1.491	.6137	----	----	----	----	75 UNCH
7400	----	----	----/7.955A	7.307B/7.955A	----	7.664 - 1.394	.5557	----	----	----	----	104 UNCH
7500	----	----	----/7.617A	6.896B/7.617A	----	7.254 - 1.355	.5351	----	----	----	----	2 UNCH
7700	----	----	----/*6.895A	6.113B/6.895A	----	6.504 - 1.276	.4952	----	----	----	----	1 UNCH
8000	----	----	----/6.017A	5.146B/6.017A	----	5.538 - 1.158	.4392	----	----	----	----	101 UNCH
8200	----	----	----/*5.517A	4.580B/*5.517A	----	4.986 - 1.081	.4049	----	----	----	----	24 UNCH
8400	4.547	4.547	4.547/*4.547	4.547/*4.547	----	4.497 NEW	.3730	----	----	10	----	10 + 10
8500	----	----	----/*4.813A	3.926B/*4.813A	----	4.273 - 0.973	.3579	----	----	----	100	201 + 100
8600	----	----	----/*4.036A	3.718B/*4.036A	----	4.063 - 0.939	.3434	----	----	72	----	72 + 66
8675	----	----	----/*4.453A	3.578B/*4.453A	----	3.913 - 0.916	.3330	----	----	----	----	5 UNCH
8700	----	----	----/*4.406A	3.548B/*4.406A	----	3.865 - 0.907	.3296	----	----	----	----	100 UNCH
8800	----	----	----/*4.221A	3.356B/*4.221A	----	3.679 - 0.876	.3163	----	----	----	----	5 UNCH
9000	----	----	----/3.874A	3.050B/3.874A	----	3.339 - 0.817	.2915	----	----	----	----	186 UNCH
9500	----	----	----/*3.162A	2.386B/*3.162A	----	2.648 - 0.690	.2384	----	----	----	----	43 UNCH
9600	----	----	----/*3.041A	2.275B/*3.041A	----	2.533 - 0.668	.2292	----	----	----	----	25 UNCH
9750	----	----	----/*2.872A	2.119B/*2.872A	----	2.372 - 0.638	.2162	----	----	----	----	23 UNCH
9800	----	----	----/*2.817A	2.079B/*2.817A	----	2.322 - 0.627	.2121	----	----	2	----	132 + 2
9900	----	----	----/*2.715A	1.988B/*2.715A	----	2.225 - 0.609	.2041	----	----	----	----	59 UNCH
10000	2.500	2.500	2.500/2.219A	2.500/2.219A	----	2.134 - 0.590	.1965	----	----	8	----	297 + 7
10100	----	----	----/*2.523A	1.805B/*2.523A	----	2.048 - 0.573	.1893	----	----	----	----	2 UNCH
10200	----	----	----/*2.435A	1.726B/*2.435A	----	1.967 - 0.556	.1824	----	----	----	----	1 UNCH
10500	----	----	----/*2.187A	1.520B/*2.187A	----	1.749 - 0.509	.1636	----	----	----	----	115 UNCH
10800	----	----	----/*1.982A	1.329B/*1.982A	----	1.563 - 0.470	.1473	----	----	----	----	2 UNCH
11000	----	----	----/1.878A	1.220B/1.878A	----	1.455 - 0.445	.1376	----	----	----	----	190 UNCH
11300	----	----	----	1.044B/*1.738A	----	1.311 - 0.413	.1246	----	----	----	----	60 UNCH
11500	----	----	----	0.941B/*1.655A	----	1.226 - 0.393	.1169	----	----	----	----	70 UNCH
12000	----	----	----	0.725B/1.475A	----	1.045 - 0.349	.1002	----	----	----	----	117 UNCH
12500	----	----	----/*1.019A	0.792B/*1.019A	----	0.898 - 0.311	.0864	----	----	----	----	35 UNCH
13000	----	----	----/0.898A	0.742B/0.898A	----	0.778 - 0.277	.0751	----	----	----	----	36 UNCH
14000	----	----	----/0.717A	0.545B/0.717A	----	0.597 - 0.222	.0578	----	----	----	----	102 UNCH
15000	0.500	0.500	0.500/0.500	0.500/0.500	----	0.470 - 0.179	.0456	----	----	11	----	226 UNCH
16000	----	----	----/0.494A	0.314B/0.494A	----	0.379 - 0.147	.0367	----	----	----	----	18 UNCH
17000	----	----	----/0.424A	0.244B/0.424A	----	0.314 - 0.123	.0303	----	----	----	----	27 UNCH
18000	----	----	----	0.193B/0.375A	----	0.260 - 0.103	.0250	----	----	----	----	2 UNCH
19000	----	----	----	0.153B/0.330A	----	0.218 - 0.089	.0210	----	----	----	----	14 UNCH
20000	----	----	----	0.123B/0.296A	----	0.186 - 0.077	.0178	----	----	----	----	306 UNCH
21000	----	----	----	0.099B/*0.268A	----	0.161 - 0.068	.0154	----	----	----	----	1 UNCH
23000	----	----	----	0.063B/*0.226A	----	0.126 - 0.053	.0119	----	----	----	----	32 UNCH
25000	----	----	----	0.040B/*0.195A	----	0.102 - 0.044	.0095	----	----	----	----	14 UNCH
30000	----	----	----	0.001B/3.020A	----	0.072 - 0.030	.0065	----	----	----	----	18 UNCH
35000	----	----	----	0.001B/2.918A	----	0.035 - 0.017	.0032	----	----	----	----	27 UNCH
TOTAL										103	100	3012 + 185
OCT26												
3800	----	----	----	----	----	36.987 - 1.915	.9851	----	----	----	----	1 UNCH
7000	----	----	----/11.031A	10.343B/11.031A	----	10.820 - 1.534	.6496	----	----	----	----	2 UNCH
7100	----	----	----/10.388A	9.833B/10.388A	----	10.311 - 1.505	.6307	----	----	----	----	1 UNCH
7500	----	----	----/8.915A	8.010B/8.915A	----	8.503 - 1.388	.5560	----	----	----	----	1 UNCH
7650	----	----	----/8.340A	7.430B/8.340A	----	7.917 - 1.342	.5290	----	----	----	----	1 UNCH
7875	----	----	----/*7.713A	6.571B/7.713A	----	7.122 - 1.275	.4900	----	----	----	----	2 UNCH
8000	----	----	----/7.250A	6.213B/7.250A	----	6.722 - 1.237	.4694	----	----	----	----	4 UNCH
8075	----	----	----/*7.100A	5.977B/*7.100A	----	6.495 - 1.214	.4573	----	----	----	----	1 UNCH
8500	----	----	----/*5.451A	4.927B/*5.451A	----	5.381 - 1.086	.3944	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
OCT26												
8700	----	----	----/*5.548A	4.509B/*5.548A	----	4.944 - 1.027	.3680	----	----	----	----	4 UNCH
9000	----	----	----/4.957A	3.963B/4.957A	----	4.374 - 0.944	.3320	----	----	----	----	1 UNCH
9100	----	----	----/*4.785A	3.799B/*4.785A	----	4.205 - 0.916	.3210	----	----	----	----	73 UNCH
10000	----	----	----/3.509A	2.634B/3.509A	----	3.004 - 0.715	.2389	----	----	----	----	96 UNCH
11000	----	----	----/2.569A	1.804B/2.569A	----	2.130 - 0.563	.1751	----	----	----	----	3 UNCH
11100	----	----	----/*2.495A	1.741B/*2.495A	----	2.061 - 0.551	.1699	----	----	----	----	2 UNCH
11700	----	----	----/*2.151A	1.405B/*2.151A	----	1.704 - 0.485	.1426	----	----	----	----	2 UNCH
12000	----	----	----	1.241B/2.018A	----	1.557 - 0.454	.1311	----	----	----	----	65 UNCH
13000	----	----	----/1.459A	0.810B/1.459A	----	1.175 - 0.369	.1005	----	----	----	----	145 UNCH
14000	----	----	----/1.061A	0.855B/1.061A	----	0.916 - 0.299	.0790	----	----	----	----	2 UNCH
15000	----	----	----/0.875A	0.682B/0.875A	----	0.735 - 0.246	.0637	----	----	----	----	178 UNCH
16000	----	----	----/0.739A	0.536B/0.739A	----	0.607 - 0.205	.0526	----	----	----	----	4 UNCH
18000	----	----	----	0.347B/0.554A	----	0.392 - 0.143	.0346	----	----	----	----	340 UNCH
20000	----	----	----	0.235B/0.442A	----	0.273 - 0.104	.0243	----	----	----	----	225 UNCH
TOTAL											0	1154 0
NOV26												
6500	----	----	----	----/38.040A	----	14.387 - 1.635	.7308	----	----	----	----	1 UNCH
7000	----	----	----/11.902A	10.992B/11.902A	----	11.601 - 1.507	.6465	----	----	----	----	14 UNCH
7100	----	----	----/11.488A	10.514B/11.488A	----	11.111 - 1.479	.6294	----	----	----	----	14 UNCH
7500	----	----	----/9.806A	8.756B/9.806A	----	9.357 - 1.367	.5617	----	----	----	----	1 UNCH
7900	----	----	----/*8.480A	7.283B/8.480A	----	7.914 - 1.254	.4982	----	----	----	----	16 UNCH
8000	----	----	----/8.190A	6.972B/8.190A	----	7.597 - 1.226	.4833	----	----	----	----	10 UNCH
8200	----	----	----/*7.653A	6.420B/*7.653A	----	7.009 - 1.173	.4545	----	----	----	----	6 UNCH
9000	----	----	----/5.853A	4.687B/5.853A	----	5.185 - 0.981	.3562	----	----	----	----	1 UNCH
9550	----	----	----/*4.939A	3.833B/*4.939A	----	4.296 - 0.870	.3031	----	----	----	----	3 UNCH
9800	----	----	----/*4.581A	3.507B/*4.581A	----	3.961 - 0.825	.2822	----	----	----	----	3 UNCH
10000	----	----	----/4.325A	3.273B/4.325A	----	3.718 - 0.790	.2668	----	----	----	----	26 UNCH
12000	----	----	----/2.161A	1.724B/2.161A	----	2.104 - 0.518	.1588	----	----	----	----	13 UNCH
12500	----	----	----	1.485B/*2.343A	----	1.853 - 0.469	.1410	----	----	----	----	10 UNCH
13000	----	----	----	1.240B/2.152A	----	1.642 - 0.424	.1259	----	----	----	----	2 UNCH
14000	----	----	----	0.865B/1.840A	----	1.308 - 0.351	.1015	----	----	----	----	3 UNCH
15000	----	----	----/1.207A	0.897B/1.207A	----	1.063 - 0.293	.0832	----	----	----	----	5 UNCH
16000	----	----	----/1.032A	0.806B/1.032A	----	0.879 - 0.250	.0692	----	----	----	----	2 UNCH
17000	----	----	----/0.892A	0.657B/0.892A	----	0.741 - 0.217	.0585	----	----	----	----	1 UNCH
20000	----	----	----/0.630A	0.382B/0.630A	----	0.480 - 0.158	.0380	----	----	----	----	32 UNCH
21000	----	----	----	0.326B/*0.567A	----	0.422 - 0.145	.0334	----	----	----	----	2 UNCH
TOTAL											0	165 0
DEC26												
3875	----	----	----	----	----	36.338 - 1.905	.9696	----	----	----	----	1 UNCH
5250	----	----	----	----/55.440A	----	23.954 - 1.840	.8832	----	----	----	----	50 UNCH
5500	----	----	----	----/53.669A	----	21.930 - 1.815	.8577	----	----	----	----	1 UNCH
6500	----	----	----/15.695A	13.077B/15.695A	----	14.928 - 1.659	.7241	----	----	----	----	564 UNCH
6900	----	----	----/13.109A	11.840B/13.109A	----	12.718 - 1.570	.6611	----	----	----	----	1 UNCH
6950	----	----	----/12.876A	11.799B/12.876A	----	12.466 - 1.558	.6531	----	----	----	----	200 UNCH
7000	----	----	----/12.647A	11.562B/12.647A	----	12.220 - 1.545	.6451	----	----	----	----	120 UNCH
7025	----	----	----/12.949A	11.108B/12.949A	----	12.099 - 1.539	.6411	----	----	----	----	1 UNCH
7075	----	----	----/12.733A	11.045B/12.733A	----	11.861 - 1.525	.6331	----	----	----	----	5 UNCH
7100	----	----	----/12.196A	11.084B/12.196A	----	11.744 - 1.519	.6291	----	----	----	----	15 UNCH
7375	----	----	----/11.402A	9.577B/11.402A	----	10.539 - 1.440	.5856	----	----	----	----	2 UNCH
7500	----	----	----/10.590A	9.390B/10.590A	----	10.041 - 1.402	.5662	----	----	----	----	18 UNCH
7575	----	----	----/10.639A	8.822B/10.639A	----	9.756 - 1.378	.5549	----	----	----	----	1 UNCH
7750	----	----	----/*9.733A	8.428B/9.733A	----	9.131 - 1.321	.5290	----	----	----	----	2 UNCH
7800	----	----	----/*9.574A	8.265B/9.574A	----	8.962 - 1.305	.5218	----	----	----	----	1 UNCH
7925	----	----	----/9.441A	7.651B/9.441A	----	8.558 - 1.263	.5041	----	----	----	----	2 UNCH
8000	----	----	----/8.350A	7.628B/8.350A	----	8.328 - 1.237	.4938	----	----	----	----	127 UNCH
8100	----	----	----/*8.698A	7.328B/*8.698A	----	8.034 - 1.203	.4804	----	----	----	----	1 UNCH
8200	----	----	----/*8.433A	7.051B/*8.433A	----	7.754 - 1.170	.4673	----	----	----	----	21 UNCH
8400	----	----	----/*7.940A	6.527B/*7.940A	----	7.236 - 1.104	.4423	----	----	----	----	50 UNCH
8500	----	----	----/*7.710A	6.231B/*7.710A	----	6.996 - 1.071	.4304	----	----	----	----	150 UNCH
8550	----	----	----/*7.599A	6.114B/*7.599A	----	6.881 - 1.055	.4246	----	----	----	----	25 UNCH
8600	----	----	----/*7.491A	5.999B/*7.491A	----	6.768 - 1.039	.4189	----	----	----	----	7 UNCH
8800	----	----	----/*6.278A	5.565B/*6.278A	----	6.344 - 0.977	.3970	----	----	----	----	5 UNCH
8900	----	----	----/*6.890A	5.363B/*6.890A	----	6.147 - 0.947	.3866	----	----	----	----	2 UNCH
8950	----	----	----/*6.797A	5.265B/*6.797A	----	6.052 - 0.932	.3815	----	----	----	----	1 UNCH
9000	----	----	----/5.917A	5.170B/5.917A	----	5.959 - 0.918	.3765	----	----	----	----	229 UNCH
9050	----	----	----/*6.617A	5.076B/*6.617A	----	5.868 - 0.904	.3716	----	----	----	----	100 UNCH
9300	----	----	----/*6.195A	4.634B/*6.195A	----	5.445 - 0.836	.3483	----	----	----	----	1 UNCH
9500	----	----	----/*5.888A	4.318B/*5.888A	----	5.137 - 0.788	.3310	----	----	----	----	10 UNCH
9700	----	----	----/*5.581A	4.018B/*5.581A	----	4.853 - 0.744	.3148	----	----	----	----	1 UNCH
9800	----	----	----	3.880B/*5.443A	----	4.719 - 0.724	.3071	----	----	1	----	26 + 1
9900	----	----	----	3.755B/*5.299A	----	4.589 - 0.705	.2996	----	----	----	----	3 UNCH
10000	----	----	----/4.423A	4.000B/4.423A	----	4.464 - 0.687	.2923	----	----	1	----	782 + 1
10025	----	----	----	3.605B/*5.133A	----	4.433 - 0.683	.2905	----	----	----	----	3 UNCH
10500	----	----	----	3.099B/*4.570A	----	3.892 - 0.617	.2588	----	----	----	----	2 UNCH
10600	----	----	----	3.004B/*4.458A	----	3.787 - 0.606	.2526	----	----	----	----	6 UNCH
10800	----	----	----/*3.588A	2.823B/*3.588A	----	3.588 - 0.586	.2407	----	----	4	----	5 + 4
11000	----	----	----	2.656B/4.046A	----	3.400 - 0.570	.2295	----	----	4	----	93 + 2
11350	----	----	----	2.391B/*3.736A	----	3.097 - 0.547	.2112	----	----	----	----	5 UNCH
11800	----	----	----	2.095B/*3.414A	----	2.752 - 0.524	.1901	----	----	----	----	25 UNCH
12000	2.750	2.750	2.750/2.619A	2.750/2.619A	----	2.613 - 0.516	.1814	----	----	4	----	480 + 2
12200	----	----	----	1.867B/*3.147A	----	2.483 - 0.508	.1733	----	----	----	----	1 UNCH
12500	----	----	----	1.715B/*2.965A	----	2.303 - 0.497	.1620	----	----	2	----	45 + 2
13000	----	----	----	1.493B/2.715A	----	2.039 - 0.479	.1450	----	----	----	----	386 UNCH
14000	----	----	----	1.045B/2.369A	----	1.630 - 0.436	.1179	----	----	----	----	56 UNCH
14200	----	----	----	0.969B/*2.310A	----	1.564 - 0.426	.1134	----	----	----	----	1 UNCH
15000	----	----	----	0.714B/2.099A	----	1.336 - 0.388	.0977	----	----	----	----	1828 UNCH
16000	----	----	----	0.778B/1.878A	----	1.120 - 0.341	.0825	----	----	----	----	1615 UNCH
17000	----	----	----/1.198A	0.835B/1.198A	----	0.956 - 0.297	.0706	----	----	----	----	50 UNCH
18000	----	----	----/1.055A	0.691B/1.055A	----	0.830 - 0.256	.0614	----	----	----	----	7 UNCH
19000	----	----	----/0.944A	0.578B/0.944A	----	0.729 - 0.222	.0539	----	----	----	----	1 UNCH
20000	----	----	----	0.601B/0.853A	----	0.646 - 0.193	.0478	----	----	----	----	262 UNCH
21000	----	----	----	0.413B/*0.777A	----	0.576 - 0.169	.0426	----	----	----	----	4 UNCH
23000	----	----	----	0.302B/*0.659A	----	0.466 - 0.134	.0344	----	----	----	----	4 UNCH
25000	----	----	----	0.377B/*0.572A	----	0.385 - 0.111	.0284	----	----	----	----	237 UNCH
30000	0.287	0.287	0.287/*0.287	0.287/*0.287	----	0.267 - 0.077	.0194	----	----	1	----	113 + 1
40000	----	----	----/*0.204A	0.150B/*0.204A	----	0.170 - 0.050	.0119	----	----	----	----	23 UNCH
90000	----	----	----	0.002B/0.400A	----	0.060 - 0.018	.0038	----	----	----	----	2 UNCH
TOTAL										17	0	7779 + 13
JAN27												
7550	----	----	----/*11.515A	10.179B/*11.515A	----	10.922 - 1.400	.5740	----	----	----	----	2 UNCH
7650	----	----	----/*11.161A	9.799B/*11.161A	----	10.544 - 1.376	.5600	----	----	----	----	6 UNCH
10000	----	----	----	4.392B/*6.080A	----	5.025 - 0.885	.3113	----	----	----	----	6 UNCH
11000	----	----	----	3.180B/*4.969A	----	3.849 - 0.734	.2467	----	----	----	----	6 UNCH
12500	----	----	----	2.010B/*3.842A	----	2.737 - 0.568	.1807	----	----	----	----	1 UNCH
13000	2.645	2.645	2.645/*2.601A	2.645/*2.601A	----	2.550 - 0.534	.1675	----	----	6	----	7 + 6
14000	2.200	2.200	#2.200/*2.200	2.200/*2.200	----	2.285 - 0.479	.1476	----	----	1	----	1 UNCH
14500	----	----	----	1.056B/*2.927A	----	2.187 - 0.459	.1399	----	----	----	----	400 UNCH
15000	----	----	----	0.887B/*2.765A	----	2.108 - 0.441	.1334	----	----	----	----	400 UNCH
TOTAL										7	0	829 + 6
FEB27												
9000	----	----	----/8.286A	6.599B/8.286A	----	7.358 - 1.035	.4111	----	----	----	----	1 UNCH
30000	----	----	----	0.149B/*0.789A	----	0.368 - 0.103	.0252	----	----	----	----	1 UNCH
TOTAL											0	2 0
MAR27												
8000	----	----	----	8.857B/*12.136A	----	10.487 - 1.271	.5260	----	----	----	----	200 UNCH
9000	----	----	----	6.407B/*9.590A	----	7.928 - 1.055	.4224	----	----	----	----	35 UNCH
9200	----	----	----	6.028B/*9.186A	----	7.531 - 1.020	.4048	----	----	----	----	25 UNCH
30000	----	----	----	0.226B/*0.927A	----	0.738 - 0.170	.0437	----	----	----	----	2 UNCH
TOTAL											0	262 0
JUL27												
2000	----	----	----	----	----	56.718 - 1.973	.9941	----	----	----	----	1 UNCH
10000	----	----	----	----	----	10.059 - 0.863	.4250	----	----	----	----	1 UNCH
10300	----	----	----	----	----	9.613 - 0.831	.4085	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	39.560 - 1.826	.9127	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.098 - 0.485	.2309	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
MAY26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO PUT COMEX SILVER OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
4000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
5000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
5500	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6800	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6900	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
6950	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7100	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7200	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7250	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7300	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7350	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7370	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7400	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7450	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7470	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7475	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7480	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7500	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0	UNCH
7525	----	----	----	----	----	0.225	UNCH	----	----	----	----	----	0	UNCH
7530	----	----	----	----	----	0.275	UNCH	----	----	----	----	----	0	UNCH
7535	----	----	----	----	----	0.325	UNCH	----	----	----	----	----	0	UNCH
7540	----	----	----	----	----	0.375	UNCH	----	----	----	----	----	0	UNCH
7545	----	----	----	----	----	0.425	UNCH	----	----	----	----	----	0	UNCH
7550	----	----	----	----	----	0.475	UNCH	----	----	----	----	----	0	UNCH
7555	----	----	----	----	----	0.525	UNCH	----	----	----	----	----	0	UNCH
7560	----	----	----	----	----	0.575	UNCH	----	----	----	----	----	0	UNCH
7565	----	----	----	----	----	0.625	UNCH	----	----	----	----	----	0	UNCH
7570	----	----	----	----	----	0.675	UNCH	----	----	----	----	----	0	UNCH
7575	----	----	----	----	----	0.725	UNCH	----	----	----	----	----	0	UNCH
7580	----	----	----	----	----	0.775	UNCH	----	----	----	----	----	0	UNCH
7585	----	----	----	----	----	0.825	UNCH	----	----	----	----	----	0	UNCH
7590	----	----	----	----	----	0.875	UNCH	----	----	----	----	----	0	UNCH
7595	----	----	----	----	----	0.925	UNCH	----	----	----	----	----	0	UNCH
7600	----	----	----	----	----	0.975	UNCH	----	----	----	----	----	0	UNCH
7605	----	----	----	----	----	1.025	UNCH	----	----	----	----	----	0	UNCH
7610	----	----	----	----	----	1.075	UNCH	----	----	----	----	----	0	UNCH
7615	----	----	----	----	----	1.125	UNCH	----	----	----	----	----	0	UNCH
7620	----	----	----	----	----	1.175	UNCH	----	----	----	----	----	0	UNCH
7625	----	----	----	----	----	1.225	UNCH	----	----	----	----	----	0	UNCH
7630	----	----	----	----	----	1.275	UNCH	----	----	----	----	----	0	UNCH
7635	----	----	----	----	----	1.325	UNCH	----	----	----	----	----	0	UNCH
7645	----	----	----	----	----	1.425	UNCH	----	----	----	----	----	0	UNCH
7650	----	----	----	----	----	1.475	UNCH	----	----	----	----	----	0	UNCH
7655	----	----	----	----	----	1.525	UNCH	----	----	----	----	----	0	UNCH
7660	----	----	----	----	----	1.575	UNCH	----	----	----	----	----	0	UNCH
7665	----	----	----	----	----	1.625	UNCH	----	----	----	----	----	0	UNCH
7670	----	----	----	----	----	1.675	UNCH	----	----	----	----	----	0	UNCH
7675	----	----	----	----	----	1.725	UNCH	----	----	----	----	----	0	UNCH
7680	----	----	----	----	----	1.775	UNCH	----	----	----	----	----	0	UNCH
7685	----	----	----	----	----	1.825	UNCH	----	----	----	----	----	0	UNCH
7690	----	----	----	----	----	1.875	UNCH	----	----	----	----	----	0	UNCH
7695	----	----	----	----	----	1.925	UNCH	----	----	----	----	----	0	UNCH
7700	----	----	----	----	----	1.975	UNCH	----	----	----	----	----	0	UNCH
7705	----	----	----	----	----	2.025	UNCH	----	----	----	----	----	0	UNCH
7710	----	----	----	----	----	2.075	UNCH	----	----	----	----	----	0	UNCH
7715	----	----	----	----	----	2.125	UNCH	----	----	----	----	----	0	UNCH
7720	----	----	----	----	----	2.175	UNCH	----	----	----	----	----	0	UNCH
7725	----	----	----	----	----	2.225	UNCH	----	----	----	----	----	0	UNCH
7730	----	----	----	----	----	2.275	UNCH	----	----	----	----	----	0	UNCH
7735	----	----	----	----	----	2.325	UNCH	----	----	----	----	----	0	UNCH
7740	----	----	----	----	----	2.375	UNCH	----	----	----	----	----	0	UNCH
7745	----	----	----	----	----	2.425	UNCH	----	----	----	----	----	0	UNCH
7750	----	----	----	----	----	2.475	UNCH	----	----	----	----	----	0	UNCH
7755	----	----	----	----	----	2.525	UNCH	----	----	----	----	----	0	UNCH
7760	----	----	----	----	----	2.575	UNCH	----	----	----	----	----	0	UNCH
7765	----	----	----	----	----	2.625	UNCH	----	----	----	----	----	0	UNCH
7770	----	----	----	----	----	2.675	UNCH	----	----	----	----	----	0	UNCH
7775	----	----	----	----	----	2.725	UNCH	----	----	----	----	----	0	UNCH
7780	----	----	----	----	----	2.775	UNCH	----	----	----	----	----	0	UNCH
7785	----	----	----	----	----	2.825	UNCH	----	----	----	----	----	0	UNCH
7790	----	----	----	----	----	2.875	UNCH	----	----	----	----	----	0	UNCH
7800	----	----	----	----	----	2.975	UNCH	----	----	----	----	----	0	UNCH
7805	----	----	----	----	----	3.025	UNCH	----	----	----	----	----	0	UNCH
7810	----	----	----	----	----	3.075	UNCH	----	----	----	----	----	0	UNCH
7815	----	----	----	----	----	3.125	UNCH	----	----	----	----	----	0	UNCH
7820	----	----	----	----	----	3.175	UNCH	----	----	----	----	----	0	UNCH
7825	----	----	----	----	----	3.225	UNCH	----	----	----	----	----	0	UNCH
7830	----	----	----	----	----	3.275	UNCH	----	----	----	----	----	0	UNCH
7835	----	----	----	----	----	3.325	UNCH	----	----	----	----	----	0	UNCH
7840	----	----	----	----	----	3.375	UNCH	----	----	----	----	----	0	UNCH
7845	----	----	----	----	----	3.425	UNCH	----	----	----	----	----	0	UNCH
7850	----	----	----	----	----	3.475	UNCH	----	----	----	----	----	0	UNCH
7855	----	----	----	----	----	3.525	UNCH	----	----	----	----	----	0	UNCH
7860	----	----	----	----	----	3.575	UNCH	----	----	----	----	----	0	UNCH
7865	----	----	----	----	----	3.625	UNCH	----	----	----	----	----	0	UNCH
7870	----	----	----	----	----	3.675	UNCH	----	----	----	----	----	0	UNCH
7875	----	----	----	----	----	3.725	UNCH	----	----	----	----	----	0	UNCH
7880	----	----	----	----	----	3.775	UNCH	----	----	----	----	----	0	UNCH
7885	----	----	----	----	----	3.825	UNCH	----	----	----	----	----	0	UNCH
7890	----	----	----	----	----	3.875	UNCH	----	----	----	----	----	0	UNCH
7895	----	----	----	----	----	3.925	UNCH	----	----	----	----	----	0	UNCH
7900	----	----	----	----	----	3.975	UNCH	----	----	----	----	----	0	UNCH
7905	----	----	----	----	----	4.025	UNCH	----	----	----	----	----	0	UNCH
7910	----	----	----	----	----	4.075	UNCH	----	----	----	----	----	0	UNCH
7915	----	----	----	----	----	4.125	UNCH	----	----	----	----	----	0	UNCH
7920	----	----	----	----	----	4.175	UNCH	----	----	----	----	----	0	UNCH
7925	----	----	----	----	----	4.225	UNCH	----	----	----	----	----	0	UNCH
7930	----	----	----	----	----	4.275	UNCH	----	----	----	----	----	0	UNCH
7935	----	----	----	----	----	4.325	UNCH	----	----	----	----	----	0	UNCH
7940	----	----	----	----	----	4.375	UNCH	----	----	----	----	----	0	UNCH
7945	----	----	----	----	----	4.425	UNCH	----	----	----	----	----	0	UNCH
7950	----	----	----	----	----	4.475	UNCH	----	----	----	----	----	0	UNCH
7955	----	----	----	----	----	4.525	UNCH	----	----	----	----	----	0	UNCH
7960	----	----	----	----	----	4.575	UNCH	----	----	----	----	----	0	UNCH
7965	----	----	----	----	----	4.625	UNCH	----	----	----	----	----	0	UNCH
7970	----	----	----	----	----	4.675	UNCH	----	----	----	----	----	0	UNCH
7975	----	----	----	----	----	4.725	UNCH	----	----	----	----	----	0	UNCH
7980	----	----	----	----	----	4.775	UNCH	----	----	----	----	----	0	UNCH
7985	----	----	----	----	----	4.825	UNCH	----	----	----	----	----	0	UNCH
7990	----	----	----	----	----	4.875	UNCH	----	----	----	----	----	0	UNCH
7995	----	----	----	----	----	4.925	UNCH	----	----	----	----	----	0	UNCH
8000	----	----	----	----	----	4.975	UNCH	----	----	----	----	----	0	UNCH
8005	----	----	----	----	----	5.025	UNCH	----	----	----	----	----	0	UNCH
8010	----	----	----	----	----	5.075	UNCH	----	----	----	----	----	0	UNCH
8020	----	----	----	----	----	5.175	UNCH	----	----	----	----	----	0	UNCH
8025	----	----	----	----	----	5.225	UNCH	----	----	----	----	----	0	UNCH
8030	----	----	----	----	----	5.275	UNCH	----	----	----	----	----	0	UNCH
8035	----	----	----	----	----	5.325	UNCH	----	----	----	----	----	0	UNCH
8040	----	----	----	----	----	5.375	UNCH	----	----	----	----	----	0	UNCH
8050	----	----	----	----	----	5.475	UNCH	----	----	----	----	----	0	UNCH
8055	----	----	----	----	----	5.525	UNCH	----	----	----	----	----	0	UNCH
8060	----	----	----	----	----	5.575	UNCH	----	----	----	----	----	0	UNCH
8065	----	----	----	----	----	5.625	UNCH	----	----	----	----	----	0	UNCH
8070	----	----	----	----	----	5.675	UNCH	----	----	----	----	----	0	UNCH
8075	----	----	----	----	----	5.725	UNCH	----	----	----	----	----	0	UNCH
8080	----	----	----	----	----	5.775	UNCH	----	----	----	----	----	0	UNCH
8085	----	----	----	----	----	5.825	UNCH	----	----	----	----	----	0	UNCH
8090	----	----	----	----	----	5.875	UNCH	----	----	----	----	----	0	UNCH
8095	----	----	----	----	----	5.925	UNCH	----	----	----	----	----	0	UNCH
8100	----	----	----	----	----	5.975	UNCH	----	----	----	----	----	0	UNCH
8105	----	----	----	----	----	6.025	UNCH	----	----	----	----	----	0	UNCH
8110	----	----	----	----	----	6.075	UNCH	----	----	----	----	----	0	UNCH
8125	----	----	----	----	----	6.225	UNCH	----	----	----	----	----	0	UNCH
8150	----	----	----	----	----	6.475	UNCH	----	----	----	----	----	0	UNCH
8175	----	----	----	----	----	6.725	UNCH	----	----	----	----	----	0	UNCH
8195	----	----	----	----	----	6.925	UNCH	----	----	----	----	----	0	UNCH
8200	----	----	----	----	----	6.975	UNCH	----	----	----	----	----	0	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 52

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
MAY26														
8205	----	----	----	----	----	7.025	UNCH	----	----	----	----	----	0	UNCH
8210	----	----	----	----	----	7.075	UNCH	----	----	----	----	----	0	UNCH
8215	----	----	----	----	----	7.125	UNCH	----	----	----	----	----	0	UNCH
8220	----	----	----	----	----	7.175	UNCH	----	----	----	----	----	0	UNCH
8225	----	----	----	----	----	7.225	UNCH	----	----	----	----	----	0	UNCH
8230	----	----	----	----	----	7.275	UNCH	----	----	----	----	----	0	UNCH
8240	----	----	----	----	----	7.375	UNCH	----	----	----	----	----	0	UNCH
8245	----	----	----	----	----	7.425	UNCH	----	----	----	----	----	0	UNCH
8250	----	----	----	----	----	7.475	UNCH	----	----	----	----	----	0	UNCH
8255	----	----	----	----	----	7.525	UNCH	----	----	----	----	----	0	UNCH
8260	----	----	----	----	----	7.575	UNCH	----	----	----	----	----	0	UNCH
8265	----	----	----	----	----	7.625	UNCH	----	----	----	----	----	0	UNCH
8270	----	----	----	----	----	7.675	UNCH	----	----	----	----	----	0	UNCH
8275	----	----	----	----	----	7.725	UNCH	----	----	----	----	----	0	UNCH
8280	----	----	----	----	----	7.775	UNCH	----	----	----	----	----	0	UNCH
8285	----	----	----	----	----	7.825	UNCH	----	----	----	----	----	0	UNCH
8290	----	----	----	----	----	7.875	UNCH	----	----	----	----	----	0	UNCH
8295	----	----	----	----	----	7.925	UNCH	----	----	----	----	----	0	UNCH
8300	----	----	----	----	----	7.975	UNCH	----	----	----	----	----	0	UNCH
8305	----	----	----	----	----	8.025	UNCH	----	----	----	----	----	0	UNCH
8315	----	----	----	----	----	8.125	UNCH	----	----	----	----	----	0	UNCH
8320	----	----	----	----	----	8.175	UNCH	----	----	----	----	----	0	UNCH
8325	----	----	----	----	----	8.225	UNCH	----	----	----	----	----	0	UNCH
8330	----	----	----	----	----	8.275	UNCH	----	----	----	----	----	0	UNCH
8335	----	----	----	----	----	8.325	UNCH	----	----	----	----	----	0	UNCH
8340	----	----	----	----	----	8.375	UNCH	----	----	----	----	----	0	UNCH
8350	----	----	----	----	----	8.475	UNCH	----	----	----	----	----	0	UNCH
8355	----	----	----	----	----	8.525	UNCH	----	----	----	----	----	0	UNCH
8360	----	----	----	----	----	8.575	UNCH	----	----	----	----	----	0	UNCH
8375	----	----	----	----	----	8.725	UNCH	----	----	----	----	----	0	UNCH
8385	----	----	----	----	----	8.825	UNCH	----	----	----	----	----	0	UNCH
8395	----	----	----	----	----	8.925	UNCH	----	----	----	----	----	0	UNCH
8400	----	----	----	----	----	8.975	UNCH	----	----	----	----	----	0	UNCH
8405	----	----	----	----	----	9.025	UNCH	----	----	----	----	----	0	UNCH
8410	----	----	----	----	----	9.075	UNCH	----	----	----	----	----	0	UNCH
8415	----	----	----	----	----	9.125	UNCH	----	----	----	----	----	0	UNCH
8420	----	----	----	----	----	9.175	UNCH	----	----	----	----	----	0	UNCH
8425	----	----	----	----	----	9.225	UNCH	----	----	----	----	----	0	UNCH
8430	----	----	----	----	----	9.275	UNCH	----	----	----	----	----	0	UNCH
8445	----	----	----	----	----	9.425	UNCH	----	----	----	----	----	0	UNCH
8450	----	----	----	----	----	9.475	UNCH	----	----	----	----	----	0	UNCH
8455	----	----	----	----	----	9.525	UNCH	----	----	----	----	----	0	UNCH
8460	----	----	----	----	----	9.575	UNCH	----	----	----	----	----	0	UNCH
8475	----	----	----	----	----	9.725	UNCH	----	----	----	----	----	0	UNCH
8480	----	----	----	----	----	9.775	UNCH	----	----	----	----	----	0	UNCH
8490	----	----	----	----	----	9.875	UNCH	----	----	----	----	----	0	UNCH
8495	----	----	----	----	----	9.925	UNCH	----	----	----	----	----	0	UNCH
8500	----	----	----	----	----	9.975	UNCH	----	----	----	----	----	0	UNCH
8515	----	----	----	----	----	10.125	UNCH	----	----	----	----	----	0	UNCH
8535	----	----	----	----	----	10.325	UNCH	----	----	----	----	----	0	UNCH
8545	----	----	----	----	----	10.425	UNCH	----	----	----	----	----	0	UNCH
8550	----	----	----	----	----	10.475	UNCH	----	----	----	----	----	0	UNCH
8555	----	----	----	----	----	10.525	UNCH	----	----	----	----	----	0	UNCH
8560	----	----	----	----	----	10.575	UNCH	----	----	----	----	----	0	UNCH
8565	----	----	----	----	----	10.625	UNCH	----	----	----	----	----	0	UNCH
8570	----	----	----	----	----	10.675	UNCH	----	----	----	----	----	0	UNCH
8575	----	----	----	----	----	10.725	UNCH	----	----	----	----	----	0	UNCH
8580	----	----	----	----	----	10.775	UNCH	----	----	----	----	----	0	UNCH
8585	----	----	----	----	----	10.825	UNCH	----	----	----	----	----	0	UNCH
8590	----	----	----	----	----	10.875	UNCH	----	----	----	----	----	0	UNCH
8600	----	----	----	----	----	10.975	UNCH	----	----	----	----	----	0	UNCH
8605	----	----	----	----	----	11.025	UNCH	----	----	----	----	----	0	UNCH
8620	----	----	----	----	----	11.175	UNCH	----	----	----	----	----	0	UNCH
8630	----	----	----	----	----	11.275	UNCH	----	----	----	----	----	0	UNCH
8640	----	----	----	----	----	11.375	UNCH	----	----	----	----	----	0	UNCH
8645	----	----	----	----	----	11.425	UNCH	----	----	----	----	----	0	UNCH
8650	----	----	----	----	----	11.475	UNCH	----	----	----	----	----	0	UNCH
8655	----	----	----	----	----	11.525	UNCH	----	----	----	----	----	0	UNCH
8665	----	----	----	----	----	11.625	UNCH	----	----	----	----	----	0	UNCH
8670	----	----	----	----	----	11.675	UNCH	----	----	----	----	----	0	UNCH
8675	----	----	----	----	----	11.725	UNCH	----	----	----	----	----	0	UNCH
8685	----	----	----	----	----	11.825	UNCH	----	----	----	----	----	0	UNCH
8695	----	----	----	----	----	11.925	UNCH	----	----	----	----	----	0	UNCH
8700	----	----	----	----	----	11.975	UNCH	----	----	----	----	----	0	UNCH
8705	----	----	----	----	----	12.025	UNCH	----	----	----	----	----	0	UNCH
8725	----	----	----	----	----	12.225	UNCH	----	----	----	----	----	0	UNCH
8750	----	----	----	----	----	12.475	UNCH	----	----	----	----	----	0	UNCH
8775	----	----	----	----	----	12.725	UNCH	----	----	----	----	----	0	UNCH
8800	----	----	----	----	----	12.975	UNCH	----	----	----	----	----	0	UNCH
8825	----	----	----	----	----	13.225	UNCH	----	----	----	----	----	0	UNCH
8850	----	----	----	----	----	13.475	UNCH	----	----	----	----	----	0	UNCH
8875	----	----	----	----	----	13.725	UNCH	----	----	----	----	----	0	UNCH
8900	----	----	----	----	----	13.975	UNCH	----	----	----	----	----	0	UNCH
8925	----	----	----	----	----	14.225	UNCH	----	----	----	----	----	0	UNCH
8950	----	----	----	----	----	14.475	UNCH	----	----	----	----	----	0	UNCH
8975	----	----	----	----	----	14.725	UNCH	----	----	----	----	----	0	UNCH
9000	----	----	----	----	----	14.975	UNCH	----	----	----	----	----	0	UNCH
9025	----	----	----	----	----	15.225	UNCH	----	----	----	----	----	0	UNCH
9050	----	----	----	----	----	15.475	UNCH	----	----	----	----	----	0	UNCH
9075	----	----	----	----	----	15.725	UNCH	----	----	----	----	----	0	UNCH
9100	----	----	----	----	----	15.975	UNCH	----	----	----	----	----	0	UNCH
9150	----	----	----	----	----	16.475	UNCH	----	----	----	----	----	0	UNCH
9175	----	----	----	----	----	16.725	UNCH	----	----	----	----	----	0	UNCH
9200	----	----	----	----	----	16.975	UNCH	----	----	----	----	----	0	UNCH
9225	----	----	----	----	----	17.225	UNCH	----	----	----	----	----	0	UNCH
9250	----	----	----	----	----	17.475	UNCH	----	----	----	----	----	0	UNCH
9275	----	----	----	----	----	17.725	UNCH	----	----	----	----	----	0	UNCH
9300	----	----	----	----	----	17.975	UNCH	----	----	----	----	----	0	UNCH
9375	----	----	----	----	----	18.725	UNCH	----	----	----	----	----	0	UNCH
9400	----	----	----	----	----	18.975	UNCH	----	----	----	----	----	0	UNCH
9450	----	----	----	----	----	19.475	UNCH	----	----	----	----	----	0	UNCH
9475	----	----	----	----	----	19.725	UNCH	----	----	----	----	----	0	UNCH
9500	----	----	----	----	----	19.975	UNCH	----	----	----	----	----	0	UNCH
9550	----	----	----	----	----	20.475	UNCH	----	----	----	----	----	0	UNCH
9600	----	----	----	----	----	20.975	UNCH	----	----	----	----	----	0	UNCH
9700	----	----	----	----	----	21.975	UNCH	----	----	----	----	----	0	UNCH
9775	----	----	----	----	----	22.725	UNCH	----	----	----	----	----	0	UNCH
9900	----	----	----	----	----	23.975	UNCH	----	----	----	----	----	0	UNCH
10000	----	----	----	----	----	24.975	UNCH	----	----	----	----	----	0	UNCH
10050	----	----	----	----	----	25.475	UNCH	----	----	----	----	----	0	UNCH
10100	----	----	----	----	----	25.975	UNCH	----	----	----	----	----	0	UNCH
10225	----	----	----	----	----	27.225	UNCH	----	----	----	----	----	0	UNCH
10250	----	----	----	----	----	27.475	UNCH	----	----	----	----	----	0	UNCH
10300	----	----	----	----	----	27.975	UNCH	----	----	----	----	----	0	UNCH
10350	----	----	----	----	----	28.475	UNCH	----	----	----	----	----	0	UNCH
10400	----	----	----	----	----	28.975	UNCH	----	----	----	----	----	0	UNCH
10450	----	----	----	----	----	29.475	UNCH	----	----	----	----	----	0	UNCH
10475	----	----	----	----	----	29.725	UNCH	----	----	----	----	----	0	UNCH
10500	----	----	----	----	----	29.975	UNCH	----	----	----	----	----	0	UNCH
10550	----	----	----	----	----	30.475	UNCH	----	----	----	----	----	0	UNCH
10595	----	----	----	----	----	30.925	UNCH	----	----	----	----	----	0	UNCH
10600	----	----	----	----	----	30.975	UNCH	----	----	----	----	----	0	UNCH
10675	----	----	----	----	----	31.725	UNCH	----	----	----	----	----	0	UNCH
10700	----	----	----	----	----	31.975	UNCH	----	----	----	----	----	0	UNCH
10800	----	----	----	----	----	32.975	UNCH	----	----	----	----	----	0	UNCH
11200	----	----	----	----	----	36.975	UNCH	----	----	----	----	----	0	UNCH
11500	----	----	----	----	----	39.975	UNCH	----	----	----	----	----	0	UNCH
11800	----	----	----	----	----	42.975	UNCH	----	----	----	----	----	0	UNCH
11875	----	----	----	----	----	43.725	UNCH	----	----	----	----	----	0	UNCH
12300	----	----	----	----	----	47.975	UNCH	----	----	----	----	----	0	UNCH
12700	----	----	----	----	----	51.975	UNCH	----	----	----	----	----	0	UNCH
TOTAL												0	0	0
JUN26														
2100	----	----	----	----/0.004A	----	0.001	UNCH	.0000	----	----	----	----	1	UNCH
2350	----	----	----	----/0.384A	----	0.003	UNCH	.0003	----	----	----	----	2	UNCH
2500	----	----	----	0.001B/0.010A	----	0.005	UNCH	.0005	----	----	----	----	141	UNCH
2650	----	----	----	----/0.377A	----	0.007	UNCH	.0007	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
3000	0.006	0.006	0.006/*0.006	0.006/*0.006	----	0.012 UNCH	.0013	----	----	1	----	245 + 1
3075	----	----	----	----/0.044A	----	0.013 UNCH	.0015	----	----	----	----	4 UNCH
3100	----	----	----	----/*0.045A	----	0.013 - 0.001	.0015	----	----	----	----	3 UNCH
3150	----	----	----	----/*0.046A	----	0.014 - 0.001	.0016	----	----	----	----	9 UNCH
3200	----	----	----	----/0.047A	----	0.015 - 0.001	.0017	----	----	----	----	4 UNCH
3325	----	----	----	0.001B/*0.051A	----	0.018 - 0.001	.0021	----	----	----	----	2 UNCH
3350	----	----	----	0.001B/*0.051A	----	0.019 UNCH	.0023	----	----	----	----	1 UNCH
3375	----	----	----	0.001B/0.052A	----	0.019 - 0.001	.0023	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/*0.053A	----	0.020 - 0.001	.0024	----	----	----	----	12 UNCH
3500	----	----	----	0.001B/0.056A	----	0.023 UNCH	.0028	----	----	----	----	100 UNCH
3550	----	----	----	0.001B/*0.058A	----	0.024 - 0.001	.0030	----	----	----	----	5 UNCH
3575	----	----	----	0.001B/*0.059A	----	0.025 - 0.001	.0031	----	----	----	----	22 UNCH
3600	----	----	----	0.005B/0.059A	----	0.025 - 0.001	.0031	----	----	----	----	6 UNCH
3650	----	----	----	0.001B/*0.061A	----	0.027 - 0.001	.0034	----	----	----	----	22 UNCH
3675	----	----	----	0.001B/*0.062A	----	0.028 - 0.001	.0035	----	----	----	----	1 UNCH
3700	----	----	----	0.001B/*0.063A	----	0.029 - 0.001	.0037	----	----	----	----	6 UNCH
3800	----	----	----	0.001B/0.067A	----	0.032 - 0.001	.0041	----	----	----	----	14 UNCH
3850	----	----	----	0.001B/0.040A	----	0.034 - 0.001	.0044	----	----	----	----	2 UNCH
3900	----	----	----	0.001B/0.071A	----	0.036 - 0.001	.0047	----	----	----	----	6 UNCH
3925	----	----	----	0.001B/0.072A	----	0.037 - 0.001	.0049	----	----	----	----	3 UNCH
4000	0.030	0.030	0.043B/*0.030	0.043B/*0.030	----	0.040 - 0.001	.0054	----	----	3	----	133 UNCH
4075	----	----	----	0.001B/0.078A	----	0.043 - 0.002	.0058	----	----	----	----	1 UNCH
4100	----	----	----	0.020B/0.079A	----	0.044 - 0.002	.0060	----	----	----	----	31 UNCH
4125	----	----	----	0.001B/0.080A	----	0.045 - 0.002	.0062	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/0.081A	----	0.046 - 0.002	.0064	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/0.083A	----	0.049 - 0.002	.0068	----	----	----	----	26 UNCH
4225	----	----	----	0.001B/0.084A	----	0.050 - 0.002	.0070	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/0.085A	----	0.051 - 0.003	.0072	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/0.086A	----	0.052 - 0.003	.0074	----	----	----	----	13 UNCH
4300	----	----	----	0.001B/0.087A	----	0.054 - 0.002	.0077	----	----	----	----	7 UNCH
4350	----	----	----	0.001B/0.089A	----	0.056 - 0.003	.0080	----	----	----	----	2 UNCH
4375	----	----	----	0.001B/0.090A	----	0.057 - 0.003	.0082	----	----	----	----	3 UNCH
4400	----	----	----	0.001B/*0.084A	----	0.059 - 0.003	.0086	----	----	----	----	8 UNCH
4425	----	----	----	0.001B/0.093A	----	0.060 - 0.003	.0088	----	----	----	----	1 UNCH
4500	----	----	----	0.040B/0.095A	----	0.064 - 0.003	.0095	----	----	----	----	168 UNCH
4550	----	----	----	0.001B/0.099A	----	0.066 - 0.003	.0099	----	----	----	----	2 UNCH
4600	----	----	----	0.002B/*0.102A	----	0.068 - 0.004	.0104	----	----	----	----	7 UNCH
4625	----	----	----	0.007B/*0.103A	----	0.070 - 0.003	.0107	----	----	----	----	12 UNCH
4650	----	----	----	0.005B/*0.105A	----	0.071 - 0.003	.0109	----	----	----	----	1 UNCH
4700	----	----	----	0.007B/0.108A	----	0.073 - 0.004	.0114	----	----	----	----	2 UNCH
4725	----	----	----	0.008B/*0.110A	----	0.075 - 0.003	.0118	----	----	----	----	10 UNCH
4750	----	----	----	0.010B/*0.112A	----	0.076 - 0.003	.0120	----	----	----	----	3 UNCH
4800	----	----	----	0.020B/0.109A	----	0.079 - 0.003	.0127	----	----	----	----	29 UNCH
4850	----	----	----	0.017B/0.109A	----	0.081 - 0.004	.0132	----	----	----	----	3 UNCH
4875	----	----	----	0.020B/0.114A	----	0.083 - 0.003	.0136	----	----	----	----	15 UNCH
4900	----	----	----	0.025B/0.116A	----	0.084 - 0.003	.0138	----	----	----	----	171 UNCH
4975	----	----	----	0.034B/0.122A	----	0.089 - 0.003	.0150	----	----	----	----	1 UNCH
5000	0.097	0.097	0.114/0.080	0.114/0.080	----	0.091 - 0.002	.0154	----	----	5	----	1007 + 1
5025	----	----	----	0.036B/0.128A	----	0.093 - 0.002	.0158	----	----	----	----	8 UNCH
5050	----	----	----	0.039B/0.129A	----	0.094 - 0.002	.0161	----	----	----	----	3 UNCH
5075	----	----	----	0.043B/0.132A	----	0.096 - 0.002	.0166	----	----	----	----	2 UNCH
5100	----	----	----	0.044B/0.136A	----	0.099 - 0.001	.0171	----	----	----	----	32 UNCH
5125	----	----	----	0.048B/0.135A	----	0.101 - 0.001	.0176	----	----	----	----	1 UNCH
5150	----	----	----	0.052B/0.141A	----	0.103 - 0.001	.0181	----	----	----	----	16 UNCH
5175	----	----	----	0.056B/0.144A	----	0.105 - 0.001	.0185	----	----	----	----	12 UNCH
5200	0.100	0.100	0.100/*0.100	0.100/*0.100	----	0.108 UNCH	.0192	----	----	2	----	8 UNCH
5225	----	----	----	0.063B/0.152A	----	0.111 + 0.001	.0198	----	----	----	----	1 UNCH
5250	----	----	----	0.069B/0.156A	----	0.114 + 0.001	.0204	----	----	----	----	14 UNCH
5275	----	----	----	0.073B/0.159A	----	0.117 + 0.002	.0211	----	----	----	----	17 UNCH
5300	----	----	----	0.080B/0.130A	----	0.120 + 0.002	.0217	----	----	----	----	13 UNCH
5325	----	----	----	0.083B/0.165A	----	0.123 + 0.002	.0224	----	----	----	----	10 UNCH
5350	----	----	----	0.088B/0.172A	----	0.127 + 0.004	.0232	----	----	----	----	12 UNCH
5375	----	----	----	0.094B/0.177A	----	0.131 + 0.004	.0240	----	----	----	----	10 UNCH
5400	----	----	----	0.100B/0.182A	----	0.135 + 0.005	.0249	----	----	----	----	24 UNCH
5425	----	----	----	0.106B/0.184A	----	0.139 + 0.006	.0257	----	----	----	----	4 UNCH
5450	----	----	0.141B/----	0.141B/0.176A	----	0.144 + 0.007	.0267	----	----	----	----	2 UNCH
5475	----	----	0.148B/----	0.148B/0.180A	----	0.149 + 0.008	.0277	----	----	----	----	13 UNCH
5500	0.170	0.170	0.170/0.151	0.170/0.151	----	0.154 + 0.009	.0287	----	----	4	100	641 + 101
5525	----	----	0.157B/----	0.157B/0.194A	----	0.159 + 0.010	.0298	----	----	----	----	16 UNCH
5550	----	----	0.168B/----	0.168B/0.204A	----	0.165 + 0.012	.0310	----	----	----	----	10 UNCH
5575	----	----	0.175B/----	0.175B/0.185A	----	0.171 + 0.013	.0322	----	----	----	----	2 UNCH
5600	----	----	0.201B/----	0.201B/0.201A	----	0.177 + 0.014	.0334	----	----	----	----	19 UNCH
5625	----	----	0.208B/----	0.208B/0.205A	----	0.184 + 0.016	.0348	----	----	----	----	2 UNCH
5650	----	----	0.220B/----	0.220B/0.210A	----	0.191 + 0.018	.0362	----	----	----	----	51 UNCH
5675	----	----	0.229B/----	0.229B/0.234A	----	0.199 + 0.020	.0378	----	----	----	----	21 UNCH
5700	0.247	0.247	0.247/0.203	0.247/0.203	----	0.207 + 0.022	.0393	----	----	3	----	244 + 1
5725	----	----	0.248B/----	0.248B/0.237A	----	0.215 + 0.023	.0409	----	----	----	----	3 UNCH
5750	----	----	0.260B/----	0.260B/0.238A	----	0.224 + 0.026	.0427	----	----	----	----	226 UNCH
5775	----	----	0.273B/----	0.273B/0.249A	----	0.234 + 0.029	.0446	----	----	----	----	9 UNCH
5800	----	----	0.291B/----	0.291B/0.263A	----	0.244 + 0.031	.0465	----	----	----	----	101 UNCH
5825	----	----	0.304B/----	0.304B/0.260A	----	0.255 + 0.034	.0486	----	----	----	----	9 UNCH
5850	----	----	0.319B/----	0.319B/0.280A	----	0.266 + 0.037	.0507	----	----	----	----	16 UNCH
5875	----	----	0.349B/----	0.349B/0.293A	----	0.278 + 0.040	.0529	----	----	----	----	12 UNCH
5900	----	----	0.371B/----	0.371B/0.305A	----	0.291 + 0.044	.0553	----	----	----	----	43 UNCH
5925	----	----	0.389B/----	0.389B/0.318A	----	0.304 + 0.047	.0577	----	----	----	----	21 UNCH
5950	----	----	0.407B/----	0.407B/0.323A	----	0.318 + 0.051	.0603	----	----	----	----	16 UNCH
5975	----	----	0.426B/----	0.426B/0.343A	----	0.333 + 0.055	.0631	----	----	----	----	2 UNCH
6000	0.450	0.450	0.460B/0.345	0.460B/0.299A	----	0.349 + 0.059	.0660	----	----	63	----	832 + 21
6025	----	----	0.468B/----	0.468B/0.367A	----	0.365 + 0.063	.0689	----	----	----	----	31 UNCH
6050	----	----	0.490B/----	0.490B/0.374A	----	0.383 + 0.068	.0721	----	----	----	----	142 UNCH
6075	----	----	0.514B/----	0.514B/0.391A	----	0.401 + 0.072	.0753	----	----	----	----	31 UNCH
6100	0.290	0.290	0.539B/*0.290	0.539B/*0.290	----	0.421 + 0.078	.0788	----	----	25	----	96 + 6
6125	----	----	0.565B/----	0.565B/0.400A	----	0.442 + 0.084	.0824	----	----	----	----	3 UNCH
6150	----	----	0.592B/----	0.592B/0.415A	----	0.463 + 0.089	.0861	----	----	----	----	13 UNCH
6175	----	----	0.621B/----	0.621B/0.426A	----	0.486 + 0.095	.0900	----	----	----	----	305 UNCH
6200	0.577	0.577	0.651B/0.539	0.651B/0.444A	----	0.510 + 0.101	.0941	----	----	23	----	158 + 15
6225	0.519	0.519	0.682B/0.519	0.682B/0.462A	----	0.535 + 0.108	.0983	----	----	1	----	3 + 1
6250	0.378	0.378	0.715B/*0.378	0.715B/*0.378	----	0.561 + 0.114	.1026	----	----	2	----	93 + 2
6275	----	----	0.748B/----	0.748B/0.473A	----	0.589 + 0.122	.1072	----	----	----	----	3 UNCH
6300	0.685	0.685	0.784B/0.456A	0.784B/0.456A	----	0.617 + 0.128	.1119	----	----	8	50	178 + 52
6325	----	----	0.828B/*0.445A	0.828B/*0.445A	----	0.646 + 0.134	.1167	----	----	----	----	17 UNCH
6350	0.848	0.848	0.860B/*0.463A	0.860B/*0.463A	----	0.677 + 0.142	.1217	----	----	3	----	31 - 1
6375	----	----	0.912B/0.482A	0.912B/0.482A	----	0.708 + 0.147	.1267	----	----	----	----	105 UNCH
6400	0.818	0.818	0.942B/0.501A	0.942B/0.501A	----	0.741 + 0.154	.1320	----	----	14	----	100 + 7
6425	0.986	0.986	0.986/*0.523A	0.986/*0.523A	----	0.776 + 0.161	.1376	----	----	2	----	43 - 2
6450	1.028	1.028	1.031B/*0.545A	1.031B/*0.545A	----	0.811 + 0.167	.1432	----	----	7	----	36 + 7
6475	----	----	1.078B/0.569A	1.078B/0.569A	----	0.848 + 0.173	.1490	----	----	----	----	120 UNCH
6500	0.560	0.560	1.186/0.560	1.186/0.560	----	0.887 + 0.179	.1550	----	----	144	----	423 + 46
6525	1.175	1.175	1.178B/0.619A	1.178B/0.619A	----	0.928 + 0.186	.1613	----	----	2	----	37 + 2
6550	1.030	1.030	1.231B/0.647A	1.231B/0.647A	----	0.970 + 0.192	.1677	----	----	30	----	63 + 17
6575	1.285	1.285	1.285/0.676A	1.285/0.676A	----	1.014 + 0.199	.1743	----	----	2	----	7 + 1
6600	0.917	0.917	1.341B/0.706A	1.341B/0.706A	----	1.061 + 0.207	.1812	----	----	20	----	175 + 15
6625	1.220	1.220	1.401B/0.738A	1.401B/0.738A	----	1.109 + 0.215	.1882	----	----	4	----	17 - 2
6650	1.461	1.461	1.461/0.772A	1.461/0.772A	----	1.160 + 0.224	.1955	----	----	2	----	17 + 2
6675	1.328	1.328	1.524B/0.807A	1.524B/0.807A	----	1.213 + 0.233	.2030	----	----	4	----	27 UNCH
6700	0.859	0.859	1.590B/0.843A	1.590B/0.843A	----	1.268 + 0.243	.2107	----	----	57	----	124 + 21
6725	1.443	1.443	1.667B/0.882A	1.667B/0.882A	----	1.326 + 0.254	.2186	----	----	5	----	33 + 3
6750	1.000	1.000	1.727B/0.922A	1.727B/0.922A	----	1.386 + 0.265	.2268	----	----	8	----	58 - 5
6775	----	----	1.799B/0.964A	1.799B/0.964A	----	1.449 + 0.278	.2351	----	----	----	----	8 UNCH
6800	0.985	0.985	1.873B/0.985	1.873B/0.985	----	1.514 + 0.290	.2436	----	----	5	----	76 + 1
6825	----	----	1.965B/1.053A	1.965B/1.053A	----	1.582 + 0.304	.2523	----	----	----	----	3 UNCH
6850	----	----	2.034B/1.100A	2.034B/1.100A	----	1.652 + 0.318	.2612	----	----	----	----	59 UNCH
6875	----	----	2.118B/1.150A	2.118B/1.150A	----	1.725 + 0.332	.2702	----	----	----	----	3 UNCH
6900	1.550	1.550	2.205B/1.201A	2.205B/1.201A	----	1.800 + 0.347	.2794	----	----	11	----	111 + 3
6925	----	----	2.296B/1.255A	2.296B/1.255A	----	1.878 + 0.362	.2888	----	----	----	----	10 UNCH
6950	2.133	2.133	2.389B/1.310A	2.389B/1.310A	----	1.958 + 0.378	.2983	----	----	3	----	13 UNCH
6975	----	----	2.483B/1.368A	2.483B/1.368A	----	2.041 + 0.394	.3079	----	----	----	----	10 UNCH
7000	1.406	1.406	2.650/1.406	2.650/1.406	----	2.126 + 0.410	.3177	----	----	53	----	734 + 6
7025	----	----	2.682B/1.490A	2.682B/1.490A	----	2.214 + 0.426	.3276	----	----	2	----	20 - 1
7050	2.507	2.507	2.786B/1.555A	2.786B/1.555A	----	2.304 + 0.443	.3376	----	----	61	----	53 - 18
7075	2.605	2.605	2.893B/1.622A	2.893B/1.622A	----	2.397 + 0.459	.3477	----	----	1	----	44 UNCH
7100	1.697	1.697	3.003B/1.687	3.003B/1.687	----	2.492 + 0.476	.3579	----	----	25	----	65 + 9
7125	----	----	3.117B/1.761A	3.117B/1.761A	----	2.590 + 0.493	.3683	----	----	----	----	9 UNCH
7150	----	----	3.233B/1.837A	3.233B/1.837A	----	2.690 + 0.509	.3787	----	----	----	----	28 UNCH
7175	----	----	3.352B/1.913A	3.352B/1.913A	----	2.794 + 0.527	.3892	----	----	----	----	68 UNCH
7200	3.116	3.116	3.473B/1.993A	3.473B/1.993A	----	2.900 + 0.544	.3998	----	----	6	----	328 + 1
7225	----	----	3.598B/2.073A	3.598B/2.073A	----	3.009 + 0.561	.4105	----	----	----	----	9 UNCH
7250	2.665	2.665	3.725B/2.157A	3.725B/2.157A	----	3.120 + 0.578	.4212	----	----	9	----	22 + 6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
7275	3.750	3.750	3.856B/2.244A	3.856B/2.244A	----	3.235 + 0.596	.4319	----	----	1	----	10 UNCH
7300	2.280	2.280	3.990B/2.280	3.990B/2.280	----	3.352 + 0.614	.4428	----	----	7	----	102 + 3
7325	----	----	4.126B/2.430A	4.126B/2.430A	----	3.473 + 0.632	.4536	----	----	----	----	15 UNCH
7350	3.583	3.583	4.265B/2.540A	4.265B/2.540A	----	3.596 + 0.650	.4645	----	----	25	----	36 + 24
7375	3.710	3.710	4.408B/2.639A	4.408B/2.639A	----	3.722 + 0.668	.4754	----	----	1	----	18 UNCH
7400	----	----	4.553B/2.738A	4.553B/2.738A	----	3.851 + 0.686	.4862	----	----	3	----	58 + 3
7425	3.972	3.972	4.701B/2.830A	4.701B/2.830A	----	3.983 + 0.704	.4971	----	----	1	----	4 + 1
7450	----	----	4.851B/2.953A	4.851B/2.953A	----	4.118 + 0.723	.5079	----	----	----	----	57 UNCH
7475	4.997	4.997	5.005B/3.059A	5.005B/3.059A	----	4.256 + 0.741	.5187	----	----	1	----	3 UNCH
7500	4.300	4.300	5.161B/3.161A	5.161B/3.161A	----	4.397 + 0.760	.5295	----	----	44	----	423 - 13
7525	----	----	5.319B/3.263A	5.319B/3.263A	----	4.541 + 0.779	.5402	----	----	----	----	6 UNCH
7550	5.472	5.472	5.480B/3.399A	5.480B/3.399A	----	4.687 + 0.796	.5509	----	----	2	----	20 + 1
7575	5.636	5.636	5.643B/3.501A	5.643B/3.501A	----	4.837 + 0.816	.5614	----	----	1	----	5 UNCH
7600	5.280	5.280	5.809B/3.637A	5.809B/3.637A	----	4.989 + 0.834	.5719	----	----	1	----	84 UNCH
7625	3.793	3.793	5.977B/3.749A	5.977B/3.749A	----	5.144 + 0.852	.5823	----	----	1	----	4 UNCH
7650	----	----	6.107B/3.909A	6.107B/3.909A	----	5.302 + 0.871	.5926	----	----	----	----	10 UNCH
7675	----	----	6.281B/4.011A	6.281B/4.011A	----	5.462 + 0.889	.6028	----	----	----	----	4 UNCH
7700	5.573	5.573	6.457B/4.177A	6.457B/4.177A	----	5.625 + 0.907	.6129	----	----	3	----	73 + 2
7725	----	----	6.635B/4.283A	6.635B/4.283A	----	5.791 + 0.925	.6228	----	----	----	----	23 UNCH
7750	----	----	6.439B/4.419A	6.439B/4.419A	----	5.959 + 0.943	.6327	----	----	----	----	5 UNCH
7775	----	----	6.705B/4.589A	6.705B/4.589A	----	6.130 + 0.961	.6424	----	----	----	----	31 UNCH
7800	----	----	6.883B/4.691A	6.883B/4.691A	----	6.303 + 0.978	.6519	----	----	----	----	42 UNCH
7825	----	----	6.988B/4.997A	6.988B/4.997A	----	6.478 + 0.995	.6613	----	----	----	----	5 UNCH
7850	----	----	7.247B/5.133A	7.247B/5.133A	----	6.657 + 1.013	.6705	----	----	----	----	10 UNCH
7875	----	----	7.428B/5.303A	7.428B/5.303A	----	6.837 + 1.030	.6796	----	----	----	----	21 UNCH
7900	----	----	7.632B/5.303A	7.632B/5.303A	----	7.019 + 1.046	.6886	----	----	----	----	112 UNCH
7925	----	----	7.792B/5.715A	7.792B/5.715A	----	7.204 + 1.063	.6974	----	----	----	----	19 UNCH
7950	----	----	7.983B/5.972A	7.983B/5.972A	----	7.391 + 1.079	.7060	----	----	----	----	23 UNCH
7975	----	----	8.143B/5.987A	8.143B/5.987A	----	7.580 + 1.095	.7145	----	----	----	----	2 UNCH
8000	8.000	8.000	8.420B/8.000	8.420B/7.150A	----	7.772 + 1.112	.7227	----	----	6	----	179 + 4
8025	----	----	8.544B/----	8.544B/8.001A	----	7.965 + 1.127	.7308	----	----	----	----	1 UNCH
8050	----	----	8.747B/----	8.747B/8.194A	----	8.160 + 1.142	.7387	----	----	----	----	4 UNCH
8075	----	----	8.953B/----	8.953B/8.388A	----	8.357 + 1.157	.7465	----	----	----	----	1 UNCH
8100	----	----	9.165B/----	9.165B/8.524A	----	8.556 + 1.172	.7541	----	----	----	----	7 UNCH
8125	----	----	9.367B/----	9.367B/8.784A	----	8.757 + 1.187	.7615	----	----	----	----	2 UNCH
8150	----	----	9.579B/----	9.579B/8.932A	----	8.959 + 1.200	.7687	----	----	----	----	6 UNCH
8175	----	----	9.829B/----	9.829B/9.132A	----	9.163 + 1.214	.7757	----	----	----	----	43 UNCH
8200	----	----	10.003B/----	10.003B/9.345A	----	9.369 + 1.228	.7826	----	----	----	----	24 UNCH
8225	----	----	10.217B/----	10.217B/9.555A	----	9.577 + 1.241	.7893	----	----	----	----	6 UNCH
8250	----	----	10.433B/----	10.433B/9.765A	----	9.786 + 1.254	.7959	----	----	----	----	18 UNCH
8275	----	----	10.688B/----	10.688B/9.941A	----	9.996 + 1.267	.8023	----	----	----	----	41 UNCH
8300	----	----	10.867B/----	10.867B/10.189A	----	10.208 + 1.279	.8084	----	----	----	----	8 UNCH
8350	----	----	11.307B/----	11.307B/10.613A	----	10.636 + 1.303	.8203	----	----	----	----	18 UNCH
8375	----	----	11.526B/----	11.526B/10.862A	----	10.852 + 1.314	.8260	----	----	----	----	1 UNCH
8400	----	----	11.748B/----	11.748B/11.078A	----	11.069 + 1.325	.8315	----	----	----	----	3 UNCH
8425	----	----	12.052B/----	12.052B/11.207A	----	11.288 + 1.336	.8369	----	----	----	----	63 UNCH
8450	----	----	12.199B/----	12.199B/11.484A	----	11.507 + 1.346	.8421	----	----	----	----	18 UNCH
8475	----	----	12.422B/----	12.422B/11.733A	----	11.728 + 1.357	.8472	----	----	----	----	2 UNCH
8500	----	----	12.729B/----	12.729B/11.865A	----	11.950 + 1.367	.8521	----	----	----	----	66 UNCH
8525	----	----	12.877B/----	12.877B/12.176A	----	12.173 + 1.377	.8569	----	----	----	----	1 UNCH
8550	----	----	13.106B/----	13.106B/12.399A	----	12.397 + 1.386	.8615	----	----	----	----	1 UNCH
8575	----	----	13.335B/----	13.335B/12.622A	----	12.622 + 1.396	.8660	----	----	----	----	1 UNCH
8600	----	----	13.566B/----	13.566B/12.847A	----	12.848 + 1.405	.8703	----	----	----	----	4 UNCH
8625	----	----	13.799B/----	13.799B/13.061A	----	13.075 + 1.414	.8745	----	----	----	----	11 UNCH
8650	----	----	14.029B/----	14.029B/13.299A	----	13.303 + 1.422	.8785	----	----	----	----	2 UNCH
8675	----	----	14.262B/----	14.262B/13.526A	----	13.532 + 1.431	.8824	----	----	----	----	2 UNCH
8700	----	----	14.497B/----	14.497B/13.732A	----	13.762 + 1.440	.8862	----	----	----	----	14 UNCH
8750	----	----	15.004B/----	15.004B/14.168A	----	14.224 + 1.456	.8935	----	----	----	----	26 UNCH
8775	----	----	15.198B/----	15.198B/14.441A	----	14.456 + 1.464	.8968	----	----	----	----	1 UNCH
8800	----	----	15.435B/----	15.435B/14.643A	----	14.689 + 1.472	.9001	----	----	----	----	14 UNCH
8825	----	----	15.672B/----	15.672B/14.875A	----	14.922 + 1.479	.9033	----	----	----	----	15 UNCH
8850	----	----	15.908B/----	15.908B/15.111A	----	15.156 + 1.487	.9063	----	----	----	----	6 UNCH
8925	----	----	16.619B/----	16.619B/15.834A	----	15.863 + 1.509	.9148	----	----	----	----	4 UNCH
8975	----	----	17.096B/----	17.096B/16.303A	----	16.337 + 1.523	.9199	----	----	----	----	2 UNCH
9000	----	----	17.416B/----	17.416B/16.456A	----	16.575 + 1.530	.9224	----	----	----	----	134 UNCH
9050	----	----	17.816B/----	17.816B/17.010A	----	17.053 + 1.544	.9270	----	----	----	----	3 UNCH
9075	----	----	18.056B/----	18.056B/17.247A	----	17.292 + 1.550	.9291	----	----	----	----	2 UNCH
9100	----	----	18.299B/----	18.299B/17.493A	----	17.532 + 1.557	.9312	----	----	----	----	6 UNCH
9125	----	----	18.538B/----	18.538B/17.723A	----	17.773 + 1.564	.9331	----	----	----	----	1 UNCH
9150	----	----	18.780B/----	18.780B/17.965A	----	18.014 + 1.571	.9351	----	----	----	----	1 UNCH
9175	----	----	19.022B/----	19.022B/18.200A	----	18.255 + 1.577	.9368	----	----	----	----	1 UNCH
9200	----	----	19.344B/----	19.344B/18.361A	----	18.497 + 1.583	.9386	----	----	----	----	80 UNCH
9325	----	----	20.481B/----	20.481B/19.641A	----	19.710 + 1.612	.9463	----	----	----	----	1 UNCH
9450	----	----	21.701B/----	21.701B/20.760A	----	20.930 + 1.638	.9528	----	----	----	----	6 UNCH
9500	----	----	22.269B/----	22.269B/21.261A	----	21.420 + 1.647	.9549	----	----	----	----	138 UNCH
9525	----	----	22.436B/----	22.436B/21.592A	----	21.666 + 1.653	.9560	----	----	----	----	1 UNCH
9550	----	----	22.681B/----	22.681B/21.823A	----	21.911 + 1.657	.9570	----	----	----	----	1 UNCH
9575	----	----	22.927B/----	22.927B/22.066A	----	22.157 + 1.662	.9579	----	----	----	----	2 UNCH
9725	----	----	24.399B/----	24.399B/23.532A	----	23.633 + 1.684	.9630	----	----	----	----	1 UNCH
9825	----	----	25.386B/----	25.386B/24.527A	----	24.621 + 1.698	.9659	----	----	----	----	1 UNCH
9850	----	----	25.635B/----	25.635B/24.772A	----	24.868 + 1.701	.9666	----	----	----	----	1 UNCH
9900	----	----	26.129B/----	26.129B/25.251A	----	25.362 + 1.707	.9678	----	----	----	----	17 UNCH
9925	----	----	26.376B/----	26.376B/25.510A	----	25.610 + 1.710	.9683	----	----	----	----	1 UNCH
9950	----	----	26.623B/----	26.623B/25.756A	----	25.857 + 1.712	.9688	----	----	----	----	1 UNCH
10000	----	----	27.194B/----	27.194B/26.162A	----	26.352 + 1.717	.9700	----	----	----	----	97 UNCH
10025	----	----	27.365B/----	27.365B/26.495A	----	26.600 + 1.720	.9705	----	----	----	----	2 UNCH
10075	----	----	27.859B/----	27.859B/26.989A	----	27.096 + 1.725	.9715	----	----	----	----	1 UNCH
10100	----	----	28.107B/----	28.107B/27.218A	----	27.344 + 1.727	.9720	----	----	----	----	6 UNCH
10125	----	----	28.354B/----	28.354B/27.483A	----	27.592 + 1.729	.9725	----	----	----	----	1 UNCH
10150	----	----	28.602B/----	28.602B/27.712A	----	27.840 + 1.731	.9729	----	----	----	----	8 UNCH
10175	----	----	28.849B/----	28.849B/27.977A	----	28.088 + 1.733	.9732	----	----	----	----	2 UNCH
10200	----	----	29.175B/----	29.175B/28.138A	----	28.336 + 1.734	.9737	----	----	----	----	120 UNCH
10225	----	----	29.345B/----	29.345B/28.472A	----	28.584 + 1.736	.9742	----	----	----	----	1 UNCH
10325	----	----	30.337B/----	30.337B/29.462A	----	29.577 + 1.742	.9757	----	----	----	----	1 UNCH
10350	----	----	30.585B/----	30.585B/29.710A	----	29.825 + 1.743	.9760	----	----	----	----	1 UNCH
10375	----	----	30.833B/----	30.833B/29.958A	----	30.074 + 1.745	.9764	----	----	----	----	1 UNCH
10400	----	----	31.081B/----	31.081B/30.223A	----	30.322 + 1.746	.9767	----	----	----	----	1 UNCH
10500	----	----	32.074B/----	32.074B/31.193A	----	31.316 + 1.752	.9781	----	----	----	----	11 UNCH
10600	----	----	33.068B/----	33.068B/32.191A	----	32.310 + 1.756	.9793	----	----	----	----	5 UNCH
10825	----	----	35.307B/----	35.307B/34.417A	----	34.551 + 1.771	.9815	----	----	----	----	6 UNCH
10850	----	----	35.555B/----	35.555B/34.677A	----	34.800 + 1.772	.9818	----	----	----	----	4 UNCH
10875	----	----	35.804B/----	35.804B/34.926A	----	35.049 + 1.774	.9820	----	----	----	----	2 UNCH
10950	----	----	36.551B/----	36.551B/35.672A	----	35.796 + 1.778	.9825	----	----	----	----	3 UNCH
11000	----	----	37.050B/----	37.050B/36.170A	----	36.295 + 1.782	.9828	----	----	----	----	3 UNCH
11325	----	----	40.289B/----	40.289B/39.408A	----	39.536 + 1.797	.9849	----	----	----	----	1 UNCH
11500	----	----	42.035B/----	42.035B/41.140A	----	41.280 + 1.800	.9862	----	----	----	----	10 UNCH
11525	----	----	42.285B/----	42.285B/41.402A	----	41.528 + 1.800	.9865	----	----	----	----	1 UNCH
11675	----	----	43.782B/----	43.782B/42.899A	----	43.023 + 1.801	.9877	----	----	----	----	1 UNCH
11700	----	----	44.031B/----	44.031B/43.148A	----	43.272 + 1.801	.9879	----	----	----	----	1 UNCH
12000	----	----	47.103B/----	47.103B/46.056A	----	46.270 + 1.806	.9884	----	----	----	----	50 UNCH
12025	----	----	47.276B/----	47.276B/46.392A	----	46.520 + 1.807	.9884	----	----	----	----	1 UNCH
13000	----	----	57.019B/----	57.019B/56.133A	----	56.256 + 1.814	.9928	----	----	----	----	5 UNCH
TOTAL										717	150	11535 + 344
JUL26												
2000	----	----	----	0.003B/0.045A	----	0.008 + 0.001	.0007	----	----	----	----	6 UNCH
2400	----	----	----	----/0.151A	----	0.015 + 0.001	.0014	----	----	----	----	10 UNCH
2650	----	----	----	----/0.056A	----	0.022 + 0.002	.0021	----	----	----	----	6 UNCH
3000	----	----	----	0.001B/*0.065A	----	0.033 + 0.003	.0034	----	----	----	----	5 UNCH
3025	----	----	----	0.001B/*0.066A	----	0.034 + 0.004	.0035	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/*0.080A	----	0.049 + 0.006	.0053	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/*0.082A	----	0.052 + 0.007	.0056	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/*0.087A	----	0.056 + 0.007	.0061	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.088A	----	0.058 + 0.007	.0064	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/*0.095A	----	0.065 + 0.009	.0072	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.101A	----	0.071 + 0.009	.0080	----	----	----	----	91 UNCH
3800	----	----	----	0.001B/*0.107A	----	0.077 + 0.010	.0089	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/*0.109A	----	0.079 + 0.011	.0091	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/*0.110A	----	0.081 + 0.011	.0094	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/*0.114A	----	0.084 + 0.011	.0098	----	----	----	----	11 UNCH
3950	----	----	----	0.002B/*0.118A	----	0.088 + 0.012	.0104	----	----	----	----	1 UNCH
4000	----	----	----/*0.070A	0.045B/*0.070A	----	0.091 + 0.012	.0108	----	----	1	----	69 - 1
4075	----	----	----	0.008B/*0.126A	----	0.097 + 0.014	.0117	----	----	----	----	16 UNCH
4100	----	----	----	0.008B/*0.124A	----	0.099 + 0.014	.0120	----	----	----	----	6 UNCH
4175	----	----	----	0.015B/*0.130A	----	0.105 + 0.015	.0129	----	----	----	----	9 UNCH
4200	----	----	----	0.017B/0.132A	----	0.107 + 0.015	.0132	----	----	----	----	27 UNCH
4225	----	----	----	0.019B/0.135A	----	0.110 + 0.016	.0136	----	----	----	----	1 UNCH
4250	----	----	----	0.021B/0.138A	----	0.112 + 0.017	.0139	----	----	----	----	21 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO PUT		COMEX SILVER OPTIONS												
JUL26														
4300	----	----	----	0.025B/0.144A	----	0.117	+ 0.018	.0147	----	----	----	----	98	UNCH
4325	----	----	----	0.027B/0.147A	----	0.119	+ 0.018	.0150	----	----	----	----	17	UNCH
4375	----	----	----	0.032B/0.154A	----	0.124	+ 0.018	.0158	----	----	----	----	32	UNCH
4400	----	----	----	0.035B/0.158A	----	0.127	+ 0.019	.0162	----	----	----	----	29	UNCH
4450	----	----	----	0.043B/0.166A	----	0.132	+ 0.020	.0170	----	----	----	----	4	UNCH
4475	----	----	----	0.046B/0.170A	----	0.135	+ 0.020	.0174	----	----	----	----	16	UNCH
4500	----	----	----	0.049B/0.160A	----	0.138	+ 0.021	.0179	----	----	----	----	300	UNCH
4575	----	----	----	0.059B/0.186A	----	0.147	+ 0.022	.0193	----	----	----	----	75	UNCH
4600	----	----	----	0.063B/0.192A	----	0.151	+ 0.023	.0199	----	----	----	----	101	UNCH
4650	----	----	----	0.069B/0.200A	----	0.158	+ 0.023	.0210	----	----	----	----	40	UNCH
4675	----	----	----	0.076B/0.205A	----	0.162	+ 0.024	.0216	----	----	----	----	12	UNCH
4700	----	----	----	0.078B/0.210A	----	0.165	+ 0.024	.0221	----	----	1	----	152	UNCH
4725	----	----	----	0.089B/0.216A	----	0.169	+ 0.024	.0227	----	----	----	----	3	UNCH
4750	----	----	----	0.091B/0.221A	----	0.174	+ 0.026	.0234	----	----	----	----	54	UNCH
4775	----	----	----	0.099B/0.227A	----	0.178	+ 0.026	.0240	----	----	----	----	8	UNCH
4800	----	----	----	0.104B/0.233A	----	0.182	+ 0.026	.0247	----	----	----	----	15	UNCH
4825	----	----	----	0.109B/0.239A	----	0.187	+ 0.026	.0254	----	----	----	----	26	UNCH
4850	----	----	----	0.115B/0.241A	----	0.192	+ 0.027	.0261	----	----	----	----	2	UNCH
4875	----	----	----	0.122B/0.249A	----	0.197	+ 0.027	.0269	----	----	----	----	23	UNCH
4900	----	----	----	0.128B/0.256A	----	0.203	+ 0.029	.0278	----	----	----	----	172	UNCH
5000	----	----	0.210B/----	0.210B/0.250A	----	0.226	+ 0.030	.0312	----	----	2	----	893	+ 1
5025	----	----	----	0.169B/0.294A	----	0.233	+ 0.031	.0322	----	----	----	----	1	UNCH
5050	----	----	----	0.177B/0.300A	----	0.240	+ 0.032	.0332	----	----	----	----	16	UNCH
5075	----	----	----	0.184B/0.311A	----	0.247	+ 0.032	.0343	----	----	----	----	11	UNCH
5100	----	----	----	0.195B/0.317A	----	0.255	+ 0.033	.0354	----	----	----	----	176	UNCH
5150	----	----	----	0.220B/0.337A	----	0.271	+ 0.034	.0377	----	----	----	----	5	UNCH
5175	----	----	----	0.227B/0.346A	----	0.280	+ 0.035	.0390	----	----	----	----	5	UNCH
5200	----	----	----	0.238B/0.349A	----	0.290	+ 0.037	.0404	----	----	----	----	96	UNCH
5225	----	----	----	0.251B/0.369A	----	0.299	+ 0.037	.0416	----	----	----	----	9	UNCH
5250	----	----	----	0.264B/0.382A	----	0.310	+ 0.039	.0431	----	----	----	----	225	UNCH
5275	----	----	----	0.277B/0.393A	----	0.320	+ 0.039	.0446	----	----	----	----	2	UNCH
5300	0.325	0.325	0.325/*0.325	0.325/*0.310A	----	0.332	+ 0.041	.0462	----	----	6	----	126	+ 1
5325	----	----	0.305B/----	0.305B/0.416A	----	0.343	+ 0.042	.0477	----	----	----	----	11	UNCH
5350	----	----	0.320B/----	0.320B/0.427A	----	0.356	+ 0.044	.0494	----	----	----	----	26	UNCH
5375	----	----	0.336B/----	0.336B/0.439A	----	0.369	+ 0.045	.0512	----	----	----	----	17	UNCH
5400	----	----	0.352B/----	0.352B/0.442A	----	0.383	+ 0.047	.0530	----	----	----	----	75	UNCH
5425	----	----	0.369B/----	0.369B/0.468A	----	0.398	+ 0.050	.0550	----	----	----	----	49	UNCH
5450	----	----	0.425B/----	0.425B/0.478A	----	0.413	+ 0.052	.0570	----	----	----	----	38	UNCH
5475	----	----	0.438B/----	0.438B/0.493A	----	0.429	+ 0.054	.0590	----	----	----	----	53	UNCH
5500	0.338	0.338	0.481B/*0.338	0.481B/*0.338	----	0.446	+ 0.057	.0612	----	----	19	----	1055	+ 6
5525	----	----	0.468B/----	0.468B/0.500A	----	0.463	+ 0.059	.0634	----	----	----	----	72	UNCH
5550	----	----	0.497B/----	0.497B/0.539A	----	0.481	+ 0.062	.0657	----	----	----	----	18	UNCH
5575	----	----	0.525B/----	0.525B/0.557A	----	0.500	+ 0.065	.0681	----	----	----	----	3	UNCH
5600	----	----	0.546B/----	0.546B/0.555A	----	0.519	+ 0.068	.0705	----	----	1	----	16	+ 1
5625	----	----	0.574B/----	0.574B/0.582A	----	0.540	+ 0.071	.0731	----	----	----	----	3	UNCH
5650	----	----	0.601B/----	0.601B/0.605A	----	0.561	+ 0.074	.0757	----	----	----	----	29	UNCH
5675	----	----	0.627B/----	0.627B/0.584A	----	0.582	+ 0.077	.0783	----	----	----	----	45	UNCH
5700	----	----	0.660B/----	0.660B/0.629A	----	0.605	+ 0.080	.0811	----	----	2	----	299	UNCH
5725	----	----	0.673B/----	0.673B/0.596A	----	0.628	+ 0.083	.0839	----	----	----	----	3	UNCH
5750	----	----	0.707B/----	0.707B/0.618A	----	0.652	+ 0.086	.0868	----	----	----	----	52	UNCH
5775	----	----	0.733B/----	0.733B/*0.591A	----	0.677	+ 0.089	.0898	----	----	----	----	2	UNCH
5800	----	----	0.763B/----	0.763B/0.617A	----	0.702	+ 0.092	.0929	----	----	3	----	30	+ 1
5825	----	----	0.793B/----	0.793B/0.635A	----	0.729	+ 0.095	.0961	----	----	----	----	3	UNCH
5850	----	----	0.823B/----	0.823B/0.659A	----	0.757	+ 0.099	.0994	----	----	----	----	114	UNCH
5875	----	----	0.849B/*0.650A	0.849B/*0.650A	----	0.785	+ 0.102	.1027	----	----	----	----	3	UNCH
5900	----	----	0.883B/*0.654A	0.883B/*0.654A	----	0.815	+ 0.106	.1062	----	----	----	----	6	UNCH
5925	----	----	0.926B/*0.665A	0.926B/*0.665A	----	0.845	+ 0.109	.1097	----	----	----	----	1	UNCH
5950	----	----	0.964B/*0.687A	0.964B/*0.687A	----	0.877	+ 0.113	.1133	----	----	----	----	2	UNCH
5975	----	----	1.001B/*0.711A	1.001B/*0.711A	----	0.910	+ 0.117	.1171	----	----	----	----	1	UNCH
6000	0.675	0.675	1.047B/*0.675	1.047B/*0.675	----	0.944	+ 0.121	.1209	----	----	77	----	626	+ 24
6050	----	----	1.120B/*0.788A	1.120B/*0.788A	----	1.016	NEW	.1289	----	----	5	----	5	+ 5
6100	----	----	1.215B/*0.836A	1.215B/*0.836A	----	1.093	+ 0.140	.1373	----	----	----	----	288	UNCH
6125	1.217	1.217	1.238B/*0.871A	1.238B/*0.871A	----	1.133	+ 0.145	.1416	----	----	1	----	2	+ 1
6150	----	----	1.283B/*0.901A	1.283B/*0.901A	----	1.175	NEW	.1461	----	----	5	----	5	+ 5
6200	----	----	1.400B/*0.960A	1.400B/*0.960A	----	1.263	+ 0.162	.1554	----	----	3	----	11	+ 3
6225	1.409	1.409	1.451B/*1.004A	1.451B/*1.004A	----	1.309	NEW	.1601	----	----	1	----	1	+ 1
6250	1.461	1.461	1.502B/*1.032A	1.502B/*1.032A	----	1.356	+ 0.174	.1650	----	----	13	----	26	+ 13
6275	----	----	1.559B/*1.066A	1.559B/*1.066A	----	1.405	+ 0.180	.1700	----	----	----	----	1	UNCH
6300	1.600	1.600	1.617B/*1.102A	1.617B/*1.102A	----	1.456	+ 0.188	.1751	----	----	5	----	247	+ 4
6325	----	----	1.671B/*1.140A	1.671B/*1.140A	----	1.508	+ 0.194	.1802	----	----	----	----	20	UNCH
6375	1.743	1.743	1.791B/*1.221A	1.791B/*1.221A	----	1.617	+ 0.209	.1909	----	----	1	----	6	UNCH
6400	1.571	1.571	1.870B/1.257A	1.870B/1.257A	----	1.675	+ 0.218	.1964	----	----	3	----	61	+ 2
6450	----	----	1.981B/*1.356A	1.981B/*1.356A	----	1.794	NEW	.2077	----	----	1	----	1	+ 1
6475	----	----	2.051B/*1.400A	2.051B/*1.400A	----	1.856	NEW	.2135	----	----	1	----	1	+ 1
6500	2.160	2.160	2.160/1.446A	2.160/1.446A	----	1.920	+ 0.251	.2193	----	----	45	----	713	+ 3
6550	----	----	2.277B/*1.549A	2.277B/*1.549A	----	2.054	+ 0.269	.2314	----	----	----	----	35	UNCH
6600	----	----	2.441B/*1.655A	2.441B/*1.655A	----	2.195	+ 0.288	.2438	----	----	4	----	10	+ 1
6650	----	----	2.590B/1.770A	2.590B/1.770A	----	2.344	+ 0.309	.2565	----	----	----	----	127	UNCH
6700	----	----	2.759B/1.888A	2.759B/1.888A	----	2.500	+ 0.330	.2695	----	----	2	----	98	+ 2
6750	----	----	2.924B/2.027A	2.924B/2.027A	----	2.664	+ 0.351	.2828	----	----	1	----	27	+ 1
6800	2.766	2.766	3.123B/2.146A	3.123B/2.146A	----	2.836	+ 0.374	.2964	----	----	104	150	332	- 7
6825	----	----	3.202B/2.224A	3.202B/2.224A	----	2.925	+ 0.385	.3033	----	----	----	----	2	UNCH
6900	----	----	3.502B/2.430A	3.502B/2.430A	----	3.205	+ 0.422	.3244	----	----	2	100	120	+ 101
6925	----	----	3.600B/2.506A	3.600B/2.506A	----	3.302	NEW	.3315	----	----	1	----	1	+ 1
7000	3.600	3.600	3.952B/2.753A	3.952B/2.753A	----	3.606	+ 0.471	.3530	----	----	6	----	665	+ 4
7025	----	----	4.055B/2.828A	4.055B/2.828A	----	3.712	+ 0.484	.3603	----	----	----	----	128	UNCH
7050	4.342	4.342	4.342/2.913A	4.342/2.913A	----	3.820	+ 0.497	.3676	----	----	2	----	2	UNCH
7100	----	----	4.380B/3.093A	4.380B/3.093A	----	4.041	+ 0.522	.3823	----	----	4	----	20	+ 4
7125	----	----	4.502B/3.187A	4.502B/3.187A	----	4.155	+ 0.535	.3897	----	----	----	----	9	UNCH
7150	----	----	4.626B/3.297A	4.626B/3.297A	----	4.271	+ 0.548	.3970	----	----	----	----	1	UNCH
7175	----	----	4.768B/3.380A	4.768B/3.380A	----	4.389	+ 0.561	.4044	----	----	----	----	30	UNCH
7200	3.493	3.493	5.198/3.490A	5.198/3.490A	----	4.509	+ 0.574	.4118	----	----	7	----	57	- 2
7250	----	----	5.172B/3.685A	5.172B/3.685A	----	4.756	+ 0.600	.4267	----	----	----	----	182	UNCH
7300	5.225	5.225	5.432B/3.909A	5.432B/3.909A	----	5.010	+ 0.626	.4415	----	----	7	----	36	+ 6
7375	----	----	5.867B/4.249A	5.867B/4.249A	----	5.407	+ 0.664	.4637	----	----	----	----	158	UNCH
7400	----	----	5.977B/4.381A	5.977B/4.381A	----	5.543	+ 0.677	.4711	----	----	----	----	23	UNCH
7450	----	----	6.270B/4.622A	6.270B/4.622A	----	5.822	+ 0.702	.4857	----	----	----	----	1	UNCH
7500	5.500	5.500	6.595B/4.861A	6.595B/4.861A	----	6.108	+ 0.727	.5002	----	----	4	----	53	UNCH
7525	----	----	6.744B/4.993A	6.744B/4.993A	----	6.254	+ 0.739	.5074	----	----	8	----	25	UNCH
7550	----	----	6.883B/5.099A	6.883B/5.099A	----	6.402	+ 0.751	.5146	----	----	----	----	8	UNCH
7600	----	----	7.199B/5.387A	7.199B/5.387A	----	6.704	+ 0.775	.5289	----	----	----	----	4	UNCH
7625	----	----	7.361B/5.501A	7.361B/5.501A	----	6.857	+ 0.787	.5359	----	----	----	----	2	UNCH
7650	----	----	7.529B/5.634A	7.529B/5.634A	----	7.013	+ 0.799	.5429	----	----	----	----	25	UNCH
7675	----	----	7.688B/5.774A	7.688B/5.774A	----	7.170	+ 0.810	.5499	----	----	----	----	14	UNCH
7700	----	----	7.868B/5.914A	7.868B/5.914A	----	7.329	+ 0.822	.5567	----	----	----	----	104	UNCH
7800	----	----	8.541B/6.509A	8.541B/6.509A	----	7.984	+ 0.867	.5838	----	----	----	----	74	UNCH
7825	----	----	8.798B/6.649A	8.798B/6.649A	----	8.152	+ 0.878	.5904	----	----	----	----	6	UNCH
7850	----	----	8.879B/6.794A	8.879B/6.794A	----	8.322	+ 0.889	.5969	----	----	----	----	6	UNCH
7900	----	----	9.214B/7.104A	9.214B/7.104A	----	8.667	+ 0.912	.6098	----	----	----	----	11	UNCH
7975	----	----	9.626B/7.734A	9.626B/7.734A	----	9.196	+ 0.943	.6285	----	----	----	----	5	UNCH
8000	9.500	9.500	9.932B/7.909A	9.932B/7.909A	----	9.376	+ 0.954	.6346	----	----	4	----	286	- 2
8100	----	----	10.684B/8.404A	10.684B/8.404A	----	10.111	+ 0.997	.6583	----	----	----	----	44	UNCH
8125	----	----	10.874B/----	10.874B/9.819A	----	10.298	+ 1.007	.6640	----	----	----	----	7	UNCH
8175	----	----	11.159B/9.582A	11.159B/9.582A	----	10.678	+ 1.028	.6752	----	----	----	----	4	UNCH
8225	11.618	11.618	11.618/11.618	11.618/11.005A	----	11.063	+ 1.049	.6860	----	----	1	----	1	UNCH
8250	----	----	11.847B/----	11.847B/11.197A	----	11.257	+ 1.058	.6913	----	----	----	----	46	UNCH
8300	----	----	12.248B/----	12.248B/11.557A	----	11.650	+ 1.078	.7016	----	----	----	----	128	UNCH
8375	----	----	12.775B/----	12.775B/12.320A	----	12.250	+ 1.110	.7166	----	----	----	----	3	UNCH
8400	----	----	13.043B/----	13.043B/12.432A	----	12.452	+ 1.120	.7213	----	----	----	----	7	UNCH
8500	----	----	13.906B/----	13.906B/13.233A	----	13.273	+ 1.162	.7397	----	----	----	----	57	UNCH
8575	----	----	14.455B/----	14.455B/13.955A	----	13.901	+ 1.196	.7525	----	----	----	----	3	UNCH
8600	----	----	14.758B/----	14.758B/14.062A	----	14.112	+ 1.206	.7567	----	----	----	----	56	UNCH
8700	----	----	15.533B/----	15.533B/15.007A	----	14.966	+ 1.249	.7724	----	----	----	----	4	UNCH
9000	----	----	18.284B/----	18.284B/17.520A	----	17.591	+ 1.332	.8141	----	----	----	----	312	UNCH
9200	----	----	20.019B/----	20.019B/19.359A	----	19.376	+ 1.352	.8384	----	----	----	----	11	UNCH
9400	----	----	21.863B/----	21.863B/21.245A	----	21.190	+ 1.361	.8597	----	----	----	----	1	UNCH
9450	----	----	22.336B/----	22.336B/21.660A	----	21.649	+ 1.364	.8646	----	----	----	----	12	UNCH
9500	----	----	22.888B/----	22.888B/22.065A	----	22.110	+ 1.367	.8692	----	----	----	----	218	UNCH
9600	----	----	23.829B/----	23.829B/22.994A	----	23.039	+ 1.376	.8778	----	----	----	----	50	UNCH
9900	----	----	26.589B/----	26.589B/25.878A	----	25.870	+ 1.420	.8990	----	----	----	----	6	UNCH
9950	----	----	27.063B/----	27.063B/26.387A	----	26.346	+ 1.428	.9020	----	----	----	----	5	UNCH
10000	----	----	27.632B/----	27.632B/26.759A	----	26.824	+ 1.437	.9049	----	----	----	----	205	UNCH
10275	----	----	30.188B/----	30.188B/29.458A	----	29.464	+ 1.481	.9191	----	----	----	----	7	UNCH
10500	----	----	32.368B/----	32.368B/31.649A	----	31.643	+ 1.520	.9285	----	----	----	----	3	UNCH
10600	----	----	33.340B/----	33.340B/32.592A	----	32.616	+ 1.537	.9320	----	----	----	----	9	UNCH
11000	----	----	37.336B/----	37.336B/35.818A	----	36.530	+ 1.603	.9437	----	----	----	----	217	UNCH
11300	----	----	40.192B/37.553A	40.192B/37.553A	----	39.480	+ 1.646	.9504	----	----	----	----	10	UNCH
11500	----	----	42.161B/----	42.161B/41.387A	----	41.451	+ 1.671	.9544	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
12000	----	----	47.101B/----	47.101B/46.305A	----	46.390 + 1.718	.9628	----	----	----	----	15 UNCH
13000	----	----	57.025B/----	57.025B/56.207A	----	56.308 + 1.770	.9746	----	----	----	----	6 UNCH
TOTAL										353	250	11312 + 181
AUG26												
3300	----	----	----	0.001B/0.254A	----	0.037 + 0.002	.0042	----	----	----	----	2 UNCH
3900	----	----	----	0.040B/0.171A	----	0.098 + 0.008	.0111	----	----	----	----	2 UNCH
4000	----	----	----	0.051B/0.186A	----	0.112 + 0.009	.0127	----	----	----	----	1 UNCH
4175	----	----	----	0.078B/0.217A	----	0.141 + 0.012	.0161	----	----	----	----	1 UNCH
4300	----	----	----	0.102B/0.244A	----	0.166 + 0.015	.0190	----	----	----	----	1 UNCH
4350	----	----	----	0.113B/0.256A	----	0.177 + 0.016	.0202	----	----	----	----	1 UNCH
4375	----	----	----	0.116B/0.263A	----	0.183 + 0.017	.0209	----	----	----	----	160 UNCH
4400	----	----	----	0.125B/0.269A	----	0.189 + 0.018	.0216	----	----	----	----	1 UNCH
4500	----	----	----	0.151B/0.297A	----	0.215 + 0.021	.0246	----	----	----	----	2 UNCH
4600	----	----	----	0.180B/0.326A	----	0.245 + 0.025	.0280	----	----	----	----	4 UNCH
4625	----	----	----	0.188B/0.335A	----	0.252 + 0.025	.0288	----	----	----	----	1 UNCH
4700	----	----	----	0.218B/0.365A	----	0.278 + 0.028	.0318	----	----	----	----	1 UNCH
4775	----	----	----	0.248B/0.395A	----	0.306 + 0.031	.0349	----	----	----	----	1 UNCH
4800	----	----	----	0.259B/0.342A	----	0.316 + 0.033	.0360	----	----	----	----	16 UNCH
4825	----	----	----	0.270B/0.413A	----	0.326 + 0.033	.0372	----	----	----	----	1 UNCH
5000	----	----	----	0.362B/0.500A	----	0.409 + 0.044	.0463	----	----	----	----	14 UNCH
5275	----	----	0.563B/----	0.563B/0.678A	----	0.585 + 0.065	.0650	----	----	----	----	1 UNCH
5300	----	----	0.586B/----	0.586B/0.698A	----	0.605 + 0.068	.0670	----	----	----	----	1 UNCH
5500	----	----	0.798B/----	0.798B/0.869A	----	0.785 + 0.090	.0851	----	----	----	----	25 UNCH
5675	----	----	1.078B/----	1.078B/1.159A	----	0.984 + 0.114	.1042	----	----	----	----	9 UNCH
5700	----	----	1.115B/----	1.115B/1.186A	----	1.016 + 0.117	.1072	----	----	1	----	2 + 1
5800	----	----	1.274B/----	1.274B/1.342A	----	1.153 + 0.133	.1198	----	----	----	----	5 UNCH
5850	----	----	1.360B/----	1.360B/1.422A	----	1.229 + 0.142	.1266	----	----	----	----	2 UNCH
5875	----	----	1.405B/----	1.405B/1.439A	----	1.268 + 0.147	.1301	----	----	----	----	4 UNCH
5900	----	----	1.451B/----	1.451B/1.473A	----	1.308 + 0.151	.1336	----	----	----	----	5 UNCH
5950	----	----	1.546B/----	1.546B/1.571A	----	1.392 + 0.161	.1410	----	----	----	----	10 UNCH
6000	----	----	1.645B/----	1.645B/1.557A	----	1.481 + 0.171	.1486	----	----	----	----	156 UNCH
6050	----	----	1.750B/----	1.750B/1.740A	----	1.575 + 0.182	.1565	----	----	----	----	1 UNCH
6100	----	----	1.859B/----	1.859B/1.709A	----	1.674 + 0.193	.1647	----	----	----	----	10 UNCH
6150	----	----	1.974B/----	1.974B/1.768A	----	1.778 + 0.205	.1731	----	----	----	----	1 UNCH
6200	----	----	2.094B/----	2.094B/1.877A	----	1.888 + 0.217	.1819	----	----	----	----	1 UNCH
6225	2.156	2.156	2.156/1.934A	2.156/1.934A	----	1.945 NEW	.1864	----	----	8	----	8 + 8
6300	2.351	2.351	2.351/2.113A	2.351/2.113A	----	2.124 + 0.243	.2002	----	----	14	----	14 + 14
6400	----	----	2.631B/----	2.631B/2.375A	----	2.398 + 0.285	.2200	----	----	----	----	1 UNCH
6425	2.705	2.705	2.705/2.444A	2.705/2.444A	----	2.470 NEW	.2251	----	----	6	----	6 + 6
6500	2.874	2.874	2.968/2.639A	2.968/2.639A	----	2.696 + 0.328	.2407	----	----	14	----	233 + 7
6600	3.198	3.198	3.269B/2.980A	3.269B/2.980A	----	3.017 + 0.369	.2621	----	----	4	----	15 + 2
6650	3.480	3.480	3.480/3.147A	3.480/3.147A	----	3.188 NEW	.2731	----	----	6	----	6 + 6
6725	----	----	3.725B/----	3.725B/3.410A	----	3.455 + 0.423	.2898	----	----	----	----	8 UNCH
6825	----	----	4.123B/----	4.123B/3.785A	----	3.835 + 0.466	.3127	----	----	----	----	8 UNCH
6900	----	----	4.440B/----	4.440B/4.086A	----	4.138 + 0.499	.3301	----	----	----	----	1 UNCH
6950	----	----	4.661B/----	4.661B/4.298A	----	4.348 + 0.520	.3418	----	----	----	----	1 UNCH
6975	----	----	4.775B/----	4.775B/4.405A	----	4.456 + 0.531	.3477	----	----	----	----	1 UNCH
7000	----	----	4.890B/----	4.890B/4.515A	----	4.566 + 0.543	.3536	----	----	----	----	8 UNCH
7050	----	----	5.126B/----	5.126B/4.741A	----	4.791 + 0.565	.3655	----	----	----	----	1 UNCH
7100	----	----	5.370B/----	5.370B/4.970A	----	5.023 + 0.588	.3774	----	----	----	----	5 UNCH
7150	----	----	5.623B/----	5.623B/5.318A	----	5.262 NEW	.3894	----	----	1	----	1 + 1
7200	----	----	5.881B/----	5.881B/5.450A	----	5.509 + 0.635	.4014	----	----	----	----	2 UNCH
7225	----	----	6.012B/----	6.012B/5.579A	----	5.635 + 0.641	.4073	----	----	----	----	2 UNCH
7300	----	----	6.418B/----	6.418B/5.915A	----	6.024 + 0.659	.4252	----	----	1	----	2 + 1
7350	----	----	6.700B/----	6.700B/6.227A	----	6.291 + 0.672	.4371	----	----	----	----	6 UNCH
7400	----	----	6.991B/----	6.991B/6.404A	----	6.565 + 0.685	.4490	----	----	----	----	4 UNCH
7500	----	----	7.590B/----	7.590B/6.919A	----	7.129 + 0.710	.4724	----	----	----	----	7 UNCH
7550	----	----	7.897B/----	7.897B/7.278A	----	7.419 + 0.721	.4840	----	----	----	----	5 UNCH
7600	----	----	8.212B/----	8.212B/7.457A	----	7.715 + 0.732	.4955	----	----	----	----	4 UNCH
7700	----	----	8.861B/----	8.861B/8.024A	----	8.323 + 0.753	.5182	----	----	----	----	38 UNCH
7950	----	----	10.527B/----	10.527B/9.636A	----	9.938 + 0.803	.5727	----	----	----	----	4 UNCH
7975	----	----	10.704B/----	10.704B/9.795A	----	10.107 + 0.808	.5779	----	----	----	----	1 UNCH
8000	----	----	10.925B/----	10.925B/9.863A	----	10.277 + 0.813	.5831	----	----	----	----	139 UNCH
8150	----	----	11.926B/----	11.926B/10.953A	----	11.328 + 0.845	.6134	----	----	----	----	10 UNCH
8200	----	----	12.304B/----	12.304B/11.200A	----	11.689 + 0.857	.6231	----	----	----	----	10 UNCH
8250	----	----	12.521B/----	12.521B/11.618A	----	12.055 + 0.869	.6326	----	----	----	----	5 UNCH
8500	----	----	14.621B/----	14.621B/14.066A	----	13.959 + 0.935	.6768	----	----	----	----	20 UNCH
9000	18.600	18.600	19.212/18.159A	19.212/18.159A	----	18.066 + 1.082	.7494	----	----	5	----	35 + 2
9300	----	----	21.289B/----	21.289B/20.808A	----	20.671 + 1.168	.7839	----	----	----	----	1 UNCH
9500	----	----	23.146B/----	23.146B/22.519A	----	22.451 + 1.222	.8038	----	----	----	----	30 UNCH
10000	----	----	27.691B/----	27.691B/27.083A	----	27.008 + 1.340	.8449	----	----	----	----	6 UNCH
10025	----	----	#27.902B/----	27.902B/27.343A	----	27.240 + 1.346	.8466	----	----	----	----	1 UNCH
10175	----	----	#29.326B/----	#29.326B/28.701A	----	28.633 + 1.376	.8567	----	----	----	----	15 UNCH
TOTAL										60	0	1106 + 48
SEP26												
2500	----	----	----	0.001B/2.862A	----	0.010 - 0.001	.0011	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/2.961A	----	0.031 - 0.002	.0033	----	----	----	----	22 UNCH
3500	----	----	----	0.028B/0.181A	----	0.080 - 0.004	.0083	----	----	----	----	74 UNCH
4000	----	----	----	0.105B/0.278A	----	0.187 - 0.005	.0187	----	----	----	----	46 UNCH
4500	----	----	----	0.266B/0.450A	----	0.351 + 0.001	.0347	----	----	----	----	12 UNCH
4525	----	----	----	0.277B/0.461A	----	0.362 NEW	.0358	----	----	3	----	3 + 3
5000	0.700	0.700	0.700/*0.700	0.700/0.700	----	0.633 + 0.014	.0613	----	----	1	----	233 + 1
5100	----	----	----	0.674B/0.829A	----	0.712 + 0.018	.0685	----	----	----	----	1 UNCH
5400	----	----	0.989B/----	0.989B/1.134A	----	1.011 + 0.035	.0944	----	----	----	----	1 UNCH
5475	----	----	----	1.000B/1.226A	----	1.103 NEW	.1021	----	----	3	----	3 + 3
5500	----	----	----	0.851B/1.360A	----	1.136 + 0.042	.1048	----	----	5	----	233 + 5
5600	----	----	----	1.011B/1.690A	----	1.274 + 0.050	.1159	----	----	----	----	1 UNCH
5700	----	----	----	1.197B/1.745A	----	1.428 + 0.059	.1280	----	----	5	----	7 + 5
5800	----	----	----	1.393B/1.999A	----	1.599 + 0.070	.1411	----	----	----	----	8 UNCH
5900	----	----	----	1.585B/1.969A	----	1.787 + 0.081	.1551	----	----	----	----	50 UNCH
6000	2.200	2.200	2.200/2.200	2.200/2.200	----	1.995 + 0.094	.1700	----	----	1	----	164 UNCH
6050	----	----	----	1.918B/2.527A	----	2.107 + 0.101	.1778	----	----	----	----	15 UNCH
6200	----	----	----	2.300B/2.925A	----	2.473 + 0.125	.2024	----	----	----	----	40 UNCH
6300	----	----	----	2.583B/3.213A	----	2.745 + 0.142	.2199	----	----	----	----	5 UNCH
6400	----	----	2.890B/----	2.890B/3.528A	----	3.041 + 0.162	.2382	----	----	----	----	3 UNCH
6425	----	----	2.972B/----	2.972B/3.610A	----	3.118 + 0.166	.2429	----	----	----	----	3 UNCH
6500	----	----	3.223B/----	3.223B/3.861A	----	3.361 + 0.183	.2572	----	----	----	----	55 UNCH
6550	----	----	3.365B/----	3.365B/4.044A	----	3.530 + 0.194	.2669	----	----	----	----	15 UNCH
6800	----	----	4.375B/----	4.375B/5.043A	----	4.474 + 0.257	.3174	----	----	----	----	5 UNCH
6900	----	----	4.835B/----	4.835B/5.471A	----	4.898 + 0.286	.3383	----	----	----	----	1 UNCH
7000	----	----	5.321B/----	5.321B/5.937A	----	5.348 + 0.316	.3593	----	----	----	----	16 UNCH
7025	----	----	5.356B/----	5.356B/6.059A	----	5.465 + 0.325	.3646	----	----	----	----	1 UNCH
7100	----	----	5.833B/----	5.833B/6.442A	----	5.825 + 0.349	.3806	----	----	----	----	16 UNCH
7125	----	----	5.893B/----	5.893B/6.558A	----	5.949 + 0.358	.3859	----	----	----	----	25 UNCH
7175	----	----	6.109B/----	6.109B/6.814A	----	6.200 + 0.374	.3965	----	----	----	----	20 UNCH
7200	----	----	6.372B/----	6.372B/6.952A	----	6.329 + 0.383	.4018	----	----	----	----	50 UNCH
7400	----	----	7.523B/----	7.523B/8.057A	----	7.414 + 0.456	.4439	----	----	----	----	24 UNCH
7500	----	----	8.135B/----	8.135B/8.634A	----	7.994 + 0.493	.4645	----	----	----	----	3 UNCH
7550	----	----	8.450B/----	8.450B/8.932A	----	8.293 + 0.513	.4746	----	----	----	----	2 UNCH
7700	----	----	9.425B/----	9.425B/9.860A	----	9.226 + 0.573	.5044	----	----	----	----	1 UNCH
7800	----	----	10.102B/----	10.102B/10.505A	----	9.874 + 0.612	.5236	----	----	----	----	4 UNCH
7900	----	----	10.796B/----	10.796B/11.175A	----	10.544 + 0.652	.5423	----	----	----	----	1 UNCH
8000	----	----	11.509B/----	11.509B/11.863A	----	11.232 + 0.691	.5604	----	----	----	----	40 UNCH
8100	----	----	12.239B/----	12.239B/12.570A	----	11.939 + 0.731	.5779	----	----	----	----	1 UNCH
8200	----	----	12.984B/----	12.984B/13.294A	----	12.663 + 0.769	.5947	----	----	----	----	1 UNCH
8500	----	----	15.301B/----	15.301B/15.560A	----	14.924 + 0.878	.6417	----	----	----	----	225 UNCH
8700	----	----	16.580B/----	16.580B/17.208A	----	16.499 + 0.944	.6700	----	----	----	----	100 UNCH
9000	----	----	18.861B/17.695A	18.861B/17.695A	----	18.948 + 1.036	.7082	----	----	----	----	74 UNCH
9300	----	----	20.939B/----	20.939B/22.658A	----	21.485 + 1.116	.7415	----	----	----	----	1 UNCH
9400	----	----	21.812B/----	21.812B/23.516A	----	22.348 + 1.140	.7516	----	----	----	----	1 UNCH
10150	----	----	28.535B/----	28.535B/30.184A	----	29.034 + 1.295	.8138	----	----	----	----	1 UNCH
10300	----	----	#29.907B/----	29.907B/31.556A	----	30.407 + 1.320	.8238	----	----	----	----	1 UNCH
TOTAL										18	0	1668 + 17
OCT26												
2675	----	----	----	0.001B/3.044A	----	0.024 - 0.005	.0023	----	----	----	----	8 UNCH
3250	----	----	----	0.022B/0.199A	----	0.062 - 0.012	.0061	----	----	----	----	1 UNCH
4000	----	----	----	0.160B/0.366A	----	0.209 - 0.025	.0199	----	----	----	----	3 UNCH
4500	----	----	----	0.373B/0.588A	----	0.464 - 0.035	.0410	----	----	----	----	3 UNCH
5000	----	----	----	0.766B/0.961A	----	0.833 - 0.014	.0707	----	----	----	----	6 UNCH
5050	----	----	----	0.816B/1.004A	----	0.880 - 0.011	.0744	----	----	----	----	1 UNCH
5150	----	----	----	0.933B/1.109A	----	0.983 - 0.002	.0823	----	----	----	----	5 UNCH
6500	----	----	----	3.628B/4.404A	----	3.854 + 0.223	.2584	----	----	----	----	6 UNCH
7000	----	----	5.712B/----	5.712B/6.517A	----	5.893 + 0.356	.3500	----	----	----	----	85 UNCH
7225	----	----	6.845B/----	6.845B/7.680A	----	7.004 + 0.420	.3924	----	----	----	----	87 UNCH
7500	----	----	8.492B/----	8.492B/9.223A	----	8.520 + 0.502	.4435	----	----	----	----	33 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 57

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
OCT26												
7950	----	----	11.442B/----	11.442B/12.072A	----	11.345 + 0.638	.5220	----	----	----	----	10 UNCH
8200	----	----	13.230B/----	13.230B/13.806A	----	13.078 + 0.714	.5617	----	----	----	----	6 UNCH
8375	----	----	14.252B/----	14.252B/15.198A	----	14.351 + 0.767	.5876	----	----	----	----	1 UNCH
9100	----	----	20.010B/----	20.010B/20.968A	----	20.050 + 0.976	.6786	----	----	----	----	1 UNCH
10000	----	----	----	4.693B/44.041A	----	27.766 + 1.182	.7607	----	----	----	----	40 UNCH
TOTAL											0	296 0
NOV26												
4500	----	----	----	0.525B/0.772A	----	0.624 + 0.004	.0496	----	----	----	----	2 UNCH
4550	----	----	----	0.559B/0.809A	----	0.661 + 0.005	.0523	----	----	----	----	1 UNCH
4800	----	----	----	0.785B/1.024A	----	0.876 + 0.016	.0678	----	----	----	----	1 UNCH
5000	----	----	----	1.017B/1.231A	----	1.086 + 0.028	.0824	----	----	----	----	12 UNCH
5200	----	----	----	1.243B/1.491A	----	1.337 + 0.043	.0992	----	----	----	----	1 UNCH
5950	----	----	----	2.480B/3.318A	----	2.794 + 0.138	.1852	----	----	----	----	1 UNCH
6700	----	----	5.030B/----	5.030B/5.969A	----	5.328 + 0.300	.3019	----	----	----	----	50 UNCH
7000	----	----	6.406B/----	6.406B/7.366A	----	6.685 + 0.379	.3530	----	----	----	----	40 UNCH
7025	----	----	6.507B/----	6.507B/7.492A	----	6.807 + 0.386	.3572	----	----	----	----	6 UNCH
7400	----	----	8.600B/----	8.600B/9.535A	----	8.795 + 0.490	.4211	----	----	----	----	24 UNCH
7500	----	----	9.206B/----	9.206B/10.137A	----	9.374 + 0.519	.4378	----	----	----	----	7 UNCH
7700	----	----	10.475B/----	10.475B/11.375A	----	10.589 + 0.575	.4702	----	----	----	----	50 UNCH
8500	----	----	16.180B/----	16.180B/16.955A	----	16.121 + 0.791	.5849	----	----	----	----	60 UNCH
9000	----	----	20.128B/----	20.128B/20.839A	----	20.009 + 0.908	.6433	----	----	----	----	5 UNCH
9050	----	----	20.536B/----	20.536B/21.241A	----	20.411 + 0.918	.6485	----	----	----	----	3 UNCH
10000	----	----	----	16.892B/37.105A	----	28.428 + 1.104	.7327	----	----	----	----	1 UNCH
11000	----	----	----	6.124B/59.590A	----	37.371 + 1.262	.7957	----	----	----	----	1 UNCH
TOTAL											0	265 0
DEC26												
1500	----	----	----	----/0.085A	----	0.006 - 0.001	.0004	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.200A	----	0.023 - 0.002	.0018	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.613A	----	0.046 - 0.003	.0037	----	----	----	----	32 UNCH
3000	----	----	----	0.004B/0.278A	----	0.089 - 0.005	.0075	----	----	----	----	93 UNCH
3100	----	----	----	0.017B/0.301A	----	0.102 - 0.005	.0086	----	----	----	----	1 UNCH
3150	----	----	----	0.024B/0.312A	----	0.114 - 0.005	.0095	----	----	----	----	1 UNCH
3500	----	----	----	0.095B/0.414A	----	0.226 - 0.005	.0177	----	----	----	----	45 UNCH
3850	----	----	----	0.199B/0.556A	----	0.387 - 0.004	.0290	----	----	----	----	1 UNCH
3925	----	----	----	0.240B/0.593A	----	0.426 - 0.004	.0318	----	----	----	----	1 UNCH
4000	----	----	----	0.275B/0.633A	----	0.468 - 0.002	.0347	----	----	----	----	81 UNCH
4500	----	----	----	0.609B/0.984A	----	0.832 + 0.008	.0592	----	----	----	----	35 UNCH
4600	----	----	----	0.706B/1.076A	----	0.926 + 0.012	.0653	----	----	----	----	4 UNCH
4800	----	----	----	0.930B/1.285A	----	1.139 + 0.021	.0788	----	----	----	----	241 UNCH
5000	----	----	----	1.193B/1.533A	----	1.389 + 0.032	.0942	----	----	----	----	357 UNCH
5250	----	----	----	1.097B/2.409A	----	1.763 + 0.049	.1163	----	----	----	----	50 UNCH
5300	----	----	----	1.211B/2.470A	----	1.847 + 0.054	.1211	----	----	----	----	250 UNCH
5400	----	----	----	1.490B/2.639A	----	2.025 + 0.063	.1312	----	----	----	----	100 UNCH
5500	2.170	2.170	2.170/2.170	2.170/2.170	----	2.217 + 0.073	.1418	----	----	20	----	129 + 20
5600	----	----	----	1.872B/3.009A	----	2.424 + 0.084	.1529	----	----	----	----	4 UNCH
5650	----	----	----	1.979B/3.145A	----	2.533 + 0.090	.1587	----	----	----	----	12 UNCH
5800	----	----	----	2.308B/3.525A	----	2.885 + 0.108	.1768	----	----	----	----	1 UNCH
5950	----	----	----	2.731B/3.961A	----	3.276 + 0.129	.1961	----	----	----	----	5 UNCH
6000	----	----	----	2.843B/4.115A	----	3.416 + 0.137	.2027	----	----	----	----	147 UNCH
6200	----	----	----	3.454B/4.799A	----	4.023 + 0.168	.2306	----	----	----	----	13 UNCH
6300	----	----	----	3.825B/5.142A	----	4.358 + 0.186	.2452	----	----	----	----	25 UNCH
6500	----	----	----	4.614B/5.924A	----	5.092 + 0.224	.2753	----	----	----	----	626 UNCH
6650	----	----	----	5.266B/6.563A	----	5.701 + 0.255	.2987	----	----	----	----	5 UNCH
6725	----	----	----	5.495B/6.900A	----	6.023 + 0.271	.3105	----	----	----	----	4 UNCH
6750	----	----	----	5.727B/7.058A	----	6.134 + 0.277	.3145	----	----	----	----	6 UNCH
6800	6.411	6.411	6.411/6.411	6.411/6.411	----	6.359 + 0.289	.3224	----	----	20	----	79 + 20
6850	----	----	----	6.209B/7.487A	----	6.589 + 0.300	.3304	----	----	----	----	78 UNCH
6900	----	----	----	6.458B/7.730A	----	6.824 + 0.311	.3383	----	----	----	----	1 UNCH
6950	----	----	----	6.712B/7.979A	----	7.066 + 0.325	.3463	----	----	----	----	101 UNCH
7000	----	----	----	6.971B/8.226A	----	7.312 + 0.337	.3543	----	----	----	----	179 UNCH
7075	----	----	----	7.106B/8.622A	----	7.691 + 0.356	.3663	----	----	----	----	20 UNCH
7100	----	----	7.504B/----	7.504B/8.084A	----	7.821 + 0.364	.3703	----	----	----	----	2 UNCH
7200	----	----	8.057B/----	8.057B/9.253A	----	8.350 + 0.391	.3862	----	----	----	----	14 UNCH
7250	----	----	8.341B/----	8.341B/9.522A	----	8.622 + 0.405	.3941	----	----	----	----	48 UNCH
7500	----	----	9.831B/----	9.831B/10.944A	----	10.058 + 0.481	.4331	----	----	----	----	22 UNCH
7550	----	----	10.143B/----	10.143B/11.243A	----	10.359 + 0.496	.4407	----	----	----	----	1 UNCH
7800	----	----	11.765B/----	11.765B/12.803A	----	11.934 + 0.578	.4776	----	----	----	----	20 UNCH
7850	----	----	12.101B/----	12.101B/13.127A	----	12.262 + 0.595	.4847	----	----	----	----	10 UNCH
7875	----	----	11.935B/----	11.935B/13.446A	----	12.427 + 0.603	.4883	----	----	----	----	1 UNCH
7900	----	----	12.441B/----	12.441B/13.456A	----	12.594 + 0.612	.4918	----	----	----	----	19 UNCH
8000	----	----	13.133B/----	13.133B/13.558A	----	13.269 + 0.645	.5056	----	----	----	----	50 UNCH
8100	----	----	13.838B/----	13.838B/14.811A	----	13.960 + 0.679	.5190	----	----	----	----	1 UNCH
8200	----	----	14.557B/----	14.557B/15.511A	----	14.666 + 0.713	.5321	----	----	----	----	35 UNCH
8350	----	----	15.658B/----	15.658B/16.585A	----	15.751 + 0.763	.5509	----	----	----	----	9 UNCH
8400	----	----	16.031B/----	16.031B/16.949A	----	16.119 + 0.780	.5570	----	----	----	----	50 UNCH
8500	----	----	16.785B/----	16.785B/17.688A	----	16.864 + 0.812	.5690	----	----	----	----	166 UNCH
8550	----	----	17.166B/----	17.166B/18.061A	----	17.241 + 0.829	.5748	----	----	----	----	25 UNCH
8600	----	----	17.550B/----	17.550B/18.437A	----	17.621 + 0.845	.5805	----	----	----	----	2 UNCH
8800	----	----	19.108B/----	19.108B/19.969A	----	19.169 + 0.908	.6024	----	----	----	----	12 UNCH
8900	----	----	19.900B/----	19.900B/20.749A	----	19.958 + 0.938	.6128	----	----	----	----	30 UNCH
9000	----	----	20.701B/----	20.701B/21.539A	----	20.756 + 0.967	.6229	----	----	----	----	3 UNCH
9050	----	----	21.105B/----	21.105B/21.937A	----	21.158 + 0.981	.6278	----	----	----	----	100 UNCH
9500	----	----	24.345B/----	24.345B/25.967A	----	24.866 + 1.099	.6684	----	----	----	----	2 UNCH
9850	----	----	27.304B/----	27.304B/28.682A	----	27.838 + 1.175	.6962	----	----	----	----	8 UNCH
9950	----	----	27.976B/----	27.976B/29.741A	----	28.698 + 1.194	.7035	----	----	----	----	1 UNCH
10025	----	----	28.154B/----	28.154B/30.388A	----	29.346 + 1.207	.7089	----	----	----	----	3 UNCH
10125	----	----	----	28.491B/31.242A	----	30.213 + 1.224	.7160	----	----	----	----	1 UNCH
10700	----	----	----	----/66.687A	----	35.270 + 1.298	.7529	----	----	----	----	5 UNCH
10800	----	----	----	----/68.240A	----	36.160 + 1.308	.7587	----	----	----	----	2 UNCH
11000	----	----	----	0.991B/65.027A	----	37.951 + 1.326	.7700	----	----	----	----	2 UNCH
11500	----	----	----	4.539B/70.346A	----	42.478 + 1.362	.7956	----	----	----	----	1 UNCH
12000	----	----	----	15.608B/75.234A	----	47.069 + 1.389	.8181	----	----	----	----	1 UNCH
12100	----	----	----	12.082B/81.747A	----	47.995 + 1.395	.8222	----	----	----	----	1 UNCH
12300	----	----	----	11.318B/80.296A	----	49.853 + 1.405	.8301	----	----	----	----	1 UNCH
15000	----	----	----	47.206B/100.398A	----	75.630 + 1.563	.9019	----	----	----	----	1 UNCH
19000	----	----	----	92.266B/137.622A	----	115.057 + 1.805	.9460	----	----	----	----	1 UNCH
TOTAL										40	0	3567 + 40
JAN27												
3800	----	----	----	0.133B/0.729A	----	0.328 + 0.006	.0251	----	----	----	----	1 UNCH
6500	----	----	----	4.927B/6.458A	----	5.479 + 0.253	.2719	----	----	----	----	1 UNCH
7125	----	----	----	7.238B/9.779A	----	8.359 + 0.406	.3635	----	----	----	----	1 UNCH
8600	----	----	#17.702B/----	17.702B/18.746A	----	17.797 + 0.756	.5585	----	----	----	----	1 UNCH
TOTAL											0	4 0
FEB27												
8150	----	----	14.936B/----	14.936B/16.172A	----	15.152 + 0.668	.4976	----	----	----	----	10 UNCH
8225	----	----	----	14.525B/17.365A	----	15.669 + 0.689	.5064	----	----	----	----	10 UNCH
8250	----	----	15.647B/----	15.647B/16.865A	----	15.843 + 0.696	.5093	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	5.206B/7.898A	----	6.427 + 0.255	.2792	----	----	----	----	20 UNCH
8300	----	----	----	15.565B/18.539A	----	16.749 + 0.705	.5070	----	----	----	----	50 UNCH
TOTAL											0	70 0
APR27												
4000	----	----	----	----	----	1.224 + 0.105	.0606	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	14.489 + 0.607	.3310	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7370	1.450	1.450	#1.450/*1.207A	1.612B/*1.207A	----	1.480 NEW	.5142	----	----	3	----	3 + 3
7400	1.040	1.040	1.040/*1.038A	1.450B/*1.038A	----	1.318 NEW	.4759	----	----	1	----	1 + 1
7500	1.000	1.000	1.000/*0.725	1.388B/*0.725	----	0.860 NEW	.3472	----	----	26	----	22 + 22
7600	0.698	0.698	0.698/*0.509A	1.363B/*0.509A	----	0.534 - 0.929	.2315	----	----	31	----	48 + 23
7650	0.400	0.400	0.400/*0.400	1.228B/*0.400	----	0.418 NEW	.1840	----	----	1	----	1 + 1
7660	----	----	1.212B/*0.389A	1.212B/*0.389A	----	0.398 - 0.805	.1755	----	----	----	----	4 UNCH
7700	----	----	----/*0.377A	1.020B/*0.377A	----	0.328 - 0.720	.1447	----	----	----	----	13 UNCH
7710	0.263	0.263	#0.263/*0.263	0.969B/*0.263	----	0.312 NEW	.1376	----	----	20	----	20 + 20
7750	0.949	0.949	0.949/*0.341A	0.949/*0.341A	----	0.258 - 0.615	.1129	----	----	1	----	2 + 1
7800	0.800	0.800	0.800/*0.239A	0.800/*0.239A	----	0.204 - 0.518	.0877	----	----	2	----	11 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO1 CALL		SILVER OPTIONS										
MAY26												
7900	----	----	----/*0.177A	0.320B/*0.177A	----	0.131 -	0.353 .0531	----	----	----	----	10 UNCH
8000	0.084	0.084	0.084/*0.084	0.085B/*0.084	----	0.082 -	0.244 .0310	----	----	20	----	9 - 20
8100	----	----	----/*0.129A	0.036B/*0.129A	----	0.051 -	0.175 .0178	----	----	----	----	1 UNCH
8200	----	----	----/*0.117A	0.004B/*0.117A	----	0.034 -	0.131 .0108	----	----	----	----	9 UNCH
8800	----	----	----	----/0.097A	----	0.004 -	0.028 .0007	----	----	----	----	5 UNCH
9000	----	----	----	----/0.102A	----	0.002 -	0.015 .0002	----	----	----	----	12 UNCH
10000	----	----	----	----/0.162A	----	0.001 -	0.002 ----	----	----	----	----	3 UNCH
TOTAL										105	0	174 + 52
SO1 PUT		SILVER OPTIONS										
MAY26												
6000	----	----	----	0.002B/0.093A	----	0.003 -	0.001 .0004	----	----	----	----	10 UNCH
6500	0.080	0.080	0.100/*0.080	0.100/*0.080	----	0.052 +	0.013 .0134	----	----	3	50	21 - 29
6550	----	----	0.072B/----	0.072B/0.158A	----	0.068 +	0.017 .0182	----	----	----	----	4 UNCH
6600	0.192	0.192	0.192/0.192	0.192/0.166A	----	0.083	NEW .0231	----	----	1	----	1 + 1
6700	0.163	0.163	0.163/0.163	0.163/0.163	----	0.124 +	0.039 .0373	----	----	3	----	25 + 3
6825	----	----	0.288B/----	0.288B/0.206A	----	0.203 +	0.072 .0660	----	----	----	----	3 UNCH
6900	----	----	0.314B/----	0.314B/0.232A	----	0.274 +	0.105 .0923	----	----	----	----	1 UNCH
6925	----	----	0.422B/----	0.422B/0.254A	----	0.302 +	0.119 .1028	----	----	----	----	1 UNCH
6950	0.351	0.351	0.368B/0.351	0.368B/0.269A	----	0.333	NEW .1143	----	----	4	----	4 + 4
6975	0.281	0.281	0.511B/0.281	0.511B/0.281	----	0.367	NEW .1269	----	----	3	----	3 + 3
7000	0.160	0.160	0.505/*0.160	0.505/*0.160	----	0.404 +	0.169 .1407	----	----	19	----	19 + 8
7050	----	----	0.604B/----	0.604B/0.340A	----	0.486 +	0.207 .1712	----	----	----	----	1 UNCH
7100	0.550	0.550	0.950/0.550	0.950/0.373A	----	0.584 +	0.252 .2070	----	----	3	----	8 + 1
7200	1.350	1.350	1.380/1.000	1.380/0.495A	----	0.828 +	0.351 .2936	----	----	8	----	8 + 4
7250	----	----	1.306B/----	1.306B/0.610A	----	0.979 +	0.405 .3447	----	----	----	----	12 UNCH
7300	----	----	1.435B/0.682A	1.435B/0.682A	----	1.152 +	0.461 .4006	----	----	----	----	7 UNCH
7325	1.100	1.100	1.560B/1.100	1.560B/0.765A	----	1.247	NEW .4302	----	----	2	----	1 + 1
7340	----	----	#1.828B/----	#1.828B/0.801A	----	1.307 +	0.506 .4484	----	----	----	----	1 UNCH
7350	----	----	1.846B/0.825A	1.846B/0.825A	----	1.348 +	0.517 .4607	----	----	----	----	1 UNCH
7400	----	----	1.834B/0.926A	1.834B/0.926A	----	1.573 +	0.577 .5240	----	----	----	----	4 UNCH
7500	1.910	1.910	1.910/1.239A	1.910/1.239A	----	2.114 +	0.715 .6527	----	----	1	----	8 UNCH
7550	1.525	1.525	1.758B/1.462A	1.758B/1.462A	----	2.435	NEW .7135	----	----	1	----	1 + 1
7575	----	----	----/1.563A	1.471B/1.563A	----	2.608 +	0.845 .7418	----	----	----	----	6 UNCH
7600	----	----	----/1.634A	1.484B/1.634A	----	2.788 +	0.893 .7684	----	----	----	----	25 UNCH
7650	----	----	----/1.900A	1.311B/1.900A	----	3.172 +	0.996 .8159	----	----	----	----	10 UNCH
TOTAL										48	50	185 - 3
SO2 CALL		SILVER OPTIONS										
MAY26												
7350	2.800	2.800	#2.800/*2.416A	2.800/*2.416A	----	2.506	NEW .5325	----	----	1	----	1 + 1
7500	----	----	----/*1.758A	2.524B/*1.758A	----	1.779 -	1.170 .4265	----	----	3	----	3 UNCH
7600	----	----	----/*1.434A	2.269B/*1.434A	----	1.386 -	1.071 .3574	----	----	5	----	0 - 5
7700	1.204	1.204	1.204/*1.156A	2.006B/*1.156A	----	1.065	NEW .2930	----	----	2	----	2 + 2
8000	----	----	----/*0.602A	0.880B/*0.602A	----	0.468 -	0.603 .1468	----	----	----	----	5 UNCH
8100	----	----	----/*0.482A	0.639B/*0.482A	----	0.359 -	0.494 .1151	----	----	----	----	1 UNCH
8200	----	----	----/*0.383A	0.452B/*0.383A	----	0.278 -	0.397 .0903	----	----	----	----	2 UNCH
8300	----	----	----/*0.310A	0.310B/*0.310A	----	0.219 -	0.314 .0714	----	----	----	----	5 UNCH
8500	0.350	0.350	0.350/*0.212A	0.350/*0.212A	----	0.141 -	0.191 .0456	----	----	2	----	10 + 2
9000	----	----	----/*0.070A	0.026B/*0.070A	----	0.053 -	0.062 .0162	----	----	----	----	1 UNCH
9200	----	----	----	0.011B/*0.144A	----	0.038 -	0.045 .0113	----	----	----	----	4 UNCH
10000	----	----	----	0.001B/*0.127A	----	0.017 -	0.022 .0043	----	----	----	----	1 UNCH
TOTAL										13	0	35 0
SO2 PUT		SILVER OPTIONS										
MAY26												
6000	0.120	0.120	#0.120/*0.120	0.120/*0.120	----	0.094	NEW .0232	----	----	20	----	20 + 20
6500	----	----	0.280B/----	0.280B/0.287A	----	0.313 +	0.101 .0805	----	----	----	25	26 + 25
6600	----	----	0.390B/----	0.390B/0.346A	----	0.399 +	0.130 .1023	----	----	----	----	15 UNCH
6700	0.530	0.530	0.600/0.530	0.600/0.411A	----	0.508	NEW .1294	----	----	3	----	3 + 3
6800	0.900	0.900	#0.900/0.900	#0.900/0.506A	----	0.648	NEW .1628	----	----	3	----	3 + 3
6900	1.000	1.000	#1.000/1.000	#1.000/0.612A	----	0.826	NEW .2032	----	----	2	----	2 + 2
7000	1.450	1.450	#1.450/0.904	#1.450/0.764A	----	1.050 +	0.325 .2510	----	----	5	----	6 + 5
7300	2.274	2.274	#2.415B/1.460A	#2.415B/1.460A	----	2.040 +	0.488 .4328	----	----	2	----	2 + 1
7350	2.300	2.300	2.401B/1.652A	2.401B/1.652A	----	2.261	NEW .4674	----	----	1	----	1 + 1
7400	2.650	2.650	#3.200/1.796A	#3.200/1.796A	----	2.500 +	0.563 .5026	----	----	6	----	3 - 2
7500	----	----	#3.310B/2.172A	#3.310B/2.172A	----	3.033 +	0.651 .5734	----	----	1	----	1 UNCH
7600	----	----	#3.412B/2.605A	#3.412B/2.605A	----	3.639 +	0.751 .6425	----	----	1	----	0 - 1
7800	----	----	----	2.609B/4.236A	----	5.062 +	0.980 .7642	----	----	----	----	1 UNCH
8000	----	----	----	----/25.642A	----	6.718 +	1.219 .8531	----	----	----	----	9 UNCH
TOTAL										44	25	92 + 57
SO3 CALL		SILVER OPTIONS										
MAY26												
7600	2.100	2.100	3.162B/*2.065A	3.162B/*2.065A	----	2.037 -	1.006 .3990	----	----	8	----	13 + 8
7700	----	----	2.664B/*1.762A	2.664B/*1.762A	----	1.686 -	0.918 .3482	----	----	----	----	50 UNCH
7850	----	----	----/*1.407A	1.977B/*1.407A	----	1.256 -	0.788 .2783	----	----	----	----	2 UNCH
8100	----	----	----/*0.919A	1.222B/*0.919A	----	0.758 -	0.585 .1842	----	----	----	----	2 UNCH
8200	----	----	----/*0.778A	0.987B/*0.778A	----	0.620 -	0.513 .1549	----	----	----	----	11 UNCH
8500	----	----	----/*0.480A	0.495B/*0.480A	----	0.350 -	0.336 .0921	----	----	----	----	1 UNCH
9000	----	----	----/*0.249A	0.148B/*0.249A	----	0.169 -	0.157 .0442	----	----	----	----	5 UNCH
9100	----	----	----/*0.234A	0.129B/*0.234A	----	0.152 -	0.135 .0393	----	----	----	----	2 UNCH
TOTAL										8	0	86 + 8
SO3 PUT		SILVER OPTIONS										
MAY26												
6600	----	----	0.731B/----	0.731B/0.590A	----	0.674 +	0.179 .1428	----	----	----	----	15 UNCH
6800	1.097	1.097	#1.177B/1.097	#1.177B/0.833A	----	1.040	NEW .2080	----	----	2	----	2 + 2
7200	----	----	#2.628B/1.732A	#2.628B/1.732A	----	2.251 +	0.490 .3873	----	----	----	----	10 UNCH
7350	----	----	#3.359B/2.271A	#3.359B/2.271A	----	2.910 +	0.602 .4667	----	----	----	----	1 UNCH
7700	----	----	4.674B/3.800A	4.674B/3.800A	----	4.936 +	0.902 .6517	----	----	----	----	50 UNCH
7850	----	----	----/4.706A	4.731B/4.706A	----	6.005 +	1.034 .7215	----	----	----	----	2 UNCH
TOTAL										2	0	80 + 2
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
6000	----	----	----	----	----	13.746 -	1.823 .0000	----	----	----	----	1 UNCH
6750	----	----	----	0.008B/0.096A	----	0.013 -	0.005 .0008	----	----	----	----	1 UNCH
6775	0.080	0.080	0.080/*0.080	0.080/*0.080	----	0.017	NEW .0012	----	----	1	----	1 + 1
6800	0.045	0.045	0.045/*0.022	0.045/*0.022	----	0.021	NEW .0018	----	----	4	----	4 + 4
6870	----	----	----	0.013B/*0.107A	----	0.039 -	0.001 .0050	----	----	----	----	1 UNCH
6900	----	----	----	0.034B/0.113A	----	0.050 +	0.002 .0076	----	----	----	----	0 UNCH
7000	0.120	0.120	0.120/*0.120	0.120/*0.120	----	0.102 +	0.018 .0241	----	----	2	----	2 + 2
7100	0.160	0.160	0.351B/0.160	0.351B/0.130A	----	0.164	NEW .0560	----	----	16	----	16 + 16
7150	0.230	0.230	0.352B/*0.130A	0.352B/*0.130A	----	0.212	NEW .0861	----	----	1	----	1 + 1
7170	----	----	0.413B/----	0.413B/0.207A	----	0.236	NEW .1024	----	----	1	----	1 + 1
7200	1.500	1.500	1.501B/*1.500	1.501B/*1.500	----	2.023	NEW .8675	----	----	1	----	1 + 1
7200	----	----	0.536B/----	0.536B/0.219A	----	0.278	NEW .1324	----	----	1	----	1 + 1
7250	0.620	0.620	0.705B/0.330	0.705B/0.273A	----	0.370	NEW .2018	----	----	10	----	8 + 8
7260	0.654	0.654	0.720B/0.521	0.720B/0.281A	----	0.392	NEW .2189	----	----	2	----	2 + 2
7270	0.396	0.396	0.723B/0.396	0.723B/0.290A	----	0.415	NEW .2371	----	----	1	----	1 + 1
7300	0.460	0.460	0.789B/0.460	0.789B/0.297A	----	0.495 +	0.199 .2993	----	----	10	----	12 + 10
7300	1.100	1.100	1.100/*1.001A	1.100/*1.001A	----	1.240	NEW .7006	----	----	4	----	4 + 4
7350	0.580	0.580	0.965B/*0.374A	0.965B/*0.374A	----	0.664	NEW .4260	----	----	2	----	2 + 2
7350	1.000	1.000	#1.100/*0.797A	1.100/*0.797A	----	0.909	NEW .5739	----	----	20	----	20 + 20
7400	1.000	1.000	#1.000/*0.579A	1.000/*0.579A	----	0.632	NEW .4277	----	----	29	----	19 + 19
7400	----	----	0.993B/*0.320A	0.993B/*0.320A	----	0.887 +	0.402 .5722	----	----	----	----	2 UNCH
7450	----	----	0.758B/*0.586A	0.758B/*0.586A	----	1.169 +	0.545 .7172	----	----	----	----	2 UNCH
7470	0.440	0.440	#0.440/*0.408A	0.802B/*0.408A	----	0.344	NEW .2308	----	----	1	----	1 + 1
7500	0.500	0.500	#0.500/*0.200	0.795B/*0.200	----	0.256	NEW .1631	----	----	4	----	4 + 4
7500	----	----	----/*0.681A	0.682B/*0.681A	----	1.511 +	0.710 .8368	----	----	----	----	1 UNCH
7510	0.225	0.225	#0.225/*0.225	0.713B/*0.225	----	0.231	NEW .1436	----	----	3	----	3 + 3
7525	----	----	----/0.792A	0.637B/0.792A	----	1.702 +	0.797 .8825	----	----	----	----	4 UNCH
7525	0.219	0.219	#0.219/*0.219	0.691B/*0.219	----	0.197	NEW .1174	----	----	1	----	1 + 1
7600	----	----	----/*0.187A	0.794B/*0.187A	----	0.084 -	0.767 .0359	----	----	----	----	6 UNCH
7600	----	----	----/1.022A	0.727B/1.022A	----	2.339 +	1.056 .9640	----	----	----	----	1 UNCH
7620	0.060	0.060	#0.769B/*0.060	0.769B/*0.060	----	0.065	NEW .0246	----	----	2	----	2 + 2
7650	----	----	0.665B/*0.055A	0.665B/*0.055A	----	0.044 -	0.602 .0135	----	----	----	----	16 UNCH
7660	----	----	0.657B/*0.133A	0.657B/*0.133A	----	0.038 -	0.572 .0108	----	----	----	----	22 UNCH
7730	----	----	----	0.035B/10.430A	----	3.568 +	1.440 .9980	----	----	----	----	17 UNCH
7730	----	----	----/*0.097A	0.328B/*0.097A	----	0.013 -	0.383 .0019	----	----	----	----	20 UNCH
7800	----	----	----/*0.094A	0.134B/*0.094A	----	0.004 -	0.242 .0002	----	----	----	----	20 UNCH
8000	----	----	----	2.382B/8.116A	----	6.256 +	1.775 .0000	----	----	----	----	1 UNCH
8000	----	----	----/*0.021A	0.001B/*0.021A	----	0.001 -	0.048 ----	----	----	----	----	11 UNCH
8200	----	----	----	----/0.094A	----	0.001 -	0.006 ----	----	----	----	----	3 UNCH
8300	----	----	----	----/0.109A	----	0.001 -	0.002 ----	----	----	----	----	5 UNCH
8700	----	----	----	----/0.141A	----	0.001	UNCH ----	----	----	----	----	1 UNCH
8800	----	----	----	----/0.155A	----	0.001	UNCH ----	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
TOTAL										116	0	242 + 104
MAY26												
6000	----	----	----	0.005B/0.148A	----	0.060 UNCH	.0153	----	----	----	----	15 UNCH
6000	0.150	0.150	#0.150/*0.150	#0.150/*0.150	----	0.154 NEW	.0359	----	----	6	----	6 + 6
6500	0.400	0.400	#0.660/*0.400	#0.660/*0.400	----	0.475 NEW	.1078	----	----	18	----	8 + 8
6700	0.415	0.415	#0.415/0.415	0.415/0.294A	----	0.347 NEW	.1009	----	----	1	----	1 + 1
7200	1.427	1.427	#1.688B/0.903A	#1.688B/0.903A	----	1.281 NEW	.3461	----	----	4	----	4 + 4
7400	----	----	2.396B/1.452A	2.396B/1.452A	----	2.117 + 0.582	.5089	----	----	----	----	1 UNCH
7775	0.580	0.580	0.580/*0.580	1.261B/*0.580	----	0.629 NEW	.2115	----	----	1	----	1 + 1
7800	0.550	0.550	0.550/*0.550	1.197B/*0.550	----	0.584 NEW	.1980	----	----	10	----	10 + 10
7825	----	----	----/*0.566A	1.061B/*0.566A	----	0.542 - 0.590	.1852	----	----	----	----	1 UNCH
7875	----	----	----/*0.562A	0.881B/*0.562A	----	0.468 - 0.524	.1620	----	----	----	----	1 UNCH
7950	0.312	0.312	0.312/*0.312	0.663B/*0.312	----	0.377 NEW	.1322	----	----	1	----	1 + 1
8000	0.280	0.280	0.280/*0.270	0.565B/*0.270	----	0.328 NEW	.1156	----	----	5	----	5 + 5
8200	----	----	----/*0.232A	0.218B/*0.232A	----	0.198 - 0.220	.0692	----	----	----	----	2 UNCH
8500	----	----	----/*0.153A	0.043B/*0.153A	----	0.110 - 0.089	.0361	----	----	1	----	6 UNCH
8700	----	----	----	0.013B/*0.138A	----	0.082 - 0.045	.0254	----	----	1	----	1 UNCH
10000	----	----	----	----/*0.104A	----	0.010 - 0.004	.0024	----	----	----	----	5 UNCH
TOTAL										48	0	68 + 36
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week4										
APR26												
6750	----	----	----	----/*0.061A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
6800	----	----	----	----/0.061A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
6875	----	----	----	0.001B/*0.061A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
7000	0.080	0.080	0.080/*0.001	0.080/*0.001	----	0.000 - 0.003	----	----	----	3	----	0 - 2
7100	0.181	0.181	0.181/*0.061A	0.181/*0.061A	----	0.000 NEW	----	----	----	5	----	0 UNCH
7200	0.120	0.120	0.311B/*0.066A	0.311B/*0.066A	----	0.000 - 0.024	----	----	----	9	----	0 - 1
7225	0.200	0.200	0.200/*0.066A	0.200/*0.066A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7275	0.500	0.500	0.500/*0.500	0.500/*0.500	----	0.995 NEW	----	10	----	10	----	0 UNCH
7275	0.150	0.150	0.338B/*0.058A	0.338B/*0.058A	----	0.000 NEW	----	----	----	10	----	0 UNCH
7290	0.173	0.173	0.468/*0.006	0.468/*0.006	----	0.000 NEW	----	----	----	4	----	0 UNCH
7300	0.650	0.650	0.650/*0.460A	0.650/*0.460A	----	0.745 NEW	----	4	----	8	----	0 UNCH
7300	0.450	0.450	0.755/*0.053A	0.755/*0.053A	----	0.000 - 0.068	----	----	----	5	----	0 - 1
7325	0.398	0.398	0.398/*0.398	0.398/*0.398	----	0.495 NEW	----	10	----	10	----	0 UNCH
7340	----	----	0.477B/*0.071A	0.477B/*0.071A	----	0.000 NEW	----	----	----	2	----	0 UNCH
7350	0.200	0.200	0.493B/*0.200	0.493B/*0.180A	----	0.000 - 0.112	----	----	----	2	----	0 - 1
7350	0.350	0.350	0.350/*0.305A	0.450B/*0.305A	----	0.245 NEW	----	1	----	1	----	0 UNCH
7360	0.140	0.140	#0.180/*0.140	0.440B/*0.140	----	0.145 NEW	----	2	----	2	----	0 UNCH
7390	0.250	0.250	#0.250/*0.048A	0.442B/*0.048A	----	0.000 NEW	----	----	----	1	----	0 UNCH
7400	0.421	0.421	0.450/*0.001A	0.461B/*0.001A	----	0.000 NEW	----	----	----	18	----	0 UNCH
7400	----	----	0.498B/----	0.498B/0.260A	----	0.255 + 0.072	----	2	----	2	----	0 - 1
7425	0.250	0.250	0.475B/*0.250	0.475B/*0.250	----	0.505 NEW	----	5	----	5	----	0 UNCH
7450	0.425	0.425	1.025/0.425	1.025/0.357A	----	0.755 NEW	----	1	----	2	----	0 UNCH
7475	0.375	0.375	0.426B/*0.375	0.426B/*0.375	----	1.005 NEW	----	5	----	5	----	0 UNCH
7500	0.450	0.450	1.050/0.410A	1.050/0.410A	----	1.255 + 0.811	----	12	----	11	----	0 - 2
7500	0.140	0.140	0.163/*0.064A	0.352B/*0.064A	----	0.000 NEW	----	----	----	20	----	0 UNCH
7550	----	----	----/0.505A	0.281B/0.505A	----	1.755 + 1.100	----	26	----	----	----	0 - 26
7590	0.325	0.325	0.325/*0.062A	0.325/*0.062A	----	0.000 - 0.535	----	----	----	1	----	0 - 1
7600	0.333	0.333	0.333/*0.020	0.443B/*0.020	----	0.000 - 0.493	----	----	----	2	----	0 - 2
7600	0.505	0.505	0.505/*0.505	0.505/*0.505	----	2.255 + 1.330	----	3	----	3	----	0 - 1
7610	----	----	----/*0.061A	0.405B/*0.061A	----	0.000 - 0.453	----	----	----	----	----	0 - 22
7620	----	----	----/*0.815A	0.354B/*0.815A	----	2.455 + 1.407	----	22	----	----	----	0 - 22
7640	----	----	0.380B/*0.061A	0.380B/*0.061A	----	0.000 - 0.348	----	----	----	----	----	0 - 5
7650	0.016	0.016	0.016/*0.001A	0.315B/*0.001A	----	0.000 - 0.317	----	----	----	9	----	0 - 13
7675	----	----	----	0.039B/2.041A	----	3.005 + 1.574	----	1	----	----	----	0 - 1
7675	----	----	----/*0.062A	0.237B/*0.062A	----	0.000 - 0.249	----	----	----	----	----	0 - 11
7700	0.005	0.005	0.005/*0.002A	0.130B/*0.002A	----	0.000 - 0.193	----	----	----	3	----	0 - 17
7730	----	----	----/*0.061A	0.025B/*0.061A	----	0.000 - 0.140	----	----	----	----	----	0 - 7
7730	----	----	----	----	----	3.555 + 1.683	----	8	----	----	----	0 - 8
7750	0.009	0.009	0.009/*0.009	0.009/*0.009	----	0.000 - 0.111	----	----	----	1	----	0 - 24
7800	----	----	----	0.001B/*0.062A	----	0.000 - 0.061	----	----	----	----	----	0 - 2
7880	----	----	----	0.001B/*0.061A	----	0.000 - 0.022	----	----	----	----	----	0 - 1
7975	----	----	----	----/*0.061A	----	0.000 - 0.006	----	----	----	----	----	0 - 4
8250	----	----	----	----/*0.061A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8300	----	----	----	----/*0.061A	----	0.000 - 0.001	----	----	----	----	----	0 - 2
8400	----	----	----	----/0.062A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
8500	----	----	----	----/*0.061A	----	0.000 - 0.001	----	----	----	----	----	0 - 1
TOTAL										155	0	0 - 184
MAY26												
6700	0.415	0.415	0.415/0.415	0.415/0.252A	----	0.273 NEW	.0850	----	----	1	----	1 + 1
6725	0.353	0.353	0.353/0.353	0.353/0.275A	----	0.294 NEW	.0917	----	----	1	----	1 + 1
6750	0.215	0.215	0.350/*0.215	0.350/*0.215	----	0.318 NEW	.0991	----	----	2	----	2 + 2
6800	0.900	0.900	#0.916B/0.900	0.916B/0.656A	----	0.849 NEW	.1888	----	----	1	----	1 + 1
7200	----	----	1.519B/0.786A	1.519B/0.786A	----	1.211 + 0.403	.3405	----	----	----	----	1 UNCH
7350	2.100	2.100	#2.100/*1.889A	2.105B/*1.889A	----	2.049 NEW	.5338	----	----	5	----	5 + 5
7700	----	----	----	1.672B/3.081A	----	3.956 + 1.120	.7578	----	----	----	----	75 UNCH
7700	----	----	2.285B/*1.440A	2.285B/*1.440A	----	1.346 - 0.886	.3221	----	----	----	----	1 UNCH
7800	----	----	----/*1.694A	2.426B/*1.694A	----	1.621 - 0.901	.3196	----	----	----	----	3 UNCH
7800	0.587	0.587	0.605/*0.383	1.022B/*0.383	----	0.492 NEW	.1789	----	----	14	----	11 + 11
7825	----	----	----	----/24.023A	----	4.951 + 1.295	.8350	----	----	----	----	20 UNCH
8250	----	----	----/*0.170A	0.057B/*0.170A	----	0.083 NEW	.0335	----	----	1	----	1 + 1
8800	----	----	----	----/46.082A	----	14.277 + 1.751	.9907	----	----	----	----	1 UNCH
9200	----	----	----	0.044B/*0.176A	----	0.091 - 0.082	.0248	----	----	----	----	1 UNCH
9750	----	----	----	0.006B/*0.154A	----	0.069 - 0.041	.0167	----	----	----	----	1 UNCH
10500	----	----	----	0.001B/*0.139A	----	0.058 - 0.019	.0120	----	----	----	----	1 UNCH
TOTAL										25	0	126 + 22

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK1										
MAY26												
465	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
490	----	----	----	----/0.0075A	----	0.0005 UNCH	.0010	----	----	----	----	14 UNCH
555	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0035 NEW	.0256	----	----	1	----	1 + 1
560	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0050 NEW	.0378	----	----	1	----	1 + 1
565	----	----	0.0230B/----	0.0230B/0.0205A	----	0.0195 + 0.0055	.1192	----	----	----	----	2 UNCH
570	----	----	0.0305B/----	0.0305B/0.0240A	----	0.0250 + 0.0075	.1517	----	----	----	----	1 UNCH
580	0.0130	0.0130	0.0215B/0.0130	0.0215B/0.0130	----	0.0175 + 0.0065	.1526	----	----	20	----	31 + 20
584	----	----	0.0310B/----	0.0310B/0.0220A	----	0.0240 + 0.0095	.2072	----	----	----	----	2 UNCH
585	----	----	0.0340B/----	0.0340B/0.0230A	----	0.0260 + 0.0105	.2233	----	----	----	----	1 UNCH
585	----	----	0.0710B/----	0.0710B/0.0425A	----	0.0560 + 0.0185	.3074	----	----	----	----	1 UNCH
586	----	----	0.0750B/----	0.0750B/0.0445A	----	0.0590 + 0.0195	.3208	----	----	----	----	1 UNCH
590	----	----	0.0915B/----	0.0915B/0.0530A	----	0.0725 + 0.0240	.3773	----	----	----	----	1 UNCH
594	----	----	0.0715B/----	0.0715B/0.0345A	----	0.0520 + 0.0240	.4090	----	----	----	----	1 UNCH
595	----	----	0.1160B/----	0.1160B/0.0655A	----	0.0925 + 0.0295	.4534	----	----	----	----	1 UNCH
597	0.0740	0.0740	0.0740/0.0720A	0.1025B/0.0720A	----	0.0690 NEW	.5153	----	----	1	----	1 + 1
598	0.0755	0.0755	0.0930B/0.0755	0.0930B/0.0450A	----	0.0700 NEW	.5101	----	----	1	----	1 + 1
600	----	----	#0.1790B/----	#0.1790B/0.1150	----	0.1480 + 0.0340	.5202	----	----	----	----	3 UNCH
606	----	----	#0.1525B/----	0.1525B/0.1080A	----	0.1530 + 0.0455	.6253	----	----	----	----	4 UNCH
606	----	----	0.1290B/*0.0715	0.1290B/*0.0715	----	0.0670 - 0.0595	.3743	----	----	----	----	4 UNCH
611	----	----	----/*0.0250A	0.0620B/*0.0250	----	0.0195 NEW	.1926	----	----	1	----	1 + 1
615	----	----	----/*0.0185A	0.0460B/*0.0185	----	0.0130 - 0.0355	.1330	----	----	----	----	5 UNCH
615	----	----	#0.2740B/0.1885	#0.2740B/0.1885	----	0.2420 + 0.0510	.6904	----	----	----	----	4 UNCH
615	----	----	0.2465B/0.1545A	0.2465B/0.1545A	----	0.2170 + 0.0595	.7456	----	----	----	----	4 UNCH
615	----	----	----/*0.0710A	0.1200B/*0.0710	----	0.0665 - 0.0535	.3091	----	----	----	----	4 UNCH
615	----	----	----/*0.0440A	0.0860B/*0.0440	----	0.0410 - 0.0455	.2540	----	----	----	----	4 UNCH
620	----	----	----/*0.0135A	0.0295B/*0.0135	----	0.0075 - 0.0260	.0790	----	----	----	----	3 UNCH
625	0.0160	0.0160	0.0160/*0.0105A	0.0165B/*0.0105	----	0.0040 NEW	.0430	----	----	20	----	20 + 20
625	----	----	----/*0.0255A	0.0510B/*0.0255	----	0.0235 - 0.0305	.1566	----	----	----	----	1 UNCH
630	----	----	----/*0.0085A	0.0095B/*0.0085	----	0.0020 - 0.0130	.0216	----	----	----	----	10 UNCH
630	0.0370	0.0370	0.0370/*0.0370	0.0685B/*0.0370	----	0.0340 - 0.0375	.1793	----	----	29	----	15 - 14
635	----	----	----/*0.0165A	0.0275B/*0.0165	----	0.0140 - 0.0180	.0960	----	----	----	----	1 UNCH
TOTAL										74		157 + 31
JUN26												
640	----	----	----/*0.0530A	0.0855B/*0.0530	----	0.0495 - 0.0385	.1945	----	----	----	----	3 UNCH
675	----	----	----/*0.0220A	0.0305B/*0.0220	----	0.0190 - 0.0170	.0805	----	----	----	----	3 UNCH
TOTAL												6

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
550	----	----	----	----/0.0075A	----	0.0005 UNCH	.0001	----	----	----	----	4 UNCH
570	----	----	0.0020B/----	0.0020B/0.0105A	----	0.0020 + 0.0005	.0122	----	----	----	----	1 UNCH
575	----	----	0.0050B/----	0.0050B/0.0105A	----	0.0040 + 0.0015	.0297	----	----	----	----	1 UNCH
592	----	----	0.0420B/----	0.0420B/0.0220A	----	0.0270 + 0.0130	.2935	----	----	----	----	3 UNCH
595	0.0560	0.0560	0.1515B/*0.0560	0.1515B/*0.0560	----	0.0610 NEW	.5995	----	----	4	----	4 + 4
599	----	----	0.0810B/----	0.0810B/0.0335A	----	0.0565 + 0.0295	.5613	----	----	----	----	1 UNCH
600	0.0410	0.0410	0.0410/*0.0410	0.0760B/*0.0410	----	0.0360 NEW	.3985	----	----	2	----	2 + 2
602	0.0460	0.0460	0.0835B/0.0460	0.0835B/0.0405A	----	0.0745 NEW	.6770	----	----	1	----	1 + 1
606	----	----	----/*0.0230A	0.0665B/*0.0230	----	0.0180 - 0.0515	.2007	----	----	----	----	1 UNCH
607	----	----	0.1095B/----	0.1095B/0.0590A	----	0.1115 + 0.0565	.8236	----	----	----	----	2 UNCH
608	----	----	0.1180B/----	0.1180B/0.0635A	----	0.1200 + 0.0600	.8470	----	----	----	----	2 UNCH
608	----	----	----/*0.0185A	0.0550B/*0.0185	----	0.0140 - 0.0450	.1529	----	----	----	----	3 UNCH
609	----	----	0.1270B/----	0.1270B/0.0685A	----	0.1280 + 0.0630	.8697	----	----	----	----	1 UNCH
640	0.0025	0.0025	0.0035/*0.0025	0.0035/*0.0025	----	0.0005 - 0.0015	.0000	----	----	2	----	41 + 2
TOTAL										9		88+ 9
MAY26												
593	----	----	#0.0900B/----	0.0900B/0.0485A	----	0.0680 NEW	.4100	----	----	1	----	1 + 1
TOTAL										1		1+ 1
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week4										
APR26												
465	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
565	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
570	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
585	----	----	----	----/0.0065A	----	0.0000 - 0.0020	----	----	----	----	----	0 - 1
589	----	----	----	0.0015B/0.0065A	----	0.0000 - 0.0040	----	----	----	----	----	0 - 10
593	0.0005	0.0005	0.0105B/*0.0005	0.0105B/*0.0005	----	0.0000 NEW	----	----	----	1	----	0 UNCH
595	----	----	0.0215B/----	0.0215B/*0.0070	----	0.0000 - 0.0055	----	----	----	----	----	0 - 18
598	0.0160	0.0160	0.1110B/*0.0080	0.1110B/*0.0080	----	0.0000 NEW	----	----	----	1	----	0 UNCH
599	0.0065	0.0065	0.0520B/*0.0065	0.0520B/*0.0065	----	0.0160 NEW	----	2	----	2	----	0 UNCH
600	0.0130	0.0130	0.0610B/*0.0130	0.0610B/*0.0100	----	0.0260 + 0.0170	----	2	----	1	----	0 - 1
600	----	----	0.0920B/*0.0070	0.0920B/*0.0070	----	0.0000 - 0.0880	----	----	----	----	----	0 - 1
601	0.0010	0.0010	0.0825B/*0.0010	0.0825B/*0.0010	----	0.0000 NEW	----	----	----	2	----	0 UNCH
602	0.0065	0.0065	0.0735B/*0.0065	0.0735B/*0.0065	----	0.0000 NEW	----	----	----	15	----	0 UNCH
603	0.0055	0.0055	0.0640B/*0.0010	0.0640B/*0.0010	----	0.0000 NEW	----	----	----	13	----	0 UNCH
605	0.0180	0.0180	0.1080B/*0.0180	0.1080B/*0.0180	----	0.0760 + 0.0555	----	3	----	2	----	0 - 3
605	0.0405	0.0405	0.0405/*0.0065A	0.0470B/*0.0065	----	0.0000 NEW	----	----	----	4	----	0 UNCH
607	----	----	----/*0.0065A	0.0325B/*0.0065	----	0.0000 - 0.0375	----	----	----	----	----	0 - 1
610	----	----	0.1570B/----	0.1570B/0.0450A	----	0.1260 + 0.0820	----	1	----	----	----	0 - 1
610	----	----	----/*0.0065A	0.0160B/*0.0065	----	0.0000 - 0.0230	----	----	----	----	----	0 - 2
611	----	----	0.1670B/----	0.1670B/0.0505A	----	0.1360 + 0.0855	----	3	----	----	----	0 - 3
616	0.0070	0.0070	#0.0070/*0.0065	0.0070/*0.0065A	----	0.0000 NEW	----	----	----	2	----	0 UNCH
618	0.0040	0.0040	#0.0040/*0.0040	0.0040/*0.0040	----	0.0000 NEW	----	----	----	1	----	0 UNCH
625	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
630	----	----	----	----/*0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 UNCH
660	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
665	----	----	----	----/0.0065A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 36
TOTAL										44		0 - 103
MAY26												
490	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
550	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0045 NEW	.0298	----	----	1	----	1 + 1
575	0.0160	0.0160	0.0180B/0.0160	0.0180B/0.0160	----	0.0150 NEW	.1217	----	----	1	----	1 + 1
576	0.0180	0.0180	0.0200B/0.0180	0.0200B/0.0180	----	0.0160 NEW	.1302	----	----	1	----	1 + 1
580	0.0155	0.0155	0.0280B/0.0155	0.0280B/0.0155	----	0.0210 + 0.0070	.1711	----	----	20	----	30 + 20
582	0.0245	0.0245	0.0330B/0.0245	0.0330B/0.0225A	----	0.0240 NEW	.1954	----	----	1	----	1 + 1
594	0.0780	0.0780	0.0800B/0.0780	0.0800B/0.0405A	----	0.0585 NEW	.4168	----	----	1	----	1 + 1
610	0.1030	0.1030	0.1165B/*0.0645	0.1165B/*0.0645	----	0.0600 NEW	.3289	----	----	1	----	1 + 1
615	----	----	----/*0.0220A	0.0535B/*0.0220	----	0.0185 - 0.0375	.1662	----	----	----	----	500 UNCH
620	0.0125	0.0125	0.0125/*0.0115	0.0370B/*0.0115	----	0.0110 NEW	.1050	----	----	21	----	21 + 21
630	----	----	----/*0.0100A	0.0145B/*0.0100	----	0.0040 - 0.0150	.0395	----	----	----	----	10 UNCH
TOTAL										47		581+ 47
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
APR26												
465	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
570	----	----	----	----/0.0055A	----	0.0015 + 0.0010	.0032	----	----	----	----	1 UNCH
580	----	----	0.0015B/----	0.0015B/0.0075A	----	0.0025 + 0.0015	.0114	----	----	----	----	1 UNCH
585	0.0040	0.0040	0.0060B/*0.0040	0.0060B/*0.0040	----	0.0045 NEW	.0338	----	----	30	----	30 + 30
590	----	----	0.0170B/----	0.0170B/0.0140A	----	0.0095 + 0.0045	.1129	----	----	----	----	1 UNCH
598	0.0410	0.0410	0.1170B/*0.0270	0.1170B/*0.0270	----	0.0295 NEW	.4603	----	----	4	----	4 + 4
600	----	----	0.0730B/----	0.0730B/0.0245A	----	0.0475 + 0.0295	.6704	----	----	----	----	2 UNCH
600	0.0180	0.0180	0.0985B/*0.0180	0.0985B/*0.0180	----	0.0215 NEW	.3294	----	----	3	----	3 + 3
602	0.0180	0.0180	0.0180/*0.0180	0.0815B/*0.0180	----	0.0155 NEW	.2214	----	----	1	----	1 + 1
603	0.0240	0.0240	#0.0975B/*0.024	0.0975B/*0.0240	----	0.0690 NEW	.8230	----	----	2	----	1 + 1
604	0.0510	0.0510	#0.1060B/0.0510	0.1060B/0.0325A	----	0.0770 NEW	.8594	----	----	1	----	1 + 1
604	----	----	----/*0.0170A	0.0655B/*0.0170	----	0.0110 - 0.0570	.1405	----	----	----	----	1 UNCH
613	----	----	#0.1900B/0.0745	0.1900B/0.0745A	----	0.1570 + 0.0815	.9958	----	----	----	----	8 UNCH
620	----	----	----/*0.0055A	0.0015B/*0.0055	----	0.0005 - 0.0090	.0000	----	----	----	----	1 UNCH
621	----	----	----/*0.0055A	0.0015B/*0.0055	----	0.0005 - 0.0080	.0000	----	----	1	----	0 - 1
675	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL										42		77+ 39
MAY26												
455	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
465	----	----	----	----/0.0065A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
475	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	2 UNCH
485	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
500	----	----	----	----/0.0075A	----	0.0005 UNCH	.0004	----	----	----	----	2 UNCH
510	----	----	----	----/0.0080A	----	0.0005 UNCH	.0016	----	----	----	----	8 UNCH
520	----	----	----	----/0.0085A	----	0.0010 UNCH	.0056	----	----	----	----	1 UNCH
530	----	----	----	----/0.0095A	----	0.0015 UNCH	.0091	----	----	----	----	4 UNCH
540	----	----	----	0.0015B/0.0105A	----	0.0030 + 0.0005	.0189	----	----	----	----	10 UNCH
550	----	----	----	0.0035B/0.0120A	----	0.0050 + 0.0010	.0334	----	----	----	----	27 UNCH
550	----	----	0.5895B/0.4520A	0.5895B/0.4520A	----	0.4790 - 0.1035	.9664	----	----	----	----	3 UNCH
555	----	----	----	0.0050B/0.0125A	----	0.0070 + 0.0020	.0471	----	----	----	----	16 UNCH
556	----	----	0.0055B/----	0.0055B/0.0120A	----	0.0070 + 0.0020	.0479	----	----	----	----	1 UNCH
560	----	----	0.0070B/----	0.0070B/0.0130A	----	0.0090 + 0.0025	.0621	----	----	----	----	1 UNCH
562	----	----	0.0090B/----	0.0090B/0.0135A	----	0.0100 + 0.0030	.0696	----	----	----	----	20 UNCH
565	----	----	0.0105B/----	0.0105B/0.0140A	----	0.0115 + 0.0035	.0816	----	----	----	----	1 UNCH
568	----	----	----/0.3405A	0.3255B/0.3405A	----	0.3070 - 0.1010	.9052	----	----	----	----	1 UNCH
575	----	----	0.0230B/----	0.0230B/0.0195A	----	0.0185 + 0.0050	.1396	----	----	----	----	1 UNCH
579	----	----	----/0.2435A	0.2665B/0.2435A	----	0.2075 - 0.0985	.8200	----	----	----	----	1 UNCH
580	----	----	0.0335B/----	0.0335B/0.0235A	----	0.0255 + 0.0075	.1908	----	----	----	----	50 UNCH
584	----	----	0.0450B/----	0.0450B/0.0280A	----	0.0335 + 0.0110	.2446	----	----	----	----	24 UNCH
585	----	----	0.0480B/----	0.0480B/0.0290A	----	0.0355 + 0.0115	.2587	----	----	----	----	1 UNCH
590	----	----	0.0675B/----	0.0675B/0.0370A	----	0.0500 + 0.0170	.3447	----	----	----	----	27 UNCH
590	----	----	0.2145B/0.1215A	0.2145B/0.1215A	----	0.1240 - 0.0875	.6550	----	----	----	----	4 UNCH
595	0.0885	0.0885	0.0920B/0.0775	0.0920B/0.0470A	----	0.0695 NEW	.4436	----	----	2	----	0 UNCH
600	----	----	0.1200B/----	0.1200B/0.0625A	----	0.0940 + 0.0330	.5480	----	----	----	----	1 UNCH
600	0.0770	0.0770	0.0770/0.0730A	0.1320B/0.0730A	----	0.0680 - 0.0720	.4517	----	----	1	----	1 UNCH
607	----	----	----/*0.0460A	0.0980B/*0.0460	----	0.0410 - 0.0590	.3112	----	----	----	----	1 UNCH
610	----	----	----/*0.0380A	0.0830B/*0.0380	----	0.0325 - 0.0530	.2582	----	----	----	----	5 UNCH
614	0.0500	0.0500	0.0500/*0.0285A	0.0655B/*0.0285	----	0.0235 - 0.0445	.1965	----	----	1	----	10 UNCH
617	----	----	----/*0.0235A	0.0540B/*0.0235	----	0.0185 - 0.0385	.1588	----	----	----	----	1 UNCH
624	----	----	----/*0.0155A	0.0315B/*0.0155	----	0.0105 - 0.0265	.0936	----	----	----	----	16 UNCH
625	----	----	----/*0.0150A	0.0285B/*0.0150	----	0.0095 - 0.0250	.0855	----	----	----	----	20 UNCH
635	----	----	----/*0.0100A	0.0130B/*0.0100	----	0.0040 - 0.0145	.0367	----	----	----	----	50 UNCH
645	----	----	0.5110B/0.3755A	0.5110B/0.3755A	----	0.4775 + 0.0965	.9823	----	----	----	----	6 UNCH
660	----	----	----	----/*0.0090A	----	0.0005 - 0.0035	.0030	----	----	----	----	1 UNCH
675	----	----	----	----/*0.0080A	----	0.0005 - 0.0015	.0003	----	----	----	----	2 UNCH
695	----	----	----	----/*0.0070A	----	0.0005 - 0.0005	.0000	----	----	----	----	20 UNCH
700	----	----	----	----/0.0070A	----	0.0005 UNCH	.0000	----	----	----	----	21 UNCH
710	----	----	----	----/0.0125A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
TOTAL										4		386
JUN26												
500	----	----	----	0.0085B/0.0200A	----	0.0105 + 0.0020	.0380	----	----	----	----	1 UNCH
555	----	----	0.0575B/----	0.0575B/0.0515A	----	0.0515 + 0.0100	.1774	----	----	----	----	2 UNCH
579	----	----	0.1270B/----	0.1270B/0.1000A	----	0.1090 + 0.0185	.3305	----	----	----	----	1 UNCH
580	0.1095	0.1095	0.1310B/0.1095	0.1310B/0.1025A	----	0.1125 + 0.0190	.3384	----	----	5	----	0 - 5
580	0.2905	0.2905	0.3750B/0.2840A	0.3750B/0.2840A	----	0.2860 - 0.0855	.6607	----	----	5	----	0 - 5
595	0.1735	0.1735	0.2010B/0.1725	0.2010B/0.1540A	----	0.1760 + 0.0295	.4634	----	----	5	----	5 UNCH
595	0.2045	0.2045	0.2755B/0.2045	0.2755B/0.2045	----	0.2000 - 0.0750	.5356	----	----	5	----	5 UNCH
606	----	----	0.2645B/----	0.2645B/0.2035A	----	0.2365 + 0.0390	.5565	----	----	----	----	3 UNCH
610	----	----	----/0.1430A	0.1955B/0.1430A	----	0.1355 - 0.0625	.4102	----	----	----	----	8 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 61

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
JUN26												
650	----	----	----/*0.0495A	0.0675B/*0.0495	----	0.0425 - 0.0330	.1626	----	----	----	----	6 UNCH
660	----	----	----/*0.0395A	0.0505B/*0.0395	----	0.0315 - 0.0275	.1252	----	----	----	----	8 UNCH
700	----	----	----/*0.0200A	0.0155B/*0.0200	----	0.0100 - 0.0115	.0435	----	----	----	----	1 UNCH
TOTAL										20		40 - 10
JUL26												
600	----	----	----/0.2795A	0.3475B/0.2795A	----	0.2745 - 0.0750	.5396	----	----	----	----	12 UNCH
611	----	----	0.3290B/----	0.3290B/0.2715A	----	0.3045 + 0.0380	.5256	----	----	----	----	22 UNCH
612	----	----	0.3350B/----	0.3350B/0.2770A	----	0.3105 + 0.0390	.5316	----	----	----	----	5 UNCH
612	----	----	----/0.2295A	0.2855B/0.2295A	----	0.2220 - 0.0665	.4668	----	----	----	----	5 UNCH
621	----	----	----/0.1970A	0.2450B/0.1970A	----	0.1890 - 0.0605	.4151	----	----	----	----	1 UNCH
TOTAL												45
AUG26												
630	----	----	----/*0.2420A	0.2850B/*0.2420	----	0.2355 - 0.0555	.4069	----	----	----	----	1 UNCH
640	----	----	----/*0.2130A	0.2495B/*0.2130	----	0.2055 - 0.0510	.3668	----	----	----	----	1 UNCH
TOTAL												2
HX CALL		COMEX COPPER OPTIONS										
MAY26												
525	----	----	----	----	----	0.7710 UNCH	----	----	----	----	----	0 UNCH
530	----	----	----	----	----	0.7210 UNCH	----	----	----	----	----	0 UNCH
531	----	----	----	----	----	0.7110 UNCH	----	----	----	----	----	0 UNCH
532	----	----	----	----	----	0.7010 UNCH	----	----	----	----	----	0 UNCH
533	----	----	----	----	----	0.6910 UNCH	----	----	----	----	----	0 UNCH
534	----	----	----	----	----	0.6810 UNCH	----	----	----	----	----	0 UNCH
535	----	----	----	----	----	0.6710 UNCH	----	----	----	----	----	0 UNCH
536	----	----	----	----	----	0.6610 UNCH	----	----	----	----	----	0 UNCH
537	----	----	----	----	----	0.6510 UNCH	----	----	----	----	----	0 UNCH
539	----	----	----	----	----	0.6310 UNCH	----	----	----	----	----	0 UNCH
541	----	----	----	----	----	0.6110 UNCH	----	----	----	----	----	0 UNCH
542	----	----	----	----	----	0.6010 UNCH	----	----	----	----	----	0 UNCH
543	----	----	----	----	----	0.5910 UNCH	----	----	----	----	----	0 UNCH
544	----	----	----	----	----	0.5810 UNCH	----	----	----	----	----	0 UNCH
545	----	----	----	----	----	0.5710 UNCH	----	----	----	----	----	0 UNCH
546	----	----	----	----	----	0.5610 UNCH	----	----	----	----	----	0 UNCH
547	----	----	----	----	----	0.5510 UNCH	----	----	----	----	----	0 UNCH
548	----	----	----	----	----	0.5410 UNCH	----	----	----	----	----	0 UNCH
549	----	----	----	----	----	0.5310 UNCH	----	----	----	----	----	0 UNCH
550	----	----	----	----	----	0.5210 UNCH	----	----	----	----	----	0 UNCH
551	----	----	----	----	----	0.5110 UNCH	----	----	----	----	----	0 UNCH
552	----	----	----	----	----	0.5010 UNCH	----	----	----	----	----	0 UNCH
553	----	----	----	----	----	0.4910 UNCH	----	----	----	----	----	0 UNCH
554	----	----	----	----	----	0.4810 UNCH	----	----	----	----	----	0 UNCH
555	----	----	----	----	----	0.4710 UNCH	----	----	----	----	----	0 UNCH
556	----	----	----	----	----	0.4610 UNCH	----	----	----	----	----	0 UNCH
557	----	----	----	----	----	0.4510 UNCH	----	----	----	----	----	0 UNCH
558	----	----	----	----	----	0.4410 UNCH	----	----	----	----	----	0 UNCH
559	----	----	----	----	----	0.4310 UNCH	----	----	----	----	----	0 UNCH
560	----	----	----	----	----	0.4210 UNCH	----	----	----	----	----	0 UNCH
561	----	----	----	----	----	0.4110 UNCH	----	----	----	----	----	0 UNCH
562	----	----	----	----	----	0.4010 UNCH	----	----	----	----	----	0 UNCH
563	----	----	----	----	----	0.3910 UNCH	----	----	----	----	----	0 UNCH
564	----	----	----	----	----	0.3810 UNCH	----	----	----	----	----	0 UNCH
565	----	----	----	----	----	0.3710 UNCH	----	----	----	----	----	0 UNCH
566	----	----	----	----	----	0.3610 UNCH	----	----	----	----	----	0 UNCH
567	----	----	----	----	----	0.3510 UNCH	----	----	----	----	----	0 UNCH
568	----	----	----	----	----	0.3410 UNCH	----	----	----	----	----	0 UNCH
569	----	----	----	----	----	0.3310 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.3210 UNCH	----	----	----	----	----	0 UNCH
571	----	----	----	----	----	0.3110 UNCH	----	----	----	----	----	0 UNCH
572	----	----	----	----	----	0.3010 UNCH	----	----	----	----	----	0 UNCH
573	----	----	----	----	----	0.2910 UNCH	----	----	----	----	----	0 UNCH
574	----	----	----	----	----	0.2810 UNCH	----	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.2710 UNCH	----	----	----	----	----	0 UNCH
576	----	----	----	----	----	0.2610 UNCH	----	----	----	----	----	0 UNCH
577	----	----	----	----	----	0.2510 UNCH	----	----	----	----	----	0 UNCH
578	----	----	----	----	----	0.2410 UNCH	----	----	----	----	----	0 UNCH
579	----	----	----	----	----	0.2310 UNCH	----	----	----	----	----	0 UNCH
580	----	----	----	----	----	0.2210 UNCH	----	----	----	----	----	0 UNCH
581	----	----	----	----	----	0.2110 UNCH	----	----	----	----	----	0 UNCH
582	----	----	----	----	----	0.2010 UNCH	----	----	----	----	----	0 UNCH
583	----	----	----	----	----	0.1910 UNCH	----	----	----	----	----	0 UNCH
584	----	----	----	----	----	0.1810 UNCH	----	----	----	----	----	0 UNCH
585	----	----	----	----	----	0.1710 UNCH	----	----	----	----	----	0 UNCH
586	----	----	----	----	----	0.1610 UNCH	----	----	----	----	----	0 UNCH
587	----	----	----	----	----	0.1510 UNCH	----	----	----	----	----	0 UNCH
588	----	----	----	----	----	0.1410 UNCH	----	----	----	----	----	0 UNCH
589	----	----	----	----	----	0.1310 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	----	----	0.1210 UNCH	----	----	----	----	----	0 UNCH
591	----	----	----	----	----	0.1110 UNCH	----	----	----	----	----	0 UNCH
592	----	----	----	----	----	0.1010 UNCH	----	----	----	----	----	0 UNCH
593	----	----	----	----	----	0.0910 UNCH	----	----	----	----	----	0 UNCH
594	----	----	----	----	----	0.0810 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.0710 UNCH	----	----	----	----	----	0 UNCH
596	----	----	----	----	----	0.0610 UNCH	----	----	----	----	----	0 UNCH
597	----	----	----	----	----	0.0510 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.0410 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.0310 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0210 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.0110 UNCH	----	----	----	----	----	0 UNCH
602	----	----	----	----	----	0.0010 UNCH	----	----	----	----	----	0 UNCH
603	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
604	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
606	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
607	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
608	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
612	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
617	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
625	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
635	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
640	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
670	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
JUN26												
500	----	----	----	----	----	0.9810 - 0.1040	.9677	----	----	2	----	3 - 1
510	----	----	----	----	----	0.8830 - 0.1035	.9575	----	----	----	----	1 UNCH
525	----	----	----	----	----	0.7380 - 0.1025	.9378	----	----	----	----	1 UNCH
535	----	----	----/0.6420A	0.6125B/0.6420A	----	0.6425 - 0.1015	.9196	----	----	----	----	2 UNCH
540	----	----	----/0.5930A	0.6070B/0.5930A	----	0.5950 - 0.1010	.9081	----	----	----	----	24 UNCH
545	----	----	----/0.5500A	0.6180B/0.5500A	----	0.5480 - 0.1010	.8945	----	----	----	----	2 UNCH
549	----	----	----/0.5145A	0.6000B/0.5145A	----	0.5115 - 0.1000	.8802	----	----	----	----	1 UNCH
550	----	----	----/0.5030A	0.5910B/0.5030A	----	0.5025 - 0.0995	.8762	----	----	----	----	5 UNCH
555	----	----	----/0.4625A	0.5455B/0.4625A	----	0.4580 - 0.0985	.8546	----	----	----	----	1 UNCH
556	----	----	----/0.4545A	0.5365B/0.4545A	----	0.4495 - 0.0980	.8503	----	----	----	----	1 UNCH
557	----	----	----/0.4435A	0.5275B/0.4435A	----	0.4405 - 0.0980	.8449	----	----	----	----	63 UNCH
559	----	----	----/0.4295A	0.5095B/0.4295A	----	0.4235 - 0.0970	.8351	----	----	----	----	4 UNCH
560	----	----	----/0.4190A	0.5010B/0.4190A	----	0.4150 - 0.0970	.8296	----	----	----	----	106 UNCH
562	----	----	----/0.4055A	0.4835B/0.4055A	----	0.3980 - 0.0965	.8174	----	----	----	----	1 UNCH
565	----	----	----/0.3820A	0.4575B/0.3820A	----	0.3730 - 0.0955	.7993	----	----	----	----	2 UNCH
568	----	----	----/0.3595A	0.4320B/0.3595A	----	0.3495 - 0.0940	.7790	----	----	----	----	3 UNCH
569	----	----	----/0.3520A	0.4240B/0.3520A	----	0.3415 - 0.0940	.7721	----	----	----	----	2 UNCH
570	----	----	----/0.3245A	0.4155B/0.3245A	----	0.3335 - 0.0935	.7644	----	----	----	----	21 UNCH
574	----	----	----/0.3165A	0.3835B/0.3165A	----	0.3035 - 0.0920	.7340	----	----	----	----	3 UNCH
575	0.3195	0.3195	0.3195/0.2905A	0.3755B/0.2905A	----	0.2965 - 0.0910	.7254	----	----	9	----	149 UNCH
579	----	----	----/0.2830A	0.3445B/0.2830A	----	0.2680 - 0.0890	.6915	----	----	----	----	3 UNCH
580	----	----	0.3540B/0.2585A	0.3540B/0.2585A	----	0.2615 - 0.0880	.6823	----	----	----	----	45 UNCH
581	----	----	----/0.2580A	0.3295B/0.2580A	----	0.2545 - 0.0880	.6736	----	----	----	----	1 UNCH
582	----	----	----/0.2515A	0.3225B/0.2515A	----	0.2480 - 0.0870	.6643	----	----	----	----	1 UNCH
583	----	----	----/0.2455A	0.3150B/0.2455A	----	0.2415 - 0.0865	.6550	----	----	----	----	2 UNCH
584	----	----	----/0.2345A	0.3080B/0.2345A	----	0.2350 - 0.0860	.6457	----	----	----	----	3 UNCH
585	----	----	0.3170B/0.2235A	0.3170B/0.2235A	----	0.2285 - 0.0855	.6364	----	----	----	----	12 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
586	----	----	----/0.2205A	0.2935B/0.2205A	----	0.2225 - 0.0845	.6270	----	----	----	----	1 UNCH
587	----	----	----/0.2140A	0.2870B/0.2140A	----	0.2160 - 0.0840	.6172	----	----	----	----	3 UNCH
588	----	----	----/0.2075A	0.2800B/0.2075A	----	0.2100 - 0.0835	.6074	----	----	----	----	4 UNCH
589	----	----	----/0.2020A	0.2730B/0.2020A	----	0.2040 - 0.0830	.5976	----	----	----	----	1 UNCH
590	0.2015	0.2015	0.2825B/0.1950A	0.2825B/0.1950A	----	0.1985 - 0.0820	.5878	----	----	1	----	81 - 1
591	----	----	----/0.1910A	0.2600B/0.1910A	----	0.1925 - 0.0815	.5779	----	----	----	----	10 UNCH
594	----	----	----/0.1745A	0.2410B/0.1745A	----	0.1760 - 0.0790	.5476	----	----	----	----	3 UNCH
595	----	----	0.2500B/0.1705A	0.2500B/0.1705A	----	0.1705 - 0.0785	.5375	----	----	15	----	21 + 15
596	----	----	----/0.1650A	0.2285B/0.1650A	----	0.1655 - 0.0780	.5273	----	----	----	----	3 UNCH
598	----	----	----/0.1560A	0.2220B/0.1560A	----	0.1555 - 0.0760	.5068	----	----	3	----	5 + 3
599	----	----	----/0.1515A	0.2240B/0.1515A	----	0.1505 - 0.0755	.4966	----	----	----	----	2 UNCH
600	0.1480	0.1480	0.2225B/0.1460A	0.2225B/0.1460A	----	0.1460 - 0.0745	.4864	----	----	10	----	428 - 7
602	----	----	0.2140B/0.1380A	0.2140B/0.1380A	----	0.1370 - 0.0730	.4661	----	----	----	----	1 UNCH
603	----	----	0.2085B/0.1335A	0.2085B/0.1335A	----	0.1325 - 0.0720	.4560	----	----	----	----	7 UNCH
604	----	----	0.2035B/0.1295A	0.2035B/0.1295A	----	0.1285 - 0.0710	.4460	----	----	3	----	14 UNCH
605	0.1800	0.1800	0.1980B/0.1245A	0.1980B/0.1245A	----	0.1240 - 0.0705	.4359	----	----	3	----	195 + 1
606	0.1700	0.1700	0.1930B/0.1210A	0.1930B/0.1210A	----	0.1200 - 0.0695	.4259	----	----	22	----	22 + 18
607	0.1760	0.1760	0.1880B/0.1170A	0.1880B/0.1170A	----	0.1165 - 0.0680	.4164	----	----	14	----	87 + 7
608	0.1660	0.1660	0.1825B/0.1130A	0.1825B/0.1130A	----	0.1125 - 0.0670	.4065	----	----	5	----	8 UNCH
609	0.1615	0.1615	0.1775B/0.1095A	0.1775B/0.1095A	----	0.1085 - 0.0665	.3966	----	----	6	----	13 - 4
610	0.1620	0.1620	0.1730B/0.1055A	0.1730B/0.1055A	----	0.1050 - 0.0655	.3871	----	----	14	----	575 + 3
611	0.1605	0.1605	0.1680B/0.1025A	0.1680B/0.1025A	----	0.1015 - 0.0645	.3777	----	----	2	----	9 UNCH
612	0.1560	0.1560	0.1635B/0.0995A	0.1635B/0.0995A	----	0.0980 - 0.0635	.3682	----	----	6	----	25 - 2
613	0.1510	0.1510	0.1590B/0.0955A	0.1590B/0.0955A	----	0.0950 - 0.0620	.3593	----	----	1	----	53 UNCH
614	0.1455	0.1455	0.1545B/0.0930A	0.1545B/0.0930A	----	0.0915 - 0.0615	.3498	----	----	2	----	11 - 1
615	0.0955	0.0955	0.1500B/0.0885A	0.1500B/0.0885A	----	0.0885 - 0.0600	.3410	----	----	17	----	875 + 8
616	----	----	0.1450B/0.0865A	0.1450B/0.0865A	----	0.0855 - 0.0590	.3321	----	----	----	----	18 UNCH
617	0.0860	0.0860	0.0860/0.0835A	0.1400B/0.0835A	----	0.0825 - 0.0580	.3233	----	----	1	----	27 UNCH
618	0.0860	0.0860	0.0900/0.0805A	0.1355B/0.0805A	----	0.0795 - 0.0570	.3145	----	----	11	----	12 - 7
619	0.0805	0.0805	0.1335B/0.0780A	0.1335B/0.0780A	----	0.0765 - 0.0560	.3057	----	----	9	----	17 - 5
620	0.0840	0.0840	0.0840/0.0745	0.1290B/0.0745	----	0.0735 - 0.0555	.2968	----	----	127	380	486 - 97
621	0.0745	0.0745	0.1260B/0.0730A	0.1260B/0.0730A	----	0.0710 - 0.0545	.2888	----	----	7	----	8 - 3
622	0.0720	0.0720	0.1220B/0.0705A	0.1220B/0.0705A	----	0.0685 - 0.0530	.2807	----	----	2	----	7 UNCH
623	0.0680	0.0680	0.1185B/0.0680	0.1185B/0.0680	----	0.0660 - 0.0520	.2727	----	----	16	----	16 + 15
624	----	----	----/0.0655A	0.1150B/0.0655A	----	0.0635 - 0.0515	.2646	----	----	----	----	3 UNCH
625	0.0990	0.0990	0.1000/0.0625A	0.1115B/0.0625A	----	0.0610 - 0.0505	.2566	----	----	2	250	201 - 215
626	0.0620	0.0620	0.0620/0.0610A	0.1080B/0.0610A	----	0.0590 - 0.0490	.2495	----	----	1	----	2 - 1
627	0.0585	0.0585	0.0585/0.0585	0.1050B/0.0585	----	0.0565 - 0.0485	.2415	----	----	3	----	12 - 3
628	0.0590	0.0590	0.0590/0.0565A	0.1020B/0.0565A	----	0.0545 - 0.0475	.2344	----	----	13	----	0 - 13
629	0.0565	0.0565	0.0565/0.0540A	0.0985B/0.0540A	----	0.0525 - 0.0465	.2274	----	----	41	----	35 + 2
630	0.0640	0.0640	0.0640/*0.0520A	0.0960B/*0.0520	----	0.0505 - 0.0455	.2204	----	----	66	----	1712 - 36
631	0.0570	0.0570	0.0570/*0.0505	0.0920B/*0.0505	----	0.0490 - 0.0445	.2144	----	----	16	----	26 + 16
632	0.0545	0.0545	0.0565/*0.0485	0.0900B/*0.0485	----	0.0470 - 0.0435	.2075	----	----	33	----	46 + 28
635	0.0500	0.0500	0.0500/*0.0435	0.0810B/*0.0435	----	0.0420 - 0.0405	.1888	----	----	156	----	216 + 109
639	0.0435	0.0435	#0.0435/*0.0375	#0.0690B/*0.037	----	0.0360 NEW	.1658	----	----	12	----	12 + 12
640	0.0635	0.0635	0.0635/*0.0350	0.0685B/*0.0350	----	0.0350 - 0.0360	.1613	----	----	31	----	976 + 7
641	0.0410	0.0410	#0.0410/*0.0350	#0.0645B/*0.035	----	0.0335 NEW	.1557	----	----	4	----	4 + 4
644	0.0360	0.0360	#0.0360/*0.0315	#0.0605B/*0.031	----	0.0300 NEW	.1413	----	----	3	----	3 + 3
645	0.0360	0.0360	0.0360/*0.0300A	0.0585B/*0.0300	----	0.0290 - 0.0320	.1370	----	----	12	----	88 + 12
646	0.0315	0.0315	#0.0315/*0.0315	#0.0570B/*0.029	----	0.0280 NEW	.1328	----	----	1	----	1 + 1
650	0.0340	0.0340	0.0340/*0.0245	0.0500B/*0.0245	----	0.0245 - 0.0280	.1174	----	----	80	----	689 - 25
655	0.0390	0.0390	0.0390/*0.0205	0.0425B/*0.0205	----	0.0205 - 0.0245	.0998	----	----	29	----	393 + 4
660	0.0335	0.0335	0.0340/*0.0175	0.0365B/*0.0175	----	0.0175 - 0.0210	.0859	----	----	258	330	656 - 160
665	----	----	----/*0.0155A	0.0310B/*0.0155	----	0.0150 - 0.0185	.0740	----	----	1	----	54 UNCH
670	0.0190	0.0190	0.0190/*0.0135A	0.0270B/*0.0135	----	0.0130 - 0.0160	.0643	----	----	2	----	1322 - 1
675	0.0115	0.0115	0.0115/*0.0115	0.0230B/*0.0115	----	0.0115 - 0.0140	.0566	----	----	3	----	89 UNCH
680	0.0140	0.0140	0.0140/*0.0100	0.0200B/*0.0100	----	0.0105 - 0.0120	.0510	----	----	7	----	424 - 2
685	----	----	----/*0.0095A	0.0175B/*0.0095	----	0.0090 - 0.0105	.0440	----	----	----	----	58 UNCH
690	----	----	----/*0.0085A	0.0155B/*0.0085	----	0.0085 - 0.0090	.0407	----	----	----	----	137 UNCH
695	----	----	----/*0.0080A	0.0135B/*0.0080	----	0.0075 - 0.0080	.0358	----	----	----	----	47 UNCH
700	0.0120	0.0120	0.0125B/*0.0075	0.0125B/*0.0075	----	0.0070 - 0.0070	.0329	----	----	116	----	694 - 54
705	----	----	----/*0.0070A	0.0105B/*0.0070	----	0.0065 - 0.0060	.0302	----	----	----	----	15 UNCH
710	----	----	----/*0.0065A	0.0090B/*0.0065	----	0.0060 - 0.0050	.0275	----	----	3	----	83 + 2
715	----	----	----/*0.0060A	0.0085B/*0.0060	----	0.0055 - 0.0045	.0250	----	----	4	----	12 + 2
720	----	----	----/*0.0055A	0.0075B/*0.0055	----	0.0055 - 0.0035	.0243	----	----	2	----	28 - 1
725	----	----	----/*0.0055A	0.0070B/*0.0055	----	0.0050 - 0.0030	.0220	----	----	----	----	84 UNCH
730	0.0060	0.0060	0.0060/*0.0050A	0.0065B/*0.0050	----	0.0050 - 0.0025	.0214	----	----	8	----	17 + 3
735	----	----	----/*0.0050A	0.0060B/*0.0050	----	0.0050 - 0.0015	.0209	----	----	----	----	40 UNCH
740	0.0040	0.0040	0.0040/*0.0040	0.0055B/*0.0040	----	0.0045 - 0.0015	.0188	----	----	7	----	9 + 7
745	0.0050	0.0050	0.0050/*0.0050	0.0050/*0.0050	----	0.0045 - 0.0010	.0184	----	----	6	----	1526 + 3
750	0.0045	0.0045	0.0045/*0.0030	0.0045/*0.0030	----	0.0040 - 0.0010	.0164	----	----	5	----	165 - 2
755	----	----	----	0.0035B/*0.0050	----	0.0040 - 0.0005	.0160	----	----	----	----	1 UNCH
765	----	----	----	----/*0.0045A	----	0.0035 - 0.0005	.0138	----	----	----	----	1506 UNCH
770	----	----	----	0.0005B/0.0050A	----	0.0030 - 0.0005	.0119	----	----	----	----	7 - 1
775	----	----	----	----/0.0050A	----	0.0030 - 0.0005	.0117	----	----	----	----	1 - 1
780	----	----	----	----/0.0050A	----	0.0025 - 0.0005	.0099	----	----	----	----	8 UNCH
795	----	----	----	----/*0.0045A	----	0.0020 - 0.0005	.0078	----	----	----	----	33 UNCH
800	----	----	----	----/0.0045A	----	0.0020 - 0.0005	.0077	----	----	----	----	7 UNCH
810	----	----	----	----/*0.0040A	----	0.0015 - 0.0005	.0058	----	----	----	----	3 UNCH
825	----	----	----	----/0.0040A	----	0.0015 UNCH	.0055	----	----	----	----	1 UNCH
840	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0037	----	----	----	----	6 UNCH
850	----	----	----	----/0.0030A	----	0.0010 UNCH	.0036	----	----	----	----	4 UNCH
880	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0016	----	----	----	----	2 UNCH
900	----	----	----	----/0.0025A	----	0.0005 UNCH	.0009	----	----	----	----	9 UNCH
910	----	----	----	----/0.0025A	----	0.0005 UNCH	.0006	----	----	----	----	11 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	.0002	----	----	----	----	1 UNCH
975	----	----	----	----/0.0015A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL									960	1233		14990 - 358
JUL26												
500	----	----	----/0.9920A	0.9870B/0.9920A	----	0.9935 - 0.1025	.9332	----	----	----	----	10 UNCH
520	----	----	----/0.8085A	0.8750B/0.8085A	----	0.8070 - 0.1015	.8976	----	----	----	----	2 UNCH
525	----	----	----/0.7640A	0.8255B/0.7640A	----	0.7620 - 0.1005	.8846	----	----	----	----	1 UNCH
530	----	----	----/0.7205A	0.7805B/0.7205A	----	0.7175 - 0.1000	.8705	----	----	----	----	6 UNCH
540	----	----	----/0.6365A	0.6930B/0.6365A	----	0.6320 - 0.0970	.8366	----	----	----	----	16 UNCH
545	----	----	----/0.5965A	0.6505B/0.5965A	----	0.5905 - 0.0955	.8171	----	----	----	----	1 UNCH
550	----	----	----/0.5575A	0.6090B/0.5575A	----	0.5500 - 0.0940	.7959	----	----	----	----	2 UNCH
555	----	----	----/0.4985A	0.5685B/0.4985A	----	0.5110 - 0.0925	.7731	----	----	----	----	116 UNCH
560	----	----	----/0.4630A	0.5295B/0.4630A	----	0.4730 - 0.0915	.7487	----	----	----	----	1 UNCH
570	----	----	0.4930B/0.3965A	0.4930B/0.3965A	----	0.4015 - 0.0885	.6939	----	----	----	----	157 UNCH
574	----	----	----/0.3865A	0.4280B/0.3865A	----	0.3750 - 0.0875	.6701	----	----	----	----	5 UNCH
575	----	----	0.4575B/0.3660A	0.4575B/0.3660A	----	0.3690 - 0.0865	.6641	----	----	----	----	19 UNCH
580	----	----	0.4240B/0.3375A	0.4240B/0.3375A	----	0.3380 - 0.0845	.6330	----	----	----	----	123 UNCH
585	----	----	----/0.3075A	0.3910B/0.3075A	----	0.3090 - 0.0820	.6010	----	----	----	----	304 UNCH
590	----	----	----/0.2795A	0.3605B/0.2795A	----	0.2825 - 0.0790	.5686	----	----	----	----	104 UNCH
591	0.2965	0.2965	0.2965/0.2750A	0.3215B/0.2750A	----	0.2770 - 0.0785	.5621	----	----	1	----	3 UNCH
593	----	----	----/0.2655A	0.3225B/0.2655A	----	0.2670 - 0.0775	.5490	----	----	----	----	1 UNCH
594	----	----	----/0.2610A	0.3230B/0.2610A	----	0.2620 - 0.0770	.5425	----	----	----	----	2 UNCH
595	----	----	----/0.2560A	0.3315B/0.2560A	----	0.2570 - 0.0765	.5359	----	----	----	----	29 UNCH
597	0.2880	0.2880	0.2880/0.2475A	0.3225B/0.2475A	----	0.2475 - 0.0755	.5229	----	----	1	----	1 UNCH
598	----	----	0.3200B/0.2430A	0.3200B/0.2430A	----	0.2430 - 0.0745	.5164	----	----	----	----	1 UNCH
599	----	----	0.3135B/0.2390A	0.3135B/0.2390A	----	0.2385 - 0.0740	.5099	----	----	----	----	2 UNCH
600	0.2775	0.2775	0.3090B/0.2325A	0.3090B/0.2325A	----	0.2340 - 0.0735	.5034	----	----	115	----	509 + 115
602	0.2290	0.2290	0.3000B/0.2250A	0.3000B/0.2250A	----	0.2250 NEW	.4905	----	----	83	----	83 + 83
603	----	----	0.2955B/0.2205A	0.2955B/0.2205A	----	0.2205 - 0.0720	.4840	----	----	----	----	1 UNCH
605	0.2760	0.2760	0.2855B/0.2120A	0.2855B/0.2120A	----	0.2120 - 0.0710	.4712	----	----	2	----	35 + 1
610	0.1990	0.1990	0.2620B/0.1930A	0.2620B/0.1930A	----	0.1925 - 0.0675	.4400	----	----	23	----	130 + 19
615	0.1750	0.1750	0.2405B/0.1735A	0.2405B/0.1735A	----	0.1740 - 0.0650	.4094	----	----	42	----	1634 + 8
620	0.1635	0.1635	0.2200B/0.1580A	0.2200B/0.1580A	----	0.1575 - 0.0620	.3801	----	----	3	----	196 UNCH
625	0.1550	0.1550	0.1550/0.1425A	0.2010B/0.1425A	----	0.1430 - 0.0585	.3526	----	----	6	----	256 + 1
630	0.1305	0.1305	0.1305/0.1290	0.1835B/0.1290	----	0.1290 - 0.0555	.3258	----	----	6	----	368 + 2
635	----	----	----/0.1175A	0.1675B/0.1175A	----	0.1170 - 0.0525	.3011	----	----	----	----	78 UNCH
640	0.1085	0.1085	0.1085/0.1055A	0.1525B/0.1055A	----	0.1055 - 0.0495	.2773	----	----	40	----	1515 + 15
645	----	----	----/0.0955A	0.1395B/0.0955A	----	0.0955 - 0.0465	.2554	----	----	----	----	367 UNCH
650	0.1280	0.1280	0.1290/0.0860	0.1290/0.0860	----	0.0860 - 0.0440	.2344	----	----	84	----	597 - 7
655	----	----	----/0.0780A	0.1150B/0.0780A	----	0.0780 - 0.0410	.2156	----	----	----	----	682 UNCH
660	----	----	----/0.0715A	0.1055B/0.0715A	----	0.0705 - 0.0385	.1979	----	----	1	----	242 + 1
665	----	----	----/0.0655A	0.0960B/0.0655A	----	0.0640 - 0.0360	.1818	----	----	----	----	3 UNCH
670	----	----	----/0.0600A	0.0870B/0.0600A	----	0.0585 - 0.0325	.1676	----	----	----	----	108 UNCH
675	0.0795	0.0795	0.0795/0.0530A	0.0795/0.0530A	----	0.0535 - 0.0300	.1545	----	----	28	----	2072 + 1
680	----	----	----/0.0495A	0.0715B/0.0495A	----	0.0490 - 0.0275	.1425	----	----	----	----	225 UNCH
685	----	----	----/*0.0445A	0.0655B/*0.0445	----	0.0450 - 0.0250	.1316	----	----	----	----	16 UNCH
690	----	----	----/*0.0410A	0.0605B/*0.0410	----	0.0410 - 0.0230	.1209	----	----	2	----	290 + 2
695	0.0435	0.0435	0.0435/*0.0370A	0.0560B/*0.0370	----	0.0375 - 0.0210	.1114	----	----	3	----	55 + 3
700	0.0340	0.0340	0.0340/*0.0340	0.0510B/*0.0340	----	0.0345 - 0.0195	.1029	----	----	200	----	373 - 92
710	0.0290	0.0290	0.0290/*0.0285A	0.0430B/*0.0285	----	0.0290 - 0.0165	.0875	----	----	5	----	855 UNCH
715	0.0265	0.0265	0.0265/*0.0265	0.0395B/*0.0265	----	0.0265 - 0.0155	.0805	----	----	5	----	33 + 5

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUL26												
720	0.0250	0.0250	0.0250/*0.0245A	0.0365B/*0.0245	----	0.0245 - 0.0145	.0746	----	----	12	----	14 + 11
725	0.0225	0.0225	0.0225/*0.0225	0.0340B/*0.0225	----	0.0225 - 0.0140	.0688	----	----	57	----	1592 + 35
730	0.0245	0.0245	0.0245/*0.0210	0.0310B/*0.0210	----	0.0205 - 0.0135	.0631	----	----	18	----	38 + 15
750	0.0190	0.0190	0.0190/*0.0155	0.0235B/*0.0155	----	0.0155 - 0.0110	.0477	----	----	11	----	245 + 1
775	----	----	----/*0.0120A	0.0155B/*0.0120	----	0.0115 - 0.0090	.0350	----	----	----	----	34 UNCH
780	----	----	----/*0.0115A	0.0145B/*0.0115	----	0.0110 - 0.0085	.0333	----	----	----	----	3 UNCH
800	----	----	----/*0.0110A	0.0110B/*0.0110	----	0.0090 - 0.0065	.0269	----	----	116	----	2311 + 219
850	----	----	----/*0.0070A	0.0050B/*0.0070	----	0.0055 - 0.0025	.0160	----	----	----	----	4 UNCH
875	----	----	----	----/0.0055A	----	0.0035 - 0.0015	.0105	----	----	----	----	2 UNCH
900	----	----	----	----/0.0050A	----	0.0025 - 0.0010	.0075	----	----	109	----	2332 + 109
950	----	----	----	----/0.0040A	----	0.0010 - 0.0010	.0032	----	----	----	----	61 UNCH
975	----	----	----	----/0.0035A	----	0.0010 - 0.0005	.0030	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0030A	----	0.0005 - 0.0005	.0016	----	----	----	----	4 UNCH
TOTAL										973		18271+ 547
AUG26												
500	----	----	----	----	----	1.0675 - 0.1005	.9064	----	----	----	----	3 UNCH
550	----	----	----	----	----	0.6425 - 0.0945	.7733	----	----	----	----	3 UNCH
580	----	----	----/0.4385A	0.5230B/0.4385A	----	0.4405 - 0.0840	.6409	----	----	----	----	253 UNCH
585	----	----	----/0.4110A	0.4915B/0.4110A	----	0.4125 - 0.0815	.6164	----	----	----	----	11 UNCH
590	----	----	----/0.3845A	0.4615B/0.3845A	----	0.3855 - 0.0785	.5916	----	----	----	----	17 UNCH
595	----	----	----/0.3590A	0.4325B/0.3590A	----	0.3600 - 0.0760	.5666	----	----	----	----	1 UNCH
600	----	----	----/0.3335A	0.4055B/0.3335A	----	0.3360 - 0.0730	.5417	----	----	----	----	4 UNCH
610	----	----	----/0.2920A	0.3590B/0.2920A	----	0.2920 - 0.0675	.4926	----	----	1	----	1 + 1
620	----	----	----/0.2540A	0.3135B/0.2540A	----	0.2535 - 0.0620	.4454	----	----	7	----	14 + 6
625	----	----	----/0.2365A	0.2925B/0.2365A	----	0.2355 - 0.0595	.4224	----	----	----	----	92 UNCH
635	----	----	----/0.2065A	0.2555B/0.2065A	----	0.2035 - 0.0550	.3788	----	----	----	----	2 UNCH
640	----	----	----/0.1880A	0.2405B/0.1880A	----	0.1890 - 0.0530	.3581	----	----	7	----	160 + 7
650	----	----	----/0.1665A	0.2080B/0.1665A	----	0.1630 - 0.0490	.3190	----	----	----	----	57 UNCH
660	----	----	----/0.1455A	0.1805B/0.1455A	----	0.1400 NEW	.2829	----	----	1	----	1 + 1
675	----	----	----/0.1145A	0.1465B/0.1145A	----	0.1115 - 0.0415	.2350	----	----	----	----	169 UNCH
680	----	----	----/0.1100A	0.1370B/0.1100A	----	0.1035 - 0.0400	.2208	----	----	----	----	1 UNCH
690	----	----	----/0.1000A	0.1145B/0.1000A	----	0.0895 - 0.0370	.1950	----	----	----	----	3 UNCH
700	----	----	----/0.0815A	0.0990B/0.0815A	----	0.0780 - 0.0335	.1727	----	----	----	----	984 UNCH
725	----	----	----/*0.0645A	0.0685B/0.0645A	----	0.0565 - 0.0255	.1287	----	----	----	----	86 UNCH
730	----	----	----/0.0575A	0.0695B/0.0575A	----	0.0530 - 0.0240	.1213	----	----	----	----	1 UNCH
750	----	----	----/0.0455A	0.0535B/0.0455A	----	0.0410 - 0.0200	.0958	----	----	----	----	106 UNCH
800	0.0245	0.0245	0.0245/0.0245	0.0290B/0.0245	----	0.0220 - 0.0120	.0535	----	----	1	----	12 + 1
850	----	----	----/*0.0185A	0.0155B/*0.0185	----	0.0125 - 0.0075	.0311	----	----	----	----	1 UNCH
900	----	----	----	0.0075B/*0.0140	----	0.0080 - 0.0050	.0198	----	----	----	----	57 UNCH
950	----	----	----	0.0025B/*0.0105	----	0.0045 - 0.0035	.0114	----	----	----	----	2 UNCH
975	----	----	----	0.0010B/*0.0090	----	0.0035 - 0.0025	.0089	----	----	----	----	5 UNCH
TOTAL										17		2046+ 16
SEP26												
495	----	----	----	----	----	1.1310 - 0.0995	.8919	----	----	----	----	2 UNCH
500	----	----	----/1.1235A	1.0365B/1.1235A	----	1.0870 - 0.0985	.8827	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.0000 NEW	.8621	----	----	2	----	2 + 2
535	----	----	----	----	----	0.7950 - 0.0930	.7964	----	----	----	----	1 UNCH
565	----	----	----/0.5750A	0.6665B/0.5750A	----	0.5815 - 0.0855	.6904	----	----	----	----	1 UNCH
575	----	----	----/0.5160A	0.6005B/0.5160A	----	0.5205 - 0.0820	.6497	----	----	----	----	100 UNCH
595	----	----	----/0.4135A	0.4830B/0.4135A	----	0.4140 - 0.0730	.5652	----	----	----	----	5 UNCH
600	----	----	----/0.3910A	0.4570B/0.3910A	----	0.3905 - 0.0710	.5440	----	----	----	----	244 UNCH
610	----	----	----/0.3490A	0.4125B/0.3490A	----	0.3475 - 0.0660	.5022	----	----	----	----	31 UNCH
615	----	----	----/0.3295A	0.3890B/0.3295A	----	0.3275 - 0.0635	.4818	----	----	----	----	9 UNCH
620	----	----	----/0.3110A	0.3675B/0.3110A	----	0.3085 - 0.0615	.4617	----	----	----	----	185 UNCH
625	----	----	----/0.2925A	0.3480B/0.2925A	----	0.2910 - 0.0590	.4423	----	----	----	----	622 UNCH
630	----	----	----/0.2770A	0.3275B/0.2770A	----	0.2740 - 0.0570	.4232	----	----	----	----	2 UNCH
635	----	----	----/0.2615A	0.3095B/0.2615A	----	0.2580 - 0.0555	.4046	----	----	----	----	1 UNCH
640	----	----	----/0.2470A	0.2920B/0.2470A	----	0.2435 - 0.0530	.3868	----	----	----	----	12 UNCH
650	0.2105	0.2105	0.2105/0.2105	0.2610B/0.2105	----	0.2160 - 0.0490	.3525	----	----	46	----	143 - 21
655	----	----	----/0.2075A	0.2455B/0.2075A	----	0.2035 - 0.0470	.3363	----	----	----	----	4 UNCH
660	----	----	----/0.1960A	0.2315B/0.1960A	----	0.1920 - 0.0450	.3209	----	----	----	----	1 UNCH
670	----	----	----/0.1750A	0.2060B/0.1750A	----	0.1705 - 0.0410	.2915	----	----	----	----	1 UNCH
675	----	----	----/0.1625A	0.1945B/0.1625A	----	0.1610 - 0.0390	.2779	----	----	----	----	325 UNCH
680	----	----	----/0.1530A	0.1835B/0.1530A	----	0.1515 - 0.0375	.2644	----	----	----	----	351 UNCH
690	----	----	----/0.1390A	0.1625B/0.1390A	----	0.1350 - 0.0335	.2399	----	----	----	----	12 UNCH
700	0.1285	0.1285	0.1285/0.1230	0.1455B/0.1230	----	0.1205 - 0.0300	.2176	----	----	134	----	499 + 55
720	----	----	----/0.1005A	0.1150B/0.1005A	----	0.0965 - 0.0250	.1792	----	----	----	----	5 UNCH
750	0.0710	0.0710	0.0720/0.0710	0.0815B/0.0710	----	0.0700 - 0.0195	.1344	----	----	70	----	143 + 70
775	----	----	----/*0.0605A	0.0625B/0.0605A	----	0.0545 - 0.0160	.1066	----	----	----	----	3 UNCH
800	----	----	----/*0.0495A	0.0485B/0.0495A	----	0.0425 - 0.0130	.0847	----	----	----	----	21 UNCH
875	----	----	----	0.0235B/0.0290A	----	0.0205 - 0.0070	.0428	----	----	----	----	1 UNCH
900	----	----	----	0.0185B/*0.0250	----	0.0160 - 0.0060	.0339	----	----	50	----	75 + 50
975	----	----	----	0.0075B/*0.0170	----	0.0085 - 0.0030	.0184	----	----	----	----	4 UNCH
TOTAL										302		2810+ 156
OCT26												
600	----	----	----/0.4885A	0.5535B/0.4885A	----	0.4860 - 0.0735	.5774	----	----	----	----	2 UNCH
605	----	----	----/0.4655A	0.5275B/0.4655A	----	0.4620 - 0.0720	.5589	----	----	----	----	2 UNCH
615	----	----	----/0.4225A	0.4815B/0.4225A	----	0.4175 - 0.0680	.5223	----	----	----	----	10 UNCH
650	----	----	----/0.2975A	0.3385B/0.2975A	----	0.2915 - 0.0555	.4032	----	----	----	----	106 UNCH
700	----	----	----/0.1870A	0.1995B/0.1870A	----	0.1750 - 0.0380	.2686	----	----	----	----	145 UNCH
775	----	----	----/*0.0960A	0.0905B/0.0960A	----	0.0845 - 0.0215	.1432	----	----	----	----	71 UNCH
800	----	----	----/*0.0770A	0.0760B/0.0770A	----	0.0675 - 0.0180	.1168	----	----	----	----	1 UNCH
850	----	----	----/*0.0540A	0.0480B/0.0540A	----	0.0435 - 0.0125	.0781	----	----	----	----	30 UNCH
875	----	----	----/0.0460A	0.0385B/0.0460A	----	0.0360 - 0.0105	.0652	----	----	----	----	2 UNCH
900	----	----	----	0.0310B/0.0400A	----	0.0300 - 0.0090	.0547	----	----	----	----	3 UNCH
975	----	----	----	0.0155B/*0.0275	----	0.0185 - 0.0060	.0340	----	----	----	----	7 UNCH
TOTAL												379
NOV26												
535	----	----	----	----	----	0.9255 - 0.0895	.7798	----	----	----	----	1 UNCH
545	----	----	----/0.8505A	0.8530B/0.8505A	----	0.8540 - 0.0885	.7522	----	----	----	----	1 UNCH
580	----	----	----/0.6390A	0.7055B/0.6390A	----	0.6360 - 0.0795	.6433	----	----	----	----	2 UNCH
585	----	----	----/0.6125A	0.6760B/0.6125A	----	0.6090 - 0.0775	.6267	----	----	----	----	1 UNCH
595	----	----	----/0.5630A	0.6205B/0.5630A	----	0.5575 - 0.0740	.5936	----	----	----	----	2 UNCH
600	----	----	----/0.5395A	0.5940B/0.5395A	----	0.5335 - 0.0720	.5769	----	----	----	----	2 UNCH
610	----	----	----/0.4950A	0.5445B/0.4950A	----	0.4875 - 0.0685	.5438	----	----	----	----	14 UNCH
640	----	----	----/0.3810A	0.4160B/0.3810A	----	0.3705 - 0.0590	.4490	----	----	----	----	1 UNCH
655	----	----	----/0.3340A	0.3625B/0.3340A	----	0.3225 - 0.0545	.4053	----	----	----	----	1 UNCH
670	----	----	----/0.2925A	0.3145B/0.2925A	----	0.2810 - 0.0500	.3647	----	----	----	----	14 UNCH
675	----	----	----/0.2800A	0.3005B/0.2800A	----	0.2680 - 0.0490	.3517	----	----	----	----	1 UNCH
700	----	----	----/0.2255A	0.2375B/0.2255A	----	0.2130 - 0.0415	.2930	----	----	----	----	1 UNCH
750	----	----	----/0.1485A	0.1475B/0.1485A	----	0.1355 - 0.0295	.2010	----	----	----	----	2 UNCH
850	----	----	----	0.0585B/0.0740A	----	0.0575 - 0.0155	.0944	----	----	----	----	1 UNCH
900	----	----	----	0.0370B/0.0560A	----	0.0385 - 0.0110	.0654	----	----	----	----	1 UNCH
975	----	----	----	0.0190B/0.0400A	----	0.0205 - 0.0065	.0368	----	----	----	----	1 UNCH
TOTAL												46
DEC26												
520	----	----	----	----	----	1.0600 - 0.0910	.8052	----	----	----	----	1 UNCH
525	----	----	----	----	----	1.0230 - 0.0895	.7931	----	----	----	----	123 UNCH
535	----	----	----	----	----	0.9510 - 0.0880	.7680	----	----	----	----	1 UNCH
550	----	----	----/0.8500A	0.9240B/0.8500A	----	0.8490 - 0.0855	.7273	----	----	----	----	2 UNCH
555	----	----	----/0.8190A	0.8900B/0.8190A	----	0.8170 - 0.0845	.7132	----	----	----	----	1 UNCH
565	----	----	----/0.7595A	0.8255B/0.7595A	----	0.7560 - 0.0820	.6840	----	----	----	----	45 UNCH
575	----	----	----/0.7040A	0.7640B/0.7040A	----	0.6980 - 0.0800	.6539	----	----	----	----	123 UNCH
585	----	----	----/0.6515A	0.7065B/0.6515A	----	0.6440 - 0.0770	.6234	----	----	----	----	1 UNCH
590	----	----	----/0.6270A	0.6790B/0.6270A	----	0.6185 - 0.0755	.6080	----	----	----	----	200 UNCH
595	----	----	----/0.6030A	0.6525B/0.6030A	----	0.5940 - 0.0740	.5926	----	----	----	----	163 UNCH
600	----	----	----/0.5795A	0.6265B/0.5795A	----	0.5700 - 0.0725	.5772	----	----	----	----	602 UNCH
610	----	----	----/0.5360A	0.5775B/0.5360A	----	0.5245 - 0.0695	.5465	----	----	----	----	356 UNCH
620	0.4930	0.4930	0.4930/0.4930	0.5320B/0.4930	----	0.4830 - 0.0655	.5164	----	----	1	----	414 + 1
625	----	----	----/0.4760A	0.5105B/0.4760A	----	0.4630 - 0.0645	.5016	----	----	----	----	3 UNCH
630	----	----	----/0.4570A	0.4895B/0.4570A	----	0.4440 - 0.0630	.4871	----	----	----	----	456 UNCH
640	----	----	----/0.4220A	0.4500B/0.4220A	----	0.4080 - 0.0600	.4585	----	----	----	----	29 UNCH
650	----	----	----/0.3895A	0.4130B/0.3895A	----	0.3750 - 0.0570	.4311	----	----	----	----	573 UNCH
660	----	----	----/0.3595A	0.3790B/0.3595A	----	0.3445 - 0.0540	.4047	----	----	----	----	300 UNCH
670	----	----	----/0.3315A	0.3475B/0.3315A	----	0.3165 - 0.0510	.3795	----	----	----	----	4 UNCH
675	----	----	----/0.3185A	0.3330B/0.3185A	----	0.3035 - 0.0495	.3674	----	----	----	----	17 UNCH
680	----	----	----/0.3060A	0.3185B/0.3060A	----	0.2905 - 0.0485	.3553	----	----	----	----	3 UNCH
700	----	----	----/0.2615A	0.2675B/0.2615A	----	0.2455 - 0.0420	.3110	----	----	----	----	844 UNCH
705	----	----	----/0.2515A	0.2560B/0.2515A	----	0.2350 - 0.0410	.3005	----	----	----	----	2 UNCH
725	----	----	----/0.2155A	0.2145B/0.2155A	----	0.1995 - 0.0350	.2626	----	----	----	----	5 UNCH
730	----	----	----/0.2075A	0.2055B/0.2075A	----	0.1915 - 0.0340	.2538	----	----	----	----	4 UNCH
750	----	----	----/0.1790A	0.1725B/0.1790A	----	0.1630 - 0.0295	.2216	----	----	----	----	24 UNCH
800	----	----	----/0.1270A	0.1125B/0.1270A	----	0.1110 - 0.0220	.1585	----	----	----	----	104 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
DEC26												
850	----	----	----	0.0740B/0.0945A	----	0.0765 - 0.0165	.1138	----	----	----	----	4 UNCH
900	----	----	----	0.0490B/0.0730A	----	0.0545 - 0.0120	.0832	----	----	----	----	213 UNCH
925	----	----	----	0.0400B/0.0645A	----	0.0480 - 0.0110	.0733	----	----	----	----	6 UNCH
950	----	----	----	0.0320B/0.0585A	----	0.0430 - 0.0095	.0655	----	----	----	----	78 UNCH
975	----	----	----	0.0255B/0.0530A	----	0.0385 - 0.0090	.0585	----	----	----	----	13 UNCH
TOTAL										1		4714 + 1
JAN27												
500	----	----	----	----	----	1.3270 - 0.0900	.8368	----	----	----	----	1 UNCH
900	----	----	----	----	----	0.1195 - 0.0165	.1403	----	----	----	----	1 UNCH
TOTAL												2
FEB27												
620	0.6860	0.6860	#0.6860/*0.6860	#0.6860/*0.6860	----	0.6325 NEW	.5495	----	----	1	----	1 + 1
TOTAL										1		1+ 1
MAR27												
680	----	----	----	----	----	0.4570 - 0.0470	.4220	----	----	----	----	30 UNCH
950	----	----	----	----	----	0.0930 - 0.0130	.1118	----	----	----	----	3 UNCH
TOTAL												33
HX PUT		COMEX COPPER OPTIONS										
MAY26												
460	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
470	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
505	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
515	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
520	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
570	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
575	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
580	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
586	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
590	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
592	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
594	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
596	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
597	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
598	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
603	----	----	----	----	----	0.0090 UNCH	----	----	----	----	----	0 UNCH
604	----	----	----	----	----	0.0190 UNCH	----	----	----	----	----	0 UNCH
605	----	----	----	----	----	0.0290 UNCH	----	----	----	----	----	0 UNCH
606	----	----	----	----	----	0.0390 UNCH	----	----	----	----	----	0 UNCH
607	----	----	----	----	----	0.0490 UNCH	----	----	----	----	----	0 UNCH
608	----	----	----	----	----	0.0590 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.0690 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0790 UNCH	----	----	----	----	----	0 UNCH
611	----	----	----	----	----	0.0890 UNCH	----	----	----	----	----	0 UNCH
612	----	----	----	----	----	0.0990 UNCH	----	----	----	----	----	0 UNCH
613	----	----	----	----	----	0.1090 UNCH	----	----	----	----	----	0 UNCH
615	----	----	----	----	----	0.1290 UNCH	----	----	----	----	----	0 UNCH
617	----	----	----	----	----	0.1490 UNCH	----	----	----	----	----	0 UNCH
619	----	----	----	----	----	0.1690 UNCH	----	----	----	----	----	0 UNCH
620	----	----	----	----	----	0.1790 UNCH	----	----	----	----	----	0 UNCH
629	----	----	----	----	----	0.2690 UNCH	----	----	----	----	----	0 UNCH
645	----	----	----	----	----	0.4290 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
JUN26												
330	----	----	----	----/0.0035A	----	0.0005 UNCH	.0001	----	----	----	----	8 UNCH
355	----	----	----	----/0.0040A	----	0.0005 UNCH	.0007	----	----	----	----	10 UNCH
370	----	----	----	----/0.0040A	----	0.0010 UNCH	.0025	----	----	----	----	1 UNCH
380	----	----	----	----/*0.0015A	----	0.0010 UNCH	.0026	----	----	----	----	1 UNCH
400	----	----	----	----/0.0035A	----	0.0020 UNCH	.0053	----	----	----	----	3 UNCH
405	----	----	----	----/0.0040A	----	0.0020 UNCH	.0054	----	----	----	----	1 UNCH
410	----	----	----	----/0.0040A	----	0.0020 UNCH	.0056	----	----	----	----	2 UNCH
420	----	----	----	----/0.0050A	----	0.0020 UNCH	.0059	----	----	----	----	9 UNCH
430	----	----	----	----/0.0035A	----	0.0025 UNCH	.0076	----	----	----	----	3 UNCH
435	----	----	----	----/0.0060A	----	0.0025 UNCH	.0078	----	----	----	----	2 UNCH
440	----	----	----	----/0.0065A	----	0.0030 + 0.0005	.0093	----	----	----	----	8 UNCH
445	----	----	----	0.0025B/0.0070A	----	0.0030 UNCH	.0096	----	----	----	----	8 UNCH
450	----	----	0.0035B/----	0.0035B/0.0070A	----	0.0035 + 0.0005	.0112	----	----	----	----	450 UNCH
455	----	----	----	0.0010B/0.0075A	----	0.0035 UNCH	.0116	----	----	----	----	42 UNCH
460	----	----	0.0050B/----	0.0050B/0.0080A	----	0.0040 UNCH	.0134	----	----	----	----	54 UNCH
465	0.0035	0.0035	0.0055B/0.0035	0.0055B/0.0035	----	0.0045 + 0.0005	.0152	----	----	1	----	884 UNCH
470	----	----	----	0.0030B/0.0095A	----	0.0050 + 0.0005	.0171	----	----	----	----	666 UNCH
475	----	----	----	0.0050B/0.0085A	----	0.0055 + 0.0005	.0190	----	----	----	----	155 UNCH
480	0.0060	0.0060	0.0065B/0.0060	0.0065B/0.0060	----	0.0060 + 0.0005	.0211	----	----	5	----	954 UNCH
485	----	----	0.0080B/----	0.0080B/0.0095A	----	0.0065 + 0.0005	.0233	----	----	4	----	62 + 2
490	----	----	0.0090B/----	0.0090B/0.0085A	----	0.0070 + 0.0005	.0257	----	----	----	----	50 UNCH
495	----	----	0.0100B/----	0.0100B/0.0085A	----	0.0080 + 0.0010	.0295	----	----	----	----	35 UNCH
500	----	----	0.0110B/----	0.0110B/0.0090A	----	0.0085 + 0.0010	.0322	----	----	6	----	560 + 2
505	----	----	0.0120B/----	0.0120B/0.0100A	----	0.0095 + 0.0010	.0365	----	----	----	----	522 UNCH
510	----	----	0.0135B/----	0.0135B/0.0110A	----	0.0110 + 0.0015	.0423	----	----	----	----	161 UNCH
515	0.0140	0.0140	0.0150B/0.0140	0.0150B/0.0125A	----	0.0120 + 0.0015	.0472	----	----	4	----	37 + 2
520	0.0170	0.0170	0.0170/0.0170	0.0170/0.0135A	----	0.0135 + 0.0020	.0537	----	----	4	----	155 + 3
523	0.0155	0.0155	0.0180B/0.0155	0.0180B/0.0145A	----	0.0145 + 0.0020	.0581	----	----	7	----	11 + 7
524	0.0160	0.0160	0.0185B/0.0160	0.0185B/0.0145A	----	0.0150 + 0.0025	.0601	----	----	4	----	5 + 4
525	0.0170	0.0170	0.0195B/0.0170	0.0195B/0.0150A	----	0.0155 + 0.0025	.0620	----	----	35	----	2154 - 1
526	----	----	0.0195B/----	0.0195B/0.0155A	----	0.0155 + 0.0025	.0627	----	----	----	----	5 UNCH
527	----	----	0.0200B/----	0.0200B/0.0155A	----	0.0160 + 0.0025	.0647	----	----	----	----	3 UNCH
528	0.0170	0.0170	0.0205B/0.0170	0.0205B/0.0160A	----	0.0165 + 0.0025	.0667	----	----	3	----	5 + 1
529	----	----	0.0210B/----	0.0210B/0.0160A	----	0.0170 + 0.0030	.0688	----	----	----	----	5 UNCH
530	----	----	0.0215B/----	0.0215B/0.0165A	----	0.0175 + 0.0030	.0708	----	----	2	----	129 - 2
531	----	----	0.0220B/----	0.0220B/0.0170A	----	0.0180 + 0.0030	.0729	----	----	----	----	4 UNCH
532	----	----	0.0225B/----	0.0225B/0.0175A	----	0.0185 + 0.0035	.0750	----	----	----	----	3 UNCH
533	----	----	0.0235B/----	0.0235B/0.0175A	----	0.0190 + 0.0035	.0772	----	----	----	----	1 UNCH
534	0.0235	0.0235	0.0240B/0.0235	0.0240B/0.0180A	----	0.0190 + 0.0030	.0780	----	----	3	----	6 UNCH
535	----	----	0.0245B/----	0.0245B/0.0185A	----	0.0195 + 0.0030	.0802	----	----	----	----	73 UNCH
536	----	----	0.0255B/----	0.0255B/0.0190A	----	0.0200 + 0.0035	.0825	----	----	----	----	1 UNCH
537	----	----	0.0260B/----	0.0260B/0.0195A	----	0.0205 + 0.0035	.0847	----	----	152	----	156 + 152
538	----	----	0.0270B/----	0.0270B/0.0200A	----	0.0210 + 0.0035	.0870	----	----	----	----	5 UNCH
539	----	----	0.0275B/----	0.0275B/0.0205A	----	0.0215 + 0.0035	.0893	----	----	----	----	4 UNCH
540	----	----	0.0285B/----	0.0285B/0.0210A	----	0.0220 + 0.0035	.0917	----	----	16	----	117 + 14
542	----	----	0.0300B/----	0.0300B/0.0220A	----	0.0230 + 0.0035	.0965	----	----	----	----	4 UNCH
543	----	----	0.0310B/----	0.0310B/0.0225A	----	0.0240 + 0.0040	.1002	----	----	----	----	10 UNCH
544	----	----	0.0320B/----	0.0320B/0.0230A	----	0.0245 + 0.0040	.1028	----	----	----	----	4 UNCH
545	0.0265	0.0265	0.0330B/0.0265	0.0330B/0.0235A	----	0.0250 + 0.0040	.1053	----	----	2	----	66 + 2
546	0.0285	0.0285	0.0340B/0.0285	0.0340B/0.0245A	----	0.0260 + 0.0045	.1091	----	----	1	----	1 + 1
547	0.0285	0.0285	0.0350B/0.0285	0.0350B/0.0250A	----	0.0270 + 0.0045	.1130	----	----	10	----	15 + 10
548	0.0290	0.0290	0.0360B/0.0290	0.0360B/0.0255A	----	0.0275 + 0.0045	.1157	----	----	2	----	5 + 2
550	0.0335	0.0335	0.0400/0.0295	0.0400/0.0270A	----	0.0295 + 0.0050	.1236	----	----	247	----	1156 + 166
551	----	----	0.0400B/----	0.0400B/0.0275A	----	0.0305 + 0.0055	.1276	----	----	----	----	85 UNCH
552	----	----	0.0415B/----	0.0415B/0.0280A	----	0.0315 + 0.0055	.1317	----	----	1	----	1 UNCH
553	----	----	0.0425B/----	0.0425B/0.0290A	----	0.0325 + 0.0055	.1358	----	----	----	----	2 UNCH
554	----	----	0.0440B/----	0.0440B/0.0300A	----	0.0340 + 0.0065	.1411	----	----	1	----	3 UNCH
555	0.0430	0.0430	0.0465B/0.0360	0.0465B/0.0305A	----	0.0350 + 0.0065	.1453	----	----	10	----	35 - 1
556	----	----	0.0475B/----	0.0475B/0.0315A	----	0.0360 + 0.0065	.1495	----	----	----	----	8 UNCH
557	----	----	0.0495B/----	0.0495B/0.0325A	----	0.0375 + 0.0070	.1549	----	----	----	----	62 UNCH
558	----	----	0.0510B/----	0.0510B/0.0335A	----	0.0390 + 0.0075	.1603	----	----	----	----	2 UNCH
559	----	----	0.0530B/----	0.0530B/0.0345A	----	0.0400 + 0.0070	.1647	----	----	----	----	5 UNCH
560	0.0360	0.0360	0.0550B/0.0355	0.0550B/0.0355	----	0.0415 + 0.0075	.1703	----	----	52	----	426 - 19
561	----	----	0.0575B/----	0.0575B/0.0370A	----	0.0430 + 0.0080	.1758	----	----	----	----	3 UNCH
562	0.0540	0.0540	0.0595B/0.0540	0.0595B/0.0380A	----	0.0450 + 0.0085	.1824	----	----	4	----	5 UNCH
564	----	----	0.0640B/----	0.0640B/0.0405A	----	0.0480 + 0.0090	.1938	----	----	----	----	3 UNCH
565	0.0445	0.0445	0.0660B/0.0445	0.0660B/0.0420A	----	0.0500 + 0.0095	.2005	----	----	4	----	225 + 3
566	----	----	0.0680B/----	0.0680B/0.0435A	----	0.0520 + 0.0100	.2072	----	----	----	----	3 UNCH
567	----	----	0.0705B/----	0.0705B/0.0450A	----	0.0540 + 0.0100	.2140	----	----	----	----	12 UNCH
568	----	----	0.0735B/----	0.0735B/0.0465A	----	0.0560 + 0.0105	.2208	----	----	----	----	1 UNCH
569	----	----	0.0765B/----	0.0765B/0.0485A	----	0.0580 + 0.0105	.2277	----	----	8	----	12 + 7
570	0.0515	0.0515	0.0790B/0.0515	0.0790B/0.0500A	----	0.0605 + 0.0115	.2354	----	----	22	----	208 + 17
571	----	----	0.0820B/----	0.0820B/0.0520A	----	0.0625 + 0.0115	.2424	----	----	----	----	7 UNCH
572	----	----	0.0850B/----	0.0850B/0.0540A	----	0.0650 + 0.0120	.2502	----	----	----	----	1 UNCH
573	----	----	0.0875B/----	0.0875B/0.0550A	----	0.0675 + 0.0125	.2580	----	----	----	----	2 UNCH
574	----	----	0.0900B/----	0.0900B/0.0575A	----	0.0700 + 0.0130	.2659	----	----	15	----	17 + 15

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
575	0.0940	0.0940	0.0960/0.0590A	0.0960/0.0590A	----	0.0730 + 0.0135	.2744	----	----	14	----	107 - 1
576	0.0885	0.0885	0.0975B/0.0885	0.0975B/0.0620A	----	0.0755 + 0.0140	.2824	----	----	2	----	5 + 2
577	0.0915	0.0915	0.1010B/0.0915	0.1010B/0.0645A	----	0.0785 + 0.0145	.2910	----	----	2	----	10 - 2
578	----	----	0.1045B/----	0.1045B/0.0665A	----	0.0815 + 0.0155	.2996	----	----	----	----	2 UNCH
579	----	----	0.1075B/----	0.1075B/0.0690A	----	0.0845 + 0.0160	.3083	----	----	----	----	2 UNCH
580	0.0945	0.0945	0.1120B/0.0875	0.1120B/0.0715A	----	0.0880 + 0.0165	.3175	----	----	274	----	974 + 172
581	----	----	0.1150B/----	0.1150B/0.0740A	----	0.0910 + 0.0170	.3263	----	----	----	----	26 UNCH
582	----	----	0.1190B/----	0.1190B/0.0770A	----	0.0945 + 0.0180	.3355	----	----	----	----	8 UNCH
583	----	----	0.1230B/0.0785A	0.1230B/0.0785A	----	0.0980 + 0.0185	.3448	----	----	----	----	9 UNCH
584	----	----	0.1270B/0.0810A	0.1270B/0.0810A	----	0.1015 + 0.0190	.3541	----	----	----	----	16 UNCH
585	0.1090	0.1090	0.1325B/0.1040	0.1325B/0.0870A	----	0.1050 + 0.0195	.3635	----	----	17	----	38 + 8
586	----	----	0.1355B/----	0.1355B/0.0900A	----	0.1085 + 0.0200	.3729	----	----	----	----	4 UNCH
587	----	----	0.1395B/----	0.1395B/0.0930A	----	0.1125 NEW	.3826	----	----	13	----	13 + 13
588	----	----	0.1440B/----	0.1440B/0.0960A	----	0.1165 + 0.0215	.3924	----	----	----	----	2 UNCH
590	0.1090	0.1090	0.1540B/0.1090	0.1540B/0.1030A	----	0.1245 + 0.0230	.4120	----	----	42	50	224 + 58
591	----	----	0.1585B/----	0.1585B/0.1060A	----	0.1285 + 0.0230	.4219	----	----	----	----	1 UNCH
593	0.1185	0.1185	0.1690B/0.1175	0.1690B/0.1135A	----	0.1375 + 0.0250	.4421	----	----	31	----	31 + 30
594	----	----	0.1740B/----	0.1740B/0.1175A	----	0.1420 + 0.0255	.4522	----	----	----	----	6 UNCH
595	0.1245	0.1245	0.1790B/0.1170A	0.1790B/0.1170A	----	0.1465 + 0.0260	.4624	----	----	18	----	33 + 14
596	----	----	0.1840B/----	0.1840B/0.1245A	----	0.1515 + 0.0270	.4726	----	----	----	----	11 UNCH
597	0.1605	0.1605	0.1895B/0.1280A	0.1895B/0.1280A	----	0.1565 + 0.0280	.4828	----	----	153	----	156 + 152
598	0.1655	0.1655	0.1950B/0.1320A	0.1950B/0.1320A	----	0.1615 + 0.0285	.4930	----	----	1	----	7 UNCH
599	0.1710	0.1710	0.2010B/0.1365A	0.2010B/0.1365A	----	0.1665 + 0.0290	.5033	----	----	2	----	15 UNCH
600	0.1380	0.1380	0.2065B/0.1345A	0.2065B/0.1345A	----	0.1720 + 0.0300	.5134	----	----	61	----	199 - 5
601	----	----	0.2110B/0.1450A	0.2110B/0.1450A	----	0.1775 + 0.0310	.5236	----	----	----	----	5 UNCH
602	0.1605	0.1605	0.2175B/0.1485A	0.2175B/0.1485A	----	0.1830 + 0.0320	.5337	----	----	2	----	15 + 1
603	0.1640	0.1640	0.2225B/0.1530A	0.2225B/0.1530A	----	0.1885 + 0.0330	.5439	----	----	5	----	20 + 4
604	0.1605	0.1605	0.2285B/0.1580A	0.2285B/0.1580A	----	0.1940 + 0.0335	.5538	----	----	11	----	13 + 4
605	0.1625	0.1625	0.2340B/0.1570A	0.2340B/0.1570A	----	0.2000 + 0.0345	.5640	----	----	18	----	211 + 10
606	0.1770	0.1770	0.2390B/0.1650A	0.2390B/0.1650A	----	0.2060 + 0.0355	.5739	----	----	3	----	14 - 1
607	0.1720	0.1720	0.2445B/0.1720	0.2445B/0.1720	----	0.2120 + 0.0365	.5834	----	----	3	----	76 - 2
608	0.1835	0.1835	0.2475B/0.1760A	0.2475B/0.1760A	----	0.2180 + 0.0375	.5933	----	----	3	----	43 - 2
609	0.1935	0.1935	0.2480B/0.1825A	0.2480B/0.1825A	----	0.2245 + 0.0385	.6032	----	----	4	----	41 - 4
610	0.1885	0.1885	0.2640B/0.1880A	0.2640B/0.1880A	----	0.2310 + 0.0395	.6127	----	----	14	----	60 + 4
611	----	----	0.2615B/0.1930A	0.2615B/0.1930A	----	0.2375 + 0.0405	.6222	----	----	----	----	15 UNCH
612	----	----	0.2680B/0.1985A	0.2680B/0.1985A	----	0.2440 + 0.0415	.6316	----	----	----	----	9 UNCH
613	----	----	0.2725B/0.2040A	0.2725B/0.2040A	----	0.2505 + 0.0425	.6406	----	----	----	----	10 UNCH
614	----	----	0.2790B/0.2095A	0.2790B/0.2095A	----	0.2570 + 0.0435	.6500	----	----	----	----	8 UNCH
615	----	----	0.2985B/0.2130A	0.2985B/0.2130A	----	0.2640 + 0.0445	.6589	----	----	----	----	38 UNCH
616	----	----	0.2930B/0.2190A	0.2930B/0.2190A	----	0.2710 + 0.0455	.6677	----	----	----	----	16 UNCH
617	----	----	0.3000B/0.2260A	0.3000B/0.2260A	----	0.2780 + 0.0470	.6765	----	----	----	----	26 UNCH
618	0.2940	0.2940	0.3075B/0.2320A	0.3075B/0.2320A	----	0.2850 + 0.0475	.6854	----	----	2	----	11 - 1
619	0.2840	0.2840	0.3145B/0.2380A	0.3145B/0.2380A	----	0.2920 + 0.0485	.6942	----	----	6	----	9 - 4
620	----	----	0.3350B/0.2435A	0.3350B/0.2435A	----	0.2990 + 0.0495	.7030	----	----	----	----	14 UNCH
621	----	----	0.3295B/0.2495A	0.3295B/0.2495A	----	0.3065 + 0.0505	.7111	----	----	----	----	6 UNCH
622	----	----	0.3370B/----	0.3370B/0.2625A	----	0.3140 + 0.0515	.7191	----	----	----	----	1 UNCH
623	0.2900	0.2900	0.3445B/0.2900	0.3445B/0.2690A	----	0.3215 + 0.0525	.7272	----	----	1	----	3 + 1
630	----	----	0.4000B/0.3155A	0.4000B/0.3155A	----	0.3760 + 0.0595	.7795	----	----	----	----	10 UNCH
640	----	----	0.4835B/0.3885A	0.4835B/0.3885A	----	0.4600 + 0.0690	.8385	----	----	----	----	2 UNCH
645	----	----	0.5270B/----	0.5270B/0.4510A	----	0.5040 + 0.0730	.8628	----	----	----	----	1 UNCH
650	----	----	0.5720B/----	0.5720B/0.4930A	----	0.5495 + 0.0770	.8824	----	----	----	----	3 UNCH
655	----	----	0.6175B/----	0.6175B/0.5355A	----	0.5955 + 0.0805	.9000	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.0310 + 0.0980	.9669	----	----	----	----	1 UNCH
TOTAL									50	1327		12509 + 838
JUL26												
330	----	----	----	----/0.0070A	----	0.0010 + 0.0005	.0022	----	----	----	----	80 UNCH
350	----	----	----	----/0.0075A	----	0.0015 + 0.0005	.0034	----	----	----	----	5 UNCH
360	0.0030	0.0030	0.0030/*0.0030	0.0030/0.0030	----	0.0020 NEW	.0046	----	----	1	----	1 + 1
380	----	----	----	----/0.0090A	----	0.0030 + 0.0010	.0070	----	----	----	----	2 UNCH
390	----	----	----	0.0010B/0.0100A	----	0.0040 + 0.0015	.0093	----	----	----	----	6 UNCH
395	----	----	----	0.0010B/0.0105A	----	0.0045 + 0.0015	.0104	----	----	1	----	1 UNCH
400	----	----	----	0.0020B/0.0085A	----	0.0050 + 0.0020	.0116	----	----	----	----	586 UNCH
405	----	----	----	0.0025B/0.0095A	----	0.0055 + 0.0020	.0129	----	----	----	----	1 UNCH
415	----	----	----	0.0035B/0.0090A	----	0.0065 + 0.0020	.0154	----	----	----	----	53 UNCH
420	----	----	----	0.0040B/0.0085A	----	0.0075 + 0.0025	.0177	----	----	----	----	4 UNCH
425	----	----	----	0.0045B/0.0120A	----	0.0080 + 0.0025	.0191	----	----	----	----	33 UNCH
430	----	----	0.0065B/----	0.0065B/0.0100A	----	0.0090 + 0.0030	.0214	----	----	----	----	8 UNCH
435	----	----	0.0085B/----	0.0085B/0.0100A	----	0.0095 + 0.0025	.0230	----	----	----	----	5 UNCH
440	----	----	0.0090B/----	0.0090B/0.0115A	----	0.0105 + 0.0030	.0254	----	----	----	----	4 UNCH
445	----	----	0.0090B/----	0.0090B/0.0120A	----	0.0110 + 0.0025	.0271	----	----	1	----	3 UNCH
450	0.0130	0.0130	0.0130/0.0115	0.0130/0.0115	----	0.0120 + 0.0025	.0298	----	----	78	----	1911 - 13
455	0.0125	0.0125	0.0125/0.0125	0.0125/0.0110A	----	0.0125 + 0.0025	.0316	----	----	7	----	13 + 4
460	----	----	0.0120B/----	0.0120B/0.0115A	----	0.0135 + 0.0030	.0345	----	----	----	----	6 UNCH
470	----	----	0.0145B/----	0.0145B/0.0170A	----	0.0150 + 0.0025	.0396	----	----	----	----	2 UNCH
475	----	----	0.0155B/----	0.0155B/0.0175A	----	0.0160 + 0.0025	.0429	----	----	1	----	514 + 1
480	----	----	0.0175B/----	0.0175B/0.0190A	----	0.0170 + 0.0020	.0463	----	----	1	----	71 + 1
485	----	----	0.0195B/----	0.0195B/0.0200A	----	0.0185 + 0.0025	.0508	----	----	----	----	1 UNCH
490	----	----	0.0225B/----	0.0225B/0.0190A	----	0.0195 + 0.0020	.0546	----	----	----	----	545 UNCH
495	0.0235	0.0235	0.0250B/0.0235	0.0250B/0.0210A	----	0.0215 + 0.0020	.0605	----	----	16	----	98 + 2
500	0.0235	0.0235	0.0280B/0.0235	0.0280B/0.0230A	----	0.0235 + 0.0020	.0666	----	----	28	----	2669 + 3
505	----	----	0.0315B/----	0.0315B/0.0250A	----	0.0260 + 0.0025	.0739	----	----	----	----	2 UNCH
510	----	----	0.0350B/----	0.0350B/0.0280A	----	0.0285 + 0.0025	.0815	----	----	----	----	203 UNCH
515	----	----	0.0390B/----	0.0390B/0.0315A	----	0.0320 + 0.0025	.0913	----	----	----	----	1 UNCH
520	0.0370	0.0370	0.0440B/0.0370	0.0440B/0.0350A	----	0.0360 + 0.0030	.1022	----	----	200	----	502 + 135
525	0.0430	0.0430	0.0495B/0.0420	0.0495B/0.0390A	----	0.0410 + 0.0040	.1152	----	----	5	----	527 + 3
530	----	----	0.0555B/----	0.0555B/0.0435A	----	0.0465 + 0.0050	.1293	----	----	----	----	3179 UNCH
533	----	----	0.0600B/----	0.0600B/0.0465A	----	0.0500 + 0.0055	.1383	----	----	----	----	1 UNCH
534	----	----	0.0615B/----	0.0615B/0.0475A	----	0.0515 + 0.0055	.1418	----	----	----	----	2 UNCH
535	----	----	0.0630B/----	0.0630B/0.0490A	----	0.0530 + 0.0060	.1453	----	----	----	----	2 UNCH
539	----	----	0.0700B/----	0.0700B/0.0535A	----	0.0590 + 0.0075	.1595	----	----	----	----	2 UNCH
540	0.0670	0.0670	0.0715B/0.0650	0.0715B/0.0550A	----	0.0605 + 0.0075	.1631	----	----	6	----	869 UNCH
541	----	----	0.0735B/----	0.0735B/0.0565A	----	0.0620 + 0.0080	.1668	----	----	----	----	1 UNCH
542	----	----	0.0750B/----	0.0750B/0.0575A	----	0.0635 + 0.0080	.1704	----	----	----	----	2 UNCH
543	----	----	0.0770B/----	0.0770B/0.0590A	----	0.0655 + 0.0085	.1747	----	----	----	----	3 UNCH
545	----	----	0.0810B/----	0.0810B/0.0620A	----	0.0690 + 0.0090	.1827	----	----	----	----	4 UNCH
548	----	----	0.0875B/----	0.0875B/0.0670A	----	0.0745 + 0.0100	.1951	----	----	----	----	1 UNCH
550	0.0850	0.0850	0.0925B/0.0815	0.0925B/0.0700A	----	0.0785 + 0.0105	.2039	----	----	16	----	931 + 6
552	----	----	0.0970B/----	0.0970B/0.0735A	----	0.0825 + 0.0110	.2128	----	----	----	----	2 UNCH
553	----	----	0.1000B/----	0.1000B/0.0755A	----	0.0845 + 0.0115	.2172	----	----	----	----	1 UNCH
554	----	----	0.1025B/----	0.1025B/0.0775A	----	0.0865 + 0.0115	.2217	----	----	----	----	10 UNCH
555	----	----	0.1045B/----	0.1045B/0.0790A	----	0.0890 + 0.0120	.2267	----	----	----	----	56 UNCH
556	----	----	0.1065B/----	0.1065B/0.0810A	----	0.0910 + 0.0120	.2312	----	----	----	----	1 UNCH
559	----	----	0.1150B/----	0.1150B/0.0875A	----	0.0980 + 0.0125	.2459	----	----	----	----	2 UNCH
560	0.1000	0.1000	0.1205/0.1000	0.1205/0.0895A	----	0.1005 + 0.0130	.2510	----	----	37	----	218 + 20
561	----	----	0.1215B/----	0.1215B/0.0915A	----	0.1030 + 0.0130	.2561	----	----	----	----	3 UNCH
563	----	----	0.1270B/----	0.1270B/0.0965A	----	0.1085 + 0.0140	.2669	----	----	----	----	12 UNCH
565	0.1150	0.1150	0.1340B/0.1150	0.1340B/0.1005A	----	0.1140 + 0.0145	.2776	----	----	2	----	12 + 2
567	----	----	0.1410B/----	0.1410B/0.1055A	----	0.1195 + 0.0145	.2885	----	----	----	----	2 UNCH
568	0.1245	0.1245	0.1445B/0.1240	0.1445B/0.1085A	----	0.1225 NEW	.2942	----	----	4	----	4 + 4
570	0.1290	0.1290	0.1515B/0.1290	0.1515B/0.1140A	----	0.1290 + 0.0160	.3058	----	----	8	----	100 + 5
571	----	----	0.1550B/----	0.1550B/0.1165A	----	0.1320 + 0.0160	.3115	----	----	----	----	17 UNCH
572	----	----	0.1590B/----	0.1590B/0.1200A	----	0.1355 + 0.0165	.3176	----	----	----	----	3 UNCH
574	----	----	0.1665B/----	0.1665B/0.1255A	----	0.1425 + 0.0175	.3296	----	----	----	----	5 UNCH
575	----	----	0.1705B/----	0.1705B/0.1285A	----	0.1460 + 0.0180	.3357	----	----	----	----	204 UNCH
577	0.1800	0.1800	0.1800/0.1800	0.1800/0.1350A	----	0.1530 NEW	.3478	----	----	1	----	1 + 1
579	0.1645	0.1645	0.1870B/0.1645	0.1870B/0.1415A	----	0.1610 NEW	.3604	----	----	1	----	1 + 1
580	0.1780	0.1780	0.1910B/0.1675	0.1910B/0.1450A	----	0.1650 + 0.0205	.3668	----	----	5	----	1807 + 1
583	0.1995	0.1995	0.2045B/0.1545A	0.2045B/0.1545A	----	0.1770 NEW	.3858	----	----	1	----	1 + 1
584	0.1875	0.1875	0.2090B/0.1585A	0.2090B/0.1585A	----	0.1815 NEW	.3923	----	----	1	----	1 + 1
585	0.1980	0.1980	0.2140B/0.1620A	0.2140B/0.1620A	----	0.1860 + 0.0230	.3987	----	----	36	----	54 + 27
586	----	----	0.2185B/0.1660A	0.2185B/0.1660A	----	0.1900 + 0.0230	.4051	----	----	----	----	7 UNCH
587	----	----	0.2235B/0.1700A	0.2235B/0.1700A	----	0.1945 + 0.0235	.4116	----	----	----	----	7 UNCH
588	----	----	0.2280B/0.1735A	0.2280B/0.1735A	----	0.1995 + 0.0245	.4182	----	----	----	----	2 UNCH
589	----	----	0.2330B/0.1775A	0.2330B/0.1775A	----	0.2040 + 0.0250	.4247	----	----	----	----	7 UNCH
590	0.2400	0.2400	0.2400/0.1815A	0.2400/0.1815A	----	0.2085 + 0.0255	.4312	----	----	1	----	526 + 1
595	----	----	0.2645B/0.2025A	0.2645B/0.2025A	----	0.2335 + 0.0285	.4638	----	----	----	----	110 UNCH
596	----	----	0.2695B/0.2070A	0.2695B/0.2070A	----	0.2385 + 0.0290	.4704	----	----	----	----	1 UNCH
598	0.2505	0.2505	0.2845/0.2160A	0.2845/0.2160A	----	0.2490 NEW	.4834	----	----	16	----	8 + 8
600	0.2350	0.2350	0.2920B/0.2250A	0.2920B/0.2250A	----	0.2595 + 0.0305	.4963	----	----	7	----	198 + 5
605	0.2585	0.2585	0.3205B/0.2495A	0.3205B/0.2495A	----	0.2880 + 0.0340	.5285	----	----	1	----	65 + 1
610	----	----	0.3505B/0.2765A	0.3505B/0.2765A	----	0.3175 + 0.0365	.5598	----	----	----	----	58 UNCH
615	----	----	0.3805B/0.3040A	0.3805B/0.3040A	----	0.3495 + 0.0395	.5904	----	----	----	----	16 UNCH
700	----	----	1.0520B/----	1.0520B/0.9915A	----	1.0565 + 0.0855	.8969	----	----	----	----	1 UNCH
705	----	----	1.0985B/----	1.0985B/1.0375A	----	1.1035 + 0.0870	.9051	----	----	----	----	1 UNCH
TOTAL										482		16378 + 221
AUG26												

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

64
Side 66

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
AUG26												
405	----	----	----	0.0055B/0.0185A	----	0.0115 + 0.0015	.0221	----	----	----	----	3 UNCH
420	----	----	----	0.0080B/0.0210A	----	0.0135 + 0.0015	.0268	----	----	----	----	1 UNCH
440	----	----	----	0.0120B/0.0240A	----	0.0170 + 0.0015	.0352	----	----	----	----	11 UNCH
450	----	----	----	0.0165B/0.0230A	----	0.0195 + 0.0020	.0409	----	----	----	----	6 UNCH
475	----	----	0.0265B/----	0.0265B/0.0300A	----	0.0275 + 0.0030	.0599	----	----	----	----	5 UNCH
480	----	----	0.0290B/----	0.0290B/0.0320A	----	0.0300 + 0.0030	.0654	----	----	----	----	4 UNCH
500	0.0450	0.0450	0.0455B/0.0450	0.0455B/0.0430A	----	0.0430 + 0.0050	.0933	----	----	1	----	3 + 1
510	----	----	0.0555B/----	0.0555B/0.0510A	----	0.0520 + 0.0060	.1118	----	----	----	----	1 UNCH
520	----	----	0.0680B/----	0.0680B/0.0615A	----	0.0630 + 0.0070	.1337	----	----	----	----	300 UNCH
530	----	----	0.0840B/----	0.0840B/0.0740A	----	0.0770 + 0.0080	.1601	----	----	----	----	1 UNCH
550	----	----	0.1275B/----	0.1275B/0.1080A	----	0.1155 + 0.0110	.2264	----	----	----	----	2 UNCH
565	----	----	0.1735B/----	0.1735B/0.1440A	----	0.1565 + 0.0145	.2883	----	----	----	----	1 UNCH
570	----	----	0.1900B/----	0.1900B/0.1585A	----	0.1735 + 0.0170	.3111	----	----	----	----	1 UNCH
575	----	----	0.2105B/----	0.2105B/0.1750A	----	0.1915 + 0.0190	.3346	----	----	----	----	1 UNCH
580	----	----	0.2320B/----	0.2320B/0.1915A	----	0.2115 + 0.0215	.3588	----	----	----	----	251 UNCH
585	----	----	0.2535B/----	0.2535B/0.2100A	----	0.2325 + 0.0235	.3833	----	----	----	----	7 UNCH
590	----	----	0.2780B/0.2285A	0.2780B/0.2285A	----	0.2555 + 0.0265	.4081	----	----	----	----	14 UNCH
625	----	----	0.4755B/0.4030A	0.4755B/0.4030A	----	0.4530 + 0.0455	.5773	----	----	----	----	5 UNCH
TOTAL										1		617 + 1
SEP26												
400	----	----	----	0.0095B/0.0235A	----	0.0160 + 0.0015	.0274	----	----	----	----	1 UNCH
440	----	----	----	0.0205B/0.0305A	----	0.0250 + 0.0025	.0459	----	----	----	----	2 UNCH
450	----	----	----	0.0240B/0.0335A	----	0.0280 + 0.0020	.0523	----	----	----	----	649 UNCH
470	----	----	0.0365B/----	0.0365B/0.0420A	----	0.0380 + 0.0035	.0714	----	----	----	----	3 UNCH
475	----	----	0.0400B/----	0.0400B/0.0450A	----	0.0415 + 0.0040	.0777	----	----	----	----	73 UNCH
480	----	----	0.0440B/----	0.0440B/0.0480A	----	0.0450 + 0.0045	.0841	----	----	----	----	7 UNCH
485	----	----	0.0490B/----	0.0490B/0.0520A	----	0.0490 + 0.0050	.0913	----	----	----	----	1 UNCH
490	----	----	0.0500B/----	0.0500B/0.0585A	----	0.0535 + 0.0055	.0992	----	----	----	----	9 UNCH
500	----	----	0.0610B/----	0.0610B/0.0675A	----	0.0640 + 0.0070	.1170	----	----	----	----	427 UNCH
510	----	----	0.0750B/----	0.0750B/0.0785A	----	0.0765 NEW	.1376	----	----	1	----	1 + 1
520	----	----	0.0915B/----	0.0915B/0.0920A	----	0.0915 + 0.0095	.1612	----	----	----	----	3 UNCH
525	----	----	0.1005B/----	0.1005B/0.0995A	----	0.1005 + 0.0105	.1746	----	----	----	----	327 UNCH
530	----	----	0.1105B/----	0.1105B/0.1090A	----	0.1095 NEW	.1883	----	----	1	----	1 + 1
535	----	----	0.1220B/----	0.1220B/0.1175A	----	0.1200 + 0.0120	.2032	----	----	----	----	350 UNCH
540	----	----	0.1385B/----	0.1385B/0.1245A	----	0.1315 + 0.0135	.2191	----	----	----	----	1 UNCH
550	----	----	0.1670B/----	0.1670B/0.1485A	----	0.1570 + 0.0155	.2529	----	----	----	----	20 UNCH
560	0.1800	0.1800	0.2010B/0.1800	0.2010B/0.1750A	----	0.1870 + 0.0180	.2897	----	----	3	----	3 - 3
570	----	----	0.2365B/----	0.2365B/0.2060A	----	0.2225 + 0.0215	.3294	----	----	----	----	3 UNCH
575	----	----	0.2570B/----	0.2570B/0.2235A	----	0.2420 + 0.0230	.3499	----	----	----	----	102 UNCH
580	----	----	0.2790B/----	0.2790B/0.2420A	----	0.2630 + 0.0250	.3708	----	----	----	----	552 UNCH
590	0.3040	0.3040	0.3280B/0.3040	0.3280B/0.2825A	----	0.3090 + 0.0295	.4131	----	----	10	100	332 + 110
600	----	----	0.3800B/----	0.3800B/0.3275A	----	0.3600 + 0.0345	.4556	----	----	----	----	9 UNCH
610	----	----	0.4365B/----	0.4365B/0.3775A	----	0.4160 + 0.0390	.4974	----	----	----	----	11 UNCH
615	----	----	0.4665B/----	0.4665B/0.4040A	----	0.4455 + 0.0415	.5178	----	----	----	----	1 UNCH
620	----	----	0.4980B/----	0.4980B/0.4325A	----	0.4760 + 0.0435	.5379	----	----	----	----	1 UNCH
625	----	----	0.5305B/0.4610A	0.5305B/0.4610A	----	0.5080 + 0.0460	.5573	----	----	----	----	147 UNCH
695	----	----	1.0025B/0.9640A	1.0025B/0.9640A	----	1.0385 + 0.0735	.7711	----	----	----	----	2 UNCH
TOTAL									100	15		3038 + 109
OCT26												
375	----	----	----	0.0070B/0.0245A	----	0.0155 + 0.0015	.0230	----	----	----	----	2 UNCH
400	----	----	----	0.0115B/0.0285A	----	0.0195 + 0.0015	.0304	----	----	----	----	1 UNCH
450	----	----	----	0.0285B/0.0435A	----	0.0355 + 0.0035	.0585	----	----	----	----	1 UNCH
470	----	----	----	0.0420B/0.0545A	----	0.0475 + 0.0045	.0782	----	----	----	----	1 UNCH
475	----	----	----	0.0425B/0.0605A	----	0.0515 + 0.0050	.0844	----	----	----	----	3 UNCH
500	----	----	0.0720B/----	0.0720B/0.0835A	----	0.0775 + 0.0075	.1231	----	----	----	----	60 UNCH
570	----	----	0.2460B/----	0.2460B/0.2315A	----	0.2420 + 0.0210	.3133	----	----	----	----	4 UNCH
TOTAL												72
NOV26												
400	----	----	----	0.0125B/0.0370A	----	0.0215 - 0.0005	.0326	----	----	----	----	10 UNCH
475	----	----	----	0.0570B/0.0755A	----	0.0665 + 0.0080	.0979	----	----	----	----	2 UNCH
590	----	----	0.3765B/----	0.3765B/0.3555A	----	0.3705 + 0.0290	.3893	----	----	----	----	1 UNCH
735	----	----	1.3145B/----	1.3145B/1.3065A	----	1.3750 + 0.0730	.7743	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
380	----	----	----	0.0080B/0.0390A	----	0.0230 + 0.0030	.0312	----	----	----	----	2 UNCH
385	----	----	----	0.0095B/0.0400A	----	0.0245 + 0.0035	.0333	----	----	----	----	1 UNCH
395	----	----	----	0.0120B/0.0430A	----	0.0270 + 0.0040	.0373	----	----	----	----	1 UNCH
400	----	----	----	0.0135B/0.0440A	----	0.0285 + 0.0045	.0396	----	----	----	----	18 UNCH
420	----	----	----	0.0215B/0.0515A	----	0.0360 + 0.0055	.0508	----	----	----	----	2 UNCH
475	----	----	----	0.0675B/0.0910A	----	0.0795 + 0.0080	.1080	----	----	----	----	76 UNCH
480	----	----	----	0.0745B/0.0970A	----	0.0860 + 0.0085	.1158	----	----	----	----	16 UNCH
490	----	----	----	0.0895B/0.1100A	----	0.1000 + 0.0095	.1324	----	----	----	----	5 UNCH
500	----	----	0.1070B/----	0.1070B/0.1250A	----	0.1170 + 0.0115	.1513	----	----	----	----	53 UNCH
525	----	----	0.1625B/----	0.1625B/0.1750A	----	0.1705 NEW	.2063	----	----	1	----	1 + 1
540	0.2150	0.2150	0.2150/0.2150	0.2150/0.2135A	----	0.2115 NEW	.2445	----	----	3	----	3 + 3
550	----	----	0.2380B/----	0.2380B/0.2430A	----	0.2435 + 0.0200	.2721	----	----	----	----	153 UNCH
560	----	----	0.2750B/----	0.2750B/0.2760A	----	0.2785 + 0.0215	.3007	----	----	----	----	300 UNCH
570	----	----	0.3150B/----	0.3150B/0.3120A	----	0.3175 + 0.0235	.3303	----	----	----	----	1 UNCH
580	----	----	0.3590B/----	0.3590B/0.3520A	----	0.3605 + 0.0265	.3607	----	----	----	----	22 UNCH
600	----	----	0.4575B/----	0.4575B/0.4420A	----	0.4565 + 0.0325	.4222	----	----	----	----	26 UNCH
630	----	----	0.6295B/----	0.6295B/0.6005A	----	0.6260 + 0.0420	.5123	----	----	----	----	18 UNCH
TOTAL										4		698 + 4
JAN27												
400	----	----	----	----	----	0.0270 + 0.0035	.0370	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0335 + 0.0040	.0427	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0170 + 0.0015	.0157	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
580	----	----	0.2950B/0.1675A	0.2950B/0.1675A	----	0.1875 - 0.0985	.8840	----	----	----	----	1 UNCH
580	0.2775	0.2775	#0.2775/*0.2520	0.3340B/*0.2520	----	0.2560 NEW	.6881	----	----	1	----	1 + 1
593	----	----	----/0.0810A	0.0900B/0.0810A	----	0.0840 - 0.0855	.6375	----	----	----	----	1 UNCH
595	----	----	0.1570B/0.0710A	0.1570B/0.0710A	----	0.0715 - 0.0820	.5788	----	----	----	----	1 UNCH
596	----	----	----/0.0665A	0.0890B/0.0665A	----	0.0655 - 0.0800	.5482	----	----	----	----	1 UNCH
605	0.0285	0.0285	0.0285/*0.0285	0.0815B/*0.0285	----	0.0270 - 0.0565	.2734	----	----	2	----	7 UNCH
615	----	----	----/*0.0145A	0.0340B/*0.0145	----	0.0085 - 0.0310	.0865	----	----	----	----	4 UNCH
615	----	----	0.1125B/*0.0650	0.1125B/*0.0650	----	0.0615 - 0.0505	.2998	----	----	----	----	1 UNCH
625	0.0110	0.0110	0.0110/*0.0085A	0.0110/*0.0085A	----	0.0025 - 0.0150	.0218	----	----	5	----	6 + 5
625	0.0420	0.0420	0.0420/*0.0420	0.0760B/*0.0420	----	0.0385 NEW	.2054	----	----	5	----	5 + 5
630	----	----	----/*0.0075A	0.0040B/*0.0075	----	0.0010 - 0.0100	.0078	----	----	----	----	25 UNCH
635	----	----	----	0.0010B/*0.0070	----	0.0005 - 0.0065	.0028	----	----	----	----	32 UNCH
635	----	----	----/*0.0140A	0.0220B/*0.0140	----	0.0100 - 0.0165	.0746	----	----	----	----	50 UNCH
640	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0005 - 0.0035	.0008	----	----	1	----	16 + 1
645	----	----	----/*0.0105A	0.0115B/*0.0105	----	0.0055 - 0.0105	.0412	----	----	----	----	50 UNCH
TOTAL										14		201 + 12
HXE PUT		COPPER OPTIONS										
MAY26												
465	----	----	----	----/0.0040A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
558	----	----	0.0025B/----	0.0025B/0.0080A	----	0.0020 + 0.0005	.0119	----	----	----	----	1 UNCH
560	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0025 NEW	.0154	----	----	1	----	1 + 1
565	0.0045	0.0045	0.0045/*0.0045	0.0045/*0.0045	----	0.0040 NEW	.0271	----	----	1	----	1 + 1
565	----	----	0.0180B/----	0.0180B/0.0180A	----	0.0170 + 0.0060	.1075	----	----	----	----	625 UNCH
570	0.0045	0.0045	0.0055B/*0.0045	0.0055B/*0.0045	----	0.0060 NEW	.0444	----	----	1	----	1 + 1
570	----	----	0.0245B/----	0.0245B/0.0215A	----	0.0210 + 0.0065	.1354	----	----	----	----	50 UNCH
575	0.0055	0.0055	0.0095B/*0.0055	0.0095B/*0.0055	----	0.0090 + 0.0040	.0722	----	----	1	----	16 + 1
577	----	----	0.0115B/----	0.0115B/0.0145A	----	0.0105 + 0.0045	.0869	----	----	----	----	38 UNCH
578	----	----	0.0130B/----	0.0130B/0.0145A	----	0.0115 + 0.0055	.0962	----	----	----	----	21 UNCH
580	----	----	0.0150B/----	0.0150B/0.0155A	----	0.0135 + 0.0065	.1159	----	----	----	----	10 UNCH
580	0.0330	0.0330	#0.0465B/0.0330	0.0465B/0.0310A	----	0.0360 + 0.0115	.2266	----	----	1	----	551 - 1
585	----	----	0.0255B/----	0.0255B/0.0185A	----	0.0200 + 0.0095	.1818	----	----	----	----	35 UNCH
590	0.0235	0.0235	0.0430B/0.0235	0.0430B/0.0235	----	0.0310 NEW	.2843	----	----	17	----	17 + 17
590	----	----	#0.0830B/----	0.0830B/0.0465A	----	0.0645 + 0.0215	.3673	----	----	----	----	5 UNCH
591	----	----	0.0470B/----	0.0470B/0.0255A	----	0.0335 + 0.0160	.3081	----	----	----	----	2 UNCH
593	----	----	0.0565B/----	0.0565B/0.0290A	----	0.0400 + 0.0195	.3624	----	----	----	----	1 UNCH
595	----	----	0.0665B/----	0.0665B/0.0320A	----	0.0475 + 0.0230	.4211	----	----	----	----	1 UNCH
595	----	----	#0.1075B/----	0.1075B/0.0590A	----	0.0845 + 0.0275	.4506	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HXE PUT		COPPER OPTIONS										
MAY26												
596	----	----	0.0720B/----	0.0720B/0.0340A	----	0.0515 + 0.0250	.4516	----	----	----	----	3 UNCH
599	----	----	0.0895B/----	0.0895B/0.0400A	----	0.0660 + 0.0320	.5466	----	----	----	----	1 UNCH
600	0.0395	0.0395	0.0960B/0.0395	0.0960B/0.0395	----	0.0715 NEW	.5782	----	----	2	----	0 UNCH
602	0.0640	0.0640	0.1000B/0.0640	0.1000B/0.0485A	----	0.0830 NEW	.6408	----	----	1	----	1 + 1
605	----	----	0.1305B/----	0.1305B/0.0590A	----	0.1030 + 0.0485	.7264	----	----	----	----	1 UNCH
615	----	----	0.2165B/0.1095A	0.2165B/0.1095A	----	0.1845 + 0.0740	.9133	----	----	----	----	1 UNCH
TOTAL										25		1398 + 21

ALUMINIUM OPTIONS ON FUTURES

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	----/*85.00A	107.20B/*85.00A	----	101.70 - 14.20	.6984	----	----	----	----	75 UNCH
1440	----	----	----/*64.50A	71.70B/*64.50A	----	77.10 - 12.90	.5985	----	----	----	----	1 UNCH
1460	----	----	----/*55.90A	70.30B/*55.90A	----	66.60 - 12.00	.5460	----	----	----	----	25 UNCH
1500	----	----	----/*42.10A	51.90B/*42.10A	----	49.50 - 10.00	.4434	----	----	----	----	110 UNCH
1525	----	----	----/*35.30A	42.60B/*35.30A	----	41.30 - 8.60	.3851	----	----	----	----	5 UNCH
1550	----	----	----/*29.80A	34.80B/*29.80A	----	34.50 - 7.50	.3325	----	----	----	----	14 UNCH
1575	----	----	----/*25.30A	28.30B/*25.30A	----	28.90 - 6.40	.2860	----	----	----	----	15 UNCH
1600	25.10	25.10	26.50/*21.70A	26.50/*21.70A	----	24.20 - 5.60	.2452	----	----	50	----	49 - 8
1650	----	----	----/*16.70A	14.90B/*16.70A	----	17.10 - 4.10	.1795	----	----	----	25	67 + 23
1700	----	----	----/*13.60A	9.50B/*13.60A	----	12.40 - 2.90	.1325	----	----	----	----	33 UNCH
1750	----	----	----	5.90B/*11.60A	----	9.40 - 2.00	.1005	----	----	----	50	142 + 50
1800	----	----	----	3.50B/*10.30A	----	7.40 - 1.50	.0782	----	----	----	----	112 UNCH
1850	----	----	----	1.90B/*9.30A	----	5.80 - 1.30	.0609	----	----	----	25	67 + 25
1900	----	----	----	0.80B/*8.60A	----	4.70 - 1.00	.0487	----	----	----	----	64 UNCH
1925	----	----	----	0.30B/*8.30A	----	4.20 - 1.00	.0433	----	----	----	----	40 UNCH
1950	----	----	----	----/*8.00A	----	3.80 - 0.90	.0389	----	----	----	----	10 UNCH
2000	----	----	----	----/*7.60A	----	3.10 - 0.70	.0314	----	----	----	----	108 UNCH
2100	----	----	----	----/*6.90A	----	1.70 - 0.40	.0176	----	----	----	----	52 UNCH
2200	----	----	----	----/6.40A	----	0.90 - 0.30	.0095	----	----	----	----	8 UNCH
2300	----	----	----	----/*5.90A	----	0.60 - 0.10	.0062	----	----	----	----	30 UNCH
2400	----	----	----	----/*5.60A	----	0.40 - 0.10	.0041	----	----	----	----	7 UNCH
2500	----	----	----	----/*5.40A	----	0.20 - 0.10	.0021	----	----	----	----	25 UNCH
2700	----	----	----	----/*5.10A	----	0.10 UNCH	.0005	----	----	----	----	50 UNCH
3000	----	----	----	----/*4.80A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
3500	----	----	----	----/*4.70A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
TOTAL									100	50		1164 + 90
JUL26												
1550	----	----	----/*60.30A	71.90B/*60.30A	----	69.10 - 11.10	.4354	----	----	----	----	50 UNCH
1600	42.40	42.40	42.40/*42.40	55.50B/*42.40	----	54.20 - 8.80	.3608	----	----	14	----	50 UNCH
1800	----	----	----/*22.00A	20.30B/*22.00A	----	21.10 - 4.10	.1615	----	----	----	----	49 UNCH
TOTAL										14		149 0
AUG26												
1600	----	----	----/*68.60A	75.80B/*68.60A	----	73.50 NEW	.3968	----	----	----	50	50 + 50
1800	----	----	----/*36.00A	34.60B/*36.00A	----	35.50 NEW	.2157	----	----	----	50	50 + 50
TOTAL									100			100 + 100
SEP26												
1400	----	----	----/*167.70A	182.20B/*167.70	----	179.20 - 14.30	.6566	----	----	----	----	75 UNCH
1575	----	----	----/*98.50A	104.60B/*98.50A	----	103.80 - 11.70	.4536	----	----	----	----	25 UNCH
1665	----	----	----/*75.40A	78.00B/*75.40A	----	78.10 - 10.30	.3652	----	----	----	----	9 UNCH
1700	----	----	----/*68.40A	69.60B/*68.40A	----	70.10 - 9.80	.3350	----	----	----	----	55 UNCH
1800	----	----	----/*53.10A	50.90B/*53.10A	----	52.60 - 8.00	.2628	----	----	----	----	1 UNCH
1900	----	----	----/*42.90A	38.20B/*42.90A	----	40.90 - 6.40	.2094	----	----	----	----	5 UNCH
2000	----	----	----/*35.80A	29.40B/*35.80A	----	32.80 - 5.20	.1699	----	----	----	----	5 UNCH
2100	----	----	----	23.10B/*30.70A	----	26.10 - 4.30	.1374	----	----	----	----	25 UNCH
2200	----	----	----	18.20B/*26.90A	----	21.50 - 3.80	.1138	----	----	----	----	5 UNCH
2400	----	----	----	11.40B/*21.60A	----	16.10 - 2.90	.0840	----	----	----	----	15 UNCH
2550	----	----	----	7.90B/*19.00A	----	13.20 - 2.50	.0683	----	----	----	----	50 UNCH
TOTAL												270 0
DEC26												
2000	----	----	----	----	----	65.70 - 4.90	.2520	----	----	----	----	1 UNCH
3000	----	----	----	----	----	22.60 - 1.80	.0870	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1200	----	----	----	----/8.40A	----	2.90 UNCH	.0362	----	----	----	----	15 UNCH
1250	----	----	----	3.10B/10.80A	----	5.60 + 0.20	.0672	----	----	----	----	1 UNCH
1300	----	----	----	8.60B/14.70A	----	10.50 + 0.60	.1187	----	----	----	----	135 UNCH
1325	----	----	----	12.50B/17.70A	----	14.10 + 0.90	.1537	----	----	----	----	18 UNCH
1335	----	----	----	14.40B/19.10A	----	15.80 + 1.00	.1695	----	----	----	----	1 UNCH
1350	----	----	17.80B/----	17.80B/21.60A	----	18.80 + 1.30	.1961	----	----	----	----	5 UNCH
1400	----	----	33.70B/----	33.70B/33.30A	----	32.10 + 2.40	.3014	----	----	----	----	227 UNCH
1440	----	----	52.70B/----	52.70B/47.60A	----	47.40 + 3.80	.4013	----	----	----	----	4 UNCH
1450	----	----	58.30B/----	58.30B/52.00A	----	52.00 + 4.20	.4275	----	----	----	----	101 UNCH
1460	----	----	64.20B/----	64.20B/56.70A	----	56.90 + 4.60	.4538	----	----	----	----	100 UNCH
1475	----	----	73.60B/----	73.60B/64.20A	----	64.90 + 5.40	.4931	----	----	----	----	10 UNCH
1500	----	----	90.60B/----	90.60B/78.10A	----	79.80 + 6.70	.5564	----	----	----	----	54 UNCH
1550	----	----	128.90B/----	128.90B/110.60A	----	114.60 + 9.20	.6674	----	----	----	----	1 UNCH
1750	----	----	311.80B/----	311.80B/281.50A	----	289.20 + 14.60	.8994	----	----	----	----	1 UNCH
1900	----	----	458.80B/----	458.80B/426.40A	----	434.30 + 15.60	.9512	----	----	----	----	50 UNCH
TOTAL												723 0
JUL26												
1285	----	----	----	18.70B/23.90A	----	21.00 + 0.70	.1530	----	----	----	----	9 UNCH
1300	----	----	----	21.60B/26.20A	----	23.50 + 0.80	.1689	----	----	----	----	125 UNCH
1400	----	----	51.70B/----	51.70B/50.30A	----	48.80 + 1.90	.3067	----	----	----	----	20 UNCH
1450	----	----	75.00B/----	75.00B/69.60A	----	68.90 + 2.60	.3924	----	----	----	----	30 UNCH
TOTAL												184 0
SEP26												
1300	----	----	----	48.30B/55.30A	----	49.80 + 1.00	.2298	----	----	----	----	10 UNCH
1460	----	----	119.90B/----	119.90B/119.50A	----	115.60 + 3.30	.4152	----	----	----	----	75 UNCH
1465	----	----	122.80B/----	122.80B/122.10A	----	118.20 + 3.30	.4212	----	----	----	----	150 UNCH
1550	----	----	175.60B/----	175.60B/170.70A	----	168.10 + 4.50	.5191	----	----	----	----	100 UNCH
1575	----	----	192.60B/----	192.60B/186.50A	----	184.40 + 4.90	.5461	----	----	----	----	25 UNCH
1650	----	----	247.30B/----	247.30B/237.70A	----	236.80 + 6.10	.6207	----	----	----	----	50 UNCH
1925	----	----	483.80B/----	483.80B/464.00A	----	466.50 + 10.60	.8013	----	----	----	----	75 UNCH
TOTAL												485 0
DEC26												
1500	----	----	----	----	----	174.60 + 7.00	.4302	----	----	----	----	40 UNCH
TOTAL												40 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week1										
MAY26												
1700	----	----	----	----/3.30A	----	0.10 UNCH	.0008	----	----	----	----	3 UNCH
1915	----	----	----/*41.30A	36.80B/*41.30A	----	61.60 - 32.30	.7218	----	----	----	----	20 UNCH
2000	----	----	87.00B/39.90A	87.00B/39.90A	----	60.60 + 20.40	.6922	----	----	----	----	10 UNCH
2040	----	----	22.80B/*8.50A	22.80B/*8.50A	----	10.20 - 11.80	.1654	----	----	----	----	4 UNCH
2045	----	----	21.00B/*8.10A	21.00B/*8.10A	----	9.40 - 11.10	.1520	----	----	----	----	20 UNCH
2050	----	----	19.30B/*7.80A	19.30B/*7.80A	----	8.70 - 10.40	.1400	----	----	----	----	10 UNCH
2095	----	----	----/*5.80A	8.30B/*5.80A	----	3.90 - 5.80	.0594	----	----	----	----	4 UNCH
2200	----	----	----	----/*4.00A	----	0.50 - 1.20	.0055	----	----	----	----	20 UNCH
TOTAL												91 0
PO CALL		PLATINUM OPTIONS										

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	142.60B/*89.30A	142.60B/*89.30A	----	109.40 - 28.30	.6412	----	----	----	----	1 UNCH
2000	----	----	83.60B/*48.30A	83.60B/*48.30A	----	60.90 - 20.80	.4360	----	----	----	----	20 UNCH
2025	----	----	72.20B/*41.10A	72.20B/*41.10A	----	51.90 - 19.00	.3879	----	----	----	----	1 UNCH
2050	----	----	62.00B/*34.90A	62.00B/*34.90A	----	44.10 - 17.10	.3427	----	----	----	----	50 UNCH
2085	32.00	32.00	32.00/*27.90A	49.50B/*27.90A	----	35.00 NEW	.2853	----	----	15	----	15 + 15
2090	31.00	31.00	31.00/*27.00A	47.90B/*27.00A	----	33.90 - 14.10	.2779	----	----	15	----	15 + 13
2095	30.00	30.00	30.00/*26.20A	46.40B/*26.20A	----	32.80 NEW	.2705	----	----	15	----	15 + 15
2100	31.20	31.20	31.20/*25.40A	44.90B/*25.40A	----	31.70 - 13.50	.2631	----	----	15	----	16 + 15
2120	26.30	26.30	26.30/*22.50A	39.20B/*22.50A	----	27.80 NEW	.2357	----	----	15	----	15 + 15
2130	25.50	25.50	26.30/*21.30A	36.60B/*21.30A	----	26.10 - 11.50	.2232	----	----	100	----	55 - 45
2150	----	----	----/*19.00A	31.90B/*19.00A	----	22.90 - 10.50	.1995	----	----	----	----	4 UNCH
2165	----	----	----/*17.50A	28.80B/*17.50A	----	20.90 - 9.60	.1838	----	----	----	----	1 UNCH
2175	----	----	----/*16.70A	26.80B/*16.70A	----	19.60 - 9.20	.1737	----	----	----	----	12 UNCH
2180	----	----	----/*16.30A	25.90B/*16.30A	----	19.00 - 9.00	.1689	----	----	----	----	12 UNCH
2185	----	----	----/*15.90A	25.00B/*15.90A	----	18.40 - 8.80	.1641	----	----	----	----	12 UNCH
2190	----	----	----/*15.50A	24.20B/*15.50A	----	17.90 - 8.50	.1599	----	----	----	----	16 UNCH
2195	----	----	----/*15.10A	23.30B/*15.10A	----	17.40 - 8.20	.1557	----	----	----	----	12 UNCH
2200	14.20	14.20	14.20/*14.20	22.50B/*14.20	----	16.90 - 8.00	.1516	----	----	20	----	365 UNCH
2205	----	----	----/*14.50A	21.80B/*14.50A	----	16.40 - 7.80	.1475	----	----	----	----	12 UNCH
2210	----	----	----/*14.10A	21.00B/*14.10A	----	15.90 - 7.60	.1434	----	----	----	----	24 UNCH
2220	----	----	----/*13.50A	19.60B/*13.50A	----	15.00 - 7.20	.1358	----	----	----	----	6 UNCH
2225	----	----	----/*13.30A	18.90B/*13.30A	----	14.60 - 7.00	.1323	----	----	----	----	44 UNCH
2230	----	----	----/*13.00A	18.30B/*13.00A	----	14.20 - 6.70	.1289	----	----	----	----	24 UNCH
2235	----	----	----/*12.70A	17.60B/*12.70A	----	13.80 - 6.50	.1254	----	----	----	----	12 UNCH
2240	----	----	----/*12.50A	17.00B/*12.50A	----	13.40 - 6.40	.1220	----	----	----	----	27 UNCH
2250	8.00	8.00	8.00/*8.00	15.90B/*8.00	----	12.70 - 6.00	.1159	----	----	1	----	71 - 1
2255	----	----	----/*11.80A	15.40B/*11.80A	----	12.40 - 5.70	.1131	----	----	----	----	15 UNCH
2270	----	----	----/*11.10A	13.90B/*11.10A	----	11.40 - 5.20	.1044	----	----	----	----	72 UNCH
2280	----	----	----/*10.80A	12.90B/*10.80A	----	10.80 - 4.90	.0991	----	----	----	----	60 UNCH
2300	----	----	----/*10.10A	11.20B/*10.10A	----	9.80 - 4.30	.0899	----	----	----	----	423 UNCH
2320	----	----	----/*9.50A	9.70B/*9.50A	----	8.90 - 3.70	.0817	----	----	----	----	78 UNCH
2340	----	----	----/*8.90A	8.50B/*8.90A	----	8.10 - 3.30	.0743	----	----	----	----	30 UNCH
2345	----	----	----/*8.80A	8.20B/*8.80A	----	7.90 - 3.20	.0724	----	----	----	----	15 UNCH
2350	----	----	----/*8.70A	7.90B/*8.70A	----	7.80 - 3.00	.0713	----	----	----	----	55 UNCH
2355	----	----	----/*8.60A	7.60B/*8.60A	----	7.60 - 3.00	.0695	----	----	----	----	17 UNCH
2400	----	----	----/*7.60A	5.50B/*7.60A	----	6.30 - 2.30	.0571	----	----	----	----	1 UNCH
2420	----	----	----/*7.30A	4.80B/*7.30A	----	5.80 - 2.20	.0524	----	----	----	----	4 UNCH
2450	----	----	----/*6.80A	3.80B/*6.80A	----	5.20 - 1.90	.0466	----	----	----	----	1 UNCH
2500	----	----	----	2.50B/*6.20A	----	4.00 - 1.50	.0361	----	----	----	----	100 UNCH
2650	----	----	----	0.10B/*5.00A	----	1.50 - 0.70	.0143	----	----	----	----	17 UNCH
2750	----	----	----	----/4.50A	----	0.80 - 0.40	.0078	----	----	----	----	2 UNCH
TOTAL										196		1747 + 27
JUL26												
1500	----	----	510.20B/428.60A	510.20B/428.60A	----	463.30 - 38.00	.9586	----	----	----	----	50 UNCH
1680	----	----	----	----	----	301.20 - 35.30	.8604	----	----	----	----	50 UNCH
1700	----	----	326.90B/255.50A	326.90B/255.50A	----	284.80 - 34.80	.8430	----	----	----	----	1 UNCH
1800	----	----	247.30B/185.40A	247.30B/185.40A	----	210.20 - 31.40	.7371	----	----	----	----	113 UNCH
1850	----	----	212.00B/156.00A	212.00B/156.00A	----	177.90 - 29.50	.6747	----	----	----	----	1 UNCH
2000	----	----	127.20B/*88.90A	127.20B/*88.90A	----	102.60 - 22.90	.4763	----	----	----	----	110 UNCH
2050	----	----	105.80B/*72.80A	105.80B/*72.80A	----	84.30 - 20.60	.4139	----	----	----	----	1 UNCH
2085	----	----	92.60B/*63.20A	92.60B/*63.20A	----	73.30 - 19.00	.3730	----	----	----	----	1 UNCH
2100	----	----	87.50B/*59.50A	87.50B/*59.50A	----	69.00 - 18.40	.3562	----	----	----	----	522 UNCH
2150	----	----	----/*48.70A	72.00B/*48.70A	----	56.30 - 16.30	.3041	----	----	----	----	12 UNCH
2170	----	----	----/*45.00A	66.50B/*45.00A	----	52.00 - 15.30	.2852	----	----	----	----	4 UNCH
2200	37.10	37.10	40.00/*37.10	59.00B/*37.10	----	46.10 - 14.10	.2585	----	----	40	----	506 UNCH
2250	----	----	----/*33.40A	48.40B/*33.40A	----	37.80 - 12.20	.2190	----	----	----	----	5 UNCH
2300	----	----	----/*28.20A	39.70B/*28.20A	----	31.30 - 10.40	.1858	----	----	----	----	178 UNCH
2350	----	----	----/*24.20A	32.60B/*24.20A	----	26.20 - 8.70	.1584	----	----	----	----	131 UNCH
2375	----	----	----/*22.50A	29.60B/*22.50A	----	24.00 - 8.10	.1463	----	----	----	----	50 UNCH
2400	----	----	----/*21.10A	26.90B/*21.10A	----	22.10 - 7.40	.1355	----	----	----	----	867 UNCH
2450	----	----	----/*18.60A	22.40B/*18.60A	----	19.00 - 6.20	.1172	----	----	----	----	50 UNCH
2480	----	----	----/*17.40A	20.10B/*17.40A	----	17.40 - 5.60	.1076	----	----	----	----	50 UNCH
2500	15.00	15.00	15.00/*15.00	18.70B/*15.00	----	16.50 - 5.20	.1021	----	----	3	----	429 - 3
2600	----	----	----/*13.90A	13.40B/*13.90A	----	12.80 - 3.90	.0790	----	----	----	----	363 UNCH
2700	----	----	----/*12.00A	9.90B/*12.00A	----	10.30 - 3.00	.0630	----	----	----	----	114 UNCH
2800	----	----	----/*10.60A	7.40B/*10.60A	----	8.50 - 2.40	.0513	----	----	----	----	348 UNCH
2850	----	----	----	6.50B/*10.00A	----	7.70 - 2.30	.0463	----	----	----	----	91 UNCH
2900	----	----	----	5.60B/*9.50A	----	7.10 - 2.10	.0423	----	----	----	----	190 UNCH
3000	----	----	----	4.30B/*8.60A	----	6.20 - 1.80	.0362	----	----	----	----	583 UNCH
3100	----	----	----	3.20B/*7.90A	----	5.50 - 1.50	.0315	----	----	----	----	159 UNCH
3200	----	----	----	----/9.60A	----	4.90 - 1.40	.0275	----	----	----	----	18 UNCH
3300	----	----	----	----/*9.10A	----	4.50 - 1.30	.0247	----	----	----	----	31 UNCH
3400	----	----	----	----/*8.70A	----	3.70 - 1.10	.0204	----	----	----	----	32 UNCH
3500	----	----	----	----/*8.40A	----	3.00 - 0.90	.0167	----	----	----	----	274 UNCH
3600	----	----	----	----/*8.00A	----	2.50 - 0.80	.0139	----	----	----	----	300 UNCH
3800	----	----	----	----/*5.30A	----	1.80 - 0.60	.0100	----	----	----	----	12 UNCH
3900	----	----	----	----/*5.10A	----	1.60 - 0.50	.0088	----	----	----	----	8 UNCH
4000	----	----	----	----/*1.90A	----	1.40 - 0.50	.0077	----	----	----	----	221 UNCH
TOTAL										43		5875 - 3
AUG26												
2300	49.70	49.70	#49.70/*49.70	72.50B/*49.70	----	60.20 NEW	.2646	----	----	10	----	10 + 10
TOTAL										10		10 + 10
OCT26												
1720	----	----	----	----	----	342.20 - 34.80	.7494	----	----	----	----	1 UNCH
1800	----	----	328.70B/277.20A	328.70B/277.20A	----	294.00 - 32.40	.6891	----	----	----	----	1 UNCH
2000	196.00	196.00	196.00/187.20A	224.10B/187.20A	----	196.30 - 27.90	.5347	----	----	2	----	2 + 2
2125	----	----	----/146.50A	175.40B/146.50A	----	151.90 - 25.10	.4452	----	----	----	----	12 UNCH
2135	----	----	----/143.70A	172.00B/143.70A	----	148.80 - 24.90	.4385	----	----	----	----	12 UNCH
2200	----	----	----/126.90A	151.60B/126.90A	----	130.70 - 22.80	.3971	----	----	----	----	135 UNCH
2400	----	----	----/*86.60A	103.40B/*86.60A	----	90.00 - 15.70	.2926	----	----	----	----	110 UNCH
2500	----	----	----/*72.30A	85.80B/*72.30A	----	75.20 - 14.00	.2512	----	----	----	----	181 UNCH
2600	----	----	----/*60.90A	71.40B/*60.90A	----	62.50 - 13.00	.2147	----	----	----	----	10 UNCH
2700	----	----	----/*51.80A	59.70B/*51.80A	----	51.90 - 12.00	.1832	----	----	----	----	310 UNCH
2800	----	----	----/*44.60A	50.10B/*44.60A	----	43.30 - 11.10	.1565	----	----	----	----	31 UNCH
2850	----	----	----/*41.60A	46.10B/*41.60A	----	39.70 - 10.60	.1450	----	----	----	----	100 UNCH
2900	----	----	----/*38.90A	42.40B/*38.90A	----	36.60 - 10.20	.1347	----	----	----	----	210 UNCH
3000	----	----	----/*34.40A	36.20B/*34.40A	----	31.50 - 9.20	.1172	----	----	----	----	121 UNCH
3200	----	----	----/*27.90A	26.80B/*27.90A	----	24.60 - 6.20	.0922	----	----	----	----	10 UNCH
3500	----	----	----/*21.70A	17.90B/*21.70A	----	17.70 - 4.10	.0666	----	----	----	----	10 UNCH
4000	----	----	----	10.10B/*16.20A	----	11.70 - 2.80	.0434	----	----	----	----	5 UNCH
TOTAL										2		1261 + 2
JAN27												
2360	----	----	----	----	----	163.00 - 15.90	.3865	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1800	----	----	25.60B/----	25.60B/19.50A	----	21.80 + 4.60	.1845	----	----	----	----	2 UNCH
1825	----	----	32.60B/----	32.60B/23.50A	----	27.10 + 5.70	.2214	----	----	----	----	89 UNCH
1850	----	----	41.10B/----	41.10B/28.30A	----	33.60 + 7.00	.2632	----	----	----	----	26 UNCH
1875	----	----	51.10B/----	51.10B/34.10A	----	41.40 + 8.60	.3092	----	----	----	----	24 UNCH
1880	----	----	53.30B/----	53.30B/35.40A	----	43.20 + 9.00	.3190	----	----	----	----	24 UNCH
1885	----	----	55.60B/----	55.60B/36.70A	----	45.00 + 9.40	.3288	----	----	----	----	42 UNCH
1890	----	----	57.90B/----	57.90B/38.10A	----	46.80 + 9.70	.3386	----	----	----	----	24 UNCH
1895	----	----	60.20B/----	60.20B/39.50A	----	48.80 + 10.10	.3487	----	----	----	----	12 UNCH
1900	67.00	67.00	67.00/67.00	67.00/41.00A	----	50.70 + 10.40	.3586	----	----	2	----	401 UNCH
1905	----	----	65.10B/----	65.10B/42.60A	----	52.80 + 10.90	.3689	----	----	----	----	39 UNCH
1910	----	----	67.60B/----	67.60B/44.20A	----	54.90 + 11.20	.3791	----	----	----	----	39 UNCH
1915	----	----	70.20B/----	70.20B/45.80A	----	57.00 + 11.50	.3893	----	----	----	----	54 UNCH
1920	----	----	72.80B/----	72.80B/47.50A	----	59.30 + 12.00	.3997	----	----	----	----	44 UNCH
1925	----	----	75.50B/----	75.50B/49.30A	----	61.50 + 12.30	.4101	----	----	----	----	27 UNCH
1930	----	----	78.20B/51.10A	78.20B/51.10A	----	63.90 + 12.70	.4205	----	----	----	----	42 UNCH
1935	----	----	81.00B/53.00A	81.00B/53.00A	----	66.30 + 13.10	.4309	----	----	----	----	42 UNCH
1940	----	----	83.80B/54.90A	83.80B/54.90A	----	68.70 + 13.50	.4413	----	----	----	----	30 UNCH
1950	----	----	89.60B/59.00A	89.60B/59.00A	----	73.70 + 14.20	.4621	----	----	----	----	139 UNCH
1955	----	----	92.60B/61.10A	92.60B/61.10A	----	76.30 + 14.50	.4725	----	----	----	----	30 UNCH
1960	----	----	93.30B/63.20A	93.30B/63.20A	----	79.00 + 15.00	.4828	----	----	----	----	15 UNCH
1965	----	----	93.90B/65.50A	93.90B/65.50A	----	81.70 + 15.30	.4932	----	----	----	----	15 UNCH
1970	----	----	94.50B/67.70A	94.50B/67.70A	----	84.50 + 15.70	.5034	----	----	----	----	15 UNCH
1975	----	----	105.00B/70.10A	105.00B/70.10A	----	87.30 + 16.10	.5137	----	----	----	----	15 UNCH
1980	----	----	96.70B/72.40A	96.70B/72.40A	----	90.10 + 16.40	.5238	----	----	----	----	15 UNCH
1985	----	----	96.10B/74.90A	96.10B/74.90A	----	93.00 + 16.80	.5339	----	----	----	----	15 UNCH
1990	----	----	97.40B/77.30A	97.40B/77.30A	----	96.00 + 17.20	.5440	----	----	----	----	15 UNCH
1995	----	----	97.20B/79.90A	97.20B/79.90A	----	99.00 + 17.50	.5540	----	----	----	----	15 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO PUT		PLATINUM OPTIONS										
JUN26												
2000	----	----	121.60B/82.40A	121.60B/82.40A	----	102.00 + 17.90	.5639	----	----	----	----	24 UNCH
2020	----	----	99.50B/93.20A	99.50B/93.20A	----	114.70 + 19.40	.6026	----	----	----	----	30 UNCH
2050	----	----	158.30B/110.70A	158.30B/110.70A	----	135.20 + 21.70	.6572	----	----	----	----	3 UNCH
2100	----	----	199.20B/143.30A	199.20B/143.30A	----	172.70 + 25.30	.7367	----	----	----	----	101 UNCH
2140	----	----	----	----	----	205.30 + 27.70	.7886	----	----	----	----	1 UNCH
2200	----	----	288.90B/220.10A	288.90B/220.10A	----	257.60 + 30.70	.8483	----	----	----	----	10 UNCH
TOTAL										2		1419 0
JUL26												
1400	----	----	----	0.30B/6.00A	----	2.60 + 0.30	.0190	----	----	----	----	150 UNCH
1500	----	----	----	4.00B/8.90A	----	5.90 + 0.70	.0412	----	----	----	----	153 UNCH
1550	----	----	----	7.50B/11.20A	----	8.70 + 1.00	.0590	----	----	----	----	200 UNCH
1600	----	----	12.70B/----	12.70B/14.40A	----	13.00 + 1.80	.0841	----	----	----	----	402 UNCH
1650	----	----	20.10B/----	20.10B/19.10A	----	18.90 + 2.70	.1163	----	----	----	----	1 UNCH
1680	----	----	25.70B/----	25.70B/22.90A	----	23.40 + 3.30	.1394	----	----	----	----	50 UNCH
1700	----	----	30.00B/----	30.00B/25.80A	----	27.00 + 3.90	.1568	----	----	----	100	233 - 50
1710	----	----	32.30B/----	32.30B/27.30A	----	28.90 + 4.10	.1659	----	----	----	----	1 UNCH
1725	35.90	35.90	36.10B/32.30	36.10B/29.90A	----	32.10 NEW	.1804	----	----	100	----	100 + 100
1750	46.20	46.20	47.50B/46.20	47.50B/34.70A	----	37.90 + 5.40	.2060	----	----	41	----	50 UNCH
1800	----	----	59.50B/----	59.50B/46.50A	----	52.00 + 7.20	.2627	----	----	----	----	261 UNCH
1825	----	----	69.10B/----	69.10B/53.60A	----	60.40 + 8.30	.2934	----	----	----	----	30 UNCH
1850	----	----	79.70B/----	79.70B/61.40A	----	69.60 + 9.20	.3251	----	----	----	----	40 UNCH
1900	----	----	103.60B/----	103.60B/79.70A	----	90.70 + 11.30	.3909	----	----	----	----	81 UNCH
2000	----	----	161.60B/126.70A	161.60B/126.70A	----	143.70 + 15.80	.5235	----	----	----	----	1 UNCH
2085	----	----	----	----	----	199.00 + 19.60	.6268	----	----	----	----	1 UNCH
2100	----	----	232.00B/186.50A	232.00B/186.50A	----	209.60 + 20.30	.6436	----	----	----	----	225 UNCH
2135	----	----	----	----	----	235.30 + 21.70	.6806	----	----	----	----	190 UNCH
2165	----	----	----	----	----	258.40 + 23.10	.7101	----	----	----	----	20 UNCH
2350	----	----	446.90B/379.70A	446.90B/379.70A	----	415.90 + 29.90	.8414	----	----	----	----	5 UNCH
2400	----	----	493.70B/423.70A	493.70B/423.70A	----	461.70 + 31.30	.8643	----	----	----	----	300 UNCH
4000	----	----	2,077.70B/1,993	2,077.70B/1,993	----	2041.20 + 38.80	.9923	----	----	----	----	10 UNCH
TOTAL									100	141		2504 + 50
OCT26												
1300	----	----	----	10.30B/*17.10A	----	13.20 UNCH	.0503	----	----	----	----	4 UNCH
1500	----	----	34.60B/----	34.60B/37.10A	----	33.40 + 0.70	.1166	----	----	----	----	20 UNCH
1600	----	----	57.00B/----	57.00B/55.40A	----	52.70 + 1.60	.1700	----	----	----	----	17 UNCH
1720	----	----	95.40B/----	95.40B/87.30A	----	87.10 + 3.50	.2502	----	----	----	----	2 UNCH
1820	----	----	137.60B/----	137.60B/123.30A	----	126.80 + 6.60	.3259	----	----	----	----	3 UNCH
1950	----	----	205.80B/----	205.80B/182.90A	----	190.20 NEW	.4267	----	----	----	50	50 + 50
2000	----	----	235.80B/----	235.80B/209.60A	----	218.40 + 10.50	.4649	----	----	----	----	1 UNCH
2100	----	----	301.50B/----	301.50B/268.70A	----	280.80 + 12.70	.5373	----	----	----	----	100 UNCH
2130	----	----	305.00B/----	305.00B/287.90A	----	301.00 + 13.40	.5577	----	----	----	----	41 UNCH
2135	----	----	305.80B/----	305.80B/291.20A	----	304.50 + 13.60	.5610	----	----	----	----	12 UNCH
2140	----	----	306.80B/----	306.80B/294.40A	----	307.90 + 13.70	.5644	----	----	----	----	12 UNCH
2400	----	----	533.10B/484.30A	533.10B/484.30A	----	508.10 + 22.80	.7070	----	----	----	----	200 UNCH
2500	----	----	618.60B/565.40A	618.60B/565.40A	----	592.30 + 24.50	.7484	----	----	----	----	1 UNCH
TOTAL									50			463 + 50
JAN27												
1500	----	----	----	40.00B/75.00A	----	74.00 + 5.70	.1654	----	----	----	----	40 UNCH
1800	----	----	----	----	----	177.00 + 11.40	.3225	----	----	----	----	1 UNCH
TOTAL												41 0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 70

PRELIMINARY

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUN26 CALL			
OG	4800	0	250
OG	4900	0	50
OG	5000	0	200
TOTALS		0	500
JUL26 CALL			
OG	4650	0	200
TOTALS		0	200
AUG26 CALL			
OG	4685	0	200
OG	5030	0	260
OG	5280	0	200
TOTALS		0	660
SEP26 CALL			
OG	4700	0	90
OG	5300	0	250
TOTALS		0	340
OCT26 CALL			
OG	5200	0	100
TOTALS		0	100
NOV26 CALL			
OG	5300	0	370
TOTALS		0	370
DEC26 CALL			
OG	5400	0	665
OG	5500	0	175
OG	5600	0	525
OG	6000	0	25
OG	6500	0	175
OG	7000	0	25
OG	8000	0	25
TOTALS		0	1615
OG PUT	COMEX GOLD OPTIONS		
JUN26 PUT			
OG	4200	0	500
OG	4300	0	300
OG	4400	0	100
OG	4500	0	50
OG	4600	0	350
TOTALS		0	1300
JUL26 PUT			
OG	4100	0	180
TOTALS		0	180
AUG26 PUT			
OG	3900	0	200
OG	4090	0	200
OG	4100	0	150
OG	4350	0	260
OG	4400	0	250
OG	4635	0	100
OG	4685	0	200
TOTALS		0	1360
NOV26 PUT			
OG	4250	0	370
TOTALS		0	370
DEC26 PUT			
OG	4300	0	140
TOTALS		0	140
SO CALL	COMEX SILVER OPTIONS		
JUL26 CALL			
SO	7900	0	50
TOTALS		0	50
SEP26 CALL			
SO	8500	0	100
TOTALS		0	100
SO PUT	COMEX SILVER OPTIONS		
JUN26 PUT			
SO	5500	0	100
SO	6300	0	50
TOTALS		0	150
JUL26 PUT			
SO	6800	0	150
SO	6900	0	100
TOTALS		0	250
HX CALL	COMEX COPPER OPTIONS		
JUN26 CALL			
HX	620	0	380
HX	625	0	250
HX	660	0	330
TOTALS		0	960
HX PUT	COMEX COPPER OPTIONS		
JUN26 PUT			
HX	590	0	50
TOTALS		0	50
SEP26 PUT			
HX	590	0	100
TOTALS		0	100
PO PUT	PLATINUM OPTIONS		
JUL26 PUT			
PO	1700	0	100
TOTALS		0	100
OCT26 PUT			
PO	1950	0	50
TOTALS		0	50
PAO CALL	NYMEX PALLADIUM OPTIONS		
JUN26 CALL			
PAO	1650	0	25
PAO	1750	0	50
PAO	1850	0	25
TOTALS		0	100
AUG26 CALL			
PAO	1600	0	50
PAO	1800	0	50
TOTALS		0	100

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

PRELIMINARY

SO1 PUT		SILVER OPTIONS		
MAY26	PUT			
SO1		6500	0	50
TOTALS			0	50
SO2 PUT		SILVER OPTIONS		
MAY26	PUT			
SO2		6500	0	25
TOTALS			0	25
HRO OPT		U.S. MIDWEST DOMESTIC HOT-ROLLED CO		
MAY26	PUT			
HRO		107500	0	100
TOTALS			0	100
JUN26	PUT			
HRO		107500	0	100
TOTALS			0	100
JUL26	PUT			
HRO		107500	0	100
TOTALS			0	100
SEP26	PUT			
HRO		100000	0	200
TOTALS			0	200
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK3		
MAY26	PUT			
G3W		4625	0	75
TOTALS			0	75
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2		
MAY26	CALL			
G2W		4650	0	200
TOTALS			0	200
COO OPT		COBALT METAL (FASTMARKETS) APO		
JUL26	CALL			
COO		3000	0	150
TOTALS			0	150

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.