METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

THE CME GROUP DAILY BULLETIN ONLY DISPLAYS THOSE PRODUCTS/CONTRACT MONTHS THAT HAVE VOLUME AND/OR OPEN INTEREST. VOLUME INCLUDES GLOBEX (OPEN OUTCRY (TRADING FLOOR) AND PRIVATELY NEGOTIATED TRANSACTIONS (PNT) THAT INCLUDE CME CLEARPORT ACTIVITY. VOLUME OR OPEN INTEREST CHAN AND AFTER THE LAST DAY OF TRADING) MAY BE AFFECTED BY: PRIVATELY NEGOTIATED TRANSACTIONS, PRIOR DAY CLEARED TRADES, POSITION ADJUSTMENTS, CASH SETTLEMENTS, OPTION EXERCISES OR ASSIGNMENTS.

PRICE INDICATOR KEY

R= RECORD VOLUME OR OPEN INTEREST, B= BID, A=ASK, P= POST SETTLEMENT SESSION,N= NOMINAL CLOSE, WHICH DESIGNATES THAT THE CONTRACT DID NOT TRADE DURIN THE RTH SESSION AND NO BETTER BID OR BETTER OFFER OCCURRED DURING THE RTH CLOSING RANGE TIME PERIOD. IN ALL INSTANCES, THE NOMINAL PRICE IS THE PREVIOU DAY'S SETTLEMENT PRICE.

METAL FUTURES CONTRACTS LAST TRADE DATES

EXPIRATION:	APR26	APR26	MAY26	MAY26	JUN26	JUL26	AUG26	SEP26	OCT26	NOV26	DEC26	JAN27	FEB27	MAR27
COO OPT	04/30		05/29		06/30	07/31	08/28	09/30	10/30	11/30	12/31	01/29	02/26	03/31
ECG10 OP		04/30		05/01										
ECG11 OP		04/30		05/01										
ECG13 OP		04/30		05/01										
ECG15 OP		04/30		05/01										
ECG16 OP		04/30		05/01										
ECGC OOF		04/30		05/01										
ECHG OOF		04/30		05/01										
ECSI OOF		04/30		05/01										
EHO OPT	04/30		05/29		06/30	07/31	08/28	09/30						
FMG OPT			05/01											
FSO OPT	04/30		05/29		06/30									
GMW MON			05/18		06/01									
GWR THU	04/30		05/21											
GWT TUE			05/19		06/02									
GWW WED			05/27											
HMW MON			05/18		06/01									
HRO OPT	04/28		05/26		06/23	07/28	08/25	09/29	10/27	11/24	12/29			
HWR THU	04/30		05/21											
HWT TUE			05/19		06/02									
HWW WED			05/20		06/03	07/01	08/05							
HX CALL					05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HX PUT					05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
HXE CALL			05/22											
HXE PUT			05/22											
LHO OPT	04/30		05/29		06/30	07/31	08/31	09/30	10/30	11/30	12/31	01/29	02/26	03/31
MMG MON			05/04		06/01									
OG CALL					05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG PUT					05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
OG1 CALL			05/01											
OG1 PUT			05/01											
OG2 CALL			05/08											
OG2 PUT			05/08											
OG3 CALL			05/15											
OG3 PUT			05/15											
OG4 CALL			05/22											
OG4 PUT			05/22											
OMG OPT					05/26	06/25	07/28							
PAO CALL					05/20	06/17	07/15	08/19			11/18			
PAO PUT					05/20	06/17		08/19			11/18			
PLW OOF			05/15											
PO CALL					05/20	06/17	07/15		09/16			12/16		
PO PUT					05/20	06/17			09/16			12/16		
RWS THU	04/30		05/21											
SMW MON			05/18		06/01									
SO CALL					05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO PUT					05/26	06/25	07/28	08/26	09/24	10/27	11/24	12/28	01/26	02/23
SO1 CALL			05/01											
SO1 PUT			05/01											
SO2 CALL			05/08											
SO2 PUT			05/08											
SO3 CALL			05/15											
SO3 PUT			05/15											
SO4 CALL			05/22											
SO4 PUT			05/22											
SWW WED			05/13											
TWS TUE			05/19											

GOLD OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OMG OPT		MICRO GOLD OPTIONS										
JUN26												
2500	----	----	----	----	----	0.10 - 0.10	----	----	----	----	----	2 UNCH
3950	----	----	----	----	----	4.60 - 1.10	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	11.00 - 2.80	----	----	----	----	----	1 UNCH
4260	----	----	----/*18.00A	----/*18.00A	----	14.60 - 3.60	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	17.80 - 4.30	----	----	----	----	----	4 UNCH
4500	----	----	----	----	----	52.20 - 8.40	----	----	----	----	----	5 UNCH
4600	----	----	----	----	----	87.50 - 10.80	----	----	----	----	----	1 UNCH
4625	----	----	----	----	----	98.80 - 11.30	----	----	----	----	----	1 UNCH
4645	----	----	----	----	----	108.60 - 11.70	----	----	----	----	----	6 UNCH
4700	----	----	----	----	----	83.60 + 2.40	----	----	----	----	----	1 UNCH
4720	----	----	----	----	----	151.30 - 12.70	----	----	----	----	----	2 UNCH
4800	----	----	----	----	----	51.00 + 1.20	----	----	----	----	----	1 UNCH
4900	----	----	----	----	----	30.50 + 0.30	----	----	----	----	----	2 UNCH
5100	----	----	----	----	----	11.50 - 0.20	----	----	----	----	----	1 UNCH
5400	----	----	----	----	----	3.90 UNCH	----	----	----	----	----	2 UNCH
5875	----	----	----	----	----	1.40 - 0.10	----	----	----	----	----	1 UNCH
TOTAL												32 0
JUL26												
3400	----	----	----	----	----	1281.20 + 15.00	----	----	----	----	----	1 UNCH
3460	----	----	----	----	----	1221.60 + 15.00	----	----	----	----	----	1 UNCH
4050	----	----	----	17.70B/----	----	18.90 - 2.20	----	----	----	----	----	1 UNCH
4200	----	----	----	----	----	31.40 - 3.40	----	----	----	----	----	1 UNCH
4300	----	----	----	----	----	44.90 - 4.20	----	----	----	----	----	1 UNCH
4500	----	----	----	----	----	91.60 - 6.50	----	----	----	----	----	1 UNCH
4600	----	----	----	----	----	128.30 - 7.60	----	----	----	----	----	2 UNCH
4700	----	----	----	----/250.00A	----	155.50 + 6.30	----	----	----	----	----	1 UNCH
5000	----	----	----	----	----	59.80 + 3.60	----	----	----	----	----	1 UNCH
5200	----	----	----	----	----	31.60 + 2.20	----	----	----	----	----	1 UNCH
TOTAL												11 0
AUG26												
4400	----	----	----	----	----	97.50 - 4.60	----	----	----	----	----	5 UNCH
TOTAL												5 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG4 PUT		GOLD OPTIONS										
MAY26												
3500	----	----	----	1.50B/*2.20A	----	1.70 - 0.40	.0074	----	----	----	----	11 UNCH
3800	----	----	----/*3.30A	3.20B/*3.30A	----	3.00 - 0.70	.0157	----	----	1	----	1 UNCH
3900	2.10	2.10	4.10B/*2.10	4.10B/*2.10	----	3.70 NEW	.0207	----	----	10	----	10 + 10
4000	----	----	----/*5.00A	5.60B/*5.00A	----	4.70 - 1.30	.0280	----	----	----	----	10 UNCH
4100	----	----	----/*6.60A	8.30B/*6.60A	----	6.40 - 1.90	.0403	----	----	----	----	2 UNCH
4200	10.20	10.20	13.10B/*9.70A	13.10B/*9.70A	----	9.50 - 2.80	.0620	----	----	2	----	9 UNCH
4250	13.20	13.20	17.00B/*12.10A	17.00B/*12.10A	----	11.90 - 3.40	.0784	----	----	1	----	3 + 1
4275	----	----	19.70B/*13.60A	19.70B/*13.60A	----	13.50 - 3.70	.0889	----	----	----	----	25 UNCH
4325	----	----	26.20B/*17.50A	26.20B/*17.50A	----	17.50 - 4.60	.1145	----	----	----	----	10 UNCH
4375	----	----	34.90B/*22.80A	34.90B/*22.80A	----	23.20 - 5.60	.1487	----	----	----	----	32 UNCH
4425	----	----	46.20B/*29.90A	46.20B/*29.90A	----	31.00 - 6.60	.1924	----	----	----	----	1 UNCH
4450	----	----	52.90B/34.40A	52.90B/34.40A	----	35.80 - 7.20	.2178	----	----	1	----	15 + 1
4500	----	----	69.80B/45.20A	69.80B/45.20A	----	47.70 NEW	.2764	----	----	7	----	6 + 6
4550	----	----	90.40B/59.00A	90.40B/59.00A	----	62.90 - 9.70	.3440	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 02

OG4 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4600	110.00	110.00	114.60B/76.60A	114.60B/76.60A	----	82.10 - 10.90	.4189	----	----	2	----	3 + 2
4625	----	----	128.70B/87.80A	128.70B/87.80A	----	93.30 - 11.40	.4580	----	----	----	----	5 UNCH
4650	101.30	101.30	143.80B/99.00A	143.80B/99.00A	----	105.60 NEW	.4976	----	----	1	----	1 + 1
4775	----	----	229.50B/170.90A	229.50B/170.90A	----	182.80 - 13.80	.6838	----	----	----	----	1 UNCH
4850	----	----	295.60B/230.70A	295.60B/230.70A	----	240.00 - 14.50	.7728	----	----	----	----	1 UNCH
TOTAL										25		147 + 21

OG4 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4500	----	----	#210.60B/152.60	210.60B/152.60A	----	191.90 + 6.50	.7230	----	----	----	----	1 UNCH
4550	----	----	#177.20B/125.40	177.20B/125.40A	----	157.30 + 5.30	.6554	----	----	----	----	0 UNCH
4575	----	----	#160.60B/108.70	160.60B/108.70A	----	141.40 + 4.60	.6186	----	----	----	----	1 UNCH
4600	----	----	#144.70B/96.40A	144.70B/96.40A	----	126.50 + 4.00	.5805	----	----	----	----	1 UNCH
4625	----	----	#130.20B/85.50A	130.20B/85.50A	----	112.80 + 3.50	.5413	----	----	----	----	3 UNCH
4650	----	----	#116.40B/75.60A	116.40B/75.60A	----	100.10 + 3.00	.5018	----	----	1	----	2 + 1
4700	----	----	#92.00B/59.40A	92.00B/59.40A	----	77.90 + 2.00	.4235	----	----	----	----	2 UNCH
4750	59.80	59.80	#71.70B/45.70A	71.70B/45.70A	----	60.00 + 1.30	.3497	----	----	2	----	4 + 1
4775	----	----	#63.20B/39.90A	63.20B/39.90A	----	52.50 + 1.10	.3156	----	----	----	----	1 UNCH
4800	40.00	40.00	#55.60B/34.90A	55.60B/34.90A	----	45.90 NEW	.2836	----	----	3	----	2 + 2
4850	----	----	#42.80B/26.60A	42.80B/26.60A	----	34.90 NEW	.2266	----	----	7	----	6 + 6
4900	----	----	#32.80B/20.40A	32.80B/20.40A	----	26.60 + 0.10	.1795	----	----	----	----	1 UNCH
4925	----	----	#28.70B/17.90A	28.70B/17.90A	----	23.20 UNCH	.1592	----	----	----	----	1 UNCH
4975	----	----	#22.00B/13.90A	22.00B/13.90A	----	17.80 - 0.20	.1252	----	----	----	----	11 UNCH
5000	19.70	19.70	19.70/12.30A	19.70/12.30A	----	15.60 - 0.20	.1109	----	----	60	----	61 + 59
5025	12.20	12.20	#17.10B/10.90A	17.10B/10.90A	----	13.80 - 0.20	.0988	----	----	2	----	3 + 2
5075	----	----	#13.00B/8.60A	13.00B/8.60A	----	10.70 - 0.30	.0776	----	----	----	----	1 UNCH
5500	----	----	----	2.20B/2.40A	----	2.20 - 0.10	.0151	----	----	----	----	10 UNCH
TOTAL										75		111 + 71

OG3 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3500	----	----	----	0.70B/1.30A	----	0.90 - 0.30	.0040	----	----	----	----	8 UNCH
3700	----	----	----/*1.30A	1.30B/*1.30A	----	1.20 NEW	.0062	----	----	2	----	1 + 1
3750	----	----	----/*1.40A	1.50B/*1.40A	----	1.30 - 0.40	.0071	----	----	----	----	2 UNCH
3800	----	----	----/*1.60A	1.70B/*1.60A	----	1.40 - 0.50	.0079	----	----	41	----	43 + 40
3900	2.90	2.90	2.90/*2.00A	2.90/*2.00A	----	1.70 - 0.70	.0105	----	----	2	----	6 + 2
4000	----	----	3.30B/*2.50A	3.30B/*2.50A	----	2.20 - 0.90	.0148	----	----	----	----	2 UNCH
4100	----	----	5.10B/*3.50A	5.10B/*3.50A	----	3.10 - 1.30	.0224	----	----	----	----	6 UNCH
4150	----	----	6.50B/*4.20A	6.50B/*4.20A	----	3.90 - 1.60	.0290	----	----	----	----	0 UNCH
4200	----	----	8.40B/*5.10A	8.40B/*5.10A	----	4.90 - 2.00	.0375	----	----	3	----	157 + 3
4225	----	----	#9.70B/*5.70A	9.70B/*5.70A	----	5.50 - 2.30	.0427	----	----	----	----	4 UNCH
4250	----	----	11.20B/*6.40A	11.20B/*6.40A	----	6.30 - 2.60	.0494	----	----	6	----	7 + 6
4275	----	----	12.80B/*7.30A	12.80B/*7.30A	----	7.30 - 2.90	.0575	----	----	----	----	8 UNCH
4300	10.10	10.10	15.10B/*8.30A	15.10B/*8.30A	----	8.40 - 3.30	.0667	----	----	45	----	111 + 16
4325	10.00	10.00	17.50B/*9.50A	17.50B/*9.50A	----	9.80 - 3.80	.0780	----	----	1	----	20 + 1
4350	17.50	17.50	20.60B/*10.90A	20.60B/*10.90A	----	11.40 - 4.30	.0909	----	----	4	----	20 + 4
4400	22.40	22.40	28.40B/*14.90A	28.40B/*14.90A	----	15.90 - 5.50	.1255	----	----	5	----	37 UNCH
4425	20.00	20.00	33.40B/*17.50A	33.40B/*17.50A	----	18.80 - 6.20	.1470	----	----	2	----	12 + 2
4450	----	----	39.40B/*20.80A	39.40B/*20.80A	----	22.30 - 7.00	.1722	----	----	15	----	32 + 13
4475	29.80	29.80	46.60B/*24.70A	46.60B/*24.70A	----	26.50 - 7.80	.2011	----	----	2	----	16 + 1
4500	45.10	45.10	54.70B/*29.30A	54.70B/29.30A	----	31.60 - 8.60	.2343	----	----	14	----	67 + 14
4525	----	----	63.70B/34.90A	63.70B/34.90A	----	37.50 - 9.60	.2711	----	----	1	----	14 + 1
4550	----	----	74.20B/41.20A	74.20B/41.20A	----	44.50 - 10.40	.3119	----	----	11	----	64 - 1
4575	56.50	56.50	86.00B/48.80A	86.00B/48.80A	----	52.70 - 11.30	.3562	----	----	30	----	23 + 19
4600	61.40	61.40	99.10B/57.60A	99.10B/57.60A	----	62.10 - 12.10	.4032	----	----	14	----	57 + 14
4625	73.90	73.90	113.40B/67.70A	113.40B/67.70A	----	72.80 - 12.90	.4523	----	----	12	----	38 + 9
4650	81.20	81.20	129.30B/78.70A	129.30B/78.70A	----	84.90 - 13.60	.5023	----	----	10	----	109 + 10
4675	----	----	146.20B/90.90A	146.20B/90.90A	----	98.40 - 14.10	.5522	----	----	----	----	1 UNCH
4700	119.70	119.70	164.20B/104.30A	164.20B/104.30A	----	113.20 - 14.60	.6009	----	----	1	----	1 UNCH
4725	----	----	183.30B/119.00A	183.30B/119.00A	----	129.30 - 15.00	.6474	----	----	1	----	7 + 1
4750	----	----	203.30B/132.90A	203.30B/132.90A	----	146.60 - 15.30	.6911	----	----	1	----	1 + 1
4775	----	----	224.10B/149.80A	224.10B/149.80A	----	165.00 - 15.60	.7314	----	----	----	----	1 UNCH
4800	----	----	245.50B/167.70A	245.50B/167.70A	----	184.40 - 15.70	.7675	----	----	----	----	13 UNCH
5025	----	----	456.60B/363.80A	456.60B/363.80A	----	386.40 - 15.70	.9434	----	----	----	----	1 UNCH
5100	----	----	529.90B/435.20A	529.90B/435.20A	----	459.20 - 15.50	.9634	----	----	----	----	1 UNCH
TOTAL										223		890 + 157

OG3 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4250	----	----	425.80B/334.70A	425.80B/334.70A	----	400.40 + 12.30	.9503	----	----	----	----	2 UNCH
4400	229.00	229.00	284.40B/202.40A	284.40B/202.40A	----	260.10 + 9.40	.8741	----	----	2	----	3 + 2
4450	209.00	209.00	241.30B/163.50A	241.30B/163.50A	----	216.60 + 8.00	.8274	----	----	2	----	3 + 2
4550	----	----	161.30B/98.60A	161.30B/98.60A	----	138.90 + 4.50	.6877	----	----	1	----	26 UNCH
4600	----	----	126.90B/73.20A	126.90B/73.20A	----	106.50 + 2.70	.5963	----	----	6	----	94 + 1
4625	77.30	77.30	111.80B/62.60A	111.80B/62.60A	----	92.30 + 2.00	.5473	----	----	4	----	27 UNCH
4650	72.00	72.00	97.00B/53.60A	97.00B/53.60A	----	79.40 + 1.30	.4973	----	----	24	----	25 + 9
4675	----	----	84.60B/45.50A	84.60B/45.50A	----	67.90 + 0.70	.4474	----	----	2	----	3 + 1
4700	40.00	40.00	73.40B/38.50A	73.40B/38.50A	----	57.70 + 0.20	.3986	----	----	623	----	608 + 585
4725	----	----	63.10B/32.40A	63.10B/32.40A	----	48.90 - 0.20	.3522	----	----	----	----	5 UNCH
4750	----	----	53.20B/27.50A	53.20B/27.50A	----	41.20 - 0.50	.3085	----	----	15	----	68 + 15
4775	29.30	29.30	45.70B/23.20A	45.70B/23.20A	----	34.60 - 0.80	.2682	----	----	1	----	7 + 1
4800	26.20	26.20	38.70B/19.60A	38.70B/19.60A	----	29.10 - 0.80	.2321	----	----	8	----	234 + 3
4825	24.60	24.60	32.70B/16.70A	32.70B/16.70A	----	24.30 - 1.00	.1992	----	----	10	----	22 + 10
4850	26.40	26.40	27.80B/14.20A	27.80B/14.20A	----	20.40 - 1.00	.1708	----	----	15	----	135 + 11
4875	14.60	14.60	23.50B/12.30A	23.50B/12.30A	----	17.10 - 1.00	.1459	----	----	14	----	24 + 14
4900	16.00	16.00	20.00/10.50A	20.00/10.50A	----	14.30 - 1.10	.1240	----	----	628	----	624 + 592
4925	13.20	13.20	16.80B/9.10A	16.80B/9.10A	----	12.00 - 1.10	.1054	----	----	10	----	34 + 10
4950	15.00	15.00	15.00/8.00A	15.00/8.00A	----	10.20 - 1.00	.0902	----	----	3	----	15 + 2
4975	8.20	8.20	12.70/6.90A	12.70/6.90A	----	8.60 - 1.00	.0766	----	----	5	----	7 + 4
5000	8.10	8.10	10.10B/6.00A	10.10B/6.00A	----	7.40 - 0.80	.0660	----	----	5	----	46 + 3
5025	9.10	9.10	9.10/5.20A	9.10/5.20A	----	6.30 - 0.80	.0563	----	----	3	----	5 + 2
5050	----	----	#7.40B/4.60A	7.40B/4.60A	----	5.40 - 0.80	.0483	----	----	----	----	9 UNCH
5075	----	----	#6.30B/4.10A	6.30B/4.10A	----	4.70 NEW	.0418	----	----	3	----	3 + 3
5100	----	----	#5.40B/3.70A	5.40B/3.70A	----	4.10 - 0.70	.0363	----	----	----	----	11 UNCH
5125	----	----	#4.70B/3.30A	4.70B/3.30A	----	3.60 - 0.60	.0317	----	----	----	----	1 UNCH
5150	----	----	#4.10B/3.00A	4.10B/3.00A	----	3.20 - 0.50	.0279	----	----	----	----	1 UNCH
5200	----	----	#3.10B/2.50A	3.10B/2.50A	----	2.60 - 0.40	.0221	----	----	----	----	1 UNCH
5225	2.90	2.90	2.90/*2.30A	2.90/2.30A	----	2.30 - 0.40	.0194	----	----	2	----	4 + 2
5300	----	----	----/*1.80A	1.90B/1.80A	----	1.80 - 0.20	.0146	----	----	----	----	7 UNCH
5400	1.20	1.20	1.30B/*1.20	1.30B/*1.20	----	1.30 - 0.10	.0100	----	----	2	----	3 + 2
5500	----	----	----	0.90B/*1.00A	----	1.00 UNCH	.0073	----	----	----	----	1 UNCH
TOTAL										1388		2058 + 1274

OG2 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3750	----	----	----/*0.60A	0.50B/*0.60A	----	0.50 - 0.30	.0024	----	----	----	----	15 UNCH
3800	----	----	----	0.60B/*0.90A	----	0.60 - 0.20	.0030	----	----	----	----	18 UNCH
3900	----	----	----/*0.70A	0.80B/*0.70A	----	0.70 - 0.40	.0039	----	----	4	----	19 + 4
4000	1.00	1.00	1.00/*0.70	1.20B/*0.70	----	0.80 - 0.60	.0051	----	----	31	----	52 + 27
4100	1.60	1.60	1.60/*1.10	1.90B/*1.10	----	1.10 - 0.80	.0080	----	----	7	----	21 + 7
4125	----	----	----/*1.40A	2.00B/*1.40A	----	1.30 NEW	.0096	----	----	4	----	2 + 2
4150	1.50	1.50	2.40B/*1.50	2.40B/*1.50	----	1.40 - 0.90	.0108	----	----	22	----	21 + 20
4175	----	----	2.70B/*1.60A	2.70B/*1.60A	----	1.50 - 1.10	.0120	----	----	----	----	1 UNCH
4200	3.00	3.00	3.40/*1.80	3.40/*1.80	----	1.60 - 1.30	.0133	----	----	13	----	23 + 4
4225	----	----	#3.70B/*1.90A	3.70B/*1.90A	----	1.70 - 1.50	.0147	----	----	----	----	1 UNCH
4250	----	----	4.30B/*2.10A	4.30B/*2.10A	----	1.90 - 1.70	.0171	----	----	25	----	31 + 19
4275	----	----	5.20B/*2.30A	5.20B/*2.30A	----	2.10 - 2.10	.0197	----	----	----	----	4 UNCH
4300	3.90	3.90	6.30B/*2.60A	6.30B/*2.60A	----	2.40 - 2.40	.0233	----	----	2	----	115 - 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG2 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4325	4.10	4.10	7.70B/*3.00A	7.70B/*3.00A	----	2.90 - 2.70	.0289	----	----	10	----	13 + 10
4350	5.80	5.80	9.30B/*3.50	9.30B/*3.50	----	3.40 - 3.20	.0351	----	----	107	----	256 + 86
4375	9.40	9.40	11.50B/*4.20A	11.50B/*4.20A	----	4.10 - 3.70	.0434	----	----	8	----	65 + 3
4400	11.40	11.40	14.10B/*5.00	14.10B/*5.00	----	5.00 - 4.40	.0543	----	----	116	----	294 + 88
4425	10.00	10.00	17.50B/*6.10A	17.50B/*6.10A	----	6.30 - 5.10	.0694	----	----	8	----	38 + 5
4450	21.10	21.10	21.70B/*7.50A	21.70B/*7.50A	----	7.90 - 6.10	.0883	----	----	60	----	63 + 4
4475	12.00	12.00	27.00B/*9.40A	27.00B/*9.40A	----	10.10 - 7.10	.1134	----	----	22	----	75 + 19
4500	19.50	19.50	33.50B/*12.00A	33.50B/*12.00A	----	13.00 - 8.40	.1454	----	----	229	----	286 - 54
4525	30.70	30.70	41.30B/*15.60A	41.30B/*15.60A	----	16.90 - 9.60	.1862	----	----	16	----	168 + 12
4550	22.50	22.50	51.00B/*20.20A	51.00B/*20.20A	----	22.10 - 10.80	.2367	----	----	18	----	118 + 1
4575	59.00	59.00	62.20B/25.80A	62.20B/25.80A	----	28.70 - 12.00	.2958	----	----	306	----	344 + 294
4600	54.20	54.20	75.20B/32.90A	75.20B/32.90A	----	36.90 - 13.20	.3627	----	----	150	----	365 + 70
4625	44.40	44.40	90.20B/41.80A	90.20B/41.80A	----	46.60 - 14.50	.4351	----	----	5	----	31 + 5
4650	89.00	89.00	106.90B/52.40A	106.90B/52.40A	----	58.20 - 15.70	.5112	----	----	21	----	119 + 8
4675	----	----	125.00B/64.20A	125.00B/64.20A	----	72.00 - 16.50	.5872	----	----	3	----	9 + 3
4700	88.00	88.00	144.70B/77.60A	144.70B/77.60A	----	87.70 - 17.00	.6593	----	----	4	----	22 UNCH
4725	----	----	165.50B/92.60A	165.50B/92.60A	----	105.20 - 17.20	.7249	----	----	----	----	13 UNCH
4750	----	----	187.50B/109.70A	187.50B/109.70A	----	124.30 - 17.30	.7825	----	----	----	----	15 UNCH
4775	----	----	210.10B/128.20A	210.10B/128.20A	----	144.60 - 17.30	.8305	----	----	----	----	10 UNCH
4800	----	----	233.40B/148.40A	233.40B/148.40A	----	166.10 - 17.10	.8696	----	----	----	----	17 UNCH
4825	----	----	257.00B/168.90A	257.00B/168.90A	----	188.40 - 17.00	.9009	----	----	----	----	1 UNCH
4850	----	----	280.80B/190.50A	280.80B/190.50A	----	211.40 - 16.80	.9243	----	----	----	----	2 UNCH
4875	----	----	305.00B/213.30A	305.00B/213.30A	----	235.00 - 16.50	.9429	----	----	----	----	1 UNCH
4900	----	----	329.40B/236.50A	329.40B/236.50A	----	258.90 - 16.30	.9558	----	----	----	----	5 UNCH
4925	----	----	353.90B/259.70A	353.90B/259.70A	----	283.10 - 16.10	.9661	----	----	----	----	1 UNCH
4975	----	----	403.20B/308.00A	403.20B/308.00A	----	332.10 - 15.80	.9791	----	----	----	----	2 UNCH
5000	----	----	400.60B/332.50A	400.60B/332.50A	----	356.80 - 15.60	.9830	----	----	----	----	1 UNCH
TOTAL										1191		2657 + 635

OG2 CALL — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4200	----	----	470.40B/403.50A	470.40B/403.50A	----	445.90 + 13.70	.9866	----	----	----	----	2 UNCH
4300	----	----	372.40B/279.80A	372.40B/279.80A	----	346.80 + 12.60	.9765	----	----	----	----	2 UNCH
4350	----	----	323.90B/233.00A	323.90B/233.00A	----	297.70 + 11.70	.9647	----	----	----	----	2 UNCH
4400	----	----	275.70B/187.90A	275.70B/187.90A	----	249.40 + 10.50	.9455	----	----	----	----	33 UNCH
4450	203.00	203.00	230.00/145.60A	230.00/145.60A	----	202.30 + 8.80	.9115	----	----	7	----	7 + 5
4475	----	----	206.00B/125.90A	206.00B/125.90A	----	179.50 + 7.80	.8864	----	----	----	----	3 UNCH
4500	----	----	183.10B/107.40A	183.10B/107.40A	----	157.40 + 6.50	.8543	----	----	----	----	52 UNCH
4550	----	----	140.80B/75.10A	140.80B/75.10A	----	116.50 + 4.00	.7631	----	----	----	----	16 UNCH
4575	102.50	102.50	121.30B/61.40A	121.30B/61.40A	----	98.20 + 2.90	.7039	----	----	300	----	294 + 290
4600	88.50	88.50	103.50B/49.20A	103.50B/49.20A	----	81.40 + 1.70	.6370	----	----	7	----	102 + 3
4625	54.00	54.00	86.90B/39.10A	86.90B/39.10A	----	66.10 + 0.40	.5646	----	----	6	----	41 UNCH
4650	45.00	45.00	71.90B/30.90	71.90B/30.90	----	52.70 - 0.90	.4886	----	----	33	----	133 + 14
4675	46.70	46.70	58.60B/24.00A	58.60B/24.00A	----	41.50 - 1.60	.4125	----	----	9	----	16 + 5
4700	30.00	30.00	47.20B/18.60A	47.20B/18.60A	----	32.30 - 2.00	.3405	----	----	33	----	117 + 7
4725	15.50	15.50	37.50B/14.40A	37.50B/14.40A	----	24.80 - 2.30	.2749	----	----	20	----	33 + 3
4750	15.60	15.60	30.00/11.20A	30.00/11.20A	----	18.80 - 2.50	.2173	----	----	109	170	290 + 219
4775	17.10	17.10	23.20B/8.80A	23.20B/8.80A	----	14.20 - 2.40	.1692	----	----	16	----	56 + 2
4800	15.50	15.50	18.00B/6.90A	18.00B/6.90A	----	10.70 - 2.30	.1302	----	----	103	----	249 + 78
4825	----	----	13.90B/5.50A	13.90B/5.50A	----	8.00 - 2.10	.0988	----	----	4	----	42 UNCH
4850	5.50	5.50	10.60B/4.40A	10.60B/4.40A	----	6.10 - 1.80	.0755	----	----	78	----	105 + 73
4875	4.60	4.60	8.10B/3.60A	8.10B/3.60A	----	4.60 - 1.70	.0569	----	----	17	----	257 + 17
4900	2.80	2.80	6.10B/2.80	6.10B/2.80	----	3.60 - 1.40	.0440	----	----	11	----	246 + 6
4925	----	----	4.80B/2.40A	4.80B/2.40A	----	2.80 - 1.20	.0337	----	----	2	----	35 UNCH
4950	2.10	2.10	3.60B/*1.90A	3.60B/*1.90A	----	2.20 - 1.00	.0261	----	----	34	----	101 + 14
4975	2.40	2.40	2.90B/*1.60A	2.90B/*1.60A	----	1.80 - 0.90	.0208	----	----	3	----	8 + 2
5000	1.40	1.40	1.40/*1.30A	2.20B/*1.30A	----	1.50 - 0.70	.0168	----	----	11	----	152 + 3
5025	----	----	----/*1.20A	1.80B/*1.20A	----	1.20 - 0.70	.0132	----	----	----	----	51 UNCH
5050	----	----	----/*1.00A	1.40B/*1.00A	----	1.10 - 0.50	.0116	----	----	22	----	59 + 13
5075	----	----	----/*0.90A	1.20B/*0.90A	----	0.90 NEW	.0093	----	----	3	----	3 + 3
5100	1.00	1.00	1.00/*0.80A	1.00/*0.80A	----	0.80 - 0.40	.0080	----	----	10	----	15 + 10
5125	----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.40	.0068	----	----	----	----	9 UNCH
5150	----	----	----/*0.70A	0.70B/*0.70A	----	0.70 - 0.20	.0065	----	----	----	----	13 UNCH
5200	----	----	----/0.60A	0.40B/0.60A	----	0.60 - 0.20	.0052	----	----	10	----	21 + 10
5250	----	----	----	0.30B/*0.60A	----	0.50 - 0.10	.0041	----	----	4	----	5 UNCH
5275	----	----	----	0.20B/*0.60A	----	0.40 - 0.20	.0032	----	----	----	----	1 UNCH
5300	----	----	----	0.20B/*0.70A	----	0.40 - 0.10	.0031	----	----	5	----	8 + 5
5350	----	----	----	----/*0.60A	----	0.30 NEW	.0022	----	----	10	----	10 + 10
6000	----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
TOTAL										867	170	2591 + 792

OG1 PUT — GOLD OPTIONS — MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	50	----	0 - 281
3500	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	50	----	0 - 21
3700	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	50	----	0 UNCH
3750	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	50	----	0 - 15
3800	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
3900	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
4100	0.10	0.10	0.10/0.10	0.10/0.10	----	0.00 - 0.10	----	----	----	1	----	0 - 167
4105	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4140	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4145	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
4175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4180	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4185	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4190	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4195	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 86
4200	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 32
4205	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 16
4210	0.10	0.10	#0.10/*0.10	0.10/*0.10	----	0.00 NEW	----	----	----	1	----	0 UNCH
4220	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
4230	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
4235	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4240	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 10
4245	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 4
4250	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 79
4255	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4260	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 1
4265	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4270	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4275	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4280	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.20	----	----	----	----	----	0 - 2
4295	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4300	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	1	----	0 - 55
4305	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 9
4310	----	----	----/*0.10A	----/*0.10A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4320	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 3
4325	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 41
4330	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 2
4335	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.40	----	----	----	----	----	0 - 4
4340	0.60	0.60	0.60/*0.10	0.60/*0.10	----	0.00 - 0.40	----	----	----	2	----	0 - 4
4345	0.10	0.10	0.10/*0.10	0.30B/*0.10	----	0.00 - 0.50	----	----	----	1	----	0 - 10
4350	0.20	0.20	0.40/*0.10	0.40/*0.10	----	0.00 - 0.50	----	----	----	9	----	0 - 679
4355	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 1
4360	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 8
4365	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 2
4370	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 7
4375	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.50	----	----	----	----	----	0 - 27
4380	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 8
4385	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 4
4390	----	----	----/*0.10A	0.40B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 17
4395	0.40	0.40	0.40/*0.10A	0.50B/*0.10A	----	0.00 - 0.60	----	----	----	1	----	0 - 11
4400	0.50	0.50	0.50/*0.10A	0.50/*0.10A	----	0.00 - 0.70	----	----	----	31	----	0 - 148

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 PUT GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4405	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.70	----	----	----	----	----	0 - 2
4410	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 0.70	----	----	----	----	----	0 - 1
4415	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 0.80	----	----	----	1	----	0 - 7
4420	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 0.80	----	----	----	----	----	0 - 27
4425	----	----	----/*0.20A	0.60B/*0.20A	----	0.00 - 0.90	----	----	----	----	----	0 - 5
4430	----	----	----/*0.10A	0.50B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 15
4435	0.10	0.10	0.10/*0.10	0.50B/*0.10	----	0.00 - 1.00	----	----	----	1	----	0 - 40
4440	----	----	----/*0.20A	0.50B/*0.20A	----	0.00 - 1.00	----	----	----	----	----	0 - 19
4445	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.10	----	----	----	----	----	0 - 1
4450	0.50	0.50	0.50/*0.10A	0.60B/*0.10A	----	0.00 - 1.10	----	----	----	10	----	0 - 280
4455	----	----	----/*0.20A	0.70B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 4
4460	----	----	----/*0.20A	0.80B/*0.20A	----	0.00 - 1.20	----	----	----	----	----	0 - 18
4465	0.40	0.40	0.40/*0.20A	0.90B/*0.20A	----	0.00 - 1.30	----	----	----	1	----	0 - 11
4470	0.50	0.50	0.50/*0.20A	1.10B/*0.20A	----	0.00 - 1.40	----	----	----	4	----	0 - 11
4475	1.00	1.00	1.20B/*0.10A	1.20B/*0.10A	----	0.00 - 1.50	----	----	----	13	----	0 - 127
4480	----	----	----/*0.20A	1.40B/*0.20A	----	0.00 - 1.60	----	----	----	----	----	0 - 49
4485	0.50	0.50	0.50/*0.20A	1.50B/*0.20A	----	0.00 - 1.70	----	----	----	1	----	0 - 1
4490	1.00	1.00	1.80B/*0.20A	1.80B/*0.20A	----	0.00 - 1.80	----	----	----	6	----	0 - 29
4495	----	----	2.00B/*0.20A	2.00B/*0.20A	----	0.00 - 1.90	----	----	----	----	----	0 - 39
4500	1.10	1.10	2.30B/*0.10	2.30B/*0.10	----	0.00 - 2.00	----	----	----	48	----	0 - 397
4505	2.00	2.00	2.60B/*0.20A	2.60B/*0.20A	----	0.00 - 2.20	----	----	----	1	----	0 - 20
4510	1.30	1.30	3.00B/*0.10A	3.00B/*0.10A	----	0.00 - 2.30	----	----	----	1	----	0 - 5
4515	1.80	1.80	3.50B/*0.20A	3.50B/*0.20A	----	0.00 - 2.50	----	----	----	4	----	0 - 31
4520	----	----	4.00B/*0.20A	4.00B/*0.20A	----	0.00 - 2.70	----	----	----	8	----	0 - 19
4525	1.10	1.10	5.00/*0.10	5.00/*0.10	----	0.00 - 2.90	----	----	----	37	----	0 - 98
4530	2.00	2.00	5.30B/*0.20A	5.30B/*0.20A	----	0.00 - 3.20	----	----	----	56	----	0 - 23
4535	2.50	2.50	6.10B/*0.20A	6.10B/*0.20A	----	0.00 - 3.40	----	----	----	24	----	0 - 8
4540	2.80	2.80	8.00/*0.20A	8.00/*0.20A	----	0.00 - 3.80	----	----	----	82	----	0 - 13
4545	3.00	3.00	8.10B/*0.20A	8.10B/*0.20A	----	0.00 - 4.10	----	----	----	18	----	0 - 34
4550	2.50	2.50	10.00/*0.10	10.00/*0.10	----	0.00 - 4.50	----	----	----	118	----	0 - 228
4555	6.30	6.30	10.70B/*0.10	10.70B/*0.10	----	0.00 - 5.00	----	----	----	22	----	0 - 27
4560	5.50	5.50	13.00/*0.20	13.00/*0.20	----	0.00 - 5.50	----	----	----	46	----	0 - 58
4565	3.80	3.80	14.00B/*0.10	14.00B/*0.10	----	0.00 - 6.00	----	----	----	24	----	0 - 27
4570	10.30	10.30	16.10B/*0.10	16.10B/*0.10	----	0.00 - 6.70	----	----	----	32	----	0 - 9
4575	4.60	4.60	18.40B/*0.20A	18.40B/*0.20A	----	0.00 - 7.40	----	----	----	60	----	0 - 18
4580	5.40	5.40	20.90B/*0.20	20.90B/*0.20	----	0.00 - 8.30	----	----	----	72	----	0 - 22
4585	7.00	7.00	23.90B/*0.30A	23.90B/*0.30A	----	0.00 - 9.20	----	----	----	15	----	0 - 19
4590	6.10	6.10	27.00B/*0.20	27.00B/*0.20	----	0.00 - 10.30	----	----	----	36	----	0 - 17
4595	17.50	17.50	30.30B/*0.10	30.30B/*0.10	----	0.00 - 11.40	----	----	----	19	----	0 - 32
4600	10.30	10.30	33.80B/*0.10	33.80B/*0.10	----	0.00 - 12.70	----	----	----	131	----	0 - 347
4605	12.30	12.30	37.60B/*0.10A	37.60B/*0.10A	----	0.00 - 14.20	----	----	----	36	----	0 - 15
4610	10.00	10.00	42.10B/*0.30A	42.10B/*0.30A	----	0.00 - 15.80	----	----	----	33	----	0 - 31
4615	14.20	14.20	45.80B/*0.10	45.80B/*0.10	----	0.00 - 17.60	----	----	----	35	----	0 - 47
4620	15.00	15.00	50.10B/*0.10	50.10B/*0.10	----	0.00 - 19.50	----	----	----	45	----	0 - 61
4625	15.00	15.00	54.50B/*0.20	54.50B/*0.20	----	0.00 - 21.60	----	----	----	104	----	0 - 25
4630	16.20	16.20	59.10B/*0.20	59.10B/*0.20	----	0.00 - 23.90	----	----	----	44	----	0 - 94
4635	16.00	16.00	63.70B/*0.20A	63.70B/*0.20A	----	0.00 - 26.40	----	----	----	21	----	0 - 77
4640	20.10	20.10	68.40B/*0.30	68.40B/*0.30	----	0.00 - 29.10	----	----	----	134	----	0 - 74
4645	20.90	20.90	73.10B/*0.50	73.10B/*0.50	----	0.50 - 31.50	----	----	----	51	----	0 - 3
4650	13.30	13.30	78.00B/*1.60	78.00B/*1.60	----	5.50 - 29.50	----	----	----	102	----	0 - 149
4655	15.60	15.60	82.80B/*3.00A	82.80B/*3.00A	----	10.50 - 27.70	----	----	----	31	----	0 - 11
4660	18.70	18.70	87.70B/*5.10A	87.70B/*5.10A	----	15.50 - 26.20	----	----	----	19	----	0 - 9
4665	10.40	10.40	92.60B/*8.10A	92.60B/*8.10A	----	20.50 - 24.70	----	----	----	4	----	0 - 3
4670	12.80	12.80	97.50B/*12.00A	97.50B/*12.00A	----	25.50 - 23.50	----	----	----	4	----	0 - 2
4675	----	----	102.40B/*14.30A	102.40B/*14.30A	----	30.50 - 22.40	----	----	----	1	----	0 - 6
4680	105.00	105.00	107.40B/*17.40A	107.40B/*17.40A	----	35.50 - 21.40	----	----	----	7	----	0 - 21
4685	----	----	112.30B/*21.00A	112.30B/*21.00A	----	40.50 - 20.60	----	----	----	----	----	0 - 2
4690	----	----	117.30B/*24.60A	117.30B/*24.60A	----	45.50 - 19.90	----	----	----	----	----	0 - 1
4700	121.00	121.00	127.30B/32.80A	127.30B/32.80A	----	55.50 - 18.70	----	----	----	3	----	0 - 225
4705	58.10	58.10	132.20B/36.90A	132.20B/36.90A	----	60.50 - 18.20	----	----	----	16	----	0 - 15
4710	----	----	137.20B/41.40A	137.20B/41.40A	----	65.50 - 17.80	----	----	----	----	----	0 - 1
4715	----	----	142.10B/46.40A	142.10B/46.40A	----	70.50 - 17.50	----	----	----	----	----	0 - 1
4720	----	----	147.20B/51.00A	147.20B/51.00A	----	75.50 - 17.20	----	----	----	----	----	0 - 175
4725	117.80	117.80	152.20B/55.70A	152.20B/55.70A	----	80.50 - 16.90	----	----	----	3	----	0 - 16
4730	----	----	157.10B/60.60A	157.10B/60.60A	----	85.50 - 16.70	----	----	----	----	----	0 - 11
4735	83.80	83.80	162.10B/65.50A	162.10B/65.50A	----	90.50 - 16.50	----	----	----	1	----	0 - 12
4740	----	----	167.10B/70.50A	167.10B/70.50A	----	95.50 - 16.30	----	----	----	2	----	0 - 17
4750	108.10	108.10	177.10B/80.40A	177.10B/80.40A	----	105.50 - 16.00	----	----	----	5	----	0 - 17
4755	84.60	84.60	182.00B/84.60	182.00B/84.60	----	110.50 - 15.90	----	----	----	1	----	0 - 4
4760	----	----	187.00B/90.30A	187.00B/90.30A	----	115.50 - 15.80	----	----	----	----	----	0 - 7
4765	151.60	151.60	192.00B/95.40A	192.00B/95.40A	----	120.50 NEW	----	----	----	8	----	0 UNCH
4775	----	----	202.00B/105.30A	202.00B/105.30A	----	130.50 - 15.50	----	----	----	----	----	0 - 2
4785	----	----	212.00B/114.80A	212.00B/114.80A	----	140.50 - 15.40	----	----	----	----	----	0 - 4
4790	----	----	217.00B/120.20A	217.00B/120.20A	----	145.50 - 15.30	----	----	----	----	----	0 - 7
4800	----	----	227.00B/130.40A	227.00B/130.40A	----	155.50 - 15.20	----	----	----	3	----	0 - 46
4805	158.10	158.10	232.00B/135.10A	232.00B/135.10A	----	160.50 - 15.20	----	----	----	1	----	0 - 2
4810	----	----	237.00B/140.10A	237.00B/140.10A	----	165.50 - 15.10	----	----	----	----	----	0 - 2
4825	----	----	251.90B/155.20A	251.90B/155.20A	----	180.50 - 15.10	----	----	----	----	----	0 - 1
4830	----	----	256.90B/160.20A	256.90B/160.20A	----	185.50 - 15.00	----	----	----	----	----	0 - 1
4835	----	----	261.90B/165.60A	261.90B/165.60A	----	190.50 - 15.00	----	----	----	----	----	0 - 1
4840	----	----	266.90B/170.60A	266.90B/170.60A	----	195.50 - 15.00	----	----	----	----	----	0 - 7
4850	----	----	276.90B/180.20A	276.90B/180.20A	----	205.50 - 15.00	----	----	----	----	----	0 - 2
4880	243.30	243.30	306.90B/209.50A	306.90B/209.50A	----	235.50 - 15.00	----	----	----	1	----	0 - 3
4890	----	----	316.90B/220.60A	316.90B/220.60A	----	245.50 - 15.00	----	----	----	----	----	0 - 1
4895	----	----	321.90B/225.60A	321.90B/225.60A	----	250.50 - 15.00	----	----	----	----	----	0 - 1
4900	----	----	326.90B/230.60A	326.90B/230.60A	----	255.50 - 15.00	----	----	----	----	----	0 - 4
4905	----	----	331.90B/235.60A	331.90B/235.60A	----	260.50 - 15.00	----	----	----	2	----	0 - 2
4910	----	----	336.90B/239.70A	336.90B/239.70A	----	265.50 - 15.00	----	----	----	----	----	0 - 1
4935	----	----	361.90B/264.70A	361.90B/264.70A	----	290.50 - 15.00	----	----	----	----	----	0 - 1
4950	----	----	376.90B/279.70A	376.90B/279.70A	----	305.50 - 15.00	----	----	----	----	----	0 - 1
5000	----	----	426.90B/330.40A	426.90B/330.40A	----	355.50 - 15.00	----	----	----	----	----	0 - 3
5050	----	----	476.90B/380.60A	476.90B/380.60A	----	405.50 - 15.00	----	----	----	----	----	0 - 1
5200	----	----	626.80B/530.50A	626.80B/530.50A	----	555.50 - 15.00	----	----	----	1	----	0 UNCH
5700	----	----	1,126.80B/1,030	1126.80B/1030.30A	----	1055.50 NEW	----	----	----	50	----	0 UNCH
5750	----	----	1,176.80B/1,080	1176.80B/1080.30A	----	1105.50 NEW	----	----	----	50	----	0 UNCH
6250	----	----	1,676.80B/1,580	1676.80B/1580.30A	----	1605.50 NEW	----	----	----	50	----	0 UNCH
6500	----	----	1,926.80B/1,830	1926.80B/1830.30A	----	1855.50 NEW	----	----	----	50	----	0 UNCH
TOTAL										2056		0 - 5269

OG1 CALL GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3250	----	----	#1,419.60B/*1,3	#1419.60B/1323.20A	----	1394.50 NEW	----	----	----	50	----	0 UNCH
3500	----	----	1,170.00B/1,073	1170.00B/1073.20A	----	1144.50 NEW	----	----	----	50	----	0 UNCH
3700	----	----	#969.50B/*873.2	#969.50B/873.20A	----	944.50 NEW	----	----	----	50	----	0 UNCH
3750	----	----	919.50B/823.30A	919.50B/823.30A	----	894.50 NEW	----	----	----	50	----	0 UNCH
4420	182.70	182.70	249.70B/153.80A	249.70B/153.80A	----	224.50 + 14.10	----	----	----	2	----	0 - 3
4450	202.30	202.30	219.80B/124.20A	219.80B/124.20A	----	194.50 NEW	----	----	----	1	----	0 UNCH
4500	----	----	169.90B/76.00A	169.90B/76.00A	----	144.50 + 12.90	----	----	----	----	----	0 - 2
4520	----	----	150.30B/57.70A	150.30B/57.70A	----	124.50 + 12.20	----	----	----	----	----	0 - 1
4525	104.70	104.70	145.30B/53.30A	145.30B/53.30A	----	119.50 NEW	----	----	----	2	----	0 UNCH
4535	----	----	135.30B/44.90A	135.30B/44.90A	----	109.50 + 11.50	----	----	----	----	----	0 - 2
4540	----	----	130.50B/40.80A	130.50B/40.80A	----	104.50 + 11.20	----	----	----	----	----	0 - 2
4545	105.00	105.00	125.50B/36.90A	125.50B/36.90A	----	99.50 + 10.80	----	----	----	1	----	0 - 7
4550	----	----	120.50B/33.20A	120.50B/33.20A	----	94.50 + 10.40	----	----	----	----	----	0 - 59
4555	98.90	98.90	115.40B/29.60A	115.40B/29.60A	----	89.50 + 9.90	----	----	----	2	----	0 - 3
4560	----	----	110.40B/*26.10A	110.40B/*26.10A	----	84.50 + 9.40	----	----	----	----	----	0 - 12
4565	----	----	105.40B/*23.10A	105.40B/*23.10A	----	79.50 + 8.90	----	----	----	----	----	0 - 2
4570	----	----	100.50B/*20.10A	100.50B/*20.10A	----	74.50 + 8.20	----	----	----	3	----	0 - 2
4575	19.10	19.10	95.60B/*16.90A	95.60B/*16.90A	----	69.50 + 7.50	----	----	----	3	----	0 - 5
4580	25.50	25.50	90.60B/*13.50	90.60B/*13.50	----	64.50 + 6.60	----	----	----	48	----	0 - 52
4585	22.80	22.80	85.50B/*12.00	85.50B/*12.00	----	59.50 + 5.70	----	----	----	39	----	0 - 3
4590	14.00	14.00	80.70B/*10.10A	80.70B/*10.10A	----	54.50 + 4.60	----	----	----	81	----	0 - 6
4595	46.40	46.40	75.50B/*8.50A	75.50B/*8.50A	----	49.50 + 3.50	----	----	----	19	----	0 - 8
4600	41.30	41.30	70.90B/*6.80	70.90B/*6.80	----	44.50 + 2.20	----	----	----	162	----	0 - 114
4605	6.00	6.00	65.60B/*5.20	65.60B/*5.20	----	39.50 + 0.70	----	----	----	62	----	0 - 5
4610	8.00	8.00	60.80B/*4.80A	60.80B/*4.80A	----	34.50 - 0.90	----	----	----	36	----	0 - 13
4615	3.90	3.90	55.90B/*3.80A	55.90B/*3.80A	----	29.50 - 2.70	----	----	----	35	----	0 - 36
4620	20.50	20.50	51.20B/*2.90	51.20B/*2.90	----	24.50 - 4.60	----	----	----	58	----	0 - 26
4625	18.30	18.30	46.40B/*2.50	46.40B/*2.50	----	19.50 - 6.70	----	----	----	96	----	0 - 100
4630	21.90	21.90	41.70B/*2.10	41.70B/*2.10	----	14.50 - 9.00	----	----	----	83	----	0 - 54
4635	19.20	19.20	37.20B/*1.80A	37.20B/*1.80A	----	9.50 - 11.50	----	----	----	29	----	0 - 46
4640	15.10	15.10	32.80B/*1.60A	32.80B/*1.60A	----	4.50 - 14.20	----	----	----	99	----	0 - 29

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG1 CALL — GOLD OPTIONS
MAY26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4645	21.40	21.40	28.50B/*1.50A	28.50B/*1.50A	----	0.00 - 16.60	----	----	----	38	----	0 - 12
4650	10.80	10.80	25.00/*0.30	25.00/*0.30	----	0.00 - 14.60	----	----	----	342	----	0 - 189
4655	11.70	11.70	20.60B/*0.10	20.60B/*0.10	----	0.00 - 12.80	----	----	----	26	----	0 - 10
4660	8.70	8.70	17.20B/*0.10	17.20B/*0.10	----	0.00 - 11.30	----	----	----	75	----	0 - 67
4665	7.70	7.70	14.70B/*0.10A	14.70B/*0.10A	----	0.00 - 9.80	----	----	----	33	----	0 - 26
4670	9.00	9.00	12.00B/*0.10A	12.00B/*0.10A	----	0.00 - 8.60	----	----	----	24	----	0 - 7
4675	8.70	8.70	9.70B/*0.20A	9.70B/*0.20A	----	0.00 - 7.50	----	----	----	105	----	0 - 43
4680	4.50	4.50	7.70B/*0.10	7.70B/*0.10	----	0.00 - 6.50	----	----	----	60	----	0 - 218
4685	1.00	1.00	6.40/*0.20	6.40/*0.20	----	0.00 - 5.70	----	----	----	21	----	0 - 11
4690	4.40	4.40	4.40/*0.10	5.00B/*0.10	----	0.00 - 5.00	----	----	----	22	----	0 - 83
4695	2.90	2.90	5.00B/*0.10	5.00B/*0.10	----	0.00 - 4.40	----	----	----	10	----	0 - 21
4700	4.50	4.50	4.50/*0.10	4.50/*0.10	----	0.00 - 3.80	----	----	----	108	----	0 - 277
4705	0.50	0.50	0.50/*0.10	3.00B/*0.10	----	0.00 - 3.40	----	----	----	8	----	0 - 12
4710	0.60	0.60	0.60/*0.10A	2.40B/*0.10A	----	0.00 - 2.90	----	----	----	13	----	0 - 23
4715	0.20	0.20	0.20/*0.10A	2.00B/*0.10A	----	0.00 - 2.60	----	----	----	1	----	0 - 4
4720	0.50	0.50	0.80/*0.20A	1.70B/*0.20A	----	0.00 - 2.30	----	----	----	23	----	0 - 220
4725	2.00	2.00	2.00/*0.10	2.00/*0.10	----	0.00 - 2.00	----	----	----	37	----	0 - 74
4730	0.70	0.70	0.70/*0.20A	1.10B/*0.20A	----	0.00 - 1.80	----	----	----	3	----	0 - 65
4735	0.70	0.70	0.70/*0.20A	0.90B/*0.20A	----	0.00 - 1.60	----	----	----	29	----	0 - 20
4740	0.50	0.50	0.50/*0.10	0.80B/*0.10	----	0.00 - 1.40	----	----	----	8	----	0 - 27
4745	----	----	----/*0.10A	0.60B/*0.10A	----	0.00 - 1.30	----	----	----	----	----	0 - 6
4750	0.80	0.80	0.80/*0.10A	0.80/*0.10A	----	0.00 - 1.10	----	----	----	29	----	0 - 100
4755	0.20	0.20	0.30/*0.10A	0.40B/*0.10A	----	0.00 - 1.00	----	----	----	2	----	0 - 21
4760	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.90	----	----	----	----	----	0 - 28
4765	----	----	----/*0.10A	0.30B/*0.10A	----	0.00 - 0.80	----	----	----	----	----	0 - 12
4770	0.10	0.10	0.10/*0.10	0.20B/*0.10	----	0.00 - 0.70	----	----	----	2	----	0 - 16
4775	----	----	----/*0.10A	0.20B/*0.10A	----	0.00 - 0.60	----	----	----	----	----	0 - 25
4780	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.00 - 0.50	----	----	----	4	----	0 - 19
4785	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.50	----	----	----	----	----	0 - 45
4790	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 10
4795	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.40	----	----	----	----	----	0 - 1
4800	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.30	----	----	----	2	----	0 - 118
4805	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 1
4810	----	----	----/*0.20A	----/*0.20A	----	0.00 - 0.30	----	----	----	----	----	0 - 32
4815	----	----	----	----/*0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 3
4820	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 9
4825	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 19
4830	----	----	----	----/0.20A	----	0.00 - 0.20	----	----	----	----	----	0 - 20
4835	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 34
4840	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 35
4845	----	----	----	----/0.30A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
4850	----	----	0.20B/----	0.20B/*0.10A	----	0.00 - 0.10	----	----	----	8	----	0 - 164
4855	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4860	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4865	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4870	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4875	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4880	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4885	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 6
4890	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
4895	0.30	0.30	0.30/*0.10A	0.30/*0.10A	----	0.00 - 0.10	----	----	----	1	----	0 - 3
4900	0.20	0.20	0.20/0.10	0.20/0.10	----	0.00 - 0.10	----	----	----	6	----	0 - 95
4905	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 27
4910	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 19
4915	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 51
4920	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4925	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 23
4930	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 10
4935	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 56
4940	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4945	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 4
4950	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 119
4955	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 8
4960	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
4965	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4970	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
4975	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
4980	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
4985	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4990	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 5
4995	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 2
5000	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 127
5010	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 13
5020	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 31
5025	----	----	----	----/0.20A	----	0.00 - 0.10	----	----	----	----	----	0 - 33
5030	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5050	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
5075	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 39
5100	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 375
5125	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 17
5150	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
5175	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 21
5200	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 28
5225	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 26
5250	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 41
5275	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 30
5325	----	----	----	----/*0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 1
5400	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 15
5600	----	----	----	----/0.10A	----	0.00 - 0.10	----	----	----	----	----	0 - 7
5700	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	50	----	0 UNCH
5750	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	50	----	0 UNCH
6250	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	50	----	0 UNCH
6500	----	----	----	----/0.10A	----	0.00 NEW	----	----	----	50	----	0 UNCH
TOTAL										2301		0 - 4138

OG PUT — COMEX GOLD OPTIONS
JUN26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
1325	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1375	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1425	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1475	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1525	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	8 UNCH
1575	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1580	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1590	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	175 UNCH
1600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	18 UNCH
1610	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1615	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1620	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	31 UNCH
1625	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1650	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1670	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1675	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1685	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
1690	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1695	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1725	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1735	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1740	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1745	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1750	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1755	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1775	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1780	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1785	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1795	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
1800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
1815	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1820	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
1855	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1875	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
1905	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
1915	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1920	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1950	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
1955	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
1965	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	10 UNCH
1975	----	----	----	----/*0.10A	----	0.10 UNCH	----	----	----	----	----	85 UNCH
2000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	607 UNCH
2005	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2010	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2015	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	7 UNCH
2020	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
2025	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	40 UNCH
2030	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	13 UNCH
2050	----	----	----	----/0.20A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
2085	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
2100	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	91 UNCH
2105	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2110	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2130	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2170	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2180	----	----	----	----/0.20A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2195	----	----	----	----/*0.20A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2200	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
2205	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	7 UNCH
2220	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2230	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	25 UNCH
2235	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	21 UNCH
2240	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	6 UNCH
2250	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	5 UNCH
2300	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	13 UNCH
2315	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	40 UNCH
2330	----	----	----	----/0.30A	----	0.10 UNCH	.0000	----	----	----	----	9 UNCH
2350	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
2380	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	14 UNCH
2385	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2390	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2395	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2400	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	72 UNCH
2405	----	----	----	0.10B/0.30A	----	0.10 UNCH	.0001	----	----	----	----	1 UNCH
2410	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	6 UNCH
2415	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
2420	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	5 UNCH
2425	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	23 UNCH
2430	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
2445	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	5 UNCH
2450	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	51 UNCH
2460	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
2465	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	7 UNCH
2475	----	----	----	0.10B/0.30A	----	0.10 - 0.10	.0002	----	----	----	----	3 UNCH
2495	----	----	----	0.10B/*0.30A	----	0.10 - 0.10	.0003	----	----	----	----	1 UNCH
2500	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 - 0.10	.0003	----	----	1	----	1928 + 1
2510	----	----	----	0.10B/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	2 UNCH
2525	----	----	----	0.20B/*0.30A	----	0.20 UNCH	.0006	----	----	----	----	25 UNCH
2535	----	----	----	0.20B/*0.30A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2540	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2550	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	50 UNCH
2565	----	----	----	0.20B/0.30A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2580	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	5 UNCH
2590	----	----	----	0.20B/0.40A	----	0.20 - 0.10	.0006	----	----	----	----	13 UNCH
2600	0.20	0.20	0.20/0.20	0.20/0.20	----	0.20 - 0.10	.0006	----	----	1	----	189 + 1
2645	----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0006	----	----	----	----	10 UNCH
2650	----	----	----	0.30B/0.40A	----	0.20 - 0.20	.0006	----	----	----	----	1 UNCH
2685	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	26 UNCH
2695	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	2 UNCH
2700	----	----	----	0.30B/0.40A	----	0.30 - 0.10	.0009	----	----	----	----	427 UNCH
2730	----	----	----/*0.40A	0.40B/0.40A	----	0.30 - 0.20	.0010	----	----	----	----	35 UNCH
2750	----	----	----	0.40B/0.50A	----	0.30 - 0.20	.0010	----	----	----	----	1 UNCH
2800	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0013	----	----	----	----	718 UNCH
2805	----	----	----/0.50A	0.40B/0.50A	----	0.40 - 0.20	.0013	----	----	----	----	223 UNCH
2810	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0013	----	----	----	----	18 UNCH
2825	----	----	----/0.50A	0.50B/0.50A	----	0.40 - 0.20	.0013	----	----	----	----	56 UNCH
2830	----	----	----/*0.50A	0.50B/0.50A	----	0.40 - 0.20	.0013	----	----	----	----	25 UNCH
2850	----	----	----/*0.50A	0.50B/0.50A	----	0.40 - 0.20	.0013	----	----	----	----	22 UNCH
2865	----	----	----/0.60A	0.50B/0.60A	----	0.40 - 0.30	.0014	----	----	----	----	2 UNCH
2875	----	----	----/0.60A	0.50B/0.60A	----	0.40 - 0.30	.0014	----	----	----	----	7 UNCH
2900	----	----	----/0.60A	0.60B/0.60A	----	0.50 - 0.20	.0017	----	----	----	----	157 UNCH
2905	----	----	----/*0.60A	0.60B/0.60A	----	0.50 - 0.20	.0017	----	----	----	----	5 UNCH
2915	----	----	----/*0.60A	0.60B/0.60A	----	0.50 - 0.20	.0017	----	----	----	----	1 UNCH
2930	----	----	----/0.70A	0.60B/0.70A	----	0.50 - 0.30	.0017	----	----	----	----	1 UNCH
2935	----	----	----/0.70A	0.60B/0.70A	----	0.50 - 0.30	.0017	----	----	----	----	3 UNCH
2950	----	----	----/0.70A	0.70B/0.70A	----	0.50 - 0.30	.0018	----	----	----	----	24 UNCH
2955	----	----	----/0.70A	0.70B/0.70A	----	0.50 - 0.30	.0018	----	----	----	----	8 UNCH
2970	----	----	----/*0.70A	0.70B/0.70A	----	0.50 - 0.30	.0018	----	----	----	----	2 UNCH
2975	----	----	----/*0.70A	0.70B/0.70A	----	0.60 - 0.20	.0021	----	----	----	----	9 UNCH
2990	----	----	----/0.80A	0.70B/0.80A	----	0.60 - 0.30	.0021	----	----	----	----	5 UNCH
2995	----	----	----/0.80A	0.70B/0.80A	----	0.60 - 0.30	.0021	----	----	----	----	6 UNCH
3000	0.70	0.70	0.70/0.60	0.70/0.60	----	0.60 - 0.30	.0021	----	----	27	----	1722 + 22
3005	----	----	----/0.80A	0.70B/0.80A	----	0.60 - 0.30	.0021	----	----	----	----	30 UNCH
3010	----	----	----/0.80A	0.80B/0.80A	----	0.60 - 0.30	.0022	----	----	----	----	8 UNCH
3015	----	----	----/0.80A	0.80B/0.80A	----	0.60 - 0.30	.0022	----	----	----	----	216 UNCH
3020	----	----	----/*0.80A	0.80B/0.80A	----	0.60 - 0.30	.0022	----	----	----	----	35 UNCH
3035	----	----	----/0.90A	0.80B/0.90A	----	0.60 - 0.40	.0022	----	----	----	----	1 UNCH
3045	----	----	----/0.90A	0.80B/0.90A	----	0.60 - 0.40	.0022	----	----	----	----	56 UNCH
3050	----	----	----/0.90A	0.80B/0.90A	----	0.70 - 0.30	.0025	----	----	----	----	389 UNCH
3065	----	----	----/0.90A	0.90B/0.90A	----	0.70 - 0.30	.0026	----	----	----	----	7 UNCH
3070	0.80	0.80	0.80/*0.80	0.90B/*0.80	----	0.70 - 0.30	.0026	----	----	1	----	7 + 1
3075	----	----	----/0.90A	0.90B/0.90A	----	0.70 - 0.30	.0026	----	----	----	----	10 UNCH
3080	----	----	----	0.90B/1.00A	----	0.70 - 0.30	.0026	----	----	----	----	8 UNCH
3085	----	----	----/1.00A	0.90B/1.00A	----	0.70 - 0.40	.0026	----	----	----	----	1 UNCH
3095	----	----	----/1.00A	0.90B/1.00A	----	0.70 - 0.40	.0026	----	----	----	----	42 UNCH
3100	----	----	----/1.00A	0.90B/1.00A	----	0.70 - 0.40	.0026	----	----	----	----	381 UNCH
3105	----	----	----/1.00A	1.00B/1.00A	----	0.80 - 0.30	.0030	----	----	----	----	13 UNCH
3110	----	----	----/1.00A	1.00B/1.00A	----	0.80 - 0.30	.0030	----	----	----	----	11 UNCH
3120	----	----	----	1.00B/1.10A	----	0.80 - 0.30	.0030	----	----	----	----	13 UNCH
3125	----	----	----/1.00A	1.00B/1.00A	----	0.80 - 0.40	.0030	----	----	----	----	13 UNCH
3130	----	----	----/*1.00A	1.00B/1.00A	----	0.80 - 0.40	.0030	----	----	----	----	26 UNCH
3140	----	----	----/1.10A	1.00B/1.10A	----	0.80 - 0.40	.0030	----	----	----	----	5 UNCH
3150	----	----	----	1.10B/1.20A	----	0.80 - 0.40	.0031	----	----	----	----	147 UNCH
3155	----	----	----	1.10B/1.20A	----	0.90 - 0.30	.0034	----	----	----	----	16 UNCH
3160	----	----	----	1.10B/1.20A	----	0.90 - 0.30	.0034	----	----	----	----	16 UNCH
3170	----	----	----/1.20A	1.10B/1.20A	----	0.90 - 0.40	.0034	----	----	----	----	6 UNCH
3175	----	----	----/1.20A	1.10B/1.20A	----	0.90 - 0.40	.0034	----	----	----	----	13 UNCH
3180	----	----	----	1.20B/1.30A	----	0.90 - 0.40	.0035	----	----	----	----	5 UNCH
3185	----	----	----	1.20B/1.30A	----	0.90 - 0.40	.0035	----	----	----	----	6 UNCH
3190	----	----	----	1.20B/1.30A	----	0.90 - 0.40	.0035	----	----	----	----	18 UNCH
3195	----	----	----	1.20B/1.30A	----	1.00 - 0.30	.0038	----	----	----	----	12 UNCH
3200	----	----	----	1.20B/1.30A	----	1.00 - 0.30	.0038	----	----	1	----	1172 UNCH
3205	----	----	----/1.30A	1.20B/1.30A	----	1.00 - 0.40	.0039	----	----	----	----	42 UNCH
3210	----	----	----/1.30A	1.20B/1.30A	----	1.00 - 0.40	.0039	----	----	----	----	25 UNCH
3215	----	----	----/1.30A	1.20B/1.30A	----	1.00 - 0.40	.0039	----	----	----	----	22 UNCH
3220	----	----	----/1.30A	1.30B/1.30A	----	1.00 - 0.40	.0039	----	----	----	----	37 UNCH
3225	----	----	----	1.30B/1.40A	----	1.00 - 0.40	.0039	----	----	----	----	75 UNCH
3230	----	----	----/1.30A	1.30B/1.30A	----	1.00 - 0.40	.0039	----	----	----	----	7 UNCH
3235	----	----	----	1.30B/1.40A	----	1.10 - 0.30	.0043	----	----	----	----	25 UNCH
3250	----	----	----/1.40A	1.40B/1.40A	----	1.10 - 0.40	.0043	----	----	----	----	148 UNCH
3255	----	----	----/1.40A	1.40B/1.40A	----	1.10 - 0.40	.0043	----	----	----	----	124 UNCH
3260	----	----	----/1.40A	1.40B/1.40A	----	1.10 - 0.40	.0044	----	----	----	----	45 UNCH
3265	----	----	----/1.40A	1.40B/1.40A	----	1.10 - 0.40	.0044	----	----	----	----	30 UNCH
3270	----	----	----/1.40A	1.40B/1.40A	----	1.20 - 0.40	.0047	----	----	----	----	7 UNCH
3275	----	----	----/1.40A	1.40B/1.40A	----	1.20 - 0.40	.0047	----	----	----	----	10 UNCH
3280	----	----	----/1.30A	1.40B/1.30A	----	1.20 - 0.40	.0048	----	----	----	----	13 UNCH
3290	----	----	----/1.40A	1.50B/1.40A	----	1.20 - 0.40	.0048	----	----	----	----	37 UNCH
3295	----	----	----/1.50A	1.50B/1.50A	----	1.20 - 0.40	.0048	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
3300	1.50	1.50	1.50/1.50	1.50/1.50	----	1.30 - 0.30	.0052	----	----	5	----	410 - 4
3305	----	----	----/1.50A	1.50B/1.50A	----	1.30 - 0.40	.0052	----	----	----	----	1 UNCH
3310	----	----	----/1.40A	1.50B/1.40A	----	1.30 - 0.40	.0052	----	----	----	----	7 UNCH
3315	----	----	----/1.50A	1.60B/1.50A	----	1.30 - 0.40	.0052	----	----	----	----	7 UNCH
3320	----	----	----/1.50A	1.60B/1.50A	----	1.30 - 0.40	.0053	----	----	----	----	4 UNCH
3325	----	----	----/1.50A	1.60B/1.50A	----	1.30 - 0.40	.0053	----	----	----	----	47 UNCH
3335	----	----	----/1.60A	1.60B/1.60A	----	1.40 - 0.40	.0057	----	----	----	----	46 UNCH
3340	----	----	----/1.60A	1.60B/1.60A	----	1.40 - 0.40	.0057	----	----	----	----	22 UNCH
3345	----	----	----/1.60A	1.70B/1.60A	----	1.40 - 0.40	.0057	----	----	----	----	12 UNCH
3350	----	----	----/1.60A	1.70B/1.60A	----	1.40 - 0.40	.0057	----	----	----	----	432 UNCH
3355	----	----	----/1.60A	1.70B/1.60A	----	1.40 - 0.40	.0057	----	----	----	----	17 UNCH
3360	----	----	----/1.70A	1.70B/1.70A	----	1.50 - 0.30	.0061	----	----	----	----	7 UNCH
3365	----	----	----/1.70A	1.70B/1.70A	----	1.50 - 0.40	.0061	----	----	----	----	31 UNCH
3370	----	----	----/1.60A	1.80B/1.60A	----	1.50 - 0.40	.0062	----	----	----	----	26 UNCH
3375	----	----	----/1.70A	1.80B/1.70A	----	1.50 - 0.40	.0062	----	----	----	----	98 UNCH
3380	----	----	----/1.70A	1.80B/1.70A	----	1.50 - 0.40	.0062	----	----	----	----	46 UNCH
3385	----	----	----/1.70A	1.80B/1.70A	----	1.50 - 0.40	.0062	----	----	----	----	6 UNCH
3390	----	----	----/1.70A	1.80B/1.70A	----	1.60 - 0.30	.0066	----	----	----	----	59 UNCH
3395	----	----	----/1.80A	1.80B/1.80A	----	1.60 - 0.40	.0066	----	----	----	----	2 UNCH
3400	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.40	.0067	----	----	----	----	721 UNCH
3405	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.40	.0067	----	----	----	----	66 UNCH
3410	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.40	.0067	----	----	----	----	7 UNCH
3415	----	----	----/1.80A	1.90B/1.80A	----	1.60 - 0.40	.0067	----	----	----	----	3 UNCH
3420	----	----	----/1.80A	1.90B/1.80A	----	1.70 - 0.30	.0071	----	----	----	----	18 UNCH
3425	----	----	----/1.80A	2.00B/1.80A	----	1.70 - 0.30	.0071	----	----	----	----	25 UNCH
3430	----	----	----/1.80A	2.00B/1.80A	----	1.70 - 0.40	.0072	----	----	----	----	10 UNCH
3435	----	----	----/1.90A	2.00B/1.90A	----	1.70 - 0.40	.0072	----	----	----	----	20 UNCH
3450	----	----	----/1.90A	2.10B/1.90A	----	1.80 - 0.30	.0076	----	----	----	----	386 UNCH
3455	----	----	----/1.90A	2.10B/1.90A	----	1.80 - 0.30	.0077	----	----	----	----	51 UNCH
3460	----	----	----/2.00A	2.10B/2.00A	----	1.80 - 0.40	.0077	----	----	----	----	227 UNCH
3465	----	----	----/2.00A	2.10B/2.00A	----	1.80 - 0.40	.0077	----	----	----	----	89 UNCH
3470	----	----	----/1.90A	2.10B/1.90A	----	1.90 - 0.30	.0081	----	----	----	----	28 UNCH
3475	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.30	.0082	----	----	----	----	241 UNCH
3480	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.30	.0082	----	----	----	----	171 UNCH
3485	----	----	----/2.00A	2.20B/2.00A	----	1.90 - 0.40	.0082	----	----	----	----	3 UNCH
3490	----	----	----/2.10A	2.20B/2.10A	----	1.90 - 0.40	.0083	----	----	----	----	21 UNCH
3500	2.60	2.60	2.60/2.00	2.60/2.00	----	2.00 - 0.30	.0087	----	----	35	----	1825 + 6
3505	----	----	----/2.10A	2.30B/2.10A	----	2.00 - 0.30	.0087	----	----	----	----	65 UNCH
3510	----	----	----/2.20A	2.30B/2.20A	----	2.00 - 0.40	.0088	----	----	----	----	86 UNCH
3515	----	----	----/2.10A	2.40B/2.10A	----	2.00 - 0.40	.0088	----	----	----	----	16 UNCH
3520	----	----	----/2.20A	2.40B/2.20A	----	2.10 - 0.30	.0092	----	----	----	----	138 UNCH
3525	----	----	----/2.20A	2.40B/2.20A	----	2.10 - 0.30	.0092	----	----	----	----	301 UNCH
3530	----	----	----/*2.00A	2.40B/*2.00A	----	2.10 - 0.30	.0093	----	----	----	----	7 UNCH
3535	----	----	----/2.20A	2.50B/2.20A	----	2.10 - 0.40	.0093	----	----	----	----	100 UNCH
3540	----	----	----/2.20A	2.50B/2.20A	----	2.10 - 0.40	.0094	----	----	----	----	5 UNCH
3545	----	----	----/2.30A	2.50B/2.30A	----	2.20 - 0.30	.0098	----	----	----	----	20 UNCH
3550	----	----	----/2.20A	2.50B/2.20A	----	2.20 - 0.30	.0098	----	----	----	----	416 UNCH
3555	----	----	----/2.30A	2.60B/2.30A	----	2.20 - 0.40	.0098	----	----	----	----	2 UNCH
3560	----	----	----/2.30A	2.60B/2.30A	----	2.20 - 0.40	.0099	----	----	----	----	89 UNCH
3565	----	----	----/2.30A	2.60B/2.30A	----	2.20 - 0.40	.0099	----	----	----	----	41 UNCH
3570	----	----	----/2.30A	2.60B/2.30A	----	2.30 - 0.30	.0103	----	----	----	----	60 UNCH
3575	----	----	----/2.40A	2.60B/2.40A	----	2.30 - 0.40	.0104	----	----	----	----	41 UNCH
3580	----	----	----/2.40A	2.70B/2.40A	----	2.30 - 0.40	.0104	----	----	----	----	76 UNCH
3585	----	----	----/2.40A	2.70B/2.40A	----	2.30 - 0.40	.0105	----	----	----	----	2 UNCH
3590	----	----	----/2.40A	2.70B/2.40A	----	2.30 - 0.40	.0105	----	----	----	----	3 UNCH
3595	----	----	----/2.40A	2.70B/2.40A	----	2.40 - 0.40	.0109	----	----	----	----	23 UNCH
3600	3.20	3.20	3.20/2.40A	3.20/2.40A	----	2.40 - 0.40	.0110	----	----	8	----	1768 - 2
3610	----	----	----/2.50A	2.80B/2.50A	----	2.40 - 0.40	.0111	----	----	----	----	4 UNCH
3615	----	----	----/2.50A	2.90B/2.50A	----	2.40 - 0.50	.0111	----	----	----	----	37 UNCH
3620	----	----	----/*2.50A	2.90B/*2.50A	----	2.50 - 0.40	.0116	----	----	----	----	11 UNCH
3625	----	----	----/2.60A	2.90B/2.60A	----	2.50 - 0.40	.0116	----	----	----	----	67 UNCH
3630	----	----	3.00B/2.60A	3.00B/2.60A	----	2.50 - 0.40	.0117	----	----	----	----	87 UNCH
3635	----	----	----/2.60A	3.00B/2.60A	----	2.50 - 0.50	.0117	----	----	----	----	108 UNCH
3640	----	----	----/*2.60A	3.00B/*2.60A	----	2.50 - 0.50	.0118	----	----	----	----	24 UNCH
3645	----	----	----/2.60A	3.00B/2.60A	----	2.60 - 0.40	.0122	----	----	----	----	13 UNCH
3650	----	----	----/2.70A	3.10B/2.70A	----	2.60 - 0.50	.0123	----	----	----	----	735 UNCH
3655	----	----	----/*2.60A	3.10B/*2.60A	----	2.60 - 0.50	.0123	----	----	----	----	9 UNCH
3660	----	----	----/*2.70A	3.10B/*2.70A	----	2.60 - 0.50	.0124	----	----	----	----	1 UNCH
3665	----	----	3.20B/*2.70A	3.20B/*2.70A	----	2.70 - 0.40	.0128	----	----	----	----	15 UNCH
3670	----	----	----/*2.70A	3.20B/*2.70A	----	2.70 - 0.50	.0129	----	----	----	----	31 UNCH
3675	----	----	----/*2.80A	3.20B/*2.80A	----	2.70 - 0.50	.0130	----	----	----	----	46 UNCH
3680	----	----	3.30B/2.80A	3.30B/2.80A	----	2.70 - 0.50	.0130	----	----	----	----	18 UNCH
3685	----	----	----/*2.80A	3.30B/*2.80A	----	2.70 - 0.60	.0131	----	----	----	----	48 UNCH
3690	----	----	----/*2.80A	3.30B/*2.80A	----	2.80 - 0.50	.0135	----	----	----	----	11 UNCH
3695	2.60	2.60	3.40B/*2.60	3.40B/*2.60	----	2.80 - 0.50	.0136	----	----	5	----	19 UNCH
3700	3.10	3.10	3.80/*2.90A	3.80/*2.90A	----	2.80 - 0.60	.0137	----	----	31	----	817 + 23
3705	----	----	----/*2.90A	3.40B/*2.90A	----	2.80 - 0.60	.0137	----	----	----	----	126 UNCH
3710	----	----	3.50B/*3.00A	3.50B/*3.00A	----	2.90 - 0.50	.0142	----	----	----	----	79 UNCH
3715	----	----	3.50B/*3.00A	3.50B/*3.00A	----	2.90 - 0.50	.0143	----	----	----	----	46 UNCH
3720	----	----	----/*3.00A	3.50B/*3.00A	----	2.90 - 0.60	.0143	----	----	----	----	4 UNCH
3725	----	----	3.60B/*3.00A	3.60B/*3.00A	----	2.90 - 0.60	.0144	----	----	----	----	91 UNCH
3730	----	----	3.60B/*3.10A	3.60B/*3.10A	----	3.00 - 0.50	.0149	----	----	----	----	18 UNCH
3740	----	----	3.70B/*3.10A	3.70B/*3.10A	----	3.00 - 0.60	.0150	----	----	----	----	66 UNCH
3745	----	----	3.70B/*3.10A	3.70B/*3.10A	----	3.00 - 0.60	.0151	----	----	----	----	20 UNCH
3750	----	----	3.80B/3.20A	3.80B/3.20A	----	3.10 - 0.60	.0156	----	----	1	----	1310 - 1
3755	----	----	3.80B/*3.20A	3.80B/*3.20A	----	3.10 - 0.60	.0156	----	----	----	----	14 UNCH
3760	----	----	3.90B/*3.20A	3.90B/*3.20A	----	3.10 - 0.60	.0157	----	----	----	----	23 UNCH
3765	----	----	3.90B/*3.20A	3.90B/*3.20A	----	3.10 - 0.70	.0158	----	----	----	----	49 UNCH
3770	----	----	4.00B/*3.30A	4.00B/*3.30A	----	3.20 - 0.60	.0163	----	----	----	----	13 UNCH
3775	----	----	4.00B/*3.30A	4.00B/*3.30A	----	3.20 - 0.60	.0164	----	----	----	----	39 UNCH
3780	----	----	4.00B/*3.30A	4.00B/*3.30A	----	3.20 - 0.70	.0164	----	----	----	----	15 UNCH
3785	----	----	4.10B/*3.30A	4.10B/*3.30A	----	3.30 - 0.60	.0169	----	----	----	----	7 UNCH
3790	----	----	4.10B/*3.40A	4.10B/*3.40A	----	3.30 - 0.70	.0170	----	----	----	----	259 UNCH
3795	3.90	3.90	4.20B/*3.40A	4.20B/*3.40A	----	3.30 - 0.70	.0171	----	----	25	----	83 + 24
3800	4.60	4.60	4.60/3.40A	4.60/3.40A	----	3.40 - 0.60	.0176	----	----	3	----	2781 UNCH
3805	----	----	4.30B/*3.50A	4.30B/*3.50A	----	3.40 - 0.70	.0177	----	----	----	----	71 UNCH
3810	----	----	4.40B/*3.50A	4.40B/*3.50A	----	3.40 - 0.70	.0178	----	----	----	----	44 UNCH
3815	----	----	4.40B/*3.50A	4.40B/*3.50A	----	3.40 - 0.70	.0179	----	----	----	----	38 UNCH
3820	----	----	4.50B/*3.60A	4.50B/*3.60A	----	3.50 - 0.70	.0184	----	----	----	----	18 UNCH
3825	----	----	4.50B/*3.60A	4.50B/*3.60A	----	3.50 - 0.70	.0185	----	----	----	----	40 UNCH
3830	3.40	3.40	4.60B/*3.40	4.60B/*3.40	----	3.50 - 0.80	.0186	----	----	1	----	185 + 1
3835	----	----	4.60B/*3.70A	4.60B/*3.70A	----	3.60 - 0.70	.0191	----	----	----	----	55 UNCH
3840	----	----	4.70B/*3.70A	4.70B/*3.70A	----	3.60 - 0.80	.0192	----	----	----	----	4 UNCH
3845	----	----	4.80B/*3.70A	4.80B/*3.70A	----	3.70 - 0.70	.0197	----	----	----	----	1 UNCH
3850	4.50	4.50	4.80B/*3.80A	4.80B/*3.80A	----	3.70 - 0.80	.0198	----	----	22	----	696 - 7
3855	----	----	4.90B/*3.80A	4.90B/*3.80A	----	3.70 - 0.80	.0200	----	----	----	----	73 UNCH
3860	----	----	5.00B/*3.80A	5.00B/*3.80A	----	3.80 - 0.80	.0205	----	----	----	----	29 UNCH
3865	----	----	5.00B/*3.90A	5.00B/*3.90A	----	3.80 - 0.80	.0206	----	----	----	----	19 UNCH
3870	----	----	5.10B/*3.90A	5.10B/*3.90A	----	3.80 - 0.90	.0207	----	----	----	----	16 UNCH
3875	3.90	3.90	5.20B/*3.90	5.20B/*3.90	----	3.90 - 0.80	.0212	----	----	1	----	163 - 1
3880	----	----	5.20B/*4.00A	5.20B/*4.00A	----	3.90 - 0.90	.0214	----	----	----	----	16 UNCH
3885	----	----	5.30B/*4.00A	5.30B/*4.00A	----	4.00 - 0.80	.0219	----	----	----	----	13 UNCH
3890	----	----	5.40B/*4.10A	5.40B/*4.10A	----	4.00 - 0.90	.0220	----	----	----	----	49 UNCH
3895	----	----	5.50B/*4.10A	5.50B/*4.10A	----	4.10 - 0.80	.0226	----	----	----	----	16 UNCH
3900	5.90	5.90	5.90/*4.20A	5.90/*4.20A	----	4.10 - 0.90	.0227	----	----	29	----	1135 UNCH
3905	----	----	5.60B/*4.20A	5.60B/*4.20A	----	4.10 - 1.00	.0228	----	----	----	----	45 UNCH
3910	----	----	5.70B/*4.30A	5.70B/*4.30A	----	4.20 - 0.90	.0234	----	----	----	----	10 UNCH
3915	----	----	5.80B/*4.30A	5.80B/*4.30A	----	4.20 - 1.00	.0235	----	----	----	----	24 UNCH
3920	----	----	5.90B/*4.30A	5.90B/*4.30A	----	4.30 - 0.90	.0241	----	----	----	----	33 UNCH
3925	----	----	6.00B/*4.40A	6.00B/*4.40A	----	4.30 - 1.00	.0243	----	----	----	----	58 UNCH
3930	----	----	6.10B/*4.40A	6.10B/*4.40A	----	4.40 - 1.00	.0248	----	----	2	----	21 - 2
3935	----	----	6.10B/*4.50A	6.10B/*4.50A	----	4.40 - 1.10	.0250	----	----	----	----	28 UNCH
3940	----	----	6.20B/*4.50A	6.20B/*4.50A	----	4.50 - 1.00	.0256	----	----	----	----	101 UNCH
3945	----	----	6.30B/*4.60A	6.30B/*4.60A	----	4.60 - 1.00	.0261	----	----	----	----	18 UNCH
3950	----	----	6.50B/*4.70A	6.50B/*4.70A	----	4.60 - 1.10	.0263	----	----	4	----	318 UNCH
3955	----	----	6.60B/*4.70A	6.60B/*4.70A	----	4.70 - 1.10	.0269	----	----	----	----	13 UNCH
3960	----	----	6.60B/*4.80A	6.60B/*4.80A	----	4.70 - 1.10	.0270	----	----	1	----	39 - 1
3965	----	----	6.70B/*4.80A	6.70B/*4.80A	----	4.80 - 1.10	.0276	----	----	----	----	23 UNCH
3970	----	----	6.80B/*4.90A	6.80B/*4.90A	----	4.90 - 1.10	.0282	----	----	----	----	70 UNCH
3975	----	----	7.00B/*5.00A	7.00B/*5.00A	----	4.90 - 1.20	.0284	----	----	----	----	358 UNCH
3980	----	----	7.10B/*5.00A	7.10B/*5.00A	----	5.00 - 1.20	.0290	----	----	----	----	104 UNCH
3985	----	----	7.20B/*5.10A	7.20B/*5.10A	----	5.10 - 1.20	.0297	----	----	----	----	57 UNCH
3990	----	----	7.40B/*5.20A	7.40B/*5.20A	----	5.10 - 1.30	.0298	----	----	----	----	56 UNCH
3995	----	----	7.40B/*5.20A	7.40B/*5.20A	----	5.20 - 1.30	.0305	----	----	----	----	175 UNCH
4000	6.10	6.10	7.70/*5.20	7.70/*5.20	----	5.30 - 1.30	.0311	----	----	294	100	4168 - 12
4005	6.10	6.10	7.70B/*5.40A	7.70B/*5.40A	----	5.30 - 1.40	.0313	----	----	10	----	69 + 8
4010	----	----	7.90B/*5.50A	7.90B/*5.50A	----	5.40 - 1.40	.0319	----	----	----	----	63 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4015	----	----	8.00B/*5.50A	8.00B/*5.50A	----	5.50 - 1.40	.0326	----	----	----	----	64 UNCH
4020	----	----	8.10B/*5.60A	8.10B/*5.60A	----	5.60 - 1.40	.0332	----	----	8	----	118 UNCH
4025	----	----	8.30B/*5.70A	8.30B/*5.70A	----	5.70 - 1.40	.0339	----	----	----	----	339 UNCH
4030	----	----	8.40B/*5.80A	8.40B/*5.80A	----	5.80 - 1.40	.0345	----	----	----	----	47 UNCH
4035	----	----	8.60B/*5.90A	8.60B/*5.90A	----	5.90 - 1.40	.0352	----	----	----	----	56 UNCH
4040	----	----	8.80B/*6.00A	8.80B/*6.00A	----	5.90 - 1.60	.0354	----	----	----	----	91 UNCH
4045	----	----	9.00B/*6.10A	9.00B/*6.10A	----	6.00 - 1.60	.0361	----	----	----	----	39 UNCH
4050	6.10	6.10	9.10B/*6.10	9.10B/*6.10	----	6.10 - 1.60	.0368	----	----	9	----	1182 UNCH
4055	7.10	7.10	9.30B/*6.20A	9.30B/*6.20A	----	6.20 - 1.60	.0375	----	----	2	----	35 UNCH
4060	----	----	9.60B/*6.40A	9.60B/*6.40A	----	6.30 - 1.70	.0382	----	----	----	----	90 UNCH
4065	----	----	9.80B/*6.40A	9.80B/*6.40A	----	6.40 - 1.70	.0389	----	----	----	----	139 UNCH
4070	----	----	10.00B/*6.60A	10.00B/*6.60A	----	6.60 - 1.70	.0400	----	----	----	----	70 UNCH
4075	6.80	6.80	10.20B/*6.70A	10.20B/*6.70A	----	6.70 - 1.70	.0407	----	----	12	----	276 + 10
4080	6.80	6.80	10.40B/*6.80	10.40B/*6.80	----	6.80 - 1.80	.0415	----	----	31	----	146 + 12
4085	7.00	7.00	10.60B/*6.90	10.60B/*6.90	----	6.90 - 1.80	.0422	----	----	28	----	270 + 28
4090	----	----	10.80B/*7.00A	10.80B/*7.00A	----	7.00 - 1.90	.0429	----	----	1	----	115 UNCH
4095	----	----	11.00B/*7.10A	11.00B/*7.10A	----	7.20 - 1.80	.0441	----	----	----	----	78 UNCH
4100	11.20	11.20	11.30B/*7.20	11.30B/*7.20	----	7.30 - 1.90	.0448	----	----	154	----	2476 - 38
4105	7.90	7.90	11.50B/*7.40A	11.50B/*7.40A	----	7.40 - 2.00	.0456	----	----	6	----	106 + 3
4110	8.00	8.00	11.80B/*7.50A	11.80B/*7.50A	----	7.60 - 2.00	.0468	----	----	1	----	159 UNCH
4115	8.20	8.20	12.00B/*7.70A	12.00B/*7.70A	----	7.70 - 2.00	.0476	----	----	4	----	472 - 2
4120	8.00	8.00	12.30B/*7.80A	12.30B/*7.80A	----	7.90 - 2.00	.0488	----	----	2	----	86 + 1
4125	10.80	10.80	12.60B/*8.00A	12.60B/*8.00A	----	8.00 - 2.10	.0496	----	----	14	----	393 UNCH
4130	----	----	12.80B/*8.10A	12.80B/*8.10A	----	8.20 - 2.10	.0508	----	----	----	----	47 UNCH
4135	8.10	8.10	13.10B/*8.10	13.10B/*8.10	----	8.30 - 2.20	.0516	----	----	3	----	41 + 3
4140	----	----	13.40B/*8.40A	13.40B/*8.40A	----	8.50 - 2.20	.0529	----	----	----	----	49 UNCH
4145	----	----	13.70B/*8.60A	13.70B/*8.60A	----	8.70 - 2.30	.0541	----	----	----	----	267 UNCH
4150	12.30	12.30	14.00B/*8.80A	14.00B/*8.80A	----	8.90 - 2.30	.0554	----	----	93	----	642 + 28
4155	----	----	14.30B/*8.90A	14.30B/*8.90A	----	9.00 - 2.40	.0563	----	----	----	----	43 UNCH
4160	10.10	10.10	14.70B/*9.10A	14.70B/*9.10A	----	9.20 - 2.50	.0575	----	----	1	----	223 - 1
4165	10.30	10.30	15.00B/*9.30A	15.00B/*9.30A	----	9.40 - 2.50	.0588	----	----	3	----	31 + 1
4170	10.50	10.50	15.40B/*9.50A	15.40B/*9.50A	----	9.60 - 2.50	.0602	----	----	2	----	57 UNCH
4175	----	----	15.60B/*9.70A	15.60B/*9.70A	----	9.80 - 2.60	.0615	----	----	----	----	947 UNCH
4180	----	----	16.00B/*9.90A	16.00B/*9.90A	----	10.10 - 2.60	.0632	----	----	----	----	123 UNCH
4185	11.20	11.20	16.40B/*10.00	16.40B/*10.00	----	10.30 - 2.60	.0646	----	----	3	----	28 - 1
4190	----	----	16.80B/*10.30A	16.80B/*10.30A	----	10.50 - 2.70	.0659	----	----	----	----	32 UNCH
4195	----	----	17.20B/*10.50A	17.20B/*10.50A	----	10.70 - 2.80	.0673	----	----	----	----	38 UNCH
4200	14.10	14.10	17.60B/10.80	17.60B/10.80	----	11.00 - 2.80	.0691	----	----	727	----	3613 + 177
4205	12.50	12.50	18.00B/*11.00A	18.00B/*11.00A	----	11.20 - 2.90	.0705	----	----	2	----	69 + 1
4210	----	----	18.40B/*11.20A	18.40B/*11.20A	----	11.50 - 2.90	.0723	----	----	----	----	466 UNCH
4215	13.90	13.90	18.90B/*11.50A	18.90B/*11.50A	----	11.80 - 3.00	.0741	----	----	1	----	36 + 1
4220	----	----	19.40B/*11.70A	19.40B/*11.70A	----	12.00 - 3.10	.0756	----	----	----	----	196 UNCH
4225	----	----	19.80B/*12.00A	19.80B/*12.00A	----	12.30 - 3.10	.0774	----	----	44	----	440 + 16
4230	----	----	20.30B/*12.30A	20.30B/*12.30A	----	12.60 - 3.20	.0793	----	----	----	----	84 UNCH
4235	----	----	20.90B/12.60A	20.90B/12.60A	----	12.90 - 3.30	.0812	----	----	----	----	66 UNCH
4240	----	----	21.30B/12.90A	21.30B/12.90A	----	13.20 - 3.30	.0831	----	----	10	----	54 + 6
4245	21.20	21.20	21.80B/13.20A	21.80B/13.20A	----	13.60 - 3.30	.0854	----	----	1	----	79 UNCH
4250	13.80	13.80	22.40B/13.50A	22.40B/13.50A	----	13.90 - 3.40	.0873	----	----	9	----	1553 - 1
4255	----	----	22.90B/13.80A	22.90B/13.80A	----	14.20 - 3.50	.0893	----	----	----	----	83 UNCH
4260	----	----	23.60B/14.10A	23.60B/14.10A	----	14.60 - 3.60	.0916	----	----	----	----	111 UNCH
4265	14.80	14.80	24.20B/14.50A	24.20B/14.50A	----	14.90 - 3.70	.0936	----	----	2	----	44 + 2
4270	17.00	17.00	24.80B/14.80A	24.80B/14.80A	----	15.30 - 3.80	.0960	----	----	2	----	50 - 2
4275	----	----	25.40B/15.20A	25.40B/15.20A	----	15.70 - 3.80	.0984	----	----	17	----	175 + 5
4280	15.90	15.90	26.00B/15.50A	26.00B/15.50A	----	16.10 - 3.90	.1008	----	----	4	----	78 + 2
4285	26.10	26.10	26.70B/15.90A	26.70B/15.90A	----	16.50 - 4.00	.1032	----	----	5	----	50 - 3
4290	----	----	27.40B/16.30A	27.40B/16.30A	----	16.90 - 4.10	.1057	----	----	11	----	116 + 9
4295	18.00	18.00	28.00B/16.80A	28.00B/16.80A	----	17.40 - 4.10	.1085	----	----	1	----	117 UNCH
4300	21.50	21.50	28.80B/17.20A	28.80B/17.20A	----	17.80 - 4.30	.1110	----	----	654	200	3653 + 238
4305	20.30	20.30	29.50B/17.60A	29.50B/17.60A	----	18.30 - 4.30	.1139	----	----	3	----	87 - 1
4310	24.60	24.60	30.30B/18.10A	30.30B/18.10A	----	18.80 - 4.40	.1168	----	----	1	----	61 UNCH
4315	30.70	30.70	31.10B/18.50A	31.10B/18.50A	----	19.30 - 4.50	.1197	----	----	3	----	56 + 3
4320	21.90	21.90	31.80B/19.00A	31.80B/19.00A	----	19.80 - 4.60	.1226	----	----	4	----	86 UNCH
4325	22.20	22.20	32.60B/19.30	32.60B/19.30	----	20.30 - 4.70	.1256	----	----	15	----	158 + 3
4330	20.90	20.90	33.50B/20.00A	33.50B/20.00A	----	20.90 - 4.70	.1289	----	----	3	----	519 + 2
4335	----	----	34.30B/20.50A	34.30B/20.50A	----	21.40 - 4.90	.1319	----	----	1	----	76 UNCH
4340	22.50	22.50	35.20B/21.00A	35.20B/21.00A	----	22.00 - 4.90	.1352	----	----	5	----	107 + 1
4345	----	----	36.10B/21.60A	36.10B/21.60A	----	22.60 - 5.00	.1386	----	----	----	----	66 UNCH
4350	24.10	24.10	37.10B/22.10A	37.10B/22.10A	----	23.20 - 5.10	.1420	----	----	77	----	1064 + 18
4355	25.90	25.90	38.00B/22.70A	38.00B/22.70A	----	23.80 - 5.30	.1454	----	----	2	----	79 UNCH
4360	----	----	39.00B/23.30A	39.00B/23.30A	----	24.50 - 5.30	.1492	----	----	----	----	130 UNCH
4365	----	----	40.00B/23.90A	40.00B/23.90A	----	25.10 - 5.50	.1526	----	----	----	----	72 UNCH
4370	33.50	33.50	40.90B/24.60A	40.90B/24.60A	----	25.80 - 5.60	.1564	----	----	2	----	46 + 1
4375	36.00	36.00	42.20B/25.20A	42.20B/25.20A	----	26.50 - 5.70	.1603	----	----	10	----	522 + 2
4380	----	----	43.20B/25.90A	43.20B/25.90A	----	27.20 - 5.80	.1641	----	----	----	----	500 UNCH
4385	36.20	36.20	44.30B/26.60A	44.30B/26.60A	----	28.00 - 5.90	.1683	----	----	2	----	140 UNCH
4390	30.60	30.60	45.40B/27.30A	45.40B/27.30A	----	28.80 - 5.90	.1725	----	----	1	----	105 UNCH
4395	29.10	29.10	46.70B/28.00A	46.70B/28.00A	----	29.60 - 6.00	.1767	----	----	7	----	102 UNCH
4400	46.30	46.30	47.80B/28.60	47.80B/28.60	----	30.40 - 6.10	.1810	----	----	163	----	2531 - 68
4405	----	----	48.90B/29.60A	48.90B/29.60A	----	31.20 - 6.30	.1852	----	----	----	----	130 UNCH
4410	39.20	39.20	50.30B/30.40A	50.30B/30.40A	----	32.10 - 6.40	.1898	----	----	16	300	422 + 292
4415	32.50	32.50	51.60B/31.20A	51.60B/31.20A	----	33.00 - 6.40	.1944	----	----	4	----	103 UNCH
4420	33.70	33.70	53.00B/32.00A	53.00B/32.00A	----	33.90 - 6.60	.1990	----	----	1	----	154 + 1
4425	40.60	40.60	54.40B/32.90A	54.40B/32.90A	----	34.80 - 6.70	.2037	----	----	101	----	509 + 55
4430	35.70	35.70	55.70B/33.80A	55.70B/33.80A	----	35.80 - 6.80	.2086	----	----	2	----	106 + 1
4435	45.80	45.80	57.20B/34.70A	57.20B/34.70A	----	36.70 - 7.00	.2133	----	----	14	----	103 + 7
4440	52.40	52.40	58.60B/35.70A	58.60B/35.70A	----	37.80 - 7.00	.2185	----	----	20	----	70 + 20
4445	55.50	55.50	60.00B/36.60A	60.00B/36.60A	----	38.80 - 7.10	.2235	----	----	2	----	75 - 1
4450	44.30	44.30	61.60B/37.60A	61.60B/37.60A	----	39.90 - 7.20	.2288	----	----	128	----	3792 + 16
4455	----	----	63.20B/38.70A	63.20B/38.70A	----	41.00 - 7.30	.2341	----	----	----	----	80 UNCH
4460	41.80	41.80	64.70B/39.70A	64.70B/39.70A	----	42.10 - 7.50	.2394	----	----	62	200	264 + 190
4465	55.60	55.60	66.40B/40.80A	66.40B/40.80A	----	43.30 - 7.50	.2450	----	----	5	----	2493 UNCH
4470	43.20	43.20	68.10B/41.90A	68.10B/41.90A	----	44.50 - 7.60	.2506	----	----	1	----	131 + 1
4475	68.00	68.00	69.60B/43.00A	69.60B/43.00A	----	45.70 - 7.80	.2562	----	----	12	----	170 - 2
4480	49.50	49.50	71.50B/44.20A	71.50B/44.20A	----	46.90 - 7.90	.2618	----	----	1	----	120 UNCH
4485	----	----	73.20B/45.40A	73.20B/45.40A	----	48.20 - 8.00	.2677	----	----	5	----	47 - 5
4490	47.20	47.20	75.20B/46.60A	75.20B/46.60A	----	49.50 - 8.20	.2736	----	----	136	----	226 + 58
4495	----	----	76.80B/47.90A	76.80B/47.90A	----	50.90 - 8.20	.2797	----	----	----	----	172 UNCH
4500	62.00	62.00	78.90B/49.20A	78.90B/49.20A	----	52.20 - 8.40	.2856	----	----	244	----	5258 + 38
4505	----	----	80.80B/50.50A	80.80B/50.50A	----	53.70 - 8.40	.2919	----	----	60	----	292 UNCH
4510	----	----	82.60B/51.80A	82.60B/51.80A	----	55.10 - 8.60	.2981	----	----	----	----	49 UNCH
4515	----	----	84.60B/53.20A	84.60B/53.20A	----	56.60 - 8.70	.3044	----	----	----	----	542 UNCH
4520	----	----	86.80B/54.60A	86.80B/54.60A	----	58.10 - 8.80	.3108	----	----	----	----	197 UNCH
4525	62.10	62.10	88.90B/56.00	88.90B/56.00	----	59.70 - 8.90	.3174	----	----	26	----	249 - 8
4530	----	----	90.80B/57.60A	90.80B/57.60A	----	61.30 - 9.00	.3239	----	----	----	----	234 UNCH
4535	----	----	93.20B/59.10A	93.20B/59.10A	----	62.90 - 9.20	.3305	----	----	----	----	112 UNCH
4540	----	----	95.30B/60.70A	95.30B/60.70A	----	64.60 - 9.30	.3373	----	----	5	----	289 + 5
4545	----	----	97.60B/62.30A	97.60B/62.30A	----	66.30 - 9.40	.3440	----	----	----	----	87 UNCH
4550	80.00	80.00	99.90B/63.80A	99.90B/63.80A	----	68.00 - 9.50	.3508	----	----	142	100	1281 + 119
4555	----	----	102.20B/65.60A	102.20B/65.60A	----	69.80 - 9.60	.3577	----	----	6	----	62 + 2
4560	----	----	104.60B/67.30A	104.60B/67.30A	----	71.60 - 9.80	.3646	----	----	----	----	147 UNCH
4565	----	----	106.80B/69.00A	106.80B/69.00A	----	73.40 - 10.00	.3716	----	----	----	----	210 UNCH
4570	----	----	109.30B/70.70A	109.30B/70.70A	----	75.30 - 10.10	.3787	----	----	1	----	178 - 1
4575	111.70	111.70	111.70/72.50A	111.70/72.50A	----	77.30 - 10.10	.3858	----	----	1	----	307 UNCH
4580	96.30	96.30	114.30B/74.30A	114.30B/74.30A	----	79.20 - 10.30	.3929	----	----	1	----	221 UNCH
4585	----	----	116.90B/75.90A	116.90B/75.90A	----	81.30 - 10.40	.4002	----	----	8	----	211 + 3
4590	----	----	119.50B/78.00A	119.50B/78.00A	----	83.30 - 10.50	.4074	----	----	1	----	182 + 1
4595	87.70	87.70	122.10B/79.90A	122.10B/79.90A	----	85.40 - 10.60	.4147	----	----	1	----	87 - 1
4600	97.00	97.00	124.80B/81.80A	124.80B/81.80A	----	87.50 - 10.80	.4220	----	----	232	100	2521 - 100
4605	----	----	127.50B/83.80A	127.50B/83.80A	----	89.70 - 10.90	.4294	----	----	6	----	119 + 6
4610	----	----	130.30B/85.90A	130.30B/85.90A	----	91.90 - 11.00	.4368	----	----	4	----	233 + 3
4615	94.20	94.20	133.00B/88.00A	133.00B/88.00A	----	94.20 - 11.10	.4442	----	----	1	----	59 - 1
4620	----	----	135.90B/89.80A	135.90B/89.80A	----	96.50 - 11.20	.4516	----	----	----	----	201 UNCH
4625	136.60	136.60	138.80B/92.10A	138.80B/92.10A	----	98.80 - 11.30	.4591	----	----	146	----	806 - 8
4630	----	----	141.70B/94.40A	141.70B/94.40A	----	101.20 - 11.40	.4665	----	----	----	----	184 UNCH
4635	----	----	144.60B/96.60A	144.60B/96.60A	----	103.60 - 11.50	.4740	----	----	----	----	107 UNCH
4640	128.50	128.50	147.90B/98.90A	147.90B/98.90A	----	106.10 - 11.60	.4815	----	----	10	----	84 + 3
4645	----	----	151.00B/101.20A	151.00B/101.20A	----	108.60 - 11.70	.4890	----	----	1	----	98 UNCH
4650	107.40	107.40	154.10B/103.40A	154.10B/103.40A	----	111.20 - 11.70	.4964	----	----	19	----	1826 + 12
4655	----	----	157.20B/105.90A	157.20B/105.90A	----	113.70 - 11.90	.5039	----	----	----	----	107 UNCH
4660	----	----	160.50B/108.10A	160.50B/108.10A	----	116.40 - 11.90	.5114	----	----	----	----	110 UNCH
4665	----	----	163.70B/110.80A	163.70B/110.80A	----	119.10 - 12.00	.5188	----	----	----	----	30 UNCH
4670	----	----	166.90B/113.30A	166.90B/113.30A	----	121.80 - 12.10	.5263	----	----	----	----	259 UNCH
4675	----	----	170.20B/115.80A	170.20B/115.80A	----	124.60 - 12.10	.5337	----	----	----	----	403 UNCH
4680	----	----	173.50B/118.50A	173.50B/118.50A	----	127.40 - 12.20	.5411	----	----	12	----	121 + 12
4685	----	----	176.80B/121.20A	176.80B/121.20A	----	130.20 - 12.30	.5484	----	----	----	----	65 UNCH
4690	----	----	180.20B/123.50A	180.20B/123.50A	----	133.10 - 12.30	.5558	----	----	----	----	217 UNCH
4695	----	----	183.70B/126.60A	183.70B/126.60A	----	136.00 - 12.40	.5631	----	----	----	----	78 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
4700	141.50	141.50	187.10B/129.20A	187.10B/129.20A	----	139.00 - 12.50	.5703	----	----	30	----	1922 + 14
4705	----	----	190.60B/132.10A	190.60B/132.10A	----	142.00 - 12.50	.5776	----	----	----	----	96 UNCH
4710	----	----	194.30B/134.80A	194.30B/134.80A	----	145.10 - 12.50	.5847	----	----	----	----	51 UNCH
4715	----	----	197.70B/137.40A	197.70B/137.40A	----	148.10 - 12.70	.5918	----	----	----	----	61 UNCH
4720	----	----	201.40B/140.60A	201.40B/140.60A	----	151.30 - 12.70	.5989	----	----	----	----	160 UNCH
4725	----	----	204.90B/143.50A	204.90B/143.50A	----	154.40 - 12.80	.6059	----	----	----	----	146 UNCH
4730	----	----	208.60B/146.50A	208.60B/146.50A	----	157.60 - 12.90	.6129	----	----	----	----	89 UNCH
4735	----	----	212.30B/149.10A	212.30B/149.10A	----	160.90 - 12.90	.6198	----	----	----	----	218 UNCH
4740	----	----	216.30B/152.60A	216.30B/152.60A	----	164.20 - 12.90	.6266	----	----	----	----	90 UNCH
4745	----	----	219.90B/155.30A	219.90B/155.30A	----	167.50 - 13.00	.6334	----	----	----	----	31 UNCH
4750	----	----	223.80B/158.40A	223.80B/158.40A	----	170.80 - 13.10	.6401	----	----	7	----	927 - 1
4755	----	----	227.40B/161.90A	227.40B/161.90A	----	174.20 - 13.10	.6469	----	----	----	----	25 UNCH
4760	----	----	231.40B/165.10A	231.40B/165.10A	----	177.60 - 13.20	.6533	----	----	----	----	97 UNCH
4765	----	----	235.40B/167.90A	235.40B/167.90A	----	181.10 - 13.20	.6600	----	----	----	----	67 UNCH
4770	----	----	239.10B/171.20A	239.10B/171.20A	----	184.60 - 13.30	.6664	----	----	----	----	97 UNCH
4775	----	----	243.20B/174.60A	243.20B/174.60A	----	188.10 - 13.30	.6727	----	----	----	----	192 UNCH
4780	----	----	247.10B/177.80A	247.10B/177.80A	----	191.70 - 13.30	.6791	----	----	----	----	91 UNCH
4785	----	----	251.10B/181.20A	251.10B/181.20A	----	195.20 - 13.50	.6853	----	----	1	----	97 - 1
4790	----	----	255.00B/184.90A	255.00B/184.90A	----	198.90 - 13.50	.6913	----	----	----	----	92 UNCH
4795	----	----	259.10B/188.10A	259.10B/188.10A	----	202.50 - 13.60	.6975	----	----	----	----	56 UNCH
4800	204.80	204.80	263.10B/191.80A	263.10B/191.80A	----	206.20 - 13.60	.7034	----	----	4	----	2991 UNCH
4805	----	----	267.10B/195.30A	267.10B/195.30A	----	209.90 - 13.70	.7094	----	----	----	----	83 UNCH
4810	----	----	271.30B/198.60A	271.30B/198.60A	----	213.60 - 13.80	.7151	----	----	----	----	46 UNCH
4815	----	----	275.50B/202.00A	275.50B/202.00A	----	217.40 - 13.80	.7210	----	----	1	----	120 UNCH
4820	----	----	279.60B/205.50A	279.60B/205.50A	----	221.20 - 13.80	.7265	----	----	----	----	36 UNCH
4825	----	----	283.80B/209.40A	283.80B/209.40A	----	225.00 - 13.90	.7322	----	----	----	----	204 UNCH
4830	228.10	228.10	288.10B/213.00A	288.10B/213.00A	----	228.90 - 13.90	.7378	----	----	1	----	123 - 1
4835	----	----	292.20B/216.60A	292.20B/216.60A	----	232.70 - 14.00	.7432	----	----	----	----	32 UNCH
4840	----	----	296.50B/220.70A	296.50B/220.70A	----	236.60 - 14.10	.7486	----	----	----	----	36 UNCH
4845	----	----	300.70B/224.10A	300.70B/224.10A	----	240.50 - 14.20	.7537	----	----	----	----	15 UNCH
4850	----	----	305.00B/228.20A	305.00B/228.20A	----	244.50 - 14.20	.7591	----	----	7	----	583 - 6
4855	----	----	309.30B/231.70A	309.30B/231.70A	----	248.50 - 14.20	.7641	----	----	----	----	305 UNCH
4860	----	----	313.60B/235.60A	313.60B/235.60A	----	252.50 - 14.30	.7692	----	----	----	----	91 UNCH
4865	----	----	317.90B/239.40A	317.90B/239.40A	----	256.50 - 14.40	.7740	----	----	----	----	50 UNCH
4870	----	----	322.40B/243.30A	322.40B/243.30A	----	260.60 - 14.40	.7790	----	----	----	----	44 UNCH
4875	----	----	326.80B/247.30A	326.80B/247.30A	----	264.60 - 14.50	.7837	----	----	----	----	71 UNCH
4880	----	----	331.00B/251.20A	331.00B/251.20A	----	268.80 - 14.40	.7884	----	----	----	----	8 UNCH
4885	----	----	335.40B/255.20A	335.40B/255.20A	----	272.90 - 14.50	.7928	----	----	----	----	7 UNCH
4890	----	----	339.90B/259.20A	339.90B/259.20A	----	277.00 - 14.60	.7975	----	----	----	----	48 UNCH
4895	----	----	344.30B/263.20A	344.30B/263.20A	----	281.20 - 14.60	.8018	----	----	16	----	228 + 16
4900	----	----	348.90B/267.20A	348.90B/267.20A	----	285.40 - 14.60	.8059	----	----	----	----	1684 UNCH
4905	----	----	353.40B/272.10A	353.40B/272.10A	----	289.70 - 14.60	.8102	----	----	----	----	11 UNCH
4910	----	----	357.70B/275.70A	357.70B/275.70A	----	293.90 - 14.70	.8145	----	----	----	----	59 UNCH
4915	----	----	362.20B/279.60A	362.20B/279.60A	----	298.20 - 14.60	.8184	----	----	----	----	37 UNCH
4920	----	----	366.90B/283.70A	366.90B/283.70A	----	302.50 - 14.60	.8224	----	----	----	----	92 UNCH
4925	----	----	371.30B/287.90A	371.30B/287.90A	----	306.80 - 14.70	.8263	----	----	----	----	74 UNCH
4930	----	----	375.80B/292.30A	375.80B/292.30A	----	311.10 - 14.70	.8299	----	----	----	----	199 UNCH
4940	----	----	384.90B/300.50A	384.90B/300.50A	----	319.80 - 14.70	.8373	----	----	----	----	64 UNCH
4945	----	----	389.50B/304.70A	389.50B/304.70A	----	324.20 - 14.70	.8408	----	----	----	----	13 UNCH
4950	----	----	394.10B/309.00A	394.10B/309.00A	----	328.60 - 14.70	.8443	----	----	----	----	291 UNCH
4955	----	----	398.70B/313.30A	398.70B/313.30A	----	333.00 - 14.80	.8478	----	----	----	----	31 UNCH
4960	----	----	403.30B/317.60A	403.30B/317.60A	----	337.40 - 14.80	.8512	----	----	----	----	23 UNCH
4965	----	----	407.90B/321.90A	407.90B/321.90A	----	341.80 - 14.80	.8543	----	----	----	----	29 UNCH
4970	----	----	412.50B/326.20A	412.50B/326.20A	----	346.30 - 14.80	.8577	----	----	----	----	44 UNCH
4975	----	----	417.30B/330.60A	417.30B/330.60A	----	350.80 - 14.80	.8608	----	----	----	----	156 UNCH
4980	----	----	421.80B/334.90A	421.80B/334.90A	----	355.20 - 14.90	.8638	----	----	----	----	28 UNCH
4985	----	----	426.60B/339.30A	426.60B/339.30A	----	359.70 - 14.90	.8668	----	----	----	----	10 UNCH
4990	----	----	431.20B/343.70A	431.20B/343.70A	----	364.20 - 14.90	.8698	----	----	----	----	293 UNCH
4995	----	----	435.80B/348.10A	435.80B/348.10A	----	368.80 - 14.80	.8728	----	----	----	----	12 UNCH
5000	----	----	440.50B/352.50A	440.50B/352.50A	----	373.30 - 14.90	.8754	----	----	16	----	1838 + 16
5005	----	----	445.20B/357.30A	445.20B/357.30A	----	377.80 - 14.90	.8784	----	----	----	----	302 UNCH
5010	----	----	450.00B/361.40A	450.00B/361.40A	----	382.40 - 14.90	.8809	----	----	----	----	13 UNCH
5015	----	----	454.50B/365.90A	454.50B/365.90A	----	387.00 - 14.90	.8835	----	----	----	----	49 UNCH
5020	----	----	459.30B/370.40A	459.30B/370.40A	----	391.60 - 14.90	.8860	----	----	----	----	31 UNCH
5025	----	----	464.10B/375.20A	464.10B/375.20A	----	396.10 - 15.00	.8885	----	----	----	----	53 UNCH
5030	----	----	468.80B/379.40A	468.80B/379.40A	----	400.70 - 15.00	.8910	----	----	----	----	66 UNCH
5035	----	----	473.60B/383.80A	473.60B/383.80A	----	405.40 - 14.90	.8935	----	----	----	----	13 UNCH
5040	----	----	478.30B/388.80A	478.30B/388.80A	----	410.00 - 14.90	.8959	----	----	----	----	18 UNCH
5045	469.70	469.70	483.00B/393.00A	483.00B/393.00A	----	414.60 - 15.00	.8980	----	----	1	----	5 UNCH
5050	----	----	487.80B/397.90A	487.80B/397.90A	----	419.30 - 14.90	.9004	----	----	----	----	805 UNCH
5055	----	----	492.50B/402.00A	492.50B/402.00A	----	423.90 - 15.00	.9024	----	----	----	----	63 UNCH
5060	----	----	497.30B/406.70A	497.30B/406.70A	----	428.60 - 14.90	.9044	----	----	----	----	64 UNCH
5065	----	----	502.00B/411.40A	502.00B/411.40A	----	433.20 - 15.00	.9068	----	----	----	----	17 UNCH
5070	----	----	506.90B/416.00A	506.90B/416.00A	----	437.90 - 15.00	.9088	----	----	----	----	52 UNCH
5075	471.40	471.40	511.60B/420.80A	511.60B/420.80A	----	442.60 - 15.00	.9108	----	----	1	----	29 - 1
5080	----	----	516.40B/425.10A	516.40B/425.10A	----	447.30 - 15.00	.9127	----	----	----	----	31 UNCH
5085	----	----	521.20B/429.90A	521.20B/429.90A	----	452.00 - 15.00	.9147	----	----	----	----	123 UNCH
5090	----	----	526.00B/434.70A	526.00B/434.70A	----	456.70 - 15.00	.9166	----	----	----	----	111 UNCH
5095	----	----	530.80B/439.20A	530.80B/439.20A	----	461.40 - 15.10	.9181	----	----	----	----	108 UNCH
5100	510.80	510.80	535.60B/443.60A	535.60B/443.60A	----	466.20 - 15.00	.9200	----	----	6	----	459 - 6
5105	492.90	492.90	540.40B/448.70A	540.40B/448.70A	----	470.90 - 15.00	.9214	----	----	1	----	38 UNCH
5110	----	----	545.20B/453.40A	545.20B/453.40A	----	475.70 - 15.00	.9233	----	----	----	----	74 UNCH
5115	----	----	550.10B/457.80A	550.10B/457.80A	----	480.40 - 15.00	.9248	----	----	----	----	14 UNCH
5120	----	----	554.90B/462.50A	554.90B/462.50A	----	485.20 - 15.00	.9267	----	----	----	----	25 UNCH
5125	----	----	559.70B/467.50A	559.70B/467.50A	----	489.90 - 15.10	.9281	----	----	----	----	192 UNCH
5130	----	----	564.50B/473.10A	564.50B/473.10A	----	494.70 - 15.00	.9295	----	----	----	----	26 UNCH
5135	----	----	569.40B/476.90A	569.40B/476.90A	----	499.50 - 15.00	.9309	----	----	----	----	37 UNCH
5140	----	----	574.20B/481.30A	574.20B/481.30A	----	504.30 - 15.00	.9327	----	----	----	----	14 UNCH
5145	----	----	579.00B/486.00A	579.00B/486.00A	----	509.00 - 15.10	.9341	----	----	----	----	39 UNCH
5150	----	----	583.90B/491.40A	583.90B/491.40A	----	513.80 - 15.10	.9355	----	----	----	----	389 UNCH
5155	----	----	588.80B/495.40A	588.80B/495.40A	----	518.60 - 15.10	.9368	----	----	----	----	38 UNCH
5160	----	----	593.60B/500.90A	593.60B/500.90A	----	523.40 - 15.10	.9377	----	----	----	----	70 UNCH
5165	----	----	598.60B/505.40A	598.60B/505.40A	----	528.30 - 15.00	.9390	----	----	----	----	47 UNCH
5170	----	----	603.30B/509.80A	603.30B/509.80A	----	533.10 - 15.00	.9404	----	----	----	----	505 UNCH
5175	----	----	608.20B/514.70A	608.20B/514.70A	----	537.90 - 15.00	.9417	----	----	----	----	15 UNCH
5180	----	----	613.20B/519.80A	613.20B/519.80A	----	542.70 - 15.00	.9425	----	----	----	----	19 UNCH
5185	----	----	617.90B/524.10A	617.90B/524.10A	----	547.60 - 15.00	.9439	----	----	----	----	22 UNCH
5190	----	----	622.80B/528.80A	622.80B/528.80A	----	552.40 - 15.00	.9452	----	----	----	----	5 UNCH
5195	----	----	627.70B/533.70A	627.70B/533.70A	----	557.20 - 15.00	.9460	----	----	----	----	8 UNCH
5200	544.20	544.20	632.60B/538.40A	632.60B/538.40A	----	562.10 - 15.00	.9473	----	----	7	----	578 - 7
5205	----	----	637.60B/543.30A	637.60B/543.30A	----	566.90 - 15.00	.9481	----	----	----	----	36 UNCH
5210	----	----	642.30B/548.10A	642.30B/548.10A	----	571.80 - 15.00	.9489	----	----	----	----	70 UNCH
5215	----	----	647.20B/552.90A	647.20B/552.90A	----	576.60 - 15.00	.9502	----	----	----	----	42 UNCH
5220	----	----	652.10B/557.80A	652.10B/557.80A	----	581.50 - 15.00	.9510	----	----	----	----	188 UNCH
5225	----	----	657.00B/562.70A	657.00B/562.70A	----	586.40 - 14.90	.9517	----	----	----	----	200 UNCH
5230	----	----	661.90B/567.70A	661.90B/567.70A	----	591.20 - 15.00	.9530	----	----	----	----	7 UNCH
5235	----	----	666.80B/572.20A	666.80B/572.20A	----	596.10 - 15.00	.9538	----	----	----	----	160 UNCH
5245	----	----	676.60B/581.90A	676.60B/581.90A	----	605.90 - 14.90	.9553	----	----	----	----	9 UNCH
5250	----	----	681.50B/586.80A	681.50B/586.80A	----	610.80 - 14.90	.9560	----	----	----	----	375 UNCH
5255	----	----	686.40B/591.90A	686.40B/591.90A	----	615.60 - 14.90	.9573	----	----	----	----	9 UNCH
5260	----	----	691.30B/596.60A	691.30B/596.60A	----	620.50 - 14.90	.9580	----	----	----	----	11 UNCH
5265	----	----	696.40B/601.20A	696.40B/601.20A	----	625.40 - 14.90	.9588	----	----	----	----	5 UNCH
5270	----	----	701.30B/606.60A	701.30B/606.60A	----	630.30 - 14.90	.9595	----	----	----	----	24 UNCH
5275	----	----	706.20B/611.00A	706.20B/611.00A	----	635.20 - 14.90	.9602	----	----	----	----	170 UNCH
5280	----	----	711.00B/616.20A	711.00B/616.20A	----	640.10 - 14.90	.9609	----	----	----	----	67 UNCH
5285	----	----	715.90B/621.20A	715.90B/621.20A	----	645.00 - 14.90	.9616	----	----	----	----	27 UNCH
5290	----	----	720.80B/625.60A	720.80B/625.60A	----	649.90 - 14.90	.9624	----	----	----	----	2 UNCH
5300	725.00	725.00	730.70B/635.70A	730.70B/635.70A	----	659.70 - 14.90	.9633	----	----	16	----	557 - 2
5305	----	----	735.60B/640.80A	735.60B/640.80A	----	664.60 - 14.90	.9640	----	----	----	----	103 UNCH
5320	----	----	750.40B/654.90A	750.40B/654.90A	----	679.40 - 14.80	.9660	----	----	----	----	108 UNCH
5325	----	----	755.30B/659.80A	755.30B/659.80A	----	684.30 - 14.90	.9667	----	----	----	----	1 UNCH
5335	----	----	765.20B/669.60A	765.20B/669.60A	----	694.10 - 14.90	.9676	----	----	----	----	5 UNCH
5340	----	----	770.10B/674.50A	770.10B/674.50A	----	699.00 - 14.90	.9683	----	----	----	----	52 UNCH
5345	----	----	775.10B/679.40A	775.10B/679.40A	----	704.00 - 14.90	.9689	----	----	----	----	2 UNCH
5350	----	----	748.40B/689.70A	748.40B/689.70A	----	708.90 - 14.90	.9691	----	----	----	----	109 UNCH
5365	----	----	763.20B/704.40A	763.20B/704.40A	----	723.70 - 14.90	.9706	----	----	----	----	4 UNCH
5370	----	----	768.20B/709.30A	768.20B/709.30A	----	728.60 - 14.90	.9712	----	----	----	----	37 UNCH
5375	----	----	----	----	----	733.60 - 14.80	.9714	----	----	----	----	1 UNCH
5380	----	----	----	----	----	738.50 - 14.90	.9720	----	----	----	----	2 UNCH
5385	----	----	783.00B/724.10A	783.00B/724.10A	----	743.50 - 14.80	.9721	----	----	----	----	10 UNCH
5390	----	----	----	----	----	748.40 - 14.80	.9728	----	----	----	----	2 UNCH
5395	----	----	792.90B/733.90A	792.90B/733.90A	----	753.30 - 14.90	.9729	----	----	----	----	156 UNCH
5400	----	----	798.80B/735.50A	798.80B/735.50A	----	758.30 - 14.80	.9736	----	----	----	----	446 UNCH
5420	----	----	817.60B/758.50A	817.60B/758.50A	----	778.10 - 14.80	.9751	----	----	----	----	10 UNCH
5425	----	----	----	----	----	783.00 - 14.80	.9752	----	----	----	----	1 UNCH
5430	----	----	827.50B/768.40A	827.50B/768.40A	----	788.00 - 14.80	.9758	----	----	----	----	30 UNCH
5435	----	----	832.50B/773.40A	832.50B/773.40A	----	792.90 - 14.80	.9759	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUN26												
5440	----	----	837.40B/778.30A	837.40B/778.30A	----	797.90 - 14.80	.9765	----	----	----	----	20 UNCH
5470	----	----	----	----	----	827.60 - 14.80	.9787	----	----	----	----	1 UNCH
5490	----	----	887.00B/827.70A	887.00B/827.70A	----	847.40 - 14.80	.9796	----	----	----	----	166 UNCH
5500	----	----	896.90B/837.60A	896.90B/837.60A	----	857.30 - 14.90	.9803	----	----	----	----	52 UNCH
5525	----	----	----	----	----	882.10 - 14.90	.9817	----	----	----	----	2 UNCH
5575	----	----	----	----	----	931.80 - 14.90	.9840	----	----	----	----	2 UNCH
5590	----	----	986.40B/926.90A	986.40B/926.90A	----	946.70 - 14.90	.9847	----	----	----	----	77 UNCH
5595	----	----	----	----	----	951.70 - 14.90	.9848	----	----	----	----	1 UNCH
5600	----	----	996.40B/936.90A	996.40B/936.90A	----	956.70 - 14.90	.9853	----	----	----	----	9 UNCH
5640	----	----	1,036.20B/976.7	1036.20B/976.70A	----	996.50 - 14.90	.9863	----	----	----	----	9 UNCH
5800	----	----	1,195.70B/1,136	1195.70B/1136.10A	----	1155.90 - 14.90	.9907	----	----	----	----	6 UNCH
6000	----	----	----	----	----	1355.60 - 14.90	.9938	----	----	----	----	0 UNCH
TOTAL										4226	1,000	111519+ 1252
JUL26												
2275	0.80	0.80	0.80/0.70A	0.80/0.70A	----	0.50 UNCH	.0012	----	----	1	----	23 + 1
2300	----	----	----	0.50B/0.70A	----	0.50 - 0.10	.0013	----	----	----	----	97 UNCH
2400	----	----	----	0.60B/0.90A	----	0.70 - 0.10	.0018	----	----	----	----	2 UNCH
2500	----	----	----	0.80B/1.10A	----	0.90 - 0.10	.0024	----	----	----	----	194 UNCH
2575	----	----	----	0.90B/1.20A	----	1.00 - 0.20	.0027	----	----	----	----	1 UNCH
2600	----	----	----	1.00B/1.30A	----	1.10 - 0.20	.0030	----	----	----	----	12 UNCH
2620	----	----	----	1.00B/1.30A	----	1.10 - 0.20	.0030	----	----	----	----	1 UNCH
2650	----	----	----	1.10B/1.40A	----	1.20 - 0.20	.0033	----	----	----	----	51 UNCH
2670	----	----	----	1.20B/1.40A	----	1.20 - 0.20	.0033	----	----	----	----	10 UNCH
2675	----	----	----	1.20B/1.50A	----	1.20 - 0.20	.0033	----	----	----	----	10 UNCH
2680	----	----	----	1.20B/1.50A	----	1.20 - 0.30	.0033	----	----	----	----	10 UNCH
2700	----	----	----	1.20B/1.50A	----	1.30 - 0.20	.0036	----	----	----	----	6 UNCH
2705	----	----	----	1.20B/1.50A	----	1.30 - 0.20	.0036	----	----	----	----	1 UNCH
2710	----	----	----	1.30B/1.50A	----	1.30 - 0.20	.0036	----	----	----	----	7 UNCH
2730	----	----	----/1.50A	1.30B/1.50A	----	1.40 - 0.20	.0039	----	----	----	----	1 UNCH
2750	----	----	----	1.40B/1.60A	----	1.40 - 0.20	.0040	----	----	----	----	20 UNCH
2785	----	----	----	1.50B/1.70A	----	1.50 - 0.20	.0043	----	----	----	----	2 UNCH
2800	----	----	----	1.50B/1.80A	----	1.60 - 0.20	.0046	----	----	----	----	9 UNCH
2850	----	----	----	1.70B/1.90A	----	1.70 - 0.20	.0049	----	----	----	----	3 UNCH
2860	----	----	----/1.90A	1.70B/1.90A	----	1.80 - 0.20	.0052	----	----	----	----	6 UNCH
2890	----	----	----	1.80B/2.10A	----	1.90 - 0.20	.0056	----	----	----	----	60 UNCH
2895	----	----	----	1.80B/2.10A	----	1.90 - 0.20	.0056	----	----	----	----	18 UNCH
2900	----	----	----	1.80B/2.10A	----	1.90 - 0.20	.0056	----	----	----	----	18 UNCH
2905	----	----	----	1.80B/2.10A	----	1.90 - 0.20	.0056	----	----	----	----	19 UNCH
2920	----	----	----/2.10A	1.90B/2.10A	----	2.00 - 0.20	.0059	----	----	----	----	3 UNCH
2950	----	----	----/2.20A	2.00B/2.20A	----	2.10 - 0.20	.0063	----	----	----	----	52 UNCH
2985	----	----	----	2.10B/2.40A	----	2.20 - 0.20	.0067	----	----	----	----	21 UNCH
2995	----	----	----/2.40A	2.20B/2.40A	----	2.20 - 0.30	.0067	----	----	----	----	16 UNCH
3000	----	----	----/2.40A	2.20B/2.40A	----	2.30 - 0.20	.0070	----	----	----	----	67 UNCH
3010	----	----	----	2.20B/2.50A	----	2.30 - 0.20	.0070	----	----	----	----	1 UNCH
3015	----	----	----	2.20B/2.50A	----	2.30 - 0.20	.0070	----	----	----	----	5 UNCH
3025	----	----	----/2.50A	2.30B/2.50A	----	2.40 - 0.20	.0073	----	----	----	----	1 UNCH
3035	----	----	----	2.40B/2.60A	----	2.40 - 0.20	.0074	----	----	----	----	5 UNCH
3050	----	----	----/2.60A	2.40B/2.60A	----	2.50 - 0.20	.0077	----	----	----	----	1 UNCH
3100	----	----	----/2.80A	2.60B/2.80A	----	2.70 - 0.20	.0085	----	----	----	----	43 UNCH
3105	----	----	----	2.70B/2.90A	----	2.70 - 0.20	.0085	----	----	----	----	1 UNCH
3125	----	----	----/2.90A	2.70B/2.90A	----	2.80 - 0.20	.0089	----	----	----	----	42 UNCH
3140	----	----	----/3.00A	2.80B/3.00A	----	2.80 - 0.30	.0089	----	----	----	----	1 UNCH
3150	----	----	----/3.00A	2.80B/3.00A	----	2.90 - 0.20	.0093	----	----	----	----	12 UNCH
3155	----	----	----	2.90B/3.10A	----	2.90 - 0.20	.0093	----	----	----	----	1 UNCH
3170	----	----	----/3.10A	3.00B/3.10A	----	2.90 - 0.30	.0094	----	----	----	----	1 UNCH
3185	----	----	----/3.20A	3.10B/3.20A	----	3.00 - 0.30	.0097	----	----	----	----	10 UNCH
3200	3.10	3.10	3.10/3.10	3.20B/3.10	----	3.10 - 0.30	.0101	----	----	75	----	239 + 75
3210	----	----	----/3.30A	3.30B/3.30A	----	3.10 - 0.30	.0102	----	----	----	----	1 UNCH
3220	----	----	----/3.30A	3.30B/3.30A	----	3.20 - 0.30	.0105	----	----	----	----	1 UNCH
3225	----	----	----/3.40A	3.40B/3.40A	----	3.20 - 0.30	.0105	----	----	----	----	70 UNCH
3250	----	----	----/3.50A	3.60B/3.50A	----	3.30 - 0.40	.0110	----	----	----	----	62 UNCH
3275	----	----	----/3.60A	3.70B/3.60A	----	3.40 - 0.40	.0115	----	----	----	----	10 UNCH
3280	----	----	----/3.70A	3.80B/3.70A	----	3.50 - 0.30	.0118	----	----	----	----	22 UNCH
3285	----	----	----/3.60A	3.80B/3.60A	----	3.50 - 0.40	.0118	----	----	----	----	1 UNCH
3290	----	----	----/3.70A	3.90B/3.70A	----	3.50 - 0.40	.0119	----	----	----	----	13 UNCH
3300	----	----	----/3.70A	3.90B/3.70A	----	3.60 - 0.40	.0122	----	----	----	----	70 UNCH
3320	----	----	----/3.80A	4.10B/3.80A	----	3.70 - 0.40	.0127	----	----	----	----	1 UNCH
3325	----	----	----/3.90A	4.10B/3.90A	----	3.70 - 0.50	.0127	----	----	----	----	147 UNCH
3335	----	----	----/3.90A	4.20B/3.90A	----	3.80 - 0.40	.0131	----	----	----	----	87 UNCH
3340	----	----	----/4.00A	4.20B/4.00A	----	3.80 - 0.50	.0131	----	----	----	----	1 UNCH
3350	3.90	3.90	3.90/3.90	4.30B/3.90	----	3.90 - 0.50	.0135	----	----	2	----	25 + 1
3355	----	----	----/4.10A	4.30B/4.10A	----	3.90 - 0.50	.0135	----	----	----	----	69 UNCH
3360	----	----	----/4.10A	4.40B/4.10A	----	4.00 - 0.40	.0138	----	----	----	----	5 UNCH
3370	----	----	----/4.10A	4.40B/4.10A	----	4.00 - 0.50	.0139	----	----	----	----	9 UNCH
3380	----	----	----/4.20A	4.50B/4.20A	----	4.10 - 0.50	.0143	----	----	----	----	2 UNCH
3385	----	----	----/4.20A	4.60B/4.20A	----	4.10 - 0.50	.0144	----	----	----	----	4 UNCH
3390	----	----	----/4.30A	4.60B/4.30A	----	4.20 - 0.50	.0147	----	----	----	----	1 UNCH
3395	----	----	----/4.30A	4.60B/4.30A	----	4.20 - 0.50	.0148	----	----	----	----	31 UNCH
3400	----	----	----/4.30A	4.70B/4.30A	----	4.20 - 0.50	.0148	----	----	----	----	50 UNCH
3410	----	----	----/4.40A	4.80B/4.40A	----	4.30 - 0.50	.0152	----	----	----	----	5 UNCH
3425	----	----	----/4.50A	4.90B/4.50A	----	4.40 - 0.50	.0156	----	----	----	----	56 UNCH
3435	----	----	----/4.60A	5.00B/4.60A	----	4.50 - 0.50	.0160	----	----	----	----	5 UNCH
3445	----	----	----/4.70A	5.10B/4.70A	----	4.60 - 0.50	.0164	----	----	----	----	1 UNCH
3450	----	----	----/4.70A	5.10B/4.70A	----	4.60 - 0.50	.0165	----	----	----	----	133 UNCH
3455	----	----	----/4.70A	5.20B/4.70A	----	4.60 - 0.60	.0166	----	----	----	----	10 UNCH
3460	----	----	----/4.80A	5.20B/4.80A	----	4.70 - 0.50	.0169	----	----	----	----	10 UNCH
3465	----	----	----/4.80A	5.30B/4.80A	----	4.70 - 0.60	.0170	----	----	----	----	142 UNCH
3475	----	----	5.40B/4.90A	5.40B/4.90A	----	4.80 - 0.50	.0174	----	----	----	----	140 UNCH
3480	----	----	----/4.90A	5.40B/4.90A	----	4.80 - 0.60	.0175	----	----	----	----	36 UNCH
3495	----	----	5.60B/5.00A	5.60B/5.00A	----	5.00 - 0.50	.0182	----	----	----	----	5 UNCH
3500	----	----	----/5.10A	5.60B/5.10A	----	5.00 - 0.60	.0183	----	----	46	----	653 + 38
3505	----	----	5.70B/5.10A	5.70B/5.10A	----	5.00 - 0.60	.0184	----	----	----	----	9 UNCH
3510	----	----	5.70B/5.20A	5.70B/5.20A	----	5.10 - 0.50	.0187	----	----	----	----	5 UNCH
3515	----	----	5.80B/5.20A	5.80B/5.20A	----	5.10 - 0.60	.0188	----	----	----	----	8 UNCH
3520	----	----	5.80B/5.30A	5.80B/5.30A	----	5.20 - 0.50	.0191	----	----	----	----	5 UNCH
3525	----	----	5.90B/5.30A	5.90B/5.30A	----	5.20 - 0.60	.0192	----	----	----	----	3 UNCH
3530	----	----	5.90B/5.30A	5.90B/5.30A	----	5.30 - 0.50	.0196	----	----	----	----	168 UNCH
3535	----	----	6.00B/5.40A	6.00B/5.40A	----	5.30 - 0.60	.0197	----	----	----	----	31 UNCH
3545	----	----	6.10B/5.50A	6.10B/5.50A	----	5.40 - 0.60	.0201	----	----	----	----	256 UNCH
3550	----	----	6.20B/5.50A	6.20B/5.50A	----	5.50 - 0.50	.0205	----	----	5	----	167 UNCH
3555	----	----	6.20B/5.60A	6.20B/5.60A	----	5.50 - 0.60	.0205	----	----	----	----	1 UNCH
3565	----	----	6.40B/5.70A	6.40B/5.70A	----	5.60 - 0.60	.0210	----	----	----	----	2 UNCH
3575	----	----	6.50B/5.80A	6.50B/5.80A	----	5.70 - 0.60	.0215	----	----	----	----	1 UNCH
3580	----	----	6.60B/5.90A	6.60B/5.90A	----	5.80 - 0.60	.0218	----	----	----	----	5 UNCH
3585	----	----	6.60B/5.90A	6.60B/5.90A	----	5.80 - 0.60	.0219	----	----	----	----	1 UNCH
3590	----	----	6.70B/5.90A	6.70B/5.90A	----	5.90 - 0.60	.0223	----	----	----	----	16 UNCH
3600	----	----	6.90B/6.10A	6.90B/6.10A	----	6.00 - 0.60	.0228	----	----	----	----	145 UNCH
3605	----	----	6.90B/6.10A	6.90B/6.10A	----	6.10 - 0.60	.0231	----	----	----	----	6 UNCH
3610	----	----	7.00B/6.20A	7.00B/6.20A	----	6.10 - 0.60	.0232	----	----	----	----	1 UNCH
3615	----	----	7.10B/6.20A	7.10B/6.20A	----	6.20 - 0.60	.0236	----	----	----	----	2 UNCH
3620	----	----	7.10B/6.30A	7.10B/6.30A	----	6.20 - 0.70	.0237	----	----	----	----	12 UNCH
3625	----	----	7.30B/6.40A	7.30B/6.40A	----	6.30 - 0.60	.0241	----	----	----	----	11 UNCH
3630	----	----	7.30B/6.40A	7.30B/6.40A	----	6.40 - 0.60	.0245	----	----	----	----	10 UNCH
3635	----	----	7.40B/6.50A	7.40B/6.50A	----	6.40 - 0.70	.0246	----	----	----	----	3 UNCH
3640	----	----	7.50B/6.60A	7.50B/6.60A	----	6.50 - 0.60	.0250	----	----	----	----	6 UNCH
3645	----	----	7.50B/6.60A	7.50B/6.60A	----	6.60 - 0.60	.0254	----	----	----	----	1 UNCH
3650	----	----	7.60B/6.70A	7.60B/6.70A	----	6.60 - 0.70	.0255	----	----	5	----	99 UNCH
3655	----	----	7.70B/6.80A	7.70B/6.80A	----	6.70 - 0.70	.0259	----	----	----	----	6 UNCH
3660	----	----	7.80B/6.90A	7.80B/6.90A	----	6.80 - 0.60	.0263	----	----	----	----	22 UNCH
3665	----	----	7.90B/6.90A	7.90B/6.90A	----	6.90 - 0.60	.0267	----	----	----	----	2 UNCH
3670	----	----	8.10B/7.00A	8.10B/7.00A	----	6.90 - 0.70	.0268	----	----	----	----	111 UNCH
3675	6.90	6.90	8.10B/6.90	8.10B/6.90	----	7.00 - 0.70	.0272	----	----	1	----	4 UNCH
3680	----	----	8.20B/7.10A	8.20B/7.10A	----	7.10 - 0.70	.0276	----	----	----	----	5 UNCH
3685	----	----	8.30B/7.20A	8.30B/7.20A	----	7.20 - 0.60	.0280	----	----	----	----	12 UNCH
3690	----	----	8.40B/7.30A	8.40B/7.30A	----	7.20 - 0.70	.0281	----	----	----	----	50 UNCH
3695	----	----	8.50B/7.40A	8.50B/7.40A	----	7.30 - 0.70	.0285	----	----	----	----	141 UNCH
3700	----	----	8.60B/7.40A	8.60B/7.40A	----	7.40 - 0.70	.0289	----	----	2	----	450 + 2
3705	----	----	8.80B/7.50A	8.80B/7.50A	----	7.50 - 0.70	.0294	----	----	----	----	20 UNCH
3715	----	----	9.00B/7.60A	9.00B/7.60A	----	7.60 - 0.80	.0299	----	----	----	----	30 UNCH
3720	----	----	9.10B/7.80A	9.10B/7.80A	----	7.70 - 0.80	.0303	----	----	----	----	18 UNCH
3725	8.00	8.00	9.20B/7.80A	9.20B/7.80A	----	7.80 - 0.80	.0308	----	----	1	----	6 + 1
3730	----	----	9.30B/7.90A	9.30B/7.90A	----	7.90 - 0.80	.0312	----	----	----	----	3 UNCH
3735	----	----	9.50B/8.00A	9.50B/8.00A	----	8.00 - 0.80	.0316	----	----	----	----	30 UNCH
3740	----	----	9.60B/8.10A	9.60B/8.10A	----	8.10 - 0.80	.0320	----	----	----	----	20 UNCH
3750	8.30	8.30	9.80B/8.30	9.80B/8.30	----	8.30 - 0.80	.0329	----	----	1	----	544 + 1
3760	----	----	10.20B/8.50A	10.20B/8.50A	----	8.50 - 0.80	.0338	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
3765	----	----	10.30B/8.50A	10.30B/8.50A	----	8.60 - 0.80	.0342	----	----	----	----	32 UNCH
3770	----	----	10.40B/8.70A	10.40B/8.70A	----	8.70 - 0.80	.0347	----	----	----	----	120 UNCH
3775	----	----	10.60B/8.80A	10.60B/8.80A	----	8.80 - 0.80	.0351	----	----	----	----	61 UNCH
3780	----	----	10.60B/8.90A	10.60B/8.90A	----	8.90 - 0.90	.0356	----	----	----	----	11 UNCH
3785	----	----	10.80B/8.90A	10.80B/8.90A	----	9.00 - 0.90	.0360	----	----	----	----	6 UNCH
3790	----	----	10.90B/9.10A	10.90B/9.10A	----	9.10 - 0.90	.0365	----	----	----	----	40 UNCH
3795	----	----	11.20B/9.20A	11.20B/9.20A	----	9.20 - 0.90	.0369	----	----	----	----	36 UNCH
3800	----	----	11.20B/9.30A	11.20B/9.30A	----	9.30 - 1.00	.0374	----	----	1	----	610 UNCH
3810	----	----	11.70B/9.50A	11.70B/9.50A	----	9.50 - 1.00	.0383	----	----	----	----	16 UNCH
3815	----	----	11.90B/9.60A	11.90B/9.60A	----	9.60 - 1.10	.0388	----	----	----	----	14 UNCH
3820	----	----	12.00B/9.70A	12.00B/9.70A	----	9.80 - 1.00	.0395	----	----	----	----	10 UNCH
3825	----	----	12.10B/9.80A	12.10B/9.80A	----	9.90 - 1.10	.0400	----	----	----	----	11 UNCH
3830	----	----	12.30B/10.00A	12.30B/10.00A	----	10.00 - 1.10	.0405	----	----	1	----	24 - 1
3835	----	----	12.40B/10.10A	12.40B/10.10A	----	10.10 - 1.10	.0410	----	----	----	----	1 UNCH
3840	----	----	12.60B/10.20A	12.60B/10.20A	----	10.30 - 1.10	.0417	----	----	----	----	33 UNCH
3845	----	----	12.80B/10.40A	12.80B/10.40A	----	10.40 - 1.10	.0422	----	----	----	----	12 UNCH
3850	----	----	13.10B/10.50A	13.10B/10.50A	----	10.50 - 1.20	.0427	----	----	1	----	214 + 1
3860	----	----	13.50B/10.80A	13.50B/10.80A	----	10.80 - 1.20	.0440	----	----	----	----	42 UNCH
3865	----	----	13.50B/10.90A	13.50B/10.90A	----	10.90 NEW	.0445	----	----	1	----	1 + 1
3870	----	----	13.90B/11.10A	13.90B/11.10A	----	11.10 - 1.30	.0453	----	----	----	----	3 UNCH
3875	----	----	14.10B/11.20A	14.10B/11.20A	----	11.20 - 1.30	.0458	----	----	2	----	112 + 2
3880	----	----	14.30B/11.30A	14.30B/11.30A	----	11.40 - 1.30	.0466	----	----	----	----	14 UNCH
3885	----	----	14.50B/11.50A	14.50B/11.50A	----	11.50 - 1.40	.0471	----	----	----	----	37 UNCH
3890	----	----	14.70B/11.70A	14.70B/11.70A	----	11.70 - 1.40	.0479	----	----	----	----	4 UNCH
3895	----	----	14.80B/11.80A	14.80B/11.80A	----	11.90 - 1.30	.0487	----	----	----	----	2 UNCH
3900	12.40	12.40	15.00B/11.90A	15.00B/11.90A	----	12.00 - 1.40	.0492	----	----	5	----	284 UNCH
3905	----	----	15.40B/12.10A	15.40B/12.10A	----	12.20 - 1.40	.0500	----	----	----	----	12 UNCH
3910	----	----	15.60B/12.30A	15.60B/12.30A	----	12.40 - 1.40	.0509	----	----	----	----	54 UNCH
3920	----	----	16.10B/12.60A	16.10B/12.60A	----	12.70 - 1.50	.0522	----	----	----	----	10 UNCH
3925	----	----	16.20B/12.80A	16.20B/12.80A	----	12.90 - 1.50	.0530	----	----	----	----	57 UNCH
3930	----	----	16.60B/13.00A	16.60B/13.00A	----	13.10 - 1.50	.0539	----	----	----	----	25 UNCH
3935	----	----	16.90B/13.20A	16.90B/13.20A	----	13.30 - 1.60	.0547	----	----	----	----	17 UNCH
3940	----	----	17.00B/13.30A	17.00B/13.30A	----	13.50 - 1.60	.0556	----	----	----	----	25 UNCH
3945	----	----	17.40B/13.50A	17.40B/13.50A	----	13.60 - 1.70	.0561	----	----	----	----	23 UNCH
3950	----	----	17.70B/13.70A	17.70B/13.70A	----	13.80 - 1.70	.0570	----	----	----	----	600 UNCH
3955	----	----	17.80B/13.90A	17.80B/13.90A	----	14.10 - 1.70	.0581	----	----	----	----	56 UNCH
3960	----	----	18.30B/14.10A	18.30B/14.10A	----	14.30 - 1.70	.0590	----	----	----	----	22 UNCH
3965	----	----	18.70B/14.30A	18.70B/14.30A	----	14.50 - 1.70	.0598	----	----	----	----	94 UNCH
3970	----	----	19.00B/14.50A	19.00B/14.50A	----	14.70 - 1.80	.0607	----	----	----	----	7 UNCH
3975	----	----	19.30B/14.70A	19.30B/14.70A	----	14.90 - 1.80	.0616	----	----	----	----	28 UNCH
3980	----	----	19.60B/15.00A	19.60B/15.00A	----	15.10 - 1.90	.0624	----	----	----	----	235 UNCH
3985	----	----	19.90B/15.20A	19.90B/15.20A	----	15.40 - 1.90	.0636	----	----	----	----	136 UNCH
3990	----	----	20.20B/15.40A	20.20B/15.40A	----	15.60 - 1.90	.0645	----	----	----	----	41 UNCH
3995	----	----	20.60B/15.60A	20.60B/15.60A	----	15.90 - 1.90	.0656	----	----	----	----	20 UNCH
4000	----	----	20.90B/15.80A	20.90B/15.80A	----	16.10 - 2.00	.0665	----	----	50	----	1451 + 18
4005	----	----	21.10B/16.10A	21.10B/16.10A	----	16.40 - 2.00	.0677	----	----	----	----	155 UNCH
4010	----	----	21.50B/16.30A	21.50B/16.30A	----	16.60 - 2.00	.0686	----	----	----	----	3 UNCH
4015	----	----	21.90B/16.60A	21.90B/16.60A	----	16.90 - 2.00	.0698	----	----	----	----	62 UNCH
4020	----	----	22.30B/16.90A	22.30B/16.90A	----	17.10 - 2.10	.0707	----	----	1	----	112 + 1
4025	----	----	22.70B/17.10A	22.70B/17.10A	----	17.40 - 2.10	.0719	----	----	----	----	21 UNCH
4030	----	----	23.10B/17.40A	23.10B/17.40A	----	17.70 - 2.10	.0731	----	----	----	----	50 UNCH
4035	----	----	23.40B/17.70A	23.40B/17.70A	----	18.00 - 2.20	.0743	----	----	----	----	3 UNCH
4040	----	----	23.80B/17.90A	23.80B/17.90A	----	18.30 - 2.20	.0755	----	----	3	----	8 + 3
4045	----	----	24.20B/18.20A	24.20B/18.20A	----	18.60 - 2.20	.0767	----	----	----	----	22 UNCH
4050	----	----	24.70B/18.50A	24.70B/18.50A	----	18.90 - 2.20	.0780	----	----	2	----	257 UNCH
4055	----	----	25.00B/18.80A	25.00B/18.80A	----	19.20 - 2.30	.0792	----	----	----	----	32 UNCH
4060	----	----	25.50B/19.10A	25.50B/19.10A	----	19.50 - 2.30	.0804	----	----	----	----	2 UNCH
4065	----	----	25.90B/19.40A	25.90B/19.40A	----	19.80 - 2.40	.0817	----	----	----	----	130 UNCH
4070	----	----	26.30B/19.70A	26.30B/19.70A	----	20.20 - 2.40	.0832	----	----	1	----	11 + 1
4075	----	----	26.80B/20.10A	26.80B/20.10A	----	20.50 - 2.40	.0844	----	----	----	----	14 UNCH
4080	----	----	27.20B/20.40A	27.20B/20.40A	----	20.80 - 2.50	.0857	----	----	----	----	9 UNCH
4085	----	----	27.70B/20.70A	27.70B/20.70A	----	21.20 - 2.50	.0872	----	----	1	----	14 UNCH
4090	----	----	27.80B/21.10A	27.80B/21.10A	----	21.50 - 2.60	.0885	----	----	----	----	5 UNCH
4095	----	----	28.70B/21.40A	28.70B/21.40A	----	21.90 - 2.60	.0900	----	----	----	----	15 UNCH
4100	23.90	23.90	29.10B/21.70A	29.10B/21.70A	----	22.30 - 2.60	.0915	----	----	7	----	1208 + 3
4105	----	----	29.70B/22.10A	29.70B/22.10A	----	22.60 - 2.70	.0928	----	----	----	----	14 UNCH
4110	----	----	30.20B/22.50A	30.20B/22.50A	----	23.00 - 2.70	.0944	----	----	----	----	17 UNCH
4115	----	----	30.70B/22.90A	30.70B/22.90A	----	23.40 - 2.70	.0959	----	----	----	----	11 UNCH
4120	----	----	31.10B/23.20A	31.10B/23.20A	----	23.80 - 2.80	.0975	----	----	1	----	7 + 1
4125	----	----	31.80B/23.60A	31.80B/23.60A	----	24.20 - 2.80	.0991	----	----	----	----	83 UNCH
4130	----	----	32.30B/24.00A	32.30B/24.00A	----	24.70 - 2.80	.1009	----	----	----	----	69 UNCH
4135	----	----	32.80B/24.40A	32.80B/24.40A	----	25.10 - 2.80	.1025	----	----	----	----	40 UNCH
4140	----	----	33.40B/24.80A	33.40B/24.80A	----	25.50 - 2.90	.1041	----	----	----	----	45 UNCH
4145	----	----	34.00B/25.30A	34.00B/25.30A	----	26.00 - 2.90	.1059	----	----	----	----	234 UNCH
4150	----	----	34.60B/25.70A	34.60B/25.70A	----	26.40 - 3.00	.1075	----	----	5	----	161 + 3
4155	----	----	35.10B/26.10A	35.10B/26.10A	----	26.90 - 3.00	.1094	----	----	----	----	6 UNCH
4160	----	----	35.80B/26.60A	35.80B/26.60A	----	27.30 - 3.10	.1110	----	----	----	----	2 UNCH
4165	----	----	36.30B/27.00A	36.30B/27.00A	----	27.80 - 3.10	.1129	----	----	----	----	79 UNCH
4170	----	----	37.10B/27.50A	37.10B/27.50A	----	28.30 - 3.10	.1148	----	----	----	----	4 UNCH
4175	----	----	37.80B/28.00A	37.80B/28.00A	----	28.80 - 3.10	.1167	----	----	3	----	48 + 3
4180	----	----	38.40B/28.40A	38.40B/28.40A	----	29.30 - 3.20	.1186	----	----	1	----	19 + 1
4185	----	----	39.00B/28.90A	39.00B/28.90A	----	29.80 - 3.20	.1205	----	----	----	----	13 UNCH
4190	----	----	39.60B/29.50A	39.60B/29.50A	----	30.30 - 3.30	.1224	----	----	----	----	130 UNCH
4195	----	----	40.40B/30.00A	40.40B/30.00A	----	30.90 - 3.30	.1245	----	----	----	----	66 UNCH
4200	41.20	41.20	41.20/30.50A	41.20/30.50A	----	31.40 - 3.40	.1264	----	----	322	----	610 - 33
4205	----	----	41.80B/31.00A	41.80B/31.00A	----	32.00 - 3.40	.1286	----	----	----	----	22 UNCH
4210	----	----	42.40B/31.50A	42.40B/31.50A	----	32.60 - 3.40	.1308	----	----	----	----	68 UNCH
4215	----	----	43.20B/32.10A	43.20B/32.10A	----	33.10 - 3.50	.1327	----	----	----	----	41 UNCH
4220	32.40	32.40	43.90B/32.40	43.90B/32.40	----	33.70 - 3.50	.1349	----	----	4	----	194 - 3
4225	33.20	33.20	44.80B/33.20	44.80B/33.20	----	34.30 - 3.60	.1371	----	----	3	----	52 - 1
4230	----	----	45.60B/33.90A	45.60B/33.90A	----	34.90 - 3.60	.1393	----	----	----	----	16 UNCH
4235	----	----	46.30B/34.50A	46.30B/34.50A	----	35.60 - 3.60	.1417	----	----	----	----	43 UNCH
4240	----	----	47.20B/35.10A	47.20B/35.10A	----	36.20 - 3.70	.1440	----	----	60	----	98 + 60
4245	----	----	48.10B/35.80A	48.10B/35.80A	----	36.80 - 3.80	.1462	----	----	----	----	4 UNCH
4250	46.80	46.80	48.90B/36.30A	48.90B/36.30A	----	37.50 - 3.80	.1486	----	----	67	----	1204 + 44
4255	----	----	49.70B/37.00A	49.70B/37.00A	----	38.20 - 3.80	.1511	----	----	----	----	4 UNCH
4260	----	----	50.80B/37.60A	50.80B/37.60A	----	38.90 - 3.80	.1536	----	----	1	----	20 + 1
4265	----	----	51.50B/38.40A	51.50B/38.40A	----	39.60 - 3.90	.1560	----	----	----	----	15 UNCH
4270	----	----	52.60B/39.00A	52.60B/39.00A	----	40.30 - 4.00	.1585	----	----	----	----	8 UNCH
4275	----	----	53.20B/39.80A	53.20B/39.80A	----	41.00 - 4.00	.1610	----	----	4	----	136 + 4
4280	----	----	54.50B/40.50A	54.50B/40.50A	----	41.70 - 4.10	.1635	----	----	----	----	50 UNCH
4285	----	----	55.20B/41.20A	55.20B/41.20A	----	42.50 - 4.10	.1662	----	----	----	----	101 UNCH
4290	----	----	56.50B/41.90A	56.50B/41.90A	----	43.30 - 4.10	.1689	----	----	----	----	34 UNCH
4295	----	----	57.10B/42.60A	57.10B/42.60A	----	44.10 - 4.20	.1717	----	----	----	----	21 UNCH
4300	49.50	49.50	58.50B/43.30A	58.50B/43.30A	----	44.90 - 4.20	.1744	----	----	450	----	976 + 12
4305	----	----	59.50B/44.20A	59.50B/44.20A	----	45.70 - 4.30	.1772	----	----	----	----	9 UNCH
4310	----	----	60.60B/44.90A	60.60B/44.90A	----	46.50 - 4.40	.1799	----	----	----	----	31 UNCH
4315	----	----	61.60B/45.70A	61.60B/45.70A	----	47.30 - 4.50	.1827	----	----	----	----	59 UNCH
4320	----	----	62.60B/46.70A	62.60B/46.70A	----	48.20 - 4.50	.1856	----	----	----	----	7 UNCH
4325	----	----	63.60B/47.40A	63.60B/47.40A	----	49.10 - 4.50	.1886	----	----	----	----	157 UNCH
4330	----	----	64.80B/48.40A	64.80B/48.40A	----	50.00 - 4.60	.1916	----	----	----	----	25 UNCH
4335	----	----	66.10B/49.20A	66.10B/49.20A	----	50.90 - 4.60	.1946	----	----	----	----	111 UNCH
4340	----	----	67.20B/50.10A	67.20B/50.10A	----	51.80 - 4.70	.1976	----	----	1	----	115 UNCH
4345	----	----	68.40B/51.10A	68.40B/51.10A	----	52.70 - 4.80	.2006	----	----	----	----	13 UNCH
4350	55.00	55.00	69.60B/51.90A	69.60B/51.90A	----	53.70 - 4.80	.2038	----	----	4	----	451 + 1
4355	----	----	70.90B/52.90A	70.90B/52.90A	----	54.70 - 4.80	.2070	----	----	----	----	124 UNCH
4360	----	----	72.10B/53.90A	72.10B/53.90A	----	55.70 - 4.90	.2102	----	----	----	----	104 UNCH
4365	----	----	73.40B/54.70A	73.40B/54.70A	----	56.70 - 4.90	.2134	----	----	19	----	36 + 6
4370	----	----	74.70B/55.80A	74.70B/55.80A	----	57.70 - 5.00	.2166	----	----	----	----	139 UNCH
4375	----	----	76.00B/56.70A	76.00B/56.70A	----	58.80 - 5.00	.2200	----	----	----	----	26 UNCH
4380	----	----	77.10B/57.70A	77.10B/57.70A	----	59.80 - 5.20	.2233	----	----	----	----	6 UNCH
4385	----	----	78.60B/58.80A	78.60B/58.80A	----	60.90 - 5.20	.2267	----	----	----	----	66 UNCH
4390	----	----	80.00B/59.80A	80.00B/59.80A	----	62.00 - 5.30	.2301	----	----	----	----	3 UNCH
4395	----	----	81.40B/60.90A	81.40B/60.90A	----	63.10 - 5.30	.2335	----	----	----	----	26 UNCH
4400	64.10	64.10	82.70B/61.80A	82.70B/61.80A	----	64.30 - 5.40	.2371	----	----	97	----	1037 + 49
4405	----	----	84.00B/63.00A	84.00B/63.00A	----	65.40 - 5.50	.2406	----	----	----	----	26 UNCH
4410	75.70	75.70	85.70B/64.00A	85.70B/64.00A	----	66.60 - 5.50	.2442	----	----	1	----	17 + 1
4415	----	----	87.00B/65.20A	87.00B/65.20A	----	67.80 - 5.60	.2478	----	----	----	----	8 UNCH
4420	----	----	88.70B/66.30A	88.70B/66.30A	----	69.10 - 5.60	.2516	----	----	----	----	101 UNCH
4425	----	----	90.30B/67.50A	90.30B/67.50A	----	70.30 - 5.70	.2552	----	----	----	----	38 UNCH
4430	----	----	91.80B/68.80A	91.80B/68.80A	----	71.60 - 5.70	.2590	----	----	----	----	168 UNCH
4435	82.60	82.60	93.20B/69.80A	93.20B/69.80A	----	72.90 - 5.70	.2628	----	----	1	----	3 UNCH
4440	----	----	95.00B/71.00A	95.00B/71.00A	----	74.20 - 5.80	.2666	----	----	----	----	63 UNCH
4445	----	----	96.70B/72.40A	96.70B/72.40A	----	75.50 - 5.90	.2704	----	----	----	----	152 UNCH
4450	77.00	77.00	98.30B/73.50A	98.30B/73.50A	----	76.90 - 5.90	.2744	----	----	170	----	984 - 47
4455	----	----	100.00B/74.80A	100.00B/74.80A	----	78.20 - 6.00	.2782	----	----	----	----	19 UNCH
4460	----	----	101.70B/76.20A	101.70B/76.20A	----	79.60 - 6.10	.2821	----	----	----	----	235 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4465	----	----	103.40B/77.40A	103.40B/77.40A	----	81.10 - 6.10	.2862	----	----	----	----	29 UNCH
4470	----	----	105.20B/78.70A	105.20B/78.70A	----	82.50 - 6.20	.2902	----	----	----	----	67 UNCH
4475	----	----	107.00B/80.30A	107.00B/80.30A	----	84.00 - 6.20	.2943	----	----	----	----	37 UNCH
4480	----	----	108.80B/81.40A	108.80B/81.40A	----	85.40 - 6.30	.2983	----	----	1	----	142 UNCH
4485	----	----	110.60B/82.80A	110.60B/82.80A	----	87.00 - 6.30	.3025	----	----	----	----	50 UNCH
4490	----	----	112.50B/84.20A	112.50B/84.20A	----	88.50 - 6.40	.3066	----	----	----	----	42 UNCH
4495	----	----	114.40B/85.90A	114.40B/85.90A	----	90.00 - 6.50	.3108	----	----	----	----	75 UNCH
4500	114.60	114.60	115.80B/87.20A	115.80B/87.20A	----	91.60 - 6.50	.3150	----	----	6	----	1210 UNCH
4505	----	----	118.20B/88.60A	118.20B/88.60A	----	93.20 - 6.60	.3193	----	----	----	----	7 UNCH
4510	107.30	107.30	120.20B/90.10A	120.20B/90.10A	----	94.80 - 6.60	.3235	----	----	1	----	8 UNCH
4515	----	----	122.20B/91.60A	122.20B/91.60A	----	96.50 - 6.60	.3279	----	----	----	----	5 UNCH
4520	----	----	123.30B/93.60A	123.30B/93.60A	----	98.20 - 6.70	.3322	----	----	----	----	12 UNCH
4525	----	----	126.20B/95.20A	126.20B/95.20A	----	99.90 - 6.70	.3366	----	----	1	----	209 UNCH
4530	106.40	106.40	128.00B/96.80A	128.00B/96.80A	----	101.60 - 6.80	.3410	----	----	1	----	15 + 1
4535	----	----	130.60B/98.40A	130.60B/98.40A	----	103.30 - 6.90	.3454	----	----	----	----	7 UNCH
4540	----	----	132.50B/100.20A	132.50B/100.20A	----	105.10 - 6.90	.3498	----	----	2	----	91 UNCH
4545	----	----	134.60B/101.80A	134.60B/101.80A	----	106.90 - 7.00	.3543	----	----	----	----	20 UNCH
4550	122.40	122.40	136.60B/103.50A	136.60B/103.50A	----	108.70 - 7.00	.3588	----	----	3	----	78 + 2
4555	132.90	132.90	138.30B/105.20A	138.30B/105.20A	----	110.50 - 7.10	.3633	----	----	2	----	17 + 1
4560	112.70	112.70	141.20B/107.00A	141.20B/107.00A	----	112.40 - 7.20	.3679	----	----	2	----	41 + 2
4565	----	----	142.80B/108.80A	142.80B/108.80A	----	114.30 - 7.20	.3724	----	----	1	----	106 + 1
4570	----	----	145.80B/110.70A	145.80B/110.70A	----	116.20 - 7.30	.3770	----	----	----	----	9 UNCH
4575	----	----	147.50B/112.50A	147.50B/112.50A	----	118.20 - 7.30	.3817	----	----	2	----	22 + 2
4580	----	----	150.30B/114.30A	150.30B/114.30A	----	120.10 - 7.40	.3863	----	----	----	----	8 UNCH
4585	----	----	152.90B/116.20A	152.90B/116.20A	----	122.10 - 7.50	.3909	----	----	----	----	11 UNCH
4590	----	----	154.80B/118.00A	154.80B/118.00A	----	124.20 - 7.50	.3956	----	----	----	----	9 UNCH
4595	----	----	157.70B/120.00A	157.70B/120.00A	----	126.20 - 7.60	.4003	----	----	----	----	50 UNCH
4600	155.70	155.70	159.70B/121.50A	159.70B/121.50A	----	128.30 - 7.60	.4050	----	----	109	----	1267 - 47
4605	----	----	162.50B/123.80A	162.50B/123.80A	----	130.40 - 7.70	.4097	----	----	----	----	3 UNCH
4610	139.50	139.50	164.90B/125.80A	164.90B/125.80A	----	132.50 - 7.80	.4145	----	----	5	----	138 + 3
4615	131.50	131.50	167.60B/127.80A	167.60B/127.80A	----	134.70 - 7.80	.4192	----	----	4	----	21 + 3
4620	----	----	170.50B/130.00A	170.50B/130.00A	----	136.90 - 7.90	.4240	----	----	1	----	44 + 1
4625	----	----	173.00B/132.10A	173.00B/132.10A	----	139.10 - 7.90	.4288	----	----	25	----	188 + 25
4630	----	----	175.40B/134.20A	175.40B/134.20A	----	141.30 - 8.00	.4336	----	----	1	----	14 + 1
4635	----	----	177.90B/136.30A	177.90B/136.30A	----	143.60 - 8.10	.4384	----	----	2	----	126 + 1
4640	----	----	180.70B/138.50A	180.70B/138.50A	----	145.90 - 8.10	.4432	----	----	----	----	155 UNCH
4645	----	----	183.40B/140.70A	183.40B/140.70A	----	148.20 - 8.20	.4480	----	----	----	----	12 UNCH
4650	----	----	186.00B/142.60A	186.00B/142.60A	----	150.50 - 8.30	.4528	----	----	----	----	361 UNCH
4655	----	----	188.70B/145.10A	188.70B/145.10A	----	152.90 - 8.40	.4577	----	----	----	----	13 UNCH
4660	----	----	190.70B/147.30A	190.70B/147.30A	----	155.30 - 8.40	.4625	----	----	----	----	62 UNCH
4665	----	----	193.50B/149.70A	193.50B/149.70A	----	157.80 - 8.40	.4674	----	----	----	----	23 UNCH
4670	----	----	196.30B/152.00A	196.30B/152.00A	----	160.20 - 8.60	.4722	----	----	----	----	101 UNCH
4675	----	----	200.00B/154.30A	200.00B/154.30A	----	162.70 - 8.60	.4771	----	----	2	----	156 UNCH
4680	----	----	203.30B/156.70A	203.30B/156.70A	----	165.20 - 8.70	.4819	----	----	1	----	131 + 1
4685	----	----	206.20B/159.10A	206.20B/159.10A	----	167.80 - 8.70	.4868	----	----	----	----	8 UNCH
4690	----	----	208.00B/161.50A	208.00B/161.50A	----	170.30 - 8.80	.4916	----	----	----	----	15 UNCH
4695	----	----	211.70B/164.00A	211.70B/164.00A	----	172.90 - 8.90	.4965	----	----	----	----	179 UNCH
4700	175.20	175.20	213.90B/166.00A	213.90B/166.00A	----	175.60 - 8.90	.5013	----	----	46	----	681 + 2
4705	----	----	216.00B/168.90A	216.00B/168.90A	----	178.20 - 9.00	.5062	----	----	----	----	9 UNCH
4710	----	----	218.60B/171.50A	218.60B/171.50A	----	180.90 - 9.10	.5110	----	----	----	----	126 UNCH
4715	----	----	222.10B/173.90A	222.10B/173.90A	----	183.60 - 9.10	.5158	----	----	----	----	111 UNCH
4720	----	----	225.60B/176.60A	225.60B/176.60A	----	186.40 - 9.10	.5206	----	----	----	----	53 UNCH
4725	----	----	228.70B/179.10A	228.70B/179.10A	----	189.10 - 9.20	.5255	----	----	----	----	206 UNCH
4730	----	----	230.30B/181.80A	230.30B/181.80A	----	191.90 - 9.30	.5303	----	----	----	----	67 UNCH
4735	----	----	231.00B/184.40A	231.00B/184.40A	----	194.70 - 9.40	.5350	----	----	----	----	17 UNCH
4740	----	----	236.50B/187.10A	236.50B/187.10A	----	197.60 - 9.40	.5398	----	----	----	----	115 UNCH
4745	----	----	239.90B/189.90A	239.90B/189.90A	----	200.50 - 9.40	.5445	----	----	----	----	121 UNCH
4750	----	----	243.20B/192.40A	243.20B/192.40A	----	203.40 - 9.50	.5493	----	----	----	----	438 UNCH
4755	----	----	243.50B/195.50A	243.50B/195.50A	----	206.30 - 9.60	.5540	----	----	----	----	12 UNCH
4760	----	----	249.60B/198.20A	249.60B/198.20A	----	209.30 - 9.60	.5588	----	----	----	----	79 UNCH
4765	----	----	252.90B/200.80A	252.90B/200.80A	----	212.30 - 9.60	.5635	----	----	----	----	303 UNCH
4770	----	----	253.40B/203.90A	253.40B/203.90A	----	215.30 - 9.70	.5681	----	----	----	----	10 UNCH
4775	----	----	259.60B/206.90A	259.60B/206.90A	----	218.30 - 9.70	.5728	----	----	----	----	46 UNCH
4780	----	----	262.90B/209.70A	262.90B/209.70A	----	221.40 - 9.80	.5774	----	----	----	----	39 UNCH
4785	----	----	263.70B/212.60A	263.70B/212.60A	----	224.50 - 9.80	.5821	----	----	----	----	125 UNCH
4790	----	----	267.20B/215.60A	267.20B/215.60A	----	227.60 - 9.90	.5866	----	----	----	----	3 UNCH
4795	----	----	273.30B/218.60A	273.30B/218.60A	----	230.70 - 9.90	.5912	----	----	----	----	76 UNCH
4800	----	----	276.90B/221.40A	276.90B/221.40A	----	233.90 - 9.90	.5958	----	----	19	----	1229 UNCH
4805	----	----	277.60B/224.60A	277.60B/224.60A	----	237.10 - 10.00	.6002	----	----	----	----	4 UNCH
4810	----	----	281.10B/227.70A	281.10B/227.70A	----	240.30 - 10.00	.6048	----	----	----	----	8 UNCH
4815	----	----	284.90B/230.80A	284.90B/230.80A	----	243.60 - 10.00	.6092	----	----	----	----	27 UNCH
4820	----	----	288.40B/233.90A	288.40B/233.90A	----	246.80 - 10.10	.6137	----	----	----	----	205 UNCH
4825	----	----	294.50B/236.90A	294.50B/236.90A	----	250.10 - 10.20	.6181	----	----	----	----	33 UNCH
4830	----	----	297.90B/240.70A	297.90B/240.70A	----	253.40 - 10.20	.6226	----	----	----	----	2 UNCH
4835	----	----	301.90B/243.50A	301.90B/243.50A	----	256.80 - 10.20	.6269	----	----	----	----	21 UNCH
4840	----	----	302.70B/247.00A	302.70B/247.00A	----	260.10 - 10.30	.6312	----	----	----	----	9 UNCH
4845	----	----	306.60B/250.40A	306.60B/250.40A	----	263.50 - 10.30	.6355	----	----	----	----	81 UNCH
4850	----	----	310.30B/253.40A	310.30B/253.40A	----	266.90 - 10.40	.6399	----	----	----	----	298 UNCH
4855	----	----	316.30B/256.70A	316.30B/256.70A	----	270.40 - 10.30	.6442	----	----	----	----	8 UNCH
4860	----	----	317.30B/260.40A	317.30B/260.40A	----	273.80 - 10.40	.6484	----	----	----	----	1 UNCH
4865	----	----	321.20B/263.60A	321.20B/263.60A	----	277.30 - 10.40	.6526	----	----	----	----	27 UNCH
4870	----	----	325.00B/266.90A	325.00B/266.90A	----	280.80 - 10.50	.6568	----	----	----	----	319 UNCH
4875	----	----	331.60B/270.30A	331.60B/270.30A	----	284.30 - 10.50	.6610	----	----	----	----	71 UNCH
4880	----	----	335.60B/273.60A	335.60B/273.60A	----	287.80 - 10.60	.6650	----	----	----	----	51 UNCH
4885	----	----	336.50B/277.00A	336.50B/277.00A	----	291.40 - 10.60	.6691	----	----	----	----	12 UNCH
4890	----	----	343.10B/280.50A	343.10B/280.50A	----	294.90 - 10.70	.6732	----	----	----	----	9 UNCH
4895	----	----	347.10B/283.90A	347.10B/283.90A	----	298.50 - 10.80	.6772	----	----	----	----	48 UNCH
4900	----	----	350.60B/287.50A	350.60B/287.50A	----	302.10 - 10.80	.6812	----	----	----	----	243 UNCH
4905	----	----	354.50B/291.00A	354.50B/291.00A	----	305.80 - 10.80	.6851	----	----	----	----	54 UNCH
4910	----	----	358.70B/294.70A	358.70B/294.70A	----	309.40 - 10.90	.6892	----	----	----	----	2 UNCH
4915	----	----	362.40B/298.10A	362.40B/298.10A	----	313.10 - 10.90	.6931	----	----	----	----	118 UNCH
4920	----	----	363.60B/301.80A	363.60B/301.80A	----	316.80 - 11.00	.6968	----	----	----	----	22 UNCH
4925	----	----	370.60B/305.20A	370.60B/305.20A	----	320.50 - 11.00	.7007	----	----	----	----	11 UNCH
4930	----	----	371.50B/309.00A	371.50B/309.00A	----	324.30 - 11.00	.7046	----	----	----	----	52 UNCH
4935	----	----	378.40B/312.60A	378.40B/312.60A	----	328.00 - 11.10	.7083	----	----	----	----	4 UNCH
4940	----	----	382.60B/316.30A	382.60B/316.30A	----	331.80 - 11.10	.7120	----	----	----	----	11 UNCH
4950	----	----	390.50B/323.60A	390.50B/323.60A	----	339.40 - 11.20	.7193	----	----	----	----	106 UNCH
4975	----	----	411.30B/345.00A	411.30B/345.00A	----	358.70 - 11.50	.7371	----	----	----	----	2 UNCH
4980	----	----	415.40B/348.60A	415.40B/348.60A	----	362.70 - 11.50	.7405	----	----	----	----	6 UNCH
4985	----	----	416.70B/350.50A	416.70B/350.50A	----	366.60 - 11.60	.7440	----	----	----	----	104 UNCH
4990	----	----	423.80B/356.50A	423.80B/356.50A	----	370.60 - 11.60	.7473	----	----	----	----	2 UNCH
4995	----	----	427.70B/360.10A	427.70B/360.10A	----	374.60 - 11.60	.7506	----	----	----	----	12 UNCH
5000	385.00	385.00	429.30B/362.10A	429.30B/362.10A	----	378.50 - 11.70	.7539	----	----	1	----	545 UNCH
5005	----	----	433.50B/366.00A	433.50B/366.00A	----	382.60 - 11.70	.7571	----	----	----	----	12 UNCH
5010	----	----	440.40B/371.80A	440.40B/371.80A	----	386.60 - 11.70	.7604	----	----	----	----	9 UNCH
5015	----	----	444.90B/375.80A	444.90B/375.80A	----	390.60 - 11.80	.7635	----	----	----	----	20 UNCH
5020	----	----	446.20B/377.80A	446.20B/377.80A	----	394.70 - 11.80	.7666	----	----	----	----	5 UNCH
5025	----	----	450.30B/381.80A	450.30B/381.80A	----	398.80 - 11.80	.7697	----	----	----	----	150 UNCH
5030	----	----	454.80B/385.80A	454.80B/385.80A	----	402.90 - 11.90	.7728	----	----	----	----	8 UNCH
5035	----	----	459.10B/389.80A	459.10B/389.80A	----	407.00 - 11.90	.7759	----	----	----	----	37 UNCH
5040	----	----	463.40B/393.80A	463.40B/393.80A	----	411.10 - 12.00	.7789	----	----	----	----	10 UNCH
5045	----	----	467.50B/396.40A	467.50B/396.40A	----	415.20 - 12.10	.7818	----	----	----	----	5 UNCH
5050	----	----	472.00B/401.80A	472.00B/401.80A	----	419.40 - 12.00	.7847	----	----	----	----	78 UNCH
5055	----	----	479.30B/407.90A	479.30B/407.90A	----	423.60 - 12.00	.7877	----	----	----	----	3 UNCH
5065	----	----	485.10B/414.10A	485.10B/414.10A	----	431.90 - 12.20	.7932	----	----	----	----	11 UNCH
5075	----	----	493.60B/422.30A	493.60B/422.30A	----	440.40 - 12.20	.7989	----	----	----	----	6 UNCH
5080	----	----	498.30B/426.60A	498.30B/426.60A	----	444.60 - 12.30	.8015	----	----	----	----	2 UNCH
5085	----	----	505.70B/432.60A	505.70B/432.60A	----	448.80 - 12.40	.8043	----	----	----	----	21 UNCH
5090	----	----	507.10B/434.80A	507.10B/434.80A	----	453.10 - 12.30	.8069	----	----	----	----	6 UNCH
5095	----	----	514.50B/441.00A	514.50B/441.00A	----	457.40 - 12.40	.8095	----	----	----	----	42 UNCH
5100	----	----	519.00B/445.20A	519.00B/445.20A	----	461.60 - 12.50	.8121	----	----	----	----	106 UNCH
5105	----	----	523.40B/449.40A	523.40B/449.40A	----	465.90 - 12.50	.8147	----	----	----	----	22 UNCH
5110	----	----	524.90B/451.60A	524.90B/451.60A	----	470.20 - 12.60	.8173	----	----	----	----	16 UNCH
5115	----	----	529.10B/456.10A	529.10B/456.10A	----	474.60 - 12.50	.8196	----	----	----	----	37 UNCH
5120	----	----	533.90B/460.30A	533.90B/460.30A	----	478.90 - 12.60	.8222	----	----	----	----	14 UNCH
5125	----	----	541.30B/466.30A	541.30B/466.30A	----	483.20 - 12.70	.8245	----	----	----	----	37 UNCH
5130	----	----	542.60B/468.90A	542.60B/468.90A	----	487.60 - 12.60	.8268	----	----	----	----	23 UNCH
5135	----	----	550.30B/474.90A	550.30B/474.90A	----	492.00 - 12.60	.8294	----	----	----	----	9 UNCH
5140	----	----	554.90B/479.20A	554.90B/479.20A	----	496.30 - 12.70	.8317	----	----	----	----	19 UNCH
5145	----	----	559.40B/483.50A	559.40B/483.50A	----	500.70 - 12.80	.8340	----	----	----	----	3 UNCH
5150	----	----	560.90B/486.10A	560.90B/486.10A	----	505.10 - 12.80	.8363	----	----	----	----	233 UNCH
5155	----	----	565.50B/490.30A	565.50B/490.30A	----	509.50 - 12.80	.8383	----	----	----	----	42 UNCH
5160	----	----	570.00B/494.60A	570.00B/494.60A	----	513.90 - 12.90	.8406	----	----	----	----	42 UNCH
5170	----	----	581.90B/505.30A	581.90B/505.30A	----	522.80 - 12.90	.8449	----	----	----	----	51 UNCH
5175	----	----	583.70B/507.90A	583.70B/507.90A	----	527.20 - 13.00	.8469	----	----	----	----	61 UNCH
5180	----	----	591.00B/514.00A	591.00B/514.00A	----	531.70 - 13.00	.8492	----	----	----	----	10 UNCH
5185	----	----	595.90B/516.50A	595.90B/516.50A	----	536.20 - 13.00	.8512	----	----	----	----	103 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
JUL26												
5190	----	----	600.20B/522.90A	600.20B/522.90A	----	540.60 - 13.10	.8532	----	----	----	----	19 UNCH
5200	----	----	609.70B/531.70A	609.70B/531.70A	----	549.60 - 13.10	.8572	----	----	----	----	56 UNCH
5225	----	----	629.80B/552.30A	629.80B/552.30A	----	572.20 - 13.30	.8665	----	----	----	----	42 UNCH
5230	----	----	637.30B/558.70A	637.30B/558.70A	----	576.80 - 13.20	.8682	----	----	----	----	2 UNCH
5235	----	----	639.20B/561.10A	639.20B/561.10A	----	581.30 - 13.30	.8702	----	----	----	----	23 UNCH
5245	----	----	648.50B/570.20A	648.50B/570.20A	----	590.50 - 13.30	.8736	----	----	----	----	2 UNCH
5250	----	----	652.90B/574.60A	652.90B/574.60A	----	595.00 - 13.40	.8752	----	----	----	----	14 UNCH
5255	----	----	657.80B/579.30A	657.80B/579.30A	----	599.60 - 13.40	.8769	----	----	----	----	14 UNCH
5285	----	----	686.80B/608.70A	686.80B/608.70A	----	627.30 - 13.50	.8865	----	----	----	----	2 UNCH
5290	----	----	684.80B/611.30A	684.80B/611.30A	----	631.90 - 13.50	.8879	----	----	----	----	4 UNCH
5295	----	----	688.70B/617.90A	688.70B/617.90A	----	636.50 - 13.60	.8895	----	----	----	----	2 UNCH
5300	----	----	690.60B/622.20A	690.60B/622.20A	----	641.20 - 13.60	.8908	----	----	1	----	68 UNCH
5315	----	----	692.00B/634.30A	692.00B/634.30A	----	655.20 - 13.60	.8951	----	----	----	----	10 UNCH
5325	----	----	697.10B/645.60A	697.10B/645.60A	----	664.50 - 13.70	.8978	----	----	----	----	2 UNCH
5350	----	----	724.70B/666.90A	724.70B/666.90A	----	688.00 - 13.70	.9043	----	----	----	----	8 UNCH
5375	----	----	748.50B/690.30A	748.50B/690.30A	----	711.50 - 13.90	.9104	----	----	----	----	8 UNCH
5390	----	----	762.80B/706.40A	762.80B/706.40A	----	725.80 - 13.80	.9136	----	----	----	----	5 UNCH
5400	----	----	774.60B/714.70A	774.60B/714.70A	----	735.20 - 14.00	.9158	----	----	----	----	602 UNCH
5410	----	----	----/726.20A	732.40B/726.20A	----	744.80 - 13.90	.9181	----	----	----	----	1 UNCH
5440	----	----	----	----	----	773.40 - 14.00	.9240	----	----	----	----	1 UNCH
5475	----	----	844.50B/789.60A	844.50B/789.60A	----	806.90 - 14.20	.9304	----	----	----	----	7 UNCH
5500	----	----	868.70B/813.60A	868.70B/813.60A	----	831.00 - 14.20	.9342	----	----	----	----	4 UNCH
5505	----	----	----	----	----	835.80 - 14.30	.9351	----	----	----	----	1 UNCH
5510	----	----	----	----	----	840.70 - 14.20	.9360	----	----	----	----	1 UNCH
6100	----	----	----	----	----	1421.60 - 15.10	.9794	----	----	----	----	2 UNCH
6125	----	----	----	----	----	1446.40 - 15.20	.9800	----	----	----	----	2 UNCH
TOTAL										1668		35295 + 249
AUG26												
2300	----	----	----	0.90B/1.50A	----	0.90 UNCH	.0021	----	----	----	----	36 UNCH
2325	----	----	1.00B/----	1.00B/1.50A	----	0.90 UNCH	.0022	----	----	----	----	1 UNCH
2350	----	----	1.10B/----	1.10B/1.50A	----	1.00 UNCH	.0024	----	----	----	----	2 UNCH
2375	----	----	----	1.10B/1.60A	----	1.10 UNCH	.0027	----	----	----	----	7 UNCH
2400	----	----	----	1.20B/1.70A	----	1.20 UNCH	.0029	----	----	----	----	5 UNCH
2425	----	----	----	1.20B/1.70A	----	1.30 UNCH	.0031	----	----	----	----	1 UNCH
2475	----	----	----	1.40B/1.90A	----	1.50 UNCH	.0036	----	----	----	----	5 UNCH
2500	----	----	----	1.50B/2.00A	----	1.60 UNCH	.0039	----	----	----	----	107 UNCH
2570	----	----	----	1.60B/2.20A	----	1.90 UNCH	.0047	----	----	----	----	9 UNCH
2580	----	----	----	1.70B/2.20A	----	1.90 UNCH	.0047	----	----	----	----	1 UNCH
2590	----	----	----	1.70B/2.20A	----	1.90 UNCH	.0047	----	----	----	----	2 UNCH
2600	----	----	----	1.80B/2.30A	----	2.00 UNCH	.0050	----	----	----	----	6 UNCH
2615	----	----	----	1.80B/2.30A	----	2.00 UNCH	.0050	----	----	----	----	1 UNCH
2625	----	----	----	1.90B/2.30A	----	2.00 UNCH	.0050	----	----	----	----	2 UNCH
2640	----	----	----	1.90B/2.30A	----	2.10 UNCH	.0053	----	----	----	----	1 UNCH
2665	----	----	----	2.00B/2.40A	----	2.10 - 0.10	.0054	----	----	----	----	1 UNCH
2685	----	----	----	2.10B/2.50A	----	2.20 UNCH	.0056	----	----	----	----	1 UNCH
2690	----	----	----	2.10B/2.50A	----	2.20 UNCH	.0056	----	----	----	----	1 UNCH
2730	----	----	----	2.30B/2.70A	----	2.30 - 0.10	.0060	----	----	----	----	1 UNCH
2745	----	----	----	2.30B/2.70A	----	2.40 UNCH	.0063	----	----	----	----	1 UNCH
2750	----	----	----	2.40B/2.80A	----	2.40 - 0.10	.0063	----	----	----	----	4 UNCH
2800	----	----	----	2.60B/2.90A	----	2.60 UNCH	.0069	----	----	----	----	34 UNCH
2860	----	----	----	2.90B/3.20A	----	2.80 - 0.10	.0076	----	----	----	----	1 UNCH
2900	----	----	----	3.10B/3.40A	----	3.00 - 0.10	.0082	----	----	----	----	2 UNCH
2950	----	----	----	3.40B/3.60A	----	3.20 - 0.20	.0089	----	----	----	----	8 UNCH
3000	----	----	----	3.70B/3.90A	----	3.50 - 0.30	.0099	----	----	----	----	269 UNCH
3005	----	----	----	3.70B/3.90A	----	3.50 - 0.30	.0099	----	----	----	----	5 UNCH
3010	----	----	----	3.80B/3.90A	----	3.60 - 0.30	.0102	----	----	----	----	1 UNCH
3015	----	----	----	3.80B/3.90A	----	3.60 - 0.30	.0102	----	----	----	----	1 UNCH
3025	----	----	----	3.90B/4.00A	----	3.70 - 0.30	.0105	----	----	----	----	5 UNCH
3040	----	----	----	4.00B/4.10A	----	3.80 - 0.30	.0108	----	----	----	----	1 UNCH
3065	----	----	----	4.10B/4.30A	----	3.90 - 0.40	.0112	----	----	----	----	1 UNCH
3090	----	----	----	4.30B/4.40A	----	4.10 - 0.30	.0119	----	----	----	----	1 UNCH
3095	----	----	----/4.40A	4.30B/4.40A	----	4.10 - 0.40	.0119	----	----	----	----	1 UNCH
3100	----	----	----/4.40A	4.40B/4.40A	----	4.10 - 0.40	.0119	----	----	----	----	164 UNCH
3110	----	----	----/4.50A	4.50B/4.50A	----	4.20 - 0.40	.0122	----	----	----	----	15 UNCH
3120	----	----	----	4.60B/4.60A	----	4.30 - 0.30	.0126	----	----	----	----	29 UNCH
3130	----	----	----	4.70B/4.70A	----	4.30 - 0.40	.0126	----	----	----	----	5 UNCH
3145	----	----	4.80B/----	4.80B/4.80A	----	4.50 - 0.20	.0132	----	----	----	----	1 UNCH
3150	----	----	----	4.80B/4.80A	----	4.50 - 0.30	.0133	----	----	----	----	10 UNCH
3155	----	----	4.90B/----	4.90B/4.80A	----	4.50 - 0.30	.0133	----	----	----	----	3 UNCH
3160	----	----	4.90B/----	4.90B/4.90A	----	4.60 - 0.20	.0136	----	----	----	----	1 UNCH
3165	----	----	5.00B/----	5.00B/4.90A	----	4.60 - 0.20	.0136	----	----	----	----	141 UNCH
3170	----	----	5.00B/----	5.00B/4.90A	----	4.60 - 0.30	.0137	----	----	----	----	1 UNCH
3180	----	----	5.10B/----	5.10B/5.00A	----	4.70 - 0.20	.0140	----	----	----	----	25 UNCH
3185	----	----	5.10B/----	5.10B/5.10A	----	4.80 - 0.20	.0143	----	----	----	----	1 UNCH
3190	----	----	5.20B/----	5.20B/5.10A	----	4.80 - 0.20	.0143	----	----	----	----	881 UNCH
3195	----	----	5.20B/----	5.20B/5.10A	----	4.80 - 0.30	.0144	----	----	----	----	1 UNCH
3200	----	----	5.30B/----	5.30B/5.20A	----	4.90 - 0.20	.0146	----	----	----	----	406 UNCH
3250	----	----	5.80B/----	5.80B/5.60A	----	5.30 - 0.30	.0161	----	----	----	----	405 UNCH
3260	----	----	5.90B/5.70A	5.90B/5.70A	----	5.40 - 0.40	.0164	----	----	----	----	30 UNCH
3300	----	----	6.40B/6.10A	6.40B/6.10A	----	5.80 - 0.50	.0178	----	----	----	----	164 UNCH
3350	----	----	7.10B/6.60A	7.10B/6.60A	----	6.40 - 0.60	.0199	----	----	----	----	375 UNCH
3370	----	----	7.40B/6.90A	7.40B/6.90A	----	6.70 - 0.60	.0209	----	----	----	----	1 UNCH
3375	----	----	7.50B/6.90A	7.50B/6.90A	----	6.70 - 0.70	.0210	----	----	----	----	15 UNCH
3380	----	----	----/7.00A	7.50B/7.00A	----	6.80 - 0.70	.0213	----	----	----	----	1 UNCH
3390	----	----	7.70B/7.10A	7.70B/7.10A	----	6.90 - 0.70	.0217	----	----	----	----	1 UNCH
3400	----	----	7.90B/7.20A	7.90B/7.20A	----	7.10 - 0.70	.0223	----	----	----	----	33 UNCH
3405	----	----	8.00B/7.30A	8.00B/7.30A	----	7.10 - 0.80	.0224	----	----	----	----	4 UNCH
3410	----	----	8.10B/7.40A	8.10B/7.40A	----	7.20 - 0.70	.0227	----	----	----	----	1 UNCH
3450	----	----	8.80B/8.00A	8.80B/8.00A	----	7.80 - 0.80	.0248	----	----	----	----	1 UNCH
3465	----	----	9.10B/8.20A	9.10B/8.20A	----	8.00 - 0.90	.0255	----	----	----	----	6 UNCH
3470	----	----	9.30B/8.30A	9.30B/8.30A	----	8.10 - 0.80	.0259	----	----	----	----	1 UNCH
3495	----	----	9.80B/8.70A	9.80B/8.70A	----	8.50 - 0.90	.0273	----	----	----	----	1 UNCH
3500	----	----	9.90B/8.80A	9.90B/8.80A	----	8.60 - 0.90	.0276	----	----	----	----	816 UNCH
3505	----	----	10.00B/8.90A	10.00B/8.90A	----	8.70 - 0.90	.0280	----	----	----	----	1 UNCH
3510	----	----	10.10B/9.00A	10.10B/9.00A	----	8.80 - 0.90	.0283	----	----	----	----	50 UNCH
3520	----	----	10.40B/9.10A	10.40B/9.10A	----	9.00 - 0.90	.0290	----	----	----	----	210 UNCH
3525	----	----	10.50B/9.20A	10.50B/9.20A	----	9.10 - 0.90	.0294	----	----	----	----	60 UNCH
3545	----	----	11.00B/9.60A	11.00B/9.60A	----	9.40 - 1.00	.0305	----	----	----	----	9 UNCH
3550	----	----	11.10B/9.70A	11.10B/9.70A	----	9.50 - 1.00	.0309	----	----	----	----	118 UNCH
3570	----	----	11.70B/10.10A	11.70B/10.10A	----	10.00 - 1.00	.0325	----	----	----	----	32 UNCH
3575	----	----	11.80B/10.20A	11.80B/10.20A	----	10.10 - 1.00	.0329	----	----	----	----	20 UNCH
3585	----	----	12.10B/10.50A	12.10B/10.50A	----	10.30 - 1.00	.0336	----	----	----	----	50 UNCH
3600	----	----	12.60B/10.80A	12.60B/10.80A	----	10.60 - 1.10	.0347	----	----	----	----	681 UNCH
3610	----	----	12.90B/11.00A	12.90B/11.00A	----	10.90 - 1.00	.0357	----	----	----	----	1 UNCH
3630	----	----	13.60B/11.50A	13.60B/11.50A	----	11.40 - 1.00	.0375	----	----	----	----	8 UNCH
3645	----	----	14.10B/11.90A	14.10B/11.90A	----	11.80 - 1.10	.0389	----	----	----	----	22 UNCH
3650	----	----	14.30B/12.10A	14.30B/12.10A	----	11.90 - 1.10	.0392	----	----	----	----	42 UNCH
3655	----	----	14.40B/12.20A	14.40B/12.20A	----	12.10 - 1.10	.0399	----	----	----	----	55 UNCH
3660	----	----	14.60B/12.40A	14.60B/12.40A	----	12.20 - 1.10	.0403	----	----	----	----	9 UNCH
3665	----	----	14.80B/12.60A	14.80B/12.60A	----	12.40 - 1.10	.0409	----	----	----	----	1 UNCH
3675	----	----	15.20B/12.90A	15.20B/12.90A	----	12.70 - 1.10	.0419	----	----	----	----	24 UNCH
3690	13.50	13.50	15.80B/13.30A	15.80B/13.30A	----	13.10 - 1.20	.0434	----	----	6	----	12 - 1
3700	----	----	16.20B/13.60A	16.20B/13.60A	----	13.50 - 1.10	.0446	----	----	----	----	250 UNCH
3705	----	----	16.40B/13.80A	16.40B/13.80A	----	13.60 - 1.20	.0451	----	----	----	----	20 UNCH
3715	----	----	16.90B/14.20A	16.90B/14.20A	----	14.00 - 1.10	.0464	----	----	----	----	30 UNCH
3725	----	----	17.30B/14.50A	17.30B/14.50A	----	14.30 - 1.20	.0474	----	----	----	----	4 UNCH
3730	----	----	17.60B/14.70A	17.60B/14.70A	----	14.50 - 1.20	.0481	----	----	----	----	10 UNCH
3740	----	----	18.00B/15.10A	18.00B/15.10A	----	14.90 - 1.20	.0494	----	----	----	----	1 UNCH
3750	15.80	15.80	18.50B/15.40A	18.50B/15.40A	----	15.20 - 1.30	.0505	----	----	1	----	84 + 1
3765	----	----	19.30B/16.00A	19.30B/16.00A	----	15.80 - 1.30	.0525	----	----	----	----	100 UNCH
3770	----	----	19.50B/16.10A	19.50B/16.10A	----	16.00 - 1.30	.0532	----	----	----	----	4 UNCH
3775	----	----	19.80B/16.40A	19.80B/16.40A	----	16.30 - 1.20	.0541	----	----	----	----	12 UNCH
3790	----	----	20.50B/17.10A	20.50B/17.10A	----	16.90 - 1.30	.0562	----	----	----	----	3 UNCH
3795	17.20	17.20	20.80B/17.20	20.80B/17.20	----	17.10 - 1.40	.0568	----	----	1	----	82 + 1
3800	----	----	20.90B/17.50A	20.90B/17.50A	----	17.40 - 1.30	.0578	----	----	----	----	333 UNCH
3805	----	----	20.90B/17.70A	20.90B/17.70A	----	17.60 - 1.30	.0585	----	----	----	----	4 UNCH
3810	----	----	21.10B/18.00A	21.10B/18.00A	----	17.80 - 1.40	.0592	----	----	----	----	50 UNCH
3815	----	----	21.40B/18.20A	21.40B/18.20A	----	18.10 - 1.30	.0601	----	----	----	----	150 UNCH
3820	----	----	21.70B/18.40A	21.70B/18.40A	----	18.30 - 1.40	.0608	----	----	----	----	52 UNCH
3825	----	----	21.90B/18.70A	21.90B/18.70A	----	18.50 - 1.50	.0615	----	----	----	----	51 UNCH
3835	----	----	22.90B/19.20A	22.90B/19.20A	----	19.00 - 1.50	.0631	----	----	----	----	10 UNCH
3845	----	----	23.20B/19.70A	23.20B/19.70A	----	19.60 - 1.40	.0650	----	----	----	----	1 UNCH
3850	----	----	23.40B/19.90A	23.40B/19.90A	----	19.80 - 1.50	.0658	----	----	----	----	107 UNCH
3855	----	----	23.60B/20.20A	23.60B/20.20A	----	20.10 - 1.50	.0667	----	----	2	----	5 + 2
3875	----	----	25.10B/21.30A	25.10B/21.30A	----	21.20 - 1.60	.0703	----	----	----	----	10 UNCH
3880	21.50	21.50	26.40B/21.50	26.40B/21.50	----	21.50 - 1.60	.0713	----	----	1	----	300 + 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG PUT COMEX GOLD OPTIONS
AUG26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3885	----	----	26.80B/21.80A	26.80B/21.80A	----	21.80 - 1.60	.0722	----	----	----	----	10 UNCH
3890	----	----	27.20B/22.10A	27.20B/22.10A	----	22.10 - 1.70	.0732	----	----	----	----	73 UNCH
3900	29.10	29.10	29.10/22.70A	29.10/22.70A	----	22.80 - 1.60	.0754	----	----	2	----	657 + 2
3910	----	----	28.80B/23.30A	28.80B/23.30A	----	23.40 - 1.70	.0773	----	----	----	----	1 UNCH
3920	----	----	29.60B/24.10A	29.60B/24.10A	----	24.10 - 1.70	.0795	----	----	----	----	12 UNCH
3925	----	----	30.00B/24.30A	30.00B/24.30A	----	24.40 - 1.80	.0805	----	----	----	----	10 UNCH
3930	----	----	30.50B/24.60A	30.50B/24.60A	----	24.80 - 1.70	.0817	----	----	----	----	49 UNCH
3935	----	----	30.90B/25.00A	30.90B/25.00A	----	25.10 - 1.80	.0827	----	----	----	----	11 UNCH
3940	----	----	31.30B/25.30A	31.30B/25.30A	----	25.50 - 1.80	.0839	----	----	----	----	2 UNCH
3950	----	----	32.20B/26.00A	32.20B/26.00A	----	26.20 - 1.80	.0862	----	----	----	----	248 UNCH
3955	----	----	32.70B/26.40A	32.70B/26.40A	----	26.60 - 1.80	.0874	----	----	----	----	10 UNCH
3960	----	----	33.20B/26.80A	33.20B/26.80A	----	27.00 - 1.80	.0886	----	----	----	----	1 UNCH
3965	----	----	33.60B/27.20A	33.60B/27.20A	----	27.40 - 1.90	.0899	----	----	----	----	25 UNCH
3975	----	----	34.70B/27.90A	34.70B/27.90A	----	28.10 - 2.00	.0922	----	----	----	----	267 UNCH
3980	----	----	35.00B/28.20A	35.00B/28.20A	----	28.60 - 1.90	.0936	----	----	----	550	2245 + 550
3985	----	----	35.50B/28.70A	35.50B/28.70A	----	29.00 - 2.00	.0948	----	----	----	----	2 UNCH
3990	----	----	36.20B/29.10A	36.20B/29.10A	----	29.40 - 2.00	.0961	----	----	----	----	44 UNCH
3995	----	----	36.70B/29.50A	36.70B/29.50A	----	29.80 - 2.10	.0974	----	----	----	----	4 UNCH
4000	37.20	37.20	37.20/29.70A	37.20/29.70A	----	30.30 - 2.00	.0988	----	----	576	----	1591 + 191
4005	----	----	37.70B/30.30A	37.70B/30.30A	----	30.70 - 2.10	.1001	----	----	----	----	3 UNCH
4010	----	----	38.40B/30.70A	38.40B/30.70A	----	31.10 - 2.20	.1014	----	----	----	----	78 UNCH
4020	----	----	39.40B/31.60A	39.40B/31.60A	----	32.10 - 2.10	.1043	----	----	----	----	2 UNCH
4025	----	----	40.00B/32.00A	40.00B/32.00A	----	32.50 - 2.20	.1056	----	----	----	----	101 UNCH
4030	----	----	40.60B/32.50A	40.60B/32.50A	----	33.00 - 2.20	.1071	----	----	----	----	50 UNCH
4035	----	----	41.20B/33.00A	41.20B/33.00A	----	33.50 - 2.20	.1086	----	----	----	----	19 UNCH
4040	----	----	41.70B/33.40A	41.70B/33.40A	----	34.00 - 2.20	.1101	----	----	----	----	25 UNCH
4045	----	----	42.40B/33.90A	42.40B/33.90A	----	34.50 - 2.30	.1116	----	----	----	----	30 UNCH
4050	----	----	43.00B/34.40A	43.00B/34.40A	----	35.00 - 2.30	.1131	----	----	----	----	312 UNCH
4065	----	----	44.90B/35.80A	44.90B/35.80A	----	36.60 - 2.40	.1178	----	----	----	----	4 UNCH
4075	----	----	46.20B/36.90A	46.20B/36.90A	----	37.70 - 2.40	.1210	----	----	----	----	11 UNCH
4080	----	----	46.80B/37.40A	46.80B/37.40A	----	38.20 - 2.50	.1226	----	----	----	----	6 UNCH
4085	----	----	47.50B/37.90A	47.50B/37.90A	----	38.80 - 2.50	.1243	----	----	----	----	28 UNCH
4090	----	----	48.30B/38.50A	48.30B/38.50A	----	39.40 - 2.50	.1260	----	----	----	----	201 UNCH
4095	----	----	49.00B/39.10A	49.00B/39.10A	----	39.90 - 2.60	.1276	----	----	----	----	14 UNCH
4100	----	----	49.80B/39.70A	49.80B/39.70A	----	40.50 - 2.60	.1293	----	----	1	----	318 + 1
4105	----	----	50.40B/40.20A	50.40B/40.20A	----	41.10 NEW	.1310	----	----	15	----	15 + 15
4110	----	----	51.10B/40.90A	51.10B/40.90A	----	41.70 - 2.70	.1328	----	----	----	----	1 UNCH
4115	----	----	51.90B/41.40A	51.90B/41.40A	----	42.40 - 2.70	.1347	----	----	----	----	16 UNCH
4120	----	----	52.60B/42.00A	52.60B/42.00A	----	43.00 - 2.70	.1364	----	----	----	----	1 UNCH
4125	----	----	53.40B/42.60A	53.40B/42.60A	----	43.60 - 2.80	.1382	----	----	----	----	5 UNCH
4130	----	----	54.30B/43.20A	54.30B/43.20A	----	44.30 - 2.80	.1401	----	----	----	----	5 UNCH
4135	44.60	44.60	55.00B/43.80A	55.00B/43.80A	----	45.00 - 2.80	.1421	----	----	2	----	57 + 2
4140	----	----	55.80B/44.50A	55.80B/44.50A	----	45.60 - 2.90	.1439	----	----	----	----	1 UNCH
4145	----	----	56.60B/45.10A	56.60B/45.10A	----	46.30 - 2.90	.1458	----	----	----	----	27 UNCH
4150	----	----	57.40B/45.80A	57.40B/45.80A	----	47.00 - 2.90	.1478	----	----	----	----	360 UNCH
4155	----	----	58.30B/46.50A	58.30B/46.50A	----	47.70 - 2.90	.1497	----	----	----	----	1 UNCH
4160	----	----	59.10B/47.20A	59.10B/47.20A	----	48.40 - 3.00	.1517	----	----	----	----	66 UNCH
4165	----	----	60.10B/47.90A	60.10B/47.90A	----	49.10 - 3.00	.1537	----	----	----	----	102 UNCH
4170	49.40	49.40	60.80B/48.50A	60.80B/48.50A	----	49.90 - 3.00	.1558	----	----	2	----	80 + 2
4175	----	----	61.70B/49.20A	61.70B/49.20A	----	50.60 - 3.10	.1578	----	----	----	----	33 UNCH
4180	50.60	50.60	62.70B/50.00A	62.70B/50.00A	----	51.40 - 3.10	.1599	----	----	2	----	114 + 2
4185	----	----	63.60B/50.70A	63.60B/50.70A	----	52.10 - 3.20	.1619	----	----	----	----	50 UNCH
4190	----	----	64.50B/51.50A	64.50B/51.50A	----	52.90 - 3.20	.1641	----	----	----	----	140 UNCH
4195	----	----	65.40B/52.30A	65.40B/52.30A	----	53.70 - 3.20	.1663	----	----	----	----	218 UNCH
4200	66.50	66.50	66.50/53.00A	66.50/53.00A	----	54.50 - 3.20	.1684	----	----	4	----	222 + 2
4205	----	----	67.30B/53.80A	67.30B/53.80A	----	55.30 - 3.30	.1706	----	----	15	----	350 + 15
4210	----	----	68.30B/54.60A	68.30B/54.60A	----	56.10 - 3.30	.1728	----	----	----	----	1 UNCH
4215	----	----	69.20B/55.50A	69.20B/55.50A	----	57.00 - 3.30	.1751	----	----	----	----	17 UNCH
4220	----	----	70.50B/56.20A	70.50B/56.20A	----	57.80 - 3.40	.1773	----	----	----	----	12 UNCH
4225	----	----	71.30B/57.00A	71.30B/57.00A	----	58.70 - 3.40	.1797	----	----	----	----	14 UNCH
4230	----	----	72.50B/57.90A	72.50B/57.90A	----	59.50 - 3.50	.1819	----	----	----	----	11 UNCH
4235	----	----	73.40B/58.80A	73.40B/58.80A	----	60.40 - 3.50	.1842	----	----	----	----	8 UNCH
4240	----	----	74.40B/59.70A	74.40B/59.70A	----	61.30 - 3.50	.1866	----	----	----	----	37 UNCH
4245	----	----	75.50B/60.40A	75.50B/60.40A	----	62.20 - 3.60	.1890	----	----	----	----	55 UNCH
4250	77.10	77.10	77.20/61.30A	77.20/61.30A	----	63.10 - 3.60	.1914	----	----	13	----	443 + 12
4255	----	----	77.70B/62.20A	77.70B/62.20A	----	64.10 - 3.60	.1939	----	----	----	----	885 UNCH
4260	----	----	78.90B/63.20A	78.90B/63.20A	----	65.00 - 3.70	.1963	----	----	1	----	9 + 1
4270	----	----	81.10B/65.00A	81.10B/65.00A	----	67.00 - 3.70	.2013	----	----	----	----	15 UNCH
4275	67.40	67.40	82.30B/65.90A	82.30B/65.90A	----	68.00 - 3.70	.2039	----	----	1	----	23 UNCH
4280	----	----	83.70B/66.90A	83.70B/66.90A	----	69.00 - 3.70	.2064	----	----	----	----	67 UNCH
4285	----	----	84.90B/68.00A	84.90B/68.00A	----	70.00 - 3.80	.2090	----	----	----	----	171 UNCH
4290	----	----	86.00B/68.90A	86.00B/68.90A	----	71.00 - 3.90	.2116	----	----	----	----	61 UNCH
4295	----	----	87.10B/69.90A	87.10B/69.90A	----	72.00 - 3.90	.2141	----	----	----	----	2 UNCH
4300	----	----	88.40B/70.90A	88.40B/70.90A	----	73.10 - 3.90	.2168	----	----	43	150	857 + 150
4305	----	----	89.90B/71.90A	89.90B/71.90A	----	74.20 - 3.90	.2195	----	----	----	400	501 + 400
4310	74.60	74.60	91.10B/73.10A	91.10B/73.10A	----	75.30 - 4.00	.2223	----	----	1	----	3 + 1
4315	----	----	92.30B/74.00A	92.30B/74.00A	----	76.40 - 4.00	.2250	----	----	----	----	8 UNCH
4320	76.60	76.60	93.40B/75.10A	93.40B/75.10A	----	77.50 - 4.10	.2277	----	----	2	----	21 + 2
4325	----	----	94.90B/76.20A	94.90B/76.20A	----	78.60 - 4.10	.2304	----	----	----	----	310 UNCH
4330	----	----	96.20B/77.10A	96.20B/77.10A	----	79.80 - 4.10	.2333	----	----	----	----	104 UNCH
4335	----	----	97.60B/78.30A	97.60B/78.30A	----	80.90 - 4.20	.2360	----	----	----	----	10 UNCH
4340	81.00	81.00	99.10B/79.50A	99.10B/79.50A	----	82.10 - 4.20	.2389	----	----	1	----	5 + 1
4345	----	----	100.40B/80.70A	100.40B/80.70A	----	83.30 - 4.20	.2418	----	----	----	----	1 UNCH
4350	----	----	102.10B/81.70A	102.10B/81.70A	----	84.50 - 4.30	.2447	----	----	----	----	880 UNCH
4355	----	----	103.50B/83.00A	103.50B/83.00A	----	85.70 - 4.30	.2475	----	----	1	100	103 + 101
4360	----	----	105.00B/84.10A	105.00B/84.10A	----	87.00 - 4.30	.2505	----	----	1	----	72 + 1
4365	85.50	85.50	106.50B/85.30A	106.50B/85.30A	----	88.20 - 4.40	.2535	----	----	15	----	115 + 15
4375	----	----	109.50B/87.80A	109.50B/87.80A	----	90.80 - 4.50	.2595	----	----	----	----	8 UNCH
4380	----	----	111.00B/89.00A	111.00B/89.00A	----	92.10 - 4.50	.2625	----	----	----	----	2 UNCH
4385	----	----	112.50B/90.30A	112.50B/90.30A	----	93.40 - 4.60	.2655	----	----	----	----	8 UNCH
4390	----	----	114.00B/91.50A	114.00B/91.50A	----	94.80 - 4.50	.2687	----	----	----	----	16 UNCH
4395	----	----	115.90B/92.80A	115.90B/92.80A	----	96.10 - 4.60	.2717	----	----	----	----	2 UNCH
4400	----	----	117.40B/94.00A	117.40B/94.00A	----	97.50 - 4.60	.2749	----	----	1	----	1298 + 1
4405	----	----	119.00B/95.50A	119.00B/95.50A	----	98.90 - 4.70	.2780	----	----	----	----	62 UNCH
4410	----	----	120.50B/96.70A	120.50B/96.70A	----	100.30 - 4.70	.2812	----	----	----	----	4 UNCH
4415	----	----	122.40B/98.10A	122.40B/98.10A	----	101.80 - 4.70	.2844	----	----	----	----	146 UNCH
4420	----	----	124.20B/99.60A	124.20B/99.60A	----	103.20 - 4.80	.2876	----	----	----	----	4 UNCH
4425	----	----	125.80B/101.10A	125.80B/101.10A	----	104.70 - 4.80	.2909	----	----	----	----	8 UNCH
4430	103.50	103.50	127.60B/102.30A	127.60B/102.30A	----	106.20 - 4.80	.2941	----	----	12	----	36 + 12
4435	----	----	129.50B/103.90A	129.50B/103.90A	----	107.70 - 4.80	.2974	----	----	----	----	6 UNCH
4440	----	----	130.80B/105.30A	130.80B/105.30A	----	109.20 - 4.90	.3007	----	----	----	----	53 UNCH
4445	----	----	133.00B/106.90A	133.00B/106.90A	----	110.80 - 4.90	.3041	----	----	----	----	1 UNCH
4450	----	----	134.70B/108.20A	134.70B/108.20A	----	112.30 - 5.00	.3074	----	----	----	----	374 UNCH
4455	122.60	122.60	136.60B/109.70A	136.60B/109.70A	----	113.90 - 5.00	.3107	----	----	12	230	240 + 10
4460	----	----	138.50B/111.20A	138.50B/111.20A	----	115.50 - 5.00	.3141	----	----	----	----	4 UNCH
4465	----	----	140.40B/112.90A	140.40B/112.90A	----	117.10 - 5.10	.3175	----	----	----	----	18 UNCH
4470	----	----	142.40B/114.40A	142.40B/114.40A	----	118.80 - 5.10	.3210	----	----	----	----	111 UNCH
4475	----	----	144.30B/115.90A	144.30B/115.90A	----	120.40 - 5.20	.3244	----	----	----	----	34 UNCH
4480	----	----	146.30B/117.40A	146.30B/117.40A	----	122.10 - 5.20	.3278	----	----	----	----	141 UNCH
4485	----	----	148.30B/119.00A	148.30B/119.00A	----	123.80 - 5.20	.3313	----	----	----	----	12 UNCH
4490	----	----	150.20B/120.60A	150.20B/120.60A	----	125.50 - 5.30	.3348	----	----	----	----	3 UNCH
4495	----	----	152.30B/122.40A	152.30B/122.40A	----	127.30 - 5.20	.3384	----	----	----	----	22 UNCH
4500	134.00	134.00	154.40B/123.80A	154.40B/123.80A	----	129.10 - 5.20	.3419	----	----	2	----	1443 + 2
4505	----	----	156.40B/125.70A	156.40B/125.70A	----	130.80 - 5.40	.3454	----	----	----	----	28 UNCH
4510	----	----	158.50B/127.30A	158.50B/127.30A	----	132.60 - 5.40	.3490	----	----	----	----	48 UNCH
4515	----	----	160.60B/129.10A	160.60B/129.10A	----	134.50 - 5.40	.3526	----	----	----	----	3 UNCH
4520	----	----	162.80B/131.00A	162.80B/131.00A	----	136.30 - 5.40	.3562	----	----	----	----	20 UNCH
4525	----	----	164.90B/132.70A	164.90B/132.70A	----	138.20 - 5.40	.3598	----	----	----	----	4 UNCH
4535	----	----	168.70B/136.10A	168.70B/136.10A	----	142.00 - 5.50	.3671	----	----	----	----	10 UNCH
4540	----	----	170.80B/138.10A	170.80B/138.10A	----	143.90 - 5.60	.3707	----	----	----	----	38 UNCH
4545	----	----	173.50B/139.80A	173.50B/139.80A	----	145.80 - 5.70	.3744	----	----	----	----	21 UNCH
4550	----	----	176.10B/141.70A	176.10B/141.70A	----	147.80 - 5.70	.3781	----	----	----	----	34 UNCH
4555	143.70	143.70	178.30B/143.40	178.30B/143.40	----	149.80 - 5.70	.3818	----	----	24	----	114 - 10
4560	----	----	180.60B/145.60A	180.60B/145.60A	----	151.80 - 5.80	.3855	----	----	----	----	31 UNCH
4565	----	----	182.60B/147.70A	182.60B/147.70A	----	153.80 - 5.80	.3892	----	----	----	----	2 UNCH
4570	----	----	185.30B/149.40A	185.30B/149.40A	----	155.90 - 5.80	.3930	----	----	----	----	62 UNCH
4575	----	----	187.70B/151.30A	187.70B/151.30A	----	158.00 - 5.90	.3967	----	----	----	----	58 UNCH
4580	----	----	189.80B/153.30A	189.80B/153.30A	----	160.10 - 5.90	.4005	----	----	----	----	175 UNCH
4585	----	----	192.30B/155.30A	192.30B/155.30A	----	162.20 - 6.00	.4042	----	----	----	----	4 UNCH
4590	----	----	194.70B/157.30A	194.70B/157.30A	----	164.30 - 6.10	.4080	----	----	----	----	10 UNCH
4595	----	----	197.10B/159.50A	197.10B/159.50A	----	166.50 - 6.10	.4118	----	----	----	----	150 UNCH
4600	----	----	199.70B/161.20A	199.70B/161.20A	----	168.60 - 6.20	.4156	----	----	1	----	524 UNCH
4605	167.70	167.70	202.20B/163.60A	202.20B/163.60A	----	170.80 - 6.30	.4194	----	----	2	----	8 + 2
4610	----	----	204.70B/165.70A	204.70B/165.70A	----	173.00 - 6.40	.4232	----	----	----	----	9 UNCH
4615	----	----	207.40B/168.10A	207.40B/168.10A	----	175.30 - 6.40	.4270	----	----	----	----	2 UNCH
4620	----	----	209.90B/170.00A	209.90B/170.00A	----	177.50 - 6.50	.4308	----	----	----	----	14 UNCH
4625	----	----	212.40B/172.20A	212.40B/172.20A	----	179.80 - 6.50	.4347	----	----	----	----	206 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
AUG26												
4630	----	----	215.10B/174.40A	215.10B/174.40A	----	182.10 - 6.60	.4385	----	----	----	----	7 UNCH
4635	----	----	217.80B/176.50A	217.80B/176.50A	----	184.50 - 6.60	.4424	----	----	----	----	100 UNCH
4640	183.50	183.50	220.40B/178.50A	220.40B/178.50A	----	186.80 - 6.70	.4462	----	----	3	----	310 UNCH
4645	----	----	222.90B/181.10A	222.90B/181.10A	----	189.20 - 6.80	.4501	----	----	----	----	131 UNCH
4650	----	----	225.60B/183.10A	225.60B/183.10A	----	191.60 - 6.80	.4539	----	----	----	----	389 UNCH
4660	----	----	231.40B/188.00A	231.40B/188.00A	----	196.40 - 7.00	.4616	----	----	3	----	27 + 3
4665	----	----	234.00B/190.40A	234.00B/190.40A	----	198.90 - 7.00	.4655	----	----	----	----	4 UNCH
4670	----	----	236.80B/192.70A	236.80B/192.70A	----	201.30 - 7.20	.4694	----	----	----	----	3 UNCH
4675	----	----	239.70B/195.10A	239.70B/195.10A	----	203.80 - 7.30	.4733	----	----	2	----	13 + 2
4680	----	----	242.60B/197.50A	242.60B/197.50A	----	206.40 - 7.30	.4771	----	----	----	----	10 UNCH
4685	----	----	244.50B/200.00A	244.50B/200.00A	----	208.90 - 7.40	.4810	----	----	----	----	223 UNCH
4690	----	----	248.30B/202.40A	248.30B/202.40A	----	211.50 - 7.40	.4849	----	----	----	----	9 UNCH
4695	----	----	250.50B/205.10A	250.50B/205.10A	----	214.10 - 7.50	.4887	----	----	----	----	2 UNCH
4700	205.60	205.60	252.60B/205.60	252.60B/205.60	----	216.70 - 7.50	.4926	----	----	1	200	987 + 201
4705	----	----	256.40B/209.80A	256.40B/209.80A	----	219.30 - 7.60	.4964	----	----	----	----	59 UNCH
4710	----	----	257.90B/212.40A	257.90B/212.40A	----	222.00 - 7.70	.5003	----	----	----	----	7 UNCH
4715	----	----	262.00B/215.50A	262.00B/215.50A	----	224.70 - 7.70	.5042	----	----	----	----	1 UNCH
4720	----	----	263.80B/217.80A	263.80B/217.80A	----	227.40 - 7.80	.5080	----	----	----	----	10 UNCH
4725	----	----	269.30B/220.30A	269.30B/220.30A	----	230.10 - 7.90	.5118	----	----	----	----	38 UNCH
4730	----	----	271.10B/222.80A	271.10B/222.80A	----	232.90 - 7.90	.5157	----	----	----	----	4 UNCH
4735	----	----	274.30B/225.70A	274.30B/225.70A	----	235.70 - 7.90	.5195	----	----	----	----	59 UNCH
4740	----	----	276.10B/228.30A	276.10B/228.30A	----	238.50 - 7.90	.5233	----	----	6	----	47 + 6
4745	----	----	280.90B/231.00A	280.90B/231.00A	----	241.30 - 8.00	.5271	----	----	----	----	24 UNCH
4750	----	----	282.30B/233.60A	282.30B/233.60A	----	244.20 - 8.00	.5309	----	----	----	----	169 UNCH
4755	----	----	285.40B/236.30A	285.40B/236.30A	----	247.10 - 8.00	.5347	----	----	----	----	20 UNCH
4760	----	----	289.70B/239.10A	289.70B/239.10A	----	250.00 - 8.00	.5385	----	----	----	----	9 UNCH
4770	----	----	294.80B/244.50A	294.80B/244.50A	----	255.90 - 8.10	.5460	----	----	----	----	250 UNCH
4775	----	----	296.70B/247.60A	296.70B/247.60A	----	258.80 - 8.20	.5497	----	----	----	----	89 UNCH
4780	----	----	300.10B/250.40A	300.10B/250.40A	----	261.80 - 8.20	.5535	----	----	----	----	19 UNCH
4785	----	----	300.50B/253.20A	300.50B/253.20A	----	264.80 - 8.20	.5572	----	----	----	----	18 UNCH
4790	----	----	303.60B/256.10A	303.60B/256.10A	----	267.90 - 8.10	.5609	----	----	----	----	53 UNCH
4795	----	----	305.40B/259.20A	305.40B/259.20A	----	271.00 - 8.10	.5646	----	----	----	----	101 UNCH
4800	----	----	309.50B/262.10A	309.50B/262.10A	----	274.00 - 8.20	.5682	----	----	----	----	836 UNCH
4805	----	----	310.80B/265.70A	310.80B/265.70A	----	277.10 - 8.20	.5719	----	----	----	----	2 UNCH
4810	----	----	314.10B/268.10A	314.10B/268.10A	----	280.30 - 8.20	.5756	----	----	----	----	5 UNCH
4815	----	----	317.50B/271.90A	317.50B/271.90A	----	283.40 - 8.20	.5792	----	----	----	----	2 UNCH
4820	----	----	320.80B/274.00A	320.80B/274.00A	----	286.60 - 8.20	.5829	----	----	----	----	4 UNCH
4825	----	----	324.30B/277.00A	324.30B/277.00A	----	289.70 - 8.30	.5865	----	----	----	----	30 UNCH
4835	----	----	331.10B/283.20A	331.10B/283.20A	----	296.10 - 8.40	.5936	----	----	----	----	36 UNCH
4840	----	----	334.50B/286.10A	334.50B/286.10A	----	299.40 - 8.30	.5972	----	----	----	----	15 UNCH
4850	----	----	341.50B/292.60A	341.50B/292.60A	----	305.90 - 8.40	.6043	----	----	----	----	154 UNCH
4855	----	----	344.90B/295.80A	344.90B/295.80A	----	309.10 - 8.60	.6079	----	----	----	----	11 UNCH
4860	----	----	348.20B/298.90A	348.20B/298.90A	----	312.40 - 8.60	.6113	----	----	----	----	9 UNCH
4865	----	----	351.90B/302.10A	351.90B/302.10A	----	315.80 - 8.60	.6149	----	----	----	----	12 UNCH
4870	----	----	355.50B/305.80A	355.50B/305.80A	----	319.10 - 8.70	.6183	----	----	----	----	28 UNCH
4875	----	----	359.10B/308.90A	359.10B/308.90A	----	322.40 - 8.80	.6218	----	----	----	----	82 UNCH
4880	----	----	362.60B/312.30A	362.60B/312.30A	----	325.80 - 8.80	.6252	----	----	----	----	125 UNCH
4885	----	----	366.20B/315.90A	366.20B/315.90A	----	329.20 - 8.80	.6286	----	----	----	----	8 UNCH
4890	----	----	369.90B/319.20A	369.90B/319.20A	----	332.60 - 8.90	.6321	----	----	----	----	3 UNCH
4900	----	----	377.10B/325.50A	377.10B/325.50A	----	339.50 - 8.90	.6388	----	----	----	----	375 UNCH
4905	----	----	380.80B/329.10A	380.80B/329.10A	----	342.90 - 9.00	.6421	----	----	----	----	29 UNCH
4910	----	----	384.50B/332.50A	384.50B/332.50A	----	346.40 - 9.10	.6455	----	----	----	----	22 UNCH
4920	----	----	391.90B/339.40A	391.90B/339.40A	----	353.50 - 9.00	.6521	----	----	----	----	3 UNCH
4925	----	----	395.60B/342.80A	395.60B/342.80A	----	357.00 - 9.10	.6553	----	----	----	----	53 UNCH
4930	----	----	399.40B/346.10A	399.40B/346.10A	----	360.60 - 9.10	.6585	----	----	----	----	1 UNCH
4950	----	----	408.20B/360.30A	408.20B/360.30A	----	375.00 - 9.20	.6713	----	----	----	----	31 UNCH
4955	----	----	409.50B/363.70A	409.50B/363.70A	----	378.60 - 9.30	.6744	----	----	----	----	1 UNCH
4980	----	----	413.00B/381.50A	413.00B/381.50A	----	397.10 - 9.40	.6898	----	----	----	----	1 UNCH
5000	----	----	441.40B/396.30A	441.40B/396.30A	----	412.10 - 9.60	.7016	----	----	5	----	326 UNCH
5010	----	----	----/403.50A	417.80B/403.50A	----	419.70 - 9.60	.7076	----	----	----	----	1 UNCH
5025	----	----	460.10B/414.80A	460.10B/414.80A	----	431.20 - 9.80	.7160	----	----	----	----	25 UNCH
5030	----	----	----/418.70A	419.00B/418.70A	----	435.10 - 9.80	.7189	----	----	----	----	1 UNCH
5040	----	----	472.10B/430.70A	472.10B/430.70A	----	442.90 - 9.90	.7244	----	----	----	----	4 UNCH
5045	----	----	476.20B/434.60A	476.20B/434.60A	----	446.80 - 9.90	.7272	----	----	----	----	31 UNCH
5050	----	----	481.30B/436.60A	481.30B/436.60A	----	450.70 - 10.00	.7299	----	----	----	----	351 UNCH
5070	----	----	496.50B/453.90A	496.50B/453.90A	----	466.50 - 10.20	.7406	----	----	----	----	17 UNCH
5080	----	----	504.70B/461.80A	504.70B/461.80A	----	474.50 - 10.30	.7457	----	----	----	----	3 UNCH
5100	----	----	521.30B/477.70A	521.30B/477.70A	----	490.70 - 10.40	.7559	----	----	----	----	83 UNCH
5120	----	----	----	389.60B/639.20A	----	507.00 - 10.60	.7656	----	----	----	----	2 UNCH
5180	----	----	----	443.20B/689.10A	----	557.20 - 11.10	.7927	----	----	----	----	1 UNCH
5195	----	----	----	456.80B/701.80A	----	570.00 - 11.20	.7989	----	----	----	----	2 UNCH
5200	----	----	606.70B/560.00A	606.70B/560.00A	----	574.20 - 11.30	.8009	----	----	----	----	112 UNCH
5265	----	----	----	521.20B/761.90A	----	630.70 - 11.70	.8257	----	----	----	----	1 UNCH
5300	----	----	695.00B/645.80A	695.00B/645.80A	----	661.70 - 11.90	.8378	----	----	----	----	3 UNCH
5355	----	----	----	603.20B/841.20A	----	711.10 - 12.20	.8548	----	----	----	----	1 UNCH
5400	----	----	786.50B/735.30A	786.50B/735.30A	----	752.00 - 12.60	.8675	----	----	----	----	76 UNCH
5460	----	----	----	701.20B/938.30A	----	807.40 - 12.80	.8823	----	----	----	----	1 UNCH
5500	----	----	879.80B/827.40A	879.80B/827.40A	----	844.60 - 13.10	.8912	----	----	----	----	3 UNCH
5530	----	----	----	754.40B/1004.20A	----	872.80 - 13.20	.8972	----	----	----	----	1 UNCH
5575	----	----	----	794.60B/1046.90A	----	915.30 - 13.30	.9057	----	----	----	----	2 UNCH
TOTAL										783	1,630	32039+ 1699
SEP26												
2350	----	----	1.20B/----	1.20B/2.20A	----	1.00 UNCH	.0024	----	----	----	----	35 UNCH
2375	----	----	1.20B/----	1.20B/2.30A	----	1.00 - 0.10	.0024	----	----	----	----	4 UNCH
2400	----	----	1.30B/----	1.30B/2.30A	----	1.10 UNCH	.0027	----	----	----	----	1 UNCH
2500	----	----	----	1.50B/2.70A	----	1.40 - 0.10	.0035	----	----	----	----	4 UNCH
2600	----	----	----	1.80B/3.00A	----	1.80 - 0.10	.0045	----	----	----	----	2 UNCH
3000	----	----	----	4.10B/5.10A	----	4.80 - 0.10	.0125	----	----	----	----	2 UNCH
3145	----	----	----	5.40B/6.50A	----	6.20 - 0.10	.0166	----	----	----	----	15 UNCH
3150	----	----	----	5.60B/6.60A	----	6.20 - 0.20	.0167	----	----	----	----	2 UNCH
3200	----	----	----	6.20B/7.20A	----	6.80 - 0.20	.0185	----	----	----	----	1 UNCH
3270	----	----	----	7.10B/8.20A	----	7.80 - 0.10	.0214	----	----	----	----	15 UNCH
3300	----	----	----	7.70B/8.60A	----	8.20 - 0.10	.0227	----	----	----	----	1 UNCH
3400	----	----	----	9.70B/10.50A	----	10.00 - 0.10	.0281	----	----	1	----	1 UNCH
3450	11.10	11.10	11.10/11.10	11.10/11.10	----	11.10 NEW	.0313	----	----	2	----	0 UNCH
3475	----	----	----	11.60B/12.60A	----	11.70 - 0.10	.0331	----	----	----	----	2 UNCH
3480	----	----	----	11.70B/12.40A	----	11.80 - 0.20	.0334	----	----	----	----	780 UNCH
3500	----	----	----	12.40B/12.90A	----	12.30 - 0.20	.0349	----	----	----	----	21 UNCH
3525	----	----	----	13.10B/13.70A	----	13.00 - 0.20	.0370	----	----	----	----	2 UNCH
3550	----	----	----	14.00B/14.50A	----	13.70 - 0.30	.0391	----	----	----	----	5 UNCH
3565	----	----	----	14.50B/15.30A	----	14.20 - 0.30	.0405	----	----	----	----	1 UNCH
3610	----	----	16.20B/----	16.20B/16.90A	----	15.70 - 0.40	.0449	----	----	----	----	7 UNCH
3625	----	----	16.90B/----	16.90B/17.50A	----	16.30 - 0.50	.0466	----	----	----	----	1 UNCH
3650	----	----	18.10B/----	18.10B/18.40A	----	17.30 - 0.50	.0495	----	----	----	----	66 UNCH
3690	----	----	19.90B/----	19.90B/20.30A	----	19.00 - 0.80	.0543	----	----	----	----	60 UNCH
3700	----	----	21.40B/----	21.40B/20.70A	----	19.50 - 0.80	.0557	----	----	----	----	151 UNCH
3720	----	----	21.80B/----	21.80B/21.70A	----	20.50 - 0.90	.0585	----	----	----	----	50 UNCH
3750	----	----	24.80B/----	24.80B/23.20A	----	22.10 - 1.00	.0630	----	----	----	----	120 UNCH
3755	----	----	24.30B/----	24.30B/23.60A	----	22.40 - 1.00	.0638	----	----	----	----	310 UNCH
3775	----	----	25.60B/----	25.60B/24.70A	----	23.50 - 1.20	.0668	----	----	----	----	1 UNCH
3800	----	----	28.20B/25.20A	28.20B/25.20A	----	25.00 - 1.30	.0710	----	----	----	----	4 UNCH
3825	----	----	30.20B/26.80A	30.20B/26.80A	----	26.70 - 1.40	.0755	----	----	----	----	11 UNCH
3850	----	----	32.20B/28.50A	32.20B/28.50A	----	28.50 - 1.50	.0803	----	----	----	----	20 UNCH
3880	----	----	34.20B/30.70A	34.20B/30.70A	----	30.70 - 1.80	.0863	----	----	----	----	26 UNCH
3900	----	----	35.90B/32.20A	35.90B/32.20A	----	32.40 - 1.80	.0907	----	----	----	----	211 UNCH
3910	----	----	36.90B/33.10A	36.90B/33.10A	----	33.20 - 1.90	.0928	----	----	----	----	2 UNCH
3915	----	----	37.60B/33.50A	37.60B/33.50A	----	33.60 - 2.00	.0939	----	----	----	----	4 UNCH
3920	----	----	38.60B/33.90A	38.60B/33.90A	----	34.10 - 1.90	.0952	----	----	----	----	14 UNCH
3930	----	----	39.10B/34.80A	39.10B/34.80A	----	35.00 - 2.00	.0975	----	----	----	----	2 UNCH
3945	----	----	40.80B/36.10A	40.80B/36.10A	----	36.40 - 2.00	.1011	----	----	----	----	380 UNCH
3950	----	----	41.30B/36.70A	41.30B/36.70A	----	36.80 - 2.10	.1022	----	----	----	----	324 UNCH
3980	----	----	45.20B/39.50A	45.20B/39.50A	----	39.80 NEW	.1099	----	----	2	----	2 + 2
4000	49.40	49.40	49.40/41.60A	49.40/41.60A	----	41.90 - 2.30	.1152	----	----	2	----	924 UNCH
4005	----	----	48.00B/42.10A	48.00B/42.10A	----	42.50 - 2.20	.1167	----	----	----	----	1 UNCH
4020	----	----	50.10B/43.70A	50.10B/43.70A	----	44.10 - 2.40	.1208	----	----	----	----	14 UNCH
4030	----	----	51.30B/44.90A	51.30B/44.90A	----	45.30 - 2.30	.1237	----	----	2	----	3 + 1
4050	----	----	55.70B/47.20A	55.70B/47.20A	----	47.70 - 2.40	.1297	----	----	----	----	47 UNCH
4065	49.60	49.60	58.00B/49.10A	58.00B/49.10A	----	49.60 NEW	.1343	----	----	5	----	5 + 5
4070	----	----	58.80B/49.70A	58.80B/49.70A	----	50.30 - 2.40	.1360	----	----	----	----	10 UNCH
4080	----	----	60.40B/50.90A	60.40B/50.90A	----	51.60 - 2.40	.1391	----	----	2	----	6 + 2
4085	----	----	61.20B/51.60A	61.20B/51.60A	----	52.20 - 2.50	.1407	----	----	----	----	76 UNCH
4090	----	----	61.90B/52.30A	61.90B/52.30A	----	52.90 NEW	.1423	----	----	2	----	2 + 2
4100	----	----	63.70B/53.60A	63.70B/53.60A	----	54.30 - 2.50	.1457	----	----	11	----	22 UNCH
4115	55.90	55.90	66.30B/55.70A	66.30B/55.70A	----	56.50 NEW	.1509	----	----	28	----	28 + 28
4130	----	----	69.00B/58.00A	69.00B/58.00A	----	58.70 - 2.60	.1561	----	----	----	----	20 UNCH
4135	----	----	69.60B/58.60A	69.60B/58.60A	----	59.50 - 2.60	.1579	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
SEP26												
4150	----	----	72.40B/60.90A	72.40B/60.90A	----	61.80 - 2.70	.1634	----	----	----	----	4 UNCH
4185	----	----	79.60B/66.60A	79.60B/66.60A	----	67.60 - 2.90	.1767	----	----	----	----	76 UNCH
4200	----	----	82.90B/69.20A	82.90B/69.20A	----	70.30 - 2.90	.1828	----	----	12	----	140 - 1
4220	----	----	86.80B/72.80A	86.80B/72.80A	----	74.00 - 3.00	.1910	----	----	----	----	113 UNCH
4225	----	----	87.80B/73.60A	87.80B/73.60A	----	74.90 - 3.10	.1931	----	----	----	----	2 UNCH
4230	----	----	89.10B/74.50A	89.10B/74.50A	----	75.90 - 3.10	.1953	----	----	----	----	29 UNCH
4240	----	----	91.40B/76.40A	91.40B/76.40A	----	77.90 - 3.10	.1996	----	----	----	----	129 UNCH
4250	----	----	93.80B/78.40A	93.80B/78.40A	----	79.90 - 3.20	.2040	----	----	1	----	126 - 1
4275	----	----	100.10B/83.50A	100.10B/83.50A	----	85.10 - 3.40	.2152	----	----	----	----	30 UNCH
4290	----	----	103.50B/86.80A	103.50B/86.80A	----	88.40 - 3.50	.2222	----	----	----	----	1 UNCH
4300	----	----	106.10B/88.80A	106.10B/88.80A	----	90.70 - 3.60	.2270	----	----	----	----	99 UNCH
4320	----	----	111.40B/93.30A	111.40B/93.30A	----	95.40 - 3.70	.2367	----	----	----	----	152 UNCH
4325	----	----	113.00B/94.50A	113.00B/94.50A	----	96.60 - 3.70	.2392	----	----	----	----	6 UNCH
4350	----	----	119.90B/100.60A	119.90B/100.60A	----	102.90 - 3.90	.2518	----	----	----	----	21 UNCH
4360	----	----	122.80B/103.00A	122.80B/103.00A	----	105.50 - 4.00	.2570	----	----	----	----	1 UNCH
4365	----	----	124.40B/104.30A	124.40B/104.30A	----	106.80 - 4.00	.2596	----	----	----	----	5 UNCH
4375	----	----	127.40B/106.80A	127.40B/106.80A	----	109.50 - 4.10	.2649	----	----	----	----	55 UNCH
4380	----	----	129.00B/108.10A	129.00B/108.10A	----	110.90 - 4.10	.2676	----	----	----	----	95 UNCH
4390	----	----	132.40B/110.90A	132.40B/110.90A	----	113.70 - 4.20	.2729	----	----	----	----	40 UNCH
4395	----	----	133.60B/112.10A	133.60B/112.10A	----	115.10 - 4.30	.2756	----	----	----	----	41 UNCH
4400	118.00	118.00	135.40B/113.50A	135.40B/113.50A	----	116.50 - 4.30	.2784	----	----	200	----	209 + 166
4405	----	----	137.20B/114.90A	137.20B/114.90A	----	118.00 - 4.30	.2811	----	----	----	----	40 UNCH
4410	----	----	138.60B/116.30A	138.60B/116.30A	----	119.40 - 4.40	.2839	----	----	----	----	6 UNCH
4420	----	----	142.10B/119.10A	142.10B/119.10A	----	122.40 - 4.50	.2895	----	----	----	----	1 UNCH
4430	----	----	145.70B/122.00A	145.70B/122.00A	----	125.40 - 4.60	.2951	----	----	----	----	2 UNCH
4440	----	----	149.10B/125.10A	149.10B/125.10A	----	128.50 - 4.70	.3008	----	----	----	----	7 UNCH
4445	----	----	150.60B/126.80A	150.60B/126.80A	----	130.10 - 4.70	.3037	----	----	----	----	1 UNCH
4450	----	----	153.10B/128.00A	153.10B/128.00A	----	131.70 - 4.80	.3065	----	----	----	----	430 UNCH
4475	----	----	161.80B/135.90A	161.80B/135.90A	----	139.90 - 5.00	.3212	----	----	----	----	3 UNCH
4485	----	----	165.70B/139.40A	165.70B/139.40A	----	143.40 - 5.00	.3272	----	----	----	----	1 UNCH
4490	----	----	167.80B/140.80A	167.80B/140.80A	----	145.10 - 5.10	.3302	----	----	----	----	50 UNCH
4500	----	----	172.00B/144.00A	172.00B/144.00A	----	148.60 - 5.20	.3362	----	----	----	----	454 UNCH
4515	152.00	152.00	178.30B/149.40A	178.30B/149.40A	----	154.00 NEW	.3454	----	----	3	----	3 + 3
4520	----	----	179.80B/151.00A	179.80B/151.00A	----	155.90 - 5.30	.3485	----	----	----	----	91 UNCH
4530	----	----	185.20B/154.80A	185.20B/154.80A	----	159.60 - 5.40	.3546	----	----	2	----	2 + 2
4550	----	----	193.90B/161.80A	193.90B/161.80A	----	167.30 - 5.50	.3671	----	----	----	----	351 UNCH
4560	----	----	198.30B/165.70A	198.30B/165.70A	----	171.30 - 5.50	.3735	----	----	----	----	6 UNCH
4570	----	----	202.80B/169.80A	202.80B/169.80A	----	175.30 NEW	.3798	----	----	2	----	2 + 2
4575	----	----	204.40B/171.50A	204.40B/171.50A	----	177.30 - 5.70	.3830	----	----	----	----	10 UNCH
4580	----	----	206.80B/173.50A	206.80B/173.50A	----	179.40 - 5.70	.3862	----	----	----	----	1 UNCH
4585	----	----	209.80B/175.40A	209.80B/175.40A	----	181.50 - 5.70	.3894	----	----	----	----	7 UNCH
4595	----	----	214.40B/179.60A	214.40B/179.60A	----	185.70 - 5.80	.3958	----	----	----	----	2 UNCH
4600	----	----	216.80B/181.40A	216.80B/181.40A	----	187.80 - 5.90	.3991	----	----	----	----	54 UNCH
4605	----	----	219.90B/183.50A	219.90B/183.50A	----	190.00 - 5.80	.4023	----	----	----	----	1 UNCH
4615	----	----	224.20B/187.80A	224.20B/187.80A	----	194.40 - 5.90	.4088	----	----	----	----	1 UNCH
4620	----	----	226.50B/189.60A	226.50B/189.60A	----	196.60 - 5.90	.4120	----	----	----	----	508 UNCH
4625	----	----	229.00B/192.00A	229.00B/192.00A	----	198.80 - 6.00	.4153	----	----	----	----	2 UNCH
4630	198.70	198.70	231.50B/194.20A	231.50B/194.20A	----	201.10 NEW	.4186	----	----	2	----	2 + 2
4645	----	----	239.10B/200.70A	239.10B/200.70A	----	207.90 - 6.10	.4284	----	----	----	----	1 UNCH
4650	----	----	240.90B/202.90A	240.90B/202.90A	----	210.30 - 6.10	.4317	----	----	----	----	2 UNCH
4655	----	----	244.30B/204.90A	244.30B/204.90A	----	212.60 - 6.10	.4349	----	----	----	----	3 UNCH
4700	----	----	268.60B/226.00A	268.60B/226.00A	----	234.60 - 6.40	.4646	----	----	----	----	76 UNCH
4705	----	----	270.80B/228.50A	270.80B/228.50A	----	237.10 - 6.40	.4679	----	----	----	----	2 UNCH
4710	----	----	273.80B/231.10A	273.80B/231.10A	----	239.70 - 6.40	.4712	----	----	----	----	1 UNCH
4725	----	----	281.60B/238.40A	281.60B/238.40A	----	247.50 - 6.50	.4811	----	----	----	----	1 UNCH
4730	----	----	285.30B/240.70A	285.30B/240.70A	----	250.10 - 6.50	.4844	----	----	----	----	5 UNCH
4740	----	----	290.60B/246.20A	290.60B/246.20A	----	255.40 - 6.60	.4910	----	----	----	----	2 UNCH
4750	----	----	296.70B/251.10A	296.70B/251.10A	----	260.80 - 6.60	.4975	----	----	----	----	151 UNCH
4760	----	----	302.90B/256.30A	302.90B/256.30A	----	266.30 - 6.60	.5041	----	----	----	----	100 UNCH
4775	----	----	311.10B/264.40A	311.10B/264.40A	----	274.60 - 6.80	.5139	----	----	----	----	18 UNCH
4780	----	----	314.90B/267.20A	314.90B/267.20A	----	277.40 - 6.80	.5171	----	----	----	----	3 UNCH
4800	----	----	327.10B/278.00A	327.10B/278.00A	----	288.80 - 7.00	.5300	----	----	----	----	471 UNCH
4825	----	----	342.40B/292.50A	342.40B/292.50A	----	303.50 - 7.10	.5460	----	----	----	----	2 UNCH
4830	----	----	345.20B/295.30A	345.20B/295.30A	----	306.50 - 7.20	.5492	----	----	----	----	1 UNCH
4835	----	----	346.90B/298.10A	346.90B/298.10A	----	309.50 - 7.20	.5524	----	----	----	----	30 UNCH
4855	----	----	356.10B/309.90A	356.10B/309.90A	----	321.70 - 7.40	.5650	----	----	----	----	14 UNCH
4875	----	----	367.60B/322.00A	367.60B/322.00A	----	334.20 - 7.50	.5775	----	----	----	----	4 UNCH
4885	----	----	374.30B/328.10A	374.30B/328.10A	----	340.50 - 7.60	.5836	----	----	----	----	4 UNCH
4895	----	----	381.00B/334.60A	381.00B/334.60A	----	346.90 - 7.70	.5897	----	----	----	----	1 UNCH
4900	----	----	384.60B/337.30A	384.60B/337.30A	----	350.10 - 7.80	.5928	----	----	----	----	3 UNCH
4915	----	----	394.90B/347.30A	394.90B/347.30A	----	359.90 - 7.90	.6018	----	----	----	----	1 UNCH
4930	----	----	405.40B/356.50A	405.40B/356.50A	----	369.90 - 8.00	.6107	----	----	----	----	20 UNCH
4950	----	----	419.70B/370.00A	419.70B/370.00A	----	383.30 - 8.30	.6225	----	----	----	----	1 UNCH
4975	----	----	437.80B/386.80A	437.80B/386.80A	----	400.60 - 8.40	.6368	----	----	----	----	210 UNCH
5000	----	----	456.20B/404.00A	456.20B/404.00A	----	418.20 - 8.60	.6508	----	----	----	----	10 UNCH
5005	----	----	460.00B/407.30A	460.00B/407.30A	----	421.70 - 8.70	.6536	----	----	----	----	3 UNCH
5020	----	----	471.30B/418.00A	471.30B/418.00A	----	432.50 - 8.80	.6617	----	----	----	----	3 UNCH
5060	----	----	490.60B/446.30A	490.60B/446.30A	----	462.00 - 9.00	.6827	----	----	----	----	4 UNCH
5100	----	----	520.80B/476.00A	520.80B/476.00A	----	492.30 - 9.20	.7027	----	----	----	----	28 UNCH
5105	----	----	----/479.90A	497.70B/479.90A	----	496.10 - 9.30	.7051	----	----	----	----	2 UNCH
5150	----	----	----	405.60B/665.90A	----	531.10 - 9.70	.7263	----	----	----	----	2 UNCH
5200	----	----	601.90B/556.40A	601.90B/556.40A	----	571.10 - 10.20	.7483	----	----	----	----	45 UNCH
5230	----	----	628.00B/579.50A	628.00B/579.50A	----	595.70 - 10.30	.7607	----	----	----	----	400 UNCH
5300	----	----	687.80B/637.10A	687.80B/637.10A	----	654.30 - 10.90	.7872	----	----	----	----	300 UNCH
5400	----	----	774.50B/723.80A	774.50B/723.80A	----	740.90 - 11.50	.8201	----	----	----	----	100 UNCH
5420	----	----	792.40B/741.30A	792.40B/741.30A	----	758.50 - 11.70	.8260	----	----	----	----	80 UNCH
5450	----	----	----	672.60B/919.30A	----	785.20 - 11.80	.8345	----	----	----	----	1 UNCH
5500	----	----	864.40B/812.30A	864.40B/812.30A	----	830.00 - 12.20	.8477	----	----	----	----	3 UNCH
6000	----	----	----	----	----	1301.10 - 14.00	.9282	----	----	----	----	2 UNCH
TOTAL										279		9343 + 213
OCT26												
2700	----	----	----	0.10B/21.60A	----	2.00 - 1.70	.0052	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/5.00A	----	2.50 - 2.20	.0067	----	----	----	----	3 UNCH
2900	----	----	----	0.10B/17.60A	----	3.60 - 2.00	.0094	----	----	----	----	1 UNCH
3100	----	----	----	0.10B/26.60A	----	6.60 - 1.40	.0170	----	----	----	----	1 UNCH
3155	----	----	----	0.10B/27.60A	----	7.70 - 1.10	.0197	----	----	----	----	1 UNCH
3200	----	----	----	0.10B/22.00A	----	8.70 - 0.90	.0222	----	----	----	----	414 UNCH
3240	----	----	----	0.10B/22.80A	----	9.70 - 0.70	.0246	----	----	----	----	5 UNCH
3300	----	----	----	0.10B/24.30A	----	11.30 - 0.40	.0286	----	----	----	----	415 UNCH
3340	----	----	----	0.10B/25.30A	----	12.50 - 0.20	.0316	----	----	----	----	9 UNCH
3360	----	----	----	0.10B/25.90A	----	13.10 - 0.10	.0331	----	----	----	----	1 UNCH
3380	----	----	----	0.10B/26.50A	----	13.80 UNCH	.0348	----	----	----	----	1 UNCH
3390	----	----	----	0.10B/33.50A	----	14.10 UNCH	.0355	----	----	----	----	4 UNCH
3400	----	----	----	0.10B/27.10A	----	14.40 UNCH	.0363	----	----	----	----	150 UNCH
3480	----	----	----	0.10B/30.00A	----	17.20 + 0.10	.0434	----	----	----	----	12 UNCH
3500	----	----	----	0.10B/30.80A	----	18.00 + 0.10	.0454	----	----	----	----	10 UNCH
3520	----	----	----	0.10B/31.60A	----	18.80 UNCH	.0474	----	----	----	----	12 UNCH
3550	----	----	----	3.40B/39.90A	----	20.00 - 0.10	.0505	----	----	----	----	25 UNCH
3600	----	----	----	0.10B/35.50A	----	22.30 - 0.30	.0563	----	----	----	----	178 UNCH
3615	----	----	----	20.90B/29.90A	----	23.00 - 0.40	.0581	----	----	----	----	1 UNCH
3700	----	----	----	26.40B/29.00A	----	27.50 - 1.10	.0695	----	----	----	----	135 UNCH
3715	----	----	----/29.50A	27.50B/29.50A	----	28.40 - 1.30	.0717	----	----	----	----	196 UNCH
3750	----	----	----/31.90A	30.20B/31.90A	----	30.70 - 1.50	.0774	----	----	----	----	19 UNCH
3770	----	----	----/33.30A	31.90B/33.30A	----	32.10 - 1.70	.0808	----	----	----	----	1 UNCH
3785	----	----	35.30B/----	35.30B/35.40A	----	33.20 - 1.80	.0834	----	----	----	----	1 UNCH
3800	----	----	36.90B/34.60A	36.90B/34.60A	----	34.30 - 1.90	.0861	----	----	1	----	19 UNCH
3805	----	----	37.20B/35.10A	37.20B/35.10A	----	34.70 - 1.90	.0871	----	----	----	----	1 UNCH
3820	----	----	38.40B/36.30A	38.40B/36.30A	----	35.90 NEW	.0900	----	----	1	----	1 + 1
3865	----	----	42.90B/40.20A	42.90B/40.20A	----	39.90 - 2.20	.0993	----	----	----	----	2 UNCH
3870	----	----	43.50B/40.80A	43.50B/40.80A	----	40.30 - 2.30	.1003	----	----	----	----	1 UNCH
3875	----	----	44.70B/41.20A	44.70B/41.20A	----	40.80 - 2.30	.1015	----	----	----	----	12 UNCH
3885	----	----	45.20B/42.80A	45.20B/42.80A	----	41.80 - 2.30	.1038	----	----	----	----	5 UNCH
3890	----	----	45.80B/43.40A	45.80B/43.40A	----	42.30 - 2.30	.1049	----	----	----	----	2 UNCH
3895	----	----	46.40B/44.00A	46.40B/44.00A	----	42.80 - 2.30	.1061	----	----	----	----	2 UNCH
3900	----	----	47.00B/44.10A	47.00B/44.10A	----	43.30 - 2.40	.1072	----	----	----	----	22 UNCH
3920	----	----	49.80B/46.50A	49.80B/46.50A	----	45.40 - 2.50	.1120	----	----	----	----	28 UNCH
3930	----	----	51.00B/47.60A	51.00B/47.60A	----	46.50 - 2.50	.1145	----	----	----	----	2 UNCH
3940	----	----	52.30B/48.40A	52.30B/48.40A	----	47.60 - 2.50	.1170	----	----	----	----	65 UNCH
3950	----	----	53.80B/49.60A	53.80B/49.60A	----	48.80 - 2.50	.1196	----	----	----	----	2 UNCH
3975	----	----	57.30B/52.60A	57.30B/52.60A	----	51.80 - 2.60	.1263	----	----	----	----	5 UNCH
4000	56.00	56.00	61.10B/55.00	61.10B/55.00	----	55.10 - 2.70	.1334	----	----	15	----	394 - 15
4030	----	----	65.50B/59.50A	65.50B/59.50A	----	59.20 - 2.80	.1422	----	----	----	----	2 UNCH
4035	----	----	66.30B/60.20A	66.30B/60.20A	----	60.00 - 2.80	.1439	----	----	----	----	1 UNCH
4050	----	----	68.80B/62.40A	68.80B/62.40A	----	62.20 - 2.90	.1485	----	----	----	----	5 UNCH
4070	----	----	72.60B/65.30A	72.60B/65.30A	----	65.30 - 3.00	.1550	----	----	----	----	24 UNCH
4100	----	----	77.60B/69.90A	77.60B/69.90A	----	70.30 - 3.00	.1652	----	----	----	----	464 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
OCT26												
4130	----	----	83.40B/75.20A	83.40B/75.20A	----	75.50 - 3.20	.1757	----	----	----	----	2 UNCH
4135	----	----	84.40B/76.20A	84.40B/76.20A	----	76.40 - 3.20	.1775	----	----	----	----	1 UNCH
4150	----	----	88.00B/78.50A	88.00B/78.50A	----	79.20 - 3.20	.1831	----	----	----	----	5 UNCH
4180	----	----	94.50B/84.40A	94.50B/84.40A	----	85.00 NEW	.1945	----	----	1	----	1 + 1
4200	105.00	105.00	105.00/87.90A	105.00/87.90A	----	89.10 - 3.30	.2024	----	----	13	110	353 + 61
4220	----	----	103.40B/92.00A	103.40B/92.00A	----	93.40 - 3.30	.2105	----	----	----	----	5 UNCH
4235	----	----	107.00B/95.90A	107.00B/95.90A	----	96.60 - 3.40	.2167	----	----	----	----	1 UNCH
4250	----	----	110.80B/98.50A	110.80B/98.50A	----	100.00 - 3.50	.2230	----	----	----	----	72 UNCH
4265	----	----	114.40B/101.80A	114.40B/101.80A	----	103.50 - 3.50	.2295	----	----	----	----	200 UNCH
4270	----	----	116.00B/103.10A	116.00B/103.10A	----	104.70 - 3.50	.2317	----	----	----	----	226 UNCH
4280	----	----	118.70B/105.30A	118.70B/105.30A	----	107.20 - 3.40	.2362	----	----	----	----	196 UNCH
4300	----	----	124.10B/110.10A	124.10B/110.10A	----	112.10 - 3.60	.2451	----	----	----	----	476 UNCH
4330	----	----	134.20B/118.40A	134.20B/118.40A	----	120.00 - 3.60	.2591	----	----	----	----	1 UNCH
4350	----	----	140.60B/123.00A	140.60B/123.00A	----	125.60 - 3.60	.2687	----	----	----	----	210 UNCH
4355	----	----	140.50B/124.40A	140.50B/124.40A	----	127.00 - 3.60	.2711	----	----	----	----	11 UNCH
4375	----	----	146.90B/130.30A	146.90B/130.30A	----	132.80 - 3.70	.2809	----	----	----	----	10 UNCH
4400	----	----	155.20B/137.40A	155.20B/137.40A	----	140.50 - 3.70	.2935	----	----	----	----	303 UNCH
4420	----	----	164.40B/144.10A	164.40B/144.10A	----	146.80 - 3.80	.3038	----	----	----	----	0 UNCH
4430	----	----	165.80B/146.70A	165.80B/146.70A	----	150.10 - 3.80	.3090	----	----	----	----	3 UNCH
4450	----	----	173.10B/153.10A	173.10B/153.10A	----	156.80 - 3.90	.3196	----	----	----	----	26 UNCH
4475	----	----	182.80B/162.20A	182.80B/162.20A	----	165.60 - 4.00	.3331	----	----	----	----	2 UNCH
4500	----	----	192.70B/170.40A	192.70B/170.40A	----	174.80 - 4.10	.3468	----	----	----	----	91 UNCH
4600	211.50	211.50	236.90B/209.00A	236.90B/209.00A	----	215.50 - 4.80	.4035	----	----	5	----	329 - 5
4610	----	----	241.70B/213.90A	241.70B/213.90A	----	219.90 - 5.00	.4094	----	----	----	----	5 UNCH
4625	----	----	252.50B/220.00A	252.50B/220.00A	----	226.70 - 5.10	.4181	----	----	----	----	40 UNCH
4630	----	----	255.00B/222.80A	255.00B/222.80A	----	229.00 - 5.10	.4210	----	----	----	----	1 UNCH
4635	----	----	254.00B/225.00A	254.00B/225.00A	----	231.30 - 5.20	.4240	----	----	----	----	1 UNCH
4640	----	----	260.10B/226.70A	260.10B/226.70A	----	233.70 - 5.20	.4269	----	----	----	----	13 UNCH
4650	----	----	261.80B/231.40A	261.80B/231.40A	----	238.40 - 5.30	.4328	----	----	----	----	133 UNCH
4675	----	----	278.40B/243.40A	278.40B/243.40A	----	250.50 - 5.50	.4475	----	----	----	----	1 UNCH
4680	----	----	277.40B/245.90A	277.40B/245.90A	----	252.90 - 5.60	.4504	----	----	----	----	1 UNCH
4700	----	----	291.80B/254.80A	291.80B/254.80A	----	263.00 - 5.80	.4622	----	----	----	----	84 UNCH
4740	----	----	310.90B/275.50A	310.90B/275.50A	----	283.90 - 6.10	.4857	----	----	----	----	0 UNCH
4750	----	----	316.70B/280.00A	316.70B/280.00A	----	289.30 - 6.20	.4916	----	----	----	----	174 UNCH
4775	----	----	335.00B/294.10A	335.00B/294.10A	----	303.10 - 6.40	.5061	----	----	----	----	1 UNCH
4780	----	----	334.50B/296.90A	334.50B/296.90A	----	305.90 - 6.50	.5090	----	----	----	----	1 UNCH
4800	----	----	346.60B/307.10A	346.60B/307.10A	----	317.40 - 6.50	.5206	----	----	----	----	100 UNCH
4845	----	----	375.00B/332.80A	375.00B/332.80A	----	344.10 - 6.70	.5462	----	----	----	----	17 UNCH
4850	----	----	378.00B/335.90A	378.00B/335.90A	----	347.10 - 6.70	.5490	----	----	----	----	80 UNCH
4875	----	----	394.50B/351.40A	394.50B/351.40A	----	362.50 - 6.80	.5629	----	----	----	----	1 UNCH
4900	----	----	409.90B/366.00A	409.90B/366.00A	----	378.20 - 7.00	.5767	----	----	----	----	131 UNCH
4910	----	----	415.80B/372.90A	415.80B/372.90A	----	384.50 - 7.10	.5822	----	----	----	----	1 UNCH
4920	----	----	422.80B/379.30A	422.80B/379.30A	----	391.00 - 7.10	.5876	----	----	----	----	1 UNCH
4925	----	----	426.00B/381.80A	426.00B/381.80A	----	394.20 - 7.20	.5903	----	----	----	----	25 UNCH
4935	----	----	432.90B/388.00A	432.90B/388.00A	----	400.80 - 7.20	.5956	----	----	----	----	5 UNCH
4965	----	----	453.90B/407.60A	453.90B/407.60A	----	420.90 - 7.20	.6113	----	----	----	----	13 UNCH
4980	----	----	464.80B/418.20A	464.80B/418.20A	----	431.30 - 7.00	.6190	----	----	----	----	1 UNCH
5000	----	----	479.30B/431.30A	479.30B/431.30A	----	445.30 - 6.90	.6290	----	----	----	----	47 UNCH
5010	----	----	486.30B/438.30A	486.30B/438.30A	----	452.40 - 6.90	.6339	----	----	----	----	1 UNCH
5050	----	----	516.20B/466.30A	516.20B/466.30A	----	481.00 - 7.10	.6534	----	----	----	----	25 UNCH
5150	----	----	----/539.00A	561.70B/539.00A	----	555.40 - 8.30	.6990	----	----	----	----	1 UNCH
5200	----	----	621.90B/580.40A	621.90B/580.40A	----	594.10 - 9.00	.7200	----	----	----	----	100 UNCH
5230	----	----	----	486.80B/755.50A	----	617.80 - 9.40	.7320	----	----	----	----	2 UNCH
5250	----	----	662.80B/619.70A	662.80B/619.70A	----	633.90 - 9.50	.7398	----	----	----	----	75 UNCH
5300	----	----	704.50B/660.10A	704.50B/660.10A	----	674.60 - 10.00	.7582	----	----	----	----	6 UNCH
5425	----	----	----	657.60B/918.50A	----	780.20 - 10.70	.7987	----	----	----	----	1 UNCH
5455	----	----	838.30B/790.60A	838.30B/790.60A	----	806.30 - 10.80	.8073	----	----	----	----	40 UNCH
5495	----	----	----	721.50B/979.20A	----	841.40 - 11.10	.8181	----	----	----	----	1 UNCH
5500	----	----	----	726.10B/983.60A	----	845.80 - 11.10	.8193	----	----	----	----	1 UNCH
5600	----	----	----	817.80B/1072.50A	----	935.40 - 11.50	.8431	----	----	----	----	1 UNCH
5700	----	----	----	910.20B/1164.00A	----	1027.00 - 11.90	.8630	----	----	----	----	1 UNCH
TOTAL										36	110	6311+ 43
NOV26												
2750	----	----	----	0.10B/25.80A	----	10.20 - 3.10	.0186	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/22.30A	----	11.40 - 3.40	.0207	----	----	----	----	8 UNCH
2900	----	----	----	0.10B/20.80A	----	12.00 - 3.60	.0228	----	----	----	----	1 UNCH
3000	----	----	----	0.10B/21.00A	----	12.60 - 3.90	.0251	----	----	----	----	95 UNCH
3120	----	----	----	0.10B/32.00A	----	13.60 - 4.20	.0285	----	----	----	----	10 UNCH
3180	----	----	----	0.10B/33.50A	----	14.20 - 4.30	.0305	----	----	----	----	10 UNCH
3200	----	----	----	0.10B/26.60A	----	14.50 - 4.30	.0313	----	----	----	----	93 UNCH
3215	----	----	----	0.10B/34.40A	----	14.70 - 4.30	.0319	----	----	----	----	1 UNCH
3220	----	----	----	0.10B/34.60A	----	14.80 - 4.30	.0322	----	----	----	----	1 UNCH
3225	----	----	----	0.10B/34.70A	----	14.80 - 4.40	.0323	----	----	----	----	1 UNCH
3235	----	----	----	0.10B/27.50A	----	15.00 - 4.30	.0328	----	----	----	----	2 UNCH
3250	----	----	----	0.10B/28.00A	----	15.20 - 4.40	.0334	----	----	----	----	18 UNCH
3255	----	----	----	0.10B/28.10A	----	15.30 - 4.40	.0337	----	----	----	----	18 UNCH
3300	----	----	----	0.10B/29.50A	----	16.10 - 4.40	.0359	----	----	----	----	20 UNCH
3310	----	----	----	0.10B/37.40A	----	16.30 - 4.40	.0364	----	----	----	----	1 UNCH
3320	----	----	----	0.10B/30.20A	----	16.60 - 4.30	.0371	----	----	----	----	16 UNCH
3350	----	----	----	0.10B/31.20A	----	17.30 - 4.30	.0390	----	----	----	----	180 UNCH
3455	----	----	----	1.20B/43.40A	----	20.60 - 3.90	.0470	----	----	----	----	1 UNCH
3475	----	----	----	2.00B/44.30A	----	21.30 - 3.90	.0488	----	----	----	----	2 UNCH
3500	22.00	22.00	22.00/22.00	22.00/22.00	----	22.40 - 3.70	.0513	----	----	10	----	665 + 10
3535	----	----	----	0.10B/39.60A	----	24.00 - 3.50	.0550	----	----	----	----	3 UNCH
3605	----	----	----	26.50B/32.80A	----	27.80 - 3.10	.0635	----	----	----	----	1 UNCH
3690	----	----	----/35.70A	32.50B/35.70A	----	33.50 - 2.50	.0759	----	----	----	----	1 UNCH
3725	----	----	----	37.60B/38.90A	----	36.20 - 2.30	.0816	----	----	----	----	1 UNCH
3740	----	----	----/39.20A	36.70B/39.20A	----	37.40 - 2.30	.0842	----	----	----	----	21 UNCH
3750	----	----	----	39.90B/41.00A	----	38.30 - 2.20	.0861	----	----	----	----	150 UNCH
3780	----	----	----/42.60A	40.50B/42.60A	----	40.90 - 2.10	.0915	----	----	----	----	1 UNCH
3800	40.80	40.80	40.80/40.80	44.50B/40.80	----	42.70 - 2.10	.0953	----	----	1	----	29 + 1
3820	----	----	46.80B/45.50A	46.80B/45.50A	----	44.70 - 2.00	.0994	----	----	----	----	20 UNCH
3875	----	----	53.70B/51.60A	53.70B/51.60A	----	50.50 - 2.00	.1111	----	----	----	----	24 UNCH
3900	----	----	57.40B/54.50A	57.40B/54.50A	----	53.30 NEW	.1168	----	----	2	----	2 + 2
3925	----	----	60.80B/57.50A	60.80B/57.50A	----	56.40 NEW	.1229	----	----	2	----	2 + 2
3980	----	----	69.00B/64.40A	69.00B/64.40A	----	63.70 - 2.20	.1370	----	----	----	----	1 UNCH
4000	----	----	72.30B/67.20A	72.30B/67.20A	----	66.50 - 2.40	.1424	----	----	2	----	5 + 2
4025	----	----	76.50B/70.70A	76.50B/70.70A	----	70.30 NEW	.1496	----	----	2	----	2 + 2
4100	----	----	90.40B/83.20A	90.40B/83.20A	----	82.90 - 2.70	.1726	----	----	----	----	2 UNCH
4160	----	----	103.70B/94.30A	103.70B/94.30A	----	94.40 - 3.00	.1929	----	----	----	----	1 UNCH
4170	----	----	105.90B/96.40A	105.90B/96.40A	----	96.50 - 3.10	.1965	----	----	----	----	1 UNCH
4180	----	----	108.30B/98.40A	108.30B/98.40A	----	98.60 NEW	.2001	----	----	1	----	1 + 1
4200	----	----	113.00B/102.50A	113.00B/102.50A	----	102.90 - 3.20	.2074	----	----	1	----	6 + 1
4205	----	----	114.30B/103.80A	114.30B/103.80A	----	104.00 - 3.30	.2093	----	----	----	----	1 UNCH
4215	----	----	116.90B/106.00A	116.90B/106.00A	----	106.30 - 3.20	.2131	----	----	----	----	5 UNCH
4250	----	----	125.00B/114.00A	125.00B/114.00A	----	114.50 - 3.40	.2266	----	----	----	----	370 UNCH
4275	----	----	132.60B/119.70A	132.60B/119.70A	----	120.70 - 3.50	.2366	----	----	----	----	3 UNCH
4305	----	----	140.20B/127.50A	140.20B/127.50A	----	128.60 - 3.60	.2491	----	----	----	----	1 UNCH
4320	----	----	145.80B/131.30A	145.80B/131.30A	----	132.60 - 3.70	.2554	----	----	----	----	43 UNCH
4330	----	----	148.80B/134.20A	148.80B/134.20A	----	135.40 - 3.80	.2597	----	----	----	----	2 UNCH
4350	----	----	153.80B/139.50A	153.80B/139.50A	----	141.10 - 3.90	.2684	----	----	----	----	3 UNCH
4400	----	----	171.80B/154.30A	171.80B/154.30A	----	156.20 - 4.10	.2908	----	----	----	----	3 UNCH
4425	----	----	180.70B/161.90A	180.70B/161.90A	----	164.30 - 4.20	.3024	----	----	----	----	72 UNCH
4430	----	----	182.60B/163.60A	182.60B/163.60A	----	165.90 - 4.20	.3047	----	----	----	----	10 UNCH
4450	----	----	187.90B/170.20A	187.90B/170.20A	----	172.70 - 4.30	.3142	----	----	----	----	39 UNCH
4485	----	----	203.60B/181.90A	203.60B/181.90A	----	184.90 - 4.50	.3310	----	----	----	----	1 UNCH
4490	----	----	203.10B/183.60A	203.10B/183.60A	----	186.70 - 4.50	.3335	----	----	----	----	1 UNCH
4500	----	----	207.00B/187.20A	207.00B/187.20A	----	190.40 - 4.50	.3384	----	----	----	----	45 UNCH
4510	----	----	211.00B/190.90A	211.00B/190.90A	----	194.10 - 4.60	.3433	----	----	----	----	10 UNCH
4535	----	----	224.20B/200.10A	224.20B/200.10A	----	203.60 - 4.70	.3558	----	----	----	----	10 UNCH
4540	----	----	226.30B/201.90A	226.30B/201.90A	----	205.50 - 4.80	.3583	----	----	----	----	6 UNCH
4580	----	----	240.60B/217.40A	240.60B/217.40A	----	221.60 - 5.00	.3786	----	----	----	----	10 UNCH
4640	----	----	272.40B/242.70A	272.40B/242.70A	----	247.60 - 5.30	.4097	----	----	----	----	90 UNCH
4650	----	----	273.60B/247.30A	273.60B/247.30A	----	252.10 - 5.40	.4149	----	----	----	----	50 UNCH
4700	----	----	299.40B/269.90A	299.40B/269.90A	----	276.00 - 5.60	.4413	----	----	----	----	2 UNCH
4710	----	----	308.20B/275.00A	308.20B/275.00A	----	281.00 - 5.60	.4465	----	----	----	----	1 UNCH
4725	----	----	316.40B/282.10A	316.40B/282.10A	----	288.60 - 5.70	.4545	----	----	----	----	2 UNCH
4755	301.20	301.20	332.90B/297.10A	332.90B/297.10A	----	304.30 NEW	.4703	----	----	1	----	1 + 1
4800	----	----	358.90B/320.40A	358.90B/320.40A	----	328.70 - 6.10	.4938	----	----	----	----	7 UNCH
4840	----	----	382.90B/342.30A	382.90B/342.30A	----	351.20 - 6.50	.5146	----	----	----	----	2 UNCH
4845	----	----	381.70B/345.10A	381.70B/345.10A	----	354.00 - 6.60	.5172	----	----	----	----	10 UNCH
4850	----	----	388.90B/347.90A	388.90B/347.90A	----	356.90 - 6.70	.5197	----	----	----	----	6 UNCH
4900	----	----	416.30B/376.80A	416.30B/376.80A	----	386.90 - 6.70	.5450	----	----	----	----	12 UNCH
4915	----	----	426.00B/385.80A	426.00B/385.80A	----	396.20 - 6.70	.5525	----	----	----	----	3 UNCH
4935	----	----	443.50B/397.90A	443.50B/397.90A	----	408.90 - 6.60	.5623	----	----	----	----	25 UNCH
4950	----	----	453.30B/407.20A	453.30B/407.20A	----	418.50 - 6.60	.5696	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
NOV26												
4960	----	----	460.00B/413.40A	460.00B/413.40A	----	425.00 - 6.60	.5745	----	----	----	----	2 UNCH
5000	----	----	482.10B/438.80A	482.10B/438.80A	----	451.20 - 6.70	.5935	----	----	----	----	256 UNCH
5020	----	----	496.10B/452.00A	496.10B/452.00A	----	464.50 - 6.90	.6029	----	----	----	----	30 UNCH
5055	----	----	521.00B/475.40A	521.00B/475.40A	----	488.20 - 7.30	.6191	----	----	----	----	8 UNCH
5200	----	----	629.10B/578.10A	629.10B/578.10A	----	592.60 - 8.70	.6812	----	----	----	----	81 UNCH
5395	----	----	----	598.70B/901.40A	----	746.90 - 10.10	.7506	----	----	----	----	6 UNCH
5400	----	----	----	603.00B/905.40A	----	751.10 - 10.00	.7522	----	----	----	----	6 UNCH
5760	----	----	----	927.50B/1217.80A	----	1064.90 - 11.70	.8414	----	----	----	----	1 UNCH
5975	----	----	----	1127.40B/1417.30A	----	1263.30 - 12.60	.8765	----	----	----	----	1 UNCH
6000	----	----	----	1150.80B/1441.10A	----	1286.80 - 12.60	.8799	----	----	----	----	1 UNCH
TOTAL										22		2667 + 22
DEC26												
1350	----	----	----	----/1.10A	----	0.30 UNCH	.0005	----	----	----	----	16 UNCH
1375	----	----	----	----/12.30A	----	0.40 + 0.10	.0006	----	----	----	----	1 UNCH
1500	----	----	----	----/2.00A	----	0.60 + 0.10	.0010	----	----	----	----	1 UNCH
1600	----	----	----	0.10B/2.70A	----	0.90 + 0.10	.0014	----	----	----	----	190 UNCH
1700	----	----	----	0.10B/3.50A	----	1.30 + 0.10	.0021	----	----	----	----	200 UNCH
1845	----	----	----	0.10B/14.30A	----	2.10 + 0.20	.0033	----	----	----	----	50 UNCH
1900	----	----	----	0.10B/25.10A	----	2.40 + 0.10	.0038	----	----	----	----	4 UNCH
2000	----	----	----	0.10B/4.50A	----	3.20 + 0.20	.0051	----	----	----	----	2 UNCH
2400	----	----	----	0.10B/17.80A	----	6.30 + 0.30	.0107	----	----	----	----	1 UNCH
2490	----	----	----	0.10B/18.60A	----	6.70 + 0.30	.0118	----	----	----	----	1 UNCH
2750	----	----	----	0.10B/21.50A	----	7.50 UNCH	.0148	----	----	----	----	1 UNCH
2800	----	----	----	0.10B/8.00A	----	7.80 - 0.10	.0157	----	----	----	----	10 UNCH
2900	----	----	----	5.00B/31.70A	----	8.80 - 0.30	.0182	----	----	----	----	19 UNCH
2925	----	----	----	0.10B/24.30A	----	9.10 - 0.40	.0190	----	----	----	----	300 UNCH
2975	----	----	----	0.10B/33.10A	----	9.80 - 0.60	.0206	----	----	----	----	400 UNCH
3000	----	----	----	0.10B/25.70A	----	10.20 - 0.60	.0216	----	----	----	----	1356 UNCH
3160	----	----	----	0.10B/29.80A	----	13.80 - 1.10	.0295	----	----	----	----	2 UNCH
3175	----	----	----	0.10B/30.30A	----	14.20 - 1.10	.0304	----	----	----	----	1 UNCH
3190	----	----	----	0.10B/30.70A	----	14.60 - 1.20	.0313	----	----	----	----	5 UNCH
3250	----	----	----	0.10B/32.80A	----	16.40 - 1.40	.0352	----	----	----	----	15 UNCH
3300	----	----	----	0.10B/34.70A	----	18.00 - 1.70	.0388	----	----	----	----	7 UNCH
3400	----	----	----	0.10B/39.20A	----	21.70 - 2.10	.0469	----	----	----	120	1350 - 80
3425	----	----	----	2.00B/49.00A	----	22.80 - 2.20	.0493	----	----	----	----	350 UNCH
3450	----	----	----	0.10B/41.90A	----	23.90 - 2.30	.0517	----	----	----	----	201 UNCH
3460	----	----	----	0.10B/42.40A	----	24.30 - 2.40	.0526	----	----	----	----	20 UNCH
3475	----	----	----	0.10B/43.30A	----	25.00 - 2.50	.0541	----	----	----	----	152 UNCH
3500	27.00	27.00	27.00/27.00	27.00/27.00	----	26.30 - 2.60	.0569	----	----	10	----	1467 + 10
3550	----	----	----	30.40B/37.50A	----	29.10 - 2.70	.0628	----	----	----	----	18 UNCH
3565	----	----	----	31.50B/35.90A	----	30.10 - 2.70	.0649	----	----	----	----	2 UNCH
3590	----	----	----	33.50B/36.40A	----	31.70 - 2.80	.0682	----	----	----	----	1 UNCH
3600	----	----	----	32.50B/36.00A	----	32.40 - 2.80	.0696	----	----	----	----	406 UNCH
3610	----	----	----	33.30B/36.80A	----	33.10 - 2.80	.0710	----	----	----	----	3 UNCH
3650	----	----	----	36.60B/39.80A	----	36.20 - 2.80	.0772	----	----	----	----	201 UNCH
3660	----	----	----	39.50B/42.50A	----	37.00 - 2.80	.0788	----	----	----	----	5 UNCH
3670	----	----	----	38.30B/41.50A	----	37.90 - 2.80	.0805	----	----	----	----	1 UNCH
3690	----	----	----	40.10B/43.20A	----	39.60 - 2.80	.0839	----	----	----	----	1 UNCH
3700	----	----	----	43.30B/45.20A	----	40.50 - 2.80	.0856	----	----	----	----	279 UNCH
3710	----	----	----	44.30B/46.10A	----	41.50 - 2.80	.0875	----	----	----	----	37 UNCH
3720	----	----	45.40B/----	45.40B/47.00A	----	42.40 - 2.80	.0893	----	----	----	----	1 UNCH
3725	----	----	45.90B/----	45.90B/47.40A	----	42.90 - 2.80	.0902	----	----	----	----	6 UNCH
3750	----	----	----	46.10B/48.80A	----	45.50 - 2.70	.0951	----	----	----	----	166 UNCH
3760	----	----	49.80B/----	49.80B/50.90A	----	46.50 - 2.70	.0970	----	----	----	----	184 UNCH
3780	----	----	----	49.60B/51.80A	----	48.70 - 2.70	.1011	----	----	----	----	1 UNCH
3800	----	----	54.30B/----	54.30B/53.60A	----	51.00 - 2.60	.1053	----	----	----	----	73 UNCH
3810	----	----	56.10B/54.70A	56.10B/54.70A	----	52.20 - 2.60	.1075	----	----	----	----	56 UNCH
3850	----	----	61.40B/59.30A	61.40B/59.30A	----	57.20 - 2.50	.1165	----	----	----	----	24 UNCH
3880	----	----	65.80B/63.00A	65.80B/63.00A	----	61.30 - 2.30	.1237	----	----	----	----	1 UNCH
3900	----	----	68.90B/65.50A	68.90B/65.50A	----	64.10 - 2.30	.1287	----	----	----	----	1206 UNCH
3920	----	----	72.20B/68.20A	72.20B/68.20A	----	67.00 - 2.30	.1337	----	----	----	----	50 UNCH
3925	----	----	72.90B/68.80A	72.90B/68.80A	----	67.80 - 2.20	.1351	----	----	----	----	252 UNCH
3930	----	----	73.70B/69.50A	73.70B/69.50A	----	68.50 - 2.30	.1363	----	----	----	----	2 UNCH
3950	----	----	76.80B/72.10A	76.80B/72.10A	----	71.60 - 2.20	.1417	----	----	----	----	27 UNCH
3965	----	----	79.40B/74.40A	79.40B/74.40A	----	74.00 - 2.20	.1457	----	----	----	----	50 UNCH
3975	----	----	81.10B/75.80A	81.10B/75.80A	----	75.60 - 2.20	.1485	----	----	----	----	192 UNCH
3980	----	----	82.00B/76.50A	82.00B/76.50A	----	76.40 - 2.20	.1498	----	----	----	----	149 UNCH
4000	----	----	85.60B/79.70A	85.60B/79.70A	----	79.80 - 2.10	.1555	----	----	----	----	1961 UNCH
4025	----	----	90.20B/84.00A	90.20B/84.00A	----	84.10 - 2.20	.1628	----	----	----	----	220 UNCH
4050	----	----	95.00B/88.50A	95.00B/88.50A	----	88.70 - 2.10	.1703	----	----	----	----	202 UNCH
4070	----	----	99.00B/92.10A	99.00B/92.10A	----	92.50 - 2.10	.1765	----	----	----	----	7 UNCH
4090	----	----	103.30B/95.80A	103.30B/95.80A	----	96.40 - 2.10	.1828	----	----	----	----	1 UNCH
4100	----	----	105.50B/97.70A	105.50B/97.70A	----	98.40 - 2.10	.1860	----	----	----	----	385 UNCH
4130	----	----	112.30B/103.80A	112.30B/103.80A	----	104.60 - 2.20	.1959	----	----	----	----	2 UNCH
4150	----	----	117.00B/107.90A	117.00B/107.90A	----	108.90 - 2.30	.2026	----	----	----	----	21 UNCH
4160	----	----	119.40B/110.10A	119.40B/110.10A	----	111.10 - 2.30	.2060	----	----	----	----	252 UNCH
4170	----	----	122.00B/112.40A	122.00B/112.40A	----	113.40 - 2.30	.2095	----	----	----	----	2 UNCH
4175	----	----	123.40B/113.50A	123.40B/113.50A	----	114.50 - 2.40	.2113	----	----	----	----	60 UNCH
4200	----	----	129.20B/119.30A	129.20B/119.30A	----	120.30 - 2.50	.2202	----	----	----	----	693 UNCH
4215	----	----	134.00B/122.60A	134.00B/122.60A	----	124.00 - 2.50	.2257	----	----	----	----	14 UNCH
4250	----	----	143.70B/131.40A	143.70B/131.40A	----	132.80 - 2.60	.2387	----	----	----	----	344 UNCH
4300	----	----	157.50B/144.40A	157.50B/144.40A	----	146.20 - 2.90	.2582	----	----	----	----	2342 UNCH
4320	----	----	163.70B/150.20A	163.70B/150.20A	----	151.90 - 3.00	.2662	----	----	----	----	100 UNCH
4325	----	----	165.20B/151.30A	165.20B/151.30A	----	153.40 - 3.00	.2683	----	----	----	----	300 UNCH
4340	----	----	171.20B/155.70A	171.20B/155.70A	----	157.80 - 3.10	.2744	----	----	----	----	79 UNCH
4350	----	----	173.30B/158.70A	173.30B/158.70A	----	160.80 - 3.20	.2786	----	----	----	----	151 UNCH
4365	----	----	178.30B/163.20A	178.30B/163.20A	----	165.40 - 3.30	.2848	----	----	----	----	390 UNCH
4375	----	----	183.00B/166.50A	183.00B/166.50A	----	168.50 - 3.40	.2891	----	----	----	----	2 UNCH
4385	----	----	185.10B/169.60A	185.10B/169.60A	----	171.70 - 3.40	.2933	----	----	----	----	75 UNCH
4390	----	----	186.80B/170.70A	186.80B/170.70A	----	173.30 - 3.50	.2955	----	----	----	----	30 UNCH
4400	----	----	191.90B/174.30A	191.90B/174.30A	----	176.50 - 3.60	.2998	----	----	50	----	280 + 25
4425	----	----	201.10B/182.20A	201.10B/182.20A	----	184.90 - 3.70	.3107	----	----	----	----	9 UNCH
4430	----	----	201.20B/183.80A	201.20B/183.80A	----	186.60 - 3.70	.3129	----	----	----	----	10 UNCH
4435	----	----	203.10B/185.50A	203.10B/185.50A	----	188.30 - 3.80	.3151	----	----	----	----	14 UNCH
4450	----	----	210.70B/191.00A	210.70B/191.00A	----	193.50 - 3.90	.3218	----	----	----	----	260 UNCH
4475	----	----	220.60B/199.40A	220.60B/199.40A	----	202.50 - 4.10	.3331	----	----	----	----	8 UNCH
4500	209.30	209.30	228.50B/208.50A	228.50B/208.50A	----	211.80 - 4.30	.3445	----	----	5	----	1248 UNCH
4510	----	----	232.60B/212.20A	232.60B/212.20A	----	215.70 - 4.30	.3492	----	----	----	----	2 UNCH
4515	----	----	234.70B/214.20A	234.70B/214.20A	----	217.60 - 4.30	.3515	----	----	----	----	242 UNCH
4520	----	----	236.80B/216.00A	236.80B/216.00A	----	219.50 - 4.40	.3538	----	----	----	----	25 UNCH
4525	----	----	241.40B/218.00A	241.40B/218.00A	----	221.50 - 4.40	.3561	----	----	----	----	200 UNCH
4530	----	----	243.40B/220.00A	243.40B/220.00A	----	223.50 - 4.40	.3585	----	----	----	----	20 UNCH
4535	----	----	245.70B/221.90A	245.70B/221.90A	----	225.40 - 4.60	.3608	----	----	----	----	102 UNCH
4540	----	----	245.20B/223.90A	245.20B/223.90A	----	227.40 - 4.60	.3632	----	----	----	----	1 UNCH
4550	----	----	252.20B/227.80A	252.20B/227.80A	----	231.50 - 4.60	.3679	----	----	----	----	4 UNCH
4555	----	----	254.40B/229.80A	254.40B/229.80A	----	233.50 - 4.70	.3702	----	----	----	----	50 UNCH
4580	----	----	265.90B/240.10A	265.90B/240.10A	----	244.00 - 4.80	.3821	----	----	----	----	50 UNCH
4585	----	----	268.20B/242.00A	268.20B/242.00A	----	246.10 - 4.80	.3845	----	----	----	----	325 UNCH
4600	----	----	275.20B/248.10A	275.20B/248.10A	----	252.60 - 4.90	.3917	----	----	----	----	523 UNCH
4620	----	----	281.60B/256.80A	281.60B/256.80A	----	261.40 - 5.10	.4014	----	----	----	----	50 UNCH
4625	----	----	287.20B/259.00A	287.20B/259.00A	----	263.70 - 5.10	.4038	----	----	----	----	24 UNCH
4640	----	----	294.60B/265.80A	294.60B/265.80A	----	270.50 - 5.20	.4111	----	----	----	----	100 UNCH
4650	----	----	299.50B/270.20A	299.50B/270.20A	----	275.10 - 5.30	.4159	----	----	----	----	113 UNCH
4680	----	----	314.70B/284.00A	314.70B/284.00A	----	289.40 - 5.50	.4306	----	----	----	----	60 UNCH
4700	----	----	321.50B/293.40A	321.50B/293.40A	----	299.10 - 5.70	.4404	----	----	----	----	510 UNCH
4725	----	----	335.30B/305.60A	335.30B/305.60A	----	311.70 - 5.80	.4526	----	----	----	----	110 UNCH
4750	----	----	349.00B/317.90A	349.00B/317.90A	----	324.60 - 5.80	.4649	----	----	----	----	63 UNCH
4790	----	----	371.20B/338.80A	371.20B/338.80A	----	346.00 - 5.90	.4844	----	----	----	----	60 UNCH
4800	388.00	388.00	388.00/344.20A	388.00/344.20A	----	351.60 - 5.90	.4892	----	----	1	----	302 UNCH
4810	----	----	383.00B/349.60A	383.00B/349.60A	----	357.20 - 5.90	.4940	----	----	----	----	56 UNCH
4815	----	----	385.60B/352.40A	385.60B/352.40A	----	360.10 - 5.80	.4964	----	----	----	----	10 UNCH
4820	----	----	388.60B/354.90A	388.60B/354.90A	----	363.00 - 5.80	.4988	----	----	----	----	20 UNCH
4825	----	----	391.40B/357.60A	391.40B/357.60A	----	365.90 - 5.80	.5012	----	----	----	----	112 UNCH
4835	----	----	397.50B/363.20A	397.50B/363.20A	----	371.70 - 5.80	.5059	----	----	----	----	125 UNCH
4850	----	----	410.70B/371.70A	410.70B/371.70A	----	380.60 - 5.70	.5130	----	----	----	----	13 UNCH
4875	----	----	422.00B/385.90A	422.00B/385.90A	----	395.60 - 5.70	.5247	----	----	----	----	7 UNCH
4880	----	----	425.10B/388.80A	425.10B/388.80A	----	398.70 - 5.60	.5271	----	----	----	----	11 UNCH
4900	----	----	437.70B/400.50A	437.70B/400.50A	----	410.90 - 5.70	.5363	----	----	----	----	110 UNCH
4925	----	----	453.60B/415.30A	453.60B/415.30A	----	426.30 - 5.80	.5478	----	----	----	----	237 UNCH
4950	----	----	474.50B/430.60A	474.50B/430.60A	----	441.90 - 6.00	.5592	----	----	----	----	24 UNCH
4975	----	----	486.50B/446.30A	486.50B/446.30A	----	457.80 - 6.20	.5705	----	----	----	----	43 UNCH
4980	----	----	489.90B/449.30A	489.90B/449.30A	----	461.00 - 6.20	.5728	----	----	----	----	5 UNCH
4995	----	----	500.00B/458.90A	500.00B/458.90A	----	470.70 - 6.40	.5794	----	----	----	----	32 UNCH
5000	----	----	506.70B/462.10A	506.70B/462.10A	----	473.90 - 6.50	.5816	----	----	----	----	445 UNCH
5020	----	----	517.00B/475.00A	517.00B/475.00A	----	487.00 - 6.70	.5904	----	----	----	----	8 UNCH
5025	----	----	520.70B/478.10A	520.70B/478.10A	----	490.30 - 6.80	.5926	----	----	----	----	210 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 19

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG PUT		COMEX GOLD OPTIONS										
DEC26												
5035	----	----	527.50B/484.60A	527.50B/484.60A	----	497.00 - 6.80	.5969	----	----	----	----	8 UNCH
5050	----	----	538.00B/494.50A	538.00B/494.50A	----	507.10 - 7.00	.6034	----	----	----	----	201 UNCH
5070	----	----	552.20B/507.80A	552.20B/507.80A	----	520.70 - 7.20	.6119	----	----	----	----	1 UNCH
5075	----	----	555.80B/511.50A	555.80B/511.50A	----	524.20 - 7.20	.6140	----	----	----	----	100 UNCH
5095	----	----	570.40B/525.00A	570.40B/525.00A	----	538.00 - 7.40	.6223	----	----	----	----	6 UNCH
5100	----	----	574.00B/528.50A	574.00B/528.50A	----	541.50 - 7.50	.6244	----	----	----	----	6 UNCH
5195	----	----	644.90B/595.70A	644.90B/595.70A	----	610.00 - 8.20	.6619	----	----	----	----	5 UNCH
5200	----	----	648.50B/599.00A	648.50B/599.00A	----	613.70 - 8.30	.6638	----	----	----	----	38 UNCH
5250	----	----	687.50B/636.20A	687.50B/636.20A	----	651.30 - 8.60	.6822	----	----	----	----	126 UNCH
5290	----	----	698.00B/666.10A	698.00B/666.10A	----	682.10 - 8.80	.6963	----	----	----	----	1 UNCH
5295	----	----	698.00B/670.30A	698.00B/670.30A	----	685.90 - 8.90	.6980	----	----	----	----	1 UNCH
5360	----	----	----	745.50B/756.20A	----	737.10 - 9.20	.7198	----	----	----	----	100 UNCH
5370	----	----	----	753.50B/764.30A	----	745.10 - 9.20	.7229	----	----	----	----	20 UNCH
5375	----	----	----	757.50B/768.40A	----	749.10 - 9.20	.7245	----	----	----	----	34 UNCH
5400	----	----	----	777.70B/788.90A	----	769.20 - 9.40	.7323	----	----	----	----	102 UNCH
5415	----	----	----	789.90B/801.30A	----	781.40 - 9.40	.7370	----	----	----	----	4 UNCH
5460	----	----	----	826.90B/838.90A	----	818.30 - 9.60	.7502	----	----	----	----	200 UNCH
5465	----	----	----	831.00B/843.10A	----	822.40 - 9.70	.7517	----	----	----	----	50 UNCH
5480	----	----	----	843.40B/855.70A	----	834.90 - 9.70	.7559	----	----	----	----	50 UNCH
5500	----	----	----	860.10B/872.70A	----	851.60 - 9.80	.7615	----	----	----	----	31 UNCH
5525	----	----	----	881.10B/894.10A	----	872.60 - 10.00	.7683	----	----	----	----	80 UNCH
5600	----	----	----	946.60B/957.50A	----	936.70 - 10.50	.7873	----	----	----	----	252 UNCH
5900	----	----	----	1210.10B/1228.90A	----	1204.00 - 11.70	.8474	----	----	----	----	125 UNCH
6000	----	----	----	1301.60B/1322.00A	----	1296.10 - 12.00	.8626	----	----	----	----	40 UNCH
6500	----	----	----	1772.80B/1804.30A	----	1771.00 - 14.90	.9145	----	----	----	----	4 UNCH
TOTAL										66	120	24967 - 45
JAN27												
2700	5.60	5.60	5.60/5.60	5.60/5.60	----	8.20 - 0.40	.0152	----	----	1	----	3 + 1
2800	----	----	----	0.10B/12.00A	----	9.50 - 0.50	.0179	----	----	----	----	10 UNCH
3000	----	----	----	0.10B/29.90A	----	14.30 - 0.70	.0269	----	----	----	----	6 UNCH
3500	----	----	----	31.40B/39.60A	----	32.90 - 0.80	.0641	----	----	----	----	1 UNCH
3520	----	----	----	32.80B/39.20A	----	34.00 - 0.70	.0663	----	----	----	----	1 UNCH
3680	----	----	----	44.80B/48.60A	----	44.90 - 1.50	.0874	----	----	----	----	1 UNCH
3800	----	----	60.10B/----	60.10B/61.20A	----	57.30 - 2.40	.1094	----	----	----	----	1 UNCH
3825	----	----	63.30B/----	63.30B/64.20A	----	60.50 - 2.50	.1147	----	----	----	----	1 UNCH
3900	----	----	76.30B/----	76.30B/75.50A	----	71.30 - 2.60	.1322	----	----	----	----	1 UNCH
3980	----	----	88.00B/86.70A	88.00B/86.70A	----	84.60 - 2.80	.1529	----	----	----	----	1 UNCH
4000	----	----	91.70B/90.10A	91.70B/90.10A	----	88.20 - 2.90	.1584	----	----	----	----	1 UNCH
4070	----	----	105.80B/102.90A	105.80B/102.90A	----	101.50 - 3.30	.1784	----	----	----	----	1 UNCH
4100	----	----	112.30B/108.90A	112.30B/108.90A	----	107.50 - 3.60	.1874	----	----	----	----	8 UNCH
4200	140.00	140.00	140.00/132.20A	140.00/132.20A	----	129.70 NEW	.2194	----	----	3	----	3 + 3
4350	----	----	180.80B/171.20A	180.80B/171.20A	----	170.00 - 5.80	.2736	----	----	----	----	1 UNCH
4400	----	----	197.90B/186.60A	197.90B/186.60A	----	185.60 - 6.20	.2932	----	----	----	----	1 UNCH
4500	----	----	240.30B/222.10A	240.30B/222.10A	----	220.40 - 6.80	.3346	----	----	----	----	2 UNCH
4585	----	----	276.80B/255.10A	276.80B/255.10A	----	254.10 - 7.10	.3715	----	----	----	----	1 UNCH
4600	----	----	279.10B/259.90A	279.10B/259.90A	----	260.40 - 7.10	.3782	----	----	----	----	3 UNCH
4630	----	----	293.20B/272.50A	293.20B/272.50A	----	273.50 - 7.20	.3916	----	----	----	----	1 UNCH
4660	----	----	307.60B/285.70A	307.60B/285.70A	----	287.10 - 7.10	.4051	----	----	----	----	4 UNCH
4665	----	----	314.40B/289.70A	314.40B/289.70A	----	289.40 - 7.20	.4073	----	----	----	----	4 UNCH
4710	----	----	337.10B/310.20A	337.10B/310.20A	----	310.90 - 7.10	.4277	----	----	----	----	5 UNCH
4760	----	----	363.60B/334.50A	363.60B/334.50A	----	336.10 - 7.00	.4504	----	----	----	----	100 UNCH
4800	----	----	385.60B/354.80A	385.60B/354.80A	----	357.40 - 6.70	.4685	----	----	----	----	6 UNCH
4820	----	----	397.10B/365.00A	397.10B/365.00A	----	368.30 - 6.70	.4775	----	----	----	----	6 UNCH
4860	----	----	420.30B/386.90A	420.30B/386.90A	----	390.90 - 6.40	.4953	----	----	----	----	1 UNCH
4960	442.80	442.80	482.10B/442.80	482.10B/442.80	----	450.70 - 6.30	.5386	----	----	2	----	42 UNCH
4980	----	----	495.00B/456.30A	495.00B/456.30A	----	463.30 - 6.20	.5471	----	----	----	----	10 UNCH
4990	----	----	501.40B/462.60A	501.40B/462.60A	----	469.60 - 6.20	.5513	----	----	----	----	1 UNCH
4995	----	----	499.50B/462.80A	499.50B/462.80A	----	472.80 - 6.20	.5533	----	----	----	----	1 UNCH
5000	----	----	507.90B/468.70A	507.90B/468.70A	----	476.00 - 6.20	.5554	----	----	----	----	3 UNCH
5050	----	----	541.60B/499.90A	541.60B/499.90A	----	508.40 - 6.50	.5760	----	----	----	----	100 UNCH
5085	----	----	557.70B/522.40A	557.70B/522.40A	----	531.70 - 6.80	.5900	----	----	----	----	2 UNCH
5150	----	----	603.70B/563.30A	603.70B/563.30A	----	576.10 - 7.60	.6153	----	----	----	----	2 UNCH
5235	----	----	666.50B/625.80A	666.50B/625.80A	----	636.50 - 8.70	.6468	----	----	----	----	2 UNCH
5245	----	----	674.10B/632.90A	674.10B/632.90A	----	643.80 - 8.80	.6504	----	----	----	----	2 UNCH
5300	----	----	715.90B/672.90A	715.90B/672.90A	----	684.50 - 9.40	.6696	----	----	----	----	44 UNCH
TOTAL										6		383 + 4
FEB27												
4000	----	----	----	101.10B/102.10A	----	97.20 - 4.60	.1655	----	----	----	----	1 UNCH
4070	----	----	116.30B/115.40A	116.30B/115.40A	----	111.20 - 5.00	.1854	----	----	----	----	2 UNCH
4200	----	----	149.50B/145.30A	149.50B/145.30A	----	141.90 - 5.30	.2265	----	----	----	----	50 UNCH
4300	----	----	179.30B/172.50A	179.30B/172.50A	----	169.60 - 5.40	.2613	----	----	----	----	1 UNCH
4500	----	----	252.40B/238.90A	252.40B/238.90A	----	237.60 - 5.70	.3386	----	----	----	----	1 UNCH
4600	----	----	296.20B/278.70A	296.20B/278.70A	----	278.80 - 5.80	.3802	----	----	----	----	17 UNCH
4650	----	----	319.90B/300.20A	319.90B/300.20A	----	301.30 - 6.00	.4015	----	----	----	----	1 UNCH
4655	----	----	327.30B/305.20A	327.30B/305.20A	----	303.60 - 6.00	.4036	----	----	----	----	1 UNCH
4660	----	----	324.90B/304.90A	324.90B/304.90A	----	305.90 - 6.10	.4057	----	----	----	----	435 UNCH
4665	----	----	327.20B/307.10A	327.20B/307.10A	----	308.30 - 6.10	.4079	----	----	----	----	3 UNCH
4750	----	----	371.10B/347.30A	371.10B/347.30A	----	350.40 - 6.50	.4444	----	----	----	----	1 UNCH
4755	----	----	378.80B/352.20A	378.80B/352.20A	----	353.00 - 6.50	.4465	----	----	----	----	1 UNCH
4775	----	----	384.60B/359.50A	384.60B/359.50A	----	363.50 - 6.70	.4551	----	----	----	----	1 UNCH
4785	----	----	395.20B/367.70A	395.20B/367.70A	----	368.80 - 6.70	.4594	----	----	----	----	100 UNCH
4800	----	----	403.50B/375.00A	403.50B/375.00A	----	376.80 - 6.90	.4658	----	----	----	----	125 UNCH
4805	----	----	401.00B/375.00A	401.00B/375.00A	----	379.60 - 6.80	.4679	----	----	----	----	2 UNCH
4835	----	----	417.90B/390.80A	417.90B/390.80A	----	396.00 - 7.00	.4807	----	----	----	----	1 UNCH
4840	----	----	420.80B/393.50A	420.80B/393.50A	----	398.80 - 7.10	.4828	----	----	----	----	1 UNCH
4845	----	----	429.10B/398.70A	429.10B/398.70A	----	401.60 - 7.10	.4849	----	----	----	----	2 UNCH
4850	----	----	426.60B/398.90A	426.60B/398.90A	----	404.40 - 7.10	.4870	----	----	----	----	1 UNCH
4855	----	----	429.70B/401.60A	429.70B/401.60A	----	407.20 - 7.10	.4891	----	----	----	----	3 UNCH
4900	----	----	462.00B/429.30A	462.00B/429.30A	----	432.90 - 7.30	.5079	----	----	----	----	4 UNCH
4905	----	----	459.60B/429.40A	459.60B/429.40A	----	435.80 - 7.30	.5100	----	----	----	----	4 UNCH
4950	----	----	487.50B/455.30A	487.50B/455.30A	----	462.40 - 7.50	.5286	----	----	----	----	1 UNCH
4955	----	----	490.40B/458.30A	490.40B/458.30A	----	465.40 - 7.60	.5306	----	----	----	----	1 UNCH
5000	----	----	519.50B/485.30A	519.50B/485.30A	----	493.20 - 7.70	.5488	----	----	----	----	10 UNCH
5005	----	----	528.30B/491.20A	528.30B/491.20A	----	496.30 - 7.70	.5508	----	----	----	----	2 UNCH
5050	----	----	552.60B/516.30A	552.60B/516.30A	----	525.00 - 8.00	.5685	----	----	----	----	4 UNCH
5055	----	----	561.60B/522.20A	561.60B/522.20A	----	528.30 - 8.00	.5704	----	----	----	----	4 UNCH
5100	----	----	581.50B/548.30A	581.50B/548.30A	----	558.00 - 8.20	.5877	----	----	----	----	2 UNCH
5120	----	----	594.40B/561.60A	594.40B/561.60A	----	571.50 NEW	.5952	----	----	1	----	1 + 1
5150	----	----	615.40B/581.70A	615.40B/581.70A	----	592.00 - 8.50	.6063	----	----	1	----	1 UNCH
5175	----	----	633.50B/598.70A	633.50B/598.70A	----	609.40 - 8.60	.6154	----	----	----	----	125 UNCH
5200	----	----	651.60B/616.00A	651.60B/616.00A	----	627.00 - 8.80	.6243	----	----	----	----	1 UNCH
5355	----	----	769.40B/736.40A	769.40B/736.40A	----	741.10 - 9.60	.6760	----	----	----	----	1 UNCH
5520	----	----	----	641.40B/1102.80A	----	870.60 - 10.60	.7242	----	----	----	----	300 UNCH
5530	----	----	----	649.50B/1110.90A	----	878.70 - 10.60	.7268	----	----	----	----	100 UNCH
5550	----	----	----	665.70B/1127.20A	----	895.00 - 10.70	.7321	----	----	----	----	65 UNCH
5565	----	----	----	678.00B/1139.50A	----	907.20 - 10.80	.7360	----	----	----	----	50 UNCH
TOTAL										2		1426 + 1
MAR27												
4660	----	----	#327.10B/*310.3	327.10B/*310.30A	----	312.50 - 5.20	.3929	----	----	----	----	24 UNCH
4810	383.00	383.00	#404.10B/*381.2	404.10B/*381.20A	----	384.60 NEW	.4536	----	----	21	----	21 + 21
4900	----	----	#461.10B/*432.1	#461.10B/*432.10A	----	432.80 - 8.40	.4899	----	----	----	----	2 UNCH
4905	----	----	#458.10B/*431.7	458.10B/*431.70A	----	435.60 - 8.50	.4919	----	----	----	----	2 UNCH
5000	----	----	#516.30B/*486.0	516.30B/*486.00A	----	490.70 - 9.70	.5294	----	----	----	----	75 UNCH
TOTAL										21		124 + 21
APR27												
4300	----	----	----	30.70B/311.40A	----	244.40 - 5.20	.2798	----	----	----	----	150 UNCH
4900	----	----	----	117.90B/692.80A	----	499.20 - 8.40	.4779	----	----	----	----	2 UNCH
4905	----	----	----	118.70B/698.40A	----	501.90 - 8.40	.4797	----	----	----	----	2 UNCH
5000	----	----	----	142.70B/767.20A	----	553.60 - 8.90	.5124	----	----	----	----	100 UNCH
5060	----	----	----	159.70B/819.70A	----	594.30 - 9.30	.5311	----	----	----	----	25 UNCH
TOTAL												279 0
JUN27												
4900	----	----	----	----	----	529.60 - 8.00	.4590	----	----	----	----	1 UNCH
4905	----	----	----	----	----	532.30 - 8.10	.4605	----	----	----	----	1 UNCH
TOTAL												2 0
DEC27												
3700	----	----	----	----	----	163.80 - 2.80	.1524	----	----	----	----	100 UNCH
3715	----	----	----	----	----	166.90 - 2.90	.1549	----	----	----	----	150 UNCH
3820	----	----	----	----	----	190.00 - 3.20	.1731	----	----	----	----	50 UNCH
4130	----	----	----	----	----	269.60 - 4.20	.2331	----	----	----	----	168 UNCH
4500	----	----	----	----	----	395.80 - 5.60	.3173	----	----	----	----	270 UNCH
4630	----	----	----	----	----	451.00 - 6.10	.3495	----	----	----	----	284 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 20

FINAL

OG PUT — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
DEC27													
4860	----	----	----	----	----	562.80 - 7.00	.4079	----	----	----	----	100	UNCH
5000	----	----	----	----	----	638.40 - 7.50	.4433	----	----	----	----	50	UNCH
5650	----	----	----	----	----	1045.80 - 9.90	.5938	----	----	----	----	200	UNCH
5880	----	----	----	----	----	1210.80 - 10.70	.6403	----	----	----	----	200	UNCH
TOTAL												1572	0
JAN28													
5000	----	----	----	----	----	641.40 - 7.30	.4325	----	----	----	----	1	UNCH
5100	----	----	----	----	----	696.90 - 7.70	.4564	----	----	----	----	1	UNCH
TOTAL												2	0

OG CALL — COMEX GOLD OPTIONS

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
JUN26													
1995	----	----	----	2628.40B/2637.10A	----	2649.50 + 14.90	1.0000	----	----	150	----	0	UNCH
2000	----	----	2,666.00B/2,603	2666.00B/2603.30A	----	2644.50 + 14.90	1.0000	----	----	3050	----	422	UNCH
2005	----	----	----	2618.40B/2627.10A	----	2639.50 + 14.90	1.0000	----	----	150	----	0	UNCH
2795	----	----	1,843.30B/----	1843.30B/1836.80A	----	1849.50 + 14.90	.9997	----	----	325	----	0	UNCH
2800	----	----	1,866.70B/1,802	1866.70B/1802.20A	----	1844.50 + 14.90	.9997	----	----	2050	----	500	UNCH
2805	----	----	1,833.30B/----	1833.30B/1826.80A	----	1839.50 + 14.90	.9997	----	----	325	----	0	UNCH
2995	----	----	----	----	----	1649.50 + 14.90	.9986	----	----	----	----	0	UNCH
3000	----	----	1,666.30B/1,602	1666.30B/1602.90A	----	1644.50 + 14.90	.9986	----	----	1350	----	400	UNCH
3005	----	----	----	----	----	1639.50 + 14.90	.9986	----	----	----	----	0	UNCH
3400	----	----	1,267.00B/1,201	1267.00B/1201.90A	----	1244.90 + 14.70	.9935	----	----	----	----	766	UNCH
3500	----	----	1,164.70B/1,104	1164.70B/1104.90A	----	1145.20 + 14.60	.9914	----	----	----	----	57	UNCH
3525	----	----	----	----	----	1120.30 + 14.60	.9908	----	----	----	----	1	UNCH
3550	----	----	----	----	----	1095.40 + 14.60	.9902	----	----	----	----	1	UNCH
3580	----	----	1,085.00B/1,025	1085.00B/1025.20A	----	1065.50 + 14.60	.9896	----	----	----	----	18	UNCH
3585	----	----	1,080.00B/1,020	1080.00B/1020.30A	----	1060.50 + 14.50	.9895	----	----	----	----	100	UNCH
3600	----	----	1,065.10B/1,005	1065.10B/1005.30A	----	1045.60 + 14.60	.9890	----	----	----	----	214	UNCH
3635	----	----	1,030.30B/970.5	1030.30B/970.50A	----	1010.80 + 14.60	.9882	----	----	----	----	60	UNCH
3650	----	----	1,015.30B/955.6	1015.30B/955.60A	----	995.80 + 14.50	.9877	----	----	----	----	143	UNCH
3665	----	----	1,000.40B/940.7	1000.40B/940.70A	----	980.90 + 14.50	.9871	----	----	----	----	3	UNCH
3700	----	----	966.90B/904.90A	966.90B/904.90A	----	946.10 + 14.50	.9862	----	----	----	----	389	UNCH
3715	----	----	950.70B/891.00A	950.70B/891.00A	----	931.20 + 14.50	.9856	----	----	----	----	25	UNCH
3725	----	----	940.80B/881.10A	940.80B/881.10A	----	921.20 + 14.40	.9855	----	----	----	----	212	UNCH
3750	----	----	918.60B/853.70A	918.60B/853.70A	----	896.40 + 14.40	.9843	----	----	----	----	1109	UNCH
3755	----	----	911.00B/851.30A	911.00B/851.30A	----	891.40 + 14.40	.9842	----	----	----	----	15	UNCH
3785	----	----	881.20B/821.60A	881.20B/821.60A	----	861.60 + 14.30	.9829	----	----	----	----	170	UNCH
3790	----	----	----	----	----	856.60 + 14.30	.9828	----	----	----	----	1	UNCH
3800	----	----	868.90B/804.20A	868.90B/804.20A	----	846.70 + 14.30	.9822	----	----	----	----	545	UNCH
3835	----	----	----	----	----	811.90 + 14.20	.9807	----	----	----	----	1	UNCH
3840	----	----	826.70B/767.10A	826.70B/767.10A	----	807.00 + 14.30	.9806	----	----	----	----	21	UNCH
3850	----	----	818.10B/756.20A	818.10B/756.20A	----	797.00 + 14.20	.9799	----	----	----	----	322	UNCH
3875	----	----	792.00B/732.50A	792.00B/732.50A	----	772.30 + 14.20	.9785	----	----	----	----	60	UNCH
3895	----	----	----	----	----	752.40 + 14.00	.9772	----	----	----	----	1	UNCH
3900	----	----	768.60B/706.80A	768.60B/706.80A	----	747.50 + 14.10	.9770	----	----	----	----	363	UNCH
3925	----	----	742.60B/683.20A	742.60B/683.20A	----	722.70 + 13.90	.9755	----	----	----	----	4	UNCH
3950	----	----	718.00B/658.60A	718.00B/658.60A	----	698.00 + 13.90	.9734	----	----	----	----	14	UNCH
3975	----	----	699.80B/604.30A	699.80B/604.30A	----	673.40 + 13.80	.9713	----	----	----	----	106	UNCH
3990	----	----	685.10B/589.80A	685.10B/589.80A	----	658.60 + 13.70	.9698	----	----	----	----	1	UNCH
3995	----	----	680.10B/584.90A	680.10B/584.90A	----	653.70 + 13.70	.9692	----	----	----	----	5	UNCH
4000	----	----	674.90B/580.10A	674.90B/580.10A	----	648.70 + 13.60	.9686	----	----	----	----	860	UNCH
4005	----	----	670.00B/575.20A	670.00B/575.20A	----	643.80 + 13.60	.9684	----	----	----	----	10	UNCH
4010	----	----	664.90B/570.20A	664.90B/570.20A	----	638.90 + 13.60	.9677	----	----	----	----	1	UNCH
4020	----	----	655.10B/560.50A	655.10B/560.50A	----	629.10 + 13.60	.9664	----	----	----	----	2	UNCH
4025	----	----	650.30B/555.80A	650.30B/555.80A	----	624.20 + 13.60	.9658	----	----	----	----	51	UNCH
4030	----	----	645.40B/550.90A	645.40B/550.90A	----	619.30 + 13.50	.9651	----	----	----	----	1	UNCH
4040	----	----	635.60B/541.30A	635.60B/541.30A	----	609.40 + 13.40	.9642	----	----	----	----	1	UNCH
4050	----	----	625.70B/531.60A	625.70B/531.60A	----	599.60 + 13.30	.9628	----	----	----	----	185	UNCH
4060	----	----	615.90B/522.10A	615.90B/522.10A	----	589.90 + 13.30	.9614	----	----	----	----	25	UNCH
4070	----	----	606.60B/512.40A	606.60B/512.40A	----	580.10 + 13.20	.9596	----	----	----	----	10	UNCH
4075	----	----	601.40B/507.60A	601.40B/507.60A	----	575.20 + 13.20	.9589	----	----	----	----	64	UNCH
4090	----	----	587.20B/493.20A	587.20B/493.20A	----	560.60 + 13.10	.9567	----	----	----	----	34	UNCH
4100	----	----	577.40B/483.70A	577.40B/483.70A	----	550.90 + 13.10	.9547	----	----	----	----	682	UNCH
4105	----	----	572.10B/478.90A	572.10B/478.90A	----	546.00 + 13.00	.9540	----	----	----	----	50	UNCH
4110	----	----	567.70B/474.20A	567.70B/474.20A	----	541.10 + 12.90	.9528	----	----	----	----	2	UNCH
4115	----	----	561.50B/469.40A	561.50B/469.40A	----	536.30 + 12.90	.9520	----	----	----	----	5	UNCH
4125	----	----	552.70B/460.00A	552.70B/460.00A	----	526.60 + 12.80	.9500	----	----	----	----	95	UNCH
4135	----	----	543.50B/450.60A	543.50B/450.60A	----	516.90 + 12.70	.9479	----	----	----	----	16	UNCH
4150	----	----	529.10B/436.40A	529.10B/436.40A	----	502.50 + 12.60	.9441	----	----	----	----	263	UNCH
4155	----	----	523.90B/431.80A	523.90B/431.80A	----	497.70 + 12.60	.9433	----	----	----	----	5	UNCH
4170	----	----	509.50B/417.90A	509.50B/417.90A	----	483.30 + 12.40	.9394	----	----	----	----	51	UNCH
4175	----	----	505.10B/413.20A	505.10B/413.20A	----	478.50 + 12.40	.9380	----	----	----	----	61	UNCH
4195	----	----	484.80B/394.80A	484.80B/394.80A	----	459.40 + 12.10	.9322	----	----	----	----	1	UNCH
4200	----	----	481.20B/390.20A	481.20B/390.20A	----	454.70 + 12.10	.9304	----	----	----	----	2077	UNCH
4210	408.00	408.00	471.70B/381.10A	471.70B/381.10A	----	445.20 + 12.00	.9272	----	----	3	----	1573	UNCH
4220	----	----	460.90B/371.90A	460.90B/371.90A	----	435.70 + 11.80	.9239	----	----	----	----	84	UNCH
4225	----	----	457.60B/367.50A	457.60B/367.50A	----	431.00 + 11.80	.9221	----	----	----	----	15	UNCH
4235	----	----	447.80B/358.50A	447.80B/358.50A	----	421.70 + 11.70	.9183	----	----	----	----	6	UNCH
4240	----	----	443.10B/354.00A	443.10B/354.00A	----	417.00 + 11.60	.9164	----	----	----	----	53	UNCH
4245	----	----	437.60B/349.50A	437.60B/349.50A	----	412.30 + 11.50	.9141	----	----	----	----	263	UNCH
4250	----	----	433.70B/345.10A	433.70B/345.10A	----	407.60 + 11.40	.9121	----	----	----	----	922	UNCH
4255	----	----	429.40B/340.60A	429.40B/340.60A	----	403.00 + 11.40	.9102	----	----	----	----	6	UNCH
4260	----	----	423.60B/336.20A	423.60B/336.20A	----	398.40 + 11.40	.9078	----	----	----	----	1	UNCH
4265	----	----	420.10B/331.80A	420.10B/331.80A	----	393.70 + 11.20	.9058	----	----	----	----	87	UNCH
4270	----	----	415.50B/327.40A	415.50B/327.40A	----	389.10 + 11.20	.9035	----	----	----	----	11	UNCH
4280	----	----	405.10B/318.70A	405.10B/318.70A	----	379.90 + 11.00	.8986	----	----	----	----	1	UNCH
4285	----	----	400.50B/314.30A	400.50B/314.30A	----	375.30 + 10.90	.8962	----	----	----	----	1	UNCH
4300	----	----	387.90B/301.30A	387.90B/301.30A	----	361.70 + 10.70	.8884	----	----	----	----	2124	UNCH
4305	----	----	383.00B/297.30A	383.00B/297.30A	----	357.10 + 10.60	.8855	----	----	----	----	1	UNCH
4310	----	----	378.80B/292.90A	378.80B/292.90A	----	352.60 + 10.50	.8826	----	----	----	----	23	UNCH
4315	----	----	374.30B/288.70A	374.30B/288.70A	----	348.10 + 10.40	.8797	----	----	----	----	1	UNCH
4320	----	----	369.10B/284.50A	369.10B/284.50A	----	343.70 + 10.40	.8768	----	----	----	----	62	UNCH
4325	----	----	364.80B/280.30A	364.80B/280.30A	----	339.20 + 10.30	.8738	----	----	----	----	73	UNCH
4335	----	----	356.30B/272.10A	356.30B/272.10A	----	330.30 + 10.00	.8675	----	----	----	----	13	UNCH
4340	----	----	351.50B/268.00A	351.50B/268.00A	----	325.90 + 10.00	.8642	----	----	----	----	17	UNCH
4345	----	----	347.40B/263.90A	347.40B/263.90A	----	321.50 + 9.90	.8608	----	----	----	----	2	UNCH
4350	----	----	343.00B/259.90A	343.00B/259.90A	----	317.10 + 9.80	.8574	----	----	----	----	1457	UNCH
4355	----	----	338.60B/255.80A	338.60B/255.80A	----	312.70 + 9.60	.8540	----	----	----	----	129	UNCH
4360	----	----	334.20B/251.80A	334.20B/251.80A	----	308.40 + 9.60	.8502	----	----	----	----	42	UNCH
4365	----	----	329.80B/247.80A	329.80B/247.80A	----	304.10 + 9.50	.8467	----	----	----	----	4	UNCH
4370	----	----	325.00B/243.80A	325.00B/243.80A	----	299.80 + 9.40	.8429	----	----	----	----	3	UNCH
4375	----	----	321.10B/239.90A	321.10B/239.90A	----	295.50 + 9.30	.8391	----	----	----	----	106	UNCH
4380	----	----	316.80B/236.00A	316.80B/236.00A	----	291.20 + 9.10	.8352	----	----	----	----	341	UNCH
4385	----	----	312.50B/232.10A	312.50B/232.10A	----	287.00 + 9.10	.8310	----	----	----	----	3	UNCH
4390	----	----	308.20B/228.20A	308.20B/228.20A	----	282.70 + 8.90	.8268	----	----	----	----	16	UNCH
4395	----	----	303.50B/224.50A	303.50B/224.50A	----	278.50 + 8.80	.8226	----	----	----	----	10	UNCH
4400	----	----	299.70B/220.70A	299.70B/220.70A	----	274.40 + 8.70	.8184	----	----	----	----	1458	UNCH
4410	----	----	291.30B/213.20A	291.30B/213.20A	----	266.10 + 8.50	.8095	----	----	----	----	39	UNCH
4415	----	----	287.10B/209.50A	287.10B/209.50A	----	262.00 + 8.40	.8049	----	----	----	----	176	UNCH
4420	----	----	282.90B/205.70A	282.90B/205.70A	----	257.90 + 8.30	.8003	----	----	----	----	3	UNCH
4425	----	----	278.40B/202.20A	278.40B/202.20A	----	253.80 + 8.10	.7957	----	----	----	----	274	UNCH
4430	----	----	274.70B/198.60A	274.70B/198.60A	----	249.80 + 8.10	.7907	----	----	----	----	19	UNCH
4435	----	----	270.20B/194.90A	270.20B/194.90A	----	245.80 + 7.90	.7860	----	----	----	----	21	UNCH
4440	----	----	266.60B/191.30A	266.60B/191.30A	----	241.80 + 7.80	.7808	----	----	----	----	20	UNCH
4445	----	----	262.00B/187.80A	262.00B/187.80A	----	237.90 + 7.80	.7758	----	----	----	----	5	UNCH
4450	----	----	258.50B/184.40A	258.50B/184.40A	----	234.00 + 7.70	.7705	----	----	----	----	497	UNCH
4455	----	----	254.00B/181.00A	254.00B/181.00A	----	230.10 + 7.50	.7652	----	----	----	----	6	UNCH
4460	----	----	250.60B/177.60A	250.60B/177.60A	----	226.20 + 7.40	.7599	----	----	----	----	20	UNCH
4465	----	----	246.10B/174.20A	246.10B/174.20A	----	222.40 + 7.30	.7543	----	----	----	----	18	UNCH
4470	----	----	242.70B/170.90A	242.70B/170.90A	----	218.60 + 7.20	.7488	----	----	----	----	24	UNCH
4475	----	----	238.60B/167.60A	238.60B/167.60A	----	214.80 + 7.10	.7431	----	----	----	----	22	UNCH
4480	----	----	235.00B/164.40A	235.00B/164.40A	----	211.10 + 7.00	.7375	----	----	----	----	59	UNCH
4485	----	----	230.80B/161.10A	230.80B/161.10A	----	207.40 + 6.90	.7316	----	----	----	----	6	UNCH
4490	----	----	227.40B/158.00A	227.40B/158.00A	----	203.70 + 6.70	.7258	----	----	----	----	51	UNCH
4495	----	----	223.60B/154.80A	223.60B/154.80A	----	200.10 + 6.70	.7197	----	----	----	----	6	UNCH
4500	----	----	219.70B/151.80A	219.70B/151.80A	----	196.40 + 6.50	.7137	----	----	----	----	4516	UNCH
4505	----	----	215.80B/148.70A	215.80B/148.70A	----	192.90 + 6.40	.7074	----	----	----	----	49	UNCH
4510	----	----	212.50B/145.90A	212.50B/145.90A	----	189.30 + 6.30	.7012	----	----	----	----	1475	UNCH
4515	----	----	208.80B/143.00A	208.80B/143.00A	----	185.80 + 6.10	.6949	----	----	----	----	88	UNCH
4520	----	----	204.90B/140.00A	204.90B/140.00A	----	182.40 + 6.10	.6885	----	----	----	----	51	UNCH
4525	----	----	201.20B/137.10A	201.20B/137.10A	----	178.90 + 5.90	.6819	----	----	----	----	398	UNCH
4530	----	----	198.10B/134.20A	198.10B/134.20A	----	175.50 + 5.80	.6754	----	----	----	----	15	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
4535	----	----	194.60B/131.40A	194.60B/131.40A	----	172.20 + 5.70	.6688	----	----	----	----	12 UNCH
4540	----	----	190.80B/128.60A	190.80B/128.60A	----	168.80 + 5.50	.6620	----	----	----	----	78 UNCH
4545	----	----	187.40B/125.90A	187.40B/125.90A	----	165.60 + 5.50	.6553	----	----	----	----	32 UNCH
4550	----	----	184.00B/123.10A	184.00B/123.10A	----	162.30 + 5.30	.6485	----	----	17	----	349 + 17
4555	----	----	180.90B/120.20A	180.90B/120.20A	----	159.10 + 5.20	.6416	----	----	----	----	14 UNCH
4560	----	----	177.50B/117.60A	177.50B/117.60A	----	155.90 + 5.10	.6347	----	----	1	----	170 UNCH
4565	----	----	174.20B/115.20A	174.20B/115.20A	----	152.80 + 5.00	.6277	----	----	----	----	105 UNCH
4570	----	----	170.70B/112.60A	170.70B/112.60A	----	149.70 + 4.90	.6206	----	----	----	----	72 UNCH
4575	----	----	167.50B/110.30A	167.50B/110.30A	----	146.60 + 4.70	.6135	----	----	----	----	67 UNCH
4580	148.30	148.30	164.50B/107.60A	164.50B/107.60A	----	143.60 + 4.60	.6064	----	----	1	----	13 UNCH
4585	145.30	145.30	161.00B/105.30A	161.00B/105.30A	----	140.60 + 4.40	.5991	----	----	2	----	267 UNCH
4590	----	----	158.00B/102.70A	158.00B/102.70A	----	137.70 + 4.40	.5919	----	----	2	----	1030 UNCH
4595	----	----	154.60B/100.60A	154.60B/100.60A	----	134.80 + 4.20	.5846	----	----	----	----	15 UNCH
4600	100.00	100.00	152.10B/98.40A	152.10B/98.40A	----	131.90 + 4.10	.5773	----	----	16	150	5546 + 144
4605	133.50	133.50	149.10B/96.00A	149.10B/96.00A	----	129.10 + 4.00	.5699	----	----	2	----	154 UNCH
4610	131.50	131.50	145.60B/93.70A	145.60B/93.70A	----	126.30 + 3.80	.5625	----	----	3	----	104 UNCH
4615	127.90	127.90	143.20B/91.70A	143.20B/91.70A	----	123.60 + 3.80	.5551	----	----	10	----	50 + 10
4620	----	----	140.30B/89.60A	140.30B/89.60A	----	120.90 + 3.60	.5477	----	----	----	----	26 UNCH
4625	----	----	137.00B/87.40A	137.00B/87.40A	----	118.30 + 3.60	.5402	----	----	30	----	329 UNCH
4630	118.00	118.00	134.00B/85.40A	134.00B/85.40A	----	115.70 + 3.50	.5328	----	----	1	----	62 - 1
4635	112.20	112.20	131.50B/83.30A	131.50B/83.30A	----	113.10 + 3.40	.5253	----	----	1	----	103 UNCH
4640	----	----	128.50B/81.40A	128.50B/81.40A	----	110.60 + 3.30	.5178	----	----	3	----	36 + 1
4645	104.20	104.20	125.80B/79.40A	125.80B/79.40A	----	108.10 + 3.20	.5103	----	----	1	----	14 + 1
4650	106.00	106.00	123.50B/77.50A	123.50B/77.50A	----	105.70 + 3.10	.5029	----	----	293	75	1588 + 78
4655	114.60	114.60	121.00B/75.70A	121.00B/75.70A	----	103.30 + 3.00	.4954	----	----	29	----	53 + 16
4660	101.50	101.50	118.00B/73.80A	118.00B/73.80A	----	100.90 + 2.90	.4879	----	----	79	----	90 + 65
4665	97.00	97.00	115.50B/72.10A	115.50B/72.10A	----	98.60 + 2.80	.4804	----	----	6	----	174 UNCH
4670	99.60	99.60	113.00B/70.40A	113.00B/70.40A	----	96.30 + 2.70	.4730	----	----	20	----	171 + 14
4675	----	----	110.60B/68.70A	110.60B/68.70A	----	94.10 + 2.70	.4656	----	----	3	----	516 - 2
4680	90.20	90.20	108.40B/67.00A	108.40B/67.00A	----	91.90 + 2.60	.4582	----	----	1	----	210 - 44
4685	91.20	91.20	106.00B/65.20A	106.00B/65.20A	----	89.80 + 2.60	.4509	----	----	7	----	49 UNCH
4690	75.60	75.60	103.70B/63.60A	103.70B/63.60A	----	87.70 + 2.50	.4435	----	----	1	----	62 + 1
4695	----	----	101.10B/62.10A	101.10B/62.10A	----	85.60 + 2.40	.4362	----	----	----	----	52 UNCH
4700	87.10	87.10	99.30B/60.00	99.30B/60.00	----	83.60 + 2.40	.4290	----	----	228	----	3847 + 32
4705	----	----	96.90B/59.20A	96.90B/59.20A	----	81.60 + 2.30	.4217	----	----	----	----	40 UNCH
4710	89.80	89.80	94.80B/57.70A	94.80B/57.70A	----	79.70 + 2.30	.4146	----	----	7	----	35 + 5
4715	----	----	92.60B/56.30A	92.60B/56.30A	----	77.80 + 2.20	.4075	----	----	----	----	29 UNCH
4720	77.80	77.80	90.60B/54.90A	90.60B/54.90A	----	75.90 + 2.10	.4004	----	----	3	----	326 + 3
4725	75.90	75.90	88.50B/53.50A	88.50B/53.50A	----	74.10 + 2.10	.3934	----	----	67	----	374 + 26
4730	64.30	64.30	86.50B/52.20A	86.50B/52.20A	----	72.30 + 2.00	.3864	----	----	2	----	54 - 2
4735	75.80	75.80	84.60B/50.90A	84.60B/50.90A	----	70.60 + 2.00	.3796	----	----	2	----	249 + 1
4740	63.90	63.90	82.30B/49.70A	82.30B/49.70A	----	68.90 + 2.00	.3727	----	----	5	----	43 + 3
4745	49.20	49.20	80.40B/48.40A	80.40B/48.40A	----	67.20 + 1.90	.3659	----	----	2	----	77 - 1
4750	57.10	57.10	78.90B/47.20A	78.90B/47.20A	----	65.60 + 1.90	.3592	----	----	149	----	2339 - 111
4755	65.70	65.70	76.70B/45.90A	76.70B/45.90A	----	63.90 + 1.70	.3524	----	----	2	----	114 + 1
4760	----	----	75.00B/44.90A	75.00B/44.90A	----	62.40 + 1.70	.3460	----	----	----	----	62 UNCH
4765	----	----	73.30B/43.80A	73.30B/43.80A	----	60.80 + 1.60	.3394	----	----	----	----	76 UNCH
4770	59.80	59.80	71.50B/42.70A	71.50B/42.70A	----	59.30 + 1.50	.3329	----	----	1	----	102 UNCH
4775	52.00	52.00	69.80B/41.50A	69.80B/41.50A	----	57.90 + 1.60	.3267	----	----	6	----	306 + 4
4780	----	----	68.40B/40.50A	68.40B/40.50A	----	56.40 + 1.40	.3202	----	----	----	----	130 UNCH
4785	----	----	66.70B/39.50A	66.70B/39.50A	----	55.00 + 1.40	.3140	----	----	----	----	47 UNCH
4790	40.10	40.10	65.10B/38.50A	65.10B/38.50A	----	53.70 + 1.40	.3080	----	----	42	----	108 + 22
4795	----	----	63.70B/37.60A	63.70B/37.60A	----	52.30 + 1.30	.3018	----	----	----	----	72 UNCH
4800	48.00	48.00	62.10B/36.70A	62.10B/36.70A	----	51.00 + 1.20	.2959	----	----	233	300	7163 + 102
4805	----	----	60.80B/35.80A	60.80B/35.80A	----	49.70 + 1.20	.2899	----	----	1	----	41 UNCH
4810	----	----	59.20B/34.90A	59.20B/34.90A	----	48.50 + 1.10	.2842	----	----	----	----	50 UNCH
4815	----	----	57.80B/34.10A	57.80B/34.10A	----	47.20 + 1.00	.2783	----	----	----	----	90 UNCH
4820	48.30	48.30	56.30B/33.20A	56.30B/33.20A	----	46.10 + 1.10	.2728	----	----	2	----	212 UNCH
4825	----	----	55.10B/32.40A	55.10B/32.40A	----	44.90 + 1.00	.2672	----	----	5	----	696 UNCH
4830	----	----	53.70B/31.60A	53.70B/31.60A	----	43.70 + 0.90	.2615	----	----	----	----	291 UNCH
4835	----	----	52.40B/30.80A	52.40B/30.80A	----	42.60 + 0.80	.2561	----	----	----	----	18 UNCH
4840	----	----	51.10B/30.10A	51.10B/30.10A	----	41.50 + 0.70	.2507	----	----	----	----	107 UNCH
4845	----	----	49.90B/29.40A	49.90B/29.40A	----	40.50 + 0.80	.2456	----	----	14	----	43 - 5
4850	42.00	42.00	48.80B/28.60A	48.80B/28.60A	----	39.40 + 0.60	.2403	----	----	133	50	1952 - 18
4855	----	----	47.50B/28.00A	47.50B/28.00A	----	38.40 + 0.60	.2352	----	----	----	200	559 + 200
4860	----	----	46.30B/27.30A	46.30B/27.30A	----	37.40 + 0.50	.2301	----	----	----	----	64 UNCH
4865	----	----	45.00B/26.60A	45.00B/26.60A	----	36.50 + 0.50	.2254	----	----	----	----	73 UNCH
4870	27.50	27.50	44.20B/26.00A	44.20B/26.00A	----	35.50 + 0.40	.2204	----	----	6	----	49 + 1
4875	30.50	30.50	43.10B/25.30A	43.10B/25.30A	----	34.60 + 0.40	.2156	----	----	54	----	377 + 36
4880	36.00	36.00	41.80B/24.70A	41.80B/24.70A	----	33.70 + 0.30	.2109	----	----	4	----	92 + 3
4885	32.00	32.00	41.00B/24.10A	41.00B/24.10A	----	32.90 + 0.40	.2065	----	----	1	----	206 + 1
4890	----	----	40.00B/23.60A	40.00B/23.60A	----	32.00 + 0.30	.2019	----	----	----	----	344 UNCH
4895	30.40	30.40	39.10B/23.00A	39.10B/23.00A	----	31.20 + 0.20	.1975	----	----	1	----	254 UNCH
4900	32.00	32.00	38.00B/22.50A	38.00B/22.50A	----	30.50 + 0.30	.1935	----	----	426	----	7139 + 3
4905	25.80	25.80	37.30B/22.00A	37.30B/22.00A	----	29.70 + 0.20	.1892	----	----	5	----	53 + 3
4910	30.60	30.60	36.20B/21.40A	36.20B/21.40A	----	28.90 + 0.20	.1849	----	----	1	----	64 + 1
4915	----	----	35.30B/20.90A	35.30B/20.90A	----	28.20 + 0.20	.1809	----	----	----	----	304 UNCH
4920	----	----	34.50B/20.50A	34.50B/20.50A	----	27.50 + 0.10	.1770	----	----	----	----	137 UNCH
4925	27.40	27.40	33.70B/20.00A	33.70B/20.00A	----	26.80 + 0.10	.1731	----	----	24	----	221 - 1
4930	22.10	22.10	32.70B/19.50A	32.70B/19.50A	----	26.20 + 0.20	.1695	----	----	2	----	231 + 1
4935	23.30	23.30	32.00B/19.10A	32.00B/19.10A	----	25.50 + 0.10	.1656	----	----	4	----	101 + 2
4940	----	----	31.30B/18.70A	31.30B/18.70A	----	24.90 + 0.10	.1621	----	----	----	----	120 UNCH
4945	20.50	20.50	30.50B/18.20A	30.50B/18.20A	----	24.30 + 0.10	.1586	----	----	5	----	365 - 1
4950	18.70	18.70	29.90B/17.80A	29.90B/17.80A	----	23.70 + 0.10	.1551	----	----	36	----	1803 + 14
4955	----	----	29.10B/17.40A	29.10B/17.40A	----	23.10 + 0.10	.1516	----	----	----	----	109 UNCH
4960	24.00	24.00	28.50B/17.00A	28.50B/17.00A	----	22.50 UNCH	.1482	----	----	20	----	452 UNCH
4965	----	----	27.80B/16.70A	27.80B/16.70A	----	22.00 + 0.10	.1451	----	----	1	----	145 UNCH
4970	18.40	18.40	27.10B/16.30A	27.10B/16.30A	----	21.40 UNCH	.1416	----	----	7	----	196 - 2
4975	16.00	16.00	26.50B/16.00	26.50B/16.00	----	20.90 UNCH	.1386	----	----	2	----	362 UNCH
4980	----	----	25.80B/15.60A	25.80B/15.60A	----	20.40 UNCH	.1356	----	----	1	----	228 + 1
4985	23.70	23.70	25.10B/15.30A	25.10B/15.30A	----	19.90 UNCH	.1326	----	----	9	----	177 + 3
4990	----	----	24.50B/14.90A	24.50B/14.90A	----	19.40 UNCH	.1296	----	----	----	----	971 UNCH
4995	19.00	19.00	23.90B/14.60A	23.90B/14.60A	----	18.90 - 0.10	.1266	----	----	20	----	148 + 7
5000	19.00	19.00	23.70/14.20	23.70/14.20	----	18.50 UNCH	.1240	----	----	592	----	9429 + 421
5005	----	----	22.80B/14.00A	22.80B/14.00A	----	18.00 - 0.10	.1210	----	----	18	----	352 + 12
5010	15.00	15.00	22.40B/13.70A	22.40B/13.70A	----	17.60 - 0.10	.1185	----	----	7	----	212 - 1
5015	17.30	17.30	21.70B/13.40A	21.70B/13.40A	----	17.20 UNCH	.1160	----	----	2	----	128 UNCH
5020	17.90	17.90	21.30B/13.10A	21.30B/13.10A	----	16.80 UNCH	.1135	----	----	5	----	472 UNCH
5025	17.00	17.00	20.80B/12.80A	20.80B/12.80A	----	16.40 - 0.10	.1110	----	----	1	----	125 - 1
5030	13.90	13.90	20.20B/12.60A	20.20B/12.60A	----	16.00 - 0.10	.1085	----	----	8	----	146 + 5
5035	13.40	13.40	19.80B/12.30A	19.80B/12.30A	----	15.60 - 0.10	.1060	----	----	14	----	71 + 8
5040	14.20	14.20	19.40B/12.10A	19.40B/12.10A	----	15.20 - 0.10	.1035	----	----	2	----	236 + 2
5045	14.00	14.00	18.80B/11.80A	18.80B/11.80A	----	14.90 - 0.10	.1015	----	----	8	----	182 + 6
5050	12.60	12.60	18.50B/11.60A	18.50B/11.60A	----	14.50 - 0.10	.0990	----	----	113	100	1465 - 135
5055	12.50	12.50	18.10B/11.30A	18.10B/11.30A	----	14.20 - 0.10	.0970	----	----	2	----	64 UNCH
5060	----	----	17.50B/11.10A	17.50B/11.10A	----	13.90 - 0.10	.0950	----	----	----	----	109 UNCH
5065	13.40	13.40	17.20B/10.90A	17.20B/10.90A	----	13.50 - 0.20	.0926	----	----	1	----	42 - 1
5070	11.50	11.50	16.80B/10.70A	16.80B/10.70A	----	13.20 - 0.20	.0907	----	----	21	----	106 + 20
5075	16.30	16.30	16.50B/10.50A	16.50B/10.50A	----	12.90 - 0.20	.0887	----	----	2	----	750 UNCH
5080	----	----	16.10B/10.30A	16.10B/10.30A	----	12.60 - 0.20	.0867	----	----	----	----	437 UNCH
5085	----	----	15.70B/10.10A	15.70B/10.10A	----	12.30 - 0.20	.0848	----	----	----	----	220 UNCH
5090	12.80	12.80	15.30B/9.90A	15.30B/9.90A	----	12.00 - 0.20	.0829	----	----	1	----	90 - 1
5095	----	----	15.00B/9.70A	15.00B/9.70A	----	11.80 - 0.10	.0814	----	----	----	----	86 UNCH
5100	10.50	10.50	14.90/9.50A	14.90/9.50A	----	11.50 - 0.20	.0795	----	----	890	----	6648 + 540
5105	----	----	14.30B/9.30A	14.30B/9.30A	----	11.30 - 0.10	.0781	----	----	----	----	51 UNCH
5110	----	----	14.00B/9.10A	14.00B/9.10A	----	11.00 - 0.20	.0762	----	----	----	----	119 UNCH
5115	----	----	13.70B/8.90A	13.70B/8.90A	----	10.80 - 0.10	.0747	----	----	----	----	181 UNCH
5120	----	----	13.40B/8.80A	13.40B/8.80A	----	10.50 - 0.20	.0729	----	----	----	----	151 UNCH
5125	----	----	13.10B/8.60A	13.10B/8.60A	----	10.30 - 0.20	.0715	----	----	----	----	314 UNCH
5130	----	----	12.80B/8.40A	12.80B/8.40A	----	10.10 - 0.20	.0701	----	----	1	----	68 + 1
5135	----	----	12.50B/8.30A	12.50B/8.30A	----	9.90 - 0.10	.0687	----	----	----	----	77 UNCH
5140	----	----	12.30B/8.10A	12.30B/8.10A	----	9.60 - 0.20	.0668	----	----	----	----	143 UNCH
5145	----	----	12.10B/7.90A	12.10B/7.90A	----	9.40 - 0.20	.0654	----	----	----	----	29 UNCH
5150	9.50	9.50	11.80B/7.80A	11.80B/7.80A	----	9.20 - 0.20	.0641	----	----	37	----	2342 - 15
5155	----	----	11.50B/7.60A	11.50B/7.60A	----	9.00 - 0.20	.0627	----	----	----	----	38 UNCH
5160	----	----	11.30B/7.50A	11.30B/7.50A	----	8.90 - 0.10	.0619	----	----	----	----	113 UNCH
5165	----	----	11.10B/7.30A	11.10B/7.30A	----	8.70 - 0.20	.0605	----	----	7	----	151 - 6
5170	----	----	10.80B/7.20A	10.80B/7.20A	----	8.50 - 0.20	.0592	----	----	----	----	363 UNCH
5175	10.30	10.30	10.60B/7.10A	10.60B/7.10A	----	8.30 - 0.20	.0579	----	----	15	----	54 + 4
5180	----	----	10.40B/6.90A	10.40B/6.90A	----	8.20 - 0.10	.0570	----	----	----	----	66 UNCH
5185	----	----	10.20B/6.80A	10.20B/6.80A	----	8.00 - 0.20	.0557	----	----	----	----	115 UNCH
5190	7.40	7.40	9.90B/6.70A	9.90B/6.70A	----	7.80 - 0.20	.0544	----	----	8	----	490 - 8
5195	----	----	9.70B/6.60A	9.70B/6.60A	----	7.70 - 0.10	.0536	----	----	----	----	524 UNCH
5200	6.90	6.90	9.50B/6.50A	9.50B/6.50A	----	7.50 - 0.20	.0523	----	----	60	----	6190 - 15
5205	----	----	9.30B/6.30A	9.30B/6.30A	----	7.40 - 0.10	.0515	----	----	18	----	77 + 7
5210	----	----	9.10B/6.20A	9.10B/6.20A	----	7.30 - 0.10	.0507	----	----	----	----	3073 UNCH
5215	----	----	9.00B/6.10A	9.00B/6.10A	----	7.10 - 0.10	.0494	----	----	----	----	81 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
5220	7.00	7.00	8.80B/6.00A	8.80B/6.00A	----	7.00 - 0.10	.0487	----	----	1	----	204 UNCH
5225	7.30	7.30	8.60B/5.90A	8.60B/5.90A	----	6.90 - 0.10	.0479	----	----	5	----	804 UNCH
5230	----	----	8.40B/5.80A	8.40B/5.80A	----	6.70 - 0.10	.0466	----	----	----	----	123 UNCH
5235	----	----	8.20B/5.70A	8.20B/5.70A	----	6.60 - 0.10	.0459	----	----	----	----	155 UNCH
5240	----	----	8.10B/5.60A	8.10B/5.60A	----	6.50 - 0.10	.0451	----	----	3	----	65 + 2
5245	----	----	7.90B/5.50A	7.90B/5.50A	----	6.40 - 0.10	.0444	----	----	----	----	23 UNCH
5250	6.70	6.70	7.80B/5.40A	7.80B/5.40A	----	6.30 UNCH	.0436	----	----	91	----	4163 - 17
5255	5.80	5.80	7.60B/5.30A	7.60B/5.30A	----	6.10 - 0.10	.0424	----	----	5	----	225 + 5
5260	----	----	7.50B/5.30A	7.50B/5.30A	----	6.00 - 0.10	.0416	----	----	3	----	374 - 2
5265	----	----	7.30B/5.20A	7.30B/5.20A	----	5.90 - 0.10	.0409	----	----	----	----	49 UNCH
5270	----	----	7.20B/5.10A	7.20B/5.10A	----	5.80 - 0.10	.0402	----	----	----	----	49 UNCH
5275	----	----	7.00B/5.00A	7.00B/5.00A	----	5.70 - 0.10	.0395	----	----	----	----	126 UNCH
5280	----	----	6.90B/4.90A	6.90B/4.90A	----	5.60 - 0.10	.0387	----	----	----	----	98 UNCH
5285	----	----	6.80B/4.80A	6.80B/4.80A	----	5.50 - 0.10	.0380	----	----	----	----	167 UNCH
5290	----	----	6.70B/4.80A	6.70B/4.80A	----	5.40 - 0.10	.0373	----	----	----	----	35 UNCH
5295	4.90	4.90	6.50B/4.70A	6.50B/4.70A	----	5.30 - 0.10	.0366	----	----	4	----	93 - 4
5300	5.90	5.90	6.40B/4.60A	6.40B/4.60A	----	5.30 UNCH	.0364	----	----	31	----	4784 + 7
5305	----	----	6.30B/4.60A	6.30B/4.60A	----	5.20 UNCH	.0357	----	----	----	----	304 UNCH
5310	----	----	6.20B/4.50A	6.20B/4.50A	----	5.10 UNCH	.0351	----	----	----	----	125 UNCH
5315	----	----	6.10B/4.40A	6.10B/4.40A	----	5.00 UNCH	.0344	----	----	----	----	82 UNCH
5320	----	----	6.00B/4.40A	6.00B/4.40A	----	4.90 - 0.10	.0337	----	----	----	----	140 UNCH
5325	----	----	5.90B/4.30A	5.90B/4.30A	----	4.80 - 0.10	.0330	----	----	----	----	213 UNCH
5330	----	----	5.80B/4.20A	5.80B/4.20A	----	4.80 UNCH	.0328	----	----	----	----	84 UNCH
5335	----	----	5.70B/4.20A	5.70B/4.20A	----	4.70 UNCH	.0322	----	----	----	----	26 UNCH
5340	----	----	5.60B/4.10A	5.60B/4.10A	----	4.60 - 0.10	.0315	----	----	----	----	70 UNCH
5345	----	----	5.50B/4.00A	5.50B/4.00A	----	4.50 - 0.10	.0308	----	----	----	----	24 UNCH
5350	4.50	4.50	5.40B/4.00A	5.40B/4.00A	----	4.50 UNCH	.0307	----	----	107	----	1938 - 21
5355	----	----	5.30B/3.90A	5.30B/3.90A	----	4.40 - 0.10	.0300	----	----	----	----	21 UNCH
5360	5.40	5.40	5.40/3.90A	5.40/3.90A	----	4.30 - 0.10	.0294	----	----	9	----	65 + 2
5365	----	----	5.10B/3.80A	5.10B/3.80A	----	4.30 UNCH	.0292	----	----	----	----	12 UNCH
5370	----	----	4.90B/3.80A	4.90B/3.80A	----	4.20 - 0.10	.0286	----	----	----	----	77 UNCH
5375	----	----	4.90B/3.70A	4.90B/3.70A	----	4.20 UNCH	.0284	----	----	----	----	269 UNCH
5380	----	----	4.80B/3.70A	4.80B/3.70A	----	4.10 UNCH	.0278	----	----	----	----	98 UNCH
5385	----	----	4.70B/3.60A	4.70B/3.60A	----	4.10 UNCH	.0277	----	----	----	----	10 UNCH
5390	----	----	4.60B/3.60A	4.60B/3.60A	----	4.00 UNCH	.0270	----	----	----	----	121 UNCH
5395	3.70	3.70	4.60B/3.50A	4.60B/3.50A	----	4.00 UNCH	.0269	----	----	2	----	47 - 1
5400	3.90	3.90	4.50B/3.50A	4.50B/3.50A	----	3.90 UNCH	.0263	----	----	7	----	5416 - 1
5405	----	----	4.40B/3.40A	4.40B/3.40A	----	3.90 + 0.10	.0261	----	----	----	----	87 UNCH
5410	----	----	4.30B/3.40A	4.30B/3.40A	----	3.80 UNCH	.0255	----	----	----	----	31 UNCH
5415	----	----	4.20B/3.40A	4.20B/3.40A	----	3.80 + 0.10	.0254	----	----	----	----	12 UNCH
5420	----	----	4.20B/3.30A	4.20B/3.30A	----	3.70 UNCH	.0248	----	----	----	----	43 UNCH
5425	----	----	4.10B/3.30A	4.10B/3.30A	----	3.70 + 0.10	.0247	----	----	----	----	125 UNCH
5430	----	----	4.00B/3.20A	4.00B/3.20A	----	3.60 UNCH	.0240	----	----	1	----	103 UNCH
5435	3.20	3.20	4.00B/3.20	4.00B/3.20	----	3.60 + 0.10	.0239	----	----	1	----	19 + 1
5440	----	----	3.90B/3.10A	3.90B/3.10A	----	3.50 UNCH	.0233	----	----	----	----	98 UNCH
5445	----	----	3.90B/3.10A	3.90B/3.10A	----	3.50 + 0.10	.0232	----	----	----	----	40 UNCH
5450	3.40	3.40	3.80B/3.10A	3.80B/3.10A	----	3.40 UNCH	.0226	----	----	18	----	1528 - 2
5455	----	----	3.70B/3.00A	3.70B/3.00A	----	3.40 + 0.10	.0225	----	----	----	----	181 UNCH
5460	----	----	3.70B/3.00A	3.70B/3.00A	----	3.30 UNCH	.0219	----	----	4	----	130 UNCH
5465	----	----	3.60B/3.00A	3.60B/3.00A	----	3.30 + 0.10	.0218	----	----	----	----	40 UNCH
5470	----	----	3.60B/2.90A	3.60B/2.90A	----	3.20 UNCH	.0212	----	----	----	----	36 UNCH
5475	----	----	3.50B/2.90A	3.50B/2.90A	----	3.20 UNCH	.0211	----	----	----	----	79 UNCH
5480	----	----	3.50B/2.90A	3.50B/2.90A	----	3.20 + 0.10	.0210	----	----	----	----	47 UNCH
5485	----	----	3.40B/2.80A	3.40B/2.80A	----	3.10 UNCH	.0204	----	----	----	----	9 UNCH
5490	----	----	3.40B/2.80A	3.40B/2.80A	----	3.10 + 0.10	.0203	----	----	----	----	188 UNCH
5495	----	----	3.30B/2.80A	3.30B/2.80A	----	3.00 UNCH	.0197	----	----	----	----	75 UNCH
5500	3.10	3.10	3.30B/2.70A	3.30B/2.70A	----	3.00 UNCH	.0197	----	----	30	----	7063 - 8
5505	----	----	3.20B/2.70A	3.20B/2.70A	----	2.90 UNCH	.0191	----	----	----	----	15 UNCH
5510	----	----	3.20B/2.70A	3.20B/2.70A	----	2.90 UNCH	.0190	----	----	----	----	185 UNCH
5515	----	----	3.20B/2.60A	3.20B/2.60A	----	2.80 - 0.10	.0184	----	----	----	----	38 UNCH
5520	----	----	3.10B/2.60A	3.10B/2.60A	----	2.80 UNCH	.0183	----	----	----	----	26 UNCH
5525	2.70	2.70	3.10B/2.60A	3.10B/2.60A	----	2.80 UNCH	.0182	----	----	3	----	166 UNCH
5530	----	----	3.00B/2.50A	3.00B/2.50A	----	2.70 - 0.10	.0177	----	----	----	----	39 UNCH
5535	----	----	3.00B/2.50A	3.00B/2.50A	----	2.70 UNCH	.0176	----	----	----	----	8 UNCH
5540	----	----	3.00B/2.50A	3.00B/2.50A	----	2.70 UNCH	.0175	----	----	----	----	292 UNCH
5545	----	----	2.90B/2.50A	2.90B/2.50A	----	2.60 - 0.10	.0169	----	----	----	----	19 UNCH
5550	2.80	2.80	2.90B/2.50A	2.90B/2.50A	----	2.60 UNCH	.0169	----	----	3	----	809 - 2
5555	----	----	2.90B/2.50A	2.90B/2.50A	----	2.60 UNCH	.0168	----	----	----	----	4 UNCH
5560	----	----	2.80B/2.40A	2.80B/2.40A	----	2.50 - 0.10	.0162	----	----	----	----	52 UNCH
5565	----	----	2.80B/2.40A	2.80B/2.40A	----	2.50 - 0.10	.0162	----	----	----	----	14 UNCH
5570	----	----	2.80B/2.40A	2.80B/2.40A	----	2.50 UNCH	.0161	----	----	----	----	28 UNCH
5575	----	----	2.70B/2.40A	2.70B/2.40A	----	2.50 UNCH	.0160	----	----	9	----	60 UNCH
5580	----	----	2.70B/2.30A	2.70B/2.30A	----	2.40 - 0.10	.0155	----	----	----	----	13 UNCH
5585	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 - 0.10	.0154	----	----	----	----	11 UNCH
5590	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 UNCH	.0154	----	----	----	----	94 UNCH
5595	----	----	2.60B/2.30A	2.60B/2.30A	----	2.40 UNCH	.0153	----	----	----	----	39 UNCH
5600	2.50	2.50	2.50/2.30A	2.50/2.30A	----	2.30 - 0.10	.0147	----	----	6	----	2442 + 3
5610	----	----	2.50B/2.20A	2.50B/2.20A	----	2.30 UNCH	.0146	----	----	----	----	73 UNCH
5620	----	----	2.40B/2.20A	2.40B/2.20A	----	2.20 - 0.10	.0140	----	----	----	----	59 UNCH
5625	----	----	2.40B/2.20A	2.40B/2.20A	----	2.20 - 0.10	.0140	----	----	----	----	405 UNCH
5630	2.20	2.20	2.30B/2.10A	2.30B/2.10A	----	2.20 UNCH	.0139	----	----	3	----	231 + 3
5640	----	----	2.30B/2.10A	2.30B/2.10A	----	2.20 UNCH	.0138	----	----	----	----	79 UNCH
5650	2.20	2.20	2.20/2.10A	2.20/2.10A	----	2.10 - 0.10	.0132	----	----	8	----	736 - 7
5660	2.20	2.20	2.20/2.00A	2.20/2.00A	----	2.10 UNCH	.0131	----	----	1	----	42 - 1
5665	----	----	2.20B/2.00A	2.20B/2.00A	----	2.00 - 0.10	.0126	----	----	----	----	5 UNCH
5670	----	----	----/2.00A	2.10B/2.00A	----	2.00 - 0.10	.0125	----	----	----	----	119 UNCH
5675	----	----	2.20B/----	2.20B/2.00A	----	2.00 UNCH	.0125	----	----	----	----	22 UNCH
5680	----	----	2.10B/1.90A	2.10B/1.90A	----	2.00 UNCH	.0124	----	----	----	----	47 UNCH
5690	----	----	2.10B/1.90A	2.10B/1.90A	----	1.90 - 0.10	.0118	----	----	----	----	170 UNCH
5700	----	----	2.00B/----	2.00B/1.90A	----	1.90 UNCH	.0118	----	----	30	----	1958 - 1
5710	1.90	1.90	2.00B/1.80A	2.00B/1.80A	----	1.90 UNCH	.0117	----	----	2	----	40 - 1
5720	----	----	2.00B/1.80A	2.00B/1.80A	----	1.80 - 0.10	.0111	----	----	----	----	18 UNCH
5725	----	----	2.00B/----	2.00B/1.80A	----	1.80 UNCH	.0111	----	----	1	----	36 UNCH
5730	1.80	1.80	1.90B/1.70A	1.90B/1.70A	----	1.80 UNCH	.0110	----	----	2	----	59 UNCH
5740	----	----	----/1.70A	1.80B/1.70A	----	1.80 UNCH	.0110	----	----	----	----	61 UNCH
5750	1.90	1.90	1.90/1.70A	1.90/1.70A	----	1.70 - 0.10	.0104	----	----	2	----	1679 UNCH
5760	----	----	1.80B/----	1.80B/1.70A	----	1.70 UNCH	.0103	----	----	----	----	18 UNCH
5770	1.70	1.70	1.80B/1.70	1.80B/1.70	----	1.70 UNCH	.0103	----	----	1	----	32 UNCH
5775	1.70	1.70	1.70/1.70	1.70/1.70	----	1.70 UNCH	.0102	----	----	6	----	167 UNCH
5780	----	----	----	1.70B/1.70A	----	1.70 UNCH	.0102	----	----	----	----	219 UNCH
5790	----	----	----	1.70B/1.70A	----	1.60 - 0.10	.0096	----	----	----	----	11 UNCH
5800	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0096	----	----	2	----	3139 UNCH
5810	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0095	----	----	----	----	260 UNCH
5820	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0095	----	----	----	----	35 UNCH
5825	----	----	----	1.60B/1.60A	----	1.50 - 0.10	.0090	----	----	----	----	37 UNCH
5830	1.50	1.50	1.50/1.50	1.50/1.50	----	1.50 - 0.10	.0089	----	----	3	----	17 UNCH
5840	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0089	----	----	----	----	22 UNCH
5850	1.50	1.50	1.50/1.50	1.50/1.50	----	1.50 UNCH	.0088	----	----	1	----	456 UNCH
5860	----	----	----	1.50B/1.50A	----	1.50 UNCH	.0088	----	----	----	----	24 UNCH
5870	----	----	----	1.40B/1.50A	----	1.40 - 0.10	.0082	----	----	----	----	32 UNCH
5875	----	----	----	1.40B/1.50A	----	1.40 - 0.10	.0082	----	----	----	----	196 UNCH
5880	----	----	----	1.40B/1.40A	----	1.40 UNCH	.0082	----	----	----	----	17 UNCH
5890	1.30	1.30	1.30/1.30	1.40B/1.30	----	1.40 UNCH	.0081	----	----	1	----	139 + 1
5900	----	----	----	1.40B/1.40A	----	1.40 UNCH	.0081	----	----	----	----	1374 UNCH
5910	1.40	1.40	1.40/1.40	1.40/1.40	----	1.30 - 0.10	.0076	----	----	3	----	12 UNCH
5920	----	----	----	1.30B/1.40A	----	1.30 - 0.10	.0075	----	----	----	----	40 UNCH
5930	----	----	----	1.30B/1.30A	----	1.30 UNCH	.0075	----	----	----	----	57 UNCH
5940	----	----	----	1.30B/1.30A	----	1.30 UNCH	.0074	----	----	----	----	7 UNCH
5950	----	----	----	1.30B/1.30A	----	1.30 UNCH	.0074	----	----	----	----	170 UNCH
5960	----	----	----	1.30B/1.30A	----	1.20 - 0.10	.0069	----	----	----	----	46 UNCH
5970	----	----	----	1.20B/1.30A	----	1.20 - 0.10	.0068	----	----	1	----	34 - 1
5980	----	----	----	1.20B/1.30A	----	1.20 UNCH	.0068	----	----	----	----	22 UNCH
5990	----	----	----	1.20B/1.20A	----	1.20 UNCH	.0068	----	----	----	----	13 UNCH
6000	1.20	1.20	1.20/1.20	1.20/1.20	----	1.20 UNCH	.0067	----	----	5	----	5657 UNCH
6010	----	----	----	1.20B/1.20A	----	1.20 UNCH	.0067	----	----	----	----	10 UNCH
6020	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0062	----	----	----	----	23 UNCH
6030	----	----	----	1.10B/1.20A	----	1.10 - 0.10	.0062	----	----	----	----	31 UNCH
6040	----	----	----/1.10A	1.10B/1.10A	----	1.10 - 0.10	.0061	----	----	----	----	24 UNCH
6050	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0061	----	----	----	----	278 UNCH
6060	----	----	----	1.10B/1.10A	----	1.10 UNCH	.0061	----	----	----	----	32 UNCH
6070	----	----	----	1.00B/1.10A	----	1.10 UNCH	.0060	----	----	----	----	34 UNCH
6080	----	----	----	1.00B/1.10A	----	1.10 UNCH	.0060	----	----	----	----	10 UNCH
6090	----	----	----	1.00B/1.10A	----	1.00 - 0.10	.0055	----	----	----	----	26 UNCH
6100	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0055	----	----	----	----	2410 UNCH
6110	----	----	----/1.00A	1.00B/1.00A	----	1.00 - 0.10	.0055	----	----	----	----	65 UNCH
6120	----	----	----	1.00B/1.00A	----	1.00 UNCH	.0054	----	----	----	----	11 UNCH
6125	----	----	----	1.00B/1.00A	----	1.00 UNCH	.0054	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 23

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUN26												
6130	----	----	----	1.00B/1.00A	----	1.00 UNCH	.0054	----	----	----	----	10 UNCH
6140	1.00	1.00	1.00/1.00	1.00/1.00	----	1.00 UNCH	.0054	----	----	3	----	7 - 2
6150	----	----	----	1.00B/1.00A	----	1.00 UNCH	.0054	----	----	----	----	509 UNCH
6160	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0049	----	----	----	----	138 UNCH
6170	----	----	----	0.90B/1.00A	----	0.90 - 0.10	.0049	----	----	----	----	17 UNCH
6180	----	----	----/0.90A	0.90B/0.90A	----	0.90 - 0.10	.0048	----	----	----	----	75 UNCH
6190	----	----	----	0.90B/0.90A	----	0.90 UNCH	.0048	----	----	----	----	2 UNCH
6200	----	----	----	0.90B/0.90A	----	0.90 UNCH	.0048	----	----	----	----	4274 UNCH
6210	----	----	----	0.90B/1.00A	----	0.90 UNCH	.0048	----	----	----	----	53 UNCH
6220	----	----	----	0.90B/1.00A	----	0.90 UNCH	.0047	----	----	----	----	7 UNCH
6230	----	----	----	0.90B/1.00A	----	0.90 UNCH	.0047	----	----	----	----	67 UNCH
6240	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0042	----	----	----	----	21 UNCH
6250	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0042	----	----	----	----	1322 UNCH
6260	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0042	----	----	----	----	8 UNCH
6270	----	----	----	0.80B/0.90A	----	0.80 - 0.10	.0042	----	----	----	----	146 UNCH
6280	----	----	----	0.80B/0.90A	----	0.80 UNCH	.0042	----	----	----	----	12 UNCH
6290	----	----	----	0.80B/0.90A	----	0.80 UNCH	.0042	----	----	----	----	19 UNCH
6300	----	----	----	0.80B/0.90A	----	0.80 UNCH	.0041	----	----	----	----	2450 UNCH
6310	----	----	----	0.80B/0.90A	----	0.80 UNCH	.0041	----	----	----	----	2 UNCH
6320	----	----	----	0.80B/0.90A	----	0.80 UNCH	.0041	----	----	----	----	24 UNCH
6330	----	----	----	0.70B/0.90A	----	0.80 UNCH	.0041	----	----	----	----	32 UNCH
6340	----	----	----	0.70B/0.90A	----	0.80 UNCH	.0041	----	----	----	----	36 UNCH
6350	----	----	----	0.70B/0.90A	----	0.70 - 0.10	.0036	----	----	----	----	17 UNCH
6360	----	----	----	0.70B/0.90A	----	0.70 - 0.10	.0036	----	----	----	----	2 UNCH
6370	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0036	----	----	----	----	6 UNCH
6380	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0036	----	----	----	----	8 UNCH
6390	----	----	----	0.70B/0.80A	----	0.70 - 0.10	.0036	----	----	----	----	1 UNCH
6400	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.70 - 0.10	.0035	----	----	1	----	481 UNCH
6410	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0035	----	----	----	----	8 UNCH
6420	----	----	----	0.70B/0.80A	----	0.70 UNCH	.0035	----	----	1	----	3 UNCH
6430	----	----	----	0.60B/0.80A	----	0.70 UNCH	.0035	----	----	----	----	35 UNCH
6440	----	----	----	0.60B/0.80A	----	0.70 UNCH	.0035	----	----	----	----	2 UNCH
6450	----	----	----	0.60B/0.80A	----	0.70 UNCH	.0035	----	----	----	----	64 UNCH
6460	----	----	----	0.60B/0.80A	----	0.70 UNCH	.0035	----	----	----	----	36 UNCH
6470	----	----	----	0.60B/0.70A	----	0.70 UNCH	.0034	----	----	----	----	9 UNCH
6480	----	----	----	0.60B/0.70A	----	0.70 UNCH	.0034	----	----	----	----	21 UNCH
6490	----	----	----	0.60B/0.70A	----	0.70 UNCH	.0034	----	----	----	----	17 UNCH
6500	----	----	----	0.60B/0.70A	----	0.70 UNCH	.0034	----	----	----	----	1105 UNCH
6525	----	----	----	0.60B/0.70A	----	0.60 - 0.10	.0029	----	----	----	----	21 UNCH
6550	----	----	----	0.50B/0.70A	----	0.60 - 0.10	.0029	----	----	----	----	209 UNCH
6575	----	----	----	0.50B/0.70A	----	0.60 UNCH	.0029	----	----	----	----	7 UNCH
6600	----	----	----	0.50B/0.60A	----	0.60 UNCH	.0029	----	----	----	----	879 UNCH
6625	----	----	----	0.50B/0.60A	----	0.60 UNCH	.0028	----	----	----	----	105 UNCH
6650	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0024	----	----	----	----	40 UNCH
6675	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0024	----	----	----	----	48 UNCH
6700	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0024	----	----	----	----	1346 UNCH
6725	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0023	----	----	----	----	107 UNCH
6750	----	----	----	0.40B/0.60A	----	0.50 UNCH	.0023	----	----	----	----	134 UNCH
6775	----	----	----	0.40B/0.50A	----	0.50 UNCH	.0023	----	----	----	----	13 UNCH
6800	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0019	----	----	----	----	239 UNCH
6825	----	----	----	0.30B/0.50A	----	0.40 - 0.10	.0019	----	----	----	----	10 UNCH
6850	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0018	----	----	----	----	31 UNCH
6875	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0018	----	----	----	----	3 UNCH
6900	----	----	----	0.30B/0.50A	----	0.40 UNCH	.0018	----	----	----	----	157 UNCH
6925	----	----	----	0.30B/*0.40A	----	0.40 UNCH	.0018	----	----	----	----	51 UNCH
6950	----	----	----	0.20B/*0.40A	----	0.40 UNCH	.0018	----	----	----	----	27 UNCH
6975	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	21 UNCH
7000	----	----	----	0.40B/0.40A	----	0.30 - 0.10	.0014	----	----	----	----	1835 UNCH
7025	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0013	----	----	----	----	53 UNCH
7050	----	----	----	0.20B/0.40A	----	0.30 - 0.10	.0013	----	----	----	----	120 UNCH
7075	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	30 UNCH
7100	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	145 UNCH
7125	----	----	----	0.20B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	52 UNCH
7150	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	59 UNCH
7175	----	----	----	0.10B/0.40A	----	0.30 UNCH	.0013	----	----	----	----	3 UNCH
7200	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	134 UNCH
7225	----	----	----	0.10B/*0.30A	----	0.20 - 0.10	.0009	----	----	----	----	2 UNCH
7250	----	----	----	0.10B/0.30A	----	0.20 - 0.10	.0009	----	----	----	----	91 UNCH
7275	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	1 UNCH
7300	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0009	----	----	----	----	150 UNCH
7325	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	14 UNCH
7350	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	3 UNCH
7375	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	20 UNCH
7400	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	47 UNCH
7425	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	20 UNCH
7450	----	----	----	0.10B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	5 UNCH
7475	----	----	----	----/0.30A	----	0.20 UNCH	.0008	----	----	----	----	8 UNCH
7500	----	----	0.30B/----	0.30B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	1355 UNCH
7525	----	----	----	----/0.30A	----	0.20 UNCH	.0008	----	----	----	----	22 UNCH
7575	----	----	----	----/0.30A	----	0.20 UNCH	.0008	----	----	----	----	8 UNCH
7600	----	----	----	0.20B/0.30A	----	0.20 UNCH	.0008	----	----	----	----	78 UNCH
7700	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0004	----	----	----	----	50 UNCH
7750	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	12 UNCH
7800	----	----	----	----/0.20A	----	0.10 UNCH	.0003	----	----	----	----	39 UNCH
7825	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	1 UNCH
7875	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0002	----	----	----	----	31 UNCH
7900	----	----	----	0.10B/0.20A	----	0.10 UNCH	.0002	----	----	----	----	2 UNCH
7950	----	----	----	----/0.20A	----	0.10 UNCH	.0001	----	----	----	----	2 UNCH
8000	0.10	0.10	0.10/0.10	0.10/0.10	----	0.10 UNCH	.0001	----	----	44	----	967 + 44
8100	----	----	----	----/*0.10A	----	0.10 UNCH	.0001	----	----	----	----	4 UNCH
8200	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	88 UNCH
8300	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	64 UNCH
8500	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	146 UNCH
8600	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	52 UNCH
8800	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	32 UNCH
8900	----	----	----	----/*0.10A	----	0.10 UNCH	.0000	----	----	----	----	15 UNCH
9000	----	----	----	----/0.10A	----	0.10 UNCH	.0000	----	----	----	----	387 UNCH
9100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9200	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	51 UNCH
9300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	11 UNCH
9400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
9500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	23 UNCH
9600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
9700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	20 UNCH
9800	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	17 UNCH
9900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	27 UNCH
10000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	363 UNCH
10100	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
10400	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
10500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
10700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
11000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	72 UNCH
11300	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	12 UNCH
11500	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
11600	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	5 UNCH
11700	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	15 UNCH
11900	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
12000	----	----	----	----/0.10A	----	0.10 UNCH	----	----	----	----	----	406 UNCH
TOTAL										11762	875	187367 + 1474
JUL26												
3200	----	----	----	----	----	1480.30 + 15.30	.9903	----	----	85	----	10 + 10
3300	----	----	1,398.00B/1,340	1398.00B/1340.80A	----	1380.60 + 15.10	.9880	----	----	85	----	121 + 85
3350	----	----	1,348.30B/1,291	1348.30B/1291.10A	----	1330.90 + 15.10	.9867	----	----	----	----	51 UNCH
3500	----	----	----	----	----	1181.90 + 14.90	.9816	----	----	----	----	1 UNCH
3600	----	----	1,100.40B/1,043	1100.40B/1043.40A	----	1082.90 + 14.80	.9770	----	----	----	----	24 UNCH
3650	----	----	1,051.10B/994.2	1051.10B/994.20A	----	1033.60 + 14.80	.9742	----	----	----	----	10 UNCH
3670	----	----	1,031.50B/974.5	1031.50B/974.50A	----	1013.90 + 14.80	.9728	----	----	----	----	3 UNCH
3700	----	----	1,002.00B/945.1	1002.00B/945.10A	----	984.40 + 14.80	.9706	----	----	----	----	119 UNCH
3735	----	----	----	----	----	950.00 + 14.70	.9679	----	----	----	----	1 UNCH
3775	----	----	928.50B/871.80A	928.50B/871.80A	----	910.80 + 14.60	.9643	----	----	----	----	4 UNCH
3800	----	----	907.70B/845.20A	907.70B/845.20A	----	886.40 + 14.50	.9620	----	----	----	----	2050 UNCH
3825	----	----	879.80B/823.30A	879.80B/823.30A	----	862.00 + 14.40	.9594	----	----	----	----	3 UNCH
3850	----	----	855.50B/799.10A	855.50B/799.10A	----	837.70 + 14.30	.9566	----	----	----	----	65 UNCH
3860	----	----	----	----	----	828.00 + 14.30	.9553	----	----	----	----	1 UNCH
3865	----	----	841.00B/784.70A	841.00B/784.70A	----	823.10 + 14.20	.9548	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
3875	----	----	831.30B/775.00A	831.30B/775.00A	----	813.40 + 14.10	.9535	----	----	----	----	25 UNCH
3900	----	----	807.10B/751.10A	807.10B/751.10A	----	789.30 + 14.10	.9500	----	----	----	----	18 UNCH
3925	----	----	783.10B/727.20A	783.10B/727.20A	----	765.20 + 13.90	.9462	----	----	----	----	35 UNCH
3950	----	----	762.60B/678.70A	762.60B/678.70A	----	741.20 + 13.80	.9422	----	----	----	----	820 UNCH
3960	----	----	----/672.20A	675.80B/672.20A	----	731.60 + 13.70	.9402	----	----	----	----	1 UNCH
4000	----	----	711.50B/631.80A	711.50B/631.80A	----	693.50 + 13.40	.9326	----	----	----	----	15 UNCH
4020	----	----	667.90B/616.30A	667.90B/616.30A	----	674.60 + 13.30	.9284	----	----	----	----	1 UNCH
4030	----	----	665.40B/604.10A	665.40B/604.10A	----	665.20 + 13.30	.9260	----	----	----	----	2 UNCH
4040	----	----	#666.90B/594.90	666.90B/594.90A	----	655.80 + 13.20	.9235	----	----	----	----	1 UNCH
4075	----	----	645.20B/563.10A	645.20B/563.10A	----	623.10 + 13.00	.9146	----	----	----	----	6 UNCH
4095	----	----	627.90B/548.00A	627.90B/548.00A	----	604.50 + 12.80	.9090	----	----	----	----	4 UNCH
4100	----	----	623.40B/543.30A	623.40B/543.30A	----	599.90 + 12.80	.9074	----	----	----	----	194 UNCH
4105	----	----	618.70B/539.00A	618.70B/539.00A	----	595.30 + 12.80	.9061	----	----	----	----	1 UNCH
4110	----	----	614.20B/534.30A	614.20B/534.30A	----	590.70 + 12.70	.9046	----	----	----	----	3 UNCH
4145	----	----	580.80B/500.40A	580.80B/500.40A	----	558.70 + 12.40	.8930	----	----	----	----	28 UNCH
4150	----	----	577.30B/498.90A	577.30B/498.90A	----	554.20 + 12.40	.8914	----	----	----	----	37 UNCH
4155	----	----	572.80B/494.50A	572.80B/494.50A	----	549.70 + 12.40	.8895	----	----	----	----	1 UNCH
4160	----	----	566.00B/487.20A	566.00B/487.20A	----	545.20 + 12.40	.8879	----	----	----	----	1 UNCH
4190	----	----	541.10B/464.10A	541.10B/464.10A	----	518.30 + 12.20	.8765	----	----	----	----	1 UNCH
4200	----	----	532.10B/455.60A	532.10B/455.60A	----	509.40 + 12.10	.8724	----	----	----	----	7 UNCH
4215	----	----	518.90B/443.00A	518.90B/443.00A	----	496.10 + 11.90	.8661	----	----	----	----	25 UNCH
4220	----	----	514.40B/438.60A	514.40B/438.60A	----	491.70 + 11.80	.8639	----	----	----	----	1 UNCH
4225	----	----	509.90B/434.40A	509.90B/434.40A	----	487.40 + 11.90	.8617	----	----	----	----	2 UNCH
4235	----	----	501.10B/426.00A	501.10B/426.00A	----	478.60 + 11.70	.8571	----	----	----	----	1 UNCH
4240	----	----	496.80B/421.90A	496.80B/421.90A	----	474.30 + 11.70	.8549	----	----	----	----	39 UNCH
4245	----	----	492.40B/417.70A	492.40B/417.70A	----	470.00 + 11.70	.8526	----	----	----	----	1 UNCH
4250	----	----	488.10B/413.80A	488.10B/413.80A	----	465.60 + 11.60	.8502	----	----	----	----	318 UNCH
4255	----	----	483.60B/409.70A	483.60B/409.70A	----	461.30 + 11.50	.8477	----	----	----	----	1 UNCH
4265	----	----	475.00B/401.30A	475.00B/401.30A	----	452.70 + 11.40	.8428	----	----	----	----	2 UNCH
4270	----	----	469.50B/394.60A	469.50B/394.60A	----	448.50 + 11.40	.8403	----	----	----	----	38 UNCH
4275	----	----	466.50B/393.40A	466.50B/393.40A	----	444.20 + 11.30	.8378	----	----	----	----	76 UNCH
4280	----	----	462.20B/389.10A	462.20B/389.10A	----	440.00 + 11.30	.8353	----	----	----	----	3 UNCH
4300	----	----	445.10B/373.30A	445.10B/373.30A	----	423.20 + 11.10	.8244	----	----	----	----	63 UNCH
4315	----	----	432.50B/361.30A	432.50B/361.30A	----	410.70 + 10.90	.8161	----	----	----	----	21 UNCH
4325	----	----	424.20B/353.60A	424.20B/353.60A	----	402.50 + 10.90	.8101	----	----	----	----	22 UNCH
4335	----	----	415.80B/346.10A	415.80B/346.10A	----	394.30 + 10.70	.8042	----	----	----	----	1 UNCH
4350	----	----	402.30B/331.50A	402.30B/331.50A	----	382.20 + 10.60	.7949	----	----	----	----	17 UNCH
4360	----	----	394.20B/324.20A	394.20B/324.20A	----	374.20 + 10.50	.7885	----	----	----	----	53 UNCH
4365	----	----	391.40B/323.20A	391.40B/323.20A	----	370.20 + 10.40	.7853	----	----	----	----	45 UNCH
4370	----	----	387.40B/319.50A	387.40B/319.50A	----	366.30 + 10.40	.7821	----	----	----	----	20 UNCH
4375	----	----	383.20B/315.80A	383.20B/315.80A	----	362.30 + 10.20	.7787	----	----	----	----	5 UNCH
4400	----	----	362.30B/295.10A	362.30B/295.10A	----	343.00 + 10.00	.7615	----	----	----	----	2274 UNCH
4410	----	----	355.90B/290.70A	355.90B/290.70A	----	335.40 + 9.90	.7545	----	----	----	----	4 UNCH
4415	----	----	352.10B/287.10A	352.10B/287.10A	----	331.60 + 9.80	.7508	----	----	----	----	39 UNCH
4420	----	----	348.10B/283.90A	348.10B/283.90A	----	327.80 + 9.70	.7471	----	----	----	----	5 UNCH
4425	----	----	345.20B/280.10A	345.20B/280.10A	----	324.10 + 9.70	.7434	----	----	----	----	16 UNCH
4430	----	----	340.40B/276.80A	340.40B/276.80A	----	320.40 + 9.70	.7397	----	----	----	----	1 UNCH
4445	----	----	330.20B/266.50A	330.20B/266.50A	----	309.40 + 9.50	.7282	----	----	----	----	30 UNCH
4450	----	----	326.80B/263.20A	326.80B/263.20A	----	305.80 + 9.50	.7243	----	----	----	----	255 UNCH
4455	----	----	320.30B/257.40A	320.30B/257.40A	----	302.20 + 9.40	.7205	----	----	----	----	2 UNCH
4460	----	----	317.90B/256.70A	317.90B/256.70A	----	298.60 + 9.30	.7165	----	----	----	----	2 UNCH
4475	----	----	307.00B/247.00A	307.00B/247.00A	----	288.00 + 9.20	.7043	----	----	----	----	2 UNCH
4480	----	----	304.60B/243.70A	304.60B/243.70A	----	284.50 + 9.10	.7003	----	----	----	----	25 UNCH
4490	----	----	296.30B/237.50A	296.30B/237.50A	----	277.50 + 8.90	.6920	----	----	----	----	9 UNCH
4500	----	----	290.90B/231.30A	290.90B/231.30A	----	270.70 + 8.80	.6836	----	----	----	----	970 UNCH
4505	----	----	286.80B/228.30A	286.80B/228.30A	----	267.30 + 8.80	.6794	----	----	----	----	2 UNCH
4510	----	----	283.60B/225.20A	283.60B/225.20A	----	264.00 + 8.80	.6751	----	----	----	----	45 UNCH
4515	----	----	280.00B/219.70A	280.00B/219.70A	----	260.70 + 8.70	.6707	----	----	----	----	200 UNCH
4520	----	----	276.70B/218.40A	276.70B/218.40A	----	257.40 + 8.70	.6664	----	----	----	----	188 UNCH
4525	----	----	273.20B/215.00A	273.20B/215.00A	----	254.10 + 8.60	.6620	----	----	----	----	129 UNCH
4530	----	----	269.80B/213.30A	269.80B/213.30A	----	250.80 + 8.50	.6576	----	----	----	----	5 UNCH
4535	----	----	266.40B/204.60A	266.40B/204.60A	----	247.60 + 8.50	.6532	----	----	----	----	14 UNCH
4540	----	----	263.30B/201.60A	263.30B/201.60A	----	244.40 + 8.40	.6488	----	----	----	----	54 UNCH
4550	----	----	256.50B/196.00A	256.50B/196.00A	----	238.00 + 8.30	.6398	----	----	----	----	12 UNCH
4560	----	----	249.90B/190.90A	249.90B/190.90A	----	231.80 + 8.20	.6307	----	----	----	----	2 UNCH
4565	----	----	246.70B/188.00A	246.70B/188.00A	----	228.70 + 8.10	.6262	----	----	----	----	1 UNCH
4570	----	----	243.50B/185.60A	243.50B/185.60A	----	225.60 + 8.00	.6216	----	----	----	----	2 UNCH
4575	220.70	220.70	240.70B/183.00A	240.70B/183.00A	----	222.60 + 8.00	.6169	----	----	1	----	129 + 1
4580	----	----	237.20B/180.40A	237.20B/180.40A	----	219.60 + 8.00	.6123	----	----	----	----	1 UNCH
4600	----	----	225.40B/168.90A	225.40B/168.90A	----	207.80 + 7.70	.5936	----	----	----	----	383 UNCH
4605	----	----	222.00B/166.40A	222.00B/166.40A	----	205.00 + 7.70	.5889	----	----	----	----	10 UNCH
4610	----	----	219.00B/163.70A	219.00B/163.70A	----	202.10 + 7.60	.5841	----	----	3	----	9 + 3
4615	----	----	216.10B/161.00A	216.10B/161.00A	----	199.30 + 7.50	.5794	----	----	----	----	7 UNCH
4620	----	----	213.10B/159.20A	213.10B/159.20A	----	196.50 + 7.50	.5746	----	----	----	----	1 UNCH
4625	----	----	210.60B/156.80A	210.60B/156.80A	----	193.70 + 7.40	.5698	----	----	----	----	101 UNCH
4630	----	----	207.40B/154.40A	207.40B/154.40A	----	191.00 + 7.30	.5650	----	----	----	----	4 UNCH
4635	181.80	181.80	204.70B/151.80A	204.70B/151.80A	----	188.30 + 7.30	.5602	----	----	4	----	91 + 3
4640	----	----	202.10B/149.50A	202.10B/149.50A	----	185.60 + 7.20	.5554	----	----	----	----	237 UNCH
4645	----	----	199.00B/147.40A	199.00B/147.40A	----	182.90 + 7.10	.5506	----	----	----	----	19 UNCH
4650	178.00	178.00	196.20B/145.00A	196.20B/145.00A	----	180.30 + 7.00	.5458	----	----	1	----	804 + 1
4655	----	----	193.90B/142.90A	193.90B/142.90A	----	177.70 + 7.00	.5409	----	----	----	----	18 UNCH
4660	----	----	191.10B/140.80A	191.10B/140.80A	----	175.10 + 6.90	.5361	----	----	----	----	22 UNCH
4665	----	----	188.10B/138.50A	188.10B/138.50A	----	172.60 + 6.90	.5312	----	----	1	----	269 + 1
4670	----	----	185.50B/136.50A	185.50B/136.50A	----	170.10 + 6.80	.5264	----	----	----	----	106 UNCH
4675	----	----	182.80B/134.30A	182.80B/134.30A	----	167.60 + 6.70	.5215	----	----	1	----	130 + 1
4680	----	----	180.60B/132.20A	180.60B/132.20A	----	165.10 + 6.60	.5167	----	----	----	----	138 UNCH
4685	----	----	177.70B/130.10A	177.70B/130.10A	----	162.70 + 6.60	.5118	----	----	----	----	11 UNCH
4690	----	----	175.10B/128.10A	175.10B/128.10A	----	160.30 NEW	.5070	----	----	2	----	1 + 1
4695	----	----	172.80B/126.10A	172.80B/126.10A	----	157.90 + 6.50	.5021	----	----	----	----	33 UNCH
4700	160.50	160.50	170.30B/123.80A	170.30B/123.80A	----	155.50 + 6.30	.4973	----	----	48	----	694 UNCH
4705	----	----	167.40B/122.20A	167.40B/122.20A	----	153.20 + 6.30	.4924	----	----	----	----	1 UNCH
4710	----	----	165.20B/120.20A	165.20B/120.20A	----	150.90 + 6.20	.4876	----	----	----	----	117 UNCH
4715	----	----	162.80B/118.30A	162.80B/118.30A	----	148.70 + 6.20	.4828	----	----	----	----	2 UNCH
4720	----	----	161.00B/116.50A	161.00B/116.50A	----	146.40 + 6.10	.4779	----	----	1	----	13 + 1
4725	----	----	158.10B/114.50A	158.10B/114.50A	----	144.20 + 6.10	.4731	----	----	----	----	56 UNCH
4730	----	----	155.80B/112.80A	155.80B/112.80A	----	142.00 + 6.00	.4683	----	----	----	----	7 UNCH
4740	----	----	151.20B/109.20A	151.20B/109.20A	----	137.80 + 6.00	.4588	----	----	----	----	1 UNCH
4745	----	----	149.40B/107.40A	149.40B/107.40A	----	135.70 + 5.90	.4541	----	----	----	----	177 UNCH
4750	----	----	147.20B/105.50A	147.20B/105.50A	----	133.60 + 5.80	.4493	----	----	150	50	1645 + 179
4755	----	----	144.90B/103.90A	144.90B/103.90A	----	131.60 + 5.80	.4446	----	----	----	----	19 UNCH
4760	----	----	142.70B/102.30A	142.70B/102.30A	----	129.50 + 5.70	.4398	----	----	----	----	47 UNCH
4765	122.50	122.50	140.60B/100.70A	140.60B/100.70A	----	127.50 + 5.60	.4351	----	----	2	----	4 + 2
4770	----	----	138.50B/99.00A	138.50B/99.00A	----	125.60 + 5.70	.4305	----	----	----	----	72 UNCH
4775	----	----	136.30B/97.40A	136.30B/97.40A	----	123.60 + 5.60	.4258	----	----	10	----	152 UNCH
4780	----	----	134.30B/95.80A	134.30B/95.80A	----	121.70 + 5.50	.4212	----	----	1	----	32 + 1
4785	----	----	132.20B/94.30A	132.20B/94.30A	----	119.80 + 5.50	.4165	----	----	----	----	13 UNCH
4790	121.60	121.60	130.20B/92.80A	130.20B/92.80A	----	118.00 + 5.50	.4120	----	----	4	----	5 + 3
4795	----	----	128.30B/91.20A	128.30B/91.20A	----	116.20 + 5.50	.4074	----	----	----	----	89 UNCH
4800	112.70	112.70	126.30B/89.70A	126.30B/89.70A	----	114.30 + 5.30	.4028	----	----	26	----	1971 - 19
4805	----	----	124.40B/88.30A	124.40B/88.30A	----	112.60 + 5.40	.3984	----	----	----	----	40 UNCH
4810	----	----	122.40B/86.90A	122.40B/86.90A	----	110.80 + 5.30	.3938	----	----	----	----	34 UNCH
4815	92.90	92.90	120.50B/85.50A	120.50B/85.50A	----	109.10 + 5.30	.3894	----	----	2	----	2 + 1
4820	----	----	118.70B/84.10A	118.70B/84.10A	----	107.40 + 5.30	.3849	----	----	----	----	14 UNCH
4825	98.30	98.30	116.90B/82.70A	116.90B/82.70A	----	105.70 + 5.20	.3805	----	----	2	----	657 UNCH
4830	----	----	115.00B/81.40A	115.00B/81.40A	----	104.00 + 5.10	.3761	----	----	----	----	12 UNCH
4835	----	----	113.20B/80.10A	113.20B/80.10A	----	102.40 + 5.10	.3717	----	----	----	----	18 UNCH
4840	103.50	103.50	111.40B/78.80A	111.40B/78.80A	----	100.80 + 5.10	.3674	----	----	1	----	185 UNCH
4845	----	----	109.70B/77.50A	109.70B/77.50A	----	99.20 + 5.10	.3631	----	----	----	----	71 UNCH
4850	95.40	95.40	107.80B/76.10A	107.80B/76.10A	----	97.60 + 5.00	.3588	----	----	3	----	457 + 2
4855	----	----	106.30B/75.00A	106.30B/75.00A	----	96.00 + 4.90	.3544	----	----	----	----	7 UNCH
4860	----	----	104.60B/73.80A	104.60B/73.80A	----	94.50 + 4.90	.3502	----	----	----	----	13 UNCH
4865	----	----	102.90B/72.50A	102.90B/72.50A	----	93.00 + 4.90	.3460	----	----	----	----	32 UNCH
4870	----	----	101.30B/71.40A	101.30B/71.40A	----	91.50 + 4.80	.3418	----	----	----	----	62 UNCH
4875	----	----	99.70B/70.20A	99.70B/70.20A	----	90.00 + 4.70	.3377	----	----	----	----	16 UNCH
4880	86.60	86.60	97.80B/69.00A	97.80B/69.00A	----	88.60 + 4.70	.3336	----	----	5	----	83 + 5
4885	----	----	96.50B/67.90A	96.50B/67.90A	----	87.20 + 4.70	.3295	----	----	----	----	13 UNCH
4890	76.80	76.80	95.00B/66.80A	95.00B/66.80A	----	85.80 + 4.70	.3255	----	----	2	----	54 + 1
4895	----	----	93.50B/65.80A	93.50B/65.80A	----	84.40 + 4.60	.3214	----	----	----	----	51 UNCH
4900	76.60	76.60	92.10B/64.60A	92.10B/64.60A	----	83.00 + 4.50	.3174	----	----	122	----	1074 + 2
4905	73.10	73.10	90.50B/63.50A	90.50B/63.50A	----	81.70 + 4.50	.3135	----	----	2	----	8 UNCH
4910	78.90	78.90	89.00B/62.50A	89.00B/62.50A	----	80.30 + 4.40	.3095	----	----	4	----	146 + 4
4915	70.00	70.00	87.70B/61.40A	87.70B/61.40A	----	79.00 + 4.40	.3056	----	----	1	----	36 UNCH
4920	----	----	86.20B/60.40A	86.20B/60.40A	----	77.80 + 4.40	.3018	----	----	----	----	9 UNCH
4925	----	----	84.80B/59.40A	84.80B/59.40A	----	76.50 + 4.30	.2979	----	----	----	----	38 UNCH
4930	----	----	83.50B/58.40A	83.50B/58.40A	----	75.20 + 4.20	.2941	----	----	----	----	65 UNCH
4935	----	----	82.30B/57.40A	82.30B/57.40A	----	74.00 + 4.20	.2903	----	----	----	----	618 UNCH
4940	----	----	80.80B/56.50A	80.80B/56.50A	----	72.80 + 4.10	.2866	----	----	----	----	281 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OG CALL COMEX GOLD OPTIONS
JUL26

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4945	----	----	79.50B/55.60A	79.50B/55.60A	----	71.60 + 4.10	.2829	----	----	----	----	11 UNCH
4950	69.00	69.00	78.20B/54.70A	78.20B/54.70A	----	70.50 + 4.10	.2794	----	----	161	----	271 + 83
4955	77.00	77.00	77.20B/53.80A	77.20B/53.80A	----	69.30 + 4.00	.2757	----	----	9	----	81 - 2
4960	66.70	66.70	75.90B/52.90A	75.90B/52.90A	----	68.20 + 4.00	.2721	----	----	12	----	22 + 6
4965	----	----	74.70B/52.00A	74.70B/52.00A	----	67.10 + 4.00	.2686	----	----	----	----	173 UNCH
4970	67.80	67.80	73.50B/51.20A	73.50B/51.20A	----	66.00 + 3.90	.2651	----	----	3	----	78 UNCH
4975	60.90	60.90	72.30B/50.40A	72.30B/50.40A	----	64.90 + 3.80	.2616	----	----	3	----	42 UNCH
4980	----	----	70.90B/49.60A	70.90B/49.60A	----	63.90 + 3.80	.2582	----	----	4	----	16 + 4
4985	----	----	70.00B/48.90A	70.00B/48.90A	----	62.80 + 3.70	.2547	----	----	----	----	29 UNCH
4990	63.20	63.20	68.90B/48.00A	68.90B/48.00A	----	61.80 + 3.70	.2514	----	----	10	----	32 + 10
4995	----	----	67.50B/47.20A	67.50B/47.20A	----	60.80 + 3.70	.2481	----	----	----	----	43 UNCH
5000	60.80	60.80	66.70B/46.40A	66.70B/46.40A	----	59.80 + 3.60	.2448	----	----	73	100	2931 - 14
5005	----	----	65.50B/45.70A	65.50B/45.70A	----	58.90 + 3.60	.2416	----	----	----	----	18 UNCH
5010	----	----	64.40B/45.00A	64.40B/45.00A	----	57.90 + 3.60	.2383	----	----	----	----	36 UNCH
5015	----	----	63.50B/44.30A	63.50B/44.30A	----	57.00 + 3.60	.2352	----	----	----	----	32 UNCH
5020	----	----	62.50B/43.60A	62.50B/43.60A	----	56.10 + 3.50	.2321	----	----	----	----	7 UNCH
5025	----	----	61.50B/42.90A	61.50B/42.90A	----	55.20 + 3.50	.2290	----	----	----	----	34 UNCH
5030	----	----	60.50B/42.20A	60.50B/42.20A	----	54.30 + 3.40	.2260	----	----	1	----	42 UNCH
5035	----	----	59.40B/41.50A	59.40B/41.50A	----	53.40 + 3.40	.2229	----	----	----	----	56 UNCH
5040	----	----	58.50B/40.80A	58.50B/40.80A	----	52.50 + 3.30	.2198	----	----	1	----	15 UNCH
5045	----	----	57.60B/40.20A	57.60B/40.20A	----	51.70 + 3.30	.2169	----	----	----	----	9 UNCH
5050	56.80	56.80	56.80/39.50A	56.80/39.50A	----	50.90 + 3.30	.2141	----	----	6	----	209 + 2
5055	----	----	55.80B/39.00A	55.80B/39.00A	----	50.00 + 3.20	.2110	----	----	----	----	16 UNCH
5060	47.40	47.40	54.80B/38.30A	54.80B/38.30A	----	49.20 + 3.10	.2082	----	----	3	----	25 + 3
5065	----	----	53.80B/37.70A	53.80B/37.70A	----	48.50 + 3.20	.2055	----	----	----	----	214 UNCH
5070	----	----	53.20B/37.10A	53.20B/37.10A	----	47.70 + 3.10	.2027	----	----	----	----	26 UNCH
5075	----	----	52.30B/36.50A	52.30B/36.50A	----	46.90 + 3.10	.1999	----	----	----	----	135 UNCH
5080	----	----	51.40B/36.00A	51.40B/36.00A	----	46.20 + 3.10	.1973	----	----	----	----	89 UNCH
5085	----	----	50.60B/35.40A	50.60B/35.40A	----	45.40 + 3.00	.1944	----	----	----	----	44 UNCH
5090	43.90	43.90	49.80B/34.90A	49.80B/34.90A	----	44.70 + 2.90	.1918	----	----	1	----	10 UNCH
5095	----	----	49.00B/34.30A	49.00B/34.30A	----	44.00 + 2.90	.1893	----	----	1	----	53 + 1
5100	41.60	41.60	48.30B/33.80A	48.30B/33.80A	----	43.30 + 2.90	.1867	----	----	6	----	945 UNCH
5105	----	----	47.50B/33.20A	47.50B/33.20A	----	42.60 + 2.80	.1841	----	----	----	----	72 UNCH
5110	----	----	46.70B/32.70A	46.70B/32.70A	----	41.90 + 2.80	.1815	----	----	----	----	19 UNCH
5115	----	----	46.00B/32.30A	46.00B/32.30A	----	41.30 + 2.80	.1792	----	----	----	----	29 UNCH
5120	----	----	45.20B/31.70A	45.20B/31.70A	----	40.60 + 2.70	.1766	----	----	----	----	39 UNCH
5125	----	----	44.50B/31.30A	44.50B/31.30A	----	40.00 + 2.70	.1743	----	----	----	----	238 UNCH
5130	33.40	33.40	43.70B/30.80A	43.70B/30.80A	----	39.40 + 2.70	.1720	----	----	1	----	36 UNCH
5135	42.30	42.30	43.10B/30.40A	43.10B/30.40A	----	38.70 + 2.60	.1694	----	----	19	----	177 + 19
5140	----	----	42.50B/29.90A	42.50B/29.90A	----	38.10 + 2.60	.1671	----	----	4	----	54 - 4
5145	----	----	41.80B/29.50A	41.80B/29.50A	----	37.50 + 2.50	.1649	----	----	4	----	66 + 2
5150	32.30	32.30	41.20B/29.00A	41.20B/29.00A	----	36.90 + 2.50	.1626	----	----	32	----	991 - 5
5155	----	----	40.50B/28.60A	40.50B/28.60A	----	36.40 + 2.50	.1605	----	----	----	----	16 UNCH
5160	----	----	39.80B/28.20A	39.80B/28.20A	----	35.80 + 2.50	.1582	----	----	----	----	12 UNCH
5165	----	----	39.20B/27.80A	39.20B/27.80A	----	35.20 + 2.40	.1560	----	----	----	----	14 UNCH
5170	----	----	38.60B/27.40A	38.60B/27.40A	----	34.70 + 2.40	.1539	----	----	----	----	7 UNCH
5175	34.10	34.10	38.00B/27.00A	38.00B/27.00A	----	34.20 + 2.40	.1519	----	----	3	----	58 + 3
5180	35.40	35.40	37.40B/26.60A	37.40B/26.60A	----	33.60 + 2.30	.1497	----	----	4	----	30 + 4
5185	----	----	36.80B/26.20A	36.80B/26.20A	----	33.10 + 2.30	.1477	----	----	----	----	118 UNCH
5190	----	----	36.20B/25.80A	36.20B/25.80A	----	32.60 + 2.30	.1457	----	----	----	----	5 UNCH
5195	----	----	35.70B/25.40A	35.70B/25.40A	----	32.10 + 2.20	.1437	----	----	----	----	36 UNCH
5200	26.00	26.00	35.10B/25.00A	35.10B/25.00A	----	31.60 + 2.20	.1417	----	----	15	210	1528 + 72
5205	34.10	34.10	34.60B/24.80A	34.60B/24.80A	----	31.10 + 2.20	.1397	----	----	1	----	45 + 1
5210	----	----	34.10B/24.40A	34.10B/24.40A	----	30.70 + 2.20	.1380	----	----	----	----	55 UNCH
5215	33.00	33.00	33.60B/24.10A	33.60B/24.10A	----	30.20 + 2.10	.1360	----	----	20	----	46 + 20
5220	----	----	33.00B/23.80A	33.00B/23.80A	----	29.70 + 2.10	.1341	----	----	----	----	21 UNCH
5225	----	----	32.40B/23.40A	32.40B/23.40A	----	29.30 + 2.10	.1324	----	----	----	----	105 UNCH
5230	31.60	31.60	32.10B/23.10A	32.10B/23.10A	----	28.90 + 2.10	.1307	----	----	24	----	85 + 24
5235	----	----	31.60B/22.90A	31.60B/22.90A	----	28.40 + 2.00	.1287	----	----	----	----	4 UNCH
5240	----	----	31.20B/22.50A	31.20B/22.50A	----	28.00 + 2.00	.1271	----	----	----	----	120 UNCH
5245	----	----	30.50B/22.20A	30.50B/22.20A	----	27.60 + 2.00	.1254	----	----	----	----	61 UNCH
5250	28.40	28.40	30.10B/21.90A	30.10B/21.90A	----	27.20 + 2.00	.1237	----	----	106	----	704 + 11
5255	----	----	29.70B/21.60A	29.70B/21.60A	----	26.80 + 2.00	.1221	----	----	----	----	14 UNCH
5260	----	----	29.20B/21.20A	29.20B/21.20A	----	26.40 + 1.90	.1204	----	----	----	----	150 UNCH
5265	----	----	28.70B/21.00A	28.70B/21.00A	----	26.00 + 1.90	.1188	----	----	----	----	4 UNCH
5270	----	----	28.50B/20.70A	28.50B/20.70A	----	25.60 + 1.90	.1171	----	----	----	----	19 UNCH
5275	28.00	28.00	28.10B/20.40A	28.10B/20.40A	----	25.20 + 1.80	.1155	----	----	4	----	30 + 3
5280	----	----	27.70B/20.20A	27.70B/20.20A	----	24.90 + 1.80	.1141	----	----	----	----	5 UNCH
5285	----	----	27.10B/19.90A	27.10B/19.90A	----	24.50 + 1.80	.1125	----	----	----	----	19 UNCH
5290	----	----	26.70B/19.70A	26.70B/19.70A	----	24.20 + 1.80	.1111	----	----	----	----	43 UNCH
5295	----	----	26.30B/19.40A	26.30B/19.40A	----	23.80 + 1.70	.1095	----	----	----	----	79 UNCH
5300	----	----	26.10B/19.10A	26.10B/19.10A	----	23.50 + 1.80	.1082	----	----	33	----	1328 + 18
5305	----	----	25.60B/18.90A	25.60B/18.90A	----	23.10 + 1.70	.1066	----	----	----	----	65 UNCH
5310	----	----	25.20B/18.60A	25.20B/18.60A	----	22.80 + 1.70	.1052	----	----	----	----	19 UNCH
5315	----	----	24.80B/18.50A	24.80B/18.50A	----	22.50 + 1.70	.1039	----	----	----	----	28 UNCH
5320	----	----	24.50B/18.20A	24.50B/18.20A	----	22.20 + 1.70	.1026	----	----	----	----	57 UNCH
5325	----	----	24.10B/18.10A	24.10B/18.10A	----	21.90 + 1.70	.1013	----	----	----	----	181 UNCH
5330	----	----	23.80B/17.90A	23.80B/17.90A	----	21.60 + 1.70	.1000	----	----	----	----	13 UNCH
5335	----	----	23.40B/17.60A	23.40B/17.60A	----	21.30 + 1.70	.0987	----	----	----	----	3 UNCH
5340	----	----	23.10B/17.40A	23.10B/17.40A	----	21.00 + 1.60	.0974	----	----	----	----	30 UNCH
5345	----	----	22.80B/17.20A	22.80B/17.20A	----	20.70 + 1.60	.0961	----	----	----	----	42 UNCH
5350	----	----	22.50B/17.00A	22.50B/17.00A	----	20.40 + 1.60	.0948	----	----	8	----	683 - 4
5355	21.00	21.00	22.10B/16.80A	22.10B/16.80A	----	20.10 + 1.50	.0935	----	----	1	----	108 + 1
5360	----	----	21.80B/16.60A	21.80B/16.60A	----	19.80 + 1.50	.0922	----	----	2	----	328 UNCH
5365	20.40	20.40	21.50B/16.40A	21.50B/16.40A	----	19.60 + 1.60	.0913	----	----	1	----	147 + 1
5370	----	----	21.20B/16.20A	21.20B/16.20A	----	19.30 + 1.50	.0900	----	----	----	----	25 UNCH
5375	18.50	18.50	20.90B/16.00A	20.90B/16.00A	----	19.00 + 1.50	.0887	----	----	4	----	22 + 4
5380	----	----	20.60B/15.80A	20.60B/15.80A	----	18.80 + 1.50	.0877	----	----	----	----	8 UNCH
5385	----	----	20.50B/15.60A	20.50B/15.60A	----	18.50 + 1.40	.0865	----	----	----	----	16 UNCH
5390	----	----	20.10B/15.40A	20.10B/15.40A	----	18.30 + 1.50	.0855	----	----	----	----	13 UNCH
5395	----	----	19.80B/15.20A	19.80B/15.20A	----	18.00 + 1.40	.0843	----	----	----	----	24 UNCH
5400	14.50	14.50	19.60B/14.50	19.60B/14.50	----	17.80 + 1.40	.0833	----	----	154	----	3017 + 6
5405	17.10	17.10	19.40B/14.90A	19.40B/14.90A	----	17.60 + 1.40	.0824	----	----	3	----	13 + 3
5410	----	----	19.00B/14.70A	19.00B/14.70A	----	17.30 + 1.40	.0811	----	----	----	----	24 UNCH
5415	----	----	18.80B/14.50A	18.80B/14.50A	----	17.10 + 1.40	.0802	----	----	----	----	16 UNCH
5420	----	----	18.50B/14.30A	18.50B/14.30A	----	16.90 + 1.40	.0793	----	----	----	----	29 UNCH
5425	----	----	18.30B/14.10A	18.30B/14.10A	----	16.70 + 1.40	.0783	----	----	----	----	27 UNCH
5430	----	----	18.00B/14.00A	18.00B/14.00A	----	16.40 + 1.30	.0771	----	----	----	----	11 UNCH
5435	----	----	17.80B/13.80A	17.80B/13.80A	----	16.20 + 1.30	.0762	----	----	----	----	7 UNCH
5440	----	----	17.60B/13.60A	17.60B/13.60A	----	16.00 + 1.30	.0752	----	----	----	----	17 UNCH
5445	----	----	17.30B/13.50A	17.30B/13.50A	----	15.80 + 1.30	.0743	----	----	----	----	24 UNCH
5450	----	----	17.10B/13.30A	17.10B/13.30A	----	15.60 + 1.30	.0734	----	----	----	----	1176 UNCH
5455	----	----	16.90B/13.20A	16.90B/13.20A	----	15.40 + 1.20	.0725	----	----	----	----	36 UNCH
5460	----	----	16.70B/13.00A	16.70B/13.00A	----	15.20 + 1.20	.0716	----	----	----	----	24 UNCH
5465	----	----	16.50B/12.80A	16.50B/12.80A	----	15.00 + 1.20	.0707	----	----	----	----	18 UNCH
5470	----	----	16.20B/12.70A	16.20B/12.70A	----	14.80 + 1.20	.0698	----	----	----	----	27 UNCH
5475	----	----	16.00B/12.50A	16.00B/12.50A	----	14.60 + 1.10	.0689	----	----	----	----	206 UNCH
5480	----	----	15.90B/12.40A	15.90B/12.40A	----	14.50 + 1.20	.0683	----	----	----	----	5 UNCH
5485	----	----	15.70B/12.30A	15.70B/12.30A	----	14.30 + 1.20	.0674	----	----	----	----	9 UNCH
5490	----	----	15.50B/12.10A	15.50B/12.10A	----	14.10 + 1.10	.0666	----	----	----	----	20 UNCH
5495	----	----	15.20B/12.00A	15.20B/12.00A	----	13.90 + 1.10	.0657	----	----	----	----	4 UNCH
5500	----	----	15.10B/11.80A	15.10B/11.80A	----	13.80 + 1.20	.0651	----	----	206	----	2580 - 155
5505	----	----	14.90B/11.70A	14.90B/11.70A	----	13.60 + 1.10	.0642	----	----	----	----	6 UNCH
5510	----	----	14.70B/11.60A	14.70B/11.60A	----	13.40 + 1.10	.0633	----	----	----	----	13 UNCH
5515	----	----	14.50B/11.40A	14.50B/11.40A	----	13.30 + 1.10	.0628	----	----	----	----	17 UNCH
5520	----	----	14.30B/11.30A	14.30B/11.30A	----	13.10 + 1.10	.0619	----	----	----	----	12 UNCH
5525	----	----	14.20B/11.20A	14.20B/11.20A	----	12.90 + 1.00	.0610	----	----	----	----	91 UNCH
5530	13.30	13.30	14.00B/11.10A	14.00B/11.10A	----	12.80 + 1.00	.0605	----	----	4	----	27 + 4
5535	----	----	13.80B/10.90A	13.80B/10.90A	----	12.60 + 1.00	.0596	----	----	----	----	12 UNCH
5540	----	----	13.60B/10.80A	13.60B/10.80A	----	12.50 + 1.00	.0591	----	----	----	----	16 UNCH
5545	----	----	13.50B/10.70A	13.50B/10.70A	----	12.30 + 1.00	.0582	----	----	----	----	17 UNCH
5550	----	----	13.30B/10.60A	13.30B/10.60A	----	12.20 + 1.00	.0577	----	----	----	----	202 UNCH
5555	----	----	13.20B/10.40A	13.20B/10.40A	----	12.10 + 1.00	.0572	----	----	----	----	34 UNCH
5560	----	----	13.00B/10.30A	13.00B/10.30A	----	11.90 + 0.90	.0563	----	----	----	----	23 UNCH
5565	----	----	12.80B/10.20A	12.80B/10.20A	----	11.80 + 1.00	.0558	----	----	----	----	12 UNCH
5570	----	----	12.70B/10.10A	12.70B/10.10A	----	11.60 + 0.90	.0550	----	----	----	----	4 UNCH
5575	----	----	12.50B/10.00A	12.50B/10.00A	----	11.50 + 0.90	.0544	----	----	1	----	31 UNCH
5580	----	----	12.40B/9.90A	12.40B/9.90A	----	11.40 + 0.90	.0539	----	----	----	----	7 UNCH
5585	----	----	12.30B/9.80A	12.30B/9.80A	----	11.20 + 0.80	.0531	----	----	----	----	19 UNCH
5590	----	----	12.00B/9.70A	12.00B/9.70A	----	11.10 + 0.90	.0526	----	----	----	----	5 UNCH
5595	----	----	12.00B/9.60A	12.00B/9.60A	----	11.00 + 0.90	.0521	----	----	----	----	19 UNCH
5600	----	----	11.70B/9.50A	11.70B/9.50A	----	10.90 + 0.90	.0515	----	----	4	----	2146 + 1
5605	----	----	11.70B/9.40A	11.70B/9.40A	----	10.70 + 0.80	.0507	----	----	----	----	32 UNCH
5610	----	----	11.50B/9.30A	11.50B/9.30A	----	10.60 + 0.80	.0502	----	----	----	----	5 UNCH
5620	----	----	11.20B/9.10A	11.20B/9.10A	----	10.40 + 0.80	.0492	----	----	----	----	5 UNCH
5625	----	----	11.10B/9.00A	11.10B/9.00A	----	10.30 + 0.80	.0487	----	----	1	----	9 + 1
5630	----	----	10.80B/8.90A	10.80B/8.90A	----	10.20 + 0.80	.0482	----	----	----	----	5 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 26

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
JUL26												
5635	----	----	10.80B/8.80A	10.80B/8.80A	----	10.10 + 0.80	.0477	----	----	----	----	12 UNCH
5640	----	----	10.50B/8.70A	10.50B/8.70A	----	9.90 + 0.70	.0469	----	----	----	----	8 UNCH
5650	----	----	10.30B/8.60A	10.30B/8.60A	----	9.70 + 0.70	.0459	----	----	1	----	394 UNCH
5660	----	----	10.10B/8.40A	10.10B/8.40A	----	9.50 + 0.70	.0450	----	----	----	----	7 UNCH
5670	----	----	9.80B/8.20A	9.80B/8.20A	----	9.30 + 0.70	.0440	----	----	----	----	11 UNCH
5675	----	----	9.70B/8.20A	9.70B/8.20A	----	9.20 + 0.60	.0435	----	----	1	----	7 + 1
5680	----	----	9.60B/8.10A	9.60B/8.10A	----	9.10 + 0.60	.0430	----	----	----	----	6 UNCH
5690	----	----	9.40B/7.90A	9.40B/7.90A	----	9.00 + 0.70	.0424	----	----	----	----	21 UNCH
5700	----	----	9.30B/7.80A	9.30B/7.80A	----	8.80 + 0.70	.0415	----	----	1	----	959 UNCH
5710	----	----	9.10B/7.60A	9.10B/7.60A	----	8.60 + 0.60	.0406	----	----	----	----	22 UNCH
5720	----	----	8.90B/7.50A	8.90B/7.50A	----	8.40 + 0.60	.0396	----	----	1	----	17 UNCH
5725	----	----	8.80B/7.40A	8.80B/7.40A	----	8.40 + 0.60	.0395	----	----	----	----	57 UNCH
5730	----	----	8.70B/7.40A	8.70B/7.40A	----	8.30 + 0.60	.0390	----	----	----	----	9 UNCH
5740	----	----	8.60B/7.20A	8.60B/7.20A	----	8.10 + 0.60	.0381	----	----	----	----	9 UNCH
5750	----	----	8.40B/7.10A	8.40B/7.10A	----	8.00 + 0.60	.0376	----	----	----	----	989 UNCH
5760	----	----	8.10B/7.00A	8.10B/7.00A	----	7.80 + 0.50	.0367	----	----	----	----	168 UNCH
5770	----	----	8.00B/6.90A	8.00B/6.90A	----	7.70 + 0.60	.0361	----	----	1	----	4 UNCH
5775	----	----	8.00B/6.80A	8.00B/6.80A	----	7.60 + 0.50	.0356	----	----	----	----	215 UNCH
5780	----	----	7.90B/6.80A	7.90B/6.80A	----	7.60 + 0.60	.0355	----	----	----	----	2 UNCH
5790	----	----	7.80B/6.70A	7.80B/6.70A	----	7.40 + 0.50	.0347	----	----	----	----	9 UNCH
5800	----	----	7.70B/6.60A	7.70B/6.60A	----	7.30 + 0.50	.0341	----	----	1	----	810 + 1
5810	----	----	7.50B/6.50A	7.50B/6.50A	----	7.20 + 0.60	.0336	----	----	----	----	11 UNCH
5820	----	----	7.30B/6.40A	7.30B/6.40A	----	7.10 + 0.60	.0330	----	----	----	----	207 UNCH
5825	----	----	7.20B/6.30A	7.20B/6.30A	----	7.00 + 0.50	.0326	----	----	----	----	19 UNCH
5830	----	----	7.10B/6.30A	7.10B/6.30A	----	6.90 + 0.50	.0322	----	----	----	----	1 UNCH
5840	----	----	7.00B/6.20A	7.00B/6.20A	----	6.80 + 0.50	.0317	----	----	----	----	102 UNCH
5850	----	----	6.90B/6.10A	6.90B/6.10A	----	6.70 + 0.50	.0311	----	----	----	----	109 UNCH
5860	6.20	6.20	6.80/6.00A	6.80/6.00A	----	6.60 + 0.50	.0306	----	----	2	----	100 + 2
5870	----	----	6.70B/5.90A	6.70B/5.90A	----	6.50 + 0.50	.0301	----	----	----	----	9 UNCH
5875	----	----	6.60B/5.90A	6.60B/5.90A	----	6.50 + 0.50	.0300	----	----	----	----	22 UNCH
5880	----	----	6.50B/5.80A	6.50B/5.80A	----	6.40 + 0.50	.0296	----	----	----	----	11 UNCH
5890	----	----	6.40B/5.70A	6.40B/5.70A	----	6.30 + 0.50	.0291	----	----	----	----	9 UNCH
5900	6.20	6.20	6.30B/6.20	6.30B/5.70A	----	6.20 + 0.50	.0286	----	----	2	----	429 + 1
5910	----	----	6.20B/----	6.20B/5.60A	----	6.20 + 0.60	.0285	----	----	----	----	6 UNCH
5920	5.90	5.90	6.10B/5.90	6.10B/5.50A	----	6.10 + 0.60	.0280	----	----	4	----	25 UNCH
5925	----	----	6.10B/----	6.10B/5.50A	----	6.00 + 0.50	.0275	----	----	----	----	6 UNCH
5940	----	----	5.90B/----	5.90B/5.40A	----	5.90 + 0.50	.0270	----	----	----	----	2 UNCH
5950	----	----	5.80B/----	5.80B/5.30A	----	5.80 + 0.50	.0265	----	----	13	----	18 + 13
5960	----	----	5.70B/----	5.70B/5.20A	----	5.70 + 0.50	.0260	----	----	----	----	15 UNCH
5970	----	----	5.70B/----	5.70B/5.20A	----	5.70 + 0.50	.0259	----	----	----	----	55 UNCH
5980	----	----	5.50B/----	5.50B/5.10A	----	5.60 + 0.50	.0254	----	----	----	----	3 UNCH
5990	5.90	5.90	5.90/5.90	5.90/5.10A	----	5.50 + 0.50	.0250	----	----	1	----	70 UNCH
6000	----	----	5.40B/----	5.40B/5.00A	----	5.40 + 0.40	.0245	----	----	24	----	2184 - 7
6025	----	----	5.20B/----	5.20B/4.90A	----	5.20 + 0.40	.0235	----	----	----	----	30 UNCH
6050	----	----	5.10B/----	5.10B/4.70A	----	5.10 + 0.40	.0229	----	----	----	----	40 UNCH
6075	----	----	4.80B/----	4.80B/4.60A	----	4.90 + 0.40	.0219	----	----	----	----	90 UNCH
6100	----	----	4.60B/----	4.60B/4.50A	----	4.70 + 0.30	.0210	----	----	3	----	295 + 1
6125	----	----	4.50B/----	4.50B/4.40A	----	4.60 + 0.30	.0204	----	----	----	----	59 UNCH
6150	----	----	4.30B/----	4.30B/4.30A	----	4.40 + 0.20	.0195	----	----	----	----	881 UNCH
6175	----	----	4.20B/----	4.20B/4.20A	----	4.30 + 0.30	.0190	----	----	----	----	37 UNCH
6200	----	----	4.10B/----	4.10B/4.10A	----	4.20 + 0.30	.0184	----	----	6	----	550 - 6
6225	----	----	4.00B/----	4.00B/4.00A	----	4.10 + 0.30	.0179	----	----	----	----	22 UNCH
6250	----	----	3.80B/----	3.80B/3.90A	----	4.00 + 0.30	.0174	----	----	----	----	394 UNCH
6275	----	----	----	3.70B/3.80A	----	3.90 + 0.20	.0169	----	----	----	----	3 UNCH
6300	----	----	----	3.60B/3.70A	----	3.80 + 0.20	.0164	----	----	5	----	336 - 5
6325	----	----	----	3.50B/3.60A	----	3.70 + 0.20	.0159	----	----	----	----	34 UNCH
6350	3.70	3.70	3.70/3.70	3.70/3.60A	----	3.60 + 0.20	.0154	----	----	6	----	26 - 6
6375	----	----	----	3.30B/3.50A	----	3.50 + 0.20	.0149	----	----	----	----	37 UNCH
6400	----	----	----	3.20B/3.40A	----	3.40 + 0.10	.0144	----	----	16	----	183 UNCH
6425	----	----	----	3.20B/3.30A	----	3.30 + 0.10	.0139	----	----	----	----	17 UNCH
6450	----	----	3.20B/----	3.20B/3.30A	----	3.30 + 0.20	.0138	----	----	----	----	48 UNCH
6475	----	----	3.10B/----	3.10B/3.20A	----	3.20 + 0.20	.0134	----	----	----	----	14 UNCH
6500	----	----	----	3.00B/3.10A	----	3.10 + 0.10	.0129	----	----	----	----	651 UNCH
6525	----	----	3.00B/----	3.00B/3.10A	----	3.00 + 0.10	.0125	----	----	----	----	132 UNCH
6550	----	----	----	2.90B/3.00A	----	3.00 + 0.10	.0124	----	----	----	----	1 UNCH
6575	----	----	2.90B/----	2.90B/2.90A	----	2.90 + 0.10	.0119	----	----	----	----	4 UNCH
6600	----	----	2.80B/----	2.80B/2.90A	----	2.80 + 0.10	.0115	----	----	----	----	27 UNCH
6650	----	----	2.70B/----	2.70B/2.70A	----	2.70 + 0.10	.0110	----	----	----	----	16 UNCH
6675	----	----	----	2.60B/2.60A	----	2.70 + 0.10	.0109	----	----	----	----	1 UNCH
6700	----	----	2.60B/----	2.60B/2.70A	----	2.60 + 0.10	.0105	----	----	----	----	127 UNCH
6775	----	----	2.50B/----	2.50B/2.50A	----	2.40 UNCH	.0096	----	----	----	----	1 UNCH
6800	----	----	----	2.40B/2.50A	----	2.40 UNCH	.0095	----	----	----	----	201 UNCH
6825	----	----	----	2.30B/2.40A	----	2.30 UNCH	.0091	----	----	----	----	19 UNCH
6850	----	----	----	2.30B/2.40A	----	2.30 UNCH	.0091	----	----	----	----	201 UNCH
6875	----	----	2.30B/----	2.30B/2.40A	----	2.20 UNCH	.0087	----	----	----	----	22 UNCH
6900	----	----	2.30B/----	2.30B/2.30A	----	2.20 UNCH	.0086	----	----	----	----	19 UNCH
6925	----	----	2.20B/----	2.20B/2.30A	----	2.20 + 0.10	.0086	----	----	----	----	1 UNCH
6950	----	----	2.20B/----	2.20B/2.20A	----	2.10 UNCH	.0082	----	----	----	----	22 UNCH
6975	----	----	----	2.10B/2.20A	----	2.10 UNCH	.0081	----	----	----	----	10 UNCH
7000	2.10	2.10	2.10/2.10	2.10/2.10	----	2.00 UNCH	.0077	----	----	6	----	1121 + 6
7050	----	----	----	2.00B/2.10A	----	2.00 UNCH	.0076	----	----	----	----	18 UNCH
7075	----	----	2.00B/----	2.00B/2.00A	----	1.90 UNCH	.0073	----	----	----	----	13 UNCH
7100	----	----	2.00B/----	2.00B/2.00A	----	1.90 UNCH	.0072	----	----	----	----	28 UNCH
7125	----	----	----	1.90B/2.00A	----	1.90 UNCH	.0072	----	----	----	----	1 UNCH
7150	----	----	----	1.90B/2.00A	----	1.80 - 0.10	.0068	----	----	----	----	19 UNCH
7175	----	----	1.90B/----	1.90B/1.90A	----	1.80 UNCH	.0068	----	----	----	----	1 UNCH
7200	----	----	----	1.80B/1.90A	----	1.80 UNCH	.0067	----	----	----	----	3 UNCH
7225	----	----	----	1.80B/1.90A	----	1.70 - 0.10	.0064	----	----	----	----	22 UNCH
7250	----	----	1.80B/----	1.80B/1.90A	----	1.70 UNCH	.0063	----	----	----	----	23 UNCH
7275	----	----	----	1.70B/1.80A	----	1.70 UNCH	.0063	----	----	----	----	14 UNCH
7300	1.70	1.70	1.70/1.70	1.70/1.70	----	1.70 UNCH	.0063	----	----	7	----	40 - 2
7350	----	----	----	1.70B/1.80A	----	1.60 - 0.10	.0059	----	----	----	----	8 UNCH
7400	----	----	----	1.60B/1.70A	----	1.60 UNCH	.0058	----	----	----	----	2 UNCH
7425	----	----	----	1.60B/1.60A	----	1.60 UNCH	.0058	----	----	----	----	19 UNCH
7450	----	----	----	1.50B/1.60A	----	1.50 - 0.10	.0055	----	----	----	----	28 UNCH
7475	----	----	----	1.50B/1.60A	----	1.50 - 0.10	.0054	----	----	----	----	9 UNCH
7500	----	----	----	1.50B/1.60A	----	1.50 - 0.10	.0054	----	----	----	----	300 UNCH
7525	----	----	----/1.50A	1.50B/1.50A	----	1.50 - 0.10	.0054	----	----	----	----	33 UNCH
7550	----	----	----/1.50A	1.40B/1.50A	----	1.50 - 0.10	.0053	----	----	----	----	50 UNCH
7575	----	----	----	1.40B/1.50A	----	1.50 UNCH	.0053	----	----	----	----	1 UNCH
7600	----	----	----	1.40B/1.50A	----	1.40 - 0.10	.0050	----	----	----	----	10 UNCH
7625	----	----	----	1.40B/1.50A	----	1.40 - 0.10	.0050	----	----	----	----	12 UNCH
7700	----	----	----	1.30B/1.50A	----	1.40 - 0.10	.0049	----	----	----	----	11 UNCH
7725	----	----	----	1.30B/1.50A	----	1.40 - 0.10	.0049	----	----	----	----	11 UNCH
7750	----	----	----	1.30B/1.50A	----	1.30 - 0.20	.0045	----	----	----	----	6 UNCH
7775	----	----	----	1.20B/1.50A	----	1.30 - 0.20	.0045	----	----	----	----	6 UNCH
7800	----	----	----	1.20B/1.40A	----	1.30 - 0.10	.0045	----	----	----	----	5 UNCH
7825	----	----	----	1.20B/1.40A	----	1.30 - 0.10	.0045	----	----	----	----	13 UNCH
7875	----	----	----	1.10B/1.40A	----	1.30 - 0.10	.0044	----	----	----	----	151 UNCH
7900	----	----	----	1.10B/1.40A	----	1.20 - 0.20	.0041	----	----	----	----	1 UNCH
8000	1.50	1.50	1.50/1.20A	1.50/1.20A	----	1.20 - 0.10	.0040	----	----	1	----	734 - 1
8100	----	----	----	1.00B/1.20A	----	1.10 - 0.10	.0037	----	----	----	----	7 UNCH
8300	----	----	----	0.80B/1.10A	----	1.00 - 0.10	.0033	----	----	----	----	4 UNCH
8500	----	----	----	0.70B/1.00A	----	0.80 - 0.20	.0026	----	----	----	----	30 UNCH
8600	----	----	----	0.70B/0.90A	----	0.80 - 0.10	.0026	----	----	----	----	1 UNCH
8700	----	----	----	0.60B/0.90A	----	0.80 - 0.10	.0025	----	----	----	----	24 UNCH
8800	----	----	----	0.60B/0.80A	----	0.70 - 0.10	.0022	----	----	----	----	7 UNCH
9000	0.70	0.70	0.70/*0.70	0.70/*0.70	----	0.70 UNCH	.0022	----	----	6	----	241 + 6
9200	----	----	----	0.40B/0.70A	----	0.60 - 0.10	.0018	----	----	----	----	11 UNCH
9300	----	----	----	0.40B/*0.60A	----	0.60 UNCH	.0018	----	----	----	----	4 UNCH
9400	----	----	----	0.40B/0.60A	----	0.50 - 0.10	.0015	----	----	----	----	141 UNCH
9500	----	----	----	0.30B/0.60A	----	0.50 - 0.10	.0015	----	----	----	----	66 UNCH
9900	----	----	----	0.20B/0.50A	----	0.40 - 0.10	.0012	----	----	----	----	5 UNCH
10000	----	----	----	0.20B/0.50A	----	0.40 UNCH	.0012	----	----	----	----	173 UNCH
10100	----	----	----	0.20B/0.50A	----	0.40 UNCH	.0011	----	----	----	----	12 UNCH
11000	0.20	0.20	0.20/*0.20	0.20/*0.20	----	0.20 - 0.10	.0005	----	----	5	----	103 + 5
11200	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	13 UNCH
11500	----	----	----	0.10B/*0.20A	----	0.20 UNCH	.0005	----	----	----	----	47 UNCH
11600	----	----	----	----/0.30A	----	0.20 UNCH	.0005	----	----	----	----	50 UNCH
12000	----	----	----	----/0.20A	----	0.10 UNCH	.0002	----	----	----	----	217 UNCH
TOTAL										1635	360	60116 + 420
AUG26												
3100	----	----	1,596.00B/1,541	1596.00B/1541.70A	----	1580.10 + 15.30	.9888	----	----	----	----	0 - 25
3200	----	----	1,496.70B/1,441	1496.70B/1441.80A	----	1480.50 + 15.30	.9858	----	----	----	----	25 UNCH
3400	----	----	----	----	----	1282.20 + 14.90	.9776	----	----	----	----	1 UNCH
3500	----	----	1,200.20B/1,144	1200.20B/1144.90A	----	1183.60 + 14.60	.9720	----	----	----	----	46 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 27

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
3505	----	----	1,195.20B/1,140	1195.20B/1140.10A	----	1178.70 + 14.60	.9716	----	----	----	----	4 UNCH
3520	----	----	1,180.50B/1,125	1180.50B/1125.40A	----	1164.00 + 14.60	.9706	----	----	----	----	65 UNCH
3550	----	----	1,152.70B/1,094	1152.70B/1094.70A	----	1134.60 + 14.60	.9686	----	----	----	----	310 UNCH
3600	----	----	1,106.30B/1,044	1106.30B/1044.70A	----	1085.70 + 14.50	.9646	----	----	----	----	1045 UNCH
3610	----	----	1,092.70B/1,037	1092.70B/1037.60A	----	1075.90 + 14.40	.9636	----	----	----	----	6 UNCH
3650	----	----	1,053.80B/998.9	1053.80B/998.90A	----	1037.00 + 14.40	.9600	----	----	----	----	4 UNCH
3660	----	----	----	----	----	1027.30 + 14.40	.9590	----	----	----	----	1 UNCH
3685	----	----	----	----	----	1003.10 + 14.40	.9562	----	----	----	----	1 UNCH
3700	----	----	1,005.50B/950.7	1005.50B/950.70A	----	988.60 + 14.40	.9545	----	----	----	----	40 UNCH
3715	----	----	991.00B/936.30A	991.00B/936.30A	----	974.10 + 14.30	.9527	----	----	----	----	30 UNCH
3720	----	----	----	----	----	969.30 + 14.30	.9523	----	----	----	----	1 UNCH
3735	----	----	----	----	----	954.80 + 14.20	.9503	----	----	----	----	1 UNCH
3750	----	----	957.40B/902.90A	957.40B/902.90A	----	940.40 + 14.20	.9485	----	----	----	----	8 UNCH
3775	----	----	933.50B/879.00A	933.50B/879.00A	----	916.50 + 14.20	.9449	----	----	----	----	4 UNCH
3780	----	----	928.70B/874.30A	928.70B/874.30A	----	911.70 + 14.10	.9442	----	----	----	----	10 UNCH
3790	----	----	919.20B/864.90A	919.20B/864.90A	----	902.20 + 14.20	.9428	----	----	----	----	67 UNCH
3800	----	----	911.10B/854.20A	911.10B/854.20A	----	892.60 + 14.10	.9411	----	----	----	----	303 UNCH
3820	----	----	890.70B/836.50A	890.70B/836.50A	----	873.60 + 14.00	.9381	----	----	----	----	3 UNCH
3840	----	----	----	----	----	854.70 + 14.00	.9347	----	----	----	----	1 UNCH
3850	----	----	862.30B/808.40A	862.30B/808.40A	----	845.20 + 13.90	.9330	----	----	----	----	12 UNCH
3885	----	----	----	----	----	812.30 + 13.80	.9265	----	----	----	----	2 UNCH
3890	----	----	----	----	----	807.70 + 13.90	.9255	----	----	----	----	2 UNCH
3900	----	----	815.40B/761.80A	815.40B/761.80A	----	798.30 + 13.80	.9233	----	----	----	----	146 UNCH
3920	----	----	----	578.20B/885.20A	----	779.70 + 13.70	.9191	----	----	----	----	1 UNCH
3925	----	----	792.10B/738.80A	792.10B/738.80A	----	775.00 + 13.60	.9181	----	----	----	----	10 UNCH
3950	----	----	769.00B/715.80A	769.00B/715.80A	----	751.90 + 13.60	.9124	----	----	----	----	106 UNCH
3955	----	----	764.40B/711.30A	764.40B/711.30A	----	747.30 + 13.50	.9111	----	----	----	----	7 UNCH
3975	----	----	746.70B/693.10A	746.70B/693.10A	----	728.90 + 13.40	.9064	----	----	----	----	200 UNCH
3995	----	----	728.40B/675.10A	728.40B/675.10A	----	710.70 + 13.40	.9011	----	----	----	----	30 UNCH
4000	----	----	726.20B/668.30A	726.20B/668.30A	----	706.10 + 13.30	.8997	----	----	5	----	723 UNCH
4005	----	----	----	570.30B/808.80A	----	701.60 + 13.30	.8984	----	----	----	----	1 UNCH
4015	----	----	710.20B/657.20A	710.20B/657.20A	----	692.50 + 13.20	.8956	----	----	----	----	12 UNCH
4025	----	----	701.10B/648.30A	701.10B/648.30A	----	683.50 + 13.20	.8928	----	----	----	----	174 UNCH
4045	----	----	683.10B/630.70A	683.10B/630.70A	----	665.60 + 13.10	.8868	----	----	----	----	30 UNCH
4050	----	----	678.60B/626.30A	678.60B/626.30A	----	661.10 + 13.10	.8853	----	----	----	----	100 UNCH
4055	----	----	674.20B/621.90A	674.20B/621.90A	----	656.60 + 13.00	.8838	----	----	----	----	100 UNCH
4075	----	----	656.30B/604.40A	656.30B/604.40A	----	638.90 + 13.00	.8773	----	----	----	----	3 UNCH
4080	----	----	----	503.70B/743.00A	----	634.40 + 12.90	.8758	----	----	----	----	1 UNCH
4100	----	----	634.20B/582.90A	634.20B/582.90A	----	616.90 + 12.80	.8690	----	----	----	----	73 UNCH
4110	----	----	625.40B/574.40A	625.40B/574.40A	----	608.10 + 12.70	.8655	----	----	----	----	19 UNCH
4135	----	----	603.50B/553.10A	603.50B/553.10A	----	586.40 + 12.50	.8562	----	----	----	----	20 UNCH
4140	----	----	----	451.90B/694.70A	----	582.10 + 12.50	.8544	----	----	----	----	1 UNCH
4150	----	----	590.60B/540.50A	590.60B/540.50A	----	573.60 + 12.50	.8505	----	----	----	----	40 UNCH
4165	----	----	----	430.60B/674.90A	----	560.80 + 12.40	.8445	----	----	----	----	1 UNCH
4195	----	----	552.70B/503.30A	552.70B/503.30A	----	535.50 + 12.20	.8319	----	----	----	----	3 UNCH
4200	----	----	548.50B/499.20A	548.50B/499.20A	----	531.30 + 12.10	.8297	----	----	----	----	75 UNCH
4215	----	----	----	387.80B/636.00A	----	518.90 + 12.10	.8230	----	----	----	----	1 UNCH
4220	----	----	531.70B/483.00A	531.70B/483.00A	----	514.70 + 11.90	.8208	----	----	----	----	16 UNCH
4225	----	----	527.60B/479.00A	527.60B/479.00A	----	510.60 + 11.90	.8184	----	----	----	----	102 UNCH
4235	----	----	----	371.10B/620.70A	----	502.40 + 11.80	.8139	----	----	----	----	1 UNCH
4250	----	----	507.00B/459.20A	507.00B/459.20A	----	490.20 + 11.70	.8067	----	----	----	----	71 UNCH
4265	----	----	494.90B/447.40A	494.90B/447.40A	----	478.20 + 11.70	.7993	----	----	----	----	77 UNCH
4285	----	----	478.40B/432.00A	478.40B/432.00A	----	462.30 + 11.50	.7891	----	----	----	----	8 UNCH
4300	----	----	466.90B/420.60A	466.90B/420.60A	----	450.50 + 11.40	.7812	----	----	----	----	42 UNCH
4320	----	----	----	302.90B/555.60A	----	435.00 + 11.30	.7703	----	----	----	----	2 UNCH
4325	----	----	447.30B/401.90A	447.30B/401.90A	----	431.20 + 11.30	.7676	----	----	----	----	6 UNCH
4330	----	----	443.50B/398.20A	443.50B/398.20A	----	427.30 + 11.20	.7647	----	----	----	----	201 UNCH
4350	----	----	430.10B/381.50A	430.10B/381.50A	----	412.20 + 11.10	.7533	----	----	----	----	774 UNCH
4360	----	----	----	272.50B/525.50A	----	404.70 + 10.90	.7474	----	----	----	----	1 UNCH
4375	----	----	409.30B/353.50A	409.30B/353.50A	----	393.70 + 10.90	.7385	----	----	----	----	3 UNCH
4385	----	----	401.90B/346.60A	401.90B/346.60A	----	386.40 + 10.90	.7324	----	----	----	----	100 UNCH
4390	----	----	----/343.20A	353.90B/343.20A	----	382.70 + 10.70	.7293	----	----	----	----	1 UNCH
4400	----	----	391.70B/336.40A	391.70B/336.40A	----	375.50 + 10.70	.7231	----	----	----	----	326 UNCH
4420	----	----	376.40B/323.00A	376.40B/323.00A	----	361.40 + 10.60	.7103	----	----	----	----	50 UNCH
4425	----	----	372.90B/319.70A	372.90B/319.70A	----	357.90 + 10.60	.7071	----	----	----	----	5 UNCH
4440	----	----	357.70B/310.00A	357.70B/310.00A	----	347.50 + 10.40	.6972	----	----	----	----	1 UNCH
4450	----	----	359.20B/301.00A	359.20B/301.00A	----	340.70 + 10.40	.6906	----	----	----	----	6 UNCH
4455	----	----	356.20B/297.90A	356.20B/297.90A	----	337.30 + 10.40	.6872	----	----	----	----	2 UNCH
4460	298.10	298.10	352.40B/291.90A	352.40B/291.90A	----	333.90 + 10.30	.6838	----	----	1	----	5 UNCH
4465	----	----	348.90B/291.70A	348.90B/291.70A	----	330.60 + 10.30	.6804	----	----	----	----	9 UNCH
4470	----	----	345.80B/285.90A	345.80B/285.90A	----	327.20 + 10.20	.6769	----	----	----	----	7 UNCH
4475	----	----	342.90B/285.50A	342.90B/285.50A	----	323.90 + 10.20	.6735	----	----	----	----	29 UNCH
4485	----	----	335.40B/279.60A	335.40B/279.60A	----	317.40 + 10.10	.6666	----	----	----	----	5 UNCH
4490	----	----	332.20B/276.80A	332.20B/276.80A	----	314.10 + 10.00	.6631	----	----	----	----	1 UNCH
4500	----	----	326.00B/270.50A	326.00B/270.50A	----	307.70 + 10.00	.6560	----	----	----	----	807 UNCH
4535	----	----	303.20B/244.00A	303.20B/244.00A	----	285.90 + 9.80	.6308	----	----	----	----	10 UNCH
4540	----	----	299.70B/241.50A	299.70B/241.50A	----	282.80 + 9.70	.6271	----	----	----	----	5 UNCH
4545	----	----	296.90B/238.50A	296.90B/238.50A	----	279.80 + 9.70	.6235	----	----	----	----	1 UNCH
4550	----	----	294.20B/236.30A	294.20B/236.30A	----	276.80 + 9.60	.6198	----	----	----	----	22 UNCH
4555	----	----	290.70B/234.60A	290.70B/234.60A	----	273.80 + 9.50	.6161	----	----	----	----	1 UNCH
4560	----	----	288.10B/230.40A	288.10B/230.40A	----	270.90 + 9.60	.6124	----	----	----	----	53 UNCH
4565	----	----	284.60B/227.80A	284.60B/227.80A	----	268.00 + 9.50	.6086	----	----	----	----	1 UNCH
4570	----	----	281.50B/225.10A	281.50B/225.10A	----	265.00 + 9.40	.6049	----	----	----	----	1 UNCH
4575	----	----	279.10B/221.90A	279.10B/221.90A	----	262.10 + 9.40	.6011	----	----	----	----	41 UNCH
4580	----	----	276.10B/219.50A	276.10B/219.50A	----	259.30 + 9.40	.5974	----	----	2	----	200 UNCH
4585	----	----	272.60B/216.60A	272.60B/216.60A	----	256.40 + 9.30	.5936	----	----	----	----	2 UNCH
4590	----	----	270.20B/213.70A	270.20B/213.70A	----	253.60 + 9.30	.5898	----	----	----	----	112 UNCH
4595	----	----	266.80B/211.60A	266.80B/211.60A	----	250.80 + 9.20	.5860	----	----	----	----	9 UNCH
4600	----	----	264.50B/208.80A	264.50B/208.80A	----	248.00 + 9.10	.5823	----	----	----	----	267 UNCH
4605	----	----	261.10B/206.80A	261.10B/206.80A	----	245.20 + 9.00	.5785	----	----	----	----	3 UNCH
4615	----	----	255.40B/202.40A	255.40B/202.40A	----	239.70 + 8.90	.5708	----	----	----	----	7 UNCH
4620	----	----	252.60B/199.10A	252.60B/199.10A	----	237.00 + 8.80	.5670	----	----	----	----	5 UNCH
4625	----	----	249.80B/197.20A	249.80B/197.20A	----	234.30 + 8.70	.5632	----	----	----	----	13 UNCH
4630	----	----	247.40B/194.50A	247.40B/194.50A	----	231.70 + 8.70	.5593	----	----	----	----	10 UNCH
4640	----	----	241.50B/189.70A	241.50B/189.70A	----	226.40 + 8.60	.5516	----	----	----	----	11 UNCH
4650	----	----	236.70B/185.10A	236.70B/185.10A	----	221.20 + 8.40	.5439	----	----	20	----	269 - 6
4655	----	----	234.00B/182.80A	234.00B/182.80A	----	218.70 + 8.40	.5401	----	----	----	----	1 UNCH
4660	----	----	231.50B/180.70A	231.50B/180.70A	----	216.20 + 8.30	.5362	----	----	3	----	4 + 2
4665	----	----	228.70B/178.40A	228.70B/178.40A	----	213.70 + 8.30	.5323	----	----	----	----	16 UNCH
4670	191.10	191.10	226.10B/176.10A	226.10B/176.10A	----	211.20 + 8.20	.5285	----	----	1	----	30 + 1
4675	----	----	223.70B/174.10A	223.70B/174.10A	----	208.70 + 8.10	.5246	----	----	----	----	36 UNCH
4680	----	----	220.80B/172.00A	220.80B/172.00A	----	206.30 + 8.00	.5207	----	----	----	----	7 UNCH
4685	----	----	218.50B/170.00A	218.50B/170.00A	----	203.80 + 7.90	.5168	----	----	----	----	200 UNCH
4690	----	----	216.00B/167.70A	216.00B/167.70A	----	201.50 + 7.90	.5130	----	----	----	----	8 UNCH
4695	200.60	200.60	213.60B/165.90A	213.60B/165.90A	----	199.10 NEW	.5091	----	----	4	----	4 + 4
4700	198.30	198.30	211.40B/163.50A	211.40B/163.50A	----	196.70 + 7.70	.5053	----	----	1	200	2208 + 200
4705	----	----	208.30B/161.80A	208.30B/161.80A	----	194.40 + 7.70	.5014	----	----	----	----	20 UNCH
4710	195.70	195.70	206.30B/159.80A	206.30B/159.80A	----	192.10 + 7.60	.4975	----	----	6	----	22 + 5
4715	----	----	203.90B/157.70A	203.90B/157.70A	----	189.80 + 7.50	.4937	----	----	----	----	1 UNCH
4720	----	----	201.50B/155.90A	201.50B/155.90A	----	187.60 + 7.50	.4899	----	----	----	----	60 UNCH
4725	----	----	198.90B/153.90A	198.90B/153.90A	----	185.30 + 7.40	.4860	----	----	26	----	30 + 14
4730	----	----	196.80B/152.00A	196.80B/152.00A	----	183.10 + 7.40	.4822	----	----	----	----	4 UNCH
4735	----	----	194.20B/150.10A	194.20B/150.10A	----	181.00 + 7.40	.4784	----	----	----	----	2 UNCH
4745	----	----	190.20B/146.50A	190.20B/146.50A	----	176.70 + 7.30	.4708	----	----	----	----	52 UNCH
4750	176.40	176.40	188.00B/144.50A	188.00B/144.50A	----	174.60 + 7.30	.4670	----	----	82	----	300 + 37
4755	----	----	185.80B/142.80A	185.80B/142.80A	----	172.50 + 7.30	.4632	----	----	----	----	31 UNCH
4760	----	----	183.60B/140.90A	183.60B/140.90A	----	170.40 + 7.20	.4594	----	----	----	----	31 UNCH
4765	----	----	181.30B/139.10A	181.30B/139.10A	----	168.40 + 7.20	.4556	----	----	----	----	6 UNCH
4770	----	----	179.20B/137.30A	179.20B/137.30A	----	166.40 + 7.20	.4519	----	----	----	----	250 UNCH
4775	----	----	176.80B/135.80A	176.80B/135.80A	----	164.40 + 7.20	.4481	----	----	----	----	21 UNCH
4780	----	----	174.80B/134.00A	174.80B/134.00A	----	162.40 + 7.10	.4444	----	----	----	----	13 UNCH
4785	----	----	172.90B/132.30A	172.90B/132.30A	----	160.50 + 7.20	.4407	----	----	----	----	2 UNCH
4790	----	----	170.50B/131.30A	170.50B/131.30A	----	158.60 + 7.20	.4370	----	----	----	----	27 UNCH
4795	----	----	168.80B/129.10A	168.80B/129.10A	----	156.60 + 7.10	.4333	----	----	----	----	106 UNCH
4800	130.00	130.00	166.70B/127.90A	166.70B/127.90A	----	154.80 + 7.10	.4296	----	----	19	160	1895 - 10
4805	----	----	164.60B/126.30A	164.60B/126.30A	----	152.90 + 7.10	.4259	----	----	----	----	14 UNCH
4810	----	----	162.80B/124.80A	162.80B/124.80A	----	151.10 + 7.10	.4223	----	----	----	----	24 UNCH
4815	----	----	160.80B/123.20A	160.80B/123.20A	----	149.20 + 7.00	.4186	----	----	----	----	3 UNCH
4820	----	----	158.70B/121.10A	158.70B/121.10A	----	147.40 + 7.00	.4150	----	----	----	----	22 UNCH
4825	----	----	156.90B/119.50A	156.90B/119.50A	----	145.60 + 7.00	.4114	----	----	----	----	83 UNCH
4830	143.00	143.00	155.10B/117.80A	155.10B/117.80A	----	143.90 + 7.00	.4078	----	----	11	----	22 + 7
4835	----	----	153.10B/117.00A	153.10B/117.00A	----	142.10 + 6.90	.4042	----	----	----	----	38 UNCH
4840	----	----	151.40B/115.50A	151.40B/115.50A	----	140.40 + 6.90	.4007	----	----	----	----	25 UNCH
4850	----	----	147.50B/112.20A	147.50B/112.20A	----	136.90 + 6.80	.3935	----	----	100	----	189 + 100
4860	----	----	144.00B/109.70A	144.00B/109.70A	----	133.60 + 6.70	.3866	----	----	----	----	30 UNCH
4865	----	----	142.20B/108.30A	142.20B/108.30A	----	131.90 + 6.60	.3830	----	----	----	----	11 UNCH
4870	----	----	140.40B/106.90A	140.40B/106.90A	----	130.30 + 6.60	.3796	----	----	----	----	23 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
4875	----	----	138.80B/105.20A	138.80B/105.20A	----	128.70 + 6.60	.3761	----	----	----	----	147 UNCH
4880	----	----	137.20B/104.30A	137.20B/104.30A	----	127.10 + 6.50	.3727	----	----	----	----	142 UNCH
4885	----	----	135.30B/102.50A	135.30B/102.50A	----	125.50 + 6.50	.3693	----	----	----	----	21 UNCH
4890	----	----	133.80B/101.80A	133.80B/101.80A	----	123.90 + 6.40	.3658	----	----	----	----	8 UNCH
4895	----	----	132.10B/100.50A	132.10B/100.50A	----	122.40 + 6.40	.3625	----	----	----	----	29 UNCH
4900	112.20	112.20	130.70B/99.10A	130.70B/99.10A	----	120.90 + 6.30	.3591	----	----	50	----	593 - 10
4905	----	----	129.10B/97.80A	129.10B/97.80A	----	119.40 + 6.30	.3558	----	----	----	----	15 UNCH
4910	----	----	127.30B/96.60A	127.30B/96.60A	----	117.90 + 6.30	.3524	----	----	----	----	7 UNCH
4920	----	----	124.10B/94.20A	124.10B/94.20A	----	115.00 + 6.20	.3459	----	----	----	----	3 UNCH
4925	----	----	122.80B/92.50A	122.80B/92.50A	----	113.60 + 6.20	.3426	----	----	----	----	125 UNCH
4930	----	----	121.30B/91.90A	121.30B/91.90A	----	112.20 + 6.20	.3394	----	----	----	----	25 UNCH
4935	----	----	119.60B/90.70A	119.60B/90.70A	----	110.80 + 6.10	.3362	----	----	----	----	1 UNCH
4940	112.20	112.20	118.10B/89.40A	118.10B/89.40A	----	109.40 + 6.10	.3330	----	----	3	----	26 + 3
4945	----	----	116.80B/88.00A	116.80B/88.00A	----	108.00 + 6.00	.3297	----	----	----	----	23 UNCH
4950	106.30	106.30	115.20B/86.80A	115.20B/86.80A	----	106.70 + 6.00	.3266	----	----	102	----	218 + 101
4955	----	----	113.90B/85.70A	113.90B/85.70A	----	105.40 + 6.00	.3235	----	----	----	----	22 UNCH
4960	----	----	112.50B/84.60A	112.50B/84.60A	----	104.10 + 6.00	.3204	----	----	12	----	29 UNCH
4965	----	----	111.10B/83.60A	111.10B/83.60A	----	102.80 + 6.00	.3173	----	----	----	----	22 UNCH
4975	----	----	108.40B/81.40A	108.40B/81.40A	----	100.30 + 6.00	.3113	----	----	----	----	2 UNCH
4980	----	----	107.00B/80.40A	107.00B/80.40A	----	99.00 + 5.90	.3082	----	----	----	----	3 UNCH
4985	----	----	105.60B/79.40A	105.60B/79.40A	----	97.80 + 5.90	.3052	----	----	----	----	14 UNCH
4990	----	----	104.40B/78.40A	104.40B/78.40A	----	96.60 + 5.90	.3022	----	----	----	----	8 UNCH
4995	----	----	102.90B/77.40A	102.90B/77.40A	----	95.40 + 5.80	.2993	----	----	----	----	3 UNCH
5000	90.00	90.00	101.90B/76.30A	101.90B/76.30A	----	94.20 + 5.80	.2963	----	----	7	230	1631 + 236
5005	----	----	100.60B/75.40A	100.60B/75.40A	----	93.00 + 5.70	.2934	----	----	----	----	10 UNCH
5015	----	----	98.00B/73.80A	98.00B/73.80A	----	90.70 + 5.60	.2876	----	----	----	----	3 UNCH
5020	----	----	96.90B/72.70A	96.90B/72.70A	----	89.60 + 5.60	.2848	----	----	----	----	30 UNCH
5025	----	----	95.60B/71.70A	95.60B/71.70A	----	88.50 + 5.60	.2820	----	----	----	150	230 + 150
5030	----	----	94.50B/70.70A	94.50B/70.70A	----	87.30 + 5.40	.2791	----	----	----	400	193 - 70
5035	----	----	93.20B/70.20A	93.20B/70.20A	----	86.30 + 5.50	.2764	----	----	1	----	11 + 1
5040	----	----	92.10B/69.40A	92.10B/69.40A	----	85.20 + 5.40	.2736	----	----	----	----	3 UNCH
5045	----	----	91.00B/68.40A	91.00B/68.40A	----	84.10 + 5.30	.2708	----	----	----	----	22 UNCH
5050	----	----	89.90B/67.20A	89.90B/67.20A	----	83.10 + 5.30	.2681	----	----	72	----	276 + 11
5055	82.50	82.50	88.70B/66.50A	88.70B/66.50A	----	82.00 + 5.20	.2654	----	----	1	----	3 + 1
5060	----	----	87.60B/65.70A	87.60B/65.70A	----	81.00 + 5.20	.2627	----	----	----	----	11 UNCH
5065	----	----	86.70B/64.80A	86.70B/64.80A	----	80.00 + 5.20	.2601	----	----	----	----	43 UNCH
5070	----	----	85.60B/64.00A	85.60B/64.00A	----	79.00 + 5.10	.2574	----	----	----	----	7 UNCH
5075	----	----	84.50B/63.10A	84.50B/63.10A	----	78.00 + 5.00	.2548	----	----	----	----	204 UNCH
5080	----	----	83.40B/62.40A	83.40B/62.40A	----	77.10 + 5.00	.2523	----	----	----	----	21 UNCH
5085	----	----	82.30B/61.60A	82.30B/61.60A	----	76.10 + 5.00	.2497	----	----	----	100	103 + 90
5090	----	----	81.40B/60.90A	81.40B/60.90A	----	75.20 + 5.00	.2472	----	----	----	----	1 UNCH
5095	----	----	80.30B/60.10A	80.30B/60.10A	----	74.30 + 4.90	.2448	----	----	----	----	4 UNCH
5100	73.70	73.70	79.40B/59.20A	79.40B/59.20A	----	73.30 + 4.80	.2421	----	----	3	----	1369 + 3
5105	72.80	72.80	78.50B/58.70A	78.50B/58.70A	----	72.40 + 4.80	.2397	----	----	1	----	3 + 1
5110	57.70	57.70	77.50B/57.70	77.50B/57.70	----	71.50 + 4.70	.2372	----	----	1	----	7 + 1
5115	----	----	76.40B/57.30A	76.40B/57.30A	----	70.70 + 4.70	.2349	----	----	----	----	8 UNCH
5120	----	----	75.60B/56.60A	75.60B/56.60A	----	69.80 + 4.70	.2325	----	----	----	----	51 UNCH
5125	66.80	66.80	74.70B/55.90A	74.70B/55.90A	----	68.90 + 4.60	.2300	----	----	1	----	24 + 1
5130	68.40	68.40	73.80B/55.20A	73.80B/55.20A	----	68.10 + 4.60	.2277	----	----	1	----	2 UNCH
5135	----	----	72.70B/54.50A	72.70B/54.50A	----	67.30 + 4.60	.2255	----	----	----	----	4 UNCH
5140	----	----	72.00B/54.10A	72.00B/54.10A	----	66.50 + 4.50	.2232	----	----	----	----	12 UNCH
5145	----	----	71.10B/53.20A	71.10B/53.20A	----	65.60 + 4.40	.2208	----	----	----	----	14 UNCH
5150	----	----	70.20B/52.50A	70.20B/52.50A	----	64.90 + 4.50	.2187	----	----	----	----	93 UNCH
5155	----	----	69.40B/51.90A	69.40B/51.90A	----	64.10 + 4.40	.2164	----	----	----	----	18 UNCH
5160	----	----	68.40B/51.30A	68.40B/51.30A	----	63.30 + 4.30	.2142	----	----	----	----	13 UNCH
5165	----	----	67.70B/50.80A	67.70B/50.80A	----	62.50 + 4.30	.2119	----	----	----	----	2 UNCH
5170	----	----	66.90B/50.00A	66.90B/50.00A	----	61.80 + 4.30	.2098	----	----	----	----	6 UNCH
5175	----	----	66.00B/49.40A	66.00B/49.40A	----	61.00 + 4.20	.2076	----	----	----	----	325 UNCH
5185	----	----	64.50B/48.40A	64.50B/48.40A	----	59.60 + 4.20	.2034	----	----	----	----	2 UNCH
5190	57.00	57.00	63.70B/47.90A	63.70B/47.90A	----	58.90 + 4.10	.2014	----	----	2	----	6 + 2
5195	----	----	63.00B/47.40A	63.00B/47.40A	----	58.20 + 4.10	.1993	----	----	----	----	12 UNCH
5200	58.80	58.80	62.20B/46.50A	62.20B/46.50A	----	57.50 + 4.10	.1973	----	----	1	----	2762 - 1
5205	----	----	61.40B/46.00A	61.40B/46.00A	----	56.80 + 4.00	.1952	----	----	----	----	7 UNCH
5210	----	----	60.70B/45.50A	60.70B/45.50A	----	56.10 + 3.90	.1932	----	----	----	----	8 UNCH
5215	----	----	59.90B/45.10A	59.90B/45.10A	----	55.40 + 3.90	.1911	----	----	----	----	14 UNCH
5220	----	----	59.10B/44.40A	59.10B/44.40A	----	54.80 + 3.90	.1893	----	----	----	----	29 UNCH
5225	45.00	45.00	58.50B/43.90A	58.50B/43.90A	----	54.10 + 3.80	.1873	----	----	4	----	46 UNCH
5230	----	----	57.80B/43.50A	57.80B/43.50A	----	53.50 + 3.80	.1854	----	----	----	----	10 UNCH
5235	----	----	57.10B/42.90A	57.10B/42.90A	----	52.90 + 3.80	.1836	----	----	----	----	20 UNCH
5240	----	----	56.30B/42.50A	56.30B/42.50A	----	52.20 + 3.70	.1815	----	----	----	----	16 UNCH
5245	----	----	55.80B/42.00A	55.80B/42.00A	----	51.60 + 3.70	.1797	----	----	----	----	12 UNCH
5250	49.30	49.30	55.20B/41.50A	55.20B/41.50A	----	51.00 + 3.60	.1779	----	----	2	----	612 UNCH
5255	----	----	54.50B/40.90A	54.50B/40.90A	----	50.40 + 3.60	.1760	----	----	----	----	888 UNCH
5260	----	----	53.90B/40.60A	53.90B/40.60A	----	49.80 + 3.60	.1742	----	----	----	----	24 UNCH
5265	----	----	53.20B/40.10A	53.20B/40.10A	----	49.30 + 3.60	.1726	----	----	----	----	11 UNCH
5270	----	----	52.60B/39.50A	52.60B/39.50A	----	48.70 + 3.50	.1708	----	----	----	----	68 UNCH
5275	46.50	46.50	52.00B/39.20A	52.00B/39.20A	----	48.10 + 3.50	.1690	----	----	4	----	21 + 4
5280	38.30	38.30	51.20B/38.30	51.20B/38.30	----	47.60 + 3.50	.1674	----	----	1	----	207 UNCH
5285	----	----	50.60B/38.30A	50.60B/38.30A	----	47.00 + 3.40	.1655	----	----	----	----	32 UNCH
5290	----	----	50.20B/37.90A	50.20B/37.90A	----	46.50 + 3.40	.1639	----	----	----	----	16 UNCH
5295	----	----	49.40B/37.30A	49.40B/37.30A	----	45.90 + 3.30	.1621	----	----	----	----	6 UNCH
5300	46.60	46.60	48.90B/36.90A	48.90B/36.90A	----	45.40 + 3.30	.1605	----	----	24	----	887 UNCH
5305	----	----	48.50B/36.50A	48.50B/36.50A	----	44.90 + 3.30	.1590	----	----	----	----	11 UNCH
5310	----	----	47.90B/36.10A	47.90B/36.10A	----	44.40 + 3.30	.1574	----	----	----	----	105 UNCH
5320	----	----	46.80B/35.50A	46.80B/35.50A	----	43.40 + 3.20	.1542	----	----	----	----	17 UNCH
5325	----	----	46.00B/35.00A	46.00B/35.00A	----	42.90 + 3.20	.1526	----	----	----	----	23 UNCH
5330	----	----	45.60B/34.60A	45.60B/34.60A	----	42.40 + 3.20	.1510	----	----	----	----	3 UNCH
5335	----	----	45.20B/34.20A	45.20B/34.20A	----	41.90 + 3.10	.1495	----	----	----	----	1 UNCH
5345	----	----	44.00B/33.50A	44.00B/33.50A	----	41.00 + 3.10	.1465	----	----	----	----	2 UNCH
5350	----	----	43.50B/33.10A	43.50B/33.10A	----	40.50 + 3.00	.1450	----	----	----	----	8001 UNCH
5355	----	----	43.00B/32.70A	43.00B/32.70A	----	40.10 + 3.10	.1436	----	----	----	----	1 UNCH
5360	----	----	42.70B/32.50A	42.70B/32.50A	----	39.60 + 3.00	.1421	----	----	----	----	110 UNCH
5365	----	----	42.00B/32.10A	42.00B/32.10A	----	39.20 + 3.00	.1407	----	----	----	----	1 UNCH
5370	----	----	41.70B/31.80A	41.70B/31.80A	----	38.70 + 2.90	.1392	----	----	----	----	8003 UNCH
5375	----	----	41.10B/31.50A	41.10B/31.50A	----	38.30 + 2.90	.1378	----	----	----	----	14 UNCH
5380	----	----	40.80B/31.10A	40.80B/31.10A	----	37.90 + 2.90	.1365	----	----	----	----	3 UNCH
5400	31.90	31.90	39.00B/29.80A	39.00B/29.80A	----	36.20 + 2.70	.1310	----	----	3	160	2114 - 157
5405	----	----	38.50B/29.40A	38.50B/29.40A	----	35.80 + 2.70	.1297	----	----	----	----	7 UNCH
5410	----	----	38.10B/29.20A	38.10B/29.20A	----	35.40 + 2.70	.1284	----	----	----	----	6 UNCH
5420	----	----	37.20B/28.60A	37.20B/28.60A	----	34.70 + 2.70	.1260	----	----	----	----	8 UNCH
5425	33.20	33.20	36.70B/28.30A	36.70B/28.30A	----	34.30 + 2.60	.1247	----	----	5	----	15 + 1
5430	----	----	36.40B/27.90A	36.40B/27.90A	----	33.90 + 2.60	.1234	----	----	----	----	4 UNCH
5435	----	----	36.00B/27.80A	36.00B/27.80A	----	33.60 + 2.60	.1223	----	----	----	----	20 UNCH
5440	----	----	35.60B/27.40A	35.60B/27.40A	----	33.20 + 2.60	.1210	----	----	----	----	106 UNCH
5445	----	----	35.30B/27.20A	35.30B/27.20A	----	32.90 + 2.60	.1199	----	----	----	----	10 UNCH
5450	----	----	34.80B/26.90A	34.80B/26.90A	----	32.50 + 2.50	.1186	----	----	----	----	126 UNCH
5455	----	----	34.30B/26.70A	34.30B/26.70A	----	32.20 + 2.50	.1176	----	----	----	----	10 UNCH
5460	----	----	33.80B/26.40A	33.80B/26.40A	----	31.80 + 2.50	.1163	----	----	----	----	15 UNCH
5465	----	----	33.50B/26.20A	33.50B/26.20A	----	31.50 + 2.50	.1152	----	----	----	----	29 UNCH
5470	----	----	33.20B/25.90A	33.20B/25.90A	----	31.10 + 2.40	.1139	----	----	----	----	4 UNCH
5475	----	----	32.70B/25.60A	32.70B/25.60A	----	30.80 + 2.40	.1129	----	----	----	----	2 UNCH
5480	----	----	32.40B/25.40A	32.40B/25.40A	----	30.50 + 2.40	.1118	----	----	----	----	14 UNCH
5485	----	----	32.10B/25.10A	32.10B/25.10A	----	30.20 + 2.40	.1108	----	----	----	----	2 UNCH
5490	----	----	31.80B/24.90A	31.80B/24.90A	----	29.90 + 2.40	.1098	----	----	----	----	2 UNCH
5495	----	----	31.50B/24.50A	31.50B/24.50A	----	29.60 + 2.40	.1087	----	----	----	----	4 UNCH
5500	----	----	31.00B/24.30A	31.00B/24.30A	----	29.20 + 2.20	.1075	----	----	----	----	1236 UNCH
5505	----	----	30.70B/24.30A	30.70B/24.30A	----	28.90 + 2.20	.1064	----	----	----	----	9 UNCH
5510	----	----	30.50B/23.80A	30.50B/23.80A	----	28.60 + 2.20	.1054	----	----	----	----	8 UNCH
5515	28.30	28.30	30.10B/23.60A	30.10B/23.60A	----	28.40 + 2.30	.1046	----	----	10	----	12 + 10
5520	----	----	29.70B/23.40A	29.70B/23.40A	----	28.10 + 2.20	.1036	----	----	----	----	1 UNCH
5525	----	----	29.40B/23.40A	29.40B/23.40A	----	27.80 + 2.20	.1025	----	----	----	550	2229 + 550
5530	----	----	29.10B/23.50A	29.10B/23.50A	----	27.50 + 2.20	.1015	----	----	----	----	1 UNCH
5535	----	----	28.90B/23.30A	28.90B/23.30A	----	27.20 + 2.10	.1005	----	----	----	----	12 UNCH
5540	----	----	28.40B/23.10A	28.40B/23.10A	----	26.90 + 2.10	.0995	----	----	----	----	9 UNCH
5545	----	----	28.30B/22.90A	28.30B/22.90A	----	26.70 + 2.10	.0987	----	----	----	----	2 UNCH
5550	----	----	28.00B/22.20A	28.00B/22.20A	----	26.40 + 2.10	.0977	----	----	----	----	127 UNCH
5555	----	----	27.70B/22.50A	27.70B/22.50A	----	26.10 + 2.00	.0967	----	----	----	----	1 UNCH
5560	----	----	27.40B/22.30A	27.40B/22.30A	----	25.90 + 2.10	.0959	----	----	----	----	3 UNCH
5565	----	----	27.10B/21.90A	27.10B/21.90A	----	25.60 + 2.00	.0949	----	----	----	----	14 UNCH
5570	----	----	26.90B/21.70A	26.90B/21.70A	----	25.40 + 2.00	.0941	----	----	----	----	3 UNCH
5575	----	----	26.80B/21.60A	26.80B/21.60A	----	25.10 + 2.00	.0931	----	----	----	----	3 UNCH
5580	----	----	26.50B/21.40A	26.50B/21.40A	----	24.90 + 2.00	.0924	----	----	----	----	17 UNCH
5590	----	----	26.00B/21.10A	26.00B/21.10A	----	24.40 + 1.90	.0906	----	----	----	----	1 UNCH
5595	----	----	25.80B/20.90A	25.80B/20.90A	----	24.20 + 1.90	.0899	----	----	----	----	29 UNCH
5600	----	----	25.50B/20.70A	25.50B/20.70A	----	23.90 + 1.90	.0889	----	----	----	----	1124 UNCH
5605	----	----	25.30B/20.50A	25.30B/20.50A	----	23.70 + 1.90	.0881	----	----	----	----	7 UNCH
5610	----	----	25.00B/20.30A	25.00B/20.30A	----	23.50 + 1.90	.0874	----	----	----	----	11 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
AUG26												
5615	----	----	24.50B/20.10A	24.50B/20.10A	----	23.30 + 1.90	.0867	----	----	----	----	1 UNCH
5620	----	----	24.50B/20.10A	24.50B/20.10A	----	23.00 + 1.80	.0857	----	----	----	----	2 UNCH
5635	----	----	23.50B/19.40A	23.50B/19.40A	----	22.40 + 1.80	.0835	----	----	----	----	2 UNCH
5640	----	----	23.20B/19.30A	23.20B/19.30A	----	22.20 + 1.80	.0827	----	----	----	----	4 UNCH
5650	----	----	22.80B/18.90A	22.80B/18.90A	----	21.80 + 1.70	.0813	----	----	----	----	601 UNCH
5660	----	----	22.30B/18.60A	22.30B/18.60A	----	21.40 + 1.70	.0798	----	----	----	----	27 UNCH
5670	----	----	21.90B/18.30A	21.90B/18.30A	----	21.00 + 1.70	.0784	----	----	----	----	10 UNCH
5675	----	----	21.70B/18.20A	21.70B/18.20A	----	20.80 + 1.60	.0777	----	----	----	----	4 UNCH
5680	----	----	21.50B/18.00A	21.50B/18.00A	----	20.60 + 1.60	.0770	----	----	----	----	4 UNCH
5690	----	----	21.10B/17.80A	21.10B/17.80A	----	20.30 + 1.70	.0758	----	----	----	----	16 UNCH
5700	----	----	20.70B/17.50A	20.70B/17.50A	----	19.90 + 1.60	.0744	----	----	----	----	1674 UNCH
5710	----	----	20.30B/17.30A	20.30B/17.30A	----	19.60 + 1.60	.0732	----	----	----	----	7 UNCH
5720	----	----	20.00B/17.00A	20.00B/17.00A	----	19.20 + 1.50	.0718	----	----	----	----	13 UNCH
5725	----	----	19.70B/16.80A	19.70B/16.80A	----	19.00 + 1.50	.0711	----	----	----	----	1 UNCH
5730	----	----	19.60B/16.70A	19.60B/16.70A	----	18.90 + 1.50	.0707	----	----	----	----	15 UNCH
5750	----	----	18.90B/16.20A	18.90B/16.20A	----	18.20 + 1.40	.0681	----	----	----	----	300 UNCH
5775	----	----	18.10B/15.60A	18.10B/15.60A	----	17.50 + 1.40	.0655	----	----	----	----	2 UNCH
5800	----	----	17.30B/15.00A	17.30B/15.00A	----	16.80 + 1.30	.0628	----	----	----	----	1015 UNCH
5825	----	----	16.60B/14.50A	16.60B/14.50A	----	16.10 + 1.20	.0603	----	----	----	----	120 UNCH
5850	----	----	15.90B/14.00A	15.90B/14.00A	----	15.50 + 1.20	.0580	----	----	----	----	165 UNCH
5875	----	----	15.30B/13.60A	15.30B/13.60A	----	14.90 + 1.10	.0557	----	----	----	----	26 UNCH
5900	14.10	14.10	14.80B/13.10A	14.80B/13.10A	----	14.40 + 1.10	.0537	----	----	4	----	1496 UNCH
5925	----	----	14.20B/12.70A	14.20B/12.70A	----	13.90 + 1.00	.0518	----	----	----	----	2 UNCH
5950	----	----	13.70B/12.30A	13.70B/12.30A	----	13.40 + 1.00	.0499	----	----	----	----	2 UNCH
6000	11.50	11.50	12.70B/11.40	12.70B/11.40	----	12.50 + 0.80	.0464	----	----	116	----	1723 + 43
6100	----	----	11.30B/----	11.30B/10.30A	----	11.00 + 0.70	.0405	----	----	----	----	373 UNCH
6200	----	----	9.90B/9.20A	9.90B/9.20A	----	9.90 + 0.60	.0360	----	----	----	----	1435 UNCH
6300	----	----	8.90B/----	8.90B/8.40A	----	9.00 + 0.60	.0323	----	----	----	----	84 UNCH
6400	----	----	8.10B/----	8.10B/7.80A	----	8.20 + 0.50	.0291	----	----	12	----	53 - 12
6500	----	----	7.30B/----	7.30B/7.20A	----	7.60 + 0.50	.0265	----	----	----	----	798 UNCH
6600	----	----	6.70B/----	6.70B/6.70A	----	7.00 + 0.40	.0241	----	----	----	----	150 UNCH
6700	----	----	6.30B/----	6.30B/6.30A	----	6.50 + 0.40	.0221	----	----	----	----	253 UNCH
6800	----	----	5.80B/----	5.80B/5.90A	----	6.10 + 0.40	.0205	----	----	----	----	50 UNCH
6900	5.50	5.50	5.70/5.50	5.70/5.50	----	5.70 + 0.30	.0189	----	----	12	----	16 + 12
7000	----	----	5.20B/----	5.20B/5.30A	----	5.40 + 0.30	.0176	----	----	----	----	632 UNCH
7500	----	----	----	3.90B/4.20A	----	4.10 + 0.20	.0126	----	----	----	----	737 UNCH
8000	----	----	3.20B/----	3.20B/3.40A	----	3.20 + 0.10	.0094	----	----	----	----	166 UNCH
8500	----	----	----	2.50B/2.80A	----	2.60 UNCH	.0073	----	----	----	----	90 UNCH
9000	----	----	----	2.10B/2.30A	----	2.20 UNCH	.0059	----	----	----	----	17 UNCH
9500	1.80	1.80	1.80/1.80	1.80/1.80	----	2.00 UNCH	.0052	----	----	6	----	71 + 2
10000	----	----	----	1.50B/1.80A	----	1.60 - 0.10	.0041	----	----	----	----	101 UNCH
TOTAL										742	1,950	61310 + 1302
SEP26												
3875	----	----	----	665.40B/970.40A	----	862.20 + 13.90	.9130	----	----	----	----	1 UNCH
3995	----	----	771.70B/717.20A	771.70B/717.20A	----	753.80 + 13.40	.8840	----	----	----	----	10 UNCH
4085	----	----	693.70B/640.10A	693.70B/640.10A	----	675.20 + 13.20	.8571	----	----	----	----	37 UNCH
4130	----	----	654.50B/602.60A	654.50B/602.60A	----	636.90 + 13.00	.8416	----	----	----	----	10 UNCH
4185	----	----	609.60B/558.00A	609.60B/558.00A	----	591.20 + 12.70	.8209	----	----	----	----	37 UNCH
4200	----	----	----	444.70B/699.30A	----	579.00 + 12.70	.8148	----	----	----	----	1 UNCH
4220	----	----	580.00B/530.30A	580.00B/530.30A	----	562.80 + 12.50	.8065	----	----	----	----	162 UNCH
4290	----	----	525.40B/477.00A	525.40B/477.00A	----	507.80 + 12.10	.7753	----	----	----	----	6 UNCH
4295	----	----	520.70B/473.20A	520.70B/473.20A	----	504.00 + 12.10	.7728	----	----	----	----	50 UNCH
4300	----	----	516.80B/469.50A	516.80B/469.50A	----	500.20 + 12.10	.7705	----	----	----	----	13 UNCH
4320	----	----	501.30B/455.00A	501.30B/455.00A	----	485.00 + 11.90	.7607	----	----	----	----	162 UNCH
4375	----	----	----/404.20A	406.10B/404.20A	----	444.60 + 11.50	.7325	----	----	----	----	1 UNCH
4390	----	----	449.30B/394.00A	449.30B/394.00A	----	433.80 + 11.30	.7244	----	----	----	----	202 UNCH
4425	----	----	411.10B/370.80A	411.10B/370.80A	----	409.40 + 11.10	.7051	----	----	----	----	1 UNCH
4495	----	----	380.80B/322.10A	380.80B/322.10A	----	362.90 + 10.50	.6641	----	----	----	----	18 UNCH
4500	----	----	377.50B/319.70A	377.50B/319.70A	----	359.70 + 10.40	.6611	----	----	----	----	8 UNCH
4505	----	----	373.80B/316.70A	373.80B/316.70A	----	356.60 + 10.50	.6580	----	----	----	----	2 UNCH
4510	----	----	370.90B/314.00A	370.90B/314.00A	----	353.40 + 10.40	.6550	----	----	----	----	2 UNCH
4515	----	----	367.50B/314.20A	367.50B/314.20A	----	350.30 + 10.40	.6519	----	----	----	----	2 UNCH
4545	----	----	349.50B/290.70A	349.50B/290.70A	----	331.80 + 10.10	.6333	----	----	----	----	16 UNCH
4550	----	----	346.40B/287.80A	346.40B/287.80A	----	328.80 + 10.00	.6301	----	----	----	----	222 UNCH
4560	----	----	339.10B/282.50A	339.10B/282.50A	----	322.90 + 10.00	.6238	----	----	----	----	2 UNCH
4565	----	----	336.30B/279.10A	336.30B/279.10A	----	319.90 + 9.90	.6206	----	----	----	----	2 UNCH
4570	----	----	333.00B/276.60A	333.00B/276.60A	----	317.00 + 9.90	.6174	----	----	----	----	2 UNCH
4575	----	----	330.30B/274.00A	330.30B/274.00A	----	314.10 + 9.90	.6142	----	----	----	----	2 UNCH
4580	276.90	276.90	327.30B/271.60A	327.30B/271.60A	----	311.20 + 9.90	.6110	----	----	1	----	2 UNCH
4585	----	----	324.30B/269.00A	324.30B/269.00A	----	308.30 + 9.80	.6078	----	----	----	----	2 UNCH
4590	----	----	321.30B/266.10A	321.30B/266.10A	----	305.50 + 9.80	.6046	----	----	----	----	2 UNCH
4600	----	----	316.30B/261.30A	316.30B/261.30A	----	299.80 + 9.70	.5982	----	----	----	----	54 UNCH
4605	----	----	312.60B/258.80A	312.60B/258.80A	----	297.00 + 9.70	.5949	----	----	----	----	10 UNCH
4640	281.20	281.20	292.70B/241.30A	292.70B/241.30A	----	278.00 NEW	.5721	----	----	1	----	1 + 1
4650	----	----	287.20B/236.20A	287.20B/236.20A	----	272.70 + 9.50	.5656	----	----	----	----	1 UNCH
4675	257.00	257.00	274.10B/224.80A	274.10B/224.80A	----	259.90 + 9.40	.5491	----	----	3	----	4 + 3
4680	----	----	271.90B/222.30A	271.90B/222.30A	----	257.30 + 9.30	.5458	----	----	----	----	1 UNCH
4700	----	----	261.30B/213.30A	261.30B/213.30A	----	247.50 + 9.20	.5326	----	----	----	----	167 UNCH
4705	----	----	259.10B/211.10A	259.10B/211.10A	----	245.10 + 9.20	.5293	----	----	----	----	10 UNCH
4710	----	----	256.60B/209.00A	256.60B/209.00A	----	242.70 + 9.20	.5260	----	----	----	----	1 UNCH
4720	----	----	251.60B/205.20A	251.60B/205.20A	----	237.90 + 9.10	.5194	----	----	----	----	45 UNCH
4725	----	----	249.10B/202.60A	249.10B/202.60A	----	235.60 + 9.10	.5161	----	----	----	----	2 UNCH
4730	----	----	247.00B/200.40A	247.00B/200.40A	----	233.30 + 9.10	.5128	----	----	----	----	5 UNCH
4745	----	----	239.50B/194.80A	239.50B/194.80A	----	226.40 + 9.00	.5030	----	----	----	----	1 UNCH
4750	----	----	237.30B/192.80A	237.30B/192.80A	----	224.10 + 8.90	.4997	----	----	----	----	43 UNCH
4770	----	----	227.90B/184.60A	227.90B/184.60A	----	215.30 + 8.80	.4866	----	----	----	----	2 UNCH
4775	----	----	225.70B/183.10A	225.70B/183.10A	----	213.10 + 8.70	.4834	----	----	----	----	184 UNCH
4780	----	----	223.40B/181.50A	223.40B/181.50A	----	211.00 + 8.70	.4801	----	----	----	----	7 UNCH
4785	----	----	221.10B/179.20A	221.10B/179.20A	----	208.90 + 8.70	.4769	----	----	----	----	1 UNCH
4795	----	----	216.70B/175.90A	216.70B/175.90A	----	204.70 + 8.70	.4704	----	----	----	----	2 UNCH
4800	----	----	214.90B/174.10A	214.90B/174.10A	----	202.60 + 8.60	.4672	----	----	----	----	933 UNCH
4835	----	----	200.10B/161.90A	200.10B/161.90A	----	188.60 + 8.40	.4448	----	----	----	----	1 UNCH
4840	----	----	198.00B/160.20A	198.00B/160.20A	----	186.70 + 8.30	.4417	----	----	2	----	4 + 2
4850	----	----	194.10B/156.80A	194.10B/156.80A	----	182.80 + 8.20	.4353	----	----	----	----	22 UNCH
4860	----	----	189.90B/153.60A	189.90B/153.60A	----	179.10 + 8.10	.4291	----	----	----	----	2 UNCH
4875	----	----	184.30B/148.80A	184.30B/148.80A	----	173.60 + 8.00	.4198	----	----	----	----	30 UNCH
4880	----	----	182.30B/147.20A	182.30B/147.20A	----	171.80 NEW	.4167	----	----	2	----	2 + 2
4885	----	----	180.60B/145.90A	180.60B/145.90A	----	170.00 + 7.90	.4136	----	----	----	----	2 UNCH
4900	----	----	175.10B/141.30A	175.10B/141.30A	----	164.80 + 7.80	.4045	----	----	----	----	310 UNCH
4920	----	----	167.90B/135.70A	167.90B/135.70A	----	158.10 + 7.60	.3925	----	----	----	----	30 UNCH
4925	----	----	166.00B/134.00A	166.00B/134.00A	----	156.40 + 7.50	.3895	----	----	----	----	3 UNCH
4930	----	----	164.60B/132.50A	164.60B/132.50A	----	154.80 + 7.50	.3865	----	----	----	----	3 UNCH
4935	----	----	162.80B/131.10A	162.80B/131.10A	----	153.20 + 7.40	.3836	----	----	----	----	1 UNCH
4950	----	----	157.80B/127.10A	157.80B/127.10A	----	148.40 + 7.20	.3748	----	----	----	----	192 UNCH
4965	----	----	152.80B/123.20A	152.80B/123.20A	----	143.80 + 7.10	.3661	----	----	----	----	2 UNCH
4970	----	----	151.70B/121.90A	151.70B/121.90A	----	142.30 + 7.00	.3633	----	----	----	----	0 UNCH
4975	----	----	149.90B/120.50A	149.90B/120.50A	----	140.90 + 7.10	.3605	----	----	----	----	315 UNCH
5000	135.00	135.00	142.30B/114.70A	142.30B/114.70A	----	133.70 + 6.90	.3465	----	----	1	----	479 UNCH
5005	----	----	140.20B/113.40A	140.20B/113.40A	----	132.30 + 6.80	.3438	----	----	----	----	1 UNCH
5010	----	----	139.30B/112.10A	139.30B/112.10A	----	130.90 + 6.80	.3410	----	----	----	----	10 UNCH
5050	----	----	128.20B/103.40A	128.20B/103.40A	----	120.50 + 6.60	.3198	----	----	----	----	1 UNCH
5075	----	----	121.00B/97.80A	121.00B/97.80A	----	114.40 + 6.40	.3071	----	----	----	----	1 UNCH
5100	----	----	115.30B/93.10A	115.30B/93.10A	----	108.60 + 6.30	.2947	----	----	----	----	312 UNCH
5110	----	----	112.50B/91.00A	112.50B/91.00A	----	106.40 + 6.20	.2899	----	----	----	----	1 UNCH
5120	----	----	110.70B/89.40A	110.70B/89.40A	----	104.20 + 6.10	.2851	----	----	----	----	0 UNCH
5150	----	----	103.90B/83.80A	103.90B/83.80A	----	97.90 + 5.90	.2712	----	----	----	----	3 UNCH
5155	----	----	102.40B/83.10A	102.40B/83.10A	----	96.90 + 5.80	.2689	----	----	----	----	1 UNCH
5200	----	----	93.70B/76.00A	93.70B/76.00A	----	88.30 + 5.40	.2493	----	----	----	----	373 UNCH
5230	----	----	88.10B/71.50A	88.10B/71.50A	----	83.00 + 5.10	.2368	----	----	----	----	400 UNCH
5235	----	----	87.20B/70.80A	87.20B/70.80A	----	82.20 + 5.10	.2349	----	----	----	----	1 UNCH
5245	----	----	85.50B/69.50A	85.50B/69.50A	----	80.50 + 5.00	.2309	----	----	----	----	20 UNCH
5250	----	----	84.50B/68.90A	84.50B/68.90A	----	79.70 + 5.00	.2289	----	----	----	----	275 UNCH
5300	63.80	63.80	76.50B/62.40A	76.50B/62.40A	----	72.20 + 4.70	.2105	----	----	2	120	1204 - 120
5315	67.50	67.50	73.90B/60.70A	73.90B/60.70A	----	70.10 NEW	.2052	----	----	5	----	5 + 5
5330	----	----	71.90B/59.10A	71.90B/59.10A	----	68.00 + 4.40	.2000	----	----	----	----	20 UNCH
5335	----	----	71.20B/58.40A	71.20B/58.40A	----	67.40 + 4.50	.1984	----	----	----	----	1 UNCH
5350	----	----	69.20B/56.90A	69.20B/56.90A	----	65.40 + 4.30	.1933	----	----	----	----	1 UNCH
5370	----	----	66.40B/54.50A	66.40B/54.50A	----	62.90 + 4.20	.1869	----	----	----	----	15 UNCH
5375	----	----	65.70B/54.00A	65.70B/54.00A	----	62.30 + 4.10	.1853	----	----	----	----	2 UNCH
5400	----	----	62.60B/51.70A	62.60B/51.70A	----	59.40 + 4.00	.1777	----	----	----	200	492 + 200
5420	----	----	60.20B/49.80A	60.20B/49.80A	----	57.20 + 3.90	.1719	----	----	----	----	83 UNCH
5425	----	----	59.70B/49.40A	59.70B/49.40A	----	56.60 + 3.80	.1704	----	----	----	----	50 UNCH
5450	52.10	52.10	56.90B/47.30A	56.90B/47.30A	----	54.00 + 3.70	.1634	----	----	4	----	7 + 2
5460	----	----	55.70B/46.40A	55.70B/46.40A	----	53.00 + 3.70	.1607	----	----	----	----	1 UNCH
5475	----	----	54.10B/45.20A	54.10B/45.20A	----	51.50 + 3.50	.1567	----	----	----	----	26 UNCH
5500	52.50	52.50	52.50/42.90A	52.50/42.90A	----	49.20 + 3.50	.1503	----	----	7	----	1207 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
SEP26												
5505	----	----	51.10B/42.90A	51.10B/42.90A	----	48.70 + 3.40	.1490	----	----	----	----	3 UNCH
5520	----	----	49.70B/42.00A	49.70B/42.00A	----	47.40 + 3.30	.1454	----	----	----	----	1 UNCH
5525	----	----	49.40B/41.70A	49.40B/41.70A	----	47.00 + 3.30	.1442	----	----	----	----	6 UNCH
5540	----	----	48.00B/40.60A	48.00B/40.60A	----	45.70 + 3.20	.1407	----	----	----	----	15 UNCH
5595	40.00	40.00	43.30B/37.10A	43.30B/37.10A	----	41.50 NEW	.1287	----	----	4	----	4 + 4
5600	----	----	43.00B/36.80A	43.00B/36.80A	----	41.20 + 3.00	.1278	----	----	----	----	550 UNCH
5605	----	----	42.50B/36.60A	42.50B/36.60A	----	40.80 + 3.00	.1267	----	----	----	----	3 UNCH
5625	----	----	41.10B/35.10A	41.10B/35.10A	----	39.50 + 2.90	.1229	----	----	----	----	2 UNCH
5650	----	----	39.40B/33.70A	39.40B/33.70A	----	37.90 + 2.80	.1182	----	----	----	----	414 UNCH
5665	----	----	38.20B/33.00A	38.20B/33.00A	----	37.00 + 2.80	.1155	----	----	----	----	3 UNCH
5675	----	----	37.60B/32.40A	37.60B/32.40A	----	36.40 + 2.80	.1138	----	----	----	----	8 UNCH
5700	----	----	36.00B/31.20A	36.00B/31.20A	----	34.90 + 2.60	.1094	----	----	----	----	1060 UNCH
5730	----	----	34.30B/29.90A	34.30B/29.90A	----	33.20 + 2.50	.1044	----	----	----	----	2 UNCH
5750	----	----	33.20B/28.90A	33.20B/28.90A	----	32.10 + 2.30	.1011	----	----	----	----	173 UNCH
5760	----	----	32.80B/28.50A	32.80B/28.50A	----	31.60 + 2.30	.0996	----	----	----	----	1 UNCH
5775	29.80	29.80	31.70B/28.00A	31.70B/28.00A	----	30.80 + 2.20	.0973	----	----	2	----	115 + 2
5800	----	----	30.60B/27.10A	30.60B/27.10A	----	29.60 + 2.10	.0937	----	----	----	----	536 UNCH
5850	----	----	28.30B/25.30A	28.30B/25.30A	----	27.50 + 2.00	.0872	----	----	----	----	439 UNCH
5900	----	----	26.30B/----	26.30B/23.60A	----	25.60 + 2.00	.0813	----	----	----	200	603 + 196
5950	----	----	23.60B/----	23.60B/22.20A	----	23.90 + 1.90	.0759	----	----	----	----	51 UNCH
6000	----	----	22.00B/----	22.00B/20.90A	----	22.30 + 1.70	.0709	----	----	----	----	1127 UNCH
6100	----	----	19.20B/----	19.20B/18.60A	----	19.60 + 1.40	.0622	----	----	----	----	185 UNCH
6200	----	----	17.20B/----	17.20B/16.80A	----	17.40 + 1.20	.0551	----	----	----	----	235 UNCH
6300	----	----	15.40B/----	15.40B/15.40A	----	15.70 + 1.20	.0494	----	----	----	----	159 UNCH
6400	----	----	14.00B/----	14.00B/14.20A	----	14.40 + 1.20	.0448	----	----	----	----	225 UNCH
6500	----	----	12.70B/----	12.70B/13.00A	----	13.20 + 1.10	.0407	----	----	----	----	540 UNCH
6600	12.60	12.60	12.60/12.60	12.60/12.10A	----	12.30 + 1.10	.0375	----	----	20	----	25 UNCH
6650	----	----	11.40B/----	11.40B/11.80A	----	11.80 + 1.00	.0358	----	----	----	----	11 UNCH
6750	----	----	10.60B/----	10.60B/11.10A	----	11.00 + 0.80	.0330	----	----	----	----	11 UNCH
6775	----	----	10.40B/----	10.40B/10.90A	----	10.90 + 0.90	.0326	----	----	----	----	1 UNCH
6800	----	----	10.20B/----	10.20B/10.80A	----	10.70 + 0.80	.0319	----	----	----	----	128 UNCH
7000	----	----	9.20B/----	9.20B/9.70A	----	9.50 + 0.70	.0277	----	----	----	----	100 UNCH
8000	7.10	7.10	7.10/7.10	7.10/6.50A	----	6.40 + 0.40	.0167	----	----	5	----	22 - 5
TOTAL										59	520	15120 + 292
OCT26												
3600	----	----	1,141.80B/1,086	1141.80B/1086.70A	----	1126.60 + 15.30	.9422	----	----	----	----	12 UNCH
4300	----	----	536.00B/491.50A	536.00B/491.50A	----	520.80 + 12.10	.7517	----	----	----	----	102 UNCH
4400	----	----	465.30B/413.10A	465.30B/413.10A	----	450.10 + 11.80	.7032	----	----	----	----	8 UNCH
4405	----	----	455.80B/409.90A	455.80B/409.90A	----	446.70 + 11.80	.7007	----	----	----	----	2 UNCH
4480	----	----	413.90B/358.40A	413.90B/358.40A	----	397.90 + 11.60	.6609	----	----	----	----	1 UNCH
4500	----	----	401.30B/346.80A	401.30B/346.80A	----	385.40 + 11.40	.6499	----	----	----	----	3 UNCH
4515	----	----	392.10B/338.30A	392.10B/338.30A	----	376.30 + 11.30	.6415	----	----	----	----	1 UNCH
4550	----	----	370.30B/319.10A	370.30B/319.10A	----	355.50 + 11.10	.6218	----	----	----	----	1 UNCH
4580	----	----	352.90B/307.00A	352.90B/307.00A	----	338.40 + 10.90	.6046	----	----	----	----	70 UNCH
4600	----	----	341.80B/293.00A	341.80B/293.00A	----	327.30 + 10.70	.5930	----	----	----	----	134 UNCH
4610	----	----	336.30B/291.80A	336.30B/291.80A	----	321.80 + 10.60	.5872	----	----	----	----	5 UNCH
4620	----	----	330.00B/286.70A	330.00B/286.70A	----	316.40 + 10.50	.5814	----	----	----	----	1 UNCH
4630	----	----	325.20B/281.80A	325.20B/281.80A	----	311.10 + 10.40	.5756	----	----	----	----	3 UNCH
4650	----	----	314.50B/268.70A	314.50B/268.70A	----	300.70 + 10.20	.5638	----	----	----	----	84 UNCH
4670	----	----	303.20B/259.40A	303.20B/259.40A	----	290.50 + 10.00	.5521	----	----	----	----	1 UNCH
4675	----	----	300.70B/260.40A	300.70B/260.40A	----	288.10 + 10.00	.5491	----	----	----	----	1 UNCH
4690	----	----	292.90B/250.50A	292.90B/250.50A	----	280.70 + 9.90	.5403	----	----	----	----	1 UNCH
4700	----	----	288.80B/249.00A	288.80B/249.00A	----	275.80 + 9.70	.5344	----	----	64	----	157 + 64
4710	----	----	282.90B/244.50A	282.90B/244.50A	----	271.10 + 9.70	.5285	----	----	----	----	1 UNCH
4715	----	----	280.40B/239.60A	280.40B/239.60A	----	268.70 + 9.60	.5255	----	----	----	----	2 UNCH
4750	----	----	265.10B/225.10A	265.10B/225.10A	----	252.70 + 9.30	.5050	----	----	----	----	35 UNCH
4755	----	----	261.50B/223.10A	261.50B/223.10A	----	250.50 + 9.30	.5021	----	----	----	----	1 UNCH
4800	----	----	242.10B/205.80A	242.10B/205.80A	----	231.30 + 9.00	.4760	----	----	----	----	476 UNCH
4845	----	----	222.50B/189.70A	222.50B/189.70A	----	213.50 + 8.80	.4504	----	----	----	----	2 UNCH
4850	----	----	221.40B/188.00A	221.40B/188.00A	----	211.60 + 8.80	.4476	----	----	----	----	53 UNCH
4865	----	----	214.50B/183.00A	214.50B/183.00A	----	206.00 + 8.80	.4393	----	----	----	----	2 UNCH
4880	----	----	208.80B/178.10A	208.80B/178.10A	----	200.40 + 8.60	.4309	----	----	----	----	1 UNCH
4900	----	----	202.10B/171.80A	202.10B/171.80A	----	193.20 + 8.50	.4199	----	----	----	----	1319 UNCH
4905	----	----	200.50B/170.20A	200.50B/170.20A	----	191.40 + 8.40	.4172	----	----	----	----	20 UNCH
4910	----	----	197.60B/168.60A	197.60B/168.60A	----	189.70 + 8.50	.4145	----	----	----	----	1 UNCH
4925	----	----	193.30B/164.10A	193.30B/164.10A	----	184.50 + 8.30	.4063	----	----	----	----	18 UNCH
4935	----	----	189.70B/161.20A	189.70B/161.20A	----	181.20 + 8.30	.4010	----	----	----	----	5 UNCH
4945	----	----	186.10B/158.30A	186.10B/158.30A	----	177.90 + 8.30	.3957	----	----	----	----	3 UNCH
4950	----	----	184.50B/157.90A	184.50B/157.90A	----	176.30 + 8.30	.3931	----	----	----	----	18 UNCH
5000	----	----	168.30B/143.30A	168.30B/143.30A	----	161.40 + 8.60	.3677	----	----	----	----	1339 UNCH
5025	----	----	160.00B/137.00A	160.00B/137.00A	----	154.40 + 8.60	.3554	----	----	----	----	2 UNCH
5050	----	----	153.70B/131.10A	153.70B/131.10A	----	147.60 + 8.40	.3434	----	----	----	----	59 UNCH
5075	----	----	146.80B/125.30A	146.80B/125.30A	----	141.10 + 8.20	.3316	----	----	----	----	4 UNCH
5080	----	----	145.40B/124.20A	145.40B/124.20A	----	139.80 + 8.10	.3292	----	----	----	----	3 UNCH
5085	----	----	144.00B/123.10A	144.00B/123.10A	----	138.50 + 8.00	.3269	----	----	----	----	3 UNCH
5100	----	----	139.90B/119.60A	139.90B/119.60A	----	134.80 + 7.90	.3201	----	----	----	----	804 UNCH
5125	----	----	132.90B/114.30A	132.90B/114.30A	----	128.80 + 7.60	.3089	----	----	----	----	1 UNCH
5150	----	----	127.80B/109.40A	127.80B/109.40A	----	123.00 + 7.20	.2979	----	----	----	----	36 UNCH
5160	----	----	124.50B/107.50A	124.50B/107.50A	----	120.70 + 7.00	.2935	----	----	----	----	1 UNCH
5170	----	----	123.10B/105.70A	123.10B/105.70A	----	118.50 + 6.80	.2893	----	----	----	----	5 UNCH
5200	----	----	116.80B/100.00A	116.80B/100.00A	----	112.20 + 6.50	.2769	----	----	----	----	1038 UNCH
5250	----	----	106.90B/91.50A	106.90B/91.50A	----	102.40 + 5.90	.2572	----	----	----	----	523 UNCH
5255	----	----	104.70B/90.70A	104.70B/90.70A	----	101.50 + 5.90	.2553	----	----	----	----	1 UNCH
5300	----	----	97.30B/83.80A	97.30B/83.80A	----	93.60 + 5.50	.2388	----	----	128	----	988 + 50
5325	91.30	91.30	93.20B/80.40A	93.20B/80.40A	----	89.60 + 5.40	.2302	----	----	6	----	9 + 6
5350	----	----	88.90B/77.00A	88.90B/77.00A	----	85.70 + 5.20	.2218	----	----	----	----	4 UNCH
5365	----	----	86.00B/75.10A	86.00B/75.10A	----	83.50 + 5.10	.2170	----	----	----	----	1 UNCH
5400	----	----	81.90B/70.80A	81.90B/70.80A	----	78.60 + 5.00	.2060	----	----	140	----	598 + 140
5410	----	----	79.50B/69.70A	79.50B/69.70A	----	77.20 + 4.80	.2029	----	----	----	----	1 UNCH
5435	----	----	76.90B/66.90A	76.90B/66.90A	----	74.00 + 4.70	.1956	----	----	----	----	226 UNCH
5450	----	----	75.00B/65.30A	75.00B/65.30A	----	72.20 + 4.70	.1915	----	----	----	----	66 UNCH
5455	----	----	74.20B/64.70A	74.20B/64.70A	----	71.60 + 4.70	.1901	----	----	----	----	175 UNCH
5475	----	----	71.10B/62.70A	71.10B/62.70A	----	69.30 + 4.60	.1847	----	----	----	----	1 UNCH
5500	60.10	60.10	70.00/60.10	70.00/60.10	----	66.50 + 4.50	.1781	----	----	342	----	2005 - 9
5520	----	----	65.90B/58.30A	65.90B/58.30A	----	64.40 + 4.40	.1731	----	----	----	----	2 UNCH
5530	----	----	64.80B/57.40A	64.80B/57.40A	----	63.30 + 4.30	.1705	----	----	----	----	0 UNCH
5545	----	----	63.80B/55.70A	63.80B/55.70A	----	61.80 + 4.20	.1669	----	----	----	----	5 UNCH
5550	59.60	59.60	63.20B/55.40A	63.20B/55.40A	----	61.40 + 4.30	.1658	----	----	400	----	280 + 180
5590	----	----	58.70B/52.30A	58.70B/52.30A	----	57.70 + 4.20	.1568	----	----	----	----	4 UNCH
5600	51.70	51.70	57.60B/51.50A	57.60B/51.50A	----	56.80 + 4.10	.1546	----	----	5	----	256 + 5
5610	----	----	56.70B/50.80A	56.70B/50.80A	----	55.90 + 4.00	.1524	----	----	----	----	1 UNCH
5615	----	----	56.50B/50.50A	56.50B/50.50A	----	55.50 + 4.00	.1513	----	----	----	----	5 UNCH
5650	----	----	53.40B/48.20A	53.40B/48.20A	----	52.70 + 3.90	.1443	----	----	----	----	401 UNCH
5655	----	----	53.20B/47.80A	53.20B/47.80A	----	52.30 + 3.90	.1433	----	----	----	----	2 UNCH
5660	----	----	52.70B/47.50A	52.70B/47.50A	----	51.90 + 3.80	.1423	----	----	----	----	1 UNCH
5675	----	----	51.40B/46.50A	51.40B/46.50A	----	50.80 + 3.80	.1394	----	----	----	----	3 UNCH
5700	----	----	49.40B/45.00A	49.40B/45.00A	----	49.00 + 3.70	.1348	----	----	----	----	170 UNCH
5710	----	----	48.60B/44.50A	48.60B/44.50A	----	48.30 + 3.70	.1330	----	----	----	----	5 UNCH
5720	----	----	47.90B/43.90A	47.90B/43.90A	----	47.60 + 3.60	.1312	----	----	----	----	75 UNCH
5750	----	----	45.80B/----	45.80B/42.20A	----	45.70 + 3.60	.1262	----	----	----	----	1 UNCH
5775	----	----	44.10B/40.40A	44.10B/40.40A	----	44.10 + 3.40	.1221	----	----	----	----	50 UNCH
5800	----	----	42.50B/39.10A	42.50B/39.10A	----	42.50 + 3.20	.1180	----	----	----	----	411 UNCH
5825	----	----	40.90B/37.90A	40.90B/37.90A	----	41.10 + 3.10	.1143	----	----	----	----	1 UNCH
5875	----	----	38.00B/----	38.00B/36.10A	----	38.20 + 2.70	.1068	----	----	----	----	1 UNCH
5900	----	----	36.70B/----	36.70B/35.00A	----	36.90 + 2.50	.1033	----	----	65	----	274 + 64
5925	----	----	36.30B/----	36.30B/34.00A	----	35.70 + 2.40	.1001	----	----	1	----	2 + 1
5950	----	----	35.10B/----	35.10B/33.00A	----	34.50 + 2.20	.0969	----	----	----	----	1 UNCH
6000	----	----	32.30B/----	32.30B/31.70A	----	32.30 + 2.00	.0910	----	----	----	----	2039 UNCH
6100	----	----	27.10B/----	27.10B/28.60A	----	28.70 + 1.80	.0809	----	----	----	----	66 UNCH
6200	----	----	----	24.00B/26.00A	----	25.80 + 1.80	.0726	----	----	----	----	38 UNCH
6300	----	----	----	21.40B/24.00A	----	23.40 + 1.70	.0656	----	----	----	----	756 UNCH
6400	----	----	----	19.20B/22.20A	----	21.50 + 1.70	.0598	----	----	----	----	1910 UNCH
6500	19.90	19.90	20.00/19.80	20.00/19.80	----	19.80 + 1.50	.0547	----	----	7	----	4030 - 4
6800	----	----	----	13.70B/17.40A	----	16.10 + 1.10	.0434	----	----	----	----	1385 UNCH
6900	----	----	----	12.80B/16.60A	----	15.20 + 1.00	.0405	----	----	----	----	1 UNCH
7000	----	----	----	12.10B/15.90A	----	14.30 + 0.80	.0378	----	----	----	----	1584 UNCH
8000	----	----	----	7.90B/11.60A	----	9.80 + 0.40	.0234	----	----	----	----	212 UNCH
8500	----	----	----	6.80B/10.60A	----	8.70 + 0.30	.0198	----	----	----	----	208 UNCH
9000	----	----	----	6.00B/9.60A	----	7.80 + 0.30	.0170	----	----	----	----	69 UNCH
9500	----	----	----	5.20B/8.70A	----	7.10 + 0.40	.0150	----	----	----	----	10 UNCH
13000	----	----	#3.30B/----	3.30B/4.00A	----	3.10 + 0.30	.0058	----	----	----	----	25 UNCH
TOTAL										1158		24721 + 497
NOV26												
4000	----	----	----	653.00B/941.10A	----	805.60 + 13.50	.8544	----	----	----	----	1 UNCH
4100	----	----	----	569.40B/863.80A	----	722.90 + 13.20	.8239	----	----	----	----	1 UNCH
4275	----	----	----	432.60B/731.40A	----	587.60 + 12.40	.7596	----	----	----	----	38 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 31

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
NOV26												
4300	----	----	----	414.30B/713.20A	----	569.40 + 12.30	.7492	----	----	----	----	1 UNCH
4375	----	----	----/478.50A	499.50B/478.50A	----	516.60 + 11.90	.7166	----	----	----	----	38 UNCH
4400	----	----	502.70B/462.30A	502.70B/462.30A	----	499.60 + 11.80	.7053	----	----	----	----	1 UNCH
4440	----	----	489.00B/436.90A	489.00B/436.90A	----	473.10 + 11.60	.6866	----	----	----	----	1 UNCH
4500	----	----	450.20B/400.60A	450.20B/400.60A	----	435.00 + 11.30	.6576	----	----	----	----	28 UNCH
4595	----	----	392.50B/344.10A	392.50B/344.10A	----	378.70 + 10.80	.6096	----	----	----	----	1 UNCH
4600	----	----	389.70B/341.50A	389.70B/341.50A	----	375.90 + 10.80	.6070	----	----	----	----	5 UNCH
4700	----	----	335.40B/293.00A	335.40B/293.00A	----	323.20 + 10.20	.5546	----	----	----	----	2 UNCH
4750	----	----	310.30B/270.90A	310.30B/270.90A	----	299.50 + 10.00	.5282	----	----	----	----	1 UNCH
4775	----	----	298.50B/260.50A	298.50B/260.50A	----	288.20 + 9.90	.5151	----	----	----	----	31 UNCH
4800	----	----	287.00B/252.10A	287.00B/252.10A	----	277.20 + 9.70	.5020	----	----	----	----	3 UNCH
4850	----	----	265.40B/232.60A	265.40B/232.60A	----	256.10 + 9.20	.4762	----	----	----	----	25 UNCH
4900	----	----	244.80B/214.80A	244.80B/214.80A	----	236.70 + 9.00	.4509	----	----	----	----	451 UNCH
4915	----	----	239.00B/208.50A	239.00B/208.50A	----	231.20 + 9.00	.4434	----	----	----	----	1 UNCH
4925	----	----	235.20B/205.30A	235.20B/205.30A	----	227.60 + 9.00	.4385	----	----	----	----	1 UNCH
4935	----	----	231.40B/203.00A	231.40B/203.00A	----	224.10 + 9.10	.4336	----	----	----	----	25 UNCH
4950	----	----	225.90B/198.20A	225.90B/198.20A	----	218.90 + 9.10	.4263	----	----	----	----	150 UNCH
4970	----	----	218.60B/191.80A	218.60B/191.80A	----	212.20 + 9.20	.4167	----	----	----	----	10 UNCH
5000	----	----	208.40B/182.10A	208.40B/182.10A	----	202.30 + 9.10	.4025	----	----	----	----	84 UNCH
5020	----	----	201.70B/176.90A	201.70B/176.90A	----	195.80 + 8.80	.3931	----	----	----	----	30 UNCH
5060	----	----	189.00B/165.80A	189.00B/165.80A	----	183.50 + 8.50	.3747	----	----	----	----	2 UNCH
5080	----	----	183.00B/160.00A	183.00B/160.00A	----	177.60 + 8.20	.3657	----	----	----	----	4 UNCH
5085	----	----	181.50B/159.20A	181.50B/159.20A	----	176.10 + 8.10	.3634	----	----	----	----	4 UNCH
5175	----	----	156.60B/137.90A	156.60B/137.90A	----	152.10 + 7.20	.3250	----	----	----	----	2 UNCH
5200	----	----	150.40B/132.50A	150.40B/132.50A	----	146.10 + 7.00	.3150	----	----	5	----	31 + 5
5230	----	----	143.20B/126.30A	143.20B/126.30A	----	139.30 NEW	.3033	----	----	5	----	5 + 5
5250	----	----	138.70B/122.40A	138.70B/122.40A	----	134.90 + 6.60	.2957	----	----	----	----	9 UNCH
5300	----	----	128.30B/113.10A	128.30B/113.10A	----	124.70 + 6.30	.2775	----	----	----	----	395 UNCH
5330	----	----	122.10B/108.10A	122.10B/108.10A	----	119.00 + 6.10	.2671	----	----	----	----	1 UNCH
5370	----	----	114.60B/101.70A	114.60B/101.70A	----	111.90 + 5.90	.2538	----	----	----	----	5 UNCH
5400	----	----	109.30B/97.10A	109.30B/97.10A	----	106.90 + 5.80	.2443	----	----	----	----	17 UNCH
5420	----	----	105.90B/94.20A	105.90B/94.20A	----	103.70 + 5.70	.2381	----	----	----	----	14 UNCH
5450	----	----	101.10B/90.10A	101.10B/90.10A	----	99.10 + 5.50	.2291	----	----	----	----	925 UNCH
5460	----	----	99.50B/88.80A	99.50B/88.80A	----	97.70 + 5.50	.2263	----	----	----	----	10 UNCH
5500	----	----	93.60B/83.80A	93.60B/83.80A	----	92.10 + 5.30	.2151	----	----	----	----	82 UNCH
5550	----	----	86.90B/77.90A	86.90B/77.90A	----	85.60 + 5.10	.2019	----	----	----	----	1 UNCH
5600	----	----	80.50B/72.60A	80.50B/72.60A	----	79.70 + 4.80	.1897	----	----	----	----	44 UNCH
5680	----	----	71.80B/65.10A	71.80B/65.10A	----	71.30 + 4.50	.1718	----	----	----	----	39 UNCH
5700	----	----	69.60B/63.40A	69.60B/63.40A	----	69.40 + 4.40	.1677	----	----	----	----	45 UNCH
5710	----	----	68.80B/62.30A	68.80B/62.30A	----	68.40 + 4.30	.1655	----	----	----	----	1 UNCH
5800	----	----	60.80B/56.10A	60.80B/56.10A	----	60.80 + 4.00	.1486	----	----	----	----	80 UNCH
5825	----	----	58.90B/54.40A	58.90B/54.40A	----	58.80 + 3.80	.1442	----	----	----	----	2 UNCH
5900	----	----	53.30B/----	53.30B/50.00A	----	53.50 + 3.50	.1321	----	----	----	----	1 UNCH
5925	----	----	51.50B/----	51.50B/48.70A	----	51.90 + 3.50	.1284	----	----	----	----	4 UNCH
5975	----	----	48.20B/----	48.20B/45.80A	----	48.90 + 3.30	.1213	----	----	----	----	3 UNCH
6000	----	----	47.10B/----	47.10B/44.20A	----	47.50 + 3.30	.1180	----	----	----	----	236 UNCH
6100	----	----	41.70B/----	41.70B/40.60A	----	42.40 + 3.00	.1058	----	----	----	----	1 UNCH
6200	----	----	37.30B/----	37.30B/37.00A	----	38.10 + 2.70	.0953	----	----	----	----	1 UNCH
6400	----	----	----	28.80B/31.70A	----	31.40 + 2.30	.0786	----	----	----	----	13 UNCH
6500	----	----	----	26.10B/29.60A	----	28.80 + 2.10	.0719	----	----	----	----	1164 UNCH
8000	----	----	----	11.80B/16.80A	----	14.60 + 0.70	.0320	----	----	----	----	11 UNCH
9000	----	----	----	9.30B/14.20A	----	12.20 + 1.50	.0244	----	----	----	----	8 UNCH
20000	2.40	2.40	3.00B/2.40	3.00B/2.40	----	2.50 + 1.10	.0038	----	----	1	----	139 + 1
TOTAL										11		4228 + 11
DEC26												
3550	----	----	----	----	----	1214.40 + 13.60	.9351	----	----	----	----	2 UNCH
3570	----	----	----	----	----	1195.60 + 13.40	.9324	----	----	----	----	1 UNCH
3600	----	----	----	----	----	1167.70 + 13.40	.9281	----	----	----	----	1 UNCH
3800	----	----	----	960.10B/974.80A	----	987.20 + 13.40	.8916	----	----	----	----	4 UNCH
3900	----	----	----	735.80B/1048.10A	----	901.00 + 13.70	.8679	----	----	----	----	2 UNCH
4060	----	----	----	744.40B/755.80A	----	769.00 + 13.80	.8227	----	----	----	----	100 UNCH
4100	----	----	----	713.10B/724.00A	----	737.20 + 13.70	.8100	----	----	----	----	48 UNCH
4160	----	----	----	667.30B/677.70A	----	690.70 + 13.60	.7898	----	----	----	----	100 UNCH
4175	----	----	----	656.00B/666.40A	----	679.30 + 13.60	.7846	----	----	----	----	37 UNCH
4200	----	----	----	637.50B/647.60A	----	660.40 + 13.40	.7756	----	----	----	----	150 UNCH
4250	----	----	----/608.70A	603.80B/608.70A	----	623.40 + 13.20	.7570	----	----	----	----	293 UNCH
4255	----	----	----	597.80B/607.40A	----	619.80 + 13.20	.7550	----	----	----	----	50 UNCH
4300	----	----	----/573.40A	568.70B/573.40A	----	587.60 + 13.00	.7374	----	----	----	----	436 UNCH
4315	----	----	----/537.40A	529.30B/537.40A	----	577.00 + 12.80	.7314	----	----	----	----	1 UNCH
4320	----	----	----/534.10A	552.40B/534.10A	----	573.50 + 12.80	.7294	----	----	----	----	100 UNCH
4350	----	----	----/514.30A	534.30B/514.30A	----	552.80 + 12.60	.7170	----	----	----	----	206 UNCH
4375	----	----	537.50B/498.30A	537.50B/498.30A	----	535.90 + 12.50	.7065	----	----	----	----	61 UNCH
4400	----	----	534.30B/482.30A	534.30B/482.30A	----	519.20 + 12.20	.6957	----	----	----	----	2 UNCH
4425	----	----	517.90B/466.80A	517.90B/466.80A	----	502.90 + 12.10	.6848	----	----	----	----	8 UNCH
4450	----	----	502.00B/451.70A	502.00B/451.70A	----	486.90 + 11.90	.6736	----	----	----	----	87 UNCH
4465	----	----	492.10B/438.60A	492.10B/438.60A	----	477.50 + 11.80	.6669	----	----	----	----	93 UNCH
4490	----	----	476.40B/428.00A	476.40B/428.00A	----	462.00 + 11.60	.6555	----	----	----	----	7 UNCH
4500	----	----	470.50B/422.20A	470.50B/422.20A	----	456.00 + 11.60	.6509	----	----	----	----	757 UNCH
4525	----	----	454.90B/408.00A	454.90B/408.00A	----	441.00 + 11.40	.6392	----	----	----	----	5 UNCH
4540	----	----	446.00B/396.40A	446.00B/396.40A	----	432.20 + 11.30	.6322	----	----	----	----	9 UNCH
4550	----	----	440.30B/391.00A	440.30B/391.00A	----	426.30 + 11.10	.6275	----	----	----	----	6 UNCH
4565	----	----	431.60B/386.10A	431.60B/386.10A	----	417.70 + 11.00	.6203	----	----	----	----	93 UNCH
4580	----	----	422.80B/378.20A	422.80B/378.20A	----	409.30 + 11.00	.6132	----	----	----	----	150 UNCH
4585	----	----	419.90B/372.70A	419.90B/372.70A	----	406.50 + 11.00	.6108	----	----	----	----	325 UNCH
4590	----	----	417.20B/372.90A	417.20B/372.90A	----	403.70 + 10.90	.6084	----	----	----	----	16 UNCH
4600	----	----	411.40B/364.80A	411.40B/364.80A	----	398.20 + 10.90	.6036	----	----	----	----	157 UNCH
4615	----	----	403.20B/360.00A	403.20B/360.00A	----	390.00 + 10.70	.5964	----	----	----	----	41 UNCH
4625	----	----	397.60B/352.30A	397.60B/352.30A	----	384.60 + 10.60	.5915	----	----	----	----	71 UNCH
4640	----	----	389.30B/347.50A	389.30B/347.50A	----	376.70 + 10.60	.5842	----	----	----	----	100 UNCH
4650	----	----	384.00B/342.60A	384.00B/342.60A	----	371.50 + 10.50	.5794	----	----	18	----	302 UNCH
4675	----	----	371.00B/328.40A	371.00B/328.40A	----	358.70 + 10.30	.5672	----	----	25	----	30 + 25
4700	----	----	358.20B/316.70A	358.20B/316.70A	----	346.20 + 10.10	.5549	----	----	25	----	95 UNCH
4725	----	----	345.70B/305.70A	345.70B/305.70A	----	334.10 + 9.90	.5426	----	----	----	----	110 UNCH
4730	----	----	343.30B/303.40A	343.30B/303.40A	----	331.80 + 10.00	.5402	----	----	----	----	2 UNCH
4750	----	----	333.40B/296.60A	333.40B/296.60A	----	322.40 + 9.90	.5304	----	----	18	----	229 + 18
4775	317.00	317.00	321.60B/284.30A	321.60B/284.30A	----	311.00 NEW	.5182	----	----	2	----	2 + 2
4780	----	----	319.30B/282.30A	319.30B/282.30A	----	308.80 + 9.80	.5158	----	----	----	----	2 UNCH
4790	----	----	314.80B/278.20A	314.80B/278.20A	----	304.50 + 9.90	.5109	----	----	----	----	1 UNCH
4795	----	----	312.50B/276.20A	312.50B/276.20A	----	302.30 + 9.80	.5085	----	----	----	----	6 UNCH
4800	----	----	310.40B/275.60A	310.40B/275.60A	----	300.20 + 9.90	.5061	----	----	----	----	375 UNCH
4810	----	----	305.80B/271.60A	305.80B/271.60A	----	296.00 + 9.90	.5013	----	----	----	----	56 UNCH
4820	----	----	301.60B/266.30A	301.60B/266.30A	----	291.90 + 10.00	.4965	----	----	----	----	49 UNCH
4825	----	----	299.30B/265.60A	299.30B/265.60A	----	289.80 + 9.90	.4941	----	----	----	----	104 UNCH
4835	----	----	294.90B/260.60A	294.90B/260.60A	----	285.80 + 10.00	.4894	----	----	----	----	125 UNCH
4850	----	----	288.70B/255.00A	288.70B/255.00A	----	279.90 + 10.00	.4823	----	----	----	----	296 UNCH
4875	----	----	278.10B/245.80A	278.10B/245.80A	----	270.30 + 10.00	.4706	----	----	----	----	1 UNCH
4880	----	----	276.30B/244.10A	276.30B/244.10A	----	268.40 + 10.00	.4683	----	----	----	----	4 UNCH
4900	----	----	268.00B/238.10A	268.00B/238.10A	----	261.00 + 10.10	.4590	----	----	----	----	356 UNCH
4925	----	----	258.50B/228.50A	258.50B/228.50A	----	251.80 + 10.00	.4475	----	----	----	----	238 UNCH
4950	----	----	249.10B/221.20A	249.10B/221.20A	----	242.70 + 9.70	.4361	----	----	----	----	103 UNCH
4975	----	----	240.10B/213.20A	240.10B/213.20A	----	234.00 + 9.60	.4249	----	----	----	----	50 UNCH
5000	220.00	220.00	231.40B/205.40A	231.40B/205.40A	----	225.50 + 9.30	.4138	----	----	14	----	2341 UNCH
5005	----	----	229.70B/203.30A	229.70B/203.30A	----	223.80 + 9.20	.4115	----	----	----	----	4 UNCH
5025	----	----	223.00B/198.00A	223.00B/198.00A	----	217.20 + 9.00	.4028	----	----	----	----	218 UNCH
5050	----	----	214.90B/190.00A	214.90B/190.00A	----	209.40 + 8.80	.3920	----	----	----	----	101 UNCH
5070	----	----	208.70B/184.70A	208.70B/184.70A	----	203.30 + 8.60	.3836	----	----	----	----	13 UNCH
5075	----	----	207.10B/183.80A	207.10B/183.80A	----	201.80 + 8.50	.3815	----	----	----	----	30 UNCH
5090	----	----	202.50B/179.90A	202.50B/179.90A	----	197.40 + 8.40	.3752	----	----	----	----	16 UNCH
5100	----	----	199.50B/176.80A	199.50B/176.80A	----	194.50 + 8.30	.3711	----	----	22	----	330 + 14
5125	----	----	192.20B/170.50A	192.20B/170.50A	----	187.50 + 8.10	.3610	----	----	----	----	70 UNCH
5150	----	----	185.30B/164.60A	185.30B/164.60A	----	180.80 + 7.90	.3510	----	----	----	----	1 UNCH
5155	----	----	184.00B/163.40A	184.00B/163.40A	----	179.40 + 7.80	.3490	----	----	----	----	4 UNCH
5175	----	----	178.50B/158.80A	178.50B/158.80A	----	174.30 + 7.70	.3413	----	----	----	----	100 UNCH
5195	----	----	173.20B/154.20A	173.20B/154.20A	----	169.30 + 7.50	.3337	----	----	----	----	5 UNCH
5200	----	----	172.10B/153.30A	172.10B/153.30A	----	168.10 + 7.50	.3318	----	----	22	----	1329 + 22
5245	----	----	161.00B/143.40A	161.00B/143.40A	----	157.50 + 7.20	.3152	----	----	----	----	8 UNCH
5250	147.10	147.10	159.80B/142.40A	159.80B/142.40A	----	156.40 + 7.20	.3135	----	----	1	----	341 UNCH
5255	----	----	158.70B/141.50A	158.70B/141.50A	----	155.20 + 7.00	.3116	----	----	----	----	1 UNCH
5265	----	----	156.40B/139.30A	156.40B/139.30A	----	153.00 + 7.00	.3081	----	----	----	----	4 UNCH
5275	----	----	154.00B/137.40A	154.00B/137.40A	----	150.80 + 6.90	.3046	----	----	----	----	20 UNCH
5300	----	----	148.30B/132.60A	148.30B/132.60A	----	145.50 + 6.80	.2960	----	----	----	----	340 UNCH
5350	----	----	138.10B/123.40A	138.10B/123.40A	----	135.50 + 6.60	.2794	----	----	----	----	457 UNCH
5360	----	----	136.10B/121.80A	136.10B/121.80A	----	133.50 + 6.50	.2761	----	----	----	----	100 UNCH
5370	----	----	134.00B/120.20A	134.00B/120.20A	----	131.70 + 6.60	.2730	----	----	----	----	36 UNCH
5400	----	----	128.40B/115.10A	128.40B/115.10A	----	126.20 + 6.40	.2636	----	----	----	----	463 UNCH
5460	----	----	117.80B/106.00A	117.80B/106.00A	----	116.00 + 6.20	.2458	----	----	----	----	203 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL	COMEX GOLD OPTIONS										
DEC26											
5465 ----	----	117.00B/105.30A	117.00B/105.30A	----	115.20 + 6.20	.2444	----	----	----	----	53 UNCH
5480 ----	----	114.60B/103.20A	114.60B/103.20A	----	112.80 + 6.00	.2401	----	----	----	----	50 UNCH
5500 103.30	103.30	111.30B/100.40A	111.30B/100.40A	----	109.70 + 5.90	.2346	----	----	1	70	2629 UNCH
5505 ----	----	110.70B/99.70A	110.70B/99.70A	----	109.00 + 5.90	.2333	----	----	----	----	3 UNCH
5525 ----	----	107.60B/97.20A	107.60B/97.20A	----	106.00 + 5.70	.2278	----	----	----	----	80 UNCH
5550 ----	----	104.10B/93.90A	104.10B/93.90A	----	102.50 + 5.60	.2214	----	----	----	----	3 UNCH
5570 ----	----	101.10B/91.50A	101.10B/91.50A	----	99.80 + 5.40	.2164	----	----	----	----	195 UNCH
5600 ----	----	96.90B/88.10A	96.90B/88.10A	----	95.90 + 5.20	.2090	----	----	----	----	2552 UNCH
5650 ----	----	90.60B/82.50A	90.60B/82.50A	----	89.90 + 4.90	.1975	----	----	----	----	250 UNCH
5660 ----	----	89.60B/81.50A	89.60B/81.50A	----	88.70 + 4.80	.1952	----	----	----	----	1 UNCH
5675 ----	----	87.60B/80.00A	87.60B/80.00A	----	87.00 + 4.80	.1919	----	----	----	----	14 UNCH
5680 ----	----	87.10B/79.50A	87.10B/79.50A	----	86.50 + 4.80	.1909	----	----	----	----	1 UNCH
5685 ----	----	86.50B/79.00A	86.50B/79.00A	----	85.90 + 4.70	.1898	----	----	----	----	18 UNCH
5690 ----	----	85.90B/78.60A	85.90B/78.60A	----	85.40 + 4.70	.1888	----	----	----	----	12 UNCH
5700 ----	----	84.80B/77.60A	84.80B/77.60A	----	84.30 + 4.70	.1866	----	----	----	----	375 UNCH
5705 ----	----	84.20B/77.10A	84.20B/77.10A	----	83.80 + 4.70	.1856	----	----	----	----	5 UNCH
5710 ----	----	83.80B/76.60A	83.80B/76.60A	----	83.20 + 4.60	.1845	----	----	----	----	5 UNCH
5750 ----	----	79.70B/73.00A	79.70B/73.00A	----	79.20 + 4.50	.1765	----	----	----	----	313 UNCH
5770 ----	----	77.50B/71.30A	77.50B/71.30A	----	77.20 + 4.40	.1726	----	----	----	----	8 UNCH
5775 ----	----	77.10B/70.90A	77.10B/70.90A	----	76.70 + 4.40	.1716	----	----	----	----	2 UNCH
5800 ----	----	74.70B/68.90A	74.70B/68.90A	----	74.40 + 4.30	.1669	----	----	1	----	2056 + 1
5810 ----	----	73.70B/67.80A	73.70B/67.80A	----	73.50 + 4.30	.1651	----	----	1	----	56 UNCH
5825 ----	----	72.30B/66.70A	72.30B/66.70A	----	72.20 + 4.30	.1624	----	----	----	----	4 UNCH
5850 ----	----	70.20B/64.90A	70.20B/64.90A	----	70.00 + 4.20	.1580	----	----	----	----	51 UNCH
5875 ----	----	68.00B/63.30A	68.00B/63.30A	----	68.00 + 4.20	.1538	----	----	----	----	9 UNCH
5900 ----	----	66.10B/61.70A	66.10B/61.70A	----	66.00 + 4.10	.1497	----	----	----	----	1417 UNCH
5950 ----	----	62.30B/----	62.30B/58.50A	----	62.30 + 4.00	.1419	----	----	4	----	29 + 2
6000 56.00	56.00	61.00/56.00	61.00/55.70A	----	58.90 + 3.80	.1347	----	----	25	----	5462 + 11
6100 ----	----	52.40B/----	52.40B/49.90A	----	52.80 + 3.30	.1216	----	----	1	----	132 + 1
6150 46.00	46.00	49.30B/46.00	49.30B/46.00	----	50.20 + 3.00	.1158	----	----	1	----	12 UNCH
6200 ----	----	47.20B/----	47.20B/45.50A	----	47.70 + 2.70	.1102	----	----	----	----	3203 UNCH
6250 45.50	45.50	45.60/45.40	45.60/44.10A	----	45.40 + 2.40	.1051	----	----	6	----	29 + 6
6300 ----	----	43.30B/----	43.30B/42.30A	----	43.30 + 2.10	.1003	----	----	----	----	1049 UNCH
6400 ----	----	38.80B/----	38.80B/39.50A	----	39.60 + 1.50	.0918	----	----	----	----	703 UNCH
6500 ----	----	35.80B/----	35.80B/37.00A	----	36.50 + 1.10	.0845	----	----	----	----	5194 UNCH
6750 ----	----	----	27.50B/31.90A	----	30.40 + 0.20	.0698	----	----	----	----	104 UNCH
6775 ----	----	----	26.80B/31.30A	----	29.90 + 0.20	.0685	----	----	----	----	163 UNCH
6800 ----	----	----	26.40B/31.00A	----	29.50 + 0.20	.0675	----	----	----	----	1819 UNCH
6900 ----	----	----	24.60B/29.50A	----	27.80 + 0.10	.0632	----	----	----	----	13 UNCH
7000 ----	----	----	23.10B/28.10A	----	26.30 - 0.10	.0594	----	----	1	----	4212 + 1
7130 ----	----	----	21.40B/26.70A	----	24.70 - 0.10	.0552	----	----	----	----	200 UNCH
7175 ----	----	----	20.90B/26.10A	----	24.20 - 0.10	.0539	----	----	----	----	125 UNCH
7250 ----	----	----	20.20B/25.50A	----	23.40 - 0.20	.0518	----	----	----	----	108 UNCH
7500 ----	----	----	18.00B/23.60A	----	21.30 - 0.20	.0461	----	----	----	----	114 UNCH
8000 ----	----	----	15.30B/20.90A	----	18.50 - 0.20	.0382	----	----	1	----	800 UNCH
8125 ----	----	----	14.90B/20.40A	----	18.00 - 0.10	.0368	----	----	----	----	801 UNCH
8500 ----	----	----	13.70B/19.10A	----	16.80 UNCH	.0332	----	----	----	----	170 UNCH
8630 ----	----	----	13.30B/18.70A	----	16.50 UNCH	.0322	----	----	----	----	400 UNCH
8725 ----	----	----	13.10B/18.60A	----	16.30 + 0.10	.0315	----	----	----	----	250 UNCH
8775 ----	----	----	13.00B/18.50A	----	16.20 + 0.10	.0312	----	----	----	----	25 UNCH
9000 15.30	15.30	15.30/14.50A	15.30/14.50A	----	15.70 UNCH	.0296	----	----	4	----	238 + 2
9500 ----	----	----	11.50B/16.90A	----	15.10 UNCH	.0273	----	----	----	----	294 UNCH
9900 ----	----	----	10.80B/16.10A	----	14.50 UNCH	.0255	----	----	----	----	17 UNCH
10000 15.00	15.00	15.00/13.00	15.00/13.00	----	14.30 + 0.10	.0250	----	----	33	----	8663 UNCH
11000 ----	----	----	9.10B/14.30A	----	11.90 + 0.70	.0200	----	----	----	----	397 UNCH
13000 ----	----	8.80B/----	8.80B/11.30A	----	9.90 + 1.20	.0153	----	----	----	----	407 UNCH
15000 7.00	7.00	7.70/7.00	7.70/7.00	----	8.10 + 1.00	.0119	----	----	521	----	21809 + 271
17000 ----	----	----	4.00B/7.00A	----	5.00 + 0.60	.0075	----	----	----	----	26 UNCH
19000 ----	----	----	2.00B/5.60A	----	3.70 + 0.80	.0055	----	----	----	----	7 UNCH
20000 2.80	2.80	3.70/2.80	3.70/2.80	----	3.40 + 1.00	.0050	----	----	542	----	23940 + 324
21000 ----	----	#2.50B/----	2.50B/4.00A	----	2.60 + 0.70	.0038	----	----	----	----	30 UNCH
24000 ----	----	----	0.50B/4.00A	----	2.20 + 0.60	.0031	----	----	----	----	31 UNCH
TOTAL									1289	70	103728 + 700
JAN27											
4190 ----	----	----	525.80B/888.40A	----	711.40 + 12.00	.7791	----	----	----	----	1 UNCH
4290 ----	----	----	452.80B/816.90A	----	638.20 + 11.00	.7440	----	----	----	----	1 UNCH
4300 ----	----	----	445.70B/810.00A	----	631.10 + 10.90	.7403	----	----	----	----	1 UNCH
4400 ----	----	575.20B/529.90A	575.20B/529.90A	----	562.70 + 10.00	.7016	----	----	----	----	1 UNCH
4500 ----	----	511.60B/468.80A	511.60B/468.80A	----	499.20 + 9.50	.6602	----	----	----	----	1 UNCH
4600 ----	----	453.30B/414.30A	453.30B/414.30A	----	440.90 + 9.10	.6165	----	----	----	----	4 UNCH
4650 ----	----	425.60B/388.50A	425.60B/388.50A	----	413.80 + 9.10	.5941	----	----	----	----	1 UNCH
4710 ----	----	393.90B/359.60A	393.90B/359.60A	----	383.20 + 9.10	.5669	----	----	----	----	3 UNCH
4750 ----	----	373.90B/341.30A	373.90B/341.30A	----	364.00 + 9.30	.5487	----	----	----	----	8 UNCH
4760 ----	----	369.00B/337.00A	369.00B/337.00A	----	359.30 + 9.30	.5442	----	----	----	----	100 UNCH
4800 ----	----	349.90B/319.50A	349.90B/319.50A	----	341.30 + 9.50	.5261	----	----	----	----	1 UNCH
4850 ----	----	327.30B/299.20A	327.30B/299.20A	----	319.90 + 9.70	.5037	----	----	----	----	1 UNCH
4875 ----	----	316.40B/289.30A	316.40B/289.30A	----	309.70 + 9.80	.4927	----	----	----	----	4 UNCH
4900 ----	----	306.00B/279.80A	306.00B/279.80A	----	299.80 + 9.80	.4818	----	----	----	----	10 UNCH
5000 ----	----	267.10B/245.20A	267.10B/245.20A	----	263.30 + 10.00	.4393	----	----	----	----	28 UNCH
5050 ----	----	249.10B/229.40A	249.10B/229.40A	----	246.50 + 9.70	.4187	----	----	----	----	100 UNCH
5100 ----	----	232.70B/214.70A	232.70B/214.70A	----	230.70 + 9.20	.3988	----	----	----	----	1 UNCH
5130 196.00	196.00	223.70B/196.00	223.70B/196.00	----	221.70 + 8.90	.3872	----	----	1	----	1 UNCH
5195 ----	----	204.10B/189.30A	204.10B/189.30A	----	203.20 + 8.00	.3626	----	----	----	----	5 UNCH
5250 ----	----	189.70B/176.20A	189.70B/176.20A	----	188.80 + 7.30	.3428	----	----	----	----	7 UNCH
5300 ----	----	176.90B/165.10A	176.90B/165.10A	----	176.60 + 6.80	.3254	----	----	----	----	1 UNCH
5400 ----	----	154.70B/143.50A	154.70B/143.50A	----	154.80 + 6.30	.2931	----	----	----	----	2 UNCH
5450 ----	----	145.10B/136.60A	145.10B/136.60A	----	145.10 + 6.20	.2781	----	----	----	----	6 UNCH
5500 ----	----	135.80B/128.50A	135.80B/128.50A	----	136.10 + 6.20	.2638	----	----	----	----	58 UNCH
5550 ----	----	127.20B/120.80A	127.20B/120.80A	----	127.80 + 6.20	.2503	----	----	----	----	4 UNCH
5820 ----	----	90.70B/----	90.70B/88.30A	----	92.60 + 5.30	.1894	----	----	----	----	6 UNCH
5850 ----	----	87.70B/----	87.70B/85.40A	----	89.60 + 5.30	.1839	----	----	----	----	3 UNCH
5900 ----	----	82.80B/----	82.80B/81.00A	----	84.70 + 4.90	.1749	----	----	----	----	5 UNCH
6000 ----	----	73.70B/----	73.70B/73.10A	----	76.00 + 4.40	.1585	----	----	----	----	255 UNCH
6025 ----	----	71.90B/----	71.90B/71.50A	----	74.00 + 4.30	.1547	----	----	----	----	1 UNCH
6300 ----	----	54.00B/----	54.00B/53.90A	----	55.80 + 3.10	.1191	----	----	----	----	2 UNCH
20000 ----	----	----	3.80B/6.00A	----	4.70 - 0.10	.0065	----	----	----	----	58 UNCH
TOTAL									1		680 0
FEB27											
4650 ----	----	443.10B/408.40A	443.10B/408.40A	----	432.30 + 10.10	.5926	----	----	----	----	1 UNCH
4700 ----	----	419.80B/384.40A	419.80B/384.40A	----	407.20 + 10.00	.5711	----	----	----	----	1 UNCH
4785 ----	----	375.20B/346.70A	375.20B/346.70A	----	367.40 + 9.40	.5346	----	----	----	----	100 UNCH
5000 ----	----	282.10B/260.90A	282.10B/260.90A	----	280.80 + 8.40	.4453	----	----	----	----	12 UNCH
5100 ----	----	250.50B/234.90A	250.50B/234.90A	----	247.50 + 7.90	.4065	----	----	----	----	1 UNCH
5175 ----	----	224.10B/209.90A	224.10B/209.90A	----	225.20 + 7.50	.3789	----	----	----	----	125 UNCH
5200 ----	----	222.90B/208.10A	222.90B/208.10A	----	218.30 + 7.40	.3700	----	----	----	----	3 UNCH
5250 ----	----	203.10B/191.50A	203.10B/191.50A	----	205.10 + 7.10	.3527	----	----	----	----	2 UNCH
5300 ----	----	193.70B/184.60A	193.70B/184.60A	----	192.70 + 6.80	.3361	----	----	----	----	50 UNCH
5375 ----	----	176.30B/169.20A	176.30B/169.20A	----	175.70 + 6.40	.3124	----	----	----	----	2 UNCH
5400 ----	----	167.60B/160.20A	167.60B/160.20A	----	170.30 + 6.20	.3047	----	----	----	----	1 UNCH
5500 ----	----	150.60B/----	150.60B/146.90A	----	150.80 + 5.70	.2761	----	----	----	----	3 UNCH
5520 ----	----	144.30B/139.40A	144.30B/139.40A	----	147.20 + 5.60	.2707	----	----	----	----	300 UNCH
5530 ----	----	142.10B/137.80A	142.10B/137.80A	----	145.50 + 5.60	.2681	----	----	----	----	100 UNCH
5550 ----	----	138.40B/134.80A	138.40B/134.80A	----	142.00 + 5.40	.2628	----	----	----	----	82 UNCH
5600 ----	----	131.30B/127.50A	131.30B/127.50A	----	133.80 + 5.20	.2501	----	----	----	----	8 UNCH
6000 ----	----	83.10B/----	83.10B/84.90A	----	85.20 + 2.80	.1692	----	----	85	----	1290 + 85
6025 ----	----	82.00B/----	82.00B/83.00A	----	82.90 + 2.60	.1652	----	----	----	----	4 UNCH
6100 ----	----	75.90B/----	75.90B/79.60A	----	76.70 + 2.20	.1540	----	----	----	----	4 UNCH
6300 ----	----	----	59.00B/65.70A	----	63.00 + 1.00	.1285	----	----	----	----	1 UNCH
6500 ----	----	----	50.50B/56.10A	----	53.00 + 0.40	.1089	----	----	85	----	1220 + 85
6900 ----	----	----	35.80B/*46.80A	----	41.20 + 1.10	.0835	----	----	----	----	532 UNCH
7000 ----	----	----	28.30B/*43.90A	----	39.10 + 1.30	.0788	----	----	----	----	385 UNCH
7100 ----	----	----	26.00B/47.60A	----	37.30 + 1.50	.0747	----	----	----	----	9 UNCH
7900 ----	----	----	16.20B/36.10A	----	27.10 + 1.00	.0517	----	----	----	----	500 UNCH
8000 ----	----	----	15.50B/35.90A	----	26.20 + 0.80	.0497	----	----	----	----	500 UNCH
TOTAL									170		5236 + 170
MAR27											
4210 ----	----	----	455.90B/1037.00A	----	750.00 + 13.90	.7654	----	----	----	----	1 UNCH
5000 ----	----	#313.30B/293.00	313.30B/293.00A	----	312.10 + 6.60	.4641	----	----	----	----	75 UNCH
5010 305.00	305.00	#317.20B/295.10	#317.20B/295.10A	----	308.30 NEW	.4602	----	----	1	----	1 + 1
5500 ----	----	173.80B/*165.90	173.80B/165.90A	----	172.40 + 3.40	.2967	----	----	----	----	67 UNCH
5650 ----	----	148.90B/----	148.90B/146.50A	----	145.60 + 2.80	.2581	----	----	----	----	15 UNCH
5790 ----	----	124.80B/----	124.80B/123.10A	----	125.10 + 2.40	.2269	----	----	----	----	2 UNCH
5850 118.00	118.00	#120.00/118.00	120.00/116.20A	----	117.40 + 2.10	.2148	----	----	2	----	4 + 2
5900 110.00	110.00	#114.00/*110.00	114.00/*110.00	----	111.40 NEW	.2052	----	----	3	----	3 + 3
6000 ----	----	99.60B/----	99.60B/105.50A	----	100.60 + 1.50	.1876	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
OG CALL		COMEX GOLD OPTIONS										
MAR27												
6500	----	----	----	58.40B/67.70A	----	63.20 UNCH	.1227	----	----	----	----	1 UNCH
TOTAL										6		171+ 6
APR27												
5000	----	----	----	10.50B/550.80A	----	375.30 + 7.30	.4805	----	----	----	----	100 UNCH
5060	----	----	----	6.80B/517.70A	----	357.40 + 7.00	.4619	----	----	----	----	25 UNCH
5600	----	----	----	----/299.70A	----	214.70 + 4.60	.3123	----	----	----	----	300 UNCH
6000	----	----	----	----/209.60A	----	151.00 + 3.30	.2325	----	----	----	----	151 UNCH
TOTAL												576 0
JUN27												
7000	----	----	----	----	----	73.70 + 1.70	.1211	----	----	----	----	3 UNCH
9000	----	----	----	----	----	23.50 + 0.50	.0406	----	----	----	----	1 UNCH
9500	----	----	----	----	----	19.90 + 0.40	.0340	----	----	----	----	0 UNCH
10000	----	----	----	----	----	17.50 + 0.30	.0294	----	----	----	----	3 UNCH
TOTAL												7 0
DEC27												
4860	----	----	----	----	----	657.50 + 9.40	.5804	----	----	----	----	100 UNCH
5000	----	----	----	----	----	598.20 + 8.80	.5450	----	----	----	----	50 UNCH
5650	----	----	----	----	----	378.30 + 6.30	.3951	----	----	----	----	200 UNCH
5700	----	----	----	----	----	364.90 + 6.10	.3847	----	----	----	----	150 UNCH
5800	----	----	----	----	----	339.60 + 5.70	.3647	----	----	----	----	200 UNCH
5880	----	----	----	----	----	320.60 + 5.50	.3492	----	----	----	----	125 UNCH
6300	----	----	----	----	----	237.70 + 4.30	.2767	----	----	----	----	18 UNCH
7500	----	----	----	----	----	108.00 + 2.10	.1428	----	----	----	----	170 UNCH
7800	----	----	----	----	----	91.00 + 1.80	.1226	----	----	----	----	284 UNCH
10000	----	----	----	31.00B/----	----	38.00 + 0.70	.0528	----	----	----	----	101 UNCH
10500	----	----	----	----	----	34.20 + 0.70	.0469	----	----	----	----	10 UNCH
TOTAL												1408 0
DEC28												
5750	----	----	----	----	----	595.60 + 7.60	.4611	----	----	----	----	100 UNCH
TOTAL												100 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MMG MON		MICRO GOLD WEEKLY MONDAY OPTION WEE										
MAY26												
4600	15.10	15.10	#15.10/*15.10	#15.10/*15.10	----	10.20 NEW	.2200	----	----	1	----	1 + 1
TOTAL										1		1+ 1
JUN26												
4400	----	----	----	----/68.00A	----	32.30 - 6.90	.1744	----	----	----	----	1 UNCH
TOTAL												1 0

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWW WED		GOLD WEEKLY WEDNESDAY OPTION WEEK2										
MAY26												
3500	----	----	----	0.10B/1.40A	----	0.60 - 0.30	.0027	----	----	----	----	16 UNCH
3800	1.10	1.10	1.10/*1.10	1.20B/*1.10	----	1.00 NEW	.0057	----	----	5	----	5 + 5
3900	----	----	----	0.40B/*0.60A	----	0.20 - 0.30	.0009	----	----	----	----	30 UNCH
3900	3.80	3.80	#3.80/3.80	3.80/3.80	----	2.80 - 1.10	.0164	----	----	1	----	3 + 1
4000	----	----	----	0.50B/*0.80A	----	0.30 - 0.40	.0016	----	----	----	----	40 UNCH
4000	----	----	----/*1.90A	2.20B/*1.90A	----	1.70 - 0.80	.0116	----	----	----	----	2 UNCH
4100	----	----	----/*0.80A	0.80B/*0.80A	----	0.50 - 0.60	.0032	----	----	----	----	22 UNCH
4100	----	----	----/*6.20A	6.00B/*6.20A	----	5.00 - 1.90	.0334	----	----	----	----	1 UNCH
4200	----	----	----/*0.90A	1.40B/*0.90A	----	0.70 - 0.80	.0055	----	----	----	----	2 UNCH
4200	----	----	10.60B/*8.60A	10.60B/*8.60A	----	7.40 - 2.80	.0519	----	----	----	----	51 UNCH
4250	1.40	1.40	2.00B/*0.90	2.00B/*0.90	----	0.90 - 1.00	.0077	----	----	2	----	5 + 2
4250	----	----	13.90B/*10.10A	13.90B/*10.10A	----	9.40 - 3.40	.0668	----	----	----	----	1 UNCH
4250	----	----	7.90B/*4.50A	7.90B/*4.50A	----	4.30 - 2.40	.0367	----	----	----	----	1 UNCH
4275	----	----	2.40B/*1.10A	2.40B/*1.10A	----	1.00 - 1.20	.0091	----	----	----	----	4 UNCH
4300	2.60	2.60	2.90B/*1.20A	2.90B/*1.20A	----	1.10 - 1.40	.0105	----	----	13	----	23 - 1
4300	6.50	6.50	11.10B/*5.90A	11.10B/*5.90A	----	5.70 - 3.10	.0501	----	----	1	----	4 + 1
4300	----	----	18.90B/*13.00A	18.90B/*13.00A	----	12.40 - 4.10	.0879	----	----	----	----	1 UNCH
4325	7.50	7.50	13.20B/*6.80A	13.20B/*6.80A	----	6.60 - 3.60	.0588	----	----	2	----	2 + 1
4325	----	----	3.60B/*1.50A	3.60B/*1.50A	----	1.30 - 1.60	.0131	----	----	----	----	2 UNCH
4325	----	----	22.00B/*14.70A	22.00B/*14.70A	----	14.20 - 4.60	.1006	----	----	----	----	4 UNCH
4330	----	----	#3.90B/*1.50A	3.90B/*1.50A	----	1.30 NEW	.0133	----	----	2	----	2 + 2
4335	----	----	#4.10B/*1.50A	4.10B/*1.50A	----	1.40 - 1.70	.0144	----	----	----	----	1 UNCH
4350	----	----	4.60B/*1.70A	4.60B/*1.70A	----	1.50 - 2.00	.0160	----	----	----	----	7 UNCH
4350	----	----	25.70B/*16.90A	25.70B/*16.90A	----	16.40 - 5.10	.1156	----	----	1	----	1 UNCH
4350	----	----	15.70B/*7.90A	15.70B/*7.90A	----	7.80 - 4.10	.0700	----	----	1	----	30 - 1
4375	17.50	17.50	18.70B/*9.20A	18.70B/*9.20A	----	9.30 - 4.70	.0837	----	----	2	----	12 + 2
4375	----	----	5.90B/*1.90A	5.90B/*1.90A	----	1.80 - 2.40	.0203	----	----	----	----	1 UNCH
4400	----	----	34.40B/*22.20A	34.40B/*22.20A	----	22.10 - 6.20	.1527	----	----	7	----	17 + 7
4400	----	----	22.60B/*10.90A	22.60B/*10.90A	----	11.10 - 5.40	.1000	----	----	----	----	2 UNCH
4400	----	----	7.60B/*2.20A	7.60B/*2.20A	----	2.10 - 3.10	.0251	----	----	1	----	142 UNCH
4425	----	----	27.10B/*13.00A	27.10B/*13.00A	----	13.50 NEW	.1207	----	----	1	----	1 + 1
4425	----	----	9.80B/*2.70A	9.80B/*2.70A	----	2.60 - 3.80	.0328	----	----	8	----	22 + 3
4450	4.20	4.20	12.90B/*3.40A	12.90B/*3.40A	----	3.40 - 4.70	.0448	----	----	10	----	17 + 9
4470	----	----	#15.90B/*4.20A	15.90B/*4.20A	----	4.20 - 5.60	.0573	----	----	----	----	1 UNCH
4475	9.40	9.40	17.00B/*4.40	17.00B/*4.40	----	4.50 - 5.80	.0616	----	----	2	----	13 + 1
4475	----	----	38.90B/*18.90A	38.90B/*18.90A	----	20.00 NEW	.1742	----	----	1	----	1 + 1
4480	5.80	5.80	#17.70B/*4.60A	17.70B/*4.60A	----	4.80 NEW	.0661	----	----	2	----	2 + 2
4485	----	----	#18.90B/*4.90A	18.90B/*4.90A	----	5.10 - 6.30	.0707	----	----	1	----	3 + 1
4490	----	----	#19.90B/*5.10A	19.90B/*5.10A	----	5.40 - 6.60	.0754	----	----	----	----	2 UNCH
4500	----	----	63.10B/*40.70A	63.10B/40.70A	----	41.00 NEW	.2614	----	----	7	----	7 + 7
4500	21.40	21.40	22.20B/*5.80A	22.20B/*5.80A	----	6.20 - 7.10	.0870	----	----	12	----	14 + 5
4510	6.90	6.90	#24.90B/*6.50A	24.90B/*6.50A	----	7.00 NEW	.0993	----	----	1	----	1 + 1
4520	9.40	9.40	#27.80B/*7.30A	27.80B/*7.30A	----	8.10 NEW	.1149	----	----	1	----	1 + 1
4525	----	----	29.30B/*7.80A	29.30B/*7.80A	----	8.60 - 8.60	.1225	----	----	----	----	33 UNCH
4530	----	----	#30.90B/*8.30A	30.90B/*8.30A	----	9.20 NEW	.1312	----	----	4	----	4 + 4
4535	9.90	9.90	#32.50B/*8.90A	32.50B/*8.90A	----	9.90 NEW	.1409	----	----	2	----	2 + 2
4540	10.90	10.90	#34.40B/*9.50A	34.40B/*9.50A	----	10.60 NEW	.1508	----	----	9	----	9 + 9
4550	11.50	11.50	38.10B/*10.60	38.10B/*10.60	----	12.20 - 10.20	.1728	----	----	2	----	121 - 1
4550	65.90	65.90	131.40B/62.20A	131.40B/62.20A	----	106.60 + 4.60	.8270	----	----	4	----	4 + 3
4570	----	----	#114.80B/*50.70	#114.80B/50.70A	----	90.50 NEW	.7762	----	----	1	----	1 + 1
4575	63.80	63.80	95.30B/62.00A	95.30B/62.00A	----	64.60 NEW	.3729	----	----	10	----	10 + 10
4575	----	----	111.00B/48.30A	111.00B/48.30A	----	86.60 + 2.90	.7613	----	----	2	----	1 UNCH
4575	----	----	49.30B/*15.10A	49.30B/*15.10A	----	17.20 - 12.00	.2385	----	----	----	----	13 UNCH
4575	----	----	77.40B/40.80A	77.40B/40.80A	----	44.00 - 11.70	.3403	----	----	----	----	2 UNCH
4580	----	----	106.70B/45.60A	106.70B/45.60A	----	82.90 + 2.60	.7462	----	----	----	----	7 UNCH
4580	32.00	32.00	51.70B/*16.00A	51.70B/*16.00A	----	18.40 - 12.30	.2536	----	----	3	----	2 + 1
4585	----	----	102.30B/43.10A	102.30B/43.10A	----	79.10 + 2.20	.7304	----	----	----	----	7 UNCH
4585	21.60	21.60	54.30B/*17.20A	54.30B/*17.20A	----	19.70 NEW	.2694	----	----	1	----	1 + 1
4590	22.80	22.80	56.70B/*18.30A	56.70B/*18.30A	----	21.00 - 13.10	.2855	----	----	2	----	4 + 1
4590	----	----	98.90B/40.80A	98.90B/40.80A	----	75.50 + 1.90	.7143	----	----	----	----	1 UNCH
4595	----	----	95.00B/38.30A	95.00B/38.30A	----	72.00 NEW	.6971	----	----	2	----	0 UNCH
4595	24.40	24.40	59.40B/*19.60A	59.40B/*19.60A	----	22.50 - 13.30	.3027	----	----	2	----	6 + 2
4600	73.00	73.00	107.60B/71.00A	107.60B/71.00A	----	74.60 NEW	.4141	----	----	10	----	10 + 10
4600	----	----	118.60B/65.30A	118.60B/65.30A	----	97.60 + 2.30	.6068	----	----	----	----	1 UNCH
4600	51.00	51.00	62.40B/*20.80A	62.40B/*20.80A	----	24.00 - 13.70	.3202	----	----	35	----	56 - 13
4600	----	----	91.00B/36.30A	91.00B/36.30A	----	68.50 + 1.20	.6796	----	----	----	----	21 UNCH
4605	53.50	53.50	65.30B/*22.20A	65.30B/*22.20A	----	25.60 - 14.10	.3382	----	----	30	----	28 + 2
4605	----	----	87.40B/34.20A	87.40B/34.20A	----	65.10 + 0.90	.6616	----	----	----	----	2 UNCH
4610	----	----	83.50B/32.10A	83.50B/32.10A	----	61.80 + 0.50	.6429	----	----	----	----	1 UNCH
4610	----	----	68.30B/23.80A	68.30B/23.80A	----	27.30 - 14.40	.3569	----	----	1	----	2 + 1
4615	65.00	65.00	71.40B/25.30A	71.40B/25.30A	----	29.20 - 14.60	.3763	----	----	2	----	3 UNCH
4620	----	----	76.30B/28.40A	76.30B/28.40A	----	55.50 - 0.10	.6040	----	----	----	----	1 UNCH
4625	83.50	83.50	121.80B/81.10A	121.80B/81.10A	----	85.70 - 12.10	.4564	----	----	37	----	112 + 37
4625	28.90	28.90	73.80B/26.70A	73.80B/26.70A	----	52.50 NEW	.5841	----	----	13	----	12 + 12
4625	43.20	43.20	77.90B/28.80A	77.90B/28.80A	----	33.10 - 15.20	.4157	----	----	4	----	5 + 4
4630	----	----	81.30B/30.40A	81.30B/30.40A	----	35.20 - 15.50	.4359	----	----	----	----	1 UNCH
4635	----	----	84.80B/32.20A	84.80B/32.20A	----	37.40 NEW	.4564	----	----	1	----	1 + 1
4635	----	----	67.30B/23.50A	67.30B/23.50A	----	46.90 - 0.80	.5434	----	----	----	----	1 UNCH
4640	----	----	88.40B/34.10A	88.40B/34.10A	----	39.70 - 16.00	.4771	----	----	1	----	3 + 1
4640	----	----	64.20B/22.00A	64.20B/22.00A	----	44.20 - 1.10	.5227	----	----	----	----	1 UNCH
4645	----	----	61.10B/20.60A	61.10B/20.60A	----	41.60 - 1.40	.5019	----	----	----	----	1 UNCH
4650	----	----	109.30B/68.80A	109.30B/68.80A	----	92.60 + 2.30	.5003	----	----	----	----	3 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWW WED MAY26 — GOLD WEEKLY WEDNESDAY OPTION WEEK3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4650 ----	----	136.70B/92.20A	136.70B/92.20A	----	98.10 - 12.50	.4991	----	----	----	----	3 UNCH
4650 ----	----	87.90B/46.00A	87.90B/46.00A	----	70.30 + 0.80	.4949	----	----	----	----	200 UNCH
4650 25.60	25.60	58.10B/19.50A	58.10B/19.50A	----	39.10 - 1.60	.4811	----	----	30	----	203 + 21
4650 ----	----	95.60B/38.00A	95.60B/38.00A	----	44.60 - 16.50	.5187	----	----	1	----	34 + 1
4655 41.70	41.70	55.20B/18.00A	55.20B/18.00A	----	36.70 - 1.80	.4602	----	----	100	----	150 + 100
4655 ----	----	99.40B/40.10A	99.40B/40.10A	----	47.20 - 16.70	.5396	----	----	----	----	153 UNCH
4660 ----	----	52.50B/16.80A	52.50B/16.80A	----	34.50 - 1.90	.4396	----	----	----	----	2 UNCH
4665 ----	----	107.20B/44.60A	107.20B/44.60A	----	52.80 - 17.00	.5808	----	----	----	----	1 UNCH
4665 33.90	33.90	49.80B/15.70A	49.80B/15.70A	----	32.30 NEW	.4190	----	----	12	----	12 + 12
4670 ----	----	111.20B/47.00A	111.20B/47.00A	----	55.70 - 17.20	.6012	----	----	----	----	13 UNCH
4670 ----	----	47.20B/14.70A	47.20B/14.70A	----	30.20 - 2.30	.3985	----	----	16	----	26 + 4
4675 ----	----	96.40B/60.30A	96.40B/60.30A	----	81.10 + 1.80	.4577	----	----	----	----	25 UNCH
4675 ----	----	44.70B/13.80A	44.70B/13.80A	----	28.30 - 2.40	.3787	----	----	4	----	4 UNCH
4680 17.50	17.50	42.30B/12.90A	42.30B/12.90A	----	26.40 - 2.50	.3589	----	----	1	----	2 + 1
4680 60.60	60.60	119.30B/52.10A	119.30B/52.10A	----	61.90 NEW	.6409	----	----	5	----	5 + 5
4685 ----	----	40.00B/12.10A	40.00B/12.10A	----	24.60 NEW	.3395	----	----	2	----	1 + 1
4695 ----	----	35.70B/*10.50A	35.70B/*10.50A	----	21.40 - 2.80	.3027	----	----	4	----	4 UNCH
4700 152.70	152.70	157.40B/94.90A	157.40B/94.90A	----	104.40 - 15.30	.6157	----	----	1	----	2 UNCH
4700 ----	----	64.50B/31.70A	64.50B/31.70A	----	49.00 - 0.40	.3839	----	----	----	----	1 UNCH
4700 10.30	10.30	33.70B/*9.80A	33.70B/*9.80A	----	19.90 - 2.90	.2849	----	----	23	----	47 + 9
4700 ----	----	136.30B/63.30A	136.30B/63.30A	----	75.40 - 17.70	.7149	----	----	2	----	72 + 2
4705 ----	----	31.70B/*9.20A	31.70B/*9.20A	----	18.50 - 2.90	.2678	----	----	----	----	1 UNCH
4705 ----	----	140.70B/66.40A	140.70B/66.40A	----	79.00 - 17.80	.7320	----	----	2	----	3 + 2
4710 ----	----	29.80B/*8.60A	29.80B/*8.60A	----	17.20 - 2.90	.2514	----	----	4	----	8 UNCH
4715 ----	----	28.00B/*8.00A	28.00B/*8.00A	----	16.00 - 2.90	.2358	----	----	1	----	1 + 1
4725 ----	----	74.30B/46.20A	74.30B/46.20A	----	61.60 + 1.00	.3758	----	----	----	----	1 UNCH
4725 18.50	18.50	24.80B/*7.10A	24.80B/*7.10A	----	13.80 - 2.90	.2065	----	----	1	----	7 + 1
4725 ----	----	158.60B/79.80A	158.60B/79.80A	----	94.30 NEW	.7933	----	----	1	----	1 + 1
4730 ----	----	23.20B/*6.70A	23.20B/*6.70A	----	12.80 - 2.90	.1928	----	----	----	----	2 UNCH
4735 ----	----	21.80B/*6.30A	21.80B/*6.30A	----	11.90 - 2.80	.1801	----	----	----	----	1 UNCH
4740 ----	----	172.30B/90.40A	172.30B/90.40A	----	106.50 - 17.70	.8322	----	----	----	----	1 UNCH
4740 ----	----	20.40B/*5.90A	20.40B/*5.90A	----	11.00 - 2.80	.1675	----	----	----	----	1 UNCH
4745 ----	----	19.10B/*5.50A	19.10B/*5.50A	----	10.20 - 2.80	.1560	----	----	----	----	11 UNCH
4750 ----	----	65.00B/40.20A	65.00B/40.20A	----	53.40 + 0.70	.3374	----	----	----	----	2 UNCH
4750 ----	----	45.60B/21.70A	45.60B/21.70A	----	33.30 - 1.10	.2845	----	----	----	----	9 UNCH
4750 ----	----	197.40B/126.10A	197.40B/126.10A	----	138.70 - 16.00	.7151	----	----	----	----	1 UNCH
4750 7.60	7.60	18.00B/*5.20A	18.00B/*5.20A	----	9.40 - 2.80	.1446	----	----	3	----	138 UNCH
4750 ----	----	181.70B/98.10A	181.70B/98.10A	----	114.90 - 17.60	.8552	----	----	----	----	1 UNCH
4755 ----	----	16.80B/*4.90A	16.80B/*4.90A	----	8.70 - 2.70	.1342	----	----	----	----	1 UNCH
4760 ----	----	15.70B/*4.60A	15.70B/*4.60A	----	8.10 - 2.60	.1250	----	----	----	----	2 UNCH
4760 ----	----	191.10B/105.70A	191.10B/105.70A	----	123.50 - 17.60	.8748	----	----	----	----	10 UNCH
4765 ----	----	195.80B/109.80A	195.80B/109.80A	----	128.00 NEW	.8839	----	----	4	----	2 + 2
4765 ----	----	14.60B/*4.40A	14.60B/*4.40A	----	7.50 - 2.60	.1159	----	----	12	----	7 + 6
4770 ----	----	200.60B/113.60A	200.60B/113.60A	----	132.40 - 17.40	.8918	----	----	----	----	1 UNCH
4770 ----	----	13.70B/*4.10A	13.70B/*4.10A	----	7.00 - 2.50	.1080	----	----	----	----	1 UNCH
4775 ----	----	56.60B/35.30A	56.60B/35.30A	----	46.20 + 0.40	.3013	----	----	1	----	2 UNCH
4775 ----	----	12.80B/*3.90A	12.80B/*3.90A	----	6.40 - 2.50	.0992	----	----	----	----	8 UNCH
4780 4.50	4.50	11.90B/*3.60A	11.90B/*3.60A	----	6.00 - 2.40	.0926	----	----	7	----	5 + 4
4780 ----	----	210.20B/121.90A	210.20B/121.90A	----	141.40 NEW	.9072	----	----	2	----	1 + 1
4795 ----	----	224.60B/134.90A	224.60B/134.90A	----	155.20 - 17.00	.9261	----	----	----	----	1 UNCH
4795 ----	----	9.70B/*3.00A	9.70B/*3.00A	----	4.80 - 2.10	.0737	----	----	----	----	2 UNCH
4800 42.70	42.70	#74.20B/*42.70	#74.20B/*42.70	----	65.90 NEW	.3480	----	----	1	----	1 + 1
4800 27.40	27.40	31.40B/14.90A	31.40B/14.90A	----	22.30 - 1.40	.2033	----	----	34	----	67 + 8
4800 9.80	9.80	9.80/*2.90A	9.80/*2.90A	----	4.40 - 2.10	.0676	----	----	30	----	163 + 20
4800 ----	----	229.50B/139.10A	229.50B/139.10A	----	159.90 - 16.90	.9322	----	----	2	----	1 UNCH
4805 ----	----	8.40B/*2.70A	8.40B/*2.70A	----	4.10 - 2.00	.0627	----	----	----	----	1 UNCH
4810 ----	----	7.90B/*2.60A	7.90B/*2.60A	----	3.80 - 2.00	.0579	----	----	2	----	7 + 2
4810 ----	----	239.20B/147.80A	239.20B/147.80A	----	169.20 - 16.90	.9419	----	----	----	----	1 UNCH
4815 ----	----	244.00B/152.40A	244.00B/152.40A	----	174.00 - 16.70	.9454	----	----	----	----	1 UNCH
4815 4.20	4.20	7.30B/*2.40A	7.30B/*2.40A	----	3.60 - 1.80	.0544	----	----	2	----	5 + 1
4820 4.30	4.30	6.80B/*2.30A	6.80B/*2.30A	----	3.30 - 1.80	.0498	----	----	3	----	34 + 3
4825 25.00	25.00	25.90B/12.60A	25.90B/12.60A	----	18.30 NEW	.1707	----	----	1	----	1 + 1
4825 4.00	4.00	6.40B/*2.20A	6.40B/*2.20A	----	3.10 - 1.70	.0465	----	----	51	----	52 + 49
4830 3.70	3.70	6.00B/*2.10A	6.00B/*2.10A	----	2.90 NEW	.0432	----	----	3	----	2 + 2
4835 ----	----	5.50B/*2.00A	5.50B/*2.00A	----	2.70 - 1.60	.0400	----	----	----	----	1 UNCH
4840 3.20	3.20	5.20B/*1.90A	5.20B/*1.90A	----	2.50 - 1.50	.0368	----	----	2	----	24 UNCH
4845 ----	----	4.80B/*1.80A	4.80B/*1.80A	----	2.30 - 1.50	.0338	----	----	----	----	1 UNCH
4850 17.60	17.60	21.60B/10.60A	21.60B/10.60A	----	14.90 NEW	.1420	----	----	1	----	1 + 1
4850 3.30	3.30	4.50B/*1.60A	4.50B/*1.60A	----	2.20 - 1.40	.0319	----	----	1	----	53 + 1
4850 ----	----	276.60B/184.60A	276.60B/184.60A	----	207.60 - 16.30	.9679	----	----	----	----	9 UNCH
4865 3.90	3.90	3.90/*1.40A	3.90/*1.40A	----	1.80 - 1.20	.0256	----	----	2	----	6 + 2
4875 ----	----	3.40B/*1.20A	3.40B/*1.20A	----	1.60 - 1.10	.0223	----	----	----	----	2 UNCH
4900 ----	----	27.80B/17.90A	27.80B/17.90A	----	22.10 - 0.40	.1619	----	----	7	----	8 + 7
4900 2.60	2.60	2.60/*0.90A	2.60/*0.90A	----	1.20 - 0.90	.0160	----	----	2	----	9 + 2
4900 ----	----	14.70B/7.50A	14.70B/7.50A	----	10.10 - 1.30	.0986	----	----	----	----	8 UNCH
4925 ----	----	12.20B/6.30A	12.20B/6.30A	----	8.30 - 1.20	.0818	----	----	1	----	4 UNCH
4925 ----	----	----/*0.80A	1.60B/*0.80A	----	0.90 - 0.70	.0114	----	----	----	----	81 UNCH
4950 ----	----	10.00B/5.30A	10.00B/5.30A	----	6.80 - 1.10	.0675	----	----	1	----	8 UNCH
4950 ----	----	----/*0.60A	1.10B/*0.60A	----	0.70 - 0.60	.0085	----	----	----	----	5 UNCH
4955 ----	----	----/*0.60A	1.10B/*0.60A	----	0.70 - 0.60	.0083	----	----	----	----	1 UNCH
4960 ----	----	----/*0.60A	1.00B/*0.60A	----	0.70 - 0.50	.0082	----	----	----	----	1 UNCH
4975 ----	----	8.30B/4.50A	8.30B/4.50A	----	5.70 - 1.00	.0566	----	----	1	----	4 + 1
4980 ----	----	----/*0.50A	0.80B/*0.50A	----	0.60 - 0.40	.0068	----	----	----	----	2 UNCH
4995 ----	----	395.20B/327.10A	395.20B/327.10A	----	350.90 - 15.30	.9945	----	----	----	----	1 UNCH
5000 ----	----	#15.80B/11.40A	15.80B/11.40A	----	12.60 NEW	.0964	----	----	7	----	7 + 7
5000 ----	----	#27.40B/*22.90A	#27.40B/*22.90A	----	25.20 NEW	.1568	----	----	1	----	1 + 1
5000 ----	----	----/*0.50A	0.60B/*0.50A	----	0.50 - 0.40	.0054	----	----	----	----	2 UNCH
5000 4.10	4.10	6.90B/3.90A	6.90B/3.90A	----	4.70 - 0.90	.0468	----	----	4	----	6 + 2
5015 ----	----	----/*0.50A	0.50B/*0.50A	----	0.40 - 0.40	.0042	----	----	----	----	1 UNCH
5020 ----	----	420.20B/351.80A	420.20B/351.80A	----	375.80 - 15.20	.9958	----	----	----	----	1 UNCH
5025 ----	----	454.80B/361.20A	454.80B/361.20A	----	384.10 - 15.60	.9602	----	----	----	----	1 UNCH
5025 ----	----	----/*0.50A	0.40B/*0.50A	----	0.40 - 0.30	.0041	----	----	----	----	1 UNCH
5025 ----	----	5.80B/3.40A	5.80B/3.40A	----	4.00 - 0.60	.0396	----	----	----	----	1 UNCH
5025 ----	----	425.10B/356.80A	425.10B/356.80A	----	380.80 - 15.20	.9958	----	----	----	----	0 - 1
5050 ----	----	----/*0.50A	0.30B/*0.50A	----	0.40 - 0.20	.0039	----	----	----	----	2 UNCH
5050 ----	----	4.80B/3.10A	4.80B/3.10A	----	3.30 - 0.60	.0327	----	----	----	----	1 UNCH
5075 ----	----	#10.40B/8.40A	10.40B/8.40A	----	8.50 - 0.40	.0659	----	----	3	----	3 UNCH
5075 ----	----	4.10B/2.70A	4.10B/2.70A	----	2.80 - 0.50	.0275	----	----	----	----	1 UNCH
5075 ----	----	----	0.30B/*0.50A	----	0.30 - 0.20	.0028	----	----	----	----	2 UNCH
5100 ----	----	#8.60B/7.70A	8.60B/7.70A	----	7.50 - 0.40	.0583	----	----	----	----	2 UNCH
5100 ----	----	----	----	----	462.40 - 15.20	.9414	----	----	----	----	1 UNCH
5100 ----	----	3.40B/2.50A	3.40B/2.50A	----	2.40 - 0.40	.0234	----	----	----	----	2 UNCH
5100 ----	----	528.70B/433.90A	528.70B/433.90A	----	457.50 - 15.30	.9764	----	----	----	----	1 UNCH
5125 ----	----	----	0.10B/*0.40A	----	0.20 - 0.10	.0017	----	----	----	----	1 UNCH
5150 ----	----	----	----/*0.50A	----	0.10 - 0.20	.0008	----	----	----	----	1 UNCH
5175 ----	----	2.20B/----	2.20B/*1.80A	----	1.50 - 0.30	.0143	----	----	----	----	0 UNCH
5175 ----	----	----	----/*0.50A	----	0.10 - 0.10	.0005	----	----	----	----	2 UNCH
5200 ----	----	----	----/*0.50A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
5225 ----	----	----	----/0.50A	----	0.10 - 0.10	.0001	----	----	----	----	1 UNCH
5250 ----	----	----	----/*0.50A	----	0.10 - 0.10	.0001	----	----	----	----	4 UNCH
5250 ----	----	1.50B/----	1.50B/*1.40A	----	1.10 - 0.20	.0099	----	----	----	----	1 UNCH
5300 ----	----	----	#2.90B/3.90A	----	3.20 + 0.10	.0242	----	----	----	----	40 UNCH
TOTAL									663		2856+ 423

GWT TUE MAY26 — GOLD WEEKLY TUESDAY OPTION Week3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3800 ----	----	----/2.60A	2.20B/2.60A	----	2.30 - 0.60	.0125	----	----	----	----	10 UNCH
3800 ----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
4100 ----	----	----/*4.90A	5.90B/*4.90A	----	4.60 - 1.80	.0312	----	----	----	----	1 UNCH
4100 ----	----	----/*0.40A	0.50B/*0.40A	----	0.20 - 0.60	.0011	----	----	----	----	2 UNCH
4100 ----	----	----/*2.10A	2.80B/*2.10A	----	1.80 - 1.20	.0139	----	----	----	----	1 UNCH
4120 0.20	0.20	#0.20/*0.20	0.50B/*0.20	----	0.20 NEW	.0011	----	----	1	----	1 + 1
4175 ----	----	#4.20B/*2.70A	4.20B/*2.70A	----	2.40 - 1.60	.0200	----	----	----	----	1 UNCH
4180 ----	----	----/*0.50A	0.70B/*0.50A	----	0.30 - 0.70	.0019	----	----	----	----	1 UNCH
4200 ----	----	9.50B/*7.10A	9.50B/*7.10A	----	6.90 - 2.40	.0492	----	----	----	----	1 UNCH
4225 ----	----	5.60B/*3.30A	5.60B/*3.30A	----	3.00 - 2.00	.0262	----	----	----	----	1 UNCH
4250 ----	----	12.50B/*8.90A	12.50B/*8.90A	----	8.70 - 2.90	.0632	----	----	----	----	10 UNCH
4250 ----	----	----/*0.70A	1.10B/*0.70A	----	0.40 - 0.90	.0031	----	----	----	----	6 UNCH
4250 4.50	4.50	6.60B/*3.70A	6.60B/*3.70A	----	3.50 - 2.20	.0310	----	----	2	----	28 UNCH
4275 ----	----	7.80B/*4.20A	7.80B/*4.20A	----	4.00 - 2.50	.0361	----	----	----	----	10 UNCH
4290 1.30	1.30	#1.30/*0.70A	1.60B/*0.70A	----	0.50 NEW	.0043	----	----	5	----	5 + 5
4300 ----	----	17.00B/*11.40A	17.00B/*11.40A	----	11.20 - 3.70	.0822	----	----	----	----	10 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWT TUE MAY26		GOLD WEEKLY TUESDAY OPTION Week1										
4300	1.50	1.50	1.70B/*0.80A	1.70B/*0.80A	----	0.60 - 1.10	.0052	----	----	25	----	43 + 22
4300	9.00	9.00	9.40B/*4.80A	9.40B/*4.80A	----	4.60 - 2.90	.0424	----	----	1	----	23 + 1
4325	----	----	2.30B/*0.90A	2.30B/*0.90A	----	0.70 - 1.30	.0065	----	----	----	----	1 UNCH
4325	----	----	11.20B/*5.60A	11.20B/*5.60A	----	5.50 - 3.20	.0511	----	----	----	----	10 UNCH
4350	1.40	1.40	2.90B/*1.00A	2.90B/*1.00A	----	0.90 - 1.50	.0090	----	----	1	----	113 UNCH
4350	7.30	7.30	13.50B/*6.50A	13.50B/*6.50A	----	6.50 - 3.70	.0611	----	----	1	----	11 + 1
4360	----	----	#3.20B/*1.10A	3.20B/*1.10A	----	0.90 - 1.70	.0093	----	----	----	----	3 UNCH
4370	----	----	#3.50B/*1.20A	3.50B/*1.20A	----	1.00 - 1.80	.0106	----	----	----	----	0 UNCH
4375	----	----	27.50B/*17.30A	27.50B/*17.30A	----	17.30 - 5.30	.1257	----	----	----	----	2 UNCH
4375	----	----	16.20B/*7.60A	16.20B/*7.60A	----	7.80 - 4.20	.0738	----	----	7	----	16 + 5
4375	----	----	3.70B/*1.20A	3.70B/*1.20A	----	1.10 - 1.80	.0118	----	----	----	----	8 UNCH
4400	3.70	3.70	4.90B/*1.40A	4.90B/*1.40A	----	1.30 - 2.20	.0150	----	----	3	----	26 + 1
4400	----	----	19.70B/*9.00A	19.70B/*9.00A	----	9.50 - 4.80	.0899	----	----	----	----	21 UNCH
4425	----	----	37.70B/*23.20A	37.70B/*23.20A	----	23.80 - 6.40	.1683	----	----	----	----	2 UNCH
4425	1.90	1.90	6.50B/*1.60	6.50B/*1.60	----	1.60 - 2.80	.0199	----	----	2	----	8 - 1
4425	----	----	23.90B/*10.80A	23.90B/*10.80A	----	11.60 - 5.50	.1095	----	----	----	----	4 UNCH
4430	----	----	#6.90B/*1.70A	6.90B/*1.70A	----	1.70 - 2.90	.0214	----	----	----	----	1 UNCH
4435	1.70	1.70	#7.40B/*1.70	7.40B/*1.70	----	1.80 - 3.00	.0230	----	----	2	----	5 + 2
4440	----	----	#7.90B/*1.90A	7.90B/*1.90A	----	1.90 - 3.10	.0246	----	----	----	----	2 UNCH
4445	1.70	1.70	#8.40B/*1.70	8.40B/*1.70	----	2.00 NEW	.0263	----	----	2	----	2 + 2
4450	----	----	44.10B/*27.10A	44.10B/*27.10A	----	27.90 - 7.20	.1939	----	----	----	----	5 UNCH
4450	8.50	8.50	8.90B/*2.00A	8.90B/*2.00A	----	2.10 - 3.50	.0280	----	----	5	----	58 + 2
4450	23.80	23.80	29.00B/*13.10A	29.00B/*13.10A	----	14.20 - 6.30	.1331	----	----	1	----	4 + 1
4455	5.70	5.70	#9.40B/*2.10A	9.40B/*2.10A	----	2.20 - 3.70	.0298	----	----	2	----	1 UNCH
4460	6.00	6.00	10.10B/*2.20A	10.10B/*2.20A	----	2.30 - 3.90	.0316	----	----	1	----	3 UNCH
4465	6.40	6.40	#10.80B/*2.40A	10.80B/*2.40A	----	2.40 - 4.10	.0335	----	----	2	----	3 + 2
4470	6.90	6.90	#11.50B/*2.50A	11.50B/*2.50A	----	2.60 - 4.20	.0367	----	----	1	----	5 + 1
4475	----	----	12.10B/*2.60A	12.10B/*2.60A	----	2.70 - 4.50	.0388	----	----	1	----	66 - 1
4475	----	----	35.10B/*16.10A	35.10B/*16.10A	----	17.50 - 7.20	.1618	----	----	----	----	153 UNCH
4485	8.40	8.40	13.80B/*2.90A	13.80B/*2.90A	----	3.10 - 4.90	.0455	----	----	2	----	3 + 2
4495	4.20	4.20	15.70B/*3.30A	15.70B/*3.30A	----	3.50 NEW	.0527	----	----	2	----	2 + 2
4500	----	----	59.70B/36.90A	59.70B/36.90A	----	38.50 - 8.50	.2551	----	----	----	----	1 UNCH
4500	----	----	173.40B/90.40A	173.40B/90.40A	----	148.20 + 9.10	.9433	----	----	----	----	1 UNCH
4500	16.50	16.50	16.90B/*3.50A	16.90B/*3.50A	----	3.70 - 5.80	.0566	----	----	39	----	114 + 32
4500	----	----	42.40B/*19.80A	42.40B/*19.80A	----	21.60 - 8.10	.1958	----	----	----	----	25 UNCH
4505	----	----	18.00B/*3.70A	18.00B/*3.70A	----	4.00 - 6.10	.0617	----	----	----	----	1 UNCH
4510	17.30	17.30	19.00B/*3.90A	19.00B/*3.90A	----	4.30 NEW	.0670	----	----	16	----	16 + 16
4515	----	----	159.50B/79.00A	159.50B/79.00A	----	134.00 + 8.10	.9274	----	----	----	----	1 UNCH
4520	5.00	5.00	21.60B/*4.40A	21.60B/*4.40A	----	4.90 NEW	.0781	----	----	16	----	16 + 16
4525	6.40	6.40	23.00B/*4.70A	23.00B/*4.70A	----	5.30 - 7.40	.0850	----	----	49	----	42 + 40
4525	----	----	51.20B/24.30A	51.20B/24.30A	----	26.60 - 9.20	.2354	----	----	----	----	1 UNCH
4530	----	----	24.60B/*5.10A	24.60B/*5.10A	----	5.70 - 7.80	.0922	----	----	----	----	1 UNCH
4535	----	----	141.10B/64.90A	141.10B/64.90A	----	115.60 + 6.70	.9001	----	----	----	----	10 UNCH
4535	6.40	6.40	26.20B/*5.50A	26.20B/*5.50A	----	6.10 - 8.20	.0997	----	----	4	----	12 + 2
4540	8.30	8.30	27.80B/*5.90A	27.80B/*5.90A	----	6.60 - 8.60	.1085	----	----	8	----	8 + 6
4545	7.30	7.30	29.60B/*6.30A	29.60B/*6.30A	----	7.20 - 8.90	.1186	----	----	4	----	5 + 3
4545	----	----	132.00B/58.40A	132.00B/58.40A	----	106.60 + 5.90	.8812	----	----	----	----	4 UNCH
4550	----	----	167.70B/115.80A	167.70B/115.80A	----	147.20 + 5.00	.6707	----	----	----	----	1 UNCH
4550	8.20	8.20	31.50B/*6.80A	31.50B/*6.80A	----	7.70 - 9.40	.1280	----	----	8	----	69 + 6
4550	----	----	127.70B/55.40A	127.70B/55.40A	----	102.20 + 5.50	.8718	----	----	----	----	1 UNCH
4555	102.90	102.90	123.00B/52.40A	123.00B/52.40A	----	97.90 + 5.10	.8601	----	----	1	----	1 UNCH
4555	11.00	11.00	33.40B/*7.40A	33.40B/*7.40A	----	8.40 - 9.80	.1397	----	----	6	----	2 UNCH
4560	----	----	35.60B/*8.00A	35.60B/*8.00A	----	9.10 NEW	.1517	----	----	4	----	2 + 2
4560	----	----	118.60B/49.40A	118.60B/49.40A	----	93.60 + 4.70	.8481	----	----	----	----	1 UNCH
4565	----	----	37.60B/*8.70A	37.60B/*8.70A	----	9.80 - 10.70	.1641	----	----	2	----	13 + 2
4565	97.00	97.00	114.20B/46.50A	114.20B/46.50A	----	89.30 NEW	.8357	----	----	2	----	2 + 2
4570	11.40	11.40	39.90B/*9.40A	39.90B/*9.40A	----	10.70 - 11.10	.1787	----	----	4	----	5 + 3
4570	----	----	109.80B/43.70A	109.80B/43.70A	----	85.20 + 3.80	.8211	----	----	----	----	0 UNCH
4575	----	----	91.60B/58.00A	91.60B/58.00A	----	61.60 - 10.50	.3692	----	----	----	----	1 UNCH
4575	----	----	42.30B/*10.10A	42.30B/*10.10A	----	11.60 - 11.60	.1936	----	----	12	----	11 + 6
4575	----	----	72.80B/36.50A	72.80B/36.50A	----	40.20 - 11.30	.3317	----	----	1	----	8 UNCH
4575	----	----	131.50B/72.40A	131.50B/72.40A	----	109.70 + 3.70	.6679	----	----	----	----	1 UNCH
4580	----	----	44.80B/*10.90A	44.80B/*10.90A	----	12.60 - 12.00	.2097	----	----	2	----	3 + 2
4585	18.90	18.90	47.10B/*11.80A	47.10B/*11.80A	----	13.60 - 12.50	.2262	----	----	1	----	2 + 1
4590	40.00	40.00	49.80B/*12.80A	49.80B/*12.80A	----	14.80 - 12.90	.2446	----	----	5	----	21 + 1
4600	----	----	85.20B/29.40A	85.20B/29.40A	----	61.90 + 1.10	.7160	----	----	----	----	4 UNCH
4600	----	----	85.80B/44.60A	85.80B/44.60A	----	49.10 - 12.20	.3872	----	----	----	----	13 UNCH
4600	51.30	51.30	55.60B/*14.90A	55.60B/*14.90A	----	17.40 - 13.80	.2838	----	----	112	----	157 + 106
4600	----	----	114.00B/60.30A	114.00B/60.30A	----	93.50 + 2.60	.6125	----	----	----	----	12 UNCH
4610	----	----	77.70B/25.40A	77.70B/25.40A	----	54.90 + 0.30	.6730	----	----	----	----	3 UNCH
4610	----	----	61.70B/*17.40A	61.70B/*17.40A	----	20.40 - 14.60	.3268	----	----	----	----	10 UNCH
4615	23.80	23.80	65.00B/*18.80A	65.00B/*18.80A	----	22.10 NEW	.3498	----	----	2	----	2 + 2
4620	23.20	23.20	68.30B/*20.30A	68.30B/*20.30A	----	23.90 NEW	.3734	----	----	2	----	1 + 1
4620	23.70	23.70	70.20B/21.90A	70.20B/21.90A	----	48.40 - 0.40	.6264	----	----	1	----	7 + 1
4625	81.10	81.10	118.10B/77.40A	118.10B/77.40A	----	82.50 NEW	.4555	----	----	20	----	20 + 20
4625	----	----	66.80B/20.30A	66.80B/20.30A	----	45.30 - 0.80	.6021	----	----	----	----	12 UNCH
4625	----	----	71.70B/*21.90A	71.70B/*21.90A	----	25.80 - 15.70	.3977	----	----	----	----	3 UNCH
4625	----	----	98.00B/50.20A	98.00B/50.20A	----	78.90 + 1.70	.5539	----	----	1	----	1 UNCH
4625	----	----	100.60B/53.80A	100.60B/53.80A	----	59.40 - 13.20	.4457	----	----	1	----	10 UNCH
4630	31.80	31.80	75.20B/23.50A	75.20B/23.50A	----	27.90 NEW	.4226	----	----	4	----	1 + 1
4635	20.70	20.70	59.90B/17.40A	59.90B/17.40A	----	39.50 - 1.40	.5520	----	----	107	----	43 + 42
4635	33.50	33.50	78.90B/25.20A	78.90B/25.20A	----	30.00 - 16.30	.4478	----	----	2	----	2 + 1
4640	31.10	31.10	82.60B/26.90A	82.60B/26.90A	----	32.30 NEW	.4734	----	----	4	----	2 + 2
4645	34.10	34.10	86.40B/28.70A	86.40B/28.70A	----	34.80 NEW	.4992	----	----	7	----	6 + 6
4645	15.10	15.10	53.90B/*14.80A	53.90B/*14.80A	----	34.30 NEW	.5007	----	----	1	----	1 + 1
4650	----	----	133.30B/88.50A	133.30B/88.50A	----	94.80 NEW	.4999	----	----	1	----	1 + 1
4650	89.40	89.40	105.60B/65.30A	105.60B/65.30A	----	89.30 NEW	.4996	----	----	11	----	10 + 10
4650	16.10	16.10	50.90B/*13.10	50.90B/*13.10	----	31.80 - 2.20	.4749	----	----	77	----	84 + 44
4650	----	----	90.30B/30.60A	90.30B/30.60A	----	37.30 - 17.00	.5249	----	----	1	----	51 + 1
4650	----	----	116.80B/64.50A	116.80B/64.50A	----	71.40 - 14.10	.5061	----	----	----	----	2 UNCH
4650	----	----	83.20B/41.30A	83.20B/41.30A	----	65.90 + 0.80	.4936	----	----	4	----	7 UNCH
4655	39.70	39.70	47.90B/*12.70A	47.90B/*12.70A	----	29.50 NEW	.4492	----	----	4	----	3 + 3
4655	----	----	94.20B/32.70A	94.20B/32.70A	----	40.00 - 17.20	.5506	----	----	----	----	10 UNCH
4660	35.60	35.60	45.20B/*11.70A	45.20B/*11.70A	----	27.30 - 2.50	.4237	----	----	4	----	4 - 1
4665	----	----	42.50B/*10.80A	42.50B/*10.80A	----	25.20 - 2.70	.3986	----	----	2	----	3 UNCH
4670	----	----	106.50B/39.50A	106.50B/39.50A	----	48.70 NEW	.6257	----	----	1	----	1 + 1
4670	----	----	39.90B/*10.00A	39.90B/*10.00A	----	23.30 - 2.80	.3741	----	----	1	----	3 + 1
4675	20.80	20.80	37.40B/*9.20A	37.40B/*9.20A	----	21.40 - 3.00	.3498	----	----	29	----	27 + 23
4675	----	----	110.80B/42.00A	110.80B/42.00A	----	51.90 - 17.80	.6500	----	----	----	----	34 UNCH
4675	----	----	70.80B/33.70A	70.80B/33.70A	----	54.40 UNCH	.4333	----	----	1	----	1 UNCH
4680	12.60	12.60	35.00B/*8.50A	35.00B/*8.50A	----	19.70 - 3.00	.3265	----	----	3	----	3 UNCH
4685	----	----	32.70B/*7.90A	32.70B/*7.90A	----	18.10 - 3.10	.3039	----	----	6	----	6 - 2
4690	8.10	8.10	30.60B/*7.20A	30.60B/*7.20A	----	16.60 - 3.10	.2821	----	----	4	----	7 + 2
4690	----	----	123.80B/50.20A	123.80B/50.20A	----	62.10 - 18.00	.7177	----	----	----	----	10 UNCH
4695	----	----	28.50B/*6.70A	28.50B/*6.70A	----	15.30 - 3.10	.2619	----	----	5	----	5 + 4
4700	7.30	7.30	26.60B/*6.20A	26.60B/*6.20A	----	14.00 - 3.10	.2420	----	----	10	----	31 + 5
4700	----	----	153.20B/89.60A	153.20B/89.60A	----	100.00 - 15.50	.6247	----	----	----	----	3 UNCH
4700	----	----	132.80B/56.20A	132.80B/56.20A	----	69.50 - 18.00	.7578	----	----	----	----	37 UNCH
4700	----	----	58.50B/27.40A	58.50B/27.40A	----	44.60 - 0.60	.3750	----	----	----	----	13 UNCH
4705	----	----	24.70B/*5.80A	24.70B/*5.80A	----	12.80 - 3.10	.2231	----	----	----	----	1 UNCH
4705	----	----	137.30B/59.80A	137.30B/59.80A	----	73.30 - 18.00	.7767	----	----	----	----	1 UNCH
4710	8.70	8.70	23.00B/*5.40A	23.00B/*5.40A	----	11.70 - 3.10	.2054	----	----	25	----	23 + 21
4710	----	----	141.90B/62.90A	141.90B/62.90A	----	77.20 - 18.00	.7944	----	----	----	----	1 UNCH
4715	----	----	21.30B/*5.00A	21.30B/*5.00A	----	10.70 - 3.00	.1888	----	----	6	----	3 + 2
4715	----	----	146.50B/66.30A	146.50B/66.30A	----	81.20 - 17.90	.8111	----	----	----	----	10 UNCH
4720	10.10	10.10	19.80B/*4.70A	19.80B/*4.70A	----	9.80 - 3.00	.1734	----	----	5	----	6 UNCH
4720	83.80	83.80	151.20B/69.80A	151.20B/69.80A	----	85.20 - 17.90	.8264	----	----	1	----	10 + 1
4725	----	----	181.80B/128.80A	181.80B/128.80A	----	138.50 - 13.80	.6292	----	----	----	----	2 UNCH
4725	----	----	155.90B/73.20A	155.90B/73.20A	----	89.40 - 17.80	.8415	----	----	----	----	1 UNCH
4725	9.20	9.20	18.30B/*4.40A	18.30B/*4.40A	----	8.90 - 3.00	.1583	----	----	3	----	5 + 2
4725	----	----	70.70B/42.90A	70.70B/42.90A	----	58.20 + 1.10	.3702	----	----	----	----	5 UNCH
4725	----	----	49.30B/22.40A	49.30B/22.40A	----	36.20 - 1.10	.3199	----	----	7	----	7 + 6
4730	----	----	17.00B/*4.10A	17.00B/*4.10A	----	8.10 - 2.90	.1445	----	----	2	----	11 + 2
4730	----	----	160.60B/76.90A	160.60B/76.90A	----	93.60 NEW	.8553	----	----	2	----	2 + 2
4735	----	----	15.70B/*3.80A	15.70B/*3.80A	----	7.40 NEW	.1320	----	----	2	----	2 + 2
4740	----	----	14.50B/*3.50A	14.50B/*3.50A	----	6.70 - 2.80	.1198	----	----	2	----	4 + 2
4745	6.90	6.90	13.40B/*3.30A	13.40B/*3.30A	----	6.10 - 2.70	.1090	----	----	2	----	3 + 2
4750	----	----	61.50B/36.70A	61.50B/36.70A	----	50.00 + 0.60	.3303	----	----	----	----	1 UNCH
4750	----	----	40.80B/18.20A	40.80B/18.20A	----	29.30 - 1.30	.2699	----	----	9	----	40 UNCH
4750	94.80	94.80	179.60B/92.40A	179.60B/92.40A	----	111.10 - 17.50	.9003	----	----	2	----	2 UNCH
4750	----	----	194.10B/121.10A	194.10B/121.10A	----	134.70 - 16.20	.7297	----	----	----	----	1 UNCH
4750	6.00	6.00	12.40B/*3.10A	12.40B/*3.10A	----	5.60 - 2.60	.0996	----	----	3	----	58 + 1
4755	5.00	5.00	11.50B/*2.80A	11.50B/*2.80A	----	5.10 - 2.50	.0904	----	----	1	----	4 + 1
4760	----	----	10.60B/*2.70A	10.60B/*2.70A	----	4.60 - 2.50	.0815	----	----	1	----	9 + 1
4765	----	----	194.10B/105.30A	194.10B/105.30A	----	124.70 - 17.30	.9259	----	----	----	----	30 UNCH
4765	----	----	9.70B/*2.50A	9.70B/*2.50A	----	4.20 - 2.40	.0740	----	----	1	----	80 UNCH
4770	4.00	4.00	9.00B/*2.30A	9.00B/*2.30A	----	3.80 - 2.40	.0667	----	----	1	----	81 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

GWT TUE — GOLD WEEKLY TUESDAY OPTION Week3

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4775 ----	----	53.20B/31.80A	53.20B/31.80A	----	42.90 NEW	.2931	----	----	1	----	1 + 1
4775 ----	----	8.30B/*2.20A	8.30B/*2.20A	----	3.50 - 2.20	.0609	----	----	1	----	18 + 1
4775 ----	----	33.50B/14.80A	33.50B/14.80A	----	23.50 NEW	.2249	----	----	1	----	1 + 1
4780 2.70	2.70	7.60B/*2.10A	7.60B/*2.10A	----	3.20 - 2.10	.0552	----	----	2	----	2 + 1
4785 3.10	3.10	7.00B/*1.90A	7.00B/*1.90A	----	2.90 - 2.10	.0497	----	----	2	----	2 + 1
4795 2.90	2.90	5.90B/*1.60A	5.90B/*1.60A	----	2.40 - 1.90	.0405	----	----	1	----	40 + 1
4800 ----	----	45.90B/28.30A	45.90B/28.30A	----	36.70 - 0.10	.2585	----	----	4	----	12 + 4
4800 2.90	2.90	5.40B/*1.50A	5.40B/*1.50A	----	2.20 - 1.80	.0367	----	----	3	----	76 UNCH
4800 ----	----	228.30B/135.60A	228.30B/135.60A	----	157.70 - 16.70	.9631	----	----	2	----	22 + 2
4800 ----	----	27.30B/12.10A	27.30B/12.10A	----	18.90 NEW	.1862	----	----	4	----	0 UNCH
4805 159.50	159.50	233.20B/140.00A	233.20B/140.00A	----	162.50 NEW	.9668	----	----	1	----	1 + 1
4805 1.50	1.50	5.00B/*1.30A	5.00B/*1.30A	----	2.00 NEW	.0331	----	----	2	----	2 + 2
4810 2.20	2.20	4.50B/*1.20A	4.50B/*1.20A	----	1.90 - 1.60	.0309	----	----	4	----	3 + 1
4815 ----	----	4.20B/*1.10A	4.20B/*1.10A	----	1.70 - 1.60	.0274	----	----	----	----	51 UNCH
4820 ----	----	248.00B/154.00A	248.00B/154.00A	----	177.10 - 16.30	.9744	----	----	----	----	30 UNCH
4820 1.80	1.80	3.80B/*1.00A	3.80B/*1.00A	----	1.60 - 1.40	.0254	----	----	4	----	35 + 1
4825 1.60	1.60	3.50B/*0.90A	3.50B/*0.90A	----	1.50 - 1.30	.0235	----	----	2	----	8 + 2
4825 ----	----	261.20B/177.50A	261.20B/177.50A	----	195.40 - 16.50	.8470	----	----	----	----	1 UNCH
4825 ----	----	252.90B/159.20A	252.90B/159.20A	----	182.00 - 16.20	.9764	----	----	----	----	1 UNCH
4825 ----	----	22.20B/10.10A	22.20B/10.10A	----	15.10 - 1.60	.1527	----	----	2	----	5 UNCH
4830 ----	----	3.20B/*0.90A	3.20B/*0.90A	----	1.40 - 1.20	.0216	----	----	----	----	4 UNCH
4835 2.10	2.10	2.90B/*0.80	2.90B/*0.80	----	1.30 NEW	.0198	----	----	21	----	21 + 21
4845 ----	----	2.50B/*0.70A	2.50B/*0.70A	----	1.20 - 1.00	.0176	----	----	----	----	2 UNCH
4850 ----	----	34.20B/21.20A	34.20B/21.20A	----	26.70 NEW	.1984	----	----	1	----	1 + 1
4850 1.90	1.90	2.30B/*0.60A	2.30B/*0.60A	----	1.10 - 1.00	.0160	----	----	3	----	9 + 1
4850 14.00	14.00	17.90B/8.30A	17.90B/8.30A	----	12.10 - 1.50	.1247	----	----	7	----	11 + 4
4850 ----	----	284.50B/198.30A	284.50B/198.30A	----	217.40 - 16.40	.8749	----	----	----	----	1 UNCH
4855 ----	----	2.10B/*0.60A	2.10B/*0.60A	----	1.00 - 0.90	.0144	----	----	----	----	2 UNCH
4865 ----	----	----/*0.50A	1.70B/*0.50A	----	0.90 - 0.80	.0125	----	----	2	----	2 UNCH
4875 ----	----	29.50B/18.30A	29.50B/18.30A	----	22.90 - 0.70	.1734	----	----	----	----	1 UNCH
4875 0.40	0.40	0.40/*0.40	1.50B/*0.40	----	0.80 - 0.70	.0108	----	----	7	----	7 + 7
4875 ----	----	14.50B/7.00A	14.50B/7.00A	----	9.70 - 1.50	.1015	----	----	6	----	14 + 6
4900 21.00	21.00	#25.30B/16.00A	25.30B/16.00A	----	19.60 - 0.80	.1511	----	----	1	----	9 + 1
4900 ----	----	11.90B/5.90A	11.90B/5.90A	----	7.90 - 1.30	.0832	----	----	----	----	8 UNCH
4900 0.70	0.70	1.00B/*0.30A	1.00B/*0.30A	----	0.60 - 0.60	.0075	----	----	1	----	17 + 1
4900 ----	----	327.30B/231.80A	327.30B/231.80A	----	256.00 - 15.50	.9924	----	----	----	----	1 UNCH
4905 0.30	0.30	0.30/*0.30	0.90B/*0.30	----	0.50 - 0.60	.0062	----	----	9	----	9 + 9
4925 ----	----	#21.80B/14.10A	21.80B/14.10A	----	16.80 - 0.80	.1315	----	----	----	----	1 UNCH
4925 ----	----	----/*0.30A	0.70B/*0.30A	----	0.40 - 0.50	.0047	----	----	----	----	1 UNCH
4925 ----	----	9.50B/4.90A	9.50B/4.90A	----	6.40 - 1.10	.0678	----	----	----	----	7 UNCH
4935 ----	----	----/*0.30A	0.60B/*0.30A	----	0.40 - 0.40	.0045	----	----	----	----	10 UNCH
4950 0.40	0.40	0.50B/*0.30A	0.50B/*0.30A	----	0.30 - 0.40	.0032	----	----	1	----	9 + 1
4950 ----	----	380.40B/288.20A	380.40B/288.20A	----	310.50 - 15.90	.9445	----	----	----	----	1 UNCH
4950 ----	----	7.80B/4.20A	7.80B/4.20A	----	5.20 - 1.00	.0552	----	----	2	----	5 - 2
4965 ----	----	----/*0.30A	0.40B/*0.30A	----	0.30 - 0.30	.0031	----	----	----	----	2 UNCH
4970 ----	----	----/*0.30A	0.30B/*0.30A	----	0.30 - 0.30	.0030	----	----	----	----	1 UNCH
4975 3.70	3.70	6.40B/3.60A	6.40B/3.60A	----	4.30 - 0.90	.0455	----	----	2	----	9 UNCH
4980 ----	----	----/*0.30A	0.30B/*0.30A	----	0.20 - 0.40	.0020	----	----	----	----	2 UNCH
4990 ----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0019	----	----	----	----	1 UNCH
5000 ----	----	413.10B/331.10A	413.10B/331.10A	----	355.60 NEW	.9982	----	----	1	----	1 + 1
5000 ----	----	----/*0.40A	0.20B/*0.40A	----	0.20 - 0.30	.0019	----	----	1	----	39 + 1
5000 ----	----	5.20B/3.10A	5.20B/3.10A	----	3.60 - 0.80	.0378	----	----	----	----	1 UNCH
5020 ----	----	432.90B/351.10A	432.90B/351.10A	----	375.60 - 15.10	.9983	----	----	----	----	1 UNCH
5020 ----	----	----/*0.30A	0.10B/*0.30A	----	0.20 - 0.30	.0018	----	----	----	----	1 UNCH
5025 ----	----	437.90B/356.10A	437.90B/356.10A	----	380.60 - 15.10	.9983	----	----	----	----	0 - 1
5025 ----	----	454.10B/359.60A	454.10B/359.60A	----	383.20 - 15.60	.9685	----	----	----	----	1 UNCH
5025 ----	----	4.30B/2.70A	4.30B/2.70A	----	3.00 - 0.70	.0313	----	----	----	----	1 UNCH
5050 ----	----	----	----/0.40A	----	0.10 - 0.30	.0006	----	----	----	----	4 UNCH
5075 ----	----	#9.00B/*6.30A	9.00B/6.30A	----	6.90 - 0.20	.0567	----	----	----	----	1 UNCH
5075 ----	----	----	----/*0.40A	----	0.10 - 0.20	.0003	----	----	----	----	4 UNCH
5100 ----	----	#7.60B/*5.60A	7.60B/*5.60A	----	6.00 UNCH	.0495	----	----	----	----	1 UNCH
5100 ----	----	----	----	----	460.90 - 14.90	.9502	----	----	----	----	1 UNCH
5100 ----	----	----	----/*0.40A	----	0.10 - 0.20	.0001	----	----	1	----	1 UNCH
5100 ----	----	----	----	----	457.00 - 15.40	.9808	----	----	----	----	1 UNCH
5125 ----	----	----/*1.60A	2.10B/*1.60A	----	1.60 - 0.50	.0159	----	----	----	----	3 UNCH
5150 ----	----	----	----/0.40A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5175 ----	----	----/*1.30A	1.50B/*1.30A	----	1.30 - 0.30	.0124	----	----	----	----	1 UNCH
5200 ----	----	----	----/*0.40A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
5200 ----	----	#612.90B/531.10	#612.90B/531.10A	----	555.50 - 14.90	1.0000	----	----	----	----	1 UNCH
5200 ----	----	----/*1.20A	1.30B/*1.20A	----	1.10 - 0.40	.0104	----	----	----	----	0 UNCH
5225 ----	----	----	----/*0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5325 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5400 ----	----	#1.90B/----	#1.90B/2.20A	----	1.60 + 0.30	.0124	----	----	----	----	2 UNCH
TOTAL									858		2714 + 577
JUN26											
4100 ----	----	----	10.80B/*14.50A	----	9.80 - 2.40	.0531	----	----	----	----	2 UNCH
4400 ----	----	#46.30B/*35.70A	46.30B/*35.70A	----	34.10 NEW	.1790	----	----	2	----	2 + 2
4425 ----	----	#52.20B/*40.00A	52.20B/*40.00A	----	38.40 NEW	.1986	----	----	2	----	2 + 2
4500 190.00	190.00	#255.80B/*190.0	#255.80B/190.00	----	234.70 + 6.70	.7303	----	----	1	----	0 - 1
4600 141.00	141.00	#184.10B/*134.8	#184.10B/134.80A	----	168.10 + 5.30	.6149	----	----	4	----	2 UNCH
4600 ----	----	117.60B/*88.50A	117.60B/*88.50A	----	88.40 - 10.10	.3842	----	----	----	----	1 UNCH
4625 143.00	143.00	#168.60B/*122.4	#168.60B/122.40A	----	153.70 + 5.10	.5833	----	----	1	----	0 - 1
4675 128.80	128.80	#141.60B/*102.7	#141.60B/102.70A	----	127.50 NEW	.5190	----	----	2	----	2 + 2
4800 ----	----	#85.30B/*61.90A	#85.30B/61.90A	----	77.20 + 3.70	.3646	----	----	----	----	2 UNCH
4900 ----	----	#55.00B/*41.60A	#55.00B/41.60A	----	50.40 + 3.00	.2610	----	----	----	----	1 UNCH
5000 ----	----	#35.00B/*28.50A	#35.00B/28.50A	----	32.60 + 1.90	.1811	----	----	----	----	1 UNCH
TOTAL									12		15 + 4

GWR THU — GOLD WEEKLY THURSDAY OPTION Week5

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
APR26											
4100 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4250 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4270 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4300 ----	----	----	----	----	329.60 UNCH	----	----	----	----	----	0 UNCH
4320 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4325 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4330 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4345 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4350 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4360 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4375 ----	----	----	----	----	254.60 UNCH	----	----	----	----	----	0 UNCH
4400 ----	----	----	----	----	229.60 UNCH	----	----	----	----	----	0 UNCH
4400 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4425 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4430 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4440 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4445 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4450 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4455 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4460 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4465 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4470 ----	----	----	----	----	159.60 UNCH	----	----	----	----	----	0 UNCH
4475 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4480 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4485 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4490 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4495 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4500 ----	----	----	----	----	129.60 UNCH	----	----	----	----	----	0 UNCH
4505 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4510 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4515 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4520 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4525 ----	----	----	----	----	104.60 UNCH	----	----	----	----	----	0 UNCH
4525 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4530 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4530 ----	----	----	----	----	99.60 UNCH	----	----	----	----	----	0 UNCH
4535 ----	----	----	----	----	94.60 UNCH	----	----	----	----	----	0 UNCH
4535 ----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4540 ----	----	----	----	----	89.60 UNCH	----	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 37

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GWR THU		GOLD WEEKLY THURSDAY OPTION Week5										
APR26												
4540	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4545	----	----	----	----	----	84.60 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	79.60 UNCH	----	----	----	----	----	0 UNCH
4550	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4555	----	----	----	----	----	74.60 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4560	----	----	----	----	----	69.60 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4565	----	----	----	----	----	64.60 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	59.60 UNCH	----	----	----	----	----	0 UNCH
4570	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	54.60 UNCH	----	----	----	----	----	0 UNCH
4575	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4580	----	----	----	----	----	49.60 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	44.60 UNCH	----	----	----	----	----	0 UNCH
4585	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4590	----	----	----	----	----	39.60 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4595	----	----	----	----	----	34.60 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	29.60 UNCH	----	----	----	----	----	0 UNCH
4600	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	24.60 UNCH	----	----	----	----	----	0 UNCH
4605	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4610	----	----	----	----	----	19.60 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4615	----	----	----	----	----	14.60 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4620	----	----	----	----	----	9.60 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4625	----	----	----	----	----	4.60 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.40 UNCH	----	----	----	----	----	0 UNCH
4630	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	5.40 UNCH	----	----	----	----	----	0 UNCH
4635	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	10.40 UNCH	----	----	----	----	----	0 UNCH
4640	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	15.40 UNCH	----	----	----	----	----	0 UNCH
4645	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4650	----	----	----	----	----	20.40 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	25.40 UNCH	----	----	----	----	----	0 UNCH
4655	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	30.40 UNCH	----	----	----	----	----	0 UNCH
4660	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4665	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	40.40 UNCH	----	----	----	----	----	0 UNCH
4670	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4675	----	----	----	----	----	45.40 UNCH	----	----	----	----	----	0 UNCH
4680	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	55.40 UNCH	----	----	----	----	----	0 UNCH
4685	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4690	----	----	----	----	----	60.40 UNCH	----	----	----	----	----	0 UNCH
4695	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	70.40 UNCH	----	----	----	----	----	0 UNCH
4700	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4705	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4710	----	----	----	----	----	80.40 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4715	----	----	----	----	----	85.40 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4720	----	----	----	----	----	90.40 UNCH	----	----	----	----	----	0 UNCH
4725	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4730	----	----	----	----	----	100.40 UNCH	----	----	----	----	----	0 UNCH
4735	----	----	----	----	----	105.40 UNCH	----	----	----	----	----	0 UNCH
4740	----	----	----	----	----	110.40 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	115.40 UNCH	----	----	----	----	----	0 UNCH
4745	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4750	----	----	----	----	----	120.40 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4755	----	----	----	----	----	125.40 UNCH	----	----	----	----	----	0 UNCH
4760	----	----	----	----	----	130.40 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	195.40 UNCH	----	----	----	----	----	0 UNCH
4825	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4830	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
4840	----	----	----	----	----	210.40 UNCH	----	----	----	----	----	0 UNCH
4845	----	----	----	----	----	215.40 UNCH	----	----	----	----	----	0 UNCH
4850	----	----	----	----	----	220.40 UNCH	----	----	----	----	----	0 UNCH
4900	----	----	----	----	----	0.00 UNCH	----	----	----	----	----	0 UNCH
5000	----	----	----	----	----	370.40 UNCH	----	----	----	----	----	0 UNCH
5025	----	----	----	----	----	395.40 UNCH	----	----	----	----	----	0 UNCH
5100	----	----	----	----	----	470.40 UNCH	----	----	----	----	----	0 UNCH
5175	----	----	----	----	----	545.40 UNCH	----	----	----	----	----	0 UNCH
5400	----	----	----	----	----	770.40 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0 0
MAY26												
3500	----	----	----	0.90B/2.20A	----	2.00 + 0.50	.0084	----	----	----	----	40 UNCH
3750	----	----	----/*0.50A	0.30B/*0.50A	----	0.30 - 0.30	.0013	----	----	----	----	2 UNCH
3900	----	----	----/*0.80A	0.60B/*0.80A	----	0.40 - 0.50	.0021	----	----	----	----	25 UNCH
3900	----	----	----/*1.80A	1.90B/*1.80A	----	1.60 - 0.60	.0098	----	----	----	----	3 UNCH
4000	----	----	----/*0.80A	0.90B/*0.80A	----	0.60 - 0.60	.0036	----	----	----	----	7 UNCH
4100	----	----	----/*1.00A	1.30B/*1.00A	----	0.80 - 0.60	.0056	----	----	----	----	1 UNCH
4150	----	----	#1.70B/*1.10A	1.70B/*1.10A	----	1.00 - 0.60	.0075	----	----	----	----	2 UNCH
4200	----	----	2.20B/*1.30A	2.20B/*1.30A	----	1.20 - 0.80	.0098	----	----	1	----	100 - 1
4275	----	----	3.60B/*1.70A	3.60B/*1.70A	----	1.60 - 1.40	.0149	----	----	1	----	3 UNCH
4275	----	----	11.10B/*6.20A	11.10B/*6.20A	----	6.00 - 2.90	.0497	----	----	----	----	4 UNCH
4300	----	----	4.40B/*1.90A	4.40B/*1.90A	----	1.80 - 1.70	.0175	----	----	----	----	5 UNCH
4300	----	----	13.10B/*7.10A	13.10B/*7.10A	----	7.00 - 3.20	.0584	----	----	----	----	5 UNCH
4325	----	----	15.30B/*8.20A	15.30B/*8.20A	----	8.10 - 3.70	.0682	----	----	----	----	10 UNCH
4325	----	----	5.30B/*2.20A	5.30B/*2.20A	----	2.00 - 2.10	.0204	----	----	----	----	6 UNCH
4350	----	----	6.60B/*2.50A	6.60B/*2.50A	----	2.40 - 2.50	.0255	----	----	----	----	29 UNCH
4370	2.50	2.50	#2.50/*2.50	#7.80B/*2.50	----	2.70 NEW	.0297	----	----	1	----	1 + 1
4375	2.60	2.60	8.20B/*2.60	8.20B/*2.60	----	2.80 - 3.00	.0311	----	----	1	----	26 + 1
4375	----	----	21.40B/*11.00A	21.40B/*11.00A	----	11.20 - 4.80	.0949	----	----	----	----	50 UNCH
4400	8.20	8.20	10.30B/*3.50A	10.30B/*3.50A	----	3.40 - 3.60	.0392	----	----	2	----	14 + 1
4400	----	----	25.40B/*12.90A	25.40B/*12.90A	----	13.40 - 5.40	.1129	----	----	----	----	105 UNCH
4420	----	----	----	#12.50B/*4.10A	----	4.10 NEW	.0484	----	----	2	----	2 + 2
4425	5.00	5.00	13.10B/*4.20A	13.10B/*4.20A	----	4.20 - 4.40	.0502	----	----	1	----	15 + 1
4450	5.40	5.40	16.70B/*5.10A	16.70B/*5.10A	----	5.40 - 5.20	.0661	----	----	9	----	12 + 8
4450	----	----	50.10B/*32.70A	50.10B/32.70A	----	32.80 - 7.80	.2094	----	----	----	----	20 UNCH
4450	28.80	28.80	35.90B/*18.20A	35.90B/*18.20A	----	19.20 - 6.90	.1588	----	----	34	----	106 - 4
4475	8.10	8.10	21.40B/*6.50A	21.40B/*6.50A	----	7.00 - 6.30	.0874	----	----	16	----	26 + 10
4475	----	----	42.50B/*21.80A	42.50B/*21.80A	----	23.10 - 7.80	.1879	----	----	----	----	3 UNCH
4500	15.30	15.30	27.20B/*8.50A	27.20B/*8.50A	----	9.30 - 7.50	.1170	----	----	92	----	166 - 13
4500	----	----	50.30B/*26.20A	50.30B/*26.20A	----	27.80 - 8.70	.2213	----	----	----	----	15 UNCH
4505	----	----	----	#28.70B/*9.20A	----	9.80 NEW	.1236	----	----	3	----	3 + 3
4510	----	----	----	#30.00B/*9.70A	----	10.40 NEW	.1310	----	----	1	----	1 + 1
4525	----	----	34.60B/*11.20A	34.60B/*11.20A	----	12.40 - 8.90	.1557	----	----	3	----	3 - 2
4525	----	----	59.50B/*31.50A	59.50B/31.50A	----	33.50 - 9.60	.2595	----	----	----	----	2 UNCH
4535	----	----	----	#38.10B/*12.70A	----	13.90 NEW	.1741	----	----	1	----	1 + 1
4540	----	----	----	#40.20B/*13.50A	----	14.80 NEW	.1845	----	----	2	----	2 + 2
4550	----	----	135.80B/68.00A	135.80B/68.00A	----	111.10 + 4.50	.7941	----	----	----	----	1 UNCH
4550	17.30	17.30	43.90B/*15.00A	43.90B/*15.00A	----	16.60 - 10.50	.2057	----	----	7	----	72 + 5
4550	----	----	70.10B/*37.60A	70.10B/37.60A	----	40.30 - 10.50	.3021	----	----	----	----	10 UNCH
4560	----	----	----	#48.00B/*16.80A	----	18.70 NEW	.2293	----	----	4	----	4 + 4
4575	----	----	55.10B/*20.00A	55.10B/*20.00A	----	22.30 - 12.10	.2683	----	----	----	----	4 UNCH
4575	----	----	115.50B/54.10A	115.50B/54.10A	----	91.80 + 2.90	.7315	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

GWR THU — GOLD WEEKLY THURSDAY OPTION Week2

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
4575	----	----	139.60B/81.30A	139.60B/81.30A	----	117.70 + 3.50	.6509	----	----	----	----	8 UNCH
4575	71.20	71.20	81.60B/44.90A	81.60B/44.90A	----	48.30 - 11.40	.3487	----	----	9	----	10 + 9
4600	----	----	68.10B/26.50A	68.10B/26.50A	----	29.80 - 13.60	.3427	----	----	1	----	12 UNCH
4600	----	----	96.60B/42.30A	96.60B/42.30A	----	74.30 + 1.40	.6570	----	----	----	----	9 UNCH
4600	----	----	122.40B/69.10A	122.40B/69.10A	----	102.00 + 2.60	.6012	----	----	4	----	10 + 3
4600	83.00	83.00	94.70B/53.50A	94.70B/53.50A	----	57.60 - 12.20	.3984	----	----	4	----	156 + 4
4620	----	----	80.30B/33.10A	80.30B/33.10A	----	37.20 - 14.70	.4090	----	----	----	----	1 UNCH
4620	----	----	82.50B/34.20A	82.50B/34.20A	----	61.70 + 0.20	.5908	----	----	----	----	2 UNCH
4625	----	----	79.90B/32.40A	79.90B/32.40A	----	58.80 UNCH	.5735	----	----	----	----	3 UNCH
4625	----	----	83.50B/35.00A	83.50B/35.00A	----	39.30 - 14.90	.4263	----	----	----	----	51 UNCH
4625	----	----	109.40B/62.90A	109.40B/62.90A	----	68.30 - 13.00	.4504	----	----	----	----	5 UNCH
4640	----	----	70.40B/27.40A	70.40B/27.40A	----	50.60 NEW	.5207	----	----	30	----	30 + 30
4645	----	----	97.10B/42.70A	97.10B/42.70A	----	48.50 - 15.80	.4969	----	----	----	----	1 UNCH
4650	----	----	100.70B/44.50A	100.70B/44.50A	----	51.00 - 16.10	.5147	----	----	----	----	12 UNCH
4650	----	----	64.60B/24.40A	64.60B/24.40A	----	45.50 - 1.20	.4851	----	----	3	----	4 UNCH
4650	----	----	#112.80B/72.40A	112.80B/72.40A	----	96.60 + 2.70	.5011	----	----	----	----	15 UNCH
4650	----	----	125.30B/74.30A	125.30B/74.30A	----	80.40 - 13.70	.5034	----	----	----	----	54 UNCH
4650	----	----	92.60B/49.50A	92.60B/49.50A	----	74.90 + 1.20	.4961	----	----	----	----	5 UNCH
4655	----	----	61.70B/23.00A	61.70B/23.00A	----	43.20 - 1.30	.4673	----	----	----	----	50 UNCH
4660	----	----	108.00B/48.90A	108.00B/48.90A	----	56.40 - 16.30	.5502	----	----	----	----	1 UNCH
4660	----	----	58.90B/21.70A	58.90B/21.70A	----	40.90 - 1.50	.4496	----	----	1	----	1 UNCH
4665	35.80	35.80	56.30B/20.50A	56.30B/20.50A	----	38.70 NEW	.4320	----	----	2	----	2 + 2
4670	----	----	53.70B/19.30A	53.70B/19.30A	----	36.60 - 1.80	.4146	----	----	3	----	31 UNCH
4670	----	----	115.70B/53.60A	115.70B/53.60A	----	62.00 - 16.70	.5852	----	----	----	----	100 UNCH
4675	----	----	51.20B/18.20A	51.20B/18.20A	----	34.50 - 2.00	.3971	----	----	170	----	171 + 166
4675	----	----	79.40B/41.70A	79.40B/41.70A	----	63.60 + 0.70	.4434	----	----	----	----	0 UNCH
4690	----	----	44.20B/15.20A	44.20B/15.20A	----	29.00 - 2.20	.3470	----	----	----	----	1 UNCH
4695	----	----	42.10B/14.40A	42.10B/14.40A	----	27.30 - 2.30	.3308	----	----	----	----	1 UNCH
4695	----	----	135.80B/67.30A	135.80B/67.30A	----	77.80 - 17.20	.6689	----	----	----	----	2 UNCH
4700	33.00	33.00	40.00B/13.50A	40.00B/13.50A	----	25.70 - 2.40	.3151	----	----	75	----	241 + 34
4700	----	----	139.90B/70.10A	139.90B/70.10A	----	81.20 - 17.30	.6847	----	----	----	----	5 UNCH
4700	----	----	160.60B/100.00A	160.60B/100.00A	----	109.00 - 14.60	.6075	----	----	1	----	4 + 1
4700	----	----	68.30B/34.90A	68.30B/34.90A	----	53.60 + 0.30	.3921	----	----	----	----	56 UNCH
4705	----	----	38.00B/12.80A	38.00B/12.80A	----	24.20 - 2.40	.2998	----	----	4	----	30 + 3
4710	24.80	24.80	36.00B/12.00A	36.00B/12.00A	----	22.80 - 2.40	.2851	----	----	2	----	51 + 1
4715	----	----	34.20B/11.30A	34.20B/11.30A	----	21.40 - 2.50	.2705	----	----	----	----	1 UNCH
4720	----	----	157.10B/82.60A	157.10B/82.60A	----	95.60 - 17.40	.7433	----	----	----	----	1 UNCH
4720	24.60	24.60	32.40B/10.70A	32.40B/10.70A	----	20.10 - 2.50	.2565	----	----	2	----	3 UNCH
4725	----	----	161.50B/85.70A	161.50B/85.70A	----	99.30 - 17.50	.7566	----	----	----	----	6 UNCH
4725	11.30	11.30	30.70B/10.10A	30.70B/10.10A	----	18.90 - 2.50	.2431	----	----	1	----	51 + 1
4730	20.00	20.00	29.00B/9.60A	29.00B/9.60A	----	17.70 - 2.60	.2299	----	----	1	----	5 + 1
4740	----	----	26.00B/8.50A	26.00B/8.50A	----	15.60 - 2.50	.2054	----	----	----	----	2 UNCH
4740	----	----	174.90B/96.00A	174.90B/96.00A	----	111.10 - 17.40	.7943	----	----	----	----	12 UNCH
4750	----	----	184.00B/103.40A	184.00B/103.40A	----	119.20 - 17.30	.8170	----	----	1	----	1 UNCH
4750	----	----	23.30B/7.60A	23.30B/7.60A	----	13.70 - 2.50	.1828	----	----	----	----	231 UNCH
4755	----	----	21.90B/7.20A	21.90B/7.20A	----	12.90 - 2.40	.1727	----	----	----	----	25 UNCH
4760	----	----	20.70B/6.80A	20.70B/6.80A	----	12.10 - 2.40	.1627	----	----	1	----	1 UNCH
4765	----	----	19.50B/6.50A	19.50B/6.50A	----	11.30 NEW	.1529	----	----	2	----	1 + 1
4765	----	----	197.90B/114.60A	197.90B/114.60A	----	131.80 - 17.20	.8469	----	----	----	----	50 UNCH
4770	----	----	202.60B/118.50A	202.60B/118.50A	----	136.00 - 17.20	.8559	----	----	1	----	11 + 1
4775	10.00	10.00	17.40B/5.80A	17.40B/5.80A	----	9.90 - 2.30	.1350	----	----	152	----	157 + 152
4775	----	----	207.20B/123.00A	207.20B/123.00A	----	140.40 - 17.10	.8647	----	----	1	----	51 + 1
4780	11.60	11.60	16.40B/5.50A	16.40B/5.50A	----	9.30 - 2.20	.1271	----	----	2	----	2 + 1
4785	10.20	10.20	15.40B/*5.20A	15.40B/*5.20A	----	8.70 - 2.20	.1193	----	----	3	----	3 + 2
4790	9.30	9.30	14.50B/*5.00A	14.50B/*5.00A	----	8.20 - 2.10	.1124	----	----	8	----	8 + 7
4795	8.80	8.80	13.70B/*4.70A	13.70B/*4.70A	----	7.70 NEW	.1056	----	----	3	----	3 + 3
4800	8.30	8.30	13.40/*4.50A	13.40/*4.50A	----	7.20 - 2.00	.0990	----	----	96	----	90 + 72
4800	----	----	230.90B/143.20A	230.90B/143.20A	----	162.60 - 16.90	.9008	----	----	----	----	5 UNCH
4800	21.30	21.30	35.00B/17.10A	35.00B/17.10A	----	25.90 - 0.70	.2193	----	----	15	----	22 + 14
4805	7.80	7.80	12.10B/*4.30A	12.10B/*4.30A	----	6.80 NEW	.0933	----	----	2	----	2 + 2
4810	----	----	11.40B/*4.10A	11.40B/*4.10A	----	6.40 - 1.80	.0878	----	----	----	----	2 UNCH
4815	----	----	245.30B/156.00A	245.30B/156.00A	----	176.40 - 16.60	.9175	----	----	----	----	1 UNCH
4820	5.40	5.40	10.10B/*3.70A	10.10B/*3.70A	----	5.60 - 1.70	.0769	----	----	7	----	8 - 2
4825	----	----	#45.80B/29.30A	45.80B/29.30A	----	37.50 + 0.30	.2466	----	----	----	----	3 UNCH
4825	----	----	255.00B/164.80A	255.00B/164.80A	----	185.70 - 16.50	.9273	----	----	----	----	2 UNCH
4825	----	----	9.50B/*3.50A	9.50B/*3.50A	----	5.30 - 1.60	.0725	----	----	----	----	51 UNCH
4825	----	----	29.00B/14.40A	29.00B/14.40A	----	21.40 - 0.90	.1862	----	----	----	----	8 UNCH
4830	----	----	259.80B/169.30A	259.80B/169.30A	----	190.40 - 16.40	.9315	----	----	----	----	4 UNCH
4830	4.80	4.80	9.00B/*3.40A	9.00B/*3.40A	----	5.00 NEW	.0683	----	----	1	----	1 + 1
4840	8.40	8.40	8.40/*3.10A	8.40/*3.10A	----	4.40 - 1.50	.0599	----	----	6	----	7 + 5
4845	----	----	7.50B/*2.90A	7.50B/*2.90A	----	4.10 - 1.50	.0558	----	----	----	----	17 UNCH
4845	----	----	274.40B/182.60A	274.40B/182.60A	----	204.50 - 16.30	.9440	----	----	----	----	5 UNCH
4850	----	----	279.30B/187.30A	279.30B/187.30A	----	209.30 - 16.20	.9470	----	----	----	----	9 UNCH
4850	----	----	7.00B/*2.80A	7.00B/*2.80A	----	3.90 - 1.40	.0528	----	----	----	----	207 UNCH
4850	----	----	24.30B/12.20A	24.30B/12.20A	----	17.80 - 0.80	.1579	----	----	----	----	6 UNCH
4855	6.00	6.00	6.60B/*2.70A	6.60B/*2.70A	----	3.70 NEW	.0499	----	----	1	----	1 + 1
4860	----	----	6.20B/*2.60A	6.20B/*2.60A	----	3.50 - 1.20	.0470	----	----	----	----	1 UNCH
4865	5.30	5.30	5.90B/*2.40A	5.90B/*2.40A	----	3.30 NEW	.0442	----	----	1	----	1 + 1
4870	5.90	5.90	5.90/*2.30A	5.90/*2.30A	----	3.10 - 1.20	.0414	----	----	1	----	2 + 1
4875	----	----	5.20B/*2.20A	5.20B/*2.20A	----	2.90 - 1.10	.0386	----	----	----	----	4 UNCH
4875	11.70	11.70	20.40B/10.50A	20.40B/10.50A	----	14.70 NEW	.1330	----	----	2	----	2 + 2
4880	----	----	4.90B/*2.10A	4.90B/*2.10A	----	2.80 - 1.00	.0370	----	----	----	----	2 UNCH
4885	5.00	5.00	5.00/*2.00A	5.00/*2.00A	----	2.60 NEW	.0343	----	----	1	----	1 + 1
4890	----	----	318.50B/224.50A	318.50B/224.50A	----	247.90 - 15.80	.9671	----	----	----	----	1 UNCH
4890	----	----	4.40B/*1.90A	4.40B/*1.90A	----	2.50 - 1.00	.0327	----	----	----	----	1 UNCH
4895	2.70	2.70	4.10B/*1.80A	4.10B/*1.80A	----	2.40 - 0.90	.0312	----	----	1	----	2 + 1
4900	----	----	3.90B/*1.70A	3.90B/*1.70A	----	2.20 - 1.00	.0286	----	----	----	----	7 UNCH
4900	----	----	17.00B/9.00A	17.00B/9.00A	----	12.20 - 0.90	.1119	----	----	----	----	4 UNCH
4905	----	----	333.30B/238.80A	333.30B/238.80A	----	262.50 NEW	.9727	----	----	2	----	2 + 2
4925	----	----	2.90B/*1.40A	2.90B/*1.40A	----	1.70 - 0.80	.0215	----	----	----	----	50 UNCH
4925	----	----	14.40B/7.70A	14.40B/7.70A	----	10.20 - 0.90	.0944	----	----	----	----	14 UNCH
4955	----	----	2.00B/*1.10A	2.00B/*1.10A	----	1.30 - 0.60	.0157	----	----	----	----	9 UNCH
4970	----	----	----/*1.00A	1.70B/*1.00A	----	1.20 - 0.50	.0141	----	----	----	----	18 UNCH
4975	----	----	10.00B/5.60A	10.00B/5.60A	----	7.20 - 0.80	.0673	----	----	----	----	4 UNCH
4985	----	----	----/*0.90A	1.50B/*0.90A	----	1.00 - 0.50	.0116	----	----	----	----	1 UNCH
4990	----	----	----/*0.90A	1.40B/*0.90A	----	1.00 - 0.50	.0115	----	----	----	----	25 UNCH
5000	----	----	----/*0.80A	1.30B/*0.80A	----	0.90 - 0.50	.0102	----	----	----	----	10 UNCH
5000	14.80	14.80	#17.70B/12.60A	17.70B/12.60A	----	14.20 - 0.30	.1043	----	----	1	----	2 + 1
5000	----	----	8.40B/4.90A	8.40B/4.90A	----	6.00 - 0.80	.0564	----	----	----	----	150 UNCH
5010	----	----	----/*0.80A	1.10B/*0.80A	----	0.80 - 0.50	.0090	----	----	----	----	2 UNCH
5015	----	----	----/*0.70A	1.10B/*0.70A	----	0.80 - 0.50	.0089	----	----	----	----	3 UNCH
5025	----	----	----/*0.70A	1.00B/*0.70A	----	0.80 - 0.40	.0087	----	----	----	----	1 UNCH
5025	----	----	455.50B/362.30A	455.50B/362.30A	----	385.30 - 15.60	.9518	----	----	----	----	1 UNCH
5025	----	----	7.00B/4.30A	7.00B/4.30A	----	5.10 - 0.80	.0479	----	----	----	----	10 UNCH
5050	----	----	#13.30B/10.30A	13.30B/10.30A	----	10.90 NEW	.0813	----	----	6	----	3 + 3
5050	----	----	#6.00B/3.80A	6.00B/3.80A	----	4.40 - 0.70	.0411	----	----	2	----	4 + 2
5100	----	----	#10.40B/8.50A	10.40B/8.50A	----	8.50 - 0.30	.0638	----	----	----	----	1 UNCH
5100	----	----	529.20B/434.70A	529.20B/434.70A	----	458.40 - 15.50	.9693	----	----	----	----	1 UNCH
5125	----	----	----	0.40B/*0.60A	----	0.30 - 0.30	.0029	----	----	----	----	1 UNCH
5150	----	----	#3.30B/*2.50A	3.30B/2.50A	----	2.50 - 0.60	.0227	----	----	----	----	3 UNCH
5175	----	----	----	----	----	532.30 - 15.30	.9801	----	----	----	----	1 UNCH
5200	----	----	----	0.20B/0.50A	----	0.20 - 0.20	.0017	----	----	----	----	1 UNCH
5250	----	----	----	----/*0.50A	----	0.20 - 0.10	.0016	----	----	----	----	1 UNCH
5275	----	----	----	----/*0.60A	----	0.10 - 0.20	.0007	----	----	----	----	3 UNCH
5350	----	----	----	----/*0.50A	----	0.10 - 0.10	.0002	----	----	----	----	1 UNCH
5400	----	----	----	#2.20B/3.40A	----	2.50 - 0.20	.0181	----	----	----	----	40 UNCH
5400	----	----	----	----/*0.50A	----	0.10 UNCH	.0000	----	----	----	----	1 UNCH
TOTAL										813		3508 + 550

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

MAY26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
3700	----	----	----	0.50B/1.00A	----	0.40 - 0.20	.0021	----	----	----	----	1 UNCH
3800	0.10	0.10	0.10/*0.10	0.10/*0.10	----	0.10 UNCH	----	----	----	4	----	6 UNCH
3900	----	----	----	----/*0.20A	----	0.10 - 0.10	----	----	----	----	----	3 UNCH
3900	----	----	----/*1.10A	1.00B/*1.10A	----	0.90 - 0.40	.0056	----	----	----	----	60 UNCH
4000	----	----	----/*3.30A	3.40B/*3.30A	----	2.90 - 1.00	.0189	----	----	----	----	2 UNCH
4000	----	----	----/*1.30A	1.50B/*1.30A	----	1.00 - 0.90	.0071	----	----	1	----	4 + 1
4000	----	----	----/*0.20A	0.10B/*0.20A	----	0.10 - 0.20	----	----	----	----	----	3 UNCH
4100	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.40	----	----	----	----	----	32 UNCH
4100	----	----	----/*1.70A	2.40B/*1.70A	----	1.40 - 1.10	.0110	----	----	----	----	1 UNCH
4100	----	----	----/*4.40A	5.30B/*4.40A	----	4.10 - 1.40	.0285	----	----	----	----	3 UNCH
4150	0.30	0.30	0.30/*0.30	0.30/*0.30	----	0.10 - 0.50	.0000	----	----	2	----	3 + 2

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON MAY26		GOLD WEEKLY MONDAY OPTION WEEK1										
4165	----	----	#504.80B/422.10	#504.80B/422.10A	----	479.50 + 14.40	1.0000	----	----	----	----	0 - 1
4200	----	----	8.50B/*6.40A	8.50B/*6.40A	----	6.10 - 2.20	.0449	----	----	----	----	2 UNCH
4200	0.50	0.50	0.50/*0.40A	0.50/*0.40A	----	0.10 - 0.60	.0001	----	----	2	----	78 + 2
4200	----	----	4.10B/*2.40A	4.10B/*2.40A	----	2.10 - 1.60	.0184	----	----	1	----	2 + 1
4205	0.20	0.20	#0.20/*0.20	0.30B/*0.20	----	0.10 NEW	.0001	----	----	1	----	1 + 1
4225	----	----	----/*0.40A	0.40B/*0.40A	----	0.10 - 0.70	.0002	----	----	2	----	1 - 2
4235	----	----	----/*0.50A	0.40B/*0.50A	----	0.10 - 0.70	.0003	----	----	----	----	1 UNCH
4250	----	----	5.60B/*2.80A	5.60B/*2.80A	----	2.70 - 1.90	.0249	----	----	----	----	3 UNCH
4250	----	----	----/*0.20A	0.50B/*0.20A	----	0.10 - 0.70	.0005	----	----	2	----	7 + 2
4265	----	----	#404.90B/322.40	#404.90B/322.40A	----	379.60 + 14.20	.9988	----	----	----	----	1 UNCH
4275	----	----	6.60B/*3.20A	6.60B/*3.20A	----	3.10 - 2.20	.0293	----	----	----	----	2 UNCH
4275	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.70	.0012	----	----	----	----	1 UNCH
4280	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.80	.0012	----	----	----	----	2 UNCH
4285	----	----	----/*0.30A	0.60B/*0.30A	----	0.20 - 0.80	.0012	----	----	----	----	1 UNCH
4290	0.20	0.20	0.20/*0.20	0.70B/*0.20	----	0.20 NEW	.0012	----	----	2	----	2 + 2
4300	7.10	7.10	7.90B/*3.60A	7.90B/*3.60A	----	3.60 - 2.50	.0348	----	----	4	----	9 + 3
4300	----	----	15.10B/*10.10A	15.10B/*10.10A	----	9.90 - 3.50	.0756	----	----	----	----	16 UNCH
4300	0.20	0.20	0.20/*0.20	0.70B/*0.20	----	0.20 - 0.90	.0013	----	----	5	----	100 + 5
4305	0.60	0.60	0.60/*0.30A	0.80B/*0.30A	----	0.20 NEW	.0013	----	----	1	----	1 + 1
4315	----	----	----/*0.40A	0.90B/*0.40A	----	0.20 - 0.90	.0013	----	----	----	----	3 UNCH
4325	----	----	9.50B/*4.20A	9.50B/*4.20A	----	4.20 - 3.00	.0414	----	----	----	----	17 UNCH
4325	----	----	17.40B/*11.60A	17.40B/*11.60A	----	11.40 - 4.00	.0872	----	----	----	----	5 UNCH
4330	0.80	0.80	1.00B/*0.50A	1.00B/*0.50A	----	0.20 - 1.00	.0014	----	----	1	----	2 + 1
4335	----	----	----/*0.50A	1.00B/*0.50A	----	0.20 NEW	.0014	----	----	1	----	1 + 1
4350	----	----	11.40B/*4.90A	11.40B/*4.90A	----	4.90 - 3.50	.0494	----	----	----	----	17 UNCH
4350	----	----	20.50B/*13.40A	20.50B/*13.40A	----	13.20 - 4.50	.1009	----	----	----	----	2 UNCH
4350	1.10	1.10	1.10/*0.40	1.30B/*0.40	----	0.30 - 1.10	.0024	----	----	14	----	74 + 7
4355	----	----	----/*0.50A	1.40B/*0.50A	----	0.30 - 1.10	.0024	----	----	----	----	2 UNCH
4360	----	----	----/*0.40A	1.40B/*0.40A	----	0.30 - 1.20	.0025	----	----	----	----	1 UNCH
4365	----	----	----/*0.40A	1.50B/*0.40A	----	0.30 - 1.20	.0025	----	----	----	----	1 UNCH
4370	0.40	0.40	0.40/*0.40	1.60B/*0.40	----	0.30 - 1.30	.0026	----	----	2	----	4 + 2
4375	----	----	13.80B/*5.70A	13.80B/*5.70A	----	5.90 - 4.10	.0603	----	----	----	----	2 UNCH
4375	----	----	24.90B/*15.40A	24.90B/*15.40A	----	15.40 - 5.00	.1172	----	----	----	----	4 UNCH
4375	0.80	0.80	1.80B/*0.50A	1.80B/*0.50A	----	0.30 - 1.30	.0026	----	----	10	----	10 + 9
4380	----	----	1.80B/*0.50A	1.80B/*0.50A	----	0.40 - 1.30	.0036	----	----	----	----	1 UNCH
4385	0.50	0.50	2.00B/*0.50	2.00B/*0.50	----	0.40 - 1.40	.0037	----	----	1	----	2 + 1
4390	----	----	2.20B/*0.50A	2.20B/*0.50A	----	0.40 - 1.40	.0037	----	----	----	----	1 UNCH
4395	0.70	0.70	2.20B/*0.50A	2.20B/*0.50A	----	0.40 - 1.50	.0038	----	----	1	----	2 + 1
4400	15.30	15.30	16.90B/*6.90A	16.90B/*6.90A	----	7.10 - 4.80	.0735	----	----	2	----	8 + 2
4400	----	----	28.90B/*17.90A	28.90B/*17.90A	----	18.00 - 5.70	.1360	----	----	----	----	20 UNCH
4400	1.70	1.70	2.60B/*0.50	2.60B/*0.50	----	0.40 - 1.60	.0039	----	----	8	----	99 + 2
4410	----	----	2.80B/*0.50A	2.80B/*0.50A	----	0.50 - 1.70	.0051	----	----	----	----	6 UNCH
4415	----	----	3.00B/*0.50A	3.00B/*0.50A	----	0.50 - 1.80	.0052	----	----	----	----	150 UNCH
4420	----	----	3.10B/*0.50A	3.10B/*0.50A	----	0.60 - 1.80	.0064	----	----	----	----	3 UNCH
4425	10.50	10.50	20.70B/*8.30A	20.70B/*8.30A	----	8.70 NEW	.0906	----	----	1	----	1 + 1
4425	0.50	0.50	3.40B/*0.50	3.40B/*0.50	----	0.60 - 1.90	.0066	----	----	2	----	18 + 1
4430	0.60	0.60	3.60B/*0.60	3.60B/*0.60	----	0.60 - 2.00	.0067	----	----	6	----	5 UNCH
4435	3.30	3.30	4.00B/*0.80A	4.00B/*0.80A	----	0.70 - 2.10	.0080	----	----	1	----	8 + 1
4440	----	----	4.20B/*0.80A	4.20B/*0.80A	----	0.70 - 2.20	.0082	----	----	1	----	13 + 1
4445	----	----	4.60B/*0.80A	4.60B/*0.80A	----	0.80 - 2.30	.0096	----	----	----	----	14 UNCH
4450	11.90	11.90	25.40B/*10.20A	25.40B/*10.20A	----	10.80 - 6.50	.1123	----	----	2	----	12 UNCH
4450	----	----	40.90B/24.60A	40.90B/24.60A	----	25.10 - 7.00	.1840	----	----	----	----	1 UNCH
4450	2.70	2.70	5.00B/*0.70	5.00B/*0.70	----	0.80 - 2.40	.0099	----	----	8	----	16 + 4
4455	----	----	5.20B/*0.90A	5.20B/*0.90A	----	0.90 - 2.50	.0113	----	----	1	----	1 UNCH
4460	6.00	6.00	6.00/*0.90A	6.00/*0.90A	----	0.90 - 2.70	.0116	----	----	1	----	5 + 1
4465	3.30	3.30	6.20B/*0.90	6.20B/*0.90	----	1.00 - 2.80	.0132	----	----	2	----	33 + 2
4470	3.00	3.00	6.70B/*1.00	6.70B/*1.00	----	1.00 - 3.00	.0136	----	----	4	----	12 + 2
4475	----	----	48.00B/28.90A	48.00B/28.90A	----	29.80 - 7.70	.2134	----	----	----	----	4 UNCH
4475	----	----	31.10B/*12.70A	31.10B/*12.70A	----	13.60 - 7.50	.1400	----	----	1	----	12 UNCH
4475	1.10	1.10	7.10B/*1.00	7.10B/*1.00	----	1.10 - 3.20	.0153	----	----	4	----	6 + 1
4480	4.10	4.10	7.70B/*1.10	7.70B/*1.10	----	1.20 - 3.40	.0170	----	----	6	----	21 + 6
4485	----	----	33.80B/*13.90A	33.80B/*13.90A	----	14.90 - 7.90	.1526	----	----	----	----	13 UNCH
4485	4.20	4.20	8.40B/*1.20A	8.40B/*1.20A	----	1.20 - 3.60	.0175	----	----	4	----	6 UNCH
4490	----	----	35.10B/*14.60A	35.10B/*14.60A	----	15.70 - 8.00	.1599	----	----	----	----	2 UNCH
4490	4.40	4.40	9.00B/*1.30A	9.00B/*1.30A	----	1.30 - 3.90	.0194	----	----	6	----	5 + 4
4495	3.50	3.50	9.70B/*1.20	9.70B/*1.20	----	1.40 - 4.10	.0214	----	----	4	----	17 + 2
4500	34.10	34.10	38.20B/*16.00A	38.20B/*16.00A	----	17.20 - 8.50	.1740	----	----	2	----	7 + 2
4500	58.30	58.30	58.30/34.10A	58.30/34.10A	----	35.20 - 8.50	.2460	----	----	2	----	5 UNCH
4500	5.70	5.70	11.00/*1.40	11.00/*1.40	----	1.50 - 4.40	.0235	----	----	212	----	259 + 66
4505	----	----	39.70B/*16.80A	39.70B/*16.80A	----	18.10 - 8.60	.1820	----	----	----	----	1 UNCH
4505	5.00	5.00	11.30B/*1.60A	11.30B/*1.60A	----	1.60 - 4.70	.0258	----	----	3	----	6 + 1
4510	5.20	5.20	12.40B/*1.70A	12.40B/*1.70A	----	1.80 - 4.90	.0295	----	----	6	----	5 + 2
4515	----	----	42.90B/*18.40A	42.90B/*18.40A	----	19.90 NEW	.1981	----	----	9	----	9 + 9
4515	5.50	5.50	13.40B/*1.70A	13.40B/*1.70A	----	1.90 - 5.30	.0320	----	----	3	----	11 - 1
4520	----	----	44.80B/*19.30A	44.80B/*19.30A	----	20.80 - 9.30	.2062	----	----	----	----	1 UNCH
4520	----	----	152.10B/68.40A	152.10B/68.40A	----	126.50 + 9.30	.9637	----	----	----	----	3 UNCH
4520	3.90	3.90	14.50B/*1.80A	14.50B/*1.80A	----	2.10 - 5.60	.0361	----	----	8	----	12 + 6
4525	----	----	46.50B/*20.20A	46.50B/*20.20A	----	21.80 NEW	.2149	----	----	1	----	1 + 1
4525	----	----	65.30B/40.10A	65.30B/40.10A	----	41.60 - 9.30	.2823	----	----	1	----	1 - 1
4525	6.70	6.70	15.70B/*2.00A	15.70B/*2.00A	----	2.30 - 5.90	.0404	----	----	19	----	25 + 11
4530	----	----	48.30B/*21.20A	48.30B/*21.20A	----	22.90 - 9.70	.2242	----	----	----	----	7 UNCH
4530	15.50	15.50	17.10B/*2.00	17.10B/*2.00	----	2.50 - 6.30	.0449	----	----	15	----	18 + 8
4535	8.90	8.90	18.50B/*2.30A	18.50B/*2.30A	----	2.70 - 6.80	.0497	----	----	63	----	15 + 11
4540	----	----	52.20B/23.20A	52.20B/23.20A	----	25.20 - 10.00	.2432	----	----	----	----	1 UNCH
4540	13.80	13.80	20.00/*2.40A	20.00/*2.40A	----	2.90 - 7.30	.0547	----	----	12	----	8 - 1
4540	----	----	132.90B/53.80A	132.90B/53.80A	----	107.40 + 7.70	.9452	----	----	----	----	3 UNCH
4545	----	----	128.40B/50.50A	128.40B/50.50A	----	102.70 + 7.20	.9384	----	----	----	----	1 UNCH
4545	6.20	6.20	21.50B/*2.60A	21.50B/*2.60A	----	3.20 - 7.70	.0615	----	----	4	----	7 + 2
4550	----	----	75.70B/47.10A	75.70B/47.10A	----	49.10 - 10.00	.3218	----	----	----	----	4 UNCH
4550	35.40	35.40	56.50B/25.40A	56.50B/25.40A	----	27.60 - 10.50	.2630	----	----	3	----	4 UNCH
4550	14.00	14.00	23.30B/*2.90A	23.30B/*2.90A	----	3.60 - 8.10	.0701	----	----	96	----	82 + 58
4550	64.00	64.00	123.50B/47.30A	123.50B/47.30A	----	98.00 + 6.70	.9297	----	----	1	----	6 + 1
4555	----	----	58.50B/26.50A	58.50B/26.50A	----	29.00 - 10.60	.2737	----	----	----	----	1 UNCH
4555	----	----	118.70B/44.30A	118.70B/44.30A	----	93.40 + 6.20	.9222	----	----	----	----	3 UNCH
4555	20.10	20.10	25.20B/*3.20A	25.20B/*3.20A	----	3.90 - 8.70	.0777	----	----	7	----	8 + 6
4560	----	----	114.00B/41.20A	114.00B/41.20A	----	88.80 + 5.70	.9127	----	----	----	----	4 UNCH
4560	4.70	4.70	27.10B/*3.50A	27.10B/*3.50A	----	4.30 - 9.30	.0871	----	----	2	----	56 UNCH
4565	38.30	38.30	63.00B/28.90A	63.00B/28.90A	----	31.80 - 11.10	.2953	----	----	1	----	2 + 1
4565	----	----	109.70B/38.20A	109.70B/38.20A	----	84.30 + 5.10	.9014	----	----	----	----	1 UNCH
4565	10.80	10.80	29.10B/*3.90A	29.10B/*3.90A	----	4.80 - 9.80	.0985	----	----	27	----	27 + 21
4570	37.60	37.60	65.40B/30.30A	65.40B/30.30A	----	33.30 - 11.20	.3065	----	----	2	----	3 UNCH
4570	----	----	104.90B/35.50A	104.90B/35.50A	----	79.80 + 4.50	.8895	----	----	----	----	63 UNCH
4570	6.40	6.40	31.50B/*4.30A	31.50B/*4.30A	----	5.30 - 10.40	.1104	----	----	9	----	4 + 2
4575	46.10	46.10	67.90B/31.70A	67.90B/31.70A	----	34.80 NEW	.3177	----	----	2	----	2 + 2
4575	----	----	100.80B/32.70A	100.80B/32.70A	----	75.40 NEW	.8756	----	----	2	----	1 + 1
4575	30.00	30.00	33.80B/*4.80A	33.80B/*4.80A	----	5.90 - 11.00	.1242	----	----	81	----	52 + 32
4575	----	----	87.70B/54.80A	87.70B/54.80A	----	57.60 - 10.80	.3640	----	----	----	----	3 UNCH
4580	35.30	35.30	70.30B/33.00A	70.30B/33.00A	----	36.40 - 11.70	.3293	----	----	7	----	7 + 1
4580	17.70	17.70	36.20B/*5.40	36.20B/*5.40	----	6.60 - 11.50	.1401	----	----	11	----	10 + 6
4580	----	----	96.20B/30.20A	96.20B/30.20A	----	71.10 + 3.40	.8598	----	----	----	----	1 UNCH
4585	39.90	39.90	72.90B/34.50A	72.90B/34.50A	----	38.10 - 11.90	.3412	----	----	3	----	4 + 3
4585	26.60	26.60	91.80B/26.60	91.80B/26.60	----	66.80 + 2.70	.8420	----	----	4	----	3 + 1
4585	7.20	7.20	38.80B/*6.00A	38.80B/*6.00A	----	7.40 - 12.10	.1578	----	----	4	----	26 + 2
4590	41.10	41.10	75.60B/36.10A	75.60B/36.10A	----	39.80 NEW	.3532	----	----	2	----	2 + 2
4590	30.30	30.30	87.40B/25.40A	87.40B/25.40A	----	62.70 + 2.20	.8236	----	----	30	----	31 + 30
4590	31.00	31.00	41.80B/*6.70A	41.80B/*6.70A	----	8.20 - 12.70	.1762	----	----	14	----	18 + 10
4595	39.90	39.90	78.20B/37.70A	78.20B/37.70A	----	41.60 NEW	.3654	----	----	1	----	1 + 1
4595	----	----	44.50B/*7.40A	44.50B/*7.40A	----	9.10 - 13.40	.1966	----	----	11	----	5 - 5
4595	32.20	32.20	83.10B/*23.30A	83.10B/*23.30A	----	58.60 + 1.50	.8032	----	----	8	----	5 + 4
4600	----	----	108.70B/55.30A	108.70B/55.30A	----	87.90 + 2.40	.6217	----	----	1	----	42 + 1
4600	----	----	99.90B/63.60A	99.90B/63.60A	----	67.40 - 11.40	.4084	----	----	----	----	31 UNCH
4600	74.80	74.80	80.80B/39.30A	80.80B/39.30A	----	43.50 - 12.40	.3779	----	----	2	----	43 + 2
4600	38.20	38.20	79.00B/*21.00	79.00B/*21.00	----	54.70 + 1.00	.7799	----	----	13	----	165 + 9
4600	18.70	18.70	47.50B/*8.20	47.50B/*8.20	----	10.20 - 13.90	.2200	----	----	121	----	235 + 29
4605	21.50	21.50	74.70B/*19.20A	74.70B/*19.20A	----	50.90 + 0.40	.7548	----	----	11	----	5 + 4
4605	12.50	12.50	50.70B/*9.10A	50.70B/*9.10A	----	11.40 - 14.50	.2451	----	----	4	----	5 + 2
4610	22.20	22.20	70.70B/*17.50A	70.70B/*17.50A	----	47.20 NEW	.7280	----	----	100	----	55 + 55
4610	11.70	11.70	54.00B/*10.20A	54.00B/*10.20A	----	12.70 - 15.10	.2718	----	----	4	----	3 + 2
4615	19.40	19.40	57.40B/*11.40A	57.40B/*11.40A	----	14.10 - 15.70	.3002	----	----	60	----	56 + 54
4615	15.70	15.70	66.70B/*15.30	66.70B/*15.30	----	43.60 - 0.80	.6997	----	----	18	----	14 + 11
4620	----	----	92.70B/46.70A	92.70B/46.70A	----	51.50 - 13.30	.4288	----	----	----	----	1 UNCH
4620	----	----	95.90B/46.70A	95.90B/46.70A	----	76.00 NEW	.5708	----	----	2	----	2 + 2
4620	14.90	14.90	60.90B/*12.50A	60.90B/*12.50A	----	15.70 - 16.20	.3307	----	----	17	----	21 + 9
4620	25.50	25.50	62.80B/*14.40A	62.80B/*14.40A	----	40.20 - 1.30	.6691	----	----	3	----	3 + 1
4625	----	----	92.70B/44.80A	92.70B/44.80A	----	73.20 + 1.50	.5578	----	----	----	----	10 UNCH
4625	15.10	15.10	59.00B/*13.00A	59.00B/*13.00A	----	36.90 - 1.80	.6374	----	----	20	----	16 + 16
4625	40.80	40.80	64.60B/*13.90A	64.60B/*13.90A	----	17.40 - 16.70	.3625	----	----	77	----	63 + 51

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
GMW MON		GOLD WEEKLY MONDAY OPTION WEEK2										
MAY26												
4630	----	----	89.60B/43.20A	89.60B/43.20A	----	70.40 NEW	.5447	----	----	1	----	1 + 1
4630	18.30	18.30	68.30B/*15.30A	68.30B/*15.30A	----	19.30 - 17.20	.3959	----	----	11	----	46 + 4
4630	28.00	28.00	55.40B/*11.70A	55.40B/*11.70A	----	33.80 - 2.30	.6040	----	----	241	----	96 + 53
4635	31.70	31.70	72.20B/*17.10A	72.20B/*17.10A	----	21.30 - 17.60	.4301	----	----	30	----	10 + 7
4635	31.20	31.20	51.80B/*10.60A	51.80B/*10.60A	----	30.80 - 2.70	.5697	----	----	133	----	54 + 51
4640	11.50	11.50	48.30B/*9.60A	48.30B/*9.60A	----	28.10 - 3.00	.5343	----	----	10	----	25 + 2
4640	44.40	44.40	76.20B/*17.90	76.20B/*17.90	----	23.60 - 17.90	.4655	----	----	163	----	46 + 45
4645	34.40	34.40	80.20B/*20.30A	80.20B/*20.30A	----	25.90 - 18.30	.5011	----	----	8	----	8 + 4
4645	28.00	28.00	45.70B/*8.70A	45.70B/*8.70A	----	25.40 - 3.40	.4987	----	----	35	----	15 + 12
4650	----	----	77.80B/36.40A	77.80B/36.40A	----	60.10 + 0.50	.4917	----	----	4	----	5 + 4
4650	38.00	38.00	84.40B/*21.80A	84.40B/*21.80A	----	28.50 - 18.60	.5369	----	----	37	----	28 + 16
4650	----	----	101.70B/61.20A	101.70B/61.20A	----	85.00 + 2.10	.4986	----	----	----	----	1 UNCH
4650	10.00	10.00	42.50B/*7.80A	42.50B/*7.80A	----	23.00 - 3.70	.4630	----	----	106	----	94 + 64
4655	6.70	6.70	39.50B/*6.70	39.50B/*6.70	----	20.70 - 3.90	.4274	----	----	27	----	22 + 15
4655	81.80	81.80	88.60B/*24.20A	88.60B/*24.20A	----	31.20 - 18.80	.5725	----	----	3	----	4 + 2
4660	----	----	119.10B/63.60A	119.10B/63.60A	----	70.90 - 14.60	.5345	----	----	----	----	2 UNCH
4660	----	----	92.90B/26.20A	92.90B/26.20A	----	34.10 - 19.00	.6070	----	----	2	----	1 - 1
4660	6.20	6.20	36.60B/*6.20	36.60B/*6.20	----	18.70 - 4.00	.3928	----	----	65	----	15 + 8
4665	----	----	97.30B/28.40A	97.30B/28.40A	----	37.20 - 19.10	.6413	----	----	1	----	3 UNCH
4665	16.20	16.20	33.80B/*5.70A	33.80B/*5.70A	----	16.70 - 4.20	.3586	----	----	68	----	52 + 50
4670	67.00	67.00	67.70B/30.50A	67.70B/30.50A	----	50.90 NEW	.4388	----	----	1	----	1 + 1
4670	----	----	101.70B/30.80A	101.70B/30.80A	----	40.50 - 19.10	.6735	----	----	----	----	13 UNCH
4670	16.90	16.90	31.20B/*5.30A	31.20B/*5.30A	----	15.00 - 4.20	.3263	----	----	33	----	30 + 19
4675	----	----	145.80B/96.80A	145.80B/96.80A	----	103.90 - 13.40	.5473	----	----	1	----	3 - 1
4675	9.50	9.50	28.70B/*4.80A	28.70B/*4.80A	----	13.40 - 4.30	.2953	----	----	28	----	14 + 4
4675	----	----	106.20B/33.00A	106.20B/33.00A	----	43.80 - 19.30	.7045	----	----	----	----	40 UNCH
4680	----	----	110.80B/35.90A	110.80B/35.90A	----	47.40 - 19.20	.7343	----	----	1	----	3 + 1
4680	15.70	15.70	26.30B/*4.30A	26.30B/*4.30A	----	11.90 - 4.30	.2655	----	----	33	----	32 + 12
4685	5.80	5.80	24.10B/*3.90A	24.10B/*3.90A	----	10.60 - 4.20	.2382	----	----	28	----	20 + 18
4685	----	----	115.40B/38.70A	115.40B/38.70A	----	51.10 - 19.10	.7617	----	----	9	----	8 + 3
4690	----	----	57.20B/25.40A	57.20B/25.40A	----	42.80 - 0.60	.3872	----	----	----	----	1 UNCH
4690	----	----	141.40B/78.30A	141.40B/78.30A	----	88.20 - 15.50	.6125	----	----	----	----	4 UNCH
4690	12.60	12.60	22.30/*3.50A	22.30/*3.50A	----	9.40 - 4.20	.2124	----	----	59	----	58 + 51
4690	----	----	120.10B/41.60A	120.10B/41.60A	----	54.90 - 19.10	.7874	----	----	1	----	5 - 1
4695	----	----	145.30B/81.10A	145.30B/81.10A	----	91.30 - 15.70	.6251	----	----	----	----	1 UNCH
4695	10.30	10.30	20.10B/*3.20A	20.10B/*3.20A	----	8.30 - 4.10	.1884	----	----	4	----	6 + 4
4700	----	----	53.40B/23.20A	53.40B/23.20A	----	39.10 - 0.90	.3621	----	----	----	----	3 UNCH
4700	----	----	163.30B/110.20A	163.30B/110.20A	----	118.60 - 13.90	.5927	----	----	----	----	3 UNCH
4700	----	----	149.20B/84.90A	149.20B/84.90A	----	94.50 - 15.80	.6376	----	----	----	----	9 UNCH
4700	----	----	77.20B/45.20A	77.20B/45.20A	----	63.20 + 0.90	.4068	----	----	----	----	1 UNCH
4700	9.00	9.00	18.40/*2.90A	18.40/*2.90A	----	7.40 - 3.90	.1675	----	----	194	----	176 + 85
4700	97.50	97.50	129.50B/48.10A	129.50B/48.10A	----	62.90 - 18.80	.8323	----	----	3	----	121 - 1
4705	68.70	68.70	134.20B/51.30A	134.20B/51.30A	----	67.00 - 18.70	.8512	----	----	10	----	31 + 10
4705	8.60	8.60	16.50B/*2.70A	16.50B/*2.70A	----	6.60 - 3.80	.1487	----	----	18	----	10 + 4
4710	26.50	26.50	48.80B/21.10A	48.80B/21.10A	----	35.70 - 1.10	.3378	----	----	5	----	3 - 3
4710	2.90	2.90	15.00B/*2.50	15.00B/*2.50	----	5.80 - 3.70	.1304	----	----	72	----	43 + 3
4710	72.80	72.80	139.00B/54.70A	139.00B/54.70A	----	71.30 - 18.50	.8695	----	----	2	----	1 UNCH
4715	----	----	13.60B/*2.30A	13.60B/*2.30A	----	5.20 - 3.40	.1156	----	----	----	----	1 UNCH
4715	----	----	143.80B/58.40A	143.80B/58.40A	----	75.60 - 18.40	.8842	----	----	----	----	3 UNCH
4720	4.00	4.00	12.20B/*2.10A	12.20B/*2.10A	----	4.60 - 3.30	.1014	----	----	20	----	25 + 15
4725	----	----	169.50B/99.20A	169.50B/99.20A	----	111.50 - 16.20	.6969	----	----	----	----	1 UNCH
4725	6.40	6.40	11.00B/*1.90A	11.00B/*1.90A	----	4.10 - 3.10	.0893	----	----	10	----	18 + 8
4725	----	----	153.50B/65.90A	153.50B/65.90A	----	84.50 - 18.00	.9106	----	----	1	----	9 + 1
4730	----	----	173.70B/102.50A	173.70B/102.50A	----	115.00 - 16.30	.7080	----	----	----	----	20 UNCH
4730	----	----	42.40B/17.70A	42.40B/17.70A	----	29.60 - 1.40	.2917	----	----	----	----	1 UNCH
4730	3.80	3.80	9.90B/*1.80A	9.90B/*1.80A	----	3.60 - 2.90	.0776	----	----	4	----	18 + 2
4730	----	----	158.30B/69.90A	158.30B/69.90A	----	89.10 - 17.80	.9223	----	----	----	----	1 UNCH
4735	2.60	2.60	8.90B/*1.70A	8.90B/*1.70A	----	3.20 - 2.80	.0680	----	----	13	----	13 + 11
4740	----	----	182.20B/109.10A	182.20B/109.10A	----	122.30 - 16.50	.7297	----	----	----	----	5 UNCH
4740	----	----	39.00B/16.10A	39.00B/16.10A	----	26.90 - 1.60	.2700	----	----	4	----	6 + 4
4740	----	----	168.10B/77.90A	168.10B/77.90A	----	98.30 - 17.50	.9411	----	----	----	----	1 UNCH
4740	2.10	2.10	8.00B/*1.50A	8.00B/*1.50A	----	2.80 - 2.60	.0587	----	----	17	----	18 + 13
4745	4.40	4.40	7.60/*1.40A	7.60/*1.40A	----	2.50 - 2.50	.0515	----	----	4	----	7 + 4
4745	----	----	173.00B/82.30A	173.00B/82.30A	----	103.00 - 17.30	.9484	----	----	----	----	2 UNCH
4750	26.90	26.90	35.90B/14.70A	35.90B/14.70A	----	24.50 - 1.60	.2497	----	----	10	----	24 + 9
4750	----	----	198.10B/140.80A	198.10B/140.80A	----	151.60 - 14.70	.6778	----	----	----	----	2 UNCH
4750	----	----	190.90B/115.90A	190.90B/115.90A	----	129.90 - 16.50	.7499	----	----	----	----	5 UNCH
4750	100.10	100.10	177.90B/86.60A	177.90B/86.60A	----	107.70 - 17.20	.9553	----	----	3	----	4 UNCH
4750	3.30	3.30	6.40B/*1.10	6.40B/*1.10	----	2.20 - 2.30	.0445	----	----	26	----	122 + 10
4755	----	----	182.80B/91.00A	182.80B/91.00A	----	112.50 - 17.00	.9603	----	----	----	----	1 UNCH
4755	6.00	6.00	6.00/*1.10A	6.00/*1.10A	----	2.00 - 2.10	.0396	----	----	1	----	50 UNCH
4760	----	----	32.90B/13.50A	32.90B/13.50A	----	22.20 - 1.70	.2301	----	----	----	----	2 UNCH
4760	----	----	187.70B/95.20A	187.70B/95.20A	----	117.30 - 16.80	.9650	----	----	----	----	3 UNCH
4760	1.60	1.60	5.10B/*0.90A	5.10B/*0.90A	----	1.80 - 2.00	.0348	----	----	3	----	49 + 3
4765	----	----	31.60B/12.80A	31.60B/12.80A	----	21.20 - 1.70	.2211	----	----	----	----	2 UNCH
4765	3.90	3.90	4.50B/*0.80A	4.50B/*0.80A	----	1.60 - 1.90	.0303	----	----	11	----	9 + 7
4765	----	----	192.70B/99.70A	192.70B/99.70A	----	122.10 - 16.70	.9695	----	----	----	----	1 UNCH
4770	----	----	30.20B/12.30A	30.20B/12.30A	----	20.20 - 1.70	.2121	----	----	----	----	1 UNCH
4770	3.50	3.50	4.00B/*0.70A	4.00B/*0.70A	----	1.40 - 1.80	.0260	----	----	4	----	6 + 2
4775	----	----	28.90B/11.80A	28.90B/11.80A	----	19.20 - 1.70	.2032	----	----	1	----	3 + 1
4775	----	----	49.90B/28.80A	49.90B/28.80A	----	39.40 - 0.10	.2835	----	----	----	----	1 UNCH
4775	----	----	202.60B/109.00A	202.60B/109.00A	----	131.70 - 16.50	.9764	----	----	----	----	6 UNCH
4775	3.00	3.00	3.70/*0.70A	3.70/*0.70A	----	1.30 - 1.60	.0235	----	----	9	----	37 + 1
4775	----	----	221.70B/157.70A	221.70B/157.70A	----	169.70 - 15.00	.7160	----	----	----	----	1 UNCH
4780	----	----	27.70B/11.30A	27.70B/11.30A	----	18.30 - 1.70	.1948	----	----	----	----	1 UNCH
4780	2.80	2.80	3.20B/*0.60A	3.20B/*0.60A	----	1.10 - 1.60	.0195	----	----	3	----	4 + 2
4790	1.00	1.00	2.50B/*0.50A	2.50B/*0.50A	----	0.90 - 1.30	.0152	----	----	4	----	58 + 2
4790	----	----	217.40B/122.50A	217.40B/122.50A	----	146.40 - 16.20	.9847	----	----	----	----	2 UNCH
4795	----	----	222.40B/127.50A	222.40B/127.50A	----	151.30 - 16.10	.9867	----	----	----	----	11 UNCH
4800	12.60	12.60	23.10B/9.50A	23.10B/9.50A	----	15.00 - 1.80	.1636	----	----	2	----	109 + 2
4800	1.00	1.00	2.00B/*0.40	2.00B/*0.40	----	0.70 - 1.20	.0112	----	----	22	----	86 - 6
4800	----	----	235.70B/153.20A	235.70B/153.20A	----	170.40 - 16.60	.8361	----	----	----	----	6 UNCH
4800	27.20	27.20	42.70B/25.50A	42.70B/25.50A	----	33.50 - 0.30	.2484	----	----	5	----	17 + 4
4800	----	----	242.90B/175.30A	242.90B/175.30A	----	188.80 - 15.20	.7511	----	----	----	----	1 UNCH
4800	----	----	227.40B/132.50A	227.40B/132.50A	----	156.20 - 16.00	.9887	----	----	1	----	1 UNCH
4805	----	----	----/*0.40A	1.80B/*0.40A	----	0.70 - 1.10	.0109	----	----	----	----	4 UNCH
4810	----	----	21.10B/8.70A	21.10B/8.70A	----	13.60 - 1.80	.1498	----	----	----	----	1 UNCH
4810	0.30	0.30	0.30/*0.30	1.60B/*0.30	----	0.60 - 1.00	.0091	----	----	1	----	2 + 1
4815	----	----	20.20B/8.40A	20.20B/8.40A	----	13.00 - 1.70	.1436	----	----	----	----	2 UNCH
4815	----	----	----/*0.30A	1.40B/*0.30A	----	0.50 - 1.00	.0074	----	----	----	----	55 UNCH
4820	----	----	----/*0.30A	1.20B/*0.30A	----	0.50 - 0.90	.0072	----	----	----	----	3 UNCH
4820	----	----	254.20B/169.30A	254.20B/169.30A	----	187.70 - 16.60	.8623	----	----	----	----	2 UNCH
4820	----	----	19.20B/8.10A	19.20B/8.10A	----	12.40 - 1.70	.1374	----	----	----	----	1 UNCH
4825	----	----	18.40B/7.70A	18.40B/7.70A	----	11.80 - 1.70	.1313	----	----	----	----	5 UNCH
4825	23.50	23.50	36.50B/22.00A	36.50B/22.00A	----	28.40 - 0.60	.2164	----	----	1	----	1 UNCH
4825	----	----	----/*0.30A	1.10B/*0.30A	----	0.40 - 0.90	.0056	----	----	----	----	12 UNCH
4825	----	----	252.20B/156.00A	252.20B/156.00A	----	180.90 - 15.70	.9943	----	----	----	----	1 - 1
4830	----	----	----/*0.30A	0.90B/*0.30A	----	0.40 - 0.80	.0054	----	----	----	----	14 UNCH
4835	----	----	----/*0.20A	0.80B/*0.20A	----	0.30 - 0.80	.0040	----	----	----	----	13 UNCH
4835	----	----	262.20B/165.80A	262.20B/165.80A	----	190.80 - 15.70	.9960	----	----	----	----	1 UNCH
4845	0.60	0.60	0.60/*0.20A	0.70B/*0.20A	----	0.30 - 0.70	.0038	----	----	30	----	32 + 30
4850	13.00	13.00	14.50B/6.40A	14.50B/6.40A	----	9.30 - 1.50	.1050	----	----	3	----	5 + 3
4850	----	----	31.30B/18.70A	31.30B/18.70A	----	24.10 NEW	.1880	----	----	1	----	1 + 1
4850	----	----	286.40B/219.00A	286.40B/219.00A	----	229.30 - 15.60	.8115	----	----	----	----	1 UNCH
4850	0.70	0.70	0.70/*0.10	0.70/*0.10	----	0.30 - 0.60	.0037	----	----	11	----	21 + 6
4855	----	----	13.90B/6.10A	13.90B/6.10A	----	8.90 - 1.40	.1006	----	----	----	----	12 UNCH
4855	----	----	----/*0.20A	0.50B/*0.20A	----	0.20 - 0.60	.0023	----	----	----	----	2 UNCH
4860	----	----	13.20B/5.90A	13.20B/5.90A	----	8.50 - 1.40	.0962	----	----	----	----	7 UNCH
4860	0.50	0.50	0.50/*0.20A	0.50/*0.20A	----	0.20 - 0.60	.0023	----	----	1	----	2 + 1
4865	----	----	12.60B/5.70A	12.60B/5.70A	----	8.10 - 1.40	.0919	----	----	----	----	2 UNCH
4865	0.30	0.30	0.30/*0.20A	0.40B/*0.20A	----	0.20 - 0.50	.0022	----	----	6	----	7 + 6
4870	----	----	301.60B/212.20A	301.60B/212.20A	----	233.00 - 16.30	.9121	----	----	----	----	2 UNCH
4870	----	----	----/*0.20A	0.40B/*0.20A	----	0.20 - 0.50	.0022	----	----	----	----	4 UNCH
4875	----	----	26.70B/16.10A	26.70B/16.10A	----	20.50 - 0.80	.1630	----	----	----	----	2 UNCH
4875	----	----	11.50B/5.30A	11.50B/5.30A	----	7.40 - 1.30	.0841	----	----	----	----	3 UNCH
4875	----	----	309.00B/239.40A	309.00B/239.40A	----	250.70 - 15.60	.8365	----	----	----	----	1 UNCH
4875	----	----	----/*0.20A	0.30B/*0.20A	----	0.20 NEW	.0021	----	----	25	----	25 + 25
4880	----	----	10.90B/5.10A	10.90B/5.10A	----	7.00 - 1.30	.0799	----	----	----	----	1 UNCH
4880	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 - 0.50	.0010	----	----	1	----	13 + 1
4890	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.40	.0006	----	----	1	----	3 + 1
4900	----	----	9.00B/4.40A	9.00B/4.40A	----	5.90 - 1.20	.0673	----	----	1	----	19 + 1
4900	----	----	330.60B/239.40A	330.60B/239.40A	----	261.10 - 16.10	.9324	----	----	----	----	1 UNCH
4900	----	----	332.00B/260.50A	332.00B/260.50A	----	272.60 - 15.70	.8587	----	----	----	----	1 UNCH
4900	0.30	0.30	0.30/*0.20A	0.30/*0.20A	----	0.10 - 0.40	.0004	----	----	1	----	40 + 1
4905	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.30	.0003	----	----	----	----	3 UNCH
4910	----	----	----/*0.20A	0.20B/*0.20A	----	0.10 - 0.30	.0002	----	----	----	----	20 UNCH
4915	----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0002	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 41

FINAL

GMW MON — GOLD WEEKLY MONDAY OPTION WEEK2

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4915 ----	----	7.80B/3.90A	7.80B/3.90A	----	5.10 - 1.10	.0584	----	----	----	----	1 UNCH
4920 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.30	.0001	----	----	----	----	5 UNCH
4925 ----	----	7.10B/3.70A	7.10B/3.70A	----	4.70 - 1.10	.0537	----	----	----	----	11 UNCH
4925 ----	----	338.40B/255.80A	338.40B/255.80A	----	280.60 - 15.10	1.0000	----	----	----	----	1 UNCH
4925 ----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	4 UNCH
4930 ----	----	----	----/*0.30A	----	0.10 - 0.20	.0001	----	----	----	----	1 UNCH
4930 ----	----	6.80B/3.50A	6.80B/3.50A	----	4.50 - 1.00	.0514	----	----	----	----	1 UNCH
4940 ----	----	----/0.20A	----/0.20A	----	0.10 - 0.20	.0000	----	----	----	----	1 UNCH
4945 ----	----	----	----/*0.30A	----	0.10 - 0.20	.0000	----	----	----	----	4 UNCH
4950 ----	----	5.70B/3.10A	5.70B/3.10A	----	3.70 - 1.10	.0424	----	----	----	----	5 UNCH
4950 ----	----	17.00B/11.00A	17.00B/11.00A	----	12.60 - 1.00	.1047	----	----	----	----	7 UNCH
4950 ----	----	----/*0.20A	----/*0.20A	----	0.10 - 0.20	.0000	----	----	----	----	41 UNCH
4960 ----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	2 UNCH
4960 ----	----	5.20B/2.90A	5.20B/2.90A	----	3.40 - 1.00	.0388	----	----	----	----	5 UNCH
4965 ----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4970 ----	----	4.80B/2.70A	4.80B/2.70A	----	3.20 - 0.90	.0362	----	----	----	----	5 UNCH
4970 ----	----	383.40B/301.00A	383.40B/301.00A	----	325.60 - 14.90	1.0000	----	----	----	----	0 UNCH
4970 ----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4975 ----	----	----	----/*0.30A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4980 ----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	1 UNCH
4985 ----	----	----	----/*0.20A	----	0.10 - 0.10	.0000	----	----	----	----	3 UNCH
4990 3.30	3.30	4.10B/*2.30A	4.10B/*2.30A	----	2.70 NEW	.0304	----	----	7	----	7 + 7
4995 ----	----	408.30B/326.00A	408.30B/326.00A	----	350.60 - 14.90	1.0000	----	----	----	----	0 UNCH
4995 ----	----	423.70B/328.60A	423.70B/328.60A	----	352.90 - 15.60	.9706	----	----	----	----	1 UNCH
5000 ----	----	3.60B/*2.20A	3.60B/*2.20A	----	2.50 - 0.80	.0280	----	----	----	----	9 UNCH
5000 424.00	424.00	428.60B/333.80A	428.60B/333.80A	----	357.80 NEW	.9718	----	----	1	----	1 + 1
5000 ----	----	413.40B/330.90A	413.40B/330.90A	----	355.50 - 15.00	1.0000	----	----	----	----	1 UNCH
5000 ----	----	----	----/0.20A	----	0.10 - 0.10	----	----	----	2	----	5 UNCH
5000 ----	----	12.10B/8.20A	12.10B/8.20A	----	9.20 - 1.00	.0779	----	----	4	----	4 + 3
5005 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5010 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	29 UNCH
5015 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5020 ----	----	#433.30B/351.00	#433.30B/351.00A	----	375.50 - 14.90	1.0000	----	----	----	----	2 UNCH
5020 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	4 UNCH
5020 ----	----	448.40B/353.50A	448.40B/353.50A	----	377.40 - 15.60	.9755	----	----	----	----	2 UNCH
5025 ----	----	453.30B/358.30A	453.30B/358.30A	----	382.30 - 15.60	.9766	----	----	----	----	3 UNCH
5025 ----	----	3.00B/*1.90A	3.00B/*1.90A	----	2.10 - 0.70	.0232	----	----	----	----	4 UNCH
5025 ----	----	----	----/*0.30A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5050 ----	----	8.90B/*6.20A	8.90B/*6.20A	----	6.70 - 0.80	.0575	----	----	----	----	3 UNCH
5050 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5075 ----	----	----/*1.40A	2.00B/*1.40A	----	1.50 - 0.50	.0161	----	----	----	----	1 UNCH
5075 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	2 UNCH
5100 ----	----	----	----/*0.20A	----	0.10 UNCH	----	----	----	----	----	6 UNCH
5100 ----	----	----	----	----	459.90 - 15.40	.9566	----	----	----	----	2 UNCH
5100 ----	----	6.60B/*4.90A	6.60B/*4.90A	----	5.00 - 0.50	.0431	----	----	----	----	4 UNCH
5100 ----	----	----	----	----	456.50 - 15.30	.9862	----	----	----	----	1 UNCH
5100 ----	----	----/*1.30A	1.60B/*1.30A	----	1.30 - 0.50	.0136	----	----	----	----	2 UNCH
5125 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	2	----	1 - 2
5125 ----	----	5.70B/*4.30A	5.70B/*4.30A	----	4.30 - 0.40	.0371	----	----	----	----	3 UNCH
5125 ----	----	----/*1.10A	1.40B/*1.10A	----	1.20 - 0.30	.0122	----	----	----	----	2 UNCH
5150 ----	----	5.00B/*3.90A	5.00B/*3.90A	----	3.80 - 0.30	.0327	----	----	----	----	3 UNCH
5150 ----	----	----/*1.00A	1.10B/*1.00A	----	1.00 - 0.30	.0101	----	----	----	----	1 UNCH
5200 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	3 UNCH
5200 ----	----	----/*0.90A	0.90B/*0.90A	----	0.80 - 0.20	.0077	----	----	----	----	92 UNCH
5200 ----	----	3.80B/----	3.80B/*3.30A	----	2.90 - 0.10	.0248	----	----	----	----	4 UNCH
5200 ----	----	----	----	----	557.80 - 15.00	.9750	----	----	----	----	1 UNCH
5225 ----	----	----	----/0.40A	----	0.10 UNCH	----	----	----	----	----	1 UNCH
5225 ----	----	----/*0.80A	0.80B/*0.80A	----	0.70 - 0.20	.0066	----	----	----	----	1 UNCH
5250 ----	----	----/*0.70A	0.60B/*0.70A	----	0.60 - 0.20	.0056	----	----	----	----	9 UNCH
5275 ----	----	----/*0.70A	0.50B/*0.70A	----	0.50 - 0.30	.0046	----	----	----	----	3 UNCH
5300 ----	----	2.40B/----	2.40B/*2.40A	----	1.90 + 0.10	.0157	----	----	----	----	1 UNCH
5500 ----	----	1.00B/----	1.00B/*1.60A	----	0.70 UNCH	.0056	----	----	----	----	1 UNCH
TOTAL									2986		5243 + 1338
JUN26											
3500 ----	----	----	1.10B/4.20A	----	2.40 - 0.40	.0100	----	----	----	----	40 UNCH
3750 ----	----	----	2.80B/*5.40A	----	3.80 - 0.80	.0179	----	----	----	----	4 UNCH
3800 ----	----	----	3.40B/*5.80A	----	4.20 - 0.90	.0203	----	----	----	----	1 UNCH
3900 ----	----	----	5.00B/*6.80A	----	5.20 - 1.30	.0265	----	----	----	----	2 UNCH
4000 ----	----	----/8.30A	7.40B/8.30A	----	6.80 - 1.80	.0362	----	----	----	----	5 UNCH
4100 ----	----	----/*10.90A	11.60B/*10.90A	----	9.20 - 2.50	.0508	----	----	----	----	5 UNCH
4150 ----	----	#14.20B/*12.80A	14.20B/*12.80A	----	10.90 - 2.90	.0610	----	----	----	----	1 UNCH
4200 13.90	13.90	17.50B/*13.90	17.50B/*13.90	----	13.00 - 3.50	.0736	----	----	1	----	6 + 1
4250 18.80	18.80	21.80B/17.40A	21.80B/17.40A	----	15.90 - 4.10	.0903	----	----	1	----	3 - 1
4275 ----	----	25.20B/*20.50A	25.20B/20.50A	----	17.90 - 4.30	.1010	----	----	----	----	1 UNCH
4300 ----	----	27.60B/21.60A	27.60B/21.60A	----	20.30 - 4.50	.1134	----	----	----	----	7 UNCH
4325 ----	----	31.20B/24.10A	31.20B/24.10A	----	23.20 NEW	.1277	----	----	1	----	1 + 1
4350 ----	----	36.30B/27.80A	36.30B/27.80A	----	26.40 - 4.90	.1432	----	----	----	----	5 UNCH
4375 ----	----	40.00B/30.20A	40.00B/30.20A	----	29.20 - 5.90	.1580	----	----	----	----	1 UNCH
4400 ----	----	45.30B/33.90A	45.30B/33.90A	----	32.30 - 6.90	.1742	----	----	----	----	3 UNCH
4450 ----	----	57.80B/42.60A	57.80B/42.60A	----	40.70 - 8.40	.2142	----	----	----	----	1 UNCH
4475 ----	----	65.20B/47.90A	65.20B/47.90A	----	46.30 - 8.70	.2382	----	----	1	----	3 + 1
4500 ----	----	73.40B/53.70A	73.40B/53.70A	----	52.60 - 8.90	.2640	----	----	----	----	4 UNCH
4525 ----	----	83.00B/61.30A	83.00B/61.30A	----	59.80 - 8.90	.2917	----	----	----	----	2 UNCH
4550 ----	----	92.80B/68.00A	92.80B/68.00A	----	67.70 - 9.10	.3207	----	----	----	----	4 UNCH
4575 103.00	103.00	103.00/75.60A	103.00/75.60A	----	76.20 - 9.40	.3508	----	----	2	----	1 UNCH
4600 ----	----	181.60B/132.20A	181.60B/132.20A	----	165.20 + 5.50	.6171	----	----	----	----	2 UNCH
4600 ----	----	115.20B/85.40A	115.20B/85.40A	----	85.50 - 9.90	.3820	----	----	----	----	2 UNCH
4625 ----	----	127.30B/95.40A	127.30B/95.40A	----	95.50 - 10.50	.4141	----	----	----	----	1 UNCH
4625 148.00	148.00	166.00B/118.30A	166.00B/118.30A	----	150.30 + 4.90	.5850	----	----	2	----	3 UNCH
4650 126.00	126.00	152.80B/107.10A	152.80B/107.10A	----	136.40 + 4.40	.5521	----	----	1	----	3 + 1
4675 131.80	131.80	138.90B/96.70A	138.90B/96.70A	----	123.70 + 4.10	.5188	----	----	1	----	2 UNCH
4700 ----	----	167.60B/126.80A	167.60B/126.80A	----	132.10 - 11.40	.5134	----	----	----	----	2 UNCH
4700 ----	----	124.30B/86.70A	124.30B/86.70A	----	112.10 + 4.10	.4857	----	----	----	----	15 UNCH
4750 ----	----	200.80B/153.50A	200.80B/153.50A	----	162.00 - 11.00	.5776	----	----	----	----	1 UNCH
4750 ----	----	102.60B/70.90A	102.60B/70.90A	----	92.00 + 4.30	.4216	----	----	----	----	1 UNCH
4775 ----	----	90.80B/63.20A	90.80B/63.20A	----	83.20 + 4.30	.3911	----	----	----	----	1 UNCH
4800 ----	----	81.70B/56.60A	81.70B/56.60A	----	75.10 + 4.30	.3617	----	----	----	----	15 UNCH
4800 ----	----	236.90B/183.60A	236.90B/183.60A	----	194.90 - 11.10	.6374	----	----	----	----	1 UNCH
4825 ----	----	72.70B/50.80A	72.70B/50.80A	----	67.70 + 4.20	.3337	----	----	----	----	1 UNCH
4850 ----	----	66.40B/46.10A	66.40B/46.10A	----	60.80 + 3.80	.3068	----	----	----	----	1 UNCH
4875 ----	----	58.20B/42.00A	58.20B/42.00A	----	54.60 + 3.50	.2816	----	----	----	----	2 UNCH
4900 ----	----	51.60B/37.00A	51.60B/37.00A	----	48.90 + 3.20	.2576	----	----	----	----	2 UNCH
4900 ----	----	316.70B/253.30A	316.70B/253.30A	----	268.40 - 12.20	.7416	----	----	----	----	1 UNCH
4925 ----	----	46.00B/34.10A	46.00B/34.10A	----	43.70 + 2.70	.2350	----	----	----	----	1 UNCH
4950 ----	----	42.00B/30.50A	42.00B/30.50A	----	39.10 + 2.40	.2142	----	----	----	----	2 UNCH
4975 ----	----	37.40B/27.50A	37.40B/27.50A	----	34.80 + 2.00	.1944	----	----	----	----	1 UNCH
5000 ----	----	#33.60B/24.90A	33.60B/24.90A	----	31.00 + 1.70	.1763	----	----	----	----	5 UNCH
5025 ----	----	#30.00B/22.40A	30.00B/22.40A	----	27.60 + 1.40	.1596	----	----	----	----	1 UNCH
5050 ----	----	#25.70B/20.20A	25.70B/20.20A	----	24.50 + 1.10	.1440	----	----	----	----	2 UNCH
5100 ----	----	#21.60B/17.00A	21.60B/17.00A	----	19.30 + 0.60	.1169	----	----	----	----	2 UNCH
5125 ----	----	#18.10B/15.60A	18.10B/15.60A	----	17.20 + 0.50	.1054	----	----	----	----	2 UNCH
5150 ----	----	#17.00B/14.40A	17.00B/14.40A	----	15.30 + 0.30	.0949	----	----	----	----	1 UNCH
5175 ----	----	#14.60B/13.40A	14.60B/13.40A	----	13.70 + 0.20	.0857	----	----	----	----	3 UNCH
5200 ----	----	#13.80B/----	13.80B/12.40A	----	12.40 + 0.20	.0779	----	----	----	----	1 UNCH
5225 ----	----	#11.50B/----	11.50B/11.70A	----	11.20 + 0.10	.0707	----	----	----	----	1 UNCH
5275 ----	----	----	7.90B/10.20A	----	9.40 + 0.10	.0594	----	----	----	----	3 UNCH
5400 ----	----	----	4.60B/7.60A	----	6.50 + 0.10	.0404	----	----	----	----	9 UNCH
5700 ----	----	----	1.60B/4.50A	----	3.20 UNCH	.0187	----	----	----	----	10 UNCH
5750 ----	----	----	#1.30B/4.30A	----	2.90 - 0.10	.0167	----	----	7	----	9 + 7
6000 ----	----	----	#0.30B/3.50A	----	1.90 - 0.20	.0103	----	----	7	----	9 + 7
TOTAL									24		218 + 17

FMG OPT — MICRO GOLD WEEKLY FRI OPTION WEEK1

GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
MAY26											
4545 ----	----	----	1.00B/----	----	0.00 - 4.10	----	----	----	----	----	0 - 3
4700 ----	----	----	----	----	55.50 - 18.70	----	----	----	----	----	0 - 1
4700 ----	----	----	----	----	0.00 - 3.80	----	----	----	----	----	0 - 1
4800 ----	----	----	----	----	155.50 - 15.20	----	----	----	----	----	0 - 1
TOTAL											0 - 6

SILVER OPTIONS ON FUTURES

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 42

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
RWS THU		SILVER WEEKLY THURSDAY OPTION Week5											
APR26													
6700	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
6950	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7000	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7100	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7150	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7200	----	----	----	----	----	2.028	UNCH	----	----	----	----	----	0 UNCH
7250	----	----	----	----	----	1.528	UNCH	----	----	----	----	----	0 UNCH
7275	----	----	----	----	----	1.278	UNCH	----	----	----	----	----	0 UNCH
7290	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7300	----	----	----	----	----	1.028	UNCH	----	----	----	----	----	0 UNCH
7325	----	----	----	----	----	0.778	UNCH	----	----	----	----	----	0 UNCH
7350	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7390	----	----	----	----	----	0.128	UNCH	----	----	----	----	----	0 UNCH
7400	----	----	----	----	----	0.028	UNCH	----	----	----	----	----	0 UNCH
7450	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7475	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.000	UNCH	----	----	----	----	----	0 UNCH
7500	----	----	----	----	----	0.972	UNCH	----	----	----	----	----	0 UNCH
7600	----	----	----	----	----	1.972	UNCH	----	----	----	----	----	0 UNCH
8000	----	----	----	----	----	5.972	UNCH	----	----	----	----	----	0 UNCH
TOTAL												0	0 0
MAY26													
6800	----	----	----/*0.158A	0.130B/*0.158A	----	0.113	-	0.188 .0367	----	----	----	----	1 UNCH
7000	----	----	----/*0.240A	0.378B/*0.240A	----	0.185	-	0.366 .0659	----	----	----	----	2 UNCH
7100	----	----	----/*1.242A	1.811B/*1.242A	----	1.125	-	0.729 .2224	----	----	----	----	1 UNCH
7100	----	----	----/*0.310A	0.600B/*0.310A	----	0.248	-	0.500 .0912	----	----	----	----	1 UNCH
7200	----	----	----/*1.490A	2.214B/*1.490A	----	1.397	-	0.825 .2640	----	----	----	----	1 UNCH
7640	1.738	1.738	#1.738/*1.738	#1.784B/*1.533A	----	1.577		NEW .4870	----	----	7	----	7 + 7
7650	----	----	2.551B/----	2.551B/1.570A	----	2.602	+	1.052 .5122	----	----	----	----	1 UNCH
7650	----	----	#1.713B/0.761A	1.713B/0.761A	----	1.559	+	0.699 .5021	----	----	----	----	1 UNCH
7660	1.841	1.841	#1.841/*1.841	#1.841/*1.618A	----	1.680		NEW .5085	----	----	7	----	7 + 7
7850	1.137	1.137	1.139B/0.407A	1.139B/0.407A	----	0.809		NEW .3018	----	----	3	----	3 + 3
8000	----	----	0.543B/0.273A	0.543B/0.273A	----	0.484	+	0.202 .1906	----	----	----	----	5 UNCH
8150	----	----	#1.525B/----	1.525B/0.999A	----	1.510	+	0.615 .2936	----	----	----	----	1 UNCH
8250	----	----	#1.251B/----	1.251B/0.862A	----	1.292	+	0.537 .2582	----	----	----	----	1 UNCH
TOTAL											17	0	32 + 17
SMW MON		SILVER WEEKLY MONDAY OPTION WEEK2											
MAY26													
5500	----	----	----	----/*0.093A	----	0.022	-	0.005 .0045	----	----	----	----	17 UNCH
6000	----	----	----	0.057B/*0.162A	----	0.086	-	0.075 .0202	----	----	5	----	0 - 5
6000	----	----	----	----/47.542A	----	16.480	+	2.385 .9861	----	----	----	----	1 UNCH
6200	----	----	----	----/0.154A	----	0.001	-	0.001 ----	----	----	----	----	1 UNCH
6300	----	----	----	----/0.133A	----	0.001	-	0.003 .0000	----	----	----	----	1 UNCH
6600	----	----	----	----/*0.086A	----	0.003	-	0.018 .0006	----	----	----	----	1 UNCH
6600	----	----	----/*0.361A	0.398B/*0.361A	----	0.260	-	0.272 .0658	----	----	5	----	0 - 5
6750	----	----	----	0.001B/*0.091A	----	0.008	-	0.038 .0020	----	----	----	----	1 UNCH
6800	----	----	----/*0.257A	0.319B/*0.257A	----	0.172	-	0.319 .0553	----	----	----	----	9 UNCH
6900	----	----	----/*0.316A	0.468B/*0.316A	----	0.225	-	0.406 .0732	----	----	----	----	1 UNCH
7000	0.026	0.026	0.028/*0.015	0.052B/*0.015	----	0.035	-	0.132 .0126	----	----	3	----	57 UNCH
7100	----	----	----/*0.112A	0.125B/*0.112A	----	0.057	-	0.216 .0232	----	----	----	----	16 UNCH
7100	----	----	----	----	----	5.487	+	2.187 .9767	----	----	----	----	1 UNCH
7150	----	----	----/*0.120A	0.179B/*0.120A	----	0.068		NEW .0296	----	----	1	----	1 + 1
7200	----	----	----/*0.126A	0.299B/*0.126A	----	0.081	-	0.352 .0379	----	----	4	----	21 + 1
7200	----	----	#3.711B/----	3.711B/5.768A	----	4.511	+	2.051 .9620	----	----	----	----	2 UNCH
7290	----	----	#3.650B/1.745A	#3.650B/1.745A	----	3.648	+	1.865 .9376	----	----	----	----	5 UNCH
7300	----	----	----/*0.170A	0.597B/*0.170A	----	0.124	-	0.562 .0663	----	----	7	----	32 + 4
7300	----	----	3.593B/1.678A	3.593B/1.678A	----	3.554	+	1.840 .9336	----	----	----	----	2 UNCH
7330	----	----	----/1.494A	0.948B/1.494A	----	3.273	+	1.759 .9207	----	----	----	----	16 UNCH
7350	0.550	0.550	0.550/*0.161	0.782B/*0.161	----	0.158		NEW .0895	----	----	8	----	7 + 7
7375	----	----	----/*0.217A	0.862B/*0.217A	----	0.180	-	0.782 .1047	----	----	3	----	2 + 1
7375	----	----	----/1.044A	1.004B/1.044A	----	2.860	+	1.620 .8952	----	----	----	----	1 UNCH
7400	0.500	0.500	0.500/*0.200	0.889B/*0.200	----	0.207	-	0.866 .1230	----	----	23	----	22 + 21
7425	----	----	----/*0.264A	0.991B/*0.264A	----	0.238	-	0.957 .1441	----	----	----	----	1 UNCH
7430	----	----	----/0.794A	0.934B/0.794A	----	2.375	+	1.426 .8511	----	----	----	----	5 UNCH
7440	0.600	0.600	0.932B/0.600	0.932B/0.600	----	2.290		NEW .8411	----	----	5	----	5 + 5
7450	0.550	0.550	0.917B/0.550	0.917B/0.550	----	2.206		NEW .8305	----	----	5	----	5 + 5
7450	0.252	0.252	0.313/*0.246A	1.110B/*0.246A	----	0.276		NEW .1694	----	----	15	----	15 + 15
7500	----	----	----/*1.437A	2.523B/*1.437A	----	1.465	-	1.197 .3753	----	----	----	----	1 UNCH
7500	----	----	0.902B/0.532A	0.902B/0.532A	----	1.803	+	1.150 .7681	----	----	4	----	7 UNCH
7500	0.850	0.850	0.850/*0.290	1.093B/*0.290	----	0.373		NEW .2318	----	----	19	----	17 + 17
7520	0.530	0.530	#0.530/*0.452A	1.036B/*0.452A	----	0.422		NEW .2618	----	----	1	----	1 + 1
7550	0.556	0.556	0.556/*0.548A	1.071B/*0.548A	----	0.507		NEW .3116	----	----	8	----	8 + 8
7550	----	----	0.998B/0.431A	0.998B/0.431A	----	1.438	+	0.946 .6883	----	----	----	----	1 UNCH
7570	1.400	1.400	#1.400/0.379A	1.400/0.379A	----	1.304		NEW .6517	----	----	3	----	3 + 3
7600	0.520	0.520	0.930/*0.520	1.062B/*0.520	----	0.688	-	1.651 .4065	----	----	10	----	18 + 3
7600	0.515	0.515	1.065B/*0.248A	1.065B/*0.248A	----	1.119	+	0.751 .5934	----	----	4	----	5 + 4
7625	----	----	----/1.931A	2.382B/1.931A	----	2.049	-	1.385 .4725	----	----	----	----	1 UNCH
7650	0.700	0.700	0.700/*0.700	1.211B/*0.700	----	0.922		NEW .5092	----	----	1	----	1 + 1
7650	----	----	1.007B/0.253A	1.007B/0.253A	----	0.853	+	0.576 .4907	----	----	7	----	8 + 7
7675	----	----	0.978B/0.223A	0.978B/0.223A	----	0.740		NEW .4394	----	----	7	----	7 + 7
7700	----	----	2.661B/1.634A	2.661B/1.634A	----	2.619	+	0.902 .4861	----	----	5	----	0 - 5
7700	----	----	0.816B/*0.196A	0.816B/*0.196A	----	0.640	+	0.430 .3897	----	----	----	----	2 UNCH
7750	1.800	1.800	1.800/*1.304A	3.434B/*1.304A	----	1.544	-	2.089 .7007	----	----	1	----	3 UNCH
7800	----	----	1.709B/----	1.709B/0.752A	----	1.510	+	0.765 .3961	----	----	----	----	1 UNCH
7800	0.300	0.300	0.546B/0.300	0.546B/*0.128A	----	0.353		NEW .2238	----	----	11	----	11 + 11
7850	0.170	0.170	0.339B/0.170	0.339B/*0.120A	----	0.263		NEW .1648	----	----	1	----	1 + 1
7900	----	----	----/3.742A	2.972B/3.742A	----	3.766	-	1.764 .6707	----	----	----	----	4 UNCH
7900	0.170	0.170	0.249B/0.170	0.249B/*0.102A	----	0.199		NEW .1210	----	----	2	----	2 + 2
7900	----	----	1.281B/----	1.281B/0.582A	----	1.199	+	0.636 .3292	----	----	----	----	4 UNCH
7975	----	----	----	----	----	3.451	-	2.335 .9240	----	----	----	----	2 UNCH
8000	0.100	0.100	0.100/0.100	0.100/0.092A	----	0.117	+	0.056 .0652	----	----	1	----	3 + 1
8000	----	----	0.961B/----	0.961B/0.453A	----	0.949	+	0.522 .2703	----	----	----	----	50 UNCH
8000	----	----	----	----	----	3.685	-	2.346 .9347	----	----	----	----	2 UNCH
8050	0.160	0.160	0.160/*0.063A	0.160/*0.063A	----	0.092		NEW .0485	----	----	26	----	25 + 25
8100	----	----	----	0.025B/*0.089A	----	0.065	+	0.025 .0328	----	----	----	----	4 UNCH
8400	----	----	----	0.001B/*0.088A	----	0.010		UNCH .0034	----	----	----	----	1 UNCH
8500	----	----	0.150B/----	0.150B/*0.168A	----	0.310	+	0.171 .0947	----	----	----	----	50 UNCH
8900	----	----	----	----/*0.050A	----	0.002	-	0.001 .0003	----	----	----	----	1 UNCH
TOTAL											195	0	492 + 136
JUN26													
7050	----	----	----/*1.643A	2.115B/*1.643A	----	1.545	-	0.695 .2429	----	----	----	----	1 UNCH
7950	----	----	----/*6.020A	#5.300B/*6.020A	----	5.963	-	1.419 .5886	----	----	----	----	1 UNCH
8000	----	----	----/*6.330A	#5.527B/*6.330A	----	6.315	-	1.452 .6054	----	----	----	----	1 UNCH
8600	----	----	#1.194B/0.880A	#1.194B/0.880A	----	1.501	+	0.615 .2346	----	----	----	----	1 UNCH
10250	0.280	0.280	#0.280/*0.280	0.280/0.240A	----	0.286		NEW .0512	----	----	1	----	1 + 1
TOTAL											1	0	5 + 1
SO CALL		COMEX SILVER OPTIONS											
JUN26													
4300	----	----	34.223B/----	34.223B/31.669A	----	33.435	+	2.400 .9954	----	----	----	----	20 UNCH
4850	----	----	28.733B/----	28.733B/26.238A	----	27.945	+	2.395 .9928	----	----	----	----	7 UNCH
4900	----	----	28.234B/----	28.234B/25.740A	----	27.446	+	2.394 .9925	----	----	----	----	9 UNCH
5000	----	----	27.324B/----	27.324B/24.661A	----	26.449	+	2.393 .9917	----	----	----	----	367 UNCH
5025	----	----	26.988B/----	26.988B/24.496A	----	26.200	+	2.393 .9915	----	----	----	----	6 UNCH
5050	----	----	26.739B/----	26.739B/24.232A	----	25.950	+	2.391 .9913	----	----	----	----	1 UNCH
5200	----	----	25.332B/----	25.332B/22.674A	----	24.456	+	2.387 .9900	----	----	----	----	79 UNCH
5225	----	----	24.996B/----	24.996B/22.494A	----	24.207	+	2.386 .9897	----	----	----	----	4 UNCH
5275	----	----	24.518B/----	24.518B/21.998A	----	23.709	+	2.383 .9892	----	----	----	----	7 UNCH
5300	----	----	24.249B/----	24.249B/21.750A	----	23.460	+	2.382 .9889	----	----	----	----	3 UNCH
5325	----	----	24.001B/----	24.001B/21.502A	----	23.211	+	2.380 .9886	----	----	----	----	5 UNCH
5350	----	----	23.777B/----	23.777B/21.255A	----	22.963	+	2.379 .9882	----	----	----	----	7 UNCH
5400	----	----	23.256B/----	23.256B/20.760A	----	22.466	+	2.376 .9876	----	----	----	----	2 UNCH
5425	----	----	23.028B/----	23.028B/20.513A	----	22.217	+	2.374 .9872	----	----	----	----	9 UNCH
5500	----	----	22.350B/----	22.350B/19.679A	----	21.472	+	2.367 .9860	----	----	----	----	344 UNCH
5525	----	----	22.015B/----	22.015B/19.525A	----	21.224	+	2.365 .9855	----	----	----	----	2 UNCH
5600	----	----	21.297B/----	21.297B/18.786A	----	20.481	+	2.357 .9840	----	----	----	----	7 UNCH
5625	----	----	21.026B/----	21.026B/18.540A	----	20.234	+	2.355 .9833	----	----	----	----	11 UNCH
5675	----	----	20.531B/----	20.531B/18.049A	----	19.739	+	2.348 .9821	----	----	----	----	3 UNCH
5700	----	----	20.371B/----	20.371B/17.729A	----	19.492	+	2.345 .9813	----	----	----	----	56 UNCH
5725	----	----	20.038B/----	20.038B/17.559A	----	19.246	+	2.342 .9806	----	----	----	----	10 UNCH
5750	----	----	19.792B/----	19.792B/17.314A	----	18.999	+	2.338 .9799	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO CALL JUN26	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
		COMEX SILVER OPTIONS										
5775	----	----	19.545B/----	19.545B/17.070A	----	18.753 + 2.335	.9790	----	----	----	----	1 UNCH
5800	----	----	19.299B/----	19.299B/16.826A	----	18.507 + 2.331	.9781	----	----	----	----	2 UNCH
5825	----	----	19.072B/----	19.072B/16.582A	----	18.262 + 2.327	.9771	----	----	----	----	1 UNCH
5850	----	----	18.807B/----	18.807B/16.339A	----	18.016 + 2.323	.9761	----	----	----	----	9 UNCH
5900	----	----	18.336B/----	18.336B/15.853A	----	17.526 + 2.314	.9740	----	----	----	----	4 UNCH
5925	----	----	18.072B/----	18.072B/15.611A	----	17.281 + 2.309	.9729	----	----	----	----	17 UNCH
6000	----	----	17.426B/----	17.426B/14.810A	----	16.546 + 2.290	.9695	----	----	----	----	401 UNCH
6025	----	----	17.096B/----	17.096B/14.647A	----	16.301 + 2.283	.9683	----	----	----	----	7 UNCH
6050	----	----	16.853B/----	16.853B/14.407A	----	16.056 + 2.275	.9671	----	----	----	----	4 UNCH
6075	----	----	16.653B/----	16.653B/14.104A	----	15.813 + 2.269	.9657	----	----	----	----	30 UNCH
6100	----	----	16.368B/----	16.368B/13.929A	----	15.570 + 2.262	.9641	----	----	----	----	16 UNCH
6200	----	----	15.488B/----	15.488B/12.885A	----	14.610 + 2.241	.9557	----	----	----	----	101 UNCH
6225	----	----	15.163B/----	15.163B/12.744A	----	14.371 + 2.234	.9534	----	----	----	----	1 UNCH
6250	----	----	14.923B/----	14.923B/12.509A	----	14.133 + 2.228	.9510	----	----	----	----	4 UNCH
6300	----	----	14.446B/----	14.446B/12.043A	----	13.656 + 2.211	.9461	----	----	----	----	4 UNCH
6400	----	----	13.585B/----	13.585B/11.051A	----	12.713 + 2.171	.9346	----	----	----	----	110 UNCH
6425	----	----	13.308B/----	13.308B/10.824A	----	12.480 + 2.160	.9312	----	----	----	----	25 UNCH
6450	----	----	13.033B/----	13.033B/10.671A	----	12.248 + 2.148	.9276	----	----	----	----	5 UNCH
6475	----	----	12.800B/----	12.800B/10.447A	----	12.017 + 2.136	.9239	----	----	----	----	7 UNCH
6500	----	----	12.568B/----	12.568B/10.225A	----	11.787 + 2.123	.9199	----	----	----	----	13 UNCH
6625	----	----	11.444B/----	11.444B/9.134A	----	10.657 + 2.050	.8974	----	----	----	----	10 UNCH
6700	----	----	10.754B/----	10.754B/8.499A	----	9.994 + 1.998	.8817	----	----	----	----	1 UNCH
6725	----	----	10.533B/----	10.533B/8.293A	----	9.776 + 1.979	.8758	----	----	----	----	1 UNCH
6750	----	----	10.313B/----	10.313B/8.087A	----	9.561 + 1.961	.8698	----	----	----	----	3 UNCH
6800	----	----	9.897B/----	9.897B/7.694A	----	9.138 + 1.925	.8568	----	----	----	----	8 UNCH
6850	----	----	9.450B/----	9.450B/7.283A	----	8.724 + 1.889	.8427	----	----	----	----	5 UNCH
6900	----	----	9.036B/----	9.036B/6.931A	----	8.319 + 1.851	.8277	----	----	----	----	17 UNCH
6925	----	----	8.829B/----	8.829B/6.753A	----	8.121 + 1.833	.8198	----	----	----	----	9 UNCH
6975	----	----	8.434B/----	8.434B/6.379A	----	7.730 + 1.793	.8032	----	----	----	----	7 UNCH
7000	----	----	8.296B/----	8.296B/6.108A	----	7.538 + 1.773	.7946	----	----	----	----	126 UNCH
7025	----	----	8.019B/5.362A	8.019B/5.362A	----	7.349 + 1.752	.7859	----	----	----	----	1 UNCH
7050	----	----	7.824B/5.199A	7.824B/5.199A	----	7.162 + 1.731	.7769	----	----	----	----	2 UNCH
7075	----	----	7.631B/5.039A	7.631B/5.039A	----	6.977 + 1.709	.7677	----	----	----	----	4 UNCH
7100	----	----	7.518B/4.882A	7.518B/4.882A	----	6.795 + 1.687	.7584	----	----	----	----	95 UNCH
7150	----	----	7.067B/4.551A	7.067B/4.551A	----	6.437 + 1.640	.7391	----	----	----	----	1 UNCH
7200	5.150	5.150	6.705B/4.263A	6.705B/4.263A	----	6.091 + 1.593	.7192	----	----	4	----	6 + 1
7225	----	----	6.527B/4.081A	6.527B/4.081A	----	5.922 + 1.569	.7090	----	----	1	----	4 + 1
7250	----	----	6.405B/3.949A	6.405B/3.949A	----	5.755 + 1.543	.6986	----	----	----	----	30 UNCH
7275	----	----	6.178B/3.814A	6.178B/3.814A	----	5.592 + 1.519	.6881	----	----	----	----	2 UNCH
7300	4.079	4.079	6.042B/3.648A	6.042B/3.648A	----	5.431 + 1.493	.6774	----	----	6	----	24 + 6
7325	----	----	5.842B/3.525A	5.842B/3.525A	----	5.273 + 1.467	.6666	----	----	----	----	1 UNCH
7350	----	----	5.722B/3.401A	5.722B/3.401A	----	5.119 + 1.442	.6557	----	----	----	----	22 UNCH
7375	----	----	5.565B/3.286A	5.565B/3.286A	----	4.967 + 1.416	.6446	----	----	----	----	6 UNCH
7400	4.159	4.159	5.400B/3.177A	5.400B/3.177A	----	4.819 + 1.390	.6335	----	----	2	----	22 UNCH
7425	----	----	5.250B/3.061A	5.250B/3.061A	----	4.674 + 1.365	.6223	----	----	----	----	13 UNCH
7450	5.250	5.250	5.250/2.957A	5.250/2.957A	----	4.532 + 1.339	.6110	----	----	1	----	15 - 1
7475	----	----	4.905B/2.849A	4.905B/2.849A	----	4.393 + 1.313	.5996	----	----	----	----	3 UNCH
7500	----	----	4.830B/2.744A	4.830B/2.744A	----	4.257 + 1.287	.5882	----	----	4	----	264 UNCH
7525	----	----	4.674B/2.651A	4.674B/2.651A	----	4.125 + 1.262	.5768	----	----	----	----	11 UNCH
7550	----	----	4.537B/2.554A	4.537B/2.554A	----	3.996 + 1.236	.5653	----	----	----	----	36 UNCH
7575	----	----	4.371B/2.461A	4.371B/2.461A	----	3.870 + 1.211	.5538	----	----	----	----	1 UNCH
7600	2.991	2.991	4.306/2.366A	4.306/2.366A	----	3.747 + 1.186	.5424	----	----	15	----	58 - 2
7650	----	----	4.077B/2.199A	4.077B/2.199A	----	3.510 + 1.135	.5195	----	----	----	----	4 UNCH
7675	----	----	3.950B/2.119A	3.950B/2.119A	----	3.396 + 1.110	.5081	----	----	----	----	9 UNCH
7700	3.050	3.050	3.836B/2.037A	3.836B/2.037A	----	3.286 + 1.086	.4968	----	----	16	----	127 - 6
7725	3.367	3.367	3.706B/1.964A	3.706B/1.964A	----	3.178 + 1.061	.4855	----	----	1	----	9 + 1
7750	1.900	1.900	3.600B/1.888A	3.600B/1.888A	----	3.074 + 1.037	.4744	----	----	6	----	70 - 3
7775	----	----	3.476B/1.818A	3.476B/1.818A	----	2.972 + 1.013	.4633	----	----	----	----	4 UNCH
7800	1.857	1.857	3.372B/1.747A	3.372B/1.747A	----	2.874 + 0.990	.4523	----	----	17	----	200 - 5
7825	----	----	3.257B/1.682A	3.257B/1.682A	----	2.778 + 0.966	.4414	----	----	----	----	2 UNCH
7850	----	----	3.149B/1.617A	3.149B/1.617A	----	2.685 + 0.943	.4307	----	----	----	----	3 UNCH
7875	----	----	3.046B/1.554A	3.046B/1.554A	----	2.594 + 0.919	.4200	----	----	----	----	2 UNCH
7900	1.603	1.603	2.952B/1.496A	2.952B/1.496A	----	2.507 + 0.897	.4095	----	----	42	----	93 - 31
7925	----	----	2.845B/1.439A	2.845B/1.439A	----	2.422 + 0.874	.3992	----	----	----	----	12 UNCH
7950	2.490	2.490	2.751B/1.384A	2.751B/1.384A	----	2.340 + 0.852	.3889	----	----	2	----	12 + 1
7975	----	----	2.659B/1.333A	2.659B/1.333A	----	2.260 + 0.830	.3789	----	----	2	----	10 + 2
8000	1.750	1.750	2.578B/1.281A	2.578B/1.281A	----	2.183 + 0.808	.3690	----	----	79	----	719 + 1
8025	----	----	2.480B/1.232A	2.480B/1.232A	----	2.108 + 0.787	.3592	----	----	----	----	6 UNCH
8050	1.234	1.234	2.396B/1.186A	2.396B/1.186A	----	2.036 + 0.766	.3496	----	----	12	----	19 + 1
8075	2.010	2.010	2.313B/1.140A	2.313B/1.140A	----	1.966 + 0.745	.3402	----	----	1	----	2 UNCH
8100	1.350	1.350	2.239B/1.100A	2.239B/1.100A	----	1.899 + 0.726	.3310	----	----	11	----	46 + 3
8125	----	----	2.154B/1.058A	2.154B/1.058A	----	1.833 + 0.705	.3219	----	----	----	----	4 UNCH
8150	1.729	1.729	2.092B/1.020A	2.092B/1.020A	----	1.770 + 0.685	.3130	----	----	4	----	57 + 2
8175	----	----	2.008B/0.980A	2.008B/0.980A	----	1.709 + 0.666	.3043	----	----	----	----	3 UNCH
8200	1.230	1.230	1.950B/0.945A	1.950B/0.945A	----	1.650 + 0.647	.2958	----	----	19	----	194 - 3
8225	----	----	1.877B/0.910A	1.877B/0.910A	----	1.593 + 0.629	.2875	----	----	----	----	41 UNCH
8250	----	----	1.811B/0.877A	1.811B/0.877A	----	1.537 + 0.609	.2793	----	----	4	----	31 + 4
8275	----	----	1.744B/0.847A	1.744B/0.847A	----	1.484 + 0.592	.2713	----	----	----	----	30 UNCH
8300	1.430	1.430	1.691B/0.814A	1.691B/0.814A	----	1.433 + 0.574	.2636	----	----	13	----	114 UNCH
8325	1.613	1.613	1.616B/0.785A	1.616B/0.785A	----	1.383 + 0.556	.2559	----	----	4	----	8 + 1
8350	----	----	1.568B/0.756A	1.568B/0.756A	----	1.335 + 0.539	.2485	----	----	----	----	31 UNCH
8375	----	----	1.503B/0.731A	1.503B/0.731A	----	1.289 + 0.523	.2413	----	----	----	----	5 UNCH
8400	1.432	1.432	1.466B/0.705A	1.466B/0.705A	----	1.244 + 0.506	.2342	----	----	5	----	363 UNCH
8425	----	----	1.412B/0.681A	1.412B/0.681A	----	1.201 + 0.490	.2273	----	----	----	----	58 UNCH
8450	0.731	0.731	1.347B/0.657A	1.347B/0.657A	----	1.159 + 0.474	.2205	----	----	2	----	23 + 1
8475	----	----	1.299B/0.634A	1.299B/0.634A	----	1.119 + 0.458	.2140	----	----	----	----	6 UNCH
8500	0.656	0.656	1.268B/0.610A	1.268B/0.610A	----	1.080 + 0.443	.2076	----	----	29	----	655 + 17
8525	----	----	1.208B/0.591A	1.208B/0.591A	----	1.043 + 0.429	.2014	----	----	----	----	18 UNCH
8550	----	----	1.164B/0.571A	1.164B/0.571A	----	1.007 + 0.414	.1954	----	----	3	----	22 + 3
8575	----	----	1.121B/0.551A	1.121B/0.551A	----	0.972 + 0.400	.1895	----	----	----	----	7 UNCH
8600	----	----	1.098B/0.530A	1.098B/0.530A	----	0.939 + 0.387	.1839	----	----	----	----	134 UNCH
8625	----	----	1.044B/0.515A	1.044B/0.515A	----	0.906 + 0.373	.1782	----	----	----	----	9 UNCH
8650	----	----	1.005B/0.497A	1.005B/0.497A	----	0.875 + 0.360	.1728	----	----	----	----	18 UNCH
8675	----	----	0.985B/0.481A	0.985B/0.481A	----	0.845 + 0.347	.1676	----	----	2	----	58 UNCH
8700	0.964	0.964	0.964/0.465A	0.964/0.465A	----	0.816 + 0.335	.1625	----	----	3	----	86 + 1
8725	----	----	0.905B/0.450A	0.905B/0.450A	----	0.789 + 0.324	.1577	----	----	----	----	11 UNCH
8750	----	----	0.878B/0.441A	0.878B/0.441A	----	0.762 + 0.313	.1529	----	----	----	----	29 UNCH
8775	----	----	0.842B/0.427A	0.842B/0.427A	----	0.736 + 0.301	.1482	----	----	----	----	7 UNCH
8800	0.700	0.700	0.824B/0.415A	0.824B/0.415A	----	0.712 + 0.292	.1438	----	----	2	----	95 + 1
8825	0.499	0.499	0.785B/0.403A	0.785B/0.403A	----	0.688 + 0.282	.1394	----	----	5	----	12 + 5
8850	0.483	0.483	0.758B/0.391A	0.758B/0.391A	----	0.665 + 0.272	.1352	----	----	17	----	47 + 7
8875	0.487	0.487	0.724B/0.487	0.724B/0.380A	----	0.643 + 0.263	.1311	----	----	5	----	18 + 4
8900	0.650	0.650	0.725/0.650	0.725/0.369A	----	0.622 + 0.254	.1272	----	----	17	----	100 UNCH
8925	----	----	0.690B/----	0.690B/0.368A	----	0.602 + 0.246	.1234	----	----	----	----	6 UNCH
8950	0.400	0.400	0.667B/0.360A	0.667B/0.360A	----	0.582 + 0.237	.1197	----	----	1	----	76 UNCH
8975	----	----	0.644B/----	0.644B/0.358A	----	0.563 + 0.229	.1161	----	----	----	----	41 UNCH
9000	0.401	0.401	0.635/0.401	0.635/0.347A	----	0.545 + 0.222	.1126	----	----	33	----	622 + 6
9025	0.389	0.389	0.603B/0.389	0.603B/0.341A	----	0.528 + 0.215	.1093	----	----	11	----	15 + 9
9050	0.513	0.513	0.580B/0.513	0.580B/0.331A	----	0.512 + 0.209	.1062	----	----	5	----	14 + 1
9075	0.365	0.365	0.563B/0.365	0.563B/0.314A	----	0.496 + 0.203	.1031	----	----	10	----	10 + 7
9100	0.500	0.500	0.544B/0.500	0.544B/0.305A	----	0.480 + 0.197	.1000	----	----	22	----	340 + 8
9125	----	----	0.528B/----	0.528B/0.297A	----	0.466 + 0.192	.0972	----	----	----	----	5 UNCH
9150	----	----	0.510B/----	0.510B/0.289A	----	0.452 + 0.186	.0944	----	----	----	----	108 UNCH
9175	----	----	0.493B/----	0.493B/0.282A	----	0.438 + 0.181	.0916	----	----	----	----	1 UNCH
9200	0.423	0.423	0.478B/0.423	0.478B/0.283A	----	0.425 + 0.176	.0890	----	----	7	----	118 UNCH
9225	----	----	0.462B/----	0.462B/0.268A	----	0.413 + 0.172	.0866	----	----	----	----	14 UNCH
9250	0.335	0.335	0.449B/0.335	0.449B/0.268A	----	0.401 + 0.167	.0841	----	----	2	----	9 + 2
9275	----	----	0.432B/----	0.432B/0.255A	----	0.389 + 0.162	.0817	----	----	----	----	7 UNCH
9300	0.318	0.318	0.420B/0.318	0.420B/0.255A	----	0.378 + 0.158	.0795	----	----	5	----	45 + 5
9325	----	----	0.408B/----	0.408B/0.244A	----	0.367 + 0.154	.0772	----	----	----	----	4 UNCH
9350	----	----	0.396B/----	0.396B/0.239A	----	0.357 + 0.150	.0752	----	----	----	----	24 UNCH
9375	----	----	0.383B/----	0.383B/0.234A	----	0.347 + 0.147	.0731	----	----	----	----	20 UNCH
9400	----	----	0.373B/----	0.373B/0.229A	----	0.338 + 0.143	.0712	----	----	----	----	74 UNCH
9425	----	----	0.361B/----	0.361B/0.224A	----	0.329 + 0.140	.0693	----	----	----	----	32 UNCH
9450	----	----	0.352B/----	0.352B/0.219A	----	0.320 + 0.136	.0675	----	----	----	----	4 UNCH
9475	----	----	0.342B/----	0.342B/0.215A	----	0.312 + 0.133	.0658	----	----	----	----	17 UNCH
9500	0.270	0.270	0.341B/0.270	0.341B/0.210A	----	0.304 + 0.130	.0641	----	----	46	----	1878 - 21
9525	----	----	0.322B/----	0.322B/0.206A	----	0.296 + 0.127	.0624	----	----	----	----	2 UNCH
9550	----	----	0.314B/----	0.314B/0.203A	----	0.288 + 0.123	.0607	----	----	----	----	4 UNCH
9575	----	----	0.305B/----	0.305B/0.198A	----	0.281 + 0.121	.0592	----	----	----	----	1 UNCH
9600	0.200	0.200	0.296B/0.200	0.296B/0.194A	----	0.274 + 0.118	.0578	----	----	2	----	24 UNCH
9625	----	----	0.288B/----	0.288B/0.190A	----	0.268 + 0.115	.0564	----	----	----	----	9 UNCH
9650	----	----	0.281B/----	0.281B/0.189A	----	0.261 + 0.112	.0550	----	----	----	----	1 UNCH
9675	----	----	0.271B/----	0.271B/0.184A	----	0.255 + 0.109	.0537	----	----	----	----	6 UNCH
9700	----	----	0.264B/----	0.264B/0.182A	----	0.249 + 0.107	.0524	----	----	----	----	39 UNCH
9725	----	----	0.249B/----	0.249B/0.179A	----	0.243 + 0.104	.0511	----	----	----	----	1 UNCH
9750	----	----	0.237B/----	0.237B/0.176A	----	0.238 + 0.101	.0500	----	----	----	----	29 UNCH
9775	----	----	0.231B/----	0.231B/0.174A	----	0.232 + 0.098	.0487	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS											
JUN26													
9800	----	----	0.225B/----	0.225B/0.170A	----	0.227	+ 0.096	.0476	----	----	1	----	24 - 1
9825	----	----	0.219B/----	0.219B/0.168A	----	0.222	+ 0.093	.0465	----	----	----	----	1 UNCH
9850	----	----	0.224B/----	0.224B/0.165A	----	0.218	+ 0.091	.0456	----	----	----	----	3 UNCH
9875	----	----	0.220B/----	0.220B/0.165A	----	0.213	+ 0.088	.0445	----	----	----	----	11 UNCH
9900	----	----	0.192B/----	0.192B/0.160A	----	0.209	+ 0.086	.0436	----	----	----	----	26 UNCH
9925	----	----	0.182B/----	0.182B/0.158A	----	0.204	+ 0.082	.0425	----	----	----	----	2 UNCH
9950	----	----	0.178B/----	0.178B/0.158A	----	0.200	+ 0.080	.0417	----	----	----	----	2 UNCH
9975	----	----	0.174B/----	0.174B/0.156A	----	0.196	+ 0.077	.0408	----	----	----	----	4 UNCH
10000	0.200	0.200	0.200/0.180	0.200/0.151A	----	0.192	+ 0.074	.0399	----	----	15	----	2672 - 3
10025	----	----	0.167B/----	0.167B/0.150A	----	0.188	+ 0.071	.0390	----	----	----	----	4 UNCH
10050	----	----	0.163B/----	0.163B/0.146A	----	0.185	+ 0.069	.0383	----	----	----	----	8 UNCH
10075	----	----	0.162B/----	0.162B/0.144A	----	0.181	+ 0.066	.0375	----	----	----	----	9 UNCH
10100	----	----	0.157B/----	0.157B/0.142A	----	0.178	+ 0.064	.0368	----	----	1	----	24 UNCH
10125	----	----	0.163B/----	0.163B/0.148A	----	0.175	+ 0.061	.0361	----	----	----	----	1 UNCH
10150	----	----	0.151B/----	0.151B/0.146A	----	0.172	+ 0.058	.0354	----	----	----	----	2 UNCH
10175	----	----	0.148B/----	0.148B/0.145A	----	0.169	+ 0.056	.0347	----	----	----	----	1 UNCH
10200	0.111	0.111	0.147B/0.111	0.147B/0.111	----	0.166	+ 0.053	.0340	----	----	8	----	13 - 2
10225	----	----	0.143B/----	0.143B/0.141A	----	0.163	+ 0.051	.0334	----	----	----	----	1 UNCH
10275	----	----	0.138B/----	0.138B/0.138A	----	0.157	+ 0.046	.0321	----	----	----	----	1 UNCH
10300	----	----	0.134B/----	0.134B/0.138A	----	0.155	+ 0.045	.0316	----	----	----	----	12 UNCH
10375	----	----	0.125B/----	0.125B/0.132A	----	0.147	+ 0.041	.0298	----	----	----	----	2 UNCH
10400	----	----	0.122B/----	0.122B/0.130A	----	0.145	+ 0.041	.0293	----	----	----	----	26 UNCH
10425	----	----	0.122B/----	0.122B/0.131A	----	0.143	+ 0.041	.0288	----	----	----	----	1 UNCH
10450	----	----	0.117B/----	0.117B/0.131A	----	0.140	+ 0.040	.0282	----	----	----	----	3 UNCH
10475	----	----	0.113B/----	0.113B/0.129A	----	0.138	+ 0.041	.0278	----	----	----	----	2 UNCH
10500	----	----	0.111B/----	0.111B/0.131A	----	0.136	+ 0.042	.0273	----	----	----	----	340 UNCH
10525	----	----	0.109B/----	0.109B/0.132A	----	0.134	+ 0.043	.0269	----	----	----	----	12 UNCH
10550	----	----	0.109B/----	0.109B/0.124A	----	0.132	+ 0.045	.0264	----	----	----	----	1 UNCH
10575	----	----	0.106B/----	0.106B/0.123A	----	0.130	+ 0.047	.0260	----	----	----	----	4 UNCH
10600	----	----	0.105B/----	0.105B/0.121A	----	0.128	+ 0.048	.0255	----	----	----	----	35 UNCH
10625	----	----	----	0.074B/0.136A	----	0.126	+ 0.049	.0251	----	----	----	----	1 UNCH
10650	----	----	----	0.072B/0.135A	----	0.124	+ 0.050	.0246	----	----	----	----	2 UNCH
10675	----	----	----	0.070B/0.117A	----	0.122	+ 0.050	.0242	----	----	----	----	15 UNCH
10700	----	----	----	0.068B/0.110A	----	0.120	+ 0.051	.0238	----	----	----	----	80 UNCH
10750	----	----	----	0.065B/0.108A	----	0.116	+ 0.051	.0229	----	----	----	----	5 UNCH
10800	----	----	----	0.061B/0.127A	----	0.112	+ 0.050	.0221	----	----	----	----	2 UNCH
10825	----	----	----	0.060B/0.126A	----	0.110	+ 0.049	.0217	----	----	----	----	1 UNCH
10850	----	----	----	0.058B/0.125A	----	0.108	+ 0.048	.0212	----	----	----	----	12 UNCH
10875	----	----	----	0.057B/0.123A	----	0.106	+ 0.047	.0208	----	----	----	----	6 UNCH
10900	----	----	----	0.055B/0.122A	----	0.105	+ 0.047	.0206	----	----	----	----	22 UNCH
10925	----	----	----	0.055B/0.121A	----	0.103	+ 0.046	.0202	----	----	----	----	2 UNCH
10950	----	----	0.057B/----	0.057B/0.120A	----	0.101	+ 0.045	.0198	----	----	----	----	4 UNCH
11000	0.090	0.090	0.090/0.090	0.090/0.090	----	0.098	+ 0.043	.0191	----	----	4	----	420 UNCH
11025	----	----	----	0.052B/0.117A	----	0.096	+ 0.042	.0187	----	----	----	----	1 UNCH
11050	----	----	----	0.051B/0.116A	----	0.094	+ 0.040	.0183	----	----	----	----	5 UNCH
11075	----	----	----	0.050B/0.114A	----	0.093	+ 0.039	.0181	----	----	----	----	5 UNCH
11100	----	----	----	0.049B/0.114A	----	0.091	+ 0.038	.0177	----	----	----	----	3 UNCH
11125	----	----	----	0.048B/0.113A	----	0.090	+ 0.037	.0175	----	----	----	----	5 UNCH
11175	----	----	----	0.047B/0.112A	----	0.087	+ 0.035	.0168	----	----	----	----	3 UNCH
11200	0.090	0.090	0.090/*0.089A	0.090/*0.089A	----	0.086	+ 0.034	.0166	----	----	1	----	8 UNCH
11225	----	----	----	0.045B/0.108A	----	0.085	+ 0.033	.0164	----	----	----	----	3 UNCH
11300	----	----	----	0.040B/0.106A	----	0.081	+ 0.030	.0156	----	----	----	----	2 UNCH
11325	----	----	----	0.039B/0.105A	----	0.080	+ 0.029	.0153	----	----	----	----	6 UNCH
11350	----	----	----	0.038B/0.104A	----	0.079	+ 0.028	.0151	----	----	----	----	3 UNCH
11375	----	----	----	0.037B/0.103A	----	0.078	+ 0.027	.0149	----	----	----	----	2 UNCH
11400	----	----	----	0.036B/0.103A	----	0.078	+ 0.028	.0148	----	----	----	----	163 UNCH
11425	----	----	----	0.035B/0.102A	----	0.077	+ 0.027	.0146	----	----	----	----	12 UNCH
11450	----	----	----	0.034B/0.101A	----	0.076	+ 0.026	.0144	----	----	----	----	13 UNCH
11475	----	----	----	0.034B/0.100A	----	0.075	+ 0.026	.0142	----	----	----	----	8 UNCH
11500	0.080	0.080	0.080/*0.079A	0.080/*0.079A	----	0.075	+ 0.026	.0141	----	----	2	----	261 - 2
11525	----	----	----	0.032B/0.098A	----	0.074	+ 0.025	.0139	----	----	----	----	8 UNCH
11550	----	----	----	0.032B/0.097A	----	0.074	+ 0.026	.0139	----	----	----	----	1 UNCH
11575	----	----	----	0.030B/0.097A	----	0.073	+ 0.025	.0137	----	----	----	----	4 UNCH
11600	----	----	----	0.030B/0.095A	----	0.072	+ 0.024	.0135	----	----	----	----	1 UNCH
11625	----	----	----	0.029B/0.094A	----	0.071	+ 0.024	.0133	----	----	----	----	21 UNCH
11675	----	----	----	0.028B/0.092A	----	0.070	+ 0.023	.0130	----	----	----	----	2 UNCH
11700	----	----	----	0.027B/0.092A	----	0.069	+ 0.022	.0128	----	----	----	----	8 UNCH
11725	----	----	----	0.027B/0.090A	----	0.069	+ 0.023	.0128	----	----	----	----	2 UNCH
11750	----	----	----	0.027B/0.090A	----	0.068	+ 0.022	.0126	----	----	----	----	15 UNCH
11775	----	----	----	0.027B/0.089A	----	0.067	+ 0.021	.0124	----	----	----	----	2 UNCH
11800	----	----	----	0.026B/0.089A	----	0.066	+ 0.021	.0122	----	----	----	----	6 UNCH
11825	----	----	----	0.020B/0.088A	----	0.066	+ 0.021	.0121	----	----	----	----	9 UNCH
11850	----	----	----	0.021B/0.087A	----	0.065	+ 0.020	.0119	----	----	----	----	5 UNCH
11875	----	----	----	0.017B/*0.087A	----	0.064	+ 0.019	.0117	----	----	----	----	1 UNCH
11900	----	----	----	0.023B/*0.086A	----	0.064	+ 0.020	.0117	----	----	----	----	1 UNCH
11925	----	----	----	0.020B/*0.085A	----	0.063	+ 0.019	.0115	----	----	----	----	8 UNCH
11950	----	----	----	0.019B/0.078A	----	0.062	+ 0.018	.0113	----	----	----	----	6 UNCH
11975	----	----	----	0.021B/*0.084A	----	0.061	+ 0.017	.0111	----	----	----	----	1 UNCH
12000	----	----	----	0.041B/0.083A	----	0.061	+ 0.017	.0111	----	----	----	----	369 UNCH
12025	----	----	----	0.019B/*0.083A	----	0.060	+ 0.017	.0109	----	----	----	----	11 UNCH
12050	----	----	----	0.018B/*0.083A	----	0.059	+ 0.016	.0107	----	----	----	----	1 UNCH
12075	----	----	----	0.018B/*0.082A	----	0.059	+ 0.016	.0107	----	----	----	----	1 UNCH
12125	----	----	----	0.016B/*0.081A	----	0.057	+ 0.014	.0103	----	----	----	----	1 UNCH
12200	----	----	----	0.014B/*0.079A	----	0.055	+ 0.013	.0099	----	----	----	----	13 UNCH
12225	----	----	----	0.015B/*0.079A	----	0.055	+ 0.013	.0099	----	----	----	----	7 UNCH
12275	----	----	----	0.015B/*0.078A	----	0.053	+ 0.011	.0095	----	----	----	----	1 UNCH
12325	----	----	----	0.014B/*0.077A	----	0.052	+ 0.011	.0093	----	----	----	----	4 UNCH
12350	----	----	----	0.014B/*0.077A	----	0.051	+ 0.010	.0091	----	----	----	----	5 UNCH
12400	----	----	----	0.013B/*0.077A	----	0.050	+ 0.009	.0089	----	----	----	----	23 UNCH
12425	----	----	----	0.014B/*0.077A	----	0.050	+ 0.009	.0089	----	----	----	----	1 UNCH
12450	----	----	----	0.013B/*0.077A	----	0.049	+ 0.009	.0087	----	----	----	----	9 UNCH
12475	----	----	----	0.013B/*0.076A	----	0.048	+ 0.008	.0085	----	----	----	----	1 UNCH
12500	0.040	0.040	0.040/*0.040	0.040/*0.040	----	0.048	+ 0.008	.0085	----	----	1	----	108 UNCH
12525	----	----	----	0.012B/*0.075A	----	0.047	+ 0.007	.0083	----	----	----	----	37 UNCH
12550	----	----	----	0.012B/*0.075A	----	0.047	+ 0.007	.0083	----	----	----	----	6 UNCH
12575	----	----	----	0.012B/*0.075A	----	0.046	+ 0.006	.0081	----	----	----	----	2 UNCH
12600	----	----	----	0.012B/*0.074A	----	0.046	+ 0.006	.0081	----	----	----	----	9 UNCH
12650	----	----	----	0.012B/*0.074A	----	0.046	+ 0.007	.0080	----	----	----	----	2 UNCH
12675	----	----	----	0.013B/*0.073A	----	0.045	+ 0.006	.0079	----	----	----	----	2 UNCH
12700	----	----	----	0.013B/*0.073A	----	0.045	+ 0.006	.0079	----	----	----	----	11 UNCH
12725	----	----	----	0.010B/*0.073A	----	0.045	+ 0.006	.0078	----	----	----	----	2 UNCH
12750	----	----	----	0.008B/*0.072A	----	0.044	+ 0.006	.0077	----	----	----	----	2 UNCH
12775	----	----	----	0.004B/*0.072A	----	0.044	+ 0.006	.0076	----	----	----	----	7 UNCH
12800	----	----	----	0.004B/*0.071A	----	0.044	+ 0.006	.0076	----	----	----	----	34 UNCH
12900	----	----	----	0.005B/*0.070A	----	0.042	+ 0.005	.0072	----	----	----	----	6 UNCH
13000	----	----	----	0.001B/0.067A	----	0.041	+ 0.005	.0070	----	----	----	----	521 UNCH
13100	----	----	----	0.001B/*0.065A	----	0.040	+ 0.005	.0068	----	----	----	----	4 UNCH
13200	----	----	----	0.001B/*0.063A	----	0.039	+ 0.005	.0066	----	----	----	----	3 UNCH
13300	----	----	----	0.001B/*0.061A	----	0.037	+ 0.004	.0062	----	----	----	----	3 UNCH
13400	----	----	----	0.001B/*0.059A	----	0.036	+ 0.004	.0060	----	----	----	----	5 UNCH
13500	0.045	0.045	0.045/0.045	0.045/0.045	----	0.035	+ 0.004	.0058	----	----	1	----	27 + 1
13600	----	----	----	0.001B/0.056A	----	0.034	+ 0.004	.0056	----	----	----	----	7 UNCH
13700	----	----	----	0.001B/*0.054A	----	0.033	+ 0.003	.0054	----	----	----	----	5 UNCH
13800	----	----	----	0.001B/*0.053A	----	0.032	+ 0.003	.0052	----	----	----	----	1 UNCH
13900	----	----	----	0.001B/*0.052A	----	0.032	+ 0.004	.0052	----	----	----	----	3 UNCH
14000	----	----	----	0.001B/0.050A	----	0.031	+ 0.003	.0050	----	----	----	----	292 UNCH
14200	----	----	----	0.001B/*0.048A	----	0.030	+ 0.003	.0048	----	----	----	----	60 UNCH
14300	----	----	----	0.001B/*0.047A	----	0.029	+ 0.002	.0046	----	----	----	----	1 UNCH
14400	----	----	----	0.001B/0.046A	----	0.029	+ 0.003	.0045	----	----	----	----	65 UNCH
14500	----	----	----	0.001B/*0.044A	----	0.029	+ 0.003	.0045	----	----	----	----	31 UNCH
14600	----	----	----	0.001B/0.043A	----	0.028	+ 0.002	.0043	----	----	----	----	7 UNCH
14700	----	----	----	0.001B/*0.041A	----	0.028	+ 0.002	.0043	----	----	----	----	11 UNCH
14800	----	----	----	0.001B/*0.040A	----	0.028	+ 0.003	.0043	----	----	----	----	10 UNCH
14900	----	----	----	0.001B/*0.039A	----	0.027	+ 0.002	.0041	----	----	----	----	6 UNCH
15000	----	----	----	0.001B/0.038A	----	0.027	+ 0.002	.0041	----	----	----	----	146 UNCH
15300	----	----	----	0.001B/*0.035A	----	0.026	+ 0.002	.0038	----	----	----	----	2 UNCH
15400	----	----	----	0.001B/*0.034A	----	0.026	+ 0.002	.0038	----	----	----	----	1 UNCH
15500	----	----	----	0.001B/*0.033A	----	0.025	+ 0.001	.0037	----	----	----	----	6 UNCH
15600	----	----	----	0.001B/*0.033A	----	0.025	+ 0.002	.0036	----	----	----	----	1 UNCH
15700	----	----	----	0.001B/*0.032A	----	0.025	+ 0.002	.0036	----	----	----	----	1 UNCH
15800	----	----	----	0.001B/*0.032A	----	0.024	+ 0.001	.0035	----	----	----	----	6 UNCH
15900	----	----	----	0.001B/*0.031A	----	0.024	+ 0.001	.0034	----	----	----	----	8 UNCH
16000	----	----	----	0.001B/0.030A	----	0.024	+ 0.002	.0034	----	----	----	----	199 UNCH
16200	----	----	----	----/*0.030A	----	0.023	+ 0.001	.0032	----	----	----	----	36 UNCH
16400	----	----	----	----/*0.029A	----	0.022	+ 0.001	.0031	----	----	----	----	1 UNCH
16500	----	----	----	----/*0.028A	----	0.022	+ 0.001	.0031	----	----	----	----	30 UNCH
16600	----	----	----	----/*0.029A	----	0.022	+ 0.001	.0030	----	----	----	----	2 UNCH
16700	----	----	----	----/*0.028A	----	0.021	+ 0.001	.0029	----	----	----	----	7 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.		DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
SO CALL		COMEX SILVER OPTIONS												
JUN26														
16800	----	----	----	----/*0.028A	----	0.021	+ 0.001	.0029	----	----	----	----	3	UNCH
17000	----	----	----	----/0.035A	----	0.020	UNCH	.0027	----	----	----	----	27	UNCH
17100	----	----	----	----/0.295A	----	0.020	+ 0.001	.0027	----	----	----	----	5	UNCH
17200	----	----	----	----/0.297A	----	0.020	+ 0.001	.0027	----	----	----	----	5	UNCH
17300	----	----	----	----/0.299A	----	0.019	UNCH	.0026	----	----	----	----	11	UNCH
17400	----	----	----	----/0.300A	----	0.019	UNCH	.0025	----	----	----	----	2	UNCH
17500	----	----	----	----/0.302A	----	0.019	+ 0.001	.0025	----	----	----	----	63	UNCH
17700	----	----	----	----/0.305A	----	0.018	UNCH	.0024	----	----	----	----	3	UNCH
17800	----	----	----	----/0.307A	----	0.018	UNCH	.0024	----	----	----	----	3	UNCH
18000	----	----	----	0.015B/0.310A	----	0.017	UNCH	.0022	----	----	----	----	46	UNCH
18100	----	----	----	----/0.311A	----	0.017	UNCH	.0022	----	----	----	----	2	UNCH
18300	----	----	----	----/0.314A	----	0.016	UNCH	.0021	----	----	----	----	1	UNCH
18900	----	----	----	----/0.322A	----	0.015	UNCH	.0019	----	----	----	----	1	UNCH
19000	----	----	----	----/0.160A	----	0.015	+ 0.001	.0019	----	----	----	----	229	UNCH
19500	----	----	----	----/0.329A	----	0.013	UNCH	.0016	----	----	----	----	126	UNCH
19600	----	----	----	----/0.330A	----	0.013	UNCH	.0016	----	----	----	----	2	UNCH
19900	----	----	----	----/0.333A	----	0.012	UNCH	.0015	----	----	----	----	28	UNCH
20000	----	----	----	----/0.029A	----	0.012	UNCH	.0015	----	----	----	----	240	UNCH
21000	----	----	----	----/0.343A	----	0.010	UNCH	.0012	----	----	----	----	20	UNCH
23000	----	----	----	----/0.356A	----	0.007	UNCH	.0008	----	----	----	----	14	UNCH
25000	----	----	----	----/0.010A	----	0.005	UNCH	.0005	----	----	----	----	303	UNCH
27000	----	----	----	----/0.372A	----	0.003	UNCH	.0003	----	----	----	----	3	UNCH
30000	----	----	----	----/0.010A	----	0.001	UNCH	.0001	----	----	----	----	31	UNCH
32000	----	----	----	----/0.381A	----	0.001	UNCH	.0000	----	----	----	----	1	UNCH
35000	----	----	----	----/0.007A	----	0.001	UNCH	.0000	----	----	----	----	45	UNCH
TOTAL											534	0	17606 +	22
JUL26														
2700	----	----	50.175B/----	50.175B/47.728A	----	49.431	+ 2.403	.9988	----	----	----	----	1	UNCH
3900	----	----	38.185B/----	38.185B/35.687A	----	37.431	+ 2.403	.9945	----	----	----	----	1	UNCH
4000	----	----	37.185B/----	37.185B/34.687A	----	36.431	+ 2.403	.9938	----	----	----	----	1	UNCH
4500	----	----	32.246B/----	32.246B/29.653A	----	31.442	+ 2.399	.9899	----	----	----	----	28	UNCH
4600	----	----	31.300B/----	31.300B/28.666A	----	30.447	+ 2.396	.9887	----	----	----	----	124	UNCH
4700	----	----	30.210B/----	30.210B/27.740A	----	29.454	+ 2.391	.9874	----	----	----	----	1	UNCH
4750	----	----	29.715B/----	29.715B/27.246A	----	28.958	+ 2.388	.9865	----	----	----	----	1	UNCH
4825	----	----	28.973B/----	28.973B/26.504A	----	28.216	+ 2.383	.9851	----	----	----	----	3	UNCH
4900	----	----	28.232B/----	28.232B/25.784A	----	27.476	+ 2.378	.9834	----	----	----	----	1	UNCH
4925	----	----	27.986B/----	27.986B/25.545A	----	27.230	+ 2.376	.9828	----	----	----	----	16	UNCH
5000	----	----	27.345B/----	27.345B/24.676A	----	26.492	+ 2.369	.9808	----	----	----	----	307	UNCH
5025	----	----	27.001B/----	27.001B/24.558A	----	26.247	+ 2.367	.9801	----	----	----	----	4	UNCH
5050	----	----	26.756B/----	26.756B/24.314A	----	26.002	+ 2.364	.9793	----	----	----	----	2	UNCH
5100	----	----	26.363B/----	26.363B/23.701A	----	25.512	+ 2.358	.9777	----	----	----	----	133	UNCH
5150	----	----	25.776B/----	25.776B/23.345A	----	25.024	+ 2.353	.9760	----	----	----	----	6	UNCH
5200	----	----	25.336B/----	25.336B/22.769A	----	24.536	+ 2.346	.9741	----	----	----	----	40	UNCH
5225	----	----	25.044B/----	25.044B/22.616A	----	24.292	+ 2.341	.9732	----	----	----	----	9	UNCH
5250	----	----	24.800B/----	24.800B/22.378A	----	24.049	+ 2.338	.9722	----	----	----	----	2	UNCH
5275	----	----	24.557B/----	24.557B/22.137A	----	23.805	+ 2.333	.9713	----	----	----	----	1	UNCH
5300	----	----	24.314B/----	24.314B/21.894A	----	23.562	+ 2.328	.9703	----	----	----	----	7	UNCH
5350	----	----	23.926B/----	23.926B/21.292A	----	23.076	+ 2.318	.9683	----	----	----	----	157	UNCH
5375	----	----	23.586B/----	23.586B/21.174A	----	22.833	+ 2.313	.9672	----	----	----	----	1	UNCH
5400	----	----	23.344B/----	23.344B/20.927A	----	22.590	+ 2.307	.9662	----	----	----	----	21	UNCH
5425	----	----	23.151B/----	23.151B/20.603A	----	22.346	+ 2.300	.9652	----	----	----	----	42	UNCH
5450	----	----	22.861B/----	22.861B/20.449A	----	22.103	+ 2.293	.9641	----	----	----	----	1	UNCH
5500	----	----	22.477B/----	22.477B/19.852A	----	21.618	+ 2.279	.9619	----	----	----	----	496	UNCH
5550	----	----	21.879B/----	21.879B/19.482A	----	21.133	+ 2.264	.9595	----	----	----	----	3	UNCH
5600	----	----	21.517B/----	21.517B/18.913A	----	20.651	+ 2.249	.9569	----	----	----	----	106	UNCH
5650	----	----	20.991B/----	20.991B/18.472A	----	20.172	+ 2.236	.9538	----	----	----	----	43	UNCH
5675	----	----	20.754B/----	20.754B/18.238A	----	19.934	+ 2.230	.9521	----	----	----	----	25	UNCH
5700	----	----	20.516B/----	20.516B/18.005A	----	19.697	+ 2.225	.9504	----	----	----	----	26	UNCH
5750	----	----	20.092B/----	20.092B/17.513A	----	19.224	+ 2.213	.9466	----	----	----	----	164	UNCH
5775	----	----	19.759B/----	19.759B/17.399A	----	18.990	+ 2.208	.9445	----	----	----	----	1	UNCH
5800	----	----	19.524B/----	19.524B/17.169A	----	18.756	+ 2.203	.9424	----	----	----	----	16	UNCH
5900	----	----	18.589B/----	18.589B/16.251A	----	17.829	+ 2.184	.9328	----	----	----	----	10	UNCH
5925	----	----	18.358B/----	18.358B/16.025A	----	17.600	+ 2.179	.9301	----	----	----	----	10	UNCH
5950	----	----	18.126B/----	18.126B/15.800A	----	17.372	+ 2.175	.9274	----	----	----	----	6	UNCH
5975	----	----	17.896B/----	17.896B/15.576A	----	17.144	+ 2.169	.9246	----	----	----	----	20	UNCH
6000	16.690	16.690	17.762B/16.690	17.762B/14.807A	----	16.918	+ 2.164	.9217	----	----	1	----	547	UNCH
6050	----	----	17.304B/----	17.304B/14.785A	----	16.468	+ 2.153	.9155	----	----	----	----	58	UNCH
6075	----	----	16.981B/----	16.981B/14.678A	----	16.244	+ 2.147	.9123	----	----	----	----	1	UNCH
6100	----	----	16.755B/----	16.755B/14.460A	----	16.022	+ 2.141	.9090	----	----	----	----	10	UNCH
6200	----	----	15.954B/----	15.954B/13.491A	----	15.142	+ 2.113	.8949	----	----	----	----	101	UNCH
6250	----	----	15.416B/----	15.416B/13.179A	----	14.708	+ 2.095	.8872	----	----	----	----	1	UNCH
6300	----	----	14.979B/----	14.979B/12.764A	----	14.280	+ 2.078	.8791	----	----	----	----	3	UNCH
6350	----	----	14.546B/----	14.546B/12.354A	----	13.857	+ 2.059	.8706	----	----	----	----	2	UNCH
6450	----	----	13.696B/----	13.696B/11.543A	----	13.028	+ 2.016	.8523	----	----	----	----	1	UNCH
6500	12.520	12.520	13.374B/12.218	13.374B/11.055A	----	12.622	+ 1.993	.8425	----	----	3	----	192 -	2
6600	----	----	12.561B/----	12.561B/10.308A	----	11.829	+ 1.941	.8216	----	----	----	----	56	UNCH
6650	----	----	12.164B/----	12.164B/9.936A	----	11.443	+ 1.914	.8105	----	----	----	----	102	UNCH
6750	----	----	11.319B/----	11.319B/9.299A	----	10.693	+ 1.856	.7871	----	----	----	----	24	UNCH
6800	----	----	11.016B/----	11.016B/8.893A	----	10.329	+ 1.826	.7748	----	----	----	----	250	UNCH
6825	----	----	10.764B/----	10.764B/8.796A	----	10.150	+ 1.810	.7686	----	----	----	----	6	UNCH
6850	----	----	10.555B/----	10.555B/8.640A	----	9.974	+ 1.795	.7622	----	----	----	----	1	UNCH
6875	----	----	10.406B/----	10.406B/8.487A	----	9.799	+ 1.780	.7558	----	----	----	----	16	UNCH
6900	----	----	10.287B/----	10.287B/8.268A	----	9.626	+ 1.764	.7492	----	----	----	----	99	UNCH
6950	----	----	9.844B/----	9.844B/8.046A	----	9.288	+ 1.733	.7359	----	----	----	----	1	UNCH
7000	----	----	9.589B/----	9.589B/7.670A	----	8.958	+ 1.702	.7223	----	----	----	----	153	UNCH
7025	----	----	9.419B/----	9.419B/7.498A	----	8.796	+ 1.686	.7154	----	----	----	----	125	UNCH
7050	----	----	9.161B/----	9.161B/7.442A	----	8.636	+ 1.669	.7084	----	----	----	----	1	UNCH
7100	----	----	8.832B/----	8.832B/7.153A	----	8.324	+ 1.638	.6943	----	----	----	----	5	UNCH
7150	----	----	8.600B/----	8.600B/6.784A	----	8.020	+ 1.607	.6800	----	----	----	----	100	UNCH
7200	----	----	8.274B/5.943A	8.274B/5.943A	----	7.726	+ 1.576	.6656	----	----	----	----	11	UNCH
7225	----	----	8.048B/5.975A	8.048B/5.975A	----	7.582	+ 1.561	.6583	----	----	----	----	1	UNCH
7250	----	----	7.984B/5.766A	7.984B/5.766A	----	7.440	+ 1.545	.6510	----	----	----	----	171	UNCH
7300	----	----	7.689B/5.514A	7.689B/5.514A	----	7.163	+ 1.514	.6363	----	----	----	----	103	UNCH
7325	----	----	7.547B/5.253A	7.547B/5.253A	----	7.028	+ 1.499	.6289	----	----	11	----	112 +	10
7350	----	----	7.315B/5.143A	7.315B/5.143A	----	6.894	+ 1.483	.6216	----	----	----	----	2	UNCH
7400	6.800	6.800	7.122B/4.925A	7.122B/4.925A	----	6.635	+ 1.454	.6068	----	----	2	----	25 +	2
7425	----	----	6.902B/4.820A	6.902B/4.820A	----	6.508	+ 1.438	.5994	----	----	----	----	5	UNCH
7450	4.785	4.785	6.854B/4.716A	6.854B/4.716A	----	6.383	+ 1.423	.5920	----	----	2	----	14 +	2
7475	----	----	6.636B/4.613A	6.636B/4.613A	----	6.260	+ 1.407	.5846	----	----	----	----	1	UNCH
7500	6.500	6.500	6.604B/4.506A	6.604B/4.506A	----	6.140	+ 1.393	.5773	----	----	6	----	292 -	3
7525	----	----	6.388B/4.411A	6.388B/4.411A	----	6.021	+ 1.377	.5699	----	----	----	----	1	UNCH
7550	----	----	6.344B/4.321A	6.344B/4.321A	----	5.905	+ 1.363	.5626	----	----	----	----	7	UNCH
7575	----	----	6.222B/4.222A	6.222B/4.222A	----	5.790	+ 1.347	.5553	----	----	----	----	20	UNCH
7600	5.400	5.400	6.098B/4.132A	6.098B/4.132A	----	5.678	+ 1.332	.5480	----	----	2	----	33 -	2
7650	5.050	5.050	5.924B/3.954A	5.924B/3.954A	----	5.459	NEW	.5335	----	----	3	----	3 +	3
7675	----	----	5.812B/3.862A	5.812B/3.862A	----	5.353	+ 1.288	.5263	----	----	----	----	7	UNCH
7700	----	----	5.676B/3.774A	5.676B/3.774A	----	5.248	+ 1.273	.5191	----	----	----	----	120	UNCH
7750	----	----	5.491B/3.613A	5.491B/3.613A	----	5.045	+ 1.244	.5049	----	----	----	----	118	UNCH
7800	----	----	5.277B/3.452A	5.277B/3.452A	----	4.850	+ 1.216	.4909	----	----	1	----	55 +	1
7850	----	----	5.062B/3.317A	5.062B/3.317A	----	4.662	+ 1.187	.4771	----	----	11	----	13 +	10
7900	----	----	4.871B/3.165A	4.871B/3.165A	----	4.481	+ 1.158	.4635	----	----	----	----	61	UNCH
7925	----	----	4.764B/3.108A	4.764B/3.108A	----	4.394	+ 1.145	.4569	----	----	----	----	1	UNCH
7950	----	----	4.672B/3.043A	4.672B/3.043A	----	4.308	+ 1.131	.4502	----	----	----	----	1	UNCH
7975	----	----	4.579B/2.986A	4.579B/2.986A	----	4.224	+ 1.117	.4436	----	----	----	----	4	UNCH
8000	3.300	3.300	4.500/2.919A	4.500/2.919A	----	4.141	+ 1.103	.4371	----	----	10	----	663 -	1
8025	----	----	4.398B/2.855A	4.398B/2.855A	----	4.061	+ 1.090	.4307	----	----	----	----	6	UNCH
8050	----	----	4.310B/2.799A	4.310B/2.799A	----	3.982	+ 1.076	.4243	----	----	----	----	8	UNCH
8075	----	----	4.226B/2.735A	4.226B/2.735A	----	3.904	+ 1.062	.4180	----	----	----	----	8	UNCH
8100	----	----	4.151B/2.669A	4.151B/2.669A	----	3.829	+ 1.050	.4117	----	----	----	----	69	UNCH
8150	----	----	3.978B/2.570A	3.978B/2.570A	----	3.682	+ 1.023	.3995	----	----	----	----	3	UNCH
8175	----	----	3.899B/2.516A	3.899B/2.516A	----	3.611	+ 1.010	.3934	----	----	----	----	1	UNCH
8200	----	----	3.837B/2.442A	3.837B/2.442A	----	3.541	+ 0.996	.3875	----	----	2	----	155 +	2
8250	2.310	2.310	3.686B/2.310	3.686B/2.310	----	3.406	+ 0.970	.3758	----	----	3	----	147 +	3
8300	----	----	3.542B/2.248A	3.542B/2.248A	----	3.278	+ 0.946	.3644	----	----	2	----	354	UNCH
8325	2.619	2.619	3.453B/2.203A	3.453B/2.203A	----	3.215	+ 0.932	.3588	----	----	6	----	4 +	1
8350	----	----	3.383B/2.159A	3.383B/2.159A	----	3.154	+ 0.920	.3533	----	----	----	----	2	UNCH
8375	----	----	3.331B/2.116A	3.331B/2.116A	----	3.095	+ 0.908	.3479	----	----	----	----	48	UNCH
8400	----	----	3.249B/2.074A	3.249B/2.074A	----	3.037	+ 0.896	.3425	----	----	----	----	10	UNCH
8450	----	----	3.123B/1.993A	3.123B/1.993A	----	2.924	+ 0.871	.3321	----	----	----	----	1	UNCH
8500	2.220	2.220	3.024B/1.916A	3.024B/1.916A	----	2.816	+ 0.847	.3219	----	----	21	----	809 +	2
8550	2.725	2.725	2.906B/1.840A	2.906B/1.840A	----	2.713	+ 0.823	.3120	----	----	1	----	246 +	1
8600	2.615	2.615	2.780B/1.771A	2.780B/1.771A	----	2.615	+ 0.801	.3025	----	----	126	----	117 +	105
8650	----	----	2.662B/1.704A	2.662B/1.704A	----	2.521	+ 0.778	.2932	----	----	----	----	12	UNCH
8675	----	----	2.526B/1.677A	2.526B/1.677A	----	2.476	NEW	.2888	----	----	2	----	1 +	1
8700	2.275	2.275	2.581B/1.643A	2.581B/1.643A	----	2.431	+ 0.755	.2843	----	----	6	----	111	UNCH
8750	----	----	2.483B/1.585A	2.483B/1.585A	----	2.345	+ 0.734	.2756	----	----	----	----	66	UNCH
8775	----	----	2.410B/1.555A	2.410B/1.555A	----	2.303	+ 0.723	.2714	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
JUL26												
8800	1.701	1.701	2.364B/1.527A	2.364B/1.527A	----	2.263 +	0.713 .2672	----	----	1	----	13 + 1
8850	----	----	2.274B/1.472A	2.274B/1.472A	----	2.183 +	0.691 .2591	----	----	----	----	1 UNCH
8900	----	----	2.210B/1.419A	2.210B/1.419A	----	2.107 +	0.670 .2512	----	----	1	----	118 + 1
8925	----	----	2.145B/1.393A	2.145B/1.393A	----	2.071 +	0.661 .2474	----	----	----	----	7 UNCH
8950	----	----	2.105B/1.369A	2.105B/1.369A	----	2.034 +	0.650 .2435	----	----	----	----	5 UNCH
9000	1.445	1.445	2.048B/1.320A	2.048B/1.320A	----	1.964 +	0.630 .2361	----	----	557	----	964 + 333
9050	----	----	1.949B/1.276A	1.949B/1.276A	----	1.896 +	0.610 .2289	----	----	----	----	6 UNCH
9075	----	----	1.913B/1.253A	1.913B/1.253A	----	1.863 +	0.601 .2254	----	----	----	----	1 UNCH
9100	----	----	1.888B/1.231A	1.888B/1.231A	----	1.831 +	0.592 .2220	----	----	1	----	32 UNCH
9200	----	----	1.763B/1.150A	1.763B/1.150A	----	1.708 +	0.555 .2087	----	----	6	----	83 + 4
9225	----	----	1.709B/1.131A	1.709B/1.131A	----	1.678 +	0.545 .2054	----	----	----	----	3 UNCH
9250	----	----	1.676B/----	1.676B/1.113A	----	1.650 +	0.537 .2023	----	----	----	----	8 UNCH
9300	----	----	1.638B/----	1.638B/1.076A	----	1.594 +	0.520 .1962	----	----	1	----	275 + 1
9350	----	----	1.556B/----	1.556B/1.041A	----	1.540 +	0.502 .1902	----	----	----	----	9 UNCH
9375	----	----	1.529B/----	1.529B/1.023A	----	1.514 +	0.494 .1873	----	----	----	----	1 UNCH
9400	----	----	1.501B/----	1.501B/1.008A	----	1.489 +	0.487 .1845	----	----	6	----	16 + 4
9425	----	----	1.474B/----	1.474B/0.992A	----	1.464 +	0.479 .1817	----	----	----	----	1 UNCH
9450	----	----	1.458B/----	1.458B/0.975A	----	1.440 +	0.472 .1790	----	----	----	----	33 UNCH
9475	----	----	1.420B/----	1.420B/0.960A	----	1.416 +	0.464 .1763	----	----	----	----	5 UNCH
9500	1.269	1.269	1.417B/1.269	1.417B/0.943A	----	1.392 +	0.456 .1736	----	----	133	----	771 + 120
9525	----	----	1.381B/----	1.381B/0.931A	----	1.370 +	0.450 .1711	----	----	----	----	25 UNCH
9550	----	----	1.345B/----	1.345B/0.915A	----	1.347 +	0.442 .1685	----	----	----	----	6 UNCH
9600	0.900	0.900	1.320B/0.886A	1.320B/0.886A	----	1.304 +	0.429 .1635	----	----	1	----	107 + 1
9650	----	----	1.256B/----	1.256B/0.857A	----	1.263 +	0.416 .1588	----	----	----	----	1 UNCH
9700	----	----	1.215B/----	1.215B/0.835A	----	1.223 +	0.403 .1541	----	----	----	----	10 UNCH
9725	----	----	1.194B/----	1.194B/0.822A	----	1.204 +	0.398 .1519	----	----	----	----	1 UNCH
9750	----	----	1.171B/----	1.171B/0.802A	----	1.185 +	0.392 .1497	----	----	----	----	78 UNCH
9775	----	----	1.154B/----	1.154B/0.797A	----	1.167 +	0.386 .1475	----	----	----	----	31 UNCH
9800	----	----	1.135B/----	1.135B/0.775A	----	1.149 +	0.381 .1454	----	----	2	----	127 - 2
9825	----	----	1.117B/----	1.117B/0.766A	----	1.131 +	0.375 .1433	----	----	----	----	5 UNCH
9850	----	----	1.100B/----	1.100B/0.753A	----	1.114 +	0.371 .1413	----	----	----	----	38 UNCH
9900	----	----	1.064B/----	1.064B/0.734A	----	1.080 +	0.360 .1372	----	----	1	----	74 - 1
9925	----	----	1.050B/----	1.050B/0.725A	----	1.063 +	0.355 .1352	----	----	----	----	15 UNCH
9950	----	----	1.042B/----	1.042B/0.723A	----	1.047	NEW .1333	----	----	1	----	1 + 1
10000	0.700	0.700	1.030/0.695A	1.030/0.695A	----	1.016 +	0.342 .1296	----	----	139	----	1728 + 12
10025	----	----	0.995B/----	0.995B/0.693A	----	1.000 +	0.337 .1277	----	----	----	----	1 UNCH
10100	----	----	0.938B/----	0.938B/0.664A	----	0.956 +	0.326 .1224	----	----	----	----	18 UNCH
10125	----	----	0.935B/----	0.935B/0.653A	----	0.941 +	0.321 .1206	----	----	----	----	5 UNCH
10200	----	----	0.892B/----	0.892B/0.624A	----	0.899 +	0.310 .1155	----	----	----	----	101 UNCH
10250	----	----	0.862B/----	0.862B/0.608A	----	0.873 +	0.303 .1123	----	----	----	----	20 UNCH
10275	0.856	0.856	0.856/0.852	0.856/0.599A	----	0.860 +	0.300 .1108	----	----	6	----	5 - 5
10375	----	----	0.803B/----	0.803B/0.571A	----	0.810 +	0.285 .1047	----	----	----	----	18 UNCH
10400	----	----	0.791B/----	0.791B/0.563A	----	0.798 +	0.281 .1032	----	----	----	----	15 UNCH
10475	----	----	0.757B/----	0.757B/0.538A	----	0.764 +	0.271 .0990	----	----	----	----	25 UNCH
10500	0.530	0.530	0.746B/0.530	0.746B/0.530	----	0.754 +	0.268 .0978	----	----	99	----	609 + 7
10550	----	----	0.721B/----	0.721B/0.518A	----	0.732 +	0.260 .0951	----	----	----	----	31 UNCH
10600	----	----	0.701B/----	0.701B/0.507A	----	0.712 +	0.254 .0925	----	----	----	----	2 UNCH
10800	----	----	0.597B/----	0.597B/0.509A	----	0.638 +	0.228 .0832	----	----	----	----	35 UNCH
10900	----	----	0.588B/----	0.588B/0.507A	----	0.604 +	0.215 .0790	----	----	----	----	2 UNCH
11000	----	----	0.535B/----	0.535B/0.470A	----	0.573 +	0.203 .0750	----	----	----	----	1322 UNCH
11100	----	----	0.513B/----	0.513B/0.450A	----	0.543 +	0.191 .0712	----	----	----	----	10 UNCH
11200	----	----	0.480B/----	0.480B/0.432A	----	0.516 +	0.180 .0677	----	----	----	----	8 UNCH
11225	----	----	0.499B/----	0.499B/0.445A	----	0.509 +	0.177 .0668	----	----	----	----	3 UNCH
11300	----	----	0.469B/----	0.469B/0.425A	----	0.490 +	0.170 .0644	----	----	----	----	50 UNCH
11400	----	----	0.428B/----	0.428B/0.395A	----	0.466 +	0.161 .0613	----	----	----	----	19 UNCH
11425	----	----	0.452B/----	0.452B/0.402A	----	0.460 +	0.159 .0605	----	----	----	----	10 UNCH
11450	----	----	0.413B/----	0.413B/0.408A	----	0.454 +	0.156 .0598	----	----	----	----	3 UNCH
11500	----	----	0.388B/----	0.388B/0.382A	----	0.443 +	0.152 .0583	----	----	----	----	59 UNCH
11600	----	----	0.345B/----	0.345B/0.387A	----	0.421 +	0.143 .0555	----	----	----	----	1 UNCH
11625	----	----	0.340B/----	0.340B/0.384A	----	0.416 +	0.141 .0549	----	----	----	----	2 UNCH
11650	----	----	0.335B/----	0.335B/0.373A	----	0.411 +	0.140 .0542	----	----	----	----	24 UNCH
11675	----	----	0.330B/----	0.330B/0.370A	----	0.405 +	0.137 .0535	----	----	----	----	22 UNCH
11700	----	----	0.326B/----	0.326B/0.356A	----	0.400 +	0.135 .0528	----	----	----	----	22 UNCH
11725	----	----	0.321B/----	0.321B/0.364A	----	0.396 +	0.134 .0523	----	----	----	----	22 UNCH
11750	----	----	0.316B/----	0.316B/0.361A	----	0.391 +	0.132 .0516	----	----	----	----	22 UNCH
11775	----	----	0.312B/----	0.312B/0.358A	----	0.386 +	0.130 .0510	----	----	----	----	22 UNCH
11800	----	----	0.307B/----	0.307B/0.362A	----	0.381 +	0.128 .0503	----	----	----	----	1 UNCH
11900	----	----	0.290B/----	0.290B/0.350A	----	0.363 +	0.121 .0480	----	----	----	----	1 UNCH
11950	----	----	0.282B/----	0.282B/0.344A	----	0.354 +	0.117 .0468	----	----	----	----	1 UNCH
12000	0.250	0.250	0.275B/0.250	0.275B/0.250	----	0.346 +	0.114 .0458	----	----	1	----	408 + 1
12200	----	----	0.245B/----	0.245B/0.316A	----	0.315 +	0.102 .0417	----	----	----	----	1 UNCH
12225	----	----	0.242B/----	0.242B/0.313A	----	0.311 +	0.101 .0412	----	----	----	----	16 UNCH
12250	----	----	0.239B/----	0.239B/0.311A	----	0.308 +	0.100 .0408	----	----	----	----	6 UNCH
12300	0.310	0.310	0.310/0.310	0.310/0.298A	----	0.301 +	0.097 .0399	----	----	1	----	9 + 1
12375	----	----	0.224B/----	0.224B/0.298A	----	0.290 +	0.093 .0385	----	----	----	----	1 UNCH
12425	----	----	0.218B/----	0.218B/0.295A	----	0.284 +	0.091 .0377	----	----	----	----	1 UNCH
12450	----	----	0.215B/----	0.215B/0.293A	----	0.281 +	0.090 .0373	----	----	----	----	1 UNCH
12475	----	----	0.213B/----	0.213B/0.293A	----	0.278 +	0.088 .0369	----	----	----	----	3 UNCH
12500	----	----	0.210B/----	0.210B/0.282A	----	0.275 +	0.087 .0365	----	----	----	----	92 UNCH
12600	----	----	0.200B/----	0.200B/0.275A	----	0.263 +	0.083 .0349	----	----	----	----	6 UNCH
12725	----	----	0.187B/----	0.187B/0.273A	----	0.249 +	0.077 .0330	----	----	----	----	1 UNCH
12800	----	----	0.179B/----	0.179B/0.268A	----	0.241 +	0.074 .0320	----	----	----	----	1 UNCH
13000	----	----	0.162B/----	0.162B/0.254A	----	0.222 +	0.067 .0294	----	----	----	----	572 UNCH
14000	----	----	----	0.103B/0.200A	----	0.158 +	0.043 .0207	----	----	----	----	794 UNCH
14700	----	----	----	0.075B/0.174A	----	0.135 +	0.033 .0173	----	----	----	----	1 UNCH
15000	----	----	0.108B/----	0.108B/0.165A	----	0.128 +	0.030 .0162	----	----	----	----	710 UNCH
16000	----	----	----	0.077B/0.139A	----	0.113 +	0.022 .0137	----	----	----	----	749 UNCH
17000	----	----	----	0.060B/0.121A	----	0.101 +	0.015 .0119	----	----	----	----	26 UNCH
18000	----	----	----	0.010B/0.112A	----	0.089 +	0.010 .0102	----	----	----	----	256 UNCH
19000	----	----	----	0.001B/0.102A	----	0.075 +	0.004 .0084	----	----	----	----	78 UNCH
20000	----	----	----	0.061B/0.070A	----	0.063 +	0.001 .0070	----	----	----	----	1185 UNCH
21000	----	----	----	0.001B/0.109A	----	0.053 -	0.002 .0058	----	----	----	----	427 UNCH
24000	----	----	----	0.001B/0.045A	----	0.034 -	0.005 .0036	----	----	----	----	130 UNCH
25000	----	----	----/*0.030A	0.035B/*0.030A	----	0.030 -	0.005 .0032	----	----	----	----	364 UNCH
27000	----	----	----	0.001B/0.120A	----	0.024 -	0.004 .0025	----	----	----	----	4 UNCH
30000	----	----	----	----/0.110A	----	0.019 -	0.002 .0019	----	----	----	----	23 UNCH
32000	----	----	----	----/0.135A	----	0.017 -	0.001 .0017	----	----	----	----	4 UNCH
35000	----	----	----	0.010B/0.019A	----	0.015 +	0.001 .0014	----	----	----	----	77 UNCH
TOTAL										1178	0	20770 + 614
AUG26												
5000	----	----	27.975B/----	27.975B/25.353A	----	27.100 +	2.331 .9692	----	----	----	----	2 UNCH
5400	----	----	24.146B/----	24.146B/21.564A	----	23.288 +	2.268 .9479	----	----	----	----	2 UNCH
5500	----	----	23.209B/----	23.209B/20.644A	----	22.356 +	2.248 .9408	----	----	----	----	1 UNCH
6300	----	----	16.153B/----	16.153B/13.854A	----	15.377 +	2.000 .8472	----	----	----	----	7 UNCH
6450	----	----	14.957B/----	14.957B/12.715A	----	14.218 +	1.941 .8207	----	----	----	----	1 UNCH
6500	----	----	14.568B/----	14.568B/12.354A	----	13.843 +	1.921 .8114	----	----	----	----	2 UNCH
6600	----	----	13.809B/----	13.809B/11.652A	----	13.110 +	1.879 .7921	----	----	----	----	4 UNCH
6800	----	----	12.360B/----	12.360B/10.407A	----	11.716 +	1.786 .7509	----	----	----	----	7 UNCH
6875	----	----	11.843B/----	11.843B/9.922A	----	11.219 +	1.748 .7347	----	----	----	----	5 UNCH
7000	----	----	11.019B/----	11.019B/9.206A	----	10.425 +	1.681 .7069	----	----	----	----	3 UNCH
7025	----	----	10.860B/----	10.860B/9.063A	----	10.271 +	1.666 .7012	----	----	----	----	5 UNCH
7050	----	----	10.701B/----	10.701B/8.925A	----	10.119 +	1.652 .6955	----	----	----	----	4 UNCH
7100	----	----	10.387B/----	10.387B/8.652A	----	9.821 +	1.623 .6840	----	----	----	----	2 UNCH
7200	----	----	9.785B/----	9.785B/8.125A	----	9.245 +	1.562 .6607	----	----	----	----	1 UNCH
7400	----	----	8.654B/----	8.654B/6.943A	----	8.180 +	1.432 .6135	----	----	----	----	2 UNCH
7425	----	----	8.544B/----	8.544B/6.890A	----	8.055 +	1.416 .6076	----	----	----	----	14 UNCH
7475	----	----	8.292B/----	8.292B/6.679A	----	7.811 +	1.386 .5957	----	----	----	----	6 UNCH
7500	----	----	8.181B/----	8.181B/6.407A	----	7.691 +	1.371 .5898	----	----	----	----	34 UNCH
7550	----	----	7.899B/----	7.899B/6.381A	----	7.458 +	1.343 .5780	----	----	----	----	4 UNCH
7600	----	----	7.650B/----	7.650B/6.137A	----	7.231 +	1.316 .5663	----	----	----	----	3 UNCH
7625	----	----	7.580B/----	7.580B/6.098A	----	7.120 +	1.303 .5605	----	----	----	----	18 UNCH
7700	----	----	7.239B/----	7.239B/5.746A	----	6.798 +	1.265 .5430	----	----	4	----	4 - 2
7800	----	----	6.886B/----	6.886B/5.437A	----	6.393 +	1.218 .5202	----	----	4	----	13 + 4
7900	----	----	6.482B/----	6.482B/5.122A	----	6.014 +	1.175 .4979	----	----	----	----	1 UNCH
7950	----	----	6.288B/----	6.288B/4.974A	----	5.834 +	1.154 .4870	----	----	----	----	9 UNCH
7975	----	----	6.222B/----	6.222B/4.894A	----	5.747 +	1.145 .4816	----	----	----	----	1 UNCH
8000	----	----	6.108B/----	6.108B/4.588A	----	5.661 +	1.135 .4763	----	----	4	----	36 + 1
8100	----	----	5.744B/----	5.744B/4.526A	----	5.331 +	1.096 .4553	----	----	4	----	21 + 4
8200	----	----	5.402B/----	5.402B/4.255A	----	5.026 +	1.059 .4351	----	----	----	----	1 UNCH
8250	----	----	5.224B/----	5.224B/4.089A	----	4.881 +	1.040 .4253	----	----	41	----	141 + 41
8300	----	----	5.086B/----	5.086B/4.002A	----	4.742 +	1.022 .4157	----	----	----	----	3 UNCH
8400	----	----	4.791B/----	4.791B/3.768A	----	4.478 +	0.986 .3970	----	----	----	----	2 UNCH
8450	----	----	4.651B/----	4.651B/3.657A	----	4.354 +	0.969 .3881	----	----	----	----	2 UNCH
8500	----	----	4.510B/----	4.510B/3.549A	----	4.233 +	0.950 .3793	----	----	----	----	14 UNCH
8600	----	----	4.263B/----	4.263B/3.321A	----	4.004 +	0.914 .3623	----	----	----	----	189 UNCH
8650	----	----	4.134B/----	4.134B/3.252A	----	3.896 +	0.897 .3541	----	----	----	----	1 UNCH
8700	----	----	3.669B/----	3.669B/3.281A	----	3.791 +	0.879 .3461	----	----	----	----	0 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
AUG26												
8750	----	----	3.556B/----	3.556B/3.267A	----	3.689 + 0.860	.3382	----	----	----	----	0 UNCH
8775	----	----	3.854B/----	3.854B/3.029A	----	3.639 + 0.851	.3344	----	----	----	----	2 UNCH
8900	----	----	3.581B/----	3.581B/2.826A	----	3.401 + 0.804	.3157	----	----	----	----	7 UNCH
8950	----	----	3.481B/----	3.481B/2.749A	----	3.310 + 0.784	.3086	----	----	----	----	6 UNCH
9000	----	----	3.380B/----	3.380B/2.676A	----	3.223 + 0.766	.3016	----	----	----	----	18 UNCH
9100	2.660	2.660	3.217B/2.508A	3.217B/2.508A	----	3.055 + 0.728	.2881	----	----	21	----	88 + 3
9200	----	----	3.027B/----	3.027B/2.404A	----	2.897 + 0.691	.2752	----	----	5	----	4 + 2
9250	----	----	2.945B/----	2.945B/2.339A	----	2.822 + 0.673	.2690	----	----	----	----	10 UNCH
9400	2.416	2.416	2.733B/2.416	2.733B/2.144A	----	2.611 + 0.623	.2513	----	----	4	----	108 + 2
9450	----	----	2.654B/----	2.654B/2.108A	----	2.545 + 0.608	.2457	----	----	----	----	19 UNCH
9500	2.289	2.289	2.593B/2.289	2.593B/2.055A	----	2.482 + 0.593	.2403	----	----	4	----	7 + 4
9575	----	----	2.492B/----	2.492B/1.980A	----	2.391 + 0.573	.2324	----	----	----	----	1 UNCH
10000	----	----	2.032B/----	2.032B/1.589A	----	1.945 + 0.477	.1929	----	----	14	----	172 + 8
10200	----	----	1.815B/----	1.815B/1.466A	----	1.758 + 0.428	.1763	----	----	----	----	4 UNCH
10400	----	----	1.647B/----	1.647B/1.458A	----	1.590 + 0.383	.1612	----	----	----	----	2 UNCH
10500	----	----	1.570B/----	1.570B/1.395A	----	1.517 + 0.367	.1544	----	----	----	----	7 UNCH
10800	----	----	1.180B/----	1.180B/1.113A	----	1.331 + 0.333	.1366	----	----	----	----	8 UNCH
11000	----	----	1.078B/----	1.078B/0.987A	----	1.227 + 0.317	.1263	----	----	14	----	53 + 14
11100	----	----	1.030B/----	1.030B/0.942A	----	1.179 + 0.309	.1216	----	----	----	----	20 UNCH
11200	----	----	0.983B/----	0.983B/0.907A	----	1.132 + 0.299	.1170	----	----	----	----	1 UNCH
11400	----	----	0.988B/----	0.988B/0.842A	----	1.045 + 0.282	.1084	----	----	----	----	2 UNCH
11500	----	----	0.864B/----	0.864B/0.816A	----	1.004 + 0.272	.1043	----	----	----	----	48 UNCH
11700	----	----	0.789B/----	0.789B/0.757A	----	0.928 + 0.254	.0967	----	----	----	----	2 UNCH
11850	----	----	0.737B/----	0.737B/0.719A	----	0.875 + 0.241	.0915	----	----	----	----	1 UNCH
12000	0.830	0.830	0.830/0.830	0.830/0.684A	----	0.826 + 0.228	.0865	----	----	1	----	3 + 1
12050	----	----	0.742B/----	0.742B/0.673A	----	0.810 + 0.224	.0850	----	----	41	----	141 + 41
12500	----	----	0.671B/----	0.671B/0.627A	----	0.688 + 0.192	.0725	----	----	----	----	2 UNCH
13000	----	----	0.567B/----	0.567B/0.547A	----	0.582 + 0.164	.0615	----	----	----	----	56 UNCH
14000	----	----	0.357B/----	0.357B/0.432A	----	0.433 + 0.123	.0457	----	----	----	----	7 UNCH
15000	----	----	0.259B/----	0.259B/0.353A	----	0.340 + 0.098	.0356	----	----	----	----	36 UNCH
16000	----	----	----	0.194B/0.297A	----	0.279 + 0.081	.0288	----	----	----	----	1 UNCH
17000	----	----	----	0.143B/0.256A	----	0.224 + 0.066	.0230	----	----	----	----	4 UNCH
18000	----	----	----	0.113B/0.223A	----	0.183 + 0.053	.0187	----	----	----	----	4 UNCH
19000	----	----	----	0.082B/0.200A	----	0.153 + 0.044	.0156	----	----	----	----	2 UNCH
20000	0.115	0.115	0.115/*0.115	0.115/*0.115	----	0.131 + 0.038	.0132	----	----	1	----	219 UNCH
25000	----	----	----	0.001B/*0.102A	----	0.069 + 0.020	.0067	----	----	----	----	3 UNCH
30000	----	----	----	0.001B/0.075A	----	0.042 + 0.012	.0040	----	----	----	----	13 UNCH
32000	----	----	----	0.001B/0.051A	----	0.033 + 0.009	.0031	----	----	----	----	1 UNCH
35000	----	----	----	0.001B/0.034A	----	0.024 + 0.007	.0022	----	----	----	----	2 UNCH
TOTAL										162	0	1649 + 123
SEP26												
5100	----	----	26.663B/----	26.663B/25.243A	----	26.290 + 2.273	.9500	----	----	----	----	1 UNCH
5900	----	----	19.425B/----	19.425B/18.262A	----	19.140 + 1.910	.8793	----	----	----	----	2 UNCH
6000	----	----	18.565B/----	18.565B/17.467A	----	18.314 + 1.863	.8664	----	----	----	----	7 UNCH
6700	----	----	13.172B/----	13.172B/12.508A	----	13.116 + 1.690	.7521	----	----	----	----	1 UNCH
7000	----	----	11.496B/----	11.496B/10.310A	----	11.250 + 1.616	.6931	----	----	----	----	121 UNCH
7125	----	----	10.756B/----	10.756B/9.626A	----	10.541 + 1.559	.6676	----	----	----	----	75 UNCH
7300	----	----	9.791B/----	9.791B/8.829A	----	9.617 + 1.463	.6315	----	----	----	----	145 UNCH
7400	----	----	9.272B/----	9.272B/8.389A	----	9.128 + 1.415	.6108	----	----	----	----	104 UNCH
7500	8.400	8.400	8.564B/8.400	8.564B/7.977A	----	8.669 + 1.375	.5902	----	----	1	----	4 + 1
7550	----	----	8.329B/----	8.329B/7.781A	----	8.451 + 1.358	.5800	----	----	----	----	2 UNCH
7700	----	----	7.661B/----	7.661B/7.227A	----	7.839 + 1.319	.5499	----	----	----	----	1 UNCH
8000	----	----	6.670B/----	6.670B/6.264A	----	6.781 + 1.269	.4931	----	----	----	----	108 UNCH
8200	----	----	5.792B/----	5.792B/5.717A	----	6.174 + 1.239	.4581	----	----	----	----	24 UNCH
8400	----	----	5.192B/----	5.192B/5.208A	----	5.628 + 1.198	.4254	----	----	----	----	10 UNCH
8500	----	----	5.098B/----	5.098B/4.959A	----	5.375 + 1.174	.4098	----	----	----	----	201 UNCH
8600	----	----	4.832B/----	4.832B/4.747A	----	5.134 + 1.147	.3948	----	----	----	----	72 UNCH
8675	----	----	4.456B/----	4.456B/4.588A	----	4.962 + 1.126	.3839	----	----	----	----	5 UNCH
8700	----	----	4.585B/----	4.585B/4.536A	----	4.905 + 1.117	.3803	----	----	----	----	100 UNCH
8800	----	----	4.192B/----	4.192B/4.324A	----	4.688 + 1.087	.3663	----	----	----	----	5 UNCH
9000	----	----	3.918B/----	3.918B/3.958A	----	4.284 + 1.022	.3398	----	----	----	----	191 UNCH
9100	----	----	3.611B/----	3.611B/3.793A	----	4.097 + 0.988	.3273	----	----	10	----	12 + 10
9500	----	----	3.026B/----	3.026B/3.207A	----	3.439 + 0.856	.2819	----	----	----	----	183 UNCH
9600	----	----	2.816B/----	2.816B/3.079A	----	3.295 + 0.824	.2717	----	----	----	----	25 UNCH
9750	----	----	2.657B/----	2.657B/2.899A	----	3.093 + 0.779	.2571	----	----	----	----	23 UNCH
9800	----	----	2.614B/----	2.614B/2.844A	----	3.029 + 0.765	.2525	----	----	----	----	132 UNCH
9900	----	----	2.484B/----	2.484B/2.736A	----	2.906 + 0.737	.2435	----	----	----	----	59 UNCH
10000	----	----	2.692B/----	2.692B/2.631A	----	2.790 + 0.712	.2348	----	----	4	----	304 UNCH
10100	----	----	2.240B/----	2.240B/2.535A	----	2.680 + 0.688	.2266	----	----	----	----	2 UNCH
10200	----	----	2.139B/----	2.139B/2.443A	----	2.576 + 0.666	.2187	----	----	----	----	1 UNCH
10500	----	----	1.875B/----	1.875B/2.189A	----	2.295 + 0.608	.1970	----	----	4	----	119 + 4
10800	----	----	1.647B/----	1.647B/1.974A	----	2.055 + 0.560	.1780	----	----	----	----	2 UNCH
11000	----	----	1.769B/----	1.769B/1.884A	----	1.914 + 0.532	.1667	----	----	----	----	190 UNCH
11300	----	----	1.338B/----	1.338B/1.741A	----	1.727 + 0.494	.1514	----	----	----	----	60 UNCH
11500	----	----	1.221B/----	1.221B/1.655A	----	1.617 + 0.471	.1423	----	----	----	----	70 UNCH
12000	----	----	----	0.946B/1.161A	----	1.379 + 0.414	.1223	----	----	----	----	119 UNCH
12500	----	----	0.952B/----	0.952B/1.013A	----	1.185 + 0.356	.1058	----	----	----	----	39 UNCH
13000	----	----	0.805B/----	0.805B/0.892A	----	1.026 + 0.302	.0921	----	----	----	----	201 UNCH
14000	----	----	0.665B/----	0.665B/0.712A	----	0.784 + 0.212	.0709	----	----	----	----	276 UNCH
15000	----	----	0.498B/----	0.498B/0.585A	----	0.615 + 0.153	.0559	----	----	----	----	226 UNCH
16000	----	----	0.385B/----	0.385B/0.490A	----	0.496 + 0.126	.0451	----	----	----	----	18 UNCH
17000	----	----	0.303B/----	0.303B/0.425A	----	0.411 + 0.114	.0372	----	----	----	----	27 UNCH
18000	----	----	0.291B/----	0.291B/0.370A	----	0.339 + 0.095	.0308	----	----	----	----	2 UNCH
19000	----	----	----	0.194B/0.331A	----	0.284 + 0.080	.0258	----	----	----	----	14 UNCH
20000	----	----	----	0.158B/0.297A	----	0.242 + 0.068	.0219	----	----	----	----	307 UNCH
21000	----	----	----	0.130B/0.270A	----	0.209 + 0.059	.0189	----	----	----	----	1 UNCH
23000	----	----	----	0.090B/0.223A	----	0.162 + 0.046	.0145	----	----	----	----	32 UNCH
25000	----	----	0.121B/----	0.121B/0.195A	----	0.131 + 0.037	.0116	----	----	----	----	12 UNCH
30000	----	----	----	0.001B/2.689A	----	0.090 + 0.025	.0077	----	----	----	----	18 UNCH
35000	----	----	----	0.001B/2.587A	----	0.045 + 0.013	.0039	----	----	----	----	27 UNCH
TOTAL										19	0	3680 + 15
OCT26												
3800	----	----	----	----	----	39.737 + 2.427	.9875	----	----	----	----	1 UNCH
7000	----	----	11.900B/----	11.900B/11.638A	----	12.528 + 1.761	.6970	----	----	----	----	2 UNCH
7100	----	----	11.514B/----	11.514B/11.122A	----	11.975 + 1.725	.6788	----	----	----	----	1 UNCH
7500	----	----	9.725B/----	9.725B/9.303A	----	10.000 + 1.574	.6054	----	----	----	----	2 UNCH
7650	----	----	9.035B/----	9.035B/8.717A	----	9.353 + 1.517	.5784	----	----	----	----	1 UNCH
7875	----	----	7.911B/----	7.911B/7.992A	----	8.471 + 1.431	.5390	----	----	----	----	2 UNCH
8000	----	----	7.624B/----	7.624B/7.529A	----	8.023 + 1.383	.5180	----	----	----	----	4 UNCH
8075	----	----	7.195B/----	7.195B/7.334A	----	7.768 + 1.355	.5057	----	----	----	----	1 UNCH
8500	----	----	5.993B/----	5.993B/6.154A	----	6.498 + 1.202	.4405	----	----	----	----	1 UNCH
8700	----	----	5.435B/----	5.435B/5.685A	----	5.991 + 1.134	.4128	----	----	----	----	4 UNCH
9000	----	----	4.742B/----	4.742B/5.066A	----	5.322 + 1.038	.3745	----	----	----	----	1 UNCH
9100	----	----	4.544B/----	4.544B/4.879A	----	5.121 + 1.008	.3626	----	----	----	----	73 UNCH
9500	----	----	3.885B/----	3.885B/4.219A	----	4.411 + 0.900	.3193	----	----	----	----	120 UNCH
10000	----	----	3.182B/----	3.182B/3.551A	----	3.695 + 0.789	.2734	----	----	----	----	96 UNCH
11000	----	----	2.152B/----	2.152B/2.589A	----	2.662 + 0.624	.2036	----	----	----	----	3 UNCH
11100	----	----	2.074B/----	2.074B/2.514A	----	2.580 + 0.609	.1979	----	----	----	----	2 UNCH
11700	----	----	1.701B/----	1.701B/2.146A	----	2.147 + 0.526	.1672	----	----	----	----	2 UNCH
12000	----	----	1.508B/----	1.508B/2.007A	----	1.961 + 0.484	.1539	----	----	10	----	75 + 10
13000	----	----	----	1.035B/1.301A	----	1.461 + 0.354	.1175	----	----	----	----	145 UNCH
14000	----	----	0.931B/----	0.931B/1.045A	----	1.115 + 0.258	.0913	----	----	----	----	2 UNCH
15000	----	----	0.800B/----	0.800B/0.863A	----	0.892 + 0.208	.0735	----	----	----	----	178 UNCH
16000	----	----	0.629B/----	0.629B/0.727A	----	0.759 + 0.196	.0621	----	----	20	----	24 + 20
18000	----	----	0.410B/----	0.410B/0.549A	----	0.492 + 0.133	.0411	----	----	----	----	340 UNCH
20000	----	----	0.281B/----	0.281B/0.437A	----	0.342 + 0.094	.0289	----	----	10	----	235 + 10
TOTAL										40	0	1315 + 40
NOV26												
6500	----	----	----	----/31.908A	----	16.167 + 1.794	.7724	----	----	----	----	1 UNCH
7000	----	----	12.712B/----	12.712B/12.480A	----	13.163 + 1.630	.6906	----	----	----	----	14 UNCH
7100	----	----	12.152B/----	12.152B/11.984A	----	12.634 + 1.601	.6737	----	----	----	----	14 UNCH
7500	----	----	10.599B/----	10.599B/10.218A	----	10.741 + 1.489	.6062	----	----	----	----	1 UNCH
7900	----	----	8.710B/----	8.710B/8.782A	----	9.178 + 1.386	.5417	----	----	----	----	16 UNCH
8000	----	----	8.361B/----	8.361B/8.468A	----	8.833 + 1.361	.5265	----	----	----	----	10 UNCH
8200	----	----	7.651B/----	7.651B/7.868A	----	8.191 + 1.311	.4970	----	----	----	----	6 UNCH
9000	----	----	5.471B/----	5.471B/5.943A	----	6.150 + 1.098	.3948	----	----	----	----	1 UNCH
9550	----	----	4.460B/----	4.460B/4.978A	----	5.123 + 0.956	.3382	----	----	----	----	3 UNCH
9800	----	----	4.120B/----	4.120B/4.611A	----	4.731 + 0.896	.3157	----	----	----	----	3 UNCH
10000	----	----	3.803B/----	3.803B/4.343A	----	4.445 + 0.851	.2990	----	----	----	----	26 UNCH
12000	----	----	----	1.987B/2.556A	----	2.530 + 0.532	.1800	----	----	----	----	13 UNCH
12500	----	----	----	1.712B/2.310A	----	2.231 + 0.479	.1603	----	----	----	----	10 UNCH
13000	----	----	----	1.469B/2.122A	----	1.977 + 0.432	.1432	----	----	----	----	2 UNCH
14000	----	----	----	1.130B/1.416A	----	1.576 + 0.357	.1157	----	----	----	----	3 UNCH
15000	----	----	1.084B/----	1.084B/1.181A	----	1.280 + 0.299	.0950	----	----	1	----	6 + 1
16000	1.115	1.115	1.115/1.115	1.115/1.004A	----	1.059 + 0.254	.0791	----	----	12	----	14 + 12

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 48

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO CALL		COMEX SILVER OPTIONS										
NOV26												
17000	----	----	0.749B/----	0.749B/0.869A	----	0.893 + 0.218	.0670	----	----	1	----	2 + 1
20000	----	----	----	0.433B/0.608A	----	0.580 + 0.142	.0436	----	----	----	----	32 UNCH
21000	----	----	----	0.370B/0.551A	----	0.510 + 0.122	.0384	----	----	----	----	2 UNCH
TOTAL										14	0	179 + 14
DEC26												
3875	----	----	----	----	----	39.020 + 2.416	.9771	----	----	----	----	1 UNCH
5250	----	----	----	7.596B/*38.344A	----	26.230 + 2.181	.9082	----	----	----	----	50 UNCH
5500	----	----	----	5.148B/36.777A	----	24.110 + 2.113	.8862	----	----	----	----	1 UNCH
6500	----	----	----	----/30.824A	----	16.686 + 1.771	.7629	----	----	----	----	564 UNCH
6900	----	----	13.455B/----	13.455B/14.003A	----	14.288 + 1.600	.7019	----	----	----	----	1 UNCH
6950	----	----	13.312B/----	13.312B/13.381A	----	14.013 + 1.579	.6940	----	----	----	----	200 UNCH
7000	----	----	13.010B/----	13.010B/13.131A	----	13.744 + 1.558	.6861	----	----	----	----	120 UNCH
7025	----	----	12.875B/----	12.875B/13.361A	----	13.611 + 1.547	.6822	----	----	----	----	1 UNCH
7075	----	----	12.609B/----	12.609B/13.113A	----	13.349 + 1.526	.6743	----	----	----	----	5 UNCH
7100	----	----	12.478B/----	12.478B/12.647A	----	13.221 + 1.517	.6703	----	----	----	----	15 UNCH
7375	----	----	11.124B/----	11.124B/11.734A	----	11.891 + 1.409	.6269	----	----	----	----	2 UNCH
7500	----	----	10.974B/----	10.974B/10.923A	----	11.338 + 1.364	.6073	----	----	----	----	18 UNCH
7575	----	----	10.236B/----	10.236B/10.913A	----	11.021 + 1.339	.5956	----	----	----	----	1 UNCH
7750	----	----	9.912B/----	9.912B/10.003A	----	10.322 + 1.282	.5689	----	----	----	----	2 UNCH
7800	----	----	9.686B/----	9.686B/9.832A	----	10.133 + 1.267	.5614	----	----	----	----	1 UNCH
7925	----	----	8.900B/----	8.900B/9.648A	----	9.680 + 1.232	.5430	----	----	----	----	2 UNCH
8000	----	----	8.936B/----	8.936B/9.189A	----	9.421 + 1.212	.5323	----	----	----	----	132 UNCH
8100	----	----	8.613B/----	8.613B/8.891A	----	9.090 + 1.187	.5182	----	----	----	----	1 UNCH
8200	----	----	8.267B/----	8.267B/8.607A	----	8.774 + 1.162	.5045	----	----	----	----	21 UNCH
8400	----	----	7.625B/----	7.625B/8.080A	----	8.189 + 1.119	.4781	----	----	----	----	50 UNCH
8500	----	----	7.334B/----	7.334B/7.835A	----	7.917 + 1.099	.4655	----	----	----	----	150 UNCH
8550	----	----	7.206B/----	7.206B/7.717A	----	7.786 + 1.089	.4593	----	----	----	----	25 UNCH
8600	----	----	7.058B/----	7.058B/7.601A	----	7.658 + 1.080	.4532	----	----	----	----	7 UNCH
8800	----	----	6.568B/----	6.568B/7.165A	----	7.177 + 1.045	.4298	----	----	----	----	5 UNCH
8900	----	----	6.294B/----	6.294B/6.962A	----	6.953 + 1.029	.4187	----	----	----	----	2 UNCH
8950	----	----	6.171B/----	6.171B/6.863A	----	6.845 + 1.021	.4132	----	----	----	----	1 UNCH
9000	----	----	6.063B/----	6.063B/6.767A	----	6.739 + 1.013	.4079	----	----	----	----	229 UNCH
9050	----	----	5.952B/----	5.952B/6.673A	----	6.636 + 1.006	.4026	----	----	----	----	100 UNCH
9300	----	----	5.452B/----	5.452B/6.233A	----	6.155 + 0.972	.3775	----	----	----	----	1 UNCH
9500	----	----	5.058B/----	5.058B/5.913A	----	5.807 + 0.946	.3590	----	----	----	----	10 UNCH
9700	----	----	4.711B/----	4.711B/5.603A	----	5.487 + 0.921	.3415	----	----	----	----	1 UNCH
9800	----	----	4.530B/----	4.530B/5.453A	----	5.336 + 0.909	.3332	----	----	----	----	26 UNCH
9900	----	----	4.393B/----	4.393B/5.309A	----	5.190 + 0.896	.3252	----	----	1	----	4 + 1
10000	----	----	4.215B/----	4.215B/4.995A	----	5.050 + 0.883	.3174	----	----	1	----	803 + 1
10025	----	----	4.158B/----	4.158B/5.136A	----	5.016 + 0.880	.3155	----	----	----	----	3 UNCH
10500	----	----	----	3.544B/4.548A	----	4.415 + 0.817	.2816	----	----	----	----	2 UNCH
10600	----	----	----	3.435B/4.436A	----	4.301 + 0.805	.2751	----	----	----	----	6 UNCH
10800	----	----	----	3.219B/4.225A	----	4.082 + 0.777	.2625	----	----	----	----	5 UNCH
11000	----	----	----	3.053B/4.028A	----	3.877 + 0.750	.2506	----	----	----	----	93 UNCH
11350	----	----	----	2.699B/3.714A	----	3.548 + 0.703	.2314	----	----	----	----	5 UNCH
11800	----	----	----	2.357B/3.358A	----	3.174 + 0.643	.2092	----	----	----	----	25 UNCH
12000	----	----	----	2.264B/3.216A	----	3.024 + 0.618	.2002	----	----	----	----	480 UNCH
12200	----	----	----	2.096B/3.088A	----	2.882 + 0.592	.1917	----	----	----	----	1 UNCH
12500	----	----	----	1.927B/2.905A	----	2.686 + 0.557	.1797	----	----	----	----	45 UNCH
13000	----	----	----	1.707B/2.670A	----	2.398 + 0.503	.1619	----	----	----	----	386 UNCH
14000	----	----	----	1.242B/2.334A	----	1.939 + 0.412	.1329	----	----	----	----	56 UNCH
14200	----	----	----	1.137B/2.276A	----	1.862 + 0.396	.1280	----	----	----	----	1 UNCH
15000	----	----	----	1.170B/1.526A	----	1.597 + 0.341	.1107	----	----	----	----	1829 UNCH
16000	----	----	1.074B/----	1.074B/1.311A	----	1.338 + 0.287	.0935	----	----	----	----	1616 UNCH
17000	----	----	0.925B/----	0.925B/1.145A	----	1.137 + 0.245	.0799	----	----	----	----	50 UNCH
18000	----	----	----	0.762B/1.012A	----	0.980 + 0.212	.0691	----	----	----	----	4 UNCH
19000	----	----	----	0.639B/0.908A	----	0.854 + 0.186	.0604	----	----	----	----	1 UNCH
20000	0.778	0.778	0.778/0.778	0.778/0.778	----	0.754 + 0.167	.0533	----	----	1	----	260 - 1
21000	----	----	----	0.455B/0.748A	----	0.672 + 0.152	.0475	----	----	----	----	4 UNCH
23000	----	----	----	0.335B/0.635A	----	0.547 + 0.129	.0386	----	----	----	----	4 UNCH
25000	0.443	0.443	0.443/0.443	0.443/0.443	----	0.456 + 0.112	.0321	----	----	1	----	239 UNCH
30000	0.325	0.325	0.325/0.325	0.325/0.325	----	0.298 + 0.062	.0209	----	----	4	----	109 UNCH
40000	----	----	----	0.028B/0.233A	----	0.129 - 0.028	.0093	----	----	----	----	23 UNCH
90000	----	----	----	0.002B/0.400A	----	0.044 - 0.011	.0028	----	----	----	----	2 UNCH
TOTAL										8	0	7801 + 1
JAN27												
7550	----	----	11.819B/----	11.819B/11.873A	----	12.197 + 1.365	.6121	----	----	----	----	2 UNCH
7650	----	----	11.344B/----	11.344B/11.492A	----	11.775 + 1.336	.5977	----	----	----	----	6 UNCH
10000	----	----	5.054B/----	5.054B/6.080A	----	5.689 + 0.865	.3372	----	----	----	----	6 UNCH
11000	----	----	----	3.698B/4.929A	----	4.479 + 0.753	.2717	----	----	----	----	6 UNCH
12500	----	----	----	2.312B/3.787A	----	3.285 + 0.610	.2034	----	----	----	----	1 UNCH
13000	----	----	----	1.990B/3.510A	----	2.972 + 0.561	.1853	----	----	----	----	7 UNCH
14000	----	----	----	1.475B/3.064A	----	2.434 + 0.463	.1543	----	----	----	----	1 UNCH
14500	----	----	----	1.252B/2.883A	----	2.208 + 0.418	.1411	----	----	----	----	400 UNCH
15000	----	----	----	1.055B/2.725A	----	2.008 + 0.376	.1293	----	----	----	----	400 UNCH
TOTAL											0	829 0
FEB27												
7500	----	----	12.500B/----	12.500B/12.682A	----	13.018 + 1.446	.6204	----	----	----	----	1 UNCH
9000	----	----	7.536B/----	7.536B/8.371A	----	8.426 + 1.286	.4439	----	----	----	----	1 UNCH
30000	----	----	----	0.163B/0.744A	----	0.399 + 0.079	.0265	----	----	----	----	1 UNCH
TOTAL											0	3 0
MAR27												
8000	----	----	----	9.979B/12.348A	----	11.770 + 1.477	.5595	----	----	----	----	200 UNCH
9000	----	----	----	7.158B/9.674A	----	8.961 + 1.278	.4528	----	----	----	----	35 UNCH
9200	----	----	----	6.765B/9.244A	----	8.511 + 1.230	.4343	----	----	----	----	25 UNCH
30000	----	----	----	0.235B/0.870A	----	0.788 + 0.131	.0454	----	----	----	----	2 UNCH
TOTAL											0	262 0
JUL27												
2000	----	----	----	----	----	59.527 + 2.456	.9952	----	----	----	----	1 UNCH
10000	----	----	----	----	----	11.203 + 1.041	.4488	----	----	----	----	1 UNCH
10300	----	----	----	----	----	10.711 + 1.001	.4317	----	----	----	----	1 UNCH
TOTAL											0	3 0
DEC27												
4000	----	----	----	----	----	42.089 + 2.250	.9213	----	----	----	----	1 UNCH
20000	----	----	----	----	----	6.702 + 0.563	.2427	----	----	----	----	25 UNCH
TOTAL											0	26 0
SO PUT		COMEX SILVER OPTIONS										
JUN26												
2100	----	----	----	----/*0.002A	----	0.001 UNCH	.0000	----	----	----	----	1 UNCH
2350	----	----	----	----/0.389A	----	0.002 UNCH	.0002	----	----	----	----	2 UNCH
2500	----	----	----	0.001B/0.388A	----	0.003 UNCH	.0003	----	----	----	----	141 UNCH
2650	----	----	----	----/0.386A	----	0.004 - 0.001	.0004	----	----	----	----	1 UNCH
3000	----	----	----	----/0.034A	----	0.007 - 0.001	.0007	----	----	----	----	246 UNCH
3075	----	----	----	----/0.035A	----	0.008 - 0.001	.0009	----	----	----	----	4 UNCH
3100	----	----	----	----/*0.036A	----	0.009 - 0.001	.0010	----	----	----	----	3 UNCH
3150	----	----	----	----/*0.037A	----	0.009 - 0.002	.0010	----	----	----	----	9 UNCH
3200	----	----	----	----/0.037A	----	0.010 - 0.001	.0011	----	----	----	----	4 UNCH
3325	----	----	----	----/*0.040A	----	0.012 - 0.002	.0014	----	----	----	----	2 UNCH
3350	----	----	----	----/0.041A	----	0.012 - 0.002	.0014	----	----	----	----	1 UNCH
3375	----	----	----	----/0.041A	----	0.013 - 0.002	.0015	----	----	----	----	1 UNCH
3400	----	----	----	----/0.042A	----	0.013 - 0.002	.0015	----	----	----	----	17 UNCH
3500	----	----	----	----/0.044A	----	0.015 - 0.002	.0018	----	----	----	----	100 UNCH
3550	----	----	----	----/0.045A	----	0.016 - 0.002	.0019	----	----	----	----	5 UNCH
3575	----	----	----	----/0.046A	----	0.016 - 0.002	.0019	----	----	----	----	22 UNCH
3600	----	----	----	----/0.047A	----	0.017 - 0.002	.0021	----	----	----	----	6 UNCH
3650	----	----	----	----/0.048A	----	0.018 - 0.002	.0022	----	----	----	----	22 UNCH
3675	----	----	----	----/0.049A	----	0.018 - 0.003	.0022	----	----	----	----	1 UNCH
3700	----	----	----	----/0.050A	----	0.019 - 0.002	.0023	----	----	----	----	6 UNCH
3800	----	----	----	----/0.052A	----	0.021 - 0.003	.0026	----	----	----	----	14 UNCH
3850	----	----	----	----/0.053A	----	0.022 - 0.003	.0028	----	----	----	----	2 UNCH
3900	----	----	----	----/0.054A	----	0.023 - 0.003	.0030	----	----	----	----	6 UNCH
3925	----	----	----	----/*0.054A	----	0.023 - 0.004	.0030	----	----	----	----	3 UNCH
4000	----	----	----	0.001B/0.056A	----	0.025 - 0.004	.0033	----	----	----	----	133 UNCH
4075	----	----	----	0.001B/*0.057A	----	0.027 - 0.003	.0036	----	----	----	----	1 UNCH
4100	----	----	----	0.020B/0.058A	----	0.027 - 0.004	.0036	----	----	----	----	32 UNCH
4125	----	----	----	0.001B/*0.058A	----	0.028 - 0.004	.0038	----	----	----	----	5 UNCH
4150	----	----	----	0.001B/*0.059A	----	0.028 - 0.004	.0038	----	----	----	----	4 UNCH
4200	----	----	----	0.001B/*0.060A	----	0.030 - 0.004	.0041	----	----	----	----	26 UNCH
4225	----	----	----	0.001B/*0.061A	----	0.030 - 0.004	.0042	----	----	----	----	7 UNCH
4250	----	----	----	0.001B/*0.061A	----	0.031 - 0.004	.0043	----	----	----	----	5 UNCH
4275	----	----	----	0.001B/*0.062A	----	0.031 - 0.005	.0044	----	----	----	----	13 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

SO PUT	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
JUN26		COMEX SILVER OPTIONS										
4300	----	----	----	0.001B/*0.063A	----	0.032 - 0.004	.0045	----	----	----	----	7 UNCH
4350	----	----	----	0.001B/*0.064A	----	0.033 - 0.005	.0047	----	----	----	----	2 UNCH
4375	----	----	----	0.001B/*0.065A	----	0.033 - 0.005	.0048	----	----	----	----	3 UNCH
4400	----	----	----	0.001B/*0.065A	----	0.034 - 0.005	.0049	----	----	----	----	8 UNCH
4425	----	----	----	0.001B/*0.066A	----	0.034 - 0.006	.0050	----	----	----	----	1 UNCH
4500	0.035	0.035	0.035/*0.035	0.035/*0.035	----	0.036 - 0.006	.0054	----	----	1	----	166 - 1
4550	----	----	----	0.001B/*0.071A	----	0.037 - 0.006	.0056	----	----	----	----	2 UNCH
4600	----	----	----	0.001B/*0.073A	----	0.038 - 0.006	.0058	----	----	----	----	7 UNCH
4625	----	----	----	0.001B/*0.073A	----	0.038 - 0.007	.0059	----	----	----	----	12 UNCH
4650	----	----	----	0.001B/*0.074A	----	0.039 - 0.007	.0061	----	----	----	----	1 UNCH
4700	----	----	----	0.001B/*0.076A	----	0.040 - 0.007	.0063	----	----	----	----	2 UNCH
4725	----	----	----	0.001B/*0.077A	----	0.040 - 0.008	.0064	----	----	----	----	10 UNCH
4750	----	----	----	0.001B/*0.078A	----	0.041 - 0.008	.0066	----	----	----	----	3 UNCH
4800	----	----	----	0.001B/0.080A	----	0.042 - 0.008	.0069	----	----	----	----	29 UNCH
4850	----	----	----	0.001B/0.083A	----	0.043 - 0.009	.0071	----	----	----	----	3 UNCH
4875	----	----	----	0.001B/*0.083A	----	0.044 - 0.009	.0073	----	----	2	----	15 UNCH
4900	----	----	----	0.002B/*0.085A	----	0.044 - 0.010	.0074	----	----	----	----	171 UNCH
4975	----	----	----	0.002B/*0.089A	----	0.046 - 0.011	.0079	----	----	----	----	1 UNCH
5000	0.050	0.050	0.050/*0.045	0.050/*0.045	----	0.047 - 0.011	.0081	----	----	11	----	1010 + 3
5025	----	----	----	0.006B/*0.092A	----	0.048 - 0.012	.0084	----	----	----	----	8 UNCH
5050	----	----	----	0.008B/*0.090A	----	0.049 - 0.012	.0086	----	----	----	----	3 UNCH
5075	----	----	----	0.009B/*0.091A	----	0.049 - 0.013	.0087	----	----	----	----	2 UNCH
5100	0.100	0.100	0.100/*0.068	0.100/*0.068	----	0.050 - 0.014	.0089	----	----	2	----	34 + 2
5125	----	----	----	0.023B/*0.080A	----	0.051 - 0.015	.0092	----	----	----	----	1 UNCH
5150	----	----	----	0.018B/*0.084A	----	0.052 - 0.015	.0094	----	----	----	----	16 UNCH
5175	----	----	0.070B/----	0.070B/*0.088A	----	0.053 - 0.016	.0097	----	----	----	----	12 UNCH
5200	----	----	----	0.021B/*0.087A	----	0.054 - 0.017	.0099	----	----	1	----	7 - 1
5225	----	----	----	0.025B/*0.088A	----	0.055 - 0.018	.0102	----	----	----	----	1 UNCH
5250	----	----	----	0.027B/*0.088A	----	0.056 - 0.019	.0104	----	----	----	----	14 UNCH
5275	----	----	----	0.028B/*0.092A	----	0.057 - 0.021	.0107	----	----	----	----	17 UNCH
5300	----	----	----/*0.067A	0.030B/*0.067A	----	0.058 - 0.022	.0110	----	----	----	----	14 UNCH
5325	----	----	----	0.032B/*0.101A	----	0.059 - 0.024	.0112	----	----	----	----	10 UNCH
5350	----	----	----	0.035B/*0.097A	----	0.061 - 0.024	.0117	----	----	----	----	12 UNCH
5375	----	----	----	0.037B/*0.099A	----	0.062 - 0.026	.0119	----	----	----	----	10 UNCH
5400	----	----	----	0.045B/0.102A	----	0.063 - 0.029	.0122	----	----	----	----	24 UNCH
5425	----	----	----	0.041B/*0.104A	----	0.065 - 0.030	.0127	----	----	----	----	4 UNCH
5450	0.096	0.096	0.096/*0.096	0.096/*0.096	----	0.066 - 0.032	.0130	----	----	1	----	2 UNCH
5475	----	----	----	0.046B/*0.109A	----	0.068 - 0.034	.0134	----	----	----	----	13 UNCH
5500	0.090	0.090	0.090/*0.083A	0.090/*0.083A	----	0.070 - 0.036	.0139	----	----	2	----	639 - 2
5525	----	----	----/*0.087A	0.069B/*0.087A	----	0.072 - 0.038	.0144	----	----	----	----	16 UNCH
5550	----	----	----/*0.098A	0.072B/*0.098A	----	0.074 - 0.041	.0149	----	----	----	----	10 UNCH
5575	----	----	----/*0.096A	0.075B/*0.096A	----	0.076 - 0.044	.0154	----	----	----	----	2 UNCH
5600	0.102	0.102	0.102/*0.098A	0.102/*0.098A	----	0.078 - 0.047	.0159	----	----	1	----	19 + 1
5625	----	----	----/*0.102A	0.082B/*0.102A	----	0.081 - 0.049	.0165	----	----	----	----	2 UNCH
5650	----	----	----/*0.104A	0.085B/*0.104A	----	0.084 - 0.051	.0172	----	----	----	----	51 UNCH
5675	----	----	----/*0.104A	0.089B/*0.104A	----	0.086 - 0.055	.0177	----	----	----	----	21 UNCH
5700	0.100	0.100	0.100/*0.092	0.100/*0.092	----	0.090 - 0.058	.0186	----	----	2	----	243 UNCH
5725	----	----	----/*0.111A	0.101B/*0.111A	----	0.093 - 0.061	.0193	----	----	----	----	3 UNCH
5750	----	----	----/*0.117A	0.106B/*0.117A	----	0.096 - 0.065	.0200	----	----	----	----	226 UNCH
5775	----	----	----/*0.118A	0.112B/*0.118A	----	0.100 - 0.068	.0209	----	----	----	----	9 UNCH
5800	----	----	----/*0.122A	0.118B/*0.122A	----	0.104 - 0.072	.0218	----	----	1	----	102 + 1
5825	----	----	----/*0.127A	0.125B/*0.127A	----	0.108 - 0.076	.0227	----	----	----	----	9 UNCH
5850	----	----	----/*0.138A	0.132B/*0.138A	----	0.113 - 0.080	.0238	----	----	1	----	16 UNCH
5875	----	----	----/*0.133A	0.139B/*0.133A	----	0.118 - 0.084	.0249	----	----	----	----	14 UNCH
5900	----	----	----/*0.138A	0.146B/*0.138A	----	0.122 - 0.089	.0259	----	----	1	----	44 + 1
5925	----	----	----/*0.145A	0.155B/*0.145A	----	0.127 - 0.094	.0270	----	----	----	----	21 UNCH
5950	----	----	----/*0.152A	0.160B/*0.152A	----	0.132 - 0.099	.0282	----	----	----	----	16 UNCH
5975	----	----	----/*0.159A	0.169B/*0.159A	----	0.136 - 0.106	.0292	----	----	----	----	3 UNCH
6000	0.200	0.200	0.200/*0.154A	0.200/*0.154A	----	0.141 - 0.113	.0304	----	----	67	----	898 + 34
6025	----	----	----/*0.172A	0.196B/*0.172A	----	0.146 - 0.120	.0316	----	----	----	----	31 UNCH
6050	----	----	----/*0.180A	0.210B/*0.180A	----	0.151 - 0.127	.0328	----	----	----	----	142 UNCH
6075	----	----	----/*0.189A	0.223B/*0.189A	----	0.157 - 0.134	.0342	----	----	----	----	31 UNCH
6100	----	----	----/*0.199A	0.230B/*0.199A	----	0.164 - 0.140	.0358	----	----	----	----	96 UNCH
6125	----	----	----/*0.203A	0.290B/*0.203A	----	0.172 - 0.146	.0375	----	----	----	----	3 UNCH
6150	----	----	----/*0.210A	0.306B/*0.210A	----	0.182 - 0.151	.0396	----	----	----	----	15 UNCH
6175	0.200	0.200	0.200/*0.200	0.325B/*0.200	----	0.193 - 0.155	.0419	----	----	2	----	307 + 2
6200	0.340	0.340	0.343B/*0.219A	0.343B/*0.219A	----	0.204 - 0.161	.0442	----	----	17	----	258 + 6
6225	----	----	----/*0.232A	0.362B/*0.232A	----	0.215 - 0.167	.0465	----	----	----	----	8 UNCH
6250	----	----	----/*0.242A	0.381B/*0.242A	----	0.226 - 0.174	.0488	----	----	17	----	88 - 5
6275	----	----	----/*0.252A	0.402B/*0.252A	----	0.237 - 0.182	.0512	----	----	----	----	3 UNCH
6300	----	----	----/*0.263A	0.425B/*0.263A	----	0.249 - 0.190	.0537	----	----	4	----	152 - 4
6325	----	----	----/*0.276A	0.448B/*0.276A	----	0.261 - 0.200	.0563	----	----	2	----	19 + 2
6350	----	----	----/*0.291A	0.472B/*0.291A	----	0.274 - 0.210	.0591	----	----	----	----	31 UNCH
6375	----	----	----/*0.305A	0.499B/*0.305A	----	0.289 - 0.219	.0621	----	----	----	----	15 UNCH
6400	----	----	----/*0.319A	0.527B/*0.319A	----	0.304 - 0.230	.0652	----	----	1	----	167 UNCH
6425	----	----	----/*0.334A	0.555B/*0.334A	----	0.321 - 0.241	.0686	----	----	1	----	44 + 1
6450	----	----	----/*0.346A	0.585B/*0.346A	----	0.339 - 0.252	.0722	----	----	9	----	58 + 9
6475	0.351	0.351	0.351/*0.351	0.618B/*0.351	----	0.358 - 0.264	.0760	----	----	1	----	110 + 1
6500	0.597	0.597	0.651B/*0.371	0.651B/*0.371	----	0.378 - 0.276	.0799	----	----	115	----	527 - 13
6525	----	----	----/*0.400A	0.689B/*0.400A	----	0.399 - 0.290	.0840	----	----	----	----	38 UNCH
6550	----	----	0.726B/*0.420A	0.726B/*0.420A	----	0.422 - 0.303	.0884	----	----	9	----	74 + 9
6575	----	----	0.764B/*0.441A	0.764B/*0.441A	----	0.445 - 0.318	.0928	----	----	----	----	8 UNCH
6600	----	----	0.807B/*0.461A	0.807B/*0.461A	----	0.470 - 0.333	.0975	----	----	5	----	178 + 4
6625	0.550	0.550	0.850B/*0.485A	0.850B/*0.485A	----	0.496 - 0.349	.1024	----	----	6	----	22 + 5
6650	0.514	0.514	0.896B/*0.509A	0.896B/*0.509A	----	0.523 - 0.366	.1075	----	----	3	----	20 + 2
6675	0.545	0.545	0.946B/*0.534A	0.946B/*0.534A	----	0.551 - 0.384	.1127	----	----	6	----	26 + 6
6700	0.884	0.884	0.996B/*0.561A	0.996B/*0.561A	----	0.581 - 0.402	.1181	----	----	16	----	138 + 7
6725	0.603	0.603	1.052B/*0.589A	1.052B/*0.589A	----	0.614 - 0.419	.1240	----	----	5	----	38 + 5
6750	1.050	1.050	1.105B/*0.619A	1.105B/*0.619A	----	0.648 - 0.438	.1300	----	----	10	----	51 - 6
6775	----	----	1.166B/*0.651A	1.166B/*0.651A	----	0.685 - 0.455	.1364	----	----	----	----	8 UNCH
6800	0.882	0.882	1.225B/*0.677	1.225B/*0.677	----	0.724 - 0.474	.1430	----	----	9	----	92 + 5
6825	----	----	1.291B/*0.719A	1.291B/*0.719A	----	0.765 - 0.492	.1499	----	----	1	----	2 - 1
6850	1.130	1.130	1.356B/*0.756A	1.356B/*0.756A	----	0.809 - 0.510	.1571	----	----	5	----	67 + 4
6875	----	----	1.426B/*0.794A	1.426B/*0.794A	----	0.855 - 0.529	.1645	----	----	----	----	3 UNCH
6900	0.879	0.879	1.496B/*0.836A	1.496B/*0.836A	----	0.903 - 0.548	.1722	----	----	4	----	116 + 3
6925	----	----	1.573B/*0.883A	1.573B/*0.883A	----	0.954 - 0.566	.1801	----	----	----	----	10 UNCH
6950	----	----	1.651B/*0.926A	1.651B/*0.926A	----	1.007 - 0.586	.1882	----	----	1	----	30 UNCH
6975	----	----	1.732B/*0.978A	1.732B/*0.978A	----	1.063 - 0.605	.1966	----	----	1	----	10 UNCH
7000	1.300	1.300	1.815B/*1.016A	1.815B/*1.016A	----	1.121 - 0.625	.2052	----	----	52	----	762 + 4
7025	----	----	1.902B/*1.080A	1.902B/*1.080A	----	1.181 - 0.646	.2140	----	----	----	----	20 UNCH
7050	----	----	1.991B/*1.121A	1.991B/*1.121A	----	1.243 - 0.667	.2229	----	----	2	----	52 UNCH
7075	1.727	1.727	2.087B/*1.182A	2.087B/*1.182A	----	1.308 - 0.689	.2321	----	----	1	----	43 - 1
7100	----	----	2.182B/*1.235A	2.182B/*1.235A	----	1.375 - 0.711	.2414	----	----	20	----	115 UNCH
7125	1.889	1.889	2.281B/*1.308A	2.281B/*1.308A	----	1.445 - 0.734	.2510	----	----	1	----	10 + 1
7150	----	----	2.386B/*1.365A	2.386B/*1.365A	----	1.517 - 0.757	.2607	----	----	----	----	30 UNCH
7175	1.698	1.698	2.493B/1.429A	2.493B/1.429A	----	1.592 - 0.781	.2706	----	----	3	----	67 - 1
7200	1.548	1.548	2.602B/1.499A	2.602B/1.499A	----	1.669 - 0.806	.2806	----	----	3	----	334 UNCH
7225	----	----	2.717B/1.580A	2.717B/1.580A	----	1.749 - 0.830	.2909	----	----	----	----	10 UNCH
7250	2.485	2.485	2.832B/1.652A	2.832B/1.652A	----	1.832 - 0.855	.3012	----	----	1	----	22 - 1
7275	----	----	2.952B/1.730A	2.952B/1.730A	----	1.918 - 0.880	.3118	----	----	----	----	10 UNCH
7300	2.682	2.682	3.074B/1.799A	3.074B/1.799A	----	2.007 - 0.905	.3224	----	----	12	----	109 + 9
7325	----	----	3.199B/1.894A	3.199B/1.894A	----	2.099 - 0.931	.3333	----	----	----	----	17 UNCH
7350	----	----	3.328B/1.968A	3.328B/1.968A	----	2.194 - 0.956	.3442	----	----	----	----	42 UNCH
7375	2.900	2.900	3.460B/2.070A	3.460B/2.070A	----	2.292 - 0.982	.3552	----	----	3	----	20 + 3
7400	----	----	3.597B/2.148A	3.597B/2.148A	----	2.393 - 1.008	.3664	----	----	17	----	71 + 14
7425	----	----	3.732B/2.253A	3.732B/2.253A	----	2.497 - 1.034	.3776	----	----	----	----	4 UNCH
7450	----	----	3.873B/2.347A	3.873B/2.347A	----	2.605 - 1.059	.3889	----	----	1	----	58 UNCH
7475	2.945	2.945	4.015B/2.449A	4.015B/2.449A	----	2.716 - 1.085	.4002	----	----	2	----	18 + 2
7500	2.700	2.700	4.135B/2.543A	4.135B/2.543A	----	2.829 - 1.111	.4116	----	----	4	----	425 UNCH
7525	----	----	4.270B/2.657A	4.270B/2.657A	----	2.946 - 1.137	.4231	----	----	----	----	6 UNCH
7550	2.940	2.940	4.424B/2.766A	4.424B/2.766A	----	3.067 - 1.161	.4345	----	----	1	----	21 + 1
7575	----	----	4.555B/2.878A	4.555B/2.878A	----	3.190 - 1.187	.4460	----	----	----	----	5 UNCH
7600	4.200	4.200	4.740/2.983A	4.740/2.983A	----	3.317 - 1.212	.4575	----	----	7	----	85 UNCH
7625	----	----	----/3.116A	4.475B/3.116A	----	3.446 - 1.238	.4689	----	----	----	----	3 UNCH
7650	----	----	----/3.232A	4.630B/3.232A	----	3.579 - 1.262	.4804	----	----	----	----	10 UNCH
7675	----	----	----/3.351A	4.621B/3.351A	----	3.715 - 1.287	.4917	----	----	----	----	2 UNCH
7700	3.787	3.787	3.787/3.475A	4.789B/3.475A	----	3.854 - 1.312	.5030	----	----	5	----	67 - 5
7725	----	----	----/3.610A	4.921B/3.610A	----	3.996 - 1.336	.5143	----	----	----	----	23 UNCH
7750	----	----	----/3.744A	4.958B/3.744A	----	4.141 - 1.360	.5255	----	----	----	----	5 UNCH
7775	----	----	----/3.872A	5.189B/3.872A	----	4.288 - 1.385	.5366	----	----	----	----	30 UNCH
7800	----	----	----/4.021A	5.359B/4.021A	----	4.439 - 1.409	.5475	----	----	----	----	42 UNCH
7825	----	----	----/4.196A	5.449B/4.196A	----	4.593 - 1.432	.5584	----	----	----	----	5 UNCH
7850	----	----	----/4.346A	5.670B/4.346A	----	4.749 - 1.456	.5692	----	----	----	----	10 UNCH
7875	----	----	----/4.488A	5.873B/4.488A	----	4.909 - 1.478	.5798	----	----	----	----	21 UNCH
7900	----	----	----/4.623A	6.331B/4.623A	----	5.071 - 1.501	.5903	----	----	17	----	120 + 8
7925	----	----	----/4.797A	6.232B/4.797A	----	5.235 - 1.524	.6007	----	----	----	----	11 UNCH
7950	----	----	----/4.951A	6.414B/4.951A	----	5.402 - 1.546	.6109	----	----	----	----	23 UNCH
7975	----	----	----/5.103A	6.533B/5.103A	----	5.572 - 1.568	.6210	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUN26												
8000	5.775	5.775	5.779/5.250A	7.279B/5.250A	----	5.745 - 1.589	.6309	----	----	4	----	181 - 1
8025	----	----	----/5.416A	6.985B/5.416A	----	5.919 - 1.611	.6407	----	----	----	----	1 UNCH
8050	----	----	----/5.602A	7.178B/5.602A	----	6.097 - 1.631	.6502	----	----	----	----	4 UNCH
8075	----	----	----/5.841A	7.373B/5.841A	----	6.276 - 1.652	.6596	----	----	----	----	1 UNCH
8100	----	----	----/6.011A	7.571B/6.011A	----	6.458 - 1.673	.6688	----	----	----	----	7 UNCH
8125	----	----	----/6.183A	7.772B/6.183A	----	6.642 - 1.693	.6779	----	----	----	----	2 UNCH
8150	7.000	7.000	7.000/6.357A	7.978B/6.357A	----	6.828 - 1.713	.6868	----	----	2	----	6 UNCH
8175	----	----	----/6.498A	8.223B/6.498A	----	7.017 - 1.731	.6955	----	----	----	----	43 UNCH
8200	----	----	----/6.714A	8.386B/6.714A	----	7.207 - 1.751	.7040	----	----	----	----	24 UNCH
8225	----	----	----/6.896A	8.594B/6.896A	----	7.400 - 1.769	.7124	----	----	----	----	6 UNCH
8250	----	----	----/7.079A	8.808B/7.079A	----	7.594 - 1.788	.7206	----	----	----	----	18 UNCH
8275	----	----	----/7.229A	9.017B/7.229A	----	7.790 - 1.806	.7285	----	----	----	----	41 UNCH
8300	----	----	----/7.454A	9.227B/7.454A	----	7.988 - 1.824	.7363	----	----	1	----	8 UNCH
8350	----	----	----/7.823A	9.633B/7.823A	----	8.389 - 1.859	.7514	----	----	----	----	18 UNCH
8375	----	----	----/8.031A	9.874B/8.031A	----	8.593 - 1.875	.7586	----	----	----	----	1 UNCH
8400	----	----	----/8.227A	10.093B/8.227A	----	8.797 - 1.892	.7657	----	----	----	----	3 UNCH
8425	----	----	----/8.349A	10.367B/8.349A	----	9.004 - 1.908	.7726	----	----	----	----	63 UNCH
8450	----	----	----/8.610A	10.513B/8.610A	----	9.212 - 1.924	.7793	----	----	----	----	18 UNCH
8475	----	----	----/8.826A	10.741B/8.826A	----	9.421 - 1.940	.7858	----	----	----	----	2 UNCH
8500	----	----	----/8.952A	11.024B/8.952A	----	9.632 - 1.955	.7922	----	----	----	----	70 UNCH
8525	----	----	----/9.234A	11.189B/9.234A	----	9.844 - 1.970	.7984	----	----	----	----	1 UNCH
8550	----	----	----/9.441A	11.409B/9.441A	----	10.057 - 1.985	.8044	----	----	----	----	1 UNCH
8575	----	----	----/9.649A	11.636B/9.649A	----	10.272 - 1.999	.8103	----	----	----	----	1 UNCH
8600	10.000	10.000	10.000/9.859A	11.871B/9.859A	----	10.488 - 2.012	.8160	----	----	2	----	5 + 1
8625	----	----	----/10.070A	12.084B/10.070A	----	10.706 - 2.025	.8216	----	----	1	----	10 - 1
8650	----	----	----/10.282A	12.323B/10.282A	----	10.924 - 2.038	.8270	----	----	----	----	2 UNCH
8675	----	----	----/10.496A	12.550B/10.496A	----	11.144 - 2.051	.8322	----	----	----	----	2 UNCH
8700	----	----	----/10.712A	12.775B/10.712A	----	11.364 - 2.063	.8373	----	----	----	----	14 UNCH
8750	----	----	----/11.106A	13.318B/11.106A	----	11.809 - 2.086	.8470	----	----	----	----	26 UNCH
8775	----	----	----/11.366A	13.480B/11.366A	----	12.033 - 2.097	.8517	----	----	----	----	1 UNCH
8800	----	----	----/11.586A	13.708B/11.586A	----	12.258 - 2.107	.8561	----	----	----	----	14 UNCH
8825	----	----	----/11.808A	13.943B/11.808A	----	12.484 - 2.117	.8604	----	----	----	----	15 UNCH
8850	----	----	----/12.030A	14.179B/12.030A	----	12.710 - 2.128	.8647	----	----	----	----	6 UNCH
8925	----	----	----/12.679A	14.896B/12.679A	----	13.396 - 2.154	.8764	----	----	----	----	4 UNCH
8975	----	----	----/13.157A	15.886B/13.157A	----	13.857 - 2.169	.8838	----	----	----	----	2 UNCH
9000	13.660	13.660	13.660/13.302A	15.944B/13.302A	----	14.089 - 2.176	.8872	----	----	1	----	135 + 1
9050	----	----	----/13.843A	16.084B/13.843A	----	14.554 - 2.190	.8937	----	----	----	----	3 UNCH
9075	----	----	----/14.074A	16.317B/14.074A	----	14.788 - 2.196	.8968	----	----	----	----	2 UNCH
9100	----	----	----/14.304A	16.564B/14.304A	----	15.022 - 2.203	.8999	----	----	----	----	6 UNCH
9125	----	----	----/14.536A	16.805B/14.536A	----	15.257 - 2.208	.9027	----	----	----	----	1 UNCH
9150	----	----	----/14.769A	17.046B/14.769A	----	15.493 - 2.213	.9055	----	----	----	----	1 UNCH
9175	----	----	----/15.003A	17.288B/15.003A	----	15.729 - 2.218	.9082	----	----	----	----	1 UNCH
9200	----	----	----/15.136A	17.608B/15.136A	----	15.965 - 2.224	.9108	----	----	----	----	80 UNCH
9325	----	----	----/16.446A	18.742B/16.446A	----	17.156 - 2.246	.9226	----	----	----	----	1 UNCH
9450	----	----	----/17.607A	19.961B/17.607A	----	18.357 - 2.264	.9324	----	----	----	----	6 UNCH
9500	----	----	----/18.002A	20.547B/18.002A	----	18.840 - 2.271	.9358	----	----	----	----	138 UNCH
9525	----	----	----/18.326A	20.695B/18.326A	----	19.082 - 2.274	.9375	----	----	----	----	1 UNCH
9550	----	----	----/18.567A	20.941B/18.567A	----	19.324 - 2.277	.9391	----	----	----	----	1 UNCH
9575	----	----	----/18.808A	21.186B/18.808A	----	19.567 - 2.280	.9406	----	----	----	----	2 UNCH
9725	----	----	----/20.275A	22.661B/20.275A	----	21.027 - 2.298	.9488	----	----	----	----	1 UNCH
9825	----	----	----/21.234A	23.646B/21.234A	----	22.005 - 2.309	.9534	----	----	----	----	1 UNCH
9850	----	----	----/21.478A	23.893B/21.478A	----	22.250 - 2.312	.9543	----	----	----	----	1 UNCH
9900	----	----	----/21.966A	24.386B/21.966A	----	22.741 - 2.317	.9563	----	----	----	----	17 UNCH
9925	----	----	----/22.210A	24.633B/22.210A	----	22.986 - 2.320	.9573	----	----	----	----	1 UNCH
9950	----	----	----/22.455A	24.880B/22.455A	----	23.232 - 2.322	.9582	----	----	----	----	1 UNCH
10000	----	----	----/22.859A	25.454B/22.859A	----	23.723 - 2.328	.9600	----	----	----	----	97 UNCH
10025	----	----	----/23.189A	25.621B/23.189A	----	23.969 - 2.331	.9608	----	----	----	----	2 UNCH
10075	----	----	----/23.680A	26.116B/23.680A	----	24.462 - 2.336	.9624	----	----	----	----	1 UNCH
10100	----	----	----/23.925A	26.363B/23.925A	----	24.708 - 2.339	.9631	----	----	----	----	6 UNCH
10125	----	----	----/24.171A	26.611B/24.171A	----	24.955 - 2.341	.9638	----	----	----	----	1 UNCH
10150	----	----	----/24.416A	26.859B/24.416A	----	25.202 - 2.344	.9645	----	----	----	----	8 UNCH
10175	----	----	----/24.662A	27.106B/24.662A	----	25.448 - 2.347	.9652	----	----	----	----	2 UNCH
10200	----	----	----/24.822A	27.433B/24.822A	----	25.695 - 2.349	.9658	----	----	----	----	120 UNCH
10225	----	----	----/25.154A	27.602B/25.154A	----	25.942 - 2.352	.9665	----	----	----	----	1 UNCH
10325	----	----	----/26.139A	28.593B/26.139A	----	26.931 - 2.359	.9690	----	----	----	----	1 UNCH
10350	----	----	----/26.386A	28.842B/26.386A	----	27.178 - 2.360	.9694	----	----	----	----	1 UNCH
10375	----	----	----/26.633A	29.090B/26.633A	----	27.425 - 2.362	.9701	----	----	----	----	1 UNCH
10400	----	----	----/26.880A	29.338B/26.880A	----	27.673 - 2.362	.9706	----	----	----	----	1 UNCH
10500	28.250	28.250	28.690/27.868A	30.331B/27.868A	----	28.664 - 2.360	.9726	----	----	2	----	9 - 2
10600	----	----	----/28.857A	31.326B/28.857A	----	29.655 - 2.356	.9744	----	----	----	----	5 UNCH
10825	----	----	----/31.088A	33.565B/31.088A	----	31.886 - 2.358	.9782	----	----	----	----	6 UNCH
10850	----	----	----/31.336A	33.814B/31.336A	----	32.134 - 2.359	.9786	----	----	----	----	4 UNCH
10875	----	----	----/31.584A	34.064B/31.584A	----	32.382 - 2.360	.9791	----	----	----	----	2 UNCH
10950	----	----	----/32.329A	34.810B/32.329A	----	33.127 - 2.363	.9801	----	----	----	----	3 UNCH
11000	----	----	----/32.825A	35.308B/32.825A	----	33.623 - 2.365	.9808	----	----	----	----	7 UNCH
11325	----	----	----/36.058A	38.550B/36.058A	----	36.855 - 2.379	.9845	----	----	----	----	1 UNCH
11500	----	----	----/37.801A	40.281B/37.801A	----	38.600 - 2.382	.9857	----	----	----	----	10 UNCH
11525	----	----	----/38.050A	40.546B/38.050A	----	38.849 - 2.382	.9860	----	----	----	----	1 UNCH
11675	----	----	----/39.545A	42.045B/39.545A	----	40.345 - 2.385	.9869	----	----	----	----	1 UNCH
11700	----	----	----/39.794A	42.295B/39.794A	----	40.594 - 2.385	.9871	----	----	----	----	1 UNCH
12000	----	----	----/42.700A	45.379B/42.700A	----	43.586 - 2.391	.9888	----	----	----	----	50 UNCH
12025	----	----	----/43.037A	45.573B/43.037A	----	43.835 - 2.392	.9890	----	----	----	----	1 UNCH
13000	----	----	----/52.782A	55.318B/52.782A	----	53.571 - 2.401	.9929	----	----	----	----	5 UNCH
TOTAL										508	0	12001 + 112
JUL26												
2000	----	----	----	0.002B/0.028A	----	0.003 - 0.001	.0003	----	----	----	----	6 UNCH
2400	----	----	----	----/0.174A	----	0.007 - 0.001	.0007	----	----	----	----	10 UNCH
2650	----	----	----	----/*0.040A	----	0.010 - 0.002	.0010	----	----	----	----	6 UNCH
3000	----	----	----	----/*0.046A	----	0.015 - 0.003	.0016	----	----	----	----	5 UNCH
3025	----	----	----	----/*0.046A	----	0.016 - 0.002	.0017	----	----	----	----	1 UNCH
3350	----	----	----	0.001B/*0.055A	----	0.023 - 0.004	.0026	----	----	----	----	1 UNCH
3400	----	----	----	0.001B/*0.057A	----	0.024 - 0.004	.0028	----	----	----	----	55 UNCH
3475	----	----	----	0.001B/*0.060A	----	0.026 - 0.005	.0031	----	----	----	----	5 UNCH
3500	----	----	----	0.001B/0.061A	----	0.027 - 0.005	.0032	----	----	----	----	4 UNCH
3600	----	----	----	0.001B/*0.066A	----	0.030 - 0.006	.0036	----	----	----	----	12 UNCH
3700	----	----	----	0.001B/0.071A	----	0.034 - 0.004	.0041	----	----	----	----	91 UNCH
3800	----	----	----	0.001B/*0.077A	----	0.039 - 0.002	.0048	----	----	----	----	25 UNCH
3825	----	----	----	0.001B/*0.079A	----	0.040 - 0.002	.0049	----	----	----	----	8 UNCH
3850	----	----	----	0.001B/*0.080A	----	0.041 - 0.001	.0051	----	----	----	----	3 UNCH
3900	----	----	----	0.001B/*0.083A	----	0.043 - 0.001	.0053	----	----	----	----	11 UNCH
3950	----	----	----	0.001B/*0.087A	----	0.045 UNCH	.0056	----	----	----	----	1 UNCH
4000	----	----	----	0.040B/0.090A	----	0.048 + 0.001	.0061	----	----	----	----	69 UNCH
4075	----	----	----	0.001B/*0.094A	----	0.051 + 0.001	.0065	----	----	----	----	16 UNCH
4100	----	----	----	0.001B/0.095A	----	0.052 + 0.001	.0067	----	----	----	----	6 UNCH
4175	----	----	----	0.002B/0.099A	----	0.055 + 0.001	.0072	----	----	----	----	9 UNCH
4200	----	----	----	0.002B/0.101A	----	0.057 + 0.002	.0075	----	----	----	----	27 UNCH
4225	----	----	----	0.002B/*0.103A	----	0.058 + 0.002	.0076	----	----	----	----	1 UNCH
4250	----	----	----	0.002B/*0.104A	----	0.059 + 0.002	.0078	----	----	----	----	21 UNCH
4300	----	----	----	0.009B/*0.107A	----	0.061 + 0.001	.0082	----	----	----	----	98 UNCH
4325	----	----	----	0.010B/*0.106A	----	0.062 UNCH	.0083	----	----	----	----	17 UNCH
4375	----	----	----	0.023B/*0.101A	----	0.065 UNCH	.0088	----	----	----	----	32 UNCH
4400	----	----	----	0.015B/*0.103A	----	0.066 - 0.001	.0090	----	----	----	----	29 UNCH
4450	----	----	----	0.025B/*0.109A	----	0.069 - 0.002	.0095	----	----	----	----	4 UNCH
4475	----	----	----	0.020B/*0.110A	----	0.070 - 0.003	.0097	----	----	----	----	16 UNCH
4500	----	----	----	0.021B/0.114A	----	0.072 - 0.003	.0100	----	----	----	----	300 UNCH
4575	----	----	----	0.035B/*0.121A	----	0.077 - 0.006	.0108	----	----	----	----	75 UNCH
4600	----	----	----	0.031B/*0.126A	----	0.079 - 0.007	.0111	----	----	----	----	101 UNCH
4650	----	----	----	0.042B/*0.132A	----	0.083 - 0.010	.0118	----	----	----	----	40 UNCH
4675	----	----	----	0.044B/*0.136A	----	0.085 - 0.012	.0121	----	----	----	----	12 UNCH
4700	----	----	----	0.047B/*0.139A	----	0.087 - 0.013	.0125	----	----	----	----	152 UNCH
4725	----	----	----	0.049B/*0.141A	----	0.090 - 0.014	.0129	----	----	----	----	3 UNCH
4750	----	----	----	0.048B/*0.145A	----	0.093 - 0.016	.0134	----	----	----	----	54 UNCH
4775	----	----	----	0.051B/*0.149A	----	0.096 - 0.017	.0138	----	----	----	----	8 UNCH
4800	----	----	----	0.061B/*0.153A	----	0.099 - 0.019	.0143	----	----	----	----	15 UNCH
4825	----	----	----	0.063B/*0.158A	----	0.102 - 0.021	.0147	----	----	----	----	26 UNCH
4850	----	----	----	0.056B/*0.162A	----	0.106 - 0.022	.0153	----	----	----	----	2 UNCH
4875	----	----	----	0.069B/*0.167A	----	0.109 - 0.025	.0158	----	----	----	----	23 UNCH
4900	----	----	----	0.072B/*0.172A	----	0.113 - 0.027	.0164	----	----	----	----	172 UNCH
5000	----	----	----	0.106B/0.190A	----	0.131 - 0.035	.0190	----	----	5	----	893 + 2
5025	----	----	----	0.094B/*0.195A	----	0.136 - 0.037	.0198	----	----	----	----	1 UNCH
5050	----	----	----	0.105B/*0.200A	----	0.141 - 0.040	.0205	----	----	----	----	16 UNCH
5075	----	----	----	0.114B/*0.205A	----	0.147 - 0.042	.0214	----	----	----	----	11 UNCH
5100	----	----	----	0.112B/*0.210A	----	0.152 - 0.045	.0221	----	----	----	----	176 UNCH
5150	----	----	----	0.122B/*0.222A	----	0.164 - 0.051	.0238	----	----	----	----	5 UNCH
5175	----	----	----	0.127B/*0.227A	----	0.170 - 0.054	.0247	----	----	----	----	5 UNCH
5200	----	----	----	0.138B/*0.234A	----	0.177 - 0.057	.0257	----	----	----	----	106 UNCH
5225	----	----	----/*0.241A	0.134B/*0.241A	----	0.183 - 0.061	.0266	----	----	----	----	9 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
JUL26												
5250	----	----	----	0.140B/*0.257A	----	0.190 - 0.065	.0276	----	----	----	----	225 UNCH
5275	----	----	----/*0.264A	0.151B/*0.264A	----	0.196 - 0.069	.0285	----	----	----	----	2 UNCH
5300	----	----	----/*0.271A	0.160B/*0.271A	----	0.203 - 0.074	.0296	----	----	----	----	126 UNCH
5325	----	----	----/*0.279A	0.162B/*0.279A	----	0.210 - 0.078	.0306	----	----	----	----	11 UNCH
5350	----	----	----/*0.285A	0.171B/*0.285A	----	0.216 - 0.084	.0315	----	----	----	----	26 UNCH
5375	----	----	----/*0.296A	0.183B/*0.296A	----	0.223 - 0.090	.0326	----	----	----	----	17 UNCH
5400	----	----	----/*0.304A	0.191B/*0.304A	----	0.230 - 0.095	.0337	----	----	----	----	75 UNCH
5425	----	----	----/*0.313A	0.200B/*0.313A	----	0.236 - 0.102	.0346	----	----	----	----	49 UNCH
5450	----	----	----/*0.318A	0.210B/*0.318A	----	0.243 - 0.109	.0357	----	----	----	----	38 UNCH
5475	----	----	----/*0.327A	0.221B/*0.327A	----	0.250 - 0.116	.0368	----	----	----	----	53 UNCH
5500	0.250	0.250	0.250/*0.250	0.279B/*0.250	----	0.257 - 0.123	.0379	----	----	6	----	1061 UNCH
5525	----	----	----/*0.282A	0.305B/*0.282A	----	0.264 - 0.130	.0391	----	----	----	----	87 UNCH
5550	----	----	----/*0.292A	0.320B/*0.292A	----	0.272 - 0.137	.0403	----	----	----	----	18 UNCH
5575	----	----	----/*0.301A	0.329B/*0.301A	----	0.280 - 0.145	.0416	----	----	----	----	3 UNCH
5600	----	----	----/*0.315A	0.344B/*0.315A	----	0.289 - 0.152	.0429	----	----	----	----	31 UNCH
5625	----	----	----/*0.324A	0.357B/*0.324A	----	0.299 - 0.158	.0444	----	----	----	----	3 UNCH
5650	----	----	----/*0.340A	0.380B/*0.340A	----	0.310 - 0.164	.0460	----	----	----	----	29 UNCH
5675	----	----	----/*0.340A	0.396B/*0.340A	----	0.321 - 0.170	.0477	----	----	----	----	45 UNCH
5700	----	----	----/*0.363A	0.413B/*0.363A	----	0.333 - 0.176	.0494	----	----	----	----	299 UNCH
5725	----	----	----/*0.373A	0.421B/*0.373A	----	0.346 - 0.182	.0512	----	----	----	----	3 UNCH
5750	----	----	----/*0.390A	0.504B/*0.390A	----	0.360 - 0.187	.0532	----	----	----	----	52 UNCH
5775	----	----	----/*0.403A	0.527B/*0.403A	----	0.375 - 0.192	.0553	----	----	----	----	2 UNCH
5800	----	----	----/*0.419A	0.551B/*0.419A	----	0.391 - 0.196	.0574	----	----	----	----	30 UNCH
5825	----	----	----/*0.433A	0.574B/*0.433A	----	0.407 - 0.202	.0596	----	----	----	----	3 UNCH
5850	----	----	----/*0.448A	0.599B/*0.448A	----	0.425 - 0.206	.0620	----	----	----	----	114 UNCH
5875	----	----	----/*0.475A	0.625B/*0.475A	----	0.443 - 0.210	.0644	----	----	----	----	3 UNCH
5900	----	----	----/*0.485A	0.651B/*0.485A	----	0.463 - 0.214	.0670	----	----	----	----	6 UNCH
5925	----	----	----/*0.508A	0.678B/*0.508A	----	0.483 - 0.219	.0696	----	----	----	----	1 UNCH
5950	----	----	----/*0.522A	0.707B/*0.522A	----	0.504 - 0.224	.0724	----	----	----	----	2 UNCH
5975	----	----	----/*0.539A	0.735B/*0.539A	----	0.526 - 0.229	.0752	----	----	----	----	1 UNCH
6000	0.746	0.746	0.746/*0.534	0.766B/*0.534	----	0.549 - 0.234	.0781	----	----	75	50	621 - 80
6050	0.750	0.750	0.829B/*0.606A	0.829B/*0.606A	----	0.598 - 0.244	.0843	----	----	3	----	10 + 2
6100	----	----	----/*0.652A	0.900B/*0.652A	----	0.651 - 0.255	.0908	----	----	1	----	289 + 1
6125	----	----	----/*0.673A	0.931B/*0.673A	----	0.678 - 0.263	.0941	----	----	----	----	2 UNCH
6150	----	----	----/*0.700A	0.956B/*0.700A	----	0.707 - 0.269	.0976	----	----	----	----	8 UNCH
6200	----	----	----/*0.752A	1.037B/*0.752A	----	0.768 - 0.284	.1049	----	----	5	----	41 + 5
6225	----	----	1.094B/*0.780A	1.094B/*0.780A	----	0.800 - 0.292	.1087	----	----	----	----	1 UNCH
6250	----	----	1.137B/*0.810A	1.137B/*0.810A	----	0.833 - 0.300	.1125	----	----	2	----	27 + 1
6275	----	----	1.182B/*0.843A	1.182B/*0.843A	----	0.868 - 0.308	.1166	----	----	----	----	1 UNCH
6300	----	----	1.230B/*0.874A	1.230B/*0.874A	----	0.904 - 0.317	.1207	----	----	2	----	252 UNCH
6325	----	----	1.276B/*0.909A	1.276B/*0.909A	----	0.941 - 0.327	.1249	----	----	----	----	20 UNCH
6375	----	----	1.378B/*0.979A	1.378B/*0.979A	----	1.019 - 0.346	.1336	----	----	----	----	7 UNCH
6400	1.300	1.300	1.433B/*1.015A	1.433B/*1.015A	----	1.060 - 0.357	.1381	----	----	1	----	80 - 1
6425	----	----	1.487B/*1.056A	1.487B/*1.056A	----	1.102 - 0.368	.1427	----	----	----	----	1 UNCH
6450	----	----	1.543B/*1.094A	1.543B/*1.094A	----	1.146 - 0.379	.1475	----	----	1	----	2 + 1
6475	----	----	1.603B/*1.137A	1.603B/*1.137A	----	1.192 - 0.390	.1524	----	----	----	----	1 UNCH
6500	1.550	1.550	1.665B/*1.177A	1.665B/*1.177A	----	1.238 - 0.403	.1573	----	----	7	----	729 + 7
6550	----	----	1.793B/*1.268A	1.793B/*1.268A	----	1.337 - 0.427	.1675	----	----	5	----	51 + 5
6575	----	----	1.859B/*1.314A	1.859B/*1.314A	----	1.389 - 0.440	.1728	----	----	----	----	7 UNCH
6600	1.848	1.848	1.929B/*1.371A	1.929B/*1.371A	----	1.442 - 0.453	.1782	----	----	2	----	31 UNCH
6650	1.963	1.963	2.073B/*1.458A	2.073B/*1.458A	----	1.554 - 0.481	.1892	----	----	1	----	129 + 1
6700	1.725	1.725	2.228B/*1.571A	2.228B/*1.571A	----	1.674 - 0.508	.2008	----	----	16	----	35 + 10
6725	----	----	2.301B/*1.634A	2.301B/*1.634A	----	1.736 - 0.523	.2066	----	----	----	----	1 UNCH
6750	----	----	2.389B/*1.686A	2.389B/*1.686A	----	1.800 - 0.538	.2126	----	----	9	----	31 + 5
6800	1.936	1.936	2.558B/*1.808A	2.558B/*1.808A	----	1.935 - 0.567	.2249	----	----	54	----	338 + 4
6825	----	----	2.649B/*1.881A	2.649B/*1.881A	----	2.005 - 0.583	.2312	----	----	----	----	2 UNCH
6900	----	----	2.927B/*2.069A	2.927B/*2.069A	----	2.228 - 0.629	.2506	----	----	----	----	120 UNCH
6925	----	----	3.026B/*2.172A	3.026B/*2.172A	----	2.306 - 0.645	.2572	----	----	----	----	0 UNCH
6950	----	----	3.125B/*2.234A	3.125B/*2.234A	----	2.387 - 0.661	.2639	----	----	1	----	1 UNCH
6975	----	----	3.229B/*2.311A	3.229B/*2.311A	----	2.470 - 0.676	.2706	----	----	----	----	1 UNCH
7000	2.510	2.510	3.330B/2.367A	3.330B/2.367A	----	2.555 - 0.692	.2775	----	----	86	----	721 + 52
7025	----	----	3.438B/2.450A	3.438B/2.450A	----	2.642 - 0.708	.2844	----	----	----	----	135 UNCH
7050	----	----	3.548B/*2.549A	3.548B/*2.549A	----	2.731 - 0.724	.2913	----	----	----	----	2 UNCH
7075	----	----	3.662B/*2.633A	3.662B/*2.633A	----	2.823 - 0.739	.2984	----	----	----	----	1 UNCH
7100	2.845	2.845	3.776B/2.719A	3.776B/2.719A	----	2.917 - 0.754	.3055	----	----	1	----	21 UNCH
7125	2.939	2.939	3.890B/*2.813A	3.890B/*2.813A	----	3.013 - 0.770	.3126	----	----	1	----	10 UNCH
7150	2.830	2.830	4.009B/*2.830	4.009B/*2.830	----	3.111 - 0.786	.3197	----	----	3	----	102 + 1
7175	----	----	4.133B/*2.993A	4.133B/2.993A	----	3.212 - 0.801	.3270	----	----	----	----	31 UNCH
7200	3.032	3.032	4.253B/3.032	4.253B/3.032	----	3.315 - 0.816	.3342	----	----	4	----	92 - 2
7250	----	----	4.507B/3.279A	4.507B/3.279A	----	3.526 - 0.848	.3488	----	----	----	----	188 UNCH
7300	3.450	3.450	4.769B/3.450	4.769B/3.450	----	3.747 - 0.878	.3635	----	----	1	----	34 + 1
7350	----	----	5.048B/3.706A	5.048B/3.706A	----	3.977 - 0.908	.3782	----	----	----	----	7 UNCH
7375	4.025	4.025	5.178B/3.802A	5.178B/3.802A	----	4.094 - 0.924	.3856	----	----	68	----	113 - 19
7400	4.355	4.355	5.315B/3.927A	5.315B/3.927A	----	4.214 - 0.939	.3930	----	----	1	----	24 + 1
7425	5.243	5.243	5.463B/4.041A	5.463B/4.041A	----	4.336 NEW	.4004	----	----	8	----	8 + 8
7450	----	----	5.536B/4.158A	5.536B/4.158A	----	4.461 - 0.969	.4078	----	----	----	----	1 UNCH
7500	----	----	5.911B/4.383A	5.911B/4.383A	----	4.715 - 1.000	.4225	----	----	----	----	53 UNCH
7525	----	----	6.055B/4.507A	6.055B/4.507A	----	4.846 - 1.014	.4299	----	----	----	----	25 UNCH
7550	----	----	6.215B/4.643A	6.215B/4.643A	----	4.978 - 1.030	.4372	----	----	----	----	8 UNCH
7600	5.050	5.050	6.520B/4.895A	6.520B/4.895A	----	5.249 - 1.060	.4518	----	----	1	----	4 + 1
7625	----	----	6.657B/5.027A	6.657B/5.027A	----	5.388 - 1.074	.4591	----	----	----	----	2 UNCH
7650	----	----	6.697B/5.156A	6.697B/5.156A	----	5.528 - 1.089	.4663	----	----	----	----	25 UNCH
7675	----	----	6.815B/5.295A	6.815B/5.295A	----	5.670 - 1.104	.4735	----	----	----	----	14 UNCH
7700	----	----	----/5.416A	6.872B/5.416A	----	5.815 - 1.118	.4806	----	----	----	----	104 UNCH
7800	----	----	7.703B/5.984A	7.703B/5.984A	----	6.412 - 1.176	.5088	----	----	----	----	74 UNCH
7825	----	----	----/6.143A	7.746B/6.143A	----	6.566 - 1.191	.5158	----	----	----	----	6 UNCH
7850	----	----	----/6.291A	7.879B/6.291A	----	6.722 - 1.205	.5226	----	----	----	----	6 UNCH
7875	----	----	----/6.434A	8.042B/6.434A	----	6.880 - 1.219	.5295	----	----	----	----	25 UNCH
7900	----	----	----/6.593A	8.217B/6.593A	----	7.039 - 1.233	.5362	----	----	----	----	11 UNCH
7975	----	----	----/7.060A	8.748B/7.060A	----	7.528 - 1.275	.5561	----	----	----	----	5 UNCH
8000	----	----	----/7.204A	8.928B/7.204A	----	7.695 - 1.288	.5627	----	----	----	----	286 UNCH
8100	----	----	----/7.871A	9.617B/7.871A	----	8.377 - 1.343	.5880	----	----	----	----	44 UNCH
8125	----	----	----/8.046A	9.805B/8.046A	----	8.552 - 1.356	.5942	----	----	----	----	7 UNCH
8150	----	----	----/8.416A	9.994B/8.416A	----	8.728 - 1.370	.6003	----	----	1	----	1 + 1
8175	----	----	----/8.385A	10.185B/8.385A	----	8.906 - 1.383	.6063	----	----	----	----	1 UNCH
8225	----	----	----/8.733A	10.570B/8.733A	----	9.266 - 1.409	.6182	----	----	----	----	1 UNCH
8250	----	----	----/8.898A	10.388B/8.898A	----	9.449 - 1.421	.6240	----	----	----	----	46 UNCH
8300	----	----	----/9.244A	10.784B/9.244A	----	9.818 - 1.447	.6354	----	----	----	----	128 UNCH
8375	----	----	----/9.898A	11.282B/9.898A	----	10.382 - 1.484	.6519	----	----	----	----	2 UNCH
8400	----	----	----/10.046A	11.559B/10.046A	----	10.572 - 1.497	.6572	----	----	----	----	7 UNCH
8500	----	----	----/10.738A	12.394B/10.738A	----	11.348 - 1.545	.6779	----	----	----	----	57 UNCH
8575	11.613	11.613	11.613/11.400A	12.917B/11.400A	----	11.942 - 1.581	.6925	----	----	3	----	0 - 3
8600	----	----	----/11.503A	13.233B/11.503A	----	12.143 - 1.592	.6973	----	----	----	----	56 UNCH
8700	----	----	----/12.379A	13.950B/12.379A	----	12.955 - 1.637	.7155	----	----	----	----	4 UNCH
9000	----	----	----/14.740A	16.718B/14.740A	----	15.475 - 1.764	.7637	----	----	----	----	312 UNCH
9200	----	----	----/16.542A	18.439B/16.542A	----	17.212 - 1.839	.7911	----	----	----	----	11 UNCH
9400	----	----	----/18.297A	20.260B/18.297A	----	18.986 - 1.908	.8153	----	----	----	----	1 UNCH
9450	----	----	----/18.742A	20.722B/18.742A	----	19.435 - 1.923	.8208	----	----	----	----	12 UNCH
9500	----	----	----/19.092A	21.267B/19.092A	----	19.886 - 1.939	.8262	----	----	----	----	218 UNCH
9600	----	----	----/19.992A	22.199B/19.992A	----	20.794 - 1.967	.8363	----	----	----	----	50 UNCH
9900	----	----	----/22.837A	24.929B/22.837A	----	23.560 - 2.037	.8626	----	----	----	----	6 UNCH
9950	----	----	----/23.300A	25.415B/23.300A	----	24.026 - 2.046	.8665	----	----	----	----	5 UNCH
10000	----	----	----/23.664A	25.980B/23.664A	----	24.493 - 2.056	.8702	----	----	----	----	205 UNCH
10275	----	----	----/26.342A	28.503B/26.342A	----	27.079 - 2.100	.8890	----	----	----	----	7 UNCH
10500	----	----	----/28.476A	31.050B/28.476A	----	29.217 - 2.133	.9020	----	----	----	----	3 UNCH
10600	----	----	----/29.430A	31.644B/29.430A	----	30.173 - 2.148	.9073	----	----	----	----	9 UNCH
11000	----	----	----/33.175A	35.657B/33.175A	----	34.025 - 2.201	.9248	----	----	----	----	217 UNCH
11300	----	----	----/36.187A	38.482B/36.187A	----	36.937 - 2.235	.9354	----	----	----	----	10 UNCH
11500	----	----	----/38.137A	40.461B/38.137A	----	38.887 - 2.255	.9415	----	----	----	----	1 UNCH
12000	----	----	----/43.038A	45.419B/43.038A	----	43.784 - 2.296	.9540	----	----	----	----	15 UNCH
13000	----	----	----/52.917A	55.265B/52.917A	----	53.658 - 2.349	.9704	----	----	----	----	6 UNCH
TOTAL										374	50	11628 + 4
AUG26												
3300	----	----	----	0.001B/0.211A	----	0.021 - 0.007	.0024	----	----	----	----	2 UNCH
3900	----	----	----	0.016B/*0.149A	----	0.057 - 0.020	.0067	----	----	----	----	2 UNCH
4000	----	----	----	0.031B/0.143A	----	0.066 - 0.022	.0078	----	----	----	----	1 UNCH
4175	----	----	----	0.045B/*0.166A	----	0.084 - 0.028	.0100	----	----	----	----	1 UNCH
4300	----	----	----	0.059B/*0.184A	----	0.099 - 0.034	.0119	----	----	----	----	1 UNCH
4350	----	----	----	0.067B/*0.191A	----	0.106 - 0.036	.0127	----	----	----	----	1 UNCH
4375	----	----	----	0.065B/*0.203A	----	0.110 - 0.037	.0132	----	----	----	----	160 UNCH
4400	----	----	----	0.074B/*0.201A	----	0.113 - 0.038	.0136	----	----	----	----	1 UNCH
4500	----	----	----	0.091B/*0.218A	----	0.129 - 0.044	.0156	----	----	----	----	2 UNCH
4600	----	----	----	0.107B/*0.239A	----	0.148 - 0.050	.0179	----	----	----	----	4 UNCH
4625	----	----	----	0.112B/*0.245A	----	0.153 - 0.051	.0185	----	----	----	----	1 UNCH
4700	----	----	----	0.130B/*0.264A	----	0.169 - 0.057	.0204	----	----	----	----	1 UNCH
4775	----	----	----	0.150B/*0.284A	----	0.187 - 0.063	.0226	----	----	----	----	1 UNCH
4800	----	----	----	0.157B/0.290A	----	0.194 - 0.064	.0234	----	----	----	----	16 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
AUG26												
4825	----	----	----	0.165B/*0.298A	----	0.200 - 0.067	.0241	----	----	----	----	1 UNCH
5000	----	----	----	0.222B/*0.357A	----	0.254 - 0.084	.0305	----	----	----	----	14 UNCH
5275	----	----	----/*0.479A	0.357B/*0.479A	----	0.372 - 0.120	.0440	----	----	----	----	1 UNCH
5300	----	----	----/*0.492A	0.371B/*0.492A	----	0.385 - 0.124	.0455	----	----	----	----	1 UNCH
5500	----	----	----/*0.579A	0.518B/*0.579A	----	0.509 - 0.159	.0590	----	----	----	----	57 UNCH
5675	----	----	----/*0.743A	0.718B/*0.743A	----	0.649 - 0.198	.0736	----	----	----	----	9 UNCH
5700	----	----	----/*0.773A	0.693B/*0.773A	----	0.672 - 0.204	.0760	----	----	----	----	2 UNCH
5750	----	----	----/*0.819A	0.727B/*0.819A	----	0.720 - 0.217	.0808	----	----	----	----	1 UNCH
5800	----	----	----/*0.868A	0.776B/*0.868A	----	0.771 - 0.230	.0859	----	----	----	----	5 UNCH
5850	----	----	----/*0.868A	0.835B/*0.868A	----	0.826 - 0.244	.0914	----	----	----	----	2 UNCH
5875	----	----	----/*0.886A	0.868B/*0.886A	----	0.855 - 0.251	.0942	----	----	----	----	4 UNCH
5900	----	----	----/*0.916A	0.901B/*0.916A	----	0.884 - 0.259	.0970	----	----	----	----	5 UNCH
5950	----	----	----/*0.980A	0.968B/*0.980A	----	0.946 - 0.274	.1029	----	----	----	----	10 UNCH
6000	1.000	1.000	1.020/*1.000	1.047B/*1.000	----	1.012 - 0.290	.1091	----	----	51	----	177 + 21
6050	----	----	----/*1.122A	1.079B/*1.122A	----	1.082 - 0.307	.1156	----	----	----	----	1 UNCH
6100	----	----	----/*1.199A	1.159B/*1.199A	----	1.157 - 0.323	.1225	----	----	----	----	10 UNCH
6150	----	----	----/*1.281A	1.240B/*1.281A	----	1.236 - 0.341	.1296	----	----	----	----	1 UNCH
6200	----	----	----/*1.369A	1.332B/*1.369A	----	1.319 - 0.361	.1369	----	----	----	----	1 UNCH
6225	----	----	----/*1.414A	1.378B/*1.414A	----	1.363 - 0.370	.1407	----	----	----	----	8 UNCH
6300	----	----	----/*1.526A	1.663B/*1.526A	----	1.501 - 0.400	.1525	----	----	----	----	14 UNCH
6400	----	----	----/*1.763A	1.894B/*1.763A	----	1.718 - 0.438	.1699	----	----	----	----	1 UNCH
6425	----	----	----/*1.785A	1.957B/*1.785A	----	1.776 - 0.448	.1744	----	----	----	----	6 UNCH
6500	2.106	2.106	2.198/1.903A	2.198/1.903A	----	1.956 - 0.479	.1883	----	----	3	----	234 + 1
6600	----	----	----/*2.143A	2.441B/*2.143A	----	2.217 - 0.521	.2076	----	----	----	----	15 UNCH
6650	----	----	----/*2.273A	2.594B/*2.273A	----	2.357 - 0.542	.2176	----	----	5	----	9 + 3
6725	----	----	----/*2.475A	2.842B/*2.475A	----	2.577 - 0.576	.2330	----	----	----	----	8 UNCH
6800	----	----	----/2.689A	3.102B/2.689A	----	2.811 - 0.612	.2488	----	----	----	----	1 UNCH
6825	----	----	----/2.769A	3.194B/2.769A	----	2.892 - 0.625	.2541	----	----	----	----	8 UNCH
6875	----	----	----/2.935A	3.240B/2.935A	----	3.060 NEW	.2650	----	----	9	----	1 + 1
6900	3.043	3.043	3.043/3.003A	3.480B/3.003A	----	3.146 - 0.663	.2705	----	----	3	----	5 + 3
6950	----	----	----/3.171A	3.680B/3.171A	----	3.323 - 0.689	.2816	----	----	----	----	24 UNCH
6975	----	----	----/3.258A	3.783B/3.258A	----	3.414 - 0.703	.2872	----	----	----	----	1 UNCH
7000	----	----	----/3.344A	3.888B/3.344A	----	3.507 - 0.717	.2928	----	----	----	----	8 UNCH
7050	----	----	----/3.526A	4.105B/3.526A	----	3.698 - 0.745	.3042	----	----	----	----	1 UNCH
7100	3.769	3.769	3.769/3.714A	4.328B/3.714A	----	3.896 - 0.775	.3157	----	----	2	----	7 + 2
7150	----	----	----/3.911A	4.561B/3.911A	----	4.102 - 0.804	.3273	----	----	----	----	1 UNCH
7200	----	----	----/4.110A	4.800B/4.110A	----	4.314 - 0.835	.3390	----	----	----	----	2 UNCH
7225	----	----	----/4.218A	4.924B/4.218A	----	4.423 - 0.851	.3448	----	----	----	----	2 UNCH
7300	----	----	----/4.536A	5.397B/4.536A	----	4.760 - 0.900	.3625	----	----	----	----	111 UNCH
7350	----	----	----/4.766A	5.567B/4.766A	----	4.995 - 0.932	.3743	----	----	----	----	6 UNCH
7400	----	----	----/5.002A	5.836B/5.002A	----	5.236 - 0.964	.3862	----	----	----	----	4 UNCH
7500	----	----	----/5.479A	6.411B/5.479A	----	5.740 - 1.025	.4099	----	----	----	----	28 UNCH
7550	----	----	----/5.738A	6.684B/5.738A	----	6.003 - 1.053	.4216	----	----	----	----	5 UNCH
7600	----	----	----/5.997A	6.986B/5.997A	----	6.273 - 1.080	.4334	----	----	----	----	4 UNCH
7700	----	----	----/6.541A	7.747B/6.541A	----	6.833 - 1.131	.4567	----	----	----	----	40 UNCH
7950	----	----	----/8.015A	9.236B/8.015A	----	8.352 - 1.241	.5127	----	----	----	----	4 UNCH
7975	----	----	----/8.173A	9.408B/8.173A	----	8.512 - 1.252	.5181	----	----	----	----	1 UNCH
8000	----	----	----/8.315A	9.787B/8.315A	----	8.675 - 1.261	.5234	----	----	----	----	161 UNCH
8150	----	----	----/9.292A	10.629B/9.292A	----	9.680 - 1.318	.5546	----	----	----	----	10 UNCH
8200	----	----	----/9.626A	10.932B/9.626A	----	10.026 - 1.338	.5646	----	----	----	----	10 UNCH
8250	----	----	----/9.965A	11.217B/9.965A	----	10.378 - 1.356	.5744	----	----	----	----	5 UNCH
8500	----	----	----/11.706A	13.183B/11.706A	----	12.213 - 1.447	.6204	----	----	----	----	20 UNCH
9000	----	----	----/15.606A	17.268B/15.606A	----	16.171 - 1.632	.6981	----	----	----	----	35 UNCH
9300	----	----	----/18.102A	19.766B/18.102A	----	18.679 - 1.743	.7368	----	----	----	----	1 UNCH
9500	----	----	----/19.756A	21.649B/19.756A	----	20.400 - 1.806	.7595	----	----	----	----	30 UNCH
10000	----	----	----/24.175A	26.122B/24.175A	----	24.836 - 1.924	.8068	----	----	----	----	6 UNCH
10025	----	----	----/24.400A	26.288B/24.400A	----	25.061 - 1.930	.8090	----	----	----	----	1 UNCH
10175	----	----	----/25.751A	27.700B/25.751A	----	26.412 - 1.969	.8214	----	----	----	----	15 UNCH
TOTAL										73	0	1349 + 31
SEP26												
2500	----	----	----	0.001B/2.468A	----	0.007 - 0.002	.0007	----	----	----	----	60 UNCH
3000	----	----	----	0.001B/2.525A	----	0.021 - 0.008	.0022	----	----	----	----	22 UNCH
3500	----	----	----	0.001B/2.644A	----	0.056 - 0.019	.0058	----	----	----	----	74 UNCH
4000	----	----	----	0.066B/0.221A	----	0.135 - 0.044	.0136	----	----	----	----	44 UNCH
4500	0.246	0.246	0.246/*0.246	0.246/*0.246	----	0.245 - 0.060	.0249	----	----	1	----	10 - 1
4525	----	----	----	0.181B/*0.349A	----	0.252 - 0.061	.0257	----	----	----	----	3 UNCH
5000	----	----	----	0.391B/*0.551A	----	0.438 - 0.113	.0443	----	----	----	----	233 UNCH
5100	----	----	----/*0.609A	0.458B/*0.609A	----	0.494 - 0.135	.0497	----	----	----	----	1 UNCH
5400	----	----	----/*0.829A	0.719B/*0.829A	----	0.713 - 0.238	.0700	----	----	----	----	1 UNCH
5475	----	----	----/*0.900A	0.783B/*0.900A	----	0.782 - 0.272	.0761	----	----	----	----	3 UNCH
5500	----	----	----/*0.922A	0.784B/*0.922A	----	0.807 - 0.283	.0783	----	----	----	----	233 UNCH
5600	----	----	----/*1.025A	0.814B/*1.025A	----	0.913 - 0.333	.0875	----	----	----	----	1 UNCH
5700	----	----	----/*1.139A	0.939B/*1.139A	----	1.033 - 0.385	.0975	----	----	----	----	7 UNCH
5800	----	----	----/1.260A	0.996B/1.260A	----	1.167 - 0.438	.1085	----	----	----	----	8 UNCH
5900	----	----	----/1.714A	1.144B/1.714A	----	1.318 - 0.489	.1204	----	----	----	----	50 UNCH
6000	----	----	----/1.876A	1.331B/1.876A	----	1.485 - 0.537	.1332	----	----	----	----	368 UNCH
6050	----	----	----/*1.752A	1.426B/*1.752A	----	1.576 - 0.557	.1400	----	----	----	----	15 UNCH
6200	----	----	----/2.232A	1.754B/2.232A	----	1.877 - 0.610	.1617	----	----	----	----	40 UNCH
6300	----	----	----/2.465A	1.993B/2.465A	----	2.104 - 0.636	.1773	----	----	----	----	5 UNCH
6400	----	----	----/2.718A	2.255B/2.718A	----	2.352 - 0.657	.1937	----	----	----	----	3 UNCH
6425	----	----	----/*2.786A	2.324B/2.786A	----	2.418 - 0.662	.1979	----	----	----	----	3 UNCH
6500	----	----	----/2.962A	2.541B/2.962A	----	2.624 - 0.674	.2109	----	----	----	----	55 UNCH
6550	----	----	----/3.145A	2.694B/3.145A	----	2.768 - 0.682	.2198	----	----	----	----	15 UNCH
6800	----	----	----/3.971A	3.556B/3.971A	----	3.582 - 0.721	.2667	----	----	----	----	7 UNCH
6900	----	----	----/4.354A	3.949B/4.354A	----	3.952 - 0.744	.2864	----	----	----	----	1 UNCH
7000	----	----	----/4.738A	4.358B/4.738A	----	4.347 - 0.776	.3065	----	----	----	----	16 UNCH
7025	----	----	----/4.856A	4.467B/4.856A	----	4.450 - 0.785	.3116	----	----	----	----	1 UNCH
7100	----	----	----/5.175A	4.805B/5.175A	----	4.768 - 0.820	.3269	----	----	----	----	16 UNCH
7125	----	----	----/5.285A	4.921B/5.285A	----	4.877 - 0.833	.3320	----	----	----	----	25 UNCH
7175	----	----	----/5.502A	5.186B/5.502A	----	5.100 - 0.860	.3423	----	----	----	----	20 UNCH
7200	----	----	----/5.494A	5.289B/5.494A	----	5.214 - 0.875	.3475	----	----	1	----	51 + 1
7400	----	----	----/6.579A	6.357B/6.579A	----	6.189 - 0.977	.3888	----	----	1	----	25 + 1
7500	----	----	----/7.072A	6.936B/7.072A	----	6.722 - 1.016	.4094	----	----	----	----	3 UNCH
7550	----	----	----/7.332A	7.234B/7.332A	----	6.999 - 1.033	.4196	----	----	----	----	2 UNCH
7700	----	----	----/8.164A	8.164B/8.164A	----	7.874 - 1.072	.4497	----	----	----	----	1 UNCH
7800	----	----	----/8.715A	8.812B/8.715A	----	8.489 - 1.092	.4692	----	----	----	----	4 UNCH
7900	----	----	----/9.325A	9.482B/9.325A	----	9.128 - 1.108	.4881	----	----	----	----	1 UNCH
8000	----	----	----/9.943A	10.171B/9.943A	----	9.789 - 1.122	.5065	----	----	----	----	40 UNCH
8100	----	----	----/10.577A	10.879B/10.577A	----	10.468 - 1.136	.5243	----	----	----	----	1 UNCH
8200	----	----	----/11.258A	11.605B/11.258A	----	11.164 - 1.153	.5415	----	----	----	----	1 UNCH
8500	----	----	----/13.249A	13.862B/13.249A	----	13.339 - 1.218	.5898	----	----	----	----	225 UNCH
8700	----	----	----/14.711A	15.165B/14.711A	----	14.852 - 1.274	.6194	----	----	----	----	100 UNCH
9000	----	----	----/17.021A	17.586B/17.021A	----	17.206 - 1.371	.6598	----	----	----	----	74 UNCH
9300	----	----	----/19.764A	19.748B/19.764A	----	19.649 - 1.473	.6959	----	----	----	----	1 UNCH
9400	----	----	----/20.591A	20.605B/20.591A	----	20.481 - 1.506	.7070	----	----	----	----	1 UNCH
10150	----	----	----/27.046A	27.218B/27.046A	----	26.962 - 1.721	.7771	----	----	----	----	1 UNCH
10300	----	----	----/28.380A	28.576B/28.380A	----	28.302 - 1.754	.7885	----	----	----	----	1 UNCH
TOTAL										3	0	1872 + 1
OCT26												
2675	----	----	----	0.001B/2.586A	----	0.029 + 0.008	.0026	----	----	----	----	8 UNCH
3250	----	----	----	0.001B/0.500A	----	0.063 + 0.006	.0058	----	----	----	----	1 UNCH
4000	----	----	----	0.105B/*0.288A	----	0.171 - 0.024	.0159	----	----	----	----	3 UNCH
4500	0.350	0.350	0.350/*0.350	0.350/*0.350	----	0.328 - 0.109	.0299	----	----	1	----	3 UNCH
5000	----	----	----/*0.714A	0.535B/*0.714A	----	0.593 - 0.162	.0527	----	----	----	----	6 UNCH
5050	----	----	----/*0.750A	0.575B/*0.750A	----	0.628 - 0.168	.0556	----	----	----	----	1 UNCH
5150	----	----	----/*0.823A	0.664B/*0.823A	----	0.703 - 0.182	.0617	----	----	----	----	5 UNCH
6500	----	----	----/3.492A	2.920B/3.492A	----	3.058 - 0.474	.2156	----	----	----	----	120 UNCH
7000	----	----	----/5.310A	4.799B/5.310A	----	4.875 - 0.642	.3025	----	----	----	----	85 UNCH
7225	----	----	----/6.307A	5.847B/6.307A	----	5.890 - 0.725	.3437	----	----	----	----	87 UNCH
7500	----	----	----/7.683A	7.305B/7.683A	----	7.293 - 0.828	.3941	----	----	----	----	33 UNCH
7950	----	----	----/10.243A	10.132B/10.243A	----	9.942 - 1.000	.4732	----	----	----	----	10 UNCH
8200	----	----	----/11.788A	11.867B/11.788A	----	11.582 - 1.092	.5139	----	----	----	----	6 UNCH
8375	----	----	----/13.112A	12.978B/13.112A	----	12.790 - 1.157	.5407	----	----	----	----	1 UNCH
9100	----	----	----/18.303A	18.569B/18.303A	----	18.243 - 1.396	.6369	----	----	----	----	1 UNCH
10000	----	----	----	14.543B/35.172A	----	25.731 - 1.618	.7261	----	----	----	----	40 UNCH
TOTAL										1	0	410 0
NOV26												
4500	----	----	----	0.401B/*0.587A	----	0.494 - 0.045	.0395	----	----	----	----	2 UNCH
4550	----	----	----	0.389B/*0.615A	----	0.521 - 0.052	.0415	----	----	----	----	1 UNCH
4800	----	----	----	0.559B/*0.771A	----	0.671 - 0.093	.0531	----	----	----	----	1 UNCH
5000	----	----	----/*0.925A	0.735B/*0.925A	----	0.817 - 0.135	.0642	----	----	----	----	12 UNCH
5200	----	----	----/*1.118A	0.940B/*1.118A	----	0.995 - 0.184	.0773	----	----	----	----	1 UNCH
5950	----	----	----	1.924B/2.540A	----	2.116 - 0.417	.1498	----	----	----	----	1 UNCH
6700	----	----	----/4.869A	4.202B/4.869A	----	4.294 - 0.674	.2589	----	----	----	----	50 UNCH
7000	----	----	----/6.090A	5.468B/6.090A	----	5.527 - 0.768	.3089	----	----	----	----	40 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 53

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO PUT		COMEX SILVER OPTIONS										
NOV26												
7025	----	----	----/6.206A	5.583B/6.206A	----	5.639 -	0.775 .3131	----	----	----	----	6 UNCH
7400	----	----	----/8.019A	7.478B/8.019A	----	7.493 -	0.882 .3765	----	----	----	----	24 UNCH
7500	----	----	----/8.551A	8.036B/8.551A	----	8.040 -	0.908 .3933	----	----	----	----	7 UNCH
7700	----	----	----/9.669A	9.213B/9.669A	----	9.194 -	0.960 .4261	----	----	----	----	50 UNCH
8500	----	----	----/14.802A	14.752B/14.802A	----	14.504 -	1.164 .5437	----	----	----	----	60 UNCH
9000	----	----	----/18.467A	18.636B/18.467A	----	18.256 -	1.300 .6047	----	----	----	----	5 UNCH
9050	----	----	----/18.835A	19.140B/18.835A	----	18.646 -	1.313 .6102	----	----	----	----	3 UNCH
10000	----	----	----/26.720A	25.537B/26.720A	----	26.434 -	1.551 .7005	----	----	----	----	1 UNCH
11000	----	----	----	20.166B/46.005A	----	35.197 -	1.742 .7695	----	----	----	----	1 UNCH
TOTAL											0	265 0
DEC26												
1500	----	----	----	----/0.085A	----	0.004	UNCH .0003	----	----	----	----	180 UNCH
2000	----	----	----	0.001B/0.200A	----	0.017 +	0.001 .0013	----	----	----	----	10 UNCH
2500	----	----	----	0.001B/3.091A	----	0.032 +	0.001 .0026	----	----	----	----	32 UNCH
3000	----	----	----	0.002B/0.300A	----	0.063 +	0.002 .0054	----	----	----	----	93 UNCH
3100	----	----	----	0.002B/0.254A	----	0.072 +	0.002 .0062	----	----	----	----	1 UNCH
3150	----	----	----	0.005B/0.263A	----	0.081 +	0.002 .0069	----	----	----	----	1 UNCH
3500	----	----	----	0.051B/0.338A	----	0.165	UNCH .0132	----	----	----	----	45 UNCH
3850	----	----	----	0.131B/*0.440A	----	0.285 -	0.010 .0219	----	----	----	----	1 UNCH
3925	----	----	----	0.155B/*0.468A	----	0.312 -	0.016 .0239	----	----	----	----	1 UNCH
4000	0.300	0.300	0.300/*0.300	0.300/*0.300	----	0.341 -	0.022 .0261	----	----	5	----	75 - 5
4500	----	----	----	0.419B/0.758A	----	0.599 -	0.080 .0447	----	----	----	----	35 UNCH
4600	----	----	----	0.494B/0.828A	----	0.666 -	0.097 .0494	----	----	----	----	4 UNCH
4800	----	----	----	0.661B/0.981A	----	0.822 -	0.132 .0602	----	----	----	----	241 UNCH
5000	1.002	1.002	1.002/1.002	1.003B/1.002	----	1.009 -	0.174 .0727	----	----	1	----	358 + 1
5250	----	----	----/*1.455A	1.056B/*1.455A	----	1.299 -	0.232 .0912	----	----	----	----	50 UNCH
5300	----	----	----/*1.510A	1.094B/*1.510A	----	1.365 -	0.244 .0954	----	----	----	----	250 UNCH
5400	----	----	----	0.928B/2.161A	----	1.508 -	0.269 .1041	----	----	----	----	100 UNCH
5500	----	----	----	1.124B/2.309A	----	1.663 -	0.296 .1133	----	----	----	----	229 UNCH
5600	----	----	----	1.346B/2.477A	----	1.833 -	0.322 .1232	----	----	----	----	8 UNCH
5650	----	----	----	1.460B/2.562A	----	1.923 -	0.337 .1283	----	----	----	----	12 UNCH
5800	----	----	----	1.779B/2.628A	----	2.217 -	0.381 .1446	----	----	----	----	1 UNCH
5950	----	----	----	2.121B/3.159A	----	2.549 -	0.428 .1622	----	----	----	----	5 UNCH
6000	----	----	----	2.244B/3.294A	----	2.669 -	0.443 .1683	----	----	----	----	147 UNCH
6200	----	----	----	2.793B/3.868A	----	3.194 -	0.512 .1942	----	----	----	----	13 UNCH
6300	----	----	----	3.098B/4.186A	----	3.486 -	0.548 .2079	----	----	----	----	25 UNCH
6500	----	----	----	3.772B/4.885A	----	4.132 -	0.626 .2365	----	----	----	----	701 UNCH
6650	----	----	----	4.335B/5.417A	----	4.672 -	0.689 .2589	----	----	----	----	5 UNCH
6725	----	----	----	4.635B/5.719A	----	4.960 -	0.720 .2704	----	----	----	----	4 UNCH
6750	----	----	----	4.738B/5.826A	----	5.059 -	0.731 .2742	----	----	----	----	6 UNCH
6800	----	----	----	4.947B/6.035A	----	5.260 -	0.753 .2819	----	----	----	----	79 UNCH
6850	----	----	----	5.168B/6.249A	----	5.467 -	0.774 .2897	----	----	----	----	78 UNCH
6900	----	----	----/6.454A	5.400B/6.454A	----	5.680 -	0.794 .2975	----	----	----	----	1 UNCH
6950	----	----	----/6.666A	5.637B/6.666A	----	5.898 -	0.815 .3054	----	----	----	----	101 UNCH
7000	----	----	----/6.884A	5.880B/6.884A	----	6.121 -	0.837 .3133	----	----	----	----	229 UNCH
7075	----	----	----/7.267A	6.199B/7.267A	----	6.466 -	0.867 .3251	----	----	----	----	20 UNCH
7100	----	----	----/7.336A	6.381B/7.336A	----	6.583 -	0.878 .3291	----	----	----	----	2 UNCH
7200	----	----	----/7.818A	6.904B/7.818A	----	7.067 -	0.918 .3449	----	----	----	----	14 UNCH
7250	----	----	----/8.059A	7.173B/8.059A	----	7.317 -	0.937 .3528	----	----	----	----	48 UNCH
7500	----	----	----/9.294A	8.592B/9.294A	----	8.642 -	1.028 .3921	----	----	----	----	22 UNCH
7550	----	----	----/9.565A	8.890B/9.565A	----	8.922 -	1.045 .3999	----	----	----	----	1 UNCH
7800	----	----	----/10.995A	10.451B/10.995A	----	10.392 -	1.125 .4380	----	----	----	----	20 UNCH
7850	----	----	----/11.274A	10.776B/11.274A	----	10.700 -	1.139 .4454	----	----	----	----	10 UNCH
7875	----	----	----/11.655A	10.735B/11.655A	----	10.856 -	1.146 .4491	----	----	----	----	1 UNCH
7900	----	----	----/11.575A	11.105B/11.575A	----	11.013 -	1.153 .4527	----	----	----	----	19 UNCH
8000	----	----	----/12.209A	11.776B/12.209A	----	11.650 -	1.180 .4671	----	----	----	----	50 UNCH
8100	----	----	----/12.838A	12.461B/12.838A	----	12.304 -	1.206 .4812	----	----	----	----	1 UNCH
8200	----	----	----/13.472A	13.160B/13.472A	----	12.974 -	1.230 .4949	----	----	----	----	35 UNCH
8350	----	----	----/14.497A	14.236B/14.497A	----	14.007 -	1.264 .5148	----	----	----	----	9 UNCH
8400	----	----	----/14.833A	14.600B/14.833A	----	14.359 -	1.274 .5213	----	----	----	----	50 UNCH
8500	----	----	----/15.522A	15.339B/15.522A	----	15.072 -	1.294 .5339	----	----	----	----	166 UNCH
8550	----	----	----/15.857A	15.713B/15.857A	----	15.434 -	1.304 .5401	----	----	----	----	25 UNCH
8600	----	----	----/16.228A	16.090B/16.228A	----	15.799 -	1.313 .5462	----	----	----	----	2 UNCH
8800	----	----	----/17.660A	17.621B/17.660A	----	17.289 -	1.348 .5696	----	----	----	----	12 UNCH
8900	----	----	----/18.423A	18.402B/18.423A	----	18.051 -	1.364 .5807	----	----	----	----	30 UNCH
9000	----	----	----/19.182A	19.193B/19.182A	----	18.823 -	1.380 .5916	----	----	----	----	3 UNCH
9050	----	----	----/19.563A	19.591B/19.563A	----	19.213 -	1.387 .5968	----	----	----	----	100 UNCH
9500	----	----	----/23.058A	22.887B/23.058A	----	22.822 -	1.450 .6405	----	----	----	----	2 UNCH
9850	----	----	----/25.734A	25.817B/25.734A	----	25.731 -	1.495 .6703	----	----	----	----	8 UNCH
9950	----	----	----/27.063A	26.668B/27.063A	----	26.575 -	1.509 .6782	----	----	----	----	1 UNCH
10025	----	----	----/27.813A	27.012B/27.813A	----	27.212 -	1.518 .6840	----	----	----	----	3 UNCH
10125	----	----	----/28.659A	27.362B/28.659A	----	28.065 -	1.532 .6915	----	----	----	----	1 UNCH
10700	----	----	----	15.670B/44.032A	----	33.054 -	1.612 .7308	----	----	----	----	5 UNCH
10800	----	----	----	15.940B/44.957A	----	33.934 -	1.627 .7370	----	----	----	----	2 UNCH
11000	----	----	----	17.369B/46.852A	----	35.707 -	1.655 .7488	----	----	----	----	2 UNCH
11500	----	----	----	21.632B/51.826A	----	40.194 -	1.727 .7758	----	----	----	----	1 UNCH
12000	----	----	----	24.825B/56.844A	----	44.751 -	1.798 .7993	----	----	----	----	1 UNCH
12100	----	----	----	26.314B/57.932A	----	45.670 -	1.811 .8036	----	----	----	----	1 UNCH
12300	----	----	----	28.388B/59.773A	----	47.515 -	1.838 .8119	----	----	----	----	1 UNCH
15000	----	----	----	54.508B/85.106A	----	73.127 -	2.115 .8889	----	----	----	----	1 UNCH
19000	----	----	----	#95.447B/124.181A	----	112.367 -	2.347 .9395	----	----	----	----	1 UNCH
TOTAL										6	0	3791 - 4
JAN27												
3800	----	----	----	0.061B/0.592A	----	0.217 -	0.049 .0175	----	----	----	----	1 UNCH
6500	----	----	----	3.979B/*5.365A	----	4.495 -	0.648 .2356	----	----	----	----	1 UNCH
7125	----	----	----	6.282B/8.403A	----	7.070 -	0.897 .3251	----	----	----	----	1 UNCH
8600	----	----	----/16.529A	16.220B/16.529A	----	15.923 -	1.300 .5267	----	----	----	----	1 UNCH
TOTAL											0	4 0
FEB27												
8150	----	----	----/14.156A	13.532B/14.156A	----	13.657 -	0.977 .4627	----	----	----	----	10 UNCH
8225	----	----	----	13.295B/15.493A	----	14.163 -	0.983 .4716	----	----	----	----	10 UNCH
8250	----	----	----/14.814A	14.224B/14.814A	----	14.333 -	0.985 .4745	----	----	----	----	10 UNCH
TOTAL											0	30 0
MAR27												
6500	----	----	----	4.374B/*6.765A	----	5.332 -	0.709 .2457	----	----	----	----	20 UNCH
6825	----	----	----	5.745B/*8.123A	----	6.701 -	0.769 .2883	----	----	----	----	2 UNCH
8300	----	----	----	14.275B/16.568A	----	15.233 -	0.960 .4742	----	----	----	----	50 UNCH
TOTAL											0	72 0
APR27												
4000	----	----	----	----	----	1.049 -	0.141 .0519	----	----	----	----	1 UNCH
TOTAL											0	1 0
DEC27												
7175	----	----	----	----	----	13.571 -	0.764 .3096	----	----	----	----	25 UNCH
TOTAL											0	25 0
SO1 CALL		SILVER OPTIONS										
MAY26												
7200	----	----	----	----	----	4.431 +	2.227 ----	----	----	8	----	0 - 8
7250	----	----	----	----	----	3.931 +	2.155 ----	----	----	9	----	0 - 9
7300	----	----	----	----/2.997A	----	3.431 +	2.052 ----	----	----	8	----	0 - 10
7370	----	----	----/0.599A	0.345B/0.599A	----	2.731 +	1.837 ----	----	----	----	----	0 - 3
7375	1.217	1.217	1.217/0.584A	1.217/0.584A	----	2.681 +	1.818 ----	----	----	1	----	0 - 2
7400	----	----	----/*0.300A	0.394B/*0.300A	----	2.431 +	1.714 ----	----	----	53	----	0 - 5
7440	0.444	0.444	0.444/0.335A	0.444/0.335A	----	2.031	NEW ----	----	----	1	----	0 UNCH
7450	0.205	0.205	2.800/*0.205	2.800/*0.205	----	1.931 +	1.463 ----	----	----	2	----	0 - 6
7460	0.400	0.400	0.400/*0.240	0.414B/*0.240	----	1.831	NEW ----	----	----	2	----	0 UNCH
7475	0.580	0.580	0.653B/*0.160	0.653B/*0.160	----	1.681	NEW ----	----	----	6	----	0 UNCH
7480	0.495	0.495	#0.650B/0.245A	0.650B/0.245A	----	1.631	NEW ----	----	----	3	----	0 UNCH
7490	----	----	0.331B/0.243A	0.331B/0.243A	----	1.531 +	1.217 ----	----	----	----	----	0 - 10
7500	0.420	0.420	2.000/*0.119	2.000/*0.119	----	1.431 +	1.150 ----	----	----	47	----	0 - 34
7510	0.127	0.127	#1.191/*0.122A	1.191/*0.122A	----	1.331	NEW ----	----	----	2	----	0 UNCH
7525	0.130	0.130	1.400/*0.130	1.400/*0.130	----	1.181	NEW ----	----	----	6	----	0 UNCH
7540	0.300	0.300	0.310B/*0.090	0.310B/*0.090	----	1.031	NEW ----	----	----	2	----	0 UNCH
7550	0.146	0.146	1.710/*0.133A	1.710/*0.133A	----	0.931 +	0.779 ----	----	----	28	----	0 - 1
7570	0.200	0.200	#0.376B/*0.107A	0.376B/*0.107A	----	0.731	NEW ----	----	----	1	----	0 UNCH
7590	----	----	#0.279B/----	0.279B/*0.091A	----	0.531 +	0.446 ----	----	----	----	----	0 - 1
7600	0.176	0.176	0.580/*0.176	0.580/*0.092A	----	0.431 +	0.359 ----	----	----	61	----	0 - 59
7625	0.800	0.800	0.800/0.800	0.800/*0.092A	----	0.181 +	0.131 ----	----	----	1	----	0 - 1
7650	0.111	0.111	0.500/*0.092A	0.500/*0.092A	----	0.000 -	0.035 ----	----	----	2	----	0 - 2
7660	0.207	0.207	0.371B/*0.030	0.371B/*0.030	----	0.000 -	0.030 ----	----	----	2	----	0 - 4
7680	----	----	#0.207B/----	0.207B/0.089A	----	0.000 -	0.022 ----	----	----	----	----	0 - 2
7700	0.140	0.140	0.750/*0.005	0.750/*0.005	----	0.000 -	0.016 ----	----	----	11	----	0 - 16

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 54

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO1 CALL		SILVER OPTIONS										
MAY26												
7710	----	----	#0.361B/----	0.361B/*0.089A	----	0.000 -	0.014	----	----	----	----	----	0 - 20
7750	----	----	0.121B/----	0.121B/*0.086A	----	0.000 -	0.007	----	----	----	----	----	0 - 2
7800	0.180	0.180	0.180/0.061A	0.180/0.061A	----	0.000 -	0.003	----	----	----	1	----	0 - 15
7850	----	----	0.004B/----	0.004B/*0.052A	----	0.000 -	0.002	----	----	----	----	----	0 - 1
7900	----	----	0.002B/----	0.002B/*0.052A	----	0.000 -	0.001	----	----	----	----	----	0 - 10
8000	----	----	0.005B/----	0.005B/0.054A	----	0.000 -	0.001	----	----	----	----	----	0 - 9
8100	----	----	----	----/0.054A	----	0.000 -	0.001	----	----	----	----	----	0 - 1
8110	----	----	----	----/0.053A	----	0.000 -	0.001	----	----	----	----	----	0 - 1
8200	----	----	----	----/*0.052A	----	0.000 -	0.001	----	----	----	----	----	0 - 9
8800	----	----	----	----/0.054A	----	0.000 -	0.001	----	----	----	----	----	0 - 5
9000	----	----	----	0.001B/0.054A	----	0.000 -	0.001	----	----	----	----	----	0 - 12
10000	----	----	----	----/*0.047A	----	0.000 -	0.001	----	----	----	----	----	0 - 3
TOTAL										257	0	0 - 261
SO1 PUT		SILVER OPTIONS										
MAY26												
6000	----	----	----	----/0.054A	----	0.000 -	0.001	----	----	----	----	----	0 - 10
6500	----	----	----	----/0.046A	----	0.000 -	0.002	----	----	----	----	----	0 - 23
6550	----	----	----	----/*0.052A	----	0.000 -	0.002	----	----	----	----	----	0 - 4
6600	----	----	----	----/*0.054A	----	0.000 -	0.003	----	----	----	----	----	0 - 1
6700	----	----	----	----/0.052A	----	0.000 -	0.006	----	----	----	----	----	0 - 22
6750	----	----	----	----/*0.053A	----	0.000 -	0.009	----	----	----	----	----	0 - 1
6800	----	----	----	----/*0.052A	----	0.000 -	0.014	----	----	----	----	----	0 - 2
6825	----	----	----	----/*0.053A	----	0.000 -	0.016	----	----	----	----	----	0 - 3
6900	0.001	0.001	0.001/*0.001	0.001/*0.001	----	0.000 -	0.029	----	----	----	1	----	0 - 21
6925	----	----	----	----/*0.053A	----	0.000 -	0.033	----	----	----	----	----	0 - 1
6950	----	----	----	----/*0.053A	----	0.000 -	0.038	----	----	----	----	----	0 - 9
6975	----	----	----	----/*0.053A	----	0.000 -	0.044	----	----	----	----	----	0 - 3
7000	0.010	0.010	0.010/*0.010	0.010/*0.010	----	0.000 -	0.050	----	----	----	1	----	0 - 15
7050	----	----	----/*0.054A	----/*0.054A	----	0.000 -	0.067	----	----	----	----	----	0 - 1
7100	0.050	0.050	0.050/*0.050	0.050/*0.050	----	0.000 -	0.092	----	----	----	1	----	0 - 9
7125	----	----	----/*0.052A	0.001B/*0.052A	----	0.000 -	0.107	----	----	----	----	----	0 - 1
7130	----	----	----/*0.052A	0.002B/*0.052A	----	0.000 -	0.111	----	----	----	----	----	0 - 2
7150	----	----	----/*0.054A	0.002B/*0.054A	----	0.000 -	0.126	----	----	----	----	----	0 - 1
7200	0.080	0.080	0.080/*0.052A	0.080/*0.052A	----	0.000 -	0.176	----	----	----	1	----	0 - 7
7230	----	----	----/*0.053A	0.017B/*0.053A	----	0.000 -	0.216	----	----	----	1	----	0 - 2
7240	0.130	0.130	0.130/*0.033	0.130/*0.033	----	0.000	NEW	----	----	----	2	----	0 UNCH
7250	0.150	0.150	0.150/*0.010	0.150/*0.010	----	0.000 -	0.248	----	----	----	11	----	0 - 14
7275	----	----	----/*0.052A	0.093B/*0.052A	----	0.000 -	0.295	----	----	----	----	----	0 - 1
7290	0.143	0.143	0.143/*0.053A	0.143/*0.053A	----	0.000	NEW	----	----	----	20	----	0 UNCH
7300	0.240	0.240	0.240/*0.053A	0.240/*0.053A	----	0.000 -	0.351	----	----	----	48	----	0 - 25
7325	----	----	----/*0.052A	0.229B/*0.052A	----	0.000 -	0.417	----	----	----	----	----	0 - 1
7340	0.250	0.250	0.286B/*0.052A	0.286B/*0.052A	----	0.000 -	0.462	----	----	----	2	----	0 - 11
7350	0.300	0.300	0.328B/*0.050	0.328B/*0.050	----	0.000 -	0.495	----	----	----	2	----	0 - 11
7375	0.378	0.378	0.379B/*0.054A	0.379B/*0.054A	----	0.000	NEW	----	----	----	1	----	0 UNCH
7400	0.351	0.351	0.450/*0.001	0.450/*0.001	----	0.000 -	0.689	----	----	----	24	----	0 - 5
7420	0.266	0.266	0.266/*0.005	0.386B/*0.005	----	0.000	NEW	----	----	----	2	----	0 UNCH
7440	0.593	0.593	0.593/*0.052A	0.593/*0.052A	----	0.000	NEW	----	----	----	1	----	0 UNCH
7450	0.180	0.180	0.180/*0.054A	0.388B/*0.054A	----	0.000	NEW	----	----	----	2	----	0 UNCH
7500	0.355	0.355	0.417B/*0.065A	0.417B/*0.065A	----	0.000 -	1.253	----	----	----	12	----	0 - 8
7525	0.300	0.300	0.590/*0.081A	0.590/*0.081A	----	0.000	NEW	----	----	----	3	----	0 UNCH
7550	0.383	0.383	0.383/*0.107A	0.508B/*0.107A	----	0.000 -	1.624	----	----	----	3	----	0 - 1
7575	0.141	0.141	0.141/*0.119A	0.476B/*0.119A	----	0.000 -	1.829	----	----	----	1	----	0 - 6
7600	0.251	0.251	0.265/*0.150	0.425B/*0.150	----	0.000 -	2.044	----	----	----	7	----	0 - 25
7650	0.220	0.220	0.300/*0.200	0.405B/*0.200	----	0.069 -	2.438	----	----	----	3	----	0 - 10
7660	0.403	0.403	0.403/*0.078	0.403/*0.078	----	0.169	NEW	----	----	----	2	----	0 UNCH
7700	0.250	0.250	0.250/*0.250	0.295B/*0.250	----	0.569	NEW	----	----	----	9	----	0 UNCH
TOTAL										160	0	0 - 256
SO2 CALL		SILVER OPTIONS										
MAY26												
7350	----	----	----/2.176A	2.133B/2.176A	----	3.729 +	1.454	.7520	----	----	----	----	1 UNCH
7500	1.712	1.712	#2.396B/1.230A	2.396B/1.230A	----	2.706 +	1.177	.6367	----	----	15	----	18 + 15
7600	----	----	#2.207B/1.103A	2.207B/1.103A	----	2.128 +	0.986	.5500	----	----	----	50	53 + 50
7700	0.888	0.888	1.744B/0.828A	1.744B/0.828A	----	1.640 +	0.801	.4610	----	----	1	----	17 + 1
7750	1.000	1.000	1.692B/1.000	1.692B/0.735A	----	1.431 +	0.715	.4174	----	----	3	----	6 + 3
7800	1.200	1.200	1.500B/1.200	1.500B/0.628A	----	1.244	NEW	.3753	----	----	1	----	1 + 1
7850	1.257	1.257	1.312B/1.257	1.312B/0.563A	----	1.078	NEW	.3352	----	----	7	----	7 + 7
7900	0.890	0.890	1.106B/0.810	1.106B/0.477A	----	0.932 +	0.486	.2976	----	----	3	----	4 + 3
7950	0.500	0.500	0.894B/0.428A	0.894B/0.428A	----	0.805	NEW	.2629	----	----	2	----	2 + 2
8000	1.000	1.000	1.000/0.590	1.000/0.364A	----	0.695 +	0.366	.2313	----	----	12	----	18 + 8
8100	----	----	0.529B/----	0.529B/0.281A	----	0.519 +	0.271	.1774	----	----	----	----	2 UNCH
8200	0.450	0.450	0.450/0.450	0.450/*0.218A	----	0.390 +	0.198	.1352	----	----	3	----	4 + 2
8300	----	----	0.224B/----	0.224B/*0.175A	----	0.296 +	0.144	.1030	----	----	----	----	5 UNCH
8400	0.150	0.150	0.151B/*0.150	0.151B/*0.150	----	0.227	NEW	.0786	----	----	1	----	1 + 1
8500	0.250	0.250	0.250/0.250	0.250/0.149A	----	0.177 +	0.073	.0606	----	----	8	----	11 - 1
8750	0.105	0.105	0.105/*0.095	0.105/*0.095	----	0.101	NEW	.0329	----	----	3	----	3 + 3
9000	----	----	----	0.011B/0.076A	----	0.053 +	0.009	.0166	----	----	----	----	2 UNCH
9200	----	----	----	0.008B/*0.107A	----	0.033 +	0.004	.0099	----	----	----	----	4 UNCH
9300	----	----	----	0.006B/*0.105A	----	0.027 +	0.002	.0079	----	----	----	----	4 UNCH
9700	----	----	----	0.001B/*0.096A	----	0.014	UNCH	.0037	----	----	4	----	4 + 4
10000	----	----	----	----/*0.090A	----	0.010 -	0.001	.0024	----	----	----	----	1 UNCH
TOTAL										63	50	168 + 99
SO2 PUT		SILVER OPTIONS										
MAY26												
6000	0.030	0.030	0.030/*0.030	0.030/*0.030	----	0.006 -	0.025	.0016	----	----	2	----	22 + 2
6100	0.045	0.045	#0.045/*0.045	0.045/*0.045	----	0.008 -	0.034	.0022	----	----	2	----	5 + 2
6200	----	----	----	0.003B/*0.116A	----	0.012 -	0.045	.0034	----	----	----	----	1 UNCH
6500	0.125	0.125	0.135/*0.110A	0.135/*0.110A	----	0.035 -	0.109	.0112	----	----	26	----	55 + 26
6600	----	----	----/0.150A	0.091B/0.150A	----	0.050 -	0.146	.0165	----	----	----	----	15 UNCH
6700	0.110	0.110	0.110/*0.110	0.146B/*0.110	----	0.073 -	0.195	.0246	----	----	2	----	4 UNCH
6800	0.150	0.150	0.150/*0.120	0.245B/*0.120	----	0.107 -	0.258	.0366	----	----	6	----	6 + 3
6900	----	----	----/*0.241A	0.373B/*0.241A	----	0.156 -	0.341	.0537	----	----	----	----	2 UNCH
7000	0.650	0.650	0.650/*0.220	0.650/*0.220	----	0.230 -	0.442	.0787	----	----	12	----	13 + 5
7100	0.885	0.885	0.885/*0.311	0.885/*0.311	----	0.335 -	0.562	.1129	----	----	8	----	5 + 4
7200	0.487	0.487	0.550/*0.487	1.143B/*0.487	----	0.481 -	0.701	.1580	----	----	12	----	10 + 8
7250	0.500	0.500	0.550/*0.500	1.318B/*0.500	----	0.573	NEW	.1850	----	----	5	----	5 + 5
7300	1.476	1.476	1.556B/*0.675	1.556B/*0.675	----	0.678 -	0.861	.2148	----	----	79	----	68 + 66
7350	----	----	1.762B/*0.840A	1.762B/*0.840A	----	0.800 -	0.947	.2479	----	----	----	----	2 UNCH
7400	0.995	0.995	0.995/*0.942A	1.931B/*0.942A	----	0.939 -	1.037	.2838	----	----	2	----	2 - 1
7500	1.600	1.600	1.600/*1.233A	2.317B/*1.233A	----	1.275 -	1.225	.3632	----	----	13	----	12 + 10
7550	1.432	1.432	1.432/*1.431A	2.368B/*1.431A	----	1.475	NEW	.4059	----	----	2	----	2 + 2
7600	1.354	1.354	1.850/*1.354	2.221B/*1.354	----	1.697 -	1.416	.4499	----	----	6	50	56 + 56
7650	----	----	----/1.838A	2.343B/1.838A	----	1.941	NEW	.4944	----	----	1	----	1 + 1
7800	----	----	----/2.814A	2.529B/2.814A	----	2.812 -	1.768	.6246	----	----	1	----	2 + 1
8000	----	----	----/4.889A	2.652B/4.889A	----	4.262 -	2.035	.7686	----	----	----	----	9 UNCH
TOTAL										179	50	297 + 190
SO3 CALL		SILVER OPTIONS										
MAY26												
7150	----	----	----	3.288B/5.224A	----	5.822 +	1.646	.7899	----	----	----	----	3 UNCH
7200	----	----	----/3.699A	3.360B/3.699A	----	5.447 +	1.593	.7667	----	----	----	----	2 UNCH
7250	----	----	----/3.443A	3.454B/3.443A	----	5.086 +	1.539	.7419	----	----	----	----	2 UNCH
7500	2.606	2.606	3.536B/2.197A	3.536B/2.197A	----	3.505	NEW	.6025	----	----	2	----	1 + 1
7600	----	----	3.273B/1.829A	3.273B/1.829A	----	2.981 +	1.147	.5431	----	----	----	----	13 UNCH
7700	----	----	2.794B/1.486A	2.794B/1.486A	----	2.516 +	1.029	.4840	----	----	5	----	45 - 5
7800	----	----	2.316B/----	2.316B/1.242A	----	2.107 +	0.910	.4265	----	----	----	----	1 UNCH
7850	----	----	2.072B/----	2.072B/1.147A	----	1.923 +	0.851	.3987	----	----	----	----	2 UNCH
8000	0.920	0.920	1.536B/0.847A	1.536B/0.847A	----	1.446 +	0.677	.3206	----	----	1	----	1 UNCH
8100	1.000	1.000	1.231B/1.000	1.231B/0.701A	----	1.187 +	0.571	.2739	----	----	5	----	7 + 5
8200	----	----	0.978B/----	0.978B/0.584A	----	0.970 +	0.474	.2320	----	----	----	----	11 UNCH
8500	0.500	0.500	0.500/0.500	0.500/0.352A	----	0.527 +	0.256	.1363	----	----	5	----	6 + 5
9000	----	----	----	0.129B/0.196A	----	0.219 +	0.090	.0584	----	----	----	----	5 UNCH
9100	----	----	----	0.108B/0.188A	----	0.191 +	0.074	.0505	----	----	----	----	2 UNCH
TOTAL										18	0	101 + 6
SO3 PUT		SILVER OPTIONS										
MAY26												
6500	----	----	----/*0.256A	0.237B/*0.256A	----	0.179 -	0.172	.0465	----	----	----	----	4 UNCH
6600	----	----	----/0.310A	0.340B/0.310A	----	0.219 -	0.245	.0576	----	----	----	----	15 UNCH
6800	----	----	----/*0.468A	0.630B/*0.468A	----	0.353 -	0.406	.0922	----	----	----	----	1 UNCH
7000	0.741	0.741	1.107B/*0.712A	1.107B/*0.712A	----	0.601	NEW	.1496	----	----	1	----	1 + 1
7150	----	----	----/*1.002A	1.591B/*1.002A	----	0.897 -	0.754	.2099	----	----	----	----	1 UNCH
7200	1.150	1.150	1.150/*1.089A	1.808B/*1.089A	----	1.021 -	0.808	.2332	----	----	2	----	12 + 2
7350	----	----	2.470B/*1.518A	2.470B/*1.518A	----	1.480 -	0.971	.3112	----	----	----	----	1 UNCH
7700	2.674	2.674	2.674/*2.674	3.580B/*2.674	----	3.084 -	1.371	.5159	----	----	11	----	45 - 5
7850	----	----	----/3.721A	3.936B/3.721A	----	3.989 -	1.550	.6012	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
SO3 PUT		SILVER OPTIONS										
MAY26												
7900	4.327	4.327	4.327/3.990A	4.327/3.990A	----	4.317 NEW	.6282	----	----	2	----	0 UNCH
TOTAL										16	0	82 - 2
SO4 CALL		SILVER OPTIONS										
MAY26												
7500	----	----	#4.141B/2.788A	#4.141B/2.788A	----	4.060 + 1.268	.5911	----	----	----	----	1 UNCH
7700	2.598	2.598	3.096B/2.598	3.096B/2.061A	----	3.090 NEW	.4939	----	----	1	----	1 + 1
8200	0.906	0.906	#1.544B/0.906	#1.544B/0.906	----	1.490 NEW	.2831	----	----	1	----	1 + 1
TOTAL										2	0	3 + 2
SO4 PUT		SILVER OPTIONS										
MAY26												
6900	1.383	1.383	1.383/*0.914A	1.383/*0.914A	----	0.786 NEW	.1601	----	----	1	----	1 + 1
TOTAL										1	0	1 + 1
SWW WED		SILVER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
6000	----	----	----	0.019B/*0.133A	----	0.043 - 0.048	.0109	----	----	----	----	6 UNCH
6000	----	----	----	----/*0.093A	----	0.002 - 0.012	.0004	----	----	----	----	15 UNCH
6500	----	----	----/*0.200A	0.163B/*0.200A	----	0.138 - 0.180	.0378	----	----	----	----	8 UNCH
6700	----	----	----/*0.117A	0.045B/*0.117A	----	0.022 - 0.112	.0077	----	----	----	----	1 UNCH
6900	----	----	----/*0.146A	0.155B/*0.146A	----	0.052 - 0.215	.0206	----	----	----	----	2 UNCH
7000	----	----	----/*0.172A	0.269B/*0.172A	----	0.082 - 0.299	.0340	----	----	----	----	1 UNCH
7150	----	----	----/*0.274A	0.563B/*0.274A	----	0.165 - 0.489	.0715	----	----	2	----	2 UNCH
7200	0.425	0.425	0.440/*0.310A	0.730B/*0.310A	----	0.210 - 0.570	.0914	----	----	40	----	36 + 30
7390	----	----	----/*0.577A	1.393B/*0.577A	----	0.509 - 0.972	.2136	----	----	----	----	20 UNCH
7400	----	----	----/*0.578A	1.418B/*0.578A	----	0.532 - 0.996	.2223	----	----	----	----	1 UNCH
7500	----	----	#3.197B/1.940A	3.197B/1.940A	----	3.116 + 1.104	.6147	----	----	----	----	1 UNCH
7600	----	----	#1.812B/0.680A	1.812B/0.680A	----	1.651 NEW	.5609	----	----	8	----	4 + 4
7700	1.605	1.605	1.605/*1.561A	1.657B/*1.561A	----	1.744 NEW	.5599	----	----	5	----	5 + 5
7710	1.657	1.657	#1.657/*1.617A	#1.657/*1.617A	----	1.803 NEW	.5717	----	----	3	----	3 + 3
7750	----	----	1.239B/----	1.239B/0.409A	----	0.982 + 0.575	.3822	----	----	----	----	2 UNCH
7775	----	----	1.122B/----	1.122B/*0.374A	----	0.895 + 0.528	.3546	----	----	----	----	1 UNCH
7800	----	----	1.036B/*0.329A	1.036B/*0.329A	----	0.816 + 0.486	.3281	----	----	----	50	60 + 49
7800	1.490	1.490	2.034B/1.490	2.034B/1.012A	----	1.691 NEW	.4072	----	----	4	----	4 + 4
7825	----	----	0.910B/----	0.910B/*0.313A	----	0.742 + 0.444	.3027	----	----	----	----	1 UNCH
7875	----	----	0.725B/----	0.725B/*0.258A	----	0.614 + 0.372	.2561	----	----	----	----	1 UNCH
7950	----	----	0.497B/----	0.497B/*0.203A	----	0.460 + 0.282	.1963	----	----	----	----	1 UNCH
8000	----	----	0.400B/----	0.400B/*0.166A	----	0.379 + 0.233	.1631	----	----	----	----	7 UNCH
8175	----	----	0.118B/----	0.118B/*0.130A	----	0.196 + 0.119	.0836	----	----	----	----	1 UNCH
8200	----	----	0.115B/----	0.115B/*0.127A	----	0.179 + 0.108	.0760	----	----	----	----	2 UNCH
8500	----	----	----	0.013B/*0.103A	----	0.068 + 0.038	.0259	----	----	----	----	6 UNCH
8700	----	----	----	0.006B/*0.097A	----	0.041 + 0.021	.0141	----	----	----	----	1 UNCH
8800	----	----	----	----/31.256A	----	11.764 NEW	.9395	----	----	1	----	1 + 1
10000	----	----	----	----/0.143A	----	0.001 UNCH	.0001	----	----	----	----	5 UNCH
TOTAL										63	50	198 + 96
TWS TUE		SILVER WEEKLY TUESDAY OPTION Week1										
MAY26												
6300	----	----	----	----/*0.090A	----	0.006 NEW	.0013	----	----	1	----	1 + 1
6700	----	----	----/*0.097A	0.010B/*0.097A	----	0.041 - 0.061	.0120	----	----	----	----	1 UNCH
6725	----	----	----/*0.096A	0.011B/*0.096A	----	0.046 - 0.067	.0136	----	----	----	----	1 UNCH
6750	----	----	----/*0.101A	0.014B/*0.101A	----	0.051 - 0.075	.0154	----	----	----	----	2 UNCH
6800	----	----	----/*0.322A	0.403B/*0.322A	----	0.220 - 0.326	.0664	----	----	----	----	1 UNCH
6800	----	----	----/*0.110A	0.030B/*0.110A	----	0.060 NEW	.0187	----	----	1	----	1 + 1
7000	----	----	----/*0.132A	0.152B/*0.132A	----	0.085 - 0.228	.0323	----	----	----	----	3 UNCH
7180	0.380	0.380	#0.458B/*0.223A	0.458B/*0.223A	----	0.141 NEW	.0632	----	----	1	----	1 + 1
7200	0.698	0.698	0.698/*0.211A	0.698/*0.211A	----	0.151 - 0.515	.0688	----	----	5	----	6 + 5
7350	----	----	----/*0.395A	1.060B/*0.395A	----	0.284 NEW	.1404	----	----	4	----	4 + 4
7350	----	----	----/1.464A	1.354B/1.464A	----	3.214 + 1.520	.8595	----	----	----	----	5 UNCH
7400	0.377	0.377	0.377/*0.377	1.176B/*0.377	----	0.362 NEW	.1799	----	----	1	----	1 + 1
7400	----	----	----/1.190A	1.224B/1.190A	----	2.792 + 1.370	.8200	----	----	----	----	20 UNCH
7450	0.500	0.500	0.500/*0.500	1.304B/*0.500	----	0.464 NEW	.2288	----	----	5	----	5 + 5
7500	----	----	#1.256B/0.769A	1.256B/0.769A	----	2.027 + 1.051	.7123	----	----	----	----	3 UNCH
7550	----	----	#1.459B/0.643A	1.459B/0.643A	----	1.694 + 0.893	.6451	----	----	----	----	4 UNCH
7650	1.300	1.300	1.300/*1.155A	1.301B/*1.155A	----	1.210 NEW	.5035	----	----	15	----	15 + 15
7660	1.352	1.352	#1.352/*1.186A	#1.352/*1.186A	----	1.264 NEW	.5186	----	----	15	----	15 + 15
7700	----	----	----/*1.348A	1.293B/*1.348A	----	1.492 - 1.911	.5779	----	----	----	----	75 UNCH
7700	0.220	0.220	1.300/*0.220	1.300/*0.220	----	0.923 + 0.490	.4220	----	----	13	----	22 + 7
7700	----	----	2.127B/1.145A	2.127B/1.145A	----	2.076 + 0.928	.4744	----	----	----	----	1 UNCH
7800	----	----	#2.564B/----	#2.564B/1.475A	----	2.279 + 0.850	.4336	----	----	----	----	3 UNCH
7800	----	----	0.807B/0.219A	0.807B/0.219A	----	0.594 + 0.307	.2894	----	----	----	----	22 UNCH
7825	----	----	----/2.621A	1.279B/2.621A	----	2.349 - 2.131	.7389	----	----	----	----	20 UNCH
7860	0.234	0.234	#0.567B/*0.188A	#0.567B/*0.188A	----	0.454 NEW	.2249	----	----	8	----	8 + 8
8000	0.042	0.042	0.249B/*0.042	0.249B/*0.042	----	0.245 NEW	.1202	----	----	1	----	1 + 1
8000	----	----	----	4.830B/6.948A	----	3.813 - 2.289	.8797	----	----	----	----	2 UNCH
8010	0.205	0.205	#0.209B/*0.205	#0.209B/*0.132A	----	0.235 NEW	.1150	----	----	7	----	7 + 7
8050	0.145	0.145	0.150B/0.145	0.150B/*0.128A	----	0.198 NEW	.0957	----	----	1	----	1 + 1
8250	----	----	----	0.009B/*0.103A	----	0.085 + 0.031	.0374	----	----	----	----	1 UNCH
8300	0.092	0.092	0.092/*0.092	0.092/*0.092	----	0.067 NEW	.0288	----	----	1	----	1 + 1
8800	----	----	----	----	----	11.579 - 2.402	.9960	----	----	1	----	0 - 1
8950	----	----	----	0.045B/0.154A	----	0.146 + 0.064	.0429	----	----	----	----	1 UNCH
9200	----	----	----	0.019B/0.139A	----	0.093 + 0.033	.0269	----	----	----	----	2 UNCH
10500	----	----	----	0.001B/0.102A	----	0.041 + 0.008	.0089	----	----	----	----	1 UNCH
TOTAL										80	0	257 + 72

COPPER OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
450	----	----	----	----/0.0065A	----	0.0005 UNCH	.0020	----	----	----	----	4 UNCH
465	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
490	----	----	----	----/0.0065A	----	0.0005 UNCH	.0000	----	----	----	----	14 UNCH
555	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
560	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
565	----	----	----	0.0060B/*0.0130	----	0.0090 - 0.0025	.0696	----	----	----	----	2 UNCH
570	----	----	----	0.0095B/*0.0155	----	0.0115 - 0.0035	.0917	----	----	----	----	1 UNCH
575	----	----	----	----/0.0070A	----	0.0005 - 0.0015	.0019	----	----	----	----	10 UNCH
576	0.0165	0.0165	0.0165/*0.0165	0.0165/*0.0165	----	0.0170 NEW	.1354	----	----	1	----	1 + 1
580	----	----	----	----/*0.0075A	----	0.0010 - 0.0035	.0129	----	----	----	----	31 UNCH
584	----	----	----	0.0005B/*0.0080	----	0.0025 - 0.0050	.0370	----	----	----	----	2 UNCH
585	----	----	----/0.0075A	0.0010B/0.0075A	----	0.0030 - 0.0060	.0458	----	----	----	----	1 UNCH
585	----	----	----/*0.0325A	0.0330B/*0.0325	----	0.0315 - 0.0065	.2403	----	----	----	----	1 UNCH
586	----	----	----/*0.0335A	0.0360B/*0.0335	----	0.0340 - 0.0065	.2561	----	----	----	----	1 UNCH
587	----	----	----/0.0360A	0.0390B/0.0360A	----	0.0365 - 0.0070	.2721	----	----	----	----	3 UNCH
590	----	----	----/*0.0420A	0.0485B/*0.0420	----	0.0455 - 0.0070	.3249	----	----	----	----	1 UNCH
594	----	----	----/*0.0175A	0.0170B/*0.0175	----	0.0155 - 0.0120	.2658	----	----	----	----	1 UNCH
595	----	----	----/0.0570A	0.0685B/0.0570A	----	0.0640 - 0.0080	.4220	----	----	----	----	1 UNCH
595	----	----	0.1190B/0.0940A	0.1190B/0.0940A	----	0.0985 - 0.0040	.5776	----	----	----	----	1 UNCH
596	0.0305	0.0305	0.0305/*0.0210A	0.0305/*0.0210A	----	0.0220 NEW	.3631	----	----	6	----	6 + 6
596	----	----	0.0805B/*0.0430	0.0805B/*0.0430	----	0.0465 - 0.0085	.6367	----	----	----	----	1 UNCH
597	0.0180	0.0180	0.0305B/*0.0180	0.0305B/*0.0180	----	0.0260 - 0.0125	.4168	----	----	2	----	2 + 1
597	0.0420	0.0420	0.0720B/*0.0280	0.0720B/*0.0280	----	0.0405 - 0.0085	.5831	----	----	5	----	6 + 5
598	----	----	----/*0.0265A	0.0355B/*0.0265	----	0.0305 - 0.0125	.4723	----	----	----	----	1 UNCH
598	----	----	0.0645B/*0.0335	0.0645B/*0.0335	----	0.0350 - 0.0085	.5275	----	----	----	----	1 UNCH
599	----	----	----/*0.0300A	0.0415B/*0.0300	----	0.0355 - 0.0125	.5285	----	----	----	----	1 UNCH
599	----	----	0.0570B/*0.0295	0.0570B/*0.0295	----	0.0300 - 0.0085	.4714	----	----	----	----	1 UNCH
600	----	----	----/*0.0340A	0.0475B/*0.0340	----	0.0405 - 0.0125	.5855	----	----	----	----	1 UNCH
600	0.0400	0.0400	0.0500B/*0.0245	0.0500B/*0.0245	----	0.0250 NEW	.4143	----	----	7	----	7 + 7
600	----	----	0.1300B/0.1090A	0.1300B/0.1090A	----	0.1220 - 0.0065	.5127	----	----	----	----	1 UNCH
601	0.0145	0.0145	0.0435B/*0.0145	0.0435B/*0.0145	----	0.0210 NEW	.3595	----	----	2	----	2 + 2
605	0.0145	0.0145	0.0215B/*0.0120	0.0215B/*0.0120	----	0.0095 NEW	.1757	----	----	50	----	50 + 50
606	----	----	----/0.1045A	0.1215B/0.1045A	----	0.1235 - 0.0070	.6471	----	----	----	----	4 UNCH
606	----	----	0.0645B/0.0470A	0.0645B/0.0470A	----	0.0480 - 0.0030	.3525	----	----	----	----	4 UNCH
607	----	----	0.0125B/----	0.0125B/*0.0115	----	0.0055 - 0.0050	.1052	----	----	----	----	1 UNCH
610	0.0065	0.0065	0.0065/*0.0065	0.0065/*0.0065	----	0.0025 - 0.0035	.0458	----	----	10	----	10 UNCH
610	----	----	0.0815B/0.0655A	0.0815B/0.0655A	----	0.0675 - 0.0020	.3501	----	----	----	----	5 UNCH
611	----	----	----	0.0015B/*0.0075	----	0.0020 - 0.0030	.0354	----	----	----	----	1 UNCH
615	0.0025	0.0025	0.0025/*0.0025	0.0025/*0.0025	----	0.0005 - 0.0015	.0076	----	----	1	----	5 UNCH
615	----	----	0.2255B/0.1945A	0.2255B/0.1945A	----	0.2180 - 0.0060	.7097	----	----	----	----	4 UNCH
615	----	----	0.1990B/0.1740A	0.1990B/0.1740A	----	0.1895 - 0.0065	.7980	----	----	----	----	4 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

64
Side 56

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HMW MON		COPPER WEEKLY MONDAY OPTION WEEK3										
MAY26												
615	----	----	0.0630B/0.0515A	0.0630B/0.0515A	----	0.0530 - 0.0015	.2898	----	----	----	----	4 UNCH
615	----	----	0.0320B/*0.0260	0.0320B/*0.0260	----	0.0240 - 0.0030	.2017	----	----	----	----	4 UNCH
620	----	----	----	----/0.0065A	----	0.0005 UNCH	.0008	----	----	----	----	3 UNCH
620	----	----	----	0.0185B/*0.0190	----	0.0165 - 0.0020	.1438	----	----	----	----	4 UNCH
625	----	----	----	----/*0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	20 UNCH
625	----	----	----	0.0115B/*0.0140	----	0.0110 - 0.0020	.0992	----	----	----	----	1 UNCH
630	----	----	----	----/0.0060A	----	0.0005 UNCH	----	----	----	----	----	10 UNCH
630	----	----	----/*0.0250A	0.0250B/*0.0250	----	0.0245 - 0.0015	.1515	----	----	----	----	15 UNCH
635	----	----	----	0.0025B/*0.0090	----	0.0050 - 0.0015	.0463	----	----	----	----	1 UNCH
TOTAL										84		271+ 72
JUN26												
450	----	----	----	----/0.0085A	----	0.0005 - 0.0005	.0022	----	----	----	----	4 UNCH
500	----	----	----	0.0025B/0.0140A	----	0.0040 - 0.0010	.0183	----	----	----	----	5 UNCH
630	0.0535	0.0535	0.0650B/*0.0535	0.0650B/*0.0535	----	0.0580 NEW	.2384	----	----	1	----	1 + 1
640	----	----	0.0435B/0.0405A	0.0435B/0.0405A	----	0.0400 - 0.0015	.1758	----	----	----	----	3 UNCH
665	----	----	----	0.0160B/*0.0190	----	0.0160 - 0.0015	.0783	----	----	----	----	5 UNCH
675	----	----	----	0.0110B/*0.0145	----	0.0120 - 0.0010	.0591	----	----	----	----	3 UNCH
TOTAL										1		21+ 1
HWR THU		COPPER WEEKLY THURSDAY OPT Week5										
APR26												
585	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
588	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
592	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
593	----	----	----	----	----	0.0505 UNCH	----	----	----	----	----	0 UNCH
595	----	----	----	----	----	0.0305 UNCH	----	----	----	----	----	0 UNCH
596	----	----	----	----	----	0.0205 UNCH	----	----	----	----	----	0 UNCH
599	----	----	----	----	----	0.0095 UNCH	----	----	----	----	----	0 UNCH
600	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
601	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
602	----	----	----	----	----	0.0395 UNCH	----	----	----	----	----	0 UNCH
602	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
603	----	----	----	----	----	0.0495 UNCH	.0000	----	----	----	----	0 UNCH
603	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
607	----	----	----	----	----	0.0895 UNCH	----	----	----	----	----	0 UNCH
608	----	----	----	----	----	0.0995 UNCH	----	----	----	----	----	0 UNCH
609	----	----	----	----	----	0.1095 UNCH	----	----	----	----	----	0 UNCH
610	----	----	----	----	----	0.0000 UNCH	----	----	----	----	----	0 UNCH
TOTAL												0
MAY26												
450	----	----	----	----/0.0075A	----	0.0005 UNCH	.0021	----	----	----	----	4 UNCH
575	0.0100	0.0100	0.0100/*0.0100	0.0100/*0.0100	----	0.0080 NEW	.0766	----	----	10	----	10 + 10
576	----	----	----	0.0060B/0.0140A	----	0.0085 - 0.0045	.0824	----	----	----	----	1 UNCH
578	----	----	----	0.0085B/*0.0155	----	0.0100 - 0.0045	.0980	----	----	----	----	30 UNCH
593	----	----	----/0.0375A	0.0415B/0.0375A	----	0.0390 - 0.0080	.3490	----	----	----	----	4 UNCH
595	----	----	0.1685B/0.1410A	0.1685B/0.1410A	----	0.1470 - 0.0025	.5537	----	----	----	----	1 UNCH
598	0.0685	0.0685	0.0870B/0.0625A	0.0870B/0.0625A	----	0.0640 NEW	.5172	----	----	1	----	1 + 1
599	0.0725	0.0725	0.0725/0.0575A	0.0725/0.0575A	----	0.0645 NEW	.5104	----	----	1	----	1 + 1
606	----	----	0.0465B/*0.0325	0.0465B/*0.0325	----	0.0310 - 0.0035	.3025	----	----	----	----	2 UNCH
615	----	----	0.0160B/----	0.0160B/0.0160A	----	0.0115 - 0.0025	.1279	----	----	----	----	20 UNCH
620	----	----	----	0.0070B/0.0120A	----	0.0065 - 0.0015	.0738	----	----	----	----	4 UNCH
725	----	----	----	----/0.0080A	----	0.0005 UNCH	.0031	----	----	----	----	14 UNCH
TOTAL										12		92+ 12
HWT TUE		COPPER WEEKLY TUESDAY OPTION Week3										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	.0020	----	----	----	----	4 UNCH
490	----	----	----	----/0.0070A	----	0.0005 UNCH	----	----	----	----	----	14 UNCH
550	----	----	----	----/0.0075A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
565	----	----	----	----/*0.0050A	----	0.0005 - 0.0015	.0023	----	----	----	----	1 UNCH
573	----	----	----	----/0.0095A	----	0.0010 - 0.0025	.0115	----	----	----	----	1 UNCH
575	----	----	----	0.0005B/*0.0050	----	0.0015 - 0.0030	.0178	----	----	----	----	1 UNCH
576	----	----	----	0.0005B/*0.0100	----	0.0020 - 0.0030	.0238	----	----	----	----	1 UNCH
580	----	----	----	0.0010B/*0.0115	----	0.0040 - 0.0040	.0497	----	----	----	----	30 UNCH
582	----	----	----	0.0015B/*0.0120	----	0.0050 - 0.0055	.0645	----	----	----	----	1 UNCH
592	----	----	----/0.0785A	0.0805B/0.0785A	----	0.0850 - 0.0050	.7382	----	----	----	----	1 UNCH
594	----	----	----/*0.0255A	0.0265B/*0.0255	----	0.0260 - 0.0095	.3257	----	----	----	----	1 UNCH
596	----	----	0.0650B/0.0555A	0.0650B/0.0555A	----	0.0575 - 0.0060	.6008	----	----	----	----	1 UNCH
597	0.0495	0.0495	0.0495/*0.0335A	0.0495/*0.0335A	----	0.0370 - 0.0105	.4381	----	----	1	----	2 + 1
597	0.0485	0.0485	0.0670B/0.0485	0.0670B/0.0485	----	0.0515 NEW	.5617	----	----	1	----	1 + 1
598	0.0525	0.0525	0.0665B/0.0455A	0.0665B/0.0455A	----	0.0460 NEW	.5215	----	----	1	----	1 + 1
599	0.0510	0.0510	0.0510/*0.0410A	0.0510/*0.0410A	----	0.0465 NEW	.5190	----	----	1	----	1 + 1
599	0.0515	0.0515	0.0645B/0.0410A	0.0645B/0.0410A	----	0.0410 NEW	.4808	----	----	1	----	1 + 1
600	0.0540	0.0540	0.0540/0.0450A	0.0565B/0.0450A	----	0.0520 NEW	.5594	----	----	1	----	1 + 1
600	----	----	0.0585B/*0.0365	0.0585B/0.0365	----	0.0365 - 0.0055	.4405	----	----	----	----	1 UNCH
601	----	----	----/0.0495A	0.0605B/0.0495A	----	0.0575 - 0.0095	.5997	----	----	----	----	1 UNCH
608	0.0150	0.0150	0.0195B/0.0150	0.0195B/0.0150	----	0.0115 - 0.0035	.1661	----	----	20	----	10 - 10
610	----	----	0.0125B/----	0.0125B/0.0130A	----	0.0080 - 0.0030	.1187	----	----	----	----	10 UNCH
610	----	----	0.0565B/0.0425A	0.0565B/0.0425A	----	0.0425 - 0.0025	.2993	----	----	----	----	1 UNCH
615	----	----	----	0.0015B/*0.0085	----	0.0035 - 0.0015	.0506	----	----	----	500	0 - 500
620	----	----	----	----/*0.0085A	----	0.0010 - 0.0015	.0140	----	----	----	----	21 UNCH
620	0.0230	0.0230	0.0240B/*0.0225	0.0240B/*0.0225	----	0.0205 NEW	.1637	----	----	1	----	1 + 1
625	0.0030	0.0030	0.0030/*0.0030	0.0030/*0.0030	----	0.0005 NEW	.0036	----	----	1	----	1 + 1
630	----	----	----	----/0.0075A	----	0.0005 UNCH	.0007	----	----	----	----	10 UNCH
725	----	----	----	----/0.0075A	----	0.0005 UNCH	.0031	----	----	----	----	4 UNCH
TOTAL									500	28		124- 502
JUN26												
450	----	----	----	----/0.0090A	----	0.0015 UNCH	.0057	----	----	----	----	4 UNCH
750	----	----	----	----/0.0085A	----	0.0015 - 0.0005	.0075	----	----	----	----	4 UNCH
TOTAL												8
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	.0021	----	----	----	----	4 UNCH
455	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	21 UNCH
465	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
475	----	----	----	----/0.0045A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
485	----	----	----	----/0.0050A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
500	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	2 UNCH
510	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	8 UNCH
520	----	----	----	----/0.0055A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
530	----	----	----	----/0.0055A	----	0.0005 UNCH	.0000	----	----	----	----	4 UNCH
540	----	----	----	----/0.0060A	----	0.0005 UNCH	.0001	----	----	----	----	10 UNCH
550	----	----	0.5285B/0.4715A	0.5285B/0.4715A	----	0.4850 + 0.0035	.9985	----	----	----	----	3 UNCH
550	----	----	----	----/0.0065A	----	0.0005 - 0.0005	.0015	----	----	----	----	27 UNCH
555	----	----	----	----/0.0070A	----	0.0005 - 0.0015	.0041	----	----	----	----	16 UNCH
556	----	----	----	----/*0.0065A	----	0.0010 - 0.0010	.0080	----	----	----	----	1 UNCH
560	----	----	----	----/0.0075A	----	0.0010 - 0.0015	.0088	----	----	----	----	1 UNCH
562	----	----	----	----/*0.0070A	----	0.0015 - 0.0015	.0133	----	----	----	----	20 UNCH
565	----	----	----	----/*0.0045A	----	0.0015 - 0.0020	.0144	----	----	----	----	1 UNCH
568	----	----	----	----	----	0.3065 + 0.0015	.9798	----	----	----	----	1 UNCH
570	0.0045	0.0045	0.0050/*0.0045	0.0050/*0.0045	----	0.0025 - 0.0025	.0257	----	----	2	----	2 + 2
575	----	----	----	0.0015B/*0.0090	----	0.0040 - 0.0040	.0440	----	----	----	----	1 UNCH
579	----	----	----	0.1745B/0.2230A	----	0.2010 - 0.0005	.9268	----	----	----	----	1 UNCH
580	----	----	----	0.0040B/*0.0135	----	0.0075 - 0.0050	.0839	----	----	----	----	50 UNCH
584	----	----	----/*0.0165A	0.0085B/*0.0165	----	0.0115 - 0.0065	.1305	----	----	----	----	24 UNCH
585	----	----	----/*0.0175A	0.0100B/*0.0175	----	0.0130 - 0.0070	.1467	----	----	----	----	1 UNCH
590	----	----	0.1425B/----	0.1425B/0.1170A	----	0.1075 - 0.0035	.7512	----	----	----	----	4 UNCH
590	----	----	----/*0.0240A	0.0210B/*0.0240	----	0.0230 - 0.0075	.2486	----	----	----	----	27 UNCH
593	0.0280	0.0280	0.0315B/*0.0280	0.0315B/*0.0280	----	0.0315 NEW	.3271	----	----	2	----	2 + 2
596	----	----	0.0795B/0.0640A	0.0795B/0.0640A	----	0.0665 - 0.0050	.5834	----	----	----	----	1 UNCH
597	----	----	----/*0.0415A	0.0495B/*0.0415	----	0.0465 - 0.0090	.4487	----	----	----	----	1 UNCH
598	0.0580	0.0580	0.0775B/0.0540A	0.0775B/0.0540A	----	0.0555 NEW	.5187	----	----	1	----	1 + 1
599	0.0625	0.0625	0.0625/0.0485A	0.0625/0.0485A	----	0.0560 NEW	.5139	----	----	1	----	1 + 1
600	----	----	0.0660B/0.0450A	0.0660B/0.0450A	----	0.0455 - 0.0050	.4529	----	----	----	----	3 UNCH
600	----	----	----/0.0525A	0.0650B/0.0525A	----	0.0610 - 0.0090	.5468	----	----	----	----	1 UNCH
607	----	----	0.0320B/*0.0220	0.0320B/*0.0220	----	0.0200 - 0.0050	.2389	----	----	----	----	1 UNCH
608	----	----	0.0285B/0.0205A	0.0285B/0.0205A	----	0.0175 - 0.0050	.2132	----	----	----	----	50 UNCH
610	----	----	0.0215B/0.0170A	0.0215B/0.0170A	----	0.0135 - 0.0040	.1688	----	----	----	----	14 UNCH
614	----	----	----	0.0110B/*0.0130	----	0.0080 - 0.0035	.1023	----	----	----	----	10 UNCH
617	----	----	----	0.0055B/*0.0105	----	0.0050 - 0.0030	.0651	----	----	----	----	1 UNCH
624	----	----	----	----/*0.0070A	----	0.0020 - 0.0015	.0246	----	----	----	----	16 UNCH
625	----	----	----	----/0.0075A	----	0.0015 - 0.0015	.0187	----	----	----	----	20 UNCH
635	----	----	----	----/0.0065A	----	0.0005 - 0.0005	.0018	----	----	----	----	50 UNCH
645	----	----	0.4810B/0.4240A	0.4810B/0.4240A	----	0.4660 - 0.0040	.0000	----	----	----	----	6 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HWW WED		COPPER WEEKLY WEDNESDAY OPTION WEEK										
MAY26												
660	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	1	UNCH
675	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	2	UNCH
695	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	20	UNCH
700	----	----	----	----/0.0055A	----	0.0005	UNCH	----	----	----	----	----	21	UNCH
710	----	----	----	----/0.0100A	----	0.0005	UNCH	----	----	----	----	----	2	UNCH
TOTAL											6		459 +	6
JUN26														
470	----	----	----	0.0010B/0.0115A	----	0.0015 -	0.0005	.0066	----	----	----	----	4	UNCH
500	----	----	----	0.0025B/*0.0155	----	0.0065 -	0.0010	.0265	----	----	----	----	1	UNCH
555	----	----	----/*0.0400A	0.0375B/*0.0400	----	0.0385 -	0.0020	.1510	----	----	----	----	2	UNCH
579	----	----	----/0.0855A	0.0930B/0.0855A	----	0.0905 -	0.0045	.3090	----	----	----	----	1	UNCH
595	----	----	0.2090B/0.1825A	0.2090B/0.1825A	----	0.1890	UNCH	.5460	----	----	----	----	5	UNCH
595	----	----	0.1610B/0.1420A	0.1610B/0.1420A	----	0.1550 -	0.0035	.4531	----	----	----	----	5	UNCH
600	----	----	0.1855B/0.1600A	0.1855B/0.1600A	----	0.1650 +	0.0005	.4992	----	----	----	----	1	UNCH
606	----	----	0.2215B/0.1955A	0.2215B/0.1955A	----	0.2145 -	0.0045	.5549	----	----	----	----	2	UNCH
610	----	----	0.1390B/0.1200A	0.1390B/0.1200A	----	0.1240 -	0.0005	.4086	----	----	----	----	8	UNCH
650	----	----	----/*0.0350A	0.0355B/0.0350A	----	0.0335 -	0.0020	.1434	----	----	----	----	6	UNCH
660	----	----	----	0.0240B/*0.0260	----	0.0240 -	0.0015	.1067	----	----	----	----	8	UNCH
700	----	----	----	0.0050B/*0.0110	----	0.0065 -	0.0005	.0317	----	----	----	----	1	UNCH
725	----	----	----	0.0015B/0.0080A	----	0.0030 -	0.0005	.0150	----	----	----	----	14	UNCH
TOTAL													58	
JUL26														
600	----	----	0.2860B/0.2665A	0.2860B/0.2665A	----	0.2680 -	0.0005	.5467	----	----	----	----	12	UNCH
605	----	----	0.2600B/0.2430A	0.2600B/0.2430A	----	0.2440 -	0.0005	.5144	----	----	----	----	1	UNCH
611	----	----	----/0.2720A	0.2885B/0.2720A	----	0.2855 -	0.0040	.5224	----	----	----	----	22	UNCH
612	----	----	0.2265B/0.2140A	0.2265B/0.2140A	----	0.2135 -	0.0010	.4698	----	----	----	----	5	UNCH
612	----	----	----/0.2775A	0.2945B/0.2775A	----	0.2910 -	0.0045	.5286	----	----	----	----	5	UNCH
621	----	----	0.1895B/----	0.1895B/0.1810A	----	0.1795 -	0.0010	.4148	----	----	----	----	1	UNCH
625	----	----	0.1745B/----	0.1745B/0.1680A	----	0.1665 -	0.0005	.3918	----	----	----	----	22	UNCH
630	----	----	0.1575B/----	0.1575B/0.1530A	----	0.1510	UNCH	.3638	----	----	----	----	5	UNCH
TOTAL													73	
AUG26														
630	----	----	0.2365B/----	0.2365B/0.2315A	----	0.2290 +	0.0005	.4071	----	----	----	----	1	UNCH
640	----	----	0.2040B/----	0.2040B/0.2020A	----	0.1985	UNCH	.3655	----	----	----	----	1	UNCH
TOTAL													2	
HX CALL		COMEX COPPER OPTIONS												
JUN26														
500	----	----	----	----	----	0.9900 +	0.0040	.9724	----	----	----	----	3	UNCH
510	----	----	----	----	----	0.8910 +	0.0040	.9683	----	----	----	----	1	UNCH
525	----	----	----	----	----	0.7430 +	0.0035	.9547	----	----	----	----	1	UNCH
535	----	----	----	----	----	0.6460 +	0.0035	.9409	----	----	----	----	2	UNCH
540	----	----	----	0.5905B/0.5980A	----	0.5980 +	0.0030	.9307	----	----	----	----	24	UNCH
545	----	----	----	0.5245B/0.5555A	----	0.5505 +	0.0030	.9182	----	----	----	----	2	UNCH
549	----	----	0.5355B/----	0.5355B/0.5180A	----	0.5130 +	0.0025	.9060	----	----	----	----	1	UNCH
550	----	----	0.5265B/----	0.5265B/0.5040A	----	0.5035 +	0.0020	.9032	----	----	----	----	5	UNCH
555	----	----	0.4800B/----	0.4800B/0.4630A	----	0.4580 +	0.0020	.8842	----	----	----	----	1	UNCH
556	----	----	0.4710B/----	0.4710B/0.4540A	----	0.4490 +	0.0020	.8797	----	----	----	----	1	UNCH
557	----	----	0.4625B/----	0.4625B/0.4405A	----	0.4400 +	0.0020	.8752	----	----	----	----	63	UNCH
559	----	----	0.4445B/----	0.4445B/0.4275A	----	0.4220 +	0.0015	.8646	----	----	----	----	4	UNCH
560	----	----	0.4290B/0.4100A	0.4290B/0.4100A	----	0.4135 +	0.0020	.8599	----	----	----	----	106	UNCH
562	----	----	0.4180B/----	0.4180B/0.4010A	----	0.3960 +	0.0015	.8478	----	----	----	----	1	UNCH
563	0.3890	0.3890	0.4090B/0.3890	0.4090B/0.3890	----	0.3875	NEW	.8417	----	----	1	----	1 +	1
565	----	----	0.3920B/----	0.3920B/0.3760A	----	0.3710 +	0.0020	.8293	----	----	----	----	2	UNCH
568	----	----	0.3665B/----	0.3665B/0.3510A	----	0.3460 +	0.0015	.8093	----	----	----	----	3	UNCH
569	----	----	0.3580B/----	0.3580B/0.3430A	----	0.3380 +	0.0015	.8018	----	----	----	----	2	UNCH
570	----	----	0.3500B/----	0.3500B/0.3305A	----	0.3300 +	0.0015	.7943	----	----	----	----	21	UNCH
574	----	----	0.3175B/----	0.3175B/0.3040A	----	0.2990 +	0.0015	.7619	----	----	----	----	3	UNCH
575	----	----	0.3105B/0.2765A	0.3105B/0.2765A	----	0.2910 +	0.0010	.7541	----	----	----	----	149	UNCH
579	----	----	0.2795B/----	0.2795B/0.2675A	----	0.2620 +	0.0015	.7176	----	----	----	----	3	UNCH
580	----	----	0.2835B/0.2430A	0.2835B/0.2430A	----	0.2550 +	0.0015	.7087	----	----	----	----	44	UNCH
581	----	----	0.2645B/----	0.2645B/0.2540A	----	0.2475 +	0.0010	.6991	----	----	----	----	1	UNCH
582	----	----	0.2575B/----	0.2575B/0.2470A	----	0.2410 +	0.0010	.6894	----	----	----	----	1	UNCH
583	----	----	0.2500B/----	0.2500B/0.2405A	----	0.2340 +	0.0010	.6792	----	----	----	----	2	UNCH
584	----	----	0.2430B/0.2200A	0.2430B/0.2200A	----	0.2275 +	0.0010	.6694	----	----	----	----	3	UNCH
585	----	----	0.2465B/0.2090A	0.2465B/0.2090A	----	0.2205 +	0.0005	.6591	----	----	----	----	12	UNCH
586	----	----	0.2295B/0.2070A	0.2295B/0.2070A	----	0.2140 +	0.0005	.6487	----	----	----	----	1	UNCH
587	----	----	0.2225B/0.2010A	0.2225B/0.2010A	----	0.2075	UNCH	.6383	----	----	----	----	3	UNCH
588	----	----	0.2160B/0.1950A	0.2160B/0.1950A	----	0.2015 +	0.0005	.6279	----	----	----	----	4	UNCH
589	----	----	0.2095B/0.1830A	0.2095B/0.1830A	----	0.1950	UNCH	.6170	----	----	----	----	1	UNCH
590	----	----	0.2125B/0.1750A	0.2125B/0.1750A	----	0.1890	UNCH	.6061	----	----	----	----	81	UNCH
591	----	----	0.2000B/0.1710A	0.2000B/0.1710A	----	0.1830	UNCH	.5952	----	----	----	----	10	UNCH
592	----	----	0.1915B/0.1650A	0.1915B/0.1650A	----	0.1775	UNCH	.5843	----	----	1	----	1 +	1
593	----	----	0.1865B/0.1600A	0.1865B/0.1600A	----	0.1715 -	0.0005	.5731	----	----	----	----	2	UNCH
594	----	----	0.1880B/0.1550A	0.1880B/0.1550A	----	0.1660 -	0.0005	.5620	----	----	----	----	4	UNCH
595	----	----	0.1810B/0.1485A	0.1810B/0.1485A	----	0.1605 -	0.0005	.5507	----	----	----	----	116	UNCH
596	----	----	0.1785B/0.1440A	0.1785B/0.1440A	----	0.1555	UNCH	.5394	----	----	----	----	6	UNCH
597	----	----	0.1740B/0.1390A	0.1740B/0.1390A	----	0.1505	UNCH	.5281	----	----	----	----	1	UNCH
598	----	----	0.1685B/0.1340A	0.1685B/0.1340A	----	0.1450 -	0.0005	.5167	----	----	----	----	6	UNCH
599	----	----	0.1625B/0.1290A	0.1625B/0.1290A	----	0.1400 -	0.0005	.5054	----	----	----	----	4	UNCH
600	0.1235	0.1235	0.1575B/0.1235	0.1575B/0.1235	----	0.1350 -	0.0010	.4940	----	----	4	----	433 -	2
601	----	----	0.1515B/0.1205A	0.1515B/0.1205A	----	0.1305 -	0.0010	.4827	----	----	----	----	1	UNCH
602	----	----	0.1470B/0.1160A	0.1470B/0.1160A	----	0.1260 -	0.0010	.4714	----	----	----	----	4	UNCH
603	----	----	0.1415B/0.1120A	0.1415B/0.1120A	----	0.1215 -	0.0010	.4601	----	----	----	----	10	UNCH
604	----	----	0.1365B/0.1080A	0.1365B/0.1080A	----	0.1170 -	0.0010	.4488	----	----	----	----	15	UNCH
605	0.1150	0.1150	0.1320B/0.1015	0.1320B/0.1015	----	0.1130 -	0.0010	.4377	----	----	7	----	207 +	4
606	----	----	0.1275B/0.1010A	0.1275B/0.1010A	----	0.1090 -	0.0010	.4267	----	----	----	----	23	UNCH
607	----	----	0.1230B/0.0965A	0.1230B/0.0965A	----	0.1055 -	0.0005	.4161	----	----	----	----	117	UNCH
608	----	----	0.1185B/0.0930A	0.1185B/0.0930A	----	0.1015 -	0.0005	.4051	----	----	----	----	7	UNCH
609	----	----	0.1145B/0.0900A	0.1145B/0.0900A	----	0.0980 -	0.0005	.3946	----	----	----	----	13	UNCH
610	0.0960	0.0960	0.1105B/0.0850A	0.1105B/0.0850A	----	0.0945 -	0.0005	.3841	----	----	5	100	686 +	95
611	----	----	0.1060B/0.0830A	0.1060B/0.0830A	----	0.0910	UNCH	.3736	----	----	----	----	9	UNCH
612	----	----	0.1020B/0.0800A	0.1020B/0.0800A	----	0.0875 -	0.0005	.3632	----	----	----	----	28	UNCH
613	----	----	0.0990B/0.0770A	0.0990B/0.0770A	----	0.0840 -	0.0005	.3527	----	----	----	----	53	UNCH
614	0.0825	0.0825	0.0950B/0.0740A	0.0950B/0.0740A	----	0.0810	UNCH	.3429	----	----	1	----	11	UNCH
615	0.0790	0.0790	0.0910B/0.0700A	0.0910B/0.0700A	----	0.0775 -	0.0005	.3324	----	----	49	----	913 +	40
616	----	----	0.0880B/0.0680A	0.0880B/0.0680A	----	0.0745 -	0.0005	.3226	----	----	----	----	18	UNCH
617	----	----	0.0845B/0.0655A	0.0845B/0.0655A	----	0.0715 -	0.0005	.3128	----	----	----	----	22	UNCH
618	----	----	0.0815B/0.0635A	0.0815B/0.0635A	----	0.0685 -	0.0005	.3030	----	----	----	----	37	UNCH
619	----	----	0.0780B/0.0605A	0.0780B/0.0605A	----	0.0660 -	0.0005	.2940	----	----	----	----	17	UNCH
620	0.0650	0.0650	0.0750B/0.0570A	0.0750B/0.0570A	----	0.0630 -	0.0005	.2842	----	----	58	----	641 +	40
621	----	----	0.0720B/0.0560A	0.0720B/0.0560A	----	0.0605 -	0.0005	.2753	----	----	----	----	8	UNCH
622	0.0585	0.0585	0.0695B/0.0540A	0.0695B/0.0540A	----	0.0580 -	0.0005	.2663	----	----	2	----	8 +	1
623	----	----	0.0665B/0.0510A	0.0665B/0.0510A	----	0.0560	UNCH	.2584	----	----	----	----	16	UNCH
624	----	----	0.0635B/0.0490A	0.0635B/0.0490A	----	0.0535	UNCH	.2495	----	----	----	----	3	UNCH
625	0.0520	0.0520	0.0610B/0.0465A	0.0610B/0.0465A	----	0.0515	UNCH	.2417	----	----	10	----	197 -	2
626	----	----	0.0590B/0.0460A	0.0590B/0.0460A	----	0.0495	UNCH	.2339	----	----	----	----	2	UNCH
627	----	----	0.0560B/0.0435A	0.0560B/0.0435A	----	0.0475 +	0.0005	.2261	----	----	----	----	10	UNCH
628	----	----	0.0540B/0.0415A	0.0540B/0.0415A	----	0.0455 +	0.0005	.2183	----	----	----	----	17	UNCH
629	0.0445	0.0445	0.0515B/0.0405	0.0515B/0.0405	----	0.0435	UNCH	.2106	----	----	14	----	81 +	14
630	0.0430	0.0430	0.0495B/0.0375A	0.0495B/0.0375A	----	0.0415	UNCH	.2029	----	----	29	----	1613	UNCH
631	0.0415	0.0415	0.0475B/0.0365A	0.0475B/0.0365A	----	0.0400 +	0.0005	.1964	----	----	47	----	115 +	45
632	0.0380	0.0380	0.0455B/0.0355	0.0455B/0.0355	----	0.0385 +	0.0005	.1899	----	----	15	----	99 +	14
635	0.0345	0.0345	0.0400B/0.0305A	0.0400B/0.0305A	----	0.0335	UNCH	.1694	----	----	71	----	304 +	71
639	0.0290	0.0290	0.0330B/0.0260	0.0330B/0.0260	----	0.0285 +	0.0005	.1470	----	----	18	----	46 +	18
640	0.0280	0.0280	0.0320B/0.0250A	0.0320B/0.0250A	----	0.0270 +	0.0005	.1407	----	----	7	----	992 +	7
641	0.0265	0.0265	0.0305B/0.0240A	0.0305B/0.0240A	----	0.0260 +	0.0005	.1359	----	----	27	----	35 +	26
644	0.0235	0.0235	0.0260B/0.0210A	0.0260B/0.0210A	----	0.0225	UNCH	.1202	----	----	9	----	17 +	9
645	0.0225	0.0225	0.0255B/*0.0195	0.0255B/*0.0195	----	0.0215	UNCH	.1155	----	----	10	----	102 +	7
646	0.0215	0.0215	0.0245B/0.0190A	0.0245B/0.0190A	----	0.0210 +	0.0005	.1125	----	----	9	----	18 +	9
650	0.0185	0.0185	0.0205B/0.0160A	0.0205B/0.0160A	----	0.0175 +	0.0005	.0958	----	----	46	----	930 +	38
655	----	----	0.0160B/0.0130A	0.0160B/0.0130A	----	0.0140 +	0.0005	.0783	----	----	----	----	393	UNCH
660	----	----	0.0130B/----	0.0130B/0.0110A	----	0.0110	UNCH	.0631	----	----	14	----	673 +	8
665	----	----	0.0105B/----	0.0105B/0.0090A	----	0.0090	UNCH	.0521	----	----	----	----	54	UNCH
670	----	----	0.0090B/----	0.0090B/0.0075A	----	0.0075	UNCH	.0436	----	----	12	----	1307 -	12
675	----	----	0.0070B/----	0.0070B/0.0065A	----	0.0065	UNCH	.0375	----	----	----	----	89	UNCH
680	----	----	0.0060B/----	0.0060B/0.0055A	----	0.0055	UNCH	.0317	----	----	----	----	422 -	2
685	----	----	0.0050B/----	0.0050B/0.0050A	----	0.0050 +	0.0005	.0284	----	----	----	----	58	UNCH
690	----	----	0.0045B/----	0.0045B/0.0045A	----	0.0045 +	0.0005	.0252	----	----	12	----	125 -	12
695	----	----	0.0040B/----	0.0040B/0.0040A	----	0.0040 +	0.0005	.0221	----	----	----	----	47	UNCH
700	----	----	----	0.0035B/0.0035A	----	0.0035	UNCH	.0193	----	----	----	----	694	UNCH
705	----	----	----	----/0.0035A	----	0.0030	UNCH	.0165	----	----	----	----	15	UNCH
710	----	----	----	0.0025B/0.0030A	----	0.0030	UNCH	.0160	----	----	----	----	83 -	2
715	----	----	----	----/0.0025A	----	0.0030 +	0.0005	.0155	----	----	----	----	12	UNCH
720	----	----	----	----/0.0030A	----	0.0025	UNCH	.0130	----	----	----	----	28	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX CALL		COMEX COPPER OPTIONS										
JUN26												
725	----	----	----	----/0.0025A	----	0.0025 UNCH	.0126	----	----	----	----	84 UNCH
730	----	----	----	----/0.0025A	----	0.0025 UNCH	.0123	----	----	----	----	19 UNCH
735	----	----	----	----/0.0025A	----	0.0025 UNCH	.0119	----	----	----	----	40 UNCH
740	----	----	----	----/0.0025A	----	0.0025 UNCH	.0116	----	----	----	----	8 UNCH
745	----	----	----	----/0.0030A	----	0.0025 UNCH	.0114	----	----	----	----	1526 UNCH
750	0.0040	0.0040	0.0040/0.0030A	0.0040/0.0030A	----	0.0020 UNCH	.0092	----	----	1	----	165 UNCH
755	----	----	----	----/*0.0030A	----	0.0020 UNCH	.0090	----	----	----	----	1 UNCH
765	----	----	----	----/0.0035A	----	0.0015 UNCH	.0068	----	----	----	----	1506 UNCH
770	----	----	----	----/0.0030A	----	0.0015 UNCH	.0067	----	----	----	----	7 UNCH
775	----	----	----	----/*0.0030A	----	0.0015 UNCH	.0065	----	----	----	----	1 UNCH
780	----	----	----	----/0.0030A	----	0.0010 - 0.0005	.0045	----	----	----	----	8 UNCH
795	----	----	----	----/0.0025A	----	0.0010 UNCH	.0043	----	----	----	----	33 UNCH
800	----	----	----	----/0.0025A	----	0.0010 UNCH	.0042	----	----	----	----	7 UNCH
810	----	----	----	----/0.0025A	----	0.0005 - 0.0005	.0022	----	----	----	----	3 UNCH
825	----	----	----	----/0.0020A	----	0.0005 UNCH	.0012	----	----	----	----	1 UNCH
840	----	----	----	----/0.0020A	----	0.0005 UNCH	.0007	----	----	----	----	6 UNCH
850	----	----	----	----/0.0020A	----	0.0005 UNCH	.0004	----	----	----	----	4 UNCH
880	----	----	----	----/0.0020A	----	0.0005 UNCH	.0001	----	----	----	----	2 UNCH
900	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	11 UNCH
910	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	11 UNCH
950	----	----	----	----/0.0020A	----	0.0005 UNCH	.0000	----	----	----	----	1 UNCH
975	----	----	----	----/*0.0005A	----	0.0005 UNCH	----	----	----	----	----	1 UNCH
TOTAL									100	479		16025 + 416
JUL26												
500	----	----	----	0.9910B/1.0035A	----	1.0020 + 0.0035	.9385	----	----	----	----	10 UNCH
520	----	----	0.8325B/----	0.8325B/0.8295A	----	0.8135 + 0.0030	.9054	----	----	----	----	2 UNCH
525	----	----	0.7820B/----	0.7820B/0.7830A	----	0.7680 + 0.0035	.8939	----	----	----	----	1 UNCH
530	----	----	0.7370B/----	0.7370B/0.7250A	----	0.7225 + 0.0030	.8804	----	----	----	----	6 UNCH
540	----	----	0.6495B/----	0.6495B/0.6380A	----	0.6350 + 0.0030	.8495	----	----	----	----	16 UNCH
545	----	----	0.6065B/----	0.6065B/0.6075A	----	0.5925 + 0.0030	.8307	----	----	----	----	1 UNCH
550	----	----	0.5650B/----	0.5650B/0.5660A	----	0.5515 + 0.0030	.8093	----	----	----	----	2 UNCH
555	----	----	0.5250B/----	0.5250B/0.5155A	----	0.5120 + 0.0035	.7864	----	----	----	----	116 UNCH
560	----	----	0.4855B/0.4640A	0.4855B/0.4640A	----	0.4735 + 0.0030	.7612	----	----	----	----	1 UNCH
570	----	----	0.4300B/0.3905A	0.4300B/0.3905A	----	0.4005 + 0.0020	.7058	----	----	----	----	157 UNCH
574	----	----	0.3845B/----	0.3845B/0.3795A	----	0.3735 + 0.0020	.6818	----	----	----	----	5 UNCH
575	----	----	0.3945B/0.3560A	0.3945B/0.3560A	----	0.3665 + 0.0015	.6758	----	----	----	----	19 UNCH
580	----	----	0.3605B/0.3260A	0.3605B/0.3260A	----	0.3345 + 0.0015	.6439	----	----	----	----	123 UNCH
585	----	----	0.3285B/0.2955A	0.3285B/0.2955A	----	0.3050 + 0.0015	.6109	----	----	----	----	304 UNCH
590	----	----	0.2980B/0.2655A	0.2980B/0.2655A	----	0.2770 + 0.0015	.5771	----	----	----	----	105 UNCH
591	----	----	0.2920B/0.2610A	0.2920B/0.2610A	----	0.2715 + 0.0010	.5703	----	----	----	----	3 UNCH
593	----	----	0.2845B/0.2510A	0.2845B/0.2510A	----	0.2615 + 0.0015	.5566	----	----	----	----	1 UNCH
594	----	----	0.2805B/0.2465A	0.2805B/0.2465A	----	0.2565 + 0.0015	.5498	----	----	----	----	2 UNCH
595	----	----	0.2750B/0.2405A	0.2750B/0.2405A	----	0.2515 + 0.0015	.5429	----	----	----	----	29 UNCH
597	----	----	0.2645B/0.2305A	0.2645B/0.2305A	----	0.2415 + 0.0010	.5292	----	----	----	----	1 UNCH
598	----	----	0.2585B/0.2260A	0.2585B/0.2260A	----	0.2365 + 0.0010	.5224	----	----	----	----	1 UNCH
599	----	----	0.2535B/0.2210A	0.2535B/0.2210A	----	0.2320 + 0.0010	.5156	----	----	----	----	2 UNCH
600	----	----	0.2490B/0.2155A	0.2490B/0.2155A	----	0.2275 + 0.0010	.5088	----	----	17	----	523 + 3
602	0.2185	0.2185	0.2390B/0.2080A	0.2390B/0.2080A	----	0.2185 + 0.0010	.4952	----	----	4	----	83 UNCH
603	----	----	0.2345B/0.2045A	0.2345B/0.2045A	----	0.2140 + 0.0010	.4884	----	----	----	----	1 UNCH
605	0.2290	0.2290	0.2290/0.1940	0.2290/0.1940	----	0.2055 + 0.0010	.4750	----	----	5	----	40 + 5
610	0.1820	0.1820	0.2035B/0.1755A	0.2035B/0.1755A	----	0.1850 + 0.0005	.4418	----	----	20	----	293 + 20
615	0.1790	0.1790	0.1835B/0.1500	0.1835B/0.1500	----	0.1670 + 0.0005	.4100	----	----	43	----	1636 + 5
620	0.1460	0.1460	0.1650B/0.1340	0.1650B/0.1340	----	0.1500 + 0.0005	.3790	----	----	11	----	205 UNCH
625	0.1360	0.1360	0.1485B/0.1195	0.1485B/0.1195	----	0.1350 + 0.0005	.3497	----	----	3	----	370 + 1
630	0.1220	0.1220	0.1340B/0.1145A	0.1340B/0.1145A	----	0.1215 + 0.0005	.3220	----	----	3	----	402 + 1
635	0.1105	0.1105	0.1200B/0.0950	0.1200B/0.0950	----	0.1090 + 0.0005	.2956	----	----	3	----	80 + 2
640	0.0970	0.0970	0.1090/0.0840	0.1090/0.0840	----	0.0980 + 0.0010	.2712	----	----	66	----	1574 + 7
645	0.0880	0.0880	0.0970B/0.0825A	0.0970B/0.0825A	----	0.0880 + 0.0010	.2483	----	----	1	----	378 UNCH
650	0.0795	0.0795	0.0870B/*0.0655	0.0870B/*0.0655	----	0.0785 + 0.0005	.2263	----	----	37	----	658 + 32
655	0.0575	0.0575	0.0780B/*0.0575	0.0780B/*0.0575	----	0.0705 + 0.0010	.2066	----	----	1	----	683 UNCH
660	0.0505	0.0505	0.0685B/*0.0505	0.0685B/*0.0505	----	0.0630 + 0.0010	.1880	----	----	1	----	243 + 1
665	0.0445	0.0445	0.0615B/*0.0445	0.0615B/*0.0445	----	0.0565 + 0.0010	.1711	----	----	1	----	4 + 1
670	0.0395	0.0395	0.0550B/*0.0395	0.0550B/*0.0395	----	0.0505 + 0.0010	.1554	----	----	1	----	119 + 1
675	0.0450	0.0450	0.0495B/*0.0350	0.0495B/*0.0350	----	0.0455 + 0.0010	.1416	----	----	6	----	2285 + 6
680	0.0310	0.0310	0.0440B/*0.0310	0.0440B/*0.0310	----	0.0410 + 0.0010	.1290	----	----	1	----	234 UNCH
685	----	----	0.0395B/0.0350A	0.0395B/0.0350A	----	0.0365 + 0.0005	.1165	----	----	----	----	16 UNCH
690	----	----	0.0355B/0.0320A	0.0355B/0.0320A	----	0.0330 + 0.0005	.1063	----	----	----	----	292 UNCH
695	----	----	0.0320B/*0.0285	0.0320B/*0.0285	----	0.0300 + 0.0010	.0972	----	----	----	----	55 UNCH
700	----	----	0.0290B/0.0260A	0.0290B/0.0260A	----	0.0270 + 0.0005	.0883	----	----	----	----	359 UNCH
705	0.0265	0.0265	0.0265/0.0235A	0.0265/0.0235A	----	0.0245 NEW	.0806	----	----	1	----	1 + 1
710	----	----	0.0235B/0.0215A	0.0235B/0.0215A	----	0.0220 UNCH	.0731	----	----	----	----	865 UNCH
715	----	----	0.0220B/0.0195A	0.0220B/0.0195A	----	0.0200 UNCH	.0668	----	----	----	----	33 UNCH
720	----	----	0.0195B/----	0.0195B/0.0180A	----	0.0185 + 0.0005	.0617	----	----	----	----	14 UNCH
725	----	----	0.0180B/----	0.0180B/0.0165A	----	0.0170 + 0.0005	.0568	----	----	----	----	1568 UNCH
730	----	----	0.0160B/----	0.0160B/0.0155A	----	0.0155 + 0.0005	.0520	----	----	1	----	110 + 1
750	----	----	0.0120B/----	0.0120B/*0.0110	----	0.0110 UNCH	.0372	----	----	----	----	245 UNCH
775	----	----	----	0.0080B/*0.0080	----	0.0075 - 0.0005	.0254	----	----	----	----	34 UNCH
780	----	----	----	0.0070B/*0.0075	----	0.0070 - 0.0005	.0237	----	----	----	----	3 UNCH
800	0.0055	0.0055	0.0055/*0.0055	0.0055/*0.0055	----	0.0055 - 0.0005	.0184	----	----	1	----	2202 UNCH
825	----	----	----	----/0.0070A	----	0.0040 - 0.0005	.0132	----	----	----	----	4 UNCH
850	----	----	----	----/0.0055A	----	0.0035 UNCH	.0111	----	----	1	----	7 + 1
875	----	----	----	----/0.0050A	----	0.0030 UNCH	.0092	----	----	----	----	2 UNCH
900	----	----	----	----/0.0045A	----	0.0025 UNCH	.0075	----	----	----	----	2341 UNCH
950	----	----	----	----/0.0035A	----	0.0015 UNCH	.0045	----	----	----	----	61 UNCH
975	----	----	----	----/0.0030A	----	0.0010 UNCH	.0030	----	----	----	----	2 UNCH
1000	----	----	----	----/0.0025A	----	0.0005 UNCH	.0016	----	----	----	----	4 UNCH
TOTAL										228		18936 + 88
AUG26												
500	----	----	----	----	----	1.0755 + 0.0020	.9117	----	----	----	----	3 UNCH
550	----	----	----	----	----	0.6490 + 0.0025	.7789	----	----	----	----	3 UNCH
580	----	----	0.4650B/0.4330A	0.4650B/0.4330A	----	0.4410 + 0.0020	.6481	----	----	----	----	253 UNCH
585	----	----	0.4340B/0.4065A	0.4340B/0.4065A	----	0.4115 + 0.0020	.6234	----	----	----	----	11 UNCH
590	----	----	0.4040B/0.3790A	0.4040B/0.3790A	----	0.3835 + 0.0025	.5982	----	----	----	----	17 UNCH
595	----	----	0.3760B/0.3490A	0.3760B/0.3490A	----	0.3570 + 0.0025	.5727	----	----	----	----	1 UNCH
600	----	----	0.3545B/0.3255A	0.3545B/0.3255A	----	0.3320 + 0.0025	.5470	----	----	----	----	4 UNCH
610	----	----	0.3060B/0.2810A	0.3060B/0.2810A	----	0.2865 + 0.0030	.4961	----	----	----	----	1 UNCH
620	----	----	0.2635B/0.2420A	0.2635B/0.2420A	----	0.2470 + 0.0030	.4470	----	----	11	----	31 + 11
625	----	----	0.2445B/0.2245A	0.2445B/0.2245A	----	0.2295 + 0.0035	.4234	----	----	----	----	91 UNCH
635	----	----	0.2100B/----	0.2100B/0.1945A	----	0.1975 + 0.0035	.3784	----	----	----	----	2 UNCH
640	0.1830	0.1830	0.1945B/0.1740A	0.1945B/0.1740A	----	0.1835 + 0.0040	.3573	----	----	6	----	160 - 1
650	----	----	0.1660B/0.1525A	0.1660B/0.1525A	----	0.1580 + 0.0040	.3175	----	----	10	----	76 + 10
660	----	----	0.1425B/----	0.1425B/0.1335A	----	0.1360 + 0.0035	.2812	----	----	----	----	1 UNCH
675	----	----	0.1125B/0.1030A	0.1125B/0.1030A	----	0.1090 + 0.0030	.2338	----	----	----	----	169 UNCH
680	----	----	0.1040B/----	0.1040B/0.0990A	----	0.1010 + 0.0025	.2193	----	----	----	----	1 UNCH
690	----	----	----	0.0835B/0.0895A	----	0.0875 + 0.0025	.1937	----	----	----	----	3 UNCH
700	----	----	0.0745B/*0.0730	0.0745B/0.0730A	----	0.0755 + 0.0020	.1704	----	----	----	----	959 UNCH
720	0.0520	0.0520	0.0520/*0.0520	0.0520/*0.0520	----	0.0570 + 0.0015	.1326	----	----	1	----	2 + 1
725	----	----	----/*0.0500A	0.0470B/*0.0500	----	0.0530 + 0.0010	.1243	----	----	----	----	86 UNCH
730	0.0450	0.0450	0.0450/*0.0450	0.0480B/*0.0450	----	0.0495 + 0.0010	.1168	----	----	1	----	2 + 1
750	----	----	----	0.0355B/*0.0385	----	0.0380 + 0.0010	.0915	----	----	----	----	106 UNCH
800	----	----	----	0.0170B/0.0230A	----	0.0200 + 0.0005	.0501	----	----	----	----	6 UNCH
850	----	----	----	0.0075B/0.0165A	----	0.0110 + 0.0005	.0282	----	----	----	----	1 UNCH
900	----	----	----	0.0025B/0.0120A	----	0.0070 + 0.0005	.0179	----	----	----	----	57 UNCH
950	----	----	----	----/0.0100A	----	0.0040 UNCH	.0104	----	----	----	----	2 UNCH
975	0.0060	0.0060	0.0060/*0.0060	0.0060/0.0060	----	0.0030 UNCH	.0079	----	----	1	----	4 - 1
TOTAL										30		2052 + 21
SEP26												
495	----	----	----	----	----	1.1385 + 0.0015	.8969	----	----	----	----	2 UNCH
500	----	----	----	1.0670B/1.1175A	----	1.0935 + 0.0005	.8875	----	----	----	----	5 UNCH
510	----	----	----	----	----	1.0060 + 0.0005	.8678	----	----	----	----	2 UNCH
535	----	----	----	----	----	0.8000 + 0.0005	.8023	----	----	----	----	1 UNCH
565	----	----	0.6115B/0.5800A	0.6115B/0.5800A	----	0.5845 + 0.0020	.6963	----	----	----	----	1 UNCH
575	----	----	0.5460B/0.5185A	0.5460B/0.5185A	----	0.5220 + 0.0020	.6554	----	----	----	----	100 UNCH
595	----	----	0.4305B/0.4060A	0.4305B/0.4060A	----	0.4125 + 0.0025	.5700	----	----	----	----	5 UNCH
600	----	----	0.4065B/0.3815A	0.4065B/0.3815A	----	0.3880 + 0.0025	.5483	----	----	----	----	244 UNCH
610	----	----	0.3580B/0.3390A	0.3580B/0.3390A	----	0.3435 + 0.0030	.5054	----	----	----	----	31 UNCH
615	----	----	0.3365B/0.3185A	0.3365B/0.3185A	----	0.3230 + 0.0030	.4844	----	----	----	----	9 UNCH
620	----	----	0.3155B/0.2980A	0.3155B/0.2980A	----	0.3035 + 0.0025	.4637	----	----	----	----	185 UNCH
625	----	----	0.2960B/0.2740A	0.2960B/0.2740A	----	0.2855 + 0.0030	.4436	----	----	----	----	622 UNCH
630	----	----	0.2770B/0.2650A	0.2770B/0.2650A	----	0.2680 + 0.0025	.4238	----	----	----	----	2 UNCH
635	----	----	0.2600B/----	0.2600B/0.2495A	----	0.2520 + 0.0025	.4047	----	----	----	----	1 UNCH
640	----	----	0.2435B/----	0.2435B/0.2345A	----	0.2370 + 0.0025	.3862	----	----	----	----	12 UNCH
650	----	----	0.2160B/0.2055A	0.2160B/0.2055A	----	0.2090 + 0.0020	.3507	----	----	----	----	143 UNCH
655	----	----	0.2005B/----	0.2005B/0.1960A	----	0.1965 + 0.0020	.3340	----	----	----	----	4 UNCH
660	----	----	0.1880B/----	0.1880B/0.1845A	----	0.1845 + 0.0015	.3178	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 59

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
HX CALL		COMEX COPPER OPTIONS											
SEP26													
670	----	----	0.1650B/----	0.1650B/0.1635A	----	0.1630 + 0.0010	.2875	----	----	----	----	1	UNCH
675	----	----	0.1575B/0.1475A	0.1575B/0.1475A	----	0.1530 + 0.0005	.2731	----	----	----	----	325	UNCH
680	----	----	0.1480B/0.1385A	0.1480B/0.1385A	----	0.1435 UNCH	.2593	----	----	----	----	351	UNCH
690	----	----	0.1285B/----	0.1285B/0.1280A	----	0.1270 - 0.0005	.2340	----	----	----	----	12	UNCH
700	----	----	0.1150B/0.1100A	0.1150B/0.1100A	----	0.1120 - 0.0015	.2106	----	----	----	----	499	UNCH
720	----	----	----	0.0885B/0.0905A	----	0.0880 - 0.0015	.1709	----	----	----	----	5	UNCH
725	----	----	----	0.0835B/0.0845A	----	0.0830 - 0.0015	.1623	----	----	----	----	200	UNCH
750	----	----	----	0.0620B/0.0665A	----	0.0625 - 0.0010	.1258	----	----	----	----	143	UNCH
775	----	----	----	0.0460B/0.0530A	----	0.0475 - 0.0005	.0979	----	----	----	----	3	UNCH
800	----	----	----	0.0345B/0.0430A	----	0.0365 - 0.0005	.0766	----	----	----	----	21	UNCH
875	----	----	----	0.0145B/*0.0245	----	0.0165 - 0.0005	.0365	----	----	----	----	1	UNCH
900	----	----	----	0.0105B/*0.0210	----	0.0130 - 0.0005	.0290	----	----	----	----	75	UNCH
975	----	----	----	0.0035B/*0.0140	----	0.0065 UNCH	.0149	----	----	----	----	4	UNCH
TOTAL												3010	
OCT26													
600	----	----	0.5030B/0.4825A	0.5030B/0.4825A	----	0.4865 + 0.0020	.5821	----	----	----	----	2	UNCH
605	----	----	0.4775B/0.4585A	0.4775B/0.4585A	----	0.4620 + 0.0015	.5634	----	----	----	----	2	UNCH
615	----	----	0.4295B/0.4130A	0.4295B/0.4130A	----	0.4165 + 0.0005	.5261	----	----	----	----	10	UNCH
630	----	----	0.3655B/0.3535A	0.3655B/0.3535A	----	0.3555 UNCH	.4718	----	----	----	----	1	UNCH
650	----	----	0.2935B/0.2865A	0.2935B/0.2865A	----	0.2875 UNCH	.4041	----	----	----	----	106	UNCH
700	----	----	----	0.1630B/0.1760A	----	0.1690 + 0.0040	.2657	----	----	----	----	145	UNCH
775	----	----	----	0.0710B/0.0890A	----	0.0780 UNCH	.1369	----	----	----	----	71	UNCH
800	----	----	----	0.0555B/0.0690A	----	0.0620 UNCH	.1110	----	----	----	----	1	UNCH
850	----	----	----	0.0335B/*0.0475	----	0.0395 + 0.0005	.0733	----	----	----	----	30	UNCH
875	----	----	----	0.0265B/0.0400A	----	0.0320 UNCH	.0601	----	----	----	----	2	UNCH
900	----	----	----	0.0205B/0.0345A	----	0.0265 UNCH	.0501	----	----	----	----	3	UNCH
975	----	----	----	0.0095B/0.0235A	----	0.0165 UNCH	.0312	----	----	----	----	7	UNCH
TOTAL												380	
NOV26													
535	----	----	----	----	----	0.9320 + 0.0015	.7845	----	----	----	----	1	UNCH
545	----	----	----	0.8510B/0.8615A	----	0.8605 + 0.0015	.7567	----	----	----	----	1	UNCH
580	----	----	0.6545B/----	0.6545B/0.6430A	----	0.6390 + 0.0015	.6479	----	----	----	----	2	UNCH
585	----	----	0.6255B/----	0.6255B/0.6155A	----	0.6110 + 0.0015	.6314	----	----	----	----	1	UNCH
595	----	----	0.5710B/----	0.5710B/0.5640A	----	0.5585 + 0.0015	.5979	----	----	----	----	2	UNCH
600	----	----	0.5450B/----	0.5450B/0.5395A	----	0.5335 + 0.0010	.5811	----	----	----	----	2	UNCH
610	----	----	0.4960B/----	0.4960B/0.4930A	----	0.4865 + 0.0010	.5475	----	----	----	----	14	UNCH
640	----	----	0.3715B/----	0.3715B/0.3760A	----	0.3675 + 0.0010	.4508	----	----	----	----	1	UNCH
655	----	----	0.3200B/----	0.3200B/0.3280A	----	0.3190 + 0.0010	.4062	----	----	----	----	1	UNCH
670	----	----	----	0.2755B/0.2860A	----	0.2765 + 0.0010	.3645	----	----	----	----	14	UNCH
675	----	----	----	0.2620B/0.2730A	----	0.2640 + 0.0010	.3515	----	----	----	----	1	UNCH
700	----	----	----	0.2035B/0.2175A	----	0.2080 + 0.0005	.2912	----	----	----	----	1	UNCH
750	----	----	----	0.1220B/0.1405A	----	0.1300 + 0.0005	.1972	----	----	----	----	2	UNCH
850	----	----	----	0.0450B/0.0670A	----	0.0540 UNCH	.0907	----	----	----	----	1	UNCH
900	----	----	----	0.0270B/*0.0500	----	0.0350 - 0.0005	.0612	----	----	----	----	1	UNCH
975	----	----	----	0.0115B/*0.0350	----	0.0185 UNCH	.0341	----	----	----	----	1	UNCH
TOTAL												46	
DEC26													
520	----	----	----	----	----	1.0670 + 0.0015	.8094	----	----	----	----	1	UNCH
525	----	----	----	----	----	1.0295 + 0.0015	.7974	----	----	----	----	123	UNCH
535	----	----	----	----	----	0.9570 + 0.0015	.7724	----	----	----	----	1	UNCH
550	----	----	0.8715B/----	0.8715B/0.8595A	----	0.8545 + 0.0015	.7318	----	----	----	----	2	UNCH
555	----	----	0.8380B/----	0.8380B/0.8275A	----	0.8225 + 0.0020	.7176	----	----	----	----	1	UNCH
565	----	----	0.7740B/----	0.7740B/0.7670A	----	0.7600 + 0.0015	.6883	----	----	----	----	45	UNCH
575	----	----	0.7135B/----	0.7135B/0.7090A	----	0.7015 + 0.0015	.6581	----	----	----	----	123	UNCH
585	----	----	0.6565B/----	0.6565B/0.6550A	----	0.6470 + 0.0020	.6275	----	----	----	----	1	UNCH
590	----	----	0.6295B/----	0.6295B/0.6295A	----	0.6210 + 0.0025	.6120	----	----	----	----	200	UNCH
595	----	----	0.6035B/----	0.6035B/0.6045A	----	0.5955 + 0.0020	.5965	----	----	----	----	163	UNCH
600	----	----	0.5780B/----	0.5780B/0.5805A	----	0.5715 + 0.0025	.5809	----	----	----	----	602	UNCH
610	----	----	0.5300B/----	0.5300B/0.5350A	----	0.5250 + 0.0020	.5499	----	----	----	----	291	UNCH
620	----	----	0.4855B/----	0.4855B/0.4935A	----	0.4825 + 0.0020	.5194	----	----	----	----	414	UNCH
625	----	----	0.4645B/----	0.4645B/0.4735A	----	0.4625 + 0.0020	.5044	----	----	----	----	3	UNCH
630	----	----	0.4440B/----	0.4440B/0.4545A	----	0.4430 + 0.0020	.4896	----	----	----	----	391	UNCH
640	----	----	0.4060B/----	0.4060B/0.4180A	----	0.4065 + 0.0020	.4606	----	----	----	----	29	UNCH
650	----	----	----	0.3705B/0.3850A	----	0.3725 + 0.0015	.4325	----	----	----	----	573	UNCH
660	----	----	----	0.3380B/0.3540A	----	0.3415 + 0.0015	.4056	----	----	----	----	300	UNCH
670	----	----	----	0.3085B/0.3260A	----	0.3130 + 0.0015	.3798	----	----	----	----	4	UNCH
675	----	----	----	0.2945B/0.3125A	----	0.2995 + 0.0010	.3673	----	----	----	----	17	UNCH
680	----	----	----	0.2810B/0.3000A	----	0.2870 + 0.0015	.3553	----	----	----	----	3	UNCH
700	----	----	----	0.2335B/0.2545A	----	0.2410 + 0.0010	.3099	----	----	----	----	844	UNCH
705	----	----	----	0.2225B/0.2445A	----	0.2310 + 0.0010	.2994	----	----	----	----	2	UNCH
725	----	----	----	0.1850B/0.2085A	----	0.1945 + 0.0010	.2604	----	----	----	----	5	UNCH
730	----	----	----	0.1765B/0.2005A	----	0.1865 + 0.0010	.2515	----	----	----	----	4	UNCH
750	----	----	----	0.1465B/0.1715A	----	0.1575 + 0.0010	.2183	----	----	----	----	24	UNCH
800	----	----	----	0.0930B/0.1195A	----	0.1065 UNCH	.1551	----	----	----	----	104	UNCH
850	----	----	----	0.0595B/0.0870A	----	0.0775 + 0.0005	.1149	----	----	----	----	4	UNCH
900	----	----	----	0.0375B/0.0665A	----	0.0595 UNCH	.0885	----	----	----	----	213	UNCH
925	----	----	----	0.0295B/*0.0590	----	0.0525 UNCH	.0781	----	----	----	----	6	UNCH
950	----	----	----	0.0300B/0.0525A	----	0.0465 UNCH	.0693	----	----	----	----	78	UNCH
975	----	----	----	0.0175B/0.0475A	----	0.0420 UNCH	.0623	----	----	----	----	13	UNCH
TOTAL												4584	
JAN27													
500	----	----	----	----	----	1.3370 + 0.0025	.8401	----	----	----	----	1	UNCH
900	----	----	----	----	----	0.1190 UNCH	.1402	----	----	----	----	1	UNCH
TOTAL												2	
FEB27													
620	----	----	----	----	----	0.6370 + 0.0010	.5528	----	----	----	----	1	UNCH
TOTAL												1	
MAR27													
680	----	----	----	----	----	0.4600 + 0.0005	.4244	----	----	----	----	30	UNCH
950	----	----	----	----	----	0.0925 - 0.0005	.1116	----	----	----	----	3	UNCH
TOTAL												33	
HX PUT		COMEX COPPER OPTIONS											
JUN26													
330	----	----	----	----/0.0035A	----	0.0005 UNCH	.0001	----	----	----	----	8	UNCH
355	----	----	----	----/0.0035A	----	0.0005 UNCH	.0005	----	----	----	----	10	UNCH
370	----	----	----	----/0.0035A	----	0.0005 UNCH	.0013	----	----	----	----	1	UNCH
380	----	----	----	----/0.0035A	----	0.0010 UNCH	.0026	----	----	----	----	1	UNCH
400	----	----	----	----/0.0040A	----	0.0015 UNCH	.0041	----	----	----	----	3	UNCH
405	----	----	----	----/0.0040A	----	0.0015 UNCH	.0042	----	----	----	----	1	UNCH
410	----	----	----	----/0.0040A	----	0.0020 + 0.0005	.0055	----	----	----	----	2	UNCH
420	----	----	----	----/0.0040A	----	0.0020 + 0.0005	.0058	----	----	----	----	9	UNCH
430	----	----	----	----/0.0040A	----	0.0025 + 0.0005	.0074	----	----	----	----	3	UNCH
435	----	----	----	----/0.0045A	----	0.0025 UNCH	.0076	----	----	----	----	2	UNCH
440	----	----	----	----/0.0045A	----	0.0025 UNCH	.0079	----	----	----	----	8	UNCH
445	----	----	----	----/0.0050A	----	0.0030 UNCH	.0094	----	----	----	----	8	UNCH
450	----	----	----	----/0.0050A	----	0.0035 + 0.0005	.0110	----	----	----	----	450	UNCH
455	----	----	----	----/0.0055A	----	0.0035 UNCH	.0114	----	----	----	----	42	UNCH
460	----	----	----	----/*0.0055A	----	0.0040 + 0.0005	.0131	----	----	----	----	54	UNCH
465	----	----	----	0.0025B/0.0060A	----	0.0045 + 0.0005	.0149	----	----	----	----	881	UNCH
470	----	----	----	0.0010B/*0.0065	----	0.0050 + 0.0005	.0168	----	----	----	----	666	UNCH
475	----	----	----	0.0005B/0.0070A	----	0.0055 + 0.0005	.0187	----	----	----	----	155	UNCH
480	----	----	----	0.0045B/0.0075A	----	0.0060 + 0.0005	.0208	----	----	----	----	954	UNCH
485	----	----	----	0.0010B/*0.0080	----	0.0060 UNCH	.0216	----	----	----	----	62	UNCH
490	----	----	----	0.0015B/0.0085A	----	0.0065 + 0.0005	.0239	----	----	----	----	52	UNCH
495	----	----	----	0.0020B/0.0090A	----	0.0065 UNCH	.0249	----	----	----	----	35	UNCH
500	----	----	----	0.0055B/0.0075A	----	0.0070 UNCH	.0274	----	----	----	----	538	UNCH
505	----	----	----	0.0070B/0.0080A	----	0.0075 UNCH	.0302	----	----	----	----	520	UNCH
510	----	----	----	0.0075B/0.0080A	----	0.0075 - 0.0005	.0316	----	----	----	----	161	UNCH
515	----	----	----	0.0085B/0.0090A	----	0.0085 UNCH	.0363	----	----	----	----	37	UNCH
520	----	----	----	0.0095B/0.0095A	----	0.0090 - 0.0005	.0398	----	----	----	----	162	UNCH
523	0.0095	0.0095	0.0095/*0.0095	0.0100B/*0.0095	----	0.0095 - 0.0005	.0427	----	----	1	----	12 +	1
524	----	----	----	0.0105B/0.0105A	----	0.0095 - 0.0010	.0431	----	----	----	----	9	UNCH
525	----	----	----	0.0105B/0.0105A	----	0.0100 - 0.0005	.0452	----	----	----	----	2157	UNCH
526	----	----	0.0110B/----	0.0110B/0.0110A	----	0.0100 - 0.0005	.0457	----	----	----	----	5	UNCH
527	----	----	0.0115B/----	0.0115B/0.0110A	----	0.0105 - 0.0005	.0478	----	----	----	----	3	UNCH
528	----	----	0.0115B/----	0.0115B/*0.0110	----	0.0105 - 0.0005	.0483	----	----	----	----	5	UNCH
529	----	----	0.0120B/----	0.0120B/0.0115A	----	0.0105 - 0.0010	.0488	----	----	----	----	5	UNCH
530	0.0130	0.0130	0.0130/*0.0115A	0.0130/*0.0115A	----	0.0110 - 0.0010	.0510	----	----	7	----	133 +	6
531	----	----	0.0125B/----	0.0125B/0.0120A	----	0.0115 - 0.0005	.0532	----	----	----	----	4	UNCH
532	----	----	0.0130B/*0.0120	0.0130B/*0.0120	----	0.0115 - 0.0010	.0538	----	----	----	----	3	UNCH
533	----	----	0.0130B/----	0.0130B/0.0125A	----	0.0120 - 0.0005	.0560	----	----	----	----	1	UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUN26												
534	----	----	0.0135B/----	0.0135B/0.0130A	----	0.0120 - 0.0010	.0567	----	----	----	----	6 UNCH
535	----	----	0.0140B/0.0130A	0.0140B/0.0130A	----	0.0125 - 0.0010	.0590	----	----	----	----	73 UNCH
536	----	----	0.0140B/----	0.0140B/0.0135A	----	0.0130 - 0.0005	.0613	----	----	----	----	1 UNCH
537	----	----	0.0145B/----	0.0145B/0.0140A	----	0.0130 - 0.0010	.0620	----	----	----	----	156 UNCH
538	----	----	0.0150B/*0.0140	0.0150B/*0.0140	----	0.0135 - 0.0010	.0643	----	----	----	----	6 UNCH
539	----	----	0.0155B/0.0145A	0.0155B/0.0145A	----	0.0140 - 0.0010	.0667	----	----	----	----	18 UNCH
540	----	----	0.0165B/0.0150A	0.0165B/0.0150A	----	0.0145 - 0.0010	.0691	----	----	13	----	147 + 12
541	----	----	0.0165B/0.0155A	0.0165B/0.0155A	----	0.0150 - 0.0010	.0716	----	----	----	----	7 UNCH
542	----	----	0.0170B/0.0160A	0.0170B/0.0160A	----	0.0155 - 0.0010	.0740	----	----	1	----	23 UNCH
543	----	----	0.0175B/0.0165A	0.0175B/0.0165A	----	0.0160 - 0.0010	.0765	----	----	----	----	21 UNCH
544	----	----	0.0180B/0.0170A	0.0180B/0.0170A	----	0.0165 - 0.0010	.0791	----	----	----	----	6 UNCH
545	----	----	0.0190B/0.0175A	0.0190B/0.0175A	----	0.0170 - 0.0010	.0816	----	----	9	----	82 + 7
546	----	----	0.0195B/0.0180A	0.0195B/0.0180A	----	0.0175 - 0.0015	.0843	----	----	----	----	7 UNCH
547	----	----	0.0200B/0.0185A	0.0200B/0.0185A	----	0.0180 - 0.0015	.0869	----	----	----	----	22 UNCH
548	0.0190	0.0190	0.0210B/0.0190	0.0210B/0.0190	----	0.0185 - 0.0015	.0896	----	----	9	----	15 + 8
549	----	----	0.0215B/0.0200A	0.0215B/0.0200A	----	0.0195 - 0.0015	.0938	----	----	----	----	19 UNCH
550	----	----	0.0225B/0.0205A	0.0225B/0.0205A	----	0.0200 - 0.0015	.0966	----	----	18	----	1244 - 4
551	0.0220	0.0220	0.0230B/0.0210A	0.0230B/0.0210A	----	0.0205 - 0.0020	.0994	----	----	13	----	101 + 13
552	0.0220	0.0220	0.0240B/0.0220	0.0240B/0.0220	----	0.0215 - 0.0020	.1038	----	----	7	----	21 + 7
553	----	----	0.0250B/0.0230A	0.0250B/0.0230A	----	0.0225 - 0.0020	.1082	----	----	1	----	9 + 1
554	0.0245	0.0245	0.0260B/0.0235	0.0260B/0.0235	----	0.0230 - 0.0020	.1111	----	----	18	----	23 + 18
555	0.0255	0.0255	0.0270B/0.0245	0.0270B/0.0245	----	0.0240 - 0.0020	.1156	----	----	36	----	58 + 17
556	----	----	0.0280B/0.0250A	0.0280B/0.0250A	----	0.0250 - 0.0025	.1201	----	----	2	----	9 + 1
557	0.0265	0.0265	0.0295B/0.0265	0.0295B/0.0265	----	0.0260 - 0.0025	.1247	----	----	5	----	65 + 5
558	0.0275	0.0275	0.0305B/0.0275	0.0305B/0.0275	----	0.0275 - 0.0020	.1306	----	----	6	----	9 + 6
559	----	----	0.0315B/0.0285A	0.0315B/0.0285A	----	0.0285 - 0.0020	.1353	----	----	----	----	5 UNCH
560	----	----	0.0330B/0.0295A	0.0330B/0.0295A	----	0.0295 - 0.0025	.1400	----	----	15	----	433 + 3
561	----	----	0.0345B/0.0305A	0.0345B/0.0305A	----	0.0310 - 0.0025	.1460	----	----	----	----	3 UNCH
562	----	----	0.0360B/0.0320A	0.0360B/0.0320A	----	0.0325 - 0.0020	.1521	----	----	----	----	5 UNCH
563	----	----	0.0375B/0.0330A	0.0375B/0.0330A	----	0.0340 NEW	.1582	----	----	1	----	1 + 1
564	----	----	0.0390B/0.0340A	0.0390B/0.0340A	----	0.0355 - 0.0020	.1643	----	----	----	----	3 UNCH
565	0.0395	0.0395	0.0405B/0.0355A	0.0405B/0.0355A	----	0.0370 - 0.0025	.1705	----	----	1	----	226 + 1
566	0.0390	0.0390	0.0425B/0.0365A	0.0425B/0.0365A	----	0.0385 - 0.0025	.1768	----	----	1	----	4 + 1
567	----	----	0.0440B/0.0380A	0.0440B/0.0380A	----	0.0405 - 0.0020	.1842	----	----	----	----	12 UNCH
568	----	----	0.0460B/0.0400A	0.0460B/0.0400A	----	0.0420 - 0.0025	.1905	----	----	----	----	1 UNCH
569	----	----	0.0480B/0.0420A	0.0480B/0.0420A	----	0.0440 - 0.0025	.1980	----	----	----	----	12 UNCH
570	0.0430	0.0430	0.0505B/0.0430	0.0505B/0.0430	----	0.0460 - 0.0025	.2055	----	----	14	----	197 - 11
571	----	----	0.0525B/0.0440A	0.0525B/0.0440A	----	0.0480 - 0.0025	.2131	----	----	----	----	32 UNCH
572	----	----	0.0545B/0.0470A	0.0545B/0.0470A	----	0.0500 - 0.0025	.2207	----	----	1	----	1 UNCH
573	----	----	0.0570B/0.0475A	0.0570B/0.0475A	----	0.0525 - 0.0025	.2293	----	----	----	----	2 UNCH
574	----	----	0.0595B/0.0495A	0.0595B/0.0495A	----	0.0550 - 0.0025	.2379	----	----	----	----	17 UNCH
575	----	----	0.0620B/0.0515A	0.0620B/0.0515A	----	0.0570 - 0.0030	.2457	----	----	----	----	116 UNCH
576	----	----	0.0650B/0.0535A	0.0650B/0.0535A	----	0.0595 - 0.0030	.2544	----	----	----	----	5 UNCH
577	----	----	0.0670B/0.0560A	0.0670B/0.0560A	----	0.0625 - 0.0025	.2639	----	----	----	----	10 UNCH
578	----	----	0.0705B/0.0580A	0.0705B/0.0580A	----	0.0650 - 0.0030	.2727	----	----	----	----	2 UNCH
579	----	----	0.0735B/0.0605A	0.0735B/0.0605A	----	0.0680 - 0.0025	.2822	----	----	----	----	2 UNCH
580	0.0600	0.0600	0.0760B/0.0600	0.0760B/0.0600	----	0.0705 - 0.0030	.2911	----	----	29	----	948 - 28
581	0.0760	0.0760	0.0795B/0.0655A	0.0795B/0.0655A	----	0.0735 - 0.0030	.3007	----	----	1	----	27 + 1
582	----	----	0.0825B/0.0670A	0.0825B/0.0670A	----	0.0765 - 0.0035	.3104	----	----	----	----	8 UNCH
583	----	----	0.0860B/0.0710A	0.0860B/0.0710A	----	0.0800 - 0.0030	.3207	----	----	----	----	9 UNCH
584	0.0840	0.0840	0.0895B/0.0730A	0.0895B/0.0730A	----	0.0830 - 0.0035	.3304	----	----	1	----	17 + 1
585	0.0890	0.0890	0.0935B/0.0760A	0.0935B/0.0760A	----	0.0865 - 0.0035	.3408	----	----	3	----	104 UNCH
586	----	----	0.0970B/0.0795A	0.0970B/0.0795A	----	0.0900 - 0.0035	.3511	----	----	----	----	4 UNCH
587	----	----	0.1010B/0.0830A	0.1010B/0.0830A	----	0.0935 - 0.0035	.3615	----	----	----	----	13 UNCH
588	----	----	0.1050B/0.0860A	0.1050B/0.0860A	----	0.0970 - 0.0040	.3720	----	----	----	----	2 UNCH
590	----	----	0.1130B/0.0925A	0.1130B/0.0925A	----	0.1050 - 0.0035	.3937	----	----	----	----	220 UNCH
591	----	----	0.1175B/0.0965A	0.1175B/0.0965A	----	0.1090 - 0.0040	.4046	----	----	----	----	4 UNCH
592	----	----	0.1220B/0.0995A	0.1220B/0.0995A	----	0.1130 - 0.0040	.4156	----	----	----	----	2 UNCH
593	0.1190	0.1190	0.1265B/0.1035A	0.1265B/0.1035A	----	0.1175 - 0.0040	.4268	----	----	1	----	34 UNCH
594	----	----	0.1310B/0.1070A	0.1310B/0.1070A	----	0.1215 - 0.0045	.4378	----	----	1	----	8 - 1
595	----	----	0.1360B/0.1115A	0.1360B/0.1115A	----	0.1265 - 0.0040	.4492	----	----	----	----	115 UNCH
596	----	----	0.1405B/0.1150A	0.1405B/0.1150A	----	0.1310 - 0.0040	.4604	----	----	----	----	12 UNCH
597	----	----	0.1460B/0.1200A	0.1460B/0.1200A	----	0.1360 - 0.0040	.4718	----	----	----	----	156 UNCH
598	----	----	0.1505B/0.1235A	0.1505B/0.1235A	----	0.1405 - 0.0045	.4831	----	----	----	----	9 UNCH
599	----	----	0.1560B/0.1280A	0.1560B/0.1280A	----	0.1455 - 0.0045	.4945	----	----	----	----	16 UNCH
600	----	----	0.1610B/0.1325A	0.1610B/0.1325A	----	0.1505 - 0.0050	.5059	----	----	----	----	107 UNCH
601	----	----	0.1665B/0.1375A	0.1665B/0.1375A	----	0.1560 - 0.0045	.5172	----	----	----	----	6 UNCH
602	----	----	0.1710B/0.1425A	0.1710B/0.1425A	----	0.1615 - 0.0045	.5285	----	----	----	----	15 UNCH
603	----	----	0.1770B/0.1475A	0.1770B/0.1475A	----	0.1670 - 0.0050	.5398	----	----	----	----	20 UNCH
604	----	----	0.1830B/0.1520A	0.1830B/0.1520A	----	0.1725 - 0.0050	.5511	----	----	----	----	11 UNCH
605	----	----	0.1895B/0.1580A	0.1895B/0.1580A	----	0.1785 - 0.0050	.5621	----	----	----	----	207 UNCH
606	----	----	0.1960B/0.1625A	0.1960B/0.1625A	----	0.1845 - 0.0045	.5731	----	----	----	----	14 UNCH
607	----	----	0.2000B/0.1685A	0.2000B/0.1685A	----	0.1905 - 0.0050	.5838	----	----	----	----	76 UNCH
608	----	----	0.2035B/0.1735A	0.2035B/0.1735A	----	0.1970 - 0.0045	.5947	----	----	----	----	43 UNCH
609	----	----	----/0.1795A	0.2065B/0.1795A	----	0.2030 - 0.0045	.6053	----	----	----	----	41 UNCH
610	----	----	0.2165B/0.1850A	0.2165B/0.1850A	----	0.2095 - 0.0045	.6157	----	----	----	----	57 UNCH
611	----	----	----/0.1905A	0.2205B/0.1905A	----	0.2160 - 0.0045	.6262	----	----	----	----	15 UNCH
612	----	----	----/0.1965A	0.2225B/0.1965A	----	0.2225 - 0.0045	.6367	----	----	----	----	9 UNCH
613	----	----	----/0.2030A	0.2295B/0.2030A	----	0.2295 - 0.0040	.6471	----	----	----	----	10 UNCH
614	----	----	----/0.2085A	0.2365B/0.2085A	----	0.2360 - 0.0045	.6570	----	----	----	----	8 UNCH
615	----	----	0.2510B/0.2205A	0.2510B/0.2205A	----	0.2430 - 0.0040	.6675	----	----	----	----	38 UNCH
616	----	----	----/0.2400A	0.2505B/0.2400A	----	0.2495 - 0.0045	.6773	----	----	----	----	12 UNCH
617	----	----	----/0.2485A	0.2580B/0.2485A	----	0.2565 - 0.0045	.6871	----	----	----	----	24 UNCH
618	----	----	----/0.2630A	0.2650B/0.2630A	----	0.2635 - 0.0045	.6969	----	----	----	----	10 UNCH
619	----	----	----/0.2700A	0.2725B/0.2700A	----	0.2710 - 0.0045	.7058	----	----	----	----	9 UNCH
620	----	----	0.2875B/0.2530A	0.2875B/0.2530A	----	0.2780 - 0.0045	.7156	----	----	----	----	14 UNCH
621	----	----	----/0.2840A	0.2875B/0.2840A	----	0.2855 - 0.0045	.7246	----	----	----	----	6 UNCH
622	----	----	----/0.2920A	0.2945B/0.2920A	----	0.2930 - 0.0045	.7335	----	----	----	----	1 UNCH
623	----	----	----/0.2990A	0.3020B/0.2990A	----	0.3010 - 0.0040	.7414	----	----	----	----	4 UNCH
630	----	----	----/0.3260A	0.3595B/0.3260A	----	0.3565 - 0.0040	.7970	----	----	----	----	10 UNCH
640	----	----	----/0.4355A	0.4445B/0.4355A	----	0.4420 - 0.0035	.8591	----	----	----	----	2 UNCH
645	----	----	----/0.4790A	0.4890B/0.4790A	----	0.4865 - 0.0035	.8843	----	----	----	----	1 UNCH
650	----	----	----/0.5240A	0.5350B/0.5240A	----	0.5320 - 0.0035	.9041	----	----	----	----	3 UNCH
655	----	----	0.5825B/0.5695A	0.5825B/0.5695A	----	0.5785 - 0.0035	.9215	----	----	----	----	10 UNCH
700	----	----	----	----	----	1.0175 - 0.0040	.9806	----	----	----	----	1 UNCH
TOTAL										215		12891 + 66
JUL26												
330	----	----	----	----/0.0045A	----	0.0005 UNCH	.0009	----	----	----	----	80 UNCH
350	----	----	----	----/*0.0045A	----	0.0010 UNCH	.0024	----	----	----	----	5 UNCH
360	----	----	----	----/0.0050A	----	0.0015 UNCH	.0036	----	----	----	----	1 UNCH
380	----	----	----	----/0.0060A	----	0.0020 - 0.0005	.0050	----	----	----	----	2 UNCH
390	----	----	----	----/0.0065A	----	0.0030 UNCH	.0073	----	----	----	----	6 UNCH
395	----	----	----	----/0.0070A	----	0.0030 - 0.0005	.0075	----	----	----	----	1 UNCH
400	----	----	----	0.0010B/0.0075A	----	0.0035 - 0.0005	.0087	----	----	----	----	586 UNCH
405	----	----	----	----/0.0075A	----	0.0040 - 0.0005	.0100	----	----	----	----	1 UNCH
415	----	----	----	0.0010B/0.0065A	----	0.0050 UNCH	.0125	----	----	----	----	53 UNCH
420	----	----	----	0.0015B/0.0080A	----	0.0055 UNCH	.0139	----	----	----	----	4 UNCH
425	0.0050	0.0050	0.0065/*0.0050	0.0065/*0.0050	----	0.0060 - 0.0005	.0152	----	----	18	----	51 + 18
430	----	----	----	0.0025B/0.0085A	----	0.0065 - 0.0005	.0167	----	----	----	----	8 UNCH
435	----	----	----	0.0055B/0.0110A	----	0.0070 - 0.0005	.0182	----	----	----	----	5 UNCH
440	----	----	----	0.0075B/*0.0090	----	0.0075 - 0.0005	.0197	----	----	----	----	4 UNCH
445	----	----	----	0.0080B/0.0100A	----	0.0080 - 0.0005	.0213	----	----	----	----	3 UNCH
450	----	----	----	0.0085B/0.0105A	----	0.0090 - 0.0005	.0240	----	----	----	----	1911 UNCH
455	----	----	----	0.0090B/0.0105A	----	0.0095 - 0.0005	.0257	----	----	----	----	13 UNCH
460	----	----	----	0.0110B/0.0115A	----	0.0105 - 0.0005	.0286	----	----	----	----	6 UNCH
470	----	----	----	0.0125B/0.0140A	----	0.0120 - 0.0005	.0336	----	----	----	----	2 UNCH
475	----	----	----	0.0120B/0.0150A	----	0.0130 - 0.0010	.0368	----	----	----	----	514 UNCH
480	----	----	----	0.0145B/0.0160A	----	0.0145 - 0.0005	.0412	----	----	----	----	72 UNCH
485	----	----	----	0.0155B/0.0170A	----	0.0160 - 0.0005	.0456	----	----	----	----	1 UNCH
490	----	----	----	0.0180B/0.0185A	----	0.0175 - 0.0005	.0503	----	----	----	----	545 UNCH
495	----	----	----	0.0190B/0.0200A	----	0.0190 - 0.0005	.0552	----	----	----	----	98 UNCH
500	----	----	0.0220B/----	0.0220B/0.0220A	----	0.0210 - 0.0005	.0613	----	----	----	----	2669 UNCH
505	----	----	----	0.0240B/0.0240A	----	0.0230 - 0.0010	.0677	----	----	----	----	2 UNCH
510	----	----	----	0.0265B/0.0265A	----	0.0260 - 0.0005	.0763	----	----	----	----	203 UNCH
515	----	----	----	0.0295B/0.0300A	----	0.0285 - 0.0010	.0842	----	----	----	----	2 UNCH
520	----	----	----	0.0330B/0.0330A	----	0.0320 - 0.0010	.0944	----	----	----	----	502 UNCH
525	0.0360	0.0360	0.0375B/0.0360	0.0375B/0.0360	----	0.0360 - 0.0010	.1059	----	----	1	----	528 + 1
530	----	----	0.0425B/----	0.0425B/0.0415A	----	0.0410 - 0.0005	.1194	----	----	----	----	3199 UNCH
533	----	----	0.0455B/----	0.0455B/0.0450A	----	0.0440 - 0.0010	.1278	----	----	----	----	1 UNCH
534	----	----	0.0470B/----	0.0470B/0.0460A	----	0.0450 - 0.0010	.1306	----	----	----	----	2 UNCH
535	----	----	0.0485B/0.0470A	0.0485B/0.0470A	----	0.0465 - 0.0010	.1342	----	----	2	----	3 + 1
536	----	----	0.0495B/0.0480A	0.0495B/0.0480A	----	0.0475 - 0.0010	.1371	----	----	----	----	5 UNCH
538	----	----	0.0520B/0.0505A	0.0520B/0.0505A	----	0.0500 - 0.0010	.1437	----	----	----	----	1 UNCH
539	----	----	0.0535B/0.0520A	0.0535B/0.0520A	----	0.0515 - 0.0010	.1473	----	----	----	----	2 UNCH
540	----	----	0.0550B/0.0530A	0.0550B/0.0530A	----	0.0525 - 0.0010	.1503	----	----	----	----	873 UNCH
541	----	----	0.0565B/0.0545A	0.0565B/0.0545A	----	0.0540 - 0.0010	.1540	----	----	----	----	2 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
JUL26												
542	----	----	0.0580B/0.0555A	0.0580B/0.0555A	----	0.0555 - 0.0010	.1578	----	----	----	----	2 UNCH
543	----	----	0.0595B/0.0570A	0.0595B/0.0570A	----	0.0570 - 0.0010	.1615	----	----	----	----	3 UNCH
545	----	----	0.0630B/0.0600A	0.0630B/0.0600A	----	0.0600 - 0.0015	.1691	----	----	----	----	4 UNCH
547	----	----	0.0665B/0.0625A	0.0665B/0.0625A	----	0.0635 - 0.0010	.1775	----	----	----	----	1 UNCH
548	0.0660	0.0660	0.0680B/0.0645A	0.0680B/0.0645A	----	0.0655 - 0.0010	.1820	----	----	10	----	10 + 9
550	0.0710	0.0710	0.0720B/0.0675A	0.0720B/0.0675A	----	0.0690 - 0.0010	.1904	----	----	6	----	1089 - 1
552	----	----	0.0760B/0.0715A	0.0760B/0.0715A	----	0.0730 - 0.0010	.1996	----	----	----	----	2 UNCH
553	----	----	0.0780B/0.0730A	0.0780B/0.0730A	----	0.0750 - 0.0010	.2042	----	----	----	----	1 UNCH
554	0.0790	0.0790	0.0805B/0.0750A	0.0805B/0.0750A	----	0.0770 - 0.0010	.2088	----	----	1	----	9 - 1
555	----	----	0.0825B/0.0775A	0.0825B/0.0775A	----	0.0790 - 0.0010	.2134	----	----	----	----	56 UNCH
556	----	----	0.0845B/0.0790A	0.0845B/0.0790A	----	0.0815 - 0.0005	.2186	----	----	----	----	1 UNCH
559	----	----	0.0920B/0.0855A	0.0920B/0.0855A	----	0.0880 - 0.0010	.2333	----	----	----	----	2 UNCH
560	----	----	0.0945B/0.0875A	0.0945B/0.0875A	----	0.0905 - 0.0010	.2385	----	----	2	----	230 + 2
561	----	----	0.0970B/0.0900A	0.0970B/0.0900A	----	0.0930 - 0.0010	.2438	----	----	----	----	3 UNCH
562	----	----	0.0995B/0.0920A	0.0995B/0.0920A	----	0.0955 - 0.0010	.2491	----	----	----	----	2 UNCH
563	----	----	0.1020B/0.0945A	0.1020B/0.0945A	----	0.0980 - 0.0010	.2544	----	----	----	----	12 UNCH
565	0.1055	0.1055	0.1080B/0.0990A	0.1080B/0.0990A	----	0.1030 - 0.0015	.2651	----	----	1	----	13 + 1
567	0.1095	0.1095	0.1140B/0.1045A	0.1140B/0.1045A	----	0.1085 - 0.0020	.2764	----	----	4	----	5 + 3
568	----	----	0.1165B/0.1070A	0.1165B/0.1070A	----	0.1115 - 0.0020	.2822	----	----	----	----	4 UNCH
569	0.1155	0.1155	0.1200B/0.1095A	0.1200B/0.1095A	----	0.1145 - 0.0020	.2881	----	----	2	----	3 + 1
570	0.1185	0.1185	0.1235B/0.1125A	0.1235B/0.1125A	----	0.1175 - 0.0020	.2939	----	----	2	----	101 + 1
571	----	----	0.1265B/0.1150A	0.1265B/0.1150A	----	0.1205 - 0.0020	.2998	----	----	----	----	17 UNCH
572	----	----	0.1295B/0.1180A	0.1295B/0.1180A	----	0.1235 - 0.0020	.3057	----	----	----	----	3 UNCH
574	----	----	0.1365B/0.1240A	0.1365B/0.1240A	----	0.1300 - 0.0020	.3180	----	----	----	----	5 UNCH
575	0.1350	0.1350	0.1405B/0.1265A	0.1405B/0.1265A	----	0.1330 - 0.0025	.3239	----	----	3	----	205 + 1
576	0.1355	0.1355	0.1440B/0.1300A	0.1440B/0.1300A	----	0.1365 NEW	.3302	----	----	1	----	1 + 1
577	0.1390	0.1390	0.1480B/0.1330A	0.1480B/0.1330A	----	0.1400 - 0.0025	.3366	----	----	1	----	3 + 1
578	0.1425	0.1425	0.1515B/0.1365A	0.1515B/0.1365A	----	0.1435 NEW	.3429	----	----	1	----	1 + 1
579	0.1460	0.1460	0.1555B/0.1400A	0.1555B/0.1400A	----	0.1475 - 0.0025	.3495	----	----	1	----	2 + 1
580	0.1500	0.1500	0.1595B/0.1435A	0.1595B/0.1435A	----	0.1510 - 0.0025	.3558	----	----	31	----	1818 + 1
581	0.1535	0.1535	0.1635B/0.1465A	0.1635B/0.1465A	----	0.1550 NEW	.3624	----	----	1	----	1 + 1
582	0.1575	0.1575	0.1675B/0.1505A	0.1675B/0.1505A	----	0.1585 NEW	.3688	----	----	1	----	1 + 1
583	----	----	0.1715B/0.1540A	0.1715B/0.1540A	----	0.1625 - 0.0025	.3755	----	----	----	----	1 UNCH
584	----	----	0.1755B/0.1575A	0.1755B/0.1575A	----	0.1670 - 0.0025	.3823	----	----	----	----	1 UNCH
585	0.1755	0.1755	0.1805B/0.1615A	0.1805B/0.1615A	----	0.1710 - 0.0025	.3889	----	----	37	----	123 + 36
586	----	----	0.1845B/0.1645A	0.1845B/0.1645A	----	0.1750 - 0.0025	.3955	----	----	----	----	7 UNCH
587	----	----	0.1890B/0.1690A	0.1890B/0.1690A	----	0.1795 - 0.0025	.4023	----	----	----	----	7 UNCH
588	----	----	0.1930B/0.1730A	0.1930B/0.1730A	----	0.1840 - 0.0025	.4091	----	----	----	----	2 UNCH
589	----	----	0.1980B/0.1765A	0.1980B/0.1765A	----	0.1885 - 0.0025	.4159	----	----	----	----	7 UNCH
590	0.1900	0.1900	0.2030B/0.1805A	0.2030B/0.1805A	----	0.1930 - 0.0025	.4227	----	----	2	----	517 + 2
592	0.1835	0.1835	0.2125B/0.1835	0.2125B/0.1835	----	0.2025 - 0.0025	.4364	----	----	1	----	1 UNCH
595	0.2270	0.2270	0.2270/0.2025A	0.2270/0.2025A	----	0.2170 - 0.0025	.4569	----	----	2	----	117 + 2
596	----	----	0.2325B/0.2070A	0.2325B/0.2070A	----	0.2220 - 0.0030	.4637	----	----	----	----	1 UNCH
598	0.2335	0.2335	0.2440/0.2165A	0.2440/0.2165A	----	0.2320 - 0.0030	.4774	----	----	8	----	10 + 2
599	----	----	0.2480B/0.2215A	0.2480B/0.2215A	----	0.2375 - 0.0030	.4842	----	----	----	----	5 UNCH
600	0.2385	0.2385	0.2535B/0.2265A	0.2535B/0.2265A	----	0.2430 - 0.0030	.4910	----	----	3	----	197 - 1
605	----	----	0.2795B/0.2525A	0.2795B/0.2525A	----	0.2705 - 0.0035	.5248	----	----	----	----	65 UNCH
610	----	----	0.3090B/0.2805A	0.3090B/0.2805A	----	0.3000 - 0.0035	.5579	----	----	----	----	58 UNCH
615	----	----	0.3395B/0.3105A	0.3395B/0.3105A	----	0.3315 - 0.0035	.5898	----	----	----	----	16 UNCH
700	----	----	----/1.0410A	1.0340B/1.0410A	----	1.0385 - 0.0035	.9115	----	----	----	----	1 UNCH
705	----	----	----/1.0880A	1.0815B/1.0880A	----	1.0860 - 0.0035	.9192	----	----	----	----	1 UNCH
TOTAL										142		16713 + 84
AUG26												
405	----	----	----	0.0035B/0.0170A	----	0.0100 - 0.0005	.0198	----	----	----	----	3 UNCH
420	----	----	----	0.0055B/0.0190A	----	0.0120 - 0.0005	.0245	----	----	----	----	1 UNCH
440	----	----	----	0.0090B/0.0225A	----	0.0155 - 0.0005	.0328	----	----	----	----	5 UNCH
450	----	----	----	0.0170B/0.0235A	----	0.0175 - 0.0005	.0377	----	----	----	----	6 UNCH
475	----	----	----	0.0220B/0.0290A	----	0.0250 - 0.0010	.0559	----	----	----	----	5 UNCH
480	----	----	----	0.0245B/0.0315A	----	0.0270 - 0.0015	.0607	----	----	----	----	4 UNCH
500	----	----	----	0.0365B/0.0425A	----	0.0395 - 0.0015	.0880	----	----	----	----	3 UNCH
510	----	----	----	0.0460B/0.0500A	----	0.0490 - 0.0010	.1072	----	----	----	----	1 UNCH
520	----	----	----/0.0600A	0.0575B/0.0600A	----	0.0600 - 0.0010	.1292	----	----	----	----	300 UNCH
530	----	----	----/0.0725A	0.0715B/0.0725A	----	0.0740 - 0.0005	.1556	----	----	----	----	1 UNCH
540	----	----	----/0.0885A	0.0885B/0.0885A	----	0.0905 - 0.0010	.1858	----	----	----	----	2 UNCH
545	----	----	----/0.0975A	0.0990B/0.0975A	----	0.1000 - 0.0010	.2025	----	----	----	----	1 UNCH
550	----	----	----/0.1080A	0.1105B/0.1080A	----	0.1110 - 0.0010	.2208	----	----	10	----	22 + 10
565	----	----	----/0.1440A	0.1505B/0.1440A	----	0.1495 - 0.0015	.2814	----	----	----	----	1 UNCH
570	----	----	0.1670B/0.1590A	0.1670B/0.1590A	----	0.1650 - 0.0015	.3039	----	----	----	----	1 UNCH
575	----	----	0.1845B/0.1750A	0.1845B/0.1750A	----	0.1825 - 0.0010	.3274	----	----	----	----	1 UNCH
580	----	----	0.2040B/0.1925A	0.2040B/0.1925A	----	0.2010 - 0.0010	.3516	----	----	----	----	251 UNCH
585	----	----	0.2245B/0.2110A	0.2245B/0.2110A	----	0.2210 - 0.0010	.3763	----	----	----	----	7 UNCH
590	----	----	0.2465B/0.2315A	0.2465B/0.2315A	----	0.2425 - 0.0010	.4015	----	----	----	----	14 UNCH
625	----	----	0.4395B/0.4140A	0.4395B/0.4140A	----	0.4360 UNCH	.5762	----	----	----	----	5 UNCH
TOTAL										10		634 + 10
SEP26												
400	----	----	----	0.0075B/0.0225A	----	0.0150 - 0.0005	.0260	----	----	----	----	1 UNCH
440	----	----	----	0.0195B/0.0310A	----	0.0235 - 0.0005	.0438	----	----	----	----	2 UNCH
450	----	----	----	0.0230B/0.0340A	----	0.0270 - 0.0005	.0508	----	----	----	----	649 UNCH
470	----	----	----	0.0325B/0.0435A	----	0.0360 - 0.0010	.0686	----	----	----	----	3 UNCH
475	----	----	----	0.0360B/0.0460A	----	0.0390 - 0.0015	.0743	----	----	----	----	73 UNCH
480	----	----	----	0.0395B/0.0490A	----	0.0420 - 0.0020	.0802	----	----	----	----	7 UNCH
485	----	----	----	0.0435B/0.0525A	----	0.0460 - 0.0020	.0874	----	----	----	----	1 UNCH
490	----	----	----	0.0435B/0.0590A	----	0.0500 - 0.0020	.0947	----	----	----	----	9 UNCH
500	----	----	----	0.0535B/0.0680A	----	0.0600 - 0.0025	.1121	----	----	----	----	427 UNCH
510	----	----	----	0.0660B/0.0800A	----	0.0715 - 0.0030	.1319	----	----	----	----	2 UNCH
520	----	----	----	0.0810B/0.0935A	----	0.0865 - 0.0030	.1558	----	----	----	----	3 UNCH
525	----	----	----	0.0920B/0.1005A	----	0.0945 - 0.0030	.1685	----	----	----	----	327 UNCH
530	----	----	----	0.0985B/0.1105A	----	0.1040 - 0.0030	.1826	----	----	----	----	1 UNCH
535	----	----	----	0.1120B/0.1190A	----	0.1140 - 0.0030	.1973	----	----	----	----	350 UNCH
540	----	----	----/0.1250A	0.1250B/0.1250A	----	0.1250 - 0.0025	.2130	----	----	----	----	1 UNCH
550	----	----	----/0.1480A	0.1505B/0.1480A	----	0.1500 - 0.0025	.2468	----	----	----	----	220 UNCH
560	----	----	----/0.1760A	0.1805B/0.1760A	----	0.1795 - 0.0020	.2838	----	----	----	----	3 UNCH
570	----	----	----/0.2080A	0.2150B/0.2080A	----	0.2140 - 0.0010	.3236	----	----	----	----	3 UNCH
575	----	----	----/0.2255A	0.2335B/0.2255A	----	0.2330 - 0.0010	.3442	----	----	----	----	102 UNCH
580	----	----	0.2545B/0.2445A	0.2545B/0.2445A	----	0.2530 - 0.0010	.3651	----	----	----	----	552 UNCH
585	----	----	----/0.2650A	0.2755B/0.2650A	----	0.2745 - 0.0010	.3864	----	----	----	----	7 UNCH
590	----	----	0.2995B/0.2865A	0.2995B/0.2865A	----	0.2970 - 0.0010	.4080	----	----	----	----	332 UNCH
595	----	----	0.3225B/0.3095A	0.3225B/0.3095A	----	0.3210 - 0.0010	.4296	----	----	----	----	5 UNCH
600	----	----	----/0.3335A	0.3475B/0.3335A	----	0.3465 - 0.0010	.4513	----	----	----	----	9 UNCH
610	----	----	0.4020B/0.3850A	0.4020B/0.3850A	----	0.4010 - 0.0005	.4942	----	----	----	----	11 UNCH
615	----	----	0.4315B/0.4125A	0.4315B/0.4125A	----	0.4300 - 0.0005	.5152	----	----	----	----	1 UNCH
620	----	----	0.4625B/0.4415A	0.4625B/0.4415A	----	0.4600 - 0.0010	.5359	----	----	----	----	1 UNCH
625	----	----	0.4965B/0.4720A	0.4965B/0.4720A	----	0.4915 - 0.0005	.5560	----	----	----	----	147 UNCH
695	----	----	----	----	----	1.0195 - 0.0045	.7774	----	----	----	----	2 UNCH
TOTAL												3251
OCT26												
375	----	----	----	0.0060B/0.0230A	----	0.0145 UNCH	.0218	----	----	----	----	2 UNCH
400	----	----	----	0.0100B/0.0270A	----	0.0185 - 0.0005	.0292	----	----	----	----	1 UNCH
450	----	----	----	0.0250B/0.0420A	----	0.0335 - 0.0005	.0560	----	----	----	----	1 UNCH
470	----	----	----	0.0370B/0.0535A	----	0.0445 - 0.0015	.0747	----	----	----	----	1 UNCH
475	----	----	----	0.0395B/0.0615A	----	0.0485 - 0.0015	.0809	----	----	----	----	3 UNCH
500	----	----	----	0.0650B/0.0830A	----	0.0730 - 0.0020	.1184	----	----	----	----	60 UNCH
570	----	----	----	0.2255B/0.2355A	----	0.2330 + 0.0005	.3077	----	----	----	----	4 UNCH
TOTAL												72
NOV26												
400	----	----	----	0.0110B/0.0355A	----	0.0230 + 0.0005	.0340	----	----	----	----	10 UNCH
475	----	----	----	0.0515B/0.0750A	----	0.0625 - 0.0015	.0939	----	----	----	----	2 UNCH
590	----	----	----/0.3615A	0.3520B/0.3615A	----	0.3600 - 0.0020	.3848	----	----	----	----	1 UNCH
735	----	----	----	----	----	1.3575 - 0.0030	.7776	----	----	----	----	2 UNCH
TOTAL												15
DEC26												
380	----	----	----	0.0070B/0.0375A	----	0.0220 + 0.0005	.0301	----	----	----	----	2 UNCH
385	----	----	----	0.0080B/0.0385A	----	0.0235 + 0.0010	.0322	----	----	----	----	1 UNCH
395	----	----	----	0.0105B/0.0410A	----	0.0260 + 0.0010	.0361	----	----	----	----	1 UNCH
400	----	----	----	0.0120B/0.0425A	----	0.0275 + 0.0005	.0384	----	----	----	----	18 UNCH
420	----	----	----	0.0190B/0.0500A	----	0.0345 - 0.0015	.0491	----	----	----	----	2 UNCH
475	----	----	----	0.0615B/0.0915A	----	0.0755 - 0.0010	.1044	----	----	----	----	76 UNCH
480	----	----	----	0.0680B/0.0975A	----	0.0820 - 0.0005	.1122	----	----	----	----	16 UNCH
490	----	----	----	0.0820B/0.1110A	----	0.0960 - 0.0005	.1288	----	----	----	----	5 UNCH
500	----	----	----	0.0985B/0.1265A	----	0.1120 - 0.0015	.1471	----	----	----	----	103 UNCH
525	----	----	----	0.1510B/0.1775A	----	0.1645 - 0.0020	.2020	----	----	----	----	1 UNCH
540	----	----	----	0.1920B/0.2170A	----	0.2050 - 0.0020	.2402	----	----	----	----	3 UNCH
550	0.2390	0.2390	0.2390/0.2390	0.2390/0.2390	----	0.2360 - 0.0020	.2676	----	----	1	----	152 - 1

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000
FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
HX PUT		COMEX COPPER OPTIONS										
DEC26												
560	----	----	----	0.2580B/0.2805A	----	0.2710 - 0.0015	.2964	----	----	----	----	300 UNCH
570	----	----	----	0.2965B/0.3175A	----	0.3095 - 0.0015	.3261	----	----	----	----	1 UNCH
580	----	----	----	0.3390B/0.3580A	----	0.3510 - 0.0015	.3565	----	----	----	----	22 UNCH
600	----	----	----	0.4340B/0.4495A	----	0.4455 - 0.0015	.4185	----	----	----	----	30 UNCH
630	----	----	----/0.6115A	0.6030B/0.6115A	----	0.6130 - 0.0010	.5098	----	----	----	----	18 UNCH
TOTAL										1		751 - 1
JAN27												
400	----	----	----	----	----	0.0255 - 0.0005	.0353	----	----	----	----	8 UNCH
TOTAL												8
FEB27												
400	----	----	----	----	----	0.0320 - 0.0005	.0412	----	----	----	----	2 UNCH
TOTAL												2
MAR27												
275	----	----	----	----	----	0.0160 - 0.0005	.0150	----	----	----	----	1 UNCH
TOTAL												1
HXE CALL		COPPER OPTIONS										
MAY26												
580	----	----	0.2280B/0.1710A	0.2280B/0.1710A	----	0.1845 + 0.0030	----	----	----	----	----	0 - 1
580	----	----	0.2745B/0.2395A	0.2745B/0.2395A	----	0.2470 + 0.0005	.7197	----	----	----	----	1 UNCH
590	0.0855	0.0855	0.1295B/0.0730A	0.1295B/0.0730A	----	0.0845 - 0.0040	----	----	----	1	----	0 - 1
593	----	----	0.1005B/0.0480A	0.1005B/0.0480A	----	0.0545 - 0.0095	----	----	----	----	----	0 - 1
595	----	----	0.0815B/*0.0335	0.0815B/*0.0335	----	0.0345 - 0.0150	----	----	----	----	----	0 - 1
595	0.0940	0.0940	0.1060B/0.0855A	0.1060B/0.0855A	----	0.0900 NEW	.5869	----	----	2	----	2 + 2
596	----	----	0.0725B/*0.0275	0.0725B/*0.0275	----	0.0245 - 0.0180	----	----	----	----	----	0 UNCH
597	----	----	0.0635B/*0.0190	0.0635B/*0.0190	----	0.0145 - 0.0220	----	----	----	----	----	0 - 1
599	0.0120	0.0120	0.0455B/*0.0070	0.0455B/*0.0070	----	0.0000 NEW	----	----	----	1	----	0 UNCH
600	0.0495	0.0495	0.0495/*0.0005	0.0495/*0.0005	----	0.0000 - 0.0215	----	----	----	5	----	0 - 144
600	----	----	0.0840B/0.0605A	0.0840B/0.0605A	----	0.0635 - 0.0045	.4683	----	----	----	----	1 UNCH
600	----	----	0.1225B/0.0950A	0.1225B/0.0950A	----	0.0990 - 0.0025	.4844	----	----	----	----	1 UNCH
601	----	----	0.0300B/*0.0065	0.0300B/*0.0065	----	0.0000 - 0.0175	----	----	----	----	----	0 - 2
602	----	----	0.0230B/*0.0065	0.0230B/*0.0065	----	0.0000 - 0.0145	----	----	----	----	----	0 - 2
604	----	----	0.0115B/*0.0065	0.0115B/*0.0065	----	0.0000 - 0.0100	----	----	----	----	----	0 - 11
605	----	----	----/*0.0005A	0.0065B/*0.0005	----	0.0000 - 0.0085	----	----	----	----	----	0 - 17
605	----	----	0.0590B/0.0425A	0.0590B/0.0425A	----	0.0430 - 0.0040	.3520	----	----	----	----	1 UNCH
610	----	----	----	----/0.0055A	----	0.0000 - 0.0045	----	----	----	----	----	0 - 3
610	----	----	0.0750B/0.0590A	0.0750B/0.0590A	----	0.0600 - 0.0020	.3372	----	----	----	----	1 UNCH
615	0.0005	0.0005	0.0005/*0.0005	0.0005/*0.0005	----	0.0000 - 0.0030	----	----	----	2	----	0 - 4
615	----	----	0.0570B/0.0455A	0.0570B/0.0455A	----	0.0455 - 0.0020	.2720	----	----	----	----	1 UNCH
620	----	----	----	----/0.0050A	----	0.0000 - 0.0015	----	----	----	----	----	0 - 5
625	----	----	----	----/0.0050A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 6
625	----	----	----	0.0065B/0.0105A	----	0.0075 - 0.0010	.0729	----	----	----	----	50 UNCH
625	----	----	0.0300B/----	0.0300B/0.0275A	----	0.0255 - 0.0020	.1678	----	----	----	----	5 UNCH
630	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 25
635	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 32
635	----	----	----	0.0005B/*0.0075	----	0.0030 - 0.0010	.0289	----	----	----	----	50 UNCH
640	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 16
645	----	----	----	----/*0.0065A	----	0.0015 - 0.0005	.0134	----	----	----	----	50 UNCH
TOTAL										11		163 - 270
HXE PUT		COPPER OPTIONS										
MAY26												
450	----	----	----	----/0.0070A	----	0.0005 UNCH	.0021	----	----	----	----	4 UNCH
465	----	----	----	----/0.0060A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 14
550	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
555	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
558	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
560	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
565	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 2
565	----	----	----	0.0050B/0.0100A	----	0.0065 - 0.0020	.0522	----	----	----	----	626 UNCH
570	----	----	----	----/0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
570	----	----	----	0.0065B/*0.0140	----	0.0090 - 0.0025	.0743	----	----	----	----	50 UNCH
571	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 1
575	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 16
575	0.0110	0.0110	0.0145/*0.0110	0.0145/*0.0110	----	0.0125 NEW	.1055	----	----	23	----	22 + 22
577	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 38
578	----	----	----	----/*0.0040A	----	0.0000 - 0.0005	----	----	----	----	----	0 - 21
580	----	----	----	----/*0.0040A	----	0.0000 - 0.0010	----	----	----	----	----	0 - 10
580	0.0150	0.0150	0.0155/*0.0150	0.0165B/*0.0150	----	0.0175 - 0.0050	.1499	----	----	4	----	553 + 2
585	----	----	----	----/*0.0040A	----	0.0000 - 0.0030	----	----	----	----	----	0 - 35
590	----	----	----/*0.0055A	0.0020B/*0.0055	----	0.0000 - 0.0080	----	----	----	----	----	0 - 17
590	----	----	----/*0.0370A	0.0395B/*0.0370	----	0.0380 - 0.0080	.3046	----	----	----	----	5 UNCH
591	0.0020	0.0020	0.0020/*0.0020	0.0020/*0.0020	----	0.0000 - 0.0095	----	----	----	2	----	0 - 2
593	0.0040	0.0040	0.0040/*0.0040	0.0040/*0.0040	----	0.0000 - 0.0135	----	----	----	1	----	0 - 1
595	----	----	----/*0.0065A	0.0035B/*0.0065	----	0.0000 - 0.0190	----	----	----	1	----	0 - 2
595	----	----	----/0.0495A	0.0585B/0.0495A	----	0.0555 - 0.0090	.4128	----	----	----	----	1 UNCH
596	0.0030	0.0030	0.0030/*0.0030	0.0100B/*0.0030	----	0.0000 - 0.0220	----	----	----	4	----	0 - 3
597	0.0200	0.0200	0.0200/*0.0065A	0.0200/*0.0065A	----	0.0000 NEW	----	----	----	1	----	0 UNCH
599	----	----	----/*0.0105A	0.0250B/*0.0105	----	0.0055 - 0.0300	----	----	----	----	----	0 - 1
600	----	----	----/0.0680A	0.0840B/0.0680A	----	0.0790 - 0.0085	.5314	----	----	----	----	1 UNCH
601	----	----	----/*0.0155A	0.0420B/*0.0155	----	0.0255 - 0.0215	----	----	----	----	----	0 - 1
602	----	----	----/*0.0200A	0.0515B/*0.0200	----	0.0355 - 0.0185	----	----	----	----	----	0 - 1
605	----	----	0.0800B/*0.0410	0.0800B/*0.0410	----	0.0655 - 0.0125	----	----	----	----	----	0 - 1
615	----	----	0.1800B/0.1245A	0.1800B/0.1245A	----	0.1655 - 0.0070	----	----	----	----	----	0 UNCH
TOTAL										36		1262 - 147

ALUMINIUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST

PLATINUM OPTIONS ON FUTURES

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUN26												
1400	----	----	170.50B/145.50A	170.50B/145.50A	----	159.00 + 9.60	.8523	----	----	----	----	75 UNCH
1440	----	----	----	----	----	127.40 + 8.50	.7796	----	----	----	----	1 UNCH
1460	----	----	----	----	----	112.80 + 7.80	.7365	----	----	----	----	25 UNCH
1500	----	----	92.90B/78.50A	92.90B/78.50A	----	86.60 + 6.40	.6400	----	----	----	----	110 UNCH
1525	----	----	77.60B/66.50A	77.60B/66.50A	----	72.50 + 5.40	.5750	----	----	----	----	5 UNCH
1550	----	----	64.30B/----	64.30B/56.20A	----	60.30 + 4.40	.5093	----	----	----	50	54 + 40
1575	----	----	52.80B/----	52.80B/47.60A	----	50.10 + 3.60	.4457	----	----	----	----	15 UNCH
1600	----	----	43.10B/----	43.10B/40.40A	----	41.50 + 2.80	.3861	----	----	----	----	49 UNCH
1650	----	----	28.20B/----	28.20B/29.40A	----	28.50 + 1.50	.2840	----	----	----	----	67 UNCH
1700	----	----	----	18.00B/21.90A	----	19.70 + 0.70	.2057	----	----	----	----	33 UNCH
1750	----	----	----	11.30B/17.10A	----	13.90 + 0.20	.1491	----	----	----	----	142 UNCH
1800	----	----	----	6.90B/14.10A	----	10.20 - 0.10	.1102	----	----	----	----	112 UNCH
1850	----	----	----	4.10B/12.10A	----	7.80 - 0.10	.0837	----	----	----	----	67 UNCH
1900	----	----	----	2.20B/10.70A	----	6.00 - 0.20	.0639	----	----	----	----	64 UNCH
1925	----	----	----	1.40B/10.20A	----	5.30 - 0.20	.0562	----	----	----	----	40 UNCH
1950	----	----	----	0.80B/9.70A	----	4.70 - 0.20	.0496	----	----	----	----	10 UNCH
2000	----	----	----	----/8.90A	----	3.70 - 0.20	.0387	----	----	----	----	108 UNCH
2100	----	----	----	----/7.80A	----	1.90 - 0.10	.0203	----	----	----	----	52 UNCH
2200	----	----	----	----/7.10A	----	0.90 - 0.20	.0099	----	----	----	----	8 UNCH
2300	----	----	----	----/6.60A	----	0.50 - 0.10	.0055	----	----	----	----	30 UNCH
2400	----	----	----	----/6.10A	----	0.30 - 0.10	.0032	----	----	----	----	7 UNCH
2500	----	----	----	----/5.80A	----	0.20 UNCH	.0021	----	----	----	----	25 UNCH
2700	----	----	----	----/5.30A	----	0.10 UNCH	.0003	----	----	----	----	50 UNCH
3000	----	----	----	----/5.00A	----	0.10 UNCH	.0000	----	----	----	----	30 UNCH
3500	----	----	----	----/4.70A	----	0.10 UNCH	----	----	----	----	----	25 UNCH
TOTAL									50			1204 + 40
JUL26												
1550	----	----	107.30B/96.90A	107.30B/96.90A	----	103.80 + 6.80	.5642	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

64
Side 63

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PAO CALL		NYMEX PALLADIUM OPTIONS										
JUL26												
1600	----	----	83.40B/----	83.40B/76.70A	----	81.30 + 5.50	.4797	----	----	----	----	50 UNCH
1800	----	----	----	27.10B/32.40A	----	29.80 + 1.10	.2184	----	----	----	----	49 UNCH
TOTAL												149 0
AUG26												
1600	----	----	#107.60B/----	#107.60B/101.30	----	106.30 + 7.30	.4983	----	----	----	----	100 UNCH
1800	----	----	----	#46.00B/50.80A	----	48.50 + 1.70	.2761	----	----	----	----	100 UNCH
TOTAL												200 0
SEP26												
1400	----	----	238.40B/222.80A	238.40B/222.80A	----	234.00 + 10.70	.7332	----	----	----	----	75 UNCH
1575	----	----	142.20B/----	142.20B/135.70A	----	141.60 + 9.00	.5402	----	----	----	----	25 UNCH
1625	----	----	121.50B/----	121.50B/117.40A	----	121.60 NEW	.4866	----	----	20	----	20 + 20
1665	----	----	106.60B/----	106.60B/104.50A	----	107.30 + 7.00	.4455	----	----	----	----	9 UNCH
1700	----	----	94.80B/----	94.80B/94.50A	----	96.00 + 6.00	.4110	----	----	----	----	55 UNCH
1800	----	----	67.00B/----	67.00B/71.80A	----	70.00 + 3.30	.3231	----	----	----	----	6 UNCH
1875	----	----	----	51.70B/59.70A	----	55.90 + 1.70	.2690	----	----	----	----	25 UNCH
1900	----	----	----	47.60B/56.40A	----	52.10 + 1.30	.2534	----	----	----	----	5 UNCH
2000	----	----	----	34.80B/45.60A	----	39.80 - 0.10	.2003	----	----	20	----	25 + 20
2100	----	----	----	26.30B/37.60A	----	31.10 - 0.40	.1601	----	----	----	----	25 UNCH
2200	----	----	----	20.70B/31.90A	----	25.30 - 0.50	.1313	----	----	----	----	5 UNCH
2400	----	----	----	12.90B/24.70A	----	18.40 - 0.50	.0945	----	----	----	----	15 UNCH
2550	----	----	----	9.10B/21.30A	----	14.90 - 0.50	.0759	----	----	----	----	50 UNCH
TOTAL										40		340 + 40
DEC26												
2000	----	----	----	----	----	85.30 + 4.00	.2986	----	----	----	----	1 UNCH
3000	----	----	----	----	----	29.00 + 1.20	.1038	----	----	----	----	1 UNCH
TOTAL												2 0
PAO PUT		NYMEX PALLADIUM OPTIONS										
JUN26												
1195	0.50	0.50	0.50/*0.50	0.50/*0.50	----	0.60 NEW	.0083	----	----	113	----	113 + 113
1200	----	----	----	----/*5.40A	----	0.70 - 0.30	.0096	----	----	----	----	15 UNCH
1250	----	----	----	----/*6.60A	----	1.70 - 0.70	.0223	----	----	----	----	1 UNCH
1300	----	----	----	1.00B/*8.30A	----	3.80 - 1.20	.0471	----	----	----	----	135 UNCH
1325	----	----	----	1.70B/*9.70A	----	5.20 - 1.60	.0635	----	----	----	----	18 UNCH
1335	----	----	----	2.70B/*10.30A	----	5.90 - 1.80	.0714	----	----	----	----	1 UNCH
1350	----	----	----	4.30B/*11.50A	----	7.10 - 2.00	.0849	----	----	----	----	11 UNCH
1400	----	----	----	11.70B/*17.30A	----	13.20 - 3.10	.1476	----	----	----	----	236 UNCH
1440	----	----	----/*24.40A	20.70B/*24.40A	----	21.40 - 4.40	.2203	----	----	----	----	4 UNCH
1450	----	----	----/*26.60A	23.60B/*26.60A	----	24.00 - 4.70	.2414	----	----	----	----	101 UNCH
1460	----	----	----/*29.00A	26.90B/*29.00A	----	26.80 - 5.00	.2633	----	----	----	----	100 UNCH
1475	----	----	----/33.00A	32.30B/33.00A	----	31.50 - 5.50	.2981	----	----	----	----	10 UNCH
1500	----	----	----/41.10A	43.10B/41.10A	----	40.60 - 6.40	.3599	----	----	----	----	54 UNCH
1550	----	----	----/63.00A	70.70B/63.00A	----	64.20 - 8.40	.4906	----	----	----	----	1 UNCH
1750	----	----	233.40B/208.00A	233.40B/208.00A	----	217.50 - 12.60	.8507	----	----	----	----	1 UNCH
1900	----	----	377.10B/348.10A	377.10B/348.10A	----	359.40 - 13.00	.9359	----	----	----	----	50 UNCH
TOTAL										113		851 + 113
JUL26												
1285	----	----	----	8.00B/*16.40A	----	11.90 - 1.40	.0915	----	----	----	----	9 UNCH
1300	----	----	----	9.70B/*17.90A	----	13.50 - 1.50	.1024	----	----	----	----	125 UNCH
1400	----	----	----	27.40B/*33.00A	----	29.60 - 2.40	.2018	----	----	----	----	20 UNCH
1450	----	----	----/*45.40A	42.00B/*45.40A	----	42.80 - 3.40	.2709	----	----	----	----	30 UNCH
TOTAL												184 0
SEP26												
1300	----	----	----	31.30B/*42.60A	----	37.30 - 1.40	.1725	----	----	----	----	10 UNCH
1460	----	----	----	84.90B/*92.00A	----	88.40 - 2.70	.3314	----	----	----	----	75 UNCH
1465	----	----	----	87.20B/*94.10A	----	90.60 - 2.70	.3369	----	----	----	----	150 UNCH
1550	----	----	----/134.70A	131.10B/134.70A	----	132.40 - 3.60	.4319	----	----	----	----	100 UNCH
1575	----	----	----/148.30A	145.80B/148.30A	----	146.30 - 3.90	.4594	----	----	----	----	25 UNCH
1650	----	----	----/192.60A	193.80B/192.60A	----	191.50 - 5.60	.5389	----	----	----	----	50 UNCH
1925	----	----	412.70B/395.90A	412.70B/395.90A	----	400.50 - 12.10	.7609	----	----	----	----	75 UNCH
TOTAL												485 0
DEC26												
1500	----	----	----	----	----	143.40 - 5.90	.3670	----	----	----	----	40 UNCH
TOTAL												40 0
PLW OOF		PLATINUM WEEKLY FRIDAY OPTION Week1										
MAY26												
1700	----	----	----	----/2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 3
1800	----	----	----	7.60B/*9.50A	----	7.00 - 2.40	.0797	----	----	----	----	7 UNCH
1900	----	----	142.10B/104.20A	142.10B/104.20A	----	132.70 + 11.60	.7857	----	----	----	----	30 UNCH
1900	----	----	124.10B/72.40A	124.10B/72.40A	----	111.90 + 16.70	----	----	----	----	----	0 - 10
1915	----	----	----	----	----	96.90 + 16.00	----	----	----	----	----	0 - 20
2000	----	----	32.00B/*2.80A	32.00B/*2.80A	----	0.00 - 24.40	----	----	----	----	----	0 - 10
2025	----	----	43.60B/27.90A	43.60B/27.90A	----	39.10 + 3.20	.4614	----	----	----	----	20 UNCH
2040	----	----	----/*2.80A	3.10B/*2.80A	----	0.00 - 6.20	----	----	----	----	----	0 - 4
2045	----	----	----/*2.80A	2.20B/*2.80A	----	0.00 - 5.30	----	----	----	----	----	0 - 20
2050	----	----	----/*2.80A	1.40B/*2.80A	----	0.00 - 4.60	----	----	----	----	----	0 - 10
2095	----	----	----	----/*2.80A	----	0.00 - 1.00	----	----	----	----	----	0 - 4
2200	----	----	----	----/*2.80A	----	0.00 - 0.10	----	----	----	----	----	0 - 20
TOTAL												57 - 101
PO CALL		PLATINUM OPTIONS										
JUN26												
1900	----	----	148.40B/111.80A	148.40B/111.80A	----	139.30 + 11.30	.7580	----	----	----	----	1 UNCH
1950	----	----	112.60B/83.40A	112.60B/83.40A	----	105.90 + 9.40	.6559	----	----	----	----	6 UNCH
2000	----	----	83.20B/60.70A	83.20B/60.70A	----	78.70 + 7.60	.5442	----	----	----	----	20 UNCH
2025	----	----	70.80B/51.40A	70.80B/51.40A	----	67.00 + 6.50	.4885	----	----	----	----	27 UNCH
2050	----	----	59.70B/43.40A	59.70B/43.40A	----	56.50 + 5.30	.4340	----	----	----	----	76 UNCH
2055	----	----	57.60B/41.90A	57.60B/41.90A	----	54.60 + 5.20	.4233	----	----	----	----	100 UNCH
2075	----	----	49.90B/36.60A	49.90B/36.60A	----	47.30 + 4.20	.3816	----	----	----	----	15 UNCH
2085	----	----	46.30B/34.20A	46.30B/34.20A	----	43.90 + 3.70	.3612	----	----	----	----	15 UNCH
2090	----	----	44.60B/33.10A	44.60B/33.10A	----	42.30 + 3.50	.3513	----	----	----	----	15 UNCH
2095	----	----	43.00B/32.00A	43.00B/32.00A	----	40.80 + 3.40	.3417	----	----	----	----	15 UNCH
2100	----	----	41.30B/31.00A	41.30B/31.00A	----	39.30 + 3.10	.3321	----	----	----	----	16 UNCH
2120	----	----	35.40B/27.20A	35.40B/27.20A	----	33.80 + 2.40	.2953	----	----	----	----	15 UNCH
2130	----	----	32.70B/25.50A	32.70B/25.50A	----	31.40 + 2.10	.2783	----	----	----	----	55 UNCH
2140	31.10	31.10	31.10/23.90A	31.10/23.90A	----	29.20 NEW	.2621	----	----	15	----	15 + 15
2145	30.10	30.10	30.10/23.20A	30.10/23.20A	----	28.10 NEW	.2541	----	----	15	----	15 + 15
2150	29.20	29.20	29.20/22.50A	29.20/22.50A	----	27.10 + 1.60	.2465	----	----	15	----	21 + 15
2165	----	----	24.80B/20.50A	24.80B/20.50A	----	24.30 + 1.30	.2247	----	----	----	----	1 UNCH
2175	----	----	22.90B/19.40A	22.90B/19.40A	----	22.60 + 1.10	.2112	----	----	----	----	12 UNCH
2180	----	----	22.00B/18.80A	22.00B/18.80A	----	21.80 + 1.00	.2047	----	----	----	----	12 UNCH
2185	----	----	21.10B/18.30A	21.10B/18.30A	----	21.10 + 1.00	.1987	----	----	----	----	12 UNCH
2190	----	----	20.30B/17.80A	20.30B/17.80A	----	20.40 + 0.90	.1928	----	----	----	----	16 UNCH
2195	----	----	19.50B/17.30A	19.50B/17.30A	----	19.70 + 0.90	.1869	----	----	----	----	12 UNCH
2200	----	----	18.70B/16.90A	18.70B/16.90A	----	19.00 + 0.80	.1810	----	----	----	----	364 UNCH
2205	----	----	18.00B/16.40A	18.00B/16.40A	----	18.40 + 0.80	.1758	----	----	----	----	12 UNCH
2210	----	----	17.30B/16.00A	17.30B/16.00A	----	17.70 + 0.60	.1700	----	----	----	----	24 UNCH
2220	----	----	----/15.20A	15.90B/15.20A	----	16.60 + 0.60	.1601	----	----	----	----	6 UNCH
2225	----	----	----/14.80A	15.30B/14.80A	----	16.00 + 0.50	.1550	----	----	----	----	44 UNCH
2230	----	----	----/14.50A	14.70B/14.50A	----	15.50 + 0.50	.1505	----	----	----	----	24 UNCH
2235	----	----	----/14.10A	14.10B/14.10A	----	15.00 + 0.50	.1459	----	----	----	----	12 UNCH
2240	----	----	----/13.80A	13.60B/13.80A	----	14.50 + 0.40	.1415	----	----	----	----	27 UNCH
2250	12.00	12.00	12.60B/12.00	12.60B/12.00	----	13.60 + 0.30	.1332	----	----	40	----	113 + 40
2255	----	----	----	12.10B/12.90A	----	13.20 + 0.30	.1294	----	----	----	----	15 UNCH
2270	----	----	----	10.70B/12.10A	----	12.00 + 0.20	.1182	----	----	----	----	72 UNCH
2280	----	----	----	9.90B/11.60A	----	11.30 + 0.20	.1115	----	----	----	----	60 UNCH
2300	----	----	----	8.40B/10.70A	----	10.00 + 0.10	.0991	----	----	----	----	423 UNCH
2320	----	----	----	7.20B/10.00A	----	8.90 UNCH	.0884	----	----	----	----	78 UNCH
2340	----	----	----	6.10B/9.30A	----	8.00 UNCH	.0794	----	----	----	----	30 UNCH
2345	----	----	----	5.90B/9.20A	----	7.80 UNCH	.0773	----	----	----	----	15 UNCH
2350	----	----	----	5.60B/9.00A	----	7.60 UNCH	.0753	----	----	----	----	55 UNCH
2355	----	----	----	5.40B/8.90A	----	7.40 UNCH	.0733	----	----	----	----	17 UNCH
2400	----	----	----	3.70B/7.80A	----	6.00 UNCH	.0588	----	----	----	----	1 UNCH
2420	----	----	----	3.10B/7.40A	----	5.50 UNCH	.0535	----	----	----	----	4 UNCH
2450	----	----	----	2.40B/6.90A	----	4.80 - 0.10	.0464	----	----	----	----	1 UNCH
2500	----	----	----	1.40B/6.30A	----	3.50 - 0.20	.0342	----	----	----	----	100 UNCH
2650	----	----	----	----/5.00A	----	1.20 - 0.10	.0123	----	----	----	----	17 UNCH
2750	----	----	----	----/4.50A	----	0.60 - 0.10	.0062	----	----	----	----	2 UNCH
TOTAL										85		2008 + 85
JUL26												
1500	----	----	525.90B/475.10A	525.90B/475.10A	----	514.00 + 16.90	.9745	----	----	----	----	50 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST
PO CALL		PLATINUM OPTIONS										
JUL26												
1680	----	----	----	----	----	345.90 + 15.60	.9022	----	----	----	----	50 UNCH
1700	----	----	338.80B/292.80A	338.80B/292.80A	----	328.40 + 15.30	.8885	----	----	----	----	1 UNCH
1800	239.00	239.00	256.00B/215.60A	256.00B/215.60A	----	247.10 + 14.10	.7992	----	----	5	----	118 + 5
1850	----	----	218.80B/182.10A	218.80B/182.10A	----	211.20 + 13.40	.7422	----	----	----	----	1 UNCH
1900	----	----	185.10B/152.30A	185.10B/152.30A	----	178.70 + 12.50	.6793	----	----	----	----	0 UNCH
2000	----	----	128.90B/104.00A	128.90B/104.00A	----	124.30 + 9.90	.5452	----	----	----	----	160 UNCH
2050	----	----	106.20B/85.00A	106.20B/85.00A	----	102.40 + 8.60	.4785	----	----	----	----	1 UNCH
2085	----	----	92.20B/73.60A	92.20B/73.60A	----	89.00 + 7.70	.4335	----	----	----	----	1 UNCH
2100	80.00	80.00	86.60B/69.20A	86.60B/69.20A	----	83.80 + 7.40	.4149	----	----	75	67	450 - 72
2150	55.00	55.00	70.10B/55.00	70.10B/55.00	----	68.20 + 6.20	.3560	----	----	5	----	17 + 5
2170	----	----	64.30B/52.00A	64.30B/52.00A	----	62.70 + 5.70	.3339	----	----	----	----	4 UNCH
2200	----	----	56.40B/46.10A	56.40B/46.10A	----	55.30 + 5.00	.3026	----	----	----	----	506 UNCH
2250	----	----	45.20B/37.90A	45.20B/37.90A	----	44.80 + 3.90	.2555	----	----	----	----	110 UNCH
2300	----	----	36.30B/31.60A	36.30B/31.60A	----	36.40 + 3.00	.2150	----	----	----	----	168 UNCH
2350	----	----	29.20B/26.60A	29.20B/26.60A	----	29.80 + 2.20	.1809	----	----	----	----	131 UNCH
2375	----	----	26.20B/24.60A	26.20B/24.60A	----	27.10 + 2.00	.1663	----	----	----	----	50 UNCH
2400	----	----	23.60B/22.80A	23.60B/22.80A	----	24.70 + 1.70	.1530	----	----	----	----	867 UNCH
2450	----	----	----	19.30B/19.90A	----	20.70 + 1.30	.1300	----	----	----	----	50 UNCH
2480	----	----	----	17.10B/18.50A	----	18.80 + 1.10	.1186	----	----	----	----	50 UNCH
2500	----	----	----	15.90B/17.60A	----	17.70 + 1.00	.1118	----	----	----	----	429 UNCH
2600	----	----	----	11.10B/14.30A	----	13.30 + 0.60	.0843	----	----	----	----	363 UNCH
2650	9.50	9.50	9.70/*9.50	9.70/*9.50	----	11.80 NEW	.0745	----	----	2	----	2 + 2
2700	----	----	----	8.10B/12.10A	----	10.60 + 0.50	.0664	----	----	----	----	114 UNCH
2800	----	----	----	6.00B/10.60A	----	8.50 + 0.30	.0528	----	----	----	----	348 UNCH
2850	----	----	----	5.20B/10.00A	----	7.70 + 0.30	.0475	----	----	----	----	91 UNCH
2900	----	----	----	4.60B/9.40A	----	7.00 + 0.20	.0429	----	----	----	----	190 UNCH
3000	----	----	----	3.40B/8.50A	----	6.00 + 0.20	.0361	----	----	----	----	583 UNCH
3100	----	----	----	2.50B/7.80A	----	5.20 + 0.10	.0307	----	----	----	----	159 UNCH
3200	----	----	----	----/9.50A	----	4.60 + 0.10	.0266	----	----	----	----	18 UNCH
3300	----	----	----	----/9.00A	----	4.20 + 0.10	.0237	----	----	----	----	31 UNCH
3400	----	----	----	----/8.60A	----	3.40 + 0.10	.0193	----	----	----	----	32 UNCH
3500	----	----	----	----/8.20A	----	2.70 UNCH	.0154	----	----	----	----	274 UNCH
3600	----	----	----	----/7.90A	----	2.20 UNCH	.0126	----	----	----	----	300 UNCH
3800	----	----	----	----/5.20A	----	1.60 UNCH	.0091	----	----	----	----	12 UNCH
3900	----	----	----	----/5.00A	----	1.40 UNCH	.0079	----	----	----	----	8 UNCH
4000	----	----	----	----/4.80A	----	1.20 UNCH	.0068	----	----	----	----	221 UNCH
TOTAL									67	87		5960 - 60
AUG26												
2300	----	----	#68.90B/60.10A	68.90B/60.10A	----	68.70 + 5.20	.2969	----	----	----	----	10 UNCH
TOTAL												10 0
OCT26												
1720	----	----	----	----	----	380.00 + 14.70	.7856	----	----	----	----	1 UNCH
1800	----	----	332.00B/299.60A	332.00B/299.60A	----	326.80 + 13.70	.7291	----	----	----	----	1 UNCH
1900	----	----	272.60B/245.00A	272.60B/245.00A	----	268.70 + 13.20	.6529	----	----	----	----	2 UNCH
2000	----	----	222.50B/199.60A	222.50B/199.60A	----	219.80 + 12.50	.5750	----	----	----	----	4 UNCH
2125	----	----	171.70B/154.50A	171.70B/154.50A	----	170.60 + 9.60	.4821	----	----	----	----	12 UNCH
2135	----	----	168.20B/151.40A	168.20B/151.40A	----	167.20 + 9.30	.4751	----	----	----	----	12 UNCH
2200	----	----	146.90B/132.80A	146.90B/132.80A	----	146.50 + 7.90	.4309	----	----	----	----	135 UNCH
2400	----	----	96.90B/89.90A	96.90B/89.90A	----	98.10 + 6.20	.3150	----	----	50	----	245 + 50
2500	----	----	78.80B/74.80A	78.80B/74.80A	----	80.50 + 4.70	.2680	----	----	----	50	281 + 50
2600	----	----	64.20B/62.70A	64.20B/62.70A	----	66.40 + 3.40	.2280	----	----	----	----	10 UNCH
2700	----	----	----	52.50B/53.20A	----	55.10 + 2.40	.1942	----	----	50	----	360 + 50
2800	----	----	----	43.30B/45.60A	----	45.90 + 1.80	.1656	----	----	----	----	31 UNCH
2850	----	----	----	39.40B/42.40A	----	42.00 + 1.70	.1531	----	----	----	----	100 UNCH
2900	----	----	----	35.90B/39.70A	----	38.50 + 1.50	.1417	----	----	----	----	210 UNCH
3000	----	----	----	30.10B/35.00A	----	33.00 + 1.30	.1229	----	----	----	----	121 UNCH
3200	----	----	----	21.80B/28.20A	----	25.40 + 0.90	.0954	----	----	----	----	10 UNCH
3500	----	----	----	14.30B/21.70A	----	18.00 + 0.60	.0679	----	----	----	----	10 UNCH
4000	----	----	----	7.90B/16.00A	----	11.60 + 0.30	.0432	----	----	----	----	5 UNCH
TOTAL									50	100		1550 + 150
JAN27												
2360	----	----	----	----	----	165.50 + 6.90	.4001	----	----	----	----	100 UNCH
TOTAL												100 0
PO PUT		PLATINUM OPTIONS										
JUN26												
1780	----	----	----	9.40B/*10.70A	----	8.50 - 2.20	.0863	----	----	----	----	2 UNCH
1800	----	----	----/*12.50A	12.10B/*12.50A	----	10.50 - 2.70	.1045	----	----	----	----	3 UNCH
1825	15.00	15.00	15.00/*15.00	16.20B/*15.00	----	13.40 - 3.30	.1305	----	----	20	----	102 + 13
1850	----	----	21.40B/*18.70A	21.40B/*18.70A	----	17.10 - 4.00	.1618	----	----	----	----	44 UNCH
1875	----	----	27.90B/*23.00A	27.90B/*23.00A	----	21.70 - 5.00	.1986	----	----	----	----	24 UNCH
1880	----	----	29.40B/*23.90A	29.40B/*23.90A	----	22.80 - 5.10	.2069	----	----	----	----	24 UNCH
1885	----	----	30.90B/*24.90A	30.90B/*24.90A	----	23.90 - 5.30	.2152	----	----	----	----	42 UNCH
1890	37.00	37.00	37.00/*26.00A	37.00/*26.00A	----	25.10 - 5.50	.2239	----	----	6	----	28 - 6
1895	----	----	34.20B/*27.10A	34.20B/*27.10A	----	26.30 - 5.70	.2327	----	----	----	----	12 UNCH
1900	----	----	36.00B/*28.30A	36.00B/*28.30A	----	27.60 - 5.90	.2418	----	----	----	----	403 UNCH
1905	----	----	37.80B/*29.40A	37.80B/*29.40A	----	29.00 - 6.10	.2513	----	----	----	----	39 UNCH
1910	----	----	39.70B/*30.70A	39.70B/*30.70A	----	30.40 - 6.30	.2609	----	----	----	----	39 UNCH
1915	----	----	41.60B/*32.00A	41.60B/*32.00A	----	31.90 - 6.50	.2707	----	----	----	----	54 UNCH
1920	----	----	43.70B/*33.30A	43.70B/*33.30A	----	33.40 - 6.80	.2806	----	----	----	----	44 UNCH
1925	----	----	45.80B/*34.80A	45.80B/*34.80A	----	35.10 - 6.90	.2910	----	----	----	----	27 UNCH
1930	----	----	47.90B/*36.20A	47.90B/*36.20A	----	36.70 - 7.20	.3011	----	----	----	----	42 UNCH
1935	----	----	50.10B/*37.80A	50.10B/*37.80A	----	38.50 - 7.30	.3117	----	----	----	----	42 UNCH
1940	----	----	52.40B/*39.40A	52.40B/*39.40A	----	40.30 - 7.50	.3224	----	----	----	----	30 UNCH
1950	----	----	57.20B/42.80A	57.20B/42.80A	----	44.10 - 7.90	.3440	----	----	----	----	139 UNCH
1955	----	----	59.70B/44.60A	59.70B/44.60A	----	46.10 - 8.10	.3549	----	----	----	----	30 UNCH
1960	----	----	62.20B/46.40A	62.20B/46.40A	----	48.20 - 8.20	.3660	----	----	----	----	15 UNCH
1965	----	----	64.80B/48.30A	64.80B/48.30A	----	50.30 - 8.40	.3771	----	----	----	----	15 UNCH
1970	----	----	67.50B/50.30A	67.50B/50.30A	----	52.50 - 8.60	.3883	----	----	----	----	15 UNCH
1975	----	----	70.20B/52.40A	70.20B/52.40A	----	54.80 - 8.70	.3995	----	----	----	----	15 UNCH
1980	----	----	72.90B/54.50A	72.90B/54.50A	----	57.10 - 8.90	.4107	----	----	----	----	15 UNCH
1985	----	----	75.70B/56.60A	75.70B/56.60A	----	59.40 - 9.20	.4219	----	----	----	----	15 UNCH
1990	----	----	78.60B/58.90A	78.60B/58.90A	----	61.80 - 9.40	.4332	----	----	----	----	15 UNCH
1995	----	----	81.50B/61.20A	81.50B/61.20A	----	64.30 - 9.50	.4444	----	----	----	----	15 UNCH
2000	----	----	84.50B/63.50A	84.50B/63.50A	----	66.80 - 9.70	.4556	----	----	----	----	24 UNCH
2020	----	----	----/73.50A	86.90B/73.50A	----	77.40 - 10.50	.5003	----	----	----	----	30 UNCH
2050	----	----	117.40B/90.00A	117.40B/90.00A	----	94.60 - 11.90	.5659	----	----	----	----	3 UNCH
2100	----	----	155.20B/121.40A	155.20B/121.40A	----	127.30 - 14.10	.6678	----	----	----	----	101 UNCH
2140	----	----	----	----	----	157.10 - 15.40	.7378	----	----	----	----	1 UNCH
2200	----	----	241.80B/198.10A	241.80B/198.10A	----	206.80 - 16.50	.8188	----	----	----	----	10 UNCH
TOTAL										26		1459 + 7
JUL26												
1400	----	----	----	----/*4.90A	----	1.40 - 0.20	.0109	----	----	----	----	150 UNCH
1500	----	----	----	1.30B/6.70A	----	3.40 - 0.40	.0253	----	----	----	----	153 UNCH
1550	----	----	----	3.40B/*8.20A	----	5.30 - 0.60	.0382	----	----	----	----	200 UNCH
1600	7.00	7.00	7.60/*7.00	7.60/*7.00	----	8.10 - 0.90	.0561	----	----	4	----	404 + 2
1650	----	----	----	11.50B/*14.20A	----	12.00 - 1.40	.0798	----	----	----	----	1 UNCH
1680	----	----	----	15.40B/*17.10A	----	15.10 - 1.70	.0976	----	----	----	----	50 UNCH
1700	----	----	----/*19.40A	18.50B/*19.40A	----	17.60 - 1.90	.1113	----	----	----	----	233 UNCH
1710	----	----	----/*20.70A	20.10B/*20.70A	----	19.00 - 2.00	.1188	----	----	----	----	1 UNCH
1725	----	----	----/*22.80A	22.80B/*22.80A	----	21.20 - 2.20	.1303	----	----	----	----	100 UNCH
1750	----	----	----/*26.70A	27.80B/*26.70A	----	25.40 - 2.50	.1515	----	----	----	----	50 UNCH
1800	----	----	40.20B/*36.70A	40.20B/*36.70A	----	36.00 - 3.20	.2006	----	----	----	----	261 UNCH
1825	----	----	47.70B/42.80A	47.70B/42.80A	----	42.50 - 3.50	.2282	----	----	----	----	30 UNCH
1850	----	----	56.20B/49.60A	56.20B/49.60A	----	49.90 - 3.80	.2576	----	----	----	----	40 UNCH
1900	----	----	76.00B/66.00A	76.00B/66.00A	----	67.20 - 4.80	.3205	----	----	----	----	81 UNCH
2000	----	----	127.20B/109.90A	127.20B/109.90A	----	112.50 - 7.30	.4546	----	----	----	----	1 UNCH
2085	----	----	----/157.90A	154.10B/157.90A	----	161.90 - 9.50	.5663	----	----	----	----	1 UNCH
2100	----	----	192.30B/167.20A	192.30B/167.20A	----	171.60 - 9.80	.5849	----	----	----	----	225 UNCH
2135	----	----	----	----	----	195.20 - 10.70	.6267	----	----	----	----	190 UNCH
2165	----	----	----	----	----	216.60 - 11.40	.6604	----	----	----	----	20 UNCH
2350	----	----	400.10B/358.20A	400.10B/358.20A	----	366.70 - 15.00	.8189	----	----	----	----	5 UNCH
2400	----	----	446.30B/402.40A	446.30B/402.40A	----	411.40 - 15.60	.8468	----	----	----	----	300 UNCH
4000	----	----	2,028.50B/1,978	2,028.50B/1,978	----	1988.10 - 17.30	.9932	----	----	----	----	0 UNCH
TOTAL										4		2496 + 2
OCT26												
1300	----	----	----	6.10B/*14.80A	----	10.30 - 0.40	.0400	----	----	----	----	4 UNCH
1500	----	----	----	24.10B/30.50A	----	26.50 - 0.90	.0954	----	----	----	----	21 UNCH
1600	41.00	41.00	41.50/41.00	41.50/41.00	----	42.20 - 1.50	.1416	----	----	2	----	19 + 2
1720	----	----	----/73.50A	72.80B/73.50A	----	70.80 - 2.90	.2140	----	----	----	----	2 UNCH
1820	----	----	109.10B/106.20A	109.10B/106.20A	----	104.20 - 4.10	.2854	----	----	----	----	4 UNCH
1950	----	----	170.50B/162.50A	170.50B/162.50A	----	161.70 - 4.50	.3857	----	----	----	----	50 UNCH
2000	----	----	198.30B/188.10A	198.30B/188.10A	----	187.90 - 4.90	.4245	----	----	----	----	1 UNCH

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

	GLOBEX OPEN	OPEN OUTCRY OPEN RANGE	GLOBEX HIGH/LOW	OPEN OUTCRY HIGH/LOW	OPEN OUTCRY CLOSE RANGE	SETT.PRICE & PT.CHGE.	DELTA	EXER CISES	OPEN OUTCRY VOLUME	GLOBEX® VOLUME	PNT VOLUME	OPEN INTEREST	
PO PUT		PLATINUM OPTIONS											
OCT26													
2100	----	----	260.20B/245.60A	260.20B/245.60A	----	246.50 - 7.20	.4996	----	----	----	----	100	UNCH
2130	----	----	280.20B/264.40A	280.20B/264.40A	----	265.50 - 8.10	.5210	----	----	----	----	41	UNCH
2135	----	----	281.40B/267.60A	281.40B/267.60A	----	268.80 - 8.20	.5245	----	----	----	----	12	UNCH
2140	----	----	282.20B/270.80A	282.20B/270.80A	----	272.00 - 8.40	.5280	----	----	----	----	12	UNCH
2400	----	----	485.50B/458.30A	485.50B/458.30A	----	462.10 - 11.40	.6846	----	----	----	----	200	UNCH
2500	----	----	569.90B/539.10A	569.90B/539.10A	----	543.60 - 12.80	.7316	----	----	----	----	1	UNCH
TOTAL										2		467 +	2
JAN27													
1500	----	----	----	----	----	53.40 - 2.90	.1340	----	----	----	----	40	UNCH
1800	----	----	----	----	----	141.60 - 6.00	.2878	----	----	----	----	1	UNCH
TOTAL												41	0

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.

METALS OPTIONS PRODUCTS

2026 DAILY INFORMATION BULLETIN - http://www.cmegroup.com/dailybulletin
CME Group, Inc.
20 South Wacker Drive, Chicago, Illinois 60606-7499.
Customer Service: (312) 930-1000

FINAL

OPTIONS EOO'S AND BLOCKS

PRODUCT	STRIKE PRICE	EOO VOLUME	BLOCK VOLUME
OG CALL	COMEX GOLD OPTIONS		
JUN26 CALL			
OG	4600	0	150
OG	4650	0	75
OG	4800	0	300
OG	4850	0	50
OG	4855	0	200
OG	5050	0	100
TOTALS		0	875
JUL26 CALL			
OG	4750	0	50
OG	5000	0	100
OG	5200	0	210
TOTALS		0	360
AUG26 CALL			
OG	4700	0	200
OG	4800	0	160
OG	5000	0	230
OG	5025	0	150
OG	5030	0	400
OG	5085	0	100
OG	5400	0	160
OG	5525	0	550
TOTALS		0	1950
SEP26 CALL			
OG	5300	0	120
OG	5400	0	200
OG	5900	0	200
TOTALS		0	520
DEC26 CALL			
OG	5500	0	70
TOTALS		0	70
OG PUT	COMEX GOLD OPTIONS		
JUN26 PUT			
OG	4000	0	100
OG	4300	0	200
OG	4410	0	300
OG	4460	0	200
OG	4550	0	100
OG	4600	0	100
TOTALS		0	1000
AUG26 PUT			
OG	3980	0	550
OG	4300	0	150
OG	4305	0	400
OG	4355	0	100
OG	4455	0	230
OG	4700	0	200
TOTALS		0	1630
OCT26 PUT			
OG	4200	0	110
TOTALS		0	110
DEC26 PUT			
OG	3400	0	120
TOTALS		0	120
SO PUT	COMEX SILVER OPTIONS		
JUL26 PUT			
SO	6000	0	50
TOTALS		0	50
HX CALL	COMEX COPPER OPTIONS		
JUN26 CALL			
HX	610	0	100
TOTALS		0	100
PO CALL	PLATINUM OPTIONS		
JUL26 CALL			
PO	2100	0	67
TOTALS		0	67
OCT26 CALL			
PO	2500	0	50
TOTALS		0	50
PAO CALL	NYMEX PALLADIUM OPTIONS		
JUN26 CALL			
PAO	1550	0	50
TOTALS		0	50
OG2 CALL	GOLD OPTIONS		
MAY26 CALL			
OG2	4750	0	170
TOTALS		0	170
SO2 PUT	SILVER OPTIONS		
MAY26 PUT			
SO2	7600	0	50
TOTALS		0	50
SO2 CALL	SILVER OPTIONS		
MAY26 CALL			
SO2	7600	0	50
TOTALS		0	50
SWW WED	SILVER WEEKLY WEDNESDAY OPTION WEEK		
MAY26 CALL			
W1S	7800	0	50
TOTALS		0	50
HWT TUE	COPPER WEEKLY TUESDAY OPTION Week1		
MAY26 CALL			
H1T	615	0	500
TOTALS		0	500

THE INFORMATION CONTAINED IN THIS REPORT IS COMPILED FOR THE CONVENIENCE OF THE USER AND IS FURNISHED WITHOUT RESPONSIBILITY FOR ACCURACY OR CONTENT. IT IS ACCEPTED BY THE USER ON THE CONDITION THAT ERRORS OR OMISSIONS SHALL NOT BE MADE THE BASIS FOR ANY CLAIM, DEMAND, OR CAUSE FOR ACTION.
© Copyright CME Group Inc. All rights reserved.